ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 -510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGY, GEOCHEMISTRY, GEOPHYSICS, MINERALIZATION, SOIL SAMPLING, EXCAVATOR TRENCHING AND DIAMOND DRILLING

at the

TIDD PROPERTY

located at

NTS 105J/03, 105J/04, 105G/13, 105G/14
Latitude 62˚03'N; Longitude 131˚22'W

in

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

SEDEX MINING CORP.

and

STRATEGIC METALS LTD.

by

W. A. Wengzynowski, P.Eng.
January 2008

TABLE OF CONTENTS

SUMMARY	1
INTRODUCTION	4
PROPERTY LOCATION, CLAIM DATA AND ACCESS	4
PROPERTY HISTORY AND PREVIOUS WORK	4
GEOMORPHOLOGY	6
REGIONAL GEOLOGY AND MINERAL DEPOSITS	7
PROPERTY GEOLOGY	7
2007 EXPLORATION	10
DISCUSSION AND CONCLUSIONS	18
REFERENCES	20

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III GEOTECHNICAL AND GEOLOGICAL LOGS

FIGURES

No.	Description	Follows Page
1	Property Location	4
2	Claim Location	4
3	Historical Compilation	5
4	Recent Exploration	6
5	Tectonic Setting	7
6	Regional Geology	7
7	Property Geology	8
8	Soil Grid Overview	10
9	2007 Soil Sample Locations - Main Grid	In Pocket
10	Main Grid-Silver Soil Geochemistry - Main Grid	10
11	Copper Soil Geochemistry - Main Grid	10
12	Lead Soil Geochemistry - Main Grid	10
13	Zinc Soil Geochemistry- Main Grid	10
14	Soil Sample Locations - VTEM 1/ VTEM 4	10
15	Silver Soil Geochemistry - VTEM1/ VTEM 4	10
16	Copper Soil Geochemistry - VTEM1/ VTEM 4	10
17	Lead Soil Geochemistry - VTEM1/ VTEM 4	10
18	Zinc Soil Geochemistry - VTEM1/ VTEM 4	10
19	Soil Sample Locations - VTEM 2	10
20	Silver Soil Geochemistry - VTEM 2	10
21	Copper Soil Geochemistry - VTEM 2	10

22	Lead Soil Geochemistry - VTEM 2	10
23	Zinc Soil Geochemistry - VTEM 2	10
24	Soil Sample Locations - VTEM 3	10
25	Silver Soil Geochemistry - VTEM 3	10
26	Copper Soil Geochemistry - VTEM 3	10
27	Lead Soil Geochemistry - VTEM 3	10
28	Zinc Soil Geochemistry - VTEM 3	10
29	Soil Sample Locations - VTEM 5	10
30	Silver Soil Geochemistry - VTEM 5	10
31	Copper Soil Geochemistry - VTEM 5	10
32	Lead Soil Geochemistry - VTEM 5	10
33	Zinc Soil Geochemistry - VTEM 5	10
34	Indium Zone Geology	In Pocket
35	Anvil (VTEM1) Target	13
36	TD-TR-07-01	13
37	TD-TR-07-02	13
38	TD-TR-07-03	13
39	TD-TR-07-04	13
40	TD-TR-07-05	13
41	TD-TR-07-06	13
42	TD-TR-07-07	13
43	TD-TR-07-08	13
44	TD-TR-07-09	13

45	TD-TR-07-10	13
46	TD-TR-07-11	13
47	TD-TR-07-12	13
48	TD-TR-07-13	13
49	TD-TR-07-14	13
50	TD-TR-07-15	13
51	TD-TR-07-16	13
52	TD-TR-07-17	13
53	TD-TR-07-18	13
54	TD-TR-07-19	13
55	TD-TR-07-20	13
56	TD-TR-07-21	13
57	TD-TR-07-22	13
58	TD-TR-07-23	13
59	TD-TR-07-24	13
60	TD-TR-07-25	13
61	TD-TR-07-26	13
62	TD-TR-07-27	13
63	TD-TR-07-28	13
64	TD-TR-07-29	13
65	Drill Section TD-07-01/TD-07-02	17

TABLES

No.	Description	Page
I	Property Rock Units	9
II	RP Showing	11
III	Western Meadows and Area	11
IV	Maximum Soil Geochemical Responses from VTEM Grids	11
V	Narrow Highgrade Intervals from Excavator Trenches	14
VI	Compilation of Significant Trench Results – Indium Zone	14
VII	VTEM 1 Trench Results-Orange Oxide Fragments	16
VIII	Drill Hole Data	16

SUMMARY

The Tidd property consists of 866 claims covering about 18,100 hectares. It is situated 55 km northeast of Ross River and 25 km southeast of the North Canol Road. The property lies within a favourable geological trend interpreted by Cyprus Anvil Mining Corporation geologists as the southeastern extension of the Anvil Range District, which hosts a number of well known sedimentary exhalative (sedex) deposits. Cyprus Anvil formally owned and developed the main deposits in the district, notably the Faro, Grum, Vangorda, Dy and Swim deposits, which collectively contained pre-mining reserves of 120 Mt grading 5.6% zinc, 3.7% lead and about 40-50 g/t silver. These stratiform massive sulphide deposits are Cambrian age and occur within a restricted stratigraphic interval marked by the transition between the Mount Mye and Vangorda Formations. Ore bodies are characterized by stacked horizons of pyrite dominant sulphides with varying accumulations of sphalerite and galena. Vertical zoning within the deposits consists of an upper level lead-silver-zinc rich sulphide dominant facies underlain by a zinc sulphide enriched quartzose unit. Copper dominant feeder zone mineralization is associated with vent proximal facies in some sedex deposits but has rarely been recognized within the Anvil Range District. Some copper-gold rich mineralization was documented near the base of the Vangorda Deposit.

The Tidd property is characterized by gently undulating terrain with a thin veneer of glacial till, swamps and sub-alpine vegetation. Outcrop is sparse and geology is largely inferred from felsenmeer and subcrop. Most of the property lies on the southern limb of a broad, east-northeast trending antiform with Mount Mye Formation rocks comprising the core. The main exploration targets are hosted by sediments near the transition to the overlying Vangorda Formation which locally consists of muscovite-sericite altered phyllite and lesser schist. Stratigraphy in the vicinity of the main area of interest exhibits moderate to strong north verging folds. Foliation in isolated outcrops generally dips shallowly to the south or southwest and commonly has a strong crenulation cleavage overprint. Faults and fractures exhibit a range of orientations between northeast and northwest with steep dips between 62 and 88˚.

The host sediments are overlain by younger sediments to the south and are intruded by a small Cretaceous granitic stock and related porphyry dykes in the northern and eastern parts of the property. These rocks are capped by fine grained mafic to intermediate volcanic rocks to the south and northwest.

The Tidd claims were staked to cover a previously identified chalcopyrite bearing “vein” from which a chip sample reportedly returned 1.35% copper and 17.5 g/t silver over 20 m. Work conducted by Strategic in 2005 showed that the mineralization is much more extensive than previously thought. This work defined by a 3000 by 1000 m area of moderate to strong copper-in-soil geochemical response referred to as the Indium Zone. Although much of the target area is covered by vegetation and a thin veneer of glacial till, prospecting identified over 100 mineralized float occurrences and six mineralized outcrops within the geochemically anomalous area. An 1890 m diamond drill program was conducted during 2006 in sixteen holes completed in the vicinity of the Indium Zone. Further exploration of this area involved 23 excavator trenches completed in 2007. Two types of mineralization occur at the Tidd property. The first and most abundant is copper-silver-indium-lead-zinc mineralization within the Indium Zone and

the second consists of massive pyrite located 5 km west of the Indium Zone at the Road River Target and 4km to the northwest at the Anvil #1 VTEM anomaly.

Sulphide mineralogy at the Indium Zone consists of pyrite-pyrrhotite-chalcopyrite-sphalerite-galena-arsenopyrite hosted within moderately to strongly brecciated, sericite-chlorite altered and silicified zones primarily developed in the alteration envelopes of a series of porphyry sills emplaced obliquely to the dominant foliation of the host sedimentary rocks. Channel samples taken in 2005 from the Main Showing, one of the six mineralized outcrops within the Indium Zone, returned 1.08% copper, 68.53 g/t silver and 46 g/t indium over a width of 10.5 m. Float samples collected at various locales throughout the anomalous area (including 2007) produced peak values of 8.29% copper, 411 g/t silver, 353 g/t indium, 0.34% bismuth, 3.20% lead and 16.65% zinc.

Diamond drilling in 2006 explored areas around the Main and WDE Showings, as well as regions where mineralized talus and/or induced polarization (IP) anomalies coincided with soil geochemical anomalies. Various concentrations of silver-indium-copper-lead-zinc sulphide mineralization were encountered in most of the holes. The highest silver and indium assays were obtained from narrow intervals containing heavily disseminated and intermittent semi-massive clots and bands of chalcopyrite and lesser sphalerite contained within broader intervals of diffuse sulphide bearing alteration. In general, the indium response in drill holes was lower than indicated from previous surface sampling and more erratically distributed within the mineralized intervals. Peak values for copper, silver, indium, lead and zinc from the 2006 drill program were 4.46%, 182 g/t, 113 g/t, 1.00% and 4.04%, respectively.

The main focus of the 2007 trenching program was localized within the limits of the 2006 diamond drilling, where four groups of trenches tested; the strike extension of the Main Showing; IP anomalies west of and along strike from the Main Showing, the west extension from the WDE Showing; and soil geochemical anomalies between the Main and WDE Showings. Chip sample intervals in these trenches returned values up to 4.01% copper, 340 g/t silver, 56 g/t indium, 1.34% lead and 1.09% zinc, while select samples graded up to 5.34% copper, 778 g/t silver, 61 g/t indium, 5.15% lead and 5.67% zinc.

Copper-silver-indium-lead-zinc grades are highly correlated with overall sulphide content within the quartz flood breccia zones and adjacent chlorite altered halos. Because of the sporadic nature of the sulphide mineralization, the grades fluctuate as the thickness of the alteration zone increases. Therefore the best chip and channel samples are restricted to narrow intervals and isolated zones within a broader alteration assemblage where the overall sulphide content is still relatively high.

The copper-silver-indium rich zones encountered on surface and in drill core may represent high temperature, vent proximal feeder mineralization that is structurally displaced from potential sedex style exhalative horizons analogous to those in the Anvil Range District. However, parts of the metal signature, particularly the enhanced indium, bismuth and tin, suggest a possible affinity with the Mount Tidd Intrusion. These metals may have been mixed with base metals remobilized from pre-existing deposits and then re-precipitated in veins and breccias developed along structural conduits. The mineralization is clearly developed along an east-northeasterly

structural trend that has also accommodated the emplacement of the porphyry sills that have been deformed both structurally and mineralogically. One possible explanation for the genesis of the mineralization, given the geometry and nature of the quartz flood breccia zones and sills, is emplacement along dormant thrust imbrications that have been reactivated, leading to dismemberment of the mineralized horizons.

An airborne geophysical survey flown across the entire property during spring 2006 utilizing the VTEM system identified four prominent electromagnetic conductors believed to be associated with peripheral Anvil Range type mineralization. They are located at the transition between the Vangorda and Mount Mye Formations, which marks the stratigraphic interval where the Anvil Range Deposits are developed. The most prominent of these conductors, known as the Anvil #1 VTEM target, received excavator trenching and diamond drilling in 2007.

The Anvil #1 VTEM conductor is situated at the base of Mount Tidd, 4 km northwest of the Indium Zone, where it trends due west into a lowland area covered extensively by glacial till and swamp. A series of excavator trenches, dug across the projected surface trace of the conductor axis over a length of 200 m, encountered pockets of ferricrete cementing till pebbles, orange-red carbonate weathered pebbles, and several pebbles and cobbles of massive sulphide. The latter contained limonite and fresh pyrite that returned elevated silver values to a maximum of 4.6 g/t.

Two diamond drill holes were located to test the western end of the VTEM anomaly, with anticipated piercements of the interpreted conductor at 60 and 120 m below surface. Both holes encountered calcareous graphitic phyllite underlain by chlorite dominant non-calcareous phyllite of the Mt. Mye Formation. Foliaform wispy to disseminated pyrite and pyrrhotite were observed in both holes in minor concentrations. The pyrite-pyrrhotite bearing carbonaceous phyllite may represent the distal facies of a potential sulphide accumulation; however, the metal signature for source vectors is weak. One 4 cm interval of massive pyrite cut in the second drill hole, 71 m above the interpreted conductor returned elevated values for silver to 7.4 g/t. Peak values for lead and zinc (195 ppm and 1280 ppm, respectively) were obtained from narrow intervals within the upper and lower portions of the Mt. Mye Formation phyllite.

Massive pyrite mineralization also occurs in a package of rocks that is similar to those that host the Howard's Pass District sedex deposits, roughly 120 km to the northeast. Resource estimates for the three main deposits (Anniv East, Anniv Central and XY) were reclassified for NI 43-101 compliance in 2005 and reportedly contain a total inferred resource of 367 Mt grading 5.12% zinc and 1.90% lead.

Massive sulphide float discovered at the Road River Target in the central part of the Tidd claim block consists of massive, crudely banded, coarse pyrite cemented with clear to dark grey silica and dark grey to black chert breccia fragments. Samples of this material returned up to 17.5 g/t silver, 0.11% lead and 0.69% zinc. Soil auger samples collected across the Road River Target in the vicinity of the mineralized float returned elevated silver, copper, lead and zinc values to peaks of 1.8 g/t, 67 ppm, 411 ppm and 3250 ppm, respectively. This target also has associated VTEM conductors but no additional work has been done to evaluate it further.

INTRODUCTION

This report describes exploration carried out on the Tidd property in southeastern Yukon by Archer Cathro & Associates (1981) Limited on behalf of Sedex Mining Corp. and Strategic Metals Ltd. during the 2007 field season. The author directly supervised and personally participated in the exploration on the Tidd property. His Statement of Qualifications are contained in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Tidd property consists of 866 claims in two claim blocks. They are located in southeastern Yukon Territory, approximately 55 km northeast of Ross River and 25 km southeast of the North Canol Road (Figure 1). The property is roughly centred at latitude 62˚03'N and longitude 131˚22'W. It is mostly on NTS map sheet 105J/03 but extends onto sheets 105J/04, 105G/13 and 105G/14. The claims were staked under the Yukon Quartz Mining Act and are registered in the Watson Lake Mining District in the name of Archer Cathro, which holds them in trust for Strategic, subject to terms of an option agreement with Sedex. The property covers an aggregate area of about 18,100 hectares (Figure 2). Claim tenure information is summarized as follows.


Claim Name	Grant Number	Expiry Date*
Tidd 1-20	YC29064-YC29083	February 13, 2018
21-46	YC29161-YC29186	February 13, 2018
47F-48F	YC29187-YC29188	February 13, 2018
49-60	YC29211-YC29222	February 13, 2018
61-92	YC29263-YC29294	February 13, 2018
93-314	YC29519-YC29740	February 13, 2015
315-420	YC32095-YC32200	February 13, 2010
421-816	YC45501-YC45896	February 13, 2010


* Expiry dates include 2007 work that has been filed for assessment credit but not yet accepted

The closest road access to the Tidd property is a staging area in a gravel pit at Km 43 on the North Canol Road, a seasonal access route that begins at the Ross River ferry crossing. The staging area is roughly 25 km west of the claim block. An alternative staging area lies alongside the Robert Campbell Highway about 30 km south of the property. In 2007, access from the staging areas to camp was provided by a Bell 206B helicopter operated by Trans North Helicopters from its base in Ross River, and a Hughes 500D helicopter operated by Fireweed Helicopters on contract for the duration of the drill program.

PROPERTY HISTORY AND PREVIOUS WORK

The following exploration history of the Tidd property is largely compiled from Yukon Geological Survey Minfile database (Deklerk, 2003) with additions from assessment reports (Hendry, 1979 and Miller, 1980), an internal company report (Clemmer, 1980) and unauthored


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
TIDD PROPERTY
0 50 100 150 200 km
NAD 83 / ZONE 9
FILE: ...2007/TIDD/FIGURES/F1_LOCATION.DWG
JANUARY 2008
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
N
TIDD PROPERTY
DAWSON
KLONDIKE HWY
MAYO
YUKON
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
SKAGWAY
ATLIN
HAINES
CASSIAR
ALASKA
BRITISH COLUMBIA



SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

TIDD PROPERTY

0 1 6 km

UTM ZONE 9V, NAD 83

FILE: ...2007/TIDD/F2_CLAIM_LOCATION.WOR | DATE: DECEMBER 2007


Cyprus Anvil Mining Corporation field maps (A.R.O.F., 1980) that are available for public viewing through the Yukon Geological Survey.

Part of the area currently occupied by the western portion of the Tidd property was previously staked as the Hench 1-48 claim group in 1978 by St Joseph Explorations Limited. Between 1978 and 1980 it explored with: mapping; soil geochemical surveys; ground geophysical surveys including Very Low Frequency Electromagnetics (VLF-EM), Horizontal Loop Electromagnetics (HLEM) and Induced Polarization (IP); 556.3 m of diamond drilling in five holes (Figure 3). This work outlined scattered lead-zinc soil geochemical anomalies and two showings consisting of galena-sphalerite±chalcopyrite bearing vein material and what was interpreted as skarn locally developed within the metasediments. The best surface assays reportedly returned 18.9% lead, 14.8% zinc, 86 g/t silver and 0.06% copper from a 15 cm thick piece of float.

Five BQ diameter drill holes were completed in 1980 testing a combination of geophysical and geochemical anomalies. Four holes tested a 3 km long east trending HLEM anomaly apparently marking the transition between graphitic and non-graphitic shales of the Earn Group. Coincident VLF and IP anomalies were also identified along the northern and southern edges of the HLEM target. Two holes intersected near surface sphalerite- and pyrite-bearing shale horizons that graded 0.14 and 0.11% zinc across 5 m, respectively. In one of the holes, the mineralized interval was the first core recovered below surface. The other two holes in this area were barren. The fifth hole tested coincident VLF and lead soil geochemical anomalies, 2 km northeast of the HLEM target and 1300 m west of the Main Showing. This hole intersected near surface mineralization consisting of disseminated and net textured chalcopyrite-pyrrhotite within narrow (10 to 15 cm) intervals of silica-healed breccia. The zones were blended with adjacent unmineralized material when sampled. The best of these blended intervals yielded 0.15% copper across 2 m. A 10 cm section of the sulphide bearing, silicified core was collected from the old core boxes during the 2005 program. It was quartered and shipped for analysis yielding 5.73% copper, 177 g/t silver, 71 g/t indium, 0.17% lead and 0.46% zinc (Wengzynowski, 2006).

The Clingon claims were staked immediately east of the Hench property in 1980 by Getty Canadian Metals Ltd. The claims were staked over a vegetation “kill zone” identified during a reconnaissance helicopter flight. Ground inspection of the kill zone discovered what was interpreted as a series of partially exposed chalcopyrite bearing quartz veins. Chip samples across the widest exposure returned 1.35% copper and 17.5 g/t silver over 20 m. Grid soil geochemical sampling was conducted within an 1100 by 500 m area roughly centred on the mineralized outcrop. This work outlined a 900 by 200 m southwest trending copper-silver-lead±zinc geochemical anomaly along what appeared to be the strike of the mineralized zone. Getty interpreted the “vein” as indicating potential for porphyry copper mineralization but there is no record of follow up work.

Regional scale geological mapping and broad spaced soil and stream sediment sampling were performed by Cyprus Anvil in the vicinity of the property during fall 1980 (Mortensen, pers. comm., 2005). This work was part of a much larger program conducted over two exploration seasons, which explored for Anvil Range District type mineralization southeasterly along the probable extension of the belt. Cyprus Anvil mapping confirmed the presence of favourable Anvil Range District stratigraphy in the vicinity of the current Tidd claim block and identified a


N
1979-80 grid work
St. Joseph Explorations Ltd.
Getty Canadian Metals Ltd.
soil grid
6 881 000 mN
HLEM conductor "C"
A
B
C
D
DDH 80-1
DDH 80-2
DDH 80-3
DDH 80-4
DDH 80-5
375 000 mE
377 000 mE
1979 & 1980 EXPLORATION RESULTS
HLEM
IP anomaly
conductivity high / resistivity low
VLF anomaly
1980 diamond drill hole
Zn soil geochemistry >1000 ppm
Zn/Pb soil geochemistry >1000/100 ppm
Pb soil geochemistry >100 ppm
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
HISTORICAL COMPILATION
TIDD PROPERTY
0
500
1000
1500 m
UTM Zone 9V, NAD 83
FILE: .../FIGURES/F3_HISTORIC.DWG
DATE: JANUARY 2008

number of copper-lead-zinc soil anomalies that are now within the northwestern part of the claim block. No sampling was done by Cyprus Anvil within what is now the main area of interest because the claims were then held by St Joseph and Getty.

Strategic staked the property in early summer 2005. Work completed by Strategic later that year (Figure 4) outlined a 3000 by 1000 m copper-in-soil geochemical anomaly referred to as the Indium Zone. Prospecting within the zone identified over 75 sulphide float occurrences and several mineralized outcrops.

Channel samples taken from the Main Showing, the largest of the outcrops within the Indium Zone, returned 1.08% copper, 68.53 g/t silver and 46 g/t indium over a sampled width of 10.5 m. Float samples collected at various points throughout the anomalous area produced peak values of 6.85% copper, 411 g/t silver, 263 g/t indium, 0.34% bismuth, 3.61% lead and 2.39% zinc.


Massive pyrite float was located 5 km west of the Indium Zone during a one-day traverse across an area underlain by younger stratigraphy. This mineralization is referred to as the Road River Target. Samples of it returned up to 8.46 g/t silver and 0.69% zinc.

A variety of ground geophysical surveys were conducted on behalf of Strategic during the 2005 field season along 24.7 km of grid lines cut at 200 m intervals across the area of strongest soil geochemical response. The work was implemented, compiled and interpreted by Aurora Geosciences Ltd. of Whitehorse. Magnetometer and HLEM surveys were conducted along cut lines spanning almost the entire area of anomalous soil geochemical response, while gravity and IP surveys were performed on select lines spaced about 400 m apart within the eastern and central parts of the grid.

In June 2006, Geotech Ltd. of Aurora, Ontario conducted a helicopter-borne Versatile Time-Domain Electromagnetic (VTEM) geophysical survey over the Tidd claim block. A total of 920 line km was surveyed on north-south lines spaced 200m apart, highlighting a number of features believed to be mostly associated with geological formations and faults. Several prominent conductors outlined near the interpreted contact between the Mt. Mye and Vangorda Formations are believed to be associated with Anvil Range type deposits.

Reconnaissance soil sampling and prospecting at the Road River VTEM target in 2006 identified several areas of anomalous response; particularly along a 1000 m strike length of the southernmost conductor in this target area. Peak values of 1.3 g/t silver, 61 ppm copper, 139 ppm lead and 1845 ppm zinc were obtained. Prospecting discovered pyrite, chalcopyrite, galena and sphalerite bearing float samples grading up to 33.7 g/t silver, 0.57% copper, 0.29% lead and 0.16% zinc.

In the same year, a sixteen hole, 1890 m diamond drill program was conducted, focussing on the eastern half of the Indium Zone in the vicinity of the Main and WDE Showings. Drill holes tested the stratigraphy underneath geochemical anomalies with coincident mineralized float occurrences and/or favourable IP response. Almost all holes intersected visible copper-lead-zinc sulphide mineralization, with peak values for copper, silver, indium, lead and zinc of 4.46%,


Massive Pyrite Cobbles
Anvil (VTEM 1) Target
Claim Boundary
RP showing (2007)
Float samples grading up to 148 g/t
Ag, 4.62% Cu,1.36% Pb, 3.3% Zn
Western Meadows
Main showing
BL 10+000N
WIDE showing
10+200E
6 881 000 mN
375 000 mE
Semi massive pyrite with black chert
breccia fragments
8.46 g/t Ag, 0.691% Zn
N
RECENT EXPLORATION
Indium Zone
MAG/HLEM survey
Gravity survey
IP survey
Mag axis
Showing
2005 Soil Grid
2006 Diamond Drill Holes
2007 Soil Grids
2007 Excavator Trenches
2007 Diamond Drill Holes
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
RECENT EXPLORATION
TIDD PROPERTY
0
500
1000
1500 m
UTM Zone 9V, NAD 83
FILE: .../2007/TIDD/F4_RECENT.DWG
DATE: JANUARY 2008

182 g/t, 113 g/t, 1.00% and 4.04%, respectively. The best copper-silver-indium assays came from narrow intervals containing heavily disseminated to intermittent semi-massive clots and bands of chalcopyrite and lesser sphalerite surrounded by broader intervals of sericite and chlorite alteration. The Indium Zone mineralization was interpreted to coincide with a relatively shallowly southward dipping alteration zone that crosscuts stratigraphy and sometimes parallels a series of locally brecciated and sericite altered porphyry dykes.

GEOMORPHOLOGY

The Tidd property is situated within the Yukon Plateau at the southeast end of the Anvil Range Mountains. It covers the headwaters of the Big Timber Creek and smaller unnamed tributaries of the Ross River, which flows into the Pelly River and eventually into the Yukon River. Although there is no commercial timber on the property, most of it is vegetated with moderately dense growths of black spruce, fir and alder surrounded by an understorey of buckbrush. Trees and brush give way to grass and lichen above 1500 m elevation.

Topography is typical of glaciated upland plateaus, exhibiting gentle undulating slopes largely blanketed by variable thicknesses of glacial till and melt water detritus. Bedrock exposure is poor and is mostly limited to the tops of nearby hills and their steeper north-facing slopes. Elevations near the property range from 1070 m along the main creeks to 1726 m atop Mount Tidd, which is about 1 km north of the property. Permafrost was encountered throughout the property during auger soil sampling and excavator trenching, and on certain aspects was quite significant.

REGIONAL GEOLOGY AND MINERAL DEPOSITS

The property lies within a stratigraphic package interpreted by Cyprus Anvil geologists as the southeastern extension of the Anvil Range District, which hosts a number of well known sedimentary exhalative (sedex) deposits (A.R.O.F., 1980). Most notable are the Faro, Grum, Vangorda, Dy and Swim deposits which collectively contained pre-mining reserves of 120 Mt grading 5.6% zinc, 3.7% lead and between 40-50 g/t silver (YGP, 2006). The Anvil Range District lies near the base of the Selwyn Basin (Figure 5), a tectonic element comprised of deep water clastic rocks, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004). It contains the only lead-zinc mines developed within the Selwyn Basin.

The Anvil Range Deposits are stratiform massive sulphide bodies of Cambrian age that occur within a restricted stratigraphic interval marked by the transition between the Mount Mye and Vangorda Formations (Figure 6). Ore bodies are characterized by stacked horizons of pyrite dominant sulphides with varying accumulations of sphalerite and galena. Vertical zoning within the deposits consists of an upper level lead-silver-zinc rich, sulphide dominant facies underlain by a zinc sulphide enriched quartzose unit. Copper rich feeder zone mineralization is sometimes associated with vent proximal facies in deposits of this type elsewhere in the world but is not widely recognized within the Anvil Range Deposits. Minor quantities of copper-gold rich mineralization likely associated with a feeder zone were reported near the base of the Vangorda Deposit.


SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING
TIDD PROPERTY

.../TIDD/FIGURES/F5_TECTONIC.CDR DATE: JANUARY 2008





SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY
TIDD PROPERTY

2007/TIDD/FIGURES/F6_REGIONAL.CDR DATE: JANUARY 2008

The Mount Mye Formation is the oldest unit exposed in the Anvil Range District and consists dominantly of biotite-muscovite-quartz-plagioclase schist that commonly grades into muscovite-chlorite-quartz-plagioclase schist. Minor marble, calc-silicate and carbonaceous schist and phyllite are interlayered within the other units. The rocks are typically well foliated and contain well-developed crenulation cleavage. Carbonaceous phyllite, although not extensive within the Mount Mye Formation, is noteworthy because it marks the stratigraphic level near the transition into the overlying Vangorda Formation. This transition is at the approximate level at which most of the Anvil Range Deposits occur.

The base of the Vangorda Formation is marked by the occurrence of pale silver-grey calcareous phyllite. In areas subjected to higher metamorphic grade this unit contains interbands and lenses of pale cream to brown calc-silicates, limestone/marble, carbonaceous phyllite/schist, dolomitic siltstone and chlorite phyllite. Like the Mount Mye Formation, these rocks are finely laminated and contain well-developed crenulation cleavage, especially close to intrusive rocks. Homogeneous, variably siliceous, fine grained, black (carbonaceous) phyllite occurs near the base of the formation and is interpreted to be the lateral equivalent of the quartzose ore facies of several Anvil Range District deposits (Jennings and Jilson, 1986).


Most of the sediments comprising these formations are thinly laminated and contain variable degrees of crenulation cleavage depending on the subjected metamorphic grade and proximity to local intrusive bodies. These rocks are complexly polydeformed yielding up to five phases of deformation at some locales. They exhibit strong isoclinal folding with abundant internal parasitic folds and crenulation cleavage that are truncated and offset by later thrust and normal faulting.

The Anvil Range District stratigraphy is conformably overlain by Ordovician-Silurian Road River Group and Mississippian-Devonian Earn Group shales and deep-water clastic rocks, which are a similar package of rocks that host the Howard's Pass District sedex deposits roughly 120 km northeast of Mount Tidd. Placer Dome's 1983 resource estimates for the three main deposits (Anniv East, Anniv Central and XY) were reclassified for NI 43-101 compliance in 2005 and they are reported to contain a total inferred resource of 367 Mt grading 5.12% Zn and 1.90% Pb.

All sedimentary units have been intruded by Mid Cretaceous Anvil and/or Tay River Suite granites and granodiorites ranging in size from plugs to batholiths. These intrusions are equigranular and do not exhibit any strain features. The youngest rocks are Mid Cretaceous tuffs of the South Fork Volcanics.

PROPERTY GEOLOGY

Stratigraphy in the immediate vicinity of the Tidd claims consists of Precambrian to Cambrian Mount Mye Formation non-calcareous phyllite and schist stratigraphically overlain by the Cambro-Ordovician Vangorda Formation, which comprises calcareous phyllite and equivalent calc-silicates plus a narrow interval of carbonaceous phyllite mapped regionally near the contact between the two formations (Figure 7).



After Cyprus Anvil, 1980

Intrusive Rocks

- Cretaceous granite and quartz feldspar porphyry
- Cretaceous South Fork Volcanic porphyry

Sedimentary Rocks

- Pre Cambrian to Cambrian Mt. Mye Formation
- Undifferentiated Cambro-Ordovician Vangorda Formation
- Cambro-Ordovician Vangorda Formation, graphitic horizons
- Ordovician-Silurian Road River Group
- Upper Devono-Mississippian Earn Group
- 3 km trend containing Cu-Ag-In±Bi±Pb±Zn mineralization
- (A) Massive crudely banded pyrite with silica matrix and black chert breccia fragments
- (B) Semi-banded chert with cpy+py fractures in calc-silicate altered sections
- (C) Pyritic black silica/chert containing massive pyrite bands to 1 cm
- Fault
- Geological contact, inferred

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

TIDD PROPERTY

0 5 km

UTM Zone 9 V / NAD 83

FILE: ...2007/TIDD/FIGURES/F7_PROPERTY.DWG | DATE: JANUARY 2008

Most of the property is characterized by gently undulating terrain with a thin veneer of glacial till, swamps and sub-alpine vegetation. Sparse outcrops limit geological data within the area of the geochemical and geophysical grid. Where bedrock is observed, it consists largely of sericite-altered phyllite and lesser schist presumed to belong to the Vangorda Formation. Stratigraphy exhibits strong local folding. The general foliation trend within the southern limb of the antiform is east to southeast dipping gently between 15 and 22˚ south to southwest. Isolated exposures exhibit steep southwesterly dips up to 86˚ and most contain strong crenulation cleavage overprint.

Graphitic shale and lesser phyllite were logged in 1980 drill holes located in the southwestern part of the property. These rocks are mapped as Road River Group and Earn Group.

Sedimentary rocks are intruded by a Mid Cretaceous granite stock referred to as the Mount Tidd Intrusion and by quartz-feldspar porphyry dykes. The granite is coarse-grained and is composed of quartz, feldspar, biotite, hornblende and minor muscovite. The quartz-feldspar porphyry is finer grained with abundant clear and smoky quartz-eyes. It is found within the border phase of the Mount Tidd Intrusion and cutting the sedimentary rocks. The dykes are strongly saussuritized and epidote-chlorite altered.

The youngest rocks on the property are the South Fork Volcanics, which are dark brown weathering, locally columnar-jointed, massive, and densely welded, biotite-quartz-hornblende-feldspar crystal tuff. They unconformably cap the sedimentary rocks on a ridge along the southern edge of the property.

Brittle deformation within the sediments occurs dominantly as fractures that exhibit strikes ranging between northeasterly and northwesterly with steep dips between 62 and 88°. Because exposure is generally poor within the property boundary, large-scale structural features are not directly observed; however, it is suspected that the porphyry dykes and broad linears observed within the lowland swamps may be associated with larger scale normal faults. These features trend westerly or southwesterly and likely dip steeply northward and/or southward. Lithologies in the vicinity of the property are summarized on Table I.

Table I - Property Rock Units

Unit	Age	Description
Overburden	Pleistocene	Unconsolidated glacial sands, gravels and boulders.
South Fork Volcanics	Mid Cretaceous	Dark brown weathering, locally columnar jointed, massive, densely welded, biotite-quartz-hornblende-feldspar crystal tuff.
Anvil or Tay River Plutonic Suites	Mid Cretaceous	Coarse-grained quartz-feldspar-biotite-hornblende±muscovite granite and associated porphyry dykes.
Mount Mye Formation	Precambrian to Cambrian	Non-calcareous biotite-muscovite-quartz-plagioclase schist and phyllite that commonly grades into muscovite-chlorite-quartz-plagioclase schist. Minor marble, calc-silicate and carbonaceous schist and phyllite are interlayered.
Vangorda Formation	Cambrian to Ordovician	Calcareous pale silver-grey phyllite with interbands and lenses of pale cream to brown calc-silicates, limestone/marble, carbonaceous phyllite/schist, dolomitic siltstone and chlorite phyllite.

Road River Group	Ordovician to Silurian	Grey to black shaly phyllite and cherty shale locally containing siltstone interbands.
Earn Group	Devonian to Mississippian	Dark grey to black shale with variable amounts of chert, siltstone, sandstone and limestone.

2007 EXPLORATION

The 2007 exploration program was performed between early June and late October and comprised three components: soil sampling, excavator trenching, and diamond drilling.

Soil Sampling and Prospecting

Soil sampling was conducted on six grids (Figure 8) across the property covering six targets. The first grid was established as an extension of the Indium Zone grid to the northwest, following the projected trend of soil geochemical anomalies and mineralized float occurrences. A total of 1640 soil samples was collected at 50 m intervals on lines spaced 50 m apart. Five smaller grids were located to evaluate the geochemical response over the 2006 VTEM conductors. 839 samples were collected at 100 m intervals on lines spaced 100 m apart

In total, 2479 soil samples were collected, and sample sites are marked by aluminium tags affixed to 0.5 m wooden lath that were driven into the ground. Each aluminium tag is inscribed with a sample number. Soil samples were collected from the bottom of holes dug 30 to 90 cm below surface with a hand auger. The soil was placed into individually pre-numbered Kraft paper bags. Sample locations and a compilation of results for copper, lead, zinc and silver are illustrated on Figures 9 to 33.

Soil and rock samples were shipped to ALS Chemex in North Vancouver. At the laboratory, the rock samples were weighed, dried and crushed to 70% minus 2 mm, before a 250 g split was taken and pulverized to better than 85% minus 75 microns. A split was then subjected to near total digestion by $HF\text{-}HNO_3\text{-}HClO_4$ for 47 elements using a combination of ICP-MS and ICP-AES. If a sample exceeded the detection limit for copper, silver, lead, or zinc it was further analyzed for total metal content using standard assay procedures.

Soil samples were dried and sieved to -100 microns (-80 mesh) before a split was dissolved in aqua regia and analyzed for 34 elements using ICP techniques. Certificates of Analysis are contained Appendix II.

Western Extension Grid: Soil sampling within the western extension grid identified a linear arcuate west-northwest trending lead-in-soil anomaly on strike with the copper anomalies previously outlined at the Indium Zone. Strongly anomalous lead values (over 500 ppm) were scattered over an arcuate trend approximately 1 km long, with peak values of 3240 ppm and correspondingly high silver values up to 10.9 g/t. Copper response is less intense than observed at the Indium Zone; however several areas, such as the Western Meadows (Figure 4), contained clusters of samples yielding between 200 and 900 ppm copper.

Prospecting in 2007 in the vicinity of the most prominent lead-silver anomaly, referred to as the RP showing- on Figure 4, identified several occurrences of mineralized float. The samples are of the

372000mE

374000mE

376000mE

6888000mN

6886000mN

6884000mN

6882000mN

6878000mN

VTEM 2 GRID

VTEM 3 GRID

VTEM 4 GRID

VTEM 1 GRID

MAIN GRID

VTEM 5 GRID

True North

1°99'

Magnetic north

24°53'

Grid north

Annual Change
24.7'

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL GRID OVERVIEW


ROAD RIVER TARGET
TIDD PROPERTY

0m 1km 2km

UTM ZONE 9, NAD 83, 105J03

FILE: ...\TIDD\FIGURES\F8_SOIL_OVERVIEW.WOR

DATE: JANUARY 2008



SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


2007 Soil Sample Locations
Main Grid
Tidd Property

0 1km


UTM ZONE 9V, NAD 83, 105J03


FILE: ...TIDD/FIGURES/F9_SAMPLE_LOC_MAIN.WOR | DATE: JANUARY 2008


6884000mN
6883000mN
6882000mN
6881000mN
6880000mN
373000mE
374000mE
375000mE
376000mE
377000mE
378000mE
379000mE
380000mE
2007 GRID
2005 GRID
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Silver (ppm)
≥ 4
≥ 2 < 4
≥ 1 < 2
≥ 0.5 < 1
≥ 0 < 0.5
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Silver Soil Geochemistry
Main Grid
Tidd Property
0
1km
UTM ZONE 9V, NAD 83, 105J03
FILE: ...2007/TIDD/FIGURES/F10_AG_MAIN.WOR
DATE: JANUARY 2008



6884000mN
6883000mN
6882000mN
6881000mN
6880000mN
373000mE
374000mE
375000mE
376000mE
377000mE
378000mE
379000mE
380000mE
2007 GRID
2005 GRID
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Cu (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Copper Soil Geochemistry
Main Grid
Tidd Property
0
1km
UTM ZONE 9V, NAD 83, 105J03
FILE: ...2007/TIDD/FIGURES/F11_CU_MAIN.WOR
DATE: JANUARY 2008


6884000mN
6883000mN
6882000mN
6881000mN
6880000mN
6879000mN
373000mE
374000mE
375000mE
376000mE
377000mE
378000mE
379000mE
380000mE
2007 GRID
2005 GRID
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Pb (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Lead Soil Geochemistry
Main Grid
Tidd Property
0
1km
UTM ZONE 9V, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F12_PB_MAIN.WOR
DATE: JANUARY 2008



6884000mN
6883000mN
6882000mN
6881000mN
6880000mN
2007 GRID
2005 GRID
373000mE
374000mE
375000mE
376000mE
377000mE
378000mE
379000mE
380000mE
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Zn (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Zinc Soil Geochemistry
Main Grid
Tidd Property
0
1km
UTM ZONE 9V, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F13_ZN_MAIN.WOR
DATE: JANUARY 2008


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Soil Sample Locations
VTEM 1/VTEM 4
TIDD PROPERTY
0
250m
500m
UTM ZONE 9W, NAD 83, 105J03
FILE: ...TIDD/FIGURES/F14_SAMPLE_LOC_V1+4.WOR
DATE: JANUARY 2008
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
CC47706 CC47707 CC47708 CC47709 CC47710 CC47712 CC47713 CC47714
CC47723 CC47722 CC47221 CC47720 CC47719 CC47718 CC47717 CC47716 CC47715
CC47724 CC47726 CC47727 CC47728 CC47729 CC47730 CC47731 CC47732
CC47741 CC47740 CC47739 CC47738 CC47737 CC47735 CC47734 CC47733
CC47742 CC47743 CC47744 CC47745 CC47746 CC47747 CC47748 CC47749
CC47759 CC47758 CC47757 CC47756 CC47755 CC47754 CC47753 CC47752 CC47751
CC47760 CC47761 CC47762 CC47763 CC47764 CC47765 CC47766 CC47767 CC47768
CC47777 CC47776 CC47775 CC47774 CC47773 CC47772 CC47770 CC47769
CC25800 CC25801 CC25802 CC25803 CC25804 CC25805 CC25806 CC25807 CC25808 CC25809 CC25810 CC25811 CC25812 CC25813 CC25814 CC25815
CC25831 CC25830 CC25829 CC25828 CC25827 CC25826 CC25825 CC25824 CC25823 CC25822 CC25820 CC25819 CC25818 CC25817 CC25816
CC25832 CC25833 CC25834 CC25835 CC25836 CC25837 CC25838 CC25839 CC25840 CC25841 CC25842 CC25843 CC25844 CC25845 CC25846 CC25847
CC25863 CC25862 CC25861 CC25860 CC25859 CC25858 CC25857 CC25856 CC25855 CC25854 CC25853 CC25852 CC25851 CC25850 CC25849 CC25848
CC25864 CC25865 CC25866 CC25867 CC25868 CC25869 CC25870 CC25871 CC25872 CC25873 CC25874 CC25875 CC25876 CC25877 CC25878 CC25879
CC25895 CC25894 CC25893 CC25892 CC25891 CC25890 CC25889 CC25888 CC25887 CC25886 CC25885 CC25884 CC25883 CC25882 CC25881 CC25880
CC25896 CC25897 CC25898 CC25899 CC25900 CC25901 CC25902 CC25903 CC25904 CC25905 CC25908 CC25909
CC25923 CC25922 CC25921 CC25920 CC25919 CC25918 CC25917 CC25916 CC25915 CC25914 CC25913 CC25912
6885000mN
6884000mN
6883000mN
376000mE


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Silver Soil Geochemistry
VTEM 1/VTEM 4
TIDD PROPERTY
0
250m
500m
UTM ZONE 9W, NAD 83, 105J03
FILE: ...TIDD/FIGURES/F15_AG_V1+4.WOR
DATE: JANUARY 2008
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Ag (ppm)
≥4
≥2 < 4
≥1 < 2
≥0.5 < 1
≥0 < 0.5
6885000mN
6884000mN
6883000mN
376000mE


STRATEGIC METALS LTD.
FIGURE 16
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Copper Soil Geochemistry
VTEM 1/VTEM 4
TIDD PROPERTY
0
250m
500m
UTM ZONE 9W, NAD 83, 105J03
FILE: ...TIDD/FIGURES/F16_CU_V1+4.WOR
DATE: JANUARY 2008
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Cu (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6885000mN
6884000mN
6883000mN
376000mE


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 17
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Lead Soil Geochemistry
VTEM 1/VTEM 4
TIDD PROPERTY
0
250m
500m
UTM ZONE 9W, NAD 83, 105J03
FILE: ...TIDD/FIGURES/F17_PB_V1+4.WOR
DATE: JANUARY 2008
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Pb (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6885000mN
6884000mN
6883000mN
376000mE


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 18
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Zinc Soil Geochemistry
VTEM 1/VTEM 4
TIDD PROPERTY
0
250m
500m
UTM ZONE 9W, NAD 83, 105J03
FILE: ...TIDD/FIGURES/F18_ZN_V1+4.WOR
DATE: JANUARY 2008
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Zn (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6885000mN
6884000mN
6883000mN
376000mE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


Soil Sample Locations
VTEM 2

TIDD PROPERTY

0 250m 500m 750m

UTM ZONE 9W, NAD 83, 105J/03

FILE: ...TIDD/FIGURES/F19_SAMPLE_LOC_V2.WOR | DATE: JANUARY 2008



6887000°N

CC47001 CC47002 CC47003 CC47004 CC47005 CC47006 CC47007 CC47008 CC47009 CC47010 CC47011 CC47012

CC47024 CC47023 CC47022 CC47021 CC47020 CC47019 CC47018 CC47017 CC47016 CC47015 CC47014 CC47013

CC47025 CC47026 CC47027 CC47028 CC47029 CC47030 CC47031 CC47032 CC47033 CC47034 CC47035 CC47036

CC47048 CC47047 CC47046 CC47045 CC47044 CC47043 CC47042 CC47041 CC47040 CC47039 CC47038 CC47037

CC47049 CC47050 CC47051 CC47052 CC47054 CC47055 CC47056 CC47057 CC47058 CC47059 CC47060

CC47072 CC47071 CC47070 CC47069 CC47068 CC47067 CC47066 CC47065 CC47064 CC47063 CC47062 CC47061


CC47073 CC47074 CC47075 CC47077 CC47078 CC47079 CC47082 CC47084


6886000°N


CC47096 CC47095 CC47094 CC47093 CC47092 CC47091 CC47090 CC47089 CC47088 CC47087 CC47086 CC47085


371000°E


372000°E


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 20
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Silver Soil Geochemistry
Grid 2
TIDD PROPERTY
0
250m
500m
750m
UTM ZONE 9W, NAD 83, 105J.03
FILE: ...2007/TIDD/FIGURES/F20_AG_V2.WOR
DATE: JANUARY 2008
True North
Magnetic north
17.99°
24.53°
Grid north
Annual Change
24.7'
Ag (ppm)
≥4
≥2 < 4
≥1 < 2
≥0.5 < 1
≥0 < 0.5
6887000°N
6886000°N
371000°E
372000°E


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 21
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Copper Soil Geochemistry
Grid 2
TIDD PROPERTY
0
250m
500m
750m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F21_CU_V2.WOR
DATE: JANUARY 2008
True North
Magnetic north
17°99'
24°53'
Grid north
Annual Change
24.7'
Cu (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6887000°N
6886000°N
371000°E
372000°E


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 22
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Lead Soil Geochemistry
Grid 2
TIDD PROPERTY
0
250m
500m
750m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F22_Pb_V2.WOR
DATE: JANUARY 2008
True North
Magnetic north
17°99'
24°53'
Grid north
Annual Change
24.7'
Pb (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6887000°N
6886000°N
371000°E
372000°E


SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 23
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Zinc Soil Geochemistry
Grid 2
TIDD PROPERTY
0
250m
500m
750m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F23_ZN_V2.WOR
DATE: DECEMBER 2007
True North
Magnetic north
17°99'
24°53'
Grid north
Annual Change
24.7'
Zn (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
6887000°N
6886000°N
371000°E
372000°E



SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 24

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


Soil Sample Locations
VTEM 3


TIDD PROPERTY


0 500m


UTM ZONE 9W, NAD 83, 105J/03

FILE: ...TIDD/FIGURES/F24_SAMPLE_LOC_V3.WOR | DATE: JANUARY 2008


375000mE
6887000mN
376000mE
377000mE
6886000mN
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Ag (ppm)
≥4
≥2 < 4
≥1 < 2
≥0.5 < 1
≥0 < 0.5
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 25
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Silver Soil Geochemistry
VTEM 3
TIDD PROPERTY
0
500m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F25_AG_V3.WOR
DATE: JANUARY 2008


375000mE
6887000mN
376000mE
377000mE
6886000mN
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Cu (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 26
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Copper Soil Geochemistry
VTEM 3
TIDD PROPERTY
0
500m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F26_CU_V3.WOR
DATE: JANUARY 2008


375000mE
6887000mN
376000mE
377000mE
6886000mN
True North
Magnetic north
19°W
Grid north
24°53'
Annual Change
24.7'
Pb (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 27
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Lead Soil Geochemistry
VTEM 3
TIDD PROPERTY
0
500m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F27_PB_V3.WOR
DATE: JANUARY 2008


375000mE
6887000mN
376000mE
377000mE
6886000mN
True North
Magnetic north
1°99'
24°53'
Grid north
Annual Change
24.7'
Zn (ppm)
≥200
≥100 < 200
≥50 < 100
≥25 < 50
≥0 < 25
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 28
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
Zinc Soil Geochemistry
VTEM 3
TIDD PROPERTY
0
500m
UTM ZONE 9W, NAD 83, 105J/03
FILE: ...2007/TIDD/FIGURES/F28_ZN_V3.WOR
DATE: JANUARY 2008

6881000mN

6880000mN

6879000mN

371000mE

372000mE

373000mE

True North

Magnetic north

1°99'

24°53'

Grid north

Annual Change
24.7'

CC47705 CC47704 CC47703 CC47702 CC47701 CC47700 CC47699 CC47697 CC47696 CC47695 CC47694 CC47693 CC47691 CC47690 CC47689 CC47688 CC47686 CC47685 CC47684 CC47683 CC47682 CC47681 CC47680 CC47679 CC47678 CC47677 CC47676 CC47675 CC47674 CC47673

CC47642 CC47643 CC47644 CC47645 CC47646 CC47647 CC47648 CC47649 CC47650 CC47651 CC47652 CC47653 CC47654 CC47655 CC47656 CC47657 CC47658 CC47659 CC47660 CC47661 CC47662 CC47663 CC47664 CC47665 CC47666 CC47667 CC47668 CC47669 CC47670

CC47639 CC47638 CC47637 CC47636 CC47635 CC47634 CC47633 CC47632 CC47631 CC47630 CC47629 CC47628 CC47627 CC47626 CC47625 CC47624 CC47623 CC47622 CC47621 CC47620 CC47619 CC47618 CC47617 CC47616 CC47615 CC47614 CC47613 CC47612 CC47611 CC47610 CC47609 CC47608 CC47607

CC47575 CC47577 CC47578 CC47579 CC47580 CC47581 CC47582 CC47583 CC47584 CC47585 CC47586 CC47587 CC47588 CC47589 CC47590 CC47591 CC47592 CC47593 CC47594 CC47595 CC47597 CC47598 CC47599 CC47600 CC47601 CC47602 CC47603 CC47604 CC47606

CC47573 CC47572 CC47571 CC47570 CC47569 CC47568 CC47567 CC47566 CC47565 CC47564 CC47563 CC47562 CC47561 CC47560 CC47558 CC47557 CC47556 CC47555 CC47554 CC47553 CC47552 CC47551 CC47550 CC47549 CC47548 CC47547 CC47546 CC47545 CC47544 CC47543 CC47542 CC47541

CC47508 CC47509 CC47510 CC47511 CC47512 CC47513 CC47514 CC47515 CC47516 CC47517 CC47518 CC47519 CC47520 CC47523 CC47524 CC47525 CC47526 CC47527 CC47528 CC47529 CC47530 CC47531 CC47533 CC47534 CC47535 CC47536 CC47537 CC47538 CC47539 CC47540

CC47506 CC47505 CC47504 CC47503 CC47502 CC47501 CC47500 CC47499 CC47498 CC47497 CC47496 CC47495 CC47494 CC47493 CC47490 CC47489 CC47488 CC47487 CC47486 CC47485 CC47484 CC47483 CC47482 CC47481 CC47480 CC47479 CC47478 CC47477 CC47476 CC47475

CC47442 CC47443 CC47444 CC47445 CC47446 CC47447 CC47448 CC47449 CC47450 CC47451 CC47452 CC47453 CC47454 CC47455 CC47456 CC47458 CC47459 CC47460 CC47461 CC47462 CC47463 CC47464 CC47465 CC47466 CC47467 CC47468 CC47469 CC47470 CC47471 CC47472 CC47473 CC47474

CC47441 CC47440 CC47439 CC47438 CC47437 CC47436 CC47435 CC47434 CC47432 CC47431 CC47430 CC47429 CC47428 CC47427 CC47426 CC47425 CC47424 CC47423 CC47421 CC47420 CC47419 CC47417 CC47416 CC47415 CC47414 CC47413 CC47412 CC47411 CC47410 CC47409

CC47376 CC47377 CC47378 CC47379 CC47380 CC47381 CC47382 CC47383 CC47384 CC47385 CC47386 CC47387 CC47388 CC47389 CC47390 CC47391 CC47392 CC47393 CC47394 CC47395 CC47396 CC47397 CC47398 CC47399 CC47400 CC47401 CC47402 CC47403 CC47404 CC47405 CC47406 CC47407 CC47408

CC47375 CC47373 CC47372 CC47371 CC47370 CC47369 CC47368 CC47366 CC47365 CC47364 CC47363 CC47362 CC47360 CC47359 CC47358 CC47357 CC47356 CC47355 CC47354 CC47353 CC47352 CC47350 CC47349 CC47348 CC47347 CC47346 CC47345 CC47343

CC47311 CC47313 CC47314 CC47315 CC47316 CC47317 CC47318 CC47319 CC47320 CC47322 CC47323 CC47324 CC47325 CC47326 CC47327 CC47328 CC47329 CC47330 CC47331 CC47332 CC47333 CC47334 CC47335 CC47336 CC47337 CC47338 CC47339 CC47340 CC47341 CC47342

CC47309 CC47307 CC47306 CC47305 CC47304 CC47302 CC47301 CC47299 CC47298 CC47297 CC47296 CC47295 CC47294 CC47293 CC47292 CC47291 CC47290 CC47289 CC47288 CC47286 CC47285 CC47284 CC47283 CC47282 CC47281 CC47280 CC47279 CC47278 CC47277

CC47244 CC47246 CC47247 CC47248 CC47249 CC47250 CC47251 CC47252 CC47253 CC47254 CC47255 CC47256 CC47257 CC47258 CC47259 CC47260 CC47261 CC47262 CC47263 CC47264 CC47265 CC47266 CC47267 CC47268 CC47269 CC47270 CC47271 CC47272 CC47273 CC47275 CC47276

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 29

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Soil Sample Locations
VTEM 5 (Road River Target)

TIDD PROPERTY

0 500m

UTM ZONE 9W, NAD 83, 105J/03

FILE: ...TIDD/FIGURES/F29_SAMPLE_LOC_V5.WOR

DATE: JANUARY 2008

6881000mN

6880000mN

6879000mN

371000mE

372000mE

373000mE

True North

Magnetic north

1°99'

Grid north

24°53'

Annual Change
24.7'

Ag (ppm)

- ≥4
- ≥2 < 4
- ≥1 < 2
- ≥0.5 < 1
- ≥0 < 0.5

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 30

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Silver Soil Geochemistry
VTEM 5 (Road River Target)
TIDD PROPERTY

0 500m

UTM ZONE 9W, NAD 83, 105J/03

FILE: ...2007/TIDD/FIGURES/F30_AG_VSUVOP | DATE: JANUARY 2008

6881000mN

6880000mN

6879000mN

371000mE

372000mE

373000mE

True North

Magnetic north

1°99'

Grid north

24°53'

Annual Change
24.7'

Cu (ppm)

- ≥200
- ≥100 < 200
- ≥50 < 100
- ≥25 < 50
- ≥0 < 25

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 31

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Copper Soil Geochemistry
VTEM 5 (Road River Target)
TIDD PROPERTY

0 500m

UTM ZONE 9W, NAD 83, 105J/03

FILE: ...2007/TIDD/FIGURES/F31_CU_VSAXOR | DATE: JANUARY 2008

6881000mN

6880000mN

6879000mN

371000mE

372000mE

373000mE

True North

Magnetic north

1°99'

24°53'

Grid north

Annual Change
24.7'

Pb (ppm)

- ≥200
- ≥100 < 200
- ≥50 < 100
- ≥25 < 50
- ≥0 < 25

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 32

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Lead Soil Geochemistry
VTEM 5 (Road River Target)

TIDD PROPERTY

0 500m

UTM ZONE 9W, NAD 83, 105J/03

FILE: ...2007/TIDD/FIGURES/F32_PB_VSJW.MAP

DATE: JANUARY 2008

6881000mN

6880000mN

6879000mN

371000mE

372000mE

373000mE

True North

Magnetic north

1°99'

24°53'

Grid north

Annual Change
24.7'

Zn (ppm)

- ≥200
- ≥100 < 200
- ≥50 < 100
- ≥25 < 50
- ≥0 < 25

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 33

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


Zinc Soil Geochemistry
VTEM 5 (Road River Target)
TIDD PROPERTY

0 500m

UTM ZONE 9N, NAD 83, 105J/03

FILE: ...2007/TIDD/FIGURES/F33_ZN_VSJ.MXD

DATE: JANUARY 2008



SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 34

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

INDIUM ZONE

GEOLOGY

TIDD PROPERTY

0m 250m

DRAFTED/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE:...TIDD\FIGURES\F34_IZ_TRENCHES.DWG	DATE: JANUARY 2008

same general character as the mineralization found within the Indium Zone. In most samples, chalcopyrite, galena and sphalerite occur as disseminations to semi-massive blebs within a brecciated quartz groundmass. Pyrite is also observed in the samples, often intimately intermixed with the other sulphides. Assays for these samples yielded peak values of 148 g/t silver, 4.62% copper, 1.36% lead, and 3.30% zinc. Additional prospecting near the Western Meadows also discovered mineralized float of a similar nature, with grades up to 1350 g/t silver, 4.24% copper, 8.44% lead, and 1.02% zinc. Results for individual float samples from both areas are listed in Tables II and III.

Table II - RP Showing

Cu (%)	Ag (g/t)	In (g/t)	Pb (%)	Zn (%)
4.62	148	72.8	0.92	0.42
2.53	58.7	56.2	0.03	0.18
0.18	26.5	8.1	1.36	1.47
0.04	84.9	13	1.36	3.30

Table III - Western Meadows and Area

Cu (%)	Ag (g/t)	In (g/t)	Pb (%)	Zn (%)
4.24	1350	137.5	8.44	1.02
3.94	43.1	63.4	0.001	0.08
1.97	139	45.3	0.44	0.39
1.9	97.4	42.8	0.18	0.08

VTEM 1 to 5 Grids: Grid sampling of the peripheral VTEM targets yielded subdued results, in contrast to the Western Extension Grid, due to the extensive till cover. Table IV lists the peak responses for the pathfinder elements of interest for each of the five grids across the VTEM anomalies.

Table IV - Maximum Geochemical Response from VTEM Grids

Location	Cu (ppm)	Ag (ppm)	Pb (ppm)	Zn (ppm)
Grid 1	84	1.4	57	230
Grid 2	38	0.7	62	207
Grid 3	51	0.8	58	912
Grid 4	66	4.3	49	185
Grid 5	67	1.8	411	3250

Anomalies identified across the grids are generally point source in nature and form a subtle easterly trend approximately parallel to the orientation of the stratigraphy and underlying VTEM conductors.

Excavator Trenching

Most of the 2007 program focussed on excavator trenching across targets at the Indium Zone with minor work in the Western Meadows and at the Anvil #1 VTEM target. In total, 2540 m of excavator trenching in 29 trenches was conducted on the property using a Caterpillar 308 excavator contracted by 15317 Yukon Inc. of Whitehorse, Yukon.

The following paragraphs contain detailed descriptions of lithologies and alteration observed in trenches. Letter designations correspond to those used in the 2006 drill logs.

Phyllite (PHY) is the most common rock type observed at the Tidd property. It is typically well foliated with wavy kink bands, tight folds, ghosted overprint foliation and/or crenulation cleavage overprinted by later deformation. Fresh varieties vary from maroon and brown banded to bluish grey. Dark brown to black speckles are common in some bands and are likely biotite with aspect ratios of about 2:1. The long axis of the speckles is roughly parallel to the dominant foliation plane.

The main alteration associated with the phyllite unit is sericite, which imparts differing shades of yellow and green to the rock. Silvery muscovite is also noted in a number of intervals and these sections contain slender black decussate grains believed to be hornblende. Pyrite is the most common sulphide, occurring as fine foliaform wisps and blebs, as well as in fractures and veinlets.

Porphyry (PPY) comprises a pale green-grey to medium grey groundmass with feldspar dominant phenocrysts, lesser clear quartz and fine green-black hornblende. All components of the porphyry unit, with the exception of the quartz, are typically sericite, clay and/or chlorite-epidote altered, often leading to a yellowish-green appearance. Cream to white bleaching in isolated intervals may be due to the development of ankerite. Contacts are generally sharp and exhibit enhanced sericite alteration. Fine-grained phases of the porphyry are present but rare. These phases occur as narrow irregularly shaped intervals and as breccia fragments within the coarser grained porphyry. Calcite, ankerite and quartz veinlets are common but it is not clear if they are parallel to or cross cut the dykes. Disseminated pyrite is the most common sulphide observed within the porphyry and various veinlets within it. Trace amounts of pyrrhotite and arsenopyrite are also noted in the 2006 drill core.

Quartz Floods and Quartz Flood Breccias (QF and QFBX) comprise multi-episodic phases of silica formation and flooding within the phyllite. The stages of quartz emplacement have been classified based on relative paragenetic relationships and are referred to as Q1, Q2 and Q3 from earliest to latest.

Q1 is the earliest stage quartz emplacement and consists of narrow clear laminations that parallel foliation. This quartz often contains fine disseminations of pyrite, lesser pyrrhotite and rare arsenopyrite. The laminations are highly strained and folded but do not appear to be boudinaged. It is likely they have been recrystallized parallel to the foliation associated with one of the later fold events.

Q2 comprises fine amorphous clear to grey quartz that occurs as irregular floods and less commonly in breccias. It is often accompanied by strong localized dark green chlorite and sericite developed within the adjacent wallrock and contains internal phyllite fragments. Q2 exhibits variable amounts of sulphide mineralization dominated by pyrite, pyrrhotite, chalcopyrite, sphalerite, galena and arsenopyrite in relative order of abundance. The first three sulphide species sometimes vary in order of abundance but all occur as disseminations, veinlets and irregular massive clots. The most common sulphide association observed in drill core is the cohabitation of moderately to strongly magnetic pyrrhotite and chalcopyrite.

Q3 is the latest stage quartz emplacement and consists of coarse sucrosic bull white silica containing Q2 and phyllite fragments. Adjacent wallrock alteration is similar to that associated with Q2 but the sulphide content is coarse-grained pyrite, pyrrhotite, sphalerite, galena and chalcopyrite in approximate order of abundance.

The highest copper, silver and indium assays are associated with narrow intervals containing heavily disseminated to intermittent semi-massive clots and bands of chalcopyrite, galena and lesser sphalerite surrounded by broader intervals of sericite and chlorite alteration. Chlorite alteration, in particular, increases significantly approaching mineralized zones.


Excavator Trenching Results

Indium Zone- Most of the 23 trenches in the Indium Zone were located within the limits of the 2006 diamond drilling where four groups of trenches tested: A) the strike extension of the Main Showing; B) IP anomalies west of and along strike from the Main Showing; C) the west extension from the WDE showing; and D) soil geochemical anomalies between the Main and WDE showings. Trench locations and detailed trench maps are illustrated on Figures 34 to 64.

Numerous mineralized rock specimens were collected in the vicinity of the Indium Zone from trench overburden, subcrop, and outcrop. These samples were often highly elevated, with peak values of 8.29% copper, 778 g/t silver, 353 g/t indium, 0.34% bismuth, 5.15% lead and 16.65% zinc. Many of the samples exhibit mild to strong brecciation with or without silica alteration and most of the sulphide species are well preserved. Several specimens containing semi-banded chlorite-epidote alteration with limonite and minor residual sulphide were also discovered at various locales along the geochemically anomalous trend. Specimens of this material returned up to 5.14% copper, 144 g/t silver, 263 g/t indium and 0.15% bismuth.

Float specimens and/or in-situ mineralization were encountered from each group of trenches and all copper-silver-indium-lead-silver mineralization is associated with quartz flood breccia zones and chlorite altered halos, developed in close proximity to cretaceous porphyry sills within the adjacent metasedimentary rocks. The majority of the mineralized zones dip shallowly to the south; however, some narrow zones are documented with gentle to moderate northerly dips parallel or sub-parallel to local foliation of the metasedimentary rocks. Steeply dipping northwest trending mineralized breccia veins were also documented in several trenches.


Copper-silver-indium-lead-silver grades are highly correlated with overall sulphide content within the quartz flood breccia zones and adjacent chlorite altered halos.


2007 SOIL SAMPLE GRID
MASSIVE PYRITE COBBLES IN FLOAT
TD-TR-07-28
TD-TR-07-29
TD-TR-07-27
PROJECTED SURFACE TRACE OF VTEM CONDUCTOR AXIS
STRONG MAGNETIC HIGH
DDH-TD-07-01
TD-TR-07-26
DDH-TD-07-02
TD-TR-07-25
SWAMP
SEDEX MINING CORP.
STRATEGIC METALS LTD.
FIGURE 35
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ANVIL (VTEM 1) TARGET
TIDD PROPERTY
0m
100m
200m
300m
400m
DRAFTED/REVISED BY: ROBIN FOUBISTER
PROJECT: TIDD
FILE:...TIDD\FIGURES\F35_V1_TRENCHES.DWG
DATE: JANUARY 2008


003°

LOOKING WEST

WEST WALL



TRENCH FLOOR



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 36

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-01
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F36_TD-TR-07-01.DWG	DATE: JANUARY 2008

003°


LOOKING WEST

WEST WALL



TRENCH FLOOR

WEST WALL



TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 37

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-02
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F37_TD-TR-07-02.DWG	DATE: JANUARY 2008

003°

LOOKING WEST

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 38

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-03
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F38_TD-TR-07-03.DWG	DATE: JANUARY 2008


004°

LOOKING WEST

WEST WALL



TRENCH FLOOR



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 39

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-04
WEST WALL AND FLOOR

INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F39_TD-TR-07-04.DWG	DATE: JANUARY 2008



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 40

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-05
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\PROJECTS\TIDD\FIGURES\F40_TD-TR-07-05.DWG	DATE: JANUARY 2008

344°

LOOKING WEST

WEST WALL



TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 41

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-06
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F41_TD-TR-07-06.DWG	DATE: JANUARY 2008

346°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 42

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-07
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F42_TD-TR-07-07.DWG	DATE: JANUARY 2008

347°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL




TAN/ORANGE WEAKLY BRECCIATED, MINERALIZED
PHYLLITE WITH TRACE Gn/Cp


TRENCH FLOOR



WEST WALL



TRENCH FLOOR



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 43

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-08
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F43_TD-TR-07-08.DWG	DATE: JANUARY 2008

340°

LOOKING WEST

WEST WALL





LAMINATED PYRITIC PHYLLITE

TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 44

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-09
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F44_TD-TR-07-09.DWG	DATE: JANUARY 2008

350°

LOOKING WEST

WEST WALL







| C385944 |

TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 45


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TD-TR-07-10
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F45_TD-TR-07-10.DWG	DATE: JANUARY 2008









006°

LOOKING WEST

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 46

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-11
WEST WALL AND FLOOR

INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F46_TD-TR-07-11.DWG	DATE: JANUARY 2008



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 47

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TD-TR-07-12
WEST WALL AND FLOOR

INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F47_TD-TR-07-12.DWG	DATE: JANUARY 2008

341°

LOOKING WEST



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 48

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TD-TR-07-13
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F48_TD-TR-07-13.DWG	DATE: JANUARY 2008

000°

LOOKING WEST





LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 49

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-14
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F49_TD-TR-07-14.DWG	DATE: JANUARY 2008

007°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 50

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-15
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F50_TD-TR-07-15.DWG	DATE: JANUARY 2008

329°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) ■ — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 51

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-16
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F51_TD-TR-07-16.DWG	DATE: JANUARY 2008


350°

LOOKING WEST

WEST WALL



TRENCH FLOOR



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 52

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-17
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F52_TD-TR-07-17.DWG	DATE: JANUARY 2008

001°


LOOKING WEST

WEST WALL



TRENCH FLOOR

WEST WALL



TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 53

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-18
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F53_TD-TR-07-18.DWG	DATE: JANUARY 2008

007°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 54

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-19
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F54_TD-TR-07-19.DWG	DATE: JANUARY 2008


329°

LOOKING
SOUTHWEST

WEST WALL



TRENCH FLOOR



TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 55

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-20
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F55_TD-TR-07-20.DWG	DATE: JANUARY 2008

056°

LOOKING
NORTHWEST

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 56

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-21
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F56_TD-TR-07-21.DWG	DATE: JANUARY 2008

359°

LOOKING WEST


WEST WALL






TRENCH FLOOR

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 57

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-22
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY


DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F57_TD-TR-07-22.DWG	DATE: JANUARY 2008

006°

LOOKING WEST

WEST WALL





TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 58

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-23
WEST WALL AND FLOOR


INDIUM ZONE
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F58_TD-TR-07-23.DWG	DATE: JANUARY 2008

000°


LOOKING WEST

WEST WALL



TRENCH FLOOR

WEST WALL



TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 59

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-24
WEST WALL AND FLOOR

WESTERN MEADOWS
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F59_TD-TR-07-24.DWG	DATE: JANUARY 2008


000°


LOOKING WEST


WEST WALL



TRENCH FLOOR







TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 60

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-25
WEST WALL AND FLOOR

VTEM 1 TARGET
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F60_TD-TR-07-25.DWG	DATE: JANUARY 2008



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 61


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-26
WEST WALL AND FLOOR

VTEM 1 TARGET
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F61_TD-TR-07-26.DWG	DATE: JANUARY 2008





LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.


FIGURE 62

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-27
WEST WALL AND FLOOR

VTEM 1 TARGET
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F62_TD-TR-07-27.DWG	DATE: JANUARY 2008



LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 63

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-28
WEST WALL AND FLOOR

VTEM 1 TARGET
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F63_TD-TR-07-28.DWG	DATE: JANUARY 2008

000°

LOOKING WEST

WEST WALL

C385688

0m 10m 10m 30m 40m

TRENCH FLOOR

WEST WALL

C385687

TRENCH FLOOR

50m 60m 70m 80m 90m

WEST WALL

CC28217

C385684 C385685 C385686 C385682 C385683

100m 110m 120m 130m 140m

TRENCH FLOOR

LEGEND

- OVERBURDEN
- PHYLLITE
- MINERALIZED ZONES
- FERRICRETE (USUALLY OCCURING AS A THIN SKIN)
- GREENISH GREY QUARTZ-BIOTITE PORPHYRY (SILLS AND DIKES)
- QUARTZ VEIN
- STRONGLY SILICIFIED QUARTZ BRECCIA
- C385905 (FLOAT) — ROCK SAMPLE LOCATION
- ▼CC49112▼ — SOIL SAMPLE INTERVAL
- I C49112 I — CHIP/SAW SAMPLE INTERVAL
- 60 — STRIKE AND DIP OF JOINT PLANE
- 45 — STRIKE AND DIP OF TABULAR STRUCTURE

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 64

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TD-TR-07-29
WEST WALL AND FLOOR

VTEM 1 TARGET
TIDD PROPERTY

DRAWN/REVISED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...\TIDD\FIGURES\F64_TD-TR-07-29.DWG	DATE: JANUARY 2008

Select specimens collected from many of the trenches containing above average sulphide content returned above average grades, to a maximum of 8.29% copper, 778 g/t silver, 353 g/t indium, 5.15% lead, and 16.65% zinc.

Due to the sporadic nature of the sulphide mineralization, the grades fluctuate as the thickness of the alteration envelope increases. The best chip and channel samples are restricted to narrow intervals within broader alteration assemblages where the overall sulphide content is still relatively high. Grades in this category of mineralization are not as high as the specimens but are still highly elevated as illustrated on Table V.

Table V - Narrow Highgrade Intervals

Trench	Width (m)	Cu (%)	Ag (g/t)	In (g/t)	Pb (%)	Zn (%)
TD-TR-07-08	0.60	3.55	98.2	56.3	0.17	0.28
TD-TR-07-10	1.50	2.74	82.4	39.3	0.252	0.30
TD-TR-07-11	3.00	1.56	74.9	20.3	0.21	0.21
TD-TR-07-18	0.25	4.01	340	53.1	1.34	0.83

It should be noted that true widths in most cases are actually only 30 to 60% of the sampled width due to the shallowly dipping nature of the exposures.

A compilation of significant results for chip and saw channel samples and select specimens collected from mineralized intervals from all groups of trenches within the Indium Zone is contained in Table VI. These results include weighted average grades (highlighted in grey) from consecutive intervals collected across broad mineralized zones. The results are segregated by groups that tested specific areas within the Indium Zone.

Table VI - Compilation of Significant Trench Results - Indium Zone

GROUP A

Location	From (m)	To (m)	Interval (m)	Ag (g/t)	Cu (%)	In (g/t)	Pb (%)	Zn (%)
Trench 5	39	45	6	47.8	0.42	5.8	0.21	0.13
	48	51	3	0.5	0.32	0.2	0.01	0.24
	54	63	9	21.1	0.21	5.3	0.08	0.07
	60	63	3	20.1	0.40	10.7	0.04	0.08
	-13	-12	1	9.2	0.52	3.1	-	0.03
	41	select sample		778.0	3.18	38.2	5.15	3.06
	42	select sample		249.0	2.38	31.3	0.92	1.56
Trench 6	34	40	6	6.8	0.18	4.7	0.02	0.08
Trench 7	40	-	1	10.4	0.47	11.8	-	0.04
	63	75	12	24.3	0.16	5.5	0.22	0.17
including	66	69	3	62.7	0.45	13.6	0.45	1.09
	20	38	18	53.2	0.37	26.3	0.05	0.03
including	26	29	3	71.4	0.54	50.0	0.01	0.01
	59	select sample		122.0	5.34	61.1	0.05	0.79
	85	select sample		476.0	2.24	59.7	4.46	5.67

Trench 8	50	-	1	33.4	0.33	4.5	0.12	0.07
	82.5	84.5	2	6.6	0.42	10.9	0.01	0.16
	110	-	0.6	98.2	3.55	56.3	0.17	0.28
Trench 17	9	15	6	47.2	0.33	16.0	0.24	0.19
	12	15	3	84.2	0.57	28.0	0.36	0.31
Trench 18	29	-	0.25	340.0	4.01	53.1	1.34	0.83

GROUP B

Location	From (m)	To (m)	Interval (m)	Ag (g/t)	Cu (%)	In (g/t)	Pb (%)	Zn (%)
Trench 1	12	-	float	284.0	8.29	78.0	1.38	2.71
	15	-	float	266.0	4.58	55.0	1.17	4.84
	27	-	float	123.0	0.05	23.7	3.20	1.46
Trench 2	124	-	float	106.0	3.10	353.0	0.53	16.65
Trench 3	3	6	3	0.4	0.10	0.5	-	0.67
	15	18	3	4.6	0.14	3.9	0.02	0.16
	3	-	float	360.0	2.21	47.7	2.64	4.81

GROUP C

Location	From (m)	To (m)	Interval (m)	Ag (g/t)	Cu (%)	In (g/t)	Pb (%)	Zn (%)
Trench 16	33	35	2	22.5	1.08	6.7	0.01	0.06

GROUP D

Location	From (m)	To (m)	Interval (m)	Ag (g/t)	Cu (%)	In (g/t)	Pb (%)	Zn (%)
Trench 10	18	21	3	10.0	0.57	6.2	-	0.03
	56	57.5	1.5	82.2	2.74	39.3	0.22	0.30
Trench 11	0	3	3	141.0	0.87	23.5	0.25	0.32
	9	23	14	31.7	0.40	8.0	0.06	0.04
including	18	21	3	70.1	0.58	17.5	0.08	0.09
	33	42	9	48.8	0.38	12.7	0.10	0.09
including	33	36	3	74.9	1.56	20.3	0.21	0.21

A compilation map showing interpreted structure, lithology, and mineralization within the Indium Zone trenches is shown on Figure 34.

Western Meadows- One trench was located in the Western Meadows at the west end of the Indium Zone where abundant mineralized float occurrences were discovered in 2005 and 2006. No bedrock was encountered in the trench and only one sample collected from the till returned elevated values for copper-silver-indium-lead-zinc, yielding 0.14%, 23.0 g/t, 2.1 g/t, 0.11%, and 0.25%, respectively.

Anvil #1 VTEM Target- The Anvil #1 VTEM conductor is situated at the base of Mt. Tidd where it trends due west into a lowland area covered extensively by glacial till and swamp. Point source conductors modelled by Geotech Ltd. along an 800 m length of the surface axial trace are believed to dip gently to moderately to the south, which coincides with the local stratigraphic interpretation.

Soil geochemical response in the vicinity of the conductor is subdued with values not exceeding 57 ppm lead, 1.4 ppm silver, 84 ppm copper, and 230 ppm zinc. These values are not surprising given the extent of the till cover in the area.

A series of five excavator trenches was dug across the projected surface trace of the conductor axis over a length of 200 m. This part of the anomaly is coincident with the narrow extension of a larger east trending airborne magnetic anomaly. All trenches encountered unconsolidated grey glacial till exceeding 6 m thickness. Pockets of ferricrete cementing till pebbles were observed in most of trenches as well as bright orange-red carbonate weathered pebbles and cobbles.

Four pebbles and one cobble of massive sulphide were discovered in trenches TD-TR-07-28 and TD-TR-07-29 and all samples were collected from the basal portion of the excavations. Two of the pebbles are largely limonite while one of the pebbles and the cobble contain abundant fresh sulphide. Mineralization consists of fine-grained pyrite with abundant fine black minerals that occur interstitially among the pyrite grains. No discernable textures are observed, however, broken faces from two of the pebbles suggest the sulphides may be thinly laminated and cut by steeply dipping fractures healed with clear quartz.

Geochemical response for the massive sulphide mineralization was elevated only with respect to silver to a maximum of 4.6 g/t. All other pathfinder elements were subdued. Bright orange oxide fragments associated with carbonate alteration were also collected from the series of trenches cut across the VTEM conductor. This material returned anomalous values for the typical pathfinder elements as shown in Table VII.

Table VII - VTEM 1 Trench Results - Orange Oxide Fragments

Trench	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Fe (%
TD-07-28	4.59	1550	410	3130	5.85
TD-07-29	16.45	147	413	1020	16.95

The Anvil VTEM #2 conductor and the Road River conductor were also modelled by Geotech Ltd. but remain untested by excavator trenching or diamond drilling.

Diamond Drilling

A two hole, 314 m diamond drill program was conducted approximately 4 km northwest of the Indium Zone at the Anvil #1 VTEM target, shown on Figure 4. The drilling was contracted to Prospector Drilling of St. Rose Du Lac, Manitoba and was performed with a helicopter-portable, diesel-powered JKS 300 drill using BTW equipment. Drill hole data are summarized on Table VIII.

Table VIII - Drill Hole Data

Drill Hole	Northing (m)	Easting (m)	Azimuth (°)	Depth (m)
TD-07-01	6883646	375840	000	136.86
TD-07-02	6883580	375845	000	176.78

Core was transported from the drill sites by helicopter to camp where it was geotechnically and geologically logged. Copies of the logs appear in Appendix III. Mineralized intervals were either split or sawn with one-half returned to the box and the other half put into plastic bags, each containing a unique pre-numbered sample tag. The core boxes were stacked at the campsite and secured.

Drilling was designed to test the western end of the VTEM anomaly, where the massive sulphide and geochemically anomalous orange oxide fragments were discovered within the trenches cut across the surface projection of the conductor. The two holes were located to test the modelled conductor at piercements of 60 and 120 m below the surface. An interpretive drill section for the holes is illustrated in Figure 65. Glacial till encountered during the drilling of both holes averaged almost 30 m thick. Beneath the till, both holes encountered porphyroblastic andalusite phyllite believed to be correlative to the Mt. Mye Formation. The modelled VTEM conductor appears to coincide with thinly laminated carbonaceous phyllite near the transition with the underlying chlorite dominant, non-carbonaceous phyllite. Although the geophysical response in this area is anomalous, no significant sulphide mineralization was observed. Peak values for lead and zinc (195 ppm and 1280 ppm, respectively) were obtained from narrow intervals from within both the upper and lower portions of the Mt. Mye Formation phyllite. Barium responses, although only partial digestion analyses, are moderately to strongly elevated within the carbonaceous portion of the phyllite, averaging >1200 ppm.

TD-07-01


Diamond drill hole TD-07-01 was collared approximately 130 m south of the projected surface axial trace of the VTEM conductor, to intersect it at an approximate piercement of 60 m. Extensive glacial till coverage in the area necessitated deep casing depths (27m) before bedrock was encountered. Dark grey to black graphitic and calcareous phyllite with andalusite porphyroblasts and quartz veinlets characterise the first 72 m of the hole. Sulphide mineralization is weak but pervasive and consisted primarily of blebs, stringers, and disseminations of pyrite, with minor pyrrhotite and occasional sphalerite. Generally, the sulphides occur in either foliaform wisps within the phyllite, or as disseminations and blebs within the crosscutting quartz veinlets.

The transition zone between the black graphitic phyllite and the underlying green-grey chlorite phyllite coincides with the interpreted location of the conductor interpreted in the VTEM survey. However, no significant mineralization was observed at this contact. Pyrrhotite and pyrite are observed throughout the hole, but in low concentration. Samples collected returned poor results throughout the hole, with maximum values of 0.88 g/t silver, 55.2 ppm copper, 190 ppm lead, and 628 ppm zinc over 2 to 3 m intervals.

TD-07-02

Diamond drill hole TD-07-02 was collared on section 65 m south of TD-07-01 to intersect the VTEM conductor at a piercement of 120 m. Again thick overburden covering carbonaceous black phyllite characterised the top of the hole. An increase in quartz veinlets and overall sulphide content is observed closer to the contact with the underlying chlorite phyllite at

VTEM 1 ANOMALY
SECTION LOOKING WEST



Best Silver-Lead-Zinc Results							
	Sample #	Start (m)	End (m)	Interval (m)	Ag (g/t)	Pb (%)	Zn (%)
TD-07-01	C491428	42.35	43.35	1	0.8	0.02	0.04
	C491432	64.01	64.05	0.04	7	0.01	0.006
	C491438	89.39	92.5	3.11	1	0.002	0.13
TD-07-02	C491407	72.6	75.72	3.12	0.9	0.02	0.02
	C491412	82.15	85.04	2.89	0.3	0.005	0.06

SEDEX MINING CORP.
STRATEGIC METALS LTD.

FIGURE 65
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DRILL SECTION
TD-07-01/TD-07-02
TIDD PROPERTY

0m 25m 50m

DRAWN/MODIFIED BY: ROBIN FOUBISTER	PROJECT: TIDD
FILE: ...TIDD\FIGURES\F65_DRILL_SECTION.DWG	DATE: JANUARY 2008

approximately 135 m depth. Pyrite is the dominant sulphide throughout the hole and occurs as foliaform wisps, blebs, and coarse fracture filling. Pyrrhotite is also observed throughout much of the hole, and is weakly magnetic. A narrow 4 cm band of massive pyrite was encountered at 64.01 m depth within the carbonaceous phyllite. A sample collected from the interval was elevated in lead, silver, and iron (112.5 ppm, 7.4 g/t, and 30.5%, respectively), while copper and zinc values were low. Adjacent sample intervals were also subdued. The best results were scattered throughout the central part of the graphitic phyllite unit, with peak values of 7.4 g/t silver (pyrite seam), 96.9 ppm copper, 195 ppm lead, and 1280 ppm zinc. The transition between the two phyllites at 135.76 m was not significantly mineralised. All results for samples collected within the lower transition chlorite-muscovite phyllite are poor.

DISCUSSION AND CONCLUSIONS

A compilation of the results from previously outlined Indium Zone soil geochemical anomalies and the recent Western Extension Grid anomalies indicate a distinct zoning from copper dominant response to lead-zinc-silver dominant response, respectively. This zoning pattern may indicate a possible transition from vent proximal style mineralization to basinal massive sulphide deposition. The overlying terrain, however, is largely till and vegetation covered with very limited outcrop and subcrop exposure. VTEM response across the entire trend of the soil geochemical anomalies is weak. The magnetic signature, however, is moderate beneath the western end of the arcuate trend, where lead and silver values are elevated.

Geochemical response across the five peripheral VTEM grids is significantly subdued relative to the Indium Zone and Western Extension Grid. This is due to the thick blanket of glacial till covering the area, which was found to be in excess of 30 m. Of the five peripheral grids sampled, the grid located at the Road River Target returned the most anomalous results, which may be partially due to the topographic setting and accompanying thinner till cover.

Most of the mechanized work in 2007 focussed on excavator trenching across targets at the Indium Zone localized within the limits of the 2006 diamond drilling. Throughout the Indium Zone, narrow lenses of sulphide bearing silica breccia are developed in close proximity to Cretaceous porphyry sills and dip shallowly to the south; however, some zones are documented with gentle to moderate northerly dips that are parallel or sub-parallel to local foliation of the metasedimentary rocks. Steeply dipping northwest trending mineralized breccia veins were also documented in several trenches.

The genesis of the copper-silver-indium-lead-zinc dominant mineralization, given the geometry and nature of the quartz flood breccia zones, is likely associated with the emplacement of the porphyry sills along dormant imbricated thrust faults. Post mineralizing deformation resulted in broad warping of the sills and small-scale remobilization of the breccia lenses along crosscutting structures. It is also likely that an additional deformational event resulted in the reactivation of the thrust imbrications, dismembered the sills and associated mineralized breccias.

Despite the generally favourable shallow dip and near surface nature of the mineralization, the inconsistent copper, silver, and indium grades, plus irregular distribution of the lenses, preclude a significant bulk tonnage target.

Excavator trenching and diamond drilling conducted at the Anvil #1 VTEM target encountered small cobbles and a narrow band of massive fine-grained pyrite, respectively. The till cover in this area was found to be in excess of 30 m, which explains the subdued soil geochemical response. The carbonaceous phyllite encountered in diamond drill holes at this target is interpreted as the top of the Mt. Mye Formation and may represent a distal facies equivalent of a potential sulphide horizon. This is commonly observed in the Anvil District deposits. Assays from sulphide bearing intervals collected from within the carbonaceous unit at Tidd, however, were low.

While the ratio of economic deposits to uneconomic pyrite dominant deposits within the Anvil District is low, additional work is warranted at the Tidd property to evaluate the remainder of the VTEM targets and the lead-zinc-silver soil geochemical anomalies of the Western Extension Grid. This work should consist of drill testing several section lines across the core regions of the remaining VTEM anomalies, which are blind to surface, and hand trenching across the strongest soil geochemical sites in the Western Extension Grid to determine the nature of the associated mineralization relative to the Indium Zone.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

William A. Wengzynowski, P. Eng.

REFERENCES

A.R.O.F.
1980 Anvil Range Open File, 105 J 03/1817 – Mount Tidd, Cyprus Anvil Mining Corporation.

Clemmer, S.G.
1980 Flat River Project 1980, Clingon Claims Report, private company report for Getty Canadian Metals Ltd.

Deklerk, R.
2003 Minfile 105J 029, Yukon Minfile, Yukon Geological Survey, http://www.geology.gov.yk.ca/publications/minfile/text_files/105j.pdf

Eaton, S.J.
2007 Geology, Geochemistry and Geochronology of the Indium Zone, Tidd Property, Yukon Territory. A Thesis Submitted in Partial Fulfilment of the Requirements for a Degree of Bachelor of Science (Honours) in the Faculty of Science, Department of Earth and Ocean Sciences, University of British Columbia.

Groat, L.A.
2005 Personal communication.

Hendry, D.A.R.
1979 Progress Report on the Hench Claims covering Line Cutting, Geophysics and Geochemistry.

Jennings, G.S. and Jilson, G.A.
1986 Geology and Sulphide Deposits of the Anvil Range, Yukon; *in* Mineral Deposits of the Northern Cordillera, J.A. Morin (ed), Canadian Institute of Mining and Metallurgy, Special Volume 37, p.319-361.

Miller, D.C.
1980 St. Joseph Explorations Limited, Ross River Area, Yukon. Assessment Report 090662.

Mining Journal
2006 Base metals continue their rise, London, January 6, 2006, p. 5.

Mortensen, J.K.
2005 Personal communication.

Pigage, L.C.
1990 Field guide Anvil Pb-Zn-Ag District Yukon Territory, Canada; Abbott, J. G. and Turner, R. J. W., (Eds.). *in* Mineral deposits of the Northern

Canadian Cordillera, Yukon-Northeastern British Columbia [Field Trip 14]; Geological Survey of Canada, Open File 2169; 8th IAGOD Symposium. Ottawa, Ontario, Canada, Calgary, AB, Canada: Geological Survey of Canada; 1991: 283-308.

2004 Bedrock geology compilation of the Anvil District (parts of 105K/2 ,3,5,7 and 11), central Yukon, Bulletin 15, Yukon Geological Survey.

YGP

2006 Anvil District, compiled from Jennings and Jilson, 1983; Pigage, 1992; YTG Yukon Mineral Property Update, 2001; and, Yukon Minfile. http://www.geology.gov.yk.ca/metallogeny/selwyn/anvil_text.html

Yukon Community Profiles

2006 http://www.yukoncommunities.yk.ca/communities/rossriver/people/

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address at 301 Fairway Drive, North Vancouver, British Columbia, V7G 1L4 do hereby certify that:

1. I am President of Archer, Cathro & Associates (1981) Limited.

2. I graduated from the University of British Columbia in 1993 with a B.A.Sc in Geological Engineering, Option l, mineral and fuel exploration.

3. I registered as a Professional Engineer in the Province of British Columbia on December 12, 1998 (Licence Number 24119).

4. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory, Northwest Territories, northern British Columbia and Mexico.

5. I have personally participated in and supervised the fieldwork reported herein.

William A. Wengzynowski, P. Eng.

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

T TRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L 26-NOV-2007
Account: MTT

CERTIFICATE VA07121501

Project: TIDD

P.O. No.: TD-07-02

This report is for 35 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

T TRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 20-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121501

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
C491428		1.52	0.006	0.75	9.24	99.5	1460	2.54	0.49	0.28	3.14	104.5	18.6	70	18.7	74.4
C491429		3.28	0.004	0.39	8.96	33.2	1350	2.81	0.34	0.16	1.66	99	17.8	62	20.7	38.8
C491430		1.98	0.013	0.39	9.36	118.5	1510	2.12	0.11	0.08	3.35	99.8	14.1	75	13.45	28.5
C491431		4.80	0.004	0.47	8.52	45.2	1310	1.99	0.3	0.34	2.43	95	14.3	61	13.45	33.4
C491432		0.10	0.093	7.04	3.59	485	270	0.66	0.62	0.04	0.52	46.7	15.6	34	11.65	24.3
C491433		3.90	0.002	0.39	9.03	18	1410	2.74	0.33	0.12	1.82	95.7	14.4	61	15.5	30.5
C491434		3.94	0.002	0.02	0.11	<5	40	0.07	<0.01	19.9	0.07	1.38	1.3	1	0.21	1.6
C491435		5.64	0.002	0.34	8.45	24.3	1370	2.12	0.25	0.16	1.38	94.3	12.1	58	13.45	23.7
C491436		1.38	0.004	0.9	7.03	50.2	1250	2.35	0.51	0.18	9.91	76.6	12.4	78	15.5	71.2
C491437		1.56	0.006	0.89	6.03	57.4	1190	1.69	0.36	0.67	8.16	62.5	10.2	116	10.8	72.2
C491438		6.38	0.005	1.03	3.47	40.3	880	0.71	0.21	1.12	26.9	37.6	4.5	111	4.33	70.6
C491439		6.16	0.003	0.8	6.25	91.2	1250	1.77	0.29	3.06	6.43	68.5	10.8	82	13.95	71
C491440		5.52	0.003	0.5	8.69	22.8	1520	2.54	0.43	2.41	0.45	95.9	13.8	97	23.1	48
C491441		5.76	0.002	0.35	9.71	34.8	1720	2.72	0.37	0.25	0.12	91.7	17.2	83	16.3	27.5
C491442		3.24	0.004	0.71	5.54	42.9	1210	1.32	0.2	0.3	8.65	55.2	9	69	6.75	78.6
C491443		4.90	0.001	0.67	8.56	76	1560	2.46	0.21	0.21	2.52	96.6	18.6	79	13	51.8
C491444		4.00	0.002	0.81	2.84	181	540	0.56	0.53	1.45	7.06	34.5	5.1	92	3.75	72.4
C491445		5.24	0.003	1.12	9.1	160	380	2.57	0.78	0.38	3.06	101.5	15	100	12.95	79.8
C491446		5.26	0.002	0.67	10.3	84.3	1980	2.22	0.48	0.27	1.59	110	16.2	102	12.75	61.8
C491447		5.86	0.006	0.62	9.62	93.6	1480	2.66	0.46	1.77	1.56	105.5	19.5	80	14.65	46
C491448		4.00	0.015	0.7	10.2	95.1	1860	2.5	0.32	0.9	0.63	103.5	18.6	91	13.55	46.9
C491449		4.00	0.006	0.75	8.59	61.6	1780	1.83	0.31	1.1	3.89	90	13.8	91	9.2	61
C491450		0.76	0.001	0.51	5.82	51.1	1190	1.1	0.15	1.24	0.13	54.3	8.6	69	5.69	63.4
C491451		5.14	0.011	0.74	9.64	75	1290	2.34	0.31	0.46	2.27	103	15.5	100	12.9	59.6
C491452		5.16	0.044	0.59	9.91	80.2	1860	2.87	0.42	1.38	1.13	111.5	18.5	81	15.4	39
C491453		3.46	0.010	0.4	3.94	108.5	440	0.85	0.48	1.64	0.63	43.9	7.2	52	5.26	31.5
C491454		3.44	0.004	0.47	6.52	103	1010	1.79	0.37	0.74	0.5	70.6	10.7	62	10.75	37
C491455		5.38	0.001	0.74	7.09	28.3	440	2.11	1.22	1.14	1.73	67.8	12.9	70	10.45	96.9
C491456		2.66	<0.001	0.33	10.9	23.3	1070	3.39	0.43	0.37	0.22	113	22.2	94	16.25	37.2
C491457		5.64	0.001	0.29	11.3	33.4	970	3.08	7.52	0.28	0.07	117	22.3	99	18.15	38.1
C491458		5.58	0.001	0.19	11.4	52.3	950	3.05	0.57	0.27	0.04	107	21.6	95	14.8	34.2
C491459		1.18	0.001	0.16	0.21	<5	30	0.09	0.12	21.1	0.09	1.97	1.2	1	0.29	2.6
C491460		5.46	0.005	0.17	10.6	28.8	850	3.09	0.55	0.72	0.04	116	23.6	90	16.1	29
C491461		5.76	<0.001	0.03	0.34	1.1	20	0.14	0.03	0.02	0.07	12.55	0.5	7	0.28	4.6
C491462		6.02	0.001	0.02	10.7	18	780	3.54	0.41	0.5	0.03	116.5	22.9	91	24	25.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

T TRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 20-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121501

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
C491428		4.07	26.4	0.21	2.5	0.068	2.61	57	154	0.81	332	15.15	0.19	9.3	77.7	450
C491429		3.82	25.8	0.19	2.1	0.064	2.85	53	154	0.7	195	14.3	0.16	6.8	70.8	380
C491430		2.86	27.1	0.17	2.4	0.078	3.45	54.6	36.9	0.65	256	16.35	0.18	9.9	64.2	300
C491431		3.46	24.1	0.18	2.1	0.062	2.82	52	40.4	0.74	330	14.9	0.2	7.6	59.9	290
C491432		30.5	9.16	0.57	0.9	0.018	1.35	23.8	4.4	0.11	16	6.43	0.06	4.5	100.5	100
C491433		3.75	25.3	0.2	2.1	0.062	2.78	52.1	41.7	0.67	213	14.45	0.29	7.1	56.4	320
C491434		0.45	0.31	0.09	<0.1	<0.005	0.04	0.7	1.1	12.45	184	0.66	0.01	0.3	4.8	190
C491435		3.24	23.6	0.17	2	0.061	2.52	50.7	54.4	0.73	251	21.5	0.23	7.4	48.9	280
C491436		3.1	20	0.19	2.3	0.043	2.1	41.6	78.7	0.55	202	40.2	0.16	7	79.7	290
C491437		3.19	16.9	0.2	2.2	0.036	1.68	35.4	73.3	0.79	217	18.7	0.1	6.8	60	2310
C491438		1.56	10.3	0.15	1.6	0.045	1.19	21.7	23	0.47	234	22.2	0.04	5.1	54	3700
C491439		3.62	17.25	0.19	2.1	0.081	1.61	37.8	68.7	1.62	599	13.2	0.1	8.4	48.4	3080
C491440		3.66	24.4	0.2	3.2	0.056	2.35	52.9	70.6	2.12	369	9.23	0.12	11.4	47	610
C491441		4.71	29.6	0.2	2.8	0.056	3.05	41.5	84.6	1.83	159	5.93	0.17	11.6	50	610
C491442		2.32	15.6	0.15	1.5	0.044	1.75	31.8	86.4	0.42	167	19.55	0.13	6.3	52.8	960
C491443		3.96	24.7	0.2	2.4	0.066	2.74	51.4	134.5	0.71	234	15.15	0.2	10.9	56.2	540
C491444		1.44	8.35	0.12	1.3	0.151	0.96	19.5	98.2	0.28	207	21.5	0.03	4.4	48.2	5600
C491445		4.8	27.1	0.26	2.7	0.109	3.33	54.4	269	0.92	291	9.66	0.13	7.8	53.3	930
C491446		4.85	30.1	0.22	2.9	0.111	3.73	56.9	91.5	1.11	366	8.95	0.15	10.2	55.6	980
C491447		4.95	27.4	0.23	2.4	0.087	3.34	54.8	70.3	1.52	666	6.53	0.1	10.4	56.4	300
C491448		4.98	29	0.21	2.4	0.089	3.52	52.3	71.2	1.59	547	12.95	0.11	11.2	60.6	300
C491449		3.42	23.9	0.21	2.4	0.079	2.93	49.3	42.4	1.01	422	23.7	0.11	8.3	62.5	770
C491450		2.58	16.15	0.14	1.4	0.058	1.9	30.2	29.3	0.67	365	2.63	0.1	6.3	33.2	940
C491451		4.44	29.1	0.23	2.9	0.088	3.5	53.7	50	1.05	267	12.2	0.15	9.5	57.9	790
C491452		4.61	29	0.22	2.7	0.08	3.54	57.2	56.4	1.51	417	9.96	0.11	9.6	55.9	330
C491453		3.06	11.05	0.15	1.3	0.095	1.03	23.6	43.4	1.07	527	7.09	0.04	4.9	29	290
C491454		3.16	17.55	0.11	1.6	0.05	1.93	37.5	42.1	0.8	413	9.62	0.1	7.7	41	550
C491455		3.63	19.1	0.14	2.1	0.145	2.17	38.4	32.7	0.98	421	20.6	0.12	6	65.8	1710
C491456		5.56	31.7	0.15	2.4	0.101	3.11	54.9	79.9	1.33	560	0.89	0.27	18.8	45.8	600
C491457		5.63	32.1	0.14	2.3	0.101	2.92	56.1	88.4	1.27	614	0.81	0.3	20.5	48	620
C491458		5.54	31.9	0.16	2	0.114	3.17	52	73.2	1.29	672	0.43	0.3	18.9	45.7	630
C491459		0.54	0.48	0.06	<0.1	0.011	0.07	1.1	1.7	12.8	220	0.46	0.01	0.4	2.4	210
C491460		5.53	28.7	0.15	2.3	0.098	2.72	58.6	69.6	1.32	874	1.2	0.33	19.3	41.6	610
C491461		0.47	1.06	<0.05	0.2	<0.005	0.1	5.9	3.6	0.03	34	0.55	0.01	0.8	1.8	40
C491462		5.33	29.9	0.14	2.3	0.091	2.48	57.2	80.3	1.24	721	0.62	0.9	20.8	45.6	640

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 20-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121501

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
C491428		195	234	0.011	2.01	3.01	13.7	6	3.8	76.9	0.68	0.07	18	0.238	2.89	9.5
C491429		26.6	225	0.012	1.89	4.4	13.3	5	2.1	94.7	0.5	0.06	17.9	0.195	3.26	7.9
C491430		8.6	297	0.018	1.3	6.25	14.1	3	3	44	0.74	<0.05	18.5	0.263	3.53	7.5
C491431		24	227	0.016	1.57	7.21	12.5	5	2.2	69	0.56	0.05	17	0.21	3.27	7.4
C491432		112.5	112.5	0.007	>10.0	99	4.2	28	1.1	16.8	0.29	0.16	6.3	0.12	8.28	3.3
C491433		24.3	217	0.012	1.61	4.09	13.2	5	2.2	96.4	0.53	0.06	17.7	0.194	3.07	7.6
C491434		2.6	1.9	<0.002	0.05	0.24	0.4	2	<0.2	46	<0.05	<0.05	0.2	<0.005	0.02	0.8
C491435		23.1	193.5	0.014	1.2	3.04	12.1	4	2.2	74.3	0.56	0.05	15.6	0.195	2.6	9.1
C491436		25.8	166.5	0.073	1.68	7.97	10.3	16	2.4	57.7	0.54	0.19	13.4	0.209	2.11	13.1
C491437		17.2	113	0.063	1.36	12.2	10	21	2.2	50	0.53	0.26	11.5	0.208	1.32	9
C491438		18.9	88.8	0.098	0.55	12.9	5.5	22	1.5	28.2	0.38	0.2	7.5	0.155	0.94	12.2
C491439		25.9	143.5	0.037	1.49	6.61	10.5	14	3.3	84.6	0.61	0.15	11.7	0.238	1.41	7.9
C491440		20.6	195.5	0.032	1.04	3.05	14.5	8	3	74.1	0.85	0.08	16.5	0.317	1.79	9.9
C491441		12.6	136.5	0.01	0.85	5.74	17.7	6	3.7	45.7	0.86	0.1	16.1	0.333	1.81	5.6
C491442		14.3	121.5	0.024	0.79	17.55	8.7	11	1.6	34.6	0.45	0.08	9.4	0.189	1.28	7.9
C491443		17.1	189.5	0.012	1.35	7.8	14.8	9	2.4	67	0.8	0.08	15.5	0.307	2.13	7
C491444		59.6	76.7	0.078	0.63	5.15	4.6	11	2.5	44.5	0.33	0.15	6.5	0.127	0.77	12.2
C491445		51.9	235	0.035	2.71	4.81	16.3	16	3	47.2	0.6	0.24	16	0.222	2.33	7.5
C491446		18.1	239	0.032	1.83	3.77	18.8	8	8.5	36.8	0.75	0.11	17.7	0.265	2.47	7.9
C491447		23.3	238	0.015	2.21	4.94	17.1	6	8.1	55.5	0.77	0.09	16	0.286	2.67	4.6
C491448		25.8	215	0.015	1.59	5.6	18.8	5	3.2	39.2	0.8	0.09	16.9	0.317	2.57	4.6
C491449		23.5	181	0.043	1.25	2.94	14.4	11	2.8	42.2	0.63	0.14	14.9	0.236	1.86	8.9
C491450		10.5	112.5	0.016	0.87	1.69	9.2	6	4.8	44.5	0.45	0.09	8.6	0.164	1.06	2.9
C491451		19.4	214	0.037	1.82	3.16	17.5	10	3.2	41.3	0.69	0.18	16.6	0.25	2.25	8.2
C491452		33	221	0.018	1.54	2.26	18.1	4	3.1	50	0.73	0.09	17.4	0.272	2.49	5.2
C491453		22.7	86.4	0.013	1.23	1.24	6.2	6	5.2	41.8	0.34	0.06	7.5	0.142	0.89	4.7
C491454		17.1	148.5	0.008	1.01	3.56	10.3	4	3.4	40	0.5	<0.05	11.4	0.221	1.35	5.5
C491455		40.1	155	0.028	1.58	1.46	11.2	9	5.2	52.9	0.42	0.07	11.2	0.198	1.26	8.9
C491456		13.3	179.5	0.002	0.62	1.29	21.5	2	4.8	74.2	1.2	<0.05	17.1	0.489	1.54	3.1
C491457		17.1	171	0.002	0.62	0.96	21.8	2	4.5	91.8	1.28	0.05	17	0.518	1.21	2.8
C491458		13.4	177.5	0.002	0.5	0.98	22.3	2	6.5	82.1	1.19	<0.05	15.9	0.506	1.23	2.6
C491459		5.1	3.2	0.002	0.04	0.17	0.5	1	0.2	48.1	<0.05	<0.05	0.2	0.008	0.02	0.8
C491460		18.8	157.5	0.002	0.78	1.09	19.3	2	4.6	86.7	1.18	<0.05	17	0.513	1.04	2.7
C491461		1.5	4.5	0.002	0.02	0.28	0.8	1	0.2	5.5	<0.05	<0.05	2.2	0.03	0.06	0.4
C491462		21.5	151.5	<0.002	0.37	0.62	20.6	1	3.4	138.5	1.27	<0.05	17	0.519	0.81	2.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

T TRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 20-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121501

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C491428		382	4.6	11.4	427	82.5
C491429		235	1.7	13.9	228	68.8
C491430		564	5.7	12.2	337	78.2
C491431		355	3.1	12.3	274	69.3
C491432		195	3.9	11	59	29.7
C491433		268	1.9	12.6	228	69
C491434		9	0.1	0.9	16	0.6
C491435		361	2.1	11.4	157	65.7
C491436		964	3.2	13.4	528	77.1
C491437		832	3	15.6	393	75.4
C491438		1155	2.5	16.5	1280	55.7
C491439		487	16.5	24.3	346	71.9
C491440		319	1.7	22.5	78	105.5
C491441		182	3.1	11.8	81	92.1
C491442		630	2.6	10.1	623	48.4
C491443		388	3	12.8	269	75.9
C491444		906	3.1	21.9	470	43.3
C491445		507	4.4	13.9	190	87.8
C491446		558	5.4	15	151	94.4
C491447		257	3.8	14.5	147	76.8
C491448		249	5.3	13.7	116	79.8
C491449		527	4.8	14.2	264	80.9
C491450		190	5	9.6	34	46.4
C491451		567	5.4	13.4	195	93.8
C491452		264	7.7	15	130	86.8
C491453		160	5.7	8.1	98	44.7
C491454		248	5.4	10.8	87	53.6
C491455		547	8.4	15.5	240	78.8
C491456		115	7.1	15.4	141	82.2
C491457		109	15.2	15.9	137	79.8
C491458		101	11.1	16.5	120	68.9
C491459		4	0.2	1.3	23	1.1
C491460		96	5.7	15.6	119	76.4
C491461		11	0.1	1.5	4	7.3
C491462		102	2.1	12.5	129	77.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized . 15-NOV-2007
Account: MTT

CERTIFICATE VA07121500

Project: TIDD

P.O. No.: TD-07-01

This report is for 27 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121500

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
C491401		2.64	0.004	1.42	6.81	21.3	1930	1.84	0.17	0.61	2.56	59.4	6.6	94	10.1	153.5
C491402		5.66	0.009	1.5	4.55	25.3	590	1.58	0.2	0.25	3.65	40.1	9.7	68	8.57	141.5
C491403		5.26	0.007	0.62	6.86	63.9	1440	2.04	0.16	0.2	1.54	65.3	12.4	78	10.7	76.1
C491404		0.80	0.005	0.73	6.98	51.4	1570	2.16	0.16	0.1	3.74	59.3	9.9	73	12.7	55.2
C491405		4.12	0.005	0.38	6.89	64.7	1290	2.29	0.18	0.21	2.19	68.9	11.8	71	10.8	35.7
C491406		2.62	0.008	0.46	6.04	113	1150	1.2	0.31	0.37	1.12	57.1	11	77	8.25	48.4
C491407		6.06	0.004	0.88	9.83	41.8	1380	2.94	1.32	0.35	0.85	114.5	17.6	80	13.6	29.5
C491408		2.96	0.004	0.24	8.59	56.1	1320	2.78	0.55	0.3	2.19	97.8	14.1	73	10.9	36.9
C491409		2.22	0.006	0.17	10.1	75.7	1390	3.65	0.24	0.24	0.23	129	19.2	91	15.65	25.9
C491410		1.38	0.006	0.42	9.4	177.5	1330	2.74	0.63	0.56	0.47	104	15.9	67	9.15	50.4
C491411		5.62	0.013	0.28	9.25	230	1170	3	0.53	0.55	0.19	103	18.1	78	13.6	29.7
C491412		5.26	0.006	0.34	9.61	96.7	1390	2.85	0.61	1.03	4.82	119.5	18.3	76	12.95	28.8
C491413		6.08	0.039	0.19	9.18	89.9	1280	3.04	0.65	1.53	0.34	112	17.4	79	12.45	21.3
C491414		5.34	0.005	0.08	10.2	44.1	1310	3.18	0.33	0.48	0.03	122	17.1	78	13.95	19.9
C491415		5.96	0.004	0.2	10.2	76.9	1380	3.25	0.54	0.37	0.04	119.5	18.6	81	12.5	23
C491416		2.40	0.003	0.25	9.67	50.2	1320	3.58	0.89	0.34	0.02	108.5	19	76	13.7	48.7
C491417		3.18	0.007	0.13	10.4	126.5	1400	3.6	0.82	0.15	<0.02	122	18.4	86	15	45.7
C491418		3.58	0.002	0.07	0.18	7	60	0.13	0.04	19.75	0.07	1.44	1.7	3	0.32	3.4
C491419		3.10	0.010	0.15	10.8	99.2	1550	2.75	0.96	0.38	0.13	116.5	24.6	86	12.5	53.5
C491420		4.78	0.010	0.06	10.6	142.5	1380	2.98	0.38	0.6	<0.02	122	20.6	83	15.8	17.2
C491421		3.88	0.015	0.05	10.35	86.1	1170	2.73	0.32	1.54	<0.02	109	18.2	71	19	6.1
C491422		2.48	0.015	0.06	13.25	133	1430	3.1	0.29	0.86	0.03	110	21.1	92	29.1	22.2
C491423		4.12	0.016	0.35	11	180.5	990	3.57	1.94	0.39	0.08	104.5	21.7	90	21.1	32.9
C491424		5.60	0.003	0.18	10.45	60.3	850	2.83	0.42	0.53	0.52	109.5	20.5	84	16	24.7
C491425		3.00	0.002	0.09	12.25	24.3	910	3.29	0.38	0.47	<0.02	107	22.3	87	19	18.8
C491426		2.16	0.002	0.18	9.29	40	830	2.75	1.45	0.77	0.03	94	19.5	77	16	23.4
C491427		2.94	0.004	0.03	11.05	21.9	990	3.19	0.41	0.33	0.02	101.5	22.8	87	17.4	26.4

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121500

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
C491401		2.54	18.05	0.15	1.8	0.05	2.09	35	36.9	0.5	127	12.35	0.17	4.9	32.9	2770
C491402		2.89	12.65	0.13	1.5	0.043	1.34	23.8	33.8	0.4	187	25.3	0.12	3.9	69	890
C491403		2.96	18.25	0.14	1.7	0.042	2.26	36.8	42.1	0.62	248	19.2	0.13	6.2	63.1	510
C491404		2.44	18.3	0.15	1.4	0.035	2.1	34.7	44.6	0.42	119	21.6	0.19	5.2	62	200
C491405		3.01	18.75	0.14	1.8	0.048	1.83	38.7	94.8	0.69	177	17.85	0.19	7	63.5	330
C491406		2.36	16.25	0.14	1.6	0.04	1.97	32.8	61.1	0.4	229	22.1	0.1	5.6	58.6	820
C491407		5.14	28.5	0.21	2.7	0.15	2.93	56.1	80	1.35	562	0.91	0.17	16.3	40.4	720
C491408		3.79	24.2	0.18	2.5	0.083	2.8	52.5	65.9	0.78	373	13.9	0.21	10.3	57.1	450
C491409		4.39	30.2	0.21	3.1	0.092	2.96	64.2	106.5	1.15	459	3.21	0.27	19.5	42.5	570
C491410		4.36	25.7	0.21	2.7	0.084	2.87	55.6	60.5	0.97	438	16.55	0.21	11.5	58.1	390
C491411		5.16	25.6	0.2	2.3	0.077	2.53	52.2	91.4	1.23	449	2.07	0.24	14.7	40.4	590
C491412		4.05	28	0.21	2.8	0.726	2.97	58.6	58.4	1.27	539	0.82	0.28	15.9	34.3	920
C491413		3.73	28	0.2	2.7	0.149	2.69	54.1	128	1.3	630	0.6	0.75	17	33.5	520
C491414		4.4	28.7	0.2	2.1	0.085	3.13	58.8	56.2	1.15	371	0.38	0.4	17.6	32.7	530
C491415		3.88	30.2	0.23	2.4	0.12	3.41	59.4	64.1	1.05	422	5.14	0.25	16	38.9	450
C491416		4.43	28.1	0.24	2.8	0.084	3.38	58.6	52.3	1.01	213	14.4	0.23	10.2	45.9	1440
C491417		4.65	30.5	0.24	3.3	0.126	3.19	64.9	58.4	1.16	233	10.8	0.42	17.9	44.2	390
C491418		0.45	0.44	0.09	<0.1	0.005	0.06	0.7	1.8	12.3	189	0.99	0.01	0.4	2.8	180
C491419		4.3	32.2	0.23	3.1	0.12	3.66	58	50.7	1.12	283	8.85	0.27	18.9	51.2	470
C491420		3.81	32	0.22	2.6	0.094	3.32	59.8	56.7	1.15	283	0.78	0.47	19.8	41.8	440
C491421		3.19	30	0.2	2.6	0.086	2.77	52.7	65.9	1.47	325	0.5	0.91	16.1	32.3	420
C491422		4.75	34.8	0.22	2.7	0.098	3.49	51.3	88.2	1.46	351	0.69	0.37	19.7	41.3	520
C491423		4.5	29.9	0.21	2.3	0.104	2.88	51	263	1.17	430	0.83	0.24	19.4	42.3	510
C491424		4.89	30	0.23	1.8	0.128	3.16	56.8	251	1.05	542	0.99	0.18	17.9	43.1	520
C491425		5.27	31.5	0.23	2.3	0.085	3.31	51.3	87.3	1.32	452	0.65	0.28	19.7	47.4	600
C491426		5.19	27.4	0.22	2.1	0.077	2.31	45.3	95.9	1.22	556	0.49	0.36	17.3	41.3	450
C491427		5.21	31.4	0.21	2	0.089	2.88	46.4	79.5	1.18	535	0.31	0.95	19.9	43.3	490

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121500

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
C491401		17.2	174	0.022	0.92	4.65	9.8	12	1.4	52.6	0.39	0.11	11.1	0.165	2	6.5
C491402		79.8	99.5	0.025	1.68	5.7	6.8	11	1.1	24.9	0.3	0.16	6.9	0.122	1.34	7.7
C491403		15.1	186	0.017	1.25	6.09	10.3	7	1.5	42.2	0.46	0.08	10.7	0.188	2	7.9
C491404		11.8	167.5	0.011	1.18	6	10	10	1.4	60	0.4	0.09	10.2	0.166	1.79	5.2
C491405		13.9	138.5	0.014	1.05	6.07	10.7	6	1.6	67.2	0.53	0.07	11.5	0.221	1.53	7.9
C491406		11.6	165	0.02	1.15	4.8	8.6	10	4.2	33.9	0.42	0.12	9.5	0.18	1.61	6.6
C491407		190	195.5	0.002	0.53	1.75	16.7	3	6.8	55.2	1.17	0.07	17.7	0.427	1.54	4.2
C491408		28.3	181	0.013	1.47	1.58	12.8	4	3.9	63.9	0.76	0.06	16.9	0.295	1.45	7.3
C491409		26.5	183.5	0.003	0.46	0.88	18.2	3	3.9	95.8	1.39	<0.05	20.8	0.5	1.41	4.3
C491410		47.8	190.5	0.01	1.41	1.22	13.6	4	6	49.1	0.87	0.09	18.3	0.325	1.51	7.6
C491411		33	152	0.002	1.32	2.41	15.5	3	3.6	82.1	1.03	0.07	15.9	0.403	1.16	3.8
C491412		54.5	173	0.002	0.74	0.77	16.3	3	9.9	76.7	1.16	<0.05	18.6	0.425	1.12	4.5
C491413		28.5	132	<0.002	0.66	0.82	17.1	2	6.4	105	1.23	0.05	17.8	0.432	0.91	3.1
C491414		6	174	<0.002	0.29	0.65	16.8	2	4.9	69.3	1.26	<0.05	19.1	0.454	1.07	3.3
C491415		12.2	203	0.003	0.52	0.65	17.7	2	11.2	60.6	1.16	<0.05	19.1	0.421	1.23	4.2
C491416		14.4	204	0.005	1.25	0.84	17	2	4.1	53.2	0.78	<0.05	18.4	0.306	1.21	6
C491417		10.4	175	0.005	1.12	0.51	19.2	3	11.5	64.6	1.33	<0.05	21	0.464	1.18	5.9
C491418		2.4	2.7	0.002	0.03	0.05	0.5	1	<0.2	45.9	<0.05	<0.05	0.2	0.009	0.02	0.8
C491419		10.3	170.5	0.006	1.07	0.67	19.3	2	8.8	55	1.39	0.05	20.2	0.482	1.36	5.9
C491420		6.4	165.5	0.002	0.4	0.47	20.2	2	6.7	87.2	1.39	<0.05	18.4	0.483	0.95	2.8
C491421		8.5	148	0.002	0.23	0.44	20.1	2	3.4	120	1.15	<0.05	16.7	0.408	0.97	2.6
C491422		10.9	209	0.002	0.51	0.58	23.3	2	6.3	107	1.35	<0.05	17.9	0.513	1.18	2.8
C491423		18.2	174	0.002	0.65	1.01	20.1	2	6.3	99.5	1.35	0.05	16.6	0.493	1.17	2.5
C491424		17.8	204	0.002	0.5	1.87	19.5	2	4.3	63.9	1.24	<0.05	16.7	0.445	1.35	2.4
C491425		7.3	203	<0.002	0.5	0.98	20.4	2	4.4	90.6	1.36	<0.05	16.9	0.511	1.06	2.7
C491426		13.7	124	<0.002	0.71	1.28	17.4	2	3.3	97.3	1.16	<0.05	14.7	0.424	0.81	2.2
C491427		9.4	146	<0.002	0.38	0.94	19.3	1	3.6	94.5	1.35	<0.05	16.6	0.492	0.82	2.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
Project: TIDD

Finalized Date: 15-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07121500

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C491401		580	1.5	12.8	177	59
C491402		574	1.5	12.2	373	50.9
C491403		519	2	12.5	206	53
C491404		676	2.5	9.4	279	42.6
C491405		528	3	10.4	194	56.4
C491406		646	3.7	9	106	48.3
C491407		94	5.8	13.9	221	83.4
C491408		379	4.7	13	250	80.9
C491409		120	12.8	14.9	128	98.6
C491410		262	7.9	13.2	102	85
C491411		98	8	13.9	111	73.3
C491412		84	78.4	18.1	628	87.8
C491413		84	73.8	19.1	95	84.2
C491414		78	4.3	16.3	58	67.9
C491415		99	10	15.9	46	77.4
C491416		108	5.9	18.8	50	89.9
C491417		123	10.9	18.2	56	106
C491418		9	0.2	0.9	18	0.7
C491419		124	11.6	16.9	52	101.5
C491420		90	10	15.6	47	86.1
C491421		83	4.7	14	31	85.5
C491422		101	10	15.2	62	109
C491423		97	52.5	14	67	78.9
C491424		89	11.3	14.1	131	61.7
C491425		103	6	16.8	64	105.5
C491426		84	3.8	12.6	66	69.6
C491427		93	2	11.9	85	68.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

: 10-NOV-2007
Account: MTT

CERTIFICATE VA07117143

Project: TIDD

P.O. No.:

This report is for 18 Soil samples submitted to our lab in Vancouver, BC, Canada on 11-OCT-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07117143

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47983		0.42	0.3	1.66	148	<10	60	2.0	4	0.07	1.7	64	21	169	6.63	<10
CC47984		0.40	<0.2	1.97	93	<10	110	0.8	3	0.07	1.5	36	25	113	6.31	10
CC47985		0.34	0.2	2.02	87	<10	120	1.0	4	0.10	2.1	42	24	192	6.69	10
CC47986		0.46	<0.2	2.09	62	<10	60	1.1	<2	0.05	2.3	22	23	162	5.97	10
CC47987		0.40	<0.2	2.39	76	<10	80	1.3	3	0.13	2.4	48	26	217	5.72	10
CC47988		0.36	<0.2	2.15	90	<10	170	1.6	3	0.19	2.2	68	26	141	5.18	10
CC47989		0.42	<0.2	1.80	132	<10	110	1.3	3	0.03	1.4	31	22	150	7.23	10
CC47990		0.42	0.2	1.02	15	<10	330	<0.5	2	0.32	0.7	6	13	20	1.99	<10
CC47991		0.30	<0.2	1.10	13	<10	680	0.5	<2	0.46	0.8	7	13	20	2.33	<10
CC47992		0.36	<0.2	0.76	12	<10	440	<0.5	<2	0.38	0.5	8	13	24	1.79	<10
CC47993		0.32	<0.2	0.97	12	<10	570	<0.5	<2	0.93	0.9	9	14	20	1.96	<10
CC47994		0.30	<0.2	0.91	12	<10	470	<0.5	2	0.73	0.6	8	12	19	1.83	<10
CC47995		0.40	<0.2	0.78	11	<10	350	<0.5	2	0.29	0.5	5	9	16	1.56	<10
CC47996		0.44	<0.2	0.87	11	<10	370	<0.5	2	0.29	0.6	6	11	17	1.72	<10
CC47997		0.54	<0.2	0.89	12	<10	330	<0.5	<2	0.33	0.6	5	11	17	1.73	<10
CC47998		0.30	<0.2	0.72	10	<10	390	<0.5	<2	0.40	0.8	6	10	22	1.70	<10
CC47999		0.32	0.2	0.81	17	<10	460	<0.5	<2	1.16	1.0	7	11	27	1.97	<10
CC48000		0.38	0.2	0.68	17	<10	460	<0.5	<2	0.50	0.9	7	9	20	1.64	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
Project: TIDD

Finalized Date: 10-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07117143

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC47983		1	0.06	70	0.54	1980	1	<0.01	58	910	187	0.01	7	4	8	20
CC47984		1	0.06	40	0.65	1310	2	<0.01	40	1000	63	0.02	7	4	9	<20
CC47985		<1	0.06	40	0.67	1490	1	<0.01	40	1000	100	0.02	8	4	10	<20
CC47986		<1	0.06	40	0.69	967	1	<0.01	34	1010	140	0.03	6	4	7	<20
CC47987		<1	0.07	50	0.73	1310	2	<0.01	52	890	105	0.01	6	3	11	<20
CC47988		1	0.09	70	0.73	1750	2	<0.01	80	990	64	0.01	8	4	18	20
CC47989		1	0.07	40	0.53	1080	2	<0.01	40	1350	118	0.05	4	3	7	20
CC47990		<1	0.08	20	0.40	348	1	0.01	18	1120	16	0.01	2	3	23	<20
CC47991		<1	0.11	20	0.48	504	1	0.01	20	960	22	0.01	3	5	28	<20
CC47992		<1	0.09	20	0.34	423	2	0.01	21	1210	18	0.01	2	3	30	<20
CC47993		<1	0.15	20	0.47	473	1	0.01	22	1200	16	0.02	2	4	44	<20
CC47994		1	0.13	20	0.45	423	1	0.01	18	1090	16	0.01	3	3	36	<20
CC47995		1	0.08	30	0.33	307	1	0.01	13	990	12	0.01	<2	3	21	<20
CC47996		1	0.08	20	0.38	338	1	0.01	15	980	13	0.01	<2	3	22	<20
CC47997		<1	0.09	20	0.39	322	1	0.01	15	1000	14	0.01	3	3	22	<20
CC47998		1	0.07	20	0.33	397	1	0.01	18	1130	16	0.01	3	3	29	<20
CC47999		<1	0.09	20	0.42	423	1	0.01	22	1210	15	0.02	3	3	48	<20
CC48000		<1	0.08	20	0.34	368	1	0.01	19	1160	11	0.01	<2	3	34	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07117143

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Units	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.01	10	10	1	10	2
CC47983	0.01	<10	<10	27	<10	465
CC47984	0.02	<10	<10	30	<10	330
CC47985	0.02	<10	<10	30	<10	395
CC47986	0.02	<10	<10	29	<10	266
CC47987	0.02	<10	<10	35	<10	384
CC47988	0.02	<10	<10	38	<10	557
CC47989	0.01	<10	<10	29	<10	378
CC47990	0.04	<10	<10	34	<10	86
CC47991	0.05	<10	<10	39	<10	102
CC47992	0.04	<10	<10	34	<10	88
CC47993	0.06	<10	<10	43	<10	93
CC47994	0.05	<10	<10	38	<10	83
CC47995	0.04	<10	<10	28	<10	66
CC47996	0.04	<10	<10	31	<10	77
CC47997	0.05	<10	<10	32	<10	76
CC47998	0.03	<10	<10	30	<10	93
CC47999	0.03	<10	<10	35	<10	115
CC48000	0.02	<10	<10	30	<10	90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 5-NOV-2007
Account: MTT

CERTIFICATE VA07116452

Project: TIDD

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 3-OCT-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07116452

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C491251		1.70	84.9	6.04	9.5	90	0.63	172	0.05	341	26.2	30.5	44	1.69	352	12.8
C491252		0.74	26.5	2.11	13.9	20	0.61	37.5	0.07	119	54.1	41.7	37	0.4	1795	11.6
C491253		0.20	58.7	2.27	116	20	0.3	255	0.04	23.9	28.3	70.5	34	0.68	>10000	11.75
C491254		0.58	>100	0.97	105	50	0.16	228	0.01	47.2	9.18	38	51	0.3	>10000	8.96

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07116452

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C491251		16.75	0.25	1	13	0.48	14	190	1.35	5950	0.65	0.02	6	17.7	210	>10000
C491252		6.81	0.22	0.4	8.1	0.02	26.7	93.7	0.6	3020	0.46	0.01	2.4	11.9	140	>10000
C491253		7.59	0.17	0.8	56.2	0.08	15.1	101	0.45	1175	0.47	0.01	3.6	12	250	299
C491254		4.2	0.17	0.3	72.8	0.04	5	46.6	0.2	447	0.75	0.01	1.2	9.2	70	9180

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07116452

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C491251		34.8	<0.002	3.01	3.96	7.9	21	93.9	5.8	0.45	0.77	6.4	0.167	0.52	0.8	45
C491252		1.6	<0.002	6.88	17.7	3.3	16	74.7	4.2	0.15	0.44	2.4	0.079	0.19	0.7	23
C491253		5.8	<0.002	4.42	4.92	4.6	6	38.9	3.9	0.27	0.3	3.2	0.123	0.13	0.6	29
C491254		1.8	<0.002	5.38	3.59	1.6	19	65.3	3.7	0.09	0.65	1.1	0.04	0.85	0.2	15

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-NOV-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07116452

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.01	Zn-OG62 Zn % 0.01
C491251		3.4	7	>10000	28.5			1.36	3.30
C491252		3.5	11.2	>10000	12.1			1.36	1.47
C491253		8.1	3.4	1805	24.2		2.53		
C491254		2.3	1.6	4270	7.5	148	4.62		

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L 15-OCT-2007
Account: MTT

CERTIFICATE VA07107198

Project: TIDD

P.O. No.:

This report is for 16 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-SEP-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107198

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28150		0.32	<0.2	0.79	9	<10	460	<0.5	<2	1.54	1.0	7	12	23	2.00	<10
CC28151		0.38	<0.2	1.04	14	<10	330	0.5	<2	0.28	0.9	6	13	18	2.09	<10
CC28152		0.46	0.4	0.93	11	<10	370	0.5	<2	0.53	1.0	8	14	29	2.31	<10
CC28153		0.40	<0.2	0.88	10	<10	350	<0.5	<2	0.35	0.7	6	12	21	1.92	<10
CC28217		0.42	0.2	0.96	18	<10	470	<0.5	<2	0.49	1.1	10	17	28	2.27	<10
CC28219		0.46	0.3	0.86	24	<10	400	<0.5	<2	0.56	1.2	8	14	31	2.30	<10
CC28227		0.30	0.4	1.07	14	<10	640	0.6	<2	0.65	1.7	12	17	42	2.82	<10
CC28228		0.32	<0.2	1.23	12	<10	730	0.6	<2	1.61	1.3	11	20	36	2.85	<10
CC28229		0.36	0.2	0.66	10	<10	390	<0.5	<2	0.27	1.1	7	9	26	2.77	<10
CC28230		0.34	<0.2	0.93	10	<10	410	<0.5	<2	0.37	0.7	7	12	22	2.09	<10
CC28231		0.36	<0.2	0.98	11	<10	560	0.5	2	0.56	1.2	10	14	27	2.35	<10
CC28233		0.32	0.3	0.94	17	<10	540	<0.5	<2	0.66	1.1	9	15	30	2.43	<10
CC28234		0.32	0.2	0.99	14	<10	380	<0.5	<2	1.01	1.0	9	17	32	2.31	<10
CC28235		0.38	0.2	0.82	12	<10	410	<0.5	<2	0.84	0.8	8	13	24	2.04	<10
39932		0.38	0.2	0.93	15	<10	530	<0.5	<2	0.66	0.9	8	15	27	2.47	<10
39933		0.40	0.5	1.38	15	<10	720	0.5	<2	0.44	1.4	6	24	38	2.35	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107198

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28150		<1	0.08	20	0.46	441	<1	<0.01	20	1120	14	<0.01	<2	3	59	<20
CC28151		<1	0.06	20	0.31	422	<1	<0.01	18	1170	18	<0.01	<2	3	22	<20
CC28152		<1	0.11	20	0.40	529	<1	<0.01	23	1220	17	<0.01	<2	4	33	<20
CC28153		<1	0.06	20	0.33	362	<1	<0.01	18	1080	16	<0.01	<2	3	24	<20
CC28217		<1	0.13	20	0.36	538	<1	<0.01	27	1120	16	<0.01	<2	3	32	<20
CC28219		<1	0.09	20	0.43	580	<1	<0.01	25	1150	21	<0.01	2	4	30	<20
CC28227		<1	0.13	20	0.44	693	1	<0.01	40	1360	17	<0.01	2	4	46	<20
CC28228		1	0.17	20	0.63	599	1	<0.01	31	1360	22	<0.01	<2	5	64	<20
CC28229		<1	0.06	20	0.25	424	<1	<0.01	15	1000	21	<0.01	<2	3	19	<20
CC28230		1	0.08	20	0.37	427	<1	<0.01	18	1140	17	<0.01	<2	3	26	<20
CC28231		<1	0.11	20	0.42	597	<1	<0.01	28	1320	17	<0.01	<2	4	35	<20
CC28233		<1	0.09	20	0.43	607	<1	<0.01	26	1160	20	<0.01	<2	3	38	<20
CC28234		<1	0.08	20	0.43	530	<1	<0.01	26	1130	19	<0.01	<2	3	44	<20
CC28235		<1	0.08	20	0.40	457	<1	<0.01	21	1100	19	<0.01	<2	3	39	<20
39932		<1	0.10	20	0.44	449	<1	<0.01	24	1240	17	<0.01	<2	4	38	<20
39933		<1	0.06	20	0.36	166	2	<0.01	22	900	22	<0.01	<2	4	30	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107198

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28150		0.03	<10	<10	29	<10	109
CC28151		0.02	<10	<10	32	<10	109
CC28152		0.03	<10	<10	37	<10	124
CC28153		0.03	<10	<10	31	<10	93
CC28217		0.03	<10	<10	40	<10	113
CC28219		0.04	<10	<10	37	<10	126
CC28227		0.03	<10	<10	49	<10	188
CC28228		0.05	<10	<10	49	<10	160
CC28229		0.02	<10	<10	22	<10	91
CC28230		0.04	<10	<10	34	<10	90
CC28231		0.04	<10	<10	40	<10	120
CC28233		0.03	<10	<10	35	<10	114
CC28234		0.03	<10	<10	32	<10	121
CC28235		0.03	<10	<10	28	<10	108
39932		0.03	<10	<10	36	<10	124
39933		0.02	<10	<10	56	<10	126

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 15-OCT-2007
Account: MTT

CERTIFICATE VA07107197

Project: TIDD

P.O. No.:

This report is for 32 Rock samples submitted to our lab in Vancouver, BC, Canada on 12-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107197

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385668		0.28	0.42	3.45	20.8	3550	1.14	0.14	0.15	2.58	33.8	11	83	3.08	43.2	6.34
C385669		0.12	0.43	3.67	24.5	2020	1.07	0.22	0.58	1.17	43.5	5.7	34	2.72	33.6	5.17
C385670		0.96	0.07	1.05	4.5	170	0.51	0.18	0.15	0.19	9.46	3.8	73	0.68	22.9	1.42
C385671		1.24	0.48	5.96	19.2	2060	1.95	0.37	0.83	1.59	78.5	10	64	4.68	52	2.76
C385672		0.72	0.4	4.01	19	2110	1.49	0.26	0.72	1.58	47.9	6.7	65	3.28	32.5	2.22
C385673		1.86	0.46	5.69	33.2	1900	1.96	0.28	2.92	1.61	71.7	10.6	56	4.67	55.1	3.03
C385674		0.12	0.87	1.71	131	1850	0.69	0.08	0.13	0.32	14.85	1.3	81	1.24	22.9	10.2
C385675		0.34	1.6	2.12	31.4	1650	0.55	0.08	0.26	0.84	23.2	2.6	30	1.22	46	14.6
C385676		0.40	1.42	0.13	289	680	0.26	0.04	0.64	0.82	12.65	9.1	17	0.12	64.5	38.3
C385677		1.02	0.56	3.19	22.8	2300	1.08	0.13	0.51	1.01	36.2	6.8	36	2.37	43.6	7.22
C385678		Not Recvd														
C385679		0.02	4.6	0.23	346	50	0.24	0.05	0.58	0.68	11.15	8.3	21	0.19	88.5	38.2
C385680		0.08	4.59	2.29	15.9	910	0.7	3.14	1.43	23	24.9	6	22	1.32	1550	5.85
C385681		0.10	1.14	2.76	88.8	1260	1.15	0.24	0.64	4.41	45.3	9.6	65	1.22	56.7	15.6
C385682		0.06	16.45	1.56	5030	1650	0.56	166.5	1.78	32.3	20	14.6	21	1.02	147	16.95
C385683		0.02	1.43	5.53	81.8	1460	1.72	0.59	0.82	4.38	96	22.7	233	1.76	72.8	14
C385684		0.66	0.89	1.71	187	280	0.44	5.9	0.13	1.35	17.3	2.7	33	2.14	16.8	3.54
C385685		0.04	2.76	1.61	98.1	150	0.5	0.13	0.35	1.55	20.2	8.4	85	1.11	139	25.7
C385686		0.04	1.77	2.25	85.5	1670	0.94	0.77	4.78	4.33	67.1	13.6	30	1.5	106	15.35
C385687		0.42	0.45	2.63	25.2	910	1.24	0.11	1.11	4.47	49.9	12.3	137	1.38	38.1	9.94
C385688		0.48	1.14	3.67	33.1	1460	1.23	0.21	0.62	0.79	43.5	4.1	33	2.58	25.3	4.23
C385689		2.40	23	2.15	15.9	180	0.77	38.8	0.04	43	14.4	9.8	32	3.58	1350	2.17
C385690		2.14	1.11	4.78	62.4	210	1.72	0.97	0.08	1.84	38.3	16.6	88	3.46	237	6.18
C385691		0.48	2.48	2.9	19	140	0.51	2.55	0.06	20.4	18.05	20.6	36	1.27	736	4.49
C385692		0.12	0.65	8.97	59.2	550	2.64	1.25	0.16	1.21	57.6	17.4	103	8.93	144.5	10.1
C385693		0.66	0.37	6.83	26.7	390	1.42	0.99	0.03	0.26	67.2	12.8	60	8.18	41	4.77
C385694		0.14	1.01	9.22	84.4	690	2.34	1.48	0.05	1.38	31.9	14.2	94	8.6	68	6.91
C385695		0.06	0.69	0.88	8	1280	0.78	0.12	15.15	0.84	19.25	1.9	20	0.55	33.3	3.69
C385696		0.32	1.67	3	30.5	3330	1.07	0.18	0.53	0.79	39	6.6	73	2.37	37.5	3.79
C385697		0.10	0.29	4.33	20.4	470	1.05	0.12	1.53	0.38	116.5	6	28	0.92	12.5	2.3
C385698		1.38	0.32	6.41	61.3	1330	2.32	30.7	0.04	<0.02	39.4	6.4	46	7.86	195	3.27
C385699		0.02	2.63	2.03	161.5	80	0.48	0.77	0.45	1.02	23.4	5.5	38	1.49	77	18

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107197

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385668		9.97	0.21	1.8	0.039	0.98	18.5	31.2	0.29	2060	6.01	0.07	5.2	63.8	630	35.1
C385669		10.55	0.19	1.4	0.033	1.25	22.8	21.1	0.4	259	2.98	0.36	7.6	26.4	4290	22.8
C385670		3.33	<0.05	0.2	0.011	0.13	4.8	11.8	0.29	234	1.34	0.15	1.3	8.4	370	27.4
C385671		16.65	0.12	2.8	0.054	1.58	41.9	41.5	0.71	338	1.83	0.77	15.5	32.3	1270	27.8
C385672		11.35	0.1	1.6	0.036	1.34	25.6	26.4	0.48	411	3.66	0.48	8.5	26.4	1450	42.6
C385673		15.4	0.13	2.3	0.053	1.65	37.8	38.2	0.7	475	11	0.73	13.2	31.1	1060	24.3
C385674		4.52	0.21	0.8	0.015	0.49	9.5	15.1	0.14	56	10.25	0.05	4	26.7	130	101.5
C385675		6.01	0.33	1.3	0.021	0.87	13.9	12.4	0.2	101	51.7	0.17	15.1	12.3	520	75.5
C385676		1.64	0.66	0.1	5.25	0.04	9	6.8	0.13	12050	13.55	0.02	0.5	7.3	2120	78.9
C385677		9.27	0.16	1.4	0.04	1.3	18.6	19	0.39	508	4.26	0.22	6.2	21.7	850	25.8
C385678																
C385679		1.71	0.86	0.2	4.13	0.07	6.9	5.8	0.12	10400	13.95	0.02	0.8	18.4	2050	109.5
C385680		6.46	0.13	0.7	2.21	0.74	12.8	18.9	0.62	598	2.75	0.27	3.7	16.6	580	410
C385681		6.4	0.3	1.1	0.703	0.77	25.9	14.6	0.17	5100	5.89	0.23	5	36.6	2160	56.5
C385682		4.8	0.28	0.6	9.91	0.46	11.2	45.2	0.2	1140	11.45	0.1	3	54	1210	413
C385683		14.75	0.3	3.1	0.606	1.71	48.3	14.5	0.18	4380	5.64	0.23	58.7	75.6	3160	121
C385684		5.72	0.08	1	0.401	0.59	8.3	25.7	0.11	108	1.94	0.03	4.2	15.3	270	25.4
C385685		4.72	0.45	1	0.143	0.59	8.8	13.2	0.14	702	15.45	0.07	6	59.5	810	133
C385686		6.51	0.31	0.9	0.113	0.85	30.5	10.9	2.05	2070	11.8	0.09	3.7	55.7	580	252
C385687		8.5	0.2	1.8	0.048	0.81	34.8	12.4	0.15	2150	9.77	0.12	16.8	44.7	5360	36.3
C385688		9.5	0.11	1.3	0.033	1.39	25.9	20.6	0.38	311	2.64	0.52	6.8	17.3	1500	45
C385689		6.72	0.06	0.6	5.81	0.6	7.5	63.3	0.25	436	0.61	0.03	3.5	7.6	160	1080
C385690		13.6	0.12	1.2	0.333	0.94	19.2	64.8	1.1	1805	1.11	0.04	7.5	30.2	370	81.6
C385691		8.8	0.09	0.6	2.58	0.48	8	88.7	0.55	1245	0.52	0.02	4.9	30.2	310	53.7
C385692		27.8	0.21	2.9	0.242	2.61	25.8	92.5	1.23	1035	1.19	0.27	19.8	32.3	1030	83.8
C385693		18.8	0.14	1.8	0.112	2.09	33.6	101.5	0.37	458	0.34	0.08	11.9	29.2	330	22
C385694		27.1	0.13	2.6	0.375	3.19	13.9	84.5	0.82	1260	0.64	0.12	20.4	28.7	670	99
C385695		2.79	0.12	0.1	0.048	0.31	13.3	6.4	1.11	1105	3.31	0.02	1.4	22.6	>10000	73.4
C385696		9.07	0.12	1.6	0.034	0.98	25.7	26.3	0.48	351	3.12	0.21	9.6	30.7	1880	51.4
C385697		7.53	0.12	2.1	0.034	0.62	55.9	6.3	0.13	1440	0.98	2.26	7	17.2	6470	86.9
C385698		17.3	0.14	1.9	0.208	2.74	18.4	14.5	0.11	154	3.39	0.06	8	2	250	11.9
C385699		5.88	0.34	0.8	0.032	0.61	11.5	22.9	0.16	372	16.15	0.24	4.5	21.9	1410	336

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107197

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
C385668		57.8	0.004	0.1	3.47	14.5	3	1.1	71.4	0.33	0.09	5.3	0.188	0.43	2.3	95
C385669		73.2	0.004	0.11	2.18	6.6	3	1.6	108.5	0.49	0.07	7.1	0.178	0.47	4.6	97
C385670		16.6	<0.002	0.08	1.72	2.6	2	0.4	18.5	0.07	<0.05	1.1	0.029	0.14	0.2	10
C385671		93.6	<0.002	0.02	2.53	12.9	2	2.4	134.5	1	0.09	12.2	0.366	0.81	3.3	188
C385672		76.9	0.003	0.06	2.6	7.5	2	1.6	117	0.58	<0.05	7.6	0.195	0.57	2.3	118
C385673		98.8	0.002	0.04	2.54	11.3	2	2.3	148	0.89	0.05	12.3	0.321	0.8	3.8	162
C385674		24.9	0.033	0.38	15.7	3	3	0.6	63.5	0.24	<0.05	2.1	0.081	0.31	3.5	240
C385675		41.6	0.002	0.36	5.37	3.9	12	1.1	117	0.79	0.05	4.9	0.249	0.9	3.7	76
C385676		2.1	0.008	2.1	18	0.6	4	29.8	46.5	<0.05	0.09	0.3	<0.005	0.57	4.3	109
C385677		66.5	0.002	0.35	4.18	6.7	3	1.3	91.8	0.4	<0.05	5.5	0.157	0.82	2.8	82
C385678																
C385679		3.8	0.011	7.3	52.05	0.6	63	22.5	49.5	<0.05	0.1	0.5	0.012	1.32	4.2	116
C385680		34.6	0.003	1.01	2.54	3.6	4	1.6	93.4	0.23	<0.05	3.5	0.085	0.31	1.8	63
C385681		38	0.003	0.96	11.85	6.5	10	4.7	71.4	0.35	0.43	7.2	0.104	0.63	3.8	167
C385682		23.8	0.002	0.62	44.9	3.6	5	1.4	101	0.18	0.17	2.9	0.06	0.46	3.8	66
C385683		60.4	0.003	0.65	10.35	13.4	9	4.3	84	3.38	0.29	10.1	0.814	0.71	4.5	261
C385684		33.1	0.003	1.35	3.7	4.1	2	0.7	94.7	0.25	<0.05	2.2	0.105	0.28	1.2	72
C385685		27.9	0.002	10	10.55	3.4	19	1.4	77.3	0.36	0.12	2.9	0.107	0.47	3.9	68
C385686		37	0.002	0.29	8.7	4.7	4	1.1	158.5	0.21	0.05	3.4	0.084	0.52	2.3	67
C385687		36.2	<0.002	0.12	4.32	10	3	0.9	52.7	0.93	<0.05	4.8	0.289	0.46	4.8	217
C385688		72.2	0.002	0.08	3.27	5.4	3	1.6	108	0.47	0.06	7.8	0.148	2.37	4.9	91
C385689		59.5	<0.002	0.82	4.35	3.5	3	20.4	8	0.2	0.29	2.4	0.094	0.6	0.6	22
C385690		72.5	<0.002	0.39	3.34	10.2	1	23.2	12.5	0.48	<0.05	6.4	0.189	0.82	1.1	44
C385691		35.2	<0.002	0.4	10.25	5.3	2	18.6	6.4	0.32	<0.05	3.6	0.131	0.26	0.7	27
C385692		130.5	<0.002	1.94	2.53	21.9	2	6.7	58	1.27	0.05	12	0.512	1.07	2.5	115
C385693		169	<0.002	0.83	4.97	12.2	1	3.4	22.5	0.77	0.05	9.6	0.312	1.18	1.5	63
C385694		158.5	<0.002	0.12	3.94	19.3	1	16.4	30.1	1.31	<0.05	8.5	0.562	1.39	2.3	128
C385695		14.1	0.013	0.06	1.4	2.7	4	0.5	1010	<0.05	0.06	1.6	0.034	0.15	9.9	213
C385696		52.8	0.002	0.14	7.05	6.5	4	1.4	87.1	0.55	<0.05	6.2	0.182	0.58	3.3	105
C385697		33.4	<0.002	0.02	1.06	7.6	2	0.9	119	0.49	<0.05	19.5	0.188	0.22	4.2	37
C385698		204	0.002	0.83	4.26	4.4	1	92.6	26.3	1.43	<0.05	17.8	0.07	1.81	7.4	9
C385699		35.9	0.004	6.7	50.2	3.4	28	2.9	78.9	0.31	<0.05	4.2	0.107	0.66	2.4	63

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07107197

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C385668		1.1	22.2	171	63
C385669		1.3	17.1	111	45.7
C385670		1.2	3	24	5.5
C385671		1.9	24.8	186	94.1
C385672		1.4	16.6	176	55.1
C385673		6.1	22.2	187	75.8
C385674		0.8	9.2	21	27.8
C385675		0.9	11	26	43.3
C385676		10.6	11.5	77	1.9
C385677		1.1	14.6	155	46.7
C385678					
C385679		8.1	10.3	73	5.1
C385680		23.3	9.1	3130	23.8
C385681		2.9	42.3	323	39
C385682		3.1	13.3	1020	22.1
C385683		3	39.1	226	124
C385684		1.1	7.7	67	36.5
C385685		4	12.7	119	35
C385686		4.3	31	120	29.2
C385687		1.3	31.7	154	91.8
C385688		1.7	15.8	70	43
C385689		3	4.3	2480	21
C385690		2.5	8.1	198	39.1
C385691		2.6	4.1	1550	20.8
C385692		6	19.1	219	84.2
C385693		7.2	14.1	160	52.3
C385694		16	15.7	226	78.2
C385695		0.5	51.4	24	2.2
C385696		1.1	18.8	92	53.9
C385697		1.7	30.8	32	112
C385698		5.8	12.1	24	35.3
C385699		2.8	8.1	78	29.1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 15-OCT-2007
Account: MTT

CERTIFICATE VA07114500

Project: NIMO RICH

P.O. No.: RI07-06

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-OCT-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NIMO RICH

Finalized Date: 15-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07114500

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23
	Analyte	Au	Pt	Pd
	Units	ppm	ppm	ppm
	LOR	0.001	0.005	0.001
C488177		0.001	<0.005	0.004
C488179		0.006	0.013	0.005
C488182		0.007	0.012	0.002
C488183		<0.001	0.005	0.001
C488184		<0.001	<0.005	0.001
C488185		0.002	<0.005	<0.001
C488186		0.003	0.006	<0.001
C488187		<0.001	0.020	<0.001
C488188		<0.001	<0.005	<0.001
C488189		0.002	<0.005	0.002
C488190		0.001	0.007	0.001
C488191		0.005	<0.005	<0.001
C488194		0.006	0.008	0.002

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalize

e: 3-OCT-2007
Account: MTT

CERTIFICATE VA07101891

Project: TIDD

P.O. No.:

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 4-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101891

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
C385897		1.49	0.38	7.88	32.1	580	2.23	2.16	0.11	0.09	88.6	14.2	91	7.71	184	5.55
C385898		2.12	0.62	9.28	137	590	2.58	4.76	0.11	0.44	94	15.1	89	11.15	286	6.62
C385899		2.12	82.4	4.01	41.8	120	0.6	266	0.05	27.8	36.8	79.4	63	3.25	>10000	10.15
C385900		1.13	1.6	8.58	44.7	530	1.8	4.95	0.06	0.87	100.5	14	82	12.55	247	8.26
C385658		1.33	2.04	9.24	29.3	670	1.78	6.09	0.14	5.51	90.1	24.6	98	11.9	726	8.97
C385659		1.01	18.5	7.08	3620	290	2.43	21.1	0.09	4.15	74	43.4	68	7.19	5070	6.43
C385660		1.58	2.92	6.12	102.5	910	1.04	6.61	0.07	0.8	64.3	19	76	4.96	932	8.95
C385661		1.56	0.53	6.34	58.1	210	0.89	4.91	0.09	0.44	56.9	23.4	54	3.38	73.4	12.05
C385662		1.51	0.32	7.35	101.5	460	1.26	1.4	0.12	0.41	75.3	11.8	86	6.08	96.3	6.37
C385663		1.12	0.66	7.01	96.5	410	1.35	1.24	0.13	0.71	68.5	10.6	68	5.75	72.2	5.7
C385664		1.88	0.97	7.87	54.4	500	1.55	1.49	0.08	0.36	83.7	9.4	98	6.94	203	6.37
C385665		1.02	1.58	8.92	145	510	2.39	4.52	0.06	13	93.8	14.9	88	12.4	367	9.25
C385666		2.73	1.84	8.54	27	570	2.48	3.7	0.13	0.56	35.3	6.2	91	12.95	236	5.89
C385667		2.17	4.35	9.11	33	790	3.6	5.79	0.07	53	36.1	14.9	88	19.2	373	7.1

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101891

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385897		25.9	0.28	2.1	0.259	2.52	45.4	67.3	0.58	389	1.95	0.1	15.1	24.5	730	7.3
C385898		30.2	0.33	2.4	0.339	2.77	48.5	81.3	0.99	748	0.8	0.19	20.4	30.5	720	23.9
C385899		14.9	0.3	1.3	39.3	0.67	18.9	94.1	0.59	1750	3.89	0.02	9.3	26.1	300	2180
C385900		27.6	0.35	3.1	0.611	2.69	52.4	81.1	0.84	1405	0.74	0.05	17.4	29.3	700	29.2
C385658		28.2	0.37	3.2	2.75	2.78	46.2	61	1.04	1780	1.25	0.05	17.9	34.9	790	23.8
C385659		23.3	0.3	2.3	5.11	1.67	38.4	38.2	0.82	685	0.59	0.13	15.7	24.9	590	36.5
C385660		18.65	0.33	1.8	1.53	1.28	33.8	120.5	0.83	1825	2.33	0.04	9.4	25.5	440	26.1
C385661		21.1	0.4	1.7	0.452	0.94	29.8	99.1	0.98	2460	0.7	0.02	8	26.5	620	22.2
C385662		23.7	0.28	2.6	0.476	2.18	39.6	55.2	0.88	1175	1.77	0.06	15.1	28.4	740	8.5
C385663		21.6	0.27	2.4	0.604	2.09	35.4	54.4	0.92	1260	0.55	0.06	14.7	27.4	770	15.4
C385664		25.4	0.31	2.5	0.852	2.38	42.5	70.5	1.01	1145	2.35	0.07	14.8	24.1	690	15.6
C385665		27.9	0.28	3.1	18.1	2.88	48	56.9	0.92	1375	0.95	0.05	18.5	25.1	710	9.8
C385666		25	0.19	2.9	1.195	1.67	17.1	68.4	1.2	3070	1.37	2.06	18.7	17.7	600	354
C385667		28.8	0.22	2.8	7.53	2.17	16.8	67.4	1.09	4110	0.8	1.53	18.5	20.7	420	649

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101891

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
C385897		181.5	0.002	0.14	1.53	21.5	3	33	39.7	0.96	<0.05	11.7	0.4	1.23	2.3	104
C385898		197.5	0.003	0.32	4.28	23.4	3	29.3	51.5	1.34	<0.05	13.2	0.546	1.31	2.6	130
C385899		51.2	0.002	3.28	5.69	8.7	9	37.3	7.3	0.57	0.48	6.3	0.242	0.52	1.2	52
C385900		208	0.003	0.51	8	21.8	3	60	23.1	1.14	<0.05	13.2	0.485	1.67	2.3	112
C385658		216	0.003	0.96	7.5	23.2	3	80.8	25.6	1.18	<0.05	13.2	0.529	1.74	2.5	118
C385659		150	0.003	1.85	4.79	17.8	6	125.5	27.2	1.01	<0.05	10.5	0.431	1.26	2	90
C385660		116.5	0.002	0.73	7.15	13.9	3	74.7	17.9	0.62	0.06	8.1	0.275	0.95	1.5	79
C385661		77.9	0.002	0.17	3.51	13.6	2	50.8	12.8	0.53	<0.05	7.5	0.231	0.63	1.3	74
C385662		159.5	0.003	0.05	3.58	18.9	2	42.1	29.6	1.01	<0.05	10.5	0.455	1.19	1.9	100
C385663		149	0.002	0.04	3.06	16.6	3	37.8	29.6	0.94	<0.05	10.1	0.421	0.97	2	91
C385664		166	0.003	0.16	4.21	20.7	2	67.4	29.6	0.99	<0.05	10.6	0.403	1.25	2.1	107
C385665		220	<0.002	1.46	12.05	22.3	3	121	28.6	1.16	<0.05	12.6	0.541	2.18	2.2	121
C385666		145.5	<0.002	0.07	0.7	18	3	96.1	75.3	1.18	<0.05	13.6	0.471	1.33	2.3	88
C385667		186.5	<0.002	0.34	0.9	19.7	5	163.5	72.7	1.21	<0.05	14.3	0.454	2.17	2.7	88

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07101891

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
	Analyte	W	Y	Zn	Zr	Cu
	Units	ppm	ppm	ppm	ppm	%
	LOR	0.1	0.1	2	0.5	0.001
C385897		4.2	16.3	57	69.1	
C385898		9.2	20	83	76.2	
C385899		10.9	10.5	2970	41.1	2.74
C385900		23	19	143	99.3	
C385658		24.3	27.3	335	101.5	
C385659		14.5	17.9	212	72.1	
C385660		15.6	12.4	154	57.7	
C385661		13.5	11.7	178	56.3	
C385662		16	19.4	68	83.4	
C385663		15	20.5	79	78.1	
C385664		12	16.7	89	79.5	
C385665		19.5	18.2	1120	98.6	
C385666		10.5	11.2	204	88.5	
C385667		7.6	13.3	1050	82.5	

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 3-OCT-2007
Account: MTT

CERTIFICATE VA07100572

Project: TIDD

P.O. No.:

This report is for 216 Soil samples submitted to our lab in Vancouver, BC, Canada on 21-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28343		0.24	<0.2	1.69	28	<10	350	0.7	2	0.27	0.8	11	22	52	3.04	10
CC28344		0.22	0.3	0.99	11	<10	110	<0.5	<2	0.06	<0.5	3	11	23	1.29	<10
CC28345		0.28	<0.2	1.49	22	<10	300	0.6	2	0.23	0.6	8	18	55	2.43	10
CC28346		0.24	0.2	1.41	16	<10	360	0.6	3	0.29	0.6	10	21	68	2.90	<10
CC28347		0.24	0.4	1.08	24	<10	140	<0.5	2	0.07	<0.5	5	14	35	2.00	10
CC28348		0.22	0.8	1.02	10	<10	170	<0.5	2	0.14	0.6	5	13	60	1.37	<10
CC28349		0.22	0.2	1.09	22	<10	230	<0.5	2	0.30	1.0	9	18	58	2.26	<10
CC28350		0.12	1.2	0.87	10	<10	180	<0.5	2	0.05	<0.5	2	10	54	0.91	<10
CC28351		0.18	<0.2	2.35	38	<10	310	0.7	2	0.08	0.6	7	31	85	3.45	10
CC28352		0.26	0.8	2.01	69	<10	390	0.9	2	0.25	1.0	16	24	82	3.48	10
CC28353		0.22	0.2	1.39	148	<10	190	0.6	2	0.30	1.1	13	19	55	3.14	<10
CC28354		0.30	0.9	1.83	64	<10	410	0.8	2	0.27	1.2	11	23	74	3.15	10
CC28355		0.20	0.2	0.65	18	<10	140	<0.5	<2	0.15	<0.5	2	5	25	0.63	<10
CC28356		0.12	1.6	1.17	60	<10	270	0.5	2	0.16	<0.5	6	14	31	1.73	<10
CC28357		0.28	0.5	1.51	46	<10	200	0.8	2	0.31	1.5	16	21	55	3.21	10
CC28358		0.18	1.0	1.79	90	<10	230	1.0	2	0.27	1.7	22	20	78	3.61	10
CC28359		0.28	0.3	1.46	52	<10	150	0.6	<2	0.25	0.8	18	18	49	2.99	10
CC28361		0.28	1.2	2.84	110	<10	500	1.5	3	0.29	3.0	29	30	116	5.82	10
CC28362		0.24	0.4	2.36	88	<10	510	1.1	<2	0.31	4.9	70	24	44	6.77	10
CC28363		0.24	0.4	1.79	26	<10	290	0.7	<2	0.28	1.3	22	21	33	3.08	10
CC28364		0.44	0.2	1.45	12	<10	190	0.5	<2	0.28	0.8	10	21	32	2.33	<10
CC28365		0.40	0.4	2.15	40	<10	290	0.9	2	0.27	1.1	21	26	42	3.92	10
CC28366		0.32	0.4	1.55	41	<10	250	0.7	<2	0.36	0.8	13	22	46	3.44	10
CC28367		0.18	0.2	2.08	23	<10	130	0.5	<2	0.09	0.6	8	25	22	3.15	10
CC28368		0.16	<0.2	1.33	39	<10	110	<0.5	<2	0.16	<0.5	6	18	13	2.69	10
CC28369		0.18	1.2	2.03	50	<10	380	1.4	2	0.48	1.3	25	21	63	3.13	10
CC28370		0.14	<0.2	0.37	<2	<10	30	<0.5	<2	0.04	<0.5	1	3	4	0.28	<10
CC28371		0.22	0.3	2.40	84	<10	170	0.7	<2	0.07	0.8	12	31	22	4.09	10
CC28372		0.26	0.2	1.47	38	<10	210	<0.5	<2	0.06	<0.5	6	17	14	2.96	10
CC28373		0.16	0.3	2.51	40	<10	290	0.9	2	0.08	0.6	12	27	21	3.78	10
CC28374		0.18	<0.2	1.79	26	<10	260	0.7	<2	0.16	0.6	11	20	25	2.85	10
CC28375		0.24	0.4	1.05	18	<10	310	<0.5	<2	0.20	<0.5	6	13	17	1.66	<10
CC28376		0.22	0.3	0.66	6	<10	100	<0.5	<2	0.08	<0.5	2	6	7	0.67	<10
CC28377		0.30	0.2	1.72	45	<10	420	0.9	<2	0.29	0.6	8	17	35	2.65	10
CC28379		0.14	0.3	0.87	27	<10	300	<0.5	<2	0.05	0.5	3	11	20	1.56	10
CC28380		0.24	<0.2	1.79	93	<10	220	0.6	<2	0.10	0.8	14	28	25	3.96	10
CC28381		0.28	0.4	1.49	43	<10	200	0.8	<2	0.32	0.9	11	19	38	2.60	<10
CC28382		0.20	<0.2	2.10	46	<10	210	0.9	<2	0.30	0.5	12	25	24	3.41	10
CC28383		0.26	<0.2	1.73	43	<10	400	0.7	<2	0.24	0.5	13	20	34	3.02	10
CC28384		0.22	<0.2	2.14	38	<10	180	0.6	<2	0.11	0.6	10	26	23	4.12	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28343		<1	0.08	30	0.46	393	1	0.01	29	680	23	0.01	<2	3	23	<20
CC28344		1	0.06	10	0.12	94	1	0.02	8	380	14	0.02	<2	1	8	<20
CC28345		1	0.08	30	0.34	311	1	0.01	19	820	23	0.02	<2	2	21	<20
CC28346		1	0.07	40	0.46	435	1	0.01	26	910	23	0.01	<2	3	24	<20
CC28347		<1	0.07	20	0.20	194	1	0.01	12	590	17	0.02	<2	1	8	<20
CC28348		<1	0.04	10	0.21	213	<1	0.01	11	820	18	0.02	<2	1	14	<20
CC28349		<1	0.05	30	0.37	359	1	0.01	20	1090	26	0.01	<2	2	24	<20
CC28350		1	0.05	10	0.06	38	1	0.02	6	530	14	0.03	<2	1	10	<20
CC28351		<1	0.15	20	0.40	279	3	0.01	20	530	30	0.01	<2	4	15	<20
CC28352		<1	0.10	30	0.46	631	1	0.01	22	990	45	0.02	<2	3	22	<20
CC28353		1	0.06	30	0.46	511	1	0.01	25	1070	48	0.01	<2	3	23	<20
CC28354		<1	0.09	30	0.42	473	2	0.01	22	1000	36	0.03	<2	3	27	<20
CC28355		<1	0.05	10	0.06	47	<1	0.03	5	460	14	0.03	<2	1	12	<20
CC28356		1	0.08	10	0.13	225	<1	0.01	11	710	26	0.05	<2	1	17	<20
CC28357		1	0.06	40	0.51	625	1	0.01	25	930	52	0.01	<2	3	23	<20
CC28358		1	0.08	30	0.41	779	1	0.02	28	730	107	0.03	2	2	22	<20
CC28359		<1	0.06	30	0.46	578	2	0.02	27	860	50	0.02	<2	3	19	<20
CC28361		<1	0.08	50	0.64	616	2	0.02	44	1510	190	0.08	3	6	25	<20
CC28362		1	0.08	30	0.52	1430	2	0.02	45	1000	70	0.04	2	4	24	<20
CC28363		1	0.05	30	0.54	771	1	0.02	28	970	55	0.03	<2	3	20	<20
CC28364		1	0.05	40	0.56	344	<1	0.01	26	950	43	0.02	<2	3	19	<20
CC28365		<1	0.07	40	0.68	661	1	0.01	31	900	83	0.03	2	4	19	<20
CC28366		1	0.07	40	0.57	529	1	0.01	31	1090	52	0.01	2	3	26	<20
CC28367		1	0.05	20	0.47	324	2	0.01	25	780	30	0.02	<2	3	8	<20
CC28368		1	0.05	20	0.42	333	1	0.01	16	1410	28	0.02	<2	2	13	<20
CC28369		<1	0.05	40	0.40	1380	2	0.02	32	1880	65	0.12	2	2	35	<20
CC28370		<1	0.02	<10	0.02	13	<1	0.03	1	320	4	0.01	<2	<1	7	<20
CC28371		1	0.07	30	0.58	375	2	0.01	31	630	31	0.02	<2	3	9	<20
CC28372		<1	0.05	20	0.35	254	1	0.02	16	730	24	0.02	<2	2	8	<20
CC28373		1	0.06	20	0.54	371	1	0.01	26	410	35	0.01	2	3	10	<20
CC28374		1	0.05	20	0.47	384	1	0.01	26	780	25	0.01	<2	3	15	<20
CC28375		<1	0.04	20	0.29	230	1	0.02	14	1040	15	0.03	<2	1	17	<20
CC28376		<1	0.03	10	0.07	67	<1	0.03	4	490	13	0.02	<2	<1	9	<20
CC28377		<1	0.12	30	0.45	287	1	0.01	23	670	22	0.02	<2	2	23	<20
CC28379		<1	0.04	20	0.08	110	1	0.01	9	580	16	0.02	<2	<1	11	<20
CC28380		<1	0.07	30	0.58	739	3	0.01	24	760	33	0.04	<2	1	14	<20
CC28381		<1	0.07	30	0.40	382	2	0.01	33	1210	41	0.04	2	2	32	<20
CC28382		1	0.15	40	0.90	424	2	0.02	26	900	26	0.02	3	4	21	<20
CC28383		1	0.07	30	0.56	418	1	0.01	28	740	32	0.01	2	3	22	<20
CC28384		<1	0.07	30	0.61	395	2	0.01	31	710	28	0.02	<2	3	11	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28343		0.02	<10	<10	40	<10	112
CC28344		0.01	<10	<10	32	<10	41
CC28345		0.02	<10	<10	36	<10	85
CC28346		0.02	<10	<10	34	<10	97
CC28347		0.02	<10	<10	35	<10	61
CC28348		0.01	<10	<10	19	<10	57
CC28349		0.03	<10	<10	27	<10	107
CC28350		0.01	<10	<10	20	<10	30
CC28351		0.01	<10	<10	91	<10	133
CC28352		0.02	<10	<10	49	<10	190
CC28353		0.03	<10	<10	34	<10	151
CC28354		0.02	<10	<10	55	<10	140
CC28355		0.01	<10	<10	14	<10	31
CC28356		0.01	<10	<10	37	<10	91
CC28357		0.02	<10	<10	31	<10	164
CC28358		0.01	<10	<10	33	<10	235
CC28359		0.03	<10	<10	28	<10	131
CC28361		0.02	<10	<10	48	<10	411
CC28362		0.02	<10	<10	40	<10	292
CC28363		0.03	<10	<10	30	<10	179
CC28364		0.04	<10	<10	26	<10	141
CC28365		0.02	<10	<10	34	<10	264
CC28366		0.03	<10	<10	34	<10	181
CC28367		0.03	<10	<10	41	<10	96
CC28368		0.03	<10	<10	36	<10	71
CC28369		0.02	<10	<10	34	<10	190
CC28370		0.01	<10	<10	6	<10	5
CC28371		0.04	<10	<10	46	<10	100
CC28372		0.02	<10	<10	37	<10	67
CC28373		0.02	<10	<10	45	<10	90
CC28374		0.02	<10	<10	37	<10	98
CC28375		0.02	<10	<10	25	<10	59
CC28376		0.02	<10	<10	12	<10	17
CC28377		0.02	<10	<10	36	<10	89
CC28379		0.02	<10	<10	37	<10	39
CC28380		0.02	<10	<10	46	<10	142
CC28381		0.02	<10	<10	36	<10	215
CC28382		0.05	<10	<10	43	<10	96
CC28383		0.03	<10	<10	36	<10	100
CC28384		0.03	<10	<10	49	<10	109

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28385		0.20	0.2	2.39	49	<10	170	0.7	2	0.08	0.7	9	30	21	4.43	10
CC28386		0.24	0.2	2.36	34	<10	240	0.8	<2	0.12	0.7	12	25	27	3.38	10
CC28387		0.22	0.3	2.59	67	<10	190	0.9	<2	0.07	1.0	12	31	24	4.11	10
CC28388		0.30	<0.2	1.65	30	<10	200	<0.5	2	0.07	0.6	7	23	16	3.25	10
CC28389		0.22	0.2	1.61	25	<10	130	0.5	<2	0.06	0.5	6	21	16	3.46	10
CC28390		0.28	<0.2	1.54	32	<10	190	<0.5	<2	0.06	1.0	6	20	18	3.29	10
CC28391		0.26	0.4	2.06	42	<10	110	0.5	<2	0.06	0.7	7	24	17	4.17	10
CC28392		0.26	0.4	1.70	30	<10	110	<0.5	2	0.03	<0.5	6	20	15	3.78	10
CC28393		0.28	0.3	1.46	32	<10	150	0.6	<2	0.19	0.7	11	19	28	2.96	<10
CC28394		0.26	0.3	1.70	48	<10	250	0.8	<2	0.29	1.0	14	23	45	3.62	10
CC28395		0.22	0.3	1.78	77	<10	110	0.6	2	0.10	0.5	14	20	38	3.93	10
CC28398		0.34	0.8	1.80	32	<10	300	0.7	3	0.36	1.3	15	20	47	3.18	10
CC28399		0.22	0.6	1.93	70	<10	290	0.9	2	0.32	1.0	19	22	56	3.97	10
CC28400		0.22	1.6	2.04	85	<10	350	0.7	2	0.33	1.1	23	27	56	4.15	10
CC28401		0.26	0.4	2.40	149	<10	190	1.1	3	0.26	1.2	37	25	83	5.39	10
CC28402		0.30	0.6	1.95	94	<10	180	0.8	<2	0.19	1.0	20	23	64	4.11	10
CC28403		0.28	3.0	3.14	163	<10	510	1.3	3	0.38	0.8	11	32	91	4.40	10
CC28404		0.28	0.8	1.79	55	<10	310	0.8	2	0.20	0.7	12	21	66	3.02	10
CC28405		0.30	1.3	2.34	83	<10	540	1.2	2	0.38	1.2	10	28	121	3.26	10
CC28406		0.20	0.2	1.43	34	<10	250	0.6	2	0.25	0.7	11	18	52	2.58	10
CC28407		0.28	0.5	1.65	33	<10	240	0.7	2	0.17	0.9	15	19	73	2.88	10
CC28408		0.28	0.2	1.13	24	<10	130	<0.5	2	0.07	<0.5	4	11	39	1.65	<10
CC28409		0.20	0.2	1.87	31	<10	260	0.6	2	0.09	<0.5	6	20	76	2.53	10
CC28410		0.28	0.2	1.11	30	<10	220	0.5	2	0.26	1.1	10	15	87	2.42	<10
CC28411		0.46	0.4	1.19	29	<10	260	0.5	2	0.27	0.9	9	16	79	2.47	<10
CC28412		0.32	0.2	1.38	20	<10	250	0.5	2	0.18	0.5	9	17	53	2.42	<10
CC28413		0.40	0.2	1.23	25	<10	310	0.5	<2	0.30	1.2	10	16	74	2.44	<10
CC28414		0.32	0.2	1.17	16	<10	250	<0.5	2	0.30	0.7	8	15	68	2.08	<10
CC28415		0.42	0.5	1.43	24	<10	300	0.5	<2	0.37	1.1	11	18	64	2.51	<10
CC28416		0.36	0.2	1.33	18	<10	330	0.6	2	0.30	1.2	9	18	59	2.55	<10
CC28417		0.34	0.2	1.36	20	<10	210	0.5	<2	0.19	<0.5	7	16	36	2.65	<10
CC28418		0.36	0.2	1.17	17	<10	250	0.5	<2	0.29	0.6	7	16	51	2.31	<10
CC28419		0.38	<0.2	1.14	16	<10	200	<0.5	<2	0.21	<0.5	7	16	42	2.30	<10
CC28420		0.28	0.5	1.52	23	<10	530	0.8	<2	0.45	0.9	10	20	123	2.84	10
CC28421		0.18	<0.2	1.22	16	<10	120	<0.5	<2	0.05	<0.5	4	13	17	2.31	10
CC28422		0.30	<0.2	1.21	26	<10	160	0.6	<2	0.19	<0.5	14	15	71	2.61	<10
CC28423		0.36	<0.2	1.22	20	<10	200	0.5	<2	0.25	0.6	12	16	57	2.68	<10
CC28424		0.38	<0.2	1.49	24	<10	200	0.5	<2	0.18	<0.5	11	18	58	3.02	10
CC28425		0.30	0.4	1.20	21	<10	140	<0.5	<2	0.15	<0.5	6	14	38	2.07	<10
CC28426		0.32	0.6	0.69	7	<10	80	<0.5	<2	0.08	<0.5	2	6	24	1.00	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28385		<1	0.06	20	0.61	383	1	0.01	27	560	36	0.01	2	3	11	<20
CC28386		1	0.06	20	0.60	340	1	0.01	32	610	26	0.02	4	3	13	<20
CC28387		2	0.06	30	0.61	409	2	0.01	30	550	45	0.02	15	3	10	<20
CC28388		<1	0.05	20	0.34	290	2	0.01	17	890	24	0.02	<2	2	10	<20
CC28389		1	0.04	20	0.33	263	2	0.01	17	820	27	0.02	2	2	7	<20
CC28390		1	0.04	20	0.34	249	1	0.01	16	520	32	0.02	2	2	8	<20
CC28391		<1	0.05	20	0.44	312	1	0.01	20	1200	28	0.02	<2	3	9	<20
CC28392		1	0.05	20	0.31	269	2	0.01	15	860	29	0.02	<2	2	6	<20
CC28393		<1	0.07	20	0.45	429	1	0.01	24	1080	34	0.02	<2	3	19	<20
CC28394		<1	0.09	40	0.64	541	1	0.01	31	970	58	0.01	<2	4	22	<20
CC28395		<1	0.07	20	0.43	588	2	0.01	23	900	56	0.02	<2	2	10	<20
CC28398		1	0.06	30	0.51	472	<1	0.02	27	1010	56	0.03	2	3	27	<20
CC28399		1	0.07	30	0.52	740	1	0.02	31	800	64	0.03	2	3	24	<20
CC28400		1	0.08	30	0.43	1230	3	0.02	20	1430	64	0.05	<2	2	27	<20
CC28401		2	0.10	30	0.59	1230	2	0.01	40	1130	131	0.04	3	3	19	<20
CC28402		<1	0.08	30	0.49	787	2	0.01	24	800	78	0.03	<2	3	16	<20
CC28403		<1	0.24	20	0.39	381	2	0.02	25	1150	76	0.05	3	4	31	<20
CC28404		1	0.09	30	0.41	452	1	0.01	23	920	32	0.02	<2	3	21	<20
CC28405		1	0.13	30	0.43	356	1	0.02	26	1190	44	0.04	3	4	33	<20
CC28406		2	0.08	20	0.40	427	1	0.01	19	1110	29	0.02	<2	2	25	<20
CC28407		1	0.08	20	0.36	570	1	0.02	18	910	38	0.03	3	2	17	<20
CC28408		<1	0.06	10	0.18	151	1	0.02	9	460	15	0.02	<2	1	8	<20
CC28409		<1	0.11	30	0.23	175	2	0.01	15	780	25	0.03	2	2	16	<20
CC28410		<1	0.04	30	0.38	400	<1	0.01	21	1100	30	0.02	<2	2	21	<20
CC28411		<1	0.04	20	0.40	389	1	0.01	20	1090	35	0.02	<2	2	22	<20
CC28412		2	0.06	20	0.36	323	1	0.01	19	740	25	0.01	2	2	17	<20
CC28413		<1	0.05	20	0.39	399	<1	0.01	22	1100	29	0.02	<2	3	26	<20
CC28414		1	0.04	20	0.37	302	<1	0.01	18	1030	19	0.01	<2	2	24	<20
CC28415		1	0.06	30	0.45	453	1	0.01	23	1230	27	0.01	<2	3	30	<20
CC28416		<1	0.06	30	0.43	385	<1	0.01	23	1060	23	0.01	2	3	25	<20
CC28417		<1	0.06	20	0.35	294	<1	<0.01	16	700	23	0.02	3	2	17	<20
CC28418		<1	0.06	30	0.37	308	<1	<0.01	19	940	21	0.01	3	2	23	<20
CC28419		<1	0.05	20	0.36	310	<1	<0.01	17	860	16	0.02	<2	2	16	<20
CC28420		<1	0.06	30	0.43	409	<1	0.01	25	1230	26	0.02	<2	3	32	<20
CC28421		<1	0.04	20	0.20	155	<1	<0.01	9	360	16	0.01	4	1	8	<20
CC28422		<1	0.05	20	0.38	515	<1	<0.01	20	890	31	0.01	2	2	14	<20
CC28423		<1	0.05	30	0.39	450	<1	<0.01	21	1050	25	0.01	<2	2	19	<20
CC28424		<1	0.07	20	0.40	496	<1	<0.01	19	910	24	0.01	2	2	15	<20
CC28425		<1	0.06	20	0.30	270	<1	<0.01	13	790	20	0.02	<2	2	12	<20
CC28426		<1	0.04	10	0.10	93	<1	0.02	5	490	12	0.02	<2	1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28385		0.03	<10	<10	44	<10	93
CC28386		0.03	<10	<10	40	<10	99
CC28387		0.03	<10	<10	42	<10	116
CC28388		0.03	<10	<10	54	<10	72
CC28389		0.02	<10	<10	51	<10	75
CC28390		0.02	<10	<10	45	<10	93
CC28391		0.03	<10	<10	54	<10	89
CC28392		0.02	<10	<10	56	<10	92
CC28393		0.03	<10	<10	37	<10	112
CC28394		0.04	<10	<10	35	<10	162
CC28395		0.03	<10	<10	40	<10	133
CC28398		0.02	<10	<10	31	<10	201
CC28399		0.01	<10	<10	36	<10	224
CC28400		0.01	<10	<10	46	<10	129
CC28401		0.02	<10	<10	41	<10	259
CC28402		0.01	<10	<10	40	<10	169
CC28403		0.01	<10	<10	92	<10	167
CC28404		0.02	<10	<10	45	<10	130
CC28405		0.01	<10	<10	60	<10	159
CC28406		0.02	<10	<10	43	<10	126
CC28407		0.02	<10	<10	43	<10	121
CC28408		0.01	<10	<10	28	<10	61
CC28409		0.01	<10	<10	52	<10	72
CC28410		0.03	<10	<10	28	<10	114
CC28411		0.02	<10	<10	29	<10	121
CC28412		0.02	<10	<10	35	<10	82
CC28413		0.02	<10	<10	30	<10	254
CC28414		0.02	<10	<10	28	<10	96
CC28415		0.02	<10	<10	33	<10	142
CC28416		0.02	<10	<10	31	<10	124
CC28417		0.01	<10	<10	36	<10	87
CC28418		0.02	<10	<10	30	<10	109
CC28419		0.01	<10	<10	29	<10	86
CC28420		0.02	<10	<10	36	<10	140
CC28421		0.01	<10	<10	38	<10	50
CC28422		0.02	<10	<10	30	<10	106
CC28423		0.02	<10	<10	31	<10	105
CC28424		0.02	<10	<10	37	<10	114
CC28425		0.01	<10	<10	29	<10	82
CC28426		0.01	<10	<10	16	<10	31

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28427		0.30	0.5	1.47	28	<10	190	0.6	<2	0.14	0.5	8	16	69	2.60	<10
CC28428		0.22	2.2	2.79	72	<10	530	1.1	<2	0.26	1.1	9	32	164	3.79	10
CC28429		0.24	0.2	1.50	142	<10	180	0.6	<2	0.15	0.5	10	18	56	3.30	10
CC28430		0.14	<0.2	0.22	3	<10	30	<0.5	<2	0.04	<0.5	1	1	4	0.31	<10
CC28431		0.14	1.4	1.48	40	<10	250	0.7	<2	0.10	<0.5	3	12	54	1.56	10
CC28432		0.14	1.1	1.93	33	<10	400	1.0	<2	0.11	0.6	7	13	71	1.25	10
CC28433		0.30	0.3	1.53	49	<10	150	0.6	<2	0.24	0.7	14	18	52	3.68	<10
CC28434		0.16	<0.2	0.20	<2	<10	30	<0.5	<2	0.04	<0.5	1	2	6	0.38	<10
CC28435		0.20	0.3	0.86	17	<10	100	<0.5	<2	0.15	<0.5	7	6	25	1.33	<10
CC28436		0.34	0.3	1.53	77	<10	130	0.7	<2	0.23	1.0	18	19	75	3.93	10
CC28437		0.14	0.7	0.26	4	<10	20	<0.5	<2	0.03	<0.5	1	1	11	0.32	<10
CC28438		0.20	<0.2	2.00	61	<10	80	0.6	<2	0.04	0.7	12	23	33	4.48	10
CC28439		0.22	0.6	2.29	42	<10	150	0.5	<2	0.08	0.6	7	26	15	4.06	10
CC28440		0.14	0.2	2.14	59	<10	140	0.6	2	0.02	0.5	7	21	23	4.16	10
CC28441		0.24	0.3	1.73	28	<10	130	0.5	<2	0.04	0.5	6	19	12	3.05	10
CC28442		0.20	0.2	1.03	24	<10	80	<0.5	2	0.04	<0.5	4	14	9	2.31	10
CC28443		0.14	<0.2	1.39	41	<10	110	<0.5	<2	0.06	<0.5	5	20	13	3.78	10
CC28444		0.24	<0.2	1.02	17	<10	90	<0.5	<2	0.04	<0.5	4	14	9	2.08	10
CC28445		0.16	<0.2	0.62	15	<10	50	<0.5	<2	0.03	<0.5	2	7	5	1.17	10
CC28446		0.18	0.4	1.71	30	<10	110	<0.5	<2	0.04	<0.5	6	20	15	3.22	10
CC28447		0.14	0.3	2.28	48	<10	200	0.7	<2	0.06	0.7	10	26	23	3.91	10
CC28448		0.26	0.3	2.63	41	<10	180	0.7	<2	0.11	0.6	11	31	28	3.95	10
CC28449		0.20	0.2	2.24	54	<10	220	0.7	<2	0.10	0.7	7	25	26	3.98	10
CC28450		0.20	<0.2	1.70	44	<10	190	0.7	<2	0.19	0.5	15	22	31	3.51	10
CC28451		0.10	0.2	0.36	5	<10	70	<0.5	<2	0.03	<0.5	1	4	8	0.51	<10
CC28452		0.22	0.3	1.23	15	<10	490	0.6	<2	0.37	0.7	8	16	29	2.14	<10
CC28453		0.20	<0.2	1.50	64	<10	150	<0.5	<2	0.10	0.5	6	19	22	3.29	10
CC28454		0.26	<0.2	0.92	26	<10	90	<0.5	<2	0.02	<0.5	3	9	11	1.79	10
CC28455		0.22	0.5	1.61	55	<10	80	<0.5	2	0.02	0.5	5	18	20	4.53	10
CC28456		0.24	0.4	1.51	30	<10	130	0.6	2	0.13	0.6	9	20	37	2.97	10
CC28458		0.20	4.1	3.65	258	<10	1200	2.6	3	0.51	0.7	15	38	203	6.04	10
CC28459		0.34	0.9	1.24	100	<10	130	0.5	<2	0.10	0.6	8	14	41	2.56	<10
CC28460		0.28	0.5	1.36	119	<10	120	0.5	<2	0.17	0.6	11	16	54	3.02	<10
CC28461		0.30	0.6	1.46	64	<10	160	0.5	<2	0.18	0.7	12	19	45	2.97	10
CC28462		0.36	0.4	1.31	40	<10	130	0.6	<2	0.16	0.7	10	15	69	2.78	<10
CC28463		0.30	0.4	1.51	31	<10	150	0.5	<2	0.14	0.7	9	19	61	2.76	10
CC28464		0.36	0.7	1.38	36	<10	150	0.5	2	0.18	0.6	7	16	76	2.47	<10
CC28465		0.36	0.2	1.18	22	<10	130	<0.5	<2	0.17	0.5	7	16	51	2.43	<10
CC28466		0.30	0.3	1.65	27	<10	190	0.6	<2	0.09	<0.5	7	20	52	3.10	10
CC28467		0.28	<0.2	1.48	13	<10	130	0.5	<2	0.06	<0.5	4	18	30	2.33	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28427		<1	0.07	20	0.31	367	<1	0.01	16	850	32	0.02	3	2	13	<20
CC28428		1	0.17	20	0.36	271	<1	0.01	23	1480	58	0.05	<2	4	31	<20
CC28429		<1	0.07	20	0.42	442	<1	<0.01	24	810	46	0.02	2	2	13	<20
CC28430		<1	0.03	<10	0.02	17	<1	0.02	<1	200	5	0.01	<2	<1	6	<20
CC28431		<1	0.09	20	0.11	55	<1	0.02	10	870	40	0.04	2	2	11	<20
CC28432		<1	0.10	20	0.14	83	<1	0.02	18	850	45	0.05	<2	2	14	<20
CC28433		<1	0.05	30	0.54	685	<1	<0.01	25	810	59	0.01	3	3	17	<20
CC28434		<1	0.02	<10	0.02	23	<1	0.02	1	210	10	0.02	<2	<1	8	<20
CC28435		<1	0.04	10	0.13	203	<1	0.02	10	530	18	0.02	<2	1	15	<20
CC28436		<1	0.06	40	0.57	659	<1	<0.01	31	850	82	0.01	5	3	16	<20
CC28437		<1	0.02	<10	0.02	21	<1	0.02	<1	160	7	0.01	3	<1	6	<20
CC28438		<1	0.05	30	0.51	437	<1	<0.01	26	480	61	0.01	3	3	6	<20
CC28439		<1	0.05	20	0.54	338	5	0.01	17	430	58	0.02	<2	3	13	<20
CC28440		1	0.05	30	0.30	310	2	0.01	18	520	126	0.05	4	2	13	<20
CC28441		<1	0.04	20	0.33	233	2	0.01	14	500	34	0.02	<2	2	7	<20
CC28442		1	0.04	20	0.22	188	2	<0.01	10	820	26	0.02	2	1	7	<20
CC28443		<1	0.05	20	0.34	257	2	0.01	15	1020	29	0.01	4	2	9	<20
CC28444		<1	0.04	20	0.19	174	2	0.01	9	510	13	<0.01	2	1	8	<20
CC28445		<1	0.03	10	0.07	66	2	0.02	4	320	10	<0.01	<2	<1	5	<20
CC28446		1	0.05	20	0.28	257	2	0.01	14	690	26	0.01	4	2	6	<20
CC28447		<1	0.07	30	0.50	350	2	0.01	23	440	31	<0.01	2	3	9	<20
CC28448		1	0.06	20	0.67	353	2	0.01	28	530	83	0.01	4	3	12	<20
CC28449		<1	0.06	30	0.47	293	2	0.01	21	460	31	0.01	2	3	12	<20
CC28450		<1	0.07	20	0.54	620	2	0.01	29	940	33	0.01	4	3	17	<20
CC28451		<1	0.03	<10	0.02	24	1	0.02	2	490	3	0.02	<2	<1	6	<20
CC28452		1	0.09	20	0.28	297	2	0.01	23	970	18	<0.01	2	2	30	<20
CC28453		<1	0.05	20	0.38	278	2	<0.01	18	740	39	<0.01	2	1	11	<20
CC28454		<1	0.03	30	0.08	111	2	0.01	6	390	19	<0.01	2	1	7	<20
CC28455		1	0.04	30	0.24	275	2	<0.01	13	610	32	<0.01	2	2	4	<20
CC28456		<1	0.05	30	0.47	323	1	<0.01	21	690	47	<0.01	2	2	10	<20
CC28458		1	0.25	40	0.57	334	4	0.01	47	1240	185	0.02	5	8	39	<20
CC28459		1	0.05	20	0.24	378	1	0.01	14	930	31	0.01	<2	1	10	<20
CC28460		<1	0.05	20	0.38	479	1	0.01	22	910	42	0.01	3	2	14	<20
CC28461		<1	0.07	20	0.40	538	2	0.01	19	1030	38	<0.01	2	2	17	<20
CC28462		<1	0.05	20	0.36	453	1	0.01	20	890	31	<0.01	2	2	13	<20
CC28463		<1	0.07	20	0.36	356	1	<0.01	19	790	34	<0.01	<2	2	11	<20
CC28464		<1	0.06	20	0.36	331	1	<0.01	17	870	30	<0.01	<2	2	14	<20
CC28465		<1	0.05	20	0.36	332	1	<0.01	18	800	21	<0.01	<2	2	14	<20
CC28466		2	0.07	20	0.34	278	2	0.01	19	660	23	<0.01	3	2	10	<20
CC28467		<1	0.06	20	0.28	180	1	<0.01	12	360	16	<0.01	2	2	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-OCT-2007
Account: MTT

Project: TIDD

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28427		0.01	<10	<10	35	<10	101
CC28428		0.01	<10	<10	75	<10	172
CC28429		0.01	<10	<10	34	<10	157
CC28430		0.01	<10	<10	9	<10	6
CC28431		<0.01	<10	<10	31	<10	59
CC28432		0.01	<10	<10	35	<10	118
CC28433		0.02	<10	<10	27	<10	196
CC28434		0.01	<10	<10	10	<10	8
CC28435		0.02	<10	<10	17	<10	57
CC28436		0.02	<10	<10	30	<10	237
CC28437		0.01	<10	<10	6	<10	7
CC28438		0.02	<10	<10	36	<10	134
CC28439		0.03	<10	<10	66	<10	123
CC28440		0.02	<10	<10	53	<10	107
CC28441		0.02	<10	<10	44	<10	76
CC28442		0.02	<10	<10	48	<10	54
CC28443		0.03	<10	<10	53	<10	75
CC28444		0.03	<10	<10	40	<10	44
CC28445		0.03	<10	<10	34	<10	23
CC28446		0.03	<10	<10	47	<10	78
CC28447		0.03	<10	<10	44	<10	87
CC28448		0.05	<10	<10	46	<10	119
CC28449		0.03	<10	<10	48	<10	78
CC28450		0.03	<10	<10	45	<10	122
CC28451		0.01	<10	<10	15	<10	16
CC28452		0.01	<10	<10	47	<10	142
CC28453		0.02	<10	<10	42	<10	92
CC28454		0.03	<10	<10	48	<10	38
CC28455		0.02	<10	<10	51	<10	98
CC28456		0.02	<10	<10	32	<10	128
CC28458		0.01	<10	<10	106	<10	315
CC28459		0.01	<10	<10	28	<10	77
CC28460		0.02	<10	<10	30	<10	121
CC28461		0.02	<10	<10	41	<10	115
CC28462		0.02	<10	<10	28	<10	123
CC28463		0.02	<10	<10	34	<10	116
CC28464		0.01	<10	<10	30	<10	111
CC28465		0.02	<10	<10	29	<10	87
CC28466		0.02	<10	<10	46	<10	89
CC28467		0.02	<10	<10	38	<10	61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28468		0.34	<0.2	1.22	21	<10	130	0.5	<2	0.16	0.5	8	15	50	2.29	<10
CC28469		0.24	0.3	1.38	27	<10	170	0.5	<2	0.13	0.5	8	17	50	2.71	<10
CC28470		0.36	0.3	1.11	18	<10	280	0.5	<2	0.36	0.9	8	16	77	2.44	<10
CC28471		0.28	<0.2	2.00	31	<10	370	0.8	<2	0.11	0.5	7	21	62	2.90	10
CC28472		0.32	0.2	1.24	25	<10	180	<0.5	<2	0.12	0.6	6	15	40	2.24	<10
CC28473		0.28	<0.2	1.41	25	<10	290	<0.5	<2	0.15	0.5	6	17	34	2.36	10
CC28474		0.32	0.6	1.42	22	<10	310	0.6	<2	0.22	0.8	13	18	69	2.63	<10
CC28475		0.28	0.4	1.72	26	<10	430	0.7	2	0.24	0.8	23	19	56	2.99	10
CC28476		0.34	0.3	1.26	21	<10	210	0.5	<2	0.17	0.6	10	15	46	2.41	<10
CC28477		0.32	0.4	1.06	14	<10	160	<0.5	<2	0.20	<0.5	5	13	27	1.97	<10
CC28478		0.32	0.2	1.32	19	<10	190	0.5	<2	0.10	<0.5	6	15	28	2.05	<10
CC28479		0.24	0.3	1.32	26	<10	140	0.5	<2	0.16	0.6	10	16	51	2.55	<10
CC28480		0.24	0.2	2.01	33	<10	210	0.8	<2	0.08	0.6	11	22	74	3.83	10
CC28481		0.32	0.4	1.22	13	<10	120	<0.5	<2	0.11	0.5	5	14	36	2.00	<10
CC28482		0.34	<0.2	1.23	17	<10	150	0.5	<2	0.12	<0.5	8	14	44	2.31	<10
CC28483		0.30	0.7	1.48	18	<10	130	<0.5	<2	0.05	<0.5	4	15	29	2.36	10
CC28484		0.34	0.2	1.00	21	<10	170	0.5	<2	0.19	0.6	9	14	46	2.17	<10
CC28485		0.30	0.2	1.32	43	<10	100	0.5	2	0.15	0.7	11	15	71	2.76	<10
CC28486		0.24	0.3	1.42	50	<10	110	<0.5	<2	0.12	0.7	10	17	53	3.24	<10
CC28487		0.26	0.5	1.01	57	<10	80	<0.5	<2	0.09	<0.5	4	10	42	1.71	<10
CC28488		0.22	0.6	1.31	190	<10	130	<0.5	<2	0.07	0.5	7	15	39	3.08	10
CC28489		0.42	0.9	1.43	83	<10	110	0.6	<2	0.14	0.7	10	15	53	2.94	<10
CC28490		0.16	2.0	1.29	20	<10	320	0.6	<2	0.16	0.5	5	12	41	1.32	<10
CC28491		0.18	0.5	0.50	9	<10	70	<0.5	<2	0.04	<0.5	1	4	25	0.59	<10
CC28492		0.18	0.2	1.69	35	<10	80	0.5	<2	0.03	<0.5	7	21	24	3.98	10
CC28493		0.20	0.2	1.47	54	<10	50	0.5	2	0.06	<0.5	8	14	36	3.18	<10
CC28814		0.24	0.4	1.72	45	<10	170	1.1	<2	0.09	0.9	13	23	72	3.40	10
CC28816		0.24	0.5	2.30	174	<10	140	0.8	<2	0.06	0.6	14	26	25	4.22	10
CC28817		0.24	0.4	1.57	43	<10	250	0.7	<2	0.32	0.6	9	22	25	2.81	10
CC28818		0.28	0.5	1.79	54	<10	200	0.7	<2	0.13	0.6	16	20	30	3.19	10
CC28819		0.24	0.3	1.76	53	<10	460	0.7	<2	0.30	<0.5	12	23	36	3.43	10
CC28820		0.30	0.3	1.54	28	<10	180	0.6	<2	0.14	0.7	12	21	35	2.79	<10
CC28821		0.32	0.4	1.39	31	<10	410	0.6	<2	0.44	0.8	10	18	33	2.33	<10
CC28822		0.22	0.2	1.84	110	<10	210	0.7	<2	0.12	0.6	10	23	34	3.42	10
CC28823		0.28	0.3	1.29	54	<10	400	0.6	<2	0.65	0.7	14	18	41	2.72	<10
CC28826		0.26	0.6	1.34	39	<10	130	0.9	<2	0.10	1.0	11	16	42	3.85	<10
CC28827		0.22	0.9	0.91	56	<10	250	1.0	<2	0.47	3.3	9	14	45	2.82	<10
CC28828		0.18	0.5	0.77	33	<10	230	0.5	<2	0.09	0.8	7	8	39	1.98	<10
CC28829		0.26	2.3	0.24	54	<10	130	0.7	<2	1.38	5.1	9	6	70	2.38	<10
CC28830		0.22	0.5	1.48	25	<10	490	0.7	<2	0.43	0.8	7	17	31	2.10	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28468		1	0.05	20	0.32	344	1	0.01	16	870	19	<0.01	3	2	14	<20
CC28469		1	0.07	20	0.33	333	1	0.01	18	840	26	<0.01	<2	2	13	<20
CC28470		<1	0.05	30	0.42	314	1	0.01	23	1170	20	<0.01	2	3	26	<20
CC28471		1	0.10	20	0.37	261	2	0.01	24	610	22	<0.01	<2	3	14	<20
CC28472		<1	0.07	20	0.29	236	1	0.01	15	590	18	<0.01	3	2	10	<20
CC28473		<1	0.06	20	0.31	270	1	0.01	13	500	26	<0.01	3	2	13	<20
CC28474		<1	0.06	20	0.38	462	2	0.01	20	880	31	<0.01	<2	2	18	<20
CC28475		<1	0.08	20	0.35	832	1	0.01	20	920	29	0.02	2	2	20	<20
CC28476		<1	0.05	20	0.32	344	1	0.01	19	840	23	<0.01	2	2	14	<20
CC28477		<1	0.04	20	0.30	256	1	0.01	12	870	19	<0.01	<2	2	16	<20
CC28478		1	0.06	20	0.27	206	1	0.01	13	590	17	<0.01	<2	2	11	<20
CC28479		1	0.07	20	0.34	389	1	0.01	21	880	23	<0.01	2	2	13	<20
CC28480		<1	0.09	30	0.45	394	2	0.01	29	660	31	<0.01	2	3	9	<20
CC28481		<1	0.05	20	0.27	206	1	<0.01	14	850	17	0.01	2	2	11	<20
CC28482		<1	0.04	20	0.30	307	1	0.01	17	640	22	<0.01	2	2	11	<20
CC28483		<1	0.04	20	0.24	159	1	<0.01	10	450	16	<0.01	2	2	6	<20
CC28484		1	0.03	20	0.33	375	1	<0.01	19	870	23	<0.01	2	2	14	<20
CC28485		<1	0.04	20	0.36	417	1	<0.01	20	800	33	<0.01	3	2	11	<20
CC28486		<1	0.05	20	0.37	521	1	<0.01	16	830	34	0.01	2	2	9	<20
CC28487		<1	0.04	10	0.19	202	1	0.01	10	670	24	0.02	2	1	8	<20
CC28488		<1	0.05	20	0.27	367	1	0.01	13	750	33	0.01	3	2	8	<20
CC28489		<1	0.04	20	0.33	408	2	0.01	20	1050	40	0.01	3	2	12	<20
CC28490		1	0.05	20	0.16	156	1	0.02	12	1060	27	0.04	2	1	17	<20
CC28491		<1	0.03	10	0.06	52	1	0.02	5	410	10	0.01	2	<1	6	<20
CC28492		<1	0.04	30	0.38	337	2	<0.01	18	430	59	<0.01	<2	2	6	<20
CC28493		<1	0.04	20	0.35	313	1	0.01	19	560	48	0.01	2	2	6	<20
CC28814		1	0.04	50	0.67	460	2	<0.01	32	580	37	0.01	2	3	11	<20
CC28816		2	0.03	20	0.87	511	2	0.01	31	580	112	0.01	3	3	6	<20
CC28817		<1	0.04	40	0.51	384	2	0.01	25	710	23	0.02	<2	3	16	<20
CC28818		<1	0.04	20	0.64	655	1	0.01	28	770	33	0.02	<2	3	12	<20
CC28819		<1	0.04	30	1.06	463	3	0.01	35	1010	24	0.01	4	4	21	<20
CC28820		<1	0.04	30	0.73	343	2	<0.01	30	680	20	<0.01	<2	3	12	<20
CC28821		<1	0.05	30	0.63	388	1	0.01	29	940	15	0.01	<2	4	27	<20
CC28822		<1	0.08	20	0.68	320	1	<0.01	31	740	19	<0.01	<2	3	11	<20
CC28823		<1	0.06	30	0.67	395	1	0.01	34	1070	18	<0.01	4	3	32	<20
CC28826		<1	0.05	30	0.42	268	7	<0.01	33	940	22	<0.01	4	3	9	<20
CC28827		1	0.03	30	0.35	294	16	<0.01	70	1100	29	0.01	7	4	24	<20
CC28828		<1	0.03	10	0.12	185	12	0.01	46	500	19	0.01	8	2	11	<20
CC28829		<1	0.04	20	0.66	303	62	0.01	98	690	28	0.03	17	6	39	<20
CC28830		<1	0.10	20	0.42	471	3	0.01	26	1090	15	0.02	3	3	29	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28468		0.02	<10	<10	31	<10	82
CC28469		0.02	<10	<10	37	<10	93
CC28470		0.03	<10	<10	28	<10	128
CC28471		0.02	<10	<10	61	<10	124
CC28472		0.02	<10	<10	37	<10	94
CC28473		0.01	<10	<10	41	<10	94
CC28474		0.02	<10	<10	36	<10	138
CC28475		0.01	<10	<10	44	<10	155
CC28476		0.01	<10	<10	33	<10	98
CC28477		0.02	<10	<10	29	<10	77
CC28478		0.02	<10	<10	37	<10	65
CC28479		0.02	<10	<10	32	<10	100
CC28480		0.02	<10	<10	46	<10	124
CC28481		0.01	<10	<10	28	<10	65
CC28482		0.01	<10	<10	30	<10	74
CC28483		0.01	<10	<10	38	<10	47
CC28484		0.02	<10	<10	24	<10	90
CC28485		0.02	<10	<10	27	<10	113
CC28486		0.01	<10	<10	32	<10	109
CC28487		0.01	<10	<10	18	<10	58
CC28488		0.01	<10	<10	34	<10	84
CC28489		0.01	<10	<10	27	<10	111
CC28490		0.01	<10	<10	19	<10	62
CC28491		0.01	<10	<10	8	<10	24
CC28492		0.02	<10	<10	42	<10	119
CC28493		0.02	<10	<10	25	<10	110
CC28814		0.01	<10	<10	33	<10	187
CC28816		0.01	<10	<10	37	<10	369
CC28817		0.01	<10	<10	35	<10	109
CC28818		0.02	<10	<10	32	<10	157
CC28819		0.01	<10	<10	29	<10	138
CC28820		0.01	<10	<10	31	<10	134
CC28821		0.01	<10	<10	30	<10	123
CC28822		0.02	<10	<10	48	<10	128
CC28823		0.02	<10	<10	33	<10	131
CC28826		0.01	<10	<10	53	<10	201
CC28827		<0.01	<10	<10	90	<10	446
CC28828		0.01	<10	<10	73	<10	189
CC28829		<0.01	<10	<10	119	<10	577
CC28830		0.01	<10	<10	42	<10	157

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28831		0.28	0.3	1.20	20	<10	350	0.6	<2	0.37	0.9	7	17	32	2.29	<10
CC28832		0.28	0.3	1.01	55	<10	340	0.5	<2	0.43	0.8	12	18	31	2.70	<10
CC28833		0.32	0.2	0.88	31	<10	340	0.5	<2	0.37	0.9	7	13	20	1.91	<10
CC28834		0.44	0.5	0.69	41	<10	310	<0.5	<2	0.29	1.3	7	10	38	1.90	<10
CC28835		0.10	0.3	0.88	15	<10	420	<0.5	<2	0.81	0.6	3	9	18	1.11	<10
CC28836		0.18	0.7	1.19	21	<10	430	0.6	2	0.73	0.8	6	13	26	1.73	<10
CC28837		0.20	0.4	0.65	11	<10	230	<0.5	<2	0.33	<0.5	3	7	17	0.98	<10
CC28838		0.26	0.7	0.95	16	<10	360	<0.5	<2	0.33	0.7	3	11	13	0.95	<10
CC28839		0.28	0.7	0.97	324	<10	450	0.7	<2	0.51	2.2	21	17	43	3.43	<10
CC28840		0.22	0.8	0.44	21	<10	240	<0.5	<2	2.52	<0.5	5	8	25	1.80	<10
CC28841		0.24	<0.2	0.84	27	<10	160	<0.5	<2	0.22	0.6	3	14	14	2.12	<10
CC28842		0.22	1.0	0.50	72	<10	80	1.1	<2	0.20	4.4	24	8	108	3.79	<10
CC28847		0.12	<0.2	0.57	<2	<10	60	<0.5	<2	0.23	<0.5	<1	1	7	0.25	<10
CC28848		0.28	0.7	1.98	24	<10	550	0.9	<2	1.05	0.7	7	25	30	2.72	<10
CC28849		0.14	<0.2	1.91	47	<10	90	<0.5	<2	0.04	0.5	9	25	14	4.49	10
CC28850		0.18	<0.2	1.20	46	<10	70	<0.5	2	0.04	<0.5	5	15	12	2.17	<10
CC28851		0.24	<0.2	1.56	76	<10	90	<0.5	2	0.05	<0.5	7	29	24	2.67	10
CC28852		0.30	0.2	1.69	26	<10	450	0.7	<2	0.18	0.7	10	20	46	2.91	<10
CC28854		0.24	0.4	1.10	17	<10	540	0.6	<2	0.36	1.1	11	19	45	2.44	<10
CC28855		0.28	<0.2	1.27	49	<10	350	0.6	<2	0.54	0.5	8	19	33	2.57	<10
CC28856		0.26	0.4	1.74	405	<10	120	0.5	<2	0.07	<0.5	9	23	22	3.85	<10
CC28857		0.24	0.2	1.74	29	<10	80	<0.5	<2	0.04	<0.5	8	23	15	3.63	<10
CC28858		0.26	0.4	1.76	10	<10	320	<0.5	<2	0.31	0.7	5	19	12	2.42	10
CC28859		0.26	<0.2	1.04	29	<10	90	<0.5	2	0.02	<0.5	4	14	14	2.76	10
CC28860		0.30	<0.2	1.35	23	<10	270	<0.5	<2	0.49	<0.5	7	19	19	2.59	<10
CC28861		Not Recvd														
CC28862		0.24	0.4	1.84	103	<10	270	0.6	<2	0.43	0.7	17	22	52	4.07	<10
CC28865		0.24	<0.2	0.81	40	<10	90	<0.5	<2	0.08	0.5	7	13	26	2.68	<10
CC28866		0.22	<0.2	0.52	38	<10	70	<0.5	<2	0.11	0.7	9	9	33	2.49	<10
CC28867		0.28	0.8	0.80	99	<10	150	<0.5	<2	0.12	2.2	7	13	26	2.65	<10
CC28868		0.32	0.2	0.84	66	<10	120	<0.5	<2	0.23	1.1	6	14	29	2.90	<10
CC28869		0.28	<0.2	1.36	34	<10	320	0.5	2	0.21	0.6	8	22	19	2.59	<10
CC28870		0.36	0.3	1.03	21	<10	320	<0.5	<2	0.47	<0.5	5	14	21	1.69	<10
CC28871		0.30	0.2	1.14	38	<10	360	0.6	<2	0.51	0.8	9	16	27	2.25	<10
CC28872		0.20	0.8	1.72	34	<10	780	1.0	2	0.78	1.6	8	21	52	2.59	<10
CC28874		0.18	0.4	1.28	15	<10	450	0.6	<2	0.62	0.8	6	15	26	1.89	<10
CC28875		0.12	0.5	1.29	17	<10	470	0.6	<2	0.94	0.8	6	15	29	1.85	<10
CC28876		0.20	1.5	1.07	29	<10	390	0.5	<2	0.51	0.5	4	11	29	1.25	<10
CC28877		0.30	0.2	1.18	55	<10	320	0.5	<2	0.42	0.6	8	18	31	2.56	<10
CC28878		0.24	0.3	0.83	23	<10	350	<0.5	<2	0.39	0.5	3	12	12	1.36	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28831		<1	0.10	30	0.50	231	1	0.01	24	1110	13	<0.01	2	3	29	<20
CC28832		1	0.07	20	0.48	403	5	<0.01	39	1370	28	0.01	7	3	38	<20
CC28833		<1	0.05	20	0.34	180	3	0.01	26	1110	26	0.01	4	2	35	<20
CC28834		<1	0.05	20	0.23	146	4	0.01	34	1060	20	0.01	6	1	37	<20
CC28835		<1	0.06	10	0.20	178	1	0.02	14	910	8	0.05	4	1	47	<20
CC28836		<1	0.10	10	0.33	739	3	0.02	22	1090	16	0.05	3	2	41	<20
CC28837		<1	0.05	10	0.17	161	1	0.02	12	640	7	0.02	<2	1	22	<20
CC28838		<1	0.06	10	0.14	235	2	0.01	9	1590	12	0.06	<2	<1	25	<20
CC28839		<1	0.09	20	0.34	857	32	0.01	111	1330	22	0.03	9	4	36	<20
CC28840		<1	0.02	10	1.30	273	27	0.01	51	490	19	0.03	9	3	98	<20
CC28841		<1	0.03	20	0.25	119	7	<0.01	20	640	22	0.01	<2	1	17	<20
CC28842		<1	0.05	30	0.12	421	11	<0.01	69	1680	28	0.04	14	2	12	<20
CC28847		<1	0.02	<10	0.03	22	<1	0.03	4	400	3	0.04	2	<1	13	<20
CC28848		<1	0.06	20	0.89	477	1	0.01	28	1450	15	0.11	<2	5	47	<20
CC28849		1	0.03	20	0.92	364	1	<0.01	33	510	21	0.01	3	2	6	<20
CC28850		<1	0.03	20	0.44	166	1	<0.01	18	500	16	0.01	<2	1	6	<20
CC28851		<1	0.04	20	0.63	220	1	<0.01	23	530	10	0.02	3	2	9	<20
CC28852		1	0.09	20	0.40	419	1	0.01	24	900	41	0.03	2	2	19	<20
CC28854		<1	0.08	20	0.41	546	2	<0.01	37	1020	21	0.01	3	4	33	<20
CC28855		<1	0.09	20	0.41	381	2	0.01	28	820	20	0.04	2	3	34	<20
CC28856		1	0.05	20	0.74	307	1	<0.01	28	470	479	0.07	5	2	13	<20
CC28857		<1	0.03	20	0.71	295	1	<0.01	25	340	21	0.02	2	2	7	<20
CC28858		<1	0.04	20	0.83	298	1	0.01	24	730	8	0.05	3	2	19	<20
CC28859		<1	0.03	20	0.27	489	2	<0.01	16	740	15	0.01	3	1	5	<20
CC28860		<1	0.04	20	0.77	244	1	0.01	26	1120	11	0.03	3	2	27	<20
CC28861																
CC28862		<1	0.05	30	1.18	441	2	<0.01	41	800	24	0.02	5	5	22	<20
CC28865		1	0.04	20	0.22	205	13	<0.01	36	700	23	0.01	6	1	9	<20
CC28866		<1	0.03	20	0.12	294	23	<0.01	60	660	29	0.01	8	2	10	<20
CC28867		<1	0.03	20	0.12	221	25	<0.01	56	560	30	0.02	9	2	11	<20
CC28868		<1	0.07	10	0.18	368	13	<0.01	49	2250	27	0.02	7	2	19	<20
CC28869		<1	0.11	20	0.55	417	3	<0.01	27	1020	19	0.02	3	2	20	<20
CC28870		<1	0.07	20	0.38	187	2	0.01	21	1220	16	0.03	<2	2	36	<20
CC28871		1	0.08	20	0.40	387	3	<0.01	33	1160	25	0.03	4	2	39	<20
CC28872		<1	0.14	20	0.43	391	3	0.01	44	1250	25	0.06	5	5	50	<20
CC28874		<1	0.08	10	0.34	295	2	0.01	28	980	13	0.05	<2	2	39	<20
CC28875		1	0.08	10	0.34	517	2	0.02	28	1090	14	0.08	2	2	52	<20
CC28876		1	0.07	10	0.21	45	1	0.02	23	1050	15	0.07	2	1	37	<20
CC28877		<1	0.09	20	0.45	358	4	0.01	33	1200	31	0.03	6	2	40	<20
CC28878		<1	0.07	10	0.24	163	4	0.01	17	1460	13	0.04	3	1	30	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28831		0.02	<10	<10	33	<10	115
CC28832		0.02	<10	<10	49	<10	243
CC28833		0.01	<10	<10	37	<10	150
CC28834		0.01	<10	<10	29	<10	175
CC28835		0.01	<10	<10	28	<10	79
CC28836		0.01	<10	<10	38	<10	135
CC28837		0.01	<10	<10	21	<10	67
CC28838		<0.01	<10	<10	49	<10	110
CC28839		0.01	<10	<10	71	<10	348
CC28840		<0.01	<10	<10	121	<10	56
CC28841		0.01	<10	<10	65	<10	104
CC28842		<0.01	10	<10	36	<10	395
CC28847		0.02	<10	<10	7	<10	10
CC28848		0.02	<10	10	35	<10	191
CC28849		0.01	<10	<10	41	<10	137
CC28850		0.01	<10	<10	30	<10	63
CC28851		0.01	<10	<10	53	<10	48
CC28852		0.02	<10	<10	45	<10	138
CC28854		0.02	<10	<10	51	<10	153
CC28855		0.01	<10	<10	49	<10	188
CC28856		0.01	<10	<10	31	<10	167
CC28857		0.01	<10	<10	38	<10	106
CC28858		0.01	<10	<10	29	<10	109
CC28859		0.02	<10	<10	63	<10	55
CC28860		0.02	<10	<10	31	<10	113
CC28861							
CC28862		0.01	<10	<10	29	<10	132
CC28865		<0.01	<10	<10	77	<10	210
CC28866		<0.01	<10	<10	109	<10	219
CC28867		0.01	<10	<10	131	<10	336
CC28868		<0.01	<10	<10	103	<10	417
CC28869		0.01	<10	<10	60	<10	163
CC28870		0.01	<10	<10	36	<10	115
CC28871		0.01	<10	<10	42	<10	180
CC28872		0.01	<10	<10	64	<10	199
CC28874		0.01	<10	10	45	<10	147
CC28875		0.01	<10	<10	40	<10	134
CC28876		0.01	<10	<10	48	<10	105
CC28877		0.02	<10	<10	51	<10	214
CC28878		0.01	<10	<10	50	<10	148

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28879		0.26	0.4	0.54	77	<10	200	0.6	<2	0.46	3.7	9	13	55	2.78	<10
CC28880		0.28	1.2	0.53	73	<10	270	1.0	<2	3.39	1.4	12	13	40	3.88	<10
CC28881		0.24	0.3	0.49	43	<10	60	<0.5	<2	0.07	0.8	6	9	31	2.44	<10
CC28882		0.40	0.6	0.30	32	<10	320	0.5	<2	2.62	1.1	6	6	39	2.10	<10
CC28883		0.36	1.2	0.47	19	<10	210	0.8	<2	0.46	2.3	11	4	77	2.51	<10
CC28884		0.22	0.6	0.82	73	<10	110	0.7	<2	0.07	1.7	11	8	62	4.49	<10
CC28885		0.32	0.6	1.61	73	<10	410	0.7	<2	0.38	1.3	10	18	39	3.38	<10
CC28886		0.26	0.2	1.42	37	<10	510	0.6	<2	0.30	<0.5	8	19	19	2.59	<10
CC28887		0.28	<0.2	0.92	37	<10	150	<0.5	2	0.17	<0.5	5	8	9	1.75	<10
CC28888		0.22	<0.2	0.85	24	<10	40	<0.5	<2	0.03	<0.5	4	9	7	2.00	<10
CC28889		0.30	0.3	1.57	46	<10	190	0.5	<2	0.31	0.6	9	20	32	2.95	<10
CC28890		0.18	<0.2	2.25	258	<10	180	0.5	<2	0.04	0.6	9	23	11	3.77	10
CC28891		0.18	<0.2	0.47	46	<10	40	<0.5	<2	0.05	<0.5	3	4	4	0.96	<10
CC28893		0.30	0.2	1.45	20	<10	80	<0.5	2	0.04	<0.5	5	22	11	3.33	10
CC28894		0.42	0.2	3.38	35	<10	40	2.0	<2	0.27	1.6	22	41	53	7.27	10
CC28895		0.24	0.4	1.94	45	<10	370	1.3	<2	0.39	2.0	47	28	112	3.92	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28879		<1	0.08	20	0.16	508	15	<0.01	70	2510	35	0.02	9	3	34	<20
CC28880		<1	0.04	10	1.89	580	25	0.01	100	800	26	0.04	10	5	82	<20
CC28881		<1	0.03	20	0.09	179	43	<0.01	59	600	28	0.01	14	2	6	<20
CC28882		1	0.03	10	1.41	316	41	0.01	86	840	23	0.02	13	3	93	<20
CC28883		1	0.06	30	0.08	338	6	<0.01	40	1490	14	0.02	6	3	21	<20
CC28884		1	0.04	30	0.17	211	7	<0.01	46	710	33	0.01	7	2	8	<20
CC28885		1	0.05	30	0.69	306	1	0.01	31	660	21	0.01	<2	5	22	<20
CC28886		<1	0.04	20	0.60	271	<1	<0.01	26	690	16	0.01	3	3	19	<20
CC28887		<1	0.03	10	0.31	200	<1	0.01	9	320	8	0.01	<2	1	11	<20
CC28888		<1	0.03	10	0.29	128	<1	0.01	11	380	8	0.01	<2	1	4	<20
CC28889		<1	0.04	30	0.98	273	<1	<0.01	37	910	10	0.01	<2	3	19	<20
CC28890		1	0.03	20	0.92	382	<1	<0.01	25	280	19	0.01	<2	2	7	<20
CC28891		<1	0.02	<10	0.17	70	<1	0.01	5	210	21	0.01	<2	<1	8	<20
CC28893		<1	0.04	20	0.51	313	<1	<0.01	19	460	16	0.01	<2	2	6	<20
CC28894		<1	0.05	70	1.07	1100	<1	<0.01	45	860	13	0.01	<2	7	13	20
CC28895		<1	0.18	80	0.63	1120	2	0.01	83	1260	49	0.02	4	5	32	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28879		<0.01	<10	<10	106	<10	575
CC28880		<0.01	<10	<10	182	<10	371
CC28881		<0.01	<10	<10	126	<10	375
CC28882		<0.01	<10	<10	120	<10	339
CC28883		<0.01	<10	<10	29	<10	192
CC28884		<0.01	<10	<10	36	<10	180
CC28885		0.01	<10	<10	41	<10	152
CC28886		0.01	<10	<10	33	<10	90
CC28887		0.01	<10	<10	22	<10	40
CC28888		0.01	<10	<10	28	<10	49
CC28889		0.01	<10	<10	27	<10	162
CC28890		0.01	<10	<10	38	<10	93
CC28891		0.01	<10	<10	14	<10	29
CC28893		0.02	<10	<10	37	<10	70
CC28894		<0.01	<10	<10	42	<10	461
CC28895		0.05	<10	<10	56	<10	355

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 10-OCT-2007
Account: MTT

CERTIFICATE VA07094101

Project: TIDD

P.O. No.:

This report is for 128 Soil samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28672		0.28	0.5	1.09	28	<10	310	0.5	<2	0.22	0.7	8	16	32	2.14	<10
CC28673		0.36	0.7	1.46	41	<10	110	0.6	<2	0.07	0.9	8	17	26	2.79	<10
CC28674		0.30	0.5	1.25	48	<10	120	0.5	2	0.08	<0.5	7	18	19	2.93	<10
CC28675		0.32	0.4	1.20	45	<10	160	0.5	2	0.20	0.8	10	16	42	2.94	<10
CC28676		0.30	0.4	1.60	57	<10	380	0.8	3	0.26	0.6	9	20	36	2.91	<10
CC28677		0.28	0.8	1.99	460	<10	170	1.0	2	0.21	1.2	15	23	30	5.59	<10
CC28678		0.26	0.3	1.73	84	<10	240	0.8	<2	0.18	0.7	11	21	22	3.24	<10
CC28679		0.34	0.5	1.97	76	<10	390	0.8	<2	0.18	1.3	13	25	49	3.70	<10
CC28680		0.34	0.4	1.51	52	<10	290	0.7	<2	0.27	0.5	14	21	54	3.00	<10
CC28681		0.22	0.2	1.40	72	<10	90	<0.5	<2	0.07	<0.5	13	29	33	3.51	<10
CC28682		0.24	<0.2	1.78	116	<10	110	0.6	3	0.29	<0.5	19	22	46	4.13	<10
CC28684		0.32	<0.2	1.46	33	<10	220	0.5	2	0.18	0.8	10	24	23	3.00	<10
CC28685		0.28	0.4	1.66	18	<10	370	0.5	<2	0.65	1.9	10	23	48	2.91	<10
CC28687		0.04	<0.2	1.62	42	<10	250	0.7	<2	0.29	0.7	11	21	32	4.28	<10
CC28688		0.26	0.2	2.02	69	<10	180	1.0	<2	0.28	<0.5	19	28	49	4.02	10
CC28689		0.28	0.2	1.66	31	<10	80	0.5	<2	0.12	<0.5	12	22	24	3.69	<10
CC28690		0.30	0.4	1.43	27	<10	110	<0.5	<2	0.06	<0.5	5	15	14	2.68	10
CC28691		0.28	0.2	1.67	39	<10	100	0.5	<2	0.09	0.5	9	19	21	3.56	<10
CC28692		0.26	<0.2	1.23	25	<10	150	<0.5	2	0.05	<0.5	5	14	14	2.72	10
CC28693		0.20	0.4	1.58	37	<10	100	0.7	3	0.13	0.9	14	18	48	3.65	<10
CC28694		0.24	0.4	1.47	30	<10	90	<0.5	2	0.03	<0.5	7	19	18	3.79	10
CC28695		0.16	1.4	0.92	12	<10	150	<0.5	<2	0.04	0.8	4	11	42	1.73	<10
CC28696		0.22	0.2	1.18	36	<10	70	<0.5	2	0.04	<0.5	4	14	14	2.76	<10
CC28697		0.20	1.2	0.98	17	<10	130	<0.5	<2	0.04	0.5	8	12	35	2.77	<10
CC28698		0.22	0.6	1.55	21	<10	170	0.6	<2	0.03	<0.5	3	15	28	3.18	10
CC28699		0.28	<0.2	1.37	18	<10	140	<0.5	<2	0.08	<0.5	4	20	13	2.59	10
CC28700		0.36	0.2	1.45	17	<10	190	<0.5	<2	0.17	<0.5	6	21	17	2.83	<10
CC28701		0.40	0.3	1.47	37	<10	210	0.5	<2	0.30	<0.5	8	20	36	3.02	<10
CC28704		0.22	0.3	1.13	114	<10	140	<0.5	<2	0.44	<0.5	9	15	27	2.32	<10
CC28705		0.24	0.3	1.69	99	<10	360	0.7	<2	0.36	<0.5	11	22	67	3.22	<10
CC28706		0.28	<0.2	1.32	69	<10	110	<0.5	<2	0.04	<0.5	4	17	13	3.47	10
CC28707		0.24	<0.2	2.41	95	<10	180	0.7	<2	0.22	<0.5	14	28	21	4.60	10
CC28708		0.26	0.6	1.74	132	<10	220	0.5	<2	0.26	<0.5	9	22	20	3.78	10
CC28709		0.24	0.8	1.50	84	<10	150	0.6	<2	2.71	<0.5	11	18	33	3.52	<10
CC28710		0.22	0.3	1.78	68	<10	300	1.0	<2	0.72	<0.5	17	20	48	4.41	<10
CC28711		0.24	0.4	0.54	7	<10	150	<0.5	<2	0.37	<0.5	<1	5	13	0.90	<10
CC28712		0.26	<0.2	0.96	36	<10	80	<0.5	<2	0.03	<0.5	2	14	14	3.11	<10
CC28713		0.28	0.6	1.52	29	<10	660	0.8	<2	0.54	<0.5	5	21	40	2.67	<10
CC28715		0.26	0.3	0.95	21	<10	340	0.5	<2	0.30	<0.5	9	15	33	2.29	<10
CC28716		0.26	0.9	1.17	57	<10	150	0.6	<2	0.11	<0.5	5	15	30	5.77	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28672		<1	0.06	20	0.31	295	3	0.01	23	1820	18	0.03	2	2	25	<20
CC28673		<1	0.03	20	0.57	217	7	<0.01	35	590	25	0.02	3	2	10	<20
CC28674		1	0.04	20	0.39	232	6	<0.01	25	850	24	0.02	2	2	11	<20
CC28675		<1	0.04	20	0.57	286	7	<0.01	42	1250	24	0.01	5	2	16	<20
CC28676		<1	0.04	20	0.58	315	2	0.01	29	1200	36	0.04	<2	3	23	<20
CC28677		<1	0.03	30	0.88	910	2	0.01	31	750	32	0.04	8	3	13	<20
CC28678		1	0.04	20	0.63	401	2	0.01	26	680	31	0.03	<2	2	16	<20
CC28679		1	0.07	20	0.69	652	2	0.01	31	1060	96	0.03	<2	3	18	<20
CC28680		<1	0.08	20	0.52	657	2	0.01	33	1390	35	0.03	<2	3	26	<20
CC28681		<1	0.04	10	0.59	1145	1	0.01	18	1380	22	0.06	3	1	8	<20
CC28682		1	0.03	20	1.00	1215	2	0.01	33	920	38	0.05	2	3	17	<20
CC28684		<1	0.06	20	0.65	299	1	<0.01	23	720	21	0.03	4	2	13	<20
CC28685		1	0.05	20	0.75	271	2	0.01	24	1250	21	0.06	<2	4	34	<20
CC28687		1	0.04	30	0.71	546	2	0.01	30	850	27	0.03	3	3	18	<20
CC28688		<1	0.05	50	0.95	624	1	0.01	34	690	26	0.01	<2	3	17	<20
CC28689		<1	0.04	20	0.54	558	1	<0.01	22	1100	31	0.01	2	2	10	<20
CC28690		<1	0.04	20	0.25	319	1	0.01	11	1220	27	0.02	<2	1	7	<20
CC28691		<1	0.04	20	0.42	410	1	0.01	22	880	34	0.02	<2	2	8	<20
CC28692		<1	0.03	20	0.30	230	1	0.01	10	440	22	0.02	<2	2	8	<20
CC28693		<1	0.04	30	0.46	546	1	<0.01	26	990	34	0.04	<2	3	12	<20
CC28694		<1	0.03	20	0.34	337	1	<0.01	14	670	38	0.04	<2	2	7	<20
CC28695		1	0.03	10	0.12	178	1	0.01	11	1430	27	0.07	<2	<1	7	<20
CC28696		<1	0.03	20	0.28	252	1	0.01	10	810	58	0.03	<2	1	6	<20
CC28697		<1	0.03	10	0.09	1410	2	<0.01	9	2230	49	0.07	3	<1	7	<20
CC28698		1	0.03	20	0.13	264	2	<0.01	12	970	57	0.02	4	1	5	<20
CC28699		<1	0.03	20	0.50	316	1	<0.01	17	810	20	0.01	4	1	6	<20
CC28700		<1	0.03	20	0.63	257	1	<0.01	20	830	16	<0.01	<2	2	14	<20
CC28701		<1	0.04	20	0.76	533	2	<0.01	27	880	27	<0.01	2	3	20	<20
CC28704		<1	0.03	10	0.59	533	1	0.01	18	1060	14	0.04	3	3	25	<20
CC28705		<1	0.03	30	0.62	654	1	<0.01	25	1040	18	<0.01	2	4	26	<20
CC28706		1	0.05	20	0.38	221	2	<0.01	14	480	21	<0.01	<2	2	6	<20
CC28707		<1	0.03	20	1.01	651	1	<0.01	27	520	42	<0.01	3	3	14	<20
CC28708		<1	0.03	20	0.75	410	2	<0.01	19	900	64	0.01	4	3	14	<20
CC28709		<1	0.03	20	0.90	409	1	<0.01	29	630	35	<0.01	4	5	68	<20
CC28710		<1	0.04	40	1.08	776	2	<0.01	37	810	17	0.03	6	6	20	<20
CC28711		<1	0.03	10	0.13	58	2	0.01	8	700	6	<0.01	<2	<1	15	<20
CC28712		<1	0.04	20	0.19	148	6	<0.01	18	910	18	<0.01	5	1	8	<20
CC28713		<1	0.12	20	0.47	328	3	<0.01	27	1260	24	0.01	5	4	36	<20
CC28715		<1	0.06	20	0.38	442	3	<0.01	26	1140	24	<0.01	3	3	26	<20
CC28716		<1	0.03	10	0.21	530	5	<0.01	23	2680	29	<0.01	8	2	13	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28672		0.01	<10	<10	47	<10	141
CC28673		0.01	<10	<10	47	<10	167
CC28674		0.01	<10	<10	59	<10	129
CC28675		0.01	<10	<10	50	<10	222
CC28676		0.01	<10	<10	36	<10	154
CC28677		<0.01	<10	<10	34	<10	150
CC28678		0.01	<10	<10	43	<10	172
CC28679		0.01	<10	<10	54	<10	176
CC28680		0.02	<10	<10	55	<10	188
CC28681		0.01	<10	<10	60	<10	97
CC28682		0.01	<10	<10	35	<10	221
CC28684		0.02	<10	<10	35	<10	147
CC28685		0.04	<10	<10	33	<10	195
CC28687		0.01	<10	<10	26	<10	152
CC28688		0.02	<10	<10	27	<10	136
CC28689		0.02	<10	<10	37	<10	108
CC28690		0.02	<10	<10	40	<10	83
CC28691		0.02	<10	<10	38	<10	124
CC28692		0.02	<10	<10	36	<10	66
CC28693		0.02	<10	<10	35	<10	168
CC28694		0.02	<10	<10	43	<10	97
CC28695		0.01	<10	<10	25	<10	38
CC28696		0.01	<10	<10	30	<10	65
CC28697		0.01	<10	<10	33	<10	64
CC28698		0.01	<10	<10	46	<10	85
CC28699		0.02	<10	<10	30	<10	87
CC28700		0.02	<10	<10	32	<10	112
CC28701		0.02	<10	<10	29	<10	143
CC28704		0.01	<10	<10	30	<10	71
CC28705		0.01	<10	<10	41	<10	98
CC28706		0.01	<10	<10	55	<10	72
CC28707		0.01	<10	<10	49	<10	144
CC28708		0.01	<10	<10	49	<10	146
CC28709		0.01	<10	<10	20	<10	162
CC28710		<0.01	<10	<10	27	<10	82
CC28711		0.01	<10	<10	19	<10	49
CC28712		0.01	<10	<10	63	<10	103
CC28713		0.01	<10	<10	57	<10	164
CC28715		0.02	<10	<10	35	<10	120
CC28716		0.01	<10	<10	43	<10	209

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28717		0.22	0.6	1.21	18	<10	750	0.7	<2	0.76	<0.5	5	15	58	2.25	<10
CC28718		0.28	0.2	1.15	46	<10	260	0.6	<2	0.24	0.8	13	22	47	4.27	<10
CC28719		0.24	0.7	1.74	128	<10	140	0.8	<2	0.27	<0.5	18	19	70	4.14	<10
CC28720		0.02	<0.2	1.37	618	<10	110	<0.5	<2	0.29	<0.5	13	17	34	3.71	<10
CC28721		0.24	0.7	2.22	410	<10	350	0.7	<2	0.24	<0.5	15	29	40	4.92	10
CC28722		0.32	<0.2	1.67	192	<10	140	0.5	<2	0.11	<0.5	12	19	37	3.96	<10
CC28723		0.28	0.5	1.39	68	<10	270	0.6	<2	0.84	<0.5	14	20	128	2.94	<10
CC28724		0.34	0.3	1.33	63	<10	310	0.5	<2	0.46	<0.5	7	20	33	2.69	<10
CC28725		0.24	<0.2	1.75	193	<10	150	0.6	<2	0.32	<0.5	6	21	26	3.28	<10
CC28726		0.32	0.3	3.15	61	<10	110	1.6	<2	0.53	<0.5	19	37	52	4.75	10
CC28728		0.36	0.3	1.38	19	<10	260	0.6	<2	0.22	0.5	8	18	48	2.49	<10
CC28729		0.26	0.3	1.60	41	<10	90	0.5	<2	0.09	<0.5	12	22	23	3.60	<10
CC28730		0.34	0.2	1.72	26	<10	450	0.7	<2	0.08	<0.5	8	22	54	3.30	<10
CC28731		0.30	0.3	1.27	25	<10	320	0.6	<2	0.27	<0.5	5	15	31	2.70	<10
CC28732		0.20	0.2	1.23	29	<10	150	<0.5	<2	0.05	<0.5	4	17	14	3.32	10
CC28733		0.18	0.4	1.81	47	<10	100	0.6	<2	0.05	<0.5	10	21	22	4.27	<10
CC28734		0.26	0.3	1.46	47	<10	60	0.7	<2	0.03	<0.5	14	17	32	4.42	<10
CC28735		0.26	0.5	1.54	96	<10	110	0.8	<2	0.06	<0.5	12	19	43	4.64	<10
CC28736		0.34	0.4	1.77	21	<10	210	0.7	<2	0.10	0.7	12	22	40	3.20	<10
CC28737		0.32	0.5	1.42	19	<10	530	0.7	<2	1.11	1.8	10	23	75	2.42	<10
CC28738		0.26	0.4	1.41	23	<10	480	0.7	<2	0.19	0.7	13	20	53	2.60	<10
CC28739		0.26	0.2	1.86	85	<10	130	0.8	<2	0.20	0.9	22	23	22	3.93	<10
CC28740		0.24	0.3	1.77	100	<10	210	0.8	<2	0.35	<0.5	10	20	22	3.79	<10
CC28741		0.24	<0.2	1.09	240	<10	100	<0.5	<2	0.20	<0.5	12	19	29	3.38	<10
CC28742		0.30	<0.2	1.44	23	<10	220	0.6	<2	0.13	0.5	10	17	26	2.53	<10
CC28743		0.22	0.2	1.48	126	<10	470	0.5	<2	0.85	1.0	10	18	30	2.72	<10
CC28744		0.24	<0.2	1.30	25	<10	310	0.6	<2	0.17	<0.5	10	18	30	2.44	<10
CC28745		0.24	<0.2	1.62	67	<10	130	0.5	<2	0.09	<0.5	9	17	21	3.30	<10
CC28746		0.26	0.3	1.73	69	<10	150	0.5	<2	0.22	<0.5	12	19	31	3.40	<10
CC28747		0.28	0.2	1.48	58	<10	200	0.7	<2	0.27	0.7	13	17	39	2.82	<10
CC28748		0.28	0.7	1.71	52	<10	240	0.8	<2	0.82	0.6	14	20	53	3.41	<10
CC28749		0.30	<0.2	1.08	55	<10	130	0.5	<2	0.17	0.7	10	14	36	3.26	<10
CC28750		0.34	<0.2	0.80	48	<10	150	<0.5	<2	0.09	0.5	7	12	23	3.29	<10
CC28751		0.28	0.6	0.87	40	<10	150	0.6	<2	0.12	1.3	8	11	32	4.77	<10
CC28753		0.28	0.4	1.40	34	<10	530	0.7	<2	0.44	2.2	11	21	41	2.75	<10
CC28754		0.12	0.4	0.89	37	<10	360	0.5	<2	0.56	2.2	9	14	36	1.96	<10
CC28755		0.20	0.4	1.46	36	<10	440	0.7	<2	0.39	0.7	11	22	37	2.80	<10
CC28757		0.28	2.1	0.26	50	<10	120	0.8	<2	1.68	2.2	11	7	79	2.75	<10
CC28758		0.30	1.0	0.80	47	<10	170	0.7	<2	0.34	2.6	12	13	63	3.07	<10
CC28759		0.32	0.2	1.33	37	<10	210	<0.5	<2	0.24	0.5	6	15	19	2.94	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28717		<1	0.03	20	0.30	285	3	<0.01	20	820	18	0.01	3	3	24	<20
CC28718		<1	0.04	20	0.46	651	4	<0.01	45	1120	33	<0.01	7	4	21	<20
CC28719		<1	0.04	30	1.24	579	3	<0.01	40	1010	47	0.01	5	6	17	<20
CC28720		<1	0.03	20	0.75	589	2	<0.01	28	1080	31	<0.01	6	2	17	<20
CC28721		<1	0.03	30	1.07	671	2	<0.01	34	540	179	<0.01	7	5	16	<20
CC28722		<1	0.04	20	0.72	473	1	<0.01	25	700	34	<0.01	4	2	9	<20
CC28723		<1	0.04	20	0.74	632	1	<0.01	33	1190	16	0.01	5	6	43	<20
CC28724		<1	0.05	30	0.73	340	1	<0.01	29	1270	16	<0.01	4	4	26	<20
CC28725		<1	0.03	20	0.92	286	1	<0.01	27	880	15	<0.01	3	3	16	<20
CC28726		<1	0.05	60	2.72	895	1	<0.01	44	720	12	0.01	2	8	22	<20
CC28728		<1	0.08	20	0.43	486	2	<0.01	26	920	21	<0.01	3	3	20	<20
CC28729		<1	0.03	20	0.59	511	1	<0.01	25	830	51	0.01	3	2	7	<20
CC28730		<1	0.04	30	0.56	428	1	<0.01	26	500	33	<0.01	4	3	11	<20
CC28731		1	0.04	20	0.37	281	1	<0.01	20	940	25	0.03	2	2	15	<20
CC28732		<1	0.04	20	0.28	299	2	<0.01	13	740	35	<0.01	3	1	8	<20
CC28733		<1	0.04	20	0.45	470	1	<0.01	22	580	51	<0.01	2	3	6	<20
CC28734		<1	0.04	30	0.41	624	1	<0.01	27	420	60	<0.01	3	2	6	<20
CC28735		<1	0.04	20	0.36	887	1	<0.01	24	920	282	<0.01	3	2	6	<20
CC28736		<1	0.04	20	0.56	505	1	<0.01	28	640	39	<0.01	3	3	8	<20
CC28737		<1	0.07	20	0.49	357	3	0.02	29	980	30	0.14	<2	3	52	<20
CC28738		<1	0.08	30	0.40	530	2	0.01	31	730	30	0.01	<2	3	20	<20
CC28739		<1	0.04	40	1.23	1545	1	0.01	35	1100	27	0.03	<2	2	12	<20
CC28740		<1	0.03	20	0.72	692	1	0.01	26	930	20	0.03	<2	3	24	<20
CC28741		<1	0.04	20	0.46	524	3	0.01	20	680	38	0.02	3	2	14	<20
CC28742		<1	0.07	20	0.33	358	1	0.01	22	710	20	0.01	<2	2	14	<20
CC28743		<1	0.04	20	0.74	931	1	0.02	23	1220	14	0.07	2	2	42	<20
CC28744		<1	0.06	20	0.40	344	1	0.01	24	750	19	0.01	<2	2	17	<20
CC28745		<1	0.03	20	0.66	268	1	0.01	26	680	17	0.02	2	2	9	<20
CC28746		<1	0.03	20	0.85	330	1	0.01	34	510	16	0.01	2	3	14	<20
CC28747		<1	0.04	30	0.77	616	2	0.01	38	980	19	0.01	3	4	19	<20
CC28748		<1	0.06	30	1.03	357	2	0.01	41	930	18	0.02	2	5	30	<20
CC28749		<1	0.04	20	0.39	299	7	0.01	35	780	27	0.02	3	2	14	<20
CC28750		<1	0.05	10	0.21	445	6	0.01	28	1640	25	0.02	4	2	14	<20
CC28751		<1	0.04	10	0.21	585	5	0.01	32	1650	23	0.03	3	2	18	<20
CC28753		<1	0.11	20	0.46	558	3	0.01	31	1090	23	0.03	2	4	34	<20
CC28754		<1	0.07	20	0.35	227	4	0.01	36	1310	21	0.03	4	3	43	<20
CC28755		<1	0.10	30	0.48	358	3	0.01	32	1150	19	0.02	3	3	30	<20
CC28757		<1	0.04	20	0.75	227	63	0.01	118	800	38	0.04	15	5	50	<20
CC28758		<1	0.05	20	0.42	328	10	0.01	59	1400	25	0.02	6	5	26	<20
CC28759		<1	0.04	20	0.47	188	5	0.01	23	340	13	0.01	<2	2	13	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28717		<0.01	<10	<10	38	<10	67
CC28718		0.01	<10	<10	44	<10	202
CC28719		0.01	<10	<10	27	<10	220
CC28720		0.01	<10	<10	28	<10	138
CC28721		0.01	<10	<10	46	<10	241
CC28722		0.01	<10	<10	37	<10	126
CC28723		0.01	<10	<10	37	<10	129
CC28724		0.02	<10	<10	33	<10	144
CC28725		0.01	<10	<10	30	<10	112
CC28726		<0.01	<10	<10	37	<10	65
CC28728		0.02	<10	<10	41	<10	133
CC28729		0.02	<10	<10	29	<10	126
CC28730		0.01	<10	<10	34	<10	118
CC28731		0.01	<10	<10	25	<10	91
CC28732		0.02	<10	<10	43	<10	84
CC28733		0.01	<10	<10	35	<10	111
CC28734		0.01	<10	<10	24	<10	142
CC28735		0.01	<10	<10	36	<10	214
CC28736		0.01	<10	<10	37	<10	120
CC28737		0.02	<10	<10	29	<10	133
CC28738		0.02	<10	<10	42	<10	138
CC28739		0.01	<10	<10	22	<10	145
CC28740		0.01	<10	<10	37	<10	95
CC28741		0.01	<10	<10	39	<10	112
CC28742		0.01	<10	<10	37	<10	87
CC28743		0.01	<10	10	28	<10	109
CC28744		0.01	<10	<10	36	<10	97
CC28745		0.01	<10	<10	27	<10	91
CC28746		0.01	<10	<10	28	<10	116
CC28747		0.01	<10	<10	32	<10	139
CC28748		0.01	<10	<10	30	<10	147
CC28749		<0.01	<10	<10	52	<10	203
CC28750		0.01	<10	<10	46	<10	164
CC28751		0.01	<10	<10	32	<10	214
CC28753		0.01	<10	<10	47	<10	176
CC28754		0.01	<10	<10	45	<10	259
CC28755		0.02	<10	<10	44	<10	155
CC28757		<0.01	<10	<10	94	<10	260
CC28758		<0.01	<10	<10	47	<10	275
CC28759		<0.01	<10	<10	45	<10	108

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28760		0.26	0.3	1.47	92	<10	150	0.6	<2	0.33	1.5	14	17	49	3.89	<10
CC28761		0.30	<0.2	2.09	56	<10	300	0.6	<2	0.27	<0.5	8	23	27	3.12	10
CC28762		0.24	0.2	1.69	104	<10	110	0.6	<2	0.13	<0.5	15	19	35	3.25	<10
CC28764		0.26	<0.2	1.19	27	<10	280	<0.5	<2	0.35	<0.5	7	17	28	2.23	<10
CC28765		0.34	<0.2	1.19	28	<10	240	<0.5	<2	0.29	<0.5	9	17	28	2.33	<10
CC28766		0.30	<0.2	1.24	28	<10	130	<0.5	<2	0.13	<0.5	8	16	23	2.34	<10
CC28767		0.18	0.3	0.46	4	<10	120	<0.5	<2	0.10	<0.5	1	4	11	0.40	<10
CC28768		0.24	0.2	1.74	75	<10	150	0.9	<2	0.35	<0.5	12	17	30	3.10	<10
CC28769		0.16	0.4	0.97	62	<10	90	1.1	<2	0.27	<0.5	16	15	28	3.91	<10
CC28770		0.24	<0.2	2.01	43	<10	120	0.6	<2	0.04	0.6	8	23	20	3.43	<10
CC28773		0.18	0.2	1.64	31	<10	130	0.6	<2	0.03	1.0	6	18	33	3.09	10
CC28774		0.36	0.3	1.71	28	<10	120	0.7	<2	0.07	0.6	12	24	39	3.20	<10
CC28775		0.30	<0.2	0.91	22	<10	160	<0.5	<2	0.08	<0.5	5	10	17	1.50	<10
CC28777		0.28	<0.2	1.68	47	<10	130	0.8	<2	0.10	0.6	11	22	22	3.26	<10
CC28778		0.26	0.5	1.47	81	<10	200	0.7	<2	0.58	<0.5	9	23	42	2.79	<10
CC28779		0.28	<0.2	1.48	39	<10	190	0.5	<2	0.15	<0.5	11	19	38	3.27	<10
CC28780		0.26	<0.2	1.28	41	<10	90	<0.5	<2	0.10	<0.5	9	19	16	3.99	<10
CC28781		0.26	<0.2	1.35	30	<10	80	<0.5	<2	0.06	<0.5	6	18	13	3.30	<10
CC28782		0.26	<0.2	1.39	23	<10	110	<0.5	<2	0.05	<0.5	5	18	12	3.03	10
CC28783		0.34	<0.2	1.15	34	<10	420	<0.5	<2	0.35	<0.5	7	18	26	2.37	<10
CC28784		0.40	<0.2	1.18	33	<10	330	0.5	<2	0.40	<0.5	11	16	30	2.35	<10
CC28785		0.22	0.2	0.83	17	<10	160	<0.5	<2	0.13	<0.5	3	7	12	1.10	<10
CC28786		0.24	<0.2	1.29	32	<10	130	<0.5	<2	0.07	<0.5	6	15	17	2.98	<10
CC28787		0.28	0.6	1.12	26	<10	270	0.5	2	0.29	1.0	7	13	37	2.73	<10
CC28788		0.24	<0.2	1.06	25	<10	120	<0.5	<2	0.03	<0.5	3	12	12	2.27	<10
CC28789		0.26	<0.2	0.80	21	<10	100	<0.5	<2	0.03	<0.5	3	9	14	1.76	<10
CC28790		0.28	2.6	0.32	52	<10	140	0.7	<2	1.06	1.1	14	7	124	3.26	<10
CC28791		0.38	0.4	1.35	37	<10	380	0.7	2	0.40	0.7	10	19	41	3.19	<10
CC28792		0.46	0.2	1.72	28	<10	410	0.8	3	0.38	0.6	12	23	50	3.52	10
CC28793		0.26	0.5	0.93	29	<10	250	<0.5	2	0.11	1.6	5	10	33	1.72	<10
CC28794		0.42	<0.2	0.69	40	<10	230	<0.5	2	0.32	0.6	7	11	28	1.85	<10
CC28795		0.28	0.8	0.66	27	<10	240	<0.5	<2	0.25	1.7	4	8	29	1.26	<10
CC28796		0.28	<0.2	1.17	20	<10	400	0.5	<2	0.51	<0.5	9	13	30	2.06	<10
CC28798		0.34	1.8	0.24	36	<10	100	0.5	<2	1.11	0.7	10	5	67	2.36	<10
CC28799		0.26	0.2	1.37	11	<10	140	<0.5	<2	0.36	0.5	8	14	27	2.41	<10
CC28800		0.18	0.7	0.83	44	<10	120	0.7	2	0.32	2.8	12	10	76	3.63	<10
CC28801		0.30	0.3	1.33	55	<10	130	0.6	<2	0.14	0.9	12	14	52	3.78	<10
CC28802		0.28	1.3	1.55	103	<10	200	1.0	2	0.26	1.6	19	18	164	5.74	<10
CC28803		0.34	0.3	1.52	35	<10	240	0.5	2	0.24	<0.5	10	19	27	2.89	<10
CC28804		0.40	<0.2	1.31	45	<10	260	0.6	<2	0.25	<0.5	11	17	36	2.95	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28760		<1	0.04	30	0.84	535	4	0.01	46	960	22	0.02	3	3	19	<20
CC28761		<1	0.04	30	0.98	186	1	0.02	33	270	13	0.02	<2	3	15	<20
CC28762		<1	0.03	30	0.81	377	1	0.01	37	650	15	0.01	<2	3	11	<20
CC28764		<1	0.05	20	0.54	241	1	0.01	25	1010	15	0.01	<2	2	24	<20
CC28765		<1	0.04	20	0.54	327	1	0.01	25	920	16	0.01	<2	2	21	<20
CC28766		<1	0.04	20	0.42	258	2	0.01	20	540	16	0.01	<2	2	13	<20
CC28767		<1	0.03	10	0.03	29	1	0.03	2	360	3	0.02	<2	<1	12	<20
CC28768		1	0.04	30	0.73	761	1	0.02	30	950	27	0.03	2	3	17	<20
CC28769		<1	0.04	80	0.29	986	1	0.01	32	670	26	0.05	<2	4	17	<20
CC28770		<1	0.04	20	0.53	390	1	0.01	23	710	35	0.04	<2	2	6	<20
CC28773		<1	0.04	20	0.19	324	2	0.01	10	970	50	0.05	2	1	6	<20
CC28774		<1	0.04	30	0.60	435	1	0.01	28	540	41	0.02	<2	2	7	<20
CC28775		<1	0.03	10	0.18	252	1	0.02	10	620	18	0.03	<2	1	9	<20
CC28777		<1	0.04	20	0.59	784	1	0.01	28	770	27	0.03	<2	3	10	<20
CC28778		<1	0.04	20	0.77	458	2	0.01	28	710	18	0.05	<2	2	27	<20
CC28779		<1	0.03	20	0.79	373	1	0.01	28	780	18	0.01	<2	3	11	<20
CC28780		1	0.04	20	0.43	574	2	0.01	17	1360	32	0.01	2	2	11	<20
CC28781		1	0.03	20	0.54	239	1	0.01	19	700	18	0.01	2	2	7	<20
CC28782		<1	0.04	20	0.42	207	2	0.01	16	570	31	0.01	2	2	7	<20
CC28783		<1	0.04	20	0.51	234	1	0.01	25	900	14	0.01	2	3	21	<20
CC28784		<1	0.04	20	0.54	301	1	0.01	29	930	15	0.01	<2	3	22	<20
CC28785		<1	0.02	10	0.20	76	<1	0.02	8	450	7	0.01	<2	1	15	<20
CC28786		<1	0.03	20	0.47	411	3	0.01	15	510	12	0.01	2	1	7	<20
CC28787		1	0.04	20	0.54	160	4	0.01	32	1020	18	0.01	3	3	15	<20
CC28788		<1	0.03	20	0.25	123	4	0.01	12	570	14	0.01	<2	1	5	<20
CC28789		<1	0.02	10	0.12	114	5	0.01	14	570	12	0.01	2	1	6	<20
CC28790		<1	0.03	20	0.38	478	71	0.01	114	700	42	0.04	16	3	30	<20
CC28791		1	0.10	20	0.50	370	6	0.01	38	1200	21	0.02	3	3	28	<20
CC28792		<1	0.16	30	0.65	474	2	0.01	34	1000	19	0.02	2	4	26	<20
CC28793		1	0.06	10	0.19	175	3	0.02	21	790	53	0.02	3	2	15	<20
CC28794		<1	0.04	20	0.27	235	3	0.01	28	1240	23	0.02	4	2	33	<20
CC28795		<1	0.05	10	0.17	151	2	0.02	19	630	13	0.02	<2	1	20	<20
CC28796		<1	0.08	20	0.38	615	2	0.02	23	880	13	0.03	<2	2	29	<20
CC28798		<1	0.02	20	0.51	224	41	0.01	90	650	29	0.03	13	5	34	<20
CC28799		1	0.03	20	0.82	120	2	0.02	25	540	9	0.04	2	3	17	<20
CC28800		<1	0.04	30	0.39	346	9	0.01	52	1490	22	0.03	7	4	18	<20
CC28801		<1	0.04	20	0.62	275	5	0.01	42	890	17	0.02	6	2	12	<20
CC28802		<1	0.04	30	0.92	484	6	0.01	73	1130	34	0.03	9	5	17	<20
CC28803		1	0.05	20	0.61	304	1	0.01	24	690	20	0.02	2	2	17	<20
CC28804		<1	0.04	30	0.71	357	1	0.01	38	1130	18	0.01	3	3	18	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28760		0.01	<10	<10	30	<10	221
CC28761		0.01	<10	<10	31	<10	115
CC28762		0.01	<10	<10	24	<10	126
CC28764		0.01	<10	<10	29	<10	126
CC28765		0.01	<10	<10	29	<10	116
CC28766		0.01	<10	<10	37	<10	75
CC28767		0.01	<10	<10	10	<10	9
CC28768		0.01	<10	<10	21	<10	107
CC28769		0.01	<10	<10	15	<10	134
CC28770		0.02	<10	<10	36	<10	117
CC28773		0.01	<10	<10	39	<10	86
CC28774		0.02	<10	<10	29	<10	142
CC28775		0.02	<10	<10	17	<10	71
CC28777		0.01	<10	<10	30	<10	102
CC28778		0.01	<10	<10	33	<10	109
CC28779		0.01	<10	<10	27	<10	109
CC28780		0.02	<10	<10	42	<10	91
CC28781		0.01	<10	<10	35	<10	89
CC28782		0.01	<10	<10	51	<10	119
CC28783		0.02	<10	<10	31	<10	107
CC28784		0.01	<10	<10	30	<10	110
CC28785		0.01	<10	<10	18	<10	33
CC28786		0.01	<10	<10	39	<10	83
CC28787		<0.01	<10	<10	36	<10	207
CC28788		0.01	<10	<10	51	<10	67
CC28789		0.01	<10	<10	45	<10	91
CC28790		<0.01	<10	<10	148	<10	110
CC28791		0.01	<10	<10	48	<10	190
CC28792		0.02	<10	<10	42	<10	132
CC28793		0.01	<10	<10	35	<10	199
CC28794		0.01	<10	<10	34	<10	164
CC28795		0.01	<10	<10	21	<10	131
CC28796		0.01	<10	<10	28	<10	109
CC28798		<0.01	<10	<10	54	<10	100
CC28799		<0.01	<10	<10	15	<10	96
CC28800		<0.01	<10	<10	41	<10	275
CC28801		<0.01	<10	<10	45	<10	204
CC28802		<0.01	<10	<10	58	<10	207
CC28803		0.01	<10	<10	38	<10	100
CC28804		0.01	<10	<10	28	<10	138

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28805		0.32	<0.2	1.20	29	<10	190	<0.5	<2	0.12	<0.5	7	16	18	2.25	<10
CC28806		0.30	0.2	1.36	33	<10	130	<0.5	<2	0.13	<0.5	9	18	30	2.83	<10
CC28807		0.26	<0.2	1.30	30	<10	90	<0.5	<2	0.05	<0.5	6	18	15	3.13	<10
CC28808		0.32	<0.2	1.62	22	<10	280	0.5	2	0.16	<0.5	9	20	20	2.89	<10
CC28809		0.28	<0.2	1.57	38	<10	90	0.5	<2	0.05	<0.5	14	20	19	4.04	10
CC28810		0.36	<0.2	1.69	181	<10	220	0.7	<2	0.54	0.9	19	19	32	5.01	<10
CC28812		0.30	<0.2	1.70	42	<10	300	0.8	<2	0.07	0.7	15	25	52	3.49	<10
CC28813		0.36	<0.2	0.91	15	<10	490	<0.5	<2	0.25	0.7	8	14	31	1.96	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC28805		<1	0.04	20	0.38	237	1	0.01	20	690	16	0.01	<2	2	11	<20
CC28806		1	0.05	20	0.58	311	1	0.01	29	790	21	0.01	<2	2	11	<20
CC28807		<1	0.03	20	0.47	225	1	0.01	19	900	21	0.01	<2	2	6	<20
CC28808		<1	0.04	20	0.69	245	1	0.01	23	690	15	0.01	<2	2	13	<20
CC28809		<1	0.03	20	0.64	504	2	0.01	25	390	23	0.02	3	2	6	<20
CC28810		<1	0.04	30	1.13	1440	3	0.01	38	990	90	0.06	3	5	24	<20
CC28812		<1	0.04	30	0.77	618	1	0.01	35	360	45	0.01	2	3	8	<20
CC28813		<1	0.05	10	0.27	332	2	0.02	27	980	17	0.02	2	2	25	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28805		0.02	<10	<10	35	<10	81
CC28806		0.01	<10	<10	32	<10	135
CC28807		0.01	<10	<10	41	<10	88
CC28808		0.01	<10	<10	35	<10	83
CC28809		0.02	<10	<10	37	<10	82
CC28810		0.01	<10	<10	36	<10	292
CC28812		0.02	<10	<10	35	<10	158
CC28813		0.01	<10	<10	37	<10	113

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 12-OCT-2007
Account: MTT

CERTIFICATE VA07094100

Project: TIDD

P.O. No.:

This report is for 172 Soil samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28494		0.20	0.8	0.79	19	<10	60	<0.5	<2	0.04	<0.5	3	7	19	1.72	<10
CC28495		0.16	0.6	1.42	45	<10	90	<0.5	<2	0.10	0.9	8	19	51	4.42	<10
CC28496		0.24	1.4	0.84	29	<10	120	<0.5	<2	0.11	<0.5	4	9	30	1.90	<10
CC28497		0.28	1.4	1.89	99	<10	300	0.7	<2	0.14	0.9	8	20	72	3.08	<10
CC28498		0.26	<0.2	1.12	92	<10	100	<0.5	<2	0.19	0.5	11	15	30	2.81	<10
CC28499		0.24	0.2	1.24	93	<10	90	<0.5	<2	0.14	0.5	8	15	42	2.88	<10
CC28500		0.34	0.3	1.29	53	<10	150	0.7	<2	0.14	0.8	14	17	88	2.82	<10
CC28501		0.26	<0.2	1.26	43	<10	100	<0.5	<2	0.14	0.6	9	16	66	2.81	<10
CC28502		0.26	0.2	1.22	32	<10	320	0.6	<2	0.21	0.7	12	18	74	2.96	<10
CC28503		0.32	<0.2	1.25	28	<10	210	0.6	<2	0.18	<0.5	11	17	59	2.85	<10
CC28504		0.42	0.2	1.30	25	<10	130	<0.5	<2	0.14	0.5	6	16	46	2.38	<10
CC28505		0.36	0.4	1.49	23	<10	170	0.6	<2	0.16	0.6	7	22	57	2.58	<10
CC28506		0.24	<0.2	1.52	24	<10	210	0.6	<2	0.09	0.6	11	19	54	3.02	<10
CC28507		0.24	0.5	1.65	27	<10	150	0.7	<2	0.07	0.7	8	18	37	2.88	<10
CC28508		0.32	0.8	1.62	27	<10	490	0.6	<2	0.15	0.5	6	18	59	2.41	10
CC28509		0.34	0.3	1.14	19	<10	160	<0.5	<2	0.13	<0.5	6	14	43	2.21	<10
CC28510		0.36	0.2	1.18	24	<10	230	<0.5	<2	0.26	0.8	8	16	51	2.35	<10
CC28511		0.28	1.1	1.44	20	<10	450	0.8	2	0.45	0.8	9	16	75	2.22	<10
CC28512		0.34	0.2	1.02	14	<10	190	<0.5	<2	0.22	<0.5	6	14	33	1.97	<10
CC28513		0.24	0.4	0.69	8	<10	130	<0.5	<2	0.05	<0.5	3	6	30	1.11	<10
CC28514		0.24	0.7	0.44	8	<10	120	<0.5	<2	0.07	<0.5	3	6	14	0.80	<10
CC28515		0.20	0.4	1.19	23	<10	140	<0.5	<2	0.09	<0.5	6	16	26	2.43	<10
CC28516		0.30	1.0	1.26	18	<10	420	0.5	<2	0.39	0.5	5	14	53	1.78	<10
CC28517		0.32	0.5	0.95	16	<10	210	<0.5	<2	0.15	0.6	6	11	40	1.71	<10
CC28518		0.34	1.0	2.62	39	<10	900	1.0	2	0.31	0.6	12	27	90	4.29	10
CC28519		0.32	0.7	1.47	29	<10	440	0.5	<2	0.28	0.7	6	17	54	2.41	<10
CC28520		0.28	0.2	1.29	14	<10	110	<0.5	<2	0.05	<0.5	5	17	19	2.42	<10
CC28521		0.28	0.2	1.66	23	<10	120	0.5	<2	0.04	0.5	7	20	22	2.94	<10
CC28522		0.38	0.4	1.32	18	<10	160	0.5	<2	0.18	0.6	7	18	46	2.47	<10
CC28523		0.22	0.3	1.11	24	<10	270	0.5	<2	0.25	0.6	11	16	50	2.70	<10
CC28524		0.20	0.2	1.58	22	<10	180	0.5	<2	0.08	0.6	7	20	28	2.65	10
CC28525		0.30	<0.2	1.29	24	<10	210	0.5	<2	0.16	0.6	10	17	48	2.57	<10
CC28526		0.26	0.2	1.71	28	<10	130	0.5	<2	0.05	0.5	7	22	27	3.05	10
CC28527		0.38	0.4	0.80	12	<10	80	<0.5	<2	0.11	0.5	3	9	37	1.45	<10
CC28528		0.22	0.5	1.25	59	<10	110	<0.5	<2	0.18	<0.5	7	16	55	3.00	<10
CC28529		0.22	0.6	1.55	89	<10	310	0.7	<2	0.31	1.2	9	18	56	2.43	<10
CC28530		0.40	0.4	1.18	18	<10	260	<0.5	<2	0.26	0.7	8	16	29	2.19	<10
CC28531		0.30	0.5	1.88	60	<10	270	0.7	<2	0.16	0.6	12	22	50	4.20	10
CC28532		0.14	0.4	0.63	18	<10	60	<0.5	<2	0.03	<0.5	2	5	13	1.24	<10
CC28533		0.16	0.7	1.53	59	<10	180	0.5	<2	0.06	0.8	22	19	49	4.50	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28494		<1	0.03	10	0.08	91	1	0.01	5	470	85	0.02	2	1	8	<20
CC28495		<1	0.06	30	0.43	446	1	<0.01	22	840	47	0.02	3	2	9	<20
CC28496		1	0.04	10	0.14	202	1	0.01	8	850	22	0.03	<2	1	12	<20
CC28497		<1	0.09	20	0.33	354	1	0.01	19	1140	36	0.03	3	3	15	<20
CC28498		<1	0.04	20	0.38	525	1	<0.01	18	880	31	<0.01	<2	2	15	<20
CC28499		<1	0.04	20	0.35	415	1	<0.01	15	810	30	0.01	<2	2	12	<20
CC28500		<1	0.05	30	0.39	490	<1	<0.01	21	780	33	<0.01	2	2	11	<20
CC28501		<1	0.05	20	0.35	411	1	<0.01	18	800	28	<0.01	<2	2	11	<20
CC28502		1	0.06	30	0.42	498	1	<0.01	23	970	61	<0.01	2	3	17	<20
CC28503		1	0.06	30	0.39	454	1	<0.01	21	890	24	<0.01	<2	3	13	<20
CC28504		<1	0.06	20	0.33	302	<1	<0.01	15	750	21	<0.01	<2	2	12	<20
CC28505		1	0.07	20	0.38	319	1	<0.01	19	880	19	<0.01	<2	2	14	<20
CC28506		<1	0.07	30	0.41	403	<1	<0.01	23	570	22	<0.01	3	3	9	<20
CC28507		1	0.07	20	0.31	270	1	<0.01	18	620	22	<0.01	3	2	7	<20
CC28508		<1	0.11	20	0.23	276	1	0.01	15	1080	23	0.01	<2	1	16	<20
CC28509		1	0.06	20	0.25	202	1	<0.01	14	880	19	0.01	2	1	12	<20
CC28510		<1	0.05	20	0.37	349	<1	<0.01	15	1050	29	0.01	<2	2	21	<20
CC28511		1	0.09	20	0.27	319	1	0.01	18	850	24	0.02	<2	2	25	<20
CC28512		<1	0.04	20	0.33	246	1	<0.01	13	880	17	0.01	<2	2	17	<20
CC28513		<1	0.04	10	0.07	86	<1	0.01	4	570	9	0.01	<2	1	8	<20
CC28514		<1	0.03	10	0.07	87	<1	0.01	2	520	4	0.02	<2	1	8	<20
CC28515		<1	0.07	20	0.32	256	1	<0.01	14	520	13	0.01	<2	2	9	<20
CC28516		1	0.08	10	0.24	200	1	0.01	12	940	16	0.03	2	2	25	<20
CC28517		1	0.04	10	0.21	199	1	<0.01	13	560	20	<0.01	<2	1	12	<20
CC28518		1	0.17	20	0.41	415	2	0.01	30	1260	40	0.02	4	3	27	<20
CC28519		<1	0.09	20	0.35	238	1	0.01	18	1100	22	0.02	2	3	22	<20
CC28520		<1	0.05	20	0.29	210	1	<0.01	12	460	15	<0.01	2	2	7	<20
CC28521		<1	0.07	20	0.35	255	1	<0.01	16	430	19	<0.01	3	2	7	<20
CC28522		<1	0.06	20	0.40	298	1	<0.01	17	900	19	<0.01	2	2	15	<20
CC28523		1	0.05	30	0.40	448	1	<0.01	21	1020	22	<0.01	2	3	20	<20
CC28524		1	0.07	20	0.36	231	1	<0.01	16	520	18	<0.01	2	3	9	<20
CC28525		<1	0.05	30	0.40	352	1	<0.01	21	800	20	<0.01	<2	2	13	<20
CC28526		<1	0.06	20	0.39	245	1	<0.01	17	520	22	<0.01	<2	2	6	<20
CC28527		1	0.03	10	0.19	161	<1	0.01	9	680	13	<0.01	<2	1	10	<20
CC28528		<1	0.05	20	0.36	378	<1	<0.01	20	990	30	0.01	2	2	16	<20
CC28529		<1	0.07	20	0.37	418	1	0.01	17	910	23	0.02	3	2	23	<20
CC28530		<1	0.06	20	0.37	267	<1	<0.01	17	920	17	0.01	2	2	21	<20
CC28531		1	0.09	20	0.41	625	2	0.01	24	930	34	0.02	3	2	16	<20
CC28532		1	0.03	10	0.08	92	1	0.01	4	410	10	0.01	<2	<1	7	<20
CC28533		<1	0.08	20	0.23	1115	1	0.01	16	1070	100	0.02	3	2	11	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28494		0.01	<10	<10	18	<10	47
CC28495		0.02	<10	<10	36	<10	170
CC28496		0.01	<10	<10	20	<10	50
CC28497		0.01	<10	<10	46	<10	127
CC28498		0.02	<10	<10	27	<10	113
CC28499		0.02	<10	<10	27	<10	95
CC28500		0.02	<10	<10	31	<10	128
CC28501		0.02	<10	<10	30	<10	114
CC28502		0.03	<10	<10	33	<10	141
CC28503		0.02	<10	<10	33	<10	101
CC28504		0.01	<10	<10	33	<10	86
CC28505		0.01	<10	<10	34	<10	97
CC28506		0.02	<10	<10	41	<10	97
CC28507		0.01	<10	<10	45	<10	94
CC28508		0.01	<10	<10	46	<10	105
CC28509		0.01	<10	<10	34	<10	80
CC28510		0.02	<10	<10	32	<10	117
CC28511		0.01	<10	<10	37	<10	119
CC28512		0.02	<10	<10	27	<10	88
CC28513		0.01	<10	<10	20	<10	32
CC28514		0.01	<10	<10	19	<10	20
CC28515		0.02	<10	<10	41	<10	70
CC28516		0.01	<10	<10	33	<10	86
CC28517		0.01	<10	<10	27	<10	83
CC28518		0.01	<10	<10	69	<10	179
CC28519		0.01	<10	<10	40	<10	114
CC28520		0.02	<10	<10	40	<10	69
CC28521		0.02	<10	<10	44	<10	75
CC28522		0.02	<10	<10	35	<10	90
CC28523		0.03	<10	<10	33	<10	103
CC28524		0.02	<10	<10	52	<10	89
CC28525		0.02	<10	<10	34	<10	93
CC28526		0.02	<10	<10	48	<10	85
CC28527		0.01	<10	<10	19	<10	49
CC28528		0.01	<10	<10	30	<10	115
CC28529		0.02	<10	<10	32	<10	124
CC28530		0.02	<10	<10	30	<10	98
CC28531		0.02	<10	<10	50	<10	146
CC28532		0.02	<10	<10	22	<10	30
CC28533		0.02	<10	<10	49	<10	163

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28534		0.26	0.6	1.52	39	<10	110	0.5	<2	0.07	0.7	8	16	21	3.45	<10
CC28535		0.38	0.2	1.32	34	<10	120	0.6	<2	0.15	0.7	15	17	49	3.09	<10
CC28536		0.30	0.2	1.68	38	<10	230	0.6	<2	0.17	0.5	12	21	40	3.82	10
CC28537		0.38	0.2	1.41	27	<10	370	0.5	<2	0.18	0.8	6	18	35	2.31	<10
CC28539		0.36	0.4	1.21	41	<10	150	0.5	<2	0.17	1.0	15	16	70	2.67	<10
CC28540		0.34	0.4	1.01	8	<10	110	<0.5	<2	0.11	0.5	4	11	42	1.36	<10
CC28541		0.28	<0.2	1.32	25	<10	160	0.6	<2	0.18	0.7	14	17	50	2.91	<10
CC28542		0.32	0.4	2.10	31	<10	170	0.8	2	0.11	1.1	13	25	73	3.65	10
CC28543		0.36	0.2	1.79	25	<10	170	0.6	<2	0.10	0.5	8	23	29	3.10	10
CC28544		0.24	0.6	1.02	14	<10	230	<0.5	<2	0.18	<0.5	4	10	38	1.39	<10
CC28545		0.18	0.3	1.02	14	<10	80	<0.5	<2	0.05	<0.5	3	13	15	2.13	<10
CC28546		0.28	0.2	1.26	18	<10	280	<0.5	<2	0.16	0.5	6	14	37	2.03	<10
CC28547		0.22	<0.2	1.54	23	<10	130	0.6	<2	0.10	0.6	6	16	37	2.70	<10
CC28548		0.36	0.9	1.46	18	<10	440	<0.5	2	0.23	0.5	9	18	44	2.37	<10
CC28549		0.22	<0.2	0.87	11	<10	120	<0.5	<2	0.04	<0.5	3	9	18	1.19	<10
CC28550		0.38	<0.2	1.45	34	<10	290	0.5	<2	0.22	0.5	13	19	52	3.16	<10
CC28551		0.30	<0.2	1.29	23	<10	450	<0.5	<2	0.20	0.5	9	16	37	2.34	10
CC28552		0.32	0.2	1.10	27	<10	160	<0.5	<2	0.14	<0.5	8	14	28	2.23	<10
CC28553		0.20	<0.2	1.21	36	<10	90	<0.5	<2	0.03	<0.5	5	14	12	2.67	<10
CC28554		0.32	<0.2	1.38	26	<10	100	<0.5	<2	0.08	<0.5	6	18	20	3.08	10
CC28555		0.46	0.4	1.44	23	<10	320	<0.5	2	0.40	0.5	10	19	43	2.77	<10
CC28556		0.34	0.2	1.22	18	<10	180	<0.5	2	0.21	<0.5	9	16	31	2.23	<10
CC28557		0.42	0.2	1.54	32	<10	320	0.5	2	0.23	<0.5	11	19	46	2.99	10
CC28558		0.46	<0.2	1.23	22	<10	190	<0.5	<2	0.15	<0.5	7	15	30	2.44	<10
CC28559		0.26	0.6	2.03	38	<10	790	0.8	5	0.45	0.7	13	23	85	3.68	10
CC28560		0.42	0.6	1.53	13	<10	420	0.5	<2	0.28	0.5	11	22	50	2.61	<10
CC28561		0.34	0.2	1.66	37	<10	230	0.7	2	0.17	0.8	9	19	64	3.06	10
CC28562		0.44	0.2	1.14	24	<10	280	<0.5	<2	0.28	0.8	12	15	64	2.51	<10
CC28563		0.28	<0.2	1.72	27	<10	130	0.5	<2	0.10	0.6	13	20	36	3.11	<10
CC28564		0.26	0.5	1.97	32	<10	130	0.7	<2	0.07	0.7	10	23	34	3.64	<10
CC28565		0.32	0.4	2.01	28	<10	190	0.7	<2	0.09	0.6	10	21	38	3.16	<10
CC28566		0.30	0.2	1.37	23	<10	210	0.5	<2	0.17	<0.5	10	17	48	2.83	<10
CC28567		0.26	0.4	1.77	26	<10	120	0.6	2	0.09	0.7	12	21	45	3.33	<10
CC28568		0.36	0.2	1.27	10	<10	220	<0.5	<2	0.19	<0.5	6	17	25	2.07	<10
CC28569		0.38	<0.2	1.27	29	<10	310	0.5	<2	0.27	0.6	10	17	52	2.93	<10
CC28570		0.36	0.4	1.24	31	<10	220	0.5	<2	0.23	0.5	10	16	55	2.70	<10
CC28571		0.28	<0.2	1.38	22	<10	140	0.5	<2	0.10	0.5	7	14	42	2.62	<10
CC28572		0.30	0.3	1.32	27	<10	190	0.5	<2	0.18	0.7	11	18	44	2.54	<10
CC28573		0.36	0.2	1.38	20	<10	120	0.5	2	0.14	0.7	8	17	30	2.65	<10
CC28574		0.24	0.3	1.50	32	<10	330	<0.5	<2	0.10	<0.5	11	15	46	2.87	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28534		<1	0.04	20	0.31	284	1	<0.01	18	660	41	0.01	3	2	8	<20
CC28535		1	0.05	30	0.44	510	1	<0.01	26	810	29	<0.01	3	2	11	<20
CC28536		<1	0.07	20	0.41	518	1	0.01	24	1020	28	0.01	<2	3	17	<20
CC28537		1	0.06	20	0.35	283	1	0.01	15	740	14	0.01	2	2	15	<20
CC28539		1	0.05	20	0.37	509	1	<0.01	22	840	38	<0.01	3	2	15	<20
CC28540		<1	0.04	20	0.21	144	<1	0.01	10	840	15	0.01	<2	1	10	<20
CC28541		<1	0.06	30	0.39	531	1	<0.01	22	860	27	<0.01	2	2	14	<20
CC28542		<1	0.09	30	0.51	473	1	0.01	30	720	32	0.01	3	3	9	<20
CC28543		<1	0.08	30	0.41	302	1	<0.01	18	800	23	<0.01	2	3	10	<20
CC28544		1	0.07	10	0.16	143	1	0.03	12	640	11	0.01	<2	1	16	<20
CC28545		<1	0.04	20	0.17	132	<1	0.01	7	570	16	<0.01	3	1	6	<20
CC28546		<1	0.07	10	0.24	220	<1	0.01	14	1010	17	<0.01	2	1	16	<20
CC28547		<1	0.05	20	0.29	250	<1	0.01	14	1030	26	<0.01	3	2	11	<20
CC28548		<1	0.07	10	0.29	366	<1	0.02	16	1090	22	<0.01	<2	2	20	<20
CC28549		<1	0.03	10	0.11	91	<1	<0.01	6	490	13	<0.01	<2	1	7	<20
CC28550		<1	0.07	20	0.42	474	<1	0.01	24	850	29	<0.01	2	2	17	<20
CC28551		<1	0.06	20	0.33	359	<1	0.01	16	650	16	<0.01	<2	2	18	<20
CC28552		<1	0.06	10	0.31	333	<1	0.01	14	700	18	<0.01	2	2	11	<20
CC28553		<1	0.03	10	0.25	193	<1	0.01	10	520	38	<0.01	<2	1	4	<20
CC28554		<1	0.04	10	0.36	221	<1	0.01	15	600	19	<0.01	<2	2	8	<20
CC28555		<1	0.07	20	0.49	396	<1	0.01	19	1080	20	<0.01	<2	3	26	<20
CC28556		<1	0.05	20	0.33	284	<1	0.01	14	770	17	<0.01	2	2	16	<20
CC28557		<1	0.08	20	0.43	458	<1	0.01	24	950	21	<0.01	3	2	20	<20
CC28558		<1	0.06	20	0.35	321	<1	0.01	15	600	21	<0.01	<2	2	12	<20
CC28559		<1	0.10	20	0.44	613	1	0.01	27	1050	33	<0.01	2	3	29	<20
CC28560		<1	0.06	20	0.46	315	<1	0.01	21	1220	19	<0.01	2	3	23	<20
CC28561		<1	0.08	20	0.39	344	<1	0.01	23	1010	44	<0.01	3	3	16	<20
CC28562		<1	0.06	20	0.38	475	<1	0.01	20	1080	24	<0.01	2	2	22	<20
CC28563		<1	0.06	20	0.41	437	<1	0.01	24	770	27	<0.01	2	2	9	<20
CC28564		<1	0.07	20	0.46	397	<1	0.01	23	660	30	<0.01	<2	3	7	<20
CC28565		<1	0.07	20	0.45	368	<1	0.01	26	680	28	<0.01	3	3	10	<20
CC28566		<1	0.05	30	0.37	416	<1	0.01	18	860	26	<0.01	<2	2	14	<20
CC28567		<1	0.07	30	0.47	433	<1	0.01	24	760	27	<0.01	2	3	8	<20
CC28568		<1	0.03	20	0.36	202	<1	0.01	16	1010	18	<0.01	<2	2	16	<20
CC28569		<1	0.05	30	0.43	425	<1	0.01	22	910	34	<0.01	4	3	21	<20
CC28570		<1	0.04	20	0.39	411	<1	0.01	22	940	24	<0.01	2	2	18	<20
CC28571		<1	0.04	20	0.30	325	<1	0.01	14	780	43	<0.01	2	2	9	<20
CC28572		<1	0.05	30	0.41	349	<1	0.01	21	860	27	<0.01	3	2	14	<20
CC28573		<1	0.04	20	0.37	286	<1	0.01	20	760	25	<0.01	2	2	11	<20
CC28574		<1	0.06	20	0.20	559	1	0.01	15	1180	37	0.01	<2	1	14	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28534		0.02	<10	<10	39	<10	112
CC28535		0.02	<10	<10	30	<10	130
CC28536		0.02	<10	<10	47	<10	128
CC28537		0.02	<10	<10	35	<10	93
CC28539		0.02	<10	<10	33	<10	128
CC28540		0.01	<10	<10	22	<10	51
CC28541		0.02	<10	<10	34	<10	109
CC28542		0.02	<10	<10	46	<10	140
CC28543		0.02	<10	<10	49	<10	111
CC28544		0.02	<10	<10	26	<10	73
CC28545		0.02	<10	<10	31	<10	38
CC28546		0.01	<10	<10	30	<10	74
CC28547		0.01	<10	<10	34	<10	90
CC28548		0.01	<10	<10	38	<10	101
CC28549		0.01	<10	<10	25	<10	36
CC28550		0.02	<10	<10	37	<10	133
CC28551		0.01	<10	<10	36	<10	85
CC28552		0.02	<10	<10	32	<10	88
CC28553		0.02	<10	<10	46	<10	108
CC28554		0.02	<10	<10	38	<10	89
CC28555		0.03	<10	<10	39	<10	158
CC28556		0.01	<10	<10	34	<10	75
CC28557		0.02	<10	<10	40	<10	113
CC28558		0.01	<10	<10	33	<10	97
CC28559		0.01	<10	<10	48	<10	167
CC28560		0.02	<10	<10	35	<10	109
CC28561		0.01	<10	<10	39	<10	141
CC28562		0.02	<10	<10	28	<10	120
CC28563		0.02	<10	<10	36	<10	104
CC28564		0.02	<10	<10	40	<10	121
CC28565		0.02	<10	<10	40	<10	116
CC28566		0.02	<10	<10	34	<10	100
CC28567		0.02	<10	<10	36	<10	104
CC28568		0.01	<10	<10	28	<10	66
CC28569		0.02	<10	<10	29	<10	115
CC28570		0.02	<10	<10	28	<10	115
CC28571		0.01	<10	<10	25	<10	82
CC28572		0.02	<10	<10	30	<10	105
CC28573		0.02	<10	<10	29	<10	86
CC28574		0.01	<10	<10	32	<10	95

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 3-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07100572

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28879		<0.01	<10	<10	106	<10	575
CC28880		<0.01	<10	<10	182	<10	371
CC28881		<0.01	<10	<10	126	<10	375
CC28882		<0.01	<10	<10	120	<10	339
CC28883		<0.01	<10	<10	29	<10	192
CC28884		<0.01	<10	<10	36	<10	180
CC28885		0.01	<10	<10	41	<10	152
CC28886		0.01	<10	<10	33	<10	90
CC28887		0.01	<10	<10	22	<10	40
CC28888		0.01	<10	<10	28	<10	49
CC28889		0.01	<10	<10	27	<10	162
CC28890		0.01	<10	<10	38	<10	93
CC28891		0.01	<10	<10	14	<10	29
CC28893		0.02	<10	<10	37	<10	70
CC28894		<0.01	<10	<10	42	<10	461
CC28895		0.05	<10	<10	56	<10	355

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 10-OCT-2007
Account: MTT

CERTIFICATE VA07094101

Project: TIDD

P.O. No.:

This report is for 128 Soil samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28672		0.28	0.5	1.09	28	<10	310	0.5	<2	0.22	0.7	8	16	32	2.14	<10
CC28673		0.36	0.7	1.46	41	<10	110	0.6	<2	0.07	0.9	8	17	26	2.79	<10
CC28674		0.30	0.5	1.25	48	<10	120	0.5	2	0.08	<0.5	7	18	19	2.93	<10
CC28675		0.32	0.4	1.20	45	<10	160	0.5	2	0.20	0.8	10	16	42	2.94	<10
CC28676		0.30	0.4	1.60	57	<10	380	0.8	3	0.26	0.6	9	20	36	2.91	<10
CC28677		0.28	0.8	1.99	460	<10	170	1.0	2	0.21	1.2	15	23	30	5.59	<10
CC28678		0.26	0.3	1.73	84	<10	240	0.8	<2	0.18	0.7	11	21	22	3.24	<10
CC28679		0.34	0.5	1.97	76	<10	390	0.8	<2	0.18	1.3	13	25	49	3.70	<10
CC28680		0.34	0.4	1.51	52	<10	290	0.7	<2	0.27	0.5	14	21	54	3.00	<10
CC28681		0.22	0.2	1.40	72	<10	90	<0.5	<2	0.07	<0.5	13	29	33	3.51	<10
CC28682		0.24	<0.2	1.78	116	<10	110	0.6	3	0.29	<0.5	19	22	46	4.13	<10
CC28684		0.32	<0.2	1.46	33	<10	220	0.5	2	0.18	0.8	10	24	23	3.00	<10
CC28685		0.28	0.4	1.66	18	<10	370	0.5	<2	0.65	1.9	10	23	48	2.91	<10
CC28687		0.04	<0.2	1.62	42	<10	250	0.7	<2	0.29	0.7	11	21	32	4.28	<10
CC28688		0.26	0.2	2.02	69	<10	180	1.0	<2	0.28	<0.5	19	28	49	4.02	10
CC28689		0.28	0.2	1.66	31	<10	80	0.5	<2	0.12	<0.5	12	22	24	3.69	<10
CC28690		0.30	0.4	1.43	27	<10	110	<0.5	<2	0.06	<0.5	5	15	14	2.68	10
CC28691		0.28	0.2	1.67	39	<10	100	0.5	<2	0.09	0.5	9	19	21	3.56	<10
CC28692		0.26	<0.2	1.23	25	<10	150	<0.5	2	0.05	<0.5	5	14	14	2.72	10
CC28693		0.20	0.4	1.58	37	<10	100	0.7	3	0.13	0.9	14	18	48	3.65	<10
CC28694		0.24	0.4	1.47	30	<10	90	<0.5	2	0.03	<0.5	7	19	18	3.79	10
CC28695		0.16	1.4	0.92	12	<10	150	<0.5	<2	0.04	0.8	4	11	42	1.73	<10
CC28696		0.22	0.2	1.18	36	<10	70	<0.5	2	0.04	<0.5	4	14	14	2.76	<10
CC28697		0.20	1.2	0.98	17	<10	130	<0.5	<2	0.04	0.5	8	12	35	2.77	<10
CC28698		0.22	0.6	1.55	21	<10	170	0.6	<2	0.03	<0.5	3	15	28	3.18	10
CC28699		0.28	<0.2	1.37	18	<10	140	<0.5	<2	0.08	<0.5	4	20	13	2.59	10
CC28700		0.36	0.2	1.45	17	<10	190	<0.5	<2	0.17	<0.5	6	21	17	2.83	<10
CC28701		0.40	0.3	1.47	37	<10	210	0.5	<2	0.30	<0.5	8	20	36	3.02	<10
CC28704		0.22	0.3	1.13	114	<10	140	<0.5	<2	0.44	<0.5	9	15	27	2.32	<10
CC28705		0.24	0.3	1.69	99	<10	360	0.7	<2	0.36	<0.5	11	22	67	3.22	<10
CC28706		0.28	<0.2	1.32	69	<10	110	<0.5	<2	0.04	<0.5	4	17	13	3.47	10
CC28707		0.24	<0.2	2.41	95	<10	180	0.7	<2	0.22	<0.5	14	28	21	4.60	10
CC28708		0.26	0.6	1.74	132	<10	220	0.5	<2	0.26	<0.5	9	22	20	3.78	10
CC28709		0.24	0.8	1.50	84	<10	150	0.6	<2	2.71	<0.5	11	18	33	3.52	<10
CC28710		0.22	0.3	1.78	68	<10	300	1.0	<2	0.72	<0.5	17	20	48	4.41	<10
CC28711		0.24	0.4	0.54	7	<10	150	<0.5	<2	0.37	<0.5	<1	5	13	0.90	<10
CC28712		0.26	<0.2	0.96	36	<10	80	<0.5	<2	0.03	<0.5	2	14	14	3.11	<10
CC28713		0.28	0.6	1.52	29	<10	660	0.8	<2	0.54	<0.5	5	21	40	2.67	<10
CC28715		0.26	0.3	0.95	21	<10	340	0.5	<2	0.30	<0.5	9	15	33	2.29	<10
CC28716		0.26	0.9	1.17	57	<10	150	0.6	<2	0.11	<0.5	5	15	30	5.77	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28672		<1	0.06	20	0.31	295	3	0.01	23	1820	18	0.03	2	2	25	<20
CC28673		<1	0.03	20	0.57	217	7	<0.01	35	590	25	0.02	3	2	10	<20
CC28674		1	0.04	20	0.39	232	6	<0.01	25	850	24	0.02	2	2	11	<20
CC28675		<1	0.04	20	0.57	286	7	<0.01	42	1250	24	0.01	5	2	16	<20
CC28676		<1	0.04	20	0.58	315	2	0.01	29	1200	36	0.04	<2	3	23	<20
CC28677		<1	0.03	30	0.88	910	2	0.01	31	750	32	0.04	8	3	13	<20
CC28678		1	0.04	20	0.63	401	2	0.01	26	680	31	0.03	<2	2	16	<20
CC28679		1	0.07	20	0.69	652	2	0.01	31	1060	96	0.03	<2	3	18	<20
CC28680		<1	0.08	20	0.52	657	2	0.01	33	1390	35	0.03	<2	3	26	<20
CC28681		<1	0.04	10	0.59	1145	1	0.01	18	1380	22	0.06	3	1	8	<20
CC28682		1	0.03	20	1.00	1215	2	0.01	33	920	38	0.05	2	3	17	<20
CC28684		<1	0.06	20	0.65	299	1	<0.01	23	720	21	0.03	4	2	13	<20
CC28685		1	0.05	20	0.75	271	2	0.01	24	1250	21	0.06	<2	4	34	<20
CC28687		1	0.04	30	0.71	546	2	0.01	30	850	27	0.03	3	3	18	<20
CC28688		<1	0.05	50	0.95	624	1	0.01	34	690	26	0.01	<2	3	17	<20
CC28689		<1	0.04	20	0.54	558	1	<0.01	22	1100	31	0.01	2	2	10	<20
CC28690		<1	0.04	20	0.25	319	1	0.01	11	1220	27	0.02	<2	1	7	<20
CC28691		<1	0.04	20	0.42	410	1	0.01	22	880	34	0.02	<2	2	8	<20
CC28692		<1	0.03	20	0.30	230	1	0.01	10	440	22	0.02	<2	2	8	<20
CC28693		<1	0.04	30	0.46	546	1	<0.01	26	990	34	0.04	<2	3	12	<20
CC28694		<1	0.03	20	0.34	337	1	<0.01	14	670	38	0.04	<2	2	7	<20
CC28695		1	0.03	10	0.12	178	1	0.01	11	1430	27	0.07	<2	<1	7	<20
CC28696		<1	0.03	20	0.28	252	1	0.01	10	810	58	0.03	<2	1	6	<20
CC28697		<1	0.03	10	0.09	1410	2	<0.01	9	2230	49	0.07	3	<1	7	<20
CC28698		1	0.03	20	0.13	264	2	<0.01	12	970	57	0.02	4	1	5	<20
CC28699		<1	0.03	20	0.50	316	1	<0.01	17	810	20	0.01	4	1	6	<20
CC28700		<1	0.03	20	0.63	257	1	<0.01	20	830	16	<0.01	<2	2	14	<20
CC28701		<1	0.04	20	0.76	533	2	<0.01	27	880	27	<0.01	2	3	20	<20
CC28704		<1	0.03	10	0.59	533	1	0.01	18	1060	14	0.04	3	3	25	<20
CC28705		<1	0.03	30	0.62	654	1	<0.01	25	1040	18	<0.01	2	4	26	<20
CC28706		1	0.05	20	0.38	221	2	<0.01	14	480	21	<0.01	<2	2	6	<20
CC28707		<1	0.03	20	1.01	651	1	<0.01	27	520	42	<0.01	3	3	14	<20
CC28708		<1	0.03	20	0.75	410	2	<0.01	19	900	64	0.01	4	3	14	<20
CC28709		<1	0.03	20	0.90	409	1	<0.01	29	630	35	<0.01	4	5	68	<20
CC28710		<1	0.04	40	1.08	776	2	<0.01	37	810	17	0.03	6	6	20	<20
CC28711		<1	0.03	10	0.13	58	2	0.01	8	700	6	<0.01	<2	<1	15	<20
CC28712		<1	0.04	20	0.19	148	6	<0.01	18	910	18	<0.01	5	1	8	<20
CC28713		<1	0.12	20	0.47	328	3	<0.01	27	1260	24	0.01	5	4	36	<20
CC28715		<1	0.06	20	0.38	442	3	<0.01	26	1140	24	<0.01	3	3	26	<20
CC28716		<1	0.03	10	0.21	530	5	<0.01	23	2680	29	<0.01	8	2	13	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28672		0.01	<10	<10	47	<10	141
CC28673		0.01	<10	<10	47	<10	167
CC28674		0.01	<10	<10	59	<10	129
CC28675		0.01	<10	<10	50	<10	222
CC28676		0.01	<10	<10	36	<10	154
CC28677		<0.01	<10	<10	34	<10	150
CC28678		0.01	<10	<10	43	<10	172
CC28679		0.01	<10	<10	54	<10	176
CC28680		0.02	<10	<10	55	<10	188
CC28681		0.01	<10	<10	60	<10	97
CC28682		0.01	<10	<10	35	<10	221
CC28684		0.02	<10	<10	35	<10	147
CC28685		0.04	<10	<10	33	<10	195
CC28687		0.01	<10	<10	26	<10	152
CC28688		0.02	<10	<10	27	<10	136
CC28689		0.02	<10	<10	37	<10	108
CC28690		0.02	<10	<10	40	<10	83
CC28691		0.02	<10	<10	38	<10	124
CC28692		0.02	<10	<10	36	<10	66
CC28693		0.02	<10	<10	35	<10	168
CC28694		0.02	<10	<10	43	<10	97
CC28695		0.01	<10	<10	25	<10	38
CC28696		0.01	<10	<10	30	<10	65
CC28697		0.01	<10	<10	33	<10	64
CC28698		0.01	<10	<10	46	<10	85
CC28699		0.02	<10	<10	30	<10	87
CC28700		0.02	<10	<10	32	<10	112
CC28701		0.02	<10	<10	29	<10	143
CC28704		0.01	<10	<10	30	<10	71
CC28705		0.01	<10	<10	41	<10	98
CC28706		0.01	<10	<10	55	<10	72
CC28707		0.01	<10	<10	49	<10	144
CC28708		0.01	<10	<10	49	<10	146
CC28709		0.01	<10	<10	20	<10	162
CC28710		<0.01	<10	<10	27	<10	82
CC28711		0.01	<10	<10	19	<10	49
CC28712		0.01	<10	<10	63	<10	103
CC28713		0.01	<10	<10	57	<10	164
CC28715		0.02	<10	<10	35	<10	120
CC28716		0.01	<10	<10	43	<10	209

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28717		0.22	0.6	1.21	18	<10	750	0.7	<2	0.76	<0.5	5	15	58	2.25	<10
CC28718		0.28	0.2	1.15	46	<10	260	0.6	<2	0.24	0.8	13	22	47	4.27	<10
CC28719		0.24	0.7	1.74	128	<10	140	0.8	<2	0.27	<0.5	18	19	70	4.14	<10
CC28720		0.02	<0.2	1.37	618	<10	110	<0.5	<2	0.29	<0.5	13	17	34	3.71	<10
CC28721		0.24	0.7	2.22	410	<10	350	0.7	<2	0.24	<0.5	15	29	40	4.92	10
CC28722		0.32	<0.2	1.67	192	<10	140	0.5	<2	0.11	<0.5	12	19	37	3.96	<10
CC28723		0.28	0.5	1.39	68	<10	270	0.6	<2	0.84	<0.5	14	20	128	2.94	<10
CC28724		0.34	0.3	1.33	63	<10	310	0.5	<2	0.46	<0.5	7	20	33	2.69	<10
CC28725		0.24	<0.2	1.75	193	<10	150	0.6	<2	0.32	<0.5	6	21	26	3.28	<10
CC28726		0.32	0.3	3.15	61	<10	110	1.6	<2	0.53	<0.5	19	37	52	4.75	10
CC28728		0.36	0.3	1.38	19	<10	260	0.6	<2	0.22	0.5	8	18	48	2.49	<10
CC28729		0.26	0.3	1.60	41	<10	90	0.5	<2	0.09	<0.5	12	22	23	3.60	<10
CC28730		0.34	0.2	1.72	26	<10	450	0.7	<2	0.08	<0.5	8	22	54	3.30	<10
CC28731		0.30	0.3	1.27	25	<10	320	0.6	<2	0.27	<0.5	5	15	31	2.70	<10
CC28732		0.20	0.2	1.23	29	<10	150	<0.5	<2	0.05	<0.5	4	17	14	3.32	10
CC28733		0.18	0.4	1.81	47	<10	100	0.6	<2	0.05	<0.5	10	21	22	4.27	<10
CC28734		0.26	0.3	1.46	47	<10	60	0.7	<2	0.03	<0.5	14	17	32	4.42	<10
CC28735		0.26	0.5	1.54	96	<10	110	0.8	<2	0.06	<0.5	12	19	43	4.64	<10
CC28736		0.34	0.4	1.77	21	<10	210	0.7	<2	0.10	0.7	12	22	40	3.20	<10
CC28737		0.32	0.5	1.42	19	<10	530	0.7	<2	1.11	1.8	10	23	75	2.42	<10
CC28738		0.26	0.4	1.41	23	<10	480	0.7	<2	0.19	0.7	13	20	53	2.60	<10
CC28739		0.26	0.2	1.86	85	<10	130	0.8	<2	0.20	0.9	22	23	22	3.93	<10
CC28740		0.24	0.3	1.77	100	<10	210	0.8	<2	0.35	<0.5	10	20	22	3.79	<10
CC28741		0.24	<0.2	1.09	240	<10	100	<0.5	<2	0.20	<0.5	12	19	29	3.38	<10
CC28742		0.30	<0.2	1.44	23	<10	220	0.6	<2	0.13	0.5	10	17	26	2.53	<10
CC28743		0.22	0.2	1.48	126	<10	470	0.5	<2	0.85	1.0	10	18	30	2.72	<10
CC28744		0.24	<0.2	1.30	25	<10	310	0.6	<2	0.17	<0.5	10	18	30	2.44	<10
CC28745		0.24	<0.2	1.62	67	<10	130	0.5	<2	0.09	<0.5	9	17	21	3.30	<10
CC28746		0.26	0.3	1.73	69	<10	150	0.5	<2	0.22	<0.5	12	19	31	3.40	<10
CC28747		0.28	0.2	1.48	58	<10	200	0.7	<2	0.27	0.7	13	17	39	2.82	<10
CC28748		0.28	0.7	1.71	52	<10	240	0.8	<2	0.82	0.6	14	20	53	3.41	<10
CC28749		0.30	<0.2	1.08	55	<10	130	0.5	<2	0.17	0.7	10	14	36	3.26	<10
CC28750		0.34	<0.2	0.80	48	<10	150	<0.5	<2	0.09	0.5	7	12	23	3.29	<10
CC28751		0.28	0.6	0.87	40	<10	150	0.6	<2	0.12	1.3	8	11	32	4.77	<10
CC28753		0.28	0.4	1.40	34	<10	530	0.7	<2	0.44	2.2	11	21	41	2.75	<10
CC28754		0.12	0.4	0.89	37	<10	360	0.5	<2	0.56	2.2	9	14	36	1.96	<10
CC28755		0.20	0.4	1.46	36	<10	440	0.7	<2	0.39	0.7	11	22	37	2.80	<10
CC28757		0.28	2.1	0.26	50	<10	120	0.8	<2	1.68	2.2	11	7	79	2.75	<10
CC28758		0.30	1.0	0.80	47	<10	170	0.7	<2	0.34	2.6	12	13	63	3.07	<10
CC28759		0.32	0.2	1.33	37	<10	210	<0.5	<2	0.24	0.5	6	15	19	2.94	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28717		<1	0.03	20	0.30	285	3	<0.01	20	820	18	0.01	3	3	24	<20
CC28718		<1	0.04	20	0.46	651	4	<0.01	45	1120	33	<0.01	7	4	21	<20
CC28719		<1	0.04	30	1.24	579	3	<0.01	40	1010	47	0.01	5	6	17	<20
CC28720		<1	0.03	20	0.75	589	2	<0.01	28	1080	31	<0.01	6	2	17	<20
CC28721		<1	0.03	30	1.07	671	2	<0.01	34	540	179	<0.01	7	5	16	<20
CC28722		<1	0.04	20	0.72	473	1	<0.01	25	700	34	<0.01	4	2	9	<20
CC28723		<1	0.04	20	0.74	632	1	<0.01	33	1190	16	0.01	5	6	43	<20
CC28724		<1	0.05	30	0.73	340	1	<0.01	29	1270	16	<0.01	4	4	26	<20
CC28725		<1	0.03	20	0.92	286	1	<0.01	27	880	15	<0.01	3	3	16	<20
CC28726		<1	0.05	60	2.72	895	1	<0.01	44	720	12	0.01	2	8	22	<20
CC28728		<1	0.08	20	0.43	486	2	<0.01	26	920	21	<0.01	3	3	20	<20
CC28729		<1	0.03	20	0.59	511	1	<0.01	25	830	51	0.01	3	2	7	<20
CC28730		<1	0.04	30	0.56	428	1	<0.01	26	500	33	<0.01	4	3	11	<20
CC28731		1	0.04	20	0.37	281	1	<0.01	20	940	25	0.03	2	2	15	<20
CC28732		<1	0.04	20	0.28	299	2	<0.01	13	740	35	<0.01	3	1	8	<20
CC28733		<1	0.04	20	0.45	470	1	<0.01	22	580	51	<0.01	2	3	6	<20
CC28734		<1	0.04	30	0.41	624	1	<0.01	27	420	60	<0.01	3	2	6	<20
CC28735		<1	0.04	20	0.36	887	1	<0.01	24	920	282	<0.01	3	2	6	<20
CC28736		<1	0.04	20	0.56	505	1	<0.01	28	640	39	<0.01	3	3	8	<20
CC28737		<1	0.07	20	0.49	357	3	0.02	29	980	30	0.14	<2	3	52	<20
CC28738		<1	0.08	30	0.40	530	2	0.01	31	730	30	0.01	<2	3	20	<20
CC28739		<1	0.04	40	1.23	1545	1	0.01	35	1100	27	0.03	<2	2	12	<20
CC28740		<1	0.03	20	0.72	692	1	0.01	26	930	20	0.03	<2	3	24	<20
CC28741		<1	0.04	20	0.46	524	3	0.01	20	680	38	0.02	3	2	14	<20
CC28742		<1	0.07	20	0.33	358	1	0.01	22	710	20	0.01	<2	2	14	<20
CC28743		<1	0.04	20	0.74	931	1	0.02	23	1220	14	0.07	2	2	42	<20
CC28744		<1	0.06	20	0.40	344	1	0.01	24	750	19	0.01	<2	2	17	<20
CC28745		<1	0.03	20	0.66	268	1	0.01	26	680	17	0.02	2	2	9	<20
CC28746		<1	0.03	20	0.85	330	1	0.01	34	510	16	0.01	2	3	14	<20
CC28747		<1	0.04	30	0.77	616	2	0.01	38	980	19	0.01	3	4	19	<20
CC28748		<1	0.06	30	1.03	357	2	0.01	41	930	18	0.02	2	5	30	<20
CC28749		<1	0.04	20	0.39	299	7	0.01	35	780	27	0.02	3	2	14	<20
CC28750		<1	0.05	10	0.21	445	6	0.01	28	1640	25	0.02	4	2	14	<20
CC28751		<1	0.04	10	0.21	585	5	0.01	32	1650	23	0.03	3	2	18	<20
CC28753		<1	0.11	20	0.46	558	3	0.01	31	1090	23	0.03	2	4	34	<20
CC28754		<1	0.07	20	0.35	227	4	0.01	36	1310	21	0.03	4	3	43	<20
CC28755		<1	0.10	30	0.48	358	3	0.01	32	1150	19	0.02	3	3	30	<20
CC28757		<1	0.04	20	0.75	227	63	0.01	118	800	38	0.04	15	5	50	<20
CC28758		<1	0.05	20	0.42	328	10	0.01	59	1400	25	0.02	6	5	26	<20
CC28759		<1	0.04	20	0.47	188	5	0.01	23	340	13	0.01	<2	2	13	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28717		<0.01	<10	<10	38	<10	67
CC28718		0.01	<10	<10	44	<10	202
CC28719		0.01	<10	<10	27	<10	220
CC28720		0.01	<10	<10	28	<10	138
CC28721		0.01	<10	<10	46	<10	241
CC28722		0.01	<10	<10	37	<10	126
CC28723		0.01	<10	<10	37	<10	129
CC28724		0.02	<10	<10	33	<10	144
CC28725		0.01	<10	<10	30	<10	112
CC28726		<0.01	<10	<10	37	<10	65
CC28728		0.02	<10	<10	41	<10	133
CC28729		0.02	<10	<10	29	<10	126
CC28730		0.01	<10	<10	34	<10	118
CC28731		0.01	<10	<10	25	<10	91
CC28732		0.02	<10	<10	43	<10	84
CC28733		0.01	<10	<10	35	<10	111
CC28734		0.01	<10	<10	24	<10	142
CC28735		0.01	<10	<10	36	<10	214
CC28736		0.01	<10	<10	37	<10	120
CC28737		0.02	<10	<10	29	<10	133
CC28738		0.02	<10	<10	42	<10	138
CC28739		0.01	<10	<10	22	<10	145
CC28740		0.01	<10	<10	37	<10	95
CC28741		0.01	<10	<10	39	<10	112
CC28742		0.01	<10	<10	37	<10	87
CC28743		0.01	<10	10	28	<10	109
CC28744		0.01	<10	<10	36	<10	97
CC28745		0.01	<10	<10	27	<10	91
CC28746		0.01	<10	<10	28	<10	116
CC28747		0.01	<10	<10	32	<10	139
CC28748		0.01	<10	<10	30	<10	147
CC28749		<0.01	<10	<10	52	<10	203
CC28750		0.01	<10	<10	46	<10	164
CC28751		0.01	<10	<10	32	<10	214
CC28753		0.01	<10	<10	47	<10	176
CC28754		0.01	<10	<10	45	<10	259
CC28755		0.02	<10	<10	44	<10	155
CC28757		<0.01	<10	<10	94	<10	260
CC28758		<0.01	<10	<10	47	<10	275
CC28759		<0.01	<10	<10	45	<10	108

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28760		0.26	0.3	1.47	92	<10	150	0.6	<2	0.33	1.5	14	17	49	3.89	<10
CC28761		0.30	<0.2	2.09	56	<10	300	0.6	<2	0.27	<0.5	8	23	27	3.12	10
CC28762		0.24	0.2	1.69	104	<10	110	0.6	<2	0.13	<0.5	15	19	35	3.25	<10
CC28764		0.26	<0.2	1.19	27	<10	280	<0.5	<2	0.35	<0.5	7	17	28	2.23	<10
CC28765		0.34	<0.2	1.19	28	<10	240	<0.5	<2	0.29	<0.5	9	17	28	2.33	<10
CC28766		0.30	<0.2	1.24	28	<10	130	<0.5	<2	0.13	<0.5	8	16	23	2.34	<10
CC28767		0.18	0.3	0.46	4	<10	120	<0.5	<2	0.10	<0.5	1	4	11	0.40	<10
CC28768		0.24	0.2	1.74	75	<10	150	0.9	<2	0.35	<0.5	12	17	30	3.10	<10
CC28769		0.16	0.4	0.97	62	<10	90	1.1	<2	0.27	<0.5	16	15	28	3.91	<10
CC28770		0.24	<0.2	2.01	43	<10	120	0.6	<2	0.04	0.6	8	23	20	3.43	<10
CC28773		0.18	0.2	1.64	31	<10	130	0.6	<2	0.03	1.0	6	18	33	3.09	10
CC28774		0.36	0.3	1.71	28	<10	120	0.7	<2	0.07	0.6	12	24	39	3.20	<10
CC28775		0.30	<0.2	0.91	22	<10	160	<0.5	<2	0.08	<0.5	5	10	17	1.50	<10
CC28777		0.28	<0.2	1.68	47	<10	130	0.8	<2	0.10	0.6	11	22	22	3.26	<10
CC28778		0.26	0.5	1.47	81	<10	200	0.7	<2	0.58	<0.5	9	23	42	2.79	<10
CC28779		0.28	<0.2	1.48	39	<10	190	0.5	<2	0.15	<0.5	11	19	38	3.27	<10
CC28780		0.26	<0.2	1.28	41	<10	90	<0.5	<2	0.10	<0.5	9	19	16	3.99	<10
CC28781		0.26	<0.2	1.35	30	<10	80	<0.5	<2	0.06	<0.5	6	18	13	3.30	<10
CC28782		0.26	<0.2	1.39	23	<10	110	<0.5	<2	0.05	<0.5	5	18	12	3.03	10
CC28783		0.34	<0.2	1.15	34	<10	420	<0.5	<2	0.35	<0.5	7	18	26	2.37	<10
CC28784		0.40	<0.2	1.18	33	<10	330	0.5	<2	0.40	<0.5	11	16	30	2.35	<10
CC28785		0.22	0.2	0.83	17	<10	160	<0.5	<2	0.13	<0.5	3	7	12	1.10	<10
CC28786		0.24	<0.2	1.29	32	<10	130	<0.5	<2	0.07	<0.5	6	15	17	2.98	<10
CC28787		0.28	0.6	1.12	26	<10	270	0.5	2	0.29	1.0	7	13	37	2.73	<10
CC28788		0.24	<0.2	1.06	25	<10	120	<0.5	<2	0.03	<0.5	3	12	12	2.27	<10
CC28789		0.26	<0.2	0.80	21	<10	100	<0.5	<2	0.03	<0.5	3	9	14	1.76	<10
CC28790		0.28	2.6	0.32	52	<10	140	0.7	<2	1.06	1.1	14	7	124	3.26	<10
CC28791		0.38	0.4	1.35	37	<10	380	0.7	2	0.40	0.7	10	19	41	3.19	<10
CC28792		0.46	0.2	1.72	28	<10	410	0.8	3	0.38	0.6	12	23	50	3.52	10
CC28793		0.26	0.5	0.93	29	<10	250	<0.5	2	0.11	1.6	5	10	33	1.72	<10
CC28794		0.42	<0.2	0.69	40	<10	230	<0.5	2	0.32	0.6	7	11	28	1.85	<10
CC28795		0.28	0.8	0.66	27	<10	240	<0.5	<2	0.25	1.7	4	8	29	1.26	<10
CC28796		0.28	<0.2	1.17	20	<10	400	0.5	<2	0.51	<0.5	9	13	30	2.06	<10
CC28798		0.34	1.8	0.24	36	<10	100	0.5	<2	1.11	0.7	10	5	67	2.36	<10
CC28799		0.26	0.2	1.37	11	<10	140	<0.5	<2	0.36	0.5	8	14	27	2.41	<10
CC28800		0.18	0.7	0.83	44	<10	120	0.7	2	0.32	2.8	12	10	76	3.63	<10
CC28801		0.30	0.3	1.33	55	<10	130	0.6	<2	0.14	0.9	12	14	52	3.78	<10
CC28802		0.28	1.3	1.55	103	<10	200	1.0	2	0.26	1.6	19	18	164	5.74	<10
CC28803		0.34	0.3	1.52	35	<10	240	0.5	2	0.24	<0.5	10	19	27	2.89	<10
CC28804		0.40	<0.2	1.31	45	<10	260	0.6	<2	0.25	<0.5	11	17	36	2.95	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28760		<1	0.04	30	0.84	535	4	0.01	46	960	22	0.02	3	3	19	<20
CC28761		<1	0.04	30	0.98	186	1	0.02	33	270	13	0.02	<2	3	15	<20
CC28762		<1	0.03	30	0.81	377	1	0.01	37	650	15	0.01	<2	3	11	<20
CC28764		<1	0.05	20	0.54	241	1	0.01	25	1010	15	0.01	<2	2	24	<20
CC28765		<1	0.04	20	0.54	327	1	0.01	25	920	16	0.01	<2	2	21	<20
CC28766		<1	0.04	20	0.42	258	2	0.01	20	540	16	0.01	<2	2	13	<20
CC28767		<1	0.03	10	0.03	29	1	0.03	2	360	3	0.02	<2	<1	12	<20
CC28768		1	0.04	30	0.73	761	1	0.02	30	950	27	0.03	2	3	17	<20
CC28769		<1	0.04	80	0.29	986	1	0.01	32	670	26	0.05	<2	4	17	<20
CC28770		<1	0.04	20	0.53	390	1	0.01	23	710	35	0.04	<2	2	6	<20
CC28773		<1	0.04	20	0.19	324	2	0.01	10	970	50	0.05	2	1	6	<20
CC28774		<1	0.04	30	0.60	435	1	0.01	28	540	41	0.02	<2	2	7	<20
CC28775		<1	0.03	10	0.18	252	1	0.02	10	620	18	0.03	<2	1	9	<20
CC28777		<1	0.04	20	0.59	784	1	0.01	28	770	27	0.03	<2	3	10	<20
CC28778		<1	0.04	20	0.77	458	2	0.01	28	710	18	0.05	<2	2	27	<20
CC28779		<1	0.03	20	0.79	373	1	0.01	28	780	18	0.01	<2	3	11	<20
CC28780		1	0.04	20	0.43	574	2	0.01	17	1360	32	0.01	2	2	11	<20
CC28781		1	0.03	20	0.54	239	1	0.01	19	700	18	0.01	2	2	7	<20
CC28782		<1	0.04	20	0.42	207	2	0.01	16	570	31	0.01	2	2	7	<20
CC28783		<1	0.04	20	0.51	234	1	0.01	25	900	14	0.01	2	3	21	<20
CC28784		<1	0.04	20	0.54	301	1	0.01	29	930	15	0.01	<2	3	22	<20
CC28785		<1	0.02	10	0.20	76	<1	0.02	8	450	7	0.01	<2	1	15	<20
CC28786		<1	0.03	20	0.47	411	3	0.01	15	510	12	0.01	2	1	7	<20
CC28787		1	0.04	20	0.54	160	4	0.01	32	1020	18	0.01	3	3	15	<20
CC28788		<1	0.03	20	0.25	123	4	0.01	12	570	14	0.01	<2	1	5	<20
CC28789		<1	0.02	10	0.12	114	5	0.01	14	570	12	0.01	2	1	6	<20
CC28790		<1	0.03	20	0.38	478	71	0.01	114	700	42	0.04	16	3	30	<20
CC28791		1	0.10	20	0.50	370	6	0.01	38	1200	21	0.02	3	3	28	<20
CC28792		<1	0.16	30	0.65	474	2	0.01	34	1000	19	0.02	2	4	26	<20
CC28793		1	0.06	10	0.19	175	3	0.02	21	790	53	0.02	3	2	15	<20
CC28794		<1	0.04	20	0.27	235	3	0.01	28	1240	23	0.02	4	2	33	<20
CC28795		<1	0.05	10	0.17	151	2	0.02	19	630	13	0.02	<2	1	20	<20
CC28796		<1	0.08	20	0.38	615	2	0.02	23	880	13	0.03	<2	2	29	<20
CC28798		<1	0.02	20	0.51	224	41	0.01	90	650	29	0.03	13	5	34	<20
CC28799		1	0.03	20	0.82	120	2	0.02	25	540	9	0.04	2	3	17	<20
CC28800		<1	0.04	30	0.39	346	9	0.01	52	1490	22	0.03	7	4	18	<20
CC28801		<1	0.04	20	0.62	275	5	0.01	42	890	17	0.02	6	2	12	<20
CC28802		<1	0.04	30	0.92	484	6	0.01	73	1130	34	0.03	9	5	17	<20
CC28803		1	0.05	20	0.61	304	1	0.01	24	690	20	0.02	2	2	17	<20
CC28804		<1	0.04	30	0.71	357	1	0.01	38	1130	18	0.01	3	3	18	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28760		0.01	<10	<10	30	<10	221
CC28761		0.01	<10	<10	31	<10	115
CC28762		0.01	<10	<10	24	<10	126
CC28764		0.01	<10	<10	29	<10	126
CC28765		0.01	<10	<10	29	<10	116
CC28766		0.01	<10	<10	37	<10	75
CC28767		0.01	<10	<10	10	<10	9
CC28768		0.01	<10	<10	21	<10	107
CC28769		0.01	<10	<10	15	<10	134
CC28770		0.02	<10	<10	36	<10	117
CC28773		0.01	<10	<10	39	<10	86
CC28774		0.02	<10	<10	29	<10	142
CC28775		0.02	<10	<10	17	<10	71
CC28777		0.01	<10	<10	30	<10	102
CC28778		0.01	<10	<10	33	<10	109
CC28779		0.01	<10	<10	27	<10	109
CC28780		0.02	<10	<10	42	<10	91
CC28781		0.01	<10	<10	35	<10	89
CC28782		0.01	<10	<10	51	<10	119
CC28783		0.02	<10	<10	31	<10	107
CC28784		0.01	<10	<10	30	<10	110
CC28785		0.01	<10	<10	18	<10	33
CC28786		0.01	<10	<10	39	<10	83
CC28787		<0.01	<10	<10	36	<10	207
CC28788		0.01	<10	<10	51	<10	67
CC28789		0.01	<10	<10	45	<10	91
CC28790		<0.01	<10	<10	148	<10	110
CC28791		0.01	<10	<10	48	<10	190
CC28792		0.02	<10	<10	42	<10	132
CC28793		0.01	<10	<10	35	<10	199
CC28794		0.01	<10	<10	34	<10	164
CC28795		0.01	<10	<10	21	<10	131
CC28796		0.01	<10	<10	28	<10	109
CC28798		<0.01	<10	<10	54	<10	100
CC28799		<0.01	<10	<10	15	<10	96
CC28800		<0.01	<10	<10	41	<10	275
CC28801		<0.01	<10	<10	45	<10	204
CC28802		<0.01	<10	<10	58	<10	207
CC28803		0.01	<10	<10	38	<10	100
CC28804		0.01	<10	<10	28	<10	138

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28805		0.32	<0.2	1.20	29	<10	190	<0.5	<2	0.12	<0.5	7	16	18	2.25	<10
CC28806		0.30	0.2	1.36	33	<10	130	<0.5	<2	0.13	<0.5	9	18	30	2.83	<10
CC28807		0.26	<0.2	1.30	30	<10	90	<0.5	<2	0.05	<0.5	6	18	15	3.13	<10
CC28808		0.32	<0.2	1.62	22	<10	280	0.5	2	0.16	<0.5	9	20	20	2.89	<10
CC28809		0.28	<0.2	1.57	38	<10	90	0.5	<2	0.05	<0.5	14	20	19	4.04	10
CC28810		0.36	<0.2	1.69	181	<10	220	0.7	<2	0.54	0.9	19	19	32	5.01	<10
CC28812		0.30	<0.2	1.70	42	<10	300	0.8	<2	0.07	0.7	15	25	52	3.49	<10
CC28813		0.36	<0.2	0.91	15	<10	490	<0.5	<2	0.25	0.7	8	14	31	1.96	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC28805		<1	0.04	20	0.38	237	1	0.01	20	690	16	0.01	<2	2	11	<20
CC28806		1	0.05	20	0.58	311	1	0.01	29	790	21	0.01	<2	2	11	<20
CC28807		<1	0.03	20	0.47	225	1	0.01	19	900	21	0.01	<2	2	6	<20
CC28808		<1	0.04	20	0.69	245	1	0.01	23	690	15	0.01	<2	2	13	<20
CC28809		<1	0.03	20	0.64	504	2	0.01	25	390	23	0.02	3	2	6	<20
CC28810		<1	0.04	30	1.13	1440	3	0.01	38	990	90	0.06	3	5	24	<20
CC28812		<1	0.04	30	0.77	618	1	0.01	35	360	45	0.01	2	3	8	<20
CC28813		<1	0.05	10	0.27	332	2	0.02	27	980	17	0.02	2	2	25	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 10-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094101

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28805		0.02	<10	<10	35	<10	81
CC28806		0.01	<10	<10	32	<10	135
CC28807		0.01	<10	<10	41	<10	88
CC28808		0.01	<10	<10	35	<10	83
CC28809		0.02	<10	<10	37	<10	82
CC28810		0.01	<10	<10	36	<10	292
CC28812		0.02	<10	<10	35	<10	158
CC28813		0.01	<10	<10	37	<10	113

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 12-OCT-2007
Account: MTT

CERTIFICATE VA07094100

Project: TIDD

P.O. No.:

This report is for 172 Soil samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28494		0.20	0.8	0.79	19	<10	60	<0.5	<2	0.04	<0.5	3	7	19	1.72	<10
CC28495		0.16	0.6	1.42	45	<10	90	<0.5	<2	0.10	0.9	8	19	51	4.42	<10
CC28496		0.24	1.4	0.84	29	<10	120	<0.5	<2	0.11	<0.5	4	9	30	1.90	<10
CC28497		0.28	1.4	1.89	99	<10	300	0.7	<2	0.14	0.9	8	20	72	3.08	<10
CC28498		0.26	<0.2	1.12	92	<10	100	<0.5	<2	0.19	0.5	11	15	30	2.81	<10
CC28499		0.24	0.2	1.24	93	<10	90	<0.5	<2	0.14	0.5	8	15	42	2.88	<10
CC28500		0.34	0.3	1.29	53	<10	150	0.7	<2	0.14	0.8	14	17	88	2.82	<10
CC28501		0.26	<0.2	1.26	43	<10	100	<0.5	<2	0.14	0.6	9	16	66	2.81	<10
CC28502		0.26	0.2	1.22	32	<10	320	0.6	<2	0.21	0.7	12	18	74	2.96	<10
CC28503		0.32	<0.2	1.25	28	<10	210	0.6	<2	0.18	<0.5	11	17	59	2.85	<10
CC28504		0.42	0.2	1.30	25	<10	130	<0.5	<2	0.14	0.5	6	16	46	2.38	<10
CC28505		0.36	0.4	1.49	23	<10	170	0.6	<2	0.16	0.6	7	22	57	2.58	<10
CC28506		0.24	<0.2	1.52	24	<10	210	0.6	<2	0.09	0.6	11	19	54	3.02	<10
CC28507		0.24	0.5	1.65	27	<10	150	0.7	<2	0.07	0.7	8	18	37	2.88	<10
CC28508		0.32	0.8	1.62	27	<10	490	0.6	<2	0.15	0.5	6	18	59	2.41	10
CC28509		0.34	0.3	1.14	19	<10	160	<0.5	<2	0.13	<0.5	6	14	43	2.21	<10
CC28510		0.36	0.2	1.18	24	<10	230	<0.5	<2	0.26	0.8	8	16	51	2.35	<10
CC28511		0.28	1.1	1.44	20	<10	450	0.8	2	0.45	0.8	9	16	75	2.22	<10
CC28512		0.34	0.2	1.02	14	<10	190	<0.5	<2	0.22	<0.5	6	14	33	1.97	<10
CC28513		0.24	0.4	0.69	8	<10	130	<0.5	<2	0.05	<0.5	3	6	30	1.11	<10
CC28514		0.24	0.7	0.44	8	<10	120	<0.5	<2	0.07	<0.5	3	6	14	0.80	<10
CC28515		0.20	0.4	1.19	23	<10	140	<0.5	<2	0.09	<0.5	6	16	26	2.43	<10
CC28516		0.30	1.0	1.26	18	<10	420	0.5	<2	0.39	0.5	5	14	53	1.78	<10
CC28517		0.32	0.5	0.95	16	<10	210	<0.5	<2	0.15	0.6	6	11	40	1.71	<10
CC28518		0.34	1.0	2.62	39	<10	900	1.0	2	0.31	0.6	12	27	90	4.29	10
CC28519		0.32	0.7	1.47	29	<10	440	0.5	<2	0.28	0.7	6	17	54	2.41	<10
CC28520		0.28	0.2	1.29	14	<10	110	<0.5	<2	0.05	<0.5	5	17	19	2.42	<10
CC28521		0.28	0.2	1.66	23	<10	120	0.5	<2	0.04	0.5	7	20	22	2.94	<10
CC28522		0.38	0.4	1.32	18	<10	160	0.5	<2	0.18	0.6	7	18	46	2.47	<10
CC28523		0.22	0.3	1.11	24	<10	270	0.5	<2	0.25	0.6	11	16	50	2.70	<10
CC28524		0.20	0.2	1.58	22	<10	180	0.5	<2	0.08	0.6	7	20	28	2.65	10
CC28525		0.30	<0.2	1.29	24	<10	210	0.5	<2	0.16	0.6	10	17	48	2.57	<10
CC28526		0.26	0.2	1.71	28	<10	130	0.5	<2	0.05	0.5	7	22	27	3.05	10
CC28527		0.38	0.4	0.80	12	<10	80	<0.5	<2	0.11	0.5	3	9	37	1.45	<10
CC28528		0.22	0.5	1.25	59	<10	110	<0.5	<2	0.18	<0.5	7	16	55	3.00	<10
CC28529		0.22	0.6	1.55	89	<10	310	0.7	<2	0.31	1.2	9	18	56	2.43	<10
CC28530		0.40	0.4	1.18	18	<10	260	<0.5	<2	0.26	0.7	8	16	29	2.19	<10
CC28531		0.30	0.5	1.88	60	<10	270	0.7	<2	0.16	0.6	12	22	50	4.20	10
CC28532		0.14	0.4	0.63	18	<10	60	<0.5	<2	0.03	<0.5	2	5	13	1.24	<10
CC28533		0.16	0.7	1.53	59	<10	180	0.5	<2	0.06	0.8	22	19	49	4.50	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28494		<1	0.03	10	0.08	91	1	0.01	5	470	85	0.02	2	1	8	<20
CC28495		<1	0.06	30	0.43	446	1	<0.01	22	840	47	0.02	3	2	9	<20
CC28496		1	0.04	10	0.14	202	1	0.01	8	850	22	0.03	<2	1	12	<20
CC28497		<1	0.09	20	0.33	354	1	0.01	19	1140	36	0.03	3	3	15	<20
CC28498		<1	0.04	20	0.38	525	1	<0.01	18	880	31	<0.01	<2	2	15	<20
CC28499		<1	0.04	20	0.35	415	1	<0.01	15	810	30	0.01	<2	2	12	<20
CC28500		<1	0.05	30	0.39	490	<1	<0.01	21	780	33	<0.01	2	2	11	<20
CC28501		<1	0.05	20	0.35	411	1	<0.01	18	800	28	<0.01	<2	2	11	<20
CC28502		1	0.06	30	0.42	498	1	<0.01	23	970	61	<0.01	2	3	17	<20
CC28503		1	0.06	30	0.39	454	1	<0.01	21	890	24	<0.01	<2	3	13	<20
CC28504		<1	0.06	20	0.33	302	<1	<0.01	15	750	21	<0.01	<2	2	12	<20
CC28505		1	0.07	20	0.38	319	1	<0.01	19	880	19	<0.01	<2	2	14	<20
CC28506		<1	0.07	30	0.41	403	<1	<0.01	23	570	22	<0.01	3	3	9	<20
CC28507		1	0.07	20	0.31	270	1	<0.01	18	620	22	<0.01	3	2	7	<20
CC28508		<1	0.11	20	0.23	276	1	0.01	15	1080	23	0.01	<2	1	16	<20
CC28509		1	0.06	20	0.25	202	1	<0.01	14	880	19	0.01	2	1	12	<20
CC28510		<1	0.05	20	0.37	349	<1	<0.01	15	1050	29	0.01	<2	2	21	<20
CC28511		1	0.09	20	0.27	319	1	0.01	18	850	24	0.02	<2	2	25	<20
CC28512		<1	0.04	20	0.33	246	1	<0.01	13	880	17	0.01	<2	2	17	<20
CC28513		<1	0.04	10	0.07	86	<1	0.01	4	570	9	0.01	<2	1	8	<20
CC28514		<1	0.03	10	0.07	87	<1	0.01	2	520	4	0.02	<2	1	8	<20
CC28515		<1	0.07	20	0.32	256	1	<0.01	14	520	13	0.01	<2	2	9	<20
CC28516		1	0.08	10	0.24	200	1	0.01	12	940	16	0.03	2	2	25	<20
CC28517		1	0.04	10	0.21	199	1	<0.01	13	560	20	<0.01	<2	1	12	<20
CC28518		1	0.17	20	0.41	415	2	0.01	30	1260	40	0.02	4	3	27	<20
CC28519		<1	0.09	20	0.35	238	1	0.01	18	1100	22	0.02	2	3	22	<20
CC28520		<1	0.05	20	0.29	210	1	<0.01	12	460	15	<0.01	2	2	7	<20
CC28521		<1	0.07	20	0.35	255	1	<0.01	16	430	19	<0.01	3	2	7	<20
CC28522		<1	0.06	20	0.40	298	1	<0.01	17	900	19	<0.01	2	2	15	<20
CC28523		1	0.05	30	0.40	448	1	<0.01	21	1020	22	<0.01	2	3	20	<20
CC28524		1	0.07	20	0.36	231	1	<0.01	16	520	18	<0.01	2	3	9	<20
CC28525		<1	0.05	30	0.40	352	1	<0.01	21	800	20	<0.01	<2	2	13	<20
CC28526		<1	0.06	20	0.39	245	1	<0.01	17	520	22	<0.01	<2	2	6	<20
CC28527		1	0.03	10	0.19	161	<1	0.01	9	680	13	<0.01	<2	1	10	<20
CC28528		<1	0.05	20	0.36	378	<1	<0.01	20	990	30	0.01	2	2	16	<20
CC28529		<1	0.07	20	0.37	418	1	0.01	17	910	23	0.02	3	2	23	<20
CC28530		<1	0.06	20	0.37	267	<1	<0.01	17	920	17	0.01	2	2	21	<20
CC28531		1	0.09	20	0.41	625	2	0.01	24	930	34	0.02	3	2	16	<20
CC28532		1	0.03	10	0.08	92	1	0.01	4	410	10	0.01	<2	<1	7	<20
CC28533		<1	0.08	20	0.23	1115	1	0.01	16	1070	100	0.02	3	2	11	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28494		0.01	<10	<10	18	<10	47
CC28495		0.02	<10	<10	36	<10	170
CC28496		0.01	<10	<10	20	<10	50
CC28497		0.01	<10	<10	46	<10	127
CC28498		0.02	<10	<10	27	<10	113
CC28499		0.02	<10	<10	27	<10	95
CC28500		0.02	<10	<10	31	<10	128
CC28501		0.02	<10	<10	30	<10	114
CC28502		0.03	<10	<10	33	<10	141
CC28503		0.02	<10	<10	33	<10	101
CC28504		0.01	<10	<10	33	<10	86
CC28505		0.01	<10	<10	34	<10	97
CC28506		0.02	<10	<10	41	<10	97
CC28507		0.01	<10	<10	45	<10	94
CC28508		0.01	<10	<10	46	<10	105
CC28509		0.01	<10	<10	34	<10	80
CC28510		0.02	<10	<10	32	<10	117
CC28511		0.01	<10	<10	37	<10	119
CC28512		0.02	<10	<10	27	<10	88
CC28513		0.01	<10	<10	20	<10	32
CC28514		0.01	<10	<10	19	<10	20
CC28515		0.02	<10	<10	41	<10	70
CC28516		0.01	<10	<10	33	<10	86
CC28517		0.01	<10	<10	27	<10	83
CC28518		0.01	<10	<10	69	<10	179
CC28519		0.01	<10	<10	40	<10	114
CC28520		0.02	<10	<10	40	<10	69
CC28521		0.02	<10	<10	44	<10	75
CC28522		0.02	<10	<10	35	<10	90
CC28523		0.03	<10	<10	33	<10	103
CC28524		0.02	<10	<10	52	<10	89
CC28525		0.02	<10	<10	34	<10	93
CC28526		0.02	<10	<10	48	<10	85
CC28527		0.01	<10	<10	19	<10	49
CC28528		0.01	<10	<10	30	<10	115
CC28529		0.02	<10	<10	32	<10	124
CC28530		0.02	<10	<10	30	<10	98
CC28531		0.02	<10	<10	50	<10	146
CC28532		0.02	<10	<10	22	<10	30
CC28533		0.02	<10	<10	49	<10	163

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28534		0.26	0.6	1.52	39	<10	110	0.5	<2	0.07	0.7	8	16	21	3.45	<10
CC28535		0.38	0.2	1.32	34	<10	120	0.6	<2	0.15	0.7	15	17	49	3.09	<10
CC28536		0.30	0.2	1.68	38	<10	230	0.6	<2	0.17	0.5	12	21	40	3.82	10
CC28537		0.38	0.2	1.41	27	<10	370	0.5	<2	0.18	0.8	6	18	35	2.31	<10
CC28539		0.36	0.4	1.21	41	<10	150	0.5	<2	0.17	1.0	15	16	70	2.67	<10
CC28540		0.34	0.4	1.01	8	<10	110	<0.5	<2	0.11	0.5	4	11	42	1.36	<10
CC28541		0.28	<0.2	1.32	25	<10	160	0.6	<2	0.18	0.7	14	17	50	2.91	<10
CC28542		0.32	0.4	2.10	31	<10	170	0.8	2	0.11	1.1	13	25	73	3.65	10
CC28543		0.36	0.2	1.79	25	<10	170	0.6	<2	0.10	0.5	8	23	29	3.10	10
CC28544		0.24	0.6	1.02	14	<10	230	<0.5	<2	0.18	<0.5	4	10	38	1.39	<10
CC28545		0.18	0.3	1.02	14	<10	80	<0.5	<2	0.05	<0.5	3	13	15	2.13	<10
CC28546		0.28	0.2	1.26	18	<10	280	<0.5	<2	0.16	0.5	6	14	37	2.03	<10
CC28547		0.22	<0.2	1.54	23	<10	130	0.6	<2	0.10	0.6	6	16	37	2.70	<10
CC28548		0.36	0.9	1.46	18	<10	440	<0.5	2	0.23	0.5	9	18	44	2.37	<10
CC28549		0.22	<0.2	0.87	11	<10	120	<0.5	<2	0.04	<0.5	3	9	18	1.19	<10
CC28550		0.38	<0.2	1.45	34	<10	290	0.5	<2	0.22	0.5	13	19	52	3.16	<10
CC28551		0.30	<0.2	1.29	23	<10	450	<0.5	<2	0.20	0.5	9	16	37	2.34	10
CC28552		0.32	0.2	1.10	27	<10	160	<0.5	<2	0.14	<0.5	8	14	28	2.23	<10
CC28553		0.20	<0.2	1.21	36	<10	90	<0.5	<2	0.03	<0.5	5	14	12	2.67	<10
CC28554		0.32	<0.2	1.38	26	<10	100	<0.5	<2	0.08	<0.5	6	18	20	3.08	10
CC28555		0.46	0.4	1.44	23	<10	320	<0.5	2	0.40	0.5	10	19	43	2.77	<10
CC28556		0.34	0.2	1.22	18	<10	180	<0.5	2	0.21	<0.5	9	16	31	2.23	<10
CC28557		0.42	0.2	1.54	32	<10	320	0.5	2	0.23	<0.5	11	19	46	2.99	10
CC28558		0.46	<0.2	1.23	22	<10	190	<0.5	<2	0.15	<0.5	7	15	30	2.44	<10
CC28559		0.26	0.6	2.03	38	<10	790	0.8	5	0.45	0.7	13	23	85	3.68	10
CC28560		0.42	0.6	1.53	13	<10	420	0.5	<2	0.28	0.5	11	22	50	2.61	<10
CC28561		0.34	0.2	1.66	37	<10	230	0.7	2	0.17	0.8	9	19	64	3.06	10
CC28562		0.44	0.2	1.14	24	<10	280	<0.5	<2	0.28	0.8	12	15	64	2.51	<10
CC28563		0.28	<0.2	1.72	27	<10	130	0.5	<2	0.10	0.6	13	20	36	3.11	<10
CC28564		0.26	0.5	1.97	32	<10	130	0.7	<2	0.07	0.7	10	23	34	3.64	<10
CC28565		0.32	0.4	2.01	28	<10	190	0.7	<2	0.09	0.6	10	21	38	3.16	<10
CC28566		0.30	0.2	1.37	23	<10	210	0.5	<2	0.17	<0.5	10	17	48	2.83	<10
CC28567		0.26	0.4	1.77	26	<10	120	0.6	2	0.09	0.7	12	21	45	3.33	<10
CC28568		0.36	0.2	1.27	10	<10	220	<0.5	<2	0.19	<0.5	6	17	25	2.07	<10
CC28569		0.38	<0.2	1.27	29	<10	310	0.5	<2	0.27	0.6	10	17	52	2.93	<10
CC28570		0.36	0.4	1.24	31	<10	220	0.5	<2	0.23	0.5	10	16	55	2.70	<10
CC28571		0.28	<0.2	1.38	22	<10	140	0.5	<2	0.10	0.5	7	14	42	2.62	<10
CC28572		0.30	0.3	1.32	27	<10	190	0.5	<2	0.18	0.7	11	18	44	2.54	<10
CC28573		0.36	0.2	1.38	20	<10	120	0.5	2	0.14	0.7	8	17	30	2.65	<10
CC28574		0.24	0.3	1.50	32	<10	330	<0.5	<2	0.10	<0.5	11	15	46	2.87	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28534		<1	0.04	20	0.31	284	1	<0.01	18	660	41	0.01	3	2	8	<20
CC28535		1	0.05	30	0.44	510	1	<0.01	26	810	29	<0.01	3	2	11	<20
CC28536		<1	0.07	20	0.41	518	1	0.01	24	1020	28	0.01	<2	3	17	<20
CC28537		1	0.06	20	0.35	283	1	0.01	15	740	14	0.01	2	2	15	<20
CC28539		1	0.05	20	0.37	509	1	<0.01	22	840	38	<0.01	3	2	15	<20
CC28540		<1	0.04	20	0.21	144	<1	0.01	10	840	15	0.01	<2	1	10	<20
CC28541		<1	0.06	30	0.39	531	1	<0.01	22	860	27	<0.01	2	2	14	<20
CC28542		<1	0.09	30	0.51	473	1	0.01	30	720	32	0.01	3	3	9	<20
CC28543		<1	0.08	30	0.41	302	1	<0.01	18	800	23	<0.01	2	3	10	<20
CC28544		1	0.07	10	0.16	143	1	0.03	12	640	11	0.01	<2	1	16	<20
CC28545		<1	0.04	20	0.17	132	<1	0.01	7	570	16	<0.01	3	1	6	<20
CC28546		<1	0.07	10	0.24	220	<1	0.01	14	1010	17	<0.01	2	1	16	<20
CC28547		<1	0.05	20	0.29	250	<1	0.01	14	1030	26	<0.01	3	2	11	<20
CC28548		<1	0.07	10	0.29	366	<1	0.02	16	1090	22	<0.01	<2	2	20	<20
CC28549		<1	0.03	10	0.11	91	<1	<0.01	6	490	13	<0.01	<2	1	7	<20
CC28550		<1	0.07	20	0.42	474	<1	0.01	24	850	29	<0.01	2	2	17	<20
CC28551		<1	0.06	20	0.33	359	<1	0.01	16	650	16	<0.01	<2	2	18	<20
CC28552		<1	0.06	10	0.31	333	<1	0.01	14	700	18	<0.01	2	2	11	<20
CC28553		<1	0.03	10	0.25	193	<1	0.01	10	520	38	<0.01	<2	1	4	<20
CC28554		<1	0.04	10	0.36	221	<1	0.01	15	600	19	<0.01	<2	2	8	<20
CC28555		<1	0.07	20	0.49	396	<1	0.01	19	1080	20	<0.01	<2	3	26	<20
CC28556		<1	0.05	20	0.33	284	<1	0.01	14	770	17	<0.01	2	2	16	<20
CC28557		<1	0.08	20	0.43	458	<1	0.01	24	950	21	<0.01	3	2	20	<20
CC28558		<1	0.06	20	0.35	321	<1	0.01	15	600	21	<0.01	<2	2	12	<20
CC28559		<1	0.10	20	0.44	613	1	0.01	27	1050	33	<0.01	2	3	29	<20
CC28560		<1	0.06	20	0.46	315	<1	0.01	21	1220	19	<0.01	2	3	23	<20
CC28561		<1	0.08	20	0.39	344	<1	0.01	23	1010	44	<0.01	3	3	16	<20
CC28562		<1	0.06	20	0.38	475	<1	0.01	20	1080	24	<0.01	2	2	22	<20
CC28563		<1	0.06	20	0.41	437	<1	0.01	24	770	27	<0.01	2	2	9	<20
CC28564		<1	0.07	20	0.46	397	<1	0.01	23	660	30	<0.01	<2	3	7	<20
CC28565		<1	0.07	20	0.45	368	<1	0.01	26	680	28	<0.01	3	3	10	<20
CC28566		<1	0.05	30	0.37	416	<1	0.01	18	860	26	<0.01	<2	2	14	<20
CC28567		<1	0.07	30	0.47	433	<1	0.01	24	760	27	<0.01	2	3	8	<20
CC28568		<1	0.03	20	0.36	202	<1	0.01	16	1010	18	<0.01	<2	2	16	<20
CC28569		<1	0.05	30	0.43	425	<1	0.01	22	910	34	<0.01	4	3	21	<20
CC28570		<1	0.04	20	0.39	411	<1	0.01	22	940	24	<0.01	2	2	18	<20
CC28571		<1	0.04	20	0.30	325	<1	0.01	14	780	43	<0.01	2	2	9	<20
CC28572		<1	0.05	30	0.41	349	<1	0.01	21	860	27	<0.01	3	2	14	<20
CC28573		<1	0.04	20	0.37	286	<1	0.01	20	760	25	<0.01	2	2	11	<20
CC28574		<1	0.06	20	0.20	559	1	0.01	15	1180	37	0.01	<2	1	14	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28534		0.02	<10	<10	39	<10	112
CC28535		0.02	<10	<10	30	<10	130
CC28536		0.02	<10	<10	47	<10	128
CC28537		0.02	<10	<10	35	<10	93
CC28539		0.02	<10	<10	33	<10	128
CC28540		0.01	<10	<10	22	<10	51
CC28541		0.02	<10	<10	34	<10	109
CC28542		0.02	<10	<10	46	<10	140
CC28543		0.02	<10	<10	49	<10	111
CC28544		0.02	<10	<10	26	<10	73
CC28545		0.02	<10	<10	31	<10	38
CC28546		0.01	<10	<10	30	<10	74
CC28547		0.01	<10	<10	34	<10	90
CC28548		0.01	<10	<10	38	<10	101
CC28549		0.01	<10	<10	25	<10	36
CC28550		0.02	<10	<10	37	<10	133
CC28551		0.01	<10	<10	36	<10	85
CC28552		0.02	<10	<10	32	<10	88
CC28553		0.02	<10	<10	46	<10	108
CC28554		0.02	<10	<10	38	<10	89
CC28555		0.03	<10	<10	39	<10	158
CC28556		0.01	<10	<10	34	<10	75
CC28557		0.02	<10	<10	40	<10	113
CC28558		0.01	<10	<10	33	<10	97
CC28559		0.01	<10	<10	48	<10	167
CC28560		0.02	<10	<10	35	<10	109
CC28561		0.01	<10	<10	39	<10	141
CC28562		0.02	<10	<10	28	<10	120
CC28563		0.02	<10	<10	36	<10	104
CC28564		0.02	<10	<10	40	<10	121
CC28565		0.02	<10	<10	40	<10	116
CC28566		0.02	<10	<10	34	<10	100
CC28567		0.02	<10	<10	36	<10	104
CC28568		0.01	<10	<10	28	<10	66
CC28569		0.02	<10	<10	29	<10	115
CC28570		0.02	<10	<10	28	<10	115
CC28571		0.01	<10	<10	25	<10	82
CC28572		0.02	<10	<10	30	<10	105
CC28573		0.02	<10	<10	29	<10	86
CC28574		0.01	<10	<10	32	<10	95

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28575		0.36	0.3	1.17	30	<10	210	<0.5	<2	0.17	<0.5	9	13	52	2.56	<10
CC28576		0.28	0.3	1.64	34	<10	130	<0.5	<2	0.06	0.5	9	17	28	3.19	<10
CC28577		0.26	<0.2	1.10	19	<10	200	<0.5	<2	0.17	<0.5	9	12	39	2.35	<10
CC28578		0.26	<0.2	1.82	28	<10	100	<0.5	<2	0.05	<0.5	8	19	22	3.39	<10
CC28579		0.26	<0.2	1.44	25	<10	150	<0.5	<2	0.13	<0.5	12	16	56	2.84	<10
CC28580		0.32	<0.2	1.48	26	<10	90	<0.5	<2	0.07	<0.5	7	18	25	3.72	<10
CC28581		0.28	<0.2	1.35	19	<10	150	<0.5	<2	0.14	<0.5	8	15	25	2.55	<10
CC28582		0.34	<0.2	1.20	18	<10	440	<0.5	<2	0.28	<0.5	6	13	31	2.19	<10
CC28583		0.40	<0.2	1.10	19	<10	270	<0.5	<2	0.28	<0.5	8	12	41	2.18	<10
CC28584		0.30	0.2	1.46	24	<10	150	<0.5	<2	0.09	<0.5	6	15	35	2.56	<10
CC28585		0.38	0.2	1.35	15	<10	400	<0.5	<2	0.15	<0.5	11	15	37	2.48	<10
CC28586		0.30	0.2	1.55	24	<10	140	<0.5	2	0.13	<0.5	12	16	43	2.96	<10
CC28587		0.32	<0.2	1.19	24	<10	260	<0.5	<2	0.13	<0.5	6	15	20	2.57	<10
CC28588		0.42	0.4	1.64	17	<10	390	<0.5	2	0.27	<0.5	9	20	47	2.75	<10
CC28589		0.50	0.2	1.19	18	<10	210	<0.5	<2	0.16	<0.5	6	13	41	2.36	<10
CC28590		0.32	0.2	1.24	21	<10	150	<0.5	<2	0.21	<0.5	9	14	48	2.63	<10
CC28591		0.24	0.4	1.43	26	<10	380	<0.5	<2	0.12	<0.5	12	18	40	2.75	10
CC28592		0.24	0.2	1.62	30	<10	160	<0.5	<2	0.07	<0.5	7	19	30	3.20	<10
CC28593		0.34	0.2	1.61	36	<10	500	<0.5	<2	0.19	<0.5	9	18	47	3.12	<10
CC28594		0.16	0.5	0.64	8	<10	210	<0.5	<2	0.27	<0.5	2	7	17	0.96	<10
CC28595		0.24	0.2	1.28	28	<10	350	<0.5	<2	0.40	<0.5	9	17	46	2.68	<10
CC28596		0.28	0.7	1.78	33	<10	580	0.7	<2	0.53	<0.5	13	18	73	2.90	<10
CC28597		0.18	<0.2	1.48	43	<10	250	0.5	<2	0.34	0.8	10	19	52	3.19	<10
CC28598		0.34	0.3	1.27	28	<10	280	<0.5	<2	0.32	0.6	9	14	56	2.39	<10
CC28599		0.22	0.2	1.49	23	<10	200	<0.5	<2	0.11	<0.5	7	19	28	2.99	10
CC28600		0.22	<0.2	1.61	27	<10	360	0.6	<2	0.27	0.6	9	21	43	3.13	<10
CC28601		0.24	0.3	1.89	42	<10	400	0.8	<2	0.24	1.0	13	22	59	3.70	10
CC28602		0.14	<0.2	1.60	30	<10	130	<0.5	<2	0.09	0.7	9	20	27	3.18	10
CC28603		0.18	0.3	1.54	31	<10	170	0.6	<2	0.12	1.0	11	18	37	2.98	<10
CC28604		0.26	0.4	1.88	36	<10	280	0.7	<2	0.18	1.2	19	22	47	3.39	<10
CC28605		0.22	0.4	1.35	17	<10	300	0.5	<2	0.24	0.5	14	17	23	2.26	<10
CC28606		0.24	<0.2	1.67	22	<10	160	0.5	3	0.07	0.5	7	17	34	3.13	<10
CC28607		0.12	<0.2	0.45	7	<10	50	<0.5	<2	0.04	<0.5	1	5	6	1.08	<10
CC28608		0.26	0.3	1.24	20	<10	160	0.5	2	0.24	1.0	10	18	49	2.69	<10
CC28609		0.30	0.6	1.57	19	<10	140	0.6	<2	0.14	1.1	11	19	45	2.85	<10
CC28610		0.20	0.2	1.46	31	<10	90	<0.5	2	0.03	0.8	7	18	20	3.75	10
CC28611		0.20	0.4	1.50	160	<10	80	0.6	2	0.09	1.2	16	18	33	3.48	<10
CC28612		0.28	0.2	1.31	29	<10	110	<0.5	<2	0.14	0.9	8	17	35	2.86	<10
CC28613		0.30	0.5	1.32	28	<10	140	<0.5	2	0.12	0.6	7	15	29	2.62	<10
CC28614		0.24	0.2	1.83	34	<10	90	0.5	2	0.03	1.0	9	21	25	3.71	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28575		<1	0.04	20	0.34	354	<1	0.01	18	860	29	<0.01	2	2	13	<20
CC28576		<1	0.03	20	0.38	367	<1	0.01	20	540	32	<0.01	<2	2	5	<20
CC28577		1	0.03	20	0.33	404	<1	0.01	20	870	23	<0.01	2	2	14	<20
CC28578		<1	0.04	20	0.45	348	1	0.01	20	640	29	0.03	3	2	6	<20
CC28579		<1	0.06	20	0.39	460	1	0.01	25	850	32	<0.01	<2	2	11	<20
CC28580		1	0.05	20	0.43	364	1	0.01	18	780	25	<0.01	<2	2	7	<20
CC28581		<1	0.05	20	0.33	328	<1	0.01	17	710	23	<0.01	<2	2	12	<20
CC28582		<1	0.04	20	0.25	234	<1	0.01	13	800	21	<0.01	<2	1	18	<20
CC28583		<1	0.05	20	0.31	345	<1	0.02	16	720	21	<0.01	<2	2	16	<20
CC28584		<1	0.06	20	0.32	257	<1	0.01	18	790	25	<0.01	<2	2	8	<20
CC28585		<1	0.05	20	0.37	518	1	0.01	16	840	22	<0.01	<2	2	14	<20
CC28586		<1	0.04	20	0.42	466	<1	0.01	21	820	30	<0.01	<2	2	11	<20
CC28587		<1	0.05	10	0.31	274	1	0.01	13	470	18	<0.01	2	2	12	<20
CC28588		<1	0.07	20	0.49	413	1	0.01	19	1090	15	0.04	<2	3	20	<20
CC28589		<1	0.05	20	0.32	256	<1	0.01	17	810	18	0.01	<2	2	14	<20
CC28590		<1	0.05	20	0.43	352	<1	0.01	26	990	21	<0.01	3	2	16	<20
CC28591		<1	0.05	20	0.36	628	<1	0.01	14	870	23	<0.01	2	2	12	<20
CC28592		<1	0.06	20	0.42	333	1	0.01	19	760	24	<0.01	2	2	6	<20
CC28593		<1	0.08	20	0.40	328	1	0.01	25	590	21	<0.01	4	3	18	<20
CC28594		<1	0.04	10	0.13	133	<1	0.03	6	720	8	0.01	<2	1	16	<20
CC28595		<1	0.07	20	0.52	344	<1	0.01	26	900	17	<0.01	2	3	25	<20
CC28596		<1	0.10	20	0.44	472	1	0.02	34	880	26	<0.01	3	4	29	<20
CC28597		<1	0.07	20	0.58	420	1	0.01	27	1110	44	0.01	3	3	22	<20
CC28598		<1	0.06	20	0.37	312	1	0.02	21	870	21	0.01	<2	2	19	<20
CC28599		<1	0.07	20	0.47	296	1	0.01	18	580	17	0.01	<2	2	10	<20
CC28600		<1	0.08	20	0.54	398	1	0.01	25	970	24	0.01	<2	2	20	<20
CC28601		<1	0.09	20	0.52	506	1	0.01	28	1220	34	0.02	2	3	23	<20
CC28602		1	0.06	20	0.43	331	1	0.01	21	840	28	0.02	2	2	9	<20
CC28603		<1	0.07	20	0.38	460	1	0.01	20	1030	36	0.02	<2	2	11	<20
CC28604		1	0.09	20	0.49	556	1	0.01	32	920	29	0.02	<2	3	16	<20
CC28605		1	0.04	20	0.35	518	1	0.02	15	1080	27	0.03	<2	1	18	<20
CC28606		1	0.05	20	0.34	304	1	0.01	16	670	34	0.02	<2	2	9	<20
CC28607		<1	0.03	10	0.09	79	1	0.02	3	500	8	0.02	<2	<1	5	<20
CC28608		<1	0.05	30	0.47	287	<1	0.01	24	1030	30	<0.01	<2	2	17	<20
CC28609		<1	0.05	30	0.43	328	1	0.01	23	900	24	0.01	2	2	11	<20
CC28610		<1	0.05	20	0.27	262	1	0.01	15	1020	22	0.01	3	2	7	<20
CC28611		<1	0.05	20	0.34	552	1	0.01	25	840	54	0.01	3	2	8	<20
CC28612		<1	0.05	20	0.38	311	1	0.01	19	790	29	0.01	3	2	11	<20
CC28613		<1	0.04	20	0.30	274	1	0.01	19	760	22	0.02	2	2	12	<20
CC28614		<1	0.04	20	0.38	366	1	0.01	19	540	34	0.02	<2	2	6	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Units	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.01	10	10	1	10	2
CC28575	0.01	<10	<10	23	<10	104
CC28576	0.01	<10	<10	29	<10	117
CC28577	0.01	<10	<10	21	<10	109
CC28578	0.02	<10	<10	35	<10	116
CC28579	0.02	<10	<10	31	<10	133
CC28580	0.02	<10	<10	37	<10	106
CC28581	0.01	<10	<10	30	<10	103
CC28582	0.01	<10	<10	27	<10	75
CC28583	0.02	<10	<10	22	<10	93
CC28584	0.01	<10	<10	32	<10	97
CC28585	0.01	<10	<10	30	<10	108
CC28586	0.02	<10	<10	28	<10	108
CC28587	0.01	<10	<10	35	<10	79
CC28588	0.02	<10	<10	35	<10	123
CC28589	0.01	<10	<10	26	<10	84
CC28590	0.02	<10	<10	25	<10	105
CC28591	0.02	<10	<10	42	<10	90
CC28592	0.01	<10	<10	48	<10	104
CC28593	0.01	<10	<10	44	<10	109
CC28594	0.01	<10	<10	14	<10	37
CC28595	0.02	<10	<10	31	<10	124
CC28596	0.01	<10	<10	39	<10	166
CC28597	0.02	<10	<10	40	<10	378
CC28598	0.01	<10	<10	31	<10	105
CC28599	0.02	<10	<10	41	<10	101
CC28600	0.01	<10	<10	38	<10	132
CC28601	0.02	<10	<10	46	<10	173
CC28602	0.02	<10	<10	42	<10	106
CC28603	0.02	<10	<10	38	<10	136
CC28604	0.02	<10	<10	41	<10	153
CC28605	0.02	<10	<10	32	<10	100
CC28606	0.02	<10	<10	47	<10	93
CC28607	0.01	<10	<10	18	<10	27
CC28608	0.02	<10	<10	30	<10	123
CC28609	0.02	<10	<10	33	<10	131
CC28610	0.02	<10	<10	55	<10	95
CC28611	0.01	<10	<10	31	<10	148
CC28612	0.02	<10	<10	32	<10	103
CC28613	0.01	<10	<10	32	<10	90
CC28614	0.01	<10	<10	40	<10	123

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized D: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28615		0.14	0.4	1.33	44	<10	90	0.5	2	0.12	1.1	10	16	42	3.02	<10
CC28616		0.20	0.3	1.55	28	<10	90	<0.5	<2	0.03	0.8	8	19	17	3.66	10
CC28617		0.26	0.4	1.24	21	<10	200	0.5	<2	0.16	0.9	10	17	44	2.61	<10
CC28618		0.20	0.4	1.57	25	<10	110	<0.5	2	0.05	0.9	7	22	15	3.45	10
CC28619		0.24	0.3	1.75	24	<10	100	<0.5	<2	0.02	0.8	7	22	13	3.73	10
CC28620		0.20	0.2	1.27	26	<10	90	<0.5	2	0.04	0.8	6	18	16	3.47	10
CC28621		0.22	0.3	1.70	24	<10	110	<0.5	2	0.05	0.8	8	21	18	3.32	10
CC28622		0.32	0.2	1.16	24	<10	220	<0.5	<2	0.24	0.7	12	15	22	2.50	<10
CC28623		0.24	0.5	1.34	13	<10	530	<0.5	3	0.58	1.0	9	14	34	2.09	<10
CC28624		0.44	0.3	1.38	22	<10	380	0.5	<2	0.32	1.3	12	21	61	2.66	<10
CC28625		0.42	0.4	1.48	20	<10	370	0.6	2	0.31	0.9	14	21	51	2.73	<10
CC28626		0.30	0.9	2.16	36	<10	660	0.9	<2	0.43	0.8	11	20	79	2.68	10
CC28627		0.30	2.3	3.63	53	<10	1360	1.3	4	0.39	1.0	21	35	69	4.95	10
CC28628		0.26	0.5	1.92	35	<10	450	0.8	2	0.48	0.9	17	22	57	3.47	<10
CC28629		0.16	1.0	1.52	48	<10	390	0.7	3	0.53	0.7	12	17	79	2.40	<10
CC28630		0.38	0.7	1.65	37	<10	360	0.6	2	0.35	1.4	17	22	93	3.09	<10
CC28631		0.24	0.7	1.65	21	<10	750	0.7	<2	0.75	0.9	13	20	50	2.55	<10
CC28632		0.12	0.7	1.03	14	<10	320	<0.5	<2	0.76	<0.5	7	11	30	1.67	<10
CC28633		0.14	0.4	2.54	84	<10	290	0.6	2	0.56	2.7	26	29	44	4.44	10
CC28634		0.26	0.2	1.21	47	<10	190	0.6	<2	0.33	0.7	11	13	36	2.72	<10
CC28636		0.24	<0.2	1.95	33	<10	520	0.9	2	0.35	1.4	11	23	58	3.42	10
CC28637		0.24	0.4	1.87	44	<10	460	0.8	2	0.39	1.4	11	23	52	3.48	10
CC28638		0.28	0.2	1.42	59	<10	260	0.5	<2	0.49	1.1	10	19	44	2.78	<10
CC28639		0.14	0.3	0.84	65	<10	170	<0.5	<2	0.13	1.3	11	8	31	1.85	<10
CC28640		0.26	0.7	1.61	27	<10	550	0.5	2	0.50	0.6	13	17	34	2.40	<10
CC28641		0.20	0.2	1.51	27	<10	420	0.5	2	0.27	0.5	13	22	29	2.86	<10
CC28642		0.22	0.4	1.04	12	<10	270	<0.5	<2	0.12	0.5	10	13	25	1.67	<10
CC28643		0.34	0.7	1.47	16	<10	330	0.5	<2	0.37	0.7	10	21	38	2.61	<10
CC28644		0.34	0.4	1.75	27	<10	410	0.6	<2	0.42	1.1	12	24	56	3.26	10
CC28645		0.02	0.4	2.43	41	<10	390	1.0	<2	0.31	0.6	20	31	47	3.99	10
CC28646		0.02	1.1	1.87	21	<10	540	0.8	<2	0.27	0.5	16	21	42	2.81	<10
CC28647		0.28	<0.2	1.69	37	<10	90	<0.5	<2	0.09	0.5	9	21	22	3.79	<10
CC28648		0.26	0.4	1.67	26	<10	140	<0.5	<2	0.06	<0.5	6	20	15	3.21	<10
CC28649		0.24	0.2	1.59	29	<10	120	<0.5	<2	0.09	<0.5	7	22	19	3.93	<10
CC28650		0.28	0.2	1.58	28	<10	90	<0.5	<2	0.09	0.5	8	20	17	3.32	<10
CC28651		0.34	0.3	1.69	26	<10	160	0.7	<2	0.08	<0.5	12	20	37	3.18	<10
CC28652		0.30	0.3	1.95	37	<10	100	0.5	<2	0.06	0.8	11	22	25	3.85	10
CC28653		0.26	0.2	2.02	46	<10	110	0.5	<2	0.04	0.6	9	23	26	4.98	10
CC28654		0.22	0.3	0.96	126	<10	90	<0.5	<2	0.09	0.5	9	10	24	2.89	<10
CC28655		0.30	<0.2	1.52	66	<10	200	0.6	<2	0.13	0.7	11	18	35	3.48	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28615		<1	0.05	20	0.39	376	1	0.01	23	780	55	0.01	3	2	11	<20
CC28616		<1	0.04	20	0.29	353	1	0.01	16	590	25	0.01	<2	2	6	<20
CC28617		<1	0.04	30	0.42	353	1	0.01	24	850	21	0.01	<2	2	13	<20
CC28618		<1	0.05	20	0.31	295	1	0.01	15	910	27	0.01	2	2	7	<20
CC28619		<1	0.04	20	0.31	284	1	0.01	15	560	24	0.01	<2	2	5	<20
CC28620		<1	0.04	20	0.30	280	1	0.01	12	870	19	0.01	2	2	7	<20
CC28621		<1	0.05	20	0.45	289	1	0.01	21	520	30	0.01	2	2	7	<20
CC28622		<1	0.04	20	0.38	498	1	0.01	20	930	31	0.02	<2	2	18	<20
CC28623		<1	0.05	20	0.38	430	<1	0.03	15	1000	16	0.07	<2	3	36	<20
CC28624		<1	0.06	20	0.51	394	1	0.01	27	830	32	0.02	2	3	23	<20
CC28625		<1	0.07	20	0.51	453	<1	0.01	26	960	20	0.01	<2	3	22	<20
CC28626		1	0.16	20	0.32	328	1	0.03	27	840	31	0.03	<2	3	29	<20
CC28627		<1	0.17	30	0.48	937	5	0.03	40	2160	38	0.06	2	5	33	<20
CC28628		<1	0.07	30	0.81	758	1	0.01	35	890	21	0.01	<2	5	27	<20
CC28629		<1	0.07	20	0.43	624	1	0.03	26	850	27	0.05	2	4	37	<20
CC28630		1	0.07	30	0.62	556	1	0.01	34	1020	65	0.01	2	5	23	<20
CC28631		<1	0.07	20	0.51	519	1	0.02	30	970	24	0.05	<2	3	45	<20
CC28632		<1	0.04	10	0.27	327	1	0.03	15	890	15	0.08	<2	1	40	<20
CC28633		<1	0.05	30	1.39	2540	1	0.02	40	1080	29	0.06	3	3	28	<20
CC28634		<1	0.07	10	0.35	508	3	0.02	20	1120	53	0.05	3	1	26	<20
CC28636		<1	0.16	30	0.56	608	2	0.01	29	1110	26	0.04	2	3	26	<20
CC28637		<1	0.06	20	0.63	1010	2	<0.01	21	1630	30	0.06	<2	2	24	<20
CC28638		1	0.04	20	0.56	479	1	0.02	22	1280	21	0.03	4	2	27	<20
CC28639		<1	0.03	10	0.30	891	1	0.02	13	760	21	0.02	2	1	12	<20
CC28640		<1	0.05	20	0.48	1100	1	0.02	22	1170	18	0.03	2	2	35	<20
CC28641		<1	0.05	20	0.60	413	1	0.01	27	950	21	<0.01	3	3	22	<20
CC28642		<1	0.04	10	0.31	260	1	0.02	17	390	13	<0.01	2	2	11	<20
CC28643		<1	0.06	20	0.60	312	1	0.02	26	890	19	<0.01	2	3	23	<20
CC28644		<1	0.07	30	0.64	567	1	0.03	31	1230	30	<0.01	4	3	28	<20
CC28645		<1	0.07	30	0.77	498	1	0.04	39	1150	46	<0.01	3	4	23	<20
CC28646		<1	0.05	20	0.48	1035	<1	0.02	26	1580	30	0.02	2	2	24	<20
CC28647		<1	0.05	20	0.44	372	<1	0.02	19	780	45	<0.01	<2	2	9	<20
CC28648		<1	0.04	20	0.44	267	<1	0.02	16	540	23	<0.01	2	2	7	<20
CC28649		<1	0.05	20	0.51	341	<1	0.02	19	1130	25	<0.01	<2	2	9	<20
CC28650		<1	0.04	20	0.45	304	<1	0.02	19	660	30	<0.01	2	2	9	<20
CC28651		<1	0.05	30	0.39	388	<1	0.02	22	630	31	<0.01	<2	2	8	<20
CC28652		<1	0.06	20	0.42	512	<1	0.02	18	870	37	<0.01	2	2	8	<20
CC28653		<1	0.05	30	0.40	453	<1	0.02	20	700	55	<0.01	<2	3	7	<20
CC28654		<1	0.04	20	0.19	378	<1	0.03	13	740	49	<0.01	3	1	10	<20
CC28655		<1	0.05	20	0.43	433	<1	0.02	24	720	46	<0.01	3	2	13	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28615		0.01	<10	<10	29	<10	131
CC28616		0.01	<10	<10	42	<10	93
CC28617		0.02	<10	<10	29	<10	107
CC28618		0.02	<10	<10	52	<10	97
CC28619		0.02	<10	<10	50	<10	80
CC28620		0.02	<10	<10	48	<10	82
CC28621		0.02	<10	<10	39	<10	98
CC28622		0.02	<10	<10	30	<10	100
CC28623		0.07	<10	<10	40	<10	81
CC28624		0.03	<10	<10	33	<10	160
CC28625		0.02	<10	<10	34	<10	134
CC28626		0.02	<10	<10	49	<10	160
CC28627		0.01	<10	<10	83	<10	275
CC28628		0.01	<10	<10	35	<10	124
CC28629		0.01	<10	<10	34	<10	201
CC28630		0.01	<10	<10	46	<10	484
CC28631		0.01	<10	<10	41	<10	127
CC28632		0.01	<10	<10	24	<10	91
CC28633		0.01	<10	<10	34	<10	206
CC28634		0.01	<10	<10	32	<10	119
CC28636		0.02	<10	<10	51	<10	192
CC28637		0.01	<10	<10	46	<10	181
CC28638		0.01	<10	<10	35	<10	147
CC28639		0.01	<10	<10	33	<10	161
CC28640		0.01	<10	<10	33	<10	115
CC28641		0.02	<10	<10	33	<10	98
CC28642		0.02	<10	<10	26	<10	66
CC28643		0.02	<10	<10	33	<10	116
CC28644		0.02	<10	<10	41	<10	165
CC28645		0.05	<10	<10	44	<10	159
CC28646		0.01	<10	<10	32	<10	180
CC28647		0.02	<10	<10	40	<10	139
CC28648		0.02	<10	<10	39	<10	88
CC28649		0.02	<10	<10	43	<10	97
CC28650		0.02	<10	<10	34	<10	92
CC28651		0.02	<10	<10	38	<10	98
CC28652		0.02	<10	<10	41	<10	116
CC28653		0.02	<10	<10	48	<10	137
CC28654		0.01	<10	<10	26	<10	76
CC28655		0.01	<10	<10	35	<10	136

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28656		0.26	0.2	1.87	43	<10	100	0.6	<2	0.13	1.3	16	23	24	4.54	10
CC28657		0.34	0.4	1.34	14	<10	140	<0.5	<2	0.05	<0.5	5	17	21	2.30	10
CC28658		0.20	0.2	1.60	34	<10	110	0.5	<2	0.11	<0.5	8	21	19	3.67	10
CC28659		0.26	0.3	1.67	24	<10	200	0.5	2	0.13	<0.5	11	22	17	3.04	<10
CC28660		0.36	0.3	1.51	57	<10	170	<0.5	<2	0.13	0.6	13	21	27	3.91	<10
CC28661		0.26	0.3	1.93	40	<10	160	0.9	3	0.07	<0.5	9	22	16	3.52	<10
CC28662		0.34	0.3	1.38	21	<10	350	0.5	<2	0.29	<0.5	9	19	26	2.68	<10
CC28663		0.38	0.7	1.81	23	<10	730	0.7	3	0.64	0.6	9	21	46	2.62	<10
CC28664		0.42	0.4	1.55	24	<10	320	0.5	<2	0.37	0.7	10	20	46	2.97	<10
CC28665		0.30	0.3	1.51	33	<10	580	<0.5	3	0.33	0.7	11	21	39	3.19	<10
CC28666		0.28	0.8	1.74	76	<10	260	0.7	<2	0.14	<0.5	13	24	45	3.60	<10
CC28667		0.38	<0.2	1.64	80	<10	210	0.7	2	0.13	<0.5	16	22	62	3.65	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized D...: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28656		<1	0.05	30	0.52	598	1	0.03	24	1190	54	<0.01	5	3	11	<20
CC28657		<1	0.04	20	0.21	161	1	0.02	11	980	29	<0.01	3	1	9	<20
CC28658		<1	0.05	20	0.46	375	1	<0.01	18	1060	26	0.02	<2	2	9	<20
CC28659		<1	0.04	20	0.61	332	1	<0.01	21	700	23	0.02	<2	2	12	<20
CC28660		<1	0.03	20	0.56	480	2	<0.01	24	930	41	0.02	<2	2	10	<20
CC28661		1	0.04	30	0.64	349	1	0.01	23	330	29	0.02	<2	2	8	<20
CC28662		1	0.05	20	0.56	358	1	0.01	24	880	19	0.02	2	3	22	<20
CC28663		<1	0.05	20	0.60	298	1	0.02	23	1500	26	0.07	<2	3	44	<20
CC28664		1	0.08	20	0.54	473	1	0.01	24	1160	25	0.02	<2	3	26	<20
CC28665		<1	0.07	20	0.52	560	2	0.01	21	830	24	0.04	2	2	29	<20
CC28666		<1	0.04	20	0.74	526	1	0.01	29	610	29	0.03	3	3	14	<20
CC28667		1	0.05	20	0.65	786	1	0.01	27	830	34	0.04	2	3	12	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized D..e: 12-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094100

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28656		0.02	<10	<10	42	<10	128
CC28657		0.02	<10	<10	43	<10	53
CC28658		0.02	<10	<10	44	<10	111
CC28659		0.01	<10	<10	32	<10	102
CC28660		0.01	<10	<10	30	<10	129
CC28661		0.01	<10	<10	34	<10	91
CC28662		0.03	<10	<10	32	<10	105
CC28663		0.02	<10	<10	33	<10	121
CC28664		0.02	<10	<10	37	<10	134
CC28665		0.01	<10	<10	38	<10	115
CC28666		0.02	<10	<10	40	<10	119
CC28667		0.02	<10	<10	40	<10	125

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 8-OCT-2007
Account: MTT

CERTIFICATE VA07092878

Project: TIDD

P.O. No.:

This report is for 6 Rock samples submitted to our lab in Vancouver, BC, Canada on 24-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 8-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092878

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385891		2.02	3.08	6.01	249	300	1.23	25.8	0.13	1.1	74.6	15.9	58	5.83	1840	5.91
C385892		1.06	<0.01	10.4	23.9	790	3.91	0.59	0.36	1.98	68.7	28	104	16.15	366	7.52
C385893		1.22	<0.01	8.18	27.2	480	2.72	0.4	0.23	1.14	94.7	17.5	80	14.5	205	6.47
C385894		1.54	0.28	8.88	29.4	690	2.07	1.3	0.09	0.83	115.5	12.5	88	11.75	190	5.56
C385895		0.18	2.85	8.14	25.2	480	1.84	48.2	0.12	1.09	95.1	22.2	76	7.04	1205	8.02
C385896		1.30	4.47	9.18	44.6	490	1.85	41	0.11	1.28	100.5	23	89	7.84	1610	10

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 8-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092878

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385891		17.95	0.22	1.9	0.586	1.7	38.6	49.3	0.87	814	0.84	0.05	21	22.9	640	20.7
C385892		33.7	0.28	3	0.139	3.02	30.2	92.2	1.26	971	0.94	0.7	32.4	55.1	720	24.7
C385893		24.7	0.27	2.4	0.091	2.17	51.1	94.8	1.34	734	0.81	0.22	22.4	35.5	630	17.3
C385894		27.5	0.27	1.8	0.153	3	62.9	71.3	0.86	693	0.59	0.13	20.4	30.5	470	19.9
C385895		26.4	0.3	2.7	2.18	2.41	49.6	72.2	0.83	1440	0.69	0.06	18.8	33.8	710	27.8
C385896		30.8	0.32	2.9	4.3	2.66	52.5	76	1.03	1550	0.43	0.06	23.1	39.4	840	9.1

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 8-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092878

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385891		101.5	<0.002	0.29	3.86	14.4	2	39.4	23.1	0.95	<0.05	9.7	0.388	0.71	1.7	72
C385892		142	<0.002	0.06	1.9	25.8	2	10.3	96.1	1.85	<0.05	10.6	0.755	1.14	3.5	153
C385893		134.5	<0.002	0.03	1.23	20.9	2	5.8	59.5	1.3	<0.05	11.8	0.588	0.8	2.7	111
C385894		180	<0.002	0.02	2.78	17.9	2	16.3	48	1.21	<0.05	15.4	0.457	1.08	2.8	101
C385895		173	<0.002	0.2	2.89	20.5	2	50.2	25.9	1.15	0.06	12.7	0.496	1.32	2.2	102
C385896		169.5	<0.002	0.95	5.78	22.7	3	68.1	34.2	1.42	<0.05	14.4	0.599	1.5	2.5	126

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 8-OCT-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092878

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C385891		8	17	110	68.4
C385892		3.4	20.2	247	110
C385893		3.1	22.3	167	90.6
C385894		9.7	19.7	119	64.8
C385895		17.2	20.8	120	98.7
C385896		27.8	24.3	120	102.5

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

17-SEP-2007
Account: MTT

CERTIFICATE VA07092473

Project: TIDD

P.O. No.:

This report is for 36 Rock samples submitted to our lab in Vancouver, BC, Canada on 21-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 17-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092473

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385855		1.18	0.22	11.55	36.1	680	3.33	0.72	0.16	0.14	96.40	21.5	121	13.15	61.1	6.70
C385856		1.26	0.17	10.20	34.9	520	2.47	0.51	0.56	0.12	97.60	28.6	99	14.85	63.5	7.62
C385857		2.39	0.21	10.05	30.9	560	2.16	0.60	0.18	0.29	82.80	26.1	102	10.45	88.2	7.58
C385858		2.15	1.56	9.70	10.1	350	2.22	3.62	0.12	1.00	95.60	19.5	97	5.63	880.0	10.05
C385859		3.13	1.62	11.40	30.4	650	1.95	7.42	0.13	0.42	110.00	20.5	115	9.13	805.0	8.64
C385860		1.75	22.50	10.30	209.0	140	2.91	279.00	0.18	5.01	128.50	98.1	114	4.50	>10000	12.45
C385861		1.80	33.40	7.98	19.1	320	1.09	81.20	0.08	7.99	74.20	34.9	83	4.77	3320.0	13.00
C385862		3.25	0.45	9.06	5.0	660	2.23	2.82	0.18	2.69	77.20	15.7	16	19.05	242.0	3.99
C385863		2.01	1.49	7.28	25.2	470	2.19	6.55	0.09	0.82	71.80	11.4	57	15.50	121.0	4.90
C385864		1.49	0.83	5.67	12.7	240	1.08	12.55	0.06	1.66	56.20	21.5	65	4.62	573.0	7.64
C385865		2.12	11.65	6.06	19.4	360	1.04	40.90	0.06	0.43	60.70	15.6	62	5.45	208.0	8.25
C385866		2.27	1.10	8.40	26.6	420	1.55	10.10	0.09	2.29	84.90	32.8	60	12.05	243.0	10.90
C385867		3.59	6.64	8.37	112.5	450	1.79	15.70	0.09	17.15	83.90	33.8	70	16.45	4200.0	8.77
C385868		2.02	1.89	8.30	155.0	490	1.36	6.08	0.09	8.11	85.10	21.8	68	9.85	536.0	6.78
C385869		0.83	98.20	3.51	211.0	90	0.35	181.50	0.02	34.30	32.10	121.5	36	1.23	>10000	12.45
C385870		2.64	10.15	8.40	24.0	430	1.31	27.60	0.06	5.41	71.20	15.1	82	9.09	781.0	10.45
C385871		2.14	84.20	5.27	24.5	330	0.93	193.00	0.02	30.00	33.60	15.2	57	5.75	5730.0	10.50
C385872		3.61	0.53	10.10	23.7	620	2.39	1.16	0.16	0.19	117.50	35.5	91	12.20	68.2	6.80
C385873		3.24	2.70	10.50	41.4	560	2.39	5.34	0.10	0.99	104.00	33.9	84	16.05	111.5	7.47
C385874		3.45	1.41	9.16	36.9	530	1.93	2.04	0.14	0.34	87.60	24.2	79	11.40	55.4	6.73
C385875		3.35	0.50	9.80	42.8	770	2.38	0.59	0.17	1.89	109.50	36.1	83	13.55	87.8	6.04
C385876		1.28	9.16	9.77	23.1	460	1.04	10.60	0.13	1.46	92.10	27.3	84	4.63	5150.0	14.10
C385877		2.00	0.49	9.28	102.5	670	1.90	0.60	0.11	0.23	88.30	21.3	84	11.85	60.9	6.66
C385878		2.24	0.52	10.35	115.5	780	2.17	0.76	0.06	0.44	102.00	29.2	92	12.55	132.5	6.84
C385879		0.95	0.31	10.20	133.0	700	2.67	0.76	0.06	0.45	103.50	28.0	87	16.70	72.8	5.78
C385880		1.61	0.27	9.90	45.1	580	2.51	0.32	0.17	0.18	96.50	27.9	86	19.35	58.4	7.80
C385881		2.07	0.21	6.93	8.6	390	2.08	0.40	0.75	0.11	74.30	19.8	53	10.55	54.3	6.34
C385882		1.92	0.16	11.65	13.4	810	2.82	0.27	0.24	0.04	110.00	30.8	97	13.25	60.8	6.72
C385883		2.72	0.14	8.96	9.6	580	1.84	0.33	0.28	0.03	94.40	18.9	80	7.93	45.1	5.30
C385884		3.14	0.14	8.25	84.0	560	1.94	0.26	0.33	0.14	89.40	49.6	73	6.18	168.0	3.75
C385885		3.57	0.13	8.42	14.3	540	2.08	0.19	0.20	0.05	67.60	16.9	72	12.75	27.3	5.11
C385886		2.04	0.21	9.42	103.5	680	2.14	0.26	0.14	0.11	93.30	25.4	83	13.25	37.5	6.26
C385887		0.99	0.13	8.85	11.1	410	1.56	0.23	0.27	0.09	82.00	32.4	69	7.86	32.2	7.37
C385888		1.71	0.36	9.95	49.1	540	1.64	0.48	0.14	0.34	96.60	22.5	83	6.81	77.2	8.16
C385889		1.64	>100	2.15	300.0	20	0.33	664.00	0.01	71.80	29.70	103.5	16	1.11	>10000	11.00
C385890		2.05	0.89	10.30	39.6	590	2.37	1.80	0.18	0.46	102.00	24.7	90	9.31	161.0	7.27

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 17-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092473

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385855		33.10	0.24	2.7	0.128	3.33	47.5	65.1	1.05	811	0.78	0.56	25.3	43.7	700	17.4
C385856		27.20	0.22	2.7	0.090	2.15	54.3	75.1	1.43	1275	0.72	0.84	23.7	50.8	870	21.1
C385857		24.10	0.20	2.1	0.094	2.82	44.3	68.6	1.23	1225	0.57	0.35	18.5	44.9	700	15.6
C385858		26.40	0.28	2.3	0.361	1.76	53.2	37.3	1.04	866	0.69	0.26	16.8	52.3	650	11.3
C385859		30.50	0.29	2.8	0.429	3.20	60.5	60.8	1.13	801	0.83	0.18	18.4	39.0	880	13.4
C385860		30.70	0.27	2.2	6.710	1.31	63.4	203.0	1.15	1640	1.27	0.26	21.7	28.4	880	119.5
C385861		22.70	0.25	1.6	4.450	1.43	36.7	92.6	1.01	3230	0.71	0.03	14.5	32.8	520	1150.0
C385862		19.60	0.18	3.5	0.119	2.44	42.7	106.0	1.01	1020	0.88	0.07	13.5	18.1	780	47.2
C385863		21.50	0.12	2.1	0.621	2.26	39.1	65.5	0.66	830	1.00	0.04	14.7	19.2	510	69.9
C385864		16.70	0.14	1.6	1.325	1.18	29.5	62.7	0.73	1645	0.64	0.03	10.5	34.3	370	13.0
C385865		19.40	0.14	1.8	0.590	1.36	32.0	80.1	0.73	1420	0.67	0.03	15.2	22.7	460	471.0
C385866		22.70	0.29	2.5	0.279	1.93	46.2	65.0	1.13	2120	1.17	0.04	14.6	33.4	610	33.9
C385867		25.70	0.29	2.3	10.900	2.69	48.0	46.9	0.78	1205	1.11	0.05	13.4	32.5	590	96.8
C385868		23.30	0.27	2.3	1.500	2.53	47.6	52.9	0.98	897	0.72	0.06	12.6	34.4	580	13.9
C385869		11.90	0.26	0.9	56.300	0.37	18.0	48.3	0.53	1495	1.62	0.01	7.6	20.6	230	1690.0
C385870		24.90	0.29	2.1	3.910	1.99	37.6	81.7	1.10	2470	1.01	0.05	12.8	26.2	640	1220.0
C385871		16.50	0.24	1.5	28.000	0.90	25.1	49.8	0.73	2380	1.35	0.04	10.0	11.4	380	3590.0
C385872		28.40	0.24	2.9	0.199	2.64	44.9	77.0	1.27	1710	1.29	0.37	21.2	47.2	730	36.5
C385873		29.30	0.30	2.7	0.386	2.91	57.2	62.5	1.23	1665	0.65	0.28	19.6	55.3	720	174.0
C385874		24.30	0.26	2.6	0.159	2.44	49.3	131.0	1.04	1860	0.72	0.13	17.7	44.5	680	30.4
C385875		28.00	0.31	2.8	0.152	2.96	64.1	193.0	0.69	2850	0.73	0.15	21.3	108.0	640	16.8
C385876		28.70	0.39	3.0	3.140	1.73	47.4	102.0	1.68	2300	1.02	0.06	11.6	48.1	730	13.1
C385877		26.50	0.27	2.6	0.138	2.72	47.6	118.0	1.03	1515	0.89	0.13	17.7	33.6	740	51.3
C385878		28.60	0.29	2.8	0.213	3.30	54.3	396.0	0.40	1450	0.65	0.10	17.5	40.1	790	24.6
C385879		29.50	0.30	2.7	0.144	3.34	58.6	530.0	0.19	1555	0.58	0.13	17.4	46.6	640	22.4
C385880		26.30	0.31	2.5	0.101	2.61	53.4	212.0	0.96	1585	0.51	0.16	16.8	52.9	830	17.3
C385881		18.30	0.26	1.9	0.105	1.48	39.6	65.3	1.10	2730	0.53	0.61	14.5	38.9	980	13.2
C385882		32.30	0.34	3.0	0.091	3.25	52.2	60.7	1.18	1395	0.37	0.96	23.9	49.9	990	12.4
C385883		24.30	0.29	2.0	0.076	2.28	50.7	50.1	1.01	734	0.26	0.78	16.0	36.4	850	7.0
C385884		22.70	0.28	2.9	0.049	2.49	46.3	41.0	0.90	471	0.36	0.44	16.1	27.6	670	8.7
C385885		23.00	0.25	2.2	0.072	2.13	35.1	66.6	1.06	593	0.34	0.30	15.8	32.0	550	7.4
C385886		26.00	0.33	2.8	0.074	2.92	46.8	78.7	1.05	1750	0.25	0.15	17.9	39.1	620	5.9
C385887		22.20	0.32	2.3	0.072	1.78	38.5	64.1	1.31	1580	0.32	1.39	16.6	46.8	900	8.3
C385888		27.30	0.40	2.7	0.177	2.66	53.1	78.9	1.38	1675	1.09	0.10	17.9	41.7	770	16.0
C385889		9.21	1.26	0.5	53.100	0.09	17.1	106.5	0.38	790	2.74	0.01	3.1	21.3	80	>10000
C385890		29.30	0.23	2.6	0.246	3.07	51.6	92.2	1.25	1300	1.04	0.15	18.9	41.0	870	48.1

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 17-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092473

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385855		184.5	0.003	0.27	2.56	27.8	2	11.6	131.5	1.55	0.05	14.5	0.701	1.32	2.7	162
C385856		147.5	0.003	0.70	0.88	21.4	2	4.0	156.0	1.43	0.06	12.8	0.651	0.79	2.2	137
C385857		166.0	0.003	0.41	4.44	19.6	2	6.2	65.8	1.16	0.06	11.7	0.623	0.93	2.0	133
C385858		133.5	0.003	2.58	3.29	19.9	5	33.6	48.8	1.03	0.06	12.8	0.463	0.96	2.4	120
C385859		235.0	0.003	0.99	6.51	21.6	3	51.9	42.3	1.15	0.07	14.2	0.513	1.66	2.5	149
C385860		125.5	<0.002	1.83	20.30	23.8	5	38.6	33.1	1.34	0.19	15.9	0.638	1.01	3.4	150
C385861		86.0	<0.002	0.56	0.81	16.3	5	42.1	12.9	0.85	0.17	11.1	0.433	0.75	2.0	94
C385862		194.0	0.002	0.05	1.04	10.8	2	2.9	31.0	1.08	<0.05	22.5	0.336	1.49	5.4	75
C385863		191.0	0.004	0.17	3.35	15.2	2	48.7	24.1	1.07	0.11	9.4	0.366	1.84	1.9	87
C385864		84.8	0.002	0.21	0.90	11.8	2	33.5	15.6	0.72	0.06	7.4	0.309	0.70	1.7	74
C385865		94.0	0.002	0.23	2.56	12.8	3	30.0	22.5	0.97	0.17	8.6	0.313	0.95	1.6	80
C385866		163.0	0.003	0.67	3.84	15.9	2	37.0	16.1	0.97	0.15	12.8	0.434	1.52	3.0	100
C385867		228.0	0.002	1.88	12.95	18.5	3	57.6	25.2	0.86	0.18	11.9	0.401	2.93	2.2	106
C385868		183.5	0.002	0.70	4.51	17.9	2	98.7	23.9	0.79	0.10	10.7	0.335	1.64	2.6	100
C385869		27.9	0.002	5.19	11.40	6.6	9	45.9	5.3	0.44	0.76	4.4	0.185	0.45	1.1	45
C385870		159.0	0.002	0.27	0.83	16.0	4	80.5	19.2	0.81	0.19	11.7	0.393	1.99	2.1	99
C385871		79.8	0.002	1.09	1.30	9.6	11	101.5	15.1	0.64	0.51	8.6	0.286	0.88	1.4	59
C385872		206.0	0.002	0.13	0.50	21.8	2	3.9	54.7	1.35	0.09	14.8	0.612	1.26	2.5	127
C385873		212.0	0.002	0.37	0.55	23.5	2	23.2	60.1	1.26	0.12	13.6	0.576	2.25	2.5	138
C385874		182.5	0.002	0.36	1.93	20.5	2	16.5	41.4	1.14	0.09	11.8	0.532	1.67	2.2	119
C385875		208.0	0.002	0.03	1.24	21.4	3	3.6	42.2	1.36	0.09	13.5	0.591	1.64	2.8	130
C385876		98.7	0.002	0.52	0.45	21.9	2	15.9	29.1	0.71	0.22	14.3	0.322	0.63	2.0	125
C385877		192.0	0.002	0.25	4.52	20.5	2	18.9	40.3	1.13	0.10	12.5	0.519	1.51	2.3	120
C385878		205.0	0.002	0.30	4.15	21.6	2	24.0	51.5	1.12	0.10	13.8	0.566	1.73	2.4	140
C385879		236.0	0.002	0.03	8.82	23.6	2	7.1	47.5	1.13	0.10	13.2	0.547	1.81	2.5	133
C385880		186.5	0.002	0.13	3.38	22.8	2	3.0	41.3	1.10	0.11	12.4	0.560	1.35	2.2	129
C385881		85.5	<0.002	0.18	1.15	14.2	2	2.4	73.8	0.94	0.10	9.8	0.404	0.40	1.6	76
C385882		168.0	0.002	0.24	1.12	24.3	2	3.5	73.2	1.54	0.12	15.2	0.769	0.73	2.7	147
C385883		125.0	0.002	0.10	0.68	17.2	2	2.4	84.3	1.01	0.10	13.1	0.518	0.53	1.8	99
C385884		130.0	0.002	0.18	0.87	16.3	2	2.7	75.8	0.99	0.08	13.5	0.519	0.52	2.2	96
C385885		133.0	0.002	0.07	1.55	17.3	2	2.5	56.4	1.01	0.09	11.3	0.479	0.61	1.7	92
C385886		205.0	0.002	0.39	2.69	20.4	2	2.8	28.7	1.14	0.11	14.7	0.585	1.28	2.3	112
C385887		113.5	0.002	0.40	0.53	16.3	2	2.4	73.7	1.06	0.13	13.4	0.563	0.56	2.0	95
C385888		158.5	0.002	0.16	3.70	23.1	2	12.9	45.2	1.17	0.15	12.8	0.574	0.87	2.3	127
C385889		6.6	0.006	6.64	34.00	3.8	31	40.6	6.1	0.17	4.62	2.1	0.090	0.54	0.4	24
C385890		149.0	0.002	0.25	2.33	23.5	2	7.4	65.2	1.25	0.06	14.4	0.571	1.11	2.5	128

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 17-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07092473

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62
	Analyte	W	Y	Zn	Zr	Ag	Cu	Pb
	Units	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.1	0.1	2	0.5	1	0.001	0.01
C385855		2.8	17.8	122	98.8			
C385856		1.3	12.8	152	97.4			
C385857		5.7	19.0	154	71.4			
C385858		10.1	16.2	143	75.1			
C385859		15.9	18.7	105	96.4			
C385860		27.1	20.7	577	80.0		1.080	
C385861		18.5	18.6	773	54.5			
C385862		3.5	21.1	427	112.0			
C385863		17.1	14.6	165	71.4			
C385864		13.9	12.5	223	52.8			
C385865		19.1	13.0	125	59.9			
C385866		35.0	17.5	294	82.6			
C385867		24.6	17.9	1590	74.5			
C385868		24.6	14.1	368	77.4			
C385869		12.1	7.2	2810	29.8		3.55	
C385870		32.6	15.5	785	68.0			
C385871		19.2	10.6	3090	49.9			
C385872		5.5	24.3	159	103.0			
C385873		2.7	20.1	442	90.4			
C385874		10.8	20.2	187	84.3			
C385875		8.3	26.3	562	90.8			
C385876		15.4	18.1	257	98.8			
C385877		8.0	17.5	131	84.9			
C385878		12.9	17.9	171	93.5			
C385879		13.5	19.5	204	89.1			
C385880		5.2	20.5	214	83.1			
C385881		2.4	20.2	98	60.3			
C385882		12.6	23.0	115	94.7			
C385883		3.0	21.3	64	63.4			
C385884		1.8	18.1	37	96.7			
C385885		6.4	16.1	51	77.5			
C385886		6.2	20.7	86	89.3			
C385887		1.6	16.5	81	74.1			
C385888		8.7	24.9	135	89.3			
C385889		6.5	5.7	8270	16.8	340	4.01	1.34
C385890		6.2	27.5	170	83.9			

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

o: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 30-AUG-2007
Account: MTT

CERTIFICATE VA07090880

Project: TIDD

P.O. No.:

This report is for 154 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47001		0.38	<0.2	0.69	10	<10	250	<0.5	<2	0.31	<0.5	5	13	12	1.40	<10
CC47002		0.30	0.3	0.69	8	<10	340	<0.5	<2	0.48	0.5	5	12	11	1.15	<10
CC47003		0.20	0.2	0.26	<2	<10	120	<0.5	<2	0.57	<0.5	1	1	4	0.24	<10
CC47004		0.24	0.5	1.01	8	<10	670	0.6	<2	0.93	1.7	8	21	32	1.57	<10
CC47005		0.22	0.3	0.96	9	<10	770	0.5	<2	1.03	0.7	7	12	19	1.60	<10
CC47006		0.16	0.4	1.23	12	<10	560	0.6	<2	0.82	0.7	6	21	23	1.59	<10
CC47007		0.18	<0.2	0.28	<2	<10	90	<0.5	<2	0.53	<0.5	2	2	3	0.49	<10
CC47008		0.18	<0.2	0.25	<2	<10	180	<0.5	<2	0.62	<0.5	1	2	4	0.24	<10
CC47009		0.14	<0.2	0.53	<2	<10	320	<0.5	<2	1.27	0.8	3	4	10	0.59	<10
CC47010		0.28	0.5	0.90	7	<10	520	<0.5	<2	0.74	<0.5	5	16	15	1.42	<10
CC47011		0.16	0.3	0.69	7	<10	330	<0.5	<2	0.79	<0.5	2	8	9	1.05	<10
CC47012		0.26	0.7	0.83	7	<10	600	0.5	<2	1.46	0.5	5	15	24	1.37	<10
CC47013		0.20	0.5	1.12	11	<10	580	<0.5	<2	0.82	<0.5	6	15	12	1.88	<10
CC47014		0.22	0.4	0.58	11	<10	350	<0.5	<2	0.71	0.6	4	7	12	1.57	<10
CC47015		0.18	0.2	0.18	<2	<10	70	<0.5	<2	0.29	<0.5	<1	1	2	0.24	<10
CC47016		0.22	0.5	1.86	18	<10	440	0.5	<2	1.27	<0.5	9	46	15	2.15	10
CC47017		0.24	0.5	0.94	10	<10	470	<0.5	<2	0.57	<0.5	5	12	15	1.37	<10
CC47018		0.28	0.3	1.37	13	<10	350	<0.5	<2	0.59	<0.5	6	20	9	2.20	<10
CC47019		0.30	0.5	1.07	13	<10	440	0.6	<2	0.73	<0.5	6	18	23	2.02	<10
CC47020		0.18	0.3	0.27	3	<10	110	<0.5	<2	0.40	<0.5	<1	1	5	0.34	<10
CC47021		0.24	0.3	1.21	11	<10	370	0.6	<2	0.54	<0.5	7	17	16	1.75	<10
CC47022		0.32	0.2	0.56	5	<10	200	<0.5	<2	0.62	<0.5	2	6	10	0.79	<10
CC47023		0.24	0.5	1.28	2	<10	520	0.6	<2	0.81	<0.5	5	17	23	1.55	<10
CC47024		0.28	0.5	1.11	10	<10	660	0.5	<2	0.55	<0.5	5	16	22	1.65	<10
CC47025		0.24	0.3	0.62	6	<10	240	<0.5	<2	0.44	<0.5	1	7	11	0.79	<10
CC47026		0.30	0.3	0.63	7	<10	360	<0.5	<2	0.42	<0.5	5	11	17	1.41	<10
CC47027		0.16	0.2	0.47	<2	<10	130	<0.5	<2	0.76	<0.5	<1	3	9	0.32	<10
CC47028		0.14	0.5	1.14	10	<10	550	0.5	<2	1.03	1.0	3	17	22	1.45	<10
CC47029		0.22	0.9	1.31	16	<10	440	0.5	<2	1.02	<0.5	6	22	19	2.02	<10
CC47030		0.28	0.6	1.11	10	<10	530	0.6	<2	0.80	<0.5	3	16	26	1.49	<10
CC47031		0.14	0.2	0.31	3	<10	150	<0.5	<2	0.63	<0.5	<1	1	7	0.29	<10
CC47032		0.14	0.8	1.08	9	<10	680	0.6	<2	2.60	1.7	7	12	38	1.18	<10
CC47033		0.10	<0.2	0.26	<2	<10	70	<0.5	<2	0.41	<0.5	<1	1	4	0.40	<10
CC47034		0.14	0.2	0.44	3	<10	230	<0.5	<2	1.17	<0.5	<1	3	7	0.37	<10
CC47035		0.22	0.4	0.48	4	<10	230	<0.5	<2	0.65	<0.5	1	7	8	0.94	<10
CC47036		0.20	0.3	0.90	9	<10	430	<0.5	<2	0.64	<0.5	3	18	12	1.54	<10
CC47037		0.22	0.4	1.03	14	<10	310	0.5	<2	1.32	<0.5	4	12	25	1.43	<10
CC47038		0.18	0.4	1.30	17	<10	410	0.5	<2	1.20	0.5	10	16	20	1.34	<10
CC47039		0.30	0.4	1.35	7	<10	550	0.7	<2	0.76	<0.5	3	20	27	1.39	<10
CC47040		0.30	<0.2	0.82	10	<10	380	<0.5	<2	0.30	<0.5	4	12	10	1.54	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47001		<1	0.07	10	0.25	164	<1	0.01	15	1210	10	0.01	2	1	29	<20
CC47002		<1	0.07	10	0.25	90	1	0.01	14	1210	11	0.01	<2	2	37	<20
CC47003		<1	0.02	<10	0.03	50	<1	0.04	2	370	<2	0.01	<2	<1	30	<20
CC47004		<1	0.12	10	0.32	276	1	0.01	35	1230	14	0.06	3	4	61	<20
CC47005		<1	0.06	10	0.20	1130	1	0.03	19	1010	10	0.07	2	2	65	<20
CC47006		<1	0.09	10	0.44	321	1	0.02	23	1020	17	0.04	3	3	53	<20
CC47007		<1	0.02	<10	0.04	240	1	0.04	2	550	2	0.02	<2	<1	29	<20
CC47008		<1	0.03	<10	0.04	47	<1	0.05	2	380	2	0.02	<2	<1	36	<20
CC47009		<1	0.03	<10	0.07	475	1	0.03	6	760	3	0.05	<2	<1	66	<20
CC47010		<1	0.06	10	0.29	669	2	0.01	17	1110	15	0.03	<2	2	47	<20
CC47011		<1	0.04	10	0.17	324	<1	0.02	8	1130	6	0.05	<2	1	48	<20
CC47012		<1	0.05	10	0.25	1000	1	0.03	19	1180	8	0.09	2	2	83	<20
CC47013		<1	0.08	10	0.23	544	1	0.02	11	1260	12	0.06	<2	2	54	<20
CC47014		<1	0.04	10	0.12	366	<1	0.03	8	840	7	0.05	2	1	48	<20
CC47015		<1	0.02	<10	0.03	17	<1	0.04	<1	210	<2	0.02	<2	<1	20	<20
CC47016		<1	0.11	10	1.14	306	<1	0.03	24	1270	31	0.05	2	4	83	<20
CC47017		<1	0.05	10	0.24	675	<1	0.02	13	910	17	0.03	3	2	36	<20
CC47018		<1	0.08	10	0.86	527	1	0.02	17	1060	19	0.02	2	3	43	<20
CC47019		<1	0.07	10	0.50	226	1	0.01	21	1090	51	0.04	2	3	50	<20
CC47020		<1	0.02	<10	0.04	351	<1	0.05	2	400	<2	0.02	<2	<1	25	<20
CC47021		1	0.07	10	0.52	308	<1	0.01	22	1180	12	0.03	<2	3	43	<20
CC47022		1	0.04	10	0.20	218	<1	0.04	8	700	7	0.03	<2	1	37	<20
CC47023		<1	0.07	10	0.65	210	<1	0.01	22	1040	19	0.07	2	3	49	<20
CC47024		<1	0.07	10	0.43	381	<1	0.01	22	1180	14	0.02	<2	3	43	<20
CC47025		<1	0.04	10	0.18	218	<1	0.02	8	790	6	0.03	<2	1	31	<20
CC47026		<1	0.06	10	0.27	177	<1	0.01	14	1330	11	0.01	<2	2	38	<20
CC47027		<1	0.02	<10	0.07	41	<1	0.04	3	450	3	0.06	<2	1	37	<20
CC47028		1	0.05	10	0.32	411	<1	0.02	15	1070	48	0.12	<2	3	64	<20
CC47029		<1	0.08	10	0.61	301	1	0.02	23	1170	62	0.06	<2	3	64	<20
CC47030		1	0.06	20	0.36	258	<1	0.02	21	1020	30	0.05	<2	3	47	<20
CC47031		<1	0.02	<10	0.05	206	<1	0.05	2	490	3	0.04	<2	<1	35	<20
CC47032		<1	0.03	20	0.22	1950	2	0.04	14	1480	11	0.15	<2	2	133	<20
CC47033		<1	0.02	<10	0.03	53	<1	0.05	1	340	<2	0.03	<2	<1	26	<20
CC47034		<1	0.02	<10	0.06	184	<1	0.04	3	640	<2	0.06	<2	<1	68	<20
CC47035		<1	0.03	10	0.11	85	<1	0.03	4	690	4	0.05	<2	1	42	<20
CC47036		<1	0.06	10	0.27	205	1	0.01	14	970	11	0.04	2	2	50	<20
CC47037		<1	0.05	10	0.45	342	<1	0.03	15	720	9	0.05	2	2	100	<20
CC47038		<1	0.06	10	0.41	589	<1	0.03	17	790	11	0.07	2	2	81	<20
CC47039		<1	0.05	20	0.43	278	<1	0.01	15	980	16	0.09	<2	4	54	<20
CC47040		<1	0.05	10	0.16	295	1	0.01	10	400	11	<0.01	<2	1	24	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47001		0.01	<10	<10	35	<10	81
CC47002		0.01	<10	<10	33	<10	89
CC47003		0.01	<10	<10	6	<10	6
CC47004		0.01	<10	<10	52	<10	152
CC47005		0.01	<10	10	35	<10	53
CC47006		0.01	<10	<10	49	<10	93
CC47007		0.02	<10	<10	9	<10	13
CC47008		0.01	<10	<10	6	<10	7
CC47009		0.01	<10	<10	13	<10	63
CC47010		0.01	<10	<10	37	<10	75
CC47011		0.01	<10	<10	27	<10	85
CC47012		0.01	<10	<10	30	<10	89
CC47013		0.01	<10	<10	52	<10	75
CC47014		0.01	<10	<10	22	<10	170
CC47015		0.01	<10	<10	8	<10	7
CC47016		0.05	<10	<10	72	<10	193
CC47017		0.01	<10	<10	35	<10	77
CC47018		0.02	<10	<10	55	<10	200
CC47019		0.02	<10	<10	43	<10	135
CC47020		0.02	<10	<10	9	<10	11
CC47021		0.02	<10	<10	40	<10	123
CC47022		0.01	<10	<10	19	<10	49
CC47023		0.01	<10	<10	45	<10	136
CC47024		0.01	<10	<10	44	<10	101
CC47025		0.01	<10	<10	21	<10	51
CC47026		0.01	<10	<10	33	<10	96
CC47027		0.01	<10	<10	7	<10	20
CC47028		0.01	<10	<10	43	<10	128
CC47029		0.02	<10	<10	53	<10	202
CC47030		0.01	<10	<10	44	<10	155
CC47031		0.02	<10	<10	7	<10	24
CC47032		0.02	<10	10	25	<10	78
CC47033		0.02	<10	<10	13	<10	20
CC47034		0.02	<10	<10	10	<10	25
CC47035		0.01	<10	<10	19	<10	30
CC47036		0.01	<10	<10	35	<10	63
CC47037		0.02	<10	<10	32	<10	76
CC47038		0.03	<10	<10	28	<10	152
CC47039		0.02	<10	<10	37	<10	79
CC47040		0.02	<10	<10	47	<10	88

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47041		0.26	0.2	1.41	14	<10	250	0.5	<2	0.11	<0.5	4	18	11	2.23	<10
CC47042		0.26	0.9	1.61	16	<10	730	0.9	<2	0.98	<0.5	8	33	30	2.37	<10
CC47043		0.32	0.7	1.29	20	<10	600	0.7	<2	0.72	0.5	7	20	31	2.23	<10
CC47044		0.28	0.8	1.33	14	<10	700	0.7	<2	0.92	<0.5	6	22	31	2.04	<10
CC47045		0.30	0.4	0.85	8	<10	230	<0.5	<2	0.60	<0.5	3	12	10	1.40	<10
CC47046		0.38	0.3	0.87	27	<10	290	<0.5	<2	0.53	0.5	7	13	13	1.67	<10
CC47047		0.24	0.4	1.04	10	<10	430	0.5	<2	0.51	0.5	6	16	13	1.51	<10
CC47048		0.28	0.2	0.73	10	<10	380	<0.5	<2	0.58	0.5	3	12	11	1.30	<10
CC47049		0.18	0.2	1.14	8	<10	410	0.5	<2	0.77	1.7	7	17	20	1.52	<10
CC47050		0.22	0.2	0.85	9	<10	350	<0.5	<2	0.47	<0.5	3	6	14	0.94	<10
CC47051		0.24	0.3	1.11	11	<10	470	<0.5	<2	1.02	0.7	5	11	23	1.43	<10
CC47052		0.18	<0.2	0.38	6	<10	220	<0.5	<2	0.41	<0.5	5	1	8	1.07	<10
CC47054		0.18	<0.2	0.17	2	<10	60	<0.5	<2	0.41	<0.5	1	1	2	0.14	<10
CC47055		0.26	0.2	1.24	10	<10	630	0.5	<2	1.20	2.1	6	18	24	1.77	<10
CC47056		0.20	0.2	0.88	12	<10	480	<0.5	<2	1.52	2.0	6	12	21	1.80	<10
CC47057		0.22	0.2	0.87	12	<10	450	<0.5	<2	1.03	0.5	5	10	15	1.29	<10
CC47058		0.28	<0.2	1.36	14	<10	410	0.5	<2	0.73	0.8	6	20	22	1.51	<10
CC47059		0.14	0.3	0.27	<2	<10	160	<0.5	2	0.45	<0.5	1	2	5	0.34	<10
CC47060		0.26	<0.2	0.83	11	<10	290	<0.5	<2	0.35	<0.5	5	14	14	1.62	<10
CC47061		0.24	0.2	1.06	12	<10	590	<0.5	<2	0.59	<0.5	5	12	16	1.44	<10
CC47062		0.32	<0.2	0.97	11	<10	360	<0.5	<2	0.57	<0.5	5	13	17	1.48	<10
CC47063		0.18	<0.2	0.65	12	<10	260	<0.5	<2	0.55	<0.5	3	6	14	0.85	<10
CC47064		0.20	0.2	1.05	15	<10	500	<0.5	<2	1.23	0.6	5	12	15	1.57	<10
CC47065		0.10	<0.2	0.75	18	<10	740	0.5	<2	3.04	3.7	9	8	28	1.63	<10
CC47066		0.34	0.2	1.20	23	<10	560	0.6	<2	1.12	0.7	7	16	30	2.09	<10
CC47067		0.16	<0.2	0.34	2	<10	130	<0.5	<2	0.64	<0.5	1	1	8	0.31	<10
CC47068		0.18	0.3	0.54	6	<10	190	<0.5	<2	0.38	<0.5	1	5	10	0.60	<10
CC47069		0.08	<0.2	0.57	11	<10	280	<0.5	<2	1.61	1.0	4	6	21	0.88	<10
CC47070		0.12	0.2	0.63	14	<10	240	<0.5	<2	0.67	0.5	3	3	8	1.11	<10
CC47071		0.16	<0.2	0.45	6	<10	240	<0.5	<2	1.64	<0.5	3	4	7	0.69	<10
CC47072		0.26	<0.2	0.96	15	<10	500	0.5	<2	0.45	<0.5	6	15	23	1.74	<10
CC47073		0.26	0.4	0.94	13	<10	430	<0.5	<2	0.47	0.9	6	13	22	1.55	<10
CC47074		0.34	0.3	1.58	11	<10	650	0.7	<2	0.81	0.5	7	21	27	2.12	<10
CC47075		0.22	0.5	1.70	14	<10	740	0.8	<2	1.02	0.7	8	22	36	2.28	<10
CC47077		0.20	<0.2	0.86	19	<10	340	<0.5	<2	0.44	<0.5	5	10	14	2.61	<10
CC47078		0.24	0.2	1.13	21	<10	630	0.6	<2	0.97	1.1	8	16	31	2.08	<10
CC47079		0.26	0.4	1.02	16	<10	380	0.5	<2	0.59	0.7	7	15	26	1.79	<10
CC47082		0.14	0.2	0.35	<2	<10	180	<0.5	<2	0.48	<0.5	2	3	5	0.53	<10
CC47084		0.22	0.2	0.45	11	<10	230	<0.5	<2	0.55	0.7	5	3	12	0.94	<10
CC47085		0.12	<0.2	0.65	16	10	160	<0.5	<2	3.49	<0.5	4	6	28	0.91	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47041		<1	0.06	10	0.21	197	<1	0.01	11	600	33	0.01	<2	2	13	<20
CC47042		<1	0.08	20	0.54	560	1	0.02	30	750	27	0.03	<2	5	55	<20
CC47043		<1	0.10	20	0.47	384	<1	0.03	30	1330	24	0.01	2	4	57	<20
CC47044		<1	0.08	20	0.44	154	<1	0.02	31	1120	27	0.04	2	4	53	<20
CC47045		<1	0.07	10	0.34	134	<1	0.01	13	1390	26	0.02	<2	2	45	<20
CC47046		1	0.07	20	0.36	256	1	0.01	18	1420	38	0.02	4	3	42	<20
CC47047		1	0.05	10	0.38	958	1	0.02	14	760	48	0.03	2	3	34	<20
CC47048		1	0.04	10	0.27	203	<1	0.03	9	970	24	0.05	2	2	40	<20
CC47049		<1	0.04	10	0.41	285	1	0.02	16	1040	27	0.08	3	3	52	<20
CC47050		1	0.05	<10	0.13	133	<1	0.04	9	440	8	0.03	2	1	30	<20
CC47051		<1	0.05	10	0.31	662	1	0.03	16	1010	17	0.07	4	2	58	<20
CC47052		1	0.02	<10	0.02	3210	1	0.04	2	630	4	0.09	<2	<1	26	<20
CC47054		<1	0.02	<10	0.02	19	<1	0.05	1	300	2	0.04	2	<1	28	<20
CC47055		1	0.07	20	0.52	385	1	0.02	19	1160	24	0.15	3	4	81	<20
CC47056		<1	0.04	10	0.35	944	1	0.03	14	910	16	0.10	<2	2	85	<20
CC47057		<1	0.05	10	0.34	587	<1	0.03	14	940	11	0.05	2	2	67	<20
CC47058		<1	0.07	20	0.68	166	2	0.02	19	1120	39	0.06	3	3	52	<20
CC47059		1	0.02	<10	0.05	97	1	0.05	3	560	4	0.04	<2	<1	31	<20
CC47060		1	0.07	20	0.26	144	3	0.01	14	1150	13	0.02	<2	2	34	<20
CC47061		<1	0.06	10	0.25	116	2	0.02	15	630	9	0.03	2	2	36	<20
CC47062		<1	0.06	10	0.35	186	2	0.02	15	880	11	0.04	<2	2	41	<20
CC47063		<1	0.04	10	0.17	242	1	0.04	9	550	6	0.05	<2	1	39	<20
CC47064		<1	0.06	10	0.35	294	<1	0.02	12	840	13	0.07	5	2	74	<20
CC47065		<1	0.01	10	0.15	878	3	0.02	15	1160	14	0.32	3	2	168	<20
CC47066		1	0.09	20	0.46	398	1	0.01	24	1110	18	0.05	3	4	75	<20
CC47067		1	0.02	<10	0.04	85	<1	0.05	3	490	2	0.08	<2	<1	34	<20
CC47068		1	0.03	<10	0.11	93	<1	0.04	7	490	5	0.04	3	1	26	<20
CC47069		<1	0.03	10	0.15	304	1	0.03	10	950	6	0.38	<2	1	82	<20
CC47070		<1	0.02	<10	0.09	2570	1	0.04	6	740	6	0.11	<2	1	40	<20
CC47071		<1	0.03	<10	0.16	213	<1	0.04	5	580	6	0.05	<2	1	68	<20
CC47072		1	0.07	20	0.44	349	1	0.01	22	1360	13	0.02	3	4	44	<20
CC47073		<1	0.08	20	0.44	495	1	0.01	22	1270	15	0.03	3	3	42	<20
CC47074		2	0.10	20	0.68	233	1	0.01	25	990	26	0.04	2	4	60	<20
CC47075		1	0.08	20	0.72	386	1	0.01	27	1160	24	0.05	2	5	76	<20
CC47077		<1	0.06	10	0.28	861	2	0.02	13	1170	10	0.04	<2	2	37	<20
CC47078		<1	0.13	20	0.47	329	2	0.01	28	1370	16	0.02	4	4	60	<20
CC47079		<1	0.09	20	0.46	237	2	0.02	22	1160	14	0.03	3	3	45	<20
CC47082		<1	0.03	<10	0.10	123	<1	0.05	5	460	3	0.03	2	1	29	<20
CC47084		<1	0.03	10	0.08	437	3	0.04	11	500	6	0.05	3	1	39	<20
CC47085		<1	0.03	10	0.30	356	<1	0.04	8	820	7	0.13	<2	1	118	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47041		0.02	<10	<10	60	<10	98
CC47042		0.02	<10	<10	55	<10	120
CC47043		0.02	<10	<10	49	<10	180
CC47044		0.02	<10	<10	47	<10	152
CC47045		0.02	<10	<10	34	<10	177
CC47046		0.02	<10	<10	33	<10	207
CC47047		0.02	<10	<10	33	<10	143
CC47048		0.02	<10	<10	26	<10	99
CC47049		0.02	<10	10	33	<10	120
CC47050		0.01	<10	<10	22	<10	70
CC47051		0.02	<10	<10	31	<10	104
CC47052		0.01	<10	<10	11	<10	21
CC47054		0.01	<10	<10	4	<10	4
CC47055		0.04	<10	10	41	<10	200
CC47056		0.02	<10	<10	29	<10	124
CC47057		0.02	<10	<10	27	<10	95
CC47058		0.02	<10	<10	43	<10	184
CC47059		0.02	<10	<10	9	<10	15
CC47060		0.01	<10	<10	43	<10	77
CC47061		0.02	<10	<10	36	<10	63
CC47062		0.02	<10	<10	36	<10	86
CC47063		0.02	<10	<10	21	<10	39
CC47064		0.02	<10	<10	37	<10	83
CC47065		0.02	<10	10	23	<10	85
CC47066		0.02	<10	<10	47	<10	130
CC47067		0.01	<10	<10	8	<10	22
CC47068		0.02	<10	<10	15	<10	32
CC47069		0.01	<10	20	16	<10	74
CC47070		0.03	<10	<10	12	<10	83
CC47071		0.02	<10	<10	14	<10	35
CC47072		0.03	<10	<10	40	<10	125
CC47073		0.02	<10	<10	37	<10	112
CC47074		0.02	<10	<10	55	<10	99
CC47075		0.02	<10	<10	59	<10	118
CC47077		0.02	<10	<10	29	<10	87
CC47078		0.02	<10	<10	46	<10	147
CC47079		0.02	<10	<10	40	<10	117
CC47082		0.02	<10	<10	14	<10	22
CC47084		0.02	<10	<10	16	<10	56
CC47085		0.02	<10	10	19	<10	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47086		0.20	<0.2	0.20	<2	<10	60	<0.5	<2	0.56	<0.5	1	1	3	0.27	<10
CC47087		0.36	0.2	1.13	41	<10	370	<0.5	<2	1.12	<0.5	6	16	18	1.98	<10
CC47088		0.16	0.2	0.56	10	<10	320	<0.5	<2	1.33	<0.5	7	5	13	1.08	<10
CC47089		0.28	0.4	0.77	12	<10	270	<0.5	<2	0.66	<0.5	3	10	14	1.09	<10
CC47090		0.12	0.5	1.28	54	<10	800	0.6	<2	1.05	1.2	11	15	29	2.84	<10
CC47091		0.14	<0.2	0.22	4	<10	60	<0.5	<2	0.26	<0.5	1	1	3	0.17	<10
CC47092		0.14	0.2	0.91	7	<10	640	<0.5	<2	2.11	1.1	4	10	32	1.27	<10
CC47093		0.34	0.5	1.30	19	<10	820	0.7	<2	0.60	0.8	8	18	38	2.47	<10
CC47094		0.14	<0.2	0.45	8	<10	270	<0.5	<2	0.92	<0.5	5	3	9	0.55	<10
CC47095		0.16	0.2	1.11	5	<10	540	<0.5	<2	1.31	<0.5	5	12	19	1.79	<10
CC47096		0.20	0.3	1.49	20	<10	590	0.7	<2	1.05	1.4	9	22	31	2.33	<10
CC47097		0.28	0.5	1.11	11	<10	510	0.5	<2	1.52	1.8	6	14	28	1.65	<10
CC47098		0.24	0.4	0.58	7	<10	260	<0.5	<2	0.65	<0.5	4	8	8	0.93	<10
CC47099		0.16	<0.2	0.43	2	<10	180	<0.5	<2	0.66	<0.5	1	3	7	0.57	<10
CC47100		0.26	0.4	0.46	<2	<10	300	<0.5	<2	0.58	<0.5	3	5	12	0.87	<10
CC47101		0.24	0.7	0.85	2	<10	500	0.5	<2	1.18	1.0	4	12	24	1.24	<10
CC47102		0.20	0.5	0.73	7	<10	700	<0.5	<2	1.45	1.0	6	9	21	1.98	<10
CC47103		0.24	0.2	0.61	<2	<10	340	<0.5	<2	0.59	<0.5	2	6	10	0.66	<10
CC47104		0.20	0.5	1.05	10	<10	650	0.5	<2	0.99	0.7	4	16	27	2.04	<10
CC47105		0.18	0.4	0.64	<2	<10	480	<0.5	<2	1.08	1.0	4	7	21	1.07	<10
CC47106		0.18	0.4	0.46	8	<10	290	<0.5	<2	0.64	0.5	4	4	8	1.08	<10
CC47107		0.18	0.2	0.96	3	<10	570	<0.5	<2	1.26	0.6	3	12	25	1.01	<10
CC47108		0.16	0.2	0.71	5	<10	590	<0.5	<2	1.55	0.5	3	8	16	1.19	<10
CC47109		0.22	0.3	0.87	4	<10	490	<0.5	<2	1.07	0.7	4	13	19	1.31	<10
CC47110		0.32	0.3	1.10	9	<10	290	<0.5	<2	0.07	<0.5	5	13	11	2.16	<10
CC47111		0.24	0.3	0.96	9	<10	610	<0.5	<2	0.65	<0.5	4	11	16	1.48	<10
CC47112		0.18	<0.2	1.40	16	<10	320	0.5	<2	0.83	<0.5	7	17	16	2.10	<10
CC47113		0.26	0.2	1.84	22	<10	370	0.6	<2	0.92	<0.5	8	21	16	2.81	<10
CC47114		0.20	0.3	1.38	9	<10	470	0.5	<2	0.89	1.3	9	16	19	2.11	<10
CC47115		0.20	0.3	1.30	10	<10	460	0.5	<2	0.76	1.5	8	14	21	2.05	<10
CC47116		0.30	0.4	1.03	12	<10	590	0.6	<2	0.54	0.8	7	16	33	2.17	<10
CC47117		0.22	<0.2	0.59	12	<10	120	<0.5	<2	0.17	0.8	2	8	8	1.04	<10
CC47118		0.34	<0.2	1.86	19	<10	380	0.6	<2	0.26	<0.5	9	23	21	3.06	10
CC47119		0.18	<0.2	0.67	2	<10	60	<0.5	<2	0.29	<0.5	2	4	3	0.68	<10
CC47120		0.18	0.3	0.65	4	<10	700	<0.5	<2	3.87	1.2	4	8	27	1.14	<10
CC47121		0.16	0.5	0.67	3	<10	900	<0.5	<2	2.41	2.4	4	5	27	1.39	<10
CC47122		0.14	0.6	0.84	8	<10	1170	0.5	<2	1.67	2.7	10	10	27	2.43	<10
CC47123		0.20	0.4	0.84	6	<10	780	<0.5	<2	1.49	3.4	4	14	23	1.57	<10
CC47124		0.28	0.5	0.93	6	<10	640	0.5	<2	0.80	1.5	6	13	25	1.72	<10
CC47125		0.20	0.4	1.06	4	<10	830	0.6	<2	0.71	<0.5	4	14	28	1.76	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47086		<1	0.02	<10	0.04	37	<1	0.06	2	480	<2	0.02	<2	<1	27	<20
CC47087		<1	0.08	10	0.56	320	1	0.02	18	1080	10	0.04	2	2	56	<20
CC47088		<1	0.03	10	0.14	463	1	0.04	9	870	5	0.08	<2	1	62	<20
CC47089		1	0.05	10	0.27	97	1	0.03	11	910	8	0.04	<2	2	39	<20
CC47090		<1	0.07	20	0.32	1435	3	0.02	28	1220	20	0.08	2	3	62	<20
CC47091		1	0.02	<10	0.03	79	<1	0.04	1	490	<2	0.01	<2	<1	19	<20
CC47092		1	0.05	10	0.26	445	1	0.03	22	970	11	0.11	2	1	119	<20
CC47093		1	0.14	20	0.45	395	2	0.01	32	1370	19	0.02	4	4	54	<20
CC47094		<1	0.02	<10	0.09	1440	1	0.04	5	690	3	0.06	2	<1	57	<20
CC47095		<1	0.06	10	0.38	429	2	0.03	15	1050	13	0.08	<2	2	92	<20
CC47096		<1	0.07	20	0.69	338	1	0.02	29	1170	21	0.08	3	4	81	<20
CC47097		<1	0.10	10	0.37	542	1	0.03	23	1110	10	0.07	3	3	58	<20
CC47098		<1	0.05	10	0.17	211	<1	0.03	8	650	9	0.04	<2	1	28	<20
CC47099		<1	0.04	<10	0.12	186	<1	0.04	3	370	3	0.04	<2	1	23	<20
CC47100		<1	0.05	10	0.10	209	<1	0.03	6	750	4	0.04	<2	1	26	<20
CC47101		<1	0.12	10	0.25	177	<1	0.02	17	1110	11	0.06	<2	3	49	<20
CC47102		<1	0.06	10	0.17	322	<1	0.01	17	970	9	0.10	<2	2	59	<20
CC47103		<1	0.06	10	0.11	185	<1	0.03	4	650	4	0.05	<2	1	30	<20
CC47104		<1	0.07	10	0.22	139	<1	0.01	13	940	14	0.08	<2	3	51	<20
CC47105		<1	0.05	10	0.12	213	<1	0.02	13	780	7	0.10	<2	2	50	<20
CC47106		<1	0.04	<10	0.08	1370	1	0.03	6	720	5	0.05	<2	1	33	<20
CC47107		<1	0.08	10	0.19	339	<1	0.01	11	920	10	0.09	3	2	60	<20
CC47108		<1	0.06	10	0.16	296	<1	0.02	11	1000	6	0.09	<2	2	67	<20
CC47109		<1	0.10	10	0.25	207	<1	0.01	13	990	12	0.06	<2	3	44	<20
CC47110		<1	0.09	10	0.20	167	1	<0.01	13	370	11	0.01	<2	2	8	<20
CC47111		<1	0.08	10	0.26	192	<1	0.02	13	760	7	0.04	<2	2	29	<20
CC47112		<1	0.11	10	0.63	207	<1	0.03	18	990	11	0.03	<2	3	42	<20
CC47113		<1	0.15	10	0.72	171	1	0.03	19	910	12	0.05	<2	4	43	<20
CC47114		<1	0.11	10	0.42	407	3	0.02	18	1170	19	0.06	2	3	48	<20
CC47115		<1	0.10	10	0.37	1010	2	0.01	19	1170	26	0.07	<2	3	45	<20
CC47116		<1	0.16	10	0.34	218	2	0.01	27	1350	13	0.02	2	3	43	<20
CC47117		<1	0.09	10	0.21	67	1	<0.01	5	240	6	0.01	<2	1	9	<20
CC47118		<1	0.14	20	0.66	353	1	0.01	27	420	17	0.01	<2	3	13	<20
CC47119		<1	0.09	<10	0.29	95	<1	0.06	3	190	3	0.02	<2	1	17	<20
CC47120		<1	0.07	10	0.29	275	<1	0.02	13	840	8	0.16	2	1	98	<20
CC47121		<1	0.04	10	0.14	471	<1	0.02	14	920	5	0.14	<2	1	106	<20
CC47122		<1	0.06	10	0.15	616	<1	0.01	24	1200	9	0.14	<2	2	82	<20
CC47123		<1	0.07	10	0.17	179	<1	0.01	20	840	9	0.13	2	3	72	<20
CC47124		<1	0.10	10	0.29	291	<1	0.01	21	1000	12	0.06	<2	3	47	<20
CC47125		<1	0.09	10	0.22	255	<1	0.01	20	990	11	0.06	<2	3	45	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47086		0.02	<10	<10	8	<10	9
CC47087		0.02	<10	<10	40	<10	109
CC47088		0.02	10	<10	17	<10	34
CC47089		0.02	<10	<10	25	<10	70
CC47090		0.01	<10	10	41	<10	98
CC47091		0.02	<10	<10	5	<10	5
CC47092		0.01	<10	<10	26	<10	85
CC47093		0.02	<10	<10	57	<10	155
CC47094		0.02	<10	<10	11	<10	24
CC47095		0.01	<10	<10	31	<10	67
CC47096		0.03	<10	<10	51	<10	117
CC47097		0.02	<10	<10	36	<10	107
CC47098		0.01	<10	<10	22	<10	45
CC47099		0.02	<10	<10	12	<10	25
CC47100		0.02	<10	<10	23	<10	41
CC47101		0.01	<10	<10	38	<10	115
CC47102		0.01	<10	<10	35	<10	75
CC47103		0.01	<10	<10	20	<10	43
CC47104		0.01	<10	<10	45	<10	78
CC47105		0.01	<10	<10	25	<10	70
CC47106		0.01	<10	<10	18	<10	46
CC47107		0.01	<10	<10	31	<10	77
CC47108		0.01	<10	<10	21	<10	58
CC47109		0.01	<10	<10	39	<10	105
CC47110		0.01	<10	<10	57	<10	92
CC47111		0.02	<10	<10	34	<10	64
CC47112		0.03	<10	<10	35	<10	100
CC47113		0.04	<10	<10	42	<10	129
CC47114		0.02	<10	<10	39	<10	160
CC47115		0.02	<10	<10	43	<10	170
CC47116		0.01	<10	<10	53	<10	152
CC47117		0.03	<10	<10	28	<10	60
CC47118		0.02	<10	<10	55	<10	137
CC47119		0.03	<10	<10	10	<10	19
CC47120		0.01	<10	10	16	<10	87
CC47121		0.01	<10	<10	17	<10	78
CC47122		0.01	<10	<10	32	<10	70
CC47123		0.01	<10	<10	36	<10	115
CC47124		0.01	<10	<10	39	<10	148
CC47125		0.01	<10	<10	42	<10	80

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47126		0.24	0.7	1.04	6	<10	630	0.5	<2	0.48	<0.5	5	14	24	1.70	<10
CC47127		0.18	0.4	0.86	5	<10	300	<0.5	<2	0.63	<0.5	5	13	23	1.63	<10
CC47128		0.24	0.3	2.27	14	<10	430	0.6	<2	0.31	0.8	7	25	20	2.34	10
CC47129		0.18	0.7	1.36	11	<10	590	0.6	<2	2.16	1.8	8	17	51	2.26	<10
CC47130		0.22	0.5	1.52	14	<10	480	0.6	<2	1.15	0.8	9	17	28	2.25	<10
CC47131		0.14	0.5	1.71	10	<10	680	0.9	<2	1.55	2.2	9	20	46	2.18	<10
CC47132		0.32	0.5	1.45	17	<10	400	0.6	<2	0.55	<0.5	9	19	25	2.58	<10
CC47133		0.24	0.5	0.92	14	<10	470	0.5	<2	0.68	0.5	7	11	30	1.77	<10
CC47134		0.20	0.3	0.51	3	<10	230	<0.5	<2	0.35	<0.5	2	5	14	1.03	<10
CC47135		0.28	0.6	1.01	19	<10	600	0.5	<2	0.68	0.7	6	15	35	2.12	<10
CC47136		0.22	0.5	0.87	5	<10	510	0.5	<2	0.62	<0.5	4	12	27	1.63	<10
CC47137		0.30	0.8	1.33	7	<10	550	<0.5	<2	0.53	0.5	9	18	23	2.39	<10
CC47138		0.10	0.3	0.34	<2	<10	370	<0.5	<2	1.10	<0.5	1	2	12	0.48	<10
CC47139		0.34	0.4	1.05	<2	<10	710	0.5	<2	0.57	<0.5	6	16	25	1.69	<10
CC47140		0.24	0.7	1.29	4	<10	1050	0.8	<2	1.39	0.8	6	17	31	1.90	<10
CC47141		0.44	0.4	1.00	6	<10	630	<0.5	<2	0.66	<0.5	7	14	17	1.83	<10
CC47142		0.20	0.3	0.77	7	<10	510	<0.5	<2	0.92	0.7	4	9	14	1.35	<10
CC47143		0.30	0.4	0.98	5	<10	670	<0.5	<2	0.86	<0.5	6	14	19	1.67	<10
CC47144		0.14	0.4	0.73	2	<10	510	<0.5	<2	1.37	0.6	4	6	18	1.16	<10
CC47145		0.28	0.4	1.09	3	<10	820	0.6	<2	1.20	<0.5	6	13	27	1.58	<10
CC47146		0.20	0.2	0.90	5	<10	520	<0.5	<2	0.78	<0.5	4	9	15	1.30	<10
CC47147		0.16	0.2	0.68	<2	<10	470	<0.5	<2	1.08	0.5	3	6	17	0.94	<10
CC47148		0.34	0.4	0.93	8	<10	650	0.5	<2	1.10	<0.5	6	13	26	1.81	<10
CC47149		0.24	0.5	1.12	7	<10	540	0.5	<2	1.01	0.9	7	16	29	1.75	<10
CC47150		0.20	0.3	0.77	6	<10	540	0.5	<2	0.86	0.8	7	12	27	1.76	<10
CC47151		0.28	0.4	0.80	8	<10	570	<0.5	<2	1.12	0.6	6	11	24	1.75	<10
CC47152		0.22	0.2	0.76	9	<10	320	<0.5	<2	0.54	<0.5	6	12	12	1.66	<10
CC47154		0.20	0.4	1.12	12	<10	880	0.6	<2	1.22	<0.5	6	15	34	1.83	<10
CC47155		Not Recvd														
CC47157		0.18	0.5	0.79	4	<10	590	<0.5	<2	0.84	0.5	4	11	20	1.27	<10
CC47158		0.22	0.5	1.08	4	<10	880	0.6	<2	1.05	<0.5	6	14	27	1.73	<10
CC47159		0.24	0.2	0.63	5	<10	430	<0.5	<2	0.48	<0.5	5	7	11	1.17	<10
CC47160		0.28	0.6	1.30	6	<10	1020	0.6	<2	0.61	<0.5	7	16	23	2.09	<10
CC47161		0.22	0.4	0.46	6	<10	280	<0.5	<2	0.53	<0.5	5	6	12	1.51	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47126		<1	0.10	10	0.27	108	<1	0.01	18	1110	13	0.03	<2	3	35	<20
CC47127		<1	0.10	10	0.27	192	<1	0.02	16	930	9	0.02	<2	2	29	<20
CC47128		1	0.18	10	0.74	307	<1	0.02	18	550	19	0.02	<2	3	47	<20
CC47129		<1	0.10	10	0.48	603	1	0.03	28	940	58	0.14	3	3	79	<20
CC47130		<1	0.10	10	0.41	423	1	0.02	22	980	36	0.08	<2	3	50	<20
CC47131		1	0.10	10	0.47	301	1	0.02	34	1080	54	0.12	2	3	74	<20
CC47132		<1	0.12	20	0.52	413	2	0.01	24	1160	44	0.03	<2	3	42	<20
CC47133		<1	0.08	10	0.24	456	2	0.02	23	940	15	0.04	2	2	39	<20
CC47134		<1	0.04	10	0.11	120	2	0.03	7	620	9	0.03	<2	1	25	<20
CC47135		<1	0.07	10	0.28	189	5	0.01	23	1280	23	0.06	3	3	48	<20
CC47136		<1	0.07	10	0.22	103	3	0.02	23	940	15	0.05	<2	2	40	<20
CC47137		<1	0.10	10	0.27	279	10	0.02	15	850	17	0.04	<2	2	37	<20
CC47138		<1	0.02	<10	0.04	29	1	0.04	5	540	3	0.08	<2	<1	61	<20
CC47139		<1	0.09	10	0.28	186	2	0.01	19	1160	13	0.02	3	3	41	<20
CC47140		<1	0.09	10	0.29	194	1	0.01	27	1250	15	0.09	5	3	73	<20
CC47141		<1	0.07	10	0.26	389	2	0.02	16	1060	14	0.03	<2	2	43	<20
CC47142		<1	0.05	10	0.19	416	1	0.02	10	1100	8	0.05	2	1	55	<20
CC47143		<1	0.08	10	0.26	285	1	0.01	15	970	10	0.04	<2	2	49	<20
CC47144		<1	0.05	<10	0.12	719	1	0.03	13	780	6	0.10	<2	1	64	<20
CC47145		<1	0.08	10	0.25	296	<1	0.01	18	730	8	0.06	<2	2	59	<20
CC47146		1	0.09	10	0.17	525	<1	0.02	11	600	7	0.04	<2	2	40	<20
CC47147		<1	0.06	10	0.15	273	<1	0.02	11	660	3	0.05	<2	1	50	<20
CC47148		<1	0.10	10	0.26	304	<1	0.01	20	1010	10	0.04	2	3	54	<20
CC47149		<1	0.12	10	0.31	334	<1	0.01	18	1030	14	0.04	2	3	53	<20
CC47150		<1	0.11	10	0.26	300	1	0.01	21	1340	12	0.03	<2	3	51	<20
CC47151		<1	0.09	10	0.27	402	1	0.01	20	1100	11	0.04	<2	3	58	<20
CC47152		<1	0.08	10	0.27	176	<1	0.01	13	840	7	0.02	<2	2	32	<20
CC47154		<1	0.10	10	0.28	598	1	0.01	24	880	10	0.05	<2	3	53	<20
CC47155																
CC47157		<1	0.07	10	0.18	754	<1	0.02	14	760	6	0.05	<2	2	41	<20
CC47158		<1	0.07	10	0.24	277	<1	0.01	20	980	12	0.07	<2	3	58	<20
CC47159		<1	0.05	10	0.13	421	<1	0.03	10	740	6	0.03	<2	1	30	<20
CC47160		<1	0.08	10	0.28	503	1	0.01	19	1160	10	0.03	<2	3	43	<20
CC47161		<1	0.05	10	0.11	162	4	0.01	8	390	7	0.04	2	1	36	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07090880

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47126		0.01	<10	<10	50	<10	109
CC47127		0.02	<10	<10	37	<10	94
CC47128		0.06	<10	<10	53	<10	130
CC47129		0.02	<10	20	41	<10	201
CC47130		0.02	<10	<10	40	<10	147
CC47131		0.02	<10	40	45	<10	179
CC47132		0.03	<10	<10	48	<10	193
CC47133		0.01	<10	<10	42	<10	98
CC47134		0.01	<10	<10	21	<10	36
CC47135		0.01	<10	<10	44	<10	102
CC47136		0.01	<10	<10	36	<10	92
CC47137		0.01	<10	<10	56	<10	91
CC47138		0.01	<10	<10	6	<10	8
CC47139		0.01	<10	<10	44	<10	93
CC47140		0.01	<10	<10	45	<10	106
CC47141		0.01	<10	<10	40	<10	86
CC47142		0.01	<10	<10	29	<10	67
CC47143		0.01	<10	<10	40	<10	83
CC47144		0.01	<10	<10	22	<10	50
CC47145		0.01	<10	<10	45	<10	54
CC47146		0.01	<10	<10	35	<10	76
CC47147		0.01	<10	<10	24	<10	70
CC47148		0.01	<10	<10	45	<10	116
CC47149		0.01	<10	<10	47	<10	163
CC47150		0.01	<10	<10	43	<10	155
CC47151		0.01	<10	<10	39	<10	124
CC47152		0.01	<10	<10	34	<10	117
CC47154		0.01	<10	<10	47	<10	139
CC47155							
CC47157		0.01	<10	<10	30	<10	79
CC47158		0.01	<10	<10	40	<10	56
CC47159		0.01	<10	<10	24	<10	43
CC47160		0.01	<10	<10	49	<10	87
CC47161		0.01	<10	<10	22	<10	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

29-AUG-2007
Account: MTT

CERTIFICATE VA07084702

Project: TIDD

P.O. No.:

This report is for 79 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47693		0.28	0.8	1.17	20	<10	330	0.5	<2	0.71	1.2	11	16	29	2.59	<10
CC47694		0.16	<0.2	0.39	6	<10	170	<0.5	<2	0.61	0.5	2	4	14	0.72	<10
CC47695		0.26	0.7	0.84	14	<10	250	<0.5	<2	1.13	1.2	6	10	25	1.61	<10
CC47696		0.32	0.7	1.37	24	<10	530	0.7	<2	0.91	1.5	10	20	49	2.69	<10
CC47697		0.16	1.0	1.10	40	<10	590	0.7	<2	1.45	4.7	9	13	53	2.39	<10
CC47699		0.16	0.4	0.72	12	<10	380	<0.5	<2	1.47	2.0	6	8	38	1.37	<10
CC47700		0.16	0.3	0.79	16	<10	260	<0.5	<2	0.49	1.0	6	8	11	1.40	<10
CC47701		0.20	0.5	0.90	15	<10	410	0.5	<2	1.33	1.5	6	12	35	1.67	<10
CC47702		0.34	0.2	0.53	9	<10	200	<0.5	<2	0.63	0.5	3	6	10	0.92	<10
CC47703		0.30	0.8	1.32	34	<10	420	0.6	<2	1.55	1.3	10	18	46	2.51	<10
CC47704		0.22	0.3	0.39	<2	<10	100	<0.5	<2	0.60	0.6	2	2	22	0.58	<10
CC47705		0.18	0.4	0.91	19	<10	290	0.5	<2	0.88	1.8	8	13	35	2.21	<10
CC47706		0.26	<0.2	1.54	29	<10	430	0.7	<2	0.58	<0.5	12	23	29	2.96	<10
CC47707		0.32	<0.2	0.74	12	<10	110	<0.5	<2	0.04	<0.5	2	8	9	1.14	<10
CC47708		0.26	0.3	1.21	17	<10	430	0.5	<2	0.98	0.6	9	18	19	2.03	<10
CC47709		0.26	<0.2	1.02	23	<10	190	<0.5	<2	0.04	<0.5	4	12	10	1.89	10
CC47710		0.24	<0.2	1.48	20	<10	400	<0.5	<2	0.38	<0.5	7	26	12	2.55	10
CC47712		0.18	1.0	1.69	18	<10	940	0.9	<2	1.00	<0.5	11	20	37	2.39	<10
CC47713		0.40	0.7	1.90	21	<10	620	0.9	<2	1.09	1.0	12	26	37	2.50	<10
CC47714		0.20	0.5	1.26	2	<10	660	0.5	<2	1.25	1.1	4	13	29	1.21	<10
CC47715		0.32	<0.2	0.95	12	<10	360	<0.5	<2	0.59	<0.5	7	15	10	1.97	<10
CC47716		0.18	0.5	1.18	4	<10	610	0.5	<2	1.10	2.3	3	10	37	0.74	<10
CC47717		0.20	<0.2	1.54	35	<10	110	<0.5	<2	0.04	0.7	7	25	15	3.36	10
CC47718		0.18	0.5	2.44	50	<10	610	1.0	<2	0.56	<0.5	16	36	33	3.73	10
CC47719		0.20	0.2	2.16	32	<10	310	0.5	3	0.15	<0.5	11	38	16	3.67	10
CC47720		0.24	<0.2	1.09	16	<10	190	0.5	<2	0.14	0.5	5	13	12	1.94	<10
CC47721		0.24	1.0	1.72	17	<10	650	1.1	<2	0.88	1.0	9	17	38	2.03	<10
CC47722		0.26	0.3	1.32	27	<10	490	0.6	2	0.63	0.8	10	20	23	2.58	<10
CC47723		0.24	<0.2	1.38	21	<10	130	0.5	2	0.07	<0.5	5	18	13	3.28	10
CC47724		0.16	0.2	0.48	<2	<10	330	<0.5	<2	1.55	<0.5	1	2	15	0.38	<10
CC47726		0.20	0.2	0.47	3	<10	300	<0.5	<2	0.52	<0.5	2	4	6	0.69	<10
CC47727		0.34	0.2	1.13	31	<10	270	0.5	2	0.38	<0.5	10	20	22	2.55	<10
CC47728		0.30	0.3	0.94	11	<10	310	<0.5	<2	0.37	0.9	6	12	23	1.64	<10
CC47729		0.30	0.2	0.76	17	<10	320	<0.5	<2	0.69	<0.5	7	11	19	1.65	<10
CC47730		0.12	4.3	1.69	35	<10	700	1.3	<2	1.98	1.4	11	13	66	1.52	<10
CC47731		0.34	0.3	0.87	6	<10	380	<0.5	<2	0.35	<0.5	3	8	14	1.18	<10
CC47732		0.16	0.4	0.82	2	<10	560	<0.5	<2	0.97	1.2	1	2	29	0.36	<10
CC47733		0.20	0.6	1.10	9	<10	480	0.6	<2	0.39	0.8	5	12	18	1.63	<10
CC47734		0.20	0.8	1.05	<2	<10	450	0.5	<2	0.64	0.7	2	10	31	0.77	<10
CC47735		0.22	<0.2	0.64	12	<10	90	<0.5	2	0.03	<0.5	2	7	14	1.08	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47693		<1	0.08	20	0.54	602	7	0.01	34	1230	21	<0.01	4	4	41	<20
CC47694		1	0.04	10	0.13	155	1	0.04	7	420	10	<0.01	3	1	27	<20
CC47695		1	0.07	10	0.41	366	2	0.03	21	1110	18	0.03	2	3	50	<20
CC47696		1	0.16	20	0.57	518	3	0.02	38	1270	24	<0.01	4	5	51	<20
CC47697		<1	0.07	10	0.31	870	4	0.02	31	590	25	0.02	3	2	54	<20
CC47699		1	0.05	10	0.31	557	2	0.03	19	690	15	0.03	3	2	56	<20
CC47700		1	0.05	10	0.20	250	3	0.02	12	510	13	<0.01	2	1	24	<20
CC47701		<1	0.08	10	0.35	644	2	0.02	25	970	14	0.02	3	2	55	<20
CC47702		1	0.06	10	0.22	163	1	0.04	9	560	8	<0.01	3	1	33	<20
CC47703		1	0.16	20	0.70	388	3	0.01	35	1160	26	0.02	<2	4	59	<20
CC47704		1	0.04	<10	0.13	125	2	0.05	13	370	5	<0.01	<2	1	29	<20
CC47705		1	0.09	20	0.57	284	5	0.01	35	1390	21	0.02	4	3	47	<20
CC47706		<1	0.18	20	0.44	633	1	0.01	24	1090	16	0.02	<2	4	39	<20
CC47707		<1	0.06	10	0.10	513	1	0.02	5	410	8	<0.01	2	1	8	<20
CC47708		1	0.11	10	0.39	258	1	0.02	16	690	14	0.02	<2	3	50	<20
CC47709		1	0.07	10	0.25	128	1	0.01	9	320	10	<0.01	2	2	7	<20
CC47710		<1	0.23	10	0.64	228	2	0.01	15	580	9	<0.01	2	4	29	<20
CC47712		1	0.15	20	0.39	362	1	0.03	25	840	12	0.03	<2	4	55	<20
CC47713		1	0.20	20	0.49	443	1	0.03	32	760	17	0.04	2	5	63	<20
CC47714		<1	0.11	10	0.28	148	<1	0.03	19	860	8	0.08	<2	2	67	<20
CC47715		<1	0.10	10	0.40	272	1	0.01	11	910	13	<0.01	2	3	32	<20
CC47716		1	0.05	10	0.18	172	<1	0.04	14	1170	10	0.12	<2	2	55	<20
CC47717		<1	0.15	20	0.28	336	2	0.01	18	470	16	<0.01	<2	3	7	<20
CC47718		1	0.26	20	0.56	256	1	0.03	27	360	17	<0.01	<2	6	31	<20
CC47719		1	0.37	20	0.56	307	2	0.01	22	680	16	<0.01	<2	5	16	<20
CC47720		1	0.07	10	0.26	211	1	<0.01	14	810	14	<0.01	2	2	15	<20
CC47721		2	0.08	30	0.27	646	1	0.02	19	1840	45	0.05	2	2	52	<20
CC47722		1	0.12	20	0.41	546	2	0.01	20	1000	13	0.02	<2	4	44	<20
CC47723		1	0.09	10	0.33	207	1	<0.01	13	890	15	<0.01	<2	3	8	<20
CC47724		<1	0.02	<10	0.07	332	1	0.05	7	530	2	0.05	3	<1	69	<20
CC47726		<1	0.03	<10	0.08	219	<1	0.04	4	490	4	<0.01	2	1	29	<20
CC47727		<1	0.15	20	0.36	201	4	0.01	22	970	19	<0.01	<2	3	25	<20
CC47728		1	0.11	10	0.32	336	2	0.01	19	1020	15	<0.01	2	3	29	<20
CC47729		1	0.08	10	0.24	213	1	0.02	12	780	9	0.02	<2	2	37	<20
CC47730		2	0.05	30	0.13	837	1	0.03	22	2000	35	0.18	3	3	94	<20
CC47731		<1	0.05	10	0.19	187	<1	0.03	9	730	8	0.01	2	2	25	<20
CC47732		1	0.02	10	0.03	74	<1	0.04	8	790	2	0.10	2	1	58	<20
CC47733		<1	0.07	20	0.24	670	1	0.02	12	700	15	0.02	<2	2	28	<20
CC47734		1	0.05	20	0.17	72	<1	0.03	10	1120	10	0.09	3	2	39	<20
CC47735		<1	0.06	10	0.07	51	1	0.01	4	240	7	<0.01	2	1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC47693		0.02	<10	<10	55	<10	175
CC47694		0.01	<10	<10	16	<10	49
CC47695		0.02	<10	<10	33	<10	137
CC47696		0.02	<10	<10	57	<10	216
CC47697		0.01	<10	<10	66	<10	243
CC47699		0.01	<10	<10	26	<10	116
CC47700		0.01	<10	<10	44	<10	160
CC47701		0.02	<10	<10	37	<10	135
CC47702		0.02	<10	<10	20	<10	65
CC47703		0.02	<10	<10	44	<10	208
CC47704		0.02	<10	<10	20	<10	15
CC47705		0.01	<10	<10	45	<10	201
CC47706		0.06	<10	<10	37	<10	92
CC47707		0.03	<10	<10	26	<10	30
CC47708		0.05	<10	<10	29	<10	71
CC47709		0.03	<10	<10	37	<10	54
CC47710		0.09	<10	<10	41	<10	67
CC47712		0.06	<10	<10	37	<10	80
CC47713		0.07	<10	<10	43	<10	109
CC47714		0.04	<10	<10	22	<10	85
CC47715		0.06	<10	<10	39	<10	81
CC47716		0.03	<10	10	19	<10	64
CC47717		0.08	<10	<10	72	<10	108
CC47718		0.11	<10	<10	54	<10	75
CC47719		0.11	<10	<10	68	<10	185
CC47720		0.02	<10	<10	36	<10	76
CC47721		0.03	<10	10	42	<10	96
CC47722		0.05	<10	<10	34	<10	97
CC47723		0.05	<10	<10	66	<10	77
CC47724		0.02	<10	10	7	<10	6
CC47726		0.03	<10	<10	14	<10	17
CC47727		0.05	<10	<10	30	<10	67
CC47728		0.04	<10	<10	42	<10	120
CC47729		0.04	<10	<10	25	<10	53
CC47730		0.02	<10	10	21	<10	45
CC47731		0.04	<10	<10	25	<10	47
CC47732		0.02	<10	<10	6	<10	9
CC47733		0.04	<10	<10	29	<10	58
CC47734		0.03	<10	10	18	<10	36
CC47735		0.04	<10	<10	25	<10	24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47737		0.28	0.6	1.01	13	<10	580	0.5	<2	1.27	2.2	6	17	42	1.50	<10
CC47738		0.24	<0.2	0.97	20	<10	90	<0.5	<2	0.09	<0.5	4	15	10	2.41	10
CC47739		0.22	<0.2	0.40	<2	<10	130	<0.5	<2	0.31	<0.5	1	3	5	0.44	<10
CC47740		0.26	0.2	0.68	10	<10	250	<0.5	<2	0.47	<0.5	4	7	9	1.35	<10
CC47741		0.40	0.3	0.64	4	<10	330	<0.5	<2	0.43	0.5	4	11	12	1.35	<10
CC47742		0.32	0.2	1.04	6	<10	370	<0.5	<2	0.53	<0.5	6	17	13	1.91	<10
CC47743		0.28	0.3	1.21	15	<10	330	0.5	<2	0.45	<0.5	7	17	18	2.11	<10
CC47744		0.26	0.2	1.40	15	<10	170	0.5	<2	0.12	<0.5	5	14	10	2.26	10
CC47745		0.28	0.5	1.49	15	<10	330	0.5	<2	0.13	0.5	7	17	10	2.42	10
CC47746		0.28	0.3	1.82	12	<10	870	1.0	<2	0.18	2.2	10	21	27	2.19	10
CC47747		0.36	0.3	1.13	8	<10	360	0.5	<2	0.44	<0.5	6	14	13	1.70	<10
CC47748		0.24	0.2	1.22	17	<10	210	<0.5	<2	0.20	<0.5	7	18	11	2.60	10
CC47749		0.32	<0.2	1.22	14	<10	280	<0.5	<2	0.26	<0.5	6	17	13	2.27	<10
CC47751		0.52	<0.2	1.38	16	<10	510	0.6	2	0.47	0.5	7	20	27	2.55	<10
CC47752		0.26	0.5	2.57	32	<10	1000	1.2	<2	0.76	1.0	13	32	52	3.96	<10
CC47753		0.20	0.2	1.28	25	<10	180	<0.5	2	0.08	<0.5	5	19	13	3.02	10
CC47754		0.16	<0.2	1.45	20	<10	160	<0.5	2	0.13	<0.5	8	27	10	3.11	10
CC47755		0.28	0.2	0.80	14	<10	90	<0.5	2	0.04	0.5	4	13	9	2.05	10
CC47756		0.28	0.5	1.96	16	<10	250	0.6	<2	0.06	<0.5	8	23	19	3.64	10
CC47757		0.14	<0.2	0.41	2	<10	40	<0.5	<2	0.03	<0.5	2	5	7	0.89	<10
CC47758		0.20	0.4	0.93	16	<10	500	<0.5	<2	1.20	1.0	5	12	21	2.28	<10
CC47759		0.34	0.2	0.93	9	<10	390	<0.5	<2	0.63	<0.5	5	14	11	1.78	<10
CC47760		0.24	0.2	1.36	10	<10	180	<0.5	<2	0.06	<0.5	4	14	8	1.89	10
CC47761		0.28	<0.2	0.85	7	<10	220	<0.5	<2	0.28	0.5	3	8	9	1.09	<10
CC47762		0.26	<0.2	1.28	12	<10	330	<0.5	<2	0.18	0.5	7	16	8	1.94	10
CC47763		0.30	0.2	2.20	23	<10	360	0.9	<2	0.10	0.5	10	29	23	3.84	10
CC47764		0.30	0.2	0.93	15	<10	160	<0.5	<2	0.07	<0.5	3	12	10	1.52	10
CC47765		0.30	0.2	0.89	16	<10	90	<0.5	<2	0.05	0.8	4	14	11	2.49	10
CC47766		0.28	0.5	2.50	12	<10	340	0.9	<2	0.13	0.6	7	23	19	2.85	10
CC47767		0.32	<0.2	0.31	3	<10	50	<0.5	2	0.02	<0.5	1	3	4	0.39	<10
CC47768		0.26	0.4	0.40	<2	<10	60	<0.5	<2	0.11	<0.5	1	2	7	0.43	<10
CC47769		0.26	<0.2	0.63	3	<10	60	<0.5	<2	0.03	<0.5	1	7	5	0.81	10
CC47770		0.18	1.0	2.59	3	<10	720	1.1	<2	0.73	1.0	9	22	29	2.34	10
CC47772		0.22	0.3	1.37	11	<10	160	<0.5	<2	0.27	<0.5	3	10	9	1.79	10
CC47773		0.22	0.4	0.73	3	<10	70	<0.5	<2	0.03	<0.5	2	7	6	1.14	<10
CC47774		0.28	<0.2	0.75	11	<10	80	<0.5	<2	0.04	0.5	3	10	18	1.85	10
CC47775		0.26	0.3	0.99	12	<10	130	<0.5	<2	0.08	0.6	3	12	8	2.26	10
CC47776		0.18	0.2	0.77	6	<10	90	<0.5	<2	0.04	<0.5	2	9	7	1.20	10
CC47777		0.14	<0.2	0.48	2	<10	200	<0.5	<2	0.62	1.0	1	5	14	0.55	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47737		<1	0.09	10	0.33	132	3	0.03	19	890	11	0.18	2	4	61	<20
CC47738		1	0.09	10	0.28	165	1	<0.01	12	810	13	<0.01	3	1	9	<20
CC47739		1	0.03	10	0.07	45	<1	0.04	3	450	5	0.01	2	1	21	<20
CC47740		1	0.05	10	0.17	226	1	0.03	7	770	5	0.03	<2	1	30	<20
CC47741		<1	0.07	10	0.25	153	1	0.01	15	1330	6	<0.01	2	2	34	<20
CC47742		<1	0.08	20	0.41	240	1	0.01	17	1240	11	<0.01	3	3	36	<20
CC47743		1	0.11	30	0.57	493	1	0.02	19	1080	12	<0.01	3	4	27	<20
CC47744		<1	0.06	10	0.29	169	1	0.01	13	900	14	<0.01	2	2	10	<20
CC47745		1	0.10	10	0.36	282	1	0.01	14	500	14	<0.01	<2	3	12	<20
CC47746		1	0.14	30	0.36	447	1	0.01	18	750	19	<0.01	3	4	18	<20
CC47747		1	0.10	20	0.40	277	1	0.01	16	930	14	<0.01	2	3	23	<20
CC47748		1	0.10	10	0.38	279	1	0.01	12	720	19	<0.01	2	3	16	<20
CC47749		<1	0.12	20	0.48	250	1	0.01	18	680	14	<0.01	2	3	17	<20
CC47751		1	0.14	20	0.47	313	1	0.02	25	1150	16	<0.01	3	4	32	<20
CC47752		1	0.23	20	0.51	498	2	0.01	38	840	28	0.01	<2	5	48	<20
CC47753		1	0.11	20	0.31	190	2	0.01	14	970	17	<0.01	<2	3	10	<20
CC47754		<1	0.18	10	0.46	442	2	0.01	17	1630	20	<0.01	<2	4	12	<20
CC47755		1	0.06	10	0.17	152	1	<0.01	11	460	12	<0.01	3	1	7	<20
CC47756		1	0.09	20	0.42	253	2	0.01	24	600	17	<0.01	<2	3	8	<20
CC47757		1	0.03	<10	0.07	51	1	0.02	4	330	5	<0.01	<2	1	6	<20
CC47758		1	0.08	10	0.26	280	2	0.02	17	920	8	0.05	<2	3	67	<20
CC47759		1	0.07	20	0.34	164	1	0.01	12	1200	12	0.01	<2	3	43	<20
CC47760		<1	0.05	10	0.26	121	1	<0.01	9	290	10	<0.01	<2	2	6	<20
CC47761		1	0.06	10	0.19	174	<1	0.02	10	580	8	<0.01	2	2	20	<20
CC47762		<1	0.10	10	0.34	311	2	0.01	12	680	13	<0.01	2	3	17	<20
CC47763		1	0.19	20	0.54	328	2	0.01	28	350	24	<0.01	2	4	14	<20
CC47764		<1	0.05	20	0.16	167	1	<0.01	6	430	16	<0.01	2	1	9	<20
CC47765		1	0.07	20	0.19	176	2	<0.01	13	470	15	<0.01	2	2	7	<20
CC47766		1	0.12	20	0.81	313	1	0.01	18	1050	49	<0.01	2	4	13	<20
CC47767		1	0.02	10	0.02	18	1	0.01	2	120	4	<0.01	2	<1	6	<20
CC47768		1	0.03	<10	0.05	23	<1	0.03	2	280	4	<0.01	<2	<1	11	<20
CC47769		1	0.03	10	0.08	49	1	0.01	5	260	8	<0.01	2	<1	6	<20
CC47770		2	0.22	70	0.52	854	2	0.03	18	1050	21	0.07	2	6	50	<20
CC47772		1	0.05	10	0.18	150	1	0.03	8	400	12	<0.01	3	2	19	<20
CC47773		<1	0.04	10	0.13	90	1	0.02	4	430	6	<0.01	2	1	5	<20
CC47774		1	0.05	10	0.11	166	2	0.02	8	390	10	<0.01	2	1	8	<20
CC47775		1	0.04	10	0.15	569	1	0.01	8	1210	17	<0.01	2	1	11	<20
CC47776		<1	0.05	10	0.14	73	1	0.01	7	340	9	<0.01	2	1	6	<20
CC47777		<1	0.05	10	0.07	25	2	0.03	3	240	5	<0.01	<2	1	42	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 29-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084702

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47737		0.04	<10	10	38	<10	83
CC47738		0.04	<10	<10	50	<10	58
CC47739		0.02	<10	<10	10	<10	17
CC47740		0.02	<10	<10	21	<10	49
CC47741		0.03	<10	<10	28	<10	71
CC47742		0.05	<10	<10	35	<10	76
CC47743		0.08	<10	<10	40	<10	80
CC47744		0.03	<10	<10	46	<10	65
CC47745		0.04	<10	<10	49	<10	59
CC47746		0.04	<10	<10	44	<10	94
CC47747		0.06	<10	<10	33	<10	61
CC47748		0.08	<10	<10	50	<10	105
CC47749		0.05	<10	<10	48	<10	88
CC47751		0.06	<10	<10	48	<10	104
CC47752		0.03	<10	<10	81	<10	184
CC47753		0.07	<10	<10	68	<10	84
CC47754		0.09	<10	<10	65	<10	94
CC47755		0.04	<10	<10	53	<10	72
CC47756		0.04	<10	<10	74	<10	94
CC47757		0.04	<10	<10	25	<10	22
CC47758		0.03	<10	<10	32	<10	66
CC47759		0.05	<10	<10	32	<10	55
CC47760		0.04	<10	<10	51	<10	58
CC47761		0.03	<10	<10	21	<10	45
CC47762		0.04	<10	<10	46	<10	114
CC47763		0.05	<10	<10	54	<10	118
CC47764		0.03	<10	<10	48	<10	47
CC47765		0.06	<10	<10	74	<10	105
CC47766		0.06	<10	<10	93	<10	172
CC47767		0.02	<10	<10	15	<10	12
CC47768		0.02	<10	<10	12	<10	12
CC47769		0.03	<10	<10	32	<10	21
CC47770		0.05	<10	20	54	<10	152
CC47772		0.05	<10	<10	35	<10	39
CC47773		0.04	<10	<10	31	<10	37
CC47774		0.05	<10	<10	43	<10	52
CC47775		0.04	<10	<10	55	<10	61
CC47776		0.04	<10	<10	40	<10	42
CC47777		0.04	<10	<10	16	<10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : **30-AUG-2007**
Account: MTT

CERTIFICATE VA07084701

Project: TIDD

P.O. No.:

This report is for 166 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47345		0.26	0.2	0.85	14	<10	230	0.6	<2	0.78	0.5	8	12	21	2.46	<10
CC47346		0.48	<0.2	1.00	8	<10	160	0.6	<2	0.36	0.5	7	16	25	2.55	<10
CC47347		0.40	0.4	1.16	12	<10	290	0.6	<2	0.58	1.1	6	16	25	2.58	<10
CC47348		0.28	0.6	1.81	14	<10	320	0.9	<2	0.65	0.7	12	25	38	3.21	<10
CC47349		0.26	<0.2	1.09	11	<10	120	<0.5	<2	0.07	<0.5	6	11	18	2.03	<10
CC47350		0.34	<0.2	0.82	12	<10	90	<0.5	<2	0.02	<0.5	4	10	21	2.11	<10
CC47352		0.26	1.5	1.96	21	<10	560	1.6	<2	0.36	1.1	13	27	63	3.25	10
CC47353		0.30	0.2	1.68	20	<10	160	0.5	<2	0.04	<0.5	8	19	22	3.65	10
CC47354		0.28	<0.2	1.23	15	<10	120	<0.5	<2	0.04	<0.5	5	17	14	2.83	10
CC47355		0.30	<0.2	1.49	16	<10	140	<0.5	<2	0.03	<0.5	5	15	13	2.77	<10
CC47356		0.30	0.6	1.53	10	<10	260	0.9	2	0.13	0.5	6	16	20	2.75	<10
CC47357		0.28	<0.2	0.74	9	<10	110	<0.5	<2	0.20	<0.5	7	11	15	2.22	<10
CC47358		0.30	<0.2	1.16	10	<10	180	0.7	<2	0.23	<0.5	8	13	24	2.70	<10
CC47359		0.32	0.3	0.69	11	<10	120	<0.5	<2	0.11	<0.5	4	7	14	1.83	<10
CC47360		0.30	0.4	1.06	9	<10	170	0.6	<2	0.32	<0.5	6	12	17	2.39	<10
CC47362		0.16	0.8	1.04	6	<10	270	0.8	<2	0.64	0.7	4	15	20	1.99	<10
CC47363		0.28	0.5	0.89	11	<10	180	0.6	<2	0.50	<0.5	9	13	19	2.56	<10
CC47364		0.24	0.3	0.95	4	<10	220	0.5	<2	0.55	0.5	6	13	15	2.27	<10
CC47365		0.24	<0.2	0.91	10	<10	140	<0.5	<2	0.11	<0.5	4	9	16	2.10	<10
CC47366		0.24	0.2	0.91	18	<10	210	0.5	<2	0.21	0.5	7	15	26	2.35	<10
CC47368		0.26	0.2	0.75	5	<10	190	<0.5	<2	0.10	<0.5	3	7	12	1.09	<10
CC47369		0.28	0.3	1.00	7	<10	290	0.6	<2	0.35	0.6	4	11	21	1.75	<10
CC47370		0.30	<0.2	1.15	11	<10	170	<0.5	<2	0.09	<0.5	10	15	17	2.54	<10
CC47371		0.26	0.7	1.12	9	<10	340	0.5	<2	0.39	0.9	6	12	26	1.77	<10
CC47372		0.28	0.5	1.19	11	<10	350	0.7	<2	0.52	0.6	6	14	34	2.12	<10
CC47373		0.24	0.2	0.63	4	<10	360	<0.5	<2	0.27	1.2	7	8	19	1.37	<10
CC47375		0.28	0.2	0.58	9	<10	150	<0.5	<2	0.04	0.8	2	8	9	1.08	<10
CC47376		0.16	<0.2	0.83	13	<10	270	<0.5	<2	0.22	2.1	4	9	13	1.32	<10
CC47377		0.24	<0.2	0.10	<2	<10	20	<0.5	<2	0.08	<0.5	<1	1	1	0.28	<10
CC47378		0.22	0.3	0.71	10	<10	210	<0.5	<2	0.55	0.5	4	7	17	1.36	<10
CC47379		0.24	0.2	0.36	<2	<10	90	<0.5	<2	0.27	<0.5	2	3	6	0.66	<10
CC47380		0.14	<0.2	0.38	<2	<10	140	<0.5	<2	0.76	<0.5	2	2	11	0.60	<10
CC47381		0.20	0.5	1.01	13	<10	360	0.7	<2	0.58	1.0	4	10	22	2.75	<10
CC47382		0.26	0.5	1.17	14	<10	390	0.7	<2	0.52	0.7	10	16	29	2.56	<10
CC47383		0.18	0.8	1.20	10	<10	330	0.7	<2	0.87	1.0	7	13	27	1.90	<10
CC47384		0.28	0.4	0.92	5	<10	200	0.7	<2	0.37	1.3	7	12	29	2.38	<10
CC47385		0.24	1.5	0.96	14	<10	220	0.8	<2	0.63	3.6	8	11	38	2.24	<10
CC47386		0.30	1.8	1.11	11	<10	270	1.0	<2	0.79	4.1	8	12	32	2.46	<10
CC47387		0.18	1.8	1.02	8	<10	260	0.8	<2	0.93	4.1	6	13	27	1.76	<10
CC47388		0.26	0.3	0.58	8	<10	130	<0.5	<2	0.46	0.7	4	7	14	1.44	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47345		<1	0.09	10	0.28	326	1	<0.01	19	440	16	<0.01	<2	3	28	<20
CC47346		<1	0.09	10	0.44	216	2	<0.01	27	970	12	<0.01	<2	3	25	<20
CC47347		<1	0.09	10	0.40	259	2	<0.01	26	840	15	<0.01	<2	3	31	<20
CC47348		<1	0.15	20	0.78	376	2	<0.01	44	940	19	<0.01	<2	5	29	<20
CC47349		<1	0.06	10	0.26	178	2	<0.01	16	520	13	<0.01	<2	1	8	<20
CC47350		<1	0.07	10	0.15	87	2	<0.01	14	590	14	<0.01	2	1	5	<20
CC47352		<1	0.12	20	0.42	545	2	<0.01	52	900	28	<0.01	<2	5	26	<20
CC47353		<1	0.08	10	0.46	242	3	<0.01	25	440	25	<0.01	<2	2	8	<20
CC47354		<1	0.07	10	0.28	215	3	<0.01	17	450	23	<0.01	2	2	9	<20
CC47355		<1	0.06	10	0.31	126	2	<0.01	16	260	20	<0.01	<2	2	7	<20
CC47356		<1	0.10	10	0.39	162	2	<0.01	23	630	22	<0.01	<2	2	15	<20
CC47357		<1	0.07	10	0.25	136	2	<0.01	16	360	16	<0.01	2	2	13	<20
CC47358		<1	0.08	10	0.35	205	2	<0.01	23	490	23	<0.01	2	2	13	<20
CC47359		<1	0.05	10	0.13	89	1	<0.01	15	280	14	<0.01	<2	1	7	<20
CC47360		<1	0.07	10	0.22	150	1	<0.01	21	300	18	<0.01	<2	2	16	<20
CC47362		<1	0.09	10	0.24	120	1	<0.01	22	800	24	0.04	<2	3	24	<20
CC47363		<1	0.08	10	0.25	251	1	<0.01	22	620	34	0.01	<2	3	19	<20
CC47364		<1	0.07	10	0.32	236	2	<0.01	19	500	19	0.01	<2	3	21	<20
CC47365		<1	0.05	10	0.19	71	2	<0.01	15	260	22	<0.01	<2	1	8	<20
CC47366		<1	0.07	10	0.34	186	2	<0.01	25	750	24	<0.01	2	2	17	<20
CC47368		<1	0.06	10	0.13	65	1	<0.01	10	270	10	<0.01	<2	1	9	<20
CC47369		<1	0.07	10	0.24	131	2	<0.01	20	300	16	<0.01	2	2	17	<20
CC47370		<1	0.08	20	0.44	306	2	<0.01	23	420	26	<0.01	<2	2	11	<20
CC47371		1	0.08	10	0.31	176	3	<0.01	25	780	23	<0.01	<2	3	26	<20
CC47372		<1	0.07	20	0.42	196	3	<0.01	29	770	17	<0.01	<2	4	30	<20
CC47373		<1	0.07	10	0.13	303	3	0.01	23	560	17	0.03	2	2	19	<20
CC47375		<1	0.06	20	0.05	49	3	<0.01	9	380	19	0.02	<2	1	12	<20
CC47376		<1	0.05	10	0.11	201	2	0.01	12	690	13	0.04	<2	<1	20	<20
CC47377		<1	0.02	<10	0.02	17	<1	0.03	<1	130	<2	0.03	<2	<1	10	<20
CC47378		<1	0.05	10	0.19	137	1	0.02	12	650	14	0.06	<2	2	31	<20
CC47379		<1	0.04	<10	0.08	90	<1	0.02	3	350	8	0.06	<2	1	15	<20
CC47380		<1	0.03	<10	0.07	308	<1	0.03	7	690	3	0.10	<2	<1	37	<20
CC47381		<1	0.08	10	0.20	238	2	0.01	18	830	75	0.09	<2	3	32	<20
CC47382		<1	0.09	10	0.30	461	3	<0.01	28	690	35	0.03	3	3	27	<20
CC47383		<1	0.10	10	0.26	485	1	0.01	29	830	29	0.08	3	2	35	<20
CC47384		<1	0.10	10	0.32	169	2	<0.01	29	720	19	0.03	2	3	20	<20
CC47385		<1	0.12	10	0.25	340	3	<0.01	44	800	65	0.06	2	3	26	<20
CC47386		<1	0.13	10	0.26	388	1	<0.01	33	780	126	0.07	4	4	32	<20
CC47387		1	0.12	10	0.27	266	<1	0.01	25	820	135	0.09	2	3	37	<20
CC47388		<1	0.06	<10	0.16	126	<1	0.02	13	490	17	0.05	2	1	18	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47345		0.01	<10	<10	27	<10	91
CC47346		0.01	<10	<10	32	<10	137
CC47347		<0.01	<10	<10	35	<10	176
CC47348		0.01	<10	<10	37	<10	133
CC47349		0.01	<10	<10	31	<10	92
CC47350		<0.01	<10	<10	32	<10	72
CC47352		0.01	<10	<10	58	<10	219
CC47353		<0.01	<10	<10	49	<10	126
CC47354		0.01	<10	<10	55	<10	96
CC47355		0.01	<10	<10	42	<10	82
CC47356		<0.01	<10	<10	39	<10	128
CC47357		0.01	<10	<10	27	<10	91
CC47358		<0.01	<10	<10	31	<10	122
CC47359		<0.01	<10	<10	23	<10	111
CC47360		<0.01	<10	<10	30	<10	95
CC47362		<0.01	<10	<10	26	<10	87
CC47363		<0.01	<10	<10	25	<10	170
CC47364		<0.01	<10	<10	28	<10	146
CC47365		<0.01	<10	<10	32	<10	105
CC47366		0.01	<10	<10	36	<10	151
CC47368		0.01	<10	<10	22	<10	52
CC47369		0.01	<10	<10	37	<10	84
CC47370		0.01	<10	<10	39	<10	114
CC47371		0.01	<10	<10	38	<10	130
CC47372		0.02	<10	<10	45	<10	152
CC47373		0.01	<10	<10	29	<10	137
CC47375		0.01	<10	<10	52	<10	98
CC47376		0.01	<10	<10	41	<10	109
CC47377		0.02	<10	<10	9	<10	6
CC47378		0.01	<10	<10	29	<10	74
CC47379		0.01	<10	<10	17	<10	23
CC47380		0.01	<10	<10	10	<10	38
CC47381		<0.01	<10	<10	35	<10	132
CC47382		0.01	<10	<10	42	<10	173
CC47383		0.01	<10	<10	30	<10	323
CC47384		<0.01	<10	<10	29	<10	312
CC47385		<0.01	<10	<10	37	<10	941
CC47386		<0.01	<10	<10	30	<10	790
CC47387		<0.01	<10	<10	26	<10	699
CC47388		0.01	<10	<10	19	<10	140

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47389		0.32	<0.2	0.64	12	<10	80	<0.5	<2	0.02	<0.5	3	7	9	1.44	<10
CC47390		0.14	0.2	0.51	<2	<10	170	<0.5	<2	1.19	0.7	1	5	12	0.65	<10
CC47391		0.22	0.8	0.97	7	<10	320	0.8	<2	1.00	0.5	7	8	24	1.43	<10
CC47392		0.30	<0.2	0.91	15	<10	150	0.6	<2	0.17	<0.5	7	10	23	2.32	<10
CC47393		0.26	<0.2	0.92	12	<10	70	<0.5	<2	0.02	<0.5	5	12	12	2.83	<10
CC47394		0.22	0.4	0.60	<2	<10	110	<0.5	<2	0.09	<0.5	2	4	8	0.70	<10
CC47395		0.34	<0.2	0.91	15	<10	80	<0.5	<2	0.07	<0.5	7	12	16	2.50	<10
CC47396		0.34	<0.2	1.51	16	<10	130	0.5	<2	0.02	<0.5	6	17	16	3.13	<10
CC47397		0.28	0.5	0.18	<2	<10	50	<0.5	<2	0.14	<0.5	1	1	3	0.27	<10
CC47398		0.34	<0.2	0.91	8	<10	80	<0.5	<2	0.03	<0.5	5	10	17	1.99	<10
CC47399		0.22	0.9	0.86	9	<10	270	0.5	<2	0.15	0.6	4	9	15	1.20	<10
CC47400		0.28	0.7	1.20	8	<10	340	0.9	<2	0.58	0.5	9	14	28	1.95	<10
CC47401		0.20	1.7	1.86	13	<10	670	1.1	<2	0.64	1.1	8	18	31	3.23	<10
CC47402		0.22	<0.2	1.00	15	<10	280	0.7	<2	0.18	0.5	9	13	30	2.40	<10
CC47403		0.14	0.2	1.18	9	<10	310	0.6	<2	0.98	0.5	9	12	20	1.78	<10
CC47404		0.16	0.3	1.14	8	<10	320	0.5	<2	0.84	1.6	8	12	21	1.73	<10
CC47405		0.26	0.5	1.37	10	<10	350	0.8	<2	0.58	0.7	9	16	30	2.32	<10
CC47406		0.28	0.3	1.04	8	<10	260	0.7	<2	0.36	0.9	7	15	27	2.30	<10
CC47407		0.24	0.4	1.01	9	<10	370	0.7	<2	0.54	2.6	12	14	23	2.50	<10
CC47408		0.26	0.2	0.70	6	<10	240	<0.5	<2	0.19	<0.5	3	7	13	1.27	<10
CC47409		0.22	<0.2	1.01	12	<10	220	0.6	<2	0.26	0.9	6	14	26	2.06	<10
CC47410		0.30	0.4	1.33	15	<10	310	0.8	<2	0.31	0.7	11	18	22	2.64	<10
CC47411		0.38	0.3	1.04	10	<10	290	0.6	<2	0.36	1.3	9	14	32	2.26	<10
CC47412		0.24	1.3	1.75	7	<10	490	1.2	<2	0.41	1.2	10	20	51	2.95	<10
CC47413		0.30	0.2	1.12	14	<10	350	0.7	<2	0.67	0.7	8	16	26	2.24	<10
CC47414		0.20	0.2	0.60	5	<10	90	<0.5	<2	0.02	<0.5	2	8	18	1.13	<10
CC47415		0.20	<0.2	0.19	<2	<10	20	<0.5	<2	0.02	<0.5	<1	2	5	0.43	<10
CC47416		0.32	0.5	0.47	8	<10	40	<0.5	<2	0.01	<0.5	1	5	9	1.42	<10
CC47417		0.16	<0.2	0.11	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	4	0.36	<10
CC47419		0.14	0.6	0.76	5	<10	590	1.0	<2	1.46	4.2	7	12	26	1.35	<10
CC47420		0.30	<0.2	0.33	7	<10	60	<0.5	<2	0.06	<0.5	7	6	15	1.71	<10
CC47421		0.24	<0.2	0.71	6	<10	80	<0.5	<2	0.06	<0.5	3	8	10	1.27	<10
CC47423		0.16	0.3	0.94	4	<10	250	<0.5	<2	0.64	<0.5	6	9	17	1.67	<10
CC47424		0.38	<0.2	1.24	13	<10	110	0.8	<2	0.04	0.6	10	15	31	2.71	<10
CC47425		0.28	<0.2	0.76	6	<10	210	0.5	<2	0.63	<0.5	6	11	15	1.91	<10
CC47426		0.24	0.3	0.89	<2	<10	250	0.6	<2	1.11	<0.5	7	12	21	1.76	<10
CC47427		0.12	0.4	0.75	8	<10	200	<0.5	<2	0.41	0.9	9	9	14	1.50	<10
CC47428		0.26	<0.2	0.13	<2	<10	20	<0.5	<2	0.09	<0.5	<1	1	2	0.26	<10
CC47429		0.18	0.2	0.40	7	<10	100	<0.5	<2	0.55	0.5	3	2	11	0.88	<10
CC47430		0.20	<0.2	0.36	2	<10	110	<0.5	<2	0.35	<0.5	7	2	9	1.32	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47389		1	0.05	10	0.07	68	1	<0.01	9	180	12	0.02	<2	1	6	<20
CC47390		<1	0.03	<10	0.15	94	<1	0.03	10	750	2	0.18	<2	1	48	<20
CC47391		<1	0.08	10	0.21	646	<1	0.01	26	840	10	0.09	<2	2	40	<20
CC47392		<1	0.06	10	0.25	179	<1	<0.01	21	410	19	0.02	<2	2	11	<20
CC47393		<1	0.07	10	0.22	131	1	<0.01	14	210	17	0.01	<2	2	5	<20
CC47394		<1	0.06	<10	0.06	41	<1	0.02	8	360	5	0.02	<2	1	8	<20
CC47395		<1	0.07	10	0.33	180	1	<0.01	19	380	20	0.02	3	1	8	<20
CC47396		<1	0.08	10	0.31	173	1	<0.01	21	230	21	0.03	<2	2	6	<20
CC47397		<1	0.03	<10	0.03	16	<1	0.02	2	170	<2	0.04	<2	<1	8	<20
CC47398		<1	0.08	10	0.25	124	<1	<0.01	14	310	16	0.03	3	1	5	<20
CC47399		<1	0.08	<10	0.12	159	<1	0.01	17	430	13	0.05	<2	2	11	<20
CC47400		<1	0.08	10	0.31	236	<1	<0.01	31	850	12	0.05	2	3	23	<20
CC47401		<1	0.16	10	0.21	302	1	<0.01	25	1400	25	0.10	3	4	35	<20
CC47402		<1	0.06	20	0.37	284	1	<0.01	28	700	23	0.01	2	3	15	<20
CC47403		<1	0.10	10	0.36	436	<1	0.01	19	820	13	0.07	<2	2	51	<20
CC47404		<1	0.09	10	0.30	647	<1	0.01	19	1000	11	0.09	<2	2	43	<20
CC47405		<1	0.11	10	0.43	351	<1	0.01	29	890	14	0.04	2	4	31	<20
CC47406		<1	0.09	10	0.36	232	1	<0.01	27	710	13	0.04	2	3	25	<20
CC47407		<1	0.10	10	0.35	2760	1	<0.01	31	760	14	0.06	<2	3	25	<20
CC47408		<1	0.05	10	0.10	60	1	<0.01	10	260	10	0.03	<2	1	13	<20
CC47409		<1	0.07	20	0.43	159	1	<0.01	24	810	10	0.03	2	3	21	<20
CC47410		<1	0.09	10	0.47	297	1	<0.01	26	810	18	0.01	<2	2	25	<20
CC47411		<1	0.10	20	0.46	241	1	<0.01	30	1000	18	0.01	4	3	27	<20
CC47412		<1	0.16	10	0.41	343	1	<0.01	41	840	21	0.05	3	7	32	<20
CC47413		<1	0.10	10	0.38	324	<1	<0.01	25	760	16	0.03	<2	3	37	<20
CC47414		<1	0.06	10	0.06	49	1	<0.01	9	610	11	0.02	<2	<1	7	<20
CC47415		<1	0.03	<10	0.02	21	<1	0.01	2	170	2	0.01	<2	<1	4	<20
CC47416		<1	0.04	10	0.08	56	<1	0.01	7	320	7	0.01	<2	<1	3	<20
CC47417		<1	0.02	<10	0.01	18	<1	0.02	<1	130	<2	0.01	<2	<1	6	<20
CC47419		<1	0.05	10	0.15	602	<1	<0.01	51	1060	10	0.10	<2	2	56	<20
CC47420		<1	0.08	<10	0.06	297	<1	<0.01	20	340	15	0.01	<2	1	5	<20
CC47421		<1	0.05	10	0.14	87	<1	<0.01	8	390	11	0.01	2	1	8	<20
CC47423		<1	0.06	10	0.18	264	<1	0.01	13	790	13	0.06	<2	2	28	<20
CC47424		<1	0.08	20	0.38	235	1	<0.01	29	410	20	<0.01	2	2	7	<20
CC47425		<1	0.07	10	0.26	121	<1	<0.01	21	690	16	0.03	<2	2	32	<20
CC47426		<1	0.08	10	0.28	239	<1	0.01	18	610	14	0.06	2	2	45	<20
CC47427		<1	0.05	<10	0.13	781	1	0.01	13	890	7	0.06	<2	1	24	<20
CC47428		<1	0.02	<10	0.03	16	<1	0.03	2	180	<2	0.01	<2	<1	8	<20
CC47429		<1	0.03	<10	0.08	115	<1	0.03	8	670	3	0.04	<2	1	21	<20
CC47430		<1	0.03	<10	0.07	474	<1	0.02	8	670	5	0.03	<2	1	15	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47389		0.01	<10	<10	36	<10	65
CC47390		0.01	<10	<10	9	<10	35
CC47391		<0.01	<10	<10	19	<10	54
CC47392		<0.01	<10	<10	23	<10	102
CC47393		0.01	<10	<10	31	<10	92
CC47394		<0.01	<10	<10	11	<10	25
CC47395		<0.01	<10	<10	28	<10	111
CC47396		<0.01	<10	<10	41	<10	122
CC47397		0.01	<10	<10	8	<10	33
CC47398		<0.01	<10	<10	22	<10	180
CC47399		0.01	<10	<10	21	<10	318
CC47400		0.01	<10	<10	26	<10	88
CC47401		<0.01	<10	<10	49	<10	116
CC47402		<0.01	<10	<10	28	<10	112
CC47403		0.01	<10	<10	27	<10	82
CC47404		0.01	<10	<10	25	<10	111
CC47405		<0.01	<10	<10	31	<10	144
CC47406		0.01	<10	<10	27	<10	137
CC47407		<0.01	<10	<10	26	<10	192
CC47408		0.01	<10	<10	30	<10	47
CC47409		0.01	<10	<10	27	<10	109
CC47410		0.01	<10	<10	41	<10	134
CC47411		0.01	<10	<10	30	<10	138
CC47412		<0.01	<10	<10	43	<10	182
CC47413		0.01	<10	<10	29	<10	106
CC47414		<0.01	<10	<10	26	<10	54
CC47415		0.01	<10	<10	12	<10	17
CC47416		0.01	<10	<10	23	<10	38
CC47417		0.02	<10	<10	11	<10	5
CC47419		<0.01	<10	<10	13	<10	3250
CC47420		<0.01	10	<10	14	<10	126
CC47421		0.01	<10	<10	22	<10	55
CC47423		<0.01	10	<10	22	<10	68
CC47424		<0.01	<10	<10	32	<10	125
CC47425		<0.01	<10	<10	21	<10	104
CC47426		0.01	<10	<10	27	<10	86
CC47427		<0.01	10	<10	18	<10	74
CC47428		0.01	<10	<10	7	<10	8
CC47429		0.01	<10	<10	15	<10	38
CC47430		0.01	<10	<10	12	<10	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47431		0.28	0.4	0.95	7	<10	290	0.6	<2	0.86	0.9	6	12	23	1.88	<10
CC47432		0.30	<0.2	0.61	7	<10	240	<0.5	<2	0.68	<0.5	3	5	9	1.47	<10
CC47434		0.34	0.2	0.93	9	<10	240	0.6	<2	0.34	0.7	9	11	19	2.15	<10
CC47435		0.30	0.6	0.90	13	<10	270	0.7	<2	0.53	1.1	9	13	35	2.18	<10
CC47436		0.20	0.5	0.77	12	<10	220	0.6	<2	0.79	1.0	7	9	29	1.90	<10
CC47437		0.26	0.3	0.85	12	<10	190	<0.5	<2	0.27	<0.5	5	11	16	1.89	<10
CC47438		0.20	0.5	0.85	10	<10	190	<0.5	<2	0.36	0.6	5	11	14	1.51	<10
CC47439		0.16	0.4	0.39	<2	<10	90	<0.5	<2	0.15	<0.5	1	7	7	0.58	<10
CC47440		0.16	0.7	0.38	4	<10	170	<0.5	<2	0.50	1.2	3	3	15	0.50	<10
CC47441		0.18	1.7	0.85	5	<10	690	0.5	<2	0.80	4.1	2	11	60	1.09	<10
CC47442		0.24	<0.2	0.37	2	<10	80	<0.5	<2	0.05	0.6	1	3	7	0.60	<10
CC47443		0.30	<0.2	0.63	6	<10	100	<0.5	<2	0.05	1.4	2	7	4	1.09	<10
CC47444		0.26	0.4	0.80	11	<10	220	<0.5	<2	0.11	1.5	3	7	11	1.08	<10
CC47445		0.26	0.3	0.93	8	<10	220	0.5	<2	0.25	0.7	6	11	23	1.61	<10
CC47446		0.30	0.3	1.13	11	<10	210	0.6	<2	0.18	1.0	8	14	40	2.53	<10
CC47447		0.42	0.4	0.91	10	<10	280	0.6	<2	0.42	0.7	8	12	38	2.15	<10
CC47448		0.40	0.7	1.06	18	<10	360	0.7	<2	0.71	2.1	11	16	51	2.62	<10
CC47449		0.34	0.5	0.88	11	<10	250	0.5	<2	0.73	1.7	9	12	27	1.90	<10
CC47450		0.26	0.6	0.70	16	<10	230	0.5	<2	0.91	2.0	7	9	35	1.95	<10
CC47451		0.22	0.6	0.91	15	<10	390	0.7	<2	1.36	1.9	7	12	40	1.98	<10
CC47452		0.30	0.4	0.95	13	<10	270	0.6	<2	0.44	0.5	8	11	30	1.97	<10
CC47453		0.42	0.3	1.15	16	<10	390	0.7	<2	0.49	1.0	10	14	37	2.55	<10
CC47454		0.30	0.3	0.77	12	<10	410	0.5	<2	0.38	0.7	9	11	31	2.07	<10
CC47455		0.30	0.2	0.68	4	<10	260	0.6	<2	0.26	0.8	7	10	28	2.11	<10
CC47456		0.24	0.4	0.72	19	<10	210	0.7	<2	0.21	1.6	10	10	43	2.36	<10
CC47458		0.16	1.9	1.56	21	<10	730	1.0	<2	1.04	1.5	13	15	56	3.17	<10
CC47459		0.24	0.6	0.30	17	<10	240	0.8	<2	0.36	1.1	14	5	61	3.08	<10
CC47460		0.42	<0.2	0.43	9	<10	150	<0.5	<2	0.22	<0.5	8	6	16	1.60	<10
CC47461		0.20	2.7	0.81	9	<10	250	0.5	<2	0.80	0.7	6	7	35	1.56	<10
CC47462		0.32	0.2	1.07	18	<10	240	<0.5	<2	0.18	<0.5	7	14	22	2.12	<10
CC47463		0.32	0.2	1.03	12	<10	350	0.5	<2	0.18	0.6	7	13	23	1.99	<10
CC47464		0.38	<0.2	0.73	10	<10	170	<0.5	<2	0.14	<0.5	8	9	22	1.77	<10
CC47465		0.24	<0.2	0.74	9	<10	60	<0.5	<2	0.03	<0.5	3	9	16	1.99	<10
CC47466		0.22	0.6	0.87	5	<10	150	0.5	<2	0.14	0.5	6	9	19	1.20	<10
CC47467		0.22	0.2	0.60	7	<10	70	<0.5	<2	0.02	<0.5	2	9	13	1.13	<10
CC47468		0.24	<0.2	0.46	5	<10	80	<0.5	<2	0.03	<0.5	1	5	8	0.52	<10
CC47469		0.18	<0.2	0.72	6	<10	170	<0.5	<2	0.23	<0.5	3	9	10	1.22	<10
CC47470		0.32	0.2	1.01	15	<10	400	0.6	<2	0.46	0.8	7	13	20	2.31	<10
CC47471		0.24	0.6	1.13	6	<10	390	0.7	<2	0.98	1.0	6	12	32	2.09	<10
CC47472		0.26	0.3	0.99	11	<10	290	0.6	<2	0.41	0.5	8	12	23	2.11	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47431		<1	0.07	10	0.28	397	<1	<0.01	23	840	14	0.07	<2	3	35	<20
CC47432		<1	0.04	10	0.18	142	1	0.01	8	600	8	0.05	<2	1	31	<20
CC47434		<1	0.08	10	0.28	275	2	<0.01	17	780	18	0.02	<2	3	24	<20
CC47435		<1	0.11	10	0.29	316	5	<0.01	37	810	19	0.01	3	3	27	<20
CC47436		<1	0.07	10	0.27	241	6	<0.01	34	690	21	0.03	3	3	32	<20
CC47437		<1	0.08	10	0.23	284	2	<0.01	15	670	20	0.02	<2	2	20	<20
CC47438		<1	0.07	10	0.24	188	2	0.01	13	820	14	0.03	2	2	25	<20
CC47439		<1	0.04	<10	0.08	39	<1	0.01	6	660	5	0.04	<2	1	12	<20
CC47440		<1	0.03	<10	0.06	546	<1	0.02	6	720	3	0.05	3	1	25	<20
CC47441		<1	0.04	10	0.15	52	<1	0.01	20	1500	10	0.12	2	2	44	<20
CC47442		<1	0.04	10	0.03	26	1	0.01	4	270	6	0.01	<2	<1	8	<20
CC47443		<1	0.05	10	0.08	54	2	<0.01	7	390	10	0.01	<2	1	7	<20
CC47444		<1	0.05	10	0.08	146	2	<0.01	8	680	17	0.02	2	1	13	<20
CC47445		<1	0.06	10	0.21	131	1	0.01	15	850	18	0.02	<2	2	21	<20
CC47446		<1	0.08	20	0.34	213	4	<0.01	34	800	23	0.01	3	2	19	<20
CC47447		<1	0.08	20	0.33	230	4	<0.01	37	1020	16	0.01	3	3	28	<20
CC47448		<1	0.15	10	0.55	328	11	<0.01	56	1060	21	0.01	5	4	34	<20
CC47449		<1	0.09	10	0.31	393	5	0.01	33	910	21	0.04	3	3	35	<20
CC47450		<1	0.08	10	0.26	214	5	<0.01	36	1070	19	0.05	2	3	40	<20
CC47451		<1	0.10	10	0.33	90	3	<0.01	36	900	19	0.09	2	3	46	<20
CC47452		<1	0.10	10	0.28	308	4	0.01	32	740	15	0.02	2	3	24	<20
CC47453		<1	0.12	20	0.38	266	3	<0.01	35	760	23	0.01	4	3	26	<20
CC47454		1	0.09	10	0.29	213	3	<0.01	31	990	18	0.02	<2	3	25	<20
CC47455		<1	0.10	10	0.18	210	3	<0.01	29	830	15	0.01	<2	3	17	<20
CC47456		<1	0.07	20	0.24	223	8	<0.01	50	1170	21	0.02	6	2	20	<20
CC47458		<1	0.17	10	0.40	1020	2	0.01	53	750	17	0.05	3	6	38	<20
CC47459		1	0.08	10	0.07	212	4	<0.01	70	1280	22	0.10	3	5	39	<20
CC47460		<1	0.05	10	0.16	158	2	<0.01	21	720	8	0.01	2	1	18	<20
CC47461		<1	0.08	10	0.15	253	2	0.02	34	760	11	0.07	2	3	33	<20
CC47462		<1	0.07	20	0.39	187	1	<0.01	22	740	16	0.01	<2	2	15	<20
CC47463		<1	0.08	20	0.34	186	1	<0.01	21	780	15	0.01	<2	2	17	<20
CC47464		<1	0.06	10	0.24	224	<1	<0.01	19	670	16	<0.01	<2	2	13	<20
CC47465		<1	0.06	10	0.16	93	<1	0.01	12	420	13	0.01	2	1	5	<20
CC47466		<1	0.08	<10	0.14	179	<1	0.02	13	580	12	0.01	<2	1	11	<20
CC47467		<1	0.06	<10	0.06	53	<1	0.01	8	580	8	0.01	2	<1	5	<20
CC47468		<1	0.04	10	0.04	23	<1	<0.01	4	190	4	<0.01	<2	<1	7	<20
CC47469		<1	0.07	10	0.23	98	<1	0.01	11	510	7	0.03	2	1	16	<20
CC47470		<1	0.08	10	0.34	263	<1	<0.01	19	820	16	0.03	2	3	30	<20
CC47471		<1	0.10	10	0.33	223	1	0.01	30	940	15	0.08	<2	3	42	<20
CC47472		<1	0.09	10	0.37	220	<1	<0.01	25	1000	16	0.02	2	3	26	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47431		0.01	<10	<10	26	<10	123
CC47432		0.01	<10	<10	19	<10	38
CC47434		0.01	<10	<10	32	<10	122
CC47435		0.01	<10	<10	36	<10	182
CC47436		<0.01	<10	<10	40	<10	184
CC47437		<0.01	<10	<10	34	<10	115
CC47438		0.01	<10	<10	31	<10	90
CC47439		0.01	<10	<10	13	<10	29
CC47440		0.01	<10	<10	12	<10	44
CC47441		0.01	<10	<10	13	<10	76
CC47442		0.01	<10	<10	23	<10	39
CC47443		0.01	<10	<10	43	<10	87
CC47444		0.01	<10	<10	36	<10	94
CC47445		0.01	<10	<10	39	<10	102
CC47446		0.01	<10	<10	47	<10	181
CC47447		0.01	<10	<10	36	<10	162
CC47448		0.01	10	<10	51	<10	230
CC47449		0.01	<10	<10	37	<10	195
CC47450		<0.01	10	<10	34	<10	235
CC47451		<0.01	<10	<10	38	<10	154
CC47452		0.01	<10	<10	35	<10	141
CC47453		0.01	<10	<10	37	<10	162
CC47454		0.01	<10	<10	28	<10	140
CC47455		0.01	<10	<10	25	<10	154
CC47456		<0.01	<10	<10	42	<10	248
CC47458		<0.01	<10	<10	41	<10	217
CC47459		<0.01	<10	<10	27	<10	315
CC47460		<0.01	<10	<10	19	<10	133
CC47461		0.01	<10	<10	25	<10	136
CC47462		0.01	<10	<10	31	<10	93
CC47463		0.01	<10	<10	29	<10	95
CC47464		0.01	<10	<10	24	<10	88
CC47465		0.01	<10	<10	26	<10	94
CC47466		0.01	<10	<10	21	<10	50
CC47467		0.01	<10	<10	24	<10	45
CC47468		0.01	<10	<10	20	<10	28
CC47469		0.01	<10	<10	22	<10	53
CC47470		0.01	<10	<10	28	<10	109
CC47471		0.01	<10	<10	28	<10	163
CC47472		0.01	<10	<10	27	<10	121

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47473		0.22	<0.2	0.28	<2	<10	40	<0.5	<2	0.06	<0.5	1	2	6	0.46	<10
CC47474		0.26	0.9	1.81	13	<10	610	1.3	<2	0.37	1.0	9	20	43	2.70	<10
CC47475		0.26	0.4	1.91	23	<10	480	0.9	<2	0.31	0.7	12	23	27	3.22	<10
CC47476		0.26	0.3	1.13	8	<10	380	0.6	<2	0.56	1.0	7	13	26	2.05	<10
CC47477		0.26	0.2	0.92	12	<10	250	0.5	<2	0.33	0.9	6	12	17	1.79	<10
CC47478		0.26	0.6	1.55	18	<10	690	0.8	<2	0.50	1.8	11	21	48	2.78	<10
CC47479		0.26	0.3	1.18	15	<10	540	0.5	<2	0.66	0.7	7	15	18	2.10	<10
CC47480		0.34	<0.2	0.78	8	<10	260	<0.5	<2	0.09	<0.5	5	8	13	1.35	<10
CC47481		0.28	0.3	1.87	25	<10	290	0.7	<2	0.08	0.7	10	22	27	3.45	<10
CC47482		0.32	0.7	1.08	11	<10	560	0.7	<2	0.53	1.2	7	13	33	2.31	<10
CC47483		0.28	0.3	1.04	10	<10	300	0.8	<2	0.22	0.8	9	15	29	2.61	<10
CC47484		0.38	0.5	1.18	10	<10	550	0.6	<2	0.44	1.5	10	16	31	2.28	<10
CC47485		0.28	0.3	0.85	10	<10	320	<0.5	<2	0.28	1.1	7	10	17	1.74	<10
CC47486		0.26	0.3	0.61	4	<10	270	<0.5	<2	0.28	0.7	4	7	19	1.35	<10
CC47487		0.28	<0.2	1.00	47	<10	180	0.5	<2	0.18	0.6	8	13	23	2.33	<10
CC47488		0.28	0.4	0.34	4	<10	150	<0.5	<2	0.28	1.0	7	6	30	1.90	<10
CC47489		0.30	0.4	0.53	7	<10	240	<0.5	<2	0.29	0.9	8	6	25	2.00	<10
CC47490		0.28	0.3	0.47	7	<10	250	<0.5	<2	0.49	0.8	7	6	27	1.90	<10
CC47493		0.32	0.9	0.55	20	<10	220	0.5	<2	0.32	3.6	3	10	52	1.50	<10
CC47494		0.22	0.3	0.63	12	<10	200	<0.5	<2	0.37	2.0	6	10	32	1.94	<10
CC47495		0.22	0.2	0.97	11	<10	400	0.6	<2	0.46	1.4	9	12	30	2.18	<10
CC47496		0.26	1.5	0.65	29	<10	370	0.7	<2	3.69	0.7	11	11	80	2.92	<10
CC47497		0.24	0.2	0.59	<2	<10	220	<0.5	<2	0.29	0.5	4	6	12	1.09	<10
CC47498		0.20	0.4	0.54	8	<10	250	<0.5	<2	0.34	0.9	5	7	22	1.49	<10
CC47499		0.20	<0.2	0.48	7	<10	160	<0.5	<2	0.42	0.6	5	7	14	1.42	<10
CC47500		0.24	0.4	0.69	12	<10	270	<0.5	<2	0.67	1.0	4	11	22	1.68	<10
CC47501		0.22	0.4	0.72	13	<10	220	0.5	<2	0.55	0.8	6	9	26	2.28	<10
CC47502		0.36	0.5	0.85	11	<10	300	0.5	<2	0.51	1.0	5	9	33	1.72	<10
CC47503		0.30	0.5	0.81	16	<10	260	0.6	<2	0.62	1.2	9	11	31	2.41	<10
CC47504		0.26	0.2	0.84	21	<10	130	<0.5	<2	0.05	0.8	2	10	14	2.09	<10
CC47505		0.22	0.3	0.73	6	<10	160	<0.5	<2	0.09	1.1	2	7	7	1.03	<10
CC47506		0.30	1.4	1.26	9	<10	660	1.0	<2	0.67	5.2	6	12	67	1.44	<10
CC47508		0.26	<0.2	0.75	<2	<10	160	<0.5	<2	0.07	2.6	2	6	18	0.88	<10
CC47509		0.22	<0.2	0.16	<2	<10	120	<0.5	<2	0.08	<0.5	<1	1	3	0.26	<10
CC47510		0.30	<0.2	0.78	24	<10	140	<0.5	<2	0.05	0.5	2	8	11	1.58	10
CC47511		0.24	<0.2	1.00	25	<10	220	0.6	<2	0.23	2.3	8	12	36	2.19	<10
CC47512		0.24	<0.2	0.55	10	<10	70	<0.5	<2	0.04	0.6	3	6	5	1.44	<10
CC47513		0.38	0.2	0.93	12	<10	430	<0.5	<2	0.35	0.6	6	12	20	2.08	<10
CC47514		0.20	0.2	0.44	7	<10	150	<0.5	<2	0.37	<0.5	1	4	10	0.66	<10
CC47515		0.32	<0.2	0.79	13	<10	260	<0.5	<2	0.32	0.5	5	11	26	1.76	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47473		<1	0.04	<10	0.02	15	<1	0.02	3	360	2	0.02	<2	<1	6	<20
CC47474		<1	0.16	10	0.29	313	1	<0.01	34	880	16	0.04	3	4	32	<20
CC47475		<1	0.11	20	0.65	450	1	<0.01	32	660	19	0.01	<2	3	24	<20
CC47476		<1	0.09	10	0.30	302	<1	0.01	23	830	17	0.06	2	3	37	<20
CC47477		<1	0.08	10	0.33	250	<1	<0.01	20	900	11	0.02	<2	2	23	<20
CC47478		1	0.22	20	0.49	584	2	<0.01	42	1280	22	0.01	2	4	40	<20
CC47479		<1	0.09	10	0.42	403	2	<0.01	19	690	18	0.04	<2	2	32	<20
CC47480		<1	0.05	10	0.16	142	<1	0.01	11	410	9	0.01	<2	1	9	<20
CC47481		<1	0.11	20	0.47	336	2	<0.01	32	730	23	0.01	3	3	13	<20
CC47482		<1	0.09	10	0.29	252	2	<0.01	34	670	17	0.02	2	3	23	<20
CC47483		<1	0.10	10	0.28	150	<1	<0.01	24	550	18	0.02	<2	4	16	<20
CC47484		<1	0.11	20	0.41	466	1	<0.01	33	1080	18	0.02	<2	3	34	<20
CC47485		<1	0.07	10	0.23	411	1	0.01	17	570	11	0.02	<2	2	19	<20
CC47486		<1	0.06	10	0.14	158	2	<0.01	18	400	13	0.01	4	2	17	<20
CC47487		<1	0.04	20	0.46	327	4	<0.01	30	700	24	<0.01	3	2	17	<20
CC47488		<1	0.05	10	0.05	96	4	<0.01	27	1070	17	0.01	2	2	30	<20
CC47489		<1	0.06	10	0.10	270	3	<0.01	24	800	12	0.01	3	2	22	<20
CC47490		<1	0.05	10	0.10	235	5	<0.01	22	1110	20	0.01	3	2	35	<20
CC47493		<1	0.06	10	0.13	72	12	<0.01	23	490	29	0.01	5	2	23	<20
CC47494		<1	0.06	10	0.22	181	11	<0.01	29	990	21	<0.01	2	2	30	<20
CC47495		<1	0.10	10	0.31	322	4	<0.01	28	760	21	0.01	3	3	29	<20
CC47496		<1	0.11	10	1.86	290	30	<0.01	82	1910	34	0.03	12	5	129	<20
CC47497		<1	0.06	10	0.13	192	3	<0.01	11	520	9	0.01	2	1	18	<20
CC47498		1	0.05	10	0.14	242	4	<0.01	17	860	16	0.01	3	2	23	<20
CC47499		<1	0.04	10	0.14	186	6	<0.01	13	920	12	0.01	<2	1	27	<20
CC47500		<1	0.06	10	0.22	170	5	<0.01	22	1030	19	0.03	<2	2	36	<20
CC47501		<1	0.07	10	0.25	160	10	<0.01	24	1100	25	0.01	4	3	31	<20
CC47502		<1	0.06	10	0.25	162	5	<0.01	29	850	16	0.01	5	2	32	<20
CC47503		<1	0.07	10	0.30	324	10	<0.01	34	1230	22	0.01	4	3	34	<20
CC47504		<1	0.06	10	0.16	110	5	<0.01	16	720	21	0.01	4	1	13	<20
CC47505		<1	0.07	10	0.10	45	3	<0.01	11	330	13	<0.01	2	1	12	<20
CC47506		<1	0.06	20	0.31	227	2	<0.01	35	1140	17	0.03	<2	4	36	<20
CC47508		<1	0.04	10	0.08	85	2	<0.01	7	300	11	<0.01	2	1	9	<20
CC47509		<1	0.02	<10	0.02	14	1	<0.01	2	110	3	<0.01	2	<1	9	<20
CC47510		<1	0.05	10	0.07	76	6	<0.01	13	1260	21	0.01	<2	1	15	<20
CC47511		<1	0.07	20	0.30	295	8	<0.01	35	1280	18	0.01	5	3	26	<20
CC47512		<1	0.03	10	0.12	128	2	<0.01	8	600	12	<0.01	<2	<1	6	<20
CC47513		<1	0.05	20	0.30	183	6	<0.01	24	380	19	<0.01	4	2	19	<20
CC47514		<1	0.03	<10	0.11	79	2	<0.01	11	500	7	0.01	<2	1	17	<20
CC47515		<1	0.07	20	0.27	176	6	<0.01	25	1050	15	<0.01	3	2	26	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47473		0.01	<10	<10	9	<10	15
CC47474		<0.01	<10	<10	51	<10	124
CC47475		0.01	<10	<10	50	<10	139
CC47476		0.01	<10	<10	31	<10	100
CC47477		0.01	<10	<10	25	<10	116
CC47478		0.01	<10	<10	57	<10	190
CC47479		0.01	<10	<10	38	<10	96
CC47480		0.01	<10	<10	30	<10	53
CC47481		0.01	<10	<10	57	<10	154
CC47482		0.01	<10	<10	43	<10	128
CC47483		<0.01	<10	<10	26	<10	130
CC47484		0.01	<10	<10	36	<10	149
CC47485		0.01	<10	<10	26	<10	97
CC47486		0.01	<10	<10	22	<10	98
CC47487		0.01	<10	<10	42	<10	187
CC47488		<0.01	<10	<10	22	<10	155
CC47489		<0.01	<10	<10	22	<10	145
CC47490		<0.01	10	<10	27	<10	151
CC47493		<0.01	<10	<10	63	<10	219
CC47494		<0.01	<10	<10	41	<10	202
CC47495		<0.01	<10	<10	37	<10	157
CC47496		<0.01	10	<10	90	<10	114
CC47497		0.01	<10	<10	22	<10	64
CC47498		<0.01	10	<10	31	<10	132
CC47499		0.01	10	<10	29	<10	101
CC47500		<0.01	<10	<10	41	<10	131
CC47501		<0.01	<10	<10	46	<10	158
CC47502		0.01	<10	<10	40	<10	140
CC47503		0.01	10	<10	53	<10	179
CC47504		0.01	<10	<10	57	<10	105
CC47505		0.01	<10	<10	43	<10	95
CC47506		0.01	<10	<10	33	<10	193
CC47508		0.01	<10	<10	27	<10	63
CC47509		0.01	<10	<10	10	<10	10
CC47510		0.01	<10	<10	73	<10	89
CC47511		0.01	<10	<10	56	<10	180
CC47512		0.01	<10	<10	32	<10	55
CC47513		0.01	10	<10	53	<10	87
CC47514		0.01	<10	<10	17	<10	27
CC47515		0.01	10	<10	37	<10	105

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47516		0.38	0.8	1.29	21	<10	410	0.8	<2	0.52	1.5	11	19	58	2.99	<10
CC47517		0.16	0.3	0.82	6	<10	280	<0.5	<2	0.57	0.9	6	11	25	1.79	<10
CC47518		0.20	0.3	0.91	14	<10	430	0.5	<2	0.49	1.0	8	14	27	2.39	<10
CC47519		0.18	0.8	0.98	8	<10	450	0.7	<2	0.91	2.6	15	12	48	2.35	<10
CC47520		0.12	<0.2	0.57	5	<10	250	<0.5	<2	0.40	1.0	4	7	16	1.26	<10
CC47521		0.34	0.3	0.84	16	<10	410	<0.5	<2	0.32	1.1	5	11	30	1.90	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47516		<1	0.15	20	0.54	392	12	<0.01	59	1180	26	<0.01	6	5	36	<20
CC47517		<1	0.08	10	0.26	228	5	<0.01	26	1050	17	0.01	2	2	33	<20
CC47518		<1	0.10	10	0.25	403	8	<0.01	24	1070	23	0.01	3	2	35	<20
CC47519		<1	0.11	10	0.28	1400	13	<0.01	56	1000	22	0.04	4	3	40	<20
CC47520		<1	0.05	10	0.16	221	4	<0.01	15	600	11	0.02	2	1	26	<20
CC47521		<1	0.08	10	0.22	258	6	<0.01	25	830	17	0.01	4	2	25	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084701

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47516		0.01	10	<10	70	<10	208
CC47517		0.01	10	<10	39	<10	139
CC47518		<0.01	<10	<10	45	<10	134
CC47519		<0.01	10	<10	49	<10	164
CC47520		0.01	<10	<10	27	<10	79
CC47521		0.01	10	<10	41	<10	132

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 30-AUG-2007
Account: MTT

CERTIFICATE VA07084700

Project: TIDD

P.O. No.:

This report is for 158 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47523		0.28	0.4	0.99	17	<10	390	0.5	<2	0.32	2.9	9	13	34	2.27	<10
CC47524		0.28	0.5	0.83	13	<10	370	0.5	2	0.26	3.2	13	11	31	2.24	<10
CC47525		0.18	0.5	0.74	14	<10	300	0.5	<2	0.29	0.7	8	11	30	2.22	<10
CC47526		0.20	0.4	0.36	10	<10	140	<0.5	<2	0.16	<0.5	2	4	12	1.07	<10
CC47527		0.28	0.7	0.81	15	<10	270	0.5	2	0.44	1.0	8	13	34	2.29	<10
CC47528		0.26	0.4	0.43	9	<10	190	<0.5	<2	0.31	0.5	6	6	21	1.74	<10
CC47529		0.14	0.7	0.74	14	<10	290	0.6	<2	0.73	1.0	7	10	29	2.07	<10
CC47530		0.24	0.3	0.86	13	<10	310	<0.5	<2	0.38	0.5	6	11	17	1.68	<10
CC47531		0.32	0.4	1.06	15	<10	370	0.5	<2	0.32	0.8	4	13	20	2.08	<10
CC47533		0.18	0.4	0.70	6	<10	430	<0.5	<2	0.59	0.5	5	7	15	1.06	<10
CC47534		0.22	0.4	0.57	7	<10	210	<0.5	<2	1.58	<0.5	3	6	13	1.14	<10
CC47535		0.32	0.2	1.30	20	<10	160	0.5	2	0.04	<0.5	6	18	19	2.84	<10
CC47536		0.22	0.2	1.05	17	<10	400	<0.5	<2	0.57	<0.5	6	11	19	1.82	<10
CC47537		0.36	0.7	1.47	16	<10	670	0.8	<2	0.60	0.8	8	20	40	2.50	<10
CC47538		0.24	0.6	1.24	11	<10	460	0.6	<2	0.53	1.1	4	15	28	1.32	<10
CC47539		0.30	1.0	0.74	26	<10	340	0.8	<2	0.47	2.8	7	11	69	2.28	<10
CC47540		0.20	0.5	1.10	14	<10	470	0.6	<2	0.48	0.7	7	16	34	2.12	<10
CC47541		0.22	0.4	0.84	9	<10	390	<0.5	<2	0.44	0.5	4	8	16	1.21	<10
CC47542		0.36	0.3	0.98	14	<10	320	<0.5	<2	0.44	<0.5	5	12	14	1.58	<10
CC47543		0.24	0.5	1.06	19	<10	450	0.6	<2	0.59	0.9	7	14	27	2.26	<10
CC47544		0.22	0.4	0.90	12	<10	380	<0.5	<2	0.42	0.5	4	10	21	1.42	<10
CC47545		0.26	0.4	1.02	14	<10	380	0.5	<2	0.43	1.0	6	15	28	1.89	<10
CC47546		0.28	0.5	1.21	20	<10	510	0.6	<2	0.66	1.3	9	16	35	2.10	<10
CC47547		0.22	0.5	1.47	26	<10	260	0.7	<2	0.14	0.5	11	19	36	2.71	<10
CC47548		0.26	0.4	0.87	10	<10	420	<0.5	<2	0.86	0.5	6	11	17	1.58	<10
CC47549		0.18	0.4	0.89	24	<10	240	0.5	<2	0.46	0.9	7	14	31	2.13	<10
CC47550		0.20	0.3	1.09	19	<10	230	0.6	<2	0.26	0.6	8	15	21	2.37	<10
CC47551		0.28	0.4	1.05	24	<10	450	0.6	<2	0.55	0.7	6	13	22	2.64	<10
CC47552		0.16	0.9	0.89	15	<10	300	0.6	<2	0.90	1.2	9	10	34	2.14	<10
CC47553		0.32	0.4	0.73	12	<10	250	<0.5	<2	0.31	0.5	9	9	19	1.77	<10
CC47554		0.28	0.6	0.88	11	<10	400	0.6	<2	0.48	0.8	8	12	37	2.02	<10
CC47555		0.28	0.6	0.49	10	<10	280	<0.5	2	0.19	0.6	5	6	21	1.57	<10
CC47556		0.26	0.4	0.87	17	<10	350	0.5	<2	0.31	1.0	6	13	32	2.14	<10
CC47557		0.36	0.3	0.90	15	<10	270	<0.5	<2	0.24	0.6	6	11	16	1.91	<10
CC47558		0.32	0.6	1.04	20	<10	350	0.6	<2	0.51	1.8	9	14	27	2.55	<10
CC47560		0.18	0.6	0.70	14	<10	290	<0.5	<2	0.55	0.8	4	9	19	1.45	<10
CC47561		0.38	0.4	0.88	20	<10	340	<0.5	<2	0.30	0.7	6	13	26	1.89	<10
CC47562		0.32	0.8	0.61	18	<10	210	0.5	<2	0.52	0.7	4	9	29	1.66	<10
CC47563		0.32	0.6	0.99	14	<10	460	0.6	<2	0.48	1.0	5	12	31	1.90	<10
CC47564		0.30	0.4	0.95	10	<10	360	0.5	2	0.68	0.7	4	14	24	1.34	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47523		1	0.11	20	0.25	347	4	0.01	30	970	21	0.02	3	3	27	<20
CC47524		<1	0.09	10	0.17	694	6	0.01	33	860	18	0.02	4	3	23	<20
CC47525		<1	0.08	20	0.20	173	4	0.01	22	1040	20	0.01	3	2	31	<20
CC47526		<1	0.03	10	0.06	68	1	0.02	9	530	13	0.03	<2	1	16	<20
CC47527		<1	0.08	20	0.31	233	3	0.01	33	1250	20	0.01	3	3	33	<20
CC47528		<1	0.05	10	0.10	132	3	0.01	19	950	13	0.02	2	2	26	<20
CC47529		<1	0.07	10	0.18	330	2	0.02	27	930	15	0.07	2	3	41	<20
CC47530		<1	0.07	10	0.24	334	1	0.01	17	750	16	0.03	<2	2	25	<20
CC47531		1	0.09	10	0.24	151	1	0.01	17	880	17	0.03	2	3	26	<20
CC47533		<1	0.04	10	0.21	527	1	0.03	13	690	8	0.03	<2	1	24	<20
CC47534		<1	0.04	<10	0.76	537	<1	0.04	14	340	8	0.02	<2	1	15	<20
CC47535		<1	0.09	20	0.30	186	2	<0.01	21	690	22	0.02	2	2	18	<20
CC47536		<1	0.13	10	0.22	300	2	0.03	18	870	11	0.03	<2	2	35	<20
CC47537		1	0.12	20	0.43	378	1	0.01	35	1040	18	0.03	3	4	41	<20
CC47538		1	0.09	10	0.25	227	1	0.02	21	1000	16	0.07	3	3	35	<20
CC47539		<1	0.08	20	0.14	201	30	0.01	83	1990	15	0.03	10	2	45	<20
CC47540		1	0.10	20	0.38	208	2	<0.01	25	1130	18	0.01	4	4	46	<20
CC47541		<1	0.06	10	0.15	251	<1	0.02	13	750	6	0.06	<2	2	28	<20
CC47542		<1	0.08	10	0.28	111	<1	0.02	14	720	16	0.02	2	2	27	<20
CC47543		1	0.08	20	0.34	458	2	0.01	23	1050	18	0.03	2	3	35	<20
CC47544		1	0.08	10	0.21	188	1	0.02	15	710	10	0.03	2	2	28	<20
CC47545		<1	0.11	20	0.32	249	2	0.01	22	1150	15	0.02	2	3	37	<20
CC47546		<1	0.14	20	0.36	405	2	0.01	30	1150	17	0.03	3	3	45	<20
CC47547		<1	0.10	20	0.38	350	3	0.01	33	960	19	0.02	4	3	19	<20
CC47548		1	0.06	10	0.34	236	<1	0.03	14	780	9	0.04	<2	2	37	<20
CC47549		<1	0.08	20	0.33	222	3	0.01	36	1040	25	0.02	3	3	30	<20
CC47550		1	0.11	10	0.28	245	4	0.01	28	1180	19	0.02	3	3	21	<20
CC47551		1	0.08	10	0.27	164	3	0.01	21	830	25	0.04	3	3	32	<20
CC47552		<1	0.08	10	0.25	607	2	0.02	30	940	16	0.06	3	3	44	<20
CC47553		<1	0.06	10	0.20	489	2	0.02	18	740	13	0.02	3	2	24	<20
CC47554		<1	0.09	10	0.27	190	2	0.01	31	1040	18	0.02	3	4	32	<20
CC47555		1	0.05	10	0.08	266	6	0.02	13	760	15	0.02	2	1	21	<20
CC47556		1	0.09	20	0.24	219	5	0.01	23	1070	17	0.01	2	3	30	<20
CC47557		1	0.08	10	0.22	311	3	0.01	13	1020	19	0.02	2	2	25	<20
CC47558		1	0.11	20	0.32	502	12	0.01	27	1160	21	0.03	4	3	36	<20
CC47560		<1	0.05	10	0.20	335	6	0.02	14	1090	15	0.04	2	2	35	<20
CC47561		1	0.05	20	0.29	272	7	0.01	26	880	19	0.02	3	3	25	<20
CC47562		1	0.08	10	0.17	103	8	0.01	29	1030	16	0.04	2	3	28	<20
CC47563		1	0.10	10	0.26	242	4	0.01	25	950	22	0.03	2	3	33	<20
CC47564		<1	0.10	10	0.31	79	4	0.02	19	970	24	0.04	3	2	39	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47523		0.01	<10	<10	46	<10	310
CC47524		0.01	<10	<10	44	<10	326
CC47525		<0.01	<10	<10	36	<10	136
CC47526		0.01	<10	<10	24	<10	38
CC47527		0.01	<10	<10	36	<10	173
CC47528		<0.01	<10	<10	22	<10	83
CC47529		<0.01	<10	<10	32	<10	141
CC47530		<0.01	<10	<10	32	<10	87
CC47531		0.01	<10	<10	39	<10	102
CC47533		0.01	<10	<10	21	<10	49
CC47534		0.01	<10	<10	29	<10	35
CC47535		0.01	<10	<10	60	<10	106
CC47536		0.02	<10	<10	43	<10	115
CC47537		0.01	<10	<10	49	<10	162
CC47538		<0.01	<10	<10	34	<10	94
CC47539		0.01	<10	<10	84	<10	403
CC47540		0.01	<10	<10	45	<10	120
CC47541		0.01	<10	<10	24	<10	66
CC47542		0.01	<10	<10	37	<10	88
CC47543		0.01	<10	<10	39	<10	114
CC47544		0.01	<10	<10	32	<10	91
CC47545		0.01	<10	<10	43	<10	131
CC47546		0.01	<10	<10	50	<10	152
CC47547		0.01	<10	<10	51	<10	146
CC47548		0.02	<10	<10	31	<10	70
CC47549		0.01	<10	<10	43	<10	165
CC47550		0.01	<10	<10	51	<10	199
CC47551		<0.01	<10	<10	49	<10	118
CC47552		0.01	<10	<10	34	<10	143
CC47553		0.01	<10	<10	29	<10	87
CC47554		0.01	<10	<10	36	<10	125
CC47555		0.01	<10	<10	37	<10	69
CC47556		0.01	<10	<10	45	<10	154
CC47557		<0.01	<10	<10	44	<10	78
CC47558		0.01	<10	<10	58	<10	286
CC47560		0.01	<10	<10	48	<10	97
CC47561		0.01	<10	<10	58	<10	103
CC47562		<0.01	<10	<10	41	<10	143
CC47563		<0.01	<10	<10	45	<10	134
CC47564		0.01	<10	<10	41	<10	98

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47565		0.28	0.5	0.96	12	<10	420	<0.5	<2	0.87	0.8	6	14	28	1.74	<10
CC47566		0.24	0.5	0.98	26	<10	320	<0.5	<2	0.50	0.6	11	12	21	2.26	<10
CC47567		0.22	0.4	0.74	12	<10	310	<0.5	<2	0.63	<0.5	6	9	20	1.24	<10
CC47568		0.24	0.4	1.07	18	<10	310	<0.5	<2	1.09	1.0	8	13	34	1.97	<10
CC47569		0.30	0.4	0.68	15	<10	280	<0.5	<2	0.50	0.9	5	7	17	1.28	<10
CC47570		0.42	0.5	0.80	14	<10	260	<0.5	<2	0.52	0.6	5	11	23	1.57	<10
CC47571		0.26	<0.2	0.55	14	<10	140	<0.5	<2	0.09	0.6	4	8	9	1.05	<10
CC47572		0.44	0.4	0.84	16	<10	340	0.6	<2	0.37	1.9	5	11	25	1.39	<10
CC47573		0.36	0.6	0.52	6	<10	250	<0.5	<2	0.29	<0.5	1	4	16	0.53	<10
CC47575		0.32	0.7	0.98	29	<10	310	0.5	<2	0.99	0.9	8	15	45	2.22	<10
CC47577		0.40	0.6	1.07	18	<10	290	0.5	<2	0.50	1.3	9	16	42	2.18	<10
CC47578		0.22	0.3	1.19	24	<10	570	0.5	<2	1.09	1.1	7	18	34	2.02	<10
CC47579		0.34	0.5	1.09	20	<10	400	<0.5	<2	0.79	1.2	7	15	39	2.07	<10
CC47580		0.20	0.8	0.88	19	<10	370	<0.5	<2	1.10	0.9	7	12	43	1.70	<10
CC47581		0.24	0.2	0.64	18	<10	160	<0.5	<2	0.13	<0.5	7	8	10	1.30	<10
CC47582		0.26	0.2	1.25	26	<10	320	<0.5	<2	0.50	0.8	8	17	19	2.36	<10
CC47583		0.26	0.5	1.33	19	<10	450	0.6	<2	0.43	0.7	10	18	43	2.37	<10
CC47584		0.26	0.5	0.80	17	<10	440	0.5	<2	0.51	0.9	6	11	32	1.87	<10
CC47585		0.36	0.7	1.18	34	<10	440	0.6	<2	0.60	0.8	9	15	45	2.33	<10
CC47586		0.26	0.7	1.46	51	<10	540	0.7	<2	0.50	0.9	12	20	44	3.23	<10
CC47587		0.24	0.6	1.03	21	<10	440	0.5	<2	0.45	0.6	7	14	30	2.01	<10
CC47588		0.38	0.5	0.98	23	<10	300	0.5	<2	0.44	1.3	8	14	29	2.06	<10
CC47589		0.30	0.5	0.95	19	<10	370	0.5	<2	0.41	2.2	10	12	28	2.05	<10
CC47590		0.32	0.5	1.29	46	<10	420	0.6	<2	0.41	0.8	11	18	47	2.74	<10
CC47591		0.26	0.5	0.39	7	<10	210	<0.5	<2	0.21	0.9	3	4	17	0.84	<10
CC47592		0.24	0.8	0.44	15	<10	250	<0.5	<2	0.54	0.7	6	7	35	1.95	<10
CC47593		0.22	0.4	0.84	16	<10	380	0.5	<2	0.40	0.5	6	11	28	2.05	<10
CC47594		0.26	0.4	0.74	11	<10	310	<0.5	<2	0.46	0.7	6	9	23	1.74	<10
CC47596		0.32	0.4	1.10	12	<10	360	<0.5	<2	0.38	0.5	7	14	19	2.04	<10
CC47597		0.34	0.3	1.27	24	<10	370	0.5	<2	0.32	<0.5	7	18	29	2.30	<10
CC47598		0.30	0.4	1.42	17	<10	420	0.5	<2	0.51	<0.5	8	20	24	2.52	<10
CC47599		0.36	0.5	1.05	19	<10	240	<0.5	<2	0.39	0.5	10	15	21	2.25	<10
CC47600		0.22	0.3	1.08	22	<10	310	<0.5	<2	0.46	<0.5	7	15	24	2.10	<10
CC47601		0.26	0.4	1.03	16	<10	410	0.5	<2	0.42	0.5	6	13	20	1.69	<10
CC47602		0.26	0.4	1.05	22	<10	400	0.6	<2	0.38	1.3	7	16	37	2.35	<10
CC47603		0.24	0.5	0.93	21	<10	320	0.5	<2	0.34	1.3	8	14	34	2.28	<10
CC47604		0.36	0.2	1.32	17	<10	450	0.5	<2	0.37	1.5	9	16	19	2.72	<10
CC47606		0.22	0.5	1.21	13	<10	490	0.5	<2	0.51	1.3	5	17	25	1.76	<10
CC47607		0.34	0.4	1.47	18	<10	670	0.7	<2	0.40	0.6	8	21	34	2.56	<10
CC47608		0.32	0.2	1.19	15	<10	290	0.5	<2	0.14	<0.5	4	15	23	1.89	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47565		<1	0.06	10	0.36	212	2	0.01	25	930	19	0.06	<2	3	45	<20
CC47566		<1	0.05	10	0.36	521	6	0.02	21	830	17	0.03	<2	2	28	<20
CC47567		<1	0.04	10	0.22	441	3	0.03	13	770	13	0.05	2	1	34	<20
CC47568		1	0.05	10	0.51	496	5	0.02	23	800	13	0.06	2	2	52	<20
CC47569		1	0.03	10	0.22	596	2	0.03	10	710	15	0.05	<2	2	28	<20
CC47570		<1	0.04	20	0.34	150	3	0.01	22	1010	13	0.02	2	2	34	<20
CC47571		<1	0.04	10	0.14	165	3	<0.01	10	280	10	0.01	2	1	11	<20
CC47572		<1	0.06	20	0.25	184	3	0.01	23	1010	12	0.02	3	3	31	<20
CC47573		<1	0.04	10	0.07	34	<1	0.03	7	330	5	0.01	<2	1	17	<20
CC47575		1	0.07	20	0.66	278	3	0.01	32	1140	20	0.03	3	3	45	<20
CC47577		<1	0.06	20	0.51	231	3	0.01	35	1150	21	0.02	<2	4	33	<20
CC47578		1	0.05	10	0.52	377	1	0.02	27	740	27	0.05	<2	3	49	<20
CC47579		<1	0.05	20	0.50	400	2	0.01	23	1130	18	0.04	2	3	42	<20
CC47580		<1	0.05	10	0.39	522	1	0.03	22	770	15	0.05	<2	3	51	<20
CC47581		<1	0.03	10	0.11	425	1	0.01	9	440	13	0.01	<2	<1	11	<20
CC47582		1	0.06	20	0.67	279	1	0.01	23	640	16	0.03	<2	2	31	<20
CC47583		<1	0.06	20	0.54	295	1	0.01	30	880	24	0.02	2	4	29	<20
CC47584		1	0.10	10	0.27	196	4	0.01	29	1060	17	0.03	<2	3	31	<20
CC47585		<1	0.05	20	0.49	316	2	0.02	29	810	20	0.03	4	3	32	<20
CC47586		<1	0.07	20	0.62	361	6	0.01	41	940	25	0.02	4	4	29	<20
CC47587		1	0.06	20	0.39	350	4	0.02	25	770	18	0.03	4	3	28	<20
CC47588		<1	0.09	20	0.36	295	4	0.01	26	1170	17	0.02	2	3	33	<20
CC47589		<1	0.09	10	0.27	576	4	0.02	26	950	19	0.02	2	3	31	<20
CC47590		<1	0.07	20	0.56	374	3	0.01	37	1010	24	0.01	3	4	31	<20
CC47591		1	0.03	10	0.06	182	4	0.02	10	550	12	0.02	3	1	19	<20
CC47592		1	0.05	10	0.12	176	9	0.01	25	1450	25	0.03	4	2	61	<20
CC47593		<1	0.09	10	0.24	221	3	0.01	25	1070	16	0.01	4	3	29	<20
CC47594		<1	0.07	10	0.21	232	1	0.01	22	1020	14	0.02	2	2	32	<20
CC47596		<1	0.08	10	0.35	369	2	0.01	20	910	14	0.03	2	2	29	<20
CC47597		<1	0.10	20	0.45	264	2	0.01	24	990	17	0.01	3	3	28	<20
CC47598		<1	0.10	20	0.50	341	2	0.01	23	990	19	0.03	2	3	35	<20
CC47599		1	0.08	20	0.42	412	2	0.01	27	1050	15	0.01	<2	3	33	<20
CC47600		<1	0.09	20	0.42	241	2	0.01	23	1060	17	0.02	<2	3	37	<20
CC47601		1	0.09	10	0.27	240	1	0.02	18	850	14	0.03	3	2	31	<20
CC47602		<1	0.11	20	0.36	360	3	0.01	32	1250	20	0.01	2	3	35	<20
CC47603		1	0.09	20	0.39	273	3	0.02	31	1190	23	0.01	<2	3	36	<20
CC47604		<1	0.09	20	0.50	312	3	0.02	24	970	17	0.02	<2	3	29	<20
CC47606		<1	0.09	20	0.38	179	2	0.03	21	1050	14	0.05	2	3	37	<20
CC47607		<1	0.10	20	0.47	277	3	0.02	29	950	16	0.02	<2	4	34	<20
CC47608		<1	0.10	10	0.25	116	4	0.03	20	710	11	0.03	2	1	15	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47565		0.01	<10	<10	39	<10	104
CC47566		0.01	<10	<10	37	<10	99
CC47567		0.02	<10	<10	24	<10	58
CC47568		0.01	<10	<10	32	<10	101
CC47569		0.02	<10	<10	25	<10	57
CC47570		0.01	<10	<10	36	<10	96
CC47571		0.01	<10	<10	36	<10	58
CC47572		0.01	<10	<10	42	<10	170
CC47573		0.01	<10	<10	23	<10	37
CC47575		0.01	<10	<10	39	<10	163
CC47577		0.02	<10	<10	44	<10	179
CC47578		0.01	<10	<10	41	<10	111
CC47579		0.01	<10	<10	39	<10	130
CC47580		0.02	<10	<10	31	<10	133
CC47581		0.01	<10	<10	33	<10	68
CC47582		0.02	<10	<10	34	<10	111
CC47583		0.01	<10	<10	42	<10	138
CC47584		0.01	<10	<10	39	<10	144
CC47585		0.01	<10	<10	37	<10	134
CC47586		0.01	<10	<10	54	<10	178
CC47587		0.01	<10	<10	42	<10	130
CC47588		0.01	<10	<10	43	<10	170
CC47589		0.01	<10	<10	44	<10	225
CC47590		0.01	<10	<10	44	<10	181
CC47591		0.01	<10	<10	27	<10	78
CC47592		<0.01	<10	<10	35	<10	167
CC47593		0.01	<10	<10	38	<10	126
CC47594		0.01	<10	<10	31	<10	122
CC47596		0.01	<10	<10	39	<10	104
CC47597		0.01	<10	<10	46	<10	113
CC47598		0.01	<10	<10	51	<10	121
CC47599		0.01	<10	<10	38	<10	152
CC47600		0.01	<10	<10	40	<10	105
CC47601		0.01	<10	<10	41	<10	99
CC47602		0.01	<10	<10	44	<10	166
CC47603		0.01	<10	<10	39	<10	165
CC47604		0.01	<10	<10	38	<10	162
CC47606		0.01	<10	<10	43	<10	118
CC47607		0.01	<10	<10	52	<10	129
CC47608		0.01	<10	<10	48	<10	96

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47609		0.30	0.9	1.26	15	<10	430	0.6	<2	0.61	0.6	6	16	28	2.11	<10
CC47610		0.44	0.4	1.56	29	<10	690	0.7	<2	0.81	1.3	12	20	46	3.05	<10
CC47611		0.16	0.5	1.02	16	<10	560	0.5	<2	0.81	2.3	10	13	28	1.97	<10
CC47612		0.24	0.3	0.85	9	<10	380	<0.5	<2	0.41	<0.5	5	11	19	1.31	<10
CC47613		0.32	0.3	1.09	19	<10	370	<0.5	<2	0.43	0.5	8	15	18	2.30	<10
CC47614		0.28	0.2	0.68	11	<10	200	<0.5	<2	0.24	<0.5	3	9	9	1.33	<10
CC47615		0.18	<0.2	1.15	14	<10	490	0.5	<2	0.86	1.0	8	14	25	2.09	<10
CC47616		0.36	0.3	1.13	11	<10	390	<0.5	<2	0.34	<0.5	5	16	15	1.62	<10
CC47617		0.40	0.2	0.52	7	<10	180	<0.5	<2	0.30	0.7	4	7	12	1.29	<10
CC47618		0.06	0.7	1.03	13	<10	530	0.5	<2	0.77	0.7	6	13	31	1.96	<10
CC47619		0.30	0.4	0.84	12	<10	360	0.5	<2	0.52	<0.5	7	10	28	1.94	<10
CC47620		0.42	0.3	0.88	15	<10	280	<0.5	<2	0.33	<0.5	6	12	23	2.01	<10
CC47621		0.16	0.6	0.75	9	<10	310	0.5	<2	0.88	1.4	8	9	34	1.86	<10
CC47622		0.34	0.8	0.78	17	<10	350	<0.5	<2	0.49	1.4	6	13	32	1.93	<10
CC47623		0.34	0.8	1.31	23	<10	470	0.7	<2	0.76	1.3	10	20	44	2.72	<10
CC47624		0.18	0.7	1.46	20	<10	620	0.8	<2	1.07	4.6	10	20	57	2.54	<10
CC47625		0.26	0.6	1.11	20	<10	410	0.6	<2	0.68	1.4	9	16	37	2.36	<10
CC47626		0.20	0.2	1.06	12	<10	460	0.6	<2	0.95	1.1	7	16	39	2.00	<10
CC47627		0.20	1.0	0.42	20	<10	230	0.5	<2	2.11	2.0	9	8	41	2.47	<10
CC47628		0.26	0.5	1.46	78	<10	410	0.7	<2	0.50	1.2	14	21	60	3.67	<10
CC47629		0.28	0.3	1.02	19	<10	290	0.5	<2	0.48	0.5	9	15	41	2.18	<10
CC47630		0.20	0.3	0.94	19	<10	380	<0.5	<2	0.45	0.6	7	13	25	1.95	<10
CC47631		0.36	0.2	1.01	12	<10	270	<0.5	<2	0.46	<0.5	8	14	20	2.17	<10
CC47632		0.24	0.4	1.19	29	<10	190	<0.5	<2	0.36	0.6	11	18	28	2.95	<10
CC47633		0.38	0.3	0.90	23	<10	250	<0.5	<2	0.46	0.6	9	14	25	2.15	<10
CC47634		0.34	0.5	0.79	30	<10	180	<0.5	<2	0.40	0.9	7	13	27	2.15	<10
CC47635		0.18	0.2	0.71	18	<10	210	<0.5	<2	0.48	<0.5	3	10	11	1.72	<10
CC47636		0.18	0.5	0.43	9	<10	890	<0.5	<2	3.88	4.2	3	7	45	1.32	<10
CC47637		0.22	0.3	0.56	6	<10	190	<0.5	<2	0.45	0.5	3	7	8	0.93	<10
CC47638		0.28	0.5	1.02	56	<10	300	0.6	<2	1.16	1.5	11	14	41	2.65	<10
CC47639		0.20	0.4	0.54	7	<10	300	<0.5	<2	0.37	0.8	3	6	19	0.99	<10
CC47642		0.26	1.0	1.05	32	<10	280	0.6	<2	1.09	1.9	11	17	45	2.52	<10
CC47643		0.34	0.5	1.02	43	<10	270	0.5	<2	0.86	1.3	11	16	37	2.66	<10
CC47644		0.34	0.4	0.99	13	<10	610	0.5	<2	0.43	1.0	7	19	36	2.17	<10
CC47645		0.18	0.4	0.91	12	<10	440	<0.5	<2	0.79	0.9	7	13	26	1.63	<10
CC47646		0.28	0.6	0.90	11	<10	340	<0.5	<2	0.56	0.5	6	15	22	1.78	<10
CC47647		0.30	0.4	0.90	16	<10	320	<0.5	<2	0.61	0.5	8	15	24	1.87	<10
CC47648		0.20	0.3	0.86	16	<10	300	0.5	<2	0.60	0.9	7	13	26	2.22	<10
CC47649		0.18	0.7	0.93	21	<10	470	0.5	<2	1.35	2.0	10	14	40	2.17	<10
CC47650		0.18	0.5	1.21	20	<10	340	0.6	<2	1.02	0.9	9	15	34	2.36	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47609		1	0.07	20	0.35	272	3	0.02	18	1040	17	0.04	<2	3	44	<20
CC47610		<1	0.23	20	0.65	481	3	0.02	36	1220	29	0.05	3	4	50	<20
CC47611		1	0.08	10	0.30	1490	3	0.02	31	1150	13	0.06	3	2	46	<20
CC47612		<1	0.06	10	0.25	240	1	0.02	12	980	9	0.05	<2	1	30	<20
CC47613		<1	0.08	10	0.35	335	3	0.02	17	1040	18	0.03	<2	2	38	<20
CC47614		<1	0.07	10	0.19	149	3	0.02	7	820	10	0.04	<2	1	22	<20
CC47615		<1	0.11	20	0.41	524	2	0.03	22	1080	18	0.05	<2	2	51	<20
CC47616		<1	0.10	10	0.32	187	1	0.02	12	850	13	0.03	3	2	27	<20
CC47617		<1	0.06	10	0.15	153	2	0.03	12	570	11	0.02	<2	2	21	<20
CC47618		<1	0.08	10	0.32	191	2	0.03	22	910	13	0.08	<2	3	45	<20
CC47619		<1	0.09	10	0.25	240	3	0.02	22	990	15	0.03	<2	3	35	<20
CC47620		1	0.08	20	0.30	194	3	0.02	20	1020	15	0.03	2	2	27	<20
CC47621		<1	0.11	10	0.24	313	2	0.02	30	1110	21	0.05	2	3	46	<20
CC47622		<1	0.07	20	0.29	521	5	0.02	28	980	18	0.02	2	2	39	<20
CC47623		<1	0.14	20	0.52	520	3	0.02	37	1220	21	0.03	3	4	53	<20
CC47624		<1	0.21	20	0.50	645	2	0.02	50	1110	20	0.06	2	4	57	<20
CC47625		<1	0.12	20	0.40	386	7	0.02	35	1090	21	0.03	3	3	41	<20
CC47626		1	0.12	10	0.37	327	3	0.03	29	1040	13	0.05	<2	3	57	<20
CC47627		<1	0.05	20	1.07	350	33	0.02	65	840	25	0.05	7	4	70	<20
CC47628		<1	0.07	30	0.78	550	3	0.02	41	1100	31	0.02	2	5	32	<20
CC47629		1	0.05	20	0.50	194	2	0.02	28	1060	17	0.02	<2	3	34	<20
CC47630		<1	0.05	10	0.34	273	3	0.02	21	900	16	0.03	<2	3	31	<20
CC47631		<1	0.05	20	0.48	258	2	0.02	20	980	11	0.01	<2	2	30	<20
CC47632		<1	0.07	20	0.63	415	3	0.02	30	920	20	0.01	2	3	26	<20
CC47633		<1	0.06	20	0.44	355	2	0.02	24	1170	16	0.01	<2	3	33	<20
CC47634		1	0.05	20	0.42	220	5	0.02	29	1160	17	0.01	2	2	30	<20
CC47635		<1	0.04	10	0.28	139	3	0.02	12	300	10	0.02	<2	1	24	<20
CC47636		1	0.02	10	0.33	341	1	0.03	20	760	10	0.15	<2	1	140	<20
CC47637		<1	0.05	10	0.16	129	2	0.03	6	280	3	0.02	<2	1	22	<20
CC47638		<1	0.06	20	0.49	271	6	0.02	35	690	25	0.04	3	4	45	<20
CC47639		<1	0.07	10	0.13	138	1	0.03	9	350	8	0.02	<2	1	25	<20
CC47642		1	0.05	20	0.65	333	5	0.01	33	1110	30	0.05	3	4	46	<20
CC47643		1	0.07	20	0.79	345	3	0.01	31	1220	23	0.03	<2	3	42	<20
CC47644		<1	0.10	20	0.42	162	2	0.01	25	1180	17	0.02	<2	4	40	<20
CC47645		<1	0.06	10	0.35	450	2	0.02	21	760	19	0.05	<2	2	38	<20
CC47646		1	0.06	10	0.37	289	3	0.01	19	940	15	0.04	<2	2	37	<20
CC47647		<1	0.08	10	0.36	298	3	0.01	23	1070	16	0.04	<2	3	40	<20
CC47648		<1	0.08	20	0.39	344	3	<0.01	26	1240	19	0.06	<2	3	39	<20
CC47649		<1	0.09	10	0.45	492	4	0.01	29	990	19	0.06	2	3	60	<20
CC47650		<1	0.10	20	0.50	395	3	0.01	26	990	18	0.05	<2	3	47	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47609		0.01	<10	<10	38	<10	97
CC47610		0.01	<10	<10	55	<10	169
CC47611		0.01	<10	10	35	<10	155
CC47612		0.01	<10	<10	25	<10	65
CC47613		0.01	<10	<10	40	<10	108
CC47614		0.01	<10	<10	31	<10	46
CC47615		0.01	<10	<10	37	<10	145
CC47616		0.01	<10	<10	40	<10	83
CC47617		0.01	<10	<10	22	<10	100
CC47618		0.01	<10	<10	32	<10	109
CC47619		0.01	<10	<10	33	<10	117
CC47620		0.01	<10	<10	35	<10	119
CC47621		<0.01	<10	<10	31	<10	183
CC47622		0.01	<10	<10	43	<10	185
CC47623		0.02	<10	<10	55	<10	209
CC47624		0.01	<10	<10	51	<10	312
CC47625		0.01	<10	<10	54	<10	226
CC47626		0.01	<10	10	46	<10	154
CC47627		<0.01	<10	<10	69	<10	181
CC47628		0.02	<10	<10	42	<10	196
CC47629		0.01	<10	<10	32	<10	129
CC47630		0.01	<10	<10	34	<10	122
CC47631		0.02	<10	<10	30	<10	107
CC47632		0.02	<10	<10	42	<10	177
CC47633		0.02	<10	<10	34	<10	142
CC47634		0.01	<10	<10	38	<10	178
CC47635		0.01	<10	<10	37	<10	89
CC47636		0.01	<10	<10	18	<10	218
CC47637		0.01	<10	<10	32	<10	74
CC47638		0.01	<10	<10	62	<10	247
CC47639		0.01	<10	<10	24	<10	51
CC47642		0.01	<10	<10	41	<10	234
CC47643		0.02	<10	<10	37	<10	186
CC47644		0.02	<10	<10	46	<10	139
CC47645		0.01	<10	<10	29	<10	135
CC47646		0.02	<10	<10	38	<10	120
CC47647		0.02	<10	<10	41	<10	135
CC47648		0.01	<10	<10	35	<10	177
CC47649		0.01	<10	<10	40	<10	194
CC47650		0.01	<10	<10	41	<10	150

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47651		0.20	0.5	0.77	27	<10	230	<0.5	<2	1.32	1.3	6	10	32	1.85	<10
CC47652		0.24	1.5	0.95	92	<10	210	0.7	<2	0.77	4.1	11	13	67	3.67	<10
CC47653		0.16	<0.2	0.30	4	<10	120	<0.5	<2	0.83	0.7	2	3	13	0.50	<10
CC47654		0.24	0.4	0.90	26	<10	350	0.5	<2	1.17	1.7	8	13	55	2.01	<10
CC47655		0.28	0.4	0.92	35	<10	210	<0.5	<2	1.14	1.2	11	15	43	2.52	<10
CC47656		0.30	0.5	0.77	25	<10	200	<0.5	2	0.98	0.8	8	11	36	1.91	<10
CC47657		0.32	0.4	1.29	24	<10	350	0.5	<2	0.51	0.6	10	21	35	2.84	<10
CC47658		0.18	0.5	0.92	17	<10	500	0.5	<2	1.17	2.1	8	15	45	1.88	<10
CC47659		0.36	0.6	0.81	27	<10	210	<0.5	<2	0.39	0.8	8	12	30	1.98	<10
CC47660		0.14	0.3	0.60	8	<10	360	<0.5	<2	1.69	0.6	3	5	29	0.72	<10
CC47661		0.28	0.5	0.97	8	<10	340	0.6	<2	0.65	1.0	6	15	31	1.86	<10
CC47662		0.28	0.2	0.89	11	<10	290	0.5	<2	0.32	0.6	7	14	27	1.82	<10
CC47663		0.24	0.7	0.72	9	<10	270	<0.5	<2	0.25	<0.5	4	9	22	1.41	<10
CC47664		0.34	0.6	1.14	22	<10	530	0.6	<2	0.65	0.5	8	16	29	2.17	<10
CC47665		0.30	0.5	0.91	18	<10	330	<0.5	<2	0.31	<0.5	6	15	17	2.04	<10
CC47666		0.40	0.3	1.19	23	<10	380	0.5	<2	0.40	<0.5	7	16	25	2.32	<10
CC47667		0.24	0.4	1.13	12	<10	340	<0.5	<2	0.50	2.2	9	17	22	2.14	<10
CC47668		0.20	0.7	1.68	23	<10	980	0.8	<2	1.16	2.0	9	20	40	2.56	<10
CC47669		0.24	1.0	1.24	20	<10	590	0.7	<2	1.26	2.9	6	19	57	1.94	<10
CC47670		0.38	0.6	1.33	40	<10	460	0.7	<2	0.52	1.2	9	18	43	2.67	<10
CC47673		0.36	<0.2	0.84	36	<10	190	<0.5	<2	0.21	0.5	7	13	21	1.89	<10
CC47674		0.32	0.5	1.63	19	<10	700	0.9	<2	0.33	3.7	10	22	40	2.88	<10
CC47675		0.44	0.6	1.32	29	<10	330	0.6	<2	0.46	1.8	10	18	33	2.55	<10
CC47676		0.28	<0.2	1.77	63	<10	620	0.7	<2	0.24	0.9	10	20	25	3.16	<10
CC47677		0.38	0.3	0.90	32	<10	250	0.5	<2	0.27	1.0	9	13	29	2.05	<10
CC47678		0.46	0.2	1.24	24	<10	360	0.6	<2	0.37	0.6	8	17	30	2.44	<10
CC47679		0.30	<0.2	0.87	38	<10	120	<0.5	<2	0.08	0.5	5	15	21	2.64	<10
CC47680		0.24	0.8	1.32	20	<10	1020	0.7	<2	0.37	1.1	9	20	36	2.50	<10
CC47681		0.30	0.3	0.97	89	<10	100	0.6	<2	0.26	1.5	10	15	50	3.30	<10
CC47682		0.28	0.6	1.12	40	<10	310	0.6	<2	0.39	0.9	11	17	27	2.67	<10
CC47683		0.32	0.4	1.17	14	<10	630	0.6	<2	0.73	1.5	12	25	47	2.81	<10
CC47684		0.34	0.9	1.14	156	<10	270	0.8	<2	0.75	5.3	16	16	75	3.94	<10
CC47685		0.20	0.4	0.88	27	<10	300	0.5	<2	0.72	1.2	10	15	35	2.58	<10
CC47686		0.34	0.2	1.06	14	<10	340	0.5	<2	0.45	1.2	9	16	32	2.09	<10
CC47688		0.20	0.2	0.91	18	<10	380	<0.5	<2	0.79	0.6	8	13	34	1.90	<10
CC47689		0.20	0.5	1.08	68	<10	170	0.5	<2	0.79	1.0	11	15	22	3.31	<10
CC47690		0.18	0.5	0.94	16	<10	830	<0.5	<2	2.39	1.1	6	11	24	1.85	<10
CC47691		0.18	0.3	0.82	10	<10	250	<0.5	<2	1.17	0.5	6	10	22	1.57	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47651		<1	0.05	10	0.42	299	3	0.01	22	1030	21	0.07	<2	2	56	<20
CC47652		<1	0.06	20	0.48	505	8	0.01	55	1880	35	0.03	6	6	44	<20
CC47653		1	0.02	<10	0.09	65	1	0.04	5	430	2	0.03	<2	1	31	<20
CC47654		1	0.06	20	0.43	466	3	0.01	28	900	20	0.06	<2	2	54	<20
CC47655		<1	0.06	20	0.72	337	3	0.01	32	1300	21	0.02	2	3	48	<20
CC47656		<1	0.05	10	0.39	311	3	0.01	26	1030	24	0.05	3	2	45	<20
CC47657		<1	0.12	20	0.56	370	3	<0.01	29	880	22	0.04	<2	4	34	<20
CC47658		<1	0.10	10	0.38	539	2	0.02	31	950	13	0.08	2	2	55	<20
CC47659		<1	0.04	20	0.34	309	2	0.01	23	930	22	0.01	2	2	27	<20
CC47660		<1	0.03	10	0.14	223	1	0.03	15	750	4	0.09	<2	1	64	<20
CC47661		<1	0.11	10	0.35	214	2	<0.01	27	1040	17	0.04	2	3	37	<20
CC47662		<1	0.09	20	0.30	139	2	<0.01	22	960	16	0.01	<2	2	26	<20
CC47663		<1	0.04	10	0.16	262	2	0.02	12	870	8	0.05	2	1	20	<20
CC47664		<1	0.10	20	0.37	254	2	<0.01	21	1000	24	0.04	<2	3	39	<20
CC47665		<1	0.06	10	0.30	375	3	0.01	14	1140	13	0.04	<2	1	27	<20
CC47666		<1	0.10	10	0.40	285	2	0.01	21	1100	15	0.04	2	2	35	<20
CC47667		<1	0.08	20	0.44	229	1	0.01	17	830	26	0.07	<2	3	34	<20
CC47668		<1	0.12	20	0.39	847	2	0.01	28	820	22	0.07	3	3	63	<20
CC47669		<1	0.08	10	0.38	243	2	0.01	28	830	18	0.07	2	3	60	<20
CC47670		<1	0.12	20	0.46	200	3	<0.01	32	1050	22	0.02	3	4	42	<20
CC47673		<1	0.06	20	0.37	203	3	<0.01	19	920	19	0.01	<2	2	23	<20
CC47674		<1	0.12	30	0.54	407	3	<0.01	34	1180	25	0.02	2	4	30	<20
CC47675		<1	0.09	20	0.50	384	3	0.01	31	820	26	0.02	4	3	32	<20
CC47676		<1	0.09	20	0.46	267	4	<0.01	32	660	39	0.02	<2	3	20	<20
CC47677		<1	0.06	20	0.34	379	2	<0.01	26	1210	27	0.02	<2	2	28	<20
CC47678		<1	0.09	20	0.42	283	2	0.01	24	960	22	0.02	2	3	28	<20
CC47679		<1	0.07	10	0.26	259	3	<0.01	19	870	22	0.03	3	1	14	<20
CC47680		<1	0.07	20	0.44	420	2	<0.01	27	930	19	<0.01	<2	4	30	<20
CC47681		<1	0.05	20	0.41	369	6	<0.01	36	1610	55	<0.01	3	3	25	<20
CC47682		<1	0.06	20	0.54	316	3	<0.01	27	1280	24	0.01	<2	3	31	<20
CC47683		<1	0.16	20	0.64	799	3	0.01	43	1300	16	<0.01	<2	4	54	<20
CC47684		<1	0.05	30	0.74	737	8	<0.01	57	1310	62	0.02	5	5	35	<20
CC47685		<1	0.11	20	0.58	555	7	0.01	39	1070	37	0.03	2	3	37	<20
CC47686		<1	0.09	10	0.34	283	3	0.01	25	610	14	<0.01	<2	3	31	<20
CC47688		<1	0.05	10	0.33	581	2	0.01	21	830	17	0.02	<2	2	40	<20
CC47689		<1	0.07	10	0.46	490	4	0.01	23	780	71	0.02	<2	2	38	<20
CC47690		<1	0.07	10	0.53	489	3	0.02	19	940	17	0.15	2	2	119	<20
CC47691		<1	0.05	10	0.32	312	2	<0.01	17	660	14	0.04	<2	2	47	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084700

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47651		0.01	<10	<10	32	<10	189
CC47652		0.01	<10	<10	58	<10	490
CC47653		0.01	<10	<10	11	<10	49
CC47654		0.01	<10	<10	31	<10	163
CC47655		0.01	<10	<10	35	<10	178
CC47656		0.01	<10	<10	31	<10	169
CC47657		0.02	<10	<10	51	<10	204
CC47658		0.02	<10	<10	39	<10	171
CC47659		0.01	<10	<10	29	<10	135
CC47660		0.01	<10	<10	11	<10	63
CC47661		0.01	<10	<10	35	<10	153
CC47662		0.01	<10	<10	34	<10	124
CC47663		0.01	<10	<10	21	<10	51
CC47664		0.01	<10	<10	42	<10	119
CC47665		0.01	<10	<10	34	<10	84
CC47666		0.01	<10	<10	39	<10	147
CC47667		0.02	<10	<10	36	<10	203
CC47668		0.01	<10	<10	56	<10	154
CC47669		0.01	<10	<10	34	<10	160
CC47670		0.01	<10	<10	44	<10	184
CC47673		0.01	<10	<10	34	<10	116
CC47674		0.01	<10	10	49	<10	213
CC47675		0.01	<10	<10	43	<10	182
CC47676		0.01	<10	<10	60	<10	235
CC47677		0.01	<10	<10	34	<10	131
CC47678		0.01	<10	<10	38	<10	134
CC47679		0.01	<10	<10	48	<10	123
CC47680		0.01	<10	<10	39	<10	127
CC47681		0.01	<10	<10	51	<10	279
CC47682		0.01	<10	<10	44	<10	210
CC47683		0.04	<10	<10	61	<10	182
CC47684		0.01	<10	<10	58	<10	589
CC47685		0.01	<10	<10	38	<10	149
CC47686		0.01	<10	<10	44	<10	129
CC47688		0.01	<10	<10	29	<10	94
CC47689		0.02	<10	<10	43	<10	250
CC47690		0.01	<10	<10	30	<10	123
CC47691		0.01	<10	<10	27	<10	84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalize **.e: 2-SEP-2007**
Account: MTT

CERTIFICATE VA07084069

Project: TIDD

P.O. No.:

This report is for 166 Soil samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47163		0.24	0.3	0.99	16	<10	590	0.6	<2	0.33	0.8	5	13	31	1.68	<10
CC47164		0.36	0.4	1.19	21	<10	710	0.8	<2	0.60	1.3	12	19	39	2.75	<10
CC47165		0.24	0.2	0.96	22	<10	190	<0.5	<2	0.19	<0.5	6	14	18	2.42	<10
CC47166		0.20	0.3	1.19	11	<10	770	0.7	<2	0.99	0.9	7	18	30	1.90	<10
CC47167		0.38	0.2	1.25	20	<10	710	0.7	<2	0.34	0.5	8	19	28	2.30	<10
CC47168		0.18	0.3	0.99	11	<10	790	0.5	<2	0.93	0.7	6	15	24	1.73	<10
CC47169		0.28	0.2	0.80	11	<10	380	<0.5	<2	0.10	0.5	3	9	16	1.28	<10
CC47170		0.36	<0.2	1.08	10	<10	540	0.5	<2	0.19	<0.5	5	13	17	1.83	<10
CC47171		0.34	<0.2	1.23	12	<10	560	0.5	<2	0.21	0.7	5	16	15	2.07	<10
CC47172		0.28	0.4	1.16	11	<10	830	0.7	<2	0.69	0.5	8	18	22	2.03	<10
CC47173		0.32	0.2	1.24	19	<10	690	0.6	<2	0.32	0.6	7	17	18	2.28	<10
CC47174		0.20	0.4	1.40	10	<10	1370	0.6	<2	1.14	0.6	7	19	24	1.85	<10
CC47175		0.08	0.3	0.91	6	<10	880	0.6	<2	1.39	<0.5	3	13	24	1.24	<10
CC47176		0.24	0.2	1.05	9	<10	940	0.6	<2	1.03	0.6	5	14	30	1.64	<10
CC47177		0.28	0.2	1.36	14	<10	800	0.5	<2	0.96	0.8	7	23	18	2.04	<10
CC47178		0.14	0.5	0.98	8	<10	590	0.5	<2	1.68	1.0	6	14	23	1.64	<10
CC47179		0.14	0.4	0.84	4	<10	530	<0.5	<2	1.20	1.0	4	13	20	1.24	<10
CC47180		0.34	0.5	0.91	5	<10	520	0.5	<2	0.88	0.7	5	14	21	1.54	<10
CC47181		0.26	0.4	0.98	6	<10	670	0.5	<2	1.21	1.0	5	14	24	1.63	<10
CC47182		0.30	0.5	0.95	13	<10	470	0.6	<2	0.66	1.0	6	19	30	2.03	<10
CC47183		0.16	0.3	0.72	10	<10	560	<0.5	<2	1.96	1.1	3	10	30	1.26	<10
CC47185		0.20	0.4	0.87	9	<10	560	<0.5	<2	1.42	1.4	6	11	21	1.24	<10
CC47190		0.20	<0.2	0.94	11	<10	520	<0.5	<2	0.81	0.7	5	13	20	1.58	<10
CC47192		0.24	0.2	0.91	10	<10	520	<0.5	<2	0.74	0.5	6	13	13	1.60	<10
CC47193		0.26	0.2	1.04	9	<10	660	0.5	<2	0.66	<0.5	5	15	20	1.74	<10
CC47194		0.22	<0.2	0.97	8	<10	500	<0.5	<2	0.37	<0.5	6	14	15	1.76	<10
CC47195		0.26	0.4	1.02	9	<10	750	0.5	<2	0.49	<0.5	6	15	18	1.85	<10
CC47196		0.36	<0.2	1.69	10	<10	1020	0.8	<2	0.31	0.7	8	24	25	2.34	10
CC47197		0.30	0.3	1.19	37	<10	560	0.6	<2	0.25	0.6	8	18	35	2.41	<10
CC47198		0.32	<0.2	1.20	33	<10	280	0.6	<2	0.13	0.5	9	18	26	2.90	<10
CC47199		0.32	<0.2	1.61	22	<10	280	0.6	<2	0.05	<0.5	5	15	15	2.71	10
CC47200		0.36	<0.2	1.77	21	<10	250	0.6	<2	0.07	<0.5	6	17	15	3.02	10
CC47201		0.24	<0.2	1.08	8	<10	270	<0.5	<2	0.10	2.2	3	10	8	1.65	<10
CC47202		0.22	0.8	1.47	14	<10	660	0.7	<2	0.41	1.2	5	16	28	2.07	<10
CC47203		0.22	0.2	1.31	14	<10	490	0.5	<2	0.13	0.6	10	16	16	2.24	<10
CC47204		0.40	0.3	1.17	14	<10	760	0.6	<2	0.78	0.7	8	18	18	2.22	<10
CC47205		0.34	0.5	1.17	17	<10	420	0.8	<2	0.62	0.6	10	19	43	2.29	<10
CC47206		0.24	0.2	0.86	5	<10	470	<0.5	<2	0.50	<0.5	4	11	15	1.38	<10
CC47207		0.24	0.4	0.98	12	<10	570	0.5	<2	0.58	0.5	7	15	18	1.92	<10
CC47208		0.08	<0.2	0.21	<2	<10	130	<0.5	<2	0.43	<0.5	<1	5	3	0.32	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47163		<1	0.07	20	0.25	141	5	0.01	18	890	13	0.02	<2	2	31	<20
CC47164		1	0.10	20	0.38	247	9	0.01	37	1550	46	0.05	4	3	47	<20
CC47165		<1	0.08	20	0.24	241	5	0.01	20	740	15	0.02	2	1	18	<20
CC47166		1	0.10	10	0.30	267	2	0.02	25	1270	13	0.07	2	3	63	<20
CC47167		<1	0.10	20	0.30	275	2	0.01	28	970	13	0.02	<2	3	29	<20
CC47168		<1	0.08	20	0.30	263	2	0.02	23	1430	11	0.03	<2	3	63	<20
CC47169		<1	0.07	10	0.12	92	2	0.01	11	550	7	0.01	2	1	13	<20
CC47170		<1	0.07	10	0.22	164	2	0.01	19	790	9	0.01	<2	2	22	<20
CC47171		<1	0.10	10	0.27	200	2	0.01	21	730	11	0.01	<2	2	20	<20
CC47172		<1	0.11	20	0.32	319	2	0.02	29	1460	12	0.02	2	3	46	<20
CC47173		1	0.10	20	0.29	222	3	0.01	25	820	12	0.01	2	2	26	<20
CC47174		<1	0.08	10	0.31	661	2	0.02	27	1090	13	0.06	<2	3	67	<20
CC47175		<1	0.06	10	0.21	204	1	0.02	22	930	8	0.07	<2	2	76	<20
CC47176		<1	0.09	10	0.25	290	2	0.01	25	1240	9	0.04	4	3	58	<20
CC47177		<1	0.10	10	0.36	575	2	0.01	21	1160	16	0.05	2	3	59	<20
CC47178		<1	0.08	10	0.27	354	1	0.02	19	1040	10	0.08	<2	2	80	<20
CC47179		<1	0.08	10	0.21	313	2	0.02	16	990	8	0.06	<2	2	63	<20
CC47180		<1	0.09	10	0.28	239	2	0.01	19	1180	9	0.04	2	2	51	<20
CC47181		<1	0.08	10	0.28	480	2	0.01	20	1100	11	0.06	2	2	70	<20
CC47182		<1	0.11	20	0.33	273	3	0.01	29	1600	10	0.02	4	4	50	<20
CC47183		<1	0.07	10	0.21	575	2	0.03	25	1090	9	0.11	<2	1	86	<20
CC47185		<1	0.08	10	0.22	647	1	0.03	19	1070	7	0.09	2	2	72	<20
CC47190		<1	0.08	10	0.24	353	2	0.02	16	1140	9	0.04	<2	2	52	<20
CC47192		<1	0.08	10	0.28	280	1	0.02	15	1160	9	0.04	<2	2	50	<20
CC47193		<1	0.08	10	0.29	178	1	0.02	19	1140	9	0.03	2	3	45	<20
CC47194		<1	0.07	10	0.28	208	2	0.01	19	1040	7	0.01	3	2	30	<20
CC47195		<1	0.08	10	0.28	189	2	0.01	22	1030	8	0.01	2	2	35	<20
CC47196		<1	0.10	20	0.32	214	2	0.01	28	990	12	0.01	<2	3	29	<20
CC47197		<1	0.11	10	0.27	331	4	0.01	25	830	12	0.01	3	2	24	<20
CC47198		<1	0.14	20	0.31	308	2	0.01	23	670	12	0.01	2	2	15	<20
CC47199		<1	0.07	20	0.27	193	2	0.01	13	310	14	<0.01	<2	2	11	<20
CC47200		<1	0.09	20	0.28	238	2	0.01	14	430	21	0.01	2	3	12	<20
CC47201		<1	0.06	20	0.17	317	2	0.01	8	320	21	0.01	2	2	11	<20
CC47202		<1	0.12	30	0.25	160	2	0.02	17	830	23	0.03	2	4	34	<20
CC47203		<1	0.10	10	0.23	537	2	0.01	16	510	11	0.01	<2	2	14	<20
CC47204		<1	0.13	10	0.34	255	2	0.01	25	1260	12	0.03	3	3	52	<20
CC47205		<1	0.14	20	0.33	213	2	0.01	40	880	10	0.02	3	4	40	<20
CC47206		<1	0.06	10	0.21	196	1	0.02	15	880	7	0.02	<2	2	36	<20
CC47207		<1	0.08	10	0.29	179	2	0.01	22	1320	9	0.02	3	3	43	<20
CC47208		<1	0.02	<10	0.04	108	1	0.04	5	450	<2	0.02	<2	<1	26	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47163		0.01	<10	<10	45	<10	65
CC47164		0.02	<10	<10	83	<10	176
CC47165		0.02	<10	<10	52	<10	84
CC47166		0.01	<10	<10	49	<10	115
CC47167		0.01	<10	<10	52	<10	113
CC47168		0.01	<10	<10	42	<10	89
CC47169		0.01	<10	<10	35	<10	57
CC47170		0.01	<10	<10	45	<10	67
CC47171		0.01	<10	<10	58	<10	88
CC47172		0.01	<10	<10	53	<10	118
CC47173		0.01	<10	<10	58	<10	107
CC47174		0.01	<10	<10	53	<10	64
CC47175		0.01	<10	<10	35	<10	35
CC47176		0.01	<10	<10	47	<10	82
CC47177		0.01	<10	<10	56	<10	119
CC47178		0.01	<10	<10	40	<10	78
CC47179		0.01	<10	<10	38	<10	97
CC47180		0.01	<10	<10	42	<10	103
CC47181		0.01	<10	<10	42	<10	93
CC47182		0.01	<10	<10	53	<10	180
CC47183		0.01	<10	<10	28	<10	106
CC47185		0.01	<10	<10	30	<10	105
CC47190		0.01	<10	<10	43	<10	87
CC47192		0.01	<10	<10	40	<10	87
CC47193		0.01	<10	<10	43	<10	82
CC47194		0.02	<10	<10	38	<10	83
CC47195		0.01	<10	<10	42	<10	92
CC47196		0.01	<10	<10	67	<10	109
CC47197		0.01	<10	<10	55	<10	114
CC47198		0.02	<10	<10	49	<10	94
CC47199		0.02	<10	<10	48	<10	89
CC47200		0.02	<10	<10	52	<10	129
CC47201		0.01	<10	<10	31	<10	912
CC47202		0.01	<10	<10	41	<10	207
CC47203		0.01	<10	<10	49	<10	126
CC47204		0.02	<10	<10	51	<10	133
CC47205		0.01	<10	<10	49	<10	112
CC47206		0.01	<10	<10	34	<10	59
CC47207		0.01	<10	<10	43	<10	103
CC47208		0.02	<10	<10	10	<10	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47209		0.22	0.4	0.64	4	<10	350	<0.5	<2	0.48	<0.5	3	12	14	0.98	<10
CC47210		0.24	0.3	0.70	6	<10	400	<0.5	<2	0.62	0.7	3	9	13	1.09	<10
CC47211		0.20	0.4	1.00	8	<10	690	0.5	<2	1.34	1.6	3	15	28	1.11	<10
CC47212		0.24	0.6	1.11	11	<10	750	0.6	<2	1.28	1.4	7	20	35	1.82	<10
CC47213		0.20	0.2	0.77	16	<10	580	<0.5	<2	1.49	1.3	4	12	23	1.18	<10
CC47214		0.26	<0.2	0.30	3	<10	240	<0.5	<2	0.72	0.5	1	8	9	0.53	<10
CC47215		0.20	<0.2	0.41	<2	<10	230	<0.5	<2	0.75	0.5	1	5	11	0.59	<10
CC47216		0.20	0.4	0.88	6	<10	450	0.5	2	1.23	0.9	4	11	23	1.34	<10
CC47218		0.32	0.4	1.29	20	<10	670	0.7	<2	0.57	0.9	8	19	36	2.56	<10
CC47219		0.20	<0.2	1.42	16	<10	490	0.6	<2	0.42	0.7	12	24	25	2.87	10
CC47220		0.14	0.2	0.83	4	<10	450	<0.5	<2	0.70	0.6	3	11	18	1.15	<10
CC47221		0.18	0.2	0.91	8	<10	460	<0.5	<2	1.13	1.6	4	12	20	1.40	<10
CC47222		0.16	<0.2	0.36	3	<10	250	<0.5	<2	0.76	0.5	2	3	8	0.58	<10
CC47223		0.18	0.3	0.85	9	<10	390	<0.5	<2	0.69	1.0	5	12	22	1.51	<10
CC47224		0.22	0.2	0.73	7	<10	420	<0.5	<2	1.18	0.9	5	8	19	1.24	<10
CC47225		0.18	0.3	0.58	4	<10	370	<0.5	<2	0.87	0.6	2	5	13	0.74	<10
CC47226		0.30	<0.2	0.60	6	<10	270	<0.5	<2	0.59	0.5	1	8	9	0.91	<10
CC47227		0.18	<0.2	0.16	5	<10	60	<0.5	<2	0.21	<0.5	<1	<1	2	0.23	<10
CC47228		0.20	0.4	1.01	7	<10	520	0.5	<2	0.63	0.5	4	14	20	1.37	<10
CC47229		0.22	<0.2	0.59	6	<10	100	<0.5	<2	0.05	<0.5	2	10	6	1.24	<10
CC47230		0.20	0.2	0.46	4	<10	170	<0.5	<2	0.26	<0.5	2	6	7	1.03	<10
CC47231		0.26	0.3	1.10	11	<10	420	<0.5	<2	0.14	0.7	5	18	18	1.71	<10
CC47232		0.20	0.4	0.87	<2	<10	510	0.5	<2	0.83	<0.5	4	10	34	1.24	<10
CC47233		0.34	<0.2	1.95	9	<10	540	0.6	<2	0.38	1.0	4	27	21	2.16	10
CC47234		0.30	<0.2	0.99	6	<10	310	<0.5	<2	0.09	<0.5	3	11	9	1.48	<10
CC47235		0.32	0.2	1.14	7	<10	750	0.6	<2	0.92	0.5	8	16	26	1.81	<10
CC47236		0.18	<0.2	0.79	13	<10	370	<0.5	<2	1.00	1.1	4	11	15	1.26	<10
CC47237		0.16	<0.2	0.73	4	<10	450	<0.5	<2	1.36	1.1	5	11	22	1.35	<10
CC47238		0.32	0.2	0.98	11	<10	590	0.5	<2	0.85	1.0	5	14	23	1.66	<10
CC47239		0.24	<0.2	0.86	8	<10	520	<0.5	<2	0.99	0.9	4	11	20	1.38	<10
CC47240		0.20	<0.2	0.94	5	<10	490	0.5	<2	0.77	0.8	4	13	23	1.40	<10
CC47241		0.28	<0.2	0.62	4	<10	240	<0.5	<2	0.33	<0.5	4	9	15	1.28	<10
CC47242		0.18	<0.2	0.81	11	<10	440	0.5	<2	0.66	1.1	6	14	23	1.69	<10
CC47243		0.22	<0.2	0.95	4	<10	410	<0.5	<2	0.90	0.5	6	17	19	1.58	<10
CC47244		0.18	0.2	0.41	16	<10	260	<0.5	<2	0.53	3.0	8	4	17	1.04	<10
CC47246		0.16	0.2	0.26	<2	<10	70	<0.5	<2	0.05	1.0	1	3	4	0.35	<10
CC47247		0.16	<0.2	0.20	<2	<10	30	<0.5	<2	0.02	<0.5	<1	2	2	0.31	<10
CC47248		0.18	0.3	0.40	<2	<10	70	<0.5	<2	0.06	0.6	1	5	6	0.49	<10
CC47249		0.24	<0.2	0.41	<2	<10	60	<0.5	<2	0.02	0.5	2	3	12	1.03	<10
CC47250		0.20	0.5	0.56	<2	<10	80	<0.5	<2	0.06	1.0	1	5	6	0.75	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47209		<1	0.05	10	0.15	150	1	0.03	15	770	6	0.02	<2	1	32	<20
CC47210		<1	0.05	10	0.17	311	1	0.03	12	790	4	0.03	<2	1	36	<20
CC47211		1	0.09	10	0.22	352	2	0.02	20	1060	7	0.08	2	2	72	<20
CC47212		<1	0.09	10	0.31	315	2	0.02	29	1190	12	0.07	<2	3	69	<20
CC47213		<1	0.07	10	0.23	275	2	0.02	22	1050	6	0.09	<2	2	77	<20
CC47214		<1	0.02	<10	0.07	158	1	0.04	11	520	2	0.04	<2	<1	37	<20
CC47215		<1	0.03	<10	0.09	124	1	0.04	9	720	3	0.06	<2	1	39	<20
CC47216		<1	0.08	10	0.23	389	1	0.03	20	850	7	0.06	<2	2	63	<20
CC47218		<1	0.14	20	0.37	339	2	0.01	33	950	13	0.02	3	4	36	<20
CC47219		<1	0.12	20	0.41	430	3	0.01	29	650	14	0.01	2	3	30	<20
CC47220		<1	0.06	10	0.20	125	1	0.01	15	970	6	0.05	2	2	45	<20
CC47221		<1	0.07	10	0.24	716	2	0.03	18	1010	8	0.07	<2	2	67	<20
CC47222		<1	0.03	<10	0.10	148	<1	0.03	8	630	<2	0.05	2	1	37	<20
CC47223		<1	0.08	10	0.24	460	2	0.02	17	1080	7	0.03	<2	2	44	<20
CC47224		<1	0.06	10	0.20	522	2	0.02	16	920	5	0.05	2	2	61	<20
CC47225		<1	0.03	10	0.13	186	1	0.03	8	650	2	0.05	<2	1	45	<20
CC47226		<1	0.04	10	0.15	134	1	0.03	9	740	4	0.03	<2	1	36	<20
CC47227		<1	0.02	<10	0.03	37	<1	0.04	2	320	<2	0.01	<2	<1	16	<20
CC47228		<1	0.06	10	0.22	272	1	0.02	19	860	8	0.04	<2	2	40	<20
CC47229		<1	0.07	10	0.16	107	1	<0.01	9	290	5	<0.01	2	1	7	<20
CC47230		<1	0.04	<10	0.12	108	1	0.03	9	340	2	0.01	<2	1	17	<20
CC47231		<1	0.10	10	0.26	168	2	0.01	14	430	16	0.01	2	2	14	<20
CC47232		<1	0.06	10	0.17	305	1	0.03	21	810	10	0.04	3	2	41	<20
CC47233		<1	0.09	10	0.70	125	4	0.01	21	750	19	0.02	4	3	33	<20
CC47234		<1	0.05	10	0.19	183	1	0.01	10	390	13	0.01	3	1	11	<20
CC47235		<1	0.09	10	0.34	273	1	0.01	25	950	13	0.03	3	3	50	<20
CC47236		<1	0.06	10	0.24	215	1	0.01	14	1100	11	0.05	<2	2	55	<20
CC47237		<1	0.06	10	0.23	202	1	0.01	17	1070	12	0.07	3	2	66	<20
CC47238		1	0.09	10	0.27	237	2	0.01	19	1080	13	0.04	2	2	54	<20
CC47239		<1	0.07	10	0.23	214	1	0.01	17	1010	11	0.05	3	2	57	<20
CC47240		<1	0.08	10	0.28	123	1	0.01	18	1140	12	0.05	4	2	48	<20
CC47241		<1	0.07	10	0.18	148	1	0.02	13	550	7	0.02	<2	1	24	<20
CC47242		<1	0.10	10	0.30	217	1	0.01	23	1310	16	0.04	2	2	49	<20
CC47243		<1	0.09	10	0.27	295	2	0.02	20	990	9	0.05	<2	2	50	<20
CC47244		<1	0.03	<10	0.08	214	3	0.03	25	620	10	0.04	2	1	31	<20
CC47246		<1	0.02	<10	0.04	68	<1	0.02	3	130	4	0.01	<2	<1	8	<20
CC47247		<1	0.02	<10	0.01	14	1	0.01	3	120	4	0.01	<2	<1	4	<20
CC47248		<1	0.03	10	0.04	38	1	0.01	4	210	7	0.01	2	<1	8	<20
CC47249		1	0.04	<10	0.02	25	1	0.01	8	230	7	0.01	2	1	5	<20
CC47250		<1	0.03	<10	0.06	32	1	0.02	5	190	5	0.01	<2	1	10	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47209		0.01	<10	<10	25	<10	54
CC47210		0.01	<10	<10	28	<10	67
CC47211		0.01	<10	<10	38	<10	90
CC47212		0.01	<10	<10	47	<10	131
CC47213		0.01	<10	<10	33	<10	88
CC47214		0.01	<10	<10	12	<10	19
CC47215		0.02	<10	<10	16	<10	34
CC47216		0.01	<10	<10	30	<10	95
CC47218		0.02	<10	<10	52	<10	147
CC47219		0.02	<10	<10	55	<10	143
CC47220		0.01	<10	<10	30	<10	75
CC47221		0.01	<10	<10	30	<10	108
CC47222		0.01	<10	<10	15	<10	36
CC47223		0.01	<10	<10	37	<10	119
CC47224		0.01	<10	<10	28	<10	83
CC47225		0.01	<10	<10	21	<10	53
CC47226		0.01	<10	<10	23	<10	43
CC47227		0.01	<10	<10	7	<10	6
CC47228		0.01	<10	<10	33	<10	71
CC47229		0.02	<10	<10	29	<10	51
CC47230		0.02	<10	<10	17	<10	40
CC47231		0.02	<10	<10	41	<10	76
CC47232		0.01	<10	10	25	<10	48
CC47233		0.02	10	<10	71	<10	133
CC47234		0.01	10	<10	32	<10	71
CC47235		0.01	<10	<10	47	<10	106
CC47236		0.01	<10	<10	33	<10	93
CC47237		0.01	<10	<10	34	<10	87
CC47238		0.01	<10	<10	43	<10	101
CC47239		0.01	10	<10	32	<10	87
CC47240		0.01	<10	<10	35	<10	103
CC47241		0.02	10	<10	28	<10	65
CC47242		0.02	10	<10	34	<10	116
CC47243		0.02	<10	<10	29	<10	107
CC47244		0.01	<10	<10	15	<10	150
CC47246		0.01	<10	<10	10	<10	26
CC47247		0.01	<10	<10	13	<10	13
CC47248		0.02	<10	<10	20	<10	32
CC47249		0.01	<10	<10	22	<10	49
CC47250		0.01	10	<10	29	<10	34

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC47251		0.18	0.8	0.41	<2	<10	170	<0.5	<2	0.10	0.7	3	3	11	0.79	<10
CC47252		0.18	1.2	0.98	6	<10	230	0.9	<2	0.73	1.2	4	12	38	1.68	<10
CC47253		0.16	1.7	1.76	27	<10	300	1.2	<2	0.08	0.6	6	18	59	2.49	<10
CC47254		0.20	0.4	1.07	6	<10	240	0.6	<2	0.22	<0.5	5	13	23	1.99	<10
CC47255		0.20	<0.2	0.53	2	<10	100	<0.5	<2	0.03	<0.5	3	7	13	1.35	<10
CC47256		0.28	0.5	0.28	<2	<10	20	<0.5	<2	0.05	<0.5	1	2	7	0.62	<10
CC47257		0.30	<0.2	0.47	8	<10	60	<0.5	<2	0.01	<0.5	4	5	19	2.31	<10
CC47258		0.24	<0.2	1.00	13	<10	200	0.5	<2	0.13	<0.5	9	14	23	2.13	<10
CC47259		0.20	<0.2	1.57	15	<10	180	0.6	<2	0.09	0.7	9	20	21	2.94	<10
CC47260		0.22	0.4	1.63	13	<10	190	<0.5	<2	0.06	<0.5	5	21	16	2.77	10
CC47261		0.26	<0.2	1.46	15	<10	200	0.6	2	0.10	<0.5	7	20	26	2.48	<10
CC47262		0.30	<0.2	1.17	12	<10	280	0.6	<2	0.19	<0.5	10	16	26	2.30	<10
CC47263		0.20	0.2	0.65	4	<10	80	<0.5	<2	0.03	<0.5	2	6	8	0.83	<10
CC47264		0.22	<0.2	1.12	8	<10	250	0.5	<2	0.19	<0.5	8	15	22	2.12	<10
CC47265		0.20	<0.2	1.16	14	<10	180	0.5	<2	0.06	<0.5	4	14	18	1.73	<10
CC47266		0.34	<0.2	1.50	8	<10	240	0.5	<2	0.14	<0.5	6	18	20	2.34	<10
CC47267		0.28	0.2	0.90	3	<10	170	<0.5	<2	0.09	<0.5	2	7	14	0.94	<10
CC47268		0.24	1.1	2.29	10	<10	860	1.1	<2	0.37	0.7	9	24	33	2.64	10
CC47269		0.24	<0.2	1.43	11	<10	460	<0.5	<2	0.16	0.5	5	17	14	2.56	<10
CC47270		0.20	0.4	1.08	8	<10	310	<0.5	<2	0.91	0.7	4	13	19	1.51	<10
CC47271		0.20	0.2	1.15	13	<10	380	0.6	<2	0.34	0.7	6	16	22	2.77	<10
CC47272		0.24	0.3	1.03	11	<10	220	<0.5	<2	0.93	0.9	4	11	14	1.53	<10
CC47273		0.24	<0.2	1.28	18	<10	210	0.6	<2	0.22	<0.5	11	17	24	2.66	<10
CC47275		0.24	<0.2	1.51	10	<10	270	0.7	<2	0.29	<0.5	7	20	23	2.66	<10
CC47276		0.24	0.2	1.38	12	<10	300	0.5	<2	0.55	<0.5	6	18	14	2.29	<10
CC47277		0.30	<0.2	0.90	17	<10	60	<0.5	<2	0.03	<0.5	5	13	15	2.62	10
CC47278		0.20	<0.2	0.85	13	<10	60	<0.5	<2	0.02	<0.5	3	10	7	1.88	10
CC47279		0.30	<0.2	0.91	14	<10	80	<0.5	<2	0.02	<0.5	4	11	12	2.59	10
CC47280		0.34	0.2	1.17	15	<10	260	0.7	<2	0.95	<0.5	10	15	25	2.36	<10
CC47281		0.32	0.3	1.20	10	<10	310	0.7	<2	0.91	<0.5	7	16	24	2.27	<10
CC47282		0.28	0.4	1.25	21	<10	330	0.7	<2	0.59	0.7	8	15	16	3.87	<10
CC47283		0.18	0.5	1.56	7	<10	630	0.8	<2	1.18	3.9	6	21	36	1.43	<10
CC47284		0.30	0.4	1.57	16	<10	540	0.8	<2	0.67	1.0	8	21	31	2.50	10
CC47285		0.26	0.2	1.28	15	<10	350	0.5	<2	0.49	0.8	8	17	12	2.64	<10
CC47286		0.36	0.2	1.45	12	<10	390	0.7	<2	0.45	0.6	8	20	23	2.45	<10
CC47288		0.30	0.3	1.51	9	<10	460	0.5	<2	0.47	1.5	9	20	14	2.80	<10
CC47289		0.22	<0.2	1.05	21	<10	270	<0.5	<2	0.31	0.6	6	16	17	2.37	<10
CC47290		0.28	<0.2	0.80	7	<10	70	<0.5	<2	0.02	<0.5	3	7	11	1.43	<10
CC47291		0.38	0.2	1.44	8	<10	320	0.5	<2	0.24	0.6	7	19	23	2.42	<10
CC47292		0.30	0.2	1.28	14	<10	240	0.5	<2	0.28	<0.5	7	16	20	2.20	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47251		<1	0.04	<10	0.04	62	2	0.02	7	340	7	0.02	2	1	10	<20
CC47252		<1	0.11	10	0.24	268	2	0.01	31	500	46	0.05	<2	4	29	<20
CC47253		<1	0.12	10	0.27	150	2	0.01	21	440	411	0.02	<2	4	18	<20
CC47254		<1	0.09	10	0.39	135	2	0.01	23	600	23	0.02	<2	2	19	<20
CC47255		<1	0.06	10	0.09	70	3	0.01	13	430	18	0.02	3	1	8	<20
CC47256		<1	0.02	<10	0.02	28	<1	0.02	3	200	2	0.01	<2	<1	8	<20
CC47257		<1	0.06	<10	0.09	86	1	0.01	15	420	16	0.01	<2	1	5	<20
CC47258		<1	0.05	20	0.48	277	2	<0.01	22	560	23	0.01	2	2	13	<20
CC47259		<1	0.09	20	0.53	276	3	0.01	26	640	24	0.01	3	2	13	<20
CC47260		1	0.08	10	0.30	275	3	0.01	14	540	22	0.02	4	2	10	<20
CC47261		<1	0.07	20	0.65	194	3	0.01	26	560	20	0.01	2	2	12	<20
CC47262		<1	0.06	30	0.58	315	2	0.01	28	670	22	0.01	<2	3	18	<20
CC47263		<1	0.04	10	0.10	51	1	0.02	7	450	8	0.01	2	<1	6	<20
CC47264		<1	0.05	20	0.48	251	2	0.01	24	710	20	0.01	2	2	19	<20
CC47265		<1	0.05	20	0.28	122	2	<0.01	13	280	15	0.01	<2	2	8	<20
CC47266		1	0.08	10	0.42	195	3	0.01	20	520	19	0.02	<2	2	15	<20
CC47267		<1	0.05	<10	0.13	58	1	0.02	9	350	6	0.02	2	1	12	<20
CC47268		<1	0.11	20	0.47	417	2	<0.01	27	1420	20	0.04	3	4	23	<20
CC47269		<1	0.06	20	0.38	148	2	<0.01	14	290	19	<0.01	3	2	13	<20
CC47270		1	0.06	10	0.43	170	1	0.01	17	870	12	0.03	<2	2	40	<20
CC47271		<1	0.07	10	0.26	208	5	<0.01	20	800	15	0.01	2	3	17	<20
CC47272		1	0.06	10	0.32	296	1	0.01	15	850	8	0.06	<2	1	30	<20
CC47273		<1	0.07	20	0.63	351	2	<0.01	29	820	21	<0.01	2	2	18	<20
CC47275		<1	0.09	20	0.62	204	2	<0.01	26	910	19	<0.01	<2	2	20	<20
CC47276		<1	0.08	10	0.50	135	3	<0.01	16	640	17	0.01	<2	2	23	<20
CC47277		<1	0.06	10	0.24	177	3	<0.01	15	810	17	<0.01	<2	1	7	<20
CC47278		<1	0.04	10	0.11	159	1	<0.01	8	440	14	<0.01	2	1	4	<20
CC47279		<1	0.05	10	0.17	103	2	<0.01	13	400	13	<0.01	4	1	5	<20
CC47280		<1	0.08	10	0.44	411	3	<0.01	26	870	17	0.03	2	3	28	<20
CC47281		<1	0.09	10	0.44	376	1	<0.01	23	840	16	0.02	3	3	40	<20
CC47282		1	0.06	10	0.37	588	9	<0.01	20	1280	15	0.03	3	3	30	<20
CC47283		1	0.09	10	0.55	70	1	<0.01	29	940	18	0.12	2	3	53	<20
CC47284		1	0.10	20	0.65	154	2	<0.01	29	780	24	0.02	<2	4	40	<20
CC47285		<1	0.06	10	0.56	388	2	<0.01	18	840	18	0.02	2	2	26	<20
CC47286		<1	0.07	20	0.71	191	2	<0.01	25	940	17	<0.01	<2	3	27	<20
CC47288		1	0.07	10	0.67	586	2	<0.01	21	980	17	0.02	5	3	26	<20
CC47289		<1	0.06	10	0.47	156	2	<0.01	20	450	14	<0.01	<2	2	20	<20
CC47290		<1	0.05	20	0.11	49	1	<0.01	8	250	10	<0.01	<2	1	4	<20
CC47291		<1	0.07	10	0.30	720	3	<0.01	17	1160	13	0.02	4	2	19	<20
CC47292		<1	0.09	20	0.51	164	2	<0.01	24	550	16	<0.01	<2	2	18	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47251		0.01	<10	<10	19	<10	33
CC47252		<0.01	<10	<10	36	<10	172
CC47253		<0.01	10	<10	54	<10	242
CC47254		<0.01	<10	<10	29	<10	102
CC47255		<0.01	10	<10	29	<10	91
CC47256		0.02	<10	<10	22	<10	11
CC47257		<0.01	<10	<10	23	<10	75
CC47258		0.01	10	<10	31	<10	94
CC47259		0.01	10	<10	50	<10	114
CC47260		0.01	10	<10	69	<10	60
CC47261		0.01	<10	<10	40	<10	88
CC47262		0.01	10	<10	34	<10	93
CC47263		0.01	10	<10	21	<10	26
CC47264		0.01	10	<10	35	<10	89
CC47265		0.01	10	<10	40	<10	60
CC47266		0.01	10	<10	49	<10	90
CC47267		0.01	<10	<10	23	<10	40
CC47268		<0.01	<10	<10	57	<10	116
CC47269		0.01	<10	<10	49	<10	73
CC47270		0.01	<10	<10	26	<10	74
CC47271		<0.01	<10	<10	34	<10	100
CC47272		0.01	<10	<10	24	<10	87
CC47273		0.01	<10	<10	35	<10	104
CC47275		0.01	<10	<10	40	<10	103
CC47276		0.01	<10	<10	40	<10	80
CC47277		0.01	<10	<10	48	<10	86
CC47278		0.01	<10	<10	44	<10	43
CC47279		0.01	<10	<10	42	<10	72
CC47280		<0.01	<10	<10	37	<10	101
CC47281		0.01	<10	<10	31	<10	100
CC47282		<0.01	<10	<10	44	<10	179
CC47283		<0.01	<10	<10	39	<10	149
CC47284		0.01	<10	<10	43	<10	122
CC47285		0.01	<10	<10	35	<10	102
CC47286		0.01	<10	<10	37	<10	108
CC47288		0.01	<10	<10	40	<10	150
CC47289		0.01	<10	<10	34	<10	85
CC47290		0.01	<10	<10	35	<10	40
CC47291		0.01	<10	<10	54	<10	84
CC47292		0.01	<10	<10	39	<10	89

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47293		0.24	<0.2	1.10	16	<10	240	0.6	<2	0.26	<0.5	8	17	27	2.36	<10
CC47294		0.30	0.3	1.09	9	<10	310	0.5	<2	0.25	<0.5	4	12	16	1.74	<10
CC47295		0.34	<0.2	1.21	12	<10	210	<0.5	<2	0.17	<0.5	5	15	18	2.21	10
CC47296		0.24	1.0	1.19	11	<10	840	1.3	<2	0.81	2.1	13	13	31	3.06	<10
CC47297		0.20	0.5	0.39	6	<10	70	<0.5	<2	0.05	<0.5	1	3	5	0.52	<10
CC47298		0.20	<0.2	0.67	9	<10	200	<0.5	<2	0.03	0.6	3	8	17	1.36	<10
CC47299		0.22	0.6	1.18	14	<10	360	0.7	<2	0.37	1.0	7	16	35	2.29	<10
CC47300		0.28	0.2	0.46	3	<10	130	<0.5	<2	0.51	0.5	2	6	8	0.86	<10
CC47301		0.20	0.2	0.55	3	<10	150	<0.5	<2	0.37	<0.5	2	4	8	0.67	<10
CC47302		0.28	0.3	0.31	2	<10	70	<0.5	<2	0.16	<0.5	2	3	5	0.70	<10
CC47304		0.18	0.2	0.50	5	<10	60	<0.5	<2	0.04	<0.5	1	5	7	0.74	<10
CC47305		0.28	0.2	0.90	<2	<10	80	<0.5	<2	0.07	0.5	2	8	8	1.13	<10
CC47306		0.24	<0.2	1.25	8	<10	260	<0.5	<2	0.11	0.5	3	13	11	2.15	10
CC47307		0.24	0.3	0.45	6	<10	70	<0.5	<2	0.23	<0.5	3	7	8	0.84	<10
CC47309		0.16	<0.2	0.36	6	<10	80	<0.5	<2	0.05	1.6	1	4	4	0.55	<10
CC47311		0.24	0.3	1.45	19	<10	270	0.5	<2	0.13	1.3	6	12	18	2.42	<10
CC47313		0.36	0.2	1.14	13	<10	230	0.5	<2	0.26	0.7	5	12	20	1.72	<10
CC47314		0.30	0.8	1.88	11	<10	310	0.8	<2	0.53	1.3	6	15	29	2.02	<10
CC47315		0.36	0.3	1.15	12	<10	310	0.7	<2	0.31	0.5	6	13	19	2.10	<10
CC47316		0.28	1.0	0.65	5	<10	300	1.1	<2	1.36	0.5	7	9	50	1.55	<10
CC47317		0.20	<0.2	0.37	3	<10	120	<0.5	<2	0.31	<0.5	1	4	6	0.57	<10
CC47318		0.26	<0.2	1.10	11	<10	250	<0.5	<2	0.30	0.5	6	16	10	2.01	<10
CC47319		0.22	0.4	1.13	12	<10	290	0.5	<2	0.30	1.2	11	14	15	2.02	<10
CC47320		0.26	0.7	1.21	16	<10	280	0.7	<2	0.32	1.4	5	14	36	1.89	<10
CC47322		0.22	1.2	0.89	7	<10	310	0.7	<2	0.94	0.9	5	9	25	1.60	<10
CC47323		0.22	0.2	0.66	16	<10	60	<0.5	<2	0.02	<0.5	3	8	14	1.94	<10
CC47324		0.32	<0.2	0.86	12	<10	170	<0.5	<2	0.25	0.6	4	13	15	1.71	<10
CC47325		0.28	0.2	1.89	18	<10	190	0.6	<2	0.06	0.6	8	25	23	3.14	<10
CC47326		0.18	<0.2	0.84	13	<10	180	<0.5	<2	0.21	<0.5	5	13	17	1.92	<10
CC47327		0.22	<0.2	0.86	17	<10	130	<0.5	<2	0.10	<0.5	6	13	23	2.99	<10
CC47328		0.28	<0.2	1.34	15	<10	140	<0.5	<2	0.05	<0.5	6	17	13	2.53	<10
CC47329		0.36	0.2	1.69	18	<10	350	0.8	<2	0.30	<0.5	11	20	23	2.80	<10
CC47330		0.34	0.3	1.08	18	<10	260	0.6	<2	0.25	0.6	11	16	26	2.31	<10
CC47331		0.26	0.2	0.92	17	<10	110	<0.5	<2	0.07	<0.5	5	13	15	2.34	<10
CC47332		0.26	<0.2	1.33	18	<10	120	0.6	<2	0.07	0.5	8	17	29	3.03	<10
CC47333		0.24	<0.2	0.52	7	<10	70	<0.5	<2	0.03	<0.5	3	5	17	1.05	<10
CC47334		0.28	<0.2	1.51	17	<10	130	<0.5	<2	0.05	<0.5	7	19	21	3.52	<10
CC47335		0.28	<0.2	1.60	18	<10	180	0.6	<2	0.10	0.6	10	20	25	3.23	<10
CC47336		0.24	<0.2	1.81	18	<10	200	0.5	<2	0.11	<0.5	7	23	19	3.29	<10
CC47337		0.20	0.7	1.43	13	<10	280	1.0	<2	1.08	1.5	8	20	48	2.42	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47293		<1	0.06	20	0.58	240	3	<0.01	26	890	18	<0.01	<2	3	19	<20
CC47294		1	0.07	10	0.37	151	2	0.01	19	480	10	<0.01	2	2	17	<20
CC47295		<1	0.07	10	0.36	150	2	<0.01	16	510	18	<0.01	<2	1	12	<20
CC47296		<1	0.09	10	0.21	2030	4	<0.01	42	1530	15	0.08	<2	4	35	<20
CC47297		<1	0.04	<10	0.03	30	1	0.01	4	430	10	<0.01	<2	<1	6	<20
CC47298		<1	0.06	10	0.07	61	3	<0.01	13	390	15	<0.01	4	1	6	<20
CC47299		1	0.10	10	0.39	222	3	<0.01	33	740	18	<0.01	3	3	23	<20
CC47300		<1	0.04	<10	0.10	143	1	0.02	5	460	7	0.03	<2	1	16	<20
CC47301		<1	0.05	<10	0.10	101	<1	0.03	9	460	3	<0.01	<2	1	13	<20
CC47302		<1	0.03	<10	0.07	39	<1	0.02	3	460	6	0.01	<2	1	10	<20
CC47304		<1	0.03	10	0.05	38	1	<0.01	4	320	8	<0.01	2	<1	7	<20
CC47305		1	0.04	10	0.13	50	3	<0.01	8	250	12	<0.01	3	1	11	<20
CC47306		<1	0.05	10	0.12	107	3	<0.01	11	1360	20	0.01	2	<1	20	<20
CC47307		<1	0.03	10	0.07	36	3	0.01	8	400	12	0.01	<2	<1	15	<20
CC47309		<1	0.04	<10	0.03	28	1	0.01	4	180	6	0.01	<2	<1	7	<20
CC47311		1	0.07	10	0.17	308	3	0.01	20	1100	22	0.04	3	2	23	<20
CC47313		<1	0.06	20	0.27	123	3	0.01	21	530	16	0.02	2	2	26	<20
CC47314		<1	0.07	20	0.39	218	3	0.01	35	630	15	0.02	<2	4	31	<20
CC47315		1	0.06	20	0.28	153	4	0.01	23	580	17	0.02	4	2	21	<20
CC47316		<1	0.07	20	0.21	358	1	0.01	39	450	16	0.05	<2	4	31	<20
CC47317		<1	0.04	<10	0.11	50	<1	0.03	5	340	2	0.03	<2	1	16	<20
CC47318		<1	0.08	10	0.40	218	1	0.01	14	550	21	0.02	<2	2	19	<20
CC47319		<1	0.09	10	0.32	899	1	0.02	18	770	18	0.04	3	2	21	<20
CC47320		<1	0.10	10	0.29	215	1	0.01	28	610	23	0.02	2	3	19	<20
CC47322		1	0.09	10	0.18	299	2	0.02	26	1040	15	0.08	<2	2	31	<20
CC47323		<1	0.06	10	0.09	73	1	<0.01	11	260	13	0.01	<2	1	5	<20
CC47324		<1	0.07	20	0.37	147	1	0.01	15	290	13	0.01	2	2	17	<20
CC47325		1	0.09	20	0.58	248	2	0.01	25	460	22	0.02	<2	2	11	<20
CC47326		<1	0.06	10	0.24	100	1	0.01	17	310	14	0.02	2	2	19	<20
CC47327		<1	0.08	10	0.27	148	1	<0.01	20	340	22	0.01	2	2	12	<20
CC47328		<1	0.07	20	0.35	138	1	0.01	17	350	20	0.01	<2	2	9	<20
CC47329		<1	0.08	20	0.46	244	1	0.01	29	460	22	0.01	3	3	16	<20
CC47330		<1	0.07	20	0.49	337	1	<0.01	26	730	19	<0.01	<2	3	21	<20
CC47331		<1	0.06	10	0.27	142	2	<0.01	17	290	17	0.01	3	1	9	<20
CC47332		<1	0.09	10	0.38	205	3	<0.01	26	390	21	0.01	3	2	10	<20
CC47333		<1	0.08	10	0.03	43	1	0.01	7	350	16	0.01	2	1	7	<20
CC47334		<1	0.08	10	0.41	190	2	0.01	22	470	24	0.01	2	2	11	<20
CC47335		<1	0.08	20	0.49	278	2	<0.01	28	520	22	0.01	3	2	12	<20
CC47336		<1	0.10	20	0.64	229	2	0.01	28	530	27	0.01	2	2	15	<20
CC47337		<1	0.14	10	0.52	89	1	0.01	35	830	21	0.07	2	5	46	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC47293		0.01	<10	<10	36	<10	99
CC47294		0.01	<10	<10	31	<10	65
CC47295		0.01	<10	<10	45	<10	79
CC47296		<0.01	<10	<10	30	<10	207
CC47297		0.01	<10	<10	18	<10	25
CC47298		<0.01	<10	<10	39	<10	74
CC47299		<0.01	<10	<10	41	<10	159
CC47300		0.01	<10	<10	15	<10	55
CC47301		0.02	<10	<10	18	<10	35
CC47302		0.01	<10	<10	14	<10	25
CC47304		0.01	<10	<10	26	<10	30
CC47305		0.01	<10	<10	64	<10	66
CC47306		0.02	<10	<10	60	<10	73
CC47307		0.02	<10	<10	35	<10	34
CC47309		0.01	<10	<10	22	<10	64
CC47311		0.01	<10	<10	66	<10	168
CC47313		0.02	<10	<10	59	<10	139
CC47314		0.02	<10	<10	67	<10	187
CC47315		0.01	<10	<10	62	<10	138
CC47316		<0.01	<10	<10	18	<10	38
CC47317		0.01	<10	<10	13	<10	29
CC47318		0.01	<10	<10	38	<10	106
CC47319		0.01	<10	<10	38	<10	121
CC47320		<0.01	<10	<10	39	<10	276
CC47322		<0.01	<10	<10	28	<10	153
CC47323		0.01	<10	<10	40	<10	68
CC47324		0.02	<10	<10	37	<10	72
CC47325		0.01	<10	<10	61	<10	113
CC47326		0.01	<10	<10	39	<10	72
CC47327		0.01	<10	<10	39	<10	116
CC47328		0.01	<10	<10	53	<10	82
CC47329		<0.01	<10	<10	45	<10	115
CC47330		0.01	<10	<10	37	<10	99
CC47331		0.01	<10	<10	45	<10	83
CC47332		<0.01	<10	<10	40	<10	130
CC47333		<0.01	<10	<10	20	<10	37
CC47334		0.01	<10	<10	54	<10	113
CC47335		<0.01	<10	<10	45	<10	129
CC47336		0.01	<10	<10	66	<10	150
CC47337		0.01	<10	<10	40	<10	152

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC47338		0.24	0.6	1.03	15	<10	200	0.8	<2	0.79	0.8	8	14	30	2.35	<10
CC47339		0.28	0.3	0.88	12	<10	190	0.6	<2	0.62	<0.5	7	12	19	2.20	<10
CC47340		0.28	0.4	1.15	9	<10	290	0.9	<2	0.32	0.6	11	16	35	2.78	<10
CC47341		0.22	<0.2	1.21	17	<10	110	<0.5	<2	0.03	<0.5	5	14	14	2.64	<10
CC47342		0.24	0.6	1.06	9	<10	290	0.7	<2	0.77	0.9	3	13	28	1.57	<10
CC47343		0.30	0.8	1.69	13	<10	620	1.2	<2	0.57	0.8	8	21	41	2.83	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC47338		<1	0.09	10	0.41	229	1	0.01	28	880	17	0.04	<2	4	33	<20
CC47339		<1	0.09	10	0.33	233	1	0.01	22	630	12	0.03	2	4	25	<20
CC47340		1	0.09	10	0.40	235	1	0.01	38	630	21	0.01	2	5	20	<20
CC47341		<1	0.07	10	0.26	107	2	<0.01	15	240	15	0.01	3	2	7	<20
CC47342		1	0.08	10	0.30	81	1	0.01	19	1050	11	0.09	2	3	31	<20
CC47343		1	0.16	10	0.44	226	2	0.01	37	820	16	0.04	2	6	33	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 2-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07084069

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC47338		0.01	<10	<10	32	<10	134
CC47339		<0.01	<10	<10	27	<10	141
CC47340		0.01	<10	<10	34	<10	140
CC47341		0.01	<10	<10	48	<10	76
CC47342		<0.01	<10	<10	28	<10	113
CC47343		<0.01	<10	<10	52	<10	165

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 27-AUG-2007
Account: MTT

CERTIFICATE VA07083269

Project: TIDD

P.O. No.:

This report is for 39 Rock samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 27-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083269

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
C385815		4.98	11.00	3.79	113.5	110	0.59	65.00	0.03	9.74	36.10	58.8	40	0.89	4380.0	10.50
C385816		4.54	68.90	1.21	172.0	40	0.23	252.00	0.02	2.29	14.80	104.5	25	0.55	3550.0	6.13
C385817		5.74	71.40	2.15	119.0	70	0.43	670.00	0.01	1.07	25.40	24.1	35	1.26	5430.0	8.29
C385818		6.78	49.90	2.05	120.5	100	0.43	205.00	0.01	0.57	18.80	24.4	34	1.63	2360.0	7.63
C385819		4.46	72.00	2.45	102.5	120	0.44	191.50	0.01	0.71	12.80	18.6	34	1.69	2560.0	7.62
C385820		7.34	45.90	3.79	42.8	250	0.88	143.50	0.02	5.61	36.50	16.7	46	4.03	3650.0	5.53
C385821		5.42	14.75	7.24	36.2	580	1.82	30.70	0.03	0.66	70.80	12.1	62	13.75	677.0	6.80
C385822		8.98	74.90	5.15	189.5	170	1.02	213.00	0.08	22.70	49.10	183.0	51	4.19	>10000	11.60
C385823		5.46	11.95	4.13	48.9	140	0.88	48.20	0.06	1.96	54.00	47.0	46	3.29	3490.0	10.40
C385824		12.20	59.40	7.54	54.1	310	1.82	234.00	0.04	5.94	73.30	45.5	77	7.88	8030.0	13.65
C385825		3.10	1.55	8.59	42.4	540	2.86	4.53	0.10	0.36	93.80	29.2	75	11.55	337.0	6.26
C385826		4.14	0.71	9.43	54.3	620	3.62	1.48	0.10	0.46	98.30	33.2	84	10.95	383.0	6.45
C385827		2.82	0.62	9.68	27.8	520	2.50	2.68	0.13	0.25	110.50	28.3	89	12.00	102.5	7.18
C385828		2.98	0.18	9.07	33.6	560	3.03	0.59	0.17	0.24	98.70	34.4	81	16.60	103.0	6.90
C385829		2.62	>100	8.49	58.1	950	2.19	309.00	0.08	41.70	81.60	24.6	74	12.10	8660.0	9.51
C385830		3.50	1.51	9.91	20.6	660	2.79	4.56	0.06	0.05	104.00	10.6	93	9.87	207.0	7.02
C385831		4.26	6.65	8.50	159.5	400	2.54	8.63	0.11	2.59	88.40	24.2	82	8.05	979.0	8.13
C385832		2.92	31.60	8.42	105.0	480	2.00	63.30	0.10	2.72	82.50	33.6	78	10.70	3080.0	10.10
C385833		4.18	12.45	8.55	118.5	380	1.60	37.40	0.09	4.67	111.50	36.4	78	8.24	2810.0	13.60
C385834		2.78	24.90	10.40	102.0	800	2.34	30.60	0.11	2.30	107.00	28.7	100	17.05	3790.0	10.15
C385835		3.46	70.10	9.24	76.4	370	2.02	132.50	0.05	9.50	75.70	26.3	94	16.35	5800.0	14.70
C385836		2.00	13.00	9.01	53.2	370	1.91	17.90	0.10	3.30	83.00	37.4	83	8.88	4560.0	11.80
C385837		2.98	0.71	8.38	26.7	480	1.95	4.98	0.15	0.76	86.80	31.4	81	6.64	195.0	8.71
C385838		3.06	0.45	9.76	25.2	620	2.22	2.49	0.11	0.75	105.50	29.2	87	9.36	111.5	7.84
C385839		3.16	0.20	9.34	39.6	610	2.57	0.62	0.18	1.31	78.10	22.5	86	10.65	101.0	7.00
C385840		3.40	0.29	10.25	53.5	780	3.22	0.91	0.18	1.07	110.50	26.1	94	11.15	162.0	6.83
C385841		2.50	1.30	7.86	24.6	520	1.93	15.80	0.23	1.06	73.60	20.5	77	6.90	230.0	7.28
C385842		0.22	1.88	10.15	27.7	620	2.26	16.85	0.24	1.45	108.50	23.3	95	8.58	166.0	9.48
C385843		3.68	0.09	9.35	42.2	880	2.16	0.51	0.14	0.57	105.00	25.7	84	10.80	34.1	5.62
C385844		2.42	0.19	10.20	36.5	790	3.66	2.88	0.20	0.34	109.00	25.7	93	11.50	67.5	6.62
C385845		3.64	0.23	10.00	23.5	710	2.30	1.90	0.14	0.84	94.00	28.9	91	9.05	119.0	7.75
C385846		0.70	0.16	10.75	35.7	710	2.96	0.81	0.16	0.98	124.50	27.4	99	15.85	67.0	8.48
C385847		2.10	0.05	10.05	36.9	740	2.98	0.44	0.20	0.31	108.00	25.9	94	10.15	41.7	6.83
C385848		0.52	0.51	9.71	29.8	730	2.43	8.85	0.14	0.33	98.60	26.7	92	10.40	280.0	6.84
C385849		3.68	0.57	9.36	24.4	600	3.19	18.70	0.15	0.28	97.40	19.7	85	11.70	100.5	6.16
C385850		3.90	1.26	9.01	27.4	560	3.38	10.55	0.21	0.15	94.00	24.0	86	17.20	55.6	6.62
C385852		3.30	0.07	10.05	31.4	600	3.41	0.42	0.18	0.15	109.00	25.0	91	15.40	43.4	7.01
C385853		3.38	5.31	8.24	57.3	740	2.05	51.20	0.12	1.65	90.70	13.6	74	11.75	271.0	6.81
C385854		1.66	0.78	7.74	4.6	570	3.57	1.76	1.22	1.50	79.80	10.2	13	22.20	70.4	2.94

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 27-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083269

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385815		12.55	0.13	1.1	13.850	0.21	19.2	106.5	0.54	1550	0.78	0.02	6.8	17.7	260	48.6
C385816		5.47	0.09	0.5	29.500	0.12	7.6	29.8	0.16	476	0.76	0.02	3.0	8.7	170	31.9
C385817		9.59	0.15	0.8	50.000	0.32	13.5	30.7	0.25	624	0.50	0.01	4.9	10.3	190	71.6
C385818		8.16	0.12	0.7	28.800	0.44	10.3	34.7	0.16	363	0.53	0.02	4.0	11.6	150	119.0
C385819		10.20	0.11	0.9	24.000	0.42	7.4	64.5	0.30	719	1.87	0.02	5.0	8.3	170	1340.0
C385820		13.30	0.12	1.3	11.400	1.00	20.1	64.8	0.35	774	1.30	0.04	7.5	11.2	210	1595.0
C385821		23.00	0.14	2.1	2.090	2.20	39.5	117.0	0.72	1530	1.82	0.05	11.8	15.5	390	852.0
C385822		18.35	0.19	1.7	20.300	0.90	24.7	111.0	0.70	1905	1.09	0.02	10.8	43.9	450	2060.0
C385823		15.10	0.16	1.4	5.650	0.70	29.9	102.5	0.57	1465	1.05	0.02	8.5	28.6	400	92.5
C385824		29.10	0.24	2.5	12.250	1.85	39.0	59.4	0.87	1900	1.36	0.04	18.4	23.7	660	941.0
C385825		27.80	0.17	2.3	0.652	2.49	51.7	187.5	0.75	748	0.85	0.14	18.8	45.5	650	36.9
C385826		29.30	0.17	2.3	0.211	2.80	54.2	103.0	0.37	1095	0.66	0.22	20.5	54.3	630	15.4
C385827		32.50	0.20	2.5	0.229	2.82	58.3	98.1	1.18	1135	0.41	0.30	26.0	46.2	640	14.8
C385828		30.80	0.19	2.3	0.128	2.55	54.2	108.0	1.11	984	0.57	0.30	23.3	52.1	730	12.0
C385829		28.10	0.23	2.5	23.500	2.07	43.7	59.8	1.00	1595	0.98	0.13	17.1	17.2	590	2470.0
C385830		34.40	0.18	3.2	0.879	3.08	57.0	37.5	0.84	561	0.89	0.14	20.0	19.5	690	26.4
C385831		28.30	0.19	2.7	1.255	2.20	47.5	71.9	0.97	1600	0.63	0.10	19.2	27.3	750	331.0
C385832		27.60	0.20	2.8	5.790	2.28	44.4	101.5	0.95	2010	1.07	0.05	17.6	24.8	730	941.0
C385833		30.60	0.26	2.7	4.650	1.92	65.1	92.0	1.11	2320	0.78	0.05	18.5	32.7	740	177.0
C385834		33.30	0.22	3.9	6.740	3.23	57.4	69.4	1.21	2390	1.12	0.07	23.5	31.3	910	688.0
C385835		31.10	0.25	3.2	17.450	2.27	40.3	76.5	1.17	2810	1.76	0.06	20.0	18.3	810	816.0
C385836		30.60	0.24	3.2	4.160	2.15	43.0	111.0	1.05	2140	1.53	0.04	18.9	32.8	730	46.8
C385837		27.50	0.19	3.1	0.506	2.22	45.7	90.5	1.27	1810	0.75	0.05	16.4	43.1	770	14.1
C385838		32.20	0.19	3.1	0.365	3.08	54.6	69.9	0.91	1885	0.58	0.07	19.1	49.0	740	13.4
C385839		29.50	0.19	3.5	0.203	2.78	40.9	77.1	1.24	1180	0.55	0.10	21.9	47.6	920	20.1
C385840		32.40	0.20	4.0	0.310	3.31	54.6	62.4	1.22	1335	0.61	0.15	24.4	45.8	930	14.0
C385841		24.80	0.17	2.9	0.386	2.15	36.2	71.7	1.26	1320	0.94	0.05	15.5	35.5	1120	35.0
C385842		33.30	0.23	3.5	0.313	2.86	54.9	90.0	1.59	1570	0.93	0.07	20.0	48.7	1190	54.0
C385843		31.30	0.18	3.6	0.115	3.08	51.2	76.8	1.88	603	0.40	0.09	21.2	47.2	740	9.6
C385844		32.30	0.18	3.5	0.314	3.24	54.7	95.1	1.10	1610	0.68	0.14	24.0	46.8	700	18.6
C385845		32.60	0.21	3.3	0.797	3.09	46.2	90.3	1.16	1865	0.69	0.11	25.7	51.1	690	13.3
C385846		35.30	0.26	3.6	0.217	3.32	63.8	120.0	1.37	1850	0.54	0.11	23.8	52.9	790	15.5
C385847		33.20	0.22	3.5	0.225	3.13	57.4	90.1	1.17	1500	0.79	0.33	22.7	52.2	830	11.8
C385848		33.00	0.22	3.2	0.633	3.08	51.5	112.5	1.10	1355	0.58	0.15	22.5	48.8	660	15.6
C385849		31.10	0.22	2.9	0.677	2.97	52.6	105.0	1.05	1225	0.66	0.10	20.4	43.5	630	18.8
C385850		30.10	0.21	3.0	0.162	2.35	51.3	117.5	1.25	1255	0.72	0.21	18.2	57.6	570	60.1
C385852		32.60	0.23	3.4	0.112	2.82	59.2	113.0	1.27	1320	0.42	0.40	24.3	49.6	740	15.3
C385853		27.10	0.18	2.8	1.135	2.73	48.1	68.5	0.81	1390	0.77	0.05	16.3	28.6	570	104.0
C385854		20.00	0.12	3.7	0.093	2.82	41.1	60.4	1.02	930	0.87	0.04	11.7	9.3	640	47.0

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 27-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083269

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385815		15.5	<0.002	0.82	1.46	7.8	3	28.0	8.2	0.45	0.07	5.1	0.216	0.21	1.2	43
C385816		9.1	<0.002	0.57	4.06	2.6	7	74.7	5.9	0.20	0.31	2.1	0.094	0.10	0.5	18
C385817		26.0	<0.002	0.63	9.17	5.3	10	53.4	5.5	0.32	0.92	3.7	0.151	0.29	0.6	31
C385818		30.6	<0.002	0.40	5.81	4.5	6	57.3	7.1	0.28	0.31	3.8	0.113	0.33	0.6	26
C385819		35.5	<0.002	0.34	5.66	4.9	8	52.4	6.7	0.35	0.50	4.1	0.135	0.49	0.7	30
C385820		83.1	<0.002	0.62	3.71	8.0	6	53.2	13.7	0.50	0.41	6.0	0.191	1.01	1.0	42
C385821		186.0	<0.002	0.25	2.19	14.3	3	136.5	18.3	0.84	0.38	10.8	0.340	2.89	1.6	68
C385822		75.9	<0.002	3.40	9.19	13.6	6	56.5	9.9	0.73	0.59	7.5	0.313	1.05	1.5	66
C385823		60.4	<0.002	2.85	9.11	10.8	2	36.1	7.3	0.57	0.16	6.1	0.237	0.93	1.1	52
C385824		146.0	<0.002	1.15	3.76	21.9	5	96.9	13.4	1.24	0.20	11.5	0.534	1.43	2.1	107
C385825		174.5	<0.002	0.62	4.11	23.8	2	26.2	51.1	1.31	<0.05	12.1	0.545	1.33	2.3	112
C385826		173.5	<0.002	0.25	2.76	24.9	2	7.4	71.0	1.43	<0.05	13.3	0.588	1.28	2.5	112
C385827		168.5	<0.002	0.13	3.18	27.7	2	5.7	57.3	1.72	<0.05	15.9	0.684	1.17	2.7	126
C385828		164.0	0.002	0.28	5.19	26.6	2	4.4	70.1	1.60	<0.05	13.6	0.635	1.15	2.6	129
C385829		163.0	<0.002	1.16	10.55	21.8	14	144.0	29.8	1.17	0.21	10.9	0.484	1.75	2.1	102
C385830		188.5	<0.002	0.70	5.93	27.9	3	134.0	46.9	1.36	<0.05	13.8	0.541	2.18	2.6	136
C385831		155.5	<0.002	0.45	9.09	23.6	3	88.6	30.0	1.28	<0.05	12.8	0.540	1.65	2.2	111
C385832		189.5	0.002	0.96	7.69	23.5	4	113.0	17.3	1.20	0.24	12.4	0.497	1.90	2.2	105
C385833		146.0	<0.002	1.80	8.67	25.5	3	73.3	18.5	1.21	0.08	14.8	0.527	1.65	2.3	115
C385834		247.0	0.002	0.71	4.60	29.9	4	130.0	27.7	1.57	0.07	16.1	0.647	2.38	2.8	140
C385835		189.5	<0.002	1.00	5.58	25.2	6	180.5	14.9	1.34	0.18	13.3	0.580	1.95	2.3	119
C385836		156.0	<0.002	0.68	4.11	23.1	3	58.4	20.8	1.27	<0.05	13.4	0.518	1.46	2.4	106
C385837		135.0	<0.002	0.08	1.50	21.1	2	31.8	31.0	1.14	<0.05	12.6	0.459	0.92	2.2	105
C385838		182.5	<0.002	0.09	1.90	24.5	2	39.0	41.4	1.40	<0.05	13.9	0.566	1.42	2.6	128
C385839		164.0	0.002	0.07	5.43	25.1	2	17.7	50.3	1.50	<0.05	15.1	0.621	1.07	2.8	124
C385840		186.0	<0.002	0.06	1.46	28.4	3	22.4	56.0	1.68	<0.05	16.1	0.653	1.28	3.0	136
C385841		124.0	<0.002	0.04	7.57	17.8	2	33.5	43.3	1.03	0.06	11.5	0.456	0.82	2.1	102
C385842		143.3	<0.002	0.04	6.62	24.5	3	45.8	56.7	1.35	0.05	17.9	0.567	1.06	2.6	135
C385843		135.8	<0.002	0.05	2.51	27.2	3	14.7	50.9	1.49	<0.05	16.1	0.562	1.09	2.7	123
C385844		185.5	<0.002	0.02	2.23	27.4	3	24.1	49.8	1.66	<0.05	15.9	0.624	1.13	2.8	135
C385845		173.5	<0.002	0.03	1.66	27.2	3	30.1	44.3	1.79	<0.05	15.0	0.617	0.96	2.6	131
C385846		208.0	<0.002	0.18	2.49	32.7	3	23.7	39.6	1.67	<0.05	18.5	0.678	1.46	2.8	157
C385847		186.5	<0.002	0.02	2.10	28.6	3	28.3	63.1	1.58	<0.05	17.4	0.605	1.19	2.8	143
C385848		182.5	<0.002	0.35	1.65	24.6	2	29.7	46.4	1.55	0.06	14.8	0.582	1.15	2.6	129
C385849		180.5	0.002	0.04	1.43	24.4	2	33.0	41.7	1.46	<0.05	13.4	0.543	1.18	2.5	126
C385850		147.5	<0.002	0.03	0.90	24.1	2	7.9	67.5	1.24	0.05	12.0	0.520	0.99	2.1	123
C385852		183.5	<0.002	0.14	1.42	28.1	3	3.9	66.9	1.73	<0.05	15.2	0.662	1.12	2.8	133
C385853		190.0	<0.002	0.18	4.06	20.0	2	55.8	29.3	1.14	0.11	12.3	0.468	1.84	3.0	98
C385854		250.0	<0.002	0.02	0.73	11.6	2	3.9	63.9	1.05	0.05	22.6	0.279	2.23	4.4	66

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 27-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083269

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001
C385815		14.7	7.6	478	33.1		
C385816		9.9	3.6	200	16.4		
C385817		11.8	5.9	136	25.7		
C385818		9.9	3.9	251	23.1		
C385819		7.8	3.9	212	28.5		
C385820		9.8	6.4	521	40.6		
C385821		7.8	11.2	272	67.9		
C385822		18.3	13.4	2140	57.5		1.555
C385823		13.5	10.2	243	44.8		
C385824		24.1	20.0	359	85.2		
C385825		12.6	17.4	105	76.2		
C385826		4.7	20.7	125	76.2		
C385827		9.8	23.1	47	86.4		
C385828		9.2	22.9	57	76.8		
C385829		19.3	18.4	3200	87.0	141	
C385830		12.3	16.9	87	104.5		
C385831		26.6	20.4	187	93.7		
C385832		28.4	19.0	308	96.3		
C385833		29.6	23.8	334	93.4		
C385834		26.9	23.7	237	118.0		
C385835		29.8	18.8	887	101.5		
C385836		27.7	19.2	276	95.5		
C385837		14.8	19.9	135	91.0		
C385838		13.7	25.6	148	91.1		
C385839		8.2	27.0	143	102.5		
C385840		6.5	27.6	119	114.5		
C385841		9.1	19.5	121	86.2		
C385842		10.7	27.5	148	104.5		
C385843		7.6	20.8	78	104.0		
C385844		8.4	31.3	100	105.5		
C385845		9.7	31.0	123	96.9		
C385846		21.5	36.0	172	106.0		
C385847		10.5	31.5	108	103.0		
C385848		23.7	23.2	92	95.4		
C385849		18.5	22.7	88	87.6		
C385850		4.8	20.0	109	84.5		
C385852		5.2	25.6	110	103.5		
C385853		32.6	17.9	225	84.3		
C385854		5.3	20.9	302	98.0		

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 26-AUG-2007
Account: MTT

CERTIFICATE VA07083263

Project: TIDD

P.O. No.:

This report is for 139 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28163		0.22	<0.2	1.85	58	<10	390	<0.5	<2	0.28	<0.5	10	27	13	3.68	10
CC28164		0.18	0.4	1.82	41	<10	360	0.6	<2	0.38	0.6	8	21	29	2.82	10
CC28165		0.26	0.2	1.11	77	<10	190	<0.5	<2	0.33	0.5	10	14	27	2.42	<10
CC28166		0.26	<0.2	1.18	60	<10	180	0.5	<2	0.31	0.5	10	15	25	2.63	<10
CC28167		0.30	<0.2	1.41	58	<10	280	0.6	<2	0.30	<0.5	8	18	23	2.90	<10
CC28168		0.34	<0.2	1.44	54	<10	180	0.6	<2	0.21	0.6	8	18	21	2.68	<10
CC28169		0.28	0.2	1.58	129	<10	190	0.6	<2	0.26	0.7	14	19	38	3.60	<10
CC28170		0.26	0.2	1.43	39	<10	180	<0.5	<2	0.20	<0.5	7	19	20	2.76	<10
CC28171		0.32	<0.2	1.63	79	<10	170	0.7	<2	0.23	0.5	13	19	34	3.52	<10
CC28172		0.32	<0.2	1.43	61	<10	150	0.7	<2	0.14	0.6	13	16	38	2.63	<10
CC28173		0.30	0.2	1.50	100	<10	230	0.7	<2	0.25	0.7	20	19	50	3.29	<10
CC28174		0.28	0.2	1.85	74	<10	220	0.6	<2	0.19	0.7	12	22	33	3.98	10
CC28175		0.36	0.2	1.79	51	<10	240	0.8	<2	0.11	0.5	8	19	44	3.40	10
CC28176		0.32	0.2	1.46	28	<10	150	0.5	<2	0.21	<0.5	6	19	26	2.71	<10
CC28177		0.26	<0.2	1.43	33	<10	80	<0.5	<2	0.09	0.6	9	15	35	3.19	<10
CC28178		0.36	<0.2	1.93	50	<10	150	0.6	<2	0.19	1.0	13	25	52	4.21	10
CC28179		0.30	<0.2	2.12	63	<10	160	0.9	<2	0.15	1.3	15	22	61	3.93	<10
CC28180		0.26	0.3	1.50	65	<10	300	0.5	<2	0.07	0.6	8	17	41	3.83	10
CC28181		0.26	0.2	1.75	53	<10	160	0.6	<2	0.15	0.7	13	21	41	4.03	<10
CC28183		0.28	0.5	1.87	48	<10	360	1.0	<2	0.23	1.2	16	23	82	3.61	<10
CC28184		0.30	0.3	1.51	34	<10	290	0.6	2	0.36	1.7	16	19	106	3.27	<10
CC28186		0.34	0.2	1.68	39	<10	280	0.6	<2	0.34	0.9	15	23	53	3.24	10
CC28187		0.36	0.4	1.71	37	<10	280	0.8	<2	0.40	1.3	18	22	106	3.46	<10
CC28188		0.26	0.5	1.38	21	<10	300	0.5	<2	0.43	1.1	19	17	75	2.52	<10
CC28189		0.34	0.4	1.73	13	<10	660	0.9	<2	0.41	1.2	10	24	68	2.96	<10
CC28190		0.22	1.3	1.82	11	<10	470	0.7	<2	0.84	0.7	2	19	73	1.73	10
CC28191		0.26	0.4	1.13	13	<10	280	0.5	<2	0.34	0.7	8	17	52	2.36	<10
CC28192		0.18	0.5	0.57	11	<10	170	<0.5	<2	0.32	<0.5	3	4	24	0.72	<10
CC28193		0.26	0.4	1.51	16	<10	590	1.0	<2	0.59	1.7	9	15	83	1.94	<10
CC28194		0.40	0.2	1.12	26	<10	220	0.5	<2	0.28	0.8	10	15	79	2.55	<10
CC28195		0.38	0.4	1.38	25	<10	330	0.7	<2	0.34	0.9	11	19	70	2.92	<10
CC28204		0.18	0.7	1.85	40	<10	390	0.9	<2	0.44	2.1	23	20	54	3.04	10
CC28206		0.34	0.5	1.73	32	<10	360	0.6	<2	0.30	0.9	16	16	27	2.69	<10
CC28207		0.24	0.4	2.03	29	<10	300	0.7	<2	0.31	0.8	18	21	22	3.63	10
CC28208		0.28	0.4	1.82	47	<10	420	0.8	<2	0.53	0.7	11	18	35	2.95	10
CC28209		0.18	<0.2	1.49	31	<10	250	0.6	<2	0.35	0.6	10	20	26	2.85	<10
CC28210		0.22	<0.2	0.47	3	<10	70	<0.5	<2	0.13	<0.5	2	3	14	0.57	<10
CC28211		0.44	0.2	1.51	95	<10	300	0.7	<2	0.30	0.5	14	26	41	3.30	<10
CC28212		0.34	0.3	1.45	49	<10	340	0.6	<2	0.28	<0.5	11	21	29	2.76	<10
CC28213		0.34	0.3	1.27	31	<10	280	0.5	<2	0.27	0.5	10	19	31	2.73	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28163		<1	0.08	30	0.73	396	1	0.02	19	630	33	0.01	<2	2	22	<20
CC28164		<1	0.05	30	0.60	361	1	<0.01	18	1230	29	0.04	<2	3	29	<20
CC28165		<1	0.05	20	0.42	360	1	0.01	20	910	33	0.01	<2	2	22	<20
CC28166		<1	0.05	20	0.47	506	1	<0.01	22	1120	29	<0.01	3	2	23	<20
CC28167		<1	0.05	20	0.52	454	1	<0.01	23	760	24	0.01	2	2	25	<20
CC28168		<1	0.05	20	0.52	380	1	<0.01	21	920	27	0.01	3	2	17	<20
CC28169		<1	0.06	30	0.54	539	1	<0.01	31	1070	62	0.01	3	3	20	<20
CC28170		<1	0.05	20	0.43	619	2	<0.01	15	660	29	0.01	2	2	17	<20
CC28171		<1	0.06	20	0.51	508	1	<0.01	29	930	63	0.01	3	2	17	<20
CC28172		<1	0.05	20	0.36	387	1	<0.01	24	580	50	<0.01	<2	2	12	<20
CC28173		<1	0.06	40	0.56	601	1	<0.01	29	990	60	<0.01	3	3	18	<20
CC28174		<1	0.08	30	0.54	537	2	<0.01	25	960	58	0.01	2	3	16	<20
CC28175		<1	0.07	30	0.40	362	2	0.01	20	790	48	0.01	3	3	12	<20
CC28176		<1	0.04	30	0.46	339	1	<0.01	18	1020	35	0.01	2	2	15	<20
CC28177		<1	0.05	20	0.35	393	1	0.01	17	620	32	0.01	3	2	9	<20
CC28178		<1	0.08	30	0.51	573	3	<0.01	27	1120	59	0.01	3	3	19	<20
CC28179		<1	0.07	30	0.55	595	1	<0.01	32	870	75	0.01	4	3	13	<20
CC28180		<1	0.07	30	0.23	334	2	<0.01	14	1000	33	0.01	4	1	12	<20
CC28181		<1	0.07	30	0.51	586	1	<0.01	24	920	53	0.01	4	3	13	<20
CC28183		<1	0.08	40	0.48	616	1	<0.01	28	840	54	0.01	3	3	22	<20
CC28184		<1	0.08	30	0.50	700	1	0.01	28	1080	43	0.02	3	3	27	<20
CC28186		<1	0.07	30	0.56	526	1	<0.01	24	1030	39	0.01	2	3	26	<20
CC28187		<1	0.10	30	0.55	538	1	<0.01	32	1100	42	0.01	3	4	35	<20
CC28188		<1	0.06	20	0.35	969	1	0.01	17	920	33	0.02	<2	2	27	<20
CC28189		<1	0.08	30	0.50	312	2	<0.01	27	1120	27	0.02	2	4	37	<20
CC28190		<1	0.11	10	0.24	84	1	0.01	11	1130	19	0.06	3	2	36	<20
CC28191		<1	0.05	30	0.41	314	1	<0.01	19	1140	17	<0.01	3	3	27	<20
CC28192		<1	0.04	10	0.08	67	<1	0.02	3	430	6	0.03	<2	<1	21	<20
CC28193		<1	0.09	20	0.26	310	1	0.01	24	990	20	0.04	2	3	41	<20
CC28194		<1	0.04	20	0.38	454	1	<0.01	19	1060	29	<0.01	2	2	21	<20
CC28195		<1	0.06	30	0.46	467	1	<0.01	24	1050	23	0.01	<2	3	26	<20
CC28204		<1	0.09	30	0.48	812	1	0.01	32	850	49	0.03	2	4	32	<20
CC28206		<1	0.05	20	0.41	565	<1	0.01	21	910	47	0.05	2	2	22	<20
CC28207		<1	0.07	20	0.51	1915	1	0.01	25	1260	36	0.06	2	2	22	<20
CC28208		<1	0.07	20	0.45	468	1	0.01	19	1320	65	0.06	2	2	41	<20
CC28209		<1	0.06	30	0.60	414	1	<0.01	25	1250	27	0.01	2	3	25	<20
CC28210		<1	0.02	10	0.06	68	<1	0.03	2	540	7	0.03	<2	<1	12	<20
CC28211		<1	0.09	40	0.56	500	2	<0.01	32	990	40	<0.01	4	3	23	<20
CC28212		<1	0.07	30	0.46	403	1	<0.01	25	780	26	<0.01	<2	3	20	<20
CC28213		<1	0.06	30	0.48	405	1	<0.01	24	880	24	<0.01	<2	2	21	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28163		0.02	<10	<10	48	<10	133
CC28164		0.02	<10	<10	32	<10	134
CC28165		0.02	<10	<10	23	<10	101
CC28166		0.03	<10	<10	26	<10	114
CC28167		0.02	<10	<10	32	<10	126
CC28168		0.02	<10	<10	30	<10	118
CC28169		0.02	<10	<10	30	<10	152
CC28170		0.02	<10	<10	43	<10	96
CC28171		0.02	<10	<10	35	<10	143
CC28172		0.01	<10	<10	29	<10	114
CC28173		0.03	<10	<10	28	<10	145
CC28174		0.02	<10	<10	39	<10	159
CC28175		0.01	<10	<10	42	<10	126
CC28176		0.02	<10	<10	29	<10	95
CC28177		0.01	<10	<10	30	<10	106
CC28178		0.02	<10	<10	45	<10	169
CC28179		0.02	<10	<10	34	<10	182
CC28180		0.01	<10	<10	55	<10	102
CC28181		0.02	<10	<10	37	<10	148
CC28183		0.01	<10	<10	40	<10	185
CC28184		0.02	<10	<10	33	<10	191
CC28186		0.02	<10	<10	39	<10	160
CC28187		0.03	<10	<10	39	<10	199
CC28188		0.01	<10	<10	33	<10	116
CC28189		0.03	<10	<10	52	<10	155
CC28190		0.01	<10	<10	56	<10	64
CC28191		0.03	<10	<10	31	<10	118
CC28192		0.01	<10	<10	16	<10	27
CC28193		0.01	<10	10	39	<10	131
CC28194		0.02	<10	<10	28	<10	123
CC28195		0.02	<10	<10	31	<10	143
CC28204		0.02	<10	<10	35	<10	238
CC28206		0.02	<10	<10	27	<10	168
CC28207		0.01	<10	<10	31	<10	197
CC28208		0.01	<10	<10	34	<10	155
CC28209		0.04	<10	<10	31	<10	147
CC28210		0.02	<10	<10	11	<10	16
CC28211		0.03	<10	<10	32	<10	133
CC28212		0.03	<10	<10	32	<10	107
CC28213		0.03	<10	<10	29	<10	116

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28214		0.26	0.6	1.93	48	<10	380	0.8	<2	0.27	0.5	14	19	28	3.06	<10
CC28215		0.42	0.2	1.92	107	<10	280	0.8	<2	0.21	0.6	15	24	35	4.04	10
CC28216		0.46	0.2	1.32	70	<10	230	0.6	<2	0.28	<0.5	12	17	31	2.99	<10
CC28218		0.30	0.2	2.23	36	<10	210	0.8	<2	0.10	0.5	12	26	25	3.81	10
CC28220		0.18	0.5	1.15	34	<10	210	0.6	<2	0.31	0.9	12	7	38	1.26	<10
CC28221		0.26	0.5	1.16	37	<10	280	0.6	<2	0.40	0.6	10	12	47	1.91	<10
CC28222		0.28	0.4	0.68	18	<10	120	<0.5	<2	0.23	<0.5	4	6	21	0.96	<10
CC28223		0.32	0.2	0.88	26	<10	130	<0.5	<2	0.12	<0.5	4	11	26	1.47	<10
CC28224		0.32	0.3	1.44	63	<10	240	0.7	<2	0.32	1.0	19	23	71	3.32	<10
CC28225		0.34	0.4	1.57	52	<10	280	0.9	<2	0.39	0.8	17	22	67	3.40	<10
CC28226		0.32	1.0	1.92	26	<10	440	0.9	<2	0.52	0.9	10	22	62	2.13	10
CC28232		0.24	0.6	2.34	44	<10	460	0.8	<2	0.46	1.1	15	27	42	4.49	10
CC28236		0.34	0.8	1.70	23	<10	350	0.6	<2	0.55	0.6	10	19	60	2.49	<10
CC28237		0.26	0.4	1.47	21	<10	410	0.7	<2	0.38	0.6	10	21	64	2.85	<10
CC28238		0.42	0.4	1.27	26	<10	300	0.6	<2	0.40	1.0	12	20	83	2.72	<10
CC28239		0.32	0.6	1.38	17	<10	530	0.7	<2	0.48	0.7	7	25	54	2.52	<10
CC28240		0.40	0.4	1.80	25	<10	380	0.8	<2	0.30	0.6	15	28	58	3.23	10
CC28241		0.24	0.6	0.63	6	<10	160	<0.5	<2	0.31	<0.5	2	8	37	0.64	<10
CC28242		0.42	0.4	1.30	21	<10	360	0.6	<2	0.45	2.3	9	18	92	1.97	<10
CC28243		0.46	0.7	1.68	25	<10	430	0.7	<2	0.41	0.5	10	26	75	3.10	10
CC28244		0.40	0.6	1.62	43	<10	320	0.7	<2	0.39	0.9	13	22	84	3.30	<10
CC28245		0.28	0.5	0.99	3	<10	280	<0.5	<2	0.40	0.9	3	8	55	0.77	<10
CC28246		0.42	0.3	2.05	28	<10	530	0.8	<2	0.44	0.7	10	27	72	3.20	10
CC28247		0.44	0.2	1.79	41	<10	310	0.6	2	0.34	0.9	19	23	44	3.45	<10
CC28249		0.36	0.2	1.41	57	<10	160	0.6	<2	0.32	1.1	14	22	65	3.36	<10
CC28250		0.34	1.0	0.80	26	<10	120	<0.5	<2	0.07	<0.5	4	12	21	1.49	<10
CC28251		0.20	0.9	0.49	12	<10	60	<0.5	<2	0.04	<0.5	2	7	18	0.67	<10
CC28252		0.38	0.7	2.01	67	<10	340	1.1	<2	0.13	0.8	12	26	83	3.72	10
CC28253		0.28	0.2	1.49	41	<10	190	0.6	<2	0.10	0.6	5	18	49	2.81	<10
CC28254		0.26	0.4	1.62	30	<10	350	0.8	<2	0.05	<0.5	4	16	49	1.90	<10
CC28255		0.34	<0.2	1.05	27	<10	160	<0.5	<2	0.14	<0.5	5	10	21	1.63	<10
CC28256		0.38	0.9	1.63	47	<10	300	0.8	<2	0.29	0.8	8	16	57	3.15	<10
CC28257		0.34	0.2	1.49	58	<10	230	0.6	<2	0.29	0.7	9	20	35	3.22	<10
CC28258		0.54	<0.2	1.39	70	<10	140	0.5	<2	0.26	0.6	11	17	34	3.19	<10
CC28259		0.28	0.5	1.65	63	<10	330	0.9	<2	0.36	1.1	12	20	70	3.46	<10
CC28260		0.20	0.6	0.79	35	<10	210	<0.5	<2	0.18	<0.5	4	7	28	1.21	<10
CC28261		0.24	0.9	2.47	45	<10	570	1.2	<2	0.40	0.7	8	25	59	2.86	10
CC28262		0.18	0.9	2.84	69	<10	850	1.3	<2	0.45	0.8	9	26	51	4.05	10
CC28263		0.32	0.3	1.30	34	<10	480	0.5	<2	0.32	<0.5	6	12	25	1.91	<10
CC28264		0.20	<0.2	1.18	38	<10	320	0.5	<2	0.39	<0.5	6	13	22	1.82	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28214		<1	0.10	20	0.40	1110	2	0.01	22	1010	28	0.04	<2	2	22	<20
CC28215		1	0.08	30	0.53	555	2	<0.01	31	910	48	<0.01	2	3	18	<20
CC28216		1	0.05	30	0.51	407	1	<0.01	28	900	36	<0.01	<2	3	21	<20
CC28218		<1	0.07	20	0.55	382	1	<0.01	29	590	40	<0.01	<2	3	10	<20
CC28220		<1	0.04	20	0.13	377	1	0.02	16	760	36	0.05	<2	1	25	<20
CC28221		<1	0.06	20	0.26	299	1	0.01	21	770	45	0.01	<2	2	26	<20
CC28222		<1	0.04	10	0.10	128	1	0.02	7	520	28	0.02	<2	1	17	<20
CC28223		<1	0.05	10	0.16	145	1	0.01	11	450	25	0.01	<2	1	11	<20
CC28224		<1	0.07	30	0.52	623	1	<0.01	31	970	59	<0.01	<2	3	23	<20
CC28225		<1	0.07	30	0.50	585	1	<0.01	31	1030	58	<0.01	<2	4	31	<20
CC28226		<1	0.08	30	0.40	214	1	0.01	26	780	56	0.05	<2	3	33	<20
CC28232		1	0.07	30	0.57	1030	1	0.01	23	920	33	0.04	<2	3	28	<20
CC28236		1	0.10	20	0.36	406	1	0.02	16	820	22	0.01	<2	2	27	<20
CC28237		1	0.08	30	0.48	341	1	<0.01	24	1020	23	<0.01	<2	3	31	<20
CC28238		<1	0.07	30	0.42	405	1	<0.01	24	1110	33	<0.01	3	3	29	<20
CC28239		2	0.09	30	0.46	270	2	<0.01	25	1130	18	<0.01	<2	4	39	<20
CC28240		<1	0.11	20	0.45	586	2	<0.01	35	1120	27	<0.01	<2	3	30	<20
CC28241		<1	0.04	10	0.08	30	<1	0.02	7	390	10	0.02	<2	1	13	<20
CC28242		1	0.07	20	0.26	337	1	0.01	20	630	19	0.01	<2	2	35	<20
CC28243		<1	0.09	30	0.45	491	1	<0.01	24	950	22	0.01	<2	3	31	<20
CC28244		<1	0.09	30	0.51	537	1	0.01	29	980	29	<0.01	<2	3	35	<20
CC28245		<1	0.03	10	0.18	114	<1	0.02	9	550	11	0.10	<2	1	30	<20
CC28246		<1	0.13	20	0.47	394	2	<0.01	26	950	22	0.02	<2	3	33	<20
CC28247		<1	0.06	30	0.48	2500	1	<0.01	26	910	37	0.01	<2	3	24	<20
CC28249		<1	0.07	40	0.52	498	1	<0.01	29	1020	52	<0.01	<2	3	22	<20
CC28250		1	0.05	10	0.14	154	1	0.01	9	450	15	<0.01	<2	1	7	<20
CC28251		1	0.05	<10	0.05	44	1	0.01	4	290	13	<0.01	<2	<1	5	<20
CC28252		<1	0.10	40	0.42	475	2	<0.01	29	820	63	<0.01	<2	3	14	<20
CC28253		<1	0.07	20	0.32	269	1	0.01	19	600	54	<0.01	<2	2	14	<20
CC28254		<1	0.08	20	0.14	121	1	0.02	15	950	34	<0.01	<2	<1	10	<20
CC28255		<1	0.05	10	0.21	186	1	0.02	13	560	20	<0.01	<2	1	11	<20
CC28256		1	0.06	40	0.40	332	1	0.01	24	800	76	<0.01	2	2	18	<20
CC28257		<1	0.08	30	0.56	381	1	0.01	29	920	38	<0.01	<2	3	20	<20
CC28258		<1	0.05	20	0.48	416	1	0.01	25	920	41	<0.01	2	2	18	<20
CC28259		1	0.07	30	0.48	543	2	0.01	33	1100	88	<0.01	2	3	26	<20
CC28260		<1	0.06	10	0.10	145	1	0.03	12	570	35	0.01	<2	1	15	<20
CC28261		<1	0.11	30	0.47	266	1	0.01	35	1310	52	0.07	<2	4	34	<20
CC28262		<1	0.13	20	0.41	450	1	0.01	36	2320	64	0.13	<2	4	46	<20
CC28263		<1	0.06	10	0.23	241	1	0.02	18	730	15	0.01	<2	2	22	<20
CC28264		<1	0.05	10	0.29	267	1	0.02	19	1070	16	0.04	<2	1	31	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28214		0.02	<10	<10	34	<10	154
CC28215		0.02	<10	<10	39	<10	142
CC28216		0.03	<10	<10	29	<10	136
CC28218		0.02	<10	<10	41	<10	111
CC28220		0.03	<10	<10	19	<10	78
CC28221		0.02	<10	<10	25	<10	116
CC28222		0.01	<10	<10	13	<10	52
CC28223		0.01	<10	<10	23	<10	68
CC28224		0.03	<10	<10	33	<10	196
CC28225		0.02	<10	<10	35	<10	174
CC28226		0.01	<10	10	35	<10	157
CC28232		0.01	<10	<10	49	<10	190
CC28236		0.01	<10	<10	49	<10	126
CC28237		0.02	<10	<10	43	<10	144
CC28238		0.03	<10	<10	36	<10	159
CC28239		0.03	<10	<10	45	<10	148
CC28240		0.02	<10	<10	57	<10	166
CC28241		0.01	<10	<10	13	<10	27
CC28242		0.02	<10	<10	35	<10	154
CC28243		0.02	<10	<10	42	<10	151
CC28244		0.02	<10	<10	38	<10	181
CC28245		0.01	<10	10	11	<10	43
CC28246		0.01	<10	<10	63	<10	159
CC28247		0.01	<10	<10	33	<10	169
CC28249		0.03	<10	<10	30	<10	206
CC28250		0.01	<10	<10	21	<10	61
CC28251		0.01	<10	<10	13	<10	35
CC28252		0.01	<10	<10	41	<10	182
CC28253		0.01	<10	<10	37	<10	96
CC28254		<0.01	<10	<10	31	<10	68
CC28255		0.01	<10	<10	22	<10	71
CC28256		0.01	<10	<10	31	<10	127
CC28257		0.03	<10	<10	26	<10	142
CC28258		0.02	<10	<10	27	<10	140
CC28259		0.02	<10	<10	37	<10	185
CC28260		0.01	<10	<10	19	<10	63
CC28261		0.01	<10	<10	37	<10	226
CC28262		0.01	<10	<10	51	<10	261
CC28263		0.01	<10	<10	25	<10	81
CC28264		0.02	<10	<10	24	<10	90

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28265		0.32	0.2	1.49	62	<10	200	0.5	<2	0.25	0.5	7	16	27	2.78	<10
CC28266		0.22	0.9	1.73	82	<10	310	0.8	<2	0.16	0.6	7	18	38	2.76	<10
CC28267		0.30	0.4	1.31	21	<10	210	0.5	<2	0.14	0.5	10	17	53	2.56	<10
CC28268		0.28	<0.2	1.29	24	<10	270	0.5	2	0.33	1.1	8	18	70	3.05	<10
CC28269		0.36	0.4	1.78	24	<10	350	0.7	<2	0.32	0.7	10	21	66	3.15	<10
CC28270		0.28	0.3	1.39	34	<10	220	0.5	<2	0.21	0.8	11	18	83	3.01	<10
CC28271		0.34	0.4	1.26	24	<10	290	0.5	2	0.35	1.1	8	17	89	2.75	<10
CC28272		0.46	0.3	1.36	24	<10	330	0.6	<2	0.32	0.9	11	18	59	3.07	<10
CC28273		0.34	0.3	1.27	28	<10	260	0.5	<2	0.33	1.0	9	18	73	2.85	<10
CC28274		0.32	<0.2	1.38	32	<10	300	0.6	<2	0.35	1.0	10	18	72	3.17	<10
CC28275		0.36	<0.2	1.21	33	<10	220	0.5	2	0.33	1.0	12	17	75	3.08	<10
CC28276		0.36	0.2	1.26	32	<10	180	0.5	<2	0.24	0.7	10	16	62	2.79	<10
CC28277		0.32	0.3	1.54	37	<10	300	0.6	<2	0.30	0.9	9	20	47	3.01	<10
CC28279		0.44	0.2	1.50	38	<10	300	0.6	<2	0.34	0.7	9	19	56	2.91	<10
CC28289		0.46	0.2	1.43	39	<10	180	0.5	<2	0.27	0.6	11	18	26	3.10	<10
CC28290		0.28	0.2	1.00	27	<10	200	<0.5	<2	0.28	0.5	7	10	24	1.65	<10
CC28291		0.42	<0.2	1.33	59	<10	220	0.5	<2	0.30	0.7	9	17	25	2.83	<10
CC28293		0.40	0.3	1.40	21	<10	390	0.6	<2	0.30	0.6	9	19	25	2.51	<10
CC28294		0.30	<0.2	2.07	42	<10	160	0.7	<2	0.11	0.7	10	20	17	3.64	<10
CC28295		0.30	<0.2	1.50	40	<10	100	0.5	<2	0.21	0.5	8	17	17	3.17	<10
CC28296		0.34	<0.2	1.45	43	<10	510	0.7	<2	0.28	0.7	8	16	32	2.51	<10
CC28297		0.26	0.3	1.40	33	<10	280	0.6	<2	0.37	0.6	9	16	46	2.64	<10
CC28298		0.26	<0.2	1.53	36	<10	280	0.5	<2	0.21	0.5	7	19	16	3.04	<10
CC28299		0.28	<0.2	1.56	46	<10	370	0.6	<2	0.23	0.5	12	20	31	3.06	<10
CC28300		0.28	<0.2	1.87	98	<10	180	0.6	<2	0.10	0.6	7	18	19	3.12	<10
CC28301		0.34	0.3	1.07	29	<10	200	<0.5	<2	0.19	<0.5	6	13	18	1.84	<10
CC28302		0.28	<0.2	1.25	85	<10	150	<0.5	<2	0.08	0.5	7	21	22	4.13	10
CC28303		0.22	<0.2	0.99	19	<10	120	<0.5	<2	0.05	0.7	3	7	14	1.60	<10
CC28304		0.32	<0.2	1.30	24	<10	310	0.6	<2	0.21	0.6	8	15	21	2.41	<10
CC28305		0.42	0.3	1.09	20	<10	450	<0.5	<2	0.43	0.9	7	15	24	2.43	<10
CC28308		0.24	<0.2	1.31	30	<10	180	0.5	<2	0.25	0.6	10	16	22	2.71	<10
CC28309		0.20	<0.2	0.21	4	<10	40	<0.5	<2	0.03	<0.5	1	1	3	0.31	<10
CC28310		0.20	<0.2	0.18	4	<10	30	<0.5	<2	0.05	<0.5	<1	1	2	0.30	<10
CC28311		0.28	<0.2	1.36	38	<10	380	0.6	<2	0.23	<0.5	8	16	23	2.58	<10
CC28312		0.24	<0.2	1.15	19	<10	110	<0.5	<2	0.04	<0.5	3	12	10	2.07	<10
CC28313		0.18	<0.2	1.67	44	<10	270	0.6	<2	0.21	0.5	9	21	22	3.61	<10
CC28314		0.24	<0.2	1.34	35	<10	150	<0.5	<2	0.13	<0.5	6	16	22	2.63	<10
CC28316		0.18	0.2	0.60	21	<10	170	<0.5	<2	0.09	0.5	3	6	11	1.44	<10
CC28317		0.20	0.2	0.41	10	<10	120	<0.5	<2	0.11	<0.5	1	3	7	0.62	<10
CC28318		0.22	0.2	1.83	59	<10	240	0.7	<2	0.13	0.6	12	19	31	3.15	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28265		<1	0.05	20	0.46	295	1	0.01	24	880	26	<0.01	<2	2	19	<20
CC28266		<1	0.08	20	0.36	343	1	0.01	23	1140	43	0.02	<2	2	17	<20
CC28267		<1	0.09	10	0.25	493	1	0.01	18	830	19	0.01	<2	2	14	<20
CC28268		<1	0.07	30	0.45	426	1	0.01	26	1180	19	<0.01	<2	3	25	<20
CC28269		<1	0.09	30	0.45	396	1	0.01	25	1060	22	<0.01	<2	3	27	<20
CC28270		<1	0.07	20	0.39	537	1	0.01	21	970	34	<0.01	<2	2	18	<20
CC28271		1	0.05	20	0.42	379	1	0.01	23	1040	24	<0.01	<2	3	24	<20
CC28272		<1	0.07	30	0.46	438	1	0.01	26	1060	19	<0.01	<2	3	26	<20
CC28273		<1	0.06	20	0.40	384	1	0.01	23	1210	24	<0.01	2	3	25	<20
CC28274		<1	0.07	30	0.44	484	1	0.01	26	1120	28	<0.01	<2	3	25	<20
CC28275		<1	0.06	30	0.43	496	1	0.01	23	1210	30	<0.01	<2	3	25	<20
CC28276		<1	0.06	20	0.37	394	1	0.01	21	880	25	<0.01	<2	2	18	<20
CC28277		<1	0.07	20	0.45	375	1	0.01	22	1080	23	<0.01	<2	2	21	<20
CC28279		1	0.08	20	0.46	386	1	0.01	25	880	26	<0.01	<2	3	25	<20
CC28289		<1	0.05	20	0.51	551	<1	0.01	25	990	49	<0.01	3	2	20	<20
CC28290		<1	0.04	10	0.24	277	<1	0.02	15	740	24	0.01	<2	1	23	<20
CC28291		1	0.05	30	0.49	365	1	0.01	24	1070	43	<0.01	2	2	22	<20
CC28293		<1	0.05	20	0.48	270	1	0.01	26	630	17	<0.01	<2	3	22	<20
CC28294		1	0.04	20	0.47	362	1	0.01	25	720	31	<0.01	2	2	10	<20
CC28295		<1	0.05	20	0.45	383	1	0.01	23	1020	30	<0.01	2	2	12	<20
CC28296		1	0.05	30	0.38	302	<1	0.01	23	770	23	<0.01	<2	3	21	<20
CC28297		1	0.06	20	0.43	390	1	0.02	26	970	24	0.01	<2	2	26	<20
CC28298		<1	0.05	20	0.47	293	1	0.01	22	900	20	<0.01	<2	2	20	<20
CC28299		<1	0.06	30	0.54	466	1	0.01	30	920	28	<0.01	<2	3	19	<20
CC28300		<1	0.04	20	0.42	272	2	0.01	22	650	27	<0.01	<2	2	10	<20
CC28301		<1	0.04	20	0.34	211	1	0.02	17	920	15	<0.01	2	1	16	<20
CC28302		1	0.05	20	0.31	336	3	0.01	20	800	54	0.01	2	1	10	<20
CC28303		<1	0.03	10	0.10	107	<1	0.02	7	410	34	<0.01	<2	1	8	<20
CC28304		<1	0.08	20	0.40	376	1	0.01	24	920	16	<0.01	<2	3	18	<20
CC28305		<1	0.09	10	0.36	328	2	0.02	23	820	14	<0.01	<2	2	25	<20
CC28308		<1	0.06	30	0.52	398	1	0.01	22	1030	24	<0.01	<2	2	19	<20
CC28309		<1	0.02	<10	0.02	19	<1	0.02	2	190	2	<0.01	<2	<1	6	<20
CC28310		<1	0.02	<10	0.02	15	<1	0.02	2	240	2	<0.01	<2	<1	8	<20
CC28311		<1	0.05	30	0.47	351	1	0.01	23	910	22	<0.01	<2	3	17	<20
CC28312		<1	0.03	10	0.21	149	1	0.02	10	360	11	<0.01	<2	1	6	<20
CC28313		<1	0.07	20	0.50	427	1	0.01	26	1350	38	<0.01	2	3	19	<20
CC28314		<1	0.05	20	0.41	287	1	0.01	21	760	18	<0.01	<2	1	14	<20
CC28316		<1	0.04	10	0.07	249	2	0.02	8	640	18	0.03	<2	1	12	<20
CC28317		<1	0.03	10	0.08	61	<1	0.03	5	450	6	<0.01	<2	1	10	<20
CC28318		<1	0.05	20	0.54	450	1	0.01	28	610	36	<0.01	<2	3	10	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28265		0.01	<10	<10	26	<10	109
CC28266		0.01	<10	<10	28	<10	112
CC28267		0.01	<10	<10	42	<10	113
CC28268		0.02	<10	<10	31	<10	145
CC28269		0.02	<10	<10	42	<10	126
CC28270		0.02	<10	<10	36	<10	135
CC28271		0.02	<10	<10	28	<10	161
CC28272		0.02	<10	<10	33	<10	144
CC28273		0.02	<10	<10	34	<10	149
CC28274		0.02	<10	<10	34	<10	161
CC28275		0.03	<10	<10	30	<10	149
CC28276		0.02	<10	<10	33	<10	123
CC28277		0.02	<10	<10	35	<10	137
CC28279		0.01	<10	<10	39	<10	159
CC28289		0.02	<10	<10	25	<10	158
CC28290		0.02	<10	<10	19	<10	91
CC28291		0.02	<10	<10	26	<10	143
CC28293		0.03	<10	<10	30	<10	102
CC28294		0.02	<10	<10	33	<10	103
CC28295		0.02	<10	<10	31	<10	104
CC28296		0.01	<10	<10	29	<10	98
CC28297		0.02	<10	<10	27	<10	140
CC28298		0.02	<10	<10	34	<10	105
CC28299		0.03	<10	<10	32	<10	109
CC28300		0.02	<10	<10	35	<10	79
CC28301		0.02	<10	<10	21	<10	59
CC28302		0.02	<10	<10	52	<10	106
CC28303		0.02	<10	<10	23	<10	50
CC28304		0.03	<10	<10	33	<10	93
CC28305		0.02	<10	<10	39	<10	116
CC28308		0.03	<10	<10	27	<10	102
CC28309		0.01	<10	<10	8	<10	7
CC28310		0.01	<10	<10	9	<10	6
CC28311		0.03	<10	<10	29	<10	83
CC28312		0.02	<10	<10	31	<10	47
CC28313		0.02	<10	<10	40	<10	110
CC28314		0.02	<10	<10	29	<10	82
CC28316		0.02	<10	<10	26	<10	38
CC28317		0.02	<10	<10	11	<10	19
CC28318		0.02	<10	<10	31	<10	126

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28320		0.38	<0.2	1.73	90	<10	220	0.8	<2	0.30	0.7	15	21	37	3.82	<10
CC28321		0.18	0.8	0.93	7	<10	220	<0.5	<2	0.29	<0.5	1	7	35	0.48	<10
CC28322		0.36	<0.2	1.43	55	<10	200	0.6	<2	0.26	1.1	16	19	46	3.53	<10
CC28323		0.08	0.3	1.16	29	<10	230	0.5	<2	0.26	0.8	10	13	36	2.27	<10
CC28327		0.24	0.4	1.66	35	<10	220	0.5	<2	0.26	0.8	17	20	29	3.20	<10
CC28328		0.22	0.7	1.00	25	<10	190	<0.5	<2	0.23	0.5	7	8	28	1.45	<10
CC28330		0.16	0.6	1.11	24	<10	290	<0.5	<2	0.34	<0.5	2	7	32	1.13	<10
CC28331		0.22	0.9	1.42	54	<10	290	0.6	<2	0.31	<0.5	2	12	44	1.64	<10
CC28332		0.18	0.8	1.02	29	<10	220	<0.5	<2	0.09	<0.5	3	7	38	1.18	<10
CC28333		0.18	0.4	0.36	6	<10	80	<0.5	<2	0.06	<0.5	1	3	12	0.32	<10
CC28334		0.26	1.1	0.58	3	<10	90	<0.5	<2	0.03	<0.5	<1	4	25	0.37	<10
CC28335		0.20	0.4	0.70	15	<10	160	<0.5	<2	0.09	<0.5	2	8	39	1.10	<10
CC28336		0.22	<0.2	0.24	3	<10	40	<0.5	<2	0.05	0.7	<1	2	6	0.31	<10
CC28337		0.28	0.8	1.07	9	<10	280	0.6	<2	0.13	0.7	3	9	81	0.84	<10
CC28338		0.26	0.4	1.33	22	<10	200	0.5	<2	0.20	0.7	7	16	46	2.67	<10
CC28339		0.24	<0.2	1.12	19	<10	240	<0.5	<2	0.31	0.6	8	16	49	2.53	<10
CC28340		0.22	0.2	1.32	22	<10	300	0.6	<2	0.31	0.8	14	18	62	2.99	<10
CC28341		0.26	0.2	1.23	22	<10	250	0.5	<2	0.32	0.6	11	16	51	2.86	<10
CC28342		0.22	0.2	0.33	4	<10	50	<0.5	<2	0.04	<0.5	1	2	8	0.43	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28320		<1	0.10	40	0.62	594	<1	0.01	33	990	60	<0.01	2	3	22	<20
CC28321		<1	0.04	10	0.10	32	<1	0.02	11	850	51	0.07	<2	1	25	<20
CC28322		1	0.05	30	0.53	411	1	0.01	29	990	83	<0.01	<2	3	19	<20
CC28323		<1	0.04	20	0.35	443	<1	0.01	22	930	29	0.01	<2	2	20	<20
CC28327		1	0.06	20	0.49	682	1	0.02	28	830	32	0.01	<2	2	20	<20
CC28328		<1	0.05	10	0.14	252	<1	0.03	12	530	31	0.01	<2	1	19	<20
CC28330		<1	0.06	10	0.12	55	1	0.03	9	730	17	0.05	<2	1	24	<20
CC28331		1	0.09	10	0.20	88	<1	0.02	12	780	39	0.03	<2	2	20	<20
CC28332		<1	0.06	10	0.09	151	1	0.03	10	710	13	0.02	<2	1	11	<20
CC28333		<1	0.03	<10	0.03	22	<1	0.03	4	310	4	0.01	<2	<1	7	<20
CC28334		<1	0.04	<10	0.04	16	<1	0.02	4	410	8	0.01	<2	<1	5	<20
CC28335		<1	0.06	10	0.09	75	<1	0.02	8	560	13	0.01	<2	1	10	<20
CC28336		<1	0.02	<10	0.03	18	<1	0.02	2	210	3	<0.01	<2	<1	7	<20
CC28337		<1	0.05	10	0.10	45	<1	0.03	11	810	17	0.03	<2	1	14	<20
CC28338		1	0.07	20	0.32	380	1	0.01	19	1060	20	0.01	<2	2	18	<20
CC28339		<1	0.05	30	0.39	364	1	0.01	21	1110	17	<0.01	<2	2	24	<20
CC28340		<1	0.07	30	0.44	563	1	0.01	28	1200	21	<0.01	<2	3	25	<20
CC28341		<1	0.06	30	0.42	474	1	0.01	23	1180	22	<0.01	<2	3	25	<20
CC28342		<1	0.03	<10	0.03	21	<1	0.03	4	250	2	<0.01	<2	<1	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 26-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07083263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28320		0.03	<10	<10	27	<10	157
CC28321		0.01	<10	<10	9	<10	41
CC28322		0.02	<10	<10	28	<10	165
CC28323		0.02	<10	<10	23	<10	119
CC28327		0.02	<10	<10	31	<10	178
CC28328		0.01	<10	<10	21	<10	98
CC28330		0.01	<10	<10	22	<10	57
CC28331		0.01	<10	<10	31	<10	89
CC28332		0.01	<10	<10	21	<10	62
CC28333		0.01	<10	<10	6	<10	15
CC28334		0.01	<10	<10	10	<10	14
CC28335		0.01	<10	<10	23	<10	44
CC28336		0.02	<10	<10	9	<10	8
CC28337		0.01	<10	<10	18	<10	49
CC28338		0.01	<10	<10	36	<10	95
CC28339		0.02	<10	<10	28	<10	101
CC28340		0.02	<10	<10	32	<10	109
CC28341		0.02	<10	<10	31	<10	102
CC28342		0.01	<10	<10	11	<10	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 5-AUG-2007
Account: MTT

CERTIFICATE VA07077763

Project: TIDD

P.O. No.:

This report is for 105 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385701		1.26	0.17	10.15	26.9	850	3.52	0.44	0.20	2.09	93.70	32.7	91	15.40	72.8	7.48
C385702		1.50	0.78	11.20	29.2	860	2.87	1.46	0.16	3.37	87.50	33.9	96	16.05	91.0	7.00
C385703		1.22	1.68	8.69	223.0	560	2.26	3.88	0.09	2.03	91.20	16.6	75	16.05	180.0	7.57
C385704		1.38	46.50	8.34	1970.0	490	2.00	99.60	0.10	22.10	95.90	44.0	75	11.65	4480.0	9.52
C385705		1.20	49.10	7.34	1465.0	530	1.76	97.50	0.06	18.05	71.10	17.2	52	16.90	3880.0	11.15
C385706		1.62	0.90	8.19	35.9	640	3.88	1.88	0.22	7.20	92.70	15.9	7	27.60	421.0	2.49
C385707		1.38	0.52	8.03	31.7	560	3.96	1.13	0.16	18.35	118.00	39.9	8	23.80	3160.0	4.53
C385708		1.96	0.52	7.95	27.4	680	3.05	1.12	0.22	6.48	74.90	17.0	10	25.30	727.0	3.79
C385709		1.34	31.10	7.81	32.7	540	1.42	85.30	0.05	10.85	71.40	14.2	68	12.95	1445.0	12.20
C385710		1.92	12.15	7.52	31.5	430	1.88	31.70	0.08	3.09	71.90	18.8	74	11.45	1015.0	13.05
C385711		1.40	20.10	8.00	82.0	500	1.84	72.50	0.11	7.79	69.30	31.4	64	14.30	3950.0	12.25
C385712		1.86	7.05	9.73	49.0	650	2.91	9.39	0.15	4.40	78.50	18.4	71	14.85	944.0	9.75
C385713		1.38	0.46	9.15	20.3	340	3.75	0.89	0.26	7.22	93.80	27.5	82	6.67	494.0	6.11
C385714		2.20	0.52	8.87	29.7	260	2.37	0.41	0.19	8.28	91.50	28.0	72	4.49	379.0	5.93
C385715		1.30	0.38	9.07	34.2	260	3.36	0.32	0.47	6.29	95.00	32.2	76	5.07	202.0	6.06
C385716		1.50	0.85	10.55	19.7	670	3.78	1.26	0.27	6.43	103.50	30.9	89	15.80	248.0	7.30
C385717		1.44	3.41	10.60	38.1	850	3.51	7.19	0.20	6.58	84.60	22.9	92	21.50	549.0	8.55
C385718		2.08	1.44	9.60	43.6	680	2.53	3.61	0.22	3.85	84.50	24.2	95	17.35	266.0	8.57
C385721		1.30	1.57	5.90	76.5	460	1.16	3.52	0.07	4.28	54.80	18.7	57	6.23	570.0	8.26
C385722		2.18	5.73	7.62	>10000	320	1.38	14.50	0.09	48.70	82.00	23.8	69	9.34	606.0	10.15
C385723		1.22	0.78	7.95	48.3	510	1.87	1.78	0.08	9.39	82.30	15.0	70	7.02	297.0	6.05
C385724		1.92	0.48	9.61	89.9	660	2.44	0.84	0.13	6.19	92.20	14.0	88	8.66	146.0	5.12
C385725		1.18	0.16	9.76	24.1	600	2.46	0.40	0.22	11.30	87.40	20.1	88	9.03	72.0	6.46
C385726		2.12	0.37	9.99	41.4	620	3.09	0.94	0.18	21.00	122.50	25.2	92	12.30	107.5	7.29
C385727		1.14	2.19	9.59	75.8	680	2.52	2.14	0.07	3.51	109.00	24.5	92	8.10	260.0	9.59
C385728		1.84	1.31	8.71	61.4	550	1.91	1.43	0.08	2.67	101.50	11.7	77	12.15	296.0	6.02
C385729		1.14	2.18	9.25	23.8	420	1.67	3.95	0.06	1.43	85.10	9.9	88	10.20	311.0	9.21
C385730		1.58	1.50	8.72	21.2	510	1.63	5.66	0.06	1.36	70.00	8.4	80	9.25	251.0	8.40
C385731		0.96	0.38	3.48	21.7	170	0.59	1.48	0.03	1.15	33.60	8.9	34	1.87	233.0	6.47
C385732		1.18	8.60	4.95	37.9	370	1.08	27.40	0.05	14.55	59.10	19.3	50	4.52	2560.0	7.56
C385733		0.84	5.08	6.21	49.1	390	1.46	38.50	0.06	2.82	61.80	13.5	67	5.87	1125.0	8.03
C385734		1.74	2.18	10.45	25.3	770	2.81	5.15	0.12	2.67	14.75	15.9	90	20.10	176.5	6.41
C385735		1.14	1.66	10.25	21.7	550	3.30	3.05	0.34	12.55	26.90	19.8	82	11.20	519.0	6.93
C385736		1.50	1.16	10.65	15.9	520	3.11	2.08	0.29	11.60	27.70	17.3	92	6.46	470.0	6.08
C385788		3.10	0.32	9.38	33.8	520	2.34	1.19	0.15	2.82	91.00	21.4	82	11.95	181.0	6.49
C385789		3.36	1.51	9.52	17.4	590	2.26	12.60	0.15	2.13	95.30	19.5	86	11.35	273.0	7.15
C385790		2.48	1.90	9.94	24.2	560	2.32	16.75	0.12	2.25	107.50	23.2	90	11.35	764.0	8.14
C385791		2.76	1.80	8.20	27.2	410	1.79	8.57	0.10	0.98	87.90	19.7	74	9.15	631.0	7.44
C385792		2.76	3.73	9.50	109.5	360	2.75	14.30	0.13	2.15	94.30	71.7	88	8.93	1455.0	9.67
C385793		2.94	0.61	9.86	25.4	500	2.28	4.32	0.11	0.98	84.30	22.3	94	13.55	194.0	7.61

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385701		30.60	0.27	3.2	0.163	2.91	46.6	72.3	1.33	1775	0.66	0.24	22.4	57.2	760	14.1
C385702		30.00	0.28	2.9	0.205	3.60	43.2	118.5	1.04	2480	0.81	0.13	20.8	59.8	980	75.8
C385703		28.40	0.21	2.6	0.424	2.70	50.4	232.0	0.67	1310	0.79	0.06	16.8	36.7	690	77.9
C385704		29.60	0.31	2.7	6.000	2.56	51.1	71.5	0.72	1530	1.13	0.05	14.0	33.8	700	1530.0
C385705		22.70	0.26	2.3	5.490	2.48	38.6	74.5	0.51	745	1.05	0.04	12.7	16.5	600	2600.0
C385706		21.20	0.21	3.5	0.146	3.31	46.9	52.4	0.63	1440	0.94	0.04	13.6	10.9	690	51.4
C385707		19.35	0.27	3.2	0.214	2.89	50.8	74.8	0.65	2820	1.10	0.04	11.7	26.0	660	79.5
C385708		18.85	0.24	3.4	0.268	2.87	37.0	59.2	0.98	1070	0.98	0.06	11.9	15.3	700	57.8
C385709		21.70	0.29	2.2	3.210	2.07	38.7	62.2	0.88	1705	1.29	0.04	13.8	15.8	640	1620.0
C385710		22.50	0.28	2.4	1.900	1.70	39.3	69.8	0.94	2270	1.73	0.03	14.9	19.6	720	530.0
C385711		21.70	0.22	2.2	10.650	1.61	37.8	75.0	1.11	2780	1.52	0.45	13.4	21.7	650	383.0
C385712		24.90	0.25	2.4	1.715	2.24	41.5	140.0	0.95	2210	0.30	1.07	15.6	23.7	790	316.0
C385713		26.40	0.27	3.1	0.309	0.52	47.2	83.4	1.06	1690	0.20	4.56	20.4	44.6	760	91.8
C385714		25.20	0.29	2.8	0.124	0.36	46.9	72.3	1.06	1620	0.19	4.73	19.5	45.4	610	187.5
C385715		26.00	0.29	2.9	0.201	0.36	48.8	78.6	1.13	2080	0.47	4.74	18.2	48.1	1120	154.5
C385716		30.00	0.33	3.0	0.892	1.63	51.3	90.3	1.34	2590	0.21	3.45	20.9	52.0	800	170.5
C385717		33.30	0.32	2.7	5.340	2.49	43.3	111.0	1.42	2950	0.49	0.98	20.3	52.1	790	118.5
C385718		30.60	0.24	2.5	1.195	2.64	37.8	115.0	1.48	2720	0.89	0.27	19.8	42.1	950	131.5
C385721		17.25	0.20	1.7	1.200	1.40	27.8	117.5	0.72	1630	0.87	0.04	10.4	20.3	340	44.9
C385722		24.00	0.24	2.1	13.100	2.12	44.7	104.5	0.92	1385	0.86	0.02	10.4	25.1	480	1180.0
C385723		23.60	0.21	2.5	4.590	2.34	43.1	73.9	0.81	1455	0.48	0.07	14.7	26.2	460	31.8
C385724		28.90	0.24	3.1	0.518	3.22	48.4	62.4	0.91	1300	0.39	0.12	19.0	22.9	700	61.6
C385725		22.70	0.18	2.0	0.111	2.82	43.4	56.1	1.15	1065	0.59	0.45	15.1	30.6	810	21.4
C385726		29.70	0.28	2.7	0.341	2.79	60.5	109.0	1.22	1295	1.23	0.40	19.7	39.1	770	31.3
C385727		31.20	0.28	2.7	0.579	2.65	54.9	159.5	0.91	1505	0.91	0.07	16.4	37.0	700	49.7
C385728		29.80	0.25	2.8	0.369	2.76	51.1	83.1	0.93	1165	0.79	0.06	19.4	28.4	620	86.6
C385729		30.70	0.26	2.6	0.952	2.58	45.0	90.7	1.07	1625	0.97	0.02	16.2	24.7	630	68.3
C385730		29.70	0.15	2.8	0.871	2.41	36.3	87.8	0.99	1405	1.34	0.06	13.0	25.1	600	63.2
C385731		11.70	0.10	0.9	0.636	0.51	17.3	97.4	0.45	1160	1.16	0.02	5.4	14.8	250	13.5
C385732		15.95	0.13	1.7	7.500	1.03	30.7	132.5	0.52	1450	0.95	0.04	9.4	20.0	400	188.0
C385733		18.60	0.13	1.7	1.940	1.54	31.9	117.0	0.74	1785	0.79	0.04	11.9	26.1	470	209.0
C385734		32.50	0.11	3.3	0.586	2.85	6.5	139.5	1.50	2670	0.38	0.63	21.4	42.5	560	140.0
C385735		32.70	0.10	3.2	1.820	1.64	11.8	95.7	1.84	2780	0.36	2.45	21.7	45.1	710	227.0
C385736		34.00	0.12	3.1	1.420	1.27	13.0	67.3	1.35	2100	0.44	4.18	24.0	34.4	720	242.0
C385788		32.00	0.19	2.4	0.589	2.75	47.6	68.2	1.18	1055	0.70	0.21	21.9	40.8	810	23.1
C385789		28.90	0.14	2.5	0.534	2.76	50.4	75.9	1.16	1350	0.58	0.16	19.3	39.8	730	58.9
C385790		32.80	0.18	2.7	1.075	2.96	55.2	81.6	1.19	1410	0.75	0.08	19.9	40.6	730	24.4
C385791		28.20	0.16	2.2	1.100	2.35	45.6	107.5	1.02	1495	0.72	0.06	12.8	33.8	650	23.8
C385792		31.20	0.21	2.5	2.550	2.25	50.8	102.0	1.27	1840	1.02	0.13	17.6	39.8	740	46.5
C385793		32.30	0.21	2.7	0.594	3.03	42.5	69.1	1.20	1555	0.92	0.08	19.7	41.9	740	21.1

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385701		167.0	<0.002	0.35	1.54	27.2	3	6.7	55.3	1.59	<0.05	13.4	0.653	1.39	2.8	139
C385702		208.0	<0.002	0.27	1.52	23.6	3	23.6	49.7	1.52	<0.05	13.3	0.678	2.21	3.1	144
C385703		221.0	<0.002	0.26	3.66	21.1	1	48.5	30.8	1.14	<0.05	12.0	0.500	2.25	2.2	113
C385704		203.0	<0.002	1.76	3.14	22.1	9	84.7	23.4	0.96	0.43	15.1	0.368	2.34	2.5	99
C385705		200.0	<0.002	1.54	5.27	14.4	9	68.5	19.8	0.92	0.46	13.1	0.352	2.33	2.5	81
C385706		298.0	<0.002	0.10	2.09	11.9	3	5.4	21.5	1.16	<0.05	28.3	0.304	2.83	6.9	65
C385707		257.0	<0.002	0.06	0.93	12.8	4	3.6	15.5	1.05	<0.05	26.2	0.284	2.49	10.5	65
C385708		253.0	<0.002	0.04	0.86	11.8	2	3.1	22.9	1.06	<0.05	24.1	0.312	2.50	5.9	73
C385709		152.0	<0.002	0.77	1.63	16.3	7	82.9	17.2	0.95	0.23	12.0	0.413	1.65	2.0	89
C385710		137.5	<0.002	0.41	1.32	17.6	4	83.5	15.9	1.03	0.18	13.0	0.431	1.45	2.0	92
C385711		130.5	<0.002	0.67	3.48	14.6	4	100.0	21.9	0.93	0.17	10.9	0.406	1.41	1.8	82
C385712		188.5	<0.002	0.56	2.45	17.5	3	84.2	39.6	1.08	<0.05	13.0	0.461	1.85	2.2	93
C385713		44.9	<0.002	0.22	1.07	20.8	3	21.2	132.5	1.39	<0.05	15.9	0.591	0.39	3.0	112
C385714		29.8	<0.002	0.49	1.21	20.6	3	30.1	88.8	1.37	<0.05	14.1	0.547	0.30	2.6	101
C385715		30.9	<0.002	0.22	0.76	20.6	3	26.8	113.0	1.27	<0.05	15.0	0.539	0.28	2.4	102
C385716		117.5	<0.002	0.32	0.65	24.4	3	48.2	106.0	1.46	<0.05	16.5	0.637	1.12	2.7	122
C385717		197.5	<0.002	0.16	1.38	26.0	4	106.5	56.9	1.40	0.08	17.1	0.575	2.07	2.8	121
C385718		200.0	<0.002	0.45	1.56	23.0	2	95.3	43.1	1.47	0.05	19.3	0.617	1.93	2.5	121
C385721		100.0	<0.002	1.28	7.05	12.4	2	41.2	22.2	0.75	<0.05	10.0	0.299	1.19	1.7	62
C385722		167.5	<0.002	2.22	15.65	15.0	3	137.5	19.3	0.78	<0.05	13.3	0.297	1.98	2.2	78
C385723		145.0	<0.002	0.29	1.70	16.7	2	52.5	41.9	1.10	<0.05	14.4	0.444	1.36	2.2	82
C385724		204.0	<0.002	0.12	1.46	21.5	2	34.5	59.1	1.43	<0.05	16.6	0.605	1.58	2.7	113
C385725		144.5	<0.002	0.10	0.60	21.1	2	3.2	66.7	1.11	<0.05	12.2	0.604	0.87	2.2	130
C385726		180.5	<0.002	0.04	1.21	26.9	3	12.5	54.1	1.40	<0.05	15.4	0.591	1.29	2.8	128
C385727		163.0	<0.002	0.19	3.47	24.7	3	41.8	42.8	1.20	0.06	16.0	0.485	1.49	2.7	127
C385728		207.0	<0.002	0.12	1.33	24.0	3	42.6	47.1	1.40	<0.05	14.4	0.484	2.32	2.3	114
C385729		191.5	<0.002	0.05	0.85	23.6	3	105.0	35.5	1.14	<0.05	15.0	0.437	2.23	2.4	121
C385730		177.0	<0.002	0.06	1.07	19.0	2	109.5	32.1	0.85	0.05	12.1	0.348	2.05	2.2	117
C385731		35.6	<0.002	0.28	1.59	5.9	1	7.6	12.3	0.37	<0.05	4.7	0.148	0.37	0.9	38
C385732		91.0	<0.002	0.98	2.06	9.8	3	44.1	17.7	0.63	0.06	7.7	0.276	0.93	1.5	61
C385733		119.0	<0.002	0.92	2.72	11.6	2	60.4	16.1	0.76	0.08	9.0	0.344	1.13	1.6	71
C385734		206.0	<0.002	0.01	0.81	18.5	2	89.6	51.2	1.43	<0.05	10.3	0.521	2.27	2.6	104
C385735		105.0	<0.002	0.12	0.56	17.9	2	84.4	123.5	1.39	<0.05	11.4	0.496	1.24	2.8	116
C385736		98.4	<0.002	0.29	0.50	21.8	2	72.6	172.0	1.47	<0.05	13.2	0.567	0.88	2.8	112
C385788		191.5	<0.002	0.20	3.77	21.7	2	27.5	64.7	1.39	<0.05	13.2	0.566	1.36	2.5	115
C385789		185.5	<0.002	0.09	4.06	19.6	2	44.7	50.3	1.36	<0.05	13.5	0.571	1.48	2.3	115
C385790		216.0	<0.002	0.14	4.09	22.8	2	101.0	42.2	1.39	0.05	14.9	0.569	1.97	2.5	126
C385791		183.0	<0.002	0.37	3.46	18.9	1	86.1	23.4	0.84	<0.05	11.8	0.362	1.62	1.9	102
C385792		173.5	<0.002	0.69	3.67	20.4	2	71.8	38.9	1.17	0.07	14.0	0.495	1.37	2.2	120
C385793		218.0	<0.002	0.15	2.40	23.1	2	29.6	31.7	1.33	<0.05	13.4	0.561	1.75	2.5	133

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C385701		3.6	23.3	288	107.0
C385702		14.9	24.0	671	96.6
C385703		18.5	22.2	638	78.2
C385704		24.9	17.9	1560	87.0
C385705		20.3	11.5	1110	73.6
C385706		9.1	23.7	716	107.0
C385707		7.6	35.6	2440	103.5
C385708		4.2	21.1	685	108.0
C385709		17.0	13.7	871	74.8
C385710		35.6	14.5	411	77.0
C385711		19.2	13.6	771	72.5
C385712		13.4	18.3	518	80.0
C385713		3.7	23.1	496	104.5
C385714		2.7	20.0	488	94.6
C385715		3.4	25.2	564	93.7
C385716		3.6	25.2	611	97.8
C385717		17.0	25.2	547	89.4
C385718		14.8	24.3	297	85.2
C385721		15.1	13.7	327	58.9
C385722		14.2	15.0	5200	72.6
C385723		14.6	21.8	589	81.1
C385724		21.5	25.7	278	101.5
C385725		2.0	22.3	496	73.3
C385726		8.3	30.0	534	93.6
C385727		23.1	25.3	586	93.3
C385728		16.9	23.4	285	99.5
C385729		13.4	19.2	256	94.1
C385730		13.3	16.5	213	100.5
C385731		44.9	7.4	122	31.7
C385732		20.4	13.0	1250	54.2
C385733		29.1	13.2	252	55.4
C385734		15.4	11.7	181	113.0
C385735		7.0	16.4	357	111.0
C385736		5.7	17.7	254	114.5
C385788		6.4	24.1	207	90.4
C385789		5.9	23.4	156	86.5
C385790		12.0	25.7	148	91.8
C385791		12.4	19.3	123	77.3
C385792		18.6	21.2	233	85.8
C385793		15.1	21.6	106	92.9

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385794		2.94	9.95	7.94	68.4	350	1.66	17.45	0.08	2.87	83.70	35.3	77	9.21	5720.0	9.59
C385795		3.50	0.92	10.35	14.5	550	2.61	5.16	0.14	0.71	84.00	20.5	97	11.95	388.0	7.66
C385796		2.68	2.12	9.65	13.5	520	2.02	10.00	0.09	4.63	92.50	22.1	84	10.35	638.0	6.68
C385797		3.12	3.36	9.53	18.5	500	1.84	10.65	0.10	5.38	93.50	24.4	86	10.70	1150.0	7.65
C385798		3.22	1.58	9.66	25.8	510	2.00	6.34	0.11	1.90	85.40	19.9	89	10.20	405.0	7.98
C385799		3.16	1.10	9.35	24.6	350	3.14	11.85	0.12	1.95	94.30	20.4	87	8.40	419.0	8.31
C385800		2.44	1.68	9.21	20.8	450	2.12	9.42	0.10	3.27	94.20	17.7	83	10.15	634.0	7.07
C385801		3.46	0.85	10.10	18.7	510	2.04	4.37	0.10	8.66	91.60	23.1	94	11.10	303.0	7.52
C385802		2.34	2.22	9.42	39.2	470	1.83	9.33	0.11	3.67	101.00	20.6	91	11.65	691.0	7.77
C385803		3.62	0.52	10.10	46.2	550	2.31	2.57	0.10	1.87	100.50	21.3	92	13.35	172.0	6.83
C385804		3.00	0.48	9.99	39.5	520	2.38	2.25	0.11	1.79	106.50	30.4	88	12.20	230.0	6.87
C385805		6.50	0.98	9.34	37.4	490	1.99	4.50	0.10	1.97	93.20	25.5	81	11.00	515.0	7.54
C385806		3.52	29.00	6.09	53.1	270	1.14	72.60	0.06	11.60	63.00	39.1	57	6.04	4800.0	8.19
C385807		1.16	0.56	8.39	15.7	640	1.94	3.85	0.25	4.84	94.40	25.5	78	6.99	70.6	8.20
C385808		3.38	0.66	8.63	37.6	600	2.29	1.48	0.08	4.75	94.40	17.1	79	10.80	175.5	6.43
C385809		3.68	1.08	9.17	40.8	670	1.93	34.20	0.12	5.94	108.50	16.6	83	11.15	61.9	7.80
C385810		3.64	0.17	9.97	16.9	760	2.29	1.45	0.13	1.26	77.80	27.2	89	11.90	23.4	7.94
C385812		2.10	0.06	7.14	11.3	590	2.61	0.37	0.24	0.80	75.40	8.9	8	22.90	7.0	2.04
C385813		2.22	0.55	9.13	18.7	610	2.87	5.84	0.14	0.96	99.90	24.3	79	12.45	124.5	5.79
C385814		2.26	0.25	9.24	27.3	820	2.50	0.99	0.13	0.53	103.00	25.3	88	11.95	61.7	6.39
C385917		2.50	0.08	8.02	3.6	750	2.99	0.28	0.44	1.53	84.90	9.5	9	31.80	10.2	3.01
C385918		1.00	0.09	7.65	4.0	1180	2.79	0.23	0.28	0.97	80.30	7.1	8	26.30	10.6	2.59
C385919		1.94	0.06	7.97	8.1	640	3.00	0.33	0.26	0.78	84.20	7.9	9	23.00	11.4	2.58
C385920		0.62	0.11	8.06	6.6	650	2.64	0.43	0.21	0.89	78.30	8.9	10	24.20	11.9	2.69
C385921		1.30	0.27	8.53	9.8	570	2.42	0.90	0.20	0.20	79.40	8.0	11	30.40	11.0	3.05
C385928		1.40	0.08	9.36	48.4	740	2.32	0.38	0.21	0.37	98.70	36.5	85	12.60	42.7	6.72
C385933		1.96	0.15	9.53	46.8	690	1.85	0.34	0.12	0.21	100.50	27.7	87	8.89	38.0	6.46
C385936		1.38	0.26	8.66	98.8	590	1.83	0.81	0.14	0.27	101.50	22.0	75	12.75	42.5	4.67
C385937		2.18	1.65	8.37	48.2	520	1.49	3.52	0.12	0.66	99.90	22.9	71	11.10	97.6	5.13
C385938		1.28	0.26	8.99	64.8	580	2.05	1.03	0.16	0.45	96.20	30.2	81	13.25	46.8	5.95
C385939		2.60	0.16	8.43	62.2	550	2.02	0.44	0.15	0.23	88.40	28.2	77	12.55	43.3	6.26
C385940		1.16	0.06	11.05	50.3	820	2.93	0.30	0.16	0.25	87.80	34.6	103	18.05	38.6	6.66
C385944		1.20	0.26	9.79	69.0	700	2.25	0.82	0.19	0.37	103.50	27.0	91	13.75	58.1	6.07
C385949		1.98	0.08	10.70	38.8	760	2.63	0.30	0.13	0.78	97.70	21.6	96	12.60	52.6	5.12
C385952		1.42	0.04	11.35	78.8	740	2.87	0.32	0.17	0.68	81.00	53.7	97	17.15	46.3	4.81
C385953		1.02	0.11	10.70	46.3	710	2.87	0.30	0.19	0.65	104.00	28.7	94	18.70	55.5	6.74
C385965		1.28	0.14	9.52	80.0	580	2.17	0.38	0.19	0.83	99.70	25.7	93	11.25	61.2	6.87
C385966		1.36	0.06	10.45	41.9	730	2.94	0.37	0.28	0.65	107.50	31.1	95	12.00	58.0	6.42
C385967		1.24	0.17	9.68	88.0	640	2.40	0.43	0.19	1.06	104.00	22.7	87	14.10	83.5	6.43
C385968		1.24	0.12	10.90	40.3	650	2.88	0.53	0.42	2.02	114.00	29.0	106	10.50	67.4	7.30

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385794		25.90	0.20	2.2	6.200	1.95	45.0	125.5	0.96	1570	1.02	0.06	16.1	35.5	640	43.6
C385795		33.50	0.22	2.8	0.704	3.26	41.7	64.2	1.23	1240	0.68	0.11	23.7	46.2	880	12.6
C385796		32.10	0.22	2.4	1.395	3.05	49.5	62.9	1.07	1065	0.52	0.11	21.1	41.1	670	21.0
C385797		30.50	0.21	2.6	2.000	2.95	49.6	65.1	1.16	1255	0.68	0.09	17.1	43.6	740	25.6
C385798		33.10	0.23	2.7	0.928	2.85	41.6	79.3	1.09	1520	1.03	0.08	22.2	41.5	740	24.3
C385799		30.10	0.23	2.4	1.270	2.20	50.0	83.3	1.10	1320	1.51	0.13	17.5	39.0	680	13.1
C385800		29.70	0.25	2.7	3.030	2.66	49.3	72.5	1.08	989	0.86	0.09	17.0	35.2	690	18.0
C385801		32.70	0.22	2.9	3.740	3.14	45.0	62.1	1.17	1000	0.86	0.09	19.2	44.6	720	12.6
C385802		29.70	0.24	2.7	3.150	2.88	50.8	94.6	1.13	1455	0.93	0.07	18.3	35.3	750	32.5
C385803		32.10	0.28	2.7	0.529	3.25	50.4	108.5	1.02	1310	0.74	0.11	22.5	37.8	730	22.3
C385804		31.80	0.26	2.8	0.477	3.05	55.6	156.5	0.84	1620	0.70	0.10	22.5	46.9	730	24.8
C385805		30.10	0.23	2.6	0.701	2.83	48.1	137.0	0.83	2040	0.79	0.08	21.4	45.2	660	60.9
C385806		21.40	0.22	1.7	8.380	1.49	32.6	140.5	0.64	1650	1.90	0.05	12.8	27.2	410	1360.0
C385807		27.00	0.23	2.6	0.444	2.37	43.3	75.8	1.07	2350	8.71	0.06	16.7	40.2	1250	29.8
C385808		27.80	0.22	2.4	0.276	2.53	48.1	172.5	0.55	1345	0.60	0.07	16.6	28.5	800	27.4
C385809		29.20	0.27	3.1	1.640	2.64	55.7	98.7	1.09	1965	0.76	0.07	17.9	32.3	760	36.5
C385810		30.80	0.25	2.8	0.309	2.96	34.0	66.3	1.25	1875	0.33	0.11	20.0	45.9	700	12.4
C385812		19.30	0.21	2.8	0.051	2.91	38.5	39.0	0.71	772	0.86	0.06	13.6	7.8	490	41.2
C385813		33.70	0.28	2.9	0.343	2.82	48.5	70.3	1.12	1220	0.69	0.13	38.5	43.7	610	25.5
C385814		30.40	0.28	2.7	0.175	2.74	54.2	55.9	1.11	770	1.37	0.22	24.3	47.9	650	25.2
C385917		20.80	0.24	3.6	0.053	3.08	42.5	50.9	1.01	894	0.65	0.11	14.1	14.5	670	41.9
C385918		19.80	0.24	3.4	0.055	3.19	40.0	49.2	0.82	543	0.78	0.34	13.7	9.3	620	42.8
C385919		21.10	0.13	3.7	0.062	3.17	43.8	80.1	0.74	579	0.70	0.05	11.1	6.4	630	33.3
C385920		21.20	0.11	3.7	0.059	3.14	39.6	58.8	0.77	835	0.69	0.07	12.9	11.2	710	34.1
C385921		23.00	0.13	3.5	0.103	3.34	41.0	52.4	0.84	657	0.65	0.06	14.0	6.4	740	29.6
C385928		29.00	0.19	2.9	0.087	2.72	50.4	113.0	1.37	940	0.67	0.16	21.1	49.3	1080	32.8
C385933		29.80	0.20	2.8	0.102	3.14	53.2	106.0	1.09	791	0.34	0.14	19.5	40.5	680	8.8
C385936		28.00	0.19	2.7	0.100	3.04	53.0	87.1	0.64	472	0.36	0.12	18.2	34.3	840	10.3
C385937		22.00	0.18	2.5	0.130	2.67	48.1	144.5	0.67	753	0.45	0.11	15.6	36.6	580	173.5
C385938		28.30	0.21	2.5	0.087	2.88	49.2	119.0	0.96	841	1.07	0.12	18.4	44.3	770	19.1
C385939		26.40	0.19	2.6	0.096	2.56	45.2	110.0	1.15	957	1.03	0.11	18.1	33.5	760	17.1
C385940		33.60	0.20	3.6	0.108	3.44	40.1	136.0	1.25	1045	1.28	0.21	25.6	49.5	850	11.5
C385944		29.90	0.20	3.0	0.103	3.28	58.1	145.5	0.81	723	1.31	0.14	20.2	41.5	960	17.2
C385949		34.30	0.20	2.8	0.098	3.72	48.8	149.0	0.98	665	0.27	0.16	22.5	49.2	610	5.8
C385952		35.40	0.20	3.5	0.073	3.51	38.5	122.0	1.98	512	0.29	0.19	20.6	51.0	710	9.3
C385953		33.40	0.21	3.1	0.110	3.04	52.2	141.5	1.18	1150	0.48	0.22	25.2	43.9	920	19.8
C385965		29.60	0.23	2.8	0.110	2.45	50.5	198.0	1.42	934	0.56	0.23	20.7	41.6	910	18.1
C385966		34.30	0.24	3.2	0.116	2.87	53.6	107.0	1.21	1100	0.61	0.71	23.8	47.4	750	15.5
C385967		31.30	0.22	3.2	0.125	2.62	51.7	128.5	1.23	1300	0.45	0.27	23.4	32.9	820	18.5
C385968		34.80	0.26	3.7	0.131	2.55	56.3	101.5	1.40	1175	0.59	1.22	27.0	55.3	990	19.2

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385794		148.5	<0.002	0.74	3.36	17.7	2	50.1	24.1	1.06	0.05	13.5	0.450	1.18	2.0	104
C385795		206.0	<0.002	0.69	2.30	26.6	2	36.6	52.9	1.55	<0.05	13.9	0.691	1.57	2.6	140
C385796		210.0	<0.002	0.50	1.34	22.9	2	93.7	46.5	1.31	<0.05	14.7	0.544	1.74	2.5	115
C385797		210.0	<0.002	0.68	1.45	22.9	2	99.0	37.3	1.12	0.05	13.6	0.473	1.87	2.4	123
C385798		200.0	<0.002	0.18	3.11	23.4	2	52.0	34.1	1.47	<0.05	13.1	0.595	1.63	2.4	128
C385799		172.5	<0.002	0.15	1.86	21.2	2	73.2	38.5	1.16	<0.05	16.0	0.494	1.32	2.3	119
C385800		200.0	<0.002	0.34	1.81	21.7	2	137.5	31.3	1.12	<0.05	13.8	0.439	1.74	2.1	120
C385801		206.0	<0.002	0.56	1.88	23.7	2	133.0	34.7	1.29	<0.05	13.6	0.509	1.86	2.4	133
C385802		207.0	<0.002	0.29	3.59	21.9	2	118.0	28.8	1.19	<0.05	14.7	0.508	1.92	2.4	124
C385803		229.0	<0.002	0.50	5.87	23.8	2	69.4	45.8	1.51	<0.05	15.3	0.643	1.87	2.8	131
C385804		217.0	<0.002	0.27	3.97	24.2	2	44.0	45.6	1.50	<0.05	15.0	0.652	1.72	2.5	125
C385805		200.0	<0.002	0.28	3.92	22.9	2	55.9	44.0	1.43	<0.05	13.9	0.617	1.69	2.3	121
C385806		107.5	<0.002	1.53	5.11	13.0	3	22.0	15.7	0.84	0.27	8.6	0.308	0.97	1.4	78
C385807		169.5	<0.002	0.08	1.02	16.8	2	65.2	36.0	1.12	<0.05	15.5	0.515	1.39	2.2	95
C385808		187.0	<0.002	0.06	1.85	19.2	2	36.9	33.1	1.10	<0.05	12.7	0.481	1.53	2.4	102
C385809		204.0	<0.002	0.22	1.00	21.6	2	109.5	32.2	1.17	0.36	15.9	0.512	1.89	2.9	108
C385810		183.0	<0.002	0.01	0.41	21.9	2	25.8	46.7	1.30	0.05	13.6	0.596	1.35	2.4	116
C385812		233.0	<0.002	0.02	2.15	7.9	1	3.0	22.3	1.34	<0.05	27.1	0.205	1.54	6.2	41
C385813		201.0	<0.002	0.04	2.68	22.0	2	34.0	54.0	2.26	<0.05	13.8	0.547	1.66	3.0	117
C385814		194.0	<0.002	0.31	2.00	22.7	2	15.1	73.2	1.54	0.05	14.3	0.607	1.21	2.9	124
C385917		243.0	<0.002	0.02	0.96	11.6	1	3.2	42.8	1.16	<0.05	25.4	0.316	1.48	4.2	70
C385918		245.0	<0.002	0.03	1.18	10.3	2	3.6	101.0	1.15	<0.05	24.7	0.276	1.55	4.6	58
C385919		245.0	<0.002	0.01	1.01	10.1	1	3.9	19.7	0.99	<0.05	25.1	0.252	1.79	4.4	61
C385920		261.0	<0.002	<0.01	0.84	10.7	2	3.7	22.2	1.04	<0.05	23.4	0.293	1.75	4.9	71
C385921		291.0	<0.002	0.01	0.98	11.5	2	4.0	22.7	1.11	<0.05	24.3	0.318	2.02	5.6	76
C385928		175.0	<0.002	0.67	6.59	21.1	2	4.1	45.7	1.30	<0.05	14.5	0.577	1.18	2.6	111
C385933		204.0	<0.002	1.15	5.18	20.5	2	3.6	35.1	1.23	<0.05	14.4	0.555	1.25	2.6	118
C385936		219.0	<0.002	0.40	18.45	19.4	2	3.4	46.1	1.13	0.05	13.6	0.483	1.56	2.4	102
C385937		159.0	<0.002	0.28	107.50	15.8	1	5.0	39.5	1.14	0.07	13.2	0.413	1.37	2.1	93
C385938		236.0	<0.002	0.62	19.55	20.3	2	3.3	39.6	1.13	<0.05	13.5	0.506	1.79	2.3	107
C385939		213.0	<0.002	0.99	9.35	19.3	2	3.0	38.6	1.12	<0.05	12.3	0.493	1.50	2.1	100
C385940		214.0	<0.002	0.21	5.65	24.1	2	3.9	52.2	1.62	<0.05	14.1	0.724	1.51	2.9	137
C385944		241.0	<0.002	0.72	10.25	21.9	2	4.0	39.8	1.29	<0.05	14.4	0.590	1.73	2.6	117
C385949		217.0	<0.002	0.14	10.20	23.7	2	3.7	49.1	1.39	<0.05	15.4	0.633	1.33	2.6	125
C385952		183.0	<0.002	0.05	5.35	24.2	2	3.8	57.1	1.28	<0.05	13.1	0.600	1.14	2.6	133
C385953		217.0	<0.002	0.20	6.57	26.2	2	3.4	76.3	1.55	<0.05	14.7	0.732	1.12	2.8	148
C385965		163.0	<0.002	0.35	8.21	21.9	2	3.2	50.2	1.28	<0.05	13.6	0.627	0.75	2.6	129
C385966		178.5	<0.002	0.26	4.66	24.1	2	4.1	81.7	1.47	<0.05	14.5	0.665	0.88	2.7	132
C385967		199.0	<0.002	0.07	4.79	26.7	2	6.7	52.1	1.40	<0.05	14.2	0.685	1.02	2.8	128
C385968		166.0	<0.002	0.24	1.09	24.9	2	3.9	113.0	1.67	<0.05	16.4	0.774	0.76	3.0	144

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C385794		15.0	16.2	263	77.9
C385795		12.3	28.8	144	102.5
C385796		9.9	24.6	380	90.6
C385797		11.3	22.1	561	90.0
C385798		18.3	24.9	143	96.3
C385799		17.7	26.0	157	83.8
C385800		11.5	21.1	252	96.5
C385801		9.0	21.3	856	104.5
C385802		12.0	22.8	343	93.5
C385803		14.9	28.2	199	99.1
C385804		12.3	27.2	326	97.7
C385805		13.0	25.5	289	93.6
C385806		11.9	14.1	1430	59.0
C385807		14.8	27.9	201	88.2
C385808		20.4	24.0	367	82.8
C385809		17.6	28.5	289	109.5
C385810		8.4	22.6	158	97.6
C385812		8.2	16.7	126	85.3
C385813		12.9	27.1	156	113.5
C385814		4.3	26.4	123	95.7
C385917		6.1	18.7	229	119.0
C385918		3.2	18.5	229	114.0
C385919		4.3	17.9	178	118.0
C385920		4.7	18.8	174	111.5
C385921		6.1	21.0	106	105.0
C385928		8.8	22.0	104	96.4
C385933		11.3	18.6	72	90.9
C385936		15.6	21.7	68	88.0
C385937		10.6	18.6	144	76.2
C385938		13.9	19.8	142	85.0
C385939		13.9	18.6	93	84.9
C385940		12.4	22.6	128	115.0
C385944		15.1	21.1	205	96.2
C385949		19.0	24.9	156	91.2
C385952		4.0	17.0	117	114.5
C385953		17.9	27.6	166	104.0
C385965		8.7	24.3	127	93.9
C385966		4.6	26.7	141	105.5
C385967		17.5	24.8	113	108.0
C385968		5.0	27.1	163	121.5

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385969		1.50	0.41	10.85	41.1	660	3.03	0.66	0.26	1.64	112.50	34.4	102	10.65	130.0	7.39
C385970		1.22	0.12	9.95	32.1	660	2.53	0.44	0.20	2.80	94.30	24.5	91	10.15	84.5	6.35
C385971		1.16	0.14	12.05	98.9	940	2.79	0.57	0.16	2.83	84.80	19.2	111	15.90	50.5	6.66
C385973		1.08	0.39	10.60	50.1	650	2.76	0.92	0.16	8.27	118.50	22.5	95	13.95	1005.0	6.15
C385974		1.18	0.24	9.60	37.0	570	2.61	0.55	0.19	20.90	110.00	23.5	88	12.35	546.0	6.36
C385975		1.12	0.24	9.23	48.3	590	2.66	0.42	0.19	8.36	74.50	16.6	81	9.31	464.0	5.71
C385976		1.80	0.13	10.70	42.8	760	2.38	0.37	0.20	9.60	82.80	20.7	98	9.63	327.0	6.30
C385977		1.26	4.62	9.53	81.9	620	2.26	31.90	0.16	26.60	103.50	14.2	79	9.56	1410.0	5.70
C385978		1.42	0.88	9.29	74.9	530	2.16	3.24	0.18	8.67	96.70	26.6	86	8.41	282.0	7.10
C385979		1.26	0.24	10.30	60.8	580	2.18	0.80	0.20	7.24	101.00	27.7	97	8.46	187.5	8.31
C385980		1.16	1.27	9.31	33.6	540	1.83	2.22	0.13	4.40	81.40	20.0	82	9.37	345.0	7.83
C385981		1.32	0.21	9.46	79.8	680	2.26	0.65	0.21	2.10	56.70	41.8	81	14.30	220.0	4.05
C385982		1.34	0.37	8.36	80.6	520	1.47	0.90	0.14	3.32	55.20	30.3	105	5.88	174.5	4.23
C385983		1.30	4.66	9.31	45.5	580	1.73	12.80	0.14	8.71	76.10	27.0	78	6.74	180.0	5.36
C385984		1.22	0.27	9.74	38.2	610	2.29	0.39	0.17	7.51	89.40	32.5	85	7.90	152.5	6.17
C385985		1.12	0.17	8.46	34.4	530	1.94	0.48	0.14	6.45	90.00	20.7	74	7.00	97.0	5.87
C385986		0.92	0.24	8.25	40.9	440	1.67	0.59	0.14	4.18	68.10	21.7	73	6.25	84.2	7.66
C385987		1.18	0.37	9.41	226.0	540	1.81	0.77	0.11	3.65	92.10	9.5	81	10.15	144.0	6.38
C385988		1.44	1.42	9.84	62.1	500	1.85	1.46	0.12	14.00	113.00	12.0	83	11.70	597.0	7.41
C385989		1.24	0.54	9.16	86.5	490	1.62	1.45	0.10	3.09	101.00	11.5	82	13.95	122.0	7.09
C385990		1.80	18.50	10.20	341.0	510	2.10	35.60	0.08	8.82	108.50	40.6	90	14.05	373.0	7.81
C385992		1.24	0.11	10.80	22.2	820	3.88	0.51	0.44	0.40	104.00	34.5	95	9.10	39.3	6.37
C385996		1.96	0.15	10.20	15.7	730	2.49	0.44	0.16	0.65	86.40	26.8	94	12.00	52.8	6.78
C385999		1.22	0.02	10.80	5.0	610	2.29	0.13	0.15	2.11	88.10	57.0	107	9.17	15.2	13.30
C386000		1.88	0.07	9.90	35.1	750	2.83	0.38	0.13	3.04	106.50	42.8	96	19.65	65.6	8.84

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385969		34.60	0.23	3.5	0.598	2.70	56.5	106.0	1.36	951	0.54	1.07	25.3	51.7	980	31.6
C385970		31.50	0.24	3.0	0.157	2.79	47.5	89.4	1.21	923	0.63	0.77	22.8	50.2	870	22.7
C385971		37.20	0.21	4.3	0.164	3.96	38.1	130.5	1.43	994	0.73	0.18	29.7	41.0	880	20.2
C385973		33.10	0.24	3.1	0.520	3.49	59.4	211.0	0.91	898	0.70	0.11	23.6	33.2	940	32.8
C385974		28.90	0.26	3.1	0.328	2.85	55.1	101.5	1.34	829	1.17	0.20	21.7	37.1	920	50.7
C385975		27.50	0.22	3.0	0.210	2.73	38.0	79.7	1.28	847	0.98	0.18	21.2	31.1	780	48.9
C385976		33.10	0.23	3.6	0.220	3.44	38.2	103.5	1.24	1470	1.38	0.19	25.7	38.4	960	35.2
C385977		24.00	0.19	3.0	3.930	3.00	47.0	88.7	1.14	1205	1.04	0.12	19.6	24.1	850	221.0
C385978		30.60	0.23	2.9	1.320	2.67	46.0	126.5	1.41	1630	0.81	0.11	19.9	41.9	930	60.3
C385979		33.30	0.27	3.2	0.543	2.89	47.8	110.5	1.37	2440	0.70	0.19	24.1	45.7	790	33.6
C385980		25.20	0.18	3.1	0.312	2.58	34.9	81.5	1.60	2350	0.56	0.11	19.2	40.4	710	43.3
C385981		31.50	0.19	3.0	0.207	3.14	23.8	99.2	2.45	1165	0.38	0.12	17.3	48.6	810	33.0
C385982		26.50	0.16	2.9	0.937	2.86	24.7	61.5	1.27	1160	0.49	0.08	15.4	22.0	730	26.4
C385983		24.70	0.17	2.8	1.200	3.02	34.4	54.7	1.36	1645	0.47	0.10	15.7	35.7	720	439.0
C385984		30.30	0.21	3.1	0.123	2.97	43.2	76.5	1.63	913	0.46	0.17	21.5	47.4	850	42.1
C385985		27.30	0.22	2.6	0.162	2.65	44.8	76.5	1.16	1455	0.51	0.10	19.0	40.4	720	30.6
C385986		28.10	0.21	3.1	0.270	2.26	35.4	103.5	1.16	2010	0.82	0.09	19.3	39.6	760	18.8
C385987		30.90	0.24	3.0	0.239	3.11	47.7	148.0	0.96	1105	0.53	0.11	18.8	23.8	790	22.4
C385988		25.30	0.20	3.0	3.590	2.88	54.0	143.5	1.24	1445	0.74	0.10	18.7	29.7	830	25.2
C385989		29.40	0.20	3.4	0.408	2.74	49.7	80.3	1.05	1310	1.19	0.07	19.3	24.8	810	44.1
C385990		32.10	0.23	3.5	1.460	3.13	49.7	184.0	1.10	2430	1.02	0.08	19.6	35.2	810	932.0
C385992		34.30	0.19	3.9	0.145	2.56	46.0	72.9	1.17	1630	0.88	1.19	23.6	58.8	830	16.3
C385996		32.70	0.22	3.5	0.148	2.99	39.5	81.8	1.17	1300	0.82	0.25	21.5	52.3	850	14.5
C385999		41.50	0.33	3.9	0.206	2.32	36.6	108.0	1.33	1380	1.25	0.15	29.0	60.0	870	5.3
C386000		34.50	0.33	3.4	0.462	2.48	48.2	92.5	1.38	1630	1.17	0.24	27.3	53.0	750	14.7

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385969		172.0	<0.002	0.32	1.36	27.9	2	3.9	79.0	1.61	<0.05	15.7	0.755	0.85	3.0	142
C385970		175.0	<0.002	0.26	1.80	23.7	2	3.4	59.5	1.42	<0.05	14.5	0.657	0.84	2.6	129
C385971		239.0	<0.002	0.25	4.70	27.3	2	5.1	50.5	1.91	<0.05	15.0	0.827	1.43	3.3	155
C385973		231.0	<0.002	0.06	6.49	24.1	2	24.6	41.9	1.46	<0.05	16.1	0.651	1.51	3.1	126
C385974		194.0	<0.002	0.09	2.23	21.4	2	4.2	40.4	1.32	<0.05	15.5	0.619	1.02	2.9	112
C385975		175.5	<0.002	0.05	1.15	20.7	2	3.5	51.2	1.32	<0.05	14.8	0.606	0.88	2.5	107
C385976		192.5	<0.002	0.07	1.96	23.7	2	11.2	37.3	1.62	<0.05	15.5	0.735	0.99	2.8	132
C385977		157.5	<0.002	0.29	10.50	18.9	1	18.4	30.0	1.44	0.05	15.2	0.593	1.22	2.6	112
C385978		179.0	<0.002	0.21	2.63	21.3	2	60.8	32.0	1.24	<0.05	14.6	0.522	1.38	2.5	113
C385979		186.0	<0.002	0.11	2.05	24.3	2	42.5	51.0	1.48	<0.05	14.8	0.696	1.18	2.6	144
C385980		160.0	<0.002	0.29	2.01	21.5	1	50.3	24.9	1.43	<0.05	14.0	0.596	1.28	2.5	126
C385981		147.5	<0.002	0.05	1.02	19.8	2	16.6	31.5	1.08	<0.05	9.7	0.482	1.35	2.2	111
C385982		185.0	<0.002	0.07	0.64	18.5	2	69.3	25.8	0.94	<0.05	13.2	0.451	1.28	2.1	101
C385983		166.0	<0.002	0.06	1.00	19.1	1	26.8	27.7	1.18	0.10	12.7	0.494	1.14	2.1	113
C385984		184.5	<0.002	0.16	1.00	23.1	2	22.4	42.3	1.35	<0.05	13.4	0.629	1.07	2.6	128
C385985		196.5	<0.002	0.15	1.53	20.7	2	32.9	27.7	1.20	<0.05	13.2	0.561	1.29	2.4	113
C385986		171.0	<0.002	0.13	1.89	20.9	2	36.8	28.1	1.24	<0.05	12.7	0.571	1.07	2.4	110
C385987		240.0	<0.002	0.31	7.30	21.7	2	17.8	27.4	1.18	<0.05	13.5	0.552	1.52	2.3	124
C385988		198.0	<0.002	0.57	4.04	20.3	1	31.7	26.1	1.40	0.06	14.5	0.601	1.54	2.5	128
C385989		183.5	<0.002	0.67	5.55	24.3	1	44.9	25.4	1.42	0.05	14.7	0.612	1.76	2.8	128
C385990		216.0	<0.002	0.40	11.95	23.7	3	43.2	27.0	1.42	0.27	15.1	0.615	2.13	3.4	130
C385992		134.5	<0.002	0.05	0.48	27.3	1	6.1	152.0	1.73	<0.05	14.9	0.709	0.86	2.9	151
C385996		151.0	<0.002	0.07	0.87	23.0	1	8.7	62.7	1.58	<0.05	13.1	0.625	1.05	2.8	138
C385999		90.9	0.002	<0.01	0.54	28.0	2	27.7	50.6	2.18	<0.05	18.3	0.700	0.70	3.8	160
C386000		137.0	<0.002	0.18	0.77	25.0	2	10.4	60.0	2.05	<0.05	18.8	0.662	1.20	3.9	146

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 5-AUG-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077763

Method / Analyte / Units / LOR / Sample Description	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
C385969	4.7	29.6	207	114.0
C385970	4.8	29.5	171	101.0
C385971	21.9	28.1	129	142.5
C385973	9.7	28.0	671	104.0
C385974	7.7	25.7	306	99.3
C385975	3.1	23.5	167	102.5
C385976	6.6	27.6	238	114.5
C385977	7.0	26.8	1620	88.4
C385978	8.4	23.3	446	96.9
C385979	10.5	31.1	271	108.0
C385980	10.0	25.9	273	93.4
C385981	4.9	13.3	188	97.0
C385982	5.9	14.0	230	95.4
C385983	7.3	22.5	470	82.8
C385984	3.4	23.4	285	102.5
C385985	8.4	25.8	211	88.0
C385986	8.1	26.1	194	100.5
C385987	13.9	23.0	127	98.9
C385988	19.7	25.1	910	90.3
C385989	19.5	23.5	162	90.1
C385990	31.5	28.0	883	92.2
C385992	2.3	23.0	140	102.0
C385996	4.9	25.7	193	90.2
C385999	10.5	29.1	139	99.6
C386000	7.5	29.2	245	90.0

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : **30-JUL-2007**
Account: MTT

CERTIFICATE VA07077387

Project: TIDD

P.O. No.:

This report is for 23 Rock samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077387

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385651		0.52	>100	4.43	1680.0	140	0.72	503.00	0.04	239.00	48.60	105.5	38	4.09	>10000	17.45
C385652		0.66	43.80	2.51	77.8	170	0.22	544.00	0.02	5.94	31.40	22.4	30	0.60	>10000	8.72
C385653		0.98	19.10	2.90	44.5	40	0.26	86.30	0.01	6.50	21.80	39.0	30	0.41	8530.0	9.20
C385654		0.24	5.24	1.83	12.0	100	0.48	15.80	0.02	26.20	23.10	11.9	22	1.28	580.0	3.86
C385655		0.44	>100	1.23	46.6	40	0.44	26.70	0.01	100.50	9.19	125.0	6	0.86	>10000	11.10
C385656		0.36	>100	1.23	38.7	40	0.28	929.00	0.01	603.00	7.93	104.5	10	0.69	>10000	6.42
C385905		1.06	>100	4.97	2320.0	110	0.78	345.00	0.02	338.00	28.00	478.0	42	3.69	>10000	20.90
C385906		0.28	>100	3.53	890.0	110	0.49	353.00	0.02	573.00	33.40	150.0	28	4.54	>10000	14.65
C385907		1.34	2.05	1.22	28.8	40	0.20	3.03	0.03	2.15	7.79	9.1	19	0.65	469.0	4.11
C385908		0.42	>100	4.17	25.5	500	0.93	231.00	0.13	153.00	55.90	28.8	41	2.40	510.0	7.89
C385909		0.70	0.89	2.34	33.0	80	0.53	3.33	0.04	0.67	18.30	23.5	20	1.43	179.5	11.90
C385910		0.48	0.77	10.75	31.6	770	1.81	1.25	0.12	0.55	109.50	20.7	93	9.72	29.1	6.12
C385911		1.24	8.18	3.28	18.8	180	0.50	15.05	0.06	1.29	37.20	9.8	32	2.29	116.5	3.50
C385912		0.58	0.50	8.55	37.1	570	1.51	0.58	0.10	0.24	70.30	10.6	73	14.80	37.5	6.99
C385913		1.16	>100	4.42	161.0	30	0.12	77.80	0.01	>1000	42.90	150.0	25	0.25	>10000	26.70
C385914		0.54	1.65	3.57	73.4	70	0.74	1.51	0.08	5.05	29.80	22.9	22	3.15	337.0	16.80
C385915		2.96	>100	2.45	64.6	40	0.20	795.00	0.04	509.00	30.40	91.0	32	1.45	>10000	8.68
C385916		0.68	1.30	2.87	37.2	70	0.48	2.96	0.15	8.50	19.00	23.8	31	1.62	281.0	4.02
C385922		0.68	1.51	5.28	7.5	270	1.60	3.19	0.11	2.89	45.30	14.4	54	4.92	119.5	4.66
C385923		0.56	1.02	1.20	6.0	20	0.23	2.22	0.03	1.77	4.16	12.9	16	0.95	269.0	3.94
C385924		0.42	0.38	1.85	18.9	80	0.40	0.91	0.03	0.58	16.85	9.9	24	0.88	68.1	5.84
C385925		1.18	4.49	9.96	14.0	410	1.53	0.51	0.03	7.94	73.80	18.0	92	4.89	915.0	13.95
C385926		0.76	>100	6.20	338.0	330	0.98	1590.00	0.02	539.00	93.80	71.1	61	11.65	>10000	16.70

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077387

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385651		15.00	0.28	1.5	31.300	0.71	25.2	64.9	0.55	1525	2.04	0.02	9.1	37.3	330	9170.0
C385652		9.98	0.12	1.0	30.400	0.12	16.9	52.6	0.41	1235	1.42	0.01	5.6	8.5	160	87.5
C385653		12.45	0.12	0.9	17.300	0.06	11.3	52.9	0.49	1665	0.78	<0.01	5.7	12.4	150	131.0
C385654		6.36	0.07	0.7	2.400	0.24	11.6	71.5	0.21	734	0.80	0.01	4.1	10.7	160	397.0
C385655		5.39	0.12	0.1	61.100	0.08	3.2	31.6	0.23	1220	1.71	<0.01	1.0	58.7	20	513.0
C385656		6.06	0.27	0.2	59.700	0.09	6.1	35.3	0.30	1060	1.28	0.01	1.3	12.5	40	>10000
C385905		20.10	0.31	1.8	78.000	0.56	13.2	139.0	0.93	2670	2.85	0.02	10.8	63.7	250	>10000
C385906		12.75	0.40	1.1	55.000	0.54	17.7	73.0	0.65	1465	1.15	0.01	6.3	75.6	160	>10000
C385907		2.94	0.08	0.3	0.456	0.12	4.3	13.0	0.57	367	0.68	0.02	1.6	20.7	140	73.2
C385908		10.95	0.34	1.1	23.700	0.69	24.9	96.0	0.88	4080	0.53	0.04	6.6	22.7	240	>10000
C385909		5.80	0.22	0.6	0.235	0.24	10.7	31.0	0.86	665	0.53	0.03	3.5	69.3	140	111.5
C385910		29.60	0.22	3.2	0.232	3.61	54.4	100.0	1.10	716	0.40	0.16	20.4	41.9	670	102.0
C385911		9.81	0.11	1.2	0.272	0.83	19.8	99.0	0.63	807	0.56	0.03	5.7	16.3	250	525.0
C385912		21.80	0.19	3.0	0.122	2.58	35.4	93.0	0.67	542	0.57	0.12	16.4	20.1	680	37.6
C385913		19.10	0.59	1.0	353.000	0.06	24.1	58.0	0.93	4210	3.25	0.01	6.4	10.5	260	5300.0
C385914		10.45	0.33	1.1	1.470	0.21	15.0	125.5	1.56	1490	1.74	0.01	6.6	34.9	330	68.5
C385915		10.50	0.29	1.1	47.700	0.23	15.9	69.0	0.46	1255	1.39	0.01	6.1	20.3	200	>10000
C385916		8.34	0.06	1.3	1.625	0.36	8.7	50.8	1.66	1060	0.27	0.01	4.1	21.7	670	81.7
C385922		14.80	0.12	2.1	0.254	1.43	18.8	53.6	0.81	780	0.31	0.07	9.8	20.2	450	114.0
C385923		3.80	0.09	0.3	0.154	0.10	2.5	19.1	0.57	646	0.41	0.01	1.6	19.8	150	44.5
C385924		5.07	0.12	0.6	0.101	0.31	8.7	30.1	0.34	436	0.28	0.04	3.2	22.4	50	34.7
C385925		31.00	0.29	2.7	9.400	2.08	38.9	89.8	1.55	3510	0.64	0.07	17.0	37.0	300	51.3
C385926		26.20	0.70	2.9	38.200	1.96	50.7	36.4	0.46	748	3.84	0.03	13.2	18.4	440	>10000

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077387

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385651		60.2	<0.002	9.25	6.63	10.3	39	90.4	9.0	0.59	1.52	7.6	0.264	1.68	1.4	52
C385652		10.8	<0.002	1.80	5.55	5.3	5	25.3	5.9	0.36	0.67	4.5	0.156	0.11	0.8	34
C385653		4.9	<0.002	1.23	1.82	6.0	2	16.3	3.9	0.35	0.17	4.0	0.158	0.09	0.8	34
C385654		20.2	<0.002	0.67	1.26	3.7	2	9.4	7.0	0.26	<0.05	3.2	0.116	0.29	0.7	23
C385655		8.3	<0.002	6.24	0.89	1.3	8	52.9	1.7	0.06	0.11	0.7	0.021	0.14	0.7	14
C385656		8.7	<0.002	6.01	1.15	1.3	77	27.2	3.2	0.08	4.04	1.1	0.030	2.37	0.5	16
C385905		25.5	<0.002	9.81	9.51	9.4	38	70.1	9.6	0.73	1.46	6.2	0.302	1.28	2.8	64
C385906		44.4	<0.002	>10.0	8.65	6.1	41	35.2	6.9	0.43	1.21	5.0	0.180	1.28	1.0	39
C385907		7.6	<0.002	1.57	0.71	4.1	2	0.7	5.4	0.10	<0.05	1.3	0.043	0.10	0.4	11
C385908		51.2	<0.002	1.76	3.06	7.0	51	11.6	17.5	0.42	1.03	5.6	0.171	0.35	1.0	40
C385909		15.0	<0.002	6.83	4.03	10.4	2	0.7	12.2	0.24	0.12	3.0	0.094	0.44	0.5	25
C385910		200.0	<0.002	0.73	5.78	24.2	2	3.8	47.4	1.46	<0.05	14.9	0.620	1.17	2.7	132
C385911		56.8	<0.002	0.48	4.15	7.4	2	4.1	9.5	0.38	0.12	4.8	0.165	0.47	0.8	38
C385912		185.0	<0.002	1.88	9.45	19.7	2	2.6	34.1	1.16	<0.05	10.4	0.577	1.28	1.9	118
C385913		3.7	<0.002	>10.0	7.17	5.3	45	50.4	1.6	0.38	0.37	4.5	0.180	0.13	0.7	62
C385914		22.4	<0.002	>10.0	13.50	8.1	2	1.5	10.4	0.45	0.08	4.6	0.188	0.39	0.8	39
C385915		19.3	<0.002	5.63	15.80	6.5	50	29.4	3.5	0.39	1.49	5.3	0.171	1.73	0.8	32
C385916		28.0	<0.002	0.15	0.87	7.2	2	40.2	6.3	0.31	<0.05	6.4	0.165	0.29	0.7	26
C385922		102.5	<0.002	0.36	0.78	11.4	2	1.9	27.8	0.71	<0.05	8.3	0.317	0.68	1.3	56
C385923		8.1	<0.002	1.74	0.29	3.7	2	0.9	2.7	0.10	<0.05	1.5	0.049	0.10	0.4	10
C385924		17.3	<0.002	3.15	3.56	3.9	2	0.7	12.4	0.22	<0.05	2.8	0.085	0.09	0.5	16
C385925		133.5	<0.002	0.45	0.82	20.8	4	40.6	28.5	1.21	<0.05	15.1	0.471	0.88	2.7	93
C385926		179.0	<0.002	7.28	3.32	16.1	123	145.5	23.9	0.89	8.62	14.7	0.403	3.54	1.7	86

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077387

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62
	Analyte	W	Y	Zn	Zr	Ag	Cu	Pb	Zn
	Units	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.1	0.1	2	0.5	1	0.001	0.01	0.01
C385651		18.5	9.1	>10000	49.1	249	2.38		1.56
C385652		24.9	6.5	404	31.8		1.580		
C385653		19.1	6.8	527	29.2				
C385654		12.6	5.7	1850	24.9				
C385655		2.3	3.2	7930	4.7	122	5.34		
C385656		4.8	1.7	>10000	7.9	476	2.24	4.46	5.67
C385905		18.1	5.4	>10000	55.8	284	8.29	1.38	2.71
C385906		6.0	9.4	>10000	31.6	266	4.58	1.17	4.84
C385907		0.4	2.5	276	8.9				
C385908		2.2	10.0	>10000	33.0	123		3.20	1.46
C385909		0.4	5.2	279	15.3				
C385910		12.8	21.7	103	88.0				
C385911		6.2	6.2	262	33.7				
C385912		13.8	18.5	93	83.9				
C385913		17.7	9.8	>10000	27.9	106	3.10		16.65
C385914		5.3	10.1	506	29.8				
C385915		10.3	8.6	>10000	44.6	360	2.21	2.64	4.81
C385916		2.4	8.1	550	33.6				
C385922		4.1	13.0	256	54.6				
C385923		1.6	2.1	158	9.1				
C385924		0.5	3.2	90	16.7				
C385925		19.2	18.6	674	78.4				
C385926		18.9	12.2	>10000	84.0	778	3.18	5.15	3.06

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 30-JUL-2007
Account: MTT

CERTIFICATE VA07077182

Project: TIDD

P.O. No.:

This report is for 11 Soil samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077182

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
T39918		0.24	0.6	1.79	57	<10	80	1.1	4	0.13	3.4	37	23	213	4.82	10
T39919		0.26	0.5	1.84	66	<10	100	1.4	6	0.17	5.3	53	24	182	4.85	<10
T39920		0.26	0.2	1.40	69	<10	120	1.0	<2	0.17	1.7	34	17	68	3.73	<10
T39921		0.34	<0.2	1.57	65	<10	110	1.0	2	0.17	2.9	37	20	101	4.49	<10
T39922		0.26	0.5	1.38	41	<10	90	0.7	2	0.12	1.7	16	17	142	3.51	<10
T39923		0.36	0.5	1.65	44	<10	90	1.2	<2	0.26	9.4	32	22	206	4.73	<10
T39924		0.32	0.6	1.55	49	<10	130	1.1	2	0.30	4.9	19	20	121	4.35	<10
T39925		0.26	0.3	1.42	55	<10	120	1.1	2	0.27	5.3	31	22	122	4.36	<10
T39926		0.30	0.3	1.14	39	<10	120	0.8	<2	0.29	3.0	15	20	124	3.40	<10
T39927		0.26	0.4	1.91	61	<10	100	1.4	3	0.26	6.7	37	27	166	5.67	10
T39931		0.24	0.3	2.30	97	<10	100	0.9	6	0.05	0.7	29	26	367	8.56	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077182

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
T39918		<1	0.04	50	0.58	1170	1	0.01	44	830	404	0.01	<2	3	10	<20
T39919		1	0.05	70	0.65	1540	1	0.01	50	910	485	0.01	<2	4	13	20
T39920		<1	0.05	50	0.48	935	1	0.01	40	830	95	0.01	<2	3	14	<20
T39921		<1	0.06	50	0.53	1040	2	0.01	46	940	119	0.01	2	2	14	<20
T39922		<1	0.05	30	0.40	723	2	0.01	27	830	198	0.02	<2	2	11	<20
T39923		<1	0.05	70	0.61	1355	1	0.01	47	880	218	0.01	<2	3	19	20
T39924		<1	0.05	50	0.55	987	1	0.01	40	900	101	0.02	<2	3	20	<20
T39925		<1	0.05	60	0.51	1190	2	0.01	43	850	127	0.02	<2	3	18	<20
T39926		1	0.05	30	0.38	655	2	0.01	31	920	75	0.02	<2	2	22	<20
T39927		<1	0.05	60	0.66	1085	2	0.01	44	900	238	0.02	<2	3	19	<20
T39931		<1	0.06	30	0.72	956	2	0.01	43	1380	53	0.08	6	5	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 30-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07077182

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
T39918		0.01	<10	<10	28	<10	584
T39919		0.01	<10	<10	25	<10	807
T39920		0.01	<10	<10	22	<10	310
T39921		0.01	<10	<10	27	<10	612
T39922		0.01	<10	<10	30	<10	432
T39923		0.01	<10	<10	22	<10	904
T39924		0.01	<10	<10	22	<10	599
T39925		0.01	<10	<10	23	<10	532
T39926		0.01	<10	<10	30	<10	488
T39927		0.01	<10	<10	30	<10	955
T39931		0.01	<10	<10	36	<10	162

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 28-JUL-2007
Account: MTT

CERTIFICATE VA07074016

Project: TIDD

P.O. No.:

This report is for 52 Rock samples submitted to our lab in Vancouver, BC, Canada on 12-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
C385737		1.04	0.22	10.30	27.5	630	2.47	2.06	0.06	2.01	100.00	14.3	87	10.25	483.0	8.51
C385738		1.04	0.56	10.20	55.7	720	2.40	2.19	0.08	1.92	113.50	12.5	80	13.90	242.0	7.61
C385739		0.96	1.04	10.45	474.0	650	2.92	2.44	0.08	5.24	120.00	14.5	86	14.45	510.0	8.59
C385740		1.82	3.84	9.08	248.0	630	2.07	8.31	0.06	2.51	102.00	13.9	79	15.20	684.0	8.98
C385741		1.10	2.87	8.18	5940.0	390	1.64	17.15	0.05	3.86	86.90	27.4	73	7.87	1100.0	12.65
C385742		0.90	1.37	9.24	219.0	460	2.10	55.70	0.05	2.90	91.80	15.6	79	11.45	640.0	11.15
C385743		1.30	7.61	7.58	215.0	360	1.43	22.80	0.05	5.00	86.10	22.5	66	5.27	3810.0	11.00
C385744		0.78	10.45	4.05	150.5	130	0.54	61.50	0.04	8.17	33.50	27.7	42	1.17	4320.0	10.20
C385745		0.76	66.10	1.63	128.0	70	0.27	392.00	0.02	0.61	23.70	8.2	31	0.98	2550.0	8.85
C385746		0.92	91.00	1.77	237.0	70	0.27	632.00	0.02	0.95	20.50	14.5	27	1.11	3060.0	8.95
C385747		0.90	74.90	1.38	190.0	80	0.29	577.00	0.01	0.80	17.00	19.8	25	1.26	2640.0	7.24
C385748		0.82	25.70	3.09	41.3	190	0.53	94.20	0.02	0.54	25.40	6.7	34	2.12	1470.0	5.54
C385749		1.02	28.40	4.28	60.0	300	1.11	85.80	0.02	1.19	48.90	14.4	43	9.55	5140.0	5.00
C385750		1.98	10.80	8.24	43.9	580	2.53	25.90	0.02	1.19	85.80	9.2	60	23.20	987.0	5.86
C385751		1.18	1.01	8.86	10.9	810	4.07	2.61	0.12	4.32	165.50	26.1	29	20.70	869.0	4.80
C385752		0.94	0.43	8.63	7.9	780	3.72	1.09	0.09	2.24	94.50	21.3	10	21.80	721.0	3.66
C385753		1.34	1.00	10.45	53.8	780	2.83	2.17	0.07	4.10	83.30	12.9	86	16.80	345.0	7.27
C385754		1.44	0.76	10.10	45.8	730	2.37	1.46	0.06	4.25	73.70	15.5	85	13.75	212.0	6.87
C385755		1.04	4.08	8.26	28.9	670	1.84	6.01	0.08	8.82	68.90	17.4	71	10.50	545.0	6.12
C385756		1.32	1.16	10.60	24.8	840	2.88	1.83	0.09	6.35	69.80	29.2	91	20.30	234.0	5.90
C385757		1.02	1.60	10.20	26.7	770	2.72	2.48	0.16	5.40	86.10	25.8	89	21.30	209.0	6.39
C385758		1.20	16.35	9.07	17.9	620	2.17	24.80	0.10	32.40	88.60	27.4	75	17.00	1235.0	9.21
C385759		1.36	62.70	5.08	19.8	250	1.25	110.50	0.12	125.00	46.10	27.6	46	7.12	4520.0	8.02
C385760		1.20	11.05	7.93	19.2	390	1.96	16.10	0.75	29.30	88.10	15.5	67	14.55	337.0	8.10
C385761		1.06	6.98	8.85	22.4	550	3.68	11.80	0.33	12.10	144.50	22.2	70	25.10	438.0	5.96
C385762		1.46	4.79	8.25	15.5	450	2.00	7.07	0.07	7.94	86.30	12.9	75	10.25	165.5	6.32
C385763		1.22	0.49	8.97	13.6	520	2.09	0.51	0.04	1.66	56.70	6.2	76	9.87	40.6	5.92
C385764		0.86	0.45	9.73	20.5	560	2.25	0.39	0.07	3.08	70.60	12.7	83	9.90	43.3	6.14
C385765		1.14	1.37	10.45	18.2	460	2.09	1.10	0.20	13.10	44.20	11.1	86	7.74	75.3	6.11
C385766		1.04	0.62	8.61	18.3	500	2.10	0.51	0.06	2.91	50.30	5.9	72	10.45	52.2	6.10
C385767		1.26	0.32	8.99	25.2	520	2.07	0.37	0.06	7.30	47.70	12.3	77	9.46	45.3	5.97
C385768		1.68	0.26	7.85	20.3	400	1.88	0.55	0.06	8.52	39.90	12.1	68	8.01	58.1	6.80
C385769		1.04	0.18	10.35	20.5	580	2.52	0.64	0.09	8.29	62.50	12.9	85	11.80	54.0	6.55
C385770		2.96	0.30	9.68	52.1	460	1.95	1.11	0.11	0.48	77.80	15.9	76	10.60	46.4	7.64
C385771		2.42	4.02	9.70	329.0	480	1.43	39.60	0.07	0.37	73.70	16.0	81	8.44	52.7	9.73
C385772		3.78	0.14	10.20	39.1	610	2.28	0.73	0.13	0.63	88.10	19.1	84	14.65	37.4	6.47
C385773		4.28	0.17	10.25	37.5	580	2.39	1.13	0.12	0.71	84.20	22.3	82	14.20	38.5	6.75
C385774		2.84	0.23	11.45	87.0	690	3.03	3.90	0.12	0.70	85.50	21.5	101	12.65	42.4	7.43
C385775		4.20	0.71	10.85	265.0	580	1.61	9.86	0.10	0.14	84.60	15.1	92	7.82	85.3	9.69
C385776		2.46	0.24	12.95	57.7	680	1.91	2.26	0.12	0.33	78.10	25.3	106	7.55	56.0	12.80

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
C385737		31.60	0.20	2.9	0.835	2.83	52.3	124.0	0.85	1460	1.08	0.06	19.6	32.4	590	20.3
C385738		31.90	0.21	2.9	1.560	2.96	57.3	93.9	1.03	1435	0.58	0.05	14.9	30.8	750	47.0
C385739		32.00	0.23	3.1	4.070	3.10	61.6	114.0	0.93	1135	1.18	0.06	17.8	29.8	880	98.8
C385740		27.10	0.21	2.5	2.530	2.47	53.5	85.7	0.90	1405	1.31	0.04	18.0	21.9	660	306.0
C385741		27.40	0.24	2.2	1.670	1.62	46.4	92.1	0.98	2220	0.92	0.04	16.0	29.8	510	88.4
C385742		29.70	0.22	2.5	1.470	2.19	48.7	105.5	1.10	1920	0.54	0.04	15.7	27.5	520	30.5
C385743		21.50	0.17	2.1	14.350	1.48	44.9	99.7	0.92	1820	0.99	0.05	12.6	25.7	530	14.8
C385744		12.40	0.12	1.1	15.100	0.29	16.9	97.8	0.55	1610	0.85	0.03	7.4	14.1	350	12.4
C385745		7.98	0.13	0.8	50.600	0.22	12.4	22.2	0.17	390	1.21	0.03	4.9	6.9	340	32.9
C385746		7.08	0.13	0.7	42.000	0.26	10.6	24.2	0.18	431	0.47	0.02	4.0	4.2	310	53.5
C385747		5.61	0.12	0.5	35.200	0.33	9.1	21.6	0.08	172	0.56	0.02	2.8	5.4	230	101.5
C385748		10.10	0.08	1.0	10.200	0.65	13.9	58.0	0.29	718	0.93	0.04	5.8	5.3	220	1180.0
C385749		11.65	0.09	1.2	13.100	1.34	26.1	50.4	0.29	497	1.66	0.03	7.1	7.3	240	419.0
C385750		23.70	0.13	2.4	2.430	2.63	47.4	69.9	0.50	832	2.35	0.05	12.6	11.4	420	953.0
C385751		21.30	0.18	3.0	0.774	2.81	61.2	88.9	0.88	1600	1.27	0.04	13.6	26.1	700	102.0
C385752		18.30	0.12	3.0	0.198	2.84	46.8	72.1	0.87	1180	1.25	0.03	11.6	17.8	590	80.8
C385753		30.10	0.16	2.7	1.080	3.25	43.1	74.4	1.02	1650	0.88	0.08	18.6	22.2	730	129.0
C385754		29.90	0.14	2.4	0.401	3.10	36.0	73.0	1.11	2060	0.55	0.09	18.0	30.6	610	117.5
C385755		23.80	0.15	2.1	0.864	2.57	34.6	62.8	0.93	2630	0.53	0.07	14.9	31.0	570	183.0
C385756		30.10	0.13	2.4	1.040	3.47	31.3	65.7	1.09	2940	0.76	0.22	20.1	41.4	420	124.5
C385757		30.70	0.16	2.4	1.010	2.85	43.1	67.1	1.27	3040	0.52	0.79	24.0	41.0	390	180.5
C385758		27.70	0.17	2.2	4.530	2.37	45.1	73.5	1.30	3750	0.43	0.03	17.5	33.5	410	1010.0
C385759		15.75	0.12	1.2	13.550	0.95	18.6	69.6	1.03	2880	1.00	0.02	8.6	21.0	500	4530.0
C385760		22.40	0.15	2.0	2.370	1.86	50.5	97.9	1.67	3890	1.37	0.04	13.0	30.8	3450	1180.0
C385761		24.30	0.19	2.4	1.400	2.41	89.9	168.5	1.39	4470	1.69	0.06	14.1	38.9	1430	2130.0
C385762		22.80	0.14	2.2	1.695	2.24	40.4	61.7	1.10	2110	0.97	0.17	11.7	33.9	440	329.0
C385763		25.30	0.11	2.5	0.144	2.51	30.0	50.9	1.09	1310	0.59	0.23	13.3	25.9	450	45.8
C385764		26.70	0.13	2.7	0.111	2.58	38.3	50.1	1.16	1320	0.52	0.39	14.4	30.5	480	26.1
C385765		30.70	0.13	3.1	0.140	1.79	22.2	65.2	1.31	1750	0.73	2.81	17.7	30.1	700	226.0
C385766		24.60	0.12	2.4	0.137	2.31	27.1	51.0	1.12	1530	0.85	0.37	13.7	19.8	490	104.5
C385767		25.20	0.13	2.5	0.083	2.45	25.3	52.3	1.10	1180	0.66	0.30	13.0	30.6	440	28.1
C385768		22.00	0.11	2.1	0.152	1.94	21.7	57.4	1.14	1030	0.66	0.20	11.5	32.7	380	22.9
C385769		28.40	0.15	3.0	0.122	2.71	36.8	67.0	1.32	1380	0.70	0.40	15.3	37.4	550	20.0
C385770		28.10	0.18	2.7	0.190	2.34	43.0	114.0	1.22	1540	0.44	0.17	20.6	34.5	760	27.5
C385771		30.20	0.19	3.0	1.330	2.24	39.3	120.5	1.14	1860	0.62	0.11	16.8	19.3	760	175.5
C385772		29.30	0.17	2.9	0.125	2.63	45.4	95.8	1.20	1320	0.44	0.23	21.9	40.6	720	24.3
C385773		29.90	0.17	2.9	0.136	2.51	45.0	87.2	1.19	1350	0.48	0.40	24.2	40.1	690	16.8
C385774		34.30	0.21	3.4	0.222	3.16	42.6	85.2	1.23	1180	0.57	0.21	22.9	43.5	670	15.9
C385775		34.70	0.25	3.3	0.564	2.62	43.1	109.0	1.25	1460	1.24	0.17	14.6	31.0	850	17.4
C385776		39.70	0.29	3.7	0.293	2.77	35.6	120.5	1.54	1270	1.30	0.23	17.0	54.6	790	11.9

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385737		202.0	<0.002	0.02	1.24	23.6	2	84.2	37.3	1.29	<0.05	14.4	0.520	2.08	2.7	122
C385738		233.0	0.002	0.23	1.06	25.0	2	123.0	34.9	0.98	<0.05	15.6	0.376	3.10	2.6	120
C385739		236.0	0.002	0.05	2.00	25.6	2	125.5	39.0	1.16	<0.05	16.4	0.428	2.77	3.8	131
C385740		209.0	<0.002	0.08	1.79	22.1	2	152.0	29.9	1.16	<0.05	13.7	0.468	2.27	3.0	110
C385741		125.0	<0.002	0.68	10.90	19.9	3	73.2	20.4	1.03	0.08	13.2	0.414	1.45	2.6	97
C385742		193.0	<0.002	0.11	2.07	20.5	2	80.2	17.3	1.00	0.09	13.5	0.419	3.01	2.5	104
C385743		117.0	<0.002	0.54	1.41	15.0	3	42.0	19.2	0.80	<0.05	10.4	0.371	1.09	2.0	88
C385744		22.5	<0.002	0.81	2.06	7.7	3	18.5	11.7	0.47	0.06	5.4	0.214	0.26	1.1	47
C385745		18.9	<0.002	0.28	5.61	3.7	11	51.0	8.3	0.30	0.42	3.5	0.139	0.21	0.7	30
C385746		21.1	<0.002	0.40	9.11	3.5	13	58.1	6.8	0.25	0.70	3.1	0.110	0.24	0.5	27
C385747		24.9	<0.002	0.31	14.95	2.6	13	74.1	6.6	0.18	0.78	2.5	0.074	0.23	0.6	20
C385748		50.6	<0.002	0.18	3.75	5.7	4	26.5	12.6	0.36	0.24	4.8	0.142	0.51	0.8	35
C385749		135.5	<0.002	0.63	3.89	7.4	3	71.6	10.4	0.48	0.36	6.2	0.185	1.56	1.0	41
C385750		275.0	<0.002	0.06	4.49	14.0	3	144.0	19.1	0.84	0.36	10.7	0.323	3.17	1.8	70
C385751		286.0	<0.002	0.03	1.28	14.0	2	27.7	22.0	1.03	<0.05	18.3	0.354	2.65	6.2	81
C385752		272.0	<0.002	0.04	1.13	10.9	1	4.5	20.3	1.08	<0.05	24.0	0.302	2.80	8.2	66
C385753		222.0	<0.002	0.04	1.35	23.1	2	54.7	44.4	1.36	<0.05	16.1	0.574	2.23	4.0	114
C385754		194.5	<0.002	0.08	1.19	22.7	2	31.7	46.5	1.29	<0.05	13.2	0.555	1.92	3.1	112
C385755		177.0	<0.002	0.31	1.15	17.8	2	32.2	35.0	1.06	0.05	12.2	0.469	1.62	2.5	91
C385756		252.0	<0.002	0.03	0.77	19.5	2	57.5	34.8	1.44	<0.05	13.3	0.529	3.52	3.1	99
C385757		229.0	<0.002	0.03	0.63	19.9	2	55.5	53.8	1.70	<0.05	14.0	0.509	2.75	2.6	94
C385758		215.0	<0.002	0.28	0.61	16.9	3	101.0	14.8	1.18	0.12	14.3	0.437	2.64	2.3	83
C385759		96.2	<0.002	1.22	0.83	8.1	10	66.9	9.1	0.61	0.38	9.0	0.220	1.26	1.4	51
C385760		184.0	<0.002	0.29	0.85	12.6	4	129.0	28.8	0.92	0.10	13.9	0.328	1.65	2.8	81
C385761		217.0	<0.002	0.06	0.95	14.4	3	94.1	27.2	1.04	0.11	15.0	0.363	2.10	3.2	86
C385762		146.5	<0.002	0.55	0.65	17.1	2	46.0	50.3	0.86	0.06	14.2	0.351	1.55	2.8	80
C385763		138.5	<0.002	0.15	0.65	20.0	1	4.2	62.7	0.98	<0.05	14.7	0.411	1.33	2.8	92
C385764		145.5	<0.002	0.62	0.76	20.6	2	3.1	80.2	1.04	<0.05	15.2	0.432	1.17	2.7	96
C385765		102.0	<0.002	0.20	0.57	21.5	4	11.6	126.0	1.30	<0.05	15.1	0.496	0.81	3.1	104
C385766		146.0	<0.002	0.09	0.72	18.8	3	11.4	59.9	0.97	<0.05	13.6	0.395	1.36	2.5	85
C385767		139.5	<0.002	0.63	0.60	18.9	2	3.1	66.7	0.94	<0.05	14.2	0.399	1.00	2.6	89
C385768		116.5	<0.002	0.34	1.47	17.6	2	5.6	53.7	0.82	<0.05	12.7	0.325	0.87	2.2	73
C385769		152.5	<0.002	0.21	0.72	21.0	2	11.5	85.7	1.14	<0.05	16.0	0.444	1.06	2.9	102
C385770		153.5	<0.002	0.21	1.56	21.8	2	27.7	45.2	1.45	<0.05	13.0	0.523	1.52	2.5	113
C385771		148.0	<0.002	0.34	3.19	23.2	2	66.9	36.2	1.17	0.31	13.4	0.487	1.65	2.3	122
C385772		168.5	<0.002	0.11	0.80	24.5	2	4.8	53.1	1.59	<0.05	13.5	0.644	1.27	2.7	131
C385773		168.5	<0.002	0.19	0.98	27.2	2	6.8	57.7	1.68	0.05	13.6	0.603	1.22	2.7	123
C385774		176.0	<0.002	0.17	0.86	30.2	2	16.5	69.6	1.66	0.08	13.1	0.690	1.76	3.0	146
C385775		153.0	<0.002	0.20	1.17	27.1	2	36.7	55.0	1.00	0.10	13.1	0.375	1.57	2.5	128
C385776		113.0	<0.002	0.30	0.58	32.7	2	27.5	67.3	1.15	0.05	12.3	0.468	1.15	2.8	158

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.01
C385737		37.9	23.5	197	94.4	
C385738		37.3	23.6	244	94.7	
C385739		15.5	23.7	802	101.0	
C385740		42.8	19.5	503	84.7	
C385741		32.1	20.8	327	74.1	
C385742		26.4	20.3	251	77.5	
C385743		22.5	16.4	415	61.6	
C385744		15.0	8.1	397	33.3	
C385745		13.6	5.8	122	24.6	
C385746		8.4	3.9	160	19.6	
C385747		6.0	3.0	249	14.8	
C385748		8.1	5.5	192	29.2	
C385749		5.0	5.9	255	38.1	
C385750		10.6	12.9	508	65.6	
C385751		11.9	28.4	542	86.7	
C385752		9.4	23.0	343	90.8	
C385753		17.8	25.3	333	86.5	
C385754		19.2	22.9	272	79.2	
C385755		40.7	22.3	524	68.9	
C385756		28.4	24.8	507	80.3	
C385757		24.3	27.3	447	81.4	
C385758		22.9	25.4	2580	69.9	
C385759		22.2	11.5	>10000	38.3	1.09
C385760		25.5	23.1	2870	64.8	
C385761		15.3	44.6	1520	72.0	
C385762		8.2	18.9	647	69.0	
C385763		2.2	16.7	104	81.4	
C385764		1.7	16.3	138	86.7	
C385765		2.2	17.7	284	98.5	
C385766		2.5	16.5	200	78.7	
C385767		2.3	16.8	187	79.6	
C385768		3.0	14.1	360	68.1	
C385769		2.8	23.4	248	94.5	
C385770		7.9	21.5	133	89.6	
C385771		16.6	15.7	188	101.0	
C385772		46.7	22.4	151	91.9	
C385773		44.2	21.5	205	96.7	
C385774		14.8	22.5	155	110.5	
C385775		7.6	15.6	143	106.5	
C385776		6.7	16.0	211	124.0	

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
C385777		2.70	2.12	9.43	538.0	510	1.93	20.70	0.10	1.93	81.70	12.0	80	9.31	72.3	10.50
C385778		4.34	0.19	10.00	49.5	540	2.33	0.66	0.10	1.13	83.30	21.5	85	15.00	43.5	6.91
C385779		2.98	0.53	9.89	58.4	530	1.93	3.17	0.07	1.82	61.20	21.3	86	10.85	63.5	10.05
C385780		2.64	0.26	8.99	26.0	540	2.78	0.64	0.13	5.93	111.50	27.9	79	14.30	56.4	6.34
C385781		3.76	0.36	8.81	20.3	530	2.70	0.87	0.17	6.47	107.00	31.1	77	14.10	70.5	7.31
C385782		2.86	0.30	10.00	18.3	830	2.96	0.49	0.17	3.70	113.00	25.5	84	14.90	57.5	6.79
C385783		4.16	0.29	9.19	22.8	780	3.36	0.37	0.36	2.61	116.00	31.8	78	11.20	109.0	6.82
C385784		3.00	0.35	9.50	21.4	760	3.02	0.42	0.28	2.06	107.50	34.0	75	7.97	108.0	7.08
C385785		5.58	0.20	10.10	24.6	820	3.12	0.32	0.14	9.03	108.00	24.8	83	12.40	387.0	6.57
C385786		3.84	0.38	8.39	28.1	570	2.09	1.00	0.12	1.18	83.80	11.3	70	8.58	274.0	6.03
C385787		4.18	3.39	6.56	23.1	360	1.10	14.35	0.09	1.67	66.00	13.6	60	4.88	1340.0	8.75
C385657		2.78	10.40	7.92	334.0	300	1.09	87.60	0.04	5.61	88.10	27.3	73	4.74	4730.0	15.05

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
C385777		28.60	0.24	2.9	0.825	2.18	44.7	101.5	1.19	1360	0.87	0.14	16.0	26.7	720	43.8
C385778		28.70	0.20	2.4	0.205	2.61	43.8	156.5	1.05	1140	0.47	0.16	18.0	35.2	750	17.4
C385779		34.30	0.20	2.9	0.335	2.83	27.4	359.0	0.70	1120	0.84	0.12	15.7	41.3	820	23.5
C385780		29.40	0.19	2.8	0.194	2.51	51.7	78.3	1.11	1210	0.53	0.28	21.1	49.9	700	20.9
C385781		27.40	0.20	2.7	0.264	2.22	47.3	79.1	1.36	1510	0.60	0.18	19.8	52.9	760	19.8
C385782		30.90	0.22	2.8	0.212	2.94	52.4	69.2	1.26	1240	0.51	0.33	22.6	48.4	710	13.0
C385783		33.20	0.23	2.8	0.163	2.39	53.8	76.5	1.27	1580	0.59	0.61	24.8	63.2	620	16.8
C385784		29.00	0.21	3.0	0.236	2.05	44.8	74.3	1.40	1500	0.50	1.24	23.0	51.0	710	33.6
C385785		31.70	0.19	2.8	0.189	2.91	46.7	114.5	1.17	1320	1.07	0.26	23.2	44.4	730	15.0
C385786		25.90	0.17	2.3	0.603	2.51	39.0	165.0	0.87	1250	1.23	0.09	17.5	31.2	660	26.1
C385787		21.50	0.19	2.0	3.580	1.58	34.4	105.0	0.66	1560	0.69	0.04	12.6	23.2	510	38.9
C385657		26.80	0.27	2.4	11.800	1.33	41.7	84.6	0.97	2470	0.88	0.03	16.1	23.0	440	13.7

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385777		146.5	<0.002	0.18	1.60	23.3	2	31.6	46.7	1.12	0.16	12.8	0.444	1.32	2.3	114
C385778		174.5	<0.002	0.13	1.26	23.8	2	8.6	46.9	1.31	<0.05	12.3	0.532	1.48	2.4	121
C385779		154.5	<0.002	0.12	3.53	22.3	2	38.6	39.5	0.88	0.06	8.4	0.407	1.61	1.7	127
C385780		166.0	<0.002	0.27	1.01	23.3	2	11.8	58.4	1.19	0.05	12.4	0.557	1.32	2.1	120
C385781		149.0	<0.002	0.18	0.69	20.7	2	17.6	61.9	1.10	<0.05	11.5	0.528	1.19	1.9	109
C385782		180.0	<0.002	0.10	0.67	23.1	2	13.0	69.7	1.25	<0.05	12.5	0.600	1.43	2.1	125
C385783		153.0	<0.002	0.19	0.83	24.4	2	6.2	89.0	1.28	0.05	11.9	0.569	0.94	2.1	119
C385784		129.5	<0.002	0.16	0.58	23.7	2	18.8	108.0	1.29	0.05	12.3	0.585	0.93	2.2	124
C385785		175.0	<0.002	0.08	0.80	24.4	2	7.6	63.8	1.35	<0.05	13.1	0.588	1.25	2.3	129
C385786		165.0	<0.002	0.32	2.35	18.9	2	22.0	34.1	1.04	<0.05	10.7	0.487	1.28	1.7	107
C385787		123.5	<0.002	1.11	2.92	14.3	2	62.9	16.6	0.74	<0.05	9.5	0.346	1.30	1.4	79
C385657		103.0	<0.002	0.71	1.77	17.2	3	68.9	13.6	0.91	0.14	11.3	0.456	1.08	1.8	91

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 28-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07074016

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Zn-OG62 Zn % 0.01
C385777		9.1	17.6	191	97.0	
C385778		17.6	18.4	293	82.2	
C385779		13.9	12.3	502	76.7	
C385780		4.4	19.7	310	72.3	
C385781		4.1	17.3	368	74.9	
C385782		4.8	19.6	303	73.0	
C385783		2.9	22.3	319	79.9	
C385784		2.8	20.1	363	77.3	
C385785		6.2	23.0	257	72.9	
C385786		14.2	16.4	102	58.7	
C385787		34.3	15.3	130	56.7	
C385657		29.4	16.4	354	75.0	

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 18-JUL-2007
Account: MTT

CERTIFICATE VA07070193

Project: TIDD

P.O. No.:

This report is for 185 Soil samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25961		0.18	0.2	2.49	368	<10	240	1.1	2	0.22	<0.5	17	24	46	3.96	10
CC25962		0.22	0.2	2.57	542	<10	150	1.0	3	0.14	0.6	17	28	31	5.44	10
CC25963		0.26	<0.2	1.88	87	<10	210	0.6	2	0.07	<0.5	8	22	22	3.07	10
CC25964		0.20	0.2	1.89	398	<10	170	0.7	3	0.04	<0.5	12	22	26	3.68	10
CC25965		0.20	0.9	0.89	84	<10	110	0.5	2	0.07	<0.5	7	9	34	1.54	<10
CC25966		0.24	0.2	1.61	104	<10	170	<0.5	2	0.07	<0.5	7	21	20	3.57	10
CC25967		0.18	<0.2	1.31	92	<10	50	<0.5	2	0.03	<0.5	6	20	24	6.85	10
CC25968		0.14	<0.2	1.00	39	<10	60	<0.5	2	0.03	<0.5	4	10	14	1.86	<10
CC25969		0.18	0.2	1.08	167	<10	70	<0.5	2	0.02	1.0	8	18	20	4.62	10
CC25970		0.18	<0.2	0.94	54	<10	60	<0.5	2	0.04	<0.5	7	12	13	2.21	<10
CC25971		0.08	<0.2	0.20	14	<10	20	<0.5	<2	0.03	<0.5	2	2	4	0.44	<10
CC25972		0.16	<0.2	2.23	191	<10	160	0.9	2	0.05	0.5	16	26	26	4.32	10
CC25973		0.20	0.5	0.54	78	<10	70	<0.5	<2	0.25	<0.5	3	4	17	0.65	<10
CC25974		0.24	<0.2	2.26	171	<10	260	0.7	2	0.08	<0.5	11	24	16	3.79	10
CC25975		0.18	0.4	2.08	56	<10	230	1.0	<2	0.74	<0.5	16	21	45	3.66	<10
CC25976		0.22	<0.2	1.87	142	<10	200	0.8	<2	0.44	<0.5	18	20	45	4.11	<10
CC25977		0.26	0.2	1.94	318	<10	170	0.9	2	0.14	0.5	21	17	35	4.91	10
CC25978		0.18	0.3	1.53	194	<10	110	0.7	2	0.05	<0.5	20	21	22	4.92	10
CC25979		0.14	0.4	1.84	90	<10	190	0.7	<2	1.06	0.6	13	21	43	2.90	10
CC25980		0.40	0.3	1.72	206	<10	180	0.6	2	0.23	<0.5	17	21	32	3.25	<10
CC25981		0.10	0.3	0.31	<2	<10	30	<0.5	2	0.05	<0.5	1	3	7	0.34	<10
CC25982		0.14	0.4	0.99	247	<10	80	<0.5	<2	0.06	0.6	14	14	17	2.47	<10
CC25983		0.18	0.3	1.08	45	<10	130	<0.5	2	0.08	<0.5	3	10	23	1.06	<10
CC25984		0.26	0.4	1.46	262	<10	40	0.7	<2	0.02	0.6	7	16	38	6.84	<10
CC25985		0.16	0.2	0.27	<2	<10	20	<0.5	2	0.03	<0.5	1	1	2	0.31	<10
CC25986		0.28	0.2	1.60	105	<10	100	0.7	2	0.05	<0.5	9	19	41	3.15	<10
CC25987		0.26	0.5	1.44	28	<10	290	0.7	2	0.08	<0.5	7	17	45	2.17	<10
CC25988		0.16	0.5	1.89	22	<10	250	0.8	2	0.08	0.7	9	22	26	2.87	<10
CC25989		0.24	0.2	2.16	252	<10	160	1.1	2	0.04	0.8	21	27	45	4.16	10
CC25990		0.10	0.7	1.56	307	<10	190	1.5	2	0.27	1.3	36	22	154	3.29	<10
CC25991		0.14	0.2	1.95	146	<10	170	0.5	2	0.12	0.5	10	27	21	3.44	10
CC25992		0.16	<0.2	0.96	96	<10	50	<0.5	3	0.02	<0.5	6	12	13	3.71	10
CC25993		0.16	<0.2	1.08	54	<10	50	<0.5	2	0.02	<0.5	5	19	20	5.52	10
CC25994		0.18	0.2	2.27	185	<10	130	0.6	3	0.10	0.7	13	29	21	5.34	10
CC25995		0.26	<0.2	2.12	97	<10	170	0.8	2	0.14	0.5	13	23	32	3.54	10
CC25996		0.16	0.3	2.60	406	<10	190	0.9	3	0.11	<0.5	11	25	31	3.61	10
CC25997		0.18	0.6	2.41	30	<10	230	0.9	2	0.10	<0.5	12	25	22	3.23	10
CC25998		0.14	0.2	1.72	31	<10	120	0.7	<2	0.23	<0.5	17	18	23	4.96	10
CC25999		0.18	0.8	2.15	525	<10	240	0.7	2	0.90	0.9	7	24	25	3.73	10
CC28001		0.28	0.4	2.71	322	<10	260	1.2	3	0.08	<0.5	26	32	44	5.24	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25961		1	0.09	40	1.46	589	4	0.01	37	850	60	<0.01	4	3	18	<20
CC25962		<1	0.08	40	0.97	572	2	0.01	37	930	52	<0.01	4	3	14	<20
CC25963		<1	0.08	20	0.46	219	3	0.01	24	500	37	<0.01	2	2	13	<20
CC25964		<1	0.06	30	0.43	360	2	0.01	26	420	43	<0.01	<2	2	9	<20
CC25965		1	0.04	20	0.17	217	1	0.02	16	550	31	<0.01	<2	1	8	<20
CC25966		<1	0.06	20	0.34	216	2	0.01	18	500	37	<0.01	<2	2	13	<20
CC25967		<1	0.04	10	0.26	294	2	0.01	15	630	31	<0.01	2	2	6	<20
CC25968		<1	0.04	20	0.16	124	2	0.01	11	490	20	<0.01	<2	1	6	<20
CC25969		<1	0.06	20	0.20	362	2	0.01	14	930	56	<0.01	5	1	7	<20
CC25970		<1	0.03	10	0.10	342	1	0.01	8	480	21	<0.01	<2	1	8	<20
CC25971		<1	0.02	<10	0.03	36	<1	0.03	4	170	13	<0.01	<2	<1	6	<20
CC25972		<1	0.06	40	0.68	438	1	0.01	32	380	39	<0.01	<2	2	12	<20
CC25973		<1	0.02	10	0.07	104	<1	0.03	6	620	23	0.02	<2	1	18	<20
CC25974		1	0.06	30	0.68	372	3	<0.01	25	420	25	<0.01	<2	3	11	<20
CC25975		1	0.09	40	0.97	565	2	0.01	40	880	18	<0.01	2	3	45	<20
CC25976		<1	0.07	40	1.11	790	4	0.01	38	950	25	0.01	4	3	32	<20
CC25977		<1	0.06	20	0.96	649	4	<0.01	34	570	37	<0.01	4	2	15	<20
CC25978		1	0.05	30	0.47	848	2	<0.01	23	600	13	<0.01	5	2	8	<20
CC25979		<1	0.07	20	0.98	635	2	0.01	30	1050	23	0.03	3	2	50	<20
CC25980		1	0.06	30	0.82	491	2	<0.01	31	940	29	<0.01	2	2	20	<20
CC25981		<1	0.02	<10	0.03	18	<1	0.03	3	270	7	<0.01	<2	<1	8	<20
CC25982		<1	0.04	20	0.26	341	2	0.01	16	580	98	<0.01	<2	1	8	<20
CC25983		<1	0.05	20	0.16	58	1	0.02	14	460	15	0.01	<2	1	10	<20
CC25984		<1	0.02	10	0.07	411	1	<0.01	18	880	75	<0.01	5	1	4	<20
CC25985		1	0.02	<10	0.01	13	<1	0.03	2	130	2	<0.01	<2	<1	8	<20
CC25986		<1	0.05	30	0.42	273	1	0.01	29	490	35	<0.01	<2	1	8	<20
CC25987		<1	0.06	40	0.24	203	2	<0.01	19	640	71	<0.01	<2	2	13	<20
CC25988		<1	0.09	20	0.48	259	3	<0.01	31	580	32	<0.01	3	2	11	<20
CC25989		1	0.06	40	0.57	555	1	<0.01	39	460	40	<0.01	3	2	8	<20
CC25990		1	0.07	60	0.31	535	1	0.01	74	1330	276	0.03	<2	1	29	<20
CC25991		<1	0.05	40	0.72	414	1	0.01	28	370	48	<0.01	2	2	15	<20
CC25992		<1	0.03	30	0.12	206	1	0.02	10	710	19	<0.01	3	1	6	<20
CC25993		<1	0.03	30	0.19	180	2	0.01	12	970	14	<0.01	6	1	5	<20
CC25994		1	0.07	40	0.81	493	3	0.01	33	870	37	<0.01	<2	2	15	<20
CC25995		<1	0.10	30	0.65	373	3	0.01	33	800	30	<0.01	2	2	17	<20
CC25996		<1	0.10	20	1.58	450	4	0.01	30	600	87	<0.01	2	3	16	<20
CC25997		<1	0.09	20	1.23	510	7	0.01	31	510	28	0.01	3	3	15	<20
CC25998		<1	0.05	60	0.69	607	2	0.01	27	590	25	0.01	<2	2	18	<20
CC25999		<1	0.06	30	0.95	426	3	0.01	23	2010	143	0.02	<2	2	55	<20
CC28001		<1	0.08	50	0.87	707	2	0.01	53	520	40	<0.01	2	3	9	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25961		0.01	<10	<10	51	<10	171
CC25962		0.01	<10	<10	42	<10	120
CC25963		0.01	<10	<10	61	<10	130
CC25964		0.01	<10	<10	52	<10	119
CC25965		0.01	<10	<10	18	<10	107
CC25966		0.02	<10	<10	56	<10	92
CC25967		0.02	<10	<10	42	<10	99
CC25968		0.01	<10	<10	33	<10	53
CC25969		0.03	<10	<10	69	<10	163
CC25970		0.02	<10	<10	36	<10	81
CC25971		0.01	<10	<10	9	<10	14
CC25972		0.01	<10	<10	31	<10	96
CC25973		0.02	<10	<10	9	<10	24
CC25974		0.01	<10	<10	48	<10	71
CC25975		0.01	<10	<10	33	<10	69
CC25976		0.01	<10	<10	29	<10	88
CC25977		0.01	<10	<10	44	<10	85
CC25978		0.01	<10	<10	32	<10	144
CC25979		0.01	<10	<10	32	<10	89
CC25980		0.02	<10	<10	35	<10	97
CC25981		0.01	<10	<10	7	<10	8
CC25982		0.01	<10	<10	19	<10	90
CC25983		0.01	<10	<10	28	<10	55
CC25984		0.01	<10	<10	24	<10	114
CC25985		0.02	<10	<10	8	<10	5
CC25986		0.01	<10	<10	29	<10	111
CC25987		0.01	<10	<10	43	<10	125
CC25988		0.01	<10	<10	68	<10	195
CC25989		0.01	<10	<10	38	<10	167
CC25990		0.01	<10	<10	36	<10	444
CC25991		0.02	<10	<10	33	<10	228
CC25992		0.03	<10	<10	36	<10	48
CC25993		0.02	<10	<10	44	<10	61
CC25994		0.01	<10	<10	42	<10	114
CC25995		0.01	<10	<10	52	<10	125
CC25996		0.01	<10	<10	60	<10	111
CC25997		0.02	<10	<10	53	<10	84
CC25998		0.01	<10	<10	28	<10	85
CC25999		0.01	<10	<10	60	<10	210
CC28001		0.01	<10	<10	42	<10	144

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28002		0.22	0.3	0.27	12	<10	30	<0.5	<2	0.02	<0.5	<1	2	4	0.41	<10
CC28003		0.30	0.5	1.89	33	<10	310	0.8	2	0.07	<0.5	8	21	21	2.89	10
CC28004		0.20	0.3	1.41	176	<10	210	0.5	<2	0.14	<0.5	9	20	16	3.42	10
CC28005		0.24	0.6	1.73	42	<10	290	0.9	2	0.07	<0.5	6	19	32	2.74	<10
CC28006		0.20	0.5	0.95	68	<10	110	<0.5	<2	0.04	<0.5	3	11	17	1.88	<10
CC28007		0.18	0.3	2.27	47	<10	150	0.9	<2	0.05	0.9	17	29	34	4.63	10
CC28008		0.28	0.2	0.79	15	<10	180	<0.5	<2	0.09	<0.5	3	8	14	1.21	<10
CC28009		0.16	0.7	1.24	43	<10	190	0.6	<2	0.08	<0.5	3	8	31	1.46	<10
CC28010		0.22	0.2	1.51	37	<10	120	<0.5	2	0.04	<0.5	5	17	13	3.38	10
CC28011		0.16	0.2	1.26	28	<10	140	<0.5	<2	0.04	<0.5	5	19	16	2.85	<10
CC28012		0.14	0.5	1.34	89	<10	130	0.6	<2	0.07	<0.5	4	13	23	2.27	<10
CC28013		0.20	0.4	1.59	49	<10	160	0.5	<2	0.04	<0.5	5	19	14	3.09	10
CC28014		0.20	0.4	0.97	206	<10	100	<0.5	<2	0.03	<0.5	4	9	17	1.85	<10
CC28015		0.14	0.4	1.34	141	<10	150	<0.5	<2	0.05	<0.5	3	19	12	2.91	10
CC28016		0.34	0.4	2.60	316	<10	210	1.0	<2	0.02	<0.5	17	31	36	4.90	10
CC28017		0.20	<0.2	2.86	256	<10	160	0.7	2	0.03	0.5	13	34	22	5.61	10
CC28018		0.14	0.3	1.47	280	<10	220	0.6	<2	0.51	1.3	16	16	33	3.85	10
CC28019		0.18	0.4	3.55	81	<10	230	1.5	<2	0.83	<0.5	9	29	27	4.21	10
CC28020		0.12	0.5	2.81	131	<10	330	1.1	<2	0.20	0.6	12	34	22	4.14	10
CC28021		0.22	0.5	2.41	544	<10	260	1.1	2	0.11	0.8	18	26	48	4.78	10
CC28022		0.12	0.3	1.28	133	<10	120	<0.5	<2	0.02	<0.5	5	16	14	2.97	10
CC28023		0.18	0.5	2.33	538	<10	120	0.9	2	0.06	<0.5	16	27	37	4.48	10
CC28024		0.22	0.4	1.84	199	<10	160	0.8	<2	0.10	<0.5	11	22	36	3.77	10
CC28025		0.24	0.5	2.17	46	<10	230	1.0	<2	0.05	0.6	11	26	27	3.91	10
CC28026		0.22	0.3	2.07	32	<10	220	0.9	2	0.04	<0.5	9	26	27	3.21	10
CC28027		0.28	0.5	1.12	22	<10	130	<0.5	<2	0.03	<0.5	3	12	17	1.62	<10
CC28028		0.28	0.2	1.46	14	<10	140	<0.5	2	0.05	<0.5	2	19	10	2.20	10
CC28029		0.32	0.2	1.59	22	<10	190	0.7	<2	0.11	<0.5	9	20	27	2.76	<10
CC28030		0.20	0.2	1.66	29	<10	130	0.5	2	0.05	<0.5	6	21	24	3.30	10
CC28031		0.18	0.3	1.80	25	<10	240	0.7	<2	0.05	<0.5	8	22	29	2.72	<10
CC28032		0.14	0.2	2.13	80	<10	150	0.8	2	0.04	0.9	12	29	29	4.66	10
CC28033		0.22	0.3	1.89	36	<10	170	0.6	<2	0.04	0.5	8	18	20	3.30	10
CC28034		0.18	<0.2	2.03	60	<10	130	0.7	2	0.08	<0.5	11	24	35	3.84	10
CC28035		0.22	0.2	1.67	380	<10	130	<0.5	<2	0.04	<0.5	7	23	15	4.67	10
CC28036		0.18	0.4	1.32	96	<10	90	<0.5	<2	0.03	<0.5	5	14	14	2.11	10
CC28037		0.22	0.4	2.31	76	<10	230	0.7	2	0.03	<0.5	11	29	16	3.86	10
CC28038		0.26	0.2	0.30	10	<10	30	<0.5	<2	0.19	<0.5	<1	2	6	0.39	<10
CC28039		0.10	0.4	2.51	118	<10	250	0.7	2	0.05	<0.5	10	29	18	4.88	10
CC28040		0.14	0.6	1.49	30	<10	90	<0.5	<2	0.02	<0.5	3	14	24	3.28	10
CC28041		0.26	0.2	1.39	151	<10	170	<0.5	<2	0.04	<0.5	4	15	17	2.55	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28002		<1	0.02	<10	0.03	22	<1	0.02	3	240	2	<0.01	<2	<1	6	<20
CC28003		<1	0.08	20	0.48	268	2	0.01	26	480	27	<0.01	3	2	13	<20
CC28004		<1	0.06	20	0.37	309	3	0.01	22	770	34	<0.01	2	1	17	<20
CC28005		<1	0.08	20	0.37	177	2	0.01	27	940	25	0.01	<2	2	11	<20
CC28006		<1	0.04	20	0.15	143	1	0.01	10	830	17	0.01	<2	<1	8	<20
CC28007		<1	0.06	40	0.57	713	2	0.01	32	550	55	<0.01	<2	3	9	<20
CC28008		<1	0.05	20	0.11	99	1	0.01	11	390	12	<0.01	<2	1	13	<20
CC28009		<1	0.07	20	0.14	104	1	0.02	23	700	14	0.01	<2	1	11	<20
CC28010		<1	0.05	20	0.23	291	1	0.01	15	520	36	<0.01	2	2	10	<20
CC28011		<1	0.07	20	0.29	281	4	0.01	18	550	23	<0.01	3	2	9	<20
CC28012		<1	0.05	20	0.24	186	1	0.01	17	490	20	0.01	<2	1	11	<20
CC28013		<1	0.06	30	0.34	217	3	<0.01	20	550	22	<0.01	<2	2	7	<20
CC28014		<1	0.04	10	0.13	159	1	0.02	10	710	29	0.01	<2	<1	7	<20
CC28015		<1	0.06	20	0.22	185	2	0.01	10	640	21	<0.01	<2	1	11	<20
CC28016		<1	0.06	50	0.78	577	1	0.01	43	320	44	<0.01	<2	3	7	<20
CC28017		<1	0.05	50	1.18	482	2	0.01	38	290	32	<0.01	2	3	7	<20
CC28018		<1	0.06	30	0.31	1170	3	0.01	17	990	67	0.04	3	2	31	<20
CC28019		<1	0.11	20	3.46	773	3	0.04	26	940	17	0.02	4	5	50	<20
CC28020		1	0.07	30	1.06	565	2	0.01	26	980	21	0.02	<2	3	18	<20
CC28021		<1	0.08	40	0.64	652	2	0.01	42	410	56	0.01	3	3	14	<20
CC28022		<1	0.06	20	0.21	223	2	0.01	13	640	19	<0.01	<2	1	7	<20
CC28023		<1	0.07	40	0.78	378	2	0.01	39	610	55	<0.01	<2	2	9	<20
CC28024		1	0.07	40	0.49	392	2	0.01	30	970	38	<0.01	<2	2	13	<20
CC28025		<1	0.09	30	0.52	382	2	0.01	32	470	33	<0.01	<2	3	10	<20
CC28026		<1	0.09	20	0.52	283	3	0.01	30	490	30	<0.01	3	3	9	<20
CC28027		<1	0.06	20	0.15	157	2	0.01	9	900	12	0.01	<2	<1	8	<20
CC28028		<1	0.06	20	0.21	142	2	0.01	10	710	18	<0.01	<2	2	10	<20
CC28029		<1	0.09	20	0.43	394	3	0.01	30	850	26	<0.01	2	3	17	<20
CC28030		<1	0.12	20	0.37	307	6	0.01	27	910	23	<0.01	5	2	10	<20
CC28031		<1	0.09	20	0.46	308	3	0.01	31	630	23	<0.01	<2	3	10	<20
CC28032		<1	0.08	50	0.58	642	2	0.01	27	1030	48	<0.01	<2	2	8	<20
CC28033		<1	0.06	30	0.36	281	1	0.01	21	320	26	<0.01	<2	2	11	<20
CC28034		<1	0.08	40	0.59	366	2	0.01	34	780	39	0.02	<2	2	10	<20
CC28035		<1	0.04	20	0.35	357	3	0.01	20	500	31	0.01	<2	2	9	<20
CC28036		<1	0.03	20	0.18	136	2	0.01	10	300	115	0.02	<2	1	7	<20
CC28037		<1	0.07	30	0.76	446	2	0.01	29	370	26	0.02	<2	3	8	<20
CC28038		<1	0.01	<10	0.04	23	<1	0.03	2	710	3	0.03	<2	<1	14	<20
CC28039		1	0.06	40	0.86	455	3	0.01	31	390	29	0.02	3	3	11	<20
CC28040		<1	0.02	40	0.10	113	1	0.01	10	520	19	0.04	<2	1	6	<20
CC28041		<1	0.05	20	0.26	186	2	0.01	15	390	64	0.02	<2	2	10	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28002		0.01	<10	<10	6	<10	9
CC28003		0.01	<10	<10	62	<10	121
CC28004		0.02	<10	<10	44	<10	92
CC28005		0.01	<10	<10	48	<10	127
CC28006		0.01	<10	<10	30	<10	41
CC28007		0.01	<10	<10	46	<10	156
CC28008		0.01	<10	<10	30	<10	50
CC28009		0.01	<10	<10	26	<10	104
CC28010		0.01	<10	<10	51	<10	111
CC28011		0.02	<10	<10	88	<10	106
CC28012		0.01	<10	<10	27	<10	78
CC28013		0.01	<10	<10	61	<10	97
CC28014		0.01	<10	<10	26	<10	66
CC28015		0.02	<10	<10	44	<10	46
CC28016		0.01	<10	<10	35	<10	116
CC28017		<0.01	<10	<10	30	<10	89
CC28018		0.01	<10	<10	34	<10	150
CC28019		0.08	<10	<10	86	<10	74
CC28020		0.02	<10	<10	49	<10	102
CC28021		0.01	<10	<10	41	<10	278
CC28022		0.01	<10	<10	54	<10	97
CC28023		0.01	<10	<10	37	<10	106
CC28024		0.01	<10	<10	44	<10	128
CC28025		0.01	<10	<10	61	<10	159
CC28026		0.01	<10	<10	77	<10	149
CC28027		0.01	<10	<10	38	<10	55
CC28028		0.02	<10	<10	62	<10	52
CC28029		0.01	<10	<10	60	<10	130
CC28030		0.01	<10	<10	78	<10	184
CC28031		0.01	<10	<10	65	<10	136
CC28032		0.01	<10	<10	43	<10	150
CC28033		0.01	<10	<10	42	<10	103
CC28034		0.01	<10	<10	44	<10	111
CC28035		0.03	<10	<10	62	<10	93
CC28036		0.01	<10	<10	43	<10	86
CC28037		0.01	<10	<10	52	<10	103
CC28038		0.03	<10	<10	12	<10	7
CC28039		0.01	<10	<10	53	<10	104
CC28040		0.02	<10	<10	38	<10	42
CC28041		0.01	<10	<10	46	<10	77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC28042		0.24	0.4	1.93	209	<10	330	1.1	<2	0.36	<0.5	12	23	51	3.85	10
CC28043		0.16	0.3	2.38	67	<10	130	0.9	<2	0.04	0.8	16	25	35	4.31	10
CC28044		0.22	0.3	1.72	35	<10	170	0.6	<2	0.03	0.7	7	18	18	3.08	10
CC28045		0.24	0.5	1.93	69	<10	170	0.8	2	0.10	<0.5	11	24	31	3.65	10
CC28046		0.16	0.4	2.09	31	<10	170	0.6	<2	0.03	0.5	7	26	19	3.38	10
CC28047		0.20	0.3	2.74	133	<10	210	1.2	<2	0.04	1.0	15	31	38	4.82	10
CC28048		0.16	0.4	2.32	30	<10	170	0.6	<2	0.02	0.6	8	26	21	4.26	10
CC28049		0.18	0.3	1.96	32	<10	180	0.5	2	0.04	<0.5	6	22	16	3.12	10
CC28050		0.18	<0.2	1.73	90	<10	120	<0.5	<2	0.04	<0.5	8	26	23	5.55	10
CC28051		0.18	0.2	2.82	99	<10	110	1.3	3	0.04	0.8	25	33	52	5.37	10
CC28053		0.20	0.3	0.99	61	<10	70	<0.5	2	0.02	<0.5	5	14	12	3.71	10
CC28054		0.22	0.4	1.91	60	<10	150	0.5	<2	0.04	<0.5	6	22	18	3.77	10
CC28055		0.16	0.4	0.97	22	<10	50	<0.5	<2	0.04	<0.5	3	11	17	2.19	<10
CC28057		0.16	0.4	1.36	216	<10	190	<0.5	2	0.04	<0.5	3	14	15	2.34	10
CC28058		0.30	0.3	1.92	22	<10	200	0.6	<2	0.02	<0.5	7	21	14	2.94	10
CC28059		0.20	0.3	0.58	11	<10	30	<0.5	<2	0.02	<0.5	1	6	10	1.44	<10
CC28060		0.22	0.5	1.88	245	<10	180	0.6	<2	0.04	<0.5	5	22	14	3.24	10
CC28061		0.22	0.2	2.07	148	<10	150	0.9	2	0.07	0.5	17	26	27	3.91	<10
CC28062		0.12	0.2	0.36	6	<10	20	<0.5	<2	0.02	<0.5	1	2	3	0.42	<10
CC28063		0.20	0.5	1.04	134	<10	70	<0.5	2	0.02	<0.5	4	11	25	2.04	10
CC28064		0.20	0.3	0.46	49	<10	40	<0.5	<2	0.03	<0.5	2	6	12	1.23	<10
CC28065		0.16	0.3	1.66	37	<10	100	<0.5	2	0.06	<0.5	7	23	15	3.20	10
CC28066		0.22	0.4	2.38	76	<10	150	1.0	2	0.04	0.7	17	29	37	4.35	10
CC28067		0.18	0.6	2.60	2120	<10	160	1.0	2	0.09	0.7	9	28	29	4.40	10
CC28068		0.18	0.2	1.72	64	<10	170	0.5	<2	0.04	0.5	8	17	22	3.15	10
CC28069		0.24	0.4	1.80	48	<10	170	0.6	<2	0.05	0.7	9	22	23	3.55	10
CC28070		0.16	0.4	0.40	10	<10	40	<0.5	<2	0.03	<0.5	2	3	21	0.41	<10
CC28071		0.18	0.2	1.38	68	<10	70	<0.5	2	0.06	<0.5	7	25	17	4.68	10
CC28072		0.22	0.3	1.36	32	<10	100	<0.5	<2	0.04	<0.5	5	17	11	2.67	10
CC28073		0.24	1.0	1.56	31	<10	260	0.7	2	0.15	0.8	4	21	111	1.89	10
CC28074		0.24	0.5	1.75	127	<10	190	0.8	<2	0.11	<0.5	10	22	43	3.69	10
CC28075		0.22	0.2	1.15	609	<10	80	<0.5	<2	0.04	<0.5	6	18	16	4.47	10
CC28076		0.16	0.3	2.62	69	<10	120	0.7	2	0.03	<0.5	10	28	20	4.93	10
CC28077		0.14	0.4	1.50	160	<10	200	<0.5	<2	0.12	<0.5	5	20	15	2.93	10
CC28078		0.20	0.2	1.48	366	<10	80	<0.5	2	0.03	<0.5	7	22	17	4.57	10
CC28079		0.18	0.5	1.53	176	<10	90	<0.5	2	0.02	0.7	5	26	25	5.29	10
CC28080		0.18	0.5	1.30	177	<10	60	<0.5	2	0.03	<0.5	5	20	16	4.93	10
CC28081		0.18	0.4	2.53	57	<10	130	0.9	2	0.03	0.5	27	27	23	4.17	10
CC28082		0.10	0.4	2.36	41	<10	70	0.5	2	0.04	<0.5	12	32	24	5.33	10
CC28083		0.16	0.4	0.69	9	<10	50	<0.5	<2	0.03	<0.5	1	4	19	0.68	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28042		<1	0.06	40	0.49	408	3	0.01	39	1040	30	0.04	<2	2	37	<20
CC28043		<1	0.08	40	0.63	489	2	0.01	38	450	43	0.02	<2	3	9	<20
CC28044		<1	0.06	20	0.32	279	2	0.01	22	440	27	0.02	2	2	9	<20
CC28045		<1	0.05	20	0.45	382	2	0.01	24	760	50	0.03	2	2	14	<20
CC28046		<1	0.07	20	0.42	422	3	0.01	18	520	28	0.02	<2	3	8	<20
CC28047		<1	0.07	30	0.61	577	3	0.01	37	430	31	0.02	<2	3	10	<20
CC28048		<1	0.07	20	0.46	409	3	<0.01	23	530	37	0.01	3	3	8	<20
CC28049		<1	0.06	20	0.34	271	2	0.01	16	360	41	0.02	<2	2	10	<20
CC28050		<1	0.05	20	0.39	519	3	0.01	19	2420	36	0.04	<2	1	9	<20
CC28051		<1	0.06	40	0.67	846	1	0.01	42	570	33	0.02	2	4	8	<20
CC28053		<1	0.04	20	0.15	235	2	0.01	14	790	26	0.03	<2	1	7	<20
CC28054		<1	0.08	30	0.38	305	3	0.01	21	580	35	0.03	2	2	9	<20
CC28055		<1	0.03	10	0.11	72	1	0.02	12	450	9	0.03	<2	1	9	<20
CC28057		<1	0.05	20	0.20	143	2	0.01	11	590	21	0.03	<2	1	12	<20
CC28058		<1	0.07	20	0.35	336	2	0.01	17	470	17	0.02	2	2	8	<20
CC28059		<1	0.02	10	0.06	56	<1	0.02	4	270	4	0.02	<2	<1	5	<20
CC28060		<1	0.05	30	0.40	259	2	0.01	16	810	34	0.03	<2	2	10	<20
CC28061		<1	0.07	30	0.64	467	2	0.01	36	600	30	0.01	<2	2	10	<20
CC28062		<1	0.02	<10	0.02	18	<1	0.03	2	350	2	0.01	<2	<1	6	<20
CC28063		<1	0.03	30	0.10	212	2	0.01	9	720	47	0.01	<2	<1	6	<20
CC28064		<1	0.03	20	0.08	94	1	0.02	7	340	9	0.01	<2	<1	7	<20
CC28065		<1	0.04	20	0.37	307	2	0.01	19	530	25	0.01	2	2	8	<20
CC28066		<1	0.06	30	0.53	553	2	0.01	35	530	41	0.01	<2	3	10	<20
CC28067		<1	0.08	30	0.52	463	1	0.01	27	740	58	0.02	3	3	12	<20
CC28068		1	0.07	20	0.32	378	1	0.01	20	540	60	0.01	<2	2	11	<20
CC28069		<1	0.08	20	0.42	401	2	0.01	22	380	55	0.02	<2	3	12	<20
CC28070		<1	0.02	<10	0.03	21	<1	0.03	3	400	6	0.02	<2	<1	7	<20
CC28071		1	0.05	20	0.36	415	4	0.01	18	1060	19	0.02	2	2	8	<20
CC28072		<1	0.03	20	0.20	187	6	<0.01	13	350	27	0.02	2	2	7	<20
CC28073		1	0.04	30	0.28	215	2	0.01	32	1050	49	0.04	3	1	18	<20
CC28074		<1	0.08	40	0.43	407	4	0.01	30	600	42	0.02	2	2	16	<20
CC28075		<1	0.05	20	0.25	246	3	0.01	15	670	50	0.03	2	1	10	<20
CC28076		<1	0.06	40	0.71	347	1	0.01	32	620	28	0.03	2	3	8	<20
CC28077		<1	0.06	30	0.38	323	3	0.01	18	940	22	0.04	2	1	16	<20
CC28078		<1	0.04	30	0.34	327	5	0.01	18	420	26	0.03	2	2	7	<20
CC28079		<1	0.04	40	0.23	277	2	0.01	14	600	186	0.04	<2	2	8	<20
CC28080		<1	0.03	30	0.24	277	2	<0.01	16	1080	37	0.04	<2	1	8	<20
CC28081		<1	0.07	40	0.63	428	2	0.01	51	450	33	0.03	<2	2	9	<20
CC28082		1	0.03	30	0.47	461	1	<0.01	26	610	22	0.04	2	2	8	<20
CC28083		<1	0.03	10	0.04	35	<1	0.02	5	430	18	0.03	<2	<1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28042		0.01	<10	<10	39	<10	124
CC28043		0.01	<10	<10	38	<10	181
CC28044		0.01	<10	<10	59	<10	359
CC28045		0.01	<10	<10	49	<10	130
CC28046		0.01	<10	<10	66	<10	110
CC28047		0.02	<10	<10	64	<10	140
CC28048		0.01	<10	<10	70	<10	126
CC28049		0.02	<10	<10	58	<10	104
CC28050		0.02	<10	<10	61	<10	117
CC28051		0.01	<10	<10	39	<10	158
CC28053		0.03	<10	<10	65	<10	83
CC28054		0.01	<10	<10	66	<10	114
CC28055		0.02	<10	<10	20	<10	34
CC28057		0.01	<10	<10	45	<10	49
CC28058		0.01	<10	<10	60	<10	91
CC28059		0.02	<10	<10	18	<10	20
CC28060		0.01	<10	<10	43	<10	73
CC28061		0.01	<10	<10	46	<10	140
CC28062		0.01	<10	<10	6	<10	5
CC28063		0.01	<10	<10	36	<10	47
CC28064		0.02	<10	<10	23	<10	29
CC28065		0.02	<10	<10	45	<10	82
CC28066		0.02	<10	<10	47	<10	110
CC28067		0.01	<10	<10	51	<10	159
CC28068		0.02	<10	<10	54	<10	115
CC28069		0.02	<10	<10	55	<10	197
CC28070		0.01	<10	<10	8	<10	10
CC28071		0.04	<10	<10	85	<10	75
CC28072		0.02	<10	<10	50	<10	52
CC28073		0.01	<10	<10	37	<10	153
CC28074		0.01	<10	<10	65	<10	158
CC28075		0.03	<10	<10	64	<10	78
CC28076		0.01	<10	<10	46	<10	108
CC28077		0.01	<10	<10	46	<10	83
CC28078		0.02	<10	<10	62	<10	97
CC28079		0.01	<10	<10	59	<10	164
CC28080		0.02	<10	<10	43	<10	68
CC28081		0.01	<10	<10	48	<10	178
CC28082		0.02	<10	<10	40	<10	91
CC28083		0.01	<10	<10	12	<10	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28084		0.20	0.6	0.40	76	<10	30	<0.5	<2	0.02	<0.5	2	5	9	1.41	<10
CC28085		0.26	0.5	1.93	22	<10	190	<0.5	<2	0.04	<0.5	6	21	15	3.23	10
CC28086		0.24	0.4	2.16	77	<10	170	1.1	<2	0.10	0.9	13	24	51	4.19	10
CC28087		0.28	0.6	2.52	74	<10	220	1.0	2	0.08	0.7	12	24	35	3.45	10
CC28088		0.24	0.3	1.90	42	<10	180	0.6	<2	0.04	0.5	5	22	19	3.12	10
CC28089		0.12	0.4	1.79	102	<10	140	0.6	<2	0.04	0.8	9	21	24	3.88	10
CC28090		0.20	0.4	1.46	18	<10	170	<0.5	<2	0.03	<0.5	3	17	15	2.22	10
CC28091		0.24	0.4	1.85	27	<10	190	<0.5	<2	0.04	<0.5	6	20	15	3.14	10
CC28092		0.22	0.7	2.03	62	<10	230	0.9	<2	0.06	0.6	11	24	31	3.98	10
CC28093		0.18	0.6	2.17	133	<10	220	0.8	2	0.06	0.7	15	28	24	5.03	10
CC28094		0.20	0.4	1.48	101	<10	90	<0.5	<2	0.04	<0.5	6	17	15	3.26	10
CC28095		0.30	0.5	1.80	152	<10	160	0.5	<2	0.04	<0.5	9	23	21	4.54	10
CC28096		0.18	0.2	1.54	51	<10	70	<0.5	<2	0.03	<0.5	8	21	18	4.41	10
CC28097		0.24	0.2	2.08	100	<10	120	<0.5	<2	0.03	<0.5	7	24	18	4.75	10
CC28098		0.26	0.3	1.64	298	<10	160	0.5	<2	0.07	<0.5	6	21	21	3.03	<10
CC28099		0.14	0.2	1.47	55	<10	50	<0.5	2	0.04	<0.5	6	21	15	5.13	10
CC28100		0.20	0.4	1.03	37	<10	50	<0.5	<2	0.02	<0.5	4	16	12	2.76	10
CC28101		0.18	0.5	0.87	690	<10	270	<0.5	<2	0.01	<0.5	7	12	16	5.28	<10
CC28102		0.22	0.7	1.30	249	<10	80	1.3	<2	0.02	<0.5	30	14	52	2.76	<10
CC28103		0.16	0.3	1.35	70	<10	70	<0.5	<2	0.04	<0.5	8	19	13	3.37	10
CC28104		0.20	0.5	2.10	149	<10	210	0.9	2	0.03	0.5	16	26	38	5.01	10
CC28105		0.16	0.2	1.52	50	<10	100	<0.5	2	0.03	<0.5	7	19	18	3.83	10
CC28106		0.10	0.5	2.20	174	<10	150	0.7	2	0.02	0.7	8	24	37	3.93	10
CC28107		0.18	0.3	1.48	70	<10	100	<0.5	2	0.06	0.6	9	24	14	3.94	10
CC28108		0.12	0.7	0.36	6	<10	40	<0.5	<2	0.06	<0.5	1	1	10	0.38	<10
CC28109		0.22	0.3	1.34	48	<10	70	0.5	<2	0.07	0.9	7	11	26	2.54	<10
CC28110		0.18	0.7	1.42	29	<10	220	0.5	<2	0.09	0.8	5	12	41	1.98	<10
CC28111		0.16	0.3	0.44	18	<10	30	<0.5	<2	0.02	<0.5	1	1	5	0.59	<10
CC28112		0.24	0.2	1.58	181	<10	80	0.5	<2	0.03	<0.5	10	26	25	5.88	10
CC28113		0.18	0.2	1.53	159	<10	110	0.6	<2	0.04	<0.5	17	22	24	4.47	10
CC28114		0.20	0.2	1.56	88	<10	120	0.6	<2	0.04	<0.5	8	17	30	3.61	10
CC28115		0.12	0.4	1.73	149	<10	90	0.5	<2	0.03	<0.5	10	22	27	5.36	10
CC28116		0.22	0.2	1.54	465	<10	100	0.5	<2	0.05	<0.5	11	17	13	3.45	10
CC28117		0.26	<0.2	2.23	63	<10	130	0.5	<2	0.05	<0.5	9	28	18	4.94	10
CC28118		0.16	0.2	1.82	643	<10	110	0.5	<2	0.06	<0.5	10	24	34	6.24	10
CC28119		0.24	0.2	1.71	79	<10	260	0.5	<2	0.20	<0.5	6	18	20	4.23	10
CC28120		0.10	0.4	0.91	9	<10	60	<0.5	<2	0.03	<0.5	2	6	19	1.88	<10
CC28121		0.16	0.3	1.58	56	<10	110	0.6	<2	0.05	<0.5	16	18	20	4.78	10
CC28122		0.12	0.5	2.18	42	<10	110	0.6	<2	0.04	<0.5	11	17	15	4.67	10
CC28123		0.24	0.2	1.73	65	<10	170	0.9	<2	0.32	<0.5	11	22	27	3.21	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
:/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28084		<1	0.02	10	0.06	130	1	0.02	5	640	13	0.03	<2	<1	5	<20
CC28085		<1	0.08	20	0.25	372	2	<0.01	14	610	19	0.03	2	2	11	<20
CC28086		<1	0.07	20	0.45	700	1	0.01	30	620	46	0.04	2	3	15	<20
CC28087		<1	0.10	30	0.49	440	1	0.01	28	610	76	0.03	<2	4	14	<20
CC28088		<1	0.06	20	0.24	330	1	0.01	11	600	45	0.02	2	2	10	<20
CC28089		<1	0.05	30	0.30	541	2	0.01	20	670	55	0.02	<2	3	8	<20
CC28090		<1	0.06	20	0.17	231	2	<0.01	10	780	30	0.02	<2	2	9	<20
CC28091		<1	0.07	20	0.28	299	2	<0.01	15	490	28	0.02	3	2	12	<20
CC28092		<1	0.06	30	0.36	652	1	0.01	21	1370	33	0.06	<2	2	10	<20
CC28093		<1	0.05	30	0.47	696	2	0.01	23	670	37	0.03	<2	3	12	<20
CC28094		<1	0.05	30	0.25	259	2	0.01	15	420	51	0.03	3	2	7	<20
CC28095		<1	0.07	30	0.38	487	4	0.01	20	1190	33	0.03	<2	2	11	<20
CC28096		<1	0.04	30	0.32	202	2	0.01	21	530	14	0.03	<2	2	7	<20
CC28097		<1	0.05	50	0.54	347	1	0.01	22	630	25	0.04	<2	2	16	<20
CC28098		<1	0.05	20	0.36	287	2	0.01	20	700	22	0.04	<2	1	13	<20
CC28099		<1	0.03	50	0.32	290	1	<0.01	22	1260	13	0.04	3	1	8	<20
CC28100		<1	0.03	20	0.22	171	1	0.01	14	520	11	0.04	<2	1	6	<20
CC28101		<1	0.08	30	0.14	275	2	0.01	12	800	58	0.18	12	1	20	<20
CC28102		<1	0.05	30	0.22	997	1	0.01	20	1120	43	0.06	<2	1	7	<20
CC28103		<1	0.05	20	0.34	409	2	0.01	16	700	41	0.03	<2	2	8	<20
CC28104		<1	0.06	30	0.40	800	2	0.01	26	1020	59	0.03	2	3	9	<20
CC28105		<1	0.04	20	0.25	503	2	0.01	15	930	31	0.04	<2	1	8	<20
CC28106		<1	0.06	30	0.36	460	2	0.01	19	440	141	0.03	<2	3	9	<20
CC28107		<1	0.04	20	0.40	429	2	0.01	19	380	26	0.03	<2	2	11	<20
CC28108		1	0.02	10	0.02	21	<1	0.03	4	450	13	0.02	<2	<1	10	<20
CC28109		1	0.04	20	0.24	390	1	0.02	14	530	72	0.01	<2	1	9	<20
CC28110		1	0.06	20	0.15	215	2	0.01	14	750	83	0.02	<2	1	16	<20
CC28111		1	0.03	<10	0.02	34	<1	0.03	2	220	17	<0.01	<2	<1	6	<20
CC28112		1	0.06	30	0.41	522	3	0.01	23	660	35	0.01	2	3	5	<20
CC28113		1	0.06	30	0.34	949	3	<0.01	27	890	39	0.01	<2	1	10	<20
CC28114		1	0.06	20	0.31	422	2	<0.01	19	840	49	0.02	<2	1	7	<20
CC28115		<1	0.05	30	0.33	382	2	<0.01	20	620	77	0.01	<2	2	7	<20
CC28116		1	0.03	30	0.21	515	1	0.01	13	440	61	<0.01	<2	2	11	<20
CC28117		1	0.07	30	0.54	365	2	0.01	26	410	29	0.01	<2	3	10	<20
CC28118		1	0.06	20	0.59	341	4	0.01	26	890	40	0.02	3	2	10	<20
CC28119		1	0.05	30	0.42	201	2	0.01	20	590	26	0.02	<2	2	26	<20
CC28120		1	0.03	20	0.07	106	1	0.02	6	560	11	0.02	<2	<1	8	<20
CC28121		1	0.05	40	0.32	1040	1	0.01	17	920	39	0.02	<2	1	10	<20
CC28122		<1	0.03	30	0.15	472	1	<0.01	13	670	81	0.01	<2	2	7	<20
CC28123		1	0.06	30	0.44	538	2	0.01	21	890	54	0.02	<2	2	24	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC28084		0.01	<10	<10	16	<10	27
CC28085		0.01	<10	<10	67	<10	76
CC28086		0.01	<10	<10	40	<10	159
CC28087		0.02	<10	<10	56	<10	166
CC28088		0.02	<10	<10	59	<10	100
CC28089		0.02	<10	<10	50	<10	154
CC28090		0.01	<10	<10	56	<10	69
CC28091		0.01	<10	<10	60	<10	89
CC28092		0.01	<10	<10	45	<10	110
CC28093		0.02	<10	<10	50	<10	140
CC28094		0.02	<10	<10	46	<10	78
CC28095		0.02	<10	<10	65	<10	135
CC28096		0.03	<10	<10	53	<10	68
CC28097		0.01	<10	<10	40	<10	83
CC28098		0.01	<10	<10	48	<10	95
CC28099		0.01	<10	<10	32	<10	64
CC28100		0.02	<10	<10	33	<10	67
CC28101		0.01	<10	<10	25	<10	83
CC28102		0.01	<10	<10	25	<10	99
CC28103		0.02	<10	<10	49	<10	94
CC28104		0.01	<10	<10	55	<10	159
CC28105		0.02	<10	<10	48	<10	87
CC28106		0.01	<10	<10	59	<10	176
CC28107		0.02	<10	<10	50	<10	127
CC28108		0.01	<10	<10	6	<10	13
CC28109		0.01	<10	<10	22	<10	153
CC28110		0.01	<10	<10	38	<10	133
CC28111		0.01	<10	<10	9	<10	15
CC28112		0.02	<10	<10	72	<10	165
CC28113		0.02	<10	<10	59	<10	228
CC28114		0.01	<10	<10	52	<10	126
CC28115		0.01	<10	<10	49	<10	176
CC28116		0.01	<10	<10	39	<10	76
CC28117		0.01	<10	<10	54	<10	111
CC28118		0.03	<10	<10	70	<10	155
CC28119		0.01	<10	<10	45	<10	104
CC28120		0.01	<10	<10	18	<10	21
CC28121		0.02	<10	<10	44	<10	95
CC28122		0.01	<10	<10	57	<10	155
CC28123		0.01	<10	<10	44	<10	133

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC28124		0.22	0.2	2.29	209	<10	190	0.9	<2	0.04	<0.5	13	26	26	4.60	10
CC28125		0.24	0.6	2.05	69	<10	130	0.7	<2	0.04	0.7	12	26	26	4.98	10
CC28126		0.18	0.2	1.50	46	<10	80	<0.5	<2	0.03	<0.5	8	19	14	4.28	10
CC28127		0.22	0.7	2.56	51	<10	180	1.3	<2	0.04	1.2	26	28	51	4.85	<10
CC28128		0.24	0.7	1.94	61	<10	110	0.6	<2	0.04	<0.5	10	22	27	4.21	10
CC28129		0.12	0.3	1.83	44	<10	140	0.6	<2	0.04	<0.5	10	21	21	3.56	10
CC28130		0.14	0.9	1.96	79	<10	110	0.6	2	0.03	0.8	13	21	25	4.51	10
CC28131		0.18	0.4	2.21	93	<10	140	0.8	<2	0.03	<0.5	16	25	34	6.27	10
CC28132		0.18	0.5	1.93	92	<10	90	0.6	<2	0.03	<0.5	10	23	25	4.95	10
CC28133		0.26	0.4	2.23	54	<10	240	0.7	<2	0.04	<0.5	8	25	22	3.73	10
CC28134		0.26	0.7	0.65	31	<10	40	<0.5	<2	0.03	<0.5	2	5	13	1.17	<10
CC28135		0.18	0.6	1.87	73	<10	300	1.2	<2	0.12	<0.5	21	18	66	3.36	<10
CC28136		0.22	<0.2	1.09	60	<10	130	<0.5	<2	0.04	<0.5	5	10	11	2.45	<10
CC28137		0.30	0.5	1.60	30	<10	190	0.7	<2	0.25	<0.5	8	18	24	3.20	10
CC28138		0.20	<0.2	2.44	72	<10	120	0.9	<2	0.14	0.7	14	27	32	5.80	10
CC28139		0.18	0.4	1.97	39	<10	90	0.5	<2	0.04	<0.5	7	20	18	3.50	<10
CC28140		0.22	0.3	1.16	31	<10	90	0.5	<2	0.05	1.7	6	12	106	2.92	<10
CC28141		0.20	0.3	2.19	58	<10	140	0.8	<2	0.03	<0.5	17	26	27	5.04	10
CC28142		0.22	1.6	2.30	72	<10	410	2.1	<2	0.71	<0.5	33	24	124	3.43	<10
CC28143		0.24	0.4	1.87	50	<10	170	0.6	<2	0.03	<0.5	13	25	26	3.77	10
CC28144		0.12	0.8	1.73	111	<10	220	0.7	3	0.08	1.3	10	20	40	3.87	10
CC28145		0.22	<0.2	1.32	27	<10	90	<0.5	2	0.03	<0.5	4	13	13	3.16	10
CC28146		0.22	0.3	2.30	92	<10	110	1.4	3	0.04	1.9	39	28	100	6.51	10
CC28147		0.10	<0.2	1.26	66	<10	60	<0.5	2	0.02	<0.5	4	16	14	4.82	10
CC28148		0.18	0.3	1.30	51	<10	70	0.6	<2	0.05	0.5	14	15	24	2.96	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC28124		1	0.07	30	0.47	585	1	0.01	25	400	103	<0.01	<2	3	11	<20
CC28125		1	0.06	20	0.42	792	2	<0.01	18	1080	53	0.01	<2	3	8	<20
CC28126		1	0.04	20	0.28	459	2	<0.01	15	680	33	<0.01	<2	2	7	<20
CC28127		1	0.09	30	0.51	769	2	<0.01	38	490	140	<0.01	2	4	10	<20
CC28128		<1	0.06	20	0.32	488	2	0.01	18	530	104	<0.01	<2	2	8	<20
CC28129		1	0.06	30	0.30	442	2	<0.01	15	430	75	<0.01	<2	2	8	<20
CC28130		1	0.05	30	0.36	681	2	0.01	18	610	93	0.01	<2	2	6	<20
CC28131		2	0.06	30	0.36	1160	2	0.01	23	1010	99	0.01	<2	3	8	<20
CC28132		<1	0.05	20	0.32	508	2	<0.01	19	690	71	0.01	<2	2	7	<20
CC28133		1	0.09	20	0.38	409	2	<0.01	19	350	64	<0.01	<2	3	11	<20
CC28134		<1	0.03	10	0.07	75	<1	0.02	6	420	16	0.01	<2	<1	5	<20
CC28135		1	0.04	40	0.29	1305	1	0.01	22	1490	49	0.05	<2	3	19	<20
CC28136		<1	0.04	20	0.19	255	1	0.01	11	550	30	<0.01	<2	1	7	<20
CC28137		<1	0.07	30	0.33	284	3	<0.01	21	560	26	<0.01	<2	2	21	<20
CC28138		1	0.07	40	0.72	453	2	0.01	37	460	41	0.01	<2	3	18	<20
CC28139		1	0.05	30	0.33	193	2	0.01	18	490	19	0.01	<2	2	9	<20
CC28140		1	0.03	40	0.16	307	1	0.01	12	830	23	0.02	<2	1	8	<20
CC28141		1	0.07	40	0.54	779	1	0.01	26	610	65	0.01	<2	3	8	<20
CC28142		1	0.03	50	0.30	2000	2	0.01	28	2720	63	0.11	<2	4	78	<20
CC28143		1	0.09	20	0.33	720	2	<0.01	17	1140	47	<0.01	<2	3	8	<20
CC28144		<1	0.07	30	0.27	675	2	<0.01	17	920	160	0.01	<2	2	15	<20
CC28145		<1	0.05	20	0.12	369	2	<0.01	7	620	28	0.01	<2	1	7	<20
CC28146		<1	0.08	50	0.61	1675	1	<0.01	40	610	97	0.01	3	4	9	<20
CC28147		<1	0.04	20	0.13	227	3	<0.01	10	770	24	0.02	<2	1	5	<20
CC28148		<1	0.03	20	0.26	347	1	0.01	16	790	50	0.02	<2	2	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 18-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070193

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC28124		0.01	<10	<10	51	<10	186
CC28125		0.02	<10	<10	54	<10	143
CC28126		0.02	<10	<10	57	<10	86
CC28127		0.01	<10	<10	54	<10	369
CC28128		0.02	<10	<10	53	<10	178
CC28129		0.01	<10	<10	57	<10	181
CC28130		0.02	<10	<10	49	<10	281
CC28131		0.01	<10	<10	57	<10	161
CC28132		0.02	<10	<10	52	<10	117
CC28133		0.01	<10	<10	77	<10	192
CC28134		0.01	<10	<10	15	<10	25
CC28135		0.01	<10	<10	29	<10	119
CC28136		0.02	<10	<10	40	<10	79
CC28137		0.01	<10	<10	59	<10	104
CC28138		0.01	<10	<10	34	<10	155
CC28139		0.02	<10	<10	42	<10	73
CC28140		0.01	<10	<10	29	<10	57
CC28141		0.01	<10	<10	52	<10	177
CC28142		0.01	<10	<10	39	<10	85
CC28143		0.01	<10	<10	63	<10	126
CC28144		0.01	<10	<10	55	<10	238
CC28145		0.02	<10	<10	56	<10	51
CC28146		0.01	<10	<10	41	<10	341
CC28147		0.03	<10	<10	71	<10	81
CC28148		0.02	<10	<10	34	<10	83

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L 15-JUL-2007
Account: MTT

CERTIFICATE VA07070191

Project: TIDD

P.O. No.:

This report is for 178 Soil samples submitted to our lab in Vancouver, BC, Canada on 6-JUL-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25641		0.22	0.5	0.73	3	<10	40	<0.5	<2	0.09	<0.5	2	3	10	0.55	<10
CC25642		0.16	0.6	0.89	15	<10	60	0.7	<2	0.14	<0.5	2	4	63	0.68	<10
CC25643		0.28	0.2	1.39	26	<10	110	<0.5	<2	0.13	<0.5	8	20	23	3.36	<10
CC25644		0.20	0.2	0.92	34	<10	40	<0.5	<2	0.04	<0.5	9	10	20	2.62	<10
CC25645		0.16	1.7	0.43	4	<10	20	<0.5	12	0.03	0.5	3	4	32	1.26	<10
CC25646		0.26	0.8	2.22	21	<10	140	1.0	<2	0.04	0.8	8	18	49	3.85	10
CC25647		0.20	<0.2	1.92	27	<10	80	0.6	<2	0.04	0.9	10	21	44	4.35	10
CC25648		0.26	<0.2	1.74	28	<10	130	0.5	<2	0.03	0.5	9	19	36	3.67	10
CC25649		0.20	0.7	1.58	28	<10	70	<0.5	<2	0.03	<0.5	7	16	43	4.31	10
CC25650		0.32	<0.2	1.74	29	<10	80	<0.5	<2	0.03	0.7	6	18	27	4.13	10
CC25651		0.20	0.6	1.58	33	<10	60	<0.5	5	0.10	1.1	8	19	202	5.17	10
CC25652		0.26	<0.2	1.84	31	<10	100	0.7	2	0.09	1.2	16	21	73	4.04	<10
CC25653		0.22	0.2	2.08	40	<10	110	0.6	<2	0.03	1.2	10	25	27	5.26	10
CC25654		0.22	<0.2	2.10	27	<10	100	0.6	2	0.06	0.6	11	22	36	4.13	<10
CC25655		0.28	0.2	1.36	20	<10	100	<0.5	<2	0.02	<0.5	6	11	25	4.00	10
CC25656		0.20	0.2	0.77	26	<10	40	<0.5	<2	0.02	<0.5	4	9	23	2.05	<10
CC25657		0.24	<0.2	0.82	13	<10	60	<0.5	<2	0.02	<0.5	2	11	13	1.63	10
CC25658		0.26	<0.2	1.85	25	<10	120	0.5	<2	0.04	<0.5	8	22	19	4.11	10
CC25659		0.20	0.6	1.68	34	<10	90	0.6	<2	0.09	0.7	13	20	35	3.95	<10
CC25660		0.18	0.5	2.09	15	<10	280	1.1	<2	0.27	1.9	7	28	92	2.44	10
CC25661		0.40	<0.2	2.13	27	<10	170	1.0	2	0.16	2.1	17	29	80	4.42	10
CC25663		0.10	0.2	1.67	25	<10	180	0.5	<2	0.04	1.2	12	23	20	4.30	10
CC25664		0.18	<0.2	1.86	29	<10	80	0.5	<2	0.07	<0.5	9	23	20	4.75	10
CC25665		0.16	0.3	1.14	22	<10	110	<0.5	<2	0.04	<0.5	7	16	17	3.52	<10
CC25666		0.14	<0.2	1.45	32	<10	80	0.5	<2	0.16	1.1	18	19	53	3.56	<10
CC25667		0.10	0.5	1.74	35	<10	170	1.0	<2	0.10	1.5	9	23	113	3.24	<10
CC25668		0.14	0.3	2.30	232	<10	90	0.8	<2	0.06	1.0	20	24	56	4.97	10
CC25669		0.16	<0.2	2.22	47	<10	170	1.0	<2	0.04	1.1	18	23	56	5.00	10
CC25670		0.18	<0.2	1.78	31	<10	120	0.7	<2	0.13	1.2	18	21	78	4.05	10
CC25671		0.18	<0.2	1.63	30	<10	90	<0.5	<2	0.03	0.5	8	22	19	5.51	10
CC25672		0.14	1.5	1.71	61	<10	80	0.5	15	0.05	1.7	13	29	552	6.62	10
CC25673		0.16	0.5	1.66	36	<10	80	0.5	<2	0.09	2.1	11	20	112	4.32	10
CC25674		0.18	1.0	1.63	39	<10	60	<0.5	2	0.06	0.6	9	21	43	5.28	10
CC25675		0.10	1.2	1.66	75	<10	80	0.7	3	0.08	0.9	12	22	87	4.67	<10
CC25676		0.10	0.4	1.15	13	<10	120	<0.5	<2	0.03	<0.5	4	13	37	1.36	<10
CC25677		0.12	0.2	1.57	41	<10	80	0.7	<2	0.03	<0.5	13	19	35	5.80	<10
CC25678		0.16	0.2	1.78	47	<10	90	<0.5	2	0.05	<0.5	10	20	28	3.99	<10
CC25679		0.12	0.2	1.51	38	<10	130	<0.5	2	0.03	<0.5	8	22	17	4.58	10
CC25680		0.16	0.5	1.34	29	<10	190	<0.5	2	0.03	0.5	6	18	19	3.57	<10
CC25682		0.10	0.3	0.83	13	<10	90	<0.5	<2	0.09	<0.5	1	3	27	0.28	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC25641		<1	0.02	10	0.04	100	<1	0.04	<1	610	7	0.04	2	<1	10	<20
CC25642		<1	0.03	40	0.07	64	<1	0.03	9	850	24	0.08	3	<1	12	<20
CC25643		<1	0.04	20	0.44	286	1	0.01	21	910	23	0.02	3	2	11	<20
CC25644		<1	0.03	20	0.15	359	1	0.02	11	580	25	0.02	4	1	6	<20
CC25645		<1	0.03	<10	0.05	277	<1	0.03	3	420	73	0.02	2	<1	5	<20
CC25646		<1	0.04	20	0.16	273	1	0.01	12	860	54	0.03	4	2	7	<20
CC25647		<1	0.05	20	0.45	425	1	0.01	23	660	30	0.01	4	3	5	<20
CC25648		<1	0.04	20	0.33	283	1	0.01	19	440	32	0.01	3	2	6	<20
CC25649		<1	0.04	30	0.27	281	1	0.01	14	610	29	0.01	6	2	7	<20
CC25650		<1	0.05	30	0.37	355	1	0.01	16	480	30	0.01	4	2	6	<20
CC25651		<1	0.04	30	0.43	580	1	0.01	18	1020	84	0.02	6	2	8	<20
CC25652		<1	0.05	30	0.50	564	<1	0.01	30	690	32	0.01	4	3	8	<20
CC25653		<1	0.04	20	0.45	458	1	0.01	20	670	23	0.02	4	3	6	<20
CC25654		<1	0.05	30	0.48	450	<1	0.01	25	490	33	0.01	4	3	7	<20
CC25655		<1	0.03	20	0.16	335	1	0.01	6	800	44	0.02	6	1	5	<20
CC25656		<1	0.03	10	0.14	136	1	0.02	7	350	24	0.02	2	1	5	<20
CC25657		<1	0.03	20	0.12	82	1	0.01	4	460	14	0.03	2	<1	5	<20
CC25658		<1	0.04	20	0.43	394	1	0.01	21	730	29	0.01	5	2	6	<20
CC25659		<1	0.04	20	0.54	551	<1	0.01	27	750	33	0.02	4	2	7	<20
CC25660		<1	0.07	40	0.56	371	<1	0.02	37	1040	80	0.12	5	2	22	<20
CC25661		<1	0.05	40	0.72	603	1	0.01	36	570	46	0.08	7	3	14	<20
CC25663		<1	0.05	20	0.36	1030	1	0.01	17	1020	40	0.04	4	1	6	<20
CC25664		<1	0.04	20	0.56	609	<1	0.01	23	1210	33	0.02	5	3	6	<20
CC25665		<1	0.04	20	0.26	441	1	0.02	11	950	20	0.02	4	1	7	<20
CC25666		<1	0.04	20	0.49	655	<1	0.01	30	990	34	0.01	4	2	11	<20
CC25667		<1	0.05	50	0.46	374	1	0.01	27	710	32	0.03	3	2	10	<20
CC25668		<1	0.05	30	0.61	680	<1	0.01	34	600	67	0.01	4	3	6	<20
CC25669		<1	0.05	30	0.55	546	1	0.01	29	550	37	0.02	5	3	6	<20
CC25670		<1	0.05	30	0.57	654	1	0.01	35	720	47	0.01	5	3	9	<20
CC25671		<1	0.04	20	0.41	447	1	0.01	17	760	18	0.01	3	2	8	<20
CC25672		<1	0.05	30	0.38	847	2	0.01	26	1600	202	0.05	12	2	8	<20
CC25673		<1	0.05	30	0.49	548	1	0.01	28	850	51	0.03	5	2	7	<20
CC25674		<1	0.05	20	0.48	484	<1	0.01	20	660	41	0.02	4	2	6	<20
CC25675		<1	0.05	20	0.48	487	1	0.01	29	770	114	0.03	6	2	9	<20
CC25676		1	0.03	20	0.14	129	3	0.01	10	410	35	0.03	<2	1	7	<20
CC25677		<1	0.05	30	0.33	580	3	0.01	23	1030	45	0.05	2	2	10	<20
CC25678		<1	0.04	20	0.41	445	1	0.01	19	690	32	0.03	<2	2	7	<20
CC25679		<1	0.05	20	0.28	692	2	0.01	16	1090	34	0.03	<2	2	8	<20
CC25680		1	0.04	20	0.27	329	2	0.01	13	910	30	0.04	2	1	6	<20
CC25682		<1	0.03	10	0.05	25	<1	0.03	5	370	10	0.06	<2	1	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25641		0.02	<10	<10	11	<10	12
CC25642		0.02	<10	<10	9	<10	77
CC25643		0.02	<10	<10	33	<10	110
CC25644		0.02	<10	<10	27	<10	69
CC25645		0.02	<10	<10	12	<10	61
CC25646		0.01	<10	<10	41	<10	97
CC25647		0.01	<10	<10	32	<10	137
CC25648		0.01	<10	<10	40	<10	122
CC25649		0.01	<10	<10	45	<10	125
CC25650		0.01	<10	<10	36	<10	115
CC25651		0.01	<10	<10	31	<10	190
CC25652		0.02	<10	<10	30	<10	186
CC25653		0.01	<10	<10	41	<10	183
CC25654		0.01	<10	<10	32	<10	114
CC25655		0.01	<10	<10	34	<10	87
CC25656		0.02	<10	<10	24	<10	69
CC25657		0.02	<10	<10	30	<10	38
CC25658		0.02	<10	<10	45	<10	115
CC25659		0.02	<10	<10	32	<10	134
CC25660		0.01	<10	<10	29	<10	403
CC25661		0.02	<10	<10	35	<10	319
CC25663		0.02	<10	<10	45	<10	181
CC25664		0.02	<10	<10	36	<10	130
CC25665		0.02	<10	<10	33	<10	83
CC25666		0.02	<10	<10	28	<10	142
CC25667		0.01	<10	<10	37	<10	300
CC25668		0.01	<10	<10	30	<10	198
CC25669		0.01	<10	<10	35	<10	162
CC25670		0.02	<10	<10	30	<10	165
CC25671		0.02	<10	<10	37	<10	105
CC25672		0.02	<10	<10	47	<10	205
CC25673		0.02	<10	<10	30	<10	345
CC25674		0.02	<10	<10	37	<10	135
CC25675		0.01	<10	<10	30	<10	252
CC25676		0.01	<10	<10	29	<10	56
CC25677		0.01	<10	<10	31	<10	162
CC25678		0.02	<10	<10	39	<10	97
CC25679		0.02	<10	<10	52	<10	99
CC25680		0.02	<10	<10	41	<10	95
CC25682		0.02	<10	<10	7	<10	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25683	0.10	0.2	1.20	24	<10	160	<0.5	<2	0.08	<0.5	4	18	14	2.37	<10
CC25684	0.14	0.3	1.41	37	<10	130	0.6	2	0.03	0.6	8	18	58	3.34	<10
CC25685	0.16	<0.2	1.39	38	<10	70	<0.5	<2	0.02	<0.5	8	23	23	4.64	<10
CC25686	0.12	0.2	1.19	40	<10	60	<0.5	<2	0.03	0.7	10	15	24	3.86	<10
CC25687	0.10	0.3	0.95	31	<10	80	<0.5	2	0.03	1.4	11	13	41	3.38	<10
CC25688	0.12	0.4	0.74	42	<10	50	<0.5	3	0.02	0.7	7	13	64	2.91	<10
CC25689	0.12	0.9	1.94	48	<10	90	1.6	11	0.06	2.8	43	14	343	4.55	<10
CC25690	0.12	0.4	1.38	38	<10	110	0.7	3	0.05	0.9	9	20	93	3.63	<10
CC25691	0.10	0.3	1.56	66	<10	110	0.9	2	0.11	1.5	17	22	114	4.95	<10
CC25692	0.16	<0.2	1.44	39	<10	90	<0.5	3	0.10	<0.5	7	18	40	3.34	<10
CC25693	0.14	1.0	1.72	32	<10	210	0.5	2	0.03	0.7	9	19	28	3.82	<10
CC25694	0.18	<0.2	1.24	47	<10	120	<0.5	<2	0.05	<0.5	12	21	30	4.08	<10
CC25699	0.32	0.3	1.21	21	<10	630	0.6	<2	0.21	0.6	9	19	50	2.91	<10
CC25700	0.22	0.2	1.54	18	<10	420	0.5	<2	0.16	0.7	6	22	30	2.32	<10
CC25701	0.16	0.4	1.34	42	<10	180	1.0	2	0.20	5.1	54	22	67	3.82	<10
CC25702	0.30	<0.2	1.67	41	<10	60	0.5	2	0.09	0.6	18	19	51	4.02	<10
CC25703	0.12	<0.2	1.27	24	<10	110	<0.5	2	0.03	0.9	6	17	28	3.45	<10
CC25704	0.22	<0.2	1.76	46	<10	80	0.6	3	0.13	0.8	20	20	77	4.16	<10
CC25705	0.14	0.3	0.94	10	<10	60	<0.5	<2	0.20	<0.5	3	2	47	0.67	<10
CC25706	0.24	0.7	2.08	87	<10	290	2.4	2	0.46	5.8	22	16	334	3.29	<10
CC25707	0.20	1.2	2.41	30	<10	490	1.0	3	0.18	<0.5	7	20	64	2.40	10
CC25708	0.20	0.4	1.48	26	<10	150	<0.5	<2	0.04	<0.5	6	16	15	3.49	10
CC25709	0.24	0.4	1.67	35	<10	180	0.7	2	0.17	1.0	17	22	36	3.55	<10
CC25710	0.22	<0.2	1.69	59	<10	90	<0.5	2	0.06	<0.5	15	26	24	4.75	<10
CC25711	0.10	0.5	0.64	5	<10	100	0.6	<2	0.20	7.3	3	4	146	0.42	<10
CC25712	0.26	0.7	1.61	23	<10	460	1.2	2	0.31	2.8	13	24	106	2.53	<10
CC25713	0.18	0.2	1.72	75	<10	100	0.7	2	0.10	0.7	24	21	64	4.22	<10
CC25714	0.26	<0.2	0.96	54	<10	70	<0.5	2	0.02	<0.5	8	20	20	4.38	10
CC25715	0.24	<0.2	1.76	25	<10	70	<0.5	<2	0.02	<0.5	8	22	21	3.92	<10
CC25716	0.24	0.4	1.59	33	<10	390	0.7	<2	0.21	0.9	11	20	69	3.32	<10
CC25717	0.16	0.5	0.66	4	<10	70	<0.5	<2	0.26	<0.5	1	2	25	0.25	<10
CC25718	0.12	1.1	1.73	62	<10	320	1.6	<2	0.58	5.5	20	15	188	2.91	<10
CC25721	0.18	0.2	0.50	<2	<10	130	<0.5	<2	0.32	0.6	1	1	25	0.24	<10
CC25722	0.14	3.8	3.33	42	<10	480	2.2	3	1.14	4.9	8	29	242	2.15	10
CC25723	0.14	0.8	1.70	30	<10	600	1.0	<2	0.51	0.5	7	18	65	2.59	10
CC25724	0.16	1.4	3.79	108	<10	1320	1.7	<2	0.51	1.0	10	43	96	6.04	10
CC25725	0.18	0.5	1.52	33	<10	210	0.5	2	0.09	<0.5	6	19	34	2.50	10
CC25726	0.16	0.2	2.09	111	<10	180	0.7	2	0.06	0.6	8	23	23	3.76	10
CC25727	0.12	0.3	1.58	18	<10	210	0.6	<2	0.03	<0.5	2	13	29	1.30	<10
CC25728	0.20	0.3	1.81	21	<10	180	0.6	2	0.06	0.5	7	20	23	2.93	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25683		<1	0.04	20	0.32	123	2	0.01	10	770	25	0.04	<2	1	11	<20
CC25684		<1	0.03	30	0.32	630	1	0.01	15	1190	26	0.05	<2	1	6	<20
CC25685		1	0.03	20	0.23	453	2	0.01	16	840	28	0.03	<2	1	5	<20
CC25686		<1	0.05	30	0.26	402	2	0.01	17	660	30	0.03	<2	1	6	<20
CC25687		1	0.04	20	0.11	767	2	0.02	11	820	46	0.04	2	1	7	<20
CC25688		1	0.04	30	0.11	390	2	0.01	11	530	32	0.03	3	<1	5	<20
CC25689		<1	0.04	30	0.11	1680	1	0.02	11	1260	245	0.05	2	1	9	<20
CC25690		1	0.04	40	0.27	314	2	0.01	19	640	47	0.03	<2	1	9	<20
CC25691		<1	0.05	30	0.32	550	2	0.01	31	940	79	0.07	<2	1	14	<20
CC25692		1	0.04	20	0.40	371	1	0.01	18	880	30	0.03	<2	2	9	<20
CC25693		1	0.04	20	0.27	478	2	0.01	15	510	45	0.03	2	2	7	<20
CC25694		<1	0.05	20	0.33	450	3	0.01	19	740	38	0.05	2	1	8	<20
CC25699		<1	0.08	20	0.37	500	2	0.01	28	660	28	0.02	3	3	22	<20
CC25700		<1	0.06	30	0.42	169	1	0.01	24	810	27	0.05	<2	2	15	<20
CC25701		<1	0.06	30	0.32	4330	2	0.02	28	1660	53	0.13	<2	1	18	<20
CC25702		1	0.04	30	0.58	660	1	0.01	28	780	43	0.02	<2	2	7	<20
CC25703		1	0.04	20	0.16	375	2	0.01	15	920	27	0.04	<2	1	9	<20
CC25704		<1	0.04	30	0.57	614	<1	0.01	32	750	40	0.02	3	3	8	<20
CC25705		1	0.02	20	0.05	115	<1	0.04	10	580	13	0.05	<2	<1	20	<20
CC25706		1	0.06	130	0.30	810	1	0.02	62	1200	112	0.12	<2	3	46	<20
CC25707		1	0.09	30	0.28	145	1	0.02	20	1540	46	0.09	<2	2	20	<20
CC25708		<1	0.04	10	0.31	383	2	0.01	14	550	27	0.03	<2	2	8	<20
CC25709		1	0.05	20	0.46	681	1	0.01	26	910	42	0.06	2	1	15	<20
CC25710		1	0.05	20	0.42	667	2	0.01	23	1030	48	0.05	3	1	9	<20
CC25711		<1	0.01	40	0.06	42	1	0.03	20	580	11	0.43	2	1	19	<20
CC25712		<1	0.07	50	0.47	269	2	0.01	45	610	66	0.20	<2	4	34	<20
CC25713		1	0.05	20	0.52	817	1	0.01	34	850	72	0.03	2	2	9	<20
CC25714		1	0.05	20	0.17	461	3	0.01	15	970	33	0.03	2	1	5	<20
CC25715		<1	0.04	30	0.51	425	1	0.01	19	520	38	0.02	<2	2	5	<20
CC25716		<1	0.05	30	0.50	475	1	0.01	28	830	46	0.02	<2	3	22	<20
CC25717		<1	0.02	10	0.03	66	<1	0.03	4	610	13	0.07	<2	<1	17	<20
CC25718		1	0.05	80	0.36	470	1	0.02	64	1220	69	0.75	2	2	45	<20
CC25721		<1	0.02	10	0.04	43	<1	0.05	7	430	7	0.08	<2	<1	17	<20
CC25722		<1	0.18	80	0.57	250	3	0.02	45	990	122	0.71	<2	7	68	<20
CC25723		<1	0.07	20	0.35	291	2	0.02	16	1060	34	0.07	2	2	34	<20
CC25724		2	0.27	20	0.59	371	4	0.01	40	1450	65	0.06	<2	7	43	<20
CC25725		1	0.05	30	0.32	324	1	0.01	16	650	37	0.03	<2	2	12	<20
CC25726		<1	0.08	20	0.41	401	3	0.01	24	770	76	0.02	2	3	9	<20
CC25727		<1	0.09	10	0.18	69	<1	0.03	14	830	25	0.05	2	1	8	<20
CC25728		<1	0.10	20	0.41	313	2	0.01	24	640	21	0.01	4	3	12	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25683		0.01	<10	<10	39	<10	58
CC25684		0.01	<10	<10	31	<10	111
CC25685		0.02	<10	<10	51	<10	110
CC25686		0.01	<10	<10	34	<10	123
CC25687		0.02	<10	<10	40	<10	112
CC25688		0.02	<10	<10	46	<10	127
CC25689		0.02	<10	<10	32	<10	211
CC25690		0.02	<10	<10	43	<10	145
CC25691		0.02	<10	<10	41	<10	257
CC25692		0.02	<10	<10	36	<10	99
CC25693		0.01	<10	<10	50	<10	139
CC25694		0.02	<10	<10	39	<10	111
CC25699		0.02	<10	<10	57	<10	149
CC25700		0.01	<10	<10	34	<10	149
CC25701		0.01	<10	<10	32	<10	238
CC25702		0.02	<10	<10	29	<10	144
CC25703		0.01	<10	<10	38	<10	85
CC25704		0.02	<10	<10	28	<10	168
CC25705		0.02	<10	<10	11	<10	54
CC25706		0.01	<10	<10	27	<10	480
CC25707		0.01	<10	<10	42	<10	134
CC25708		0.03	<10	<10	47	<10	94
CC25709		0.02	<10	<10	36	<10	173
CC25710		0.02	<10	<10	43	<10	135
CC25711		0.02	<10	<10	8	<10	261
CC25712		0.01	<10	<10	48	<10	324
CC25713		0.02	<10	<10	33	<10	172
CC25714		0.04	<10	<10	70	<10	87
CC25715		0.02	<10	<10	39	<10	114
CC25716		0.01	<10	<10	33	<10	126
CC25717		0.02	<10	<10	6	<10	17
CC25718		0.01	<10	<10	24	<10	582
CC25721		0.02	<10	<10	6	<10	70
CC25722		0.01	<10	<10	70	<10	400
CC25723		0.02	<10	<10	39	<10	106
CC25724		0.01	<10	<10	126	<10	239
CC25725		0.01	<10	<10	35	<10	120
CC25726		0.01	<10	<10	56	<10	139
CC25727		0.01	<10	<10	30	<10	72
CC25728		0.02	<10	<10	59	<10	145

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25729		0.24	0.3	2.17	18	<10	260	0.8	<2	0.06	<0.5	9	23	25	3.27	10
CC25730		0.18	0.5	2.16	43	<10	330	1.0	<2	0.09	<0.5	7	25	31	3.34	10
CC25731		0.22	<0.2	2.17	51	<10	190	0.8	2	0.09	<0.5	9	23	27	3.88	<10
CC25732		0.16	<0.2	1.71	54	<10	260	0.6	2	0.13	<0.5	7	23	25	3.97	10
CC25733		0.16	0.5	2.02	34	<10	480	0.8	<2	0.12	<0.5	4	22	46	2.66	10
CC25734		0.24	0.3	2.08	32	<10	290	0.9	2	0.16	0.8	11	23	32	3.17	<10
CC25735		0.24	0.2	1.66	19	<10	240	0.7	<2	0.06	<0.5	4	20	17	2.71	<10
CC25736		0.28	<0.2	2.23	109	<10	190	1.1	2	0.11	0.9	19	24	47	4.67	10
CC25737		0.24	<0.2	2.13	83	<10	120	0.6	<2	0.05	0.5	7	24	19	5.76	10
CC25738		0.36	<0.2	1.82	26	<10	320	0.9	<2	0.09	<0.5	7	20	30	3.02	10
CC25739		0.34	0.5	1.85	27	<10	190	0.6	3	0.05	<0.5	7	25	21	3.08	10
CC25740		0.26	<0.2	1.79	28	<10	180	0.5	2	0.03	<0.5	6	22	17	3.76	10
CC25741		0.22	0.5	1.86	34	<10	320	1.0	2	0.06	0.8	9	22	51	3.66	10
CC25742		0.28	<0.2	2.02	23	<10	220	0.5	2	0.03	<0.5	7	24	21	3.32	10
CC25743		0.18	0.3	2.82	174	<10	250	1.1	2	0.08	0.7	23	29	87	5.72	10
CC25744		0.22	<0.2	1.90	457	<10	90	0.5	3	0.04	<0.5	8	22	26	5.37	10
CC25745		0.22	0.2	1.27	120	<10	60	<0.5	<2	0.02	0.5	5	18	22	5.48	10
CC25746		0.20	2.7	1.53	74	<10	70	0.5	10	0.15	0.8	8	22	143	4.37	<10
CC25747		0.30	0.3	1.88	47	<10	150	0.6	2	0.07	<0.5	8	23	22	3.68	10
CC25748		0.24	<0.2	1.69	19	<10	160	0.5	2	0.04	<0.5	4	20	16	3.13	10
CC25749		0.20	<0.2	1.67	31	<10	160	0.6	<2	0.13	<0.5	10	22	31	3.81	10
CC25750		0.22	<0.2	1.94	33	<10	250	0.8	2	0.06	<0.5	10	25	29	3.61	10
CC25751		0.20	0.2	2.40	112	<10	170	0.7	2	0.04	0.5	11	29	21	4.28	10
CC25752		0.12	0.3	1.75	21	<10	170	<0.5	2	0.05	<0.5	4	24	16	3.37	10
CC25753		0.30	<0.2	1.94	18	<10	300	0.8	<2	0.09	0.6	10	24	29	3.09	<10
CC25754		0.18	0.4	1.46	20	<10	200	0.5	<2	0.03	0.5	4	17	23	2.11	<10
CC25755		0.28	0.2	1.68	12	<10	160	<0.5	<2	0.06	0.5	6	20	18	2.31	<10
CC25756		0.30	0.2	1.83	20	<10	180	0.6	2	0.06	<0.5	6	22	18	2.59	<10
CC25757		0.32	0.5	2.12	20	<10	260	0.8	<2	0.10	<0.5	6	23	28	2.83	<10
CC25758		0.20	0.3	1.71	20	<10	200	0.6	2	0.06	<0.5	5	20	19	2.86	10
CC25759		0.22	0.4	2.19	25	<10	230	0.9	2	0.07	0.8	10	23	26	3.45	<10
CC25760		0.28	<0.2	1.86	17	<10	260	0.8	2	0.07	<0.5	8	17	22	2.75	<10
CC25761		0.34	<0.2	2.28	67	<10	210	0.9	<2	0.03	0.9	10	24	28	4.08	10
CC25762		0.22	0.3	0.87	42	<10	90	<0.5	<2	0.03	<0.5	3	9	11	1.93	<10
CC25763		0.18	0.4	2.64	468	<10	100	1.1	2	0.03	1.7	21	28	105	5.53	10
CC25764		0.18	1.3	0.57	8	<10	40	<0.5	<2	0.04	<0.5	<1	3	27	0.45	<10
CC25765		0.20	<0.2	1.28	51	<10	140	0.6	<2	0.05	0.5	9	17	39	3.08	10
CC25766		0.16	0.4	0.49	34	<10	40	<0.5	<2	0.04	<0.5	2	5	13	0.99	<10
CC25767		0.18	0.4	0.30	4	<10	30	<0.5	<2	0.03	<0.5	1	2	5	0.63	<10
CC25768		0.18	<0.2	1.65	102	<10	130	<0.5	<2	0.04	<0.5	7	20	19	4.51	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC25729		<1	0.11	20	0.44	318	3	0.01	24	650	21	0.02	2	3	13	<20
CC25730		1	0.09	30	0.40	279	2	0.01	21	730	26	0.02	<2	3	13	<20
CC25731		1	0.11	20	0.43	406	3	0.01	23	1070	54	0.02	2	3	12	<20
CC25732		1	0.10	20	0.34	518	2	0.01	18	1410	39	0.02	3	2	16	<20
CC25733		1	0.13	20	0.27	168	3	0.02	25	1720	28	0.04	<2	2	15	<20
CC25734		1	0.11	20	0.51	400	3	0.01	34	980	34	0.02	2	3	19	<20
CC25735		<1	0.09	20	0.27	296	3	<0.01	10	1180	27	0.02	2	2	10	<20
CC25736		<1	0.09	50	0.56	666	1	<0.01	40	830	109	0.02	5	3	11	<20
CC25737		<1	0.09	30	0.42	444	1	0.01	19	1060	37	0.02	4	3	10	<20
CC25738		1	0.09	30	0.38	262	3	0.01	21	500	40	0.01	3	3	13	<20
CC25739		<1	0.10	20	0.45	335	4	<0.01	21	630	31	0.02	<2	3	10	<20
CC25740		1	0.10	20	0.32	523	3	0.01	14	1450	31	0.02	2	3	8	<20
CC25741		<1	0.12	30	0.25	532	2	0.01	24	2230	60	0.03	2	1	15	<20
CC25742		<1	0.10	20	0.36	291	3	0.01	19	480	30	0.01	3	3	10	<20
CC25743		1	0.17	20	0.39	1380	4	0.01	40	1440	119	0.03	4	3	14	<20
CC25744		1	0.06	30	0.37	463	1	0.01	17	730	61	0.02	3	2	8	<20
CC25745		1	0.04	20	0.18	249	2	0.01	11	820	43	0.02	4	1	5	<20
CC25746		1	0.05	20	0.41	469	2	<0.01	22	1450	1120	0.02	2	2	12	<20
CC25747		<1	0.08	20	0.38	427	3	<0.01	19	700	38	0.01	2	3	10	<20
CC25748		<1	0.08	20	0.26	264	2	<0.01	13	680	32	0.02	3	2	9	<20
CC25749		1	0.12	20	0.47	458	2	0.01	26	1040	37	0.01	4	3	14	<20
CC25750		1	0.13	30	0.49	396	3	0.01	25	1030	33	0.02	3	3	12	<20
CC25751		<1	0.08	30	0.52	507	2	<0.01	22	480	42	0.01	2	3	9	<20
CC25752		1	0.09	20	0.35	241	5	0.01	17	750	26	0.01	2	3	10	<20
CC25753		1	0.11	20	0.50	371	3	0.01	29	630	22	0.01	2	3	14	<20
CC25754		1	0.08	20	0.22	220	2	0.01	11	1260	24	0.03	2	1	8	<20
CC25755		<1	0.06	20	0.31	293	4	0.01	14	580	31	0.02	<2	2	8	<20
CC25756		1	0.07	20	0.44	197	3	0.01	22	570	20	0.01	3	2	11	<20
CC25757		1	0.09	20	0.44	233	3	0.01	25	710	31	0.01	2	3	15	<20
CC25758		<1	0.08	20	0.27	355	2	0.01	11	1250	22	0.01	<2	2	12	<20
CC25759		<1	0.09	20	0.47	354	1	0.01	26	560	39	0.01	3	3	13	<20
CC25760		<1	0.08	20	0.38	307	1	0.01	24	570	29	0.01	<2	3	13	<20
CC25761		<1	0.08	30	0.50	474	1	0.01	26	430	36	0.01	4	3	9	<20
CC25762		<1	0.04	10	0.10	131	1	0.02	6	540	28	0.02	3	1	5	<20
CC25763		1	0.07	40	0.64	773	<1	0.01	33	400	75	0.02	5	3	6	<20
CC25764		<1	0.03	10	0.04	22	<1	0.03	3	600	28	0.05	2	1	5	<20
CC25765		<1	0.05	30	0.27	548	1	0.01	13	690	32	0.03	3	1	9	<20
CC25766		<1	0.03	10	0.08	97	<1	0.03	5	380	19	0.02	2	<1	6	<20
CC25767		<1	0.02	<10	0.03	25	<1	0.03	2	370	12	0.02	2	<1	6	<20
CC25768		1	0.07	20	0.33	374	2	0.01	17	870	27	0.02	3	2	10	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25729		0.02	<10	<10	71	<10	140
CC25730		0.01	<10	<10	71	<10	136
CC25731		0.01	<10	<10	63	<10	199
CC25732		0.02	<10	<10	63	<10	127
CC25733		0.01	<10	<10	75	<10	193
CC25734		0.01	<10	<10	68	<10	228
CC25735		0.01	<10	<10	66	<10	85
CC25736		0.03	<10	<10	41	<10	167
CC25737		0.02	<10	<10	58	<10	128
CC25738		0.02	<10	<10	73	<10	120
CC25739		0.01	<10	<10	72	<10	138
CC25740		0.02	<10	<10	78	<10	114
CC25741		0.01	<10	<10	67	<10	139
CC25742		0.01	<10	<10	87	<10	127
CC25743		0.01	<10	<10	81	<10	335
CC25744		0.01	<10	<10	53	<10	118
CC25745		0.03	<10	<10	69	<10	103
CC25746		0.02	<10	<10	43	<10	282
CC25747		0.02	<10	<10	54	<10	121
CC25748		0.01	<10	<10	66	<10	96
CC25749		0.02	<10	<10	56	<10	169
CC25750		0.02	<10	<10	69	<10	165
CC25751		0.01	<10	<10	58	<10	141
CC25752		0.02	<10	<10	99	<10	104
CC25753		0.01	<10	<10	78	<10	170
CC25754		0.01	<10	<10	53	<10	87
CC25755		0.01	<10	<10	52	<10	67
CC25756		0.02	<10	<10	66	<10	124
CC25757		0.01	<10	<10	64	<10	156
CC25758		0.01	<10	<10	56	<10	93
CC25759		0.02	<10	<10	52	<10	167
CC25760		0.02	<10	<10	50	<10	132
CC25761		0.01	<10	<10	52	<10	146
CC25762		0.01	<10	<10	27	<10	48
CC25763		0.01	<10	<10	34	<10	238
CC25764		0.01	<10	<10	9	<10	28
CC25765		0.01	<10	<10	36	<10	95
CC25766		0.01	<10	<10	16	<10	46
CC25767		0.01	<10	<10	16	<10	14
CC25768		0.02	<10	<10	63	<10	106

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25769		0.22	0.4	2.22	31	<10	230	0.8	<2	0.06	0.6	11	23	21	3.31	10
CC25770		0.22	0.4	2.22	16	<10	240	0.6	2	0.04	<0.5	6	24	21	3.23	10
CC25771		0.24	0.6	2.05	28	<10	210	0.6	3	0.04	<0.5	7	21	21	3.17	10
CC25772		0.20	0.3	2.07	58	<10	180	0.6	<2	0.16	<0.5	8	24	34	4.13	10
CC25773		0.20	<0.2	1.92	20	<10	310	0.8	<2	0.10	<0.5	7	18	25	2.67	<10
CC25774		0.16	<0.2	1.93	51	<10	250	0.5	2	0.05	<0.5	6	21	21	2.93	10
CC25775		0.24	0.3	2.11	79	<10	250	1.1	<2	0.06	0.5	15	27	28	4.00	10
CC25776		0.24	0.4	2.24	65	<10	170	0.8	3	0.03	<0.5	11	24	28	3.93	10
CC25777		0.34	0.3	2.08	49	<10	230	0.8	<2	0.06	0.5	9	24	29	3.54	10
CC25778		0.18	<0.2	2.11	29	<10	180	0.8	4	0.13	<0.5	11	25	30	4.03	10
CC25779		0.20	<0.2	2.04	29	<10	240	1.0	<2	0.13	0.7	13	23	37	3.48	<10
CC25780		0.24	0.4	1.30	31	<10	220	0.5	<2	0.04	<0.5	8	19	27	3.20	10
CC25781		0.16	0.4	1.47	58	<10	190	0.5	2	0.07	0.5	7	19	46	3.50	<10
CC25782		0.14	0.2	0.84	32	<10	70	<0.5	<2	0.04	<0.5	6	8	26	1.70	<10
CC25783		0.18	2.4	3.00	93	<10	220	3.3	2	0.12	0.9	24	21	200	3.74	<10
CC25784		0.16	0.6	1.47	45	<10	110	0.5	<2	0.06	0.5	5	17	43	2.46	<10
CC25785		0.22	0.9	2.02	113	<10	90	1.4	<2	0.06	<0.5	12	18	56	4.12	<10
CC25786		0.14	<0.2	2.17	78	<10	130	0.7	2	0.08	0.8	11	27	34	4.69	10
CC25787		0.16	0.2	0.42	5	<10	20	<0.5	<2	0.04	<0.5	1	2	10	0.48	<10
CC25788		0.20	<0.2	1.04	97	<10	80	<0.5	<2	0.03	0.6	7	17	19	4.50	10
CC25789		0.12	0.2	1.57	191	<10	70	0.5	2	0.05	0.5	19	31	28	6.84	10
CC25790		0.20	0.3	0.92	37	<10	120	<0.5	<2	0.04	<0.5	4	11	28	1.92	<10
CC25791		0.20	<0.2	0.48	9	<10	50	<0.5	<2	0.04	<0.5	<1	2	9	0.60	<10
CC25792		0.18	<0.2	1.70	60	<10	140	0.6	<2	0.06	<0.5	8	20	28	3.93	10
CC25793		0.20	0.2	1.29	45	<10	80	<0.5	<2	0.03	<0.5	6	17	16	3.39	10
CC25794		0.26	<0.2	2.38	63	<10	230	1.0	3	0.04	<0.5	13	28	36	3.73	10
CC25928		0.22	0.2	1.97	40	<10	270	0.8	<2	0.10	<0.5	8	23	27	3.48	<10
CC25929		0.12	0.5	1.90	221	<10	390	0.8	<2	0.39	0.5	13	24	41	3.24	10
CC25930		0.16	0.3	2.82	151	<10	300	1.1	3	0.20	<0.5	22	23	40	3.60	10
CC25931		0.22	0.2	1.84	118	<10	170	0.8	2	0.42	<0.5	17	19	34	3.53	<10
CC25933		0.26	0.4	1.82	367	<10	140	0.8	2	0.24	<0.5	32	21	43	4.58	<10
CC25934		0.16	0.4	1.59	101	<10	240	0.8	<2	1.07	0.7	9	13	42	2.33	<10
CC25935		0.24	<0.2	1.85	56	<10	200	0.8	<2	0.24	<0.5	18	24	30	3.94	10
CC25936		0.12	0.6	1.48	70	<10	310	0.8	<2	0.63	<0.5	8	13	33	2.08	<10
CC25937		0.28	0.4	1.61	30	<10	260	0.9	<2	0.64	<0.5	12	18	28	2.64	<10
CC25938		0.22	0.4	1.13	59	<10	200	0.6	<2	0.15	<0.5	6	10	27	1.81	<10
CC25939		0.16	0.2	2.01	47	<10	450	0.7	<2	1.00	<0.5	14	24	32	3 43	10
CC25940		0.16	<0.2	1.84	420	<10	130	0.5	<2	0.02	<0.5	8	23	16	3.92	10
CC25941		0.12	0.3	0.46	6	<10	60	<0.5	<2	0.11	<0.5	1	3	6	0.59	<10
CC25942		0.22	0.2	0.36	5	<10	50	<0.5	<2	0.27	<0.5	<1	2	5	0.46	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25769		1	0.08	20	0.40	319	2	0.01	24	400	29	0.01	3	3	13	<20
CC25770		<1	0.08	20	0.36	264	2	0.01	13	540	25	0.02	2	3	11	<20
CC25771		1	0.09	20	0.35	274	2	0.01	19	470	30	0.01	2	3	10	<20
CC25772		2	0.11	20	0.45	397	2	0.01	21	700	316	0.04	3	3	15	<20
CC25773		<1	0.09	20	0.39	265	2	0.01	24	490	21	0.01	2	3	16	<20
CC25774		1	0.08	20	0.39	287	2	0.01	17	400	26	0.01	3	2	10	<20
CC25775		<1	0.07	20	0.52	624	2	0.01	29	1240	55	0.04	4	2	11	<20
CC25776		<1	0.09	20	0.48	452	2	0.01	24	470	51	0.02	3	3	6	<20
CC25777		2	0.08	20	0.42	436	2	0.01	19	700	47	0.02	5	3	10	<20
CC25778		<1	0.09	20	0.50	458	2	0.01	28	1030	46	0.03	2	3	16	<20
CC25779		<1	0.12	20	0.51	511	2	0.01	32	980	30	0.02	2	3	18	<20
CC25780		<1	0.08	20	0.20	694	3	0.01	16	1580	38	0.03	3	1	10	<20
CC25781		<1	0.05	20	0.25	304	2	0.01	16	1480	176	0.03	2	1	12	<20
CC25782		<1	0.03	10	0.13	198	1	0.02	8	480	63	0.02	3	1	5	<20
CC25783		1	0.05	100	0.34	646	2	0.01	42	2610	158	0.11	2	3	13	<20
CC25784		<1	0.04	30	0.25	195	1	0.01	13	740	47	0.03	<2	2	8	<20
CC25785		<1	0.05	20	0.30	406	1	0.02	21	860	91	0.03	3	2	9	<20
CC25786		1	0.08	30	0.56	709	2	0.01	29	690	78	0.02	<2	3	10	<20
CC25787		<1	0.02	<10	0.02	19	<1	0.03	1	350	12	0.02	2	<1	7	<20
CC25788		<1	0.04	20	0.15	314	2	0.01	13	670	41	0.03	3	1	8	<20
CC25789		<1	0.06	30	0.47	1100	2	0.01	24	1390	58	0.04	3	2	7	<20
CC25790		<1	0.04	10	0.10	312	1	0.02	6	1040	34	0.04	2	<1	9	<20
CC25791		<1	0.03	<10	0.02	27	<1	0.03	<1	500	10	0.03	3	<1	8	<20
CC25792		<1	0.06	20	0.33	435	1	0.01	18	930	54	0.03	3	1	11	<20
CC25793		<1	0.04	20	0.21	432	2	0.01	13	640	25	0.03	<2	1	8	<20
CC25794		<1	0.09	20	0.43	501	2	0.01	19	530	99	0.02	3	3	8	<20
CC25928		1	0.09	20	0.46	280	3	0.01	27	750	24	0.02	2	3	14	<20
CC25929		<1	0.08	30	0.45	684	3	0.02	33	890	72	0.04	2	2	34	<20
CC25930		1	0.07	30	0.95	452	2	0.01	41	720	48	0.01	<2	3	20	<20
CC25931		<1	0.08	40	1.32	547	3	<0.01	31	1300	44	0.01	4	3	30	<20
CC25933		<1	0.08	50	0.82	718	1	0.01	49	860	31	0.02	4	3	19	<20
CC25934		<1	0.07	20	0.43	672	1	0.02	30	1200	13	0.10	<2	2	60	<20
CC25935		<1	0.08	40	0.83	648	1	0.01	33	870	27	0.01	3	3	16	<20
CC25936		<1	0.08	10	0.26	401	2	0.03	24	630	18	0.05	<2	2	34	<20
CC25937		<1	0.07	20	0.45	499	1	0.02	25	680	15	0.05	<2	2	39	<20
CC25938		<1	0.07	10	0.20	129	<1	0.02	19	480	17	0.03	<2	1	19	<20
CC25939		<1	0.10	20	0.54	1150	4	0.01	22	1240	21	0.06	3	3	63	<20
CC25940		1	0.08	30	0.61	404	2	<0.01	25	380	19	0.02	2	2	5	<20
CC25941		<1	0.03	<10	0.05	28	<1	0.02	3	290	6	0.02	<2	<1	10	<20
CC25942		<1	0.03	<10	0.06	26	<1	0.04	2	200	6	0.02	2	<1	14	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25769		0.02	<10	<10	61	<10	169
CC25770		0.01	<10	<10	70	<10	125
CC25771		0.01	<10	<10	69	<10	120
CC25772		0.02	<10	<10	61	<10	151
CC25773		0.02	<10	<10	56	<10	123
CC25774		0.01	<10	<10	64	<10	97
CC25775		0.01	<10	<10	59	<10	168
CC25776		0.01	<10	<10	57	<10	158
CC25777		0.01	<10	<10	64	<10	152
CC25778		0.02	<10	<10	50	<10	136
CC25779		0.01	<10	<10	60	<10	183
CC25780		0.01	<10	<10	56	<10	108
CC25781		0.01	<10	<10	48	<10	141
CC25782		0.01	<10	<10	24	<10	63
CC25783		0.01	<10	<10	32	<10	291
CC25784		0.01	<10	<10	28	<10	104
CC25785		0.01	<10	<10	34	<10	166
CC25786		0.01	<10	<10	53	<10	179
CC25787		0.02	<10	<10	9	<10	9
CC25788		0.02	<10	<10	59	<10	113
CC25789		0.02	<10	<10	54	<10	145
CC25790		0.01	<10	<10	31	<10	59
CC25791		0.01	<10	<10	10	<10	11
CC25792		0.01	<10	<10	48	<10	123
CC25793		0.02	<10	<10	45	<10	74
CC25794		0.01	<10	<10	65	<10	184
CC25928		0.01	<10	<10	63	<10	136
CC25929		0.01	<10	<10	39	<10	168
CC25930		0.01	<10	<10	43	<10	105
CC25931		0.01	<10	<10	36	<10	94
CC25933		0.02	<10	<10	27	<10	166
CC25934		0.01	<10	<10	25	<10	116
CC25935		0.02	<10	<10	34	<10	102
CC25936		0.01	<10	<10	25	<10	80
CC25937		0.01	<10	<10	27	<10	79
CC25938		0.01	<10	<10	20	<10	68
CC25939		0.03	<10	<10	64	<10	107
CC25940		0.01	<10	<10	45	<10	96
CC25941		0.01	<10	<10	12	<10	15
CC25942		0.01	<10	<10	11	<10	8

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25943		0.14	<0.2	0.12	<2	<10	10	<0.5	<2	0.04	<0.5	<1	1	1	0.15	<10
CC25944		0.18	0.2	2.65	90	<10	270	0.7	2	0.12	0.6	13	31	15	4.03	10
CC25945		0.22	0.3	1.81	189	<10	140	<0.5	<2	0.10	<0.5	9	20	30	3.72	10
CC25946		0.26	<0.2	2.12	85	<10	330	0.9	<2	0.13	<0.5	10	25	31	3.42	<10
CC25947		0.32	0.2	1.67	110	<10	230	0.8	<2	0.20	<0.5	15	19	47	3.23	<10
CC25948		0.28	0.3	1.08	63	<10	130	<0.5	<2	0.13	<0.5	6	12	22	1.93	<10
CC25949		0.22	0.2	1.26	40	<10	110	<0.5	<2	0.03	<0.5	4	15	15	2.20	<10
CC25950		0.22	<0.2	0.92	119	<10	70	<0.5	<2	0.03	<0.5	4	10	9	1.91	<10
CC25951		0.18	<0.2	0.96	155	<10	70	<0.5	<2	0.03	<0.5	6	16	13	4.08	10
CC25952		0.16	<0.2	1.59	99	<10	150	0.5	<2	0.28	<0.5	6	17	13	2.99	10
CC25953		0.26	0.3	1.99	475	<10	270	0.7	<2	0.22	<0.5	8	20	22	3.16	10
CC25954		0.14	0.4	1.18	106	<10	120	<0.5	<2	0.04	<0.5	5	17	74	4.33	10
CC25955		0.18	0.2	1.81	101	<10	170	0.7	2	0.51	<0.5	15	21	39	3.84	10
CC25956		0.24	<0.2	0.87	35	<10	170	<0.5	<2	0.72	<0.5	6	9	32	1.31	<10
CC25957		0.22	<0.2	1.47	17	<10	120	<0.5	2	0.03	<0.5	3	16	10	3.00	10
CC25958		0.28	<0.2	2.20	45	<10	360	1.0	<2	0.24	<0.5	10	23	28	4.39	10
CC25959		0.20	<0.2	2.30	47	<10	170	0.7	2	0.08	<0.5	13	25	30	4.31	10
CC25960		0.24	<0.2	1.88	57	<10	220	0.9	<2	1.05	<0.5	12	20	42	2.91	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC25943		<1	0.02	<10	0.01	10	<1	0.03	<1	170	4	0.02	<2	<1	7	<20
CC25944		<1	0.08	30	1.04	474	3	0.01	25	440	31	0.02	2	3	17	<20
CC25945		<1	0.06	30	0.62	442	3	0.01	24	920	58	0.03	3	2	12	<20
CC25946		<1	0.09	30	0.52	316	2	0.01	29	470	33	0.02	<2	3	15	<20
CC25947		<1	0.07	50	0.47	425	1	0.01	38	570	66	0.02	<2	2	17	<20
CC25948		<1	0.05	20	0.27	212	1	0.01	17	590	23	0.03	2	1	12	<20
CC25949		<1	0.05	20	0.22	184	2	<0.01	11	370	22	0.01	<2	1	7	<20
CC25950		<1	0.03	10	0.17	208	1	0.01	8	310	31	0.01	3	1	4	<20
CC25951		1	0.04	20	0.20	262	4	<0.01	12	480	40	0.02	3	1	6	<20
CC25952		<1	0.06	30	0.45	261	3	0.01	16	450	32	0.02	3	2	18	<20
CC25953		<1	0.08	20	0.58	443	2	0.01	20	500	26	0.02	3	2	17	<20
CC25954		<1	0.05	30	0.35	171	4	0.01	13	510	20	0.03	3	1	10	<20
CC25955		1	0.08	50	1.07	587	2	0.01	39	930	23	0.02	2	3	31	<20
CC25956		<1	0.05	10	0.18	325	2	0.01	9	620	13	0.04	<2	1	35	<20
CC25957		<1	0.04	20	0.24	140	2	<0.01	10	350	15	0.02	2	1	7	<20
CC25958		<1	0.07	40	0.60	326	1	0.01	28	370	25	0.01	4	3	20	<20
CC25959		<1	0.08	40	1.09	457	2	<0.01	34	570	25	0.02	3	3	9	<20
CC25960		<1	0.10	30	1.19	529	3	0.01	33	1090	31	0.06	3	3	51	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 15-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07070191

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25943		0.01	<10	<10	4	<10	3
CC25944		0.02	<10	<10	55	<10	196
CC25945		0.01	<10	<10	41	<10	128
CC25946		0.01	<10	<10	56	<10	150
CC25947		0.01	<10	<10	33	<10	147
CC25948		0.01	<10	<10	26	<10	91
CC25949		0.01	<10	<10	50	<10	71
CC25950		0.01	<10	<10	22	<10	39
CC25951		0.03	<10	<10	55	<10	104
CC25952		0.01	<10	<10	42	<10	73
CC25953		0.01	<10	<10	59	<10	96
CC25954		0.02	<10	<10	62	<10	39
CC25955		0.01	<10	<10	30	<10	103
CC25956		0.01	<10	<10	29	<10	63
CC25957		0.01	<10	<10	60	<10	54
CC25958		0.01	<10	<10	54	<10	83
CC25959		0.01	<10	<10	54	<10	89
CC25960		0.01	<10	<10	39	<10	90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 11-JUL-2007
Account: MTT

CERTIFICATE VA07063015

Project: TIDD

P.O. No.:

This report is for 227 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25201		0.20	0.3	0.95	31	<10	50	<0.5	2	0.05	<0.5	4	10	32	2.47	<10
CC25202		0.10	0.5	0.17	<2	<10	20	<0.5	<2	0.03	<0.5	<1	2	3	0.42	<10
CC25203		0.18	0.3	1.77	52	<10	40	0.5	4	0.03	0.5	7	18	28	5.24	<10
CC25204		0.14	<0.2	0.34	5	<10	30	<0.5	2	0.04	<0.5	2	3	8	0.79	<10
CC25205		0.12	0.4	1.28	21	<10	130	<0.5	<2	0.11	<0.5	6	15	27	2.16	<10
CC25206		0.18	<0.2	1.95	62	<10	70	0.5	2	0.02	<0.5	7	25	29	5.69	10
CC25207		0.24	0.2	1.62	43	<10	60	0.5	2	0.01	<0.5	9	17	23	4.42	<10
CC25208		0.22	0.4	1.38	71	<10	60	<0.5	<2	0.02	0.7	10	16	28	5.59	<10
CC25209		0.18	0.3	1.91	36	<10	80	0.5	3	0.04	0.5	8	24	25	4.05	10
CC25210		0.14	<0.2	1.90	67	<10	80	0.5	2	0.03	0.8	9	21	44	5.08	<10
CC25211		0.22	0.2	1.55	70	<10	80	0.7	3	0.09	1.2	12	17	62	3.87	<10
CC25212		0.20	0.3	0.73	19	<10	40	<0.5	<2	0.03	<0.5	2	6	18	1.61	<10
CC25213		0.14	3.8	2.61	47	<10	120	0.6	<2	0.05	0.8	9	26	58	5.23	10
CC25214		0.18	0.3	2.22	67	<10	90	0.6	<2	0.04	<0.5	8	20	35	4.63	10
CC25215		0.16	0.7	2.47	80	<10	140	1.0	<2	0.03	0.5	15	27	46	5.14	10
CC25216		0.22	0.9	2.01	33	<10	90	0.5	<2	0.04	<0.5	7	26	64	4.34	10
CC25217		0.18	0.3	1.86	101	<10	90	0.5	<2	0.03	<0.5	8	24	30	6.00	10
CC25218		0.20	0.4	2.53	41	<10	210	1.0	<2	0.03	0.8	13	29	26	4.40	10
CC25219		0.24	0.8	2.04	180	<10	80	1.1	<2	0.17	2.0	32	24	130	5.70	10
CC25220		0.22	0.7	2.61	70	<10	120	0.8	<2	0.06	1.0	11	30	53	4.80	10
CC25221		0.18	<0.2	2.29	54	<10	90	0.6	<2	0.06	0.6	10	28	37	6.02	10
CC25222		0.18	1.2	0.94	5	<10	60	0.6	<2	0.06	<0.5	2	6	80	0.62	<10
CC25223		0.16	0.5	1.45	17	<10	160	0.5	<2	0.16	<0.5	5	20	26	2.61	10
CC25224		0.20	0.5	2.10	276	<10	150	1.5	<2	0.04	<0.5	8	19	122	2.31	10
CC25225		0.16	0.3	1.39	67	<10	80	<0.5	<2	0.06	<0.5	4	14	16	2.65	10
CC25226		0.18	<0.2	1.95	106	<10	100	0.5	<2	0.06	<0.5	8	21	20	3.81	10
CC25227		0.12	1.3	1.95	74	<10	320	1.2	<2	0.42	<0.5	14	16	68	2.78	10
CC25228		0.16	<0.2	2.97	131	<10	140	1.5	<2	0.08	<0.5	33	34	61	5.12	10
CC25229		0.16	0.3	2.37	101	<10	120	1.0	<2	0.25	<0.5	22	24	65	4.10	10
CC25230		0.16	1.2	2.02	90	<10	340	1.2	<2	0.27	<0.5	16	19	53	3.19	10
CC25231		0.28	0.9	1.48	67	<10	250	0.9	<2	0.15	<0.5	16	14	36	2.31	10
CC25232		0.40	<0.2	1.51	35	<10	80	<0.5	<2	0.04	<0.5	7	17	12	3.36	10
CC25233		0.40	0.2	1.69	31	<10	120	1.0	<2	0.14	<0.5	18	19	31	3.57	<10
CC25234		0.40	<0.2	1.26	45	<10	230	<0.5	<2	0.06	<0.5	5	13	35	2.38	10
CC25235		0.60	0.5	2.89	318	<10	100	1.1	<2	0.04	0.5	19	30	45	5.54	10
CC25236		0.30	0.4	0.55	27	<10	40	<0.5	<2	0.03	<0.5	2	4	11	0.75	<10
CC25237		0.36	0.2	2.68	88	<10	110	0.8	<2	0.02	<0.5	14	28	35	5.04	10
CC25238		0.24	1.0	0.87	15	<10	70	<0.5	<2	0.11	<0.5	3	6	36	1.27	<10
CC25239		0.42	0.3	2.03	22	<10	190	0.6	<2	0.03	<0.5	7	21	20	2.96	10
CC25240		0.24	0.2	0.27	<2	<10	20	<0.5	<2	0.04	<0.5	1	2	3	0.49	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25201		<1	0.04	20	0.20	207	1	0.01	13	680	63	0.02	<2	1	5	<20
CC25202		<1	0.02	<10	0.01	19	<1	0.02	<1	180	2	0.01	<2	<1	6	<20
CC25203		<1	0.04	30	0.36	476	1	<0.01	18	660	112	0.02	2	2	3	<20
CC25204		<1	0.02	<10	0.07	93	<1	0.02	4	250	7	<0.01	<2	<1	5	<20
CC25205		<1	0.04	20	0.27	189	1	0.01	13	990	19	<0.01	2	1	10	<20
CC25206		<1	0.05	20	0.46	407	1	<0.01	19	820	25	<0.01	3	2	4	<20
CC25207		<1	0.05	40	0.32	427	1	<0.01	18	390	19	<0.01	4	2	4	<20
CC25208		<1	0.06	40	0.25	590	1	<0.01	16	990	75	0.01	2	2	5	<20
CC25209		<1	0.08	30	0.39	397	2	<0.01	17	420	32	0.02	<2	2	6	<20
CC25210		<1	0.06	30	0.40	453	1	<0.01	20	440	36	0.02	4	2	6	<20
CC25211		<1	0.05	40	0.50	593	<1	<0.01	22	690	46	0.01	2	3	7	<20
CC25212		<1	0.04	10	0.15	158	<1	0.01	6	280	10	0.01	<2	1	5	<20
CC25213		<1	0.06	30	0.42	483	3	0.01	24	500	247	0.01	6	3	9	<20
CC25214		<1	0.07	30	0.45	418	1	0.02	20	510	32	0.01	2	2	8	<20
CC25215		<1	0.08	30	0.54	602	2	0.01	27	550	50	0.01	7	3	8	<20
CC25216		<1	0.05	20	0.36	298	2	0.01	18	400	79	0.01	2	2	8	<20
CC25217		<1	0.05	30	0.34	441	1	0.01	15	900	38	0.01	5	2	8	<20
CC25218		<1	0.07	30	0.52	517	3	0.01	29	370	40	<0.01	4	3	7	<20
CC25219		<1	0.07	50	0.69	1080	2	0.01	43	810	508	0.02	7	3	12	<20
CC25220		<1	0.08	30	0.61	508	2	0.01	31	570	176	0.01	4	3	10	<20
CC25221		<1	0.07	30	0.63	570	1	0.01	29	750	86	0.02	7	3	7	<20
CC25222		<1	0.03	30	0.07	76	<1	0.02	11	840	76	0.12	<2	<1	8	<20
CC25223		<1	0.06	30	0.40	210	1	0.01	16	910	25	0.02	3	2	15	<20
CC25224		<1	0.06	70	0.16	144	1	0.01	33	820	91	0.02	6	1	10	<20
CC25225		<1	0.04	20	0.11	180	1	0.03	8	420	16	0.01	4	1	9	<20
CC25226		<1	0.05	30	0.33	350	3	0.01	20	460	53	0.01	4	2	12	<20
CC25227		<1	0.09	40	0.27	490	2	0.03	45	1030	91	0.05	2	2	32	<20
CC25228		<1	0.09	40	0.92	652	1	0.01	62	510	46	<0.01	5	5	16	20
CC25229		<1	0.08	40	0.61	449	3	0.02	53	940	30	0.04	4	3	22	<20
CC25230		<1	0.09	50	0.40	807	2	0.02	35	1190	61	0.06	5	2	26	<20
CC25231		<1	0.07	30	0.22	589	1	0.02	24	970	74	0.06	<2	1	17	<20
CC25232		<1	0.05	20	0.31	256	1	0.02	16	340	17	<0.01	2	2	12	<20
CC25233		<1	0.09	40	0.49	382	1	0.02	32	540	16	0.02	5	2	16	<20
CC25234		<1	0.05	30	0.15	159	2	0.02	16	500	59	0.01	3	1	11	<20
CC25235		1	0.08	30	0.71	784	1	0.01	36	510	126	0.01	5	4	7	<20
CC25236		<1	0.03	10	0.05	52	<1	0.03	5	180	14	0.01	2	<1	6	<20
CC25237		<1	0.06	30	0.63	562	1	0.01	34	380	50	0.01	4	3	7	<20
CC25238		<1	0.03	20	0.08	114	1	0.03	10	760	89	0.04	<2	<1	11	<20
CC25239		<1	0.06	20	0.35	257	3	0.01	23	380	41	0.01	6	2	8	<20
CC25240		<1	0.02	<10	0.03	23	<1	0.03	1	140	<2	<0.01	3	<1	8	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Units	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.01	10	10	1	10	2
CC25201	0.01	<10	<10	20	<10	91
CC25202	0.02	<10	<10	12	<10	6
CC25203	0.01	<10	<10	29	<10	163
CC25204	0.02	<10	<10	13	<10	26
CC25205	0.01	<10	<10	27	<10	65
CC25206	0.02	<10	<10	40	<10	110
CC25207	0.01	<10	<10	27	<10	84
CC25208	0.01	<10	<10	30	<10	131
CC25209	0.02	<10	<10	39	<10	115
CC25210	0.01	<10	<10	34	<10	148
CC25211	0.02	<10	<10	25	<10	174
CC25212	0.02	<10	<10	15	<10	47
CC25213	0.01	<10	<10	49	<10	226
CC25214	0.01	<10	<10	31	<10	85
CC25215	0.01	<10	<10	45	<10	148
CC25216	0.02	<10	<10	53	<10	144
CC25217	0.01	<10	<10	45	<10	118
CC25218	0.01	<10	<10	75	<10	254
CC25219	0.02	<10	<10	33	<10	500
CC25220	0.02	<10	<10	55	<10	288
CC25221	0.02	<10	<10	45	<10	190
CC25222	0.01	<10	<10	9	<10	60
CC25223	0.01	<10	<10	39	<10	89
CC25224	<0.01	<10	<10	37	<10	131
CC25225	0.02	10	<10	30	<10	39
CC25226	0.02	<10	<10	47	<10	92
CC25227	0.01	<10	<10	31	<10	286
CC25228	0.03	<10	<10	36	<10	97
CC25229	0.04	10	<10	33	<10	98
CC25230	0.01	<10	<10	38	<10	219
CC25231	0.01	<10	<10	30	<10	141
CC25232	0.03	<10	<10	36	<10	61
CC25233	0.01	<10	<10	23	<10	73
CC25234	0.01	10	<10	43	<10	92
CC25235	0.01	10	<10	39	<10	158
CC25236	0.01	<10	<10	13	<10	20
CC25237	0.02	<10	<10	40	<10	128
CC25238	0.01	<10	<10	18	<10	71
CC25239	0.01	<10	<10	65	<10	382
CC25240	0.02	<10	<10	14	<10	8

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25241		0.38	0.2	1.97	26	<10	250	0.9	<2	0.09	0.5	12	25	32	3.16	10
CC25242		0.26	0.6	0.86	10	<10	70	0.5	<2	0.11	<0.5	2	5	38	0.81	<10
CC25243		0.30	0.3	2.11	107	<10	110	1.3	<2	0.12	0.8	44	23	73	5.37	10
CC25244		0.26	0.2	0.72	49	<10	110	<0.5	<2	0.09	<0.5	12	8	23	1.96	<10
CC25245		0.26	0.6	2.18	75	<10	170	1.1	2	0.12	0.6	50	25	46	5.39	10
CC25246		0.32	0.4	0.42	<2	<10	20	<0.5	<2	0.04	<0.5	3	3	8	0.57	<10
CC25247		0.28	2.3	1.91	49	<10	140	0.7	3	0.10	1.0	20	19	91	3.34	10
CC25248		0.26	0.3	1.70	79	<10	70	<0.5	<2	0.03	<0.5	8	25	33	6.82	10
CC25249		0.28	0.8	2.30	45	<10	70	0.5	<2	0.07	0.8	8	22	41	3.72	10
CC25250		0.32	0.8	2.34	76	<10	90	0.6	<2	0.03	1.3	9	24	42	5.18	10
CC25251		0.36	0.4	2.10	57	<10	80	0.6	2	0.03	1.0	9	23	25	4.90	10
CC25252		0.32	0.4	2.20	61	<10	70	0.5	2	0.04	0.6	9	25	35	5.11	<10
CC25253		0.30	<0.2	1.66	38	<10	80	0.5	<2	0.06	0.6	8	19	23	3.68	<10
CC25254		0.46	0.3	1.65	38	<10	80	0.6	<2	0.04	0.6	10	21	28	3.56	<10
CC25255		0.24	0.5	1.55	10	<10	100	<0.5	<2	0.04	<0.5	5	18	17	3.48	10
CC25256		0.24	0.2	1.59	52	<10	60	<0.5	<2	0.03	0.6	8	20	19	4.61	<10
CC25257		0.14	0.3	0.09	<2	<10	10	<0.5	<2	0.03	<0.5	<1	1	2	0.28	<10
CC25258		0.20	0.3	1.42	35	<10	110	<0.5	<2	0.04	0.5	5	19	18	4.68	10
CC25259		0.34	<0.2	1.40	10	<10	90	<0.5	<2	0.11	<0.5	5	20	21	2.23	<10
CC25260		0.22	<0.2	0.27	<2	<10	20	<0.5	<2	0.04	<0.5	1	1	2	0.28	<10
CC25261		0.30	0.3	1.45	60	<10	80	0.6	<2	0.05	0.7	8	15	38	3.30	<10
CC25262		0.10	<0.2	0.11	5	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.28	<10
CC25263		0.24	<0.2	1.85	27	<10	110	<0.5	<2	0.05	0.6	6	20	18	3.21	10
CC25264		0.20	0.6	1.10	34	<10	70	<0.5	<2	0.02	<0.5	4	12	26	4.20	10
CC25265		0.18	0.4	0.38	<2	<10	30	<0.5	<2	0.19	0.8	1	1	40	0.12	<10
CC25267		0.18	0.3	0.18	<2	<10	40	<0.5	<2	0.08	3.4	1	1	6	0.22	<10
CC25268		0.06	0.4	0.33	<2	<10	40	<0.5	<2	0.06	<0.5	1	2	8	0.45	<10
CC25269		0.20	0.7	2.06	95	<10	160	1.1	<2	0.16	1.0	19	22	66	5.74	10
CC25270		0.20	<0.2	0.49	<2	<10	30	<0.5	<2	0.06	<0.5	1	2	5	0.46	<10
CC25271		0.12	2.3	2.76	307	<10	160	3.0	3	0.20	0.9	53	15	103	8.74	<10
CC25272		0.18	<0.2	0.72	8	<10	80	<0.5	<2	0.03	<0.5	1	8	9	1.17	<10
CC25273		0.20	<0.2	1.35	21	<10	90	<0.5	<2	0.02	<0.5	4	17	12	2.88	10
CC25274		0.18	0.3	0.31	<2	<10	20	<0.5	<2	0.04	<0.5	<1	8	3	0.22	<10
CC25275		0.12	0.2	1.78	36	<10	130	<0.5	2	0.03	0.6	4	21	16	4.03	10
CC25276		0.08	2.0	0.47	12	<10	70	<0.5	<2	0.17	<0.5	1	8	14	0.57	<10
CC25277		0.12	0.9	1.42	40	<10	180	0.9	<2	0.22	0.6	2	11	81	0.84	<10
CC25278		0.14	0.5	2.27	239	<10	120	1.0	<2	0.08	0.8	16	26	45	4.56	10
CC25279		0.14	<0.2	2.43	136	<10	120	1.1	<2	0.04	1.0	17	25	43	4.65	10
CC25280		0.06	0.9	1.07	38	<10	200	0.9	<2	0.18	<0.5	9	8	37	1.03	<10
CC25281		0.14	0.6	0.21	6	<10	10	<0.5	<2	0.04	<0.5	<1	1	2	0.25	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25241		<1	0.10	20	0.57	421	6	0.01	38	740	28	0.01	2	3	14	<20
CC25242		<1	0.03	20	0.06	44	<1	0.03	14	760	27	0.06	<2	<1	13	<20
CC25243		<1	0.07	40	0.63	1035	1	0.01	35	920	139	0.01	8	3	13	<20
CC25244		<1	0.04	10	0.12	589	1	0.03	12	440	24	0.03	3	1	13	<20
CC25245		<1	0.07	40	0.64	2250	1	0.01	33	690	49	0.03	3	3	12	<20
CC25246		<1	0.03	<10	0.04	72	<1	0.03	3	210	<2	0.01	2	<1	7	<20
CC25247		<1	0.07	30	0.48	591	1	0.02	23	600	276	0.01	2	3	11	<20
CC25248		<1	0.05	30	0.27	371	1	0.01	16	1070	34	0.01	5	2	8	<20
CC25249		1	0.04	20	0.40	370	1	<0.01	20	560	49	<0.01	2	2	8	<20
CC25250		<1	0.06	30	0.48	483	1	<0.01	25	480	49	<0.01	<2	3	7	<20
CC25251		1	0.05	30	0.37	446	1	<0.01	20	490	34	<0.01	2	2	6	<20
CC25252		1	0.06	30	0.54	502	1	<0.01	24	490	57	<0.01	3	3	6	<20
CC25253		1	0.05	20	0.42	336	1	<0.01	19	610	29	<0.01	<2	1	8	<20
CC25254		1	0.05	30	0.45	358	1	<0.01	25	460	28	<0.01	2	2	6	<20
CC25255		<1	0.05	20	0.36	188	1	<0.01	14	490	19	<0.01	<2	2	6	<20
CC25256		1	0.04	20	0.42	365	1	<0.01	20	550	27	<0.01	<2	2	5	<20
CC25257		1	0.02	<10	0.01	15	<1	0.01	<1	70	<2	<0.01	<2	<1	6	<20
CC25258		1	0.07	20	0.28	283	2	<0.01	14	1370	23	<0.01	<2	2	7	<20
CC25259		<1	0.04	20	0.38	180	<1	<0.01	14	710	20	<0.01	<2	1	8	<20
CC25260		1	0.02	<10	0.02	13	<1	0.01	1	170	<2	<0.01	<2	<1	7	<20
CC25261		1	0.05	20	0.34	275	1	<0.01	17	540	21	<0.01	<2	1	6	<20
CC25262		<1	0.02	<10	0.01	17	<1	0.01	<1	190	<2	<0.01	<2	<1	6	<20
CC25263		<1	0.04	20	0.32	268	1	<0.01	13	350	22	<0.01	<2	2	10	<20
CC25264		<1	0.04	30	0.14	164	1	<0.01	8	700	52	0.01	3	1	8	<20
CC25265		<1	0.01	10	0.03	14	<1	0.01	4	580	18	0.13	<2	<1	15	<20
CC25267		<1	0.02	<10	0.02	38	<1	0.02	1	140	<2	<0.01	<2	<1	13	<20
CC25268		1	0.02	10	0.03	22	<1	0.01	2	260	5	0.01	<2	<1	10	<20
CC25269		1	0.07	40	0.59	996	1	<0.01	29	750	54	0.03	8	3	17	<20
CC25270		<1	0.02	<10	0.02	51	1	0.01	1	390	<2	0.01	<2	<1	8	<20
CC25271		1	0.06	70	0.14	4950	3	<0.01	39	1450	196	0.15	7	3	25	<20
CC25272		<1	0.03	10	0.07	74	1	<0.01	4	400	7	<0.01	2	<1	7	<20
CC25273		<1	0.06	10	0.22	170	3	<0.01	12	400	22	<0.01	2	1	6	<20
CC25274		<1	0.02	<10	0.02	14	1	0.02	5	170	<2	<0.01	<2	<1	8	<20
CC25275		<1	0.05	30	0.27	234	2	<0.01	14	400	59	<0.01	<2	2	7	<20
CC25276		<1	0.03	10	0.05	21	1	0.01	9	730	20	0.05	<2	<1	14	<20
CC25277		<1	0.06	30	0.08	31	1	0.01	20	1020	85	0.21	3	<1	19	<20
CC25278		1	0.07	40	0.57	693	2	<0.01	31	540	97	<0.01	<2	3	9	<20
CC25279		<1	0.08	40	0.59	677	2	<0.01	40	450	105	<0.01	2	3	7	<20
CC25280		<1	0.06	40	0.11	103	1	0.01	26	600	65	0.02	3	1	20	<20
CC25281		1	0.02	<10	0.01	13	<1	0.01	<1	130	<2	<0.01	<2	<1	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Ti	Tl	U	V	W	Zn
Units	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	0.01	10	10	1	10	2
CC25241	0.01	<10	<10	72	<10	233
CC25242	0.01	10	<10	14	<10	40
CC25243	0.02	<10	<10	30	<10	234
CC25244	0.02	10	<10	21	<10	83
CC25245	0.01	<10	<10	31	<10	240
CC25246	0.02	<10	<10	9	<10	13
CC25247	0.01	<10	<10	31	<10	238
CC25248	0.02	<10	<10	55	<10	115
CC25249	0.02	<10	<10	32	<10	134
CC25250	0.01	<10	<10	37	<10	212
CC25251	0.01	<10	<10	40	<10	144
CC25252	0.02	<10	<10	32	<10	141
CC25253	0.01	<10	<10	29	<10	78
CC25254	0.02	<10	<10	33	<10	107
CC25255	0.02	<10	<10	40	<10	62
CC25256	0.01	<10	<10	37	<10	131
CC25257	0.01	<10	<10	8	<10	4
CC25258	0.02	<10	<10	59	<10	86
CC25259	0.01	<10	<10	31	<10	53
CC25260	0.01	<10	<10	8	<10	5
CC25261	0.01	<10	<10	24	<10	106
CC25262	0.01	<10	<10	8	<10	6
CC25263	0.01	<10	<10	41	<10	87
CC25264	0.02	<10	<10	39	<10	71
CC25265	0.02	<10	<10	5	<10	34
CC25267	0.02	<10	<10	7	<10	27
CC25268	0.01	<10	<10	10	<10	13
CC25269	0.01	<10	<10	28	<10	196
CC25270	0.01	<10	<10	10	<10	12
CC25271	0.01	<10	<10	34	<10	349
CC25272	0.01	<10	<10	32	<10	33
CC25273	0.01	<10	<10	69	<10	97
CC25274	0.01	<10	<10	5	<10	6
CC25275	0.02	<10	<10	65	<10	104
CC25276	0.01	<10	<10	8	<10	32
CC25277	<0.01	<10	<10	17	<10	81
CC25278	0.01	<10	<10	32	<10	182
CC25279	0.01	<10	<10	36	<10	198
CC25280	0.01	<10	<10	15	<10	115
CC25281	0.01	<10	<10	7	<10	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25282		0.22	0.3	2.04	120	<10	150	0.6	<2	0.20	0.7	9	29	26	4.90	10
CC25283		0.28	0.2	1.30	39	<10	150	0.6	<2	0.05	<0.5	4	12	33	1.77	<10
CC25284		0.30	0.8	2.33	129	<10	210	1.1	<2	0.16	1.3	10	28	88	6.03	10
CC25285		0.32	0.2	1.57	76	<10	90	0.6	<2	0.11	0.8	11	20	34	3.80	10
CC25286		0.30	0.4	2.78	118	<10	150	1.2	<2	0.02	0.7	14	27	38	4.94	10
CC25287		0.30	0.3	0.41	<2	<10	50	<0.5	<2	0.08	<0.5	1	6	5	0.43	<10
CC25288		0.28	<0.2	0.40	<2	<10	30	<0.5	<2	0.03	<0.5	1	3	5	0.69	<10
CC25289		0.32	0.3	2.54	52	<10	140	0.9	<2	0.05	1.3	15	28	37	4.65	10
CC25290		0.36	0.4	1.85	31	<10	200	0.9	<2	0.23	0.7	16	23	50	3.49	10
CC25291		0.30	0.4	0.89	5	<10	120	<0.5	<2	0.04	<0.5	5	12	20	1.11	10
CC25292		0.20	0.7	1.77	55	<10	130	0.7	<2	0.18	0.8	14	23	34	3.64	10
CC25293		0.14	0.6	0.42	<2	<10	40	<0.5	<2	0.07	<0.5	1	4	13	0.65	<10
CC25294		0.18	0.3	2.30	75	<10	60	0.5	2	0.05	<0.5	10	30	50	6.59	10
CC25295		0.14	<0.2	1.59	338	<10	60	<0.5	<2	0.03	<0.5	8	30	15	5.93	10
CC25296		0.12	0.4	1.60	51	<10	90	<0.5	<2	0.04	<0.5	5	18	34	4.31	10
CC25297		0.16	0.9	0.88	21	<10	80	<0.5	<2	0.06	<0.5	4	9	33	1.62	<10
CC25298		0.20	0.2	1.79	87	<10	110	0.8	<2	0.06	0.5	16	20	70	4.46	<10
CC25299		0.08	0.9	0.92	14	<10	40	<0.5	<2	0.09	0.8	4	7	33	1.80	<10
CC25300		0.10	0.5	1.49	78	<10	60	0.5	<2	0.04	0.7	9	15	54	3.44	10
CC25301		0.20	0.6	2.10	100	<10	80	0.7	<2	0.03	0.7	13	24	82	4.76	<10
CC25302		0.18	0.3	1.53	41	<10	80	0.7	<2	0.07	0.5	14	17	73	3.53	<10
CC25303		0.14	0.3	0.58	13	<10	60	<0.5	<2	0.04	<0.5	5	5	12	1.17	<10
CC25304		0.14	0.3	0.45	<2	<10	60	<0.5	<2	0.06	<0.5	1	5	7	0.28	<10
CC25305		0.14	0.4	1.57	18	<10	90	<0.5	<2	0.05	<0.5	4	21	11	3.32	10
CC25306		0.20	0.3	1.57	22	<10	260	0.8	<2	0.19	<0.5	19	22	51	3.56	<10
CC25307		0.22	0.3	1.95	30	<10	150	0.9	<2	0.09	0.7	12	24	41	3.64	<10
CC25308		0.16	0.3	2.11	49	<10	130	0.6	<2	0.05	<0.5	11	27	25	5.30	10
CC25309		0.34	0.3	1.63	26	<10	120	0.7	<2	0.13	<0.5	14	21	40	3.49	<10
CC25310		0.30	0.5	2.05	32	<10	120	0.5	<2	0.02	<0.5	10	25	20	4.36	10
CC25311		0.26	0.3	2.11	27	<10	110	0.7	<2	0.05	1.1	12	25	35	4.01	10
CC25312		0.26	0.7	1.95	43	<10	110	0.9	<2	0.05	0.5	17	23	57	4.19	10
CC25313		0.26	<0.2	2.43	61	<10	50	0.7	<2	0.06	1.1	15	33	33	5.58	10
CC25314		0.36	0.3	1.69	49	<10	120	0.7	<2	0.10	0.9	21	22	106	3.97	10
CC25315		0.36	0.4	1.91	73	<10	90	0.6	<2	0.13	0.9	10	21	52	4.61	10
CC25317		0.36	0.2	1.65	49	<10	90	0.6	<2	0.08	<0.5	23	17	47	3.56	<10
CC25319		0.04	0.9	1.04	31	<10	70	<0.5	<2	0.05	<0.5	10	9	31	2.08	<10
CC25320		0.20	0.6	1.29	52	<10	90	<0.5	<2	0.02	<0.5	5	16	24	3.71	10
CC25322		0.36	0.4	0.49	5	<10	30	<0.5	<2	0.05	<0.5	2	4	7	0.89	<10
CC25323		0.22	0.4	0.71	12	<10	30	<0.5	<2	0.03	<0.5	2	5	17	1.30	<10
CC25324		0.46	0.4	1.95	102	<10	170	0.9	<2	0.17	0.6	27	25	47	4.95	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25282		<1	0.09	40	0.64	432	2	<0.01	30	580	46	<0.01	5	3	21	<20
CC25283		<1	0.08	30	0.16	88	1	<0.01	21	810	42	<0.01	<2	1	7	<20
CC25284		1	0.14	30	0.53	399	4	<0.01	38	1520	980	0.02	4	3	17	<20
CC25285		1	0.06	30	0.52	581	3	<0.01	27	700	88	0.01	3	2	9	<20
CC25286		<1	0.07	30	0.57	611	1	0.01	37	360	92	0.01	<2	3	7	<20
CC25287		<1	0.02	10	0.02	18	1	0.04	6	340	13	0.03	3	<1	13	<20
CC25288		<1	0.03	<10	0.04	39	<1	0.03	2	190	5	0.01	2	<1	6	<20
CC25289		<1	0.08	30	0.68	616	3	0.01	37	570	94	0.01	<2	3	8	<20
CC25290		<1	0.10	30	0.56	550	2	0.01	34	1000	54	0.02	3	3	22	<20
CC25291		<1	0.05	30	0.13	397	1	0.01	7	390	23	0.01	<2	1	8	<20
CC25292		<1	0.07	30	0.54	611	2	0.01	28	970	41	0.01	3	2	16	<20
CC25293		<1	0.02	10	0.05	34	<1	0.03	4	550	20	0.04	<2	<1	9	<20
CC25294		<1	0.06	30	0.60	777	1	0.01	26	680	69	0.02	<2	2	9	<20
CC25295		<1	0.05	20	0.29	325	2	0.01	18	890	40	0.02	3	2	7	<20
CC25296		1	0.05	20	0.23	274	2	0.01	16	490	17	0.03	4	1	9	<20
CC25297		<1	0.04	10	0.15	140	1	0.02	10	440	50	0.02	2	1	8	<20
CC25298		<1	0.08	40	0.44	614	1	0.01	29	650	52	0.01	6	3	9	<20
CC25299		<1	0.03	10	0.15	202	1	0.02	7	520	21	0.03	2	1	8	<20
CC25300		1	0.04	20	0.28	362	1	0.02	17	550	42	0.02	3	1	6	<20
CC25301		<1	0.06	30	0.45	522	1	0.01	26	460	44	0.01	4	3	8	<20
CC25302		<1	0.05	30	0.41	502	<1	0.02	24	560	40	0.01	4	2	8	<20
CC25303		<1	0.03	10	0.07	721	<1	0.03	5	350	3	0.01	2	<1	7	<20
CC25304		<1	0.03	<10	0.02	17	<1	0.04	5	810	6	0.08	2	<1	10	<20
CC25305		<1	0.05	30	0.27	152	1	0.01	10	580	23	0.01	2	2	9	<20
CC25306		<1	0.05	40	0.57	687	1	0.01	34	960	28	<0.01	3	3	17	<20
CC25307		<1	0.06	30	0.55	449	1	0.01	29	700	84	0.01	3	3	8	<20
CC25308		<1	0.06	30	0.50	590	2	0.02	20	1040	43	0.02	6	3	9	<20
CC25309		<1	0.05	30	0.54	523	1	0.01	27	870	30	0.01	4	2	11	<20
CC25310		<1	0.05	30	0.52	419	<1	0.01	21	530	25	<0.01	4	3	6	<20
CC25311		<1	0.06	30	0.55	495	1	0.01	26	540	50	0.01	3	3	6	<20
CC25312		<1	0.06	30	0.53	622	1	0.01	27	490	45	0.01	5	3	7	<20
CC25313		<1	0.06	30	0.79	686	2	0.01	32	710	35	0.01	3	3	6	<20
CC25314		<1	0.06	40	0.52	626	1	0.01	28	670	49	0.01	<2	3	9	<20
CC25315		<1	0.05	30	0.42	499	1	0.01	20	850	37	0.02	4	2	11	<20
CC25317		<1	0.06	30	0.42	636	1	0.02	26	560	32	0.02	4	2	10	<20
CC25319		<1	0.04	10	0.15	591	<1	0.02	10	360	33	0.02	2	1	8	<20
CC25320		<1	0.04	20	0.16	269	2	0.01	12	850	27	0.03	2	1	9	<20
CC25322		<1	0.02	<10	0.04	46	<1	0.03	3	200	4	0.01	2	<1	7	<20
CC25323		<1	0.03	10	0.07	90	<1	0.03	4	340	25	0.01	2	<1	5	<20
CC25324		<1	0.07	40	0.67	657	1	0.01	33	770	67	0.01	4	3	21	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25282		0.01	<10	<10	45	<10	134
CC25283		0.01	<10	<10	30	<10	106
CC25284		0.01	<10	<10	66	<10	671
CC25285		0.01	<10	<10	31	<10	170
CC25286		0.02	<10	<10	43	<10	184
CC25287		0.01	<10	<10	8	<10	9
CC25288		0.01	<10	<10	16	<10	17
CC25289		0.01	<10	<10	48	<10	174
CC25290		0.02	<10	<10	48	<10	263
CC25291		0.01	<10	<10	39	<10	71
CC25292		0.01	<10	<10	40	<10	225
CC25293		0.01	<10	<10	12	<10	22
CC25294		0.01	10	<10	35	<10	166
CC25295		0.03	10	<10	68	<10	104
CC25296		0.02	<10	<10	58	<10	99
CC25297		0.01	<10	<10	26	<10	107
CC25298		0.01	10	<10	39	<10	208
CC25299		0.02	<10	<10	12	<10	88
CC25300		0.02	10	<10	30	<10	145
CC25301		0.01	10	<10	32	<10	163
CC25302		0.02	<10	<10	25	<10	159
CC25303		0.01	<10	<10	16	<10	30
CC25304		<0.01	<10	<10	7	<10	7
CC25305		0.02	<10	<10	46	<10	38
CC25306		0.02	<10	<10	33	<10	137
CC25307		0.02	<10	<10	39	<10	149
CC25308		0.02	<10	<10	50	<10	121
CC25309		0.02	<10	<10	33	<10	115
CC25310		0.01	10	<10	45	<10	132
CC25311		0.02	10	<10	37	<10	213
CC25312		0.02	10	<10	35	<10	147
CC25313		0.02	<10	<10	33	<10	114
CC25314		0.02	<10	<10	33	<10	179
CC25315		0.01	10	<10	29	<10	134
CC25317		0.01	<10	<10	26	<10	152
CC25319		0.02	<10	<10	19	<10	96
CC25320		0.02	<10	<10	53	<10	86
CC25322		0.02	<10	<10	17	<10	20
CC25323		0.02	<10	<10	14	<10	34
CC25324		0.03	10	<10	33	<10	214

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25325		0.34	0.2	0.41	4	<10	30	<0.5	<2	0.08	<0.5	3	3	8	0.62	<10
CC25326		0.18	0.6	1.48	34	<10	130	<0.5	<2	0.04	0.7	6	19	36	3.62	10
CC25327		0.06	1.0	1.32	15	<10	230	0.6	<2	0.18	<0.5	2	15	45	1.23	<10
CC25328		0.12	1.5	1.12	9	<10	190	0.5	<2	0.08	<0.5	1	10	40	0.85	<10
CC25329		0.08	<0.2	1.50	20	<10	90	<0.5	<2	0.03	<0.5	4	20	17	3.02	10
CC25330		0.30	0.4	1.93	60	<10	270	0.8	<2	0.13	<0.5	16	26	56	3.70	10
CC25331		0.36	0.2	1.36	29	<10	110	<0.5	<2	0.03	<0.5	8	20	17	3.09	10
CC25332		0.32	0.3	1.03	27	<10	120	<0.5	<2	0.05	<0.5	4	15	16	2.10	<10
CC25333		0.32	0.2	2.17	56	<10	180	1.1	<2	0.12	1.1	16	28	49	4.07	10
CC25334		0.44	<0.2	1.79	48	<10	160	0.8	<2	0.08	0.7	14	20	35	3.32	10
CC25335		0.24	0.3	0.90	13	<10	80	<0.5	<2	0.02	<0.5	2	10	8	1.74	<10
CC25336		0.24	0.2	1.14	10	<10	160	<0.5	<2	0.04	<0.5	3	14	11	1.84	10
CC25337		0.24	0.3	0.88	10	<10	150	<0.5	<2	0.04	<0.5	2	10	13	1.23	<10
CC25338		0.18	0.2	1.11	15	<10	100	<0.5	<2	0.03	<0.5	3	13	15	2.29	<10
CC25339		0.18	0.2	0.91	8	<10	100	<0.5	<2	0.03	<0.5	2	11	10	1.39	<10
CC25340		0.18	0.6	0.34	2	<10	30	<0.5	<2	0.04	<0.5	1	4	6	0.61	<10
CC25341		0.16	1.2	2.11	56	<10	340	1.5	<2	0.33	0.5	9	19	78	3.20	10
CC25342		0.16	0.2	1.25	16	<10	120	<0.5	<2	0.02	<0.5	5	17	18	2.66	10
CC25343		0.14	<0.2	0.61	14	<10	40	<0.5	<2	0.02	<0.5	2	9	7	1.32	<10
CC25344		0.20	0.2	1.56	38	<10	90	0.6	2	0.12	2.3	27	20	27	4.09	<10
CC25345		0.20	0.2	0.55	21	<10	30	<0.5	<2	0.05	<0.5	2	6	8	1.42	<10
CC25346		0.16	0.4	0.57	3	<10	50	0.5	<2	0.20	1.4	2	7	44	0.07	<10
CC25348		0.14	<0.2	0.13	6	<10	140	<0.5	<2	1.51	<0.5	2	4	15	0.17	<10
CC25349		0.14	<0.2	0.36	4	<10	70	<0.5	<2	0.41	2.3	1	7	51	0.08	<10
CC25350		0.14	<0.2	0.49	3	<10	50	<0.5	<2	0.22	<0.5	1	4	11	0.07	<10
CC25351		0.18	<0.2	0.20	<2	<10	60	<0.5	<2	0.13	<0.5	<1	5	8	0.07	<10
CC25352		0.14	0.2	0.56	<2	<10	30	<0.5	<2	0.10	0.6	1	7	28	0.05	<10
CC25353		0.14	0.8	0.61	4	<10	80	<0.5	<2	0.20	0.6	1	7	72	0.39	<10
CC25354		0.26	<0.2	1.48	58	<10	80	<0.5	<2	0.03	<0.5	6	16	24	3.53	<10
CC25355		0.32	<0.2	1.68	34	<10	110	0.5	<2	0.06	0.5	9	22	36	3.98	10
CC25356		0.20	0.2	0.39	9	<10	60	<0.5	<2	0.09	<0.5	3	2	9	0.55	<10
CC25357		0.02	0.4	1.24	18	<10	70	<0.5	<2	0.03	<0.5	4	16	12	2.86	10
CC25358		0.22	0.3	0.90	18	<10	60	<0.5	<2	0.02	<0.5	3	10	14	1.54	<10
CC25359		0.06	0.4	0.84	15	<10	80	<0.5	<2	0.02	<0.5	2	8	11	2.47	10
CC25360		0.10	0.2	0.38	8	<10	20	<0.5	<2	0.02	<0.5	1	3	5	0.82	<10
CC25361		0.18	0.3	1.79	53	<10	70	0.6	<2	0.05	0.5	15	23	28	5.02	10
CC25362		0.16	0.3	0.96	21	<10	60	<0.5	<2	0.03	<0.5	3	9	11	2.06	<10
CC25363		0.16	0.3	0.65	45	<10	60	<0.5	<2	0.03	<0.5	7	12	18	2.97	10
CC25364		0.16	0.3	0.24	3	<10	20	<0.5	<2	0.03	<0.5	1	2	2	0.45	<10
CC25365		0.24	0.3	1.99	63	<10	80	0.7	<2	0.11	0.7	17	22	47	4.60	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25325		<1	0.03	10	0.03	35	2	0.02	6	290	18	0.01	3	<1	9	<20
CC25326		<1	0.05	20	0.21	273	3	<0.01	14	860	120	0.02	3	<1	9	<20
CC25327		<1	0.09	20	0.13	44	2	0.01	19	1010	59	0.12	4	1	20	<20
CC25328		<1	0.07	10	0.08	28	1	0.01	11	840	247	0.09	4	<1	12	<20
CC25329		<1	0.05	20	0.14	245	3	<0.01	12	300	39	0.01	4	1	6	<20
CC25330		<1	0.11	30	0.41	607	3	<0.01	30	780	99	0.02	3	2	15	<20
CC25331		<1	0.08	20	0.38	396	3	<0.01	20	560	27	0.01	3	2	6	<20
CC25332		<1	0.07	10	0.26	151	3	<0.01	14	600	23	0.02	4	1	8	<20
CC25333		<1	0.09	30	0.54	598	3	<0.01	39	720	188	0.01	4	3	12	<20
CC25334		<1	0.09	30	0.42	432	2	<0.01	32	500	111	0.01	3	2	10	<20
CC25335		<1	0.05	10	0.13	76	1	<0.01	6	250	30	0.01	3	1	5	<20
CC25336		<1	0.06	20	0.19	112	3	<0.01	9	410	16	0.01	4	1	7	<20
CC25337		<1	0.05	20	0.08	56	1	<0.01	5	390	15	0.01	3	1	9	<20
CC25338		<1	0.06	10	0.18	113	2	0.01	8	490	20	0.02	3	1	6	<20
CC25339		<1	0.05	10	0.11	93	2	0.01	8	360	19	0.01	3	1	6	<20
CC25340		<1	0.03	<10	0.03	22	1	0.01	4	260	13	0.02	2	<1	6	<20
CC25341		<1	0.16	50	0.34	246	2	0.01	49	790	59	0.05	5	3	35	<20
CC25342		<1	0.08	10	0.22	215	3	<0.01	14	690	25	0.02	4	1	7	<20
CC25343		<1	0.05	10	0.05	122	2	0.01	5	380	15	0.02	3	<1	5	<20
CC25344		<1	0.06	20	0.46	1060	1	<0.01	28	790	93	0.02	4	2	10	<20
CC25345		<1	0.04	10	0.06	82	1	0.01	3	350	13	0.02	2	<1	6	<20
CC25346		<1	0.02	30	0.02	16	1	0.02	15	580	25	0.32	3	<1	18	<20
CC25348		<1	0.02	10	0.11	74	1	0.02	13	240	3	1.66	3	<1	110	<20
CC25349		<1	0.02	10	0.04	23	1	0.02	16	300	8	0.61	3	<1	28	<20
CC25350		<1	0.03	<10	0.03	20	1	0.03	5	350	2	0.16	2	<1	19	<20
CC25351		<1	0.03	<10	0.01	13	1	0.03	3	150	2	0.04	<2	<1	11	<20
CC25352		<1	0.02	10	0.01	7	1	0.02	7	310	4	0.21	<2	<1	10	<20
CC25353		<1	0.03	10	0.03	21	<1	0.02	6	1020	57	0.23	3	<1	21	<20
CC25354		1	0.05	20	0.28	382	1	0.01	17	480	22	0.01	5	1	7	<20
CC25355		<1	0.06	20	0.40	433	1	<0.01	19	500	34	<0.01	5	2	7	<20
CC25356		<1	0.03	<10	0.03	221	<1	0.02	5	340	3	0.01	3	<1	11	<20
CC25357		<1	0.04	20	0.21	203	1	<0.01	11	400	17	0.01	5	1	5	<20
CC25358		<1	0.04	20	0.11	111	1	0.01	6	320	22	0.02	3	1	4	<20
CC25359		<1	0.04	20	0.08	145	1	0.01	6	610	13	0.02	3	1	5	<20
CC25360		<1	0.03	10	0.02	39	<1	0.01	3	240	5	0.02	2	<1	4	<20
CC25361		<1	0.06	20	0.51	727	1	<0.01	23	720	63	0.03	4	2	5	<20
CC25362		<1	0.03	10	0.13	119	<1	0.01	7	330	27	0.02	<2	1	6	<20
CC25363		<1	0.05	20	0.08	427	1	<0.01	11	960	31	0.02	3	<1	6	<20
CC25364		<1	0.02	<10	0.02	29	<1	0.02	2	140	4	0.01	<2	<1	7	<20
CC25365		<1	0.05	20	0.55	615	<1	<0.01	31	770	50	0.02	<2	2	10	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25325		0.02	<10	<10	13	<10	25
CC25326		<0.01	<10	<10	49	<10	108
CC25327		0.01	<10	<10	32	<10	87
CC25328		<0.01	<10	<10	23	<10	52
CC25329		0.02	<10	<10	64	<10	62
CC25330		0.01	<10	<10	72	<10	242
CC25331		0.01	<10	<10	71	<10	128
CC25332		0.01	<10	<10	49	<10	83
CC25333		0.01	<10	<10	50	<10	306
CC25334		0.01	<10	<10	45	<10	189
CC25335		0.01	<10	<10	43	<10	48
CC25336		0.01	<10	<10	54	<10	100
CC25337		0.01	<10	<10	48	<10	29
CC25338		0.02	<10	<10	55	<10	64
CC25339		0.01	<10	<10	44	<10	49
CC25340		0.01	<10	<10	20	<10	13
CC25341		0.01	<10	<10	53	<10	290
CC25342		0.01	<10	<10	58	<10	97
CC25343		0.01	<10	<10	40	<10	27
CC25344		0.02	<10	<10	29	<10	228
CC25345		0.02	<10	<10	22	<10	31
CC25346		0.01	<10	<10	5	<10	84
CC25348		<0.01	<10	<10	2	<10	61
CC25349		0.01	<10	<10	6	<10	251
CC25350		0.02	<10	<10	5	<10	27
CC25351		0.01	<10	<10	2	<10	3
CC25352		0.02	<10	<10	6	<10	32
CC25353		0.01	<10	<10	4	<10	17
CC25354		0.01	<10	<10	28	<10	90
CC25355		0.02	<10	<10	39	<10	117
CC25356		0.02	<10	<10	11	<10	18
CC25357		0.01	<10	<10	37	<10	58
CC25358		0.01	<10	<10	30	<10	41
CC25359		0.02	<10	<10	34	<10	38
CC25360		0.02	<10	<10	20	<10	15
CC25361		0.02	<10	<10	34	<10	119
CC25362		0.01	<10	<10	26	<10	41
CC25363		0.02	<10	<10	60	<10	74
CC25364		0.02	<10	<10	11	<10	8
CC25365		0.02	<10	<10	32	<10	178

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25366		0.16	<0.2	1.19	30	<10	70	<0.5	<2	0.10	0.6	7	16	40	2.87	<10
CC25367		0.20	0.4	0.32	2	<10	40	<0.5	<2	0.07	<0.5	<1	4	6	0.33	<10
CC25368		0.24	0.6	1.46	82	<10	100	0.5	3	0.10	1.1	11	18	57	3.58	<10
CC25374		0.12	0.2	1.42	108	<10	40	0.6	2	0.05	<0.5	10	15	27	3.79	<10
CC25375		0.16	0.6	0.29	3	<10	40	<0.5	<2	0.06	<0.5	1	4	8	0.41	<10
CC25376		0.12	0.4	1.08	173	<10	60	<0.5	2	0.04	<0.5	6	18	25	5.96	10
CC25377		0.20	0.2	2.01	66	<10	60	0.7	4	0.03	0.8	10	24	92	6.45	<10
CC25378		0.20	<0.2	1.35	21	<10	70	0.5	2	0.04	<0.5	4	16	27	3.01	<10
CC25379		0.14	<0.2	1.54	34	<10	80	<0.5	<2	0.03	<0.5	5	18	27	3.56	<10
CC25380		0.14	0.4	0.18	<2	<10	10	<0.5	<2	0.04	<0.5	<1	3	3	0.24	<10
CC25381		0.20	0.3	2.08	30	<10	310	1.0	2	0.11	<0.5	6	25	42	3.28	10
CC25382		0.14	0.6	0.61	5	<10	70	<0.5	<2	0.03	<0.5	<1	20	16	0.58	<10
CC25383		0.18	<0.2	1.20	17	<10	100	<0.5	<2	0.03	<0.5	1	16	10	2.26	10
CC25384		0.30	0.2	1.57	18	<10	170	<0.5	<2	0.06	<0.5	4	20	18	2.70	<10
CC25385		0.20	0.3	0.68	15	<10	70	<0.5	<2	0.05	<0.5	1	6	17	0.82	<10
CC25386		0.22	0.2	1.27	16	<10	190	<0.5	<2	0.09	<0.5	6	18	19	2.39	<10
CC25387		0.22	0.2	1.59	15	<10	210	0.5	<2	0.06	0.5	4	20	22	2.53	<10
CC25388		0.12	0.5	0.55	3	<10	100	<0.5	<2	0.06	<0.5	<1	10	15	0.33	<10
CC25389		0.16	0.2	0.29	3	<10	20	<0.5	<2	0.09	<0.5	<1	6	4	0.36	<10
CC25390		0.16	0.2	1.36	51	<10	170	<0.5	<2	0.06	<0.5	4	17	16	2.33	10
CC25391		0.20	<0.2	2.00	33	<10	260	0.9	<2	0.07	0.6	9	23	22	3.16	<10
CC25392		0.14	0.5	2.05	203	<10	260	1.3	2	0.37	0.7	13	19	81	3.52	<10
CC25393		0.48	<0.2	1.21	46	<10	340	<0.5	<2	0.11	<0.5	5	13	21	1.96	<10
CC25394		0.44	<0.2	1.72	25	<10	260	0.7	<2	0.09	<0.5	7	19	26	2.68	<10
CC25395		0.36	0.2	1.98	72	<10	160	0.9	2	0.09	0.6	18	25	46	3.99	<10
CC25396		0.36	0.3	1.32	17	<10	300	0.5	<2	0.26	<0.5	4	17	21	1.98	<10
CC25397		0.28	1.6	1.38	19	<10	230	0.5	<2	0.11	<0.5	1	15	33	1.18	<10
CC25398		0.24	0.3	1.30	30	<10	110	<0.5	2	0.04	<0.5	4	18	15	2.33	<10
CC25399		0.36	0.2	1.53	26	<10	190	0.5	<2	0.06	<0.5	7	21	22	3.03	<10
CC25400		0.40	<0.2	1.75	40	<10	300	1.1	2	0.13	0.6	9	22	45	2.92	<10
CC25401		0.42	<0.2	1.79	18	<10	200	0.6	2	0.07	0.5	6	30	21	2.82	<10
CC25402		0.24	0.7	1.19	18	<10	210	0.7	<2	0.05	0.5	2	12	41	1.45	<10
CC25403		0.32	<0.2	1.90	23	<10	270	1.0	<2	0.16	0.6	14	26	60	3.23	<10
CC25404		0.30	0.4	1.75	26	<10	160	0.5	<2	0.05	0.6	8	23	24	3.29	<10
CC25405		0.30	0.4	1.34	31	<10	110	<0.5	<2	0.04	<0.5	4	19	12	2.71	10
CC25406		0.36	0.2	1.80	27	<10	90	<0.5	<2	0.02	0.6	5	22	20	3.63	10
CC25407		0.32	0.6	2.21	46	<10	90	<0.5	<2	0.03	0.5	5	23	33	4.83	10
CC25408		0.22	10.9	1.72	70	<10	80	0.7	49	0.06	1.3	6	21	47	5.60	10
CC25409		0.24	0.9	0.73	12	<10	130	0.9	<2	0.16	<0.5	4	5	38	0.77	<10
CC25410		0.28	0.2	1.02	45	<10	50	<0.5	<2	0.03	<0.5	4	13	14	2.53	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25366		<1	0.04	20	0.36	359	<1	<0.01	19	750	25	0.02	<2	2	8	<20
CC25367		<1	0.02	<10	0.02	18	<1	0.02	4	320	6	0.02	<2	<1	11	<20
CC25368		<1	0.04	30	0.47	432	<1	<0.01	22	660	69	0.02	2	2	9	<20
CC25374		<1	0.03	10	0.14	303	<1	0.01	12	650	52	0.05	<2	1	6	<20
CC25375		<1	0.02	10	0.02	20	<1	0.02	4	280	6	0.04	<2	<1	10	<20
CC25376		<1	0.04	20	0.16	433	2	0.01	13	840	34	0.03	<2	1	7	<20
CC25377		<1	0.06	30	0.54	856	1	0.01	23	990	194	0.05	3	2	5	<20
CC25378		<1	0.05	30	0.27	288	1	0.01	14	500	60	0.01	<2	1	5	<20
CC25379		<1	0.05	20	0.30	291	2	0.01	14	420	27	0.01	<2	2	5	<20
CC25380		<1	0.02	<10	0.01	14	<1	0.03	1	190	<2	0.01	<2	<1	6	<20
CC25381		<1	0.10	30	0.42	269	3	0.01	25	780	33	0.01	<2	3	12	<20
CC25382		<1	0.05	10	0.05	24	2	0.03	15	450	16	0.02	<2	<1	5	<20
CC25383		<1	0.06	20	0.18	125	3	0.01	8	410	24	0.01	<2	1	5	<20
CC25384		<1	0.07	20	0.30	203	3	0.01	12	710	34	<0.01	<2	2	10	<20
CC25385		<1	0.05	10	0.06	44	1	0.02	9	330	14	<0.01	<2	1	5	<20
CC25386		<1	0.08	20	0.30	340	3	0.01	17	670	18	<0.01	2	2	12	<20
CC25387		<1	0.08	20	0.34	192	3	0.01	17	500	19	0.01	<2	2	9	<20
CC25388		<1	0.02	10	0.03	16	1	0.02	6	850	13	0.07	<2	<1	7	<20
CC25389		<1	0.02	<10	0.03	19	1	0.03	4	410	5	0.01	<2	<1	9	<20
CC25390		<1	0.08	20	0.21	276	3	0.01	11	820	25	0.01	2	1	9	<20
CC25391		<1	0.09	20	0.51	272	3	0.01	30	430	23	<0.01	2	3	11	<20
CC25392		<1	0.09	70	0.37	575	1	0.03	62	950	223	0.06	3	3	35	<20
CC25393		<1	0.06	20	0.21	182	2	0.01	18	370	20	<0.01	<2	2	14	<20
CC25394		<1	0.08	20	0.36	259	3	0.01	25	640	20	<0.01	2	2	11	<20
CC25395		<1	0.07	40	0.61	584	1	0.01	34	620	68	<0.01	<2	3	10	<20
CC25396		<1	0.07	20	0.44	227	2	0.01	21	1230	15	0.02	<2	2	23	<20
CC25397		<1	0.07	10	0.16	52	1	0.02	11	1540	56	0.08	<2	<1	12	<20
CC25398		<1	0.06	20	0.21	153	2	0.01	14	590	43	0.01	<2	1	6	<20
CC25399		<1	0.09	20	0.42	339	4	0.01	21	850	24	0.01	<2	2	10	<20
CC25400		<1	0.10	20	0.49	338	3	0.01	31	770	27	0.01	<2	3	14	<20
CC25401		<1	0.09	20	0.42	260	3	0.01	23	700	20	0.01	<2	2	9	<20
CC25402		<1	0.06	20	0.11	138	2	0.01	14	780	26	0.02	<2	<1	10	<20
CC25403		<1	0.10	30	0.53	433	7	0.01	48	940	41	0.01	4	3	19	<20
CC25404		<1	0.08	20	0.45	289	3	0.01	25	450	30	0.01	3	2	10	<20
CC25405		<1	0.05	20	0.29	246	2	<0.01	12	460	22	0.01	2	2	7	<20
CC25406		<1	0.04	20	0.30	265	2	<0.01	13	360	27	0.01	3	2	6	<20
CC25407		<1	0.04	20	0.31	389	2	<0.01	15	510	82	0.02	3	2	7	<20
CC25408		<1	0.05	30	0.34	386	2	0.01	20	1110	3240	0.04	5	2	8	<20
CC25409		1	0.02	60	0.04	93	<1	0.03	15	630	39	0.06	<2	<1	19	<20
CC25410		<1	0.03	10	0.15	175	3	0.01	10	380	26	0.01	4	1	5	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25366		0.02	<10	<10	26	<10	114
CC25367		0.01	<10	<10	7	<10	9
CC25368		0.02	<10	<10	24	<10	157
CC25374		0.02	<10	<10	27	<10	86
CC25375		0.01	<10	<10	8	<10	14
CC25376		0.03	<10	<10	67	<10	115
CC25377		0.01	<10	<10	29	<10	216
CC25378		0.01	<10	<10	38	<10	100
CC25379		0.01	<10	<10	44	<10	85
CC25380		0.01	<10	<10	6	<10	5
CC25381		0.01	<10	<10	66	<10	193
CC25382		0.01	<10	<10	14	<10	30
CC25383		0.01	<10	<10	76	<10	77
CC25384		0.01	<10	<10	65	<10	177
CC25385		0.01	<10	<10	17	<10	57
CC25386		0.01	<10	<10	51	<10	125
CC25387		0.01	<10	<10	59	<10	113
CC25388		<0.01	<10	<10	11	<10	13
CC25389		0.02	<10	<10	9	<10	7
CC25390		0.01	<10	<10	62	<10	79
CC25391		0.01	<10	<10	55	<10	148
CC25392		0.01	<10	<10	31	<10	386
CC25393		0.01	<10	<10	49	<10	90
CC25394		0.01	<10	<10	55	<10	133
CC25395		0.01	<10	<10	35	<10	173
CC25396		0.01	<10	<10	41	<10	173
CC25397		<0.01	<10	<10	33	<10	75
CC25398		0.01	<10	<10	53	<10	78
CC25399		0.01	<10	<10	64	<10	198
CC25400		0.01	<10	<10	56	<10	257
CC25401		0.02	<10	<10	72	<10	226
CC25402		<0.01	<10	<10	46	<10	74
CC25403		0.01	10	<10	66	<10	218
CC25404		0.01	<10	<10	61	<10	142
CC25405		0.01	<10	<10	50	<10	71
CC25406		0.01	10	<10	46	<10	68
CC25407		0.01	10	<10	51	<10	113
CC25408		0.01	10	<10	42	<10	179
CC25409		0.02	<10	<10	14	<10	45
CC25410		0.02	10	<10	37	<10	61

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25411		0.34	0.4	1.53	87	<10	130	0.5	2	0.05	0.7	6	23	32	3.96	10
CC25412		0.40	0.6	1.45	80	<10	140	0.7	<2	0.07	1.2	8	23	38	3.99	10
CC25413		0.40	0.8	1.78	250	<10	90	0.5	2	0.07	1.2	8	19	64	5.58	<10
CC25417		0.30	0.4	1.63	20	<10	120	0.5	<2	0.08	<0.5	7	19	30	2.88	<10
CC25418		0.34	0.5	2.28	57	<10	110	0.6	<2	0.06	1.0	12	25	45	4.80	10
CC25419		0.36	0.3	1.71	27	<10	100	0.6	<2	0.08	0.6	10	21	46	3.75	<10
CC25420		0.26	0.3	1.38	39	<10	60	<0.5	<2	0.09	0.8	13	21	40	3.88	10
CC25421		0.28	0.7	1.40	53	<10	100	<0.5	<2	0.05	1.0	17	22	36	4.33	<10
CC25422		0.22	0.7	1.04	18	<10	60	<0.5	<2	0.05	0.6	6	13	42	2.26	<10
CC25423		0.26	0.2	1.67	37	<10	90	0.5	<2	0.07	0.7	10	25	81	4.17	10
CC25424		0.24	0.7	1.64	31	<10	200	<0.5	<2	0.04	0.6	6	23	18	3.67	10
CC25425		0.26	0.3	1.49	23	<10	220	0.6	<2	0.16	<0.5	10	17	33	2.68	<10
CC25426		0.16	1.0	0.82	23	<10	70	<0.5	<2	0.04	<0.5	5	11	30	2.16	<10
CC25427		0.20	0.5	1.49	33	<10	110	0.6	<2	0.15	0.8	13	18	44	3.50	<10
CC25428		0.18	0.3	0.85	16	<10	60	<0.5	<2	0.02	<0.5	2	9	8	1.87	<10
CC25429		0.20	0.2	1.22	39	<10	60	<0.5	2	0.03	0.8	7	14	36	2.94	<10
CC25430		0.18	0.2	0.62	10	<10	30	<0.5	<2	0.02	<0.5	<1	8	6	1.26	<10
CC25431		0.20	<0.2	1.29	28	<10	80	<0.5	<2	0.04	0.5	9	14	27	2.85	<10
CC25432		0.18	0.3	1.32	30	<10	110	<0.5	<2	0.03	<0.5	4	14	19	2.55	10
CC25433		0.16	0.6	0.42	5	<10	60	<0.5	<2	0.08	<0.5	1	4	17	0.45	<10
CC25434		0.28	0.2	1.42	31	<10	120	0.5	<2	0.15	1.0	13	17	55	3.37	<10
CC25435		0.22	0.4	1.53	63	<10	110	0.7	<2	0.18	1.8	19	20	111	4.34	<10
CC25436		0.12	0.2	0.74	21	<10	30	<0.5	<2	0.02	<0.5	1	9	17	2.01	<10
CC25437		0.14	0.4	0.43	67	<10	30	<0.5	<2	0.03	<0.5	2	7	22	1.35	<10
CC25438		0.16	1.5	1.17	96	<10	130	0.8	<2	0.16	0.8	10	17	72	3.27	<10
CC25439		0.18	<0.2	0.58	22	<10	40	<0.5	<2	0.02	<0.5	1	8	9	1.74	<10
CC25440		0.16	<0.2	0.79	16	<10	60	<0.5	<2	0.03	<0.5	2	8	26	1.69	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25411		<1	0.05	20	0.25	428	2	0.01	18	900	30	0.04	3	1	10	<20
CC25412		<1	0.05	20	0.21	654	2	0.01	16	870	37	0.05	2	1	9	<20
CC25413		1	0.05	30	0.44	594	1	0.01	19	1020	65	0.02	2	2	8	<20
CC25417		1	0.04	20	0.38	265	1	<0.01	17	670	20	0.01	<2	2	8	<20
CC25418		<1	0.05	30	0.49	529	1	0.01	28	570	42	0.01	5	3	9	<20
CC25419		<1	0.04	30	0.46	465	1	<0.01	23	660	33	0.01	3	3	7	<20
CC25420		<1	0.04	30	0.39	521	1	0.01	23	870	35	0.01	2	2	8	<20
CC25421		<1	0.04	20	0.33	890	2	0.01	21	990	54	0.03	2	1	6	<20
CC25422		<1	0.03	10	0.17	233	1	0.01	9	960	57	0.05	<2	<1	6	<20
CC25423		1	0.04	20	0.48	540	1	0.01	23	840	34	0.01	2	2	7	<20
CC25424		<1	0.04	20	0.30	349	2	0.01	14	490	38	0.01	4	2	7	<20
CC25425		<1	0.04	20	0.35	373	1	0.01	15	980	26	0.04	4	1	14	<20
CC25426		<1	0.03	10	0.09	163	1	0.01	8	1210	42	0.11	<2	<1	6	<20
CC25427		<1	0.04	20	0.43	500	1	0.01	27	990	37	0.02	3	2	11	<20
CC25428		<1	0.03	10	0.13	127	<1	0.01	3	530	12	0.01	<2	1	6	<20
CC25429		<1	0.03	20	0.26	296	1	0.01	15	530	32	0.01	<2	1	5	<20
CC25430		<1	0.02	10	0.08	59	<1	0.01	3	300	6	0.01	<2	<1	3	<20
CC25431		<1	0.03	20	0.24	378	1	0.01	14	630	26	0.01	2	1	6	<20
CC25432		<1	0.04	20	0.16	223	3	0.01	8	550	19	0.01	3	1	6	<20
CC25433		<1	0.03	10	0.03	24	<1	0.03	4	560	7	0.03	3	<1	9	<20
CC25434		<1	0.04	30	0.43	527	1	0.01	24	820	27	0.01	3	2	11	<20
CC25435		<1	0.05	30	0.53	773	1	0.01	32	960	43	0.01	6	3	12	<20
CC25436		2	0.02	10	0.12	142	1	0.01	5	630	16	0.02	<2	<1	4	<20
CC25437		<1	0.02	10	0.05	114	1	0.02	2	780	29	0.04	2	<1	5	<20
CC25438		1	0.04	40	0.21	785	2	0.02	20	1340	46	0.10	5	<1	17	<20
CC25439		<1	0.03	10	0.04	124	1	0.01	4	350	9	0.01	2	<1	5	<20
CC25440		<1	0.03	10	0.11	102	1	0.02	7	440	11	0.02	3	<1	7	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 11-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07063015

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25411		0.01	10	<10	42	<10	111
CC25412		0.02	10	<10	44	<10	133
CC25413		0.01	10	<10	28	<10	163
CC25417		0.01	<10	<10	38	<10	94
CC25418		0.01	10	<10	39	<10	180
CC25419		0.02	<10	<10	34	<10	131
CC25420		0.02	10	<10	39	<10	153
CC25421		0.01	<10	<10	35	<10	179
CC25422		0.01	<10	<10	22	<10	62
CC25423		0.02	10	<10	39	<10	118
CC25424		0.02	10	<10	47	<10	90
CC25425		0.01	10	<10	26	<10	88
CC25426		<0.01	<10	<10	18	<10	40
CC25427		0.02	<10	<10	27	<10	138
CC25428		0.02	<10	<10	26	<10	36
CC25429		0.01	<10	<10	33	<10	124
CC25430		0.02	<10	<10	22	<10	18
CC25431		0.01	10	<10	31	<10	97
CC25432		0.02	10	<10	54	<10	56
CC25433		0.01	<10	<10	8	<10	20
CC25434		0.02	<10	<10	25	<10	159
CC25435		0.02	10	<10	28	<10	253
CC25436		0.01	10	<10	18	<10	47
CC25437		<0.01	<10	<10	15	<10	29
CC25438		0.01	10	<10	34	<10	148
CC25439		0.02	<10	<10	32	<10	31
CC25440		0.01	<10	<10	25	<10	55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 9-JUL-2007
Account: MTT

CERTIFICATE VA07067202

Project: TIDD

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067202

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
C385901		1.50	43.10	0.85	9.6	10	0.12	465.00	0.03	13.50	13.85	36.9	24	0.15	>10000	7.06
C385902		2.28	>100	4.77	123.5	150	0.67	451.00	0.05	44.30	38.10	28.6	47	3.67	>10000	8.48
C385903		1.18	97.40	4.11	135.0	50	0.25	82.70	0.01	8.33	47.40	22.8	43	1.12	>10000	12.00
C385904		1.22	>100	1.21	491.0	80	0.16	3170.00	0.01	130.00	19.55	60.0	15	1.04	>10000	14.30

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067202

Sample Description	Method Analyte Units LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
C385901		4.39	0.08	0.3	63.400	0.01	7.6	13.9	0.16	404	1.05	0.01	2.4	4.3	80	5.5
C385902		16.00	0.15	1.3	45.300	0.88	19.5	123.0	0.82	1430	1.47	0.02	6.4	16.8	330	4440.0
C385903		16.60	0.14	1.1	42.800	0.27	24.9	99.4	0.77	2020	1.27	0.01	5.7	9.3	220	1860.0
C385904		5.15	0.96	0.5	137.500	0.30	10.0	9.2	0.08	166	0.62	0.01	2.8	7.0	160	>10000

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067202

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
C385901		0.7	<0.002	4.47	0.65	2.0	10	20.8	3.4	0.14	0.24	1.4	0.067	0.06	0.4	12
C385902		66.5	<0.002	2.35	26.10	9.5	13	56.7	9.3	0.45	1.56	6.0	0.210	0.68	1.1	63
C385903		21.5	<0.002	2.16	23.30	6.5	7	49.4	3.5	0.38	0.26	6.4	0.159	0.17	1.0	45
C385904		28.4	<0.002	6.80	281.00	2.9	221	103.0	6.3	0.10	1.86	2.2	0.097	1.18	0.3	19

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 9-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067202

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.01	Zn-OG62 Zn % 0.01
C385901		30.8	3.2	797	1.4		3.94		
C385902		3.8	7.8	3890	43.6	139	1.965		
C385903		4.2	2.7	748	39.7		1.900		
C385904		2.1	4.0	>10000	13.1	1350	4.24	8.44	1.02

Comments: REE's may not be totally soluble in MS61 method.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalize te: 6-JUL-2007
Account: MTT

CERTIFICATE VA07067533

Project: TIDD

P.O. No.:

This report is for 119 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25800		0.08	0.2	0.73	39	10	1350	<0.5	<2	3.98	3.6	4	5	17	5.40	<10
CC25801		0.12	0.3	0.38	<2	<10	50	<0.5	<2	0.04	<0.5	1	4	4	0.49	<10
CC25802		0.18	<0.2	0.15	<2	<10	70	<0.5	<2	0.07	<0.5	1	<1	1	0.20	<10
CC25803		0.10	0.7	1.25	12	<10	580	<0.5	<2	0.28	<0.5	4	10	16	1.53	<10
CC25804		0.22	<0.2	0.14	3	<10	20	<0.5	<2	0.04	<0.5	<1	<1	2	0.29	<10
CC25805		0.08	0.2	0.48	9	<10	380	<0.5	<2	0.54	1.1	4	4	7	1.27	<10
CC25806		0.20	0.2	0.60	5	<10	70	<0.5	<2	0.03	<0.5	1	7	6	1.06	<10
CC25807		0.18	0.2	0.32	<2	<10	50	<0.5	<2	0.02	<0.5	<1	3	2	0.32	<10
CC25808		0.18	0.6	0.50	9	<10	60	<0.5	<2	0.02	<0.5	1	4	6	0.72	<10
CC25809		0.16	0.2	0.20	2	<10	30	<0.5	<2	0.03	<0.5	<1	1	2	0.34	<10
CC25810		0.26	<0.2	0.66	5	<10	370	<0.5	<2	0.28	<0.5	3	6	7	0.98	<10
CC25811		0.14	<0.2	1.19	54	<10	110	<0.5	<2	0.03	<0.5	5	13	11	2.81	10
CC25812		0.20	0.2	0.92	27	<10	180	<0.5	<2	0.32	<0.5	2	9	8	1.43	<10
CC25813		0.20	<0.2	0.94	3	<10	140	<0.5	<2	0.28	<0.5	3	8	5	1.62	<10
CC25814		0.10	0.2	0.59	<2	<10	210	<0.5	<2	0.74	<0.5	2	3	8	0.63	<10
CC25815		0.22	<0.2	0.43	<2	<10	40	<0.5	<2	0.08	<0.5	2	4	5	0.96	<10
CC25816		0.06	<0.2	0.64	<2	<10	190	<0.5	<2	0.22	0.6	3	5	5	0.82	<10
CC25817		0.10	<0.2	0.33	<2	<10	100	<0.5	<2	0.25	<0.5	1	2	2	0.38	<10
CC25818		0.06	0.5	0.87	5	<10	450	<0.5	<2	1.22	0.6	2	8	10	0.97	<10
CC25819		0.04	1.1	1.19	12	<10	560	0.7	<2	1.65	1.0	7	10	29	1.43	<10
CC25820		0.10	0.2	0.96	9	<10	140	<0.5	<2	0.15	<0.5	3	7	10	1.32	<10
CC25822		0.14	0.5	1.99	92	<10	440	1.3	<2	1.18	1.0	17	28	71	3.18	<10
CC25823		0.16	0.3	0.97	13	<10	340	<0.5	<2	0.53	1.1	4	11	12	1.51	<10
CC25824		0.08	0.3	2.28	13	<10	200	0.6	<2	0.13	0.5	8	21	13	2.96	10
CC25825		0.16	0.2	1.82	14	<10	710	0.5	<2	0.15	<0.5	7	22	10	2.45	10
CC25826		0.12	0.3	1.26	15	<10	130	<0.5	<2	0.05	<0.5	4	17	6	2.43	10
CC25827		0.18	<0.2	1.10	15	<10	100	<0.5	<2	0.04	0.5	3	13	7	2.39	10
CC25828		0.12	<0.2	0.70	6	<10	200	<0.5	<2	0.14	<0.5	2	10	4	1.31	<10
CC25829		0.22	<0.2	1.32	15	<10	220	<0.5	<2	0.11	<0.5	3	15	8	2.27	10
CC25830		0.14	0.2	1.19	18	<10	180	<0.5	<2	0.16	<0.5	6	16	10	2.35	<10
CC25831		0.08	0.7	0.78	19	<10	510	<0.5	<2	1.58	3.9	4	7	42	0.97	<10
CC25832		0.36	0.2	0.74	8	<10	170	<0.5	<2	0.15	0.5	4	8	11	1.26	<10
CC25833		0.28	<0.2	1.05	10	<10	110	<0.5	<2	0.07	<0.5	3	13	7	1.84	<10
CC25834		0.34	0.2	1.50	16	<10	160	<0.5	<2	0.07	<0.5	3	19	8	3.20	10
CC25835		0.30	0.2	1.55	21	<10	450	0.6	<2	0.12	<0.5	8	19	17	2.38	<10
CC25836		0.42	0.2	1.52	20	<10	490	0.6	<2	0.21	0.5	9	17	41	2.55	<10
CC25837		0.22	0.2	1.60	17	<10	170	0.6	<2	0.13	0.5	11	19	18	2.34	<10
CC25838		0.22	0.2	1.80	23	<10	260	0.5	<2	0.07	<0.5	6	23	17	3.76	10
CC25839		0.32	0.6	2.06	18	<10	210	0.6	<2	0.05	<0.5	7	22	13	3.53	10
CC25840		0.18	1.3	1.78	20	<10	1010	1.3	<2	2.47	1.3	5	22	84	2.18	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25800		<1	0.06	10	0.21	6990	2	0.04	13	1600	10	0.29	<2	1	188	<20
CC25801		<1	0.02	10	0.02	55	<1	0.01	2	160	2	0.01	<2	<1	5	<20
CC25802		<1	0.02	<10	0.02	17	<1	0.03	<1	130	<2	0.01	<2	<1	11	<20
CC25803		<1	0.04	10	0.18	496	1	0.02	8	690	6	0.03	<2	1	25	<20
CC25804		<1	0.02	<10	0.01	18	<1	0.03	<1	110	<2	<0.01	<2	<1	8	<20
CC25805		<1	0.06	10	0.08	933	1	0.03	4	970	5	0.10	<2	<1	31	<20
CC25806		<1	0.04	10	0.07	53	<1	0.01	5	400	7	0.01	<2	1	6	<20
CC25807		<1	0.03	10	0.02	20	<1	0.01	1	260	2	0.01	<2	<1	5	<20
CC25808		<1	0.03	10	0.04	43	<1	0.02	2	250	3	0.01	<2	<1	5	<20
CC25809		1	0.02	<10	0.02	19	<1	0.03	1	60	<2	0.01	<2	<1	6	<20
CC25810		<1	0.04	10	0.17	250	<1	0.02	8	560	10	0.02	<2	1	19	<20
CC25811		<1	0.05	20	0.28	167	<1	0.01	10	370	12	0.01	<2	2	6	<20
CC25812		<1	0.06	20	0.18	70	<1	0.02	6	210	5	0.02	<2	1	20	<20
CC25813		<1	0.13	30	0.41	276	<1	0.02	5	690	12	0.01	<2	4	17	<20
CC25814		<1	0.04	20	0.12	91	<1	0.04	2	620	7	0.05	<2	1	41	<20
CC25815		<1	0.04	<10	0.12	79	<1	0.02	2	170	5	0.01	<2	1	8	<20
CC25816		<1	0.06	10	0.10	323	<1	0.03	3	230	9	0.02	<2	1	18	<20
CC25817		<1	0.03	10	0.06	30	<1	0.03	1	290	3	0.02	<2	1	18	<20
CC25818		1	0.07	20	0.23	334	<1	0.04	6	780	11	0.07	<2	1	60	<20
CC25819		<1	0.09	40	0.27	830	1	0.04	14	1120	28	0.10	<2	2	75	<20
CC25820		1	0.06	10	0.18	260	<1	0.02	7	740	13	0.04	<2	1	12	<20
CC25822		<1	0.12	40	0.70	1300	1	0.02	51	1540	18	0.08	<2	5	66	<20
CC25823		1	0.06	10	0.26	157	<1	0.01	11	430	8	0.03	<2	2	29	<20
CC25824		<1	0.09	20	0.43	359	<1	0.01	14	1090	18	0.02	<2	4	11	<20
CC25825		<1	0.07	20	0.52	342	<1	0.01	16	870	13	0.01	2	4	13	<20
CC25826		<1	0.05	20	0.23	213	1	<0.01	8	520	21	0.01	<2	2	8	<20
CC25827		1	0.04	20	0.16	181	1	0.01	7	730	15	0.01	<2	2	5	<20
CC25828		1	0.09	10	0.25	151	<1	0.01	6	330	8	0.01	<2	1	11	<20
CC25829		<1	0.05	20	0.27	199	<1	0.01	10	1120	17	0.01	<2	2	13	<20
CC25830		1	0.06	10	0.25	400	1	0.01	12	1890	15	0.01	<2	2	18	<20
CC25831		1	0.05	10	0.14	252	6	0.04	20	770	5	0.42	<2	2	70	<20
CC25832		<1	0.04	10	0.14	220	<1	0.02	9	740	8	0.02	<2	1	14	<20
CC25833		1	0.05	10	0.25	164	<1	0.01	9	800	11	0.01	2	2	8	<20
CC25834		<1	0.06	20	0.26	236	1	0.01	9	1490	20	0.02	<2	2	8	<20
CC25835		1	0.06	20	0.37	343	1	0.01	22	580	13	0.01	<2	3	12	<20
CC25836		<1	0.07	20	0.40	559	<1	0.01	19	830	18	0.01	<2	3	18	<20
CC25837		1	0.08	20	0.38	416	4	0.01	23	870	35	<0.01	<2	3	12	<20
CC25838		<1	0.08	20	0.40	262	2	0.01	19	940	25	<0.01	<2	3	10	<20
CC25839		<1	0.09	10	0.49	261	1	0.01	17	630	19	<0.01	<2	4	7	<20
CC25840		1	0.10	30	0.48	440	1	0.02	31	1780	19	0.24	<2	4	144	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25800		0.01	<10	10	16	<10	77
CC25801		0.02	<10	<10	21	<10	15
CC25802		0.02	<10	<10	8	<10	4
CC25803		0.02	<10	<10	35	<10	60
CC25804		0.02	<10	<10	10	<10	5
CC25805		0.01	<10	<10	21	<10	35
CC25806		0.02	<10	<10	36	<10	34
CC25807		0.01	<10	<10	13	<10	12
CC25808		0.02	<10	<10	22	<10	15
CC25809		0.02	<10	<10	12	<10	9
CC25810		0.02	<10	<10	24	<10	35
CC25811		0.02	<10	<10	44	<10	50
CC25812		0.02	<10	<10	29	<10	29
CC25813		0.08	<10	<10	31	<10	53
CC25814		0.02	<10	<10	13	<10	22
CC25815		0.05	<10	<10	28	<10	22
CC25816		0.03	<10	<10	21	<10	36
CC25817		0.02	<10	<10	10	<10	21
CC25818		0.02	<10	10	18	<10	62
CC25819		0.02	<10	20	24	<10	81
CC25820		0.03	<10	<10	25	<10	43
CC25822		0.04	<10	10	45	<10	224
CC25823		0.03	<10	<10	36	<10	104
CC25824		0.05	<10	<10	62	<10	129
CC25825		0.04	<10	<10	49	<10	95
CC25826		0.03	<10	<10	58	<10	61
CC25827		0.04	<10	<10	70	<10	92
CC25828		0.02	<10	<10	29	<10	59
CC25829		0.03	<10	<10	55	<10	74
CC25830		0.01	<10	<10	52	<10	106
CC25831		0.02	<10	<10	20	<10	80
CC25832		0.02	<10	<10	28	<10	60
CC25833		0.02	<10	<10	50	<10	63
CC25834		0.02	<10	<10	71	<10	87
CC25835		0.02	<10	<10	49	<10	85
CC25836		0.02	<10	<10	50	<10	116
CC25837		0.03	<10	<10	42	<10	97
CC25838		0.02	<10	<10	75	<10	147
CC25839		0.04	<10	<10	74	<10	124
CC25840		0.04	<10	20	45	<10	91

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25841		0.16	1.3	2.52	311	<10	580	1.8	<2	0.92	1.5	11	17	60	5.49	<10
CC25842		0.32	<0.2	0.82	11	<10	170	<0.5	<2	0.37	<0.5	3	8	8	1.53	<10
CC25843		0.18	0.3	0.16	<2	<10	40	<0.5	<2	0.11	<0.5	1	<1	<1	0.22	<10
CC25844		0.28	0.2	2.79	235	<10	200	1.1	<2	0.05	<0.5	19	29	24	4.99	10
CC25845		0.14	1.0	2.03	16	<10	690	1.0	<2	1.11	1.0	9	36	28	2.51	<10
CC25846		0.22	0.2	1.87	11	<10	120	0.5	<2	0.11	<0.5	5	15	10	2.78	10
CC25847		0.12	0.3	1.28	8	<10	430	0.5	<2	0.74	1.0	5	13	16	1.66	<10
CC25848		0.10	0.3	1.73	19	<10	460	0.6	<2	0.42	1.9	4	21	27	2.44	10
CC25849		0.14	<0.2	0.41	<2	<10	70	<0.5	<2	0.05	<0.5	1	4	3	0.49	<10
CC25850		0.12	0.2	0.17	<2	<10	20	<0.5	<2	0.03	<0.5	1	<1	1	0.33	<10
CC25851		0.16	<0.2	0.17	5	<10	20	<0.5	<2	0.03	<0.5	1	1	<1	0.29	<10
CC25852		0.14	<0.2	0.11	<2	<10	20	<0.5	<2	0.05	<0.5	1	<1	<1	0.37	<10
CC25853		0.12	<0.2	0.10	<2	<10	20	<0.5	<2	0.04	<0.5	<1	<1	1	0.18	<10
CC25854		0.12	<0.2	0.45	38	<10	50	<0.5	<2	0.04	<0.5	1	6	3	0.98	<10
CC25855		0.10	<0.2	0.85	11	<10	170	<0.5	<2	0.50	0.5	1	2	17	0.64	<10
CC25856		0.22	0.3	1.19	4	<10	110	<0.5	<2	0.04	<0.5	2	9	4	1.77	10
CC25857		0.24	<0.2	0.99	7	<10	360	<0.5	<2	0.07	<0.5	2	8	11	1.14	<10
CC25858		0.16	0.2	1.15	12	<10	440	0.5	<2	0.22	<0.5	6	12	14	1.74	<10
CC25859		0.08	0.3	0.79	7	<10	930	<0.5	<2	2.43	1.2	4	6	14	1.13	<10
CC25860		0.08	0.2	0.30	<2	<10	550	<0.5	<2	2.50	0.7	<1	2	7	0.27	<10
CC25861		0.20	0.2	1.22	18	<10	150	<0.5	<2	0.07	<0.5	4	13	8	2.53	10
CC25862		0.20	<0.2	0.59	2	<10	190	<0.5	<2	0.10	<0.5	2	6	5	0.85	<10
CC25863		0.18	0.3	0.44	<2	<10	320	<0.5	<2	0.70	<0.5	3	4	8	0.65	<10
CC25864		0.08	0.6	0.93	8	<10	730	<0.5	<2	0.40	0.8	4	12	9	1.62	<10
CC25865		0.22	<0.2	1.56	18	<10	380	0.5	<2	0.14	<0.5	5	20	17	2.92	10
CC25866		0.22	0.2	1.73	16	<10	140	<0.5	<2	0.06	<0.5	6	19	15	3.67	10
CC25867		0.16	0.2	1.88	9	<10	200	0.7	<2	0.08	<0.5	6	15	11	2.26	<10
CC25868		0.12	<0.2	0.22	<2	<10	40	<0.5	<2	0.04	<0.5	1	1	2	0.38	<10
CC25869		0.20	0.4	1.70	12	<10	580	0.6	<2	0.17	<0.5	5	16	11	2.45	<10
CC25870		0.14	0.6	2.74	14	<10	200	0.9	<2	0.15	<0.5	8	21	14	2.59	<10
CC25871		0.24	0.3	1.96	17	<10	160	0.7	<2	0.10	<0.5	5	19	13	3.29	10
CC25872		0.20	0.4	2.01	23	<10	120	0.7	2	0.10	<0.5	5	17	10	2.73	10
CC25873		0.14	0.2	1.86	115	<10	110	0.6	2	0.08	<0.5	9	29	17	5.55	10
CC25874		0.10	<0.2	0.14	<2	<10	30	<0.5	<2	0.10	<0.5	1	3	2	0.22	<10
CC25875		0.06	0.9	1.82	53	<10	650	1.1	<2	1.52	1.8	8	15	36	2.39	<10
CC25876		0.06	0.3	0.65	11	<10	530	0.5	<2	1.87	0.7	2	5	23	0.54	<10
CC25877		0.18	0.7	2.06	16	<10	580	1.0	<2	0.91	<0.5	7	17	29	2.72	10
CC25878		0.04	0.4	0.34	<2	<10	500	<0.5	<2	2.34	5.9	3	4	16	0.36	<10
CC25879		0.10	0.6	1.51	9	<10	500	0.8	<2	0.84	<0.5	5	12	24	1.82	<10
CC25880		0.16	0.5	2.09	13	<10	480	0.9	3	0.53	1.0	6	21	23	2.73	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25841		1	0.13	50	0.35	1315	2	0.02	48	1280	22	0.12	3	5	58	<20
CC25842		<1	0.08	20	0.37	286	<1	0.01	7	840	11	<0.01	<2	3	17	<20
CC25843		<1	0.03	<10	0.02	15	<1	0.03	<1	240	<2	<0.01	<2	<1	13	<20
CC25844		<1	0.10	30	0.81	506	2	<0.01	35	420	30	0.01	<2	4	9	<20
CC25845		<1	0.19	50	0.52	1265	4	0.04	33	840	27	0.07	2	5	60	<20
CC25846		1	0.10	20	0.47	245	<1	0.01	11	610	17	0.01	<2	4	8	<20
CC25847		1	0.12	20	0.31	519	<1	0.03	10	880	12	0.05	2	3	46	<20
CC25848		1	0.22	20	0.27	227	2	0.02	12	750	18	0.05	3	4	31	<20
CC25849		<1	0.04	10	0.05	26	<1	0.02	1	250	3	0.01	<2	<1	6	<20
CC25850		<1	0.02	<10	0.02	15	<1	0.03	<1	140	<2	0.01	<2	<1	8	<20
CC25851		1	0.03	<10	0.03	18	<1	0.03	<1	100	<2	<0.01	<2	<1	7	<20
CC25852		<1	0.02	<10	0.02	18	<1	0.02	<1	160	<2	0.01	<2	<1	9	<20
CC25853		<1	0.02	<10	0.01	10	<1	0.02	<1	90	<2	<0.01	<2	<1	8	<20
CC25854		<1	0.04	10	0.10	69	<1	0.01	4	270	4	0.01	<2	<1	7	<20
CC25855		<1	0.02	10	0.03	58	<1	0.03	6	350	2	0.04	<2	<1	38	<20
CC25856		<1	0.05	20	0.27	155	<1	0.01	6	310	11	0.01	<2	2	5	<20
CC25857		<1	0.05	10	0.14	102	<1	0.02	7	470	6	0.01	<2	1	10	<20
CC25858		<1	0.07	10	0.29	308	<1	0.02	17	760	11	0.02	<2	1	20	<20
CC25859		1	0.08	10	0.18	947	1	0.03	10	1090	7	0.16	<2	1	107	<20
CC25860		<1	0.02	<10	0.11	169	<1	0.04	2	830	<2	0.17	<2	<1	120	<20
CC25861		<1	0.05	20	0.24	260	1	<0.01	10	1250	18	0.01	<2	2	7	<20
CC25862		<1	0.03	10	0.11	60	<1	0.01	5	440	5	0.01	<2	<1	10	<20
CC25863		<1	0.03	<10	0.10	489	<1	0.03	5	590	3	0.03	<2	1	41	<20
CC25864		<1	0.08	10	0.34	254	<1	0.03	11	820	9	0.04	<2	3	33	<20
CC25865		<1	0.12	20	0.45	284	1	0.01	20	1170	15	0.01	<2	2	17	<20
CC25866		<1	0.08	20	0.38	288	1	0.01	16	1140	22	0.01	<2	3	7	<20
CC25867		<1	0.07	20	0.40	194	<1	0.01	15	620	17	0.01	2	3	8	<20
CC25868		<1	0.02	<10	0.02	23	<1	0.03	<1	250	2	0.01	<2	<1	8	<20
CC25869		<1	0.07	20	0.40	203	<1	0.01	13	810	16	0.01	2	2	16	<20
CC25870		1	0.09	20	0.62	248	<1	0.01	19	1020	12	0.01	<2	3	13	<20
CC25871		1	0.07	20	0.32	279	1	0.01	14	1770	22	0.01	<2	3	10	<20
CC25872		<1	0.07	20	0.35	234	1	0.01	13	920	23	0.01	2	3	8	<20
CC25873		1	0.07	20	0.59	360	3	<0.01	23	1220	26	0.01	4	3	11	<20
CC25874		<1	0.03	<10	0.01	12	<1	0.05	3	110	<2	0.01	4	<1	12	<20
CC25875		<1	0.15	40	0.31	1125	1	0.06	21	920	22	0.10	4	3	85	<20
CC25876		<1	0.06	20	0.09	116	1	0.06	11	740	4	0.10	4	1	101	<20
CC25877		<1	0.21	40	0.41	443	2	0.04	16	900	20	0.06	5	4	53	<20
CC25878		<1	0.06	30	0.06	878	2	0.06	8	1150	6	0.19	4	1	130	<20
CC25879		<1	0.15	30	0.25	334	1	0.05	13	840	14	0.06	5	2	48	<20
CC25880		1	0.21	30	0.52	371	1	<0.01	16	950	21	0.03	3	4	34	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25841		0.02	<10	<10	48	<10	230
CC25842		0.05	<10	<10	27	<10	53
CC25843		0.01	<10	<10	8	<10	5
CC25844		0.03	<10	<10	50	<10	117
CC25845		0.05	<10	10	45	<10	136
CC25846		0.06	<10	<10	53	<10	75
CC25847		0.04	<10	10	37	<10	95
CC25848		0.02	<10	<10	77	<10	121
CC25849		0.02	<10	<10	18	<10	15
CC25850		0.02	<10	<10	10	<10	5
CC25851		0.02	<10	<10	10	<10	5
CC25852		0.02	<10	<10	14	<10	7
CC25853		0.01	<10	<10	7	<10	4
CC25854		0.01	<10	<10	25	<10	25
CC25855		0.02	<10	<10	13	<10	13
CC25856		0.05	<10	<10	45	<10	90
CC25857		0.02	<10	<10	29	<10	57
CC25858		0.02	<10	<10	35	<10	92
CC25859		0.01	<10	<10	19	<10	78
CC25860		0.01	<10	<10	6	<10	34
CC25861		0.02	<10	<10	55	<10	88
CC25862		0.01	<10	<10	24	<10	31
CC25863		0.02	<10	<10	15	<10	29
CC25864		0.05	<10	<10	37	<10	70
CC25865		0.02	<10	<10	69	<10	129
CC25866		0.03	<10	<10	66	<10	86
CC25867		0.03	<10	<10	44	<10	64
CC25868		0.01	<10	<10	13	<10	7
CC25869		0.02	<10	<10	53	<10	98
CC25870		0.05	<10	<10	50	<10	102
CC25871		0.03	<10	<10	74	<10	99
CC25872		0.04	<10	<10	48	<10	121
CC25873		0.04	<10	<10	49	<10	96
CC25874		0.01	<10	<10	5	<10	4
CC25875		0.03	<10	20	39	<10	128
CC25876		0.01	<10	10	7	<10	36
CC25877		0.03	<10	10	52	<10	139
CC25878		0.01	<10	<10	5	<10	135
CC25879		0.03	<10	<10	38	<10	86
CC25880		0.04	<10	<10	57	<10	155

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25881		0.18	0.7	2.07	10	<10	570	1.0	<2	0.88	0.7	5	18	24	2.28	10
CC25882		0.38	0.4	1.72	104	<10	400	0.8	2	0.87	<0.5	8	15	25	2.60	10
CC25883		0.16	<0.2	0.22	<2	<10	30	<0.5	<2	0.14	<0.5	1	3	3	0.23	<10
CC25884		0.38	<0.2	0.71	7	<10	130	<0.5	<2	0.36	<0.5	3	7	6	1.09	<10
CC25885		0.36	0.2	0.84	7	<10	160	<0.5	<2	0.28	<0.5	4	9	8	1.29	<10
CC25886		0.24	0.4	1.74	88	<10	330	0.6	3	0.11	0.7	13	21	16	3.66	10
CC25887		0.26	0.4	1.91	11	<10	130	0.5	<2	0.08	<0.5	5	16	12	3.08	10
CC25888		0.22	<0.2	0.91	13	<10	100	<0.5	<2	0.07	0.5	3	9	6	1.54	10
CC25889		0.30	0.4	1.81	13	<10	160	0.7	<2	0.07	0.5	5	14	10	2.87	10
CC25890		0.30	0.2	1.97	31	<10	260	0.8	<2	0.14	0.6	8	16	12	2.65	<10
CC25891		0.36	0.2	0.38	<2	<10	40	<0.5	<2	0.07	<0.5	1	2	3	0.37	<10
CC25892		0.06	0.2	1.46	13	<10	210	<0.5	<2	0.07	0.5	4	14	15	2.66	10
CC25893		0.28	0.3	0.46	2	<10	60	<0.5	<2	0.03	<0.5	1	3	4	0.31	<10
CC25894		0.32	0.2	1.11	3	<10	430	0.5	<2	0.08	<0.5	3	9	12	1.27	<10
CC25895		0.32	0.6	2.10	22	<10	270	0.7	<2	0.06	0.5	8	21	18	3.18	<10
CC25896		0.20	<0.2	0.54	4	<10	80	<0.5	2	0.02	<0.5	2	5	6	0.94	<10
CC25897		0.24	0.5	1.67	11	<10	230	<0.5	<2	0.06	<0.5	5	17	10	2.35	10
CC25898		0.28	0.2	1.36	9	<10	360	<0.5	<2	0.06	<0.5	3	14	10	1.75	10
CC25899		0.28	0.4	2.10	16	<10	230	0.6	<2	0.06	<0.5	6	17	12	3.22	10
CC25900		0.38	0.4	1.80	39	<10	280	0.6	2	0.08	0.5	7	20	14	3.07	10
CC25901		0.22	0.2	1.78	11	<10	330	0.8	3	0.17	0.7	8	16	14	2.39	<10
CC25902		0.28	<0.2	0.64	3	<10	130	<0.5	<2	0.07	<0.5	2	7	3	0.84	<10
CC25903		0.26	0.3	1.85	15	<10	170	0.5	<2	0.07	0.5	5	13	8	2.59	10
CC25904		0.28	0.2	0.66	6	<10	60	<0.5	2	0.02	<0.5	1	5	4	1.04	<10
CC25905		0.28	<0.2	0.70	13	<10	90	<0.5	2	0.08	<0.5	2	3	6	0.62	<10
CC25908		0.06	1.4	1.30	27	<10	510	0.8	<2	0.98	1.0	3	9	20	1.37	<10
CC25909		0.12	1.3	2.13	81	<10	530	1.4	2	0.80	<0.5	7	14	35	2.54	10
CC25912		0.20	0.9	1.36	2	<10	270	0.7	<2	0.18	<0.5	4	9	13	1.51	<10
CC25913		0.20	0.5	2.85	27	<10	670	1.7	3	0.32	<0.5	11	26	35	4.13	10
CC25914		0.22	1.1	2.16	66	<10	530	1.2	2	0.93	0.6	10	14	25	2.55	<10
CC25915		0.16	0.6	2.71	94	<10	410	1.4	3	0.42	0.6	14	22	33	4.21	10
CC25916		0.10	0.7	1.03	25	<10	250	0.8	<2	0.35	<0.5	4	7	22	1.49	<10
CC25917		0.26	0.8	2.19	110	<10	310	1.5	<2	0.46	0.5	8	17	59	3.14	10
CC25918		0.08	0.3	0.67	168	10	420	0.5	<2	2.56	8.2	4	4	42	2.99	<10
CC25919		0.16	0.2	0.28	3	<10	100	<0.5	<2	0.20	<0.5	1	2	2	0.33	<10
CC25920		0.12	0.2	0.10	<2	<10	20	<0.5	<2	0.06	<0.5	1	1	1	0.23	<10
CC25921		0.20	0.2	0.54	3	<10	60	<0.5	<2	0.03	<0.5	1	5	4	0.73	<10
CC25922		0.24	0.2	1.23	8	<10	310	<0.5	<2	0.33	<0.5	5	12	12	2.00	<10
CC25923		0.16	<0.2	0.29	<2	<10	50	<0.5	<2	0.24	<0.5	1	2	4	0.10	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25881		<1	0.20	40	0.46	322	1	0.01	16	860	17	0.04	2	4	51	<20
CC25882		<1	0.13	20	0.42	349	1	0.01	19	600	19	0.02	<2	3	45	<20
CC25883		<1	0.04	<10	0.01	13	<1	0.06	3	140	<2	0.02	3	<1	13	<20
CC25884		<1	0.05	10	0.24	171	<1	0.01	6	440	7	<0.01	<2	1	20	<20
CC25885		<1	0.05	10	0.29	166	1	<0.01	6	150	10	<0.01	<2	2	23	<20
CC25886		<1	0.06	20	0.48	538	2	<0.01	21	690	28	<0.01	<2	2	11	<20
CC25887		<1	0.05	10	0.33	214	1	<0.01	13	890	21	0.01	3	3	7	<20
CC25888		<1	0.03	10	0.15	261	1	<0.01	7	550	10	<0.01	<2	1	7	<20
CC25889		1	0.04	10	0.31	243	1	<0.01	12	630	16	<0.01	2	2	7	<20
CC25890		<1	0.07	20	0.44	326	1	<0.01	17	770	23	<0.01	<2	3	12	<20
CC25891		<1	0.03	<10	0.03	60	<1	0.01	2	350	<2	<0.01	2	<1	8	<20
CC25892		<1	0.04	20	0.24	216	1	<0.01	12	700	17	<0.01	<2	2	11	<20
CC25893		<1	0.02	<10	0.03	17	<1	0.01	2	410	5	<0.01	2	<1	7	<20
CC25894		<1	0.03	10	0.13	108	1	<0.01	8	450	13	<0.01	<2	1	14	<20
CC25895		<1	0.07	20	0.40	287	2	<0.01	21	740	19	<0.01	3	3	11	<20
CC25896		1	0.02	10	0.05	50	<1	<0.01	5	370	5	<0.01	2	1	4	<20
CC25897		<1	0.03	10	0.26	165	1	<0.01	12	400	14	<0.01	<2	2	10	<20
CC25898		<1	0.03	20	0.19	181	1	<0.01	8	670	15	<0.01	<2	1	8	<20
CC25899		<1	0.04	20	0.33	260	1	<0.01	13	610	15	<0.01	2	2	9	<20
CC25900		<1	0.05	20	0.38	290	1	<0.01	17	670	14	<0.01	3	3	9	<20
CC25901		<1	0.07	20	0.39	337	<1	<0.01	19	890	18	<0.01	<2	3	14	<20
CC25902		<1	0.05	20	0.13	100	<1	<0.01	3	410	8	<0.01	<2	1	8	<20
CC25903		<1	0.05	10	0.35	236	1	<0.01	9	600	16	<0.01	<2	3	7	<20
CC25904		<1	0.03	10	0.09	101	<1	<0.01	4	390	7	<0.01	<2	1	4	<20
CC25905		<1	0.03	10	0.06	67	<1	0.01	3	410	5	<0.01	<2	<1	11	<20
CC25908		<1	0.13	40	0.23	161	1	0.01	11	750	12	0.05	2	2	71	<20
CC25909		<1	0.18	40	0.38	276	1	0.01	20	850	21	0.04	3	5	53	<20
CC25912		<1	0.12	30	0.19	110	1	0.01	7	880	11	0.04	4	2	20	<20
CC25913		1	0.23	70	0.55	319	6	0.05	24	620	57	0.03	3	7	39	20
CC25914		<1	0.20	60	0.35	658	3	0.06	18	950	25	0.08	5	4	77	<20
CC25915		1	0.27	40	0.62	657	5	0.05	25	640	39	0.04	4	7	36	<20
CC25916		<1	0.08	30	0.13	66	1	0.05	21	1090	13	0.10	3	1	40	<20
CC25917		1	0.13	40	0.34	333	2	0.05	39	990	25	0.11	5	3	41	<20
CC25918		<1	0.07	20	0.11	632	7	0.06	23	1820	4	0.66	7	1	114	<20
CC25919		<1	0.03	<10	0.03	25	<1	0.03	1	190	<2	0.01	<2	<1	14	<20
CC25920		<1	0.02	<10	0.01	12	<1	0.03	<1	170	<2	<0.01	<2	<1	8	<20
CC25921		<1	0.03	10	0.07	56	<1	0.01	3	180	5	<0.01	<2	<1	5	<20
CC25922		<1	0.08	20	0.39	303	1	0.01	16	830	13	<0.01	<2	3	23	<20
CC25923		<1	0.04	<10	0.03	23	<1	0.08	2	390	<2	0.10	4	<1	17	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067533

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25881		0.03	<10	<10	46	<10	133
CC25882		0.04	<10	<10	39	<10	95
CC25883		0.01	<10	<10	5	<10	5
CC25884		0.04	<10	<10	21	<10	35
CC25885		0.04	<10	<10	27	<10	40
CC25886		0.03	<10	<10	43	<10	117
CC25887		0.04	<10	<10	47	<10	61
CC25888		0.03	<10	<10	35	<10	58
CC25889		0.03	<10	<10	47	<10	61
CC25890		0.03	<10	<10	44	<10	78
CC25891		0.02	<10	<10	13	<10	7
CC25892		0.03	<10	<10	62	<10	67
CC25893		0.01	<10	<10	10	<10	6
CC25894		0.02	<10	<10	30	<10	38
CC25895		0.01	<10	<10	64	<10	145
CC25896		0.02	<10	<10	29	<10	32
CC25897		0.02	<10	<10	45	<10	57
CC25898		0.02	<10	<10	40	<10	53
CC25899		0.03	<10	<10	48	<10	67
CC25900		0.02	<10	<10	48	<10	111
CC25901		0.02	<10	<10	39	<10	72
CC25902		0.03	<10	<10	22	<10	27
CC25903		0.03	<10	<10	49	<10	63
CC25904		0.02	<10	<10	29	<10	26
CC25905		0.02	<10	<10	11	<10	13
CC25908		0.02	<10	<10	24	<10	76
CC25909		0.02	<10	10	39	<10	111
CC25912		0.02	<10	<10	27	<10	56
CC25913		0.03	<10	10	71	<10	157
CC25914		0.02	<10	10	39	<10	118
CC25915		0.04	<10	10	61	<10	181
CC25916		0.01	<10	<10	16	<10	51
CC25917		0.02	<10	<10	39	<10	139
CC25918		<0.01	<10	10	23	<10	83
CC25919		0.02	<10	<10	10	<10	7
CC25920		0.01	<10	<10	8	<10	3
CC25921		0.02	<10	<10	21	<10	14
CC25922		0.05	<10	<10	33	<10	86
CC25923		0.02	<10	<10	3	<10	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalize[d] [Dat]e: 6-JUL-2007
Account: MTT

CERTIFICATE VA07067532

Project: TIDD

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25441		0.22	<0.2	0.50	<2	<10	20	<0.5	<2	0.12	<0.5	1	1	6	0.37	<10
CC25442		0.18	0.5	0.31	5	<10	30	<0.5	<2	0.10	<0.5	2	4	9	0.54	<10
CC25443		0.20	0.2	1.68	104	<10	110	0.7	<2	0.11	0.7	10	22	37	4.10	10
CC25444		0.14	0.2	1.21	63	<10	90	<0.5	<2	0.05	0.5	7	17	16	4.58	10
CC25445		0.14	<0.2	0.40	7	<10	40	<0.5	<2	0.03	<0.5	2	5	5	0.75	<10
CC25446		0.12	0.2	0.93	13	<10	90	<0.5	<2	0.03	<0.5	3	10	13	1.27	<10
CC25447		0.16	0.4	1.70	36	<10	140	0.5	<2	0.09	0.8	8	23	29	3.57	10
CC25448		0.14	<0.2	0.45	4	<10	40	<0.5	<2	0.05	<0.5	2	4	7	0.60	<10
CC25449		0.16	<0.2	1.95	19	<10	250	0.8	<2	0.06	0.7	10	21	26	2.64	<10
CC25450		0.16	0.3	1.73	35	<10	310	0.8	2	0.07	1.0	7	22	28	2.78	10
CC25451		0.18	0.6	2.21	25	<10	210	0.9	<2	0.06	0.9	10	29	26	3.34	10
CC25452		0.28	0.6	2.29	43	<10	310	1.0	<2	0.08	1.0	11	27	59	3.45	<10
CC25453		0.14	0.3	1.92	24	<10	220	0.8	2	0.07	0.7	8	23	26	2.99	<10
CC25454		0.16	0.2	1.25	64	<10	140	0.5	<2	0.07	0.7	5	16	38	2.76	<10
CC25455		0.18	0.5	2.40	37	<10	200	1.0	<2	0.10	0.9	14	28	35	3.85	10
CC25456		0.16	<0.2	1.82	151	<10	390	0.8	2	0.13	0.7	9	20	37	3.13	10
CC25457		0.10	0.5	1.03	23	<10	110	<0.5	<2	0.06	<0.5	4	13	20	1.91	<10
CC25458		0.16	0.3	1.82	43	<10	270	0.9	<2	0.10	0.5	7	23	35	3.14	10
CC25459		0.08	0.3	0.14	<2	<10	20	<0.5	2	0.04	<0.5	1	1	2	0.33	<10
CC25460		0.12	0.9	1.29	29	<10	170	<0.5	2	0.04	<0.5	2	16	31	1.66	10
CC25461		0.14	0.2	1.69	24	<10	180	0.5	2	0.08	<0.5	4	19	16	2.54	10
CC25462		0.34	0.4	2.20	37	<10	240	0.9	3	0.08	0.7	10	26	37	3.29	10
CC25463		0.10	0.3	0.31	<2	<10	30	<0.5	<2	0.04	<0.5	1	7	4	0.30	<10
CC25464		0.08	0.6	0.94	8	<10	100	<0.5	<2	0.04	<0.5	2	8	21	1.36	<10
CC25465		0.10	0.2	0.66	8	<10	80	<0.5	<2	0.04	<0.5	2	6	11	0.83	<10
CC25466		0.14	0.2	1.72	40	<10	140	0.5	<2	0.06	0.5	5	19	22	2.95	10
CC25467		0.16	0.3	2.24	67	<10	240	1.0	3	0.06	0.8	15	23	40	3.32	<10
CC25468		0.10	<0.2	1.35	71	<10	70	<0.5	3	0.03	<0.5	5	18	19	5.10	10
CC25469		0.14	0.4	2.33	48	<10	130	0.9	3	0.06	0.8	16	26	77	4.51	10
CC25470		0.14	0.2	0.59	31	<10	60	<0.5	2	0.04	<0.5	3	9	9	1.70	<10
CC25471		0.12	0.5	0.79	35	<10	70	<0.5	2	0.10	<0.5	5	10	25	1.62	<10
CC25472		0.14	1.5	0.77	13	<10	40	0.6	2	0.10	<0.5	2	3	39	0.80	<10
CC25473		0.16	<0.2	0.81	5	<10	50	<0.5	<2	0.05	<0.5	1	4	9	0.86	<10
CC25474		0.24	0.2	1.11	28	<10	60	<0.5	2	0.09	0.8	7	13	21	2.20	<10
CC25475		0.14	0.2	1.49	52	<10	60	0.6	2	0.05	1.2	14	16	101	3.09	<10
CC25476		0.16	<0.2	0.83	17	<10	40	<0.5	<2	0.03	<0.5	2	10	14	2.10	10
CC25477		0.12	<0.2	0.72	14	<10	30	<0.5	<2	0.03	<0.5	1	9	11	1.73	<10
CC25478		0.22	0.2	1.85	29	<10	70	<0.5	3	0.02	<0.5	6	21	20	4.10	10
CC25479		0.14	0.2	1.58	41	<10	50	<0.5	<2	0.03	0.5	7	21	34	4.58	10
CC25480		0.20	<0.2	2.06	32	<10	130	0.7	2	0.03	0.9	10	21	30	3.81	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
CC25441		<1	0.02	10	0.03	19	<1	0.01	1	500	4	<0.01	<2	<1	11	<20
CC25442		<1	0.03	<10	0.04	31	<1	0.01	4	470	34	0.01	<2	<1	10	<20
CC25443		<1	0.07	30	0.41	381	1	<0.01	22	600	67	0.01	3	2	11	<20
CC25444		<1	0.05	20	0.16	255	1	<0.01	12	720	22	<0.01	3	1	9	<20
CC25445		1	0.03	10	0.04	51	<1	<0.01	2	260	4	<0.01	<2	<1	5	<20
CC25446		<1	0.05	20	0.11	86	1	<0.01	8	310	14	<0.01	<2	1	6	<20
CC25447		<1	0.10	20	0.35	305	3	<0.01	25	870	55	<0.01	<2	2	12	<20
CC25448		<1	0.04	<10	0.06	41	<1	<0.01	3	400	8	0.01	<2	<1	7	<20
CC25449		1	0.11	20	0.40	263	2	<0.01	28	500	24	0.01	<2	3	11	<20
CC25450		1	0.10	30	0.34	278	2	<0.01	22	970	25	0.01	2	3	11	<20
CC25451		<1	0.10	20	0.47	324	3	<0.01	29	730	36	0.01	2	3	10	<20
CC25452		1	0.13	30	0.45	527	2	<0.01	29	1170	49	0.01	<2	3	12	<20
CC25453		<1	0.09	20	0.55	255	3	0.01	31	490	26	0.01	<2	3	10	<20
CC25454		<1	0.07	20	0.27	300	2	0.02	21	1010	45	0.04	3	1	9	<20
CC25455		<1	0.12	30	0.61	537	3	0.01	36	740	51	0.02	3	3	13	<20
CC25456		<1	0.09	30	0.42	336	3	0.01	28	510	34	0.02	<2	3	16	<20
CC25457		<1	0.06	20	0.21	148	2	0.02	13	590	51	0.03	<2	1	9	<20
CC25458		<1	0.11	40	0.39	244	2	0.01	25	850	44	0.02	<2	3	13	<20
CC25459		<1	0.02	<10	0.02	18	<1	0.03	2	230	2	0.02	<2	<1	8	<20
CC25460		<1	0.09	20	0.11	71	2	0.01	9	2100	34	0.07	2	<1	8	<20
CC25461		<1	0.09	20	0.27	189	2	0.01	13	1270	21	0.01	<2	2	13	<20
CC25462		<1	0.13	20	0.50	335	4	0.01	30	730	28	0.01	3	3	14	<20
CC25463		<1	0.03	<10	0.02	19	1	0.03	4	220	2	0.02	<2	<1	8	<20
CC25464		<1	0.05	10	0.07	54	1	0.03	9	730	13	0.04	<2	1	7	<20
CC25465		<1	0.04	10	0.06	63	1	0.02	4	260	6	0.01	<2	<1	8	<20
CC25466		<1	0.07	20	0.28	279	2	0.01	18	440	56	0.02	<2	2	9	<20
CC25467		<1	0.10	30	0.48	410	3	0.01	37	530	39	0.01	4	3	12	<20
CC25468		<1	0.04	30	0.14	220	2	0.01	12	740	23	0.03	2	2	6	<20
CC25469		<1	0.09	30	0.58	737	2	0.01	35	640	47	0.02	4	3	8	<20
CC25470		<1	0.04	20	0.09	122	2	0.02	7	270	18	0.02	<2	1	6	<20
CC25471		<1	0.03	20	0.15	232	1	0.02	10	420	19	0.03	<2	1	12	<20
CC25472		<1	0.02	20	0.05	116	1	0.03	6	600	51	0.06	<2	<1	10	<20
CC25473		<1	0.03	10	0.04	77	1	0.03	3	300	8	0.02	<2	<1	7	<20
CC25474		<1	0.03	10	0.16	341	1	0.02	12	610	25	0.04	2	1	9	<20
CC25475		<1	0.04	20	0.26	560	1	0.02	18	940	68	0.06	4	1	7	<20
CC25476		<1	0.03	10	0.13	118	1	0.02	7	350	12	0.02	<2	<1	6	<20
CC25477		<1	0.03	10	0.09	64	1	0.02	4	250	7	0.02	<2	1	5	<20
CC25478		<1	0.04	30	0.28	340	1	0.01	14	440	21	0.02	<2	2	5	<20
CC25479		<1	0.05	20	0.36	423	1	0.01	17	660	20	0.02	<2	2	6	<20
CC25480		<1	0.05	20	0.37	387	1	0.01	22	420	33	0.01	4	2	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25441		0.02	<10	<10	10	<10	7
CC25442		0.02	<10	<10	13	<10	23
CC25443		0.02	<10	<10	44	<10	195
CC25444		0.03	<10	<10	69	<10	82
CC25445		0.01	<10	<10	28	<10	19
CC25446		0.02	<10	<10	44	<10	43
CC25447		0.02	<10	<10	80	<10	161
CC25448		0.01	<10	<10	16	<10	21
CC25449		0.01	<10	<10	72	<10	141
CC25450		0.01	<10	<10	72	<10	139
CC25451		0.02	<10	<10	74	<10	287
CC25452		0.01	<10	<10	74	<10	231
CC25453		0.02	<10	<10	61	<10	167
CC25454		0.01	<10	<10	37	<10	133
CC25455		0.02	<10	<10	54	<10	181
CC25456		0.01	<10	<10	55	<10	161
CC25457		0.01	<10	<10	34	<10	72
CC25458		0.01	<10	<10	60	<10	151
CC25459		0.01	<10	<10	10	<10	8
CC25460		<0.01	<10	<10	43	<10	54
CC25461		0.02	<10	<10	51	<10	101
CC25462		0.01	<10	<10	75	<10	222
CC25463		0.01	<10	<10	8	<10	7
CC25464		0.01	<10	<10	23	<10	46
CC25465		0.02	<10	<10	32	<10	23
CC25466		0.02	<10	<10	60	<10	110
CC25467		0.01	<10	<10	64	<10	186
CC25468		0.04	<10	<10	85	<10	97
CC25469		0.01	<10	<10	46	<10	193
CC25470		0.03	<10	<10	42	<10	47
CC25471		0.02	<10	<10	21	<10	66
CC25472		0.02	<10	<10	13	<10	40
CC25473		0.03	<10	<10	21	<10	19
CC25474		0.02	<10	<10	26	<10	91
CC25475		0.02	<10	<10	29	<10	136
CC25476		0.02	<10	<10	26	<10	46
CC25477		0.02	<10	<10	25	<10	30
CC25478		0.01	<10	<10	44	<10	84
CC25479		0.02	<10	<10	36	<10	125
CC25480		0.01	<10	<10	40	<10	127

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25481		0.20	<0.2	1.72	44	<10	120	0.7	2	0.05	0.9	15	19	50	4.05	10
CC25482		0.16	0.9	1.31	31	<10	100	<0.5	2	0.10	0.7	7	18	49	3.19	<10
CC25483		0.20	0.2	1.94	23	<10	100	0.5	5	0.03	1.0	10	24	27	4.21	10
CC25484		0.18	0.2	1.85	29	<10	90	0.5	<2	0.04	0.6	8	20	24	3.85	10
CC25485		0.14	0.2	1.87	34	<10	110	0.8	3	0.02	0.9	12	22	28	4.18	10
CC25486		0.12	0.2	1.96	77	<10	90	0.8	3	0.07	0.7	16	23	25	4.13	10
CC25488		0.12	0.2	0.97	<2	<10	80	0.5	2	0.16	<0.5	2	4	21	0.89	<10
CC25489		0.34	0.3	1.66	24	<10	620	0.9	<2	0.20	1.2	12	26	53	2.95	<10
CC25490		0.22	<0.2	1.84	43	<10	70	0.7	<2	0.03	<0.5	12	27	18	4.54	10
CC25491		0.32	<0.2	1.96	81	<10	100	0.7	2	0.04	0.6	16	24	23	3.91	10
CC25492		0.38	<0.2	1.34	39	<10	80	<0.5	<2	0.03	<0.5	10	17	17	4.22	10
CC25493		0.22	<0.2	1.95	40	<10	90	0.5	2	0.08	0.6	17	24	32	4.28	10
CC25494		0.24	<0.2	1.30	40	<10	120	0.9	<2	0.12	0.6	21	15	60	3.70	<10
CC25495		0.20	0.2	1.35	24	<10	60	<0.5	<2	0.04	1.2	7	17	28	3.40	<10
CC25496		0.26	<0.2	1.68	27	<10	90	<0.5	<2	0.02	0.7	8	19	19	3.96	10
CC25497		0.26	0.2	1.39	38	<10	60	<0.5	2	0.02	<0.5	8	19	23	4.40	10
CC25498		0.42	0.4	1.18	28	<10	70	<0.5	2	0.03	0.7	9	14	35	2.62	<10
CC25499		0.34	<0.2	1.48	37	<10	80	0.7	<2	0.13	2.1	20	19	98	3.66	<10
CC25500		0.34	0.4	1.29	26	<10	60	<0.5	<2	0.02	<0.5	5	12	18	3.34	10
CC25501		0.28	<0.2	1.33	33	<10	70	<0.5	<2	0.02	0.5	5	17	24	4.08	10
CC25502		0.32	0.2	1.87	98	<10	60	<0.5	2	0.02	0.6	9	22	39	4.43	10
CC25503		0.32	<0.2	0.89	28	<10	70	<0.5	<2	0.04	<0.5	8	17	28	2.50	<10
CC25504		0.30	0.2	0.76	14	<10	60	<0.5	<2	0.04	0.5	4	8	26	1.23	<10
CC25505		0.34	0.9	1.32	28	<10	180	1.2	<2	0.10	0.8	6	10	82	1.64	<10
CC25506		0.28	0.2	1.06	60	<10	110	<0.5	2	0.05	0.5	7	18	23	3.52	10
CC25507		0.22	<0.2	1.76	55	<10	110	0.7	<2	0.07	0.7	10	20	56	3.85	10
CC25508		0.26	<0.2	2.18	72	<10	180	0.8	2	0.04	0.8	11	23	33	4.35	10
CC25509		0.26	0.3	1.24	43	<10	80	<0.5	<2	0.03	0.5	7	18	33	3.50	<10
CC25510		0.22	<0.2	1.15	30	<10	100	<0.5	<2	0.09	<0.5	5	16	12	2.37	10
CC25511		0.28	<0.2	1.24	94	<10	80	<0.5	<2	0.04	<0.5	8	19	13	3.74	10
CC25512		0.42	0.2	2.22	35	<10	230	0.8	2	0.06	0.7	10	26	22	3.36	10
CC25513		0.28	<0.2	2.18	42	<10	110	0.5	<2	0.02	0.7	9	25	20	4.32	10
CC25514		0.32	<0.2	2.06	27	<10	300	0.8	2	0.03	0.5	14	25	33	3.04	<10
CC25515		0.34	1.0	2.52	26	<10	320	1.5	<2	0.24	1.3	22	25	38	2.78	<10
CC25516		0.30	<0.2	1.91	34	<10	190	0.7	2	0.05	0.6	9	28	23	3.18	10
CC25517		0.32	0.2	1.78	41	<10	230	0.5	<2	0.06	0.5	8	26	20	3.70	<10
CC25518		0.40	<0.2	1.53	34	<10	300	0.7	<2	0.15	0.5	9	20	32	2.62	10
CC25519		0.36	0.3	1.29	13	<10	120	<0.5	<2	0.03	<0.5	4	15	12	2.20	<10
CC25520		0.30	0.4	1.56	19	<10	210	0.5	<2	0.05	<0.5	5	18	26	2.60	10
CC25521		0.26	<0.2	1.36	17	<10	220	<0.5	<2	0.05	0.6	6	18	11	2.30	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25481		<1	0.05	30	0.38	588	1	0.01	22	680	38	0.02	3	2	6	<20
CC25482		<1	0.05	20	0.31	333	1	0.01	16	1280	35	0.03	<2	1	10	<20
CC25483		<1	0.06	20	0.39	561	1	0.01	19	420	41	0.02	<2	3	8	<20
CC25484		1	0.04	20	0.38	353	1	0.01	20	790	37	0.01	<2	2	6	<20
CC25485		<1	0.05	30	0.49	434	1	0.01	28	310	31	0.01	<2	3	5	<20
CC25486		<1	0.06	20	0.59	572	1	0.01	29	550	55	0.02	2	3	7	<20
CC25488		<1	0.03	10	0.08	147	<1	0.04	8	650	18	0.05	<2	<1	15	<20
CC25489		<1	0.11	20	0.49	571	3	0.01	39	700	22	0.02	<2	4	23	<20
CC25490		<1	0.05	20	0.56	529	<1	<0.01	22	400	37	<0.01	4	2	4	<20
CC25491		<1	0.06	20	0.60	697	<1	<0.01	26	1100	45	0.04	3	1	5	<20
CC25492		<1	0.04	10	0.33	429	<1	0.01	15	670	32	<0.01	2	1	5	<20
CC25493		1	0.04	20	0.53	875	<1	<0.01	20	730	55	<0.01	2	3	6	<20
CC25494		<1	0.03	40	0.45	678	<1	<0.01	29	780	33	<0.01	2	3	9	<20
CC25495		<1	0.04	20	0.33	373	<1	<0.01	15	640	34	0.01	<2	2	5	<20
CC25496		<1	0.03	20	0.27	377	<1	<0.01	11	600	35	0.01	3	2	5	<20
CC25497		1	0.04	20	0.29	433	<1	<0.01	12	760	31	0.01	2	2	4	<20
CC25498		1	0.03	20	0.24	326	1	<0.01	14	620	23	0.01	<2	1	5	<20
CC25499		<1	0.05	30	0.48	679	<1	<0.01	30	880	37	<0.01	4	3	9	<20
CC25500		<1	0.03	20	0.17	222	<1	0.01	6	570	15	0.01	6	1	4	<20
CC25501		<1	0.04	20	0.23	262	<1	<0.01	10	690	25	0.01	2	1	6	<20
CC25502		1	0.04	20	0.40	414	1	<0.01	19	420	30	0.01	3	2	5	<20
CC25503		<1	0.04	10	0.17	437	1	<0.01	8	1170	27	0.05	<2	<1	6	<20
CC25504		2	0.03	10	0.11	153	<1	0.01	4	860	19	0.05	<2	<1	5	<20
CC25505		1	0.04	30	0.12	409	<1	0.01	11	1660	28	0.09	<2	<1	11	<20
CC25506		<1	0.04	20	0.23	311	1	<0.01	12	690	24	0.04	<2	<1	9	<20
CC25507		1	0.06	20	0.38	456	<1	<0.01	19	740	71	0.01	3	2	8	<20
CC25508		1	0.06	20	0.39	494	2	<0.01	20	690	289	0.01	4	3	8	<20
CC25509		<1	0.04	20	0.15	422	1	<0.01	9	540	55	0.01	<2	1	6	<20
CC25510		<1	0.04	20	0.28	163	1	<0.01	10	500	35	0.01	<2	1	10	<20
CC25511		<1	0.06	20	0.26	455	2	<0.01	9	1410	30	0.01	<2	2	9	<20
CC25512		<1	0.08	20	0.42	267	1	0.01	20	430	30	0.01	2	3	12	<20
CC25513		<1	0.06	20	0.39	402	1	<0.01	16	430	33	0.01	4	2	7	<20
CC25514		<1	0.10	20	0.45	391	3	<0.01	36	610	29	0.01	2	3	9	<20
CC25515		1	0.10	30	0.32	419	4	0.01	46	1770	27	0.01	3	4	21	<20
CC25516		1	0.10	20	0.42	339	3	<0.01	22	780	29	0.01	3	3	9	<20
CC25517		<1	0.08	20	0.42	258	2	<0.01	16	670	27	0.01	4	3	11	<20
CC25518		1	0.08	20	0.41	281	1	0.01	24	850	31	0.01	2	2	18	<20
CC25519		<1	0.06	10	0.24	135	1	0.01	10	460	15	0.01	<2	1	7	<20
CC25520		<1	0.08	20	0.22	172	1	0.01	10	510	66	0.01	<2	2	11	<20
CC25521		1	0.06	20	0.31	203	2	<0.01	14	450	21	0.01	3	2	8	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25481		0.01	<10	<10	37	<10	171
CC25482		0.01	<10	<10	34	<10	108
CC25483		0.02	<10	<10	42	<10	120
CC25484		0.02	<10	<10	40	<10	118
CC25485		0.02	<10	<10	33	<10	133
CC25486		0.02	<10	<10	32	<10	137
CC25488		0.02	<10	<10	13	<10	61
CC25489		0.02	<10	<10	68	<10	183
CC25490		0.02	<10	<10	36	<10	98
CC25491		0.01	<10	<10	32	<10	132
CC25492		0.02	<10	<10	32	<10	111
CC25493		0.02	<10	<10	33	<10	156
CC25494		0.01	<10	<10	22	<10	193
CC25495		0.02	<10	<10	38	<10	213
CC25496		0.02	<10	<10	44	<10	119
CC25497		0.02	<10	<10	43	<10	102
CC25498		0.01	<10	<10	36	<10	117
CC25499		0.02	<10	<10	29	<10	310
CC25500		0.01	<10	<10	30	<10	65
CC25501		0.02	<10	<10	45	<10	91
CC25502		0.02	<10	<10	35	<10	138
CC25503		0.01	<10	<10	32	<10	86
CC25504		0.01	<10	<10	19	<10	51
CC25505		<0.01	<10	<10	25	<10	97
CC25506		0.02	<10	<10	42	<10	98
CC25507		0.01	<10	<10	43	<10	158
CC25508		0.01	<10	<10	52	<10	179
CC25509		0.02	<10	<10	56	<10	111
CC25510		0.02	<10	<10	39	<10	92
CC25511		0.02	<10	<10	72	<10	96
CC25512		0.02	<10	<10	67	<10	181
CC25513		0.02	<10	<10	48	<10	126
CC25514		0.01	<10	<10	74	<10	200
CC25515		0.01	<10	<10	63	<10	231
CC25516		0.01	<10	<10	59	<10	168
CC25517		0.02	<10	<10	65	<10	153
CC25518		0.01	<10	<10	56	<10	178
CC25519		0.01	<10	<10	52	<10	83
CC25520		0.01	<10	<10	48	<10	79
CC25521		0.02	<10	<10	73	<10	155

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25522		0.14	0.4	0.48	3	<10	130	<0.5	<2	0.06	<0.5	1	6	9	0.62	<10
CC25523		0.28	0.4	1.05	15	<10	130	<0.5	2	0.05	<0.5	4	12	22	1.85	<10
CC25524		0.38	0.2	1.84	103	<10	210	0.6	<2	0.04	0.5	10	20	22	3.22	10
CC25525		0.40	<0.2	1.54	27	<10	150	<0.5	<2	0.03	0.5	5	18	40	2.87	<10
CC25526		0.24	0.2	2.07	25	<10	260	0.9	<2	0.07	0.8	8	27	28	3.17	10
CC25527		0.36	0.2	1.67	15	<10	140	<0.5	<2	0.05	<0.5	5	25	12	3.00	10
CC25528		0.34	0.2	2.07	24	<10	240	0.9	<2	0.08	0.6	8	25	29	3.13	10
CC25529		0.36	0.3	1.65	35	<10	230	0.5	2	0.07	0.5	6	23	29	3.03	10
CC25530		0.40	0.3	1.86	39	<10	160	0.5	<2	0.04	<0.5	6	21	17	2.56	10
CC25531		0.28	0.2	2.18	43	<10	150	0.7	<2	0.05	1.0	9	24	39	3.74	10
CC25532		0.38	0.6	2.00	42	<10	130	0.6	2	0.04	1.4	15	25	21	4.37	10
CC25533		0.30	0.7	1.79	36	<10	240	0.7	2	0.12	1.3	12	24	69	3.10	<10
CC25534		0.30	0.5	0.96	21	<10	90	0.5	2	0.10	0.7	4	7	31	1.20	<10
CC25535		0.44	0.5	1.72	16	<10	230	0.5	2	0.18	0.5	8	21	38	2.51	10
CC25536		0.30	<0.2	1.31	16	<10	120	<0.5	3	0.07	0.5	5	17	25	2.76	10
CC25537		0.20	0.2	1.67	70	<10	90	0.5	3	0.06	0.7	7	21	33	4.15	<10
CC25538		0.24	0.2	0.67	21	<10	40	<0.5	<2	0.02	<0.5	2	7	7	1.13	10
CC25539		0.34	0.2	1.59	22	<10	60	<0.5	2	0.05	0.5	6	20	36	3.09	10
CC25540		0.16	<0.2	0.50	4	<10	30	<0.5	<2	0.03	<0.5	2	4	12	0.64	<10
CC25541		0.20	<0.2	1.58	31	<10	70	<0.5	2	0.02	<0.5	6	17	23	3.95	10
CC25542		0.32	0.2	1.28	31	<10	70	0.5	<2	0.08	0.7	13	15	50	2.97	<10
CC25543		0.12	0.3	0.29	3	<10	20	<0.5	2	0.02	<0.5	2	3	8	0.67	<10
CC25544		0.12	<0.2	0.54	9	<10	30	<0.5	<2	0.02	<0.5	2	7	7	1.44	<10
CC25545		0.18	0.3	0.77	16	<10	40	<0.5	2	0.05	<0.5	4	12	33	2.17	<10
CC25546		0.14	1.2	1.55	38	<10	140	0.5	2	0.03	0.5	5	19	89	3.01	10
CC25547		0.20	1.9	0.82	13	<10	110	<0.5	<2	0.06	<0.5	30	7	30	1.50	<10
CC25548		0.20	0.5	0.19	<2	<10	20	<0.5	<2	0.04	<0.5	1	4	3	0.25	<10
CC25549		0.20	<0.2	1.16	39	<10	50	<0.5	<2	0.02	<0.5	7	14	14	2.32	<10
CC25550		0.12	<0.2	0.43	5	<10	50	<0.5	<2	0.15	<0.5	<1	3	7	0.45	<10
CC25551		0.20	0.7	1.16	2	<10	80	0.6	2	0.25	0.9	3	4	58	0.28	<10
CC25552		0.20	0.5	1.03	7	<10	80	0.5	<2	0.27	0.6	3	3	15	0.83	<10
CC25553		0.14	0.4	1.17	233	<10	270	1.0	<2	1.40	1.8	5	9	88	2.70	<10
CC25554		0.18	0.3	0.75	16	<10	110	<0.5	<2	0.51	<0.5	4	6	18	0.72	<10
CC25555		0.22	0.2	0.47	9	<10	50	<0.5	<2	0.06	<0.5	1	6	7	0.52	<10
CC25556		0.22	1.2	0.91	8	<10	70	0.6	2	0.15	<0.5	4	7	28	0.52	<10
CC25557		0.24	0.6	0.59	41	<10	90	<0.5	2	0.13	0.6	6	7	12	1.45	<10
CC25558		0.18	0.6	0.78	41	<10	90	<0.5	2	0.06	0.8	6	12	31	2.51	<10
CC25559		0.16	0.3	1.78	32	<10	80	<0.5	3	0.02	0.7	7	20	19	3.99	10
CC25560		0.28	0.4	1.41	29	<10	100	0.6	4	0.13	1.4	12	17	75	3.25	<10
CC25561		0.20	<0.2	0.78	11	<10	40	<0.5	2	0.03	<0.5	3	10	24	1.68	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25522		<1	0.05	<10	0.04	27	<1	0.01	4	960	4	0.05	<2	1	9	<20
CC25523		<1	0.05	10	0.15	163	<1	0.01	6	860	20	0.01	<2	1	8	<20
CC25524		<1	0.07	20	0.37	310	1	0.01	19	500	31	<0.01	3	3	8	<20
CC25525		<1	0.07	20	0.27	173	2	<0.01	12	570	24	<0.01	3	2	8	<20
CC25526		<1	0.13	20	0.45	295	4	0.01	27	820	23	0.01	3	3	13	<20
CC25527		1	0.09	20	0.34	214	3	0.01	14	830	20	0.02	<2	2	9	<20
CC25528		<1	0.11	20	0.42	257	3	0.01	26	700	26	0.02	2	3	15	<20
CC25529		<1	0.10	20	0.34	354	2	0.01	17	1520	32	0.02	<2	1	15	<20
CC25530		<1	0.07	20	0.31	258	2	0.01	16	420	18	0.01	3	2	10	<20
CC25531		<1	0.07	20	0.41	426	2	0.01	20	520	84	0.02	<2	3	9	<20
CC25532		<1	0.08	20	0.38	560	2	0.01	21	420	54	0.02	2	2	8	<20
CC25533		<1	0.06	30	0.47	423	2	0.01	26	450	27	0.01	3	3	15	<20
CC25534		<1	0.06	20	0.07	246	1	0.02	9	820	28	0.05	<2	<1	11	<20
CC25535		<1	0.10	30	0.42	317	1	0.01	17	870	23	0.03	<2	2	21	<20
CC25536		<1	0.06	20	0.25	239	2	0.01	15	820	19	0.02	<2	1	10	<20
CC25537		<1	0.04	20	0.34	321	2	0.01	20	700	39	0.03	2	2	8	<20
CC25538		<1	0.03	10	0.05	66	1	0.02	4	240	10	0.02	<2	1	5	<20
CC25539		<1	0.04	20	0.33	269	1	0.01	16	580	32	0.02	<2	2	6	<20
CC25540		<1	0.02	10	0.02	37	1	0.02	2	330	5	0.02	<2	<1	7	<20
CC25541		<1	0.04	20	0.17	277	2	0.01	11	620	23	0.02	<2	2	5	<20
CC25542		<1	0.04	30	0.37	465	1	0.01	21	620	22	0.01	4	2	6	<20
CC25543		<1	0.02	<10	0.02	54	<1	0.02	2	460	7	0.02	<2	<1	4	<20
CC25544		<1	0.02	10	0.08	104	<1	0.02	5	330	8	0.02	<2	<1	4	<20
CC25545		<1	0.03	10	0.21	208	1	0.01	12	640	17	0.03	<2	<1	5	<20
CC25546		<1	0.09	20	0.11	214	3	0.01	13	1690	63	0.06	4	<1	7	<20
CC25547		<1	0.03	10	0.08	1080	1	0.02	7	1150	40	0.08	3	1	7	<20
CC25548		<1	0.02	<10	0.02	14	<1	0.03	3	150	6	0.02	<2	<1	8	<20
CC25549		<1	0.03	10	0.29	283	1	0.02	13	290	23	0.01	<2	1	4	<20
CC25550		<1	0.02	10	0.04	15	<1	0.03	2	290	8	0.04	<2	<1	14	<20
CC25551		<1	0.02	30	0.06	155	<1	0.03	7	840	31	0.12	<2	<1	19	<20
CC25552		1	0.02	10	0.05	304	1	0.03	6	780	19	0.08	<2	<1	19	<20
CC25553		<1	0.03	40	0.11	314	1	0.03	22	1070	27	0.28	3	2	76	<20
CC25554		<1	0.03	10	0.11	249	<1	0.04	7	540	11	0.06	<2	<1	33	<20
CC25555		<1	0.03	10	0.03	46	1	0.02	5	380	6	0.04	<2	<1	8	<20
CC25556		<1	0.02	20	0.04	325	1	0.04	10	640	26	0.06	<2	1	12	<20
CC25557		<1	0.04	10	0.10	357	1	0.02	7	480	62	0.04	<2	<1	11	<20
CC25558		<1	0.05	10	0.08	597	2	0.01	10	1290	28	0.09	<2	<1	8	<20
CC25559		<1	0.04	20	0.37	339	1	0.01	17	510	22	0.02	2	2	4	<20
CC25560		<1	0.05	30	0.40	475	1	0.01	24	840	39	0.02	2	2	11	<20
CC25561		<1	0.03	10	0.14	129	1	0.01	7	580	18	0.01	<2	1	4	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Method / Analyte / Units / LOR — Sample Description	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC25522	0.01	<10	<10	19	<10	32
CC25523	0.01	<10	<10	37	<10	91
CC25524	0.02	<10	<10	52	<10	134
CC25525	0.01	<10	<10	65	<10	96
CC25526	0.01	<10	<10	76	<10	167
CC25527	0.02	<10	<10	80	<10	97
CC25528	0.01	<10	<10	67	<10	166
CC25529	0.01	<10	<10	62	<10	122
CC25530	0.01	<10	<10	58	<10	107
CC25531	0.01	<10	<10	59	<10	211
CC25532	0.02	<10	<10	54	<10	301
CC25533	0.02	<10	<10	42	<10	238
CC25534	0.01	<10	<10	20	<10	70
CC25535	0.01	<10	<10	45	<10	118
CC25536	0.02	<10	<10	52	<10	85
CC25537	0.02	<10	<10	41	<10	127
CC25538	0.02	<10	<10	30	<10	22
CC25539	0.02	<10	<10	36	<10	84
CC25540	0.01	<10	<10	17	<10	13
CC25541	0.01	<10	<10	50	<10	77
CC25542	0.02	<10	<10	24	<10	133
CC25543	0.01	<10	<10	15	<10	15
CC25544	0.01	<10	<10	20	<10	28
CC25545	0.01	<10	<10	26	<10	89
CC25546	<0.01	<10	<10	48	<10	117
CC25547	0.01	<10	<10	14	<10	44
CC25548	0.01	<10	<10	7	<10	4
CC25549	0.02	<10	<10	23	<10	76
CC25550	0.01	<10	<10	10	<10	11
CC25551	0.02	<10	<10	6	<10	30
CC25552	0.02	<10	<10	13	<10	37
CC25553	0.02	<10	<10	15	<10	112
CC25554	0.02	<10	<10	10	<10	30
CC25555	0.01	<10	<10	13	<10	17
CC25556	0.02	<10	<10	7	<10	42
CC25557	0.01	<10	<10	13	<10	54
CC25558	0.01	<10	<10	32	<10	77
CC25559	0.02	<10	<10	41	<10	91
CC25560	0.02	<10	<10	30	<10	184
CC25561	0.01	<10	<10	23	<10	39

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25562		0.18	0.7	0.19	<2	<10	10	<0.5	<2	0.03	<0.5	2	3	7	0.25	<10
CC25563		0.18	<0.2	0.34	5	<10	20	<0.5	<2	0.01	<0.5	1	4	5	0.89	<10
CC25564		0.26	0.2	1.46	36	<10	80	0.6	<2	0.09	0.8	14	18	60	3.72	10
CC25565		0.14	0.2	0.26	2	<10	20	<0.5	<2	0.02	<0.5	1	2	5	0.49	<10
CC25566		0.22	0.3	1.55	39	<10	140	0.8	<2	0.09	1.3	25	20	132	3.99	10
CC25567		0.20	0.2	1.25	36	<10	50	<0.5	<2	0.02	<0.5	7	18	25	3.83	10
CC25568		0.22	<0.2	1.11	17	<10	50	<0.5	<2	0.02	<0.5	3	14	10	2.34	10
CC25569		0.14	0.2	0.20	<2	<10	20	<0.5	<2	0.02	<0.5	<1	3	8	0.21	<10
CC25570		0.32	<0.2	1.52	31	<10	170	0.5	<2	0.07	0.5	7	19	40	3.14	10
CC25571		0.24	0.6	2.12	17	<10	300	0.8	<2	0.05	<0.5	5	23	83	2.36	10
CC25572		0.20	0.2	0.66	3	<10	60	<0.5	<2	0.02	<0.5	1	7	7	1.06	<10
CC25573		0.10	2.4	2.13	97	<10	290	1.8	<2	0.25	1.0	11	19	118	3.53	10
CC25574		0.18	0.2	0.74	15	<10	100	<0.5	<2	0.03	<0.5	2	9	13	1.47	<10
CC25575		0.20	0.4	1.14	26	<10	80	<0.5	<2	0.02	<0.5	4	13	23	2.51	10
CC25576		0.22	0.2	0.19	7	<10	30	<0.5	<2	0.03	<0.5	1	13	4	0.55	<10
CC25577		0.18	0.3	1.44	30	<10	120	<0.5	<2	0.03	0.5	12	22	24	3.50	10
CC25578		0.26	0.6	1.52	21	<10	230	0.6	<2	0.05	<0.5	6	19	26	2.60	<10
CC25579		0.16	0.3	1.91	32	<10	150	0.5	<2	0.03	0.6	10	25	30	3.85	10
CC25580		0.18	0.2	1.86	21	<10	190	0.6	<2	0.05	0.6	8	23	24	3.04	<10
CC25581		0.42	0.4	1.80	20	<10	160	0.5	<2	0.03	<0.5	8	19	16	2.70	10
CC25582		0.26	0.3	1.86	32	<10	230	0.9	<2	0.12	0.9	13	19	29	2.77	10
CC25583		0.28	0.3	1.38	29	<10	140	<0.5	<2	0.03	<0.5	6	19	17	3.07	10
CC25584		0.34	0.4	1.88	50	<10	200	0.8	<2	0.13	0.7	11	24	40	3.66	10
CC25585		0.24	<0.2	1.60	34	<10	90	<0.5	<2	0.04	<0.5	6	19	25	3.86	10
CC25586		0.16	0.3	0.24	2	<10	30	<0.5	<2	0.03	<0.5	1	2	4	0.29	<10
CC25587		0.24	0.3	1.60	28	<10	70	<0.5	<2	0.03	<0.5	6	19	79	4.02	10
CC25588		0.20	0.3	0.58	11	<10	30	<0.5	<2	0.02	<0.5	1	11	8	1.33	<10
CC25589		0.14	0.6	0.31	<2	<10	30	<0.5	<2	0.03	<0.5	1	3	12	0.55	<10
CC25590		0.20	0.4	0.15	<2	<10	10	<0.5	<2	0.03	<0.5	<1	4	2	0.27	<10
CC25591		0.20	0.6	0.33	3	<10	20	<0.5	<2	0.03	<0.5	1	2	5	0.60	<10
CC25592		0.16	0.3	0.78	7	<10	50	<0.5	<2	0.09	0.6	1	3	18	0.18	<10
CC25593		0.14	0.8	1.42	35	<10	170	0.5	<2	0.15	1.3	26	17	45	3.84	<10
CC25594		0.18	0.5	1.22	21	<10	50	<0.5	<2	0.05	<0.5	6	13	31	2.87	<10
CC25595		0.12	0.2	0.24	<2	<10	20	<0.5	<2	0.02	<0.5	<1	4	3	0.39	<10
CC25596		0.18	0.2	1.72	28	<10	120	0.5	<2	0.14	0.5	12	29	27	4.30	10
CC25597		0.16	0.3	1.58	26	<10	50	<0.5	<2	0.07	0.6	12	22	24	4.19	10
CC25598		0.18	0.4	2.15	35	<10	160	0.9	<2	0.02	1.3	21	23	48	5.18	10
CC25599		0.16	<0.2	0.51	6	<10	50	<0.5	<2	0.06	<0.5	4	5	14	0.99	<10
CC25600		0.10	<0.2	0.44	4	<10	30	<0.5	<2	0.03	<0.5	1	4	6	0.71	<10
CC25601		0.18	0.3	1.51	31	<10	90	0.6	<2	0.13	1.5	13	20	86	3.65	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25562		<1	0.02	<10	0.01	14	1	0.03	3	540	16	0.01	<2	<1	6	<20
CC25563		<1	0.02	10	0.03	40	1	0.02	3	240	5	0.01	<2	<1	3	<20
CC25564		<1	0.04	30	0.44	528	1	0.01	23	700	26	0.01	5	2	7	<20
CC25565		1	0.02	<10	0.02	36	<1	0.03	1	400	5	0.01	2	<1	5	<20
CC25566		<1	0.04	30	0.48	837	1	0.01	29	660	45	0.01	4	3	7	<20
CC25567		<1	0.04	20	0.23	351	2	0.01	15	570	23	0.02	2	1	5	<20
CC25568		<1	0.03	10	0.15	127	2	0.01	8	290	14	0.01	3	1	5	<20
CC25569		<1	0.02	<10	0.02	13	<1	0.02	2	300	9	0.02	<2	<1	5	<20
CC25570		<1	0.09	20	0.36	320	2	0.01	21	780	23	0.01	4	2	11	<20
CC25571		<1	0.09	20	0.30	145	2	0.01	18	980	21	0.04	2	2	9	<20
CC25572		<1	0.04	10	0.06	69	1	0.02	3	410	10	0.01	<2	<1	5	<20
CC25573		<1	0.11	80	0.18	845	4	0.02	28	2860	61	0.13	4	3	26	<20
CC25574		<1	0.04	20	0.10	132	2	0.01	6	490	17	0.01	2	1	6	<20
CC25575		<1	0.04	20	0.16	207	2	0.01	7	390	24	0.01	2	1	5	<20
CC25576		<1	0.02	<10	0.02	35	2	0.02	9	270	5	0.01	2	<1	5	<20
CC25577		<1	0.09	20	0.30	688	3	0.01	17	1430	56	0.02	<2	1	7	<20
CC25578		<1	0.08	20	0.25	317	2	0.01	14	770	35	0.01	<2	2	10	<20
CC25579		<1	0.09	20	0.41	400	3	0.01	21	530	27	0.01	4	3	7	<20
CC25580		<1	0.09	20	0.42	269	3	0.01	21	570	21	0.01	3	3	10	<20
CC25581		<1	0.07	20	0.26	305	2	0.01	13	440	21	0.01	3	2	7	<20
CC25582		<1	0.11	20	0.47	451	2	0.01	28	780	37	0.01	3	3	17	<20
CC25583		1	0.08	20	0.24	325	4	0.01	11	1010	34	0.02	<2	1	8	<20
CC25584		<1	0.11	20	0.51	409	3	0.01	33	980	39	0.02	3	3	15	<20
CC25585		<1	0.04	20	0.23	263	2	0.01	12	460	24	0.01	2	2	8	<20
CC25586		<1	0.03	<10	0.01	14	<1	0.03	1	250	4	0.01	<2	<1	7	<20
CC25587		<1	0.05	20	0.30	304	1	0.01	16	540	33	0.02	<2	2	6	<20
CC25588		<1	0.02	10	0.05	66	1	0.02	5	330	7	0.01	<2	<1	4	<20
CC25589		<1	0.02	<10	0.02	30	<1	0.02	1	430	7	0.02	<2	<1	6	<20
CC25590		<1	0.02	<10	0.01	14	<1	0.03	1	220	2	0.01	<2	<1	6	<20
CC25591		<1	0.02	<10	0.02	13	1	0.03	2	580	7	0.04	<2	<1	6	<20
CC25592		<1	0.02	10	0.04	22	<1	0.03	6	600	9	0.08	2	<1	7	<20
CC25593		<1	0.05	20	0.35	759	1	0.02	22	1040	46	0.03	<2	1	14	<20
CC25594		<1	0.03	20	0.26	275	1	0.01	13	810	17	0.03	<2	1	5	<20
CC25595		<1	0.02	<10	0.02	23	<1	0.03	2	460	4	0.01	<2	<1	6	<20
CC25596		<1	0.06	20	0.67	408	2	0.01	31	840	79	0.01	<2	3	12	<20
CC25597		<1	0.04	20	0.51	561	1	0.01	26	700	28	0.02	<2	2	6	<20
CC25598		<1	0.07	30	0.47	730	2	0.01	30	680	67	0.09	3	3	29	<20
CC25599		<1	0.03	10	0.12	133	<1	0.03	5	360	9	0.01	<2	1	8	<20
CC25600		<1	0.03	10	0.03	44	<1	0.03	2	350	4	0.02	<2	<1	6	<20
CC25601		<1	0.05	30	0.47	548	1	0.01	24	870	49	0.01	2	2	9	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25562		0.01	<10	<10	4	<10	7
CC25563		0.01	<10	<10	17	<10	16
CC25564		0.02	<10	<10	26	<10	141
CC25565		0.01	<10	<10	9	<10	7
CC25566		0.02	<10	<10	27	<10	225
CC25567		0.02	<10	<10	37	<10	77
CC25568		0.02	<10	<10	36	<10	53
CC25569		0.01	<10	<10	5	<10	5
CC25570		0.02	<10	<10	49	<10	132
CC25571		0.01	<10	<10	53	<10	139
CC25572		0.01	<10	<10	29	<10	23
CC25573		0.01	<10	<10	46	<10	257
CC25574		0.01	<10	<10	39	<10	45
CC25575		0.01	<10	<10	43	<10	64
CC25576		0.01	<10	<10	14	<10	15
CC25577		0.01	<10	<10	60	<10	121
CC25578		0.01	<10	<10	55	<10	108
CC25579		0.01	<10	<10	63	<10	134
CC25580		0.01	<10	<10	66	<10	140
CC25581		0.01	<10	<10	58	<10	83
CC25582		0.02	<10	<10	53	<10	166
CC25583		0.02	<10	<10	67	<10	103
CC25584		0.01	<10	<10	63	<10	208
CC25585		0.01	<10	<10	45	<10	96
CC25586		0.01	<10	<10	7	<10	5
CC25587		0.01	<10	<10	41	<10	114
CC25588		0.01	<10	<10	20	<10	22
CC25589		0.01	<10	<10	10	<10	9
CC25590		0.01	<10	<10	7	<10	5
CC25591		0.01	<10	<10	10	<10	7
CC25592		0.02	<10	<10	6	<10	31
CC25593		0.01	<10	<10	29	<10	156
CC25594		0.01	<10	<10	26	<10	73
CC25595		0.01	<10	<10	10	<10	8
CC25596		0.02	<10	<10	38	<10	162
CC25597		0.02	<10	<10	29	<10	127
CC25598		0.01	<10	<10	29	<10	191
CC25599		0.02	<10	<10	13	<10	33
CC25600		0.01	<10	<10	13	<10	13
CC25601		0.02	<10	<10	30	<10	198

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25602		0.14	<0.2	1.65	38	<10	90	<0.5	<2	0.02	0.5	7	16	19	4.59	10
CC25603		0.14	0.2	1.52	20	<10	150	<0.5	<2	0.05	0.5	5	17	86	3.17	10
CC25604		0.16	<0.2	1.53	30	<10	90	<0.5	<2	0.02	<0.5	7	18	20	4.60	10
CC25605		0.14	0.2	2.04	51	<10	80	<0.5	2	0.03	0.7	9	29	62	5.65	10
CC25606		0.12	0.5	2.06	49	<10	80	0.5	<2	0.04	0.9	10	25	68	4.73	10
CC25607		0.18	0.4	1.90	49	<10	80	<0.5	<2	0.03	0.7	10	23	33	5.05	10
CC25608		0.20	0.2	1.75	28	<10	80	<0.5	<2	0.02	0.6	8	20	24	4.44	10
CC25609		0.16	0.3	0.45	9	<10	30	<0.5	<2	0.02	<0.5	2	5	7	0.91	<10
CC25610		0.20	<0.2	1.41	41	<10	60	<0.5	<2	0.06	0.5	8	24	26	4.26	<10
CC25611		0.12	0.4	1.42	24	<10	180	0.5	<2	0.03	1.2	7	16	32	3.21	10
CC25612		0.16	0.3	1.67	42	<10	60	0.5	<2	0.07	1.2	16	21	68	5.25	10
CC25613		0.14	0.2	1.20	20	<10	50	<0.5	<2	0.06	0.5	6	15	36	2.73	<10
CC25614		0.22	<0.2	1.44	22	<10	80	0.5	<2	0.06	0.7	9	17	38	3.18	<10
CC25615		0.08	0.5	1.23	14	<10	90	<0.5	<2	0.04	<0.5	5	13	22	2.84	10
CC25616		0.16	0.4	2.03	31	<10	230	0.7	<2	0.05	1.4	12	26	28	5.02	10
CC25617		0.20	0.2	1.90	50	<10	90	0.8	<2	0.15	1.0	21	25	37	4.61	10
CC25618		0.16	0.2	1.09	29	<10	110	<0.5	<2	0.04	0.6	6	21	30	3.84	10
CC25619		0.22	0.4	1.54	27	<10	90	0.5	<2	0.23	0.6	11	21	26	3.37	10
CC25620		0.14	0.3	2.04	32	<10	130	0.6	<2	0.05	1.0	15	23	25	4.37	10
CC25621		0.24	<0.2	1.88	36	<10	80	0.7	<2	0.07	1.0	18	21	39	4.58	10
CC25622		0.14	0.2	2.00	34	<10	90	0.5	<2	0.03	1.3	12	24	27	4.83	10
CC25623		0.04	0.3	1.74	44	<10	110	0.6	<2	0.10	0.8	15	20	53	3.68	10
CC25624		0.16	0.3	0.55	2	<10	110	<0.5	<2	0.08	<0.5	1	3	13	0.39	<10
CC25625		0.16	0.2	0.57	12	<10	30	<0.5	<2	0.04	<0.5	4	7	14	0.95	<10
CC25626		0.12	0.2	0.58	3	<10	40	<0.5	<2	0.04	0.6	<1	4	11	0.44	<10
CC25627		0.16	0.2	1.45	61	<10	80	0.5	<2	0.09	0.7	15	22	60	5.03	10
CC25628		0.12	<0.2	0.37	31	<10	30	<0.5	<2	0.03	<0.5	3	4	5	0.99	<10
CC25629		0.28	<0.2	2.35	32	<10	100	0.6	<2	0.04	0.9	10	26	30	4.98	10
CC25630		0.22	0.2	2.16	54	<10	110	0.7	<2	0.05	1.5	13	26	85	4.48	10
CC25631		0.28	1.2	1.64	40	<10	90	0.7	8	0.13	2.3	13	20	254	4.51	10
CC25632		0.36	0.6	1.56	31	<10	90	0.5	<2	0.05	0.8	6	18	43	4.17	10
CC25633		0.22	<0.2	1.27	29	<10	70	<0.5	<2	0.02	0.8	7	19	22	4.13	10
CC25634		0.28	0.2	1.60	48	<10	70	<0.5	<2	0.04	<0.5	10	21	28	4.46	10
CC25635		0.22	<0.2	2.08	27	<10	70	0.5	2	0.03	<0.5	9	21	23	4.94	10
CC25636		0.30	0.4	1.08	36	<10	70	<0.5	<2	0.03	<0.5	6	15	17	3.61	10
CC25637		0.34	<0.2	1.83	34	<10	140	0.7	4	0.09	0.7	17	25	30	4.65	10
CC25638		0.26	<0.2	1.54	27	<10	50	<0.5	2	0.04	<0.5	9	21	17	3.79	10
CC25639		0.12	0.4	1.71	34	<10	250	1.1	3	0.20	1.1	9	23	54	3.70	<10
CC25640		0.24	1.3	1.34	21	<10	180	0.9	<2	0.28	<0.5	9	9	64	1.82	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25602		<1	0.04	30	0.17	386	1	0.01	11	970	31	0.01	<2	2	5	<20
CC25603		<1	0.05	20	0.21	265	2	0.02	12	580	16	0.01	<2	2	11	<20
CC25604		<1	0.04	30	0.18	419	2	0.01	11	740	28	0.02	2	2	6	<20
CC25605		<1	0.05	30	0.41	535	2	0.01	19	530	45	0.02	3	2	6	<20
CC25606		1	0.05	20	0.42	485	1	0.01	20	450	36	0.02	4	2	8	<20
CC25607		1	0.05	30	0.38	533	1	0.01	17	480	41	0.02	5	2	6	<20
CC25608		1	0.04	20	0.24	369	2	0.02	10	670	24	0.02	<2	2	6	<20
CC25609		<1	0.03	10	0.05	59	<1	0.03	3	520	8	0.01	2	<1	4	<20
CC25610		1	0.05	20	0.42	369	2	0.01	20	1260	29	0.02	<2	2	7	<20
CC25611		<1	0.04	20	0.21	263	1	0.01	11	790	31	0.02	<2	1	7	<20
CC25612		1	0.04	20	0.42	733	1	0.01	25	860	62	0.02	2	2	6	<20
CC25613		<1	0.03	20	0.31	269	1	0.01	14	740	24	0.02	<2	1	6	<20
CC25614		<1	0.03	20	0.40	342	1	0.01	17	510	22	0.01	<2	2	6	<20
CC25615		<1	0.03	20	0.14	172	1	0.02	6	1180	22	0.02	<2	1	7	<20
CC25616		<1	0.06	20	0.41	632	2	0.01	21	820	34	0.02	<2	3	11	<20
CC25617		<1	0.05	30	0.71	767	1	0.01	38	890	49	0.01	2	3	9	<20
CC25618		<1	0.05	20	0.15	295	3	0.01	13	1180	21	0.04	2	<1	8	<20
CC25619		1	0.06	20	0.43	441	1	0.02	22	760	24	0.05	<2	1	17	<20
CC25620		<1	0.05	20	0.49	558	1	0.01	22	660	27	0.02	<2	3	6	<20
CC25621		1	0.05	30	0.51	635	1	0.01	28	570	45	0.01	3	3	7	<20
CC25622		1	0.05	30	0.52	571	1	0.01	22	480	27	0.01	2	2	6	<20
CC25623		<1	0.05	30	0.43	514	1	0.01	24	800	34	0.01	2	3	9	<20
CC25624		<1	0.03	10	0.01	15	<1	0.04	6	240	3	0.03	<2	<1	15	<20
CC25625		<1	0.03	10	0.06	181	1	0.03	5	400	9	0.02	<2	<1	6	<20
CC25626		<1	0.03	<10	0.02	26	1	0.04	3	340	3	0.02	<2	<1	10	<20
CC25627		2	0.05	20	0.40	825	2	0.01	24	1020	37	0.02	4	2	8	<20
CC25628		<1	0.03	10	0.04	92	1	0.02	2	200	5	0.02	<2	<1	6	<20
CC25629		<1	0.06	30	0.48	427	2	0.01	24	430	27	0.02	2	3	8	<20
CC25630		<1	0.07	30	0.56	533	1	0.01	29	620	37	0.01	2	3	7	<20
CC25631		<1	0.05	30	0.45	598	1	0.01	26	980	192	0.01	2	2	11	<20
CC25632		1	0.04	20	0.29	330	1	0.01	15	850	41	0.02	4	2	7	<20
CC25633		<1	0.05	20	0.22	320	2	0.01	15	620	26	0.02	3	1	5	<20
CC25634		1	0.05	20	0.34	457	1	0.01	20	580	47	0.02	2	2	7	<20
CC25635		1	0.04	20	0.49	420	<1	0.01	22	490	33	0.01	<2	2	5	<20
CC25636		1	0.04	20	0.16	427	1	0.01	11	930	29	0.01	2	1	7	<20
CC25637		1	0.04	30	0.61	722	1	0.01	32	910	32	0.02	<2	3	8	<20
CC25638		<1	0.03	20	0.54	284	1	0.01	23	780	14	0.03	4	2	5	<20
CC25639		<1	0.06	50	0.36	502	2	0.01	19	1610	53	0.08	<2	1	22	<20
CC25640		1	0.04	40	0.13	317	1	0.02	16	950	49	0.10	<2	1	23	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07067532

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25602		0.02	<10	<10	52	<10	105
CC25603		0.02	<10	<10	52	<10	78
CC25604		0.02	<10	<10	49	<10	82
CC25605		0.01	<10	<10	45	<10	126
CC25606		0.02	<10	<10	40	<10	128
CC25607		0.02	<10	<10	40	<10	124
CC25608		0.01	<10	<10	39	<10	83
CC25609		0.01	<10	<10	19	<10	20
CC25610		0.02	<10	<10	47	<10	112
CC25611		0.01	<10	<10	37	<10	143
CC25612		0.02	<10	<10	32	<10	201
CC25613		0.01	<10	<10	21	<10	78
CC25614		0.02	<10	<10	27	<10	96
CC25615		0.01	<10	<10	28	<10	45
CC25616		0.01	<10	<10	44	<10	169
CC25617		0.02	<10	<10	29	<10	172
CC25618		0.01	<10	<10	51	<10	82
CC25619		0.02	<10	<10	25	<10	112
CC25620		0.01	<10	<10	36	<10	146
CC25621		0.01	<10	<10	28	<10	199
CC25622		0.01	<10	<10	32	<10	149
CC25623		0.02	<10	<10	33	<10	133
CC25624		0.02	<10	<10	6	<10	10
CC25625		0.02	<10	<10	12	<10	29
CC25626		0.02	<10	<10	8	<10	12
CC25627		0.02	<10	<10	35	<10	169
CC25628		0.02	<10	<10	19	<10	22
CC25629		0.01	<10	<10	40	<10	112
CC25630		0.02	<10	<10	36	<10	166
CC25631		0.01	<10	<10	32	<10	510
CC25632		0.01	<10	<10	39	<10	114
CC25633		0.02	<10	<10	45	<10	98
CC25634		0.02	<10	<10	45	<10	208
CC25635		0.01	<10	<10	37	<10	141
CC25636		0.02	<10	<10	43	<10	72
CC25637		0.01	<10	<10	33	<10	131
CC25638		0.02	<10	<10	33	<10	87
CC25639		0.01	<10	<10	36	<10	171
CC25640		0.01	<10	<10	17	<10	116

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized . .e: 6-JUL-2007
Account: MTT

CERTIFICATE VA07066670

Project: TIDD

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2007.

The following have access to data associated with this certificate:

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25001		0.14	<0.2	1.85	83	<10	140	0.8	<2	11.95	<0.5	10	71	30	4.50	10
CC25002		0.20	<0.2	0.32	<2	<10	30	<0.5	<2	0.05	<0.5	<1	2	3	0.28	<10
CC25003		0.22	<0.2	1.71	55	<10	200	0.7	<2	0.37	<0.5	11	23	27	3.23	<10
CC25004		0.18	0.4	1.76	22	<10	250	0.5	<2	0.16	<0.5	7	24	28	2.32	10
CC25005		0.16	0.2	1.04	17	<10	220	0.5	<2	0.25	0.7	10	15	24	2.18	<10
CC25006		0.04	1.2	1.16	25	<10	350	0.6	<2	0.45	<0.5	16	10	24	1.72	<10
CC25007		0.08	<0.2	0.52	7	<10	350	<0.5	<2	0.62	<0.5	3	5	11	0.86	<10
CC25008		0.16	<0.2	1.84	45	<10	140	<0.5	<2	0.11	<0.5	7	25	24	3.70	10
CC25009		0.16	<0.2	1.50	18	<10	90	<0.5	<2	0.11	<0.5	3	21	8	2.32	10
CC25010		0.14	0.7	2.06	28	<10	120	0.5	<2	0.10	<0.5	6	23	18	3.02	10
CC25011		0.14	0.2	1.54	31	<10	110	0.5	<2	0.09	<0.5	9	20	25	2.85	10
CC25012		0.12	<0.2	2.56	72	<10	110	0.7	<2	0.06	<0.5	12	28	28	4.70	10
CC25013		0.20	0.2	2.16	45	<10	150	0.9	<2	0.18	0.8	23	24	43	3.88	<10
CC25014		0.08	<0.2	0.56	15	<10	90	<0.5	<2	0.09	0.6	2	7	15	1.64	<10
CC25015		0.14	<0.2	1.80	23	<10	120	<0.5	2	0.09	<0.5	6	23	13	3.91	10
CC25016		0.18	0.3	0.88	6	<10	120	<0.5	<2	0.04	<0.5	2	10	20	1.24	<10
CC25017		0.18	<0.2	2.15	50	<10	130	0.6	2	0.05	<0.5	8	25	19	4.76	10
CC25018		0.14	<0.2	1.82	46	<10	80	<0.5	<2	0.06	<0.5	7	24	22	5.05	10
CC25019		0.18	0.4	2.90	45	<10	240	0.9	<2	0.11	0.6	10	28	20	4.19	10
CC25020		0.28	0.3	1.73	71	<10	130	0.8	2	0.17	0.7	18	21	58	4.16	<10
CC25021		0.14	0.3	0.34	10	<10	20	<0.5	<2	0.02	<0.5	1	3	8	0.68	<10
CC25022		0.22	0.3	1.57	42	<10	100	<0.5	3	0.02	<0.5	7	17	18	3.72	10
CC25023		0.26	0.6	1.82	50	<10	130	0.9	2	0.12	0.7	17	19	47	3.74	<10
CC25024		0.18	0.7	1.98	35	<10	180	1.0	<2	0.19	0.7	16	23	36	3.59	10
CC25025		0.22	1.0	1.91	48	<10	160	0.8	<2	0.11	0.8	8	19	24	3.32	10
CC25026		0.30	0.4	2.41	38	<10	240	0.9	<2	0.13	0.5	11	26	32	3.37	10
CC25027		0.18	0.3	1.51	4	<10	150	<0.5	<2	0.11	0.5	4	13	11	1.63	<10
CC25028		0.18	0.4	2.53	39	<10	170	1.0	2	0.15	<0.5	9	30	23	4.35	10
CC25029		0.18	<0.2	1.57	27	<10	100	<0.5	<2	0.07	<0.5	5	21	16	3.23	10
CC25030		0.18	0.3	2.21	38	<10	130	0.9	<2	0.21	0.5	11	25	40	3.72	10
CC25031		0.20	<0.2	1.49	54	<10	70	<0.5	<2	0.10	<0.5	11	20	25	3.87	10
CC25032		0.24	<0.2	1.97	33	<10	140	0.8	<2	0.25	<0.5	13	24	42	3.55	10
CC25033		0.16	0.2	2.18	97	<10	100	0.8	<2	0.13	0.5	12	21	38	4.14	10
CC25034		0.16	<0.2	2.34	93	<10	200	1.0	2	0.21	0.5	17	26	49	4.37	10
CC25035		0.20	<0.2	2.24	92	<10	160	0.8	<2	0.27	0.6	21	26	39	4.00	10
CC25036		0.16	0.2	2.19	35	<10	160	0.5	<2	0.04	<0.5	6	23	14	3.75	10
CC25037		0.18	0.2	1.66	56	<10	90	<0.5	<2	0.06	<0.5	6	20	18	3.43	10
CC25038		0.12	0.2	0.15	<2	<10	10	<0.5	<2	0.03	<0.5	<1	1	2	0.23	<10
CC25039		0.18	0.3	2.25	69	<10	200	0.8	<2	0.10	0.7	12	25	28	4.00	10
CC25040		0.08	0.4	1.45	39	<10	170	0.9	<2	0.74	0.7	7	10	41	1.61	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25001		<1	0.10	20	2.81	731	<1	0.03	74	670	23	0.01	<2	5	123	<20
CC25002		<1	0.02	<10	0.02	16	<1	0.03	1	230	3	<0.01	<2	<1	8	<20
CC25003		<1	0.07	20	0.59	580	1	0.01	33	870	29	<0.01	<2	3	27	<20
CC25004		<1	0.05	20	0.35	162	1	0.01	18	1300	29	0.01	<2	<1	15	<20
CC25005		<1	0.07	20	0.30	505	<1	0.01	24	1290	19	<0.01	<2	3	25	<20
CC25006		<1	0.04	20	0.14	662	<1	0.04	15	1110	30	0.08	<2	<1	30	<20
CC25007		<1	0.04	10	0.11	140	<1	0.04	7	400	8	0.02	<2	1	30	<20
CC25008		<1	0.09	20	0.55	344	<1	0.01	28	740	24	<0.01	<2	3	11	<20
CC25009		<1	0.05	30	0.31	169	1	0.01	10	510	17	<0.01	<2	2	9	<20
CC25010		<1	0.05	20	0.32	212	<1	0.01	15	1290	26	0.06	2	<1	10	<20
CC25011		<1	0.05	20	0.35	271	1	0.01	21	860	26	0.03	2	<1	10	<20
CC25012		<1	0.06	30	0.53	411	1	0.01	30	520	45	<0.01	3	3	8	<20
CC25013		<1	0.07	30	0.60	622	<1	0.01	44	950	52	<0.01	<2	3	18	<20
CC25014		<1	0.04	10	0.05	73	2	0.01	6	550	11	0.01	<2	<1	11	<20
CC25015		<1	0.07	20	0.42	276	1	0.01	17	1000	28	<0.01	<2	2	9	<20
CC25016		<1	0.03	20	0.12	101	<1	0.01	6	270	30	<0.01	<2	<1	10	<20
CC25017		<1	0.07	30	0.47	503	1	0.01	18	1190	35	0.01	<2	3	8	<20
CC25018		<1	0.05	20	0.40	314	1	0.01	20	760	49	0.01	<2	2	8	<20
CC25019		<1	0.05	20	0.51	542	2	0.01	21	620	53	<0.01	2	3	16	<20
CC25020		<1	0.07	40	0.56	639	<1	0.01	31	880	64	<0.01	<2	3	14	<20
CC25021		<1	0.02	10	0.04	48	<1	0.03	2	360	17	<0.01	<2	<1	5	<20
CC25022		<1	0.04	30	0.18	334	1	0.01	12	520	33	<0.01	<2	1	6	<20
CC25023		<1	0.07	30	0.41	539	<1	0.01	30	830	57	<0.01	<2	2	12	<20
CC25024		<1	0.07	30	0.54	737	1	0.01	28	790	171	<0.01	2	3	14	<20
CC25025		<1	0.06	20	0.42	295	<1	0.01	20	620	71	<0.01	<2	2	9	<20
CC25026		<1	0.10	20	0.61	441	1	0.01	27	680	65	<0.01	<2	4	12	<20
CC25027		<1	0.05	20	0.29	140	<1	0.02	13	510	14	0.01	<2	1	11	<20
CC25028		<1	0.06	30	0.58	390	3	0.01	20	770	45	<0.01	2	3	11	<20
CC25029		<1	0.05	20	0.37	277	3	0.01	16	500	39	<0.01	<2	1	9	<20
CC25030		<1	0.06	30	0.57	404	1	0.01	32	1100	46	<0.01	<2	2	16	<20
CC25031		<1	0.05	30	0.42	438	2	0.01	23	590	32	<0.01	<2	2	8	<20
CC25032		<1	0.06	30	0.59	421	2	<0.01	35	970	32	0.02	<2	3	17	<20
CC25033		<1	0.05	20	0.38	401	1	<0.01	30	1080	68	0.04	3	1	12	<20
CC25034		<1	0.09	40	0.70	575	<1	0.01	41	670	46	0.02	2	3	22	<20
CC25035		<1	0.08	30	0.73	683	<1	<0.01	43	1080	54	0.01	3	3	20	<20
CC25036		<1	0.04	20	0.36	285	1	<0.01	17	460	26	0.01	<2	2	7	<20
CC25037		<1	0.05	20	0.39	279	<1	<0.01	23	370	26	0.01	<2	2	10	<20
CC25038		<1	0.02	<10	0.01	12	<1	0.01	1	300	2	0.01	<2	<1	6	<20
CC25039		<1	0.07	20	0.52	472	<1	<0.01	34	680	35	0.01	<2	3	11	<20
CC25040		<1	0.03	30	0.17	286	2	0.01	23	2130	19	0.30	<2	<1	44	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25001		0.02	<10	<10	60	<10	85
CC25002		0.01	<10	<10	6	<10	6
CC25003		0.03	<10	<10	35	<10	159
CC25004		0.01	<10	<10	37	<10	81
CC25005		0.03	<10	<10	40	<10	119
CC25006		0.01	<10	<10	19	<10	61
CC25007		0.02	<10	<10	15	<10	30
CC25008		0.04	<10	<10	51	<10	97
CC25009		0.03	<10	<10	41	<10	34
CC25010		0.01	<10	<10	35	<10	59
CC25011		0.02	<10	<10	32	<10	67
CC25012		0.03	<10	<10	39	<10	104
CC25013		0.03	<10	<10	34	<10	140
CC25014		0.02	<10	<10	39	<10	41
CC25015		0.02	<10	<10	62	<10	85
CC25016		0.02	<10	<10	32	<10	33
CC25017		0.03	<10	<10	59	<10	102
CC25018		0.03	<10	<10	54	<10	96
CC25019		0.03	<10	<10	78	<10	173
CC25020		0.04	<10	<10	33	<10	190
CC25021		<0.01	<10	<10	10	<10	19
CC25022		0.01	<10	<10	51	<10	102
CC25023		0.02	<10	<10	30	<10	132
CC25024		0.04	<10	<10	37	<10	173
CC25025		0.03	<10	<10	32	<10	130
CC25026		0.05	<10	<10	49	<10	111
CC25027		0.02	<10	<10	26	<10	75
CC25028		0.03	<10	<10	71	<10	92
CC25029		0.03	<10	<10	58	<10	65
CC25030		0.02	<10	<10	34	<10	117
CC25031		0.04	<10	<10	42	<10	66
CC25032		0.04	<10	<10	29	<10	99
CC25033		0.04	<10	<10	32	<10	118
CC25034		0.06	<10	<10	33	<10	135
CC25035		0.05	<10	<10	29	<10	157
CC25036		0.02	<10	<10	50	<10	79
CC25037		0.03	<10	<10	30	<10	68
CC25038		0.01	<10	<10	7	<10	5
CC25039		0.03	<10	<10	38	<10	120
CC25040		0.01	<10	<10	18	<10	100

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC25041		0.18	<0.2	0.66	14	<10	70	<0.5	<2	0.03	<0.5	2	7	11	1.04	<10
CC25042		0.16	<0.2	1.24	35	<10	90	<0.5	<2	0.03	<0.5	3	13	11	2.18	10
CC25043		0.08	0.5	0.55	3	<10	110	<0.5	<2	0.10	<0.5	2	4	9	0.55	<10
CC25044		0.16	<0.2	0.15	2	<10	10	<0.5	<2	0.03	<0.5	1	1	3	0.29	<10
CC25045		0.24	0.2	2.49	36	<10	110	0.5	<2	0.08	<0.5	8	33	18	4.53	10
CC25046		0.24	<0.2	2.42	85	<10	120	0.8	<2	0.12	0.5	12	30	28	4.97	10
CC25047		0.44	<0.2	1.88	93	<10	160	0.8	<2	0.19	0.5	18	22	36	3.54	10
CC25048		0.32	0.2	1.71	69	<10	70	0.9	<2	0.35	0.5	24	22	56	3.95	10
CC25049		0.30	0.2	1.02	24	<10	60	<0.5	<2	0.10	<0.5	6	11	19	1.76	<10
CC25050		0.18	<0.2	1.73	47	<10	140	0.7	<2	0.19	<0.5	9	21	35	3.82	10
CC25051		0.34	0.2	1.59	39	<10	110	0.7	<2	0.17	<0.5	9	16	46	2.96	10
CC25052		0.20	0.8	1.85	46	<10	90	0.5	2	0.04	0.5	6	21	26	4.01	<10
CC25053		0.24	0.2	1.69	79	<10	90	0.5	2	0.06	0.7	8	23	34	4.30	<10
CC25054		0.34	0.4	2.11	57	<10	180	0.9	<2	0.21	0.8	18	26	42	4.68	10
CC25055		0.28	<0.2	0.48	4	<10	30	<0.5	<2	0.12	<0.5	2	3	9	0.76	<10
CC25056		0.54	0.4	1.46	74	<10	100	0.8	2	0.13	1.0	24	18	77	3.94	<10
CC25057		0.32	1.4	1.85	69	<10	120	0.8	2	0.18	0.9	23	18	61	4.39	<10
CC25058		0.22	<0.2	0.59	<2	<10	30	<0.5	<2	0.14	<0.5	1	1	4	0.37	<10
CC25059		0.28	<0.2	0.40	<2	<10	30	<0.5	<2	0.10	<0.5	1	1	3	0.27	<10
CC25060		0.46	0.7	0.96	21	<10	110	<0.5	<2	0.11	<0.5	10	10	28	1.85	<10
CC25061		0.30	<0.2	0.31	3	<10	40	<0.5	<2	0.03	<0.5	1	2	10	0.34	<10
CC25062		0.24	0.4	0.39	<2	<10	20	<0.5	<2	0.05	<0.5	1	2	4	0.63	<10
CC25063		0.24	0.2	1.81	103	<10	100	0.6	<2	0.09	0.6	13	25	35	6.05	10
CC25064		0.22	3.4	2.39	110	<10	210	1.5	4	0.39	0.9	16	17	100	4.92	10
CC25065		0.32	0.5	1.61	70	<10	70	0.6	<2	0.04	<0.5	10	17	64	3.87	<10
CC25066		0.38	1.1	1.83	45	<10	100	0.5	<2	0.14	0.8	9	21	36	3.91	10
CC25067		0.20	0.2	0.19	<2	<10	20	<0.5	<2	0.04	<0.5	1	1	2	0.30	<10
CC25068		0.32	0.3	0.49	10	<10	30	<0.5	<2	0.05	<0.5	1	3	13	0.69	<10
CC25069		0.34	0.7	2.27	62	<10	70	0.6	4	0.03	0.9	11	24	41	5.15	10
CC25070		0.22	0.3	1.75	46	<10	90	<0.5	<2	0.04	<0.5	4	19	21	4.75	10
CC25071		0.26	0.2	2.48	58	<10	130	1.0	2	0.31	<0.5	26	25	64	4.80	10
CC25072		0.14	<0.2	1.01	24	<10	90	0.6	<2	0.09	<0.5	5	8	27	1.56	<10
CC25073		0.24	0.4	2.38	86	<10	160	1.4	2	0.20	<0.5	23	29	63	4.42	10
CC25074		0.26	<0.2	2.65	171	<10	140	1.4	<2	0.28	<0.5	19	27	65	4.39	10
CC25075		0.30	<0.2	3.04	112	<10	170	1.1	<2	0.11	<0.5	17	32	27	4.72	10
CC25076		0.22	0.2	2.53	43	<10	140	0.9	<2	0.06	<0.5	13	28	27	3.98	10
CC25077		0.16	0.2	0.13	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.29	<10
CC25078		0.20	0.5	0.50	4	<10	40	<0.5	<2	0.02	<0.5	1	5	4	0.58	<10
CC25079		0.16	<0.2	0.18	<2	<10	10	<0.5	<2	0.04	<0.5	<1	1	2	0.29	<10
CC25080		0.06	0.2	0.18	<2	<10	20	<0.5	<2	0.05	<0.5	1	2	2	0.24	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25041		<1	0.03	10	0.11	77	<1	0.01	6	260	16	0.01	<2	<1	7	<20
CC25042		<1	0.04	20	0.15	112	1	<0.01	8	350	23	0.01	<2	1	7	<20
CC25043		<1	0.03	10	0.06	32	<1	0.01	5	750	15	0.05	<2	<1	11	<20
CC25044		<1	0.02	<10	0.01	18	<1	0.01	<1	150	<2	<0.01	<2	<1	6	<20
CC25045		<1	0.08	20	0.61	330	1	<0.01	25	440	34	0.01	2	3	11	<20
CC25046		<1	0.07	30	0.61	487	1	<0.01	36	700	61	0.02	<2	3	14	<20
CC25047		<1	0.07	30	0.56	643	<1	0.01	33	800	34	0.02	2	3	18	<20
CC25048		<1	0.06	40	0.60	459	<1	<0.01	48	1070	63	0.01	3	3	31	<20
CC25049		<1	0.04	20	0.25	215	<1	0.01	15	500	23	0.02	<2	1	9	<20
CC25050		<1	0.06	40	0.38	380	3	<0.01	24	690	51	0.05	2	2	14	<20
CC25051		<1	0.05	20	0.42	351	2	0.01	26	970	71	0.02	<2	2	10	<20
CC25052		<1	0.06	20	0.33	373	2	<0.01	16	610	215	0.02	<2	1	7	<20
CC25053		<1	0.06	20	0.39	400	1	<0.01	24	710	69	0.01	2	2	8	<20
CC25054		<1	0.11	30	0.68	524	1	<0.01	32	1150	64	0.01	2	4	16	<20
CC25055		<1	0.03	<10	0.06	97	<1	0.02	4	460	13	0.01	<2	<1	9	<20
CC25056		<1	0.05	40	0.50	761	<1	<0.01	34	830	92	<0.01	<2	3	10	<20
CC25057		<1	0.07	30	0.42	800	<1	0.01	35	1050	116	0.03	3	2	16	<20
CC25058		<1	0.02	<10	0.03	28	<1	0.02	2	460	<2	0.02	<2	<1	13	<20
CC25059		<1	0.02	<10	0.02	14	<1	0.03	1	200	6	0.01	<2	<1	11	<20
CC25060		<1	0.04	10	0.21	435	<1	0.01	14	770	41	0.01	<2	1	11	<20
CC25061		<1	0.02	<10	0.02	20	<1	0.02	2	310	11	0.01	<2	<1	6	<20
CC25062		<1	0.02	<10	0.04	41	<1	0.02	2	230	8	0.01	<2	<1	8	<20
CC25063		<1	0.05	30	0.43	654	1	<0.01	20	570	43	0.02	2	2	10	<20
CC25064		<1	0.10	30	0.28	520	1	0.01	49	1760	208	0.13	<2	2	37	<20
CC25065		<1	0.05	30	0.41	487	<1	<0.01	23	510	59	0.01	<2	2	5	<20
CC25066		<1	0.05	30	0.52	523	<1	<0.01	26	740	40	0.02	2	2	11	<20
CC25067		<1	0.02	<10	0.01	59	<1	0.02	1	210	3	0.01	<2	<1	8	<20
CC25068		<1	0.03	10	0.03	45	<1	0.01	3	410	23	<0.01	<2	<1	6	<20
CC25069		<1	0.06	30	0.43	509	1	<0.01	25	500	435	<0.01	2	2	7	<20
CC25070		<1	0.05	20	0.25	286	2	<0.01	12	440	103	<0.01	<2	2	8	<20
CC25071		<1	0.06	30	0.69	670	2	<0.01	50	1370	65	<0.01	2	3	16	<20
CC25072		<1	0.05	30	0.13	126	<1	0.02	17	330	28	<0.01	<2	1	10	<20
CC25073		<1	0.08	40	0.64	578	2	<0.01	48	870	73	<0.01	<2	4	19	<20
CC25074		<1	0.07	50	0.70	473	1	<0.01	51	620	59	<0.01	4	3	28	<20
CC25075		<1	0.06	30	0.66	412	1	<0.01	42	440	33	<0.01	3	3	11	<20
CC25076		<1	0.08	20	0.60	390	<1	<0.01	32	330	37	<0.01	<2	3	13	<20
CC25077		<1	0.02	<10	0.01	14	<1	0.01	1	120	<2	<0.01	<2	<1	7	<20
CC25078		<1	0.03	10	0.07	48	<1	<0.01	3	190	9	<0.01	<2	<1	5	<20
CC25079		<1	0.03	<10	0.01	14	<1	0.01	1	100	<2	<0.01	<2	<1	8	<20
CC25080		<1	0.02	<10	0.02	19	<1	0.01	3	350	3	<0.01	<2	<1	6	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25041		0.02	<10	<10	22	<10	25
CC25042		0.03	<10	<10	42	<10	37
CC25043		0.01	<10	<10	8	<10	20
CC25044		0.01	<10	<10	8	<10	6
CC25045		0.06	<10	<10	43	<10	79
CC25046		0.04	<10	<10	36	<10	130
CC25047		0.05	<10	<10	29	<10	113
CC25048		0.07	<10	<10	23	<10	111
CC25049		0.02	<10	<10	18	<10	59
CC25050		0.02	<10	<10	43	<10	106
CC25051		0.02	<10	<10	35	<10	114
CC25052		0.01	<10	<10	38	<10	157
CC25053		0.01	<10	<10	43	<10	179
CC25054		0.06	<10	<10	45	<10	246
CC25055		0.02	<10	<10	12	<10	36
CC25056		0.02	<10	<10	25	<10	259
CC25057		0.01	<10	<10	29	<10	289
CC25058		0.02	<10	<10	10	<10	6
CC25059		0.02	<10	<10	7	<10	4
CC25060		0.02	<10	<10	19	<10	77
CC25061		0.01	<10	<10	9	<10	11
CC25062		0.02	<10	<10	13	<10	17
CC25063		0.01	<10	<10	36	<10	167
CC25064		0.01	<10	<10	32	<10	431
CC25065		0.02	<10	<10	28	<10	155
CC25066		0.01	<10	<10	28	<10	214
CC25067		0.01	<10	<10	8	<10	6
CC25068		0.01	<10	<10	11	<10	21
CC25069		0.01	<10	<10	38	<10	158
CC25070		0.02	<10	<10	54	<10	116
CC25071		0.03	<10	<10	34	<10	125
CC25072		0.02	<10	<10	20	<10	59
CC25073		0.03	<10	<10	41	<10	172
CC25074		0.04	<10	<10	33	<10	144
CC25075		0.04	<10	<10	36	<10	98
CC25076		0.05	<10	<10	34	<10	90
CC25077		0.02	<10	<10	9	<10	5
CC25078		0.01	<10	<10	14	<10	8
CC25079		0.02	<10	<10	9	<10	5
CC25080		0.01	<10	<10	6	<10	8

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25081		0.10	0.3	0.44	11	<10	40	<0.5	<2	0.36	<0.5	5	3	7	0.55	<10
CC25082		0.12	<0.2	0.10	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.21	<10
CC25083		0.06	0.4	0.30	13	<10	50	<0.5	<2	0.09	<0.5	2	2	5	0.97	<10
CC25084		0.16	<0.2	0.71	82	<10	200	<0.5	<2	0.59	1.3	3	4	35	1.40	<10
CC25085		0.28	<0.2	2.47	175	<10	180	1.3	<2	0.07	0.5	24	27	56	4.58	10
CC25086		0.36	<0.2	2.58	73	<10	130	0.9	2	0.04	0.9	12	28	35	4.77	10
CC25087		0.28	0.2	1.90	72	<10	110	0.6	<2	0.16	<0.5	7	24	27	4.73	10
CC25088		0.26	<0.2	2.26	80	<10	90	0.7	<2	0.08	<0.5	13	28	41	5.25	10
CC25089		0.34	0.2	2.61	58	<10	140	1.0	2	0.04	0.7	15	29	31	5.36	10
CC25090		0.26	0.2	2.60	81	<10	130	1.0	2	0.10	1.5	16	29	56	5.31	10
CC25091		0.26	<0.2	1.69	36	<10	110	<0.5	<2	0.03	0.5	5	21	15	3.97	10
CC25092		0.20	<0.2	0.18	<2	<10	10	<0.5	<2	0.03	<0.5	<1	2	3	0.34	<10
CC25093		0.14	1.1	0.29	6	<10	20	<0.5	<2	0.04	<0.5	3	2	10	0.53	<10
CC25094		0.24	0.9	1.92	86	<10	60	0.6	3	0.10	0.7	14	22	58	5.21	10
CC25095		0.14	0.4	0.85	42	<10	40	<0.5	<2	0.04	<0.5	2	8	20	1.90	<10
CC25096		0.18	0.4	1.91	60	<10	90	0.7	2	0.06	0.6	8	20	64	4.38	10
CC25097		0.16	0.7	0.78	17	<10	90	<0.5	<2	0.16	<0.5	8	5	20	1.34	<10
CC25098		0.18	0.7	1.64	72	<10	110	0.8	2	0.09	0.7	16	21	45	5.21	10
CC25099		0.22	0.6	1.62	59	<10	50	0.5	3	0.13	1.4	14	18	52	4.81	<10
CC25100		0.18	<0.2	1.40	44	<10	100	0.6	2	0.16	0.9	15	18	49	3.54	<10
CC25101		0.10	0.3	0.22	<2	<10	20	<0.5	<2	0.04	<0.5	1	1	7	0.32	<10
CC25102		0.20	0.5	0.66	8	<10	70	<0.5	<2	0.06	<0.5	3	4	19	0.86	<10
CC25103		0.16	0.6	0.86	29	<10	90	0.5	<2	0.15	0.9	13	8	51	1.90	<10
CC25104		0.04	0.5	1.33	30	<10	80	0.5	2	0.11	0.8	11	17	35	3.12	<10
CC25105		0.20	0.2	1.65	69	<10	70	0.6	2	0.05	1.0	13	18	53	4.50	<10
CC25106		0.18	0.7	2.08	42	<10	80	0.6	<2	0.03	1.1	10	23	53	4.24	10
CC25107		0.14	0.9	0.51	15	<10	20	<0.5	<2	0.02	<0.5	2	5	17	0.94	<10
CC25108		0.20	<0.2	0.21	2	<10	10	<0.5	<2	0.03	<0.5	1	1	4	0.26	<10
CC25109		0.14	0.2	0.09	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.24	<10
CC25110		0.18	0.3	2.00	41	<10	110	0.5	<2	0.02	1.1	10	24	25	4.11	10
CC25111		0.14	0.5	0.40	4	<10	30	<0.5	<2	0.02	<0.5	1	2	8	0.50	<10
CC25112		0.22	0.5	1.47	85	<10	80	0.5	2	0.14	1.0	8	18	55	3.57	<10
CC25113		0.16	1.0	1.48	49	<10	120	1.2	<2	0.14	0.7	15	7	64	1.90	<10
CC25114		0.18	<0.2	0.51	16	<10	30	<0.5	<2	0.03	<0.5	2	5	9	1.20	<10
CC25115		0.12	<0.2	0.30	4	<10	20	<0.5	<2	0.03	<0.5	1	2	4	0.49	<10
CC25116		0.12	0.3	0.40	3	<10	30	<0.5	<2	0.02	<0.5	2	4	5	0.59	<10
CC25117		0.14	<0.2	1.82	92	<10	120	0.8	2	0.20	0.6	13	21	56	3.50	10
CC25118		0.16	0.4	0.30	12	<10	20	<0.5	<2	0.03	<0.5	2	3	7	0.46	<10
CC25119		0.20	0.9	0.71	27	<10	50	<0.5	<2	0.22	<0.5	4	7	16	1.03	<10
CC25120		0.36	0.4	1.87	28	<10	150	0.9	<2	0.49	0.9	15	27	53	3.42	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25081		<1	0.02	10	0.05	259	<1	0.02	4	370	6	0.02	<2	<1	17	<20
CC25082		<1	0.02	<10	0.01	12	<1	0.01	<1	140	<2	<0.01	<2	<1	7	<20
CC25083		<1	0.02	<10	0.02	16	<1	0.01	2	500	2	0.05	<2	<1	12	<20
CC25084		<1	0.02	20	0.02	20	<1	<0.01	14	590	10	0.68	<2	1	36	<20
CC25085		<1	0.08	40	0.69	640	<1	<0.01	48	410	65	<0.01	7	3	10	<20
CC25086		<1	0.07	30	0.54	528	1	<0.01	32	450	149	<0.01	<2	3	7	<20
CC25087		<1	0.06	20	0.51	433	1	<0.01	24	740	74	<0.01	2	2	14	<20
CC25088		<1	0.07	20	0.60	481	1	<0.01	36	420	36	<0.01	<2	3	13	<20
CC25089		<1	0.06	30	0.55	608	1	<0.01	33	490	89	<0.01	2	3	8	<20
CC25090		<1	0.08	30	0.56	752	1	<0.01	38	820	335	<0.01	2	3	9	<20
CC25091		<1	0.05	20	0.30	312	1	<0.01	14	480	49	0.01	<2	2	7	<20
CC25092		<1	0.02	<10	0.02	20	<1	0.01	1	190	11	<0.01	<2	<1	5	<20
CC25093		<1	0.03	<10	0.02	77	<1	0.01	2	400	43	<0.01	<2	<1	7	<20
CC25094		<1	0.06	30	0.52	695	<1	<0.01	27	870	103	<0.01	3	2	7	<20
CC25095		<1	0.03	10	0.15	145	<1	<0.01	8	500	36	<0.01	<2	<1	5	<20
CC25096		<1	0.05	30	0.43	428	<1	<0.01	24	630	60	<0.01	2	2	7	<20
CC25097		<1	0.03	10	0.11	217	<1	0.01	14	420	34	0.01	<2	1	15	<20
CC25098		<1	0.06	30	0.33	651	<1	<0.01	19	640	59	<0.01	3	2	10	<20
CC25099		<1	0.04	30	0.48	792	<1	<0.01	23	810	177	<0.01	3	2	9	<20
CC25100		<1	0.05	30	0.45	603	<1	<0.01	25	890	62	<0.01	2	3	11	<20
CC25101		<1	0.02	<10	0.02	15	<1	0.02	1	190	4	0.02	<2	<1	8	<20
CC25102		<1	0.03	10	0.05	84	<1	0.01	7	370	21	0.02	<2	<1	8	<20
CC25103		<1	0.04	20	0.16	347	<1	0.01	17	540	60	<0.01	<2	1	12	<20
CC25104		<1	0.05	30	0.43	415	1	0.01	21	660	59	0.01	<2	2	9	<20
CC25105		<1	0.05	30	0.41	523	<1	0.01	25	540	67	0.01	<2	2	7	<20
CC25106		<1	0.06	30	0.48	458	<1	0.01	24	400	118	0.02	4	2	5	<20
CC25107		<1	0.03	10	0.07	56	<1	0.02	4	470	45	0.03	<2	<1	5	<20
CC25108		<1	0.02	<10	0.02	14	<1	0.02	1	160	2	0.01	<2	<1	6	<20
CC25109		<1	0.02	<10	0.01	13	<1	0.03	<1	200	3	0.01	<2	<1	6	<20
CC25110		1	0.07	20	0.47	416	1	0.01	25	340	48	0.02	2	2	7	<20
CC25111		<1	0.03	<10	0.03	19	<1	0.03	3	320	10	0.02	<2	<1	6	<20
CC25112		1	0.06	30	0.44	490	1	0.01	26	1000	101	0.02	<2	2	12	<20
CC25113		1	0.05	40	0.10	922	<1	0.03	23	810	122	0.07	2	1	15	<20
CC25114		<1	0.03	10	0.06	62	<1	0.02	3	240	14	0.01	<2	<1	6	<20
CC25115		1	0.02	<10	0.04	38	<1	0.03	2	190	8	0.01	<2	<1	6	<20
CC25116		<1	0.03	10	0.06	40	<1	0.02	4	220	10	0.01	<2	<1	4	<20
CC25117		<1	0.07	40	0.46	407	1	0.01	30	860	83	0.02	4	2	19	<20
CC25118		<1	0.03	10	0.03	28	<1	0.03	2	380	15	0.03	<2	<1	6	<20
CC25119		1	0.04	10	0.16	127	<1	0.03	9	490	19	0.04	<2	<1	12	<20
CC25120		<1	0.08	40	0.72	543	<1	0.02	40	1010	36	0.02	<2	4	33	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25081		0.02	<10	<10	9	<10	23
CC25082		0.01	<10	<10	7	<10	4
CC25083		0.01	<10	<10	9	<10	5
CC25084		0.01	<10	<10	7	<10	35
CC25085		0.03	<10	<10	34	<10	146
CC25086		0.02	<10	<10	42	<10	198
CC25087		0.03	<10	<10	43	<10	136
CC25088		0.03	<10	<10	35	<10	83
CC25089		0.01	<10	<10	43	<10	163
CC25090		0.01	<10	<10	44	<10	314
CC25091		0.02	<10	<10	58	<10	141
CC25092		0.01	<10	<10	8	<10	9
CC25093		0.01	<10	<10	8	<10	18
CC25094		0.01	<10	<10	28	<10	173
CC25095		0.02	<10	<10	20	<10	50
CC25096		0.01	<10	<10	33	<10	174
CC25097		0.02	<10	<10	13	<10	62
CC25098		0.02	<10	<10	34	<10	191
CC25099		0.01	<10	<10	23	<10	226
CC25100		0.02	<10	<10	27	<10	155
CC25101		0.01	<10	<10	7	<10	5
CC25102		0.01	<10	<10	9	<10	44
CC25103		0.01	<10	<10	15	<10	149
CC25104		0.02	<10	<10	24	<10	131
CC25105		0.01	<10	<10	35	<10	167
CC25106		0.01	<10	<10	39	<10	184
CC25107		0.01	<10	<10	11	<10	33
CC25108		0.02	<10	<10	8	<10	6
CC25109		0.01	<10	<10	8	<10	6
CC25110		0.01	<10	<10	52	<10	160
CC25111		0.01	<10	<10	12	<10	18
CC25112		0.01	<10	<10	36	<10	207
CC25113		0.01	<10	<10	17	<10	211
CC25114		0.02	<10	<10	20	<10	21
CC25115		0.01	<10	<10	10	<10	12
CC25116		0.01	<10	<10	11	<10	19
CC25117		0.03	<10	<10	35	<10	135
CC25118		0.01	<10	<10	7	<10	12
CC25119		0.01	<10	<10	12	<10	39
CC25120		0.03	<10	<10	29	<10	167

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25121		0.08	0.4	0.72	16	<10	80	<0.5	<2	0.51	<0.5	2	6	35	0.65	<10
CC25122		0.10	0.4	1.59	97	<10	230	0.7	<2	0.47	1.5	17	16	40	2.90	<10
CC25123		0.20	0.8	2.60	96	<10	270	1.4	2	0.62	1.0	19	28	62	4.25	10
CC25124		0.10	0.7	1.97	137	<10	300	1.2	<2	1.45	1.8	29	18	50	4.06	<10
CC25125		0.08	0.4	1.58	161	<10	150	1.0	<2	0.93	1.4	13	11	42	3.71	<10
CC25126		0.12	<0.2	0.52	17	<10	80	<0.5	<2	0.93	0.7	3	2	11	0.56	<10
CC25127		0.20	0.5	2.21	122	<10	240	1.1	2	1.04	1.4	19	22	55	2.99	10
CC25129		0.18	0.5	2.44	83	<10	160	0.8	<2	0.59	0.5	23	29	41	4.40	10
CC25130		0.14	0.5	2.00	96	<10	160	1.1	<2	0.45	1.0	16	22	55	3.87	<10
CC25131		0.12	0.5	2.24	83	<10	140	1.0	<2	0.40	0.5	22	26	58	4.78	10
CC25132		0.16	0.2	2.08	117	<10	130	1.0	<2	0.20	0.7	18	23	38	4.32	10
CC25133		0.18	0.5	1.75	122	<10	130	0.9	<2	0.15	0.7	21	19	50	3.61	10
CC25134		0.18	0.3	2.08	292	<10	90	0.8	<2	0.08	0.5	11	27	36	5.73	10
CC25135		0.14	0.3	1.66	90	<10	150	0.7	2	0.28	0.5	15	17	46	2.90	10
CC25136		0.14	<0.2	1.64	40	<10	90	<0.5	<2	0.08	0.5	7	21	22	3.51	10
CC25137		0.20	0.3	2.81	64	<10	110	1.1	<2	0.04	0.9	19	29	60	5.15	10
CC25138		0.18	0.3	3.19	277	<10	150	1.5	<2	0.11	0.7	27	31	60	5.43	10
CC25139		0.24	0.3	2.46	50	<10	200	1.3	<2	0.50	0.8	26	24	61	3.85	10
CC25140		0.12	0.4	0.71	20	<10	70	<0.5	<2	0.03	<0.5	3	4	31	0.88	<10
CC25141		0.30	<0.2	2.18	48	<10	130	0.9	<2	0.07	0.7	12	26	68	3.44	10
CC25142		0.14	0.2	1.57	20	<10	110	<0.5	<2	0.04	0.5	5	18	14	2.94	10
CC25143		0.14	0.4	1.81	64	<10	70	<0.5	<2	0.02	0.6	7	22	23	5.00	10
CC25144		0.14	0.5	1.72	96	<10	70	<0.5	<2	0.08	0.8	7	20	48	5.49	10
CC25145		0.24	0.3	1.80	65	<10	60	<0.5	<2	0.02	0.6	7	20	30	3.89	10
CC25146		0.18	2.7	2.03	187	<10	60	0.7	12	0.10	2.1	23	23	89	5.39	<10
CC25147		0.16	0.8	1.55	44	<10	70	<0.5	2	0.08	1.0	7	20	47	4.24	<10
CC25148		0.16	1.0	1.33	53	<10	60	<0.5	<2	0.04	0.7	6	15	38	3.73	10
CC25149		0.16	0.9	0.88	21	<10	70	0.5	<2	0.11	0.5	14	8	24	1.70	<10
CC25150		0.16	0.6	1.59	40	<10	170	0.5	2	0.12	0.9	11	18	33	3.89	10
CC25151		0.16	0.6	0.99	4	<10	190	0.6	<2	0.17	1.4	3	9	31	1.58	<10
CC25152		0.30	0.6	1.47	31	<10	170	0.6	<2	0.14	0.6	10	17	28	2.72	<10
CC25153		0.28	1.1	2.02	52	<10	220	0.9	<2	0.12	0.7	26	22	51	4.49	10
CC25154		0.32	<0.2	1.34	50	<10	80	0.6	<2	0.11	<0.5	11	16	33	3.70	<10
CC25155		0.24	0.2	1.51	57	<10	50	0.5	<2	0.03	0.7	11	19	39	4.93	10
CC25156		0.38	0.6	1.00	52	<10	30	<0.5	2	0.06	0.9	8	12	40	3.50	<10
CC25157		0.34	0.4	1.51	30	<10	90	0.6	<2	0.08	0.6	9	19	43	3.40	<10
CC25158		0.22	0.6	0.25	<2	<10	20	<0.5	<2	0.04	<0.5	1	2	7	0.44	<10
CC25159		0.40	0.2	1.93	61	<10	40	0.8	<2	0.11	1.8	28	20	66	4.98	<10
CC25160		0.38	0.4	2.13	78	<10	170	1.0	<2	0.06	1.3	19	24	64	4.25	10
CC25161		0.14	0.3	0.18	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	3	0.34	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25121		<1	0.04	20	0.11	45	2	0.03	12	330	31	0.45	<2	1	30	<20
CC25122		<1	0.07	30	0.40	438	4	0.03	36	880	47	0.09	<2	2	32	<20
CC25123		<1	0.09	60	0.75	542	1	0.02	48	1260	36	0.07	<2	4	47	<20
CC25124		<1	0.06	40	0.46	2020	4	0.02	49	1520	38	0.20	5	2	83	<20
CC25125		1	0.04	30	0.25	893	6	0.03	20	1260	22	0.14	2	1	48	<20
CC25126		1	0.02	<10	0.04	362	1	0.04	3	630	2	0.14	2	<1	46	<20
CC25127		1	0.10	30	1.00	603	3	0.03	39	1070	42	0.20	<2	4	61	<20
CC25129		<1	0.10	30	0.80	486	<1	0.02	50	1000	50	0.06	4	3	62	<20
CC25130		1	0.07	50	0.60	627	1	0.02	46	920	47	0.03	<2	3	33	<20
CC25131		<1	0.07	50	0.69	620	2	0.02	45	810	57	0.02	3	3	25	<20
CC25132		1	0.06	30	0.60	618	2	0.01	34	770	96	0.02	3	3	16	<20
CC25133		<1	0.06	40	0.43	701	1	0.02	36	840	98	0.02	3	2	13	<20
CC25134		<1	0.08	40	0.48	503	1	0.01	25	930	78	0.02	4	3	8	<20
CC25135		1	0.06	30	0.39	396	1	0.02	23	880	97	0.02	2	2	33	<20
CC25136		1	0.06	20	0.39	297	1	0.01	20	530	58	0.02	2	2	9	<20
CC25137		1	0.08	40	0.75	664	1	0.01	54	420	148	0.02	4	3	7	<20
CC25138		<1	0.08	30	0.83	566	1	0.01	60	380	91	0.02	2	4	15	<20
CC25139		<1	0.08	40	0.68	626	1	0.02	58	1650	53	0.03	2	3	39	<20
CC25140		<1	0.05	10	0.08	62	<1	0.03	10	250	51	0.01	<2	<1	6	<20
CC25141		1	0.09	30	0.96	425	3	<0.01	35	610	46	<0.01	4	3	8	<20
CC25142		<1	0.05	20	0.22	228	1	<0.01	10	370	37	<0.01	2	2	8	<20
CC25143		<1	0.05	20	0.26	350	1	<0.01	14	550	61	<0.01	<2	2	6	<20
CC25144		1	0.07	30	0.42	433	<1	<0.01	19	1180	67	0.01	2	2	8	<20
CC25145		<1	0.05	30	0.27	277	1	<0.01	17	400	28	<0.01	<2	2	4	<20
CC25146		1	0.06	30	0.60	939	1	<0.01	35	700	386	<0.01	5	3	7	<20
CC25147		<1	0.05	30	0.43	388	<1	<0.01	17	960	81	0.01	2	2	7	<20
CC25148		1	0.04	30	0.25	251	<1	<0.01	13	750	55	<0.01	2	1	6	<20
CC25149		<1	0.05	10	0.11	490	<1	<0.01	13	510	28	0.01	<2	1	11	<20
CC25150		<1	0.05	30	0.37	454	<1	<0.01	17	690	93	<0.01	<2	2	12	<20
CC25151		<1	0.03	20	0.15	122	<1	<0.01	9	930	29	0.16	<2	1	16	<20
CC25152		1	0.05	20	0.38	357	<1	<0.01	23	700	34	<0.01	<2	2	11	<20
CC25153		<1	0.08	30	0.38	990	2	<0.01	28	1020	50	0.01	3	2	12	<20
CC25154		1	0.05	30	0.42	505	<1	<0.01	24	760	49	<0.01	2	2	10	<20
CC25155		1	0.05	30	0.35	523	<1	<0.01	21	610	89	<0.01	3	2	5	<20
CC25156		1	0.04	20	0.33	471	<1	<0.01	17	590	98	<0.01	<2	2	5	<20
CC25157		<1	0.05	30	0.48	425	<1	<0.01	22	720	34	<0.01	3	2	7	<20
CC25158		<1	0.02	<10	0.02	23	<1	<0.01	1	200	9	<0.01	<2	<1	7	<20
CC25159		<1	0.05	40	0.62	1000	<1	<0.01	33	720	244	<0.01	4	2	7	<20
CC25160		<1	0.08	40	0.57	624	<1	<0.01	34	590	72	<0.01	2	3	7	<20
CC25161		<1	0.03	<10	0.02	17	<1	<0.01	<1	190	3	<0.01	<2	<1	7	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25121		0.01	<10	<10	9	<10	39
CC25122		0.02	<10	<10	23	<10	189
CC25123		0.02	<10	<10	32	<10	263
CC25124		0.01	<10	<10	26	<10	288
CC25125		0.02	<10	<10	26	<10	196
CC25126		0.02	<10	<10	7	<10	26
CC25127		0.04	<10	<10	35	<10	159
CC25129		0.02	<10	<10	27	<10	169
CC25130		0.02	<10	<10	24	<10	184
CC25131		0.01	<10	<10	27	<10	180
CC25132		0.01	<10	<10	33	<10	174
CC25133		0.01	<10	<10	32	<10	195
CC25134		0.02	<10	<10	60	<10	129
CC25135		0.03	<10	<10	36	<10	90
CC25136		0.02	<10	<10	42	<10	108
CC25137		0.02	<10	<10	35	<10	214
CC25138		0.03	<10	<10	42	<10	158
CC25139		0.05	<10	<10	33	<10	253
CC25140		0.01	<10	<10	17	<10	128
CC25141		0.02	<10	<10	129	<10	180
CC25142		0.01	<10	<10	52	<10	69
CC25143		0.01	<10	<10	47	<10	99
CC25144		0.02	<10	<10	40	<10	135
CC25145		0.01	<10	<10	40	<10	91
CC25146		0.01	<10	<10	33	<10	411
CC25147		0.01	<10	<10	31	<10	102
CC25148		0.01	<10	<10	29	<10	102
CC25149		0.01	<10	<10	13	<10	77
CC25150		0.01	<10	<10	34	<10	116
CC25151		0.01	<10	<10	10	<10	75
CC25152		0.01	<10	<10	29	<10	103
CC25153		0.01	<10	<10	39	<10	168
CC25154		0.02	<10	<10	27	<10	127
CC25155		0.02	<10	<10	33	<10	156
CC25156		0.01	<10	<10	20	<10	160
CC25157		0.02	<10	<10	31	<10	128
CC25158		0.01	<10	<10	13	<10	11
CC25159		0.01	<10	<10	25	<10	277
CC25160		0.01	<10	<10	43	<10	199
CC25161		0.01	<10	<10	10	<10	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC25162		0.28	<0.2	2.27	75	<10	90	0.7	2	0.03	1.3	12	24	44	4.75	10
CC25163		0.16	0.6	1.87	34	<10	100	0.5	<2	0.05	0.5	8	21	13	4.29	10
CC25164		0.34	0.2	2.07	73	<10	100	0.5	2	0.03	0.8	9	25	19	4.29	10
CC25165		0.32	0.6	1.49	30	<10	100	0.5	<2	0.15	0.8	9	21	36	2.95	<10
CC25166		0.38	0.8	1.61	57	<10	130	0.6	<2	0.08	1.1	10	20	31	3.80	10
CC25167		0.18	1.7	1.89	81	<10	180	1.8	<2	0.27	2.1	127	11	65	3.88	<10
CC25168		0.30	0.3	1.56	40	<10	100	<0.5	<2	0.05	0.6	7	18	11	3.07	10
CC25169		0.30	0.2	2.81	54	<10	120	0.8	<2	0.06	0.8	14	28	33	4.69	10
CC25170		0.24	0.3	2.18	155	<10	90	0.5	<2	0.05	0.6	10	26	25	5.02	10
CC25171		0.28	<0.2	0.46	26	<10	30	<0.5	<2	0.02	<0.5	2	4	7	0.76	<10
CC25172		0.24	<0.2	1.00	106	<10	60	<0.5	<2	0.03	<0.5	5	10	15	2.01	<10
CC25173		0.14	0.4	0.12	2	<10	10	<0.5	<2	0.04	<0.5	1	1	2	0.26	<10
CC25174		0.26	0.2	2.29	84	<10	90	0.8	<2	0.10	0.7	17	28	39	5.00	10
CC25175		0.24	0.7	1.96	65	<10	320	1.2	<2	0.66	1.7	26	17	54	2.99	<10
CC25176		0.36	<0.2	0.93	46	<10	50	<0.5	<2	0.06	<0.5	4	10	16	1.71	<10
CC25177		0.26	0.4	0.53	20	<10	50	<0.5	<2	0.17	<0.5	4	5	15	0.69	<10
CC25178		0.20	0.7	2.05	168	<10	280	0.9	<2	0.76	1.1	19	19	44	3.55	10
CC25179		0.10	1.0	2.03	96	<10	390	0.9	<2	0.34	0.8	24	21	40	2.87	10
CC25180		0.20	0.2	1.65	108	<10	90	0.7	<2	0.07	0.6	14	19	25	3.19	10
CC25181		0.20	0.3	2.19	226	<10	70	0.9	2	0.17	<0.5	34	29	60	5.08	10
CC25182		0.22	0.2	2.02	43	<10	160	0.9	<2	0.31	0.8	18	25	31	4.35	10
CC25183		0.20	0.3	1.68	30	<10	140	0.5	<2	0.04	0.5	7	19	15	3.34	10
CC25184		0.18	0.3	1.22	51	<10	70	<0.5	<2	0.03	<0.5	4	16	8	2.68	10
CC25185		0.18	0.3	0.49	91	<10	40	<0.5	<2	0.02	<0.5	3	7	10	1.55	<10
CC25186		0.22	0.2	2.17	129	<10	80	0.5	<2	0.03	0.6	6	24	17	4.45	10
CC25187		0.20	0.2	0.88	10	<10	50	<0.5	<2	0.03	<0.5	3	7	6	1.20	<10
CC25188		0.18	0.7	0.20	<2	<10	20	<0.5	<2	0.04	<0.5	1	1	6	0.30	<10
CC25189		0.18	0.8	1.59	31	<10	130	<0.5	<2	0.16	0.5	5	22	17	2.60	10
CC25190		0.18	0.3	1.39	71	<10	50	0.5	<2	0.09	1.3	13	16	45	3.51	<10
CC25191		0.14	<0.2	0.53	6	<10	40	<0.5	<2	0.02	<0.5	2	5	4	0.70	<10
CC25192		0.20	<0.2	0.82	26	<10	40	<0.5	<2	0.02	<0.5	4	11	9	2.06	<10
CC25193		0.20	0.3	1.29	39	<10	80	<0.5	2	0.03	0.6	4	13	17	3.34	10
CC25194		0.20	<0.2	0.44	10	<10	30	<0.5	<2	0.02	<0.5	2	5	5	1.09	<10
CC25195		0.18	0.4	1.71	84	<10	70	0.5	<2	0.03	0.6	10	20	39	4.26	10
CC25196		0.28	0.4	0.94	14	<10	80	<0.5	<2	0.02	<0.5	4	10	13	1.86	<10
CC25197		0.14	0.8	0.25	<2	<10	20	<0.5	<2	0.03	<0.5	1	7	9	0.37	<10
CC25198		0.12	0.4	0.23	2	<10	20	<0.5	<2	0.03	<0.5	1	6	4	0.38	<10
CC25199		0.14	0.2	0.68	21	<10	40	<0.5	<2	0.02	<0.5	3	7	8	1.87	<10
CC25200		0.12	0.5	0.91	13	<10	80	<0.5	<2	0.04	<0.5	2	8	20	1.57	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC25162		<1	0.07	30	0.47	525	<1	<0.01	30	520	57	<0.01	4	3	6	<20
CC25163		<1	0.05	30	0.19	409	2	<0.01	10	490	41	<0.01	2	2	8	<20
CC25164		<1	0.06	20	0.39	422	2	<0.01	20	360	39	<0.01	2	2	7	<20
CC25165		<1	0.06	30	0.43	321	<1	<0.01	20	1190	43	<0.01	3	2	12	<20
CC25166		<1	0.07	20	0.35	553	1	<0.01	21	1040	106	<0.01	<2	2	11	<20
CC25167		<1	0.06	30	0.14	6180	1	<0.01	39	1330	297	0.10	<2	1	25	<20
CC25168		1	0.05	20	0.32	319	1	<0.01	11	320	46	<0.01	<2	2	9	<20
CC25169		<1	0.07	30	0.62	451	1	<0.01	38	380	82	0.01	<2	3	8	<20
CC25170		<1	0.07	30	0.49	453	<1	<0.01	25	560	74	<0.01	7	2	6	<20
CC25171		<1	0.03	10	0.05	38	<1	<0.01	3	250	10	<0.01	<2	<1	5	<20
CC25172		<1	0.04	10	0.18	222	<1	<0.01	11	420	24	<0.01	<2	1	5	<20
CC25173		<1	0.02	<10	0.01	14	<1	<0.01	<1	180	2	<0.01	<2	<1	7	<20
CC25174		1	0.09	40	0.76	563	1	<0.01	45	580	38	<0.01	2	3	13	<20
CC25175		<1	0.09	50	0.32	1420	1	<0.01	45	1320	67	0.07	2	2	51	<20
CC25176		<1	0.04	20	0.20	169	<1	<0.01	14	440	29	<0.01	2	1	8	<20
CC25177		<1	0.04	10	0.06	38	1	<0.01	10	390	13	0.01	<2	<1	14	<20
CC25178		1	0.08	30	0.47	1900	2	<0.01	44	940	89	0.06	<2	2	48	<20
CC25179		<1	0.10	30	0.39	764	1	<0.01	41	1140	85	0.08	<2	2	33	<20
CC25180		1	0.06	20	0.43	414	<1	<0.01	27	490	46	<0.01	2	2	16	<20
CC25181		<1	0.07	40	0.75	741	<1	<0.01	51	840	66	<0.01	2	3	15	<20
CC25182		<1	0.07	40	0.72	724	<1	<0.01	41	790	26	<0.01	<2	3	26	<20
CC25183		<1	0.06	30	0.27	251	1	<0.01	14	340	32	<0.01	3	2	8	<20
CC25184		<1	0.05	20	0.20	174	1	<0.01	9	370	25	<0.01	4	1	6	<20
CC25185		1	0.03	10	0.06	98	<1	<0.01	4	240	12	<0.01	2	<1	4	<20
CC25186		<1	0.05	30	0.29	256	1	<0.01	14	370	44	<0.01	3	2	7	<20
CC25187		<1	0.03	10	0.07	75	<1	<0.01	2	250	20	<0.01	<2	1	7	<20
CC25188		1	0.03	<10	0.01	13	<1	0.01	1	160	29	<0.01	<2	<1	9	<20
CC25189		<1	0.07	30	0.40	242	<1	<0.01	17	980	55	0.02	<2	2	14	<20
CC25190		<1	0.06	20	0.41	618	<1	<0.01	23	920	132	0.01	<2	1	7	<20
CC25191		<1	0.03	10	0.05	38	<1	<0.01	2	140	8	<0.01	<2	<1	5	<20
CC25192		<1	0.03	10	0.13	155	<1	<0.01	7	240	21	<0.01	<2	1	4	<20
CC25193		<1	0.05	20	0.15	204	<1	<0.01	10	360	39	<0.01	<2	1	7	<20
CC25194		<1	0.03	10	0.04	44	<1	<0.01	3	320	4	<0.01	<2	<1	4	<20
CC25195		<1	0.07	30	0.38	447	<1	<0.01	22	610	33	<0.01	<2	2	5	<20
CC25196		<1	0.05	10	0.14	127	1	<0.01	9	340	12	<0.01	<2	1	6	<20
CC25197		<1	0.02	<10	0.01	13	<1	<0.01	4	260	117	<0.01	<2	<1	7	<20
CC25198		1	0.03	<10	0.01	13	<1	<0.01	4	590	7	0.01	<2	<1	6	<20
CC25199		<1	0.04	10	0.08	91	<1	<0.01	4	290	10	<0.01	<2	1	5	<20
CC25200		<1	0.04	20	0.05	70	<1	<0.01	7	620	21	<0.01	2	<1	10	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: TIDD

Finalized Date: 6-JUL-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07066670

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
CC25162		0.01	<10	<10	37	<10	168
CC25163		0.01	<10	<10	57	<10	73
CC25164		0.01	<10	<10	55	<10	126
CC25165		0.01	<10	<10	36	<10	134
CC25166		0.01	<10	<10	49	<10	184
CC25167		0.01	<10	<10	27	<10	313
CC25168		0.02	<10	<10	41	<10	117
CC25169		0.03	<10	<10	38	<10	146
CC25170		0.03	<10	<10	39	<10	122
CC25171		0.02	<10	<10	16	<10	13
CC25172		0.01	<10	<10	23	<10	51
CC25173		0.01	<10	<10	8	<10	5
CC25174		0.03	<10	<10	32	<10	146
CC25175		0.01	<10	<10	30	<10	295
CC25176		0.01	<10	<10	18	<10	46
CC25177		0.01	<10	<10	11	<10	23
CC25178		0.02	<10	<10	30	<10	230
CC25179		0.01	<10	<10	37	<10	219
CC25180		0.02	<10	<10	34	<10	104
CC25181		0.03	<10	<10	28	<10	118
CC25182		0.03	<10	<10	26	<10	168
CC25183		0.01	<10	<10	56	<10	76
CC25184		0.02	<10	<10	42	<10	51
CC25185		0.02	<10	<10	29	<10	27
CC25186		0.02	<10	<10	53	<10	78
CC25187		0.01	<10	<10	24	<10	27
CC25188		0.02	<10	<10	8	<10	5
CC25189		0.01	<10	<10	42	<10	135
CC25190		0.02	<10	<10	26	<10	191
CC25191		0.02	<10	<10	25	<10	15
CC25192		0.02	<10	<10	34	<10	44
CC25193		0.02	<10	<10	49	<10	85
CC25194		0.02	<10	<10	25	<10	17
CC25195		0.02	<10	<10	38	<10	111
CC25196		0.01	<10	<10	43	<10	58
CC25197		0.01	<10	<10	8	<10	7
CC25198		<0.01	<10	<10	7	<10	6
CC25199		0.02	<10	<10	25	<10	30
CC25200		0.01	<10	<10	30	<10	34

ARCHER, CATHRO & ASSOC-X07

teckcominco
Global Discovery Labs

Ref/I.D.: TIDD PRJ: #C106660-106666
Report date: 3 APR 2007
GDL Job No: V07-0099R

LAB NO	FIELD NUMBER	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Ba ppm	Cd ppm	Co ppm	Ni ppm	Fe %	Mo ppm	Cr ppm	Bi ppm	Sb ppm	V ppm	Sn ppm	W ppm	Sr ppm	Y ppm	La ppm	Mn ppm	Mg %	Ti %	Al %	Ca %	Na %	K %	P ppm
R0705584	C106660	5405	31	1647	13.8	872	38	27	92	59	12.82	<2	50	184	<5	57	9	6	13	9	11	2421	1.06	<.01	2.55	0.32	0.06	0.22	1313
R0705585	C106661	1067	8	372	2.6	21	28	1	22	46	12.43	<2	52	25	<5	57	5	5	8	6	11	2445	1.16	<.01	2.63	0.21	0.05	0.16	824
R0705586	C106662	10240	8049	8140	109.5	329	21	83	96	42	10.18	<2	30	338	<5	33	12	4	5	4	6	1636	0.65	<.01	2.05	0.13	0.06	0.13	495
R0705587	C106666	1944	4092	4211	48.5	31	19	37	23	30	7.94	<2	34	203	<5	36	5	3	22	4	7	2144	0.85	<.01	1.92	0.47	0.06	0.11	350

I=insufficient sample
If requested analyses are not shown, results are to follow

ANALYTICAL METHODS

ICP-OES PACKAGE : 0.5 gram sample digested in hot reverse aqua regia (soil,silt) or hot Aqua Regia(rocks).

Assigned for Assays

Alice Kwan
Alice Kwan, Chemist-Teck Cominco G.D.L.

Teck Cominco Ltd.
Global Discovery Labs 1486 East Pender Street Vancouver, B.C. Canada V5L 1V8 Phone: (604) 685-3032 Fax: (604) 844-2686

APPENDIX III

GEOTECHNICAL AND GEOLOGICAL LOGS

PROJECT

PROPERTY: Tidd

HOLE: TD-07-01

Easting	Northing	Elev.	Depth (m)
375840	6883646		136.86

Contractor: Prospector
Drill:

Core size: BTW
Casing depth: 19.70 (m) in/out out

Drilling dates: October 7-8, 2007

Logged by: Robin Foubister

Target: _____

SURVEY

Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	0	55	compass				

SUMMARY

From (m)	To (m)	Interval	Unit	Comments
0.00	27.20	27.20	OVR	Overburden, mostly glacial till
27.20	72.60	45.40	BK PHY	Dark grey to black carbonaceous phyllite with quartz sweats, quite deformed and containing pyrite associated with quartz as blebs and stringers. Presence of andalusite, weak pyrrhotite (after 48m) and graphite.
72.60	79.08	6.48	PHY	Interlaminated black, quartz-band rich phyllite and greenish grey, mottled phyllite
79.08	136.86 (EOH)	57.78	GY PHY	Greenish grey, softer chlorite altered and speckled phyllite with veinlets of pyrite and later carbonate. Presence of pervasive weakly disseminated pyrrhotite, occuring as foliaform blebs and wisps and primarily after 82m

SAMPLES

Numbers: C491404 - C491427

Total: 24
Date sent: October 2007

COMMENTS

PROPERTY: **HOLE:**

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT.			MINERALS				SAMPLES From (m)	To (m)	Interval (m)	Sample				Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
		15.24	33.53	18.29	OVR				Casing ends at 50'. Overburden contin-								42.35	43.35	1.00	C491428				0.00	15.24	15.24		0		0							
									ues to 33.53m, with intervals of cobbles,								43.35	45.72	2.37	C491429				15.24	18.29	3.05		0		0							
									sand, and fine grey mud. Most cobbles								58.94	60.96	2.02	C491430				18.29	21.34	3.05		0		0							
									are felsic intrusive.								60.96	64.01	3.05	C491431				21.34	24.38	3.04		0		0							
		33.53	135.76	102.23	PHY			BK	33.53-39.63 - Fractured (avg 5cm) BK	Fe			Py				64.01	64.05	0.04	C491432				24.38	27.43	3.05		0		0							
LA	60								Phyllite w/ YW/BN/RD Fe? Alteration on								blank	blank	-	C491433				27.43	30.48	3.05		0		0							
									Fx. Tw pyrite, some in Qz sweats (only								64.05	67.06	3.01	C491434				30.48	33.53	3.05		0		0							
									few) an also on late fx. Also faint mini								73.15	76.20	3.05	C491435				33.53	36.58	3.05	2.05	67	0.00	0							
									foliaform STR. PHY mostly massive.								85.00	87.20	2.20	C491436				36.58	39.62	3.04	2.17	71	0.10	3.3							
LA	65	(+Py)							39.63-42.35 - As above, but no longer	Cl			Py				87.20	89.39	2.19	C491437				39.62	42.67	3.05	2.26	74	0.34	11							
LA	60	(Qz+Py)							seeing rusty alteration of fractures. Fx								89.39	92.50	3.11	C491438				42.67	45.72	3.05	2.09	69	0.38	12							
									foliaform Py. Some w GN, soft (Cl?) on Fx								92.50	95.61	3.11	C491439				45.72	48.77	3.05	2.62	86	1.55	51							
									Po? V fine, magnetic blebs in PHY. Weak								95.61	98.73	3.12	C491440				48.77	51.82	3.05	2.52	83	1.37	45							
									but pervasive.								98.73	101.71	2.98	C491441				51.82	54.86	3.04	2.81	92	2.09	69							
									42.35-43.35 - Mix of DK GY, graphitic,	Cl			Py	Po			101.71	103.63	1.92	C491442				54.86	57.91	3.05	2.31	76	0.96	31							
									pyritic PHY, and fractured, GY WH Qz.								103.63	106.68	3.05	C491443				57.91	60.96	3.05	1.96	64	0.00	0							
									PHY sometimes v. soft, gougey, w/coarse								106.68	109.73	3.05	C491444				60.96	64.01	3.05	2.33	76	0.66	22							
									Py grains coming out. Some vugs in Qz,								109.73	112.78	3.05	C491445				64.01	67.06	3.05	2.09	69	1.35	44							
									w/infill Qz crystals, Cb. Some possible w								112.78	115.82	3.04	C491446				67.06	70.10	3.04	2.83	93	2.22	73							
									Cl alteration on Fx (w/Py)								115.82	118.87	3.05	C491447				70.10	73.15	3.05	1.95	64	0.75	25							
LA	45								43.35-67.88 - BK PHY, pyritic(w), variably	Cl			Py	Po			118.87	121.17	2.30	C491448				73.15	76.20	3.05	2.70	89	1.62	53							
LA	35								speckled w/elongate darker blebs (Bi alt?								121.17	123.46	2.29	C491449				76.20	79.25	3.05	2.79	91	1.87	61							
VT	65	(Py)							) thin wisps foliaform Py, also weakly								123.46	123.81	0.35	C491450				79.25	82.30	3.05	2.59	85	1.47	48							
LA	40	62m							magnetic throughout (Po?). Some BW								123.81	126.60	2.79	C491451				82.30	85.34	3.04	2.42	80	0.91	30							
LA	55	64m							GN alt. On Fx. Thin, wispy, silver grey								126.60	129.37	2.78	C491452				85.34	88.39	3.05	1.01	33	0.00	0							
									foliations (Py+Po?) with overprint? Of sml								129.37	131.26	1.89	C491453				88.39	91.44	3.05	2.62	86	1.01	33							
									circular black alteration dots.								131.26	133.15	1.89	C491454				91.44	94.49	3.05	2.81	92	1.52	50							
									55.71-61.20 - As above but quite broken	Cl			Py				133.15	135.76	2.61	C491455				94.49	97.54	3.05	2.65	87	1.19	39							
									up, sometimes gougey, w/fine to coarse								135.76	137.16	1.40	C491456				97.54	100.58	3.04	2.94	97	2.25	74							
									Py and occasional resistant Qz bands,								137.16	140.21	3.05	C491457				100.58	103.63	3.05	2.75	90	1.44	47							
									occasional Cl alt.								140.21	143.26	3.05	C491458				103.63	106.68	3.05	2.40	79	1.58	52							
									64.01-64.05 - Thin seam of massive Py,				Py				blank	blank	-	C491459				106.68	109.73	3.05	1.98	65	0.35	11							
									3-4cm wide. Nearby fx/vts at 65degrees								143.26	146.30	3.04	C491460				109.73	112.78	3.05	2.63	86	2.43	80							
									areas around (PHY) broken and Fxed.								165.15	168.15	3.00	C491461				112.78	115.82	3.04	2.78	91	2.16	71							
									Some silvery grey gouge nearby.								168.15	171.15	3.00	C491462				115.82	118.87	3.05	2.84	93	2.18	71							
									No visibe textures or other sulphides.															118.87	121.92	3.05	2.51	82	0.09	3							
VT	45	(+LA, PY,Po)							64.30 - Few specks visible Po in VT asoc	Cl			Py	Po										121.92	124.97	3.05	2.78	91	1.11	36							
									with Py.															124.97	128.02	3.05	2.62	86	1.78	58							
									65.00 - 5cm Qz VT-mzd w/Py, marginal Po															128.02	131.06	3.04	2.74	90	1.04	34							
									some Cl altered sections, also Mu															131.06	134.11	3.05	2.74	90	1.12	37							
									67.88-68.65 - Mostly Qz, GY-ish, w/some	Cl			Py	Po										134.11	137.16	3.05	2.86	94	1.76	58							
									STR/blebs Py, Cl alt (local) and possible															137.16	140.21	3.05	2.85	93	1.52	50							
									Sph. (few BN blebs.) Py in Qz and Fx,															140.21	143.21	3.00	2.98	99	2.29	76							
									some coarser Po of unknown orientation															143.21	146.30	3.09	2.72	88	1.50	49							
									68.75-135.76 - Similar BK PHY as earlier	Cl			Py	Po										146.30	149.35	3.05	2.90	95	2.31	76							
									but starting to see increasing presence															149.35	152.40	3.05	2.94	96	1.91	63							
									of Qz sweats (WH) sometimes in planar															152.40	155.45	3.05	2.72	89	1.21	40							
									LA, and sometimes showing significant															155.45	158.50	3.05	2.76	90	0.22	7.2							

PROPERTY: **HOLE:**

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	LITHOLOGY To (m)	LITHOLOGY Interval (m)	LITHOLOGY Type	LITHOLOGY Unit	LITHOLOGY Texture	LITHOLOGY Modifier	Notes:	ALT.			MINERALS				SAMPLES From (m)	SAMPLES To (m)	SAMPLES Interval (m)	SAMPLES Sample				Blocks From (m)	Blocks To (m)	Blocks Intvl. (m)	GEOTECHNICAL REC (m)	GEOTECHNICAL REC Percent	GEOTECHNICAL RQD (m)	GEOTECHNICAL RQD Percent	GEOTECHNICAL Weathering	GEOTECHNICAL Hardness	JOINTS Frequency	JOINTS Attitude	JOINTS Shape	JOINTS Roughness	JOINTS Infilling
									deformation. Py concentrated in most															158.50	161.54	3.04	2.33	77	0.65	21								
									Qz sweats (up to 10-20% of Qz, <5% tot)															161.54	164.59	3.05	2.64	87	1.88	62								
									71.80 - 72.10 - Gougey zone	Cl			Py	Po										164.59	167.64	3.05	2.88	94	2.13	70								
VT	45	(Qz+Py,Po,Sp?)							73.30 - 45deg Qz band (1cm) w/Py, Po,															167.64	170.69	3.05	2.92	96	2.29	75								
VT	45	(+Py)							and BN fetid (when HCl added) STR/bleb															170.69	173.74	3.05	2.89	95	2.67	88								
VT	65	(Py)							(1-2% of VT) mineral (Sph?) Also thin															173.74	176.78	3.04	2.65	87	2.08	68								
LA	65	80.5m							sweats with Py.																												
									74.00 - 1cm @ 45 degrees, semimassive	Cl			Py	Po																							
									Py VT.																												
									At ~73m, start seeing occasional And																												
									crosses, w/OR alteration. More rare.Also																												
									quite blue Cl? Alt on fx. Other Fx quite																												
									graphitic. +/- coarse Py. Several VT STR/																												
									DI PY up to 0.5cm thick.																												
									Andalusite dissapears by ~78m																												
									85.34 - 1cm thick 65deg, semi-massive																												
									Py in Qz band.																												
VT	45	90m							85.00-89.39 - broken up, some gouge,				Py	Po																							
LA	75								few 05cm Py bands. After 90m, start to																												
LA	70								see faint BN STR (+Po and SPH? Bi?)																												
									95.00 - 1cmx1cm Po blebs assoc w/ Py																												
									, Cb, in VT																												
									98.73-101.71 - slightly lighter grey,	Cl			Py	Po																							
									more mottled looking, some Cl, Mu. Fx																												
									still graphitic mainly.																												
									~102.00-106.00 see OR stained And				Py	Po																							
									again. Otherwise similar																												
LA	60	112m							109.73-118.87 - Quite solid (not Fx) with				Py	Po																							
LA	55								long VTs Py, w Po. Some Py in blotches																												
FX	30	(+Py)							in LA, but most in later Fx.~5% Often 20-																												
									30 degrees.																												
									117.6-119.2 - white Cb VTs (up to 1cm)				Py	Po																							
									crosscutting LA, now dominant vs Py VTS																												
VT	60	(+Cb)							Py more blebs, LA than VT.																												
									123.46-123.8 - Band of Cl altered Qz and				Py	Po																							
LA	90	122m							Py, Mu, thin BN wispy foliations occasion-																													
LA	85	129m							ally in PHY LA																												
									Laminations in BK PHY steepen to 90																												
									127.20 - En echelon thin s shaped Cb																												
									filled openings. PY mixed b/thin wisps/																												
									blebs foliaform and infill in Qz/Cb VTs.																												
									weak mag throughout.																												
									129.37 - end of main BK PHY interval																												
									129.37-133.15 mainly Qz, mixed w some	Cl			Py	Po																							
									GY to BK PHY. Qz quite Fx, GY. PHY																												
									often softer and gougey. Almost brecciat																												
									ed texture in places w fine BK mtx and																												

PROPERTY: **HOLE:**

LITHOLOGY										ALT.			MINERALS				SAMPLES								Blocks			GEOTECHNICAL						JOINTS					
Struct.																												REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:								From (m)	To (m)	Interval (m)	Sample					From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling		
									QZ clasts. Some w->m Cl alt. Faint BN																																
									foliations, STR flecks visible Po in VT fill																																
									and blebs. Cb VTs thru Qz and PHY.																																
LA	60	(60-70deg)							133.15-135.76 - Last interval of BK PHY>				Py	Po																										
									usual mzn of Py, w Po, occasional BN																																
									STR near VT/fx. Foliations~ 65-70deg																																
									Late Cb VTs, some w/ Py.																																
		135.76	176.78	41.02	PHY		GY		Soft, greenish Grey mottled PHY w some	Cl			Py	Po																										
LA	70								Qz floods (few) ,fx py and weak mag thru																																
									Late Fxs have some Cl alt. YW GN to BN																																
VT	15	(Qz+Py)							GN splotches, BN RD Bi? Filaments.																																
VT	10	(VT, Cb, PY)							Foliations sometimes alternate b/ GN RD																																
VT	15	(thin PY+Po)							Fine WH ish GN alt on fx																																
									140.00 - 2-3cm thick Qz VT w blebs PY,																																
LA	60	157m							fine Po, and filaments of BN mineral																																
									aligned w/VT on edges. Some Qz VTs																																
VT	30	(thin Py)							have coarse Py. Late VTs w/Cb, STR Py,																																
									some defm. LA range from 45 to 90 TCA																																
LA	75	165m							Po also in fine VT, assoc w PY, at lower																																
VT	25	(Cb)							angles usually than LA. Small regions of																																
LA	80	168m							concentrated Qz, cl-alt, blebs Po, Some																																
LA	70	171m							Mu.																																
VT	15	(Py+Cb)							152.40-152.80 - Softer, GY, gougey w	Cl			Py	Po																										
									resistant Qz chunks.																																
									159.50-161.55 - fractured, soft GY w	Cl			Py	Po																										
									some gouge																																
									168.15 - slightly darker in colour, PU ish																																
									BK LA, GY also. SS on Fx. DK er colour																																
									continues to ~ 173.74, where original																																
									mottled GN ish GY w/occasional RD and																																
									maroon banding resumes. (colour																																
									change very subtle).																																
									176.78 = EOH																																

PROJECT

PROPERTY:

HOLE: TD-TR-07-02

Easting	Northing	Elev.	Depth (m)
375845	6883580		176.78

Contractor: Prospector
Drill:

Core size: BTW
Casing depth: 21.21 (m) in/out out

Drilling dates: October 10-12, 2007

Logged by: Robin Foubister

Target: _____

SURVEY

Depth (m)	Azimuth	Dip	Method	Depth (m)	Azimuth	Dip	Method
collar	0	75	compass				

SUMMARY

From (m)	To (m)	Interval	Unit	Coments
0.00	33.53	33.53m	OVR	Overburden, mainly glacial till
33.53	39.63	6.10m	oBK PHY	Oxidized? black phyllite with orange alteration and pyrite on fractures
39.63	68.65	29.02	BK PHY	Fractured black phyllite with fracture chlorite and pyrite. Pyrite also in wisps and blebs in foliations. Weakly magnetic throughout, with some visible pyrrhotite. 4cm of massive pyrite at 64m
68.65	135.55	66.90	BK/W PH	Black phyllite with white quartz sweats. Slight increase in pyrite and pyrrhotite mineralization, especially veinlet pyrite
135.55	176.78 (EOH)	41.23	GY PHY	Greenish grey mottled phyllite, sometimes weakly magnetic, with blebs of pyrite and some fine disseminated pyrrhotite. Often banded in appearance with red/green alternating layers. Pyrrhotite occuring in fine veinlets, associated with pyrite. Presence weak chlorite/muscovite as well.

SAMPLES

Numbers: C491428-C491462

Total: 35
Date sent: October 2007

COMMENTS

PROPERTY: **HOLE:**

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT.			MINERALS				SAMPLES From (m)	To (m)	Interval (m)	Sample				Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
		19.81	27.20	7.39	OVR				Overburden consisting of some large								58.75	60.66	1.91	C491404				19.81	21.03	1.22	0.30	25	0.00	0								
									granite blocks as well as rounded								66.75	69.80	3.05	C491405				21.03	24.08	3.05	0.14	4.6	0.00	0								
									smaller chunks, primarily of intrusive w/								69.80	72.60	2.80	C491406				24.08	27.13	3.05	0.40	13	0.00	0								
									minor quartzite + phyllite								72.60	75.72	3.12	C491407				27.13	30.18	3.05	1.66	54	0.25	8.2								
		27.20	53.00	25.80	BK	PHY			DK GY to BK PHY, non-calcareous, with	Fe			Py				75.72	77.20	1.48	C491408				30.18	33.22	3.04	2.34	77	0.15	4.9								
LA	65								interbedded Qz layers, variably deformed								77.20	78.42	1.22	C491409				33.22	36.27	3.05	2.21	72	0.00	0								
VT	65	(+Qz)							and fractured. Significant Py, blebs +								78.42	79.08	0.66	C491410				36.27	39.32	3.05	3.02	99	0.56	18								
									STR, mainly in Qz layers. Layers are								79.08	82.15	3.07	C491411				39.32	42.37	3.05	2.99	98	1.83	60								
									folded, convoluted in places, and vary in								82.15	85.04	2.89	C491412				42.37	45.42	3.05	3.00	98	0.90	30								
									thickness. YW/BN Fe? Alt on fxs. Most								85.04	88.09	3.05	C491413				45.42	48.46	3.04	3.00	99	1.04	34								
FX	10	(+Py)							fxs on LA planes. Up to 1mm Andalusite								88.09	91.14	3.05	C491414				48.46	51.51	3.05	3.03	99	1.97	65								
LA	75								crystals in PHY, Di throughout.								91.14	94.45	3.31	C491415				51.51	54.56	3.05	2.54	83	0.53	17								
LA	75								33.22-34.50 - Extremely fractured,	Fe			Py				94.45	95.55	1.10	C491416				54.56	57.60	3.04	1.50	49	0.00	0								
LA	70								slightly gougey section, graphitic								95.55	97.23	1.68	C491417				57.60	60.66	3.06	1.91	62	0.38	12								
									Perhaps more convoluted/deformed, w/								blank	blank	-	C491418				60.66	63.70	3.04	1.64	54	0.00	0								
									irregular sinusoidal Qz bands. Circular								100.28	102.00	1.72	C491419				63.70	66.75	3.05	2.55	84	0.65	21								
									and elliptical bed/Qz band patterns								104.00	106.64	2.64	C491420				66.75	69.80	3.05	2.01	66	0.00	0								
									(conical fold nose?)								106.64	108.57	1.93	C491421				69.80	72.85	3.05	1.81	59	0.21	6.9								
									39.32-34.00 - Quite Qz/Py rich, v.				Py				110.92	112.47	1.55	C491422				72.85	75.90	3.05	2.80	92	1.39	46								
									deformed.								114.41	116.41	2.00	C491423				75.90	78.94	3.04	2.88	95	1.36	45								
LA	80	45.50m							44.00-46.80 - Qz sweats prevalent,				Py				119.22	122.30	3.08	C491424				78.94	81.99	3.05	2.77	91	2.20	72								
VT	30	(+Py)							parallel (~80TCA). Same PHY, slightly								124.66	126.00	1.34	C491425				81.99	85.04	3.05	2.56	84	1.02	33								
LA	85								less Py, less Qz banding, less def'm								127.71	129.00	1.29	C491426				85.04	88.09	3.05	3.01	99	1.61	53								
VT	15	(xcut VT Py)							(no fe), still graphitic.								131.45	132.95	1.50	C491427				88.09	91.14	3.05	2.72	89	2.25	74								
LA	80								46.80 - Increasing evidence of late fx w/				Py											91.14	94.18	3.04	2.65	87	1.82	60								
									Py + And? Mzn.1-2mm squares with															94.18	97.23	3.05	3.05	100	2.66	87								
VT	20	(Qz+Py)							centre crosses. Some squares up to 1x															97.23	100.28	3.05	2.81	92	1.68	55								
									4cm Qz Orthogonal to bedding. 10-20d															100.28	103.32	3.04	2.76	91	2.09	69								
									late mzd Fx/VTs (Py) xcut foliations.Some															103.32	106.38	3.06	2.84	93	1.97	64								
									RD/BN STR in Qz assoc w/ Py. Pinkish															106.38	109.42	3.04	2.95	97	2.68	88								
									Bronze, brown, non-magnetic mineral															109.42	112.47	3.05	2.83	93	2.29	75								
									(sph? Or oxidized Py), fine grained.															112.47	115.52	3.05	2.66	87	1.30	43								
									Andalusite grains somewhat constrained															115.52	118.57	3.05	2.32	76	0.59	19								
									to certain horizons in the PHY.															118.57	121.62	3.05	2.65	87	1.08	35								
LA	70								48.20 - 1cm x 0.5cm triangle of Po assoc				Py	Po										121.62	124.66	3.04	2.87	94	1.25	41								
VT	10	(+Py)							w/Py in Qz VT (LA parallel) Also starting to															124.66	127.71	3.05	2.79	91	1.50	49								
LA	75	49.75m							see w Cl alteration (BL/GN) on few fx. Py															127.71	130.76	3.05	2.77	91	1.87	61								
VT	25	(+Py and soft GN)							and Qz VTS xcut w/some small displac															130.76	133.81	3.05	3.01	99	2.68	88								
									of LA, QZ sweats.															133.81	136.86	3.05	2.83	93	2.12	70								
									49.75 - 75 deg LA (+Qz sweat) crosscut																													
									by later Qz VT w/Py + soft, pale GN(Cl?)																													
									alteration. Only WH ghost crosses now																													
									of And.																													
									51.51 - Quite squiggly folded Qz layers,				Py																								
									with And xtals shown in cross section, w/																													
									long axis (up to 2+cm) in plane of LA																													
									Also OR tinge to cross shape. Fx often																													
									graphitic w/ slickensides.																													
									53.00-57.20 - As above, but very fx'ed				Py																								

PROPERTY: **HOLE:**

Struct.		LITHOLOGY								ALT.			MINERALS				SAMPLES							Blocks			GEOTECHNICAL						JOINTS					
																											REC		RQD									
Type	Attitude	From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:								From (m)	To (m)	Interval (m)	Sample				From (m)	To (m)	Intvl. (m)	(m)	Percent	(m)	Percent	Weathering	Hardness	Frequency	Attitude	Shape	Roughness	Infilling		
									and broken up (2-3cm, max 10cm). Still									43.45	rep																			
									cubic Py, Qz sweats.									51.51	rep																			
									57.20-57.60 - slightly gougey					Py				89.10	rep																			
LA	50								57.60-58.75 - Pyritic BK PHY, LA 50TCA,					Py				94.75	rep																			
									no real Qz banding/sweats, some thin									96.60	rep																			
									Py STR parallel + xcut LA. Faint slight GN									107.35	rep																			
									tinge in Fx in places									120.33	rep																			
LA	60	60.00m							58.75-60.66 - DK GY-BK gouge, crumbly					Py				131.90	rep																			
									rock. Slight increase in Py at either end.																													
									Section seems concordant to 60deg LA.																													
									Interval length unsure due to poor recov.																													
VT	20	(+Py)							60.66-72.60 - DK GY/BK greasy, graphitic	Cl				Py																								
VT	35	(+Py)							PHY. No significant Qz sweats. Cl alt.																													
LA	70								present in some form throughout. Py as																													
VT	60	(Qz+Py)							VT/FX fill on oblique angles. Py also as																													
LA	75	69.50m							elongate 1mm blebs aligned w/LA. Some																													
									slickensides 70TCA w/Py. Cl alt increase,																													
									becoming moderate by end of interval.																													
									Qz bands GR/WH Cl altered, as well as																													
									faint PK alt in some cases.																													
LA	90	73.00m							72.00-72.20 is graphitic, BK and gougey	Cl				Py																								
									72.60-75.72 - Gradual contact into softer	Cl				Py																								
									pale GN GY deformed PHY (Mt Mye?) w/																													
									thicker, less laminar Qz banding. Non-																													
									Calcareous, Cl altered, Py present																													
									throughout but occurs in later Fx/VTs near																													
									50-60deg (rather than in/parallel to LA)																													
									slightly mottled texture, and some BN to																													
									GN/BN soft mineral/alt in LA.																													
VT	70	(+Py)							75.72-77.20 - (Interbedded) Back to BK					Py																								
VT	60	(75.90+/- 10cm)							PHY w/elongate blebs/STR Py in sweats																													
VT	30	"							,LA, and VTs/Fxs oblique to LA.																													
LA	85	(Qz+Py)							76.80 - 35deg wavy Qz VT w/Py + reddish																													
									BN soft STR type mineral in Qz																													
									77.20-78.42 - (Interbedded) Back to GY	Cl				Py																								
LA	70								(GN to BN ish) deformed phyllite. Cl alt,																													
									fine brown soft mineral also. Py confined																													
FX	20	(Py)							to later stage VTs/FXs (thin).																													
LA	60								78.42-79.08 - Last interbed of BK PHY.					Py																								
									less deformed, Py in LA as well as FX.																													
VT	45	(Qz+Po @ 82.45)							79.08-91.75 - Into marbled, mottled look-	Cl				Py																								
									ing deformed, soft, Cl-altered phyllite w/																													
									late FX py and VT Py +BN wispy mineral																													
									in LA. Qz interbeds from 0.2-4cm. Quite																													
									variable in nature, varying amounts of Qz																													
									banding and deformation. Some regions																													
									quite speckled. Strongly reacting Cb VTs																													

PROPERTY: **HOLE:**

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	To (m)	Interval (m)	Type	Unit	Texture	Modifier	Notes:	ALT.	MINERALS				SAMPLES From (m)	To (m)	Interval (m)	Sample				Blocks From (m)	To (m)	Intvl. (m)	GEOTECHNICAL REC (m)	REC Percent	RQD (m)	RQD Percent	Weathering	Hardness	JOINTS Frequency	Attitude	Shape	Roughness	Infilling
									and late stage, thin Fx coatings. Rock																											
									itself does not fizz. Some small regions																											
									of remnant BK PHY w LA py.																											
									82.15 - start seeing Tr Po in Qz Vts (45d)	Cl		Py	Po																						
LA	70	85.04m							within 10cm Po quite prevalent, finely Dl																											
LA	70	88.50m							thru LA, and occ. Concentrated in late																											
LA	85	88.90m							VTs (Cb). Rock slightly calcareous for																											
									50cm. Po present as large, elongate																											
									blebs in direction of LA, with DK alteration																											
									haloes surrounding.																											
									84.35 - 70deg Cb/Qz VTs w/Py, Po, and				Po																						
									soft, rusty BN looking mineral assoc. w/																											
									Po and forming1x3cm elongate blebs in																											
									LA direction. Reacts slightly w/HCl to																											
									produce very strong suphurous smell.																											
									Mineral appears in several other places																											
									as well. Po has replaced Py as sulfide				Po																						
									most common, though still some fx Py. (87-																											
									92m is especially speckled in nature,																											
									quite Cl altered, w/olive GN/BN blebs and																											
									wisps in a pale GN/GY mtx. Still quite																											
									deformed.																											
									91.75-94.45 - As above, but less speck-			Po	Py																						
VT	85	(+Py)							led, still blebs Po (less prevalent). Also																											
									py, and several small shear zones																											
LA	65	(+Po blebs)							(93.90-94.45)																											
									94.45-95.55 - Region of DK GY-BK			Po	Py																						
LA	60								deformed PHY w Fo (LA) ranging from																											
									45-90 cegrees. Quite rich in mini-STR +																											
LA	55	90.20m							blebs Po (aligned w/ LA) starting to get Cl																											
									alt towards tail end of interval. ~3-5% Po																											
FA	70	98m							95.55-97.23 - GN ish GY PHY, defm'd	Cl		Py																							
LA	70	(opposite)							w/ Bnish GN bands and regions of very																											
									strong GN (Cl) alteration assoc w/ high																											
VT	35	(+Cb)							amounts of Qz , slightly vuggy and pyritic																											
	60	(+Cb)							w/flakes of silvery WH musc.																											
LA	80								97.23-100.00 - Def'm GY PHY, colours as																											
									above but less Cl alt. Folded LA, variable																											
									Qz banding. BN/maroon wispy LA/alt.																											
									100.00-104.00 - As above but slightly			Py	Po																						
LA	60								more Py mzn, more RD/BN colouration																											
									in spots and less Qz flooding. Weakly																											
LA	80	108.00m							speckled, late Cb Vts. Fine Dl Po through-																											
FX	45	(+Cb)							out, concentrated along LA																											
									104.00-106.64 - Same stuff, more			Py	Po																						
									variable and speckled, with some Qz																											
									bands up to 15cm thick. Mica/Cb assoc																											
									w/Qz VTs sometimes. W Py and Po in LA																											

PROPERTY: **HOLE:**

Struct. Type	Struct. Attitude	LITHOLOGY From (m)	LITHOLOGY To (m)	LITHOLOGY Interval (m)	LITHOLOGY Type	LITHOLOGY Unit	LITHOLOGY Texture	LITHOLOGY Modifier	Notes:	ALT.			MINERALS				SAMPLES From (m)	SAMPLES To (m)	SAMPLES Interval (m)	SAMPLES Sample				Blocks From (m)	Blocks To (m)	Blocks Intvl. (m)	GEOTECHNICAL REC (m)	GEOTECHNICAL REC Percent	GEOTECHNICAL RQD (m)	GEOTECHNICAL RQD Percent	GEOTECHNICAL Weathering	GEOTECHNICAL Hardness	JOINTS Frequency	JOINTS Attitude	JOINTS Shape	JOINTS Roughness	JOINTS Infilling
									106.64-110.92 - extremely deformed				Po																								
									and GN GY PHY, generally slightly more																													
									massive looking, soft GN, w defm bands																													
									of Qz + Cb w RD/BN alt. Figure 8, circle,																													
									and folded patterns. Po still finely DI in																													
									soft GN/RD areas (crosscut by Qz/Cb VTs																													
									all pretty defmd. Not much mzn.) and																													
									larger (up to 1cm) blebs in speckled																													
									areas. Cb VTS/Fx fill.																													
LA	70								110.92-113.70 - Back to slightly less	Cl			Py	Po																								
LA	80	113.70							deformed, GN GY phyllites w/PU/RD																													
									wispy interbands in LA, variable degree																													
									of Qz flood, wk Py. Wispy, STR, Po=LA																													
LA	80								113.70- 121.30 - pale GN ish GY, Cl+Cly	Cl	Cly		Py	Po																							
									altered PHY. Less competent (several																													
LA	75	123.00m							small gouge zones) and no longer																													
LA	85	129.00m							seeing RD/BN LA at all. Still FX Py+Po																													
LA	85	131.50m							(way less than before)																													
									(119.18-121.30 - especially cly altered,																													
									wavy LA +YW/GN ish mottles.																													
									121.30-136.86 (EOH) interlaminated	Cl			Po	Py																							
									GN GY + slightly RD/BN GY layers in PHY																													
									Mild Qz layering. Some GN/YW blebs																													
									in between wavy LA. V. fine Po in BN																													
									layers sometimes. After ~129.00m,																													
									layering becomes more regular, less																													
									deformation, Qz more competent. Fx Py																													
									130.70 - micro FLT at 60deg, Py mzn on																													
									it.																													
									Generally Py seems conc on FX, Po finely																													
									DI in BN layers. (LA)																													

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578



AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on Tidd 1-816 mineral claims on Claim Sheet 105J/3 is accurate.

Joan Mariacher

Sworn before me at Vancouver, B.C.

this 5th day of October, 2007.

Notary Public, Yukon Territory

Statement of Expenditures
Tidd 1-816 Mineral Claims
October 5, 2007

Labour

D. Eaton – geologist – April to September – 16 1/2 hours at $100/hr	$ 1,749.00
B. Wengzynowski – geologist – April to September – 241 hours at $200/hr	25,546.00
M. Nunez –geologist – August to September – 8 days at $520/day	4,409.60
R. Foubister – geologist – May to September – 83 1/2 days at $400/day	35,404.00
R. Phillips – field assistant – May to September – 84 days at $376/day	33,479.04
J. Levins – field assistant – June to September – 60 days at $272/day	17,299.20
K. Dowdell – camp cook – June to July – 39 days at $480/day	19,843.20
L. Corbett & D. Huston – expediting – May to September – 103 1/2 hours at $70/hr	7,679.70
W. Huston – driver – May to August – 41 1/2 hours at $40/hr	1,759.60
J. Mariacher – April to September – 70 1/2 hours at $70/hr	5,231.10
	152,400.44

Expenses

Field room and board – 265 1/2 days at $125/day	35,178.75
Trans North Helicopter – 40 hours Bell 206B at $975/hr plus fuel	45,891.43
Fireweed Helicopters - - 0.8 hours Hughes 500 at $950/hr plus fuel	805.60
VIH Helicopters – 2 1/2 hours S61 at $4950/hr plus fuel, insurance and ferry	40,677.50
15317 Yukon Inc. – excavator	137,185.74
ALS Chemex - 2766 samples	29,047.12
North 60 Petro – Jet B and diesel	7,548.09
	296,334.23
	$448,734.67

or $162.23/sample

Claim	Samples	
4	14	$ 2,271.22
6	30	4,866.90
15	113	18,331.99
16	6	973.38
17	25	4,055.75
18	43	6,975.89
49	72	11,680.56
50	81	13,140.63
51	22	3,569.06
52	73	11,842.79

53	60	9,733.80
54	69	11,193.87
55	22	3,569.06
56	65	10,544.95
58	38	6,164.74
60	37	6,002.51
61	43	6,975.89
62	36	5,840.28
63	10	1,622.30
65	16	2,595.68
67	26	4,217.98
68	47	7,624.81
69	30	4,866.90
70	73	11,842.79
71	14	2,271.22
72	70	11,356.10
73	15	2,433.45
74	70	11,356.10
75	10	1,622.30
76	76	12,329.48
142	3	486.69
144	8	1,297.84
145	15	2,433.45
146	47	7,624.81
149	3	486.69
150	13	2,108.99
151	16	2,595.68
152	21	3,406.83
153	22	3,569.06
154	20	3,244.60
157	9	1,460.07
158	16	2,595.68
159	12	1,946.76
160	21	3,406.83
161	27	4,380.21
167	35	5,678.05
168	50	8,111.50
169	38	6,164.74
170	73	11,842.79
171	50	8,111.50
172	67	10,869.41
173	69	11,193.87
174	76	12,329.48
175	8	1,297.84
176	10	1,622.30
179	12	1,946.76

181	22	3,569.06
182	7	1,135.61
187	23	3,731.29
189	31	5,029.13
190	6	973.38
191	11	1,784.53
211	21	3,406.83
212	22	3,569.06
213	6	973.38
214	3	486.69
238	3	486.69
263	2	324.46
300	3	486.69
301	3	486.69
302	19	3,082.37
304	14	2,271.22
306	1	162.23
315	5	811.15
316	7	1,135.61
320	16	2,595.68
321	15	2,433.45
322	20	3,244.60
323	15	2,433.45
324	21	3,406.83
325	2	324.46
326	5	811.15
360	5	811.15
361	7	1,135.61
362	20	3,244.60
363	1	162.23
364	17	2,757.91
366	4	648.92
398	6	973.38
407	7	1,135.61
408	21	3,406.83
410	4	648.92
423	8	1,297.84
629	2	324.46
655	1	162.23
657	15	2,433.45
659	20	3,244.60
660	8	1,297.84
661	21	3,406.83
662	21	3,406.83
688	3	486.69
689	8	1,297.84

690	19	3,082.37
691	21	3,406.83
692	22	3,569.06
693	15	2,433.45
694	21	3,406.83
724	6	973.38
767	1	162.23
768	3	486.69
769	17	2,757.91
770	6	973.38
771	22	3,569.06
772	9	1,460.07
773	21	3,406.83
774	11	1,784.53
775	18	2,926.63
776	4	648.92
777	1	162.23
	2,766	448,734.67

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
4/30/2007	173

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		APRIL/07		
Budget Item	**Description**	**Hours**	**Rate**	**Amount**
Senior Supervision	D.Eaton	2.00	100.00	200.00T
Senior Supervision	B.Wengzynowski	21.00	100.00	2,100.00T
Office work	J.Mariacher	19.25	70.00	1,347.50T
Office work	G.Walker	7.25	34.00	246.50T
Office work	J.Itkin	2.75	34.50	94.88T
	ALLOCATE 2006 EXPENSES			
Other Equipment	JM visa - sat phone		340.53	340.53T
Management Fee	Management Fee on Expenses		8.00%	27.24T
	Business Number: 100247667			
	Subtotal			**$4,356.65**
	GST			**$261.40**
	Total Payable			**$4,618.05**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
5/31/2007	174

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		MAY/07		
Budget Item	**Description**	**Hours**	**Rate**	**Amount**
Senior Supervision	D.Eaton	7.00	100.00	700.00T
Senior Supervision	B.Wengzynowski	29.50	100.00	2,950.00T
Expediting	L.Corbett	7.00	60.00	420.00T
Expediting	D.Huston	4.75	60.00	285.00T
Labour	R.Foubister	40.00	50.00	2,000.00T
Labour	W.Huston	1.00	40.00	40.00T
Labour	R.Phillips	40.00	47.00	1,880.00T
Office work	M.Dumala	8.50	80.00	680.00T
Office work	M.Gonzalvo	7.75	34.00	263.50T
Office work	J.Mariacher	12.50	70.00	875.00T
Office work	S.Newman	31.25	34.00	1,062.50T
Office work	H.Smith	2.00	65.00	130.00T
Office work	G.Walker	2.75	34.00	93.50T
Office work	J.Itkin May 1-15/07	3.00	34.50	103.50T
ice work	J.Itkin May 16-31/07	1.75	34.50	60.38T
	OTHER SERVICES			
AC House-Room & Bo...	May/07 Room & Board - $120 x 10ds		1,200.00	1,200.00T
	EXPENSES			
Assays	Teck Cominco - Inv#GDL07		117.00	117.00T
Non-AC Miscellaneous	Hydery - Inv#26078		58.95	58.95T
Non-AC Miscellaneous	Hydery - Inv#26081		70.78	70.78T
Non-AC Miscellaneous	Hydery - Inv#26085		78.65	78.65T
Shipping & Trucking	Air North - Inv#F02150551		38.08	38.08T
Non-AC Miscellaneous	Northern Safety Network - Inv#2007-00411		140.00	140.00T
Truck Rental & Fuel	Norcan - Inv#NOR-19573i1 - May 27-31/07		9.60	9.60T
Truck Rental & Fuel	Norcan - Inv#NOR-19572i1 - May 27-31/07		9.60	9.60T
Truck Rental & Fuel	Norcan - Inv#NOR-19636i1 - May 30-31/07		4.80	4.80T
Truck Rental & Fuel	Norcan - Inv#NOR-19635i1 - May 30-31/07		4.80	4.80T
	Total Expenses			532.26
Management Fee	Management Fee on Expenses		8.00%	42.58T
Management Fee	Management Fee on Field Account - $75,000		6,000.00	6,000.00T
	Business Number: 100247667			
	Subtotal			**$19,318.22**
	GST			**$1,159.09**
	Total Payable			**$20,477.31**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
6/30/2007	215

Bill To

TIDD PROJECT
SEDEX Mining Corp.

Budget Item	Description	BILLING PERIOD JUNE/07 Qty/Hours	Rate	Amount
	OTHER SERVICES			
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	118.00	60.00	7,080.00T
AC-11 AC House-Room & Board	AC House-Room & Board	23.00	120.00	2,760.00T
AC-20 AC Miscellaneous	Lath bundle	13.00	19.50	253.50T
	FEES			
AC-08 Senior Supervision	D.Eaton	3.37	100.00	337.00T
AC-08 Senior Supervision	B.Wengzynowski	76.50	100.00	7,650.00T
AC-06 Expediting	L.Corbett	11.00	60.00	660.00T
AC-06 Expediting	D.Huston	3.75	60.00	225.00T
AC-05 Labour	K.Dowdell	240.00	60.00	14,400.00T
AC-05 Labour	R.Foubister	216.00	50.00	10,800.00T
AC-05 Labour	W.Huston	17.50	40.00	700.00T
AC-05 Labour	P.Kibenge	2.25	34.00	76.50T
AC-05 Labour	J.Levins	224.00	34.00	7,616.00T
AC-05 Labour	R.Phillips	224.00	47.00	10,528.00T
AC-05 Labour	N.Thomson-Gladish	6.00	34.00	204.00T
AC-07 Office work	J.Itkin	5.50	34.50	189.75T
AC-07 Office work	M.Gonzalvo	5.25	34.00	178.50T
AC-07 Office work	J.Mariacher	7.00	70.00	490.00T
AC-07 Office work	S.Newman	14.50	34.00	493.00T
AC-07 Office work	G.Walker	0.25	34.00	8.50T
	EXPENSES			
NA-22 Camp Food & Consuma...	Home Hardware - Inv#186620		21.16	21.16T
NA-22 Camp Food & Consuma...	Home Hardware - Inv#190187		46.83	46.83T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#37589		2,835.72	2,835.72T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#3947		85.09	85.09T
NA-02 Helicopter+Fuel	North 60 Petro - Inv#TBA0672104		3,539.04	3,539.04T
NA-23 Non-AC Room & Board	TND Hotel - Inv#June 6-7/07		571.75	571.75T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#3966		143.89	143.89T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#17064		36.22	36.22T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#17070		75.25	75.25T
NA-26 Truck Rental & Fuel	Yukon Tire Tirecraft - Inv#WHIR013143		196.99	196.99T
NA-30 Non-AC Miscellaneous	petty cash - chq#3124		100.41	100.41T
NA-30 Non-AC Miscellaneous	Mills Basics - Inv#112783		126.80	126.80T
NA-02 Helicopter+Fuel	North 60 Petro - Inv#TBA0672659		6,216.84	6,216.84T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
6/30/2007	215

Bill To

TIDD PROJECT
SEDEX Mining Corp.

Budget Item	Description	BILLING PERIOD JUNE/07 Qty/Hours	Rate	Amount
NA-05 Excavator+Fuel	North 60 Petro - Inv#TBA0672659		904.00	904.00T
NA-24 Airfare & Transportation	JM visa - chq#3129		582.05	582.05T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#37694		604.91	604.91T
NA-05 Excavator+Fuel	North 60 Petro - Inv#TBA0672744		2,712.00	2,712.00T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4167		66.06	66.06T
NA-02 Helicopter+Fuel	VIH Helicopters - Inv#092577-SI		38,375.00	38,375.00T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4187		86.63	86.63T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#37391		999.66	999.66T
NA-30 Non-AC Miscellaneous	petty cash - chq#3201		13.64	13.64T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123404		9,900.00	9,900.00T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123404		-3,960.00	-3,960.00T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123403		20,000.00	20,000.00T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123403		-8,000.00	-8,000.00T
NA-24 Airfare & Transportation	B.Wengzynowski - chq#3233		11.01	11.01T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#39376		5,254.68	5,254.68T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#39378		1,128.90	1,128.90T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#39385		8,205.30	8,205.30T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#39386		2,257.80	2,257.80T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19178i2		79.83	79.83T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19573i2		319.33	319.33T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19635i2		399.17	399.17T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19636i2		319.33	319.33T
	Total Expenses			94,255.29
AC-01 Management Fee	Management Fee on Expenses		8.00%	7,540.42T
	ADD'L EXPENSES			
NA-30 Non-AC Miscellaneous	office supplies		52.91	52.91T
AC-01 Management Fee	Management Fee on Expenses		8.00%	4.23T
	Business Number: 100247667			
		Subtotal		**$166,502.60**
		GST		**$9,990.16**
		Total Payable		**$176,492.76**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
7/31/2007	278

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		JULY/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
	OTHER SERVICES			
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	109.00	60.00	6,540.00T
AC-11 AC House-Room & Board	AC House-Room & Board	8.50	120.00	1,020.00T
AC-20 AC Miscellaneous	Spill Kit	1.00	102.50	102.50T
AC-20 AC Miscellaneous	AA batteries	14.00	1.00	14.00T
AC-20 AC Miscellaneous	Lath bundle	5.00	19.50	97.50T
	FEES			
AC-05 Labour	R.Foubister	172.00	60.00	10,320.00T
AC-05 Labour	R.Phillips	248.00	47.00	11,656.00T
AC-05 Labour	J.Levins	248.00	34.00	8,432.00T
AC-05 Labour	K.Dowdell	72.00	60.00	4,320.00T
AC-05 Labour	W.Huston	15.00	40.00	600.00T
AC-08 Senior Supervision	B.Wengzynowski	35.00	100.00	3,500.00T
AC-07 Office work	G.Walker	6.00	34.00	204.00T
AC-07 Office work	M.Gonzalvo	5.00	34.00	170.00T
AC-06 Expediting	D.Huston	19.00	60.00	1,140.00T
AC-07 Office work	J.Mariacher	4.50	70.00	315.00T
AC-08 Senior Supervision	D.Eaton	1.00	100.00	100.00T
AC-07 Office work	J.Itkin	4.00	34.50	138.00T
AC-05 Labour	N.Thomson-Gladish	14.00	34.00	476.00T
AC-06 Expediting	L.Corbett	24.50	60.00	1,470.00T
	EXPENSES			
NA-23 Non-AC Room & Board	Trails North - Inv#10842		145.28	145.28T
NA-22 Camp Food & Consuma...	Trails North - Inv#12430		17.92	17.92T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#472945		22.43	22.43T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#473095		4.66	4.66T
NA-22 Camp Food & Consuma...	Trails North - Inv#12471		80.19	80.19T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#17247		50.53	50.53T
NA-26 Truck Rental & Fuel	Trails North - Inv#10882		58.46	58.46T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#481246		33.97	33.97T
NA-25 Shipping & Trucking	Greyhound - Inv#3530237		257.29	257.29T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#17346		155.23	155.23T
NA-26 Truck Rental & Fuel	Ross River Service Centre - Inv#34040		56.60	56.60T
NA-22 Camp Food & Consuma...	Ross River Service Centre - Inv#34040		17.52	17.52T
NA-26 Truck Rental & Fuel	Trails North - Inv#12618		67.92	67.92T
			Subtotal	
			GST	
			Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
7/31/2007	278

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		JULY/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
NA-23 Non-AC Room & Board	TND Hotel - Inv#0006		128.25	128.25T
NA-22 Camp Food & Consuma...	Home Hardware - Inv#215146		7.99	7.99T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#486171		38.38	38.38T
NA-26 Truck Rental & Fuel	Porter Creek Super A - Inv#18981		29.71	29.71T
NA-22 Camp Food & Consuma...	JM visa - chq#3316		978.67	978.67T
NA-24 Airfare & Transportation	JM visa - chq#3316		187.87	187.87T
NA-26 Truck Rental & Fuel	JM visa - chq#3316		100.90	100.90T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4359		41.08	41.08T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4365		106.27	106.27T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#37553		547.48	547.48T
NA-25 Shipping & Trucking	Byers Transport - Inv#24673235-00		53.18	53.18T
NA-26 Truck Rental & Fuel	Ross River Service Centre - Inv#34127		34.25	34.25T
NA-26 Truck Rental & Fuel	Trails North - Inv#12664		30.80	30.80T
NA-02 Helicopter+Fuel	Trans North Helicopters -Inv#39388		1,016.01	1,016.01T
N 2 Helicopter+Fuel	Trans North Helicopters -Inv#39390		903.12	903.12T
N . 2 Helicopter+Fuel	Trans North Helicopters -Inv#39391		1,467.57	1,467.57T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123406		11,870.00	11,870.00T
NA-05 Excavator+Fuel	15317 Yukon Inc - Inv#123406		-4,748.00	-4,748.00T
NA-25 Shipping & Trucking	Byers Transport - Inv#24673342-00		135.59	135.59T
NA-25 Shipping & Trucking	Greyhound - Inv#3549019		123.70	123.70T
NA-22 Camp Food & Consuma...	Home Hardware - Inv#224382		19.99	19.99T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#492381		33.92	33.92T
NA-02 Helicopter+Fuel	Trans North Helicopters - inv#39394		1,806.24	1,806.24T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#38083		536.14	536.14T
NA-22 Camp Food & Consuma...	Ross River Service Centre - Inv#34243		6.63	6.63T
NA-26 Truck Rental & Fuel	Ross River Service Centre - Inv#34243		65.55	65.55T
NA-26 Truck Rental & Fuel	Trails North - Inv#12733		55.28	55.28T
NA-22 Camp Food & Consuma...	Home Hardware - inv#232222		7.58	7.58T
NA-30 Non-AC Miscellaneous	Maximillian's Corporation - Inv#498589		23.47	23.47T
NA-22 Camp Food & Consuma...	L.Corbett - PC-Jul.27/07		3.28	3.28T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#36600		618.95	618.95T
NA-30 Non-AC Miscellaneous	J.Mariacher - PC-Jul.31/07		50.09	50.09T
NA-26 Truck Rental & Fuel	Ross River Service Centre - Inv#34359		130.52	130.52T
NA-22 Camp Food & Consuma...	Ross River Service Centre - Inv#34359		4.25	4.25T
NA-22 Camp Food & Consuma...	B.Wengzynowski - EXP-Jul/07		11.08	11.08T
NA-25 Shipping & Trucking	Greyhound - Inv#3562958		291.45	291.45T
NA-02 Helicopter+Fuel	North 60 Petro - Inv#1579234		-120.00	-120.00T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42006		903.12	903.12T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
7/31/2007	278

Bill To

TIDD PROJECT
SEDEX Mining Corp.

BILLING PERIOD
JULY/07

Budget Item	Description	Qty/Hours	Rate	Amount
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42007		1,580.46	1,580.46T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42010		1,580.46	1,580.46T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42012		1,354.68	1,354.68T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42015		1,693.35	1,693.35T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42016		1,580.46	1,580.46T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42019		1,580.46	1,580.46T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42021		790.23	790.23T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42022		790.23	790.23T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42026		790.23	790.23T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42029		1,016.01	1,016.01T
NA-26 Truck Rental & Fuel	Trails North - Inv#12792		110.75	110.75T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19178i3		386.29	386.29T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19573i3		77.26	77.26T
NA-24 Airfare & Transportation	JM visa - chq#3419		92.09	92.09T
[illegible]24 Airfare & Transportation	JM visa - chq#3419		1,128.68	1,128.68T
[illegible]24 Airfare & Transportation	JM visa - chq#3419		338.67	338.67T
	Total Expenses			33,358.67
AC-01 Management Fee	Management Fee on Expenses		8.00%	2,668.69T
AC-01 Management Fee	Management Fee on Field Account - $9,546.53		763.72	763.72T
	Business Number: 100247667			
			Subtotal	**$87,406.08**
			GST	**$5,244.36**
			Total Payable	**$92,650.44**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
8/31/2007	324

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		AUGUST/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
AC-11 AC House-Room & Board	AC House-Room & Board	10.00	120.00	1,200.00T
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	76.00	60.00	4,560.00T
	FEES			
AC-07 Office work	M.Gonzalvo	7.00	34.00	238.00T
AC-05 Labour	R.Foubister	232.00	60.00	13,920.00T
AC-05 Labour	R.Phillips	160.00	47.00	7,520.00T
AC-05 Labour	J.Levins	8.00	34.00	272.00T
AC-08 Senior Supervision	B.Wengzynowski	28.00	100.00	2,800.00T
AC-07 Office work	J.Mariacher	13.75	70.00	962.50T
AC-07 Office work	G.Walker	7.50	34.00	255.00T
AC-06 Expediting	D.Huston	14.00	60.00	840.00T
AC-06 Expediting	L.Corbett	15.00	60.00	900.00T
AC-05 Labour	N.Thomson-Gladish	6.75	34.00	229.50T
AC-07 Office work	J.Itkin	3.69	40.25	148.52T
AC-05 Labour	W.Huston	8.00	40.00	320.00T
AC-08 Senior Supervision	D.Eaton	3.00	100.00	300.00T
AC-05 Labour	M.Nunez	24.00	65.00	1,560.00T
	EXPENSES			
NA-30 Non-AC Miscellaneous	Maximilian's Corporation - Inv#485838		5.38	5.38T
NA-30 Non-AC Miscellaneous	Inte Graphics - Inv#79237		49.86	49.86T
NA-25 Shipping & Trucking	Air North - Inv#F21290264		39.75	39.75T
NA-30 Non-AC Miscellaneous	Maximilian's Corporation - Inv#504510		30.92	30.92T
NA-30 Non-AC Miscellaneous	Maximilan's Corporation - Inv#504695		16.89	16.89T
NA-22 Camp Food & Consuma...	L.Corbett - PC-AUG.10/07		9.99	9.99T
NA-02 Helicopter+Fuel	400l @ 1.63190 jetB		-652.76	-652.76T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#36752		775.33	775.33T
NA-01 Diamond Drilling+Fuel	15317 Yukon Inc - Inv#123413		14,375.00	14,375.00T
NA-01 Diamond Drilling+Fuel	15317 Yukon Inc - Inv#123413		-6,095.00	-6,095.00T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4565		34.91	34.91T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4588		103.25	103.25T
NA-30 Non-AC Miscellaneous	L.Corbett - PC-AUG.17/07		13.66	13.66T
NA-25 Shipping & Trucking	Greyhound - Inv#3581741		490.28	490.28T
NA-23 Non-AC Room & Board	TND Motor Hotel - Inv#0028		131.11	131.11T
NA-02 Helicopter+Fuel	533.4l @ 1.6319		-870.46	-870.46T
NA-22 Camp Food & Consuma...	Riverdale Super A - Inv#38075		415.08	415.08T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
8/31/2007	324

Bill To

TIDD PROJECT
SEDEX Mining Corp.

		BILLING PERIOD		
		AUGUST/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
NA-22 Camp Food & Consuma...	Home Hardware - Inv#239889		22.99	22.99T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4663		48.27	48.27T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4669		81.43	81.43T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20434i2		231.77	231.77T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19166i4		94.91	94.91T
NA-30 Non-AC Miscellaneous	Shoppers Drug Mart - Inv#5477		3.99	3.99T
	Total Expenses			9,356.55
AC-01 Management Fee	Management Fee on Expenses		8.00%	748.52T
AC-01 Management Fee	Management Fee on Field Account - $6,673.92		533.91	533.91T
	Business Number: 100247667			
	Subtotal			**$46,664.50**
	GST			**$2,799.87**
	Total Payable			**$49,464.37**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
9/30/2007	380

Bill To

TIDD PROJECT
SEDEX Mining Corp.

BILLING PERIOD

Budget Item	Description	Qty/Hours	Rate	Amount
AC-11 AC House-Room & Board	AC House-Room & Board	6.00	120.00	720.00T
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	19.00	60.00	1,140.00T
AC-20 AC Miscellaneous	AA batteries	12.00	1.00	12.00T
AC-20 AC Miscellaneous	AAA batteries	12.00	1.45	17.40T
	FEES			
AC-05 Labour	M.Nunez	40.00	65.00	2,600.00T
AC-07 Office work	M.Gonzalvo	8.00	34.00	272.00T
AC-07 Office work	J.Mariacher	13.25	70.00	927.50T
AC-08 Senior Supervision	B.Wengzynowski	51.00	100.00	5,100.00T
AC-07 Office work	G.Walker	4.00	34.00	136.00T
AC-06 Expediting	L.Corbett	4.50	60.00	270.00T
AC-07 Office work	J.Itkin	3.75	40.25	150.94T
AC-05 Labour	R.Foubister	8.00	60.00	480.00T
	EXPENSES			
	ADJ BLNC		-0.90	-0.90T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#40703		1,128.90	1,128.90T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42046		1,016.01	1,016.01T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42048		903.12	903.12T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42063		533.67	533.67T
NA-25 Shipping & Trucking	Greyhound - Inv#3597383		188.10	188.10T
NA-24 Airfare & Transportation	B.Wengzynowski - EXP-SEP.4/07		11.32	11.32T
NA-30 Non-AC Miscellaneous	Maximilian's Corporation - Inv#519268		27.56	27.56T
NA-30 Non-AC Miscellaneous	Inte Graphics - Inv#79574		52.25	52.25T
NA-30 Non-AC Miscellaneous	Inte Graphics - Inv#79653		18.80	18.80T
NA-05 Excavator+Fuel	15317 Yukon - Inv#123419		31,022.78	31,022.78T
NA-05 Excavator+Fuel	15317 Yukon - Inv#123419		-12,409.11	-12,409.11T
NA-25 Shipping & Trucking	Greyhound - Inv#3616070		79.64	79.64T
NA-02 Helicopter+Fuel	Fireweed Helicopters - Inv#2023		190.00	190.00T
NA-02 Helicopter+Fuel	Fireweed Helicopters - Inv#2023		95.00	95.00T
NA-02 Helicopter+Fuel	Fireweed Helicopters - Inv#2023		475.00	475.00T
NA-26 Truck Rental & Fuel	JM visa - chq#3604		40.94	40.94T
NA-22 Camp Food & Consuma...	B.Wengzynowski - EXP-Sep.26/07		7.55	7.55T
NA-30 Non-AC Miscellaneous	Office Supply Centre - Inv#248048		22.61	22.61T
NA-30 Non-AC Miscellaneous	L.Corbett - PC-Sep.29/07		19.98	19.98T
NA-02 Helicopter+Fuel	500l @ 1.6319 jetB		-815.95	-815.95T

Subtotal	
GST	
Total Payable	

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
9/30/2007	380

Bill To

TIDD PROJECT
SEDEX Mining Corp.

BILLING PERIOD

Budget Item	Description	Qty/Hours	Rate	Amount
NA-28 Government Fees	JM visa - chq#3662		6,720.00	6,720.00T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19573		170.13	170.13T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19178		251.18	251.18T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19635		226.15	226.15T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20434i3		64.32	64.32T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-19636i5		90.86	90.86T
	TOTAL EXPENSES			30,129.91
AC-01 Management Fee	Management Fee on Expenses		8.00%	2,410.39T
AC-01 Management Fee	Management Fee on Field Account - $7,057.79		564.62	564.62T
	Business Number: 100247667			
			Subtotal	**$44,930.76**
			GST	**$2,695.85**
			Total Payable	**$47,626.61**

TRANS NORTH HELICOPTERS
TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39376
INVOICE DATE: 30 06 07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 07 | MONTH 06 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓	✓	1.2 4.0		RR ECN

HOOK INSURANCE: DECLINED ☐ INT _____ | VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO RC STAGING				
TIDD				
RC STAGING				
TIDD x 2				INTERVAL
TIDD x 4				EXTENDED
Ross River				

SUB	G.L.	AMOUNT
16 15	502	5070 00
1600	131	184 68
0000	323	315 28

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS

X _____ CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BJP

ENGINEER'S SIGNATURE

ENGINEER'S NAME

D.G. TRANSPORTED	☐		
	@ 5.2	@ 975.00	5070 00
HOLDING TIME:	@	/ HR.	
FUEL	136.8 LT @ 1.35	/ LITRE	184 68
FUEL	@	/ LITRE	
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			5254 68
GOODS & SERVICES TAX REGISTRATION NO. R121483135			315 28
TOTAL		$	5569 96

SHIPPING NAME & QTY | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

TRANS NORTH HELICOPTERS
TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39378
INVOICE DATE: 30 06 07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 08 | MONTH 06 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.0	RR

HOOK INSURANCE: DECLINED ☐ INT _____ | VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				
RC STAGING				
Ross River				

SUB	G.L.	AMOUNT
16 15	502	975 00
1600	131	153 90
0000	323	67 73

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS

X _____ CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BJP

ENGINEER'S SIGNATURE

ENGINEER'S NAME

D.G. TRANSPORTED	☐		
	@ 1.0	@ 975.00	975 00
HOLDING TIME:	@	/ HR.	
FUEL	114 LT @ 1.35	/ LITRE	153 90
FUEL	@	/ LITRE	
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			1128 90
GOODS & SERVICES TAX REGISTRATION NO. R121483135			67 73
TOTAL		$	1196 63

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39385
INVOICE DATE: 30 06 07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☑

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 21 | MONTH 06 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ☐ CUST. ☑
TNTA FUEL USED: 2.0 / 6.1 | HRS./LITRES | FROM: 12B / RC

HOOK INSURANCE: DECLINED ☐ INT ____ | ACCEPTED ☐ | VALUE ____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO RC STAGING				
TIDD x 12				CREW, EXCAVATOR
Ross River				PARTS, FUEL FOR 61
				CAMP CREW & CARGO

SUB	G.L.	AMOUNT
16 15	502	7819 50
1600	131	307 80
0000	323	492 32

D.G. TRANSPORTED ☐

@ 8.1	@ 975.00	7897	50
HOLDING TIME:	@ / HR.		
FUEL 228 LT	@ 1.35 / LITRE	307	80
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		8205	30
GOODS & SERVICES TAX REGISTRATION NO. R121483135		492	32
TOTAL	$	8697	62

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BHP | PILOT'S SIGNATURE | ENGINEER'S NAME

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLIC VIEW AT TRANS NORTH OFFICE.

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39386
INVOICE DATE: 30 06 07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☑

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 22 | MONTH 06 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ☐ CUST. ☑
TNTA FUEL USED: 2.0 | HRS./LITRES | FROM: RC

HOOK INSURANCE: DECLINED ☐ INT ____ | ACCEPTED ☐ | VALUE ____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				
LOOM				
RC STAGING				
TIDD				
RC STAGING				
Ross River				

SUB	G.L.	AMOUNT
16 15	502	1950 00
1600	131	307 80
0000	323	135 47

D.G. TRANSPORTED ☐

@ 2.0	@ 975.00	1950	00
HOLDING TIME:	@ / HR.		
FUEL 228 LT	@ 1.35 / LITRE	307	80
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		2257	80
GOODS & SERVICES TAX REGISTRATION NO. R121483135		135	47
TOTAL	$	2393	27

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BHP | PILOT'S SIGNATURE | ENGINEER'S NAME

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLIC VIEW AT TRANS NORTH OFFICE.

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC

INVOICE NUMBER: 39388

INVOICE DATE: 12/07/07

AREA: B.C. YUKON NWT ALTA

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B.206 | AIRCRAFT REGISTRATION C: GMIG

FLIGHT DATE: DAY 30 | MONTH 06 | YEAR 07

PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ✓ | CUST.

TNTA FUEL USED: .9 | HRS./LITRES | FROM

HOOK INSURANCE: DECLINED ☐ INT ____ | ACCEPTED ☐ | VALUE ____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TIDD				
	LOCAL				
	Ross River				

N/A

SUB	G.L.	AMOUNT
1615	502	877 50
1600	131	138 51
0000	323	60 96

D.G. TRANSPORTED ☐

	@		
.9	@ 975.00	877	50
HOLDING TIME:	@ / HR.		
FUEL 1026 LT	@ 135 / LITRE	138	51
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1016	01
GOODS & SERVICES TAX REGISTRATION NO. R121483135		60	96
TOTAL	$	1076	97

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ 17DY
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BHP

PILOT SIGNATURE

ENGINEER'S NAME

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39390
INVOICE DATE: 12/07/06
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 02 | MONTH 07 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ✓ CUST.
TNTA FUEL USED | HRS./LITRES: .8 | FROM: RR

HOOK INSURANCE: DECLINED ☐ INT ____
VALUE ____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				
Ross River				
KA				

SUB	G.L.	AMOUNT
1615	502	780 00
1600	131	123 12
0000	323	54 19

D.G. TRANSPORTED ☐	.8 @ 975.00	780 00	
HOLDING TIME:	@ / HR.		
FUEL 91.2 LT	@ 1.35 / LITRE	123 12	
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		903 12	
GOODS & SERVICES TAX REGISTRATION NO. R121483135		54 19	
TOTAL	$	957 31	

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X B. Wen TIDD
CHARTERER'S SIGNATURE
CHARTERER'S NAME (PRINTED)

INITIALS: BHP
ENGINEER'S SIGNATURE
ENGINEER'S NAME

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39391
INVOICE DATE: 12/07/07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GHIG
FLIGHT DATE: DAY 03 | MONTH 07 | YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ✓ CUST.
TNTA FUEL USED | HRS./LITRES: 1.3 | FROM: RR

HOOK INSURANCE: DECLINED ☐ INT ____
VALUE ____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				
LOCAL				
Ross River				
KA				

SUB	G.L.	AMOUNT
1615	502	1267 50
1600	131	200 07
0000	323	88 05

D.G. TRANSPORTED ☐	1.3 @ 975.00	1267 50	
HOLDING TIME:	@ / HR.		
FUEL 148.2 LT	@ 1.35 / LITRE	200 07	
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1467 57	
GOODS & SERVICES TAX REGISTRATION NO. R121483135		88 05	
TOTAL	$	1555 62	

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X B. Wen TIDD
CHARTERER'S SIGNATURE
CHARTERER'S NAME (PRINTED)

INITIALS: BHP
ENGINEER'S SIGNATURE
ENGINEER'S NAME

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 39394
INVOICE DATE: 17/07/07
AHEA B.C. ☑ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE: B.206
AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 09 MONTH 07 YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.6	RR

HOOK INSURANCE VALUE _____ DECLINED ☐ ACCEPTED ☐ INT _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River				
TO TDD				GEOL BRIEF SAW
RC STAGING 1 & 2				3 P.M. & SAMPLES
Ross River				

SUB	G.L.	AMOUNT
1615	502	1560 00
1600	131	246 24
0000	323	108 37

D.G. TRANSPORTED ☐

	@		
1.6	@ 975.00	1560	00
HOLDING TIME:	@ / HR.		
FUEL 182.4 LT	@ 1.35 / LITRE	246	24
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1806	24
GOODS & SERVICES TAX REGISTRATION NO. R121483135		108	37
TOTAL	$	1914	61

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____
CHARTERER'S SIGNATURE

_____
CHARTERER'S NAME (PRINTED)

INITIALS: BAP
PILOT'S SIGNATURE

ENGINEER'S NAME

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCH CAC
INVOICE NUMBER	42006
INVOICE DATE	31 07 07
AREA	B.C. YUKON NWT ALTA
A/C TYPE	B.206
AIRCRAFT REGISTRATION C	GHLG
FLIGHT DATE	DAY 20 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			.8	RR

HOOK INSURANCE — DECLINED ☐ INT _____ — VALUE _____ — ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TIDD				Rob. U & GROCERIES
Ross River					SAMPLES

SUB	G.L.	AMOUNT
1615	502	780 00
1600	131	123 12
0000	323	54 19

D.G. TRANSPORTED ☐

	@		
.8	@ 975.00	780	00
HOLDING TIME:	@ / HR.		
FUEL 91.2 LT	@ 1.35 / LITRE	123	12
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		903	12
GOODS & SERVICES TAX REGISTRATION NO. R121483135		54	19
TOTAL	$	957	31

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS BLH — PILOT'S SIGNATURE

INITIALS SC — ENGINEER'S NAME SCHLIEBEN

INITIALS AK

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42007
INVOICE DATE	31 07 07
AREA	B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE	B206
AIRCRAFT REGISTRATION C	GHIG
FLIGHT DATE	DAY 21 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.4	ER

HOOK INSURANCE DECLINED ☐ INT _____
VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				S/O CREW 3
Ross River				
TIDD				P/U CREW 3
Ross River				

SUB	G.L.	AMOUNT
1615	502	1365 00
1600	131	215 46
0000	323	94 83

D.G. TRANSPORTED ☐		@	
	1.4	@ 975.00	1365 00
HOLDING TIME:		@ / HR.	
FUEL	159.6 LT	@ 1.35 / LITRE	215 46
FUEL		@ / LITRE	
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			1580 46
GOODS & SERVICES TAX REGISTRATION NO. R121483135			94 83
TOTAL			$ 1675 29

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____
CHARTERER'S SIGNATURE

_____
CHARTERER'S NAME (PRINTED)

INITIALS: BHP
PILOT'S SIGNATURE

ENGINEER'S NAME: SCHOLLEN
SC

AJC SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42010
INVOICE DATE	31/07/07
AREA	B.C. YUKON NWT ALTA.
A/C TYPE	B-206
AIRCRAFT REGISTRATION C	GMIG
FLIGHT DATE	DAY 22 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.4	RR

HOOK INSURANCE — DECLINED ☐ INT _____ — VALUE _____ — ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TOD				
	LOCAL				
	Ross River				
	TOD				
	LOCAL				
	Ross River				
	TOD				

SUB	G.L.	AMOUNT
16 15	502	1365 00
1600	131	215 46
0000	323	94 83

D.G. TRANSPORTED ☐	1.4 @ 975.00	1365	00
HOLDING TIME:	@ / HR.		
FUEL 159.6 LT @ 1.35 / LITRE		215	46
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1580	46
GOODS & SERVICES TAX REGISTRATION NO. R121483135		94	83
TOTAL		$ 1675	29

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS BJP — PILOT'S SIGNATURE

SC — ENGINEER'S NAME S Caribou

AJC — SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 42012
INVOICE DATE: 31/07/07
AREA: B.C. YUKON NWT ALTA
A/C TYPE: B206
AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 23 MONTH 07 YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.2	RR

HOOK INSURANCE VALUE _____ DECLINED ☐ INT _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

	FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
	FROM Ross River				
	TO TDD				S/O CREWS
	Ross River				
	TDD				PLU CREWS
	Ross River				

T ✓ A ✓

SUB	G.L.	AMOUNT
1615	502	1170 00
1600	131	184 68
0000	323	81 28

D.G. TRANSPORTED ☐	1.2 @ 975.00	1170	00
HOLDING TIME:	@ / HR.		
FUEL 136.8 LT	@ 1.35 / LITRE	184	68
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1354	68
GOODS & SERVICES TAX REGISTRATION NO. R121483135		81	28
TOTAL	$	1435	96

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS: BHP 3C AJC

_____ PILOT'S SIGNATURE

ENGINEER'S NAME SCANLON

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42015
INVOICE DATE	31/07/07
AREA	B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE	B-206
AIRCRAFT REGISTRATION C	GMIG
FLIGHT DATE	DAY 24 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.5	RR

HOOK INSURANCE VALUE _____ DECLINED ☐ ACCEPTED ☐ INT _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TIDD				
	LOWER				SET OUT CREW (3)
	Ross River				
	TIDD				
	LOWER				PICK UP CREW (3)
	Ross River				
	TIDD				

SUB	G.L.	AMOUNT
16 15	502	1462 50
1600	131	230 85
0000	323	101 60

D.G. TRANSPORTED ☐	1.5 @	975.00	1462 50
HOLDING TIME:	@ / HR.		
FUEL 171 LT	@ 1.35 / LITRE		230 85
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			1693 35
GOODS & SERVICES TAX REGISTRATION NO. R121483135			101 60
TOTAL		$	1794 95

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS BHP — PILOT'S SIGNATURE

SC — ENGINEER'S NAME SCALLION

AJC	SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 42016
INVOICE DATE: 31/07/07
AREA: B.C. YUKON NWT ALTA
A/C TYPE: B-206
AIRCRAFT REGISTRATION C: GHIG
FLIGHT DATE: DAY 25 MONTH 07 YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.4	RR

HOOK INSURANCE DECLINED ☐ INT _____
VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TDD				
Local				SET OUT CREW
Ross River				
TDD				
Local				Pick up crew
Ross River				
TDD	AM			

SUB	G.L.	AMOUNT
16 15	502	1365 00
1600	131	215 46
0000	323	94 83

D.G. TRANSPORTED ☐	(1.4) @ 975.00	1365	00
HOLDING TIME:	@ / HR.		
FUEL 159.6 LT	@ 1.35 / LITRE	215	46
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1580	46
GOODS & SERVICES TAX REGISTRATION NO. R121483135		94	83
TOTAL	$	1675	29

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS: BHP — PILOT SIGNATURE

3C — ENGINEER'S NAME: Stackhouse

AJC — SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42019
INVOICE DATE	31 07 07
AREA	B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE	B206
AIRCRAFT REGISTRATION C	GMIG
FLIGHT DATE	DAY 26 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.4	RR

HOOK INSURANCE VALUE _____ DECLINED ☐ ACCEPTED ☐ INT _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				
COAM				SET OUT CREW
Ross River				
TIDD				
COAM				Pick up crew
Ross River				
Tidd (A/C)				

SUB	G.L	AMOUNT
1615	502	1365 00
1600	131	215 46
0000	323	94 83

D.G. TRANSPORTED ☐	1.4 @ 975.00		1365 00
HOLDING TIME:	@ / HR.		
FUEL 159.6 LT	@ 1.35 / LITRE		215 46
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			1580 46
GOODS & SERVICES TAX REGISTRATION NO. R121483135			94 83
TOTAL		$	1675 29

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____
CHARTERER'S SIGNATURE

_____
CHARTERER'S NAME (PRINTED)

INITIALS BHP — PILOT'S SIGNATURE

3C — ENGINEER'S NAME Sutherland

AJC — SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHCAC
INVOICE NUMBER: 42021
INVOICE DATE: 31/07/07
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE: B206
AIRCRAFT REGISTRATION C: GMIG
FLIGHT DATE: DAY 28 MONTH 07 YEAR 07
PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			.7	RR

HOOK INSURANCE — DECLINED ☐ INT _____ — ACCEPTED ☐ — VALUE _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TDD				SET OUT CREW
	Ross River				

SUB	G.L.	AMOUNT				
1615	502	682	50	D.G. TRANSPORTED ☐	.7 @ 975.00	682	50
1600	131	107	73	HOLDING TIME:	@ / HR.		
0000	323	47	41	FUEL 79.8 LT	@ 1.35 / LITRE	107	73
				FUEL	@ / LITRE		
				MEALS & LODGINGS			
				OTHER			
				OTHER			
				SUB TOTAL		790	23
				GOODS & SERVICES TAX REGISTRATION NO. R121483135		47	41
				TOTAL	$	837	64

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X DILAN WALLINGER
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: BHP
PILOTS SIGNATURE

SC
ENGINEER'S NAME SCALHOUN

AJC

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42026
INVOICE DATE	31/07/07
AREA	B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE	B.206
AIRCRAFT REGISTRATION C	GMIG
FLIGHT DATE	DAY 29 MONTH 07 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			.7	RR

HOOK INSURANCE DECLINED ☐ INT. _____
VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TIDD				S/O CREW
	Ross River				

$
TNT A/C

SUB	G.L.	AMOUNT
1615	502	682 50
1600	131	107 73
0000	323	47 41

D.G. TRANSPORTED ☐

	@		
.7	@ 975.00	682	50
HOLDING TIME:	@ / HR.		
FUEL 79.8 LT	@ 1.35 / LITRE	107	73
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		790	23
GOODS & SERVICES TAX REGISTRATION NO. R121483135		47	41
TOTAL	$	837	64

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS BW SC AJC

_____ PILOT'S SIGNATURE

ENGINEER'S NAME SCALLION

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X3
Tel: (867) 668-2177 - Fax: (867) 668-3420
www.tntahell.com

NUMBER ARCH AC

INVOICE NUMBER **42029**

INVOICE DATE 31 07 07

AREA B.C. YUKON NWT ALTA

CHARTERER ARCHER CATTRO

BILLING ADDRESS

A/C TYPE B-206 AIRCRAFT REGISTRATION C GMIG

FLIGHT DATE DAY 31 MONTH 07 YEAR 07

PURCHASE ORDER NO.

FUEL & OIL-X TNTA O.ST.	TNTA FUEL USED	HRS/LITRES	FROM
✓		.9	RR

HOOK INSURANCE DECLINED ☐ INT _____
VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Ross River				
TO TIDD				BRUCE & GROC.
Ross River				JORDAN & SAMPLES
Fuel Add				

SUB	G.L.	AMOUNT
16 15	302	877 50
1600	131	138 51
0 0 0 0	3 2 3	60 96

D.G. TRANSPORTED ☐		@		
	.9	@ 975.00	877	50
HOLDING TIME:		@ / HR.		
FUEL 102.6 LT		@ 1.35 / LITRE	138	51
FUEL		@ / LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			1016	01
GOODS & SERVICES TAX REGISTRATION NO. R121483135			60	96
TOTAL		$	1076	97

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS BJP JC

PILOT'S SIGNATURE

ENGINEER'S NAME SCOLLAN

A/C	SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

D

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

ACCOUNTING – CUSTOMER FILE

08/21/07 TUE 11:38 FAX 8676683420

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHCAC

INVOICE NUMBER: 40703

INVOICE DATE: 27 08 07

AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

CHARTERER: Archer Cathro & Associates
1016-510 W Hastings St.

BILLING ADDRESS: Vancouver, B.C.
V6B 1L8

A/C TYPE: BELL-206

AIRCRAFT REGISTRATION C: F G C

FLIGHT DATE: DAY 09 MONTH 08 YEAR 07

PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
X		114.0		ROSS RIVER

HOOK INSURANCE: DECLINED ☐ INT _____
VALUE _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM ROSS RIVER				
TO ROSS RIVER				
TIED PROP.	08:10	09:20	1.0	1 - ROSS
				SLING FUEL

SUB	G.L.	AMOUNT
1606	502	975 00
1600	131	153 90
0000	323	67 73

D.G. TRANSPORTED ☐	1.0 @ 975.00	975	00
	@		
HOLDING TIME:	@ / HR.		
FUEL 114 LT	@ 1.35 LITRE	153	90
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		1128	90
GOODS & SERVICES TAX REGISTRATION NO. R121483135		67	73
TOTAL	$	1196	63

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS: RJW — PILOTS SIGNATURE: R. J. Wood

ENGINEER'S NAME

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCH CAC
INVOICE NUMBER	42046
INVOICE DATE	12 08 07
AREA	BC ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE	B-206
AIRCRAFT REGISTRATION C	GHIG
FLIGHT DATE	DAY 12 MONTH 08 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
	X		.9	ZR

HOOK INSURANCE — DECLINED ☐ INT _____ — ACCEPTED ☐ — VALUE _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TIDD				Bill & Greg.
	Ross River				Bruce & Glenn

SUB	G.L.	AMOUNT	
1615	502	877	50
1600	131	138	51
0000	323	60	96

D.G. TRANSPORTED ☐		@		
	.9	@ 975.00	877	50
HOLDING TIME:		@ / HR.		
FUEL	102.6 LT	@ 1.35 / LITRE	138	51
FUEL		@ / LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			1016	01
GOODS & SERVICES TAX REGISTRATION NO. R121483135			60	96
TOTAL			$ 1076	97

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X D. Wees TIDD
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS BBP — PILOT'S SIGNATURE

SC — ENGINEER'S NAME S Carlton

AJC — SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER	ARCHCAC
INVOICE NUMBER	42048
INVOICE DATE	12 08 07
AREA	B.C. ☐ YUKON ☑ NWT ☐ ALTA ☐
A/C TYPE	B206
AIRCRAFT REGISTRATION C	GMIG
FLIGHT DATE	DAY 13 MONTH 08 YEAR 07
PURCHASE ORDER NO.	

FUEL & OIL-X TNTA	CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓			1.8	RR

HOOK INSURANCE VALUE _____ DECLINED ☐ INT _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM	TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
Ross River	TDD				
	Ross River				

SUB	G.L.	AMOUNT	
1615	502	780 00	
1600	131	123 12	
0000323		54 19	

D.G. TRANSPORTED ☐

	@		
1.8	@ 975 00		780 00
HOLDING TIME:	@ / HR.		
FUEL 91.2 LT	@ 1.35 / LITRE		123 12
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			903 12
GOODS & SERVICES TAX REGISTRATION NO. R121483135			54 19
TOTAL		$	957 31

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X D. Weos TDD
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS BKH SC

PILOT SIGNATURE

ENGINEER'S NAME SCHLITOUV

AJC SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

REMIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCH CAC

INVOICE NUMBER: 42063

INVOICE DATE: 31/08/07

AREA: B.C. ✓ YUKON NWT ALTA

A/C TYPE: B-206 | AIRCRAFT REGISTRATION C: GHIG

FLIGHT DATE: DAY 28 | MONTH 08 | YEAR 07

PURCHASE ORDER NO.

Archer Cathro & Associates
1016-510 W Hastings St.
Vancouver, B.C.
V6B 1L8

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM
✓	✓		3.0 2.0	RR NORDEL

HOOK INSURANCE: DECLINED ☐ INT _____ ACCEPTED ☐ VALUE _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM ROSS RIVER TO TIMBER				
LOCAL				
CANOL STAGING ✓	A ✓			
TIMBER + 6 ✓	4803.0 288.18 5091.21			6 DIESEL, 6 JP4
TIDD	~~STR~~	TIMBER	4.5	
ROSS RIVER TIDD ✓		✓	.5	~~5091.21~~ ROBS & SAMPLES OUT
✓ A	533.67 32.01 565.68			

SUB	G.L.	AMOUNT
16 15	502	4875 00
1600	131	461 70
0000	323	320 20

D.G. TRANSPORTED ☐	5.0	@ 975.00	4875	00
HOLDING TIME:		@ / HR.		
FUEL 342 LT		@ 1.35 / LITRE	461	70
FUEL		@ / LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			5336	70
GOODS & SERVICES TAX REGISTRATION NO. R121483135			320	20
TOTAL			$ 5656	90

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS: BHP — PILOT'S SIGNATURE

5C — ENGINEER'S NAME S CARLTON

AJC — SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

FIREWEED HELICOPTERS

FLIGHT TICKET / INVOICE

WHITEHORSE 867-668-5888 fax: 867-668-7875
DAWSON CITY 867-993-5700 fax: 867-993-6839
Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

№ 4856

CHARTERER	PILOT	DATE
Archer Cathro	G. Lavoy	Sept 8/07
	SIGNATURE	AIRCRAFT OHD
	CHEQUE / CASH / CHARGE	TYPE 500
TELEPHONE / POSTAL CODE	PURCHASE ORDER NO.	BASE Tidd

CUSTOMER FUEL	FLIGHT ITINERARY	PASS	TIME
520 LIT FROM Tidd	AM Crew Chng (4 Pax to Drill)		
LIT FROM	Sling Fuel to Drill / Plc Pax(2)		
	P/U Marty & Ryan @ Drill		
FUEL LIT FROM @ $	P/U Bill & Tom		
LIT FROM @ $	PM Crew Chng		
LIT FROM @ $			

OTHER CHARGES DESCRIPTION	AMOUNT			
Timber		3610.- + 216.60 GST = 3826.60		3.8
Tidd (Tom)		190.- + 11.40 GST = 201.40		0.2
		4028.00		

PILOT EXPENSES DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY 950.-		TOTAL	4.0
		PASSENGERS (names)	FLIGHT 3800.- GST 228.-	$ 4028.-	
			FUEL GST	$	
			OTHER GST	$	
AUTHORIZED BY (print) MARTIN NUMER			TOTAL	$ 4028.-	
SIGNATURE X Martin Numer					

AS TIMBER 3.8
AS TIDD 0.2

FIREWEED HELICOPTERS

FLIGHT TICKET / INVOICE

WHITEHORSE 867-668-5888 fax: 867-668-7875
DAWSON CITY 867-993-5700 fax: 867-993-6839
Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

№ 4857

CHARTERER: Archer Cathro	PILOT: G. Lavoy		DATE: Sept 9/07
	SIGNATURE		AIRCRAFT: OHD
	CHEQUE / CASH / CHARGE		TYPE: 500
TELEPHONE / POSTAL CODE	PURCHASE ORDER NO.		BASE: Tidd

CUSTOMER FUEL	FLIGHT ITINERARY	PASS	TIME
$33 LIT FROM Tidd	AM Crew Chng / Sling Fr Stgn to Drill		
LIT FROM	D/O Tom		0.1
	Sling Fr Stgn to Drill / Bill to Stgn		
FIREWEED FUEL LIT FROM @ $	Sling Fr Stgn to Camp		
LIT FROM @ $	PM Crew Chng		
LIT FROM @ $			

OTHER CHARGES DESCRIPTION	AMOUNT				
		Timber = 3800.- + 228.- (GST) = 4028.-			4.0
		Tidd (Tom) = 95.- + 5.70 (GST) = 100.70			0.1
		4128.70			

PILOT EXPENSES DESCRIPTION	AMOUNT	RATE PER HOUR WET/DRY: 950.-			TOTAL: 4.1
		PASSENGERS (names)	FLIGHT 3875.-	GST 233.70	$ 4128.70
			FUEL	GST	$
			OTHER	GST	$
AUTHORIZED BY (print): MARTIN NUÑEZ			TOTAL		$ 4128.70
SIGNATURE: X					

A + TIMBER 4.0
A TIDD 0.1

FIREWEED HELICOPTERS

FLIGHT TICKET / INVOICE

WHITEHORSE 867-668-5888 fax: 867-668-7875
DAWSON CITY 867-993-5700 fax: 867-993-6839
Box 26, Whitehorse, Yukon Y1A 5X9 GST # 128659828

No 1858

CHARTERER: Archer Cathro	PILOT: C. Lavery		DATE: Sept 10/07
	SIGNATURE		AIRCRAFT: OHD
	CHEQUE	CASH / CHARGE	TYPE: 500
TELEPHONE / POSTAL CODE	PURCHASE ORDER NO.		BASE: Tidd

CUSTOMER FUEL	FLIGHT ITINERARY	PASS	TIME
481 LIT FROM Tidd	AM Crew Chng		
LIT FROM	Sling Fuel to Hoe, Tom		
	Chack on Tom		
FIREWEED FUEL LIT FROM @ $	P/U Tom @ Hoe		
LIT FROM @ $	To Stga/Sling to Drill/Camp		
LIT FROM @ $	PM Crew Chng		

OTHER CHARGES	DESCRIPTION	AMOUNT

PILOT EXPENSES	DESCRIPTION	AMOUNT

Timber = 3040.00 + 182.40 = 3222.40 — 3:2
Tidd (Tom) = 475.00 + 28.50 = 503.50 — 0:5
3725.90

RATE PER HOUR WET/DRY 950.- — TOTAL 3:7

PASSENGERS (names)

FLIGHT 3575.-	GST 210.90	$ 3725.90	
FUEL	GST	$	
OTHER	GST	$	
TOTAL		$ 3725.90	

AUTHORIZED BY (print): MARTIN NUÑEZ

SIGNATURE X

AT TIMBER 3.2
AT TIDD 0.5

VIH Helicopters Ltd.

1962 Canso Road
North Saanich BC V8L 5V5
Canada

Toll Free: 1-866-844-4354
Phone: 250-655-6863
Fax: 250-655-6866

Number: 092577-SI

Date: 6/21/2007
Customer No.: ARCH001
Project Number: FPZR
Reference - P.O. #:
Term Description: Net Due 30 Days

Sold To: Archer Cathro
1016 - 510 W. Hastings Street
Vancouver, BC
V6B 1L8 Canada

Business Number: 10548 4034

Description/Comments	Amount
S61 Helicopter Charter Ferry trip from Burrage	25,000.00
S61 Helicopter Charter Flight hours 2.5 @ $4950.00/hour	12,375.00
Slung Cargo Insurance 2% of $50,000.00 (declared value)	1,000.00

4 2 ish NA or

Comments: Mailed June 27/07

Remit To:

Subtotal before taxes	38,375.00
Total taxes	2,302.50
Total amount	**40,677.50**
Payment received	0.00
Amount due	**40,677.50**

INVOICE

Any questions or comments, please call Colleen @ 250-655-6890

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1568568

BILLING INFORMATION

Certificate:	**VA07066670**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**6-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR

QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
199	PREP-41	Dry, Sieve (180 um) Soil	0.94	187.06
40.84	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	61.26
199	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	895.50
199	GEO-AR01	Aqua regia digestion	2.25	447.75

SUBTOTAL (CAD)	$	1,591.57
R100938885 GST	$	95.49
TOTAL PAYABLE (CAD)	**$**	**1,687.06**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1568742

BILLING INFORMATION

Certificate:	**VA07067532**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**6-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR

QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
199	PREP-41	Dry, Sieve (180 um) Soil	0.94	187.06
42.48	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	63.72
199	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	895.50
199	GEO-AR01	Aqua regia digestion	2.25	447.75

SUBTOTAL (CAD)	$	1,594.03
R100938885 GST	$	95.64
TOTAL PAYABLE (CAD)	**$**	**1,689.67**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1568750

BILLING INFORMATION

Certificate: **VA07063015**
Sample Type: **Soil**
Account: **MTT**
Date: **11-JUL-2007**
Project: TIDD
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
227	PREP-41	Dry, Sieve (180 um) Soil	0.94	213.38
51.28	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	76.92
227	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	1,021.50
227	GEO-AR01	Aqua regia digestion	2.25	510.75

SUBTOTAL (CAD)	$	1,822.55
R100938885 GST	$	109.35
TOTAL PAYABLE (CAD)	**$**	**1,931.90**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1569614

BILLING INFORMATION

Certificate:	**VA07067533**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**6-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
119	PREP-41	Dry, Sieve (180 um) Soil	0.94	111.86
22.32	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	33.48
119	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	535.50
119	GEO-AR01	Aqua regia digestion	2.25	267.75

SUBTOTAL (CAD)	$	948.59
R100938885 GST	$	56.92
TOTAL PAYABLE (CAD)	**$**	**1,005.51**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1573211

BILLING INFORMATION

Certificate:	**VA07070193**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**18-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
185	PREP-41	Dry, Sieve (180 um) Soil	0.94	173.90
36.48	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	54.72
185	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	832.50
185	GEO-AR01	Aqua regia digestion	2.25	416.25

SUBTOTAL (CAD)	$	1,477.37
R100938885 GST	$	88.64
TOTAL PAYABLE (CAD)	**$**	**1,566.01**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1573236

BILLING INFORMATION

Certificate: **VA07070191**
Sample Type: **Soil**
Account: **MTT**
Date: **15-JUL-2007**
Project: TIDD
P.O. No.:
Quote: AA
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
178	PREP-41	Dry, Sieve (180 um) Soil	0.94	167.32
35.62	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	53.43
178	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	801.00
178	GEO-AR01	Aqua regia digestion	2.25	400.50

SUBTOTAL (CAD)	$	1,444.75
R100938885 GST	$	86.69
TOTAL PAYABLE (CAD)	**$**	**1,531.44**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1579559

BILLING INFORMATION

Certificate:	**VA07077182**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**30-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
11	PREP-41	Dry, Sieve (180 um) Soil	0.94	10.34
3.10	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	4.65
11	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	49.50
11	GEO-AR01	Aqua regia digestion	2.25	24.75

SUBTOTAL (CAD)	$	89.24
R100938885 GST	$	5.35
TOTAL PAYABLE (CAD)	**$**	**94.59**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1592482

BILLING INFORMATION

Certificate:	**VA07083263**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**26-AUG-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
139	PREP-41	Dry, Sieve (180 um) Soil	0.94	130.66
40.92	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	61.38
139	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	625.50
139	GEO-AR01	Aqua regia digestion	2.25	312.75

SUBTOTAL (CAD)	$	1,130.29
R100938885 GST	$	67.82
TOTAL PAYABLE (CAD)	**$**	**1,198.11**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :

ALS Chemex

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1594331

BILLING INFORMATION

Certificate:	**VA07084069**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**2-SEP-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR

QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
166	PREP-41	Dry, Sieve (180 um) Soil	0.94	156.04
41.04	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	61.56
166	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	747.00
166	GEO-AR01	Aqua regia digestion	2.25	373.50

SUBTOTAL (CAD)	$	1,338.10
R100938885 GST	$	80.29
TOTAL PAYABLE (CAD)	**$**	**1,418.39**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1594338

BILLING INFORMATION

Certificate:	**VA07084700**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**30-AUG-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
158	PREP-41	Dry, Sieve (180 um) Soil	0.94	148.52
43.22	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	64.83
158	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	711.00
158	GEO-AR01	Aqua regia digestion	2.25	355.50

SUBTOTAL (CAD)	$	1,279.85
R100938885 GST	$	76.79
TOTAL PAYABLE (CAD)	**$**	**1,356.64**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1594341

BILLING INFORMATION

Certificate:	**VA07084701**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**30-AUG-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
166	PREP-41	Dry, Sieve (180 um) Soil	0.94	156.04
43.52	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	65.28
166	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	747.00
166	GEO-AR01	Aqua regia digestion	2.25	373.50

SUBTOTAL (CAD)	$	1,341.82
R100938885 GST	$	80.51
TOTAL PAYABLE (CAD)	**$**	**1,422.33**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1594354

BILLING INFORMATION

Certificate:	**VA07084702**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**29-AUG-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
79	PREP-41	Dry, Sieve (180 um) Soil	0.94	74.26
19.86	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	29.79
79	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	355.50
79	GEO-AR01	Aqua regia digestion	2.25	177.75

SUBTOTAL (CAD)	$	637.30
R100938885 GST	$	38.24
TOTAL PAYABLE (CAD)	**$**	**675.54**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1594440

BILLING INFORMATION

Certificate: **VA07090880**
Sample Type: **Soil**
Account: **MTT**
Date: **30-AUG-2007**
Project: TIDD
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

ANALYSED FOR QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
153	PREP-41	Dry, Sieve (180 um) Soil	0.94	143.82
34.26	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	51.39
153	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	688.50
153	GEO-AR01	Aqua regia digestion	2.25	344.25

SUBTOTAL (CAD)	$	1,227.96
R100938885 GST	$	73.68
TOTAL PAYABLE (CAD)	**$**	**1,301.64**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1605687

BILLING INFORMATION

Certificate:	**VA07100572**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**3-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
215	PREP-41	Dry, Sieve (180 um) Soil	0.94	202.10
55.02	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	82.53
215	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	967.50
215	GEO-AR01	Aqua regia digestion	2.25	483.75

SUBTOTAL (CAD)	$	1,735.88
R100938885 GST	$	104.15
TOTAL PAYABLE (CAD)	**$**	**1,840.03**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1610291

BILLING INFORMATION

Certificate:	**VA07094101**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**10-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
128	PREP-41	Dry, Sieve (180 um) Soil	0.94	120.32
35.00	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	52.50
128	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	576.00
128	GEO-AR01	Aqua regia digestion	2.25	288.00

SUBTOTAL (CAD)	$	1,036.82
R100938885 GST	$	62.21
TOTAL PAYABLE (CAD)	**$**	**1,099.03**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

OCT 18 2007

INVOICE NUMBER 1612122

BILLING INFORMATION

Certificate:	**VA07107198**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**15-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
16	PREP-41	Dry, Sieve (180 um) Soil	0.94	15.04
5.92	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	8.88
16	ME-ICP41	35 Element Aqua Regia ICP-AES	4.50	72.00
16	GEO-AR01	Aqua regia digestion	2.25	36.00

SUBTOTAL (CAD)	$	154.42
R100938885 GST	$	9.27
TOTAL PAYABLE (CAD)	**$**	**163.69**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

OCT 18 2007

INVOICE NUMBER 1612152

BILLING INFORMATION

Certificate:	**VA07107197**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**15-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
31	PREP-31	Crush, Split, Pulverize	4.50	139.50
16.80	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	7.56
31	ME-MS61	48 element four acid ICP-MS	13.13	407.03
31	GEO-4A01	Four Acid Dig - ME-MS61	3.75	116.25

SUBTOTAL (CAD)	$	670.34
R100938885 GST	$	40.22
TOTAL PAYABLE (CAD)	**$**	**710.56**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1569294

BILLING INFORMATION

Certificate:	**VA07067202**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**9-JUL-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
4	PREP-31	Crush, Split, Pulverize	4.50	18.00
6.18	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	2.78
4	ME-MS61	48 element four acid ICP-MS	13.13	52.52
4	GEO-4A01	Four Acid Dig - ME-MS61	3.75	15.00
2	Ag-OG62	Ore Grade Ag - Four Acid	1.50	3.00
4	ME-OG62	Ore Grade Elements - Four Acid	1.50	6.00
4	ASY-4A01	Four acid digestion for OG62	5.25	21.00
4	Cu-OG62	Ore Grade Cu - Four Acid	1.50	6.00
1	Pb-OG62	Ore Grade Pb - Four Acid	1.50	1.50
1	Zn-OG62	Ore Grade Zn - Four Acid	1.50	1.50

SUBTOTAL (CAD)	$	127.30
R100938885 GST	$	7.64
TOTAL PAYABLE (CAD)	**$**	**134.94**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1576284

BILLING INFORMATION

Certificate: **VA07074016**
Sample Type: **Rock**
Account: **MTT**
Date: **28-JUL-2007**
Project: TIDD AH
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
52	PREP-31	Crush, Split, Pulverize	4.50	234.00
103.90	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	46.76
52	ME-MS61	48 element four acid ICP-MS	13.13	682.76
52	GEO-4A01	Four Acid Dig - ME-MS61	3.75	195.00
1	ME-OG62	Ore Grade Elements - Four Acid	1.50	1.50
1	ASY-4A01	Four acid digestion for OG62	5.25	5.25
1	Zn-OG62	Ore Grade Zn - Four Acid	1.50	1.50

SUBTOTAL (CAD)	$	1,189.27
R100938885 GST	$	71.36
TOTAL PAYABLE (CAD)	**$**	**1,260.63**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1579556

BILLING INFORMATION

Certificate: **VA07077387**
Sample Type: **Rock**
Account: **MTT**
Date: **30-JUL-2007**
Project: TIDD A
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
23	PREP-31	Crush, Split, Pulverize	4.50	103.50
18.24	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	8.21
23	ME-MS61	48 element four acid ICP-MS	13.13	301.99
23	GEO-4A01	Four Acid Dig - ME-MS61	3.75	86.25
9	Ag-OG62	Ore Grade Ag - Four Acid	1.50	13.50
10	ME-OG62	Ore Grade Elements - Four Acid	1.50	15.00
10	ASY-4A01	Four acid digestion for OG62	5.25	52.50
9	Cu-OG62	Ore Grade Cu - Four Acid	1.50	13.50
6	Pb-OG62	Ore Grade Pb - Four Acid	1.50	9.00
8	Zn-OG62	Ore Grade Zn - Four Acid	1.50	12.00

SUBTOTAL (CAD)	$	637.95
R100938885 GST	$	38.28
TOTAL PAYABLE (CAD)	**$**	**676.23**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1580048

BILLING INFORMATION

Certificate: **VA07077763**
Sample Type: **Rock**
Account: **MTT**
Date: **5-AUG-2007**
Project: TIDD
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE	DESCRIPTION	UNIT PRICE	TOTAL
105	PREP-31	Crush, Split, Pulverize	4.50	472.50
193.66	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	87.15
105	ME-MS61	48 element four acid ICP-MS	13.13	1,378.65
105	GEO-4A01	Four Acid Dig - ME-MS61	3.75	393.75

SUBTOTAL (CAD)	$	2,332.05
R100938885 GST	$	139.92
TOTAL PAYABLE (CAD)	**$**	**2,471.97**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1592534

BILLING INFORMATION

Certificate:	**VA07083269**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**27-AUG-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE - DESCRIPTION		UNIT PRICE	TOTAL
39	PREP-31	Crush, Split, Pulverize	4.50	175.50
148.96	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	67.03
39	ME-MS61	48 element four acid ICP-MS	13.13	512.07
39	GEO-4A01	Four Acid Dig - ME-MS61	3.75	146.25
1	Ag-OG62	Ore Grade Ag - Four Acid	1.50	1.50
2	ME-OG62	Ore Grade Elements - Four Acid	1.50	3.00
2	ASY-4A01	Four acid digestion for OG62	5.25	10.50
1	Cu-OG62	Ore Grade Cu - Four Acid	1.50	1.50

SUBTOTAL (CAD)	$	917.35
R100938885 GST	$	55.04
TOTAL PAYABLE (CAD)	**$**	**972.39**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1596946

BILLING INFORMATION

Certificate:	**VA07092473**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**17-SEP-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
36	PREP-31	Crush, Split, Pulverize	4.50	162.00
79.60	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	35.82
36	ME-MS61	48 element four acid ICP-MS	13.13	472.68
36	GEO-4A01	Four Acid Dig - ME-MS61	3.75	135.00
1	Ag-OG62	Ore Grade Ag - Four Acid	1.50	1.50
3	ME-OG62	Ore Grade Elements - Four Acid	1.50	4.50
3	ASY-4A01	Four acid digestion for OG62	5.25	15.75
3	Cu-OG62	Ore Grade Cu - Four Acid	1.50	4.50
1	Pb-OG62	Ore Grade Pb - Four Acid	1.50	1.50

SUBTOTAL (CAD)	$	833.25
R100938885 GST	$	50.00
TOTAL PAYABLE (CAD)	**$**	**883.25**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1607235

BILLING INFORMATION

Certificate:	**VA07101891**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**3-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
	ANALYSED FOR			
14	PREP-31	Crush, Split, Pulverize	4.50	63.00
22.77	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	10.25
14	ME-MS61	48 element four acid ICP-MS	13.13	183.82
14	GEO-4A01	Four Acid Dig - ME-MS61	3.75	52.50
1	ME-OG62	Ore Grade Elements - Four Acid	1.50	1.50
1	ASY-4A01	Four acid digestion for OG62	5.25	5.25
1	Cu-OG62	Ore Grade Cu - Four Acid	1.50	1.50

SUBTOTAL (CAD)	$	317.82
R100938885 GST	$	19.07
TOTAL PAYABLE (CAD)	**$**	**336.89**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1609989

BILLING INFORMATION

Certificate:	**VA07092878**
Sample Type:	**Rock**
Account:	**MTT**
Date:	**8-OCT-2007**
Project:	TIDD
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
6	PREP-31	Crush, Split, Pulverize	4.50	27.00
7.32	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.45	3.29
6	ME-MS61	48 element four acid ICP-MS	13.13	78.78
6	GEO-4A01	Four Acid Dig - ME-MS61	3.75	22.50

SUBTOTAL (CAD)	$	131.57
R100938885 GST	$	7.89
TOTAL PAYABLE (CAD)	**$**	**139.46**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

North 60° Petro Ltd.
North 60° Petro Ltd.
146 Industrial Road
Whitehorse YT Y1A-2V1
Telephone# (867) 633-8820

Invoice TBA0672659

Date 6/18/07

PO# TIDD
Station: WH1 WHITEHORSE BULK PLANT

Bill To: 04718
ARCHER CATHRO & ASSOCIATES
(1981) LIMITED
STE 1016-510 WEST HASTINGS ST.
VANCOUVER BC V6B 1L8

Carrier: SAME AS BILL TO

Sold By: _____

No. of Pieces	Shipping Name	DANGEROUS GOODS	Mass/Volume	Emergency Ph #:(867)633-8820
3600.00	FUEL AVIATION TURBINE ENGINE	CLASS 3,1 UN 1863 PG II	2772 / 3600	LTR
800.00	FUEL OIL	CLASS 3.3 UN 1202 PG III	680 / 800	LTR

Back-Ordered	Quantity	Description	Part #		Rate	Amount
	3600.00 LTR	JET B FUEL - DRUM	203	NA-01	1.72690	6,216.84
		YT6 AVIATION FUEL TAX JET B			.01100	39.60
		YT6 TAX EXEMPT		M01028	.01100-	39.60-
	800.00 LTR	DIESEL DF #2 - DRUM	403	NA-01	1.13000	904.00
		YT6 FUEL TAX DIESEL/DF#2			.07200	57.60
		YT6 TAX EXEMPT		M01028	.07200-	57.60-

7120.84

carrier 15317 yukon ltd, Bruce Carons, destination
North Canol
Project TIDD
MO deposit

GST # RT 89779-5985 427.25

Bruce Carons

THIS IS YOUR INVOICE - Interest at 24% per annum (2% per month) will be charged on overdue invoices.

Please Pay This Amount: $7,548.09

Page: 1 of 1

TIDD

Diesel cardlock is available at Stewart Crossing.