

ASSESSMENT REPORT ON THE MAHTIN PROPERTY 2007 DIAMOND DRILLING RED MOUNTAIN AREA, YUKON

Dawson Mining District, Yukon

Work Completed June 27-July 31, 2007

Location: 1. 120 km SE of Dawson City, Yukon
2. NTS Map Area 115 P/15
3. Latitude: 63° 55'N
Longitude: 136° 49'W

Claims: MAHTIN 1-15 YA23544-YA23558
MAHTIN 16-34 YA28827-YA28845
MAHTIN 37-120 YA30423-YA30506

For: **International Gold Resources Inc.**
7200 South Alton Way
Suite B-230
Centennial, Colorado
80112

By: R. Allan Doherty, B.Sc., and P.Geo.
Aurum Geological Consultants Inc.
106A Granite Road
Whitehorse, Yukon
Y1A 2V9

March 12, 2008

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	i
1. SUMMARY	1
2. INTRODUCTION AND TERMS OF REFERENCE	2
3. PROPERTY DESCRIPTION AND LOCATION.....	2
4. ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	6
5. HISTORY	7
6. GEOLOGICAL SETTING.....	8
6.1 Regional Geology	8
6.2 Property Geology	10
7. DEPOSIT TYPES.....	12
8. MINERALIZATION	13
9. EXPLORATION	13
9.1 2007 DIAMOND DRILLING	13
10. SAMPLING METHOD and APPROACH.....	16
11. SAMPLE PREPARATION, ANALYSES AND SECURITY	16
11.1 Preparation and Analytical Techniques	16
11.2 Quality Control	16
12. DATA VERIFICFATION	16
13. ADJACENT PROPERTIES	17
14. INTERPRETATION AND CONCLUSIONS	17
15. RECOMMENDATIONS	18
15.1 Proposed 2008 Exploration Budget	19
16. REFERENCES	21
17. CERTIFICATE OF QUALIFICATIONS	23
18. STATEMENT OF COSTS	24

LIST of FIGURES

Figure 1: Location map	4
Figure 2: Quartz claims location map.....	5
Figure 3: Regional Geology.....	9
Figure 4: Property Geology.....	11
Figure 5: Mahtin drill pads 1 & 2 Locations.....	15

Figures 6-9 Drill Hole Sections

Appendix A

LIST of TABLES

Table 1.	Mahtin Claim Data	5
Table 9.1.	Mahtin Drill Collar Coordinates	14

LIST of APPENDICES

APPENDIX A: Drill Logs, Assay Logs, Analytical and Assay Certificates, Drill Hole Cross Sections	24
---	-----------

1. SUMMARY

The Mahtin Property is an exploration target for Tombstone Suite plutonic-related gold mineralization. Mahtin is in the McQuesten mineral belt between Dawson City and Mayo. It is an under explored mineral occurrence amongst many that have seen extensive exploration. It is also the only Tombstone Suite stock intruding calcareous Rabbitkettle Formation. Which is considered a good host for replacement style gold skarn mineralization.

The Tombstone gold belt extends for some 2000 kilometres across Yukon and Alaska. It hosts deposits located at Donlin Creek (23 M oz Au), Fort Knox (5.4 M oz Au), in Alaska. In the Yukon, Brewery Creek (0.85 M oz Au), and Dublin Gulch (4.1 M oz Au) both located in the same belt as the Mahtin property. Within the Yukon, Brewery Creek is on the western end and Dublin Gulch and Keno Hill at the eastern end of the McQuesten mineral belt.

A prospector held the Mahtin property from 1988 through to 2002 but very little work was performed on the property. Since 2003, additional soil and rock sampling geochemical analyses and a magnetometer and IP surveys were carried out. This work confirmed the previous data from the early 1980's and significantly enhanced the property.

Coincident gold, arsenic, antimony and bismuth soil geochemical anomalies are located along the contact between the Sprague Creek quartz monzonite and Rabbitkettle Formation calcareous siltstones which has a well developed calc-silicate skarn developed over a 4 km by 2 km zone. This area also shows a strong magnetic high over the area of calc-silicate skarn and has returned three samples that assayed 4-6 gm/t gold.

An airborne Magnetics and VTEM survey was completed in 2006 and a report completed by Doherty and Ash, 2006 recommended for a 1000 m core-drilling program for the Mahtin property at an estimated cost of \$400,000. The drilling program was completed in 2007 and the results included four intercepts in hole MH-07-04 that returned between 0.71 to 2.40 gm/t Au.

An exploration program consisting of Phase I mapping and rock sampling, soil geochemistry, and the construction of a 5-kilometre cat trail to access the property is recommended. A success contingent Phase II program would consist of 700 m of core diamond drilling.

2. INTRODUCTION AND TERMS OF REFERENCE

This report was prepared at the request of International Gold Resources Inc. Its purpose is to report on a 3200 foot seven hole core diamond-drilling program completed between June 29th and July 30, 2007.

Exploration work in 2007 consisted of establishing a camp, mobilizing a diamond drill and crew and completing 3277 ft (998.83 m) of core diamond drilling in seven drill holes drilled off two pads 500 meters apart.


A crew from Aurum Geological Consultants with a drill contactor Titan Diamond Drilling Limited out of Smithers BC carried out the work, between June 29-July 30, 2007. Al Doherty, P. Geo. of Aurum Geological Consultants Inc. supervised the exploration work during the 2007 program.

3. PROPERTY DESCRIPTION AND LOCATION

The Mahtin claims are located 135 km east of Dawson City, Yukon (Figure 1). The claims are all contiguous covering an area of 2470 ha, centred at approximately 63° 55' N latitude and 136° 49' W longitude within NTS map area 115 P/15.

The property consists of 118 Mahtin Claims 100% owned by Shawn Ryan of Dawson City, Yukon, and currently under an Option Agreement to International Gold Resources Inc. The unsurveyed two-post quartz claims (Figure 2), were staked in accordance with the Yukon Quartz Mining Act. All the claims are in the Dawson Mining District; current claim status is shown on Yukon Quartz Sheet 115 P-15. At the date of this report, Mining records show all claims registered to Shawn Ryan. Expiry dates for the claims are in 2007, 2008 or 2012, as indicated on Table I.

In accordance with the Yukon Quartz Mining Act, yearly extensions to the expiry dates of quartz claims are dependent upon conducting \$100 of work per claim or paying the equivalent cash in lieu of work. Work must be filed in the year the work was completed. Excess work can be used to extend expiry dates up to maximum of four years. Assessment costs can be applied to adjoining claims through filing grouping certificates. Filing a statement of work and costs and submission of an assessment report to the Dawson Mining Recorder verifying completion of the work, are also required no later than six months after the anniversary date of the claim. YESAA is the Yukon Environment and Socio-economic Assessment Act which came into force on November 20, 2005. Under the act, the Yukon Environmental and Socio-economic Assessment Board (YESAB) was set up to assess the environmental and socio-economic impacts of any projects which exceed well defined thresholds under the act. In the case of exploration drilling projects, a trigger would be having a camp with more than 10 persons or a camp occupied for greater than 250 man-days.




115P/15

410000

64° 00'

420000

7090000





**Location of
Figures 2 & 4**



137° 00'


7080000

136° 30'



International Gold Resources Inc.		
Mahtin Property Location		
Dawson District, Yukon		
NTS 115P/15	April 20, 2008	Figure 1
By: Chris H. Ash, MSc, PGec		

63° 45'



International Gold Resources

Mahtin Property Claim Map

NTS: 115P/15	By: Chris Ash, MSc, P Geo	April. 2006	Figure 2
--------------	---------------------------	-------------	----------

4. ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

Access to the property is by helicopter, based in Mayo 55 kilometres to the southeast. Alternatively, helicopters are available in Dawson City. The Clear Creek Road, which connects to the Klondike highway (#2), provides four-wheel drive road access to the area. The road is 4 kilometres north of the Mahtin claim block. The Clear Creek Road is not maintained and is usable only during the summer months.

The Mahtin Claims are situated in the partly unglaciated Stewart Plateau. Although Pleistocene glaciation scoured the major drainages in the area such as Sprague Creek, most of the property, higher elevations in particular, escaped the effects of glaciation. Topography is moderate to rugged and is characterized by rounded hills, ridges and a dendritic drainage system. The claims cover the north end of the East Ridge, on the boundary of the Dawson and Mayo Mining Districts. Elevations on the property range from 1200 m (4000') at Horseshoe Creek to 1680 m (5500') at the highest point on the East Ridge. Outcrop exposure is fair (approximately 20%) with almost no exposures on lower ridge slopes and forested areas. Most of the property is covered by felsenmeer and talus fines.

An interior continental climate with precipitation of about 31 cm annually, warm summers and cold winters typifies the area. Permafrost is common, especially on the steeper north and east facing slopes and lower forested areas. Most of the property is above treeline. Below 1200 m (4000') elevation ground cover consists of alpine fur, sparse spruce forest, alder, dwarf willow and birch. The area above treeline is mostly lichen-covered rock with sparse moss and alpine plant cover.

The Town of Mayo (Population 418) is the closest centre for obtaining groceries, fuel, accommodation and some limited rental and contracted exploration services. Trans North Helicopters maintains a summer helicopter base at Mayo airport and there is normally a single engine Otter on floats working out of Mayo. Mayo is also the location of the Mayo District Mining Records office, and Mining Land Use Inspections and Land Use and the YESAB District office. The property is within the Nacho Nyak Dun First Nation traditional territory. There is a 4 Kilowatt Power station just north of Mayo and a transmission line runs between Mayo and Dawson.

The exploration season in this part of the Yukon normally extends from late May to late September but cool rainy conditions and snowstorms are not uncommon in late September. The months of June through September are normally free of snow cover.

5. HISTORY

The Red Mountain area situated approximately 7 kilometers northeast of the Mahtin property was first prospected in the mid 1920's when Treadwell Yukon Corporation drove a short adit on the south side of Red Mountain drifting on a quartz-gold-arsenopyrite-stibnite vein with a large red alteration and oxidation halo, hence the name Red Mountain. The Mahtin Property may have been prospected at this time but there are no records to confirm this. The first recorded claims were staked 3.5 km east of the main Mahtin showings in 1948. The first assessment reports were filed in 1981 by CCH Minerals Ltd., Paul (1981).

CCH Minerals Ltd completed a large soil geochemistry grid over the intrusion looking for Tin and Tungsten mineralization. A total of 1346 soil samples were collected and analyzed for Sn, W, Cu, Ag, and As. A broad >500 ppm Arsenic anomaly was outlined over the intrusion. The geochemical anomaly (Figure 4) is some 700 m long by approximately 150-200 m wide, Paul (1981), Paul and Rota (1981).

CCH held the claims for a few years and they were re-staked by M.J. Moreau Enterprise Ltd., in 1988. The claims were maintained in good standing for over 15 years until December of 2003 when he allowed the claims to lapse. During this tenure, there were only two small exploration programs on the property. Which included some limited soil and rock sampling (179 samples), Hulstien (1989).

H. Marsden and B. Sauer examined the property over a two-day period 2001. They collected three samples along the contact between the Rabbitkettle Formation and the intrusive contact. The samples were of green actinolite and brown-red garnet skarn hosting 1-3% disseminated chalcopyrite and minor arsenopyrite. These samples assayed 4-6 gm/t Au. The work was completed on behalf of Goldfields, Marsden (2001).

The claims lapsed in late 2002 and were re-staked by Ryanwood Explorations Inc. in early 2003 and completed GPS gridding (90 line km), Soil sampling (471 samples), IP surveys (8 Line Km) and some limited trenching, mapping and rock sampling in 2003 and 2004.

The property was optioned to International Gold Resources Inc., in October of 2004. Under the terms of the agreement, International Gold Resources Inc. agreed to pay cash payments totaling \$420,000 and issue 400,000 shares and complete \$1,600,000 in exploration expenditures on the Mahtin property prior to August 15, 2007.

Some limited mapping and rock sampling was completed in 2005.

Geotech Ltd completed an airborne magnetometer and VTEM survey for International Gold Resources Inc over the entire claim block in 2006. The survey clearly shows the location of the main intrusive body on the Mahtin claims and also a number of northwest trending structures that crosscut the property.

6. GEOLOGICAL SETTING


6.1 Regional Geology

The Mahtin Claims (Figure 3) are situated within the Selwyn Basin, part of the Ominica Belt. The geology of the McQuesten map area was initially mapped by H.S. Bostock (1964), at a scale of 1:253,440. More recently the area has been mapped at 1:50,000 scale by the Yukon Geological Survey formerly the Yukon/Canada Geoscience Office (Murphy et al. 1993; Murphy and Heon, 1994).

Two suites of granitoid intrusives, ranging from Paleozoic to Cenozoic age, related to underplating and or subduction, are found on both sides of the Tintina fault. Granitoid emplacement peaked during the Early - Middle Cretaceous (Tempelman-Kluit, 1981). The Western Suite granitoid intrusives found west and southwest of the Selwyn Basin are predominantly granodiorite in composition and are associated with porphyry copper - molybdenum and copper skarn deposits.

The Eastern or Selwyn Plutonic Suite of granitoid intrusives are distributed along a northwest trending arcuate belt within the Selwyn Basin. The granitoids are mainly granitic in composition and are associated with tin, tungsten, and molybdenum and gold mineralization. The Dublin Gulch gold deposit some 30 kilometers to the east as well as significant mineralized systems at Red Mountain to the north and Clear Creek to the west are all associated with Tombstone Suite intrusions. Recent age dating by J. Mortensen at the University of British Columbia, dates the Sprague Creek Stock at 91.0 ± 0.2 Ma; Red Mountain Stock at 92.3 ± 0.8 Ma. These intrusions are considered excellent targets for Tombstone Suite intrusion related gold deposits. Ages and mineralogy are correlative with other Tombstone Suite plutons in the area. Regional airborne magnetic data obtained from the Geological Survey of Canada from 800 m spaced flight lines show an unusually large magnetic response underlying the Red Mountain intrusion. At Mahtin, the regional magnetic relief is more subdued than at Red Mountain.

The Mahtin property is situated on the southern flank of the Lost Horses Syncline, a syncline of folded Gull Lake Formation, Rabbitkettle Formation, Duo Lake and Steele Formations and Earn Group Sediments, intruded by the 91 ± 0.2 Ma Cretaceous Sprague Creek Stock, Murphy, (1997).



Modified after Tintina Gold Belt figure on website by Yukon Geological Survey

International Gold Resources Inc.

Mahtin Property Regional Geology

Aurum Geological Consultants Inc.

Scale as shown

Date: May 2006

N.T.S.: 115P/15

Drawn: JvR

Figure: 3

6.2 Property Geology


The Mahtin Property is underlain by Late Proterozoic to Early Mississippian marine clastic sediments that have been intruded by the Late Cretaceous Sprague Creek Stock and a related suite of marginal dikes (Figure 4). Sedimentary rocks proximal to the stock are thermally metamorphosed and locally hydrothermally altered with skarn and calcsilicate mineralization developed where proximal to calcareous sediments.

Late Paleozoic to Early Cambrian Yusezyu Formation, Hyland Group sediments underlies the southeastern portion of the property. These are dominated by foliated tan to grey metasandstone and muscovite chlorite phyllite, with lesser pebbly metasandstone and pebble metaconglomerate.

These older rocks are separated from a younger more compositionally varied succession of Cambrian to Mississippian sediments that underlie the north and western property area. These younger rocks form part of a regional anticlinal feature in which sedimentary units become progressively younger towards the core of the structure (Figure 4). In plan view that would be from east to west across the top of the map area shown.

The most significant of these units from a mineral potential standpoint and a function of their calcareous nature and ability to produce skarn assemblages is the Rabbitkettle Formation which is also the dominate rock type underlying the property area (Figure 4). This unit comprises a laterally continuous finely laminated light to dark grey sequence of siltstone, argillaceous, calcareous and siliceous siltstones, limestone and chert.

Skarn and calcsilicate alteration with associated sulphide mineralization are variably developed where in contact with the Sprague Creek Stock and to a lesser extent where proximal to dikes. The Sprague Creek stock is a medium- to coarse-grained, granitic textured quartz monzonite intrusion underlying the east central portion of the property area (Figure 4). Paul (1981) estimates mineral composition consisting of roughly 20% quartz, 35% K-feldspar, 35% plagioclase and 10% mafic minerals, mainly biotite with occasional minor hornblende or pryocone. The related dike swarm is mainly east west trending and most prevalent to the north of the stock intruding Rabbitkettle formation sediments. These dikes are typical k-feldspar porphyritic and show a wide range of textural and compositional variability ranging from monzonite (quartz monzonite?) to syenite (quartz syenite?).



<p>LAYERED ROCKS</p> <p>LATE DEVONIAN - EARLY MISSISSIPPIAN Earn Group Grey to black shale, phyllite, siltstone, sandstone and chert pebble conglomerate</p> <p>ORDOVICIAN - SILURIAN Duo Lake Formation Grey to black shale and thin bedded chert</p> <p>LATE CAMBRIAN - ORDOVICIAN Rabbit Kettle Formation Calcareous phyllite, thin to medium bedded marble/dolomitic marble, calcsilicate alteration near intrusion</p> <p>CAMBRIAN Gull Lake Formation Tan-to brown-weathering, thinly bedded calcareous siltstone, sandstone, shale and limestone Finely laminated siltstone, argillaceous siltstone, limestone and chert</p> <p>LATE PROTEROZOIC - EARLY CAMBRIAN HYLAND GROUP Yusezyu Formation Buff, brown and rusty weathering quartzite and quartz mica schist</p>	<p>ALTERATION</p> <p>CRETACEOUS Zone of > 500 ppm As in soils (from Paul & Rota, 1981)</p> <p>SYMBOLS</p> <p>Contact (defined, approximate, inferred)..... </p> <p>Fault (defined, approximate, inferred)..... </p> <p>Contact (defined, approximate, inferred)..... </p> <p>Yukon Mining District Boundary </p> <p>Rock Assay Sample Location CAS04-M16 * </p>	
<p>CARTOGRAPHIC INFORMATION North American Datum 1983, UTM Zone 7; Transverse Mercator Projection. Contour interval in feet.</p>		
<p align="center">International Gold Resources Inc.</p>		
<p align="center">Mahtin Property Geology Dawson District, Yukon</p>		
<p>NTS 115P/15</p>	<p>April 20, 2006</p>	<p>Figure 4</p>
<p>By: Chris H. Ash, MSc, PGeo</p>		

7. DEPOSIT TYPES

The McQuesten mineral belt is 30 to 50 kilometres wide trend that and extends from Brewery Creek , in the west, to the Mayo area, in the East (Emond, 1986). It forms a small part of the larger (2000 km) Tintina Gold Belt, which comprises a major transverse zone of ENE trending folds, Cretaceous felsic intrusions, and related, structurally controlled mineralization. The continuity of the McQuesten anticline throughout most of the McQuesten mineral belt, similarities in rock type, structure, and mineralization have led to the conclusion that the area is one metallogenic district. Intrusion of felsic stocks parallel to the regional fold axes indicates spatially and probably temporally related structurally controlled mineralization (Emond, 1986). Mineralization consists of; tin-tungsten and gold skarns, silver-lead-zinc veins, silver-lead-antimony veins, and intrusive hosted gold. The McQuesten mineral belt has historically and currently active placer camps. Gold mineralization associated with felsic stocks has been found nearby at Clear Creek, Dublin Gulch, Scheelite Dome, and at the McQuesten and Aurex properties just west of United Keno Hill Mines. The silver deposits in the Keno district are believed to be part of this gold rich mineralised belt The area has seen considerable exploration activity for intrusive related gold mineralization since 1988.

In the late 1990's the terms Tombstone Suite and Tintina Gold Belt became commonly used to describe that area extending for over 2000 km across central Alaska and the Yukon and containing 91 +/- 1 MA felsic intrusions that often host low grade bulk tonnage and high grade gold deposits both within the intrusions and surrounding country rock (See Goldfarb et. al., 2000). Gold deposits of the province have certain similar characteristics, such as spatial and temporal association with mid-Cretaceous magmatism, Bi-W-Te signature in granitoid stock-hosted mineralization, As-Sb signature in sedimentary-rock-hosted and dike-hosted mineralization (Goldfarb and others, 2000).

Mineralization can be found in a number of distinct settings. 1) Sheeted quartz-arsenopyrite-pyrite-pyrrhotite veins from mm to centimeter scale commonly within the intrusion. The veins commonly have less than 3% sulphides. Narrow sericite alteration selvages and halos are commonly associated with the veins. 2) Epizonal mineralization is typically less focused and may be disseminated, or occur as replacements. Calcareous horizons in the Yusezyu Formation or Rabbitkettle formation are considered as suitable host rocks. 3) Mineralization also occurs in shear faults both within and adjacent to the intrusions.

The Tintina Gold Province contains over half of the current gold resources of Alaska and Yukon. Significant gold resources were outlined at Fort Knox (5.4 Moz), Donlin Creek (23 Moz), True North (0.79 Moz), Brewery Creek (0.85 Moz), Dublin Gulch (4.1 Moz) (Hart and others, 2002).

8. MINERALIZATION

Known mineralization on the Mahtin property is spatially and temporally related to the Sprague Creek stock. Two distinct styles of mineralization are present. Mineralized quartz-calcite veins are contained within the quartz monzonite body and calcsilicate sulphide skarn mineralization is variably developed around the northern margins of the intrusion at the contact with Rabbitkettle Formation calcareous sediments. Pyrite is disseminated locally within the stock and is ubiquitous in the surrounding hornfels.

Intrusion hosted quartz calcite veins and veinlets from 1 to 5 cm in width containing arsenopyrite, pyrite, stibnite and chalcopyrite occupy late fractures in the quartz monzonite. Locally, brecciated and tourmalinized zones are also present within the quartz monzonite.

The calc-silicate rocks alteration is best developed, near the periphery of the biotite quartz monzonite, but also occurs along some of the porphyry dyke margins. Sulphide skarns containing arsenopyrite, scorodite and lesser amounts of pyrite have been found in a number of localities, and usually show some degree of brecciation. Banded arsenopyrite-pyrrhotite skarns are also locally developed and are thought to have replaced an interbedded carbonate/argillite host. These skarns are again commonly crackle brecciated, the late veinlets being infilled with sulphide.

9. EXPLORATION

9.1 2007 DIAMOND DRILLING

In late June of 2007, Titan Diamond Drilling of Smithers, British Columbia was contracted to complete a 3200-foot (1000 m) drill program on the Mahtin property. Drill mobilization started on July 1 and the first drill hole was collared on July 4. Seven drill holes totaling 3.277 feet (998.83 m) were completed by July 15th and the drill rig and drill crew demobilized on July 16th.

Table 9.1 lists drill hole collar locations, azimuths, dips and depths.


TABLE 9.1

Drill Hole Collars

MAHTIN PROJECT

Hole Number	UTM Zone 8V		Azimut	DIP	Depth (ft)	Depth (m)	Started D Day	Completed N Night	
	East	North							
MT07-01	410532	7088901	0	-90	578	176.17	July 04/07 N	July 05/07 N	
MT07-02	410532	7088901	69	-56	540	164.59	July 06/07 D	July 07/07 D	
MT07-03	410532	7088901	249	-50	547	166.73	July 07/07 N	July 09/07 D	
MT07-04	410805	7088902	117	-50	425	129.54	July 09/07 N	July 11/07 D	
MT07-05	410805	7088902	20	-50	583	177.70	July 11/07 N	July 13/07 D	
MT07-06	410805	7088902	200	-50	469	142.95	July 13/07 N	July 15/07 D	
MT07-07	410805	7088902	200	-88	135	41.15	July 15/07 D	July 15/07 D	
Footage drilled					3277	998.83			

The seven drill holes were completed from two drill pads located just east of the drill camp. This allowed the drillers to walk to and from the drill rig, which alleviated any need for a contract helicopter on site.



Mahtin_2004_assay
Au ppb

120 to 1,350	(34)
80 to 120	(15)
40 to 80	(39)
20 to 40	(53)
0 to 20	(205)

Drill Holes
MT-07-01 to MT-07-03

Drill Holes
MT-07-04 to MT-07-07

Aurum Geological

S.Ryan	Mahtin Project
115 P / 15	Drill Hole Location Map
Date: 21/1/2008	Figure 1
Scale: 1:5000	UTM Zone 8 (NAD 83)

0 50 100 200 metres

10. SAMPLING METHOD and APPROACH

Samples types collected on the claims have been primarily soil samples and rock samples as either grabs or chip samples. Where soil development allowed, most samples were collected from B-Horizon soil. On steeper rocky talus slopes, the sample material collected would be better called talus fine material. Rock samples were collected using a rock hammer to collect a 1-2 kg sample from exposed rock.

11. SAMPLE PREPARATION, ANALYSES AND SECURITY

All core samples collected in 2007 were transported from the property by Aurum personnel and delivered to Eco Tech Laboratories process lab in Whitehorse for crushing and grinding. Pulps were then sent to the main lab in Kamloops BC for assaying. All final assay certificates received were approved and signed by Jutta Jealous , a certified B.C. assayer. Prior to dispatch from the property, all samples were placed in rice bags by personnel and secured with tamper resistant ties. The samples were then transported to Whitehorse to the prep lab.

11.1 Preparation and Analytical Techniques

Preparation of soil samples involved air drying and sieving to –80 mesh. Analytical techniques for soils were ICP-MS. A 15 gm ample split was leached in hot (95°C) Aqua Regia.

11.2 Quality Control

Quality control procedures on core samples consisted of geochemical standards inserted for every 25 samples as well as blanks. Eco Teck Laboratories Ltd of Kamloops B.C., ran internal check analyses consisting of repeat and re-split samples of the drill core samples submitted. Correlation between original and check assays was generally very good.

12. DATA VERIFICATION

Some prior sampling and reporting on the property was completed prior to 2001, and the effective date of NI 43-101. There was no QA/QC of sampling methodology discussed in any geological report that the authors have reviewed. On this type of deposit model, gold mineralization is associated with arsenopyrite and bismuthinite on dry fractures and in quartz veins or occasionally as disseminations. Visible arsenopyrite is commonly obvious in the areas sampled. All technical reports of exploration programs reviewed for this report were managed and reported on by qualified geologists.

13. ADJACENT PROPERTIES

The Mahtin property shares its northern boundary with the THORR claims, a block of 6 wide linear claims controlled by Regent Ventures Limited, and northeast of these, the ICE claims controlled by Acero-Martin Explorations Inc., Both properties have seen extensive exploration activities including mapping, soil and rock sampling, core and RC drilling, magnetometer and IP surveys. The ICE Claims have been worked as early as the mid 1920's and have been held under claim and worked continuously since 1988.

The Jethro Zone on the Ice claims has drill outlined a significant area of low grade (+/- 1 gm/t Au) gold mineralization. Gold is found in a zone of sheeted quartz-arsenopyrite-pyrite and pyrrhotite veinlets along a shear zone-fault within the intrusion. On the Saddle Zone on the adjoining Regent Ventures property to the north, drilling has indicated gold in sheeted quartz veins localized along a major northwest trending structure associated with quartz-monzonite dykes.

14. INTERPRETATION AND CONCLUSIONS

The Mahtin property is an excellent exploration target for Tombstone Suite plutonic related gold mineralization. The property has significant and widespread gold, arsenic, bismuth, with secondary copper, tungsten, silver, and tin soil and rock geochemical anomalies. The property has seen very limited exploration efforts prior to 2003 when Shawn Ryan of Dawson City acquired the ground.

Geochemical soil anomalies are clustered along the northern contact of the quartz-monzonite intrusion into Rabbitkettle Formation calcareous phyllite. There is a good correlation between geology, geochemistry, IP and Magnetometer surveys along this contact.

The holes drilled off Pad 2 returned better grades than those on Pad 1. MH-07-04 was the only hole drilled to the southeast and intersected grades above 1 gm/t Au.

The drilling intersected Rabbit Kettle Formation calc silicates, quartzites, siltstones and cherts and the underlying intrusive quartz monzonite. Drilling was completed off two pads that were approximately 275 m apart with the pad on which Holes MT-07-01, MT-07-02 and MT-07-03 were collared being the closest to camp. The second pad was further east and uphill of the first pad.

Quartz Monzonite was intercepted in all holes except MT-07-02 and MT-07-07. Areas of strong quartz-pyrite-sericite (Phyllic) alteration were intersected in holes MT-07-03 and MT-07-05 but failed to return any significant zones of anomalous gold. The best value was 0.19 gm/t Au from 103.71-105.54 in MT-07-03 and this was preceded by the interval directly above which contained quartz vein with arsenopyrite with an assay of

0.56 gm/t Au over 1.25 m. The IP Chargeability anomalies in this area are probably related to the semi-massive sulphide skarns intersected in the drill holes.

The mineralized sheeted quartz veins and alteration style are very similar to that found on nearby properties such as Red Mountain 7 km to the northeast that have developed substantial areas of 1-3 g/t Au over significant widths of up to 150 m.

A number of pyrite-pyrrhotite sulphide skarn horizons were intersected in drill holes 1, 2, 3, and 5 measuring up to 3 m of core thickness in hole MH-07-02 between 50.0 m and 58.42 m depth. These intercepts returned assay values of between 0.16 to 0.39 gm/t Au. Appendix A lists all gold assay values exceeding 0.15 gm/t Au from the 2007 drill program listed by hole number and depth. The best values are 2.4, 1.44 and 1.0 gm/t Au all in MT-07-04 in calcsilicate skarn. Also in Appendix A are Summary Drill Logs and Assay logs for each drill hole followed by a drill section showing location, lithologies and assay values greater than 1.0 gm/t Au.

The holes drilled off Pad 2 returned better grades than those on Pad 1. The holes that intersected grades above 1 gm/t Au are MH-07-04, which was the only drill hole drilled to the southeast.

15. RECOMMENDATIONS

Recommendations for further work on the Mahtin property would include additional mapping and rock sampling along the 2 km long east west trending gold arsenic and bismuth anomalous zone between the quartz-monzonite intrusion to the east-southeast of the 2007 drilling area with particular attention to the orientation of sheeted quartz veins within the area underlain by outcropping intrusion within the.

Additional mapping and soil sampling should also be completed to the west of the current anomalies and within areas of the exposed intrusion that have not been soil sampled. This work should identify additional drill targets on the property.

Mining Land Use Application to construct a five-kilometer cat trail to the property from the Big Creek road to the north should be submitted to help lower helicopter costs associated with future diamond drilling programs.

The property is under explored and warrants additional exploration. A Phase I program of mapping, rock sampling, grid soil sampling, and cat trail construction is estimated to cost \$226,000. If Phase I is success in defining new drill targets, a Phase II program consisting of 700 m of core diamond drilling should be completed at an estimated cost of \$300,000.

A detailed budget for a proposed Phase I and II exploration program is provided in the following section.

15.1 Proposed 2008 Exploration Budget

A two-phase success contingent budget is proposed for the Mahtin property for the 2008 exploration season. A decision to commence drilling would depend on successful results from a Phase I surface program. It would be preferable to drill more than 700 m but this would in turn increase the Phase II costs.

Phase I Surface Exploration

Project Management	\$ 9,000.00
Geologist and Assistant @ \$1150/day x 21 days	\$ 24,000.00
Soil Samplers @ \$325/day x 5 days	\$ 6,500.00
Camp Cook @ \$450/day x 25 days	\$ 11,000.00
Mobilization Demobilisation (Camp and Crew)	\$ 5,000.00
Soil sample analyses (1000 @ \$25 ea)	\$ 25,000.00
Soil sample analyses (100 @ \$25 ea)	\$ 2,500.00
Access trail permit	\$ 7,500.00
Access trail construction	\$ 17,000.00
Camp Set-up (materials and labour)	\$ 10,000.00
Camp rental (100 man days @ \$75/man)	\$ 7,500.00
Camp supplies and Miscellaneous	\$ 5,000.00
Camp Fuel	\$ 1,000.00
Sat Phone and radio rentals	\$ 5,000.00
Generator rental	\$ 1,500.00
Helicopter 25 hrs @ \$1200/hr (inc fuel)	\$ 30,000.00
Truck rentals (2 trucks x 10 days x \$150)	\$ 3,000.00
ATV rentals (2 x 15 days x 150/day)	\$ 4,500.00
Fuel and Lubricants	\$ 3,000.00
Assessment Costs	\$ 3,000.00
Report Costs	\$ 10,000.00
Contingency @ ~10%	\$ 19,000.00
Total Phase I	\$ 210,000.00

PHASE II Core Drilling 700 m

Project Management	\$ 3,000.00
Geologist and Assistant @ \$1150/day x 21 days	\$ 24,000.00
Camp Cook @ \$450/day x 25 days	\$ 11,000.00
Diamond Drilling (700 m)	\$ 112,000.00
Core sample analyses (200 @ \$25 ea)	\$ 5,000.00

Camp rental (200 man days @ \$75/man)	\$ 15,000.00
Camp supplies and Miscellaneous	\$ 5,000.00
Camp Fuel	\$ 3,000.00
Sat Phone and radio rentals	\$ 5,000.00
Generator rental	\$ 1,500.00
Helicopter 25 hrs @ \$1200/hr (inc fuel)	\$ 30,000.00
Truck rentals (2 trucks x 10 days x \$150)	\$ 3,000.00
ATV rentals (2 x 20 days x 150/day)	\$ 6,000.00
Fuel and Lubricants	\$ 3,000.00
Assessment Costs	\$ 3,000.00
Report Costs	\$ 5,000.00
Contingency @ ~10%	\$ 19,000.00
Total Phase I	\$ 250,500.00
Total Phase I & II	\$ 460,500.00

Respectfully submitted;

R. Allan Doherty, P. Geo

The image shows a handwritten signature in black ink that reads "R. Allan Doherty". To the right of the signature is a circular professional seal. The seal contains the text "R. ALLAN DOHERTY" and "GEOSCIENTIST" around the perimeter, with some smaller, less legible text in the center.

March 12, 2008

16. REFERENCES

- Bostock, H.S., 1964. Map 1 143A, Geology, McQuesten, Yukon Territory: NTS 11 5P, Geological Survey of Canada, 1:253,440 scale.**
- Deklerk , R. and Traynor, S. (compilers), 2005.** Yukon Minfile 2005. Yukon Geological Survey, CD-ROM.
- Doherty, R.A. and C.H. Ash, 2006,** Technical Report on the Mahtin Property Red Mountain Area, Yukon, for International Gold Resources Inc.
- Emond, D.S., 1986.** Tin and Tungsten Veins and Skarns in the McQuesten River Area, Central Yukon: in Yukon Geology, Vol.1; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 113-118
- Goldfarb, R. C. Hart, M. Miller, L. Miller C.L. Farmer, and D. Groves, 2000.** The Tintina Gold Belt – A Global Perspective in Tucker, T.L., and Smith, M.L. technical chairs, The Tintina Gold Belt: Concepts, Exploration, and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines.
- Hart, C.J., McCoy, D.T., Goldfarb, R.J., Smith, M., Roberts, P., Hulstein, R., Bakke, A.A., and Bundtzen, T.K., 2002,** Geology, Exploration, and Discovery in the Tintina Gold Province, Alaska and Yukon: Society of Economic Geologists Special Publication 9, p. 214-274.
- Hulstein, R., 1989.** Geological and Geochemical Assessment Report on the Mahtin1-20 Claims: M.J. Moreau Enterprises Ltd. Assessment Report #092793
- Paul, B., 1981.** Geological and Geochemical Surveys, Mahtin Claims 1-24' CCH Resources Limited, NTS 11 5P-1 5, Dawson Mining District, D.L.A.N.D. Assessment Report #090808, April 7, 1981.
- Paul, B., Rota, D., 1981.** Geochemical Survey, August 4-7, 1981, Mahtin Claims 25-32: CCH Minerals Ltd., NTS 1.15P-15, Dawson Mining District, D.I.A.N.D. Assessment Report #090956, December 15, 1981.
- Hornbrook, E.H.W. and Friske, P.W.B., 1988.** Regional Stream Sediment and Water Geochemical Data, Central Yukon: NTS 11 5P, part of 105M, Geological Survey of Canada, Open File 1650, 1:250,000 scale.
- Marsden, H., 2001.** Assessment Report Prospecting, mapping and sampling on the Mahtin 1-20 Claims. Assessment Report #094252
- Murphy, D. C., 1997.** Geology of the McQuesten River Region, North McQuesten and Mayo Map Areas, Yukon Territory (115P/14, 15,16; 105M/13, 14) Exploration and Geological Services Division, Yukon Region, Bulletin # 6



- Murphy, D.C., Heon, D., and Hunt, J., 1993.** Geology of Clear Creek map area, Yukon (NTS 115P/14). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open-File 1993-1, scale 1:50000.
- Murphy, D.C. and Heon, D., 1994.** Geological overview of Sprague Creek map area, Western Selwyn Basin. in Yukon Exploration and Geology 1993; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada.
- Murphy, D.C. and Heon, D., 1996.** Geological Map of Sprague Creek Area, Western Selwyn Basin, Yukon, NTS 115P/15, Geoscience Map 1996-2, Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region.
- Tempelman-Kluit, D.J., 1981.** Geology and Mineral Deposits of Southern Yukon: in Yukon Geology and Exploration 1979-80; Geology Section, Department of Indian and Northern Affairs, Whitehorse Yukon.

17. CERTIFICATE OF QUALIFICATIONS

I, R. Allan Doherty, hereby certify that:

1. I am a consulting mineral exploration geologist with AURUM GEOLOGICAL CONSULTANTS INC., 106A Granite Road, Whitehorse, Yukon, Y1A 2V9.
2. I am a graduate of the University of New Brunswick, with a degree in geology (Hons. B.Sc., 1977). I attended graduate school at Memorial University of Newfoundland, 1978-80. I have been involved in geological mapping and mineral exploration primarily in the Yukon continuously since 1980.
3. I am a "Qualified Person" as defined in Sec 1.2 of National Instrument 43-101.
4. I am a member in good standing of the Association of Professional Engineers and Geoscientists of the Province of British Columbia, Registration No. 20564, and have been registered as a Professional Geologist since 1993.
5. I am co-author of this report on the Mahtin Property. The report is based on field work conducted in 2003-2004 under the author's supervision and on published assessment reports and company files.
6. I am the author of all sections of this report.
7. I am not aware of any material fact or material change with respect to the subject matter of this technical report, which is not reflected in the technical report, the omission to disclose makes the technical report misleading.
8. I am independent of the Issuer and have no direct or indirect interest in the properties or securities of International Gold Resources Inc., or affiliated companies, nor do I expect to receive any.
9. I have had direct involvement with the exploration programs conducted on the area discussed in this report both for prior property owners and International Gold Resources Inc. I visited the property in June and July 2007. I am familiar with the Tombstone gold deposit model and have experience writing Qualifying Reports and conducting evaluations of mineral properties.
10. I have read National Instrument 43-101 and Form 43-101F and have prepared this technical Report on the Mahtin Property in compliance with this Instrument and Form 43-101F1.

R. Allan Doherty, P. Geo.



March 12, 2008

18. STATEMENT OF COSTS

MAHTIN Claims NTS 115-P-15

A Certificate of Work was completed notarized and mailed on September 18, 2007 covering the Mahtin 9-10, and 16-34 claims (YC23552-YC23553); an (YC28827-YC28845) claiming 5 renewal years on each claim for a total of \$11,000 worth of assessment work. The work was completed June 29-July 15, 2007.

Diamond Drilling, 7 holes 3,250 feet	\$ 159,000.00
Analytical 236 samples @ \$30.00	\$ 7,124.18
Geological Supervision, logging and sampling	\$ 44,250.00
Trans North Helicopters	\$ 88,009.00
Fireweed Helicopters	\$ 13,603.03
Vehicle rentals	\$ 4,381.00
Fuel	\$ 10,558.29
Camp Supplies	\$ 19,562.84
Groceries	\$ 10,759.53
Sat Phone & Radios	\$ 3,400.94
Camp Construction	\$ 21,750.70
Vehicle Rental	\$ 4,381.30
Reports	\$ 5,000.00
Total	\$ 391,780.81
Expenditures on MAHTIN	\$ 391,780.81

R. Allan Doherty, P. Geo
March 12, 2008

APPENDIX A

MAHTIN PROPERTY

DRILL LOGS MH-07-01 to MH-07-07

ASSAY LOGS MH-07-01 to MH-07-07

TABLE OF ASSAYS OVER 0.15 gm/t AU


**ECO TECH Laboratory Ltd
Assay Certificate AK 2007-7267a
ICP Certificate AK 2007-7267i**

DRILL HOLE MH-07-01



Property: MAHTIN	Azimuth: na	Logged By:	Peter Ledwidge
Zone: SKARN	Dip: -90°	Drilled By:	Titan Diamond Drilling Ltd
Claim: Mahtin 5 YC23548	Hole Length: 176.17 m	Assays By:	Eco Tech Labs Ltd
Started: July 04/07	Casing: 7.3 m	Downhole Surveys:	na
Completed: July 05/07	Core Size: NQ		
Coordinates: 410532 E 7088901 N			
Comments:			

Summary Log **Bold Units** are main rock lithologies, un-bolded refer to mineralized section within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	7.30	Casing	No core recovered
		7.30	27.30	Calc-Silicate (metalimestone)	
		27.30	40.45	Calc-Silicate (metalimestone)	Mineralization at 35-40 m depth; 20-30% Apy, 10% Py, Cpy
		40.45	60.15	Banded Argillite	
		35.60	40.45	Fault, Gouge, Mineralization	
		36.58	36.85	SM Sulphide	20-30% Apy, 10% Py, Cpy
		38.64	39.55	QZMZ porphyry dike	tr -1% Apy
		60.15	61.70	Fault plus gouge	2-3% Apy, tr-1% Py
		67.70	75.80	Calc-Silicate (metalimestone, chert?)	
		70.45	73.58	Broken + Gouge	5% Py, poss Cpy disseminated and in hairline fractures
		75.80	81.35	Breccia Zone	No visible sulphides except 81.34
		81.35	104.90	Laminated chert, silicified dolomite	85.48, 0.5 cm qtz-carb vein, 5% Py, trace Apy vein
		88.62	94.49	Mineralized zone	10% Apy, 10% Py
		91.25	93.00	Semi Massive sulphides	70-80% Py + Cpy
		94.65	95.10	Calcite veins with sulphides	70% Asp, Py over 3 cm
		98.35	99.90	Veining and alteration	Up to 10% py, trace vfg Cpy or Au (?)
		103.15	104.90	Mineralized Zone	Dark green-black brecciated metased with 20% Apy, 15% Py
		104.90	116.44	Light green Metasediment	minor sulphide mineralization 109-116 m
		116.44	120.50	Dark green and White Laminated metadolomite	
		118.32	120.50	Gouged metaseds	30% Apy, 20% Py, 0-1% Cpy
		120.50	133.90	Altered QZMZ intrusive/ Fault Zone	Mineralized gouge zone, mostly mineralized 10-40% Apy, Py tr Cpy
		133.90	138.01	Dark green and White Laminated metadolomite	
		138.01	149.80	QZMZ dike or sill (?)	Tr diss Py
		149.80	152.95	Brecciated Metasediment	
		152.95	176.17	Metasediment with minor porphyry dikes	



Section - Looking North West



LEGEND

- LITHOLOGY-SECTION**
- QZMZ
 - BANDED ARGILLITE
 - LAMINATED CHERT
 - METADOLOMITE
 - "TIGER ROCK"
 - CALC-SILICATE
 - Fault/Breccia
 - META-SILTSTONE
 - VEINS/STOCKWORK

- Au Assay gm/mt
- Au Assay gm/mt (weighted average)
- stream, creek
- elevation contour interval 100 feet
- geological contact-known, approx.
- Road

International Gold Resources Inc

MAHTIN PROJECT
Drill Section MH-07-01

Aurum Geological Consultants Inc.

SCALE: 1: 1,000	CHECKED: RAD	DATE: Feb, 2008 REVISED:
Feb 2008	DRAWN: Aurum/JC	FIGURE:


MH-07-01						
SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
not sampled	0.00	14.00	14.00	Casing, Calc Silicate		
398201	14.00	16.00	2.00	Calc-Silicate	0.15	0.004
398202	16.00	18.00	2.00	Calc-Silicate	0.11	0.003
398203	18.00	20.00	2.00	Calc-Silicate	0.03	0.001
398204	20.00	22.00	2.00	Calc-Silicate	0.03	0.001
398205	22.00	24.00	2.00	Calc-Silicate	0.31	0.009
not sampled	24.00	29.50	5.50	Calc-Silicate		
398206	29.50	31.50	2.00	Calc-Silicate	<0.03	<0.001
398207	31.50	33.50	2.00	Calc-Silicate	<0.03	<0.001
398208	33.50	35.50	2.00	Calc-Silicate	<0.03	<0.001
398209	35.50	37.00	1.50	Calc-Silicate/SM Sulphide	0.09	0.003
398210	37.00	39.00	2.00	Calc-Silicate	<0.03	<0.001
398211	39.00	40.50	1.50	Calc-Silicate	0.15	0.004
not sampled	44.50	50.00	5.50	Banded Argillite		
398212	50.00	52.50	2.50	Banded Argillite	0.34	0.010
398213	52.50	55.00	2.50	Banded Argillite	0.30	0.009
not sampled	55.00	63.50	8.50	Banded Argillite		
398214	63.50	64.50	1.00	Calc-Silicate	0.05	0.001
not sampled	64.50	70.00	5.50	Calc-Silicate		
398215	70.00	71.00	1.00	Calc-Silicate	<0.03	<0.001
398216	71.00	72.00	1.00	Calc-Silicate	0.06	0.002
398217	72.00	74.00	2.00	Calc-Silicate	0.04	0.001
not sampled	74.00	81.00	7.00	Calc-Silicate		
398218	81.00	83.00	2.00	Laminated Chert	<0.03	<0.001
398219	83.00	85.00	2.00	Laminated Chert	0.23	0.007
398220	Blank				<0.03	<0.001
398221	85.00	87.00	2.00	Laminated Chert	<0.03	<0.001
398222	87.00	89.00	2.00	Laminated Chert	<0.03	<0.001
398223	89.00	91.00	2.00	Laminated Chert	0.35	0.010
398224	91.00	93.00	2.00	Laminated Chert	0.16	0.005
398225	Standard				10.1	0.295
not sampled	93.00	94.55	1.55	Laminated Chert		

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
398226	94.55	95.20	0.65	Laminated Chert	0.21	0.006
not sampled	95.20	98.10	2.90	Laminated Chert		
398227	98.10	98.60	0.50	Laminated Chert	<0.03	<0.001
not sampled	98.60	99.55	0.95	Laminated Chert		
398228	99.55	100.05	0.50	Laminated Chert	<0.03	<0.001
not sampled	100.05	103.40	3.35	Laminated Chert		
398229	103.40	105.00	1.60	Laminated Chert	0.15	0.004
398230	Duplicate				0.20	0.006
not sampled	105.00	109.50	4.50	Lt Gr Metasediment		
398231	109.50	111.50	2.00	Lt Gr Metasediment	0.10	0.003
398232	111.50	113.50	2.00	Lt Gr Metasediment	<0.03	<0.001
398233	113.50	115.50	2.00	Lt Gr Metasediment	<0.03	<0.001
398234	115.50	116.50	1.00	Lt Gr Metasediment	0.10	0.003
398273	116.50	118.32	1.82	Dr Gr & White Metadolomite	0.21	0.006
398235	118.32	120.50	2.18	Dr Gr & White Metadolomite	0.08	0.002
398236	120.50	122.50	2.00	Qtz Monz intrusive	0.04	0.001
398237	122.50	124.50	2.00	Qtz Monz intrusive	0.14	0.004
398238	124.50	126.50	2.00	Qtz Monz intrusive	<0.03	<0.001
398239	126.50	128.50	2.00	Qtz Monz intrusive	<0.03	<0.001
398240	Blank				0.05	0.001
398241	128.50	130.50	2.00	Qtz Monz intrusive	0.05	0.001
398242	130.50	132.50	2.00	Qtz Monz intrusive	0.05	0.001
398243	132.50	133.90	1.40	Qtz Monz intrusive	0.07	0.002
not sampled	133.90	143.50	9.60			
398244	143.50	145.50	2.00	Dr Gr & White Metadolomite	<0.03	<0.001
398245	Standard				9.98	0.291
not sampled	145.50	158.50	13.00	Metasediment + QZMZ Dyke		
398246	158.50	160.50	2.00	Metasediment + QZMZ Dyke	0.03	0.001
not sampled	160.50	165.00	4.50			
398247	165.00	167.00	2.00	Metasediment + QZMZ Dyke	0.16	0.005
not sampled	167.00	176.17	9.17			


Summary Log

Bold Units are main rock lithologies, un-bolded refer to mineralized section within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	7.32	Casing	No core recovered
		7.32	25.50	Calc-Silicate (Metalimestone)	
		25.50	60.90	Meta-Dolomite	
		59.24	60.90	Mineralized	2% Py, 2% Apy,
		60.90	86.10	Calc-Silicate (Metalimestone)	
		68.95	69.20		2-3% diss Py
		77.90	78.06	Oxidized rubbly fault zone	
		86.10	93.60	Zone of quartz veining and gouge	Tr Py
		93.60	103.71	Brecciated limestone with calcite stringers	
		102.70	103.71	Quartz + minor calcite veining	5-10% Py. 5-10% Po, tr Cpy
		103.71	111.57	QZMZ intrusive	
		105.54	105.73	Gouge zone	
		111.57	119.66	Calc-Silicate (Metalimestone)	
		119.66	162.00	Calc-Silicate ("Tiger Rock")	"Tiger Rock" referes to a silicate-red garnet
		162.00	164.59	QZMZ Dyke	banded calc-silicate
		EOH	164.59		



Section - Looking North West



LEGEND

- LITHOLOGY-SECTION**
- QZMZ
 - BANDED ARGILLITE
 - LAMINATED CHERT
 - METADOLOMITE
 - "TIGER ROCK"
 - CALC-SILICATE
 - Fault/Breccia
 - META-SILTSTONE
 - VEINS/STOCKWORK

- Au Assay gm/mt
- Au Assay gm/mt (weighted average)
- stream, creek
- elevation contour interval 100 feet
- geological contact-known, approx.
- Road

<i>International Gold Resources Inc</i>		
MAHTIN PROJECT Drill Section MH-07-02		
<i>Aurum Geological Consultants Inc.</i>		
		DATE: Feb, 2008 REVISED:
SCALE: 1: 1,000	CHECKED: RAD	
Feb 2008	DRAWN: Aurum/JC	FIGURE:


MH-07-02

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
not sampled	0.00	7.32	7.32	Casing		
397701	7.32	9.35	2.03	Calc-silicate	<0.03	<0.001
not sampled	9.35	10.85	1.50			
397702	10.85	12.85	2.00	Calc-silicate	<0.03	<0.001
397703	12.85	14.85	2.00	Calc-silicate	<0.03	<0.001
397704	14.85	15.85	1.00	Calc-silicate	<0.03	<0.001
397705	15.85	17.85	2.00	Calc-silicate	<0.03	<0.001
not sampled	17.85	24.87	7.02			
397706	24.87	26.17	1.30	Meta-dolomite	<0.03	<0.001
not sampled	26.17	33.00	6.83			
397707	33.00	35.00	2.00	Meta-dolomite	<0.03	<0.001
397708	35.37	36.37	1.00	Meta-dolomite	<0.03	<0.001
397709	36.37	37.38	1.01	Meta-dolomite	<0.03	<0.001
397710	37.38	38.28	0.90	Meta-dolomite	0.03	0.001
397711	38.28	40.38	2.10	Meta-dolomite	<0.03	<0.001
not sampled	40.38	47.00	6.62			
397712	47.00	49.00	2.00	Meta-dolomite	<0.03	<0.001
397713	49.00	50.00	1.00	Meta-dolomite	<0.03	<0.001
397714	50.00	51.00	1.00	Meta-dolomite	0.39	0.011
397715	51.00	52.06	1.06	Meta-dolomite	0.08	0.002
397716	52.06	53.48	1.42	Meta-dolomite	0.08	0.002
397717	53.48	55.42	1.94	Meta-dolomite	<0.03	<0.001
397718	55.42	56.40	0.98	Meta-dolomite	<0.03	<0.001
397719	56.40	57.42	1.02	Meta-dolomite	0.24	0.007
397720	57.42	58.42	1.00	Meta-dolomite	0.16	0.005
397721	58.42	59.42	1.00	Meta-dolomite	0.05	0.001
397722	59.42	61.00	1.58	Meta-dolomite	<0.03	<0.001
397723	61.00	62.55	1.55	Calc-silicate	0.03	0.001
397724	62.55	64.55	2.00	Calc-silicate	<0.03	<0.001
397725	Blank				<0.03	<0.001
397726	64.55	66.55	2.00	Calc-silicate	<0.03	<0.001
397727	66.55	68.64	2.09	Calc-silicate	<0.03	<0.001


SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
397728	68.64	69.64	1.00	Calc-silicate	<0.03	<0.001
397729	69.64	71.00	1.36	Calc-silicate	<0.03	<0.001
397730	71.00	72.30	1.30	Calc-silicate	0.03	0.001
397731	72.30	73.00	0.70	Calc-silicate	0.06	0.002
397732	73.00	74.71	1.71	Calc-silicate	<0.03	<0.001
397733	Duplicate				<0.03	<0.001
397734	74.72	75.94	1.22	Calc-silicate	<0.03	<0.001
397735	Standard				10.3	0.300
397736	75.94	77.83	1.89	Calc-silicate	<0.03	<0.001
397737	77.83	79.83	2.00	Calc-silicate	<0.03	<0.001
not sampled	79.83	86.10	6.27			
397738	86.10	88.10	2.00	QTZ Vn + Gouge	0.03	0.001
397739	88.10	90.10	2.00	QTZ Vn + Gouge	<0.03	<0.001
397740	90.10	92.10	2.00	QTZ Vn + Gouge	<0.03	<0.001
397741	92.10	93.96	1.86	QTZ Vn + Gouge	<0.03	<0.001
397742	93.96	95.96	2.00	BX Limestone	<0.03	<0.001
397743	95.96	97.96	2.00	BX Limestone	<0.03	<0.001
397744	97.96	99.46	1.50	BX Limestone	<0.03	<0.001
397745	99.46	101.46	2.00	BX Limestone	<0.03	<0.001
397746	101.46	102.46	1.00	BX Limestone	<0.03	<0.001
397747	102.46	103.71	1.25	BX Limestone	0.56	0.016
397748	103.71	105.54	1.83	QZMZ Intrusive	0.19	0.006
397749	105.54	107.72	2.18	QZMZ Intrusive	0.09	0.003
397750	107.72	109.48	1.76	QZMZ Intrusive	<0.03	<0.001
397751	Blank				<0.03	<0.001
397752	109.48	110.50	1.02	QZMZ Intrusive	0.04	0.001
397753	110.50	111.57	1.07	QZMZ Intrusive	0.06	0.002
not sampled	111.57	133.30	21.73			
397754	133.30	134.50	1.20	Calc-silicate	0.04	0.001
not sampled	134.50	144.56	10.06			
397755	144.56	145.24	0.68	Calc-silicate	0.10	0.003
397756	Duplicate				0.11	0.003
not sampled	145.24	160.65	15.41	Calc-silicate		

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
397757	160.65	162.00	1.35	Calc-silicate	0.03	0.001
397758	162.00	163.00	1.00	QZMZ Intrusive	<0.03	<0.001
397759	163.00	164.59	1.59	QZMZ Intrusive	<0.03	<0.001

MH-07-03					
Property:	MAHTIN	Azimuth:	249	Logged By:	Al Doherty
Zone:	SKARN	Dip:	-50	Drilled By:	Titan Diamond Drilling Ltd
Claim:	Mahtin 5 YC23548	Hole Length:	167.34 m	Assays By:	Eco Tech Laboratories
Started:	July 07/07 N	Casing:	7.31 m	Downhole Surveys:	na
Completed:	July 09/07 D	Core Size:	NQ		
Coordinates: 410532 E 7088901 N					
Comments:					
Summary Log Bold Units are main rock lithologies, un-bolded refer to mineralized section within main unit					
From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	7.31	Casing	No core recovered
		7.31	33.10	Calc-Silicate (metalimestone)	
		11.65	11.75	Pyrite breccia	>20% Py
		33.10	47.30	QZMZ Porphyry dike	
		28.00	30.48	Lost Core	
		38.10	38.50	Gouge Zone	
		47.30	57.71	QZMZ Porphyry variably altered	
		57.71	61.40	Sulphide Breccia	Black, Py >20%
		61.40	68.80	QZMZ green sercite altered	minor diss py-Apy
		68.80	70.80	Quartz-Apy sheeted vein zone	veins to 1 cm wide
		70.80	77.45	QZMZ green sercite altered	
		77.45	80.85	QZMZ light green-yellow	0.5% Apy
		80.85	107.30	QZMZ Tan, grey to green	
		107.30	109.75	QZMZ Crowded Porphyry	
		109.75	120.00	QZMZ Tan, grey to green	
		120.00	124.60	QZMZ Crowded Porphyry	
		124.60	147.40	QZMZ Tan, grey to green	some minor crowded porphyry zones
		147.40	150.75	QZMZ bleached and brecciated	patchy pyrite veins and disseminations
		150.75	157.60	QZMZ, dark grey, fine grained	x-cut by Qtz-Apy veins with strong alteration
		157.60	166.73	QZMZ, dark grey, fine grained	
		166.73	EOH		



Section - Looking North West



LEGEND

- | | |
|-----------------|-----------------|
| QZMZ | CALC-SILICATE |
| BANDED ARGILITE | Fault/Breccia |
| LAMINATED CHERT | META-SILTSTONE |
| METADOLOMITE | VEINS/STOCKWORK |
| "TIGER ROCK" | |

- Au Assay gm/mt
- Au Assay gm/mt (weighted average)
- stream, creek
- elevation contour interval 100 feet
- geological contact-known, approx.
- Road

International Gold Resources Inc

**MAHTIN PROJECT
Drill Section MH-07-03**

Aurum Geological Consultants Inc.		
SCALE: 1: 1,000	CHECKED: RAD	DATE: Feb, 2008 REVISED:
Feb 2008	DRAWN: Aurum/JC	FIGURE:

MH-07-03

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	
not sampled	0.00	9.60	9.60	Casing		
397760	9.60	10.20	0.60	Calc-silicate	<0.03	<0.001
397761	10.20	11.65	1.45	Calc-silicate	<0.03	<0.001
397762	11.65	11.75	0.10	Calc-silicate	<0.03	<0.001
397763	11.75	13.75	2.00	Calc-silicate	0.03	0.001
397764	13.75	15.75	2.00	Calc-silicate	<0.03	<0.001
397765	15.75	17.75	2.00	Calc-silicate	<0.03	<0.001
397766	17.75	19.75	2.00	Calc-silicate	<0.03	<0.001
397767	19.75	21.75	2.00	Calc-silicate	<0.03	<0.001
397768	21.75	23.75	2.00	Calc-silicate	<0.03	<0.001
397769	23.75	25.75	2.00	Calc-silicate	<0.03	<0.001
397770	25.75	28.00	2.25	Calc-silicate	<0.03	<0.001
not sampled	28.00	30.50	2.50			
397771	30.50	33.10	2.60	Calc-silicate	0.21	0.006
397772	33.10	35.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397773	35.10	37.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397774	37.10	39.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397775	Standard				9.97	0.291
397776	39.10	41.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397777	41.10	43.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397778	43.10	45.10	2.00	QZMZ Porp dyke	<0.03	<0.001
397779	45.10	47.30	2.20	QZMZ Porp dyke	<0.03	<0.001
397780	47.30	48.00	0.70	Alt QZMZ Porp dyke	<0.03	<0.001
397781	48.00	49.15	1.15	Alt QZMZ Porp dyke	<0.03	<0.001
397782	49.15	50.00	0.85	Alt QZMZ Porp dyke	0.07	0.002
397783	50.00	52.00	2.00	Alt QZMZ Porp dyke	<0.03	<0.001
397784	52.00	54.00	2.00	Alt QZMZ Porp dyke	<0.03	<0.001
397785	54.00	54.86	0.86	Alt QZMZ Porp dyke	<0.03	<0.001
397786	54.86	57.91	3.05	Alt QZMZ Porp dyke	<0.03	<0.001
397787	57.91	59.40	1.49	Sulphide Breccia	0.17	0.005
397788	59.40	61.40	2.00	Sulphide Breccia	0.30	0.009

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	
397789	61.40	62.80	1.40	QZMZ Porp	0.04	0.001
397790	62.80	64.80	2.00	QZMZ Porp	<0.03	<0.001
397791	64.80	66.80	2.00	QZMZ Porp	<0.03	<0.001
397792	66.80	67.80	1.00	QZMZ Porp	0.08	0.002
397793	67.80	68.80	1.00	QZMZ Porp	<0.03	<0.001
397794	68.80	69.80	1.00	QZMZ Porp	0.06	0.002
397795	69.80	70.80	1.00	QZMZ Porp	<0.03	<0.001
397796	70.80	72.80	2.00	QZMZ Porp	<0.03	<0.001
397797	72.80	74.80	2.00	QZMZ Porp	<0.03	<0.001
397798	74.80	77.45	2.65	QZMZ Porp	<0.03	<0.001
397799	77.45	79.45	2.00	QZMZ Porp	0.03	0.001
397800	79.45	81.15	1.70	QZMZ Porp	0.04	0.001
397801	81.15	83.15	2.00	QZMZ Porp	<0.03	<0.001
397802	Standard				10.3	0.300
397803	Blank				<0.03	<0.001
not sampled	83.15	92.75	9.60			
397804	92.75	94.50	1.75	QZMZ Porp	<0.03	<0.001
not sampled	94.50	107.30	12.80			
397805	107.30	109.30	2.00	QZMZ Porp	0.10	0.003
not sampled	109.30	120.00	10.70			
397806	120.00	122.00	2.00	QZMZ Porp	<0.03	<0.001
397807	122.00	124.00	2.00	QZMZ Porp	<0.03	<0.001
not sampled	124.00	128.80	4.80			
397808	128.80	129.80	1.00	QZMZ Porp	0.03	0.001
397809	129.80	131.80	2.00	QZMZ Porp	<0.03	<0.001
397810	131.80	133.80	2.00	QZMZ Porp	<0.03	<0.001
397811	133.80	135.80	2.00	QZMZ Porp	<0.03	<0.001
397812	135.80	137.80	2.00	QZMZ Porp	<0.03	<0.001
397813	137.80	139.80	2.00	QZMZ Porp	<0.03	<0.001
not sampled	139.80	146.00	6.20			
397814	146.00	147.40	1.40	QZMZ Porp	<0.03	<0.001
397815	147.40	149.40	2.00	QZMZ Porp	0.06	0.002
397816	149.40	150.70	1.30	QZMZ Porp	<0.03	<0.001

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	
397817	150.70	152.70	2.00	QZMZ Porp	<0.03	<0.001
397818	152.70	154.70	2.00	QZMZ Porp	<0.03	<0.001
397819	154.70	156.70	2.00	QZMZ Porp	<0.03	<0.001
397820	156.70	157.70	1.00	QZMZ Porp	<0.03	<0.001
not sampled	157.70	166.73	9.03			


MH-07-04

Property:	MAHTIN	Azimuth:	117	Logged By:	Peter Ledwidge
Zone:	SKARN	Dip:	-50°	Drilled By:	Titan Diamond Drilling Ltd
Claim:	Mahtin 5 YC23548	Hole Length:	129.54 m	Assays By:	Eco Tech Laboratories
Started:	July 09/07 N	Casing:	10.80 m	Downhole Surveys:	na
Completed:	July 11/07 D	Core Size:	NQ		
Coordinates: 410805 E 7088902 N					



Comments:

Summary Log **Bold Units** are main rock lithologies, un-bolded refer to mineralized section within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	12.80	Casing	no core recovered
		12.80	42.86	Calc-Silicate (banded chert)	
		42.86	45.65	Meta sediment Dark brown-green	
		45.65	47.66	QZMZ Dyke	
		47.66	57.80	Meta sediment Dark brown-green	
		57.80	69.50	Banded "Tiger Rock"	Garnet rich calc silicate
		62.30	62.45	Chlorite -Calcite vein	30% Po, 10% Apy, 1% Cpy
		69.50	78.40	Laminated Chert	
		76.20	76.45	Calcite vein	15% Po, 15% Py, 1% Cpy
		78.40	80.10	Med dark green silicified metasediment	
		79.43	79.60	Mineralized	20% Apy, minor Cpy
		80.10	100.63	Calc-Silicate (metalimestone)	
		99.00	100.02	Mineralized	Diss Py-Cpy to 1%
		100.63	129.54	QZMZ porphyritic dyke	minor mineralization at 126.90 m
		129.54	EOH		



Section - Looking North East



LEGEND

QZMZ	CALC-SILICATE	Au Assay gm/mt
BANDED ARGILLITE	Fault/Breccia	Au Assay gm/mt (weighted average)
LAMINATED CHERT	META-SILTSTONE	stream, creek
METADOLomite	VEINS/STOCKWORK	elevation contour interval 100 feet
"TIGER ROCK"		geological contact-known, approx.
		Road

<i>International Gold Resources Inc</i>		
MAHTIN PROJECT Drill Section MH-07-04		
<i>Aurum Geological Consultants Inc.</i>		
SCALE: 1: 1,000	CHECKED: RAD	DATE: Feb, 2008 REVISED:
Feb 2008	DRAWN: Aurum/JC	FIGURE:

MH-07-04

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/mt
not sampled	0.00	56.50	56.50	Tiger Rock		
398248	56.50	57.00	0.50	Meta-sediment	2.40	0.070
not sampled	57.00	62.00	5.00	Tiger Rock		
398249	62.00	62.50	0.50	Tiger Rock	1.44	0.042
398250	Duplicate	398249			<0.03	<0.001
not sampled	62.50	76.00	13.50	Tiger Rock		
398251	76.00	76.65	0.65	Laminated Chert	0.10	0.003
not sampled	76.65	78.30	1.65	Laminated Chert		
398252	78.30	80.20	1.90	Calc-Silicate	0.10	0.003
398253	80.20	82.20	2.00	Calc-Silicate	<0.03	<0.001
398254	82.20	84.20	2.00	Calc-Silicate	<0.03	<0.001
398255	84.20	86.20	2.00	Calc-Silicate	0.26	0.008
398256	86.20	88.20	2.00	Calc-Silicate	0.12	0.003
398257	88.20	90.20	2.00	Calc-Silicate	0.33	0.010
398258	90.20	92.20	2.00	Calc-Silicate	0.11	0.003
398259	92.20	94.20	2.00	Calc-Silicate	0.18	0.005
398260	Blank				<0.03	<0.001
398261	94.20	96.20	2.00	Calc-Silicate	1.03	0.030
398262	96.20	98.20	2.00	Calc-Silicate	0.16	0.005
398263	98.20	100.62	2.42	Calc-Silicate	0.71	0.021
not sampled	100.62	102.00	1.38	Calc-Silicate		
398264	102.00	104.00	2.00	QZMZ Porp	0.04	0.001
398265	Standard				10.2	0.297
397849	105.00	106.00	1.00	QZMZ Porp	<0.03	<0.001
397850	106.00	108.00	2.00	QZMZ Porp	0.03	0.001
398275	108.00	110.00	2.00	QZMZ Porp	0.03	0.001
398266	110.00	112.00	2.00	QZMZ Porp	<0.03	<0.001
not sampled	112.00	118.00	6.00	QZMZ Porp		
398267	118.00	120.00	2.00	QZMZ Porp	<0.03	<0.001
not sampled	120.00	124.00	4.00	QZMZ Porp		
398268	124.00	126.00	2.00	QZMZ Porp	<0.03	<0.001
not sampled	126.00	126.70	0.70	QZMZ Porp		

398269	126.70	127.10	0.40	QZMZ Corp	0.07	0.002
398270	Duplicate				0.09	0.003
not sampled	127.10	129.54	2.44	QZMZ Corp		


MH-07-05					
Property:	MAHTIN	Azimuth:	20°	Logged By: Al Doherty	
Zone:	SKARN	Dip:	-50	Drilled By: Titan Diamond Drilling Ltd	
Claim:	Mahtin 5 YC23548	Hole Length:	129.54 m	Assays By: Eco Tech Laboratories	
Started:	July 11/07 N	Casing:	10.80 m	Downhole Surveys: na	
Completed:	July 13/07 D	Core Size:	NQ		
Coordinates: 410805 E 7088902 N					

Comments:**Summary Log**


Bold Units are main rock units, un-bolded intervals refer to mineralization or other note within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	16.46	Casing	no core recovered
		16.46	38.00	White-grey laminated Metasiltstone	
		26.00	30.00	Possible fault	
		38.00	39.00	Grey green calcareous metasiltstone	Trace diss Apy, Py
		39.00	40.10	Tiger Rock	
		40.10	47.60	Grey green calcareous metasiltstone	
		44.12	44.22	Sulphide zone Py, Po, +/- Apy	
		47.60	48.40	Tiger Rock	
		48.40	51.35	Grey green mottled Calc Silicate	49.50-49.95 Broken Fe-oxidized
		51.35	51.45	Sulphides	PO, Py to 50%, quartz-calcite matrix
		51.45	54.25	Tiger Rock	
		54.25	59.60	Grey to dark green metasiltstone	
		56.35	57.20	Diss Py, Apy,Po	
		59.00	59.60	Sulphide bands to 25% Py, Po	
		59.60	78.95	Tiger Rock	
		61.87	62.40	Diss + stringer Po, Py, +/- Cpy	
		78.30	78.40	Sulphide band 40% Apy, Po, Py	
		78.95	80.20	Metasiltstone	
		80.20	83.50	Tiger Rock	
		81.30	81.50	Sulphide band Apy 2 cm wide Py, Chlorite	
		83.50	85.33	Metasiltstone with sulphide bands	
		83.90	84.20	Massive Po, PY, Apy, +/-Cpy	1.2 m core of massive sulphide.
		84.07	85.33	Massive Po, PY, Apy, +/-Cpy	
		85.33	87.36	Tiger Rock	
		87.36	100.60	QZMZ	
		100.60	103.45	Tiger Rock	

		103.45	109.02	Calc Silicate dark grey-green	bands of diss Py-Po from 105-109 m
		109.02	177.69	Tiger Rock	
		177.69	EOH		



Plan
Section - Looking North West



LEGEND

LITHOLOGY-SECTION

	QZMZ		CALC-SILICATE
	BANDDED ARGILLITE		Fault/Breccia
	LAMINATED CHERT		META-SILTSTONE
	METADOLOMITE		VEINS/STOCKWORK
	"TIGER ROCK"		

1.26/1.44 Au Assay gm/mt
 1.26/1.44 Au Assay gm/mt (weighted average)

stream, creek
 3500 elevation contour interval 100 feet
 geological contact-known, approx.
 Road

International Gold Resources Inc

MAHTIN PROJECT
Drill Section MH-07-05

Aurum Geological Consultants Inc.

SCALE: 1: 1,000	CHECKED: RAD	DATE: Feb, 2008
Feb 2008	DRAWN: Aurum/JC	REVISID:
		FIGURE:

MH-07-05						
SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/mt
not sampled	0.00	38.00	38.00			
397821	38.00	39.00	1.00	Meta-siltstone	0.27	0.008
not sampled	39.00	43.00	4.00			
397822	43.00	44.00	1.00	Tiger Rock	0.33	0.010
397823	44.00	44.25	0.25	Meta-siltstone	0.66	0.019
397824	44.25	45.25	1.00	Meta-siltstone	0.52	0.015
not sampled	45.25	50.35	5.10			
397825	50.35	51.35	1.00	Calc-silicate	0.88	0.026
397826	51.35	51.45	0.10	Semi-massive Sulphides	0.09	0.003
397827	51.45	52.45	1.00	Tiger Rock	0.89	0.026
397828	Standard				<0.03	<0.001
397829	Blanc				10.3	0.300
not sampled	52.45	56.35	3.90			
397830	56.35	57.20	0.85	Meta-siltstone	0.04	0.001
397831	57.20	59.00	1.80	Meta-siltstone	<0.03	<0.001
397832	59.00	59.60	0.60	Tiger Rock	<0.03	<0.001
not sampled	59.60	61.40	1.80			
397833	61.40	61.87	0.47	Tiger Rock	0.50	0.015
397834	61.87	62.40	0.53	Tiger Rock	0.61	0.018
397835	62.40	63.40	1.00	Tiger Rock	0.04	0.001
397836	63.40	64.60	1.20	Tiger Rock	0.53	0.015
397837	64.60	65.20	0.60	Tiger Rock	0.22	0.006
not sampled	65.20	78.30	13.10	Tiger Rock		
397838	78.30	78.40	0.10	Tiger Rock	0.22	0.006
not sampled	78.40	78.95	0.55	Meta-siltstone		
397839	78.95	80.20	1.25	Meta-siltstone	0.12	0.003
not sampled	80.20	81.30	1.10	Meta-siltstone		
397840	81.30	81.50	0.20	Tiger Rock	0.10	0.003
not sampled	81.50	83.50	2.00			
397841	83.50	83.90	0.40	Meta-siltstone	<0.03	<0.001
397842	83.90	84.20	0.30	Semi-massive Sulphides	0.07	0.002
397843	84.20	84.67	0.47	Meta-siltstone	<0.03	<0.001

397844	84.67	85.33	0.66	Semi-massive Sulphides	0.40	0.012
not sampled	85.33	103.45	18.12	Tiger Rock & QZMZ		
397845	103.45	105.45	2.00	Calc-silicate	0.32	0.009
397846	105.45	107.45	2.00	Calc-silicate	0.10	0.003
397847	107.45	109.00	1.55	Calc-silicate	0.10	0.003
not sampled	109.00	161.00	52.00	Calc-silicate		
397848	161.00	161.50	0.50	Calc-silicate	0.09	0.003
not sampled	161.50	177.65	16.15	Calc-silicate		

MH-07-06


Property:	MAHTIN	Azimuth:	200°	Logged By:	Al Doherty
Zone:	SKARN	Dip:	-50	Drilled By:	Titan Diamond Drillin
Claim:	Mahtin 5 YC23548	Hole Length:	142.95 m	Assays By:	Eco Tech Labs Ltd
Started:	July 11/07 N	Casing:	11.54 m	Downhole Surveys:	na
Completed:	July 13/07 D	Core Size:	NQ		
Coordinates:	410805 E 7088902 N				

Comments:


Summary Log

Bold Units are main rock units, un-bolded intervals refer to mineralizatio or other note within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	11.54	Casing	no core recovered
		11.54	54.82	Calcareous metasiltstone	no sulphides
		54.82	55.67	Dark green calcareous siltstone	1% Apy, 1% Py across interval
		55.67	59.23	Metasiltstone, white-grey, laminated	
		59.23	60.13	Dark green calcareous siltstone	10% py trace Apy
		60.13	63.22	Metasiltstone, light green, laminated	
		63.22	64.34	Dark green calcareous siltstone	silicified, brecciated and qtz-veined 10 cm
					with 10% Apy, 3% Py, 0.5% cpy
		64.34	73.72	QZMZ	diss fg Py <0.25%
		73.72	87.16	Metasiltstone	
		81.16	84.25	Qtz-Calcite vein and matrix breccia	Diss Py
		84.25	87.16	Metasiltstone	
		87.16	142.95	QZMZ	cut by fine grained grey dikes
		142.95	EOH		



Plan
Section - Looking North West



LEGEND

QZMZ	CALC-SILICATE	Au Assay gm/mt
BANDED ARGILLITE	Fault/Breccia	Au Assay gm/mt (weighted average)
LAMINATED CHERT	META-SILTSTONE	stream, creek
METADOLOMITE	VEINS/STOCKWORK	elevation contour interval 100 feet
"TIGER ROCK"		geological contact-known, approx.
		Road

<i>International Gold Resources Inc</i>		
MAHTIN PROJECT		
Drill Section MH-07-06 Drill Section MH-07-07		
<i>Aurum Geological Consultants Inc.</i>		
		DATE: Feb, 2008 REVISED:
SCALE: 1: 1,000	CHECKED: RAD	
Feb 2008	DRAWN: Aurum/JC	FIGURE:

MH-07-06						
SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/mt
not sampled	0.00	53.82	53.82	Metasiltstone		
398276	53.82	54.82	1.00	Metasiltstone	<0.03	<0.001
398277	54.82	55.67	0.85	Calcareous siltstone	0.15	0.004
398278	55.67	56.67	1.00	Metasiltstone	<0.03	<0.001
398279	Standard				10.3	0.300
398280	Blank				<0.03	<0.001
398281	56.67	59.23	2.56	Metasiltstone	<0.03	<0.001
398282	59.23	60.13	0.90	Calcareous siltstone	0.36	0.010
not sampled	60.13	63.22	3.09	Calcareous siltstone		
398283	63.22	63.64	0.42	Calcareous siltstone	0.14	0.004
not sampled	63.64	81.16	17.52	Calcareous siltstone		
398284	81.16	82.16	1.00	Calcareous siltstone	<0.03	<0.001
398285	82.16	84.16	2.00	Calcareous siltstone	0.13	0.004
not sampled	84.16	142.95	58.79	Qtz Monzonite		

MH-07-07

Property:	MAHTIN	Azimuth:	200°	Logged By:	Al Doherty
Zone:	SKARN	Dip:	-88	Drilled By:	Titan Diamond Drilling Ltd
Claim:	Mahtin 5 YC23548	Hole Length:	41.15 m	Assays By:	Eco Tech Labs Ltd
Started:	July 15/07 D	Casing:	12.80 m	Downhole Surveys:	na
Completed:	July 15/07 D	Core Size:	NQ		
Coordinates:	410805 E 7088902 N				

Comments:

Summary Log **Bold Units** are main rock units, un-bolded intervals refer to mineralization or other note within main unit

From (ft)	To (ft)	From (m)	To (m)	Lithology	Comments
		0.00	12.80	Casing	no core recovered
		12.80	15.10	Silicified Zone (Qtz vein + sulphides)	oxidized and gouged, diss py
		15.10	18.16	Tiger Rock	
		18.16	41.35	Metasiltstone	
		41.35	EOH		

MH-07-07

SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/mt
not sampled	0.00	13.10	13.10	Casing		
398286	13.10	15.10	2.00	Silicified zone	0.34	0.010
not sampled	15.10	41.15	26.05	Metasiltstone		

MAHTIN 2007 DRILLING Assays > 0.15 gm/t Gold

HOLE	SAMPLE	From (m)	To (m)	Width (m)	Unit	Au gm/mt	Ag gm/t
MH-07-01	398201	14.00	16.00	2.00	Calc Silicate	0.15	0.004
MH-07-01	398205	22.00	24.00	2.00	Calc Silicate	0.31	0.009
MH-07-01	398212	50.00	52.50	2.50	Banded Argillite	0.34	0.010
MH-07-01	398213	52.50	55.00	2.50	Banded Argillite	0.30	0.009
MH-07-01	398219	83.00	85.00	2.00	Laminated Chert	0.23	0.007
MH-07-01	398223	89.00	91.00	2.00	Laminated Chert	0.35	0.010
MH-07-01	398224	91.00	93.00	2.00	Semi Massive Sulphides	0.16	0.005
MH-07-01	398226	94.55	95.20	0.65	Laminated Chert	0.21	0.006
MH-07-01	398273	116.50	118.32	1.82	Laminated Chert	0.21	0.006
MH-07-02	397714	50.00	51.00	1.00	Semi Massive Sulphides	0.39	0.011
MH-07-02	397719	56.40	57.42	1.02	Semi Massive Sulphides	0.24	0.007
MH-07-02	397720	57.42	58.42	1.00	Semi Massive Sulphides	0.16	0.005
MH-07-02	397747	102.46	103.71	1.25	Qtz + Cal veins	0.56	0.016
MH-07-02	397748	103.71	105.54	1.83	Qtz Monzonite	0.19	0.006
MH-07-03	397771	30.50	33.10	2.60	Gouge Zone	0.21	0.006
MH-07-03	397787	57.91	59.40	1.49	Sulphide Breccia	0.17	0.005
MH-07-03	397788	59.40	61.40	2.00	Sulphide Breccia	0.30	0.009
MH-07-04	398248	56.50	57.00	0.50	Meta sediment	2.40	0.070
MH-07-04	398249	62.00	62.50	0.50	"Tiger Rock"	1.44	0.042
MH-07-04	398255	84.20	86.20	2.00	Calc-silicate	0.26	0.008
MH-07-04	398256	86.20	88.20	2.00	Calc-silicate	0.12	0.003
MH-07-04	398257	88.20	90.20	2.00	Calc-silicate	0.33	0.010
MH-07-04	398258	90.20	92.20	2.00	Calc-silicate	0.11	0.003
MH-07-04	398259	92.20	94.20	2.00	Calc-silicate	0.18	0.005
MH-07-04	398261	94.20	96.20	2.00	Calc-silicate	1.03	0.030
MH-07-04	398262	96.20	98.20	2.00	Calc-silicate	0.16	0.005
MH-07-04	398263	98.20	100.62	2.42	Calc-silicate	0.71	0.021
MH-07-05	397823	44.00	44.25	0.25	Calc-silicate	0.66	0.019
MH-07-05	397824	44.25	45.25	1.00	Calc-silicate	0.52	0.015
MH-07-05	397825	50.35	51.35	1.00	Calc-silicate	0.88	0.026
MH-07-05	397826	51.35	51.45	0.10	Massive Sulphides	0.09	0.003
MH-07-05	397827	51.45	52.45	1.00	Calc-silicate	0.89	0.026
MH-07-05	397833	61.40	61.87	0.47	Calc-silicate	0.50	0.015
MH-07-05	397834	61.87	62.40	0.53	Calc-silicate	0.61	0.018
MH-07-05	397835	62.40	63.40	1.00	Calc-silicate	0.04	0.001
MH-07-05	397836	63.40	64.60	1.20	Calc-silicate	0.53	0.015
MH-07-05	397837	64.60	65.20	0.60	Calc-silicate	0.22	0.006
MH-07-05	397838	78.30	78.40	0.10	Massive Sulphides	0.22	0.006
MH-07-05	397844	84.67	85.33	0.66	Calc-silicate	0.40	0.012
MH-07-05	397845	103.45	105.45	2.00	Calc-silicate	0.32	0.009
MH-07-06	398277	54.82	55.67	0.85	Sltstone + Apy, Py to 1%	0.15	0.004
MH-07-06	398282	59.23	60.13	0.90	Sltstone + Apy, Py to 1%	0.36	0.010
MH-07-07	398286	13.10	15.10	2.00	Sulp in Calc-silicate	0.34	0.010

CERTIFICATE OF ASSAY AK 2007-7267

Aurum Geological Cons. Inc.
106A Granite Road
Whitehorse, YK
Y1A 2V9

12-Sep-07

No. of samples received: 236

Sample Type: Core

Project: Mahtin

Submitted by: Al Doherty

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
1	397701	<0.03	<0.001		
2	397702	<0.03	<0.001		
3	397703	<0.03	<0.001		
4	397704	<0.03	<0.001		
5	397705	<0.03	<0.001		
6	397706	<0.03	<0.001		
7	397707	<0.03	<0.001		
8	397708	<0.03	<0.001		
9	397709	<0.03	<0.001		
10	397710	0.03	0.001		
11	397711	<0.03	<0.001		
12	397712	<0.03	<0.001		
13	397713	<0.03	<0.001		
14	397714	0.39	0.011		
15	397715	0.08	0.002		
16	397716	0.08	0.002		
17	397717	<0.03	<0.001		
18	397718	<0.03	<0.001		
19	397719	0.24	0.007	96.7	2.820
20	397720	0.16	0.005	262	7.641
21	397721	0.05	0.001		

ECO TECH LABORATORY LTD.

Jutta Jealous

B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
22	397722	<0.03	<0.001		
23	397723	0.03	0.001		
24	397724	<0.03	<0.001		
25	397725	<0.03	<0.001		
26	397726	<0.03	<0.001		
27	397727	<0.03	<0.001		
28	397728	<0.03	<0.001		
29	397729	<0.03	<0.001		
30	397730	0.03	0.001		
31	397731	0.06	0.002		
32	397732	<0.03	<0.001		
33	397733	<0.03	<0.001		
34	397734	<0.03	<0.001		
35	397735	10.3	0.300		
36	397736	<0.03	<0.001		
37	397737	<0.03	<0.001		
38	397738	0.03	0.001		
39	397739	<0.03	<0.001		
40	397740	<0.03	<0.001		
41	397741	<0.03	<0.001		
42	397742	<0.03	<0.001		
43	397743	<0.03	<0.001		
44	397744	<0.03	<0.001		
45	397745	<0.03	<0.001		
46	397746	<0.03	<0.001		
47	397747	0.56	0.016		
48	397748	0.19	0.006		
49	397749	0.09	0.003		
50	397750	<0.03	<0.001		
51	397751	<0.03	<0.001		
52	397752	0.04	0.001		
53	397753	0.06	0.002		
54	397754	0.04	0.001		
55	397755	0.10	0.003		
56	397756	0.11	0.003		
57	397757	0.03	0.001		
58	397758	<0.03	<0.001		
59	397759	<0.03	<0.001		
60	397760	<0.03	<0.001		
61	397761	<0.03	<0.001		
62	397762	<0.03	<0.001		
63	397763	0.03	0.001		
64	397764	<0.03	<0.001		
65	397765	<0.03	<0.001		

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
66	397766	<0.03	<0.001		
67	397767	<0.03	<0.001		
68	397768	<0.03	<0.001		
69	397769	<0.03	<0.001		
70	397770	<0.03	<0.001		
71	397771	0.21	0.006		
72	397772	<0.03	<0.001		
73	397773	<0.03	<0.001		
74	397774	<0.03	<0.001		
75	397775	9.97	0.291		
76	397776	<0.03	<0.001		
77	397777	<0.03	<0.001		
78	397778	<0.03	<0.001		
79	397779	<0.03	<0.001		
80	397780	<0.03	<0.001		
81	397781	<0.03	<0.001		
82	397782	0.07	0.002		
83	397783	<0.03	<0.001		
84	397784	<0.03	<0.001		
85	397785	<0.03	<0.001		
86	397786	<0.03	<0.001		
87	397787	0.17	0.005		
88	397788	0.30	0.009		
89	397789	0.04	0.001		
90	397790	<0.03	<0.001		
91	397791	<0.03	<0.001		
92	397792	0.08	0.002		
93	397793	<0.03	<0.001		
94	397794	0.06	0.002		
95	397795	<0.03	<0.001		
96	397796	<0.03	<0.001		
97	397797	<0.03	<0.001		
98	397798	<0.03	<0.001		
99	397799	0.03	0.001		
100	397800	0.04	0.001		
101	397801	<0.03	<0.001		
102	397802	10.3	0.300		
103	397803	<0.03	<0.001		
104	397804	<0.03	<0.001		
105	397805	0.10	0.003		
106	397806	<0.03	<0.001		
107	397807	<0.03	<0.001		
108	397808	0.03	0.001		

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
109	397809	<0.03	<0.001		
110	397810	<0.03	<0.001		
111	397811	<0.03	<0.001		
112	397812	<0.03	<0.001		
113	397813	<0.03	<0.001		
114	397814	<0.03	<0.001		
115	397815	0.06	0.002		
116	397816	<0.03	<0.001		
117	397817	<0.03	<0.001		
118	397818	<0.03	<0.001		
119	397819	<0.03	<0.001		
120	397820	<0.03	<0.001		
121	397821	0.27	0.008		
122	397822	0.33	0.010		
123	397823	0.66	0.019		
124	397824	0.52	0.015		
125	397825	0.88	0.026		
126	397826	0.09	0.003		
127	397827	0.89	0.026		
128	397828	<0.03	<0.001		
129	397829	10.3	0.300		
130	397830	0.04	0.001		
131	397831	<0.03	<0.001		
132	397832	<0.03	<0.001		
133	397833	0.50	0.015		
134	397834	0.61	0.018		
135	397835	0.04	0.001		
136	397836	0.53	0.015		
137	397837	0.22	0.006		
138	397838	0.22	0.006		
139	397839	0.12	0.003		
140	397840	0.10	0.003		
141	397841	<0.03	<0.001		
142	397842	0.07	0.002		
143	397843	<0.03	<0.001		
144	397844	0.40	0.012		
145	397845	0.32	0.009		
146	397846	0.10	0.003		
147	397847	0.10	0.003		
148	397848	0.09	0.003		
149	397849	<0.03	<0.001		
150	397850	0.04	0.001		
151	398201	0.15	0.004		
152	398202	0.11	0.003		

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
153	398203	0.03	0.001		
154	398204	0.03	0.001		
155	398205	0.31	0.009		
156	398206	<0.03	<0.001		
157	398207	<0.03	<0.001		
158	398208	<0.03	<0.001		
159	398209	0.09	0.003		
160	398210	<0.03	<0.001		
161	398211	0.15	0.004		
162	398212	0.34	0.010		
163	398213	0.30	0.009		
164	398214	0.05	0.001		
165	398215	<0.03	<0.001		
166	398216	0.06	0.002		
167	398217	0.04	0.001		
168	398218	<0.03	<0.001		
169	398219	0.23	0.007		
170	398220	<0.03	<0.001		
171	398221	<0.03	<0.001		
172	398222	<0.03	<0.001		
173	398223	0.35	0.010		
174	398224	0.16	0.005		
175	398225	10.1	0.295		
176	398226	0.21	0.006		
177	398227	<0.03	<0.001		
178	398228	<0.03	<0.001		
179	398229	0.15	0.004		
180	398230	0.20	0.006		
181	398231	0.10	0.003		
182	398232	<0.03	<0.001		
183	398233	<0.03	<0.001		
184	398234	0.10	0.003		
185	398235	0.21	0.006		
186	398236	0.08	0.002		
187	398237	0.04	0.001		
188	398238	0.14	0.004		
189	398239	<0.03	<0.001		
190	398240	<0.03	<0.001		
191	398241	0.05	0.001		
192	398242	0.05	0.001		
193	398243	0.07	0.002		
194	398244	<0.03	<0.001		
195	398245	9.98	0.291		

ECO TECH LABORATORY LTD.

Jutta Jealouse

B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
196	398246	0.03	0.001		
197	398247	0.16	0.005		
198	398248	2.40	0.070		
199	398249	1.44	0.042		
200	398250	<0.03	<0.001		
201	398251	0.10	0.003		
202	398252	0.10	0.003		
203	398253	<0.03	<0.001		
204	398254	<0.03	<0.001		
205	398255	0.26	0.008		
206	398256	0.12	0.003		
207	398257	0.33	0.010		
208	398258	0.11	0.003		
209	398259	0.18	0.005		
210	398260	<0.03	<0.001		
211	398261	1.03	0.030		
212	398262	0.16	0.005		
213	398263	0.71	0.021		
214	398264	0.04	0.001		
215	398265	10.2	0.297		
216	398266	<0.03	<0.001		
217	398267	<0.03	<0.001		
218	398268	<0.03	<0.001		
219	398269	0.07	0.002		
220	398270	0.09	0.003		
221	398271	<0.03	<0.001		
222	398272	0.07	0.002		
223	398273	<0.03	<0.001		
224	398274	0.33	0.010		
225	398275	0.03	0.001		
226	398276	<0.03	<0.001		
227	398277	0.15	0.004		
228	398278	<0.03	<0.001		
229	398279	<0.03	<0.001		
230	398280	10.3	0.300		
231	398281	<0.03	<0.001		
232	398282	0.36	0.010		
233	398283	0.14	0.004		
234	398284	<0.03	<0.001		
235	398285	0.13	0.004		
236	398286	0.34	0.010		

ECO TECH LABORATORY LTD.
 Jutta Jealouse
 B.C. Certified Assayer

Aurum Geological Cons. Inc. AW7- 7267

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)
QC DATA:					
Repeat:					
1	397701	<0.03	<0.001		
10	397710	<0.03	<0.001		
19	397719	0.25	0.007	96.2	2.805
36	397736	<0.03	<0.001		
45	397745	<0.03	<0.001		
54	397754	<0.03	<0.001		
71	397771	0.20	0.006		
80	397780	<0.03	<0.001		
89	397789	0.03	0.001		
106	397806	<0.03	<0.001		
115	397815	0.06	0.002		
124	397824	0.64	0.019		
141	397841	<0.03	<0.001		
150	397850	0.03	0.001		
155	398205	0.24	0.007		
159	398209	0.09	0.003		
162	398212	0.34	0.010		
173	398223	0.32	0.009		
176	398226	0.20	0.006		
185	398235	0.20	0.006		
194	398244	<0.03	<0.001		
211	398261	0.94	0.027		
220	398270	0.07	0.002		
Resplit:					
1	397701	<0.03	<0.001		
36	397736	<0.03	<0.001		
71	397771	0.16	0.005		
106	397806	<0.03	<0.001		
141	397841	0.31	0.009		
176	398226	0.17	0.005		
211	398261	1.12	0.033		
Standard:					
SE29		0.60	0.017		
SE29		0.59	0.017		
OXI54		1.82	0.053		
OXI54		1.88	0.055		
OXI54		1.91	0.056		
OXI54		1.85	0.054		
OXI54		1.88	0.055		
Pb113				22.5	0.656

JJ/jl
XLS/07

ECO TECH LABORATORY LTD.
Jutta Jealouse
B.C. Certified Assayer

ECO TECH LABORATORY LTD.

10041 Dallas Drive

KAMLOOPS, B.C.

V2C 6T4

ICP CERTIFICATE OF ANALYSIS AK 2007- 7267

Aurum Geological Cons. Inc.

106A Granite Road

Whitehorse, YK

Y1A 2V9

Phone: 250-573-5700

Fax : 250-573-4557

No. of samples received: 236

Sample Type: Core

Project: Mahtin

Submitted by: Al Doherty

Values in ppm unless otherwise reported

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
1	397701	1.0	1.87	995	110	<5	8.15	10	7	43	143	2.18	20	0.25	453	3	0.12	16	1180	70	225	<20	172	0.03	<10	17	<10	7	168
2	397702	0.7	2.66	105	75	<5	7.43	<1	5	40	62	0.60	20	0.48	233	3	0.14	9	1130	64	35	<20	166	0.04	<10	13	<10	8	77
3	397703	1.1	2.10	700	65	<5	>10	5	6	29	161	1.52	20	0.37	294	2	0.16	14	1220	50	55	<20	231	0.03	<10	14	<10	9	88
4	397704	0.5	2.42	445	35	5	7.85	2	4	27	46	0.76	20	0.32	110	2	0.08	9	1070	54	25	<20	135	0.04	<10	10	<10	6	50
5	397705	0.9	2.42	65	40	5	9.95	<1	4	22	45	0.61	20	0.46	188	3	0.20	9	1250	58	65	<20	198	0.03	<10	11	<10	7	63
6	397706	0.7	1.36	245	195	10	>10	5	7	32	57	1.81	20	0.70	1284	2	0.06	14	1160	66	700	<20	348	0.03	<10	17	<10	10	160
7	397707	0.3	2.81	95	205	5	7.00	<1	5	23	37	0.70	20	0.70	181	4	0.24	12	990	60	40	<20	334	0.05	<10	13	<10	7	37
8	397708	0.5	1.98	155	175	15	5.91	<1	8	35	110	2.16	20	0.60	227	3	0.22	18	1150	42	90	<20	228	0.04	<10	17	<10	7	36
9	397709	0.2	3.29	110	565	<5	8.76	<1	6	33	23	1.54	30	0.88	313	4	0.20	18	1200	64	165	<20	532	0.04	<10	24	<10	7	59
10	397710	1.0	2.80	160	160	5	7.91	2	6	41	65	1.50	10	3.68	550	5	0.15	13	1070	54	135	<20	301	0.05	<10	30	<10	8	44
11	397711	0.3	2.42	60	65	10	>10	1	7	30	49	1.00	20	0.47	468	5	0.16	14	1210	88	790	<20	532	0.04	<10	20	<10	10	55
12	397712	0.4	2.94	285	110	5	>10	2	5	36	21	0.79	20	0.72	274	3	0.14	8	1160	64	55	<20	282	0.04	<10	13	<10	7	98
13	397713	0.5	2.58	425	145	<5	7.33	<1	4	25	80	0.92	20	0.61	157	<1	0.13	4	1100	58	5	<20	195	0.04	<10	15	<10	6	68
14	397714	2.1	0.86	>10000	75	195	1.08	392	25	27	1487	>10	<10	0.29	170	11	0.06	21	620	28	535	<20	34	0.05	<10	15	<10	<1	90
15	397715	1.1	1.46	>10000	65	15	1.85	87	16	36	881	>10	10	0.60	176	10	0.07	19	1200	40	180	<20	51	0.04	<10	20	<10	<1	81
16	397716	0.9	2.07	>10000	60	10	3.16	105	15	35	691	7.75	<10	0.56	237	7	0.13	19	1180	48	135	<20	84	0.04	<10	16	<10	<1	68
17	397717	0.4	3.27	2745	85	<5	7.98	13	4	30	129	1.22	20	0.46	118	4	0.30	6	1240	68	30	<20	323	0.03	<10	12	<10	5	87
18	397718	<0.2	2.29	90	435	5	9.68	1	2	27	7	1.08	20	0.97	338	3	0.10	9	1150	50	225	<20	358	0.03	<10	12	<10	9	128
19	397719	>30	0.12	>10000	50	20	4.12	519	23	40	2825	8.79	<10	0.05	450	5	<0.01	12	250	316	3290	<20	203	0.03	<10	3	<10	<1	221
20	397720	>30	0.13	>10000	55	<5	0.98	95	10	39	4873	>10	<10	<0.01	634	9	<0.01	21	730	212	2760	<20	36	0.02	<10	2	<10	<1	298
21	397721	21.7	0.57	680	50	310	2.99	9	8	42	833	9.19	<10	0.40	774	6	0.01	22	980	652	990	<20	73	0.03	<10	14	<10	2	106
22	397722	3.4	1.18	440	65	<5	8.87	5	7	38	214	3.92	10	0.57	726	6	0.07	19	860	54	700	<20	169	0.02	<10	17	<10	7	88
23	397723	2.6	1.03	>10000	80	60	8.12	69	10	38	290	4.47	20	0.62	528	5	0.07	24	850	76	640	<20	172	0.02	<10	19	<10	7	95
24	397724	0.3	3.05	50	165	<5	8.48	<1	2	21	27	0.37	20	0.41	184	5	0.41	7	1140	68	40	<20	334	0.04	<10	8	<10	8	69
25	397725	<0.2	0.62	35	180	5	0.41	<1	9	70	5	1.88	<10	0.51	203	<1	0.07	8	780	16	5	<20	29	0.11	<10	57	<10	<1	24

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
26	397726	0.4	2.47	70	305	15	>10	<1	4	31	21	0.66	20	0.33	213	4	0.29	11	1230	72	155	<20	374	0.04	<10	14	<10	14	80
27	397727	0.2	2.31	60	80	10	9.80	<1	4	32	20	0.41	20	0.43	164	<1	0.20	6	2060	78	30	<20	269	0.04	<10	12	<10	9	68
28	397728	0.6	1.61	1055	300	5	>10	8	3	24	27	0.75	20	0.53	237	3	0.09	10	1890	60	105	<20	268	0.02	<10	10	<10	9	47
29	397729	<0.2	2.18	100	50	<5	>10	<1	4	29	21	0.32	20	0.10	133	2	0.15	10	1800	72	30	<20	217	0.03	<10	8	<10	9	36
30	397730	0.2	2.06	225	360	10	>10	1	3	32	21	0.61	20	0.23	166	3	0.06	11	1330	64	60	<20	377	0.03	<10	13	<10	9	61
31	397731	0.4	1.27	835	180	5	>10	7	8	54	23	1.87	20	0.33	689	2	0.01	17	1040	70	8875	<20	488	0.02	<10	16	<10	8	132
32	397732	1.2	2.24	1175	165	<5	6.71	6	5	37	74	1.18	20	0.45	185	3	0.13	13	920	60	105	<20	166	0.03	<10	12	<10	5	40
33	397733	0.8	2.34	1485	235	<5	7.77	7	6	33	52	1.31	20	0.54	210	5	0.14	14	1050	62	135	<20	214	0.03	<10	13	<10	6	47
34	397734	0.5	1.01	230	195	<5	9.92	3	5	41	38	1.99	20	0.50	906	2	0.05	12	880	38	1985	<20	362	0.02	<10	15	<10	9	124
35	397735	8.3	0.26	440	45	10	0.13	2	23	910	52	3.42	<10	0.03	191	16	0.01	742	370	12	60	<20	5	0.01	<10	19	<10	2	28
36	397736	0.3	1.56	310	255	<5	>10	3	5	30	36	1.60	20	0.65	892	3	0.06	13	1030	50	170	<20	205	0.02	<10	18	<10	8	113
37	397737	<0.2	1.62	155	330	10	>10	2	7	38	19	1.62	20	0.59	932	3	0.02	16	950	58	230	<20	176	0.03	<10	27	<10	7	82
38	397738	0.2	1.21	385	645	15	>10	3	5	33	12	2.40	20	0.58	1387	3	<0.01	17	950	42	350	<20	180	0.03	<10	27	<10	9	73
39	397739	0.3	0.79	155	305	<5	>10	2	6	33	24	1.71	20	0.33	1216	2	<0.01	14	790	40	1270	<20	157	0.02	<10	15	<10	8	73
40	397740	<0.2	0.81	130	240	10	>10	2	5	17	17	2.07	20	0.27	2264	2	<0.01	11	570	44	80	<20	128	0.03	<10	14	<10	10	89
41	397741	<0.2	1.48	260	445	5	>10	2	4	19	25	1.86	20	0.79	1580	3	0.04	11	750	36	85	<20	289	0.02	<10	15	<10	9	44
42	397742	<0.2	2.60	55	1220	10	8.22	<1	<1	17	12	0.69	20	2.98	386	4	0.08	8	1170	60	55	<20	708	0.03	<10	10	<10	9	47
43	397743	0.2	2.59	55	90	<5	>10	<1	5	22	25	0.77	20	1.20	184	5	0.05	12	960	62	40	<20	394	0.03	<10	16	<10	6	38
44	397744	0.4	2.21	65	190	5	>10	<1	4	30	23	0.67	20	0.71	150	3	0.04	11	1090	64	30	<20	337	0.04	<10	11	<10	7	59
45	397745	<0.2	2.20	50	95	<5	>10	<1	4	19	55	0.88	20	0.31	117	2	0.15	11	990	64	15	<20	374	0.02	<10	9	<10	4	53
46	397746	0.3	1.13	690	115	5	9.91	1	5	21	118	1.76	20	0.35	154	1	0.07	7	1130	36	10	<20	277	0.02	<10	10	<10	5	29
47	397747	4.9	0.61	>10000	55	125	2.98	261	21	43	556	7.52	<10	0.64	291	6	0.03	17	960	28	365	<20	163	0.03	<10	9	<10	2	113
48	397748	18.5	0.54	6530	65	<5	4.08	37	12	59	1327	6.06	20	1.10	403	6	0.01	34	1620	168	915	80	209	0.02	<10	50	<10	8	145
49	397749	7.7	0.26	8525	45	<5	4.97	48	16	28	899	5.50	<10	1.48	479	5	<0.01	27	1490	32	355	<20	286	0.02	<10	13	<10	7	66
50	397750	1.8	0.29	1250	50	<5	5.92	8	14	37	458	4.68	10	1.91	412	6	<0.01	28	1620	18	155	<20	360	0.02	<10	30	<10	9	37
51	397751	<0.2	0.61	25	85	10	0.50	<1	9	52	8	1.87	<10	0.51	180	<1	0.05	6	840	18	<5	<20	30	0.07	<10	52	<10	<1	19
52	397752	11.5	0.27	>10000	60	<5	5.13	62	20	24	1372	7.55	<10	2.17	489	8	<0.01	24	1540	38	1040	<20	330	0.03	<10	18	<10	10	91
53	397753	24.8	0.35	1785	55	<5	6.68	18	11	24	4688	6.50	<10	1.28	466	7	<0.01	24	1240	28	375	200	179	<0.01	<10	14	<10	6	196
54	397754	1.0	2.09	60	30	15	7.39	<1	3	28	87	0.72	20	0.10	136	<1	0.17	2	1240	62	25	<20	204	0.04	<10	9	<10	5	81
55	397755	2.5	1.34	835	55	30	6.35	6	10	37	437	7.40	<10	0.86	405	6	0.07	19	1150	200	425	<20	128	0.03	<10	17	<10	3	65
56	397756	1.3	1.34	1855	70	25	>10	11	9	31	295	5.59	<10	0.69	416	4	0.08	17	1330	140	235	<20	258	0.02	<10	12	<10	5	51
57	397757	2.5	1.89	970	55	25	6.19	6	10	30	334	3.81	20	0.55	333	6	0.18	17	1370	58	40	<20	180	0.03	<10	14	<10	6	55
58	397758	0.5	0.91	175	80	10	1.69	1	16	59	165	2.16	40	0.82	146	4	0.05	35	2210	36	25	<20	59	0.06	<10	47	<10	6	25
59	397759	0.8	1.06	180	50	20	1.81	2	12	91	246	2.80	40	1.26	213	5	0.03	35	2160	40	20	<20	25	0.07	<10	69	<10	6	29
60	397760	3.3	0.27	1765	95	<5	3.41	10	13	42	384	3.79	20	0.54	637	3	<0.01	13	1130	26	135	<20	95	0.02	<10	21	<10	11	91
61	397761	0.6	2.83	75	60	5	7.80	<1	5	35	40	0.59	20	0.38	170	2	0.13	8	1290	78	15	<20	204	0.04	<10	13	<10	6	83
62	397762	4.0	0.30	780	65	390	8.77	8	15	40	621	8.56	<10	0.76	976	7	0.01	28	730	732	710	<20	296	0.04	<10	12	<10	<1	74
63	397763	0.5	2.02	130	55	<5	>10	1	4	25	45	1.03	30	0.38	286	2	0.23	9	1730	86	35	<20	262	0.03	<10	12	<10	9	93
64	397764	0.4	1.49	160	55	25	8.99	3	5	36	37	1.31	20	0.39	397	5	0.06	12	1790	54	60	<20	116	0.03	<10	11	<10	9	135
65	397765	0.3	0.89	95	25	30	>10	1	6	48	17	1.29	20	0.38	505	1	0.01	7	1730	40	50	<20	99	0.06	<10	11	<10	7	96

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
66	397766	1.6	1.19	280	90	15	>10	3	5	41	132	1.81	20	0.47	411	3	0.02	9	1320	42	70	<20	275	0.04	<10	13	<10	7	121
67	397767	0.6	1.32	85	20	20	>10	1	4	40	17	0.65	20	0.23	282	2	0.01	7	1630	60	50	<20	84	0.06	<10	13	<10	7	118
68	397768	0.5	1.79	155	45	15	>10	1	3	27	34	0.88	10	0.43	403	2	0.03	5	1540	68	55	<20	291	0.03	<10	10	<10	8	53
69	397769	0.5	2.45	90	40	15	>10	<1	3	24	17	0.73	10	0.42	251	3	0.04	5	1250	72	50	<20	341	0.04	<10	11	<10	6	50
70	397770	0.6	2.41	95	30	15	8.35	<1	5	28	38	0.50	20	0.22	167	3	0.30	9	1350	86	25	<20	266	0.04	<10	11	<10	8	65
71	397771	1.5	1.38	2735	95	15	8.76	14	7	26	239	2.74	20	0.39	434	4	0.05	12	1160	44	75	<20	184	0.04	<10	12	<10	5	79
72	397772	0.2	0.47	670	80	<5	1.52	4	4	44	63	1.59	20	0.12	159	2	<0.01	4	530	28	115	<20	89	<0.01	<10	9	<10	7	33
73	397773	<0.2	0.54	75	70	<5	2.11	<1	5	38	40	1.72	20	0.37	200	3	<0.01	4	820	30	35	<20	126	0.01	<10	11	<10	9	40
74	397774	0.2	0.40	180	25	<5	2.85	2	6	39	25	2.06	10	0.41	291	3	<0.01	5	860	36	55	<20	124	<0.01	<10	6	<10	10	40
75	397775	9.1	0.28	505	50	10	0.14	1	25	964	55	3.69	<10	0.03	204	17	0.01	793	450	16	55	<20	8	0.01	<10	21	<10	2	32
76	397776	<0.2	0.42	60	20	5	3.52	<1	7	41	21	2.15	20	0.80	364	3	<0.01	7	890	34	40	<20	175	<0.01	<10	8	<10	10	43
77	397777	<0.2	0.43	55	25	<5	1.98	<1	7	39	23	2.06	20	0.41	255	3	<0.01	5	890	38	30	<20	120	<0.01	<10	6	<10	9	43
78	397778	<0.2	0.45	45	30	10	0.64	<1	7	50	30	1.48	20	0.07	161	3	<0.01	5	900	34	30	<20	9	<0.01	<10	8	<10	8	43
79	397779	0.2	0.33	50	20	<5	0.32	<1	6	35	42	1.34	10	0.03	113	2	<0.01	4	740	50	25	<20	13	<0.01	<10	6	<10	7	65
80	397780	<0.2	1.90	165	175	20	0.44	<1	8	53	32	3.07	20	0.47	131	4	0.02	5	780	64	100	<20	7	0.06	<10	33	<10	8	59
81	397781	1.0	0.45	340	35	<5	0.33	2	6	53	95	1.54	30	0.06	92	2	<0.01	7	550	28	55	<20	<1	<0.01	<10	8	<10	8	61
82	397782	8.1	0.21	9735	40	15	0.20	52	14	59	379	4.24	30	<0.01	184	5	<0.01	12	390	206	290	<20	<1	<0.01	<10	3	<10	4	89
83	397783	0.7	0.21	100	20	<5	0.26	<1	6	41	60	2.08	20	0.02	204	3	<0.01	8	340	20	25	<20	<1	<0.01	<10	3	<10	5	41
84	397784	0.4	0.25	215	20	5	0.24	2	5	49	58	1.67	20	0.02	205	3	<0.01	6	240	30	25	<20	3	<0.01	<10	2	<10	7	29
85	397785	3.8	0.22	1210	30	5	0.13	10	5	47	95	1.99	10	<0.01	127	4	<0.01	7	250	42	70	<20	8	<0.01	<10	3	<10	6	115
86	397786	3.9	0.19	555	30	<5	1.07	7	4	43	138	2.09	20	0.01	223	3	<0.01	6	290	162	115	<20	18	<0.01	<10	2	<10	6	158
87	397787	6.7	0.18	>10000	45	145	0.25	314	34	66	505	7.90	<10	<0.01	60	5	<0.01	21	840	250	385	100	<1	0.02	<10	6	<10	1	124
88	397788	3.3	0.11	>10000	55	<5	0.19	170	17	53	1620	9.65	<10	<0.01	51	7	0.01	18	660	278	215	1360	5	0.03	<10	2	<10	<1	247
89	397789	1.5	0.72	130	100	25	1.20	4	10	27	70	2.45	50	0.11	174	3	<0.01	22	2250	74	80	<20	3	<0.01	<10	14	<10	11	323
90	397790	0.2	0.23	265	30	10	0.15	1	3	52	31	1.26	20	0.02	87	3	<0.01	7	320	32	30	<20	<1	<0.01	<10	4	<10	5	38
91	397791	0.7	0.23	345	25	<5	0.17	2	4	47	91	1.44	30	0.02	171	3	<0.01	8	310	28	65	<20	<1	<0.01	<10	4	<10	5	40
92	397792	0.5	0.36	2445	30	50	0.32	16	6	66	58	1.75	20	0.03	327	3	<0.01	10	430	30	55	<20	<1	<0.01	<10	8	<10	8	34
93	397793	0.9	0.21	3480	35	20	0.16	21	5	45	93	2.14	10	0.01	371	3	<0.01	8	330	38	90	<20	4	<0.01	<10	5	<10	4	31
94	397794	2.0	0.20	8950	35	45	0.14	51	4	57	148	2.25	10	0.01	31	3	<0.01	4	240	70	170	<20	4	<0.01	<10	2	<10	4	62
95	397795	0.3	0.21	9795	40	15	0.72	59	5	43	62	2.27	<10	0.14	157	3	<0.01	4	520	58	100	<20	27	<0.01	<10	3	<10	6	30
96	397796	0.2	0.24	85	30	<5	1.59	1	4	42	49	1.48	10	0.34	339	3	<0.01	5	720	70	90	<20	70	<0.01	<10	4	<10	9	48
97	397797	<0.2	0.34	60	35	<5	1.18	7	4	31	34	1.28	10	0.23	243	3	<0.01	4	720	48	50	<20	45	<0.01	<10	5	<10	9	213
98	397798	0.3	0.32	65	30	<5	1.32	2	4	48	43	1.63	10	0.27	327	3	<0.01	5	710	36	50	<20	54	<0.01	<10	5	<10	9	61
99	397799	0.9	0.23	1170	35	<5	0.24	6	4	44	70	1.30	10	0.04	52	4	<0.01	4	280	42	75	<20	8	<0.01	<10	2	<10	5	24
100	397800	1.1	0.25	1600	30	10	0.59	9	5	49	86	1.73	10	0.13	116	3	<0.01	5	280	30	90	<20	21	<0.01	<10	2	<10	5	17
101	397801	0.3	0.30	100	40	5	1.82	<1	4	30	47	1.44	10	0.42	194	2	<0.01	3	590	36	55	<20	92	<0.01	<10	4	<10	9	31
102	397802	8.2	0.28	510	45	15	0.14	3	25	956	55	3.70	<10	0.03	203	17	0.01	786	430	16	60	<20	10	0.02	<10	20	<10	3	33
103	397803	<0.2	0.64	35	85	20	0.52	<1	10	65	6	1.94	<10	0.52	197	2	0.05	9	880	22	10	<20	40	0.09	<10	55	<10	<1	25
104	397804	0.3	0.26	45	45	10	3.69	1	8	35	46	3.17	<10	0.94	322	4	<0.01	6	640	42	60	<20	296	0.01	<10	6	<10	9	37
105	397805	0.9	0.27	760	40	20	3.45	7	10	52	53	3.88	<10	0.95	498	5	<0.01	14	1120	42	60	<20	249	0.02	<10	10	<10	13	64

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 7267

Aurum Geological Cons. Inc.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
-------	-------	----	------	----	----	----	------	----	----	----	----	------	----	------	----	----	------	----	---	----	----	----	----	------	---	---	---	---	----

106	397806	2.3	0.23	695	60	5	2.97	18	10	46	95	3.40	10	0.86	545	6	<0.01	13	940	340	290	<20	256	0.01	<10	17	<10	15	195
107	397807	0.6	0.24	1500	55	5	2.61	18	11	50	59	3.11	<10	0.70	333	4	<0.01	11	790	26	35	<20	242	0.01	<10	10	<10	12	50
108	397808	6.4	0.20	3140	45	15	3.56	42	20	61	188	3.21	<10	0.95	918	5	<0.01	12	900	144	140	<20	282	0.02	<10	8	<10	15	93
109	397809	1.2	0.18	830	60	10	2.65	12	10	50	53	2.93	<10	0.77	611	3	<0.01	10	760	42	40	<20	209	0.02	<10	8	<10	12	59
110	397810	0.2	1.01	490	125	5	1.38	7	10	70	32	2.04	20	0.53	187	4	0.06	15	300	34	15	<20	134	0.06	<10	28	<10	8	46
111	397811	1.4	0.28	905	60	5	2.52	12	10	41	181	3.63	<10	0.76	389	4	<0.01	10	830	38	40	<20	243	0.02	<10	10	<10	12	47
112	397812	0.2	0.32	<5	205	<5	2.35	<1	4	33	26	1.79	10	0.58	317	3	<0.01	3	650	26	25	<20	213	<0.01	<10	6	<10	10	26
113	397813	0.5	0.32	<5	55	5	2.05	4	5	30	46	1.83	<10	0.47	337	3	<0.01	3	640	36	30	<20	169	0.01	<10	5	<10	9	102
114	397814	1.5	0.23	<5	90	<5	1.92	3	5	58	105	1.88	<10	0.46	257	3	<0.01	3	640	104	70	<20	166	0.01	<10	4	<10	8	73
115	397815	0.7	0.23	>10000	45	<5	1.15	109	8	44	126	2.28	10	0.23	146	3	<0.01	6	280	28	75	<20	86	0.01	<10	<1	<10	6	14
116	397816	0.3	0.23	4565	50	<5	1.00	54	7	44	103	1.91	20	0.15	113	4	<0.01	6	250	18	40	<20	62	<0.01	<10	3	<10	7	15
117	397817	<0.2	0.98	530	115	10	1.35	6	11	66	28	2.00	20	0.52	181	2	0.06	16	290	32	15	<20	118	0.08	<10	27	<10	8	24
118	397818	<0.2	1.47	105	150	5	0.99	1	11	89	18	2.55	20	0.74	223	4	0.05	23	330	36	20	<20	89	0.14	<10	51	<10	7	32
119	397819	<0.2	1.33	1305	120	20	1.28	15	11	93	21	2.53	20	0.77	243	4	0.05	24	320	36	30	<20	92	0.13	<10	49	<10	8	31
120	397820	<0.2	1.01	35	75	10	2.44	1	7	60	22	2.14	20	0.59	233	4	0.02	17	390	30	25	<20	189	0.04	<10	21	<10	8	31
121	397821	0.9	1.44	2925	120	55	8.98	33	5	55	25	1.79	10	0.41	520	1	0.02	8	730	164	260	<20	221	0.04	<10	10	<10	4	94
122	397822	<0.2	4.19	50	35	10	>10	<1	2	26	5	0.29	20	0.09	185	3	0.16	1	1070	78	15	<20	443	0.04	<10	7	<10	6	28
123	397823	1.6	2.90	>10000	40	25	8.58	127	8	35	151	3.04	10	0.18	186	5	0.10	7	970	106	110	<20	303	0.02	<10	6	<10	5	27
124	397824	<0.2	0.68	25	15	<5	7.44	1	3	22	2	0.68	20	0.79	223	1	<0.01	5	1340	26	35	<20	132	0.04	<10	6	<10	4	38
125	397825	<0.2	3.52	40	25	<5	>10	<1	2	22	7	0.42	20	0.13	189	2	0.17	<1	1030	62	<5	<20	396	0.04	<10	8	<10	5	44
126	397826	6.1	0.76	6350	90	595	4.25	83	15	29	1532	>10	<10	0.71	563	13	0.01	19	580	1994	1005	<20	238	0.07	<10	10	<10	<1	106
127	397827	0.3	0.81	25	10	25	6.08	<1	3	52	5	0.52	20	0.29	174	2	<0.01	4	1100	28	35	<20	32	0.05	<10	8	<10	3	25
128	397828	<0.2	0.71	15	135	15	0.58	<1	10	66	10	1.93	<10	0.55	214	2	0.08	7	750	28	10	<20	37	0.10	<10	55	<10	<1	22
129	397829	8.6	0.26	420	45	15	0.14	4	23	748	58	3.60	<10	0.02	195	15	0.01	603	370	12	50	<20	14	0.02	<10	18	<10	2	28
130	397830	19.2	1.21	2715	50	115	8.08	33	10	35	1089	6.16	10	0.84	298	5	0.01	11	870	376	195	<20	120	0.07	<10	15	<10	2	91
131	397831	0.3	1.06	260	25	15	>10	3	7	41	55	1.64	20	0.75	421	2	<0.01	9	860	28	40	<20	194	0.05	<10	12	<10	3	64
132	397832	2.2	0.83	45	50	30	>10	4	8	31	424	5.48	<10	0.65	516	5	0.01	13	850	98	70	<20	185	0.05	<10	11	<10	2	45
133	397833	8.4	0.63	>10000	85	60	>10	133	10	29	390	5.50	<10	0.58	754	4	<0.01	10	660	96	300	<20	429	0.03	<10	10	<10	2	69
134	397834	10.3	0.32	>10000	55	95	4.31	129	13	40	328	7.57	<10	0.14	788	6	<0.01	14	640	224	345	40	171	0.03	<10	5	<10	<1	83
135	397835	<0.2	0.86	55	80	20	8.77	1	5	52	10	1.28	20	0.61	431	2	<0.01	6	1080	26	45	<20	178	0.05	<10	9	<10	4	54
136	397836	0.7	1.03	105	145	50	7.14	1	7	39	63	2.25	10	0.61	567	2	0.08	6	1030	28	40	<20	215	0.04	<10	10	<10	4	47
137	397837	4.8	0.63	6005	65	50	5.05	67	14	29	787	8.42	<10	0.50	973	5	<0.01	13	700	216	305	280	236	0.04	<10	9	<10	2	89
138	397838	28.8	0.89	>10000	80	455	2.68	563	28	30	892	>10	<10	0.34	557	17	0.04	35	550	686	295	<20	217	0.04	<10	8	<10	<1	81
139	397839	1.8	1.35	625	155	45	>10	8	8	41	72	2.91	20	0.82	740	2	0.01	10	970	36	60	<20	245	0.05	<10	15	<10	4	86
140	397840	27.5	1.26	>10000	60	150	4.68	323	22	46	940	8.94	10	0.84	653	7	<0.01	18	790	78	90	<20	133	0.07	<10	15	<10	<1	189
141	397841	0.4	1.01	2715	45	30	>10	34	7	49	40	2.21	20	0.74	557	<1	<0.01	6	930	30	40	<20	239	0.07	<10	12	<10	2	57
142	397842	12.8	1.10	>10000	125	185	2.81	281	26	29	1931	>10	10	0.64	713	13	<0.01	21	620	240	250	<20	75	0.08	<10	20	<10	<1	234
143	397843	1.1	1.67	355	85	20	6.44	6	11	39	443	8.94	10	0.71	786	6	0.02	14	1070	42	95	<20	130	0.05	<10	24	<10	3	86
144	397844	25.8	0.98	>10000	115	285	3.61	302	28	26	1599	>10	<10	0.46	749	13	<0.01	18	420	112	350	<20	78	0.07	<10	11	<10	<1	69
145	397845	1.3	1.31	65	105	70	>10	2	9	30	27	2.52	30	0.49	711	3	0.01	14	940	38	55	<20	201	0.02	<10	22	<10	8	112

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 7267

Aurum Geological Cons. Inc.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
146	397846	13.6	1.30	1450	85	90	>10	21	10	28	190	3.68	20	0.63	769	4	0.02	14	870	90	265	<20	184	0.02	<10	17	<10	7	120

147	397847	16.4	1.78	7410	95	160	>10	105	13	39	262	3.98	10	0.61	680	6	0.04	14	940	280	295	<20	174	0.03	<10	17	<10	3	522
148	397848	7.6	1.30	>10000	65	105	>10	185	13	43	216	4.29	10	0.22	889	7	0.07	17	550	274	425	<20	201	0.03	<10	10	<10	4	38
149	397849	0.4	1.23	3795	130	30	0.76	57	14	87	75	2.74	40	0.78	262	5	0.08	12	880	34	15	<20	25	0.17	<10	66	<10	11	48
150	397850	0.7	1.11	1215	155	15	0.82	18	12	83	143	2.21	40	0.69	237	4	0.08	9	930	34	10	<20	49	0.17	<10	59	<10	11	38
151	398201	2.1	1.93	6470	70	40	8.26	93	13	35	292	3.81	20	0.68	826	5	0.25	17	1160	46	75	<20	175	0.03	<10	21	<10	5	58
152	398202	2.5	2.15	6970	55	40	4.83	102	22	37	569	5.23	20	0.60	342	6	0.18	20	1120	50	40	<20	90	0.03	<10	21	<10	3	35
153	398203	4.3	1.96	4705	70	<5	5.47	68	9	39	693	3.48	20	0.85	298	5	0.12	15	1060	54	55	<20	119	0.03	<10	24	<10	5	63
154	398204	1.0	2.19	425	80	25	6.34	6	6	28	148	1.77	20	0.63	231	3	0.17	11	1230	60	20	<20	149	0.04	<10	12	<10	7	52
155	398205	0.3	2.59	145	85	65	7.39	2	13	34	120	3.03	20	0.54	564	3	0.35	17	1570	56	25	<20	167	0.04	<10	19	<10	3	45
156	398206	<0.2	1.22	315	465	15	>10	5	5	31	36	2.07	20	0.29	645	2	0.13	13	1070	44	125	<20	410	0.02	<10	17	<10	7	87
157	398207	<0.2	2.34	230	75	5	>10	4	8	31	79	2.74	20	0.55	715	4	0.33	11	1190	52	65	<20	335	0.03	<10	19	<10	5	51
158	398208	0.8	2.80	80	210	5	7.47	<1	7	28	130	1.19	20	0.38	324	2	0.41	13	1600	68	35	<20	202	0.05	<10	13	<10	7	61
159	398209	2.2	0.87	>10000	75	85	7.87	524	18	29	430	6.55	10	0.42	525	5	0.11	19	1090	34	600	<20	167	0.03	<10	12	<10	5	92
160	398210	0.2	2.08	750	345	15	8.16	11	8	39	67	2.94	20	1.13	567	5	0.15	9	1070	50	115	<20	177	0.03	<10	24	<10	6	87
161	398211	0.2	1.75	1485	130	55	9.59	19	13	42	78	3.09	20	1.02	698	5	0.13	14	1210	44	120	<20	222	0.02	<10	26	<10	6	72
162	398212	0.2	0.67	120	25	20	>10	3	5	40	25	1.14	20	0.36	704	2	0.01	8	1130	36	125	<20	121	0.06	<10	9	<10	5	129
163	398213	1.6	0.95	105	15	10	9.72	2	4	47	90	0.77	20	0.28	493	1	<0.01	5	860	42	80	<20	66	0.05	<10	8	<10	3	71
164	398214	0.3	1.92	830	100	10	8.13	12	7	22	28	0.72	20	0.78	208	2	0.07	11	1020	68	415	<20	290	0.03	<10	9	<10	7	53
165	398215	1.9	1.67	495	95	5	8.76	8	6	35	257	2.78	20	0.69	451	3	0.14	10	850	70	55	<20	206	0.03	<10	13	<10	6	111
166	398216	13.0	0.24	5730	75	40	5.96	85	13	20	854	9.01	10	0.87	1126	8	<0.01	20	780	76	365	<20	254	0.03	<10	7	<10	4	110
167	398217	1.9	1.26	3415	80	15	9.77	47	8	25	308	3.44	20	1.03	629	4	0.11	12	1170	52	145	<20	195	0.03	<10	10	<10	5	92
168	398218	<0.2	1.79	75	370	<5	>10	<1	3	24	20	0.71	20	1.72	362	2	0.03	7	1480	54	40	<20	345	0.03	<10	11	<10	8	43
169	398219	<0.2	2.09	60	170	<5	>10	<1	4	30	24	0.43	30	0.75	186	4	0.07	10	1710	66	40	<20	362	0.03	<10	12	<10	9	32
170	398220	<0.2	0.74	20	120	20	0.62	<1	11	65	17	2.04	<10	0.59	224	2	0.06	9	890	22	<5	<20	39	0.12	<10	61	<10	2	22
171	398221	0.4	2.02	105	85	<5	8.96	1	6	39	243	1.15	20	0.18	122	3	0.02	9	1690	68	25	<20	169	0.05	<10	11	<10	8	46
172	398222	0.9	1.96	255	170	10	>10	3	6	37	82	1.24	20	0.36	178	2	0.02	10	1670	66	25	<20	229	0.04	<10	12	<10	5	59
173	398223	26.6	0.61	>10000	80	220	9.43	364	11	41	1183	5.64	<10	0.59	1166	5	0.01	12	740	378	1420	<20	372	0.03	<10	10	<10	4	149
174	398224	22.0	0.57	>10000	80	240	8.37	297	12	28	2434	8.80	<10	0.45	402	7	<0.01	12	880	24	580	<20	162	0.02	<10	9	<10	3	100
175	398225	8.3	0.25	440	45	15	0.15	5	23	744	58	3.61	<10	0.03	194	16	0.01	606	380	12	55	<20	12	0.02	<10	18	<10	3	29
176	398226	2.2	1.26	>10000	90	50	3.29	416	20	23	934	>10	10	0.53	144	13	0.01	21	1130	28	260	<20	97	0.04	<10	7	<10	<1	20
177	398227	1.1	1.61	660	30	<5	8.36	6	4	21	313	2.26	20	0.11	112	<1	0.17	5	960	42	<5	<20	218	0.03	<10	6	<10	5	21
178	398228	1.6	1.94	570	50	<5	5.14	3	7	36	684	6.31	10	0.18	122	3	0.29	7	900	46	15	<20	112	0.04	<10	7	<10	2	25
179	398229	12.2	1.33	>10000	75	240	4.06	405	18	21	1349	>10	10	0.58	331	6	0.06	12	650	350	670	<20	102	0.04	<10	8	<10	<1	95
180	398230	20.5	1.15	>10000	75	270	3.08	585	20	26	1832	>10	10	0.67	262	14	0.07	23	440	518	875	280	77	0.02	<10	6	<10	<1	112
181	398231	1.5	2.92	470	230	10	9.99	5	1	10	180	0.58	20	2.29	445	3	0.29	5	1130	62	60	<20	919	0.02	<10	5	<10	7	27
182	398232	0.4	2.56	110	120	<5	>10	<1	2	20	29	0.39	20	0.58	361	2	0.30	5	1130	58	25	<20	653	0.02	<10	8	<10	7	29
183	398233	0.3	2.65	90	560	<5	>10	<1	<1	15	35	0.24	20	1.41	304	2	0.29	3	1130	54	30	<20	693	0.02	<10	6	<10	6	28
184	398234	1.2	2.74	6140	170	15	5.75	56	3	11	189	1.09	20	3.30	271	<1	0.19	<1	1110	62	45	<20	590	0.02	<10	6	<10	5	30
185	398235	11.2	0.45	>10000	85	85	>10	264	10	26	1643	3.85	20	0.17	504	3	0.01	13	670	22	110	<20	139	0.01	<10	10	<10	5	99

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 7267

Aurum Geological Cons. Inc.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
186	398236	6.9	0.24	9640	40	<5	6.77	114	13	34	1326	4.20	20	1.39	895	7	<0.01	26	1340	30	315	280	361	<0.01	<10	21	<10	10	112
187	398237	3.5	0.25	860	45	<5	7.67	13	16	36	401	4.64	10	2.13	987	6	<0.01	29	1630	54	295	<20	540	0.02	<10	24	<10	12	103

188	398238	3.0	0.22	4045	40	280	6.22	46	15	32	310	4.80	10	1.76	1531	6	<0.01	26	1380	82	225	<20	323	0.03	<10	13	<10	10	53
189	398239	0.7	0.26	285	35	<5	6.87	7	16	30	192	4.29	10	2.24	1707	6	<0.01	33	1640	36	180	<20	425	0.04	<10	18	<10	13	84
190	398240	<0.2	0.57	15	180	10	0.40	<1	8	64	6	1.76	<10	0.51	198	<1	0.06	3	760	16	<5	<20	32	0.10	<10	54	<10	<1	22
191	398241	12.8	0.18	8880	60	<5	3.93	105	12	36	3706	8.66	<10	1.79	956	6	<0.01	18	880	98	525	<20	254	0.03	<10	9	<10	3	185
192	398242	14.0	0.13	4300	70	<5	2.68	52	12	27	2185	>10	<10	1.61	946	11	<0.01	22	660	94	1060	<20	233	0.03	<10	5	<10	<1	142
193	398243	18.3	0.20	>10000	55	<5	>10	112	15	21	2058	7.30	10	0.95	875	7	<0.01	23	910	220	1475	<20	264	0.02	<10	10	<10	3	142
194	398244	0.2	0.23	60	30	<5	4.18	<1	4	25	12	1.27	10	0.04	265	1	<0.01	1	630	22	40	<20	36	<0.01	<10	3	<10	7	23
195	398245	8.1	0.24	430	35	10	0.13	4	20	698	53	3.26	<10	0.03	178	14	0.01	570	360	10	60	<20	5	0.01	<10	17	<10	1	27
196	398246	0.3	1.97	85	155	<5	4.57	<1	2	33	19	0.56	20	0.25	140	2	0.17	5	620	50	15	<20	467	0.02	<10	7	<10	5	21
197	398247	0.3	1.79	55	245	5	6.23	<1	3	32	15	0.85	20	0.70	218	4	0.15	7	760	46	35	<20	309	0.02	<10	10	<10	4	38
198	398248	0.4	1.41	20	60	5	2.50	<1	10	43	191	2.19	20	0.27	113	<1	0.18	12	1980	36	<5	<20	93	0.07	<10	16	<10	10	16
199	398249	2.3	3.04	85	120	315	5.35	<1	11	30	634	3.11	20	0.35	148	4	0.20	11	1020	66	15	<20	264	0.05	<10	14	<10	4	21
200	398250	1.6	3.77	55	170	210	6.30	<1	7	31	444	1.99	20	0.36	151	3	0.20	10	1100	80	15	<20	384	0.04	<10	15	<10	4	24
201	398251	1.2	2.43	80	65	<5	7.72	<1	9	26	787	5.50	20	0.41	295	5	0.19	11	760	52	10	<20	201	0.02	<10	13	<10	4	34
202	398252	2.7	1.46	>10000	70	15	4.94	142	14	48	1060	6.64	20	0.87	253	8	0.05	16	640	34	50	<20	117	0.02	<10	28	<10	1	37
203	398253	0.7	1.21	875	30	5	4.28	9	6	45	189	0.95	10	0.08	119	<1	0.04	6	790	32	10	<20	133	0.04	<10	8	<10	1	33
204	398254	0.2	2.96	60	35	5	4.82	<1	3	30	16	0.33	10	0.04	94	1	0.14	2	890	70	5	<20	341	0.03	<10	6	<10	3	34
205	398255	0.3	4.23	210	35	25	4.67	1	4	15	42	0.59	20	0.04	85	5	0.22	4	860	98	20	<20	444	0.03	<10	7	<10	4	16
206	398256	0.2	3.88	65	20	10	5.22	<1	3	20	7	0.27	10	0.05	98	3	0.18	2	890	88	15	<20	522	0.03	<10	7	<10	3	27
207	398257	0.3	3.90	100	20	35	4.01	<1	6	21	25	0.50	10	0.03	80	3	0.19	5	850	90	10	<20	390	0.03	<10	7	<10	3	14
208	398258	0.4	3.72	70	20	10	4.27	<1	4	23	16	0.44	20	0.07	113	7	0.14	4	850	92	25	<20	373	0.02	<10	9	<10	4	26
209	398259	0.4	4.09	70	20	10	4.47	<1	5	16	71	0.70	20	0.04	90	5	0.21	3	940	94	15	<20	298	0.04	<10	6	<10	4	23
210	398260	<0.2	0.61	15	150	<5	0.41	<1	9	65	12	1.81	<10	0.54	191	<1	0.06	4	770	18	<5	<20	31	0.10	<10	55	<10	<1	20
211	398261	1.1	3.65	95	20	20	3.63	<1	14	19	308	2.01	20	0.10	128	8	0.18	12	780	88	25	<20	284	0.02	<10	9	<10	2	22
212	398262	0.4	2.60	55	30	<5	2.53	<1	7	20	129	1.03	20	0.12	79	3	0.17	6	1100	66	5	<20	195	0.04	<10	11	<10	4	16
213	398263	2.6	0.97	680	35	<5	1.25	6	36	33	1268	4.81	10	0.11	86	4	0.08	26	1130	26	<5	<20	47	0.06	<10	10	<10	2	29
214	398264	0.7	1.11	510	150	30	0.86	4	11	72	135	2.10	40	0.71	225	4	0.08	10	1060	34	10	<20	38	0.15	<10	60	<10	10	42
215	398265	8.8	0.25	490	40	5	0.13	3	20	699	55	3.47	<10	0.03	186	14	0.01	575	380	10	55	<20	7	0.04	<10	17	<10	1	31
216	398266	0.4	1.11	590	155	10	0.66	5	11	84	86	2.18	40	0.71	249	4	0.09	11	940	32	15	<20	28	0.18	<10	58	<10	8	43
217	398267	0.2	1.29	100	160	15	0.91	<1	11	78	43	2.28	40	0.72	247	4	0.09	10	950	36	15	<20	119	0.17	<10	58	<10	10	40
218	398268	0.3	0.98	1630	100	20	0.96	11	10	83	76	2.48	40	0.76	222	5	0.06	11	910	30	20	<20	39	0.11	<10	55	<10	10	28
219	398269	0.3	1.00	>10000	75	75	0.76	77	11	86	68	3.14	40	0.79	210	2	0.06	10	810	30	20	<20	22	0.09	<10	56	<10	10	30
220	398270	0.4	0.93	>10000	65	115	0.62	114	13	117	65	3.52	40	0.70	200	4	0.06	13	750	28	25	<20	15	0.07	<10	52	<10	9	30
221	398271	0.3	2.10	125	80	<5	5.95	<1	5	28	44	1.06	20	0.19	279	3	0.38	7	1030	52	20	<20	93	0.03	<10	10	<10	3	21
222	398272	0.3	1.26	110	75	<5	6.85	<1	4	37	57	1.03	20	0.20	328	<1	0.22	2	850	32	20	<20	82	0.03	<10	8	<10	3	22
223	398273	0.2	2.85	75	1870	<5	6.65	<1	<1	11	25	1.58	20	3.96	456	3	0.22	5	1160	64	60	<20	1076	0.02	<10	9	<10	6	38
224	398274	1.8	1.18	120	105	45	>10	2	7	30	161	4.35	20	0.88	723	4	0.01	13	780	70	55	<20	365	0.05	<10	18	<10	4	40
225	398275	0.7	1.25	485	175	20	0.77	4	10	97	96	2.11	40	0.71	259	3	0.11	11	920	34	15	<20	37	0.17	<10	58	<10	11	43

ECO TECH LABORATORY LTD.

ICP CERTIFICATE OF ANALYSIS AK 2007- 7267

Aurum Geological Cons. Inc.

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
226	398276	0.7	2.52	45	60	<5	6.26	<1	3	28	93	0.46	30	0.13	111	<1	0.27	4	1070	58	<5	<20	211	0.03	<10	5	<10	8	45
227	398277	3.5	1.26	>10000	80	70	4.79	365	31	39	1044	8.42	20	0.90	366	8	0.06	28	710	32	95	<20	81	0.02	<10	26	<10	5	42
228	398278	0.7	3.34	95	20	<5	9.01	<1	4	18	107	0.40	30	0.03	130	3	0.26	9	1070	70	<5	<20	311	0.03	<10	5	<10	6	38

229	398279	<0.2	0.64	35	120	<5	0.47	<1	8	68	4	1.80	<10	0.55	206	1	0.06	7	780	16	5	<20	45	0.09	<10	55	<10	<1	22
230	398280	8.5	0.25	495	35	10	0.13	3	21	726	56	3.44	<10	0.03	187	14	0.02	593	380	10	55	<20	3	0.01	<10	17	<10	1	29
231	398281	0.5	3.27	365	50	<5	8.39	1	3	26	70	0.52	30	0.14	135	3	0.27	6	1080	72	10	<20	313	0.02	<10	7	<10	6	33
232	398282	10.2	0.74	7200	60	600	9.69	51	15	36	343	5.57	20	0.40	449	4	0.02	19	770	32	330	<20	247	0.02	<10	22	<10	6	88
233	398283	8.9	1.26	>10000	60	<5	5.83	154	13	40	1743	4.58	20	0.53	268	6	0.14	17	690	34	70	<20	184	<0.01	<10	22	<10	4	89
234	398284	0.5	0.16	60	200	15	>10	<1	4	12	34	3.07	10	1.49	1641	2	<0.01	6	140	10	50	<20	1934	0.02	<10	9	<10	1	18
235	398285	1.3	0.54	3850	80	55	>10	26	13	37	139	4.35	10	1.34	1288	3	<0.01	14	500	34	160	<20	586	0.03	<10	17	<10	6	55
236	398286	29.8	0.30	>10000	65	<5	0.27	233	18	88	1548	>10	<10	<0.01	59	10	<0.01	28	490	192	670	<20	20	0.04	<10	6	<10	<1	117

QC DATA:

Repeat:

1	397701	1.0	1.73	990	110	<5	7.90	10	7	42	139	2.15	20	0.25	448	3	0.11	15	1210	72	215	<20	169	0.03	<10	17	<10	9	169
10	397710	1.0	2.77	165	155	<5	8.01	<1	6	41	64	1.49	10	3.58	547	5	0.14	13	1090	56	130	<20	298	0.05	<10	29	<10	8	42
19	397719	>30	0.11	>10000	60	25	4.15	536	29	37	2777	9.01	<10	0.05	440	5	<0.01	12	240	320	3475	<20	199	0.03	<10	2	<10	<1	239
36	397736	0.3	1.78	375	280	10	>10	4	5	33	38	1.68	20	0.68	925	4	0.07	14	1040	52	190	<20	221	0.03	<10	20	<10	8	112
45	397745	<0.2	2.42	55	100	10	>10	<1	4	20	59	0.89	20	0.32	122	5	0.16	12	1080	70	20	<20	382	0.03	<10	11	<10	6	52
54	397754	1.0	2.06	65	35	25	8.13	<1	4	31	87	0.81	20	0.10	150	3	0.18	5	1220	76	25	<20	211	0.05	<10	10	<10	5	88
61	397761	4.7																											
62	397762	4.1																											
71	397771	1.6	1.37	2600	95	20	8.97	15	8	27	238	2.84	20	0.39	441	2	0.05	11	1150	44	65	<20	186	0.04	<10	11	<10	6	81
80	397780	<0.2	1.78	155	150	15	0.41	1	7	49	31	2.90	20	0.45	123	4	0.02	6	710	56	100	<20	7	0.05	<10	32	<10	7	55
89	397789	1.5	0.73	130	105	30	1.21	4	10	28	68	2.53	50	0.11	177	4	<0.01	22	2190	80	80	<20	8	<0.01	<10	14	<10	12	311
106	397806	2.3	0.25	695	65	5	2.95	17	11	49	96	3.38	10	0.86	542	5	0.01	13	940	340	285	<20	277	0.02	<10	17	<10	16	198
115	397815	0.7	0.22	9930	40	<5	1.09	107	8	43	115	2.16	10	0.22	138	4	<0.01	7	260	28	75	<20	79	0.01	<10	1	<10	5	13
124	397824	0.2	0.79	35	10	10	7.81	<1	4	23	2	0.73	20	0.83	235	<1	0.01	2	1380	28	35	<20	135	0.05	<10	7	<10	3	38
141	397841	0.4	0.99	2630	60	25	>10	40	7	49	41	2.21	20	0.74	557	3	0.01	8	960	32	50	<20	245	0.08	<10	12	<10	3	58
150	397850	0.6	1.11	1260	150	15	0.83	18	12	82	146	2.20	40	0.69	235	6	0.08	12	940	32	15	<20	52	0.16	<10	59	<10	11	37
159	398209	2.3	0.86	>10000	80	75	7.88	475	19	30	454	6.52	10	0.42	528	5	0.11	18	1080	34	620	<20	168	0.03	<10	12	<10	4	97
176	398226	<0.2	1.22	>10000	85	50	3.13	415	21	22	945	>10	10	0.51	142	11	0.01	18	1150	32	215	<20	101	0.04	<10	7	<10	<1	20
185	398235	11.6	0.39	>10000	75	85	>10	243	10	28	1535	3.64	20	0.16	499	4	<0.01	14	650	18	115	<20	142	<0.01	<10	9	<10	4	97
194	398244	0.2	0.23	75	25	<5	4.28	1	4	26	12	1.29	10	0.04	271	1	<0.01	4	660	22	45	<20	33	<0.01	<10	3	<10	8	23
211	398261	1.1	3.44	95	15	20	3.42	<1	13	16	288	1.89	10	0.08	120	6	0.18	8	720	82	15	<20	268	0.03	<10	8	<10	2	20
220	398270	0.4	0.97	>10000	65	100	0.65	119	13	112	68	3.59	40	0.74	203	6	0.06	13	790	28	35	<20	16	0.07	<10	54	<10	9	31

Resplit:

1	397701	0.9	1.73	955	105	<5	7.78	10	7	35	124	2.08	20	0.24	434	2	0.12	16	1220	74	205	<20	163	0.03	<10	17	<10	8	171
36	397736	0.3	1.80	315	305	10	>10	3	5	30	37	1.58	20	0.68	898	3	0.07	15	1020	54	175	<20	206	0.03	<10	20	<10	9	114
71	397771	1.8	1.34	2720	95	10	8.90	16	9	36	236	3.09	20	0.40	452	3	0.05	14	1130	46	70	<20	184	0.03	<10	11	<10	6	74
106	397806	2.5	0.25	715	65	5	3.04	25	11	48	103	3.53	10	0.87	551	5	<0.01	13	970	344	335	<20	281	0.02	<10	18	<10	15	216
141	397841	0.4	0.85	2595	45	35	>10	24	6	53	37	1.99	10	0.67	529	1	<0.01	8	950	28	45	<20	233	0.06	<10	11	<10	2	54
176	398226	2.3	1.20	>10000	90	50	3.51	426	19	23	892	>10	10	0.54	151	13	0.02	21	1180	30	240	<20	103	0.04	<10	8	<10	<1	21
211	398261	1.0	3.89	105	25	20	3.80	<1	14	20	309	2.05	20	0.10	139	6	0.19	10	830	90	20	<20	314	0.03	<10	9	<10	3	23

Et #.	Tag #	Ag	Al %	As	Ba	Bi	Ca %	Cd	Co	Cr	Cu	Fe %	La	Mg %	Mn	Mo	Na %	Ni	P	Pb	Sb	Sn	Sr	Ti %	U	V	W	Y	Zn
Standard:		Page 7																											
Pb113		11.0	0.26	45	60	<5	1.66	35	2	5	2270	1.07	<10	0.10	1430	61	0.02	4	90	5566	25	<20	124	0.02	<10	8	<10	<1	6931

Pb113	10.6	0.27	45	65	<5	1.65	38	3	6	2294	1.13	<10	0.11	1492	65	0.02	3	80	5498	25	<20	136	0.01	<10	9	<10	<1	7035
Pb113	11.0	0.28	40	60	<5	1.60	40	3	6	2298	1.15	<10	0.12	1506	62	0.02	4	80	5430	20	<20	136	0.01	<10	8	<10	<1	7095
Pb113	11.0	0.28	40	60	<5	1.68	40	3	6	2285	1.16	<10	0.11	1565	65	0.02	2	80	5458	25	<20	153	0.02	<10	9	<10	<1	6915
Pb113	11.2	0.26	45	50	<5	1.62	38	3	6	2153	1.12	<10	0.11	1501	64	0.02	3	80	5430	25	<20	141	0.01	<10	9	<10	<1	6960
Pb113	10.6	0.23	40	55	<5	1.63	35	2	5	2266	1.01	<10	0.11	1490	69	0.02	3	90	5510	20	<20	120	0.02	<10	8	<10	<1	6974
Pb113	11.0	0.25	45	50	<5	1.66	37	3	6	2236	1.08	<10	0.11	1493	66	0.02	3	90	5436	20	<20	138	0.01	<10	8	<10	<1	6939

ECO TECH LABORATORY LTD.

Jutta Jealousie

B.C. Certified Assayer

JJ/jl

df/7267aS/7267BS/7267CS

XLS/07