

GEOCHEMICAL REPORT

KEY 1-20 CLAIMS

GRANT # YC11702-YC11721

NTS # 105 M \ 14

MAYO MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED SEPTEMBER 14, 2005

DATE OF REPORT SEPTEMBER 5, 2006

Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiographic	P.3
5.1 Regional Geology	P.4
5.2 Property Geology	P.4
6.0 Work Methods	P.4
7.0 Interpretation	P.4
8.0 Recommendation	P.4
9.0 References Cited	P.5
10.0 Cost	P.5
11.0 Qualification	P.6
Claim Location Map	P.7
Gold Soil Anomaly Map	Figure 1
Arsenic Soil Anomaly Map	Figure 2
Antimony Soil Anomaly Map	Figure 3
Assay Data / GPS Soil Location Data	Appendix

SUMMARY

The Keystone 2005 field work consists of Jim Skailes and Tyson Foxcroft flying out to the property on September 14, 2005 and collecting 57 soils. The soils survey targeted a small tributary creek of Keystone Creek. The small tributary produces anomalous silts in Cu, Ni, Sb, Mo, and As. The anomalous silts were reported from a GSC Map # 48-1965 regional stream and spring sediments survey of the Keno Hill Area. The soil survey confirms anomalous soil in Gold, As, and Sb.

1.0 INTRODUCTION

The Key claims were staked to cover anomalous results from the GSC 1965 Regional Silt Survey. A small soil survey confirmed the GSC results but more data is needed to understand the anomalous values in gold, arsenic and antimony.

2.0 LOCATIONS AND ACCESS

The Key claims are located 40 kilometers north east of Mayo. The claim block covers a small tributary creek of Keystone creek. Keystone creek drains into western end on the north side of Mayo Lake. Access is via helicopter from the nearest town of Mayo.

3.0 PROPERTY DESCRIPTION

The Key Claim block consists of 20 full Yukon Quartz Mining claims that are registered in the Mayo Mining district to Shawn Ryan.

4.0 PHYSIOGRAPHY

The Key claims are covered with mostly white spruce and aspen on southern slopes and black spruce, alders and willows on northern aspects. The North west of the claims is at the edge of the tundra with only lichens and moss covering the hill. The elevations of the claims are in the range of 3000 ft to 5100 feet.

5.0 REGIONAL GEOLOGY

The Keystone Creek area is also sitting in the Hyland Group. Don published Geological map of Keno Hill area, Yukon (105 M/14), geoscience Map 1996-5. Indicates a carbonaceous phyllite member running south–east from the headwaters of Parent Creek and heading right down the Keystone Creek Drainage and working it's way to Mayo Lake. This horizon is key to skarn or cal-silicate mineralization to form. Don map also indicate that that the Keystone Creek target is sitting in the Hanging wall of the Robert Service thrust fault, which is paralleling the carbonaceous horizon by about three kilometers to the northeast.

6.0 WORK PERFORMED / METHODS

Soil Work

Soil where taken at 100 meters intervals using one-meter soil augers.
Soil sample where taken at an average depth of 50-70 centimeters. All sample where placed in Kraft soil bags. Exact position location where define using Garmin GPS. All GPS location where downloaded nightly onto field computers.

Soil location where marked in the field with an orange flagging with sample number.

Sample where air dried in Dawson City and then sent to Acme Labs in Vancouver.
Sample where processed at minus 80 mesh and analysis was 1DX-MS for 35 elements.

7.0 INTERPRETATION

SOIL SURVEY

The soil survey revealed anomalous soil in gold, arsenic and antimony. The nature of the soil anomaly is difficult to interpret without further soil sample at closer spacing and some prospecting work. I would think the soil anomalies are reflecting a possible intrusive source.

8.0 RECOMMENDATION

I would recommend follow up work with a detail soil grid on 100 meter line spacing and 50 meters station spacing. The outcome of the detail soil survey should be follow up with prospecting and maybe hand trenching to locate the source of the geochemical anomalies.

9.0 REFERENCES CITED

GSC Open File Stream and Spring Sediments of the Keno Hill Area, Boyle, 1965

YTG Geoscience Map 1996-5, Don Murphy

10.0 Cost

Assay Cost 57 soil at \$18.00	\$1026.00
Wages 2 man days at \$250.00 per day	\$500.00
Helicopter travel 1.0 hours at \$1200.00	\$1200.00
Truck / Gas Dawson –Mayo and Back	\$120.00
Report	\$300.00
Total	\$3,146.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 23 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have been trained to run various geophysical instruments, surveys such as magnetic surveys, max-min surveys, induce polarity surveys, and Vlf surveys.

I have overseen the whole Key Project and was the party chief in charge.


I own 100 % of the Key claims.


Dated this 14 of September 2006 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan

Keystone 1 - 20 Claims







RyanWood Exploration

S. Ryan	Keystone 2005 Soils
105 M / 14	Au Soil Map
Date: 15/2/2007	Figure 1
Scale: 1:20000	UTM: Zone 8 (NAD 83)

0 200 400 800 metres





ELEMENT	GPS ID	Datum	Easting	Northing	Elevation	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
RW-01619	RW01619	NAD83-8V	489467	7077238	1128.4	3.8	23	14	65	0.3	15.5	4.9	182	2.17	9.4
RW-01620	RW01620	NAD83-8V	489429	7077210	1150.9	3.1	24.4	19.3	85	0.3	20.7	7.4	274	3.05	14.8
RW-01621	RW01621	NAD83-8V	489548	7076995	1129.3	1.1	50.9	29.9	200	0.1	60.9	18.1	510	3.93	15
RW-01622	RW01622	NAD83-8V	489588	7077023	1101.5	2.8	55.3	25.3	194	0.1	55.3	21.3	658	3.94	14.2
RW-01623	RW01623	NAD83-8V	489628	7077057	1071.4	6	47.1	22.7	84	1	21.5	4.1	132	2.9	16.8
RW-01624	RW01624	NAD83-8V	489666	7077087	1056.7	10.1	53.2	24.6	134	0.7	22.1	3.9	183	4.56	17
RW-05880	RW05880	NAD83-8V	488765	7078107	1269.2	16.3	67.6	33.5	173	0.9	24.8	4.1	403	4.97	23.2
RW-05881	RW05881	NAD83-8V	488725	7078105	1302.1	14.2	87.6	39.6	233	1.3	39.4	6.7	677	5.34	23.4
RW-05882	RW05882	NAD83-8V	488669	7078089	1333.5	17.9	76.6	34.5	210	1	30.1	4.1	308	5.41	31.6
RW-05883	RW05883	NAD83-8V	488612	7078074	1355.4	23.4	47.5	34.2	144	0.7	10.1	1.7	154	4.83	27.1
RW-05884	RW05884	NAD83-8V	488573	7078065	1375	25.3	52.8	38.1	187	1.1	24	5.3	408	5.05	34.1
RW-05885	RW05885	NAD83-8V	488527	7078053	1394.2	9.2	60.4	36.4	242	1.4	54.9	11.1	716	4.79	31.4
RW-05886	RW05886	NAD83-8V	488475	7078040	1422.5	36.5	34.2	31.4	112	0.7	11.5	1.4	83	4.52	27.9
RW-05887	RW05887	NAD83-8V	488428	7078030	1450.2	36.4	53.9	40.5	129	1.5	13.9	2.8	167	5.67	23.6
RW-05888	RW05888	NAD83-8V	488385	7078019	1472.8	27.6	41.4	36.9	114	1	12.6	1.6	97	4.51	23.1
RW-05889	RW05889	NAD83-8V	488330	7078000	1489.6	13.4	45.9	26.8	91	0.6	14.8	5.7	226	4.5	25.4
RW-05890	RW05890	NAD83-8V	488282	7077996	1521.3	9	69.9	36.5	121	0.7	14.3	4.4	144	5.67	31.6
RW-05891	RW05891	NAD83-8V	488416	7077809	1469.4	47.3	84.9	36.4	55	0.4	4.3	1.6	239	8.79	11.1
RW-05892	RW05892	NAD83-8V	488465	7077834	1429.5	1.4	72.9	29.4	101	0.1	45.6	23.8	731	4.15	34
RW-05893	RW05893	NAD83-8V	488514	7077848	1406.3	1.1	53.8	21.5	82	0	25.5	15.1	460	3.19	13.9
RW-05894	RW05894	NAD83-8V	488563	7077872	1376.5	2.7	36.9	22.7	76	0.2	21.7	10.7	406	3.24	14.7
RW-05895	RW05895	NAD83-8V	488611	7077894	1351.5	0.7	41	23.7	139	0	59.9	29.7	580	2.95	24.2
RW-05896	RW05896	NAD83-8V	488660	7077899	1328.3	1.1	32.1	19.6	115	0.1	41.5	14.3	394	3.01	11.6
RW-05897	RW05897	NAD83-8V	488706	7077928	1308.2	6.6	26.6	25.4	113	0.6	18.7	4.7	208	3.61	18.3
RW-05898	RW05898	NAD83-8V	488751	7077946	1285	18	70.3	34.8	149	1.2	19.4	4.7	244	4.7	31.4
RW-05899	RW05899	NAD83-8V	488799	7077958	1271.3	3.2	40.9	27.7	102	0.3	25	10.9	408	3.93	106
RW-05900	RW05900	NAD83-8V	488845	7077975	1252.7	11.6	51	30.2	118	0.6	23	11.6	477	3.97	103.3
RW-05901	RW05901	NAD83-8V	488889	7077992	1241.8	2.9	88.4	33	147	0.3	46.6	26.5	786	4.21	157.1
RW-05902	RW05902	NAD83-8V	488965	7077918	1239.9	27.8	65	35.3	144	1.2	15.5	3.2	252	5.29	114.8
RW-05903	RW05903	NAD83-8V	488915	7077881	1266.7	2.8	33.7	31.9	142	0.2	22.6	4.1	213	3.7	95.2
RW-05904	RW05904	NAD83-8V	488871	7077859	1288.4	7.6	29.5	45.1	187	1.2	22.6	4.2	419	3.43	32.4
RW-05905	RW05905	NAD83-8V	488827	7077839	1310	17	36.1	35.8	123	0.8	11.3	1.8	183	5.62	48.2
RW-05906	RW05906	NAD83-8V	488791	7077810	1322.2	11.4	41.9	38.8	164	1.9	21.8	2.7	140	5.54	11.9
RW-05907	RW05907	NAD83-8V	488750	7077781	1353.3	0.4	50.7	35.9	109	0.2	38.9	18	585	4.26	215.2
RW-05908	RW05908	NAD83-8V	488707	7077752	1377.7	0.3	49.3	39.4	111	0.2	36.4	18.7	597	4.2	241.2
RW-05909	RW05909	NAD83-8V	488659	7077728	1396.6	0.5	41.9	52.3	106	0.3	26.2	11.9	455	3.86	322.2
RW-05910	RW05910	NAD83-8V	488618	7077699	1427.1	0.6	41.9	43.4	100	0.2	23.4	10.5	389	3.93	209.9
RW-05911	RW05911	NAD83-8V	488572	7077673	1454.2	0.8	55.3	43.3	104	0.2	23.9	11.6	377	4.28	111.3
RW-05912	RW05912	NAD83-8V	488536	7077648	1478.3	0.6	55.4	46.7	106	0.2	25.1	12.2	396	4.39	144.8
RW-06483	RW06483	NAD83-8V	489271	7077407	1200.9	3.3	19.5	17.2	56	0.5	12.3	5.8	264	3.71	16.8
RW-06484	RW06484	NAD83-8V	489308	7077443	1191.8	3.1	35.7	13.6	88	0.4	27.1	9.9	278	3.09	17.6
RW-06485	RW06485	NAD83-8V	489354	7077478	1161.6	6.1	33.4	22.7	67	0.7	9.5	2.2	179	3.1	12.8
RW-06486	RW06486	NAD83-8V	489392	7077504	1133.9	15.9	56.5	25.5	89	0.5	8.3	1.2	58	4.1	29
RW-06487	RW06487	NAD83-8V	489432	7077530	1121.4	14.8	38.7	18.8	40	0.4	4.8	1.1	70	3.1	17.9
RW-06488	RW06488	NAD83-8V	489474	7077553	1094.8	18.3	52	29.4	62	0.6	7.5	1.7	120	5.95	39.3
RW-06489	RW06489	NAD83-8V	489516	7077592	1081.7	0.8	43.6	46.9	109	0.4	43.6	19	730	3.54	291
RW-06490	RW06490	NAD83-8V	489556	7077623	1104.3	0.9	40.5	12.7	63	0.2	33.7	12.4	276	2.95	236.6
RW-06491	RW06491	NAD83-8V	489592	7077638	1122	0.8	60.2	14.8	90	0	67	23	721	3.96	262.7
RW-06492	RW06492	NAD83-8V	489634	7077683	1127.5	0.5	49.5	49.5	141	1	46.7	19.1	869	3.6	911.5
RW-06493	RW06493	NAD83-8V	489674	7077708	1152.1	0.1	32.8	8.1	64	0	55.7	25.6	1288	3.72	265.9
RW-06494	RW06494	NAD83-8V	489819	7077512	1113.7	1	33.6	18.6	72	0.2	30.2	14.4	633	2.81	399.4
RW-06495	RW06495	NAD83-8V	489780	7077491	1097.3	0.9	38.2	20.8	75	0.2	35.7	18.2	483	3.13	290.6
RW-06496	RW06496	NAD83-8V	489742	7077455	1083	1.2	56.1	22	84	0.2	38.3	17.2	596	3.36	210.7
RW-06497	RW06497	NAD83-8V	489664	7077391	1041.2	3.2	38.3	24	82	0.3	25.6	9.7	299	3.4	72.8
RW-06498	RW06498	NAD83-8V	489629	7077364	1062.8	4.8	39.4	18.3	54	0.6	11.4	3.4	141	2.74	14.7
RW-06499	RW06499	NAD83-8V	489585	7077332	1055.5	4.5	27.6	14.4	60	0.2	18.3	6.9	199	2.86	16.1
RW-06500	RW06500	NAD83-8V	489547	7077302	1104.3	11.1	30.8	25	68	0.6	13.1	3.8	137	4.19	27.2

ELEMENT	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
RW-01619	1.3	2	1.9	13	0.3	1.5	0.3	39	0.06	0.055	20	17.7	0.25	81	0.017	1	0.98	0.004	0.03	0.1
RW-01620	1.3	3.6	5.4	13	0.5	1.6	0.3	53	0.07	0.053	18	28.3	0.36	100	0.024	1	1.68	0.004	0.04	0.2
RW-01621	2.6	0.8	5.2	10	1.7	1.8	0.4	21	0.05	0.064	21	17.6	0.42	63	0.006	1	1.33	0.003	0.04	0.1
RW-01622	3.1	1.4	9.5	16	1.4	1.7	0.4	23	0.1	0.065	31	19.2	0.53	126	0.005	1	1.46	0.003	0.04	0.1
RW-01623	1.8	1.2	1.7	17	1	2.4	0.3	31	0.08	0.07	24	13.9	0.2	77	0.006	1	0.76	0.004	0.04	0.1
RW-01624	1.7	1.4	8.4	18	0.7	5.5	0.4	37	0.17	0.073	35	16.2	0.23	84	0.002	1	0.68	0.003	0.04	0.1
RW-05880	2.3	5.7	2.8	28	0.4	4.7	0.4	49	0.03	0.179	33	19.7	0.25	265	0.005	1	1.11	0.004	0.07	0.1
RW-05881	3.2	6.2	10.7	30	0.9	4.9	0.6	30	0.04	0.16	33	16.1	0.29	157	0.001	1	0.82	0.004	0.05	0
RW-05882	3.6	5.3	7.2	25	0.4	6	0.5	44	0.01	0.148	34	19.1	0.25	185	0.001	0	0.91	0.005	0.06	0
RW-05883	2.1	4.1	4.9	15	0.1	7.4	0.6	48	0.01	0.115	38	22.6	0.3	129	0.002	0	0.79	0.004	0.04	0
RW-05884	3.3	5.1	10.6	27	1	10.7	0.4	42	0.01	0.131	24	16.7	0.27	108	0.001	0	0.71	0.003	0.06	0
RW-05885	3.9	3.7	10.6	48	1.4	5.3	0.4	26	0.05	0.128	27	10.9	0.29	69	0.001	0	0.64	0.003	0.05	0
RW-05886	1.8	0.7	7.8	24	0.1	10.1	0.5	62	0.01	0.12	29	13.9	0.23	119	0.002	0	0.43	0.003	0.04	0.3
RW-05887	1.9	5.4	9.7	41	0.1	10.4	0.7	66	0.01	0.161	43	19.8	0.35	132	0.002	0	0.7	0.01	0.08	0.2
RW-05888	2.4	1.4	8.7	50	0.1	11.4	0.6	67	0.01	0.135	40	17.5	0.33	258	0.002	0	0.63	0.007	0.07	0.2
RW-05889	1.3	6.3	2.5	17	0.1	4.1	0.5	41	0.02	0.121	22	21.2	0.36	65	0.002	0	0.84	0.003	0.04	0.1
RW-05890	1.2	3.5	4.2	20	0.1	4.4	0.8	38	0.02	0.117	17	24	0.43	65	0.002	0	0.92	0.004	0.04	0
RW-05891	1.2	4.2	4.9	4	0.1	7.1	0.7	69	0.01	0.174	33	30.8	0.25	46	0.004	0	0.94	0.002	0.03	0.1
RW-05892	2.6	7	6.1	10	0.1	2.3	0.4	10	0.16	0.057	22	18	0.64	62	0.002	0	1.37	0.003	0.04	0
RW-05893	1.7	4.6	4.6	9	0.3	0.8	0.3	9	0.05	0.056	24	14.9	0.47	75	0.002	0	1.08	0.002	0.03	0
RW-05894	1.5	5.3	4.7	9	0.1	1.3	0.3	12	0.05	0.064	23	16.1	0.46	76	0.002	0	1.06	0.003	0.03	0
RW-05895	2.4	1.8	2.5	15	0.8	0.7	0.4	8	0.23	0.065	9	11.4	0.34	23	0.002	0	0.7	0.002	0.03	0
RW-05896	3.8	2.3	3.6	16	0.6	1.2	0.3	20	0.1	0.059	18	16.9	0.36	78	0.009	0	0.92	0.005	0.04	0.1
RW-05897	2.5	4	0.6	30	0.3	2	0.4	36	0.07	0.106	18	17.4	0.21	124	0.005	0	0.84	0.004	0.05	0.1
RW-05898	6.5	6.4	4.6	63	0.4	5.8	0.4	40	0.03	0.175	27	15.2	0.23	176	0.005	0	0.74	0.006	0.07	0.1
RW-05899	1.8	5.1	4.6	9	0.2	5	0.3	15	0.05	0.071	22	17.8	0.52	61	0.002	0	1.18	0.003	0.03	0
RW-05900	2.5	6.3	3.4	19	0.3	8.2	0.4	30	0.04	0.085	29	16.9	0.43	94	0.003	0	1.02	0.003	0.04	0.1
RW-05901	2.8	9.2	7	12	0.8	7.9	0.4	14	0.13	0.068	29	17.4	0.55	47	0.002	0	1.23	0.003	0.04	0
RW-05902	3.3	8.6	8.8	27	0.2	23.6	0.5	46	0.02	0.159	33	12.3	0.1	351	0.003	0	0.71	0.008	0.12	0.3
RW-05903	2.4	2	8.1	17	0.2	11	0.4	28	0.03	0.076	30	16.8	0.31	77	0.006	0	1.21	0.005	0.04	0.1
RW-05904	2.1	13.1	2.7	58	0.9	10.5	0.3	8	0.01	0.115	10	4.7	0.04	100	0.001	0	0.29	0.004	0.06	0
RW-05905	1.9	7.6	4	14	0.1	8.9	0.7	58	0.01	0.144	40	27.5	0.28	144	0.004	0	1.02	0.004	0.04	0
RW-05906	2.3	11.2	3.1	81	0.2	6.1	0.5	39	0.07	0.3	32	20.8	0.28	184	0.003	0	0.77	0.006	0.13	0
RW-05907	2.3	6.1	8.9	8	0.1	6.8	0.4	8	0.08	0.038	23	20.3	0.8	27	0.002	0	1.69	0.003	0.04	0
RW-05908	2.2	7.4	9.1	8	0.1	7.3	0.4	10	0.07	0.036	24	20.4	0.77	26	0.002	0	1.71	0.003	0.04	0
RW-05909	1.6	10.3	6	5	0.1	13.1	0.3	8	0.03	0.037	19	15.6	0.56	36	0.001	0	1.38	0.002	0.04	0
RW-05910	1.4	6.2	7.8	5	0.1	9.4	0.3	8	0.02	0.036	21	17.1	0.58	29	0.002	0	1.29	0.003	0.03	0
RW-05911	1.6	5.5	7.6	5	0.1	6.9	0.4	11	0.02	0.048	22	18.9	0.64	39	0.002	1	1.44	0.003	0.04	0
RW-05912	1.6	6.8	8.4	5	0.1	7.6	0.5	10	0.02	0.045	21	19	0.67	35	0.002	1	1.59	0.003	0.04	0
RW-06483	0.9	1.3	2.1	6	0.5	1.4	0.3	63	0.04	0.07	17	23.9	0.18	57	0.027	1	1.09	0.003	0.04	0.2
RW-06484	2.6	1.8	5.6	18	0.8	1.8	0.2	54	0.15	0.113	17	29.5	0.36	135	0.028	1	1.55	0.004	0.05	0.2
RW-06485	1.7	4.6	0.3	18	0.2	1.8	0.3	59	0.03	0.122	20	17.7	0.14	81	0.008	0	0.83	0.003	0.04	0.1
RW-06486	2.9	3.9	5.9	14	0.1	8.6	0.4	54	0.01	0.102	35	16.9	0.12	169	0.002	0	0.7	0.007	0.07	0.1
RW-06487	1.7	2.7	5.7	10	0.1	4.5	0.4	65	0.01	0.072	34	19.2	0.15	176	0.005	0	0.78	0.005	0.06	0.1
RW-06488	2	5.9	11	14	0.1	5.5	0.5	83	0.01	0.124	29	35.2	0.26	257	0.006	0	1.08	0.005	0.07	0.1
RW-06489	1.5	81.4	4.2	55	0.8	711.3	0.2	11	0.73	0.049	11	26.3	0.55	65	0.003	0	1.14	0.003	0.04	0
RW-06490	1	61.6	4.6	9	0.1	37.4	0.2	15	0.06	0.059	25	22.4	0.44	76	0.003	0	1.22	0.003	0.04	0
RW-06491	1.1	28.3	9.5	8	0.2	46	0.2	15	0.1	0.051	28	35	0.65	71	0.005	0	1.42	0.002	0.04	0
RW-06492	1.6	329.4	7.6	15	0.8	2001	0.3	10	0.3	0.03	20	20.5	0.32	92	0.004	0	0.83	0.003	0.05	0
RW-06493	0.7	13.4	11	4	0.2	5.5	0.1	20	0.04	0.027	20	39.5	0.46	70	0.022	0	1.31	0.001	0.02	0.1
RW-06494	1	82.8	5.7	31	0.2	17.2	0.2	17	0.76	0.073	23	17.5	0.43	111	0.005	1	0.9	0.003	0.05	0.1
RW-06495	1.1	64.3	7.7	13	0.1	21.9	0.3	15	0.28	0.055	29	19.2	0.41	88	0.004	0	0.99	0.003	0.05	0.1
RW-06496	1.9	58.6	6.8	37	0.2	12.2	0.3	16	0.51	0.083	24	19.3	0.56	88	0.003	1	1.26	0.002	0.05	0
RW-06497	1.7	2.8	3.3	22	0.6	9.4	0.3	23	0.25	0.056	21	17.1	0.34	124	0.004	0	1.03	0.002	0.04	0
RW-06498	1.3	2.5	3.4	12	0.3	2.7	0.3	61	0.03	0.077	24	21.1	0.18	90	0.013	0	1	0.003	0.04	0.1
RW-06499	1.7	2.4	5.8	15	0.2	2.1	0.3	60	0.05	0.044	19	30.1	0.36	223	0.02	0	1.49	0.003	0.05	0.2
RW-06500	2	1.6	8.7	21	0.1	1.7	0.5	95	0.02	0.085	34	31.7	0.25	170	0.005	0	1.66	0.003	0.04	0.1

ELEMENT	Hg	Sc	Tl	S	Ga	Se	Analysis	Acme file
RW-01619	0.06	1.2	0.2	0	4	1.2	GROUP 1DX - 15.0 GM	A508112
RW-01620	0.08	2.1	0.1	0	5	1.2	GROUP 1DX - 15.0 GM	A508112
RW-01621	0.02	1.5	0.1	0	4	0.8	GROUP 1DX - 15.0 GM	A508112
RW-01622	0.06	1.5	0.1	0	4	1.6	GROUP 1DX - 15.0 GM	A508112
RW-01623	0.06	0.8	0.1	0.06	4	2	GROUP 1DX - 15.0 GM	A508112
RW-01624	0.18	1.3	0.1	0.06	3	5.5	GROUP 1DX - 15.0 GM	A508112
RW-05880	0.26	1.1	0.1	0.12	4	7.4	GROUP 1DX - 15.0 GM	A508112
RW-05881	0.31	1.5	0.1	0.12	3	7.7	GROUP 1DX - 15.0 GM	A508112
RW-05882	0.36	1.4	0.1	0.15	3	7.7	GROUP 1DX - 15.0 GM	A508112
RW-05883	0.53	0.8	0.1	0.07	4	11.4	GROUP 1DX - 15.0 GM	A508112
RW-05884	0.64	1.3	0.1	0.14	2	12.3	GROUP 1DX - 15.0 GM	A508112
RW-05885	0.27	1.1	0.1	0.14	2	7.2	GROUP 1DX - 15.0 GM	A508112
RW-05886	0.4	0.7	0.2	0.11	2	18.2	GROUP 1DX - 15.0 GM	A508112
RW-05887	0.5	1.1	0.3	0.3	3	23.4	GROUP 1DX - 15.0 GM	A508112
RW-05888	0.45	1.1	0.2	0.29	3	16.7	GROUP 1DX - 15.0 GM	A508112
RW-05889	0.12	0.8	0.1	0.1	3	7.9	GROUP 1DX - 15.0 GM	A508112
RW-05890	0.12	1.3	0	0.08	4	6.6	GROUP 1DX - 15.0 GM	A508112
RW-05891	0.43	0.7	0.1	0	4	16.4	GROUP 1DX - 15.0 GM	A508112
RW-05892	0.04	1.5	0	0	4	0.8	GROUP 1DX - 15.0 GM	A508112
RW-05893	0.02	0.9	0	0	3	1	GROUP 1DX - 15.0 GM	A508112
RW-05894	0.04	0.9	0.1	0	3	1.1	GROUP 1DX - 15.0 GM	A508112
RW-05895	0.04	1.2	0	0	2	0.7	GROUP 1DX - 15.0 GM	A508112
RW-05896	0.04	1.6	0.1	0	3	0.8	GROUP 1DX - 15.0 GM	A508112
RW-05897	0.16	0.5	0.1	0.08	4	2.8	GROUP 1DX - 15.0 GM	A508112
RW-05898	0.48	1.5	0.1	0.16	3	7.2	GROUP 1DX - 15.0 GM	A508112
RW-05899	0.05	1	0.1	0	4	1.2	GROUP 1DX - 15.0 GM	A508112
RW-05900	0.15	0.9	0.1	0	3	4.5	GROUP 1DX - 15.0 GM	A508112
RW-05901	0.05	1.3	0	0	4	1.7	GROUP 1DX - 15.0 GM	A508112
RW-05902	0.5	1.6	0.2	0.35	2	12.1	GROUP 1DX - 15.0 GM	A508112
RW-05903	0.04	0.8	0.1	0	5	2	GROUP 1DX - 15.0 GM	A508112
RW-05904	0.19	0.5	0.1	0.18	1	4.2	GROUP 1DX - 15.0 GM	A508112
RW-05905	0.25	0.9	0.1	0.08	5	12.3	GROUP 1DX - 15.0 GM	A508112
RW-05906	0.53	0.6	0.1	0.49	2	9.5	GROUP 1DX - 15.0 GM	A508112
RW-05907	0.02	1.6	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-05908	0.03	1.5	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-05909	0.04	1.2	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-05910	0.02	1	0	0	3	0	GROUP 1DX - 15.0 GM	A508112
RW-05911	0.03	1.2	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-05912	0.03	1.2	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-06483	0.05	1.2	0.1	0	6	0.8	GROUP 1DX - 15.0 GM	A508112
RW-06484	0.08	2.6	0.1	0	4	1.9	GROUP 1DX - 15.0 GM	A508112
RW-06485	0.07	0.5	0.1	0	5	3.2	GROUP 1DX - 15.0 GM	A508112
RW-06486	0.26	1.4	0.2	0.12	3	6.7	GROUP 1DX - 15.0 GM	A508112
RW-06487	0.19	1.1	0.2	0.13	5	5.1	GROUP 1DX - 15.0 GM	A508112
RW-06488	0.17	1.5	0.2	0.14	6	8.4	GROUP 1DX - 15.0 GM	A508112
RW-06489	0.07	1.8	0	0.08	3	0.8	GROUP 1DX - 15.0 GM	A508112
RW-06490	0.03	1.4	0.1	0	3	0	GROUP 1DX - 15.0 GM	A508112
RW-06491	0.03	2.3	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-06492	0.1	2.2	0	0	2	0	GROUP 1DX - 15.0 GM	A508112
RW-06493	0.02	2.8	0	0	4	0	GROUP 1DX - 15.0 GM	A508112
RW-06494	0.03	1.8	0	0.06	3	0.6	GROUP 1DX - 15.0 GM	A508112
RW-06495	0.03	1.8	0	0	3	0	GROUP 1DX - 15.0 GM	A508112
RW-06496	0.05	1.8	0	0	4	0.8	GROUP 1DX - 15.0 GM	A508112
RW-06497	0.05	1.1	0	0	4	1.5	GROUP 1DX - 15.0 GM	A508112
RW-06498	0.12	1.4	0.1	0	6	2.4	GROUP 1DX - 15.0 GM	A508112
RW-06499	0.13	2.5	0.1	0	5	1.3	GROUP 1DX - 15.0 GM	A508112
RW-06500	0.06	2.2	0.2	0	6	2	GROUP 1DX - 15.0 GM	A508112