ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

PROSPECTING, MAPPING AND GEOCHEMICAL SAMPLING

at the

HARKEN PROPERTY

Harken 1-22 YC71854-YC71875

NTS 105O/3
Latitude 62º38'N; Longitude 129º52'W

in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

Daniel Gregory, B.Sc.
February 2008

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION AND ACCESS	1
HISTORY	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	3
GEOCHEMISTRY	4
DISCUSSION AND CONCLUSIONS	4
REFERENCES	6

APPENDICES

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Location	1
3	Access	1
4	Tectonic Setting	2
5	Property Geology	3
6	Sample Locations	4
7	Nickel Soil Geochemistry	4
8	Zinc Soil Geochemistry	4

TABLES

No.	Description	Page
I	Stratigraphic Column - Harken Claims	3

INTRODUCTION

The Harken claims were staked in summer 2007 to cover geochemical anomalies outlined by previous operators on the lapsed Falcon claims. The stratigraphy and geochemical signature are analogous to that of the NiMo massive sulphide horizon found on the Nick property in central Yukon.

This report describes work that was conducted on August 19, 2007 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals Ltd. The 2007 field program consisted of geological mapping, prospecting, soil sampling and preparing drill sites for future diamond drilling. The author's Statement of Qualifications is located in Appendix I.

PROPERTY LOCATION AND ACCESS

The Harken property is comprised of 22 contiguous mineral claims located approximately 80 km southeast of the Sheldon Lake airstrip and 140 km northeast of the community of Ross River (Figure 1). The property lies eight kilometres away from the 75 km long winter road system that links the Howards Pass deposit to the Cantung Highway. The property trends roughly northwest to southeast and is centred at latitude 62°38´ north and 129°52´ west on map sheet 105 I/12. The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic. Claim data are listed below while locations of individual claims are shown in Figure 2.

Claim Name	Grant Numbers	Expiry Date*
Harken 1-22	YC71854 - YC71875	August 6, 2008

* Expiry dates do not include 2007 work which has not yet been filed for assessment credit


In 2007, access to the property was provided by a Bell 206 helicopter operated from a temporary base at a field camp near Jeff Lake on the North Canol road (Figure 3).


HISTORY


The Harken target was first staked in 1972 by Dynasty Exploration Ltd. (later Cyprus Anvil Mining Corp.). They conducted grid geochemical sampling, geophysical surveys and limited diamond drilling between 1972 and 1974, no mineralization was found.

In 1982 and 1984 the Geologic Survey of Canada (GSC) conducted stream sediment and soil sampling in the area. This resulted in the discovery of a large zone of mound-forming tufa carrying secondary zinc mineralization (smithsonite, zincian calcite and hemimorphite). Analyses of this material range up to 18.5% Zn and 0.9% Ni. The source was attributed to hydromorphic dispersion from a nearby undiscovered base metal deposit.

The Falcon claims were staked by NDU Resources Ltd. In March, 1990 based on geochemical and geological similarities with the Nick nickel-zinc sedex deposit in north-central Yukon. The property was optioned by Falconbridge Limited from NDU Resources in June 1991. The 1991


STRATEGIC METALS LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 1
PROPERTY LOCATION
HARKEN PROPERTY
STRATEGIC Ni PROJECT
0 50 100 150 200 km
FILE: ...2007/STRATEGIC Ni/FIGURES/-LOCATION.DWG FEBRUARY 2008
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
DAWSON
YUKON
KLONDIKE
HWY
ELSA
MAYO
Harken
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
ATLIN
SKAGWAY
HAINES
ALASKA
CASSIAR
BRITISH COLUMBIA


T.N.
40.2'
24°41'
Grid north
Magnetic north
Annual change decreasing 27'
454000
455000
456000
457000
6945000
6944000
HARKEN 12
HARKEN 11
HARKEN 10
HARKEN 9
HARKEN 8
HARKEN 22
HARKEN 7
HARKEN 6
HARKEN 21
HARKEN 20
HARKEN 5
HARKEN 4
HARKEN 19
HARKEN 18
HARKEN 3
HARKEN 2
HARKEN 17
HARKEN 16
HARKEN 1
HARKEN 15
HARKEN 14
HARKEN 13
STRATEGIC METALS LTD.
FIGURE 2
ARCHER, CATHRO & ASOCIATES (1981) LIMITED
CLAIM LOCATION
HARKEN PROPERTY
0
0.2
0.4
0.6 km
UTM ZONE 9W, NAD 83, 105 I12
...2007/HARKEN/FIGURES/HARKENCLAIM.WOR
DATE: FEBRUARY 2008


PLATA-INCA
WIL
HESS
SCOT
HARVEST
HARLOT
HARLOW
NWT
MACTUNG
N
TOM
JASON
JEFF LAKE
CAMP SITE
FAIRWEATHER
YUKON
HOWARDS
PASS
HARKEN
NORTH CANOL
HAULAGE ROAD
30km
STRATEGIC METALS
ARCHER, CATHRO & ASSOCIATES (1981)
FIGURE 3
ACCESS
HARKEN PROPERTY
STRATEGIC Ni PROJECT
...2007/Strat Ni/Harken/Harken Access
February 2008

exploration program was funded by Falconbridge under the option agreement and was carried out by Archer Cathro. This work consisted of geological mapping and soil sampling carried out between July 6-13 and August 14-18, 1991. Hand trenching was completed in 1994 but all trenches failed to reach bedrock due to thick permafrost. Soil samples up to 4190 ppm zinc and 729 ppm nickel were collected from the trenches. The highest trench sample was collected from the Zone D area.

In summer 2007 the area was staked as the Harken claims by Strategic in order to cover the Zone D anomalies of the former Falcon claim block.

GEOMORPHOLOGY

The Harken property is on a rolling hill within the Selwyn Mountains. Local creeks drain into Pelly River to the south, which is part of the Yukon River watershed.

Local elevations range from 1130 m above sea level in the creek valleys to a maximum of 1515 m on top of the main hill. Topographic relief is rolling with moderate slope on the flanks of the main hill and relatively flat relief on the adjacent land.


The property is vegetated by thick stands of black spruce around the base of the central hill, with thick arctic black birch on the flanks and top of the hill.

REGIONAL GEOLOGY

The Harken property lies within Selwyn Basin, a northwest trending belt of deep water off-shelf sedimentation that formed from Lower Ordovician to Lower Devonian time. This basin is bounded to the north and east by Mackenzie Platform, to the south by Macdonald Platform, and to the west by Cassiar Platform and Tintina Fault (Figure 4).

Selwyn Basin stratigraphy consists of a Lower Ordovician to Lower Devonian succession of shale, basinal limestone, chert and gritty turbiditic sandstone of the Road River Group. Lower Silurian siliceous and carbonaceous mudstones host the world class Howard's Pass stratiform zinc and lead sulphide deposits. From Lower Devonian to Middle Mississippian time, Earn Group turbiditic chert rich clastic rocks were deposited from uplifted portions of west and central Selwyn Basin. These uplifts are related to a rift event that produced local, felsic volcanism and widespread bedded barite mineralization with localized barite hosted zinc-lead sedex deposits. Lower Devonian shales in central Yukon also host the Nick nickel-zinc massive sulphide mineralization as well as a number of other economically significant occurrences of a similar nature.

Early Cretaceous northeast-southwest compression led to northwest trending decollement style folds and minor thrust faults. Middle to Late Cretaceous intrusions which intrude all lithologies are responsible for localization of tungsten skarns (notably at Cantung and Mactung) as well as intrusive hosted and hornfels gold vein and stockwork mineralization in the Macmillan Pass area.



ANCESTRAL NORTH AMERICA

- MP — Mackenzie Platform
- SB — Selwyn Basin
- RT — Richardson Trough

TERRANES
Displaced Continental Margin

- AA — Arctic Alaska
- CA — Cassiar
- PC — Porcupine

Pericratonic Terranes

- YT — Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST — Stikinia / Cache Creek
- AX — Alexander
- WR — Wrangellia
- CG — Chugach

STRATEGIC METALS LTD

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 4

TECTONIC SETTING
HARKEN PROPERTY
STRATEGIC Ni PROJECT

0 100 200 km

FILE: ...2007\STRATEGIC NI\HARKEN\FIGURES\.DWG | DATE: FEBRUARY 2008

PROPERTY GEOLOGY

Stratigraphy on the property is broken into two main sequences. The Lower Ordovician to Upper Silurian Road River Group comprises a variably calcareous or dolomitic starved basin shale, mudstone and chert assemblage. The overlying Early to Middle Devonian Lower Earn Group consists of fine grained siliceous argillite and black shale interfingered with coarse grained siliciclastic rocks deposited as turbidites and debris flows (Figure 5).

The Road River Group hosts the 500+ million tonne Howard's Pass zinc-lead sedex deposit 8 km east of the Harken property while the unique stratiform shale hosted, nickel zinc-platinum group element bearing Nick massive sulphide mineralization in central Yukon occurs at the base of Earn Group. The Tom and Jason barite-hosted lead-zinc-silver sedex deposits occur in Upper Devonian Earn Group siliceous argillites at Macmillan Pass.

The major structures in the Harken area are a series of upright isoclinal folds with east-west trending fold axes. Axial planar cleavages vary with proximity to hinge zones and rock type. Cleavage is best developed in silty shales of the Upper Earn Group. Outcrop scale right to isoclinal folds are common within Lower Earn interbedded cherty and carbonaceous shales, and probably developed due to ductility contrasts between the cherty and soft shale beds. Faulting was not identified on outcrop exposures or from topographic linears.

Table I - Stratigraphic Column - Harken Claims

DEVONIAN AND MISSISSIPPI

LOWER EARN GROUP

DMEu undivided Earn Group

Portrait Lake Formation

DPba dark grey laminated barite, nodular barite, barium carbonate lenses

DPss grey to rusty grey weathering silty shale


DPcg massive chert pebble conglomerate and thick bedded chert with silty shale interbeds (debris flows and proximal turbidites)

DPca black chert, cherty argillite

LOWER ORDOVICIAN TO UPPER SILURIAN

ROAD RIVER GROUP

OSDu undivided Road River Group


T.N.
40.2'
24°41'
Grid north
Magnetic north
Annual change decreasing 27'
454000
455000
456000
457000
6945000
6944000
DPss
OSDu
DMEu
DPba
OSDu
DPss
DPcg
DPca
DPss
OSDu
For complete rock descriptions see table 1
STRATEGIC METALS LTD.
FIGURE 5
ARCHER, CATHRO & ASOCIATES (1981) LIMITED
PROPERTY GEOLOGY
HARKEN PROPERTY
0
0.2
0.4
0.6 km
UTM ZONE 9W, NAD 83, 105 I12
...2007/HARKEN/FIGURES/HARKEN_sample.WOR
DATE:FEBRUARY 2008

Road River Group

On the Harken property the Road River Group consists of medium grey green to buff pyritic, dolomitic shales and black carbonaceous graptolitic shales. Green to buff dolomitic shales contain 1-5% disseminated pyrite and in some cases thin pyretic laminae. Carbonaceous graptolitic shales were only found were cleavage partings are bedding parallel. The Road River Group is overlain conformably by cherty and carbonaceous shales of the Lower Earn Group.

Lower Earn Group

The Lower Earn Group consists of variably interbedded black cherty and carbonaceous shales. Cherty shale beds vary in thickness from 2 mm to 2 cm. Younging directions were established from graded silty laminae within the cherty shales. Silver grey weathering carbonaceous shales occur infrequently, and may be transitional to the overlying Upper Earn Group. A thin bedded barite horizon was observed within undivided rocks of the Lower Earn Group on the Harken property.

GEOCHEMISTRY

Soil Sampling


One hundred and forty eight soil samples and three silt samples were taken on the Harken property in 2007. All soil samples were sent to ALS Chemex where they were dried and sieved to -180 microns. A portion of the sample was then digested in aqua-regia acid and analyzed for 34 elements by the inductively-coupled plasma with atomic emission spectroscopy technique (ME- ICP41).


The samples were taken along at twenty-five metre intervals on five lines trending approximately north-northeast in the area of best historic geochemical response. Two additional lines were placed across the projected horizon to the south. Results were encouraging with five samples over 7500 ppm zinc and over 700 ppm nickel. The best soil sample taken in 2007 was taken near the barite horizon within the Earn Group and returned 14200 ppm zinc and 1200 ppm nickel. The highest zone of geochemical response was defined at, or along strike of the Earn Group barite horizon (Figures 6 to 8).

A total of three silt samples were taken from the small creek to the north west of the main hill. Response was moderate with the upstream samples returning progressively higher response.

DISCUSSION AND CONCLUSIONS

In other areas in the Yukon, the zinc and nickel rich NiMo horizon occurs at a predictable stratigraphic location with considerable lateral continuity. These factors, coupled with the diverse and consistently high metal value, make it an attractive exploration target. Though the NiMo horizon has not yet been definitively observed in outcrop on the Harken property, the host stratigraphy has been observed near high zinc and nickel soil sample anomalies suggesting that the NiMo horizon is present but has been weathered out at surface. Presence of high


T.N.
40.2'
24°41'
Grid north
Magnetic north
Annual change decreasing 27'
454000
455000
456000
457000
6945000
6944000
DPss
OSDu
DMEu
DPba
DPcg
DPca
DPss
OSDu
DPss
OSDu
BB38737
BB38736
BB38735
CC40070
CC40071
CC40072
CC40073
CC40074
CC40075
CC40076
CC40077
CC40078
CC40079
CC40080
CC40081
CC40082
CC40083
CC40084
CC40085
CC40086
CC40087
CC40088
CC40089
CC40090
CC40091
CC40092
CC40093
CC40094
CC40095
CC40096
CC40097
CC40098
CC40099
CC40100
CC40426
CC40427
CC40428
CC40429
CC40430
CC40431
CC40432
CC40433
CC40434
CC40435
CC40436
CC40437
CC40438
CC40439
CC40440
CC40441
CC40442
CC40443
CC40444
CC40445
CC40446
CC40447
CC40448
CC40449
CC40450
CC40451
CC40452
CC40453
CC40454
CC40455
CC40456
CC40457
CC40458
CC40459
CC40460
CC40461
CC40462
CC40463
CC40464
CC40465
CC40389
CC40388
CC40387
CC40386
CC40385
CC40384
CC40383
CC40382
CC40381
CC40312
CC40311
CC40310
CC40309
CC40308
CC40307
CC40306
CC40305
CC40304
CC40303
CC40302
CC40390
CC40391
CC40392
CC40393
CC40394
CC40395
CC40396
CC40397
CC40398
CC40399
CC40400
CC40401
CC40402
CC40403
CC40404
CC40405
CC40406
CC40407
CC40408
CC40409
CC40410
CC40411
CC40412
CC40413
CC40378
CC40379
CC40333
CC40331
CC40332
CC40368
CC40370
CC40367
CC40369
CC40373
CC40372
CC40375
CC40374
CC40377
CC40376
CC40329
CC40327
CC40330
CC40325
CC40328
CC40323
CC40326
CC40321
CC40324
CC40319
CC40322
CC40317
CC40320
CC40315
CC40318
CC40316
CC40314
Silt sample
▲ BB38735
Soil Sample
● cc40377
Sample taken prior to 2007are not labelled
For complete rock descriptions see table 1
STRATEGIC METALS LTD.
FIGURE 6
ARCHER, CATHRO & ASOCIATES (1981) LIMITED
SAMPLE LOCATION
HARKEN PROPERTY
0
0.2
0.4
0.6 km
UTM ZONE 9W, NAD 83, 105 I12
...2007/HARKEN/FIGURES/HARKEN_sample.WOR
DATE: FEBRUARY 2008


T.N.
40.2'
24°41'
Grid north
Magnetic north
Annual change decreasing 27'
454000
455000
456000
457000
6945000
6944000
DPss
OSDu
752
1100
DMEu
1200
840
DPba
3380
OSDu
737
DPss
DPcg
DPca
DPss
OSDu
Nickel soil geochemistry
737 to 1,500
489 to 737
300 to 489
94.5 to 300
10 to 94.5
0 to 10
For complete rock descriptions see table 1
STRATEGIC METALS LTD.
FIGURE 7
ARCHER, CATHRO & ASOCIATES (1981) LIMITED
NICKEL SOIL GEOCHEMISTRY
HARKEN PROPERTY
0 0.2 0.4 0.6 km
UTM ZONE 9W, NAD 83, 105 I12
...2007/HARKEN/FIGURES/HARKENNi.WOR
DATE: FEBRUARY 2008

T.N.

40.2'

24°41'

Grid north

Magnetic north

Annual change decreasing 27'

454000

455000

456000

457000

6945000

6944000

DPss

7710

OSDu

7510

10001

DMEu

14200

8790

DPba

8500

OSDu

DPss

DPcg

DPca

DPss

OSDu

Zinc soil geochemistry

7,510 to 14,200

5,620 to 7,510

2,980 to 5,620

807 to 2,980

46 to 807

0 to 46

For complete rock descriptions see table 1

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY

HARKEN PROPERTY

0 0.2 0.4 0.6 km

UTM ZONE 9W, NAD 83, 105 I12

...2007/HARKEN/FIGURES/HARKEN_Zn.WOR

DATE: FEBRUARY 2008

geochemical response immediately down slope of a barite horizon suggests that mineralization may also be analogous to that of the Taiga prospect of the Taiga basin of central Yukon (MINFILE 116B 170), Yukon.

Future work should include diamond drilling in the areas with the strongest soil geochemical response. These drill holes should be oriented to intersect the mapped barite horizon within the Earn Group stratigraphy, and depending on results from those holes, across the Earn Group/Road River Group contact to determine whether the NiMo horizon exists on the Harken property. One drill pad has been started to accommodate this work.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Daniel Gregory, B.Sc.

REFERENCES

Carne, R.C.,
1995 Report on Geological mapping and geochemical sampling on the Falcon property, Yukon Territory, Archer Cathro and Associates (1981) Limited.

Carne, R.C.,
1992 Report on Geological mapping and geochemical sampling on the Falcon property, Yukon Territory, Archer Cathro and Associates (1981) Limited.

Goodfellow, W.D., and Jonasson, I.R.,
1986 Environment of formation of the Howards Pass (XY) Zn-Pb deposits, Selwyn basin, Yukon. In Mineral deposits of the Northern Cordillera. Edited by J.A. Morin. CIM Special Volume, 37, p. 19-50.

Norford, B.S. And Orchard, M.J.,
1982 Early Silurian age of Pb-Zn Mineralization at Howards Pass, Yukon Territory and District of Mackenzie; review of local biostratigraphy of Road River Formation and Earn Group. Geological Survey of Canada, Paper 83-18, 16

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Daniel Gregory, geologist, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc (Hons) in Honours Geology.

2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory.

3. I have personally participated in the fieldwork reported herein.

Daniel Gregory, B.Sc.

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 26-SEP-2007
Account: MTT

CERTIFICATE VA07094498

Project: STRATEGIC NI
P.O. No.: Regional - Harlot, Harlow, Harvest, Harken
This report is for 241 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.
The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40161		0.12	6.55	0.55	81.9	<0.2	<10	320	0.45	0.4	0.06	2.17	13.3	2	163	1.45
CC40162		0.16	3.43	0.86	48.7	<0.2	<10	460	1.37	0.14	7.92	29.9	21.7	12.4	114	0.92
CC40163		0.12	0.96	0.34	22.8	<0.2	<10	160	1.02	0.19	2.04	10.75	15.75	12.3	25	0.64
CC40164		0.12	1.64	0.27	53.2	<0.2	<10	230	0.82	0.11	8.16	29.1	19.9	7.7	30	0.56
CC40165		0.14	5.3	0.69	94.1	<0.2	<10	360	1.04	0.2	3.96	42.6	15.8	7.6	91	0.82
CC40166		0.10	5.76	0.8	72.9	<0.2	<10	470	1.68	0.29	1.95	58.6	30	20.6	126	0.87
CC40167		0.10	6.83	0.65	113	<0.2	<10	420	1.01	0.21	3.91	51.9	18.4	12.4	82	0.77
CC40168		0.06	0.48	0.82	7.7	<0.2	<10	480	0.1	0.02	1.23	3.83	1.74	1.1	88	0.05
CC40169		0.12	10.35	1.41	147.5	<0.2	<10	660	2.21	0.29	3.42	71.5	34.4	16.7	204	1.91
CC40170		0.12	14.05	1.55	206	<0.2	<10	800	2.7	0.3	2.1	85.4	34.8	19.8	250	2.24
CC40171		0.10	15.7	1.1	130	<0.2	<10	620	1.65	0.37	0.82	45.1	27.6	27	226	1.55
CC40172		0.14	7.29	1	101.5	<0.2	<10	1640	1.46	0.21	1.13	48.6	17.15	6.6	113	0.9
CC40173		0.12	19.85	1.33	128.5	<0.2	<10	930	2.03	0.24	1.13	25.9	19.2	4.4	232	2.04
CC40174		0.12	15.5	1.6	157	<0.2	<10	720	1.83	0.34	1	25.5	26.2	3.7	268	2.71
CC40175		0.08	7.85	1.29	141	<0.2	10	630	1.78	0.26	1.15	20.8	21.8	5.7	204	1.99
CC40176		0.14	15.8	1.39	186.5	<0.2	10	630	1.58	0.3	1.14	43.4	28.6	7.4	217	2.04
CC40177		0.10	4.84	1.04	84	<0.2	<10	540	1.15	0.21	0.35	17.95	13.1	4.4	124	1.45
CC40178		0.14	7.95	1.01	341	<0.2	10	640	1.35	0.4	0.55	28.2	17.7	7.2	133	2.2
CC40179		0.10	9.25	1.26	160.5	<0.2	<10	580	3.04	0.34	1.26	97.9	22.5	8.7	144	1.5
CC40180		0.08	9.45	1.09	156	<0.2	10	530	1.76	0.29	0.96	23	23.3	2.9	173	1.77
CC40182		0.12	1.81	0.52	40	<0.2	<10	840	0.68	0.27	0.12	1.23	26.3	6.7	25	1.5
CC40183		0.20	0.37	0.47	14.9	<0.2	<10	1040	0.64	0.34	0.11	0.99	54.1	48.9	7	3.01
CC40184		0.14	0.51	0.95	14.8	<0.2	<10	470	0.77	0.43	0.03	0.53	37.9	46.9	9	4.31
CC40185		0.16	1.8	0.92	38.3	<0.2	<10	610	0.73	0.47	0.17	1.82	46.4	39.6	24	4.99
CC40186		0.20	2.84	0.31	35.5	<0.2	<10	1850	0.45	0.19	3.29	5.14	29.9	6.5	49	1.04
CC40187		0.18	8.76	0.46	68.9	<0.2	<10	1410	1.18	0.25	3.65	9.25	15.15	42.8	170	1.71
CC40188		0.12	4.24	0.96	55.4	<0.2	10	700	1.5	0.2	0.25	9.31	33.6	2.2	135	3.26
CC40189		0.18	2.9	1.01	148	<0.2	<10	50	0.92	0.31	0.15	7.38	40.7	1.5	85	3.69
CC40190		0.12	6.55	1.13	133	<0.2	10	80	1.2	0.21	0.49	6.84	29.9	2.7	164	3.09
CC40191		0.20	0.76	0.38	17.6	<0.2	<10	4030	0.56	0.12	0.03	3.29	21.3	1.3	27	0.88
CC40192		0.20	0.17	0.56	31	<0.2	<10	>10000	0.3	0.03	2.17	258	3.4	50.3	15	0.27
CC40193		0.18	2.74	0.34	16.8	<0.2	<10	>10000	0.57	0.13	0.12	7.87	23.7	0.5	31	1.07
CC40194		0.20	0.63	0.6	106	<0.2	<10	1470	0.47	0.59	0.01	1.48	71.7	12.5	26	3.49
CC40195		0.12	0.16	0.42	23.5	<0.2	<10	850	0.59	0.32	0.06	0.9	33.2	34.8	7	2.73
CC40196		0.16	0.3	0.66	523	<0.2	<10	2440	0.63	0.34	0.1	1.01	36.7	27.4	8	1.8
CC40197		0.16	2.24	0.64	70.9	<0.2	<10	1950	0.64	0.36	0.28	1.27	31.9	26	29	2.03
CC40198		0.14	4.7	1.01	63	<0.2	10	780	1.17	0.19	0.31	15.25	27.7	5.1	108	2.5
CC40239		0.10	0.57	1.03	19.9	<0.2	<10	360	0.4	0.08	0.3	8.04	11.85	3.5	28	0.78
CC40240		0.04	0.79	0.73	13.6	<0.2	<10	380	0.32	0.06	0.28	13.75	8.55	2.3	15	0.66
CC40241		0.08	0.34	0.12	0.6	<0.2	<10	90	<0.05	<0.01	0.13	0.27	0.69	0.8	2	0.09

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40161		82.7	3.08	9.5	0.28	<0.02	0.72	0.066	0.15	11.1	1.8	0.05	38	65.8	<0.01	0.09
CC40162		103	1.58	3.32	0.15	0.07	0.23	0.018	0.15	13.9	12.4	4.66	686	27.7	0.01	0.13
CC40163		49.8	2.64	1.4	0.06	0.03	0.21	0.03	0.09	7.6	3	1.11	235	10.5	0.01	0.08
CC40164		150	1.26	2.64	0.1	0.31	0.57	0.025	0.08	12.3	6.3	5.14	193	57	0.02	0.13
CC40165		193.5	2.17	5	0.19	0.04	2.58	0.06	0.16	11.6	4.9	2.46	275	75.6	0.02	0.16
CC40166		219	2.94	4.47	0.17	0.06	0.83	0.052	0.15	19.5	9.2	0.8	619	54.1	0.01	0.19
CC40167		257	2.7	4.04	0.19	0.07	3.03	0.061	0.15	13.5	4.5	1.78	507	76.9	0.01	0.13
CC40168		18.5	2.93	0.33	<0.05	<0.02	0.11	<0.005	0.13	1.1	0.5	0.18	437	5.98	0.01	<0.05
CC40169		495	3.46	8.59	0.3	0.11	0.72	0.097	0.25	27.5	13.7	1.76	419	122	0.01	0.28
CC40170		532	4.74	8.79	0.34	0.09	2.02	0.136	0.24	28.3	10.7	0.74	524	142.5	0.01	0.27
CC40171		335	3.69	6.65	0.26	0.08	2.63	0.106	0.22	27.3	4.6	0.06	862	84.9	<0.01	0.11
CC40172		343	2.25	4.52	0.17	0.11	2.11	0.052	0.13	14.4	5.5	0.15	257	60.1	<0.01	0.14
CC40173		495	2.66	6.59	0.28	0.07	3.53	0.083	0.18	20	6.4	0.09	102	81.9	0.03	0.19
CC40174		296	4.16	9.43	0.53	0.08	2.22	0.144	0.29	25.1	8.2	0.14	113	109.5	0.02	0.16
CC40175		185.5	3.76	8.01	0.4	0.06	0.41	0.102	0.27	18.3	7.5	0.13	249	135	0.02	0.14
CC40176		198.5	5.05	7.89	0.47	0.12	5.93	0.155	0.27	25	4.6	0.07	372	108	0.02	0.13
CC40177		189	2.29	4.93	0.21	0.03	2.39	0.066	0.1	11	2.5	0.05	162	52.7	0.02	0.12
CC40178		191.5	7.06	8.28	0.65	0.06	1.45	0.176	0.28	13.4	3.1	0.05	349	350	0.02	0.12
CC40179		597	3.52	8.46	0.39	0.07	1.64	0.16	0.25	18.4	3.5	0.04	285	157	0.01	0.12
CC40180		240	4.36	7.34	0.61	0.05	1.19	0.133	0.27	20.3	3.3	0.06	99	119	0.02	0.1
CC40182		69.5	3.51	2.22	0.1	0.02	0.17	0.052	0.14	17.9	2	0.04	84	25.8	0.02	0.16
CC40183		58.5	5.67	1.09	0.12	0.06	0.14	0.038	0.11	26.9	2.5	0.1	1530	2.63	0.02	0.08
CC40184		163	10.75	0.98	0.16	0.13	0.12	0.067	0.18	17.8	3.5	0.06	1315	5.65	0.04	0.12
CC40185		181	11.2	1.42	0.18	0.11	0.39	0.071	0.23	23.5	2.6	0.09	967	8.4	0.05	0.17
CC40186		109.5	1.95	1.48	0.14	0.18	0.52	0.033	0.07	16.9	3.4	1.77	159	12.65	0.05	0.08
CC40187		192	2.58	2.87	0.21	0.16	1.21	0.039	0.09	12.3	4.5	1.53	816	25	0.04	0.08
CC40188		138.5	2.05	6.92	0.25	0.03	0.38	0.051	0.18	29	5	0.06	56	107.5	0.02	0.21
CC40189		158	4.99	8.78	0.77	0.12	0.44	0.105	0.34	28.5	3.8	0.05	43	277	0.02	0.66
CC40190		174.5	4.71	8.17	0.48	0.07	0.69	0.083	0.38	22.5	4.3	0.06	53	135	0.02	0.55
CC40191		68.3	0.7	2.84	0.11	0.02	0.05	0.023	0.06	16.2	2	0.03	63	40.9	0.09	0.14
CC40192		14.4	3.67	2.57	0.11	0.04	0.03	0.005	0.01	2.1	0.5	0.05	3170	69.1	0.29	0.05
CC40193		61.8	0.5	4.06	0.08	0.25	0.31	0.03	0.1	19.4	3.1	0.01	13	9.56	0.26	<0.05
CC40194		76.3	9.37	2	0.18	0.03	0.11	0.077	0.09	35	1.7	0.04	460	11.75	0.04	0.24
CC40195		48	6.3	0.77	0.1	0.07	0.09	0.053	0.09	12.8	1.5	0.06	1510	2.4	0.02	0.08
CC40196		79.1	6.44	1.25	0.11	0.14	0.15	0.048	0.12	16	2	0.09	1175	12.75	0.06	0.08
CC40197		122.5	5.97	1.39	0.13	0.07	0.27	0.052	0.1	17.6	2.6	0.11	617	9.43	0.05	0.21
CC40198		129.5	2.26	5.74	0.3	0.03	0.43	0.052	0.16	21.8	3.3	0.04	130	83.3	0.03	0.13
CC40239		37.9	0.98	3.76	0.07	0.02	0.15	0.015	0.05	7.2	7.5	0.8	135	7.1	0.03	0.16
CC40240		24.8	0.63	2.63	0.06	0.02	0.13	0.012	0.04	4.8	3.2	0.24	132	5.42	0.03	0.2
CC40241		3.3	0.28	0.53	<0.05	0.03	0.04	<0.005	0.02	0.4	0.3	0.03	15	1.92	0.03	0.17

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40161		52.3	3400	74.5	15.6	0.004	0.35	58.5	0.3	54.8	3.1	81.1	<0.01	0.39	<0.2	<0.005
CC40162		243	5180	10.7	18.2	0.002	0.08	43.3	3.6	32.2	0.5	400	<0.01	0.17	0.9	0.009
CC40163		125.5	990	14.5	7	0.003	0.1	16.35	6	6.3	1	74.6	<0.01	0.05	5.2	<0.005
CC40164		182.5	540	10.7	6.9	0.034	0.02	45	5.7	6.7	0.7	180	<0.01	0.1	4.4	<0.005
CC40165		242	3920	59.5	11.9	0.007	0.23	67.8	3.6	27.3	2.6	233	<0.01	0.32	1	0.007
CC40166		522	3200	26	13.9	0.003	0.09	54	6	18.8	1.4	101	0.01	0.31	2.1	0.007
CC40167		340	3930	77.9	11.2	0.011	0.2	82.1	4	30.6	7.3	219	0.01	0.39	1.1	0.005
CC40168		526	3760	2.8	1.1	<0.001	0.13	4.32	0.4	1.6	0.2	10.8	<0.01	0.02	<0.2	0.006
CC40169		612	3980	26	24.4	0.009	0.29	94.8	7.6	40.8	1.4	215	0.01	0.43	1.9	0.014
CC40170		657	6000	43.3	24.2	0.012	0.34	143.5	8.4	50.9	3.9	247	0.01	0.61	2	0.012
CC40171		156	8080	41.5	18.5	0.008	0.54	103.5	5	44.2	2.7	207	0.01	0.63	1.3	0.006
CC40172		440	3960	29.5	13.9	0.016	0.2	55.3	3.7	27.1	1.2	160.5	0.01	0.44	0.9	0.005
CC40173		324	6320	29.2	19.9	0.01	0.33	72.1	3.6	34.5	1.3	189	0.01	0.48	0.6	0.01
CC40174		232	>10000	35.4	27.4	0.018	0.56	91.3	5	72	2.1	226	0.01	0.82	1.1	0.011
CC40175		219	8250	24.4	22.9	0.009	0.56	92.9	4.4	44.6	1.4	186.5	0.01	0.65	1	0.011
CC40176		193.5	>10000	103.5	20.9	0.014	0.58	488	5.9	53.8	2.4	245	0.01	1.12	1.7	0.007
CC40177		91.9	5890	37.8	16	0.011	0.29	56.2	0.4	25.1	1	86.7	0.01	0.52	<0.2	<0.005
CC40178		134	>10000	206	19.5	0.034	0.6	212	6.1	118.5	3.1	241	0.01	1.94	2.1	0.005
CC40179		380	7100	158	18.8	0.021	0.66	95.6	6.3	60.7	2.4	336	0.01	1.08	2.6	0.005
CC40180		137	>10000	41.1	19.5	0.054	0.58	103	5.3	130	1.8	237	0.01	1.2	1.8	0.006
CC40182		76.8	3200	29.1	9.8	0.003	0.38	10	0.5	8.3	0.4	90.3	<0.01	0.25	<0.2	<0.005
CC40183		68.6	530	26.2	8.7	0.001	0.03	4.39	7.5	1.7	0.3	16.8	0.01	0.21	6.2	<0.005
CC40184		94.8	810	34	9.7	0.001	0.56	3.13	12.6	1.7	0.4	56.7	0.01	0.2	7.9	<0.005
CC40185		175.5	1740	47.2	11.2	0.003	0.61	9.75	12.4	6	0.5	131	0.01	0.26	8.1	<0.005
CC40186		164	810	8.7	3.8	0.006	0.1	13.35	5.2	9	0.9	175	<0.01	0.11	4.9	<0.005
CC40187		608	5160	15.5	7.2	0.006	0.08	31.5	5.6	22.7	1	291	<0.01	0.27	4.5	<0.005
CC40188		75.5	2860	14.7	16.3	0.006	0.34	40.3	2.6	29.2	0.9	105.5	0.01	0.36	0.3	0.02
CC40189		64	3390	21	25.7	0.022	1.2	109.5	8	158.5	1.3	254	<0.01	1.93	5	0.039
CC40190		98.7	5550	15	23.5	0.008	1.02	77.1	8.7	73.6	0.9	238	0.01	0.44	3.5	0.038
CC40191		31.9	780	7.9	6.6	0.004	0.12	13.9	1.8	9.5	0.5	87.3	<0.01	0.19	0.3	0.008
CC40192		1525	2770	1.7	1.4	0.004	0.03	13.85	1.2	5.4	0.2	310	0.01	0.04	0.4	<0.005
CC40193		42.7	890	7.5	7.5	0.005	0.08	7.22	2.5	6.8	0.6	180	<0.01	0.15	3.2	<0.005
CC40194		69.6	1300	37.2	8.9	0.001	0.13	27.8	8.3	9.1	0.5	52.3	<0.01	0.23	10.4	0.007
CC40195		114	380	16.3	6.7	0.001	0.02	5.13	7.8	1.4	0.2	14.7	<0.01	0.15	5.6	<0.005
CC40196		139	550	30.6	8.2	0.002	0.07	14.05	6.8	2.7	0.2	36.1	<0.01	0.13	5.9	<0.005
CC40197		126.5	1050	22.9	7.2	0.002	0.1	12	7.4	6	0.4	59.9	0.01	0.16	3.7	0.007
CC40198		110	4290	13.4	15	0.007	0.32	29	0.6	50	0.8	153.5	<0.01	0.43	<0.2	0.009
CC40239		74.9	1560	13	10.1	0.001	0.06	6.74	0.5	4.6	0.4	35.1	<0.01	0.05	<0.2	0.015
CC40240		29.8	2720	7.8	6.7	0.004	0.16	4.01	0.3	7.8	0.3	31.1	<0.01	0.03	<0.2	0.006
CC40241		1.7	410	0.7	1	<0.001	0.04	0.54	0.3	1.3	<0.2	14.9	<0.01	<0.01	<0.2	0.012

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Zn-OG46 Zn % 0.01
CC40161		4.36	13.6	788	0.75	11.15	341	<0.5	
CC40162		1.94	8.64	731	0.3	37	2860	4	
CC40163		0.99	3.29	82	0.15	20	1340	2.4	
CC40164		2.56	7.07	559	0.31	30.6	2710	24.7	
CC40165		4.77	19.05	915	0.73	34.2	2590	1.7	
CC40166		2.54	10.9	627	0.71	52.4	6300	2.5	
CC40167		4.05	22.7	773	0.84	44.7	3820	2.3	
CC40168		0.21	1.39	590	<0.05	4.5	6830	0.5	
CC40169		9.79	30.7	1975	1.26	61.3	8620	5.4	
CC40170		11.5	55	2190	1.49	74.3	9150	3.5	
CC40171		7.03	31.5	883	1.8	59.5	959	2.7	
CC40172		4.27	34.5	957	0.7	47.9	6300	4.4	
CC40173		8.5	45.4	1505	1.03	52.7	1600	2.5	
CC40174		12.15	43.4	1830	1.36	47.2	1590	2.7	
CC40175		11.95	29.6	1725	1.37	48.5	1060	1.4	
CC40176		9.72	36.5	976	1.21	63	1190	4.5	
CC40177		5.92	18.45	531	0.56	28.8	535	<0.5	
CC40178		20.4	28.4	1240	2.08	43.1	847	1.5	
CC40179		15.5	44.4	836	1.43	84.7	5280	1.7	
CC40180		6.76	25.2	937	1.4	50.6	807	1.1	
CC40182		0.38	6.2	173	0.21	15.45	340	<0.5	
CC40183		0.21	1.56	33	<0.05	17.95	236	2.7	
CC40184		0.31	3.15	27	<0.05	18.9	259	7.7	
CC40185		0.5	2.99	73	0.09	29.3	686	8.1	
CC40186		0.57	3.18	130	0.16	16.05	676	11.5	
CC40187		0.39	4.74	291	0.3	15.55	3750	12.3	
CC40188		5.27	22.3	2020	0.57	31.4	278	<0.5	
CC40189		9.2	20.2	1585	1.29	28.7	244	12.2	
CC40190		6.17	22.6	1475	0.67	37.9	435	4.7	
CC40191		1.91	9.3	361	0.37	15.35	156	0.5	
CC40192		0.3	5.97	194	0.18	52.8	>10000	0.9	2.43
CC40193		0.77	3.94	86	0.15	9.65	338	10.1	
CC40194		0.58	3.07	127	0.15	9.95	616	1.3	
CC40195		0.17	1.87	22	<0.05	13.55	834	3.6	
CC40196		0.33	4.08	33	<0.05	21	756	8.2	
CC40197		0.38	4.17	153	0.09	24.9	651	2.6	
CC40198		4.03	15.5	1020	0.49	29.7	609	0.5	
CC40239		0.94	2.04	285	0.14	5.84	1320	0.6	
CC40240		1.05	3.18	111	0.14	5.54	381	0.7	
CC40241		0.04	0.48	14	<0.05	0.27	15	0.7	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC40242		0.08	1.78	1.83	53.4	<0.2	<10	690	1.22	0.12	1.22	29.8	19.3	7.2	93	1.86
CC40243		0.14	2.78	1.2	91.1	<0.2	<10	380	1.08	0.15	1.42	16.65	45.2	4.6	111	1.62
CC40244		0.06	4.34	0.59	70.6	<0.2	<10	610	0.4	0.34	0.08	1.79	49.8	1.4	74	2.07
CC40245		0.18	14.3	1.51	117.5	<0.2	<10	510	0.91	0.26	0.16	2.93	34.1	3.3	142	3.15
CC40246		0.10	5.68	1.33	140.5	<0.2	10	680	1.41	0.2	1.29	5.39	40.3	1.3	157	1.85
CC40247		0.08	0.94	2.38	58.6	<0.2	<10	210	1.41	0.18	0.84	5.51	26.4	11	72	4.16
CC40248		0.06	1.4	3.36	102	<0.2	<10	250	2	0.28	1.07	16.85	18.65	22.8	70	5.48
CC40249		0.08	1.04	2.17	54.8	<0.2	<10	220	1.11	0.21	0.61	7.58	30.8	11.9	59	3.81
CC40250		0.10	1.84	1.64	86.2	<0.2	<10	270	0.81	0.24	0.25	8.81	25.4	6.4	57	3.24
CC40251		0.10	0.73	0.58	30.5	<0.2	<10	1240	0.37	0.16	0.13	0.77	12.6	5.3	16	1.31
CC40252		0.20	1.36	0.91	111.5	<0.2	<10	700	0.75	0.47	0.09	1.14	30	32.5	19	2.84
CC40253		0.22	10.05	1.14	64.8	<0.2	10	1610	2.23	0.24	0.05	4.58	41	2.2	302	3.65
CC40254		0.16	10.5	1.29	69.4	<0.2	10	520	2.73	0.25	0.27	13.9	37.1	3.3	401	2.62
CC40261		0.18	2.79	0.69	48.5	<0.2	10	630	1.3	0.2	1.43	9.77	54.5	16.3	30	2.43
CC40262		0.16	0.78	0.91	79.4	<0.2	<10	740	1.44	0.23	0.29	13.05	53	13.4	13	2.89
CC40263		0.18	0.2	0.71	98.6	<0.2	<10	760	0.78	0.25	0.12	1.09	38.7	23.3	13	2.49
CC40264		0.12	0.18	0.8	28.1	<0.2	<10	440	0.49	0.14	0.09	0.79	19.5	11.3	10	2.16
CC40265		0.14	2.3	0.55	76.9	<0.2	10	610	0.98	0.26	0.61	4.67	58.9	10.5	43	2.54
CC40266		0.12	1.78	1.08	50.4	<0.2	<10	3580	1.54	0.21	0.08	10.95	30.1	4.1	122	2.04
CC40267		0.12	1.58	0.74	32.4	<0.2	10	1590	0.85	0.12	0.25	17.1	16.3	2.1	62	1.24
CC40268		0.20	4.44	1.44	128	<0.2	10	670	1.22	0.33	0.18	76.8	49.3	40.9	134	3.63
CC40269		0.22	5.33	0.94	195.5	<0.2	<10	2120	1.64	0.3	0.8	86.2	57.8	30.1	150	3.21
CC40270		0.18	2.23	0.93	78	<0.2	20	1490	2.08	0.16	1.65	82.6	40.2	12.3	116	3.65
CC40271		0.16	3.65	0.89	113.5	<0.2	10	1620	1.72	0.19	0.47	50.4	39.4	19.3	164	2.35
CC40272		0.08	4.19	0.98	53.2	<0.2	10	2190	1.23	0.15	0.89	25.9	24.4	7.3	107	1.71
CC40273		0.10	2.58	0.82	36.4	<0.2	10	2000	1.13	0.21	0.63	11.45	19.15	7	89	1.42
CC40274		0.12	0.67	0.6	41.2	<0.2	<10	620	0.53	0.32	0.04	1.02	33	16.7	22	2.06
CC40275		0.24	0.21	0.63	18.7	<0.2	<10	240	0.43	0.5	0.01	0.22	52.6	24.1	6	2.47
CC40276		0.12	2.97	0.45	42.6	<0.2	<10	250	0.38	0.37	0.04	0.78	34.7	3.2	40	1.98
CC40277		0.10	0.11	0.16	0.8	<0.2	<10	50	0.05	0.02	0.04	0.1	1.37	0.7	3	0.16
CC40278		0.12	1.57	1.32	53.2	<0.2	10	760	1.04	0.28	0.72	4.17	45.5	13.5	77	1.85
CC40279		0.12	0.67	0.69	34.2	<0.2	<10	880	0.8	0.25	0.14	1.33	22.6	11.1	53	1.61
CC40280		0.10	0.22	0.36	13.5	<0.2	<10	210	0.24	0.14	0.04	0.21	10.45	4.1	14	0.96
CC40281		0.08	0.14	0.34	5.1	<0.2	<10	570	0.12	0.08	0.03	0.16	7.36	1.7	8	0.63
CC40282		0.14	0.25	0.32	9.7	<0.2	<10	270	0.18	0.11	0.03	0.2	9.63	3.5	8	1.34
CC40283		0.16	0.27	0.47	7.9	<0.2	<10	150	0.21	0.1	0.04	0.15	7.58	2.1	11	1.53
CC40284		0.10	0.55	1.48	39.5	<0.2	<10	330	0.8	0.23	0.12	0.43	18.3	5.5	37	2.96
CC40285		0.10	0.35	0.82	26	<0.2	<10	380	0.64	0.17	0.12	0.87	14.65	11.6	27	3.07
CC40286		0.12	0.24	1.7	37.6	<0.2	<10	220	0.66	0.33	0.03	0.52	16.6	8.4	108	3.3
CC40287		0.10	0.65	2.01	56.5	<0.2	<10	1280	1.36	0.41	0.25	1.12	37.3	11.1	70	2.98

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40242		69	1.97	4.97	0.11	0.07	0.27	0.036	0.06	12	17.8	2.4	397	13.2	0.03	0.36
CC40243		204	1.72	4.09	0.32	0.03	0.38	0.036	0.13	34.7	13.5	1.28	88	57.6	0.02	0.14
CC40244		50.1	1.65	6.04	0.24	<0.02	0.4	0.079	0.17	44.4	2.3	0.06	41	130.5	0.02	0.23
CC40245		178	3.51	7.95	0.37	0.04	1.64	0.095	0.17	27.2	10.9	0.44	73	83.2	0.01	0.21
CC40246		164	2.47	6.92	0.59	0.04	2.12	0.068	0.31	39.7	7.1	0.14	48	95.7	0.02	0.2
CC40247		56.2	3.2	9.1	0.25	0.07	0.23	0.078	0.19	10.2	25.7	2.45	338	17	0.02	2.11
CC40248		106.5	4.23	10.9	0.24	0.09	0.76	0.066	0.12	9.9	34.4	3.3	605	14	0.01	1.25
CC40249		78.9	3.57	7.52	0.21	0.04	0.34	0.057	0.14	13.4	24.8	2.4	364	14.05	0.01	1.67
CC40250		73.1	3.13	7.75	0.2	0.02	0.77	0.076	0.12	15.7	18.4	1.4	214	27.3	<0.01	1.73
CC40251		48.6	1.91	2.14	0.07	0.02	0.11	0.022	0.05	8.2	2.4	0.05	120	6.72	0.04	0.32
CC40252		149	8.45	2.85	0.16	0.03	0.13	0.065	0.09	16.7	2.7	0.07	616	11.85	0.01	0.44
CC40253		272	2.16	9.35	0.51	0.04	1.66	0.049	0.18	55.9	5.9	0.1	53	82.6	0.03	0.4
CC40254		317	2.63	10.05	0.47	0.04	0.8	0.065	0.2	48.9	7.7	0.15	96	80.3	0.01	0.73
CC40261		82.3	4.12	2.25	0.17	0.07	0.65	0.07	0.23	46	5.9	0.09	553	19.75	0.01	0.25
CC40262		222	4.31	1.49	0.14	0.07	0.22	0.051	0.16	34.1	3.6	0.06	181	5.67	0.01	0.16
CC40263		70.2	3.82	2.81	0.09	0.04	0.1	0.048	0.16	22.5	5.5	0.09	909	7.68	0.01	0.33
CC40264		80.7	3.29	2.75	0.08	0.02	0.06	0.029	0.06	12.6	2.8	0.04	568	9.62	0.01	0.23
CC40265		178	3.95	2.21	0.19	0.1	0.57	0.06	0.27	37	3	0.06	147	33.8	0.01	0.15
CC40266		138.5	2.1	7.91	0.17	0.03	0.52	0.036	0.14	30	6.4	0.09	67	78.9	0.08	0.18
CC40267		70.9	1.08	3.48	0.12	0.03	0.22	0.028	0.09	15.8	3.6	0.07	44	41.1	0.05	0.21
CC40268		213	3.62	7.97	0.34	0.11	1.16	0.063	0.19	44.7	4.6	0.07	915	135	0.01	0.68
CC40269		188.5	3.63	7.97	0.37	0.18	2.77	0.069	0.2	56.4	5.6	0.11	729	211	0.04	1.13
CC40270		142.5	1.9	6.35	0.31	0.16	0.87	0.032	0.22	50	8.1	0.64	380	144.5	0.03	0.48
CC40271		164.5	2.81	6.18	0.31	0.11	0.46	0.053	0.17	42.9	5.3	0.09	457	137.5	0.03	1.36
CC40272		223	1.31	4.52	0.18	0.02	0.8	0.026	0.14	21.6	18.7	0.71	183	46.6	0.05	0.2
CC40273		88.4	1.48	3.66	0.13	0.02	0.27	0.024	0.1	16.5	8.2	0.23	230	24.7	0.05	0.17
CC40274		73.8	5.61	1.95	0.12	0.03	0.07	0.037	0.15	20.4	2.4	0.07	631	8.47	0.01	0.23
CC40275		92.1	8.58	1.33	0.15	0.07	0.09	0.048	0.08	28.9	2.6	0.06	1190	4.33	<0.01	0.25
CC40276		54.4	4.58	4.06	0.15	<0.02	0.11	0.086	0.39	26.7	3	0.03	41	57.2	0.01	0.12
CC40277		3.1	0.38	0.7	<0.05	<0.02	0.02	<0.005	0.03	1	0.3	0.01	26	1.06	0.01	<0.05
CC40278		81.1	3.96	4.55	0.16	0.05	0.12	0.06	0.23	32.5	14.8	0.45	263	19.85	0.02	0.17
CC40279		64	3.09	3.2	0.09	<0.02	0.07	0.034	0.14	15.4	4	0.12	472	12.4	0.02	0.09
CC40280		25.7	1.48	2.28	<0.05	<0.02	0.03	0.018	0.07	7.2	1.5	0.03	89	4.71	0.01	0.05
CC40281		9.2	0.79	2.64	<0.05	<0.02	0.02	0.008	0.04	5	1.1	0.03	68	3.36	0.02	<0.05
CC40282		19.8	1.15	1.95	0.05	<0.02	0.05	0.011	0.05	6.4	1	0.02	561	5.97	0.01	0.07
CC40283		21.4	1.11	2.54	0.06	<0.02	0.05	0.012	0.04	5.2	1.4	0.05	41	3.15	0.01	0.12
CC40284		57.6	4.11	8.04	0.21	<0.02	0.06	0.037	0.2	12.2	6.6	0.38	163	9.11	0.01	0.77
CC40285		39.9	1.91	3.23	0.06	<0.02	0.08	0.027	0.09	9.6	2.9	0.07	1365	9.58	0.01	0.09
CC40286		59	3.01	7.22	0.07	<0.02	0.06	0.033	0.1	10.9	9.9	0.49	165	9.77	<0.01	0.78
CC40287		57.2	4.28	6.18	0.13	0.02	0.1	0.062	0.16	26	15	0.4	332	11.15	0.03	0.23

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40242		170.5	2790	26.6	14.2	0.002	0.07	21.9	3	9.7	0.7	76.4	<0.01	0.1	0.8	0.03
CC40243		240	6970	42.4	17.4	0.002	0.03	54.6	3.5	41.2	0.5	108	0.01	0.23	1.8	0.024
CC40244		42.9	1440	108.5	20.9	0.003	0.32	47.5	0.6	46.4	1.6	41.7	<0.01	0.48	<0.2	0.009
CC40245		117	6500	60.1	26.3	0.004	0.38	62.6	1.8	75.3	1.7	103	0.01	0.38	0.4	0.011
CC40246		69.3	9170	32.4	24.3	0.01	0.36	88.7	4.7	99.1	1.4	238	0.01	0.51	1.5	0.013
CC40247		89.3	1710	22.2	31.9	0.009	0.17	15.35	6.5	14.9	1	56.9	0.01	0.1	6.4	0.1
CC40248		139.5	1210	41.6	25.1	0.005	0.08	24.4	6.9	9.8	0.8	70.1	<0.01	0.16	5.3	0.08
CC40249		83.5	1050	26.7	29.3	0.004	0.12	19.1	6	9.5	0.9	40.5	<0.01	0.1	4.7	0.095
CC40250		78.8	1360	35.8	26.1	0.004	0.2	23.4	3.4	21.2	1	52.6	<0.01	0.19	1.3	0.071
CC40251		30.9	890	9.6	6.1	0.001	0.08	5.21	1.4	3.2	0.3	30.1	<0.01	0.08	0.2	0.011
CC40252		91.3	1790	33.3	10	0.002	0.13	13.1	5.1	5.3	0.5	35.9	<0.01	0.3	1.6	0.011
CC40253		75.7	2360	22	18.6	0.015	0.25	48.5	4.4	50.6	1.1	186.5	0.01	0.46	0.3	0.042
CC40254		145.5	3470	18	19.4	0.011	0.27	33.7	3.5	56.5	1.1	213	0.01	0.53	0.3	0.075
CC40261		190.5	5060	16	12	0.003	0.25	9.36	6.9	7.2	0.4	142	0.01	0.12	3.8	0.005
CC40262		107	2330	20.1	7.8	0.003	0.19	15.4	6.1	5.4	0.3	176	0.01	0.12	3.2	<0.005
CC40263		47.6	1700	17.3	13.8	0.001	0.11	6.05	3.2	2.4	0.6	16.7	<0.01	0.09	1.2	0.007
CC40264		55.7	1940	12.2	6.3	0.001	0.14	6.5	0.6	3	0.4	20.5	<0.01	0.09	<0.2	0.005
CC40265		109.5	4360	24	10.7	0.013	0.44	23	7.1	15	0.7	129	<0.01	0.17	6.3	<0.005
CC40266		137	1780	18.1	17	0.007	0.14	34.3	1	16.3	1	172.5	<0.01	0.3	<0.2	0.017
CC40267		74.4	1220	7.7	9.9	0.003	0.18	24.1	1.5	11.9	0.5	79.9	<0.01	0.13	0.2	0.012
CC40268		387	1860	22.1	18.3	0.004	0.33	134.5	9.6	51.9	1.5	234	0.01	0.51	5.1	0.041
CC40269		786	3240	24	18.1	0.005	0.24	152.5	12	46.7	1.3	313	0.01	0.49	6.3	0.06
CC40270		292	2860	13.6	21.6	0.004	0.3	50.2	7.4	21.9	0.8	331	0.01	0.26	4.1	0.034
CC40271		337	2660	16.9	15.6	0.005	0.19	128.5	8.3	31.9	0.9	197	0.01	0.35	4.2	0.08
CC40272		291	2350	15.3	22.8	0.003	0.15	25.3	0.7	16	0.7	95.4	<0.01	0.23	<0.2	0.008
CC40273		149	3220	13.9	12.3	0.003	0.12	15.45	0.6	12.3	0.7	82.2	<0.01	0.17	<0.2	0.005
CC40274		58.6	1560	24.7	12.6	0.001	0.31	6.07	2.9	3.4	0.5	57.9	<0.01	0.13	0.5	0.008
CC40275		54.1	810	30.7	8.3	<0.001	0.04	2.6	9.8	1.5	0.3	5.2	0.01	0.23	5.8	0.006
CC40276		23.3	2990	38.9	21.6	0.002	1.13	9.32	0.3	10.5	1	207	<0.01	0.3	<0.2	<0.005
CC40277		2.2	880	1.6	1.9	<0.001	0.03	0.28	0.1	0.4	<0.2	10.6	<0.01	0.01	<0.2	<0.005
CC40278		105.5	5490	28.8	15.7	0.002	0.39	10.75	1.2	7.6	0.6	180.5	0.01	0.22	0.4	0.011
CC40279		67.6	2690	31.1	13.2	0.001	0.24	6.2	0.2	4.4	0.5	58.9	<0.01	0.13	<0.2	<0.005
CC40280		21.9	1250	13.2	7.5	0.001	0.1	2.19	0.1	1.7	0.3	23.1	<0.01	0.04	<0.2	<0.005
CC40281		8.8	810	6.4	5.8	<0.001	0.06	1.12	0.1	1	0.3	18.7	<0.01	0.02	<0.2	<0.005
CC40282		14.3	1090	10.3	7.6	<0.001	0.08	1.92	0.2	1.7	0.4	20.2	<0.01	0.04	<0.2	<0.005
CC40283		11.7	1370	6.8	8.1	<0.001	0.1	1.16	0.1	1.4	0.3	16.3	<0.01	0.04	<0.2	<0.005
CC40284		28.9	2030	18.5	19.5	<0.001	0.25	4.37	0.3	3.3	0.9	60.2	<0.01	0.1	<0.2	0.014
CC40285		44	2280	29.6	15.6	<0.001	0.17	3.89	0.1	2.6	0.5	36.3	<0.01	0.07	<0.2	<0.005
CC40286		91.7	1070	26.3	18	<0.001	0.14	5.06	0.9	2.8	0.8	45.8	<0.01	0.08	<0.2	0.037
CC40287		87.4	4050	43.8	19.6	0.001	0.3	9	0.4	5.8	0.7	173.5	<0.01	0.24	<0.2	0.006

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40242		1.17	3.23	491	0.24	18.75	3550	2.8	
CC40243		1.96	11.45	923	0.54	36.5	2730	1.1	
CC40244		7.55	13.35	983	1.34	7.67	169	<0.5	
CC40245		5.06	22.5	805	1.23	24.6	585	1.3	
CC40246		4.63	25.4	2270	1.05	34.9	340	1.1	
CC40247		0.5	4.29	316	0.35	16.5	722	3.5	
CC40248		0.93	4.51	311	0.41	16.15	1790	3.6	
CC40249		0.9	4.68	249	0.29	16.4	1050	1.9	
CC40250		1.1	4.14	327	0.34	11.4	1080	1.1	
CC40251		0.31	2.19	137	0.1	8.55	122	0.5	
CC40252		0.48	3.81	192	0.14	13.85	348	1	
CC40253		3.3	36.8	2810	0.75	57.6	389	<0.5	
CC40254		4.4	36.8	2740	0.55	57.2	653	0.8	
CC40261		0.78	4.48	148	0.12	53.4	736	3.4	
CC40262		0.21	5.4	87	0.07	43	561	1.8	
CC40263		0.25	1.6	104	0.13	9.16	213	0.9	
CC40264		0.23	1.42	112	0.11	6.63	355	0.5	
CC40265		0.96	7.44	223	0.37	31.5	438	8.5	
CC40266		6.7	14.5	2820	1.42	40.7	565	0.6	
CC40267		2.63	11.4	889	0.48	23.4	305	0.8	
CC40268		9.15	15.8	1920	6.13	54.7	1920	7.6	
CC40269		11.75	16.7	2380	8.83	69	>10000	19.5	1.06
CC40270		10.3	25.4	4120	1.34	83.6	3830	17.8	
CC40271		8.29	23.7	2500	3.6	54	3350	10.9	
CC40272		4.1	8.55	1425	0.54	38.2	3110	0.7	
CC40273		1.85	8.76	672	0.37	23.2	928	0.6	
CC40274		0.44	2.27	108	0.17	12.5	259	0.6	
CC40275		0.2	1.88	19	0.05	13.95	172	3.8	
CC40276		2.28	5.22	284	0.35	8.29	111	<0.5	
CC40277		0.07	0.66	17	<0.05	0.49	12	<0.5	
CC40278		0.72	5.82	233	0.2	28.6	439	1.4	
CC40279		0.39	3.13	139	0.15	7.45	356	<0.5	
CC40280		0.2	1.34	65	0.07	2.41	110	<0.5	
CC40281		0.19	0.62	55	0.07	1.53	43	<0.5	
CC40282		0.26	0.79	81	0.08	2.38	74	<0.5	
CC40283		0.17	1.19	59	0.09	2.27	48	<0.5	
CC40284		0.18	2.09	200	0.24	4.92	158	<0.5	
CC40285		0.59	2.34	144	0.09	3.69	233	<0.5	
CC40286		0.43	1.93	161	0.22	5.13	211	0.8	
CC40287		0.36	5.14	135	0.2	16.8	340	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40288		0.20	0.5	1.1	25.3	<0.2	<10	510	0.79	0.37	0.08	0.8	52.5	28.7	32	3.9
CC40289		0.18	0.54	1.87	27	<0.2	<10	660	0.78	0.35	0.13	3.41	50.7	29.6	81	2.66
CC40290		0.06	0.91	2.58	42.4	<0.2	<10	860	1.1	0.23	1.24	13.6	20.1	14.7	192	2.44
CC40291		0.12	4.39	1.14	194.5	<0.2	10	2100	1.54	0.2	0.31	28.5	34	11.2	121	4.34
CC40292		0.12	0.62	0.32	33.8	<0.2	<10	750	0.38	0.13	0.04	2.1	23.5	2	55	2.68
CC40293		0.18	1.67	0.38	31.9	<0.2	10	700	0.7	0.13	0.16	23.3	25.7	4.3	63	1.18
CC40294		0.28	2.09	0.82	60.7	<0.2	<10	450	0.84	0.16	6.54	116	19.1	11.3	69	1.51
CC40295		0.18	4.95	1.25	118	<0.2	10	470	1.49	0.27	0.21	4.9	45.4	2.6	215	5.9
CC40296		0.16	6.06	1.21	90.3	<0.2	10	1110	2.05	0.28	0.13	6.01	48.1	3.4	260	3.11
CC40297		0.22	5.5	1.23	97.6	<0.2	10	1780	2.14	0.24	0.24	14.85	45.3	8.9	261	2.97
CC40298		0.18	3.9	1.19	185	<0.2	10	230	1.5	0.24	0.29	7.13	36.6	9.5	229	3.41
CC40299		0.18	3.65	1.63	116	<0.2	<10	2080	1.59	0.31	0.31	52.4	38.7	16.6	190	3.43
CC40300		0.36	1.7	1.82	173	<0.2	<10	4980	1.39	0.27	0.47	34.8	36	24.3	98	2.52
CC40301		0.28	1.82	1.02	69.9	<0.2	<10	2970	1.37	0.2	0.68	40.8	43.8	30	67	3.01
CC40302		0.30	1.37	0.83	20.5	<0.2	<10	1580	0.48	0.18	0.34	4.22	27.2	5.2	26	1
CC40303		0.16	2.64	1.09	25.5	<0.2	<10	2330	0.76	0.2	0.33	10.35	24.4	5.9	46	1.09
CC40304		0.16	0.83	0.56	12.4	<0.2	<10	390	0.23	0.15	0.09	0.96	25.2	2.2	10	0.41
CC40305		0.16	0.89	0.43	7.2	<0.2	<10	600	0.27	0.06	0.25	3.43	8.53	2.7	11	0.5
CC40306		0.12	0.57	0.6	6	<0.2	<10	950	0.3	0.06	1.19	10.35	6.61	2.3	13	0.57
CC40307		0.14	1.82	0.74	25.2	<0.2	<10	920	0.62	0.18	0.58	5.6	20.2	2.9	55	0.54
CC40308		0.10	0.96	0.99	32.8	<0.2	<10	850	0.72	0.12	1.24	57.9	15.4	9.9	28	0.58
CC40309		0.26	0.25	0.71	18.3	<0.2	<10	640	0.8	0.12	1.48	10.35	31.7	9.3	22	0.55
CC40310		0.18	0.06	0.1	<0.1	<0.2	<10	60	<0.05	0.01	0.09	0.16	0.44	0.7	1	0.05
CC40311		0.16	0.33	0.63	7.6	<0.2	<10	370	0.46	0.09	1.24	5.89	15	3.9	10	0.34
CC40312		0.12	1.71	0.87	6.5	<0.2	<10	980	0.5	0.12	0.48	2.19	14	3.2	15	0.68
CC40314		0.10	1.09	0.18	0.3	<0.2	<10	450	<0.05	0.02	0.04	0.08	1.28	0.5	2	0.14
CC40315		0.12	1.13	0.18	0.3	<0.2	<10	40	<0.05	0.02	0.03	0.04	1.92	0.6	3	0.14
CC40316		0.18	0.4	0.24	1.5	<0.2	<10	50	<0.05	0.03	0.02	0.05	7.88	1.3	4	0.35
CC40317		0.20	1.6	0.1	0.1	<0.2	<10	20	<0.05	0.01	0.03	0.03	0.94	0.8	2	0.1
CC40318		0.16	0.88	0.73	17.7	<0.2	<10	360	0.31	0.21	0.01	0.53	26.5	4	23	0.95
CC40319		0.16	0.29	0.68	18.8	<0.2	<10	380	0.26	0.25	0.02	0.54	25.5	3.3	19	1.08
CC40320		0.16	0.91	0.11	0.2	<0.2	<10	40	<0.05	0.01	0.03	0.05	1.19	1.6	2	0.13
CC40321		0.12	0.61	0.19	0.7	<0.2	<10	40	<0.05	0.03	0.02	0.05	4.6	0.6	4	0.27
CC40322		0.22	0.35	0.46	10.2	<0.2	<10	170	0.15	0.15	0.01	0.2	21.1	2.6	11	0.94
CC40323		0.14	<0.01	0.09	0.1	<0.2	<10	20	<0.05	<0.01	0.03	<0.01	0.31	<0.1	1	<0.05
CC40324		0.14	0.23	0.41	6.9	<0.2	<10	130	0.12	0.11	0.02	0.14	15	2.4	10	0.77
CC40325		0.16	0.41	0.36	2	<0.2	<10	110	0.06	0.05	0.02	0.04	9.72	0.8	4	0.43
CC40326		0.20	0.37	0.43	5.8	<0.2	<10	170	0.12	0.1	0.02	0.15	18.35	1.4	9	1.09
CC40327		0.14	0.07	0.18	0.1	<0.2	<10	70	0.05	0.01	0.02	0.11	4.83	1	3	0.2
CC40328		0.18	0.86	0.12	<0.1	<0.2	<10	30	<0.05	0.01	0.03	0.02	0.75	0.6	1	0.16

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40288		77.2	5.56	3.2	0.15	0.03	0.05	0.048	0.18	29.9	8.6	0.31	1345	7.38	0.01	0.43
CC40289		77.2	5.23	4.76	0.14	0.02	0.08	0.042	0.12	28.7	17.7	0.8	1080	11.2	0.01	0.68
CC40290		58.1	2.55	7.24	0.12	0.02	0.08	0.025	0.06	14.5	28.2	1.55	368	11.75	0.04	0.61
CC40291		142	2	5.47	0.25	0.03	0.84	0.047	0.2	43.9	9.5	0.55	366	110	0.05	0.29
CC40292		32	1.15	2.66	0.1	<0.02	0.15	0.017	0.08	23.4	1.5	0.03	40	59.4	0.02	0.21
CC40293		86.1	1.42	3.4	0.17	0.1	0.24	0.033	0.09	22.9	3.9	0.04	77	74.3	0.01	0.1
CC40294		89.2	2.12	3.79	0.19	0.27	1.1	0.037	0.17	13.6	3.1	3.75	416	82.1	0.02	0.41
CC40295		234	3.51	11.2	0.58	0.12	0.64	0.064	0.29	44.3	6.9	0.09	44	131.5	0.01	0.47
CC40296		258	2.63	11.15	0.4	0.04	0.92	0.069	0.19	51.3	8.6	0.09	65	124	0.02	0.24
CC40297		287	2.89	10.75	0.46	0.04	0.52	0.062	0.2	47.5	10.8	0.15	241	134.5	0.03	0.41
CC40298		194.5	6.06	12.35	0.39	0.05	0.42	0.109	0.29	31.6	7.8	0.11	190	198	<0.01	0.39
CC40299		188	3.43	8.48	0.29	0.04	0.35	0.058	0.16	35.2	12.5	0.46	379	109	0.05	0.49
CC40300		176.5	3.6	5.75	0.19	0.04	0.42	0.055	0.15	23.9	10.6	0.49	482	112	0.11	0.57
CC40301		252	3.5	3.75	0.14	0.06	0.41	0.056	0.13	27.4	7.6	0.21	575	38.9	0.06	0.23
CC40302		40.8	1.78	3.35	0.07	0.02	0.18	0.026	0.1	16.2	7.5	0.23	124	22	0.03	0.28
CC40303		69.4	2.02	3.92	0.08	0.03	0.51	0.034	0.14	14.9	10.1	0.31	102	28.5	0.05	0.28
CC40304		24.5	1.36	2.18	0.05	<0.02	0.08	0.018	0.06	14.2	3.1	0.1	34	11.35	<0.01	0.12
CC40305		22.8	0.9	1.61	0.05	<0.02	0.15	0.011	0.05	5.1	3.1	0.1	42	8.08	0.03	0.15
CC40306		25.1	0.68	1.98	0.05	0.05	0.15	0.01	0.06	4	3.2	0.22	44	6.81	0.04	0.34
CC40307		55.5	1.37	3.43	0.07	0.04	0.34	0.025	0.07	13.1	6.5	0.2	49	17.45	0.02	0.23
CC40308		59.2	1.4	2.93	0.11	0.11	0.56	0.024	0.08	9.4	8.2	0.36	377	28.7	0.03	0.32
CC40309		31.1	1.79	2.37	0.08	0.05	0.22	0.03	0.11	20.3	9.7	0.66	124	61.4	0.01	0.17
CC40310		1.8	0.25	0.59	<0.05	<0.02	0.01	<0.005	0.02	0.2	0.2	0.02	16	0.36	0.03	0.1
CC40311		23.6	1	1.88	0.06	0.06	0.14	0.015	0.07	9.1	5.6	0.22	153	15.25	0.02	0.26
CC40312		33	1.24	2.7	0.05	0.06	0.24	0.018	0.06	8	5.5	0.14	133	7.84	0.03	0.39
CC40314		2.6	0.19	0.87	<0.05	<0.02	0.03	<0.005	0.02	0.7	0.2	0.01	9	0.54	0.02	0.11
CC40315		2.9	0.27	0.99	<0.05	<0.02	0.03	<0.005	0.02	1.1	0.3	0.01	11	0.67	0.01	0.05
CC40316		4.6	0.49	1.97	<0.05	<0.02	0.01	<0.005	0.03	4.5	0.6	0.02	18	1.93	<0.01	<0.05
CC40317		1.7	0.3	0.72	<0.05	<0.02	0.03	<0.005	0.02	0.5	0.2	0.01	14	0.35	0.01	0.06
CC40318		28.6	1.63	4.26	0.06	<0.02	0.04	0.022	0.09	16.3	3.6	0.08	27	21.2	<0.01	0.1
CC40319		23.8	1.72	3.99	0.05	<0.02	0.05	0.02	0.08	15.4	3	0.07	33	16.3	0.01	0.12
CC40320		2.8	0.57	1.07	<0.05	<0.02	0.03	<0.005	0.01	0.7	0.2	0.02	25	0.28	0.01	<0.05
CC40321		3.2	0.27	1.43	<0.05	<0.02	0.03	<0.005	0.02	2.7	0.3	0.01	11	0.96	0.01	<0.05
CC40322		15.4	1.03	3.3	<0.05	<0.02	0.02	0.012	0.06	12.2	1.3	0.03	23	10.1	<0.01	<0.05
CC40323		0.2	0.26	<0.05	<0.05	<0.02	<0.01	<0.005	0.02	0.2	<0.1	0.01	12	0.14	0.01	<0.05
CC40324		11.8	0.97	3.56	<0.05	<0.02	0.02	0.008	0.04	9.1	1.1	0.03	27	7.1	<0.01	<0.05
CC40325		6.6	0.32	2.55	<0.05	<0.02	0.02	0.005	0.03	5.6	0.7	0.02	10	2.1	0.01	0.09
CC40326		10.6	0.62	2.9	<0.05	<0.02	0.03	0.011	0.05	10.6	1.2	0.03	15	6.51	<0.01	0.05
CC40327		2.5	0.36	1.21	<0.05	<0.02	0.01	<0.005	0.02	2.7	0.3	0.02	15	0.52	0.01	0.05
CC40328		1.3	0.21	0.8	<0.05	<0.02	0.02	<0.005	0.02	0.4	0.2	0.01	11	0.13	0.01	0.06

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40288		88.4	1740	27.6	16.3	0.001	0.25	4.47	7.5	3.9	0.5	44.7	0.01	0.17	3.9	0.021
CC40289		147	1220	21.5	13.7	0.001	0.14	8.43	4.6	4.7	0.7	35.5	0.01	0.1	1.6	0.043
CC40290		150.5	2560	15.7	14.7	0.002	0.12	9.16	0.9	9.8	0.6	85.9	<0.01	0.09	0.2	0.02
CC40291		237	1970	19	23	0.003	0.15	54.7	1.9	28.3	0.8	97.1	0.01	0.28	<0.2	0.028
CC40292		67.8	1010	9.4	9.9	0.001	0.13	16.75	0.5	9.3	0.9	21.4	<0.01	0.13	<0.2	0.012
CC40293		182	630	11.7	8.8	0.003	0.15	28.3	3.2	16	0.6	82.9	<0.01	0.17	2.6	0.006
CC40294		299	1330	11.6	10.8	0.013	0.43	44.6	6	28.6	0.9	837	<0.01	0.19	3.4	0.025
CC40295		109.5	4130	21.8	27.4	0.017	0.57	59	10.5	101.5	1.3	276	0.01	0.67	4.9	0.035
CC40296		144	2850	22.7	20.5	0.007	0.31	54.1	4.1	47.2	1.4	167	0.01	0.49	0.4	0.034
CC40297		209	2900	22.6	21.7	0.005	0.21	74.2	8.5	43.8	1.3	115	0.01	0.5	1.9	0.045
CC40298		164.5	4560	24.4	20.6	0.005	0.81	85.2	11.5	48	1.7	227	0.01	0.6	3.2	0.025
CC40299		443	2800	22.4	21.3	0.005	0.17	47.3	6.6	27.7	1.1	143	0.01	0.35	1.3	0.047
CC40300		388	2620	31.1	9.4	0.012	0.08	43.6	8	16.5	0.9	150	0.01	0.35	1.9	0.04
CC40301		435	3730	14.6	12.2	0.009	0.11	23.6	6.7	7.9	0.7	142	0.01	0.2	1.5	0.009
CC40302		58.4	1310	15.1	11.8	0.006	0.07	6.92	1.4	4.6	0.5	47.4	<0.01	0.08	0.6	0.01
CC40303		97.1	1620	13.4	15.4	0.008	0.08	11.35	1.7	7.1	0.6	43.6	<0.01	0.12	0.5	0.008
CC40304		31.1	830	7.9	7.5	0.004	0.02	3.91	1.1	2	0.4	9.4	<0.01	0.06	0.9	<0.005
CC40305		42.8	470	4.4	4.9	<0.001	0.02	3.14	1.3	1.7	0.2	19.2	<0.01	0.03	0.3	0.011
CC40306		137	690	5.2	6.3	0.002	0.07	4.07	1.1	3.3	0.3	59.6	<0.01	0.03	0.3	0.011
CC40307		74	1290	12.1	8	0.005	0.06	7.46	1.9	4.1	0.7	40	<0.01	0.13	0.7	0.007
CC40308		614	1340	9.2	10.1	0.022	0.12	11.35	2.3	7.8	0.8	82.2	<0.01	0.09	1	0.007
CC40309		318	1160	9.3	8.7	0.007	0.07	6.09	3.9	5.2	1.1	66.4	<0.01	0.07	2.8	<0.005
CC40310		4.3	60	0.6	0.6	<0.001	0.01	0.08	0.2	<0.2	<0.2	12	<0.01	<0.01	<0.2	0.013
CC40311		198	840	7	6.2	0.01	0.07	3.55	1.7	4.2	0.4	74.3	<0.01	0.04	1.1	0.008
CC40312		50	1230	6.1	7.5	0.015	0.1	2.71	1.9	4.1	0.4	39.1	<0.01	0.04	0.5	0.008
CC40314		1.8	360	1.2	1.7	<0.001	0.02	0.12	0.1	0.3	<0.2	9.4	<0.01	<0.01	<0.2	0.01
CC40315		1.8	370	1.9	1.1	<0.001	0.02	0.13	0.1	0.3	<0.2	6.5	<0.01	0.01	<0.2	0.009
CC40316		2.7	310	2.1	3.4	<0.001	0.01	0.33	0.1	0.3	0.2	5.6	<0.01	0.01	<0.2	0.01
CC40317		1.5	230	1	0.9	<0.001	0.01	0.05	0.2	<0.2	<0.2	6.8	<0.01	<0.01	<0.2	0.014
CC40318		46.8	880	17.1	11.4	<0.001	0.04	6.58	0.3	3.6	0.6	18	<0.01	0.09	<0.2	<0.005
CC40319		28.1	1130	19.6	11.7	<0.001	0.05	4.5	0.3	3.1	0.6	18.1	<0.01	0.08	<0.2	0.005
CC40320		1.4	160	0.8	1.1	<0.001	0.01	0.09	0.1	0.2	<0.2	7.1	<0.01	<0.01	<0.2	0.019
CC40321		2.1	390	1.9	2.2	<0.001	0.01	0.21	0.2	0.2	0.2	5.2	<0.01	0.01	<0.2	0.009
CC40322		17.8	760	11.4	10.8	<0.001	0.03	2.57	0.2	1.6	0.5	10.4	<0.01	0.05	<0.2	<0.005
CC40323		0.2	130	<0.2	0.1	<0.001	0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	0.015
CC40324		13	600	7.7	7.7	<0.001	0.02	1.92	0.2	1.2	0.4	7.9	<0.01	0.05	<0.2	0.006
CC40325		3.2	410	3	3.9	<0.001	0.02	0.46	0.2	0.5	0.3	6.3	<0.01	0.02	<0.2	0.008
CC40326		8.3	620	8.3	8.3	<0.001	0.02	1.29	0.2	0.9	0.4	7.8	<0.01	0.03	<0.2	<0.005
CC40327		1.7	240	1.4	1.7	<0.001	0.01	0.08	0.2	0.2	<0.2	6.6	<0.01	0.01	<0.2	0.013
CC40328		0.6	270	0.8	1.4	<0.001	0.01	<0.05	0.2	<0.2	<0.2	6.1	<0.01	<0.01	<0.2	0.011

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40288		0.34	2.53	55	0.11	20.5	399	0.8	
CC40289		0.55	3.05	157	0.29	17.4	755	0.6	
CC40290		0.57	3.87	374	0.28	15.7	1110	0.7	
CC40291		3.85	18.75	2730	1.26	53.6	1440	0.6	
CC40292		1.8	4.08	689	0.69	8.66	220	<0.5	
CC40293		3.25	4.65	1060	0.47	23.2	838	7.9	
CC40294		4.12	8.93	917	1.39	23.3	4630	18.3	
CC40295		6.98	28	3480	1.4	52.7	519	10.8	
CC40296		7.37	25.8	3460	1.28	69.3	540	0.7	
CC40297		9.77	35.1	4850	1.2	60	804	1.5	
CC40298		11.1	31.1	3000	1.48	53.7	768	2	
CC40299		7.57	25.4	2720	1.09	43.1	3570	1.1	
CC40300		2.7	34.6	1020	0.91	36.5	2490	1.2	
CC40301		3.06	19.65	725	0.42	46.6	3770	1.5	
CC40302		0.8	2.83	413	0.21	11.25	392	0.6	
CC40303		1.64	4.73	716	0.26	16.4	656	0.7	
CC40304		0.36	1.46	115	0.07	3.54	203	<0.5	
CC40305		0.36	2.61	127	0.08	5.39	347	<0.5	
CC40306		0.42	1.94	162	0.08	4.56	952	2	
CC40307		0.78	6.37	403	0.2	14.2	536	1.1	
CC40308		2.48	13.95	382	0.26	14.7	7060	4.5	
CC40309		1.93	12.5	173	0.33	28	2390	2.8	
CC40310		<0.02	0.15	9	<0.05	0.29	36	<0.5	
CC40311		0.36	6.68	65	0.13	10.65	1910	2.5	
CC40312		0.27	6.84	104	0.09	13	294	2.2	
CC40314		0.02	0.3	8	<0.05	0.34	7	<0.5	
CC40315		0.05	0.23	14	<0.05	0.3	9	<0.5	
CC40316		0.1	0.24	32	<0.05	0.53	22	<0.5	
CC40317		0.02	0.15	12	<0.05	0.16	5	<0.5	
CC40318		0.62	1.43	288	0.21	3.8	273	<0.5	
CC40319		0.64	1.7	260	0.23	3.54	179	<0.5	
CC40320		0.04	0.22	26	<0.05	0.22	9	<0.5	
CC40321		0.12	0.25	22	<0.05	0.38	11	<0.5	
CC40322		0.41	0.8	145	0.13	1.92	102	<0.5	
CC40323		<0.02	<0.05	10	<0.05	<0.05	4	<0.5	
CC40324		0.3	0.55	127	0.12	1.34	77	<0.5	
CC40325		0.15	0.38	37	0.05	0.75	22	<0.5	
CC40326		0.38	0.66	93	0.24	1.48	57	<0.5	
CC40327		0.07	0.24	20	<0.05	0.54	8	<0.5	
CC40328		0.05	0.18	14	<0.05	0.15	4	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC40329		0.14	0.31	0.1	<0.1	<0.2	<10	10	<0.05	0.01	0.03	0.02	0.45	0.6	1	0.05
CC40330		0.16	0.21	0.65	8.6	<0.2	<10	160	0.16	0.13	0.01	0.16	29.9	2	11	0.87
CC40331		0.12	4.58	1.68	20	<0.2	<10	2630	1.02	0.19	0.53	11.95	36.6	12.7	30	2.13
CC40332		0.20	1.14	1	14.4	<0.2	<10	1110	0.48	0.19	0.57	2.99	29.3	5.2	22	1.25
CC40333		0.18	1.24	0.86	15.6	<0.2	<10	1040	0.47	0.16	0.63	3.67	32.6	5.9	18	0.97
CC40334		0.22	0.87	0.88	114	<0.2	<10	1030	0.99	0.38	0.25	0.21	41.6	19.7	18	2.38
CC40335		0.18	1.34	0.61	39.4	<0.2	<10	830	0.78	0.32	0.39	0.54	38.2	6.4	18	1.39
CC40336		0.20	0.34	0.93	27.5	<0.2	<10	960	0.67	0.32	0.04	0.58	42.9	22.5	11	3.99
CC40337		0.18	0.69	0.69	25.7	<0.2	<10	1260	0.62	0.19	0.06	1.27	23.6	8.1	34	2.03
CC40338		0.14	0.4	0.49	211	<0.2	<10	620	0.3	0.73	0.03	0.26	27.6	6.7	13	5.58
CC40339		0.18	2.71	0.82	262	<0.2	<10	3020	0.83	1.66	0.24	2.88	50.6	23.4	24	7.43
CC40340		0.16	2.58	0.98	47.7	<0.2	10	210	1.08	0.28	0.16	3.75	40.5	2.5	75	2.55
CC40341		0.22	1.78	0.84	55.7	<0.2	10	600	1.43	0.25	0.26	28.2	48.7	8	54	1.4
CC40342		0.24	1.92	0.73	96.9	<0.2	<10	2600	0.79	0.21	9.78	15.8	18.1	19.4	37	1.4
CC40343		0.20	2.56	0.58	34.4	<0.2	10	5110	0.75	0.17	0.23	13.3	23.5	1.4	40	1.89
CC40344		0.22	1.96	0.59	22.5	<0.2	10	6990	0.7	0.13	0.17	12.05	21.7	2.1	46	1.39
CC40345		0.28	0.41	0.13	5.2	<0.2	<10	>10000	0.15	0.16	0.09	6.35	4.2	2.2	13	0.3
CC40346		0.26	0.36	0.19	12.5	<0.2	<10	>10000	0.13	0.12	0.17	18.2	3.96	9.4	16	0.29
CC40347		0.32	0.2	0.28	7.1	<0.2	<10	>10000	0.16	0.1	0.06	84.1	3.32	43.7	8	0.27
CC40348		0.16	3.11	1.13	119.5	<0.2	<10	220	0.77	0.36	0.04	4.15	36.8	2.3	98	2.99
CC40349		0.30	3.22	1.22	111	<0.2	10	170	1.19	0.36	0.17	16.45	53.9	4.7	101	3.75
CC40350		0.20	4.43	1.2	143.5	<0.2	10	250	1.29	0.31	0.54	35.6	43.1	9.3	134	2.92
CC40351		0.24	12.8	1.49	125.5	<0.2	<10	220	2.62	0.24	0.17	14.85	45.1	2.7	573	3.73
CC40353		0.14	15.95	1.09	73.7	<0.2	<10	430	1.85	0.3	0.17	19.65	33.3	3.1	295	2.07
CC40367		0.14	1.66	0.93	11.5	<0.2	<10	1090	0.35	0.14	0.3	2.53	18.2	3.1	20	1.31
CC40368		0.14	0.62	0.39	7.4	<0.2	<10	240	0.14	0.09	0.02	0.26	16.3	2.3	11	0.77
CC40369		0.18	0.48	0.36	5.2	<0.2	<10	230	0.11	0.1	0.01	0.13	44.9	1.5	7	1.16
CC40370		0.16	0.84	0.08	0.1	<0.2	<10	60	<0.05	0.01	0.03	0.07	0.53	0.7	1	<0.05
CC40372		0.14	0.96	0.29	3	<0.2	<10	130	0.06	0.05	0.01	0.06	22.8	1.1	6	0.57
CC40373		0.14	1.47	0.14	0.9	<0.2	<10	90	<0.05	0.02	0.02	0.05	7.36	0.7	3	0.28
CC40374		0.14	0.86	0.62	12.4	<0.2	<10	790	0.33	0.12	0.1	2.35	21.1	3.6	17	0.89
CC40375		0.14	0.99	0.25	4	<0.2	<10	310	0.11	0.04	0.03	0.61	7.3	1.2	5	0.53
CC40376		0.10	1.77	0.33	3.5	<0.2	<10	230	0.13	0.09	0.03	0.31	11.5	1.2	10	0.68
CC40377		0.14	0.19	0.18	2	<0.2	<10	70	0.05	0.03	0.02	0.08	11.65	0.7	5	0.52
CC40378		0.18	0.21	0.08	0.5	<0.2	<10	30	<0.05	0.01	0.02	0.05	0.54	0.6	2	0.12
CC40379		0.24	2.06	0.89	31.2	<0.2	<10	2360	0.89	0.19	0.17	19.1	41.8	5.4	39	1.14
CC40381		0.16	0.75	0.94	15.1	<0.2	<10	1100	0.68	0.18	0.57	4.35	33	6.5	27	0.93
CC40382		0.18	0.44	0.29	2.9	<0.2	<10	490	0.16	0.04	0.4	0.63	4.34	1.2	7	0.32
CC40383		0.20	1.15	0.78	9.5	<0.2	<10	920	0.38	0.11	0.55	1.2	9.55	2.9	18	0.73
CC40384		0.14	0.55	0.63	4.7	<0.2	<10	860	0.37	0.07	3.02	4.07	6.89	2.7	11	0.49

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40329		0.9	0.23	0.52	<0.05	<0.02	0.01	<0.005	0.02	0.2	0.2	0.01	12	0.1	0.02	0.09
CC40330		10.9	0.93	4.14	0.06	<0.02	0.02	0.01	0.06	17.1	2.3	0.05	22	7.56	<0.01	0.16
CC40331		102.5	2.52	4.03	0.1	0.05	0.48	0.041	0.17	19.5	13.1	0.38	250	19.65	0.06	0.35
CC40332		36.9	1.88	3.03	0.06	0.02	0.16	0.028	0.12	17.2	10.4	0.24	70	12.5	0.03	0.28
CC40333		43.7	1.97	2.61	0.06	0.02	0.15	0.025	0.12	18.3	9.1	0.31	63	15	0.02	0.22
CC40334		68.9	4	2.29	0.1	0.02	0.1	0.049	0.16	24.6	5.4	0.1	832	6.73	0.02	0.06
CC40335		65.8	2.9	1.68	0.1	0.03	0.15	0.042	0.16	23.5	3.3	0.04	243	7.73	0.01	0.07
CC40336		65.6	4.76	2.35	0.1	0.02	0.03	0.043	0.12	20.8	4.7	0.09	1115	6.44	0.02	0.23
CC40337		47.5	2.48	2.37	0.08	<0.02	0.08	0.027	0.07	13.9	2.5	0.04	273	12.95	0.03	0.06
CC40338		31.5	3.42	2.65	0.08	<0.02	0.06	0.031	0.11	15.5	1.6	0.03	178	8.57	0.01	0.18
CC40339		116.5	6.29	1.9	0.16	0.08	0.21	0.066	0.1	27.3	3.7	0.09	814	13.05	<0.01	0.26
CC40340		83.8	2.45	6.27	0.27	0.04	0.23	0.047	0.22	30	4.4	0.07	81	86.1	0.02	0.17
CC40341		153.5	1.9	5.26	0.3	0.04	0.19	0.052	0.17	33.7	4.5	0.05	158	117.5	0.02	0.2
CC40342		47.6	2.16	2.66	0.08	0.06	0.31	0.024	0.09	11.7	4.3	2.53	687	34.35	0.01	0.28
CC40343		108.5	1.04	3.67	0.12	0.02	0.65	0.032	0.09	18.9	2.3	0.04	34	48	<0.01	0.09
CC40344		93	0.9	3.43	0.14	0.02	0.34	0.026	0.09	17	3.2	0.07	74	44.6	<0.01	0.24
CC40345		24.1	0.31	0.64	0.07	0.22	0.09	0.007	<0.01	6	0.7	0.02	79	9.5	<0.01	0.11
CC40346		25.7	0.5	0.81	0.07	0.21	0.08	0.007	0.01	5.5	0.5	0.11	288	14.15	<0.01	0.08
CC40347		38.8	0.59	0.73	0.06	0.12	0.04	0.005	0.01	3.3	0.4	0.06	1340	28.2	<0.01	0.07
CC40348		140.5	3.9	9.01	0.38	0.03	0.33	0.065	0.19	29	2.5	0.04	40	229	0.02	0.97
CC40349		189	3.52	7.91	0.43	0.03	0.33	0.072	0.26	38.4	3.6	0.06	132	166	0.02	0.38
CC40350		201	3.55	8.88	0.54	0.09	0.57	0.082	0.27	31.6	4.3	0.09	206	153.5	0.02	0.76
CC40351		517	3.22	13.1	0.76	0.05	1.03	0.072	0.21	55.6	6	0.11	62	167.5	0.02	2.14
CC40353		283	2.56	8.42	0.44	0.04	1.13	0.058	0.16	38.2	3.4	0.04	83	80.1	0.02	0.13
CC40367		23.4	1.36	3.18	0.05	<0.02	0.2	0.023	0.09	10.6	7.3	0.17	45	9.73	0.02	0.23
CC40368		12.7	0.92	2.82	<0.05	<0.02	0.03	0.012	0.05	9.8	1.4	0.04	22	10.85	0.03	<0.05
CC40369		9.3	0.65	2.96	0.06	<0.02	0.01	0.008	0.06	24.6	1	0.03	13	5.72	0.02	0.12
CC40370		1.2	0.27	0.51	<0.05	<0.02	0.01	<0.005	0.02	0.3	0.1	0.01	13	0.22	0.04	0.09
CC40372		4.9	0.46	2.49	<0.05	<0.02	0.01	0.005	0.03	13.4	0.7	0.02	14	3.15	0.02	<0.05
CC40373		2.7	0.3	1.05	<0.05	<0.02	0.01	<0.005	0.02	4.2	0.3	0.01	12	1.23	0.03	0.09
CC40374		34.9	1.39	2.81	0.06	0.02	0.14	0.022	0.08	12.8	4.3	0.1	39	14.65	0.02	0.24
CC40375		9.5	0.5	1.05	<0.05	<0.02	0.08	0.007	0.03	4.5	0.8	0.02	14	5.33	0.03	<0.05
CC40376		8.8	0.59	2.02	<0.05	<0.02	0.06	0.01	0.05	7.4	1.5	0.04	16	3.67	0.03	<0.05
CC40377		3.8	0.35	1.71	<0.05	<0.02	0.02	<0.005	0.03	8.4	0.5	0.02	13	4.33	0.03	<0.05
CC40378		1.9	0.23	0.43	<0.05	<0.02	0.02	<0.005	0.01	0.3	0.2	0.01	12	0.32	0.04	0.08
CC40379		97.7	2.41	3.91	0.13	0.03	0.52	0.042	0.11	26.4	7.4	0.19	48	44.7	<0.01	0.3
CC40381		57.6	1.9	3.09	0.09	0.06	0.24	0.028	0.12	19.7	10.7	0.34	102	14.8	0.03	0.25
CC40382		12.3	0.54	1.1	<0.05	0.03	0.1	0.006	0.03	2.6	1.8	0.08	20	3.27	0.03	0.14
CC40383		25.3	1.29	2.66	0.05	0.06	0.2	0.017	0.07	5.2	5.1	0.15	50	8.97	0.04	0.27
CC40384		48.3	0.6	1.71	0.05	0.1	0.21	0.011	0.03	4.5	3.7	0.16	163	3.58	0.23	0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized D... 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40329		0.6	130	1.2	0.6	<0.001	0.01	<0.05	0.1	<0.2	<0.2	5.9	<0.01	<0.01	<0.2	0.013
CC40330		14.3	550	9.5	11.3	0.001	0.02	1.62	0.2	1	0.4	7.1	<0.01	0.04	<0.2	0.006
CC40331		114.5	2370	20.1	19.5	0.017	0.13	7.3	1.3	5.8	0.6	48.6	<0.01	0.08	0.3	0.005
CC40332		52.5	1190	15.7	13.9	0.003	0.06	4.36	1.2	2.5	0.4	58	<0.01	0.07	0.5	0.006
CC40333		52.8	1090	13.6	11.8	0.005	0.07	5.71	1.2	3.1	0.3	60.1	<0.01	0.07	0.4	0.006
CC40334		48.3	3370	48.2	11.7	0.003	0.26	11.65	0.9	4.7	0.5	100	<0.01	0.23	0.2	<0.005
CC40335		35.2	4100	40.4	9.9	0.003	0.31	7.92	1.1	5.3	0.4	118.5	<0.01	0.23	0.4	<0.005
CC40336		59.6	1210	23.2	12.7	0.001	0.13	5.43	5.2	2.8	0.4	28	<0.01	0.13	2.2	0.009
CC40337		73.8	1880	11.9	9.2	0.002	0.12	7.7	0.1	4.4	0.5	19.5	<0.01	0.11	<0.2	<0.005
CC40338		33.8	1310	55.9	15.3	0.001	0.21	124.5	0.5	3.9	0.9	44.3	<0.01	0.09	0.2	0.007
CC40339		121	1180	107.5	9.3	0.002	0.12	262	8.2	9.1	1.7	58	0.02	0.18	3.3	0.007
CC40340		45.4	3030	17.9	21.4	0.007	0.54	22.7	2.1	44	1	130.5	0.01	0.46	0.5	0.01
CC40341		223	1760	16.7	12.4	0.009	0.17	35.1	5.1	47.7	1	218	0.01	0.65	1.6	0.007
CC40342		368	1440	50.5	9.8	0.002	0.07	31.8	2.2	11.1	1.3	601	0.01	0.14	0.9	0.01
CC40343		75.7	2300	12.5	10.3	0.006	0.08	18.3	2.8	13.8	0.8	330	0.01	0.27	0.7	<0.005
CC40344		99.4	1810	8.6	9.9	0.007	0.04	13.05	3.1	12.7	0.6	209	0.01	0.24	1.1	0.012
CC40345		44	480	2.9	1.9	0.05	<0.01	5.43	1.3	2.7	0.2	5860	0.01	0.09	0.3	0.005
CC40346		172	480	2.7	1.9	0.045	<0.01	9.55	1.6	2.9	0.3	5510	0.01	0.07	0.4	<0.005
CC40347		569	440	1.7	1.2	0.014	<0.01	5.25	0.9	2.9	0.2	1690	0.01	0.04	0.3	<0.005
CC40348		98.5	3110	20.5	16.6	0.009	0.69	67.3	3.1	50.1	1.1	231	0.01	0.64	0.3	0.067
CC40349		155.5	3500	22.5	17.5	0.007	0.46	51	5.6	76.3	1.2	429	0.01	0.7	0.9	0.03
CC40350		352	4080	19.5	18.4	0.011	0.32	63.4	9.5	101	1.3	392	0.01	0.85	5.3	0.047
CC40351		188	5370	22	19.8	0.057	0.34	71.5	11.6	81.1	1.4	239	0.01	0.66	2.6	0.154
CC40353		120	4120	19.9	14.8	0.007	0.44	56.3	0.6	54.8	1.1	195.5	0.01	0.57	<0.2	<0.005
CC40367		33.7	1290	11.8	14.2	0.003	0.08	3.5	0.2	2.6	0.4	38	<0.01	0.06	<0.2	<0.005
CC40368		21.3	520	6.3	7.9	0.001	0.01	2.81	0.1	1.3	0.4	7.7	<0.01	0.05	<0.2	<0.005
CC40369		9.2	390	7.4	9	0.001	<0.01	1.22	0.4	0.8	0.5	6.3	<0.01	0.04	0.4	0.006
CC40370		0.8	190	0.7	0.6	<0.001	<0.01	0.05	0.1	<0.2	<0.2	6.5	<0.01	0.01	<0.2	0.015
CC40372		5.4	320	2.9	4.5	<0.001	<0.01	0.76	0.1	0.5	0.4	4.7	<0.01	0.03	<0.2	0.005
CC40373		2.9	250	1.2	2	<0.001	<0.01	0.28	0.2	0.2	0.2	5.6	<0.01	0.01	<0.2	0.012
CC40374		34.4	1310	11.2	11.7	0.005	0.06	5.13	0.7	3	0.4	21	<0.01	0.07	<0.2	0.008
CC40375		11.1	580	4	3.8	0.001	0.02	1.78	0.1	1.2	0.2	28.4	<0.01	0.02	<0.2	<0.005
CC40376		9.1	630	6.5	5.4	0.002	0.04	2.02	0.1	1.3	0.3	55.8	<0.01	0.03	<0.2	0.005
CC40377		3.3	220	1.6	2.9	<0.001	<0.01	2.15	0.1	0.6	0.3	7.4	<0.01	0.02	<0.2	0.009
CC40378		1.1	150	0.5	0.7	<0.001	<0.01	0.08	0.2	<0.2	<0.2	6	<0.01	0.01	<0.2	0.013
CC40379		112.5	1980	15.6	13.1	0.005	0.08	19.4	2.5	11.4	0.8	115.5	0.01	0.17	0.7	0.014
CC40381		71	1370	12.1	11.3	0.003	0.05	6.05	3.4	3.8	0.4	55.9	<0.01	0.11	2.4	0.009
CC40382		17.4	340	2.5	2.9	0.001	0.03	1.51	0.7	1.2	0.2	25.9	<0.01	0.04	0.3	0.011
CC40383		38.8	870	6.7	7.2	0.004	0.08	3.45	1.3	2.6	0.3	41.5	<0.01	0.1	0.5	0.011
CC40384		111.5	1580	5.9	2.8	0.016	0.39	3.21	0.8	6.8	0.3	138.5	<0.01	0.05	0.3	0.006

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40329		0.02	0.12	9	<0.05	0.11	4	<0.5	
CC40330		0.35	0.64	118	0.15	1.98	87	<0.5	
CC40331		0.81	8.26	283	0.19	29.9	629	1.2	
CC40332		0.52	2.18	215	0.25	10.5	360	0.6	
CC40333		0.42	2.58	162	0.18	9.62	376	0.5	
CC40334		0.17	4.48	72	0.08	19.05	140	<0.5	
CC40335		0.16	4.98	81	0.08	20.8	124	0.8	
CC40336		0.23	1.88	50	0.09	15.3	192	0.5	
CC40337		0.21	3.09	149	0.12	13.2	275	<0.5	
CC40338		0.23	1.5	92	0.25	4.5	148	<0.5	
CC40339		0.45	4.43	131	0.18	37.6	493	1.9	
CC40340		2.93	13.1	885	0.65	21.7	248	1	
CC40341		3.96	13.05	752	0.82	30.1	1940	1.2	
CC40342		1.09	2.79	256	0.53	17.4	4630	2	
CC40343		2.25	12.05	327	0.54	24.3	429	<0.5	
CC40344		1.98	9.5	450	0.39	19.85	904	0.9	
CC40345		0.43	2.1	142	0.21	9.44	466	<0.5	
CC40346		0.64	3.39	185	0.29	11.1	1990	<0.5	
CC40347		0.41	2.83	108	0.2	28.9	7930	<0.5	
CC40348		6.91	25.7	1380	1.15	28.5	408	1	
CC40349		6.3	31.5	1060	1.13	36.3	887	0.6	
CC40350		5.96	29.9	1620	1.23	39.7	2850	7.8	
CC40351		3.68	67.9	3880	1.3	96.6	838	2.3	
CC40353		3.72	35.7	1510	0.6	59.3	428	<0.5	
CC40367		0.61	3.76	200	0.2	6.05	317	<0.5	
CC40368		0.29	0.62	133	0.11	1.53	129	<0.5	
CC40369		0.21	0.46	67	0.1	2	69	<0.5	
CC40370		<0.02	0.13	10	<0.05	0.12	5	<0.5	
CC40372		0.17	0.28	45	0.07	1.03	37	<0.5	
CC40373		0.06	0.18	18	<0.05	0.42	15	<0.5	
CC40374		0.42	2.04	193	0.14	6.64	274	<0.5	
CC40375		0.2	1.08	63	0.05	3.33	71	<0.5	
CC40376		0.25	0.81	75	<0.05	2.07	72	<0.5	
CC40377		0.26	0.28	88	0.05	0.89	29	<0.5	
CC40378		0.04	0.11	10	<0.05	0.13	5	<0.5	
CC40379		1.44	7.07	896	0.37	36.5	807	0.6	
CC40381		0.45	4.62	211	0.2	15.1	457	1.7	
CC40382		0.13	0.95	58	<0.05	1.7	102	0.7	
CC40383		0.3	2.89	153	0.11	5.02	261	1.8	
CC40384		0.18	39.9	69	0.13	8.06	226	3	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC40385		0.18	0.06	0.2	0.3	<0.2	<10	100	0.05	0.01	0.33	0.21	3.53	0.8	2	0.09
CC40386		0.16	0.03	0.15	0.2	<0.2	<10	60	<0.05	0.01	0.11	0.25	1.24	0.5	2	0.06
CC40387		0.10	0.87	0.61	5.8	<0.2	<10	820	0.39	0.1	1.64	10.1	17.65	2.3	13	0.8
CC40388		0.14	0.78	0.55	5.8	<0.2	<10	430	0.23	0.08	0.35	3.83	19.75	1.3	15	0.81
CC40389		0.20	0.63	1.01	18.1	<0.2	<10	980	0.6	0.18	0.33	6.49	35.1	4.9	26	1.05
CC40390		0.20	1.63	1.04	10.2	<0.2	<10	1390	0.53	0.17	0.66	20.7	32.2	5.7	24	1.02
CC40391		0.12	0.59	0.65	7.4	<0.2	<10	1090	0.27	0.12	0.85	12.8	15.75	4.7	11	0.46
CC40392		0.20	0.86	0.94	19.9	<0.2	<10	1410	0.54	0.19	0.6	11.35	32.9	4.5	28	0.99
CC40393		0.12	0.93	0.88	16.7	<0.2	<10	1330	0.56	0.16	1.26	17.9	26.6	7.4	26	0.76
CC40394		0.24	0.95	0.94	21.5	<0.2	<10	1290	0.67	0.18	0.41	10.4	37.6	5.7	30	0.97
CC40395		0.24	1.18	0.96	21.7	<0.2	<10	1450	0.68	0.18	0.54	15.5	35.9	5	29	1.07
CC40396		0.18	1.14	1.08	20.9	<0.2	<10	1270	0.63	0.18	0.7	15.35	33	6.2	31	0.94
CC40397		0.10	1.26	1.19	16.8	<0.2	<10	880	0.7	0.17	1.42	30.7	27.7	6.8	32	0.98
CC40398		0.14	1.43	1.11	21.1	<0.2	<10	1410	0.7	0.17	1	36.9	34.2	8.3	33	1.18
CC40399		0.16	1.19	1	19.9	<0.2	<10	1440	0.63	0.15	1.76	48.7	27.1	8.7	27	0.89
CC40400		0.06	0.64	0.9	11.2	<0.2	<10	630	0.5	0.11	1.78	66.3	21.7	5	23	0.92
CC40401		0.16	1.56	0.66	3.2	<0.2	<10	1650	0.39	0.07	0.95	68.7	8.86	1.8	12	0.57
CC40402		0.20	2.55	1.11	17.4	<0.2	<10	2110	0.56	0.15	0.23	37.1	17.85	4.6	31	1.76
CC40403		0.10	2.06	0.88	6.9	<0.2	<10	1760	0.47	0.08	0.18	27.5	12.55	3	19	1.19
CC40404		0.18	2.96	1.5	21.8	<0.2	<10	3080	0.74	0.16	0.63	34.7	20.5	5.3	36	1.52
CC40405		0.14	1.49	0.92	14.6	<0.2	<10	1960	0.53	0.13	0.79	49.7	18.4	2.7	23	1.46
CC40406		0.14	5.35	1.06	9.7	<0.2	<10	1810	0.5	0.09	0.41	39.9	16.45	3.4	25	1.38
CC40407		0.12	0.92	0.38	4.7	<0.2	<10	730	0.13	0.05	0.03	2.5	8.53	1.4	11	0.8
CC40408		0.12	0.44	0.32	1.5	<0.2	<10	680	0.13	0.06	0.03	5.34	5.29	0.8	6	0.36
CC40409		0.16	0.31	0.11	0.3	<0.2	<10	150	<0.05	0.01	0.02	0.58	1.65	0.6	2	0.07
CC40410		0.10	0.2	0.16	0.5	<0.2	<10	140	<0.05	0.01	0.03	0.52	1.34	0.7	3	0.16
CC40411		0.10	2.07	0.73	3.9	<0.2	<10	1830	0.17	0.05	0.03	1.85	6.22	1.3	8	0.69
CC40412		0.14	0.42	0.15	0.1	<0.2	<10	130	<0.05	0.01	0.03	0.4	1.24	0.6	4	0.09
CC40413		0.12	0.37	0.11	0.2	<0.2	<10	60	<0.05	0.01	0.03	0.2	0.51	0.7	3	0.05
CC40414		0.24	0.75	0.59	39	<0.2	<10	450	0.76	0.23	0.15	2.61	35.3	11.1	18	2.22
CC40415		0.14	0.55	0.36	42.1	<0.2	<10	540	0.35	0.15	0.15	1.44	17.8	10	13	2.96
CC40416		0.16	0.56	0.51	76.4	<0.2	<10	630	0.87	0.19	0.47	0.89	63.4	15	8	2.16
CC40417		0.10	0.36	0.34	4.2	<0.2	<10	460	0.15	0.04	0.1	0.64	4.13	0.9	8	0.51
CC40418		0.38	7.85	1.35	84.2	<0.2	10	1280	2.31	0.28	0.2	4.4	54.3	3.9	254	3.12
CC40419		0.38	6.69	1.57	106	<0.2	20	1430	2.83	0.31	0.15	3.74	65.2	3.2	377	4.07
CC40420		0.26	7.68	1.18	66.4	<0.2	20	1340	1.99	0.27	0.11	2.63	51.3	2.1	231	3.62
CC40421		0.20	7.96	1.23	76	<0.2	10	240	1.16	0.33	0.17	2.59	62.6	2.2	218	4.21
CC40422		0.34	1.47	0.61	58.9	<0.2	10	360	0.63	0.15	0.04	2.15	29	2.4	73	1.87
CC40423		0.28	3.87	1.07	58.5	<0.2	10	1240	1.79	0.21	0.13	10.35	42.8	3.4	165	3.23
CC40424		0.20	6.41	0.87	125.5	<0.2	10	860	1.68	0.25	1.93	66.8	41.1	14.4	194	2.35

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40385		2.7	0.26	1.01	<0.05	0.02	0.01	<0.005	0.02	1.6	0.4	0.03	25	0.33	0.04	0.14
CC40386		1.7	0.21	0.68	<0.05	0.02	<0.01	<0.005	0.01	0.6	0.2	0.02	11	0.25	0.03	0.13
CC40387		53.8	0.89	1.69	0.06	0.1	0.19	0.016	0.06	11.5	4.2	0.22	79	5.18	0.04	0.23
CC40388		22.7	0.67	2.88	0.06	0.06	0.22	0.01	0.06	12.2	2.4	0.08	14	9.01	0.02	0.19
CC40389		36	1.68	3.5	0.09	0.07	0.29	0.028	0.11	20.8	10.3	0.29	111	15	0.02	0.19
CC40390		40.6	1.48	3.14	0.08	0.08	0.38	0.025	0.11	18.9	11.6	0.39	237	11.3	0.03	0.28
CC40391		23.8	1.19	2.02	0.05	0.05	0.18	0.015	0.05	8.8	5	0.17	428	8.89	0.04	0.26
CC40392		43	2.09	3.05	0.09	0.05	0.29	0.028	0.11	19.8	9.8	0.33	94	20.5	0.03	0.28
CC40393		44	1.82	2.55	0.08	0.1	0.29	0.027	0.1	16	9.1	0.34	162	16.4	0.04	0.24
CC40394		49	2.02	2.87	0.1	0.06	0.33	0.03	0.12	22.9	9.1	0.3	102	21.4	0.03	0.23
CC40395		55.2	1.97	3.12	0.11	0.09	0.38	0.029	0.12	21.8	10.7	0.35	81	20.8	0.03	0.26
CC40396		49.9	1.84	3.28	0.1	0.13	0.38	0.029	0.11	19.6	11.2	0.34	223	19.55	0.03	0.26
CC40397		62.9	1.84	3.1	0.09	0.13	0.43	0.031	0.12	16.7	10.8	0.44	171	14.1	0.03	0.29
CC40398		69.4	1.9	3.03	0.11	0.09	0.46	0.031	0.13	20.6	10.7	0.39	282	18.2	0.03	0.23
CC40399		59.1	1.65	2.83	0.1	0.12	0.35	0.026	0.11	16.1	9.9	0.51	262	15.6	0.04	0.26
CC40400		39.5	1.19	2.45	0.1	0.11	0.41	0.023	0.1	12.7	8.2	0.39	244	10.75	0.03	0.27
CC40401		103.5	0.64	1.44	0.06	0.06	0.49	0.015	0.04	4.8	2	0.09	81	2.49	0.05	0.21
CC40402		78.7	1.85	3.49	0.08	0.06	0.57	0.029	0.15	10.7	7.9	0.25	124	15.35	0.05	0.2
CC40403		75.5	0.89	2.4	0.06	0.03	0.39	0.019	0.09	6.4	4.3	0.11	109	7.06	0.05	0.17
CC40404		129.5	2	4.22	0.08	0.06	0.58	0.036	0.18	12.4	11	0.36	163	18.65	0.07	0.22
CC40405		120	1.25	2.97	0.08	0.03	0.39	0.023	0.1	11.5	7	0.29	104	14.15	0.05	0.15
CC40406		103.5	1	2.56	0.09	0.06	0.54	0.02	0.08	10.2	6.5	0.27	654	21.6	0.05	0.14
CC40407		22.1	0.65	2.01	0.05	<0.02	0.17	0.009	0.05	5.4	1.8	0.05	21	8.69	0.03	0.07
CC40408		84.4	0.39	1.03	<0.05	<0.02	0.06	0.011	0.02	3.3	0.3	0.01	14	1.44	0.03	0.06
CC40409		5	0.28	0.61	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.2	0.01	13	0.37	0.03	<0.05
CC40410		12.9	0.32	0.7	<0.05	<0.02	0.03	<0.005	0.02	0.8	0.2	0.01	14	0.66	0.03	0.06
CC40411		64.6	0.56	1.42	0.06	<0.02	0.42	0.012	0.03	3.7	0.7	0.02	10	4.43	0.05	0.12
CC40412		7.7	0.28	0.63	<0.05	<0.02	0.03	<0.005	0.02	0.7	0.2	0.01	14	0.62	0.03	<0.05
CC40413		3.1	0.3	0.55	<0.05	<0.02	0.03	<0.005	0.02	0.3	0.2	0.01	15	0.41	0.03	<0.05
CC40414		143	3.25	1.98	0.1	<0.02	0.18	0.044	0.08	22	2	0.04	320	35.9	0.02	0.05
CC40415		46.9	2.07	1.41	0.05	<0.02	0.14	0.02	0.11	10.6	2	0.05	468	9.26	0.02	0.15
CC40416		68.4	4.72	1.51	0.13	0.07	0.18	0.052	0.09	34.2	3.7	0.08	413	8.62	0.02	0.15
CC40417		10.2	0.52	1.04	<0.05	<0.02	0.08	0.006	0.04	2.5	0.5	0.02	19	3.78	0.04	0.06
CC40418		262	2.93	10.4	0.59	0.06	0.46	0.057	0.2	55.9	8.5	0.13	92	143.5	0.03	0.31
CC40419		313	3.43	13.75	0.77	0.09	0.7	0.073	0.25	70.7	10.6	0.16	63	175.5	0.04	0.47
CC40420		226	2.62	11	0.54	0.14	0.5	0.067	0.23	52.4	8.5	0.11	41	147	0.03	0.38
CC40421		209	3.66	11.2	0.49	0.03	0.48	0.061	0.34	56.1	6.2	0.12	56	137	0.02	0.22
CC40422		62.8	2.46	4.14	0.2	0.05	0.3	0.026	0.18	21.7	2.6	0.03	56	82.6	0.01	0.24
CC40423		127	2.1	6.81	0.28	0.02	0.27	0.043	0.19	47.1	8.2	0.1	155	130	0.03	0.08
CC40424		338	2.45	6.96	0.35	0.06	1.79	0.047	0.2	38.8	7.7	0.28	350	63.95	0.02	0.13

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40385		5	550	0.7	0.6	0.001	0.02	0.11	0.2	0.4	<0.2	23	<0.01	0.02	<0.2	0.016
CC40386		2.2	130	0.6	0.5	<0.001	0.01	0.07	0.2	0.2	<0.2	13.4	<0.01	0.01	<0.2	0.013
CC40387		140	1320	6	6.9	0.009	0.12	2.69	1.3	3.5	0.3	90.9	<0.01	0.06	0.6	0.01
CC40388		33	810	5.7	9.4	0.003	0.08	2.69	0.9	2.3	0.4	35.8	<0.01	0.06	0.6	0.009
CC40389		77.7	2050	11.2	12.3	0.004	0.05	6.07	1.5	3.3	0.5	42.4	<0.01	0.11	0.9	0.009
CC40390		150.5	1500	8.4	13.2	0.01	0.06	4.25	2.7	4	0.5	69.4	<0.01	0.08	1.8	0.008
CC40391		106	1190	6.3	5.4	0.006	0.08	3.1	1.1	3.4	0.3	71.6	<0.01	0.05	0.6	0.011
CC40392		128	1590	13.7	11.4	0.007	0.07	8.61	2.1	6	0.4	79.3	<0.01	0.11	1.7	0.01
CC40393		94.5	1680	12.6	9.6	0.007	0.08	6.9	2.3	7.6	0.4	85.7	<0.01	0.1	1.5	0.007
CC40394		95.6	1700	13.7	11.1	0.007	0.05	8.18	2.4	4.9	0.4	41.7	<0.01	0.11	1.9	0.009
CC40395		133.5	1870	14.4	12.2	0.007	0.06	8.44	2.4	6.1	0.5	58.9	<0.01	0.12	1.6	0.01
CC40396		134.5	2030	11.9	13.4	0.006	0.07	7.37	2.3	6.7	0.4	67.8	<0.01	0.1	1.6	0.008
CC40397		354	1950	12.9	12.2	0.007	0.11	7.08	2.5	7	0.4	98.9	<0.01	0.1	1.4	0.008
CC40398		515	2020	12.3	14.2	0.004	0.08	9.35	2.4	7.9	0.5	83	<0.01	0.12	1.1	0.01
CC40399		575	1610	10.6	12.2	0.005	0.12	8.65	2.4	9	0.4	125	<0.01	0.1	1.4	0.009
CC40400		259	1670	7.2	12.5	0.007	0.13	6.43	1.9	12.9	0.3	110	<0.01	0.07	0.9	0.009
CC40401		305	1110	4.2	4.6	0.004	0.13	3.97	1.3	4.4	0.3	93.5	<0.01	0.04	0.4	0.008
CC40402		166	1770	13.4	17.7	0.004	0.11	8.61	1.7	4.5	0.5	53.4	<0.01	0.12	0.4	0.008
CC40403		96.5	1820	5	11.5	0.004	0.1	3.84	0.7	3.2	0.4	40.9	<0.01	0.05	<0.2	0.007
CC40404		220	2280	10.5	26.2	0.004	0.15	9.29	1.7	6.3	0.5	95.2	<0.01	0.13	0.4	0.005
CC40405		355	1720	9.4	15.6	0.004	0.13	8.36	0.8	4.9	0.3	90	<0.01	0.1	0.2	0.009
CC40406		182	1790	10.2	12.7	0.002	0.11	6	1.7	4.8	0.3	86.8	<0.01	0.09	0.5	0.01
CC40407		12.9	1120	3.3	5.8	0.003	0.08	2.78	0.2	3	0.3	21.6	<0.01	0.06	<0.2	0.007
CC40408		7.4	840	2.6	1.6	0.001	0.04	0.69	0.1	2.1	0.3	9.4	<0.01	0.03	<0.2	0.006
CC40409		1.2	250	0.6	0.7	<0.001	0.01	0.11	0.2	0.3	<0.2	5.1	<0.01	0.01	<0.2	0.014
CC40410		2.4	260	0.8	1.1	<0.001	0.01	0.36	0.2	0.3	<0.2	7.9	<0.01	0.01	<0.2	0.013
CC40411		6.7	1410	3.3	3.7	0.003	0.11	2.39	0.5	3	0.2	24.7	<0.01	0.03	<0.2	0.008
CC40412		3.3	360	1	0.7	0.001	0.02	0.13	0.1	0.2	<0.2	6.8	<0.01	0.01	<0.2	0.01
CC40413		2.2	360	0.6	0.5	<0.001	0.01	0.07	0.1	0.2	<0.2	6.2	<0.01	0.01	<0.2	0.011
CC40414		93.7	3200	45.1	8.7	0.002	0.18	15.3	0.3	7.7	0.4	29	<0.01	0.17	<0.2	<0.005
CC40415		30.4	2500	9.4	8.2	0.001	0.21	8.71	0.5	2.3	0.4	19	<0.01	0.07	<0.2	0.005
CC40416		45.7	1360	15.7	6	0.003	0.07	14.15	5.4	2.8	0.4	30.7	<0.01	0.11	1.3	<0.005
CC40417		7.8	1810	3.1	2	0.001	0.12	1.41	0.1	1.3	0.2	16.6	<0.01	0.02	<0.2	<0.005
CC40418		168.5	3300	24.8	24.8	0.014	0.28	63.1	9.2	58.7	1.1	122.5	<0.01	0.39	3.9	0.035
CC40419		174	3730	27.7	29.6	0.018	0.37	82.2	12.8	70.9	1.4	137.5	0.01	0.51	5.3	0.072
CC40420		129.5	2400	21.7	25.4	0.017	0.39	60.6	9.7	54.1	1.2	133	<0.01	0.4	5.1	0.046
CC40421		80.5	3430	27.1	29.3	0.02	0.83	54.7	6.6	64.5	1.3	154.5	<0.01	0.44	2.3	0.024
CC40422		87.1	1480	14.3	12.4	0.007	0.48	43.3	4.5	27.7	0.6	262	<0.01	0.24	2.8	0.017
CC40423		131	2070	19.3	25.7	0.002	0.34	38.5	1	24.7	0.8	111	<0.01	0.28	<0.2	0.018
CC40424		247	7000	24.4	16.3	0.009	0.12	75.8	5.9	35.6	1.4	196	<0.01	0.37	3.2	0.012

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40385		0.02	0.54	11	0.08	0.69	20	0.7	
CC40386		0.02	0.32	7	<0.05	0.29	11	<0.5	
CC40387		0.31	28.4	89	0.07	15.1	861	2.7	
CC40388		0.56	3.68	149	0.13	2.17	293	1.5	
CC40389		0.9	5.74	305	0.21	12.65	802	1.5	
CC40390		0.88	12.25	211	0.16	13.4	2190	2.2	
CC40391		0.26	10.65	98	0.16	5.89	1780	1.4	
CC40392		0.8	10.95	349	0.22	12.35	1760	1.3	
CC40393		0.64	6.33	297	0.15	15	1220	2.7	
CC40394		0.76	8.52	360	0.29	18.05	948	1.5	
CC40395		0.95	12	379	0.2	18.65	1445	2.3	
CC40396		0.99	17.25	378	0.39	18.05	1760	4.2	
CC40397		1.04	16.55	365	0.13	16.75	4070	4.4	
CC40398		1.19	5.34	366	0.14	19.2	7710	2.3	
CC40399		0.98	6.76	307	0.15	15.75	7430	3.3	
CC40400		1.15	16.2	245	0.1	12.1	3470	3.7	
CC40401		0.35	23.2	88	0.06	10.3	2500	1.7	
CC40402		1.21	11.4	318	0.18	13.2	1680	1.1	
CC40403		0.87	15.05	188	0.1	10	674	0.5	
CC40404		1.88	11.95	393	0.22	18.85	2120	1.5	
CC40405		2.2	3.3	237	0.18	15.35	3790	0.6	
CC40406		2.07	8.4	232	0.15	15.9	1605	1.2	
CC40407		1.08	4.65	128	0.07	2.78	92	<0.5	
CC40408		0.19	7.73	37	<0.05	4.61	21	<0.5	
CC40409		0.05	0.63	14	<0.05	0.64	8	<0.5	
CC40410		0.07	1.4	19	<0.05	1.16	8	<0.5	
CC40411		0.49	10.95	79	0.07	10.65	26	<0.5	
CC40412		0.03	0.49	11	<0.05	0.45	7	<0.5	
CC40413		0.02	0.28	11	<0.05	0.2	6	<0.5	
CC40414		0.37	5.11	124	0.11	18.05	809	<0.5	
CC40415		0.23	1.74	118	0.12	3.52	151	<0.5	
CC40416		0.16	1.49	42	0.07	24.2	194	1.7	
CC40417		0.2	1.11	72	0.08	2.27	33	<0.5	
CC40418		5.33	41	4540	1.01	60.1	577	3.6	
CC40419		6.26	51.7	6210	1.23	62.3	603	5.9	
CC40420		7.22	31.8	4070	0.94	52.5	465	11	
CC40421		3.78	29	2250	0.99	44.8	330	1.2	
CC40422		4.2	11.6	921	1.21	15.45	431	3.3	
CC40423		8.3	24.1	3030	0.74	44.6	556	<0.5	
CC40424		3.85	33.9	1800	1.31	63	2100	4	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC40425		0.10	2.41	0.84	57.2	<0.2	<10	710	1.5	0.2	0.52	12.45	27.9	4.4	123	1.18
CC40426		0.14	0.44	0.45	2.9	<0.2	<10	340	0.16	0.05	0.05	0.35	6.26	1	6	0.54
CC40427		0.16	0.19	0.66	11.7	<0.2	<10	360	0.22	0.16	0.02	0.29	36	1.8	16	1.01
CC40428		0.20	0.28	0.3	1.9	<0.2	<10	190	0.08	0.06	0.02	0.15	30	0.5	8	0.83
CC40429		0.26	0.29	0.94	19.2	<0.2	<10	640	0.25	0.3	0.02	0.36	44.8	2.6	19	0.99
CC40430		0.18	0.2	0.24	1.3	<0.2	<10	150	<0.05	0.03	0.02	0.1	4.33	0.7	5	0.17
CC40431		0.20	0.36	1.34	29.4	<0.2	<10	1400	0.51	0.35	0.06	0.67	36.5	4	31	1.31
CC40432		0.16	0.5	0.17	1.2	<0.2	<10	1200	0.06	0.04	0.03	0.11	12.35	0.6	8	0.27
CC40433		0.18	1	0.27	2.6	<0.2	<10	2720	0.08	0.09	0.01	0.1	15.5	0.3	7	0.6
CC40434		0.20	5.9	0.9	57.8	<0.2	10	720	1.53	0.2	1.66	29.8	25.4	6.2	163	1.56
CC40435		0.18	0.52	0.4	7.6	<0.2	<10	2540	0.14	0.09	0.03	0.29	12.15	0.5	12	0.49
CC40436		0.18	1.3	0.63	13.9	<0.2	<10	2830	0.4	0.16	0.06	0.95	23.9	1.4	30	0.76
CC40437		0.24	0.96	0.82	20.6	<0.2	<10	3250	0.58	0.21	0.27	3.15	35.6	4.6	25	0.92
CC40438		0.26	1.67	0.93	16.1	<0.2	<10	2860	0.53	0.19	1.54	3.32	31.8	4.4	24	1.1
CC40439		0.18	0.94	0.65	9	<0.2	<10	1510	0.25	0.1	17.85	12.9	14.35	3.7	14	0.7
CC40440		0.18	2.27	1.26	17.1	<0.2	<10	1970	0.55	0.15	1.76	6.6	19.25	15.5	21	0.86
CC40441		0.22	1.33	1.21	10.7	<0.2	<10	1920	0.61	0.16	2.87	4.77	22.1	5.9	22	0.91
CC40442		0.20	0.79	0.67	5.8	<0.2	<10	940	0.31	0.08	2	3.51	10.75	3	11	0.47
CC40443		0.14	0.83	0.75	5.6	<0.2	<10	1330	0.34	0.08	1.65	4.55	11	2.9	14	0.54
CC40444		0.22	1.08	0.78	16.5	<0.2	<10	1290	0.56	0.21	0.74	2.7	38	7.3	16	0.81
CC40445		0.20	1.53	1.22	14	<0.2	<10	4000	0.6	0.19	0.43	5.28	28.3	5.6	27	0.94
CC40446		0.16	1.93	0.73	7.7	<0.2	<10	1990	0.4	0.11	0.4	3.75	8.99	11.1	14	0.53
CC40447		0.24	1.72	0.81	17.1	1.2	<10	3400	0.57	0.17	0.36	3.72	23.6	2.4	43	0.9
CC40448		0.14	0.62	0.27	3	<0.2	<10	2300	0.09	0.04	0.29	1.88	3.86	0.8	6	0.24
CC40449		0.20	1.06	0.69	19.5	<0.2	<10	2330	0.29	0.15	0.03	0.59	20.4	0.8	22	0.62
CC40450		0.16	0.21	0.21	0.7	<0.2	<10	480	0.05	0.02	0.04	0.09	1.6	1	4	0.18
CC40451		0.26	1.14	0.95	19.5	<0.2	<10	3670	0.62	0.15	0.12	2.06	26.2	1.4	26	0.56
CC40452		0.22	0.44	0.71	8.6	<0.2	<10	420	0.22	0.15	0.04	0.38	29.1	1.6	16	0.96
CC40453		0.14	0.18	0.15	0.3	<0.2	<10	100	<0.05	0.01	0.06	0.11	1.37	0.5	6	0.08
CC40454		0.16	0.59	0.17	0.8	<0.2	<10	50	<0.05	0.02	0.04	0.06	2.59	0.5	4	0.23
CC40455		0.26	0.11	0.49	11.7	<0.2	<10	230	0.18	0.16	0.01	0.15	53.7	1.7	9	0.81
CC40456		0.18	0.12	0.2	1	<0.2	<10	80	<0.05	0.02	0.02	0.06	4.21	0.5	3	0.28
CC40457		0.20	0.04	0.28	1.1	<0.2	<10	100	0.06	0.03	0.02	0.05	15.6	0.6	6	0.5
CC40458		0.20	0.83	0.13	0.2	<0.2	<10	40	<0.05	0.01	0.03	0.06	1.32	0.5	2	0.11
CC40459		0.18	0.37	0.09	<0.1	<0.2	<10	50	<0.05	0.01	0.08	0.52	0.68	0.4	6	0.07
CC40460		0.24	0.91	0.45	6.6	<0.2	<10	680	0.23	0.11	0.46	4.79	16.35	1.7	14	0.77
CC40461		0.18	0.21	0.1	0.3	<0.2	<10	120	<0.05	0.01	0.03	0.15	1.19	0.6	5	0.12
CC40462		0.16	1.07	0.96	15.4	<0.2	<10	1320	0.63	0.15	0.91	52.2	28.8	4.9	26	1.01
CC40463		0.22	0.1	0.13	<0.1	<0.2	<10	100	<0.05	0.01	0.1	3.91	1.28	1	1	0.06
CC40464		0.28	0.2	0.13	<0.1	<0.2	<10	40	<0.05	0.01	0.07	0.71	0.52	0.5	1	<0.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC40425		68	1.79	4.2	0.17	0.02	0.41	0.029	0.1	25.1	5.6	0.1	138	33.8	0.02	<0.05
CC40426		7.4	0.68	1.52	<0.05	<0.02	0.07	0.008	0.03	3.6	1.6	0.05	21	2.05	0.03	0.07
CC40427		14.7	1.25	4.07	0.07	<0.02	0.02	0.016	0.08	20.8	3.3	0.08	35	9.58	0.01	0.14
CC40428		8.8	0.36	2.3	0.05	<0.02	0.01	<0.005	0.04	17	0.9	0.02	10	2.45	0.02	0.1
CC40429		17.2	2.08	5.41	0.08	<0.02	0.02	0.018	0.09	25.1	4.2	0.13	61	14.85	0.02	0.48
CC40430		3	0.39	1.42	<0.05	<0.02	0.01	<0.005	0.02	2.6	0.7	0.02	14	1.77	0.02	0.05
CC40431		28.7	3.38	5.76	0.09	<0.02	0.04	0.034	0.15	21.4	9	0.3	89	20	0.03	0.56
CC40432		5.7	0.37	1	<0.05	<0.02	0.01	<0.005	0.02	7.2	0.5	0.02	15	1.84	0.04	0.06
CC40433		13.6	0.35	1.96	0.05	<0.02	0.02	0.013	0.03	7.3	0.7	0.01	7	3.16	0.05	0.11
CC40434		178	1.83	3.9	0.16	0.1	0.77	0.029	0.15	21.4	13.3	0.6	204	29.3	0.02	0.13
CC40435		12.7	0.68	2.03	0.05	<0.02	0.07	0.016	0.04	6.5	1.5	0.03	12	8.56	0.05	0.13
CC40436		31.3	1	3.01	0.07	0.02	0.18	0.018	0.08	15.2	4.3	0.11	26	17.65	0.05	0.18
CC40437		42.4	2.05	2.44	0.09	0.02	0.13	0.031	0.12	20.9	8.6	0.21	129	20.5	0.06	0.2
CC40438		51.5	1.87	2.71	0.08	0.02	0.23	0.031	0.13	19.4	9.9	0.25	109	17.85	0.06	0.21
CC40439		37.5	1.22	1.55	0.05	0.07	0.17	0.02	0.09	7.5	5.8	0.36	192	7.87	0.04	0.16
CC40440		50.4	2	3.18	0.06	0.06	0.35	0.025	0.09	9.2	8.1	0.29	1445	13.25	0.07	0.34
CC40441		45.3	1.45	2.95	0.06	0.09	0.28	0.028	0.13	12.8	10.9	0.47	289	6.6	0.05	0.3
CC40442		21.8	0.9	1.52	<0.05	0.08	0.16	0.014	0.07	5.5	5.3	0.3	355	3.25	0.04	0.2
CC40443		27.4	0.8	2.28	0.05	0.08	0.16	0.013	0.04	5.5	4.2	0.22	184	4.85	0.05	0.27
CC40444		35.8	2.59	1.99	0.09	0.06	0.2	0.031	0.11	21.9	7.3	0.32	145	19.95	0.03	0.14
CC40445		45.5	1.61	3.41	0.07	0.09	0.35	0.03	0.11	16.5	9.7	0.3	275	9.25	0.08	0.32
CC40446		52	1.35	2.66	0.05	0.03	0.25	0.02	0.05	4.5	2.6	0.09	1010	14.85	0.06	0.26
CC40447		41.1	1.25	3.13	0.08	0.03	0.37	0.035	0.11	15.9	6.9	0.19	70	18	0.06	0.3
CC40448		12.8	0.48	0.98	<0.05	0.02	0.08	0.01	0.04	2.3	0.7	0.04	18	3.75	0.07	0.12
CC40449		28.7	1.24	2.82	0.07	0.02	0.2	0.029	0.08	12.8	2.2	0.05	13	23.4	0.05	0.16
CC40450		3.1	0.55	1.13	<0.05	<0.02	0.03	0.006	0.02	1	0.3	0.02	23	0.93	0.03	<0.05
CC40451		58.7	1.18	2.4	0.08	0.05	0.26	0.019	0.1	16.8	5.4	0.12	28	23	0.07	0.13
CC40452		13.9	1	4.2	0.06	<0.02	0.05	0.013	0.07	16.8	3.1	0.08	21	7.68	0.01	0.2
CC40453		1.8	0.23	0.59	<0.05	<0.02	<0.01	<0.005	0.02	0.7	0.2	0.01	10	0.79	0.02	0.11
CC40454		2.8	0.28	0.9	<0.05	<0.02	0.01	<0.005	0.02	1.5	0.4	0.02	12	0.99	0.02	0.06
CC40455		10.5	1.03	3.36	0.08	<0.02	<0.01	0.01	0.05	30.8	2.4	0.06	27	8.36	0.01	0.19
CC40456		3	0.29	1.29	<0.05	<0.02	0.01	<0.005	0.02	2.4	0.5	0.02	12	0.94	0.02	<0.05
CC40457		3.7	0.32	2.85	<0.05	<0.02	<0.01	<0.005	0.03	8.4	0.8	0.02	12	1.16	0.01	<0.05
CC40458		4.3	0.26	0.69	<0.05	<0.02	0.01	<0.005	0.02	0.7	0.2	0.01	11	0.29	0.02	<0.05
CC40459		1.4	0.19	0.42	<0.05	<0.02	<0.01	<0.005	0.01	0.4	0.2	0.01	11	0.76	0.03	0.06
CC40460		34.6	0.98	1.92	0.05	0.03	0.17	0.013	0.06	8.4	3.2	0.11	38	5.75	0.03	0.2
CC40461		2	0.29	0.58	<0.05	<0.02	0.01	<0.005	0.02	0.7	0.2	0.01	14	0.83	0.02	0.05
CC40462		58.2	1.54	2.73	0.09	0.08	0.4	0.027	0.1	16.8	9.4	0.35	178	11.4	0.03	0.26
CC40463		4.4	0.3	0.65	<0.05	<0.02	<0.01	<0.005	0.02	0.6	0.2	0.02	44	0.86	0.03	0.08
CC40464		1.3	0.22	0.54	<0.05	<0.02	<0.01	<0.005	0.02	0.3	0.2	0.01	11	0.29	0.03	<0.05

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40425		151.5	3950	14.9	12.3	0.002	0.14	54.2	0.2	18.9	0.7	67.2	<0.01	0.23	<0.2	<0.005
CC40426		6	670	3.8	5	<0.001	0.03	0.74	0.1	0.8	<0.2	11.9	<0.01	0.02	<0.2	0.01
CC40427		18.2	710	10.2	10.5	0.001	0.03	2.52	0.5	1.4	0.4	18.1	<0.01	0.06	0.2	0.009
CC40428		3.8	250	2.8	4.3	<0.001	0.01	0.55	0.3	0.4	0.3	5.4	<0.01	0.02	0.3	0.012
CC40429		22.7	510	19.6	13.6	<0.001	0.04	3.42	1.3	2	0.6	17.9	<0.01	0.08	2	0.019
CC40430		3.7	220	2	1.4	<0.001	0.01	0.84	0.1	0.4	<0.2	4.8	<0.01	0.02	<0.2	0.012
CC40431		42.7	1730	22.4	21.3	0.001	0.07	6.08	2	3.8	0.7	35.3	<0.01	0.11	1.9	0.016
CC40432		3.1	250	1.7	1.6	<0.001	0.04	0.41	0.1	0.3	0.2	7.1	<0.01	0.02	<0.2	0.015
CC40433		1.6	400	5.6	4.3	<0.001	0.08	0.57	0.3	0.6	0.6	22.4	<0.01	0.03	0.4	0.009
CC40434		320	4450	12.3	13.8	0.002	0.12	28.7	3.3	14.7	0.7	153	<0.01	0.2	1	0.009
CC40435		6.6	600	13.3	5.1	0.001	0.09	2.25	0.9	1.7	0.4	41.2	<0.01	0.05	0.3	0.01
CC40436		24	860	20.2	9.9	0.003	0.11	5.75	1.4	3.5	0.6	60.3	<0.01	0.08	0.7	0.009
CC40437		51.2	1520	15.4	10.1	0.004	0.11	8.86	2.2	4	0.4	67.7	<0.01	0.1	2.5	0.009
CC40438		84.7	1270	15.5	10.6	0.003	0.13	7.31	2.2	3.1	0.5	105.5	<0.01	0.1	1.3	0.01
CC40439		69.4	980	7.5	7.6	0.004	0.38	3.36	2.3	2.3	0.3	366	<0.01	0.05	1.5	0.005
CC40440		65.5	1430	9.7	8.2	0.008	0.19	6.13	1.8	3.5	0.4	146	<0.01	0.09	0.5	0.011
CC40441		59.5	1410	9.9	11.1	0.006	0.22	5.09	2.1	3.6	0.4	167.5	<0.01	0.07	1	0.008
CC40442		28.2	1010	5	5.7	0.004	0.23	2.35	0.9	2.2	0.2	118.5	<0.01	0.03	0.5	0.011
CC40443		29.3	1430	4.7	4.6	0.009	0.14	3.76	0.8	4.8	0.4	90.4	<0.01	0.05	0.3	0.009
CC40444		76.3	1680	13.1	8.8	0.004	0.05	4.6	3.5	2.9	0.3	58.8	<0.01	0.07	3	0.005
CC40445		42.8	1450	14.1	12.4	0.006	0.11	5.34	2.6	3	0.5	74.9	<0.01	0.09	1.3	0.011
CC40446		23.5	1410	7.5	4.1	0.006	0.12	3.92	1.1	3.6	0.3	47	<0.01	0.05	<0.2	0.013
CC40447		45.6	950	17.3	10.9	0.004	0.11	6.86	2.6	3.9	0.7	93.5	<0.01	0.11	1	0.016
CC40448		6.3	490	4.8	2.4	0.001	0.09	1.34	0.6	1.5	0.2	43.8	<0.01	0.03	0.2	0.016
CC40449		16.9	1270	27.6	8.1	0.002	0.14	6.51	1	4.2	0.6	71.5	<0.01	0.11	0.3	0.01
CC40450		2	520	2	1.4	<0.001	0.03	0.35	0.1	0.4	<0.2	9.2	<0.01	0.01	<0.2	0.008
CC40451		29.5	1370	40.8	8.4	0.005	0.12	8.42	1.7	3.7	0.4	82.4	<0.01	0.11	1	0.008
CC40452		17.2	720	9.7	9.3	0.001	0.03	2.24	0.8	1.4	0.5	13.6	<0.01	0.05	0.5	0.008
CC40453		4	190	0.9	0.8	<0.001	0.02	0.11	0.3	0.3	<0.2	10.4	<0.01	0.01	<0.2	0.012
CC40454		2.7	360	1.5	1.7	<0.001	0.02	0.2	0.1	0.3	<0.2	5.9	<0.01	0.01	<0.2	0.011
CC40455		14.6	370	8.8	9.9	<0.001	0.01	2.15	0.7	1.1	0.4	8.2	<0.01	0.06	1.8	0.008
CC40456		2.4	280	1.6	2.2	<0.001	0.01	0.23	0.1	0.2	<0.2	5.4	<0.01	0.01	<0.2	0.009
CC40457		2.4	330	2.1	2.9	<0.001	0.01	0.24	0.1	0.2	0.2	4.8	<0.01	0.02	<0.2	0.008
CC40458		1.1	260	0.7	0.7	<0.001	0.01	0.05	0.1	<0.2	<0.2	5.6	<0.01	0.01	<0.2	0.009
CC40459		4.1	190	0.4	0.7	<0.001	0.01	0.07	0.1	0.2	<0.2	9.4	<0.01	0.01	<0.2	0.01
CC40460		34.9	980	8.1	7.7	0.002	0.07	2.01	0.8	2.1	0.3	51.4	<0.01	0.05	0.5	0.01
CC40461		3.4	210	0.7	0.7	<0.001	0.01	0.19	0.1	0.2	<0.2	5.8	<0.01	0.01	<0.2	0.014
CC40462		260	1550	9.7	12.9	0.004	0.08	6.5	2	8.4	0.3	81.5	<0.01	0.08	1	0.008
CC40463		14.3	160	0.4	0.6	<0.001	0.01	0.13	0.2	0.3	<0.2	14.9	<0.01	0.01	<0.2	0.017
CC40464		2.5	260	0.4	0.5	<0.001	0.01	<0.05	<0.1	0.2	<0.2	10.4	<0.01	0.01	<0.2	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Tl ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Zn-OG46 Zn % 0.01
CC40425		2.07	14.1	767	0.92	46.8	817	<0.5	
CC40426		0.16	0.84	44	0.05	1.54	39	<0.5	
CC40427		0.32	0.87	142	0.19	2.14	130	<0.5	
CC40428		0.12	0.42	48	0.11	1.07	28	<0.5	
CC40429		0.4	0.97	223	0.32	2.68	173	<0.5	
CC40430		0.1	0.25	52	0.05	0.46	23	<0.5	
CC40431		0.66	1.73	273	0.46	4.19	302	<0.5	
CC40432		0.09	0.4	38	0.05	0.62	16	<0.5	
CC40433		0.18	0.87	35	0.1	0.8	11	<0.5	
CC40434		1.59	11.15	864	0.5	35	2270	3.9	
CC40435		0.28	1.35	105	0.16	1.33	42	<0.5	
CC40436		0.79	2.56	457	0.31	5.8	189	<0.5	
CC40437		0.7	3.2	328	1.9	12.35	394	0.8	
CC40438		0.62	3.7	292	0.21	13.25	857	0.6	
CC40439		0.4	2.95	139	0.15	14.8	1395	2.3	
CC40440		0.46	7.2	245	0.24	15.4	470	1.7	
CC40441		0.49	4.86	217	0.19	13.45	422	2.8	
CC40442		0.21	3.88	89	0.14	5.72	199	2.2	
CC40443		0.23	6.07	108	0.1	4.78	196	2.4	
CC40444		0.36	3.67	99	0.19	17.2	540	1.9	
CC40445		0.55	12.85	312	0.59	14.5	398	2.4	
CC40446		0.22	13.3	138	0.16	7.54	132	0.8	
CC40447		0.95	3.63	705	0.37	11.25	404	0.7	
CC40448		0.2	1.99	63	0.07	1.65	42	0.5	
CC40449		0.79	3.22	264	0.32	3.57	118	0.6	
CC40450		0.07	0.66	30	<0.05	0.44	11	<0.5	
CC40451		0.82	7.64	278	0.41	10.8	248	1.1	
CC40452		0.31	1.39	147	0.17	2.25	112	<0.5	
CC40453		0.02	0.29	9	<0.05	0.32	8	<0.5	
CC40454		0.06	0.19	20	<0.05	0.25	13	<0.5	
CC40455		0.25	0.62	115	0.21	2.01	107	<0.5	
CC40456		0.05	0.18	21	<0.05	0.33	14	<0.5	
CC40457		0.09	0.28	31	<0.05	0.61	17	<0.5	
CC40458		0.02	0.19	11	<0.05	0.17	6	<0.5	
CC40459		0.03	0.29	10	<0.05	0.16	20	<0.5	
CC40460		0.33	3.32	72	0.34	3.98	400	0.7	
CC40461		0.03	0.2	20	<0.05	0.22	14	<0.5	
CC40462		1.07	10.8	279	0.11	15	3310	2.1	
CC40463		0.02	0.42	12	<0.05	0.48	107	<0.5	
CC40464		<0.02	0.12	8	<0.05	0.13	29	<0.5	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
CC40465		0.20	1.19	0.98	10.6	<0.2	<10	1080	0.58	0.1	0.73	63.2	14.7	3.1	17	1.31

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05
CC40465		105.5	0.97	3.07	0.07	0.03	0.3	0.018	0.07	7.8	5.6	0.17	230	8.51	0.04	0.25

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
CC40465		254	1590	5.9	12.1	0.005	0.09	5.18	0.5	4.1	0.3	71.9	<0.01	0.07	0.2	0.008

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094498

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Zn-OG46
	Analyte	Tl	U	V	W	Y	Zn	Zr	Zn
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.01
CC40465		1.57	15.2	159	0.09	10.9	2390	0.7	

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized [illegible] 26-SEP-2007
Account: MTT

CERTIFICATE VA07094499

Project: STRATEGIC NI
P.O. No.: Regional - Harlow, Harlot, Harvest, Harken
This report is for 223 Soil samples submitted to our lab in Vancouver, BC, Canada on 27-AUG-2007.
The following have access to data associated with this certificate:
JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
BB38723		0.26		1.24	0.6	26	<0.2	<10	510	0.97	0.03	17.5	1.33	4.73	1.7	108
BB38724		0.22		2.32	2.06	41	<0.2	<10	330	2.11	0.09	6.84	14.9	14.9	5.1	254
BB38725		0.18		2.22	0.82	43	<0.2	<10	660	0.78	0.06	16.15	7.99	8.22	1.6	62
BB38726		0.20	1.04	4.72	2.21	113	<0.2	<10	370	3	0.14	1.84	59.2	30.7	38.9	293
BB38727		0.20		1.65	2.52	96	<0.2	<10	770	1.84	0.14	2.29	92.4	27.1	14.4	79
BB38728		0.22		1.48	1.02	25.1	<0.2	<10	560	0.65	0.25	0.3	4.22	11.3	4.3	44
BB38729		0.26		3.23	1.87	22.8	<0.2	<10	1000	0.94	0.44	0.87	24	27.6	10.5	39
BB38730		0.24		0.66	2.77	14	<0.2	<10	1720	0.99	0.1	11.1	8.71	17.85	8.3	32
BB38731		0.20		1.79	2.51	41.9	<0.2	<10	550	1.04	0.36	0.66	26.4	61.7	37.1	69
BB38732		0.20	1.54	1.67	1.51	74.2	<0.2	<10	790	1.39	0.24	2.29	168	25.6	64.5	50
BB38733		0.20		0.6	2.5	21.3	<0.2	<10	1300	1.12	0.12	1.84	19.95	23.6	12.5	59
BB38734		0.18		11.1	3.16	553	<0.2	<10	630	3.53	0.24	2.42	145	31.6	20.3	274
BB38735		0.20		0.88	0.99	12.1	<0.2	<10	1460	0.42	0.12	0.78	29.4	30.8	6.6	15
BB38736		0.24		0.88	0.93	14.7	<0.2	<10	1660	0.5	0.15	0.88	29.9	32.2	9.1	15
BB38737		0.32		1.14	1.34	26.4	<0.2	<10	1790	0.57	0.14	1.11	73.9	27.7	24	15
CC20500		0.30		4.74	0.84	75.6	<0.2	<10	570	1.16	0.21	2.36	42.4	20.1	7.8	105
CC26652		0.20	5.49	3.88	7.85	199.5	<0.2	<10	2140	8.26	0.16	3.07	226	55.3	40.7	137
CC26658		0.20		4.77	1.38	132	<0.2	<10	1000	1.88	0.17	11.25	86.6	29.6	22.8	92
CC26659		0.20		2.95	0.43	77.9	<0.2	10	1230	0.67	0.12	9.1	14.25	25.8	7.9	99
CC26660		0.16		3.86	1.04	127.5	<0.2	<10	480	1.2	0.21	2.31	43.4	25.1	8.4	97
CC26741		0.18		5.31	0.05	70.6	<0.2	<10	950	0.11	0.14	0.01	0.25	10.6	0.2	20
CC26742		0.16		3.17	0.09	9.5	<0.2	<10	660	0.21	0.17	0.11	0.72	6.27	0.2	14
CC26743		0.24		1.59	0.07	11.4	<0.2	<10	2580	0.13	0.13	0.28	0.61	9.04	0.5	19
CC26744		0.16		2.34	0.11	30.7	<0.2	<10	2240	0.12	0.15	0.12	1.36	8.67	0.7	28
CC26745		0.16		4.27	0.05	27.8	<0.2	<10	1110	<0.05	0.16	0.02	1.43	10.2	0.1	30
CC26746		0.22		2.54	0.05	9.1	<0.2	<10	1670	0.05	0.14	0.01	1.25	9.42	0.1	49
CC26747		0.20		3.19	1.23	62	<0.2	<10	>10000	1.23	0.09	10.45	27.7	11.8	4.7	187
CC27715		0.20		6.39	1.96	93	<0.2	<10	9970	2.73	0.24	2.73	58.7	22.7	27.6	397
CC32059		0.18		4.7	0.65	24.1	<0.2	<10	1730	0.45	0.14	0.25	3.94	13.75	1.2	35
CC32060		0.20		4.57	0.75	41.3	<0.2	<10	1220	0.8	0.19	0.36	5.99	20	1.7	63
CC32061		0.24		6.78	1.02	79.6	<0.2	10	1080	1.17	0.2	1.18	21.5	25.2	3.7	94
CC32062		0.20		6.74	0.79	41.7	<0.2	10	1290	0.8	0.18	0.44	13.95	18.7	2.4	68
CC32063		0.22		12.25	0.91	74.4	<0.2	10	580	1.24	0.21	0.32	13.8	28.2	1.4	183
CC32064		0.24		8.02	0.63	63.2	<0.2	<10	590	0.66	0.17	0.16	6.83	19.3	1.3	117
CC32065		0.24		5.67	0.97	138	<0.2	10	850	1.57	0.18	0.67	25.3	26.1	4.3	158
CC32066		0.22		6.49	1.09	233	<0.2	10	420	1.45	0.23	0.99	41.2	35.2	14.9	170
CC32067		0.24		3.08	0.44	71.7	<0.2	<10	610	1.01	0.23	1.09	48.8	40.9	16.7	55
CC32068		0.20		2.46	0.53	90.4	<0.2	<10	780	0.89	0.16	1.39	24.1	50.5	10.1	49
CC39101		0.10		3.5	0.75	46.7	<0.2	10	600	0.92	0.17	1.3	26	18.95	7.2	120
CC39102		0.14		2.49	1.02	45.2	<0.2	10	690	0.9	0.2	0.64	15.15	24.7	10.2	105

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
BB38723		1.12	45.2	0.43	2.63	0.12	0.12	0.12	0.006	0.07	3.7	14.9	10.65	398	8.17	0.03
BB38724		3.26	100	1.06	9.79	0.39	0.24	0.2	0.027	0.26	9.8	35.5	3.98	161	38.9	0.01
BB38725		1.01	76.8	0.4	2.35	0.12	0.13	0.12	0.009	0.06	5.9	7.1	9.52	152	17.45	0.03
BB38726		4.05	899	2.74	9.18	1.01	0.06	0.62	0.03	0.21	22.2	28.2	3.08	769	34.7	0.01
BB38727		2.54	129.5	2.47	9.58	0.25	0.15	0.39	0.046	0.17	16.6	21	3.83	365	88.45	0.02
BB38728		1.57	50.9	3.17	3.17	0.19	0.18	0.07	0.069	0.34	4.6	17.4	1.09	38	3.13	0.01
BB38729		2.33	60.2	5.32	4.41	0.21	0.13	0.1	0.045	0.24	12.9	22.7	2.24	207	5.07	0.02
BB38730		3.8	19.5	2.23	5.26	0.1	0.11	0.06	0.015	0.08	7	34.1	6.07	632	1.98	0.04
BB38731		3.46	84.6	5.92	7.77	0.25	0.27	0.07	0.045	0.42	30.2	23.8	2.84	441	11.8	0.01
BB38732		1.5	101	6.67	3.07	0.17	0.16	0.1	0.055	0.14	12.9	13.4	1.97	1650	12	0.02
BB38733		3.63	37.9	3.15	6.56	0.15	0.1	0.06	0.033	0.16	11.3	30.3	3.65	466	6.68	0.03
BB38734		3.69	1105	8.24	16.65	0.75	0.06	3.04	0.164	0.34	27.3	8	0.33	818	246	0.02
BB38735		1.27	69.1	1.32	2.13	0.09	0.06	0.35	0.019	0.09	17.4	8.6	0.27	195	4.61	0.03
BB38736		1.18	61.3	2	2.2	0.09	0.05	0.29	0.024	0.1	17.9	8.7	0.26	731	7.59	0.04
BB38737		1.38	83.3	2.63	1.91	0.1	0.09	0.44	0.024	0.09	15.5	7.7	0.25	4590	17.8	0.04
CC20500		1.36	191	2.31	3.87	0.17	0.04	0.79	0.04	0.14	14.9	7	1.01	445	48.1	0.02
CC26652		0.46	1085	2.6	11.7	0.44	0.38	1.75	0.172	0.07	39.9	22.1	0.65	590	231	0.05
CC26658		0.58	320	1.88	7.78	0.17	0.06	1.06	0.061	0.08	21.1	2.9	1.78	347	66.15	0.03
CC26659		0.42	182	1.71	1.75	0.1	0.1	0.22	0.022	0.09	17.2	2.5	3.86	235	29.2	0.04
CC26660		0.45	202	3.06	2.93	0.24	0.07	0.47	0.042	0.05	17.7	2.9	1.22	146	88.2	0.02
CC26741		0.06	27.7	2.05	0.53	0.12	<0.02	4.56	0.006	0.03	11.2	0.4	<0.01	<5	7.95	0.02
CC26742		0.26	20.4	1.37	0.97	0.07	0.13	1.08	0.015	0.12	5.3	0.8	0.01	13	40.9	0.02
CC26743		0.25	13.9	0.76	0.79	0.06	0.08	0.88	0.009	0.02	5.9	1.3	0.01	50	14.4	0.05
CC26744		0.22	18	1.96	1.16	0.09	<0.02	0.63	0.008	0.02	6.5	0.9	0.02	59	30.3	0.04
CC26745		0.17	13.8	1.18	0.9	0.1	0.05	1.11	<0.005	0.03	9.3	1	0.01	10	19.75	0.02
CC26746		0.12	6.4	0.52	0.57	0.06	<0.02	0.6	<0.005	0.01	6.9	0.7	<0.01	5	15.25	0.03
CC26747		0.84	203	1.02	4.98	0.31	0.11	0.2	0.015	0.17	9.3	11.8	6.81	267	14.6	0.32
CC27715		1.6	415	2.71	8.4	1.43	0.16	0.4	0.035	0.38	16.7	23.2	2.15	606	34.9	0.22
CC32059		0.68	54.3	1.27	3.55	0.14	0.02	4.26	0.03	0.08	10.7	1.7	0.07	41	22.5	0.04
CC32060		0.7	73.3	2.06	4.66	0.23	0.02	1.1	0.049	0.14	15.1	2.2	0.05	51	34.5	0.03
CC32061		0.85	167.5	2.57	5.75	0.31	0.05	2.27	0.06	0.19	20.9	3.2	0.06	119	53.4	0.02
CC32062		0.86	118.5	2.01	4.57	0.22	0.02	2.04	0.048	0.13	14.5	2.4	0.05	60	35.4	0.03
CC32063		1.58	173.5	2.57	7.42	0.45	0.03	2.4	0.065	0.2	29.4	2.7	0.05	34	63.9	0.02
CC32064		1.07	126	2.5	5.85	0.31	0.02	1.63	0.057	0.14	17.9	1.2	0.03	18	49.5	0.01
CC32065		1.74	383	2.62	7	0.48	0.03	1.24	0.062	0.24	24.3	4.2	0.08	123	77.1	0.02
CC32066		1.33	359	6.09	7.89	0.56	0.06	1.49	0.125	0.26	25.3	3.1	0.12	353	147.5	0.02
CC32067		0.9	189.5	5.47	2.18	0.25	0.03	0.68	0.055	0.11	23.5	1	0.46	311	44.3	0.01
CC32068		0.64	123.5	2.66	2.72	0.2	0.05	1.2	0.041	0.09	31.8	1.7	0.56	311	57.2	0.02
CC39101		1.43	125	1.64	3.15	0.19	0.14	0.43	0.022	0.13	16	8.1	0.49	161	19.4	0.02
CC39102		1.98	97.7	1.96	3.84	0.16	0.07	0.29	0.022	0.13	17.9	7.6	0.37	711	22.6	0.02

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
BB38723		<0.05	97.5	820	3.2	22.4	0.005	0.02	8.47	1.8	4.1	<0.2	849	<0.01	0.05	0.8
BB38724		<0.05	234	600	6.1	68.6	0.004	0.02	14.9	5.4	11	0.6	318	<0.01	0.13	2.4
BB38725		<0.05	109	440	3.3	16.2	0.036	0.02	17.9	2.1	7.6	0.2	817	<0.01	0.07	1
BB38726		0.13	994	8290	11	45.2	0.007	0.06	63.7	6.8	32.8	0.6	259	<0.01	0.31	4
BB38727		0.06	334	1670	16.9	42.4	0.002	0.05	22.5	7.1	16.5	0.9	145	<0.01	0.15	5.3
BB38728		<0.05	94.9	1200	22.6	35.3	0.004	0.51	6.53	2.3	37.8	0.2	100	<0.01	0.12	8.9
BB38729		0.07	142	1250	41.6	35.1	0.005	0.44	8.95	5.6	27.8	0.2	117	0.01	0.1	9.2
BB38730		<0.05	74.2	1480	10.4	15.9	0.005	0.13	2.47	7.7	4.3	0.3	569	<0.01	0.05	5.1
BB38731		0.06	205	1140	30.6	60.5	0.004	0.4	7.96	9.1	14.7	0.4	77.5	<0.01	0.12	15.8
BB38732		<0.05	464	1740	38.2	15.9	0.002	0.4	12.35	8.4	18.9	0.5	222	0.01	0.15	11.4
BB38733		0.09	139.5	890	9.4	26.8	0.001	0.1	5.28	7.2	7.1	0.5	115.5	<0.01	0.06	7.2
BB38734		0.25	610	8690	97.4	35.7	0.015	0.86	327	12.5	94.1	2.2	379	0.01	0.91	6.6
BB38735		0.17	264	1560	8.5	12	0.005	0.14	3.62	2.1	5.9	0.2	113	<0.01	0.06	1.6
BB38736		0.17	320	1720	9.8	11	0.003	0.1	4.01	2.1	4.5	0.2	127	<0.01	0.08	1.8
BB38737		0.17	561	2150	9.4	12	0.006	0.11	5.53	2.1	6.5	0.2	146.5	<0.01	0.08	1.7
CC20500		0.14	261	4500	38.2	17.6	0.006	0.14	51.3	2.3	15.5	1.4	148	<0.01	0.22	0.7
CC26652		0.58	4400	6820	102.5	4.2	0.069	0.2	76.4	15.8	22.7	2	521	0.02	0.36	4.5
CC26658		<0.05	589	3820	59.1	5.8	0.045	0.22	81.8	4.5	19.2	1	791	0.01	0.19	2.3
CC26659		<0.05	237	4900	37.5	5.3	0.056	0.22	30.1	3.2	13.9	0.5	569	<0.01	0.15	2.6
CC26660		<0.05	308	2210	92.9	4.1	0.025	0.28	72.3	5.8	51.4	0.4	114.5	<0.01	0.18	2.7
CC26741		0.6	6.6	2310	128.5	3.2	0.016	0.32	10.45	1.3	17.3	0.4	82.3	<0.01	0.2	0.6
CC26742		1.38	6.8	530	197.5	6.3	0.006	0.43	14.8	0.5	7.9	0.4	68	<0.01	0.12	1.1
CC26743		0.52	16.3	1700	163.5	2.1	<0.001	0.12	11.95	0.6	2.8	<0.2	113.5	<0.01	0.1	1
CC26744		0.77	14.9	3250	120.5	2	<0.001	0.13	12.05	1.5	6.2	0.3	116	<0.01	0.13	1
CC26745		0.75	3.1	900	70.1	2.9	<0.001	0.22	14.6	0.8	5.4	1.3	169.5	<0.01	0.14	1.2
CC26746		2.51	1.3	400	81.2	1.3	0.003	0.09	7.36	0.7	2.5	0.4	61.1	<0.01	0.07	0.8
CC26747		0.92	214	2730	7	10.8	<0.001	0.05	26.7	3.5	10.5	0.6	571	<0.01	0.2	1.8
CC27715		1.43	518	5980	19.2	28.7	0.001	0.08	32.4	8.1	28.3	0.8	344	0.01	0.36	4.3
CC32059		0.11	31.6	2800	18.1	7	<0.001	0.25	13	0.4	12.8	0.7	93.8	<0.01	0.25	<0.2
CC32060		0.11	44.2	3740	28.6	8.9	0.001	0.33	22.5	0.5	32.4	1	146	<0.01	0.4	<0.2
CC32061		0.35	158.5	7240	32.2	12.2	0.007	0.29	44	4.9	37.1	1.1	262	0.01	0.64	1.9
CC32062		0.18	79.4	3920	32.5	10.1	0.003	0.35	25.8	0.6	26.2	1	146	<0.01	0.4	<0.2
CC32063		0.05	79.2	4690	29.4	15.1	0.017	0.57	31.7	0.6	52.8	1.3	173	0.01	0.38	<0.2
CC32064		0.1	57.6	3470	31	11.5	0.041	0.53	33.3	0.5	46.8	1.3	131.5	0.01	0.35	<0.2
CC32065		0.09	130.5	5490	20.1	17.7	0.089	0.54	57.4	5.6	58.7	1	250	0.01	0.47	1.6
CC32066		0.11	263	8700	92.4	16.7	0.062	0.59	113.5	7	82.7	1.6	246	0.01	1.04	1.6
CC32067		0.07	328	2360	43.9	7	0.019	0.49	28.7	7.4	22.1	0.5	75	0.01	0.23	3
CC32068		0.07	184.5	2160	38.4	8.1	0.006	0.09	31.3	3.7	17.5	0.9	81.8	0.01	0.19	1
CC39101		0.16	263	4230	11.4	12	<0.001	0.15	19.8	2.9	17.4	0.6	122.5	<0.01	0.19	1.3
CC39102		0.18	195	3590	15.3	15.9	<0.001	0.12	17.85	2	14.8	0.7	90.8	0.01	0.18	0.7

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
BB38723		0.012	0.66	1.75	700	0.09	6.27	460	8.9
BB38724		0.06	3.26	4.41	1300	0.34	16.65	1415	11
BB38725		0.023	0.87	2.55	808	0.22	10.6	1135	10
BB38726		0.044	4.81	32.2	1235	0.64	55.7	>10000	9.1
BB38727		0.068	3.63	14.05	1140	0.44	43.4	5410	11.3
BB38728		0.022	0.72	3.52	96	0.05	17.1	1000	7.4
BB38729		0.031	0.85	4.91	106	0.05	28.3	2250	6
BB38730		0.05	0.77	1.3	73	<0.05	26.8	1260	5.5
BB38731		0.052	1.46	5.64	222	0.09	29.3	2920	13.5
BB38732		0.016	1.16	7.6	420	0.15	66.3	>10000	8.3
BB38733		0.044	0.81	2.46	155	0.06	22	1935	4.4
BB38734		0.025	21.4	121.5	4590	1.6	95.4	8050	3.6
BB38735		0.007	0.76	11.7	134	0.09	15.05	3140	1.6
BB38736		0.008	0.51	5.45	124	0.37	14.25	3710	1.4
BB38737		0.007	0.88	9.65	148	0.11	20.3	7430	2.4
CC20500		0.011	2.21	16.7	889	0.49	34	3690	1.1
CC26652		0.036	2.37	152.75	914	0.91	245	>10000	18.3
CC26658		<0.005	2.02	24.1	476	0.44	55	7300	3.1
CC26659		<0.005	0.93	8.93	503	0.21	15.45	1730	8.9
CC26660		<0.005	1.45	11.85	493	0.47	22.4	5880	4.2
CC26741		0.057	0.46	2.06	470	0.4	2.44	72	0.5
CC26742		0.024	2.69	0.95	275	1.26	1.89	53	7.3
CC26743		0.028	1.83	1.63	453	0.6	3.53	233	4
CC26744		0.037	2.25	1.97	459	1.14	4.28	192	0.7
CC26745		0.044	3.19	2.63	378	0.95	4.76	35	3.9
CC26746		0.123	2.51	1.29	633	0.61	3.18	38	0.9
CC26747		0.064	1.16	4.57	577	0.41	20.2	1440	9.3
CC27715		0.102	2.28	21.5	914	0.99	46.7	4170	17
CC32059		<0.005	2.22	6.18	232	0.37	11.75	184	0.5
CC32060		<0.005	3.93	6.78	436	0.4	17.6	349	<0.5
CC32061		0.016	5.02	13.4	737	0.61	36.1	991	1.7
CC32062		<0.005	3.68	11.55	493	0.45	24.8	609	<0.5
CC32063		<0.005	6.13	25.1	1305	0.62	32.6	324	<0.5
CC32064		<0.005	5.47	16.55	828	0.44	25.8	263	<0.5
CC32065		0.011	3.87	22.7	2170	0.66	35.1	915	0.7
CC32066		0.006	8.67	29.1	1525	1.02	50.5	1720	1.6
CC32067		<0.005	2.3	13	286	0.23	28.8	4110	0.6
CC32068		<0.005	3.09	17.8	516	0.4	39.6	1930	1.7
CC39101		0.007	1.17	7.17	468	0.46	25.9	2010	6.2
CC39102		0.01	1.37	5.36	512	0.47	21.3	1420	2.8

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Zn-OG46 Zn % 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
CC39103		0.12		0.62	0.46	11.8	<0.2	<10	320	0.3	0.15	0.07	1.53	18.5	10	15
CC39104		0.24		2.08	1.22	44.1	<0.2	10	600	1.08	0.24	2.3	2.11	41.3	6.8	61
CC39105		0.22		2.45	1.4	83.3	<0.2	<10	330	1.49	0.35	0.37	6.1	51.7	17.3	21
CC39106		0.18		0.92	0.82	47.3	<0.2	<10	520	0.72	0.38	0.14	0.91	49.3	13.7	26
CC39107		0.14		0.73	0.9	29.3	<0.2	10	280	0.78	0.29	0.57	1.19	41.5	13.1	30
CC39108		0.22		1.36	0.64	43.9	<0.2	10	680	0.85	0.28	0.51	7.5	46.5	14.6	28
CC39109		0.30		0.75	0.79	34.2	<0.2	<10	490	0.85	0.26	0.28	2.02	46.8	19	20
CC39110		0.16		1.19	0.89	42.4	<0.2	<10	530	0.76	0.29	0.18	1.39	39.4	11.2	22
CC39111		0.22		1.08	1.08	51.2	<0.2	<10	500	1.06	0.3	0.28	2.56	44.7	15.5	25
CC39112		0.14		0.91	0.52	47.4	<0.2	<10	660	0.49	0.26	0.08	0.79	27.8	7.2	17
CC39113		0.38		0.57	0.86	37	<0.2	<10	610	0.45	0.31	0.1	0.67	36.1	15.5	16
CC39114		0.14		0.32	0.92	23.8	<0.2	<10	490	0.52	0.37	0.03	0.8	30.7	19.6	16
CC39115		0.10		0.42	0.61	19.9	<0.2	<10	680	0.45	0.43	0.09	1.83	22.5	17.1	13
CC39116		0.18		2.53	0.75	20.3	<0.2	<10	2880	0.62	0.27	0.41	13.4	34.6	17.2	44
CC39117		0.18		1.2	0.26	28.9	<0.2	10	540	0.44	0.23	1.88	6.22	52	13.5	28
CC39118		0.08		2.75	0.4	50	<0.2	<10	540	0.52	0.19	0.92	11.35	19.8	7.2	74
CC39119		0.16		4.92	0.51	44.1	<0.2	<10	560	1.02	0.19	1.63	18.7	21.8	8	167
CC39120		0.28		2.5	0.75	118.5	<0.2	10	2780	1.77	0.2	1.07	44.7	34	10.6	128
CC39121		0.24		2.83	0.72	132	<0.2	10	310	1.47	0.32	0.4	17.1	47.5	4.3	152
CC39122		0.30		5.27	0.75	147	<0.2	10	1470	1.79	0.26	1.02	63.7	36.6	9.7	157
CC39123		0.26		4.31	0.89	183	<0.2	10	650	1.16	0.24	0.71	41.5	34.6	29.5	155
CC39124		0.28		2.25	0.57	62.2	<0.2	<10	3470	0.88	0.14	0.43	32	21.1	16.1	92
CC39125		0.28		3.81	0.76	90.8	<0.2	10	2240	1.55	0.23	0.87	44.8	32.9	10.5	160
CC39126		0.32		1.85	0.78	67.6	<0.2	10	2750	0.99	0.15	0.58	33	28.4	8.3	100
CC40001		0.24		1.29	0.25	19.8	<0.2	10	880	0.47	0.15	0.1	16.1	30.2	0.9	22
CC40002		0.20		1.95	0.62	39.8	<0.2	<10	1790	0.72	0.14	0.55	12	25.2	3.3	41
CC40003		0.26		0.3	0.27	21.9	<0.2	<10	990	0.92	0.42	0.12	6.21	68.6	24.9	7
CC40004		0.18		2.64	0.67	64.5	<0.2	<10	1470	0.89	0.18	0.88	20.9	30.5	6.7	60
CC40005		0.12		0.22	0.15	3.3	<0.2	<10	160	0.06	0.02	0.11	0.31	2	0.6	3
CC40006		0.14		1.95	0.62	41.2	<0.2	<10	780	0.41	0.2	0.08	1.08	28.5	1.2	49
CC40007		0.22		1.75	0.38	30.6	<0.2	<10	620	0.74	0.23	0.15	7.13	46.5	9.3	19
CC40008		0.22		0.79	0.48	12.6	<0.2	<10	210	0.23	0.09	0.03	0.91	15.55	1.4	11
CC40009		0.20		1.58	0.4	58.3	<0.2	<10	480	0.54	0.22	0.34	5.19	41.2	3.4	28
CC40010		0.18		1.9	0.3	26.3	<0.2	10	1070	0.44	0.15	0.12	3.89	27.5	1.2	30
CC40011		0.18		2.14	0.43	52.8	<0.2	<10	630	0.69	0.16	3.14	22.3	38	7.6	32
CC40012		0.24		1.27	1.02	23.4	<0.2	<10	250	0.87	0.2	2.53	8.86	39.3	14.7	29
CC40013		0.20		2.3	0.39	24.5	<0.2	<10	2280	0.75	0.38	1.67	3.76	50.9	19	27
CC40014		0.22		1.6	0.36	19.7	<0.2	<10	290	1.05	0.48	3.51	50.6	60.4	31.3	33
CC40015		0.22		2.05	1.83	9.6	<0.2	<10	>10000	0.7	0.46	1.33	1.7	46.6	13.6	16
CC40016		0.18		1.03	0.47	13	<0.2	10	330	1.09	0.24	0.82	0.96	90.7	16.3	19

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC39103		2.2	28.8	2.24	1.86	0.05	0.02	0.07	0.02	0.08	10.2	2.4	0.09	776	8.03	0.01
CC39104		2.56	102	3.79	5.2	0.18	0.05	0.12	0.063	0.32	33.3	7.9	0.17	243	32.6	0.02
CC39105		1.99	374	5.91	2.58	0.17	0.05	0.22	0.062	0.11	33.1	6	0.09	522	30.4	0.01
CC39106		2.08	116	4.51	3.19	0.13	0.04	0.07	0.055	0.2	28.1	4.4	0.08	265	14.55	0.02
CC39107		3.18	122.5	3.53	3.15	0.12	0.03	0.08	0.038	0.19	22.2	4.7	0.2	556	11.05	0.01
CC39108		1.53	131	4.62	1.98	0.14	0.03	0.27	0.05	0.19	25.9	5.2	0.12	439	14.7	0.02
CC39109		1.61	80.4	4.21	2.68	0.12	0.03	0.06	0.04	0.15	25.8	5.2	0.09	789	14.4	0.01
CC39110		1.52	109	4.12	2.9	0.11	0.06	0.1	0.045	0.17	23.7	5	0.08	297	16.1	0.02
CC39111		1.72	169.5	5.33	3.06	0.12	0.1	0.15	0.054	0.17	29.7	5.7	0.08	337	20.3	0.02
CC39112		0.86	47.2	3.36	2.53	0.1	<0.02	0.08	0.04	0.16	16.8	2.1	0.05	159	11.05	0.02
CC39113		1.64	56.3	4.02	2.74	0.11	0.03	0.06	0.035	0.13	18.5	3.5	0.09	725	8.11	0.01
CC39114		2.07	65.4	6.09	2.94	0.12	0.03	0.05	0.036	0.1	15.2	4	0.09	981	7.49	0.01
CC39115		1.44	65.6	5.75	1.96	0.1	0.02	0.07	0.032	0.11	10.8	2.2	0.06	658	6.46	0.02
CC39116		1.07	98	5.22	1.88	0.13	0.09	0.46	0.035	0.11	18.9	4.7	0.2	601	8.79	0.06
CC39117		1.17	80	3.81	0.95	0.12	0.14	0.17	0.037	0.08	28.1	2	0.97	321	6.12	0.01
CC39118		1.06	63.8	2.27	2.29	0.11	0.09	0.4	0.028	0.11	13.8	2.5	0.17	306	27.4	0.02
CC39119		0.76	112.5	2.06	2.2	0.12	0.07	0.71	0.028	0.07	17.7	3.2	0.45	209	17.6	0.01
CC39120		2.24	202	2.05	4.92	0.25	0.05	2.2	0.029	0.17	31	6.7	0.07	153	116.5	0.05
CC39121		2.88	130.5	3.3	6.44	0.28	0.03	0.69	0.085	0.21	43.3	5	0.06	68	278	<0.01
CC39122		2.18	231	2.88	5.43	0.26	0.04	1.8	0.051	0.16	34.7	6.1	0.07	206	129.5	0.03
CC39123		2.41	198	4.07	5.86	0.35	0.05	1.27	0.07	0.19	31.7	4.7	0.06	733	185	0.01
CC39124		1.42	131	1.74	4.01	0.16	0.04	0.26	0.024	0.07	17.5	3	0.07	408	62.7	0.06
CC39125		2.43	202	2.15	5.38	0.32	0.05	0.72	0.037	0.16	33.4	5.8	0.12	266	106.5	0.04
CC39126		2.09	110.5	1.62	3.88	0.19	0.07	0.45	0.026	0.12	26.8	7.9	0.28	201	75.7	0.06
CC40001		2.07	104	1.08	2.35	0.1	0.02	0.72	0.034	0.12	19.4	1.2	0.02	27	9.82	0.01
CC40002		0.83	146	1.54	3.07	0.08	0.05	0.62	0.032	0.07	16.4	2.4	0.09	110	19.05	0.04
CC40003		0.76	70.2	5.97	0.79	0.14	0.04	0.1	0.031	0.1	33.8	0.8	0.05	719	8.04	0.01
CC40004		0.84	180	2.55	3.58	0.13	0.06	0.82	0.05	0.1	19.3	1.9	0.1	210	26.3	0.03
CC40005		0.17	5.7	0.3	0.68	<0.05	<0.02	0.09	<0.005	0.02	1.2	0.2	0.02	12	2.99	0.02
CC40006		1.37	62.9	1.66	4.07	0.11	<0.02	1.23	0.051	0.09	17.7	1	0.03	23	24.6	0.01
CC40007		0.74	80.6	3.28	1.71	0.11	0.02	0.67	0.036	0.07	25.3	0.8	0.03	170	13.65	0.01
CC40008		0.55	27.7	0.86	2.18	<0.05	<0.02	0.21	0.016	0.04	9.9	0.9	0.02	27	15.45	0.01
CC40009		0.84	60.9	2.74	2.56	0.11	0.03	0.57	0.034	0.09	24.3	0.9	0.03	111	22.7	0.01
CC40010		1.15	71.6	1.26	2.7	0.11	<0.02	0.86	0.046	0.11	18.8	0.9	0.02	43	14.8	0.02
CC40011		0.99	116	2.3	1.63	0.12	0.03	0.72	0.031	0.08	23.8	1.8	1.34	146	44.6	0.02
CC40012		1.58	68	3.21	0.75	0.11	0.18	0.24	0.046	0.07	21.9	1.2	1.11	212	6.63	<0.01
CC40013		0.78	118.5	6.27	0.85	0.16	0.09	0.88	0.048	0.11	27.1	0.5	0.68	279	5.35	0.05
CC40014		1.02	121.5	8.22	0.98	0.22	0.24	0.3	0.04	0.1	28.3	0.7	1.7	585	4.52	0.01
CC40015		1.64	79.8	2.61	3.13	0.11	0.2	0.42	0.033	0.6	25.2	0.9	0.52	205	4.55	0.33
CC40016		1.68	95.4	3.34	1.63	0.15	0.16	0.38	0.036	0.16	51.9	0.7	0.06	169	2.52	<0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC39103		0.11	40.2	1220	12.6	9.3	0.001	0.11	3.56	0.7	2.4	0.3	17	<0.01	0.05	0.2
CC39104		0.37	66	>10000	20.9	17.4	0.002	0.42	11.75	5	9.2	0.6	282	0.01	0.14	2.7
CC39105		0.29	158.5	3630	259	9.4	0.001	0.13	15.3	6.7	7.8	0.4	64.8	0.01	0.19	3.2
CC39106		0.19	82.6	2430	67.6	14.4	0.001	0.38	9.51	2.8	5.5	0.4	111	<0.01	0.24	0.7
CC39107		0.07	60.7	4350	31.3	18.6	0.001	0.11	5.11	0.6	5.2	0.4	42.9	<0.01	0.1	0.2
CC39108		0.15	127.5	3040	51.7	11.1	0.003	0.3	9.15	6.2	6.3	0.4	144	<0.01	0.16	4
CC39109		0.18	87.4	2900	74.6	13	0.002	0.16	7.69	3.5	5.1	0.4	73	<0.01	0.12	1.5
CC39110		0.13	73.2	3110	113.5	14	0.001	0.26	8.45	1.6	6.5	0.4	101.5	<0.01	0.15	0.7
CC39111		0.14	105	3970	149	13.1	0.002	0.28	10.4	2.8	6.6	0.4	117.5	0.01	0.17	1.2
CC39112		0.1	48.6	2110	26.7	9.3	0.001	0.35	7.49	0.3	5.8	0.4	144.5	<0.01	0.16	<0.2
CC39113		0.3	57.4	1690	29.2	12.8	0.001	0.2	4.84	3.1	4.4	0.4	73.7	<0.01	0.13	1.1
CC39114		0.33	72.8	1160	25.8	12.6	0.001	0.15	4.44	3.3	3	0.4	38.4	<0.01	0.12	1.1
CC39115		0.27	74.4	1370	24.2	9.9	0.001	0.21	4.38	2.5	3.1	0.4	51.2	<0.01	0.11	0.7
CC39116		0.16	137	1630	19.6	9.2	0.003	0.14	6.59	6.4	6.9	0.6	74.5	0.01	0.1	1.9
CC39117		0.1	117	770	12.3	5.9	0.005	0.07	6.18	7.8	6.3	0.3	84.3	<0.01	0.06	7.5
CC39118		0.17	136.5	3190	12.9	9.7	0.005	0.18	18.9	2.5	12.9	0.6	71.2	<0.01	0.14	0.9
CC39119		0.18	311	2910	12	7.1	0.002	0.08	25.2	5.9	14.9	0.8	108	<0.01	0.18	1.3
CC39120		0.29	417	4790	15.8	15.1	0.077	0.1	43.6	4.8	35.4	0.9	221	0.01	0.33	1.8
CC39121		0.41	235	3050	23	18.5	0.018	0.57	57.8	3.2	42.3	1.7	189	0.01	0.52	0.4
CC39122		0.21	466	4020	20.2	15.1	0.006	0.21	58.1	3.8	38.5	1.1	193.5	0.01	0.46	0.8
CC39123		0.39	361	3870	19.8	14.7	0.009	0.33	87.9	7.5	44.6	1.2	258	0.01	0.37	2.7
CC39124		0.34	292	1530	10.8	8	0.005	0.07	34.3	4.7	17.3	0.6	425	0.01	0.2	0.5
CC39125		0.78	309	3500	19.1	14.7	0.028	0.16	58.5	6.2	38.6	1.1	238	0.01	0.33	2.3
CC39126		0.56	283	2080	13	11.7	0.018	0.14	35.7	4.6	19.2	0.6	170.5	<0.01	0.2	2.7
CC40001		0.07	78.3	730	23.4	10.1	0.017	0.29	9.95	3.2	9.6	1.1	46	<0.01	0.13	2.7
CC40002		0.22	67.5	2280	24.4	8	0.008	0.18	16.5	1.7	9.1	0.9	75.6	<0.01	0.15	0.6
CC40003		0.09	103.5	570	18.4	6.6	0.002	0.06	3.43	7.6	1.9	0.2	20.9	<0.01	0.11	8.8
CC40004		0.17	112.5	3800	44.5	9	0.015	0.19	24.8	3.2	12.7	2.7	116.5	<0.01	0.21	1.2
CC40005		0.12	4.5	550	2.8	1	0.003	0.05	2.03	0.1	3.1	0.3	13	<0.01	0.02	<0.2
CC40006		0.1	21.5	2610	72.7	9.4	0.008	0.2	18.8	0.4	14	7.4	97.3	<0.01	0.23	<0.2
CC40007		0.15	79.1	1350	32.6	7	0.003	0.06	10.2	3.4	5.6	0.9	35.5	<0.01	0.13	1.4
CC40008		0.08	21.6	810	12.2	5	0.002	0.06	3.92	0.2	3	0.8	14.2	<0.01	0.06	<0.2
CC40009		0.13	64.4	2320	32.6	9	0.012	0.11	20.2	2.4	9.2	0.9	51	<0.01	0.26	1.3
CC40010		0.08	24.3	1560	42	9.4	0.015	0.27	14	1.9	11.1	3.5	55.1	<0.01	0.18	0.7
CC40011		0.17	278	1710	15.4	7	0.016	0.1	17.45	4	7.6	0.7	132	<0.01	0.13	1.3
CC40012		0.12	150.5	2020	19.7	5.1	0.009	0.07	3.32	8.5	3.9	0.2	117.5	0.01	0.07	6
CC40013		0.1	170	1310	26.3	5.6	0.007	0.14	2.83	11.6	5.9	0.4	90.4	0.01	0.12	6.7
CC40014		0.14	270	1960	36.2	6.4	0.011	0.2	2.64	19.5	11.5	0.4	187	0.01	0.1	8.9
CC40015		<0.05	56.1	1620	28.4	23.7	0.014	0.04	2.11	6.3	5.1	0.5	118.5	0.01	0.13	8.2
CC40016		0.11	135.5	2990	19	10	0.009	0.09	2.15	8	2.8	0.3	97.4	<0.01	0.14	11.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-SEP-2007
Account: MTT

Project: STRATEGIC NI

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC39103		0.007	0.45	1.47	68	0.1	5.03	255	0.7
CC39104		0.026	1.28	12.1	415	0.29	43.3	209	1.6
CC39105		0.01	0.52	4.94	138	0.11	34.9	1785	1.2
CC39106		0.012	0.52	4.29	137	0.12	16.05	422	0.8
CC39107		<0.005	0.33	4.11	90	0.07	17.05	352	0.5
CC39108		0.006	0.6	5.54	135	0.15	28.5	1080	0.9
CC39109		0.014	0.61	3.71	147	0.14	18.4	647	0.7
CC39110		0.008	0.63	4.16	149	0.19	16.7	521	1.7
CC39111		0.008	0.66	5.13	146	0.15	26.8	929	3.2
CC39112		<0.005	0.54	2.76	105	0.17	8.44	208	<0.5
CC39113		0.015	0.42	2.38	106	0.18	13	281	0.7
CC39114		0.016	0.33	2.17	96	0.17	10.65	390	0.7
CC39115		0.01	0.27	1.85	76	0.14	9.47	409	0.5
CC39116		0.005	0.43	4.1	207	0.13	34.4	1270	2.6
CC39117		<0.005	0.34	1.79	89	0.08	21.7	973	10.4
CC39118		0.005	2.44	4.24	422	0.6	16.1	815	3.5
CC39119		0.007	0.92	3.2	279	0.38	20	2230	2.9
CC39120		0.022	3.49	15.15	2020	1.69	65.2	1900	2.2
CC39121		0.024	13.55	28	1905	2.07	47.7	904	0.7
CC39122		0.012	6.34	19.95	1510	2.21	53	3220	0.9
CC39123		0.021	9.07	31.3	1575	2.04	49.3	2780	2.8
CC39124		0.018	4.53	13.5	1305	1.01	44	2330	0.9
CC39125		0.043	5.71	22.3	2260	1.17	51.7	2070	3.2
CC39126		0.036	3.71	11.2	1420	0.85	35.5	2270	5.6
CC40001		<0.005	1.25	4.71	115	0.18	7.17	765	1.3
CC40002		0.005	1.84	9.61	314	0.28	17.25	738	2
CC40003		<0.005	0.36	5.61	16	<0.05	17.15	719	1.4
CC40004		0.005	2.18	13.4	378	0.31	28	970	2.2
CC40005		0.007	0.16	0.71	23	<0.05	0.85	24	<0.5
CC40006		<0.005	2.03	7.13	247	0.29	13.7	114	<0.5
CC40007		<0.005	0.87	4.18	126	0.14	16.95	611	<0.5
CC40008		<0.005	0.62	2.77	86	0.14	5.69	73	<0.5
CC40009		<0.005	1.23	4.97	332	0.23	15.55	616	0.9
CC40010		<0.005	1.53	5.96	218	0.23	10.35	132	<0.5
CC40011		<0.005	1.91	10.8	306	0.26	25	2210	1.1
CC40012		<0.005	0.49	4.63	64	0.07	34.6	691	11.1
CC40013		<0.005	0.35	3.33	50	0.08	33.8	1160	4.1
CC40014		<0.005	0.3	6.28	83	0.08	41.8	3540	15.7
CC40015		<0.005	0.37	3.07	25	0.1	28.4	289	10.6
CC40016		<0.005	0.13	2.38	31	0.05	26.2	779	8.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40017		0.18		1.2	0.42	20.9	<0.2	10	470	0.86	0.25	1.48	5.07	43.4	11	19
CC40018		0.18		1.34	0.2	18.4	<0.2	<10	220	0.75	0.21	1.77	4.2	37.2	15.2	28
CC40019		0.16		0.16	0.31	2.5	<0.2	<10	120	0.12	0.02	0.23	1.97	5.22	1.5	2
CC40020		0.24		0.66	0.28	35.7	<0.2	<10	390	0.61	0.16	4.9	7.36	33.8	14.8	16
CC40021		0.22		1.06	0.32	79.4	<0.2	<10	450	0.64	0.12	6.91	17.5	39.3	27.8	24
CC40022		0.18		0.53	0.26	34	<0.2	10	420	0.43	0.1	8.11	6.71	30.8	9	17
CC40023		0.26		2.42	0.43	58	<0.2	<10	690	0.9	0.18	1.89	34.4	35	11.3	40
CC40024		0.20		2.24	0.34	50.6	<0.2	<10	770	0.81	0.19	0.51	14.9	37.9	9.1	35
CC40025		0.20		3.1	0.44	57.1	<0.2	10	1150	0.6	0.19	0.62	10.95	25.5	1.5	50
CC40026		0.28		2.95	0.55	75	<0.2	10	620	0.89	0.15	0.91	61.4	23.9	11	59
CC40027		0.16		0.97	0.42	16	<0.2	<10	260	0.25	0.08	0.06	2.64	14.35	1.1	18
CC40028		0.22		3.04	0.41	58.2	<0.2	10	720	0.57	0.16	0.89	17.3	22.5	4.1	48
CC40029		0.22		3.94	0.91	84.2	<0.2	<10	860	0.87	0.19	0.2	8.96	26.3	4.3	82
CC40030		0.34		6.94	0.94	123.5	<0.2	<10	1020	1	0.26	0.29	23	37.5	4.9	104
CC40031		0.18		4.25	0.85	107.5	<0.2	<10	600	0.71	0.22	0.05	8.58	30.1	1.9	88
CC40032		0.34		5.66	1.19	254	<0.2	10	990	1.42	0.24	0.45	41.7	39.3	4.3	224
CC40033		0.30		4.63	1.73	119	<0.2	<10	1680	1.35	0.22	1.01	41.1	34.1	6.1	89
CC40034		0.26		9.51	1.54	97	<0.2	10	7540	1.36	0.21	0.72	12.85	29.4	4	173
CC40035		0.22		6.85	1.76	151.5	<0.2	10	260	1.2	0.21	0.25	5.35	28.9	2.8	191
CC40036		0.22		11.85	1.71	255	<0.2	10	180	1.69	0.32	0.22	14	39.2	5	309
CC40037		0.18		5.31	1.33	133.5	<0.2	10	360	1.25	0.3	0.4	36.4	37.6	8.5	143
CC40038		0.16		2.96	0.65	36.1	<0.2	10	400	0.68	0.23	0.09	2.78	29.1	1.3	123
CC40039		0.22		1.33	0.54	28.6	<0.2	<10	520	0.31	0.16	0.02	0.86	21.1	1.4	50
CC40040		0.26		4.81	1.13	124	<0.2	<10	1520	0.98	0.26	0.27	15.25	42.4	16.3	121
CC40041		0.16		0.32	0.33	31.7	<0.2	<10	430	0.18	0.18	0.05	0.49	10.4	3.9	9
CC40042		0.16		0.13	0.15	3.5	<0.2	<10	140	0.06	0.08	0.03	0.19	3.45	2.4	3
CC40043		0.26		0.35	0.8	33.5	<0.2	<10	740	0.62	0.24	0.28	0.71	24.9	11	15
CC40044		0.20		0.13	0.3	10.7	<0.2	<10	190	0.13	0.12	0.02	0.29	16.75	4.9	9
CC40045		0.16		0.18	0.31	0.8	<0.2	<10	120	0.1	0.03	0.1	0.19	3.85	0.8	2
CC40046		0.12		0.14	0.32	3	<0.2	<10	150	0.09	0.04	0.04	0.29	3.43	1.4	3
CC40047		0.28		1.01	0.74	38	<0.2	<10	820	0.45	0.27	0.11	2.12	40.8	13.7	17
CC40048		0.12		0.4	0.21	2.4	<0.2	<10	150	0.1	0.03	0.06	0.46	3.42	1.1	4
CC40049		0.12		0.25	0.15	0.8	<0.2	<10	270	<0.05	0.02	0.09	2.06	1.45	0.9	3
CC40050		0.18		1.73	1.18	92.4	<0.2	<10	960	0.73	0.18	0.58	5.59	33.5	20.8	12
CC40051		0.18		0.08	0.31	3.9	<0.2	<10	110	0.07	0.05	0.03	0.11	4.28	1.9	2
CC40052		0.20		0.13	0.53	8.1	<0.2	<10	200	0.12	0.13	0.03	0.14	9.96	2.1	6
CC40053		0.18		0.06	0.26	8.3	<0.2	<10	150	0.07	0.09	0.02	0.08	8.76	1.8	5
CC40054		0.18		0.2	0.97	63.2	<0.2	<10	560	0.48	0.3	0.03	0.52	32.3	14.9	17
CC40055		0.18		0.07	0.32	7.2	<0.2	<10	150	0.1	0.09	0.02	0.22	9.01	2.9	7
CC40056		0.18		0.09	0.13	0.1	<0.2	<10	110	<0.05	0.01	0.18	0.03	0.59	0.5	1

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40017		1.29	79	3.36	1.37	0.12	0.05	0.39	0.04	0.14	24.2	0.8	0.39	219	9.94	0.01
CC40018		1.12	65.7	4.22	0.69	0.1	0.08	0.48	0.027	0.07	20.2	0.6	0.88	233	4.95	<0.01
CC40019		0.14	11.9	0.46	0.9	<0.05	0.02	0.07	<0.005	0.03	2.5	0.4	0.04	39	1.78	0.03
CC40020		0.98	74.6	3.13	1.03	0.11	0.13	0.58	0.026	0.09	20	1.4	2.36	270	65.9	0.01
CC40021		0.97	161	3.53	1.66	0.14	0.14	1.02	0.032	0.1	23.7	2.2	2.29	291	91.2	0.01
CC40022		0.99	71.3	1.82	0.99	0.08	0.13	0.5	0.022	0.09	19.7	2	3.34	314	69.4	0.02
CC40023		0.95	154.5	2.72	2.36	0.16	0.06	0.77	0.044	0.12	22.1	1.2	0.67	296	43.8	0.01
CC40024		0.67	121.5	3.07	1.85	0.14	0.07	0.8	0.045	0.11	23.3	1	0.06	265	38.1	0.01
CC40025		1.13	101	1.83	3.66	0.2	0.05	0.55	0.042	0.15	22.4	0.8	0.03	48	55.7	0.02
CC40026		1.38	255	2.79	3.25	0.26	0.06	0.66	0.055	0.14	20	1	0.04	306	78.6	0.01
CC40027		0.74	52.9	1.01	2.64	0.08	0.04	0.17	0.019	0.05	9.9	0.4	0.01	22	22	0.01
CC40028		1.19	133	2.05	2.88	0.23	0.07	0.97	0.041	0.16	17.3	1	0.06	243	72.2	0.01
CC40029		3.34	195	2.66	3.92	0.24	0.08	0.22	0.053	0.14	21.7	2.6	0.07	221	73.6	0.01
CC40030		3.21	149	2.51	5.02	0.3	0.06	1.95	0.078	0.17	32.1	2.4	0.06	168	111	0.02
CC40031		3.67	137	2.39	5.73	0.24	0.05	0.49	0.047	0.17	26.5	3	0.05	39	113	0.01
CC40032		5.73	265	3.67	7.77	0.49	0.12	0.97	0.081	0.19	40.3	4.1	0.09	281	188	0.02
CC40033		5.02	332	2.81	5.03	0.35	0.1	0.65	0.054	0.19	26.6	3.9	0.28	241	79.6	0.03
CC40034		4	244	2.52	6.64	0.44	0.09	0.56	0.056	0.19	24.8	4.7	0.08	166	67.2	0.15
CC40035		5.83	279	3.47	7.25	0.65	0.07	0.83	0.078	0.2	26.3	4.5	0.08	97	133	<0.01
CC40036		5.72	297	5.25	11.2	0.67	0.06	0.91	0.113	0.22	35.2	5.8	0.08	169	220	<0.01
CC40037		6.12	306	4.8	7.05	0.34	0.08	0.44	0.069	0.2	31.6	5.1	0.11	315	107.5	0.01
CC40038		3.74	73.1	2.09	6.07	0.26	0.05	0.28	0.041	0.16	26.9	1.8	0.03	25	73.3	0.01
CC40039		3.1	49.8	1.28	3.74	0.12	0.04	0.12	0.026	0.07	17.2	1.2	0.02	26	39.2	0.01
CC40040		4.14	225	3.63	5.49	0.31	0.07	0.52	0.084	0.14	36.9	3.4	0.06	393	172	0.03
CC40041		3.65	22	1.44	1.44	<0.05	0.04	0.04	0.015	0.06	6.6	1	0.03	76	7.58	0.01
CC40042		3.45	5.9	0.56	0.99	<0.05	0.04	0.03	<0.005	0.03	2.1	0.4	0.01	413	3.05	0.02
CC40043		3.56	45.9	3.6	2.51	0.07	0.05	0.05	0.031	0.1	13.3	5.1	0.12	655	9.77	0.02
CC40044		6.77	21.1	1.22	2.23	<0.05	0.04	0.03	0.01	0.06	10.4	0.7	0.02	436	9.02	0.01
CC40045		0.34	3.7	0.4	1.39	<0.05	0.05	0.03	<0.005	0.02	1.9	0.6	0.02	29	0.56	0.02
CC40046		0.39	8.1	0.59	1.55	<0.05	0.04	0.04	<0.005	0.02	1.9	0.3	0.02	169	1.35	0.02
CC40047		3.76	97.5	3.72	2.99	0.09	0.07	0.11	0.038	0.09	25.1	8	0.13	193	17.3	0.01
CC40048		0.49	10.7	0.52	0.68	<0.05	0.04	0.04	0.005	0.02	2.1	0.3	0.02	18	1.35	0.02
CC40049		0.26	5.4	0.36	0.63	<0.05	0.04	0.04	<0.005	0.03	0.8	0.3	0.03	26	0.68	0.02
CC40050		0.76	114	5.36	1.85	0.11	0.11	0.25	0.04	0.06	17.7	5.3	0.13	682	42.5	0.02
CC40051		0.53	10.4	0.85	1.56	<0.05	0.04	0.02	0.006	0.03	2.3	0.4	0.02	38	1.66	0.02
CC40052		1.17	15.9	1.03	2.43	<0.05	0.04	0.03	0.009	0.04	5.5	0.9	0.02	40	3.83	0.02
CC40053		1.31	10.5	0.77	1.91	<0.05	0.04	0.01	0.006	0.04	5.2	0.6	0.02	26	3.63	0.01
CC40054		2.47	62.1	4.7	3.1	0.07	0.08	0.04	0.035	0.07	17.8	9.2	0.09	529	10.35	0.01
CC40055		1.74	18.1	1.2	2.28	<0.05	0.04	0.03	0.011	0.04	5.4	1.3	0.03	41	4.37	0.01
CC40056		0.05	1.5	0.18	0.51	<0.05	0.04	0.01	<0.005	0.02	0.3	0.3	0.02	14	0.13	0.04

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
CC40017		0.09	95.2	2810	21.8	8.3	0.011	0.11	4.24	6.3	5.8	0.4	116	<0.01	0.11	4.2
CC40018		0.1	103	530	17.8	5.1	0.005	0.4	2.57	9.4	3.9	0.2	41.6	<0.01	0.05	7
CC40019		0.19	22.5	460	2.2	1.3	0.001	0.02	1.05	0.5	1.1	<0.2	14.6	<0.01	0.02	<0.2
CC40020		0.13	207	1270	18.2	5.7	0.019	0.22	5.79	6.6	8.5	0.6	161	<0.01	0.08	5.8
CC40021		0.17	288	2140	16.5	6.4	0.036	0.19	29.5	7.2	12.2	0.8	204	0.01	0.13	5.2
CC40022		0.15	200	1250	10.8	5.8	0.023	0.17	9.58	5.1	5.3	0.5	247	<0.01	0.07	3.1
CC40023		0.08	207	3340	26.5	8.1	0.034	0.25	26.5	4.4	20.7	0.8	152.5	<0.01	0.27	1.7
CC40024		0.08	94.3	2380	27.6	6.8	0.026	0.25	21.9	5	20.2	0.7	76.8	<0.01	0.24	2
CC40025		0.07	44.4	3580	43.5	10.5	0.059	0.23	34.6	2.6	32.3	1.4	140	<0.01	0.51	0.9
CC40026		0.08	137.5	5480	22.4	9.9	0.078	0.24	49.5	4.8	41.3	1.1	171	<0.01	0.59	1.7
CC40027		0.09	17.9	770	14.6	4.2	0.012	0.13	9.79	0.2	8.1	1.5	26.3	<0.01	0.19	<0.2
CC40028		0.08	112	3590	34	9.9	0.065	0.38	38.9	2.5	33.4	2.5	160	<0.01	0.56	0.8
CC40029		0.18	113	3170	17.7	13.7	0.003	0.23	43.1	2.3	36.8	1.7	272	<0.01	0.37	0.6
CC40030		0.46	129	3480	67.7	14.8	0.019	0.2	104.5	4.4	52.8	2.2	229	<0.01	0.44	1
CC40031		0.11	59.1	1720	25.5	18.9	0.007	0.3	50.5	0.5	45	2.1	83.9	<0.01	0.43	<0.2
CC40032		0.6	167	5660	25.3	17.6	0.036	0.19	103	9.8	48.9	1.6	281	0.01	0.61	5.1
CC40033		0.26	285	3790	15.7	15.2	0.007	0.14	44.4	4.1	62.3	1.3	376	0.01	0.64	1.3
CC40034		0.41	146.5	4890	14.6	14.2	0.007	0.05	49.9	3	64.7	1.1	411	0.01	0.35	0.5
CC40035		0.64	137.5	4090	19	15.9	0.008	0.49	67.7	3.6	93.2	1.2	193	0.01	0.56	0.4
CC40036		0.85	213	4460	25.3	18.5	0.008	0.46	88.8	4.3	106.5	1.5	147.5	0.01	0.69	0.6
CC40037		2.5	281	2820	24.5	14.3	0.006	0.3	62.6	4.9	44.2	1.2	171	0.01	0.48	1.4
CC40038		1.23	43.5	1600	19.7	14.8	0.006	0.41	25.5	0.7	50.2	1.1	127.5	0.01	0.4	<0.2
CC40039		0.13	37.8	970	12.6	8.7	0.001	0.13	21.1	0.2	17.6	0.9	28.1	<0.01	0.17	<0.2
CC40040		0.3	300	3090	21.9	11.6	0.004	0.19	79.6	4.9	39.7	1.6	134	0.01	0.45	1.6
CC40041		0.14	14.7	870	10.4	6.6	0.001	0.07	3.98	0.3	2.9	0.4	13.8	<0.01	0.05	<0.2
CC40042		0.16	4.8	350	11.1	2.5	<0.001	0.02	1.01	0.4	0.7	0.2	6.7	<0.01	0.01	<0.2
CC40043		0.21	28.3	2070	19.8	7.3	0.001	0.14	3.97	0.6	3.1	0.4	20.2	<0.01	0.09	0.2
CC40044		0.05	13	670	6.9	6.5	<0.001	0.04	2.53	0.2	1.7	0.5	6.3	<0.01	0.04	<0.2
CC40045		0.22	2.1	440	1.7	1.3	<0.001	0.04	0.26	0.3	0.4	<0.2	9.3	<0.01	<0.01	<0.2
CC40046		0.08	3.2	800	3.2	1.5	<0.001	0.05	0.58	0.1	0.8	<0.2	8.4	<0.01	0.01	<0.2
CC40047		0.25	49	1790	20.6	9.4	0.004	0.11	6.98	1.8	5.9	0.5	24.7	<0.01	0.13	0.7
CC40048		<0.05	3.7	1160	3.6	1.3	<0.001	0.05	0.7	0.1	0.9	<0.2	8.9	<0.01	0.01	<0.2
CC40049		0.17	2.2	590	1.2	1.2	<0.001	0.06	0.31	0.1	0.4	<0.2	12.6	<0.01	0.01	<0.2
CC40050		0.34	133	2250	56.2	6.5	0.001	0.1	8.45	2.6	5.4	0.3	31.6	0.01	0.13	0.9
CC40051		0.15	6.1	380	3	3.1	<0.001	0.03	0.6	0.2	0.5	0.2	7.5	<0.01	0.02	<0.2
CC40052		0.16	8.6	660	6	5.9	<0.001	0.05	1.62	0.2	1.2	0.4	9.9	<0.01	0.04	<0.2
CC40053		0.07	7.5	430	5.1	5.7	<0.001	0.03	1.4	0.2	0.9	0.3	10.1	<0.01	0.04	<0.2
CC40054		0.29	41	1200	24.7	9.7	0.001	0.06	3.96	2.8	2.7	0.4	12.9	<0.01	0.06	1.6
CC40055		0.11	9.2	630	4.4	4.7	<0.001	0.05	1.61	0.3	1.1	0.3	6.6	<0.01	0.05	<0.2
CC40056		0.11	0.6	190	0.5	0.5	<0.001	0.03	0.08	0.2	<0.2	<0.2	13.4	<0.01	<0.01	<0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40017		<0.005	0.33	3.44	73	0.11	28.9	777	1.9
CC40018		<0.005	0.22	1.92	32	<0.05	19.6	605	5.6
CC40019		0.016	0.17	0.55	21	<0.05	2.33	178	0.7
CC40020		<0.005	1.41	14.4	124	0.23	26.5	726	12.5
CC40021		<0.005	2.05	23	278	0.33	35.6	2300	14.7
CC40022		<0.005	1.52	12.95	262	0.27	27.4	783	8.1
CC40023		<0.005	1.95	10.9	380	0.31	28.3	2530	0.6
CC40024		<0.005	1.66	7.64	253	0.29	22.2	769	1.3
CC40025		<0.005	2.48	12.8	596	0.52	27	266	0.6
CC40026		<0.005	3.28	14.55	826	0.52	33.3	1720	0.9
CC40027		<0.005	1.76	4.3	188	0.21	8.65	91	<0.5
CC40028		<0.005	3.87	11.4	659	0.62	21.4	726	1.2
CC40029		0.012	4.07	13.85	618	1.28	27.9	655	1.2
CC40030		0.027	8.1	21.9	961	3.5	35.5	786	0.5
CC40031		0.009	10.85	17.65	1405	2.47	20.3	441	<0.5
CC40032		0.043	7.75	41	2420	3.3	54.4	1540	8.7
CC40033		0.012	3.98	23	983	1.13	46.8	2220	2.2
CC40034		0.023	3.27	28.1	1125	0.65	40.8	683	1.7
CC40035		0.062	5.65	25.8	1985	0.82	34.5	535	1.2
CC40036		0.098	11.3	33.1	3170	1.05	39.3	844	0.8
CC40037		0.121	9.32	25.9	2230	0.75	47.5	1710	2.1
CC40038		0.056	3.41	10.65	1270	0.46	13.95	261	0.7
CC40039		0.007	1.67	3.88	473	0.33	6.44	208	<0.5
CC40040		0.017	6.15	20.7	1085	0.87	52.9	1080	1.1
CC40041		0.005	0.27	1.15	73	0.1	2.01	82	<0.5
CC40042		0.014	0.11	0.45	43	0.07	0.56	33	<0.5
CC40043		<0.005	0.27	1.69	64	0.09	6.03	142	0.5
CC40044		0.005	0.26	0.61	113	0.14	1.37	80	<0.5
CC40045		0.016	0.04	0.36	13	0.07	1.28	11	<0.5
CC40046		<0.005	0.07	0.56	20	<0.05	0.96	19	<0.5
CC40047		0.007	0.52	2.25	154	0.15	9.03	302	1.1
CC40048		<0.005	0.08	0.57	26	<0.05	1.53	21	<0.5
CC40049		0.007	0.03	0.32	12	<0.05	0.33	26	<0.5
CC40050		0.005	0.34	3.6	118	0.13	24.4	1290	2.6
CC40051		0.017	0.06	0.39	25	0.06	0.82	24	<0.5
CC40052		0.012	0.15	0.67	57	0.3	1.4	41	<0.5
CC40053		0.009	0.14	0.43	57	0.11	1.15	38	<0.5
CC40054		<0.005	0.32	1.74	104	0.09	5.71	253	1.6
CC40055		0.008	0.16	0.5	74	0.09	1.18	56	<0.5
CC40056		0.01	<0.02	0.1	7	<0.05	0.25	4	<0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40057		0.22		0.19	0.18	4.6	<0.2	<10	170	0.06	0.06	0.02	0.1	7.93	2	4
CC40058		0.20		2.42	0.97	13.6	<0.2	<10	960	0.53	0.22	0.42	1.4	34.6	13.9	13
CC40059		0.18		0.13	0.23	3.6	<0.2	<10	90	0.08	0.09	0.01	0.11	6.03	1.3	5
CC40060		0.18		0.23	0.18	2.9	<0.2	<10	70	0.05	0.08	0.02	0.12	2.2	1.4	4
CC40061		0.14		0.31	0.14	1	<0.2	<10	70	<0.05	0.03	0.02	0.06	3.83	1.2	3
CC40062		0.12		4.4	0.21	5.1	<0.2	<10	710	0.08	0.04	0.02	0.47	5.78	1.5	6
CC40063		0.12		1.39	0.3	16.7	<0.2	<10	2450	0.32	0.1	0.08	6.74	15.2	0.9	59
CC40064		0.14		1.1	0.23	14.3	<0.2	<10	1850	0.18	0.1	0.02	0.55	12.7	0.8	39
CC40065		0.14		5.11	0.65	50.5	<0.2	<10	1360	0.78	0.23	0.01	2.67	23.5	1.4	160
CC40066		0.10		1.12	0.09	1.2	<0.2	<10	370	<0.05	0.01	0.02	0.26	1.15	0.6	7
CC40067		0.24		15.35	1.29	215	<0.2	<10	1350	3.17	0.35	0.47	63.3	45.6	16.2	425
CC40068		0.22		6.14	0.88	142.5	<0.2	<10	2110	1.65	0.22	0.48	69.5	32.8	14.7	193
CC40069		0.24		6.16	1.17	192.5	<0.2	<10	3460	2.11	0.24	0.35	72.7	31.1	18.5	249
CC40070		0.16		0.37	0.25	2.6	<0.2	<10	830	0.16	0.03	0.42	5.8	4.94	1.5	6
CC40071		0.16		0.5	0.5	9.5	<0.2	<10	1050	0.27	0.11	0.49	1.84	16.65	3.1	13
CC40072		0.16		0.4	0.42	4.8	<0.2	<10	980	0.21	0.07	0.49	2.4	9.73	2.6	8
CC40073		0.16		2.63	2	28.4	<0.2	10	2660	1.1	0.2	0.86	5.8	20.4	6.3	41
CC40074		0.16		0.23	0.11	0.3	<0.2	<10	90	<0.05	0.01	0.04	0.11	0.91	0.8	4
CC40075		0.22		0.47	0.29	6.3	<0.2	<10	160	0.08	0.14	0.01	0.09	46.7	1	8
CC40076		0.16		0.65	0.19	1.9	<0.2	<10	130	0.06	0.04	0.02	0.12	14.15	0.7	5
CC40077		0.22		1.21	0.57	18.3	<0.2	<10	1350	0.22	0.18	0.01	0.45	18.05	1.3	20
CC40078		0.20		0.65	0.12	0.2	<0.2	<10	70	<0.05	0.02	0.02	0.04	2.93	0.5	5
CC40079		0.14		0.73	0.19	0.5	<0.2	<10	100	<0.05	0.04	0.03	0.14	2.66	0.5	5
CC40080		0.10		0.47	0.08	0.1	<0.2	<10	60	<0.05	0.01	0.02	0.02	0.58	0.6	1
CC40081		0.14		1.31	0.24	0.1	<0.2	<10	10	<0.05	0.02	0.03	0.03	1.21	0.5	1
CC40082		0.20		0.32	0.62	6.4	<0.2	<10	340	0.13	0.14	0.01	0.17	30.6	1.1	9
CC40083		0.22		0.28	0.57	9.7	<0.2	<10	330	0.2	0.18	0.02	0.36	38	1.7	11
CC40084		0.22		0.32	0.95	25.2	<0.2	<10	1760	0.47	0.31	0.15	1	34.3	6.5	25
CC40085		0.26		0.4	0.45	3.5	<0.2	<10	430	0.18	0.05	0.13	0.28	4.88	1.5	8
CC40086		0.22		1.06	1.17	12.5	<0.2	<10	2150	0.71	0.19	1.02	3.11	29	5.7	20
CC40087		0.22		1.94	1.66	44.7	<0.2	<10	1920	0.74	0.2	0.78	26.1	22.2	13.7	27
CC40088		0.18		0.46	0.18	0.7	<0.2	<10	150	<0.05	0.03	0.03	1.31	4.8	0.9	3
CC40089		0.18		0.66	0.15	0.3	<0.2	<10	130	<0.05	0.02	0.03	0.41	1.59	1.9	1
CC40090		0.22		0.48	0.11	0.5	<0.2	<10	70	<0.05	0.01	0.04	0.68	0.86	0.5	1
CC40091		0.18		0.31	0.16	2	<0.2	<10	210	<0.05	0.03	0.03	1.41	6.63	0.8	2
CC40092		0.20		0.12	0.06	<0.1	<0.2	<10	40	<0.05	<0.01	0.03	0.57	0.42	0.6	1
CC40093		0.18		1.49	1.1	43.8	<0.2	<10	1560	0.8	0.16	0.97	99.7	27.2	34.9	24
CC40094		0.14		1.4	1.06	49.2	<0.2	<10	1980	0.68	0.14	1.23	174	22.2	51.2	23
CC40095		0.14		1.49	1.14	54.4	<0.2	<10	1890	0.73	0.15	1.06	125.5	23.5	52.2	25
CC40096		0.18	1.42	1.27	1.15	44	<0.2	<10	1880	0.72	0.15	1.15	201	24.9	90.4	26

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40057		0.92	18.4	0.79	1.5	<0.05	0.04	0.02	0.007	0.03	4.9	0.5	0.02	26	3.85	0.01
CC40058		3.82	52	2.16	2.97	0.08	0.04	0.27	0.032	0.06	18.8	3.7	0.09	825	9.81	0.01
CC40059		1.74	6.8	0.61	1.79	<0.05	0.02	0.02	0.008	0.03	3.4	0.6	0.02	30	3.32	0.02
CC40060		0.9	3.7	0.68	1.07	<0.05	<0.02	0.02	0.005	0.02	1.2	0.7	0.02	106	1.22	0.02
CC40061		1.72	2.9	0.45	1.32	<0.05	<0.02	0.02	0.005	0.02	2.1	0.4	0.01	33	1.54	0.02
CC40062		0.55	10.1	0.61	1.26	<0.05	0.02	0.06	0.006	0.02	3.4	0.8	0.02	21	4.38	0.01
CC40063		1.5	40.7	0.83	3.53	0.1	<0.02	0.18	0.019	0.04	13.7	1.4	0.02	13	25	<0.01
CC40064		1.21	24.1	0.75	3.18	0.08	<0.02	0.09	0.015	0.04	11	1	0.02	14	23.7	<0.01
CC40065		4.43	87.5	2.03	8.33	0.3	0.02	0.22	0.032	0.11	23.2	2.8	0.04	17	77.4	0.01
CC40066		0.21	5.5	0.29	0.65	<0.05	<0.02	0.05	<0.005	0.02	1	0.2	0.01	11	2.08	0.02
CC40067		6.09	653	4.4	14.25	0.77	0.13	0.87	0.111	0.19	53.5	8.6	0.11	661	167	0.01
CC40068		3.29	324	3	7.13	0.48	0.08	0.41	0.059	0.13	30.2	5.1	0.1	628	121.5	<0.01
CC40069		3.15	475	3.83	10.2	0.58	0.16	0.24	0.081	0.14	28.4	7.2	0.14	517	183	<0.01
CC40070		0.22	14.9	0.43	1.02	<0.05	0.04	0.06	<0.005	0.02	2.8	0.8	0.04	108	2.69	0.03
CC40071		0.61	21.8	1.07	1.92	<0.05	0.06	0.12	0.015	0.05	9.3	5.4	0.18	81	8.18	0.02
CC40072		0.42	15.3	0.81	1.66	<0.05	0.05	0.09	0.01	0.04	5.3	3.2	0.12	132	3.65	0.02
CC40073		1.7	93	2.49	5.85	0.08	0.28	0.59	0.042	0.27	12.3	17.6	0.61	96	13.45	<0.01
CC40074		0.16	1.9	0.35	0.69	<0.05	<0.02	0.02	<0.005	0.02	0.5	0.3	0.02	16	0.57	0.02
CC40075		1.12	8.8	0.65	3.71	0.06	<0.02	0.02	0.006	0.04	25.3	0.9	0.02	17	8.12	0.01
CC40076		0.47	6.7	0.38	1.58	<0.05	<0.02	0.02	0.005	0.02	8.4	0.4	0.01	15	3.36	0.02
CC40077		0.66	27.7	1.7	3.51	0.06	0.05	0.08	0.025	0.08	11.5	3	0.06	17	20.6	<0.01
CC40078		0.18	3.2	0.23	0.77	<0.05	<0.02	0.01	<0.005	0.01	1.6	0.2	0.01	11	0.81	0.02
CC40079		0.15	7.8	0.25	0.9	<0.05	<0.02	0.03	<0.005	0.02	1.4	0.2	0.01	11	1.12	0.02
CC40080		0.05	1.4	0.25	0.49	<0.05	<0.02	0.02	<0.005	0.01	0.3	0.1	0.01	12	0.19	0.02
CC40081		<0.05	1.2	0.22	1.35	<0.05	<0.02	0.01	<0.005	0.01	0.6	0.2	0.01	11	0.08	0.02
CC40082		0.75	11.9	0.75	4	<0.05	<0.02	0.02	0.01	0.03	17	1.7	0.04	17	5.1	0.01
CC40083		0.95	17.7	1.13	3.24	0.06	0.02	0.03	0.015	0.05	20.2	2.3	0.05	24	8.29	<0.01
CC40084		1.53	38.1	2.81	4.33	0.09	0.04	0.06	0.035	0.11	18.5	9.4	0.31	155	16.15	<0.01
CC40085		0.46	9.5	0.65	1.62	<0.05	<0.02	0.06	0.008	0.04	2.6	2.1	0.05	29	2.6	0.03
CC40086		0.86	54.9	1.69	3.26	0.08	0.12	0.3	0.032	0.09	17.1	9.3	0.29	67	8.48	<0.01
CC40087		1.67	111.5	2.68	4.57	0.11	0.15	0.71	0.036	0.12	13.3	11.3	0.26	571	14.9	0.01
CC40088		0.59	11.3	0.31	0.86	<0.05	0.02	0.04	<0.005	0.02	2.5	0.4	0.01	16	0.85	0.01
CC40089		0.29	9.6	0.27	0.63	<0.05	0.02	0.05	<0.005	0.01	0.7	0.3	0.01	40	0.28	0.02
CC40090		0.08	4.6	0.18	0.47	<0.05	<0.02	0.02	<0.005	0.01	0.4	0.2	0.01	10	0.2	0.02
CC40091		0.87	9.2	0.38	0.73	<0.05	<0.02	0.04	0.006	0.02	3.4	0.4	0.01	17	1.69	0.01
CC40092		0.05	2.3	0.21	0.36	<0.05	<0.02	0.01	<0.005	0.01	0.2	0.1	0.01	11	0.06	0.02
CC40093		1.32	92.8	3.54	3.34	0.14	0.12	0.4	0.032	0.11	16.5	9.3	0.39	1190	57.5	0.01
CC40094		1.82	105.5	5.62	3.07	0.16	0.11	0.55	0.027	0.1	14.2	7.3	0.35	3320	91.6	0.01
CC40095		1.85	112	5.45	3.43	0.15	0.11	0.61	0.03	0.1	15	8	0.37	3190	90.4	<0.01
CC40096		2.08	117.5	4.53	3.47	0.14	0.12	0.54	0.031	0.11	15.5	8.1	0.36	4910	67.9	<0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40057		0.06	6.7	430	3.7	3.1	<0.001	0.03	1.16	0.2	0.8	0.3	5.7	<0.01	0.02	<0.2
CC40058		0.14	29.3	2220	24.7	10.2	0.003	0.07	2.49	0.7	4.1	0.4	32.9	0.01	0.06	0.2
CC40059		0.15	5	380	3	3.9	<0.001	0.01	1.04	0.5	0.6	0.3	4.2	<0.01	0.02	<0.2
CC40060		0.18	3.1	260	2.6	3.1	<0.001	<0.01	0.46	0.5	0.4	<0.2	5.5	<0.01	0.01	<0.2
CC40061		0.08	2.6	260	1.9	3.2	<0.001	<0.01	0.35	0.6	0.3	0.2	4.4	<0.01	0.01	<0.2
CC40062		0.16	8.4	250	4.7	2.2	0.001	0.01	1.52	0.6	1.3	0.2	10.1	<0.01	0.01	<0.2
CC40063		0.09	39	560	22.5	7.1	0.001	0.06	13.55	0.3	10.3	0.8	53.2	<0.01	0.12	<0.2
CC40064		0.06	23.7	510	15.9	5.2	0.001	0.08	12.3	0.3	9	0.6	37.7	<0.01	0.1	<0.2
CC40065		0.39	77.8	770	26.5	19.4	0.003	0.2	43.9	0.9	35.4	1.1	61.1	<0.01	0.29	<0.2
CC40066		0.08	3	230	1.4	1	<0.001	0.03	1.13	0.4	1	<0.2	9.5	<0.01	0.01	<0.2
CC40067		0.19	335	5600	75.8	23	0.007	0.18	108	5.8	59.6	3	228	0.02	0.74	0.7
CC40068		0.45	304	3430	65.4	13.6	0.005	0.09	90	7.3	38.8	2	177	0.01	0.4	2.8
CC40069		1.71	402	3200	30.5	15.4	0.004	0.08	83.6	9.5	48.1	1.2	176	0.02	0.46	3.8
CC40070		0.25	20.5	450	2.2	1.6	0.001	0.05	1.49	0.6	1.3	0.2	32	<0.01	0.02	<0.2
CC40071		0.29	33.6	910	7.1	6	0.002	0.02	3.81	1.4	2	0.3	39.2	<0.01	0.04	0.9
CC40072		0.21	22.8	530	4.3	4.6	0.003	0.02	2	0.9	1.6	0.2	35.4	<0.01	0.03	0.4
CC40073		0.48	102.5	1080	15.1	21	0.009	0.07	8.54	5	5.9	0.7	72.5	0.01	0.11	1.9
CC40074		<0.05	3	210	1	1	<0.001	<0.01	0.16	0.2	0.2	<0.2	7	<0.01	<0.01	<0.2
CC40075		0.23	7.1	250	8	5.6	0.001	<0.01	2.33	0.5	1.4	0.8	9.2	<0.01	0.05	0.5
CC40076		0.05	3.8	230	3.2	1.9	<0.001	0.01	0.81	0.2	1.2	0.3	7	<0.01	0.03	<0.2
CC40077		0.32	21.6	860	13.6	8.8	0.002	0.16	7.49	1.3	5.8	0.7	63	<0.01	0.11	1
CC40078		0.08	2.9	250	1	1.2	<0.001	0.01	0.11	0.3	0.2	0.2	6.2	<0.01	<0.01	<0.2
CC40079		0.13	4	270	2.5	1	<0.001	0.01	0.19	0.2	0.3	<0.2	8	<0.01	<0.01	<0.2
CC40080		0.05	0.6	200	0.7	0.6	<0.001	<0.01	0.06	0.1	<0.2	<0.2	6.6	<0.01	<0.01	<0.2
CC40081		0.07	0.4	230	1.3	0.8	<0.001	<0.01	<0.05	0.1	0.2	<0.2	7.3	<0.01	<0.01	<0.2
CC40082		0.19	7.6	370	8.6	5.8	<0.001	<0.01	1.15	0.5	1	0.5	11.9	<0.01	0.03	0.3
CC40083		0.38	13.1	420	14.3	9.1	0.001	0.02	2.69	1	1.8	0.4	26.3	<0.01	0.06	1.2
CC40084		0.3	48.1	1850	20.7	13.9	0.002	0.07	7.2	1.6	3.5	0.5	50.7	<0.01	0.11	1
CC40085		0.1	13.2	410	3.8	3.9	<0.001	<0.01	1.09	0.3	0.7	0.2	16.1	<0.01	0.02	<0.2
CC40086		0.34	59.2	1380	14.2	10.5	0.007	0.08	4.72	2.7	3.2	0.3	63.9	<0.01	0.07	1.4
CC40087		0.46	281	1700	15.6	16.6	0.01	0.11	6.89	2.8	7.5	0.5	120	0.01	0.1	1
CC40088		0.13	7	450	1.7	2.5	<0.001	0.02	0.21	0.6	1.2	<0.2	9.2	<0.01	<0.01	<0.2
CC40089		0.19	2.9	290	0.9	1.8	<0.001	0.02	0.12	0.5	0.8	<0.2	8.2	<0.01	<0.01	<0.2
CC40090		0.13	5.8	170	0.6	0.6	<0.001	<0.01	0.06	0.3	0.4	<0.2	10.4	<0.01	<0.01	<0.2
CC40091		0.14	7.7	410	2.7	2.3	<0.001	0.02	0.47	0.5	0.8	<0.2	15.3	<0.01	0.01	<0.2
CC40092		0.07	2.6	60	0.3	0.4	<0.001	<0.01	<0.05	0.2	0.2	<0.2	8.5	<0.01	<0.01	<0.2
CC40093		0.34	551	2240	11.8	18.7	0.005	0.05	31.5	3	10.1	0.4	110.5	0.01	0.12	1.8
CC40094		0.33	840	2210	12.4	17.1	0.011	0.11	55.2	3	9.8	0.3	123.5	0.01	0.13	1.5
CC40095		0.35	659	2330	12	16.1	0.008	0.1	52.4	3.1	9.8	0.3	118.5	<0.01	0.14	1.4
CC40096		0.32	1200	2150	11.6	17.6	0.005	0.1	34.4	2.9	6.7	0.4	121	<0.01	0.13	1.3

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40057		0.006	0.13	0.43	50	0.07	0.85	38	<0.5
CC40058		<0.005	0.56	2.37	60	0.09	11	138	<0.5
CC40059		0.008	0.11	0.4	62	0.08	0.73	35	<0.5
CC40060		0.012	0.08	0.24	30	<0.05	0.42	22	<0.5
CC40061		0.009	0.09	0.23	30	<0.05	0.43	18	<0.5
CC40062		0.015	0.16	0.62	67	<0.05	1.66	51	<0.5
CC40063		0.008	2	4.94	587	0.26	8.13	328	<0.5
CC40064		0.007	1.35	3.04	360	0.26	3.21	134	<0.5
CC40065		0.051	7.32	8	2140	0.54	8.83	453	<0.5
CC40066		0.013	0.26	1.13	53	<0.05	0.82	16	<0.5
CC40067		0.018	11.2	64.2	3190	1.42	85.2	2770	1.5
CC40068		0.031	7.63	35.8	2230	1.06	47.3	4140	2.3
CC40069		0.115	8.98	51.7	3560	1.13	69.3	4340	7
CC40070		0.015	0.15	1.25	51	0.05	3.47	156	1
CC40071		0.011	0.29	1.8	152	0.17	5.93	242	1.6
CC40072		0.013	0.19	2.39	78	0.1	3.96	143	1.3
CC40073		0.007	1.15	3.97	540	0.41	17.5	590	8.1
CC40074		0.01	0.06	0.19	20	<0.05	0.27	12	<0.5
CC40075		0.01	0.32	0.61	93	0.25	2.09	49	<0.5
CC40076		0.007	0.17	0.39	40	0.07	0.92	19	<0.5
CC40077		0.007	0.85	1.64	238	0.36	3.24	152	1.5
CC40078		0.011	0.05	0.13	12	<0.05	0.25	6	<0.5
CC40079		0.011	0.03	0.21	10	<0.05	0.35	6	<0.5
CC40080		0.012	<0.02	0.13	9	<0.05	0.11	5	<0.5
CC40081		0.015	<0.02	0.17	9	<0.05	0.23	3	<0.5
CC40082		0.009	0.23	0.59	75	0.17	1.96	53	<0.5
CC40083		0.013	0.36	1.05	132	0.24	3.52	95	<0.5
CC40084		0.011	0.6	2.43	239	0.7	7.05	320	0.7
CC40085		0.009	0.11	0.89	45	0.06	2.4	70	<0.5
CC40086		0.007	0.39	2.95	154	0.17	16.45	341	3
CC40087		0.008	1.18	12.2	287	0.29	22.9	1990	3.4
CC40088		0.01	0.12	1.77	17	<0.05	1.65	31	<0.5
CC40089		0.011	0.09	1.1	11	<0.05	1.15	10	0.5
CC40090		0.01	0.03	0.4	7	<0.05	0.58	12	<0.5
CC40091		0.01	0.12	0.78	22	<0.05	1.38	35	<0.5
CC40092		0.011	<0.02	0.15	7	<0.05	0.28	9	<0.5
CC40093		0.008	3.34	8.78	285	0.21	18.8	5170	3.1
CC40094		0.009	3.1	8.21	277	0.22	17.55	8790	2.9
CC40095		0.009	2.76	8.61	294	0.25	18.6	7320	2.7
CC40096		0.01	3.18	7.82	269	0.25	18.85	>10000	2.9

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40097		0.16		1.19	0.72	7.3	<0.2	<10	960	0.29	0.1	0.68	32	17.6	2.2	12
CC40098		0.14		0.44	0.22	0.2	<0.2	<10	70	0.06	0.02	0.13	2.32	1.42	0.6	2
CC40099		0.18		0.62	0.24	0.2	<0.2	<10	50	<0.05	0.03	0.04	0.28	1.38	0.4	1
CC40100		0.16		0.37	0.23	0.9	<0.2	<10	50	<0.05	0.03	0.02	0.1	8.26	0.6	3
CC40101		0.10		1.12	1.75	46.3	<0.2	<10	170	0.68	0.21	0.16	5.04	27.7	6.9	45
CC40102		0.12		2.72	1.09	39.3	<0.2	<10	260	0.5	0.16	0.26	9.43	24.7	4.4	38
CC40103		0.28		1.02	2.26	47.1	<0.2	<10	270	0.73	0.24	0.14	8.26	38.6	11.3	52
CC40104		0.12		2.13	2.18	51.7	<0.2	<10	410	1	0.16	0.77	30.1	40.1	14.2	63
CC40105		0.12		3.82	1.87	92.1	<0.2	<10	590	1.02	0.18	1.03	23	37.1	6.7	88
CC40106		0.08		4.1	1.15	54.7	<0.2	<10	580	0.76	0.16	0.29	13.05	17.8	3.1	89
CC40107		0.12		3.18	1	68.1	<0.2	<10	390	0.59	0.16	0.29	2.55	24.7	2.8	54
CC40108		0.12		5.19	1.37	129	<0.2	<10	710	1.19	0.22	0.98	55.6	40.5	12.6	99
CC40109		0.08		0.85	0.49	12.5	<0.2	<10	190	0.2	0.08	0.08	2.65	8.65	1.4	22
CC40110		0.20		4.68	1.41	126.5	<0.2	<10	610	1.14	0.24	0.54	21.7	37.4	8	87
CC40111		0.10		4.53	1.18	79.3	<0.2	<10	790	1.01	0.18	0.94	69.8	31.8	14	85
CC40112		0.18		3.83	1	105	<0.2	<10	550	1.09	0.22	1.25	10.2	34.2	11.1	82
CC40113		0.14		3.9	1.14	90.2	<0.2	<10	600	1.05	0.17	0.62	31.7	31.9	92.2	54
CC40114		0.26		4.64	1.04	63.9	<0.2	<10	770	0.74	0.26	0.2	2.57	36.8	10.7	51
CC40115		0.06		1.26	1.75	50.3	<0.2	<10	770	0.81	0.17	0.49	14.3	41.2	10.3	55
CC40116		0.12		1.73	0.3	36.3	<0.2	<10	610	0.27	0.15	0.09	3.07	24.4	2.1	25
CC40117		0.16		7.03	1.45	208	<0.2	<10	700	1.8	0.23	0.23	27.9	30.1	5.5	125
CC40118		0.22		1.18	0.18	16.3	<0.2	<10	260	0.11	0.18	0.02	0.4	45.7	0.3	11
CC40119		0.14		0.37	0.92	23.3	<0.2	<10	400	0.43	0.15	0.19	1.3	55.6	5.7	30
CC40120		0.18		2.79	0.41	44.2	<0.2	<10	330	0.52	0.37	0.1	0.77	42.8	5.2	16
CC40121		0.16		0.73	0.79	34.6	<0.2	<10	280	0.94	0.36	0.06	1.08	39.5	13.4	28
CC40122		0.26		0.55	0.94	14.4	<0.2	<10	1080	0.74	0.28	0.1	2.8	50.6	13.3	22
CC40123		0.22		1.1	0.83	22.9	<0.2	<10	650	0.72	0.24	0.27	5.85	55.8	11	23
CC40124		0.12		1.5	0.95	24.1	<0.2	<10	860	0.82	0.32	0.88	3.44	41.8	11.7	25
CC40125		0.12		2.31	0.73	81	<0.2	<10	460	0.56	0.21	0.09	4.53	40.5	6.5	62
CC40126		0.08		1.7	0.48	34	<0.2	<10	610	0.52	0.11	0.81	34.7	19.05	4.6	25
CC40127		0.10		1.95	0.75	55.3	<0.2	<10	900	0.79	0.17	0.64	24.1	34	8.7	43
CC40128		0.16		2.49	0.85	68.1	<0.2	<10	670	0.94	0.21	0.41	14.9	52.8	10.5	53
CC40129		0.20		1.81	1.15	62.5	<0.2	<10	470	0.79	0.15	0.26	9.6	32.7	5.3	54
CC40130		0.06		1.4	0.25	18.8	<0.2	<10	300	0.18	0.13	0.05	0.98	20.7	3.2	14
CC40131		0.10		0.7	0.35	18.1	<0.2	<10	440	0.42	0.23	0.69	5.36	32.2	10.5	14
CC40132		0.08		1.12	0.55	30	<0.2	<10	1330	0.74	0.23	0.8	11.25	21.4	9.6	20
CC40133		0.16		0.8	0.84	31.5	<0.2	<10	1540	0.83	0.35	0.6	7.96	48.3	13.4	26
CC40134		0.12		2.31	1.23	167.5	<0.2	<10	460	0.8	4.5	0.45	2.99	24.9	7.1	40
CC40135		0.12		2.31	1.54	198.5	<0.2	<10	340	0.78	3.28	0.31	6.27	25.5	17.7	45
CC40136		0.10		1.21	0.55	187.5	<0.2	<10	460	0.61	2.92	0.27	5.19	18.95	5.2	25

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC40097		1.43	102.5	1.01	2.38	0.05	0.06	0.23	0.016	0.05	9.8	3.1	0.11	46	6.96	0.01
CC40098		0.12	2.6	0.2	0.92	<0.05	<0.02	0.02	<0.005	0.02	0.7	0.3	0.02	20	0.41	0.03
CC40099		0.06	1.6	0.2	1.21	<0.05	<0.02	0.02	<0.005	0.02	0.7	0.2	0.01	10	0.3	0.02
CC40100		0.48	5.5	0.28	1.51	<0.05	<0.02	0.02	<0.005	0.03	4.4	0.4	0.01	12	0.89	0.01
CC40101		3.52	68.9	3.01	6.95	0.21	0.05	0.55	0.043	0.1	13.1	19.1	1.65	329	18.15	0.01
CC40102		1.71	74.8	2.33	4.11	0.14	0.03	0.62	0.044	0.09	14.4	9.7	0.91	156	22.6	0.01
CC40103		4.12	75.7	4.08	8.31	0.19	0.03	0.14	0.063	0.13	19.7	19.9	2.31	464	11.85	0.01
CC40104		3.24	140	3.07	7.52	0.28	0.07	0.6	0.042	0.14	20.6	20.1	2.8	354	39.5	0.01
CC40105		2.65	223	2.57	7.02	0.37	0.06	1.13	0.063	0.18	26.2	14	1.74	155	56.2	0.01
CC40106		1.8	145.5	1.63	4.86	0.24	0.03	0.64	0.041	0.15	14.1	6.4	0.73	71	49.4	0.01
CC40107		1.08	109.5	1.89	4.32	0.18	0.03	0.89	0.05	0.1	19.4	4.3	0.24	58	42.4	0.01
CC40108		1.5	319	3.12	5.4	0.36	0.07	1.16	0.068	0.18	30.5	7.4	0.83	400	95.2	0.01
CC40109		0.62	31	0.73	2.68	<0.05	<0.02	0.15	0.011	0.03	5.7	1.8	0.2	32	9.07	0.02
CC40110		1.89	172	3.63	5.73	0.2	0.06	0.84	0.061	0.15	26.1	9.8	1.19	322	84	<0.01
CC40111		1.38	234	2.37	5.38	0.36	0.08	1.12	0.047	0.19	23.6	7.2	0.92	446	73.5	0.01
CC40112		1.31	125	2.72	4.25	0.25	0.06	0.74	0.058	0.22	23.8	5.8	0.41	317	65.5	<0.01
CC40113		1.26	321	4.38	3.83	0.21	0.06	0.87	0.058	0.12	20.6	6.2	0.16	3840	103.5	<0.01
CC40114		1.72	154.5	3.35	4.87	0.17	0.06	2.07	0.069	0.13	25.1	5.2	0.25	519	63.6	<0.01
CC40115		1.74	98.1	2.57	5.64	0.12	0.08	0.2	0.04	0.16	22.3	15.6	2.03	300	29.5	<0.01
CC40116		0.84	31.8	1.46	2.12	0.08	<0.02	0.13	0.029	0.12	15	1.5	0.08	83	20.1	<0.01
CC40117		2.16	390	3.67	8.64	0.34	0.07	1.57	0.074	0.27	24.9	5.7	0.19	206	128	<0.01
CC40118		0.81	20.8	0.55	1.52	0.08	<0.02	0.37	0.029	0.06	28.9	0.8	0.03	9	10.85	<0.01
CC40119		1.78	31.1	2.04	3.48	0.1	0.05	0.08	0.024	0.15	28.9	7.8	0.77	86	27.2	<0.01
CC40120		0.92	60.6	3.36	2.04	0.12	0.03	0.21	0.053	0.13	23.3	1.3	0.05	82	17	<0.01
CC40121		1.33	97.7	7.93	2.8	0.13	0.04	0.11	0.059	0.11	20.4	4.3	0.14	254	13.8	<0.01
CC40122		1.61	36.8	4.64	3.02	0.11	0.07	0.13	0.038	0.15	25.9	6	0.31	508	11.15	<0.01
CC40123		1.66	58.8	3.41	3.04	0.1	0.05	0.11	0.041	0.13	28.6	5.7	0.3	212	15.6	<0.01
CC40124		1.94	55	4.3	3.12	0.11	0.11	0.15	0.045	0.18	20.8	8	0.59	299	10.6	0.01
CC40125		0.86	58.4	2.38	4.31	0.17	0.07	1.02	0.034	0.12	25.7	2.2	0.08	206	54.1	<0.01
CC40126		0.5	136.5	1.35	1.65	0.15	0.11	0.71	0.024	0.07	10.7	1.4	0.18	145	24.3	0.01
CC40127		0.69	127.5	2.19	2.84	0.2	0.17	0.78	0.033	0.1	19.7	3.5	0.25	268	34.3	0.01
CC40128		1.24	123	3.09	3.55	0.22	0.12	1.05	0.041	0.13	29.4	4.6	0.23	157	38.3	<0.01
CC40129		1.25	125	1.98	5.36	0.18	0.06	0.48	0.044	0.09	21.3	5.6	0.3	138	45.9	0.01
CC40130		0.9	23.5	1.25	1.38	0.06	<0.02	0.21	0.016	0.09	12.4	0.8	0.04	124	15.75	<0.01
CC40131		0.44	41.1	2.65	1.3	0.08	0.05	0.16	0.027	0.1	16.7	1.1	0.15	482	14.75	<0.01
CC40132		0.65	67.5	2.72	2.07	0.12	0.09	0.3	0.037	0.1	11.2	2.2	0.18	304	16.5	0.01
CC40133		0.88	78.1	3.93	2.61	0.14	0.05	0.1	0.049	0.2	29.1	3.6	0.11	652	14.75	<0.01
CC40134		1.53	80.4	2.86	4.51	0.09	0.03	0.3	0.177	0.14	16	8.5	0.65	241	18.25	<0.01
CC40135		1.82	82.9	3.1	5.54	0.09	0.02	0.38	0.283	0.12	15.1	12.5	1.02	657	21.3	0.01
CC40136		0.97	66.2	3.12	2.46	0.09	<0.02	0.15	0.119	0.1	12.1	3	0.1	85	16.15	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC40097		0.33	247	910	7.1	7.6	0.012	0.07	3.44	1.4	4.7	0.3	70.8	<0.01	0.06	0.5
CC40098		0.16	6.7	460	1.1	1.6	<0.001	0.02	0.12	0.2	0.4	<0.2	14.5	<0.01	<0.01	<0.2
CC40099		0.14	1.6	360	1.4	0.8	<0.001	0.02	0.05	0.2	0.3	<0.2	8.6	<0.01	0.01	<0.2
CC40100		0.09	2.6	350	2.3	2.6	<0.001	0.01	0.29	0.3	0.3	0.2	5	<0.01	0.01	<0.2
CC40101		1.93	68.1	990	25.9	24.4	0.002	0.19	13.9	4.5	22.9	0.9	27.5	0.01	0.1	2.2
CC40102		0.57	64	1770	23.6	16.4	0.002	0.2	17.35	1.8	15.6	0.6	44.2	<0.01	0.16	0.3
CC40103		0.47	111	1540	24	25.2	0.001	0.26	9.82	5.6	10.7	0.7	39.3	<0.01	0.09	2.3
CC40104		0.73	180	1840	28.7	30.1	0.004	0.12	16.45	6.2	19.2	0.7	62.2	0.01	0.11	3.2
CC40105		0.17	154.5	5890	59.4	26.6	0.006	0.22	47.6	2.1	52.5	1.1	176.5	0.01	0.32	0.4
CC40106		0.1	145.5	2750	46.9	23.4	0.003	0.24	38.8	0.4	40.3	0.8	88.2	<0.01	0.21	<0.2
CC40107		0.1	68.8	3410	49.5	11.5	0.002	0.17	36.6	0.4	27.7	0.8	123.5	<0.01	0.25	<0.2
CC40108		0.13	265	6410	84.1	19.4	0.007	0.21	67.8	3.6	56.5	1.3	206	0.01	0.38	0.9
CC40109		0.07	36.7	980	12.4	5.2	<0.001	0.06	5.34	0.2	5.2	0.3	19.2	<0.01	0.05	<0.2
CC40110		0.17	308	4420	108.5	17.8	0.002	0.14	61.5	3.9	24	1.3	91.2	0.01	0.57	1.2
CC40111		0.16	218	4160	65.1	18.8	0.008	0.21	52	2.7	53	0.8	122.5	0.01	0.26	0.7
CC40112		0.14	105.5	7370	69.4	19.9	0.005	0.18	66.4	3.4	32.5	0.9	165.5	0.01	0.34	2.1
CC40113		0.21	248	6530	48.3	11.9	0.007	0.16	46	3	20.5	0.8	121.5	0.01	0.36	1.4
CC40114		0.13	62.7	4310	61.7	16.3	0.002	0.27	32	1.6	20.1	1.1	145.5	0.01	0.36	0.5
CC40115		0.16	188	2470	23.6	21.3	0.001	0.1	22.4	3.5	9.6	1	63.7	<0.01	0.16	1.9
CC40116		<0.05	27.8	1730	31.8	9.6	0.002	0.26	13.6	0.4	9.9	0.5	79.2	<0.01	0.13	<0.2
CC40117		0.21	230	3200	57.1	24	0.007	0.39	116.5	4.4	51.6	1	149.5	0.01	0.45	1.2
CC40118		0.09	5.7	660	20.4	5.3	0.001	0.07	8.67	1.6	4.8	0.3	26.5	<0.01	0.14	0.9
CC40119		0.1	72.1	980	10.2	19.2	0.001	0.02	6.79	3	3.1	0.6	31.8	<0.01	0.08	4.1
CC40120		0.1	50.4	2860	37.4	11.6	0.002	0.19	11.25	2.5	8.8	0.5	126.5	<0.01	0.24	3.6
CC40121		0.25	73	1570	27.4	12.1	0.001	0.16	12.25	4.3	7.1	0.4	74.1	<0.01	0.23	3.5
CC40122		0.16	45.4	850	22.1	17	0.001	0.06	3.23	4.1	2.7	0.4	32	<0.01	0.09	3.4
CC40123		0.17	79	1350	20.9	16.1	0.001	0.07	8.21	4	4.2	0.4	50	0.01	0.1	2.3
CC40124		0.26	68.5	1410	29	18.3	0.002	0.25	7.11	5.7	4.4	0.4	124.5	0.01	0.12	3.8
CC40125		0.15	116	2610	46.7	15	0.004	0.15	38.6	2	27.2	0.9	84.8	<0.01	0.18	0.7
CC40126		0.11	102	1970	19.5	7.4	0.008	0.22	20.4	2.4	27	0.4	90.1	0.01	0.1	1
CC40127		0.19	119	2190	30.1	11.7	0.011	0.15	27.9	3.9	32.4	0.5	90.5	0.01	0.14	2.1
CC40128		0.14	150.5	2390	37.4	14.1	0.005	0.1	33.6	4.8	30.9	0.7	110.5	0.01	0.18	2.3
CC40129		0.21	147.5	2160	39.9	13.4	0.002	0.09	34.2	1.9	25.5	0.8	95.5	0.01	0.2	0.5
CC40130		0.11	29.4	1460	16.3	7.2	0.001	0.09	6.68	0.9	5.5	0.4	33.7	<0.01	0.08	0.2
CC40131		0.11	47.7	1140	16.2	7.3	0.006	0.13	8.08	2.4	7.6	0.2	80.8	<0.01	0.1	1.6
CC40132		0.2	84.7	2210	18.9	10.8	0.004	0.21	17.35	2.9	11.4	0.4	121	<0.01	0.11	1.7
CC40133		0.12	104.5	4520	40.4	11.9	0.003	0.16	10.5	4.5	7.8	0.4	369	<0.01	0.29	4.5
CC40134		0.12	76.6	3790	91.4	15	<0.001	0.03	50	0.8	4.4	3.9	108	<0.01	0.29	0.3
CC40135		0.27	96.2	2280	149	16.2	<0.001	0.04	63.2	1	4.9	5.7	54.5	<0.01	0.29	0.2
CC40136		0.05	64.1	3390	55.3	10.4	<0.001	0.09	67	0.2	7.9	1.7	232	<0.01	0.4	<0.2

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40097		0.011	0.53	12.55	98	0.16	10.75	2550	1.4
CC40098		0.009	0.03	0.81	8	<0.05	0.57	85	<0.5
CC40099		0.012	0.02	0.45	5	<0.05	0.42	9	<0.5
CC40100		0.008	0.04	0.28	16	<0.05	0.46	17	<0.5
CC40101		0.088	0.76	3.9	167	0.27	14.8	831	1.2
CC40102		0.033	0.85	6.3	162	0.34	15.75	1170	0.5
CC40103		0.05	0.82	3.36	153	0.18	14.55	1770	0.5
CC40104		0.058	1.81	8.59	425	0.4	30.1	2430	1.8
CC40105		0.024	3.16	16.7	850	0.67	35.4	1530	0.8
CC40106		<0.005	3.14	13.55	941	0.48	17.85	1310	<0.5
CC40107		<0.005	2.29	13.4	492	0.49	19.25	484	<0.5
CC40108		0.016	4.27	21.8	926	0.8	41.2	2720	1.1
CC40109		0.005	0.6	2.45	165	0.15	4.49	269	<0.5
CC40110		0.015	4.03	13.7	675	0.99	27.2	4590	1.5
CC40111		0.014	3.72	18.15	855	0.64	33.7	2970	1.8
CC40112		0.012	2.49	17.9	818	0.63	32.8	702	1.2
CC40113		0.012	5.13	22	363	0.65	27.3	1510	1.1
CC40114		0.01	3.95	16.25	342	0.67	20.4	523	1
CC40115		0.021	2.13	6.07	457	0.35	14.5	3210	2.1
CC40116		<0.005	1.18	3.59	119	0.26	6.61	253	<0.5
CC40117		0.019	9.65	36	2530	0.94	31.1	2370	1
CC40118		0.005	0.45	2.28	45	0.19	4.17	42	<0.5
CC40119		0.011	0.8	2.95	164	0.18	10.2	425	1.6
CC40120		0.005	0.74	3.83	82	0.14	8.74	234	<0.5
CC40121		0.01	1.23	3.18	100	0.2	9.35	434	0.6
CC40122		0.009	0.31	2.27	66	0.09	15.6	352	1.4
CC40123		0.009	0.65	4.69	152	0.13	18.75	937	0.9
CC40124		0.014	0.48	3.38	117	0.09	17.5	649	3
CC40125		0.005	3.3	9.54	926	0.57	16.4	722	1.6
CC40126		<0.005	1.09	11.8	288	0.2	23.3	961	3.1
CC40127		0.006	1.82	13.85	544	0.34	31	1150	4.9
CC40128		0.006	2.57	13	626	0.34	29.3	1450	3.1
CC40129		0.013	3.72	13.3	822	0.41	22.4	1800	1
CC40130		0.005	0.64	2.46	151	0.16	4.04	218	<0.5
CC40131		<0.005	0.17	2.55	57	0.08	8.55	442	1.4
CC40132		0.005	0.45	5.46	174	0.16	17.2	718	2.3
CC40133		0.006	0.49	5.38	140	0.11	21.1	767	1.2
CC40134		0.012	0.45	6.71	223	0.5	12.45	605	0.6
CC40135		0.019	0.67	5.01	264	0.49	11.5	1035	<0.5
CC40136		<0.005	0.33	6.17	143	2.15	10.95	408	<0.5

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	WEI-21	Zn-OG46	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Zn	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC40137		0.16		0.34	0.83	104	<0.2	<10	290	0.44	7	0.16	1.28	19.65	2.5	22
CC40138		0.16		1.8	0.73	971	<0.2	<10	720	0.58	24.7	0.35	3.76	24.3	8.3	21
CC40139		0.08		4.96	0.9	93.7	<0.2	<10	450	0.91	1.03	0.99	54.8	12.75	4.7	56
CC40140		0.08		4.03	0.73	84.9	<0.2	<10	300	1.19	0.27	0.78	34.7	20.2	7.7	102
CC40141		0.10		2.63	0.8	105.5	<0.2	<10	290	0.85	0.57	0.45	11	19.05	6.7	72
CC40142		0.16		2.46	1.86	55.7	<0.2	<10	420	1.25	0.29	0.61	22	25.1	10.3	83
CC40143		0.08		1.25	1.88	45.9	<0.2	<10	860	1	0.29	0.52	13.45	20.4	9.9	73
CC40144		0.10		4.58	1.52	91.3	<0.2	<10	590	1.29	0.2	1.45	41.4	24.7	13.7	90
CC40145		0.08		1.45	2.34	52.6	<0.2	<10	260	1.23	0.19	0.36	2.3	18.1	13.4	60
CC40146		0.12		3.24	2.3	103	<0.2	<10	340	1.55	0.24	0.7	18.7	28.7	17.3	84
CC40147		0.08		1.35	2.18	123.5	<0.2	<10	340	1.15	0.24	0.46	10.5	37.7	23.3	71
CC40148		0.10		3.81	2.78	77.3	<0.2	<10	450	1.55	0.2	1	33	22.4	13.4	113
CC40149		0.20		2.42	2.39	45.5	<0.2	<10	360	1.05	0.18	0.6	9.5	14.4	10.3	84
CC40150		0.16		5.95	1.07	219	<0.2	<10	760	1.78	0.76	0.53	36.1	40.4	25.8	74
CC40151		0.14		3.19	1.4	88.4	<0.2	<10	540	1.19	0.26	0.59	15.25	31.9	9.4	89
CC40152		0.16		3.33	1.16	91.9	<0.2	<10	290	1.25	0.26	0.2	9.51	25.2	14.5	57
CC40153		0.10		1.69	0.9	96.4	<0.2	<10	250	0.62	0.48	0.06	1.35	27.1	4.2	53
CC40154		0.10		2.94	0.74	63.3	<0.2	<10	400	0.98	0.34	1.04	3.29	25.6	2.5	56
CC40155		0.18		0.94	0.68	33.3	<0.2	<10	140	0.32	0.19	0.05	1.13	14.4	2.3	20
CC40156		0.24		1.74	1.6	38.5	<0.2	<10	240	1.56	0.28	0.1	4.48	47.9	17.3	49
CC40157		0.18		3.9	0.94	213	<0.2	<10	550	1.91	0.37	0.63	52.6	72.5	23	58
CC40158		0.08		3.35	1.37	110	<0.2	<10	580	1.38	0.18	1.44	54.2	27.2	13.7	86
CC40159		0.08		4.59	1.99	110.5	<0.2	<10	520	1.57	0.19	0.94	25.3	30.5	7	149

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
CC40137		1.42	42	1.92	3.43	0.07	<0.02	0.13	0.309	0.06	12.9	4.6	0.13	59	12.8	0.01
CC40138		1.36	49.3	3.91	3.04	0.09	0.03	0.1	0.151	0.07	14.1	5.1	0.19	269	9.41	0.01
CC40139		1.14	185	1.65	3.33	0.11	0.06	0.85	0.046	0.09	9.1	8.3	0.27	218	19.85	0.02
CC40140		1.23	177	1.77	3.49	0.18	0.06	0.62	0.055	0.16	16.8	6.6	0.3	236	52.6	0.02
CC40141		0.96	90.5	2.41	3.87	0.13	0.03	0.44	0.074	0.14	12.6	6.1	0.44	169	38.4	0.01
CC40142		3	155.5	2.89	6.58	0.15	0.07	0.72	0.052	0.24	15.2	17	2.05	240	30.7	0.01
CC40143		3.4	74.3	2.72	7.1	0.12	0.04	0.19	0.05	0.2	11.7	17.3	1.93	276	19.7	0.01
CC40144		2.51	219	2.76	6.31	0.23	0.05	0.86	0.093	0.27	18.2	12.1	1.62	365	50.9	0.01
CC40145		3.8	59.3	2.89	7.69	0.12	0.06	0.13	0.072	0.17	10.4	15.5	1.98	312	8.47	0.01
CC40146		3.94	136	3.89	7.77	0.22	0.12	0.47	0.117	0.45	16.5	18.1	2.24	370	22.9	0.01
CC40147		4.2	94.8	4.28	7.39	0.2	0.08	0.24	0.098	0.25	15.5	22.5	2.23	436	18.65	0.01
CC40148		4.28	208	2.9	9.24	0.25	0.13	0.93	0.073	0.37	14	20.8	2.74	264	33.8	0.02
CC40149		3.96	93.7	2.63	8.99	0.14	0.1	0.4	0.048	0.28	9.4	18.4	2.38	235	23.7	0.01
CC40150		1.57	337	6.73	4.27	0.25	0.06	0.68	0.208	0.11	28.5	7.5	0.31	889	66.4	0.01
CC40151		2.36	167.5	3.45	7.09	0.25	0.03	0.48	0.11	0.19	22.9	14.9	1	241	58	0.01
CC40152		2	153	4.07	4.43	0.15	0.04	0.58	0.093	0.17	16.6	11.6	0.76	389	51.8	<0.01
CC40153		1.66	104.5	4.22	5.09	0.13	<0.02	0.12	0.099	0.1	21.1	4.8	0.16	92	47	0.01
CC40154		1.3	127.5	2.78	3.17	0.12	<0.02	0.28	0.096	0.14	21.6	3.6	0.1	43	31.4	0.01
CC40155		0.82	37.9	1.91	2.98	0.07	<0.02	0.1	0.037	0.05	9.2	2.3	0.1	43	12.55	0.02
CC40156		2.71	83.1	4.7	5.51	0.1	0.03	0.13	0.057	0.14	25.5	25.7	1.5	429	14.35	0.01
CC40157		1.99	222	5.43	3.32	0.19	0.03	0.88	0.081	0.15	48	7.7	0.69	657	94.3	0.01
CC40158		1.86	251	3.14	4.65	0.22	0.06	0.83	0.058	0.27	20	14.3	1.13	337	64.1	0.02
CC40159		3.07	237	2.77	7.54	0.32	0.04	0.28	0.057	0.28	27.2	15.4	1.14	171	81.8	0.01

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method / Analyte / Units / LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
CC40137		0.13	49.6	1810	124	8.5	<0.001	0.01	32.8	0.4	4.4	12.3	143.5	<0.01	0.19	<0.2
CC40138		0.33	58.7	1710	53.7	10.8	<0.001	0.05	29.4	1.6	4.8	2.4	47.6	<0.01	2.1	0.5
CC40139		0.41	198	2190	30.8	11.7	0.01	0.12	26.8	1.1	16.7	1.4	72.2	<0.01	0.2	0.2
CC40140		0.26	166	3660	31.6	17.3	0.002	0.14	49.3	1.6	28.8	2.3	78.2	<0.01	0.27	0.4
CC40141		0.15	158.5	2670	51.4	15.5	0.001	0.05	45.1	2	14.7	1.6	43.9	<0.01	0.21	0.5
CC40142		0.82	203	1740	38.4	34.4	<0.001	0.01	25.9	6.2	8.3	1.6	40.2	<0.01	0.15	3.5
CC40143		0.98	86.1	1450	28.1	28.3	0.001	0.06	17	3.3	6.8	1.5	33.7	<0.01	0.1	0.9
CC40144		0.74	199.5	2980	92	26.5	0.003	0.13	67.2	4.2	20.9	4.9	100.5	0.01	0.29	1.1
CC40145		1.52	64.2	1130	48.7	28.9	<0.001	0.05	18.4	3.8	3.7	2.8	26.9	0.01	0.09	1.2
CC40146		1.67	166.5	1840	109.5	43.5	0.001	0.07	73.3	7.4	7.9	5	45.1	0.01	0.16	5.6
CC40147		1.26	156	1300	87	37.4	0.001	0.1	48.6	5.3	5.7	4.4	32.7	<0.01	0.15	2.7
CC40148		1.31	305	2040	50.2	47.3	0.005	0.05	36.4	7.7	10.3	2.8	60.2	0.01	0.19	3.9
CC40149		1.03	175.5	1680	24	38.8	0.001	0.06	22.5	5	6.7	1.3	43.7	<0.01	0.13	1.8
CC40150		0.11	461	6060	178.5	13.2	0.001	0.09	121	5.6	31.3	1.1	97.8	0.01	0.49	1.1
CC40151		0.37	182.5	3720	92.1	20.5	0.01	0.17	59.1	4.1	30.8	2.5	89.9	0.01	0.4	1.2
CC40152		0.09	172	2800	67.6	18.9	0.001	0.06	47.4	1.7	18.1	2.3	37.7	<0.01	0.26	0.6
CC40153		0.07	94.1	3950	91.8	15	<0.001	0.15	32.2	0.3	13.2	1.2	83.2	<0.01	0.47	<0.2
CC40154		0.06	80.9	9870	83	10.5	0.001	0.19	23	0.2	12.6	1.9	178.5	<0.01	0.37	<0.2
CC40155		0.1	40.3	1890	43	6.9	0.001	0.12	11.15	0.2	8.8	0.5	26.6	<0.01	0.14	<0.2
CC40156		0.18	193.5	1510	27.4	20.2	0.001	0.08	16.9	4.6	4.3	0.7	16.2	<0.01	0.09	0.8
CC40157		0.21	481	2010	40.3	15.4	0.004	0.16	101.5	8.8	22.3	0.9	42.6	0.01	0.27	3.2
CC40158		0.44	238	5040	33.2	23.6	0.007	0.23	48	5.9	28.7	1.2	152.5	<0.01	0.22	4.2
CC40159		0.53	209	5960	46.8	28.7	0.005	0.27	53.8	3	40.9	1	117.5	<0.01	0.3	0.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STRATEGIC NI

Finalized Date: 26-SEP-2007
Account: MTT

CERTIFICATE OF ANALYSIS VA07094499

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC40137		0.011	0.33	3.45	223	0.61	7.96	317	<0.5
CC40138		0.015	0.32	2.68	146	0.53	7.94	554	0.6
CC40139		0.01	1.38	18.2	394	0.42	21.1	3180	1.5
CC40140		0.009	2.81	17.4	975	0.7	21.6	1330	2
CC40141		0.011	1.53	7.05	587	1.27	15.15	1305	0.8
CC40142		0.062	1.69	9.04	516	0.44	26.4	2060	2.5
CC40143		0.057	1.02	5.34	334	0.42	14	780	1.1
CC40144		0.04	2.32	15.45	691	0.66	29.9	2380	1.4
CC40145		0.078	0.53	3.56	141	0.46	13.5	427	1.7
CC40146		0.095	0.93	7.57	304	0.55	23.4	2090	4.8
CC40147		0.075	0.74	5.23	300	0.41	15.85	1480	3.1
CC40148		0.084	1.7	14.25	666	0.58	27.4	4790	5.2
CC40149		0.061	1.25	5.75	411	0.51	14.1	2130	3.2
CC40150		0.007	1.58	16.85	512	1.51	38	3830	0.7
CC40151		0.027	2.31	14.6	801	0.71	25.4	2060	<0.5
CC40152		0.012	1.34	8.99	441	0.41	16.35	1975	0.9
CC40153		<0.005	0.96	9.2	458	0.98	7.33	506	<0.5
CC40154		<0.005	0.49	15	314	1.06	21.4	405	<0.5
CC40155		<0.005	0.35	2.98	156	0.29	5.23	272	<0.5
CC40156		0.014	0.63	3.82	125	0.47	16.75	1410	0.8
CC40157		0.011	2.56	9.94	709	0.93	44	7400	0.7
CC40158		0.025	2.93	19.4	838	0.58	38.5	2640	3.6
CC40159		0.027	3.25	22.5	1720	0.79	32.4	1330	1.6

Comments: Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by ME-MS41 are semi-quantitative due to the small sample weight used (0.5g).

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on Harken 1-22 mineral claims on Claim Sheet 105I/12 is accurate.

Joan Mariacher

Sworn before me at Vancouver, B.C.

this 8th day of August, 2008.

C. R.

Notary Public, Yukon Territory



RXL

Statement of Expenditures
Harken 1-22 Mineral Claims
August 6, 2008



PKC

Labour

H. Blumenthal – geologist – August 19, 2007 – 1 day @ $480/day		$508.80
D. Gregory – geologist – August 19, 2007 – 1 day @ $480/day	508.80	
– October 2007 to December 2007 – 30 1/2hrs @ $60/hr	1,939.80	
– January 2008 to March 2008 – 48 3/4hrs @ $60/hr	3,071.25	5,519.85
A. Kjos – field assistant – August 19, 2007 – 1 day @ $520/day		551.20
R. Preston – field assistant – August 19, 2007 – 1 day @ $304/day		322.24
C. Shook – field assistant – August 19, 2007 – 1 day @ $304/day		322.24
M. Wittstock – field assistant – August 19, 2007 – 1 day @ $304/day		322.24
C. Duignan – field assistant – August 19, 2007 – 1 day @ $272/day		288.32
		7,834.89

Expenses

Field room and board – 7 days @ $125/day	927.50
ALS Chemex	2,407.13
Capital Helicopters – Bell 206 @ $1,000/hr plus fuel	4,311.29
	7,645.92

Total $15,480.81

148 samples taken – $104.60/sample

CLAIM NAME	GRANT #	# OF SAMPLES	COST
Harken 4	YC71857	3	$ 313.80
5	YC71858	19	1,987.40
6	YC71859	10	1,046.00
7	YC71860	41	4,288.61
8	YC71861	18	1,882.80
9	YC71862	37	3,870.20
10	YC71863	20	2,092.00
		148	**$15,480.81**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
8/31/2007	339

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

BILLING PERIOD
AUGUST/07

Budget Item	Description	Qty/Hours	Rate	Amount
AC-11 AC House-Room & Board	AC House-Room & Board	26.50	120.00	3,180.00T
AC-10 Camp & Field Gear Rental	AC Camp & Field Gear Rental	73.00	60.00	4,380.00T
AC-14 Trailer Rental	18' Trailer Rental	3.00	125.00	375.00T
	FEES			
AC-06 Expediting	D.Huston	13.00	60.00	780.00T
AC-05 Labour	D.Arnold-Wallinger	24.00	50.00	1,200.00T
AC-05 Labour	J.Dampier	24.00	34.00	816.00T
AC-05 Labour	A.Fietz	24.00	34.00	816.00T
AC-08 Senior Supervision	D.Eaton	26.00	100.00	2,600.00T
AC-07 Office work	J.Mariacher	4.50	70.00	315.00T
AC-05 Labour	D.Gregory	68.00	60.00	4,080.00T
AC-07 Office work	M.Gonzalvo	8.00	34.00	272.00T
AC-05 Labour	A.Kjos	76.00	65.00	4,940.00T
AC- Labour	R.Preston	56.00	38.00	2,128.00T
AC- Labour	C.Shook	48.00	38.00	1,824.00T
AC-05 Labour	M.Wittstock	64.00	38.00	2,432.00T
AC-05 Labour	C.Duignan	80.00	34.00	2,720.00T
AC-06 Expediting	L.Corbett	13.25	60.00	795.00T
AC-05 Labour	N.Thomson-Gladish	5.00	34.00	170.00T
AC-05 Labour	H.Blumenthal	56.00	60.00	3,360.00T
AC-07 Office work	J.Itkin	3.00	40.25	120.75T
AC-07 Office work	G.Walker	3.00	34.00	102.00T
	EXPENSES			
IA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#44667		131.79	131.79T
IA-13 Claim Staking	Capital Helicopters - Inv#10629		16,655.98	16,655.98T
IA-23 Non-AC Room & Board	TND Hotel - Inv#0014		96.75	96.75T
IA-23 Non-AC Room & Board	TND Hotel - Inv#0020		205.98	205.98T
IA-22 Camp Food & Consuma...	Riverdale Super A - Inv#38064		1,155.84	1,155.84T
A-30 Non-AC Miscellaneous	Inte Graphics - Inv#79383		35.34	35.34T
A-26 Truck Rental & Fuel	Sunrise Service Center - Inv#44700		84.79	84.79T
IA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#4608		164.90	164.90T
IA-26 Truck Rental & Fuel	L.Corbett - PC-AUG.17/07		37.26	37.26T
IA-30 Non-AC Miscellaneous	L.Corbett - PC-AUG.17/07		11.42	11.42T
IA-25 Shipping & Trucking	Greyhound - Inv#3581741		31.72	31.72T
A-26 Truck Rental & Fuel	Watson Lake Motors - Inv#3611		275.94	275.94T

Subtotal

GST

Total Payable

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
10/31/2007	461

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		BILLING PERIOD		
		OCTOBER/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
	OTHER SERVICES			
AC-11 AC House-Room & Board	AC House-Room & Board	0.50	120.00	60.00T
	FEES			
AC-07 Office work	M.Gonzalvo	8.00	34.00	272.00T
AC-05 Labour	D.Gregory	2.50	60.00	150.00T
AC-07 Office work	S.Newman	3.00	34.00	102.00T
AC-07 Office work	G.Walker	2.75	34.00	93.50T
AC-07 Office work	D.Gregory	47.00	60.00	2,820.00T
AC-08 Senior Supervision	R.Carne	32.00	125.00	4,000.00T
AC-08 Senior Supervision	D.Eaton	5.00	100.00	500.00T
AC-07 Office work	J.Itkin	4.00	64.00	256.00T
AC-07 Office work	J.Mariacher	1.50	70.00	105.00T
	EXPENSES			
NA-25 Shipping & Trucking	Greyhound - Inv#3630386		60.75	60.75T
NA-26 Truck Rental & Fuel	Sunrise Service Center - Inv#5002		114.03	114.03T
SMD Aquisitions	Coureur Des Bois - Inv#1192 - Harlot		4,000.00	4,000.00T
SMD Aquisitions	Coureur Des Bois - Inv#1192 - Harlow		7,125.00	7,125.00T
NA-24 Airfare & Transportation	JM visa - #3744		162.89	162.89T
NA-25 Shipping & Trucking	Greyhound - Inv#3658335		8.64	8.64T
NA-30 Non-AC Miscellaneous	Yukon Honda - Inv#18043		48.90	48.90T
NA-02 Helicopter+Fuel	Fireweed Helicopters - Inv#2044		4,845.00	4,845.00T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#40168		276.75	276.75T
SMD Aquisitions	Trans North Helicopters - Inv#42076 - Halow/Harlot		6,311.70	6,311.70T
SMD Aquisitions	Trans North Helicopters - Inv#42079 - Harlow		4,110.30	4,110.30T
SMD Aquisitions	Trans North Helicopters - Inv#42078 - Harlow		1,128.90	1,128.90T
NA-02 Helicopter+Fuel	Trans North Helicopters - Inv#42078 - Harlow		2,257.80	2,257.80T
NA-26 Truck Rental & Fuel	Norcan Leasing - Inv#NOR-20434		185.10	185.10T
	Total Expenses			30,635.76
AC-01 Management Fee	Management Fee		8.00%	2,450.86T
AC-01 Management Fee	Management Fee on Field Account	8,983.14	0.08	718.65T
	Business Number: 100247667			
	Subtotal			**$42,163.77**
	GST			**$2,529.83**
	Total Payable			**$44,693.60**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Invoice Date	Invoice #
11/30/2007	512

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		BILLING PERIOD		
		NOVEMBER/07		
Budget Item	**Description**	**Qty/Hours**	**Rate**	**Amount**
AC-07 Office work	D.Gregory	39.00	60.00	2,340.00T
AC-08 Senior Supervision	D.Eaton	7.00	100.00	700.00T
AC-08 Senior Supervision	R.Carne	18.00	125.00	2,250.00T
AC-07 Office work	J.Lane	26.00	50.00	1,300.00T
AC-07 Office work	J.Itkin	4.25	64.00	272.00T
AC-07 Office work	J.Mariacher	0.75	70.00	52.50T
AC-07 Office work	M.Gonzalvo	1.00	38.00	38.00T
AC-07 Office work	H.Smith	1.50	65.00	97.50T
	EXPENSES			
NA-13 Claim Staking	Big Salmon Air - Inv#3579		1,032.00	1,032.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3580		1,032.00	1,032.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3581		1,032.00	1,032.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3583		258.00	258.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3584		2,064.00	2,064.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3586		1,634.00	1,634.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3587		1,032.00	1,032.00T
NA-13 Claim Staking	Big Salmon Air - Inv#3588		420.00	420.00T
NA-30 Non-AC Miscellaneous	J.Lane EXP-NOv.20/07		397.50	397.50T
NA-13 Claim Staking	Coureur Des Bois - Inv#1260		9,600.00	9,600.00T
NA-13 Claim Staking	Coureur Des Bois - Inv#1260		3,600.00	3,600.00T
NA-13 Claim Staking	Trans North Helicopters - Inv#42096		5,629.20	5,629.20T
NA-13 Claim Staking	Trans North Helicopters - Inv#42097		5,162.25	5,162.25T
NA-13 Claim Staking	Trans North Helicopters - Inv#42098		1,806.24	1,806.24T
NA-13 Claim Staking	Trans North Helicopters - Inv#42099		3,720.30	3,720.30T
NA-13 Claim Staking	Trans North Helicopters - Inv#42100		1,975.58	1,975.58T
NA-26 Truck Rental & Fuel	AON Reed Stenhouse - 2007 truck insurance		200.41	200.41T
	Total Expenses			40,595.48
AC-01 Management Fee	Management Fee		8.00%	3,247.64T
AC-01 Management Fee	Management Fee on Field Account	670.69	0.08	53.66T
	Business Number: 100247667			
	Subtotal			**$50,946.78**
	GST			**$3,056.81**
	Total Payable			**$54,003.59**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Date	Invoice #
12/31/2007	568

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		Billing Period		
		DECEMER/2007		
Budget Item	**Description**	**Qty**	**Rate**	**Amount**
AC-07 Office work	D.Gregory	36.00	60.00	2,160.00T
AC-08 Senior Supervis...	R.Carne	54.00	125.00	6,750.00T
AC-07 Office work	J.Lane	16.00	50.00	800.00T
AC-07 Office work	S.Eaton	1.00	65.00	65.00T
AC-08 Senior Supervis...	D.Eaton	2.00	100.00	200.00T
AC-07 Office work	J.Mariacher	2.50	70.00	175.00T
AC-07 Office work	G.Walker	1.00	34.00	34.00T
AC-07 Office work	S.Newman	0.25	38.00	9.50T
AC-07 Office work	J.Itkin	8.00	64.00	512.00T
	GST On Sales		6.00%	642.33
	Subtotal			**$10,705.50**
T No. 100247667	**GST Total**			**$642.33**
	Total Payable			**$11,347.83**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Date	Invoice #
1/31/2008	647

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		Billing Period		
		JANUARY/2008		
Budget Item	**Description**	**Qty**	**Rate**	**Amount**
	ARCHER,CATHRO SERVICES & SUPPLIES			
NA-25 Shipping & Tr...	J.Mariacher - PC-Jan.10/08 - shipping		10.49	10.49T
NA-13 Claim Staking	Coureur Des Bois - Inv#1271		2,550.00	2,550.00T
NA-13 Claim Staking	Trans North Helicopters - Inv#42880		4,402.71	4,402.71T
	Total Expenses			6,963.20
	ARCHER,CATHRO SERVICES & SUPPLIES			
AC-01 Management ...	Management Fee on Non-Archer,Cathro Services & Supplies		8.00%	557.06T
AC-07 Office work	S.Newman	11.50	38.00	437.00T
AC Office work	D.Gregory	140.00	60.00	8,400.00T
AC-08 Senior Super...	R.Carne	29.00	125.00	3,625.00T
AC-08 Senior Super...	D.Eaton	2.00	100.00	200.00T
AC-07 Office work	G.Walker	2.75	34.00	93.50T
AC-07 Office work	J.Itkin	11.00	64.00	704.00T
	GST charged		5.00%	1,048.99
	Subtotal			**$20,979.76**
GST No. 100247667	**GST Total**			**$1,048.99**
	Total Payable			**$22,028.75**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Date	Invoice #
2/29/2008	697

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		Billing Period		
		FEBRUARY/2008		
Budget Item	**Description**	**Qty**	**Rate**	**Amount**
	NON-ARCHER, CATHRO SERVICES & SUPPLIES			
VA-28 Government Fees	Yukon Govt - land use permit		200.00	200.00T
VA-25 Shipping & Trucki...	J.Mariacher - PC-Feb.18/08 - shipping		5.99	5.99T
VA-25 Shipping & Trucki...	J.Mariacher - PC-Feb.18/08 - shipping		6.59	6.59T
	Total Expenses			212.58
	ARCHER, CATHRO SERVICES & SUPPLIES			
AC-01 Management Fee	Management Fee on Non-Archer,Cathro Services & Supplies		8.00%	17.01T
AC-07 Office work	D.Gregory	52.00	60.00	3,120.00T
AC-08 Senior Supervision	R.Carne	7.00	125.00	875.00T
AC-07 Office work	J.Itkin	5.75	64.00	368.00T
AC-07 Office work	M.Gonzalvo	0.50	38.00	19.00T
AC-07 Office work	S.Newman	27.00	38.00	1,026.00T
AC-07 Office work	G.Walker	6.75	34.00	229.50T
AC-20 AC Miscellaneous	Claim posts - Sep/07	220.00	5.75	1,265.00T
	GST charged		5.00%	356.60
	Subtotal			**$7,132.09**
GST No. 100247667	**GST Total**			**$356.60**
	Total Payable			**$7,488.69**

Archer, Cathro & Associates
(1981) Limited
#1016 - 510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Invoice

Date	Invoice #
3/31/2008	753

Bill To

STRATEGIC NICKEL PROJECT
Strategic Metals Ltd.

		Billing Period		
		MARCH/2008		
Budget Item	**Description**	**Qty**	**Rate**	**Amount**
	ARCHER, CATHRO SERVICES & SUPPLIES			
AC-08 Senior Supervision	R.Carne	1.00	125.00	125.00T
AC-07 Office work	G.Walker	1.00	34.00	34.00T
AC-07 Office work	D.Gregory	3.00	60.00	180.00T
AC-07 Office work	J.Itkin	0.50	64.00	32.00T
	GST charged		5.00%	18.55
	Subtotal			**$371.00**
GST No. 100247667	**GST Total**			**$18.55**
	Total Payable			**$389.55**

CAPITAL HELICOPTERS (1995) INC.
Suite 3 - 25 Pilgrim Place, Whitehorse, Y.T. Y1A 6E6
Phone: (867) 668-6200 Fax: (867) 668-6201
capitalheli@polarcom.com



Charter and Contract Service

INVOICE

NO. 10648

DATE 24/08/2007

SOLD TO
Archer Cathro
Suite 1016, 510 West Hastings
Vancouver, B. C. V6B 1L8

SHIP TO
Archer Cathro
Suite 1016, 510 West Hastings
Vancouver, B. C. V6B 1L8

ITEM NO.	QUANTITY	UNIT	DESCRIPTION	GST	PST	UNIT PRICE	AMOUNT
Aug 16	4.6	hrs	s/o & p/u Harlot (1.5hrs Plata)	G		1,000.00	4,600.00
	6.5	hrs	s/o & p/u Harlow (4.7hrs Road)	G		1,000.00	6,500.00
	5.4	hrs	s/o & p/u Harvest (3. hrs Road)	G		1,000.00	5,400.00
	5.3	hrs	s/o & p/u Harkin (2.1hrs Plata demob)	G		1,000.00	5,300.00
	3.4	hrs	s/o & p/u Ross River (2hrs Harvest .4 Harlot 1Ross)	G		1,000.00	3,400.00
	3.9	hrs	Ross River-Traffic Mtn-Hy-WatsonHy (2hrsUno 1.9 hrs Hy)	G		1,000.00	3,900.00
	6.6	hrs	s/o & p/u - Trani	G		1,000.00	6,600.00
	2.0	hrs	Watson - YXY	G		1,000.00	2,000.00
	57.0	ltrs	fuel@Faro	G		1.75	99.75
	817.0	ltrs	fuel@Watson	G		1.38	1,127.46
	570.0	ltrs	fuel@Whitehorse	G		1.32	752.40
			G - GST 6.00%				
			GST				2,512.78

Capital Helicopters (1995) Inc. GST: #899587984

Thank You! Your Business Is Appreciated!

COMMENTS

TOTAL 44,392.39

2512.78

Harlot - 4382.14
Harlow - 2597.80
Harkin - 4067.25 + 244.04 = 4311.29
Harvest - 5226.79
Hy - 1994.27
Plata - 12385.40
Trani - 9026.68
Uno - 2099.23

44392.39

Fold at > to fit 30A Double Window Envelope

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1607043

BILLING INFORMATION

Certificate:	**VA07094499**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**26-SEP-2007**
Project:	STRATEGIC NI
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
1	BAT-01	Administration Fee	22.50	22.50
223	PREP-41	Dry, Sieve (180 um) Soil	0.94	209.62
40.66	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	60.99
4	ME-OG46	Ore Grade Elements - AquaRegia	1.50	6.00
4	Zn-OG46	Ore Grade Zn - Aqua Regia	1.50	6.00
223	GEO-AR01	Aqua regia digestion	2.25	501.75
4	ASY-AR01	Assay Aqua Regia Digestion	3.75	15.00
223	ME-MS41	51 anal. aqua regia ICPMS	11.81	2,633.63

HARKEN – 31 SOIL SAMPLE -$509.18

POSTED

SUBTOTAL (CAD)	$	3,455.49
R100938885 GST	$	207.33
TOTAL PAYABLE (CAD)	**$**	**3,662.82**

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1607075

BILLING INFORMATION

Certificate:	**VA07094498**
Sample Type:	**Soil**
Account:	**MTT**
Date:	**26-SEP-2007**
Project:	STRATEGIC NI
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

QUANTITY	ANALYSED FOR CODE -	DESCRIPTION	UNIT PRICE	TOTAL
241	PREP-41	Dry, Sieve (180 um) Soil	0.94	226.54
39.78	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.50	59.67
241	ME-MS41	51 anal. aqua regia ICPMS	11.81	2,846.21
241	GEO-AR01	Aqua regia digestion	2.25	542.25
2	ME-OG46	Ore Grade Elements - AquaRegia	1.50	3.00
2	ASY-AR01	Assay Aqua Regia Digestion	3.75	7.50
2	Zn-OG46	Ore Grade Zn - Aqua Regia	1.50	3.00

HARKEN - 117 SOIL SAMPLE -$1897.95

POSTED

SUBTOTAL (CAD)	$	3,688.17
R100938885 GST	$	221.29
TOTAL PAYABLE (CAD)	**$**	**3,909.46**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1