

GEOCHEMICAL

REPORT

FLUSH 1- 6 CLAIMS

YC60340 – YC60345

NTS # 115 J \ 15

LAT: 64° 39 N

LONG: 138° 33 W

WHITEHORSE MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JULY 18, 2008

DATE OF REPORT OCTOBER 19, 2008

TABLE OF CONTENT

1.0	Summary	p.3
2.0	INTRODUCTION	p.3
3.0	PROJECT LOCATION	p.3
4.0	ACCESS	p.3
5.0	GEOLOGY	p.3
5.1	REGIONAL GEOLOGY	p.3
6.0	WORK PERFORMED / METHODS	p.4
6.1	Soil Survey	p.4
7.0	INTERPRETATION	p.4
7.1	Soil Survey	p.4
8.0	RECOMMENDATION	p.4
9.0	REFERENCES CITED	p.4
10.0	Cost	p.5
11.0	Qualification	p.5
12.0	Claim Map	p.6
	Geology Map	Figure 1
	Arsenic Soil geochemistry map	Figure 2
	Bismuth Soil geochemistry map	Figure 3
	Assay Data / GPS Soil Location Data	Appendix

1.0 SUMMARY

The Flush Claims had one soil samplers (Mathew McHugh) visit the property on July 18, 2007. The soil survey was following up on anomalous antimony soil sample taken by Prospector International Resources Inc. A total of 33 soils were collected on the project with 16 soils taken off the claims. The results did not indicate any real soil anomalies in the area sample.

2.0 INTRODUCTION

The Flush Claims were staked to cover an area of anomalous antimony soil that were taken by Prospector International Resources Inc. No real soil anomalies were detected.

3.0 LOCATION

The Flush claims are located 14 kilometers east of Casino deposit. ; It's in Whitehorse Mining Division, on NTS sheet # 115 J / 15 at the latitude 62°46'N and longitude 138°33'W.

4.0 ACCESS

The Flush claims can be reached via helicopter from Dawson City (147 kilometers north north-west) or Carmacks (140 kilometers south east).

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

The Yukon geology map indicates the Flush Claims are covering one main rock unit (DMN3). A **DEVONIAN, MISSISSIPPIAN**, graphitic quartzite and muscovite quartz-rich schist, quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage.

6.0 WORK PERFORMED / METHODS

6.1 Soil Survey

The Flush Claims had 1 man days of soil work on the claims collecting 33 soils.

All soil sample where taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil sample location where marked on the ground with orange flagging and recorded in Garmin GPS. About 400-500 grams of soil was collected and place in well mark kraft soil bags.

All sample where brought out to Dawson and air dried repacked in rice bags and sent to Acme Labs in Vancouver. Sample where process with Aqua Regia ICP-MS for 36 elements.

The GPS where downloaded every night and store in a personal computer.

7.0 INTERPRETATION

7.1 Soil Survey

The soil survey indicated a very low geochemical response. Not much could be interpreted from these results other than there is low level arsenic and Antimony anomalies coming from the area.

8.0 RECOMMENDATION

The regional soil work did not indicated any real high soil anomalies so no more work is recommended at this time.

9.0 REFERENCES CITED

Prospector International Resources Inc, 2000. Assessment Report # 094062 by Bart J. Jaworski , Brian Meyer.

Prospector International Resources Inc, 2001. Assessment Report # 094213 by Bart J. Jaworski , Marcus Vanwermeskerken .

10.0 COST

Wage 1 man days @ \$330.00 per day	\$330.00
Assay Cost 20 soil @ \$20.00 per sample	\$400.00
Helicopter Cost .4 hour @ \$1,250.00 per hour	\$500.00
Report writing	\$300.00
Total	\$1,530.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson City.

I have worked in the exploration business for the last 25 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked the last 12 years as a local prospector for myself.

I have overseen the entire Flush Soil Survey.

I own 100% of the Flush claims.


Dated this 19 of October 2008 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan

12.0 CLAIM MAP

Claim Map



NTS 115 J / 15

Royal / Flush Claims




Figure 1

Yukon Geology Map

Yukon Geology Description

UPPER CRETACEOUS



uKC: CARMACKS

a volcanic succession dominated by basic volcanic strata (1), but including felsic volcanic rocks dominantly (?) at the base of the succession (2) and locally, basal clastic strata (3) (70 ma approx)

2. acid vitric crystal tuff, lapilli tuff and welded tuff including feeder plugs and necks; felsic volcanic flow rocks and quartz feldspar porphyries; green and purple massive tuff-breccia with feldspar phyric fragments (**Carmacks Gp., Donjek Volcanics, some rocks formerly mapped as Mt. Nansen Gp.; the felsic part of the Carmacks Gp. is difficult to distinguish from similar Tertiary and mid-Cretaceous (Mt. Nansen) felsic volcanic strata**)

LATE CRETACEOUS TO TERTIARY



LKP: PROSPECTOR MOUNTAIN SUITE

grey, fine to coarse grained, massive, granitic rocks of felsic (q) intermediate (g) rarely mafic (d) composition and related felsic dykes (f)

- d. coarsely crystalline gabbro and diorite
- q. quartz monzonite, biotite quartz-rich granite; porphyritic alaskite and granite with plagioclase and quartz-eye phenocrysts; biotite and hornblende quartz monzodiorite, granite, and leucocratic granodiorite with local alkali feldspar phenocrysts (**Prospector Mountain Suite, Carcross Pluton**)

MID-CRETACEOUS



mKW: WHITEHORSE SUITE

grey, medium to coarse grained, generally equigranular granitic rocks of felsic (q), intermediate (g), locally mafic (d) and rarely syenitic (y) composition

- d. hornblende diorite, biotite-hornblende quartz diorite and mesocratic, often strongly magnetic, hypersthene-hornblende diorite, quartz diorite and gabbro (**Whitehorse Suite, Coast Intrusions**)

LATE DEVONIAN TO MISSISSIPPIAN

DMPW

DMPW: PELLY GNEISS SUITE - SOUTHWEST

variably deformed granitic rocks of predominantly felsic (q) to intermediate composition (g) southwest of Tintina Fault

- g. foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (**Selwyn Gneiss, Pelly Gneiss, N. Fiftymile Batholith, Moose Creek Orthogneiss**)

DEVONIAN, MISSISSIPPIAN AND(?) OLDER


DMN


DMN: NASINA

graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)

3. quartzite, micaceous quartzite, quartz muscovite (+/-chlorite; +/- feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Nisling Assemblage
5. black-weathering, massive, dark grey to black strongly graphitic quartzite with lesser grey micaceous quartzite and quartz mica schist; commonly shows alternating light and dark grey colour lamination (**Nasina quartzite**)

DMN2





SAMPLES	UTM_	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
CFR 18029	Nad 83-07V	623250	6962683	1.4	36.5	13.4	60	0.2	32.2	14.6	1201	3.43	20.4	1.8	4.2
CFR 18030	Nad 83-07V	623347	6962730	2.3	62.4	10.8	145	0.2	59.8	13.4	444	4.7	37.1	0.7	1
CFR 18031	Nad 83-07V	623452	6962737	1.9	35.9	10.8	88	0.4	47.4	15.4	575	3.37	28.2	0.8	2.6
CFR 18032	Nad 83-07V	623555	6962759	2.1	25.9	10.5	87	0.6	38.9	12	406	3.41	17.1	0.6	1.2
CFR 18033	Nad 83-07V	623655	6962779	2.4	28	10.7	118	2.1	31.5	9.7	241	3.46	24.6	0.6	7.8
CFR 18034	Nad 83-07V	623755	6962807	2.2	80.9	9.8	92	0.1	67.3	19.6	820	4.45	78.5	0.6	1.5
CFR 18200	Nad 83-07V	623960	6962845	1.7	15.5	9.8	60	0.2	23	10.4	727	2.68	7.2	0.4	2.1
CFR 18201	Nad 83-07V	624061	6962874	1	35.1	3.8	92	0.1	71.8	33.4	386	6.09	2.8	0.9	0.5
CFR 18202	Nad 83-07V	624161	6962898	1.7	65.1	7.2	245	0.2	113.6	23.5	726	6.55	4	1.5	2.5
CFR 18203	Nad 83-07V	624266	6962899	2.4	31.2	12.5	65	0.1	26.4	10.4	320	3.84	29.7	1.1	3
CFR 18204	Nad 83-07V	624369	6962906	1.3	26.8	10.4	48	2	28.9	12.6	173	3.08	9.9	1	4.2
CFR 18205	Nad 83-07V	624468	6962927	2	32.9	117.1	111	1.4	42.5	15.2	574	3.74	39.2	0.7	3.5
CFR 18206	Nad 83-07V	624570	6962937	2.4	49.5	12.1	156	0.7	47.6	19.2	859	5.12	8.2	0.7	2
CFR 18207	Nad 83-07V	624659	6962988	1.5	21.1	12.8	120	0.9	24.6	24.4	2790	3.1	8.2	0.4	2.6
CFR 18208	Nad 83-07V	624738	6963054	1.4	35.3	11.8	68	0.4	51.6	19	487	3.95	23.6	0.9	2.5
CFR 18209	Nad 83-07V	624840	6963079	1.5	18.7	9.8	145	0.8	31.4	11.5	528	3.29	47.8	0.5	2.1
CFR 18210	Nad 83-07V	624942	6963058	1.2	31.3	10.6	70	0	32.4	11.4	245	3.35	15.2	1.4	4.4
CFR 18211	Nad 83-07V	625045	6963062	1.6	28	12.3	75	0.1	31	11.1	327	3.36	32.9	1.1	4
CFR 18212	Nad 83-07V	625146	6963062	1.2	21	9.4	63	0.2	22.3	8.6	299	2.54	20.9	0.5	0.8
CFR 18213	Nad 83-07V	625247	6963052	2.1	37.7	11.5	93	0.7	38.1	12.6	352	3.99	44.3	0.9	2.2
CFR 18214	Nad 83-07V	625343	6963083	2.4	44.4	12.6	138	0.5	50.9	27.4	1405	4.28	24.1	0.8	0.6
CFR 18215	Nad 83-07V	625442	6963118	1.6	33.5	7.9	88	0.2	129.2	24.1	370	4.25	13.5	1	2.1
CFR 18216	Nad 83-07V	623858	6962813	2.9	74.8	11.4	217	0	222.3	36.5	1020	6.96	16.4	1.4	3.4
CFR 18299	Nad 83-07V	625551	6963129	1.5	25.1	9.8	73	0.2	27.5	12.1	374	3.44	19.2	0.8	4
CFR 18300	Nad 83-07V	625660	6963126	2	17.2	8.9	91	0.7	22.5	11.9	1201	2.7	14.3	0.6	2.4
CFR 18301	Nad 83-07V	625760	6963140	1.8	23.6	8.6	71	0.2	32.4	9.8	296	3.11	25.5	0.6	1.9
CFR 18302	Nad 83-07V	625866	6963118	1.9	16.4	8.2	83	0.3	21.9	8.9	221	2.76	13.1	0.5	2.8
CFR 18303	Nad 83-07V	625967	6963107	2.1	39	9.1	235	0.5	39.7	16.3	576	3.41	25.7	0.9	1.7
CFR 18304	Nad 83-07V	626067	6963106	1.7	22.6	8.2	150	0.4	37.3	13.3	285	2.9	15.2	0.6	1.5
CFR 18305	Nad 83-07V	626168	6963115	1.1	16.9	7.4	77	0.2	25.1	9.9	259	2.38	15.1	0.5	1.1
CFR 18306	Nad 83-07V	626270	6963124	1.6	27	8.4	69	0.5	32.1	17.5	1524	2.88	24.8	0.6	1.7
CFR 18307	Nad 83-07V	626369	6963117	1.9	31.8	8.2	82	0.2	31.9	9.9	276	2.86	39.5	1	2
CFR 18308	Nad 83-07V	626440	6963086	1.4	33.8	8.5	78	0.1	31.1	10.5	337	3.05	34.7	1.1	3.7

SAMPLES	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na
CFR 18029	2	34	0.2	2.8	0.2	69	1	0.058	15	40	0.54	2087	0.046	2	1.8	0.022
CFR 18030	4.7	8	0.4	5.4	0.1	169	0.08	0.035	11	96	1.05	304	0.187	1	2.5	0.005
CFR 18031	3.6	22	0.5	2.3	0.2	90	0.23	0.029	12	58	0.69	510	0.084	1	2.13	0.011
CFR 18032	2.7	17	0.4	1.1	0.2	95	0.16	0.036	10	46	0.61	390	0.084	1	2.38	0.01
CFR 18033	3	14	0.8	1.2	0.2	112	0.12	0.052	9	44	0.56	264	0.058	1	2.27	0.007
CFR 18034	5.5	10	0.4	10.1	0.2	86	0.17	0.063	15	78	1.15	327	0.166	1	2.19	0.007
CFR 18200	2.2	15	0.3	0.5	0.2	85	0.17	0.042	10	53	0.47	221	0.097	0	1.46	0.008
CFR 18201	1.5	25	0.2	0.2	0	127	0.83	0.156	14	52	1.76	682	0.278	0	2.93	0.024
CFR 18202	3	63	0.5	0.2	0.1	135	0.24	0.084	24	260	2.18	458	0.288	1	4.38	0.013
CFR 18203	4	18	0.2	1.7	0.3	97	0.14	0.032	15	48	0.61	200	0.097	1	2.41	0.009
CFR 18204	4.7	15	0.4	0.7	0.2	78	0.14	0.034	13	54	0.55	292	0.083	2	3.72	0.01
CFR 18205	3.4	16	0.5	2.5	0.3	92	0.15	0.026	13	47	0.53	304	0.064	1	2.52	0.009
CFR 18206	2.3	26	1	1	0.2	154	0.23	0.085	15	80	1.08	350	0.232	1	3.15	0.014
CFR 18207	2.3	25	0.9	0.7	0.4	81	0.29	0.067	11	37	0.44	332	0.092	1	1.76	0.014
CFR 18208	3.2	24	0.2	1.7	0.2	101	0.36	0.038	13	86	0.81	424	0.141	2	2.39	0.014
CFR 18209	2.7	22	0.6	1	0.2	94	0.24	0.035	10	42	0.5	361	0.083	1	1.82	0.011
CFR 18210	4.9	21	0.3	0.8	0.2	84	0.24	0.043	17	51	0.62	218	0.089	1	2.27	0.011
CFR 18211	3.3	21	0.3	1	0.2	85	0.2	0.032	14	42	0.5	321	0.084	1	2.11	0.01
CFR 18212	0.2	16	1.4	1.2	0.2	79	0.15	0.04	10	34	0.34	218	0.046	1	1.42	0.011
CFR 18213	3.4	23	0.5	2.5	0.2	118	0.24	0.042	13	57	0.66	305	0.114	2	2.29	0.009
CFR 18214	2.3	25	0.9	2.3	0.2	115	0.21	0.047	11	46	0.58	275	0.087	1	2.02	0.009
CFR 18215	5.8	36	0.3	0.7	0.2	126	0.4	0.06	10	167	2.03	303	0.24	1	3.27	0.042
CFR 18216	2.3	29	0.5	1.8	0.2	293	0.55	0.171	16	449	2.78	402	0.301	1	4.13	0.013
CFR 18299	3.8	23	0.3	1	0.2	80	0.21	0.04	11	39	0.53	245	0.081	0	2.19	0.01
CFR 18300	3.1	24	1	1.2	0.2	67	0.23	0.041	12	30	0.47	276	0.074	0	1.76	0.015
CFR 18301	3.1	30	0.3	1.5	0.3	85	0.28	0.044	11	52	0.71	225	0.115	1	1.85	0.012
CFR 18302	2.4	24	0.6	1	0.2	79	0.17	0.033	11	34	0.49	168	0.074	1	1.87	0.015
CFR 18303	2.7	42	0.9	1.1	0.2	130	0.38	0.09	15	60	0.87	507	0.127	1	2.35	0.014
CFR 18304	3	21	0.7	2.1	0.1	82	0.2	0.045	10	36	0.52	249	0.067	0	1.85	0.011
CFR 18305	2.8	28	0.3	2.4	0.1	67	0.32	0.023	11	30	0.53	270	0.088	1	1.61	0.016
CFR 18306	3.2	40	0.4	3.2	0.2	76	0.45	0.024	12	34	0.48	630	0.089	1	1.74	0.02
CFR 18307	4	33	0.1	4.1	0.2	89	0.36	0.032	13	41	0.61	355	0.116	1	1.81	0.016
CFR 18308	4.4	37	0.1	3.5	0.2	77	0.46	0.041	16	37	0.61	345	0.11	2	1.75	0.023

SAMPLES	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis__	Acme_file_#__
CFR 18029	0.04	0.1	0.23	7.2	0.4	0	5	0.5	1DX - 15.0 GM	A705672
CFR 18030	0.5	0.2	0.02	8.6	1	0	11	1	1DX - 15.0 GM	A705672
CFR 18031	0.07	0.2	0.05	5	0.3	0	7	0.8	1DX - 15.0 GM	A705672
CFR 18032	0.08	0.1	0.09	4.3	0.8	0	7	0.5	1DX - 15.0 GM	A705672
CFR 18033	0.06	0.2	0.05	3.1	0.2	0	7	1	1DX - 15.0 GM	A705672
CFR 18034	0.55	0.1	0.01	5.9	0.4	0	8	1	1DX - 15.0 GM	A705672
CFR 18200	0.07	0.1	0.01	2.4	0.1	0	7	0	1DX - 15.0 GM	A705672
CFR 18201	1.02	0.1	0.02	7	0.5	0	15	0	1DX - 15.0 GM	A705672
CFR 18202	1.31	0	0	4	0.7	0.27	13	1.4	1DX - 15.0 GM	A705672
CFR 18203	0.09	0.2	0.02	4.1	0.3	0	8	0.8	1DX - 15.0 GM	A705672
CFR 18204	0.06	0.1	0.07	5.1	0.2	0	7	0.8	1DX - 15.0 GM	A705672
CFR 18205	0.04	0.1	0.05	3.9	0.2	0	7	0.8	1DX - 15.0 GM	A705672
CFR 18206	0.29	0.1	0.03	5.4	0.3	0.08	13	0.8	1DX - 15.0 GM	A705672
CFR 18207	0.12	0.1	0.02	3.1	0.2	0	8	0	1DX - 15.0 GM	A705672
CFR 18208	0.08	0.2	0.01	5	0.3	0	9	0.5	1DX - 15.0 GM	A705672
CFR 18209	0.06	0.1	0.03	3.4	2.4	0	8	0	1DX - 15.0 GM	A705672
CFR 18210	0.06	0.2	0.03	4.9	0.3	0	7	0.8	1DX - 15.0 GM	A705672
CFR 18211	0.06	0.1	0.02	4	0.4	0	7	0.5	1DX - 15.0 GM	A705672
CFR 18212	0.06	0.1	0.01	1.3	0.3	0	7	0	1DX - 15.0 GM	A705672
CFR 18213	0.08	0.1	0.03	4.4	0.4	0	9	0.7	1DX - 15.0 GM	A705672
CFR 18214	0.07	0.1	0.03	4.7	1.4	0	9	0.8	1DX - 15.0 GM	A705672
CFR 18215	0.34	0.2	0.01	3	0.5	0	9	0.6	1DX - 15.0 GM	A705672
CFR 18216	1.24	0.2	0	8.6	1	0	16	1.3	1DX - 15.0 GM	A705672
CFR 18299	0.09	0.2	0.02	3.7	0.1	0	6	0.5	1DX - 15.0 GM	A705672
CFR 18300	0.05	0.1	0.02	3.2	0.2	0	6	0	1DX - 15.0 GM	A705672
CFR 18301	0.15	0.2	0.01	3.7	0.2	0	6	0.6	1DX - 15.0 GM	A705672
CFR 18302	0.08	0.1	0.01	3.3	0.2	0	7	0.5	1DX - 15.0 GM	A705672
CFR 18303	0.37	0.2	0.01	4.6	0.3	0.08	8	1.2	1DX - 15.0 GM	A705672
CFR 18304	0.12	0.1	0.01	3.3	0.2	0	6	0.6	1DX - 15.0 GM	A705672
CFR 18305	0.11	0.1	0.01	3.3	0.1	0	5	0	1DX - 15.0 GM	A705672
CFR 18306	0.15	0.1	0.03	3.9	0.2	0	6	0.6	1DX - 15.0 GM	A705672
CFR 18307	0.35	0.1	0.01	4.5	0.3	0	6	0.9	1DX - 15.0 GM	A705672
CFR 18308	0.26	0.1	0.02	5.1	0.2	0	5	1.1	1DX - 15.0 GM	A705672