

JAMES WOODS

PO Box 553

Faro, YT

Y0B 1K0



REPORT ON GEOCHEMICAL SAMPLING OF
THE QUAD CLAIMS
SOLITARY CREEK, YUKON

AUG 01 TO SEP 23 , 2008

095 093

Claims: Quad 61-66, Quad 87-88
Grant Numbers: YC82922-25, YC83594-97

Whitehorse Mining District
NTS 105L01

UTM 0548072 6880698

Registered Owner: JAMES WOODS
Operator: JAMES WOODS
PO BOX 553, Faro, Yukon Y0B 1K0

AUTHOR: J.I. Woods

08 January, 2009

TABLE OF CONTENTS

	PAGE
1. SUMMARY	4
2. INTRODUCTION	5
2.1 General	5
2.2 Claims	5
2.3 Location and Access	5
2.4 History	5
3. GEOLOGY	6
3.1 Regional Geology	6
3.2 Property Geology	6
4. 2008 FIELD WORK	7
4.1 Soil Sampling Program	7
4.2 Analytical Technique	7
5. DISCUSSION	8
5.1 Soil Sampling Results	8
6. CONCLUSIONS AND RECOMMENDATIONS	9
7. REFERENCES	10
8. CERTIFICATE	11

TABLES

	PAGE
TABLE 1: CLAIMS AND GRANT NUMBERS	5

ILLUSTRATIONS

FIGURE 1: LOCATION MAP	12
FIGURE 2: CLAIMS MAP	13
FIGURE 3: ZINC IN SOIL MAP	14
FIGURE 4: LEAD IN SOIL MAP	15
FIGURE 5: COPPER IN SOIL MAP	16

APPENDICES

APPENDIX 1: GEOCHEMICAL ANALYSIS CERTIFICATES	17
APPENDIX 2: SCHEDULE OF EXPLORATION EXPENSES	18

SUMMARY

The Quad Claims are located at the head waters of Solitary Creek, south east of Little Salmon Lake, 55km south west of Faro, Yukon. This report details geochemical surveying aimed at finding lode base metal deposits that might have contributed to these nearby high heavy metal anomalies, as shown in the President occurrence and many others.

INTRODUCTION

2.1 GENERAL

The property is owned by JAMES WOODS, PO BOX 553, Faro, Yukon, Y0B1K0. The area was stacked in 1957 as the Chopper claims and restacked as the Jack claims in 1988 and 1989.

2.2 CLAIMS

The property herein referred to "Quad" consists of 8 claims as tabled below. These claims are in good standing and the work described in this report will maintain them for additional years.

TABLE 1 – CLAIM AND GRANT NUMBERS

Quad 61 #YC82922 Quad 62 #YC82923 Quad 63 #YC82924 Quad 64 #YC82925
Quad 65 #YC83594 Quad 66 #YC83595 Quad 87 #YC83596 Quad 88 #YC83597

2.3 LOCATION AND ACCESS

The property is located in the Solitary Creek area, south of Little Salmon Lake on map 105L01 at grid 6880000, 548000. Access is done by helicopter or by quad on an old exploration road, starting at Pelly Camp on the Campbell Highway at mile marker 446, only if the rivers to be crossed are low.

2.4 HISTORY

The area was stacked in 1957 as the Chopper Claims and restacked as the Jack Claims in 1988 and 1989. Sediment and soil sampling, and trenching were carried out in 1990. In 1991 sampling and mapping was carried out with HLEM and IP geophysical surveys

GEOLOGY

3.1 REGIONAL GEOLOGY

The property consists of Lower Cambrian Harvey Group schist, gneisses, and marble underlie the area. They are passive continental margin sediments of the Cassair Terranes. Harvey Group rock are in fault contact to the west with Carboniferous to Permian basic volcanic, chert and tuff of the Slide Mountain Terrain. The Harvey Group is intruded by Cretaceous granites.

3.2 PROPERTY GEOLOGY

The Harvey Group Rocks are a high grade metamorphic assemblage of predominantly quartz-rich metasedimentary rocks, metapelite and marbles. Common lithologies include quartz-muscovite and quartz-muscovite-biotite schist, biotite-feldspar schist, garnet-biotite schist, quartzite, marble and amphibolites.

Carboniferous to Permian rocks are a low grade metamorphic assemblage of shale, greenstone and carbonate, variably sheared and foliated. Sub units include a light grey phyllite, micaceous shale, marble and limestone and foliated intermediate greenstone.

Cretaceous granite consists of a light, pale orange, blocky-weathering quartz-rich, variably foliated and sheared, biotite and hornblende-biotite alias kite, granite and quartz monzonite. Locally fine grained quartz-feldspar porphyry dykes and sills intrude rocks of the Harvey Group.

FIELD WORK

4.1 SOIL SAMPLING PROGRAM

Work took place from the 1th to 05 Aug and 17 to 23 Sept 2008. The program consisted of soil sampling on a grid pattern on a north to south baseline along the Quad claims. Each line was spaced at 100 meters with samples taken every 50 meters. A001-A012 was spaced 50 meters between G5, G6, and G7 lines.

A total of 151 samples were taken from the grid.

The samples were taken with a soil prod of 33" which was able to reach more into the "C" horizon. But with the area having heavy burden and seep and swamp areas, access depth was limited, except on the mountains where access was limited to the bedrock which is less than an inch.

4.2 ANALYTICAL TECHNIQUE

Details of the analytical procedures used in this program are shown on the geochemical analysis certificate as ME-MS41r 51 anal aqua regia ICPMS.

DISCUSSION

5.1 SOIL SAMPLING RESULTS

The analytical results are plotted on Figures 3,4,5 and 6. 3 silver anomalies (.8 PPM) were found from the soil samples taken. G06030 showed anomaly of .83 PPM, located east of Camp Lake. G06014 showed an anomaly of 1.92 PPM located south of Camp Lake across the President Creek. F012 has an anomaly of 1.08 PPM, located east of Camp Lake in the cliff side of the fault that follows the creek.

There are 3 areas that have copper anomalies (48 PPM). The first is north of Camp Lake, west of the creek, with 3 showings. G04035 (58.8 PPM), G05033 (74.9 PPM), and G05034 (47.5 PPM). The second one is at the top of the mountain east of Camp Lake and north of the lake on the mountain. Four showings were found up there, the first F014 (286 PPM) was found in a vein while the second to the fourth were found near the south of claims Quad 87 and 88. G14020 (50.5 PPM), G15020 (54 PPM), and G15019 (57.8 PPM). The third area is located on both sides of the fault trench located north east of Camp Lake and directly north of F014. F010 (67.4 PPM) located on the west side of the fault, while the fault is F011 (57.7 PPM) and F012 (333.0 PPM).

2 lead anomalies (50 PPM), G06014 (355.0 PPM) is located south of Camp Lake across the President Creek and the other across from Camp Lake to the east A004 (67.4 PPM) and A006 (72.4 PPM).


Zinc anomalies (129 PPM) occur across the north section of claims Quad 61 and 62, with G05036 (190 PPM), G07036 (154 PPM), G10035 (242 PPM) and G05033 (140 PPM). Also on the south of the claims and the north section of claims Quad 63 and 64, with A006 (224 PPM) and G06026 (184 PPM). G06014 has an anomaly of 773 PPM which is located south of President Creek, with G06009 (197 PPM). Zinc anomalies on the mountain, Quad 87 and 88 have 3 anomalies G15027 (478 PPM), G15020 (827 PPM) and G15019 (142 PPM).

CONCLUSIONS AND RECOMMENDATIONS

The author recommends additional exploration is undertaken consisting of the following:

1. Extension of the soil sampling grid to include the G10 to G17 and G2.
2. Due to the higher anomalies of zinc and other base metals located to the northern and southern of all claims, it is recommended that the claims be extended to include claims 59&60, 67&68, and 83 to 86 and 89 to 92.
3. Soil sampling of the grids G9 to G13 should be done asap in the new year.

Respectfully Submitted



James I Woods, P, CD, R'td

REFERENCES


- 1) Bloom, L, 2001. Writing geochemical reports. Guide lines for geochemical survey, 2nd edition. The Association of Exploration Geochemists Special Volume No 15, pg 38.
- 2) Bond, JD, 2007. A Guide to soil sampling in Yukon YGS Brochure 2007-2
- 3) Yukon geological survey, Yukon minfile 105L 001
- 4) Yukon Energy, Mines and Resources Mineral Branch, NTS MAP SHEET : 105L 01

CERTIFICATE

**1, JAMES WOODS, of PO BOX 553, FARO, in the Territory of the Yukon.
DO HEREBY CERTIFY:**



- 1. THAT I am a Prospector working independently in Faro, Yukon and I am a Canadian citizen over the age of nineteen.**
- 2. THAT I have taught myself prospecting and chemical analyst to the best of my ability. Taken the basic prospecting course in Faro, YT, Dec 2007.**
- 3. THAT I have been engaged in mineral exploration and mining for 15 years in the provinces of NOVA SCOTIA , NEW BRUNSWICK and YUKON TERRITORY.**
- 4. THAT I planned and actioned this program of work described in this project.**

SIGNED at Faro, Yukon Territory, this 14 January, 2009



JAMES WOODS, P, CD, R'Td

South of Little Salmon Lake Project



Legend

- Yukon Border - Surveyed
- Quartz Claims**
- Active
- Expired
- Land and Sea**
- Ocean
- Yukon
- Other

0 3.5 7 km.


Map center: 62°6' N, 134°15' W



Scale: 1:194,117


This map is a user generated static output from an Internet mapping site and is for general reference only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable. THIS MAP IS NOT TO BE USED FOR NAVIGATION.

Notes: PROJECT LOCATION MAP




1

Quad Property Zinc in soils (ppm)




Legend

- 5 - 30
- 31 - 95
- ◐ 96 - 145
- ◑ 146 - 245
- 246 - 827
- ▭ MINERAL_MIN_QCLAIMS



1




Quad Property Lead in soils (ppm)


Legend

Pb in ppm

- 1.300000 - 9.000000
- 9.000001 - 20.500000
- 20.500001 - 40.000000
- 40.000001 - 74.000000
- 74.000001 - 355.000000
- MINERAL_MIN_QCLAIMS



1




Quad Property Copper in soil (ppm)

Legend

Cu in ppm

- 2.600000 - 8.000000
- 8.000001 - 19.000000
- 19.000001 - 26.000000
- 26.000001 - 75.000000
- 75.000001 - 333.000000
- MINERAL_MIN_QCLAIMS



APPENDIX 1

GEOCHEMICAL ANALYSIS CERTIFICATE

NOTE: The some of the sampling was done outside of the claim grids. Not included in the claim cost scenario.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WOODS, JAMES**
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page:
Finalized Date: 1-SEP-200
This copy reported on 2-SEP-200
Account: WOOJAM

CERTIFICATE TR08107578

Project: Camp Lake

P.O. No.:

This report is for 61 Rock samples submitted to our lab in Terrace, BC, Canada on 15-AUG-2008.

The following have access to data associated with this certificate:

JAMES WOODS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **WOODS, JAMES**
528 DOUGLAS STREET
FARO YT Y0B 1K0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - 1
Total # Pages: 3 (A - D)
Plus Appendix Page:
Finalized Date: 1-SEP-2001
Account: WOOJAM

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
8A001		0.11	0.01	2	1.8	<0.2	10	820	0.84	0.08	2.5	0.1	26.8	10	20	0.99
8A002		0.14	0.05	0.25	5.9	<0.2	<10	860	0.12	0.04	0.5	0.04	1.7	4.3	13	0.13
8A003		0.17	0.05	0.23	85.5	<0.2	<10	90	0.06	0.04	0.05	0.11	5.56	0.8	10	0.73
8A004		0.22	0.21	0.07	23.3	<0.2	<10	140	<0.05	0.02	0.02	0.03	1.22	0.7	20	0.18
8A005		0.21	0.07	0.12	17.2	<0.2	<10	90	<0.05	0.05	0.08	0.02	1.86	0.7	13	0.14
8T001		0.21	0.02	2.05	0.3	<0.2	<10	70	0.85	0.05	0.94	0.06	172	8.9	44	5.54
8T002		0.23	0.01	0.64	0.4	<0.2	<10	80	0.32	0.11	0.11	0.02	43.8	6.9	15	2.39
8T003		0.28	0.01	0.3	0.5	<0.2	<10	50	0.26	0.04	0.17	0.03	48	8.7	12	1.04
8T004		0.59	<0.01	0.07	<2	<0.2	<10	10	0.13	0.02	>25.0	0.01	13.3	1.5	2	0.42
8T005		0.48	0.07	3.55	0.1	<0.2	<10	100	1.11	0.12	2.34	0.34	59.5	13.4	55	5.79
8T008		0.71	0.04	0.78	0.1	<0.2	<10	90	0.36	0.03	0.09	0.05	25.9	3.1	16	1.33
8T007		0.44	0.05	1.62	0.5	<0.2	<10	130	0.5	0.05	2.12	0.09	81.1	11	30	1.41
F0001		0.46	0.14	1.26	0.1	<0.2	<10	140	0.62	0.42	1.64	0.07	120.5	7.7	4	1.72
F0002		0.20	0.01	0.21	0.1	<0.2	<10	10	0.32	4.14	0.1	0.01	5.01	0.6	5	0.49
G08018		0.15	0.03	1.8	4.5	<0.2	<10	110	0.93	0.99	0.33	0.24	42	9.7	31	3.83
G08019		0.08	0.07	1.9	2	<0.2	<10	120	0.56	0.3	6.71	0.85	34.3	13.9	82	3.69
G08020		0.38	0.01	0.32	0.2	<0.2	<10	10	0.41	1.88	0.06	0.01	8.47	0.6	5	0.82
G08021		0.07	0.06	0.91	1.7	<0.2	<10	80	0.27	0.15	0.45	0.18	16.65	3.8	13	1.17
G08022		0.08	0.1	1.83	4.2	<0.2	<10	150	0.67	0.4	0.19	0.32	43.1	5.4	23	2.39
G08023		0.07	0.09	1.98	10.2	<0.2	<10	140	0.66	0.27	0.29	0.15	41.9	7.8	29	2.09
G08024		0.08	0.12	1.85	5.2	<0.2	<10	120	0.51	0.33	0.23	0.11	37.1	8.2	28	3.24
G08025		0.04	0.05	1.64	3.1	<0.2	<10	120	0.84	0.71	0.24	0.13	43.8	4.5	20	2.32
G08026		0.10	0.08	1.62	7.9	<0.2	<10	100	0.79	0.42	0.3	0.45	46.6	8.8	22	3.57
G08027		0.04	0.27	1.55	2.5	<0.2	<10	100	0.5	0.28	0.31	0.1	41.5	5.2	22	3.26
G08028		0.07	0.58	1.12	3.5	<0.2	<10	70	0.5	18.05	1.14	0.11	24.5	5.7	16	2.14
G08029		0.04	0.08	2.61	1.9	<0.2	<10	200	0.59	0.83	0.2	0.11	98.8	9.3	40	3.89
G08030		0.04	0.83	2.66	3	<0.2	<10	270	4.24	1.12	0.72	0.69	89	5.3	35	6.95
G08031		0.07	0.07	1.58	2.9	<0.2	<10	120	0.92	0.46	0.38	0.19	51.6	7.3	18	2.37
G08032		0.05	0.06	2	3	<0.2	<10	180	1.33	0.42	0.29	0.17	51.6	9.7	31	3.99
G08033		0.07	0.03	1.58	5.2	<0.2	<10	100	0.4	0.24	0.22	0.15	30.2	6.3	26	1.89
G05033		0.05	0.36	1.75	6.1	<0.2	<10	140	1.7	1.2	1.07	1.02	30.5	7.4	32	6.94
G05018		0.08	0.1	1.53	3.7	<0.2	<10	100	0.83	0.31	0.3	0.1	37.8	6.6	25	4.83
G05019		0.10	0.11	2.48	7.8	<0.2	<10	160	1.08	0.65	0.39	0.4	42	9.6	55	3.03
G05020		0.05	0.19	2.16	6.5	<0.2	<10	140	1.12	0.71	0.35	0.16	55.7	8.7	34	4.93
G05021		0.07	0.05	2.38	2.5	<0.2	<10	120	0.96	0.38	1.3	0.19	69.5	22.9	80	4.61
G05022		0.06	0.04	1.34	4.9	<0.2	<10	90	0.39	0.7	0.16	0.18	33.2	4.5	22	3.64
G05023		0.05	0.08	2.09	6.7	<0.2	<10	180	0.56	0.36	0.29	0.26	44.9	9.7	38	6.17
G05024		0.07	0.11	1.47	4.8	<0.2	<10	170	0.68	0.95	0.25	0.18	34.4	6	22	2.21
G05025		0.07	0.04	1.41	3.8	<0.2	<10	110	0.5	0.27	0.29	0.07	35.3	4.8	22	1.67
G05026		0.07	0.14	1.58	8.4	<0.2	<10	130	1.08	0.62	0.33	0.18	48.8	7.9	21	5.19



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-20C
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu ppm	Fe %	Ge ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
8A001		20.7	3.35	5.35	0.06	0.12	0.02	0.028	0.42	9.9	32.3	1.24	187	0.39	0.01	0.08
8A002		18.2	1.52	0.88	<0.05	0.05	0.02	<0.005	0.09	0.7	1.7	0.25	130	2.15	<0.01	0.35
8A003		7.2	0.9	0.88	<0.05	0.03	0.13	0.007	0.1	1.9	1.1	0.03	53	1.39	<0.01	0.17
8A004		9.7	0.7	0.43	<0.05	0.02	0.23	0.006	0.06	0.6	0.9	0.02	56	1.82	<0.01	0.19
8A005		10.1	0.7	0.72	<0.05	0.03	0.07	0.007	0.07	1.1	0.5	0.02	49	1.33	<0.01	0.11
8T001		4.6	3.15	13.3	0.15	0.12	<0.01	0.038	0.45	85.3	47.3	0.89	537	1.71	0.03	0.28
8T002		5.7	1.55	2.9	<0.05	0.19	<0.01	0.01	0.29	16	6	0.14	308	0.3	0.02	0.3
8T003		6.3	1.54	1.14	0.05	0.08	<0.01	0.008	0.18	21.4	1.8	0.04	262	0.55	0.01	0.11
8T004		2.5	0.26	0.19	<0.05	0.02	0.01	0.009	0.02	6	0.5	0.22	115	0.07	0.03	0.07
8T005		28.2	2.84	13.6	0.09	0.07	0.01	0.042	0.05	28.3	31.9	0.89	334	0.88	0.12	0.8
8T006		5.5	1.29	3.81	<0.05	0.03	<0.01	0.013	0.19	12.4	18	0.3	123	0.53	0.04	0.58
8T007		12.1	3.53	7.99	0.17	0.45	<0.01	0.04	0.16	38	7.6	1.09	303	1.67	0.24	0.48
F0001		26.4	3.23	6.93	0.19	0.25	<0.01	0.035	0.16	65.6	22.6	0.8	380	0.72	0.19	9.18
F0002		3.7	0.34	1.08	<0.05	0.05	<0.01	<0.005	0.14	2.4	2.5	0.02	60	0.3	0.03	1.17
G06018		13.7	2.62	7.07	0.07	0.03	0.02	0.026	0.12	19.6	39.3	0.59	316	1.09	0.03	4.49
G06019		16.7	2.48	6.29	0.08	0.05	0.01	0.022	0.25	15.8	39.6	0.7	368	0.94	0.13	6.8
G06020		2.6	0.63	1.98	<0.05	0.05	<0.01	<0.005	0.11	3.9	8.6	0.05	108	0.49	0.05	1.04
G06021		8.8	1.51	4	<0.05	<0.02	0.02	0.011	0.11	7.8	9.6	0.2	162	0.83	0.12	0.65
G06022		34.2	2.48	7.62	0.07	<0.02	0.02	0.029	0.16	20.7	19.8	0.33	256	1.8	0.03	1.1
G06023		14.9	2.88	6.71	0.07	0.03	0.03	0.028	0.19	19.8	23.7	0.54	340	1.38	0.05	2.56
G06024		15.7	2.77	7.93	0.07	<0.02	0.01	0.025	0.16	17.9	18.4	0.42	661	2.13	0.06	1.42
G06025		14.9	2.93	7.5	0.08	<0.02	0.02	0.026	0.22	21.3	19.9	0.32	295	1.75	0.09	3.03
G06026		17	2.79	6.83	0.08	<0.02	0.01	0.03	0.17	21	25.3	0.47	658	2.55	0.07	1.2
G06027		12	2.95	7.11	0.08	0.02	0.02	0.028	0.29	20	18	0.33	311	2.38	0.16	1.82
G06028		16.4	3.44	6.18	0.07	<0.02	0.05	0.388	0.14	11.4	13.3	0.3	472	1.94	0.05	0.89
G06029		26	4.32	12.75	0.14	0.03	0.01	0.036	0.75	48.7	50.3	0.91	530	4.53	0.09	2.65
G06030		206	2.07	8.15	0.26	0.13	0.38	0.055	0.16	127	24.6	0.47	223	4.29	0.03	2.29
G06031		20.4	2.46	6.29	0.09	0.03	0.02	0.026	0.22	25	25.3	0.44	408	1.7	0.1	1.91
G06032		17.3	3.28	7.58	0.1	0.02	0.01	0.034	0.28	26.7	45.5	0.56	678	3.11	0.06	2.36
G06033		14.2	2.66	7.03	0.06	0.02	0.01	0.023	0.14	14.1	13.6	0.39	314	1.59	0.07	1.47
G05033		74.9	1.63	6.06	0.08	0.05	0.06	0.026	0.13	23.6	24.1	0.42	235	2.34	0.08	2.24
G05018		25.3	2.71	7.46	0.07	0.02	0.01	0.021	0.21	22.2	29.5	0.43	278	1.37	0.09	1.61
G05019		16.2	3.14	7.67	0.07	0.02	0.02	0.072	0.13	17.6	27.8	0.73	357	1.18	0.03	2.59
G05020		14.6	3.25	9.07	0.09	0.04	0.01	0.037	0.24	26.2	38.5	0.56	335	1.89	0.07	4.54
G05021		29.8	4.3	10.6	0.16	0.12	0.01	0.049	0.22	27.5	36	1.31	753	2.74	0.22	10.5
G05022		10.7	2.72	10.55	0.07	0.03	0.01	0.025	0.21	15.8	16.7	0.31	258	1.8	0.05	3.74
G05023		18.7	3.29	10.15	0.08	0.02	0.01	0.032	0.19	21.4	28.5	0.59	443	2.59	0.06	3.13
G05024		23	2.47	6.64	0.06	<0.02	0.03	0.042	0.16	16.6	16.7	0.32	281	1.79	0.04	2.22
G05025		11.4	2.22	4.98	0.06	0.02	0.01	0.02	0.16	16.7	13.5	0.36	250	1.71	0.07	1.79
G05026		18.1	2.65	6.4	0.08	0.02	0.01	0.026	0.23	21.5	31.2	0.47	505	1.55	0.06	1.41



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-20C
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
8A001		34.8	780	5.6	18.3	<0.001	0.04	0.08	8.7	0.4	0.5	91.7	<0.01	0.01	9.3	<0.005
8A002		15.3	510	1.8	4	0.002	0.02	0.73	1.3	0.4	0.3	74.9	<0.01	0.01	0.7	<0.005
8A003		4.6	80	3.6	4.3	<0.001	0.02	7.57	0.5	1	0.3	7.1	<0.01	0.01	1.1	<0.005
8A004		7.8	210	7	2	0.001	0.06	3.98	0.3	1.4	0.2	28.7	<0.01	0.01	0.2	<0.005
8A005		5.3	910	2.7	3	0.001	0.02	3.6	0.9	0.7	0.2	22.4	<0.01	0.02	0.4	<0.005
8T001		29.5	3090	9	46.1	<0.001	<0.01	0.05	6.1	1.2	0.8	18.7	0.01	0.01	37.5	0.054
8T002		15.1	400	8.5	20.7	<0.001	<0.01	0.22	1.8	0.2	0.3	10.8	<0.01	<0.01	6.1	0.028
8T003		15.1	420	3.8	9.2	<0.001	<0.01	0.14	1.3	0.2	0.2	10.7	<0.01	0.01	10.9	<0.005
8T004		<0.2	80	2.4	1.6	<0.001	0.06	0.13	0.8	0.5	<0.2	2890	<0.01	0.03	1	<0.005
8T005		23.6	240	9.6	4.6	<0.001	0.08	<0.05	7.3	0.4	1.2	100	0.03	0.01	15.3	0.138
8T006		7.3	90	6.3	15.9	<0.001	<0.01	<0.05	2	<0.2	0.3	12.3	<0.01	<0.01	5.2	0.03
8T007		15.6	1880	6.5	10.2	0.001	0.02	<0.05	7.8	0.5	0.9	213	0.01	<0.01	5.3	0.229
F0001		2	3570	3.3	11.5	0.001	0.15	0.05	4.6	0.9	2.3	38.7	0.05	0.02	9.8	0.284
F0002		2.4	140	5.4	15	<0.001	<0.01	<0.05	0.4	<0.2	0.5	7.2	<0.01	0.01	0.9	<0.005
G06018		19.4	390	12.3	20.2	<0.001	<0.01	0.29	4.1	0.4	2.1	16	0.01	0.03	6.2	0.127
G06019		46	920	11.8	22.6	<0.001	0.04	0.14	3.6	0.4	1.4	302	0.01	0.02	3	0.157
G06020		2.8	150	5.7	11.6	<0.001	<0.01	<0.05	0.4	<0.2	0.6	2.4	<0.01	0.02	2.7	<0.005
G06021		8.9	380	4.8	10.7	<0.001	<0.01	0.15	0.9	0.2	0.6	36.2	<0.01	0.01	0.2	0.052
G06022		14.9	520	16.8	17.1	<0.001	<0.01	0.32	1.1	0.4	1.2	22.9	<0.01	0.02	0.3	0.042
G06023		17.2	580	16.4	16.9	<0.001	<0.01	0.4	3.7	0.5	1.1	21.8	<0.01	0.02	5	0.091
G06024		15	500	13.5	20	<0.001	<0.01	0.39	2.2	0.3	1.2	23.7	<0.01	0.02	0.9	0.078
G06025		11	480	12.7	18.7	<0.001	<0.01	0.28	2.5	0.4	1.8	25.8	0.01	0.02	3.3	0.073
G06026		19.4	390	40	17.4	<0.001	0.01	0.45	2.7	0.4	0.9	29.4	<0.01	0.03	1.8	0.056
G06027		11.1	260	7.8	20.6	<0.001	<0.01	0.25	2.8	0.3	1.5	39.7	<0.01	0.02	3.6	0.086
G06028		9.7	510	28.5	15.8	<0.001	0.07	0.32	1.4	0.5	1.3	17.3	<0.01	0.38	0.5	0.053
G06029		19	470	11.6	46.2	0.001	<0.01	0.3	5.7	0.6	1.6	21.6	<0.01	0.06	11.3	0.089
G06030		26.7	1180	20	18.8	0.003	0.24	1.14	7.1	5	1.1	54.9	0.02	0.07	3.4	0.065
G06031		15.3	590	13.4	18.4	0.001	<0.01	0.23	3.3	0.4	1	36.9	<0.01	0.03	6.3	0.063
G06032		20.8	440	10.8	24.2	<0.001	0.01	0.2	3.7	0.4	2	25.2	<0.01	0.03	4.6	0.079
G06033		13.3	380	9.6	15.6	<0.001	<0.01	0.42	2.1	0.4	1	25	<0.01	0.02	0.9	0.076
G05033		21.2	950	53.9	13.3	0.001	0.43	0.68	3	1.8	1.1	66.2	0.01	0.02	1	0.058
G05018		17.4	250	10	29	<0.001	<0.01	0.22	2.2	0.3	1.3	31.2	<0.01	0.02	1.1	0.077
G05019		27.3	780	11.3	15.9	<0.001	0.02	0.34	3.6	0.4	1.2	29.8	<0.01	0.03	2.5	0.095
G05020		20.2	370	16.1	32.6	<0.001	<0.01	0.34	4.3	0.4	2.3	30.4	<0.01	0.03	7.9	0.106
G05021		40.4	1530	20.1	21.9	<0.001	<0.01	0.17	8	0.6	1.5	42.5	0.02	0.04	6	0.361
G05022		11.2	270	11.1	26.6	<0.001	<0.01	0.42	2.9	0.3	1.9	17.4	<0.01	0.03	3.3	0.112
G05023		19.3	510	11.4	18	0.001	0.01	0.43	4	0.4	1.4	27.7	<0.01	0.03	2.7	0.114
G05024		14	370	13	18	0.001	<0.01	0.45	2.6	0.4	1.5	22.3	<0.01	0.04	1.9	0.071
G05025		12.7	610	10.1	14.6	<0.001	<0.01	0.29	2.5	0.4	1	21.2	<0.01	0.01	3.2	0.065
G05026		18.9	560	16.8	22.3	0.001	0.01	0.53	2.8	0.4	1.2	26.2	<0.01	0.03	2.5	0.051



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 3 (A - E)
Plus Appendix Page
Finalized Date: 1-SEP-200
Account: WOOJAI

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
8A001		0.13	0.47	17	<0.05	12.8	64	4.6
8A002		0.08	0.66	26	0.07	3.45	7	2
8A003		0.11	0.15	11	0.13	1.79	7	1.9
8A004		0.27	0.17	7	0.09	0.52	<2	0.8
8A005		0.08	0.58	7	0.09	2.64	<2	1.7
8T001		0.29	4.98	36	0.1	44.4	70	2
8T002		0.18	0.51	10	<0.05	3.78	22	7.2
8T003		0.09	0.92	6	0.05	6.06	24	4.7
8T004		0.04	0.74	<1	<0.05	4.29	4	0.7
8T005		0.06	4.81	45	0.51	10	68	1.4
8T006		0.1	0.82	12	0.06	2.14	25	0.6
8T007		0.07	0.64	97	0.18	15.7	70	19.1
F0001		0.09	2.41	66	0.33	11.65	36	6.9
F0002		0.07	3.2	1	0.1	2.09	6	1
G06018		0.17	1.45	52	0.48	6.1	47	1.2
G06019		0.12	0.88	45	0.3	7.22	55	1.7
G06020		0.06	1.58	2	0.09	2.43	7	1.2
G06021		0.08	0.9	28	0.16	2.79	20	<0.5
G06022		0.12	4.24	44	0.33	5.86	38	<0.5
G06023		0.18	1.97	50	0.64	6.6	50	0.5
G06024		0.18	1.63	58	0.55	5.19	52	<0.5
G06025		0.17	1.58	36	0.8	6.33	35	<0.5
G06026		0.18	4.03	38	0.52	5.06	184	<0.5
G06027		0.14	1.18	44	0.42	4.14	36	<0.5
G06028		0.13	1.68	38	20.3	3.67	47	<0.5
G06029		0.33	3.02	57	0.72	9.86	61	<0.5
G06030		0.31	265	36	0.75	94.2	101	1.2
G06031		0.17	7.05	33	0.5	9.46	54	0.5
G06032		0.25	11.8	33	0.58	9.71	79	<0.5
G06033		0.13	1.22	52	0.39	4.41	65	<0.5
G05033		0.24	53.6	37	0.38	18	140	1.2
G05018		0.18	5.13	43	0.66	7.57	52	<0.5
G05019		0.17	2.67	64	0.5	6.04	110	<0.5
G05020		0.23	2.27	51	0.68	7.05	57	1.2
G05021		0.13	1.3	69	0.47	9.37	68	5
G05022		0.18	1.16	64	0.75	4.88	46	0.9
G05023		0.2	8.06	71	0.6	6.75	65	0.7
G05024		0.17	1.83	48	1.51	5.1	38	<0.5
G05025		0.18	1.92	38	0.53	6.22	36	<0.5
G05026		0.2	4.55	36	0.44	9.03	60	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-200
Account: WOOJAI

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd WL kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G05027		0.09	0.04	1.58	4.5	<0.2	<10	110	0.63	0.46	0.18	0.13	47.2	7.4	24	2.41
G05028		0.06	0.08	1.34	3.7	<0.2	<10	110	0.77	0.52	0.31	0.11	38.7	6	19	2.55
G07018		0.04	0.15	1.25	3.1	<0.2	<10	70	0.9	0.13	0.92	0.17	14.3	5.2	18	1.45
G07019		0.04	0.07	1.33	4.2	<0.2	<10	80	0.43	0.33	0.22	0.11	22.8	4	21	2.33
G07020		0.06	0.09	2.69	3.7	<0.2	<10	180	1.09	1.8	1.07	0.36	74.7	20.7	73	9.41
G07021		0.07	0.04	2.28	7	<0.2	<10	140	0.63	0.33	0.3	0.12	52.9	9.6	35	2.38
G07022		0.06	0.04	1.49	4.9	<0.2	<10	100	0.54	0.64	0.14	0.08	45.3	5.2	27	4.03
G07023		0.04	0.39	2.13	2.2	<0.2	<10	180	1.16	0.2	0.83	0.38	51.7	26.4	20	1.37
G07024		0.09	0.07	2.08	5.9	<0.2	<10	110	1.15	0.5	0.15	0.12	44.3	7.6	33	3.88
G07025		0.05	0.07	2.22	5.6	<0.2	<10	130	0.45	0.31	0.22	0.41	34	6.5	34	2.37
G07026		0.08	0.04	1.37	3.2	<0.2	<10	90	0.45	0.28	0.19	0.08	36.1	4.9	21	1.51
G07027		0.24	0.04	0.54	0.4	<0.2	<10	20	1.52	1.28	0.72	0.03	25.3	5	14	1.36
G07028		0.08	0.08	1.35	3.8	<0.2	<10	100	0.52	0.31	0.18	0.11	34.7	5.4	22	2.54
G07029		0.07	0.13	1.82	3.3	<0.2	<10	150	1.16	0.57	0.34	0.23	54.2	9.6	29	4.19
G07030		0.04	0.41	2.07	4	<0.2	<10	180	1.21	0.33	0.41	0.39	74.3	47.5	30	2.97
G07031		0.06	0.11	1.74	4.7	<0.2	<10	180	0.66	0.33	0.37	0.13	39.3	20.2	20	2.15
G07032		0.06	0.14	1.34	3.9	<0.2	<10	100	0.38	0.46	0.21	0.11	36.4	5.7	24	1.95
G07033		0.04	0.04	1.74	5	<0.2	<10	140	0.46	1.73	0.25	0.11	31.9	6.1	31	2.14
P61		0.28	0.03	1.3	5.9	<0.2	<10	70	0.87	0.36	0.18	0.1	37.8	6	19	3.25
P63		0.08	0.28	1.23	1.6	<0.2	<10	80	0.34	0.28	0.17	0.11	26.4	4.1	13	2.82
P65		0.19	0.03	2.04	2.4	<0.2	<10	90	0.83	0.4	0.77	0.15	30.6	14.2	128	7.39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-200
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu ppm	Fe %	Ge ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G05027		12.8	2.81	7.02	0.07	0.02	0.03	0.026	0.22	21.8	28	0.42	353	1.67	0.04	2.54
G05028		18.9	2.54	5.4	0.07	<0.02	0.01	0.021	0.21	18	17	0.32	413	1.8	0.08	1.02
G07018		21	2.09	3.94	0.08	0.05	0.03	0.011	0.11	15.4	5.4	0.33	246	1.8	0.29	0.92
G07019		18.5	2.86	7.78	0.07	0.02	0.02	0.017	0.14	11.3	7.4	0.21	216	2	0.11	2.09
G07020		23.1	4.33	12.65	0.15	0.07	0.02	0.04	0.38	32.1	72.7	1.25	582	1.78	0.08	11.85
G07021		15.3	3.04	8.54	0.09	0.03	0.01	0.033	0.17	24	20	0.59	390	1.59	0.04	2.7
G07022		13.1	2.88	9.15	<0.05	0.02	0.01	0.022	0.28	22.8	26.4	0.38	333	2.25	0.03	3.78
G07023		33.2	2.6	5.28	0.05	0.02	0.05	0.023	0.13	26.1	14.2	0.21	3090	3.62	0.12	0.8
G07024		22.8	3.48	9.12	0.05	0.04	0.03	0.033	0.22	21.3	48.9	0.5	298	2.23	0.04	4.65
G07025		16.7	3.37	8.38	<0.05	0.03	0.01	0.029	0.17	17.1	18.3	0.4	403	1.91	0.04	3.44
G07028		10.7	2.72	6.12	<0.05	0.02	0.01	0.019	0.2	18.4	25	0.36	316	2.24	0.05	2.94
G07027		8.1	1.31	2.87	<0.05	0.09	<0.01	0.005	0.17	12.1	13.7	0.19	361	0.64	0.02	0.78
G07028		15.4	2.47	5.67	<0.05	<0.02	0.01	0.019	0.16	17.4	18.9	0.35	354	2.01	0.04	1.09
G07029		21.1	3.3	7.54	0.05	0.02	0.01	0.033	0.36	31	37.9	0.59	427	2.2	0.06	2.52
G07030		25.8	3.42	6.85	0.05	0.02	0.06	0.07	0.15	22	17	0.29	10750	11.6	0.09	0.81
G07031		18.3	3.14	5.86	<0.05	0.02	0.01	0.023	0.19	17.7	18.3	0.35	3610	3.95	0.08	1.55
G07032		12	2.59	6.11	<0.05	0.02	0.02	0.024	0.18	17.1	16.7	0.38	534	2.7	0.05	2.2
G07033		18.8	3.15	6.13	0.05	0.03	0.02	0.023	0.18	14.6	10.2	0.3	520	2.61	0.1	2.18
P61		10.2	1.93	4.29	<0.05	0.03	0.01	0.019	0.14	17.6	15.7	0.32	301	1.36	0.02	2.06
P63		14.9	2.1	6.1	<0.05	0.02	0.03	0.012	0.24	13.6	14.9	0.22	179	1.22	0.12	1.87
P65		10.5	2.93	8.23	0.06	0.05	0.01	0.022	0.48	15.5	68.9	1.19	373	0.8	0.05	5.89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-200
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl
	Units LOR	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G05027		17.2	500	13.6	19.7	<0.001	<0.01	0.44	3.1	0.4	1.1	15.1	<0.01	0.04	6.9	0.066
G05028		12.7	600	14.7	18	<0.001	0.01	0.35	2	0.4	1.1	27.9	<0.01	0.02	1.3	0.047
G07018		11.1	610	6.4	5.6	0.001	0.04	0.28	2.9	0.9	0.6	98.7	<0.01	0.01	0.7	0.097
G07019		10	350	9.2	14	<0.001	0.01	0.46	2.3	0.3	1.2	32.9	<0.01	0.03	1	0.097
G07020		40.6	1110	21.5	46.2	<0.001	<0.01	0.27	6.6	0.5	2.1	40.5	0.01	0.04	7.1	0.363
G07021		21.6	610	11.9	17.3	<0.001	<0.01	0.54	4.5	0.7	1.3	25.6	0.01	0.02	3.7	0.108
G07022		14	290	13.1	31.8	<0.001	0.01	0.34	2.9	0.2	1.5	13.2	<0.01	0.04	7	0.105
G07023		14.5	1460	17.3	10	0.001	0.11	0.33	1.5	0.7	0.6	48.1	0.01	0.03	0.4	0.03
G07024		19	340	11.9	25.9	<0.001	0.01	0.43	4	0.5	1.3	13.9	0.01	0.04	7.6	0.11
G07025		14.1	340	12.8	30	0.001	0.02	0.45	3.5	0.3	1.1	23.2	0.01	0.03	4.1	0.104
G07026		11.7	370	13	20.2	<0.001	0.01	0.26	2.7	0.2	1.1	16.4	<0.01	0.03	6.9	0.072
G07027		9.8	430	9.7	18.4	<0.001	0.06	0.12	1.4	0.2	0.3	32.1	0.01	0.37	5.9	0.008
G07028		13.6	640	12.1	15.6	<0.001	0.03	0.32	1.5	0.4	0.8	18.2	<0.01	0.03	0.9	0.045
G07029		20.7	530	14.4	30.7	0.001	0.02	0.3	3.8	0.4	1.3	25.7	<0.01	0.04	6.4	0.085
G07030		15.8	1120	23.4	14	0.001	0.08	0.37	1.7	0.6	0.9	37.9	<0.01	0.04	1	0.043
G07031		13	600	11.7	16.4	0.001	0.04	0.31	2.4	0.3	0.9	33.3	<0.01	0.03	2.1	0.063
G07032		12.6	490	11.6	17.1	<0.001	0.02	0.32	2.5	0.3	1.1	19	<0.01	0.03	2.3	0.072
G07033		13.8	420	12.7	14.7	0.001	0.02	0.55	2.3	0.3	1.3	29.3	<0.01	0.39	1.2	0.094
P61		12.3	590	12.9	17	<0.001	0.01	0.33	2.4	0.3	0.9	11.8	<0.01	0.04	5.1	0.043
P63		9.2	280	4.3	21.9	<0.001	0.02	0.23	1.8	0.2	0.8	28	<0.01	0.03	1.4	0.077
P65		56.9	1450	7.9	50.2	<0.001	<0.01	0.18	3.4	0.2	2.5	20.2	<0.01	0.03	4.4	0.271



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 3 (A - I)
Plus Appendix Page
Finalized Date: 1-SEP-200
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
G05027		0.18	1.54	42	0.77	6.14	53	<0.5
G05028		0.16	8.79	34	0.55	6.85	48	<0.5
G07018		0.07	13.2	40	0.17	11.55	30	1.7
G07019		0.12	1.48	58	0.38	3.94	28	0.8
G07020		0.26	2.64	92	1.17	10.15	116	2.6
G07021		0.21	2.55	60	0.58	8.42	52	0.5
G07022		0.2	2.18	52	0.58	5.02	43	0.8
G07023		0.35	15.05	30	0.19	15.05	22	<0.5
G07024		0.25	2.71	52	0.65	5.54	52	1.5
G07025		0.19	1.84	58	0.51	5.08	48	1.1
G07026		0.14	1.38	35	0.4	5.22	33	0.7
G07027		0.18	8.59	7	0.08	7.04	18	2.1
G07028		0.17	3.74	36	0.31	5.45	43	<0.5
G07029		0.22	15.85	42	0.64	12.05	75	<0.5
G07030		0.78	13.95	41	1.18	9.99	53	<0.5
G07031		0.3	5.11	44	0.45	6.81	45	<0.5
G07032		0.15	1.78	41	0.54	5.83	40	<0.5
G07033		0.17	1.95	53	0.45	4.86	39	0.9
P61		0.15	2.64	27	0.75	6.25	40	0.7
P63		0.15	1.07	30	0.45	2.81	25	1.1
P66		0.33	1.24	61	0.49	4.86	50	1.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: Appendix
Total # Appendix Pages:
Finalized Date: 1-SEP-200
Account: WOOJA

Project: Camp Lake

CERTIFICATE OF ANALYSIS TR08107578

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **WOODS, JAMES**
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 1
Finalized Date: 4-NOV-2008
This copy reported on 5-NOV-2008
Account: WOOJAN

CERTIFICATE VA08152144

Project: PRESIDENT

P.O. No.:

This report is for 96 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-OCT-2008.

The following have access to data associated with this certificate:

JAMES WOODS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample logIn - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **WOODS, JAMES**
528 DOUGLAS STREET
FARO YT Y0B 1K0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-2006
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
A001		0.06	0.08	1.11	3.8	<0.2	<10	90	0.68	0.63	0.39	0.29	30.3	8	17	5.18
A002		0.06	0.03	1.43	5.4	<0.2	<10	50	0.43	0.59	0.09	0.22	31.2	5.7	20	3.2
A003		0.08	0.12	1.64	5.4	<0.2	<10	80	0.79	0.7	0.15	0.18	36.3	8.3	22	4.84
A004		0.10	0.34	1.61	4.7	<0.2	<10	80	1.02	1.54	0.29	0.34	58.8	8.9	17	5.21
A005		0.08	0.19	1.62	4.5	<0.2	<10	80	1.29	0.8	0.2	0.14	35.3	7.2	24	8.89
A006		0.08	0.31	1.68	5.6	<0.2	<10	130	1.1	1.08	0.39	0.56	43.5	8.9	27	7.31
A007		0.08	0.06	0.61	1	<0.2	<10	30	0.26	0.22	0.1	0.04	9.66	1.7	8	1.03
A008		0.06	0.02	0.55	3.2	<0.2	<10	30	0.07	0.47	0.03	0.1	17.7	1.8	15	1.55
A009		0.06	0.01	0.51	1	<0.2	<10	50	0.09	0.45	0.03	0.05	20.8	1	8	1.29
A010		0.08	0.12	2.08	3.4	<0.2	<10	80	0.85	0.59	0.16	0.1	27.7	3.8	25	2.61
A011		0.12	0.03	1.84	6.6	<0.2	<10	100	0.45	0.49	0.18	0.18	30.4	7.9	27	2.22
A012		0.08	0.03	1.63	4	<0.2	<10	90	0.64	0.36	0.25	0.1	40.5	7.4	23	4.48
G04018		0.06	0.25	1.17	33	<0.2	<10	100	0.88	0.96	1.06	0.34	32.5	7.8	20	14.45
G04019		0.08	0.15	1.07	16.4	<0.2	<10	100	0.9	0.89	0.55	0.13	22.2	6.7	16	10.3
G04020		0.08	0.17	1.54	6.4	<0.2	<10	150	0.82	1.05	0.81	0.15	38	8	22	5.63
G04021		0.08	0.22	1.74	19.1	<0.2	<10	160	0.89	0.63	0.32	0.19	33.9	7.6	26	7.11
G04022		0.10	0.14	1.14	5.7	<0.2	<10	90	0.48	0.64	0.29	0.15	25.9	5.5	17	7.46
G04023		0.10	0.06	1.7	9.2	<0.2	<10	100	0.59	0.44	0.19	0.13	29.4	7.5	29	5.49
G04024		0.06	0.38	0.86	10.2	<0.2	<10	30	0.41	0.78	0.08	0.09	22.3	5.6	15	5.13
G04025		0.06	0.3	1.29	5.1	<0.2	<10	120	1.34	0.51	0.57	0.27	29.8	8.2	18	11
G04026		0.08	0.14	1.37	17	<0.2	<10	100	0.82	0.42	0.27	0.11	27.8	6.7	25	6.47
G04027		0.08	0.1	1.32	8.8	<0.2	<10	70	0.33	0.61	0.12	0.12	29.8	6.9	30	4.05
G04028		0.08	0.25	1.48	4.9	<0.2	<10	90	0.64	0.33	0.4	0.29	19.9	6.2	24	10.05
G04029		0.08	0.04	1	4.1	<0.2	<10	50	0.27	0.37	0.09	0.09	16.95	2.9	13	2.65
G04030		0.06	0.3	1.22	9.1	<0.2	<10	80	0.8	0.22	0.43	0.17	16.85	3.9	13	4.14
G04031		0.10	0.23	2.04	12	<0.2	<10	90	0.77	0.46	0.17	0.22	33.8	9.7	33	8.11
G04032		0.08	0.09	1.71	6.2	<0.2	<10	140	0.65	0.51	0.16	0.1	43.8	11	29	3.21
G04033		0.08	0.04	1.58	14.8	<0.2	<10	100	0.68	0.73	0.29	0.15	38.3	14.2	40	7.27
G04034		0.08	0.05	1.46	8.5	<0.2	<10	70	0.67	1.05	0.14	0.17	35.6	6.3	25	4.46
G04035		0.04	0.13	1.88	2.6	<0.2	<10	110	0.79	0.35	1.26	0.13	93.7	13.5	68	5.91
G04036		0.08	0.02	0.93	8.1	<0.2	<10	50	0.25	0.75	0.12	0.39	26.6	5.4	26	6.56
G05009		0.06	0.09	0.53	2.1	<0.2	<10	40	0.32	0.4	0.08	0.07	10.55	1.3	5	1.5
G05010		0.06	0.03	1.41	8.4	<0.2	<10	80	0.38	0.67	0.11	0.25	28.3	5.9	26	4.42
G05011		0.06	0.07	0.99	5.5	<0.2	<10	50	0.34	0.85	0.04	0.12	29.7	2.6	13	4.5
G05012		0.08	0.02	1.68	6.7	<0.2	<10	90	0.7	0.81	0.12	0.16	39.2	8.5	30	4.65
G05013		0.06	0.3	1.76	5.2	<0.2	<10	110	1.41	0.49	0.67	0.69	28.6	6.8	22	5.62
G05014		0.06	0.07	1.33	5.1	<0.2	<10	70	0.35	0.77	0.08	0.13	22.7	4.1	17	2.29
G05015		0.12	0.03	2.07	8.9	<0.2	<10	120	0.68	0.71	0.25	0.15	39.5	11.4	35	3.37
G05016		0.08	0.04	2.17	7.2	<0.2	<10	100	0.79	0.85	0.11	0.11	33.7	8.7	33	5.91
G05017		0.08	0.21	1.62	5.1	<0.2	<10	100	1.02	0.39	0.4	0.17	34.3	10.4	26	4.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LoR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
A001		18.6	1.96	4.87	<0.05	0.02	0.02	0.019	0.06	17.7	21	0.31	409	1.65	0.02	0.99
A002		12.8	2.38	6.48	<0.05	<0.02	0.04	0.022	0.05	14.8	17.1	0.26	257	1.31	<0.01	1.3
A003		20.3	2.39	6.35	<0.05	<0.02	0.04	0.022	0.06	22	24.5	0.38	358	1.64	0.01	1
A004		21.2	2.38	5.11	<0.05	<0.02	0.03	0.026	0.08	21.7	25.8	0.33	678	2.74	0.02	1.21
A005		27.8	2.4	6.08	<0.05	<0.02	0.03	0.028	0.07	19	29.2	0.35	402	2.31	0.02	1.17
A006		25.2	2.67	5.75	<0.05	0.02	0.04	0.031	0.07	20.9	43.5	0.54	501	1.73	0.01	1.38
A007		12.4	0.71	2.61	<0.05	<0.02	0.02	<0.005	0.02	4.8	2.3	0.06	55	1.01	0.02	0.25
A008		7.3	1	10.2	<0.05	<0.02	0.02	0.006	0.02	9.2	1.7	0.05	46	1.58	<0.01	3.06
A009		10.4	0.53	6.94	<0.05	<0.02	0.01	<0.005	0.02	10.8	1.3	0.03	22	0.89	<0.01	1.55
A010		17.4	2.05	6.11	<0.05	<0.02	0.06	0.035	0.04	14.4	19.4	0.25	144	1.67	0.01	1.24
A011		12.4	2.45	6.52	<0.05	0.02	0.02	0.027	0.06	14.6	17.9	0.44	301	1.07	0.01	2.28
A012		21.5	2.18	6.16	<0.05	<0.02	0.03	0.022	0.06	19	35.2	0.4	299	1.78	0.01	1.44
G04018		27.1	1.97	4.42	<0.05	0.03	0.04	0.029	0.09	16.5	23.8	0.4	478	1.25	0.02	1.49
G04019		17	2.07	4.52	<0.05	<0.02	0.02	0.017	0.06	11.3	19.5	0.28	336	2.37	0.02	1.05
G04020		23	2.45	6.09	<0.05	0.02	0.02	0.034	0.1	19.5	33.3	0.47	434	1.79	0.02	1.88
G04021		29.5	2.31	6.35	<0.05	0.02	0.03	0.028	0.07	18.5	21.6	0.43	329	1.68	0.02	1.19
G04022		15.1	1.92	6.12	<0.05	<0.02	0.02	0.016	0.05	12.9	17.7	0.28	274	0.94	0.01	1.08
G04023		14.5	2.72	7.18	<0.05	0.02	0.01	0.024	0.07	13.8	20.7	0.5	301	1.14	0.01	2.07
G04024		16	2.23	4.91	<0.05	<0.02	0.02	0.011	0.05	11	11.3	0.17	193	0.86	0.01	0.85
G04025		33.1	2.01	4.16	<0.05	0.02	0.03	0.014	0.09	25	28.7	0.3	589	0.61	0.02	0.94
G04026		23.5	2.34	6	<0.05	<0.02	0.02	0.021	0.06	14.6	15	0.36	387	1.62	0.01	0.71
G04027		15.7	2.68	7.38	<0.05	0.02	0.03	0.024	0.09	15	20.8	0.48	278	1.33	0.01	1.92
G04028		17.3	1.98	6.35	<0.05	<0.02	0.03	0.017	0.05	11.3	24.6	0.33	525	1.65	0.02	0.97
G04029		11.7	1.46	4.62	<0.05	<0.02	0.02	0.012	0.03	8.5	10.2	0.13	116	0.83	0.01	1.16
G04030		20.1	1.22	3.76	<0.05	0.03	0.03	0.007	0.03	11	12.7	0.18	313	0.55	0.02	0.62
G04031		18	2.99	6.96	<0.05	0.02	0.02	0.027	0.08	16.3	23.2	0.51	402	1.16	0.01	2.39
G04032		19.6	3.35	6.39	<0.05	<0.02	0.02	0.027	0.06	21	24.6	0.41	372	1.12	0.01	1.94
G04033		15.3	3.98	8.55	<0.05	<0.02	0.02	0.029	0.07	17.6	36.5	0.5	928	1.47	0.01	2.44
G04034		17.2	3.07	7.77	<0.05	0.03	0.03	0.022	0.06	17	20.8	0.3	252	1.5	0.01	2.58
G04035		58.8	3.29	9.51	0.07	0.05	0.03	0.017	0.12	56.7	41.8	1.08	299	0.7	0.03	15.3
G04036		13.4	2.63	8.62	<0.05	0.03	0.02	0.021	0.07	12.7	13	0.28	193	1.82	0.01	2.64
G05009		11.3	0.52	3.28	<0.05	<0.02	0.01	<0.005	0.02	5.5	2.3	0.05	25	0.48	0.02	0.33
G05010		13.6	2.95	9.49	<0.05	0.03	0.02	0.023	0.07	12.8	19.5	0.34	270	1.55	0.01	3.33
G05011		10.3	1.8	8.99	<0.05	0.02	0.02	0.018	0.04	15.6	6.4	0.1	109	1.72	<0.01	2.66
G05012		16.3	2.99	7.71	<0.05	0.02	0.02	0.021	0.14	19.5	46.4	0.54	303	1.05	0.01	3.04
G05013		40.9	1.86	5.53	<0.05	0.03	0.04	0.019	0.05	29.8	23.3	0.31	478	1.15	0.02	1.22
G05014		14.7	2.29	8.85	<0.05	0.02	0.04	0.019	0.04	12.2	17.1	0.18	146	1.22	<0.01	3.15
G05015		19.8	2.85	7.21	0.05	0.03	0.02	0.028	0.1	18.6	25.3	0.66	412	0.98	<0.01	2.4
G05016		21	3.01	9.11	<0.05	0.02	0.02	0.029	0.08	17	38.2	0.5	278	1.32	<0.01	3.44
G05017		46.2	2.12	6.4	<0.05	0.02	0.04	0.024	0.06	23.3	29.8	0.38	347	1.04	0.01	1.48



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Te	Te	Th	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
A001		18	670	18.6	13.5	<0.001	0.09	0.27	1.2	0.2	0.6	29.9	<0.01	0.05	0.4	0.04
A002		13.6	550	16.7	13	<0.001	0.05	0.39	1	0.3	0.8	8.3	<0.01	0.05	0.4	0.047
A003		19.1	830	19.1	13	<0.001	0.05	0.41	1.3	0.4	0.8	12	<0.01	0.04	0.4	0.042
A004		21.5	810	67.4	13.4	<0.001	0.05	0.41	1.9	0.4	0.8	24.4	0.01	0.11	1.5	0.048
A005		22.5	720	21	16	<0.001	0.06	0.39	1.5	0.2	1.2	20.3	0.01	0.06	0.5	0.05
A006		28	630	72.4	15	<0.001	0.05	0.34	2.5	0.6	0.7	29.8	<0.01	0.05	1.2	0.061
A007		6	860	10.2	3.7	<0.001	0.04	0.11	0.4	<0.2	0.2	10.1	<0.01	0.02	<0.2	0.023
A008		7.1	160	13.2	5.3	<0.001	0.02	0.47	1	<0.2	1.8	5.3	<0.01	0.03	0.5	0.138
A009		3.3	110	10.6	5.5	<0.001	0.01	0.32	0.7	<0.2	1.2	5.9	<0.01	0.01	0.4	0.084
A010		13.8	960	18.4	8.6	<0.001	0.07	0.28	0.8	0.5	0.9	16.7	0.01	0.03	<0.2	0.033
A011		17.9	550	13.3	11.8	<0.001	0.02	0.36	3.2	0.3	0.8	15.9	0.01	0.06	3.6	0.077
A012		23.4	560	15.5	12.2	<0.001	0.04	0.32	2	0.3	0.8	21.1	<0.01	0.04	0.8	0.06
G04018		20	560	18.2	15.4	<0.001	0.07	2.16	2.1	0.7	0.7	58.2	0.01	0.05	1.6	0.048
G04019		15.2	560	20.3	16.6	<0.001	0.05	1.44	1.4	0.2	0.5	31.3	<0.01	0.03	0.7	0.034
G04020		20	570	22.1	20.4	<0.001	0.05	0.87	2.9	0.2	1.6	36.9	<0.01	0.07	3.2	0.048
G04021		19.9	870	16	13.8	<0.001	0.06	4.19	1.8	0.5	1.1	28.2	<0.01	0.04	0.7	0.041
G04022		11.9	310	16.6	15.6	<0.001	0.03	0.36	1.3	0.2	0.8	26.3	<0.01	0.03	0.4	0.042
G04023		19.1	300	17.9	13.3	<0.001	0.03	0.43	2.8	0.2	0.8	18.6	<0.01	0.03	1.5	0.077
G04024		15.5	340	17.9	11.2	<0.001	0.03	0.51	0.9	<0.2	0.7	6.3	<0.01	0.04	0.4	0.041
G04025		27.4	810	11	19.4	<0.001	0.07	0.78	1.6	0.3	0.5	42.2	<0.01	0.02	0.5	0.043
G04026		20.6	790	15.7	13	<0.001	0.05	1.1	1	0.3	0.6	22.9	<0.01	0.03	0.2	0.036
G04027		19.2	470	15.4	14.7	<0.001	0.04	0.46	2.3	0.3	0.9	11.8	<0.01	0.05	1.1	0.072
G04028		15.8	570	9.8	13.4	<0.001	0.06	0.35	1.2	0.5	0.6	28.1	<0.01	0.03	0.2	0.045
G04029		7.4	420	6.6	5.9	<0.001	0.02	0.25	1.2	0.2	0.6	9.1	<0.01	0.03	0.6	0.039
G04030		11.6	980	5.5	4.6	<0.001	0.08	0.21	1	0.4	0.3	30.1	0.01	0.02	0.3	0.033
G04031		22	390	20.7	17.3	<0.001	0.02	0.48	3.7	0.3	0.8	16.8	0.01	0.03	3.3	0.079
G04032		26.5	440	17.7	13.2	<0.001	0.02	0.36	3.5	0.3	0.8	14.7	0.01	0.04	4.6	0.059
G04033		24.3	810	16.8	20.4	<0.001	0.03	0.57	2.6	0.2	1	21.6	<0.01	0.06	1.5	0.076
G04034		16.4	470	19.8	12.1	<0.001	0.03	0.56	2	0.3	1.1	14.2	0.01	0.06	2.5	0.068
G04035		31	1540	5.4	12.7	<0.001	0.09	0.27	4.8	0.8	1	58.6	0.01	0.04	5.7	0.22
G04036		17.2	320	14.6	22.5	<0.001	0.04	0.69	1.9	0.3	1.1	13.5	<0.01	0.04	0.9	0.099
G05009		3.6	330	6.8	5.4	<0.001	0.02	0.16	0.4	<0.2	0.4	13.3	<0.01	0.01	<0.2	0.023
G05010		15.9	410	20.2	16.4	<0.001	0.02	0.55	2.8	0.2	1.2	11.5	<0.01	0.04	3.6	0.114
G05011		7.9	210	20.7	11.1	<0.001	0.02	0.46	1.5	0.2	1.4	5.7	<0.01	0.05	3.5	0.067
G05012		22.8	590	20.7	19.7	<0.001	0.02	0.65	3.4	0.3	1	7.5	0.01	0.05	5.3	0.092
G05013		20	700	24.1	11.6	0.001	0.08	0.43	2	0.6	0.6	41.5	0.01	0.02	0.5	0.049
G05014		12.5	340	14.2	12.8	<0.001	<0.01	0.34	1.7	0.2	1.4	10.7	0.01	0.04	2.8	0.065
G05015		28.9	780	15.4	19.2	<0.001	<0.01	0.46	4	0.3	0.9	15	0.01	0.04	5	0.092
G05016		23.3	300	20	21.6	<0.001	<0.01	0.34	3.7	0.3	1.2	11	0.01	0.04	5.6	0.086
G05017		34.4	580	12.8	14.9	<0.001	0.02	0.24	2.5	0.3	0.7	28.2	0.01	0.02	1.1	0.065



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - I
Total # Pages: 4 (A - D)
Plus Appendix Page:
Finalized Date: 4-NOV-200:
Account: WOOJAN

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
A001		0.09	12.75	33	0.38	11.25	97	0.8
A002		0.11	1.98	39	0.67	4.49	59	<0.5
A003		0.14	10.45	40	0.41	8.22	67	<0.5
A004		0.1	28.7	35	0.64	10.9	126	<0.5
A005		0.16	14.1	36	0.64	8.04	73	<0.5
A006		0.13	21.4	42	0.68	13.9	224	<0.5
A007		0.04	5.61	18	0.1	2.39	15	<0.5
A008		0.12	1.58	74	0.25	1.54	23	0.5
A009		0.1	1.96	36	0.13	1.71	11	<0.5
A010		0.12	3.29	29	0.48	5.03	44	<0.5
A011		0.15	1.26	47	0.52	5.17	56	0.8
A012		0.14	7.2	37	0.27	6.63	59	<0.5
G04018		0.12	20	31	0.38	10.1	90	1
G04019		0.1	3.39	28	0.29	4.84	59	<0.5
G04020		0.17	5.33	35	0.59	8.14	90	0.7
G04021		0.17	21.7	41	0.5	10.3	137	<0.5
G04022		0.11	7.75	38	0.36	3.92	56	<0.5
G04023		0.13	2.69	52	0.53	4.9	62	0.6
G04024		0.09	1.49	32	0.36	2.86	43	<0.5
G04025		0.14	30.1	22	0.17	16.05	82	<0.5
G04026		0.19	12.35	41	0.45	6.75	61	<0.5
G04027		0.14	1.94	54	0.49	4.16	63	0.7
G04028		0.14	17.85	38	0.27	5.02	92	<0.5
G04029		0.1	2.4	30	0.35	2.41	23	<0.5
G04030		0.07	15.75	25	0.17	8.83	56	0.8
G04031		0.15	2.65	49	0.5	5.55	68	0.7
G04032		0.21	1.95	45	0.38	6.29	66	<0.5
G04033		0.16	1.36	65	0.48	6.62	77	<0.5
G04034		0.12	1.76	47	1.04	5.07	50	0.7
G04035		0.14	33.4	76	0.25	14.8	77	2
G04036		0.11	1.65	71	0.62	3.1	81	0.9
G05009		0.05	3.21	13	0.14	1.62	12	<0.5
G05010		0.13	1.31	65	0.48	3.48	71	1.1
G05011		0.18	1.95	53	0.5	2.7	28	0.7
G05012		0.2	1.93	43	0.55	5.68	66	0.5
G05013		0.15	66	34	0.29	18.4	93	0.7
G05014		0.14	3.47	49	0.5	2.73	39	0.9
G05015		0.18	2	50	0.54	7.35	65	0.7
G05016		0.21	1.81	53	0.57	4.53	51	0.9
G05017		0.15	17.75	40	0.34	11.35	65	0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	
	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	
G05034	0.08	0.06	1.16	6	<0.2	<10	70	0.37	0.55	0.19	0.39	20.1	6.6	17	3.91	
G05035	0.06	0.4	1.4	5.4	<0.2	<10	110	1.48	0.5	0.99	0.27	23.4	5.5	14	6.21	
G05036	0.06	0.27	1.48	6.3	<0.2	<10	130	1.14	0.67	0.95	0.86	23.2	7.1	20	8.18	
G06009	0.10	0.32	1.78	9.2	<0.2	<10	100	2.22	0.69	0.45	0.66	37.3	10.3	26	7.37	
G06010	0.08	0.04	0.96	10.6	<0.2	<10	50	0.28	0.89	0.08	0.09	24.5	4	19	4.51	
G06011	0.06	0.35	1.5	11.4	<0.2	<10	120	1.42	0.45	0.61	0.17	29.8	6.8	27	6.96	
G06012	0.06	0.08	1.77	8.3	<0.2	<10	80	0.45	0.34	0.15	0.2	25.9	6.4	35	3.14	
G06013	0.08	0.04	2.42	7.7	<0.2	<10	90	0.85	0.66	0.16	0.27	32.7	7.8	35	3.57	
G06014	0.06	1.92	1.93	21.4	<0.2	<10	150	2.73	5.49	0.69	3.27	43.9	9.1	35	11.9	
G06015	0.08	0.05	0.97	3.2	<0.2	<10	50	0.22	0.43	0.06	0.12	24.2	2.5	17	3.01	
G06016	0.04	0.11	1.01	3.3	<0.2	<10	90	0.48	0.4	0.29	0.28	23.9	5	23	5.46	
G06017	0.08	0.1	3.09	9.8	<0.2	<10	110	1.31	1.61	0.2	0.23	49.7	11.4	55	8.28	
G06034	0.08	0.04	1.84	5.1	<0.2	<10	70	0.55	0.5	0.11	0.23	24.8	6.1	33	4.56	
G06035	0.06	0.04	0.5	0.4	<0.2	<10	30	0.14	0.04	0.26	0.17	6.57	2.7	3	0.14	
G06036	0.08	0.03	0.5	4.6	<0.2	<10	30	0.25	0.23	0.07	0.04	19.45	2.1	8	5.27	
G07034	0.08	0.05	1.27	4.5	<0.2	<10	60	0.38	0.37	0.16	0.2	23.2	4.8	22	2.26	
G07035	0.06	0.06	1.48	5.8	<0.2	<10	80	0.48	0.64	0.16	0.12	33.5	6.6	26	2.93	
G07036	0.08	0.2	1.78	6.3	<0.2	<10	130	0.89	2.34	0.37	0.33	29.4	9.1	31	5.18	
G10022	0.08	0.13	1.62	6.3	<0.2	<10	110	0.58	0.66	0.13	0.29	45.2	9.7	22	2.23	
G10023	0.08	0.06	1.77	11.5	<0.2	<10	200	0.55	0.43	0.11	0.24	40.1	7.3	25	2.01	
G10024	0.10	0.2	1.62	4.9	<0.2	<10	220	0.97	0.45	0.29	0.18	43.7	6.7	24	2.37	
G10025	0.06	0.08	1.12	7	<0.2	<10	70	0.53	0.37	0.07	0.25	30.4	5	20	4.88	
G10026	0.04	0.28	0.98	2	<0.2	<10	80	1.86	0.21	0.19	0.08	36	2.5	10	2.23	
G10027	0.04	0.22	1.25	1.8	<0.2	<10	110	1.07	0.43	0.13	0.15	48.2	5	16	2.99	
G10028	0.06	0.04	1.13	6.3	<0.2	<10	80	0.31	0.73	0.05	0.09	36.3	3.8	18	4.16	
G10029	0.06	0.07	1.67	5.7	<0.2	<10	110	0.54	0.28	0.16	0.14	26.6	6.3	27	2.34	
G10030	0.06	0.04	1.1	3.6	<0.2	<10	80	0.49	0.38	0.11	0.13	32.2	4.3	13	1.75	
G10031	0.06	0.09	0.8	1.5	<0.2	<10	40	0.48	0.3	0.08	0.11	16.15	6.6	9	1.41	
G10032	0.10	0.05	1.3	7.8	<0.2	<10	40	0.33	0.32	0.09	0.15	20	4	21	2.6	
G10033	0.04	0.03	0.86	5.5	<0.2	<10	50	0.27	0.72	0.04	0.08	27.6	2.8	11	2.27	
G10034	0.08	0.14	1.18	5.4	<0.2	<10	80	0.93	0.54	0.41	0.24	42.6	5.7	15	4.68	
G10035	0.06	0.24	2.41	4.5	<0.2	<10	140	1.92	0.7	1	1.39	44.5	10.8	29	4.72	
G10036	0.06	0.04	0.73	3.4	<0.2	<10	40	0.27	1.39	0.11	0.16	17.35	2.6	10	1.88	
G14018	0.08	0.16	1.54	10.7	<0.2	<10	100	0.93	1	0.25	0.15	43.5	9.8	28	3.87	
G14019	0.18	0.17	1.85	6	<0.2	<10	120	0.87	0.99	0.65	0.3	34.2	13	35	3.66	
G14020	0.08	0.32	1.43	106	<0.2	<10	100	1.77	0.76	1.38	0.25	39.9	13.7	30	8.49	
G14021	0.06	0.1	1.14	10.6	<0.2	<10	130	0.74	0.7	0.59	0.23	30	8	22	3.41	
G14022	0.10	0.09	1.14	7.6	<0.2	<10	120	0.5	0.61	0.19	0.15	30.1	7.9	25	3.08	
G14023	0.08	0.13	1.07	3.3	<0.2	<10	80	0.37	0.4	0.45	0.32	29.5	8	23	3.09	
G14024	0.06	0.03	0.85	4.5	<0.2	<10	70	0.33	0.46	0.1	0.17	26.7	3.6	18	2.98	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	
	Units LOR	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
G05034		16.6	1.97	7.24	<0.05	0.02	0.03	0.017	0.06	9.7	7.7	0.18	316	1.52	0.01	1.51
G05035		47.5	1.56	3.92	<0.05	0.06	0.07	0.015	0.04	23.8	11.2	0.16	196	1.03	0.01	0.72
G05036		31.3	1.73	4.75	<0.05	0.03	0.03	0.02	0.06	18	24.6	0.33	458	1.77	0.02	0.95
G06009		35.8	2.72	6.63	0.05	0.03	0.05	0.032	0.06	36.5	40.2	0.49	640	2.36	0.01	1.51
G06010		11.3	2.62	11.2	<0.05	0.02	0.02	0.018	0.08	12.9	9.4	0.2	157	1.66	<0.01	3.16
G06011		33.1	2.05	5.29	<0.05	0.03	0.05	0.027	0.04	28.7	25.9	0.34	562	1.62	0.02	1.11
G06012		12.7	3.25	8.1	<0.05	0.03	0.03	0.028	0.06	13.4	18.2	0.44	269	1.8	0.01	2.87
G06013		17.8	2.91	7.1	<0.05	0.03	0.03	0.034	0.08	16.6	28.3	0.48	258	1.42	0.01	3
G06014		39.4	2.82	6.11	0.06	0.03	0.06	0.039	0.06	39.1	37.6	0.51	264	2.45	0.03	1.35
G06015		16.1	1.44	8.49	<0.05	0.03	0.02	0.014	0.03	12.7	9	0.11	71	1.16	0.01	3.01
G08016		18	1.66	5.75	<0.05	<0.02	0.02	0.016	0.09	12.5	16.5	0.27	200	1	0.02	1.1
G08017		20.8	5.27	16.15	<0.05	0.04	0.04	0.048	0.13	25.8	50.3	0.75	572	2.97	0.02	5.38
G08034		16.5	3.11	10.7	<0.05	0.02	0.04	0.027	0.07	11.8	21.8	0.33	265	1.54	0.01	2.36
G08035		17.2	0.34	2.39	<0.05	0.04	0.01	<0.005	0.01	3.2	1.3	0.05	35	1.22	0.03	0.43
G08036		5.7	0.97	2.95	<0.05	<0.02	<0.01	0.005	0.04	9.9	1.4	0.03	155	1.36	0.01	0.39
G07034		10.5	2.01	6.1	<0.05	<0.02	0.03	0.022	0.06	11.2	12.8	0.33	198	1.3	0.01	1.09
G07035		12.5	2.67	6.87	<0.05	<0.02	0.02	0.027	0.07	16.2	20.4	0.44	364	1.52	0.01	1.33
G07036		19.2	2.66	7.28	<0.05	<0.02	0.02	0.03	0.08	13.5	24.3	0.54	595	1.73	0.01	1.08
G10022		12.6	3.25	6.99	0.06	0.02	0.03	0.034	0.07	16.2	20.1	0.4	544	1.88	0.01	1.95
G10023		12.7	3.39	7.68	<0.05	0.02	0.03	0.039	0.06	17.2	18	0.38	372	1.55	0.01	2.2
G10024		24.5	2.32	6.05	<0.05	<0.02	0.03	0.033	0.05	24.1	25.3	0.43	303	1.12	0.02	1.1
G10025		12.8	2.08	6.55	<0.05	<0.02	0.02	0.017	0.06	15.2	16.5	0.25	167	1.52	0.01	1.25
G10026		24.4	0.82	2.98	<0.05	<0.02	0.07	0.011	0.02	24.4	4.1	0.06	52	0.74	0.02	0.27
G10027		43.1	1.91	4.75	<0.05	<0.02	0.05	0.017	0.06	25.7	21.3	0.23	77	1.19	0.01	0.74
G10028		10.2	1.98	8.35	<0.05	0.02	0.02	0.019	0.17	18.4	18.2	0.33	135	2.65	0.01	3.1
G10029		10.8	2.1	6.45	<0.05	<0.02	0.03	0.021	0.05	13.3	15	0.37	242	1.09	0.01	1.37
G10030		14.1	1.68	4.86	<0.05	<0.02	0.02	0.017	0.04	16.7	16.6	0.22	168	0.83	0.01	1.31
G10031		12.8	1.8	2.66	<0.05	<0.02	0.06	0.014	0.03	7	7.6	0.09	461	0.51	0.02	0.36
G10032		12.9	2.02	6.8	<0.05	<0.02	0.02	0.018	0.03	10.1	10.1	0.23	170	1.08	0.01	0.97
G10033		10.2	2.02	9.42	<0.05	0.02	0.03	0.017	0.04	14	7.2	0.11	113	1.81	0.01	2.08
G10034		14.5	1.88	4.32	0.05	<0.02	0.02	0.037	0.06	22.8	32.9	0.29	280	1.34	0.01	1.01
G10035		26.6	2.4	7.6	0.05	0.03	0.07	0.044	0.04	25.8	41.1	0.43	710	12.4	0.03	1.68
G10036		11.5	1.26	7.44	<0.05	<0.02	0.03	0.012	0.03	8.9	4	0.08	87	3.06	<0.01	1.2
G14018		17.3	2.77	6.52	<0.05	<0.02	0.04	0.026	0.07	19.3	28.8	0.51	433	1.09	<0.01	1.24
G14019		22.6	3.03	7.7	<0.05	0.02	0.1	0.034	0.12	14.9	39.4	0.64	858	1.3	0.01	1.44
G14020		50.5	2.48	5.49	<0.05	0.03	0.06	0.027	0.08	26.7	37.1	0.47	496	1.03	0.02	1.58
G14021		15	2.44	5.58	<0.05	<0.02	0.03	0.027	0.06	14	19.3	0.37	422	1.36	<0.01	1.01
G14022		13.9	2.63	6.95	<0.05	<0.02	0.03	0.03	0.08	13.4	18.3	0.42	474	1.37	<0.01	1.08
G14023		22.5	2.52	6.65	<0.05	<0.02	0.06	0.023	0.13	13.5	21.4	0.28	273	1.03	0.01	1.04
G14024		8.2	1.65	6.29	<0.05	<0.02	0.02	0.021	0.04	13.5	9.2	0.15	109	1.04	<0.01	1.37



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-2010
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G05034		14.3	510	12.9	19	<0.001	0.05	0.56	1.2	0.3	0.9	16.4	<0.01	0.04	0.3	0.058
G05035		14.2	1340	14.3	10.8	<0.001	0.14	0.47	1.4	1.3	0.5	56.1	0.01	0.03	0.9	0.02
G05036		21.6	950	17.7	13.8	<0.001	0.07	0.25	1.7	0.5	0.6	62	<0.01	0.03	0.6	0.037
G06009		18.5	1020	34	10.3	<0.001	0.06	0.5	2.9	0.9	0.8	28.4	0.01	0.03	1.8	0.065
G06010		11.7	370	15.7	12.8	<0.001	<0.01	0.92	2.1	0.3	1.2	8.4	<0.01	0.04	2.5	0.122
G06011		20.5	840	14.6	8.8	<0.001	0.09	0.5	1.7	0.8	0.6	39.7	0.01	0.03	0.7	0.04
G06012		16.6	420	14.2	12.2	<0.001	0.03	0.46	3.1	0.3	0.8	12.9	0.01	0.05	3.1	0.099
G06013		20.8	540	32.3	15.3	<0.001	0.03	0.68	3.8	0.4	0.9	12.2	0.01	0.04	5.1	0.083
G06014		24.7	1150	355	14.1	0.001	0.22	2.06	3	1.4	0.9	42.1	0.01	0.1	1.1	0.054
G06015		7.7	250	14.7	7.5	<0.001	0.03	0.43	1.6	0.2	1.6	7.7	0.01	0.02	1.6	0.116
G06016		14.9	400	10.7	27.1	<0.001	0.04	0.28	1.3	<0.2	0.7	19.5	<0.01	0.03	0.3	0.057
G06017		27	840	40	36.4	<0.001	0.05	0.66	4.7	0.3	2.4	17.9	0.01	0.08	4	0.158
G06034		14.5	400	13.8	21.8	<0.001	0.05	0.5	2.2	0.3	1.2	13.8	<0.01	0.04	0.8	0.088
G06035		4.7	560	1.3	0.7	<0.001	0.11	0.09	0.5	0.2	0.3	17.2	0.01	0.01	0.3	0.037
G06036		4.9	400	6.4	6.9	<0.001	0.03	0.35	0.4	<0.2	0.5	7.4	<0.01	0.03	0.3	0.021
G07034		13.5	660	11.5	12.4	<0.001	0.05	0.31	1.2	0.2	0.7	12.4	<0.01	0.03	0.4	0.055
G07035		15	580	20.4	15.3	<0.001	0.03	0.39	2	0.2	0.8	14.5	<0.01	0.04	0.9	0.06
G07036		18.5	750	50.5	21.6	<0.001	0.06	0.35	1.6	<0.2	0.9	28.5	<0.01	0.1	0.4	0.051
G10022		16.9	630	23.1	15.5	<0.001	0.03	0.65	3.2	0.3	1.1	11	0.01	0.06	4.7	0.067
G10023		14.7	570	20	9.6	<0.001	0.03	0.58	2.8	0.4	0.9	9.2	0.01	0.04	3.1	0.077
G10024		17.2	700	16	11.8	<0.001	0.03	0.37	1.6	0.3	0.9	22.9	<0.01	0.03	0.4	0.041
G10025		14.4	370	12.7	12.3	<0.001	0.02	0.36	1.7	0.2	0.8	6.8	<0.01	0.02	1.6	0.056
G10026		12.5	800	12.6	3.9	<0.001	0.11	0.15	0.3	0.4	0.3	15.3	<0.01	0.02	<0.2	0.008
G10027		18.5	790	12.5	9.5	<0.001	0.13	0.24	0.7	0.4	0.6	13.6	<0.01	0.04	0.2	0.025
G10028		10	210	11.4	22	0.001	0.02	0.59	2.3	0.3	1.5	5.8	<0.01	0.03	5.4	0.119
G10029		14.4	560	12.8	11.4	<0.001	0.03	0.36	2	0.3	0.7	12.3	<0.01	0.03	0.7	0.056
G10030		9.3	490	17.5	7.9	<0.001	0.03	0.31	1.5	<0.2	2.8	9	<0.01	0.04	1.7	0.043
G10031		9.7	490	14.9	4.4	<0.001	0.04	0.36	0.8	<0.2	0.3	10.7	0.01	0.02	0.3	0.027
G10032		9.7	520	9.8	9.2	<0.001	0.05	0.44	1.1	0.3	0.7	9.8	<0.01	0.04	0.2	0.059
G10033		7.8	240	11.8	9.9	<0.001	0.02	0.44	1.4	0.2	1.2	6.3	<0.01	0.05	2.8	0.052
G10034		14.2	650	17.1	8.7	<0.001	0.03	0.44	1.8	0.3	0.6	20.3	<0.01	0.04	1.5	0.041
G10035		17.7	1360	12.9	9.3	0.001	0.15	0.35	1.6	0.7	1.2	84.8	0.01	0.04	0.5	0.04
G10036		8	420	8.7	7.7	<0.001	0.02	0.31	0.8	0.2	1.3	16.4	<0.01	0.05	0.2	0.04
G14018		25.6	660	21	17.7	<0.001	0.02	0.32	2.5	0.3	0.9	17.5	<0.01	0.05	2	0.047
G14019		29.3	1120	19	23.1	<0.001	0.1	0.37	2.5	0.6	1	45.7	0.01	0.05	1.8	0.049
G14020		43.4	880	13.6	15.1	<0.001	0.06	0.43	2.8	0.9	0.8	59.3	0.01	0.04	1.6	0.047
G14021		20.1	730	18.3	15.9	<0.001	0.04	0.47	1.9	0.3	0.7	28.7	<0.01	0.08	1.1	0.039
G14022		19.4	620	16.2	20.5	<0.001	0.03	0.52	1.7	0.2	0.9	13.9	<0.01	0.04	0.7	0.056
G14023		21.2	2150	10.3	19.4	<0.001	0.07	0.27	1.2	0.5	0.7	15.7	<0.01	0.03	0.4	0.05
G14024		10.9	340	10.1	8.1	<0.001	0.01	0.36	1.4	0.2	1.3	8.8	<0.01	0.04	1.1	0.06



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 3 -
Total # Pages: 4 (A - [)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
G05034		0.11	1.5	44	0.44	2.89	58	0.8
G05035		0.17	73.2	19	0.18	18.5	56	1.8
G05036		0.12	33.5	26	0.34	14.15	190	0.7
G06009		0.15	47.2	39	0.2	20.9	197	0.8
G06010		0.11	2.35	81	0.95	3.23	41	0.8
G06011		0.15	46.5	36	0.35	15.1	80	0.8
G06012		0.11	2.4	62	0.51	4.45	54	1.2
G06013		0.19	2.79	49	1.25	6.27	70	1.1
G06014		0.22	64	42	0.46	27.6	773	0.7
G06015		0.1	1.92	54	0.3	2.71	27	0.9
G06016		0.11	5.75	35	0.27	4.22	57	<0.5
G06017		0.27	8.39	111	0.8	7.21	122	1.3
G06034		0.16	1.05	63	0.54	3.3	80	0.7
G06035		0.07	3.29	7	<0.05	1.67	27	1.5
G06036		0.08	1.09	16	0.16	1.6	18	<0.5
G07034		0.11	1.77	41	0.41	4.34	53	0.5
G07035		0.13	1.33	48	0.51	4.79	86	<0.5
G07036		0.14	5.72	49	0.49	4.56	154	<0.5
G10022		0.13	1.62	58	0.39	5.59	84	0.5
G10023		0.14	1.59	55	0.48	5.59	85	0.5
G10024		0.12	7.32	39	0.44	10.15	62	<0.5
G10025		0.12	1.51	40	0.24	3.52	39	<0.5
G10026		0.1	20.9	14	0.11	12.05	16	<0.5
G10027		0.14	8.17	23	0.14	9.91	32	<0.5
G10028		0.24	2.15	66	0.34	3.27	45	0.6
G10029		0.17	1.31	45	0.32	4.44	40	<0.5
G10030		0.11	1.36	31	0.25	4.81	36	<0.5
G10031		0.08	1.55	19	0.15	3.95	33	<0.5
G10032		0.11	1.21	46	0.32	2.9	40	<0.5
G10033		0.14	2.12	50	0.52	2.49	41	0.5
G10034		0.1	9.68	32	0.31	9.7	77	<0.5
G10035		0.17	86.3	41	0.36	12.8	242	0.6
G10036		0.08	9.64	37	0.6	2.6	30	<0.5
G14018		0.16	2.83	42	4.43	6.59	64	<0.5
G14019		0.16	2.38	44	0.68	7.11	79	0.5
G14020		0.17	4.57	33	0.32	16.9	72	0.7
G14021		0.13	1.47	42	0.58	4.5	62	<0.5
G14022		0.11	1.33	54	0.69	4.05	64	<0.5
G14023		0.14	2.34	40	0.19	9.41	54	<0.5
G14024		0.11	0.95	39	1.01	3.03	36	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 4 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJA

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
Units		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
LOR		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
G14025		0.06	0.09	1.55	6.6	<0.2	<10	90	0.59	0.51	0.22	0.16	32.3	9	27	2.93
G14026		0.06	0.15	1.46	6.7	<0.2	<10	110	0.76	0.55	0.24	0.27	28.1	12.3	42	4.87
G14027		0.06	0.08	1.34	6.1	<0.2	<10	110	0.48	0.39	0.13	0.11	27.9	6.3	22	2.47
G15018		0.10	0.71	0.94	7.5	<0.2	<10	40	0.9	1.54	0.06	0.11	23.6	4.6	16	11.4
G15019		0.10	0.28	2.65	4.4	<0.2	<10	60	1.49	1.26	0.17	0.24	66.6	35.8	38	8.05
G15020		0.10	0.29	2.03	5.3	<0.2	<10	90	2.43	3.07	0.39	1.73	41.9	9.6	36	11.2
G15021		0.08	0.31	1.76	10.4	<0.2	<10	100	1.57	1.08	0.24	0.17	67.3	13.3	29	6.24
G15022		0.06	0.26	1.53	9.9	<0.2	<10	180	1.1	0.76	0.46	0.16	35.1	13.3	31	3.84
G15023		0.06	0.58	1.52	8.3	<0.2	<10	130	1.79	0.75	0.32	0.09	34.2	10.1	25	7.53
G15024		0.08	0.1	1.42	5.6	<0.2	<10	90	1.53	0.68	0.23	0.13	31.7	9.2	24	4.18
G15025		0.06	0.09	1.92	7.3	<0.2	<10	100	1.13	1.25	0.36	0.32	36	11.9	32	6.19
G15026		0.04	0.07	0.92	2.8	<0.2	<10	60	0.42	0.5	0.18	0.39	16.55	5.2	19	2.05
G15027		0.10	0.21	1.35	6.7	<0.2	<10	100	1.66	2.64	1.77	2.21	31.7	7.5	22	4.44
F005		0.10	0.06	0.75	2.7	<0.2	<10	30	0.22	0.28	0.08	0.1	14.35	3.5	12	2.7
F006		0.08	0.7	1.2	20.4	<0.2	<10	90	1.29	1.81	0.13	0.23	19.8	6	19	3.59
F008		0.08	0.13	1.77	5.9	<0.2	<10	100	0.99	1.14	0.17	0.27	37.3	13.1	26	3.73



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 4 - f
Total # Pages: 4 (A - D)
Plus Appendix Page:
Finalized Date: 4-NOV-2008
Account: WOOJAM

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
G14025		22.8	2.45	6.63	<0.05	<0.02	0.02	0.033	0.06	15.6	18.5	0.48	330	1.2	0.01	1.07
G14026		28.3	2.77	6.62	<0.05	<0.02	0.04	0.035	0.09	14.4	22.3	0.46	510	3.07	0.01	0.83
G14027		47.6	2.09	6.8	<0.05	<0.02	0.02	0.026	0.05	13.4	10.3	0.29	291	1.73	0.01	0.57
G15018		10.6	2.07	6.7	<0.05	<0.02	0.07	0.013	0.08	11.7	9.2	0.13	272	1.52	<0.01	1.62
G15019		57.8	7.2	8.97	0.07	0.02	0.02	0.034	0.09	33.3	87.1	1.07	967	1.31	<0.01	0.54
G15020		54	3.33	7.59	0.05	0.03	0.05	0.183	0.09	38.9	50.1	0.9	259	0.74	<0.01	1.36
G15021		24.6	3.02	6.59	0.05	0.03	0.04	0.035	0.11	33.1	40.1	0.63	341	1.33	<0.01	1.56
G15022		18.4	3.39	6.87	<0.05	<0.02	0.04	0.03	0.09	18.6	32	0.53	1080	2.15	<0.01	0.91
G15023		23	2.63	6.15	<0.05	<0.02	0.04	0.034	0.06	23	25.7	0.44	542	1.63	<0.01	0.76
G15024		18.6	2.43	6.77	<0.05	<0.02	0.02	0.041	0.05	19.3	22.5	0.43	599	1.08	<0.01	0.91
G15025		24.9	2.96	7.77	<0.05	<0.02	0.04	0.063	0.09	18	26.9	0.6	712	1.25	0.01	1.01
G15026		7.8	1.38	4.85	<0.05	<0.02	0.02	0.071	0.04	8.4	10.9	0.24	397	1.06	0.01	0.69
G15027		16.5	2.08	5.16	<0.05	0.03	0.06	0.249	0.07	16.2	34.3	0.67	774	0.88	0.01	1.14
F005		14.8	1.39	5.05	<0.05	<0.02	0.03	0.018	0.04	7.4	7.9	0.16	97	1.27	0.01	0.62
F006		16.6	2.15	5.04	<0.05	<0.02	0.07	0.019	0.06	9.7	17.7	0.23	247	1.51	<0.01	1.1
F008		21.3	2.59	6.53	<0.05	<0.02	0.03	0.029	0.07	17.5	26.7	0.39	492	1.47	<0.01	1.21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 4 -
Total # Pages: 4 (A - I)
Plus Appendix Page
Finalized Date: 4-NOV-200
Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41		
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.2	0.01	0.01	0.2	0.005
G14025		23.9	830	14	13.3	<0.001	0.03	0.39	1.9	0.4	0.8	16.2	<0.01	0.04	0.8	0.054	
G14026		32.9	940	19.5	18.5	<0.001	0.07	0.4	1.4	0.4	0.7	20	<0.01	0.04	0.3	0.043	
G14027		17	930	13.5	10.9	<0.001	0.07	0.45	0.7	0.4	0.8	17.4	<0.01	0.04	<0.2	0.023	
G15018		12.4	280	30.4	22.1	<0.001	0.01	0.61	1.4	0.3	0.9	7	<0.01	0.05	1.6	0.04	
G15019		81.1	550	42.9	15.1	<0.001	<0.01	0.13	2.7	0.4	0.5	9.8	0.01	0.07	12	0.02	
G15020		37.8	660	16.6	18.5	0.001	0.06	0.26	5.1	0.7	1.4	20.7	0.01	0.04	8.2	0.035	
G15021		29.5	750	22.2	23.4	<0.001	0.01	0.35	3.3	0.3	0.9	14.8	<0.01	0.04	10.5	0.043	
G15022		26.8	1040	18.4	25.5	<0.001	0.08	0.32	2.3	0.4	1	29.7	<0.01	0.05	2	0.03	
G15023		21.8	830	23.1	13.8	<0.001	0.06	0.35	1.9	0.5	0.8	25.6	<0.01	0.05	0.8	0.032	
G15024		19.5	640	16.3	14.3	<0.001	0.03	0.39	1.9	0.4	1	18.5	<0.01	0.06	0.8	0.043	
G15025		25.1	850	14.1	17.5	0.001	0.03	0.39	2.8	0.5	0.9	26.3	<0.01	0.11	0.8	0.064	
G15026		12.5	620	7	8.7	<0.001	0.02	0.16	1.2	0.2	0.6	16.1	<0.01	0.02	0.3	0.041	
G15027		16.9	860	15.4	19.7	<0.001	0.06	0.25	2.2	0.4	0.9	111.5	<0.01	0.12	1.4	0.039	
F005		8.8	440	7.8	8	<0.001	0.03	0.25	0.8	0.3	0.5	8.9	<0.01	0.03	<0.2	0.039	
F006		16.8	560	39.8	17.8	<0.001	0.02	1.15	1.2	0.5	0.6	10.7	0.01	0.06	0.5	0.023	
F008		26.4	850	22.4	12.1	<0.001	0.02	0.41	2.2	0.4	0.9	13.9	0.01	0.08	1.1	0.048	



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
 North Vancouver BC V7J 2C1
 Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
 528 DOUGLAS STREET
 FARO YT Y0B 1K0

Page: 4 - I
 Total # Pages: 4 (A - D)
 Plus Appendix Page:
 Finalized Date: 4-NOV-200
 Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
G14025		0.16	2.69	46	0.47	8.14	62	<0.5
G14026		0.13	2.53	41	1.18	5.53	78	<0.5
G14027		0.18	2.26	39	0.29	4.75	42	<0.5
G15018		0.19	2.31	46	0.9	2.95	30	<0.5
G15019		0.11	4.16	33	0.2	8.51	142	<0.5
G15020		0.19	11.6	36	2.73	26.1	827	0.5
G15021		0.2	4.34	32	0.49	10.9	115	0.5
G15022		0.19	4.55	36	0.4	7.13	83	<0.5
G15023		0.19	12.8	37	0.46	14.15	71	<0.5
G15024		0.13	8.82	44	0.49	8.98	60	<0.5
G15025		0.15	6.82	55	22.1	9.19	112	<0.5
G15026		0.07	1.45	30	1.15	2.89	83	<0.5
G15027		0.12	3.21	30	3.53	10.8	478	0.8
F005		0.08	1.45	31	0.29	2.02	30	<0.5
F006		0.16	7.39	31	0.23	4.94	42	<0.5
F008		0.14	4.14	35	0.44	6.62	91	<0.5



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: Appendix
Total # Appendix Pages:
Finalized Date: 4-NOV-200
Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152144

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 1
Finalized Date: 5-NOV-2008
Account: WOOJAM

CERTIFICATE VA08152145

Project: PRESIDENT

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-OCT-2008.

The following have access to data associated with this certificate:

JAMES WOODS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - J
Total # Pages: 2 (A - D)
Plus Appendix Page:
Finalized Date: 5-NOV-200
Account: WOOJAN

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152145

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
F003		0.42	0.16	0.39	9.2	<0.2	<10	30	0.55	1.18	0.14	0.07	5.41	0.6	4	2.2
F004		0.34	0.02	3.54	1.7	<0.2	<10	140	2.33	0.75	2.37	0.09	103	17.1	59	8.04
F007		0.14	0.03	1.91	0.2	<0.2	<10	170	0.47	0.24	0.11	0.02	59.2	9.1	40	10.15
F009		0.18	0.11	0.29	0.4	<0.2	<10	30	0.48	12.3	0.07	0.02	4.8	0.7	8	0.54
F010		0.14	0.1	4.56	<0.1	<0.2	<10	70	2.21	0.78	2.7	0.06	122	13.4	48	4.94
F011		0.26	0.24	1.39	0.7	<0.2	<10	30	3.81	185.5	1.46	0.15	5.37	5.2	3	0.96
F012		0.18	1.08	6.95	<0.1	<0.2	<10	20	42.4	658	4.37	<0.01	2.84	12.4	4	5.7
F013		0.28	0.05	1.3	0.3	<0.2	<10	10	0.89	3.53	1.04	0.03	10.3	2.6	12	1.33
F014		0.26	0.37	6.11	<0.1	<0.2	<10	80	42.9	108.5	4.07	<0.01	25.3	15.2	18	15.35



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - 1
Total # Pages: 2 (A - C)
Plus Appendix Page
Finalized Date: 5-NOV-200
Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152145

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Ne	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
F003		4.1	0.41	1.1	<0.05	0.04	<0.01	<0.005	0.24	2.6	1.3	0.02	114	0.18	0.02	0.21
F004		8.4	4.15	16.9	0.09	0.05	<0.01	0.049	0.49	54.1	89.2	2.43	1075	0.18	0.08	0.77
F007		15.6	3.23	9.09	0.06	0.02	<0.01	0.021	0.86	29.3	116.5	0.74	347	0.57	0.05	0.8
F009		6	0.4	1.22	0.06	0.02	0.01	<0.005	0.16	2.2	2.5	0.03	57	0.27	0.05	0.51
F010		67.4	2.54	14.55	0.15	0.06	0.01	0.034	0.22	57	28.1	0.77	223	0.29	0.23	0.97
F011		57.7	4.09	11.95	0.89	0.08	0.39	0.222	0.01	1.8	9.4	0.59	1400	0.3	0.01	2.07
F012		333	5.39	62.5	0.48	0.06	0.04	0.075	0.02	1.2	16.5	0.18	609	0.39	0.32	2.96
F013		21.5	1.82	3.8	0.07	<0.02	0.01	0.008	0.03	5.2	5.1	0.06	56	0.6	0.09	0.75
F014		286	4.18	34.5	0.22	0.04	0.06	0.034	0.13	12.3	44.5	0.38	504	2.28	0.28	0.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-NOV-2008
Account: WOOJAN

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152145

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Tl
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
F003		1.1	540	15.7	20.9	<0.001	0.01	0.1	0.4	<0.2	0.4	7.7	<0.01	0.03	1.4	<0.005
F004		57.7	940	4.2	60.1	<0.001	0.01	0.54	8.1	0.3	8.6	117.5	0.01	0.18	21.4	0.167
F007		20.5	290	3.5	90.5	<0.001	0.01	<0.05	5.8	0.2	2.7	7.2	<0.01	0.01	12.3	0.155
F009		1.5	130	9.8	14	<0.001	0.01	0.18	0.3	<0.2	0.8	4.4	<0.01	0.07	1.4	<0.005
F010		26	60	4.6	24.5	<0.001	0.13	<0.05	5	0.4	22.3	129.5	0.02	0.06	18.1	0.134
F011		1.7	180	4.1	1.1	0.002	0.82	0.13	0.8	0.5	13.9	35.6	0.02	3.35	0.4	0.027
F012		2.2	330	4	2.2	0.002	2.88	0.05	1.4	3.1	5.6	175	0.03	2.7	0.6	0.025
F013		6.2	180	2	2.8	<0.001	0.07	<0.05	1.4	0.2	0.9	97.6	0.01	0.07	2	0.027
F014		31.1	990	4.9	22	0.001	0.89	<0.05	3	2.1	22.7	204	0.01	0.52	2.4	0.06



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: 2 - 1
Total # Pages: 2 (A - I)
Plus Appendix Page
Finalized Date: 5-NOV-200
Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152145

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
F003		0.13	13.55	<1	0.09	3.06	11	1.3
F004		0.44	3.29	83	0.28	18.05	108	0.8
F007		0.75	2.42	33	0.15	7.1	55	0.6
F009		0.08	6.17	1	0.15	1.18	8	<0.5
F010		0.19	3.17	32	0.38	10.7	37	1.2
F011		0.12	0.93	5	280	4.05	42	1.3
F012		0.04	0.99	3	23.9	2	24	1.1
F013		<0.02	0.49	5	3.7	1.68	7	<0.5
F014		0.16	1.82	29	35.3	2.66	31	0.9



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: WOODS, JAMES
528 DOUGLAS STREET
FARO YT Y0B 1K0

Page: Appendix
Total # Appendix Pages:
Finalized Date: 5-NOV-200
Account: WOOJAI

Project: PRESIDENT

CERTIFICATE OF ANALYSIS VA08152145

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

APPENDIX 2

SCHEDULE OF EXPLORATION EXPENSES

2008 QUAD SOIL SAMPLING PROGRAM

A. Sampling. J Woods, July 30 - August 5, Sept 17-23, 2008

(1) Prep and planning	30 Jul 08	1 day
(2) Field	31 Jul-05 Aug 08	6 days
(3) Field	17-24 Sept 08	8 days
(4) Report	08, 14 Jan 09	2 days

TOTAL 17 DAYS X \$500.00 \$8500.00

B. ANALYTICAL: ALS CHEMEX

(166-15) 151 samples @ 25.2667 \$3815.27

C. D.Michell Assistance Helper \$3300.00

D. GST \$780.76

TOTAL 2008 SOIL SAMPLING PROGRAM \$16396.03

TOTAL REPRESENTATION WORK PER CLAIM

Quad 61 YC82922 \$2892.72	Quad 62 YC82923 \$3054.42
Quad 63 YC82924 \$1938.92	Quad 64 YC82925 \$1831.13
Quad 65 YC83594 \$2175.61	Quad 66 YC83595 \$1541.70
Quad 87 YC83596 \$1824.67	Quad 88 YC83597 \$1136.86