

GEOCHEMICAL

REPORT

TIN CLAIMS

71 - 90

YC60699 -YC60718

NTS # 116 B \ 03

LAT: 64° 01' N

LONG: 139° 04' W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JUNE 22, 2007

DATE OF REPORT NOVEMBER 10, 2008

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
5.0 REGIONAL AND PROPERTY GEOLOGY	P.4
5.1 PROPERTY GEOLOGY	P.4
6.0 WORK PROGRAM / METHODS	P.4
6.1 SOIL WORK	P.4
7.0 INTERPRETATION	P.4
7.1 SOIL WORK	P.4
8.0 RECOMMENDATION	P.5
9.0 REFERENCES CITED	P.5
10.0 COST	P.5
11.0 QUALIFICATION	P.6
Geology Description	P.7
Geology / Claim Map	Figure 1
Uranium Soil Map	Figure 2
Assay Data / Soil GPS Data	Appendix

SUMMARY

A one day soil survey was undertaken on June 22, 2008. A total of 124 soils were collected. The soil survey was targeting the Eocene felsic intrusion (ITR4) that indicated a high uranium count on the GSC 2002 Airborne Survey.

1.0 INTRODUCTION

The Tin 71 - 90 YC60699 - YC 60718 claims will be renewed for two years.

2.0 LOCATIONS AND ACCESS

The Tin claims are located on NTS 116 B / 3 in the Dawson Mining District. The Property lies 4 kilometers up the Hunker Creek Road which is located 14 kilometers east of Dawson City, Yukon. Access is via pick up truck from Dawson City, Yukon.

3.0 PROPERTY DESCRIPTION

The Tin Property consists of 90 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 3105 hectares or 4500 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 440 meters and 740 meters. The entire property is covered with boreal forest vegetation such as white spruce and poplar on well-drained soil and black spruce on poorly drained frozen north facing slope.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 PROPERTY GEOLOGY

The Tin Claims cover three different rock units. The three units consist of the oldest to youngest, Devonian to Mississippian unit one DMN1, graphitic quartzite and muscovite quartz rich schist, unit two CPA4, dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite. The third Unit is a lower Tertiary or Eocene Devonian and or Permian, a intrusive rhyolite which consist of a light coloured felsic quartz feldspar porphyry and rhyolite; minor acid tuff breccia, crystal lithic tuff and ignimbrite; quartz-feldspar porphyry stocks and dykes.

6.0 WORK PROGRAM / METHODS

The Tin claims seen four man days of soil work conducted with a contract soil sampling crew from Ryanwood Exploration. The Crew consists of Issac Fage, Mathew McHugh, Chad Cote, and Jeremy Duplisea. In total there was 124 soil sample collected.

6.1 SOIL WORK

The soil work consists of soil sampling with soil augers at an average depth of 60 centimeter. Soil sample where place in Kraft soil bags with sample numbers marked on the bags. A sample description of the color, depth, slope, and horizon and UTM location was noted in field notes. A Garmin 76 GPS was used to get the exact UTM location. All GPS soil sample location where electronically downloaded every evening back in town. Soil sample where taken at 50 meters intervals on soil traverse. All assay where process at the Acme Lab in Vancouver with Group 1DX: ICP - MS on 15 grams.

7.0 INTERPRETATION

7.1 SOIL WORK

The 2007 soil work indicated a moderate uranium soil anomaly with values ranging from 0.4 to a high of 20.6 ppm uranium. The regional background for uranium on 20,000 plus soils in Klondike south area is 0.6 ppm U for the median or 0.89 ppm U for the mean, so anything over 5 ppm U I would consider anomalous. More soil work would be required to try and pick out any uranium trends.

8.0 RECOMMENDATION

I would recommend prospecting the anomalous soil sample over 10 ppm U with soil pits to see if any rocks could be found which are causing the Uranium anomaly.

9.0 REFERENCES CITED

YTG Geology Map and Description

10.0 COST

Assay Cost 124 sample @ \$20.00 per sample	\$2,480.00
Wage 4 man day @ \$330.00 per day	\$1,320.00
Truck + gas 1 day @ \$200.00	\$200.00
Report Writing	\$450.00

Total	\$4,450.00

11.0 QUALIFICATION

I, Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 13 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 12 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the Tin soil Survey.

I own 100 % of the Tin claims.


Dated this 10th of November, 2008 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan

Tin Geology Description

LOWER TERTIARY, MOSTLY(?) EOCENE



ITR: ROSS

mixed bimodal volcanics (basalt (1), rhyolite (2)) and terrestrial clastics (3), dominantly along or near Tintina Fault; farther removed, scattered occurrences of rhyolitic lava and dikes (4) are also included

4. light coloured felsic quartz feldspar porphyry and rhyolite; minor acid tuff breccia, crystal lithic tuff and ignimbrite; quartz-feldspar porphyry stocks and dykes

UPPER CRETACEOUS




uKC: CARMACKS

a volcanic succession dominated by basic volcanic strata (1), but including felsic volcanic rocks dominantly (?) at the base of the succession (2) and locally, basal clastic strata (3) (70 ma approx)


1. augite olivine basalt and breccia; hornblende feldspar porphyry andesite and dacite flows; vesicular, augite phyric andesite and trachyte; minor sandy tuff, granite boulder conglomerate, agglomerate and associated epiclastic rocks (**Carmacks Gp., Little Ridge Volcanics, Casino Volcanics**)

CARBONIFEROUS AND PERMIAN



CPA: ANVIL

dominantly oceanic assemblage of mafic volcanics (1), ultramafics (4), chert and pelite (2), limestone (3) and gabbroic rocks (5)



4. dunite, peridotite, gabbro, pyroxenite, harzburgite and minor diorite, hornblendite and diabase; serpentinite, orange weathering quartz carbonate rock with minor green chromian muscovite, talc-carbonate schist and carbonatized ultramafic rocks

CARBONIFEROUS AND PERMIAN

CPK
CPK2

CPK: KLONDIKE SCHIST

poorly understood assemblage of metamorphosed pelitic/volcanic rocks (1) and minor marble (2), including phyllite of uncertain association (3)

1. tan to rusty and black weathering muscovitic and/or chloritic quartzite and quartz-muscovite-chlorite schist; quartz and/or feldspar augen-bearing quartz-muscovite (+/-chlorite) schist; includes augen gneiss and amphibolite (**Klondike Schist**)


DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMN
DMN2

DMN: NASINA

graphitic quartzite and muscovite quartz-rich schist (1), (3)-(5), and(?) (6) with interspersed marble (2) and probable correlative successions (7) - (9)

1. dark grey to black, fine grained graphitic and non-graphitic quartzite, grey micaceous quartzite and quartz muscovite (+/-chlorite; +/- feldspar augen) schist, locally garnetiferous; minor graphitic stretched metaconglomerate and metagrit (**Nasina assem.**)



593,500 mE

594,000 mE

594,500 mE

595,000 mE

7,102,500 mN

7,102,000 mN

7,101,500 mN

7,101,000 mN

7,100,500 mN


7,102,500 mN

7,102,000 mN

7,101,500 mN

7,101,000 mN


7,100,500 mN



Tin 2007 Soils	
U ppm	
■ (Purple)	15 to 20.6 (2)
■ (Red)	10 to 15 (11)
■ (Orange)	5 to 10 (31)
○ (White)	3 to 5 (24)
· (Black)	0.4 to 3 (56)

RyanWood Exploration

By : S.Ryan	Tin Project
NTS : 116 B / 03	Uranium Map
Date : 10/11/2008	Figure 2
Scale : 1:10000	UTM Zone 7 (NAD 83)



593,500 mE

594,000 mE

594,500 mE

SAMPLES	UTM	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
TIN 11402	NAD83-7W	594450	7102448	1.1	7.3	10.4	61	0	5.8	2.3	146	1.58	6.2
TIN 11403	NAD83-7W	594425	7102406	0.8	8.1	10.3	66	0	8.2	3.3	139	1.48	6.5
TIN 11405	NAD83-7W	594395	7102364	0.9	11.4	11.2	70	0	9.9	3.6	164	1.63	7.6
TIN 11406	NAD83-7W	594366	7102325	0.6	11.3	14.3	72	0	7	2.7	215	1.36	6.3
TIN 14109	NAD83-7W	594372	7102508	0.6	14.3	10	48	0	13.3	5.2	137	1.97	7.9
TIN 14110	NAD83-7W	594339	7102468	0.6	22	10.8	52	0	17.1	5.3	182	2.23	9.5
TIN 14111	NAD83-7W	594310	7102431	0.5	15	9.5	53	0	11.7	4.9	139	1.58	5.8
TIN 14112	NAD83-7W	594280	7102389	0.6	12.4	8.9	47	0	10.3	4.3	133	1.72	6.1
TIN 14113	NAD83-7W	594250	7102348	0.6	20.1	9	60	0	13.4	5	164	1.8	6.8
TIN 14114	NAD83-7W	594220	7102309	0.8	17.2	14.1	56	0	11.5	4.8	143	1.93	10.9
TIN 14115	NAD83-7W	594192	7102269	0.7	23.5	13.1	64	0	18	6.9	246	2.15	10.7
TIN 14116	NAD83-7W	594162	7102228	0.5	16.4	13.7	54	0	9.5	3	88	1.65	7.9
TIN 14117	NAD83-7W	594132	7102188	0.5	12.9	11.8	65	0	9.7	3.6	126	1.56	5.2
TIN 14118	NAD83-7W	594103	7102148	0.6	16.3	10.2	51	0	13.3	5.5	148	2.01	7.9
TIN 14119	NAD83-7W	594073	7102107	0.5	22.9	12.3	61	0	13.7	5.6	208	2	6.4
TIN 14120	NAD83-7W	594045	7102065	1.3	19.9	12.6	108	0	9.4	3.5	241	1.92	4.2
TIN 14121	NAD83-7W	594014	7102026	0.8	24.1	10.4	72	0	16.8	6.2	218	2.2	7.5
TIN 14122	NAD83-7W	593984	7101985	1.6	10.3	11.4	155	0	6.3	2.1	177	1.92	4.9
TIN 14123	NAD83-7W	593956	7101944	1.6	19.4	12.8	116	0	16.5	6	195	2.61	12
TIN 14124	NAD83-7W	593925	7101905	1.4	25.3	13.1	96	0	18.7	6.3	241	2.36	9.2
TIN 14125	NAD83-7W	593897	7101864	1.7	12.6	12.8	78	0	15.4	6.7	244	2.57	10.8
TIN 14126	NAD83-7W	593865	7101824	1.9	11.2	13.7	109	0	12.7	5	227	2.54	9.7
TIN 14127	NAD83-7W	593837	7101783	1.4	11.4	12.7	117	0	15.3	6.5	295	2.74	11.8
TIN 14128	NAD83-7W	593807	7101741	1.2	7.2	14.9	140	0	11.6	4.7	300	2.33	7.1
TIN 14129	NAD83-7W	593778	7101703	1.2	20.5	14.9	113	0	18	6	219	2.72	12.4
TIN 14130	NAD83-7W	593751	7101662	1.3	16	13	82	0	14.4	5.2	185	2.36	11
TIN 14131	NAD83-7W	593719	7101624	1.3	12.5	14.1	117	0	10.7	3.8	179	2.03	10.5
TIN 14132	NAD83-7W	593690	7101581	1.4	14.1	13.6	86	0	11.6	4.3	185	2.04	7.6
TIN 14133	NAD83-7W	593661	7101541	2.2	9.4	14.5	159	0	5.9	1.4	226	1.8	3.8
TIN 14134	NAD83-7W	593631	7101502	1.1	10.1	14.5	66	0	14	7	257	2.34	8.8
TIN 14135	NAD83-7W	593600	7101463	1.2	16.8	41.3	71	0.1	14.4	7	563	1.99	10.2
TIN 14136	NAD83-7W	593570	7101422	2.6	23.5	16.7	109	0	22.2	6.6	226	2.63	11.2
TIN 14137	NAD83-7W	593541	7101381	2.1	37.4	13.2	104	0.1	33.2	13.7	406	3.67	6.5
TIN 14138	NAD83-7W	593509	7101342	1.5	35.8	14.5	91	0.1	37	18	711	4.15	10.2
TIN 14139	NAD83-7W	593480	7101303	4.5	39.2	14.3	135	0.4	37.7	6	69	3.03	53
TIN 14140	NAD83-7W	593561	7101243	1.3	48.5	8.7	123	0.1	47.7	11.2	541	2.09	20.8
TIN 14141	NAD83-7W	593591	7101280	3.8	50.9	12.6	106	0.4	47.3	14	468	3.41	13.7
TIN 14142	NAD83-7W	593620	7101320	2	36.6	14.2	86	0.3	41.9	15	533	3.74	6.9
TIN 14143	NAD83-7W	593642	7101181	1.1	34	12.4	54	0.2	23.5	5.5	163	1.96	4.5
TIN 14144	NAD83-7W	593673	7101219	5.1	102.5	14.8	156	0.5	63.5	16.8	626	3.4	24.2
TIN 14146	NAD83-7W	593751	7101160	3.9	88.6	11.7	96	0.7	53.8	12.3	803	3.17	42.6
TIN 14147	NAD83-7W	594611	7102331	0.7	19.7	12	52	0	15.4	5.8	178	2.08	10
TIN 14148	NAD83-7W	594582	7102288	0.9	18.2	15.3	58	0	14	5.4	212	2.31	11
TIN 14149	NAD83-7W	594553	7102250	0.8	8.1	11.9	95	0	5.7	2.1	185	1.28	3.6
TIN 14150	NAD83-7W	594523	7102209	0.9	13.7	14.8	106	0	11.5	5	213	2.09	9.2
TIN 14151	NAD83-7W	594494	7102169	1	9	19	86	0	9	2.5	171	1.61	7.5
TIN 14152	NAD83-7W	594465	7102128	1	18.6	14.4	69	0	16.7	7	226	2.52	11.1
TIN 14153	NAD83-7W	594434	7102088	1.2	13.1	13.3	78	0	13.1	5.3	208	2.16	8.7
TIN 14154	NAD83-7W	594405	7102047	1	7.1	16.1	95	0	5.1	2.6	215	1.4	5.2
TIN 14155	NAD83-7W	594376	7102007	1.3	9.7	16.9	101	0	10.3	3.8	264	2.01	7.6
TIN 14156	NAD83-7W	594345	7101967	0.9	5.8	15.6	100	0	6.1	2.1	195	1.55	6
TIN 14157	NAD83-7W	594316	7101927	1.2	13.9	14	120	0	12.2	4.2	244	2.06	8.8
TIN 14158	NAD83-7W	594287	7101886	1	10.3	13.4	79	0	15.2	6.3	236	2.44	8.6
TIN 14159	NAD83-7W	594257	7101845	1.2	9.1	12.5	89	0	14.8	5.3	335	2.51	7
TIN 14160	NAD83-7W	594228	7101805	1.2	10.3	13.4	82	0	14.5	7.4	435	2.38	6.8
TIN 14161	NAD83-7W	594197	7101765	1.2	8.4	17.4	149	0	7	2.2	207	1.58	5.8
TIN 14162	NAD83-7W	594166	7101726	1	21.4	15.5	69	0	19.2	7.2	228	2.86	13.4
TIN 14163	NAD83-7W	594140	7101683	1.4	5.6	14.2	47	0	7.2	2.9	171	1.77	4.5

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
TIN 11402	1.1	2.4	2.8	6	0.2	0.5	0.2	32	0.11	0.028	7	11	0.1	102	0.029
TIN 11403	1.9	1.8	13	11	0.1	0.5	0.1	27	0.22	0.02	19	14	0.21	115	0.033
TIN 11405	2.1	0	13	12	0.1	0.5	0.1	30	0.19	0.025	21	15	0.22	136	0.038
TIN 11406	5.2	1	27.5	12	0.1	0.4	0.1	23	0.21	0.014	32	13	0.16	107	0.047
TIN 14109	1.3	2.1	10.7	14	0	0.6	0.2	38	0.22	0.024	19	22	0.33	204	0.04
TIN 14110	2.9	2.1	13.4	20	0.1	0.6	0.2	42	0.3	0.045	24	26	0.38	280	0.042
TIN 14111	2.1	0.6	13.6	14	0.1	0.4	0.1	29	0.25	0.04	28	18	0.3	151	0.042
TIN 14112	1.9	4.8	10.5	15	0	0.4	0.1	32	0.21	0.019	15	19	0.3	208	0.04
TIN 14113	6.7	3.9	15	18	0	0.5	0.1	32	0.26	0.029	24	21	0.29	248	0.042
TIN 14114	4.7	0	24.1	17	0.1	0.8	0.2	38	0.27	0.029	30	20	0.24	240	0.04
TIN 14115	5.2	4.9	14.4	23	0.1	0.8	0.2	40	0.32	0.04	24	24	0.29	321	0.046
TIN 14116	5.4	0	23.9	17	0.1	0.6	0.2	33	0.23	0.037	26	18	0.21	160	0.032
TIN 14117	5.4	0	24.3	14	0	0.5	0.2	29	0.21	0.033	23	18	0.26	138	0.046
TIN 14118	2.5	24.8	11.2	14	0.1	0.5	0.2	39	0.18	0.015	16	23	0.33	201	0.04
TIN 14119	14.2	11.5	30.3	16	0.1	0.5	0.2	36	0.27	0.027	40	23	0.3	177	0.044
TIN 14120	8.2	5.4	39.2	11	0.2	0.6	0.1	23	0.14	0.014	40	15	0.17	113	0.027
TIN 14121	3.4	3.1	24	11	0.1	0.7	0.1	40	0.13	0.023	31	23	0.34	206	0.039
TIN 14122	7.6	0.6	42.2	6	0.1	0.6	0.1	16	0.06	0.007	13	10	0.11	96	0.031
TIN 14123	5.4	1.2	29.8	6	0.1	0.8	0.1	37	0.04	0.012	10	24	0.27	108	0.039
TIN 14124	3.8	4.6	36.5	14	0.2	0.7	0.6	39	0.14	0.011	48	24	0.31	238	0.048
TIN 14125	1.2	0.6	17	8	0.2	0.6	0.5	44	0.07	0.021	9	24	0.3	174	0.045
TIN 14126	1.9	4	22.3	6	0.1	0.6	1.3	38	0.05	0.015	7	22	0.23	130	0.049
TIN 14127	2.1	0.7	15.3	11	0.2	0.6	0.2	50	0.13	0.028	8	27	0.33	194	0.04
TIN 14128	4.5	0	16.7	10	0.2	0.5	0.1	38	0.12	0.02	9	19	0.23	184	0.038
TIN 14129	3.6	1.2	27.1	10	0.1	0.9	0.2	44	0.08	0.015	15	27	0.32	158	0.042
TIN 14130	2	0.7	15.8	8	0.1	0.6	0.2	43	0.07	0.018	12	25	0.29	147	0.041
TIN 14131	6.7	0.6	44	7	0.1	0.6	0.1	27	0.05	0.01	30	16	0.2	122	0.043
TIN 14132	4.3	0	26.1	7	0.1	0.6	0.1	30	0.05	0.011	12	17	0.24	111	0.041
TIN 14133	12.9	3.3	48.7	6	0.3	0.3	0.1	8	0.05	0.007	36	6	0.09	95	0.034
TIN 14134	1.5	1.3	7.6	13	0.2	0.4	0.8	50	0.11	0.029	12	23	0.29	255	0.033
TIN 14135	13.4	2.9	34.1	12	0.5	0.4	2	40	0.15	0.029	161	18	0.28	228	0.031
TIN 14136	6.7	0	25.8	9	0.3	0.4	1.1	21	0.1	0.02	40	15	0.3	126	0.014
TIN 14137	3.3	0	13.6	14	0.3	0.5	0.6	27	0.15	0.04	37	22	0.48	161	0.008
TIN 14138	2.8	1.5	10	24	0.3	0.3	0.4	30	0.4	0.063	28	30	0.8	245	0.004
TIN 14139	1.8	5.1	2.1	33	0.5	1.5	0.2	26	0.05	0.065	20	16	0.09	265	0.008
TIN 14140	0.9	4.4	3.2	45	0.4	0.8	0.1	53	0.75	0.149	11	26	0.41	473	0.018
TIN 14141	1.3	5.9	8.5	28	0.3	0.4	0.3	18	0.48	0.058	26	18	0.49	271	0.001
TIN 14142	5	2.7	11	21	0.3	0.4	0.4	14	0.31	0.065	28	19	0.55	150	0.001
TIN 14143	0.6	3	6.9	8	0.1	0.4	0.2	18	0.11	0.014	27	11	0.29	273	0.005
TIN 14144	2	6.3	5.4	37	1.3	0.5	0.3	25	0.63	0.089	19	26	0.37	305	0.002
TIN 14146	3.5	7.7	2.1	88	1.7	1	0.2	21	2.82	0.125	13	19	0.42	485	0.002
TIN 14147	2.2	1.7	13.4	18	0	0.7	0.1	38	0.3	0.054	39	22	0.35	179	0.033
TIN 14148	2.7	1.3	22.7	16	0.1	0.9	0.2	46	0.25	0.012	33	24	0.36	213	0.038
TIN 14149	5.5	2.5	30.3	9	0.1	0.3	0.1	15	0.13	0.008	20	9	0.12	82	0.02
TIN 14150	2.6	3.5	36.3	14	0.1	0.8	0.1	33	0.21	0.008	16	20	0.24	142	0.032
TIN 14151	2.9	0	31.3	17	0	0.6	0.1	26	0.48	0.009	23	13	0.18	194	0.023
TIN 14152	1.3	3.7	13	12	0.1	0.8	0.2	50	0.13	0.013	13	29	0.32	202	0.048
TIN 14153	2.3	5.5	21.2	9	0.1	0.6	0.1	39	0.1	0.011	12	22	0.26	161	0.037
TIN 14154	4.8	1.3	40.1	13	0.1	0.4	0.1	16	0.36	0.005	16	10	0.11	111	0.018
TIN 14155	2.4	1.1	23	10	0.1	0.6	0.1	34	0.25	0.011	12	19	0.19	150	0.041
TIN 14156	3.7	0.9	35.4	12	0.1	0.4	0.1	16	0.37	0.007	6	11	0.12	128	0.013
TIN 14157	3.1	0.6	28.7	8	0.1	0.7	0.1	29	0.07	0.01	18	18	0.21	104	0.031
TIN 14158	0.9	2.4	8.4	10	0.1	0.6	0.2	51	0.08	0.014	12	22	0.27	150	0.037
TIN 14159	0.9	6.1	8.6	11	0.2	0.6	0.2	50	0.1	0.025	10	19	0.27	177	0.032
TIN 14160	1	0.8	7.3	12	0.2	0.6	0.2	51	0.12	0.018	12	24	0.3	187	0.041
TIN 14161	4.6	0	41.9	8	0.1	0.4	0.1	15	0.08	0.005	22	10	0.13	52	0.011
TIN 14162	1.2	2.5	13.8	12	0.2	0.9	0.2	52	0.1	0.021	13	33	0.39	171	0.046
TIN 14163	1.5	1.2	21	5	0.1	0.4	0.1	23	0.04	0.01	10	11	0.16	60	0.019

SAMPLES	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
TIN 11402	1	1.08	0.008	0.08	0.3	0.02	1.3	0.3	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 11403	1	1.13	0.011	0.07	0.3	0.01	2	0.2	0	4	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 11405	1	1.15	0.009	0.09	0.3	0.01	2.2	0.2	0	4	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 11406	1	0.91	0.01	0.1	0.3	0.01	2.5	0.3	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14109	0	1.32	0.008	0.04	0.2	0.02	2.9	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14110	1	1.36	0.008	0.04	0.3	0.02	4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14111	1	1.16	0.009	0.05	0.3	0.02	2.4	0.1	0	4	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14112	0	1.12	0.009	0.04	0.2	0.03	2.5	0.1	0	3	0	GROUP 1DX - 15.0 GM	A705295
TIN 14113	0	1.28	0.01	0.05	0.2	0.03	3.7	0.1	0	4	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14114	0	1.26	0.008	0.06	0.2	0.02	3.6	0.1	0	4	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14115	1	1.38	0.011	0.06	0.2	0.04	4	0.1	0	4	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14116	0	1.27	0.008	0.06	0.2	0.03	2.7	0.2	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14117	1	1.16	0.008	0.07	0.3	0.01	2.8	0.2	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14118	0	1.39	0.008	0.04	0.1	0.01	3.1	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14119	0	1.37	0.011	0.06	0.1	0.04	4.5	0.2	0	4	1.7	GROUP 1DX - 15.0 GM	A705295
TIN 14120	0	1.21	0.008	0.09	0.2	0.03	5	0.2	0	6	2.4	GROUP 1DX - 15.0 GM	A705295
TIN 14121	1	1.34	0.006	0.05	0.4	0.03	4.4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14122	0	1.03	0.007	0.11	0.3	0.01	3.9	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14123	0	1.52	0.006	0.08	0.3	0.01	3.3	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14124	1	1.33	0.008	0.1	0.4	0.02	5.5	0.1	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14125	0	2.06	0.007	0.1	0.5	0.01	3.4	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14126	1	1.78	0.008	0.14	0.6	0.01	4	0.3	0	8	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14127	0	1.88	0.006	0.09	0.2	0.01	3.1	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14128	0	1.77	0.008	0.1	0.7	0.01	2.9	0.2	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14129	1	1.82	0.007	0.1	0.3	0.01	4.3	0.2	0	7	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14130	0	1.67	0.006	0.07	0.4	0.01	3.7	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14131	1	1.28	0.007	0.13	0.6	0.01	4	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14132	1	1.3	0.007	0.11	0.5	0.01	3.5	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14133	0	0.94	0.011	0.19	0.9	0.01	5.1	0.5	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14134	0	1.59	0.006	0.05	0.4	0.01	2.8	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14135	0	1.6	0.007	0.08	0.6	0.02	3.9	0.2	0	7	1.7	GROUP 1DX - 15.0 GM	A705295
TIN 14136	1	1.3	0.007	0.08	0.4	0.01	3.3	0.2	0	6	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14137	0	1.63	0.004	0.06	0.2	0.02	2.9	0.1	0	5	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14138	1	1.98	0.005	0.07	0.1	0.02	4	0.1	0	6	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14139	0	0.69	0.002	0.04	0.2	0.08	1.9	0.7	0	2	5.8	GROUP 1DX - 15.0 GM	A705295
TIN 14140	0	1.18	0.005	0.03	0.2	0.04	3.6	0.2	0	4	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14141	2	1.3	0.005	0.06	0	0.04	3.1	0.1	0.1	4	2.7	GROUP 1DX - 15.0 GM	A705295
TIN 14142	1	1.37	0.005	0.05	0.1	0.02	2.9	0.1	0.1	4	2.1	GROUP 1DX - 15.0 GM	A705295
TIN 14143	0	0.9	0.002	0.05	0.1	0.03	1.6	0.1	0	3	1	GROUP 1DX - 15.0 GM	A705295
TIN 14144	1	1	0.003	0.05	0.1	0.08	3.2	0.1	0.1	2	3.4	GROUP 1DX - 15.0 GM	A705295
TIN 14146	4	0.61	0.006	0.04	0.1	0.11	2.2	0.1	0.1	2	4.2	GROUP 1DX - 15.0 GM	A705295
TIN 14147	1	1.32	0.009	0.06	0.3	0.03	2.5	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14148	1	1.6	0.011	0.08	0.3	0.01	3	0.2	0	5	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14149	0	0.96	0.009	0.12	0.4	0.01	2.8	0.3	0	5	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14150	1	1.67	0.014	0.13	0.4	0.01	3	0.3	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14151	1	1.94	0.021	0.17	0.4	0.01	2.2	0.4	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14152	0	1.93	0.008	0.08	0.3	0.01	2.7	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14153	0	1.68	0.008	0.08	0.2	0.02	2.9	0.2	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14154	0	1.65	0.024	0.16	0.4	0.01	2.6	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14155	1	1.75	0.013	0.14	0.4	0.01	2.7	0.3	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14156	0	1.99	0.024	0.15	0.4	0.01	1.8	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14157	1	1.54	0.007	0.11	0.3	0	3.4	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14158	1	1.65	0.006	0.06	0.2	0.01	2.1	0.2	0	6	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14159	0	1.68	0.005	0.07	0.3	0.02	2.3	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14160	1	1.65	0.006	0.07	0.2	0.01	2.3	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14161	0	1.32	0.007	0.11	0.2	0	3.4	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14162	1	1.9	0.005	0.09	0.4	0.01	3.3	0.1	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14163	0	0.92	0.005	0.05	0.6	0.01	2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A705295

SAMPLES	UTM	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
TIN 14164	NAD83-7W	594109	7101644	1.2	3.3	23.9	45	0	1.4	1	98	1.18	2.1
TIN 14165	NAD83-7W	594080	7101603	1	17.8	13.2	82	0	14	4.9	277	1.91	8.4
TIN 14166	NAD83-7W	594049	7101563	1	22.3	12.9	69	0	20.1	8.4	222	2.58	11.6
TIN 14167	NAD83-7W	594019	7101522	1.1	11.6	17.6	81	0	12.2	3.9	225	2.09	6.8
TIN 14168	NAD83-7W	593992	7101486	1.3	15	17.1	82	0	17.5	6.3	284	2.6	11.4
TIN 14169	NAD83-7W	593961	7101446	1.4	8.5	13.7	134	0	6	1.9	139	1.66	4.6
TIN 14170	NAD83-7W	593932	7101405	1.4	16.9	14.3	94	0	12.6	4.1	201	2.16	7.5
TIN 14171	NAD83-7W	593901	7101365	1.9	7.4	16.8	118	0	4.6	1.8	278	1.83	3.2
TIN 14172	NAD83-7W	593872	7101324	2.2	3.7	18.4	199	0	3.7	1.6	323	2.42	2.1
TIN 14173	NAD83-7W	593842	7101284	1.3	14	13.8	109	0	18.1	7.8	393	2.81	9.9
TIN 14174	NAD83-7W	593812	7101243	0.9	7	12	60	0	12.1	4.8	274	1.79	4.5
TIN 14175	NAD83-7W	593781	7101203	4.5	46.4	22.7	115	0.2	47.2	15.8	589	4.45	15.1
TIN 14188	NAD83-7W	594336	7102285	1	16.7	17.9	56	0.1	10.8	3.7	148	2.05	11
TIN 14189	NAD83-7W	594304	7102246	0.5	12.5	8.7	43	0	10.6	4	131	1.59	5.5
TIN 14190	NAD83-7W	594276	7102206	0.9	17.2	11.1	57	0	14.2	5	158	2.03	7.1
TIN 14191	NAD83-7W	594247	7102166	0.7	15	12.9	57	0	10.9	3.3	143	1.82	7.3
TIN 14192	NAD83-7W	594216	7102126	1.1	28	28.3	104	0.3	17.5	4.3	128	2.15	6.6
TIN 14193	NAD83-7W	594186	7102085	0.7	12.9	14.6	83	0	9.8	3.4	169	1.57	5.2
TIN 14194	NAD83-7W	594156	7102045	0.9	22.8	18.5	101	0	18.3	5.2	215	2.3	8.5
TIN 14195	NAD83-7W	594126	7102005	0.6	7.1	14.5	110	0	5.5	1.8	161	1.31	4.6
TIN 14196	NAD83-7W	594096	7101963	1	21.4	14.5	70	0	17.5	7	223	2.78	11.6
TIN 14197	NAD83-7W	594067	7101923	1.1	10.3	11.5	149	0	7.8	1.7	177	1.58	4.6
TIN 14198	NAD83-7W	594037	7101885	1.3	21.2	13	90	0	20.5	8.3	266	2.89	12.9
TIN 14199	NAD83-7W	594007	7101844	2	12.5	13.8	193	0	9.1	3.4	226	2.41	8.3
TIN 14200	NAD83-7W	593979	7101804	1.3	16.7	13.1	101	0	23.4	8.6	336	3.24	12.9
TIN 14201	NAD83-7W	593949	7101765	1.4	14.4	13.7	108	0	16.8	6.2	239	2.74	11.4
TIN 14202	NAD83-7W	593920	7101724	1.2	22.2	10.6	125	0	14.9	4.3	227	2.21	8.8
TIN 14203	NAD83-7W	593889	7101684	1.2	11.4	12.2	113	0	19.2	7.7	264	2.73	8.2
TIN 14204	NAD83-7W	593860	7101644	1.3	12.5	16.6	145	0	10	3.4	223	2.1	6.7
TIN 14205	NAD83-7W	593830	7101602	1.6	10.7	12.8	141	0	17.8	6.3	336	2.92	8.2
TIN 14206	NAD83-7W	593800	7101565	2.2	5.2	13.6	153	0	3.2	1	203	1.74	2.7
TIN 14207	NAD83-7W	593770	7101521	1.2	6.5	12.3	117	0	10.1	4.5	370	2.05	5.3
TIN 14208	NAD83-7W	593739	7101483	1.3	17.3	13.5	81	0	20.2	7.9	251	3.04	11.1
TIN 14209	NAD83-7W	593711	7101444	1.6	13.3	14.5	120	0	14.4	7.4	301	2.63	8.5
TIN 14210	NAD83-7W	593679	7101402	1	18.1	12	75	0	22.6	8.3	244	2.78	12.2
TIN 14211	NAD83-7W	593649	7101357	1	17	19.4	70	0.2	20	6.8	203	2.57	9.9
TIN 14212	NAD83-7W	593720	7101123	1.8	56.7	15.7	76	0	50.2	12.5	760	2.49	6.9
TIN 14216	NAD83-7W	594531	7102388	0.9	7.8	11.3	66	0	13.8	5.8	202	2.22	8.6
TIN 14217	NAD83-7W	594505	7102347	1.1	5.2	13.7	109	0	5.7	2	174	1.45	4.5
TIN 14218	NAD83-7W	594471	7102307	0.8	12.4	11.6	57	0	11.7	4.4	166	1.88	6.8
TIN 14219	NAD83-7W	594446	7102265	0.9	12.6	13	91	0	9.9	3.5	207	1.7	4.7
TIN 14220	NAD83-7W	594415	7102227	1.2	23	17.9	83	0	16.3	4.8	225	2.29	8.8
TIN 14221	NAD83-7W	594386	7102186	1.3	24.4	22.7	127	0	16.8	4.3	235	2.53	10
TIN 14222	NAD83-7W	594356	7102146	0.9	7.7	16.9	146	0	5.6	1.1	221	1.47	4.8
TIN 14223	NAD83-7W	594326	7102106	0.9	4.4	22.5	155	0	3.2	1	204	1.47	3.4
TIN 14224	NAD83-7W	594296	7102065	1.1	10.3	13.2	111	0	9.6	3.3	197	1.89	6
TIN 14225	NAD83-7W	594267	7102026	1.1	6.6	15.7	156	0	4	1.3	218	1.55	2.9
TIN 14226	NAD83-7W	594237	7101984	1.5	10.7	17.1	123	0	13.5	4.2	218	2.13	8.3
TIN 14227	NAD83-7W	594206	7101945	1.4	10.2	25.3	170	0	4.9	2	339	1.68	5.1
TIN 14228	NAD83-7W	594177	7101904	1.1	9.1	16.5	125	0	11.1	4.1	218	2.21	6.6
TIN 14229	NAD83-7W	594148	7101864	1.1	7.9	15.4	146	0	7.9	3.4	253	2	6.8
TIN 14230	NAD83-7W	594118	7101824	1.1	5.1	20.3	111	0	5.1	2	180	1.48	7.3
TIN 14231	NAD83-7W	594088	7101783	1.5	7.2	16	156	0	7.1	2.5	196	1.96	5.7
TIN 14232	NAD83-7W	594061	7101744	1.3	5.1	17.3	188	0	3.1	1.1	187	1.68	5.4
TIN 14233	NAD83-7W	594031	7101704	1.3	3.9	20	231	0	3.1	1	245	1.82	5.1
TIN 14234	NAD83-7W	594001	7101664	0.9	9.3	14.6	137	0.2	14.8	6.5	316	2.44	6.1
TIN 14235	NAD83-7W	593971	7101624	1.2	13.1	11.8	142	0	8.2	2.2	198	1.71	4.9
TIN 14236	NAD83-7W	593940	7101586	0.9	7.6	12.6	153	0	8.5	3.9	223	2.24	6.5

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
TIN 14164	6	0.6	42.1	8	0.2	0.2	0.3	3	0.1	0.003	24	2	0.05	34	0.004
TIN 14165	5.8	1.4	26.4	23	0.1	0.7	0.1	28	0.27	0.055	31	16	0.3	140	0.03
TIN 14166	1.3	2.4	11.8	13	0.1	0.9	0.2	46	0.11	0.016	14	28	0.37	212	0.044
TIN 14167	3.8	1.1	34.2	11	0.1	0.4	0.2	31	0.1	0.019	31	17	0.23	172	0.043
TIN 14168	1.5	5.4	13.5	11	0.2	0.7	3.7	50	0.09	0.029	13	27	0.34	142	0.045
TIN 14169	2.8	0.5	33.7	9	0.1	0.6	1.7	11	0.11	0.004	23	7	0.15	79	0.015
TIN 14170	5.8	1.9	33.7	9	0.1	0.6	0.7	28	0.08	0.011	30	20	0.24	88	0.047
TIN 14171	12.8	2	57.6	6	0.1	0.2	0.3	7	0.06	0.007	23	6	0.08	78	0.028
TIN 14172	9.3	1.2	52.5	5	0.3	0.2	0.1	5	0.05	0.009	15	5	0.07	79	0.034
TIN 14173	1.6	0	10.5	12	0.3	0.7	0.3	54	0.11	0.042	11	29	0.38	275	0.048
TIN 14174	1.9	0	12.6	16	0	0.3	0.6	34	0.2	0.013	17	18	0.25	282	0.031
TIN 14175	5	0	17.5	21	0.6	0.4	0.7	24	0.45	0.097	46	27	0.83	138	0.002
TIN 14188	4.2	0.9	25.2	18	0	0.7	0.2	44	0.23	0.026	31	20	0.26	191	0.038
TIN 14189	2	2.3	10.9	14	0	0.5	0.1	32	0.19	0.022	16	18	0.28	174	0.045
TIN 14190	2.3	2.8	15.9	18	0	0.5	0.2	39	0.18	0.011	18	21	0.27	174	0.044
TIN 14191	5	0.8	26.4	17	0	0.5	0.2	35	0.2	0.026	23	19	0.23	175	0.046
TIN 14192	20.6	5.5	4.6	43	0.5	0.6	0.2	29	0.47	0.079	86	17	0.13	410	0.009
TIN 14193	4	1.9	30.9	12	0	0.5	0.1	29	0.18	0.014	23	15	0.18	116	0.047
TIN 14194	5.9	2.1	33.3	23	0	0.6	0.2	40	0.24	0.009	25	24	0.29	220	0.032
TIN 14195	8	1.7	40.7	10	0	0.3	0.1	12	0.14	0.004	14	8	0.11	88	0.013
TIN 14196	2.2	3.5	19.4	13	0	0.7	0.2	52	0.13	0.016	18	33	0.38	168	0.052
TIN 14197	4.7	0.7	35.6	16	0	0.4	0.1	13	0.4	0.004	29	8	0.12	110	0.009
TIN 14198	2.6	4.7	18.6	12	0	0.7	0.2	58	0.09	0.017	19	35	0.36	186	0.055
TIN 14199	4.7	2.3	32.6	9	0	0.5	0.1	24	0.06	0.008	11	16	0.17	106	0.032
TIN 14200	1.2	0.9	11.7	14	0.2	0.7	0.2	67	0.13	0.034	13	37	0.44	254	0.054
TIN 14201	2.7	0.9	20.4	11	0	0.6	0.2	51	0.08	0.026	16	29	0.3	141	0.05
TIN 14202	5	7.5	39.2	14	0.2	0.6	0.1	32	0.14	0.022	35	19	0.24	111	0.042
TIN 14203	2.1	2.3	17.2	15	0.2	0.5	0.2	58	0.15	0.044	11	28	0.35	286	0.049
TIN 14204	6.6	6.8	44.3	9	0	0.5	0.1	27	0.07	0.01	12	17	0.2	80	0.034
TIN 14205	3.7	0.8	20	15	0.2	0.5	0.2	55	0.12	0.051	8	28	0.29	217	0.05
TIN 14206	13.6	0	53.1	5	0	0.2	0.1	6	0.04	0.006	24	5	0.06	75	0.029
TIN 14207	1.7	0.7	14.4	14	0.2	0.4	0.2	42	0.13	0.024	9	18	0.21	181	0.059
TIN 14208	2.3	1.4	13.6	11	0	0.6	0.2	66	0.07	0.017	14	36	0.42	201	0.063
TIN 14209	2	2.2	19.9	11	0.2	0.5	0.2	48	0.08	0.017	11	24	0.26	211	0.065
TIN 14210	1.2	1	9.1	15	0.2	0.6	1.2	60	0.13	0.019	14	34	0.4	300	0.053
TIN 14211	4.7	3.6	26	13	0.2	0.5	1.1	52	0.13	0.02	32	32	0.39	215	0.04
TIN 14212	0.4	0.7	3.2	8	0.2	0.3	0.2	41	0.39	0.028	14	31	0.16	405	0.01
TIN 14216	0.9	1.6	9.5	12	0	0.4	0.2	49	0.1	0.029	9	21	0.23	215	0.037
TIN 14217	2.2	0	14.6	12	0	0.3	0.1	22	0.23	0.015	10	9	0.11	98	0.037
TIN 14218	1.7	1.8	15.1	15	0	0.4	0.1	39	0.21	0.027	18	20	0.28	139	0.042
TIN 14219	2.7	1.6	22.2	14	0	0.4	0.1	31	0.19	0.014	21	17	0.21	159	0.051
TIN 14220	3.9	0.6	32.9	20	0	0.7	0.2	39	0.27	0.028	32	21	0.24	218	0.041
TIN 14221	6.4	0	46.7	18	0	0.6	0.2	39	0.24	0.02	41	22	0.2	193	0.024
TIN 14222	4.8	0.8	46.1	8	0	0.4	0.1	12	0.11	0.006	17	8	0.07	82	0.023
TIN 14223	4.9	2.1	63	10	0	0.3	0.1	7	0.13	0.004	23	5	0.05	82	0.015
TIN 14224	5.3	1.4	36	9	0	0.4	0.1	26	0.08	0.006	17	17	0.2	115	0.04
TIN 14225	8.7	0	60.1	14	0	0.3	0.1	9	0.27	0.006	29	6	0.09	101	0.015
TIN 14226	2.9	16.8	32.1	12	0	0.4	0.1	35	0.11	0.013	12	20	0.22	149	0.039
TIN 14227	8.4	1.4	54	12	0	0.4	0.1	13	0.24	0.005	23	8	0.11	73	0.025
TIN 14228	5.9	1.8	37.2	10	0	0.5	0.3	36	0.18	0.011	7	20	0.19	139	0.037
TIN 14229	9.7	0.6	31.7	15	0.1	0.4	0.1	22	0.45	0.009	6	14	0.15	175	0.029
TIN 14230	12.6	0	69.7	14	0	0.5	0.1	12	0.31	0.006	44	8	0.11	102	0.009
TIN 14231	7.6	1	42.3	7	0.1	0.4	0.1	19	0.12	0.01	19	12	0.14	93	0.029
TIN 14232	12.2	0	49.8	6	0.1	0.4	0	7	0.13	0.004	14	5	0.07	56	0.024
TIN 14233	11.3	0.8	58.4	5	0.1	0.3	0	6	0.05	0.007	24	4	0.06	42	0.018
TIN 14234	1.7	0	14	16	0.2	0.4	0.2	49	0.18	0.034	11	23	0.28	226	0.049
TIN 14235	6.6	0.6	57.4	9	0.1	0.4	0.1	16	0.12	0.019	49	10	0.15	74	0.032
TIN 14236	4.4	0.5	30.1	12	0.1	0.4	0.1	27	0.11	0.014	11	15	0.2	132	0.026

SAMPLES	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
TIN 14164	0	0.63	0.005	0.04	1.4	0	2	0.1	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14165	0	1	0.01	0.11	0.6	0.02	3	0.2	0	4	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14166	1	1.57	0.007	0.09	0.4	0.01	3.3	0.2	0	5	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14167	1	1.63	0.013	0.23	0.8	0.01	3.7	0.5	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14168	1	1.64	0.007	0.09	0.5	0.01	3.3	0.2	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14169	0	1.12	0.009	0.14	1.2	0	3.3	0.3	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14170	1	1.2	0.009	0.12	0.6	0.02	4.4	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14171	0	1.18	0.012	0.19	1.1	0.01	4.8	0.5	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14172	0	1.02	0.013	0.22	0.6	0	5.1	0.6	0	10	0	GROUP 1DX - 15.0 GM	A705295
TIN 14173	0	1.88	0.006	0.08	0.4	0.01	3.1	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14174	1	1.24	0.006	0.08	0.3	0.01	2.8	0.2	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14175	1	1.89	0.006	0.05	0.1	0.01	2.9	0.1	0.1	6	1.4	GROUP 1DX - 15.0 GM	A705295
TIN 14188	0	1.44	0.008	0.07	0.2	0.02	2.8	0.2	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14189	0	1.06	0.008	0.05	0.2	0.01	2.5	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14190	0	1.43	0.009	0.06	0.1	0.02	3.2	0.2	0.1	5	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14191	1	1.24	0.009	0.08	0.2	0.01	2.8	0.2	0.1	5	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14192	1	1.91	0.015	0.11	0.5	0.06	1.4	0.2	0.1	9	2.2	GROUP 1DX - 15.0 GM	A705295
TIN 14193	1	1.16	0.014	0.1	0.3	0.01	2.2	0.3	0.1	5	0.7	GROUP 1DX - 15.0 GM	A705295
TIN 14194	0	1.45	0.012	0.1	0.4	0.02	4.1	0.2	0.1	7	1	GROUP 1DX - 15.0 GM	A705295
TIN 14195	0	1.27	0.014	0.13	0.3	0	2.5	0.4	0.1	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14196	1	1.85	0.009	0.08	0.2	0.01	3.8	0.2	0.1	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14197	0	1.23	0.03	0.08	0.2	0.01	3	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14198	1	1.99	0.005	0.09	0.3	0.01	3.8	0.2	0.1	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14199	1	1.41	0.009	0.15	0.5	0.01	4.3	0.3	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14200	1	2.13	0.005	0.09	0.2	0.01	3.1	0.2	0.1	7	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14201	1	1.75	0.006	0.11	0.3	0.01	4	0.2	0.1	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14202	1	1.07	0.009	0.11	0.5	0.01	4.4	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14203	2	1.96	0.007	0.12	0.5	0	3.2	0.2	0.1	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14204	1	1.3	0.008	0.15	0.7	0.02	3.5	0.4	0.1	8	0.7	GROUP 1DX - 15.0 GM	A705295
TIN 14205	1	2	0.007	0.14	0.8	0.01	3.1	0.3	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14206	0	1.09	0.01	0.17	1.3	0.01	4	0.4	0	10	0	GROUP 1DX - 15.0 GM	A705295
TIN 14207	1	1.53	0.008	0.12	0.5	0.01	3.2	0.4	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14208	1	2.13	0.006	0.09	0.4	0.01	3.8	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14209	1	1.77	0.008	0.14	0.6	0	4	0.4	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14210	1	1.86	0.005	0.07	0.2	0.01	3.5	0.1	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14211	1	1.9	0.006	0.08	0.4	0.02	3.3	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14212	0	1.01	0.002	0.04	0.2	0.01	4	0.1	0	4	0	GROUP 1DX - 15.0 GM	A705295
TIN 14216	0	1.69	0.006	0.07	0.2	0.01	2	0.2	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14217	0	1.05	0.011	0.15	0.3	0.01	2	0.4	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14218	1	1.3	0.01	0.07	0.2	0.01	2.5	0.2	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14219	0	1.07	0.013	0.12	0.2	0	3.1	0.3	0	5	0	GROUP 1DX - 15.0 GM	A705295
TIN 14220	1	1.84	0.012	0.11	0.1	0.03	4.1	0.3	0	7	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14221	1	2.31	0.011	0.13	0.1	0.03	4.8	0.4	0	10	0.7	GROUP 1DX - 15.0 GM	A705295
TIN 14222	0	1.33	0.014	0.21	0.4	0.01	2.2	0.6	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14223	0	1.35	0.015	0.22	0.6	0	2	0.6	0	10	0	GROUP 1DX - 15.0 GM	A705295
TIN 14224	1	1.27	0.011	0.15	0.4	0.01	2.9	0.4	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14225	0	1.36	0.024	0.17	0.4	0.01	2.8	0.4	0	9	0.5	GROUP 1DX - 15.0 GM	A705295
TIN 14226	1	1.8	0.012	0.2	0.3	0.01	3	0.4	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14227	1	1.47	0.022	0.2	0.5	0.01	4.2	0.5	0	10	0.8	GROUP 1DX - 15.0 GM	A705295
TIN 14228	0	1.93	0.019	0.17	0.6	0	2.7	0.4	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14229	0	2	0.02	0.21	0.5	0.01	2.8	0.5	0.1	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14230	1	1.7	0.026	0.19	0.8	0.01	2	0.4	0	8	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14231	1	1.33	0.015	0.16	0.4	0	3.7	0.4	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14232	1	1.09	0.019	0.18	0.4	0.01	4.3	0.4	0	7	0	GROUP 1DX - 15.0 GM	A705295
TIN 14233	1	1.22	0.014	0.24	0.5	0	3	0.6	0	10	0	GROUP 1DX - 15.0 GM	A705295
TIN 14234	1	1.83	0.009	0.11	0.3	0.01	3.2	0.3	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14235	1	0.81	0.011	0.13	0.4	0.01	4.6	0.3	0	7	0.9	GROUP 1DX - 15.0 GM	A705295
TIN 14236	1	1.66	0.01	0.17	0.7	0.01	4	0.4	0	8	0	GROUP 1DX - 15.0 GM	A705295

SAMPLES	UTM	Easting	Northing	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
TIN 14237	NAD83-7W	593910	7101545	1.2	8.9	11	95	0	16.7	6.5	241	2.57	8
TIN 14238	NAD83-7W	593881	7101504	1.4	15.6	11.5	93	0	18.5	6.4	245	2.82	10.7
TIN 14239	NAD83-7W	593855	7101465	1.8	4.4	7.6	132	0	4.5	3	378	1.93	3.2
TIN 14240	NAD83-7W	593821	7101424	1.7	5.6	11.4	126	0	5.9	2.2	214	2.02	4.7
TIN 14241	NAD83-7W	593791	7101383	1.8	9.7	13.2	154	0	7.5	2.7	292	2.47	5.7
TIN 14242	NAD83-7W	593761	7101344	1.6	14.6	16.9	158	0	7.5	1.8	202	1.85	4.8
TIN 14243	NAD83-7W	593731	7101303	1	6.4	15.4	108	0	12.2	5.8	908	1.89	4.3
TIN 14244	NAD83-7W	593702	7101262	3.3	42.3	24	105	0.4	56.1	15.6	718	4.16	9.1

SAMPLES	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
TIN 14237	0.7	2.9	7	12	0.1	0.4	0.2	55	0.13	0.043	11	26	0.33	201	0.047
TIN 14238	3.3	1.1	17.2	15	0.1	0.5	0.2	55	0.18	0.038	29	29	0.37	244	0.05
TIN 14239	11.2	0	41.2	7	0.1	0.2	0.1	16	0.08	0.023	11	8	0.1	129	0.034
TIN 14240	10.1	0	41.5	6	0.1	0.2	0.1	15	0.05	0.009	7	10	0.12	78	0.038
TIN 14241	11.7	0	44.6	6	0.1	0.4	0.1	23	0.05	0.011	36	16	0.16	129	0.069
TIN 14242	15.2	0.8	54	6	0.2	0.4	0.3	16	0.05	0.007	44	11	0.13	84	0.046
TIN 14243	2.9	0.6	11.4	29	0.4	0.3	1.6	35	0.36	0.041	12	17	0.23	460	0.037
TIN 14244	5.2	1.1	16.4	48	0.7	0.2	0.7	28	0.91	0.096	40	29	0.76	209	0.002

SAMPLES	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
TIN 14237	1	1.79	0.007	0.08	0.3	0.01	3	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14238	2	1.88	0.008	0.1	0.4	0.01	4	0.2	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14239	0	1	0.011	0.2	0.7	0	4.2	0.3	0	9	0	GROUP 1DX - 15.0 GM	A705295
TIN 14240	1	1.26	0.012	0.18	0.7	0	4.2	0.4	0	8	0	GROUP 1DX - 15.0 GM	A705295
TIN 14241	1	1.52	0.015	0.26	1	0.01	6.1	0.6	0	9	0.7	GROUP 1DX - 15.0 GM	A705295
TIN 14242	1	1.1	0.01	0.17	1.2	0.01	4.9	0.5	0	8	0.6	GROUP 1DX - 15.0 GM	A705295
TIN 14243	1	1.43	0.009	0.13	0.5	0.01	2.7	0.3	0	6	0	GROUP 1DX - 15.0 GM	A705295
TIN 14244	3	2.13	0.016	0.07	0.1	0.01	4	0.1	0.1	6	3.5	GROUP 1DX - 15.0 GM	A705295