ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING, SOIL GEOCHEMISTRY AND GEOPHYSICAL SURVEYS

at the

RAU PROPERTY

Rau 1-64 YC50268-YC50331
65-96 YC57529-YC57560

NTS 106D/01
Latitude 64°11´N; Longitude 134°22´W

in the

Mayo Mining District,
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

ATAC RESOURCES LTD.

by

W. Douglas Eaton, B.Sc. Geology
Brad Panton

February 2008

CONTENTS

	PAGE
INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
EXPLORATION HISTORY	2
GEOMORPHOLOGY	2
GEOLOGY	3
MINERALIZATION	6
SOIL GEOCHEMISTRY	6
GEOPHYSICAL SURVEYS	7
DISCUSSION AND CONCLUSIONS	8

APPENDIX

I STATEMENT OF QUALIFICATIONS

II CERTIFICATES OF ANALYSIS

III ROCK SAMPLE DESCRIPTIONS

IV GEOPHYSICAL REPORTS

FIGURES

No.	Description	Following page
1	Property Location	1
2	Claim Location	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	5
6	Sample Locations	in pocket
7	Gold Geochemistry	in pocket
8	Arsenic Geochemistry	in pocket
9	Tungsten Geochemistry	in pocket
10	Copper Geochemistry	in pocket
11	Lead Geochemistry	in pocket
12	Zinc Geochemistry	in pocket
13	Silver Geochemistry	in pocket
14	Bismuth Geochemistry	in pocket
15	Total Field Magnetics	in pocket
16	VTEM - DBDT	in pocket
17	VTEM - EMLP	in pocket

TABLE

I	Regional Lithologies	4
II	Selected Soil Geochemical Data	7

INTRODUCTION

The Rau property is located in central Yukon within the Tintina Gold Belt, a band of intrusion-related gold deposits that stretches across Yukon and Alaska. Although the property is primarily of interest for gold, it also hosts lead-zinc-silver and tungsten mineralization, which are often associated with gold elsewhere within the belt. The property is owned 100% by ATAC Resources Ltd.

This report describes a systematic exploration program consisting of : 1) geological mapping, prospecting and soil geochemical sampling performed by a crew employed by Archer, Cathro & Associates (1981) Limited; 2) helicopter-borne magnetic and variable time-domain electromagnetic (VTEM) surveys conducted by Geotech Ltd; and 3) claim staking performed by Courier de Bois Ltd. The geological and geochemical surveys were done from a tent frame camp on the property between June 7 and August 21; the geophysical surveys were undertaken on August 12 from a temporary base at the Mayo Airport; and the staking was done in October by a contract crew based in Whitehorse. The senior author, Doug Eaton, supervised all components of the work program while the junior author, Brad Panton, performed much of the mapping and prospecting and directed the soil sampling. The authors' statements of qualifications appear in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Rau property consists of 96 contiguous mineral claims located in central Yukon at latitude 64°11´N and longitude 134°22´W on NTS map sheet 106D/01 (Figure 1). During the 2007 program the property was expanded from 64 to 96 claims, collectively covering an area of approximately 2000 hectares. The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for ATAC. Specifics concerning claim registration are tabulated below while the locations of individual claims are shown Figure 2.

Claim Number	Grant Number	Expiry Date
Rau 1-64	YC50268-YC50331	April 28, 2012*
65-96	YC57529-YC57560	October 31, 2008

* Expiry date includes assessment credit for work described in this report, which has been filed but not yet accepted.

The property lies 100 km northeast of Mayo, the nearest supply centre. The closest road access is at the tiny community of Keno City, about 49 km by road from Mayo and 55 km by air southwest of the property. Mayo and Keno City can be reached in all seasons by two wheel drive vehicles using the Yukon highway system.

Access from Keno City to the property is by helicopter. If required, fixed wing aircraft can land near an outfitter's lodge at Kathleen Lakes, 5 km northeast of the property. These lakes are suitable for float equipped aircraft while an adjacent dirt airstrip can be used in dry conditions by short takeoff and landing airplanes on wheels.


ATAC RESOURCES LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 1
PROPERTY LOCATION
RAU PROPERTY
0 50 100 150 200 km
FILE: ...2007/RAU/F_1-LOCATION.DWG
FEBRUARY 2008
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
EAGLE PLAINS
DEMPSTER HWY
NORTHWEST
TERRITORIES
RAU
DAWSON
YUKON
KLONDIKE HWY
ELSA
KENO
MAYO
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
SKAGWAY
ATLIN
HAINES
CASSIAR
BRITISH COLUMBIA



ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 2

CLAIM LOCATION

RAU PROPERTY

0 0.5 1 1.5 km

UTM ZONE 8W, NAD 83, 106D/01

FILE: ...2007/RAU/F_2-CLAIMS.WOR | DATE: FEBRUARY 2008

EXPLORATION HISTORY

The earliest reported exploration in the vicinity of what is now the Rau property occurred in 1979, when Prism Joint Venture (Asamera Oil Corp, Chieftain Development Company Limited, Prism Resources Ltd, Dome Petroleum Limited and E & B Exploration Limited) staked the Blue Light claims as part of a larger block of claims, which extended for about 20 km along the north side of the Beaver River. Limited prospecting and soil geochemical sampling done that year and in 1980 led to the discovery of scheelite mineralization in tremolite skarn (Figure 2). Although specimens assayed up to 8.4% WO_3, most material graded below 0.04% and no further work was done (Churchill, 1980).

ATAC's interest in the area was prompted by an isolated, very high gold value (150 ppb) obtained by a regional-scale reconnaissance stream sediment geochemical survey, conducted by the Geological Survey of Canada (Hornbrook, etal 1990). This value is in the 99th percentile of gold results from the survey and is supported by a 99th percentile tungsten value (25 ppm). The approximate location of the anomalous sample site is shown on Figure 2.

In summer 2006, ATAC staked 64 claims to cover the anomalous drainage. During the staking, a number of rock and soil samples were collected. Many of these samples returned high values for tungsten and a few were notably enriched in gold, lead, zinc, silver and/or copper. Cursory prospecting relocated the scheelite bearing tremolite skarn and also discovered tungsten diopside-actinolite skarn and highly fractionated intrusive rocks.

GEOMORPHOLOGY

The property is situated in the Nadeleen Range of the Selwyn Mountains. It is drained by creeks that flow into the Rackla and Beaver Rivers, which are both part of the Yukon River watershed. Local topography is alpine to subalpine and features north-south trending rocky spurs and valleys that flank a main east-west trending ridge. Elevations range from about 1000 m alongside creeks in the southern part of the claim block to 1800 m atop a peak in the northwestern corner. Outcrop is most abundant near ridge crests and in actively eroding creek beds. Most hillsides are talus covered at higher elevations and are blanketed by glacial till at lower elevations. Soil development is moderate to poor in most areas.

Treeline in the vicinity of the property is at about 1500 m. Slopes above that elevation are unvegetated. The density and size of vegetation gradually increases on lower slopes, and the southern half of the property is well treed with mature black spruce. Understorey typically consists of low shrubs and moss. Moderately steep, south facing slopes are well drained and are often lightly forested with poplar. Gentler, spruce- and moss-covered terrain tends to be wetter and likely exhibits widespread permafrost.

GEOLOGY

Regional Geology

Geology on the map sheet covering the Rau property was mapped at 1:250,000 scale in the 1960s by the Geological Survey of Canada (Green, 1972). The part of the map sheet containing the property was remapped at that scale by the GSC in the 1970s (Blusson, 1978). More detailed 1:50,000 scale mapping was done nearby but did not cover the property (Roots, 1990 and Abbott, 1990).

The Rau property lies within a band of regional-scale thrust faults that imbricate rocks of Selwyn Basin and Mackenzie Platform (Figure 3). Selwyn Basin stratigraphy consists of regionally metamorphosed, basinal sediments of Neoproterozoic to Paleozoic age. Mackenzie Platform stratigraphy comprises dominantly shallow water carbonate and clastic sediments that were deposited from Mid-Proterozoic through Paleozoic times. Both packages of sediments were deposited on the western margin of ancestral North America.

The thrust faults were active during Jurassic to Cretaceous times (160 to 130 Ma), when the area underwent compressional orogenesis related to large-scale plate convergence (Fingler, 2005). During Late Cretaceous (94-90 Ma), intermediate to felsic plutons of the Tombstone Suite were emplaced (Mortensen etal, 2000). Another compressional orogenic event, which occurred about 65 Ma, was accompanied by emplacement of felsic intrusions assigned to the McQuesten Suite.

Figure 4 shows regional geology in central Yukon. It is a geological compilation that takes into account recent age dating and new unit correlations, which Charlie Roots prepared for the Yukon Geological Survey (Cathro, 2006).

The Tombstone, Dawson and Robert Service Thrusts plus a number of lesser thrust faults affect stratigraphy in the Rau area. All of these thrusts are southwest directed and predate emplacement of the Tombstone Suite intrusions. The thrust panel that contains the Rau property approximately straddles the boundary between Selwyn Basin and Mackenzie Platform includes units belonging to both of these tectonic elements. The property covers a granitic plug that is too small to plot at regional-scale (Rackla Pluton). Analysis of a uranium-rich zircon from this intrusion yielded a concordant “age” of 61.4±0.2 Ma which, given the probability of some lead loss, is considered to be a minimum age (Mortensen, pers comm.). Based on this age and the composition of the intrusion, the Rackla Pluton likely belongs to the McQuesten Suite. If so, it is anomalous because it is more fractionated than other plutons of this suite and it lies a considerable distance northeast (in-board) of the main belt of these plutons.

Table I contains a brief summary of the main lithologies in the Rau area.



ANCESTRAL NORTH AMERICA

- MP — Mackenzie Platform
- SB — Selwyn Basin
- RT — Richardson Trough

TERRANES
Displaced Continental Margin

- AA — Arctic Alaska
- CA — Cassiar
- PC — Porcupine

Pericratonic Terranes

- YT — Yukon-Tanana / Slide Mountain

ACCRETED TERRANES

- ST — Stikinia / Cache Creek
- AX — Alexander
- WR — Wrangellia
- CG — Chugach

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 3

TECTONIC SETTING

WAU PROPERTY

0 100 200 km

FILE: ...2008\WAU\F_3-REGIONAL.DWG

DATE: FEBRUARY 2008


64.5° N
64.5° N
137.5° W
133.5° W
Tombstone Thrust
Robert Service Thrust
Dawson Thrust
WAU PROPERTY
KENO HILL
SILVER CAMP
Robert Service Thrust
Mayo
Tintina Fault
Stewart Crossing
137.5° W
133.5° W
62.75° N
62.75° N
N
Former mine
High angle fault
Thrust fault
Major trancurrent fault
Road
Overburden
McQuesten Suite intrusions - two-mica granite
Tombstone Suite intrusions - granite and granodiorite
Jones Lake and Mt. Christie Formations - sandstone and limestone
Galena Suite intrusions - diorite and gabbro
Keno Hill Quartzite - metamorphosed sandstone, shale and phyllite
Earn Group - shale, chert and pebble conglomerate
Road River Group - shale, chert and siltstone
Gull Lake Formation - shale,sandstone and conglomerate
Hyland Group - schist, sandstone, shale and limestone
Bouvette Formation - limestone and shale
Gillespie Lake Group - dolostone and sandstone
Modified from: Roots in Cathro (2006)
ATAC RESOURCES LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 4
REGIONAL GEOLOGY
RAU PROPERTY
0
50 km
FILE: ...2007/RAU/F_4-REGIONAL.WOR
DATE: FEBRUARY 2008

Table I - Regional Lithologies (after Roots in Cathro 2006)

Tectonic Element	Age (Ma)	Unit and Lithologies
Rocks of Ancestral North America		
Mackenzie Platform	1700 - 1800	Gillespie Lake Group: orange-brown dolostone and sandstone.
Mackenzie Platform	540 - 390	Bouvette Formation: white and grey limestone with rare black shale.
Selwyn Basin	750? - 530	Hyland Group: brown quartz-mica schist, with rare limestone.
Selwyn Basin	530 - 500	Gull Lake Formation: brown and green shale, sandstone, conglomerate and volcanic tuff.
Selwyn Basin	500 - 480	Rabbitkettle Formation: dark silty limestone and limy mica-rich conglomerate
Selwyn Basin	480 - 390	Road River Group: black shale, chert and limy siltstone.
Rock formed before mountain-building		
	390 - 350	Earn Group: black shale and chert with lesser pebble conglomerate, sandstone and grit.
	340	Keno Hill Quartzite: grey metamorphosed sandstone, minor black shale and phyllite.
Rocks formed during mountain-building		
	225	Galena Suite intrusions: brown and green diorite and gabbro.
	200 - 250	Jones Lake and Mt. Christie Formations: sandstone, brown shale and dark limestone.
Rocks formed after mountain-building		
	90 - 94	Tombstone Suite intrusions: granite and granodiorite.
	62 - 67	McQuesten Suite intrusions: granite with two types of mica.
Sediments younger than 3 Ma		
	0 - 3	Overburden: ice-deposited sand and gravel; river silt.

Property Geology

Three main units have been recognized on the Rau property (Figure 5):

a) Bouvette Formation,
b) Earn Group, and
c) McQuesten Suite intrusions.

The Bouvette Formation is by far the most abundant rock type at surface, underlying about 90% of the property. It consists of: grey-and buff-weathering limestone and dolomite; medium-to thick-bedded, white to light grey weathering dolomite; and, lesser limestone conglomerate and thin, argillaceous mudstone horizons. The total thickness of the Bouvette Formation on the property is at least 1400 m. Its large aerial extent is in part due to moderate southwesterly dips that are subparallel to topography on south facing side hills where most of the exposures are located.

The Earn Group underlies the Bouvette Formation, but only outcrops in the extreme northeast corner of the property. Locally it consists of siliceous black slate, chert pebble conglomerate and an underlying section comprising of interbedded dark grey limestone and shale. The contract between the Earn Group and Bouvette Formation does not outcrop; thus its exact nature is uncertain. The Bouvette Formation is mostly older than the Earn Group but in some parts of Yukon the two units are partially interdigitized. Churchill (1980) mapped the contact as a thrust fault and suggested that tremolite skarn developed along the contact resulted from metasomatic reactions caused by hydrothermal fluids, which used the thrust fault as a conduit. Although the thrust fault model is a the most likely explanation, the similarity of bedding on either side of the contact and the presence of limestone in the Earn Group suggest that the rocks mapped as Bouvette Formation could be a thick, unusually clean section of Earn Group limestone. A third possible explanation of the observed stratigraphic relationships is that the section is overturned, but no sedimentary features were seen that support this possibility.

The McQuesten Suite intrusions are represented by a 1000 m diameter, granitic plug (Rackla Pluton), which is located in the eastern part of the property, and by numerous dykes and sills in the central part of the claim block. The plug is mostly composed of coarse grained, equigranular, biotite-and-muscovite-bearing granite that is locally miarolitic. The dykes and sills typically range between 30 cm and 7 m in thickness. They are more fractionated than the plug and include garnet bearing aplite and coarse pegmatite that locally features beryl and one or more tourmaline minerals (rubellite, indigolite and schorl). The pegmatite bodies comprise mainly orthoclase and quartz but often exhibit abundant lithium-and vanadium-rich micas on their margins.

Skarn and minor hornfels are developed locally within the sedimentary rocks. Skarns grade from distal, tremolite-rich (iron-deficient) facies, which are most abundant in the northern part of the claim block, to proximal, actinolite-diopside ± garnet ± pyrrhotite (iron-rich) facies, which are found closed to the pluton and on the margins of some dykes and sills in the central part of the property. Most skarns are developed at contacts between limestone and argillaceous units. Hornfels is restricted to thin mudstone layers in the Bouvette Formation. It is normally rusty weathering and often contains disseminated to semi-massive pyrrhotite. Pure limestone and



ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 5

PROPERTY GEOLOGY

RAU PROPERTY

0 1 2 km

UTM ZONE 8W, NAD 83, 106D01

FILE: ...2007/RAU/F_5-GEO.DWG

DATE: FEBRUARY 2008

dolomite within the Bouvette Formation rarely show strong metasomatic alteration, but an unidentified grey calc-silicate mineral is widely disseminated and marble is sometimes present.

MINERALIZATION

Three main types of mineralization have been discovered to date on the Rau property: 1) scheelite in tremolite skarns, 2) pyrrhotite±scheelite±chalcopyrite±gold in actinolite-diopside±garnet skarns and 3) wolframite in granite. Other types of mineralization are indicated by soil geochemistry but have not yet been discovered.

Rock samples were collected from several parts of the property during prospecting traverses. They were sent to ALS Chemex in North Vancouver, B.C. where they were fine crushed before a 250 g split was pulverized to better than 85% passing 75 microns. One split of the pulverized fraction was analyzed for 34 elements by inductively coupled plasma-atomic emission spectroscopy (ME-ICP41); a second split was analyzed for gold by fire assay followed by inductively coupled plasma-atomic emission spectroscopy (ME-ICP21); and a final split was pressed in a pellet and analyzed by x-ray fluorescence from tungsten, uranium and tantalium (XRF-05). Appendix II contains Certificates of Analysis while Appendix III comprises rock sample descriptions. Sample locations are shown on Figure 6. Results for gold, arsenic, tungsten, copper, lead, zinc, silver and bismuth are illustrated on Figure 7 through 14 respectively.

Scheelite in tremolite skarns are localized along the contact between Bouvette Formation carbonate rocks and Earn Group argillaceous strata. Churchill (1980) reported rock samples that assayed up to 8.2% WO_3 but most samples collected from the zone grade less than 0.04% WO_3. The core of the tungsten-in-soil geochemical anomaly that marks this target is about 600 m long.

Pyrrhotite±scheelite±chalcopyrite±gold in actinolite-diopside±garnet skarns are found in the central part of the property in an area where granitic dykes intrude Bouvette Formation carbonates near mudstone horizons. Samples of this material have returned up to 3.23% WO_3 but most samples grade less than 0.3%. Gold values are generally low but one sample assayed 1.24 g/t. Typically copper grades are between 500 and 3000 ppm. Surprisingly soil geochemical response in the areas of known mineralization is quite subdued for all metals.

Wolframite crystals up to 5 mm long occur as disseminations and on fractures in the Rackla Pluton and various dykes and sills. Samples of rock containing visible wolframite commonly grade between 500 and 4000 ppm WO_3.

SOIL GEOCHEMISTRY

General

Grid soil sampling was conducted over a 3600 m by 3500 m area that covered all of the initial 64 claims, which form the core of the Rau property. The samples were collected at 50 m intervals on compass- and topofil-controlled lines spaced 50 m apart. Baselines were orientated north-south and sample lines were run east-west. The relative position of the grid was established with

- Soil sample
- □ 2007 rock sample
- ■ 2006 rock sample

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 6

SAMPLE LOCATIONS

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 106D/01

FILE: ...2007/RAU/F_6-SAMPLE.WOR | DATE: FEBRUARY 2008

7 120 000 mN
7 119 000 mN
7 118 000 mN
7 117 000 mN
7 116 000 mN
529 000 m E
530 000 m E
531 000 m E
532 000 m E

T.N.
40°
24°42'
Grid North
Magnetic north
Annual change decreasing 28'

- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Gold (ppb)
- ≥500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥10 <20

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 7

GOLD GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060.01

FILE: ...2007/RAU/F_7-AUJAO.R | DATE: FEBRUARY 2008

- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Arsenic (ppm)

- ≥1,000
- ≥500 <1,000
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥0 <20

T.N.

40°

24°42'

GRID North

Magnetic north

Annual change decreasing 28'

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 8

ARSENIC GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060101

FILE: ...2007/RAU/F_8-AS1W0R

DATE: FEBRUARY 2008



- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Tungsten (ppm)

- ≥500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥0 <10

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 9

TUNGSTEN GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1050.01

FILE: ...2007/RAU/F_9-W.WOR | DATE: FEBRUARY 2008



- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Copper (ppm)

- ≥500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥0 <20

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 10

COPPER GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060.01

FILE: ...2007/RAU/F_10-CU.WOR | DATE: FEBRUARY 2008



- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Lead (ppm)

- ≥500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥0 <20

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 11

LEAD GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1050.01

FILE: ...2007/RAU/F_11-PB.WOR | DATE: FEBRUARY 2008


7 120 000 mN
7 119 000 mN
7 118 000 mN
7 117 000 mN
7 116 000 mN
529 000 m E
530 000 m E
531 000 m E
532 000 m E
T.H.
40°
24°42'
Drill hole
Magnetic north
Annual change decreasing 28'
• Soil sample (select sample values in ppm)
■ 2006 rock sample
□ 2007 rock sample
Zinc (ppm)
≥2,000
≥1,000 <2,000
≥500 <1,000
≥200 <500
≥100 <200
≥0 <100
ATAC RESOURCES LTD.
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
FIGURE 12
ZINC GEOCHEMISTRY
RAU PROPERTY
0
500 m
UTM ZONE 8W, NAD 83, 1060.01
FILE: ...2007/RAU/F_12-ZN.WOR
DATE: FEBRUARY 2008



- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Silver (ppm)

- ≥5.0
- ≥2.0 <5.0
- ≥1.0 <5.0
- ≥0.5 <1.0
- ≥0.0 <0.5

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 13

SILVER GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060101

FILE: ...2007/RAU/F_13-AG.WOR | DATE: FEBRUARY 2008



- Soil sample (select sample values in ppm)
- 2006 rock sample
- 2007 rock sample

Bismuth (ppm)

- ≥500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥0 <10

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 14

BISMUTH GEOCHEMISTRY

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060.01

FILE: ...2007/RAU/F_14-BI.WOR | DATE: FEBRUARY 2008

GPS readings. The baselines and sample sites are marked by wooden lath bearing aluminum tags inscribed with the grid coordinates and the corresponding sample number.

Samples were collected from holes, which were dug with a mattock or augered to depths of 20 to 50 cm below surface. The soil was taken from the bottom of the holes and placed in pre-numbered Kraft paper bags. Above treeline, the samples consisted of immature soils mixed with talus fines. At lower elevations the sampled material mostly comprised residual soils or glacially transported material. Sample locations are shown on Figure 6.

The samples were transported from the property to Whitehorse in the custody of Archer Cathro employees. From there, they were shipped to ALS Chemex in North Vancouver. At the lab they were dried and screened to -35 mesh to produce a fine fraction, which was then pulverized to 85% passing 75 microns. Splits of the pulverized fraction were analyzed using the same techniques as the soil samples. Certificates of Analysis appear in Appendix II.

Results

Figures 7 through 14 illustrate results for gold, arsenic, tungsten, copper, lead, zinc, silver and bismuth, respectively. Table II presents general geochemical data regarding regional background values, anomalous thresholds and peak values for the metals listed below.

Table II - Selected Rock Geochemical Data

Metal	Unit	Regional Background Value *	Anomalous Thresholds			Peak Values
			Weak	Moderate	Strong	
Gold	ppb	1.0	20	50	100	1165
Arsenic	ppm	11.0	50	100	200	>10000
Tungsten	ppm	2.0	20	50	100	2680
Copper	ppm	30.0	50	100	200	1040
Lead	ppm	16.0	50	100	200	1215
Zinc	ppm	100.0	200	500	1000	7430
Silver	ppm	0.1	1	2	5	12.9
Bismuth	ppm	N/A	20	50	100	548

* from Hornbrook, etal, 1990 (median value)

Anomalous thresholds and peak values are very high for the various metals compared to the regional background values. The significance of these high values is further enhanced by their tendency to cluster, especially in the northern and central parts of the property. Metal dispersion appears to be mostly by mechanical processes- gravity on upper slopes and glaciation at lower elevations.

GEOPHYSICAL SURVEYS

Helicopter-borne magnetic and VTEM surveys were flown over the 64 claims that comprise the core of the Rau property on August 12, 2008 by Geotech Ltd. of Aurora, Ontario. The surveys

were flown with an Astar B3 helicopter operated by TRK Helicopters Ltd. from a temporary base at the Mayo Airport. Appendix IV contains Geotech's report and a CD-ROM with primary data. Figure 15, 16 and 17 illustrate total field magnetics, DBDT VTEM profiles and EMLP VTEM profiles, respectively. Equipment used and survey methodology are described in Geotech's report.

A total of 135.09 line-km were flown on north-south lines spaced 100 m apart. Average height above ground was 160 m for the VTEM bird and 180 m for the magnetic sensor. The total magnetic data outlined an area of high susceptibility directly over the Rackla Pluton. This high gradually weakens to the west but continues into the area of dykes and sills, suggesting that these tabular intrusions may coalesce with the Rackla Pluton to form a larger body at depth. Strings of weaker magnetic highs in the western part of the survey area are closely correlated with the pyrrhotite-bearing, skarnified and hornfelsed mudstone horizons. Continuations of these highs into the southern part of the property coincide with the projected trace of the main mudstone horizon as it approaches the Rackla Pluton.

Complete analysis of the VTEM data has not yet been received but a number of EM anomalies were identified. Mostly of these anomalies are near the contact between the Bouvette Formation and the Earn Group or in the vicinity of the skarnified and hornfelsed mudstones.

DISCUSSION AND CONCLUSIONS

The 2007 work program partially delineated a large hydrothermal system. This system appears to be centred on the Rackla Pluton. It is most evident where skarn and hornfels are developed along contacts between limy units and argillaceous horizons. Tungsten mineralization has been discovered in proximal and distal skarn assemblages and within the granitic intrusions. Potential for discovery of additional mineralized zones is indicated by numerous soil geochemical anomalies. These anomalies are geographically dispersed and are highly variable in character, including unexplained gold and lead-zinc targets. Prospecting was mostly done prior to receipt of the geochemical results and mineralization discovered to date only explains a few of the anomalous results. More work is definitely warranted.

Respectfully submitted

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

W. Douglas Eaton, B.Sc. Geology

Brad Panton

7 120 000 mN
7 119 000 mN
7 118 000 mN
7 117 000 mN
7 116 000 mN
529 000 m E
530 000 m E
531 000 m E
532 000 m E

T.N.
45°
24°42'
GRID North
Magnetic North
Annual change decreasing 28'

Magnetic field (nT)

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 15

TOTAL FIELD MAGNETICS

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1:5,000

FILE: ...2007/RAU/F_15-MAG.WOR | DATE: FEBRUARY 2008

7 120 000 mN

7 119 000 mN

7 118 000 mN

7 117 000 mN

7 116 000 mN

529 000 m E

530 000 m E

531 000 m E

532 000 m E

T.H.

40°

24°42'

Grid north

Magnetic north

Annual change decreasing 28'

Profile scale: 1 cm = 0.05 pV/Am^4

(Linear conductor = 0.2 pV/Am^4)

Logarithmic curve: 0.2 pV/Am^4)

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 16

VTEM - DBDT

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060.01

FILE: ...2007/RAU/F_16-DBDT.WOR

DATE: FEBRUARY 2008

7 120 000 mN

7 119 000 mN

7 118 000 mN

7 117 000 mN

7 116 000 mN

529 000 m E

530 000 m E

531 000 m E

532 000 m E

T.N.

40°

24°42'

Grid North

Magnetic North

Annual change decreasing 28'

ATAC RESOURCES LTD.

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FIGURE 17

VTEM - EMLP

RAU PROPERTY

0 500 m

UTM ZONE 8W, NAD 83, 1060/01

FILE: ...2007/RAU/F_17-EMLP.WOR

DATE: FEBRUARY 2008

REFERENCES

Abbott, G.
1990 Geology Map of Mount Westman Map Area (106D/1): Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.

Blusson, S.L.
1978 Regional geological setting of lead-zinc deposits in Selwyn Basin, Yukon; Current Research, Part A, Geological Survey of Canada, Paper 78-1a, p77-80.

Cathro, R.C.
2006 Great Mining Camps of Canada 1: The History and Geology of the Keno Hill Silver Camp, Yukon Territory; Geoscience Canada, Vol. 33, No. 3, pp 103-134.

Churchill, S.
1980 Bluelite Assessment Report; assessment report filed on behalf of Prism Joint Venture, p. 20.

Fingler, J.
2005 Private geological report on the McQuesten Property for Alexco Resources Corp: published in Alexco prospectus, available from (http://www.sedar.com/issuers/issuers_en.htm).

Green, L.C.
1972 Geology of Nash Creek, Larsen and Dawson Map Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, pp157.

Hornbrook, E.H.W., Friske, P.W.B., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
1990 National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, East Central Yukon (106D, parts of 106C, 106E and 106F); GSC Open File 2175.

Mortensen, J.K., Hart, C.J.R., Murphy, D.C. and Heffernan, S.
2000 Temporal Evolution of Early and Mid-Cretaceous Magmatism in the Tintina Gold Belt; Concepts, Exploration, and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines, January 2000, pp 49-57.

Roots, C.
1990 Geology of 106D/8 and 106D/7 (East half) Map Areas; Indian and Northern Affairs Canada, Exploration and Geology Services Division, Yukon Region, Open File 1990-3.

APPENDIX I

STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological Sciences.

2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, became a partner in Archer, Cathro & Associates (1981) Limited.

3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.

W. Douglas Eaton, B.Sc. Geology

STATEMENT OF QUALIFICATIONS

I, Brad Panton, geological student with residential address in Vancouver, British Columbia, hereby certify that:

1. I am a geology student enrolled at the University of British Columbia in 2007-2008.

2. In summer 2006 to 2007 I engaged in mineral exploration in Yukon Territory with Archer, Cathro & Associates (1981) Limited.

3. I have personally participated in the field work reported herein and helped interpret data resulting from this work.

Brad Panton

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 15-OCT-2007
Account: RCM

CERTIFICATE VA07109659

Project: RAU

P.O. No.:

This report is for 249 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36751		0.004
CC36752		0.003
CC36753		0.002
CC36754		0.002
CC36755		0.002
CC36756		0.001
CC36757		0.001
CC36758		0.001
CC36759		<0.001
CC36760		0.001
CC36761		0.001
CC36762		<0.001
CC36763		0.003
CC36764		0.001
CC36765		0.012
CC36766		<0.001
CC36767		0.002
CC36768		<0.001
CC36769		<0.001
CC36770		0.003
CC36771		0.003
CC36772		0.002
CC36773		0.002
CC36774		0.002
CC36775		0.001
CC36776		0.005
CC36777		0.010
CC36778		0.023
CC36779		0.018
CC36780		0.021
CC36781		0.127
CC36782		0.061
CC36783		0.205
CC36784		0.199
CC36785		0.019
CC36786		0.018
CC36787		0.019
CC36788		0.001
CC36789		0.010
CC36790		<0.001

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36791		0.001
CC36792		0.002
CC36793		0.008
CC36794		0.002
CC36795		0.001
CC36796		0.005
CC36797		0.002
CC36798		0.003
CC36799		0.003
CC36800		0.003
CC36801		NSS
CC36802		0.005
CC36803		0.005
CC36804		0.005
CC36805		0.001
CC36806		<0.001
CC36807		<0.001
CC36808		0.002
CC36809		0.002
CC36810		0.009
CC36811		0.012
CC36812		0.004
CC36813		0.003
CC36814		0.003
CC36815		0.003
CC36816		0.001
CC36817		0.002
CC36818		0.002
CC36819		0.001
CC36820		0.004
CC36821		0.003
CC36822		0.004
CC36823		0.007
CC36824		0.007
CC36825		0.002
CC36826		0.002
CC36827		0.002
CC36828		0.003
CC36829		<0.001
CC36830		NSS

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36831		<0.001
CC36832		0.004
CC36833		<0.001
CC36834		<0.001
CC36835		<0.001
CC36836		0.003
CC36837		0.002
CC36838		0.004
CC36839		0.001
CC36840		<0.001
CC36841		0.004
CC36842		0.007
CC36843		0.002
CC36844		0.005
CC36845		<0.001
CC36846		0.002
CC36847		0.001
CC36848		<0.001
CC36849		0.002
CC36850		0.003
CC36851		<0.001
CC36852		0.002
CC36853		<0.001
CC36854		0.001
CC36855		0.006
CC36856		0.003
CC36857		0.002
CC36858		0.002
CC36859		0.004
CC36860		0.005
CC36861		0.002
CC36862		<0.001
CC36863		0.004
CC36864		0.015
CC36865		<0.001
CC36866		0.001
CC36867		0.002
CC36868		0.002
CC36869		0.004
CC36870		0.005

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36871		<0.001
CC36872		0.001
CC36873		<0.001
CC36874		<0.001
CC36875		0.002
CC36876		<0.001
CC36877		0.003
CC36878		<0.001
CC36879		0.004
CC36880		0.005
CC36881		<0.001
CC36882		<0.001
CC36883		0.012
CC36884		NSS
CC36885		0.001
CC36887		0.001
CC36888		0.001
CC36889		0.002
CC36890		0.002
CC36891		<0.001
CC36892		0.004
CC36893		0.001
CC36894		0.001
CC36895		<0.001
CC36896		<0.001
CC36897		0.001
CC36898		0.005
CC36899		0.001
CC36900		<0.001
CC36901		0.022
CC36902		<0.001
CC36903		<0.001
CC36904		0.004
CC36905		0.004
CC36906		0.005
CC36907		0.001
CC36908		<0.001
CC36909		0.001
CC36910		0.018
CC36911		0.001

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36912		0.009
CC36913		0.006
CC36914		0.001
CC36915		0.001
CC36916		0.001
CC36917		<0.001
CC36918		0.066
CC36919		0.002
CC36920		0.001
CC36921		0.001
CC36922		0.007
CC36923		0.002
CC36924		0.019
CC36925		0.003
CC36926		0.006
CC36927		0.003
CC36928		0.008
CC36929		0.002
CC36930		0.006
CC36931		0.002
CC36932		0.006
CC36933		0.002
CC36934		0.007
CC36935		0.002
CC36936		<0.001
CC36937		0.007
CC36938		0.003
CC36939		0.008
CC36940		0.009
CC36941		0.003
CC36942		0.027
CC36943		0.001
CC36944		<0.001
CC36945		0.001
CC36946		0.001
CC36947		0.001
CC36948		0.001
CC36949		<0.001
CC36950		0.002
CC36951		0.005

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method / Analyte / Units / LOR	Au-ICP21 Au ppm 0.001
CC36952		0.002
CC36953		0.001
CC36954		0.003
CC36955		0.003
CC36956		0.004
CC36957		0.016
CC36958		0.007
CC36959		0.005
CC36960		<0.001
CC36961		0.002
CC36962		<0.001
CC36963		0.001
CC36964		0.001
CC36965		<0.001
CC36966		0.002
CC36967		<0.001
CC36968		0.001
CC36969		<0.001
CC36970		<0.001
CC36971		0.001
CC36972		0.001
CC36973		0.002
CC36974		<0.001
CC36975		0.002
CC36976		0.001
CC36977		0.001
CC36978		0.001
CC36979		0.005
CC36980		0.003
CC36981		<0.001
CC36982		0.001
CC36983		0.003
CC36984		0.006
CC36985		0.002
CC36986		0.003
CC36987		0.004
CC36988		0.115
CC36989		0.082
CC36990		2.92
CC36991		0.048

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109659

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36992		0.114
CC36993		0.003
CC36994		0.004
CC36995		0.001
CC36996		0.002
CC36997		0.002
CC36998		0.003
CC36999		0.002
CC37000		0.004

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07109657

Project: RAU

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouve

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method	Au-ICP21	Au-ICP21	Au-ICP21	Au-GRA21
	Analyte	Au	Au Check	Au Check	Au
	Units	ppm	ppm	ppm	ppm
	LOR	0.001	0.001	0.001	0.05
CC37001		0.002			
CC37002		0.002			
CC37003		0.001			
CC37004		0.001			
CC37005		<0.001			
CC37006		<0.001			
CC37007		0.004			
CC37008		<0.001			
CC37009		0.002			
CC37010		<0.001			
CC37011		0.003			
CC37012		0.001			
CC37013		0.001			
CC37014		0.003			
CC37015		0.007			
CC37016		0.004			
CC37017		0.001			
CC37018		<0.001			
CC37019		0.005			
CC37020		0.165			
CC37021		0.084			
CC37022		1.290			
CC37023		0.141			
CC37024		0.290			
CC37025		0.003			
CC37026		0.001			
CC37027		<0.001			
CC37028		<0.001			
CC37029		<0.001			
CC37030		<0.001			
CC37031		<0.001			
CC37032		0.001			
CC37033		<0.001			
CC37034		<0.001			
CC37035		0.002			
CC37036		0.005			
CC37037		<0.001			
CC37038		0.002			
CC37039		0.088			
CC37040		0.002			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05
CC37041		0.002			
CC37042		<0.001			
CC37043		<0.001			
CC37044		0.007			
CC37045		0.028			
CC37046		0.004			
CC37047		<0.001			
CC37048		0.004			
CC37049		0.003			
CC37050		0.002			
CC37051		<0.001			
CC37052		0.469			
CC37053		0.036			
CC37054		NSS			
CC37055		0.101			
CC37056		0.032			
CC37057		0.003			
CC37058		<0.001			
CC37059		0.013			
CC37060		<0.001			
CC37061		<0.001			
CC37062		0.001			
CC37063		0.001			
CC37064		0.001			
CC37065		<0.001			
CC37066		<0.001			
CC37067		<0.001			
CC37068		0.001			
CC37069		<0.001			
CC37070		0.003			
CC37071		<0.001			
CC37072		<0.001			
CC37073		<0.001			
CC37074		0.003			
CC37075		0.002			
CC37076		NSS			
CC37077		0.003			
CC37078		0.001			
CC37079		<0.001			
CC37080		<0.001			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05
CC37081		<0.001			
CC37082		0.002			
CC37083		0.031			
CC37084		0.254			
CC37085		0.071			
CC37086		0.004			
CC37087		0.002			
CC37088		0.082			
CC37089		0.001			
CC37090		<0.001			
CC37091		<0.001			
CC37092		0.001			
CC37093		<0.001			
CC37094		0.001			
CC37095		<0.001			
CC37096		<0.001			
CC37097		<0.001			
CC37098		<0.001			
CC37099		<0.001			
CC37100		<0.001			
CC37101		0.007			
CC37102		0.003			
CC37103		0.001			
CC37104		0.011			
CC37105		<0.001			
CC37106		0.003			
CC37107		0.002			
CC37108		<0.001			
CC37109		0.002			
CC37110		<0.001			
CC37111		<0.001			
CC37112		<0.001			
CC37113		<0.001			
CC37114		0.015			
CC37115		0.037			
CC37116		0.280			
CC37117		0.405			
CC37118		0.210			
CC37119		0.009			
CC37120		0.085			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05
CC37121		<0.001			
CC37122		0.001			
CC37123		<0.001			
CC37124		0.002			
CC37125		<0.001			
CC37126		<0.001			
CC37127		0.001			
CC37128		<0.001			
CC37129		<0.001			
CC37130		<0.001			
CC37131		<0.001			
CC37132		<0.001			
CC37133		<0.001			
CC37134		<0.001			
CC37135		0.003			
CC37136		<0.001			
CC37137		<0.001			
CC37138		<0.001			
CC37139		<0.001			
CC37140		0.013			
CC37141		0.003			
CC37142		0.001			
CC37143		0.003			
CC37144		0.001			
CC37145		0.002			
CC37146		0.457			
CC37147		0.168			
CC37148		0.258			
CC37149		0.061			
CC37150		0.008			
CC37151		0.002			
CC37152		0.005			
CC37153		0.001			
CC37154		0.002			
CC37155		0.002			
CC37156		<0.001			
CC37157		<0.001			
CC37158		0.001			
CC37159		<0.001			
CC37160		0.001			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method / Analyte / Units / LOR	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05
CC37161		0.002			
CC37162		0.002			
CC37163		0.002			
CC37164		<0.001			
CC37165		0.005			
CC37166		<0.001			
CC37167		0.003			
CC37168		0.001			
CC37169		<0.001			
CC37170		0.002			
CC37171		0.008			
CC37172		0.006			
CC37173		0.003			
CC37174		0.001			
CC37175		<0.001			
CC37176		0.002			
CC37177		0.001			
CC37178		0.003			
CC37179		>10.0			11.65
CC37180		0.228			
CC37181		0.043			
CC37182		0.237			
CC37183		0.005			
CC37184		0.004			
CC37185		0.006			
CC37186		0.002			
CC37187		0.001			
CC37188		<0.001			
CC37189		0.003			
CC37190		0.001			
CC37191		0.001			
CC37192		0.001			
CC37193		<0.001			
CC37194		0.002			
CC37195		0.006			
CC37196		0.004			
CC37197		0.004			
CC37198		0.003			
CC37199		0.001			
CC37200		0.001			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05
CC37201		<0.001			
CC37202		0.005			
CC37203		0.001			
CC37204		0.009			
CC37205		0.001			
CC37206		0.002			
CC37207		0.025			
CC37208		<0.001			
CC37209		<0.001			
CC37210		0.006	0.014		
CC37211		0.069	0.084		
CC37212		0.338	0.491		
CC37213		0.078	0.953	0.122	
CC37214		0.029	0.325		
CC37215		0.004			
CC37216		0.008			
CC37217		<0.001			
CC37218		0.007			
CC37219		<0.001			
CC37220		0.001			
CC37221		0.005			
CC37222		<0.001			
CC37223		0.001			
CC37224		0.001			
CC37225		0.003			
CC37226		<0.001			
CC37227		0.004			
CC37228		0.004			
CC37229		<0.001			
CC37230		0.003			
CC37231		0.002			
CC37232		0.001			
CC37233		0.001			
CC37234		0.002			
CC37235		0.085			
CC37236		0.007			
CC37237		0.002			
CC37238		0.001			
CC37239		0.001			
CC37240		0.013			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109657

Sample Description	Method	Au-ICP21	Au-ICP21	Au-ICP21	Au-GRA21
	Analyte	Au	Au Check	Au Check	Au
	Units	ppm	ppm	ppm	ppm
	LOR	0.001	0.001	0.001	0.05
CC37241		0.054			
CC37242		0.011			
CC37243		0.003			
CC37244		0.002			
CC37245		0.002			
CC37246		0.006			
CC37247		0.007			
CC37248		0.007			
CC37249		0.002			
CC37250		0.002			

Comments: Additional Au result for sample CC37214 - 0.264ppm NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07109656

Project: RAU

P.O. No.:

This report is for 237 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-SEP-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method	Au-ICP21
	Analyte	Au
	Units	ppm
	LOR	0.001
CC36501		0.004
CC36502		0.010
CC36503		0.008
CC36504		0.002
CC36505		0.006
CC36506		0.005
CC36507		NSS
CC36508		0.003
CC36509		<0.001
CC36510		<0.001
CC36511		0.004
CC36512		0.001
CC36513		0.005
CC36514		0.001
CC36515		0.003
CC36516		0.003
CC36517		NSS
CC36518		<0.001
CC36519		0.007
CC36520		0.001
CC36521		0.008
CC36522		0.007
CC36523		0.015
CC36524		0.004
CC36525		0.005
CC36526		0.002
CC36527		0.005
CC36528		0.012
CC36529		0.002
CC36530		0.012
CC36531		0.235
CC36532		0.005
CC36533		0.001
CC36534		0.003
CC36535		0.001
CC36536		0.001
CC36537		<0.001
CC36538		0.001
CC36539		0.005
CC36540		<0.001

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method	Au-ICP21
	Analyte	Au
	Units	ppm
	LOR	0.001
CC36541		0.002
CC36542		<0.001
CC36543		0.004
CC36544		0.006
CC36545		0.002
CC36546		0.002
CC36547		0.002
CC36548		<0.001
CC36549		0.004
CC36550		0.004
CC36551		0.002
CC36552		<0.001
CC36553		<0.001
CC36554		<0.001
CC36555		0.001
CC36556		<0.001
CC36557		<0.001
CC36558		0.002
CC36559		0.006
CC36560		<0.001
CC36561		0.001
CC36562		0.002
CC36563		0.007
CC36564		0.001
CC36565		0.007
CC36566		0.003
CC36567		0.006
CC36568		0.006
CC36569		0.004
CC36570		0.005
CC36571		0.005
CC36572		0.001
CC36573		0.014
CC36574		0.003
CC36575		0.004
CC36576		<0.001
CC36577		0.026
CC36578		0.001
CC36579		<0.001
CC36580		<0.001

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36581		<0.001
CC36582		<0.001
CC36583		<0.001
CC36584		<0.001
CC36585		<0.001
CC36586		0.003
CC36587		<0.001
CC36588		<0.001
CC36589		<0.001
CC36590		0.013
CC36591		<0.001
CC36592		<0.001
CC36593		<0.001
CC36594		<0.001
CC36595		0.001
CC36596		<0.001
CC36597		0.007
CC36598		<0.001
CC36599		0.003
CC36600		<0.001
CC36601		<0.001
CC36602		<0.001
CC36603		0.002
CC36604		<0.001
CC36605		<0.001
CC36606		<0.001
CC36607		0.002
CC36608		0.001
CC36609		<0.001
CC36610		<0.001
CC36611		0.024
CC36612		0.008
CC36613		<0.001
CC36614		0.003
CC36615		0.006
CC36616		0.048
CC36617		0.009
CC36618		0.002
CC36619		<0.001
CC36620		<0.001

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 15-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36621		0.002
CC36622		0.002
CC36623		<0.001
CC36624		0.001
CC36625		<0.001
CC36626		<0.001
CC36627		<0.001
CC36628		<0.001
CC36629		<0.001
CC36630		<0.001
CC36631		<0.001
CC36632		0.001
CC36633		0.001
CC36634		0.001
CC36635		<0.001
CC36636		<0.001
CC36637		<0.001
CC36638		<0.001
CC36639		<0.001
CC36640		0.001
CC36641		<0.001
CC36642		<0.001
CC36643		<0.001
CC36644		<0.001
CC36645		<0.001
CC36646		0.002
CC36647		0.003
CC36648		0.002
CC36649		0.001
CC36650		0.002
CC36651		0.004
CC36652		0.003
CC36653		0.001
CC36654		0.002
CC36655		0.003
CC36656		0.002
CC36657		0.002
CC36658		0.002
CC36659		<0.001
CC36660		0.003

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36661		0.006
CC36662		0.002
CC36663		0.002
CC36664		0.003
CC36665		0.002
CC36666		0.002
CC36667		0.002
CC36668		0.001
CC36669		0.005
CC36670		0.003
CC36671		0.005
CC36672		0.002
CC36673		0.003
CC36674		0.002
CC36675		0.004
CC36676		0.004
CC36677		0.010
CC36678		0.003
CC36679		0.004
CC36680		0.002
CC36681		0.003
CC36682		0.012
CC36683		0.003
CC36684		0.003
CC36685		0.004
CC36686		0.007
CC36687		0.004
CC36688		0.003
CC36689		0.002
CC36690		0.002
CC36691		0.001
CC36701		0.003
CC36702		0.002
CC36703		0.001
CC36704		0.002
CC36705		0.002
CC36706		0.001
CC36707		0.002
CC36708		0.002
CC36709		0.002

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07109656

Sample Description	Method Analyte Units LOR	Au-ICP21 Au ppm 0.001
CC36710		0.003
CC36711		0.007
CC36712		<0.001
CC36713		0.003
CC36714		0.003
CC36715		<0.001
CC36716		0.007
CC36717		0.006
CC36718		0.004
CC36719		0.006
CC36720		0.007
CC36721		0.003
CC36722		0.007
CC36723		0.016
CC36724		0.001
CC36725		0.005
CC36726		0.003
CC36727		0.004
CC36728		0.004
CC36729		0.001
CC36730		0.001
CC36731		<0.001
CC36732		0.001
CC36733		NSS
CC36734		0.002
CC36735		0.003
CC36736		0.004
CC36737		0.003
CC36738		NSS
CC36739		0.035
CC36740		0.003
CC36741		0.002
CC36742		0.003
CC36743		0.003
CC36744		0.005
CC36745		0.004
CC36746		0.002

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

1-OCT-2007
Account: RCM

CERTIFICATE VA07099169

Project: RAU

P.O. No.:

This report is for 96 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC33001		0.24	0.002	<10	5	10	0.5	2.91	14	<10	210	0.8	3	3.02	<0.5	17
CC33002		0.20	0.001	<10	5	10	0.2	2.59	7	<10	220	0.8	<2	0.89	0.7	16
CC33003		0.18	0.002	<10	5	<10	0.2	3.27	12	<10	180	0.7	2	1.35	<0.5	27
CC33004		0.10	<0.001	<10	5	<10	0.2	2.44	6	<10	220	0.6	3	1.85	0.7	16
CC33005		0.14	0.003	<10	4	<10	0.4	2.63	10	<10	170	0.6	3	1.91	0.5	18
CC33006		0.12	0.003	<10	5	10	0.2	2.72	10	<10	150	0.8	3	2.06	0.8	19
CC33007		0.18	0.002	<10	4	10	0.3	2.73	7	<10	180	0.9	<2	0.96	0.5	18
CC33008		0.20	0.004	<10	4	<10	<0.2	2.67	8	<10	150	0.7	3	1.15	0.7	19
CC33009		0.16	0.013	<10	5	10	0.2	2.65	11	<10	170	0.8	5	0.85	0.7	17
CC33010		0.18	0.010	<10	4	10	<0.2	2.84	12	<10	190	1.0	8	0.54	<0.5	16
CC33011		0.20	0.003	<10	<4	10	0.2	2.33	11	<10	200	0.7	6	0.82	0.6	15
CC33012		0.20	0.002	<10	<4	10	<0.2	2.99	11	<10	130	1.1	19	0.41	<0.5	15
CC33013		0.18	0.002	<10	7	10	<0.2	3.61	8	<10	140	1.1	6	7.53	<0.5	14
CC33014		0.18	<0.001	<10	5	10	<0.2	2.04	12	<10	80	0.7	6	19.1	<0.5	8
CC33015		0.24	0.001	<10	<4	<10	<0.2	2.04	10	<10	80	0.6	3	19.7	0.6	5
CC33016		0.18	0.003	<10	<4	<10	<0.2	2.44	15	<10	110	0.8	4	9.90	<0.5	8
CC33017		0.24	0.006	<10	<4	10	0.4	2.29	18	<10	190	0.8	5	3.00	0.9	13
CC33018		0.22	0.003	<10	<4	<10	<0.2	1.59	10	<10	150	0.5	<2	9.81	<0.5	8
CC33019		0.18	0.004	<10	<4	<10	<0.2	1.32	9	<10	120	<0.5	5	1.85	1.3	8
CC33020		0.18	<0.001	<10	4	<10	<0.2	1.25	9	<10	60	<0.5	<2	16.2	<0.5	13
CC33021		0.18	0.001	<10	4	<10	<0.2	2.72	15	<10	180	0.8	<2	3.07	1.8	16
CC33022		0.24	0.004	<10	<4	<10	0.2	1.84	17	<10	260	0.5	<2	17.2	1.9	17
CC33023		0.22	<0.001	<10	4	<10	<0.2	0.60	6	<10	20	<0.5	<2	>25.0	0.5	6
CC33024		0.34	<0.001	<10	4	<10	<0.2	1.16	11	<10	50	<0.5	<2	>25.0	<0.5	9
CC33025		0.24	0.002	<10	<4	<10	<0.2	0.71	16	<10	100	<0.5	<2	>25.0	<0.5	8
CC33026		0.24	<0.001	<10	4	<10	<0.2	0.34	2	<10	40	<0.5	<2	>25.0	<0.5	3
CC33027		0.22	<0.001	<10	<4	<10	<0.2	0.10	<2	<10	10	<0.5	<2	>25.0	<0.5	<1
CC33028		0.20	0.007	<10	5	<10	0.2	1.57	18	<10	180	0.5	3	8.61	0.7	8
CC33029		0.16	<0.001	<10	4	<10	<0.2	1.70	11	<10	290	0.6	<2	6.39	0.8	6
CC33030		0.24	0.013	<10	4	10	0.2	2.37	389	<10	210	0.9	17	0.61	1.3	24
CC33031		0.24	0.008	<10	4	10	0.2	2.82	26	<10	200	1.1	7	1.24	<0.5	13
CC33032		0.18	0.005	<10	6	<10	<0.2	3.34	16	<10	120	0.9	11	6.91	<0.5	8
CC33033		0.18	0.004	<10	6	<10	<0.2	2.62	21	<10	210	0.9	2	1.45	<0.5	12
CC33034		0.26	0.002	<10	5	<10	<0.2	2.33	21	<10	160	0.8	2	0.82	0.5	11
CC33035		0.24	0.017	<10	5	40	<0.2	1.86	12	<10	150	1.0	3	0.49	0.6	15
CC33036		0.24	0.003	<10	6	10	0.4	2.31	74	<10	370	0.9	2	4.08	1.3	12
CC33037		0.24	0.001	<10	<4	<10	0.3	1.07	17	<10	140	<0.5	<2	20.6	0.5	7
CC33038		0.26	0.002	<10	<4	<10	0.2	1.23	10	<10	140	<0.5	<2	22.1	0.6	8
CC33039		0.24	<0.001	<10	5	<10	<0.2	0.20	3	<10	30	<0.5	<2	>25.0	<0.5	1
CC33040		0.20	0.001	<10	<4	<10	<0.2	1.39	19	<10	110	<0.5	<2	12.20	<0.5	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 1-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC33001		88	43	4.30	10	1	0.20	10	3.26	872	<1	0.06	76	660	28	0.04
CC33002		68	28	3.81	10	<1	0.16	10	1.52	1080	<1	0.03	52	570	24	0.04
CC33003		113	61	4.75	10	1	0.13	10	2.36	850	<1	0.03	106	660	24	0.06
CC33004		75	61	3.60	10	1	0.13	10	1.58	876	<1	0.04	67	850	25	0.11
CC33005		76	70	3.69	10	<1	0.12	10	1.67	984	<1	0.03	66	600	30	0.09
CC33006		80	52	3.77	10	1	0.13	10	1.62	1040	<1	0.04	70	660	28	0.10
CC33007		78	32	3.96	10	<1	0.16	10	1.72	1040	<1	0.03	65	540	25	0.04
CC33008		85	33	3.80	10	<1	0.11	10	1.59	1000	3	0.03	66	600	30	0.04
CC33009		81	28	3.91	10	<1	0.12	10	1.44	942	<1	0.02	55	580	34	0.03
CC33010		81	30	4.12	10	1	0.15	10	1.62	781	<1	0.03	67	350	36	0.02
CC33011		69	24	3.64	10	1	0.10	10	1.36	888	<1	0.02	53	590	42	0.03
CC33012		99	21	4.16	10	1	0.13	10	1.67	430	<1	0.03	65	290	73	0.02
CC33013		77	28	3.69	10	1	0.16	10	1.73	1070	<1	0.03	50	510	13	0.05
CC33014		40	16	2.00	10	1	0.08	10	1.25	898	<1	0.03	28	430	17	<0.01
CC33015		34	13	1.86	10	<1	0.09	<10	2.19	723	<1	0.02	22	460	38	<0.01
CC33016		45	17	2.51	10	1	0.10	10	1.55	395	<1	0.02	30	350	10	0.04
CC33017		49	36	3.66	10	1	0.18	20	0.95	894	1	0.03	44	280	53	0.03
CC33018		33	25	2.49	<10	1	0.14	10	0.94	435	<1	0.03	31	480	17	0.03
CC33019		35	22	2.25	<10	1	0.09	10	0.79	425	<1	0.03	27	810	14	0.09
CC33020		63	25	2.21	<10	1	0.07	<10	0.67	317	<1	0.03	37	440	7	0.13
CC33021		82	21	4.27	10	<1	0.14	20	1.91	942	<1	0.02	49	490	65	0.03
CC33022		92	32	2.70	10	1	0.31	<10	1.37	508	<1	0.04	54	660	84	<0.01
CC33023		36	9	2.09	<10	1	0.05	<10	0.54	907	<1	0.02	26	350	39	<0.01
CC33024		53	18	2.79	<10	1	0.20	<10	0.79	350	<1	0.02	52	370	4	<0.01
CC33025		29	24	1.36	<10	1	0.06	<10	1.44	412	<1	0.02	30	260	14	<0.01
CC33026		5	23	0.64	<10	<1	0.02	<10	0.77	434	<1	0.01	5	360	14	<0.01
CC33027		1	8	0.18	<10	<1	0.01	<10	0.56	153	<1	0.01	2	50	<2	<0.01
CC33028		29	26	2.54	<10	<1	0.11	10	0.96	713	<1	0.02	27	660	34	0.07
CC33029		26	17	2.28	<10	<1	0.10	10	0.91	1540	1	0.02	19	740	36	0.10
CC33030		60	87	6.19	10	1	0.12	20	1.12	2010	1	0.01	95	330	200	0.02
CC33031		52	29	4.06	10	<1	0.14	20	1.82	826	<1	0.03	45	240	33	0.03
CC33032		41	14	3.10	10	1	0.06	20	7.75	1800	<1	0.02	19	520	12	0.04
CC33033		43	17	4.48	10	1	0.17	20	1.32	861	<1	0.03	37	680	16	0.04
CC33034		41	19	3.66	10	1	0.10	20	0.88	906	<1	0.02	35	410	22	0.03
CC33035		35	94	6.63	10	<1	0.08	10	0.45	645	68	0.01	62	340	11	0.03
CC33036		43	33	3.41	10	<1	0.14	10	1.00	1300	1	0.04	40	750	63	0.08
CC33037		19	23	1.78	<10	<1	0.10	10	0.84	423	2	0.02	19	610	19	<0.01
CC33038		29	37	1.78	<10	<1	0.09	<10	1.39	542	2	0.03	26	840	23	<0.01
CC33039		4	7	0.35	<10	<1	0.02	<10	0.60	342	1	0.01	4	220	16	<0.01
CC33040		45	15	3.01	<10	<1	0.10	10	1.02	510	1	0.02	33	420	11	0.08

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC33001		<2	6	48	<20	0.20	<10	<10	73	<10	168
CC33002		<2	4	26	<20	0.12	<10	<10	70	<10	231
CC33003		<2	6	33	<20	0.19	<10	<10	82	<10	173
CC33004		<2	4	40	<20	0.12	<10	<10	62	<10	213
CC33005		<2	4	43	<20	0.14	<10	<10	64	<10	240
CC33006		2	4	43	<20	0.14	<10	<10	63	<10	181
CC33007		<2	5	26	<20	0.14	<10	<10	69	<10	188
CC33008		2	4	26	<20	0.14	<10	<10	65	<10	146
CC33009		<2	4	22	<20	0.12	<10	<10	69	<10	191
CC33010		<2	5	21	<20	0.15	<10	<10	68	10	133
CC33011		3	3	21	<20	0.10	<10	<10	63	<10	151
CC33012		<2	4	14	<20	0.21	<10	<10	77	10	147
CC33013		2	6	130	<20	0.14	<10	10	67	<10	96
CC33014		3	3	196	<20	0.07	<10	10	40	<10	65
CC33015		2	3	171	<20	0.07	<10	10	36	<10	379
CC33016		<2	5	88	<20	0.08	<10	<10	51	<10	83
CC33017		2	7	41	<20	0.08	<10	<10	62	<10	261
CC33018		2	4	92	<20	0.07	<10	10	44	<10	112
CC33019		2	3	32	<20	0.05	<10	<10	38	<10	137
CC33020		<2	3	130	<20	0.03	<10	<10	26	<10	53
CC33021		<2	7	46	<20	0.11	<10	<10	74	<10	617
CC33022		<2	7	172	<20	0.11	<10	<10	67	<10	1630
CC33023		2	3	215	<20	0.02	<10	10	15	<10	257
CC33024		<2	2	286	<20	0.04	<10	10	17	<10	70
CC33025		<2	2	143	<20	0.02	<10	10	22	<10	200
CC33026		<2	1	153	<20	0.01	<10	10	13	<10	78
CC33027		3	<1	131	<20	<0.01	<10	10	5	<10	12
CC33028		2	2	51	<20	0.04	<10	10	42	<10	246
CC33029		2	2	42	<20	0.04	<10	<10	43	<10	264
CC33030		10	7	13	<20	0.08	<10	<10	59	<10	1380
CC33031		3	7	21	<20	0.09	<10	<10	72	<10	171
CC33032		3	4	47	<20	0.11	<10	<10	47	<10	69
CC33033		<2	5	28	<20	0.05	<10	<10	59	<10	105
CC33034		<2	5	18	<20	0.06	<10	<10	65	<10	151
CC33035		2	3	12	<20	0.04	<10	<10	75	30	145
CC33036		<2	4	35	<20	0.05	<10	<10	60	10	545
CC33037		<2	2	119	<20	0.03	<10	<10	29	<10	128
CC33038		<2	1	118	<20	0.03	<10	<10	33	<10	135
CC33039		<2	<1	150	<20	0.01	<10	<10	9	<10	78
CC33040		<2	3	111	<20	0.04	<10	<10	29	<10	77

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC33041		0.14	0.001	<10	<4	<10	<0.2	2.51	5	<10	130	<0.5	<2	7.22	<0.5	23
CC33042		0.18	<0.001	<10	<4	<10	<0.2	1.80	7	<10	60	0.6	<2	10.30	<0.5	13
CC33043		0.22	<0.001	<10	<4	<10	0.5	4.25	22	10	360	1.5	<2	2.66	2.4	31
CC33044		0.26	0.002	<10	4	<10	0.5	1.68	20	<10	330	0.7	<2	12.40	8.1	12
CC33045		0.28	0.003	<10	4	<10	0.5	2.20	16	<10	360	0.8	<2	4.10	5.9	14
CC33046		0.14	0.013	<10	4	<10	0.3	1.95	13	<10	200	0.6	9	2.50	2.4	13
CC33047		0.14	0.001	<10	<4	<10	<0.2	1.93	6	<10	220	0.7	7	5.76	2.4	15
CC33048		0.12	0.024	<10	<4	10	0.2	2.54	20	<10	190	0.6	14	2.07	1.2	16
CC33049		0.18	0.003	<10	<4	10	0.2	2.66	10	<10	170	0.8	10	3.92	1.3	17
CC33050		0.22	0.001	<10	6	<10	<0.2	1.59	4	<10	40	0.6	<2	>25.0	<0.5	3
CC33051		0.18	0.001	<10	<4	10	<0.2	3.50	13	<10	180	1.1	21	3.80	<0.5	16
CC33052		0.22	0.004	<10	<4	<10	0.3	0.51	9	<10	40	<0.5	<2	>25.0	<0.5	3
CC33053		0.20	0.008	<10	5	10	0.2	2.19	10	<10	150	0.7	4	1.99	0.7	12
CC33054		0.20	0.001	<10	6	10	0.4	2.57	11	<10	260	0.8	9	1.58	0.6	20
CC33055		0.20	0.001	<10	<4	10	<0.2	2.31	12	<10	220	0.8	8	0.70	<0.5	15
CC33056		0.24	0.002	<10	<4	<10	0.3	2.74	5	<10	140	0.8	<2	2.00	0.7	14
CC33057		0.20	0.002	<10	6	<10	<0.2	2.91	3	<10	160	0.6	2	1.42	<0.5	18
CC33058		0.18	0.008	<10	<4	10	0.3	2.61	6	<10	170	0.6	2	2.46	<0.5	17
CC33059		0.18	0.003	<10	<4	<10	0.4	2.88	6	<10	160	0.6	2	1.82	<0.5	19
CC33060		0.16	0.004	<10	<4	<10	0.3	2.69	11	<10	190	0.7	<2	1.39	<0.5	21
CC33061		0.24	0.002	<10	5	10	0.2	2.68	9	<10	190	0.5	2	1.05	<0.5	21
CC33062		0.26	0.003	<10	6	10	0.3	2.76	8	<10	210	0.7	3	1.82	0.6	38
CC33063		0.26	0.004	<10	4	<10	0.3	2.95	9	<10	170	0.8	<2	1.14	0.5	16
CC33064		0.22	0.020	<10	4	10	0.5	2.21	19	<10	140	1.1	4	0.29	0.8	13
CC33065		0.20	0.003	<10	4	10	<0.2	3.14	12	<10	220	1.0	2	0.56	0.6	19
CC33066		0.20	0.003	<10	5	<10	0.3	2.62	9	<10	190	0.9	2	1.09	0.8	15
CC33067		0.16	0.004	<10	<4	<10	0.7	1.73	9	<10	240	0.5	<2	0.80	0.8	12
CC33068		0.12	0.001	<10	4	<10	0.6	2.30	7	<10	300	0.6	<2	0.82	0.6	14
CC33069		0.10	0.013	<10	<4	<10	0.2	0.86	3	<10	300	<0.5	<2	2.20	1.1	10
CC33070		0.10	0.006	<10	<4	<10	0.2	1.74	4	<10	150	<0.5	<2	3.11	0.9	9
CC33071		0.12	0.002	<10	<4	<10	<0.2	1.50	2	<10	180	<0.5	<2	2.43	1.3	11
CC33072		0.20	0.001	<10	<4	<10	0.2	2.57	7	<10	170	0.5	2	1.53	0.9	16
CC33073		0.18	0.004	<10	4	<10	0.2	2.79	8	<10	110	0.8	2	1.59	0.7	15
CC33074		0.06	0.006	<10	<4	<10	0.2	0.27	<2	<10	100	<0.5	<2	2.98	2.8	3
CC33075		0.24	0.001	<10	<4	<10	0.2	2.31	9	<10	180	0.8	2	0.87	<0.5	14
CC33076		0.20	0.001	<10	<4	10	<0.2	2.38	7	<10	260	0.5	8	0.75	<0.5	29
CC33077		0.22	0.004	<10	<4	<10	<0.2	0.87	9	<10	150	<0.5	2	23.8	0.5	7
CC33078		0.18	0.004	<10	<4	10	0.2	1.55	23	<10	170	0.6	5	11.95	0.9	10
CC33079		0.06	0.005	<10	<4	<10	<0.2	1.32	7	<10	120	<0.5	<2	3.18	0.5	15
CC33080		0.22	0.003	<10	<4	<10	0.3	0.97	9	<10	130	<0.5	<2	20.5	0.5	5

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 1-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC33041		125	45	4.14	10	<1	0.29	<10	2.15	547	<1	0.02	105	540	11	0.09
CC33042		108	14	4.39	<10	<1	0.11	10	0.97	904	1	0.02	60	410	31	0.09
CC33043		170	45	5.32	10	2	0.24	20	2.16	1480	<1	0.02	81	480	154	0.06
CC33044		47	28	3.19	<10	<1	0.21	10	2.83	2820	1	0.03	47	530	147	0.03
CC33045		49	43	3.67	10	1	0.24	20	1.00	1710	1	0.04	49	830	100	0.04
CC33046		55	36	2.96	10	1	0.12	10	1.32	787	1	0.04	44	790	24	0.09
CC33047		34	20	3.13	<10	1	0.09	10	1.42	884	2	0.03	36	730	75	0.15
CC33048		98	37	4.15	10	1	0.12	10	1.44	1175	1	0.04	62	720	32	0.13
CC33049		78	30	3.84	10	1	0.17	10	1.31	1190	1	0.04	67	440	36	0.08
CC33050		23	10	1.18	<10	1	0.05	<10	1.15	617	<1	0.02	15	350	28	<0.01
CC33051		90	27	4.04	10	<1	0.24	10	2.14	1100	<1	0.05	66	470	30	0.06
CC33052		8	8	0.61	<10	<1	0.02	<10	0.68	538	<1	0.02	7	320	2	<0.01
CC33053		57	20	3.08	10	<1	0.09	10	1.14	628	<1	0.04	46	540	34	0.06
CC33054		80	38	3.98	10	<1	0.11	10	1.41	1065	<1	0.04	60	970	58	0.08
CC33055		57	30	3.80	10	<1	0.10	10	0.91	731	<1	0.03	41	780	31	0.05
CC33056		103	20	3.72	10	<1	0.09	10	1.59	851	<1	0.04	48	680	14	0.04
CC33057		94	34	4.02	10	<1	0.10	10	1.68	822	<1	0.04	69	530	18	0.05
CC33058		84	31	3.77	10	<1	0.13	10	1.90	921	<1	0.05	68	570	30	0.05
CC33059		88	53	4.06	10	<1	0.12	10	1.62	1215	<1	0.04	79	720	29	0.08
CC33060		83	98	3.96	10	<1	0.10	10	1.47	929	<1	0.04	72	740	35	0.08
CC33061		102	41	4.08	10	<1	0.12	10	1.94	695	<1	0.04	84	560	27	0.04
CC33062		86	53	5.38	10	<1	0.12	20	1.88	2070	<1	0.04	119	660	31	0.19
CC33063		70	23	3.99	10	<1	0.12	10	1.87	921	<1	0.04	52	530	36	0.04
CC33064		45	26	3.69	10	<1	0.14	10	1.05	913	2	0.03	40	380	52	0.04
CC33065		72	19	4.46	10	1	0.16	10	1.91	1070	1	0.04	53	320	38	0.03
CC33066		57	27	3.72	10	<1	0.11	10	1.35	1655	1	0.04	41	720	45	0.07
CC33067		41	15	2.83	10	<1	0.14	10	0.92	1605	2	0.04	27	1000	25	0.09
CC33068		70	15	3.74	10	1	0.13	10	1.25	1205	1	0.04	52	1060	36	0.09
CC33069		22	19	1.25	<10	1	0.16	<10	0.60	1330	1	0.04	19	1690	10	0.22
CC33070		40	30	2.14	<10	<1	0.10	10	0.85	1120	1	0.04	34	1220	14	0.26
CC33071		44	24	1.87	<10	<1	0.12	<10	0.79	1080	<1	0.04	32	1510	13	0.23
CC33072		87	26	3.56	10	1	0.11	10	1.57	789	<1	0.05	67	590	22	0.08
CC33073		120	28	3.68	10	<1	0.08	10	1.68	869	1	0.05	53	810	14	0.10
CC33074		7	16	0.41	<10	1	0.07	<10	0.23	562	1	0.03	6	1230	4	0.24
CC33075		57	18	3.26	10	<1	0.09	10	1.07	964	1	0.03	38	730	21	0.07
CC33076		83	17	3.90	10	<1	0.14	10	1.40	1460	1	0.04	52	530	40	0.06
CC33077		17	18	1.39	<10	1	0.07	<10	0.77	876	<1	0.03	17	680	10	<0.01
CC33078		29	23	2.71	<10	<1	0.11	10	1.63	1055	2	0.03	29	850	32	0.10
CC33079		75	30	2.25	<10	<1	0.09	<10	0.59	558	<1	0.04	56	690	14	0.19
CC33080		17	12	1.63	<10	<1	0.06	<10	3.09	823	1	0.03	14	710	16	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 1-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC33041		<2	5	71	<20	0.18	<10	<10	65	<10	100
CC33042		3	8	101	<20	0.07	<10	<10	34	<10	222
CC33043		4	19	33	<20	0.26	<10	<10	153	<10	1980
CC33044		<2	6	168	<20	0.07	<10	<10	46	<10	2980
CC33045		<2	7	78	<20	0.07	<10	<10	66	<10	1970
CC33046		<2	4	48	<20	0.09	<10	<10	52	<10	295
CC33047		<2	3	66	<20	0.05	<10	<10	35	<10	875
CC33048		<2	5	30	<20	0.12	<10	<10	60	<10	303
CC33049		3	5	43	<20	0.12	<10	<10	62	<10	248
CC33050		<2	2	230	<20	0.04	<10	<10	27	<10	102
CC33051		3	6	66	<20	0.17	<10	<10	72	10	135
CC33052		3	1	143	<20	0.01	<10	<10	11	<10	22
CC33053		<2	3	26	<20	0.09	<10	<10	55	10	120
CC33054		4	4	33	<20	0.12	<10	<10	63	<10	133
CC33055		2	3	21	<20	0.08	<10	<10	66	<10	92
CC33056		4	5	35	<20	0.10	<10	<10	64	<10	101
CC33057		2	5	31	<20	0.16	<10	<10	68	<10	131
CC33058		2	4	42	<20	0.15	<10	<10	63	10	170
CC33059		<2	4	40	<20	0.14	<10	<10	63	<10	138
CC33060		3	4	31	<20	0.13	<10	<10	65	<10	206
CC33061		4	5	26	<20	0.17	<10	<10	72	<10	149
CC33062		2	6	43	<20	0.17	<10	<10	70	10	225
CC33063		4	5	31	<20	0.14	<10	<10	68	<10	194
CC33064		2	4	11	<20	0.08	<10	<10	57	10	255
CC33065		2	5	18	<20	0.18	<10	<10	71	10	295
CC33066		4	4	27	<20	0.09	<10	<10	63	<10	234
CC33067		2	2	22	<20	0.07	<10	<10	52	10	125
CC33068		3	3	24	<20	0.10	<10	<10	61	<10	131
CC33069		<2	1	54	<20	0.04	<10	<10	19	<10	99
CC33070		2	2	52	<20	0.06	<10	<10	34	<10	73
CC33071		2	1	36	<20	0.06	<10	<10	30	<10	89
CC33072		<2	4	28	<20	0.16	<10	<10	61	<10	174
CC33073		<2	5	34	<20	0.11	<10	<10	63	<10	105
CC33074		<2	<1	31	<20	0.01	<10	<10	6	<10	283
CC33075		<2	3	22	<20	0.07	<10	<10	57	<10	85
CC33076		2	4	21	<20	0.17	<10	<10	72	10	85
CC33077		2	1	108	<20	0.03	<10	<10	21	<10	101
CC33078		2	1	64	<20	0.03	<10	<10	40	<10	325
CC33079		<2	3	29	<20	0.08	<10	<10	38	<10	162
CC33080		2	1	82	<20	0.02	<10	<10	26	<10	194

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 1-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC33081		0.20	0.002	<10	<4	<10	<0.2	1.72	13	<10	240	0.6	5	14.2	1.6	9
CC33082		0.30	0.004	<10	5	10	0.2	2.54	19	<10	230	0.9	8	0.80	1.0	15
CC33083		0.18	0.002	<10	<4	10	<0.2	2.50	18	<10	140	0.8	7	1.20	0.7	15
CC33084		0.26	0.004	<10	5	10	0.2	2.60	15	<10	300	0.7	64	1.16	<0.5	17
CC33085		0.22	0.005	<10	4	10	0.2	3.03	11	<10	270	0.7	100	1.23	<0.5	22
CC33086		0.14	0.005	<10	<4	20	0.2	1.74	51	<10	180	0.7	129	1.04	4.8	16
CC33087		0.12	0.005	<10	<4	20	0.4	1.41	7	<10	260	<0.5	128	4.29	1.4	12
CC33088		0.14	0.002	<10	<4	10	<0.2	1.38	8	<10	180	<0.5	100	3.70	<0.5	13
CC33089		0.14	0.002	<10	<4	<10	<0.2	1.61	12	<10	150	<0.5	6	8.07	0.5	10
CC33090		0.16	0.003	<10	<4	10	<0.2	1.37	7	<10	140	<0.5	9	9.93	0.7	10
CC33091		0.20	0.004	<10	5	10	<0.2	1.39	<2	<10	150	<0.5	4	12.25	<0.5	6
CC33092		0.34	0.005	<10	4	<10	0.2	1.57	10	<10	210	<0.5	4	2.09	<0.5	9
CC33093		0.16	0.003	<10	4	<10	0.2	2.51	26	<10	180	0.6	2	2.15	<0.5	16
CC33094		0.28	0.002	<10	5	10	<0.2	2.18	<2	<10	130	0.5	<2	6.54	<0.5	13
CC33095		0.22	0.002	<10	6	<10	<0.2	2.07	4	<10	70	0.5	2	12.55	<0.5	8
CC33096		0.24	0.002	<10	<4	<10	<0.2	2.04	<2	<10	70	0.5	<2	20.9	<0.5	5

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 1-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC33081		29	21	2.76	<10	<1	0.09	10	1.82	1855	1	0.04	25	1390	32	0.14
CC33082		61	23	4.07	10	1	0.11	20	1.09	1330	1	0.04	48	250	44	0.04
CC33083		83	23	4.08	10	<1	0.12	10	1.19	939	1	0.04	53	400	39	0.06
CC33084		63	52	4.45	10	<1	0.15	20	1.19	527	1	0.05	47	930	21	0.08
CC33085		149	52	5.70	10	1	0.23	10	1.62	708	<1	0.04	64	980	22	0.15
CC33086		32	76	4.98	10	1	0.16	10	0.65	330	1	0.04	42	910	191	0.28
CC33087		32	92	3.99	<10	1	0.26	10	0.77	371	1	0.06	32	1260	34	0.33
CC33088		30	90	3.42	<10	<1	0.16	10	1.05	368	1	0.04	31	1050	17	0.25
CC33089		41	34	2.50	<10	<1	0.15	10	1.55	508	<1	0.04	35	720	21	0.07
CC33090		34	35	2.32	<10	<1	0.20	10	1.48	520	<1	0.04	32	670	18	0.10
CC33091		29	26	2.04	<10	<1	0.18	10	1.48	347	<1	0.05	24	630	14	0.03
CC33092		40	30	2.79	<10	<1	0.13	10	1.02	462	<1	0.04	36	860	20	0.04
CC33093		98	29	3.95	10	<1	0.14	10	1.55	642	<1	0.04	62	660	24	0.07
CC33094		64	27	2.90	10	<1	0.17	10	1.47	566	<1	0.05	50	480	14	0.07
CC33095		65	35	3.02	<10	<1	0.10	10	1.81	476	2	0.04	37	450	10	0.08
CC33096		32	14	1.52	<10	<1	0.07	10	1.29	562	<1	0.04	21	440	7	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 1-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099169

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC33081		2	1	70	<20	0.03	<10	<10	45	<10	440
CC33082		4	6	17	<20	0.11	<10	<10	66	10	248
CC33083		3	6	19	<20	0.12	<10	10	65	10	188
CC33084		<2	7	33	<20	0.15	<10	<10	82	10	112
CC33085		<2	11	35	<20	0.25	<10	<10	93	10	145
CC33086		5	4	28	<20	0.07	<10	<10	48	20	1260
CC33087		2	3	64	<20	0.07	<10	<10	37	20	344
CC33088		2	3	48	<20	0.07	<10	<10	39	10	111
CC33089		<2	4	94	<20	0.08	<10	<10	42	<10	139
CC33090		<2	3	103	<20	0.07	<10	<10	33	<10	157
CC33091		<2	4	137	<20	0.08	<10	<10	40	<10	86
CC33092		<2	4	38	<20	0.08	<10	<10	49	<10	135
CC33093		<2	5	33	<20	0.11	<10	<10	63	<10	143
CC33094		<2	4	72	<20	0.12	<10	<10	53	<10	83
CC33095		<2	4	130	<20	0.07	<10	<10	36	<10	43
CC33096		<2	3	196	<20	0.06	<10	<10	35	<10	52

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

5-OCT-2007
Account: RCM

CERTIFICATE VA07099168

Project: RAU

P.O. No.:

This report is for 222 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC37251		0.22	0.001	<10	5	<10	0.2	2.72	9	<10	90	0.6	<2	12.30	<0.5	7
CC37252		0.18	0.002	<10	5	<10	<0.2	3.35	6	<10	120	0.9	2	1.91	<0.5	10
CC37253		0.18	0.003	<10	<4	<10	<0.2	3.27	7	<10	110	0.8	<2	2.41	0.6	12
CC37254		0.24	0.003	<10	4	<10	0.3	1.45	<2	<10	30	<0.5	<2	>25.0	<0.5	2
CC37255		0.14	0.005	<10	<4	<10	0.3	2.03	4	<10	90	<0.5	<2	24.2	<0.5	22
CC37256		0.12	0.003	<10	<4	<10	0.2	1.43	4	<10	80	<0.5	3	4.64	<0.5	12
CC37257		0.12	0.004	<10	<4	10	0.3	3.45	15	<10	170	0.5	5	1.44	<0.5	47
CC37258		0.24	0.005	<10	<4	<10	<0.2	3.75	9	<10	140	0.7	3	1.67	<0.5	29
CC37259		0.10	0.001	<10	<4	<10	<0.2	2.68	4	<10	180	<0.5	3	1.55	0.5	21
CC37260		0.14	0.009	<10	6	<10	<0.2	3.04	7	<10	140	<0.5	2	0.66	<0.5	26
CC37261		0.18	0.003	<10	<4	<10	<0.2	3.40	8	<10	120	<0.5	<2	0.32	<0.5	29
CC37262		0.22	0.005	<10	4	<10	<0.2	3.32	6	<10	170	0.6	2	0.44	<0.5	38
CC37263		0.22	0.004	<10	<4	<10	<0.2	3.17	9	<10	110	0.6	3	3.90	<0.5	20
CC37264		0.24	0.003	<10	<4	<10	<0.2	1.26	2	<10	30	0.6	2	>25.0	<0.5	4
CC37265		0.24	0.005	<10	4	10	<0.2	2.89	17	<10	140	0.6	12	1.46	1.6	16
CC37266		0.22	0.003	<10	<4	<10	<0.2	3.32	6	<10	300	<0.5	<2	1.04	1.6	35
CC37267		0.26	0.003	<10	4	<10	0.7	0.61	17	<10	1460	<0.5	3	24.4	1.8	2
CC37268		0.22	0.004	<10	<4	<10	0.5	1.76	24	<10	2100	0.6	2	2.61	6.0	18
CC37269		0.20	0.003	<10	<4	<10	<0.2	2.25	10	<10	150	0.6	<2	5.09	<0.5	15
CC37270		0.14	0.004	<10	5	<10	0.3	2.47	15	<10	230	0.7	<2	3.69	1.1	12
CC37271		0.18	0.004	<10	<4	<10	<0.2	2.78	25	<10	190	0.5	<2	13.95	<0.5	20
CC37272		0.14	0.450	<10	4	<10	0.2	1.93	1300	<10	320	<0.5	23	2.30	0.6	13
CC37273		0.10	0.005	<10	<4	<10	<0.2	1.36	20	<10	70	<0.5	<2	20.6	<0.5	4
CC37274		0.14	0.009	<10	<4	<10	<0.2	1.79	42	<10	170	<0.5	3	0.84	<0.5	9
CC37275		0.30	0.002	<10	<4	<10	<0.2	0.37	14	<10	30	<0.5	2	>25.0	<0.5	3
CC37276		0.24	0.003	<10	<4	<10	<0.2	0.07	<2	<10	10	<0.5	<2	>25.0	<0.5	<1
CC37277		0.16	0.006	<10	4	<10	<0.2	3.98	9	<10	210	<0.5	<2	1.43	<0.5	46
CC37278		0.22	0.050	<10	<4	<10	<0.2	3.40	50	<10	200	0.5	5	4.67	<0.5	31
CC37279		0.30	0.005	<10	<4	<10	0.2	1.50	199	<10	160	<0.5	4	19.6	1.4	36
CC37280		0.20	0.005	<10	<4	<10	0.3	0.56	58	<10	50	<0.5	2	>25.0	<0.5	4
CC37281		0.22	0.002	<10	<4	<10	<0.2	2.56	6	<10	50	0.6	<2	18.6	<0.5	4
CC37282		0.30	0.017	<10	5	<10	<0.2	3.28	7	<10	80	0.8	<2	9.03	<0.5	9
CC37283		0.26	0.003	<10	5	<10	<0.2	2.58	4	<10	50	0.8	<2	22.4	<0.5	7
CC37284		0.18	0.002	<10	<4	<10	<0.2	4.66	10	<10	90	1.2	<2	2.52	<0.5	11
CC37285		0.26	0.003	<10	4	<10	0.2	1.31	5	<10	40	<0.5	<2	>25.0	<0.5	4
CC37286		0.12	NSS	<10	<4	<10	<0.2	2.15	5	<10	130	<0.5	<2	3.47	<0.5	15
CC37287		0.18	0.004	<10	4	<10	<0.2	3.20	6	<10	150	0.6	4	2.68	0.9	36
CC37288		0.26	0.001	<10	<4	<10	<0.2	1.23	<2	<10	40	<0.5	<2	>25.0	<0.5	2
CC37289		0.10	0.005	<10	<4	<10	0.3	3.59	3	<10	90	0.9	3	14.0	<0.5	23
CC37290		0.12	0.006	<10	<4	<10	<0.2	3.79	7	<10	170	0.6	7	1.18	0.8	38

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC37251		37	27	2.12	10	1	0.14	10	4.81	397	<1	0.04	21	400	17	0.08
CC37252		39	23	2.97	10	1	0.11	10	2.83	625	<1	0.03	27	640	16	0.10
CC37253		48	29	3.33	10	1	0.09	10	2.53	1370	<1	0.03	33	800	11	0.14
CC37254		14	5	1.13	<10	<1	0.07	10	3.06	223	<1	0.04	8	170	11	<0.01
CC37255		46	32	2.51	10	<1	0.32	<10	1.59	1680	1	0.04	67	460	16	<0.01
CC37256		33	49	2.00	10	<1	0.10	10	0.94	1405	1	0.04	49	1000	10	0.28
CC37257		140	91	6.98	10	1	0.66	10	2.43	1725	2	0.04	143	880	13	0.11
CC37258		115	62	4.90	10	<1	0.17	10	2.65	1060	<1	0.05	105	650	13	0.09
CC37259		97	29	3.52	10	1	0.17	10	1.65	1190	<1	0.03	72	1110	6	0.16
CC37260		113	34	4.45	10	1	0.45	10	1.95	817	<1	0.04	96	540	11	0.04
CC37261		145	26	5.47	10	1	0.66	10	2.23	519	<1	0.02	110	450	8	0.05
CC37262		132	54	6.27	10	1	0.75	10	1.96	844	<1	0.03	130	710	9	0.06
CC37263		83	50	3.94	10	<1	0.19	10	2.66	731	<1	0.04	76	620	12	0.11
CC37264		22	14	1.47	<10	1	0.08	<10	0.90	303	<1	0.02	21	320	<2	<0.01
CC37265		163	63	4.77	10	<1	0.09	10	1.67	760	1	0.04	80	570	13	0.08
CC37266		142	32	4.99	10	1	0.29	10	2.11	1200	<1	0.03	114	280	24	0.04
CC37267		11	20	1.13	<10	<1	0.15	<10	8.38	742	<1	0.02	5	170	245	<0.01
CC37268		37	32	3.81	<10	1	0.12	10	1.01	1040	<1	0.04	52	1060	145	0.16
CC37269		119	28	4.18	10	<1	0.14	10	1.44	515	<1	0.02	56	520	10	0.09
CC37270		88	20	3.67	10	1	0.13	10	1.67	648	<1	0.03	43	650	66	0.09
CC37271		153	27	4.37	10	<1	0.50	<10	1.84	577	<1	0.03	64	560	11	0.08
CC37272		64	26	5.19	<10	1	0.15	10	1.19	1510	<1	0.03	46	1200	21	0.17
CC37273		53	12	1.77	<10	<1	0.05	10	2.37	350	2	0.02	16	540	27	<0.01
CC37274		42	15	3.35	<10	<1	0.11	10	0.82	533	1	0.02	30	490	16	0.06
CC37275		13	8	1.76	<10	<1	0.06	<10	0.70	305	2	0.01	13	400	4	<0.01
CC37276		1	2	0.18	<10	<1	0.01	<10	0.27	181	<1	0.01	3	50	<2	<0.01
CC37277		247	28	6.24	10	1	0.24	<10	3.67	867	<1	0.03	191	590	8	0.05
CC37278		151	26	5.15	10	<1	1.01	10	2.90	880	<1	0.02	139	630	12	0.06
CC37279		62	197	3.69	<10	1	0.48	10	0.98	980	<1	0.02	119	600	245	<0.01
CC37280		14	20	1.17	<10	1	0.07	<10	0.55	321	<1	0.01	19	270	27	<0.01
CC37281		26	10	1.50	10	<1	0.27	10	6.29	419	<1	0.03	12	280	2	<0.01
CC37282		40	22	2.59	10	1	0.10	10	3.43	458	<1	0.04	26	460	13	0.05
CC37283		28	13	1.94	10	<1	0.05	<10	1.72	405	<1	0.03	19	340	4	<0.01
CC37284		52	21	3.53	10	1	0.08	10	3.41	638	1	0.12	33	530	20	0.09
CC37285		16	10	1.27	<10	<1	0.06	10	1.84	256	1	0.05	14	240	10	<0.01
CC37286		58	21	2.91	10	<1	0.29	10	1.44	586	1	0.06	60	970	8	0.21
CC37287		112	98	4.38	10	<1	0.47	10	2.09	1050	<1	0.06	110	660	12	0.13
CC37288		17	6	0.87	<10	<1	0.04	<10	1.24	289	1	0.04	10	130	5	<0.01
CC37289		67	73	3.45	10	<1	0.16	10	1.78	1665	<1	0.05	77	590	15	0.17
CC37290		126	80	5.68	10	<1	0.22	10	2.46	1135	1	0.04	127	800	24	0.08

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37251		3	4	121	<20	0.09	<10	<10	44	<10	76
CC37252		2	5	40	<20	0.10	<10	<10	61	<10	102
CC37253		<2	4	48	<20	0.09	<10	<10	55	<10	103
CC37254		2	2	397	<20	0.04	<10	<10	17	<10	54
CC37255		<2	3	519	<20	0.10	<10	<10	36	<10	73
CC37256		<2	2	103	<20	0.06	<10	<10	29	<10	78
CC37257		<2	11	34	<20	0.30	<10	<10	97	<10	157
CC37258		<2	8	46	<20	0.22	<10	<10	84	<10	141
CC37259		<2	3	37	<20	0.13	<10	<10	65	<10	97
CC37260		<2	6	26	<20	0.26	<10	<10	75	<10	93
CC37261		<2	6	16	<20	0.30	<10	<10	95	<10	97
CC37262		<2	7	19	<20	0.27	<10	<10	75	<10	108
CC37263		<2	6	68	<20	0.15	<10	<10	64	<10	110
CC37264		<2	2	325	<20	0.04	<10	10	20	<10	29
CC37265		2	6	41	<20	0.12	<10	<10	57	<10	219
CC37266		2	5	19	<20	0.31	<10	<10	103	<10	361
CC37267		4	1	128	<20	0.02	<10	10	12	<10	886
CC37268		3	2	40	<20	0.04	<10	<10	47	<10	1140
CC37269		<2	7	56	<20	0.12	<10	<10	56	<10	95
CC37270		4	5	56	<20	0.08	<10	<10	56	<10	394
CC37271		2	9	161	<20	0.14	<10	<10	66	<10	78
CC37272		2	3	31	<20	0.07	<10	<10	49	<10	116
CC37273		3	2	141	<20	0.03	<10	<10	23	<10	81
CC37274		3	3	16	<20	0.05	<10	<10	48	<10	105
CC37275		3	1	175	<20	0.01	<10	10	10	<10	31
CC37276		<2	<1	161	<20	<0.01	<10	10	5	<10	18
CC37277		<2	6	24	<20	0.36	<10	<10	124	<10	111
CC37278		<2	9	38	<20	0.27	<10	10	95	<10	104
CC37279		5	5	86	<20	0.09	<10	10	41	<10	1190
CC37280		2	1	124	<20	0.02	<10	10	15	<10	387
CC37281		<2	3	161	<20	0.08	<10	<10	31	<10	51
CC37282		<2	5	99	<20	0.11	<10	<10	55	<10	108
CC37283		<2	4	217	<20	0.06	<10	10	39	<10	39
CC37284		<2	7	73	<20	0.15	<10	<10	69	<10	152
CC37285		<2	2	344	<20	0.04	<10	10	18	<10	67
CC37286		<2	3	60	<20	0.13	<10	<10	46	<10	60
CC37287		<2	6	51	<20	0.20	<10	<10	75	<10	256
CC37288		<2	2	329	<20	0.03	<10	10	16	<10	31
CC37289		<2	6	212	<20	0.11	<10	<10	56	<10	99
CC37290		<2	8	30	<20	0.21	<10	<10	99	<10	231

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC37291		0.10	0.016	<10	4	<10	<0.2	2.59	7	<10	170	<0.5	3	1.74	<0.5	23
CC37292		0.14	0.002	<10	<4	<10	<0.2	3.03	9	<10	180	0.5	4	0.90	0.8	23
CC37293		0.14	0.006	<10	<4	<10	<0.2	3.24	<2	<10	170	0.6	3	5.62	0.5	20
CC37294		0.28	0.007	<10	<4	10	0.2	3.16	3	<10	140	<0.5	3	2.47	<0.5	36
CC37295		0.08	NSS	<10	<4	<10	0.2	2.36	10	<10	140	<0.5	3	1.90	0.7	22
CC37296		0.28	0.001	<10	<4	<10	<0.2	2.32	12	<10	100	0.6	11	18.4	<0.5	16
CC37297		0.14	0.002	<10	<4	<10	0.2	2.12	2	<10	100	<0.5	5	8.71	<0.5	13
CC37298		0.16	0.001	<10	<4	<10	0.3	2.61	5	<10	260	<0.5	2	1.82	<0.5	28
CC37299		0.16	0.002	<10	<4	<10	<0.2	2.17	7	<10	160	0.7	<2	20.3	<0.5	10
CC37300		0.20	0.003	<10	<4	10	0.9	1.78	21	<10	430	0.8	<2	14.00	4.4	10
CC37301		0.20	0.002	<10	<4	<10	<0.2	1.91	10	<10	90	0.6	<2	18.8	<0.5	11
CC37302		0.32	0.002	<10	<4	<10	<0.2	2.35	17	<10	110	0.5	<2	18.4	<0.5	13
CC37303		0.20	0.120	<10	<4	10	0.2	3.82	230	<10	280	0.8	6	0.86	0.7	26
CC37304		0.14	0.010	<10	<4	<10	0.3	1.20	46	<10	190	<0.5	3	3.08	1.1	11
CC37305		0.26	0.004	<10	<4	<10	0.3	2.22	27	<10	150	0.6	2	0.89	<0.5	15
CC37306		0.30	<0.001	<10	<4	<10	<0.2	0.48	3	<10	50	<0.5	<2	>25.0	<0.5	3
CC37307		0.24	<0.001	<10	5	<10	0.2	1.80	19	<10	190	0.6	2	0.84	<0.5	10
CC37308		0.22	0.003	<10	4	<10	0.2	2.82	45	<10	330	0.8	2	1.09	0.5	14
CC37309		0.34	0.003	<10	4	<10	<0.2	0.90	17	<10	50	<0.5	<2	24.0	<0.5	10
CC37310		0.16	0.002	<10	<4	<10	<0.2	1.64	3	<10	90	<0.5	<2	24.1	<0.5	13
CC37311		0.22	0.001	<10	<4	<10	<0.2	0.26	7	<10	40	<0.5	<2	>25.0	<0.5	2
CC37312		0.24	0.006	<10	4	<10	<0.2	0.82	29	<10	70	<0.5	<2	24.5	<0.5	6
CC37313		0.24	0.004	<10	<4	<10	<0.2	1.90	9	<10	70	0.6	<2	20.6	<0.5	5
CC37314		0.16	0.003	<10	<4	<10	<0.2	2.56	6	<10	60	0.6	<2	16.6	<0.5	7
CC37315		0.20	0.004	<10	<4	<10	<0.2	1.54	2	<10	40	<0.5	<2	23.2	<0.5	5
CC37316		0.30	0.002	<10	<4	<10	<0.2	1.59	5	<10	40	<0.5	<2	22.9	<0.5	6
CC37317		0.14	0.015	<10	<4	<10	0.2	2.60	2	<10	150	<0.5	<2	2.76	<0.5	21
CC37318		0.12	0.008	<10	<4	<10	0.2	0.89	2	<10	130	<0.5	<2	4.18	<0.5	6
CC37319		0.24	0.004	<10	<4	<10	<0.2	2.57	6	<10	60	0.7	<2	21.6	<0.5	7
CC37320		0.24	0.003	<10	4	<10	0.2	1.24	2	<10	40	<0.5	<2	>25.0	<0.5	3
CC37321		0.16	0.001	<10	<4	<10	0.2	1.65	8	<10	60	<0.5	<2	>25.0	<0.5	4
CC37322		0.22	0.003	<10	<4	<10	0.2	2.06	3	<10	50	0.5	<2	>25.0	<0.5	4
CC37323		0.28	0.004	<10	<4	<10	<0.2	2.02	3	<10	40	0.5	3	>25.0	<0.5	5
CC37324		0.30	0.005	<10	5	<10	<0.2	2.74	7	<10	50	0.7	2	23.1	<0.5	6
CC37325		0.20	0.001	<10	<4	<10	0.2	2.39	3	<10	40	0.6	<2	>25.0	<0.5	6
CC37326		0.22	0.001	<10	<4	<10	<0.2	1.46	2	<10	70	<0.5	<2	24.9	<0.5	4
CC37327		0.22	0.005	<10	<4	<10	<0.2	1.61	3	<10	60	0.7	<2	>25.0	<0.5	6
CC37328		0.24	0.002	<10	<4	10	0.2	2.80	9	<10	130	0.7	19	15.7	<0.5	16
CC37329		0.22	0.005	<10	<4	<10	0.3	2.30	10	<10	190	0.7	9	6.83	<0.5	16
CC37330		0.24	0.004	<10	<4	<10	<0.2	2.61	8	<10	290	0.5	3	3.92	0.5	24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC37291		99	33	3.66	10	<1	0.23	10	1.45	930	1	0.06	77	820	20	0.10
CC37292		104	26	4.14	10	<1	0.21	10	1.97	955	1	0.04	81	900	15	0.10
CC37293		81	49	4.18	10	1	0.17	10	1.48	2270	<1	0.11	56	620	15	0.10
CC37294		120	67	5.29	10	<1	0.42	10	2.16	1100	<1	0.06	111	470	11	0.06
CC37295		92	50	3.96	10	<1	0.26	10	1.47	976	1	0.07	69	790	11	0.13
CC37296		56	57	2.94	10	<1	0.34	<10	3.18	592	1	0.06	50	400	28	<0.01
CC37297		97	98	3.57	10	<1	0.06	20	2.40	983	3	0.07	39	450	12	0.08
CC37298		119	45	3.86	10	<1	0.34	10	1.83	1045	1	0.06	92	790	14	0.13
CC37299		50	22	2.90	10	1	0.34	10	2.04	325	1	0.05	26	460	15	<0.01
CC37300		24	26	3.46	<10	<1	0.12	20	0.49	2290	1	0.05	26	1680	222	0.13
CC37301		66	20	2.75	10	1	0.09	10	1.24	330	1	0.05	37	570	18	<0.01
CC37302		100	17	3.87	10	<1	0.39	<10	1.04	399	1	0.05	46	370	9	<0.01
CC37303		212	23	6.66	10	1	0.12	10	1.75	907	1	0.04	75	430	31	0.06
CC37304		34	25	2.60	<10	1	0.09	10	0.61	873	1	0.05	29	1020	17	0.17
CC37305		68	19	3.70	10	1	0.14	20	1.05	611	1	0.05	55	330	28	0.05
CC37306		6	7	0.81	<10	<1	0.06	<10	0.76	233	1	0.04	5	440	10	<0.01
CC37307		38	17	3.12	<10	<1	0.09	10	0.54	600	1	0.04	27	370	20	0.05
CC37308		51	19	3.64	10	<1	0.10	10	0.89	925	1	0.04	33	810	42	0.07
CC37309		28	13	2.61	<10	1	0.10	<10	1.35	746	<1	0.03	36	360	37	<0.01
CC37310		69	29	2.10	<10	<1	0.20	<10	1.20	506	1	0.05	53	440	7	<0.01
CC37311		5	5	0.41	<10	1	0.02	<10	0.51	333	1	0.03	3	230	10	<0.01
CC37312		18	16	1.38	<10	1	0.06	<10	0.76	366	1	0.04	19	350	19	<0.01
CC37313		19	15	1.14	<10	<1	0.43	<10	6.02	241	<1	0.06	10	260	10	<0.01
CC37314		27	21	1.89	10	1	0.12	10	4.39	350	<1	0.06	19	380	13	<0.01
CC37315		18	9	1.18	<10	1	0.05	<10	4.07	252	<1	0.06	10	220	10	<0.01
CC37316		21	9	1.45	<10	1	0.07	<10	1.87	304	<1	0.06	15	320	10	<0.01
CC37317		84	47	3.68	10	1	0.28	10	1.74	1050	1	0.06	82	830	15	0.17
CC37318		20	17	1.11	<10	1	0.07	<10	0.49	609	1	0.04	21	1100	10	0.25
CC37319		31	17	1.79	10	<1	0.08	<10	1.21	993	<1	0.05	20	400	8	<0.01
CC37320		12	9	0.87	<10	<1	0.03	<10	1.08	394	1	0.03	11	250	11	<0.01
CC37321		26	12	1.10	<10	<1	0.28	<10	1.92	348	1	0.03	12	190	8	<0.01
CC37322		30	16	1.46	10	<1	0.15	10	2.00	441	1	0.04	17	230	9	<0.01
CC37323		29	15	1.53	10	<1	0.12	10	1.72	416	1	0.04	19	220	6	<0.01
CC37324		45	18	2.02	10	<1	0.11	10	2.06	579	1	0.04	24	320	8	<0.01
CC37325		36	18	1.71	10	<1	0.13	10	1.45	730	<1	0.03	24	240	9	<0.01
CC37326		20	11	1.07	<10	<1	0.08	10	1.41	333	<1	0.03	14	540	5	<0.01
CC37327		24	16	1.29	<10	<1	0.12	10	1.15	332	1	0.04	20	300	9	<0.01
CC37328		65	55	3.22	10	<1	0.28	10	2.70	676	1	0.04	64	440	29	<0.01
CC37329		112	168	4.08	10	<1	0.14	10	1.75	955	1	0.05	60	700	18	0.08
CC37330		99	125	3.69	10	<1	0.30	10	1.59	693	1	0.04	120	510	19	0.09

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37291		<2	5	39	<20	0.16	<10	<10	63	<10	96
CC37292		<2	5	27	<20	0.17	<10	<10	74	<10	144
CC37293		2	6	124	<20	0.16	<10	<10	57	<10	125
CC37294		<2	7	50	<20	0.25	<10	<10	78	<10	100
CC37295		<2	5	41	<20	0.14	<10	<10	57	<10	93
CC37296		<2	5	217	<20	0.11	<10	<10	42	<10	163
CC37297		<2	5	78	<20	0.11	<10	<10	51	<10	63
CC37298		<2	5	25	<20	0.18	<10	<10	75	<10	157
CC37299		2	3	196	<20	0.08	<10	<10	32	<10	295
CC37300		2	2	53	<20	0.02	<10	<10	37	<10	1290
CC37301		3	4	191	<20	0.06	<10	<10	34	<10	257
CC37302		<2	7	262	<20	0.11	<10	<10	38	<10	51
CC37303		3	12	20	<20	0.25	<10	<10	100	<10	162
CC37304		<2	2	33	<20	0.04	<10	<10	31	<10	89
CC37305		<2	5	22	<20	0.10	<10	<10	55	<10	94
CC37306		3	1	203	<20	0.01	<10	<10	11	<10	41
CC37307		<2	4	19	<20	0.05	<10	<10	56	<10	92
CC37308		<2	4	20	<20	0.06	<10	<10	69	<10	225
CC37309		<2	4	417	<20	0.03	<10	<10	14	<10	219
CC37310		<2	4	119	<20	0.08	<10	<10	45	<10	58
CC37311		2	<1	161	<20	0.01	<10	<10	10	<10	49
CC37312		<2	1	110	<20	0.03	<10	<10	22	<10	209
CC37313		<2	2	208	<20	0.06	<10	<10	25	<10	48
CC37314		2	4	155	<20	0.09	<10	<10	39	<10	74
CC37315		<2	2	254	<20	0.05	<10	<10	25	<10	48
CC37316		<2	3	325	<20	0.05	<10	<10	24	<10	52
CC37317		<2	4	60	<20	0.16	<10	<10	60	<10	88
CC37318		<2	1	74	<20	0.03	<10	<10	16	<10	35
CC37319		3	3	278	<20	0.06	<10	<10	31	<10	76
CC37320		<2	2	335	<20	0.03	<10	10	13	<10	33
CC37321		<2	2	266	<20	0.06	<10	10	18	<10	29
CC37322		<2	3	267	<20	0.07	<10	<10	24	<10	38
CC37323		<2	3	298	<20	0.06	<10	<10	23	<10	34
CC37324		<2	4	266	<20	0.08	<10	<10	36	<10	51
CC37325		<2	4	353	<20	0.08	<10	<10	30	<10	46
CC37326		<2	2	220	<20	0.04	<10	<10	20	<10	41
CC37327		<2	2	257	<20	0.05	<10	10	24	<10	39
CC37328		<2	5	190	<20	0.14	<10	<10	49	<10	141
CC37329		<2	7	84	<20	0.14	<10	<10	55	<10	124
CC37330		<2	7	34	<20	0.18	<10	<10	72	<10	311

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC37331		0.20	0.073	<10	15	<10	1.8	0.28	284	<10	120	<0.5	14	2.61	<0.5	21
CC37332		0.20	0.006	<10	<4	<10	<0.2	1.04	12	<10	120	<0.5	<2	24.4	1.2	5
CC37333		0.14	0.003	<10	<4	<10	0.5	1.41	17	10	210	0.5	26	3.85	3.4	11
CC37334		0.18	0.007	<10	<4	<10	<0.2	2.20	21	<10	100	<0.5	<2	17.0	<0.5	9
CC37335		0.18	0.010	<10	5	<10	0.2	3.97	102	<10	180	0.8	4	1.32	<0.5	23
CC37336		0.16	0.009	<10	<4	<10	0.2	2.58	28	<10	250	0.5	2	1.28	0.6	18
CC37337		0.14	0.003	<10	<4	<10	<0.2	1.03	10	<10	90	<0.5	<2	21.0	0.5	4
CC37338		0.16	0.005	<10	4	<10	<0.2	1.53	13	<10	110	<0.5	<2	17.7	<0.5	6
CC37339		0.32	0.003	<10	<4	<10	<0.2	2.64	19	<10	180	0.7	<2	0.56	<0.5	13
CC37340		0.26	0.004	<10	<4	<10	0.2	2.31	17	<10	330	0.6	2	0.58	<0.5	13
CC37341		0.20	0.003	<10	<4	<10	<0.2	3.89	<2	<10	130	<0.5	<2	0.99	<0.5	38
CC37342		0.14	0.002	<10	<4	<10	<0.2	2.34	3	<10	170	<0.5	<2	1.08	<0.5	21
CC37343		0.26	0.004	<10	4	<10	0.3	1.21	15	<10	130	<0.5	<2	21.5	<0.5	6
CC37344		0.22	0.001	<10	5	<10	<0.2	0.15	4	<10	20	<0.5	<2	>25.0	<0.5	1
CC37345		0.22	0.002	<10	<4	<10	<0.2	2.17	4	<10	50	<0.5	<2	>25.0	<0.5	3
CC37346		0.16	0.004	<10	<4	<10	<0.2	2.67	4	<10	60	0.6	<2	18.1	<0.5	6
CC37347		0.20	0.002	<10	4	<10	0.2	2.55	8	<10	60	0.5	2	20.4	<0.5	6
CC37348		0.16	0.003	<10	<4	<10	0.3	1.60	4	<10	50	<0.5	<2	>25.0	<0.5	6
CC37349		0.10	<0.001	<10	<4	<10	<0.2	2.75	8	<10	150	<0.5	3	2.27	<0.5	21
CC37350		0.12	0.001	<10	<4	<10	<0.2	3.40	5	<10	200	0.5	3	2.11	0.5	23
CC37351		0.22	0.005	<10	6	<10	<0.2	1.83	<2	<10	60	0.5	<2	>25.0	<0.5	5
CC37352		0.20	0.003	<10	<4	<10	<0.2	1.56	2	<10	40	<0.5	<2	>25.0	<0.5	2
CC37353		0.20	<0.001	<10	<4	<10	<0.2	1.80	3	<10	50	<0.5	<2	>25.0	<0.5	6
CC37354		0.24	0.003	<10	<4	<10	0.2	1.39	5	<10	50	<0.5	4	24.2	<0.5	8
CC37355		0.12	NSS	<10	<4	<10	<0.2	2.37	2	<10	200	0.5	2	2.34	<0.5	19
CC37356		0.14	0.004	<10	<4	<10	<0.2	2.03	<2	<10	100	<0.5	3	13.20	<0.5	15
CC37357		0.14	<0.001	<10	<4	<10	<0.2	2.61	5	<10	130	0.6	9	2.00	0.5	18
CC37358		0.16	0.004	<10	<4	<10	0.2	2.14	13	<10	180	<0.5	<2	2.80	<0.5	19
CC37359		0.24	0.004	<10	5	<10	<0.2	2.64	3	<10	100	0.8	2	10.45	<0.5	10
CC37360		0.24	0.004	<10	4	<10	<0.2	1.35	9	<10	100	0.6	8	9.39	<0.5	11
CC37361		0.18	0.010	<10	<4	<10	<0.2	2.00	11	<10	70	<0.5	<2	10.65	<0.5	14
CC37362		0.06	0.025	<10	<4	<10	<0.2	1.72	5	<10	190	<0.5	4	3.10	1.8	14
CC37363		0.24	0.004	<10	<4	<10	<0.2	0.47	<2	<10	30	<0.5	<2	>25.0	<0.5	2
CC37364		0.28	0.004	<10	<4	<10	0.2	0.21	8	<10	20	<0.5	<2	>25.0	0.9	2
CC37365		0.14	0.008	<10	4	<10	<0.2	2.40	16	<10	170	0.5	<2	3.40	0.9	13
CC37366		0.18	0.009	<10	<4	<10	<0.2	3.28	28	<10	90	0.7	<2	7.38	<0.5	17
CC37367		0.12	0.015	<10	<4	<10	<0.2	2.27	39	<10	260	<0.5	6	3.48	0.8	18
CC37368		0.12	0.020	<10	<4	<10	<0.2	1.16	5	<10	90	<0.5	<2	3.71	0.6	4
CC37369		0.14	0.004	<10	<4	<10	<0.2	1.70	21	<10	100	<0.5	<2	13.15	<0.5	12
CC37370		0.20	0.008	<10	<4	<10	0.2	1.64	18	<10	140	<0.5	<2	3.28	0.5	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC37331		8	34	>50	<10	<1	0.14	<10	0.57	445	4	0.01	59	160	56	0.45
CC37332		17	15	1.68	<10	<1	0.07	10	0.54	1155	1	0.02	17	790	43	<0.01
CC37333		36	61	2.85	<10	<1	0.12	10	0.69	873	1	0.03	34	1520	52	0.25
CC37334		106	24	3.71	10	<1	0.26	<10	3.57	327	1	0.03	43	400	11	<0.01
CC37335		235	18	5.32	10	<1	0.08	10	2.05	951	1	0.03	75	530	21	0.07
CC37336		93	22	3.99	10	<1	0.15	10	1.15	879	1	0.05	65	550	43	0.08
CC37337		15	14	1.64	<10	<1	0.10	10	0.85	579	1	0.02	15	970	19	<0.01
CC37338		29	16	1.84	<10	<1	0.10	10	1.45	586	1	0.03	21	610	20	<0.01
CC37339		57	19	3.77	10	<1	0.10	20	0.98	553	1	0.02	47	500	24	0.04
CC37340		56	16	3.39	10	<1	0.12	10	0.78	954	1	0.03	30	830	31	0.05
CC37341		217	35	5.96	10	<1	0.21	<10	3.43	681	<1	0.02	179	480	11	0.03
CC37342		139	12	3.55	10	<1	0.08	10	1.68	1175	1	0.05	92	680	13	0.08
CC37343		18	17	1.68	<10	<1	0.08	10	0.51	1020	1	0.02	18	660	26	<0.01
CC37344		5	3	0.27	<10	<1	0.01	<10	0.46	222	1	0.02	3	160	7	<0.01
CC37345		17	11	1.01	10	<1	0.35	<10	3.11	236	<1	0.04	10	140	9	<0.01
CC37346		29	18	1.78	10	<1	0.14	10	5.00	325	<1	0.04	19	370	13	<0.01
CC37347		33	16	2.06	10	<1	0.10	10	2.37	470	<1	0.06	25	400	14	<0.01
CC37348		24	20	1.57	<10	<1	0.15	10	1.88	343	<1	0.05	22	270	13	<0.01
CC37349		96	22	3.70	10	<1	0.33	10	2.02	711	1	0.03	89	810	11	0.13
CC37350		115	35	4.46	10	<1	0.18	10	1.81	1165	1	0.04	96	830	13	0.13
CC37351		26	12	1.28	10	<1	0.08	10	1.39	537	<1	0.04	20	340	6	<0.01
CC37352		20	7	0.94	<10	<1	0.04	<10	1.62	377	1	0.04	10	220	6	<0.01
CC37353		46	20	1.97	10	<1	0.07	10	2.19	497	1	0.03	27	350	6	<0.01
CC37354		51	109	3.19	<10	<1	0.25	10	1.24	583	2	0.04	40	300	5	<0.01
CC37355		101	28	3.64	10	<1	0.33	10	1.59	754	1	0.04	79	730	12	0.13
CC37356		77	40	2.91	10	<1	0.30	10	1.81	629	1	0.04	61	560	11	0.14
CC37357		126	79	4.23	10	<1	0.25	10	1.82	798	<1	0.04	63	740	13	0.14
CC37358		91	58	3.56	10	<1	0.16	10	1.42	842	<1	0.04	73	770	24	0.18
CC37359		59	27	3.14	10	<1	0.14	10	2.65	844	1	0.03	38	530	9	0.09
CC37360		49	38	2.57	<10	<1	0.16	10	1.02	511	1	0.04	34	610	14	0.11
CC37361		46	43	2.58	<10	<1	0.25	10	2.50	653	1	0.03	53	710	16	0.15
CC37362		59	62	2.76	<10	<1	0.13	10	1.02	725	1	0.04	53	800	15	0.17
CC37363		7	7	0.72	<10	<1	0.05	<10	0.68	250	<1	0.02	6	340	15	<0.01
CC37364		3	11	0.64	<10	<1	0.02	<10	0.41	335	<1	0.02	5	340	154	<0.01
CC37365		107	28	3.59	10	<1	0.10	10	1.81	663	1	0.03	48	760	19	0.14
CC37366		119	20	4.49	10	<1	0.16	10	2.84	513	1	0.03	63	560	19	0.13
CC37367		90	42	3.61	10	<1	0.08	10	1.47	643	1	0.06	73	670	15	0.15
CC37368		19	16	1.55	<10	<1	0.07	10	0.72	672	1	0.03	13	970	14	0.20
CC37369		54	20	2.49	<10	<1	0.08	10	1.65	448	<1	0.03	47	510	18	0.08
CC37370		46	25	3.16	<10	<1	0.11	10	1.03	611	1	0.04	45	850	23	0.09

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37331		<2	3	19	<20	0.01	<10	10	22	<10	158
CC37332		<2	1	83	<20	0.02	<10	<10	21	<10	430
CC37333		2	2	26	<20	0.04	<10	<10	35	<10	430
CC37334		2	6	188	<20	0.06	<10	<10	32	<10	71
CC37335		<2	13	31	<20	0.17	<10	<10	107	<10	92
CC37336		3	5	27	<20	0.12	<10	<10	71	<10	134
CC37337		<2	1	124	<20	0.02	<10	<10	19	<10	120
CC37338		3	2	99	<20	0.04	<10	<10	34	<10	161
CC37339		<2	4	17	<20	0.08	<10	<10	68	<10	113
CC37340		<2	3	20	<20	0.05	<10	<10	68	<10	154
CC37341		2	3	29	<20	0.42	<10	<10	113	<10	99
CC37342		<2	3	27	<20	0.27	<10	<10	69	<10	64
CC37343		<2	1	135	<20	0.02	<10	<10	28	<10	163
CC37344		<2	<1	190	<20	<0.01	<10	10	4	<10	38
CC37345		<2	3	251	<20	0.07	<10	<10	21	<10	31
CC37346		<2	4	175	<20	0.09	<10	<10	37	<10	77
CC37347		<2	4	319	<20	0.07	<10	<10	33	<10	76
CC37348		<2	3	383	<20	0.05	<10	<10	20	<10	69
CC37349		2	4	45	<20	0.21	<10	<10	70	<10	109
CC37350		<2	7	46	<20	0.18	<10	<10	76	<10	121
CC37351		<2	2	269	<20	0.05	<10	<10	24	<10	45
CC37352		<2	2	301	<20	0.05	<10	10	16	<10	28
CC37353		<2	3	342	<20	0.06	<10	<10	23	<10	37
CC37354		<2	4	309	<20	0.05	<10	<10	17	<10	28
CC37355		<2	5	33	<20	0.19	<10	<10	61	<10	76
CC37356		4	4	104	<20	0.13	10	<10	48	<10	69
CC37357		4	7	36	<20	0.17	<10	<10	63	<10	100
CC37358		<2	4	39	<20	0.12	<10	<10	56	<10	172
CC37359		4	4	177	<20	0.10	<10	<10	40	<10	67
CC37360		<2	3	105	<20	0.08	<10	<10	37	<10	112
CC37361		3	4	131	<20	0.09	<10	<10	39	<10	120
CC37362		<2	3	34	<20	0.09	<10	<10	46	<10	257
CC37363		<2	1	125	<20	0.02	<10	<10	14	<10	145
CC37364		<2	1	121	<20	0.01	<10	<10	12	<10	395
CC37365		6	6	57	<20	0.09	<10	<10	50	<10	231
CC37366		2	8	121	<20	0.09	<10	<10	56	<10	78
CC37367		2	6	39	<20	0.12	<10	<10	58	<10	102
CC37368		<2	1	30	<20	0.03	<10	<10	22	<10	120
CC37369		<2	2	83	<20	0.08	<10	<10	43	<10	95
CC37370		<2	3	37	<20	0.07	<10	<10	43	<10	110

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC37371		0.18	0.004	<10	<4	<10	<0.2	1.95	14	<10	210	0.6	<2	1.04	<0.5	11
CC37372		0.12	0.011	<10	4	<10	<0.2	2.12	4	<10	200	<0.5	<2	2.01	0.5	21
CC37373		0.18	<0.001	<10	4	<10	<0.2	2.25	7	<10	120	<0.5	<2	0.31	<0.5	17
CC37374		0.18	<0.001	<10	<4	<10	<0.2	2.67	9	<10	120	<0.5	<2	0.22	<0.5	18
CC37375		0.14	0.013	<10	4	<10	<0.2	0.81	<2	10	90	<0.5	<2	11.00	0.5	5
CC37376		0.24	<0.001	<10	<4	<10	<0.2	0.25	<2	<10	40	<0.5	<2	>25.0	<0.5	2
CC37377		0.24	0.001	<10	5	<10	<0.2	1.79	2	<10	50	<0.5	<2	21.7	<0.5	4
CC37378		0.14	0.005	<10	<4	<10	<0.2	2.74	4	<10	80	0.6	<2	9.97	<0.5	10
CC37379		0.20	0.002	<10	<4	<10	<0.2	1.27	12	<10	30	<0.5	<2	>25.0	<0.5	7
CC37380		0.14	0.007	<10	<4	<10	<0.2	2.96	<2	<10	150	0.5	<2	1.55	<0.5	22
CC37381		0.12	0.027	<10	<4	<10	<0.2	2.16	4	<10	200	<0.5	<2	1.79	<0.5	23
CC37382		0.12	0.013	<10	<4	<10	<0.2	1.31	5	<10	160	<0.5	<2	3.26	<0.5	9
CC37383		0.30	0.004	<10	<4	<10	<0.2	2.29	2	<10	90	0.6	<2	15.9	<0.5	9
CC37384		0.24	0.001	<10	<4	<10	<0.2	1.91	6	<10	70	0.5	<2	21.5	<0.5	4
CC37385		0.22	0.001	<10	4	<10	<0.2	1.61	6	<10	50	<0.5	<2	24.0	<0.5	4
CC37386		0.14	0.014	<10	<4	<10	<0.2	2.39	28	<10	110	0.7	2	3.12	0.5	11
CC37387		0.16	<0.001	<10	<4	<10	<0.2	3.40	7	<10	200	0.6	<2	1.05	<0.5	22
CC37388		0.18	0.015	<10	<4	<10	<0.2	2.54	8	<10	280	0.5	3	0.86	<0.5	24
CC37389		0.14	0.047	<10	<4	<10	0.4	2.11	236	<10	170	0.5	3	3.48	1.6	13
CC37390		0.14	0.023	<10	<4	<10	0.3	1.24	177	<10	120	<0.5	2	9.10	1.3	8
CC37391		0.10	0.018	<10	<4	<10	0.4	1.59	38	<10	150	<0.5	3	4.04	1.2	15
CC37392		0.20	0.006	<10	<4	10	<0.2	1.33	11	<10	120	0.6	17	16.2	<0.5	11
CC37393		0.08	<0.001	<10	<4	<10	0.2	1.33	9	<10	110	<0.5	8	3.03	0.7	9
CC37394		0.22	0.005	<10	5	10	0.2	1.66	26	<10	170	0.5	2	6.13	<0.5	12
CC37395		0.26	0.004	<10	<4	<10	<0.2	1.39	16	<10	230	<0.5	4	7.38	<0.5	11
CC37396		0.20	0.004	<10	<4	10	<0.2	1.72	8	<10	120	<0.5	8	17.0	<0.5	11
CC37397		0.14	0.004	<10	<4	<10	0.2	1.67	24	<10	410	<0.5	4	8.45	0.7	10
CC37398		0.18	0.007	<10	<4	<10	0.2	1.75	25	<10	130	<0.5	<2	2.23	0.6	16
CC37399		0.08	0.015	<10	<4	<10	<0.2	0.51	2	10	120	<0.5	<2	4.35	<0.5	3
CC37400		0.12	0.001	<10	<4	<10	0.2	2.23	6	<10	140	<0.5	<2	1.17	1.2	23
CC37401		0.14	0.015	<10	4	<10	0.2	1.72	12	<10	130	<0.5	<2	4.11	<0.5	13
CC37402		0.18	0.001	<10	<4	10	<0.2	2.52	24	<10	180	0.5	<2	1.08	0.6	22
CC37403		0.14	0.016	<10	<4	<10	0.3	1.23	9	<10	210	<0.5	<2	2.61	1.0	10
CC37404		0.20	0.006	<10	4	<10	0.2	2.07	6	<10	360	<0.5	<2	1.49	0.7	19
CC37405		0.18	0.001	<10	<4	<10	<0.2	4.67	<2	<10	190	<0.5	<2	0.89	<0.5	45
CC37406		0.10	0.016	<10	<4	<10	0.2	1.16	2	<10	150	<0.5	<2	6.89	2.4	7
CC37407		0.16	0.006	<10	<4	<10	<0.2	1.00	8	<10	70	<0.5	<2	19.4	<0.5	5
CC37408		0.14	0.015	<10	4	<10	0.2	1.60	12	<10	160	0.5	<2	2.71	0.6	10
CC37409		0.24	0.002	<10	5	<10	<0.2	1.83	5	<10	40	<0.5	<2	23.9	<0.5	5
CC37410		0.16	0.001	<10	4	<10	<0.2	2.93	4	<10	90	0.6	3	12.70	<0.5	12

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01
CC37371		37	15	3.30	10	<1	0.10	10	0.59	763	1	0.02	29	920	17	0.07
CC37372		89	91	3.05	10	<1	0.08	10	1.58	704	<1	0.02	82	1340	7	0.13
CC37373		90	13	4.05	10	<1	0.09	10	1.33	326	1	0.02	60	270	11	0.02
CC37374		104	23	4.45	10	<1	0.08	10	1.38	446	<1	0.02	70	400	14	0.04
CC37375		12	18	1.21	<10	<1	0.05	10	0.32	892	1	0.03	13	1030	8	0.23
CC37376		3	8	0.37	<10	<1	0.02	<10	0.43	342	<1	0.02	3	480	6	<0.01
CC37377		17	17	1.17	<10	<1	0.32	<10	5.04	240	<1	0.04	11	200	12	<0.01
CC37378		42	25	2.57	10	<1	0.12	10	2.46	560	<1	0.06	37	540	14	0.11
CC37379		17	28	1.36	<10	<1	0.20	10	1.99	294	<1	0.05	26	220	8	<0.01
CC37380		90	21	4.17	10	<1	0.24	10	2.00	691	<1	0.03	81	830	19	0.09
CC37381		76	18	3.10	10	<1	0.10	10	1.21	1730	1	0.03	60	1010	14	0.14
CC37382		35	25	1.75	<10	<1	0.07	10	0.73	688	1	0.03	31	1080	6	0.25
CC37383		43	19	2.26	10	<1	0.10	10	1.43	670	<1	0.04	35	500	10	0.10
CC37384		27	14	1.47	<10	<1	0.07	10	1.75	491	<1	0.05	18	350	9	<0.01
CC37385		31	14	1.58	<10	<1	0.20	10	2.12	461	<1	0.04	19	340	7	<0.01
CC37386		83	36	3.49	10	<1	0.08	20	1.77	855	1	0.04	44	630	11	0.11
CC37387		129	15	4.68	10	<1	0.17	10	1.89	612	<1	0.03	89	490	13	0.06
CC37388		95	29	3.79	10	<1	0.13	10	1.29	1700	1	0.03	70	700	13	0.10
CC37389		65	22	5.41	<10	<1	0.16	10	1.95	6910	1	0.03	48	770	91	0.11
CC37390		26	29	2.84	<10	<1	0.07	10	0.64	3950	1	0.03	24	960	77	0.23
CC37391		58	54	2.79	<10	<1	0.16	10	1.28	1120	<1	0.03	56	950	31	0.18
CC37392		43	51	2.56	<10	<1	0.31	10	1.90	779	1	0.05	38	550	31	0.03
CC37393		66	33	2.40	<10	<1	0.07	10	0.80	591	<1	0.04	30	1010	18	0.18
CC37394		46	36	2.89	<10	<1	0.18	10	2.19	538	1	0.05	43	760	26	0.01
CC37395		34	35	2.44	<10	<1	0.17	10	1.93	438	<1	0.04	35	780	21	0.01
CC37396		42	37	2.45	<10	<1	0.23	10	2.40	491	<1	0.05	38	500	24	<0.01
CC37397		60	33	2.96	<10	<1	0.20	10	1.18	520	<1	0.04	39	630	34	0.06
CC37398		73	29	3.07	<10	<1	0.08	10	1.20	549	<1	0.03	60	750	25	0.11
CC37399		12	16	0.80	<10	1	0.05	10	0.21	533	<1	0.03	12	710	9	0.19
CC37400		107	26	4.07	10	<1	0.14	10	1.72	739	<1	0.03	92	660	22	0.04
CC37401		54	20	3.02	<10	<1	0.09	10	0.95	544	<1	0.03	49	670	30	0.09
CC37402		96	27	4.15	10	<1	0.09	10	1.46	929	1	0.03	77	590	45	0.03
CC37403		37	23	2.05	<10	1	0.09	10	0.59	770	<1	0.03	35	1490	23	0.21
CC37404		80	21	3.24	10	<1	0.08	10	1.24	1070	<1	0.03	65	810	15	0.07
CC37405		240	27	7.59	10	1	0.88	<10	4.24	1120	<1	0.02	214	450	5	0.02
CC37406		16	33	1.73	<10	<1	0.06	10	0.43	2200	<1	0.03	15	1810	19	0.23
CC37407		15	17	1.35	<10	<1	0.07	10	1.15	875	<1	0.03	14	880	15	<0.01
CC37408		29	21	2.61	<10	<1	0.10	10	0.65	720	<1	0.03	27	820	17	0.09
CC37409		16	15	1.12	<10	<1	0.17	<10	3.46	275	<1	0.04	13	170	8	<0.01
CC37410		50	27	2.64	10	<1	0.22	10	2.59	610	<1	0.07	44	420	14	0.08

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37371		<2	3	29	<20	0.04	<10	<10	49	<10	108
CC37372		4	2	33	<20	0.08	<10	<10	48	<10	63
CC37373		<2	3	20	<20	0.25	<10	<10	79	<10	58
CC37374		<2	3	13	<20	0.19	<10	<10	91	<10	82
CC37375		<2	1	61	<20	0.02	<10	<10	18	<10	144
CC37376		<2	<1	140	<20	0.01	<10	<10	12	<10	76
CC37377		<2	3	224	<20	0.06	<10	<10	26	<10	39
CC37378		2	4	158	<20	0.10	<10	<10	45	<10	90
CC37379		<2	3	424	<20	0.05	<10	<10	23	<10	51
CC37380		4	4	35	<20	0.22	<10	<10	70	<10	88
CC37381		2	3	41	<20	0.13	<10	<10	56	<10	59
CC37382		<2	2	54	<20	0.06	<10	<10	30	<10	99
CC37383		2	3	158	<20	0.08	<10	<10	40	<10	67
CC37384		<2	3	219	<20	0.06	<10	<10	30	<10	47
CC37385		4	3	393	<20	0.06	<10	<10	24	<10	34
CC37386		2	5	73	<20	0.08	<10	<10	41	<10	74
CC37387		2	4	23	<20	0.27	<10	<10	84	<10	81
CC37388		<2	3	27	<20	0.13	<10	<10	69	<10	68
CC37389		3	4	37	<20	0.12	<10	<10	51	<10	473
CC37390		<2	1	57	<20	0.04	<10	<10	29	<10	376
CC37391		2	3	33	<20	0.07	<10	<10	45	<10	213
CC37392		<2	4	196	<20	0.09	10	<10	38	10	122
CC37393		3	3	32	<20	0.07	<10	<10	38	<10	106
CC37394		<2	4	72	<20	0.09	<10	<10	52	<10	138
CC37395		<2	4	91	<20	0.09	<10	<10	44	<10	114
CC37396		<2	4	172	<20	0.09	10	<10	39	10	154
CC37397		<2	5	98	<20	0.08	<10	<10	50	<10	274
CC37398		2	3	28	<20	0.09	<10	<10	49	<10	159
CC37399		<2	1	39	<20	0.02	<10	<10	14	<10	104
CC37400		3	4	27	<20	0.19	<10	<10	66	<10	197
CC37401		<2	3	38	<20	0.07	10	<10	47	<10	178
CC37402		2	4	25	<20	0.14	<10	<10	74	<10	346
CC37403		<2	1	30	<20	0.04	<10	<10	30	<10	176
CC37404		<2	2	34	<20	0.10	<10	<10	61	<10	71
CC37405		<2	5	20	<20	0.49	<10	<10	132	<10	124
CC37406		<2	1	45	<20	0.01	<10	<10	28	<10	389
CC37407		<2	1	97	<20	0.02	<10	<10	25	<10	99
CC37408		<2	3	27	<20	0.04	<10	<10	45	<10	101
CC37409		<2	3	279	<20	0.06	10	<10	28	<10	24
CC37410		<2	5	235	<20	0.13	<10	<10	53	<10	63

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC37411		0.20	0.002	<10	5	<10	<0.2	1.14	<2	<10	40	<0.5	<2	>25.0	<0.5	4
CC37412		0.20	0.002	<10	<4	<10	0.2	4.61	8	<10	200	0.6	2	1.17	<0.5	34
CC37413		0.22	0.001	<10	4	<10	<0.2	4.46	4	<10	220	0.7	<2	0.69	<0.5	31
CC37414		0.20	0.002	<10	<4	<10	0.4	4.23	2	<10	140	0.6	6	1.10	<0.5	48
CC37415		0.22	0.001	<10	4	<10	<0.2	2.25	5	<10	80	0.8	<2	23.4	<0.5	7
CC37416		0.24	0.002	<10	<4	<10	<0.2	1.53	<2	<10	60	<0.5	<2	>25.0	<0.5	4
CC37417		0.18	0.001	<10	4	<10	<0.2	1.32	<2	<10	60	<0.5	<2	22.7	<0.5	4
CC37418		0.20	0.007	<10	5	<10	0.2	2.78	8	<10	130	1.0	<2	0.66	<0.5	12
CC37419		0.20	<0.001	<10	<4	<10	<0.2	0.09	5	<10	20	<0.5	<2	>25.0	<0.5	1
CC37420		0.24	0.002	<10	4	<10	<0.2	1.26	4	<10	100	<0.5	9	15.2	<0.5	9
CC37421		0.16	0.006	<10	<4	<10	0.2	1.74	21	<10	100	0.6	3	3.21	<0.5	12
CC37422		0.28	0.003	<10	<4	10	0.3	2.08	12	<10	150	0.7	4	0.64	<0.5	14
CC37423		0.22	0.004	<10	4	10	0.2	2.78	15	<10	140	0.9	11	4.67	<0.5	13
CC37424		0.22	0.001	<10	<4	<10	<0.2	4.50	9	<10	50	0.8	<2	4.28	<0.5	37
CC37425		0.20	<0.001	<10	4	<10	0.4	1.57	15	<10	120	0.5	<2	13.25	1.1	6
CC37426		0.30	0.004	<10	<4	10	0.2	2.43	11	<10	170	0.8	6	1.19	<0.5	14
CC37427		0.26	0.002	<10	5	10	0.3	2.36	13	<10	190	0.8	8	1.92	<0.5	14
CC37428		0.16	0.004	<10	<4	20	0.3	3.21	13	<10	170	0.7	48	1.72	1.2	22
CC37429		0.18	<0.001	<10	<4	<10	<0.2	1.69	26	<10	180	<0.5	<2	7.19	<0.5	12
CC37430		0.14	0.012	<10	5	<10	0.2	1.51	41	<10	120	<0.5	<2	3.92	0.6	8
CC37431		0.16	0.014	<10	5	<10	0.3	1.27	7	<10	170	<0.5	<2	2.93	0.9	7
CC37432		0.20	0.006	<10	4	<10	0.2	2.34	28	<10	200	<0.5	<2	1.85	0.6	20
CC37433		0.26	0.002	<10	<4	<10	<0.2	2.80	10	<10	140	<0.5	<2	0.97	<0.5	27
CC37434		0.16	0.003	<10	4	<10	<0.2	4.41	<2	<10	170	<0.5	<2	1.14	<0.5	40
CC37435		0.24	0.003	<10	<4	<10	<0.2	2.66	13	<10	160	0.6	<2	0.58	<0.5	18
CC37436		0.24	0.002	<10	5	<10	<0.2	4.49	<2	<10	130	0.5	<2	0.92	<0.5	40
CC37437		0.28	0.002	<10	<4	<10	<0.2	0.05	<2	<10	10	<0.5	<2	>25.0	<0.5	2
CC37438		0.18	0.005	<10	5	<10	0.4	1.86	10	<10	150	0.6	<2	4.67	1.7	8
CC37439		0.26	0.005	<10	<4	<10	<0.2	3.69	5	<10	190	0.7	<2	1.11	<0.5	28
CC37440		0.28	0.001	<10	5	<10	<0.2	3.71	32	<10	180	0.8	2	0.60	<0.5	24
CC37441		0.24	0.003	<10	<4	<10	<0.2	2.46	13	<10	60	0.6	2	21.5	<0.5	9
CC37442		0.20	0.001	<10	6	10	0.2	2.10	9	<10	170	0.6	2	1.54	<0.5	13
CC37443		0.24	<0.001	<10	<4	<10	<0.2	1.77	4	<10	40	<0.5	<2	21.6	<0.5	6
CC37444		0.30	0.001	<10	7	<10	<0.2	4.05	<2	<10	120	<0.5	<2	0.66	0.5	29
CC37445		0.30	0.003	<10	4	<10	0.2	3.74	<2	<10	220	0.7	<2	0.91	1.0	32
CC37446		0.24	0.001	<10	<4	<10	<0.2	3.18	8	<10	110	0.8	2	10.00	<0.5	15
CC37447		0.22	0.002	<10	5	<10	<0.2	3.17	4	<10	120	0.6	<2	1.69	<0.5	21
CC37448		0.20	<0.001	<10	<4	<10	<0.2	3.01	3	<10	120	0.5	<2	1.44	<0.5	18
CC37449		0.18	<0.001	<10	5	<10	<0.2	2.77	3	<10	70	0.8	<2	10.50	<0.5	13
CC37450		0.20	<0.001	<10	<4	<10	0.2	2.17	13	<10	120	0.7	<2	0.76	<0.5	15

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC37411		11	7	0.93	<10	<1	0.12	<10	2.31	297	<1	0.06	9	140	12	<0.01
CC37412		188	37	6.48	10	<1	0.50	10	3.10	602	<1	0.03	143	400	26	0.03
CC37413		157	40	6.41	10	1	0.26	10	2.10	548	<1	0.03	127	450	15	0.04
CC37414		131	114	5.27	10	1	0.19	10	2.38	754	<1	0.05	149	620	18	0.06
CC37415		27	19	1.98	<10	<1	0.06	10	1.41	881	<1	0.05	21	480	10	<0.01
CC37416		21	14	1.33	<10	<1	0.07	10	1.57	667	<1	0.04	17	260	10	<0.01
CC37417		27	24	1.72	<10	<1	0.06	10	1.62	691	<1	0.04	17	520	11	<0.01
CC37418		105	24	3.77	10	<1	0.10	10	1.57	701	<1	0.03	39	550	13	0.04
CC37419		2	4	0.11	<10	<1	<0.01	<10	0.70	154	<1	0.02	2	190	5	<0.01
CC37420		32	50	2.15	<10	<1	0.07	10	1.74	616	<1	0.04	32	630	19	0.07
CC37421		51	15	5.88	<10	<1	0.06	20	0.89	1460	<1	0.02	48	770	10	0.10
CC37422		51	27	3.46	10	<1	0.09	20	1.01	527	<1	0.03	48	400	22	0.03
CC37423		49	22	3.50	10	<1	0.13	20	2.51	677	<1	0.04	42	250	28	0.05
CC37424		229	56	3.09	10	<1	0.13	<10	1.95	141	<1	0.04	106	460	15	0.11
CC37425		24	13	2.14	<10	<1	0.07	10	2.63	1020	1	0.03	20	620	49	0.08
CC37426		75	25	3.72	10	<1	0.13	10	1.71	701	1	0.05	62	350	33	0.01
CC37427		62	33	3.63	10	<1	0.17	20	1.84	734	<1	0.04	54	640	33	0.01
CC37428		107	58	4.57	10	<1	0.26	10	2.42	730	<1	0.06	80	750	56	0.10
CC37429		59	28	2.94	<10	<1	0.13	10	1.27	453	<1	0.04	47	610	22	0.06
CC37430		39	23	2.59	<10	<1	0.08	10	1.16	582	<1	0.03	32	650	23	0.10
CC37431		31	15	2.16	<10	<1	0.05	20	0.49	1060	<1	0.02	15	1170	16	0.17
CC37432		101	39	3.98	10	<1	0.12	10	1.65	670	<1	0.03	86	640	36	0.06
CC37433		134	28	4.86	10	<1	0.11	10	2.16	630	<1	0.03	108	590	16	0.02
CC37434		234	34	6.92	10	<1	0.83	<10	3.82	818	<1	0.04	182	560	6	0.01
CC37435		92	22	4.18	10	<1	0.09	10	1.60	440	<1	0.03	70	290	21	<0.01
CC37436		229	37	7.96	10	<1	0.51	<10	4.11	1360	<1	0.03	209	300	12	0.02
CC37437		1	7	0.22	<10	<1	<0.01	<10	0.23	146	<1	0.02	2	110	7	<0.01
CC37438		27	20	2.68	<10	<1	0.09	10	0.83	1920	1	0.03	26	1520	19	0.15
CC37439		136	16	5.20	10	<1	0.07	10	2.20	730	<1	0.04	121	370	21	0.03
CC37440		140	22	5.47	10	<1	0.09	10	1.86	505	<1	0.03	102	280	25	0.02
CC37441		21	33	1.87	10	<1	0.31	<10	3.80	364	<1	0.05	23	170	13	<0.01
CC37442		61	16	3.58	10	<1	0.11	10	1.50	882	<1	0.03	48	420	42	0.04
CC37443		23	13	1.61	<10	<1	0.06	10	1.98	319	<1	0.06	18	320	14	<0.01
CC37444		157	23	5.21	10	<1	0.45	10	3.45	316	<1	0.03	133	730	12	0.01
CC37445		126	53	4.85	10	1	0.16	10	2.44	660	<1	0.04	108	480	20	0.03
CC37446		63	66	3.34	10	<1	0.11	10	1.60	1500	<1	0.05	62	470	15	0.08
CC37447		111	22	4.00	10	<1	0.09	10	1.86	866	<1	0.05	82	580	15	0.07
CC37448		109	17	3.85	10	<1	0.11	10	1.90	758	<1	0.05	77	710	14	0.08
CC37449		127	22	3.49	10	<1	0.07	20	1.65	931	<1	0.06	47	710	14	0.07
CC37450		68	38	4.48	10	<1	0.08	10	0.86	967	<1	0.02	40	620	14	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37411		<2	2	452	<20	0.04	10	<10	20	<10	26
CC37412		<2	8	30	<20	0.34	<10	<10	98	<10	116
CC37413		<2	8	21	<20	0.36	<10	<10	95	<10	132
CC37414		2	7	27	<20	0.25	10	<10	101	<10	131
CC37415		<2	3	247	<20	0.05	<10	<10	36	<10	59
CC37416		<2	2	249	<20	0.06	10	<10	27	<10	35
CC37417		3	2	250	<20	0.04	<10	<10	25	<10	55
CC37418		<2	5	19	<20	0.12	<10	<10	68	<10	63
CC37419		<2	1	142	<20	<0.01	<10	<10	10	<10	5
CC37420		<2	2	89	<20	0.05	<10	<10	37	<10	85
CC37421		<2	8	32	<20	0.03	<10	<10	36	<10	68
CC37422		3	4	20	<20	0.09	<10	<10	60	10	87
CC37423		2	6	62	<20	0.11	<10	<10	62	10	136
CC37424		<2	13	50	<20	0.07	10	<10	106	<10	59
CC37425		<2	2	85	<20	0.03	<10	<10	38	<10	383
CC37426		<2	5	28	<20	0.18	<10	<10	69	10	155
CC37427		2	6	35	<20	0.15	<10	<10	64	10	137
CC37428		<2	7	40	<20	0.20	<10	<10	79	20	136
CC37429		<2	4	76	<20	0.09	<10	<10	48	<10	115
CC37430		<2	2	38	<20	0.04	<10	<10	41	<10	153
CC37431		<2	1	30	<20	0.02	<10	<10	31	<10	103
CC37432		<2	4	26	<20	0.13	<10	<10	64	<10	260
CC37433		2	4	24	<20	0.24	<10	<10	83	<10	98
CC37434		<2	5	20	<20	0.43	<10	<10	120	<10	97
CC37435		<2	5	26	<20	0.21	<10	<10	71	<10	92
CC37436		<2	5	19	<20	0.46	10	<10	137	<10	96
CC37437		<2	<1	197	<20	<0.01	<10	<10	13	<10	20
CC37438		2	1	43	<20	0.02	<10	<10	50	<10	258
CC37439		<2	5	20	<20	0.28	<10	<10	91	<10	136
CC37440		<2	6	20	<20	0.31	<10	<10	97	<10	164
CC37441		<2	3	285	<20	0.08	<10	<10	34	<10	41
CC37442		<2	4	31	<20	0.14	<10	<10	61	<10	125
CC37443		<2	3	346	<20	0.06	<10	<10	29	<10	55
CC37444		3	5	25	<20	0.28	<10	<10	97	<10	88
CC37445		<2	5	28	<20	0.27	<10	<10	84	<10	206
CC37446		<2	5	160	<20	0.11	10	<10	57	<10	73
CC37447		4	5	38	<20	0.22	<10	<10	71	<10	91
CC37448		<2	5	28	<20	0.20	<10	<10	71	<10	73
CC37449		<2	7	114	<20	0.10	<10	<10	56	<10	63
CC37450		<2	4	23	<20	0.08	<10	<10	55	<10	179

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-OCT-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC37451		0.22	0.003	<10	5	<10	<0.2	1.79	21	<10	80	0.5	<2	21.0	<0.5	13
CC37452		0.24	0.004	<10	<4	<10	<0.2	2.40	<2	<10	40	0.7	<2	23.3	<0.5	4
CC37453		0.18	0.001	<10	<4	<10	0.2	2.80	2	<10	110	0.7	8	2.94	<0.5	19
CC37454		0.22	0.005	<10	<4	<10	<0.2	1.98	13	<10	90	0.5	2	16.1	<0.5	6
CC37455		0.16	0.001	<10	<4	10	<0.2	3.99	14	<10	100	1.0	6	4.63	<0.5	9
CC37456		0.18	<0.001	<10	4	<10	0.2	3.08	37	<10	100	0.8	6	0.80	<0.5	17
CC37457		0.18	0.001	<10	<4	10	0.4	2.45	17	<10	340	0.9	8	2.05	8.1	15
CC37458		0.10	0.004	<10	<4	10	<0.2	2.18	9	<10	160	0.5	4	3.71	<0.5	15
CC37459		0.16	0.005	<10	<4	10	0.2	2.54	16	<10	140	0.8	5	1.54	0.7	16
CC37460		0.20	0.004	<10	<4	10	<0.2	2.79	12	<10	130	0.9	67	1.33	0.5	16
CC37461		0.08	0.008	<10	<4	10	0.3	1.17	4	<10	130	<0.5	39	3.14	0.7	11
CC37462		0.14	0.003	<10	<4	10	<0.2	1.31	20	<10	240	0.5	72	4.12	2.4	11
CC37463		0.10	0.009	<10	<4	100	0.5	1.86	19	<10	280	0.6	251	3.13	0.5	19
CC37464		0.20	0.002	<10	4	<10	0.3	1.60	15	<10	140	0.5	5	2.91	0.8	12
CC37465		0.20	0.001	<10	<4	<10	0.3	1.78	13	<10	100	<0.5	7	19.2	0.9	10
CC37466		0.24	0.030	<10	4	10	0.3	1.72	19	<10	170	0.5	11	11.35	<0.5	12
CC37467		0.22	0.005	<10	<4	<10	0.3	1.84	20	<10	110	0.5	7	11.65	<0.5	11
CC37468		0.20	0.004	<10	4	20	0.4	1.42	20	<10	200	<0.5	7	11.50	0.5	10
CC37469		0.12	0.008	<10	<4	10	0.3	1.42	13	<10	160	<0.5	12	2.61	0.5	10
CC37470		0.10	0.004	<10	<4	<10	0.2	1.32	14	<10	140	<0.5	4	2.31	0.7	8
CC37471		0.24	0.002	<10	<4	<10	0.4	1.86	4	<10	60	0.5	<2	24.2	<0.5	5
CC37472		0.26	0.005	<10	<4	<10	0.4	1.57	12	<10	60	0.5	<2	21.3	<0.5	6

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC37451		45	18	2.40	<10	<1	0.07	20	0.78	1560	<1	0.04	33	780	10	<0.01
CC37452		25	11	1.44	10	<1	0.03	10	3.45	837	<1	0.04	14	380	14	<0.01
CC37453		112	54	4.52	10	<1	0.11	10	1.44	916	<1	0.04	55	800	9	0.16
CC37454		28	18	1.99	<10	<1	0.09	10	5.72	604	<1	0.03	20	460	9	<0.01
CC37455		62	16	3.25	10	<1	0.07	20	4.27	762	<1	0.03	36	270	15	0.05
CC37456		136	19	5.16	10	<1	0.12	10	1.89	941	1	0.02	60	290	18	0.02
CC37457		46	24	4.93	10	<1	0.12	20	1.28	2570	1	0.03	43	660	192	0.08
CC37458		86	28	3.24	10	<1	0.12	10	1.75	890	<1	0.04	70	640	19	0.12
CC37459		103	27	4.14	10	<1	0.12	10	1.30	768	<1	0.04	60	530	36	0.06
CC37460		66	41	4.56	10	1	0.10	10	1.55	429	<1	0.03	58	340	40	0.05
CC37461		30	39	2.79	<10	<1	0.17	10	0.68	530	<1	0.04	31	1140	15	0.23
CC37462		23	117	4.52	<10	<1	0.26	10	0.66	377	<1	0.03	35	1260	74	0.37
CC37463		32	129	6.64	10	<1	0.35	20	0.88	437	<1	0.04	47	1180	62	0.47
CC37464		48	29	2.86	<10	<1	0.15	10	1.05	499	2	0.03	38	680	26	0.09
CC37465		36	39	2.15	<10	<1	0.27	10	2.68	447	<1	0.04	30	410	24	<0.01
CC37466		47	39	2.84	<10	<1	0.17	10	1.87	517	1	0.04	43	710	23	0.04
CC37467		50	32	2.75	<10	<1	0.15	10	1.98	511	1	0.04	39	640	19	0.05
CC37468		41	35	2.58	<10	<1	0.21	10	1.80	477	1	0.04	34	740	23	0.02
CC37469		42	25	2.33	<10	<1	0.07	10	0.92	484	1	0.03	31	520	17	0.07
CC37470		38	24	2.28	<10	<1	0.09	10	0.80	285	1	0.03	31	720	17	0.08
CC37471		22	16	1.34	<10	<1	0.05	<10	1.95	490	1	0.03	13	370	7	<0.01
CC37472		26	16	1.50	<10	1	0.07	10	1.34	327	<1	0.03	20	310	8	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-OCT-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099168

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC37451		<2	5	155	<20	0.05	<10	<10	34	<10	30
CC37452		<2	2	226	<20	0.05	10	<10	32	<10	26
CC37453		<2	7	46	<20	0.17	<10	<10	72	<10	75
CC37454		<2	2	114	<20	0.05	<10	<10	29	<10	86
CC37455		<2	6	51	<20	0.14	<10	<10	62	10	128
CC37456		2	8	16	<20	0.19	10	<10	72	10	237
CC37457		2	4	23	<20	0.07	<10	<10	68	10	1210
CC37458		<2	5	37	<20	0.11	10	<10	57	10	158
CC37459		<2	7	27	<20	0.14	<10	<10	69	<10	164
CC37460		3	6	25	<20	0.13	<10	<10	69	10	180
CC37461		<2	2	36	<20	0.07	<10	<10	34	10	86
CC37462		2	3	68	<20	0.07	<10	<10	37	10	863
CC37463		<2	5	72	<20	0.11	<10	<10	48	110	378
CC37464		<2	4	40	<20	0.07	<10	<10	47	<10	155
CC37465		3	4	216	<20	0.08	<10	<10	32	<10	489
CC37466		<2	4	118	<20	0.09	<10	<10	45	10	139
CC37467		3	4	113	<20	0.10	<10	<10	44	10	135
CC37468		<2	4	118	<20	0.10	<10	<10	43	20	131
CC37469		2	3	32	<20	0.07	<10	<10	41	<10	95
CC37470		<2	2	28	<20	0.06	<10	<10	39	<10	76
CC37471		4	2	231	<20	0.06	<10	<10	24	<10	53
CC37472		2	2	198	<20	0.06	<10	<10	30	<10	50

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 24-SEP-2007
Account: RCM

CERTIFICATE VA07099167

Project: RAU

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
SCR-43	Screen to -500um, discard plus

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
CC37001		0.18	<10	<4	<10	<0.2	3.69	5	<10	70	0.9	<2	16.3	<0.5	16	36
CC37002		0.18	<10	<4	<10	<0.2	1.98	6	<10	30	<0.5	<2	>25.0	<0.5	5	17
CC37003		0.26	<10	4	<10	<0.2	1.79	7	<10	20	<0.5	<2	23.4	<0.5	5	17
CC37004		0.18	<10	<4	<10	<0.2	2.11	12	<10	40	0.5	<2	20.4	<0.5	8	23
CC37005		0.26	<10	<4	<10	<0.2	1.47	4	<10	50	<0.5	<2	22.5	<0.5	4	15
CC37006		0.24	<10	<4	<10	<0.2	1.98	7	<10	50	<0.5	<2	23.1	<0.5	9	33
CC37007		0.12	<10	4	<10	0.2	2.00	12	<10	140	<0.5	<2	2.97	0.9	17	65
CC37008		0.22	<10	<4	10	<0.2	2.45	32	<10	340	0.5	<2	13.05	<0.5	13	108
CC37009		0.18	<10	<4	10	<0.2	0.70	12	<10	120	<0.5	<2	20.0	<0.5	4	22
CC37010		0.20	<10	4	10	0.3	0.70	22	<10	790	<0.5	74	15.4	0.8	9	13
CC37011		0.20	<10	4	200	0.6	1.43	69	<10	310	0.6	513	12.65	<0.5	22	19
CC37012		0.24	<10	4	10	<0.2	1.07	5	<10	90	<0.5	27	10.10	0.5	5	28
CC37013		0.18	<10	<4	10	<0.2	0.88	14	<10	90	0.5	25	13.55	0.5	5	14
CC37014		0.20	<10	5	10	0.4	1.89	27	<10	260	0.7	9	12.15	1.5	13	24
CC37015		0.18	<10	5	10	<0.2	2.50	69	<10	390	0.7	7	11.90	1.3	13	38
CC37016		0.14	<10	5	10	0.2	2.32	22	<10	370	0.7	7	4.44	2.1	14	46
CC37017		0.30	<10	4	<10	<0.2	1.87	19	<10	190	0.5	<2	9.58	<0.5	16	74
CC37018		0.18	<10	5	10	<0.2	2.04	23	<10	260	0.6	6	4.24	0.6	15	59
CC37019		0.12	<10	5	10	0.5	2.09	25	<10	280	0.7	20	3.63	2.3	17	69
CC37020		0.16	<10	5	10	0.8	2.32	234	<10	280	0.7	22	2.56	1.8	18	78
CC37021		0.16	<10	5	10	0.6	4.77	388	<10	510	1.4	32	7.19	1.7	44	145
CC37022		0.20	<10	5	60	0.6	2.19	3290	<10	400	0.7	109	1.57	2.3	17	67
CC37023		0.20	<10	<4	10	0.2	1.71	1080	<10	350	<0.5	9	14.8	0.6	16	54
CC37024		0.14	<10	4	20	0.3	1.51	2120	<10	330	<0.5	34	9.11	0.8	13	46
CC37025		0.32	<10	4	20	<0.2	1.18	11	<10	80	1.1	<2	16.0	<0.5	5	13
CC37026		0.28	<10	4	<10	<0.2	1.58	14	<10	80	0.5	<2	15.5	<0.5	4	17
CC37027		0.30	<10	4	<10	<0.2	1.56	13	<10	190	<0.5	<2	20.0	<0.5	5	17
CC37028		0.22	<10	<4	<10	<0.2	2.10	3	<10	40	0.5	<2	>25.0	<0.5	5	21
CC37029		0.30	<10	4	10	<0.2	1.66	121	<10	40	<0.5	9	17.7	<0.5	5	16
CC37030		0.24	<10	<4	30	<0.2	0.80	16	<10	10	<0.5	24	>25.0	<0.5	2	8
CC37031		0.20	<10	5	<10	<0.2	3.74	7	<10	100	0.8	<2	10.85	<0.5	9	38
CC37032		0.24	<10	4	<10	<0.2	2.18	12	<10	50	<0.5	<2	>25.0	<0.5	5	19
CC37033		0.26	<10	4	<10	<0.2	2.13	<2	<10	60	0.5	<2	22.8	<0.5	6	20
CC37034		0.24	<10	<4	<10	<0.2	1.79	6	<10	30	<0.5	<2	24.1	<0.5	6	17
CC37035		0.22	<10	<4	<10	<0.2	2.02	11	<10	50	0.5	<2	15.7	<0.5	8	26
CC37036		0.32	<10	4	<10	<0.2	2.85	7	<10	40	0.7	<2	19.1	<0.5	10	28
CC37037		0.22	<10	<4	<10	<0.2	0.92	3	<10	20	<0.5	<2	>25.0	<0.5	5	10
CC37038		0.14	<10	4	<10	<0.2	3.13	6	<10	80	<0.5	<2	1.30	<0.5	24	90
CC37039		0.10	<10	5	<10	<0.2	2.28	5	<10	150	<0.5	<2	1.77	<0.5	19	78
CC37040		0.22	<10	<4	<10	<0.2	1.49	12	<10	50	<0.5	<2	>25.0	<0.5	5	29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37001		60	2.35	10	<1	0.38	10	6.66	365	<1	0.09	36	280	13	<0.01	<2
CC37002		8	1.21	10	<1	0.17	<10	4.04	254	<1	0.03	10	190	9	<0.01	<2
CC37003		15	1.06	<10	1	0.22	10	6.32	186	<1	0.02	9	160	10	<0.01	<2
CC37004		22	1.63	10	2	0.20	10	6.11	246	<1	0.04	23	210	18	<0.01	<2
CC37005		11	1.29	<10	1	0.09	10	2.69	1040	<1	0.02	13	220	10	<0.01	<2
CC37006		21	1.84	10	<1	0.16	10	2.41	335	<1	0.03	28	340	10	<0.01	<2
CC37007		51	2.71	10	2	0.49	10	1.75	807	<1	0.03	74	1140	21	0.20	<2
CC37008		28	3.58	10	1	0.26	10	2.41	455	<1	0.03	59	560	19	0.10	2
CC37009		14	1.45	<10	<1	0.08	10	8.21	896	<1	0.02	17	330	32	<0.01	<2
CC37010		183	2.71	<10	<1	0.05	10	10.40	1710	1	0.02	15	410	209	<0.01	3
CC37011		836	9.82	10	1	0.59	10	9.35	1250	1	0.02	23	270	40	0.09	<2
CC37012		93	2.34	<10	1	0.05	10	6.83	1150	<1	0.02	15	390	45	0.09	3
CC37013		80	1.97	<10	<1	0.06	10	10.45	1290	2	0.02	12	300	46	0.06	<2
CC37014		44	2.80	<10	<1	0.30	10	10.15	1520	<1	0.02	31	510	98	0.31	<2
CC37015		22	3.24	10	<1	0.54	10	8.25	677	<1	0.03	34	430	52	0.15	<2
CC37016		28	3.33	10	1	0.15	10	4.16	950	<1	0.03	41	940	56	0.13	<2
CC37017		26	4.09	<10	1	0.15	10	2.27	603	<1	0.02	60	500	22	0.05	<2
CC37018		26	4.00	10	1	0.18	20	2.57	824	<1	0.03	58	560	34	0.07	<2
CC37019		82	4.08	10	1	0.17	10	3.45	1130	<1	0.02	62	1010	97	0.12	3
CC37020		65	4.79	10	1	0.19	20	2.85	1080	<1	0.02	67	880	70	0.12	<2
CC37021		200	9.97	10	1	0.35	30	6.66	2310	<1	0.04	138	2520	112	0.26	2
CC37022		64	8.36	10	<1	0.16	20	2.15	1380	1	0.02	63	970	99	0.12	5
CC37023		43	3.82	<10	1	0.27	10	3.87	672	<1	0.02	60	560	44	0.07	3
CC37024		33	4.68	<10	<1	0.21	10	3.01	869	<1	0.02	51	770	35	0.12	2
CC37025		28	1.20	<10	<1	0.25	10	11.90	312	<1	0.03	11	240	40	0.04	2
CC37026		14	1.01	<10	<1	0.16	10	11.35	273	<1	0.03	12	250	7	0.06	<2
CC37027		15	1.28	<10	<1	0.48	10	11.85	177	<1	0.04	14	100	15	<0.01	<2
CC37028		16	1.29	10	<1	0.54	10	4.41	311	<1	0.06	14	150	5	<0.01	<2
CC37029		24	2.39	<10	1	0.64	10	10.95	318	<1	0.03	9	130	4	<0.01	<2
CC37030		19	0.74	<10	1	0.17	10	1.87	243	<1	0.03	6	120	4	<0.01	<2
CC37031		21	2.19	10	1	0.05	10	4.39	433	<1	0.04	27	480	9	0.07	<2
CC37032		17	1.13	<10	<1	0.43	10	6.10	276	<1	0.04	14	150	5	<0.01	<2
CC37033		20	1.17	10	<1	0.33	10	5.38	293	<1	0.06	16	290	10	<0.01	<2
CC37034		15	1.15	<10	1	0.25	10	4.72	247	<1	0.03	12	220	6	<0.01	2
CC37035		27	1.83	10	2	0.12	10	6.35	293	<1	0.04	22	340	19	<0.01	<2
CC37036		27	2.00	10	<1	0.29	10	4.55	272	<1	0.05	29	270	10	<0.01	<2
CC37037		10	1.20	<10	1	0.08	10	2.55	387	<1	0.02	11	210	9	<0.01	<2
CC37038		21	3.94	10	1	0.21	10	2.62	516	<1	0.02	109	480	18	0.08	3
CC37039		26	3.02	10	<1	0.27	10	1.65	615	<1	0.02	72	890	8	0.14	2
CC37040		15	1.40	<10	<1	0.05	10	1.90	324	<1	0.03	19	290	12	<0.01	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	1	20	0.01	10	10	1	10	2
CC37001		4	181	<20	0.11	<10	<10	41	<10	42
CC37002		3	222	<20	0.07	<10	<10	23	<10	42
CC37003		3	253	<20	0.07	<10	<10	23	<10	41
CC37004		4	225	<20	0.07	<10	<10	32	<10	56
CC37005		2	413	<20	0.04	<10	<10	20	<10	76
CC37006		4	351	<20	0.08	<10	<10	30	<10	57
CC37007		4	47	<20	0.12	<10	<10	44	<10	172
CC37008		6	169	<20	0.08	<10	<10	44	<10	158
CC37009		2	95	<20	0.02	<10	<10	14	<10	201
CC37010		1	70	<20	0.02	<10	<10	23	10	367
CC37011		3	60	<20	0.05	<10	<10	29	200	145
CC37012		2	45	<20	0.03	<10	<10	19	<10	328
CC37013		2	59	<20	0.03	<10	<10	19	10	210
CC37014		3	53	<20	0.04	<10	<10	26	<10	358
CC37015		5	110	<20	0.07	<10	<10	42	<10	529
CC37016		4	50	<20	0.06	<10	<10	47	<10	450
CC37017		6	137	<20	0.09	<10	<10	42	<10	198
CC37018		5	52	<20	0.08	<10	<10	49	<10	261
CC37019		5	33	<20	0.07	<10	<10	50	<10	592
CC37020		5	32	<20	0.08	<10	<10	57	<10	429
CC37021		9	120	<20	0.10	<10	<10	105	<10	819
CC37022		5	27	<20	0.07	<10	<10	55	50	555
CC37023		4	167	<20	0.09	<10	<10	36	<10	298
CC37024		4	106	<20	0.08	<10	<10	36	20	209
CC37025		2	96	<20	0.03	<10	<10	19	10	171
CC37026		2	110	<20	0.05	<10	<10	21	<10	47
CC37027		2	161	<20	0.05	<10	<10	20	<10	102
CC37028		3	285	<20	0.07	<10	<10	22	<10	21
CC37029		3	182	<20	0.05	<10	<10	17	10	28
CC37030		2	284	<20	0.02	<10	<10	10	40	10
CC37031		5	128	<20	0.12	<10	<10	54	<10	65
CC37032		3	277	<20	0.07	<10	<10	24	<10	34
CC37033		2	239	<20	0.06	<10	<10	26	<10	42
CC37034		3	234	<20	0.07	<10	<10	23	<10	44
CC37035		3	174	<20	0.06	<10	<10	38	<10	72
CC37036		5	281	<20	0.09	<10	<10	39	<10	50
CC37037		2	361	<20	0.03	<10	<10	12	<10	39
CC37038		5	37	<20	0.20	<10	<10	71	<10	79
CC37039		3	41	<20	0.15	<10	<10	54	<10	95
CC37040		3	294	<20	0.04	<10	<10	20	<10	66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
CC37041		0.20	<10	4	20	1.6	2.98	22	<10	660	<0.5	33	11.30	4.3	37	122
CC37042		0.16	<10	4	20	0.5	1.08	45	<10	250	0.5	8	22.9	0.8	13	19
CC37043		0.16	<10	4	50	0.3	1.44	52	<10	140	0.6	548	13.5	<0.5	20	23
CC37044		0.12	<10	4	<10	<0.2	0.50	7	<10	160	<0.5	2	2.78	<0.5	5	19
CC37045		0.14	<10	<4	<10	<0.2	0.69	8	<10	100	<0.5	3	12.15	<0.5	11	21
CC37046		0.20	<10	4	30	0.5	2.37	25	<10	1830	0.8	<2	9.86	3.8	12	29
CC37047		0.10	<10	6	10	0.2	2.13	17	<10	250	0.6	<2	4.72	0.7	27	69
CC37048		0.12	<10	5	10	0.3	2.17	21	<10	350	0.7	<2	2.82	2.1	17	48
CC37049		0.12	<10	5	<10	<0.2	1.80	18	<10	190	0.5	<2	1.55	1.4	15	56
CC37050		0.10	<10	5	10	<0.2	2.12	15	<10	280	0.6	<2	1.28	2.1	15	59
CC37051		0.18	<10	4	<10	<0.2	1.17	10	<10	70	<0.5	<2	11.85	<0.5	9	49
CC37052		0.16	<10	5	60	2.5	1.53	350	<10	210	0.5	97	0.94	1.6	11	39
CC37053		0.12	<10	4	10	1.1	0.93	258	<10	160	<0.5	25	6.41	2.7	12	18
CC37054		0.14	<10	5	10	6.7	1.20	826	<10	400	<0.5	21	2.20	1.7	14	28
CC37055		0.16	<10	5	10	1.5	1.42	444	<10	200	0.5	16	1.71	1.5	12	33
CC37056		0.10	<10	4	10	0.5	1.60	130	<10	250	<0.5	2	7.35	0.9	14	47
CC37057		0.18	<10	4	10	<0.2	1.58	3	<10	110	0.7	<2	19.5	<0.5	4	16
CC37058		0.22	<10	4	10	<0.2	1.63	3	<10	120	0.7	3	21.5	<0.5	5	14
CC37059		0.22	<10	6	90	<0.2	2.73	7	<10	190	1.6	19	18.9	<0.5	8	25
CC37060		0.20	<10	<4	<10	<0.2	2.05	5	<10	40	<0.5	<2	22.9	<0.5	6	18
CC37061		0.22	<10	<4	<10	<0.2	3.13	6	<10	60	0.6	<2	19.0	<0.5	6	23
CC37062		0.18	<10	4	<10	<0.2	2.54	6	<10	70	0.5	<2	15.5	<0.5	7	24
CC37063		0.20	<10	4	<10	<0.2	2.21	10	<10	60	<0.5	<2	19.3	<0.5	6	20
CC37064		0.24	<10	<4	<10	<0.2	1.16	2	<10	10	<0.5	<2	>25.0	<0.5	3	8
CC37065		0.34	<10	<4	<10	<0.2	1.86	2	<10	40	<0.5	<2	24.3	<0.5	5	16
CC37066		0.28	<10	<4	<10	<0.2	1.85	7	<10	20	<0.5	<2	>25.0	<0.5	6	20
CC37067		0.20	<10	<4	<10	<0.2	3.64	5	<10	30	0.8	<2	21.9	<0.5	10	29
CC37068		0.24	<10	<4	<10	<0.2	2.61	2	<10	50	<0.5	<2	24.5	<0.5	7	21
CC37069		0.18	<10	<4	<10	<0.2	0.90	4	<10	20	<0.5	<2	>25.0	<0.5	4	9
CC37070		0.22	<10	6	<10	<0.2	3.02	15	<10	160	0.5	<2	0.53	<0.5	20	101
CC37071		0.08	<10	5	<10	0.2	1.79	9	<10	210	<0.5	2	0.77	0.7	24	67
CC37072		0.32	<10	<4	<10	<0.2	3.01	6	<10	60	0.7	<2	>25.0	<0.5	9	36
CC37073		0.26	<10	<4	<10	<0.2	2.03	15	<10	130	<0.5	<2	19.8	<0.5	14	128
CC37074		0.24	<10	4	10	0.7	0.74	22	<10	320	<0.5	2	>25.0	1.6	7	10
CC37075		0.26	<10	<4	70	1.4	1.25	111	<10	2460	0.7	384	11.75	1.1	33	24
CC37076		0.10	<10	5	<10	0.2	1.15	7	<10	220	<0.5	6	3.30	1.2	13	52
CC37077		0.32	<10	5	10	<0.2	3.18	31	<10	210	0.9	4	9.11	<0.5	13	36
CC37078		0.22	<10	<4	<10	<0.2	1.80	13	<10	150	0.5	<2	19.0	<0.5	7	25
CC37079		0.18	<10	4	<10	0.3	1.59	12	<10	140	<0.5	<2	22.5	<0.5	7	31
CC37080		0.18	<10	5	<10	<0.2	2.41	16	<10	120	<0.5	<2	13.30	<0.5	22	141

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37041		200	5.02	10	1	0.77	10	2.89	951	<1	0.04	121	480	902	0.15	4
CC37042		77	2.01	<10	1	0.10	10	1.69	1290	<1	0.02	42	550	133	<0.01	5
CC37043		874	8.37	<10	1	0.49	10	10.25	1440	1	0.03	19	410	39	0.10	<2
CC37044		26	0.97	<10	1	0.08	10	0.43	362	<1	0.02	20	1500	5	0.28	<2
CC37045		30	2.27	<10	<1	0.09	10	1.14	485	<1	0.02	33	950	7	0.15	<2
CC37046		29	2.66	10	<1	0.23	10	7.84	2040	<1	0.03	33	410	266	0.12	5
CC37047		102	5.23	10	2	0.22	20	3.15	1060	<1	0.02	66	1630	33	0.14	<2
CC37048		42	3.78	10	<1	0.14	10	2.02	1210	<1	0.02	50	1080	52	0.15	<2
CC37049		25	3.63	<10	<1	0.14	10	1.37	760	<1	0.02	48	880	29	0.12	<2
CC37050		21	3.62	10	<1	0.14	10	1.50	937	<1	0.02	42	1080	35	0.11	3
CC37051		17	2.75	<10	<1	0.14	10	1.15	430	<1	0.02	36	630	7	0.10	2
CC37052		34	7.66	<10	1	0.12	10	0.96	1180	<1	0.02	35	770	98	0.09	4
CC37053		79	5.50	<10	<1	0.07	10	3.92	1540	1	0.02	38	990	31	0.11	9
CC37054		133	4.28	<10	<1	0.12	20	0.64	1100	<1	0.03	41	1520	44	0.17	62
CC37055		46	4.46	<10	1	0.10	20	0.80	1450	<1	0.02	40	970	38	0.11	10
CC37056		30	3.26	<10	<1	0.21	10	2.29	658	<1	0.02	52	850	24	0.09	3
CC37057		24	1.11	<10	<1	0.50	10	8.92	319	<1	0.04	12	210	5	<0.01	<2
CC37058		22	1.11	<10	<1	0.38	<10	7.54	256	1	<0.01	7	190	6	<0.01	6
CC37059		69	2.09	10	<1	0.77	10	6.58	531	1	<0.01	14	230	3	<0.01	3
CC37060		20	1.15	<10	<1	0.47	<10	5.93	242	<1	<0.01	9	210	5	<0.01	4
CC37061		19	1.50	10	<1	0.54	10	5.03	271	<1	0.02	13	360	5	<0.01	<2
CC37062		25	1.37	10	1	0.26	<10	4.54	307	<1	<0.01	12	620	9	0.08	<2
CC37063		13	1.33	<10	<1	0.09	<10	4.52	323	1	0.01	14	410	7	<0.01	2
CC37064		9	0.72	<10	<1	0.06	<10	1.18	141	<1	<0.01	9	100	3	<0.01	6
CC37065		11	1.05	<10	<1	0.20	<10	3.95	235	<1	<0.01	11	200	5	<0.01	3
CC37066		22	1.28	<10	<1	0.20	<10	2.76	158	<1	<0.01	19	190	14	<0.01	4
CC37067		40	2.10	10	<1	0.35	<10	3.32	291	<1	0.02	21	190	12	<0.01	4
CC37068		31	2.05	10	<1	0.38	<10	2.83	767	<1	<0.01	14	140	5	<0.01	7
CC37069		11	1.00	<10	1	0.07	<10	1.83	197	<1	<0.01	8	230	9	<0.01	5
CC37070		25	4.26	10	<1	0.17	10	1.59	597	2	<0.01	70	590	13	0.04	3
CC37071		18	2.95	10	2	0.17	10	1.09	2310	1	<0.01	54	980	14	0.12	<2
CC37072		20	2.11	10	1	0.19	<10	1.76	475	<1	<0.01	23	250	8	<0.01	<2
CC37073		96	3.61	10	<1	0.63	<10	1.61	540	1	0.01	50	400	9	<0.01	4
CC37074		32	1.31	<10	1	0.06	<10	1.19	1135	1	<0.01	20	590	108	<0.01	6
CC37075		1000	8.00	<10	<1	0.18	10	6.25	2320	4	<0.01	50	410	167	0.09	11
CC37076		44	2.27	<10	1	0.15	10	0.96	853	1	<0.01	42	1840	12	0.24	4
CC37077		40	3.31	10	<1	0.08	10	6.07	684	2	<0.01	33	520	23	0.12	<2
CC37078		17	1.81	<10	2	0.09	10	3.42	492	2	<0.01	16	520	18	<0.01	5
CC37079		16	2.13	<10	1	0.11	10	2.03	571	1	<0.01	24	390	46	<0.01	3
CC37080		24	4.16	<10	2	0.19	10	1.75	618	1	<0.01	58	650	8	0.03	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	1	20	0.01	10	10	1	10	2
CC37041		8	81	<20	0.23	<10	<10	85	10	949
CC37042		2	123	<20	0.02	<10	<10	27	10	1160
CC37043		3	62	<20	0.05	<10	<10	28	40	152
CC37044		1	46	<20	0.02	<10	<10	14	<10	52
CC37045		1	295	<20	0.01	<10	<10	13	<10	65
CC37046		4	100	<20	0.05	<10	<10	38	<10	1620
CC37047		4	83	<20	0.05	<10	<10	45	<10	324
CC37048		3	53	<20	0.04	<10	<10	46	<10	573
CC37049		4	38	<20	0.05	<10	<10	40	<10	281
CC37050		4	28	<20	0.06	<10	<10	50	<10	343
CC37051		4	182	<20	0.05	<10	<10	24	<10	96
CC37052		4	18	<20	0.05	<10	<10	48	40	400
CC37053		2	38	<20	0.02	<10	<10	23	10	578
CC37054		2	28	<20	0.03	<10	<10	29	<10	385
CC37055		2	25	<20	0.04	<10	<10	39	10	379
CC37056		4	96	<20	0.07	<10	<10	37	<10	249
CC37057		2	177	<20	0.05	<10	<10	18	10	29
CC37058		2	203	<20	0.05	<10	<10	17	10	62
CC37059		3	191	<20	0.09	<10	<10	25	100	41
CC37060		2	221	<20	0.06	<10	<10	22	<10	33
CC37061		3	211	<20	0.09	<10	<10	30	<10	44
CC37062		2	146	<20	0.08	<10	<10	29	10	53
CC37063		2	193	<20	0.07	<10	<10	27	<10	65
CC37064		2	233	<20	0.03	<10	<10	11	<10	17
CC37065		2	239	<20	0.06	<10	<10	23	<10	35
CC37066		3	270	<20	0.06	<10	<10	24	<10	64
CC37067		5	337	<20	0.11	<10	<10	38	<10	44
CC37068		4	390	<20	0.09	<10	<10	28	<10	52
CC37069		2	358	<20	0.03	<10	<10	11	<10	31
CC37070		4	21	<20	0.18	<10	<10	77	<10	85
CC37071		2	29	<20	0.12	<10	<10	54	<10	75
CC37072		4	385	<20	0.08	<10	<10	35	<10	56
CC37073		6	180	<20	0.14	<10	<10	48	<10	35
CC37074		1	139	<20	0.02	<10	<10	19	<10	692
CC37075		4	46	<20	0.03	10	<10	30	50	1680
CC37076		1	57	<20	0.04	<10	<10	37	<10	171
CC37077		4	76	<20	0.06	<10	<10	47	<10	141
CC37078		2	145	<20	0.04	<10	<10	31	<10	150
CC37079		3	213	<20	0.05	<10	<10	21	<10	363
CC37080		8	165	<20	0.12	<10	<10	57	<10	76

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
CC37081		0.12	<10	4	<10	<0.2	1.41	28	<10	180	0.5	<2	1.78	<0.5	12	30
CC37082		0.18	<10	6	10	0.2	2.60	57	<10	250	0.5	5	2.30	<0.5	30	107
CC37083		0.20	<10	5	10	0.2	2.19	77	<10	260	0.5	7	0.92	<0.5	21	89
CC37084		0.22	<10	6	10	4.8	1.79	2740	<10	410	0.5	37	1.32	1.7	13	64
CC37085		0.12	<10	4	<10	<0.2	0.87	252	<10	130	<0.5	2	3.76	0.7	16	16
CC37086		0.28	<10	<4	<10	<0.2	0.18	20	<10	20	<0.5	<2	>25.0	<0.5	2	2
CC37087		0.14	<10	<4	<10	<0.2	0.76	39	<10	70	<0.5	<2	24.5	<0.5	5	12
CC37088		0.20	<10	4	10	0.5	1.82	554	<10	500	<0.5	9	14.2	<0.5	16	57
CC37089		0.26	<10	4	10	0.2	1.48	<2	<10	130	0.5	6	19.9	<0.5	4	14
CC37090		0.26	<10	<4	<10	0.2	1.18	4	<10	130	<0.5	<2	20.9	<0.5	4	11
CC37091		0.24	<10	4	<10	<0.2	3.29	<2	<10	70	0.6	<2	22.6	<0.5	13	31
CC37092		0.18	<10	<4	<10	<0.2	2.09	6	<10	40	<0.5	<2	19.4	<0.5	5	19
CC37093		0.20	<10	5	<10	<0.2	4.06	9	<10	100	0.7	<2	3.07	<0.5	10	47
CC37094		0.28	<10	4	<10	<0.2	2.21	7	<10	60	0.5	<2	18.3	<0.5	7	22
CC37095		0.22	<10	<4	<10	<0.2	2.40	<2	<10	50	0.5	<2	22.0	<0.5	6	21
CC37096		0.28	<10	<4	<10	<0.2	1.79	2	<10	10	<0.5	<2	>25.0	<0.5	4	14
CC37097		0.26	<10	<4	<10	<0.2	1.95	<2	<10	20	<0.5	<2	>25.0	<0.5	6	18
CC37098		0.38	<10	4	<10	<0.2	2.27	7	<10	30	<0.5	<2	24.7	<0.5	7	20
CC37099		0.42	<10	<4	<10	<0.2	2.87	5	<10	30	0.5	<2	24.6	<0.5	7	23
CC37100		0.24	<10	<4	<10	0.2	2.95	10	<10	90	0.7	<2	19.3	<0.5	11	32
CC37101		0.36	<10	<4	<10	0.2	1.35	5	<10	20	<0.5	<2	>25.0	<0.5	6	15
CC37102		0.16	<10	5	10	<0.2	2.98	5	<10	110	<0.5	<2	0.40	<0.5	24	111
CC37103		0.20	<10	7	10	<0.2	3.00	10	<10	140	0.6	2	0.36	<0.5	32	109
CC37104		0.24	<10	6	10	<0.2	3.45	11	<10	190	0.5	4	1.35	0.5	32	116
CC37105		0.28	<10	<4	10	0.6	1.97	17	<10	180	<0.5	92	20.3	1.0	23	86
CC37106		0.40	<10	<4	10	0.3	0.47	10	<10	160	<0.5	<2	>25.0	0.7	4	6
CC37107		0.28	<10	<4	30	1.4	1.40	75	<10	200	0.6	113	13.65	1.7	21	37
CC37108		0.20	<10	5	<10	0.2	3.85	21	<10	270	0.8	4	2.36	<0.5	19	72
CC37109		0.30	<10	4	<10	<0.2	2.11	19	<10	120	0.5	5	10.05	<0.5	11	56
CC37110		0.32	<10	4	10	0.4	1.51	18	<10	450	0.6	<2	9.61	1.9	10	37
CC37111		0.30	<10	<4	<10	<0.2	0.92	4	<10	50	<0.5	<2	>25.0	<0.5	4	18
CC37112		0.28	<10	4	<10	<0.2	7.34	17	<10	930	0.8	<2	7.58	<0.5	35	184
CC37113		0.24	<10	<4	<10	<0.2	2.16	37	<10	110	<0.5	<2	16.7	<0.5	14	73
CC37114		0.22	<10	5	<10	<0.2	1.94	42	<10	130	0.5	3	10.35	<0.5	10	52
CC37115		0.24	<10	5	10	0.2	2.24	51	<10	1770	0.6	2	0.66	<0.5	14	73
CC37116		0.18	<10	5	10	1.0	1.86	304	<10	650	0.7	18	5.60	1.9	15	57
CC37117		0.22	<10	6	10	1.0	2.49	534	<10	510	0.7	16	6.87	2.5	18	52
CC37118		0.26	<10	5	20	1.5	2.51	377	<10	590	0.9	14	1.56	6.0	18	75
CC37119		0.16	<10	5	10	0.2	2.00	86	<10	160	0.7	<2	4.78	<0.5	20	39
CC37120		0.24	<10	4	10	0.5	1.80	600	<10	250	<0.5	4	11.70	1.0	14	51

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
CC37121		0.22	<10	4	<10	<0.2	1.12	2	<10	150	<0.5	<2	20.0	<0.5	4	10
CC37122		0.16	<10	<4	<10	<0.2	2.14	6	<10	60	0.6	<2	24.9	<0.5	5	18
CC37123		0.28	<10	4	<10	<0.2	2.26	12	<10	40	0.5	<2	21.4	<0.5	7	19
CC37124		0.24	<10	<4	<10	<0.2	1.97	5	<10	30	<0.5	<2	>25.0	<0.5	5	14
CC37125		0.26	<10	4	<10	<0.2	2.57	15	<10	140	0.7	<2	7.89	<0.5	9	28
CC37126		0.34	<10	<4	<10	0.2	2.20	<2	<10	40	0.5	2	>25.0	<0.5	5	15
CC37127		0.24	<10	<4	<10	<0.2	2.09	<2	<10	50	<0.5	<2	22.7	<0.5	6	20
CC37128		0.34	<10	<4	<10	<0.2	2.22	4	<10	20	<0.5	<2	>25.0	<0.5	6	23
CC37129		0.34	<10	<4	<10	0.3	2.50	2	<10	30	<0.5	<2	23.4	<0.5	6	23
CC37130		0.34	<10	<4	<10	<0.2	3.17	5	<10	40	0.6	<2	19.9	<0.5	10	26
CC37131		0.32	<10	<4	<10	<0.2	2.29	4	<10	20	<0.5	<2	22.8	<0.5	7	20
CC37132		0.30	<10	<4	<10	<0.2	1.52	4	<10	50	<0.5	<2	22.4	<0.5	8	17
CC37133		0.20	<10	6	10	<0.2	2.34	5	<10	150	<0.5	<2	0.70	<0.5	20	83
CC37134		0.28	<10	5	10	<0.2	2.53	13	<10	120	<0.5	<2	0.52	<0.5	20	94
CC37135		0.22	<10	5	<10	0.2	3.11	10	<10	150	0.5	<2	1.08	<0.5	36	109
CC37136		0.20	<10	5	10	<0.2	2.89	16	<10	170	0.5	8	4.72	<0.5	25	95
CC37137		0.22	<10	5	20	1.0	1.85	33	<10	460	0.6	8	7.38	4.3	15	34
CC37138		0.20	<10	<4	<10	0.3	0.71	7	<10	150	<0.5	<2	>25.0	0.8	5	11
CC37139		0.22	<10	4	<10	0.2	0.30	12	<10	150	<0.5	13	18.2	0.7	5	5
CC37140		0.22	<10	4	20	<0.2	1.24	113	<10	150	<0.5	32	12.20	<0.5	10	20
CC37141		0.20	<10	4	<10	<0.2	2.57	11	<10	120	0.6	2	10.95	<0.5	11	74
CC37142		0.18	<10	5	<10	0.3	1.78	16	<10	100	0.5	<2	13.15	<0.5	8	52
CC37143		0.18	<10	6	<10	0.3	2.38	19	<10	200	0.6	<2	4.63	0.7	13	74
CC37144		0.24	<10	<4	<10	<0.2	3.77	20	<10	300	0.5	<2	11.10	<0.5	23	281
CC37145		0.22	<10	4	<10	<0.2	1.55	34	<10	290	<0.5	<2	8.47	<0.5	11	68
CC37146		0.28	<10	<4	70	1.0	0.28	8450	<10	530	<0.5	122	5.28	<0.5	<1	2
CC37147		0.26	<10	6	20	1.2	1.78	1580	<10	440	<0.5	24	4.15	<0.5	24	71
CC37148		0.22	<10	5	20	0.6	1.70	459	<10	1640	0.6	14	1.81	1.4	12	53
CC37149		0.16	<10	4	10	<0.2	1.44	192	<10	450	<0.5	2	13.2	0.6	7	24
CC37150		0.16	<10	5	10	<0.2	1.21	78	<10	170	<0.5	<2	16.8	0.8	8	20
CC37151		0.22	<10	<4	<10	0.2	0.37	35	<10	40	<0.5	<2	>25.0	<0.5	2	5
CC37152		0.24	<10	4	<10	0.2	1.71	25	<10	70	<0.5	<2	18.3	<0.5	6	43
CC37153		0.26	<10	5	<10	0.2	2.18	11	<10	50	<0.5	<2	21.0	<0.5	7	20
CC37154		0.34	<10	<4	20	<0.2	1.97	4	<10	50	0.6	<2	23.3	<0.5	6	18
CC37155		0.28	<10	4	<10	<0.2	2.10	6	<10	50	0.5	<2	22.3	<0.5	6	20
CC37156		0.18	<10	4	<10	<0.2	1.96	7	<10	70	0.5	<2	11.40	<0.5	6	22
CC37157		0.28	<10	<4	<10	<0.2	2.41	7	<10	60	0.5	<2	19.6	<0.5	7	22
CC37158		0.20	<10	4	<10	0.2	2.16	9	<10	60	0.5	<2	17.0	<0.5	7	27
CC37159		0.28	<10	<4	<10	<0.2	2.53	5	<10	40	0.5	<2	23.3	<0.5	6	21
CC37160		0.22	<10	<4	<10	<0.2	2.41	3	<10	20	0.6	<2	>25.0	<0.5	7	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37121		10	0.79	<10	<1	0.50	<10	10.00	221	1	<0.01	4	130	4	<0.01	6
CC37122		15	1.21	<10	1	0.51	<10	3.61	307	<1	0.01	13	180	3	<0.01	5
CC37123		24	1.21	<10	<1	0.55	<10	6.90	245	1	<0.01	13	150	4	<0.01	3
CC37124		16	1.07	<10	1	0.27	<10	3.56	210	1	<0.01	14	180	7	<0.01	5
CC37125		18	2.51	10	2	0.09	10	1.68	610	1	0.01	26	580	14	0.07	2
CC37126		15	1.35	<10	<1	0.04	10	2.84	328	1	0.02	11	320	8	<0.01	2
CC37127		14	1.46	<10	<1	0.06	<10	3.70	264	1	<0.01	15	300	9	<0.01	3
CC37128		16	1.49	10	1	0.18	<10	4.27	195	1	0.01	18	180	10	<0.01	3
CC37129		19	1.38	10	<1	0.27	<10	5.43	204	<1	0.01	13	170	9	<0.01	3
CC37130		28	2.01	10	2	0.41	<10	4.48	280	1	0.07	20	200	11	<0.01	3
CC37131		15	1.56	<10	1	0.23	<10	3.21	238	1	0.06	15	180	10	<0.01	3
CC37132		13	1.34	<10	<1	0.10	<10	2.23	624	<1	0.04	16	250	9	<0.01	2
CC37133		33	4.37	10	1	0.25	10	1.39	741	1	0.03	77	580	16	0.08	3
CC37134		27	4.03	10	<1	0.20	10	1.48	533	1	0.03	74	460	13	0.06	4
CC37135		46	4.93	10	1	0.25	10	1.56	1220	2	0.05	113	470	17	0.10	2
CC37136		55	4.13	10	<1	0.36	10	2.36	690	1	0.04	91	530	23	0.08	2
CC37137		45	3.32	<10	1	0.12	10	0.71	2080	1	0.04	35	770	379	0.12	8
CC37138		13	1.10	<10	<1	0.06	<10	1.07	513	1	0.04	13	390	84	<0.01	3
CC37139		40	0.77	<10	<1	0.03	<10	10.45	625	1	0.03	10	200	28	<0.01	8
CC37140		27	5.00	<10	1	0.06	10	6.34	1080	1	0.03	20	720	9	0.26	5
CC37141		21	3.17	10	<1	0.11	10	3.38	446	1	0.03	39	410	12	0.10	3
CC37142		17	2.54	<10	<1	0.09	10	3.73	386	2	0.03	28	440	26	0.10	5
CC37143		22	3.81	<10	<1	0.16	10	1.71	603	2	0.03	45	570	23	0.07	7
CC37144		20	5.05	10	<1	0.58	10	2.20	678	1	0.04	76	670	9	0.11	2
CC37145		16	3.43	<10	<1	0.11	20	5.63	680	1	0.03	36	270	16	0.05	5
CC37146		32	34.3	<10	1	0.02	<10	2.80	3710	4	0.02	<1	100	<2	0.38	<2
CC37147		71	7.55	<10	<1	0.69	10	3.78	744	2	0.03	128	630	16	0.46	14
CC37148		22	4.68	<10	<1	0.09	20	1.72	1100	2	0.03	36	530	55	0.08	6
CC37149		20	2.91	<10	<1	0.11	10	1.92	879	1	0.03	22	870	71	0.13	6
CC37150		15	2.71	<10	1	0.11	10	0.56	847	1	0.03	23	1160	16	0.12	4
CC37151		6	0.63	<10	<1	0.02	<10	0.86	311	1	0.02	4	240	6	<0.01	3
CC37152		31	2.64	<10	1	0.08	10	3.60	361	<1	0.03	19	400	8	<0.01	3
CC37153		18	1.25	<10	1	0.61	<10	6.93	267	<1	0.05	10	150	3	<0.01	5
CC37154		27	1.14	<10	<1	0.66	<10	5.07	313	1	0.05	10	160	3	<0.01	3
CC37155		20	1.19	<10	<1	0.64	<10	6.13	308	<1	0.05	9	170	3	<0.01	3
CC37156		12	1.50	<10	2	0.06	10	3.78	407	1	0.06	12	550	7	0.13	4
CC37157		15	1.61	10	1	0.06	10	4.10	334	1	0.06	15	350	9	<0.01	3
CC37158		18	1.82	10	1	0.07	10	3.42	368	<1	0.05	14	370	13	<0.01	3
CC37159		13	1.42	10	<1	0.15	<10	2.90	215	<1	0.06	13	200	10	<0.01	3
CC37160		15	1.37	<10	<1	0.24	<10	2.20	185	<1	0.07	15	120	4	<0.01	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Sample Description LOR	1	1	20	0.01	10	10	1	10	2
CC37121	1	143	<20	0.03	<10	<10	12	<10	20
CC37122	2	289	<20	0.06	<10	<10	19	<10	28
CC37123	3	220	<20	0.07	<10	<10	23	<10	35
CC37124	2	273	<20	0.06	<10	<10	18	<10	33
CC37125	3	79	<20	0.06	<10	<10	45	<10	92
CC37126	2	307	<20	0.05	<10	<10	23	<10	45
CC37127	3	225	<20	0.06	<10	<10	28	<10	61
CC37128	3	262	<20	0.06	<10	<10	27	<10	65
CC37129	4	259	<20	0.08	<10	<10	34	<10	48
CC37130	4	302	<20	0.10	<10	<10	34	<10	55
CC37131	3	271	<20	0.07	<10	<10	27	<10	48
CC37132	3	372	<20	0.05	<10	<10	21	<10	45
CC37133	5	22	<20	0.22	<10	<10	89	<10	97
CC37134	4	21	<20	0.26	<10	<10	83	<10	101
CC37135	5	30	<20	0.31	<10	<10	73	<10	109
CC37136	6	64	<20	0.20	<10	<10	67	<10	144
CC37137	2	46	<20	0.05	<10	<10	47	10	1360
CC37138	1	110	<20	0.02	<10	<10	16	<10	376
CC37139	1	67	<20	0.01	<10	<10	8	<10	203
CC37140	2	72	<20	0.03	<10	<10	27	20	99
CC37141	5	99	<20	0.07	<10	<10	42	<10	74
CC37142	3	101	<20	0.05	<10	<10	29	<10	213
CC37143	5	63	<20	0.07	<10	<10	50	<10	159
CC37144	14	137	<20	0.23	<10	<10	106	<10	110
CC37145	8	42	<20	0.05	<10	<10	37	<10	83
CC37146	2	26	<20	0.01	10	10	17	70	31
CC37147	6	35	<20	0.06	<10	<10	41	10	82
CC37148	5	23	<20	0.05	<10	<10	51	<10	371
CC37149	1	62	<20	0.03	<10	<10	26	10	331
CC37150	1	82	<20	0.04	<10	<10	23	<10	231
CC37151	1	120	<20	0.01	<10	<10	7	<10	62
CC37152	3	166	<20	0.05	<10	<10	27	<10	63
CC37153	2	204	<20	0.07	<10	<10	23	<10	27
CC37154	2	234	<20	0.07	<10	<10	20	20	25
CC37155	2	215	<20	0.08	<10	<10	22	10	27
CC37156	2	133	<20	0.05	<10	<10	32	<10	86
CC37157	3	219	<20	0.07	<10	<10	33	<10	70
CC37158	3	181	<20	0.06	<10	<10	35	<10	78
CC37159	3	293	<20	0.08	<10	<10	29	<10	73
CC37160	4	394	<20	0.06	<10	<10	25	<10	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
CC37161		0.24	<10	4	<10	<0.2	2.61	<2	<10	30	<0.5	<2	21.2	<0.5	7	24
CC37162		0.26	<10	<4	<10	<0.2	2.37	4	<10	40	0.5	<2	22.9	<0.5	7	23
CC37163		0.24	<10	<4	<10	0.2	2.32	5	<10	40	<0.5	<2	23.6	<0.5	8	26
CC37164		0.28	<10	<4	<10	<0.2	1.60	8	<10	30	<0.5	<2	23.7	<0.5	6	17
CC37165		0.22	<10	5	10	0.2	2.86	12	<10	130	0.5	<2	0.80	<0.5	24	100
CC37166		0.18	<10	5	10	0.2	2.22	<2	<10	110	<0.5	2	0.61	<0.5	17	107
CC37167		0.30	<10	4	<10	0.2	2.40	8	<10	110	<0.5	2	0.27	<0.5	23	95
CC37168		0.20	<10	<4	<10	<0.2	1.04	5	<10	30	0.6	2	>25.0	<0.5	5	17
CC37169		0.22	<10	4	<10	0.2	1.23	12	<10	50	<0.5	4	22.9	<0.5	3	51
CC37170		0.22	<10	5	10	0.4	1.62	13	<10	190	0.6	3	8.44	1.9	8	27
CC37171		0.28	<10	4	<10	0.3	1.40	44	<10	110	<0.5	10	17.0	0.5	18	31
CC37172		0.20	<10	6	10	0.5	2.08	61	<10	190	0.7	17	5.78	1.3	16	52
CC37173		0.30	<10	4	10	0.6	1.51	20	<10	390	0.7	<2	6.19	4.9	12	39
CC37174		0.24	<10	<4	<10	0.2	1.91	5	<10	200	0.5	<2	15.6	0.7	6	45
CC37175		0.24	<10	4	<10	0.2	3.23	19	<10	190	0.7	<2	1.33	<0.5	16	195
CC37176		0.20	<10	5	10	0.2	2.03	26	<10	230	0.6	<2	3.12	0.5	21	99
CC37177		0.22	<10	<4	<10	0.2	0.63	35	<10	60	<0.5	2	20.8	<0.5	7	34
CC37178		0.34	<10	<4	<10	0.5	0.73	29	<10	300	<0.5	2	19.8	0.7	5	31
CC37179		0.28	<10	<4	120	1.4	0.55	>10000	<10	260	<0.5	65	9.48	<0.5	3	18
CC37180		0.24	<10	4	60	0.9	1.51	543	<10	220	<0.5	25	9.16	3.3	14	58
CC37181		0.22	<10	<4	<10	0.2	1.12	92	<10	100	0.5	2	19.5	<0.5	5	29
CC37182		0.40	<10	4	30	2.1	0.80	1690	<10	340	<0.5	10	9.09	3.0	7	25
CC37183		0.32	<10	4	<10	0.2	0.18	30	<10	30	<0.5	2	>25.0	<0.5	2	2
CC37184		0.22	<10	<4	<10	0.2	0.29	36	<10	30	<0.5	<2	>25.0	<0.5	2	4
CC37185		0.16	<10	4	<10	<0.2	1.76	9	<10	40	<0.5	2	19.2	<0.5	5	17
CC37186		0.16	<10	<4	<10	<0.2	2.30	<2	<10	40	<0.5	<2	18.3	<0.5	5	20
CC37187		0.24	<10	<4	<10	<0.2	1.48	9	<10	30	<0.5	<2	20.9	<0.5	4	12
CC37188		0.26	<10	4	<10	<0.2	1.65	<2	<10	50	<0.5	<2	17.0	<0.5	3	18
CC37189		0.24	<10	4	<10	0.2	2.16	7	<10	60	0.5	<2	13.5	<0.5	5	25
CC37190		0.28	<10	4	<10	0.2	2.70	4	<10	60	0.6	2	11.80	0.5	6	29
CC37191		0.24	<10	4	<10	0.3	2.90	12	<10	60	0.8	<2	9.13	<0.5	7	38
CC37192		0.26	<10	<4	<10	<0.2	1.17	4	<10	20	<0.5	<2	22.6	<0.5	2	12
CC37193		0.26	<10	<4	<10	<0.2	0.83	4	<10	10	<0.5	<2	24.6	<0.5	3	9
CC37194		0.26	<10	<4	<10	<0.2	1.90	5	<10	60	<0.5	3	19.8	<0.5	15	47
CC37195		0.16	<10	5	10	0.4	2.60	8	<10	100	<0.5	5	2.47	0.5	23	90
CC37196		0.26	<10	6	10	0.2	2.35	7	<10	130	<0.5	2	0.37	<0.5	17	99
CC37197		0.24	<10	4	<10	0.6	2.48	6	<10	90	0.5	2	8.10	0.5	27	73
CC37198		0.32	<10	5	<10	0.2	2.57	7	<10	150	<0.5	2	0.42	0.5	20	101
CC37199		0.24	<10	<4	<10	0.3	3.83	8	<10	40	<0.5	<2	0.42	<0.5	29	164
CC37200		0.18	<10	<4	<10	<0.2	1.18	<2	<10	40	0.5	<2	23.2	<0.5	3	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37161		15	1.62	10	3	0.34	<10	4.75	285	1	0.06	17	210	6	<0.01	3
CC37162		17	1.53	<10	<1	0.08	<10	2.86	610	<1	0.05	15	260	7	<0.01	4
CC37163		18	1.51	<10	<1	0.14	<10	2.36	760	<1	0.05	22	240	9	<0.01	5
CC37164		13	1.32	<10	<1	0.09	<10	2.19	456	<1	0.05	15	240	8	<0.01	3
CC37165		33	4.18	10	<1	0.27	10	1.98	706	1	0.04	84	510	16	0.04	2
CC37166		13	3.76	10	<1	0.23	10	1.50	460	1	0.04	73	850	16	0.11	<2
CC37167		41	4.14	10	1	0.27	10	1.41	478	<1	0.03	80	570	14	0.03	<2
CC37168		13	1.07	<10	2	0.11	<10	0.92	335	<1	0.04	15	190	6	<0.01	<2
CC37169		14	1.75	<10	<1	0.02	10	1.96	1120	2	0.03	17	250	9	<0.01	<2
CC37170		20	2.60	<10	1	0.12	10	0.90	958	1	0.04	27	600	75	0.07	<2
CC37171		127	3.61	<10	<1	0.04	10	1.37	617	<1	0.03	46	390	20	<0.01	<2
CC37172		52	4.64	<10	2	0.14	10	3.92	1180	<1	0.03	45	1230	25	0.18	<2
CC37173		20	3.40	<10	1	0.11	10	0.93	680	1	0.03	39	430	205	0.13	6
CC37174		11	2.02	<10	1	0.08	10	2.10	436	<1	0.03	25	350	25	0.05	<2
CC37175		13	4.91	10	2	0.09	10	1.94	850	<1	0.03	49	520	19	0.06	2
CC37176		21	5.41	<10	<1	0.16	30	0.96	1080	1	0.02	76	680	20	0.04	5
CC37177		10	2.92	<10	<1	0.03	<10	0.74	448	1	0.03	20	360	14	<0.01	2
CC37178		7	1.50	<10	1	0.04	10	1.36	283	1	0.02	18	420	26	<0.01	<2
CC37179		15	16.8	<10	1	0.11	10	5.14	3360	2	0.02	25	210	29	0.18	13
CC37180		91	5.31	<10	<1	0.23	10	5.95	2930	1	0.03	64	430	59	0.10	2
CC37181		7	2.53	<10	1	0.12	10	0.42	645	<1	0.03	19	1030	13	<0.01	<2
CC37182		33	4.95	<10	<1	0.06	10	4.74	5080	1	0.03	26	410	137	0.10	2
CC37183		3	0.51	<10	2	0.01	<10	0.31	201	1	0.03	3	160	7	<0.01	<2
CC37184		3	0.48	<10	1	0.02	<10	0.59	274	<1	0.02	5	240	5	<0.01	<2
CC37185		13	1.16	<10	<1	0.60	<10	5.01	218	<1	0.04	18	120	3	<0.01	2
CC37186		3	1.27	<10	2	0.41	<10	5.19	217	<1	0.05	16	160	11	<0.01	<2
CC37187		13	0.96	<10	2	0.03	<10	1.67	240	<1	0.04	13	250	8	<0.01	<2
CC37188		6	1.13	<10	1	0.05	<10	4.78	217	<1	0.04	17	170	6	<0.01	2
CC37189		14	1.64	10	<1	0.05	10	2.44	338	<1	0.04	17	400	18	0.06	<2
CC37190		14	1.90	10	1	0.06	10	3.73	363	<1	0.05	20	280	18	0.04	<2
CC37191		20	2.42	10	2	0.07	10	2.14	441	<1	0.05	26	340	18	0.06	<2
CC37192		7	1.05	<10	1	0.05	<10	2.23	220	<1	0.04	11	170	7	<0.01	<2
CC37193		4	0.76	<10	<1	0.05	<10	1.63	140	<1	0.03	7	100	7	<0.01	<2
CC37194		30	2.23	<10	1	0.25	<10	1.73	539	<1	0.06	41	260	12	<0.01	<2
CC37195		45	3.65	10	2	0.57	10	2.20	892	<1	0.04	97	750	15	0.17	3
CC37196		38	4.23	10	1	0.40	10	1.46	274	<1	0.04	81	240	12	0.03	<2
CC37197		63	3.66	10	1	0.20	10	1.68	1210	<1	0.05	91	580	15	0.18	<2
CC37198		20	3.96	10	2	0.51	10	1.74	358	1	0.03	88	640	12	0.04	<2
CC37199		50	5.61	10	1	0.30	<10	2.76	395	<1	0.02	123	460	8	0.05	<2
CC37200		13	1.04	<10	1	0.06	<10	1.09	272	<1	0.04	15	240	4	<0.01	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	1	20	0.01	10	10	1	10	2
CC37161		4	245	<20	0.09	<10	<10	32	<10	53
CC37162		3	426	<20	0.06	<10	<10	28	<10	49
CC37163		3	479	<20	0.07	<10	<10	28	<10	45
CC37164		3	373	<20	0.05	<10	<10	20	<10	44
CC37165		6	28	<20	0.22	<10	<10	78	<10	97
CC37166		2	19	<20	0.22	<10	<10	90	<10	81
CC37167		5	14	<20	0.18	<10	<10	69	<10	84
CC37168		2	263	<20	0.04	<10	<10	15	<10	23
CC37169		3	156	<20	0.04	<10	<10	25	<10	52
CC37170		3	62	<20	0.03	<10	<10	41	<10	312
CC37171		3	133	<20	0.03	10	<10	23	<10	150
CC37172		3	49	<20	0.05	<10	<10	49	<10	162
CC37173		4	51	<20	0.04	<10	<10	38	<10	1690
CC37174		4	243	<20	0.06	10	<10	27	<10	290
CC37175		11	25	<20	0.16	<10	<10	81	<10	112
CC37176		10	46	<20	0.07	<10	<10	57	<10	88
CC37177		3	164	<20	0.01	<10	<10	11	<10	26
CC37178		1	121	<20	0.02	10	<10	12	<10	110
CC37179		3	71	<20	0.01	<10	<10	14	90	238
CC37180		4	50	<20	0.07	<10	<10	39	40	986
CC37181		2	104	<20	0.04	10	<10	35	<10	72
CC37182		2	62	<20	0.03	<10	<10	24	20	758
CC37183		1	136	<20	0.01	<10	<10	2	<10	31
CC37184		1	103	<20	0.01	<10	<10	3	<10	41
CC37185		2	200	<20	0.06	<10	<10	18	<10	21
CC37186		3	185	<20	0.09	10	<10	24	<10	38
CC37187		2	194	<20	0.03	10	<10	15	<10	48
CC37188		3	187	<20	0.06	<10	<10	24	<10	53
CC37189		3	130	<20	0.07	<10	<10	36	<10	90
CC37190		4	136	<20	0.09	<10	<10	41	<10	68
CC37191		5	129	<20	0.08	<10	<10	43	<10	83
CC37192		2	259	<20	0.04	10	<10	14	<10	34
CC37193		2	311	<20	0.03	<10	<10	10	<10	29
CC37194		4	342	<20	0.11	<10	<10	31	<10	62
CC37195		5	46	<20	0.17	<10	<10	64	<10	124
CC37196		5	17	<20	0.31	<10	<10	83	<10	73
CC37197		5	201	<20	0.15	<10	<10	58	<10	92
CC37198		4	23	<20	0.24	10	<10	79	<10	85
CC37199		5	17	<20	0.25	<10	<10	94	<10	95
CC37200		2	233	<20	0.04	<10	<10	17	<10	28

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
CC37201		0.30	<10	5	10	0.4	2.43	7	<10	110	0.8	5	2.77	0.8	13	97
CC37202		0.30	<10	6	10	0.5	2.52	28	<10	580	0.7	5	0.87	2.9	16	71
CC37203		0.20	<10	4	10	0.6	1.62	25	<10	110	0.6	<2	19.9	1.4	11	22
CC37204		0.20	<10	5	10	0.3	1.79	101	<10	320	0.6	34	3.27	2.0	15	37
CC37205		0.26	<10	4	<10	0.2	2.00	4	<10	70	0.7	<2	2.86	1.4	14	226
CC37206		0.32	<10	<4	<10	0.2	2.04	11	<10	190	0.6	2	10.40	0.7	7	46
CC37207		0.28	<10	5	<10	0.3	2.33	32	<10	180	0.7	3	1.38	0.6	17	108
CC37208		0.30	<10	5	<10	0.2	3.77	45	<10	530	0.6	<2	6.82	<0.5	22	320
CC37209		0.28	<10	<4	<10	0.4	2.54	41	<10	130	0.6	<2	10.00	<0.5	10	90
CC37210		0.18	<10	5	10	0.5	1.64	142	<10	540	0.6	3	4.02	3.2	13	29
CC37211		0.18	<10	4	20	1.0	1.61	255	<10	250	<0.5	24	5.83	4.5	23	62
CC37212		0.22	<10	<4	20	3.7	0.70	629	<10	1970	<0.5	17	11.20	10.4	9	18
CC37213		0.22	<10	4	10	0.5	1.28	77	<10	180	<0.5	5	11.30	0.6	11	43
CC37214		0.14	<10	4	10	0.5	1.94	281	<10	360	0.6	4	1.94	1.3	14	58
CC37215		0.22	<10	6	10	0.5	2.21	91	<10	180	0.6	2	1.75	1.3	16	68
CC37216		0.28	<10	4	10	0.6	1.33	21	<10	110	<0.5	3	10.35	0.8	10	38
CC37217		0.20	<10	<4	<10	<0.2	2.48	<2	<10	50	0.5	2	17.9	<0.5	5	24
CC37218		0.18	<10	<4	<10	<0.2	1.76	8	<10	30	0.5	2	21.1	<0.5	4	16
CC37219		0.16	<10	5	<10	0.3	2.53	4	<10	70	0.7	<2	9.93	0.5	7	26
CC37220		0.18	<10	4	<10	0.2	2.35	3	<10	60	0.6	<2	9.83	<0.5	7	27
CC37221		0.12	<10	5	<10	0.3	2.12	<2	<10	70	0.5	<2	6.19	0.7	6	23
CC37222		0.18	<10	5	<10	0.3	2.29	9	<10	70	0.6	3	3.54	0.6	7	29
CC37223		0.18	<10	<4	<10	<0.2	1.12	7	<10	20	<0.5	<2	22.1	<0.5	3	12
CC37224		0.12	<10	<4	<10	0.2	1.44	3	<10	40	<0.5	2	11.55	<0.5	5	21
CC37225		0.08	<10	4	<10	0.3	1.50	5	<10	60	<0.5	3	3.42	0.5	13	40
CC37226		0.18	<10	5	10	0.3	2.51	4	<10	130	<0.5	3	1.41	0.5	24	97
CC37227		0.22	<10	4	10	0.6	2.60	7	<10	140	<0.5	5	1.46	0.8	41	100
CC37228		0.26	<10	4	10	0.3	2.42	6	<10	120	<0.5	4	0.55	<0.5	20	89
CC37229		0.18	<10	5	<10	0.2	2.57	7	<10	130	<0.5	3	1.50	<0.5	22	98
CC37230		0.30	<10	5	<10	<0.2	1.80	8	<10	110	<0.5	4	0.24	<0.5	14	69
CC37231		0.16	<10	4	<10	0.2	2.34	8	<10	60	0.5	2	8.28	<0.5	14	52
CC37232		0.24	<10	<4	<10	<0.2	1.82	5	<10	30	0.8	2	>25.0	<0.5	5	22
CC37233		0.34	<10	4	10	<0.2	1.69	9	<10	110	0.5	15	9.77	1.1	11	76
CC37234		0.22	<10	6	10	0.5	2.19	16	<10	370	0.8	5	3.60	4.8	12	35
CC37235		0.18	<10	5	20	1.6	2.34	434	<10	1990	0.7	27	0.58	4.1	14	47
CC37236		0.14	<10	5	10	<0.2	0.97	38	<10	130	<0.5	7	3.50	6.3	8	19
CC37237		0.28	<10	5	<10	<0.2	3.00	5	<10	90	0.8	<2	0.98	0.5	23	245
CC37238		0.20	<10	<4	<10	0.5	1.66	12	<10	120	<0.5	3	14.0	0.6	9	71
CC37239		0.20	<10	4	<10	0.2	3.41	24	<10	160	0.7	<2	6.66	<0.5	20	179
CC37240		0.18	<10	<4	<10	0.4	2.35	49	<10	190	0.6	3	9.40	<0.5	14	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37201		42	3.69	10	<1	0.09	20	1.57	983	1	0.04	55	540	26	0.08	<2
CC37202		30	3.73	10	1	0.11	10	1.21	828	<1	0.03	56	580	101	0.06	3
CC37203		33	3.39	<10	1	0.04	20	1.19	1300	<1	0.02	34	1360	19	<0.01	<2
CC37204		74	5.34	<10	<1	0.09	10	2.00	1360	<1	0.03	38	1390	47	0.23	<2
CC37205		11	3.46	10	1	0.10	10	1.20	604	<1	0.02	33	700	33	0.11	<2
CC37206		16	2.47	<10	2	0.07	10	1.85	619	<1	0.02	33	390	27	0.05	<2
CC37207		18	4.57	10	1	0.12	10	1.91	618	<1	0.03	63	520	23	0.06	<2
CC37208		21	5.75	10	2	0.45	10	2.72	573	1	0.03	91	450	19	0.06	<2
CC37209		15	3.34	10	1	0.04	10	2.09	1210	<1	0.02	45	620	18	0.09	<2
CC37210		45	4.05	<10	1	0.08	10	1.10	2670	1	0.02	27	880	43	0.09	<2
CC37211		89	4.91	<10	1	0.13	10	3.84	2600	1	0.01	82	470	151	0.07	<2
CC37212		38	4.23	<10	1	0.08	10	2.87	2230	<1	0.02	31	400	302	0.13	3
CC37213		27	2.82	<10	1	0.10	10	2.51	863	1	0.03	45	510	34	0.06	<2
CC37214		31	4.01	<10	<1	0.10	10	1.23	1940	1	0.03	51	730	58	0.10	<2
CC37215		34	3.58	10	1	0.09	10	1.11	1160	<1	0.03	57	940	48	0.14	<2
CC37216		18	2.31	<10	<1	0.09	10	1.21	710	1	0.02	35	560	28	0.06	<2
CC37217		17	1.24	10	1	0.67	<10	5.03	220	<1	0.04	21	170	5	<0.01	<2
CC37218		8	1.02	<10	<1	0.12	<10	3.05	224	<1	0.03	12	190	5	<0.01	<2
CC37219		17	1.72	10	2	0.09	10	4.18	475	<1	0.04	20	440	11	0.07	3
CC37220		17	1.95	10	1	0.08	10	3.55	378	<1	0.03	23	390	15	0.06	<2
CC37221		24	1.79	10	<1	0.07	10	2.30	452	<1	0.04	17	700	13	0.19	<2
CC37222		20	2.13	10	1	0.07	10	1.85	730	<1	0.03	20	770	12	0.18	2
CC37223		6	0.90	<10	<1	0.04	<10	1.96	190	<1	0.03	9	160	6	<0.01	<2
CC37224		14	1.21	<10	1	0.04	<10	1.35	325	<1	0.05	10	500	4	0.14	<2
CC37225		26	1.83	<10	<1	0.23	10	1.26	370	<1	0.03	38	850	7	0.18	<2
CC37226		34	3.62	10	1	0.22	10	1.65	648	<1	0.03	76	860	12	0.14	<2
CC37227		77	4.31	10	<1	0.22	10	1.47	1050	<1	0.05	97	640	21	0.14	2
CC37228		33	3.69	10	<1	0.09	10	1.45	488	<1	0.02	68	470	18	0.05	4
CC37229		29	3.62	10	<1	0.23	10	1.82	677	<1	0.03	84	570	18	0.09	<2
CC37230		18	3.61	10	1	0.12	10	1.07	313	<1	0.02	50	330	9	0.03	3
CC37231		27	2.50	10	1	0.21	10	2.37	482	<1	0.03	53	470	13	0.12	<2
CC37232		13	1.50	<10	1	0.09	<10	0.97	921	<1	0.04	16	170	8	<0.01	<2
CC37233		100	2.99	<10	<1	0.07	10	1.37	708	<1	0.04	39	390	27	0.06	<2
CC37234		33	3.39	<10	1	0.11	10	0.96	1930	<1	0.03	32	730	97	0.08	2
CC37235		120	4.11	10	1	0.08	10	0.73	1220	<1	0.02	34	470	397	0.07	5
CC37236		31	2.99	<10	<1	0.08	10	0.52	963	<1	0.02	22	1500	12	0.25	<2
CC37237		19	5.20	10	<1	0.09	10	1.32	879	<1	0.01	72	520	20	0.07	<2
CC37238		20	2.83	<10	1	0.25	<10	1.36	316	3	0.06	40	320	66	0.08	<2
CC37239		23	4.62	10	<1	0.19	10	2.56	626	1	0.04	70	420	23	0.08	<2
CC37240		21	4.44	<10	<1	0.29	10	3.05	1620	1	0.03	60	660	26	0.22	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	1	20	0.01	10	10	1	10	2
CC37201		6	42	<20	0.09	<10	<10	52	<10	109
CC37202		5	17	<20	0.10	<10	<10	65	<10	719
CC37203		2	84	<20	0.02	10	<10	27	<10	491
CC37204		2	31	<20	0.04	10	<10	43	10	273
CC37205		6	36	<20	0.03	<10	<10	55	<10	220
CC37206		4	160	<20	0.06	<10	<10	33	<10	266
CC37207		8	34	<20	0.07	<10	<10	53	<10	99
CC37208		19	87	<20	0.28	10	<10	117	<10	87
CC37209		4	179	<20	0.05	<10	<10	35	<10	93
CC37210		3	30	<20	0.03	10	<10	40	<10	506
CC37211		5	36	<20	0.07	<10	<10	40	<10	1220
CC37212		3	84	<20	0.03	<10	<10	23	<10	3180
CC37213		4	81	<20	0.06	<10	<10	40	10	205
CC37214		3	23	<20	0.06	<10	<10	55	<10	386
CC37215		3	22	<20	0.06	<10	<10	58	<10	341
CC37216		2	56	<20	0.05	10	<10	36	10	137
CC37217		3	186	<20	0.10	<10	<10	26	<10	29
CC37218		3	206	<20	0.06	<10	<10	19	<10	31
CC37219		3	104	<20	0.08	10	<10	35	<10	70
CC37220		3	101	<20	0.08	<10	<10	36	<10	80
CC37221		2	92	<20	0.06	10	<10	31	<10	85
CC37222		3	68	<20	0.06	10	<10	37	<10	82
CC37223		2	317	<20	0.04	<10	<10	12	<10	30
CC37224		2	183	<20	0.05	<10	<10	19	<10	47
CC37225		3	50	<20	0.09	<10	<10	32	<10	54
CC37226		5	30	<20	0.17	<10	<10	64	<10	108
CC37227		6	34	<20	0.20	<10	<10	63	<10	160
CC37228		4	21	<20	0.19	<10	<10	66	<10	83
CC37229		4	33	<20	0.17	<10	<10	61	<10	83
CC37230		2	16	<20	0.18	<10	<10	73	<10	74
CC37231		4	110	<20	0.11	<10	<10	41	<10	68
CC37232		3	388	<20	0.06	<10	<10	22	<10	26
CC37233		4	106	<20	0.08	10	<10	39	10	202
CC37234		3	28	<20	0.05	10	<10	53	<10	1170
CC37235		4	16	<20	0.07	<10	<10	60	<10	1570
CC37236		1	24	<20	0.02	<10	<10	21	<10	736
CC37237		10	18	<20	0.14	<10	<10	84	<10	149
CC37238		4	177	<20	0.07	10	<10	28	<10	170
CC37239		10	124	<20	0.15	<10	<10	76	<10	92
CC37240		5	148	<20	0.05	<10	<10	32	<10	77

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
CC37241		0.14	<10	6	10	0.3	2.21	465	<10	340	0.6	13	0.62	1.0	15	57
CC37242		0.16	<10	6	10	0.2	1.87	54	<10	240	0.6	<2	0.46	<0.5	10	38
CC37243		0.16	<10	4	<10	0.2	0.55	23	<10	30	<0.5	3	18.1	<0.5	7	23
CC37244		0.16	<10	<4	<10	0.2	0.40	13	<10	30	<0.5	<2	16.0	<0.5	4	10
CC37245		0.24	<10	<4	<10	<0.2	1.54	10	<10	80	<0.5	<2	20.7	<0.5	13	74
CC37246		0.20	<10	4	<10	0.4	0.80	27	<10	120	<0.5	<2	20.4	0.7	4	13
CC37247		0.16	<10	4	<10	0.2	3.25	21	<10	140	<0.5	2	2.42	0.6	30	168
CC37248		0.32	<10	4	10	0.3	1.42	49	<10	100	<0.5	3	9.02	0.7	11	43
CC37249		0.20	<10	<4	<10	<0.2	1.99	<2	<10	50	0.5	2	21.5	<0.5	5	17
CC37250		0.22	<10	<4	<10	0.2	1.53	3	<10	40	<0.5	<2	20.2	<0.5	3	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 24-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
CC37241		22	4.82	10	2	0.11	10	0.92	2290	1	0.02	41	820	22	0.09	2
CC37242		15	3.21	<10	<1	0.09	20	0.56	578	1	0.02	29	460	34	0.04	<2
CC37243		14	1.72	<10	2	0.06	10	1.48	273	2	0.02	29	300	11	<0.01	<2
CC37244		7	1.59	<10	<1	0.08	<10	0.80	179	1	0.01	24	240	8	0.09	<2
CC37245		24	2.66	<10	2	0.20	<10	1.43	341	<1	0.02	68	330	12	<0.01	<2
CC37246		29	1.21	<10	1	0.06	<10	0.64	625	<1	0.02	13	610	18	<0.01	<2
CC37247		44	5.21	10	1	0.22	10	2.67	759	<1	0.03	132	590	19	0.10	2
CC37248		32	2.53	<10	1	0.12	10	2.08	536	<1	0.03	45	570	38	0.04	<2
CC37249		16	1.22	<10	3	0.85	<10	5.57	217	<1	0.04	15	140	4	<0.01	<2
CC37250		9	1.07	<10	<1	0.08	10	4.07	225	<1	0.03	15	260	5	<0.01	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07099167

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	1	20	0.01	10	10	1	10	2
CC37241		4	15	<20	0.07	<10	<10	61	<10	144
CC37242		4	16	<20	0.04	<10	<10	56	<10	138
CC37243		2	125	<20	0.02	<10	<10	8	<10	45
CC37244		2	116	<20	0.01	<10	<10	5	<10	38
CC37245		3	106	<20	0.13	10	<10	41	<10	72
CC37246		1	90	<20	0.02	<10	<10	20	<10	155
CC37247		7	21	<20	0.22	<10	<10	96	<10	158
CC37248		3	59	<20	0.08	<10	<10	38	<10	278
CC37249		3	207	<20	0.07	<10	<10	19	<10	24
CC37250		2	195	<20	0.05	10	<10	19	<10	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized I

CERTIFICATE VA07098282

Project: RAU

P.O. No.:

This report is for 250 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouve

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC36751		0.32	0.4	0.54	4	<10	190	<0.5	<2	16.7	1.8	2	7	12	0.86	<10
CC36752		0.20	<0.2	0.62	3	<10	400	<0.5	<2	16.7	<0.5	3	8	11	0.71	<10
CC36753		0.26	<0.2	1.14	7	<10	110	<0.5	<2	17.7	<0.5	3	11	8	0.70	<10
CC36754		0.32	<0.2	1.33	3	<10	120	<0.5	<2	16.4	<0.5	4	14	12	0.87	<10
CC36755		0.28	<0.2	1.51	6	<10	80	<0.5	<2	20.4	<0.5	5	18	10	0.92	<10
CC36756		0.26	<0.2	2.69	7	<10	40	<0.5	<2	19.7	<0.5	6	28	8	1.34	10
CC36757		0.30	<0.2	1.84	12	<10	40	<0.5	2	19.2	<0.5	4	20	13	0.98	<10
CC36758		0.26	<0.2	2.44	5	<10	60	0.5	<2	19.7	<0.5	5	24	16	1.17	10
CC36759		0.24	<0.2	1.18	<2	<10	20	<0.5	<2	>25.0	<0.5	3	11	15	0.72	<10
CC36760		0.32	<0.2	1.69	4	<10	40	<0.5	2	22.0	<0.5	4	17	8	1.03	<10
CC36761		0.20	0.2	2.42	15	<10	70	0.7	2	14.05	<0.5	9	29	22	2.31	10
CC36762		0.26	<0.2	2.15	13	<10	80	0.6	2	11.10	<0.5	9	29	25	2.11	10
CC36763		0.18	<0.2	1.61	2	<10	40	0.5	<2	21.8	<0.5	5	18	13	1.23	<10
CC36764		0.22	<0.2	1.88	5	<10	50	0.5	<2	19.5	<0.5	6	25	17	1.59	10
CC36765		0.18	0.3	3.41	8	<10	150	0.6	3	2.48	<0.5	34	117	77	4.57	10
CC36766		0.26	<0.2	1.16	12	<10	270	<0.5	<2	23.8	<0.5	6	31	17	1.57	<10
CC36767		0.24	0.2	1.12	17	<10	160	<0.5	2	19.5	<0.5	7	31	17	1.63	<10
CC36768		0.14	0.6	0.72	23	<10	170	<0.5	<2	14.60	2.0	8	55	14	2.44	<10
CC36769		0.14	0.4	0.70	16	<10	50	<0.5	3	14.95	<0.5	5	33	11	1.67	<10
CC36770		0.18	1.0	1.02	165	<10	150	<0.5	23	13.5	1.7	6	38	17	2.76	<10
CC36771		0.24	0.3	2.86	23	<10	130	0.5	84	6.18	<0.5	45	95	254	8.89	10
CC36772		0.20	0.3	2.23	10	<10	120	0.8	171	7.78	<0.5	14	43	309	4.96	10
CC36773		0.12	1.2	2.26	33	<10	840	0.6	18	3.23	5.7	17	44	89	4.16	<10
CC36774		0.30	0.5	1.05	13	<10	160	<0.5	4	12.15	1.5	5	21	20	1.55	<10
CC36775		0.18	0.6	2.12	25	<10	290	0.8	6	1.86	5.0	12	46	28	3.65	10
CC36776		0.16	0.2	2.20	19	<10	180	0.7	6	2.44	1.3	13	44	23	3.47	10
CC36777		0.20	<0.2	1.30	22	<10	110	<0.5	4	5.47	1.1	13	40	23	3.79	<10
CC36778		0.16	0.2	1.37	31	<10	220	0.5	8	7.24	2.2	11	34	23	3.25	<10
CC36779		0.16	0.2	2.19	23	<10	270	<0.5	2	2.58	1.1	17	76	35	4.16	10
CC36780		0.20	0.3	1.74	32	<10	220	0.5	6	1.98	0.9	14	50	35	3.43	10
CC36781		0.10	1.5	2.04	346	<10	360	0.7	56	1.59	1.3	14	42	27	4.99	10
CC36782		0.22	0.4	2.42	402	<10	370	0.7	18	1.55	3.0	18	85	37	4.94	10
CC36783		0.10	0.4	1.46	1645	<10	340	0.6	48	3.33	1.1	12	33	25	4.69	<10
CC36784		0.20	1.3	2.30	632	<10	300	0.7	53	0.68	0.6	13	51	30	5.34	10
CC36785		0.12	0.2	1.83	134	<10	260	<0.5	6	11.70	0.8	15	57	29	3.26	10
CC36786		0.26	0.6	2.63	66	<10	240	0.6	6	2.19	1.0	18	85	38	4.10	10
CC36787		0.20	0.2	2.44	79	<10	190	0.6	5	1.76	0.7	17	74	24	4.09	10
CC36788		0.26	<0.2	1.30	9	<10	50	<0.5	<2	24.0	<0.5	4	33	10	1.42	<10
CC36789		0.18	0.5	2.78	29	<10	220	0.7	24	1.67	<0.5	24	87	69	5.99	10
CC36790		0.22	0.3	2.53	12	<10	250	0.7	31	1.31	1.0	29	75	130	6.08	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36751		<1	0.04	<10	10.95	1720	<1	0.02	3	260	111	<0.01	5	1	83	<20
CC36752		<1	0.08	<10	11.00	528	<1	0.02	5	230	28	<0.01	3	1	114	<20
CC36753		<1	0.45	<10	10.65	152	<1	0.03	7	90	5	<0.01	4	2	122	<20
CC36754		<1	0.40	<10	9.34	152	<1	0.04	11	130	6	0.11	4	2	138	<20
CC36755		<1	0.43	<10	7.14	168	<1	0.03	10	140	2	<0.01	3	2	229	<20
CC36756		<1	0.54	<10	5.48	237	<1	0.04	14	150	<2	<0.01	<2	3	231	<20
CC36757		<1	0.07	<10	6.83	200	<1	0.03	9	200	3	<0.01	3	2	198	<20
CC36758		<1	0.27	<10	5.43	250	<1	0.03	14	200	2	<0.01	3	3	187	<20
CC36759		<1	0.06	<10	2.26	198	<1	0.03	9	170	3	<0.01	4	2	235	<20
CC36760		<1	0.13	<10	4.12	254	<1	0.03	11	230	5	<0.01	4	2	193	<20
CC36761		<1	0.10	<10	3.69	385	<1	0.04	23	480	9	0.06	<2	4	121	<20
CC36762		1	0.12	10	6.56	453	<1	0.03	22	440	36	0.05	<2	4	115	<20
CC36763		<1	0.12	<10	3.50	243	<1	0.03	11	250	14	<0.01	2	3	214	<20
CC36764		1	0.11	<10	3.42	312	<1	0.03	15	300	23	<0.01	3	4	259	<20
CC36765		<1	0.72	10	2.56	1035	<1	0.03	131	630	20	0.12	<2	8	44	<20
CC36766		1	0.06	<10	1.13	283	<1	0.02	22	290	21	<0.01	2	2	174	<20
CC36767		<1	0.09	<10	3.04	375	<1	0.02	26	420	38	<0.01	3	3	125	<20
CC36768		<1	0.13	10	9.27	805	<1	0.02	24	560	79	0.05	4	7	33	<20
CC36769		<1	0.07	10	9.58	920	<1	0.01	15	420	22	0.05	3	4	49	<20
CC36770		<1	0.21	<10	9.17	574	1	0.02	54	180	125	0.07	13	4	31	<20
CC36771		<1	1.43	<10	6.28	759	<1	0.02	164	500	30	0.99	<2	10	30	<20
CC36772		<1	0.54	10	7.31	1475	2	0.02	32	540	25	0.10	3	4	32	<20
CC36773		<1	0.18	10	3.51	2790	2	0.03	52	870	343	0.24	2	4	25	<20
CC36774		<1	0.07	10	8.21	773	<1	0.01	16	480	150	0.07	4	2	51	<20
CC36775		<1	0.14	10	1.70	1655	1	0.02	36	1110	307	0.13	3	4	19	<20
CC36776		1	0.15	10	2.23	765	<1	0.03	40	600	36	0.05	2	5	33	<20
CC36777		<1	0.21	10	0.94	522	1	0.02	52	610	25	0.05	2	4	68	<20
CC36778		<1	0.15	10	4.09	1210	1	0.03	39	600	85	0.05	3	3	42	<20
CC36779		<1	0.20	10	1.66	640	<1	0.03	75	820	33	0.14	3	5	29	<20
CC36780		<1	0.17	10	1.29	735	<1	0.03	50	800	35	0.07	4	4	31	<20
CC36781		<1	0.12	10	0.83	1355	1	0.02	39	1460	69	0.12	3	3	23	<20
CC36782		<1	0.17	20	1.49	982	<1	0.02	76	1820	38	0.11	4	4	24	<20
CC36783		1	0.15	10	0.76	1110	<1	0.03	42	1500	25	0.16	6	3	44	<20
CC36784		<1	0.16	20	0.84	919	1	0.03	44	1060	55	0.06	<2	4	23	<20
CC36785		<1	0.25	10	2.80	588	<1	0.03	53	750	27	0.10	3	4	140	<20
CC36786		1	0.15	10	1.68	892	<1	0.04	67	810	24	0.06	6	6	32	<20
CC36787		<1	0.17	10	1.26	697	<1	0.05	63	610	24	0.05	3	6	31	<20
CC36788		<1	0.05	<10	1.73	288	<1	0.02	18	270	7	<0.01	5	3	201	<20
CC36789		1	0.21	20	1.88	569	4	0.04	88	1010	46	0.08	2	5	30	<20
CC36790		<1	0.21	20	1.62	980	2	0.02	99	1180	47	0.10	3	5	25	<20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36751		0.01	<10	<10	12	<10	828	<10	4	10
CC36752		0.02	<10	<10	12	<10	233	<10	5	10
CC36753		0.03	<10	<10	13	<10	25	<10	4	<10
CC36754		0.04	<10	<10	16	<10	26	<10	5	<10
CC36755		0.05	<10	<10	21	<10	25	<10	4	<10
CC36756		0.11	<10	<10	28	<10	30	<10	<4	<10
CC36757		0.05	<10	<10	25	<10	36	<10	<4	<10
CC36758		0.08	<10	<10	28	<10	33	<10	4	<10
CC36759		0.03	<10	<10	15	<10	18	<10	<4	<10
CC36760		0.05	<10	<10	22	<10	35	<10	4	<10
CC36761		0.07	<10	<10	38	<10	74	<10	<4	<10
CC36762		0.06	<10	<10	40	<10	173	<10	5	<10
CC36763		0.05	<10	<10	26	<10	79	<10	<4	<10
CC36764		0.05	<10	<10	29	<10	139	<10	<4	<10
CC36765		0.22	<10	<10	77	<10	142	<10	5	<10
CC36766		0.04	<10	<10	20	<10	131	<10	<4	<10
CC36767		0.03	<10	<10	26	<10	244	<10	<4	10
CC36768		0.02	<10	<10	26	<10	252	<10	4	10
CC36769		0.02	<10	<10	17	<10	184	<10	4	<10
CC36770		0.02	<10	<10	16	<10	949	<10	4	10
CC36771		0.11	<10	<10	69	10	173	<10	6	30
CC36772		0.07	<10	<10	49	10	169	<10	6	20
CC36773		0.05	<10	<10	47	<10	1370	<10	6	20
CC36774		0.03	<10	<10	24	<10	585	<10	4	10
CC36775		0.04	<10	<10	53	<10	1255	<10	6	20
CC36776		0.06	<10	<10	55	<10	279	<10	5	10
CC36777		0.05	<10	<10	30	<10	150	<10	5	<10
CC36778		0.04	<10	<10	35	<10	744	<10	5	10
CC36779		0.07	<10	<10	50	<10	403	<10	5	<10
CC36780		0.07	<10	<10	50	<10	199	<10	5	10
CC36781		0.03	<10	<10	48	10	297	<10	6	20
CC36782		0.05	<10	<10	59	10	470	<10	6	10
CC36783		0.03	<10	<10	35	10	266	<10	6	10
CC36784		0.06	<10	<10	64	20	251	<10	5	30
CC36785		0.09	<10	<10	37	<10	260	<10	4	<10
CC36786		0.11	<10	<10	71	10	240	<10	4	10
CC36787		0.10	<10	<10	65	<10	186	<10	5	10
CC36788		0.04	<10	<10	21	<10	55	<10	4	<10
CC36789		0.08	<10	<10	62	<10	241	<10	5	10
CC36790		0.09	10	<10	59	<10	793	<10	6	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 25-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098282

Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Sample Description Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36791	0.14	0.5	0.59	18	10	80	<0.5	<2	16.2	1.3	3	15	11	1.36	<10
CC36792	0.20	3.2	0.50	35	<10	1230	<0.5	11	17.3	10.6	5	13	95	2.18	<10
CC36793	0.16	4.1	0.50	48	<10	830	0.5	63	15.4	9.0	6	11	165	3.37	<10
CC36794	0.30	0.3	0.87	2	<10	60	<0.5	101	16.1	<0.5	9	17	327	3.68	<10
CC36795	0.16	0.2	1.99	8	<10	150	0.7	43	11.50	<0.5	7	35	153	3.63	10
CC36796	0.14	0.2	2.06	20	<10	110	0.5	83	5.93	<0.5	27	38	213	5.52	<10
CC36797	0.18	0.2	0.98	14	<10	60	<0.5	2	13.8	<0.5	8	41	19	2.32	<10
CC36798	0.16	0.5	2.75	56	<10	930	0.7	4	10.35	0.6	11	125	41	4.80	10
CC36799	0.12	0.2	2.34	20	10	700	0.6	<2	10.95	<0.5	10	76	25	2.76	10
CC36800	0.10	0.2	3.62	11	<10	200	0.6	3	2.57	0.5	34	116	110	5.33	10
CC36801	0.08	0.2	1.43	9	<10	200	<0.5	2	2.91	0.5	16	30	29	3.15	<10
CC36802	0.20	0.2	2.82	16	<10	230	0.9	5	1.48	<0.5	19	55	34	4.44	10
CC36803	0.10	<0.2	1.28	8	<10	140	0.5	6	3.08	1.3	9	26	16	1.99	<10
CC36804	0.10	0.3	2.15	22	<10	160	0.7	6	2.90	2.1	9	40	20	3.21	10
CC36805	0.20	<0.2	0.10	4	<10	10	<0.5	<2	>25.0	<0.5	1	1	1	0.11	<10
CC36806	0.10	<0.2	2.28	16	<10	160	0.7	5	1.78	0.8	14	53	22	3.48	10
CC36807	0.10	0.2	1.47	25	<10	160	0.5	2	11.30	0.6	8	28	20	2.32	<10
CC36808	0.20	0.2	1.58	16	<10	100	<0.5	3	10.25	0.5	11	48	24	2.60	<10
CC36809	0.14	<0.2	1.12	16	<10	60	<0.5	<2	21.7	<0.5	9	56	14	1.94	<10
CC36810	0.02	<0.2	1.19	14	<10	110	<0.5	3	3.92	0.5	9	46	23	2.24	<10
CC36811	0.16	0.2	1.64	13	<10	110	<0.5	13	11.25	0.7	11	41	31	2.50	<10
CC36812	0.16	<0.2	1.15	10	<10	310	<0.5	14	3.68	0.7	8	31	27	1.95	<10
CC36813	0.12	<0.2	1.47	10	<10	130	<0.5	10	1.72	0.6	9	37	26	2.66	<10
CC36814	0.14	<0.2	2.35	12	10	110	0.7	3	4.78	0.6	12	56	21	3.15	10
CC36815	0.14	<0.2	2.04	10	10	50	0.6	<2	13.9	<0.5	8	55	17	2.32	10
CC36816	0.16	<0.2	2.49	15	10	60	0.6	<2	21.7	0.6	10	77	16	3.16	10
CC36817	0.28	<0.2	2.29	14	<10	60	0.5	<2	15.7	<0.5	12	112	16	3.38	10
CC36818	0.24	<0.2	1.68	10	<10	30	<0.5	<2	24.6	<0.5	6	39	9	1.77	<10
CC36819	0.22	<0.2	1.09	9	<10	20	<0.5	<2	>25.0	<0.5	3	18	4	0.83	<10
CC36820	0.22	0.2	3.43	16	<10	140	0.8	3	1.46	<0.5	17	81	18	3.93	10
CC36821	0.14	0.2	2.72	6	<10	210	0.8	3	1.82	<0.5	15	76	25	3.59	10
CC36822	0.20	0.2	1.95	10	<10	180	0.7	9	1.40	0.6	16	51	31	3.17	10
CC36823	0.16	<0.2	3.12	15	<10	180	0.7	23	0.65	<0.5	20	98	27	4.66	10
CC36824	0.14	0.3	2.83	14	<10	170	0.6	114	1.40	<0.5	18	92	74	6.37	10
CC36825	0.28	<0.2	2.90	14	<10	190	1.2	4	0.64	1.3	16	62	20	3.97	10
CC36826	0.26	<0.2	2.21	10	<10	150	0.9	8	0.71	0.5	13	51	20	3.34	10
CC36827	0.26	0.2	2.64	23	<10	180	1.1	5	0.74	<0.5	13	50	24	3.62	10
CC36828	0.20	0.3	2.14	12	<10	170	1.0	3	2.17	0.9	13	50	67	3.28	10
CC36829	0.26	0.2	2.92	7	<10	250	10.8	6	0.92	0.7	9	33	57	3.57	10
CC36830	0.06	0.3	1.96	9	<10	180	1.0	5	2.01	0.8	14	40	124	2.69	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 25-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36791		1	0.06	10	10.25	979	1	0.02	14	470	75	0.06	<2	2	49	<20
CC36792		1	0.04	10	10.90	1990	4	0.02	26	220	889	<0.01	8	2	81	<20
CC36793		1	0.05	10	9.36	2520	4	0.03	23	400	662	0.09	9	2	86	<20
CC36794		1	0.07	10	10.35	1385	4	0.03	21	200	20	<0.01	<2	2	78	<20
CC36795		2	0.30	10	9.61	2140	2	0.03	26	540	21	0.09	2	4	67	<20
CC36796		<1	0.65	10	5.65	1185	2	0.03	80	630	15	0.20	<2	5	28	<20
CC36797		1	0.10	10	9.52	429	1	0.02	41	400	10	0.09	<2	4	28	<20
CC36798		1	0.15	10	4.55	634	2	0.02	74	460	51	0.08	6	9	31	<20
CC36799		1	0.09	10	2.36	528	1	0.02	46	770	26	0.13	7	4	95	<20
CC36800		2	0.57	10	2.47	1350	1	0.05	140	780	22	0.14	3	8	60	<20
CC36801		1	0.12	10	0.88	811	1	0.03	38	1120	12	0.14	<2	2	39	<20
CC36802		1	0.18	10	1.48	605	<1	0.04	48	1040	27	0.04	<2	6	28	<20
CC36803		<1	0.07	10	0.68	855	<1	0.03	22	900	19	0.13	<2	2	35	<20
CC36804		<1	0.10	10	1.72	738	1	0.03	33	610	56	0.07	<2	3	35	<20
CC36805		1	0.01	<10	0.24	103	<1	0.02	2	250	3	<0.01	<2	<1	122	<20
CC36806		<1	0.10	10	1.17	875	1	0.04	46	490	36	0.07	4	4	22	<20
CC36807		<1	0.08	10	0.93	798	1	0.03	25	920	30	0.11	4	2	58	<20
CC36808		1	0.10	10	1.47	635	1	0.03	44	680	22	0.08	<2	3	57	<20
CC36809		1	0.08	<10	1.09	501	1	0.03	37	430	10	<0.01	<2	3	168	<20
CC36810		1	0.08	10	0.75	434	<1	0.03	39	800	15	0.13	<2	2	44	<20
CC36811		2	0.17	10	1.90	523	1	0.04	37	620	20	0.07	3	4	129	<20
CC36812		1	0.07	10	0.91	477	<1	0.03	28	840	16	0.15	<2	2	46	<20
CC36813		<1	0.10	10	0.91	382	1	0.04	33	570	18	0.05	<2	4	32	<20
CC36814		<1	0.08	10	2.59	649	1	0.05	46	720	25	0.04	<2	4	61	<20
CC36815		<1	0.06	10	1.91	366	1	0.04	34	630	10	0.09	<2	4	133	<20
CC36816		1	0.07	10	2.39	438	1	0.07	41	630	27	<0.01	3	6	205	<20
CC36817		1	0.08	10	1.64	472	1	0.06	48	450	9	0.08	2	5	164	<20
CC36818		2	0.04	10	1.68	270	<1	0.04	26	330	8	<0.01	<2	3	277	<20
CC36819		1	0.11	<10	1.39	145	<1	0.05	10	190	3	<0.01	<2	2	296	<20
CC36820		1	0.08	20	2.71	551	<1	0.04	55	480	18	0.03	<2	6	27	<20
CC36821		1	0.10	10	1.81	543	1	0.04	61	780	20	0.09	<2	5	32	<20
CC36822		<1	0.24	10	1.28	519	1	0.02	48	670	20	0.06	2	3	24	<20
CC36823		<1	0.14	10	2.09	637	1	0.04	79	320	26	0.03	4	7	24	<20
CC36824		<1	0.67	10	2.29	506	1	0.04	84	740	17	0.25	3	8	37	<20
CC36825		<1	0.10	10	2.11	1160	2	0.03	51	380	38	0.03	<2	5	16	<20
CC36826		1	0.09	10	1.28	699	1	0.02	40	510	40	0.03	<2	3	17	<20
CC36827		<1	0.08	10	1.65	812	1	0.02	39	460	35	0.03	2	5	19	<20
CC36828		1	0.12	10	1.80	924	<1	0.03	52	620	29	0.06	<2	3	33	<20
CC36829		<1	0.56	20	2.53	2400	2	0.03	37	350	15	0.03	<2	7	23	<20
CC36830		1	0.09	10	1.15	836	1	0.03	56	700	21	0.09	<2	3	39	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36791		0.02	10	<10	13	<10	256	<10	4	<10
CC36792		0.01	10	<10	14	<10	2460	<10	<4	20
CC36793		0.01	<10	<10	16	<10	2210	<10	4	30
CC36794		0.03	<10	<10	25	50	72	<10	5	50
CC36795		0.05	<10	<10	41	10	122	<10	5	10
CC36796		0.05	<10	<10	38	<10	99	<10	6	10
CC36797		0.02	<10	<10	25	<10	78	<10	4	<10
CC36798		0.06	<10	<10	34	<10	588	<10	5	20
CC36799		0.06	<10	<10	48	<10	174	<10	4	<10
CC36800		0.19	10	<10	74	<10	161	<10	5	10
CC36801		0.04	<10	<10	36	<10	56	<10	5	<10
CC36802		0.11	<10	<10	73	<10	133	<10	5	10
CC36803		0.03	<10	<10	28	<10	111	<10	5	10
CC36804		0.06	10	<10	46	<10	527	<10	5	10
CC36805		<0.01	10	10	<1	<10	5	<10	<4	<10
CC36806		0.08	<10	<10	56	<10	175	<10	5	10
CC36807		0.03	<10	<10	32	10	151	<10	5	10
CC36808		0.07	<10	<10	39	<10	116	<10	5	<10
CC36809		0.04	<10	<10	22	<10	73	<10	<4	<10
CC36810		0.04	10	<10	27	<10	169	<10	5	<10
CC36811		0.07	<10	<10	34	<10	206	<10	4	10
CC36812		0.05	10	<10	27	<10	175	<10	5	<10
CC36813		0.07	<10	<10	42	<10	149	<10	5	<10
CC36814		0.09	<10	<10	48	<10	150	<10	5	10
CC36815		0.06	<10	<10	34	<10	102	<10	4	<10
CC36816		0.09	<10	<10	42	<10	450	<10	<4	<10
CC36817		0.09	10	<10	45	<10	80	<10	5	<10
CC36818		0.05	<10	<10	21	<10	51	<10	<4	<10
CC36819		0.04	10	<10	13	<10	25	<10	<4	<10
CC36820		0.15	<10	<10	68	<10	149	<10	6	10
CC36821		0.13	<10	<10	60	<10	126	<10	5	10
CC36822		0.08	<10	<10	49	<10	120	<10	7	10
CC36823		0.23	<10	<10	80	<10	120	<10	5	10
CC36824		0.20	<10	<10	69	10	94	<10	5	20
CC36825		0.12	<10	<10	63	10	204	<10	7	10
CC36826		0.08	<10	<10	57	<10	148	<10	5	10
CC36827		0.08	<10	<10	59	<10	187	<10	6	10
CC36828		0.07	<10	<10	48	<10	178	<10	6	10
CC36829		0.10	<10	<10	47	40	136	<10	9	40
CC36830		0.06	10	<10	41	<10	96	<10	5	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 25-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36831		0.06	<0.2	1.71	2	<10	200	0.9	2	1.62	0.8	13	51	30	2.50	10
CC36832		0.24	0.4	2.45	13	<10	170	0.7	2	1.78	0.7	20	71	79	3.77	10
CC36833		0.14	0.2	1.84	8	<10	230	0.5	<2	2.04	1.6	16	59	22	2.72	10
CC36834		0.12	0.4	1.97	4	<10	160	0.5	2	2.19	0.7	18	62	43	2.98	10
CC36835		0.24	<0.2	2.64	6	<10	150	0.7	3	0.77	0.7	27	77	56	4.12	10
CC36836		0.24	0.4	2.56	8	<10	150	0.9	2	1.96	0.8	18	55	77	3.45	10
CC36837		0.24	0.4	2.20	12	<10	150	1.0	4	1.30	0.8	14	54	67	3.42	10
CC36838		0.20	0.3	2.16	13	<10	150	1.0	4	1.27	0.8	13	54	50	3.41	10
CC36839		0.12	0.3	1.93	13	<10	170	0.8	3	1.56	1.3	12	53	21	3.01	10
CC36840		0.16	0.2	2.26	10	<10	200	0.8	6	1.27	1.5	14	58	26	3.37	10
CC36841		0.12	<0.2	1.74	8	<10	220	0.7	2	1.44	1.9	12	41	25	2.63	<10
CC36842		0.18	<0.2	1.61	9	<10	160	0.6	10	1.01	0.6	11	37	36	3.14	<10
CC36843		0.06	0.2	0.64	3	<10	230	<0.5	3	2.98	5.9	5	9	30	0.81	<10
CC36844		0.12	0.2	2.17	13	<10	180	0.7	34	0.62	0.5	13	56	27	3.54	10
CC36845		0.18	<0.2	0.83	7	<10	30	<0.5	2	>25.0	<0.5	4	24	7	1.09	<10
CC36846		0.18	<0.2	2.80	9	<10	90	0.7	4	6.77	<0.5	15	71	22	3.54	10
CC36847		0.08	<0.2	1.84	13	<10	80	<0.5	5	2.47	0.5	12	59	23	2.60	10
CC36848		0.22	<0.2	1.48	12	<10	30	<0.5	<2	24.4	<0.5	4	32	10	1.53	<10
CC36849		0.16	0.2	2.56	16	<10	170	0.5	11	2.15	<0.5	20	89	31	3.85	10
CC36850		0.12	<0.2	2.35	13	<10	150	0.5	8	2.55	0.6	17	83	32	3.54	10
CC36851		0.10	0.2	1.79	12	<10	110	0.5	11	2.38	1.3	13	54	27	2.99	10
CC36852		0.12	<0.2	1.87	17	<10	190	0.6	3	3.33	<0.5	11	53	25	3.16	10
CC36853		0.14	0.2	1.53	16	<10	170	0.6	3	2.56	0.8	10	40	26	3.00	<10
CC36854		0.10	0.2	2.11	13	<10	220	0.5	<2	6.52	3.5	15	88	31	3.44	10
CC36855		0.16	<0.2	1.78	11	<10	120	0.5	3	1.16	1.1	12	52	23	3.46	<10
CC36856		0.16	<0.2	0.80	17	<10	50	<0.5	<2	24.4	<0.5	6	34	14	1.63	<10
CC36857		0.20	0.2	2.23	14	<10	160	0.6	2	2.17	0.5	14	61	19	3.53	10
CC36858		0.22	<0.2	0.11	6	<10	30	<0.5	<2	>25.0	<0.5	<1	1	<1	0.20	<10
CC36859		0.10	0.2	2.25	29	10	190	0.8	3	2.12	0.6	11	54	31	3.52	10
CC36860		0.12	0.2	2.14	14	<10	190	0.8	3	1.24	<0.5	10	34	18	3.30	<10
CC36861		0.14	0.2	1.94	16	<10	300	0.7	3	2.04	0.5	12	32	22	2.97	<10
CC36862		0.12	0.3	1.76	14	<10	130	0.5	<2	5.50	0.9	7	33	16	2.56	<10
CC36863		0.18	0.3	2.02	17	<10	200	0.8	4	1.83	1.7	12	38	29	3.19	10
CC36864		0.14	<0.2	1.09	7	<10	140	<0.5	<2	2.30	1.9	10	41	18	1.71	<10
CC36865		0.18	<0.2	1.31	12	<10	180	0.5	2	2.58	0.8	11	30	20	2.89	<10
CC36866		0.28	0.2	2.35	16	<10	170	1.1	4	1.10	0.8	12	44	23	3.37	10
CC36867		0.18	0.4	1.97	57	<10	170	0.7	4	3.31	0.9	11	35	29	2.97	<10
CC36868		0.16	<0.2	0.97	7	<10	270	0.5	2	13.20	0.5	6	13	43	1.67	<10
CC36869		0.08	<0.2	1.71	17	10	140	0.6	2	2.18	0.5	8	33	21	2.57	<10
CC36870		0.16	0.2	1.78	49	<10	170	0.6	2	3.31	0.9	11	30	32	2.92	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36831		1	0.11	10	1.19	671	1	0.03	50	820	13	0.11	<2	3	36	<20
CC36832		1	0.09	10	1.72	751	1	0.03	85	640	29	0.07	2	4	37	<20
CC36833		<1	0.07	10	1.18	707	1	0.03	52	700	31	0.09	4	3	41	<20
CC36834		1	0.07	10	1.36	644	<1	0.03	67	800	17	0.12	<2	3	38	<20
CC36835		1	0.12	10	1.66	952	1	0.03	76	420	22	0.04	<2	5	21	<20
CC36836		<1	0.10	10	1.63	1120	<1	0.03	67	550	28	0.05	3	4	49	<20
CC36837		<1	0.10	10	1.33	1045	<1	0.03	55	560	35	0.06	<2	4	32	<20
CC36838		<1	0.08	10	1.13	952	1	0.02	48	550	30	0.05	<2	4	25	<20
CC36839		2	0.08	10	1.13	874	1	0.02	43	540	30	0.07	<2	3	26	<20
CC36840		1	0.09	10	1.35	798	1	0.03	51	610	37	0.07	<2	4	25	<20
CC36841		1	0.08	10	0.97	819	1	0.02	41	650	25	0.08	<2	3	29	<20
CC36842		<1	0.08	10	0.86	624	1	0.02	39	550	23	0.07	<2	3	24	<20
CC36843		<1	0.07	10	0.27	827	<1	0.03	19	1300	7	0.19	<2	1	45	<20
CC36844		1	0.09	10	1.21	611	1	0.03	50	720	20	0.07	<2	4	18	<20
CC36845		2	0.07	<10	0.85	231	<1	0.03	18	280	2	<0.01	<2	2	195	<20
CC36846		<1	0.07	10	1.83	564	1	0.05	54	480	15	0.05	<2	6	75	<20
CC36847		1	0.10	10	1.23	550	<1	0.04	52	620	9	0.11	<2	4	41	<20
CC36848		1	0.04	10	1.49	274	<1	0.04	20	320	12	<0.01	<2	3	256	<20
CC36849		1	0.08	10	1.62	597	1	0.04	80	530	17	0.08	<2	6	41	<20
CC36850		<1	0.08	10	1.53	689	<1	0.04	68	710	18	0.11	<2	5	42	<20
CC36851		1	0.11	10	1.27	618	<1	0.04	44	750	22	0.10	<2	4	33	<20
CC36852		2	0.12	10	1.12	530	1	0.04	44	580	24	0.08	<2	4	43	<20
CC36853		1	0.11	10	1.05	611	2	0.03	34	570	39	0.08	4	4	34	<20
CC36854		1	0.27	10	1.70	942	<1	0.04	50	890	108	0.07	3	8	75	<20
CC36855		<1	0.08	10	0.89	824	1	0.03	41	330	25	0.05	2	4	24	<20
CC36856		<1	0.09	<10	0.99	455	<1	0.03	24	370	10	<0.01	<2	2	186	<20
CC36857		2	0.11	10	2.04	585	1	0.03	54	420	25	0.04	2	4	25	<20
CC36858		<1	0.01	<10	0.24	146	<1	0.02	1	80	<2	<0.01	<2	<1	140	<20
CC36859		2	0.16	10	1.34	609	1	0.04	48	640	31	0.06	2	5	24	<20
CC36860		<1	0.09	20	0.69	1395	2	0.03	30	290	25	0.03	2	5	19	<20
CC36861		<1	0.08	10	0.73	1310	3	0.02	30	580	51	0.07	<2	3	24	<20
CC36862		1	0.09	20	2.30	611	1	0.02	30	850	15	0.10	<2	3	60	<20
CC36863		1	0.06	10	1.00	1005	<1	0.02	36	920	24	0.07	<2	3	25	<20
CC36864		1	0.05	10	0.54	532	1	0.03	36	980	7	0.15	<2	2	37	<20
CC36865		1	0.08	10	0.58	1500	<1	0.02	25	1200	12	0.12	<2	2	35	<20
CC36866		1	0.07	10	1.04	660	1	0.02	43	530	23	0.04	<2	4	18	<20
CC36867		<1	0.08	10	2.05	888	1	0.02	36	700	36	0.06	<2	3	29	<20
CC36868		1	0.05	10	0.97	1095	2	0.03	19	870	13	0.10	<2	1	85	<20
CC36869		1	0.12	10	0.85	810	1	0.02	32	740	19	0.09	<2	3	22	<20
CC36870		<1	0.09	10	0.70	1170	1	0.03	32	860	26	0.10	<2	2	30	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36831		0.07	<10	<10	39	<10	86	<10	5	10
CC36832		0.13	<10	<10	57	<10	184	<10	5	10
CC36833		0.10	<10	<10	45	<10	374	<10	4	10
CC36834		0.10	<10	<10	48	<10	119	<10	4	<10
CC36835		0.13	<10	<10	60	10	138	<10	6	10
CC36836		0.09	<10	<10	51	<10	179	<10	6	10
CC36837		0.08	<10	<10	49	<10	188	<10	6	10
CC36838		0.07	<10	<10	51	<10	178	<10	6	10
CC36839		0.08	10	<10	48	<10	174	<10	5	10
CC36840		0.09	<10	<10	53	<10	189	<10	5	10
CC36841		0.05	<10	<10	40	<10	155	<10	6	<10
CC36842		0.05	<10	<10	41	<10	146	<10	6	10
CC36843		0.02	<10	<10	10	<10	127	<10	5	<10
CC36844		0.08	<10	<10	52	10	101	<10	5	10
CC36845		0.05	<10	<10	14	<10	32	<10	<4	<10
CC36846		0.11	<10	<10	52	<10	78	<10	4	<10
CC36847		0.09	<10	<10	42	<10	72	<10	5	<10
CC36848		0.04	<10	<10	20	<10	49	<10	<4	<10
CC36849		0.14	<10	<10	59	<10	119	<10	5	<10
CC36850		0.11	<10	<10	53	<10	169	<10	5	<10
CC36851		0.08	<10	<10	42	<10	167	<10	5	<10
CC36852		0.07	10	<10	47	<10	94	<10	4	<10
CC36853		0.05	<10	<10	40	<10	180	<10	5	10
CC36854		0.15	<10	<10	65	<10	2220	<10	5	20
CC36855		0.07	<10	<10	41	<10	172	<10	5	<10
CC36856		0.03	10	<10	14	<10	86	<10	<4	<10
CC36857		0.10	<10	<10	57	<10	119	<10	6	10
CC36858		<0.01	10	10	<1	<10	15	<10	4	<10
CC36859		0.08	<10	<10	54	<10	171	<10	5	10
CC36860		0.05	<10	<10	57	<10	112	<10	5	10
CC36861		0.04	<10	<10	47	<10	148	<10	6	10
CC36862		0.03	<10	<10	27	<10	101	<10	5	<10
CC36863		0.04	<10	<10	49	<10	146	<10	5	10
CC36864		0.03	<10	<10	29	<10	58	<10	4	<10
CC36865		0.03	<10	<10	32	<10	55	<10	5	<10
CC36866		0.05	<10	<10	64	<10	115	<10	6	10
CC36867		0.05	<10	<10	42	<10	262	<10	5	10
CC36868		0.02	<10	<10	24	<10	86	<10	4	<10
CC36869		0.04	<10	<10	40	<10	97	<10	5	<10
CC36870		0.03	<10	<10	45	<10	221	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36871		0.18	<0.2	0.62	5	<10	70	<0.5	<2	>25.0	0.5	4	10	17	1.00	<10
CC36872		0.20	<0.2	1.97	13	<10	140	0.5	12	11.80	<0.5	19	58	37	4.29	<10
CC36873		0.18	<0.2	1.86	14	<10	60	<0.5	<2	12.40	<0.5	12	72	23	2.69	<10
CC36874		0.26	<0.2	2.65	7	<10	120	0.5	<2	6.59	<0.5	20	120	34	5.03	10
CC36875		0.10	<0.2	1.42	9	10	200	<0.5	2	8.18	1.7	9	54	22	2.42	<10
CC36876		0.16	<0.2	1.29	14	<10	120	<0.5	3	8.76	<0.5	7	56	21	2.61	<10
CC36877		0.06	<0.2	0.89	10	<10	130	<0.5	2	4.52	<0.5	6	71	20	2.00	<10
CC36878		0.10	0.2	1.08	8	<10	110	<0.5	2	3.27	<0.5	8	35	22	2.03	<10
CC36879		0.14	0.2	2.54	20	<10	160	0.7	19	1.52	0.7	15	74	33	3.63	10
CC36880		0.08	<0.2	0.15	3	<10	50	<0.5	<2	1.26	0.6	2	3	5	0.28	<10
CC36881		0.16	<0.2	4.12	6	<10	410	0.5	6	0.36	<0.5	26	170	10	5.33	10
CC36882		0.10	0.2	0.71	2	<10	150	<0.5	4	2.60	1.5	7	22	21	1.11	<10
CC36883		0.18	<0.2	3.42	10	<10	270	<0.5	5	0.43	<0.5	26	169	14	4.98	10
CC36884		0.08	<0.2	1.07	4	<10	110	<0.5	9	1.99	1.3	8	35	19	1.51	<10
CC36885		0.18	0.4	3.18	5	<10	320	1.0	6	1.27	2.0	15	60	40	3.90	10
CC36886		0.08	0.2	0.74	5	10	110	<0.5	2	2.47	5.0	5	16	19	1.22	<10
CC36887		0.14	0.9	1.70	11	<10	350	1.0	3	2.47	8.2	11	26	74	2.64	<10
CC36888		0.20	0.3	2.44	12	<10	140	1.1	3	0.72	0.7	16	53	23	3.60	10
CC36889		0.14	0.3	2.00	13	<10	190	0.7	4	1.48	1.5	13	55	29	3.07	10
CC36890		0.30	0.2	2.26	17	<10	210	0.9	3	1.02	0.5	14	64	33	3.50	10
CC36891		0.12	0.3	1.85	4	<10	160	0.8	3	1.96	0.5	13	51	46	2.87	10
CC36892		0.10	0.5	2.31	7	<10	170	0.8	3	1.82	0.6	15	60	61	3.44	10
CC36893		0.18	0.2	2.27	9	<10	140	0.7	3	1.00	<0.5	17	62	63	3.57	10
CC36894		0.14	0.2	2.41	4	<10	250	0.6	2	1.03	<0.5	20	84	27	3.68	10
CC36895		0.08	<0.2	0.16	<2	<10	20	<0.5	<2	1.62	0.7	1	4	8	0.28	<10
CC36896		0.14	0.4	2.05	8	<10	190	0.7	2	2.11	2.8	13	55	26	2.83	10
CC36897		0.24	0.8	2.61	20	<10	210	1.1	8	1.73	1.0	17	65	76	3.85	10
CC36898		0.14	0.2	1.98	12	<10	160	0.7	3	2.33	0.5	16	62	87	3.03	10
CC36899		0.26	<0.2	2.43	14	<10	150	0.8	2	1.29	0.5	20	88	67	3.94	10
CC36900		0.08	<0.2	2.21	15	<10	170	0.9	2	1.64	0.7	17	70	54	3.41	10
CC36901		0.28	0.5	2.37	60	<10	170	0.8	70	0.75	2.6	16	63	36	5.76	10
CC36902		0.24	<0.2	2.61	13	<10	180	0.5	8	0.74	<0.5	16	86	25	3.80	10
CC36903		0.30	<0.2	3.29	4	<10	40	<0.5	<2	18.1	<0.5	6	35	10	1.93	10
CC36904		0.24	<0.2	4.39	11	<10	80	1.9	4	0.57	<0.5	16	76	41	3.93	10
CC36905		0.22	<0.2	2.56	16	<10	160	0.6	39	1.88	0.5	20	76	56	4.83	10
CC36906		0.26	<0.2	1.16	22	<10	60	<0.5	6	22.6	<0.5	6	20	15	1.43	<10
CC36907		0.16	<0.2	0.31	6	<10	20	<0.5	<2	>25.0	<0.5	1	5	9	0.41	<10
CC36908		0.16	0.2	3.15	21	<10	190	0.7	21	1.87	0.7	22	109	31	4.67	10
CC36909		0.22	<0.2	3.10	12	<10	230	0.6	2	1.20	<0.5	21	93	26	4.50	10
CC36910		0.22	0.2	3.24	12	<10	110	0.9	9	1.58	0.5	18	91	20	4.13	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36871		<1	0.04	<10	0.71	805	<1	0.02	10	770	22	<0.01	<2	1	121	<20
CC36872		<1	0.16	10	1.40	784	2	0.03	66	410	29	0.06	<2	4	94	<20
CC36873		<1	0.10	10	1.26	309	2	0.03	45	490	11	0.07	2	4	106	<20
CC36874		1	0.14	10	1.74	691	<1	0.03	90	590	19	0.06	3	6	69	<20
CC36875		<1	0.14	10	0.90	659	1	0.03	36	690	58	0.13	<2	4	93	<20
CC36876		1	0.29	10	1.40	491	1	0.02	31	470	20	0.27	2	4	68	<20
CC36877		2	0.08	10	0.69	435	1	0.02	27	670	8	0.14	<2	3	42	<20
CC36878		1	0.09	10	0.54	374	1	0.02	26	780	13	0.12	<2	2	35	<20
CC36879		<1	0.12	10	1.58	693	1	0.03	58	700	29	0.06	<2	5	30	<20
CC36880		<1	0.03	<10	0.07	33	<1	0.02	3	540	<2	0.13	<2	<1	22	<20
CC36881		<1	0.82	10	2.68	379	<1	0.03	140	360	8	0.02	<2	5	27	<20
CC36882		1	0.06	10	0.36	245	<1	0.03	27	640	39	0.15	<2	1	53	<20
CC36883		1	0.56	10	2.31	308	<1	0.03	156	330	6	0.01	2	5	15	<20
CC36884		1	0.09	10	0.61	544	<1	0.03	28	930	9	0.15	<2	2	32	<20
CC36885		2	0.09	10	0.99	1750	1	0.03	48	890	26	0.07	<2	4	37	<20
CC36886		1	0.09	10	0.48	532	1	0.02	16	1010	9	0.16	<2	1	28	<20
CC36887		1	0.09	10	0.58	2100	2	0.03	43	1090	23	0.05	<2	3	33	<20
CC36888		<1	0.10	10	1.23	748	1	0.02	49	580	35	0.04	<2	4	19	<20
CC36889		<1	0.11	10	1.22	843	1	0.03	48	690	33	0.07	<2	3	28	<20
CC36890		<1	0.09	10	1.21	864	<1	0.02	54	600	27	0.03	<2	4	24	<20
CC36891		<1	0.09	10	1.05	840	1	0.03	48	740	25	0.09	<2	3	35	<20
CC36892		1	0.10	10	1.30	930	<1	0.03	57	660	32	0.08	<2	3	39	<20
CC36893		<1	0.10	10	1.37	979	1	0.03	63	490	28	0.04	<2	5	27	<20
CC36894		2	0.15	10	1.42	936	1	0.03	76	550	23	0.05	<2	4	24	<20
CC36895		2	0.03	<10	0.11	62	1	0.02	6	490	<2	0.14	<2	<1	14	<20
CC36896		1	0.08	10	1.38	955	<1	0.03	50	710	43	0.08	2	3	33	<20
CC36897		1	0.10	10	1.67	988	1	0.02	52	580	40	0.08	4	4	32	<20
CC36898		1	0.08	10	1.43	725	1	0.01	55	530	27	0.07	<2	4	37	<20
CC36899		1	0.14	10	1.53	830	1	0.02	73	420	34	0.04	4	5	29	<20
CC36900		<1	0.10	10	1.40	825	1	0.02	59	610	29	0.06	2	4	31	<20
CC36901		1	0.08	10	1.44	1620	1	0.01	44	510	121	0.04	5	5	16	<20
CC36902		1	0.13	10	1.67	470	<1	0.01	48	330	15	0.03	3	6	21	<20
CC36903		1	0.03	<10	3.93	329	<1	0.05	15	150	12	<0.01	<2	6	173	<20
CC36904		1	0.06	10	2.46	378	<1	0.01	51	140	26	0.02	3	11	21	<20
CC36905		1	0.29	10	1.84	678	1	0.02	69	620	46	0.10	<2	5	35	<20
CC36906		1	0.05	<10	0.77	450	<1	0.01	15	510	24	<0.01	3	2	172	<20
CC36907		<1	0.02	<10	0.30	300	<1	0.01	3	540	9	<0.01	<2	1	225	<20
CC36908		1	0.28	10	2.27	809	<1	0.03	72	480	127	0.06	2	7	30	<20
CC36909		<1	0.29	10	2.08	769	<1	0.02	68	430	27	0.03	3	7	25	<20
CC36910		1	0.07	10	1.63	1070	<1	0.01	57	630	65	0.08	2	6	31	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36871		0.01	<10	<10	14	<10	166	<10	4	<10
CC36872		0.09	<10	<10	45	<10	192	<10	4	<10
CC36873		0.05	<10	<10	39	<10	74	<10	4	<10
CC36874		0.12	10	<10	55	<10	137	<10	4	10
CC36875		0.07	10	<10	34	<10	576	<10	4	10
CC36876		0.05	<10	<10	29	<10	87	<10	5	<10
CC36877		0.03	<10	<10	27	<10	98	<10	5	<10
CC36878		0.03	<10	<10	28	<10	82	<10	4	<10
CC36879		0.11	<10	<10	59	<10	186	<10	5	10
CC36880		0.01	<10	<10	3	<10	75	<10	<4	<10
CC36881		0.41	<10	<10	96	<10	86	<10	5	10
CC36882		0.04	<10	<10	15	<10	190	<10	4	<10
CC36883		0.41	<10	<10	96	<10	60	<10	5	10
CC36884		0.06	<10	<10	24	<10	54	<10	4	<10
CC36885		0.12	<10	<10	59	<10	159	<10	6	10
CC36886		0.04	10	<10	14	<10	220	NSS	NSS	NSS
CC36887		0.04	<10	<10	37	<10	586	<10	7	10
CC36888		0.08	<10	<10	58	<10	157	<10	6	10
CC36889		0.08	<10	<10	49	<10	198	<10	5	10
CC36890		0.08	10	<10	57	<10	168	<10	6	10
CC36891		0.07	<10	<10	45	<10	167	<10	5	10
CC36892		0.09	<10	<10	53	<10	184	<10	5	10
CC36893		0.11	<10	<10	56	<10	184	<10	6	10
CC36894		0.15	<10	<10	56	<10	126	<10	5	10
CC36895		0.01	<10	<10	3	<10	19	<10	<4	<10
CC36896		0.08	<10	<10	45	<10	565	<10	5	10
CC36897		0.10	<10	<10	58	<10	257	<10	5	10
CC36898		0.10	<10	<10	47	<10	148	<10	4	10
CC36899		0.16	<10	<10	61	10	160	<10	4	10
CC36900		0.11	<10	<10	54	10	170	<10	5	10
CC36901		0.09	<10	<10	58	10	1200	<10	6	40
CC36902		0.17	<10	<10	75	<10	79	<10	5	10
CC36903		0.13	<10	<10	46	<10	48	<10	4	<10
CC36904		0.14	<10	<10	69	10	111	<10	6	10
CC36905		0.15	<10	<10	58	10	133	<10	5	10
CC36906		0.03	<10	<10	22	<10	65	<10	<4	<10
CC36907		0.01	<10	<10	8	<10	21	<10	<4	<10
CC36908		0.21	<10	<10	77	10	192	<10	5	10
CC36909		0.27	<10	<10	85	<10	85	<10	4	<10
CC36910		0.15	<10	<10	73	<10	126	<10	5	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 25-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC36911		0.32	<0.2	3.99	19	<10	180	1.2	23	1.36	<0.5	11	70	20	3.82	10
CC36912		0.30	0.3	1.98	24	<10	170	0.8	3	2.85	<0.5	14	45	30	3.70	10
CC36913		0.26	0.2	1.92	16	<10	110	0.8	2	4.89	1.8	9	30	12	2.87	<10
CC36914		0.38	<0.2	0.64	3	<10	20	<0.5	<2	>25.0	<0.5	3	10	6	0.64	<10
CC36915		0.20	<0.2	0.50	15	<10	20	<0.5	<2	>25.0	<0.5	9	29	8	2.02	<10
CC36916		0.26	<0.2	1.27	17	<10	60	<0.5	2	17.6	<0.5	7	54	18	2.57	<10
CC36917		0.28	0.2	1.57	19	<10	150	0.5	2	6.97	0.7	12	45	31	2.88	<10
CC36918		0.30	<0.2	1.91	19	<10	200	0.5	3	6.34	<0.5	15	71	35	3.23	10
CC36919		0.18	0.2	1.92	10	<10	360	0.5	8	2.52	0.8	12	64	24	2.96	10
CC36920		0.18	0.3	2.22	18	<10	190	0.6	4	8.69	0.9	15	68	36	3.45	10
CC36921		0.32	<0.2	0.47	18	<10	40	<0.5	2	>25.0	<0.5	2	7	8	0.68	<10
CC36922		0.26	<0.2	1.19	27	<10	100	<0.5	3	21.2	<0.5	6	19	13	1.65	<10
CC36923		0.16	0.2	2.40	23	<10	190	0.5	2	2.82	<0.5	23	123	45	4.19	10
CC36924		0.30	1.5	1.91	38	<10	260	0.7	22	2.86	2.2	15	41	30	3.81	10
CC36925		0.20	0.7	2.38	26	<10	320	1.0	16	2.47	2.7	14	39	18	4.74	10
CC36926		0.22	0.4	1.98	20	<10	160	0.7	10	5.18	0.7	12	45	25	3.47	10
CC36927		0.30	<0.2	1.29	21	<10	100	<0.5	7	12.00	<0.5	9	26	12	2.62	<10
CC36928		0.26	0.3	2.49	24	<10	220	0.9	2	0.83	<0.5	13	51	15	3.79	10
CC36929		0.22	0.3	1.59	10	<10	220	0.7	<2	1.37	0.7	14	27	18	4.24	<10
CC36930		0.26	0.3	2.38	32	<10	210	1.0	9	1.99	2.1	11	38	12	4.56	10
CC36931		0.30	0.2	1.96	11	<10	180	0.8	<2	3.79	1.3	7	28	8	2.85	<10
CC36932		0.20	0.6	2.21	29	<10	260	1.1	12	1.94	1.2	13	41	16	4.08	10
CC36933		0.18	0.5	2.22	14	<10	190	0.6	5	2.88	0.8	21	100	50	3.88	10
CC36934		0.28	0.4	2.75	398	<10	180	1.1	10	1.56	1.4	19	61	61	5.19	10
CC36935		0.26	<0.2	1.14	33	<10	120	<0.5	3	18.9	<0.5	8	27	22	2.06	<10
CC36936		0.20	0.2	1.26	28	<10	130	<0.5	2	12.90	<0.5	8	28	24	2.17	<10
CC36937		0.34	0.2	1.23	21	<10	140	<0.5	2	10.10	<0.5	7	26	27	2.30	<10
CC36938		0.30	<0.2	1.54	10	<10	120	<0.5	7	9.39	<0.5	10	45	26	2.59	<10
CC36939		0.20	0.2	1.75	25	<10	200	0.5	5	2.33	0.7	13	60	28	2.89	10
CC36940		0.26	0.6	2.22	32	<10	260	0.6	5	3.00	0.9	18	83	44	3.89	10
CC36941		0.22	0.3	2.41	15	<10	160	0.5	4	2.94	<0.5	18	101	41	3.43	10
CC36942		0.28	<0.2	2.38	11	<10	80	0.6	<2	15.7	<0.5	13	69	25	2.80	10
CC36943		0.34	<0.2	1.21	8	<10	60	<0.5	<2	>25.0	<0.5	5	24	13	1.37	<10
CC36944		0.22	<0.2	0.87	7	<10	20	<0.5	<2	>25.0	<0.5	3	13	6	0.80	<10
CC36945		0.22	0.3	2.00	17	<10	130	0.7	4	7.76	0.7	8	33	14	3.10	10
CC36946		0.30	<0.2	2.29	9	<10	60	0.7	10	>25.0	<0.5	7	30	11	2.74	10
CC36947		0.22	<0.2	3.05	19	<10	140	0.9	7	1.72	<0.5	18	97	27	4.01	10
CC36948		0.22	0.2	2.46	13	<10	160	0.7	6	3.48	0.9	16	77	26	3.37	10
CC36949		0.16	0.2	2.67	15	<10	150	0.7	8	1.51	0.7	19	86	25	3.68	10
CC36950		0.16	<0.2	2.67	8	<10	120	1.0	<2	6.97	2.8	9	28	13	2.50	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 25-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36911		<1	0.06	10	2.28	1325	<1	<0.01	40	320	44	0.02	2	6	30	<20
CC36912		1	0.08	10	2.09	864	1	0.02	45	400	48	0.04	4	5	30	<20
CC36913		1	0.05	10	0.66	588	<1	<0.01	21	410	122	0.04	5	4	40	<20
CC36914		<1	0.02	<10	0.70	166	<1	0.02	6	210	8	<0.01	3	2	235	<20
CC36915		1	0.02	<10	0.31	609	<1	0.01	25	270	7	<0.01	5	2	197	<20
CC36916		1	0.08	<10	1.08	251	2	0.01	36	310	25	<0.01	2	3	184	<20
CC36917		1	0.12	10	1.77	457	2	0.02	43	550	30	0.03	5	4	62	<20
CC36918		<1	0.17	10	2.48	505	1	0.02	59	700	29	0.03	2	4	58	<20
CC36919		<1	0.07	10	1.15	759	1	0.01	41	490	24	0.06	<2	4	34	<20
CC36920		<1	0.10	10	1.75	933	1	0.02	56	880	30	0.10	<2	4	64	<20
CC36921		<1	0.03	<10	0.53	242	1	<0.01	9	260	8	<0.01	<2	1	140	<20
CC36922		<1	0.05	10	0.83	322	2	<0.01	15	360	11	<0.01	<2	2	100	<20
CC36923		<1	0.18	10	2.01	616	1	0.02	99	900	16	0.09	<2	6	36	<20
CC36924		<1	0.10	10	2.12	1685	1	0.01	36	430	75	0.04	<2	4	23	<20
CC36925		<1	0.08	20	2.12	2470	1	<0.01	28	530	100	0.04	2	4	16	<20
CC36926		<1	0.08	10	3.92	1170	1	0.02	40	700	33	0.05	<2	4	33	<20
CC36927		<1	0.05	10	8.25	538	1	<0.01	24	460	12	0.04	<2	4	50	<20
CC36928		1	0.09	20	1.46	994	1	<0.01	39	440	22	0.02	2	6	17	<20
CC36929		<1	0.07	20	0.87	1000	1	<0.01	27	700	23	0.12	2	3	17	<20
CC36930		1	0.08	20	1.53	2240	2	<0.01	27	510	58	0.06	2	5	16	<20
CC36931		<1	0.06	20	2.50	1205	<1	<0.01	17	380	23	0.03	<2	3	16	<20
CC36932		<1	0.10	20	1.71	2400	1	<0.01	33	300	80	0.03	2	5	16	<20
CC36933		<1	0.11	10	1.82	706	1	0.01	82	820	28	0.12	<2	5	38	<20
CC36934		1	0.11	20	1.41	1080	2	<0.01	81	260	125	0.02	2	7	17	<20
CC36935		<1	0.06	10	1.00	383	2	0.01	32	420	16	<0.01	<2	2	107	<20
CC36936		<1	0.08	10	1.67	478	1	0.01	28	640	19	0.02	3	3	81	<20
CC36937		<1	0.09	10	1.87	437	1	0.01	26	810	18	0.02	3	3	67	<20
CC36938		<1	0.18	10	2.72	401	1	0.02	38	650	21	0.02	<2	4	95	<20
CC36939		<1	0.09	10	1.22	584	1	0.02	46	790	29	0.07	2	3	35	<20
CC36940		<1	0.17	10	2.35	759	2	0.03	73	880	51	0.04	3	5	39	<20
CC36941		1	0.12	10	2.07	572	<1	0.04	79	870	21	0.07	3	4	44	<20
CC36942		<1	0.12	10	2.84	395	1	0.03	44	490	32	0.03	3	6	131	<20
CC36943		<1	0.06	10	1.50	255	1	0.02	20	280	13	<0.01	<2	3	224	<20
CC36944		1	0.04	10	1.16	165	1	0.02	12	160	8	<0.01	<2	2	269	<20
CC36945		1	0.06	20	0.60	1120	1	<0.01	25	990	50	0.08	<2	2	51	<20
CC36946		<1	0.02	10	1.96	512	1	0.01	12	280	7	<0.01	<2	4	356	<20
CC36947		<1	0.09	10	1.81	688	1	0.03	67	440	27	0.04	<2	7	34	<20
CC36948		1	0.09	10	1.48	724	1	0.02	57	580	19	0.06	<2	5	44	<20
CC36949		<1	0.09	10	1.75	671	1	0.02	61	540	17	0.06	<2	5	27	<20
CC36950		1	0.05	10	0.57	1170	1	0.06	26	750	19	0.09	3	4	65	<20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36911		0.11	<10	<10	69	10	87	<10	6	10
CC36912		0.05	<10	<10	54	<10	192	<10	6	10
CC36913		0.03	<10	<10	47	<10	297	<10	5	10
CC36914		0.02	<10	<10	13	<10	52	<10	<4	<10
CC36915		0.02	<10	<10	11	<10	30	<10	<4	<10
CC36916		0.06	<10	<10	25	<10	340	<10	<4	<10
CC36917		0.07	<10	<10	42	<10	207	<10	5	10
CC36918		0.12	<10	<10	52	<10	182	<10	4	10
CC36919		0.12	<10	<10	54	<10	133	<10	6	10
CC36920		0.09	<10	<10	55	<10	182	<10	5	<10
CC36921		0.01	<10	<10	10	<10	43	<10	4	<10
CC36922		0.03	<10	<10	27	<10	81	<10	<4	10
CC36923		0.13	<10	<10	71	<10	127	<10	6	<10
CC36924		0.06	<10	<10	54	10	419	<10	5	10
CC36925		0.06	<10	<10	64	<10	717	<10	5	10
CC36926		0.08	<10	<10	63	<10	187	<10	5	10
CC36927		0.03	<10	<10	37	<10	104	<10	5	<10
CC36928		0.05	<10	<10	72	<10	161	<10	6	10
CC36929		0.03	<10	<10	48	<10	230	<10	7	10
CC36930		0.05	<10	<10	69	<10	714	<10	6	10
CC36931		0.04	<10	<10	56	<10	442	<10	5	10
CC36932		0.05	<10	<10	60	<10	502	<10	4	10
CC36933		0.10	<10	<10	65	<10	165	<10	5	<10
CC36934		0.09	<10	<10	74	10	1880	<10	6	30
CC36935		0.04	<10	<10	28	10	98	<10	4	10
CC36936		0.04	<10	<10	36	<10	133	<10	4	10
CC36937		0.05	<10	<10	37	<10	115	<10	4	<10
CC36938		0.10	<10	<10	39	10	109	<10	5	10
CC36939		0.09	<10	<10	48	<10	168	<10	5	10
CC36940		0.12	<10	<10	63	<10	205	<10	4	10
CC36941		0.14	<10	<10	59	<10	123	<10	4	<10
CC36942		0.12	<10	<10	52	<10	213	<10	<4	<10
CC36943		0.05	<10	<10	24	<10	117	<10	4	<10
CC36944		0.03	<10	<10	14	<10	49	<10	4	<10
CC36945		0.03	<10	<10	44	10	114	<10	5	10
CC36946		0.05	<10	<10	32	<10	43	<10	<4	<10
CC36947		0.14	<10	<10	73	<10	111	<10	6	10
CC36948		0.11	<10	<10	58	<10	107	<10	5	10
CC36949		0.15	<10	<10	65	<10	125	<10	5	10
CC36950		0.04	<10	<10	32	<10	146	<10	5	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36951		0.22	<0.2	2.78	36	<10	150	0.8	8	4.06	<0.5	16	75	20	3.81	10
CC36952		0.22	<0.2	1.81	17	<10	30	<0.5	4	24.1	<0.5	3	17	6	1.21	<10
CC36953		0.28	<0.2	2.28	7	<10	70	0.6	<2	23.3	<0.5	6	27	10	1.94	10
CC36954		0.28	<0.2	3.22	25	<10	150	1.4	3	0.50	<0.5	16	65	19	4.15	10
CC36955		0.28	<0.2	2.88	26	<10	210	0.9	11	2.11	0.9	15	68	22	4.01	10
CC36956		0.22	0.2	2.69	13	<10	170	0.9	9	1.44	0.6	19	85	32	3.85	10
CC36957		0.24	0.2	2.44	13	<10	190	1.2	3	1.28	0.6	14	65	59	3.58	10
CC36958		0.18	<0.2	2.21	10	<10	160	0.9	5	1.46	0.7	19	67	65	3.45	10
CC36959		0.18	0.6	2.59	13	<10	200	1.1	5	1.82	0.9	17	69	44	3.61	10
CC36960		0.18	0.3	2.26	13	<10	190	0.8	8	1.48	0.6	20	72	58	3.44	10
CC36961		0.26	<0.2	1.49	8	<10	80	<0.5	<2	16.8	<0.5	4	17	12	1.06	<10
CC36962		0.36	<0.2	0.78	7	<10	80	<0.5	<2	18.4	<0.5	5	10	11	0.62	<10
CC36963		0.34	<0.2	1.15	6	<10	110	<0.5	<2	17.5	<0.5	5	13	13	0.77	<10
CC36964		0.26	<0.2	3.11	5	<10	100	0.6	2	18.9	<0.5	8	31	38	2.10	10
CC36965		0.30	<0.2	2.03	7	<10	40	<0.5	<2	22.5	<0.5	8	22	23	1.41	10
CC36966		0.24	<0.2	3.09	71	<10	80	0.8	11	11.30	<0.5	11	37	22	2.85	10
CC36967		0.24	<0.2	2.29	15	<10	40	0.5	<2	22.2	<0.5	5	22	23	1.28	10
CC36968		0.30	<0.2	2.55	4	<10	70	<0.5	<2	18.5	<0.5	4	22	9	1.36	10
CC36969		0.28	<0.2	2.77	3	<10	60	0.5	<2	18.1	<0.5	6	26	10	1.46	10
CC36970		0.24	<0.2	1.02	3	<10	20	<0.5	<2	24.1	<0.5	3	15	16	0.96	<10
CC36971		0.18	<0.2	1.89	9	<10	40	0.5	2	18.7	<0.5	7	21	19	1.57	<10
CC36972		0.18	<0.2	2.85	17	<10	60	0.6	<2	18.1	<0.5	10	27	30	1.96	10
CC36973		0.26	<0.2	0.85	10	<10	30	<0.5	<2	>25.0	<0.5	4	9	13	1.13	<10
CC36974		0.22	<0.2	1.78	6	<10	30	<0.5	<2	>25.0	<0.5	5	21	11	1.33	<10
CC36975		0.24	<0.2	3.26	7	<10	80	0.5	<2	12.65	<0.5	21	79	34	3.45	10
CC36976		0.22	0.2	1.92	17	<10	280	<0.5	<2	19.1	<0.5	11	73	25	2.70	<10
CC36977		0.04	0.6	1.79	98	<10	720	0.9	<2	12.30	0.8	24	71	62	4.19	<10
CC36978		0.24	0.4	0.84	64	<10	70	<0.5	171	14.05	<0.5	23	19	834	7.28	<10
CC36979		0.22	0.4	1.02	13	<10	90	<0.5	147	10.25	<0.5	10	16	251	4.46	<10
CC36980		0.22	0.3	1.13	57	<10	60	0.5	76	14.05	<0.5	9	19	212	4.51	<10
CC36981		0.12	0.3	0.86	26	<10	60	<0.5	29	13.20	1.2	4	13	101	2.10	<10
CC36982		0.14	0.4	1.65	30	<10	1390	0.6	11	12.55	1.8	9	18	26	2.58	<10
CC36983		0.24	0.2	1.61	36	<10	360	0.5	3	13.00	1.7	15	41	27	4.43	<10
CC36984		0.16	0.4	2.48	25	<10	310	0.7	3	2.28	1.6	15	52	29	3.65	10
CC36985		0.22	<0.2	2.20	18	<10	230	0.5	<2	8.72	<0.5	17	89	26	4.39	10
CC36986		0.16	<0.2	2.44	20	<10	310	0.5	<2	6.11	0.6	18	103	26	4.59	10
CC36987		0.10	0.5	2.47	29	<10	310	0.8	28	4.62	2.6	19	79	103	4.73	10
CC36988		0.24	0.4	2.53	399	<10	300	0.7	35	3.21	1.3	20	80	79	5.68	<10
CC36989		0.08	0.3	2.18	307	<10	270	0.6	21	2.37	2.0	18	80	57	4.80	10
CC36990		0.26	0.6	1.89	>10000	<10	360	0.5	137	4.06	1.4	14	57	65	9.72	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36951		1	0.11	10	1.47	737	<1	0.05	55	340	33	0.06	5	6	44	<20
CC36952		1	0.12	<10	2.20	292	<1	0.06	8	280	6	<0.01	<2	2	267	<20
CC36953		<1	0.27	<10	2.40	266	<1	0.08	17	270	8	<0.01	3	4	242	<20
CC36954		<1	0.13	10	1.86	566	1	0.03	57	210	38	0.02	2	6	15	<20
CC36955		1	0.13	10	2.48	1345	1	0.05	45	370	55	0.04	5	5	27	<20
CC36956		1	0.12	10	1.88	760	1	0.04	65	440	30	0.05	<2	5	28	<20
CC36957		<1	0.12	10	1.47	856	1	0.04	53	490	26	0.05	3	5	32	<20
CC36958		1	0.11	10	1.33	876	1	0.04	68	480	31	0.06	2	4	33	<20
CC36959		<1	0.11	10	1.54	798	1	0.05	57	530	31	0.08	3	5	36	<20
CC36960		1	0.11	10	1.47	701	4	0.04	68	590	32	0.07	2	4	30	<20
CC36961		1	0.09	<10	7.12	278	1	0.04	10	250	22	0.05	3	2	147	<20
CC36962		1	0.37	<10	11.20	93	<1	0.05	9	60	7	<0.01	3	1	106	<20
CC36963		<1	0.33	<10	9.98	160	1	0.04	9	110	14	<0.01	4	2	131	<20
CC36964		1	0.53	<10	5.59	350	<1	0.05	23	200	7	<0.01	4	4	206	<20
CC36965		<1	0.24	<10	4.16	223	<1	0.05	19	180	12	<0.01	<2	3	255	<20
CC36966		1	0.07	10	7.01	439	1	0.05	26	410	18	0.17	3	4	143	<20
CC36967		<1	0.19	<10	4.84	296	<1	0.05	13	230	5	<0.01	<2	3	206	<20
CC36968		1	0.74	<10	8.57	244	<1	0.05	10	220	7	<0.01	4	3	170	<20
CC36969		1	0.54	<10	6.68	226	<1	0.05	13	180	7	<0.01	2	4	171	<20
CC36970		<1	0.10	<10	3.50	211	<1	0.04	8	270	6	<0.01	2	2	231	<20
CC36971		<1	0.17	<10	5.21	239	<1	0.05	17	260	16	<0.01	5	3	192	<20
CC36972		<1	0.41	<10	6.05	228	<1	0.06	22	210	13	<0.01	3	4	184	<20
CC36973		1	0.09	<10	2.56	558	<1	0.02	9	160	11	<0.01	<2	2	357	<20
CC36974		1	0.09	<10	2.18	265	<1	0.03	15	230	10	<0.01	<2	3	373	<20
CC36975		<1	0.38	10	3.27	676	<1	0.03	73	500	28	0.14	<2	5	235	<20
CC36976		1	0.19	<10	1.63	428	1	0.03	53	490	17	<0.01	4	4	178	<20
CC36977		<1	0.17	10	3.57	1130	1	0.02	88	430	129	0.06	12	6	57	<20
CC36978		<1	0.17	<10	8.53	963	4	0.02	16	230	43	0.05	3	2	53	<20
CC36979		1	0.07	10	6.63	1230	2	0.02	13	400	23	0.05	2	2	42	<20
CC36980		<1	0.15	10	9.77	1090	3	0.02	12	210	17	0.07	2	2	55	<20
CC36981		<1	0.04	10	8.60	1430	3	0.02	8	400	83	0.08	2	2	47	<20
CC36982		<1	0.09	10	9.11	1720	1	0.03	20	550	133	0.32	7	3	48	<20
CC36983		1	0.34	10	7.14	1100	1	0.02	46	650	64	0.13	5	3	123	<20
CC36984		1	0.12	10	2.79	808	1	0.02	43	960	53	0.15	2	4	27	<20
CC36985		1	0.22	10	2.18	682	1	0.02	62	490	19	0.05	2	6	112	<20
CC36986		<1	0.22	10	2.23	688	1	0.02	60	540	25	0.06	3	6	73	<20
CC36987		<1	0.14	10	4.28	1440	1	0.02	66	1020	132	0.09	4	5	34	<20
CC36988		1	0.12	10	3.39	1360	1	0.02	67	900	95	0.09	5	5	30	<20
CC36989		<1	0.15	10	2.34	1100	1	0.02	61	890	65	0.10	4	5	27	<20
CC36990		<1	0.12	10	2.85	1260	1	0.02	48	950	90	0.14	6	4	42	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36951		0.14	<10	<10	62	10	129	<10	5	10
CC36952		0.07	<10	<10	22	<10	24	<10	<4	<10
CC36953		0.08	<10	<10	28	<10	54	<10	4	<10
CC36954		0.13	<10	<10	68	10	144	<10	7	20
CC36955		0.12	<10	<10	64	<10	195	<10	5	10
CC36956		0.13	<10	<10	62	<10	194	<10	5	10
CC36957		0.10	<10	<10	55	<10	153	<10	5	10
CC36958		0.11	<10	10	55	10	188	<10	4	10
CC36959		0.11	<10	<10	60	<10	290	<10	5	10
CC36960		0.11	<10	<10	55	<10	162	<10	6	10
CC36961		0.04	<10	<10	23	<10	124	<10	5	<10
CC36962		0.02	<10	<10	10	<10	33	<10	<4	<10
CC36963		0.03	<10	<10	14	10	24	<10	<4	<10
CC36964		0.11	<10	<10	32	10	43	<10	4	10
CC36965		0.06	<10	<10	24	<10	28	<10	4	<10
CC36966		0.07	<10	<10	42	10	79	<10	4	10
CC36967		0.07	<10	<10	28	<10	35	<10	<4	<10
CC36968		0.09	<10	<10	28	<10	33	<10	<4	<10
CC36969		0.10	<10	<10	31	<10	34	<10	4	<10
CC36970		0.04	<10	<10	17	<10	29	<10	4	<10
CC36971		0.05	<10	<10	29	<10	54	<10	4	<10
CC36972		0.08	<10	<10	36	<10	49	<10	4	<10
CC36973		0.02	<10	<10	11	<10	33	<10	<4	<10
CC36974		0.05	<10	<10	22	<10	44	<10	<4	<10
CC36975		0.17	<10	<10	59	<10	115	<10	4	<10
CC36976		0.06	<10	<10	36	<10	121	<10	4	<10
CC36977		0.06	10	<10	44	20	1020	<10	5	40
CC36978		0.03	10	<10	22	20	143	<10	5	20
CC36979		0.03	<10	<10	27	210	102	<10	4	200
CC36980		0.03	<10	<10	18	30	65	<10	4	30
CC36981		0.02	<10	<10	17	10	375	<10	4	10
CC36982		0.04	<10	<10	22	<10	380	<10	4	10
CC36983		0.05	<10	<10	33	10	655	<10	4	10
CC36984		0.06	<10	<10	51	<10	411	<10	5	10
CC36985		0.11	<10	<10	48	<10	206	<10	4	10
CC36986		0.13	<10	<10	54	<10	226	<10	4	10
CC36987		0.07	<10	<10	55	<10	694	<10	6	10
CC36988		0.08	<10	<10	59	<10	542	<10	5	10
CC36989		0.08	<10	<10	52	<10	413	<10	5	10
CC36990		0.06	<10	<10	44	40	494	<10	4	40

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36991		0.10	0.3	1.57	549	<10	270	<0.5	10	3.33	1.6	14	50	35	3.63	<10
CC36992		0.16	0.7	1.67	449	<10	290	<0.5	27	9.67	0.8	14	49	36	4.02	<10
CC36993		0.26	0.8	1.25	12	<10	300	0.5	<2	14.55	1.6	5	15	23	1.16	<10
CC36994		0.30	<0.2	1.13	11	<10	100	<0.5	<2	18.3	<0.5	3	12	12	0.75	<10
CC36995		0.34	<0.2	1.22	8	<10	130	<0.5	<2	18.5	<0.5	4	12	9	0.72	<10
CC36996		0.32	<0.2	2.13	7	<10	110	<0.5	<2	19.7	<0.5	5	20	9	1.10	<10
CC36997		0.26	<0.2	2.21	19	<10	40	<0.5	<2	20.7	<0.5	8	20	20	1.60	<10
CC36998		0.34	0.2	1.64	110	<10	30	<0.5	19	19.6	<0.5	4	15	45	3.02	<10
CC36999		0.22	<0.2	4.76	6	<10	110	0.6	<2	16.2	<0.5	8	39	14	2.25	10
CC37000		0.24	<0.2	2.37	<2	<10	50	<0.5	<2	21.8	<0.5	5	21	10	1.05	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098282

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36991		0.07	<10	<10	37	<10	295	<10	5	10
CC36992		0.07	<10	<10	38	10	276	<10	<4	10
CC36993		0.03	<10	<10	22	<10	601	<10	4	10
CC36994		0.03	<10	<10	14	<10	22	<10	4	<10
CC36995		0.04	<10	<10	14	<10	21	<10	4	<10
CC36996		0.08	<10	<10	23	<10	23	<10	4	<10
CC36997		0.06	<10	<10	25	<10	30	<10	4	<10
CC36998		0.04	<10	<10	18	<10	35	<10	<4	<10
CC36999		0.18	<10	<10	44	<10	66	<10	4	<10
CC37000		0.08	<10	<10	26	<10	32	<10	<4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 20-SEP-2007
Account: RCM

CERTIFICATE VA07098281

Project: RAU

P.O. No.:

This report is for 237 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36501		0.20	0.3	2.26	11	<10	130	0.6	3	8.36	<0.5	9	34	14	2.48	10
CC36502		0.12	0.3	2.33	14	<10	240	<0.5	4	2.73	1.1	26	98	55	3.59	10
CC36503		0.22	0.3	2.35	17	<10	230	<0.5	3	3.50	1.1	26	101	44	3.74	10
CC36504		0.26	0.6	2.83	36	<10	180	0.7	9	5.51	1.7	29	97	103	5.04	10
CC36505		0.12	0.2	2.01	23	<10	120	<0.5	22	1.47	1.4	19	80	27	3.98	10
CC36506		0.12	0.4	1.53	15	<10	180	<0.5	2	2.34	1.0	14	59	25	2.27	<10
CC36507		0.14	0.2	0.27	3	<10	170	<0.5	<2	4.21	0.7	3	7	14	0.40	<10
CC36508		0.08	0.4	1.95	17	<10	150	0.5	8	1.67	1.8	17	77	36	3.10	10
CC36509		0.12	0.2	2.10	28	<10	150	0.5	9	1.42	1.5	18	82	37	3.31	10
CC36510		0.08	0.4	0.38	2	<10	50	<0.5	<2	3.92	1.1	3	8	11	0.59	<10
CC36511		0.20	0.4	1.94	28	<10	270	0.5	<2	4.66	0.9	15	62	45	3.52	10
CC36512		0.12	0.3	1.77	13	<10	140	<0.5	3	2.10	0.7	18	48	29	3.03	10
CC36513		0.12	0.3	1.01	6	<10	190	<0.5	3	3.60	0.7	11	23	20	1.78	<10
CC36514		0.16	0.3	2.16	7	<10	210	<0.5	5	2.24	0.6	19	52	28	3.35	10
CC36515		0.18	0.2	1.65	14	<10	160	<0.5	11	2.18	0.7	17	37	28	2.69	<10
CC36516		0.14	0.3	2.32	14	<10	250	<0.5	5	2.08	0.7	21	58	35	3.67	10
CC36517		0.10	0.2	2.14	9	<10	250	<0.5	3	2.29	0.6	20	51	27	3.39	10
CC36518		0.18	0.4	0.57	<2	<10	170	<0.5	3	4.24	0.6	4	13	22	0.91	<10
CC36519		0.20	0.3	1.31	17	<10	290	0.5	8	4.08	0.8	10	31	39	2.58	<10
CC36520		0.26	0.3	1.19	15	<10	110	<0.5	10	13.60	0.6	10	35	27	1.99	<10
CC36521		0.16	0.5	2.26	29	<10	240	0.5	7	2.51	0.9	18	81	45	3.52	10
CC36522		0.16	0.5	2.05	15	<10	190	0.6	6	3.81	0.7	14	59	37	2.79	10
CC36523		0.18	0.8	1.73	11	<10	170	0.5	2	2.52	2.3	12	58	24	2.62	<10
CC36524		0.28	0.2	2.79	23	<10	180	0.7	6	3.72	<0.5	18	76	32	3.94	10
CC36525		0.26	0.4	3.41	21	<10	230	0.6	13	2.30	<0.5	22	120	37	4.61	10
CC36526		0.18	0.2	3.26	14	<10	350	0.5	3	2.32	<0.5	26	114	45	4.42	10
CC36527		0.10	<0.2	2.54	9	<10	210	0.5	5	2.50	<0.5	22	95	33	3.53	10
CC36528		0.16	0.2	2.87	12	<10	270	<0.5	7	1.32	<0.5	26	117	36	4.49	10
CC36529		0.22	<0.2	3.12	34	<10	190	0.9	3	1.04	1.4	17	60	18	3.84	10
CC36530		0.22	0.6	2.17	21	<10	200	0.6	12	2.01	0.7	15	58	30	3.39	10
CC36531		0.14	0.3	2.00	20	<10	170	0.6	44	1.93	0.8	12	59	47	3.61	10
CC36532		0.16	0.3	2.52	9	<10	180	0.5	18	1.75	<0.5	20	89	27	4.19	10
CC36533		0.22	0.2	3.88	13	<10	190	0.8	2	2.27	0.6	11	47	14	3.14	10
CC36534		0.20	0.3	1.78	14	<10	110	0.6	<2	5.23	0.5	10	28	15	2.33	<10
CC36535		0.16	0.2	2.68	8	<10	140	1.0	<2	7.24	1.2	14	54	22	4.59	10
CC36536		0.16	0.2	2.15	14	<10	200	<0.5	4	2.82	<0.5	18	80	42	3.42	10
CC36537		0.20	0.2	3.05	13	<10	140	1.0	2	3.59	<0.5	15	58	22	3.92	10
CC36538		0.14	0.2	2.15	8	<10	130	0.6	<2	1.92	1.1	13	54	24	2.74	10
CC36539		0.20	0.3	2.57	26	<10	170	0.9	6	0.76	1.0	19	73	35	4.39	10
CC36540		0.18	<0.2	2.20	15	<10	80	0.5	<2	2.98	<0.5	13	117	24	3.41	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36501		1	0.13	10	5.97	557	<1	0.03	29	370	18	0.17	<2	4	54	<20
CC36502		<1	0.24	10	1.58	679	<1	0.07	111	680	22	0.11	<2	6	34	<20
CC36503		1	0.16	10	1.79	788	1	0.09	99	700	53	0.12	2	7	39	<20
CC36504		1	0.09	10	1.95	841	1	0.05	99	640	89	0.09	<2	6	55	<20
CC36505		2	0.07	10	1.39	569	1	0.03	64	510	25	0.08	4	5	23	<20
CC36506		3	0.07	10	1.01	421	<1	0.04	48	720	13	0.14	<2	3	31	<20
CC36507		1	0.04	<10	0.19	143	<1	0.04	11	630	5	0.22	<2	<1	42	<20
CC36508		<1	0.09	10	1.33	506	<1	0.04	67	490	59	0.12	<2	4	26	<20
CC36509		<1	0.09	10	1.39	496	1	0.04	69	470	61	0.11	2	5	24	<20
CC36510		<1	0.05	<10	0.47	200	<1	0.04	9	710	6	0.23	<2	<1	27	<20
CC36511		2	0.40	10	2.72	582	1	0.03	62	1040	34	0.08	3	5	55	<20
CC36512		1	0.11	10	0.96	470	<1	0.06	38	520	21	0.12	<2	4	32	<20
CC36513		<1	0.06	10	0.58	379	<1	0.04	17	730	7	0.16	<2	2	63	<20
CC36514		2	0.11	10	1.20	548	<1	0.05	39	830	11	0.11	2	5	42	<20
CC36515		<1	0.09	10	0.69	500	1	0.06	32	790	13	0.10	<2	3	51	<20
CC36516		<1	0.09	10	1.49	631	<1	0.04	43	940	15	0.11	<2	5	37	<20
CC36517		1	0.15	10	1.49	469	<1	0.05	39	940	13	0.13	<2	4	41	<20
CC36518		1	0.08	<10	0.60	236	<1	0.03	11	750	6	0.23	<2	1	56	<20
CC36519		1	0.16	10	2.24	574	1	0.03	36	810	24	0.06	<2	3	47	<20
CC36520		1	0.15	10	1.69	386	<1	0.03	31	510	23	0.08	<2	3	138	<20
CC36521		2	0.11	10	1.54	688	1	0.05	71	590	49	0.13	2	5	36	<20
CC36522		<1	0.11	10	1.83	728	<1	0.05	49	690	36	0.10	<2	3	50	<20
CC36523		<1	0.07	10	1.06	634	<1	0.03	38	540	87	0.09	<2	4	31	<20
CC36524		<1	0.09	10	1.65	741	1	0.04	58	440	37	0.06	3	5	50	<20
CC36525		<1	0.30	10	2.70	695	1	0.06	87	570	25	0.06	5	8	37	<20
CC36526		<1	0.21	10	2.24	837	1	0.06	97	640	17	0.09	3	8	37	<20
CC36527		1	0.08	10	1.23	609	2	0.05	69	650	14	0.10	3	6	33	<20
CC36528		<1	0.66	10	2.35	514	1	0.03	125	630	17	0.05	3	7	27	<20
CC36529		<1	0.13	10	2.50	902	1	0.02	41	350	38	0.07	4	5	18	<20
CC36530		<1	0.12	10	1.74	715	1	0.03	50	590	29	0.09	3	4	28	<20
CC36531		<1	0.21	10	1.96	759	1	0.04	33	590	12	0.17	4	4	29	<20
CC36532		<1	0.31	10	2.02	646	1	0.05	76	630	19	0.10	4	7	26	<20
CC36533		<1	0.08	10	4.82	718	<1	0.04	29	320	42	0.04	4	6	27	<20
CC36534		<1	0.09	10	4.03	542	1	0.03	22	500	35	0.06	3	4	35	<20
CC36535		<1	0.07	10	0.89	3440	2	0.03	63	750	21	0.09	4	5	139	<20
CC36536		<1	0.23	10	1.54	610	1	0.03	74	680	20	0.11	4	5	41	<20
CC36537		<1	0.10	20	1.59	742	1	0.04	49	390	36	0.06	5	6	48	<20
CC36538		<1	0.07	10	1.10	907	1	0.03	44	720	21	0.09	3	3	27	<20
CC36539		1	0.10	10	1.40	1090	2	0.02	67	320	49	0.04	7	7	17	<20
CC36540		<1	0.05	10	1.66	539	2	0.03	56	600	10	0.16	<2	6	38	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36501		0.09	<10	<10	44	10	144	<10	4	<10
CC36502		0.15	10	<10	66	<10	173	<10	4	10
CC36503		0.13	<10	<10	67	<10	280	<10	4	10
CC36504		0.10	10	<10	62	10	626	<10	5	20
CC36505		0.10	<10	<10	54	<10	141	<10	5	10
CC36506		0.05	<10	<10	38	<10	86	<10	5	<10
CC36507		0.01	10	<10	9	<10	20	<10	4	<10
CC36508		0.11	10	<10	52	<10	264	<10	4	10
CC36509		0.12	<10	<10	58	<10	289	<10	5	10
CC36510		0.02	<10	<10	10	<10	27	<10	<4	<10
CC36511		0.11	<10	<10	57	<10	166	<10	5	10
CC36512		0.09	<10	<10	74	<10	77	<10	4	<10
CC36513		0.05	<10	<10	39	<10	47	<10	<4	<10
CC36514		0.11	<10	<10	79	<10	87	<10	4	<10
CC36515		0.07	<10	<10	50	<10	66	<10	4	<10
CC36516		0.12	<10	<10	88	<10	91	<10	5	<10
CC36517		0.11	<10	<10	78	<10	86	<10	5	<10
CC36518		0.03	<10	<10	20	<10	24	<10	6	<10
CC36519		0.06	<10	<10	40	10	139	<10	5	10
CC36520		0.06	<10	<10	27	<10	180	<10	<4	10
CC36521		0.11	<10	<10	55	<10	226	<10	4	10
CC36522		0.09	<10	<10	47	<10	133	<10	5	10
CC36523		0.06	<10	<10	46	<10	776	<10	5	10
CC36524		0.12	<10	<10	66	10	189	<10	5	10
CC36525		0.25	<10	<10	77	<10	123	<10	4	10
CC36526		0.25	<10	<10	83	<10	109	<10	5	10
CC36527		0.14	<10	<10	74	10	83	<10	5	10
CC36528		0.27	<10	<10	75	<10	145	<10	4	10
CC36529		0.14	<10	<10	74	10	317	<10	6	10
CC36530		0.12	<10	<10	57	<10	225	<10	5	10
CC36531		0.14	<10	<10	45	20	115	<10	5	30
CC36532		0.25	<10	<10	69	10	171	<10	5	10
CC36533		0.15	<10	<10	62	<10	261	<10	5	10
CC36534		0.06	<10	<10	41	<10	208	<10	5	10
CC36535		0.05	<10	<10	57	<10	153	<10	5	<10
CC36536		0.14	<10	<10	53	<10	133	<10	4	<10
CC36537		0.10	<10	<10	68	10	140	<10	5	10
CC36538		0.09	<10	<10	47	10	140	<10	5	10
CC36539		0.10	<10	<10	75	10	221	<10	5	10
CC36540		0.09	<10	<10	49	<10	88	<10	4	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36541	0.18	0.4	2.33	22	<10	170	<0.5	3	8.18	0.8	18	88	35	3.51	10
CC36542	0.14	0.3	1.64	14	<10	230	<0.5	2	3.86	0.6	14	67	31	2.54	<10
CC36543	0.22	0.3	1.11	19	<10	300	<0.5	4	5.21	0.9	11	27	30	2.40	<10
CC36544	0.26	0.3	1.24	26	<10	240	<0.5	2	5.34	0.7	9	26	31	2.58	<10
CC36545	0.28	0.7	1.78	13	<10	310	0.6	<2	2.27	0.8	11	33	24	2.95	<10
CC36546	0.14	0.2	2.52	15	<10	330	0.5	<2	2.52	0.8	20	66	31	3.83	10
CC36547	0.12	0.2	2.29	13	<10	320	0.8	4	4.30	2.2	10	35	16	3.68	<10
CC36548	0.16	0.6	2.22	29	<10	190	0.9	9	1.65	1.6	18	39	20	4.31	<10
CC36549	0.16	0.7	2.36	33	<10	310	0.9	17	1.08	1.3	15	42	17	3.96	10
CC36550	0.14	<0.2	2.20	57	<10	160	0.5	<2	8.79	<0.5	14	68	31	3.46	10
CC36551	0.16	<0.2	1.72	19	<10	120	0.5	10	8.64	0.7	11	47	30	2.76	<10
CC36552	0.12	0.2	1.27	11	<10	220	<0.5	<2	4.25	1.8	11	50	22	2.03	<10
CC36553	0.14	0.3	2.12	15	<10	110	<0.5	<2	4.95	<0.5	19	94	35	3.59	10
CC36554	0.16	<0.2	2.35	17	<10	60	0.6	<2	0.90	<0.5	17	120	15	4.92	10
CC36555	0.28	0.5	3.44	29	<10	140	1.0	4	1.86	2.0	23	107	24	4.80	10
CC36556	0.14	<0.2	0.57	2	<10	80	<0.5	<2	5.32	1.0	3	9	18	0.64	<10
CC36557	0.22	<0.2	2.95	7	<10	210	<0.5	<2	1.24	<0.5	23	132	21	4.07	10
CC36558	0.14	0.3	2.93	15	<10	170	0.7	2	3.82	<0.5	21	93	39	3.98	10
CC36559	0.10	<0.2	3.48	9	<10	150	1.2	<2	2.05	<0.5	12	59	17	3.25	10
CC36560	0.30	0.2	3.08	19	<10	170	1.0	2	0.71	0.8	14	52	16	3.73	10
CC36561	0.18	0.3	2.23	12	<10	160	0.8	<2	1.58	0.7	17	68	43	3.36	10
CC36562	0.10	0.3	1.91	11	<10	140	0.6	<2	1.78	0.6	15	61	34	2.91	10
CC36563	0.32	0.4	1.43	31	<10	370	0.6	<2	3.00	1.5	11	30	42	2.71	<10
CC36564	0.26	0.5	1.47	29	<10	380	0.6	<2	2.15	1.2	10	36	45	2.70	<10
CC36565	0.26	0.4	1.45	28	<10	310	0.5	3	1.27	0.9	10	37	33	2.78	<10
CC36566	0.32	0.5	1.50	32	<10	400	<0.5	4	3.00	1.5	14	44	38	2.94	<10
CC36567	0.32	0.5	1.61	35	<10	290	0.5	2	2.66	1.2	17	51	38	3.46	10
CC36568	0.14	0.3	1.26	24	<10	290	<0.5	<2	3.49	1.1	10	39	41	2.20	<10
CC36569	0.22	0.3	2.25	23	<10	290	0.5	2	2.83	2.1	18	76	41	3.41	10
CC36570	0.16	0.5	1.63	29	<10	280	0.5	<2	2.28	1.3	13	48	34	2.94	<10
CC36571	0.38	0.3	1.70	30	<10	370	0.6	2	3.73	0.9	14	49	45	3.08	10
CC36572	0.18	<0.2	1.02	33	<10	300	<0.5	<2	2.04	0.7	8	23	25	2.19	<10
CC36573	0.44	0.7	2.75	38	<10	270	<0.5	6	7.72	0.6	19	95	38	3.68	10
CC36574	0.50	0.3	1.66	31	<10	340	0.6	<2	7.20	0.8	12	44	42	2.69	<10
CC36575	0.30	0.5	1.39	28	<10	330	0.5	3	8.50	0.9	9	35	38	2.39	<10
CC36576	0.20	0.4	1.48	18	<10	290	0.5	5	1.95	0.8	16	41	34	2.91	<10
CC36577	0.32	0.5	1.60	27	<10	300	0.6	<2	0.79	1.0	13	36	33	3.29	<10
CC36578	0.36	0.3	1.37	22	<10	400	<0.5	<2	1.85	1.0	14	40	34	2.84	<10
CC36579	0.26	0.5	0.36	10	<10	280	<0.5	<2	18.6	2.0	3	5	9	0.91	<10
CC36580	0.22	0.4	0.63	5	<10	150	<0.5	<2	17.0	0.9	3	7	10	0.73	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36541	<1	0.23	10	3.36	557	2	0.06	68	690	40	0.15	3	6	73	<20
CC36542	<1	0.12	10	1.33	463	1	0.05	52	770	29	0.16	5	3	42	<20
CC36543	<1	0.13	10	2.48	545	2	0.03	29	980	24	0.07	4	3	53	<20
CC36544	<1	0.14	10	2.60	431	2	0.03	29	920	23	0.06	5	3	49	<20
CC36545	<1	0.06	10	1.17	884	1	0.02	29	850	27	0.09	2	3	21	<20
CC36546	<1	0.20	10	1.84	411	1	0.03	46	1160	25	0.13	2	6	32	<20
CC36547	<1	0.10	20	2.65	1420	1	0.02	22	1310	30	0.10	4	3	24	<20
CC36548	<1	0.08	20	1.41	2600	1	0.03	35	560	75	0.08	4	4	18	<20
CC36549	<1	0.09	20	1.16	1640	1	0.02	34	330	63	0.05	4	5	16	<20
CC36550	<1	0.09	10	2.65	612	1	0.03	51	740	23	0.07	4	5	81	<20
CC36551	<1	0.09	10	1.69	591	1	0.04	39	700	22	0.11	7	4	84	<20
CC36552	<1	0.05	10	0.79	459	1	0.03	39	790	31	0.17	2	2	34	<20
CC36553	<1	0.09	10	1.65	766	1	0.04	73	660	25	0.12	4	4	51	<20
CC36554	<1	0.05	10	0.95	651	3	0.03	54	440	19	0.14	<2	6	24	<20
CC36555	<1	0.06	20	1.98	894	1	0.04	87	540	167	0.09	4	6	26	<20
CC36556	<1	0.03	10	0.18	592	<1	0.02	8	1080	7	0.23	3	1	46	<20
CC36557	<1	0.27	10	2.16	689	<1	0.03	81	480	11	0.05	3	4	22	<20
CC36558	<1	0.13	10	2.02	654	1	0.06	75	500	33	0.09	4	6	41	<20
CC36559	<1	0.10	10	2.41	1280	<1	0.05	35	440	22	0.08	3	6	45	<20
CC36560	<1	0.11	10	1.98	855	2	0.02	35	300	40	0.02	4	5	18	<20
CC36561	<1	0.12	10	1.62	752	1	0.03	59	550	28	0.05	3	4	28	<20
CC36562	<1	0.08	10	1.23	544	1	0.03	54	530	22	0.07	5	4	29	<20
CC36563	1	0.13	10	1.53	575	3	0.03	42	950	28	0.06	3	3	37	<20
CC36564	<1	0.10	10	0.92	426	2	0.03	45	850	28	0.10	2	3	32	<20
CC36565	<1	0.13	10	0.80	440	2	0.02	42	800	26	0.07	3	3	27	<20
CC36566	<1	0.15	10	1.45	2260	3	0.03	50	950	32	0.10	4	3	39	<20
CC36567	<1	0.13	10	1.74	521	3	0.03	62	860	49	0.05	5	4	32	<20
CC36568	<1	0.09	10	0.91	418	1	0.03	54	690	22	0.15	3	2	36	<20
CC36569	<1	0.27	10	2.02	724	1	0.03	81	900	62	0.09	4	4	32	<20
CC36570	<1	0.13	10	1.02	609	2	0.03	54	810	29	0.10	5	3	37	<20
CC36571	<1	0.18	10	2.47	648	3	0.03	58	880	35	0.04	6	4	39	<20
CC36572	<1	0.11	10	0.56	466	3	0.02	27	540	20	0.08	4	2	34	<20
CC36573	<1	0.48	10	6.43	569	2	0.03	79	920	29	0.02	6	4	52	<20
CC36574	<1	0.27	10	3.26	538	2	0.03	48	760	31	0.03	4	4	65	<20
CC36575	<1	0.21	10	4.31	590	2	0.03	35	680	26	0.06	5	3	71	<20
CC36576	<1	0.11	10	0.71	1260	2	0.03	42	750	26	0.09	4	3	36	<20
CC36577	<1	0.13	10	0.78	558	3	0.02	44	970	26	0.02	5	4	26	<20
CC36578	<1	0.11	10	0.88	766	2	0.02	45	930	22	0.06	4	3	34	<20
CC36579	<1	0.03	<10	11.85	2040	1	0.02	6	190	98	<0.01	5	1	91	<20
CC36580	<1	0.04	<10	11.35	627	1	0.02	<1	210	46	0.04	6	1	114	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36541		0.13	<10	<10	55	10	201	<10	<4	10
CC36542		0.09	<10	<10	42	<10	156	<10	4	<10
CC36543		0.05	<10	<10	36	<10	144	<10	5	<10
CC36544		0.04	<10	<10	38	<10	119	<10	6	<10
CC36545		0.05	<10	<10	54	<10	194	<10	5	10
CC36546		0.14	<10	<10	92	<10	278	<10	6	<10
CC36547		0.08	<10	<10	70	<10	326	<10	5	10
CC36548		0.06	<10	<10	68	<10	388	<10	5	10
CC36549		0.06	<10	<10	71	10	312	<10	5	10
CC36550		0.08	<10	<10	51	<10	217	<10	4	10
CC36551		0.08	<10	<10	41	10	201	<10	4	10
CC36552		0.07	<10	<10	35	<10	338	<10	4	<10
CC36553		0.11	<10	<10	50	<10	113	<10	<4	<10
CC36554		0.09	<10	<10	59	<10	66	<10	6	<10
CC36555		0.17	<10	<10	76	<10	387	<10	5	10
CC36556		0.02	<10	<10	10	<10	39	<10	4	<10
CC36557		0.28	<10	<10	78	<10	103	<10	5	<10
CC36558		0.18	<10	<10	67	<10	158	<10	5	10
CC36559		0.14	<10	<10	60	10	112	<10	5	10
CC36560		0.10	<10	<10	69	<10	282	<10	6	10
CC36561		0.13	<10	<10	55	<10	184	<10	4	10
CC36562		0.11	<10	<10	49	<10	130	<10	5	10
CC36563		0.04	<10	<10	61	<10	217	<10	7	10
CC36564		0.05	<10	<10	55	<10	198	<10	7	10
CC36565		0.06	<10	<10	55	<10	195	<10	5	10
CC36566		0.07	<10	<10	53	<10	276	<10	6	10
CC36567		0.08	<10	<10	58	<10	322	<10	5	10
CC36568		0.07	<10	<10	40	<10	209	<10	5	<10
CC36569		0.14	<10	<10	65	<10	599	<10	5	10
CC36570		0.08	<10	<10	60	<10	219	<10	6	<10
CC36571		0.08	<10	<10	61	10	210	<10	5	10
CC36572		0.03	<10	<10	50	<10	110	<10	6	<10
CC36573		0.17	<10	<10	77	<10	230	<10	4	10
CC36574		0.09	<10	<10	50	20	205	<10	5	20
CC36575		0.06	<10	<10	46	20	158	<10	4	10
CC36576		0.05	<10	<10	54	<10	131	<10	6	<10
CC36577		0.06	<10	<10	68	<10	167	<10	6	10
CC36578		0.05	<10	<10	52	<10	128	<10	5	10
CC36579		0.01	<10	<10	10	<10	831	<10	4	10
CC36580		0.01	<10	<10	11	<10	363	<10	<4	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36581		0.24	<0.2	0.75	6	<10	230	<0.5	2	17.6	<0.5	3	8	12	0.71	<10
CC36582		0.26	0.2	1.47	7	<10	130	<0.5	<2	16.9	<0.5	6	13	17	1.20	<10
CC36583		0.36	<0.2	1.90	4	<10	110	<0.5	<2	16.1	<0.5	6	19	12	1.11	<10
CC36584		0.24	<0.2	2.28	6	<10	90	<0.5	<2	20.4	<0.5	8	24	25	1.67	10
CC36585		0.26	<0.2	1.90	7	<10	30	0.5	<2	>25.0	<0.5	11	20	38	1.91	<10
CC36586		0.18	<0.2	1.95	51	<10	40	<0.5	9	17.6	<0.5	5	19	40	1.67	<10
CC36587		0.14	<0.2	2.37	7	<10	60	<0.5	<2	16.0	<0.5	5	24	15	1.24	10
CC36588		0.28	<0.2	2.15	6	<10	30	<0.5	<2	17.3	<0.5	4	21	10	1.41	<10
CC36589		0.22	<0.2	2.70	6	<10	40	0.5	<2	18.1	<0.5	6	26	9	1.46	10
CC36590		0.14	0.3	2.48	19	<10	80	0.7	<2	9.29	<0.5	9	31	20	2.33	10
CC36591		0.24	0.3	2.50	14	<10	60	0.6	<2	13.60	<0.5	10	32	21	2.07	10
CC36592		0.14	0.3	2.29	11	<10	60	0.6	<2	13.10	<0.5	7	28	18	2.06	10
CC36593		0.22	0.3	1.76	9	<10	110	0.5	<2	21.6	<0.5	5	18	12	1.55	<10
CC36594		0.16	1.5	3.14	37	<10	120	0.6	<2	12.85	<0.5	86	93	473	6.61	10
CC36595		0.30	0.5	1.18	23	<10	920	0.5	<2	>25.0	0.7	6	17	21	1.41	<10
CC36596		0.22	0.3	2.08	19	<10	130	0.6	<2	20.2	<0.5	6	32	20	1.89	<10
CC36597		0.22	<0.2	1.65	22	<10	180	0.5	<2	12.9	<0.5	13	45	31	3.10	<10
CC36598		0.20	0.2	2.11	42	<10	140	0.5	<2	12.90	<0.5	9	83	32	3.08	<10
CC36599		0.16	0.2	0.87	42	<10	320	<0.5	3	13.4	0.7	11	47	39	3.04	<10
CC36600		0.18	0.3	1.74	35	<10	220	0.6	13	3.88	0.6	13	42	34	3.28	<10
CC36601		0.22	0.5	1.90	26	<10	150	0.6	13	9.17	1.1	11	64	81	3.22	<10
CC36602		0.22	0.3	2.71	26	<10	130	0.5	55	7.79	<0.5	32	85	175	6.81	10
CC36603		0.20	0.7	2.08	23	<10	370	0.5	38	3.16	1.8	27	55	125	5.77	10
CC36604		0.14	0.7	2.54	23	<10	400	0.6	12	4.02	2.3	23	56	69	4.77	<10
CC36605		0.12	0.7	1.29	23	<10	220	0.8	3	3.88	5.9	10	22	21	3.28	<10
CC36606		0.14	0.5	3.08	118	<10	290	0.6	24	1.00	2.4	37	153	115	6.25	10
CC36607		0.18	0.2	2.87	25	<10	360	0.6	5	1.35	0.5	34	95	79	5.50	10
CC36608		0.12	0.4	2.53	25	<10	180	0.6	9	1.71	1.1	24	72	57	5.51	10
CC36609		0.16	0.2	1.81	23	<10	320	<0.5	3	14.2	0.5	18	58	45	3.34	10
CC36610		0.14	0.5	1.58	35	<10	280	0.5	2	1.51	0.5	12	37	31	3.29	<10
CC36611		0.12	0.2	1.40	91	<10	180	0.6	<2	2.04	2.5	10	28	23	2.76	<10
CC36612		0.10	0.2	0.86	33	<10	170	<0.5	2	3.49	3.2	7	16	23	1.84	<10
CC36613		0.10	<0.2	1.21	51	<10	170	0.5	<2	2.66	0.7	9	27	18	3.04	<10
CC36614		0.10	0.3	1.31	94	<10	220	0.5	6	1.93	3.0	9	27	20	3.24	<10
CC36615		0.14	0.4	1.46	33	<10	280	0.5	2	2.67	0.6	11	39	27	2.99	<10
CC36616		0.20	0.3	1.32	14	<10	170	<0.5	5	6.77	0.7	12	40	34	2.75	<10
CC36617		0.26	1.3	0.74	190	<10	90	<0.5	435	6.39	<0.5	25	20	105	27.1	<10
CC36618		0.24	0.3	2.42	30	<10	430	0.5	15	10.25	0.7	26	89	81	4.52	10
CC36619		0.20	0.5	2.39	36	<10	270	0.5	3	9.74	1.5	20	70	62	3.86	10
CC36620		0.18	0.3	2.31	30	<10	360	0.5	6	12.35	0.9	19	71	58	3.61	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36581		<1	0.22	<10	11.25	296	1	0.03	<1	150	16	0.06	6	1	106	<20
CC36582		<1	0.57	<10	10.90	113	1	0.06	8	90	3	<0.01	4	2	120	<20
CC36583		<1	0.35	<10	10.00	171	1	0.03	12	160	3	0.16	5	2	137	<20
CC36584		<1	0.54	<10	6.71	186	1	0.04	18	170	3	<0.01	4	3	248	<20
CC36585		<1	0.37	<10	1.67	190	<1	0.06	20	100	<2	<0.01	2	4	321	<20
CC36586		<1	0.17	<10	9.33	243	3	0.03	5	240	3	<0.01	6	2	186	<20
CC36587		<1	0.25	<10	8.09	292	1	0.03	9	270	3	0.06	5	3	147	<20
CC36588		<1	0.03	<10	7.61	294	<1	0.03	7	240	6	<0.01	4	3	160	<20
CC36589		<1	0.10	<10	6.01	329	<1	0.04	18	230	6	<0.01	6	3	162	<20
CC36590		<1	0.09	10	3.01	504	1	0.04	23	560	12	0.07	3	4	83	<20
CC36591		<1	0.07	10	4.33	344	1	0.04	25	340	19	0.04	5	4	143	<20
CC36592		<1	0.09	10	4.77	408	1	0.05	19	470	16	0.07	6	4	125	<20
CC36593		<1	0.08	10	3.69	298	<1	0.04	13	260	18	<0.01	6	3	244	<20
CC36594		<1	1.38	10	2.93	920	1	0.03	524	610	42	0.10	4	10	208	<20
CC36595		<1	0.07	<10	0.92	541	1	0.03	22	340	81	<0.01	7	2	204	<20
CC36596		1	0.07	10	2.25	360	1	0.02	19	310	26	<0.01	5	4	103	<20
CC36597		<1	0.08	10	1.53	427	2	0.02	49	610	33	0.06	6	4	85	<20
CC36598		<1	0.07	10	2.51	905	2	0.02	44	610	27	0.09	5	4	84	<20
CC36599		<1	0.24	10	8.26	614	1	0.02	34	420	65	0.12	8	5	48	<20
CC36600		<1	0.12	10	2.44	726	1	0.03	37	650	26	0.09	3	3	36	<20
CC36601		<1	0.11	10	7.33	1270	2	0.02	33	680	75	0.12	9	4	25	<20
CC36602		<1	0.87	10	7.40	814	1	0.03	106	520	30	0.44	5	8	28	<20
CC36603		<1	0.13	10	3.46	1270	2	0.02	80	870	134	0.17	6	5	24	<20
CC36604		<1	0.10	10	4.81	2240	3	0.03	69	820	205	0.13	8	5	24	<20
CC36605		<1	0.08	10	1.97	3800	4	0.02	20	1170	410	0.17	4	2	22	<20
CC36606		<1	0.54	10	2.33	1010	1	0.02	168	1140	55	0.11	2	8	21	<20
CC36607		<1	0.27	10	2.41	624	5	0.03	115	1380	20	0.17	6	5	39	<20
CC36608		<1	0.09	10	2.41	691	2	0.02	83	900	40	0.12	4	4	28	<20
CC36609		<1	0.24	10	3.55	558	1	0.03	61	530	39	0.08	3	5	150	<20
CC36610		<1	0.12	10	1.21	696	2	0.02	39	640	39	0.05	5	4	22	<20
CC36611		<1	0.09	10	1.18	1570	3	0.02	30	1180	40	0.13	4	2	17	<20
CC36612		<1	0.06	20	0.33	958	1	0.02	25	1360	12	0.23	2	1	24	<20
CC36613		<1	0.08	10	0.81	1140	2	0.02	30	890	21	0.12	5	2	23	<20
CC36614		<1	0.09	10	0.78	1410	2	0.02	25	1290	42	0.15	3	2	16	<20
CC36615		<1	0.08	10	1.38	780	2	0.02	35	700	33	0.08	4	3	23	<20
CC36616		<1	0.16	10	2.55	438	1	0.03	41	840	23	0.06	4	4	57	<20
CC36617		<1	0.12	<10	3.85	806	2	0.02	84	320	12	0.17	7	3	29	<20
CC36618		<1	0.29	10	2.91	864	1	0.03	90	650	55	0.09	7	6	111	<20
CC36619		1	0.35	10	5.09	885	1	0.03	69	590	111	0.08	3	6	80	<20
CC36620		<1	0.36	10	4.86	736	1	0.03	66	560	81	0.09	7	6	112	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC36581		0.02	<10	<10	11	<10	152	<10	4	10
CC36582		0.04	<10	<10	15	<10	211	<10	5	<10
CC36583		0.05	<10	<10	23	<10	31	<10	4	<10
CC36584		0.07	<10	<10	26	<10	30	<10	<4	<10
CC36585		0.04	<10	<10	19	<10	11	<10	<4	<10
CC36586		0.05	<10	<10	24	<10	57	<10	4	<10
CC36587		0.08	<10	<10	30	<10	49	<10	4	<10
CC36588		0.08	<10	<10	28	<10	35	<10	<4	<10
CC36589		0.09	<10	<10	33	<10	49	<10	4	<10
CC36590		0.07	<10	<10	45	<10	98	<10	4	<10
CC36591		0.07	<10	<10	46	<10	103	<10	4	<10
CC36592		0.07	<10	<10	40	<10	127	<10	4	<10
CC36593		0.05	<10	<10	24	<10	114	<10	4	<10
CC36594		0.23	<10	<10	74	<10	231	<10	<4	10
CC36595		0.02	<10	<10	19	10	499	<10	<4	10
CC36596		0.06	<10	<10	32	<10	273	<10	<4	<10
CC36597		0.04	<10	<10	35	<10	333	<10	4	10
CC36598		0.05	<10	<10	40	<10	203	<10	4	10
CC36599		0.03	<10	<10	25	10	480	<10	4	10
CC36600		0.08	<10	<10	45	20	177	<10	5	30
CC36601		0.05	<10	<10	36	<10	495	<10	6	10
CC36602		0.09	<10	<10	60	20	171	<10	5	20
CC36603		0.06	<10	<10	53	<10	646	<10	8	20
CC36604		0.07	<10	<10	58	<10	832	<10	6	10
CC36605		0.02	<10	<10	39	<10	1510	<10	5	10
CC36606		0.23	<10	<10	72	<10	1030	<10	5	20
CC36607		0.07	<10	<10	98	<10	223	<10	6	10
CC36608		0.06	<10	<10	68	<10	382	<10	7	10
CC36609		0.11	<10	<10	38	<10	377	<10	4	10
CC36610		0.06	<10	<10	50	<10	194	<10	5	10
CC36611		0.03	<10	<10	48	<10	376	<10	5	10
CC36612		0.02	<10	<10	16	<10	210	<10	5	<10
CC36613		0.03	<10	<10	34	<10	158	<10	5	<10
CC36614		0.03	<10	<10	36	<10	501	<10	5	10
CC36615		0.06	<10	<10	47	<10	234	<10	5	10
CC36616		0.08	<10	<10	41	<10	159	<10	4	10
CC36617		0.04	10	<10	25	80	98	<10	<4	100
CC36618		0.14	<10	<10	64	10	333	<10	4	10
CC36619		0.13	<10	<10	51	<10	644	<10	4	10
CC36620		0.13	<10	<10	48	<10	521	<10	4	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36621		0.22	0.6	2.12	48	<10	260	0.7	9	10.35	1.0	18	72	71	3.55	10
CC36622		0.20	0.4	1.72	18	<10	220	<0.5	<2	7.11	1.9	10	56	26	3.10	<10
CC36623		0.26	0.3	2.07	16	<10	200	<0.5	<2	12.00	<0.5	13	72	28	3.48	<10
CC36624		0.18	1.7	3.80	151	<10	190	1.0	7	3.28	2.9	41	122	162	5.10	10
CC36625		0.16	0.4	2.52	26	<10	150	0.6	<2	2.28	1.2	19	79	45	3.70	10
CC36626		0.22	2.6	3.14	264	<10	240	0.8	17	11.40	4.1	49	96	241	5.37	10
CC36627		0.26	<0.2	2.06	19	<10	110	0.8	<2	14.4	1.1	10	34	25	2.45	<10
CC36628		0.24	0.5	3.06	5	<10	110	0.7	<2	15.50	<0.5	8	32	19	2.22	10
CC36629		0.18	1.4	3.64	53	<10	220	0.7	35	5.37	0.9	34	89	152	5.04	10
CC36630		0.18	0.4	2.93	25	<10	160	0.7	2	10.90	<0.5	16	61	40	3.04	10
CC36631		0.16	<0.2	2.44	9	<10	70	0.6	<2	12.95	<0.5	9	28	17	2.14	10
CC36632		0.18	0.4	1.90	8	<10	60	0.5	<2	17.4	0.5	7	23	19	1.78	10
CC36633		0.20	<0.2	2.83	13	<10	70	0.9	<2	12.20	<0.5	9	30	20	2.22	10
CC36634		0.26	<0.2	2.52	12	<10	100	0.7	<2	6.46	<0.5	10	34	23	2.61	10
CC36635		0.28	0.4	2.71	14	<10	90	0.7	<2	9.74	<0.5	8	33	22	2.19	10
CC36636		0.22	<0.2	3.54	43	<10	60	0.7	2	14.20	<0.5	11	34	33	2.64	10
CC36637		0.26	<0.2	2.74	6	<10	270	0.6	<2	20.9	<0.5	6	31	14	1.54	10
CC36638		0.30	<0.2	1.82	2	<10	120	<0.5	<2	21.8	<0.5	5	18	12	1.11	<10
CC36639		0.28	<0.2	0.99	11	<10	80	<0.5	<2	18.1	<0.5	4	8	9	0.70	<10
CC36640		0.30	0.4	0.79	15	<10	230	<0.5	2	17.3	0.6	4	10	10	0.90	<10
CC36641		0.22	0.4	0.62	7	<10	140	<0.5	4	18.3	0.8	3	7	9	0.65	<10
CC36642		0.24	0.4	0.54	10	<10	150	<0.5	<2	18.9	1.1	3	6	9	0.63	<10
CC36643		0.18	0.3	0.29	8	<10	350	<0.5	<2	19.4	2.6	3	4	6	0.96	<10
CC36644		0.26	1.1	0.66	13	<10	2300	<0.5	<2	16.5	8.7	5	9	12	1.37	<10
CC36645		0.26	0.5	0.53	11	<10	230	<0.5	<2	17.8	0.7	3	7	11	1.05	<10
CC36646		0.28	0.9	0.81	33	<10	550	<0.5	<2	15.2	1.0	5	11	23	1.54	<10
CC36647		0.18	1.0	2.02	11	<10	150	0.5	2	12.10	<0.5	5	22	13	1.56	<10
CC36648		0.32	<0.2	2.37	15	<10	130	0.6	<2	16.5	<0.5	8	27	23	1.76	10
CC36649		0.28	0.6	2.17	10	<10	160	0.6	3	16.2	<0.5	8	27	28	1.40	<10
CC36650		0.28	0.3	2.72	23	<10	80	0.6	9	17.6	<0.5	10	29	29	1.76	10
CC36651		0.20	0.4	3.07	18	<10	180	0.9	2	2.44	0.9	10	43	26	3.30	10
CC36652		0.32	0.2	2.66	14	<10	160	0.8	<2	10.25	0.8	9	32	16	2.16	10
CC36653		0.14	<0.2	1.85	10	<10	100	0.5	<2	19.2	<0.5	7	27	15	1.70	<10
CC36654		0.30	<0.2	1.03	6	<10	60	<0.5	<2	22.8	<0.5	8	16	17	1.82	<10
CC36655		0.30	<0.2	1.49	10	<10	80	<0.5	<2	19.0	<0.5	10	36	23	2.28	<10
CC36656		0.38	<0.2	1.57	17	<10	110	<0.5	<2	18.2	0.8	11	42	29	2.79	<10
CC36657		0.22	0.2	3.54	19	<10	210	0.6	<2	2.61	0.5	26	139	52	5.13	10
CC36658		0.36	0.6	0.91	19	<10	2960	<0.5	<2	24.2	5.9	6	17	26	1.61	<10
CC36659		0.28	<0.2	0.48	4	<10	1770	<0.5	<2	>25.0	<0.5	4	9	10	1.04	<10
CC36660		0.26	0.3	2.13	20	<10	340	0.8	2	1.05	0.8	18	42	29	3.69	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36621		<1	0.36	10	7.13	922	1	0.03	62	550	94	0.08	10	6	43	<20
CC36622		<1	0.10	10	2.57	713	1	0.02	44	720	73	0.10	5	4	62	<20
CC36623		<1	0.11	10	2.01	427	1	0.02	52	410	7	0.04	7	5	182	<20
CC36624		<1	0.78	10	3.20	922	1	0.02	139	710	55	0.07	5	9	43	<20
CC36625		<1	0.19	10	1.88	812	1	0.03	69	810	18	0.14	3	5	32	<20
CC36626		1	1.07	10	2.72	1330	1	0.03	148	790	57	0.07	17	9	117	<20
CC36627		<1	0.08	10	1.21	758	1	0.03	26	740	46	0.10	5	3	117	<20
CC36628		<1	0.12	10	2.72	1060	1	0.06	22	440	13	0.11	6	5	250	<20
CC36629		<1	0.76	10	3.04	1510	1	0.04	116	800	86	0.08	6	10	80	<20
CC36630		<1	0.40	10	2.30	1310	<1	0.03	52	580	40	0.11	5	5	162	<20
CC36631		<1	0.08	10	4.20	407	1	0.04	18	410	15	0.06	4	4	147	<20
CC36632		1	0.06	10	4.67	389	1	<0.01	15	360	19	<0.01	2	3	165	<20
CC36633		2	0.06	10	2.55	509	<1	0.02	21	500	13	0.04	2	4	120	<20
CC36634		2	0.08	10	3.33	578	1	<0.01	28	580	11	0.04	3	4	68	<20
CC36635		1	0.06	10	4.54	488	<1	<0.01	22	520	11	0.04	5	4	101	<20
CC36636		2	0.04	<10	5.50	302	<1	<0.01	18	240	6	0.06	<2	5	123	<20
CC36637		1	0.56	<10	4.85	338	<1	<0.01	12	220	<2	<0.01	4	4	211	<20
CC36638		<1	0.38	<10	7.33	196	<1	0.01	11	210	8	<0.01	2	2	262	<20
CC36639		1	0.26	<10	10.30	141	<1	0.01	4	100	5	<0.01	2	1	129	<20
CC36640		<1	0.11	<10	11.25	466	1	<0.01	10	190	25	<0.01	2	1	101	<20
CC36641		1	0.03	<10	11.65	664	1	<0.01	<1	240	35	<0.01	3	1	134	<20
CC36642		2	0.06	<10	11.75	683	<1	<0.01	3	190	39	<0.01	4	1	126	<20
CC36643		<1	0.03	<10	11.65	2590	1	<0.01	3	260	71	<0.01	3	1	98	<20
CC36644		2	0.05	<10	10.45	1770	1	<0.01	12	340	74	<0.01	5	1	90	<20
CC36645		<1	0.03	10	10.95	1355	1	<0.01	11	340	36	<0.01	2	1	105	<20
CC36646		1	0.05	10	9.31	980	2	<0.01	17	440	80	0.03	10	1	88	<20
CC36647		2	0.13	10	8.57	455	1	0.02	11	530	8	0.11	7	3	92	<20
CC36648		2	0.28	10	7.82	429	<1	0.01	19	310	34	<0.01	5	4	160	<20
CC36649		1	0.25	<10	8.36	362	<1	<0.01	17	230	40	<0.01	5	3	128	<20
CC36650		<1	0.62	<10	6.71	324	<1	0.01	17	240	23	<0.01	3	5	148	<20
CC36651		<1	0.10	20	2.13	953	1	0.01	27	1050	39	0.11	3	3	43	<20
CC36652		<1	0.08	10	6.17	600	1	0.02	18	560	27	0.06	4	4	105	<20
CC36653		1	0.07	10	3.18	332	<1	0.02	16	420	21	<0.01	4	3	166	<20
CC36654		<1	0.19	10	3.02	286	<1	<0.01	23	240	12	<0.01	4	3	263	<20
CC36655		1	0.18	10	3.17	326	<1	<0.01	33	380	15	<0.01	2	3	208	<20
CC36656		1	0.21	10	2.03	387	<1	<0.01	41	430	16	<0.01	4	3	226	<20
CC36657		1	0.14	10	3.35	822	<1	0.01	101	700	26	0.04	3	9	33	<20
CC36658		2	0.06	10	0.88	1325	<1	<0.01	25	620	620	<0.01	11	1	148	<20
CC36659		1	0.10	<10	3.89	250	2	<0.01	11	270	60	<0.01	5	1	177	<20
CC36660		1	0.10	20	0.73	837	3	<0.01	62	1150	28	0.06	3	2	19	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC36621		0.10	<10	<10	43	<10	724	<10	5	10
CC36622		0.06	<10	<10	30	<10	720	<10	4	10
CC36623		0.09	<10	<10	33	<10	118	<10	<4	<10
CC36624		0.26	<10	<10	79	<10	1090	<10	6	20
CC36625		0.13	<10	<10	56	<10	235	<10	5	<10
CC36626		0.24	10	<10	64	10	1200	<10	5	30
CC36627		0.04	<10	<10	40	<10	360	<10	4	10
CC36628		0.09	<10	<10	37	<10	142	<10	<4	<10
CC36629		0.20	<10	<10	67	10	516	<10	5	20
CC36630		0.14	<10	<10	53	<10	201	<10	<4	10
CC36631		0.07	<10	<10	40	<10	99	<10	4	<10
CC36632		0.05	<10	<10	35	<10	104	<10	4	<10
CC36633		0.07	<10	<10	42	<10	86	<10	4	<10
CC36634		0.08	<10	<10	50	<10	102	<10	5	<10
CC36635		0.08	<10	<10	45	10	91	<10	5	<10
CC36636		0.14	<10	<10	44	10	60	<10	<4	<10
CC36637		0.11	<10	<10	30	<10	32	<10	<4	<10
CC36638		0.05	<10	<10	20	<10	54	<10	<4	<10
CC36639		0.02	<10	<10	10	<10	20	<10	4	<10
CC36640		0.02	<10	<10	12	<10	247	<10	4	<10
CC36641		0.01	<10	<10	11	<10	307	<10	4	<10
CC36642		0.01	<10	<10	9	10	342	<10	<4	10
CC36643		<0.01	<10	<10	8	<10	805	<10	<4	10
CC36644		0.02	<10	<10	15	<10	1610	<10	4	10
CC36645		0.01	<10	<10	12	10	311	<10	4	10
CC36646		0.01	<10	<10	19	<10	772	<10	4	10
CC36647		0.04	<10	<10	29	<10	81	<10	4	<10
CC36648		0.07	<10	<10	33	<10	306	<10	4	10
CC36649		0.06	<10	<10	32	10	316	<10	4	10
CC36650		0.09	<10	<10	35	<10	99	<10	<4	<10
CC36651		0.06	<10	<10	76	<10	341	<10	6	10
CC36652		0.05	<10	<10	43	<10	246	<10	4	<10
CC36653		0.05	<10	<10	34	<10	207	<10	<4	<10
CC36654		0.05	<10	<10	13	<10	65	<10	<4	<10
CC36655		0.07	<10	<10	26	<10	121	<10	4	<10
CC36656		0.08	<10	<10	28	<10	272	<10	<4	<10
CC36657		0.17	<10	<10	82	<10	281	<10	4	10
CC36658		0.03	<10	<10	26	10	2470	<10	<4	30
CC36659		0.02	<10	<10	10	<10	232	<10	<4	<10
CC36660		0.03	<10	<10	70	<10	198	<10	6	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36661		0.30	0.7	1.54	29	<10	420	<0.5	2	4.61	1.5	30	60	56	6.32	<10
CC36662		0.28	0.4	3.26	25	<10	210	0.9	3	1.09	0.8	19	76	26	4.37	10
CC36663		0.26	0.3	2.18	7	<10	120	0.5	<2	13.05	<0.5	12	49	26	2.95	10
CC36664		0.16	0.4	2.57	17	<10	750	0.7	2	1.93	2.5	19	78	31	3.98	10
CC36665		0.26	0.3	3.29	17	<10	430	0.6	<2	4.14	1.1	24	110	39	4.77	10
CC36666		0.26	0.3	3.20	20	<10	120	0.6	2	12.30	<0.5	27	106	61	4.66	10
CC36667		0.26	0.3	1.85	17	<10	90	0.6	<2	18.1	<0.5	8	24	19	1.78	<10
CC36668		0.26	0.3	3.08	16	<10	160	1.3	<2	4.58	0.5	13	66	19	2.71	10
CC36669		0.20	<0.2	2.18	12	<10	90	0.6	<2	6.13	0.5	9	29	21	2.37	10
CC36670		0.34	<0.2	1.71	13	<10	100	0.5	<2	14.5	<0.5	7	22	22	1.77	<10
CC36671		0.22	<0.2	2.88	10	<10	80	0.8	2	5.64	<0.5	9	35	25	2.42	10
CC36672		0.26	<0.2	1.85	4	<10	100	0.5	<2	22.8	<0.5	6	19	11	1.30	<10
CC36673		0.28	<0.2	0.97	3	<10	90	<0.5	2	16.4	<0.5	3	11	10	0.79	<10
CC36674		0.30	0.8	0.40	9	<10	270	<0.5	6	17.6	1.9	2	6	10	0.96	<10
CC36675		0.22	0.3	0.71	7	<10	130	<0.5	<2	16.0	0.5	2	9	8	0.79	<10
CC36676		0.10	<0.2	2.02	25	<10	220	0.7	<2	3.60	1.4	13	48	16	3.36	<10
CC36677		0.16	0.3	1.63	23	<10	230	0.6	2	2.48	0.9	10	36	29	2.84	<10
CC36678		0.28	0.3	3.64	13	<10	330	0.8	3	1.26	0.6	34	161	27	6.28	10
CC36679		0.24	0.3	1.71	18	<10	310	0.5	5	9.10	0.7	23	56	50	4.28	<10
CC36680		0.22	0.2	1.79	16	<10	440	0.5	6	12.25	1.7	10	48	24	2.70	<10
CC36681		0.26	0.3	2.53	25	<10	300	0.6	10	3.90	0.9	17	66	41	4.00	10
CC36682		0.14	0.4	3.03	47	<10	190	0.6	2	6.20	1.3	28	109	69	4.55	10
CC36683		0.24	<0.2	2.26	5	<10	90	0.6	<2	14.1	<0.5	12	40	33	2.54	10
CC36684		0.26	<0.2	2.21	9	<10	90	0.8	<2	15.1	<0.5	8	28	20	2.19	10
CC36685		0.30	<0.2	2.03	8	<10	90	0.6	<2	8.27	<0.5	9	28	19	2.10	10
CC36686		0.38	<0.2	1.38	8	<10	70	<0.5	<2	15.7	<0.5	5	18	15	1.45	<10
CC36687		0.24	0.2	2.72	15	<10	120	0.8	3	5.94	0.5	9	35	28	2.49	10
CC36688		0.36	<0.2	1.75	8	<10	60	<0.5	<2	21.7	<0.5	10	22	28	1.95	<10
CC36689		0.30	<0.2	1.70	5	<10	140	<0.5	<2	17.7	<0.5	5	19	18	1.10	<10
CC36690		0.34	0.7	0.70	10	<10	130	<0.5	3	16.8	0.9	3	11	14	0.86	<10
CC36691		0.28	0.4	0.62	6	<10	210	<0.5	<2	17.4	1.4	2	8	9	0.83	<10
CC36701		0.14	<0.2	2.43	8	<10	50	0.6	<2	18.5	<0.5	11	40	24	2.25	10
CC36702		0.14	<0.2	1.68	8	<10	40	0.5	<2	20.2	<0.5	6	20	13	1.44	<10
CC36703		0.26	<0.2	1.34	3	<10	30	<0.5	<2	24.5	<0.5	5	15	18	0.94	<10
CC36704		0.22	<0.2	2.47	19	<10	40	0.7	<2	20.0	<0.5	9	25	19	2.13	10
CC36705		0.24	<0.2	1.28	4	<10	30	<0.5	<2	23.5	<0.5	4	13	13	0.95	<10
CC36706		0.16	<0.2	1.52	4	<10	30	<0.5	2	21.8	<0.5	3	16	11	0.91	<10
CC36707		0.18	<0.2	2.29	3	<10	50	<0.5	<2	24.2	<0.5	4	21	12	1.23	10
CC36708		0.20	<0.2	1.68	9	<10	40	0.5	<2	19.4	<0.5	4	21	12	1.04	<10
CC36709		0.22	<0.2	2.01	23	<10	60	<0.5	3	18.6	<0.5	6	20	18	1.36	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36661		1	0.18	20	1.97	477	6	<0.01	126	1750	67	0.09	4	4	60	<20
CC36662		1	0.11	10	2.49	903	1	<0.01	72	770	32	0.05	<2	5	23	<20
CC36663		<1	0.15	10	3.42	538	<1	0.01	46	640	15	0.04	2	4	133	<20
CC36664		1	0.12	10	1.81	1065	1	<0.01	67	760	45	0.08	2	4	24	<20
CC36665		2	0.27	10	2.99	923	1	0.01	88	630	43	0.04	<2	6	54	<20
CC36666		2	0.53	10	2.99	714	1	<0.01	100	640	33	0.04	3	9	185	<20
CC36667		<1	0.09	10	4.51	365	<1	<0.01	16	350	33	<0.01	3	4	150	<20
CC36668		<1	0.13	20	2.52	632	<1	0.03	107	350	18	0.06	4	10	28	<20
CC36669		<1	0.07	10	2.80	487	1	0.06	23	660	12	0.09	3	3	73	<20
CC36670		<1	0.07	10	4.07	340	1	0.04	19	460	10	0.04	3	3	141	<20
CC36671		<1	0.06	10	4.84	511	<1	0.04	22	570	9	0.07	2	4	65	<20
CC36672		<1	0.32	<10	5.34	172	<1	0.05	14	210	2	<0.01	<2	3	265	<20
CC36673		<1	0.24	<10	10.80	220	1	0.04	6	150	6	<0.01	3	2	114	<20
CC36674		<1	0.04	<10	11.20	1440	1	0.03	4	200	50	<0.01	2	1	134	<20
CC36675		1	0.07	<10	10.50	628	1	0.03	8	310	10	0.05	4	1	82	<20
CC36676		1	0.11	10	2.88	1470	2	0.03	44	710	20	0.08	3	3	24	<20
CC36677		1	0.09	10	1.35	815	2	0.04	36	710	25	0.08	2	3	27	<20
CC36678		1	0.30	10	2.83	1040	<1	0.06	150	1040	30	0.06	2	11	26	<20
CC36679		<1	0.12	10	6.75	640	<1	0.03	82	510	39	0.15	<2	6	48	<20
CC36680		<1	0.11	10	5.08	582	1	0.04	41	380	59	0.07	<2	4	124	<20
CC36681		1	0.13	10	1.99	774	1	0.04	60	530	27	0.08	2	5	46	<20
CC36682		<1	0.65	10	2.39	751	<1	0.04	109	650	22	0.12	3	8	93	<20
CC36683		<1	0.19	10	2.23	518	<1	0.04	34	440	13	0.07	2	4	169	<20
CC36684		<1	0.12	10	3.58	492	<1	0.04	26	370	19	0.05	<2	4	155	<20
CC36685		1	0.08	10	2.77	410	<1	0.04	20	460	15	0.05	<2	3	87	<20
CC36686		<1	0.06	10	3.37	254	1	0.05	14	290	6	0.04	<2	3	153	<20
CC36687		1	0.08	10	4.59	557	<1	0.04	27	600	16	0.06	3	5	68	<20
CC36688		<1	0.28	<10	5.82	150	2	0.04	35	190	3	<0.01	3	2	256	<20
CC36689		<1	0.51	<10	9.22	175	<1	0.04	10	160	6	<0.01	<2	2	160	<20
CC36690		<1	0.06	<10	11.05	784	1	0.03	7	280	42	<0.01	2	2	111	<20
CC36691		<1	0.06	<10	11.40	986	1	0.03	5	200	40	<0.01	2	1	108	<20
CC36701		<1	0.36	<10	4.16	363	<1	0.05	38	300	15	<0.01	<2	5	212	<20
CC36702		1	0.14	<10	5.43	278	<1	0.05	13	230	14	<0.01	2	3	207	<20
CC36703		1	0.20	<10	3.22	156	<1	0.04	11	220	4	<0.01	<2	2	217	<20
CC36704		<1	0.18	<10	3.25	275	<1	0.05	20	220	7	<0.01	<2	4	214	<20
CC36705		1	0.11	<10	5.48	273	<1	0.04	8	180	3	<0.01	<2	2	228	<20
CC36706		<1	0.14	<10	6.39	228	<1	0.04	9	190	4	<0.01	2	2	212	<20
CC36707		<1	0.33	<10	4.39	170	<1	0.05	13	180	4	<0.01	2	3	210	<20
CC36708		<1	0.03	<10	4.67	238	<1	0.04	10	900	6	<0.01	2	1	202	<20
CC36709		1	0.17	<10	6.55	204	1	0.04	13	310	5	<0.01	3	2	199	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC36661		0.04	<10	<10	53	<10	410	<10	6	<10
CC36662		0.11	<10	<10	77	<10	399	<10	5	10
CC36663		0.08	<10	<10	38	<10	172	<10	4	<10
CC36664		0.11	<10	<10	60	<10	639	<10	4	10
CC36665		0.21	<10	<10	72	<10	498	<10	4	10
CC36666		0.21	<10	<10	69	<10	207	<10	4	<10
CC36667		0.05	<10	<10	34	<10	269	<10	4	<10
CC36668		0.07	<10	<10	71	<10	843	<10	6	10
CC36669		0.05	<10	<10	46	<10	121	<10	5	<10
CC36670		0.05	<10	<10	36	<10	79	<10	4	<10
CC36671		0.08	<10	<10	47	<10	69	<10	4	<10
CC36672		0.05	<10	<10	22	<10	25	<10	4	<10
CC36673		0.02	<10	<10	15	<10	41	<10	<4	<10
CC36674		0.01	<10	<10	9	10	403	<10	<4	10
CC36675		0.02	<10	<10	14	<10	196	<10	4	<10
CC36676		0.05	<10	<10	50	<10	291	<10	6	10
CC36677		0.04	<10	<10	61	<10	178	<10	5	10
CC36678		0.22	<10	<10	95	<10	234	<10	6	10
CC36679		0.05	<10	<10	40	<10	378	<10	4	10
CC36680		0.07	<10	<10	33	<10	496	<10	4	10
CC36681		0.10	<10	<10	54	<10	219	<10	5	10
CC36682		0.19	<10	<10	63	<10	310	<10	4	10
CC36683		0.09	<10	<10	40	<10	107	<10	4	<10
CC36684		0.06	<10	<10	36	<10	133	<10	4	<10
CC36685		0.06	<10	<10	41	<10	75	<10	4	<10
CC36686		0.05	<10	<10	31	<10	49	<10	4	<10
CC36687		0.07	<10	<10	49	<10	125	<10	4	<10
CC36688		0.05	<10	<10	27	<10	52	<10	<4	<10
CC36689		0.05	<10	<10	22	<10	45	<10	5	<10
CC36690		0.02	<10	<10	13	<10	318	<10	4	10
CC36691		0.01	<10	<10	12	<10	405	<10	4	10
CC36701		0.10	<10	<10	40	<10	92	<10	<4	<10
CC36702		0.05	<10	<10	28	<10	68	<10	<4	<10
CC36703		0.05	<10	<10	22	<10	35	<10	<4	<10
CC36704		0.07	<10	<10	32	<10	45	<10	<4	<10
CC36705		0.04	<10	<10	19	<10	31	<10	<4	<10
CC36706		0.05	<10	<10	23	<10	31	<10	<4	<10
CC36707		0.08	<10	<10	26	<10	27	<10	<4	<10
CC36708		0.03	<10	<10	29	10	53	<10	4	<10
CC36709		0.06	<10	<10	28	<10	41	<10	4	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC36710	0.28	<0.2	1.88	2	<10	80	0.5	<2	20.8	<0.5	6	23	10	1.08	<10
CC36711	0.06	0.5	2.18	11	<10	190	0.6	4	1.98	0.8	15	66	41	3.10	10
CC36712	0.28	<0.2	2.05	4	<10	120	0.5	<2	21.2	<0.5	5	18	12	1.14	<10
CC36713	0.26	<0.2	1.20	5	<10	120	<0.5	<2	17.7	<0.5	4	12	9	0.69	<10
CC36714	0.26	0.8	0.51	14	<10	310	0.5	2	16.8	2.0	4	9	22	1.01	<10
CC36715	0.12	<0.2	0.91	<2	<10	100	<0.5	<2	17.5	<0.5	3	9	11	0.62	<10
CC36716	0.14	0.3	2.50	14	<10	200	0.8	7	1.57	0.8	20	75	32	3.47	10
CC36717	0.12	0.3	2.31	14	<10	200	0.9	6	1.67	0.5	18	62	88	3.36	10
CC36718	0.10	<0.2	1.54	4	10	150	0.8	2	3.30	0.9	11	43	54	2.08	<10
CC36719	0.14	0.3	2.37	15	<10	190	0.9	8	1.65	1.0	17	64	62	3.54	10
CC36720	0.32	0.4	2.66	15	<10	200	0.9	8	1.30	<0.5	19	79	59	3.80	10
CC36721	0.26	0.2	2.76	15	<10	190	1.0	3	1.49	0.8	15	54	19	4.18	10
CC36722	0.12	0.6	4.51	62	<10	130	0.8	93	3.95	0.5	20	52	33	5.59	10
CC36723	0.16	0.3	2.54	7	<10	210	0.6	345	1.72	<0.5	22	96	120	6.90	10
CC36724	0.16	<0.2	1.38	10	<10	50	<0.5	15	>25.0	<0.5	3	12	6	0.92	<10
CC36725	0.20	0.2	2.55	11	<10	230	0.7	9	1.70	<0.5	16	73	23	3.29	10
CC36726	0.14	<0.2	2.57	15	<10	210	0.7	11	1.88	1.0	18	79	26	3.37	10
CC36727	0.18	0.2	2.35	12	<10	220	0.6	6	1.29	<0.5	20	81	39	4.00	10
CC36728	0.14	0.3	2.83	16	<10	250	0.9	5	1.25	<0.5	17	81	23	3.72	10
CC36729	0.22	<0.2	3.87	20	<10	170	1.0	7	0.65	<0.5	25	130	20	4.84	10
CC36730	0.24	<0.2	1.02	3	<10	20	<0.5	<2	>25.0	<0.5	5	26	10	1.34	<10
CC36731	0.24	<0.2	1.28	10	<10	30	<0.5	<2	24.0	<0.5	11	46	20	2.12	<10
CC36732	0.18	<0.2	1.77	9	<10	50	0.5	<2	17.1	<0.5	7	38	14	1.79	<10
CC36733	0.10	<0.2	0.26	<2	10	40	<0.5	<2	4.96	0.6	2	5	9	0.41	<10
CC36734	0.24	0.2	2.18	8	<10	120	0.7	2	8.14	<0.5	10	47	16	2.43	10
CC36735	0.14	0.2	2.19	13	<10	160	0.6	4	2.25	0.6	14	66	21	3.06	10
CC36736	0.26	0.2	2.00	14	<10	110	0.5	12	8.16	<0.5	12	65	35	2.73	10
CC36737	0.12	<0.2	1.57	10	<10	130	<0.5	8	12.45	0.6	10	39	30	2.15	<10
CC36738	0.08	<0.2	0.81	7	10	90	<0.5	<2	4.71	1.8	6	25	16	1.36	<10
CC36739	0.20	<0.2	0.88	42	<10	110	<0.5	<2	24.1	<0.5	5	17	15	1.33	<10
CC36740	0.14	0.2	1.51	24	<10	160	0.6	6	9.13	0.6	9	31	23	2.39	<10
CC36741	0.16	0.3	0.74	34	<10	70	<0.5	2	>25.0	<0.5	4	10	10	0.99	<10
CC36742	0.18	<0.2	1.06	6	<10	90	<0.5	<2	20.5	<0.5	4	17	12	1.18	<10
CC36743	0.18	0.3	2.47	21	<10	200	0.8	7	1.96	1.0	14	57	29	3.68	10
CC36744	0.10	0.2	1.91	12	<10	190	0.6	4	2.58	1.3	17	51	24	3.32	10
CC36745	0.24	0.3	2.33	21	<10	240	0.9	2	3.47	0.5	9	34	13	3.51	10
CC36746	0.12	0.3	2.30	16	<10	290	1.1	3	1.20	1.9	9	37	15	3.98	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC36710		1	0.38	<10	7.38	187	<1	0.04	14	150	4	<0.01	3	3	226	<20
CC36711		<1	0.13	10	1.80	633	<1	0.06	57	640	26	0.08	<2	4	34	<20
CC36712		<1	0.48	<10	8.39	223	<1	0.07	10	190	2	<0.01	<2	2	241	<20
CC36713		<1	0.38	<10	10.05	153	<1	0.04	7	130	5	<0.01	4	2	133	<20
CC36714		<1	0.07	<10	10.25	1260	<1	0.02	12	170	156	<0.01	6	1	84	<20
CC36715		<1	0.40	<10	10.70	148	<1	0.03	6	110	6	<0.01	<2	1	113	<20
CC36716		1	0.11	10	1.70	735	<1	0.03	61	570	23	0.08	3	4	30	<20
CC36717		<1	0.14	10	1.33	776	<1	0.04	66	640	26	0.09	2	5	35	<20
CC36718		<1	0.08	10	0.90	597	<1	0.03	38	960	13	0.15	2	2	45	<20
CC36719		1	0.13	10	1.28	1520	<1	0.03	61	740	31	0.08	2	4	29	<20
CC36720		<1	0.12	10	1.60	869	<1	0.03	60	840	27	0.07	2	5	29	<20
CC36721		<1	0.12	20	1.49	837	<1	0.02	44	380	20	0.04	<2	7	30	<20
CC36722		<1	0.12	10	5.02	533	2	0.02	42	460	236	0.14	<2	5	48	<20
CC36723		<1	0.58	10	1.96	618	<1	0.04	73	740	17	0.20	2	7	34	<20
CC36724		<1	0.28	<10	1.82	318	<1	0.03	9	190	8	<0.01	<2	2	295	<20
CC36725		1	0.09	10	1.52	680	<1	0.03	53	610	18	0.08	2	4	30	<20
CC36726		1	0.12	10	1.39	906	<1	0.04	56	650	16	0.10	4	5	31	<20
CC36727		<1	0.09	10	1.32	741	<1	0.02	54	850	12	0.08	3	4	22	<20
CC36728		1	0.12	10	1.45	767	<1	0.05	62	610	29	0.04	2	6	30	<20
CC36729		1	0.10	10	2.02	612	<1	0.03	78	290	38	0.03	<2	7	14	<20
CC36730		<1	0.05	<10	1.16	166	<1	0.03	17	280	8	<0.01	<2	2	221	<20
CC36731		<1	0.11	<10	1.09	186	<1	0.03	33	330	9	<0.01	2	3	191	<20
CC36732		<1	0.07	10	1.57	369	<1	0.03	22	500	11	0.08	5	3	172	<20
CC36733		<1	0.03	<10	0.13	210	<1	0.02	5	780	3	0.20	<2	<1	43	<20
CC36734		<1	0.11	10	1.46	524	<1	0.04	32	730	30	0.08	<2	3	73	<20
CC36735		<1	0.10	10	1.42	737	<1	0.04	48	700	29	0.09	2	4	31	<20
CC36736		<1	0.27	10	3.09	478	<1	0.04	46	730	17	0.05	2	5	85	<20
CC36737		<1	0.19	10	2.08	463	<1	0.04	31	630	20	0.10	<2	3	136	<20
CC36738		<1	0.07	10	0.43	491	<1	0.03	21	700	13	0.15	2	1	31	<20
CC36739		<1	0.08	<10	0.98	394	<1	0.02	19	500	20	<0.01	3	2	132	<20
CC36740		1	0.10	10	1.29	622	<1	0.03	30	760	33	0.06	3	3	60	<20
CC36741		<1	0.04	<10	0.62	332	<1	0.02	10	640	14	<0.01	3	1	119	<20
CC36742		<1	0.07	<10	1.42	267	<1	0.03	16	590	8	<0.01	3	1	152	<20
CC36743		<1	0.12	10	1.24	760	<1	0.04	43	640	52	0.07	<2	4	28	<20
CC36744		<1	0.09	10	1.10	839	<1	0.03	37	700	30	0.13	3	4	29	<20
CC36745		<1	0.11	20	2.58	1055	1	0.03	26	590	37	0.06	<2	6	20	<20
CC36746		<1	0.10	20	0.83	1890	<1	0.03	26	720	29	0.07	3	4	20	<20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07098281

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC36710		0.06	<10	<10	28	<10	27	<10	4	<10
CC36711		0.12	<10	<10	52	<10	156	<10	4	10
CC36712		0.06	<10	<10	21	<10	19	<10	4	<10
CC36713		0.04	<10	<10	14	<10	19	<10	4	<10
CC36714		0.01	<10	<10	13	10	764	<10	4	20
CC36715		0.03	<10	<10	11	<10	22	<10	<4	<10
CC36716		0.12	<10	<10	61	<10	179	<10	5	10
CC36717		0.10	<10	<10	56	<10	190	<10	5	10
CC36718		0.06	<10	<10	33	<10	120	<10	6	10
CC36719		0.08	<10	<10	59	<10	199	<10	5	10
CC36720		0.12	<10	<10	70	<10	137	<10	6	10
CC36721		0.08	<10	<10	59	<10	178	<10	6	10
CC36722		0.15	<10	<10	52	20	89	<10	6	20
CC36723		0.23	<10	<10	65	30	109	<10	4	40
CC36724		0.05	<10	<10	18	<10	21	<10	<4	<10
CC36725		0.12	<10	<10	60	<10	118	<10	5	10
CC36726		0.13	<10	<10	59	<10	151	<10	5	<10
CC36727		0.11	<10	<10	65	<10	81	<10	6	10
CC36728		0.12	<10	<10	68	<10	124	<10	5	10
CC36729		0.23	<10	<10	94	10	141	<10	5	20
CC36730		0.04	<10	<10	18	<10	62	<10	<4	<10
CC36731		0.06	<10	<10	23	<10	61	<10	<4	<10
CC36732		0.07	<10	<10	31	<10	92	<10	4	<10
CC36733		0.01	<10	<10	6	<10	83	<10	4	<10
CC36734		0.07	<10	<10	47	<10	204	<10	4	10
CC36735		0.10	<10	<10	52	<10	148	<10	5	10
CC36736		0.14	<10	<10	48	20	116	<10	4	20
CC36737		0.07	<10	<10	34	10	251	<10	4	10
CC36738		0.04	<10	<10	21	10	177	<10	4	<10
CC36739		0.02	<10	<10	21	<10	183	<10	<4	<10
CC36740		0.05	<10	<10	41	10	145	<10	5	10
CC36741		0.01	<10	<10	15	<10	148	<10	<4	<10
CC36742		0.03	<10	<10	22	<10	62	<10	4	<10
CC36743		0.08	<10	<10	62	<10	264	<10	6	10
CC36744		0.06	<10	<10	49	<10	268	<10	5	<10
CC36745		0.04	<10	<10	55	<10	311	<10	5	10
CC36746		0.04	<10	<10	60	<10	343	<10	5	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07090394

Project: RAU

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Vancouver, BC, Canada on 15-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF10	Fusion XRF - Ore Grade	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 23-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07090394

Sample Description	Method	ME-XRF10
	Analyte	W
	Units	%
	LOR	0.01
C384954		2.56

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **ATAC RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized I 11-SEP-2007
Account: RCM

CERTIFICATE VA07088786

Project: RAU

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 13-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 11-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07088786

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ce ppm 10	ME-XRF05 La ppm 10	ME-XRF05 Nb ppm 2	ME-XRF05 Sn ppm 5	ME-XRF05 Ta ppm 10	ME-XRF05 Th ppm 4	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-XRF05 Y ppm 2	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10
C384960		0.72	<0.001					<10		5	<10		<0.2	2.63	<2	<10
C384961		0.91	<0.001					10		<4	720		0.3	2.88	<2	<10
C384962		1.13	0.011					10		5	20		<0.2	0.22	5	10
C384963		1.94	<0.001					70		6	50		0.2	1.13	7	20
C384964		2.06	<0.001	40	10	13	23	<10	16	7	<10	10	<0.2	3.86	108	<10
C384965		1.14	<0.001					<10		4	40		<0.2	5.92	6	<10
C384966		1.56	0.001					80		7	20		2.3	1.10	41	10
C384967		1.61	<0.001					20		8	20		<0.2	0.38	10	10
C384968		1.00	0.051	10	10	31	77	<10	<4	<4	3510	29	0.2	1.70	8	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07088786

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
	LOR	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5
C384960		300	0.5	<2	23.7	<0.5	8	29	11	1.29	10	<1	1.68	<10	4.86	163
C384961		200	6.2	<2	5.13	<0.5	9	10	138	5.22	40	<1	3.42	<10	5.59	1160
C384962		20	<0.5	16	12.40	<0.5	1	8	7	0.39	<10	<1	0.18	10	0.13	1850
C384963		70	2.1	2	4.31	<0.5	1	4	3	1.19	10	<1	0.74	10	1.26	1660
C384964		40	2.0	<2	4.76	<0.5	43	38	60	8.95	10	<1	0.82	<10	2.03	24
C384965		140	8.1	<2	8.24	<0.5	46	54	449	10.75	20	<1	2.52	10	3.92	305
C384966		70	1.2	1325	0.77	<0.5	1	20	67	2.63	10	1	0.94	10	1.05	564
C384967		60	0.6	11	0.53	<0.5	1	4	24	0.66	<10	<1	0.26	<10	0.14	294
C384968		30	86.9	95	13.20	<0.5	<1	2	87	9.71	30	2	0.91	<10	3.72	5710

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **ATAC RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 11-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07088786

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W
	Units	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	1	10	2	0.01	2	1	1	20	0.01	10	10	1	10
C384960		<1	0.04	16	120	6	0.5	<2	5	300	<20	0.09	<10	<10	34	<10
C384961		24	0.10	5	590	6	0.06	4	7	13	<20	0.01	10	10	16	930
C384962		<1	0.01	<1	10	10	0.02	<2	4	90	<20	<0.01	10	<10	4	<10
C384963		1	0.02	1	10	10	0.02	3	2	31	20	<0.01	<10	<10	2	60
C384964		6	0.27	89	310	19	>10.0	6	2	129	<20	0.07	<10	<10	38	<10
C384965		<1	0.34	67	220	7	5.56	5	5	199	<20	0.16	<10	<10	52	40
C384966		12	0.02	6	20	53	0.61	8	3	8	<20	<0.01	<10	<10	3	10
C384967		4	0.02	<1	10	15	0.04	<2	1	6	20	<0.01	<10	<10	2	20
C384968		8	0.19	1	40	3	0.52	<2	<1	20	<20	<0.01	<10	<10	3	360

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07088786

Sample Description	Method	ME-ICP41
	Analyte	Zn
	Units	ppm
	LOR	2
C384960		20
C384961		68
C384962		11
C384963		29
C384964		23
C384965		54
C384966		85
C384967		21
C384968		226

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07087264

Project: RAU

P.O. No.:

This report is for 235 Soil samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouve

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC36248		0.08	0.006	NSS	NSS	NSS	1.1	2.33	197	<10	820	1.3	16	1.78	4.1	9
CC36249		0.12	0.009	<10	<4	<10	0.9	2.14	22	<10	390	1.0	<2	7.35	0.7	8
CC36250		0.14	0.004	<10	4	<10	0.5	0.93	29	<10	200	0.5	<2	14.8	0.8	4
CC36251		0.20	0.001	<10	5	10	0.6	2.40	31	<10	740	1.1	<2	2.49	2.5	12
CC36252		0.16	0.002	<10	<4	<10	0.5	0.32	10	<10	1450	<0.5	<2	17.3	1.0	3
CC36253		0.14	0.013	<10	<4	<10	0.8	0.40	13	<10	1040	<0.5	<2	14.05	2.5	3
CC36254		0.10	0.011	<10	<4	<10	0.8	0.82	19	<10	1100	0.5	<2	10.70	3.0	6
CC36255		0.12	<0.001	<10	<4	<10	0.4	0.52	24	<10	140	<0.5	<2	10.90	1.5	8
CC36256		0.18	0.003	<10	4	<10	0.6	0.67	15	<10	120	<0.5	<2	20.6	0.7	6
CC36257		0.16	0.009	<10	6	<10	<0.2	1.95	25	<10	230	0.8	<2	1.17	2.0	10
CC36258		0.24	0.002	<10	4	<10	0.4	2.08	20	<10	200	0.8	<2	1.16	1.0	11
CC36259		0.18	0.005	<10	<4	<10	0.9	0.88	35	<10	130	<0.5	<2	13.75	2.4	5
CC36260		0.14	0.006	<10	<4	<10	0.5	0.95	36	<10	250	0.5	<2	13.25	1.8	4
CC36261		0.24	0.003	<10	<4	<10	0.4	0.66	12	<10	80	<0.5	<2	16.4	0.8	3
CC36262		0.10	0.004	<10	5	<10	0.6	1.49	27	<10	130	0.6	<2	9.24	1.4	6
CC36263		0.32	0.003	<10	5	10	0.9	2.47	17	<10	700	0.8	<2	0.58	0.9	9
CC36264		0.22	0.014	<10	4	<10	1.8	1.70	536	<10	820	0.9	13	6.54	2.5	10
CC36265		0.16	<0.001	<10	4	<10	0.4	0.47	43	<10	130	<0.5	<2	16.0	0.9	3
CC36266		0.12	0.010	<10	<4	<10	0.3	1.09	20	<10	360	0.5	<2	5.38	0.9	6
CC36267		0.26	0.005	<10	<4	<10	<0.2	1.48	23	<10	340	0.6	<2	10.70	1.1	6
CC36268		0.14	0.002	<10	<4	<10	0.2	0.46	12	<10	270	<0.5	<2	15.8	0.9	3
CC36269		0.18	0.001	<10	<4	<10	0.6	0.35	27	<10	480	<0.5	<2	15.6	0.8	4
CC36270		0.20	0.003	<10	<4	<10	0.9	0.37	48	<10	140	<0.5	<2	19.1	4.3	8
CC36271		0.18	0.008	<10	<4	<10	0.8	0.48	35	<10	80	<0.5	<2	13.4	2.4	12
CC36272		0.22	0.002	<10	<4	<10	0.5	0.41	22	<10	70	<0.5	<2	23.2	1.0	6
CC36273		0.14	0.009	NSS	NSS	NSS	0.5	1.25	10	<10	120	<0.5	<2	3.74	1.3	4
CC36274		0.26	0.002	<10	5	<10	<0.2	2.00	14	<10	220	0.6	<2	0.66	<0.5	9
CC36275		0.14	0.003	<10	<4	<10	0.6	1.65	13	<10	190	0.9	<2	7.02	0.6	6
CC36276		0.14	0.001	<10	4	<10	0.3	0.26	21	<10	400	<0.5	<2	17.5	1.7	2
CC36277		0.18	0.002	<10	5	<10	0.6	1.03	33	<10	160	0.5	<2	9.93	2.2	4
CC36278		0.12	0.006	<10	4	<10	0.6	1.51	28	<10	270	0.6	<2	5.62	2.4	6
CC36279		0.18	0.005	<10	5	10	0.3	2.34	13	<10	370	0.9	<2	0.79	2.4	11
CC36280		0.16	0.005	<10	4	10	1.1	1.41	74	<10	920	0.7	2	7.92	3.1	7
CC36281		0.12	0.004	<10	<4	10	0.5	1.22	32	<10	1060	0.7	<2	7.93	2.1	7
CC36282		0.22	0.002	<10	<4	<10	0.6	1.39	22	<10	620	0.7	<2	8.67	2.1	8
CC36283		0.20	0.002	<10	<4	<10	0.6	0.75	18	<10	1650	<0.5	<2	12.80	1.4	6
CC36284		0.20	0.010	<10	<4	<10	0.3	0.43	12	<10	180	<0.5	<2	16.1	0.8	3
CC36285		0.26	0.013	<10	<4	<10	0.5	0.26	20	<10	2360	<0.5	<2	15.4	2.4	4
CC36286		0.26	0.002	<10	<4	<10	0.5	0.22	18	<10	50	<0.5	<2	22.1	1.2	4
CC36287		0.16	0.005	<10	<4	<10	0.7	0.96	39	<10	250	0.9	<2	7.23	2.3	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36248		36	111	5.97	<10	<1	0.24	20	1.11	6940	5	0.05	45	1460	56	0.18
CC36249		28	45	3.20	<10	<1	0.18	20	5.18	2380	2	0.04	27	1190	24	0.11
CC36250		12	19	1.46	<10	<1	0.09	10	9.53	1600	1	0.03	14	960	21	0.10
CC36251		33	19	4.55	<10	<1	0.22	20	1.67	4940	2	0.03	31	850	31	0.11
CC36252		5	6	1.49	<10	<1	0.04	10	11.35	3050	1	0.01	7	340	15	<0.01
CC36253		6	9	0.88	<10	<1	0.06	10	9.02	607	<1	0.03	10	500	20	0.14
CC36254		12	17	1.81	<10	<1	0.10	10	6.87	1390	2	0.03	21	760	43	0.15
CC36255		6	19	2.07	<10	<1	0.13	20	4.37	595	<1	0.03	18	540	49	0.10
CC36256		8	22	1.61	<10	<1	0.16	10	1.89	351	<1	0.01	21	250	28	<0.01
CC36257		28	16	2.94	<10	<1	0.08	30	0.76	1800	1	0.02	29	1160	30	0.08
CC36258		32	17	3.19	<10	<1	0.09	30	0.89	768	1	0.02	30	1040	22	0.07
CC36259		15	18	1.50	<10	<1	0.06	20	9.13	1340	2	0.02	20	690	47	0.03
CC36260		15	17	1.30	<10	<1	0.06	10	8.91	861	4	0.02	32	870	38	0.07
CC36261		10	11	0.84	<10	<1	0.05	10	10.30	274	1	0.01	15	440	21	<0.01
CC36262		22	18	1.67	<10	<1	0.08	20	6.46	530	1	0.02	24	1080	24	0.08
CC36263		38	23	3.18	10	<1	0.10	10	1.10	563	2	0.01	38	1310	32	0.06
CC36264		27	149	4.21	<10	<1	0.12	10	4.38	4450	2	0.03	35	980	62	0.06
CC36265		6	15	1.08	<10	<1	0.04	<10	10.35	1600	1	0.02	8	460	11	<0.01
CC36266		14	23	1.80	<10	<1	0.08	10	2.67	1650	2	0.03	18	1260	21	0.23
CC36267		19	13	1.72	<10	<1	0.08	10	7.85	812	1	0.02	16	660	33	0.07
CC36268		7	5	0.94	<10	<1	0.07	10	10.35	442	<1	0.02	10	450	15	0.05
CC36269		5	9	1.04	<10	<1	0.08	10	10.15	256	1	0.02	15	380	30	0.06
CC36270		4	19	2.10	<10	<1	0.15	10	4.15	578	1	0.01	27	370	82	<0.01
CC36271		5	27	2.71	<10	<1	0.22	20	2.32	472	1	0.01	34	410	89	0.05
CC36272		5	18	1.50	<10	<1	0.13	10	1.39	313	<1	0.01	18	270	37	<0.01
CC36273		16	22	1.34	<10	<1	0.06	20	1.26	1090	1	0.04	16	1230	22	0.25
CC36274		31	13	3.15	10	<1	0.09	20	0.64	455	3	0.01	22	670	19	0.03
CC36275		23	19	1.75	<10	1	0.08	20	5.30	587	3	0.01	20	990	16	0.11
CC36276		6	6	0.36	<10	<1	0.02	10	11.15	638	<1	<0.01	9	460	10	0.03
CC36277		19	21	1.35	<10	1	0.05	10	6.64	438	3	<0.01	27	810	46	0.05
CC36278		27	22	2.09	<10	<1	0.08	20	3.83	582	2	0.01	35	1010	41	0.04
CC36279		38	29	3.42	10	<1	0.10	20	1.24	874	2	0.01	38	1150	35	0.07
CC36280		20	35	2.84	<10	<1	0.09	10	5.05	2100	2	0.01	26	680	55	0.06
CC36281		18	24	2.69	<10	<1	0.08	10	5.32	1990	2	<0.01	23	690	38	0.07
CC36282		18	17	2.18	<10	<1	0.08	10	5.91	1130	2	<0.01	23	720	41	0.06
CC36283		11	12	1.45	<10	<1	0.07	10	8.81	595	1	<0.01	16	390	32	0.08
CC36284		6	5	0.63	<10	<1	0.05	10	10.70	352	<1	<0.01	5	290	11	0.05
CC36285		5	7	1.20	<10	<1	0.10	10	9.99	336	<1	<0.01	11	380	40	<0.01
CC36286		2	11	1.17	<10	<1	0.08	10	3.42	412	<1	<0.01	12	260	31	<0.01
CC36287		13	31	2.97	<10	<1	0.16	20	3.85	1170	1	<0.01	40	750	79	0.06

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36248		3	3	30	<20	0.04	<10	<10	90	<10	1100
CC36249		<2	3	49	<20	0.04	<10	<10	67	<10	315
CC36250		4	1	68	<20	0.01	<10	10	31	<10	267
CC36251		3	4	27	<20	0.04	<10	<10	72	<10	595
CC36252		<2	1	95	<20	0.01	<10	10	8	<10	333
CC36253		<2	1	85	<20	0.01	<10	<10	9	<10	552
CC36254		<2	2	80	<20	0.01	<10	<10	20	<10	899
CC36255		2	3	97	<20	0.01	<10	<10	9	<10	435
CC36256		2	3	177	<20	0.01	<10	10	12	<10	285
CC36257		<2	2	17	<20	0.03	<10	<10	94	<10	352
CC36258		2	2	18	<20	0.03	<10	<10	79	<10	164
CC36259		<2	2	58	<20	0.03	<10	<10	41	<10	279
CC36260		6	1	55	<20	0.02	<10	<10	56	<10	418
CC36261		<2	1	73	<20	0.02	<10	10	34	10	115
CC36262		6	2	49	<20	0.03	<10	<10	64	<10	188
CC36263		<2	3	19	<20	0.04	<10	<10	79	<10	496
CC36264		2	3	48	<20	0.03	<10	<10	66	<10	865
CC36265		3	1	35	<20	0.01	<10	10	15	<10	306
CC36266		4	1	34	<20	0.02	10	<10	30	<10	429
CC36267		3	2	56	<20	0.02	<10	<10	30	<10	416
CC36268		<2	1	100	<20	0.01	<10	10	10	<10	389
CC36269		<2	1	87	<20	0.01	<10	10	8	<10	332
CC36270		3	3	156	<20	0.01	<10	20	7	<10	764
CC36271		3	4	116	<20	0.01	<10	<10	7	<10	775
CC36272		4	2	168	<20	0.01	<10	30	8	<10	421
CC36273		<2	1	23	<20	0.02	<10	<10	43	<10	156
CC36274		4	3	17	<20	0.04	<10	<10	67	<10	113
CC36275		<2	2	36	<20	0.03	<10	<10	50	<10	126
CC36276		<2	1	67	<20	0.01	<10	10	20	<10	223
CC36277		3	2	49	<20	0.03	<10	<10	74	<10	452
CC36278		4	2	33	<20	0.03	<10	<10	91	<10	405
CC36279		3	4	22	<20	0.05	<10	<10	79	<10	457
CC36280		3	3	55	<20	0.03	<10	<10	48	<10	709
CC36281		2	2	45	<20	0.02	<10	<10	42	<10	615
CC36282		<2	2	43	<20	0.02	<10	<10	39	<10	526
CC36283		2	2	87	<20	0.01	<10	10	19	<10	457
CC36284		<2	1	94	<20	0.01	<10	10	8	<10	196
CC36285		<2	2	122	<20	<0.01	<10	10	6	<10	669
CC36286		<2	2	192	<20	<0.01	<10	20	4	<10	267
CC36287		4	3	67	<20	0.02	<10	<10	22	<10	667

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC36412		0.22	0.002	<10	<4	10	1.1	2.40	80	<10	170	0.9	4	5.79	6.8	15
CC36413		0.28	0.018	<10	<4	<10	0.4	0.50	21	<10	50	<0.5	<2	23.3	1.4	4
CC36414		0.20	0.011	<10	<4	<10	0.3	0.67	33	<10	120	<0.5	3	13.50	1.1	8
CC36415		0.18	0.001	<10	<4	<10	0.2	0.51	3	<10	180	<0.5	<2	20.9	0.9	3
CC36416		0.20	<0.001	<10	<4	<10	<0.2	0.77	6	<10	30	<0.5	<2	20.0	<0.5	9
CC36417		0.46	<0.001	<10	<4	<10	<0.2	0.73	3	<10	30	<0.5	<2	21.1	0.5	7
CC36418		0.24	<0.001	<10	<4	<10	<0.2	3.79	<2	<10	70	<0.5	<2	5.08	<0.5	28
CC36419		0.14	<0.001	<10	<4	<10	<0.2	2.48	<2	<10	100	<0.5	<2	2.06	<0.5	21
CC36420		0.20	<0.001	<10	5	<10	<0.2	0.75	18	<10	90	<0.5	<2	15.4	<0.5	10
CC36421		0.26	<0.001	<10	<4	<10	0.2	0.47	4	<10	610	<0.5	<2	17.2	1.1	2
CC36422		0.22	0.002	<10	5	<10	0.5	0.52	7	<10	990	<0.5	<2	16.1	3.0	4
CC36423		0.16	<0.001	<10	<4	<10	0.7	1.20	11	<10	280	0.5	<2	4.87	2.4	6
CC36424		0.14	<0.001	<10	<4	<10	0.7	0.61	13	<10	770	<0.5	<2	16.6	0.5	4
CC36425		0.18	<0.001	<10	4	<10	0.2	0.90	15	<10	90	<0.5	<2	15.9	0.5	4
CC36426		0.16	0.001	<10	<4	<10	0.4	0.70	4	<10	50	<0.5	<2	16.7	<0.5	3
CC36427		0.26	<0.001	<10	<4	<10	0.4	2.75	9	<10	110	0.7	2	11.40	0.6	8
CC36428		0.20	0.001	<10	5	<10	0.3	3.27	11	<10	80	0.9	<2	13.60	<0.5	15
CC36429		0.20	<0.001	<10	4	<10	0.5	2.15	22	<10	160	0.7	<2	12.45	2.4	8
CC36430		0.14	0.001	<10	<4	<10	0.5	1.16	33	<10	120	0.5	3	13.85	2.1	8
CC36431		0.20	<0.001	<10	4	<10	<0.2	0.47	8	<10	40	<0.5	<2	24.7	<0.5	4
CC36432		0.20	<0.001	<10	<4	<10	0.2	0.65	11	<10	40	<0.5	<2	23.2	<0.5	4
CC36433		0.24	<0.001	<10	<4	<10	0.2	1.05	21	<10	80	<0.5	<2	14.8	<0.5	13
CC36434		0.02	0.001	<10	4	<10	0.2	1.62	17	<10	70	<0.5	<2	11.50	<0.5	15
CC36435		0.16	0.002	<10	<4	<10	<0.2	3.14	7	<10	120	<0.5	<2	5.88	<0.5	24
CC36436		0.26	<0.001	<10	<4	<10	0.2	1.98	16	<10	80	<0.5	<2	11.55	<0.5	19
CC36451		0.22	0.006	<10	4	10	0.2	0.64	25	<10	140	<0.5	<2	13.40	1.5	4
CC36452		0.20	0.001	<10	5	<10	0.2	2.02	18	<10	220	0.8	<2	1.25	<0.5	11
CC36453		0.18	<0.001	<10	4	<10	0.2	0.27	3	10	270	<0.5	<2	17.0	<0.5	2
CC36454		0.20	0.002	<10	4	20	0.5	0.17	11	<10	140	<0.5	<2	15.9	1.3	1
CC36455		0.14	0.005	<10	<4	<10	0.2	0.49	12	<10	140	<0.5	<2	15.6	0.7	2
CC36456		0.12	0.003	<10	6	<10	0.3	2.19	13	<10	340	0.8	<2	2.18	0.9	8
CC36457		0.16	0.002	<10	4	<10	0.6	1.90	18	<10	280	0.8	<2	1.91	2.2	10
CC36458		0.22	0.001	<10	<4	<10	<0.2	0.71	17	<10	260	<0.5	2	13.40	1.1	5
CC36459		0.36	0.003	<10	<4	<10	0.9	1.18	23	<10	540	0.6	6	9.75	2.6	7
CC36460		0.24	0.001	<10	<4	10	0.6	0.73	36	<10	2050	0.5	25	13.9	1.7	7
CC36461		0.30	0.002	<10	<4	<10	0.3	0.79	28	<10	1490	<0.5	<2	10.80	1.7	8
CC36462		0.18	0.003	<10	<4	<10	0.8	0.48	27	<10	2020	<0.5	<2	11.60	4.1	6
CC36463		0.22	0.003	<10	<4	<10	1.4	0.43	33	<10	230	<0.5	<2	18.1	3.3	8
CC36464		0.20	0.002	<10	<4	10	1.0	0.87	87	<10	490	1.2	<2	15.2	5.6	20
CC36465		0.16	0.001	<10	4	<10	<0.2	0.09	7	<10	20	<0.5	<2	>25.0	<0.5	2

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36412		31	57	3.45	10	<1	0.09	20	3.28	1150	<1	0.03	63	460	178	0.06
CC36413		5	14	1.23	<10	1	0.10	<10	1.09	330	<1	0.02	13	210	52	<0.01
CC36414		7	50	2.06	<10	1	0.10	10	3.46	356	<1	0.02	20	330	123	0.04
CC36415		5	8	1.20	<10	<1	0.09	<10	2.01	254	<1	0.02	9	110	26	<0.01
CC36416		17	16	1.91	<10	<1	0.17	<10	2.74	415	<1	0.02	23	200	11	<0.01
CC36417		16	16	1.66	<10	<1	0.10	<10	2.12	280	<1	0.02	24	210	8	<0.01
CC36418		137	49	4.61	10	<1	0.14	10	4.22	610	<1	<0.01	111	780	8	0.02
CC36419		105	30	3.92	10	<1	0.15	10	2.39	457	<1	<0.01	79	780	10	0.10
CC36420		19	25	4.31	<10	<1	0.15	10	0.58	310	5	<0.01	45	350	16	0.05
CC36421		7	11	0.90	<10	<1	0.05	<10	10.55	1390	<1	<0.01	12	200	42	<0.01
CC36422		7	12	1.46	<10	<1	0.03	10	9.88	2740	1	<0.01	14	330	70	<0.01
CC36423		20	15	2.09	<10	<1	0.09	10	3.58	1130	1	<0.01	19	860	38	0.11
CC36424		9	8	0.95	<10	<1	0.07	10	11.20	432	<1	0.01	10	200	23	<0.01
CC36425		11	8	0.93	<10	1	0.11	10	11.20	299	1	0.01	10	230	18	<0.01
CC36426		8	5	0.55	<10	<1	0.09	10	11.60	205	<1	0.01	5	210	12	<0.01
CC36427		34	21	2.16	10	1	0.19	10	8.67	406	1	0.02	25	300	26	<0.01
CC36428		39	27	3.25	10	<1	0.37	10	7.06	355	1	0.05	40	280	14	<0.01
CC36429		28	21	2.32	10	1	0.14	10	4.94	834	<1	0.02	42	490	46	0.02
CC36430		16	33	2.16	<10	2	0.11	10	2.89	581	1	0.01	24	400	48	<0.01
CC36431		5	9	1.19	<10	<1	0.07	10	0.57	200	<1	<0.01	12	220	12	<0.01
CC36432		6	8	1.23	<10	<1	0.06	<10	2.82	210	<1	0.01	9	160	12	<0.01
CC36433		24	22	2.88	<10	<1	0.31	10	2.13	449	3	0.01	35	290	33	0.05
CC36434		51	21	3.12	<10	<1	0.29	10	2.27	557	1	<0.01	47	690	37	0.07
CC36435		119	47	4.73	10	<1	0.19	10	3.26	486	1	0.01	90	740	6	0.08
CC36436		64	44	3.77	<10	<1	0.21	10	1.65	687	1	<0.01	73	560	10	0.05
CC36451		12	14	1.44	<10	<1	0.05	10	9.03	984	5	<0.01	26	600	65	0.01
CC36452		31	15	2.98	<10	<1	0.10	20	1.24	823	2	<0.01	24	900	24	0.09
CC36453		7	8	0.39	<10	<1	0.04	10	10.25	256	2	<0.01	12	540	10	0.04
CC36454		3	4	0.34	<10	<1	0.02	<10	10.10	771	<1	<0.01	7	440	85	<0.01
CC36455		7	5	0.54	<10	<1	0.03	10	10.10	675	1	<0.01	10	700	17	0.03
CC36456		30	20	2.53	10	<1	0.09	30	1.58	970	1	0.03	29	1540	44	0.13
CC36457		28	28	3.14	<10	<1	0.09	20	1.87	759	1	<0.01	39	870	58	0.04
CC36458		10	14	1.44	<10	<1	0.05	10	9.21	513	1	<0.01	16	350	25	0.02
CC36459		16	19	2.00	<10	<1	0.07	10	7.32	1190	1	<0.01	28	550	47	0.04
CC36460		10	28	2.36	<10	1	0.08	10	9.14	776	2	<0.01	27	320	52	0.06
CC36461		13	18	2.18	<10	<1	0.06	10	7.24	614	1	<0.01	26	380	42	0.05
CC36462		8	12	1.69	<10	<1	0.06	10	7.73	939	1	<0.01	21	560	35	0.09
CC36463		5	13	2.01	<10	<1	0.18	10	5.80	864	<1	<0.01	21	660	34	<0.01
CC36464		12	58	5.07	<10	<1	0.34	20	2.81	2480	1	<0.01	78	380	357	<0.01
CC36465		<1	6	0.39	<10	<1	0.05	<10	0.51	107	<1	<0.01	3	70	8	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36412		5	5	49	<20	0.06	<10	<10	42	<10	1600
CC36413		3	2	165	<20	0.01	<10	<10	8	<10	384
CC36414		3	2	116	<20	0.01	<10	<10	12	<10	265
CC36415		<2	2	268	<20	0.01	<10	<10	5	<10	171
CC36416		<2	2	279	<20	0.02	<10	<10	11	<10	57
CC36417		3	2	262	<20	0.04	<10	<10	10	<10	59
CC36418		4	8	153	<20	0.34	<10	<10	85	<10	84
CC36419		<2	4	37	<20	0.14	<10	<10	52	<10	90
CC36420		3	3	107	<20	0.02	<10	<10	20	<10	77
CC36421		2	1	91	<20	0.01	<10	<10	17	<10	604
CC36422		<2	1	91	<20	0.01	<10	<10	28	<10	1010
CC36423		3	1	29	<20	0.02	<10	<10	57	<10	1000
CC36424		<2	2	86	<20	0.01	<10	10	16	<10	171
CC36425		3	2	111	<20	0.02	<10	10	17	<10	136
CC36426		<2	1	94	<20	0.02	<10	10	12	<10	66
CC36427		<2	5	95	<20	0.09	<10	<10	40	<10	305
CC36428		<2	6	160	<20	0.09	<10	<10	42	10	134
CC36429		3	4	95	<20	0.06	<10	<10	38	<10	937
CC36430		3	4	103	<20	0.03	<10	<10	24	<10	699
CC36431		2	2	208	<20	0.01	<10	20	11	<10	48
CC36432		3	2	225	<20	0.01	<10	20	10	<10	55
CC36433		4	3	174	<20	0.03	<10	<10	16	<10	242
CC36434		<2	4	152	<20	0.06	<10	<10	26	<10	224
CC36435		<2	6	131	<20	0.21	<10	<10	57	<10	103
CC36436		2	4	211	<20	0.13	<10	<10	35	<10	100
CC36451		5	1	59	<20	0.02	<10	<10	34	<10	262
CC36452		<2	2	19	<20	0.03	<10	<10	64	<10	222
CC36453		<2	<1	64	<20	0.01	<10	10	24	<10	133
CC36454		4	<1	98	<20	<0.01	<10	10	9	20	502
CC36455		<2	<1	81	<20	0.01	<10	<10	21	<10	276
CC36456		2	2	29	<20	0.03	<10	<10	67	<10	507
CC36457		3	4	26	<20	0.04	<10	<10	52	<10	688
CC36458		<2	2	90	<20	0.02	<10	<10	23	<10	362
CC36459		3	2	66	<20	0.02	<10	<10	27	<10	1035
CC36460		7	2	95	<20	0.02	<10	<10	19	<10	743
CC36461		2	2	84	<20	0.02	<10	<10	23	<10	647
CC36462		3	1	94	<20	0.01	<10	<10	13	<10	1155
CC36463		4	2	130	<20	0.01	<10	<10	8	<10	893
CC36464		15	6	89	<20	0.01	<10	<10	22	<10	1525
CC36465		2	1	286	<20	<0.01	<10	40	1	<10	31

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36288		0.20	<0.001	<10	<4	<10	0.4	0.26	15	<10	90	<0.5	<2	22.8	0.8	6
CC36289		0.18	0.007	<10	<4	20	0.5	1.23	24	<10	510	0.6	<2	9.26	0.9	7
CC36290		0.12	0.007	<10	4	10	0.4	1.53	34	<10	330	0.7	<2	3.19	2.5	9
CC36291		0.14	<0.001	<10	5	<10	0.6	1.28	33	<10	320	0.5	2	2.10	0.7	8
CC36294		0.24	0.009	<10	<4	<10	0.4	1.48	39	<10	290	0.6	<2	1.40	1.2	11
CC36295		0.16	<0.001	<10	<4	<10	0.4	1.32	35	<10	330	<0.5	<2	2.29	1.5	10
CC36296		0.20	<0.001	<10	<4	<10	0.5	1.53	25	<10	250	<0.5	<2	2.61	2.0	12
CC36297		0.12	0.005	<10	<4	<10	0.4	1.07	21	<10	290	<0.5	<2	2.44	1.2	8
CC36298		0.18	0.008	<10	<4	<10	0.4	1.07	29	<10	230	<0.5	<2	3.38	1.2	8
CC36299		0.18	0.011	<10	4	10	0.5	1.67	47	<10	390	0.7	5	2.22	2.0	11
CC36300		0.26	0.005	<10	<4	10	0.6	1.52	29	<10	530	0.7	<2	8.61	1.8	9
CC36301		0.26	0.002	<10	<4	<10	0.5	1.16	32	<10	350	0.5	<2	1.70	1.5	7
CC36302		0.10	0.007	<10	4	<10	0.3	0.81	27	<10	410	<0.5	<2	3.37	2.3	5
CC36303		0.14	0.003	<10	<4	<10	0.4	1.31	32	<10	350	0.5	<2	1.67	1.2	8
CC36304		0.12	0.002	<10	<4	<10	0.2	0.90	24	<10	310	<0.5	<2	3.40	1.5	7
CC36305		0.12	0.001	<10	<4	<10	<0.2	0.69	13	<10	210	<0.5	<2	3.14	2.8	6
CC36306		0.18	0.010	<10	<4	<10	0.3	1.25	27	<10	270	0.5	<2	1.61	0.6	10
CC36307		0.20	0.008	<10	4	10	0.5	1.40	24	<10	360	0.6	<2	1.41	1.4	10
CC36308		0.28	0.007	<10	4	<10	0.4	1.34	142	<10	390	0.6	<2	6.81	1.7	9
CC36309		0.22	0.005	<10	4	10	0.6	1.57	35	<10	320	0.6	2	4.69	0.9	10
CC36310		0.16	0.002	<10	4	<10	0.4	0.60	15	<10	290	<0.5	<2	3.65	1.0	4
CC36311		0.10	0.004	<10	<4	<10	0.2	1.03	22	<10	260	<0.5	<2	2.87	1.3	8
CC36312		0.18	0.003	<10	<4	<10	0.3	1.36	24	<10	300	0.5	<2	2.44	1.5	11
CC36313		0.10	0.004	<10	<4	<10	0.3	1.50	22	<10	240	<0.5	<2	2.73	1.0	12
CC36314		0.16	0.004	<10	<4	<10	0.4	1.95	34	<10	280	0.5	<2	2.67	1.3	13
CC36315		0.16	0.001	<10	<4	<10	0.3	1.06	22	<10	280	<0.5	<2	2.75	1.2	7
CC36316		0.16	0.007	<10	<4	<10	0.4	1.60	30	<10	300	0.5	2	2.16	1.6	13
CC36317		0.28	0.001	<10	5	<10	0.6	1.51	45	<10	610	0.5	4	2.40	1.5	21
CC36318		0.14	0.001	<10	4	10	1.0	1.40	92	<10	960	0.6	4	2.94	3.5	14
CC36319		0.16	0.013	<10	5	10	0.6	1.55	34	<10	260	0.6	3	4.03	1.0	9
CC36320		0.48	0.006	<10	4	10	0.6	1.44	29	<10	470	0.6	<2	9.52	1.3	8
CC36321		0.14	0.011	<10	4	<10	0.4	1.37	19	<10	240	<0.5	4	3.72	0.8	12
CC36322		0.18	0.008	<10	5	<10	0.4	1.21	27	<10	240	<0.5	<2	2.50	1.6	8
CC36323		0.16	0.002	<10	5	20	1.2	1.14	20	<10	520	0.8	<2	10.45	5.5	4
CC36324		0.16	<0.001	<10	<4	<10	0.4	0.90	14	<10	330	0.5	<2	11.95	2.6	4
CC36325		0.20	<0.001	<10	<4	<10	0.3	0.72	11	<10	70	<0.5	<2	14.9	0.5	3
CC36326		0.30	0.001	<10	5	<10	0.4	0.65	26	<10	170	<0.5	<2	15.9	0.6	5
CC36327		0.32	<0.001	<10	<4	<10	0.5	0.83	11	<10	70	<0.5	<2	16.1	<0.5	3
CC36328		0.32	0.001	<10	<4	10	0.5	2.61	19	<10	920	0.8	5	10.85	1.0	9
CC36329		0.24	0.006	<10	4	<10	0.2	1.87	16	<10	110	<0.5	3	16.2	<0.5	7

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36288		2	14	1.29	<10	<1	0.11	10	1.63	270	<1	<0.01	15	210	35	<0.01
CC36289		24	28	1.96	<10	<1	0.28	10	3.35	400	2	0.01	32	660	27	0.03
CC36290		32	40	2.72	<10	<1	0.14	10	1.85	635	3	0.01	40	710	30	0.06
CC36291		26	27	2.58	<10	<1	0.10	10	0.79	577	2	0.01	35	720	30	0.08
CC36294		37	30	2.84	<10	<1	0.12	10	1.06	577	2	0.01	44	810	32	0.04
CC36295		35	27	2.38	<10	<1	0.11	10	0.85	526	1	0.01	40	710	25	0.11
CC36296		48	34	2.70	<10	<1	0.10	10	0.97	624	1	0.01	65	670	37	0.14
CC36297		25	36	2.10	<10	<1	0.10	10	0.58	474	2	0.01	38	770	21	0.10
CC36298		28	35	2.05	<10	<1	0.11	10	0.63	489	1	0.01	43	670	21	0.14
CC36299		38	29	2.89	<10	<1	0.15	10	1.39	667	2	0.01	39	700	36	0.05
CC36300		26	40	2.58	<10	<1	0.25	10	4.38	601	5	0.01	41	800	33	0.03
CC36301		22	25	2.18	<10	<1	0.09	10	0.59	389	4	<0.01	28	690	21	0.06
CC36302		16	26	1.65	<10	<1	0.10	10	0.71	227	2	0.01	22	820	13	0.14
CC36303		25	25	2.37	<10	<1	0.12	10	0.63	331	2	0.01	33	560	27	0.06
CC36304		20	24	1.72	<10	<1	0.10	10	0.54	402	2	0.01	25	690	16	0.16
CC36305		16	23	1.25	<10	<1	0.08	10	0.49	368	2	0.01	23	830	12	0.17
CC36306		26	22	2.37	<10	<1	0.10	10	0.61	527	2	0.01	29	510	22	0.09
CC36307		28	36	2.66	<10	<1	0.12	10	0.63	456	4	0.01	39	800	26	0.06
CC36308		23	38	4.18	<10	<1	0.24	10	3.05	1010	7	<0.01	38	1080	32	0.04
CC36309		42	39	2.58	<10	<1	0.23	10	2.05	432	2	0.02	43	820	27	0.14
CC36310		12	21	1.12	<10	<1	0.07	10	0.49	246	2	0.01	16	650	14	0.12
CC36311		34	25	1.98	<10	1	0.10	10	0.63	418	1	<0.01	33	650	16	0.12
CC36312		35	36	2.46	<10	<1	0.11	10	0.76	528	2	<0.01	44	740	22	0.08
CC36313		48	26	2.74	<10	<1	0.13	10	0.99	536	1	<0.01	47	680	41	0.10
CC36314		60	30	3.09	10	<1	0.15	10	1.40	482	1	0.02	55	650	31	0.11
CC36315		26	23	2.01	<10	1	0.09	10	0.67	503	2	<0.01	30	570	21	0.09
CC36316		47	35	3.01	<10	<1	0.13	10	1.03	638	1	<0.01	55	630	42	0.06
CC36317		39	35	4.85	<10	<1	0.15	10	1.29	7540	3	0.03	58	810	21	0.10
CC36318		27	47	5.75	<10	<1	0.19	10	1.08	11550	10	0.02	58	900	28	0.15
CC36319		32	39	2.52	<10	<1	0.16	10	2.79	638	2	0.03	39	770	22	0.05
CC36320		27	39	2.18	<10	<1	0.34	10	3.65	495	3	0.02	34	670	28	0.03
CC36321		39	36	2.45	<10	<1	0.14	10	1.15	2110	1	0.03	42	710	20	0.17
CC36322		27	26	2.32	<10	<1	0.12	10	0.78	728	2	<0.01	33	680	27	0.13
CC36323		14	18	2.78	<10	<1	0.07	10	7.57	5730	1	0.02	31	600	119	0.07
CC36324		12	10	1.65	<10	<1	0.07	10	8.48	2310	1	0.02	16	560	34	0.09
CC36325		7	4	0.56	<10	<1	0.04	10	10.40	354	<1	0.02	4	250	16	0.04
CC36326		8	11	1.18	<10	<1	0.06	10	10.85	539	2	0.01	11	260	27	0.03
CC36327		9	7	0.69	<10	1	0.24	10	11.45	152	1	0.02	7	100	6	<0.01
CC36328		30	28	2.33	10	<1	0.34	10	6.87	528	1	0.02	29	300	35	0.13
CC36329		20	17	1.25	<10	<1	0.15	10	8.33	349	<1	0.02	15	240	14	0.08

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method Analyte Units LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC36288		<2	2	174	<20	<0.01	<10	20	4	<10	301
CC36289		6	3	89	<20	0.05	<10	<10	37	10	185
CC36290		3	3	37	<20	0.05	<10	<10	54	<10	203
CC36291		<2	3	34	<20	0.04	<10	<10	55	<10	195
CC36294		<2	3	26	<20	0.06	<10	<10	55	<10	193
CC36295		<2	2	35	<20	0.05	<10	<10	48	<10	224
CC36296		3	3	35	<20	0.07	<10	<10	51	<10	340
CC36297		2	2	36	<20	0.03	<10	<10	45	<10	135
CC36298		<2	2	50	<20	0.03	<10	<10	39	<10	197
CC36299		3	3	29	<20	0.06	<10	<10	55	<10	298
CC36300		4	3	81	<20	0.05	<10	<10	58	10	238
CC36301		<2	2	34	<20	0.03	10	<10	52	<10	144
CC36302		<2	2	51	<20	0.02	<10	<10	34	<10	143
CC36303		5	3	34	<20	0.03	<10	<10	53	<10	153
CC36304		<2	2	54	<20	0.02	<10	<10	35	<10	125
CC36305		<2	1	47	<20	0.02	<10	<10	26	<10	93
CC36306		<2	3	32	<20	0.03	<10	<10	51	<10	121
CC36307		2	3	32	<20	0.03	10	<10	69	<10	156
CC36308		<2	3	76	<20	0.04	<10	<10	54	<10	201
CC36309		<2	3	52	<20	0.07	<10	<10	49	10	180
CC36310		<2	1	52	<20	0.02	<10	<10	22	<10	74
CC36311		2	2	39	<20	0.04	<10	<10	39	<10	142
CC36312		2	3	35	<20	0.04	<10	<10	51	<10	166
CC36313		4	3	36	<20	0.08	<10	<10	48	<10	239
CC36314		<2	4	37	<20	0.11	<10	<10	64	<10	324
CC36315		2	2	38	<20	0.04	<10	<10	41	<10	137
CC36316		2	4	30	<20	0.07	<10	<10	54	<10	286
CC36317		2	4	42	<20	0.07	<10	<10	57	<10	171
CC36318		2	3	51	<20	0.04	<10	<10	58	<10	268
CC36319		4	3	43	<20	0.06	<10	<10	50	10	192
CC36320		2	3	93	<20	0.06	<10	<10	42	10	211
CC36321		3	3	43	<20	0.07	<10	<10	40	<10	140
CC36322		3	2	37	<20	0.03	<10	<10	46	<10	185
CC36323		6	2	61	<20	0.02	<10	<10	28	<10	1910
CC36324		2	2	71	<20	0.02	<10	10	18	<10	961
CC36325		<2	1	81	<20	0.02	<10	10	10	<10	85
CC36326		<2	2	114	<20	0.02	<10	10	16	<10	214
CC36327		<2	2	93	<20	0.02	<10	10	11	<10	30
CC36328		<2	5	107	<20	0.07	<10	<10	34	<10	624
CC36329		5	3	151	<20	0.05	<10	<10	26	<10	254

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC36330		0.16	0.001	<10	<4	<10	0.2	1.45	11	<10	210	<0.5	3	11.30	1.2	6
CC36331		0.26	0.003	<10	4	<10	0.8	1.15	159	<10	60	<0.5	2	24.6	1.6	9
CC36332		0.24	0.002	<10	<4	<10	0.2	0.94	10	<10	40	<0.5	<2	>25.0	<0.5	4
CC36333		0.24	0.001	<10	<4	<10	0.2	0.66	14	<10	60	<0.5	<2	22.9	<0.5	7
CC36334		0.18	<0.001	<10	<4	<10	<0.2	1.01	14	<10	80	<0.5	<2	21.7	<0.5	7
CC36335		0.26	<0.001	<10	<4	<10	0.3	1.48	11	<10	150	<0.5	<2	18.8	2.4	12
CC36336		0.18	0.002	<10	<4	<10	<0.2	3.35	7	<10	140	<0.5	<2	1.63	<0.5	30
CC36337		0.16	0.004	<10	4	<10	0.3	1.75	30	<10	380	0.6	4	1.39	1.1	10
CC36338		0.12	0.008	<10	5	10	0.4	1.55	78	<10	360	0.5	2	2.19	1.2	13
CC36339		0.14	0.027	<10	4	<10	0.4	1.84	28	<10	320	0.5	7	1.98	0.6	14
CC36340		0.36	0.005	<10	5	<10	0.3	1.71	41	<10	410	0.5	3	2.56	1.2	14
CC36341		0.08	0.009	<10	<4	<10	0.6	1.96	42	10	300	0.5	5	3.85	1.7	16
CC36342		0.20	0.005	<10	4	<10	0.4	1.94	40	<10	350	0.6	3	2.07	1.7	16
CC36343		0.16	0.015	<10	<4	<10	0.7	2.07	32	<10	240	0.5	4	2.64	4.0	19
CC36344		0.16	<0.001	NSS	NSS	NSS	0.4	1.66	25	<10	360	<0.5	2	3.44	1.0	12
CC36345		0.24	0.001	<10	<4	<10	0.2	2.56	19	<10	290	<0.5	<2	4.78	0.7	32
CC36346		0.12	0.012	<10	<4	10	0.3	2.28	30	<10	400	0.6	5	9.24	0.7	15
CC36347		0.36	0.009	<10	<4	10	0.4	2.87	29	<10	350	0.6	4	6.27	0.5	18
CC36348		0.12	0.016	<10	<4	10	0.2	2.19	30	<10	400	0.5	4	5.44	0.5	14
CC36349		0.10	0.001	<10	6	<10	0.2	1.06	16	<10	300	<0.5	4	3.52	0.6	7
CC36350		0.14	0.005	<10	4	<10	0.4	1.54	20	<10	250	0.5	11	2.05	0.5	15
CC36351		0.16	0.005	<10	5	<10	0.2	1.68	20	<10	380	0.5	3	1.37	<0.5	15
CC36352		0.24	0.004	<10	5	10	0.4	1.45	29	<10	300	0.5	2	6.13	0.8	14
CC36353		0.10	0.007	<10	4	<10	0.3	1.42	29	<10	350	0.5	3	2.02	0.9	10
CC36354		0.14	0.008	NSS	NSS	NSS	0.3	1.61	28	<10	240	0.5	3	2.34	1.3	11
CC36355		0.16	0.010	<10	<4	<10	0.3	1.80	35	<10	450	0.5	3	3.74	1.1	15
CC36356		0.20	0.006	<10	<4	<10	0.2	2.37	35	<10	350	0.5	3	2.02	1.6	18
CC36357		0.22	0.004	<10	<4	10	0.4	2.23	28	<10	240	0.6	8	2.38	1.8	22
CC36358		0.20	0.004	<10	4	<10	1.0	2.20	36	<10	250	0.6	5	2.23	3.5	20
CC36359		0.14	0.005	<10	<4	<10	0.2	1.40	27	<10	230	<0.5	<2	3.09	1.0	14
CC36360		0.04	0.002	<10	<4	<10	0.2	1.58	31	<10	180	<0.5	<2	4.28	0.7	15
CC36361		0.28	0.006	<10	<4	<10	0.2	1.70	35	<10	300	0.7	<2	0.83	1.4	14
CC36362		0.32	0.005	<10	<4	10	0.3	1.78	32	<10	260	0.5	3	2.51	1.5	16
CC36363		0.06	0.008	<10	<4	<10	0.3	1.46	27	<10	210	0.5	6	3.29	1.6	13
CC36364		0.18	0.004	<10	<4	<10	0.2	1.35	15	<10	260	0.5	2	2.08	0.7	10
CC36365		0.26	0.013	<10	<4	<10	0.2	1.56	19	<10	210	0.5	6	1.75	0.7	15
CC36366		0.06	0.020	NSS	NSS	NSS	<0.2	1.03	8	<10	260	<0.5	4	2.89	1.4	12
CC36367		0.20	0.004	<10	4	<10	<0.2	1.89	13	<10	340	<0.5	9	2.24	0.8	19
CC36369		0.24	0.006	<10	5	<10	0.3	1.88	29	<10	280	0.6	2	2.29	1.2	12
CC36370		0.02	0.003	<10	5	10	0.3	2.00	35	<10	250	0.6	4	5.11	<0.5	11

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36330		17	11	1.52	<10	<1	0.08	10	7.74	856	<1	0.02	11	450	24	0.09
CC36331		13	23	1.85	<10	1	0.10	10	1.81	561	<1	0.02	24	190	192	<0.01
CC36332		12	9	1.00	<10	<1	0.09	10	1.36	205	<1	0.02	10	300	14	<0.01
CC36333		6	16	1.44	<10	1	0.14	10	3.33	249	<1	0.02	11	230	19	<0.01
CC36334		14	13	1.53	<10	<1	0.16	10	3.64	270	<1	0.02	15	260	12	<0.01
CC36335		33	21	2.52	<10	<1	0.20	10	1.89	411	<1	0.02	33	390	33	<0.01
CC36336		136	49	5.24	10	<1	0.21	10	2.46	1010	<1	0.03	115	630	20	0.10
CC36337		36	37	2.96	<10	1	0.14	10	0.80	364	2	0.03	37	840	37	0.07
CC36338		37	38	5.26	<10	<1	0.14	10	0.89	1430	3	0.03	42	800	30	0.13
CC36339		48	35	3.10	<10	1	0.15	10	1.12	609	1	0.03	50	890	32	0.10
CC36340		43	42	3.24	<10	<1	0.17	10	1.77	858	3	0.03	49	1020	37	0.05
CC36341		62	45	3.36	<10	2	0.18	10	1.36	795	1	0.04	64	790	90	0.14
CC36342		58	45	3.42	<10	<1	0.15	10	1.07	979	1	0.04	67	800	66	0.09
CC36343		76	38	3.43	<10	<1	0.13	10	1.57	898	1	0.04	85	680	135	0.08
CC36344		46	38	2.92	<10	<1	0.13	10	1.00	620	1	0.04	44	730	26	0.13
CC36345		175	66	4.64	10	<1	0.21	10	2.22	738	1	0.05	120	1000	19	0.05
CC36346		60	61	3.17	10	1	0.47	10	3.55	559	1	0.05	59	850	43	0.06
CC36347		86	52	3.81	10	1	0.63	10	4.15	535	2	0.04	76	1030	28	0.03
CC36348		65	45	2.98	10	<1	0.52	10	3.39	550	<1	0.04	60	860	30	0.10
CC36349		26	33	1.80	<10	1	0.14	10	0.94	257	<1	0.03	28	680	20	0.13
CC36350		41	42	3.03	<10	<1	0.12	10	0.81	995	<1	0.03	39	960	23	0.11
CC36351		41	34	3.20	<10	1	0.13	10	0.68	1100	2	0.03	42	730	24	0.06
CC36352		37	35	2.81	<10	1	0.16	10	2.79	940	1	0.03	37	910	32	0.03
CC36353		33	33	2.52	<10	<1	0.10	10	0.71	524	1	0.03	39	730	26	0.10
CC36354		39	28	2.48	<10	<1	0.12	10	0.98	542	<1	0.03	41	670	21	0.11
CC36355		55	44	3.29	<10	<1	0.24	10	2.04	721	2	0.05	62	1010	44	0.09
CC36356		84	37	3.54	10	<1	0.16	10	1.32	846	1	0.05	84	720	60	0.08
CC36357		80	42	4.16	10	<1	0.09	10	1.78	1090	2	0.01	87	760	87	0.07
CC36358		97	40	3.79	10	<1	0.09	10	1.28	1100	2	0.01	102	680	189	0.08
CC36359		40	29	2.59	<10	<1	0.07	10	0.86	448	1	0.01	52	780	20	0.12
CC36360		41	33	2.42	<10	<1	0.08	10	0.98	388	2	0.03	55	880	16	0.14
CC36361		30	35	3.30	<10	<1	0.07	10	0.75	830	3	<0.01	39	670	22	0.02
CC36362		60	52	3.34	<10	<1	0.16	10	1.89	602	2	0.01	71	780	55	0.04
CC36363		47	40	2.77	<10	<1	0.17	10	1.31	554	2	0.02	49	770	39	0.11
CC36364		27	29	2.49	<10	<1	0.11	10	0.60	439	2	0.01	30	620	25	0.09
CC36365		32	39	3.53	<10	<1	0.11	10	1.03	769	2	0.01	39	960	30	0.05
CC36366		35	37	2.01	<10	<1	0.08	10	0.51	464	1	0.02	34	640	13	0.12
CC36367		76	59	3.58	<10	<1	0.09	10	1.13	601	2	0.01	74	880	14	0.10
CC36369		47	33	2.95	<10	1	0.11	10	1.26	573	2	0.02	47	670	27	0.07
CC36370		44	32	2.79	<10	<1	0.15	10	5.18	462	2	0.03	42	470	32	0.03

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36330		4	2	80	<20	0.03	<10	<10	28	10	491
CC36331		8	3	191	<20	0.03	<10	<10	16	10	530
CC36332		5	2	227	<20	0.03	<10	<10	16	<10	67
CC36333		2	2	268	<20	0.01	<10	<10	10	<10	115
CC36334		4	2	231	<20	0.03	<10	<10	13	<10	85
CC36335		6	3	232	<20	0.06	<10	<10	23	<10	569
CC36336		5	5	41	<20	0.30	<10	<10	69	<10	222
CC36337		5	4	33	<20	0.06	<10	<10	64	<10	234
CC36338		5	3	38	<20	0.06	<10	<10	54	<10	189
CC36339		5	4	35	<20	0.08	<10	<10	59	10	210
CC36340		5	4	36	<20	0.07	<10	<10	65	<10	246
CC36341		5	4	43	<20	0.09	<10	<10	57	<10	613
CC36342		5	4	31	<20	0.08	<10	<10	66	<10	490
CC36343		6	4	35	<20	0.10	<10	<10	64	<10	1150
CC36344		3	3	47	<20	0.07	<10	<10	53	<10	237
CC36345		4	8	57	<20	0.25	<10	<10	102	10	420
CC36346		2	4	99	<20	0.14	<10	<10	59	10	214
CC36347		5	5	63	<20	0.21	<10	<10	79	30	194
CC36348		4	4	56	<20	0.14	<10	<10	56	20	200
CC36349		4	2	54	<20	0.04	<10	<10	33	<10	90
CC36350		3	4	38	<20	0.06	<10	<10	53	<10	131
CC36351		4	4	34	<20	0.06	<10	<10	58	<10	132
CC36352		8	4	73	<20	0.06	<10	<10	50	10	154
CC36353		4	3	31	<20	0.05	<10	<10	53	<10	160
CC36354		4	3	34	<20	0.06	<10	<10	47	<10	229
CC36355		5	4	45	<20	0.08	<10	<10	58	<10	276
CC36356		3	5	31	<20	0.13	<10	<10	71	<10	515
CC36357		<2	5	29	<20	0.10	<10	<10	61	<10	447
CC36358		6	4	29	<20	0.09	<10	<10	63	<10	843
CC36359		2	3	34	<20	0.04	<10	<10	45	<10	142
CC36360		2	3	44	<20	0.03	<10	10	38	<10	124
CC36361		3	3	22	<20	0.04	<10	<10	68	<10	145
CC36362		3	4	33	<20	0.10	<10	<10	57	<10	360
CC36363		<2	3	40	<20	0.06	<10	10	43	<10	248
CC36364		2	3	37	<20	0.04	<10	<10	43	<10	99
CC36365		<2	4	30	<20	0.06	<10	<10	55	<10	138
CC36366		<2	2	51	<20	0.04	<10	10	35	<10	91
CC36367		2	4	43	<20	0.07	<10	<10	69	<10	123
CC36369		4	3	31	<20	0.06	<10	<10	53	<10	215
CC36370		4	4	54	<20	0.08	<10	10	56	<10	147

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC36371		0.30	0.004	<10	<4	<10	0.3	2.02	23	<10	220	0.6	9	4.55	0.9	12
CC36372		0.24	0.004	<10	<4	<10	0.2	2.20	26	<10	250	<0.5	2	2.93	1.8	24
CC36373		0.20	0.003	<10	4	10	0.2	2.72	26	<10	740	0.6	2	1.42	1.6	19
CC36374		0.16	0.005	NSS	NSS	NSS	0.4	2.23	37	<10	260	0.5	10	3.02	2.0	29
CC36375		0.16	0.005	<10	4	<10	1.3	2.29	39	<10	230	0.6	7	2.19	9.1	20
CC36376		0.24	0.003	<10	<4	10	0.4	2.14	39	<10	220	0.7	4	4.36	1.0	17
CC36377		0.20	0.003	<10	4	<10	<0.2	3.04	19	<10	430	0.5	<2	7.68	<0.5	34
CC36378		0.16	0.004	<10	4	<10	0.3	2.05	28	<10	290	0.6	<2	2.52	0.9	16
CC36379		0.16	0.009	<10	<4	10	0.4	2.07	33	<10	200	0.6	7	4.09	1.6	18
CC36380		0.26	0.003	<10	4	10	0.2	2.24	35	<10	210	0.8	3	0.93	0.9	15
CC36381		0.14	0.004	NSS	NSS	NSS	0.4	1.21	14	<10	240	0.5	3	3.25	1.0	13
CC36382		0.12	<0.001	<10	<4	<10	0.3	1.65	11	<10	270	<0.5	3	2.67	0.9	15
CC36383		0.22	<0.001	<10	4	<10	0.6	2.11	12	<10	280	<0.5	6	2.40	0.8	22
CC36384		0.10	0.003	<10	<4	<10	0.3	1.52	17	<10	300	<0.5	9	2.46	1.1	14
CC36385		0.26	0.005	<10	4	10	0.8	1.77	46	<10	380	0.7	4	3.20	1.5	14
CC36387		0.18	0.002	<10	<4	20	2.0	0.97	22	<10	530	0.7	8	12.50	3.7	5
CC36388		0.14	0.001	<10	5	10	0.7	0.72	10	<10	220	0.5	2	14.9	1.2	3
CC36389		0.20	<0.001	<10	<4	<10	0.3	0.14	3	<10	140	<0.5	<2	17.5	0.9	<1
CC36390		0.22	<0.001	<10	<4	10	0.6	0.43	4	<10	180	<0.5	2	16.1	0.7	1
CC36391		0.14	<0.001	<10	<4	<10	1.2	0.23	3	<10	1670	<0.5	2	16.1	30.0	<1
CC36392		0.20	0.001	<10	<4	<10	0.4	0.57	8	<10	920	<0.5	<2	15.4	2.3	2
CC36393		0.20	<0.001	<10	<4	<10	0.3	1.15	8	<10	1180	<0.5	2	15.7	1.5	3
CC36394		0.26	0.002	<10	<4	<10	0.4	1.89	9	<10	960	0.6	<2	14.8	1.8	6
CC36395		0.22	<0.001	<10	<4	<10	0.4	2.44	16	<10	160	0.8	<2	11.10	1.1	8
CC36396		0.18	0.001	<10	5	<10	0.4	1.50	16	<10	100	0.5	4	13.10	1.1	7
CC36397		0.22	0.002	<10	<4	<10	0.2	1.04	20	<10	100	<0.5	<2	15.6	1.1	8
CC36398		0.18	0.002	<10	<4	<10	0.4	0.59	34	<10	50	<0.5	2	14.0	0.6	7
CC36399		0.24	0.001	<10	<4	<10	0.9	0.86	32	<10	110	0.5	6	12.35	1.6	11
CC36400		0.28	0.001	<10	<4	<10	0.3	0.61	6	<10	70	<0.5	<2	15.0	0.7	6
CC36401		0.22	<0.001	<10	<4	<10	0.2	0.68	<2	<10	30	<0.5	<2	21.2	<0.5	5
CC36402		0.30	<0.001	<10	<4	<10	0.2	4.12	4	<10	70	0.5	<2	1.21	<0.5	42
CC36403		0.14	0.002	<10	4	<10	<0.2	0.31	3	<10	60	<0.5	<2	17.0	<0.5	1
CC36404		0.18	<0.001	<10	<4	<10	0.2	0.38	6	<10	70	<0.5	<2	16.8	<0.5	1
CC36405		0.16	0.003	<10	<4	40	0.4	1.51	7	<10	310	1.0	4	10.30	1.2	6
CC36406		0.18	0.001	<10	<4	20	0.7	0.49	7	<10	280	<0.5	2	15.5	1.8	3
CC36407		0.08	0.003	<10	<4	<10	0.4	0.82	5	<10	180	<0.5	<2	15.4	1.2	2
CC36408		0.16	0.005	<10	<4	<10	0.6	0.84	6	<10	160	<0.5	<2	14.5	0.9	4
CC36409		0.08	0.001	<10	<4	<10	0.5	1.55	12	<10	260	0.5	6	13.0	1.0	6
CC36410		0.22	0.001	<10	<4	<10	0.5	1.91	12	<10	80	0.6	2	13.10	1.2	6
CC36411		0.20	0.001	<10	<4	<10	0.4	2.25	10	<10	100	0.8	<2	12.35	1.0	7

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36371		47	39	3.03	<10	<1	0.17	10	3.54	400	2	0.02	50	560	37	0.03
CC36372		91	46	3.65	10	<1	0.11	10	1.35	1060	1	0.05	103	700	68	0.09
CC36373		96	26	4.10	10	1	0.09	10	1.58	884	2	0.03	84	390	122	0.04
CC36374		80	105	5.87	<10	<1	0.15	10	1.36	709	1	0.03	102	760	76	0.12
CC36375		92	42	4.17	10	<1	0.09	10	1.38	1030	2	0.02	95	690	229	0.09
CC36376		68	31	3.45	10	<1	0.12	10	2.14	1170	2	0.03	69	610	41	0.05
CC36377		166	61	4.39	10	<1	0.44	10	1.96	547	1	0.05	241	1220	14	0.04
CC36378		70	39	3.36	10	<1	0.13	10	1.46	580	2	0.03	70	760	31	0.06
CC36379		72	46	3.53	<10	<1	0.16	10	2.86	683	2	0.02	74	740	60	0.07
CC36380		62	34	3.70	10	<1	0.11	10	1.36	625	2	0.03	64	330	74	0.02
CC36381		25	31	2.66	<10	1	0.11	10	1.00	703	3	0.04	29	690	36	0.10
CC36382		39	28	3.02	10	1	0.13	10	0.92	834	<1	0.06	33	930	17	0.13
CC36383		52	50	3.81	10	<1	0.13	10	1.20	700	<1	0.05	44	1020	14	0.12
CC36384		45	42	3.13	<10	1	0.12	10	0.71	512	1	0.05	43	660	16	0.10
CC36385		44	53	3.41	10	1	0.23	10	2.25	572	2	0.05	50	790	42	0.04
CC36387		12	25	2.26	<10	<1	0.06	10	8.12	3620	2	0.03	15	930	125	0.10
CC36388		8	11	1.45	<10	<1	0.05	<10	10.25	1840	2	0.03	9	690	67	0.08
CC36389		2	3	0.59	<10	<1	0.02	<10	11.85	1220	<1	0.02	2	160	15	<0.01
CC36390		6	8	0.54	<10	1	0.07	<10	11.25	270	2	0.02	6	210	25	<0.01
CC36391		2	21	0.68	<10	<1	0.03	<10	9.59	2750	<1	0.02	2	250	26	<0.01
CC36392		8	7	0.73	<10	<1	0.05	<10	10.90	691	<1	0.02	8	190	31	0.06
CC36393		13	9	0.99	<10	<1	0.19	<10	9.08	356	<1	0.03	8	170	19	0.14
CC36394		24	16	1.62	10	1	0.12	<10	6.80	566	<1	0.03	22	270	26	0.06
CC36395		31	20	2.04	10	1	0.09	10	6.29	547	<1	0.04	25	380	22	0.06
CC36396		19	23	1.89	<10	1	0.09	10	4.06	429	<1	0.03	23	380	43	0.05
CC36397		14	23	1.97	<10	<1	0.15	10	3.12	433	<1	0.03	24	330	38	<0.01
CC36398		7	26	2.14	<10	<1	0.07	10	1.92	397	<1	0.02	20	380	27	0.04
CC36399		12	36	2.69	<10	<1	0.19	10	2.13	642	<1	0.02	28	400	98	0.05
CC36400		8	15	1.90	<10	1	0.11	10	1.44	361	<1	0.02	16	360	26	0.04
CC36401		8	9	1.40	<10	1	0.09	<10	2.12	653	<1	0.02	10	130	8	<0.01
CC36402		165	19	6.46	10	2	0.28	<10	4.11	512	<1	0.02	118	960	5	0.02
CC36403		3	4	0.28	<10	<1	0.03	<10	11.50	175	<1	0.02	2	300	4	<0.01
CC36404		4	6	0.29	<10	<1	0.03	<10	11.50	202	<1	0.02	2	370	6	<0.01
CC36405		17	21	1.50	<10	1	0.18	10	7.23	1360	<1	0.04	14	1040	57	0.12
CC36406		5	9	0.81	<10	<1	0.03	<10	10.60	1240	1	0.03	5	320	74	0.07
CC36407		9	8	0.73	<10	<1	0.06	<10	11.15	733	<1	0.03	8	270	22	0.06
CC36408		10	8	0.86	<10	1	0.13	<10	10.80	309	<1	0.02	9	230	23	0.06
CC36409		18	14	1.27	<10	<1	0.16	<10	7.45	356	<1	0.03	14	190	20	0.10
CC36410		24	15	1.61	10	<1	0.06	10	6.44	514	<1	0.03	22	300	22	0.06
CC36411		29	19	1.92	10	<1	0.10	10	5.33	487	<1	0.03	36	380	21	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36371		5	4	38	<20	0.09	<10	<10	52	<10	321
CC36372		<2	5	33	<20	0.11	<10	<10	61	<10	442
CC36373		<2	5	23	<20	0.14	<10	<10	77	<10	673
CC36374		2	5	30	<20	0.10	<10	<10	54	<10	554
CC36375		4	4	29	<20	0.09	<10	<10	62	<10	1430
CC36376		2	4	42	<20	0.09	<10	<10	59	<10	237
CC36377		<2	8	73	<20	0.18	<10	<10	88	<10	113
CC36378		<2	4	36	<20	0.09	<10	<10	64	<10	234
CC36379		3	4	40	<20	0.10	<10	<10	55	<10	463
CC36380		<2	5	21	<20	0.10	<10	<10	68	10	201
CC36381		2	3	43	<20	0.04	<10	<10	41	<10	115
CC36382		2	3	45	<20	0.07	<10	<10	60	<10	128
CC36383		2	4	44	<20	0.10	<10	<10	78	<10	109
CC36384		2	3	45	<20	0.06	<10	10	65	<10	103
CC36385		3	4	39	<20	0.08	<10	<10	70	10	280
CC36387		5	1	56	<20	0.02	<10	<10	32	10	1010
CC36388		<2	<1	46	<20	0.01	<10	<10	25	10	384
CC36389		<2	<1	59	<20	<0.01	<10	<10	6	<10	220
CC36390		3	1	91	<20	0.01	<10	<10	10	<10	264
CC36391		4	<1	88	<20	<0.01	<10	<10	8	<10	7430
CC36392		3	1	94	<20	0.01	<10	<10	13	<10	670
CC36393		2	2	121	<20	0.03	<10	<10	16	<10	337
CC36394		3	4	130	<20	0.06	<10	<10	29	<10	573
CC36395		2	4	97	<20	0.06	<10	<10	37	<10	279
CC36396		5	3	113	<20	0.04	<10	<10	25	<10	389
CC36397		3	3	140	<20	0.03	<10	<10	21	<10	319
CC36398		2	3	126	<20	0.02	<10	<10	13	<10	162
CC36399		3	3	104	<20	0.02	<10	<10	17	<10	573
CC36400		2	2	155	<20	0.01	<10	<10	11	<10	158
CC36401		<2	2	319	<20	0.01	<10	<10	8	<10	30
CC36402		2	5	19	<20	0.54	<10	<10	69	<10	104
CC36403		3	<1	41	<20	0.01	<10	<10	11	<10	42
CC36404		2	<1	62	<20	0.01	<10	<10	13	<10	37
CC36405		3	1	41	<20	0.02	<10	<10	33	40	241
CC36406		<2	1	74	<20	0.01	<10	<10	16	10	372
CC36407		2	1	89	<20	0.02	<10	<10	15	<10	405
CC36408		2	1	85	<20	0.02	<10	<10	15	<10	282
CC36409		3	3	104	<20	0.04	<10	<10	21	<10	240
CC36410		3	4	105	<20	0.05	<10	<10	27	<10	403
CC36411		4	4	119	<20	0.06	<10	<10	35	<10	440

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36466		0.26	<0.001	<10	<4	<10	<0.2	0.30	4	<10	30	<0.5	<2	25.0	<0.5	4
CC36467		0.26	<0.001	<10	<4	<10	<0.2	0.42	4	<10	60	<0.5	<2	18.1	<0.5	1
CC36468		0.10	<0.001	<10	5	<10	0.2	1.09	15	10	170	0.9	<2	4.91	<0.5	5
CC36469		0.22	<0.001	<10	4	<10	0.2	0.18	8	<10	130	<0.5	<2	19.1	0.9	1
CC36470		0.16	0.002	<10	5	<10	0.2	0.53	13	<10	320	<0.5	<2	15.8	<0.5	2
CC36471		0.20	<0.001	<10	4	<10	0.3	0.42	15	<10	560	<0.5	<2	18.1	<0.5	2
CC36472		0.08	<0.001	<10	5	<10	0.5	0.44	11	<10	190	<0.5	<2	9.56	<0.5	2
CC36473		0.14	0.001	<10	7	10	0.7	2.14	18	<10	730	0.8	<2	1.53	2.7	13
CC36474		0.16	0.003	<10	<4	<10	0.4	1.73	26	<10	250	0.8	<2	0.76	2.8	12
CC36475		0.16	0.001	<10	<4	<10	0.5	1.57	28	<10	210	0.7	<2	2.00	4.4	12
CC36476		0.20	0.005	<10	<4	<10	1.1	1.35	45	<10	220	0.6	<2	2.93	6.2	9
CC36477		0.16	0.004	<10	5	<10	0.9	1.12	32	<10	240	0.5	<2	5.90	5.6	8
CC36478		0.20	0.010	<10	4	<10	1.2	1.01	30	<10	230	<0.5	<2	3.49	5.4	5
CC36479		0.22	0.003	<10	4	<10	0.5	0.56	21	<10	100	0.5	<2	11.30	3.2	6
CC36480		0.16	0.001	<10	<4	<10	1.0	0.82	25	<10	260	0.5	<2	12.60	19.3	9
CC36481		0.24	<0.001	<10	<4	<10	0.3	0.43	13	<10	140	<0.5	<2	21.9	1.2	5
CC36482		0.28	0.007	<10	4	<10	<0.2	0.35	6	<10	40	<0.5	<2	24.4	<0.5	4
CC36483		0.12	<0.001	<10	4	10	0.5	1.02	8	10	190	1.1	<2	9.78	<0.5	3
CC36484		0.14	0.001	<10	<4	20	0.4	0.59	9	<10	190	<0.5	<2	14.7	0.5	1
CC36485		0.24	0.001	<10	<4	10	0.8	0.13	13	<10	2550	<0.5	<2	19.5	6.0	<1
CC36486		0.34	<0.001	<10	5	<10	0.2	0.27	6	<10	140	<0.5	<2	16.7	<0.5	<1
CC36487		0.26	0.001	<10	4	<10	<0.2	0.13	2	<10	130	<0.5	<2	18.8	<0.5	1
CC36488		0.20	0.001	<10	<4	<10	0.5	1.16	6	10	1800	0.6	<2	10.55	7.2	4
CC36489		0.18	<0.001	<10	<4	<10	0.4	0.65	4	<10	550	<0.5	<2	16.2	2.8	2
CC36490		0.10	<0.001	<10	4	<10	0.6	1.51	17	<10	220	0.6	<2	2.19	3.9	8
CC36491		0.14	0.001	<10	<4	<10	0.6	0.92	31	<10	110	0.5	<2	4.51	2.2	10
CC36492		0.26	0.003	<10	<4	<10	0.5	0.76	14	<10	90	<0.5	<2	14.15	0.7	8
CC36493		0.18	0.006	<10	4	<10	0.7	1.83	28	<10	210	0.8	<2	1.48	4.8	12
CC36494		0.20	0.003	<10	<4	<10	0.5	1.44	40	<10	160	0.7	<2	7.55	3.5	13
CC36495		0.16	0.004	<10	<4	<10	0.3	1.00	29	<10	160	0.6	2	4.82	2.8	13
CC36496		0.22	<0.001	<10	5	<10	0.3	1.04	14	<10	130	0.6	<2	6.39	0.5	8
CC36497		0.20	0.001	<10	<4	<10	<0.2	0.74	6	<10	60	<0.5	<2	13.10	<0.5	5
CC36498		0.34	<0.001	<10	<4	<10	<0.2	0.32	3	<10	30	<0.5	<2	20.9	<0.5	4
CC36499		0.24	0.002	<10	<4	<10	0.5	1.73	21	<10	300	0.5	2	2.74	0.5	12
CC36500		0.12	0.006	<10	<4	10	0.4	2.24	31	<10	240	0.6	5	2.06	<0.5	14

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36466		3	12	0.98	<10	<1	0.15	10	2.66	153	<1	<0.01	12	150	7	<0.01
CC36467		6	3	0.37	<10	<1	0.02	10	11.80	183	1	<0.01	8	370	3	<0.01
CC36468		29	17	1.49	<10	<1	0.10	70	1.98	848	3	0.01	31	2600	39	0.24
CC36469		2	2	0.26	<10	<1	0.02	<10	12.30	428	<1	<0.01	6	300	25	<0.01
CC36470		6	6	1.07	<10	<1	0.03	10	10.30	1520	2	<0.01	6	520	13	0.03
CC36471		5	3	0.42	<10	<1	0.04	10	11.95	514	1	<0.01	12	450	32	<0.01
CC36472		6	10	0.77	<10	<1	0.06	10	5.31	844	1	0.02	6	790	14	0.13
CC36473		33	18	2.88	10	<1	0.07	20	1.22	1910	3	<0.01	36	2300	151	0.15
CC36474		26	26	3.42	<10	<1	0.10	20	0.99	914	1	<0.01	44	830	85	0.04
CC36475		23	24	3.10	<10	<1	0.10	20	1.30	984	1	<0.01	40	900	68	0.07
CC36476		18	29	3.01	<10	<1	0.10	20	1.94	897	1	<0.01	47	780	104	0.04
CC36477		16	21	2.20	<10	<1	0.11	10	3.62	784	1	0.01	35	750	79	0.08
CC36478		9	21	1.94	<10	<1	0.14	20	0.38	746	<1	0.02	21	900	50	0.19
CC36479		7	15	2.02	<10	1	0.09	20	6.41	816	<1	<0.01	18	660	54	0.03
CC36480		10	33	2.54	<10	<1	0.19	20	2.55	2550	1	<0.01	26	660	149	0.05
CC36481		6	8	1.45	<10	1	0.07	10	1.43	692	<1	<0.01	10	360	28	<0.01
CC36482		4	13	1.21	<10	<1	0.05	10	1.27	182	<1	<0.01	12	230	11	<0.01
CC36483		26	23	0.96	<10	<1	0.05	40	5.84	1050	1	0.02	22	2050	13	0.18
CC36484		6	6	0.80	<10	<1	0.04	10	9.59	1050	<1	0.02	8	720	37	0.07
CC36485		2	10	0.85	<10	<1	0.02	<10	12.30	2660	3	0.02	14	270	37	<0.01
CC36486		2	5	0.54	<10	<1	0.02	<10	10.80	844	<1	0.02	8	240	13	<0.01
CC36487		<1	1	0.40	<10	<1	0.01	<10	12.20	754	<1	0.02	5	140	5	<0.01
CC36488		11	16	1.79	<10	<1	0.07	10	6.64	2720	2	0.04	18	990	52	0.19
CC36489		7	7	0.92	<10	<1	0.04	10	11.05	1150	<1	0.02	13	280	39	<0.01
CC36490		20	29	2.38	<10	<1	0.12	20	0.86	855	1	0.02	28	1600	39	0.19
CC36491		12	30	2.52	<10	<1	0.12	10	1.61	583	<1	0.02	25	750	56	0.08
CC36492		10	22	2.20	<10	<1	0.07	10	2.36	496	<1	0.02	24	410	50	0.01
CC36493		27	29	3.34	<10	<1	0.10	20	1.17	1040	<1	0.02	51	690	92	0.08
CC36494		21	32	3.52	<10	<1	0.16	20	1.62	723	<1	0.03	43	680	71	0.04
CC36495		18	38	3.59	<10	2	0.09	20	1.20	1050	<1	0.02	38	840	88	0.09
CC36496		14	19	2.79	<10	<1	0.16	20	2.10	726	<1	0.02	20	820	23	0.08
CC36497		9	15	1.91	<10	<1	0.07	10	1.84	315	<1	0.01	16	410	16	0.02
CC36498		4	9	1.48	<10	<1	0.04	10	2.68	283	<1	0.01	16	200	5	<0.01
CC36499		48	25	2.70	<10	<1	0.10	10	0.97	607	<1	0.04	35	690	24	0.10
CC36500		54	28	3.44	10	<1	0.12	10	1.55	655	<1	0.05	46	540	28	0.07

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087264

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36466		2	2	226	<20	0.01	<10	20	4	<10	45
CC36467		<2	1	71	<20	0.01	<10	10	14	<10	46
CC36468		2	<1	34	<20	0.01	<10	<10	39	<10	332
CC36469		<2	<1	62	<20	<0.01	<10	20	6	<10	245
CC36470		<2	1	65	<20	0.01	<10	10	15	<10	199
CC36471		<2	<1	75	<20	0.01	<10	10	19	<10	476
CC36472		<2	1	35	<20	0.01	<10	<10	13	<10	245
CC36473		2	2	23	<20	0.03	<10	<10	104	<10	1055
CC36474		5	4	16	<20	0.03	<10	<10	46	<10	899
CC36475		3	3	24	<20	0.03	<10	<10	45	<10	816
CC36476		4	3	28	<20	0.02	<10	<10	33	<10	1320
CC36477		4	2	48	<20	0.02	<10	<10	25	<10	1035
CC36478		3	1	34	<20	0.02	<10	<10	15	<10	815
CC36479		3	2	97	<20	0.01	<10	<10	12	<10	693
CC36480		15	2	89	<20	0.01	<10	<10	17	<10	1125
CC36481		<2	2	118	<20	0.01	<10	20	7	<10	306
CC36482		<2	2	313	<20	0.01	<10	20	9	<10	53
CC36483		<2	<1	48	<20	0.01	<10	<10	41	<10	208
CC36484		<2	<1	61	<20	0.01	<10	10	18	20	368
CC36485		3	1	94	<20	<0.01	<10	10	9	<10	1750
CC36486		<2	<1	50	<20	0.01	<10	10	8	<10	254
CC36487		<2	<1	56	<20	<0.01	<10	10	5	<10	178
CC36488		<2	1	56	<20	0.02	<10	<10	27	<10	1730
CC36489		<2	1	92	<20	0.01	<10	<10	14	<10	985
CC36490		<2	2	28	<20	0.02	<10	<10	37	<10	412
CC36491		<2	3	45	<20	0.02	<10	<10	20	<10	452
CC36492		<2	3	131	<20	0.02	<10	<10	17	<10	339
CC36493		6	3	24	<20	0.03	<10	<10	39	<10	1150
CC36494		<2	3	66	<20	0.03	<10	<10	37	<10	609
CC36495		<2	3	49	<20	0.02	<10	<10	23	<10	637
CC36496		<2	2	56	<20	0.01	<10	<10	24	<10	220
CC36497		<2	2	145	<20	0.01	<10	<10	14	<10	80
CC36498		<2	2	304	<20	0.01	<10	<10	6	<10	35
CC36499		<2	3	37	<20	0.06	<10	<10	46	<10	173
CC36500		<2	4	32	<20	0.09	<10	<10	60	<10	224

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07087263

Project: RAU

P.O. No.:

This report is for 246 Soil samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36001		0.14	0.007	<10	12	10	0.6	1.63	48	<10	270	0.7	2	2.30	<0.5	11
CC36002		0.34	0.062	<10	5	10	0.4	1.35	42	<10	320	0.6	<2	2.89	0.6	10
CC36003		0.44	0.005	<10	6	10	0.5	1.55	26	<10	240	0.5	<2	0.79	<0.5	11
CC36004		0.26	0.003	<10	5	<10	0.4	1.53	23	<10	410	0.6	<2	1.02	1.3	11
CC36005		0.44	0.014	<10	6	10	0.6	1.58	38	<10	340	0.7	3	0.51	0.6	11
CC36006		0.44	0.008	<10	<4	10	0.5	1.56	30	<10	280	0.7	3	0.68	0.5	10
CC36007		0.34	0.013	<10	4	10	0.6	1.60	93	<10	330	0.7	4	1.34	1.3	14
CC36008		0.38	0.034	<10	4	10	0.4	1.48	30	<10	250	0.6	3	3.38	1.3	9
CC36009		0.20	0.006	<10	6	<10	0.6	1.67	25	<10	370	0.8	2	1.26	2.1	11
CC36010		0.28	0.008	<10	6	10	0.6	1.62	28	<10	370	0.7	4	1.42	1.3	10
CC36011		0.46	0.009	<10	<4	10	0.7	1.72	42	<10	350	0.7	5	5.06	1.4	10
CC36012		0.28	0.006	<10	6	10	0.2	1.64	30	<10	250	0.6	5	0.13	1.3	6
CC36013		0.22	<0.001	NSS	NSS	NSS	0.4	1.00	12	<10	190	<0.5	3	0.17	<0.5	2
CC36014		0.34	0.067	<10	11	70	1.3	0.64	443	<10	290	<0.5	327	0.04	<0.5	<1
CC36015		0.22	0.012	<10	7	10	0.9	1.78	31	<10	510	0.7	9	1.89	2.3	9
CC36016		0.38	0.008	<10	7	10	0.5	1.49	26	<10	320	0.6	7	0.62	1.1	9
CC36017		0.22	0.005	<10	<4	10	0.5	1.23	14	<10	300	0.5	2	3.18	0.8	6
CC36018		0.26	0.011	<10	5	10	0.5	1.23	12	<10	240	0.5	4	3.10	0.6	6
CC36019		0.22	0.007	<10	5	10	0.4	1.16	10	<10	250	0.5	6	0.75	1.0	7
CC36020		0.20	0.006	<10	5	<10	0.5	1.39	25	<10	330	0.6	3	0.75	1.2	10
CC36021		0.38	0.006	<10	4	10	0.8	1.41	25	<10	330	0.6	3	3.26	1.5	8
CC36022		0.38	0.015	<10	5	10	0.7	1.10	22	<10	260	0.5	3	7.25	1.0	5
CC36023		0.18	0.008	<10	4	10	0.6	1.10	81	<10	230	0.5	8	2.39	1.3	7
CC36024		0.12	0.009	<10	5	10	0.6	1.55	34	<10	420	0.6	4	2.92	0.8	9
CC36025		0.20	0.008	<10	<4	10	0.8	1.58	33	<10	310	0.6	2	5.14	<0.5	9
CC36026		0.20	0.008	<10	<4	20	0.4	1.39	35	<10	370	0.6	<2	9.04	<0.5	8
CC36027		0.18	0.007	<10	<4	<10	0.6	1.44	20	<10	330	0.5	<2	4.02	1.0	8
CC36028		0.24	0.004	<10	<4	<10	0.5	1.55	18	<10	320	0.6	<2	5.56	0.8	8
CC36029		0.24	0.005	<10	5	<10	0.6	1.60	19	<10	680	0.6	<2	5.44	3.3	7
CC36030		0.06	0.016	NSS	NSS	NSS	0.5	0.34	3	<10	320	<0.5	2	3.72	0.7	1
CC36031		0.34	0.006	<10	4	10	0.6	2.17	17	<10	200	0.6	<2	6.89	<0.5	8
CC36032		0.06	0.008	NSS	NSS	NSS	0.3	0.32	5	<10	330	<0.5	<2	4.57	0.8	1
CC36033		0.28	0.004	<10	5	10	0.4	2.31	17	<10	260	0.7	<2	0.13	<0.5	13
CC36034		0.34	0.007	<10	5	90	0.7	2.19	31	<10	230	3.6	<2	5.73	<0.5	69
CC36035		0.20	0.004	<10	<4	<10	0.4	2.48	17	<10	190	0.6	<2	6.77	<0.5	6
CC36036		0.14	0.011	<10	7	10	0.4	1.78	50	<10	300	0.9	3	0.38	<0.5	10
CC36037		0.26	0.010	<10	5	10	0.6	1.74	30	<10	310	0.7	<2	1.11	<0.5	10
CC36038		0.30	0.005	<10	<4	10	0.5	1.69	22	<10	260	0.7	<2	3.98	0.5	13
CC36039		0.24	0.007	<10	4	30	0.4	1.75	23	<10	220	0.6	<2	7.23	<0.5	9
CC36040		0.24	0.003	<10	<4	<10	0.3	1.34	5	<10	110	<0.5	<2	16.0	<0.5	1

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36001		34	62	3.41	<10	<1	0.15	10	0.95	573	3	0.04	49	860	30	0.16
CC36002		25	39	3.06	<10	<1	0.16	10	2.03	1595	4	0.04	43	840	29	0.04
CC36003		31	16	3.10	<10	<1	0.13	10	0.67	261	2	0.04	29	860	21	0.04
CC36004		29	28	2.91	<10	<1	0.12	10	0.62	553	2	0.03	32	690	23	0.12
CC36005		32	50	3.47	<10	<1	0.15	20	0.75	174	5	0.04	46	900	32	0.02
CC36006		31	27	3.19	<10	<1	0.15	10	0.70	352	2	0.04	41	900	21	0.03
CC36007		30	38	5.59	<10	<1	0.14	10	0.94	404	8	0.04	45	980	36	0.08
CC36008		29	50	2.93	<10	<1	0.16	20	2.38	354	2	0.04	50	940	39	0.03
CC36009		30	39	3.34	<10	1	0.12	10	0.59	1175	2	0.03	34	1060	47	0.08
CC36010		30	43	3.17	<10	<1	0.12	10	1.14	545	3	0.04	49	860	38	0.05
CC36011		29	58	3.38	<10	<1	0.15	10	3.71	580	4	0.04	52	710	41	0.03
CC36012		28	25	3.31	10	<1	0.09	10	0.31	240	5	0.02	28	530	25	0.04
CC36013		16	19	1.54	<10	1	0.06	10	0.17	81	1	<0.01	14	670	15	0.04
CC36014		12	668	29.5	<10	1	0.20	<10	0.43	288	8	<0.01	21	620	30	0.54
CC36015		31	50	3.16	10	1	0.14	10	1.42	359	4	0.04	54	930	38	0.08
CC36016		27	43	2.78	<10	1	0.10	10	0.59	183	3	0.01	40	750	31	0.03
CC36017		22	32	2.23	<10	<1	0.11	10	2.31	308	1	0.03	31	770	25	0.01
CC36018		22	35	2.20	<10	1	0.12	10	2.15	335	<1	0.03	31	790	24	0.02
CC36019		22	27	2.07	<10	1	0.08	10	0.58	557	<1	0.02	30	720	23	0.02
CC36020		25	31	2.61	<10	1	0.11	10	0.61	537	3	0.02	35	810	28	0.03
CC36021		26	44	2.46	<10	1	0.16	10	2.36	391	2	0.03	42	900	30	0.02
CC36022		22	27	1.92	<10	<1	0.10	10	5.01	511	3	0.03	33	650	24	0.03
CC36023		22	36	2.22	<10	1	0.11	10	1.38	534	2	0.01	35	730	25	0.09
CC36024		31	45	2.76	<10	<1	0.19	10	1.60	625	2	0.04	42	860	30	0.09
CC36025		33	48	2.62	<10	1	0.20	10	3.68	530	2	0.03	41	800	29	0.04
CC36026		29	41	2.47	<10	<1	0.28	10	4.05	2750	1	0.04	39	630	24	0.04
CC36027		25	44	2.58	<10	<1	0.16	10	2.65	521	3	0.04	41	970	34	0.07
CC36028		23	31	2.37	<10	1	0.16	10	4.23	695	1	0.03	38	770	30	0.06
CC36029		24	42	2.38	<10	1	0.23	10	2.42	427	3	0.03	45	930	38	0.03
CC36030		4	16	0.52	<10	1	0.04	10	0.49	185	<1	0.03	9	680	5	0.18
CC36031		27	46	2.26	<10	1	0.10	10	6.40	536	<1	0.02	33	400	16	0.02
CC36032		4	38	0.41	<10	1	0.03	<10	0.29	257	<1	0.03	9	670	2	0.18
CC36033		37	72	3.05	10	1	0.07	10	0.56	184	1	0.01	45	200	19	0.01
CC36034		33	1040	7.46	<10	1	0.22	10	4.73	639	19	0.02	137	520	15	0.04
CC36035		32	28	2.28	<10	1	0.08	10	7.12	459	<1	0.02	35	480	15	0.02
CC36036		28	67	3.29	<10	<1	0.14	20	0.75	459	3	0.02	52	440	28	0.03
CC36037		30	51	2.99	<10	1	0.15	10	1.27	537	1	0.02	46	710	24	0.02
CC36038		27	76	3.00	<10	<1	0.18	10	3.07	352	1	0.03	50	720	22	0.08
CC36039		27	60	2.44	<10	1	0.19	10	5.30	554	2	0.04	43	560	21	0.04
CC36040		14	11	0.85	<10	1	0.69	10	10.05	137	<1	0.04	9	110	4	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36001		<2	3	42	<20	0.05	<10	10	50	<10	197
CC36002		<2	3	38	<20	0.05	<10	<10	56	<10	193
CC36003		<2	3	26	<20	0.05	<10	<10	66	<10	210
CC36004		<2	4	27	<20	0.05	<10	<10	62	<10	173
CC36005		<2	4	27	<20	0.07	<10	<10	74	10	224
CC36006		<2	4	30	<20	0.06	<10	<10	73	10	229
CC36007		<2	3	31	<20	0.05	<10	<10	77	10	267
CC36008		<2	4	40	<20	0.06	<10	<10	76	<10	227
CC36009		<2	4	30	<20	0.04	<10	<10	82	<10	184
CC36010		<2	4	31	<20	0.05	<10	<10	78	10	248
CC36011		5	4	48	<20	0.05	<10	<10	80	10	328
CC36012		<2	3	14	<20	0.05	<10	<10	96	<10	158
CC36013		<2	1	13	<20	0.02	<10	<10	31	<10	48
CC36014		<2	2	4	<20	0.06	10	<10	86	60	195
CC36015		3	4	38	<20	0.05	<10	<10	86	<10	251
CC36016		2	4	21	<20	0.04	<10	<10	67	<10	193
CC36017		2	3	39	<20	0.05	<10	<10	43	<10	139
CC36018		2	3	40	<20	0.05	<10	<10	43	<10	145
CC36019		2	3	25	<20	0.04	<10	<10	44	<10	143
CC36020		<2	3	26	<20	0.03	<10	<10	66	<10	200
CC36021		2	3	41	<20	0.05	<10	<10	65	<10	213
CC36022		<2	2	61	<20	0.05	<10	<10	44	10	214
CC36023		2	2	38	<20	0.03	<10	<10	48	<10	216
CC36024		<2	3	45	<20	0.05	<10	<10	54	<10	234
CC36025		<2	3	50	<20	0.06	<10	<10	50	10	195
CC36026		2	3	90	<20	0.06	<10	<10	36	20	172
CC36027		2	3	45	<20	0.04	<10	<10	50	<10	197
CC36028		<2	3	49	<20	0.04	<10	<10	41	<10	218
CC36029		3	3	71	<20	0.04	<10	<10	50	<10	271
CC36030		<2	<1	41	<20	0.01	<10	<10	8	<10	53
CC36031		<2	3	53	<20	0.07	<10	<10	41	10	93
CC36032		<2	<1	52	<20	0.01	<10	<10	6	<10	59
CC36033		<2	4	11	<20	0.04	<10	<10	71	<10	76
CC36034		<2	6	43	<20	0.06	<10	<10	40	100	106
CC36035		<2	3	48	<20	0.08	<10	<10	43	<10	101
CC36036		2	4	21	<20	0.05	10	<10	63	10	149
CC36037		<2	4	28	<20	0.05	<10	<10	56	<10	140
CC36038		2	3	44	<20	0.05	<10	<10	42	10	162
CC36039		<2	3	63	<20	0.06	<10	<10	38	20	129
CC36040		3	1	94	<20	0.05	<10	10	15	<10	19

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36041		0.24	0.007	<10	<4	<10	0.5	2.03	35	<10	240	0.7	3	1.32	<0.5	10
CC36042		0.12	0.004	<10	5	<10	0.4	1.13	30	<10	440	0.5	<2	3.62	0.6	7
CC36043		0.08	0.007	<10	4	10	0.5	1.97	50	<10	290	0.8	5	1.93	<0.5	15
CC36044		0.18	0.010	<10	9	10	0.7	1.91	48	<10	210	0.8	4	1.45	<0.5	14
CC36045		0.14	0.006	<10	5	10	0.6	1.71	292	<10	240	0.6	4	1.76	<0.5	13
CC36046		0.10	0.006	<10	5	10	0.6	1.86	31	<10	250	0.8	4	2.52	<0.5	12
CC36047		0.10	0.005	<10	5	<10	0.6	1.50	29	<10	260	0.6	5	2.28	0.7	9
CC36048		0.16	0.016	<10	5	10	0.5	2.00	37	<10	270	0.9	6	1.02	0.8	11
CC36049		0.16	0.007	<10	7	10	0.8	1.46	21	<10	370	0.6	3	1.71	1.3	8
CC36050		0.08	0.002	NSS	NSS	NSS	0.7	1.06	11	<10	400	0.6	2	3.99	6.6	6
CC36051		0.10	0.006	<10	<4	<10	0.5	1.18	23	<10	410	0.5	2	2.56	1.0	6
CC36052		0.08	0.005	NSS	NSS	NSS	0.4	1.04	12	<10	400	0.5	2	2.03	3.8	6
CC36053		0.14	0.006	NSS	NSS	NSS	0.4	1.27	24	<10	400	<0.5	3	2.55	0.7	10
CC36054		0.10	0.004	<10	5	10	0.5	1.86	25	<10	260	0.7	10	2.29	0.8	14
CC36055		0.22	0.005	<10	4	<10	0.5	1.99	24	<10	250	0.7	10	1.39	0.7	14
CC36056		0.26	0.007	<10	4	10	0.5	1.79	18	<10	240	0.6	11	1.24	0.9	11
CC36057		0.16	0.022	<10	4	10	0.5	1.45	17	<10	220	0.5	7	1.27	0.6	9
CC36058		0.32	0.025	<10	<4	10	0.6	1.19	28	<10	210	0.5	4	5.71	0.7	7
CC36059		0.40	0.005	<10	<4	10	0.7	1.13	21	<10	250	<0.5	5	6.04	1.3	6
CC36060		0.38	0.021	<10	<4	10	0.4	1.38	27	<10	320	0.5	<2	5.09	1.2	7
CC36061		0.18	0.006	<10	5	10	0.5	1.07	21	<10	260	<0.5	2	2.29	<0.5	6
CC36062		0.14	0.010	<10	<4	<10	0.5	1.06	18	<10	330	<0.5	4	2.57	0.9	6
CC36063		0.12	NSS	NSS	NSS	NSS	0.5	1.15	22	<10	350	0.5	3	2.23	1.0	8
CC36064		0.20	0.006	<10	<4	10	0.3	1.14	27	<10	370	0.5	3	3.05	1.4	9
CC36065		0.28	0.006	<10	4	20	0.5	1.55	25	<10	280	0.6	4	5.29	1.0	11
CC36066		0.32	0.013	<10	<4	10	0.7	1.56	29	<10	400	0.6	8	6.49	1.1	12
CC36067		0.32	0.005	<10	4	10	0.8	1.56	45	<10	470	0.6	3	3.34	1.8	11
CC36068		0.28	0.012	<10	4	10	0.4	1.53	34	<10	500	0.6	2	2.85	1.6	12
CC36069		0.12	0.013	<10	4	10	0.5	1.34	31	<10	490	0.5	3	1.69	1.1	10
CC36070		0.20	0.004	<10	4	20	0.5	1.53	37	<10	430	0.7	4	6.86	0.9	12
CC36071		0.40	0.010	<10	<4	40	0.3	1.48	30	<10	410	0.6	4	7.39	0.8	11
CC36072		0.40	0.006	<10	<4	20	0.5	1.86	66	<10	250	0.5	8	6.58	1.3	15
CC36073		0.26	0.016	<10	4	10	0.6	1.35	49	<10	390	0.6	9	4.03	1.6	10
CC36074		0.32	0.010	<10	5	10	0.5	1.58	33	<10	450	0.7	3	0.90	1.9	12
CC36075		0.16	0.003	<10	12	<10	0.5	1.37	22	<10	350	0.6	3	1.51	4.5	10
CC36076		0.18	0.007	<10	5	10	0.5	1.54	29	<10	440	0.6	2	1.32	2.9	11
CC36077		0.42	0.009	<10	<4	<10	0.5	1.56	32	<10	380	0.6	<2	3.88	2.4	10
CC36078		0.50	0.006	<10	6	10	0.5	1.37	31	<10	310	0.6	3	2.94	1.7	10
CC36079		0.26	0.007	<10	4	<10	0.7	2.05	24	<10	560	0.8	<2	1.07	2.6	12
CC36080		0.22	0.049	<10	5	20	0.8	1.31	54	<10	260	0.6	10	6.94	1.9	8

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36041		29	41	2.81	<10	<1	0.12	10	1.69	463	1	0.03	41	700	19	0.04
CC36042		17	40	2.24	<10	<1	0.08	10	0.81	1020	1	0.03	31	890	13	0.15
CC36043		43	51	3.52	<10	1	0.15	10	1.37	2500	1	0.03	61	640	24	0.10
CC36044		44	53	3.69	<10	1	0.13	10	1.18	563	3	0.02	60	710	21	0.08
CC36045		38	64	5.05	<10	1	0.13	10	1.24	732	1	0.03	58	730	22	0.12
CC36046		32	65	3.17	<10	1	0.16	10	1.47	830	2	0.04	50	750	20	0.12
CC36047		26	48	2.51	<10	1	0.10	10	0.91	752	1	0.03	38	870	17	0.15
CC36048		31	44	3.31	<10	1	0.15	10	1.48	629	2	0.03	53	370	59	0.04
CC36049		24	32	2.40	<10	1	0.09	10	0.82	650	2	0.02	33	720	22	0.07
CC36050		14	58	1.50	<10	1	0.04	10	0.58	783	<1	0.04	28	1040	12	0.19
CC36051		18	28	2.36	<10	<1	0.07	10	0.67	1375	<1	0.02	26	750	12	0.11
CC36052		15	31	1.65	<10	1	0.05	10	0.38	481	<1	0.02	26	910	13	0.12
CC36053		30	32	2.53	<10	<1	0.07	10	0.75	1980	2	0.02	37	830	17	0.21
CC36054		44	59	3.46	<10	1	0.10	10	1.24	600	<1	0.04	53	840	22	0.18
CC36055		46	52	3.35	<10	<1	0.09	10	1.42	480	<1	0.04	56	720	20	0.12
CC36056		42	46	3.07	<10	<1	0.09	10	0.98	214	<1	0.02	48	810	23	0.13
CC36057		31	38	2.40	<10	1	0.12	10	0.75	661	<1	0.03	35	900	21	0.07
CC36058		21	39	2.31	<10	<1	0.11	10	3.77	538	1	0.03	35	650	24	0.05
CC36059		21	38	1.95	<10	1	0.12	10	4.11	276	3	0.03	38	690	26	0.01
CC36060		25	40	2.64	<10	1	0.13	10	3.50	855	3	0.04	40	900	28	0.03
CC36061		20	22	2.02	<10	<1	0.10	10	1.34	765	<1	0.03	29	730	22	0.06
CC36062		20	25	2.16	<10	1	0.11	10	1.17	1525	1	0.03	32	730	19	0.08
CC36063		25	35	2.45	<10	<1	0.11	10	0.66	539	3	0.03	31	640	21	0.13
CC36064		23	29	2.43	<10	<1	0.11	10	1.75	2230	3	0.03	31	770	23	0.06
CC36065		39	40	2.80	<10	<1	0.19	10	3.41	903	3	0.03	39	720	27	0.05
CC36066		38	48	2.86	<10	<1	0.24	10	3.64	435	2	0.04	41	770	29	0.03
CC36067		35	48	3.06	10	<1	0.20	10	2.22	529	4	0.03	44	980	29	0.05
CC36068		34	46	3.08	<10	<1	0.17	10	1.90	932	3	0.03	42	970	29	0.05
CC36069		30	33	2.85	<10	<1	0.13	10	0.83	565	4	0.03	34	870	27	0.05
CC36070		38	53	2.76	<10	<1	0.25	10	2.37	1220	2	0.03	44	750	24	0.09
CC36071		36	43	2.65	<10	<1	0.22	10	3.50	793	2	0.03	37	720	26	0.03
CC36072		50	57	3.27	10	<1	0.51	10	5.45	598	4	0.02	67	780	30	0.03
CC36073		27	46	2.89	<10	<1	0.14	10	2.78	554	5	0.03	39	810	40	0.04
CC36074		33	42	3.04	<10	<1	0.13	20	0.73	334	4	0.03	43	960	32	0.05
CC36075		31	32	2.47	<10	<1	0.11	10	0.61	588	14	0.03	49	840	30	0.08
CC36076		32	44	3.03	<10	<1	0.14	10	0.67	751	8	0.03	49	940	35	0.05
CC36077		33	59	2.89	<10	<1	0.14	10	2.10	571	4	0.03	46	900	31	0.03
CC36078		27	43	2.66	<10	<1	0.11	10	2.04	569	4	0.03	40	830	26	0.02
CC36079		35	51	3.41	10	<1	0.14	10	0.60	488	6	0.02	56	1220	31	0.08
CC36080		21	47	2.72	<10	<1	0.12	10	4.82	662	5	0.03	39	700	53	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36041		2	3	29	<20	0.06	<10	<10	52	<10	144
CC36042		2	1	51	<20	0.02	<10	<10	35	<10	90
CC36043		<2	3	35	<20	0.08	10	<10	46	<10	204
CC36044		<2	4	33	<20	0.07	<10	<10	48	<10	190
CC36045		<2	4	37	<20	0.07	<10	<10	45	<10	200
CC36046		<2	3	48	<20	0.06	<10	<10	45	<10	186
CC36047		<2	2	41	<20	0.04	<10	<10	40	<10	158
CC36048		3	4	23	<20	0.04	<10	<10	62	10	163
CC36049		<2	2	31	<20	0.04	<10	<10	53	10	161
CC36050		<2	1	61	<20	0.02	<10	<10	30	<10	60
CC36051		<2	2	38	<20	0.03	<10	<10	37	<10	85
CC36052		2	1	34	<20	0.02	<10	<10	37	<10	130
CC36053		<2	2	41	<20	0.04	<10	<10	40	<10	118
CC36054		<2	3	40	<20	0.08	<10	<10	45	<10	194
CC36055		2	4	33	<20	0.09	<10	<10	50	10	194
CC36056		<2	4	29	<20	0.07	<10	<10	53	<10	181
CC36057		<2	3	31	<20	0.06	<10	<10	49	<10	168
CC36058		2	3	56	<20	0.04	<10	<10	43	<10	190
CC36059		2	3	55	<20	0.05	<10	<10	47	10	200
CC36060		3	4	52	<20	0.06	<10	<10	64	10	196
CC36061		<2	3	37	<20	0.04	<10	<10	45	<10	141
CC36062		2	2	40	<20	0.03	<10	<10	40	<10	152
CC36063		<2	2	36	<20	0.03	<10	<10	44	<10	151
CC36064		2	3	40	<20	0.04	<10	<10	48	10	170
CC36065		<2	3	52	<20	0.08	<10	<10	46	20	184
CC36066		<2	4	63	<20	0.09	<10	<10	50	10	201
CC36067		<2	4	45	<20	0.06	<10	<10	66	10	219
CC36068		2	4	40	<20	0.05	<10	<10	64	10	195
CC36069		<2	3	34	<20	0.04	<10	<10	57	<10	171
CC36070		<2	3	72	<20	0.07	<10	<10	44	20	173
CC36071		2	3	71	<20	0.07	<10	<10	42	50	176
CC36072		3	4	52	<20	0.11	<10	<10	54	20	262
CC36073		<2	3	43	<20	0.05	<10	<10	60	10	272
CC36074		<2	4	32	<20	0.05	<10	<10	74	<10	212
CC36075		3	3	36	<20	0.03	<10	<10	151	<10	485
CC36076		3	3	34	<20	0.04	<10	<10	90	10	313
CC36077		<2	4	40	<20	0.04	<10	<10	77	10	261
CC36078		<2	4	38	<20	0.05	<10	<10	66	<10	205
CC36079		<2	4	33	<20	0.03	<10	<10	95	<10	296
CC36080		3	3	60	<20	0.04	<10	<10	58	30	335

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36081		0.18	0.004	<10	5	<10	0.5	1.60	27	<10	390	0.6	<2	0.66	1.9	8
CC36082		0.40	0.076	<10	8	10	0.3	0.77	1575	<10	200	<0.5	44	12.05	<0.5	<1
CC36083		0.46	0.005	<10	5	<10	0.2	2.05	19	<10	310	0.6	<2	0.18	<0.5	8
CC36084		0.30	0.019	<10	5	10	0.2	1.97	56	<10	410	0.7	<2	0.24	0.7	9
CC36085		0.40	0.012	<10	4	10	0.4	2.25	32	<10	370	0.9	2	0.18	0.5	12
CC36086		0.40	0.038	<10	6	10	0.7	2.27	48	<10	440	1.2	4	0.65	1.5	11
CC36087		0.34	0.009	<10	4	10	0.5	2.68	43	<10	220	0.8	3	0.09	0.8	8
CC36088		0.38	0.014	<10	6	10	0.6	1.87	41	<10	410	0.8	<2	0.50	0.9	10
CC36089		0.40	0.005	<10	4	<10	0.3	1.45	23	<10	340	0.6	<2	0.38	0.7	9
CC36090		0.26	0.018	<10	6	10	0.5	1.41	38	<10	310	0.6	2	0.92	0.8	9
CC36091		0.24	0.023	<10	5	10	0.4	2.17	33	<10	290	0.6	3	2.22	1.1	10
CC36092		0.34	0.017	<10	4	10	0.5	1.49	50	<10	330	0.6	<2	3.50	1.8	11
CC36093		0.18	0.012	<10	7	<10	0.2	1.37	21	<10	330	0.5	<2	1.19	1.7	8
CC36094		0.42	0.033	<10	<4	10	0.2	1.43	36	<10	320	0.6	<2	3.63	1.6	11
CC36095		0.24	NSS	<10	6	10	<0.2	1.75	56	10	350	0.7	4	2.78	1.3	13
CC36096		0.28	0.013	<10	9	<10	0.3	1.52	12	<10	300	0.5	2	8.93	0.7	6
CC36097		0.18	0.033	NSS	NSS	NSS	0.7	2.11	29	<10	300	0.8	2	1.75	0.8	14
CC36098		0.14	0.013	<10	5	10	0.4	1.69	54	<10	320	0.7	3	1.88	1.7	12
CC36099		0.38	0.012	<10	<4	<10	0.3	1.25	38	<10	390	0.5	<2	4.55	1.5	10
CC36100		0.36	0.010	<10	<4	10	0.3	1.67	25	<10	300	0.6	<2	6.14	1.0	12
CC36101		0.24	0.014	<10	6	<10	0.3	1.37	25	<10	440	0.5	<2	1.76	1.7	8
CC36102		0.36	0.004	<10	<4	<10	<0.2	1.50	4	<10	120	<0.5	<2	14.00	<0.5	3
CC36103		0.32	0.010	<10	4	<10	0.3	2.63	22	<10	240	0.7	2	3.70	0.7	10
CC36104		0.42	0.011	<10	4	<10	0.6	2.07	25	<10	350	0.7	<2	3.41	0.7	11
CC36105		0.32	0.002	<10	<4	<10	<0.2	1.51	9	<10	180	<0.5	<2	13.4	<0.5	4
CC36106		0.26	0.022	<10	5	<10	0.3	1.54	20	<10	450	0.6	2	2.79	1.1	9
CC36107		0.24	0.088	<10	4	<10	0.3	3.56	12	<10	460	1.0	5	8.80	<0.5	9
CC36108		0.26	0.009	<10	4	<10	0.3	2.07	14	<10	210	0.6	<2	7.18	<0.5	8
CC36109		0.18	0.009	<10	6	<10	0.5	1.85	19	<10	420	0.7	2	1.96	1.0	9
CC36110		0.26	0.019	<10	6	<10	0.6	1.74	22	<10	370	0.7	<2	3.02	1.1	10
CC36111		0.24	0.006	<10	5	10	0.3	1.05	14	<10	290	0.5	<2	5.00	3.3	6
CC36112		0.40	0.009	<10	8	<10	<0.2	0.78	7	<10	280	<0.5	<2	14.5	1.1	4
CC36113		0.48	0.002	<10	4	<10	0.2	1.06	10	<10	490	<0.5	<2	12.95	0.5	5
CC36114		0.14	0.010	<10	8	10	0.4	1.14	27	<10	440	0.5	<2	5.14	1.2	8
CC36115		0.38	0.013	<10	6	<10	0.6	2.21	30	<10	430	0.8	2	0.98	0.8	12
CC36116		0.40	0.007	<10	4	<10	0.2	1.70	20	<10	170	0.5	<2	12.55	<0.5	6
CC36117		0.30	0.018	<10	4	<10	0.3	1.89	16	<10	230	0.6	<2	6.85	0.6	7
CC36118		0.02	0.012	<10	6	<10	0.2	2.72	22	<10	220	1.0	<2	3.11	<0.5	9
CC36119		0.26	0.030	<10	4	<10	0.4	2.01	22	<10	360	0.8	3	2.38	0.8	10
CC36120		0.36	0.009	<10	5	<10	0.5	2.48	29	<10	350	0.8	2	3.31	0.8	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 17-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36081		33	40	2.98	<10	1	0.10	10	0.62	359	5	0.02	51	760	26	0.04
CC36082		9	15	17.2	<10	<1	0.02	<10	8.14	2480	8	<0.01	33	280	<2	1.60
CC36083		33	17	2.88	10	<1	0.05	10	0.49	280	2	<0.01	29	360	14	0.02
CC36084		33	35	3.56	10	<1	0.10	20	0.65	419	4	0.01	39	330	22	0.03
CC36085		40	32	3.47	10	1	0.09	20	0.70	414	3	0.01	47	270	24	0.02
CC36086		38	65	4.23	10	1	0.10	20	1.19	769	6	0.02	71	1030	46	0.06
CC36087		39	28	4.31	10	<1	0.09	10	0.92	232	6	<0.01	49	520	36	0.04
CC36088		32	51	3.42	<10	<1	0.12	10	0.72	431	5	0.02	61	910	29	0.04
CC36089		30	35	2.76	<10	1	0.07	20	0.60	349	4	0.01	47	920	14	0.02
CC36090		29	41	2.89	<10	<1	0.10	10	0.88	193	6	0.02	46	900	26	0.03
CC36091		31	27	2.74	10	<1	0.07	10	2.72	735	3	0.02	34	830	15	0.11
CC36092		31	56	3.26	10	1	0.15	10	2.43	647	7	0.02	55	850	25	0.05
CC36093		27	34	2.23	<10	<1	0.09	10	0.68	157	1	0.02	31	830	22	0.13
CC36094		28	48	2.98	<10	<1	0.12	10	2.56	433	6	0.02	51	830	22	0.03
CC36095		37	58	3.63	<10	<1	0.13	10	1.91	822	4	0.02	59	890	23	0.16
CC36096		24	37	1.36	<10	<1	0.14	10	6.11	363	3	0.02	34	490	16	0.51
CC36097		47	65	2.90	10	<1	0.11	10	1.55	820	3	0.02	58	850	25	0.17
CC36098		38	53	3.51	10	1	0.11	10	1.21	909	4	0.02	54	820	25	0.15
CC36099		25	49	2.70	<10	1	0.15	10	2.96	509	5	0.02	45	890	25	0.07
CC36100		33	45	2.68	10	<1	0.15	10	3.89	522	2	0.02	45	730	22	0.06
CC36101		27	35	2.49	<10	<1	0.08	10	0.69	235	1	0.02	34	830	15	0.11
CC36102		16	4	1.03	<10	<1	0.10	10	10.50	209	<1	0.02	7	200	4	0.01
CC36103		35	29	2.78	10	<1	0.10	10	4.19	526	1	0.03	32	540	19	0.05
CC36104		38	36	3.02	10	<1	0.14	10	3.20	394	2	0.04	38	590	21	0.02
CC36105		18	7	1.32	<10	<1	0.11	10	9.86	250	<1	0.02	11	190	6	0.02
CC36106		27	36	2.82	<10	<1	0.16	10	1.44	381	1	0.02	32	870	24	0.10
CC36107		37	20	4.20	10	<1	0.75	10	10.55	1345	1	0.04	24	220	3	0.03
CC36108		27	18	2.21	<10	<1	0.11	10	5.61	474	1	0.03	24	520	13	0.02
CC36109		30	31	2.80	10	1	0.11	10	1.34	439	2	0.03	32	660	19	0.07
CC36110		31	41	2.97	<10	1	0.13	10	2.26	501	2	0.03	39	880	25	0.06
CC36111		19	19	1.76	<10	<1	0.12	10	3.23	281	1	0.03	23	690	23	0.03
CC36112		11	14	0.67	<10	<1	0.09	<10	9.93	84	3	0.02	15	270	8	0.05
CC36113		16	18	1.32	<10	<1	0.11	10	9.10	206	5	0.02	21	410	15	0.04
CC36114		23	35	2.52	<10	1	0.16	10	2.99	288	4	0.03	33	860	27	0.06
CC36115		40	45	3.45	10	<1	0.21	20	1.40	516	3	0.04	49	900	33	0.03
CC36116		22	17	1.57	<10	<1	0.11	10	8.79	391	1	0.03	17	410	10	0.03
CC36117		25	27	2.36	<10	<1	0.11	10	5.17	506	1	0.03	26	570	14	0.04
CC36118		38	19	2.96	10	<1	0.11	20	3.13	478	1	0.03	32	300	15	0.02
CC36119		30	27	3.00	10	1	0.15	10	2.05	803	2	0.03	33	570	23	0.06
CC36120		38	43	3.25	10	<1	0.12	10	3.76	708	2	0.04	41	670	21	0.03

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC36081		2	4	23	<20	0.04	<10	<10	92	<10	248
CC36082		<2	2	71	<20	0.02	<10	<10	66	10	31
CC36083		<2	3	13	<20	0.04	<10	<10	68	<10	166
CC36084		<2	5	13	<20	0.04	<10	<10	85	<10	151
CC36085		2	6	17	<20	0.05	<10	<10	77	<10	167
CC36086		3	5	32	<20	0.05	<10	<10	92	10	277
CC36087		<2	3	15	<20	0.06	<10	<10	92	10	194
CC36088		2	4	29	<20	0.05	<10	<10	75	<10	205
CC36089		<2	4	23	<20	0.05	<10	<10	60	<10	136
CC36090		2	4	28	<20	0.05	<10	<10	61	10	195
CC36091		<2	3	31	<20	0.06	<10	<10	55	<10	188
CC36092		2	4	39	<20	0.05	<10	<10	57	10	235
CC36093		<2	3	27	<20	0.04	<10	<10	57	<10	202
CC36094		3	3	38	<20	0.05	<10	<10	58	<10	213
CC36095		<2	3	39	<20	0.06	<10	<10	48	<10	282
CC36096		<2	3	69	<20	0.05	<10	<10	38	<10	124
CC36097		<2	4	31	<20	0.07	<10	<10	56	<10	248
CC36098		2	3	33	<20	0.06	<10	<10	58	10	270
CC36099		2	3	43	<20	0.04	<10	<10	47	10	188
CC36100		2	3	50	<20	0.07	<10	<10	43	10	187
CC36101		<2	3	27	<20	0.04	<10	<10	51	<10	111
CC36102		<2	2	69	<20	0.06	<10	<10	25	<10	59
CC36103		<2	3	38	<20	0.09	<10	<10	54	<10	140
CC36104		<2	4	40	<20	0.08	<10	<10	66	<10	136
CC36105		<2	2	83	<20	0.06	<10	<10	28	<10	46
CC36106		3	3	33	<20	0.03	<10	<10	47	<10	132
CC36107		<2	3	54	<20	0.14	<10	<10	41	<10	40
CC36108		2	3	64	<20	0.07	<10	<10	47	<10	91
CC36109		2	3	31	<20	0.05	<10	<10	55	<10	134
CC36110		3	3	37	<20	0.05	<10	<10	59	10	181
CC36111		2	2	42	<20	0.03	<10	<10	35	10	227
CC36112		2	1	75	<20	0.03	<10	<10	19	<10	140
CC36113		<2	2	75	<20	0.04	<10	<10	31	<10	150
CC36114		3	3	48	<20	0.04	<10	<10	51	<10	178
CC36115		<2	5	30	<20	0.06	<10	<10	76	<10	225
CC36116		<2	2	87	<20	0.06	<10	<10	35	<10	70
CC36117		2	3	51	<20	0.05	<10	<10	42	<10	100
CC36118		<2	5	34	<20	0.08	<10	<10	63	<10	99
CC36119		<2	3	31	<20	0.05	<10	<10	54	<10	147
CC36120		<2	4	38	<20	0.08	<10	<10	65	<10	140

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC36121		0.36	0.023	<10	5	10	0.4	1.69	39	<10	490	0.7	2	1.45	1.0	12
CC36122		0.34	0.005	<10	<4	<10	0.2	2.30	17	<10	220	0.6	<2	7.98	<0.5	8
CC36123		0.28	0.008	<10	5	10	0.3	1.74	24	<10	280	0.7	2	5.37	0.8	11
CC36124		0.24	0.015	<10	7	10	0.6	1.67	34	<10	340	0.6	2	2.54	1.2	12
CC36125		0.36	0.006	<10	5	10	0.3	1.65	33	<10	330	0.7	2	0.96	1.5	11
CC36126		0.24	0.013	<10	5	10	0.3	1.68	17	<10	180	<0.5	2	0.12	0.5	5
CC36127		0.06	0.008	<10	4	<10	0.3	2.28	22	<10	320	0.7	2	0.14	1.0	9
CC36128		0.14	0.006	<10	<4	10	0.4	1.14	25	<10	150	<0.5	<2	0.06	0.6	3
CC36129		0.20	0.005	<10	4	10	0.4	1.67	34	<10	200	0.5	<2	0.17	0.5	8
CC36130		0.32	0.005	<10	6	<10	0.5	1.63	26	<10	200	0.5	<2	0.27	<0.5	9
CC36131		0.26	0.010	<10	4	10	0.4	2.06	30	<10	300	0.7	<2	0.17	<0.5	11
CC36132		0.36	0.021	<10	4	10	0.2	1.72	46	<10	310	0.7	3	0.49	0.8	14
CC36133		0.14	0.051	<10	<4	<10	0.4	0.41	2	<10	240	<0.5	<2	2.70	4.8	2
CC36134		0.16	0.018	<10	9	<10	0.6	1.42	42	<10	310	0.6	2	1.82	2.2	10
CC36135		0.18	0.018	<10	5	10	0.4	1.48	54	<10	440	0.5	3	1.91	2.2	14
CC36136		0.10	0.018	<10	6	<10	<0.2	0.61	37	10	360	<0.5	<2	4.27	1.2	7
CC36137		0.10	0.029	<10	8	10	0.3	1.33	40	10	300	0.6	2	2.48	1.4	10
CC36138		0.18	0.031	<10	7	<10	0.3	1.02	44	10	330	<0.5	2	2.87	1.5	13
CC36139		0.14	0.018	<10	6	<10	0.4	0.98	50	10	500	<0.5	2	3.15	1.6	11
CC36140		0.18	0.023	<10	5	10	0.2	1.63	40	<10	300	0.7	6	0.24	1.0	8
CC36141		0.40	0.019	<10	<4	10	0.2	1.42	42	<10	240	0.6	12	8.12	2.2	7
CC36142		0.18	0.008	<10	5	<10	<0.2	1.33	22	<10	210	<0.5	<2	0.18	1.0	5
CC36143		0.32	0.015	<10	4	<10	0.4	1.69	22	<10	440	0.6	<2	0.44	<0.5	8
CC36144		0.20	0.013	<10	5	10	0.6	1.94	34	<10	200	0.6	5	0.11	2.5	7
CC36145		0.20	0.043	<10	7	<10	0.2	2.20	25	<10	230	0.7	<2	0.10	0.6	11
CC36146		0.30	0.009	<10	4	<10	0.2	2.08	26	<10	240	0.7	<2	0.13	1.7	12
CC36147		0.16	0.011	<10	7	<10	0.4	1.89	18	<10	250	0.5	<2	0.10	1.4	8
CC36148		0.22	0.011	<10	5	<10	0.4	2.37	44	<10	240	1.1	2	0.14	4.2	16
CC36149		0.26	0.011	<10	5	<10	0.5	1.62	36	<10	400	0.7	<2	2.10	43.3	12
CC36150		0.12	0.032	<10	11	<10	0.5	1.00	23	<10	230	<0.5	<2	2.64	25.5	8
CC36151		0.12	0.018	<10	8	<10	0.2	1.12	36	<10	310	0.5	2	3.12	8.1	8
CC36152		0.26	0.026	<10	7	10	0.4	1.38	40	<10	320	0.6	2	3.19	1.7	9
CC36153		0.16	0.009	NSS	NSS	NSS	0.2	0.82	12	<10	280	<0.5	2	12.90	0.6	5
CC36154		0.24	0.009	<10	<4	10	0.2	1.41	23	<10	330	0.6	3	6.74	1.0	10
CC36155		0.24	0.008	<10	<4	10	0.6	1.39	21	<10	330	0.6	2	5.87	0.9	10
CC36156		0.16	0.026	<10	8	10	0.2	1.20	44	<10	280	0.6	3	2.67	1.7	8
CC36157		0.14	0.045	<10	<4	<10	<0.2	0.90	24	<10	250	<0.5	<2	2.82	1.3	6
CC36158		0.16	0.046	<10	<4	<10	0.4	1.41	28	<10	390	0.5	<2	1.78	1.5	10
CC36159		0.20	0.019	<10	4	10	0.3	2.10	53	<10	370	0.9	7	0.26	0.6	14
CC36160		0.22	0.021	<10	5	10	0.3	1.67	42	<10	400	0.7	<2	0.44	1.6	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 17-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36121		32	43	3.21	<10	<1	0.15	10	1.26	515	3	0.04	48	780	24	0.03
CC36122		31	21	2.13	10	<1	0.08	10	7.15	275	1	0.03	25	460	14	0.03
CC36123		33	36	2.85	10	<1	0.16	10	3.97	684	2	0.03	40	680	21	0.07
CC36124		32	42	3.26	10	<1	0.16	10	1.63	756	3	0.03	43	930	25	0.12
CC36125		33	48	3.15	<10	<1	0.16	10	0.82	326	4	0.03	42	870	25	0.06
CC36126		26	10	2.70	10	1	0.08	10	0.38	193	3	0.02	17	210	20	<0.01
CC36127		35	20	3.33	10	1	0.09	10	0.49	226	2	0.02	32	240	22	0.01
CC36128		19	15	2.99	10	1	0.09	10	0.16	87	6	0.02	16	380	21	0.01
CC36129		34	36	3.23	10	<1	0.10	10	0.53	170	8	0.02	54	690	32	0.03
CC36130		30	34	2.94	<10	<1	0.07	10	0.55	315	5	0.02	45	900	22	0.02
CC36131		34	37	3.39	10	<1	0.09	10	0.57	255	3	0.02	41	430	22	0.02
CC36132		34	97	4.04	10	1	0.10	10	0.77	339	8	0.02	63	840	20	0.04
CC36133		6	26	0.68	<10	1	0.05	<10	0.17	333	2	0.04	14	1170	3	0.19
CC36134		27	44	2.85	<10	<1	0.11	10	0.62	588	4	0.03	39	780	25	0.13
CC36135		28	37	3.76	<10	<1	0.13	10	0.81	2020	3	0.04	40	870	26	0.14
CC36136		10	38	2.39	<10	<1	0.07	<10	0.46	1930	3	0.03	23	1120	10	0.28
CC36137		25	63	2.91	<10	1	0.09	10	0.81	1660	4	0.03	43	920	20	0.21
CC36138		19	39	3.44	<10	<1	0.08	<10	0.67	3320	4	0.03	37	1140	17	0.28
CC36139		19	48	2.80	<10	1	0.10	<10	0.59	5960	7	0.04	40	980	17	0.24
CC36140		28	42	3.36	<10	1	0.09	10	0.62	438	7	0.02	45	490	49	0.03
CC36141		20	60	2.89	<10	<1	0.08	<10	5.66	761	3	0.02	48	540	33	0.02
CC36142		25	20	2.60	10	1	0.07	10	0.38	149	5	0.02	25	300	17	0.01
CC36143		29	28	2.90	<10	1	0.06	10	0.52	290	3	0.02	32	610	20	0.02
CC36144		31	43	3.43	10	1	0.08	10	0.42	235	7	0.02	66	470	22	0.02
CC36145		34	22	3.45	10	1	0.06	10	0.51	203	3	0.02	42	290	20	0.01
CC36146		33	36	3.24	<10	1	0.07	10	0.48	248	3	0.01	50	440	21	0.01
CC36147		29	17	3.12	10	<1	0.05	10	0.41	230	2	0.02	27	310	21	0.01
CC36148		41	63	3.64	10	1	0.11	10	0.65	417	6	0.01	102	580	45	0.02
CC36149		27	59	2.98	10	<1	0.10	10	1.28	617	6	0.03	198	870	31	0.04
CC36150		19	39	1.95	<10	<1	0.07	10	0.52	470	9	0.02	160	760	21	0.14
CC36151		21	43	2.29	<10	<1	0.10	10	0.91	395	7	0.03	78	880	29	0.13
CC36152		28	46	2.81	<10	<1	0.10	10	2.07	513	4	0.03	41	840	31	0.04
CC36153		14	27	1.37	<10	<1	0.12	<10	6.17	356	1	0.03	17	480	15	0.06
CC36154		34	49	2.51	<10	<1	0.23	<10	2.21	523	2	0.03	41	780	23	0.12
CC36155		30	46	2.49	<10	<1	0.21	<10	2.25	460	3	0.03	39	730	29	0.07
CC36156		26	46	2.44	<10	1	0.09	10	0.71	355	5	0.03	57	860	28	0.10
CC36157		16	25	1.80	<10	1	0.05	<10	0.45	362	9	0.03	27	560	17	0.09
CC36158		28	47	2.64	<10	<1	0.08	10	0.96	432	3	0.03	44	890	28	0.06
CC36159		43	61	3.72	<10	<1	0.10	20	0.94	645	5	0.02	66	640	41	0.02
CC36160		33	43	3.26	10	<1	0.10	10	0.76	479	6	0.02	54	850	39	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 17-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36121		3	4	32	<20	0.06	<10	<10	70	<10	170
CC36122		<2	3	52	<20	0.09	<10	<10	46	<10	114
CC36123		<2	3	45	<20	0.07	<10	<10	47	10	174
CC36124		<2	3	38	<20	0.06	<10	<10	53	<10	198
CC36125		<2	4	28	<20	0.05	<10	<10	73	<10	305
CC36126		<2	2	12	<20	0.07	<10	<10	96	<10	107
CC36127		<2	3	14	<20	0.05	<10	<10	86	<10	131
CC36128		2	2	10	<20	0.06	<10	<10	103	<10	78
CC36129		2	2	17	<20	0.04	<10	<10	88	10	174
CC36130		2	3	19	<20	0.05	<10	<10	64	<10	164
CC36131		<2	3	16	<20	0.04	<10	<10	70	<10	120
CC36132		2	3	26	<20	0.05	<10	<10	97	20	197
CC36133		<2	<1	41	<20	0.01	<10	<10	9	<10	135
CC36134		<2	2	32	<20	0.03	<10	<10	57	<10	277
CC36135		<2	3	36	<20	0.04	<10	<10	58	<10	308
CC36136		<2	1	54	<20	0.01	<10	<10	26	<10	112
CC36137		<2	2	39	<20	0.03	<10	<10	43	<10	245
CC36138		<2	2	45	<20	0.02	<10	<10	29	<10	156
CC36139		<2	2	47	<20	0.02	<10	<10	33	<10	192
CC36140		3	3	18	<20	0.04	<10	<10	84	10	237
CC36141		3	3	58	<20	0.04	<10	<10	59	10	389
CC36142		2	2	13	<20	0.04	<10	<10	112	<10	129
CC36143		<2	3	20	<20	0.03	<10	<10	78	<10	115
CC36144		2	3	12	<20	0.04	<10	<10	137	<10	353
CC36145		<2	3	11	<20	0.04	<10	<10	73	<10	149
CC36146		<2	3	14	<20	0.04	<10	<10	63	<10	149
CC36147		<2	2	11	<20	0.04	<10	<10	74	<10	122
CC36148		3	4	15	<20	0.03	<10	<10	106	<10	662
CC36149		3	3	35	<20	0.04	<10	<10	75	<10	2000
CC36150		2	2	53	<20	0.02	<10	<10	60	<10	2080
CC36151		3	2	54	<20	0.03	<10	<10	61	<10	832
CC36152		2	3	36	<20	0.04	<10	<10	68	10	257
CC36153		<2	2	98	<20	0.03	<10	<10	21	60	143
CC36154		2	3	67	<20	0.06	<10	<10	40	10	187
CC36155		3	3	57	<20	0.05	<10	<10	40	10	213
CC36156		2	2	41	<20	0.03	<10	<10	56	<10	310
CC36157		<2	2	41	<20	0.02	<10	<10	38	<10	127
CC36158		2	3	35	<20	0.04	<10	<10	64	10	205
CC36159		4	5	18	<20	0.04	<10	<10	87	10	259
CC36160		3	3	24	<20	0.04	<10	<10	96	10	296

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Method / Analyte / Units / LOR / Sample Description	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36161	0.34	0.025	<10	<4	10	0.3	2.01	37	<10	380	0.9	3	0.69	1.1	14
CC36162	0.16	0.016	<10	4	<10	0.6	1.48	18	<10	210	<0.5	<2	0.07	2.7	5
CC36163	0.24	0.015	<10	<4	<10	0.3	2.12	29	<10	260	0.7	<2	0.11	1.0	11
CC36164	0.10	NSS	NSS	NSS	NSS	0.8	0.35	4	<10	420	<0.5	<2	1.78	15.0	2
CC36165	0.24	0.342	<10	5	10	0.7	1.72	46	<10	330	0.7	5	0.71	4.0	11
CC36166	0.18	0.026	<10	9	<10	0.7	1.62	15	<10	730	1.1	<2	2.35	15.0	13
CC36167	0.20	0.021	<10	7	<10	0.6	1.88	26	<10	450	1.0	<2	0.39	6.9	10
CC36168	0.10	0.071	NSS	NSS	NSS	<0.2	0.73	10	<10	340	<0.5	<2	1.76	5.7	3
CC36169	0.42	0.024	<10	4	10	0.7	1.81	29	<10	560	0.6	<2	0.76	1.0	8
CC36170	0.28	0.012	<10	5	<10	0.3	1.65	28	<10	330	0.5	<2	0.45	0.8	10
CC36171	0.16	0.012	<10	6	10	0.2	1.85	29	<10	510	0.7	<2	0.51	2.7	11
CC36172	0.30	0.010	<10	<4	<10	0.2	1.27	19	<10	130	<0.5	<2	0.06	0.9	4
CC36173	0.20	0.012	<10	5	<10	0.8	1.35	10	<10	330	<0.5	<2	0.07	1.8	3
CC36174	0.20	0.007	<10	4	<10	0.2	0.97	25	<10	100	<0.5	<2	0.04	<0.5	3
CC36175	0.22	0.008	<10	4	10	0.2	1.51	52	<10	180	0.5	3	0.10	0.6	7
CC36176	0.34	0.006	<10	<4	<10	0.3	1.27	35	<10	170	<0.5	<2	0.10	0.5	5
CC36177	0.34	0.013	<10	6	10	0.4	1.51	43	<10	400	0.8	2	0.82	2.5	11
CC36178	0.16	0.007	<10	9	<10	0.3	1.14	27	<10	260	<0.5	<2	1.93	2.3	9
CC36179	0.24	0.018	<10	6	<10	<0.2	1.46	18	<10	330	0.6	3	1.37	2.6	9
CC36180	0.16	0.007	<10	5	<10	0.3	1.23	41	<10	290	0.5	2	1.64	1.6	11
CC36181	0.24	0.010	<10	5	<10	0.5	1.48	37	<10	380	0.6	4	1.72	1.7	13
CC36182	0.18	0.007	NSS	NSS	NSS	0.4	1.34	41	10	350	0.6	2	2.87	1.9	13
CC36183	0.22	0.010	NSS	NSS	NSS	0.6	1.45	41	10	320	0.6	2	2.51	1.3	11
CC36184	0.14	0.042	NSS	NSS	NSS	<0.2	1.15	339	10	250	0.5	10	3.66	0.7	8
CC36185	0.18	0.008	NSS	NSS	NSS	<0.2	0.85	29	10	250	<0.5	2	4.92	1.1	5
CC36186	0.30	0.010	<10	6	<10	0.3	1.68	32	10	280	0.6	3	2.85	0.8	12
CC36187	0.18	0.008	NSS	NSS	NSS	<0.2	1.14	25	<10	330	<0.5	<2	1.79	0.8	9
CC36188	0.18	0.007	NSS	NSS	NSS	0.2	1.19	24	10	410	<0.5	<2	4.49	1.3	7
CC36189	0.12	0.004	<10	<4	<10	0.2	0.65	10	<10	280	<0.5	<2	2.64	0.6	4
CC36190	0.14	0.016	<10	5	<10	0.2	1.69	20	<10	260	0.6	<2	5.95	1.2	8
CC36191	0.14	0.015	<10	4	<10	<0.2	1.78	19	10	200	0.5	3	7.00	<0.5	7
CC36192	0.14	0.013	<10	<4	<10	0.2	1.37	8	<10	240	<0.5	<2	6.89	<0.5	6
CC36193	0.28	0.008	<10	4	<10	<0.2	2.07	20	<10	180	0.6	<2	7.10	<0.5	7
CC36194	0.28	0.010	<10	5	10	0.3	1.13	20	<10	290	<0.5	<2	8.10	0.9	7
CC36195	0.22	0.007	<10	5	<10	<0.2	0.88	11	<10	240	<0.5	<2	5.63	2.2	5
CC36196	0.18	0.010	NSS	NSS	NSS	0.2	1.20	24	10	380	<0.5	<2	3.53	2.6	10
CC36197	0.20	0.004	<10	6	<10	0.3	1.43	15	10	360	<0.5	2	6.85	1.7	9
CC36198	0.16	0.009	<10	6	<10	0.2	1.40	25	<10	470	0.5	<2	1.61	7.1	12
CC36199	0.16	0.016	NSS	NSS	NSS	0.4	1.25	27	<10	430	0.5	<2	1.65	6.6	12
CC36200	0.26	0.019	<10	6	<10	0.3	1.11	25	<10	520	<0.5	<2	1.24	4.0	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 17-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01
CC36161		45	70	3.60	<10	<1	0.09	10	0.95	515	5	0.02	60	850	37	0.03
CC36162		26	11	3.54	10	1	0.04	10	0.16	210	5	0.01	15	430	35	0.02
CC36163		36	25	3.34	10	<1	0.07	10	0.56	243	5	0.01	54	460	34	0.01
CC36164		2	13	0.46	<10	<1	0.03	10	0.15	350	7	0.04	13	840	3	0.15
CC36165		35	62	3.39	<10	1	0.08	10	0.88	587	8	0.02	67	860	31	0.03
CC36166		18	74	2.10	<10	1	0.05	10	0.53	964	4	0.03	74	1190	19	0.11
CC36167		29	56	3.36	10	<1	0.09	10	0.42	319	9	0.02	45	1100	24	0.06
CC36168		11	35	1.01	<10	<1	0.04	10	0.29	106	2	0.03	16	1140	10	0.16
CC36169		29	40	3.16	10	1	0.09	10	0.86	344	3	0.03	44	650	25	0.03
CC36170		31	26	2.93	<10	1	0.07	10	0.69	349	5	0.02	39	680	20	0.03
CC36171		32	37	3.23	10	<1	0.09	10	0.70	371	4	0.03	48	880	25	0.03
CC36172		17	11	2.41	10	<1	0.05	10	0.20	134	4	0.01	10	250	15	0.02
CC36173		17	22	2.27	10	1	0.05	10	0.15	87	4	0.02	12	460	19	0.03
CC36174		14	11	2.34	10	<1	0.04	10	0.15	114	5	0.01	13	260	13	0.02
CC36175		27	40	3.59	10	1	0.07	10	0.49	227	5	0.01	39	470	28	0.02
CC36176		20	17	2.54	10	1	0.05	10	0.28	185	5	0.01	21	310	18	0.02
CC36177		24	52	2.89	<10	1	0.08	10	0.59	461	5	0.03	50	720	30	0.04
CC36178		18	27	2.43	<10	<1	0.07	10	0.42	900	4	0.03	31	980	15	0.16
CC36179		26	64	2.08	<10	<1	0.09	10	0.65	292	2	0.03	42	810	24	0.15
CC36180		21	39	2.98	<10	<1	0.08	10	0.62	752	3	0.03	35	870	18	0.12
CC36181		25	48	3.91	<10	<1	0.10	10	0.68	682	2	0.03	41	840	23	0.16
CC36182		24	54	3.15	<10	<1	0.11	10	0.94	2600	3	0.03	46	960	28	0.19
CC36183		25	44	3.50	<10	<1	0.12	10	1.04	1620	4	0.03	42	1020	25	0.16
CC36184		19	45	5.80	<10	1	0.11	10	1.37	747	6	0.03	33	890	21	0.15
CC36185		14	45	1.84	<10	1	0.07	<10	1.77	622	2	0.03	24	910	16	0.20
CC36186		32	45	3.28	10	<1	0.12	10	1.83	649	3	0.03	44	720	26	0.10
CC36187		20	32	2.41	<10	1	0.08	10	0.65	475	3	0.03	31	910	21	0.09
CC36188		18	36	2.07	<10	1	0.10	10	2.19	1000	2	0.03	30	860	16	0.12
CC36189		11	11	1.16	<10	<1	0.06	<10	0.42	165	1	0.03	11	790	9	0.16
CC36190		23	30	2.34	<10	<1	0.10	<10	4.30	736	2	0.04	27	660	19	0.05
CC36191		23	32	2.03	<10	1	0.07	<10	5.08	646	1	0.03	20	630	13	0.07
CC36192		16	18	1.73	<10	<1	0.05	<10	4.38	905	1	0.02	16	750	10	0.08
CC36193		25	23	2.01	10	<1	0.07	<10	5.87	531	1	0.03	24	510	13	0.05
CC36194		18	37	1.84	<10	<1	0.10	<10	4.66	409	2	0.03	25	680	16	0.07
CC36195		14	20	1.53	<10	<1	0.07	<10	3.60	359	2	0.03	22	700	19	0.04
CC36196		24	28	2.89	<10	<1	0.09	10	1.52	1010	5	0.04	40	1070	43	0.19
CC36197		24	25	2.35	<10	<1	0.08	<10	4.37	613	4	0.03	32	860	42	0.11
CC36198		36	51	3.22	<10	1	0.09	10	0.79	695	6	0.04	87	1010	24	0.10
CC36199		32	54	2.76	<10	1	0.09	10	0.88	471	6	0.04	74	940	28	0.10
CC36200		29	34	2.53	<10	<1	0.09	10	0.84	402	5	0.03	55	1000	23	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC36161		3	4	24	<20	0.05	<10	<10	92	<10	240
CC36162		2	2	7	<20	0.04	<10	<10	121	<10	184
CC36163		2	3	13	<20	0.04	<10	<10	111	<10	212
CC36164		<2	1	44	<20	0.01	<10	<10	10	<10	113
CC36165		2	3	24	<20	0.04	<10	<10	118	10	363
CC36166		2	2	48	<20	0.02	<10	<10	66	<10	533
CC36167		2	2	33	<20	0.03	<10	<10	133	<10	332
CC36168		2	1	35	<20	0.01	<10	<10	30	<10	101
CC36169		3	3	23	<20	0.04	<10	<10	89	<10	225
CC36170		<2	3	20	<20	0.04	<10	<10	86	<10	174
CC36171		<2	3	26	<20	0.04	<10	<10	76	10	229
CC36172		<2	2	12	<20	0.04	<10	<10	68	<10	79
CC36173		<2	1	13	<20	0.02	<10	<10	49	<10	57
CC36174		<2	1	8	<20	0.04	<10	<10	66	<10	61
CC36175		2	2	11	<20	0.04	<10	<10	87	10	171
CC36176		<2	2	12	<20	0.03	<10	<10	68	<10	90
CC36177		2	3	26	<20	0.03	<10	<10	59	10	240
CC36178		2	2	32	<20	0.02	<10	<10	42	<10	221
CC36179		<2	3	30	<20	0.03	<10	<10	54	<10	324
CC36180		2	2	31	<20	0.03	<10	<10	50	<10	256
CC36181		2	3	34	<20	0.03	<10	<10	55	<10	265
CC36182		<2	2	44	<20	0.03	<10	<10	51	10	276
CC36183		2	3	41	<20	0.03	<10	<10	52	<10	288
CC36184		<2	2	52	<20	0.02	<10	<10	42	10	229
CC36185		<2	1	54	<20	0.02	<10	<10	23	<10	180
CC36186		3	3	37	<20	0.06	<10	<10	47	<10	216
CC36187		<2	2	29	<20	0.03	<10	<10	45	<10	142
CC36188		<2	2	40	<20	0.03	<10	<10	34	<10	159
CC36189		<2	1	32	<20	0.02	<10	<10	21	<10	60
CC36190		3	3	52	<20	0.05	<10	<10	42	<10	135
CC36191		<2	2	52	<20	0.05	<10	<10	38	<10	89
CC36192		<2	1	45	<20	0.04	<10	<10	28	<10	61
CC36193		2	3	52	<20	0.07	<10	<10	39	<10	86
CC36194		<2	2	61	<20	0.04	<10	<10	31	10	124
CC36195		<2	2	44	<20	0.03	<10	<10	27	10	196
CC36196		3	2	46	<20	0.03	<10	<10	51	<10	305
CC36197		<2	2	48	<20	0.04	<10	<10	46	<10	321
CC36198		2	2	43	<20	0.04	<10	<10	71	<10	372
CC36199		3	3	42	<20	0.04	<10	<10	75	<10	330
CC36200		3	2	36	<20	0.05	<10	<10	71	<10	264

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 17-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36201		0.22	0.010	<10	5	20	0.4	0.93	15	<10	380	<0.5	<2	5.44	2.1	9
CC36202		0.16	<0.001	<10	4	<10	0.3	1.21	20	<10	330	0.5	<2	3.99	0.9	8
CC36203		0.24	0.006	<10	5	<10	0.3	1.24	23	<10	330	0.5	<2	2.21	1.1	9
CC36204		0.24	0.015	<10	<4	<10	0.3	1.80	20	<10	360	0.7	5	7.31	0.8	7
CC36205		0.28	0.049	<10	4	<10	0.3	1.41	16	<10	280	0.5	5	10.70	0.6	5
CC36206		0.04	0.129	<10	4	10	<0.2	0.91	12	<10	540	0.5	9	15.2	<0.5	2
CC36207		0.26	0.005	<10	5	<10	0.6	1.45	27	<10	400	0.5	<2	2.92	0.8	9
CC36208		0.22	0.007	<10	5	<10	0.7	1.26	36	<10	520	0.6	3	3.53	2.5	9
CC36209		0.22	0.015	<10	6	20	0.7	1.14	78	<10	240	0.5	24	5.40	1.2	7
CC36210		0.36	<0.001	<10	5	<10	<0.2	1.42	18	<10	170	0.5	2	0.33	0.6	8
CC36211		0.14	<0.001	<10	11	10	0.7	1.23	32	<10	290	0.6	3	3.10	1.5	12
CC36212		0.24	0.001	<10	<4	<10	0.6	1.48	34	<10	200	<0.5	<2	0.40	1.6	14
CC36213		0.28	<0.001	<10	<4	10	0.2	1.45	34	<10	190	<0.5	<2	0.41	0.8	10
CC36214		0.24	<0.001	<10	4	2770	0.5	0.32	11	<10	70	1.0	6	0.35	1.3	2
CC36215		0.12	<0.001	NSS	NSS	NSS	0.4	0.56	9	<10	480	<0.5	<2	4.49	2.0	4
CC36216		0.16	<0.001	<10	4	10	0.3	1.13	30	<10	290	0.5	<2	2.02	1.7	8
CC36217		0.36	0.003	<10	4	<10	0.5	1.45	38	<10	320	0.6	<2	0.84	0.7	11
CC36218		0.24	0.002	<10	<4	10	<0.2	1.47	39	<10	270	<0.5	<2	0.18	0.7	9
CC36219		0.24	0.009	<10	4	10	1.0	1.35	127	<10	150	0.5	4	0.08	0.6	7
CC36220		0.30	0.002	<10	5	10	0.7	1.55	33	<10	140	0.5	3	0.14	<0.5	6
CC36221		0.24	0.002	<10	4	<10	0.4	1.12	32	<10	120	<0.5	<2	0.07	<0.5	4
CC36222		0.24	0.008	<10	5	10	0.8	1.93	60	<10	230	0.9	3	0.16	1.5	10
CC36223		0.22	0.002	<10	4	<10	0.4	1.71	27	<10	260	0.5	<2	0.21	0.5	8
CC36224		0.12	0.008	<10	6	<10	0.3	0.79	25	<10	140	<0.5	<2	0.07	<0.5	2
CC36225		0.20	0.006	<10	<4	10	0.5	1.71	53	<10	190	<0.5	<2	0.10	0.7	8
CC36226		0.10	0.027	NSS	NSS	NSS	0.5	0.58	8	<10	540	<0.5	<2	4.54	8.2	3
CC36227		0.24	0.009	<10	9	10	0.7	1.95	38	<10	500	0.9	2	0.87	1.1	12
CC36228		0.20	0.086	<10	4	10	0.5	1.76	25	<10	430	0.7	<2	0.73	1.1	11
CC36229		0.08	0.004	NSS	NSS	NSS	0.3	0.58	7	<10	270	<0.5	<2	3.87	5.4	3
CC36230		0.12	0.007	<10	5	<10	0.5	1.56	23	<10	530	0.7	3	1.78	1.7	9
CC36231		0.16	0.001	<10	5	<10	0.3	1.03	12	<10	410	<0.5	<2	1.97	7.5	9
CC36232		0.28	0.013	<10	5	10	0.7	1.80	39	<10	620	0.8	2	0.73	1.8	10
CC36233		0.26	0.005	<10	8	<10	0.4	1.46	24	<10	620	0.7	<2	1.48	66.2	11
CC36234		0.14	0.007	<10	4	<10	0.6	1.50	33	<10	380	0.7	<2	1.19	1.9	10
CC36235		0.26	0.008	<10	<4	<10	0.3	1.49	29	<10	290	0.5	2	0.59	4.5	10
CC36236		0.28	0.028	<10	<4	<10	0.4	0.61	15	<10	280	<0.5	<2	3.64	3.7	4
CC36237		0.16	0.017	<10	5	<10	0.7	1.16	29	<10	500	0.5	3	4.75	3.0	7
CC36238		0.14	0.029	<10	6	10	0.8	1.46	32	<10	470	0.7	4	2.19	1.6	9
CC36239		0.24	0.023	<10	4	10	0.4	1.61	47	<10	340	0.7	4	3.05	1.1	8
CC36240		0.14	0.015	<10	<4	10	0.8	1.39	45	<10	290	0.7	37	3.09	1.7	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC36201		21	23	1.76	<10	<1	0.07	10	3.53	673	6	0.02	30	690	40	0.03
CC36202		25	23	2.11	<10	<1	0.08	10	2.23	379	3	0.05	27	690	24	0.05
CC36203		24	28	2.67	<10	<1	0.08	10	1.45	843	3	0.03	34	890	26	0.05
CC36204		26	29	1.99	<10	<1	0.10	10	5.70	424	1	0.02	27	530	17	0.07
CC36205		18	17	1.59	<10	<1	0.17	10	7.63	595	1	0.03	20	370	11	0.02
CC36206		11	4	0.95	<10	<1	0.10	<10	10.45	690	<1	0.02	5	110	4	0.03
CC36207		27	34	2.81	<10	<1	0.11	10	2.29	620	3	0.03	40	760	28	0.03
CC36208		25	47	2.80	<10	<1	0.14	10	2.00	743	4	0.02	43	820	46	0.09
CC36209		21	47	3.72	<10	<1	0.11	10	2.92	686	5	0.02	31	820	20	0.10
CC36210		25	23	3.00	<10	<1	0.07	10	0.42	304	3	0.01	30	350	19	<0.01
CC36211		21	65	2.85	<10	<1	0.10	10	0.72	1085	3	0.02	48	1080	22	0.15
CC36212		29	24	3.56	<10	<1	0.11	10	0.55	527	4	0.02	35	490	22	0.01
CC36213		30	53	3.42	10	<1	0.10	10	0.58	432	4	0.01	42	670	22	0.02
CC36214		15	194	13.75	<10	<1	0.04	<10	0.12	152	23	0.01	4	570	7	0.07
CC36215		7	108	1.38	<10	<1	0.04	10	0.30	1535	4	0.02	204	840	5	0.23
CC36216		21	39	2.49	<10	<1	0.08	10	0.56	441	3	0.02	40	770	18	0.14
CC36217		26	46	2.92	<10	<1	0.08	10	0.58	558	5	0.02	42	670	23	0.04
CC36218		30	31	3.24	<10	<1	0.09	10	0.60	318	7	0.01	36	420	23	0.02
CC36219		26	59	3.82	<10	<1	0.08	10	0.53	176	8	0.01	50	530	24	0.03
CC36220		25	30	2.97	<10	<1	0.06	10	0.41	159	4	0.01	31	560	24	0.01
CC36221		18	12	2.49	<10	<1	0.05	10	0.24	108	5	0.01	13	260	15	0.01
CC36222		30	66	4.04	10	<1	0.11	10	0.62	224	7	0.02	68	850	24	0.05
CC36223		30	22	3.18	10	<1	0.07	10	0.53	205	4	0.01	31	510	18	0.01
CC36224		13	17	1.41	<10	<1	0.10	10	0.28	55	5	0.01	13	210	12	0.02
CC36225		37	40	3.60	10	<1	0.07	10	0.67	159	6	0.01	47	310	26	0.02
CC36226		7	38	0.82	<10	<1	0.03	10	0.50	751	1	0.03	20	890	7	0.15
CC36227		32	73	3.44	10	<1	0.07	10	0.69	613	5	0.02	62	960	28	0.04
CC36228		31	34	3.07	<10	<1	0.08	10	0.70	348	6	0.02	49	810	22	0.03
CC36229		5	37	0.79	<10	<1	0.02	10	0.43	260	1	0.03	23	730	5	0.22
CC36230		27	58	2.69	<10	<1	0.06	10	0.62	701	4	0.02	50	920	20	0.07
CC36231		20	24	1.90	<10	1	0.06	10	0.51	673	3	0.02	36	880	16	0.12
CC36232		35	47	3.18	<10	<1	0.08	10	0.73	512	4	0.02	53	680	35	0.02
CC36233		29	46	2.71	<10	<1	0.09	10	0.66	601	9	0.02	310	710	28	0.05
CC36234		32	37	2.94	<10	<1	0.10	10	0.78	497	6	0.03	47	690	37	0.04
CC36235		34	28	2.93	<10	<1	0.09	10	0.66	427	9	0.02	69	520	28	0.02
CC36236		11	23	1.18	<10	<1	0.04	10	0.58	382	2	0.04	22	640	14	0.15
CC36237		22	41	2.41	<10	<1	0.10	10	2.02	627	6	0.03	37	840	30	0.12
CC36238		29	39	2.88	<10	<1	0.10	10	0.98	484	6	0.03	41	810	30	0.07
CC36239		32	46	3.08	<10	<1	0.12	10	2.14	508	5	0.03	45	770	36	0.03
CC36240		30	51	3.54	<10	<1	0.11	10	1.54	449	8	0.03	76	940	38	0.06

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36201		<2	2	43	<20	0.03	<10	<10	32	10	208
CC36202		2	2	47	<20	0.04	<10	<10	46	<10	182
CC36203		<2	2	29	<20	0.04	<10	<10	49	<10	148
CC36204		3	3	52	<20	0.06	<10	<10	41	<10	123
CC36205		<2	2	70	<20	0.04	<10	<10	27	<10	79
CC36206		<2	1	108	<20	0.03	<10	<10	14	20	16
CC36207		2	3	32	<20	0.05	<10	<10	54	<10	165
CC36208		4	3	40	<20	0.03	<10	<10	58	<10	244
CC36209		2	2	51	<20	0.03	<10	<10	40	10	294
CC36210		<2	2	15	<20	0.03	<10	<10	57	<10	116
CC36211		<2	1	44	<20	0.02	<10	10	48	<10	273
CC36212		<2	2	17	<20	0.04	<10	<10	80	<10	192
CC36213		<2	3	16	<20	0.04	<10	<10	90	10	208
CC36214		<2	1	2	<20	0.13	<10	<10	294	2680	76
CC36215		<2	<1	51	<20	0.01	<10	10	29	150	139
CC36216		<2	2	32	<20	0.02	<10	<10	43	<10	261
CC36217		<2	3	25	<20	0.03	<10	<10	53	<10	131
CC36218		2	3	15	<20	0.04	<10	<10	79	<10	159
CC36219		2	2	23	<20	0.04	<10	<10	61	<10	171
CC36220		2	2	14	<20	0.04	<10	<10	61	<10	113
CC36221		<2	1	11	<20	0.04	<10	<10	73	<10	71
CC36222		<2	2	25	<20	0.04	<10	<10	70	<10	331
CC36223		<2	3	18	<20	0.04	<10	<10	74	<10	128
CC36224		<2	1	15	<20	0.03	<10	<10	53	<10	55
CC36225		2	2	13	<20	0.07	<10	<10	100	<10	199
CC36226		2	<1	55	<20	0.01	<10	10	19	<10	272
CC36227		2	3	30	<20	0.03	<10	<10	105	<10	291
CC36228		2	3	26	<20	0.04	<10	<10	85	<10	255
CC36229		2	1	55	<20	0.01	<10	10	15	<10	93
CC36230		2	2	34	<20	0.03	<10	<10	73	<10	178
CC36231		<2	2	40	<20	0.02	<10	<10	53	<10	348
CC36232		3	4	26	<20	0.03	<10	<10	108	<10	240
CC36233		3	3	37	<20	0.03	<10	<10	87	<10	2760
CC36234		2	3	32	<20	0.04	<10	<10	89	<10	243
CC36235		3	3	22	<20	0.04	<10	<10	190	<10	698
CC36236		<2	1	45	<20	0.02	<10	<10	29	<10	195
CC36237		3	2	55	<20	0.03	<10	<10	61	<10	263
CC36238		2	3	39	<20	0.04	<10	<10	70	<10	215
CC36239		2	4	37	<20	0.05	<10	<10	79	10	234
CC36240		5	3	43	<20	0.04	<10	<10	71	10	287

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC36241		0.06	0.022	NSS	NSS	NSS	0.3	0.33	4	<10	90	<0.5	<2	3.34	2.1	2
CC36242		0.18	0.016	<10	<4	<10	0.2	0.73	7	<10	120	<0.5	<2	2.79	4.4	5
CC36243		0.18	0.013	<10	<4	<10	2.0	0.91	38	<10	90	<0.5	2	10.45	6.0	4
CC36244		0.18	0.003	<10	<4	<10	<0.2	0.24	3	<10	220	<0.5	<2	16.3	<0.5	2
CC36245		0.10	0.010	<10	<4	<10	0.8	1.56	50	<10	270	0.7	<2	3.61	3.5	6
CC36246		0.12	0.008	<10	7	10	0.5	2.04	22	<10	290	1.0	<2	2.26	3.1	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01
CC36241		5	12	0.51	<10	<1	0.06	10	0.48	203	1	0.03	11	1230	5	0.24
CC36242		12	12	1.28	<10	<1	0.06	10	0.75	754	1	0.03	16	1150	74	0.21
CC36243		16	24	1.31	<10	<1	0.08	10	7.01	651	2	0.02	41	910	551	0.06
CC36244		5	5	0.33	<10	<1	0.02	10	10.55	303	<1	0.01	11	310	10	<0.01
CC36245		31	31	2.28	<10	<1	0.07	20	3.16	930	4	0.03	51	1030	94	0.09
CC36246		34	45	3.08	10	<1	0.10	10	1.83	630	4	0.03	63	1130	49	0.07

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 17-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087263

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC36241		<2	<1	24	<20	0.01	10	<10	16	<10	57
CC36242		2	1	18	<20	0.02	<10	<10	32	<10	272
CC36243		77	1	37	<20	0.03	<10	<10	99	<10	897
CC36244		<2	<1	48	<20	0.01	<10	<10	18	<10	72
CC36245		5	2	21	<20	0.04	<10	<10	131	<10	526
CC36246		4	3	31	<20	0.05	<10	<10	148	<10	391

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **ATAC RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 13-SEP-2007
Account: RCM

CERTIFICATE VA07087262

Project: RAU

P.O. No.:

This report is for 198 Soil samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC35301		9	9	0.72	<10	<1	0.12	10	9.35	281	<1	0.02	7	260	11	<0.01
CC35302		36	40	2.85	<10	1	0.09	10	3.14	400	2	0.03	42	780	26	0.02
CC35303		33	43	2.68	<10	<1	0.09	10	1.48	417	1	0.03	41	720	22	0.09
CC35304		40	24	2.18	10	2	0.52	10	6.95	382	1	0.04	28	340	14	0.03
CC35305		35	25	2.83	<10	2	0.07	10	1.36	460	1	0.03	31	630	22	0.07
CC35306		47	20	3.25	10	1	0.07	10	1.71	744	1	0.02	36	410	24	0.03
CC35307		47	37	3.47	10	<1	0.14	10	2.85	1640	1	0.03	41	610	21	0.04
CC35308		44	48	3.27	<10	<1	0.12	10	1.82	524	2	0.03	46	820	53	0.04
CC35309		53	40	3.11	<10	1	0.08	10	1.59	595	1	0.03	50	600	38	0.08
CC35310		24	22	2.11	<10	<1	0.11	10	4.90	424	2	0.02	27	750	23	0.05
CC35311		13	21	1.44	<10	1	0.07	10	5.80	446	1	0.02	20	650	21	0.03
CC35312		21	44	1.99	<10	<1	0.12	10	1.73	452	2	0.02	27	910	21	0.12
CC35313		26	43	2.45	<10	1	0.10	10	3.01	448	2	0.02	30	610	18	0.06
CC35314		31	26	3.27	10	1	0.10	10	0.81	474	1	0.01	29	330	29	0.02
CC35315		28	45	2.88	<10	1	0.11	10	2.94	569	3	0.02	37	770	35	<0.01
CC35316		20	24	1.86	<10	1	0.05	10	7.10	378	1	0.02	20	400	16	<0.01
CC35317		21	7	1.51	<10	1	0.17	10	7.47	271	<1	0.02	11	270	5	0.01
CC35318		26	34	2.29	<10	2	0.09	10	3.53	469	2	0.02	29	670	21	0.03
CC35319		30	38	2.80	<10	1	0.13	10	2.44	520	1	0.02	36	670	29	0.02
CC35320		42	42	3.24	10	1	0.13	10	2.41	951	1	0.03	46	700	17	0.10
CC35321		37	42	2.69	<10	<1	0.12	10	3.07	473	2	0.03	38	550	15	0.05
CC35322		17	48	1.44	<10	1	0.06	10	0.50	447	1	0.02	27	760	6	0.15
CC35323		38	39	2.35	<10	2	0.11	10	0.83	482	2	0.02	38	550	14	0.05
CC35324		26	37	2.02	<10	1	0.06	10	0.72	429	1	0.02	33	690	11	0.10
CC35325		54	59	3.60	10	1	0.15	10	2.21	532	1	0.03	65	620	24	0.05
CC35326		36	50	2.35	<10	<1	0.10	10	0.97	430	2	0.03	46	720	14	0.11
CC35327		37	47	2.84	<10	2	0.06	10	0.77	490	1	0.02	47	560	17	0.04
CC35328		58	95	3.62	<10	<1	0.12	10	1.17	660	2	0.02	95	650	20	0.08
CC35329		44	63	3.10	<10	1	0.07	10	0.96	541	1	0.02	70	560	19	0.07
CC35330		49	64	3.00	<10	<1	0.09	10	0.95	571	1	0.02	79	620	18	0.08
CC35331		55	69	3.60	10	<1	0.07	10	0.98	609	2	0.02	79	500	20	0.06
CC35332		14	25	1.39	<10	<1	0.04	10	0.40	426	1	0.02	22	740	11	0.13
CC35333		24	31	2.40	<10	<1	0.05	10	0.64	483	2	0.02	36	640	20	0.05
CC35334		30	29	2.57	<10	<1	0.05	10	0.71	589	2	0.02	33	660	21	0.06
CC35335		17	27	1.34	<10	<1	0.04	10	0.41	442	1	0.02	19	820	8	0.14
CC35336		35	22	3.10	<10	1	0.06	10	0.64	205	2	0.01	30	280	22	<0.01
CC35337		46	36	3.07	<10	<1	0.07	10	1.32	506	1	0.03	45	550	15	0.06
CC35338		56	60	3.88	10	1	0.10	10	1.33	547	1	0.03	59	600	15	0.06
CC35339		17	38	1.67	<10	1	0.05	10	0.46	678	1	0.02	24	750	9	0.16
CC35340		42	46	3.64	<10	1	0.06	10	0.89	500	1	0.02	44	650	17	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC35301		3	1	104	<20	0.03	<10	10	13	10	81
CC35302		<2	4	38	<20	0.07	<10	<10	53	<10	160
CC35303		3	3	35	<20	0.06	<10	<10	44	10	159
CC35304		<2	4	53	<20	0.15	<10	<10	47	10	91
CC35305		<2	3	31	<20	0.06	<10	<10	52	<10	146
CC35306		2	4	24	<20	0.09	<10	<10	59	10	169
CC35307		2	3	34	<20	0.10	<10	<10	44	20	145
CC35308		4	4	29	<20	0.07	<10	<10	57	<10	337
CC35309		<2	3	32	<20	0.08	<10	<10	56	<10	268
CC35310		2	3	49	<20	0.05	<10	<10	37	10	171
CC35311		<2	2	56	<20	0.02	<10	<10	24	10	147
CC35312		<2	2	31	<20	0.03	<10	<10	34	10	167
CC35313		3	3	36	<20	0.05	<10	<10	38	<10	144
CC35314		<2	3	17	<20	0.03	<10	<10	65	<10	125
CC35315		4	3	37	<20	0.04	<10	<10	47	<10	134
CC35316		2	2	60	<20	0.05	<10	<10	25	<10	54
CC35317		<2	1	62	<20	0.06	<10	<10	26	<10	56
CC35318		2	2	39	<20	0.05	<10	<10	38	10	139
CC35319		<2	3	34	<20	0.05	<10	<10	43	10	172
CC35320		4	3	33	<20	0.08	<10	<10	39	10	256
CC35321		<2	3	57	<20	0.08	<10	<10	37	10	161
CC35322		2	1	43	<20	0.03	<10	<10	20	<10	67
CC35323		2	2	30	<20	0.08	<10	<10	44	10	118
CC35324		<2	2	41	<20	0.04	<10	<10	30	<10	114
CC35325		<2	4	31	<20	0.11	<10	<10	48	10	182
CC35326		<2	2	33	<20	0.07	<10	<10	31	10	155
CC35327		3	3	30	<20	0.06	<10	<10	46	10	114
CC35328		<2	3	38	<20	0.11	<10	<10	45	10	162
CC35329		2	3	29	<20	0.07	<10	<10	43	10	141
CC35330		<2	3	41	<20	0.08	<10	<10	41	<10	129
CC35331		<2	3	37	<20	0.09	<10	<10	49	10	141
CC35332		3	1	49	<20	0.02	10	<10	24	<10	68
CC35333		2	2	28	<20	0.03	<10	<10	61	<10	167
CC35334		<2	2	29	<20	0.04	<10	<10	51	<10	155
CC35335		<2	1	40	<20	0.03	<10	<10	23	<10	117
CC35336		<2	2	18	<20	0.06	<10	<10	64	<10	128
CC35337		<2	2	34	<20	0.08	<10	<10	40	<10	187
CC35338		2	3	32	<20	0.10	<10	<10	46	20	154
CC35339		<2	1	35	<20	0.02	<10	<10	22	10	57
CC35340		2	3	22	<20	0.06	<10	<10	50	10	118

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC35341		0.12	0.004	<10	8	10	0.4	1.23	16	<10	290	0.5	5	2.22	0.9	9
CC35342		0.16	<0.001	<10	6	10	0.4	1.15	20	<10	250	<0.5	3	3.57	1.1	8
CC35343		0.24	0.007	<10	6	10	0.4	1.10	20	<10	260	<0.5	4	4.50	1.0	8
CC35344		0.18	0.007	<10	6	10	0.4	1.47	23	<10	340	0.6	6	2.81	0.7	13
CC35345		0.16	<0.001	<10	5	10	0.3	1.00	18	<10	160	<0.5	<2	6.43	0.6	7
CC35346		0.16	0.002	<10	5	<10	<0.2	0.65	17	<10	230	<0.5	<2	3.69	1.7	4
CC35347		0.14	0.003	<10	6	10	0.4	1.82	33	<10	320	0.6	4	2.49	1.6	9
CC35348		0.12	0.003	<10	5	10	0.3	1.49	29	<10	230	0.5	5	1.99	1.2	9
CC35349		0.20	0.012	<10	6	10	0.2	3.21	173	<10	110	1.2	84	0.30	1.2	12
CC35350		0.18	0.007	<10	5	10	0.4	1.72	28	<10	170	0.5	24	2.97	0.8	13
CC35351		0.10	<0.001	<10	7	<10	0.3	0.66	15	<10	360	<0.5	4	3.55	1.7	5
CC35352		0.12	0.005	<10	6	10	0.4	1.35	28	<10	280	<0.5	6	2.89	1.6	9
CC35354		0.02	<0.001	<10	7	<10	0.3	1.42	19	<10	250	0.6	<2	5.66	1.0	9
CC35355		0.34	0.003	<10	6	10	0.4	1.18	14	<10	240	0.5	<2	7.86	2.3	6
CC35356		0.30	0.003	<10	4	10	0.4	0.99	17	<10	140	0.5	<2	11.80	<0.5	6
CC35357		0.16	<0.001	<10	5	10	0.3	1.78	16	<10	220	0.6	<2	7.02	0.5	10
CC35358		0.36	<0.001	<10	5	<10	0.2	1.83	13	<10	120	0.6	<2	8.45	<0.5	8
CC35359		0.14	<0.001	<10	4	<10	0.3	3.50	8	<10	130	0.9	<2	6.73	<0.5	6
CC35360		0.26	<0.001	<10	5	<10	0.2	1.70	11	<10	90	<0.5	<2	9.03	<0.5	5
CC35361		0.14	<0.001	<10	6	<10	0.2	1.78	14	<10	140	0.5	<2	7.98	1.0	6
CC35362		0.32	<0.001	<10	11	10	0.2	1.25	24	<10	120	0.6	<2	12.65	1.0	6
CC35363		0.20	<0.001	<10	7	10	0.3	1.45	20	<10	220	0.5	2	5.83	1.0	8
CC35364		0.24	0.004	<10	6	10	0.2	1.59	19	<10	170	0.6	2	6.06	0.7	11
CC35365		0.32	<0.001	<10	5	20	0.2	2.28	24	<10	160	0.7	<2	9.85	0.5	11
CC35366		0.20	0.003	<10	6	10	0.5	2.08	25	<10	220	0.7	2	2.23	0.6	15
CC35367		0.16	0.003	<10	6	10	0.4	2.15	41	<10	260	0.8	2	1.50	0.9	17
CC35368		0.18	0.012	<10	7	10	0.2	1.70	19	<10	250	0.6	3	2.23	<0.5	11
CC35369		0.18	0.010	<10	6	10	0.4	2.22	46	<10	150	0.8	<2	1.61	0.7	18
CC35370		0.12	0.006	<10	11	10	0.3	1.67	35	<10	170	0.6	<2	2.66	<0.5	15
CC35371		0.20	0.010	<10	12	10	0.2	1.82	41	<10	190	0.7	2	1.92	0.5	14
CC35372		0.10	0.023	<10	12	10	0.6	1.64	170	<10	170	0.6	3	2.57	0.9	19
CC35373		0.20	0.017	<10	7	10	0.4	1.59	63	<10	160	0.7	2	2.34	0.5	14
CC35374		0.20	0.016	<10	8	10	0.4	1.64	42	<10	190	0.7	3	2.38	0.7	13
CC35375		0.30	0.013	<10	6	10	0.3	1.68	26	<10	240	0.7	4	2.04	0.9	11
CC35376		0.34	0.006	<10	6	10	0.4	1.67	40	<10	250	0.7	5	1.82	1.3	13
CC35377		0.24	0.026	<10	<4	20	2.6	0.08	971	<10	30	<0.5	28	0.09	<0.5	<1
CC35378		0.32	0.008	<10	6	10	0.2	1.39	32	<10	210	0.6	4	0.47	0.7	9
CC35379		0.14	0.010	<10	7	10	0.3	1.46	21	<10	330	0.5	3	2.41	1.3	12
CC35380		0.10	0.025	<10	6	10	0.2	1.26	27	<10	250	<0.5	3	2.62	1.3	11
CC35381		0.20	0.004	<10	8	10	0.2	1.72	7	<10	250	0.7	8	1.40	1.2	14

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC35341		24	36	2.36	<10	<1	0.05	10	0.61	685	1	0.02	30	850	19	0.09
CC35342		23	34	2.05	<10	1	0.07	10	1.59	549	1	0.03	29	750	20	0.07
CC35343		23	33	1.80	<10	<1	0.08	10	2.98	633	1	0.02	31	700	23	0.03
CC35344		35	34	3.29	<10	1	0.08	10	1.80	1495	1	0.03	39	690	22	0.09
CC35345		19	19	1.69	<10	1	0.07	10	3.53	426	1	0.02	22	660	14	0.06
CC35346		12	21	1.04	<10	1	0.05	10	0.65	393	1	0.02	17	890	9	0.18
CC35347		30	28	2.38	10	<1	0.07	10	1.66	480	1	0.02	28	710	17	0.08
CC35348		32	25	2.70	<10	<1	0.07	10	1.09	603	1	0.02	30	530	22	0.05
CC35349		45	19	7.26	10	<1	0.05	10	1.79	1305	2	0.01	28	270	26	0.02
CC35350		46	41	3.59	<10	1	0.14	10	2.40	573	1	0.02	40	640	22	0.05
CC35351		17	24	1.36	<10	<1	0.06	10	0.51	557	1	0.02	19	880	18	0.21
CC35352		36	35	2.53	<10	<1	0.09	10	1.23	436	1	0.03	34	750	38	0.14
CC35354		24	31	2.50	<10	<1	0.14	10	3.99	478	2	0.02	32	770	28	0.04
CC35355		19	28	1.90	<10	<1	0.09	10	5.32	265	2	0.02	24	640	24	0.04
CC35356		16	35	1.63	<10	<1	0.10	10	7.60	350	2	0.02	23	470	13	0.01
CC35357		27	46	2.44	<10	<1	0.08	10	5.17	470	1	0.03	29	550	17	0.04
CC35358		26	29	2.11	<10	<1	0.08	10	6.27	367	1	0.03	26	330	16	0.01
CC35359		45	11	2.04	10	<1	0.05	20	9.21	269	<1	0.01	19	300	2	0.02
CC35360		22	16	1.80	<10	<1	0.04	10	6.98	319	<1	0.02	18	400	9	0.01
CC35361		24	28	2.14	<10	1	0.07	10	6.36	493	1	0.02	27	660	15	0.06
CC35362		18	39	1.45	<10	2	0.17	10	8.30	202	2	0.02	28	350	14	0.45
CC35363		25	38	2.81	<10	2	0.10	10	4.20	624	1	0.02	37	730	22	0.10
CC35364		30	32	2.79	<10	2	0.10	10	4.60	416	2	0.02	40	670	23	0.08
CC35365		38	34	2.60	10	1	0.24	10	4.90	448	1	0.04	38	480	11	0.08
CC35366		41	52	3.34	10	<1	0.06	10	1.34	701	2	0.03	56	600	15	0.10
CC35367		54	46	3.92	10	1	0.08	10	1.34	710	1	0.04	64	490	29	0.07
CC35368		42	42	2.72	10	<1	0.06	10	1.00	286	1	0.02	45	610	13	0.15
CC35369		49	47	3.56	10	<1	0.08	10	1.91	565	1	0.03	63	440	20	0.07
CC35370		49	54	3.30	<10	1	0.11	10	1.07	498	1	0.03	68	620	14	0.14
CC35371		42	35	3.33	10	1	0.06	10	0.89	560	2	0.02	53	480	17	0.09
CC35372		47	80	3.33	10	3	0.08	10	1.04	595	2	0.02	78	590	20	0.11
CC35373		37	50	3.04	<10	<1	0.06	10	0.95	570	2	0.02	65	560	16	0.09
CC35374		41	50	3.08	<10	1	0.07	10	1.00	587	2	0.02	61	590	15	0.10
CC35375		32	48	3.25	<10	1	0.06	10	1.34	565	1	0.03	48	770	18	0.06
CC35376		35	35	3.57	<10	1	0.07	10	1.24	571	4	0.03	58	780	27	0.06
CC35377		<1	416	40.4	<10	<1	0.03	<10	0.01	43	<1	0.01	<1	540	7	0.54
CC35378		27	33	3.16	<10	1	0.05	10	0.75	419	2	0.02	44	530	17	0.03
CC35379		38	34	2.98	<10	1	0.06	10	0.83	750	1	0.02	48	730	13	0.10
CC35380		33	40	3.26	<10	1	0.06	10	0.94	1120	2	0.02	42	690	13	0.13
CC35381		45	44	2.56	10	<1	0.10	10	1.17	160	1	0.03	50	690	16	0.10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Da...: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC35341		<2	2	33	<20	0.03	<10	<10	39	<10	118
CC35342		4	2	39	<20	0.04	<10	<10	36	<10	134
CC35343		2	3	41	<20	0.05	<10	<10	40	10	154
CC35344		<2	3	34	<20	0.06	<10	<10	39	10	161
CC35345		<2	2	54	<20	0.04	<10	<10	30	10	122
CC35346		<2	1	37	<20	0.02	<10	<10	17	<10	86
CC35347		4	2	31	<20	0.07	<10	<10	41	<10	159
CC35348		<2	3	28	<20	0.05	<10	<10	46	10	155
CC35349		3	5	9	<20	0.07	<10	<10	82	10	192
CC35350		2	3	33	<20	0.09	<10	<10	43	10	171
CC35351		2	1	41	<20	0.02	<10	10	24	<10	168
CC35352		<2	2	33	<20	0.06	<10	<10	41	<10	334
CC35354		3	3	46	<20	0.04	<10	<10	44	<10	185
CC35355		2	2	53	<20	0.03	<10	<10	34	<10	179
CC35356		<2	2	69	<20	0.04	<10	<10	27	10	109
CC35357		<2	3	47	<20	0.06	<10	<10	41	<10	109
CC35358		<2	3	51	<20	0.06	<10	<10	39	<10	90
CC35359		<2	4	46	<20	0.14	<10	<10	45	<10	24
CC35360		<2	2	63	<20	0.07	<10	<10	30	<10	49
CC35361		<2	2	54	<20	0.05	<10	<10	34	<10	113
CC35362		4	2	79	<20	0.04	<10	10	24	10	119
CC35363		<2	3	50	<20	0.05	<10	<10	37	<10	159
CC35364		<2	3	48	<20	0.06	<10	<10	37	<10	144
CC35365		2	3	103	<20	0.10	<10	<10	36	<10	173
CC35366		<2	3	44	<20	0.07	<10	<10	44	<10	131
CC35367		6	4	34	<20	0.08	<10	<10	59	<10	191
CC35368		2	3	35	<20	0.06	<10	10	44	<10	124
CC35369		3	3	31	<20	0.10	<10	<10	47	10	204
CC35370		3	3	42	<20	0.08	<10	<10	44	<10	149
CC35371		3	3	37	<20	0.07	<10	<10	48	<10	117
CC35372		2	3	40	<20	0.08	<10	<10	40	<10	178
CC35373		3	3	39	<20	0.06	<10	<10	42	<10	145
CC35374		3	2	39	<20	0.05	<10	<10	48	<10	156
CC35375		3	3	35	<20	0.05	<10	<10	53	10	152
CC35376		5	3	39	<20	0.05	<10	<10	77	10	303
CC35377		9	<1	3	<20	0.01	10	<10	5	10	29
CC35378		<2	3	21	<20	0.04	<10	<10	59	<10	165
CC35379		2	2	38	<20	0.05	<10	<10	42	<10	144
CC35380		<2	2	40	<20	0.05	<10	<10	39	<10	166
CC35381		4	3	31	<20	0.08	<10	<10	49	<10	187

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
Sample Description Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC35382	0.16	0.008	<10	5	10	0.3	1.77	32	<10	300	0.6	13	1.68	2.3	30
CC35383	0.18	0.022	<10	6	10	<0.2	1.44	21	<10	230	0.5	14	2.00	1.1	18
CC35384	0.24	0.009	<10	9	10	0.2	1.48	22	<10	210	0.5	11	1.68	0.7	9
CC35385	0.26	0.010	<10	5	10	0.3	1.42	25	<10	240	0.5	9	6.73	0.7	9
CC35386	0.22	0.009	<10	5	10	0.3	1.06	31	<10	220	<0.5	5	6.89	1.4	6
CC35387	0.16	0.007	<10	6	10	0.2	0.97	20	<10	560	<0.5	2	3.21	1.2	7
CC35388	0.26	0.006	<10	6	10	0.4	1.08	23	<10	200	<0.5	5	2.53	0.6	8
CC35389	0.02	0.005	<10	5	10	0.3	0.93	8	<10	220	<0.5	4	6.11	0.7	6
CC35390	0.26	0.009	<10	5	10	<0.2	1.07	15	<10	190	<0.5	<2	9.07	<0.5	5
CC35391	0.32	0.004	<10	5	10	0.3	1.29	24	<10	230	<0.5	3	4.71	0.7	9
CC35392	0.16	0.015	<10	7	10	0.3	1.36	26	<10	290	0.5	2	1.90	1.0	10
CC35393	0.38	0.010	<10	4	10	0.2	1.56	25	<10	210	0.6	4	9.49	0.5	7
CC35394	0.26	0.021	<10	5	20	<0.2	1.55	26	<10	180	0.5	20	4.19	0.7	11
CC35395	0.14	0.009	<10	7	10	0.3	1.02	21	<10	430	<0.5	3	2.66	1.9	9
CC35396	0.38	0.011	<10	5	10	0.3	1.49	20	<10	230	0.6	2	6.33	0.8	9
CC35397	0.20	0.014	<10	6	<10	0.3	1.10	13	<10	190	<0.5	<2	5.91	0.9	8
CC35398	0.20	0.005	<10	4	10	0.4	0.66	12	<10	150	<0.5	<2	6.88	1.0	4
CC35399	0.22	0.007	<10	5	10	0.3	1.15	12	<10	280	<0.5	4	5.96	0.9	6
CC35400	0.18	0.004	<10	<4	<10	<0.2	1.39	9	<10	70	<0.5	<2	14.5	<0.5	2
CC35401	0.20	0.009	<10	5	10	0.4	1.25	17	<10	170	0.6	<2	5.93	0.5	9
CC35402	0.16	0.005	<10	6	10	0.3	2.12	17	<10	180	0.6	<2	1.24	<0.5	10
CC35403	0.24	0.002	<10	5	30	0.3	1.66	15	<10	100	0.5	<2	9.74	<0.5	6
CC35404	0.28	0.003	<10	7	40	0.4	1.90	29	<10	230	1.3	8	1.30	0.5	16
CC35405	0.44	0.007	<10	6	10	0.2	1.17	33	<10	240	0.5	2	3.22	0.9	10
CC35406	0.18	0.005	<10	8	10	0.4	1.32	30	<10	290	0.6	2	1.21	1.1	10
CC35407	0.18	0.004	<10	4	<10	0.3	1.20	17	<10	210	0.5	2	4.41	0.7	9
CC35408	0.12	<0.001	<10	9	10	0.4	1.76	24	10	210	0.7	<2	2.42	0.9	11
CC35409	0.24	0.004	<10	<4	10	0.3	1.53	27	<10	180	0.9	3	1.22	<0.5	9
CC35410	0.26	0.014	<10	4	10	<0.2	1.06	39	<10	150	<0.5	<2	5.83	0.5	7
CC35411	0.14	0.004	<10	<4	<10	0.6	1.52	18	<10	170	0.5	3	4.47	0.7	9
CC35412	0.10	0.006	<10	5	<10	0.3	0.90	18	<10	280	<0.5	<2	3.68	0.6	7
CC35413	0.20	0.003	<10	8	10	0.5	1.63	30	<10	180	0.7	3	2.00	0.5	13
CC35414	0.10	0.003	<10	11	10	0.6	0.92	24	10	160	<0.5	2	3.56	1.1	9
CC35415	0.24	0.016	<10	5	10	0.3	1.49	117	<10	210	0.5	3	3.49	1.1	17
CC35416	0.20	0.007	<10	5	10	0.4	1.46	35	<10	180	0.6	4	1.95	0.9	13
CC35417	0.10	0.052	<10	5	10	0.7	1.47	58	<10	200	0.7	5	2.25	0.9	14
CC35418	0.16	0.004	<10	<4	10	0.3	1.62	28	<10	240	0.6	3	1.94	0.8	10
CC35419	0.26	0.018	<10	<4	10	0.5	1.28	40	<10	160	0.5	12	6.27	1.1	8
CC35420	0.10	0.010	<10	<4	10	0.2	2.19	20	<10	170	0.8	3	1.06	0.6	12
CC35421	0.22	0.014	<10	<4	<10	0.3	2.33	16	<10	170	0.8	6	6.74	0.5	8

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC35382		52	53	6.57	10	1	0.12	10	1.18	1970	3	0.04	70	780	13	0.11
CC35383		38	51	3.59	<10	1	0.05	10	0.92	1360	1	0.03	50	720	11	0.12
CC35384		34	42	3.29	10	1	0.05	10	0.80	383	2	0.02	38	770	13	0.10
CC35385		30	35	2.62	<10	1	0.07	10	4.22	543	1	0.03	35	640	16	0.05
CC35386		20	31	2.28	<10	1	0.08	10	4.12	600	2	0.03	34	770	21	0.02
CC35387		18	26	2.09	<10	<1	0.07	10	1.12	6060	3	0.03	28	830	21	0.14
CC35388		25	27	2.28	<10	1	0.06	10	1.58	222	5	0.02	32	780	39	0.04
CC35389		18	22	1.97	<10	1	0.06	10	3.94	580	3	0.02	29	700	21	0.03
CC35390		19	22	1.65	<10	<1	0.07	10	5.66	415	2	0.03	25	590	16	0.04
CC35391		31	31	2.46	<10	1	0.08	10	3.17	556	1	0.02	35	720	15	0.02
CC35392		28	30	2.54	<10	1	0.06	10	0.92	553	1	0.02	38	730	20	0.06
CC35393		27	32	2.27	<10	1	0.20	10	5.54	469	2	0.03	39	570	22	<0.01
CC35394		38	27	3.16	<10	<1	0.13	10	3.39	883	<1	0.02	39	600	14	0.03
CC35395		23	24	2.18	<10	1	0.06	10	0.64	1200	1	0.02	32	680	19	0.09
CC35396		30	29	2.47	<10	1	0.12	10	4.25	533	2	0.03	38	750	23	<0.01
CC35397		16	21	1.84	<10	1	0.08	10	4.12	310	<1	0.01	28	610	22	0.01
CC35398		10	14	1.27	<10	1	0.05	10	4.42	235	<1	0.01	19	560	13	<0.01
CC35399		18	25	1.94	<10	1	0.11	10	3.81	283	1	0.01	30	690	20	<0.01
CC35400		10	9	1.12	10	1	0.25	10	9.65	163	<1	0.02	13	120	3	<0.01
CC35401		19	47	2.36	<10	<1	0.10	10	4.18	383	1	0.02	32	550	16	<0.01
CC35402		31	34	3.04	10	1	0.06	10	2.09	512	<1	0.01	35	430	15	0.01
CC35403		17	28	1.92	<10	1	0.17	10	5.55	316	<1	0.02	27	330	11	<0.01
CC35404		52	72	3.73	<10	1	0.15	10	1.11	540	2	0.02	65	610	19	0.02
CC35405		21	45	2.68	<10	1	0.09	10	2.30	430	2	0.01	40	790	23	<0.01
CC35406		25	46	2.92	<10	3	0.08	10	0.74	709	2	0.02	45	910	30	0.03
CC35407		22	39	2.57	<10	1	0.11	10	3.12	677	2	0.01	40	690	21	<0.01
CC35408		38	46	3.18	<10	<1	0.10	10	1.61	411	<1	0.02	46	570	22	0.11
CC35409		28	25	2.81	<10	1	0.06	10	0.90	403	1	0.01	32	390	21	<0.01
CC35410		17	39	2.42	<10	1	0.08	10	3.00	419	2	0.02	36	650	19	<0.01
CC35411		24	28	2.49	<10	1	0.05	10	1.58	515	<1	0.02	32	480	18	0.01
CC35412		17	31	1.79	<10	1	0.04	10	0.58	462	1	0.03	28	870	17	0.15
CC35413		47	65	2.95	<10	<1	0.11	10	1.11	207	2	0.02	60	670	26	0.12
CC35414		23	58	2.44	<10	1	0.07	10	0.68	473	1	0.02	48	710	14	0.26
CC35415		37	55	3.30	<10	<1	0.11	10	1.88	1840	3	0.01	68	560	26	0.03
CC35416		33	53	3.03	<10	1	0.06	10	0.95	650	1	0.02	61	630	19	0.05
CC35417		32	70	3.26	<10	1	0.07	10	0.79	627	1	0.02	54	720	27	0.07
CC35418		26	31	3.04	<10	<1	0.07	10	1.52	804	1	0.02	43	640	20	0.01
CC35419		21	44	2.71	<10	1	0.10	10	4.32	523	2	0.02	40	620	19	<0.01
CC35420		30	49	3.20	10	1	0.05	10	1.77	654	<1	0.02	34	470	16	0.03
CC35421		29	16	2.46	10	3	0.04	10	6.05	780	<1	0.02	34	450	17	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC35382		<2	3	32	<20	0.09	<10	<10	53	<10	169
CC35383		<2	3	33	<20	0.06	<10	<10	41	<10	123
CC35384		<2	3	28	<20	0.05	<10	<10	48	10	123
CC35385		4	3	58	<20	0.05	<10	<10	43	10	143
CC35386		<2	3	60	<20	0.04	<10	<10	40	10	185
CC35387		3	2	46	<20	0.03	<10	<10	33	<10	147
CC35388		2	2	32	<20	0.04	<10	<10	39	<10	155
CC35389		<2	2	50	<20	0.03	<10	<10	31	<10	122
CC35390		2	2	69	<20	0.04	<10	<10	26	10	105
CC35391		<2	3	43	<20	0.05	<10	<10	38	<10	137
CC35392		2	2	31	<20	0.04	<10	<10	42	<10	153
CC35393		2	3	77	<20	0.06	<10	<10	33	<10	151
CC35394		4	3	38	<20	0.08	<10	<10	38	10	148
CC35395		4	1	37	<20	0.03	<10	<10	38	<10	153
CC35396		3	3	55	<20	0.06	<10	<10	43	<10	170
CC35397		<2	2	39	<20	0.03	<10	<10	29	<10	158
CC35398		<2	1	43	<20	0.02	<10	<10	19	<10	112
CC35399		2	2	43	<20	0.03	<10	<10	34	<10	172
CC35400		<2	1	77	<20	0.05	<10	<10	13	<10	45
CC35401		4	2	36	<20	0.04	<10	<10	30	<10	97
CC35402		2	3	20	<20	0.07	10	<10	48	<10	92
CC35403		<2	2	69	<20	0.05	<10	<10	25	20	89
CC35404		5	4	24	<20	0.08	10	<10	47	40	111
CC35405		<2	3	32	<20	0.04	<10	<10	39	<10	154
CC35406		2	3	24	<20	0.03	<10	<10	42	<10	153
CC35407		<2	3	35	<20	0.04	<10	<10	34	10	149
CC35408		3	3	32	<20	0.07	<10	10	37	<10	244
CC35409		<2	3	19	<20	0.05	<10	<10	50	<10	174
CC35410		<2	2	50	<20	0.03	<10	<10	33	<10	141
CC35411		<2	3	46	<20	0.04	<10	<10	44	<10	92
CC35412		2	1	42	<20	0.02	<10	<10	23	<10	95
CC35413		<2	3	30	<20	0.08	<10	<10	38	<10	203
CC35414		2	2	45	<20	0.03	<10	<10	21	<10	178
CC35415		3	3	38	<20	0.07	<10	<10	35	10	209
CC35416		3	2	30	<20	0.05	10	<10	38	<10	154
CC35417		<2	2	33	<20	0.04	<10	<10	37	<10	184
CC35418		<2	3	34	<20	0.05	<10	<10	46	<10	183
CC35419		5	3	46	<20	0.04	<10	<10	37	10	173
CC35420		3	3	22	<20	0.06	<10	<10	44	<10	128
CC35421		3	3	44	<20	0.07	<10	<10	40	<10	99

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC35422		24	43	2.63	<10	1	0.06	10	2.65	438	2	0.02	47	550	24	<0.01
CC35424		30	21	2.51	<10	1	0.05	10	0.78	373	<1	0.02	32	710	17	0.12
CC35425		44	40	4.10	10	1	0.05	10	1.02	1005	2	0.02	49	750	19	0.11
CC35426		42	47	7.27	<10	<1	0.05	10	0.89	4950	3	0.02	57	830	16	0.12
CC35427		41	41	3.16	<10	1	0.05	10	0.91	2280	2	0.02	47	820	18	0.10
CC35428		26	36	2.58	<10	<1	0.09	10	2.48	461	3	0.01	34	870	24	<0.01
CC35429		26	36	2.79	<10	<1	0.06	10	1.35	721	2	0.01	38	850	26	0.01
CC35430		22	32	2.30	<10	<1	0.07	10	1.73	652	1	0.02	31	800	20	0.05
CC35431		22	30	2.27	<10	<1	0.07	10	2.19	777	2	0.02	29	790	22	0.04
CC35432		21	28	2.11	<10	<1	0.05	10	1.96	471	1	0.02	27	770	27	0.06
CC35433		21	28	2.23	<10	<1	0.05	10	0.61	1120	2	0.01	29	810	23	0.05
CC35434		22	37	2.06	<10	<1	0.07	10	5.07	243	2	0.02	23	640	32	0.02
CC35435		24	34	2.04	<10	<1	0.12	10	4.15	328	1	0.02	28	620	23	0.01
CC35436		27	34	2.20	<10	<1	0.12	10	3.13	619	1	0.02	31	700	23	0.06
CC35437		25	20	2.23	<10	<1	0.10	<10	3.92	588	1	0.02	28	640	21	0.03
CC35438		42	36	3.02	<10	<1	0.09	10	1.39	658	1	0.02	40	680	27	0.06
CC35439		25	40	2.68	<10	<1	0.13	10	2.97	525	4	0.02	41	940	30	0.02
CC35440		34	43	3.15	<10	<1	0.09	10	0.78	557	3	0.01	46	700	31	0.03
CC35441		26	31	2.27	<10	1	0.07	10	3.36	373	3	0.02	38	810	21	0.05
CC35442		19	28	2.21	<10	<1	0.08	10	4.45	642	2	0.01	31	710	25	0.02
CC35443		17	37	1.75	<10	<1	0.06	<10	0.76	314	2	0.02	27	850	18	0.10
CC35444		18	16	1.78	<10	<1	0.04	<10	0.37	273	2	<0.01	19	550	23	0.06
CC35445		20	98	2.01	<10	1	0.05	10	1.08	467	2	0.02	33	810	10	0.12
CC35446		9	27	0.79	<10	1	0.04	10	0.89	531	1	0.02	13	920	3	0.14
CC35447		33	14	2.30	10	<1	0.05	10	4.86	277	1	0.01	25	360	15	0.01
CC35448		69	54	4.03	10	<1	0.08	10	0.91	571	3	<0.01	78	490	32	<0.01
CC35449		30	9	1.87	10	<1	0.02	10	7.57	503	<1	0.02	13	340	9	0.02
CC35450		20	31	2.00	<10	<1	0.07	10	5.01	384	1	0.02	24	660	20	0.03
CC35451		29	17	2.08	10	<1	0.04	10	2.10	302	1	0.02	18	490	12	0.04
CC35452		33	15	2.51	10	<1	0.23	10	7.05	406	<1	0.03	17	320	14	0.03
CC35453		35	38	2.89	10	1	0.12	10	2.42	656	1	0.03	41	690	24	0.07
CC35454		18	31	1.75	<10	1	0.08	10	5.45	323	1	0.03	25	560	15	0.02
CC35455		37	22	2.27	10	<1	0.04	10	4.09	482	1	0.02	29	480	17	0.05
CC35456		30	40	2.44	<10	<1	0.06	10	1.12	979	2	0.01	44	700	18	0.12
CC35457		40	53	3.41	10	<1	0.07	10	1.08	587	2	0.01	57	730	22	0.09
CC35458		19	29	1.90	<10	<1	0.05	10	0.51	1065	3	0.01	28	950	11	0.19
CC35459		19	47	6.50	<10	<1	0.07	<10	1.05	7770	9	0.03	45	1020	15	0.22
CC35460		24	44	3.51	<10	<1	0.08	10	1.17	5840	4	0.02	39	950	21	0.19
CC35461		16	32	2.11	<10	<1	0.07	10	0.70	3700	3	0.02	27	920	18	0.21
CC35462		16	21	1.80	<10	<1	0.05	10	0.51	983	2	0.02	25	900	15	0.13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC35422		<2	3	33	<20	0.04	<10	<10	57	<10	178
CC35424		<2	2	31	<20	0.05	<10	<10	39	<10	161
CC35425		<2	3	30	<20	0.07	<10	<10	47	10	165
CC35426		2	3	30	<20	0.07	<10	<10	41	<10	173
CC35427		3	3	28	<20	0.07	<10	<10	46	<10	157
CC35428		<2	4	45	<20	0.05	<10	<10	49	<10	167
CC35429		2	3	30	<20	0.04	<10	<10	48	<10	156
CC35430		3	2	43	<20	0.04	<10	<10	38	<10	157
CC35431		<2	2	41	<20	0.04	<10	<10	40	<10	164
CC35432		2	2	40	<20	0.04	<10	<10	39	10	154
CC35433		3	2	28	<20	0.03	<10	<10	42	10	155
CC35434		3	2	58	<20	0.04	<10	<10	32	10	197
CC35435		3	2	64	<20	0.05	<10	<10	32	10	160
CC35436		3	2	59	<20	0.05	<10	<10	34	10	169
CC35437		4	2	49	<20	0.05	<10	<10	31	10	136
CC35438		<2	3	30	<20	0.07	<10	<10	42	10	225
CC35439		2	3	47	<20	0.04	<10	<10	55	10	203
CC35440		4	3	27	<20	0.04	<10	<10	56	<10	179
CC35441		3	2	42	<20	0.04	<10	<10	44	<10	217
CC35442		3	2	54	<20	0.03	<10	<10	35	<10	173
CC35443		2	1	50	<20	0.02	<10	10	32	<10	97
CC35444		2	1	22	<20	0.02	<10	<10	36	<10	90
CC35445		2	1	36	<20	0.03	<10	<10	28	<10	96
CC35446		<2	<1	28	<20	0.02	<10	<10	12	<10	94
CC35447		2	3	34	<20	0.07	<10	<10	49	<10	68
CC35448		5	6	17	<20	0.04	<10	<10	68	<10	136
CC35449		5	2	78	<20	0.10	<10	<10	44	<10	118
CC35450		<2	2	62	<20	0.03	<10	<10	35	<10	92
CC35451		3	2	28	<20	0.06	<10	<10	52	<10	95
CC35452		<2	4	31	<20	0.11	<10	<10	48	<10	93
CC35453		<2	3	39	<20	0.06	<10	<10	39	<10	191
CC35454		<2	2	60	<20	0.04	<10	<10	30	<10	164
CC35455		<2	3	42	<20	0.13	<10	<10	54	<10	183
CC35456		<2	2	33	<20	0.05	<10	<10	34	<10	191
CC35457		<2	3	24	<20	0.07	<10	<10	45	<10	189
CC35458		<2	1	41	<20	0.03	<10	<10	22	<10	167
CC35459		<2	1	50	<20	0.03	<10	<10	26	<10	139
CC35460		<2	2	43	<20	0.03	<10	<10	34	<10	169
CC35461		<2	1	40	<20	0.02	<10	<10	33	<10	200
CC35462		<2	1	33	<20	0.02	<10	<10	35	<10	127

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC35463		0.16	NSS	<10	7	<10	0.3	0.89	12	<10	270	<0.5	2	2.72	1.6	6
CC35464		0.14	0.010	<10	7	<10	0.2	1.02	18	<10	290	<0.5	3	2.48	0.7	8
CC35465		0.24	0.008	<10	<4	<10	<0.2	1.22	3	<10	80	<0.5	<2	13.4	0.5	3
CC35466		0.16	0.008	<10	9	<10	<0.2	0.90	16	<10	350	<0.5	3	2.80	1.2	6
CC35467		0.24	0.025	<10	6	10	0.4	1.30	34	<10	190	0.5	4	5.00	1.5	9
CC35468		0.18	0.006	<10	7	20	0.5	1.37	26	<10	230	1.1	4	1.29	1.5	10
CC35469		0.10	0.017	<10	6	10	0.4	1.67	18	<10	230	0.6	9	1.75	1.6	14
CC35470		0.32	0.004	<10	5	10	0.2	1.12	13	<10	160	<0.5	3	0.49	<0.5	8
CC35471		0.08	NSS	<10	6	<10	0.3	0.66	12	<10	180	<0.5	<2	2.16	1.9	5
CC35472		0.16	0.012	<10	8	10	0.4	1.33	22	<10	200	0.5	6	1.68	0.9	10
CC35473		0.14	NSS	<10	6	<10	<0.2	0.55	8	<10	160	<0.5	2	2.40	2.1	4
CC35474		0.20	0.012	<10	7	10	0.3	1.21	21	<10	210	0.5	5	1.48	1.3	8
CC35475		0.38	0.009	<10	6	10	0.3	1.22	17	<10	240	0.5	3	1.81	1.9	10
CC35476		0.28	0.004	<10	6	10	0.2	1.09	13	<10	180	<0.5	4	2.61	0.6	8
CC35477		0.22	0.003	<10	6	10	0.2	0.99	17	<10	240	<0.5	3	1.54	0.7	8
CC35478		0.30	0.005	<10	6	10	0.4	1.17	33	<10	240	0.5	4	0.86	1.4	9
CC35479		0.16	0.006	<10	6	10	0.3	1.07	22	<10	180	<0.5	3	1.93	1.1	8
CC35480		0.24	0.008	<10	5	10	0.5	1.49	25	<10	240	0.5	13	4.36	0.7	10
CC35481		0.10	<0.001	<10	8	<10	0.3	0.98	18	<10	280	<0.5	2	2.62	2.0	7
CC35482		0.22	0.006	<10	6	10	0.2	0.93	21	<10	190	<0.5	5	4.82	1.7	5
CC35483		0.28	0.008	<10	6	10	0.2	1.31	28	<10	220	0.5	2	5.75	1.2	9
CC35484		0.24	0.005	<10	6	10	0.3	1.54	19	<10	310	0.5	<2	5.17	0.7	10
CC35485		0.28	0.004	<10	6	<10	0.3	1.15	13	<10	320	0.5	<2	9.57	1.1	8
CC35486		0.22	0.010	<10	6	10	0.3	1.77	18	<10	370	0.7	<2	5.74	1.0	10
CC35487		0.16	NSS	<10	6	10	0.5	1.89	16	<10	280	0.6	<2	5.07	<0.5	8
CC35488		0.20	0.006	<10	7	10	0.5	1.90	27	<10	300	0.7	<2	5.00	0.6	9
CC35489		0.22	0.006	<10	6	<10	0.6	1.46	22	<10	300	0.6	<2	1.65	<0.5	10
CC35490		0.40	0.006	<10	6	<10	0.5	1.77	24	<10	240	0.5	2	6.57	<0.5	8
CC35491		0.22	0.006	<10	6	<10	0.4	2.06	20	<10	270	0.6	<2	4.56	<0.5	10
CC35492		0.18	0.005	<10	6	<10	0.2	1.91	22	<10	200	0.6	<2	8.62	<0.5	7
CC35493		0.26	0.004	<10	4	<10	0.4	1.76	15	<10	150	<0.5	<2	10.45	<0.5	6
CC35494		0.30	0.006	<10	5	<10	0.5	1.29	29	<10	150	0.5	<2	8.28	<0.5	7
CC35495		0.34	0.008	<10	6	10	0.5	1.61	47	<10	340	0.7	2	1.21	<0.5	12
CC35496		0.22	0.006	<10	5	10	0.2	1.52	22	<10	190	0.6	<2	8.90	<0.5	10
CC35497		0.22	0.006	<10	6	10	0.4	1.59	34	<10	280	0.6	<2	6.85	<0.5	10
CC35498		0.22	0.005	<10	10	10	0.4	1.37	39	<10	320	0.6	2	3.34	1.2	12
CC35499		0.22	0.005	<10	7	10	0.3	1.80	53	<10	240	0.7	2	2.18	0.5	16
CC35500		0.12	0.009	<10	14	10	0.5	1.49	28	<10	230	0.6	2	1.41	0.6	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC35463		16	28	1.73	<10	<1	0.05	10	0.60	437	2	0.02	23	950	16	0.17
CC35464		18	19	2.00	<10	<1	0.05	10	0.62	1270	2	0.02	18	970	15	0.17
CC35465		13	5	1.03	<10	<1	0.05	10	9.02	467	<1	0.02	8	210	5	0.03
CC35466		22	27	2.33	<10	<1	0.05	10	0.53	464	2	0.01	23	910	15	0.24
CC35467		23	48	2.56	<10	<1	0.08	10	3.37	625	4	0.01	52	730	26	0.03
CC35468		26	47	2.70	<10	<1	0.09	10	0.75	428	3	0.02	47	1000	30	0.07
CC35469		49	48	2.99	10	<1	0.08	10	1.08	608	1	0.02	52	920	19	0.16
CC35470		22	26	2.15	<10	<1	0.05	10	0.59	205	2	0.01	31	630	21	0.02
CC35471		13	25	1.28	<10	<1	0.05	10	0.44	573	2	0.01	24	970	14	0.13
CC35472		30	35	2.70	<10	<1	0.07	10	0.71	571	2	0.02	36	910	22	0.12
CC35473		11	26	1.17	<10	<1	0.05	10	0.47	310	2	0.01	22	760	12	0.17
CC35474		25	29	2.53	<10	<1	0.08	10	0.67	498	2	0.01	36	900	25	0.14
CC35475		26	32	2.07	<10	<1	0.08	10	1.18	463	2	0.02	40	900	27	0.06
CC35476		22	29	2.26	<10	<1	0.07	10	1.67	416	2	0.01	30	710	24	0.05
CC35477		20	18	2.08	<10	<1	0.06	10	0.80	520	1	0.01	27	680	23	0.05
CC35478		26	27	2.80	<10	<1	0.07	10	0.70	533	3	0.01	34	870	34	0.03
CC35479		22	24	2.22	<10	<1	0.08	10	1.19	466	1	0.01	31	700	24	0.05
CC35480		37	36	2.94	<10	<1	0.13	10	2.87	870	1	0.02	41	720	25	0.07
CC35481		22	30	1.96	<10	<1	0.08	10	0.75	462	2	0.02	31	840	19	0.16
CC35482		19	24	1.89	<10	<1	0.10	10	2.02	319	2	0.02	26	830	23	0.14
CC35483		31	45	2.45	<10	<1	0.16	10	2.88	491	2	0.02	40	820	24	0.10
CC35484		29	31	2.52	<10	<1	0.13	10	3.43	453	3	0.03	39	650	26	0.06
CC35485		20	29	1.91	<10	<1	0.15	10	5.53	411	3	0.01	29	650	20	0.02
CC35486		30	35	2.51	10	<1	0.10	10	4.19	440	2	0.01	32	680	23	0.03
CC35487		30	31	2.72	10	1	0.10	10	3.95	503	1	0.04	35	650	24	0.07
CC35488		32	33	2.91	<10	1	0.10	10	3.91	518	1	0.04	37	660	30	0.06
CC35489		26	30	2.84	<10	<1	0.09	10	0.86	513	1	0.03	32	700	30	0.06
CC35490		27	39	2.58	<10	<1	0.10	10	4.97	436	<1	0.03	34	690	19	0.04
CC35491		30	28	2.75	10	<1	0.07	10	4.03	553	<1	0.04	30	610	20	0.04
CC35492		24	34	2.19	<10	<1	0.07	10	6.02	441	<1	0.04	31	560	20	0.06
CC35493		25	18	1.86	<10	1	0.05	10	8.56	404	<1	0.03	20	320	19	0.03
CC35494		20	44	2.23	<10	<1	0.08	10	5.81	367	<1	0.03	28	600	19	0.02
CC35495		33	41	3.53	<10	<1	0.09	10	0.84	450	1	0.03	37	550	28	0.05
CC35496		27	28	2.39	<10	<1	0.11	10	6.09	769	<1	0.04	37	570	24	0.05
CC35497		26	35	2.88	<10	3	0.10	10	4.54	1015	2	0.04	35	660	26	0.08
CC35498		27	49	3.07	<10	<1	0.07	10	1.86	295	3	0.03	42	700	21	0.19
CC35499		40	52	4.08	<10	<1	0.08	10	1.72	1165	1	0.04	53	740	25	0.10
CC35500		30	45	3.25	<10	<1	0.08	10	0.69	905	3	0.03	42	960	22	0.10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07087262

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC35463		2	1	31	<20	0.02	<10	<10	35	<10	111
CC35464		<2	1	30	<20	0.02	<10	<10	33	<10	107
CC35465		<2	1	96	<20	0.04	<10	<10	19	<10	42
CC35466		<2	2	37	<20	0.03	<10	<10	31	<10	138
CC35467		2	3	44	<20	0.04	<10	<10	56	10	269
CC35468		<2	3	28	<20	0.03	<10	<10	69	20	229
CC35469		<2	3	31	<20	0.07	<10	<10	45	<10	213
CC35470		<2	3	20	<20	0.04	<10	<10	46	<10	124
CC35471		<2	1	32	<20	0.02	<10	<10	28	<10	163
CC35472		<2	2	29	<20	0.04	<10	<10	49	<10	224
CC35473		<2	1	29	<20	0.01	<10	<10	22	<10	169
CC35474		<2	2	28	<20	0.04	<10	<10	51	<10	225
CC35475		<2	3	31	<20	0.04	<10	<10	62	<10	234
CC35476		<2	3	32	<20	0.04	<10	<10	39	<10	156
CC35477		<2	2	27	<20	0.03	<10	<10	43	<10	153
CC35478		<2	3	25	<20	0.04	<10	<10	60	<10	201
CC35479		<2	2	26	<20	0.04	<10	<10	45	10	178
CC35480		<2	3	40	<20	0.07	<10	<10	41	10	189
CC35481		<2	2	37	<20	0.03	<10	<10	37	<10	171
CC35482		2	2	47	<20	0.03	<10	<10	34	<10	186
CC35483		<2	3	55	<20	0.05	<10	<10	42	10	183
CC35484		<2	3	43	<20	0.04	<10	<10	51	<10	197
CC35485		<2	3	73	<20	0.04	<10	<10	36	<10	218
CC35486		<2	3	51	<20	0.05	<10	<10	53	<10	192
CC35487		<2	3	44	<20	0.06	<10	<10	51	<10	158
CC35488		3	3	45	<20	0.06	<10	<10	55	<10	180
CC35489		<2	3	28	<20	0.03	<10	<10	48	<10	115
CC35490		<2	3	54	<20	0.06	<10	<10	46	<10	115
CC35491		<2	3	41	<20	0.07	<10	<10	46	<10	100
CC35492		<2	3	66	<20	0.06	<10	<10	36	<10	135
CC35493		<2	3	64	<20	0.06	<10	<10	37	<10	75
CC35494		<2	3	60	<20	0.05	<10	<10	38	<10	103
CC35495		2	3	24	<20	0.04	<10	<10	62	<10	157
CC35496		<2	3	63	<20	0.07	<10	<10	35	10	127
CC35497		<2	3	53	<20	0.06	<10	<10	40	10	135
CC35498		2	3	42	<20	0.05	<10	<10	45	<10	194
CC35499		<2	4	35	<20	0.08	<10	<10	50	10	194
CC35500		<2	3	32	<20	0.04	<10	<10	61	<10	151

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 6-SEP-2007
Account: RCM

CERTIFICATE VA07083239

Project: RAU

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SCR-43	Screen to -500um, discard plus

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC35101		0.24	0.001	0.3	0.88	8	<10	110	0.5	<2	0.20	0.6	6	20	14	1.92
CC35102		0.32	0.001	0.5	0.91	9	<10	150	0.5	<2	0.17	0.5	5	24	13	2.13
CC35103		0.28	0.001	0.2	0.85	8	<10	130	0.5	<2	0.15	<0.5	7	21	15	1.91
CC35104		0.14	0.002	0.3	1.10	4	<10	180	0.6	<2	0.21	0.7	6	22	17	1.91
CC35105		0.34	0.003	0.4	0.98	7	<10	180	0.8	<2	0.18	0.7	6	32	21	1.86
CC35106		0.24	0.001	0.5	1.23	9	<10	550	0.7	<2	0.38	<0.5	6	24	22	2.39
CC35107		0.28	0.002	0.3	0.92	10	<10	400	0.6	<2	0.32	1.0	5	20	18	2.08
CC35108		0.36	0.003	0.4	1.15	11	<10	900	0.6	<2	0.31	1.0	6	23	25	2.33
CC35109		0.14	0.002	0.3	0.89	5	<10	640	<0.5	<2	0.71	0.7	5	17	15	1.79
CC35110		0.34	0.007	0.5	0.93	15	<10	400	0.7	<2	0.27	1.2	6	21	26	2.20
CC35111		0.24	0.003	0.4	1.41	11	<10	800	0.7	<2	0.43	0.6	8	26	23	2.37
CC35112		0.18	0.004	0.2	1.04	8	<10	270	<0.5	<2	0.24	0.6	6	22	11	1.86
CC35113		0.26	0.005	<0.2	0.78	8	<10	190	<0.5	<2	0.16	0.5	5	19	16	2.03
CC35114		0.36	<0.001	<0.2	1.08	10	<10	230	<0.5	<2	0.14	<0.5	5	24	13	2.25
CC35115		0.22	0.002	<0.2	1.06	10	<10	270	<0.5	<2	0.21	<0.5	11	21	11	2.21
CC35116		0.20	0.002	0.2	1.28	10	<10	300	0.6	<2	0.19	<0.5	18	24	14	2.58
CC35117		0.14	<0.001	0.4	1.02	8	<10	550	0.5	<2	0.43	2.1	15	19	16	2.10
CC35118		0.28	0.001	0.3	1.45	15	<10	310	0.8	<2	0.31	1.0	8	29	23	2.50
CC35119		0.24	<0.001	0.4	1.34	14	<10	370	0.8	<2	0.24	1.1	6	29	25	2.53
CC35120		0.24	0.002	0.2	1.30	11	<10	150	0.6	<2	0.28	0.7	8	22	22	2.44
CC35121		0.30	0.006	<0.2	0.89	13	<10	100	<0.5	<2	0.19	<0.5	5	19	15	2.30
CC35122		0.22	0.003	0.4	1.43	9	<10	510	0.7	<2	0.44	0.8	7	30	24	2.32
CC35123		0.30	0.001	0.5	1.39	12	<10	290	0.6	<2	1.61	0.6	6	24	20	2.16
CC35124		0.30	<0.001	0.2	1.17	5	<10	190	<0.5	<2	0.34	0.6	6	25	15	2.26
CC35125		0.26	0.003	1.0	1.56	9	<10	930	0.8	<2	0.78	3.5	7	38	33	2.25
CC35126		0.32	0.003	0.8	1.39	14	<10	500	0.7	<2	0.80	1.9	7	30	22	2.23
CC35127		0.28	0.001	0.4	1.74	19	<10	270	2.3	<2	0.25	3.6	9	38	107	6.35
CC35128		0.24	0.001	0.7	1.73	17	<10	2540	1.7	<2	0.45	3.4	7	33	51	2.96
CC35129		0.18	0.001	0.5	1.65	29	<10	640	1.3	<2	0.26	3.1	8	28	67	4.04
CC35130		0.30	<0.001	0.2	1.83	12	<10	180	2.0	<2	0.81	16.3	10	31	72	2.88
CC35131		0.26	0.001	0.4	2.04	13	<10	180	1.7	<2	1.35	13.9	15	33	70	3.04
CC35132		0.18	<0.001	0.3	1.61	11	<10	120	1.5	<2	1.54	9.9	10	29	61	2.16
CC35133		0.24	0.010	1.2	2.62	34	<10	230	1.8	<2	0.53	12.0	10	64	103	9.88
CC35134		0.24	0.012	0.8	2.85	24	<10	170	4.0	<2	1.64	28.2	23	29	86	3.52
CC35135		0.14	0.012	0.3	0.37	7	<10	110	<0.5	<2	2.99	15.5	3	7	28	1.04
CC35136		0.22	0.011	1.2	2.61	39	<10	180	1.3	<2	0.85	14.6	14	41	72	3.88
CC35137		0.14	0.014	0.9	1.20	13	<10	180	<0.5	<2	4.50	10.5	9	20	43	1.84
CC35138		0.20	0.007	0.2	0.78	6	<10	60	<0.5	<2	0.07	0.6	3	16	10	1.73
CC35139		0.24	0.008	<0.2	0.59	8	<10	60	<0.5	<2	0.14	0.5	3	17	11	1.77
CC35140		0.14	0.006	0.2	1.20	10	<10	120	0.5	<2	0.09	<0.5	6	24	14	2.02

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35101		<10	<1	0.04	10	0.16	250	<1	<0.01	19	470	12	0.02	2	1	12
CC35102		<10	<1	0.04	10	0.20	228	1	<0.01	20	430	20	0.02	3	2	10
CC35103		<10	<1	0.03	10	0.18	375	2	<0.01	18	470	20	0.02	3	1	10
CC35104		<10	<1	0.05	10	0.22	395	1	<0.01	19	650	17	0.03	<2	1	13
CC35105		<10	<1	0.03	10	0.19	201	5	<0.01	21	600	17	0.02	3	2	10
CC35106		<10	<1	0.05	10	0.35	346	3	0.01	23	780	37	0.04	4	2	16
CC35107		<10	<1	0.05	10	0.26	334	3	0.01	26	790	28	0.03	3	1	19
CC35108		<10	<1	0.05	10	0.27	268	3	0.01	28	580	30	0.02	3	2	17
CC35109		<10	<1	0.06	10	0.20	323	2	0.01	14	870	20	0.07	<2	1	42
CC35110		<10	<1	0.05	10	0.27	309	3	<0.01	29	610	33	0.01	2	2	18
CC35111		<10	<1	0.05	10	0.36	531	2	0.01	27	740	29	0.02	<2	2	23
CC35112		<10	<1	0.05	10	0.28	278	2	<0.01	18	720	17	0.04	<2	1	11
CC35113		<10	<1	0.05	10	0.20	298	3	<0.01	20	440	19	0.02	<2	1	10
CC35114		<10	<1	0.04	10	0.27	221	2	<0.01	21	450	21	0.02	2	1	10
CC35115		10	<1	0.05	10	0.25	942	2	<0.01	14	550	30	0.03	3	1	12
CC35116		10	<1	0.05	10	0.24	2730	3	<0.01	15	1190	29	0.08	<2	<1	12
CC35117		<10	<1	0.07	10	0.21	2260	4	0.01	17	1290	22	0.10	<2	<1	17
CC35118		10	<1	0.05	10	0.44	365	4	<0.01	29	870	17	0.06	<2	1	15
CC35119		10	<1	0.06	10	0.42	270	7	0.01	39	800	11	0.08	2	2	17
CC35120		<10	<1	0.06	10	0.35	459	2	<0.01	27	790	23	0.03	3	2	16
CC35121		10	<1	0.05	10	0.25	145	2	<0.01	18	450	22	0.01	3	1	11
CC35122		<10	<1	0.06	10	0.33	325	2	0.01	39	720	19	0.04	3	2	16
CC35123		<10	<1	0.05	10	0.33	257	1	0.02	31	500	18	0.03	<2	2	22
CC35124		10	<1	0.05	10	0.27	278	1	0.01	24	440	15	0.03	<2	1	14
CC35125		10	<1	0.06	10	0.29	210	3	0.05	55	740	14	0.04	3	2	59
CC35126		10	1	0.05	10	0.35	212	3	0.03	51	680	16	0.05	2	2	31
CC35127		<10	<1	0.07	10	0.26	175	11	0.01	257	1190	69	0.09	3	2	17
CC35128		10	<1	0.09	10	0.35	266	8	0.03	83	1090	38	0.10	<2	2	35
CC35129		10	<1	0.20	10	0.37	218	22	0.03	81	1540	50	0.25	3	2	41
CC35130		10	<1	0.06	10	0.58	285	11	0.01	159	1460	16	0.12	3	2	25
CC35131		<10	<1	0.06	10	0.77	309	11	0.02	146	1510	15	0.17	3	2	32
CC35132		<10	1	0.06	10	0.38	341	7	0.02	85	1510	11	0.19	3	1	31
CC35133		10	<1	0.16	10	0.33	199	20	0.09	133	2400	17	0.47	3	2	47
CC35134		10	<1	0.08	10	0.87	333	11	0.03	270	1670	15	0.21	3	1	34
CC35135		<10	<1	0.05	<10	0.31	146	3	0.03	30	1080	4	0.28	2	<1	25
CC35136		10	<1	0.14	10	1.52	259	11	0.04	198	1270	22	0.16	4	3	33
CC35137		<10	<1	0.06	10	3.04	284	8	0.02	144	1330	16	0.11	5	1	25
CC35138		<10	<1	0.04	10	0.16	173	1	<0.01	14	250	12	0.02	<2	1	6
CC35139		<10	<1	0.04	10	0.17	105	1	<0.01	15	330	11	0.03	3	1	7
CC35140		<10	<1	0.05	10	0.22	214	1	<0.01	21	760	15	0.04	<2	<1	8

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC35101		<20	0.03	<10	<10	38	<10	107	<10	5	<10
CC35102		<20	0.03	<10	<10	44	<10	121	<10	5	<10
CC35103		<20	0.02	<10	<10	38	<10	128	<10	5	<10
CC35104		<20	0.02	<10	<10	39	<10	134	<10	4	<10
CC35105		<20	0.02	<10	<10	45	<10	160	<10	7	10
CC35106		<20	0.02	<10	<10	51	10	141	<10	6	10
CC35107		<20	0.02	<10	<10	39	20	143	<10	5	20
CC35108		<20	0.03	<10	<10	54	10	155	<10	6	10
CC35109		<20	0.02	<10	<10	46	10	107	<10	6	10
CC35110		<20	0.03	<10	<10	43	20	155	<10	6	20
CC35111		<20	0.02	<10	<10	49	<10	135	<10	6	10
CC35112		<20	0.02	<10	<10	55	<10	117	<10	5	10
CC35113		<20	0.03	<10	<10	55	10	122	<10	6	10
CC35114		<20	0.03	<10	<10	61	<10	132	<10	5	10
CC35115		<20	0.03	<10	<10	59	<10	84	<10	6	10
CC35116		<20	0.01	<10	<10	59	<10	75	<10	6	10
CC35117		<20	0.01	<10	<10	65	<10	118	<10	6	<10
CC35118		<20	0.03	<10	<10	99	10	179	<10	7	10
CC35119		<20	0.03	<10	<10	116	10	231	<10	7	10
CC35120		<20	0.03	<10	<10	49	<10	126	<10	5	10
CC35121		<20	0.05	<10	<10	59	<10	100	<10	5	10
CC35122		<20	0.03	<10	<10	60	<10	143	<10	6	<10
CC35123		<20	0.03	<10	<10	50	<10	122	<10	6	<10
CC35124		<20	0.04	<10	<10	69	<10	107	<10	6	<10
CC35125		<20	0.03	<10	<10	64	<10	271	<10	6	<10
CC35126		<20	0.03	<10	<10	57	<10	230	<10	7	<10
CC35127		<20	0.03	<10	10	65	<10	1340	<10	13	10
CC35128		<20	0.03	<10	10	95	10	555	<10	10	10
CC35129		<20	0.04	<10	10	147	10	400	<10	13	10
CC35130		<20	0.03	<10	10	224	<10	1370	<10	12	20
CC35131		<20	0.03	<10	10	218	<10	1430	<10	16	20
CC35132		<20	0.02	<10	10	149	<10	637	<10	9	10
CC35133		<20	0.05	<10	<10	201	<10	1100	<10	15	10
CC35134		<20	0.02	<10	10	241	<10	2570	<10	20	30
CC35135		<20	0.01	<10	<10	24	<10	363	<10	5	<10
CC35136		<20	0.05	10	20	227	<10	1400	<10	22	10
CC35137		<20	0.03	<10	<10	110	<10	1070	<10	10	10
CC35138		<20	0.03	<10	<10	49	<10	92	<10	5	<10
CC35139		<20	0.04	<10	<10	47	<10	92	<10	5	<10
CC35140		<20	0.02	<10	<10	42	<10	118	<10	5	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC35141		0.10	0.033	0.2	1.08	8	<10	130	<0.5	<2	0.12	0.5	6	24	12	2.10
CC35142		0.16	0.005	0.2	0.94	11	<10	110	<0.5	<2	0.11	0.5	4	22	12	1.86
CC35143		0.14	0.009	0.2	1.33	7	<10	200	0.6	<2	0.28	0.6	7	24	15	2.10
CC35144		0.12	0.009	0.2	0.83	6	<10	100	<0.5	<2	0.12	<0.5	5	17	8	1.85
CC35145		0.30	0.002	0.4	1.33	8	<10	250	0.5	<2	0.43	<0.5	8	26	18	2.23
CC35146		0.32	0.002	0.2	1.05	6	<10	180	0.5	<2	0.17	<0.5	6	22	11	2.14
CC35147		0.30	0.004	0.3	1.35	12	<10	170	0.7	<2	0.17	0.6	9	24	21	2.49
CC35148		0.30	0.001	0.2	0.92	11	<10	160	<0.5	<2	0.25	<0.5	6	19	16	1.94
CC35149		0.22	0.005	0.8	1.02	7	<10	410	0.7	<2	0.47	0.7	5	21	21	1.94
CC35150		0.16	0.003	0.3	1.07	12	<10	710	0.6	<2	0.33	0.9	6	21	23	2.24
CC35151		0.14	0.008	0.5	1.15	10	<10	810	0.6	<2	0.56	0.6	7	20	18	1.95
CC35152		0.20	0.004	0.7	1.29	9	<10	420	0.6	2	0.64	1.3	8	25	23	2.35
CC35153		0.26	0.003	0.3	1.36	11	<10	580	0.8	<2	0.32	0.6	9	27	19	2.43
CC35154		0.16	0.003	0.2	1.28	9	<10	540	0.7	<2	0.39	4.3	8	28	19	2.32
CC35155		0.24	0.002	0.3	1.33	9	<10	380	0.9	<2	0.32	1.2	8	29	14	2.17
CC35156		0.24	0.002	0.2	1.09	13	<10	390	0.8	<2	0.31	2.7	7	22	15	2.05
CC35157		0.10	0.003	<0.2	1.19	9	<10	200	0.5	<2	0.18	<0.5	7	23	13	2.29
CC35158		0.24	0.009	<0.2	1.06	8	<10	170	<0.5	<2	0.16	<0.5	6	21	12	2.32
CC35159		0.20	0.003	0.8	0.44	10	<10	70	<0.5	<2	0.07	<0.5	4	12	9	1.73
CC35160		0.14	0.009	0.2	1.38	9	<10	350	0.6	<2	0.28	0.6	7	29	15	2.28
CC35161		0.20	0.003	0.5	1.29	14	<10	280	0.6	<2	0.27	0.6	4	30	15	2.16
CC35162		0.12	0.002	0.2	1.15	15	<10	380	0.7	<2	0.53	3.0	5	24	23	2.25
CC35163		0.10	0.006	0.6	1.44	12	<10	420	0.8	<2	0.55	3.1	6	28	31	2.75
CC35164		0.20	0.008	<0.2	0.62	9	<10	250	<0.5	<2	0.32	<0.5	3	16	9	1.64
CC35165		0.12	0.010	0.4	0.97	10	<10	430	<0.5	<2	0.30	0.9	11	26	15	2.19
CC35166		0.18	0.006	0.9	1.29	17	<10	400	0.7	<2	1.11	1.3	6	31	19	2.30
CC35167		0.16	0.005	0.4	1.11	11	<10	250	<0.5	<2	0.23	0.6	6	25	16	2.44
CC35168		0.12	0.012	0.6	1.24	13	<10	420	0.7	<2	0.83	2.2	6	27	23	2.05
CC35169		0.12	0.008	0.9	1.49	7	<10	890	0.7	<2	1.16	1.8	7	29	34	2.19
CC35170		0.10	0.013	0.8	1.27	6	<10	310	0.5	<2	0.99	3.8	7	27	23	2.07
CC35171		0.12	0.003	0.3	1.16	9	<10	410	0.7	<2	0.61	2.9	4	27	20	2.11
CC35172		0.16	0.004	0.6	1.60	19	<10	2390	1.0	<2	0.53	1.3	5	29	33	2.66
CC35173		0.12	0.006	0.8	2.46	19	<10	170	1.9	<2	0.77	12.8	14	33	73	3.87
CC35174		0.16	0.008	0.2	3.00	22	<10	180	2.4	<2	0.15	3.4	14	31	62	3.91
CC35175		0.06	0.014	0.8	0.49	11	<10	120	<0.5	<2	0.16	1.8	1	12	16	1.68
CC35176		0.10	0.007	1.3	0.79	27	<10	140	<0.5	<2	0.15	1.6	2	24	41	4.70
CC35177		0.12	0.006	2.0	2.88	37	<10	140	1.8	<2	0.09	2.1	7	38	84	6.83
CC35178		0.18	0.010	1.1	2.77	32	<10	150	1.7	2	0.56	15.5	18	31	71	3.89
CC35179		0.22	0.006	1.1	3.26	42	<10	150	1.9	<2	0.78	12.8	16	35	73	4.75
CC35180		0.08	0.018	1.0	1.29	14	<10	140	0.7	<2	2.37	18.2	7	18	50	1.54

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35141		<10	<1	0.06	10	0.25	179	1	<0.01	19	520	12	0.03	<2	1	10
CC35142		10	<1	0.05	10	0.20	116	1	<0.01	19	470	12	0.02	2	1	9
CC35143		<10	<1	0.05	10	0.24	494	1	0.01	23	630	14	0.03	3	1	18
CC35144		<10	<1	0.05	10	0.10	461	1	<0.01	10	590	14	0.04	<2	<1	9
CC35145		<10	<1	0.05	10	0.34	349	1	0.01	22	730	17	0.03	<2	2	20
CC35146		<10	<1	0.05	10	0.26	187	<1	0.01	15	520	17	0.02	2	2	11
CC35147		<10	<1	0.06	10	0.33	340	1	0.01	28	560	23	0.03	2	2	14
CC35148		<10	<1	0.04	10	0.21	311	1	0.01	21	570	25	0.02	4	1	16
CC35149		<10	<1	0.05	10	0.29	147	2	0.02	24	800	35	0.05	3	2	20
CC35150		<10	<1	0.05	10	0.31	364	2	0.01	27	710	30	0.02	3	2	17
CC35151		<10	<1	0.05	10	0.28	372	2	0.01	19	1010	27	0.06	2	2	25
CC35152		<10	<1	0.06	10	0.38	769	1	0.01	25	870	28	0.04	3	2	27
CC35153		<10	<1	0.06	10	0.35	432	2	0.01	25	720	24	0.03	2	2	18
CC35154		<10	<1	0.06	10	0.33	403	3	0.01	32	830	18	0.05	2	2	18
CC35155		10	<1	0.05	10	0.32	503	2	0.01	23	820	21	0.04	<2	2	14
CC35156		<10	<1	0.04	10	0.28	442	2	0.01	22	700	25	0.04	3	1	14
CC35157		<10	<1	0.06	10	0.30	378	2	0.01	17	590	21	0.04	2	1	12
CC35158		<10	<1	0.05	10	0.24	408	2	0.01	17	540	20	0.02	3	1	12
CC35159		<10	<1	0.03	<10	0.07	223	1	0.01	11	480	43	0.02	<2	1	5
CC35160		<10	<1	0.06	10	0.40	644	5	0.02	24	1080	11	0.07	<2	1	16
CC35161		<10	<1	0.05	10	0.39	221	5	0.01	25	1030	10	0.07	<2	1	15
CC35162		<10	<1	0.07	10	0.31	463	6	0.02	30	1040	9	0.12	<2	1	20
CC35163		<10	<1	0.07	10	0.44	342	8	0.03	45	1110	11	0.11	<2	2	26
CC35164		10	<1	0.05	10	0.11	145	2	0.01	9	330	10	0.02	<2	1	11
CC35165		<10	<1	0.06	10	0.22	1060	3	0.01	23	1130	21	0.07	<2	<1	14
CC35166		<10	1	0.05	10	0.33	289	4	0.04	41	760	21	0.03	<2	2	31
CC35167		<10	1	0.07	10	0.29	329	2	0.02	29	720	14	0.03	<2	2	12
CC35168		<10	<1	0.06	10	0.29	316	2	0.04	34	820	13	0.07	<2	2	35
CC35169		10	<1	0.05	10	0.29	243	3	0.05	61	880	10	0.08	<2	1	46
CC35170		<10	1	0.05	10	0.29	277	4	0.03	63	1120	12	0.08	<2	1	32
CC35171		<10	1	0.07	<10	0.25	191	3	0.04	45	870	17	0.07	<2	1	25
CC35172		<10	1	0.09	10	0.32	250	7	0.03	53	1020	31	0.10	<2	2	30
CC35173		<10	1	0.08	10	0.69	401	10	0.03	142	1790	16	0.20	2	1	28
CC35174		<10	1	0.09	10	0.43	293	11	0.02	106	1310	14	0.13	2	2	20
CC35175		<10	<1	0.05	10	0.08	63	8	0.03	14	1010	5	0.12	3	1	11
CC35176		10	1	0.11	10	0.11	136	8	0.05	17	1330	13	0.28	<2	1	29
CC35177		10	<1	0.11	10	0.36	161	14	0.07	76	1790	18	0.39	4	2	37
CC35178		10	1	0.12	10	0.57	229	14	0.04	172	1310	13	0.30	7	2	36
CC35179		10	<1	0.11	10	0.73	238	15	0.03	175	1380	16	0.24	6	3	30
CC35180		<10	<1	0.08	10	0.62	222	7	0.05	135	1380	8	0.25	5	1	29

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC35141		<20	0.03	<10	<10	46	<10	115	<10	5	<10
CC35142		<20	0.04	<10	<10	49	<10	109	<10	5	<10
CC35143		<20	0.03	<10	<10	44	<10	119	<10	5	<10
CC35144		<20	0.02	<10	<10	58	<10	72	<10	5	<10
CC35145		<20	0.03	<10	<10	45	<10	133	<10	5	<10
CC35146		<20	0.03	<10	<10	43	<10	100	<10	5	<10
CC35147		<20	0.03	<10	<10	41	<10	125	<10	5	<10
CC35148		<20	0.03	<10	<10	35	<10	124	<10	5	<10
CC35149		<20	0.02	<10	<10	39	20	170	<10	6	10
CC35150		<20	0.03	<10	<10	42	20	144	<10	6	20
CC35151		<20	0.02	<10	<10	42	<10	108	<10	6	10
CC35152		<20	0.03	<10	<10	45	<10	143	<10	6	10
CC35153		<20	0.03	<10	<10	57	20	129	<10	6	10
CC35154		<20	0.03	<10	<10	63	<10	226	<10	6	10
CC35155		<20	0.03	<10	<10	64	<10	204	<10	6	10
CC35156		<20	0.03	10	<10	52	10	140	<10	5	20
CC35157		<20	0.03	<10	<10	56	<10	110	<10	5	10
CC35158		<20	0.04	<10	<10	52	<10	91	<10	6	<10
CC35159		<20	0.02	<10	<10	34	<10	80	<10	5	<10
CC35160		<20	0.02	<10	<10	98	<10	138	<10	6	10
CC35161		<20	0.03	<10	<10	103	10	152	<10	6	10
CC35162		<20	0.03	<10	<10	84	10	198	<10	7	10
CC35163		<20	0.04	<10	<10	116	<10	308	<10	9	10
CC35164		<20	0.05	<10	<10	54	<10	58	<10	6	<10
CC35165		<20	0.02	<10	<10	64	<10	130	<10	6	<10
CC35166		<20	0.03	<10	<10	58	<10	148	<10	7	<10
CC35167		<20	0.03	<10	<10	51	<10	108	<10	6	<10
CC35168		<20	0.03	<10	<10	51	<10	142	<10	6	<10
CC35169		<20	0.02	<10	<10	50	<10	270	<10	9	<10
CC35170		<20	0.02	<10	<10	47	<10	505	<10	9	10
CC35171		<20	0.02	<10	<10	52	<10	281	<10	6	<10
CC35172		<20	0.03	<10	<10	91	<10	316	<10	9	10
CC35173		<20	0.03	<10	10	188	<10	1340	<10	17	10
CC35174		<20	0.04	<10	<10	150	<10	606	<10	13	10
CC35175		<20	0.02	<10	<10	120	<10	141	<10	6	<10
CC35176		<20	0.03	<10	<10	123	<10	146	<10	7	<10
CC35177		<20	0.05	<10	10	171	<10	538	<10	16	10
CC35178		<20	0.04	<10	10	183	<10	1035	<10	15	10
CC35179		<20	0.04	<10	10	213	<10	938	<10	16	10
CC35180		<20	0.02	<10	10	128	<10	806	NSS	NSS	NSS

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC35181		0.38	0.014	0.3	1.20	23	<10	310	0.6	<2	10.10	1.4	7	19	31	2.02
CC35182		0.18	0.005	0.2	1.25	26	<10	300	0.6	<2	7.43	1.3	9	20	32	2.07
CC35183		0.24	0.005	0.3	1.22	24	<10	370	0.6	<2	8.22	2.0	8	20	31	2.08
CC35184		0.24	0.005	0.4	1.46	23	<10	360	0.7	3	4.20	1.9	9	24	36	2.59
CC35185		0.34	0.007	0.4	1.67	21	<10	260	0.7	<2	5.28	0.9	10	26	41	2.58
CC35186		0.36	0.007	0.4	2.11	25	<10	250	0.9	<2	0.95	<0.5	11	33	37	3.36
CC35187		0.48	0.006	0.6	1.55	33	<10	310	0.6	<2	4.56	1.4	11	27	49	2.90
CC35188		0.48	0.011	0.2	1.72	14	<10	170	0.6	<2	10.60	<0.5	8	24	34	2.25
CC35189		0.16	0.005	0.5	1.52	23	<10	350	0.6	2	2.53	2.7	9	26	34	2.65
CC35190		0.18	0.004	0.3	1.81	20	<10	200	0.7	<2	5.08	0.8	9	30	33	2.33
CC35191		0.18	0.004	0.3	2.21	28	<10	170	0.7	<2	4.40	0.5	11	36	29	2.82
CC35192		0.18	0.010	0.3	2.20	36	<10	170	0.7	<2	2.94	0.9	13	45	36	3.19
CC35193		0.24	0.001	<0.2	2.37	28	<10	200	0.7	2	0.94	<0.5	14	46	22	3.52
CC35194		0.26	0.001	0.3	2.24	24	<10	230	0.7	<2	5.90	0.5	14	42	30	2.70
CC35195		0.24	<0.001	0.2	2.36	58	<10	190	0.9	4	1.77	0.5	21	59	53	3.79
CC35196		0.20	<0.001	<0.2	2.47	46	<10	150	0.7	2	3.80	<0.5	21	61	48	3.53
CC35197		0.26	0.009	0.5	2.92	37	<10	190	0.8	3	2.39	<0.5	22	74	56	4.16
CC35198		0.16	<0.001	0.5	1.73	31	<10	170	0.5	2	2.23	<0.5	24	64	65	3.28
CC35199		0.16	<0.001	0.2	2.21	24	<10	160	0.5	<2	11.75	<0.5	15	47	31	2.65
CC35200		0.16	<0.001	0.4	2.97	62	<10	170	2.4	9	2.54	<0.5	28	76	73	4.42
CC35201		0.18	0.002	0.3	2.00	61	<10	190	1.5	4	3.44	<0.5	29	64	116	3.70
CC35202		0.18	<0.001	0.2	2.35	7	<10	120	0.6	<2	16.2	<0.5	11	39	28	2.21
CC35203		0.26	<0.001	0.4	3.16	19	<10	140	1.3	3	1.88	0.7	24	79	43	4.26
CC35204		0.14	0.004	0.3	3.17	23	<10	130	1.1	2	6.14	0.5	16	61	40	3.44
CC35205		0.26	<0.001	0.3	2.44	16	<10	120	0.8	4	7.56	<0.5	18	73	51	3.36
CC35206		0.12	0.001	0.3	1.41	9	<10	180	<0.5	2	3.30	0.8	11	46	39	2.17
CC35207		0.18	<0.001	0.2	1.69	19	<10	210	0.5	4	1.92	0.6	13	55	36	2.83
CC35208		0.20	<0.001	<0.2	2.36	23	<10	200	0.9	4	1.64	1.2	16	56	39	3.52
CC35209		0.22	<0.001	0.4	1.91	25	<10	220	0.8	7	1.88	0.5	14	42	42	3.14
CC35210		0.18	<0.001	<0.2	1.74	22	<10	220	0.7	8	3.64	1.0	12	36	41	3.04
CC35211		0.18	<0.001	0.4	2.11	53	<10	310	0.9	6	1.93	0.7	16	52	48	3.22
CC35212		0.26	0.002	0.4	1.98	22	<10	280	0.9	6	2.40	0.7	15	47	81	3.25
CC35213		0.18	<0.001	0.5	1.85	17	10	220	1.0	9	8.10	0.7	14	38	79	3.15
CC35214		0.24	0.001	0.4	1.44	12	<10	210	0.5	7	1.46	0.5	10	29	21	2.78
CC35215		0.20	<0.001	0.8	1.63	22	10	340	0.6	5	2.67	0.8	11	38	38	2.63
CC35216		0.38	0.011	0.5	1.71	36	<10	280	0.5	4	4.21	0.8	11	38	42	3.01
CC35217		0.24	0.002	0.6	2.25	40	<10	290	0.7	6	1.01	<0.5	13	51	31	3.81
CC35218		0.32	0.017	0.2	2.84	48	<10	150	0.9	7	0.20	0.5	14	49	29	3.77
CC35219		0.22	0.003	0.7	1.77	39	<10	250	0.6	4	5.31	1.0	9	35	40	2.95
CC35220		0.34	0.035	0.4	2.60	8	<10	120	0.5	<2	9.52	<0.5	5	28	11	1.88

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35181		<10	1	0.13	10	6.73	526	3	0.04	26	680	25	0.04	<2	2	67
CC35182		<10	<1	0.12	10	5.05	506	2	0.03	30	710	25	0.05	2	2	52
CC35183		<10	<1	0.15	10	4.37	603	3	0.04	29	680	25	0.03	2	2	65
CC35184		<10	1	0.16	10	2.57	467	2	0.03	36	780	30	0.04	<2	3	41
CC35185		<10	1	0.14	10	3.82	594	2	0.04	35	750	29	0.04	2	3	46
CC35186		10	1	0.13	20	1.45	504	2	0.02	40	430	36	0.02	<2	4	21
CC35187		<10	<1	0.15	10	3.18	522	3	0.03	44	860	29	0.03	2	4	46
CC35188		<10	<1	0.13	10	6.50	443	1	0.03	29	580	24	0.03	<2	3	80
CC35189		<10	1	0.09	10	1.10	938	2	0.03	32	790	146	0.09	<2	2	35
CC35190		<10	1	0.10	10	3.49	478	2	0.04	34	630	19	0.07	<2	3	48
CC35191		10	1	0.12	10	3.95	461	1	0.03	35	590	19	0.04	<2	3	43
CC35192		10	<1	0.10	10	2.77	605	1	0.03	42	660	24	0.06	<2	3	32
CC35193		10	<1	0.10	10	1.80	559	2	0.02	35	360	30	0.03	<2	4	22
CC35194		10	<1	0.14	10	4.65	668	<1	0.04	40	480	21	0.05	2	4	55
CC35195		10	<1	0.09	10	1.61	617	<1	0.03	62	540	24	0.06	<2	4	34
CC35196		10	<1	0.20	10	3.73	640	<1	0.04	63	520	28	0.06	3	4	37
CC35197		10	<1	0.14	10	3.35	729	<1	0.03	71	430	23	0.03	<2	6	31
CC35198		10	<1	0.10	10	1.22	389	<1	0.03	79	780	28	0.11	<2	4	32
CC35199		10	<1	0.45	10	1.87	626	<1	0.07	50	440	14	0.17	<2	3	141
CC35200		10	<1	0.24	10	1.92	806	<1	0.06	97	550	14	0.08	<2	5	62
CC35201		10	<1	0.14	10	1.40	594	<1	0.04	113	780	15	0.13	<2	3	56
CC35202		10	<1	0.13	10	2.43	545	<1	0.05	37	430	9	<0.01	<2	3	207
CC35203		10	<1	0.12	10	2.52	755	<1	0.04	79	360	20	0.03	<2	5	39
CC35204		10	<1	0.17	10	2.99	651	<1	0.06	61	620	21	0.06	<2	4	104
CC35205		<10	1	0.25	10	3.07	502	<1	0.04	73	580	15	0.05	<2	4	93
CC35206		<10	<1	0.07	10	0.93	409	<1	0.02	45	700	8	0.12	<2	2	49
CC35207		<10	<1	0.08	10	1.05	580	<1	0.03	51	730	15	0.09	<2	3	34
CC35208		10	1	0.09	10	1.69	664	<1	0.03	57	660	23	0.07	2	3	33
CC35209		<10	1	0.08	10	1.12	699	<1	0.03	46	650	19	0.07	<2	3	36
CC35210		<10	<1	0.07	10	1.75	959	<1	0.02	43	680	21	0.08	<2	3	47
CC35211		10	<1	0.11	10	1.42	615	<1	0.03	53	570	21	0.07	<2	3	38
CC35212		<10	1	0.13	10	1.80	694	1	0.03	55	630	25	0.05	<2	3	38
CC35213		<10	<1	0.12	10	1.24	659	1	0.03	45	680	16	0.08	<2	3	100
CC35214		<10	<1	0.07	10	0.59	715	<1	0.01	24	720	22	0.06	2	2	29
CC35215		<10	1	0.15	10	1.81	601	<1	0.03	39	870	29	0.06	<2	4	39
CC35216		<10	<1	0.14	10	2.78	595	1	0.03	44	810	28	0.02	2	4	44
CC35217		10	<1	0.11	10	1.30	724	1	0.04	52	500	32	0.03	<2	4	27
CC35218		10	<1	0.07	10	1.77	383	2	0.01	58	290	34	0.01	2	4	11
CC35219		<10	<1	0.14	10	3.61	673	1	0.04	41	860	33	0.04	3	4	51
CC35220		<10	<1	0.08	10	8.52	540	1	0.01	25	260	15	0.03	<2	3	44

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC35181		<20	0.03	<10	10	37	40	164	<10	6	20
CC35182		<20	0.03	<10	<10	36	<10	185	<10	6	10
CC35183		<20	0.03	<10	<10	39	20	207	<10	5	10
CC35184		<20	0.03	<10	<10	43	<10	238	<10	6	10
CC35185		<20	0.04	<10	10	44	<10	152	<10	6	10
CC35186		<20	0.04	<10	<10	57	10	155	<10	6	10
CC35187		<20	0.04	<10	10	51	<10	185	<10	6	10
CC35188		<20	0.05	<10	<10	39	10	132	<10	5	10
CC35189		<20	0.04	<10	10	44	<10	443	<10	12	10
CC35190		<20	0.06	<10	10	43	10	121	<10	7	10
CC35191		<20	0.08	<10	<10	46	<10	160	<10	7	10
CC35192		<20	0.09	<10	10	49	<10	214	<10	9	10
CC35193		<20	0.09	<10	<10	62	<10	211	<10	7	10
CC35194		<20	0.09	<10	10	48	10	165	<10	6	10
CC35195		<20	0.11	<10	<10	55	<10	151	<10	7	10
CC35196		<20	0.13	<10	<10	51	<10	171	<10	5	10
CC35197		<20	0.17	<10	<10	67	<10	131	<10	5	10
CC35198		<20	0.12	<10	<10	43	<10	104	<10	6	<10
CC35199		<20	0.12	<10	<10	36	10	134	<10	4	10
CC35200		<20	0.16	<10	<10	54	20	80	<10	5	20
CC35201		<20	0.12	<10	<10	45	10	84	<10	5	10
CC35202		<20	0.10	<10	<10	37	<10	68	<10	4	10
CC35203		<20	0.18	<10	<10	65	20	129	<10	4	20
CC35204		<20	0.15	<10	<10	49	20	164	<10	4	20
CC35205		<20	0.15	<10	<10	51	20	103	<10	4	10
CC35206		<20	0.07	<10	<10	34	10	118	<10	6	10
CC35207		<20	0.08	<10	<10	46	<10	119	<10	7	<10
CC35208		<20	0.10	<10	<10	48	10	268	<10	7	10
CC35209		<20	0.07	<10	<10	47	10	155	<10	7	10
CC35210		<20	0.06	<10	<10	39	10	161	<10	6	10
CC35211		<20	0.09	<10	<10	48	10	141	<10	6	10
CC35212		<20	0.08	<10	<10	47	10	155	<10	5	10
CC35213		<20	0.05	<10	<10	38	<10	111	<10	6	10
CC35214		<20	0.04	<10	<10	42	10	127	<10	7	10
CC35215		<20	0.07	<10	<10	48	10	222	<10	7	10
CC35216		<20	0.08	<10	<10	53	<10	170	<10	6	10
CC35217		<20	0.10	<10	<10	72	10	158	<10	5	10
CC35218		<20	0.09	<10	<10	78	10	159	<10	6	10
CC35219		<20	0.07	<10	<10	57	10	194	<10	5	10
CC35220		<20	0.09	<10	<10	64	<10	93	<10	5	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC35221		0.26	<0.001	0.3	1.98	13	<10	140	<0.5	10	10.55	<0.5	10	29	23	2.27
CC35222		0.32	0.021	0.3	1.12	45	<10	180	<0.5	18	9.36	0.7	10	25	37	2.69
CC35223		0.18	0.003	0.5	1.96	39	<10	320	0.6	7	1.72	1.1	16	51	33	3.46
CC35224		0.28	0.005	0.2	1.18	20	<10	300	0.6	<2	9.42	0.6	9	18	29	1.95
CC35225		0.26	0.009	0.4	1.27	22	<10	330	0.6	<2	6.57	1.5	9	21	26	2.20
CC35226		0.16	<0.001	0.4	1.38	18	10	460	0.8	2	5.78	1.6	8	22	33	2.18
CC35227		0.14	0.002	0.6	1.31	14	<10	460	0.6	2	4.14	2.2	7	17	31	1.64
CC35228		0.22	<0.001	0.4	2.56	23	<10	300	1.1	3	1.02	<0.5	14	41	43	3.77
CC35229		0.38	<0.001	0.3	1.94	23	<10	370	0.8	2	2.62	0.6	15	33	54	3.65
CC35230		0.12	0.004	0.5	1.50	22	<10	270	0.6	2	2.44	1.3	10	25	38	2.61
CC35231		0.12	0.005	<0.2	0.48	6	10	430	<0.5	<2	3.52	1.5	4	7	24	0.86
CC35232		0.16	<0.001	0.4	1.52	19	10	220	0.6	2	2.90	1.3	9	25	31	2.43
CC35233		0.10	0.004	0.2	1.38	15	<10	200	0.5	<2	2.14	1.5	8	22	21	2.03
CC35234		0.20	<0.001	<0.2	2.12	29	<10	120	0.7	2	0.86	0.9	13	39	21	2.94
CC35235		0.12	0.002	0.4	2.10	29	<10	210	0.7	2	2.17	1.1	12	39	30	2.84
CC35236		0.14	<0.001	0.3	1.86	29	10	150	0.6	<2	5.51	0.8	10	31	31	2.21
CC35237		0.12	<0.001	0.3	1.97	33	<10	200	0.7	3	1.53	<0.5	14	43	33	3.00
CC35238		0.22	<0.001	<0.2	2.31	40	<10	170	0.7	3	1.47	0.7	16	48	33	3.20
CC35239		0.18	<0.001	<0.2	2.46	47	<10	130	0.7	2	2.26	0.7	17	51	45	3.33
CC35240		0.16	<0.001	<0.2	1.46	25	10	150	0.5	<2	4.32	0.6	10	28	30	2.10
CC35241		0.08	0.006	0.3	0.97	15	<10	90	<0.5	<2	3.14	<0.5	16	31	95	1.85
CC35242		0.12	0.003	0.2	2.37	47	<10	100	0.8	5	0.86	1.2	29	77	65	4.41
CC35243		0.10	<0.001	<0.2	1.22	57	<10	130	0.6	2	3.18	<0.5	18	38	78	2.33
CC35244		0.08	0.003	<0.2	0.69	10	<10	70	<0.5	<2	2.69	1.0	9	17	45	1.17
CC35245		0.12	0.003	<0.2	1.64	21	<10	150	0.7	3	2.21	1.2	16	36	52	2.34
CC35246		0.08	<0.001	<0.2	0.50	6	<10	90	<0.5	<2	1.75	2.7	6	15	21	0.97
CC35247		0.08	<0.001	<0.2	0.16	<2	<10	130	<0.5	<2	2.87	0.9	1	3	12	0.22
CC35248		0.16	<0.001	0.2	1.29	14	<10	170	<0.5	3	2.26	1.5	10	33	24	2.19
CC35249		0.16	<0.001	0.2	0.85	5	<10	120	<0.5	2	3.55	1.9	7	19	26	1.18
CC35250		0.14	0.006	0.3	1.43	16	<10	150	0.5	11	1.87	1.1	12	39	32	2.42
CC35251		0.14	<0.001	0.3	1.67	17	<10	190	0.7	7	2.03	1.2	13	42	34	2.70
CC35252		0.14	<0.001	0.4	1.74	19	<10	240	0.6	17	1.98	1.1	12	39	44	3.22
CC35253		0.14	<0.001	0.4	1.26	17	<10	190	0.5	19	2.75	1.0	10	31	46	2.90
CC35254		0.16	0.002	0.5	1.49	22	<10	240	0.6	16	1.84	0.9	11	36	44	3.08
CC35255		0.20	0.001	0.3	1.80	20	<10	240	0.7	5	2.04	0.8	14	44	40	3.02
CC35256		0.20	0.002	0.5	1.79	19	<10	250	0.8	7	2.61	0.7	14	43	46	2.88
CC35257		0.14	0.001	0.5	1.31	17	<10	220	0.7	6	2.82	0.7	12	32	53	2.45
CC35258		0.14	<0.001	<0.2	0.89	13	<10	210	<0.5	3	4.53	0.7	7	19	20	1.62
CC35259		0.16	<0.001	0.5	1.36	78	<10	260	0.5	5	2.39	1.3	9	28	32	2.56
CC35260		0.18	<0.001	0.2	3.17	29	<10	170	0.8	4	1.65	0.6	11	46	18	2.94

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35221		<10	<1	0.20	10	8.12	527	<1	0.03	27	290	12	0.03	<2	3	65
CC35222		<10	<1	0.16	10	4.73	496	<1	0.03	31	650	22	0.03	3	3	80
CC35223		10	<1	0.10	10	1.39	826	<1	0.04	43	530	41	0.06	3	4	28
CC35224		<10	<1	0.13	10	6.49	545	<1	0.03	21	630	20	0.05	4	2	63
CC35225		<10	<1	0.15	10	4.44	561	<1	0.03	28	790	25	0.04	2	3	53
CC35226		<10	<1	0.17	10	2.96	512	<1	0.04	30	910	22	0.10	6	2	56
CC35227		<10	<1	0.11	10	2.13	415	<1	0.04	20	700	17	0.10	2	2	39
CC35228		10	<1	0.17	20	1.73	513	1	0.04	53	550	33	0.03	<2	5	26
CC35229		10	<1	0.22	20	2.02	692	1	0.03	47	910	36	0.02	<2	5	40
CC35230		<10	<1	0.17	10	1.93	526	1	0.03	31	810	25	0.03	3	3	32
CC35231		<10	<1	0.06	10	0.45	1960	<1	0.03	15	1010	5	0.18	<2	<1	37
CC35232		<10	<1	0.10	10	1.86	470	1	0.03	33	810	20	0.08	<2	2	34
CC35233		<10	<1	0.08	10	0.83	393	<1	0.03	21	720	8	0.10	<2	2	31
CC35234		10	<1	0.06	10	1.89	536	<1	0.03	36	500	19	0.04	<2	3	18
CC35235		10	<1	0.15	10	2.29	545	<1	0.04	39	560	15	0.04	3	3	33
CC35236		10	<1	0.16	10	4.67	415	<1	0.03	32	500	14	0.04	2	3	42
CC35237		10	<1	0.10	10	1.46	415	<1	0.03	44	480	17	0.05	<2	3	26
CC35238		10	<1	0.08	10	2.05	526	<1	0.03	48	480	17	0.04	<2	4	28
CC35239		10	<1	0.16	10	3.05	537	<1	0.03	55	520	20	0.05	2	4	26
CC35240		<10	<1	0.11	10	1.04	458	<1	0.03	34	620	10	0.10	<2	2	56
CC35241		<10	<1	0.08	10	0.57	358	<1	0.03	63	710	5	0.15	<2	2	42
CC35242		10	<1	0.10	10	1.31	355	<1	0.03	93	510	20	0.07	<2	4	17
CC35243		<10	1	0.09	10	0.80	459	<1	0.04	73	610	6	0.13	<2	2	41
CC35244		<10	<1	0.05	10	0.28	267	<1	0.03	40	690	3	0.15	<2	1	32
CC35245		<10	<1	0.07	10	0.75	710	<1	0.04	47	740	8	0.11	2	2	44
CC35246		<10	1	0.06	10	0.34	146	<1	0.03	20	610	3	0.13	<2	1	27
CC35247		<10	<1	0.11	10	0.14	506	<1	0.02	4	880	<2	0.12	<2	<1	38
CC35248		<10	1	0.06	10	0.58	479	<1	0.03	31	530	12	0.09	<2	2	37
CC35249		<10	<1	0.06	10	0.51	436	<1	0.03	22	920	2	0.15	<2	1	45
CC35250		<10	<1	0.09	10	0.88	405	<1	0.04	40	570	10	0.08	2	2	29
CC35251		<10	<1	0.12	10	1.13	448	<1	0.04	39	570	9	0.09	<2	3	34
CC35252		10	<1	0.15	10	0.86	611	<1	0.04	36	630	16	0.08	2	3	31
CC35253		<10	<1	0.08	10	1.22	595	<1	0.04	35	690	11	0.08	<2	2	32
CC35254		<10	<1	0.07	10	0.86	521	<1	0.03	40	570	13	0.06	<2	3	30
CC35255		10	1	0.09	10	1.54	566	<1	0.03	47	600	16	0.07	<2	3	33
CC35256		10	<1	0.15	10	2.09	262	<1	0.04	43	740	20	0.07	<2	3	35
CC35257		<10	<1	0.07	10	0.97	524	<1	0.03	39	660	11	0.11	<2	2	38
CC35258		<10	<1	0.08	10	2.35	469	<1	0.03	24	740	9	0.09	<2	2	44
CC35259		<10	<1	0.07	10	1.10	907	<1	0.03	31	700	16	0.07	2	2	34
CC35260		10	<1	0.10	10	3.55	387	<1	0.04	32	210	17	0.05	2	5	25

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC35221		<20	0.09	<10	<10	34	10	69	<10	5	<10
CC35222		<20	0.06	<10	<10	33	20	141	<10	4	20
CC35223		<20	0.08	<10	<10	59	10	273	<10	6	10
CC35224		<20	0.03	<10	<10	31	20	147	<10	6	10
CC35225		<20	0.03	<10	<10	37	<10	200	<10	6	10
CC35226		<20	0.03	<10	<10	36	<10	228	<10	5	10
CC35227		<20	0.03	<10	<10	28	<10	137	<10	6	<10
CC35228		<20	0.06	<10	<10	72	10	178	<10	6	20
CC35229		<20	0.04	<10	<10	60	<10	188	<10	7	10
CC35230		<20	0.03	<10	<10	46	10	171	<10	5	10
CC35231		<20	0.01	<10	10	12	<10	65	<10	12	<10
CC35232		<20	0.04	<10	10	40	<10	269	<10	11	10
CC35233		<20	0.04	<10	<10	33	<10	67	<10	6	<10
CC35234		<20	0.08	<10	<10	50	<10	174	<10	6	10
CC35235		<20	0.08	<10	<10	48	10	184	<10	7	10
CC35236		<20	0.07	<10	<10	38	10	178	<10	7	10
CC35237		<20	0.08	<10	<10	50	10	153	<10	9	10
CC35238		<20	0.11	<10	<10	52	<10	149	<10	6	10
CC35239		<20	0.11	<10	<10	49	<10	162	<10	6	10
CC35240		<20	0.05	<10	<10	30	<10	172	<10	5	<10
CC35241		<20	0.05	<10	<10	23	<10	51	<10	4	<10
CC35242		<20	0.18	<10	<10	58	10	151	<10	6	10
CC35243		<20	0.07	<10	10	31	<10	59	<10	8	<10
CC35244		<20	0.03	<10	<10	15	<10	36	NSS	NSS	NSS
CC35245		<20	0.06	<10	<10	33	<10	65	<10	6	10
CC35246		<20	0.03	<10	<10	15	<10	59	NSS	NSS	NSS
CC35247		<20	0.01	<10	<10	3	<10	70	NSS	NSS	NSS
CC35248		<20	0.05	<10	<10	42	<10	105	<10	5	10
CC35249		<20	0.03	<10	<10	17	<10	76	<10	7	<10
CC35250		<20	0.07	<10	<10	44	10	108	<10	6	10
CC35251		<20	0.07	<10	<10	41	<10	201	<10	8	10
CC35252		<20	0.05	<10	<10	49	10	154	<10	7	10
CC35253		<20	0.04	<10	<10	39	20	98	<10	6	20
CC35254		<20	0.05	<10	<10	45	10	130	<10	8	10
CC35255		<20	0.07	<10	<10	42	<10	147	<10	7	10
CC35256		<20	0.07	<10	<10	42	10	161	<10	6	10
CC35257		<20	0.04	<10	<10	32	10	107	<10	7	10
CC35258		<20	0.03	<10	<10	26	<10	91	<10	5	10
CC35259		<20	0.05	<10	<10	38	<10	116	<10	6	10
CC35260		<20	0.13	<10	<10	63	<10	125	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 6-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC35261		0.12	<0.001	<0.2	0.71	8	<10	180	<0.5	2	3.52	1.6	6	13	21	1.10
CC35262		0.16	<0.001	0.3	0.68	11	<10	170	<0.5	3	2.55	2.0	4	15	19	1.23
CC35263		0.20	0.008	0.3	2.06	23	<10	260	0.7	7	0.65	1.2	12	39	23	3.13
CC35264		0.18	0.002	0.5	1.93	29	<10	250	0.7	9	2.34	0.9	13	45	44	3.09
CC35265		0.12	<0.001	0.2	0.78	16	<10	270	<0.5	3	3.30	2.1	6	18	27	1.30
CC35266		0.14	0.002	0.6	2.22	41	<10	300	0.7	6	1.76	0.9	16	62	36	3.70
CC35267		0.26	0.041	0.5	2.28	22	<10	470	1.0	<2	3.49	0.9	12	36	32	3.26
CC35268		0.18	<0.001	0.4	1.46	16	<10	340	0.6	<2	9.69	0.6	8	21	25	2.00
CC35269		0.30	0.002	0.4	1.40	21	<10	460	0.9	3	11.15	1.1	7	20	42	1.84
CC35270		0.20	0.001	0.5	1.83	19	<10	240	0.8	<2	9.39	1.1	8	23	27	2.09
CC35271		0.24	<0.001	0.4	2.57	17	<10	300	0.8	<2	6.12	0.5	11	33	32	2.81
CC35272		0.30	<0.001	0.4	2.52	16	<10	390	0.9	<2	6.10	0.6	14	35	47	3.19
CC35273		0.26	0.003	0.7	2.07	23	10	390	0.8	<2	4.92	1.1	14	32	54	3.43
CC35274		0.16	<0.001	0.5	2.04	23	<10	430	0.8	<2	1.47	0.9	13	35	38	3.38
CC35275		0.20	<0.001	0.5	1.86	15	<10	380	0.8	2	1.84	0.7	12	34	41	3.14
CC35276		0.38	0.001	0.4	1.86	13	<10	210	0.7	2	9.67	0.5	11	33	40	2.66
CC35277		0.12	<0.001	0.4	2.17	24	<10	210	0.8	2	2.41	0.8	14	40	32	2.97
CC35278		0.32	0.002	0.2	1.74	21	<10	120	0.7	<2	15.4	<0.5	7	22	14	1.66
CC35279		0.18	0.001	0.3	2.34	33	<10	230	0.8	2	3.63	0.6	16	47	35	3.18
CC35280		0.22	0.009	0.4	2.62	56	<10	250	0.9	2	3.07	<0.5	20	66	47	3.81
CC35281		0.10	0.001	0.2	2.42	37	<10	210	0.8	3	1.49	<0.5	17	51	33	3.54
CC35282		0.14	0.004	0.3	2.59	55	<10	180	0.9	4	1.84	<0.5	23	61	57	3.92
CC35283		0.14	<0.001	0.6	1.62	34	<10	180	0.8	4	3.05	0.9	17	43	74	3.03
CC35284		0.20	0.024	0.5	1.94	45	<10	200	0.7	2	2.76	<0.5	27	60	128	3.84
CC35285		0.12	0.010	0.3	2.04	44	<10	220	0.7	2	3.10	<0.5	26	69	106	3.80
CC35286		0.18	0.020	0.4	1.83	68	<10	160	0.7	3	3.06	0.5	22	53	68	3.23
CC35287		0.20	0.009	0.5	2.34	69	<10	220	1.2	5	2.52	<0.5	33	78	96	4.35
CC35288		0.18	0.002	0.4	1.03	14	<10	150	<0.5	<2	4.07	0.7	13	37	53	1.96
CC35289		0.12	0.001	0.7	1.06	14	<10	220	0.6	4	3.46	1.0	11	26	51	1.89
CC35290		0.12	0.008	0.3	1.75	30	<10	170	0.7	15	0.81	1.5	13	44	65	5.45
CC35291		0.14	0.004	0.3	1.71	19	<10	160	1.0	18	2.15	0.6	14	51	24	3.43
CC35292		0.10	<0.001	0.5	1.85	17	<10	200	0.7	4	2.17	0.7	15	52	40	3.21
CC35293		0.08	<0.001	<0.2	0.82	13	<10	330	<0.5	3	4.28	1.3	9	19	38	1.44
CC35294		0.18	<0.001	0.4	2.05	20	<10	220	0.8	7	2.05	1.0	18	57	45	3.56
CC35295		0.12	0.003	0.4	2.18	18	<10	180	0.7	26	1.73	<0.5	21	72	71	4.89
CC35296		0.10	<0.001	0.3	1.17	15	<10	220	0.5	19	2.81	<0.5	12	32	42	2.99
CC35297		0.20	0.004	0.6	1.67	26	<10	250	0.7	24	2.69	0.6	15	43	68	3.71
CC35298		0.14	<0.001	0.4	1.26	19	<10	280	0.5	12	2.78	0.8	11	29	44	2.71
CC35299		0.24	0.001	0.3	1.56	18	<10	240	0.6	8	3.29	0.7	11	34	37	2.83
CC35300		0.20	0.007	0.6	1.95	19	<10	560	0.8	7	2.78	1.3	18	47	48	3.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 6-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35261		<10	<1	0.06	10	0.50	742	<1	0.03	18	950	5	0.17	<2	1	37
CC35262		<10	<1	0.08	10	0.48	254	<1	0.03	14	740	5	0.13	<2	1	29
CC35263		10	<1	0.16	20	0.91	791	1	0.04	30	300	22	0.03	<2	4	20
CC35264		10	<1	0.16	10	1.39	649	<1	0.04	46	740	24	0.12	<2	3	35
CC35265		<10	1	0.08	10	0.58	519	<1	0.04	20	810	14	0.16	<2	1	37
CC35266		10	<1	0.18	10	1.47	648	<1	0.06	53	600	49	0.08	4	4	32
CC35267		10	<1	0.27	10	3.20	595	1	0.05	39	950	31	0.03	2	4	46
CC35268		<10	<1	0.23	10	6.80	395	1	0.04	24	640	21	0.04	<2	3	70
CC35269		<10	<1	0.28	10	6.89	428	1	0.05	25	580	23	0.02	4	3	81
CC35270		10	<1	0.22	10	6.98	378	<1	0.05	24	500	20	0.02	<2	3	69
CC35271		10	<1	0.24	10	5.34	628	<1	0.05	31	700	21	0.03	<2	4	56
CC35272		10	<1	0.31	10	4.75	654	<1	0.04	39	650	31	0.02	<2	5	54
CC35273		10	<1	0.36	20	3.22	699	1	0.05	45	920	40	0.01	4	5	56
CC35274		10	<1	0.29	20	1.05	779	1	0.05	36	950	29	0.04	4	4	36
CC35275		10	<1	0.23	10	1.25	475	1	0.04	38	850	29	0.06	2	4	35
CC35276		10	<1	0.26	10	5.79	467	1	0.04	33	630	26	0.02	<2	4	77
CC35277		10	<1	0.13	10	1.77	569	<1	0.05	36	610	19	0.08	<2	3	38
CC35278		10	<1	0.31	10	9.73	370	<1	0.04	16	250	7	0.02	3	2	98
CC35279		10	<1	0.19	10	3.09	548	<1	0.06	46	590	19	0.06	<2	4	47
CC35280		10	<1	0.24	10	2.45	730	1	0.06	63	710	20	0.05	<2	5	52
CC35281		10	<1	0.14	10	1.71	514	<1	0.05	48	430	19	0.06	<2	4	33
CC35282		10	<1	0.16	10	2.20	677	<1	0.05	68	540	28	0.07	2	5	34
CC35283		10	<1	0.09	10	0.84	513	<1	0.04	52	740	16	0.11	<2	3	49
CC35284		10	<1	0.12	10	1.22	866	1	0.04	100	730	29	0.10	2	4	52
CC35285		10	<1	0.11	10	1.13	600	<1	0.04	93	680	20	0.10	<2	4	49
CC35286		10	<1	0.10	10	1.14	625	<1	0.04	82	630	15	0.11	<2	3	53
CC35287		10	<1	0.16	10	1.44	795	1	0.04	136	600	16	0.08	<2	5	46
CC35288		<10	<1	0.07	<10	0.71	382	<1	0.03	57	650	6	0.14	<2	2	59
CC35289		<10	<1	0.08	10	0.53	438	<1	0.04	38	820	12	0.15	2	1	49
CC35290		10	<1	0.07	10	0.66	411	3	0.03	42	460	19	0.04	<2	3	24
CC35291		<10	<1	0.09	10	1.07	610	1	0.04	49	440	19	0.04	<2	3	40
CC35292		10	<1	0.09	10	1.18	513	<1	0.04	50	540	15	0.09	2	3	41
CC35293		<10	<1	0.05	10	0.45	620	<1	0.04	28	840	9	0.15	2	1	60
CC35294		10	<1	0.08	10	1.41	620	<1	0.04	56	690	19	0.08	2	3	37
CC35295		10	<1	0.16	10	1.60	552	<1	0.06	72	650	18	0.07	<2	4	33
CC35296		<10	<1	0.06	10	0.66	471	<1	0.05	33	520	15	0.09	<2	2	37
CC35297		10	<1	0.08	10	1.49	799	1	0.04	52	740	20	0.08	2	3	35
CC35298		<10	<1	0.07	10	0.75	668	<1	0.04	35	800	14	0.10	<2	2	39
CC35299		10	<1	0.10	10	2.30	804	<1	0.04	36	740	21	0.05	<2	3	41
CC35300		10	<1	0.16	10	2.29	3210	1	0.04	54	720	24	0.08	2	4	40

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07083239

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC35261		<20	0.02	<10	<10	18	<10	64	NSS	NSS	NSS
CC35262		<20	0.02	<10	<10	21	<10	110	<10	5	<10
CC35263		<20	0.08	<10	<10	74	10	121	<10	6	10
CC35264		<20	0.07	<10	<10	50	<10	163	<10	6	10
CC35265		<20	0.02	<10	<10	22	<10	160	<10	5	<10
CC35266		<20	0.10	<10	<10	69	10	279	<10	5	10
CC35267		<20	0.06	<10	<10	63	10	194	<10	6	10
CC35268		<20	0.04	<10	<10	39	10	146	<10	5	10
CC35269		<20	0.04	<10	10	39	20	190	<10	5	20
CC35270		<20	0.05	<10	<10	42	10	142	<10	5	10
CC35271		<20	0.07	<10	<10	55	10	128	<10	6	10
CC35272		<20	0.05	<10	<10	65	10	159	<10	6	10
CC35273		<20	0.04	<10	<10	62	<10	208	<10	5	10
CC35274		<20	0.05	<10	<10	65	10	163	<10	6	10
CC35275		<20	0.04	<10	<10	55	<10	190	<10	8	10
CC35276		<20	0.07	<10	<10	45	10	153	<10	5	10
CC35277		<20	0.07	<10	<10	48	<10	165	NSS	NSS	NSS
CC35278		<20	0.07	<10	<10	29	10	323	<10	5	10
CC35279		<20	0.10	<10	<10	55	<10	163	<10	8	10
CC35280		<20	0.14	<10	<10	59	30	177	<10	6	30
CC35281		<20	0.11	<10	<10	57	10	145	<10	7	10
CC35282		<20	0.13	<10	<10	56	<10	184	<10	6	10
CC35283		<20	0.06	<10	10	39	<10	208	<10	10	10
CC35284		<20	0.10	<10	<10	47	<10	156	<10	6	10
CC35285		<20	0.13	<10	<10	49	10	125	<10	7	10
CC35286		<20	0.10	<10	<10	45	10	113	<10	7	10
CC35287		<20	0.14	<10	<10	58	10	111	<10	7	10
CC35288		<20	0.06	<10	<10	29	<10	49	<10	5	<10
CC35289		<20	0.03	<10	<10	31	<10	73	NSS	NSS	NSS
CC35290		<20	0.07	<10	<10	73	50	132	<10	6	50
CC35291		<20	0.09	<10	<10	52	10	133	<10	5	10
CC35292		<20	0.09	<10	<10	48	<10	138	NSS	NSS	NSS
CC35293		<20	0.02	<10	<10	22	<10	91	NSS	NSS	NSS
CC35294		<20	0.09	<10	<10	48	10	211	<10	8	10
CC35295		<20	0.14	<10	<10	57	10	159	<10	6	20
CC35296		<20	0.05	<10	<10	39	10	100	NSS	NSS	NSS
CC35297		<20	0.06	<10	<10	50	10	127	<10	6	10
CC35298		<20	0.04	<10	<10	39	10	109	<10	8	10
CC35299		<20	0.06	<10	<10	47	10	137	<10	6	10
CC35300		<20	0.08	<10	<10	47	10	173	<10	5	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized : 5-SEP-2007
Account: RCM

CERTIFICATE VA07083238

Project: RAU

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC34901		0.08	0.004	0.3	2.04	8	<10	460	1.0	<2	0.53	0.5	7	36	26	3.43
CC34902		0.30	0.001	0.2	1.93	11	<10	260	0.6	<2	0.21	<0.5	8	36	22	3.47
CC34903		0.16	0.003	0.3	1.88	8	<10	530	1.0	<2	0.41	0.9	6	39	24	3.26
CC34904		0.16	0.001	0.4	2.01	15	<10	570	1.2	<2	0.43	1.3	7	42	30	3.38
CC34905		0.22	<0.001	0.4	1.59	7	<10	330	1.0	<2	0.85	1.4	5	36	26	3.03
CC34906		0.22	<0.001	0.5	1.79	8	<10	370	1.2	<2	1.27	1.6	6	36	30	2.89
CC34907		0.16	0.001	0.5	1.95	11	<10	540	1.7	<2	2.36	2.1	6	37	37	3.12
CC34908		0.20	0.001	0.5	1.81	14	<10	220	1.2	<2	4.59	1.5	5	40	23	2.78
CC34909		0.14	0.002	0.4	1.93	12	<10	270	0.8	<2	2.02	1.5	8	15	35	3.36
CC34910		0.14	0.008	0.5	2.09	15	<10	2700	1.1	<2	0.53	2.9	7	30	38	3.96
CC34911		0.22	0.004	0.7	2.61	17	<10	380	1.1	<2	0.42	1.4	8	54	39	4.29
CC34912		0.24	0.003	0.8	2.22	29	<10	460	1.7	<2	0.40	2.8	10	53	56	4.97
CC34913		0.16	0.003	0.8	2.93	15	<10	350	1.4	<2	0.68	3.9	11	55	58	4.89
CC34914		0.16	0.006	1.0	2.61	15	<10	320	1.3	<2	0.83	4.2	11	43	62	4.23
CC34915		0.12	0.006	0.7	2.44	18	<10	210	1.5	<2	1.13	5.9	12	38	66	4.99
CC34916		0.12	0.001	0.3	1.86	14	<10	210	0.9	<2	2.10	16.3	9	25	51	2.59
CC34917		0.10	<0.001	0.2	0.53	4	<10	90	<0.5	<2	3.43	16.7	4	3	45	1.06
CC34918		0.14	0.003	0.6	2.22	18	<10	240	1.0	<2	1.86	6.1	9	37	39	3.36
CC34919		0.12	<0.001	0.2	0.55	6	<10	150	<0.5	<2	3.13	8.2	4	5	24	0.85
CC34920		0.10	0.003	0.4	0.72	6	<10	130	<0.5	<2	3.40	4.1	3	13	21	1.01
CC34921		0.10	<0.001	0.6	1.95	11	10	230	0.7	<2	1.91	2.1	8	32	24	2.69
CC34922		0.14	0.003	<0.2	1.61	8	10	200	0.6	<2	3.14	2.3	7	23	18	1.80
CC34923		0.30	<0.001	<0.2	1.71	6	<10	260	<0.5	<2	0.18	<0.5	5	22	11	2.62
CC34924		0.24	<0.001	0.2	1.87	9	<10	200	0.5	<2	0.32	<0.5	6	29	14	3.11
CC34925		0.24	0.001	0.2	2.34	14	<10	260	0.6	<2	0.22	<0.5	7	37	16	3.44
CC34926		0.14	0.001	0.9	3.22	15	<10	220	1.2	<2	0.11	0.7	5	56	58	6.23
CC34927		0.24	0.001	0.2	1.97	13	<10	210	0.5	<2	0.18	<0.5	6	31	18	3.79
CC34928		0.16	<0.001	0.4	1.88	10	<10	260	0.5	<2	0.21	<0.5	5	36	21	3.89
CC34929		0.22	<0.001	<0.2	1.50	6	<10	230	0.5	<2	0.33	<0.5	5	30	14	3.31
CC34930		0.16	<0.001	0.3	1.80	4	<10	280	0.6	<2	0.43	0.7	5	35	18	3.31
CC34931		0.16	<0.001	<0.2	1.71	7	<10	270	<0.5	<2	0.35	<0.5	6	37	15	3.39
CC34932		0.20	<0.001	0.4	1.54	8	<10	400	0.7	<2	0.61	1.1	4	29	19	2.91
CC34933		0.22	0.002	0.3	2.04	11	<10	400	0.8	<2	0.58	1.0	9	32	25	3.27
CC34934		0.22	0.003	0.2	1.71	10	<10	360	0.7	<2	0.63	1.0	7	30	23	3.47
CC34935		0.28	0.001	0.5	1.74	8	<10	610	0.9	<2	0.66	0.9	7	27	21	3.19
CC34936		0.18	<0.001	0.3	1.79	11	<10	400	0.7	<2	1.34	0.7	6	30	23	3.48
CC34937		0.24	0.001	0.2	1.64	8	<10	490	0.8	<2	0.65	1.0	8	29	27	3.61
CC34938		0.24	0.006	<0.2	1.59	12	<10	280	0.5	<2	0.39	<0.5	7	25	15	2.99
CC34939		0.24	0.007	<0.2	1.57	7	<10	300	<0.5	<2	0.28	<0.5	4	29	14	2.88
CC34940		0.22	0.006	<0.2	1.88	14	<10	300	<0.5	<2	0.25	<0.5	4	33	16	3.23

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC34901		10	<1	0.27	10	0.42	352	3	0.07	28	1060	15	0.11	<2	2	36
CC34902		10	<1	0.17	20	0.41	432	2	0.03	27	670	15	0.06	2	3	23
CC34903		10	2	0.22	10	0.52	346	5	0.06	31	770	10	0.08	<2	3	30
CC34904		10	1	0.19	20	0.57	329	6	0.05	42	780	11	0.07	<2	4	29
CC34905		<10	<1	0.14	10	0.38	287	2	0.05	36	710	7	0.07	<2	2	31
CC34906		<10	<1	0.14	10	0.39	232	4	0.09	42	560	17	0.07	4	2	39
CC34907		<10	<1	0.19	10	0.42	246	3	0.09	48	650	10	0.12	2	2	49
CC34908		<10	<1	0.17	10	0.42	248	1	0.10	37	660	9	0.10	4	3	71
CC34909		10	<1	0.11	10	0.21	506	2	0.06	48	1130	9	0.16	2	1	62
CC34910		<10	<1	0.30	10	0.42	314	11	0.04	52	670	11	0.12	3	3	47
CC34911		10	<1	0.26	20	0.42	331	6	0.05	56	1510	20	0.10	4	2	34
CC34912		10	<1	0.26	20	0.37	316	6	0.05	86	1340	42	0.14	5	3	36
CC34913		10	1	0.28	20	0.48	411	5	0.08	125	950	77	0.09	<2	4	42
CC34914		<10	<1	0.21	10	0.48	422	6	0.06	105	1230	25	0.14	2	3	47
CC34915		<10	<1	0.20	10	0.55	367	9	0.07	110	1320	25	0.15	5	3	39
CC34916		<10	<1	0.14	10	0.72	348	4	0.04	104	1850	14	0.25	4	1	28
CC34917		<10	<1	0.07	10	0.39	152	3	0.03	68	1150	6	0.27	<2	<1	24
CC34918		<10	<1	0.21	20	1.42	343	5	0.06	100	1250	29	0.13	6	3	31
CC34919		<10	<1	0.08	10	0.47	174	2	0.03	45	1340	5	0.27	2	<1	24
CC34920		<10	<1	0.08	10	0.62	461	1	0.03	23	1590	13	0.30	3	<1	21
CC34921		<10	1	0.19	20	0.97	666	2	0.05	40	1260	64	0.15	2	2	26
CC34922		<10	<1	0.10	40	1.16	1710	2	0.03	21	2100	34	0.28	3	1	22
CC34923		10	<1	0.27	10	0.18	343	2	0.04	11	280	11	0.03	5	2	17
CC34924		10	<1	0.19	10	0.34	351	1	0.04	24	660	16	0.04	3	2	19
CC34925		10	<1	0.23	20	0.37	348	2	0.04	29	550	14	0.03	2	3	19
CC34926		10	<1	0.17	30	0.12	144	2	0.02	106	750	18	0.05	3	4	16
CC34927		10	<1	0.23	10	0.31	269	2	0.04	21	500	15	0.04	3	2	20
CC34928		10	<1	0.26	10	0.27	249	2	0.05	26	410	12	0.03	4	2	21
CC34929		10	<1	0.19	10	0.28	263	2	0.04	18	400	12	0.03	5	2	17
CC34930		<10	<1	0.22	10	0.34	295	2	0.05	24	580	22	0.04	2	3	24
CC34931		10	<1	0.27	10	0.28	252	3	0.06	18	570	18	0.05	2	2	23
CC34932		<10	<1	0.19	10	0.36	241	3	0.05	25	840	27	0.06	3	2	25
CC34933		10	<1	0.20	10	0.48	508	3	0.04	31	790	36	0.05	5	3	24
CC34934		<10	1	0.24	10	0.43	619	4	0.06	24	1060	29	0.08	3	2	26
CC34935		<10	<1	0.18	10	0.38	494	3	0.05	25	1160	24	0.08	2	3	28
CC34936		<10	<1	0.24	20	0.41	716	2	0.05	23	1080	29	0.09	3	2	44
CC34937		<10	<1	0.24	20	0.47	662	4	0.06	31	740	24	0.04	3	3	42
CC34938		<10	<1	0.16	10	0.36	424	4	0.04	20	640	22	0.04	7	2	19
CC34939		10	<1	0.20	10	0.27	232	4	0.04	19	390	18	0.03	<2	2	20
CC34940		10	<1	0.24	10	0.29	267	4	0.04	20	380	19	0.03	4	2	21

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC34901		<20	0.05	<10	<10	86	<10	123	<10	6	10
CC34902		<20	0.06	<10	<10	81	10	114	<10	5	10
CC34903		<20	0.08	<10	<10	120	<10	157	<10	6	10
CC34904		<20	0.07	<10	<10	153	10	208	<10	7	10
CC34905		<20	0.07	<10	<10	83	<10	173	<10	6	10
CC34906		<20	0.07	<10	<10	89	<10	222	<10	6	10
CC34907		<20	0.08	<10	<10	94	<10	275	<10	6	10
CC34908		<20	0.07	<10	<10	100	<10	217	<10	6	10
CC34909		<20	0.05	<10	<10	42	<10	253	<10	5	10
CC34910		<20	0.07	<10	<10	143	<10	347	NSS	NSS	NSS
CC34911		<20	0.05	<10	<10	156	<10	246	<10	7	10
CC34912		<20	0.06	<10	<10	119	<10	403	<10	9	10
CC34913		<20	0.08	<10	<10	113	<10	923	<10	9	10
CC34914		<20	0.05	<10	<10	128	<10	587	NSS	NSS	NSS
CC34915		<20	0.06	<10	<10	157	10	649	<10	11	20
CC34916		<20	0.03	<10	10	152	10	979	<10	15	20
CC34917		<20	0.01	<10	<10	34	<10	473	NSS	NSS	NSS
CC34918		<20	0.06	<10	10	178	<10	706	<10	16	10
CC34919		<20	0.01	<10	<10	38	<10	365	<10	7	<10
CC34920		<20	0.01	<10	10	44	<10	153	NSS	NSS	NSS
CC34921		<20	0.03	<10	<10	106	<10	280	<10	8	10
CC34922		<20	0.02	<10	<10	94	<10	258	<10	8	<10
CC34923		<20	0.07	<10	<10	96	<10	53	<10	5	<10
CC34924		<20	0.06	<10	<10	62	<10	107	<10	5	<10
CC34925		<20	0.08	<10	<10	80	<10	155	<10	5	<10
CC34926		<20	0.06	<10	<10	114	<10	235	<10	5	<10
CC34927		<20	0.07	<10	<10	72	<10	110	<10	5	<10
CC34928		<20	0.06	<10	<10	72	<10	108	<10	5	10
CC34929		<20	0.07	<10	<10	65	<10	99	<10	4	10
CC34930		<20	0.07	<10	<10	62	<10	114	<10	4	10
CC34931		<20	0.07	<10	<10	76	<10	70	<10	5	<10
CC34932		<20	0.06	<10	<10	60	10	153	<10	5	10
CC34933		<20	0.05	<10	<10	74	10	188	<10	6	20
CC34934		<20	0.05	<10	<10	68	20	166	<10	5	30
CC34935		<20	0.05	<10	<10	65	10	171	<10	6	20
CC34936		<20	0.04	<10	<10	57	10	154	<10	6	10
CC34937		<20	0.08	<10	<10	75	30	168	<10	5	40
CC34938		<20	0.05	<10	<10	71	10	118	<10	6	20
CC34939		<20	0.07	<10	<10	75	10	90	<10	5	20
CC34940		<20	0.07	<10	<10	88	10	89	<10	6	20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC34941		0.08	0.001	<0.2	2.29	15	10	390	0.6	<2	0.58	0.6	9	39	20	4.37
CC34942		0.22	<0.001	0.2	1.86	10	<10	310	0.7	<2	0.33	<0.5	7	32	16	3.06
CC34943		0.30	0.004	0.2	2.31	10	<10	400	0.8	<2	0.53	0.5	8	37	24	3.69
CC34944		0.12	0.003	0.3	1.61	4	<10	350	0.6	<2	0.49	<0.5	6	38	24	3.90
CC34945		0.16	0.002	0.4	1.56	8	<10	540	0.8	<2	0.66	0.7	5	38	39	4.35
CC34946		0.08	<0.001	0.2	2.29	4	10	460	0.9	2	0.36	0.8	9	43	23	4.17
CC34947		0.12	0.004	0.3	1.97	11	<10	630	1.1	<2	0.76	1.7	6	44	30	4.19
CC34948		0.22	0.002	0.4	1.56	7	<10	300	0.9	<2	0.72	0.7	5	35	22	3.00
CC34949		0.14	0.001	0.4	1.58	2	<10	390	1.0	<2	1.31	1.0	4	40	25	3.35
CC34950		0.12	0.002	0.5	1.49	4	<10	390	1.1	<2	1.37	1.0	3	38	24	3.16
CC34951		0.14	0.001	0.4	1.25	4	<10	230	0.6	<2	6.00	0.6	3	37	23	3.15
CC34952		0.16	0.001	1.0	1.99	16	<10	600	1.4	<2	1.05	1.7	7	46	41	3.58
CC34953		0.14	0.001	1.0	3.20	9	<10	1220	1.7	<2	1.18	1.2	10	43	43	4.74
CC34954		0.18	0.001	0.4	1.96	16	<10	3920	1.3	2	0.35	1.5	4	35	34	3.87
CC34955		0.20	0.003	0.9	3.20	49	<10	500	1.7	<2	0.36	1.2	6	43	79	7.91
CC34956		0.18	0.002	1.0	2.58	20	<10	580	1.4	<2	0.74	7.3	14	54	100	5.28
CC34957		0.16	0.003	0.7	2.93	15	<10	360	1.8	<2	0.67	5.9	14	53	89	5.60
CC34958		0.24	0.003	0.5	2.53	15	<10	310	1.5	<2	0.75	7.1	13	40	76	3.97
CC34959		0.14	<0.001	0.5	3.45	19	10	470	1.8	<2	0.78	8.5	16	55	77	6.27
CC34960		0.16	<0.001	0.9	2.31	17	<10	230	1.1	<2	1.47	6.1	9	41	37	3.82
CC34961		0.12	0.001	0.6	2.54	8	<10	270	1.3	2	1.46	6.1	11	44	46	4.32
CC34962		0.14	0.008	0.6	2.32	9	<10	250	1.3	<2	1.79	5.3	9	41	39	4.02
CC34963		0.08	<0.001	0.3	0.81	2	10	180	<0.5	<2	2.90	4.5	3	17	20	2.00
CC34964		0.08	<0.001	0.5	1.66	13	<10	220	0.6	<2	1.73	1.4	7	34	21	3.41
CC34965		0.10	0.003	0.5	1.42	9	10	200	0.5	<2	8.78	1.1	4	24	23	2.38
CC34966		0.28	0.015	0.3	1.68	25	<10	510	0.9	<2	6.35	2.5	8	27	31	2.68
CC34967		0.32	0.005	0.4	1.74	17	10	390	1.0	<2	6.60	1.7	7	27	32	2.31
CC34968		0.24	0.002	0.5	1.55	15	<10	330	0.7	<2	8.11	1.3	6	25	29	2.17
CC34969		0.36	0.005	0.6	1.95	30	10	400	0.8	2	9.14	1.1	6	26	35	2.38
CC34970		0.14	0.005	0.6	1.96	46	10	440	0.8	2	3.45	1.0	7	31	37	3.30
CC34971		0.18	0.003	0.7	3.11	21	10	540	1.1	<2	1.54	0.8	11	45	37	4.12
CC34972		0.22	0.004	0.2	2.43	27	10	430	0.8	3	0.80	<0.5	11	43	22	3.72
CC34973		0.16	0.002	0.2	3.82	27	10	400	1.4	2	0.63	0.9	12	52	19	4.27
CC34974		0.12	0.005	0.5	2.63	32	10	270	0.9	<2	4.24	1.4	9	41	24	3.25
CC34975		0.18	0.005	0.5	3.37	28	10	520	1.3	<2	1.32	0.5	13	50	32	4.18
CC34976		0.28	0.002	0.5	3.85	30	10	290	1.3	2	0.90	<0.5	13	54	28	4.36
CC34977		0.08	0.006	0.5	2.58	35	10	330	1.0	<2	2.57	1.5	10	41	35	3.52
CC34978		0.14	0.006	0.4	3.22	49	10	280	1.2	<2	2.29	0.5	18	64	42	4.02
CC34979		0.16	0.004	0.2	3.45	42	10	250	1.2	<2	0.77	<0.5	17	68	22	4.18
CC34980		0.20	0.005	0.5	2.85	44	10	280	0.9	<2	1.54	<0.5	19	63	44	4.10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC34941		10	<1	0.31	10	0.42	589	5	0.08	23	740	21	0.07	5	3	30
CC34942		10	<1	0.18	10	0.42	497	2	0.04	23	700	21	0.03	3	3	19
CC34943		10	1	0.23	20	0.54	529	4	0.06	29	910	16	0.05	<2	3	26
CC34944		10	<1	0.26	10	0.46	648	3	0.08	25	870	11	0.08	<2	2	28
CC34945		<10	<1	0.29	20	0.50	391	4	0.09	31	640	12	0.09	<2	4	34
CC34946		10	<1	0.31	10	0.51	601	3	0.07	28	910	14	0.07	2	3	27
CC34947		10	<1	0.26	10	0.60	437	5	0.08	34	840	13	0.08	<2	4	32
CC34948		<10	<1	0.13	10	0.40	355	1	0.04	30	860	9	0.07	<2	2	20
CC34949		<10	<1	0.16	10	0.41	271	1	0.08	32	670	8	0.07	2	3	35
CC34950		<10	<1	0.16	10	0.39	295	1	0.07	36	550	7	0.07	<2	2	31
CC34951		<10	1	0.21	10	0.29	244	1	0.08	27	540	8	0.08	2	2	59
CC34952		<10	<1	0.21	10	0.38	258	<1	0.09	53	720	10	0.07	3	3	48
CC34953		10	1	0.25	10	0.44	512	2	0.09	63	820	14	0.07	2	4	67
CC34954		10	<1	0.28	10	0.48	295	10	0.05	44	610	10	0.12	<2	4	41
CC34955		10	<1	0.45	20	0.53	339	35	0.07	61	1950	26	0.47	3	4	58
CC34956		10	<1	0.25	20	0.43	516	8	0.05	173	1660	25	0.09	2	4	44
CC34957		10	<1	0.28	20	0.42	518	6	0.06	126	1240	25	0.10	2	4	38
CC34958		<10	1	0.18	20	0.95	539	6	0.04	166	1110	32	0.06	2	4	31
CC34959		10	<1	0.45	20	0.88	599	8	0.11	153	1300	22	0.09	<2	6	45
CC34960		10	<1	0.19	20	1.24	371	6	0.05	110	1410	14	0.13	3	3	31
CC34961		10	<1	0.24	20	1.26	518	6	0.06	119	1420	16	0.14	<2	3	32
CC34962		10	<1	0.27	20	1.47	498	5	0.06	85	1550	29	0.17	<2	3	28
CC34963		<10	<1	0.14	10	0.85	414	2	0.04	32	1490	9	0.21	<2	1	21
CC34964		10	<1	0.20	20	1.04	614	2	0.06	44	1120	28	0.13	2	3	26
CC34965		<10	<1	0.21	20	5.12	534	1	0.07	35	1090	34	0.09	2	2	46
CC34966		<10	<1	0.26	10	4.30	708	1	0.04	34	810	29	0.04	4	3	49
CC34967		<10	<1	0.27	10	4.67	377	<1	0.04	30	730	31	0.04	3	4	48
CC34968		<10	<1	0.29	10	5.17	330	1	0.05	28	660	30	0.06	<2	3	57
CC34969		<10	<1	0.38	10	5.86	231	2	0.06	31	640	33	0.03	2	4	68
CC34970		<10	1	0.31	10	1.69	628	3	0.05	33	1060	27	0.10	4	3	41
CC34971		10	<1	0.45	20	1.56	553	1	0.07	41	570	35	0.03	3	6	40
CC34972		10	1	0.28	20	1.12	461	1	0.06	36	500	23	0.02	<2	5	30
CC34973		10	<1	0.46	20	2.26	742	1	0.08	35	420	37	0.02	<2	7	31
CC34974		10	<1	0.30	10	3.82	488	<1	0.07	31	650	22	0.05	<2	4	46
CC34975		10	1	0.40	20	2.18	785	1	0.08	50	480	28	0.03	<2	6	36
CC34976		10	<1	0.26	20	3.13	513	<1	0.08	52	200	25	0.06	2	8	36
CC34977		10	<1	0.27	10	2.04	687	1	0.07	36	760	23	0.09	<2	4	38
CC34978		10	<1	0.27	20	2.99	650	3	0.07	58	530	41	0.05	2	6	40
CC34979		10	<1	0.26	20	2.52	777	1	0.07	48	250	36	0.04	3	6	28
CC34980		10	<1	0.19	10	1.82	716	1	0.06	59	640	25	0.07	2	5	35

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC34941		<20	0.07	<10	<10	87	<10	114	<10	6	10
CC34942		<20	0.05	<10	<10	78	<10	112	<10	6	10
CC34943		<20	0.06	<10	<10	98	<10	141	<10	5	10
CC34944		<20	0.06	<10	<10	90	10	97	<10	6	10
CC34945		<20	0.08	<10	<10	91	10	130	<10	6	20
CC34946		<20	0.06	<10	<10	103	<10	146	NSS	NSS	NSS
CC34947		<20	0.08	<10	<10	147	10	203	<10	7	10
CC34948		<20	0.05	<10	<10	85	<10	142	<10	6	10
CC34949		<20	0.08	<10	<10	85	<10	161	<10	6	<10
CC34950		<20	0.07	<10	<10	81	<10	167	<10	6	10
CC34951		<20	0.06	<10	<10	66	<10	125	<10	4	<10
CC34952		<20	0.07	<10	<10	104	<10	302	<10	6	10
CC34953		<20	0.10	<10	<10	95	<10	511	<10	6	10
CC34954		<20	0.09	<10	<10	151	<10	286	<10	8	10
CC34955		<20	0.10	<10	10	198	10	300	<10	16	10
CC34956		<20	0.08	<10	<10	108	<10	1200	<10	14	10
CC34957		<20	0.07	<10	<10	100	<10	887	<10	13	10
CC34958		<20	0.05	<10	<10	177	<10	1140	<10	13	20
CC34959		<20	0.09	<10	<10	192	<10	879	<10	14	10
CC34960		<20	0.06	<10	10	224	<10	699	<10	16	10
CC34961		<20	0.06	<10	<10	218	<10	796	NSS	NSS	NSS
CC34962		<20	0.06	<10	10	222	<10	705	NSS	NSS	NSS
CC34963		<20	0.02	<10	<10	62	<10	353	NSS	NSS	NSS
CC34964		<20	0.05	<10	<10	105	<10	231	NSS	NSS	NSS
CC34965		<20	0.04	<10	<10	67	<10	233	<10	6	<10
CC34966		<20	0.05	<10	<10	55	20	218	<10	6	20
CC34967		<20	0.05	<10	<10	53	20	202	<10	5	20
CC34968		<20	0.05	<10	<10	51	20	200	<10	9	20
CC34969		<20	0.06	<10	<10	58	10	201	<10	6	20
CC34970		<20	0.04	<10	10	55	<10	188	NSS	NSS	NSS
CC34971		<20	0.07	<10	<10	87	<10	179	<10	7	10
CC34972		<20	0.09	<10	<10	87	<10	138	<10	7	10
CC34973		<20	0.12	<10	<10	99	<10	203	<10	7	10
CC34974		<20	0.10	<10	<10	63	10	139	<10	6	10
CC34975		<20	0.11	<10	<10	92	10	139	<10	7	10
CC34976		<20	0.15	<10	<10	82	10	155	<10	6	20
CC34977		<20	0.08	<10	<10	64	10	203	<10	13	10
CC34978		<20	0.15	<10	<10	74	<10	203	<10	7	10
CC34979		<20	0.19	<10	<10	81	10	215	<10	6	10
CC34980		<20	0.13	<10	<10	67	<10	134	<10	7	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC34981		0.08	0.003	0.4	2.22	59	<10	230	0.7	<2	3.08	1.3	17	56	56	3.46
CC34982		0.06	0.031	0.3	2.98	56	10	270	1.0	<2	2.10	1.1	21	74	58	4.48
CC34983		0.14	0.005	0.2	3.22	55	10	230	1.2	<2	1.43	<0.5	29	112	49	5.00
CC34984		0.14	0.005	0.2	3.71	99	<10	310	1.9	<2	1.60	<0.5	21	86	46	4.65
CC34985		0.20	0.010	<0.2	4.88	72	<10	400	1.1	<2	0.70	<0.5	19	69	17	4.00
CC34986		0.14	0.003	<0.2	3.81	27	10	240	1.4	3	1.03	0.6	20	80	22	4.52
CC34987		0.14	0.001	<0.2	3.95	28	<10	230	1.4	<2	1.65	0.5	21	87	25	4.64
CC34988		0.20	0.004	0.4	3.00	16	10	290	1.0	<2	1.40	<0.5	16	61	37	4.14
CC34989		0.26	<0.001	<0.2	2.86	15	<10	190	1.4	8	0.86	0.5	23	72	39	4.50
CC34990		0.12	0.004	<0.2	2.96	24	<10	240	1.1	<2	2.04	0.9	21	83	53	4.96
CC34991		0.10	0.006	0.3	2.03	15	<10	180	0.8	2	2.98	<0.5	15	60	41	3.27
CC34992		0.10	0.008	0.3	3.05	20	10	270	1.1	4	2.35	<0.5	18	83	45	4.89
CC34993		0.22	0.004	0.4	2.40	25	<10	280	1.0	2	5.19	0.6	14	57	49	3.81
CC34994		0.10	NSS	0.2	3.06	21	10	380	1.1	2	2.13	0.5	16	68	31	4.38
CC34995		0.22	0.006	0.2	2.56	19	10	350	1.1	6	2.02	<0.5	16	61	43	4.01
CC34996		0.12	0.002	0.3	2.44	19	10	290	1.2	4	2.19	<0.5	14	54	50	3.89
CC34997		0.14	0.002	0.2	2.75	19	<10	250	1.4	6	5.69	0.6	12	63	41	4.24
CC34998		0.18	0.011	0.4	2.54	21	10	370	1.0	2	1.55	<0.5	14	60	32	4.00
CC34999		0.14	0.001	0.4	2.79	27	10	310	1.6	3	1.72	0.5	21	79	35	4.62
CC35000		0.18	0.059	0.4	2.21	17	10	270	1.3	10	12.40	<0.5	10	54	47	3.42
CC35001		0.14	0.043	0.4	2.01	20	10	270	0.7	3	1.73	0.5	11	42	24	3.34
CC35002		0.06	NSS	0.4	0.82	8	<10	220	<0.5	<2	6.16	<0.5	3	15	31	1.31
CC35003		0.08	0.011	0.5	1.83	31	10	260	0.6	11	10.50	0.7	10	46	29	3.25
CC35004		0.10	0.016	0.6	1.95	28	10	370	0.6	10	3.29	1.0	11	41	52	3.47
CC35005		0.06	NSS	0.3	0.60	7	<10	210	<0.5	<2	5.37	<0.5	3	16	73	2.16
CC35006		0.14	0.038	0.6	2.67	36	<10	250	0.7	93	5.92	<0.5	24	97	181	9.12
CC35007		0.22	0.038	0.4	2.31	26	<10	260	0.7	45	3.24	0.5	12	57	43	4.72
CC35008		0.28	0.026	0.5	3.04	32	<10	460	0.8	34	9.58	<0.5	8	36	27	3.83
CC35009		0.28	0.003	0.5	1.78	30	10	370	0.7	<2	8.84	0.7	7	25	30	2.29
CC35010		0.38	0.005	0.5	1.74	20	10	380	0.8	<2	6.55	1.6	8	27	33	2.38
CC35011		0.20	0.003	0.3	1.65	25	10	390	0.7	<2	7.09	1.3	6	25	31	2.47
CC35012		0.24	0.003	0.7	2.11	25	10	470	0.8	<2	2.31	1.5	11	35	47	3.43
CC35013		0.34	0.005	0.7	2.40	25	10	450	0.9	<2	1.77	1.3	13	38	46	3.65
CC35014		0.38	0.006	0.6	2.62	28	10	440	1.0	<2	2.80	<0.5	12	41	50	3.80
CC35015		0.34	0.003	0.5	2.05	18	10	270	0.6	<2	11.10	<0.5	5	26	24	1.99
CC35016		0.24	0.002	0.4	2.71	20	10	230	0.7	<2	7.60	1.0	7	33	18	2.20
CC35017		0.24	0.010	0.9	2.84	36	10	350	1.0	<2	2.56	0.9	12	41	42	3.44
CC35018		0.30	0.004	0.2	2.82	30	10	320	0.9	<2	2.43	0.7	10	45	28	3.45
CC35019		0.34	0.006	0.3	2.55	26	10	270	0.8	<2	2.36	<0.5	10	38	23	3.20
CC35020		0.34	0.003	0.4	2.38	30	10	200	0.7	<2	6.85	0.7	8	34	24	2.56

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC34981		10	1	0.15	10	1.39	736	1	0.05	60	800	26	0.12	3	3	46
CC34982		10	<1	0.30	10	2.13	792	1	0.08	74	640	33	0.09	4	6	39
CC34983		10	<1	0.61	10	2.43	1205	<1	0.09	107	400	86	0.05	<2	7	30
CC34984		10	1	0.70	10	3.70	1195	2	0.10	79	540	22	0.06	3	7	37
CC34985		20	1	0.81	<10	6.23	900	2	0.04	54	400	15	0.03	<2	4	14
CC34986		10	<1	0.29	10	2.85	556	1	0.08	55	330	22	0.04	2	6	30
CC34987		10	<1	0.29	10	2.83	898	1	0.07	73	740	21	0.09	<2	5	32
CC34988		10	1	0.25	20	1.49	655	1	0.06	55	510	23	0.06	2	5	38
CC34989		10	<1	0.18	10	1.27	1700	1	0.06	66	360	21	0.04	3	5	33
CC34990		10	1	0.21	10	1.73	703	1	0.08	80	530	22	0.08	5	5	47
CC34991		<10	1	0.13	10	1.29	516	<1	0.05	56	590	14	0.11	2	3	46
CC34992		10	<1	0.29	10	2.23	652	1	0.10	75	600	23	0.09	3	6	47
CC34993		<10	<1	0.26	10	3.40	639	1	0.08	66	540	24	0.05	4	5	64
CC34994		10	<1	0.25	10	2.12	659	1	0.10	54	590	21	0.08	3	5	50
CC34995		10	<1	0.20	10	1.40	747	<1	0.07	54	670	19	0.08	4	4	45
CC34996		10	1	0.21	20	1.13	813	<1	0.07	52	680	18	0.08	<2	4	47
CC34997		<10	<1	0.28	20	1.47	764	1	0.09	49	460	21	0.05	2	6	85
CC34998		10	1	0.25	20	0.96	718	<1	0.08	48	500	21	0.06	4	6	43
CC34999		10	1	0.25	20	1.07	970	1	0.07	52	540	23	0.06	2	6	48
CC35000		<10	<1	0.45	10	3.23	584	1	0.09	41	650	20	0.05	3	5	127
CC35001		<10	1	0.23	10	1.24	704	<1	0.07	35	670	23	0.09	2	4	39
CC35002		<10	<1	0.10	10	0.76	273	<1	0.04	19	920	8	0.23	<2	1	57
CC35003		<10	<1	0.15	10	7.23	1585	<1	0.04	36	800	10	0.13	2	3	65
CC35004		<10	<1	0.20	10	1.71	738	1	0.06	41	820	24	0.11	2	4	45
CC35005		<10	<1	0.05	<10	0.49	326	2	0.03	27	790	5	0.21	4	1	54
CC35006		10	1	0.72	10	3.14	648	2	0.07	90	900	16	0.24	4	7	75
CC35007		10	<1	0.32	10	2.82	641	<1	0.07	47	670	21	0.09	4	5	42
CC35008		10	<1	0.76	10	8.70	1205	<1	0.04	32	390	22	0.09	3	4	57
CC35009		<10	1	0.26	10	6.19	251	2	0.04	31	720	25	0.09	4	3	60
CC35010		<10	<1	0.26	10	4.49	231	2	0.03	36	760	31	0.05	2	4	51
CC35011		<10	1	0.27	10	4.61	429	1	0.04	30	720	26	0.06	3	3	58
CC35012		<10	1	0.31	10	1.37	791	2	0.04	43	990	34	0.07	3	4	40
CC35013		<10	<1	0.34	20	1.60	697	2	0.04	45	900	40	0.05	5	5	35
CC35014		10	<1	0.37	20	2.39	688	2	0.05	49	790	42	0.03	4	6	44
CC35015		<10	1	0.26	10	7.65	546	<1	0.05	23	480	22	0.04	<2	3	79
CC35016		10	<1	0.20	10	6.26	629	<1	0.05	24	560	19	0.05	2	3	71
CC35017		10	2	0.21	10	2.24	1035	1	0.05	39	950	28	0.08	3	3	42
CC35018		10	<1	0.26	10	1.95	533	1	0.06	40	440	24	0.05	<2	4	41
CC35019		10	<1	0.23	20	2.77	369	1	0.04	31	370	19	0.02	2	5	32
CC35020		<10	<1	0.23	10	5.20	347	<1	0.04	30	500	21	0.05	<2	3	66

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC34981		<20	0.10	<10	<10	50	<10	134	<10	5	10
CC34982		<20	0.18	<10	<10	64	10	274	NSS	NSS	NSS
CC34983		<20	0.30	<10	<10	76	20	229	<10	5	40
CC34984		<20	0.24	<10	<10	77	40	154	<10	6	60
CC34985		<20	0.23	<10	<10	71	30	131	<10	9	50
CC34986		<20	0.24	<10	<10	89	20	146	<10	5	30
CC34987		<20	0.21	<10	<10	75	20	119	<10	5	30
CC34988		<20	0.13	<10	<10	77	10	100	<10	5	20
CC34989		<20	0.19	<10	<10	73	10	118	<10	5	10
CC34990		<20	0.17	<10	<10	71	<10	161	NSS	NSS	NSS
CC34991		<20	0.10	<10	<10	47	<10	79	NSS	NSS	NSS
CC34992		<20	0.17	<10	<10	72	10	163	NSS	NSS	NSS
CC34993		<20	0.12	<10	<10	64	10	127	<10	5	20
CC34994		<20	0.15	<10	<10	65	<10	176	NSS	NSS	NSS
CC34995		<20	0.11	<10	<10	61	10	114	<10	6	20
CC34996		<20	0.10	<10	<10	61	10	107	<10	5	20
CC34997		<20	0.20	<10	<10	70	30	107	<10	5	40
CC34998		<20	0.11	<10	<10	77	<10	99	<10	5	10
CC34999		<20	0.18	<10	<10	73	<10	107	<10	4	10
CC35000		<20	0.16	<10	<10	57	30	113	<10	4	40
CC35001		<20	0.09	<10	<10	61	<10	122	NSS	NSS	NSS
CC35002		<20	0.02	<10	<10	16	<10	34	NSS	NSS	NSS
CC35003		<20	0.05	<10	<10	42	<10	71	NSS	NSS	NSS
CC35004		<20	0.07	<10	<10	54	<10	127	NSS	NSS	NSS
CC35005		<20	0.02	<10	<10	11	<10	21	NSS	NSS	NSS
CC35006		<20	0.27	10	<10	72	100	82	<10	4	130
CC35007		<20	0.15	10	<10	61	50	143	<10	5	70
CC35008		<20	0.11	<10	<10	45	10	114	<10	5	20
CC35009		<20	0.05	<10	<10	46	<10	184	<10	5	10
CC35010		<20	0.04	<10	<10	51	<10	209	<10	5	10
CC35011		<20	0.04	<10	<10	48	<10	176	<10	6	10
CC35012		<20	0.04	<10	<10	65	<10	193	<10	8	10
CC35013		<20	0.05	<10	<10	71	<10	189	<10	5	10
CC35014		<20	0.06	<10	<10	78	10	185	<10	6	10
CC35015		<20	0.05	<10	<10	45	<10	101	<10	5	10
CC35016		<20	0.08	<10	<10	47	<10	112	<10	5	10
CC35017		<20	0.07	<10	<10	64	<10	138	<10	6	10
CC35018		<20	0.09	<10	<10	73	<10	152	<10	6	10
CC35019		<20	0.08	<10	<10	70	<10	124	<10	5	10
CC35020		<20	0.08	<10	<10	48	<10	215	<10	7	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC35021		0.26	0.001	0.2	2.66	31	10	250	0.9	<2	1.90	0.7	13	51	33	3.48
CC35022		0.24	0.002	0.4	3.20	27	10	230	0.9	<2	2.91	0.5	12	49	30	3.44
CC35023		0.18	0.005	0.2	2.36	28	10	200	0.8	<2	8.10	<0.5	9	41	29	2.58
CC35024		0.20	0.007	0.4	2.79	82	10	250	0.9	2	1.79	<0.5	21	73	64	4.38
CC35025		0.22	0.004	0.5	3.31	69	<10	200	0.9	<2	1.54	0.5	27	90	71	4.83
CC35026		0.28	0.004	0.2	3.10	32	<10	170	0.8	<2	1.20	<0.5	29	110	52	4.88
CC35027		0.32	0.008	<0.2	3.00	71	<10	170	0.9	<2	1.31	<0.5	23	97	40	4.55
CC35028		0.16	0.002	0.2	3.67	35	<10	200	1.4	<2	2.99	<0.5	19	73	42	3.92
CC35029		0.14	0.004	0.5	2.20	47	<10	210	1.5	2	2.70	<0.5	21	68	77	3.64
CC35030		0.16	0.002	0.3	3.26	23	<10	180	1.0	<2	1.76	<0.5	23	83	42	4.47
CC35031		0.20	0.002	0.3	2.62	9	<10	100	0.5	<2	19.4	<0.5	5	30	20	1.74
CC35032		0.22	0.006	0.3	2.69	28	<10	190	0.9	<2	4.50	0.6	18	72	88	4.01
CC35033		0.34	0.002	0.4	2.35	15	<10	120	0.8	<2	12.40	<0.5	13	55	39	2.96
CC35034		0.22	0.004	0.2	2.87	16	<10	160	0.8	4	3.40	<0.5	21	99	49	4.39
CC35035		0.14	NSS	0.3	2.40	31	10	260	0.8	6	3.15	0.5	18	65	65	4.15
CC35036		0.22	0.009	0.2	2.68	24	<10	250	1.0	4	2.35	1.7	16	63	38	3.90
CC35037		0.22	0.014	0.3	2.75	28	<10	360	1.0	5	1.92	0.7	17	66	47	4.44
CC35038		0.20	0.004	0.6	2.23	14	10	390	1.0	3	2.72	0.6	14	56	61	3.36
CC35039		0.18	0.002	<0.2	2.33	25	<10	240	1.2	6	3.72	0.5	14	58	43	3.94
CC35040		0.30	0.004	0.4	2.19	18	<10	190	1.2	9	11.55	<0.5	12	43	53	3.44
CC35041		0.26	0.001	0.5	1.74	18	<10	150	0.9	<2	9.87	<0.5	11	41	34	3.43
CC35042		0.16	0.002	0.4	1.93	26	<10	210	1.3	<2	4.73	<0.5	12	47	55	3.97
CC35043		0.32	0.005	0.3	1.62	19	<10	260	0.7	2	8.55	<0.5	7	33	36	2.74
CC35044		0.18	0.011	0.3	1.78	20	10	350	0.6	3	3.02	1.0	10	41	36	3.17
CC35045		0.24	0.013	0.7	2.41	40	<10	300	0.7	4	4.76	0.7	14	56	41	3.65
CC35046		0.30	0.005	0.5	1.93	16	<10	180	0.5	3	9.77	<0.5	11	43	47	2.78
CC35047		0.36	0.011	0.5	2.36	41	<10	340	0.7	70	2.75	<0.5	13	48	115	9.42
CC35048		0.28	0.029	0.5	2.64	65	<10	380	0.9	12	0.83	<0.5	16	64	58	4.61
CC35049		0.42	0.005	0.4	1.75	18	<10	180	<0.5	25	13.55	<0.5	6	31	38	2.62
CC35050		0.20	0.011	0.6	2.09	23	<10	210	0.6	20	1.78	1.0	15	52	44	3.82
CC35051		0.22	0.045	<0.2	2.25	47	<10	160	0.6	16	11.20	<0.5	7	22	11	2.29
CC35052		0.16	0.038	0.2	1.33	37	<10	180	<0.5	<2	0.29	<0.5	5	21	15	2.39
CC35053		0.18	0.037	0.2	1.42	37	<10	300	0.6	<2	0.35	0.5	6	19	14	2.40
CC35054		0.18	0.003	0.2	1.68	13	<10	180	0.5	<2	0.24	<0.5	6	30	14	2.88
CC35055		0.18	0.017	0.3	1.57	16	<10	200	<0.5	2	0.15	<0.5	6	32	14	2.73
CC35056		0.14	0.006	0.3	1.32	7	<10	140	<0.5	<2	0.11	<0.5	4	31	11	2.28
CC35057		0.16	0.006	0.6	1.08	11	<10	130	<0.5	<2	0.09	<0.5	4	23	10	1.87
CC35058		0.24	0.005	0.2	1.30	9	<10	160	0.5	<2	0.12	0.5	5	23	14	2.72
CC35059		0.18	0.003	0.7	1.58	11	<10	270	0.7	<2	0.60	1.1	7	19	15	2.22
CC35060		0.16	0.002	0.2	1.56	12	<10	190	0.5	<2	0.17	<0.5	6	24	13	2.67

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35021		10	<1	0.19	10	2.10	633	1	0.05	47	500	29	0.07	3	4	33
CC35022		10	<1	0.20	10	3.30	717	1	0.07	42	480	23	0.05	3	5	50
CC35023		<10	<1	0.33	10	6.05	458	1	0.06	39	430	18	0.05	4	3	64
CC35024		10	1	0.21	10	1.91	674	1	0.06	80	540	30	0.07	4	5	37
CC35025		10	1	0.23	10	2.64	680	1	0.06	93	520	44	0.05	2	6	31
CC35026		10	<1	0.18	10	2.20	732	<1	0.04	107	410	31	0.04	2	7	26
CC35027		10	1	0.25	10	2.31	601	<1	0.04	98	360	20	0.03	2	6	29
CC35028		10	1	0.23	10	3.22	697	1	0.06	68	500	18	0.07	<2	5	60
CC35029		10	<1	0.13	10	1.27	765	<1	0.04	71	750	19	0.12	3	4	43
CC35030		10	<1	0.18	10	1.93	1165	<1	0.05	77	500	19	0.06	2	6	49
CC35031		<10	1	0.11	10	3.54	553	<1	0.03	21	520	9	<0.01	2	2	228
CC35032		10	<1	0.28	10	3.26	611	1	0.07	73	600	22	0.07	3	5	59
CC35033		<10	1	0.20	10	3.54	487	<1	0.05	56	490	16	0.05	3	3	137
CC35034		10	<1	0.16	10	2.31	545	<1	0.08	86	540	16	0.07	4	5	56
CC35035		10	1	0.19	10	1.74	584	1	0.07	70	700	20	0.12	4	4	52
CC35036		10	1	0.17	10	1.91	669	1	0.06	57	720	26	0.09	2	4	43
CC35037		10	<1	0.19	10	1.92	805	1	0.07	65	630	23	0.08	<2	4	41
CC35038		<10	1	0.13	10	1.35	537	<1	0.05	55	770	17	0.12	<2	3	44
CC35039		<10	1	0.19	10	2.02	660	1	0.07	49	590	18	0.07	2	4	54
CC35040		<10	1	0.17	10	1.57	874	1	0.06	47	430	18	0.06	3	4	130
CC35041		<10	<1	0.11	10	1.54	643	1	0.04	42	540	17	0.06	2	3	108
CC35042		<10	<1	0.17	10	1.00	713	1	0.06	45	610	18	0.07	<2	4	68
CC35043		<10	<1	0.20	10	3.47	487	1	0.07	34	700	27	0.03	2	4	85
CC35044		<10	<1	0.17	10	1.04	696	<1	0.06	38	810	24	0.10	2	4	46
CC35045		<10	<1	0.20	10	3.36	839	1	0.07	60	660	28	0.08	3	4	50
CC35046		<10	<1	0.35	10	5.62	588	1	0.04	51	650	14	0.02	<2	4	87
CC35047		<10	1	0.29	10	2.46	631	3	0.04	50	530	34	0.23	2	5	40
CC35048		10	<1	0.21	20	1.51	753	3	0.04	63	580	41	0.01	3	6	30
CC35049		<10	<1	0.53	10	8.94	450	1	0.02	31	350	9	0.06	<2	3	68
CC35050		<10	<1	0.17	10	1.57	686	3	0.04	47	520	34	0.06	5	4	29
CC35051		<10	<1	0.24	10	8.03	867	1	0.03	17	270	12	0.17	2	3	74
CC35052		<10	<1	0.12	10	0.26	221	1	0.02	22	490	11	0.04	<2	1	17
CC35053		10	<1	0.15	10	0.31	464	1	0.02	16	680	12	0.07	4	1	18
CC35054		10	<1	0.11	10	0.36	273	2	0.01	22	560	13	0.03	<2	1	14
CC35055		10	<1	0.11	10	0.31	244	1	0.02	22	440	14	0.03	2	1	14
CC35056		10	<1	0.12	10	0.24	153	1	0.02	20	410	9	0.02	5	1	12
CC35057		<10	<1	0.10	10	0.17	116	1	0.01	15	710	9	0.05	<2	<1	10
CC35058		<10	<1	0.11	10	0.18	702	2	0.02	15	720	21	0.04	2	1	12
CC35059		<10	1	0.08	20	0.23	722	1	0.02	17	1000	16	0.08	4	1	24
CC35060		<10	<1	0.11	10	0.29	295	1	0.02	19	690	16	0.03	4	1	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC35021		<20	0.11	<10	<10	61	<10	209	<10	9	10
CC35022		<20	0.12	<10	<10	62	<10	158	<10	7	10
CC35023		<20	0.11	<10	<10	46	10	139	<10	7	20
CC35024		<20	0.16	10	<10	64	10	173	<10	6	20
CC35025		<20	0.20	<10	<10	72	10	175	<10	5	10
CC35026		<20	0.23	<10	<10	72	10	175	<10	5	10
CC35027		<20	0.22	<10	<10	68	10	121	<10	5	20
CC35028		<20	0.18	<10	<10	58	10	106	<10	5	20
CC35029		<20	0.12	<10	<10	52	10	87	<10	5	10
CC35030		<20	0.18	<10	<10	74	<10	97	<10	5	10
CC35031		<20	0.09	<10	<10	33	<10	71	<10	<4	10
CC35032		<20	0.16	<10	<10	63	30	139	<10	4	40
CC35033		<20	0.12	<10	<10	41	20	95	<10	<4	20
CC35034		<20	0.18	<10	<10	66	20	116	<10	<4	20
CC35035		<20	0.12	<10	10	56	10	135	<10	11	10
CC35036		<20	0.11	<10	<10	55	10	293	<10	9	10
CC35037		<20	0.12	<10	<10	64	10	230	<10	6	10
CC35038		<20	0.08	<10	<10	50	10	125	<10	8	10
CC35039		<20	0.11	<10	<10	58	20	124	NSS	NSS	NSS
CC35040		<20	0.09	<10	<10	44	20	97	<10	4	30
CC35041		<20	0.07	<10	<10	38	10	81	<10	4	10
CC35042		<20	0.07	<10	<10	48	<10	97	<10	5	10
CC35043		<20	0.09	<10	<10	49	10	123	<10	5	20
CC35044		<20	0.07	<10	<10	52	<10	221	NSS	NSS	NSS
CC35045		<20	0.12	<10	<10	57	10	147	NSS	NSS	NSS
CC35046		<20	0.13	<10	<10	45	20	95	<10	4	30
CC35047		<20	0.13	<10	<10	70	20	158	<10	4	30
CC35048		<20	0.12	<10	<10	95	20	249	<10	5	40
CC35049		<20	0.09	<10	<10	30	20	59	<10	4	20
CC35050		<20	0.10	<10	<10	54	10	161	<10	5	20
CC35051		<20	0.08	<10	<10	33	10	61	<10	4	10
CC35052		<20	0.03	<10	<10	41	<10	104	<10	5	<10
CC35053		<20	0.03	<10	<10	58	<10	122	<10	6	<10
CC35054		<20	0.04	<10	<10	60	<10	112	<10	6	<10
CC35055		<20	0.04	<10	<10	61	<10	116	<10	6	<10
CC35056		<20	0.03	<10	<10	55	<10	104	<10	5	<10
CC35057		<20	0.02	<10	<10	40	<10	71	<10	5	<10
CC35058		<20	0.03	<10	<10	53	<10	98	<10	6	<10
CC35059		<20	0.02	<10	<10	39	<10	135	NSS	NSS	NSS
CC35060		<20	0.03	<10	<10	52	<10	108	<10	6	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC35061		0.22	0.001	0.2	1.22	9	<10	230	0.5	<2	0.27	<0.5	5	18	16	2.31
CC35062		0.18	0.009	0.2	1.72	11	<10	330	0.7	<2	0.54	1.1	9	27	23	3.10
CC35063		0.18	0.011	0.5	1.17	11	<10	1580	0.7	<2	0.46	0.7	6	24	26	2.63
CC35064		0.10	NSS	0.6	0.61	3	<10	610	<0.5	<2	2.68	2.6	2	11	18	1.40
CC35065		0.24	<0.001	0.2	0.90	10	<10	390	<0.5	<2	0.26	0.7	4	22	13	2.21
CC35066		0.22	0.001	0.3	1.19	11	<10	560	<0.5	<2	0.32	0.6	5	29	17	2.51
CC35067		0.16	0.004	0.6	1.24	14	<10	580	0.5	<2	0.56	0.7	5	26	22	2.45
CC35068		0.16	0.004	0.4	1.51	11	<10	670	0.6	<2	0.35	<0.5	9	28	22	2.69
CC35069		0.14	0.001	<0.2	1.16	11	<10	240	<0.5	<2	0.27	0.5	6	23	15	2.52
CC35070		0.18	0.003	0.3	1.59	10	<10	270	0.7	<2	0.25	<0.5	7	25	15	2.78
CC35071		0.20	0.001	<0.2	1.50	11	<10	310	0.5	<2	0.34	0.5	9	23	15	2.82
CC35072		0.16	0.001	0.3	1.80	10	<10	310	0.5	<2	0.32	0.6	9	30	16	2.96
CC35073		0.18	0.001	<0.2	1.66	11	<10	400	0.5	<2	0.34	<0.5	9	28	18	2.64
CC35074		0.12	<0.001	0.2	1.26	9	<10	360	<0.5	<2	0.59	2.8	6	25	19	2.41
CC35075		0.20	0.003	0.6	1.76	11	<10	430	0.8	<2	0.35	0.7	6	31	22	2.76
CC35076		0.16	0.004	0.3	1.27	11	<10	380	0.6	3	0.73	3.1	5	29	23	2.39
CC35077		0.18	0.006	0.8	1.53	12	<10	370	1.0	<2	0.82	4.4	7	27	37	2.51
CC35078		0.16	0.004	0.3	0.84	3	<10	130	0.5	<2	1.42	1.3	4	17	15	1.79
CC35079		0.22	0.007	0.5	1.21	7	<10	140	0.5	<2	1.29	1.0	4	21	18	1.98
CC35080		0.26	0.002	0.6	1.20	3	<10	120	<0.5	<2	1.23	0.9	4	5	35	2.02
CC35081		0.20	0.002	0.4	1.08	4	<10	190	0.5	<2	0.60	<0.5	4	18	17	1.88
CC35082		0.14	0.001	0.8	1.38	8	<10	280	0.5	<2	2.93	7.2	4	12	43	1.92
CC35083		0.22	0.002	0.9	1.21	11	<10	210	<0.5	<2	0.14	0.8	3	28	23	2.57
CC35084		0.20	0.006	1.2	1.49	14	<10	590	1.2	<2	0.60	4.4	6	46	52	3.01
CC35085		0.10	0.012	0.7	1.48	26	<10	480	0.9	<2	0.83	1.5	5	28	44	3.76
CC35086		0.20	0.007	0.9	1.74	12	<10	190	1.5	<2	0.26	2.4	10	25	78	2.99
CC35087		0.14	0.008	0.6	1.12	9	<10	200	0.7	2	7.52	7.6	7	17	35	1.79
CC35088		0.16	0.005	0.4	1.63	8	<10	170	1.3	<2	1.10	11.5	9	31	50	2.79
CC35089		0.22	0.007	0.2	1.17	8	<10	120	0.8	<2	1.09	11.3	7	27	26	2.58
CC35090		0.12	0.008	<0.2	0.68	6	<10	110	0.6	<2	2.42	20.9	5	12	29	1.01
CC35091		0.16	0.017	0.9	1.23	14	<10	230	0.7	<2	1.57	19.3	8	26	38	2.03
CC35092		0.12	0.027	0.2	0.49	2	<10	130	<0.5	<2	2.59	9.4	3	13	14	0.92
CC35093		0.12	0.010	0.4	1.22	11	<10	160	0.9	<2	5.25	18.8	9	17	48	1.54
CC35094		0.14	0.013	0.2	0.81	14	<10	140	<0.5	<2	5.40	1.2	6	17	17	1.42
CC35095		0.30	0.006	0.2	1.32	10	<10	130	<0.5	<2	0.16	0.5	6	26	16	2.19
CC35096		0.26	0.002	0.2	1.28	9	<10	120	0.5	<2	0.17	<0.5	8	25	17	2.19
CC35097		0.26	0.006	<0.2	1.24	9	<10	130	0.5	<2	0.11	0.5	6	26	13	2.18
CC35098		0.32	0.004	<0.2	1.25	9	<10	130	0.5	<2	0.09	<0.5	5	25	13	2.09
CC35099		0.22	0.002	0.2	1.22	11	<10	170	0.6	<2	0.21	0.6	7	25	17	2.30
CC35100		0.28	0.001	0.2	0.88	11	<10	120	0.6	<2	0.10	0.7	6	18	16	1.80

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC35061		<10	<1	0.08	10	0.26	205	2	0.02	20	640	17	0.03	<2	2	16
CC35062		<10	<1	0.14	10	0.44	596	4	0.03	28	950	29	0.05	2	2	20
CC35063		<10	<1	0.09	10	0.33	467	4	0.02	29	740	58	0.04	5	2	24
CC35064		<10	<1	0.06	10	0.20	262	1	0.03	13	950	8	0.17	<2	1	71
CC35065		<10	<1	0.07	10	0.20	294	3	0.01	17	530	22	0.02	3	1	15
CC35066		<10	<1	0.09	10	0.29	309	4	0.02	23	610	25	0.03	2	1	15
CC35067		<10	<1	0.09	10	0.32	449	3	0.02	29	850	19	0.04	4	2	27
CC35068		<10	1	0.10	10	0.32	807	3	0.02	31	620	30	0.02	5	2	25
CC35069		<10	<1	0.11	10	0.26	370	3	0.03	19	500	14	0.02	2	1	15
CC35070		<10	<1	0.11	10	0.35	359	3	0.03	23	670	23	0.03	3	2	15
CC35071		<10	<1	0.12	10	0.35	571	4	0.03	19	940	27	0.06	5	1	17
CC35072		10	<1	0.12	10	0.42	527	3	0.03	22	680	18	0.04	4	1	17
CC35073		10	<1	0.10	10	0.36	650	3	0.02	21	800	19	0.05	3	1	15
CC35074		<10	<1	0.12	10	0.28	586	3	0.02	21	1070	14	0.10	5	1	19
CC35075		<10	<1	0.10	10	0.41	405	4	0.02	27	890	13	0.07	2	1	16
CC35076		<10	<1	0.08	10	0.38	556	7	0.02	31	1280	12	0.13	3	1	21
CC35077		<10	<1	0.08	10	0.40	433	5	0.02	42	1150	12	0.12	2	2	24
CC35078		<10	<1	0.06	10	0.17	218	2	0.03	21	720	6	0.11	3	1	22
CC35079		<10	<1	0.05	10	0.31	256	1	0.03	27	740	10	0.06	2	1	23
CC35080		<10	<1	0.03	<10	0.15	138	1	0.04	32	420	8	0.02	<2	1	39
CC35081		<10	<1	0.09	10	0.22	117	1	0.04	27	460	8	0.04	2	1	22
CC35082		<10	<1	0.05	10	0.13	237	5	0.04	73	1570	8	0.26	3	1	90
CC35083		<10	<1	0.08	10	0.17	109	4	0.02	28	710	15	0.07	<2	1	14
CC35084		<10	<1	0.11	10	0.25	329	9	0.02	91	1660	51	0.07	7	2	30
CC35085		10	<1	0.23	10	0.33	142	20	0.03	50	1520	27	0.31	2	1	45
CC35086		<10	<1	0.08	10	0.21	195	6	<0.01	84	1240	43	0.14	<2	1	19
CC35087		<10	<1	0.11	10	4.56	655	4	0.02	47	1140	45	0.13	6	1	46
CC35088		10	<1	0.13	10	0.59	343	7	0.02	89	1360	14	0.14	<2	2	27
CC35089		<10	<1	0.11	10	0.51	254	10	0.01	48	1130	13	0.14	<2	1	22
CC35090		<10	<1	0.06	<10	0.41	170	3	0.02	79	1200	8	0.23	<2	<1	27
CC35091		<10	<1	0.09	10	0.73	313	5	0.02	103	1270	16	0.18	4	1	21
CC35092		<10	<1	0.06	10	0.55	270	2	0.02	20	1260	7	0.25	<2	<1	19
CC35093		<10	<1	0.08	10	3.03	357	3	0.02	133	1320	16	0.12	2	1	29
CC35094		<10	<1	0.07	10	3.01	348	2	0.02	27	1340	20	0.11	5	1	30
CC35095		<10	<1	0.07	10	0.28	217	1	<0.01	22	500	13	0.02	2	1	10
CC35096		<10	<1	0.06	10	0.25	660	1	<0.01	19	670	14	0.05	2	<1	9
CC35097		10	<1	0.07	10	0.23	321	1	0.01	19	480	12	0.03	2	1	9
CC35098		<10	<1	0.05	10	0.23	212	1	<0.01	20	430	11	0.02	<2	1	9
CC35099		<10	<1	0.07	10	0.23	380	1	0.01	26	550	15	0.03	<2	1	16
CC35100		<10	<1	0.04	10	0.16	493	1	<0.01	16	480	15	0.02	2	1	8

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 5-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083238

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC35061		<20	0.03	<10	<10	43	<10	115	<10	5	10
CC35062		<20	0.04	<10	<10	59	20	187	<10	7	20
CC35063		<20	0.03	<10	<10	50	30	202	<10	6	40
CC35064		<20	0.01	<10	<10	15	<10	100	NSS	NSS	NSS
CC35065		<20	0.03	<10	<10	54	10	94	<10	5	20
CC35066		<20	0.03	<10	<10	57	10	127	<10	6	10
CC35067		<20	0.03	<10	<10	48	10	145	<10	6	10
CC35068		<20	0.03	<10	<10	59	<10	145	<10	5	10
CC35069		<20	0.05	<10	<10	58	10	86	<10	5	10
CC35070		<20	0.04	<10	<10	61	10	108	<10	5	10
CC35071		<20	0.03	<10	<10	64	<10	98	<10	5	10
CC35072		<20	0.04	<10	<10	66	<10	95	<10	7	10
CC35073		<20	0.03	<10	<10	64	<10	87	<10	6	<10
CC35074		<20	0.02	<10	<10	59	<10	116	<10	5	<10
CC35075		<20	0.03	<10	<10	81	10	122	<10	7	10
CC35076		<20	0.03	<10	<10	110	20	202	<10	7	20
CC35077		<20	0.03	<10	<10	98	<10	253	<10	7	10
CC35078		<20	0.02	<10	<10	37	<10	108	<10	5	<10
CC35079		<20	0.02	<10	<10	47	<10	126	<10	5	<10
CC35080		<20	0.02	<10	<10	17	<10	122	<10	5	<10
CC35081		<20	0.02	<10	<10	38	<10	103	<10	6	<10
CC35082		<20	0.02	<10	<10	24	<10	389	<10	9	10
CC35083		<20	0.03	<10	<10	65	10	158	<10	6	10
CC35084		<20	0.04	<10	<10	89	10	582	<10	10	10
CC35085		<20	0.04	<10	<10	137	<10	251	NSS	NSS	NSS
CC35086		<20	0.02	<10	10	50	<10	460	<10	18	10
CC35087		<20	0.02	<10	<10	79	<10	507	<10	7	10
CC35088		<20	0.03	<10	10	182	10	872	<10	10	20
CC35089		<20	0.03	10	<10	159	10	594	NSS	NSS	NSS
CC35090		<20	0.01	<10	<10	68	<10	807	<10	8	10
CC35091		<20	0.02	<10	10	144	<10	954	<10	14	10
CC35092		<20	0.01	<10	<10	73	<10	361	NSS	NSS	NSS
CC35093		<20	0.02	<10	10	71	<10	1190	<10	10	10
CC35094		<20	0.02	<10	<10	51	<10	160	<10	6	<10
CC35095		<20	0.03	<10	<10	50	<10	93	<10	5	<10
CC35096		<20	0.02	<10	<10	46	<10	83	<10	5	<10
CC35097		<20	0.04	<10	<10	51	<10	90	<10	5	<10
CC35098		<20	0.03	<10	<10	48	<10	109	<10	6	<10
CC35099		<20	0.03	<10	<10	44	<10	167	<10	4	<10
CC35100		<20	0.02	<10	<10	39	<10	128	<10	5	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

: 10-SEP-2007
Account: RCM

CERTIFICATE VA07083237

Project: RAU

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SCR-43	Screen to -500um, discard plus

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34701		0.18	0.007	<10	5	10	0.3	0.24	7	<10	120	<0.5	<2	18.8	1.4	2
CC34702		0.10	0.026	<10	12	10	0.4	1.69	10	<10	210	0.9	<2	2.46	6.2	8
CC34703		0.10	0.033	<10	8	10	0.4	0.96	9	<10	180	0.5	<2	2.36	3.8	4
CC34704		0.14	0.015	<10	10	10	0.4	1.68	15	<10	170	0.8	<2	0.90	1.5	7
CC34705		0.16	0.008	<10	9	<10	0.4	1.57	13	<10	150	0.8	<2	3.99	1.4	5
CC34706		0.12	0.012	NSS	NSS	NSS	0.5	1.20	15	<10	170	0.6	<2	3.04	1.1	5
CC34707		0.14	0.009	<10	6	<10	0.9	1.18	10	<10	150	0.5	<2	9.02	0.9	6
CC34708		0.34	0.011	<10	6	20	<0.2	1.15	29	<10	300	0.5	<2	8.96	2.1	7
CC34709		0.44	0.007	<10	5	20	0.4	1.16	26	<10	440	0.5	<2	7.45	1.6	7
CC34710		0.24	0.008	<10	6	20	0.2	1.02	18	<10	380	<0.5	<2	8.55	0.9	6
CC34711		0.34	0.011	<10	6	10	<0.2	1.08	28	<10	170	<0.5	<2	3.23	1.4	7
CC34712		0.34	0.007	<10	8	10	0.4	1.40	23	10	280	0.5	<2	6.17	1.0	8
CC34713		0.28	0.006	<10	8	10	0.5	1.85	32	<10	280	0.6	<2	1.70	0.5	10
CC34714		0.34	0.007	<10	7	20	0.3	2.04	21	<10	200	0.6	<2	0.68	<0.5	11
CC34715		0.26	0.005	<10	6	10	0.2	1.66	16	<10	180	0.5	<2	7.56	<0.5	8
CC34716		0.22	0.008	<10	6	10	<0.2	1.96	20	<10	190	0.5	<2	0.33	<0.5	10
CC34717		0.26	0.006	<10	5	10	<0.2	1.40	24	<10	120	<0.5	<2	12.75	<0.5	6
CC34718		0.16	0.007	<10	6	10	0.5	5.28	58	10	420	1.7	5	3.41	1.9	26
CC34719		0.20	0.013	<10	8	20	<0.2	1.48	28	<10	90	<0.5	<2	11.10	<0.5	8
CC34720		0.22	0.009	<10	5	20	<0.2	1.50	24	<10	90	<0.5	<2	11.15	<0.5	8
CC34721		0.24	0.007	<10	6	10	<0.2	2.18	33	<10	130	0.6	<2	4.10	0.5	13
CC34722		0.30	0.007	<10	6	10	0.2	2.21	43	<10	140	0.6	<2	3.89	<0.5	14
CC34723		0.26	0.010	<10	4	20	0.3	2.22	65	<10	120	0.6	2	3.54	<0.5	20
CC34724		0.26	0.006	<10	6	20	0.3	2.83	37	<10	150	0.8	3	1.36	1.2	20
CC34725		0.30	0.007	<10	6	20	<0.2	3.43	53	<10	120	1.2	4	3.31	0.6	18
CC34726		0.30	0.012	<10	5	30	<0.2	2.88	71	<10	110	1.1	3	6.62	<0.5	16
CC34727		0.28	0.004	<10	5	20	<0.2	2.18	41	<10	120	1.0	3	0.28	0.5	17
CC34728		0.26	0.008	<10	4	30	<0.2	3.85	43	<10	180	1.8	7	0.64	0.7	27
CC34729		0.20	0.010	<10	4	40	<0.2	3.67	39	<10	160	3.8	12	0.42	0.5	28
CC34730		0.22	0.010	<10	5	20	<0.2	3.57	15	<10	160	1.4	4	0.63	1.0	16
CC34731		0.26	0.004	<10	4	10	<0.2	3.42	9	<10	130	1.1	3	3.34	0.7	13
CC34732		0.30	0.008	<10	5	20	<0.2	1.81	30	<10	120	0.7	3	9.07	0.5	14
CC34733		0.14	0.008	NSS	NSS	NSS	<0.2	2.19	28	<10	180	0.9	5	1.81	0.9	16
CC34734		0.32	0.009	<10	5	10	<0.2	1.75	33	<10	130	0.5	10	8.85	0.5	13
CC34735		0.26	0.005	<10	5	10	<0.2	2.32	13	<10	170	0.8	6	1.19	0.7	17
CC34736		0.10	0.008	<10	9	10	<0.2	1.96	12	<10	330	0.8	5	1.69	1.1	17
CC34737		0.16	0.007	<10	6	10	<0.2	2.26	8	<10	230	1.1	4	1.54	0.8	17
CC34738		0.30	0.008	<10	5	10	0.2	2.32	20	<10	190	1.2	6	1.32	0.7	21
CC34739		0.20	0.009	<10	4	10	<0.2	2.18	8	<10	130	1.3	6	1.39	0.8	20
CC34740		0.28	0.012	<10	6	20	<0.2	2.48	14	<10	120	1.5	6	2.24	0.9	18

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34701		2	11	0.59	<10	<1	0.04	<10	11.95	684	1	0.01	18	190	50	<0.01
CC34702		29	50	2.77	<10	<1	0.09	10	1.43	388	5	0.03	73	1300	27	0.14
CC34703		21	31	1.84	<10	<1	0.06	10	0.84	356	3	0.02	39	1150	21	0.16
CC34704		37	26	2.89	<10	<1	0.08	10	0.79	363	4	0.02	46	1030	22	0.10
CC34705		31	30	2.45	<10	<1	0.08	10	2.55	351	5	0.03	42	990	20	0.11
CC34706		23	26	2.08	<10	<1	0.08	10	1.33	376	4	0.03	33	1100	18	0.16
CC34707		18	20	1.60	<10	<1	0.07	20	5.80	729	2	0.02	32	1070	35	0.08
CC34708		16	28	2.01	<10	<1	0.13	10	6.06	368	2	0.02	23	590	25	0.04
CC34709		18	33	2.13	<10	<1	0.15	10	4.57	481	2	0.02	28	710	29	0.02
CC34710		15	25	2.02	<10	<1	0.12	10	4.89	307	2	0.02	21	610	27	0.03
CC34711		21	30	2.40	<10	<1	0.08	10	1.89	468	2	0.02	30	580	26	0.02
CC34712		22	27	2.00	<10	<1	0.11	10	4.30	304	4	0.02	24	570	28	0.04
CC34713		31	33	3.05	<10	<1	0.10	10	1.68	494	1	0.02	36	670	31	0.04
CC34714		35	21	3.19	<10	<1	0.09	10	1.36	485	1	0.02	32	380	30	0.02
CC34715		23	23	2.04	<10	<1	0.09	10	5.70	530	1	0.02	20	550	15	0.04
CC34716		32	14	3.00	<10	<1	0.10	10	1.01	396	1	0.01	24	170	18	0.01
CC34717		18	24	1.68	<10	<1	0.11	10	8.31	347	1	0.02	19	380	22	0.02
CC34718		83	59	6.50	10	1	0.19	30	5.51	1655	1	0.05	70	940	47	0.09
CC34719		27	22	1.83	<10	<1	0.14	10	7.68	341	1	0.03	25	420	13	0.02
CC34720		27	22	1.84	<10	1	0.14	10	7.76	340	1	0.03	25	420	12	0.03
CC34721		45	25	2.94	<10	<1	0.09	10	3.80	612	1	0.02	38	420	17	0.04
CC34722		47	26	3.06	<10	<1	0.11	10	3.95	654	1	0.02	41	470	26	0.04
CC34723		65	57	3.49	10	<1	0.24	10	3.22	393	1	0.03	71	410	22	0.01
CC34724		67	40	4.04	10	<1	0.16	10	2.86	818	1	0.02	61	360	44	0.01
CC34725		65	39	3.73	10	<1	0.23	10	4.33	510	1	0.03	63	320	21	0.01
CC34726		64	45	3.25	10	<1	0.37	10	6.07	410	1	0.03	67	270	19	0.01
CC34727		55	37	3.71	10	<1	0.22	10	1.33	345	2	0.01	53	180	17	<0.01
CC34728		122	62	5.11	10	<1	0.11	20	2.37	615	2	0.05	96	230	21	<0.01
CC34729		98	39	4.98	10	<1	0.16	10	2.00	622	2	0.02	104	340	21	0.01
CC34730		59	22	4.05	10	<1	0.10	10	2.27	638	2	0.02	56	340	24	0.01
CC34731		48	26	2.93	10	<1	0.26	10	3.35	405	1	0.05	40	200	15	0.01
CC34732		49	51	2.92	<10	<1	0.22	10	4.34	459	1	0.03	51	510	20	0.02
CC34733		55	40	3.52	10	<1	0.09	10	1.48	496	1	0.03	49	520	16	0.05
CC34734		41	47	3.33	<10	<1	0.15	10	2.75	543	1	0.03	50	480	15	0.02
CC34735		57	34	3.84	10	<1	0.07	10	1.44	665	1	0.03	54	410	21	0.02
CC34736		51	44	3.41	10	<1	0.09	10	1.17	625	1	0.02	49	680	15	0.05
CC34737		51	36	3.58	10	<1	0.08	10	1.35	764	1	0.02	47	530	18	0.04
CC34738		66	61	4.12	10	<1	0.09	10	1.45	576	1	0.03	64	470	19	0.02
CC34739		84	43	3.57	10	<1	0.12	10	1.48	591	1	0.03	68	380	14	0.02
CC34740		70	32	3.71	10	<1	0.12	10	1.33	743	1	0.03	65	310	15	0.01

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34701		2	1	77	<20	0.01	10	<10	12	<10	273
CC34702		3	2	27	<20	0.03	<10	<10	133	<10	448
CC34703		<2	1	20	<20	0.02	<10	<10	77	<10	295
CC34704		2	2	21	<20	0.03	<10	<10	138	<10	253
CC34705		2	2	28	<20	0.03	10	<10	132	<10	213
CC34706		<2	1	25	<20	0.02	<10	<10	90	<10	219
CC34707		3	1	40	<20	0.02	<10	<10	54	<10	303
CC34708		3	2	55	<20	0.03	<10	<10	32	20	177
CC34709		4	3	56	<20	0.03	<10	<10	35	20	190
CC34710		3	2	61	<20	0.03	<10	<10	32	20	183
CC34711		<2	3	34	<20	0.03	<10	<10	37	<10	178
CC34712		<2	3	36	<20	0.04	<10	<10	36	10	248
CC34713		<2	3	24	<20	0.05	10	<10	48	<10	145
CC34714		2	3	19	<20	0.06	<10	<10	53	<10	146
CC34715		3	2	53	<20	0.05	10	<10	33	<10	91
CC34716		2	3	14	<20	0.06	<10	<10	63	<10	135
CC34717		3	2	82	<20	0.05	<10	<10	25	10	112
CC34718		3	7	53	<20	0.16	10	<10	113	10	430
CC34719		<2	3	73	<20	0.07	<10	<10	28	20	115
CC34720		3	3	75	<20	0.07	10	<10	27	20	117
CC34721		4	3	36	<20	0.10	10	<10	44	10	130
CC34722		3	4	34	<20	0.10	10	<10	44	<10	192
CC34723		<2	4	44	<20	0.15	<10	<10	47	20	114
CC34724		4	5	21	<20	0.14	<10	<10	60	10	339
CC34725		3	5	36	<20	0.17	<10	<10	55	20	130
CC34726		3	6	63	<20	0.18	<10	<10	46	20	84
CC34727		<2	3	11	<20	0.16	<10	<10	67	20	69
CC34728		3	8	18	<20	0.22	<10	<10	72	20	98
CC34729		2	5	14	<20	0.21	<10	<10	63	30	194
CC34730		<2	4	18	<20	0.13	<10	<10	55	20	141
CC34731		<2	3	53	<20	0.15	<10	<10	50	10	88
CC34732		4	3	85	<20	0.10	<10	<10	37	20	105
CC34733		2	3	32	<20	0.09	<10	10	49	10	110
CC34734		<2	3	85	<20	0.07	<10	<10	36	10	104
CC34735		<2	4	29	<20	0.09	<10	<10	52	10	113
CC34736		2	2	31	<20	0.07	<10	10	45	<10	104
CC34737		<2	3	32	<20	0.09	<10	<10	47	<10	114
CC34738		<2	4	28	<20	0.09	<10	<10	52	10	111
CC34739		2	4	26	<20	0.13	<10	<10	51	10	86
CC34740		2	4	42	<20	0.11	<10	<10	46	10	88

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34741		0.24	0.005	<10	4	20	<0.2	1.18	15	<10	60	0.7	9	15.3	<0.5	9
CC34742		0.16	0.006	<10	5	20	0.2	2.09	20	<10	140	1.1	10	1.39	0.9	17
CC34743		0.44	0.002	<10	5	40	<0.2	0.83	8	<10	130	<0.5	6	16.9	<0.5	4
CC34744		0.16	0.002	<10	5	30	1.0	1.83	23	<10	190	0.6	14	4.01	1.7	13
CC34745		0.14	0.006	<10	5	20	0.5	1.34	28	<10	230	<0.5	9	6.89	1.0	9
CC34746		0.38	0.012	<10	7	30	0.3	2.44	35	<10	210	0.8	19	0.62	0.6	15
CC34747		0.18	0.004	<10	5	110	<0.2	4.10	23	<10	150	0.8	21	1.47	0.8	24
CC34748		0.18	0.005	<10	4	10	0.4	1.65	29	<10	190	<0.5	9	2.79	0.7	13
CC34749		0.16	0.012	<10	5	10	0.2	1.95	26	<10	170	0.6	17	1.44	1.1	15
CC34750		0.16	0.028	<10	6	30	0.2	2.00	31	<10	190	0.6	62	3.53	0.9	14
CC34751		0.16	0.002	<10	5	10	0.4	1.37	59	<10	370	0.6	7	2.82	2.2	11
CC34752		0.14	0.002	<10	9	10	0.6	1.35	24	<10	340	0.9	3	2.12	2.8	10
CC34753		0.22	0.004	<10	7	10	0.5	1.07	20	<10	220	0.7	4	3.95	1.4	7
CC34754		0.24	0.005	<10	10	10	0.6	1.40	27	10	260	0.7	2	3.49	1.3	8
CC34755		0.10	0.003	<10	14	10	0.3	1.73	40	<10	210	0.7	3	1.00	2.2	11
CC34756		0.04	0.003	NSS	NSS	NSS	<0.2	0.16	<2	10	150	<0.5	<2	2.98	1.5	2
CC34757		0.28	0.006	<10	8	10	0.4	1.89	24	<10	210	0.6	2	3.25	0.7	10
CC34758		0.16	0.005	<10	9	10	0.4	2.45	60	<10	230	0.8	3	0.91	0.6	12
CC34759		0.10	0.002	<10	7	10	1.0	2.38	86	<10	250	0.9	2	4.04	0.9	12
CC34760		0.14	0.004	<10	5	10	0.2	2.05	27	<10	110	0.7	<2	7.84	0.6	10
CC34761		0.14	0.029	<10	5	10	0.4	2.29	27	<10	100	0.8	3	9.83	<0.5	9
CC34762		0.14	0.002	<10	7	20	0.2	2.53	44	10	210	0.9	3	0.64	0.8	15
CC34763		0.14	<0.001	<10	5	<10	<0.2	0.67	15	<10	40	<0.5	<2	16.6	<0.5	3
CC34764		0.18	<0.001	<10	7	30	0.2	3.11	59	<10	180	1.6	3	0.45	<0.5	15
CC34765		0.20	0.003	<10	7	20	0.5	2.85	44	<10	200	1.2	2	0.53	0.8	17
CC34766		0.18	0.002	<10	7	20	0.2	2.71	47	<10	180	1.1	<2	0.57	1.6	21
CC34767		0.16	0.001	<10	6	10	<0.2	2.35	37	<10	180	0.8	<2	0.52	<0.5	16
CC34768		0.20	0.001	<10	5	10	0.4	1.47	57	<10	80	0.6	<2	10.40	<0.5	8
CC34769		0.16	0.002	<10	6	30	<0.2	2.89	63	<10	190	1.1	2	0.44	<0.5	26
CC34770		0.14	0.007	NSS	NSS	NSS	<0.2	4.65	37	<10	170	1.2	<2	0.73	<0.5	16
CC34771		0.16	0.001	<10	7	10	<0.2	2.23	12	<10	280	0.8	<2	0.61	0.7	11
CC34772		0.16	0.003	<10	6	10	0.3	2.67	19	<10	250	1.1	3	0.80	1.2	15
CC34773		0.18	0.001	<10	6	10	0.2	2.44	21	<10	230	0.9	2	0.49	0.9	12
CC34774		0.16	0.002	<10	7	10	<0.2	2.46	19	<10	220	0.9	<2	0.69	1.9	16
CC34775		0.20	0.002	<10	5	10	0.2	3.06	19	<10	160	1.0	2	1.58	0.8	12
CC34776		0.10	0.002	<10	5	10	<0.2	2.19	12	<10	160	0.8	<2	2.95	<0.5	15
CC34777		0.10	0.004	<10	6	10	<0.2	2.69	21	<10	160	1.0	3	1.17	0.6	18
CC34778		0.10	<0.001	<10	7	10	<0.2	3.17	12	<10	150	1.1	3	1.12	0.8	16
CC34779		0.16	0.001	<10	5	<10	<0.2	2.81	11	<10	130	0.9	<2	0.78	0.8	15
CC34780		0.10	0.001	<10	6	10	<0.2	2.74	15	<10	190	1.0	3	1.23	1.1	15

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34741		26	36	2.10	<10	<1	0.11	10	3.35	438	1	0.03	32	450	15	0.03
CC34742		53	41	3.64	10	<1	0.08	10	1.13	829	1	0.03	47	460	20	0.03
CC34743		11	12	0.92	<10	<1	0.14	10	9.52	319	1	0.02	10	240	19	<0.01
CC34744		47	56	3.39	<10	<1	0.11	10	2.71	801	1	0.03	48	750	34	0.07
CC34745		29	35	2.36	<10	<1	0.13	10	3.98	576	1	0.03	29	580	32	0.06
CC34746		59	31	4.21	10	<1	0.07	10	1.60	493	2	0.02	49	350	33	0.01
CC34747		121	86	6.81	10	<1	0.19	10	4.04	488	1	0.03	87	360	18	0.02
CC34748		50	37	3.11	<10	<1	0.09	10	1.26	542	1	0.03	48	570	26	0.06
CC34749		53	33	3.59	10	<1	0.11	10	1.42	841	1	0.03	42	520	28	0.05
CC34750		55	55	4.37	10	<1	0.24	10	2.73	618	1	0.03	43	540	22	0.06
CC34751		24	38	2.87	<10	<1	0.13	10	1.69	428	2	0.02	38	850	37	0.05
CC34752		25	38	2.77	<10	<1	0.10	10	1.26	415	4	0.02	35	830	59	0.05
CC34753		19	16	2.00	<10	<1	0.08	10	3.12	626	2	0.02	21	640	39	0.02
CC34754		26	24	2.64	<10	<1	0.10	10	2.31	586	4	0.02	28	800	42	0.04
CC34755		30	22	2.98	<10	<1	0.11	10	1.09	720	3	0.02	27	600	41	0.05
CC34756		3	9	0.22	<10	<1	0.02	<10	0.23	161	2	0.02	5	690	5	0.14
CC34757		29	23	2.75	<10	<1	0.09	10	2.86	495	1	0.02	28	540	24	0.02
CC34758		38	21	3.44	10	<1	0.10	10	1.80	720	1	0.02	33	530	40	0.03
CC34759		42	23	2.98	10	<1	0.12	10	4.60	811	2	0.03	28	560	67	0.04
CC34760		30	20	2.35	10	<1	0.10	10	6.44	634	2	0.03	27	490	24	0.03
CC34761		31	19	2.12	10	<1	0.07	10	8.15	526	<1	0.05	22	460	23	0.03
CC34762		55	19	3.77	10	1	0.14	10	1.88	726	2	0.04	40	360	33	0.02
CC34763		8	9	0.70	<10	<1	0.09	10	10.85	247	<1	0.02	7	210	18	<0.01
CC34764		58	20	3.95	10	<1	0.15	10	2.18	715	2	0.03	46	280	38	0.02
CC34765		60	20	3.98	10	1	0.14	10	2.29	1635	2	0.03	47	350	57	0.02
CC34766		63	30	3.84	10	<1	0.12	10	2.20	945	2	0.03	53	370	43	0.02
CC34767		60	19	3.44	10	<1	0.11	10	1.39	582	1	0.03	44	370	25	0.02
CC34768		29	9	1.77	<10	<1	0.07	10	7.74	508	<1	0.02	26	350	26	0.02
CC34769		87	24	4.32	10	1	0.14	10	1.72	440	2	0.03	65	420	20	0.02
CC34770		67	17	3.57	10	<1	0.17	10	5.64	867	2	0.03	50	340	20	0.02
CC34771		47	14	2.79	10	<1	0.10	10	1.93	282	2	0.02	27	580	16	0.04
CC34772		53	24	3.29	10	<1	0.11	10	1.98	646	1	0.03	40	780	21	0.05
CC34773		51	20	3.36	10	<1	0.12	10	1.53	556	2	0.02	36	980	21	0.06
CC34774		48	22	3.32	10	<1	0.11	10	1.83	978	2	0.02	38	820	25	0.04
CC34775		42	20	3.14	10	1	0.11	20	2.51	715	1	0.03	34	410	28	0.04
CC34776		64	37	3.00	10	<1	0.10	10	2.13	542	1	0.04	51	760	17	0.08
CC34777		63	26	3.61	10	<1	0.14	10	2.08	810	1	0.04	53	460	24	0.04
CC34778		56	25	3.73	10	<1	0.12	20	2.37	521	1	0.04	45	390	27	0.03
CC34779		54	26	3.47	10	<1	0.09	20	1.94	604	1	0.04	46	430	18	0.03
CC34780		49	24	3.27	10	<1	0.11	10	2.08	682	1	0.04	42	530	21	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34741		<2	2	155	<20	0.05	<10	<10	25	20	66
CC34742		<2	3	32	<20	0.08	<10	<10	48	20	106
CC34743		2	1	109	<20	0.03	<10	<10	17	40	105
CC34744		3	3	70	<20	0.07	<10	<10	38	20	337
CC34745		<2	2	50	<20	0.05	<10	<10	32	10	230
CC34746		2	5	17	<20	0.10	<10	<10	67	30	158
CC34747		4	7	33	<20	0.27	<10	<10	72	80	111
CC34748		<2	3	34	<20	0.09	<10	<10	44	10	152
CC34749		4	4	26	<20	0.09	<10	<10	50	<10	173
CC34750		2	4	37	<20	0.12	<10	<10	49	20	155
CC34751		6	3	35	<20	0.03	<10	<10	41	<10	322
CC34752		4	3	29	<20	0.03	<10	<10	44	<10	432
CC34753		3	2	34	<20	0.02	<10	<10	30	<10	397
CC34754		4	3	32	<20	0.04	<10	10	42	<10	431
CC34755		2	3	21	<20	0.04	<10	10	45	<10	333
CC34756		<2	<1	28	<20	<0.01	<10	10	4	<10	166
CC34757		5	3	30	<20	0.05	<10	<10	47	<10	137
CC34758		2	3	21	<20	0.06	<10	<10	56	<10	197
CC34759		<2	4	37	<20	0.08	<10	<10	49	<10	206
CC34760		2	3	58	<20	0.07	<10	<10	39	10	129
CC34761		<2	4	72	<20	0.08	<10	<10	38	<10	88
CC34762		2	4	20	<20	0.13	<10	<10	68	20	233
CC34763		3	1	105	<20	0.02	<10	<10	14	<10	86
CC34764		<2	4	16	<20	0.13	<10	<10	69	20	192
CC34765		5	5	18	<20	0.14	<10	<10	64	10	396
CC34766		<2	4	17	<20	0.14	<10	<10	65	10	365
CC34767		<2	4	17	<20	0.12	<10	<10	66	10	137
CC34768		<2	3	66	<20	0.07	10	<10	32	10	103
CC34769		2	5	15	<20	0.21	<10	<10	77	20	116
CC34770		<2	5	15	<20	0.21	<10	<10	70	10	104
CC34771		<2	3	21	<20	0.12	<10	<10	65	10	84
CC34772		<2	4	23	<20	0.10	<10	<10	60	<10	212
CC34773		<2	3	18	<20	0.08	<10	<10	63	<10	177
CC34774		<2	3	21	<20	0.09	<10	<10	58	<10	248
CC34775		4	4	35	<20	0.11	<10	<10	60	10	216
CC34776		<2	3	44	<20	0.10	<10	<10	50	<10	92
CC34777		<2	4	28	<20	0.13	<10	<10	58	10	164
CC34778		<2	5	27	<20	0.14	<10	<10	62	<10	230
CC34779		2	5	28	<20	0.12	<10	<10	59	<10	105
CC34780		3	4	32	<20	0.12	<10	<10	54	10	170

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34781		0.14	0.009	<10	5	20	<0.2	2.67	18	<10	100	1.8	6	0.72	<0.5	18
CC34782		0.18	<0.001	<10	6	10	<0.2	2.68	17	<10	170	1.3	4	0.62	<0.5	17
CC34783		0.18	0.001	<10	4	10	<0.2	1.64	21	<10	110	0.8	5	11.00	<0.5	10
CC34784		0.16	0.001	<10	4	30	0.2	1.88	18	<10	120	0.8	9	7.05	<0.5	14
CC34785		0.18	0.002	<10	5	20	<0.2	2.02	13	<10	160	0.8	7	4.06	<0.5	14
CC34786		0.18	<0.001	<10	4	10	<0.2	1.01	7	<10	80	<0.5	2	15.4	<0.5	4
CC34787		0.08	0.002	<10	6	20	12.9	1.45	31	10	150	1.2	9	3.53	4.2	17
CC34788		0.08	0.004	<10	6	10	0.2	2.06	22	<10	190	1.1	8	2.11	1.4	16
CC34789		0.10	0.003	<10	5	10	0.3	1.95	17	<10	240	0.9	8	1.94	1.0	15
CC34790		0.14	0.001	<10	5	10	<0.2	1.83	12	<10	220	1.0	6	1.72	0.6	15
CC34791		0.24	0.001	<10	6	10	0.2	2.51	17	<10	220	0.8	4	0.60	0.5	14
CC34792		0.10	0.007	<10	5	30	0.3	2.03	38	<10	180	0.8	27	3.05	1.2	14
CC34793		0.14	0.004	<10	5	10	0.2	1.72	17	<10	170	0.7	8	1.85	1.1	12
CC34794		0.24	0.003	<10	7	10	0.3	1.08	20	<10	360	0.5	<2	3.07	1.6	7
CC34795		0.14	0.001	<10	7	10	0.5	1.11	13	<10	330	0.5	<2	2.45	2.4	7
CC34796		0.20	0.011	<10	7	10	0.9	1.38	21	10	230	0.7	<2	4.01	0.7	7
CC34797		0.08	<0.001	<10	26	<10	0.4	0.37	6	10	190	<0.5	<2	3.63	1.5	2
CC34798		0.32	0.003	<10	11	10	0.6	1.59	23	10	210	0.6	<2	4.72	0.7	7
CC34799		0.14	0.004	<10	13	10	0.6	1.56	73	10	200	0.6	<2	3.82	1.3	8
CC34800		0.12	0.001	<10	7	<10	0.5	1.53	29	<10	210	0.6	<2	1.79	2.8	8
CC34801		0.08	<0.001	<10	7	<10	0.5	1.44	24	<10	300	0.6	2	1.94	4.5	8
CC34802		0.14	0.002	<10	6	<10	0.6	1.31	16	<10	110	<0.5	<2	9.29	0.8	5
CC34803		0.20	<0.001	<10	6	10	1.2	1.92	19	<10	140	0.9	<2	4.53	1.4	10
CC34804		0.18	0.002	<10	6	10	0.4	2.17	31	<10	120	0.9	<2	7.00	<0.5	9
CC34805		0.22	0.009	<10	8	10	0.4	2.98	57	<10	180	1.4	3	0.56	1.1	18
CC34806		0.18	0.005	<10	15	10	0.5	2.20	131	<10	160	1.1	4	0.97	2.0	15
CC34807		0.14	0.003	<10	12	10	0.7	1.98	48	<10	340	0.9	3	1.51	2.7	13
CC34808		0.14	0.001	<10	7	10	0.6	2.40	35	<10	180	0.9	2	0.88	1.1	14
CC34809		0.14	<0.001	<10	6	10	0.5	2.98	51	<10	130	1.1	3	0.56	1.2	20
CC34810		0.14	0.002	<10	5	20	0.2	2.71	30	<10	450	1.0	3	0.72	1.8	20
CC34811		0.20	0.003	<10	6	10	0.2	2.96	14	<10	160	1.3	2	0.86	0.7	14
CC34812		0.28	0.002	<10	6	<10	<0.2	2.19	13	<10	200	0.7	<2	0.28	<0.5	11
CC34813		0.18	0.001	<10	5	10	<0.2	1.79	16	<10	130	0.7	3	0.30	<0.5	10
CC34814		0.22	0.002	<10	7	20	<0.2	1.34	18	<10	100	<0.5	4	0.25	0.8	6
CC34815		0.22	0.002	<10	5	10	0.4	2.41	17	<10	150	0.8	3	6.32	<0.5	10
CC34816		0.14	0.001	<10	5	20	0.2	2.46	17	<10	120	1.0	3	0.36	<0.5	12
CC34817		0.20	0.005	<10	5	20	0.3	3.60	20	<10	110	1.2	3	1.15	<0.5	17
CC34818		0.14	0.002	<10	6	20	0.3	2.98	23	<10	140	1.0	5	2.30	<0.5	15
CC34819		0.10	0.003	<10	5	10	0.3	1.75	9	<10	240	0.7	3	2.56	1.4	13
CC34820		0.12	0.004	<10	5	<10	0.4	1.26	7	<10	130	0.5	3	2.64	1.3	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34781		74	35	3.77	10	<1	0.13	10	1.85	573	1	0.05	70	410	26	0.03
CC34782		71	28	3.85	10	<1	0.11	10	1.62	863	1	0.03	57	370	20	0.02
CC34783		41	26	2.23	<10	<1	0.18	10	4.37	469	<1	0.04	36	560	20	0.03
CC34784		54	34	2.87	10	<1	0.18	10	3.94	488	1	0.05	49	590	24	0.04
CC34785		56	36	3.11	10	<1	0.16	10	2.73	517	1	0.05	48	640	20	0.03
CC34786		13	11	0.91	<10	<1	0.16	<10	8.59	341	<1	0.03	11	270	18	0.03
CC34787		35	129	2.51	<10	<1	0.08	10	0.90	767	1	0.03	63	760	236	0.14
CC34788		59	42	3.80	10	1	0.13	10	1.51	782	2	0.04	48	500	37	0.06
CC34789		51	48	3.10	10	<1	0.09	10	1.26	793	1	0.04	44	570	32	0.07
CC34790		43	56	3.05	10	<1	0.09	10	1.05	699	1	0.03	42	690	25	0.07
CC34791		56	25	3.76	10	<1	0.09	10	1.31	748	2	0.02	34	350	27	0.02
CC34792		52	45	3.86	10	<1	0.15	10	2.30	740	1	0.04	43	660	36	0.06
CC34793		48	35	2.86	10	<1	0.11	10	1.32	622	1	0.03	43	670	26	0.09
CC34794		20	20	1.96	<10	<1	0.08	10	1.99	631	2	0.03	26	850	31	0.03
CC34795		22	24	2.11	<10	<1	0.09	10	1.51	644	2	0.02	30	800	31	0.02
CC34796		25	22	2.23	<10	<1	0.09	10	2.74	666	2	0.02	28	830	36	0.03
CC34797		5	14	0.61	<10	<1	0.04	<10	0.47	418	2	0.02	7	960	5	0.20
CC34798		26	27	2.50	<10	<1	0.09	10	3.47	300	3	0.02	30	650	26	0.02
CC34799		25	24	2.27	<10	<1	0.09	10	2.74	494	2	0.02	27	660	24	0.04
CC34800		24	22	2.19	<10	<1	0.06	10	1.03	730	1	0.02	23	810	19	0.07
CC34801		22	25	2.08	<10	<1	0.07	10	1.00	917	1	0.02	22	760	17	0.08
CC34802		20	16	1.47	<10	<1	0.08	10	6.67	418	<1	0.02	21	460	21	0.02
CC34803		28	27	2.38	<10	<1	0.08	10	3.81	977	1	0.02	27	470	19	0.01
CC34804		36	19	2.54	<10	<1	0.08	10	5.68	566	1	0.02	34	330	22	0.01
CC34805		56	24	4.11	10	<1	0.10	10	2.09	1225	1	0.02	45	420	34	0.01
CC34806		49	34	3.21	10	<1	0.08	10	1.33	1080	1	0.02	43	610	25	0.04
CC34807		33	38	2.80	10	<1	0.10	10	1.08	2300	1	0.02	29	700	23	0.04
CC34808		47	21	3.38	10	<1	0.09	10	1.75	1150	1	0.02	38	510	36	0.02
CC34809		64	31	4.33	10	<1	0.12	20	2.34	1190	1	0.02	56	390	41	0.01
CC34810		74	26	3.76	10	<1	0.11	10	1.93	1590	2	0.02	62	420	32	0.02
CC34811		54	23	3.32	10	<1	0.08	10	2.83	707	1	0.02	41	450	14	0.02
CC34812		34	12	3.27	10	<1	0.07	10	0.96	534	1	0.01	26	310	14	<0.01
CC34813		41	29	3.44	10	<1	0.08	10	0.81	307	2	0.01	30	570	13	0.01
CC34814		22	11	2.61	10	<1	0.06	10	0.87	253	3	0.01	19	360	14	0.03
CC34815		43	17	2.66	<10	<1	0.12	10	4.73	551	1	0.02	37	480	19	0.03
CC34816		53	13	3.40	10	<1	0.15	10	0.98	219	1	0.01	43	240	17	<0.01
CC34817		73	27	3.78	10	<1	0.07	10	2.11	504	<1	0.03	64	350	17	0.02
CC34818		58	28	3.52	10	<1	0.10	10	2.99	707	1	0.03	52	360	22	0.03
CC34819		43	52	2.57	<10	<1	0.08	10	1.19	653	1	0.02	46	810	13	0.12
CC34820		29	33	1.80	<10	<1	0.07	10	0.71	685	1	0.02	32	920	9	0.13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34781		3	5	25	<20	0.14	<10	<10	57	30	117
CC34782		3	5	20	<20	0.13	<10	<10	65	10	111
CC34783		<2	3	120	<20	0.09	10	<10	36	10	84
CC34784		<2	4	80	<20	0.11	<10	<10	43	30	95
CC34785		2	4	60	<20	0.11	<10	<10	50	10	91
CC34786		<2	2	115	<20	0.03	<10	<10	19	10	90
CC34787		4	2	54	<20	0.05	10	<10	35	<10	951
CC34788		2	5	35	<20	0.09	<10	<10	51	10	248
CC34789		2	4	35	<20	0.08	<10	<10	50	<10	219
CC34790		2	4	35	<20	0.07	<10	<10	48	10	140
CC34791		<2	4	19	<20	0.13	<10	<10	78	10	170
CC34792		2	4	36	<20	0.10	<10	<10	52	20	184
CC34793		3	3	31	<20	0.09	<10	<10	47	10	162
CC34794		2	2	37	<20	0.03	<10	<10	38	<10	225
CC34795		2	2	33	<20	0.03	<10	<10	35	<10	254
CC34796		<2	3	36	<20	0.04	<10	<10	37	<10	365
CC34797		<2	<1	30	<20	0.01	<10	20	9	<10	97
CC34798		<2	3	33	<20	0.05	<10	<10	41	<10	175
CC34799		<2	2	32	<20	0.05	<10	10	36	<10	323
CC34800		<2	2	23	<20	0.04	<10	<10	34	<10	153
CC34801		<2	2	27	<20	0.04	<10	<10	31	<10	136
CC34802		2	2	66	<20	0.05	<10	<10	22	<10	108
CC34803		<2	3	39	<20	0.07	<10	<10	40	10	125
CC34804		<2	4	51	<20	0.09	<10	<10	40	10	126
CC34805		<2	4	16	<20	0.11	<10	<10	66	10	256
CC34806		<2	3	22	<20	0.09	<10	10	51	<10	190
CC34807		<2	2	34	<20	0.06	<10	<10	46	<10	337
CC34808		2	3	21	<20	0.09	<10	<10	52	<10	246
CC34809		<2	5	17	<20	0.14	<10	<10	62	10	331
CC34810		<2	4	18	<20	0.18	<10	<10	63	10	476
CC34811		<2	3	18	<20	0.13	<10	<10	54	10	175
CC34812		<2	3	15	<20	0.07	<10	<10	61	<10	112
CC34813		<2	2	15	<20	0.09	<10	<10	51	10	63
CC34814		<2	1	10	<20	0.14	<10	<10	72	10	50
CC34815		<2	3	64	<20	0.11	<10	<10	44	20	98
CC34816		<2	3	12	<20	0.11	<10	<10	60	10	76
CC34817		3	5	35	<20	0.16	<10	<10	61	20	98
CC34818		2	4	33	<20	0.15	<10	<10	49	20	142
CC34819		<2	2	37	<20	0.08	<10	<10	34	<10	128
CC34820		<2	1	39	<20	0.05	<10	<10	25	<10	65

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC34821		0.20	0.002	<10	6	10	0.3	2.68	18	<10	180	1.0	4	1.40	0.6	14
CC34822		0.12	0.002	<10	8	10	<0.2	2.47	12	<10	280	1.0	5	1.58	1.5	18
CC34823		0.14	0.001	<10	6	10	0.2	2.72	12	<10	180	1.0	5	1.15	1.0	16
CC34824		0.18	0.001	<10	6	20	0.4	2.26	13	<10	120	1.2	6	1.19	0.7	15
CC34825		0.08	0.003	<10	5	10	0.3	1.78	15	<10	110	0.9	4	1.58	<0.5	11
CC34826		0.10	0.003	<10	5	10	0.3	1.33	8	<10	140	0.7	3	2.57	0.5	9
CC34827		0.06	0.001	<10	5	10	0.4	1.25	6	<10	140	0.6	<2	2.64	1.2	7
CC34828		0.10	<0.001	<10	5	10	0.4	1.09	8	<10	130	0.6	2	3.62	1.5	6
CC34829		0.14	0.011	<10	5	10	0.3	0.72	3	<10	80	<0.5	2	14.40	<0.5	1
CC34830		0.14	0.001	<10	5	30	0.3	2.11	20	<10	110	0.6	35	0.60	<0.5	11
CC34831		0.12	0.004	<10	5	10	0.8	1.60	17	<10	190	0.6	6	3.51	4.5	12
CC34832		0.18	0.003	<10	5	20	0.2	2.55	34	<10	150	0.8	9	1.11	1.0	16
CC34833		0.10	0.017	NSS	NSS	NSS	0.3	1.55	19	<10	200	0.5	7	2.03	1.0	13
CC34834		0.12	0.013	<10	5	10	0.4	1.55	20	<10	140	0.6	6	1.47	1.3	11
CC34835		0.28	0.003	<10	4	10	0.5	2.28	33	<10	170	0.8	8	0.98	0.9	14
CC34836		0.20	0.006	<10	4	10	0.5	1.71	18	<10	180	0.6	18	1.88	0.5	12
CC34837		0.26	0.001	<10	6	<10	<0.2	1.62	8	<10	130	<0.5	<2	0.09	<0.5	5
CC34838		0.20	0.002	<10	5	<10	0.2	0.86	5	<10	80	<0.5	<2	0.09	<0.5	3
CC34839		0.30	<0.001	<10	6	<10	<0.2	1.57	13	<10	150	0.6	<2	0.07	<0.5	7
CC34840		0.12	0.002	<10	6	<10	0.7	0.98	6	<10	190	<0.5	<2	0.17	0.7	14
CC34841		0.28	0.002	<10	5	<10	<0.2	0.80	11	<10	80	<0.5	<2	0.06	<0.5	4
CC34842		0.28	0.001	<10	6	<10	0.2	0.87	10	<10	100	<0.5	<2	0.06	<0.5	4
CC34843		0.22	0.027	<10	5	<10	0.3	0.98	11	<10	80	<0.5	<2	0.19	<0.5	3
CC34844		0.30	0.001	<10	5	<10	0.3	1.16	7	<10	140	0.5	<2	0.18	0.5	5
CC34845		0.24	0.002	<10	5	<10	0.4	1.13	8	<10	130	<0.5	<2	0.38	<0.5	3
CC34846		0.26	0.003	<10	6	10	0.2	1.50	12	<10	250	0.6	<2	0.26	<0.5	7
CC34847		0.32	0.002	<10	5	10	0.2	1.07	10	<10	160	<0.5	<2	0.16	<0.5	5
CC34848		0.28	0.004	<10	6	80	<0.2	0.86	18	<10	240	0.7	2	0.22	0.6	6
CC34849		0.26	0.002	<10	5	10	0.4	1.37	13	<10	200	0.7	<2	0.33	0.5	8
CC34850		0.20	0.002	<10	6	50	0.3	1.07	11	<10	320	0.7	2	0.29	1.4	8
CC34851		0.30	0.005	<10	5	50	0.2	0.78	13	<10	160	<0.5	2	0.15	<0.5	4
CC34852		0.16	0.001	<10	6	20	1.0	1.15	10	<10	300	0.5	<2	0.17	0.6	48
CC34853		0.22	0.001	<10	6	10	0.3	0.91	10	<10	200	<0.5	<2	0.19	2.3	6
CC34854		0.20	0.003	<10	6	10	0.3	1.04	8	<10	180	<0.5	<2	0.37	0.6	5
CC34855		0.16	<0.001	<10	6	<10	0.3	1.10	12	<10	140	<0.5	<2	0.15	0.7	7
CC34856		0.16	0.002	<10	6	10	0.3	0.91	6	<10	120	<0.5	<2	0.11	<0.5	4
CC34857		0.22	0.001	<10	6	10	0.5	1.11	7	<10	230	0.5	<2	0.34	0.7	6
CC34858		0.26	<0.001	<10	7	10	0.7	1.12	11	<10	230	0.6	2	0.35	0.6	6
CC34859		0.26	0.002	<10	5	10	0.4	1.29	11	<10	290	0.5	<2	0.86	1.2	7
CC34860		0.24	0.001	<10	7	10	0.4	1.26	15	<10	340	0.7	<2	0.37	0.7	5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34821		52	26	3.33	10	<1	0.08	10	2.10	712	1	0.03	46	520	19	0.04
CC34822		59	42	3.64	10	<1	0.12	10	1.54	899	1	0.03	57	580	16	0.05
CC34823		55	27	3.58	10	<1	0.09	10	1.91	663	1	0.04	48	430	17	0.03
CC34824		58	33	3.48	10	<1	0.07	10	1.10	772	1	0.02	48	540	13	0.03
CC34825		39	23	2.66	<10	<1	0.07	10	0.88	837	1	0.02	35	780	14	0.07
CC34826		30	28	1.99	<10	<1	0.06	10	0.56	809	<1	0.02	27	750	10	0.10
CC34827		23	28	1.85	<10	<1	0.05	10	0.54	794	1	0.02	23	970	10	0.13
CC34828		22	29	1.56	<10	<1	0.06	10	0.74	617	1	0.02	23	980	7	0.13
CC34829		9	9	0.70	<10	<1	0.11	<10	8.30	299	1	0.02	9	280	14	0.02
CC34830		51	32	4.12	10	<1	0.10	10	1.22	314	2	0.02	39	290	34	0.01
CC34831		39	50	2.76	<10	2	0.06	10	1.50	1280	1	0.03	39	610	220	0.09
CC34832		67	34	4.56	10	<1	0.07	10	2.17	900	1	0.03	51	410	43	0.06
CC34833		52	26	2.73	<10	1	0.09	10	1.13	1010	1	0.03	43	690	21	0.09
CC34834		39	33	2.83	<10	1	0.08	10	1.06	746	1	0.03	37	560	21	0.07
CC34835		54	34	3.59	10	2	0.08	10	1.44	625	1	0.03	46	430	63	0.04
CC34836		48	36	3.28	<10	1	0.10	10	1.53	592	1	0.03	41	470	20	0.06
CC34837		27	13	2.35	10	1	0.05	10	0.28	224	1	0.01	20	450	11	0.02
CC34838		15	6	1.54	<10	1	0.04	10	0.12	231	1	0.01	12	460	13	0.01
CC34839		27	19	2.54	<10	1	0.05	10	0.24	221	1	0.01	29	400	13	0.02
CC34840		21	17	1.99	<10	1	0.08	10	0.12	990	1	0.01	15	840	21	0.08
CC34841		20	11	2.25	<10	<1	0.04	10	0.16	230	1	0.01	17	340	14	0.02
CC34842		18	10	1.92	<10	<1	0.03	10	0.13	139	1	0.01	15	360	16	0.02
CC34843		25	12	2.08	<10	1	0.03	10	0.15	129	1	0.01	21	570	19	0.03
CC34844		20	13	2.11	<10	1	0.04	10	0.23	431	1	0.01	19	640	22	0.03
CC34845		17	12	1.90	<10	1	0.05	10	0.15	272	1	0.01	15	650	22	0.04
CC34846		24	18	2.51	<10	1	0.06	10	0.41	413	2	0.01	24	800	32	0.04
CC34847		20	16	2.51	<10	1	0.04	10	0.29	185	3	0.01	23	430	24	0.02
CC34848		21	32	2.81	<10	<1	0.05	10	0.26	512	6	0.01	31	660	62	0.03
CC34849		23	24	2.52	<10	1	0.06	10	0.37	462	3	0.01	34	770	28	0.04
CC34850		23	31	2.73	<10	<1	0.05	10	0.28	747	5	0.01	25	1130	63	0.06
CC34851		17	20	2.36	<10	1	0.04	10	0.18	245	5	0.01	21	510	30	0.03
CC34852		19	11	2.27	<10	1	0.06	10	0.13	5110	4	0.02	12	1760	48	0.14
CC34853		17	17	2.26	<10	<1	0.08	10	0.14	446	4	0.01	16	830	21	0.07
CC34854		19	16	2.11	<10	<1	0.08	10	0.24	351	4	0.02	19	1320	18	0.13
CC34855		21	14	2.58	<10	<1	0.09	10	0.21	437	2	0.01	18	830	22	0.08
CC34856		16	11	1.73	<10	1	0.07	10	0.13	357	3	0.01	10	1010	10	0.09
CC34857		22	21	2.34	<10	<1	0.06	10	0.31	289	3	0.01	29	710	12	0.05
CC34858		21	27	2.30	<10	2	0.06	10	0.33	283	4	0.01	32	710	12	0.05
CC34859		25	21	2.25	<10	1	0.06	10	0.40	419	4	0.02	24	1000	10	0.11
CC34860		24	23	2.31	<10	1	0.06	10	0.38	293	5	0.02	30	640	10	0.06

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34821		3	4	32	<20	0.11	<10	<10	50	<10	190
CC34822		2	3	34	<20	0.13	<10	<10	48	10	125
CC34823		<2	4	31	<20	0.13	<10	<10	52	10	125
CC34824		<2	3	25	<20	0.09	<10	<10	51	20	91
CC34825		<2	2	28	<20	0.06	<10	<10	39	10	63
CC34826		<2	1	39	<20	0.05	<10	<10	29	10	49
CC34827		<2	1	39	<20	0.03	<10	<10	24	<10	45
CC34828		<2	1	44	<20	0.03	<10	<10	20	<10	48
CC34829		<2	1	100	<20	0.03	<10	<10	11	<10	93
CC34830		<2	3	16	<20	0.13	<10	<10	64	30	154
CC34831		<2	3	44	<20	0.06	<10	<10	35	<10	744
CC34832		2	5	20	<20	0.13	<10	<10	65	30	179
CC34833		<2	2	26	<20	0.10	<10	<10	41	20	120
CC34834		<2	3	22	<20	0.07	<10	<10	43	10	156
CC34835		<2	4	20	<20	0.09	<10	<10	60	<10	210
CC34836		<2	4	30	<20	0.09	<10	<10	47	10	142
CC34837		<2	1	10	<20	0.04	<10	<10	59	<10	96
CC34838		<2	1	6	<20	0.03	<10	<10	40	<10	53
CC34839		<2	2	9	<20	0.04	<10	<10	51	<10	137
CC34840		<2	1	21	<20	0.02	<10	<10	47	<10	108
CC34841		<2	1	6	<20	0.03	<10	<10	43	<10	102
CC34842		<2	1	6	<20	0.03	<10	<10	40	<10	85
CC34843		<2	1	10	<20	0.03	<10	<10	45	<10	107
CC34844		<2	1	12	<20	0.03	<10	<10	39	<10	134
CC34845		<2	1	18	<20	0.04	<10	<10	42	<10	106
CC34846		2	2	12	<20	0.03	<10	<10	53	10	137
CC34847		<2	1	9	<20	0.03	<10	<10	49	20	122
CC34848		9	2	11	<20	0.03	<10	<10	59	80	275
CC34849		2	2	13	<20	0.03	<10	<10	57	10	166
CC34850		6	1	13	<20	0.02	<10	<10	59	40	227
CC34851		3	1	8	<20	0.02	<10	<10	57	50	132
CC34852		<2	<1	11	<20	0.01	<10	<10	68	10	42
CC34853		<2	1	12	<20	0.03	<10	<10	69	<10	100
CC34854		<2	1	15	<20	0.02	<10	<10	67	<10	127
CC34855		<2	1	12	<20	0.03	<10	<10	59	<10	90
CC34856		<2	<1	11	<20	0.02	<10	<10	55	<10	56
CC34857		<2	2	16	<20	0.03	<10	<10	66	10	138
CC34858		<2	2	17	<20	0.03	<10	<10	76	10	156
CC34859		<2	2	21	<20	0.03	<10	<10	83	<10	125
CC34860		<2	2	17	<20	0.03	<10	<10	83	<10	135

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34861		0.26	0.004	<10	8	10	0.5	1.50	17	<10	500	1.1	<2	0.46	1.1	5
CC34862		0.18	<0.001	<10	7	10	0.7	1.42	6	<10	180	1.1	<2	1.36	2.8	5
CC34863		0.24	0.001	<10	6	10	0.7	1.34	8	<10	230	1.4	<2	3.98	2.7	5
CC34864		0.26	0.001	<10	7	10	0.5	1.23	17	<10	190	1.2	<2	8.91	1.5	4
CC34865		0.36	0.003	<10	6	10	1.1	1.71	15	<10	2420	1.2	<2	0.93	2.7	7
CC34866		0.30	0.005	<10	14	10	0.6	1.83	52	<10	650	1.1	<2	0.18	0.9	4
CC34867		0.28	0.002	<10	24	10	1.0	3.39	9	<10	120	2.0	<2	0.15	2.4	14
CC34868		0.26	0.001	<10	6	10	0.9	0.77	9	<10	80	0.7	<2	1.61	5.3	5
CC34869		0.28	0.002	<10	7	10	0.7	1.74	10	<10	170	1.0	<2	2.20	3.6	6
CC34870		0.24	0.002	<10	10	10	1.0	2.14	15	<10	190	1.3	<2	1.17	3.5	9
CC34871		0.20	0.014	<10	19	80	1.1	2.57	22	<10	120	2.0	5	0.29	4.5	9
CC34872		0.32	0.004	<10	31	10	1.3	3.41	40	<10	190	1.7	2	0.27	4.4	12
CC34873		0.20	0.002	<10	13	30	0.5	1.67	14	<10	160	1.0	<2	2.82	7.8	8
CC34874		0.24	0.008	NSS	NSS	NSS	0.7	1.83	15	<10	190	1.1	<2	2.20	15.9	10
CC34875		0.26	0.002	<10	14	30	0.7	1.92	12	<10	160	1.2	2	1.36	4.3	8
CC34876		0.22	0.003	<10	14	10	0.5	2.48	18	<10	220	1.3	<2	2.08	2.1	8
CC34877		0.14	0.002	<10	9	10	0.7	1.62	17	<10	180	0.8	<2	2.37	1.8	7
CC34878		0.10	0.001	<10	9	<10	0.3	1.17	11	<10	150	0.5	<2	2.35	1.0	5
CC34879		0.18	0.005	<10	7	10	1.0	1.55	18	<10	180	0.7	<2	4.87	2.0	7
CC34880		0.14	0.001	<10	6	<10	0.3	1.12	6	<10	130	<0.5	<2	0.15	<0.5	4
CC34881		0.26	0.001	<10	5	<10	0.2	1.17	10	<10	90	<0.5	<2	0.13	<0.5	4
CC34882		0.24	0.003	<10	5	<10	0.2	1.54	13	<10	140	0.5	2	0.10	<0.5	4
CC34883		0.22	<0.001	<10	6	<10	0.2	1.14	11	<10	130	<0.5	2	0.10	<0.5	4
CC34884		0.26	<0.001	<10	5	<10	0.2	1.31	7	<10	130	<0.5	<2	0.10	<0.5	5
CC34885		0.22	0.001	<10	6	<10	<0.2	1.45	11	<10	210	0.5	2	0.11	0.9	20
CC34886		0.18	0.002	<10	5	<10	<0.2	0.56	10	<10	80	<0.5	<2	0.05	<0.5	2
CC34887		0.14	0.001	<10	5	<10	0.2	0.75	3	<10	150	<0.5	2	0.28	<0.5	4
CC34888		0.18	0.002	<10	5	10	<0.2	0.73	9	<10	70	<0.5	2	0.06	<0.5	2
CC34889		0.16	0.001	<10	6	60	0.2	0.91	10	<10	170	0.5	2	0.26	0.5	5
CC34890		0.22	0.005	<10	6	10	<0.2	1.21	9	<10	150	<0.5	<2	0.14	<0.5	6
CC34891		0.18	0.002	<10	5	20	0.3	1.55	12	<10	250	0.8	3	0.38	0.8	9
CC34892		0.16	<0.001	<10	5	30	0.3	1.01	11	<10	150	<0.5	4	0.18	1.4	5
CC34893		0.24	0.008	<10	6	20	0.4	1.02	9	<10	360	0.5	2	0.34	0.8	5
CC34894		0.18	0.007	<10	6	10	0.2	1.06	12	<10	190	0.5	2	0.23	<0.5	5
CC34895		0.16	0.003	<10	6	30	<0.2	1.12	13	<10	180	<0.5	<2	0.16	<0.5	5
CC34896		0.18	0.002	<10	6	30	0.2	1.67	11	<10	240	0.7	<2	0.30	0.7	9
CC34897		0.24	0.001	<10	6	10	<0.2	1.71	12	<10	240	0.6	<2	0.19	<0.5	9
CC34898		0.16	0.002	<10	5	10	0.2	1.54	15	<10	170	<0.5	<2	0.21	<0.5	6
CC34899		0.14	<0.001	<10	6	10	0.2	1.37	9	<10	200	0.6	<2	0.31	0.9	8
CC34900		0.20	0.002	<10	6	10	0.2	1.13	7	<10	150	<0.5	3	0.13	0.7	6

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34861		31	27	2.53	10	1	0.07	10	0.48	267	6	0.02	36	800	10	0.08
CC34862		25	35	2.20	10	1	0.06	10	0.27	211	2	0.06	40	680	9	0.12
CC34863		23	31	2.11	<10	1	0.07	10	0.24	198	1	0.07	40	630	6	0.10
CC34864		20	27	1.67	<10	1	0.09	<10	0.22	100	5	0.08	38	430	6	0.12
CC34865		25	48	2.33	10	1	0.08	<10	0.12	159	2	0.04	72	830	7	0.17
CC34866		28	55	5.72	10	1	0.35	20	0.48	145	33	0.03	42	1210	10	0.42
CC34867		17	143	3.35	<10	<1	0.04	10	0.12	180	5	0.02	111	950	9	0.21
CC34868		17	34	1.96	<10	<1	0.03	<10	0.13	163	2	0.05	65	520	7	0.10
CC34869		26	40	2.47	<10	<1	0.06	10	0.30	202	2	0.07	66	710	13	0.06
CC34870		36	62	2.95	<10	<1	0.06	10	0.40	282	4	0.07	104	920	22	0.09
CC34871		30	112	3.83	<10	<1	0.10	10	0.37	230	14	0.03	108	1610	43	0.22
CC34872		48	121	6.73	10	<1	0.16	10	0.44	331	43	0.02	177	1990	74	0.26
CC34873		27	63	2.83	<10	<1	0.08	10	1.76	364	9	0.03	99	1340	20	0.13
CC34874		29	96	2.94	<10	<1	0.06	10	0.99	378	9	0.02	151	1670	26	0.19
CC34875		33	82	3.38	10	<1	0.06	10	0.99	324	9	0.02	92	1370	19	0.12
CC34876		43	63	3.70	10	<1	0.15	20	2.46	449	8	0.03	91	1150	23	0.09
CC34877		31	36	2.26	<10	<1	0.07	10	1.12	480	3	0.02	47	1440	22	0.16
CC34878		23	25	2.05	<10	<1	0.06	10	0.87	456	3	0.03	28	980	24	0.15
CC34879		26	25	2.23	<10	<1	0.07	20	3.15	921	3	0.02	47	1420	74	0.08
CC34880		22	11	1.98	10	<1	0.07	10	0.19	240	2	0.01	15	720	11	0.05
CC34881		23	8	2.10	10	<1	0.03	10	0.18	182	1	<0.01	17	490	16	<0.01
CC34882		27	10	2.32	<10	<1	0.04	10	0.26	183	1	<0.01	22	620	14	0.01
CC34883		23	15	2.24	<10	<1	0.05	10	0.20	172	1	0.01	23	520	16	0.02
CC34884		22	11	2.50	<10	<1	0.04	10	0.26	164	1	<0.01	19	490	12	0.01
CC34885		25	14	3.50	10	<1	0.05	10	0.16	3360	1	0.01	17	760	31	0.03
CC34886		21	8	2.28	<10	<1	0.03	<10	0.09	69	1	<0.01	10	260	17	<0.01
CC34887		21	11	1.96	<10	<1	0.05	10	0.16	253	1	0.01	17	600	22	0.03
CC34888		16	10	1.89	<10	<1	0.04	10	0.12	85	1	0.01	12	430	16	0.02
CC34889		24	24	2.66	<10	<1	0.06	10	0.18	603	3	0.01	25	1090	38	0.03
CC34890		25	17	2.71	<10	<1	0.06	10	0.33	253	3	0.01	24	540	26	<0.01
CC34891		27	24	2.90	<10	<1	0.06	10	0.42	617	3	0.01	30	960	38	0.03
CC34892		26	20	2.68	<10	<1	0.06	10	0.28	435	4	0.01	23	860	41	0.03
CC34893		21	19	2.29	<10	<1	0.05	10	0.30	456	3	0.01	23	840	29	0.03
CC34894		23	18	2.29	<10	<1	0.05	10	0.26	251	3	0.01	24	640	30	0.02
CC34895		25	16	2.59	<10	<1	0.06	10	0.26	284	4	0.01	21	500	26	0.01
CC34896		29	22	3.04	<10	<1	0.07	10	0.43	525	4	0.01	31	890	30	0.02
CC34897		30	16	3.00	10	<1	0.07	10	0.38	526	4	0.01	26	720	30	0.03
CC34898		29	15	3.01	10	<1	0.07	10	0.38	394	3	0.01	22	700	31	0.03
CC34899		27	16	2.61	<10	<1	0.07	10	0.34	354	4	0.01	25	850	15	0.04
CC34900		24	15	2.35	<10	<1	0.07	10	0.21	315	4	0.01	20	930	13	0.07

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 10-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083237

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34861		<2	2	22	<20	0.04	<10	<10	142	<10	215
CC34862		<2	1	36	<20	0.02	<10	<10	58	<10	267
CC34863		<2	1	62	<20	0.02	<10	<10	51	<10	341
CC34864		<2	2	106	<20	0.03	<10	<10	47	<10	216
CC34865		<2	1	60	<20	0.04	<10	<10	97	<10	389
CC34866		<2	4	56	<20	0.08	<10	10	206	<10	249
CC34867		<2	2	14	<20	0.02	<10	20	43	<10	374
CC34868		<2	1	32	<20	0.02	<10	<10	33	<10	446
CC34869		2	2	77	<20	0.03	<10	<10	64	<10	369
CC34870		2	2	55	<20	0.03	<10	10	87	<10	621
CC34871		2	2	25	<20	0.03	<10	10	251	90	549
CC34872		5	4	30	<20	0.05	<10	30	778	10	1085
CC34873		3	2	29	<20	0.03	<10	<10	132	20	690
CC34874		3	1	27	<20	0.03	<10	10	165	10	1005
CC34875		3	2	22	<20	0.04	<10	<10	172	20	522
CC34876		4	3	29	<20	0.06	<10	10	224	10	343
CC34877		<2	1	26	<20	0.03	<10	<10	125	<10	222
CC34878		3	1	23	<20	0.03	<10	<10	84	<10	187
CC34879		<2	2	31	<20	0.03	<10	<10	74	<10	444
CC34880		<2	<1	11	<20	0.03	<10	<10	59	<10	69
CC34881		<2	1	8	<20	0.04	<10	<10	52	<10	75
CC34882		2	1	8	<20	0.03	<10	<10	47	<10	103
CC34883		2	1	11	<20	0.03	<10	<10	42	<10	104
CC34884		<2	1	10	<20	0.04	<10	<10	45	<10	87
CC34885		<2	1	10	<20	0.04	<10	<10	78	<10	146
CC34886		<2	1	3	<20	0.03	<10	<10	41	<10	54
CC34887		2	1	13	<20	0.03	<10	<10	39	<10	103
CC34888		<2	<1	7	<20	0.03	<10	<10	47	<10	57
CC34889		3	1	10	<20	0.03	<10	<10	42	60	135
CC34890		3	1	10	<20	0.04	<10	<10	56	20	127
CC34891		3	2	14	<20	0.03	<10	<10	62	10	189
CC34892		5	1	11	<20	0.03	<10	<10	55	30	187
CC34893		2	1	17	<20	0.03	<10	<10	47	20	146
CC34894		3	1	15	<20	0.03	<10	<10	50	10	116
CC34895		2	1	11	<20	0.04	<10	<10	61	30	106
CC34896		<2	2	15	<20	0.04	<10	<10	70	20	170
CC34897		<2	1	13	<20	0.04	<10	<10	71	<10	118
CC34898		2	1	14	<20	0.04	<10	<10	66	10	101
CC34899		2	2	14	<20	0.03	<10	<10	71	<10	145
CC34900		<2	1	12	<20	0.03	<10	<10	66	10	95

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA07083236

Project: RAU

P.O. No.:

This report is for 230 Soil samples submitted to our lab in Vancouver, BC, Canada on 31-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC24451		0.22	1.2	1.36	20	<10	1370	0.8	4	0.96	2.6	5	29	49	2.70	10
CC24452		0.14	1.1	0.88	11	<10	210	1.0	15	2.16	1.2	5	16	95	2.18	<10
CC24453		0.16	1.4	1.60	20	<10	230	1.0	3	2.31	15.0	6	16	77	1.74	<10
CC24454		0.20	0.4	1.16	9	<10	150	<0.5	3	1.58	1.8	7	20	62	2.14	<10
CC24455		0.22	0.4	1.63	6	<10	130	1.0	35	1.31	<0.5	9	25	189	3.24	<10
CC24456		0.38	2.9	2.25	18	<10	120	1.5	21	1.23	6.2	9	24	308	5.25	10
CC24457		0.18	1.2	1.17	5	<10	90	0.6	9	2.69	2.6	6	23	72	2.08	<10
CC24458		0.12	1.2	0.78	11	<10	80	0.6	2	2.13	4.0	2	14	34	1.18	<10
CC24459		0.16	1.0	1.40	25	<10	150	0.7	3	1.01	4.6	5	27	39	2.63	10
CC24460		Not Recvd														
CC24461		0.18	0.7	2.20	22	<10	210	1.3	5	0.84	3.0	11	35	75	3.98	10
CC24462		0.30	0.8	2.36	16	<10	470	1.6	2	0.45	4.4	10	43	74	3.18	<10
CC24463		0.26	0.5	5.05	15	<10	200	4.4	2	0.14	2.8	40	30	133	4.54	<10
CC24464		0.30	0.8	3.39	16	<10	300	2.3	2	0.22	4.6	20	40	159	3.73	<10
CC24465		0.22	<0.2	2.28	16	<10	160	1.0	2	0.51	6.3	15	34	31	4.37	10
CC24466		0.18	0.8	1.45	17	<10	340	0.7	<2	8.95	4.5	6	25	31	1.89	<10
CC24467		0.28	0.7	1.24	19	<10	320	0.6	<2	10.65	2.6	5	21	27	1.62	<10
CC24468		0.24	0.8	1.32	29	<10	240	0.7	<2	10.30	2.5	7	22	21	1.84	<10
CC24469		0.16	0.8	0.68	43	<10	300	0.7	<2	12.90	2.8	5	13	31	1.93	<10
CC24470		0.22	0.6	0.63	28	<10	310	0.5	<2	13.50	4.9	7	11	17	1.43	<10
CC24491		0.34	0.4	1.00	25	<10	140	<0.5	<2	0.15	<0.5	16	17	50	4.17	<10
CC24492		0.14	0.5	1.25	20	<10	280	<0.5	2	0.32	0.6	15	23	35	2.94	<10
CC24493		0.22	0.6	1.42	11	<10	190	0.5	2	0.40	0.6	7	24	16	2.49	10
CC24494		0.26	<0.2	1.46	16	<10	110	<0.5	3	0.10	<0.5	6	24	14	2.66	10
CC24495		0.22	<0.2	0.56	7	<10	40	<0.5	<2	0.11	<0.5	3	11	8	3.28	<10
CC24496		0.26	0.8	0.67	6	<10	50	<0.5	2	3.10	0.9	1	12	9	2.20	<10
CC24497		0.10	0.5	0.94	2	<10	130	<0.5	<2	1.56	1.8	3	18	12	1.75	<10
CC24498		0.22	0.3	0.86	9	<10	170	<0.5	2	0.20	<0.5	5	20	9	1.74	<10
CC24499		0.24	<0.2	0.44	7	<10	60	<0.5	2	0.04	<0.5	2	9	10	1.58	<10
CC24500		0.30	0.2	0.83	4	<10	300	0.5	<2	9.79	0.6	4	13	20	1.59	<10
CC34501		0.18	0.2	0.93	9	<10	160	0.5	2	0.41	0.8	5	20	22	2.62	<10
CC34502		0.34	0.2	0.92	13	<10	180	<0.5	2	0.17	<0.5	4	20	16	2.37	<10
CC34503		0.28	0.3	1.26	14	<10	180	<0.5	3	0.11	<0.5	5	21	16	2.76	<10
CC34504		0.18	0.3	1.42	15	<10	240	0.6	2	0.26	<0.5	8	23	17	2.78	<10
CC34505		0.16	0.4	1.49	15	<10	330	0.8	3	0.27	1.3	11	23	22	2.89	10
CC34506		0.28	0.8	1.72	9	<10	390	0.7	3	0.33	<0.5	6	22	12	2.73	10
CC34507		0.26	0.2	1.24	15	<10	120	<0.5	<2	0.07	<0.5	6	22	15	2.68	<10
CC34508		0.24	0.4	1.45	15	<10	150	0.5	2	0.10	<0.5	8	24	19	2.90	10
CC34509		0.18	0.3	0.66	9	<10	130	<0.5	4	0.12	0.7	3	15	22	2.09	<10
CC34510		0.22	0.4	1.47	15	<10	220	0.7	2	0.59	1.7	9	25	26	2.67	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC24451		<1	0.13	20	0.69	366	19	0.02	46	1070	13	0.19	3	2	29	<20
CC24452		<1	0.09	20	0.80	480	16	0.01	42	1260	13	0.19	2	1	24	<20
CC24453		<1	0.06	10	0.52	374	20	0.01	140	1580	26	0.23	4	1	23	<20
CC24454		<1	0.05	10	1.27	718	5	0.01	77	1410	9	0.11	<2	1	18	<20
CC24455		<1	0.07	30	1.98	821	9	0.02	124	1380	12	0.14	<2	1	15	<20
CC24456		<1	0.22	10	1.44	549	38	0.03	327	1730	53	0.22	3	2	26	<20
CC24457		<1	0.07	20	1.98	502	8	0.01	147	1630	14	0.17	2	1	20	<20
CC24458		1	0.06	10	0.39	125	7	0.01	39	1680	9	0.29	<2	1	24	<20
CC24459		1	0.16	10	0.81	310	13	0.02	61	1370	27	0.22	2	2	27	<20
CC24460																
CC24461		<1	0.08	20	0.91	609	7	0.01	94	1340	36	0.12	2	3	21	<20
CC24462		<1	0.09	10	0.42	266	11	0.02	129	1230	32	0.10	<2	3	33	<20
CC24463		<1	0.08	10	0.40	509	16	<0.01	315	1020	22	0.15	<2	4	15	<20
CC24464		1	0.09	20	0.45	364	12	<0.01	221	1120	33	0.07	<2	4	18	<20
CC24465		<1	0.09	10	0.68	384	6	0.01	133	620	36	0.04	<2	3	17	<20
CC24466		<1	0.07	20	6.09	722	2	0.02	63	1250	59	0.07	3	2	54	<20
CC24467		<1	0.06	10	7.15	755	2	0.01	61	1190	51	0.06	4	2	67	<20
CC24468		1	0.06	20	6.91	1010	2	0.01	66	1300	79	0.05	2	1	66	<20
CC24469		<1	0.06	10	8.25	1580	3	0.01	80	930	155	0.08	7	1	73	<20
CC24470		<1	0.04	10	8.82	1630	2	0.01	128	800	87	0.07	3	1	85	<20
CC24491		<1	0.14	<10	0.28	111	3	0.02	67	570	25	0.01	4	3	13	<20
CC24492		<1	0.19	10	0.34	228	3	0.02	43	1310	24	0.08	2	2	18	<20
CC24493		<1	0.06	10	0.36	584	1	0.01	24	870	16	0.03	3	1	17	<20
CC24494		<1	0.07	10	0.34	228	1	0.01	17	510	13	0.03	2	1	12	<20
CC24495		1	0.03	<10	0.11	199	1	<0.01	11	610	7	0.05	4	<1	4	<20
CC24496		<1	0.02	10	0.16	350	<1	0.02	11	500	7	0.19	<2	1	29	<20
CC24497		<1	0.05	10	0.18	547	1	0.01	15	840	13	0.09	<2	1	22	<20
CC24498		1	0.06	10	0.17	839	1	<0.01	11	380	25	0.02	3	1	10	<20
CC24499		<1	0.05	10	0.04	79	1	<0.01	8	200	17	0.01	<2	1	5	<20
CC24500		<1	0.07	10	0.25	239	1	0.02	19	500	11	0.02	3	2	108	<20
CC34501		<1	0.09	10	0.25	372	2	0.02	22	740	29	0.05	2	1	15	<20
CC34502		<1	0.05	10	0.22	270	4	0.01	18	310	31	0.01	7	1	9	<20
CC34503		<1	0.06	10	0.28	346	4	0.01	19	540	46	0.02	5	1	11	<20
CC34504		<1	0.08	10	0.34	501	3	0.01	25	690	26	0.04	3	2	13	<20
CC34505		<1	0.08	10	0.37	1395	4	0.01	23	970	90	0.05	7	1	14	<20
CC34506		<1	0.06	10	0.25	698	5	0.01	18	830	93	0.04	6	2	13	<20
CC34507		<1	0.07	10	0.25	430	4	0.01	18	410	52	0.03	2	1	9	<20
CC34508		1	0.09	10	0.32	494	4	0.01	25	590	47	0.03	3	1	11	<20
CC34509		<1	0.07	10	0.16	117	3	<0.01	28	600	9	0.06	<2	1	10	<20
CC34510		1	0.08	10	0.46	458	3	0.01	40	860	14	0.06	<2	2	15	<20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC24451		0.04	<10	10	213	10	310	<10	15	20
CC24452		0.02	<10	10	78	90	154	<10	18	100
CC24453		0.02	<10	20	161	<10	761	<10	22	10
CC24454		0.03	<10	10	92	90	220	<10	17	80
CC24455		0.03	<10	20	132	20	223	<10	23	40
CC24456		0.05	<10	30	225	230	524	<10	34	220
CC24457		0.02	<10	<10	183	30	357	<10	8	40
CC24458		0.02	<10	<10	77	10	203	<10	8	10
CC24459		0.04	<10	<10	151	30	384	<10	8	30
CC24460										
CC24461		0.04	<10	10	153	10	333	<10	13	10
CC24462		0.04	<10	10	123	10	537	<10	16	10
CC24463		0.04	<10	20	67	<10	744	<10	23	20
CC24464		0.04	<10	10	84	<10	783	<10	21	20
CC24465		0.06	<10	<10	141	<10	1720	<10	9	20
CC24466		0.02	<10	<10	79	<10	746	<10	6	10
CC24467		0.02	<10	<10	66	<10	665	<10	6	10
CC24468		0.02	<10	<10	63	<10	865	<10	6	10
CC24469		0.01	<10	<10	39	<10	909	<10	6	10
CC24470		0.01	<10	<10	32	<10	892	<10	5	10
CC24491		<0.01	<10	<10	26	<10	245	<10	9	10
CC24492		<0.01	<10	<10	37	<10	183	<10	8	10
CC24493		0.02	<10	<10	43	<10	89	<10	5	<10
CC24494		0.04	<10	<10	50	<10	65	<10	6	<10
CC24495		0.02	<10	<10	24	<10	54	<10	5	<10
CC24496		0.01	<10	<10	19	<10	69	<10	4	<10
CC24497		0.02	<10	<10	33	<10	147	<10	5	<10
CC24498		0.03	<10	<10	50	<10	64	<10	5	<10
CC24499		0.04	<10	<10	52	<10	53	<10	5	10
CC24500		0.03	<10	<10	29	<10	97	<10	4	10
CC34501		0.03	<10	<10	41	20	142	<10	5	20
CC34502		0.04	<10	<10	60	30	116	<10	6	30
CC34503		0.03	<10	<10	64	20	118	<10	6	20
CC34504		0.03	<10	<10	56	<10	107	<10	7	10
CC34505		0.03	<10	<10	65	20	186	<10	6	30
CC34506		0.03	<10	<10	83	30	226	<10	7	40
CC34507		0.04	<10	<10	62	10	91	<10	<4	10
CC34508		0.04	<10	<10	65	<10	119	<10	5	10
CC34509		0.02	<10	<10	44	60	132	<10	<4	60
CC34510		0.03	<10	<10	73	<10	195	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC34511		0.22	0.3	0.91	13	<10	110	<0.5	2	0.10	<0.5	5	18	28	2.45	<10
CC34512		0.20	0.2	0.91	14	<10	130	0.5	4	0.21	0.7	5	23	25	2.79	<10
CC34513		0.20	0.8	1.32	8	<10	280	0.5	2	1.82	1.6	6	29	38	2.15	<10
CC34514		0.16	0.8	1.21	9	<10	350	0.6	4	1.57	2.2	4	26	38	2.47	<10
CC34515		0.14	0.9	0.99	11	<10	610	0.6	3	2.68	3.0	5	20	58	1.89	<10
CC34516		0.20	1.6	1.42	14	<10	750	1.3	5	1.55	2.8	6	28	46	2.67	10
CC34517		0.18	1.5	1.34	24	<10	540	0.7	3	1.63	1.8	3	29	48	2.87	<10
CC34518		0.26	3.6	3.03	63	<10	350	1.7	10	0.41	15.7	7	48	149	7.21	10
CC34519		0.20	3.5	2.48	64	<10	240	1.3	7	0.63	1.3	5	52	89	7.70	10
CC34520		0.20	3.9	2.10	60	<10	250	1.1	3	0.25	1.2	2	46	67	5.92	10
CC34521		0.12	1.8	1.38	21	<10	180	0.8	2	1.80	4.3	2	28	52	2.65	<10
CC34522		0.18	2.5	2.20	29	<10	160	1.2	6	1.81	8.4	6	31	100	3.99	10
CC34523		0.14	0.5	1.42	24	<10	520	0.6	3	3.66	2.2	9	25	32	2.62	<10
CC34524		0.26	0.5	1.40	17	<10	390	0.7	2	1.85	1.6	8	26	34	2.46	<10
CC34525		0.24	0.6	1.10	18	<10	250	0.8	3	5.46	0.9	6	17	20	1.92	<10
CC34526		0.16	0.8	1.33	19	10	290	0.9	3	4.23	1.8	6	21	19	2.31	<10
CC34527		0.14	0.6	1.64	33	<10	310	0.6	4	1.53	0.8	10	27	22	2.98	<10
CC34528		0.12	0.4	1.78	33	10	310	0.7	3	1.87	1.3	9	32	32	3.00	<10
CC34529		0.22	0.5	2.16	36	10	250	0.9	3	1.46	1.3	10	36	27	3.25	10
CC34530		0.20	0.3	2.19	28	<10	180	0.7	<2	5.06	0.7	9	32	22	2.57	<10
CC34531		0.16	0.6	2.22	36	<10	230	0.8	3	1.96	0.9	12	39	25	3.14	10
CC34532		0.16	0.4	1.48	27	<10	80	<0.5	<2	13.40	2.3	4	20	14	1.48	<10
CC34533		0.18	0.3	0.66	22	<10	30	<0.5	<2	17.9	0.5	2	8	5	0.75	<10
CC34534		0.18	0.4	3.21	28	<10	250	1.2	3	1.00	1.1	19	86	28	4.27	10
CC34535		0.24	0.3	3.04	42	<10	180	1.2	4	0.46	0.6	14	48	16	3.91	10
CC34536		0.16	0.3	2.62	22	<10	150	0.9	2	4.02	0.6	11	48	19	3.25	10
CC34537		0.18	0.3	2.49	28	<10	220	0.9	2	0.70	0.6	13	44	18	3.39	10
CC34538		0.12	0.3	2.84	34	<10	250	1.2	4	0.58	<0.5	20	65	21	4.06	10
CC34539		0.14	0.2	2.51	22	<10	220	0.6	3	0.49	<0.5	12	69	16	3.61	10
CC34540		0.14	0.2	2.46	32	<10	190	0.8	3	0.75	0.5	24	77	17	4.01	10
CC34541		0.20	0.2	3.68	10	<10	160	0.8	<2	0.73	<0.5	16	69	14	3.95	10
CC34542		0.20	0.2	1.92	27	<10	190	1.0	2	0.44	<0.5	12	36	21	3.16	10
CC34543		0.24	0.2	2.53	20	<10	200	1.0	3	0.67	<0.5	16	68	20	3.87	10
CC34544		0.16	0.2	3.52	25	<10	260	1.1	3	2.21	0.8	11	48	29	3.25	10
CC34545		0.20	0.4	2.18	16	<10	270	0.8	2	1.07	1.0	12	39	18	3.07	10
CC34546		0.22	0.2	2.57	12	<10	140	0.6	<2	0.34	0.8	11	42	8	3.46	10
CC34547		0.08	0.4	2.07	9	<10	160	0.8	2	3.24	1.0	10	33	39	2.21	<10
CC34548		0.16	0.2	2.60	18	<10	180	0.8	4	0.89	0.5	15	62	18	3.83	10
CC34549		0.20	0.2	2.92	19	<10	180	1.0	3	1.35	1.3	15	55	24	3.58	10
CC34550		0.08	0.2	4.37	13	<10	270	2.3	3	2.32	0.8	16	86	22	4.02	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC34511		1	0.10	10	0.16	220	3	0.01	31	600	10	0.07	<2	1	15	<20
CC34512		<1	0.07	10	0.26	252	6	0.01	32	470	16	0.04	<2	1	12	<20
CC34513		<1	0.08	10	0.65	428	5	0.02	31	1140	11	0.12	3	2	21	<20
CC34514		1	0.12	10	0.74	426	8	0.02	35	960	14	0.11	2	2	23	<20
CC34515		1	0.09	10	0.56	365	7	0.03	33	1250	11	0.20	3	1	30	<20
CC34516		1	0.10	10	0.55	383	12	0.02	42	1370	13	0.15	3	2	38	<20
CC34517		<1	0.18	20	0.77	322	16	0.02	38	1580	15	0.29	<2	1	46	<20
CC34518		1	0.47	20	0.78	464	44	0.05	129	2990	34	0.62	5	4	79	<20
CC34519		1	0.41	10	0.87	173	50	0.06	66	3190	15	0.61	6	3	84	<20
CC34520		1	0.51	10	0.56	215	28	0.05	39	3070	16	0.53	8	3	63	<20
CC34521		1	0.25	10	0.59	192	23	0.05	46	1870	8	0.36	4	2	36	<20
CC34522		<1	0.17	10	1.05	335	16	0.05	125	2450	48	0.38	5	1	49	<20
CC34523		<1	0.16	10	2.26	662	3	0.04	35	950	33	0.08	5	3	44	<20
CC34524		1	0.12	10	1.12	417	4	0.03	35	870	33	0.06	5	3	31	<20
CC34525		<1	0.10	10	3.41	393	3	0.03	20	700	46	0.05	<2	2	37	<20
CC34526		<1	0.13	10	2.68	820	3	0.03	22	710	37	0.04	<2	2	34	<20
CC34527		<1	0.12	10	0.91	854	5	0.03	23	500	34	0.05	<2	3	22	<20
CC34528		<1	0.15	10	1.31	605	3	0.03	33	650	37	0.07	2	3	28	<20
CC34529		<1	0.14	10	1.65	817	3	0.03	36	650	48	0.05	3	3	22	<20
CC34530		1	0.12	10	4.41	579	1	0.03	28	590	23	0.05	<2	3	42	<20
CC34531		<1	0.14	10	2.00	674	1	0.03	34	690	28	0.06	3	3	25	<20
CC34532		1	0.07	10	9.77	447	1	0.02	20	520	18	0.05	<2	2	93	<20
CC34533		<1	0.04	10	12.00	479	1	0.02	6	250	40	<0.01	<2	2	103	<20
CC34534		<1	0.17	10	2.67	874	1	0.05	62	470	34	0.05	3	6	21	<20
CC34535		1	0.18	10	2.18	1010	2	0.03	37	330	36	0.04	2	4	16	<20
CC34536		<1	0.13	20	4.16	725	1	0.03	36	480	26	0.02	4	5	35	<20
CC34537		<1	0.11	10	1.68	1025	1	0.03	31	490	31	0.03	3	4	21	<20
CC34538		1	0.17	10	1.73	561	1	0.04	56	300	27	0.02	2	4	19	<20
CC34539		<1	0.13	10	1.60	317	1	0.03	43	320	22	0.02	2	4	18	<20
CC34540		<1	0.25	10	1.85	1320	1	0.03	68	440	21	0.03	<2	4	17	<20
CC34541		1	0.09	10	3.97	629	1	0.03	37	420	13	0.04	<2	4	17	<20
CC34542		<1	0.14	10	1.04	368	2	0.03	33	340	20	0.03	<2	3	17	<20
CC34543		1	0.11	10	1.61	615	1	0.03	47	540	14	0.05	2	4	20	<20
CC34544		<1	0.19	10	3.51	722	1	0.06	38	460	25	0.07	<2	4	46	<20
CC34545		<1	0.12	10	1.28	759	1	0.02	32	860	15	0.08	2	3	25	<20
CC34546		<1	0.11	10	1.73	828	1	0.02	23	210	18	0.01	<2	3	13	<20
CC34547		<1	0.07	10	1.49	828	1	0.04	29	1120	18	0.13	<2	2	42	<20
CC34548		<1	0.15	10	1.64	785	1	0.04	43	510	20	0.04	<2	4	23	<20
CC34549		<1	0.13	10	2.45	781	1	0.03	44	490	22	0.04	3	4	29	<20
CC34550		1	1.26	20	6.09	801	<1	0.10	61	330	14	0.04	<2	7	34	<20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC34511		0.03	<10	<10	49	30	120	<10	4	30
CC34512		0.05	<10	<10	131	40	202	<10	4	40
CC34513		0.03	<10	<10	136	<10	223	<10	7	10
CC34514		0.03	<10	<10	111	10	344	<10	7	10
CC34515		0.02	<10	<10	112	<10	228	<10	6	10
CC34516		0.03	<10	10	185	<10	324	<10	12	10
CC34517		0.03	<10	10	174	10	161	<10	12	10
CC34518		0.10	<10	20	383	10	1150	<10	28	20
CC34519		0.08	<10	10	365	20	215	<10	17	20
CC34520		0.07	<10	<10	272	<10	143	<10	9	10
CC34521		0.04	<10	10	238	10	232	NSS	NSS	NSS
CC34522		0.04	<10	10	200	60	574	<10	16	60
CC34523		0.04	<10	<10	52	10	237	<10	5	10
CC34524		0.04	<10	<10	49	<10	267	<10	7	10
CC34525		0.03	<10	<10	33	10	419	<10	7	10
CC34526		0.03	<10	<10	35	10	447	<10	6	10
CC34527		0.04	<10	10	53	10	222	<10	13	10
CC34528		0.05	<10	10	49	<10	307	<10	14	<10
CC34529		0.05	<10	<10	58	10	238	<10	9	10
CC34530		0.07	<10	<10	45	<10	110	<10	<4	<10
CC34531		0.07	<10	<10	53	<10	176	<10	6	<10
CC34532		0.04	<10	<10	25	<10	77	<10	4	<10
CC34533		0.01	<10	<10	10	<10	152	<10	<4	<10
CC34534		0.18	<10	<10	69	10	218	<10	6	10
CC34535		0.11	<10	<10	69	20	226	<10	4	20
CC34536		0.11	<10	<10	53	10	166	<10	<4	10
CC34537		0.08	<10	<10	59	<10	209	<10	<4	10
CC34538		0.15	<10	<10	70	10	232	<10	4	20
CC34539		0.15	<10	<10	72	10	120	<10	6	10
CC34540		0.18	<10	<10	67	20	120	<10	5	20
CC34541		0.18	<10	<10	73	<10	88	<10	7	10
CC34542		0.07	<10	<10	53	10	127	<10	7	10
CC34543		0.13	<10	<10	69	<10	95	<10	5	10
CC34544		0.13	<10	<10	58	10	177	<10	7	10
CC34545		0.06	<10	<10	51	<10	137	<10	8	10
CC34546		0.14	<10	<10	78	10	138	<10	4	10
CC34547		0.06	<10	<10	38	10	118	<10	5	10
CC34548		0.13	<10	<10	65	10	158	<10	4	10
CC34549		0.11	<10	<10	57	<10	246	<10	5	10
CC34550		0.25	<10	<10	69	10	107	<10	<4	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC34551		0.12	0.2	3.50	18	<10	160	1.1	4	0.98	1.6	16	60	23	4.09	10
CC34552		0.12	0.3	3.00	9	<10	320	1.0	4	1.71	0.5	15	57	22	3.55	10
CC34553		0.12	0.2	2.31	8	<10	230	1.0	3	1.29	0.7	13	46	30	3.23	10
CC34554		0.18	0.3	3.00	18	<10	240	1.4	3	0.81	<0.5	17	77	29	4.17	10
CC34555		0.20	0.4	2.91	16	<10	120	1.0	3	4.35	<0.5	12	53	26	3.02	10
CC34556		0.16	0.3	1.89	12	<10	120	0.7	2	9.17	0.5	12	42	56	2.75	<10
CC34557		0.18	0.3	2.51	16	10	190	0.8	2	2.41	0.6	12	43	34	3.12	10
CC34558		0.26	0.2	0.78	7	<10	100	<0.5	<2	18.4	<0.5	2	9	8	0.68	<10
CC34559		0.10	0.7	2.31	13	10	190	0.6	3	2.80	1.5	40	94	121	4.21	10
CC34560		0.06	0.3	0.75	8	10	100	1.0	2	5.00	0.7	6	14	163	1.37	<10
CC34561		0.14	0.3	2.62	17	<10	220	1.0	4	0.63	1.3	16	50	36	3.90	10
CC34562		0.18	0.5	2.31	28	<10	140	0.8	6	2.67	0.8	17	62	42	3.72	<10
CC34563		0.14	0.5	2.68	25	<10	170	1.0	8	0.98	<0.5	18	68	62	4.06	10
CC34564		0.14	0.3	2.44	27	<10	170	0.9	9	1.51	0.8	14	63	41	3.83	10
CC34565		0.16	0.3	2.48	23	<10	200	0.8	12	2.08	0.6	13	56	36	3.70	10
CC34566		0.20	0.5	1.45	21	<10	430	0.7	<2	2.03	1.2	8	27	25	2.66	<10
CC34567		0.12	0.5	1.63	17	10	450	0.7	<2	1.88	1.4	9	31	30	2.81	<10
CC34568		0.30	0.4	1.19	21	10	340	0.8	<2	4.10	1.3	6	21	29	2.23	<10
CC34569		0.28	0.6	0.79	15	<10	180	0.7	<2	8.91	0.9	4	14	14	1.48	<10
CC34570		0.20	0.8	1.16	23	10	250	0.8	<2	5.25	1.6	5	19	15	2.05	<10
CC34571		0.14	0.6	1.11	17	<10	280	0.5	<2	2.44	2.5	6	17	22	1.79	<10
CC34572		0.18	0.6	0.81	21	10	320	<0.5	<2	3.10	3.2	5	15	25	1.37	<10
CC34573		0.26	0.5	2.01	57	10	190	0.8	<2	3.20	0.8	9	31	20	2.76	<10
CC34574		0.14	0.5	2.37	51	<10	160	0.9	<2	1.40	1.8	12	45	23	3.09	10
CC34575		0.20	0.5	2.26	38	10	190	0.8	<2	2.35	0.7	10	34	17	2.95	<10
CC34576		0.26	0.3	2.60	40	<10	220	0.9	<2	0.78	0.6	14	51	21	3.64	10
CC34577		0.28	0.2	2.96	29	10	200	1.1	3	0.18	1.1	12	42	13	3.78	10
CC34578		0.18	0.3	2.39	33	<10	190	0.8	2	0.55	1.2	12	45	18	3.53	10
CC34579		0.22	0.4	2.60	20	<10	220	1.0	<2	0.63	1.2	14	42	16	3.47	10
CC34580		0.12	0.6	2.07	17	<10	190	0.9	<2	1.22	2.2	13	35	26	3.03	10
CC34581		0.26	0.3	2.43	21	<10	250	1.3	<2	0.91	0.8	15	45	29	3.35	10
CC34582		0.24	<0.2	1.21	21	<10	160	<0.5	9	0.15	<0.5	4	19	9	2.32	10
CC34583		0.22	<0.2	2.27	14	<10	210	14.1	6	0.48	1.8	17	34	29	3.95	10
CC34584		0.12	0.2	1.71	29	<10	250	1.2	<2	1.33	2.1	9	27	15	2.27	<10
CC34585		0.12	0.3	2.07	12	10	240	1.4	<2	1.06	3.2	13	31	17	2.63	10
CC34586		0.16	0.2	2.69	19	<10	240	1.1	2	0.58	2.0	14	53	19	3.51	10
CC34587		0.10	0.3	2.40	13	<10	240	1.1	<2	1.19	2.0	15	40	24	3.12	10
CC34588		0.14	<0.2	2.87	17	<10	230	0.7	<2	0.27	<0.5	13	47	12	3.53	10
CC34589		0.14	<0.2	3.60	13	<10	210	0.5	<2	0.40	0.7	11	49	8	3.12	10
CC34590		0.10	0.3	2.60	10	<10	220	1.3	<2	0.58	5.2	17	93	22	3.77	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC34551		1	0.12	10	2.54	935	1	0.04	46	310	25	0.03	<2	5	26	<20
CC34552		<1	0.14	10	2.40	830	1	0.05	43	680	20	0.07	<2	4	39	<20
CC34553		1	0.13	10	0.99	693	1	0.03	42	550	14	0.06	<2	4	28	<20
CC34554		<1	0.16	20	1.75	722	1	0.05	59	270	24	0.04	4	6	31	<20
CC34555		1	0.11	10	4.02	522	1	0.04	46	430	17	0.03	<2	4	54	<20
CC34556		<1	0.18	10	2.61	565	1	0.05	42	450	26	0.05	<2	3	125	<20
CC34557		1	0.11	10	1.79	660	1	0.07	41	460	19	0.07	<2	4	55	<20
CC34558		<1	0.14	<10	9.22	297	1	0.03	9	180	14	<0.01	<2	1	133	<20
CC34559		<1	0.15	10	1.71	656	1	0.06	121	800	82	0.20	<2	5	43	<20
CC34560		1	0.09	10	0.74	529	1	0.04	34	990	9	0.20	<2	1	59	<20
CC34561		<1	0.11	10	1.11	1460	1	0.03	47	270	27	0.02	<2	4	18	<20
CC34562		<1	0.13	10	2.52	1110	3	0.04	56	400	37	0.04	<2	4	29	<20
CC34563		<1	0.12	10	1.77	816	2	0.04	65	460	31	0.05	2	5	23	<20
CC34564		<1	0.11	10	1.67	940	1	0.04	48	490	27	0.07	<2	5	34	<20
CC34565		<1	0.13	10	2.29	841	1	0.04	46	540	27	0.06	<2	5	34	<20
CC34566		<1	0.12	10	1.38	478	4	0.03	32	950	33	0.07	2	3	34	<20
CC34567		<1	0.17	10	1.23	832	4	0.05	38	900	35	0.07	<2	4	35	<20
CC34568		<1	0.12	10	2.45	725	3	0.03	28	710	38	0.04	<2	3	36	<20
CC34569		<1	0.08	10	5.70	599	2	0.02	17	530	40	0.03	<2	2	50	<20
CC34570		<1	0.11	10	3.40	1110	3	0.03	21	640	38	0.06	<2	2	38	<20
CC34571		<1	0.08	10	0.70	829	4	0.03	21	910	18	0.13	<2	1	33	<20
CC34572		1	0.07	10	0.70	796	4	0.03	17	920	16	0.16	<2	1	31	<20
CC34573		1	0.12	10	3.04	748	1	0.03	28	590	34	0.05	<2	3	30	<20
CC34574		<1	0.12	10	1.97	747	1	0.04	40	510	30	0.05	<2	4	23	<20
CC34575		<1	0.13	10	2.39	825	1	0.03	28	540	34	0.04	3	4	27	<20
CC34576		1	0.12	20	1.85	641	1	0.04	41	360	28	0.02	2	5	21	<20
CC34577		<1	0.14	10	1.66	721	2	0.02	33	290	40	0.02	<2	4	14	<20
CC34578		1	0.12	10	1.68	580	2	0.03	38	420	28	0.03	<2	4	19	<20
CC34579		<1	0.12	10	1.64	1250	2	0.03	34	400	28	0.03	<2	3	19	<20
CC34580		1	0.10	10	0.95	1420	1	0.03	30	720	19	0.06	<2	3	25	<20
CC34581		<1	0.08	10	1.48	1460	1	0.02	39	500	28	0.04	<2	3	20	<20
CC34582		<1	0.08	10	0.25	300	2	0.02	11	280	20	0.02	<2	1	10	<20
CC34583		<1	0.19	10	0.73	984	2	0.06	25	490	18	0.03	<2	2	22	<20
CC34584		<1	0.09	10	1.02	1230	1	0.03	21	640	16	0.07	<2	2	26	<20
CC34585		1	0.11	10	1.20	2360	1	0.03	25	860	18	0.08	<2	2	22	<20
CC34586		<1	0.13	10	2.07	953	2	0.03	41	780	24	0.06	<2	3	18	<20
CC34587		1	0.10	10	1.64	1580	2	0.03	32	1050	21	0.08	<2	2	24	<20
CC34588		<1	0.15	10	1.92	936	1	0.03	30	400	26	0.02	<2	4	15	<20
CC34589		1	0.12	10	3.75	1040	1	0.02	20	420	13	0.07	<2	3	15	<20
CC34590		<1	0.12	10	1.68	1950	2	0.04	37	890	18	0.06	2	3	21	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-SEP-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC34551		0.17	<10	<10	65	10	195	<10	4	10
CC34552		0.12	<10	<10	56	<10	199	<10	6	<10
CC34553		0.08	<10	<10	54	<10	111	<10	<4	<10
CC34554		0.16	<10	<10	70	10	118	<10	5	10
CC34555		0.13	<10	<10	50	10	87	<10	<4	10
CC34556		0.09	<10	<10	37	30	134	<10	4	20
CC34557		0.10	<10	<10	48	10	142	<10	5	10
CC34558		0.02	<10	<10	11	10	79	<10	4	10
CC34559		0.12	<10	<10	56	<10	184	<10	<4	<10
CC34560		0.02	<10	<10	14	10	54	NSS	NSS	NSS
CC34561		0.10	<10	<10	74	10	278	<10	6	10
CC34562		0.10	<10	<10	57	20	182	<10	<4	20
CC34563		0.12	<10	<10	67	<10	186	<10	<4	10
CC34564		0.10	<10	<10	57	<10	162	<10	4	10
CC34565		0.11	<10	<10	57	10	158	<10	<4	10
CC34566		0.04	<10	<10	47	<10	254	<10	6	<10
CC34567		0.05	<10	<10	53	10	290	<10	6	10
CC34568		0.03	<10	<10	39	<10	350	<10	4	10
CC34569		0.02	<10	<10	24	10	363	<10	6	10
CC34570		0.03	<10	<10	31	10	416	<10	6	10
CC34571		0.02	<10	20	27	<10	144	<10	20	<10
CC34572		0.02	<10	20	21	<10	429	<10	24	<10
CC34573		0.06	<10	<10	47	<10	189	<10	<4	10
CC34574		0.09	<10	<10	55	<10	213	<10	4	<10
CC34575		0.06	<10	<10	54	<10	167	<10	5	10
CC34576		0.09	<10	<10	64	10	163	<10	4	10
CC34577		0.08	<10	<10	76	<10	252	<10	4	10
CC34578		0.08	<10	<10	60	10	203	<10	6	10
CC34579		0.08	<10	<10	67	20	182	<10	5	20
CC34580		0.06	<10	<10	53	<10	212	<10	6	<10
CC34581		0.08	<10	<10	60	10	243	<10	4	10
CC34582		0.06	<10	<10	67	10	98	<10	6	10
CC34583		0.11	<10	<10	64	30	158	<10	5	30
CC34584		0.05	<10	<10	43	<10	111	<10	4	10
CC34585		0.05	<10	<10	54	<10	118	<10	<4	10
CC34586		0.10	<10	<10	64	10	245	<10	<4	10
CC34587		0.07	<10	<10	58	10	170	<10	4	10
CC34588		0.09	<10	<10	78	<10	127	<10	4	10
CC34589		0.15	<10	<10	87	<10	285	<10	5	<10
CC34590		0.10	<10	<10	66	<10	184	<10	<4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
Sample Description LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC34591	0.08	<0.2	2.17	18	<10	220	0.9	3	1.42	0.9	11	43	21	2.73	10
CC34592	0.16	0.2	2.91	19	<10	190	0.9	2	1.25	1.7	14	49	21	3.19	10
CC34593	0.16	0.5	2.72	16	<10	210	1.2	3	1.11	1.8	13	47	23	3.12	10
CC34594	0.26	0.3	3.45	15	<10	140	1.1	<2	0.50	1.4	15	58	20	3.65	10
CC34595	0.14	0.2	2.97	17	<10	210	1.2	3	1.29	1.9	17	59	34	3.47	10
CC34596	0.10	0.3	1.91	13	<10	230	1.2	2	1.60	1.4	13	38	27	2.62	10
CC34597	0.16	<0.2	2.93	17	<10	180	1.2	11	0.67	1.7	19	61	24	4.00	10
CC34598	0.10	0.4	3.38	14	10	140	1.0	3	3.93	<0.5	11	38	24	2.78	10
CC34599	0.12	<0.2	2.41	10	<10	80	0.5	3	12.80	0.6	8	24	18	1.87	10
CC34600	0.20	0.3	1.88	16	<10	120	0.6	5	8.60	<0.5	8	27	27	2.04	<10
CC34601	0.10	0.2	1.21	11	10	130	<0.5	2	11.50	0.7	5	13	14	1.07	<10
CC34602	0.08	0.2	1.30	12	<10	120	<0.5	2	2.82	1.4	8	24	28	1.62	<10
CC34603	0.10	<0.2	1.63	12	10	150	<0.5	<2	2.94	0.9	17	50	75	2.38	10
CC34604	0.22	0.2	2.12	18	<10	230	0.8	5	1.41	1.1	14	51	36	3.20	<10
CC34605	0.20	2.0	2.52	63	<10	190	1.0	10	9.07	0.7	8	32	43	2.94	10
CC34606	0.12	0.3	2.26	18	<10	210	0.9	7	1.55	1.4	16	51	74	3.19	10
CC34607	0.16	0.4	2.61	22	<10	220	1.0	9	1.51	1.0	16	51	81	3.57	10
CC34608	0.14	0.2	1.94	23	<10	220	0.8	8	1.75	1.1	11	38	27	2.78	10
CC34609	0.18	0.4	1.10	9	<10	140	<0.5	<2	0.08	0.6	4	25	11	2.46	10
CC34610	0.08	0.5	1.22	13	<10	130	<0.5	<2	0.13	<0.5	5	26	13	2.33	<10
CC34611	0.12	0.3	1.37	13	<10	150	<0.5	2	0.09	0.8	5	28	13	2.44	<10
CC34612	0.20	<0.2	1.76	12	<10	210	0.6	2	0.17	<0.5	7	28	15	2.72	10
CC34613	0.22	0.8	2.34	6	<10	170	1.0	<2	0.23	<0.5	5	31	12	3.16	10
CC34614	0.22	0.3	0.74	9	<10	80	<0.5	2	0.06	<0.5	3	15	9	1.73	<10
CC34615	0.18	0.2	0.90	12	<10	120	<0.5	<2	0.10	<0.5	3	21	9	1.98	10
CC34616	0.12	0.2	1.27	10	<10	150	0.5	<2	0.13	<0.5	6	23	20	2.45	10
CC34617	0.12	0.6	0.90	9	<10	500	0.6	<2	0.81	1.3	5	20	18	2.10	<10
CC34618	0.16	0.2	1.02	9	<10	120	0.5	<2	0.13	0.5	4	21	20	2.36	<10
CC34619	0.18	<0.2	1.54	15	<10	280	0.7	<2	0.25	0.9	8	26	19	2.74	10
CC34620	0.20	0.3	1.52	17	<10	260	0.8	<2	0.27	0.6	9	26	26	2.91	<10
CC34621	0.08	0.6	0.53	7	<10	660	0.6	<2	2.39	7.6	3	6	20	0.70	<10
CC34622	0.20	0.3	1.33	27	<10	280	1.2	5	0.15	0.8	7	33	66	4.39	10
CC34623	0.08	0.6	1.60	13	<10	350	0.5	<2	0.17	1.1	7	25	21	2.58	10
CC34624	0.14	0.7	0.38	11	<10	170	<0.5	4	0.20	17.5	15	11	17	1.74	<10
CC34625	0.12	0.3	0.86	9	<10	240	<0.5	<2	0.34	4.8	9	16	17	1.97	<10
CC34626	0.26	0.4	1.08	15	<10	170	0.6	<2	0.15	1.2	6	22	25	2.38	<10
CC34627	0.26	0.3	0.86	12	<10	180	0.5	2	0.10	0.8	7	17	26	2.15	<10
CC34628	0.22	0.4	1.69	14	<10	230	0.8	2	0.25	1.5	8	31	26	2.69	10
CC34629	0.24	0.6	1.24	11	<10	240	0.6	2	1.00	1.7	7	23	24	2.26	<10
CC34630	0.12	0.5	1.28	13	<10	530	0.5	<2	1.31	1.3	6	27	25	2.04	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC34591		<1	0.13	10	1.58	498	2	0.05	31	720	24	0.09	4	3	26	<20
CC34592		<1	0.11	10	2.07	718	1	0.05	37	580	22	0.07	3	4	32	<20
CC34593		1	0.12	10	1.46	844	1	0.04	34	680	23	0.06	7	3	28	<20
CC34594		<1	0.17	10	2.63	772	2	0.05	37	310	26	0.03	4	4	19	<20
CC34595		<1	0.16	10	2.13	1025	1	0.06	49	620	21	0.06	5	4	34	<20
CC34596		<1	0.11	10	0.95	718	1	0.05	32	640	14	0.08	5	3	39	<20
CC34597		<1	0.14	10	1.79	1035	1	0.05	43	320	30	0.03	3	4	21	<20
CC34598		<1	0.12	10	3.31	719	1	0.07	29	460	18	0.09	2	3	67	<20
CC34599		<1	0.08	10	4.72	460	<1	0.05	18	390	16	0.05	3	2	140	<20
CC34600		<1	0.13	10	3.88	459	1	0.06	25	540	19	0.06	5	3	103	<20
CC34601		<1	0.13	10	6.96	401	1	0.05	8	500	18	0.09	6	2	88	<20
CC34602		<1	0.07	10	0.84	319	1	0.06	21	700	13	0.18	3	2	53	<20
CC34603		2	0.16	10	1.52	451	1	0.05	74	750	14	0.15	4	3	45	<20
CC34604		<1	0.12	10	1.18	692	1	0.05	46	600	26	0.07	5	4	29	<20
CC34605		1	0.10	10	6.52	971	1	0.05	18	410	18	0.04	13	3	75	<20
CC34606		<1	0.13	10	1.33	856	1	0.05	50	640	22	0.09	3	4	34	<20
CC34607		<1	0.13	10	1.54	951	1	0.05	56	500	24	0.07	5	4	36	<20
CC34608		<1	0.12	10	1.13	963	1	0.05	28	690	56	0.09	<2	3	33	<20
CC34609		<1	0.11	10	0.19	215	1	0.02	12	470	16	0.04	3	1	11	<20
CC34610		<1	0.09	10	0.27	239	1	0.03	19	440	18	0.03	4	1	12	<20
CC34611		<1	0.10	10	0.26	191	1	0.03	16	690	17	0.04	3	1	12	<20
CC34612		1	0.10	10	0.39	468	1	0.03	18	680	15	0.04	2	1	15	<20
CC34613		<1	0.07	<10	0.14	158	<1	0.02	27	610	8	0.05	3	2	10	<20
CC34614		<1	0.07	10	0.10	332	1	0.02	8	290	30	0.02	2	1	8	<20
CC34615		<1	0.08	10	0.17	112	1	0.02	10	370	24	0.03	2	1	10	<20
CC34616		<1	0.08	10	0.24	275	2	0.03	24	480	36	0.02	6	1	11	<20
CC34617		<1	0.09	10	0.25	328	2	0.04	23	840	20	0.08	<2	1	22	<20
CC34618		<1	0.09	10	0.16	294	3	0.02	18	620	26	0.03	4	1	9	<20
CC34619		<1	0.10	10	0.35	650	3	0.03	22	980	47	0.06	5	1	15	<20
CC34620		<1	0.09	10	0.39	586	4	0.03	32	800	51	0.04	7	2	15	<20
CC34621		1	0.05	10	0.33	581	1	0.05	10	1860	16	0.25	3	1	32	<20
CC34622		<1	0.09	10	0.33	764	11	0.03	46	730	103	0.04	23	1	13	<20
CC34623		<1	0.12	20	0.30	261	3	0.04	24	730	67	0.05	4	2	18	<20
CC34624		<1	0.09	10	0.09	3060	4	0.03	18	700	11	0.08	4	1	10	<20
CC34625		<1	0.11	10	0.14	1230	5	0.04	19	1420	28	0.14	5	2	18	<20
CC34626		<1	0.09	10	0.27	292	3	0.02	35	600	32	0.04	4	2	15	<20
CC34627		<1	0.08	10	0.16	261	3	0.02	36	450	43	0.07	5	2	14	<20
CC34628		<1	0.09	10	0.46	375	4	0.02	33	890	18	0.08	5	3	18	<20
CC34629		1	0.08	10	0.34	394	6	0.02	26	1130	12	0.14	4	2	18	<20
CC34630		<1	0.10	10	0.58	316	5	0.04	29	980	12	0.16	3	2	25	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC34591		0.07	<10	<10	46	<10	136	<10	4	10
CC34592		0.11	<10	<10	56	<10	224	<10	<4	<10
CC34593		0.09	<10	<10	55	10	144	<10	4	10
CC34594		0.15	<10	<10	67	10	321	<10	4	10
CC34595		0.12	<10	<10	57	<10	221	<10	5	10
CC34596		0.06	<10	<10	43	<10	112	<10	<4	10
CC34597		0.16	<10	<10	70	100	150	<10	<4	100
CC34598		0.12	<10	<10	43	10	115	<10	4	10
CC34599		0.08	<10	<10	30	10	105	<10	4	10
CC34600		0.07	<10	<10	33	10	98	<10	<4	10
CC34601		0.04	<10	<10	19	10	156	<10	4	10
CC34602		0.05	<10	<10	25	<10	177	<10	<4	<10
CC34603		0.09	<10	<10	37	<10	116	<10	4	10
CC34604		0.07	<10	<10	52	10	174	<10	5	<10
CC34605		0.06	<10	<10	42	10	109	<10	<4	10
CC34606		0.08	<10	<10	51	<10	167	<10	4	10
CC34607		0.09	<10	<10	58	<10	169	<10	<4	10
CC34608		0.06	<10	<10	45	10	154	<10	<4	10
CC34609		0.05	<10	<10	70	<10	82	<10	4	<10
CC34610		0.04	<10	<10	51	<10	86	<10	4	<10
CC34611		0.03	<10	<10	49	<10	86	<10	<4	<10
CC34612		0.03	<10	<10	56	<10	125	<10	5	<10
CC34613		0.06	<10	<10	56	<10	85	<10	<4	<10
CC34614		0.04	<10	<10	53	<10	48	<10	<4	<10
CC34615		0.04	<10	<10	54	<10	58	<10	<4	<10
CC34616		0.05	<10	<10	54	10	134	<10	4	10
CC34617		0.03	<10	<10	36	40	143	<10	<4	40
CC34618		0.04	<10	<10	49	10	109	<10	5	10
CC34619		0.03	<10	<10	65	10	154	<10	5	10
CC34620		0.03	<10	<10	63	20	194	<10	5	20
CC34621		0.01	<10	<10	12	<10	158	<10	<4	10
CC34622		0.04	<10	<10	106	150	401	<10	4	150
CC34623		0.04	<10	<10	58	10	114	<10	5	10
CC34624		0.02	<10	<10	49	70	154	<10	<4	70
CC34625		0.02	<10	<10	48	10	113	<10	<4	10
CC34626		0.03	<10	<10	62	50	162	<10	5	50
CC34627		0.03	<10	<10	45	20	156	<10	4	20
CC34628		0.04	<10	<10	104	<10	321	<10	7	10
CC34629		0.03	<10	<10	73	<10	200	<10	6	10
CC34630		0.03	<10	<10	136	<10	156	<10	4	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC34631		0.22	0.8	1.15	17	<10	300	0.7	2	0.50	1.7	6	25	44	2.52	<10
CC34632		0.18	0.8	1.56	17	<10	480	1.4	<2	1.03	2.6	5	32	36	2.45	10
CC34633		0.20	0.9	1.99	18	<10	1280	2.8	<2	0.76	5.0	7	35	53	3.34	10
CC34634		0.14	1.8	2.18	22	<10	250	1.2	7	1.43	7.5	7	35	133	3.89	10
CC34635		0.18	1.5	1.65	90	<10	440	0.6	<2	0.10	0.7	2	31	49	5.90	10
CC34636		0.30	1.5	1.86	196	<10	320	0.6	<2	0.08	0.9	1	39	102	12.75	10
CC34637		0.16	2.0	1.51	75	<10	160	0.6	<2	0.08	0.5	<1	27	63	6.38	10
CC34638		0.18	2.4	1.01	49	<10	240	<0.5	<2	0.11	0.8	2	26	28	3.56	10
CC34639		0.20	1.1	2.27	40	<10	160	1.3	2	0.67	12.3	7	31	76	4.50	10
CC34640		0.22	0.9	3.46	38	<10	210	1.9	2	0.24	5.4	14	34	75	4.66	10
CC34641		0.20	0.9	2.64	35	<10	200	1.5	2	0.44	3.1	10	33	49	3.88	10
CC34642		0.24	1.4	3.98	38	<10	240	2.5	<2	0.25	8.2	12	44	100	4.37	10
CC34643		0.18	0.6	1.63	28	<10	180	1.0	2	1.18	3.5	6	26	42	2.77	10
CC34644		0.14	0.5	1.40	20	<10	150	0.8	4	1.02	2.9	6	22	32	2.37	<10
CC34645		0.30	0.9	2.01	18	<10	350	1.3	9	0.85	10.7	20	32	108	3.80	<10
CC34646		0.12	0.3	2.06	21	<10	200	1.1	3	2.36	11.5	20	24	75	3.26	10
CC34647		0.10	0.2	0.22	3	<10	110	<0.5	2	2.75	9.5	2	3	19	0.34	<10
CC34648		0.12	0.4	1.26	13	<10	160	0.5	<2	3.11	3.7	7	24	25	1.85	<10
CC34649		0.16	0.3	0.84	11	<10	130	<0.5	<2	2.75	1.5	4	14	19	1.12	<10
CC34650		0.10	<0.2	0.77	7	<10	150	<0.5	2	4.03	1.7	4	12	15	0.86	<10
CC34651		0.06	0.2	0.72	4	<10	100	<0.5	2	2.46	1.4	4	10	11	0.83	<10
CC34652		0.18	1.3	1.47	22	<10	160	0.9	4	1.32	3.7	5	26	60	2.79	<10
CC34653		0.14	0.4	0.55	10	<10	90	<0.5	2	2.30	2.5	2	8	21	0.93	<10
CC34654		0.12	0.4	1.04	24	<10	120	0.5	3	0.78	2.0	5	22	26	2.41	<10
CC34655		0.20	0.6	2.02	24	<10	180	1.1	2	1.20	2.1	9	31	44	2.89	10
CC34656		0.26	0.9	5.75	33	<10	190	2.7	2	0.41	27.9	13	26	143	7.48	10
CC34657		0.16	2.9	1.68	22	<10	230	2.0	43	2.12	6.6	14	25	150	3.51	10
CC34658		0.20	0.4	2.89	22	<10	70	0.8	2	0.12	0.7	7	26	112	5.28	10
CC34659		0.22	0.7	0.37	16	<10	160	<0.5	2	19.9	1.4	4	4	12	0.66	<10
CC34660		0.16	0.7	1.87	12	<10	230	0.8	<2	2.13	1.7	7	32	37	2.41	<10
CC34661		0.12	0.2	0.79	9	<10	110	<0.5	<2	2.81	7.7	5	13	17	1.20	<10
CC34662		0.22	0.7	1.52	16	<10	160	0.6	<2	8.58	1.9	6	26	29	1.96	<10
CC34663		0.16	0.2	1.08	14	<10	250	0.5	<2	4.92	1.6	5	18	17	1.44	<10
CC34664		0.12	0.3	2.76	20	<10	350	1.3	<2	2.33	1.3	11	44	19	2.89	10
CC34665		0.24	<0.2	1.46	13	<10	130	0.5	<2	0.15	0.5	7	25	10	2.25	<10
CC34666		0.16	0.2	1.46	11	<10	110	0.5	<2	0.10	<0.5	3	24	8	2.29	10
CC34667		0.18	0.2	1.17	13	<10	110	<0.5	<2	0.07	<0.5	5	27	14	2.87	10
CC34668		0.16	0.2	1.14	14	<10	120	<0.5	<2	0.07	<0.5	4	25	11	2.44	<10
CC34669		0.22	<0.2	0.59	11	<10	70	<0.5	<2	0.06	<0.5	2	19	9	2.18	<10
CC34670		0.14	<0.2	0.94	9	<10	120	<0.5	2	0.09	<0.5	4	21	9	1.82	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC34631		<1	0.10	10	0.47	246	10	0.04	44	790	15	0.08	4	3	25	<20
CC34632		<1	0.12	10	0.49	285	8	0.08	44	900	12	0.13	7	2	39	<20
CC34633		<1	0.16	10	0.42	224	11	0.07	66	1060	15	0.17	3	3	45	<20
CC34634		1	0.14	10	1.00	468	21	0.05	105	2130	18	0.30	4	2	42	<20
CC34635		<1	0.46	20	0.40	174	34	0.05	26	2560	20	0.75	9	2	71	<20
CC34636		<1	0.73	30	0.61	121	69	0.06	27	2980	24	1.18	11	4	94	<20
CC34637		<1	0.23	10	0.21	112	22	0.05	15	5320	10	0.59	8	<1	72	<20
CC34638		<1	0.29	10	0.25	148	17	0.04	16	2300	14	0.46	5	<1	34	<20
CC34639		<1	0.20	10	0.72	266	22	0.04	135	1730	20	0.34	7	2	48	<20
CC34640		<1	0.16	10	0.69	400	24	0.03	138	1670	31	0.37	6	3	36	<20
CC34641		<1	0.12	10	0.68	367	17	0.03	112	1600	21	0.24	4	2	32	<20
CC34642		<1	0.15	10	0.39	366	40	0.02	202	1790	29	0.20	6	3	37	<20
CC34643		<1	0.12	10	0.68	301	13	0.04	55	1370	16	0.26	6	2	34	<20
CC34644		2	0.11	10	0.65	382	11	0.03	48	1340	22	0.22	6	1	25	<20
CC34645		<1	0.19	20	0.91	575	8	0.05	168	1120	59	0.07	6	4	38	<20
CC34646		<1	0.10	10	0.80	285	7	0.04	224	1590	17	0.25	3	2	29	<20
CC34647		<1	0.05	<10	0.36	165	1	0.02	14	1180	5	0.29	2	<1	20	<20
CC34648		<1	0.08	10	1.41	461	4	0.04	34	1300	19	0.17	3	1	27	<20
CC34649		<1	0.05	10	0.60	516	2	0.03	18	1450	12	0.23	3	1	21	<20
CC34650		<1	0.05	10	1.42	634	2	0.02	13	1680	10	0.24	2	<1	20	<20
CC34651		<1	0.05	10	0.51	714	2	0.02	6	1570	10	0.24	<2	<1	16	<20
CC34652		<1	0.12	10	0.89	377	10	0.03	69	1530	18	0.22	7	1	31	<20
CC34653		<1	0.05	10	0.39	275	3	0.03	19	1310	7	0.29	3	1	23	<20
CC34654		1	0.15	10	0.57	252	10	0.04	39	1240	16	0.24	4	1	28	<20
CC34655		<1	0.09	10	1.01	453	9	0.03	70	1300	31	0.19	4	2	27	<20
CC34656		1	0.23	10	0.50	233	66	0.04	212	2230	34	0.45	4	3	87	<20
CC34657		<1	0.12	30	1.85	1065	6	0.04	202	1430	93	0.15	9	2	25	<20
CC34658		<1	0.10	10	0.39	166	19	0.02	88	1110	20	0.23	4	2	13	<20
CC34659		<1	0.05	<10	12.05	760	2	0.02	10	230	50	<0.01	7	1	92	<20
CC34660		<1	0.10	20	1.33	384	3	0.04	51	1490	25	0.17	4	2	24	<20
CC34661		<1	0.05	10	0.71	475	2	0.03	17	1200	21	0.22	6	1	21	<20
CC34662		<1	0.07	20	5.64	429	3	0.04	39	1320	39	0.10	4	1	44	<20
CC34663		<1	0.06	10	2.32	544	2	0.03	23	1330	16	0.21	2	1	29	<20
CC34664		<1	0.11	40	1.89	1125	4	0.03	35	2150	34	0.17	6	2	23	<20
CC34665		<1	0.05	10	0.27	304	1	0.01	22	520	17	0.03	3	1	10	<20
CC34666		<1	0.06	10	0.17	166	2	0.01	12	370	16	0.03	2	1	8	<20
CC34667		<1	0.09	10	0.21	272	2	0.02	16	520	18	0.05	4	1	11	<20
CC34668		<1	0.06	10	0.19	142	1	0.01	17	460	15	0.04	4	1	9	<20
CC34669		<1	0.04	10	0.11	83	1	0.01	12	280	11	0.03	3	1	6	<20
CC34670		<1	0.06	10	0.17	258	1	0.02	12	550	23	0.04	2	1	10	<20

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC34631		0.06	<10	<10	127	10	237	<10	7	10
CC34632		0.05	<10	<10	114	20	318	<10	5	20
CC34633		0.06	<10	<10	144	10	514	<10	8	10
CC34634		0.05	<10	10	220	10	697	<10	15	20
CC34635		0.06	<10	<10	181	<10	86	NSS	NSS	NSS
CC34636		0.16	10	<10	203	10	164	<10	10	10
CC34637		0.01	<10	10	135	<10	82	<10	13	<10
CC34638		0.02	<10	<10	146	<10	78	NSS	NSS	NSS
CC34639		0.05	<10	10	340	20	847	<10	13	20
CC34640		0.05	<10	10	244	30	408	<10	20	30
CC34641		0.05	<10	10	265	20	399	<10	17	20
CC34642		0.05	<10	20	989	10	1300	<10	28	10
CC34643		0.04	<10	10	171	20	229	<10	9	20
CC34644		0.03	<10	10	113	20	190	<10	7	10
CC34645		0.07	<10	<10	87	10	755	<10	9	20
CC34646		0.03	<10	10	155	10	1190	<10	13	10
CC34647		0.01	<10	<10	9	<10	215	<10	<4	<10
CC34648		0.02	<10	<10	79	<10	350	<10	5	<10
CC34649		0.01	<10	<10	38	<10	149	<10	<4	<10
CC34650		0.01	<10	10	32	<10	138	<10	4	<10
CC34651		0.01	<10	<10	22	<10	101	<10	<4	<10
CC34652		0.04	<10	<10	150	50	226	<10	9	50
CC34653		0.02	<10	<10	40	<10	83	<10	<4	<10
CC34654		0.03	<10	<10	119	30	155	<10	5	30
CC34655		0.04	<10	<10	157	10	212	<10	8	10
CC34656		0.06	<10	40	157	10	2000	<10	49	10
CC34657		0.04	<10	10	88	30	845	<10	11	30
CC34658		0.05	<10	30	84	<10	219	<10	37	<10
CC34659		0.01	<10	<10	13	10	254	<10	<4	<10
CC34660		0.03	<10	10	115	<10	266	<10	9	<10
CC34661		0.02	<10	<10	41	<10	336	<10	4	<10
CC34662		0.02	<10	<10	96	<10	283	<10	7	<10
CC34663		0.02	<10	<10	48	<10	195	<10	5	<10
CC34664		0.02	<10	<10	115	<10	231	<10	5	<10
CC34665		0.03	<10	<10	42	<10	123	<10	<4	<10
CC34666		0.05	<10	<10	60	<10	65	<10	<4	<10
CC34667		0.04	<10	<10	59	<10	112	<10	5	<10
CC34668		0.02	<10	<10	52	<10	113	<10	<4	<10
CC34669		0.05	<10	<10	54	<10	74	<10	<4	<10
CC34670		0.03	<10	<10	44	<10	86	<10	<4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC34671		0.22	0.2	0.95	10	<10	120	<0.5	<2	0.09	<0.5	3	19	11	1.70	<10
CC34672		0.14	<0.2	0.64	10	<10	100	<0.5	<2	0.06	<0.5	2	15	7	1.86	10
CC34673		0.34	0.5	1.28	11	<10	240	0.7	<2	0.27	0.9	7	23	26	2.35	<10
CC34674		0.14	<0.2	1.38	14	<10	170	<0.5	<2	0.13	0.5	4	25	14	2.42	10
CC34675		0.28	0.4	1.76	19	<10	310	0.9	<2	0.31	0.7	8	29	19	3.00	10
CC34676		0.24	0.5	1.66	12	<10	620	1.1	2	0.50	1.2	9	28	29	2.96	10
CC34677		0.18	0.2	0.83	19	<10	470	0.9	3	0.39	6.3	6	24	35	3.08	<10
CC34678		0.22	0.4	1.24	7	<10	250	0.5	<2	0.62	1.0	6	22	20	2.17	<10
CC34679		0.12	0.2	1.40	12	<10	200	0.6	<2	0.17	0.8	8	25	21	2.51	<10
CC34680		0.14	0.5	1.56	15	<10	270	0.5	<2	0.42	1.9	5	29	17	2.56	10
CC34681		0.14	0.8	1.51	13	<10	140	<0.5	<2	0.09	0.5	6	29	20	3.11	10
CC34682		0.16	0.3	1.10	14	<10	240	<0.5	<2	0.16	1.5	5	22	17	2.30	<10
CC34683		0.14	0.3	1.32	11	<10	220	0.5	3	0.19	0.9	7	26	19	2.50	<10
CC34684		0.22	0.6	0.98	11	<10	190	<0.5	2	0.22	0.8	4	19	14	1.83	<10
CC34685		0.18	0.5	1.38	14	<10	290	0.6	<2	0.90	1.5	8	25	24	2.42	<10
CC34686		0.08	0.6	1.56	13	<10	360	0.7	<2	0.74	1.2	7	29	29	2.60	<10
CC34687		0.10	0.7	1.39	17	<10	560	1.7	3	1.10	3.0	5	28	29	2.34	10
CC34688		0.16	0.6	1.60	14	<10	540	1.0	3	0.50	1.3	5	35	35	2.62	10
CC34689		0.24	0.4	1.28	9	<10	340	0.9	<2	6.73	1.4	4	19	21	1.85	<10
CC34690		0.16	0.7	1.63	16	<10	360	1.6	<2	0.91	4.3	6	36	36	2.89	<10
CC34691		0.20	0.2	1.08	6	<10	320	0.8	<2	13.05	1.8	3	19	23	1.69	<10
CC34692		0.24	0.5	2.41	27	<10	400	0.9	<2	0.14	0.7	12	35	79	5.46	10
CC34693		0.24	0.4	1.96	34	<10	220	1.3	5	0.17	1.1	6	42	134	8.67	10
CC34694		0.22	0.9	3.93	63	<10	290	1.4	4	0.11	0.6	7	33	89	8.00	10
CC34695		0.16	0.5	2.96	25	<10	170	1.6	2	0.12	2.2	7	27	74	4.40	10
CC34696		0.10	2.5	1.98	47	<10	230	0.6	<2	0.10	0.8	2	25	52	4.46	10
CC34697		0.14	1.6	3.98	28	<10	110	4.5	<2	0.44	13.4	38	28	141	5.14	<10
CC34698		0.10	0.8	1.20	11	<10	90	0.8	<2	1.57	13.0	6	15	50	1.59	<10
CC34699		0.26	1.2	2.80	35	<10	170	1.2	<2	0.26	3.3	8	48	122	6.89	10
CC34700		0.18	0.7	2.69	27	<10	200	1.8	<2	0.28	5.0	13	33	85	3.71	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
CC34671		1	0.06	10	0.17	129	1	0.01	13	520	18	0.03	2	1	10	<20
CC34672		<1	0.07	10	0.07	118	1	0.01	8	260	11	0.02	3	1	7	<20
CC34673		<1	0.08	10	0.31	458	1	0.02	29	710	34	0.02	4	3	19	<20
CC34674		<1	0.09	10	0.31	147	2	0.03	16	580	21	0.05	3	1	13	<20
CC34675		<1	0.09	10	0.45	523	3	0.02	24	1000	53	0.06	9	2	15	<20
CC34676		<1	0.09	10	0.41	924	4	0.03	26	1310	59	0.08	7	2	19	<20
CC34677		<1	0.07	10	0.29	1210	7	0.02	35	870	66	0.08	13	1	12	<20
CC34678		<1	0.10	10	0.27	300	3	0.03	25	780	26	0.06	2	2	18	<20
CC34679		<1	0.11	10	0.25	423	3	0.02	29	960	23	0.07	4	1	13	<20
CC34680		<1	0.12	10	0.35	213	3	0.03	28	1230	27	0.09	3	2	18	<20
CC34681		1	0.11	10	0.29	345	2	0.02	23	950	30	0.08	5	1	12	<20
CC34682		<1	0.12	10	0.20	305	3	0.02	24	760	46	0.08	4	1	16	<20
CC34683		<1	0.13	10	0.33	323	4	0.03	25	930	18	0.09	5	2	17	<20
CC34684		<1	0.07	10	0.22	205	3	0.02	20	690	13	0.07	3	1	12	<20
CC34685		<1	0.09	10	0.42	405	4	0.03	27	960	12	0.10	3	2	21	<20
CC34686		<1	0.14	10	0.43	349	4	0.04	30	1020	15	0.10	3	2	23	<20
CC34687		1	0.09	10	0.43	371	6	0.04	33	1210	10	0.16	4	2	31	<20
CC34688		1	0.11	10	0.50	243	7	0.04	42	800	12	0.09	5	3	27	<20
CC34689		1	0.06	<10	0.25	175	3	0.05	28	550	7	0.07	2	1	76	<20
CC34690		<1	0.13	10	0.42	301	4	0.06	51	1090	11	0.14	5	3	36	<20
CC34691		<1	0.10	<10	0.20	158	2	0.07	29	660	6	0.28	4	1	182	<20
CC34692		<1	0.18	10	0.37	242	8	0.10	72	1240	11	0.58	6	3	38	<20
CC34693		<1	0.47	40	0.36	213	82	0.05	46	2260	13	0.99	5	3	52	<20
CC34694		<1	0.35	10	0.44	176	44	0.06	69	1840	23	0.94	8	4	85	<20
CC34695		<1	0.16	10	0.37	239	28	0.03	80	1340	21	0.27	5	2	30	<20
CC34696		<1	0.24	10	0.29	111	26	0.04	24	2060	18	0.49	5	1	46	<20
CC34697		<1	0.09	10	0.27	454	19	0.02	208	1380	36	0.21	8	3	25	<20
CC34698		5	0.09	10	0.14	201	6	0.04	53	1550	14	0.28	4	1	49	<20
CC34699		2	0.19	10	0.44	266	46	0.02	150	2030	80	0.36	3	4	33	<20
CC34700		<1	0.11	20	0.73	385	15	0.02	151	1330	28	0.11	5	3	27	<20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-SEP-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07083236

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	10	4	10
CC34671		0.03	<10	<10	41	<10	78	<10	<4	<10
CC34672		0.08	<10	<10	84	<10	43	<10	4	<10
CC34673		0.04	<10	<10	42	10	156	<10	<4	10
CC34674		0.03	<10	<10	56	<10	76	<10	4	10
CC34675		0.03	<10	<10	66	10	185	<10	<4	20
CC34676		0.03	<10	<10	68	40	261	<10	4	40
CC34677		0.02	<10	<10	60	170	296	<10	4	160
CC34678		0.03	<10	<10	56	10	123	<10	<4	10
CC34679		0.03	<10	<10	66	10	127	<10	4	10
CC34680		0.03	<10	<10	80	10	129	<10	<4	10
CC34681		0.03	<10	<10	73	<10	124	<10	6	10
CC34682		0.03	<10	<10	62	10	127	<10	5	10
CC34683		0.03	<10	<10	91	<10	196	<10	5	10
CC34684		0.02	<10	<10	64	10	114	<10	<4	10
CC34685		0.03	<10	<10	75	<10	197	<10	6	10
CC34686		0.03	<10	<10	89	<10	179	<10	6	<10
CC34687		0.03	<10	<10	115	<10	224	<10	6	10
CC34688		0.06	<10	<10	132	10	187	<10	6	10
CC34689		0.03	<10	<10	56	<10	165	<10	5	10
CC34690		0.04	<10	<10	93	<10	360	<10	5	<10
CC34691		0.02	<10	<10	40	<10	209	<10	<4	<10
CC34692		0.06	<10	<10	97	10	231	<10	8	10
CC34693		0.07	<10	10	184	10	182	<10	19	10
CC34694		0.08	<10	10	189	20	189	<10	20	20
CC34695		0.06	<10	10	165	10	447	<10	15	10
CC34696		0.03	<10	10	108	<10	97	<10	12	10
CC34697		0.03	<10	20	246	10	1150	<10	22	10
CC34698		0.01	<10	<10	86	<10	473	<10	6	<10
CC34699		0.05	<10	20	863	<10	995	<10	28	<10
CC34700		0.05	<10	10	187	10	815	<10	20	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized [illegible] 20-AUG-2007
Account: RCM

CERTIFICATE VA07078646

Project: RAU

P.O. No.:

This report is for 212 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24241		0.16	0.990	<10	<4	10	0.2	2.25	11	<10	320	0.7	2	0.39	<0.5	9
CC24242		0.26	0.001	<10	7	10	0.4	3.13	18	10	290	1.4	<2	0.30	0.9	12
CC24243		0.20	0.014	<10	7	30	0.2	2.50	29	<10	320	0.9	2	0.21	1.4	15
CC24244		0.24	0.002	<10	7	10	0.5	2.10	13	<10	240	0.7	<2	0.45	0.5	9
CC24245		0.20	0.007	<10	8	10	0.4	2.28	15	<10	270	0.8	<2	0.49	<0.5	9
CC24246		0.16	0.002	NSS	NSS	NSS	0.8	1.91	22	10	370	0.9	3	1.34	1.1	10
CC24247		0.40	0.007	<10	10	20	0.4	2.04	31	10	240	1.3	5	3.24	0.5	10
CC24248		0.32	0.008	<10	7	10	3.8	1.17	18	<10	190	1.1	<2	8.32	<0.5	5
CC24249		0.12	0.010	<10	9	20	0.9	1.41	19	10	310	1.2	5	6.82	1.3	6
CC24250		0.22	0.005	NSS	NSS	NSS	1.2	1.82	29	10	410	1.3	5	2.19	2.1	10
CC24251		0.06	0.023	<10	8	10	0.5	0.89	15	<10	320	0.5	2	2.68	3.0	5
CC24252		0.12	0.005	<10	8	<10	0.4	1.14	16	<10	240	0.5	4	1.48	1.2	7
CC24253		0.12	0.004	<10	12	<10	0.4	1.28	8	<10	360	0.6	<2	1.97	<0.5	7
CC24254		0.16	0.006	<10	7	10	0.4	1.12	10	<10	270	0.6	2	1.26	1.0	6
CC24255		0.10	0.008	<10	8	10	0.3	1.34	8	<10	360	0.7	3	1.79	0.6	8
CC24256		0.12	0.003	NSS	NSS	NSS	0.4	1.21	16	<10	280	0.6	2	1.28	1.0	7
CC24257		0.20	0.002	<10	5	10	0.4	1.04	12	<10	260	0.6	3	2.98	0.9	6
CC24258		0.18	0.003	<10	8	10	0.3	1.26	11	<10	280	0.5	3	1.08	0.8	7
CC24259		0.24	0.007	<10	21	10	0.6	1.46	13	<10	360	0.8	2	1.19	0.6	8
CC24260		0.20	0.034	<10	12	20	0.3	1.52	25	<10	250	0.7	<2	0.67	<0.5	9
CC24261		0.18	0.003	<10	21	10	0.4	1.58	19	<10	310	0.7	3	1.18	<0.5	10
CC24262		0.32	0.007	<10	7	20	0.2	2.68	30	<10	260	1.0	5	0.75	<0.5	11
CC24263		0.10	0.005	<10	10	30	1.2	1.22	24	<10	300	1.0	3	6.16	2.6	7
CC24264		0.24	0.003	<10	10	10	0.4	2.34	16	<10	300	0.8	2	0.79	<0.5	10
CC24265		0.16	<0.001	<10	9	20	1.3	2.81	23	10	310	1.3	7	0.53	1.0	12
CC24266		0.18	0.001	<10	10	10	0.3	3.69	16	<10	230	0.9	3	0.53	<0.5	9
CC24267		0.30	0.002	<10	11	10	0.4	2.14	21	<10	270	0.7	<2	0.62	<0.5	8
CC24268		0.28	0.004	<10	8	10	0.6	2.48	32	<10	250	1.0	3	0.50	<0.5	9
CC24269		0.18	0.001	<10	8	10	0.9	2.13	23	<10	290	1.0	3	1.08	2.5	11
CC24270		0.10	0.007	<10	5	10	0.4	1.80	23	<10	280	0.8	2	0.94	0.6	9
CC24271		0.18	0.004	<10	5	10	0.5	1.64	37	<10	120	0.7	3	6.35	<0.5	6
CC24272		0.22	0.002	<10	8	10	0.2	3.91	26	<10	180	1.2	2	0.64	<0.5	13
CC24273		0.12	0.002	NSS	NSS	NSS	0.2	2.86	35	<10	170	1.1	3	0.49	<0.5	8
CC24274		0.16	0.002	<10	6	10	0.2	1.69	12	<10	200	0.5	<2	0.21	<0.5	5
CC24275		0.22	0.001	<10	7	10	0.2	3.30	14	<10	150	1.0	3	0.40	<0.5	11
CC24276		0.12	0.002	<10	7	10	<0.2	2.01	17	<10	250	0.6	3	0.35	<0.5	10
CC24277		0.20	0.003	<10	6	<10	0.2	4.49	6	<10	190	0.9	5	0.45	<0.5	8
CC24278		0.14	0.003	<10	5	10	<0.2	2.39	22	<10	170	0.8	3	0.22	<0.5	9
CC24279		0.18	0.003	<10	6	10	0.2	2.94	21	<10	130	1.6	<2	0.37	<0.5	13
CC24280		0.12	<0.001	NSS	NSS	NSS	0.3	2.51	18	<10	170	1.3	3	0.83	0.6	11

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24241		33	33	3.15	10	<1	0.13	10	0.65	557	3	0.02	19	180	15	0.09
CC24242		39	16	3.95	10	1	0.20	20	1.66	1310	2	0.01	27	350	35	0.01
CC24243		39	18	4.12	10	<1	0.15	10	0.88	2300	3	0.03	21	360	54	0.03
CC24244		33	11	3.00	10	<1	0.10	10	0.87	763	1	0.02	19	320	22	0.03
CC24245		35	12	3.36	10	<1	0.16	10	0.68	652	1	0.03	19	380	18	0.04
CC24246		29	17	2.95	<10	<1	0.12	10	1.04	1370	4	0.02	22	640	26	0.11
CC24247		29	26	2.89	10	<1	0.16	10	2.96	1060	3	0.03	27	500	49	0.09
CC24248		16	18	1.75	<10	1	0.11	10	5.35	510	1	0.02	9	470	29	0.07
CC24249		19	17	2.21	<10	1	0.16	10	4.47	985	3	0.03	11	590	41	0.08
CC24250		29	33	3.39	<10	1	0.14	10	1.46	3450	4	0.03	29	780	78	0.10
CC24251		13	22	1.43	<10	<1	0.08	10	0.62	695	2	0.03	15	960	11	0.15
CC24252		19	20	1.93	<10	<1	0.09	10	0.62	483	3	0.02	18	760	20	0.10
CC24253		24	23	2.15	<10	<1	0.10	10	0.60	403	1	0.02	28	900	20	0.12
CC24254		20	19	1.98	<10	<1	0.10	10	0.54	389	1	0.02	22	720	26	0.08
CC24255		24	24	2.31	<10	<1	0.12	10	1.02	559	2	0.03	28	810	31	0.08
CC24256		22	21	2.21	<10	<1	0.11	10	0.65	533	2	0.02	26	680	31	0.08
CC24257		18	22	1.87	<10	<1	0.09	10	1.81	524	1	0.02	23	750	35	0.06
CC24258		22	17	2.10	<10	<1	0.09	10	0.69	451	2	0.03	19	640	25	0.09
CC24259		25	25	2.48	<10	<1	0.09	10	0.69	609	2	0.02	23	820	26	0.10
CC24260		30	19	2.63	<10	<1	0.10	10	0.92	538	2	0.02	26	500	25	0.05
CC24261		27	23	2.52	<10	<1	0.09	10	0.78	522	2	0.02	23	640	21	0.07
CC24262		48	28	3.51	10	<1	0.14	10	1.94	566	2	0.03	41	370	24	0.04
CC24263		17	22	2.40	<10	<1	0.13	10	4.01	2200	4	0.03	14	700	67	0.07
CC24264		35	17	3.18	10	<1	0.12	20	1.56	1020	2	0.03	24	490	26	0.04
CC24265		35	18	4.43	10	1	0.14	20	1.43	3420	3	0.02	25	650	56	0.05
CC24266		47	13	3.31	10	1	0.12	10	3.79	745	1	0.02	21	440	27	0.04
CC24267		32	13	3.11	<10	<1	0.09	10	0.79	657	2	0.02	18	480	25	0.04
CC24268		38	18	3.90	10	<1	0.15	20	1.25	1330	1	0.02	29	510	38	0.04
CC24269		31	24	4.22	10	<1	0.11	10	0.75	3570	2	0.02	20	880	62	0.07
CC24270		29	21	2.74	<10	<1	0.13	20	0.86	1090	1	0.03	28	670	22	0.05
CC24271		21	15	1.92	<10	<1	0.10	10	4.65	584	1	0.03	17	560	22	0.07
CC24272		45	15	3.29	10	1	0.11	10	2.58	542	1	0.02	36	650	27	0.06
CC24273		48	11	3.39	10	<1	0.12	10	1.62	259	1	0.04	31	570	31	0.05
CC24274		26	10	2.20	10	<1	0.11	10	0.54	164	2	0.02	14	670	16	0.05
CC24275		44	16	3.26	10	1	0.10	10	3.04	698	1	0.02	21	540	19	0.04
CC24276		32	10	2.92	10	<1	0.12	10	1.06	934	4	0.02	15	600	25	0.04
CC24277		54	8	2.86	10	<1	0.22	10	4.30	294	1	0.03	21	460	13	0.04
CC24278		36	15	3.33	10	1	0.13	10	1.12	350	2	0.02	30	360	23	0.03
CC24279		44	21	4.11	10	<1	0.14	10	1.91	813	3	0.02	38	420	40	0.03
CC24280		39	17	3.01	10	<1	0.11	10	1.72	825	2	0.03	26	760	32	0.07

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24241		<2	4	21	<20	0.06	<10	<10	73	<10	117
CC24242		<2	4	14	<20	0.05	<10	<10	68	<10	238
CC24243		4	4	17	<20	0.07	<10	<10	77	20	364
CC24244		<2	3	16	<20	0.05	<10	<10	60	10	234
CC24245		<2	4	19	<20	0.06	<10	<10	70	10	196
CC24246		3	3	24	<20	0.04	<10	10	48	<10	319
CC24247		<2	4	31	<20	0.05	<10	<10	46	10	255
CC24248		2	2	52	<20	0.03	<10	<10	23	10	819
CC24249		4	2	47	<20	0.03	<10	10	32	20	574
CC24250		3	3	29	<20	0.04	<10	<10	46	10	658
CC24251		<2	1	37	<20	0.02	<10	10	23	<10	144
CC24252		<2	2	26	<20	0.03	<10	<10	33	<10	157
CC24253		<2	2	32	<20	0.02	<10	10	39	<10	198
CC24254		2	2	22	<20	0.02	<10	<10	33	<10	217
CC24255		2	3	31	<20	0.03	<10	<10	40	<10	268
CC24256		<2	2	23	<20	0.03	<10	<10	37	<10	289
CC24257		5	2	33	<20	0.02	<10	<10	32	<10	249
CC24258		<2	2	23	<20	0.03	<10	<10	36	<10	180
CC24259		<2	2	23	<20	0.03	<10	20	42	10	145
CC24260		<2	3	18	<20	0.05	<10	10	47	10	194
CC24261		<2	2	24	<20	0.04	<10	20	45	<10	139
CC24262		3	5	21	<20	0.09	<10	<10	65	10	149
CC24263		8	2	46	<20	0.03	<10	<10	30	20	479
CC24264		<2	4	22	<20	0.07	<10	<10	56	<10	175
CC24265		<2	4	18	<20	0.06	<10	<10	68	20	411
CC24266		4	4	17	<20	0.11	<10	<10	71	<10	173
CC24267		<2	3	18	<20	0.04	<10	10	61	<10	196
CC24268		2	4	19	<20	0.06	<10	<10	62	10	329
CC24269		3	3	21	<20	0.04	<10	<10	55	10	404
CC24270		<2	4	27	<20	0.05	<10	<10	46	<10	202
CC24271		<2	2	48	<20	0.04	<10	<10	28	10	122
CC24272		<2	3	20	<20	0.08	<10	<10	59	10	174
CC24273		<2	2	20	<20	0.08	<10	<10	68	<10	114
CC24274		<2	1	15	<20	0.03	<10	<10	56	<10	75
CC24275		<2	3	14	<20	0.09	<10	<10	60	<10	129
CC24276		<2	2	15	<20	0.06	<10	<10	68	<10	90
CC24277		3	3	17	<20	0.17	<10	<10	71	<10	76
CC24278		<2	4	15	<20	0.06	<10	<10	53	10	117
CC24279		3	3	12	<20	0.08	<10	<10	58	10	161
CC24280		<2	3	20	<20	0.07	<10	<10	51	<10	197

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24281		0.12	0.006	<10	6	10	0.2	3.51	22	<10	160	1.1	3	0.50	<0.5	13
CC24282		0.12	0.003	<10	6	10	0.3	2.33	14	<10	180	0.9	<2	0.90	1.5	11
CC24283		0.14	<0.001	<10	4	10	0.2	2.55	12	<10	180	1.0	2	0.49	<0.5	12
CC24284		0.16	0.002	<10	6	10	0.2	2.90	10	<10	210	0.8	2	0.49	<0.5	11
CC24285		0.14	0.001	<10	6	10	<0.2	1.82	11	<10	180	0.5	<2	0.18	<0.5	7
CC24286		0.12	0.003	<10	5	20	0.2	2.43	19	<10	180	1.1	2	1.27	<0.5	12
CC24287		0.12	0.003	NSS	NSS	NSS	<0.2	2.72	49	<10	170	1.6	3	0.77	0.5	10
CC24288		0.12	0.003	<10	4	10	0.3	1.16	4	<10	80	<0.5	<2	13.55	<0.5	5
CC24289		0.06	0.012	<10	<4	<10	<0.2	0.27	6	<10	90	<0.5	2	1.74	0.9	2
CC24290		0.24	0.003	<10	5	10	0.2	1.14	8	<10	170	0.5	2	9.58	<0.5	6
CC24291		0.22	0.003	<10	6	10	<0.2	1.35	9	<10	180	0.6	<2	9.82	<0.5	5
CC24292		0.20	0.001	<10	4	<10	<0.2	1.93	6	<10	60	<0.5	<2	12.15	<0.5	7
CC24293		0.14	0.001	<10	5	<10	0.2	2.69	11	<10	70	0.6	<2	9.58	<0.5	7
CC24294		0.10	0.003	<10	5	20	0.2	3.08	44	<10	130	1.2	6	2.08	2.1	27
CC24295		0.06	0.078	<10	4	<10	<0.2	0.47	2	<10	40	<0.5	2	4.05	0.8	5
CC24296		0.10	0.010	<10	5	10	0.4	2.46	13	<10	250	0.9	5	1.34	0.6	14
CC24297		0.12	0.033	<10	5	10	0.5	2.32	11	<10	170	0.7	4	1.69	<0.5	15
CC24298		0.16	0.004	<10	5	10	0.2	2.06	13	<10	140	0.6	7	1.71	0.5	18
CC24299		0.18	0.003	<10	7	10	0.5	1.23	19	<10	350	0.6	2	2.96	0.6	8
CC24300		0.12	0.003	<10	9	10	0.5	1.62	15	10	500	0.7	3	1.26	1.0	9
CC24301		0.20	0.003	<10	10	10	0.3	1.65	12	<10	380	0.7	4	0.88	<0.5	9
CC24302		0.12	0.003	<10	19	10	0.5	1.55	27	<10	290	0.9	5	1.15	<0.5	8
CC24303		0.24	0.005	<10	7	20	0.8	1.28	25	<10	290	1.1	6	6.94	1.3	7
CC24304		0.18	0.003	<10	10	20	0.9	1.14	21	<10	250	0.8	3	6.91	1.0	5
CC24305		0.22	0.011	<10	14	10	1.0	2.01	31	10	300	1.1	4	3.18	0.6	9
CC24306		0.10	0.006	<10	11	10	0.5	2.18	29	<10	310	0.8	<2	1.14	<0.5	11
CC24307		0.18	0.003	<10	4	<10	0.2	1.47	4	<10	70	<0.5	<2	17.5	<0.5	2
CC24308		0.22	0.004	<10	10	10	0.4	2.67	23	<10	300	1.1	3	0.62	0.6	11
CC24309		0.24	0.006	<10	13	30	0.6	2.76	34	<10	310	1.3	6	0.67	<0.5	10
CC24310		0.18	0.006	<10	7	10	0.4	1.83	53	10	150	1.2	3	7.28	<0.5	8
CC24311		0.18	0.003	<10	15	20	8.3	3.57	60	40	470	3.0	4	0.92	1.4	13
CC24312		0.22	0.007	<10	6	10	0.5	2.55	17	<10	240	1.4	4	0.85	<0.5	13
CC24313		0.18	0.031	<10	8	20	1.9	2.69	84	<10	190	1.5	7	0.59	0.5	15
CC24314		0.12	0.003	10	14	10	0.2	0.91	12	<10	110	0.6	2	0.18	<0.5	3
CC24315		0.18	0.221	<10	7	20	0.2	3.77	194	10	280	2.2	16	0.64	<0.5	16
CC24316		0.18	0.002	<10	6	10	<0.2	2.31	16	<10	230	0.9	3	0.27	<0.5	10
CC24317		0.16	0.002	<10	7	10	0.2	2.85	19	<10	280	0.9	2	0.56	<0.5	13
CC24318		0.16	0.001	<10	7	20	0.4	3.23	65	<10	200	1.7	2	0.43	<0.5	15
CC24319		0.16	0.001	<10	6	10	0.2	2.74	19	<10	210	1.1	3	0.45	1.8	16
CC24320		0.22	0.002	<10	7	10	0.2	2.75	16	<10	220	1.1	2	0.55	1.3	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24281		54	15	3.42	10	<1	0.10	10	3.05	691	2	0.02	29	380	26	0.03
CC24282		40	19	2.99	10	<1	0.12	10	1.48	964	2	0.02	25	510	28	0.05
CC24283		44	17	3.30	10	<1	0.12	10	1.67	586	2	0.02	29	530	21	0.04
CC24284		45	14	3.40	10	<1	0.12	10	1.73	580	1	0.03	33	320	26	0.02
CC24285		27	9	2.91	10	<1	0.09	10	0.64	231	2	0.01	16	200	15	0.02
CC24286		43	22	3.33	10	<1	0.14	10	1.86	786	2	0.04	37	430	25	0.03
CC24287		39	14	3.37	10	<1	0.12	20	1.97	929	2	0.03	24	560	48	0.05
CC24288		15	14	1.25	<10	<1	0.11	10	6.58	327	1	0.03	10	380	17	0.04
CC24289		3	6	0.38	<10	<1	0.06	10	0.24	122	1	0.02	4	600	5	0.15
CC24290		16	12	1.48	<10	<1	0.09	10	6.41	418	<1	0.03	10	470	20	0.03
CC24291		17	24	1.66	<10	<1	0.15	10	6.67	554	2	0.03	18	540	16	0.08
CC24292		22	12	1.61	<10	<1	0.07	10	7.71	391	1	0.02	11	370	12	0.04
CC24293		29	20	2.07	10	<1	0.10	10	4.62	554	<1	0.04	22	540	22	0.09
CC24294		59	94	4.47	10	<1	0.13	10	2.27	840	1	0.04	64	520	27	0.06
CC24295		6	112	0.64	<10	<1	0.04	10	0.42	154	<1	0.02	20	660	4	0.18
CC24296		42	26	3.09	10	<1	0.10	10	1.61	1330	<1	0.03	29	520	19	0.05
CC24297		62	32	3.33	10	<1	0.10	10	1.54	590	<1	0.03	50	610	22	0.07
CC24298		65	45	3.19	10	<1	0.08	10	1.43	586	<1	0.02	64	490	26	0.08
CC24299		22	24	2.21	<10	<1	0.11	10	1.98	563	2	0.03	27	770	34	0.05
CC24300		30	30	2.76	<10	<1	0.15	10	0.72	580	3	0.03	33	950	32	0.07
CC24301		29	27	2.69	<10	<1	0.15	10	0.68	545	1	0.03	26	720	27	0.05
CC24302		27	30	2.71	<10	<1	0.12	10	0.74	502	3	0.02	22	680	30	0.08
CC24303		18	30	2.43	<10	1	0.14	10	4.48	1290	4	0.02	23	660	79	0.05
CC24304		17	18	1.90	<10	<1	0.12	10	4.43	1010	2	0.02	15	610	40	0.06
CC24305		31	33	3.13	<10	<1	0.19	10	2.61	1290	5	0.03	24	730	43	0.06
CC24306		36	22	3.15	10	<1	0.13	10	1.49	848	2	0.03	28	590	34	0.05
CC24307		12	4	0.82	<10	<1	0.11	10	11.25	160	<1	0.02	<1	160	26	<0.01
CC24308		38	18	3.39	10	<1	0.12	20	1.88	1010	1	0.02	25	440	39	0.03
CC24309		34	18	3.56	10	2	0.17	20	1.55	1620	3	0.04	25	470	42	0.04
CC24310		25	19	2.61	<10	<1	0.13	10	5.30	1520	1	0.03	15	580	25	0.05
CC24311		48	37	4.60	10	<1	0.60	20	2.62	3690	4	0.06	32	560	102	0.06
CC24312		45	16	3.56	10	<1	0.13	20	1.38	818	2	0.03	36	490	28	0.04
CC24313		48	38	3.97	10	<1	0.19	20	1.49	1510	1	0.03	35	400	68	0.04
CC24314		12	9	1.65	10	<1	0.08	10	0.11	176	1	0.02	5	410	18	0.04
CC24315		80	21	4.73	10	<1	0.23	20	1.95	1270	2	0.06	46	420	53	0.04
CC24316		35	14	3.33	10	<1	0.14	10	0.92	460	1	0.02	23	240	17	0.02
CC24317		41	18	3.22	10	<1	0.14	20	1.61	710	1	0.02	28	630	22	0.04
CC24318		56	20	3.99	10	<1	0.19	20	2.31	612	1	0.03	40	430	29	0.03
CC24319		53	19	3.50	10	<1	0.15	10	1.93	1550	2	0.03	32	720	28	0.05
CC24320		44	20	3.14	10	<1	0.13	20	1.82	828	1	0.02	32	790	22	0.05

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24281		<2	4	16	<20	0.13	<10	<10	62	10	159
CC24282		2	3	22	<20	0.08	<10	<10	58	10	164
CC24283		<2	3	16	<20	0.08	<10	<10	60	<10	170
CC24284		<2	3	20	<20	0.10	<10	<10	62	10	147
CC24285		2	2	13	<20	0.07	<10	<10	65	10	89
CC24286		<2	4	28	<20	0.09	<10	<10	54	10	136
CC24287		4	4	20	<20	0.07	<10	<10	58	10	197
CC24288		<2	2	110	<20	0.04	<10	<10	20	10	74
CC24289		<2	<1	21	<20	0.01	<10	<10	6	<10	118
CC24290		2	2	64	<20	0.04	<10	<10	26	<10	104
CC24291		<2	3	73	<20	0.05	<10	<10	30	10	116
CC24292		4	2	96	<20	0.08	<10	<10	26	10	56
CC24293		5	3	111	<20	0.09	<10	<10	36	<10	270
CC24294		3	5	52	<20	0.12	<10	<10	56	10	2120
CC24295		<2	<1	39	<20	0.02	<10	<10	8	<10	50
CC24296		<2	3	29	<20	0.08	<10	<10	52	<10	177
CC24297		4	4	35	<20	0.10	<10	<10	53	<10	163
CC24298		<2	4	31	<20	0.11	<10	<10	50	<10	190
CC24299		3	2	35	<20	0.03	<10	<10	39	<10	227
CC24300		2	3	30	<20	0.03	<10	<10	47	<10	257
CC24301		2	3	25	<20	0.04	<10	<10	55	10	186
CC24302		<2	3	22	<20	0.03	<10	10	45	10	288
CC24303		<2	2	44	<20	0.02	<10	<10	34	10	722
CC24304		3	2	46	<20	0.03	<10	<10	28	10	465
CC24305		<2	3	36	<20	0.05	<10	10	48	10	313
CC24306		<2	3	24	<20	0.06	<10	<10	54	<10	199
CC24307		5	2	107	<20	0.05	<10	<10	14	<10	36
CC24308		<2	4	21	<20	0.07	<10	<10	61	10	260
CC24309		4	5	24	<20	0.06	<10	<10	61	20	222
CC24310		2	3	33	<20	0.05	<10	<10	38	10	201
CC24311		8	6	20	<20	0.09	10	<10	66	10	626
CC24312		2	4	19	<20	0.08	<10	<10	61	10	150
CC24313		5	5	19	<20	0.09	<10	<10	66	10	308
CC24314		<2	1	10	<20	0.03	<10	<10	48	10	56
CC24315		<2	6	22	<20	0.16	<10	<10	85	10	266
CC24316		<2	3	17	<20	0.07	<10	<10	67	10	105
CC24317		2	4	22	<20	0.08	<10	<10	70	<10	117
CC24318		<2	5	19	<20	0.12	<10	<10	69	10	154
CC24319		<2	3	18	<20	0.10	<10	<10	65	<10	243
CC24320		<2	3	20	<20	0.08	<10	<10	57	10	204

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC24321		0.20	<0.001	<10	6	10	0.3	2.74	10	<10	230	1.0	4	0.49	<0.5	17
CC24322		0.22	0.001	<10	7	20	0.3	3.27	11	10	240	1.6	3	0.38	<0.5	12
CC24323		0.18	0.002	<10	6	10	0.3	3.15	15	<10	250	1.3	2	0.56	0.6	14
CC24324		0.16	<0.001	<10	6	10	0.3	2.53	8	<10	250	0.8	4	0.98	<0.5	13
CC24325		0.14	<0.001	<10	6	<10	0.3	3.00	5	<10	250	0.9	<2	1.39	1.5	11
CC24326		0.22	<0.001	<10	7	10	<0.2	2.63	14	<10	220	0.6	2	0.35	<0.5	13
CC24327		0.18	0.002	<10	5	20	0.2	2.27	16	10	230	0.9	<2	9.73	0.6	8
CC24328		0.14	<0.001	<10	6	10	<0.2	2.88	11	<10	240	0.8	<2	0.88	0.7	19
CC24329		0.16	<0.001	<10	7	10	<0.2	2.68	9	<10	220	1.1	2	0.70	<0.5	15
CC24330		0.20	0.001	<10	6	20	<0.2	3.86	20	<10	170	1.6	9	0.49	<0.5	21
CC24331		0.26	<0.001	<10	4	<10	<0.2	1.66	2	<10	80	<0.5	<2	16.4	<0.5	3
CC24332		0.24	<0.001	<10	4	10	<0.2	2.58	3	<10	120	0.8	<2	11.55	<0.5	5
CC24333		0.24	0.002	<10	5	10	<0.2	1.69	11	<10	180	0.6	<2	11.50	<0.5	5
CC24334		0.14	0.002	<10	5	10	<0.2	1.85	17	<10	200	0.7	3	3.81	<0.5	11
CC24335		0.20	0.005	<10	5	130	<0.2	3.26	104	<10	200	2.8	27	4.60	0.9	38
CC24336		0.14	0.001	<10	6	10	0.3	2.54	20	<10	210	0.8	4	3.30	<0.5	11
CC24337		0.10	0.001	<10	6	10	0.4	2.05	18	<10	140	0.8	4	1.89	0.5	12
CC24338		0.18	0.002	<10	7	10	0.3	2.43	15	<10	270	1.1	6	0.72	<0.5	13
CC24339		0.16	0.003	<10	5	10	<0.2	2.33	15	<10	200	0.8	7	1.35	<0.5	18
CC24340		0.08	0.001	<10	6	10	0.4	2.16	18	<10	220	0.7	9	1.86	0.5	18
CC24341		0.14	0.040	<10	6	20	0.4	2.37	18	<10	210	1.1	9	1.78	<0.5	13
CC24342		0.18	<0.001	<10	5	<10	0.2	0.86	12	<10	100	<0.5	<2	0.10	<0.5	3
CC24343		0.20	<0.001	<10	6	<10	<0.2	0.72	4	<10	120	<0.5	<2	0.10	<0.5	3
CC24344		0.16	<0.001	<10	6	<10	0.4	0.99	3	<10	150	0.5	<2	1.96	1.2	5
CC24345		0.16	<0.001	<10	7	<10	0.3	1.19	2	<10	140	1.2	2	1.13	0.9	6
CC24346		0.14	<0.001	<10	5	<10	0.2	0.66	5	<10	100	<0.5	<2	0.27	<0.5	4
CC24347		0.16	0.001	<10	5	20	0.6	1.12	10	<10	140	0.6	<2	0.15	<0.5	5
CC24348		0.10	<0.001	<10	6	10	0.2	1.66	10	<10	300	0.6	<2	0.45	1.0	8
CC24349		0.24	0.001	<10	7	70	0.2	1.55	10	<10	250	0.7	2	0.17	<0.5	6
CC24350		0.28	<0.001	<10	5	50	0.2	0.87	14	<10	230	<0.5	<2	0.20	<0.5	5
CC24351		0.14	<0.001	<10	5	10	<0.2	1.15	3	<10	120	<0.5	2	0.08	<0.5	6
CC24352		0.14	<0.001	<10	6	10	<0.2	1.29	10	<10	240	0.5	<2	0.46	0.6	7
CC24353		0.14	0.003	<10	6	30	<0.2	1.16	14	<10	270	0.5	2	0.20	<0.5	5
CC24354		0.20	<0.001	<10	5	10	<0.2	1.47	11	<10	120	<0.5	<2	0.07	<0.5	4
CC24355		0.16	0.017	<10	6	10	<0.2	1.27	12	<10	180	<0.5	<2	0.11	<0.5	6
CC24356		0.14	<0.001	<10	6	<10	<0.2	1.43	12	<10	300	0.6	<2	0.34	<0.5	11
CC24357		0.22	0.002	<10	7	10	<0.2	0.78	13	<10	140	0.5	2	0.11	<0.5	8
CC24358		0.12	0.002	<10	5	<10	<0.2	0.39	8	<10	120	<0.5	<2	0.75	<0.5	2
CC24359		0.16	<0.001	<10	6	10	<0.2	1.71	8	<10	350	0.7	2	0.34	<0.5	8
CC24360		0.26	0.001	<10	6	10	<0.2	1.75	13	<10	240	0.6	3	0.37	1.1	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24321		60	14	3.52	10	<1	0.16	10	1.59	799	1	0.03	26	370	20	0.03
CC24322		44	12	3.57	10	<1	0.25	10	2.70	526	2	0.03	25	310	23	0.02
CC24323		50	19	3.56	10	<1	0.20	20	2.29	797	2	0.03	28	580	26	0.04
CC24324		44	18	3.25	10	<1	0.15	10	1.42	753	1	0.04	29	600	19	0.06
CC24325		40	20	3.05	10	<1	0.12	20	2.28	1370	1	0.05	26	630	13	0.06
CC24326		48	12	3.90	10	1	0.17	10	1.44	494	1	0.04	26	220	19	0.02
CC24327		41	16	2.42	10	<1	0.18	10	6.72	559	1	0.07	29	550	21	0.05
CC24328		82	12	4.10	10	1	0.19	10	1.77	972	1	0.06	60	360	18	0.03
CC24329		46	15	3.55	10	<1	0.15	10	1.18	668	1	0.05	29	310	21	0.03
CC24330		72	24	4.39	10	1	0.20	10	3.46	487	1	0.05	55	230	28	0.02
CC24331		17	8	1.19	<10	<1	0.19	10	8.65	278	<1	0.04	12	210	8	<0.01
CC24332		28	14	1.93	10	<1	0.14	10	6.04	342	<1	0.05	20	320	8	0.04
CC24333		21	20	1.80	<10	1	0.18	10	6.65	401	1	0.06	19	460	15	0.03
CC24334		38	40	2.84	10	<1	0.18	10	2.03	527	1	0.06	35	600	41	0.09
CC24335		84	218	6.05	10	<1	0.58	20	2.37	736	2	0.09	108	510	29	0.06
CC24336		48	39	2.99	10	<1	0.12	10	1.63	532	1	0.04	40	560	26	0.13
CC24337		52	28	3.10	10	<1	0.16	20	1.78	661	1	0.04	44	380	24	0.05
CC24338		54	26	3.56	10	<1	0.12	10	1.09	599	<1	0.03	34	540	26	0.04
CC24339		63	42	3.63	10	<1	0.11	10	1.54	740	<1	0.03	55	560	24	0.06
CC24340		52	113	3.25	10	<1	0.11	10	1.42	685	1	0.04	57	620	19	0.09
CC24341		46	49	3.25	10	<1	0.10	10	1.35	1090	<1	0.03	38	560	25	0.08
CC24342		18	10	2.14	10	<1	0.05	10	0.15	195	1	0.01	11	340	10	0.03
CC24343		20	7	1.73	<10	<1	0.05	<10	0.19	367	1	0.01	9	420	10	0.03
CC24344		19	13	1.56	<10	<1	0.04	10	0.16	704	<1	0.02	15	1050	9	0.14
CC24345		20	13	1.91	<10	<1	0.06	10	0.29	683	<1	0.02	18	1510	18	0.11
CC24346		15	5	2.02	<10	<1	0.05	10	0.08	351	1	0.01	10	710	26	0.04
CC24347		22	24	2.49	<10	<1	0.09	10	0.29	367	2	0.01	23	950	40	0.07
CC24348		27	17	2.79	10	<1	0.12	10	0.42	898	2	0.02	21	1080	23	0.09
CC24349		25	15	2.81	10	<1	0.07	10	0.39	442	3	0.01	26	440	29	0.03
CC24350		21	16	2.96	10	<1	0.06	10	0.18	706	5	0.01	19	510	24	0.04
CC24351		22	13	2.12	<10	<1	0.08	10	0.27	287	3	<0.01	16	660	22	0.03
CC24352		24	18	2.27	<10	<1	0.09	10	0.40	299	4	<0.01	23	630	28	0.02
CC24353		25	18	2.55	<10	<1	0.09	10	0.27	282	5	<0.01	26	670	30	0.02
CC24354		24	14	2.72	10	<1	0.08	10	0.23	266	3	<0.01	16	500	33	0.01
CC24355		25	20	2.90	<10	<1	0.15	10	0.27	331	3	<0.01	22	600	15	0.04
CC24356		25	26	2.67	<10	1	0.17	20	0.31	403	3	<0.01	34	700	16	0.05
CC24357		17	28	2.47	<10	<1	0.06	10	0.13	227	4	<0.01	41	390	19	0.02
CC24358		9	11	1.27	<10	1	0.06	10	0.05	69	2	<0.01	8	540	2	0.07
CC24359		33	21	2.66	10	<1	0.11	10	0.54	395	3	<0.01	30	1000	16	0.05
CC24360		31	25	3.16	10	<1	0.10	10	0.56	521	3	0.04	35	950	17	0.08

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24321		<2	4	18	<20	0.12	<10	<10	75	10	161
CC24322		<2	3	17	<20	0.11	<10	<10	70	20	142
CC24323		4	4	22	<20	0.10	<10	<10	67	<10	215
CC24324		<2	4	28	<20	0.08	<10	<10	56	<10	127
CC24325		3	3	34	<20	0.09	<10	<10	60	<10	116
CC24326		2	3	18	<20	0.13	<10	<10	88	<10	235
CC24327		<2	3	76	<20	0.10	<10	<10	37	10	167
CC24328		<2	5	23	<20	0.23	<10	<10	84	<10	142
CC24329		<2	4	22	<20	0.10	<10	<10	75	10	149
CC24330		2	4	16	<20	0.18	<10	<10	78	10	129
CC24331		<2	2	158	<20	0.06	<10	<10	20	<10	44
CC24332		<2	3	115	<20	0.10	<10	<10	33	<10	64
CC24333		<2	3	94	<20	0.07	<10	<10	33	10	87
CC24334		2	3	56	<20	0.08	<10	<10	44	<10	316
CC24335		<2	7	90	<20	0.24	<10	<10	63	100	351
CC24336		4	4	61	<20	0.09	<10	<10	48	10	301
CC24337		3	4	31	<20	0.09	<10	<10	52	10	125
CC24338		<2	4	26	<20	0.08	<10	<10	62	<10	112
CC24339		3	4	31	<20	0.10	<10	<10	56	10	153
CC24340		<2	4	36	<20	0.08	<10	<10	49	<10	142
CC24341		<2	4	33	<20	0.08	<10	<10	51	10	145
CC24342		<2	1	8	<20	0.05	<10	<10	52	<10	54
CC24343		<2	1	6	<20	0.02	<10	<10	39	<10	65
CC24344		<2	1	30	<20	0.02	<10	<10	29	<10	165
CC24345		<2	1	24	<20	0.02	<10	<10	34	<10	145
CC24346		<2	1	9	<20	0.04	<10	<10	54	<10	65
CC24347		2	<1	10	<20	0.02	<10	<10	45	10	138
CC24348		<2	1	18	<20	0.03	<10	<10	57	<10	149
CC24349		<2	2	12	<20	0.04	<10	<10	64	70	191
CC24350		<2	1	9	<20	0.04	<10	<10	81	30	138
CC24351		<2	1	9	<20	0.02	<10	<10	51	<10	76
CC24352		5	2	15	<20	0.03	<10	<10	54	10	132
CC24353		3	1	13	<20	0.03	<10	<10	74	30	156
CC24354		<2	1	8	<20	0.04	<10	<10	68	<10	82
CC24355		<2	1	15	<20	0.04	<10	<10	64	<10	94
CC24356		3	2	20	<20	0.03	<10	<10	55	<10	117
CC24357		2	2	9	<20	0.03	<10	<10	46	<10	146
CC24358		<2	1	13	<20	0.03	<10	<10	42	<10	45
CC24359		<2	2	19	<20	0.04	<10	<10	108	<10	148
CC24360		<2	1	16	<20	0.03	<10	<10	92	10	194

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC24361		0.16	0.007	<10	10	30	0.3	1.71	12	<10	250	0.9	10	1.44	1.6	9
CC24362		0.16	<0.001	<10	6	10	<0.2	1.56	7	<10	170	0.6	5	1.29	1.6	10
CC24363		0.20	0.006	<10	13	30	0.6	2.36	13	<10	280	1.3	14	1.45	3.3	11
CC24364		0.16	<0.001	<10	7	10	0.3	0.99	7	<10	120	0.5	5	0.66	2.0	4
CC24365		0.18	0.003	<10	10	10	0.3	1.11	5	<10	200	0.8	9	2.62	1.9	5
CC24366		0.22	0.004	<10	6	170	<0.2	0.94	11	<10	190	1.5	10	0.67	0.9	6
CC24367		0.14	0.003	<10	6	30	<0.2	0.82	4	<10	180	0.8	7	2.06	0.7	6
CC24368		0.16	<0.001	<10	5	10	0.3	0.55	<2	<10	160	<0.5	<2	2.27	1.1	3
CC24369		0.14	0.007	<10	7	10	0.4	1.38	10	<10	200	1.1	11	1.64	1.1	8
CC24370		0.14	0.055	<10	12	50	0.3	1.69	17	<10	210	2.3	77	1.70	1.1	16
CC24371		0.14	NSS	<10	19	10	0.2	0.44	<2	<10	90	<0.5	6	3.46	0.6	2
CC24372		0.12	0.057	<10	11	50	7.2	1.00	13	<10	210	2.4	76	2.54	2.1	9
CC24373		0.24	0.054	<10	12	80	5.9	1.94	39	<10	300	3.4	82	1.42	8.0	19
CC24374		0.22	0.008	<10	6	60	1.3	0.93	13	<10	140	0.9	9	8.04	2.0	6
CC24375		0.18	0.005	<10	11	30	2.8	1.62	14	<10	200	1.3	11	1.08	3.5	12
CC24376		0.12	<0.001	<10	9	20	2.0	1.51	15	<10	200	1.2	6	1.64	4.7	10
CC24377		0.14	0.004	<10	10	20	0.7	1.78	15	<10	220	1.6	5	1.41	8.3	10
CC24378		0.16	0.003	<10	10	30	0.8	2.05	16	<10	250	1.5	7	0.82	7.1	14
CC24379		0.20	<0.001	<10	4	10	0.4	0.28	7	<10	140	<0.5	4	20.0	0.8	2
CC24380		0.24	0.003	<10	8	60	0.7	1.42	20	<10	420	1.2	5	11.40	4.4	7
CC24381		0.18	0.004	<10	5	10	1.2	0.80	12	<10	230	0.6	4	17.1	2.1	4
CC24382		0.10	0.001	<10	5	<10	0.7	0.96	9	<10	160	<0.5	<2	3.24	6.0	4
CC24383		0.18	<0.001	<10	4	<10	<0.2	0.28	3	<10	70	<0.5	<2	20.7	0.5	2
CC24384		0.16	0.002	<10	7	20	1.8	2.06	21	<10	410	1.3	6	7.24	2.8	8
CC24385		0.26	0.001	<10	6	<10	<0.2	1.32	13	<10	120	<0.5	<2	0.16	<0.5	4
CC24386		0.22	<0.001	<10	5	<10	<0.2	1.17	9	<10	130	<0.5	<2	0.13	<0.5	5
CC24387		0.16	<0.001	<10	4	<10	<0.2	0.40	7	<10	60	<0.5	<2	0.08	<0.5	1
CC24388		0.08	0.002	<10	7	<10	0.3	1.10	6	<10	110	<0.5	<2	2.34	1.7	3
CC24389		0.22	<0.001	<10	6	<10	<0.2	1.17	13	<10	150	<0.5	<2	0.22	<0.5	5
CC24390		0.18	0.001	<10	5	<10	0.2	0.73	11	<10	110	<0.5	<2	0.12	<0.5	2
CC24391		0.16	0.001	<10	6	10	0.4	0.92	12	<10	120	<0.5	<2	0.10	<0.5	3
CC24392		0.20	0.002	<10	7	10	0.2	1.79	13	<10	280	0.5	<2	0.22	0.5	7
CC24393		0.24	0.002	<10	6	10	<0.2	1.47	16	<10	230	0.7	2	0.20	<0.5	7
CC24394		0.20	0.003	<10	6	20	0.3	1.55	13	<10	280	0.6	2	0.21	<0.5	5
CC24395		0.12	0.001	<10	7	30	0.8	1.41	19	<10	320	0.9	3	0.28	2.0	10
CC24396		0.18	0.001	<10	5	30	0.4	1.19	11	<10	360	0.7	2	0.17	2.1	17
CC24397		0.14	0.001	<10	5	20	0.2	0.70	14	<10	120	<0.5	2	0.09	<0.5	3
CC24398		0.22	<0.001	<10	6	<10	0.3	1.48	15	<10	270	0.5	2	0.16	<0.5	6
CC24399		0.12	<0.001	<10	6	10	0.2	1.11	12	<10	180	<0.5	<2	0.15	1.0	7
CC24400		0.12	0.001	<10	6	10	0.4	1.53	14	<10	260	0.7	2	0.43	1.0	9

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24361		29	40	2.69	<10	<1	0.13	20	0.77	716	5	0.05	40	1520	16	0.14
CC24362		25	16	2.44	<10	<1	0.09	20	0.78	1080	2	0.04	22	2120	18	0.19
CC24363		40	70	3.79	10	<1	0.16	30	1.72	1330	8	0.05	99	2000	23	0.16
CC24364		19	15	1.94	<10	<1	0.08	10	0.44	369	5	0.04	41	1690	13	0.21
CC24365		18	35	1.93	<10	<1	0.09	10	0.84	774	3	0.05	46	1540	19	0.21
CC24366		21	21	1.94	<10	<1	0.08	20	0.75	577	3	0.04	29	780	15	0.05
CC24367		12	17	1.59	<10	<1	0.07	10	0.44	939	2	0.05	15	1500	12	0.22
CC24368		8	12	0.92	<10	<1	0.05	10	0.42	913	1	0.04	12	1610	9	0.26
CC24369		23	43	2.33	<10	<1	0.10	20	0.96	1150	2	0.05	47	1300	20	0.19
CC24370		23	236	5.30	10	<1	0.17	20	2.09	1280	8	0.05	219	1080	33	0.15
CC24371		5	115	0.65	<10	<1	0.04	10	0.47	284	2	0.04	23	1180	6	0.27
CC24372		19	149	3.62	<10	<1	0.08	20	1.16	1195	4	0.05	112	1290	69	0.22
CC24373		29	260	5.73	10	<1	0.10	30	2.33	1830	7	0.05	414	1550	176	0.12
CC24374		16	44	2.02	<10	<1	0.07	20	5.43	990	2	0.04	61	850	96	0.07
CC24375		26	118	3.04	<10	1	0.08	30	1.36	1015	2	0.05	169	1030	81	0.12
CC24376		23	41	2.51	<10	<1	0.09	30	1.21	1355	2	0.05	112	1710	73	0.17
CC24377		30	59	2.92	<10	<1	0.11	20	1.31	680	4	0.05	130	1390	53	0.13
CC24378		34	42	3.33	10	1	0.10	20	1.13	819	4	0.05	159	1220	67	0.10
CC24379		4	9	0.58	<10	<1	0.04	10	13.10	754	1	0.03	10	330	55	<0.01
CC24380		20	52	2.50	<10	2	0.11	10	7.99	1980	3	0.05	51	920	98	0.07
CC24381		12	24	1.36	<10	1	0.06	10	11.40	1590	2	0.04	21	770	68	<0.01
CC24382		17	27	1.13	<10	1	0.07	10	1.47	657	3	0.05	23	1590	30	0.26
CC24383		5	5	0.24	<10	<1	0.04	10	13.55	220	1	0.03	5	370	7	<0.01
CC24384		29	33	3.43	<10	<1	0.12	30	4.92	3880	4	0.05	49	2100	190	0.17
CC24385		25	10	2.66	10	1	0.09	10	0.26	246	2	0.03	12	430	16	0.04
CC24386		22	10	2.37	10	<1	0.08	10	0.26	359	1	0.04	13	310	20	0.04
CC24387		8	4	0.98	<10	<1	0.04	10	0.06	73	1	<0.01	5	80	11	<0.01
CC24388		23	14	1.57	<10	<1	0.05	10	0.23	285	1	0.01	21	1210	7	0.14
CC24389		24	12	2.84	10	<1	0.09	10	0.28	226	1	<0.01	17	310	36	0.01
CC24390		18	7	1.90	10	<1	0.07	10	0.11	128	1	<0.01	8	210	31	<0.01
CC24391		27	13	2.46	<10	<1	0.07	10	0.20	252	1	<0.01	14	370	54	0.01
CC24392		30	10	3.34	10	<1	0.12	10	0.37	688	3	<0.01	15	510	30	0.02
CC24393		25	19	2.69	<10	<1	0.06	10	0.36	485	3	<0.01	28	610	42	0.01
CC24394		26	16	2.65	10	<1	0.08	10	0.38	309	3	<0.01	24	640	46	0.02
CC24395		27	29	3.08	<10	<1	0.09	10	0.38	1085	5	<0.01	35	860	99	0.04
CC24396		22	19	2.60	10	<1	0.08	10	0.21	2220	4	<0.01	20	770	121	0.04
CC24397		14	15	1.84	<10	<1	0.06	10	0.09	180	3	<0.01	12	490	43	0.02
CC24398		25	16	2.54	<10	<1	0.09	10	0.34	226	2	<0.01	23	730	17	0.03
CC24399		21	19	2.52	<10	<1	0.11	10	0.23	407	3	<0.01	26	720	14	0.05
CC24400		27	21	2.74	<10	<1	0.09	10	0.38	381	2	<0.01	34	830	23	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24361		3	2	21	<20	0.03	<10	<10	77	20	179
CC24362		<2	2	19	<20	0.03	<10	<10	92	10	165
CC24363		2	3	28	<20	0.05	<10	<10	215	20	377
CC24364		<2	1	15	<20	0.03	<10	<10	99	10	159
CC24365		<2	1	22	<20	0.03	<10	<10	49	10	206
CC24366		4	2	13	<20	0.05	<10	<10	47	170	103
CC24367		<2	1	20	<20	0.02	<10	<10	33	30	57
CC24368		<2	1	18	<20	0.01	<10	<10	22	10	81
CC24369		2	1	19	<20	0.03	<10	<10	58	10	174
CC24370		6	2	17	<20	0.05	<10	<10	89	40	353
CC24371		4	<1	17	<20	0.01	<10	20	11	10	44
CC24372		3	1	21	<20	0.02	<10	10	61	40	465
CC24373		13	2	16	<20	0.05	<10	<10	90	40	2090
CC24374		8	1	39	<20	0.03	<10	<10	51	60	358
CC24375		4	1	17	<20	0.03	<10	<10	83	20	709
CC24376		4	1	19	<20	0.03	<10	<10	73	10	575
CC24377		6	2	21	<20	0.03	<10	<10	129	10	887
CC24378		4	3	19	<20	0.04	<10	<10	125	10	1190
CC24379		3	1	95	<20	0.01	<10	<10	11	10	197
CC24380		11	2	62	<20	0.03	<10	<10	79	60	829
CC24381		8	1	84	<20	0.02	<10	<10	38	10	473
CC24382		5	1	20	<20	0.02	<10	<10	93	<10	330
CC24383		<2	<1	88	<20	0.01	<10	<10	18	<10	50
CC24384		7	2	43	<20	0.02	<10	<10	80	10	1150
CC24385		4	1	11	<20	0.04	<10	<10	69	<10	53
CC24386		<2	1	10	<20	0.05	<10	<10	59	<10	71
CC24387		<2	1	5	<20	0.06	<10	<10	47	<10	29
CC24388		<2	1	39	<20	0.02	<10	<10	35	<10	137
CC24389		<2	2	14	<20	0.05	<10	<10	67	<10	87
CC24390		<2	1	8	<20	0.05	<10	<10	55	<10	53
CC24391		<2	1	10	<20	0.03	<10	<10	53	10	74
CC24392		<2	1	15	<20	0.04	<10	<10	76	<10	127
CC24393		3	1	11	<20	0.03	<10	<10	58	10	160
CC24394		<2	1	13	<20	0.03	<10	<10	68	10	161
CC24395		10	1	14	<20	0.03	<10	<10	67	20	322
CC24396		2	1	12	<20	0.03	<10	<10	75	30	203
CC24397		4	<1	9	<20	0.02	<10	<10	52	20	89
CC24398		2	1	15	<20	0.03	<10	<10	55	<10	94
CC24399		<2	1	14	<20	0.03	<10	<10	48	<10	103
CC24400		<2	2	17	<20	0.03	<10	<10	63	<10	161

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24401		0.22	0.008	<10	6	10	0.5	1.80	9	<10	220	0.8	2	0.41	0.7	10
CC24402		0.14	<0.001	<10	5	<10	<0.2	0.78	8	<10	120	<0.5	<2	0.32	0.8	4
CC24403		0.14	0.005	<10	8	30	0.2	1.86	14	<10	240	0.8	7	0.59	0.9	10
CC24404		0.16	0.001	<10	10	20	0.2	2.11	19	<10	280	0.9	5	0.56	1.4	11
CC24405		0.16	<0.001	<10	9	20	0.3	1.96	16	<10	280	0.9	4	1.01	1.5	8
CC24406		0.14	0.008	NSS	NSS	NSS	0.4	1.05	11	<10	190	0.6	4	1.87	5.3	5
CC24407		0.16	0.010	<10	18	10	0.8	1.34	14	<10	290	0.7	3	2.01	1.8	6
CC24408		0.12	0.059	NSS	NSS	NSS	0.3	0.44	6	<10	100	<0.5	3	2.17	2.2	2
CC24409		0.20	0.008	<10	30	20	0.7	1.64	5	<10	220	1.9	11	2.14	4.6	8
CC24410		0.14	0.001	<10	6	10	<0.2	0.72	9	<10	120	<0.5	3	1.32	0.9	5
CC24411		0.16	0.001	<10	8	10	0.2	1.22	12	<10	240	0.5	3	1.09	1.1	7
CC24412		0.22	0.010	<10	8	60	0.6	0.74	11	<10	100	1.5	17	4.83	1.5	6
CC24413		0.20	0.437	<10	15	610	1.1	0.51	31	<10	100	4.2	410	1.40	0.6	41
CC24414		0.16	0.037	NSS	NSS	NSS	1.3	1.01	8	<10	100	1.0	34	2.89	8.6	10
CC24415		0.14	0.018	<10	17	120	0.9	2.34	29	<10	140	2.4	22	3.47	7.1	13
CC24416		0.12	0.085	<10	8	20	0.5	0.78	17	<10	110	0.7	13	3.38	6.1	4
CC24417		0.10	0.008	<10	6	20	2.6	1.12	8	<10	150	0.8	11	2.70	2.1	7
CC24418		0.12	0.001	NSS	NSS	NSS	0.3	1.39	20	<10	170	0.5	4	1.74	3.1	4
CC24419		0.14	<0.001	<10	6	10	0.4	1.05	8	<10	310	0.7	<2	1.50	4.9	5
CC24420		0.24	0.003	<10	11	30	1.1	2.29	25	<10	290	1.2	4	0.58	4.1	9
CC24421		0.18	0.004	<10	14	30	1.1	2.15	22	<10	260	1.4	4	1.02	9.6	11
CC24422		0.22	0.005	<10	6	20	1.1	0.88	23	<10	180	0.7	7	12.45	6.5	8
CC24423		0.26	0.001	<10	6	10	0.8	0.87	12	<10	240	0.5	2	14.6	2.3	5
CC24424		0.24	0.001	<10	8	10	0.9	1.91	25	<10	390	0.9	<2	8.73	4.9	8
CC24425		0.16	0.001	<10	7	<10	0.3	0.80	11	<10	300	<0.5	<2	3.77	2.4	3
CC24426		0.18	0.084	<10	5	10	0.6	1.03	16	<10	330	0.6	<2	13.40	1.9	4
CC24427		0.16	0.005	<10	5	10	0.5	1.06	30	<10	240	0.7	<2	12.40	1.9	5
CC24428		0.26	<0.001	<10	5	<10	0.4	1.64	8	<10	120	<0.5	<2	0.16	<0.5	4
CC24429		0.30	0.001	<10	5	<10	0.2	0.91	11	<10	100	<0.5	2	0.11	<0.5	2
CC24430		0.26	<0.001	<10	4	<10	<0.2	0.88	9	<10	90	<0.5	<2	0.11	<0.5	3
CC24431		0.22	<0.001	<10	6	<10	0.2	1.03	4	<10	260	0.5	<2	0.86	1.6	5
CC24432		0.28	<0.001	<10	5	10	0.2	0.95	11	<10	130	<0.5	<2	0.17	0.5	4
CC24433		0.18	0.001	<10	5	<10	<0.2	0.65	12	<10	100	<0.5	<2	0.08	<0.5	2
CC24434		0.30	<0.001	<10	6	10	<0.2	1.16	9	<10	120	<0.5	2	0.09	<0.5	3
CC24435		0.20	0.001	<10	6	10	<0.2	1.09	12	<10	120	<0.5	2	0.11	<0.5	3
CC24436		0.24	0.003	<10	6	10	<0.2	1.77	9	<10	230	0.5	<2	0.24	<0.5	4
CC24437		0.24	0.003	<10	6	20	0.4	1.93	17	<10	300	0.8	2	0.24	<0.5	9
CC24438		0.28	0.008	<10	6	10	0.3	0.92	13	<10	270	<0.5	2	0.27	1.6	10
CC24439		0.20	0.007	<10	5	10	0.2	1.32	16	<10	140	<0.5	2	0.08	<0.5	5
CC24440		0.22	0.005	<10	6	<10	0.2	1.39	18	<10	160	<0.5	<2	0.12	<0.5	6

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24401		28	15	3.26	<10	<1	0.08	10	0.36	613	1	<0.01	26	610	23	0.02
CC24402		15	12	1.65	<10	<1	0.06	10	0.16	172	2	<0.01	13	580	7	0.05
CC24403		32	30	2.99	<10	<1	0.11	20	0.71	674	4	<0.01	41	1050	16	0.03
CC24404		37	34	3.34	<10	<1	0.10	20	0.79	788	5	<0.01	47	1200	20	0.06
CC24405		36	41	2.97	10	<1	0.13	20	0.93	541	5	0.01	54	1020	16	0.07
CC24406		19	30	1.85	10	1	0.09	10	0.65	484	6	0.01	40	1010	10	0.15
CC24407		28	34	2.17	10	<1	0.11	10	0.83	409	7	<0.01	53	1260	13	0.17
CC24408		9	16	0.76	<10	<1	0.05	10	0.37	357	2	<0.01	12	1210	6	0.17
CC24409		27	81	2.82	10	<1	0.12	20	1.56	1000	20	<0.01	84	1620	13	0.16
CC24410		10	26	1.41	<10	<1	0.05	10	0.30	970	4	<0.01	17	990	7	0.15
CC24411		21	17	2.08	<10	<1	0.08	20	0.76	754	2	<0.01	27	1140	13	0.06
CC24412		9	252	3.37	<10	<1	0.07	10	3.09	485	7	<0.01	51	650	18	0.05
CC24413		10	588	11.25	<10	1	0.23	20	1.45	710	18	<0.01	2180	1680	4	0.32
CC24414		18	182	3.16	<10	<1	0.07	20	1.12	462	17	<0.01	427	1450	11	0.21
CC24415		23	164	3.79	<10	1	0.13	20	2.31	344	16	0.01	275	1290	24	0.13
CC24416		12	75	1.51	<10	1	0.10	10	1.10	589	4	<0.01	89	1920	11	0.26
CC24417		18	30	1.93	<10	<1	0.07	20	1.19	1175	1	<0.01	67	1320	31	0.17
CC24418		22	26	2.52	<10	<1	0.11	10	0.60	323	9	<0.01	43	1390	20	0.19
CC24419		28	18	1.68	<10	<1	0.09	10	0.38	615	4	<0.01	23	1870	19	0.16
CC24420		40	42	3.18	10	<1	0.08	10	0.85	454	6	<0.01	82	1000	36	0.04
CC24421		38	60	3.16	10	<1	0.09	20	1.06	729	6	<0.01	132	1320	46	0.06
CC24422		13	29	1.72	<10	<1	0.05	10	8.25	2230	4	<0.01	105	780	160	0.03
CC24423		14	22	1.22	<10	<1	0.06	10	9.72	947	3	<0.01	25	720	52	0.03
CC24424		27	37	2.11	10	<1	0.09	20	6.15	964	2	<0.01	63	1360	51	0.07
CC24425		10	16	0.86	<10	1	0.04	10	1.17	618	1	0.01	11	1600	24	0.29
CC24426		15	19	1.28	<10	<1	0.07	10	8.87	1085	2	<0.01	21	990	61	0.07
CC24427		16	22	1.70	<10	1	0.07	10	8.07	1250	2	<0.01	26	940	74	0.06
CC24428		42	8	2.08	10	<1	0.05	10	0.33	173	1	<0.01	13	450	14	0.01
CC24429		21	11	2.55	<10	<1	0.06	10	0.14	70	1	<0.01	15	300	12	0.02
CC24430		18	7	1.90	<10	<1	0.04	<10	0.15	180	<1	<0.01	13	430	11	0.01
CC24431		24	16	2.48	<10	<1	0.05	10	0.25	401	1	<0.01	24	660	10	0.06
CC24432		27	8	2.35	10	<1	0.05	10	0.24	95	1	<0.01	17	360	16	0.01
CC24433		22	14	2.20	<10	<1	0.06	10	0.15	81	1	<0.01	13	480	25	0.02
CC24434		25	9	2.54	10	<1	0.09	10	0.20	335	2	<0.01	9	320	25	<0.01
CC24435		22	11	2.44	10	<1	0.10	10	0.15	314	2	<0.01	11	520	15	0.03
CC24436		32	18	3.36	10	<1	0.11	10	0.36	213	3	<0.01	21	520	25	0.02
CC24437		31	25	3.17	10	<1	0.08	20	0.53	406	3	<0.01	31	730	52	0.02
CC24438		28	10	2.22	<10	<1	0.05	10	0.16	2140	3	<0.01	15	620	38	0.03
CC24439		22	13	2.35	10	<1	0.07	10	0.26	260	3	<0.01	14	470	41	0.02
CC24440		23	14	2.47	<10	<1	0.07	10	0.29	297	2	<0.01	18	580	27	0.02

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24401		<2	3	16	<20	0.04	<10	<10	65	<10	114
CC24402		<2	1	11	<20	0.03	<10	<10	44	<10	74
CC24403		<2	3	18	<20	0.04	<10	<10	95	20	181
CC24404		<2	3	18	<20	0.04	<10	<10	132	10	212
CC24405		<2	3	21	<20	0.04	<10	<10	158	10	215
CC24406		<2	1	20	<20	0.03	<10	<10	102	10	220
CC24407		<2	2	25	<20	0.03	<10	10	167	10	199
CC24408		<2	<1	16	<20	0.01	<10	<10	42	<10	118
CC24409		<2	2	23	<20	0.04	<10	20	187	10	426
CC24410		2	1	18	<20	0.03	<10	<10	36	10	60
CC24411		3	1	17	<20	0.03	<10	<10	47	20	101
CC24412		<2	1	23	<20	0.02	<10	<10	23	60	162
CC24413		20	1	11	<20	0.02	10	<10	83	410	331
CC24414		2	1	20	<20	0.02	<10	<10	115	60	593
CC24415		2	2	29	<20	0.04	<10	10	135	130	607
CC24416		<2	<1	20	<20	0.01	<10	<10	52	20	300
CC24417		<2	1	21	<20	0.02	<10	<10	52	20	276
CC24418		2	1	23	<20	0.03	<10	<10	171	20	249
CC24419		<2	1	19	<20	0.01	<10	<10	75	<10	172
CC24420		<2	4	24	<20	0.05	<10	<10	202	30	454
CC24421		3	3	24	<20	0.04	<10	<10	175	10	819
CC24422		4	1	53	<20	0.02	<10	<10	45	10	927
CC24423		3	1	69	<20	0.02	<10	10	47	<10	387
CC24424		<2	2	52	<20	0.03	<10	<10	113	10	676
CC24425		<2	<1	24	<20	0.02	<10	<10	26	<10	171
CC24426		<2	1	77	<20	0.02	<10	<10	42	<10	438
CC24427		4	1	71	<20	0.02	<10	<10	43	<10	535
CC24428		<2	2	9	<20	0.04	<10	<10	63	<10	43
CC24429		2	1	8	<20	0.05	<10	<10	52	<10	80
CC24430		<2	1	6	<20	0.03	<10	<10	29	<10	56
CC24431		<2	1	18	<20	0.03	<10	<10	40	<10	237
CC24432		<2	1	8	<20	0.04	<10	<10	54	<10	87
CC24433		<2	<1	9	<20	0.03	<10	<10	46	<10	88
CC24434		<2	1	11	<20	0.06	<10	<10	78	<10	59
CC24435		<2	1	11	<20	0.04	<10	<10	67	<10	63
CC24436		3	2	16	<20	0.05	<10	<10	74	10	108
CC24437		4	2	17	<20	0.04	<10	<10	66	20	174
CC24438		3	1	9	<20	0.03	<10	<10	62	10	126
CC24439		<2	1	10	<20	0.03	<10	<10	57	<10	86
CC24440		<2	1	11	<20	0.03	<10	<10	56	<10	82

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC24441		0.16	0.002	<10	6	10	0.2	1.78	15	<10	290	0.7	<2	0.19	0.6	10
CC24442		0.22	0.003	<10	6	<10	0.3	0.83	12	<10	90	<0.5	<2	0.04	0.5	3
CC24443		0.24	0.002	<10	6	10	0.4	1.08	14	<10	140	<0.5	<2	0.12	2.0	6
CC24444		0.30	0.004	<10	6	20	0.2	1.00	17	<10	160	0.5	3	0.19	0.8	7
CC24445		0.26	0.002	<10	6	30	0.2	1.17	14	<10	160	0.5	3	0.11	0.9	7
CC24446		0.22	0.003	<10	6	10	0.3	1.90	15	<10	260	0.8	<2	0.66	2.1	9
CC24447		0.26	0.001	<10	5	30	<0.2	1.07	14	<10	150	0.5	4	0.23	1.0	6
CC24448		0.18	0.005	<10	12	10	0.7	2.00	17	<10	290	0.9	3	1.23	4.1	9
CC24449		0.16	0.005	NSS	NSS	NSS	0.9	1.39	12	<10	280	0.7	3	1.16	1.8	6
CC24450		0.18	0.004	<10	8	10	0.6	0.88	14	<10	340	0.5	<2	2.32	2.1	4
CC30298		0.20	0.003	<10	5	10	1.6	0.53	14	<10	310	<0.5	<2	16.5	1.0	3
CC30299		0.18	0.001	<10	6	10	1.6	0.47	14	<10	200	<0.5	4	17.5	1.1	3

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24441		29	19	3.13	10	<1	0.11	20	0.35	474	3	<0.01	29	880	46	0.04
CC24442		16	9	1.98	10	<1	0.08	10	0.11	124	4	<0.01	9	420	60	0.02
CC24443		21	17	2.62	<10	<1	0.09	10	0.22	284	3	<0.01	22	600	31	0.04
CC24444		21	27	2.88	<10	<1	0.09	10	0.24	268	6	<0.01	31	590	18	0.04
CC24445		21	23	2.61	<10	<1	0.08	10	0.19	290	3	<0.01	32	510	13	0.04
CC24446		30	24	3.06	10	<1	0.10	10	0.55	516	4	<0.01	36	980	16	0.06
CC24447		28	27	3.09	10	<1	0.06	10	0.30	263	4	<0.01	34	500	14	0.04
CC24448		41	43	2.87	10	<1	0.13	10	0.85	598	9	<0.01	56	1350	14	0.11
CC24449		34	39	2.53	10	<1	0.11	10	0.66	401	8	<0.01	41	1060	15	0.13
CC24450		16	26	1.57	<10	<1	0.07	10	0.58	381	4	<0.01	25	1130	12	0.19
CC30298		7	21	0.97	<10	1	0.03	10	10.85	1350	1	<0.01	9	530	51	<0.01
CC30299		6	16	0.95	<10	<1	0.05	10	11.55	1380	1	<0.01	8	330	64	<0.01

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078646

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24441		<2	2	15	<20	0.03	<10	<10	73	10	146
CC24442		<2	1	8	<20	0.05	<10	<10	76	<10	64
CC24443		<2	1	12	<20	0.04	<10	<10	63	10	121
CC24444		<2	2	16	<20	0.04	<10	<10	54	20	139
CC24445		2	1	11	<20	0.04	<10	<10	62	30	129
CC24446		<2	2	19	<20	0.04	<10	<10	83	10	242
CC24447		<2	1	12	<20	0.06	<10	<10	101	30	252
CC24448		<2	3	25	<20	0.04	<10	<10	247	<10	731
CC24449		<2	2	24	<20	0.04	<10	<10	180	20	248
CC24450		<2	1	24	<20	0.02	<10	<10	86	10	155
CC30298		3	1	94	<20	0.01	<10	10	21	10	309
CC30299		4	1	84	<20	0.01	<10	10	17	10	326

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 12-AUG-2007
Account: RCM

CERTIFICATE VA07078645

Project: RAU

P.O. No.:

This report is for 238 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24001		0.12	0.005	<10	6	10	<0.2	1.32	15	<10	190	<0.5	<2	0.10	<0.5	6
CC24002		0.16	0.006	<10	6	30	0.2	0.87	13	<10	290	0.5	<2	0.33	1.0	6
CC24005		0.20	0.012	<10	7	60	0.9	1.35	18	<10	390	1.0	<2	0.59	1.8	9
CC24006		0.18	0.003	<10	6	20	0.2	0.62	11	<10	130	<0.5	<2	0.06	<0.5	4
CC24007		0.14	<0.001	<10	6	20	0.5	1.02	15	<10	250	<0.5	<2	1.49	2.7	6
CC24008		0.16	0.002	<10	7	40	0.8	1.28	17	<10	240	0.8	<2	0.60	2.0	6
CC24009		0.18	0.002	<10	7	20	1.2	1.25	13	<10	290	0.7	<2	0.98	1.8	8
CC24010		0.18	<0.001	<10	6	10	0.5	1.41	12	<10	500	0.6	<2	0.56	0.9	8
CC24011		0.12	<0.001	<10	5	10	0.4	1.48	18	<10	460	0.5	<2	0.33	<0.5	9
CC24012		0.18	0.008	<10	6	10	0.2	1.23	22	<10	290	0.6	<2	0.16	<0.5	9
CC24013		0.14	0.001	<10	6	10	<0.2	1.36	23	<10	130	<0.5	<2	0.08	<0.5	6
CC24014		0.12	0.001	<10	7	10	0.4	0.68	2	<10	120	<0.5	<2	0.19	<0.5	3
CC24015		0.24	0.001	<10	8	20	0.2	1.73	14	<10	360	0.7	<2	0.11	<0.5	10
CC24016		0.14	0.001	<10	6	10	0.2	0.81	7	<10	140	<0.5	2	1.32	1.1	4
CC24017		0.24	0.024	<10	4	260	<0.2	0.79	5	<10	110	0.7	15	6.51	<0.5	6
CC24018		0.18	0.032	<10	6	340	0.4	1.23	14	<10	180	0.8	31	3.13	<0.5	7
CC24019		0.14	0.021	<10	13	40	0.3	1.37	14	<10	170	0.7	29	1.39	0.5	11
CC24020		0.28	0.003	<10	6	10	0.2	0.94	12	10	140	<0.5	<2	9.11	<0.5	5
CC24021		0.20	0.005	<10	6	10	0.3	1.69	20	<10	220	0.7	<2	4.01	<0.5	9
CC24022		0.22	0.002	<10	5	10	0.4	1.21	23	10	170	0.5	<2	7.04	<0.5	8
CC24023		0.28	0.011	<10	4	10	0.2	0.78	16	<10	130	<0.5	<2	11.30	<0.5	5
CC24024		0.26	0.003	<10	6	20	0.4	1.40	11	<10	180	0.7	4	4.83	<0.5	8
CC24025		0.20	0.002	<10	5	10	0.8	0.92	15	<10	140	<0.5	<2	11.75	<0.5	4
CC24026		0.16	0.011	<10	7	40	6.9	1.09	8	<10	210	1.5	10	1.45	1.9	7
CC24027		0.18	0.003	<10	6	40	2.9	1.77	34	<10	270	1.0	4	1.56	4.7	12
CC24028		0.12	0.023	<10	10	50	2.9	1.42	30	<10	250	1.8	21	1.33	4.3	13
CC24029		0.14	0.030	<10	6	80	2.8	1.13	28	<10	210	2.2	40	4.23	3.4	10
CC24030		0.12	0.032	<10	5	40	2.3	1.04	15	<10	200	1.7	29	4.23	2.8	10
CC24031		0.18	0.013	<10	6	20	4.1	1.37	10	<10	190	1.2	7	4.46	2.3	10
CC24032		0.18	0.005	<10	5	20	1.2	0.70	26	<10	170	0.6	4	13.6	3.3	6
CC24033		0.18	0.001	<10	6	30	1.2	1.25	20	<10	220	1.4	14	9.48	3.8	7
CC24034		0.16	0.003	<10	9	20	1.0	1.91	19	<10	240	1.1	<2	8.42	3.6	10
CC24035		0.20	<0.001	<10	4	10	0.6	0.51	13	<10	230	<0.5	<2	16.7	1.7	<1
CC24036		0.26	<0.001	<10	5	10	0.8	0.54	16	<10	270	0.5	<2	16.5	1.4	2
CC24037		0.22	0.002	<10	5	10	0.9	0.38	8	<10	280	<0.5	<2	17.3	0.9	<1
CC24038		0.26	<0.001	<10	4	10	0.2	0.60	6	<10	100	<0.5	<2	0.26	<0.5	4
CC24039		0.26	0.002	<10	5	<10	<0.2	0.86	8	<10	90	<0.5	2	0.16	<0.5	3
CC24040		0.24	0.002	<10	5	<10	0.3	1.25	10	<10	250	0.5	3	0.31	0.5	6
CC24041		0.24	0.001	<10	4	<10	0.2	1.09	4	<10	160	<0.5	2	0.17	0.6	4
CC24042		0.20	<0.001	<10	5	<10	0.3	1.13	9	<10	160	<0.5	3	0.16	<0.5	3

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24001		23	13	2.54	10	<1	0.10	10	0.25	273	3	0.01	15	380	19	0.03
CC24002		17	20	2.36	<10	<1	0.07	10	0.25	512	5	0.01	28	660	27	0.04
CC24005		23	35	3.16	<10	<1	0.08	20	0.44	1080	7	0.01	40	1270	161	0.08
CC24006		11	14	1.79	<10	<1	0.09	10	0.06	119	5	0.01	13	410	10	0.02
CC24007		15	26	2.15	<10	<1	0.08	20	0.32	814	4	0.02	21	1390	109	0.15
CC24008		21	26	2.88	<10	<1	0.08	20	0.41	512	4	0.01	30	1030	139	0.06
CC24009		23	30	2.76	10	1	0.08	20	0.50	561	7	0.01	38	1020	119	0.07
CC24010		24	28	2.76	<10	<1	0.09	20	0.39	482	4	0.01	36	920	39	0.06
CC24011		25	26	2.82	<10	<1	0.08	10	0.37	383	2	0.01	24	860	18	0.07
CC24012		22	37	2.66	<10	1	0.08	10	0.30	393	4	0.01	38	670	24	0.02
CC24013		21	15	2.82	10	<1	0.09	10	0.24	199	3	0.01	16	760	15	0.07
CC24014		15	12	1.49	10	<1	0.08	10	0.09	167	3	<0.01	8	630	9	0.06
CC24015		29	22	2.84	<10	<1	0.10	20	0.38	306	7	0.01	49	810	12	0.05
CC24016		10	15	1.51	<10	<1	0.09	20	0.46	601	3	0.01	16	1470	9	0.18
CC24017		11	55	1.90	<10	<1	0.06	20	4.26	627	8	0.01	45	740	19	0.02
CC24018		18	58	2.59	<10	<1	0.07	30	2.41	735	5	0.02	48	1090	31	0.03
CC24019		23	64	2.84	10	<1	0.08	30	1.19	1130	7	0.02	106	1930	23	0.17
CC24020		13	18	1.58	<10	<1	0.05	30	5.86	624	3	0.02	28	660	21	0.03
CC24021		22	20	2.69	10	<1	0.12	30	3.15	943	2	0.02	82	650	46	0.03
CC24022		16	15	1.94	<10	<1	0.08	30	4.68	698	1	0.02	39	590	32	0.03
CC24023		9	18	1.33	<10	<1	0.05	20	7.24	643	2	0.01	45	400	25	0.01
CC24024		20	41	2.42	10	<1	0.10	20	3.54	1110	1	0.02	37	690	19	0.05
CC24025		12	14	1.24	<10	<1	0.06	30	7.45	778	1	0.02	26	780	48	0.08
CC24026		21	43	2.35	<10	<1	0.09	20	1.52	1380	1	0.02	80	760	137	0.08
CC24027		28	58	3.19	<10	<1	0.09	30	2.07	1845	2	0.02	129	880	254	0.07
CC24028		25	106	3.58	10	<1	0.09	30	1.41	1545	3	0.03	165	960	208	0.11
CC24029		17	117	3.26	10	<1	0.08	30	3.23	1550	3	0.02	148	850	210	0.08
CC24030		16	98	2.80	10	<1	0.08	30	3.02	1095	2	0.02	164	1060	132	0.09
CC24031		20	46	2.41	10	<1	0.08	30	3.50	1140	1	0.02	114	1010	109	0.05
CC24032		9	23	1.76	<10	<1	0.04	20	8.39	1635	1	0.02	116	620	296	0.03
CC24033		17	39	2.21	10	<1	0.08	20	6.47	2120	1	0.02	81	1060	143	0.05
CC24034		25	48	2.53	<10	<1	0.12	20	5.95	1075	3	0.04	72	1000	49	0.07
CC24035		8	10	0.92	<10	<1	0.05	<10	11.20	1490	1	0.03	17	280	59	<0.01
CC24036		10	16	0.96	<10	<1	0.06	<10	10.95	1395	2	0.03	18	380	75	<0.01
CC24037		7	13	0.88	<10	<1	0.05	<10	11.45	1100	2	0.03	13	260	55	<0.01
CC24038		16	13	1.95	<10	<1	0.04	<10	0.26	261	1	0.02	11	520	10	0.02
CC24039		22	9	2.26	<10	<1	0.06	10	0.22	361	1	0.02	13	420	11	0.04
CC24040		26	11	2.30	<10	1	0.07	10	0.30	400	1	0.02	21	480	19	0.03
CC24041		24	12	2.10	<10	<1	0.06	10	0.24	263	1	0.02	19	500	23	0.03
CC24042		30	12	2.45	<10	<1	0.08	10	0.26	219	1	0.03	19	540	36	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC24001		<2	1	12	<20	0.05	<10	<10	82	<10	82
CC24002		3	1	13	<20	0.03	<10	<10	59	30	151
CC24005		17	2	16	<20	0.03	<10	<10	84	60	396
CC24006		4	<1	9	<20	0.02	<10	<10	63	20	70
CC24007		16	1	19	<20	0.02	<10	<10	52	10	292
CC24008		21	2	16	<20	0.03	<10	<10	58	40	345
CC24009		18	2	19	<20	0.03	<10	<10	85	10	331
CC24010		3	2	18	<20	0.03	<10	<10	80	10	178
CC24011		3	2	15	<20	0.03	<10	<10	62	<10	110
CC24012		3	3	13	<20	0.04	<10	<10	63	10	147
CC24013		<2	1	12	<20	0.04	<10	<10	84	<10	68
CC24014		3	<1	9	<20	0.03	<10	<10	78	10	46
CC24015		4	2	12	<20	0.03	<10	<10	114	20	156
CC24016		<2	1	19	<20	0.02	<10	<10	45	<10	91
CC24017		4	2	32	<20	0.03	<10	<10	40	250	97
CC24018		3	2	24	<20	0.03	<10	<10	58	330	124
CC24019		5	1	18	<20	0.03	<10	10	75	40	209
CC24020		5	2	44	<20	0.03	<10	<10	44	10	104
CC24021		8	3	31	<20	0.05	<10	<10	71	10	261
CC24022		7	2	36	<20	0.03	<10	<10	49	<10	133
CC24023		8	2	46	<20	0.03	<10	<10	30	<10	185
CC24024		2	2	29	<20	0.03	<10	<10	49	20	137
CC24025		7	1	43	<20	0.02	<10	<10	48	10	191
CC24026		7	1	14	<20	0.03	<10	<10	57	20	349
CC24027		14	2	17	<20	0.04	<10	<10	77	20	1170
CC24028		12	1	14	<20	0.03	<10	10	75	20	1105
CC24029		12	1	25	<20	0.03	<10	<10	61	50	996
CC24030		8	1	25	<20	0.03	<10	<10	53	20	912
CC24031		6	2	27	<20	0.03	<10	<10	58	10	687
CC24032		6	1	52	<20	0.02	<10	<10	44	10	1220
CC24033		6	2	45	<20	0.03	<10	<10	46	10	976
CC24034		2	3	55	<20	0.04	<10	10	125	10	558
CC24035		<2	1	95	<20	0.01	<10	<10	14	<10	552
CC24036		<2	1	96	<20	0.01	<10	<10	23	<10	428
CC24037		3	1	96	<20	0.01	<10	<10	17	<10	385
CC24038		<2	1	4	<20	0.03	<10	<10	26	10	68
CC24039		3	<1	7	<20	0.03	<10	<10	55	<10	59
CC24040		2	1	12	<20	0.04	<10	<10	49	<10	139
CC24041		2	1	10	<20	0.03	<10	<10	48	<10	102
CC24042		<2	1	10	<20	0.04	<10	<10	56	<10	94

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24043		0.30	<0.001	<10	5	<10	0.2	1.13	9	<10	200	0.5	<2	0.24	0.5	5
CC24044		0.28	<0.001	<10	6	10	0.2	1.63	13	<10	170	<0.5	3	0.14	<0.5	3
CC24045		0.30	0.001	<10	6	20	1.4	1.93	14	<10	370	0.8	4	0.36	0.6	7
CC24046		0.26	<0.001	<10	5	30	<0.2	0.93	9	<10	160	<0.5	3	0.12	<0.5	5
CC24047		0.30	0.003	<10	5	30	0.3	1.03	11	<10	200	0.6	2	0.26	<0.5	5
CC24048		0.20	0.002	<10	6	10	0.4	1.37	16	<10	240	0.6	<2	0.36	0.5	6
CC24049		0.22	0.005	<10	5	10	0.2	1.16	11	<10	190	<0.5	2	0.29	0.8	6
CC24050		0.32	0.010	<10	7	20	0.3	0.95	20	<10	250	0.5	2	0.19	3.5	10
CC24051		0.12	<0.001	<10	5	<10	0.5	1.15	12	<10	400	<0.5	<2	0.25	1.4	10
CC24052		0.30	0.003	<10	6	10	0.4	0.94	16	<10	120	<0.5	<2	0.06	<0.5	6
CC24053		0.18	0.004	<10	6	10	0.2	1.01	20	<10	230	<0.5	2	0.18	0.9	6
CC24054		0.22	0.003	<10	6	10	<0.2	1.72	14	<10	180	<0.5	<2	0.14	0.6	7
CC24055		0.18	0.012	<10	6	10	0.4	1.66	28	<10	430	0.6	<2	0.55	1.4	11
CC24056		0.26	0.005	<10	7	40	0.2	1.34	20	<10	240	0.9	3	0.28	0.7	13
CC24057		0.26	0.014	<10	6	40	<0.2	1.86	16	<10	250	1.1	9	0.57	<0.5	11
CC24058		0.34	0.027	<10	7	100	0.2	1.63	7	<10	210	1.0	25	0.86	<0.5	9
CC24059		0.28	0.006	<10	10	150	0.2	1.55	11	<10	190	0.8	15	1.16	<0.5	9
CC24060		0.36	0.008	<10	4	310	0.2	0.61	<2	<10	130	0.5	7	10.05	<0.5	4
CC24061		0.44	0.005	<10	5	30	0.2	0.81	11	<10	140	0.5	<2	10.60	<0.5	4
CC24062		0.28	0.002	<10	5	10	<0.2	1.12	11	10	180	<0.5	<2	6.19	<0.5	6
CC24063		0.26	0.004	<10	6	10	0.3	1.05	12	<10	150	0.5	<2	4.87	<0.5	5
CC24064		0.18	0.004	<10	5	10	0.2	1.08	9	10	180	0.7	<2	5.43	0.5	6
CC24065		0.18	0.007	<10	5	10	0.5	1.12	5	10	180	0.5	<2	5.15	<0.5	6
CC24066		0.26	0.057	<10	7	150	0.9	0.96	14	<10	180	3.0	82	3.79	<0.5	9
CC24067		0.28	0.147	<10	9	450	3.5	1.40	22	<10	240	2.1	91	2.83	1.1	12
CC24068		0.22	0.073	<10	14	90	3.1	0.99	32	<10	180	2.9	80	1.19	3.0	13
CC24069		0.26	0.082	<10	7	360	1.4	0.78	8	<10	130	4.5	66	2.11	1.0	9
CC24070		0.34	0.008	<10	4	70	1.6	0.69	14	<10	100	0.6	<2	9.97	0.9	5
CC24071		0.20	0.009	<10	7	70	1.9	1.28	14	<10	180	2.6	7	3.68	2.2	9
CC24072		0.24	0.002	<10	10	50	1.6	1.47	23	<10	210	1.7	6	1.91	3.3	10
CC24073		0.26	0.009	<10	6	30	2.0	1.40	16	<10	180	1.2	5	3.27	4.2	11
CC24074		0.36	0.007	<10	14	20	0.8	2.28	24	<10	270	1.3	<2	0.64	5.2	14
CC24075		0.36	0.004	<10	4	10	0.3	0.57	7	<10	90	<0.5	<2	16.1	<0.5	3
CC24076		0.32	0.002	<10	5	10	0.4	0.50	9	10	260	<0.5	<2	16.5	1.2	2
CC24077		0.28	0.001	<10	4	10	0.4	0.37	17	<10	250	<0.5	<2	17.3	<0.5	1
CC24078		0.24	0.002	<10	6	10	0.4	1.33	20	10	240	0.9	<2	10.25	<0.5	5
CC24079		0.24	0.003	<10	5	10	0.6	0.22	11	<10	190	<0.5	<2	17.9	<0.5	1
CC24080		0.22	0.003	<10	7	<10	<0.2	0.65	10	10	110	<0.5	<2	14.3	<0.5	3
CC24081		0.18	0.005	<10	7	10	1.2	0.72	16	10	260	0.9	<2	12.90	0.6	3
CC24082		0.08	NSS	<10	5	<10	0.5	0.66	2	10	270	<0.5	<2	3.53	1.9	3

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24043		26	13	2.11	<10	<1	0.07	10	0.28	282	1	0.03	20	520	21	0.03
CC24044		28	12	2.58	<10	<1	0.09	10	0.35	156	2	0.03	18	430	15	0.04
CC24045		31	22	2.92	10	1	0.11	20	0.47	630	3	0.04	28	810	71	0.06
CC24046		23	15	2.23	<10	<1	0.09	10	0.20	420	4	0.03	19	410	19	0.04
CC24047		19	19	2.51	<10	1	0.08	10	0.25	264	5	0.02	29	550	30	0.03
CC24048		23	17	2.67	<10	2	0.09	10	0.31	342	2	0.03	22	860	35	0.06
CC24049		21	14	2.53	<10	2	0.11	10	0.26	300	3	0.02	18	720	27	0.06
CC24050		22	28	3.01	<10	<1	0.10	10	0.22	440	10	0.02	39	650	32	0.05
CC24051		20	19	2.46	<10	<1	0.10	20	0.21	831	4	0.02	22	1420	14	0.14
CC24052		20	17	2.56	<10	1	0.08	10	0.16	254	4	0.01	19	760	10	0.10
CC24053		21	20	2.83	10	1	0.11	10	0.24	254	5	0.02	26	490	17	0.05
CC24054		27	16	3.27	10	2	0.11	10	0.30	381	3	0.02	19	850	15	0.08
CC24055		26	22	2.85	10	1	0.12	20	0.40	613	3	0.03	26	1490	12	0.12
CC24056		26	34	2.83	10	<1	0.10	10	0.43	389	6	0.02	54	940	12	0.05
CC24057		31	35	3.20	<10	<1	0.13	20	0.87	515	4	0.04	52	1090	20	0.05
CC24058		26	44	2.97	<10	1	0.10	30	0.95	717	4	0.03	45	1050	36	0.06
CC24059		24	32	2.70	10	<1	0.09	30	1.16	802	4	0.03	52	1310	23	0.07
CC24060		9	44	1.45	<10	1	0.05	20	6.42	520	3	0.01	32	650	19	0.02
CC24061		10	25	1.47	10	<1	0.08	20	6.95	630	2	0.02	30	600	14	0.02
CC24062		16	16	1.86	10	1	0.08	30	4.13	706	2	0.02	32	890	17	0.04
CC24063		16	12	1.76	<10	<1	0.07	30	3.08	971	2	0.01	30	1030	15	0.07
CC24064		18	22	1.79	<10	<1	0.08	30	3.37	1160	2	0.02	44	1100	38	0.12
CC24065		16	18	1.74	<10	<1	0.08	30	3.13	1110	1	0.02	42	1170	29	0.13
CC24066		23	141	4.11	10	<1	0.11	60	2.95	2070	7	0.02	126	1140	59	0.05
CC24067		22	216	4.39	10	<1	0.47	40	3.38	957	5	0.01	325	860	232	0.14
CC24068		16	214	4.54	10	<1	0.16	20	1.68	1045	5	0.01	228	850	100	0.08
CC24069		11	194	4.34	<10	<1	0.07	20	1.28	912	3	0.02	97	1030	50	0.10
CC24070		9	28	1.30	<10	<1	0.05	20	6.64	548	2	0.01	58	650	43	0.03
CC24071		17	71	2.63	10	<1	0.10	20	2.97	875	2	0.02	166	1060	69	0.06
CC24072		22	45	2.74	10	<1	0.09	30	1.81	962	2	0.02	132	1430	75	0.06
CC24073		22	47	2.59	10	<1	0.09	30	2.68	1020	2	0.02	154	1210	81	0.06
CC24074		41	52	3.90	10	<1	0.11	20	1.05	803	5	0.02	137	1120	113	0.06
CC24075		5	13	0.78	<10	<1	0.04	10	10.50	790	1	0.01	17	350	33	<0.01
CC24076		4	11	0.96	<10	<1	0.05	10	10.65	1430	1	0.01	16	310	51	0.03
CC24077		3	12	0.62	<10	1	0.06	10	10.95	894	1	0.01	10	160	43	<0.01
CC24078		19	20	1.79	10	<1	0.12	30	6.98	797	1	0.02	30	1070	25	0.05
CC24079		1	10	0.57	<10	<1	0.03	10	11.25	829	2	0.01	8	240	40	<0.01
CC24080		7	13	0.70	<10	<1	0.05	20	8.23	491	1	0.02	11	920	8	0.10
CC24081		7	10	1.42	<10	<1	0.09	10	8.41	1545	4	0.02	15	330	61	0.02
CC24082		7	16	0.94	<10	<1	0.06	20	0.76	482	1	0.02	12	1030	13	0.14

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24043		<2	2	11	<20	0.04	<10	<10	46	<10	102
CC24044		2	1	12	<20	0.04	<10	<10	61	<10	87
CC24045		6	2	17	<20	0.04	<10	<10	74	10	168
CC24046		<2	1	10	<20	0.04	<10	<10	68	20	99
CC24047		5	2	13	<20	0.03	<10	<10	55	30	156
CC24048		7	2	16	<20	0.03	<10	<10	52	<10	131
CC24049		2	1	14	<20	0.03	<10	<10	60	<10	108
CC24050		6	1	14	<20	0.03	<10	<10	88	20	208
CC24051		<2	1	16	<20	0.02	<10	<10	54	<10	86
CC24052		<2	1	8	<20	0.03	<10	<10	71	<10	83
CC24053		4	2	15	<20	0.05	<10	<10	86	<10	115
CC24054		2	1	14	<20	0.05	<10	<10	78	10	88
CC24055		<2	1	20	<20	0.03	<10	<10	76	10	107
CC24056		2	2	19	<20	0.05	<10	<10	95	30	224
CC24057		3	4	27	<20	0.06	<10	<10	123	30	192
CC24058		6	3	21	<20	0.04	<10	<10	87	100	138
CC24059		3	2	20	<20	0.04	<10	<10	73	160	146
CC24060		5	2	46	<20	0.02	<10	<10	33	320	95
CC24061		5	2	48	<20	0.03	<10	<10	46	30	84
CC24062		2	2	34	<20	0.03	<10	10	52	<10	113
CC24063		4	1	26	<20	0.02	<10	<10	46	10	105
CC24064		9	1	27	<20	0.02	<10	<10	52	10	146
CC24065		4	1	29	<20	0.02	<10	<10	49	10	171
CC24066		2	2	25	<20	0.03	<10	<10	85	150	285
CC24067		9	2	16	<20	0.05	<10	<10	109	370	992
CC24068		7	1	9	<20	0.03	<10	10	53	70	971
CC24069		3	1	16	<20	0.02	<10	<10	38	330	253
CC24070		6	1	45	<20	0.02	<10	<10	38	80	272
CC24071		6	1	24	<20	0.03	<10	<10	58	50	758
CC24072		4	2	21	<20	0.03	<10	<10	74	40	825
CC24073		6	2	25	<20	0.03	<10	<10	71	10	1080
CC24074		4	3	22	<20	0.04	<10	10	162	10	1270
CC24075		3	1	90	<20	0.01	<10	<10	17	<10	252
CC24076		3	1	92	<20	0.01	<10	<10	16	<10	490
CC24077		<2	1	86	<20	0.01	<10	<10	12	10	337
CC24078		5	2	57	<20	0.03	<10	<10	78	<10	222
CC24079		4	1	83	<20	0.01	<10	<10	11	10	269
CC24080		<2	1	81	<20	0.01	<10	10	18	<10	127
CC24081		2	1	82	<20	0.01	<10	10	15	<10	621
CC24082		<2	1	37	<20	0.01	<10	10	15	<10	128

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC24083		0.14	<0.001	<10	6	10	0.4	1.63	18	<10	280	0.8	<2	0.92	1.2	9
CC24084		0.20	<0.001	<10	8	10	0.2	2.00	23	<10	360	0.8	<2	0.79	1.4	12
CC24085		0.14	<0.001	<10	7	10	0.2	2.33	16	<10	390	0.9	<2	0.40	0.9	15
CC24086		0.32	<0.001	<10	7	10	0.3	1.77	11	<10	290	0.7	<2	0.45	<0.5	10
CC24087		0.22	<0.001	<10	4	10	0.6	1.25	13	10	210	0.8	<2	10.30	<0.5	5
CC24088		0.08	<0.001	<10	10	10	0.8	2.13	17	<10	540	1.4	<2	0.97	6.6	15
CC24089		0.18	<0.001	<10	6	70	<0.2	1.25	7	<10	270	1.7	<2	0.27	0.5	6
CC24090		0.18	<0.001	<10	8	10	0.3	2.08	14	<10	340	0.8	<2	0.66	1.3	12
CC24091		0.18	0.001	<10	9	30	<0.2	2.82	21	<10	460	1.0	5	0.58	1.8	11
CC24092		0.22	<0.001	<10	8	10	<0.2	2.61	20	<10	340	0.8	<2	0.31	<0.5	11
CC24093		0.16	<0.001	<10	8	10	0.2	1.99	21	<10	310	0.7	<2	0.86	1.7	10
CC24094		0.12	<0.001	<10	7	10	0.3	2.11	18	10	310	0.8	<2	0.89	1.6	10
CC24095		0.14	<0.001	<10	7	10	0.2	2.25	15	<10	300	0.8	<2	0.47	<0.5	11
CC24096		0.16	0.005	<10	7	10	0.2	2.13	16	<10	330	0.8	<2	0.72	0.8	10
CC24097		0.20	<0.001	<10	7	10	0.2	2.16	19	<10	280	0.9	<2	0.46	<0.5	11
CC24098		0.28	0.015	<10	6	10	<0.2	2.82	18	<10	260	1.0	<2	0.51	<0.5	16
CC24099		0.26	0.010	<10	6	10	<0.2	2.14	17	<10	250	0.8	<2	0.37	<0.5	10
CC24100		0.28	<0.001	<10	6	10	<0.2	2.18	11	<10	290	0.7	<2	0.39	<0.5	8
CC24101		0.28	0.004	<10	8	20	0.8	2.16	19	10	300	1.3	3	0.91	1.0	11
CC24102		0.18	0.003	<10	7	10	0.2	2.41	13	<10	260	0.8	2	0.60	0.8	9
CC24103		0.20	0.001	<10	8	20	0.2	2.05	12	<10	240	2.1	<2	0.46	<0.5	9
CC24104		0.30	<0.001	<10	7	20	0.2	2.14	16	<10	300	0.8	<2	0.57	<0.5	7
CC24105		0.18	<0.001	<10	7	10	0.4	2.06	14	<10	270	0.9	<2	1.66	0.8	11
CC24106		0.20	<0.001	<10	6	10	0.3	2.65	24	<10	310	1.1	<2	0.42	<0.5	11
CC24107		0.22	0.005	<10	7	10	0.3	2.78	19	<10	250	1.2	<2	0.59	<0.5	11
CC24108		0.34	<0.001	<10	6	10	<0.2	2.29	15	<10	290	0.5	<2	0.38	<0.5	9
CC24109		0.18	<0.001	<10	7	10	<0.2	4.65	8	<10	380	3.2	<2	0.79	<0.5	9
CC24110		0.14	<0.001	<10	7	10	0.2	2.52	16	<10	350	1.2	<2	0.34	<0.5	11
CC24111		0.16	<0.001	<10	6	20	<0.2	2.56	11	<10	290	1.3	<2	0.43	<0.5	11
CC24112		0.16	<0.001	<10	7	50	0.3	3.53	9	<10	300	4.3	14	2.65	<0.5	10
CC24113		0.16	0.007	<10	7	20	<0.2	2.39	9	<10	180	1.5	<2	3.51	<0.5	8
CC24114		0.12	<0.001	<10	6	10	<0.2	2.72	10	10	280	1.6	<2	0.81	<0.5	11
CC24115		0.26	0.004	<10	6	20	<0.2	1.02	4	<10	170	1.9	<2	11.65	<0.5	3
CC24116		0.24	<0.001	<10	4	10	<0.2	1.21	5	<10	70	0.5	<2	15.5	<0.5	1
CC24117		0.16	<0.001	<10	4	10	<0.2	1.28	8	<10	80	0.6	<2	13.70	<0.5	3
CC24118		0.18	0.005	<10	4	180	0.2	2.49	3	<10	180	15.2	2	11.65	<0.5	11
CC24119		0.14	<0.001	<10	4	<10	<0.2	3.10	<2	<10	120	0.6	<2	12.75	<0.5	5
CC24120		0.10	0.002	<10	6	10	<0.2	2.78	7	<10	170	0.8	<2	4.03	<0.5	8
CC24121		0.18	<0.001	<10	<4	10	<0.2	1.87	<2	<10	50	0.8	<2	23.1	<0.5	4
CC24122		0.20	<0.001	<10	5	10	<0.2	4.14	8	<10	90	1.4	<2	2.09	0.7	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24083		26	19	2.85	<10	<1	0.12	20	0.91	1055	2	0.02	29	700	49	0.04
CC24084		29	24	3.32	10	2	0.14	20	0.98	1185	3	0.02	27	630	30	0.03
CC24085		34	16	3.50	10	2	0.14	20	0.84	1195	2	0.02	25	500	37	0.02
CC24086		25	14	2.83	10	<1	0.09	10	0.58	593	1	0.01	19	490	22	0.01
CC24087		13	12	1.77	<10	2	0.08	20	7.02	1065	1	0.02	14	430	24	0.02
CC24088		25	25	2.97	10	<1	0.11	20	0.73	2480	1	0.02	25	1010	22	0.04
CC24089		16	19	3.54	10	<1	0.08	10	0.33	500	6	0.01	9	280	19	0.01
CC24090		29	16	3.31	10	1	0.16	20	0.81	1045	2	0.02	21	590	28	0.02
CC24091		34	13	3.54	10	<1	0.18	10	2.05	1590	2	0.02	24	800	32	0.03
CC24092		35	13	3.19	10	<1	0.15	20	1.39	836	1	0.02	23	340	23	0.01
CC24093		28	15	3.14	10	1	0.14	20	0.89	1085	2	0.03	20	970	23	0.06
CC24094		27	15	3.14	10	2	0.15	20	0.99	1150	2	0.02	21	1020	28	0.07
CC24095		30	16	3.38	<10	1	0.13	20	0.67	859	2	0.02	23	800	22	0.03
CC24096		33	17	3.39	10	<1	0.15	20	0.73	1010	1	0.03	22	690	20	0.04
CC24097		34	15	3.54	10	<1	0.13	10	0.87	1370	2	0.02	28	600	34	0.03
CC24098		64	14	4.01	10	<1	0.16	10	1.80	840	1	0.03	48	440	26	0.02
CC24099		37	13	2.98	10	1	0.13	10	0.88	542	1	0.02	22	400	19	0.02
CC24100		32	12	2.92	10	1	0.13	10	0.76	395	<1	0.02	20	380	19	0.02
CC24101		30	18	3.21	10	<1	0.17	20	1.15	1560	1	0.02	29	680	41	0.03
CC24102		36	14	3.19	10	<1	0.13	10	1.55	792	<1	0.02	22	630	20	0.04
CC24103		31	14	3.33	10	<1	0.11	10	0.79	797	1	0.02	23	610	32	0.03
CC24104		31	13	3.12	10	<1	0.13	10	0.74	563	1	0.02	23	400	25	0.02
CC24105		30	20	2.92	10	<1	0.11	10	0.79	985	1	0.02	25	760	23	0.06
CC24106		42	13	3.97	10	<1	0.17	10	1.02	788	1	0.03	29	400	31	0.02
CC24107		39	13	3.65	10	<1	0.18	20	1.46	800	1	0.03	26	470	38	0.03
CC24108		35	12	3.59	10	<1	0.17	10	0.61	396	1	0.03	17	220	14	0.01
CC24109		51	14	3.15	20	<1	1.34	20	8.51	1180	<1	0.07	21	270	3	0.02
CC24110		35	13	3.45	10	<1	0.18	20	0.86	785	1	0.03	25	240	20	0.02
CC24111		37	14	3.35	10	1	0.20	10	1.54	768	1	0.03	24	190	15	0.01
CC24112		38	33	3.56	10	1	0.44	20	5.03	1440	2	0.04	27	330	22	0.03
CC24113		31	17	2.71	10	<1	0.15	20	4.22	1020	<1	0.03	22	360	17	0.03
CC24114		36	14	3.26	10	<1	0.21	10	1.93	1010	<1	0.04	24	220	17	0.02
CC24115		13	13	1.15	<10	<1	0.19	10	8.12	252	<1	0.03	11	380	11	0.03
CC24116		12	7	0.89	<10	<1	0.16	10	10.25	275	<1	0.03	9	230	8	0.03
CC24117		16	14	1.28	<10	<1	0.11	10	8.07	339	<1	0.02	13	320	14	0.03
CC24118		25	253	3.82	10	<1	0.44	10	6.85	679	2	0.04	21	270	15	0.06
CC24119		27	16	1.66	10	<1	0.52	10	8.19	364	<1	0.04	15	350	5	0.08
CC24120		33	16	2.73	10	<1	0.16	10	3.11	1030	<1	0.03	26	360	26	0.05
CC24121		17	18	1.25	<10	<1	0.27	10	3.46	375	<1	0.04	12	200	16	0.04
CC24122		61	15	3.54	10	<1	0.13	10	3.34	723	<1	0.10	33	220	116	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24083		2	3	20	<20	0.04	<10	<10	49	<10	345
CC24084		<2	3	22	<20	0.04	<10	<10	58	<10	224
CC24085		2	4	19	<20	0.05	<10	<10	66	<10	249
CC24086		2	3	16	<20	0.03	<10	<10	56	<10	168
CC24087		2	2	78	<20	0.03	<10	<10	29	10	223
CC24088		<2	3	24	<20	0.04	<10	<10	57	<10	343
CC24089		<2	2	10	<20	0.04	<10	<10	52	70	127
CC24090		3	3	20	<20	0.05	<10	<10	66	10	236
CC24091		<2	3	19	<20	0.07	<10	<10	71	20	343
CC24092		2	4	19	<20	0.07	<10	<10	74	10	178
CC24093		2	3	23	<20	0.04	<10	<10	54	<10	209
CC24094		<2	3	22	<20	0.04	<10	<10	53	<10	192
CC24095		<2	3	20	<20	0.04	<10	<10	67	<10	124
CC24096		<2	3	22	<20	0.04	<10	<10	67	<10	238
CC24097		<2	3	18	<20	0.04	<10	<10	63	<10	164
CC24098		2	5	19	<20	0.15	<10	<10	74	10	118
CC24099		<2	3	17	<20	0.06	<10	<10	70	10	116
CC24100		<2	3	18	<20	0.06	<10	<10	72	<10	97
CC24101		2	3	23	<20	0.04	<10	<10	58	10	301
CC24102		<2	3	19	<20	0.06	<10	<10	65	<10	229
CC24103		2	3	16	<20	0.04	<10	<10	61	20	161
CC24104		<2	3	19	<20	0.05	<10	<10	68	10	175
CC24105		2	3	30	<20	0.04	<10	<10	53	<10	216
CC24106		<2	3	18	<20	0.08	<10	<10	85	<10	357
CC24107		2	4	19	<20	0.07	<10	<10	76	<10	296
CC24108		<2	4	21	<20	0.07	<10	<10	87	<10	108
CC24109		2	6	14	<20	0.16	<10	<10	61	<10	99
CC24110		<2	4	17	<20	0.06	<10	<10	76	<10	149
CC24111		2	4	19	<20	0.09	<10	<10	73	10	147
CC24112		2	6	24	<20	0.08	<10	<10	71	40	339
CC24113		2	4	28	<20	0.08	<10	<10	53	10	206
CC24114		<2	5	25	<20	0.09	<10	<10	74	10	192
CC24115		<2	2	63	<20	0.03	<10	<10	22	20	360
CC24116		<2	2	106	<20	0.04	<10	<10	17	10	92
CC24117		<2	2	102	<20	0.05	<10	<10	24	10	138
CC24118		<2	3	123	<20	0.09	<10	<10	28	150	97
CC24119		<2	2	155	<20	0.12	<10	<10	33	<10	85
CC24120		<2	4	46	<20	0.10	<10	<10	48	10	200
CC24121		<2	2	269	<20	0.07	<10	<10	22	<10	206
CC24122		<2	7	62	<20	0.16	<10	<10	69	<10	585

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24123		0.16	<0.001	<10	5	10	0.3	2.48	17	<10	170	0.7	<2	1.23	<0.5	20
CC24124		0.20	<0.001	<10	4	10	0.2	2.24	7	<10	100	0.9	<2	11.25	<0.5	6
CC24125		0.22	<0.001	<10	4	10	<0.2	2.02	7	<10	100	0.7	<2	18.5	<0.5	7
CC24126		0.16	<0.001	<10	4	20	0.4	3.01	6	<10	280	1.0	2	0.96	1.4	25
CC24127		0.30	<0.001	<10	<4	10	<0.2	2.02	8	<10	100	0.6	<2	12.50	<0.5	10
CC24128		0.18	0.003	<10	5	10	<0.2	2.66	8	<10	170	0.8	2	1.47	<0.5	16
CC24129		0.30	0.015	<10	4	10	0.2	2.94	20	<10	200	1.0	5	0.67	<0.5	16
CC24130		0.26	0.002	<10	4	10	<0.2	3.36	12	<10	110	1.1	<2	8.22	<0.5	9
CC24131		0.18	<0.001	<10	5	10	<0.2	4.32	8	<10	80	1.1	<2	4.75	4.7	8
CC24132		0.22	<0.001	<10	<4	<10	<0.2	1.82	5	10	80	<0.5	<2	18.9	<0.5	3
CC24133		0.24	<0.001	<10	<4	<10	<0.2	0.80	2	<10	60	<0.5	<2	18.6	<0.5	<1
CC24134		0.22	<0.001	<10	5	20	<0.2	1.28	6	<10	120	0.6	<2	17.7	<0.5	2
CC24135		0.36	<0.001	<10	5	10	<0.2	1.10	6	<10	180	0.6	<2	10.60	<0.5	4
CC24136		0.34	<0.001	<10	4	10	<0.2	0.84	7	<10	120	0.6	<2	12.9	<0.5	3
CC24137		0.18	<0.001	<10	5	10	<0.2	1.62	15	<10	110	1.0	<2	9.03	<0.5	6
CC24138		0.14	<0.001	<10	5	20	0.9	2.72	18	<10	110	1.8	2	8.08	<0.5	8
CC24139		0.24	0.006	<10	7	20	0.2	3.13	19	<10	190	1.6	<2	0.55	<0.5	13
CC24140		0.20	<0.001	<10	6	20	<0.2	2.84	14	<10	230	1.1	<2	0.49	<0.5	15
CC24141		0.18	<0.001	<10	6	10	0.2	2.08	11	<10	280	0.7	<2	1.60	<0.5	10
CC24142		0.24	0.001	<10	7	30	0.2	2.97	29	<10	230	1.8	<2	0.55	<0.5	12
CC24143		0.20	0.004	<10	6	10	0.4	3.30	16	<10	140	1.2	9	0.42	<0.5	14
CC24144		0.30	<0.001	<10	6	10	0.2	2.92	21	<10	220	1.0	<2	0.68	<0.5	14
CC24145		0.24	<0.001	<10	6	10	0.3	2.86	15	<10	310	1.1	<2	0.68	<0.5	12
CC24146		0.26	<0.001	<10	6	10	0.2	2.32	9	<10	250	0.7	<2	0.55	<0.5	11
CC24147		0.18	<0.001	<10	6	10	<0.2	3.87	8	<10	180	1.2	<2	0.57	<0.5	11
CC24148		0.28	0.002	<10	6	10	<0.2	1.92	23	<10	170	1.1	<2	0.33	<0.5	9
CC24149		0.22	<0.001	<10	7	<10	0.2	2.78	9	<10	270	0.7	<2	0.42	<0.5	8
CC24150		0.16	0.001	<10	7	10	0.3	2.31	21	<10	250	1.0	<2	0.52	<0.5	9
CC24151		0.22	<0.001	<10	7	10	0.2	2.26	20	<10	240	0.9	<2	0.52	<0.5	10
CC24152		0.22	0.002	<10	6	10	0.3	2.68	27	<10	280	1.2	<2	0.59	<0.5	10
CC24153		0.36	0.005	<10	5	10	0.5	1.81	35	10	150	1.1	<2	10.35	<0.5	4
CC24154		0.28	0.005	<10	8	30	0.5	2.90	79	<10	250	1.6	10	1.14	<0.5	11
CC24155		0.20	0.004	<10	7	50	0.3	2.86	13	<10	260	1.1	<2	2.05	<0.5	11
CC24156		0.24	<0.001	<10	7	10	<0.2	2.51	25	<10	300	1.0	<2	0.81	<0.5	11
CC24157		0.26	0.246	<10	7	10	0.2	2.05	17	<10	360	0.7	<2	0.71	<0.5	10
CC24158		0.18	<0.001	<10	12	10	0.2	2.26	18	<10	350	0.8	<2	0.70	0.7	11
CC24159		0.30	0.001	<10	6	10	0.2	1.49	13	10	230	0.7	<2	7.72	<0.5	6
CC24160		0.18	0.001	<10	10	10	0.6	1.69	16	<10	340	0.8	<2	7.46	<0.5	6
CC24161		0.26	<0.001	<10	11	30	1.4	2.16	23	<10	470	1.8	2	1.14	4.0	10
CC24162		0.34	0.003	<10	9	60	0.5	1.88	32	<10	300	1.1	4	4.15	<0.5	9

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24123		73	21	3.97	10	<1	0.13	10	1.68	989	<1	0.03	57	480	28	0.05
CC24124		28	17	2.03	10	<1	0.14	10	5.34	521	<1	0.02	21	420	30	0.04
CC24125		24	23	1.71	10	<1	0.21	10	3.54	472	<1	0.04	21	280	25	0.06
CC24126		84	26	4.26	10	1	0.15	10	2.02	1880	<1	0.04	64	330	31	0.04
CC24127		41	20	2.56	10	<1	0.10	10	1.85	699	<1	0.02	31	540	12	0.03
CC24128		75	29	3.62	10	<1	0.13	10	1.87	653	<1	0.04	55	450	19	0.05
CC24129		84	23	4.04	10	<1	0.13	10	1.93	518	<1	0.04	57	270	20	0.02
CC24130		38	30	2.78	10	<1	0.11	10	3.85	551	<1	0.05	26	360	15	0.06
CC24131		40	13	2.73	10	<1	0.09	10	6.01	824	<1	0.03	22	200	23	0.02
CC24132		17	8	1.08	<10	<1	0.23	10	9.37	184	<1	0.04	10	280	<2	0.06
CC24133		8	6	0.60	<10	<1	0.21	<10	11.45	156	<1	0.02	5	80	4	0.05
CC24134		13	12	1.07	<10	<1	0.20	10	10.25	973	<1	0.03	6	300	10	0.06
CC24135		17	16	1.41	<10	<1	0.12	10	7.09	224	<1	0.03	14	480	12	0.03
CC24136		12	17	1.23	<10	<1	0.11	10	7.84	437	<1	0.02	12	380	18	0.01
CC24137		22	12	1.84	<10	1	0.12	10	6.81	462	<1	0.02	15	500	8	0.03
CC24138		34	18	2.52	10	<1	0.11	20	7.06	887	1	0.04	26	550	25	0.06
CC24139		52	17	3.86	10	<1	0.16	10	1.87	798	<1	0.03	36	340	34	0.02
CC24140		58	10	3.77	10	<1	0.15	10	1.47	613	<1	0.03	40	230	23	0.01
CC24141		32	16	2.79	10	<1	0.12	10	1.00	692	<1	0.03	20	580	12	0.05
CC24142		45	21	3.57	10	<1	0.16	10	2.47	910	1	0.03	36	460	34	0.02
CC24143		59	15	3.80	10	<1	0.14	20	2.26	702	1	0.02	35	310	20	0.02
CC24144		42	15	3.73	10	<1	0.14	10	1.86	804	1	0.02	29	410	18	0.03
CC24145		40	15	3.45	10	<1	0.16	10	1.77	1130	<1	0.02	25	350	56	0.02
CC24146		36	11	2.97	10	<1	0.12	20	1.17	625	1	0.02	22	610	14	0.03
CC24147		54	16	3.55	10	1	0.11	20	3.31	646	1	0.03	27	480	24	0.04
CC24148		29	18	3.31	<10	<1	0.16	10	0.92	506	1	0.02	34	740	27	0.02
CC24149		35	13	2.87	10	1	0.14	10	2.30	590	1	0.02	17	720	14	0.04
CC24150		38	13	3.10	10	<1	0.17	20	1.02	629	1	0.03	28	540	25	0.03
CC24151		35	14	3.19	10	1	0.14	20	0.98	758	<1	0.02	24	740	24	0.05
CC24152		41	17	3.41	10	<1	0.20	20	1.43	512	1	0.03	32	510	24	0.03
CC24153		20	12	2.38	<10	<1	0.11	10	7.35	1980	<1	0.02	21	450	28	0.02
CC24154		40	19	4.22	10	<1	0.20	20	2.09	1320	1	0.03	36	590	46	0.04
CC24155		37	15	3.26	10	1	0.20	20	2.63	1200	1	0.04	22	690	16	0.05
CC24156		36	23	3.71	10	<1	0.18	20	0.98	929	1	0.03	24	480	33	0.03
CC24157		32	16	3.13	10	<1	0.11	20	0.77	839	<1	0.03	22	600	18	0.03
CC24158		33	16	3.51	10	1	0.15	20	1.17	1690	1	0.03	22	570	24	0.03
CC24159		21	13	2.24	<10	<1	0.13	10	5.48	1070	1	0.02	15	370	19	0.02
CC24160		24	18	2.87	<10	<1	0.12	10	5.18	2590	1	0.02	17	470	21	0.04
CC24161		32	24	3.72	10	1	0.20	20	1.41	2460	3	0.03	27	720	83	0.05
CC24162		30	41	2.84	<10	<1	0.22	20	3.31	834	1	0.04	33	590	36	0.03

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24123		<2	5	26	<20	0.15	<10	<10	69	<10	234
CC24124		2	3	106	<20	0.08	<10	<10	37	10	232
CC24125		2	3	164	<20	0.08	<10	<10	31	<10	502
CC24126		<2	5	25	<20	0.18	<10	<10	70	10	323
CC24127		<2	4	198	<20	0.08	<10	<10	42	<10	163
CC24128		<2	5	33	<20	0.14	<10	<10	67	<10	113
CC24129		2	5	23	<20	0.16	<10	<10	73	10	106
CC24130		2	4	99	<20	0.12	<10	<10	50	<10	290
CC24131		<2	5	58	<20	0.16	<10	<10	55	<10	1125
CC24132		<2	2	183	<20	0.07	<10	<10	17	<10	48
CC24133		2	1	133	<20	0.03	<10	<10	9	<10	32
CC24134		2	2	128	<20	0.04	<10	<10	17	20	122
CC24135		<2	2	70	<20	0.05	<10	<10	29	10	91
CC24136		2	2	81	<20	0.03	<10	<10	22	10	102
CC24137		<2	3	48	<20	0.05	<10	<10	36	20	78
CC24138		2	4	54	<20	0.07	<10	<10	44	20	119
CC24139		2	4	16	<20	0.11	<10	<10	69	20	176
CC24140		<2	4	16	<20	0.15	<10	<10	82	10	243
CC24141		<2	3	28	<20	0.05	<10	<10	60	<10	126
CC24142		<2	4	17	<20	0.09	<10	<10	63	20	259
CC24143		<2	4	17	<20	0.14	<10	<10	75	10	116
CC24144		<2	3	19	<20	0.10	<10	<10	67	10	140
CC24145		<2	4	18	<20	0.08	<10	<10	73	<10	194
CC24146		<2	3	21	<20	0.07	<10	<10	66	10	109
CC24147		2	4	17	<20	0.18	<10	<10	77	<10	155
CC24148		<2	3	16	<20	0.05	<10	<10	47	10	174
CC24149		<2	2	15	<20	0.07	<10	<10	67	<10	121
CC24150		2	3	21	<20	0.07	<10	<10	67	10	123
CC24151		<2	3	19	<20	0.05	<10	<10	68	10	145
CC24152		<2	5	22	<20	0.07	<10	<10	73	10	145
CC24153		<2	3	65	<20	0.03	<10	<10	30	10	121
CC24154		2	5	21	<20	0.06	<10	<10	63	20	504
CC24155		<2	4	27	<20	0.07	<10	<10	66	50	161
CC24156		<2	5	22	<20	0.05	<10	<10	76	<10	168
CC24157		<2	4	23	<20	0.05	<10	<10	65	<10	134
CC24158		<2	4	22	<20	0.06	<10	<10	63	<10	255
CC24159		<2	3	45	<20	0.04	<10	<10	40	<10	136
CC24160		2	3	34	<20	0.04	<10	<10	42	<10	219
CC24161		3	3	22	<20	0.05	<10	<10	60	10	812
CC24162		3	4	43	<20	0.06	<10	<10	50	60	171

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC24163		0.26	0.005	<10	7	20	0.5	2.31	27	<10	330	1.5	2	0.78	<0.5	12
CC24164		0.12	<0.001	<10	8	20	0.6	2.02	20	<10	480	1.3	<2	1.65	1.4	10
CC24165		0.18	<0.001	<10	8	30	0.5	2.04	23	<10	340	1.0	<2	1.29	1.0	12
CC24166		0.32	<0.001	<10	9	10	0.4	2.07	16	<10	420	1.1	<2	0.78	<0.5	11
CC24167		0.18	0.002	<10	7	10	0.5	1.56	14	<10	470	1.0	<2	1.85	1.0	8
CC24168		0.26	<0.001	<10	6	10	0.6	1.43	17	<10	300	0.8	<2	0.98	<0.5	8
CC24169		0.34	0.007	<10	6	10	0.4	1.27	10	<10	400	0.7	<2	3.49	0.8	8
CC24170		0.20	NSS	<10	25	20	1.3	1.65	22	10	550	2.1	4	2.82	1.3	7
CC24171		0.30	<0.001	<10	6	10	0.5	1.60	13	<10	310	0.9	2	0.57	0.9	8
CC24172		0.32	<0.001	<10	6	20	0.8	1.67	15	<10	310	1.0	<2	1.35	0.7	7
CC24173		0.18	<0.001	<10	10	10	0.4	1.58	13	<10	550	1.0	2	1.74	<0.5	8
CC24174		0.26	<0.001	<10	6	30	0.8	1.96	17	<10	430	1.3	<2	0.95	0.7	10
CC24175		0.26	<0.001	<10	7	30	0.2	1.80	17	<10	300	1.1	2	0.42	<0.5	10
CC24176		0.30	<0.001	<10	7	10	0.3	2.68	12	<10	270	1.0	<2	0.61	<0.5	10
CC24177		0.28	<0.001	<10	19	30	1.0	1.55	24	<10	140	1.3	18	0.15	<0.5	4
CC24178		0.22	<0.001	<10	12	40	1.0	1.84	22	<10	490	1.4	2	2.90	2.1	8
CC24179		0.26	0.004	<10	13	60	0.4	1.88	38	<10	450	1.1	14	0.61	1.4	9
CC24180		0.22	<0.001	<10	13	20	0.6	2.00	27	10	360	1.0	<2	1.59	1.9	9
CC24181		0.28	<0.001	<10	6	10	<0.2	1.98	16	<10	270	0.8	<2	0.51	<0.5	10
CC24182		0.22	<0.001	<10	10	10	0.2	2.22	25	<10	290	0.9	3	0.72	1.3	10
CC24183		0.20	NSS	<10	10	10	0.2	2.10	20	<10	290	0.9	<2	0.88	1.2	10
CC24184		0.32	0.003	<10	6	10	0.4	1.56	30	<10	180	0.8	<2	8.44	<0.5	6
CC24185		0.32	0.002	<10	7	10	0.4	1.94	22	<10	270	0.9	<2	0.48	<0.5	9
CC24186		0.42	<0.001	<10	6	10	0.2	2.07	25	<10	220	0.8	<2	3.55	<0.5	7
CC24187		0.42	0.003	<10	6	10	0.2	1.82	20	<10	190	0.8	<2	3.59	<0.5	9
CC24188		0.14	<0.001	<10	6	10	<0.2	2.02	20	<10	270	0.6	<2	0.95	<0.5	10
CC24189		0.22	<0.001	<10	6	10	0.2	2.34	18	<10	220	0.9	<2	0.67	<0.5	12
CC24190		0.32	<0.001	<10	7	10	0.2	2.74	12	<10	230	1.1	<2	0.46	<0.5	13
CC24191		0.22	<0.001	<10	6	10	<0.2	1.95	18	<10	250	0.7	<2	0.60	0.5	10
CC24192		0.30	0.005	<10	7	10	0.2	2.65	21	10	280	1.3	3	0.51	<0.5	14
CC24193		0.18	<0.001	<10	7	10	<0.2	2.43	19	<10	280	0.9	<2	0.33	<0.5	11
CC24194		0.36	0.002	<10	6	10	0.3	2.70	11	<10	260	0.9	2	0.74	<0.5	10
CC24195		0.32	<0.001	<10	6	10	0.2	2.87	15	<10	210	0.9	<2	0.69	<0.5	11
CC24196		0.26	<0.001	<10	4	<10	0.3	0.50	6	<10	30	<0.5	<2	16.5	<0.5	1
CC24197		0.14	<0.001	<10	7	10	0.3	2.69	15	10	240	2.1	<2	1.27	1.0	11
CC24198		0.26	0.003	<10	7	20	<0.2	3.12	19	<10	410	1.8	<2	0.33	<0.5	13
CC24199		0.30	<0.001	<10	7	30	<0.2	3.45	14	<10	190	1.6	<2	3.42	<0.5	10
CC24200		0.22	<0.001	<10	5	10	<0.2	1.33	7	<10	70	0.9	<2	11.55	<0.5	3
CC24201		0.24	0.001	<10	6	10	0.2	2.38	8	40	170	1.7	<2	5.69	<0.5	6
CC24202		0.28	<0.001	<10	6	20	0.2	2.42	11	<10	180	1.6	2	2.81	0.9	9

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24163		37	27	3.53	10	1	0.14	20	1.12	854	1	0.02	31	510	26	0.03
CC24164		33	24	3.00	10	1	0.15	20	1.06	1010	1	0.03	27	850	28	0.07
CC24165		38	33	3.29	10	<1	0.16	10	1.13	808	1	0.03	34	610	24	0.05
CC24166		39	29	3.36	10	<1	0.17	20	1.03	685	1	0.03	34	540	26	0.04
CC24167		25	29	2.64	<10	<1	0.15	10	1.09	661	2	0.02	28	770	31	0.05
CC24168		26	25	2.71	<10	<1	0.14	10	0.79	566	1	0.03	29	610	36	0.04
CC24169		23	24	2.44	<10	<1	0.12	10	2.25	1490	2	0.03	29	670	32	0.04
CC24170		22	27	2.92	10	<1	0.16	10	1.88	1780	5	0.03	29	750	97	0.09
CC24171		30	18	2.94	<10	<1	0.13	10	0.80	937	1	0.03	29	570	45	0.04
CC24172		28	25	2.82	<10	<1	0.14	10	1.44	763	2	0.03	27	450	39	0.04
CC24173		25	24	2.52	<10	<1	0.10	10	0.82	762	1	0.03	22	910	29	0.10
CC24174		31	25	3.34	10	<1	0.15	20	1.04	1320	1	0.03	29	760	70	0.06
CC24175		32	13	3.09	10	1	0.12	10	1.11	900	1	0.02	20	320	37	0.03
CC24176		34	16	3.03	10	1	0.11	10	2.20	625	<1	0.03	24	420	14	0.04
CC24177		19	13	2.53	10	1	0.15	10	0.47	343	1	0.03	15	200	40	0.03
CC24178		27	24	3.01	10	<1	0.17	20	2.35	1610	1	0.03	24	640	51	0.06
CC24179		28	19	4.13	10	<1	0.16	20	0.95	3200	3	0.03	22	510	45	0.05
CC24180		31	18	3.40	10	<1	0.15	10	1.71	1820	2	0.03	25	700	35	0.07
CC24181		32	15	3.16	10	<1	0.13	20	0.83	635	<1	0.03	23	480	16	0.04
CC24182		34	17	3.58	10	<1	0.17	20	1.24	1500	1	0.04	25	760	31	0.06
CC24183		35	18	3.65	10	<1	0.17	10	1.05	1240	2	0.04	25	820	28	0.07
CC24184		21	18	2.17	<10	<1	0.12	10	6.12	1290	1	0.03	21	450	29	0.04
CC24185		30	17	3.23	10	1	0.12	20	0.85	960	1	0.03	28	500	25	0.04
CC24186		29	16	2.85	10	<1	0.15	10	3.11	909	1	0.04	20	370	26	0.04
CC24187		27	35	2.85	10	<1	0.15	10	2.95	603	1	0.03	34	580	23	0.03
CC24188		31	12	2.70	10	<1	0.12	10	0.93	822	1	0.03	20	710	19	0.07
CC24189		52	17	3.59	10	2	0.12	10	1.41	851	<1	0.04	34	640	19	0.05
CC24190		52	16	3.73	10	<1	0.16	20	1.40	673	1	0.03	46	400	20	0.03
CC24191		32	14	3.11	10	<1	0.13	10	0.95	973	1	0.03	21	660	23	0.05
CC24192		41	19	3.47	10	<1	0.14	20	1.58	1030	3	0.03	37	440	32	0.03
CC24193		38	13	3.69	10	<1	0.14	10	0.99	1360	2	0.03	26	470	28	0.04
CC24194		37	14	3.10	10	<1	0.11	20	1.92	771	1	0.03	26	420	36	0.04
CC24195		45	14	3.23	10	<1	0.12	10	2.05	611	<1	0.03	32	300	16	0.03
CC24196		8	4	0.46	<10	<1	0.03	10	11.10	166	<1	0.02	4	270	<2	0.03
CC24197		36	20	3.22	10	<1	0.20	20	2.17	1450	<1	0.03	27	580	45	0.06
CC24198		42	17	3.99	10	<1	0.17	20	1.62	946	1	0.04	35	230	26	0.04
CC24199		40	15	3.05	10	<1	0.15	20	5.42	639	1	0.03	26	250	24	0.04
CC24200		17	8	1.23	<10	<1	0.07	10	8.81	375	<1	0.03	12	540	8	0.04
CC24201		29	13	2.21	10	<1	0.21	10	6.30	583	<1	0.04	17	640	7	0.05
CC24202		32	15	2.84	10	<1	0.15	20	3.24	1120	<1	0.04	25	350	17	0.04

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24163		<2	4	23	<20	0.06	<10	<10	66	20	203
CC24164		<2	3	31	<20	0.05	<10	<10	55	10	263
CC24165		<2	3	27	<20	0.05	<10	<10	58	30	223
CC24166		2	4	24	<20	0.06	<10	<10	62	10	166
CC24167		2	3	29	<20	0.03	<10	<10	45	<10	286
CC24168		2	3	22	<20	0.03	<10	<10	46	<10	281
CC24169		2	3	36	<20	0.03	<10	<10	43	10	250
CC24170		3	3	32	<20	0.02	<10	10	39	10	768
CC24171		3	3	19	<20	0.04	<10	<10	54	10	326
CC24172		3	3	21	<20	0.04	<10	<10	51	10	279
CC24173		<2	2	27	<20	0.03	<10	<10	43	<10	193
CC24174		<2	3	23	<20	0.04	<10	<10	56	20	327
CC24175		<2	3	12	<20	0.05	<10	<10	59	20	390
CC24176		3	4	17	<20	0.07	<10	<10	58	<10	232
CC24177		<2	2	8	<20	0.03	<10	10	38	20	161
CC24178		2	3	31	<20	0.04	<10	<10	49	30	543
CC24179		3	3	19	<20	0.04	<10	<10	54	50	393
CC24180		<2	3	23	<20	0.05	<10	<10	53	10	425
CC24181		<2	4	20	<20	0.05	<10	<10	59	<10	146
CC24182		<2	3	22	<20	0.05	<10	<10	58	<10	315
CC24183		<2	3	23	<20	0.05	<10	<10	58	<10	259
CC24184		<2	3	55	<20	0.04	<10	<10	33	10	235
CC24185		2	4	19	<20	0.04	<10	<10	56	10	139
CC24186		<2	3	33	<20	0.05	<10	<10	54	10	148
CC24187		<2	4	36	<20	0.04	<10	<10	47	10	132
CC24188		2	3	23	<20	0.05	<10	<10	59	10	131
CC24189		<2	3	18	<20	0.10	<10	<10	65	<10	174
CC24190		2	5	17	<20	0.11	<10	<10	68	10	111
CC24191		<2	2	18	<20	0.05	<10	<10	64	10	171
CC24192		<2	4	19	<20	0.07	<10	<10	70	<10	203
CC24193		2	3	16	<20	0.06	<10	<10	72	10	158
CC24194		<2	4	19	<20	0.07	<10	<10	66	<10	111
CC24195		<2	4	19	<20	0.10	<10	<10	66	<10	108
CC24196		<2	1	58	<20	0.01	<10	<10	9	<10	26
CC24197		2	4	20	<20	0.07	<10	<10	64	10	271
CC24198		<2	6	19	<20	0.08	<10	<10	82	10	277
CC24199		<2	5	19	<20	0.09	<10	<10	63	20	126
CC24200		2	2	59	<20	0.03	<10	<10	26	10	55
CC24201		<2	3	34	<20	0.06	<10	<10	49	10	98
CC24202		2	5	25	<20	0.07	<10	<10	61	10	165

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	WEI-21	Au-ICP21	ME-XRF05	ME-XRF05	ME-XRF05	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ta	U	W	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	0.001	10	4	10	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC24203		0.34	<0.001	<10	4	10	<0.2	0.68	3	<10	110	0.7	<2	15.3	<0.5	1
CC24204		0.14	<0.001	<10	5	10	<0.2	1.25	<2	10	180	1.0	<2	9.13	<0.5	5
CC24205		0.26	0.003	<10	4	10	<0.2	0.86	<2	<10	90	<0.5	<2	16.9	<0.5	1
CC24206		0.20	<0.001	<10	5	10	<0.2	1.85	6	<10	80	0.8	<2	11.05	<0.5	4
CC24207		0.30	<0.001	<10	4	<10	<0.2	0.83	<2	<10	50	<0.5	<2	18.0	<0.5	<1
CC24208		0.26	<0.001	<10	5	<10	<0.2	2.67	<2	10	70	0.6	<2	8.09	<0.5	6
CC24209		0.28	<0.001	<10	4	10	<0.2	2.32	4	<10	70	0.8	<2	18.3	<0.5	3
CC24210		0.22	<0.001	<10	<4	10	<0.2	2.30	<2	10	70	1.4	<2	20.7	<0.5	5
CC24211		0.28	NSS	<10	5	10	0.2	2.90	10	<10	230	0.9	4	1.11	<0.5	17
CC24212		0.30	0.054	<10	4	10	0.2	3.29	13	<10	150	1.0	<2	1.52	0.6	16
CC24213		0.22	NSS	<10	5	10	0.2	1.23	10	10	500	0.6	<2	11.80	<0.5	4
CC24214		0.18	<0.001	<10	5	20	<0.2	1.43	9	10	120	0.5	<2	13.2	<0.5	3
CC24215		0.16	NSS	<10	5	10	<0.2	2.37	2	<10	140	1.0	2	2.47	<0.5	13
CC24216		0.10	NSS	<10	5	<10	<0.2	0.70	8	10	160	<0.5	<2	5.66	<0.5	4
CC24217		0.14	NSS	<10	5	<10	<0.2	0.25	<2	20	110	<0.5	<2	5.88	1.4	<1
CC24218		0.18	0.001	<10	6	20	<0.2	3.50	22	<10	180	1.5	11	0.67	<0.5	12
CC24219		0.18	0.017	<10	6	20	<0.2	2.83	22	<10	220	1.0	53	0.85	<0.5	21
CC24220		0.14	0.046	<10	4	10	<0.2	1.65	11	<10	150	0.5	4	2.24	<0.5	15
CC24221		0.20	NSS	<10	6	10	0.2	2.12	12	<10	240	0.7	8	2.13	<0.5	19
CC24222		0.16	<0.001	<10	5	10	<0.2	1.76	4	10	320	0.7	<2	9.70	<0.5	5
CC24223		0.20	<0.001	<10	5	10	<0.2	3.34	13	10	150	0.7	<2	0.50	<0.5	9
CC24224		0.10	<0.001	<10	6	10	<0.2	1.84	8	<10	150	0.6	<2	7.39	<0.5	5
CC24225		0.18	<0.001	<10	6	10	<0.2	3.10	4	10	110	1.4	<2	0.45	0.6	15
CC24226		0.14	<0.001	<10	6	10	<0.2	2.35	4	<10	190	0.6	<2	0.46	<0.5	12
CC24227		0.16	<0.001	<10	6	10	<0.2	2.69	26	<10	170	1.4	<2	0.51	<0.5	12
CC24228		0.18	<0.001	<10	5	10	0.2	2.21	9	<10	170	0.8	<2	0.79	0.9	12
CC24229		0.12	<0.001	<10	6	10	<0.2	2.17	16	<10	150	0.9	<2	0.71	0.7	12
CC24230		0.20	<0.001	<10	6	10	0.2	2.34	11	<10	160	0.8	<2	0.93	<0.5	12
CC24231		0.16	0.003	<10	6	10	0.2	2.23	12	<10	340	0.6	<2	0.61	2.2	12
CC24232		0.18	0.004	<10	6	10	<0.2	3.03	11	10	160	1.2	<2	0.38	<0.5	12
CC24233		0.14	0.004	<10	9	10	0.4	2.03	25	<10	180	1.4	5	1.25	0.5	10
CC24234		0.24	<0.001	<10	4	10	0.2	1.98	6	<10	90	1.2	<2	10.85	<0.5	9
CC24235		0.18	0.013	<10	5	10	<0.2	2.43	9	<10	180	0.6	2	0.57	0.5	15
CC24236		0.22	0.008	<10	6	10	<0.2	1.80	18	<10	160	0.7	<2	0.20	<0.5	10
CC24237		0.20	0.001	<10	6	10	0.2	2.11	20	<10	200	0.7	<2	0.28	0.7	10
CC24238		0.16	0.040	<10	8	20	<0.2	2.33	410	<10	210	0.8	<2	0.19	0.6	11
CC24239		0.14	0.013	<10	8	20	0.2	2.94	135	<10	240	1.8	6	0.94	0.8	15
CC24240		0.22	0.002	<10	6	20	0.2	2.30	40	<10	140	1.0	3	0.30	<0.5	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC24203		8	10	0.66	<10	<1	0.14	10	10.65	121	<1	0.03	6	190	6	0.02
CC24204		18	18	1.77	10	<1	0.12	10	6.09	524	2	0.04	19	540	14	0.04
CC24205		9	7	0.78	10	<1	0.13	10	8.93	257	<1	0.03	10	250	15	0.03
CC24206		20	23	1.43	10	<1	0.13	10	8.51	360	<1	0.02	17	340	10	0.03
CC24207		7	6	0.58	<10	<1	0.15	10	11.05	138	<1	0.02	6	110	<2	<0.01
CC24208		30	10	2.05	10	<1	0.07	10	6.97	475	<1	0.02	21	290	28	0.03
CC24209		20	17	1.43	10	<1	0.23	10	4.17	573	<1	0.04	15	280	10	<0.01
CC24210		23	17	1.65	10	<1	0.31	10	2.50	276	<1	0.05	16	220	4	<0.01
CC24211		77	37	3.97	10	<1	0.13	20	2.00	620	1	0.05	67	430	22	0.03
CC24212		90	19	4.19	10	<1	0.15	20	2.33	648	<1	0.05	65	400	40	0.04
CC24213		18	19	1.88	10	<1	0.17	10	3.03	1230	<1	0.04	20	590	18	0.04
CC24214		17	16	1.33	10	<1	0.12	10	6.39	414	<1	0.04	16	440	18	0.07
CC24215		52	39	3.25	10	<1	0.14	20	1.71	666	1	0.06	44	560	19	0.08
CC24216		11	41	1.07	<10	<1	0.06	20	0.51	555	<1	0.02	20	940	8	0.19
CC24217		3	15	0.34	<10	<1	0.03	20	0.66	149	<1	0.02	5	580	5	0.20
CC24218		61	18	4.39	10	<1	0.12	20	1.85	820	1	0.03	46	310	25	0.04
CC24219		85	35	4.27	10	<1	0.11	20	1.86	1050	1	0.05	62	560	21	0.04
CC24220		52	47	2.68	10	<1	0.10	20	1.18	457	1	0.03	55	590	14	0.11
CC24221		58	96	3.32	10	<1	0.12	20	1.36	694	1	0.04	68	690	22	0.11
CC24222		23	18	1.79	10	<1	0.20	10	5.25	335	1	0.03	18	470	14	0.04
CC24223		51	15	3.91	10	<1	0.14	10	2.31	224	1	0.03	30	230	17	0.02
CC24224		23	15	1.73	10	<1	0.10	20	4.51	923	1	0.04	18	420	12	0.08
CC24225		51	10	3.46	10	1	0.08	10	2.20	753	1	0.02	36	270	16	0.03
CC24226		38	9	2.97	10	<1	0.06	10	1.67	1340	1	0.01	19	280	45	0.04
CC24227		44	16	3.49	10	<1	0.08	10	1.57	676	1	0.02	36	340	21	0.02
CC24228		39	15	2.95	10	<1	0.06	10	1.27	1100	1	0.02	28	530	18	0.05
CC24229		45	14	3.03	10	<1	0.07	10	1.29	690	1	0.02	33	380	17	0.03
CC24230		42	14	2.94	10	<1	0.06	10	1.65	775	1	0.02	30	650	18	0.05
CC24231		34	14	2.79	10	<1	0.07	10	1.78	2490	2	0.02	22	480	31	0.04
CC24232		48	15	3.43	10	<1	0.08	20	2.29	620	1	0.02	34	550	19	0.03
CC24233		33	18	3.42	10	<1	0.06	20	1.40	1050	10	0.02	34	930	25	0.08
CC24234		34	14	2.11	10	<1	0.07	20	5.63	1730	<1	0.03	36	610	9	0.04
CC24235		82	14	3.36	10	<1	0.12	10	1.69	713	1	0.02	46	350	18	0.03
CC24236		34	26	2.80	10	<1	0.07	10	0.92	463	1	0.01	37	400	19	0.02
CC24237		31	12	3.38	10	<1	0.06	10	0.70	687	2	0.01	19	300	21	0.02
CC24238		35	10	4.07	10	<1	0.14	10	1.16	795	2	0.02	21	240	27	0.02
CC24239		47	22	3.92	10	1	0.10	20	2.24	2610	2	0.02	34	500	44	0.04
CC24240		38	15	3.85	10	1	0.09	10	1.02	379	2	0.02	32	300	27	0.03

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078645

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC24203		<2	1	89	<20	0.02	<10	<10	12	10	74
CC24204		<2	3	55	<20	0.04	<10	<10	28	10	99
CC24205		3	1	118	<20	0.03	<10	<10	12	10	84
CC24206		5	2	79	<20	0.06	<10	<10	25	10	90
CC24207		3	1	134	<20	0.03	<10	<10	9	<10	21
CC24208		3	3	68	<20	0.10	<10	<10	35	<10	197
CC24209		2	3	203	<20	0.08	<10	10	26	<10	598
CC24210		4	3	213	<20	0.08	<10	<10	27	<10	97
CC24211		3	5	29	<20	0.14	<10	<10	66	10	110
CC24212		<2	7	36	<20	0.17	<10	<10	70	<10	350
CC24213		5	2	68	<20	0.04	<10	<10	29	10	152
CC24214		5	2	107	<20	0.05	<10	<10	21	10	141
CC24215		2	4	49	<20	0.10	<10	<10	47	10	116
CC24216		3	1	69	<20	0.02	<10	10	12	<10	98
CC24217		2	<1	77	<20	0.01	<10	10	3	<10	81
CC24218		4	5	21	<20	0.11	<10	<10	63	10	103
CC24219		2	4	23	<20	0.11	<10	<10	68	10	155
CC24220		4	3	36	<20	0.08	<10	10	40	10	134
CC24221		2	4	35	<20	0.09	<10	<10	45	10	125
CC24222		2	2	105	<20	0.07	<10	<10	29	10	114
CC24223		3	4	16	<20	0.13	<10	<10	81	10	97
CC24224		<2	2	73	<20	0.06	<10	10	29	10	64
CC24225		<2	3	15	<20	0.13	<10	<10	64	10	144
CC24226		5	2	13	<20	0.09	<10	<10	72	<10	152
CC24227		2	3	15	<20	0.08	<10	<10	57	10	137
CC24228		2	2	18	<20	0.07	<10	<10	54	10	126
CC24229		2	3	19	<20	0.09	<10	<10	54	10	148
CC24230		3	3	20	<20	0.08	<10	<10	49	10	127
CC24231		2	3	17	<20	0.08	<10	<10	57	10	197
CC24232		<2	4	15	<20	0.09	<10	<10	59	<10	135
CC24233		2	2	21	<20	0.05	<10	<10	51	10	123
CC24234		3	3	120	<20	0.06	<10	<10	28	<10	87
CC24235		2	3	15	<20	0.16	<10	<10	68	<10	132
CC24236		2	3	13	<20	0.05	<10	<10	45	10	112
CC24237		<2	2	12	<20	0.06	<10	<10	69	10	142
CC24238		2	3	11	<20	0.08	<10	<10	74	10	109
CC24239		3	4	15	<20	0.10	<10	<10	55	20	351
CC24240		3	3	12	<20	0.06	<10	<10	58	10	139

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized L 20-AUG-2007
Account: RCM

CERTIFICATE VA07078304

Project: RAU

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized D... 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Sample Description Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23801	0.16	0.001	0.4	2.27	21	<10	290	0.9	<2	0.92	<0.5	9	40	18	3.50
CC23802	0.20	<0.001	0.2	1.97	17	<10	250	0.7	4	0.53	0.5	10	33	17	3.25
CC23803	0.22	0.003	0.2	1.92	21	<10	210	0.9	3	0.34	<0.5	10	32	19	3.12
CC23804	0.10	<0.001	1.2	2.53	58	<10	470	1.4	45	1.30	4.9	17	41	50	4.68
CC23805	0.16	0.004	<0.2	1.71	14	<10	260	<0.5	<2	0.63	1.0	12	28	15	3.31
CC23806	0.24	0.001	0.4	2.20	20	<10	280	0.9	<2	0.49	0.8	11	33	23	3.35
CC23807	0.10	0.009	5.4	2.45	41	<10	350	1.1	5	1.36	8.9	11	38	40	4.31
CC23808	0.22	<0.001	0.3	0.68	3	<10	340	<0.5	<2	17.3	<0.5	1	10	3	0.63
CC23809	0.18	0.001	0.7	1.04	27	<10	180	0.6	<2	11.55	4.6	5	15	29	2.00
CC23810	0.14	<0.001	0.5	0.45	23	<10	80	<0.5	4	17.2	5.1	2	7	20	1.16
CC23811	0.18	<0.001	0.8	0.28	30	<10	80	<0.5	35	17.3	13.7	2	7	30	0.80
CC23812	0.20	0.002	0.8	0.25	17	<10	80	0.8	6	17.1	<0.5	<1	7	28	1.03
CC23813	0.18	<0.001	0.8	0.41	9	<10	330	<0.5	<2	17.3	0.6	<1	6	13	0.87
CC23814	0.18	0.001	0.5	0.53	7	<10	350	<0.5	<2	17.7	0.6	1	6	9	0.60
CC23815	0.18	<0.001	0.4	0.32	2	<10	130	<0.5	<2	18.8	<0.5	<1	4	5	0.59
CC23816	0.16	<0.001	0.6	0.26	4	<10	100	<0.5	<2	19.5	<0.5	<1	3	5	0.39
CC23817	0.24	0.002	2.7	0.27	15	<10	210	1.4	11	20.1	<0.5	<1	4	33	0.86
CC23818	0.14	0.003	1.2	0.69	9	<10	210	0.9	13	15.3	<0.5	1	9	29	1.38
CC23819	0.16	0.002	0.9	0.51	13	<10	220	0.5	2	17.2	0.6	1	7	17	0.79
CC23820	0.22	0.001	0.7	0.33	8	<10	1240	<0.5	<2	18.1	1.2	<1	4	10	0.86
CC23821	0.14	0.001	1.6	0.82	28	<10	300	0.8	2	15.6	1.0	1	9	33	2.05
CC23823	0.16	<0.001	<0.2	1.59	9	<10	150	0.6	<2	0.45	<0.5	4	39	11	2.61
CC23824	0.16	<0.001	<0.2	0.84	7	<10	50	<0.5	<2	0.08	<0.5	2	30	8	2.15
CC23825	0.14	0.001	0.2	1.46	8	<10	130	<0.5	<2	0.25	<0.5	6	22	14	2.24
CC23826	0.16	0.004	0.2	1.09	3	<10	70	<0.5	<2	0.40	0.5	3	9	8	1.54
CC23827	0.14	<0.001	0.3	1.50	4	<10	280	0.6	<2	0.78	2.1	17	23	21	2.52
CC23828	0.16	0.001	<0.2	1.02	8	<10	130	<0.5	<2	0.21	0.6	9	21	14	2.36
CC23829	0.18	<0.001	0.2	0.94	8	<10	100	<0.5	<2	0.09	<0.5	2	18	13	2.46
CC23830	0.24	0.002	0.2	1.44	11	<10	260	0.8	<2	0.23	0.5	6	28	29	3.05
CC23831	0.20	0.002	0.6	1.66	22	<10	270	1.4	8	0.33	1.1	10	32	39	3.39
CC23832	0.14	0.002	0.5	1.84	18	<10	310	0.8	4	0.69	3.1	12	33	34	3.32
CC23833	0.18	0.003	0.7	1.81	19	<10	240	0.8	5	0.49	1.7	11	32	30	3.20
CC23834	0.12	0.002	0.4	1.67	23	<10	240	0.7	3	0.69	4.0	11	30	25	3.03
CC23835	0.12	0.002	0.7	1.69	15	<10	260	0.7	<2	1.08	3.9	10	31	21	3.00
CC23836	0.16	0.002	0.3	2.01	17	<10	280	0.8	3	0.51	0.9	10	33	23	3.25
CC23837	0.10	0.003	0.3	1.51	15	<10	270	0.7	2	1.47	3.7	10	27	26	2.47
CC23838	0.12	0.002	0.4	1.53	19	<10	200	0.7	6	4.43	1.5	9	27	26	2.71
CC23839	0.14	0.001	0.2	1.75	18	<10	250	0.7	<2	1.05	1.3	10	32	17	2.92
CC23840	0.16	0.001	0.2	1.73	10	<10	220	0.6	<2	1.54	1.2	9	25	15	2.43
CC23841	0.14	0.001	0.2	1.94	12	<10	270	0.6	<2	1.47	0.7	9	30	24	2.79

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23801		10	1	0.10	20	0.78	1230	3	0.02	33	1630	59	0.08	6	3	20
CC23802		10	2	0.06	10	0.52	1195	2	0.02	32	1330	45	0.07	3	2	15
CC23803		<10	1	0.07	20	0.57	726	2	0.02	41	610	37	0.03	2	3	14
CC23804		<10	1	0.09	30	0.61	7390	4	0.02	55	2790	200	0.18	7	3	20
CC23805		10	<1	0.10	10	0.41	1830	3	0.02	17	1190	71	0.10	2	2	17
CC23806		10	<1	0.09	20	0.68	746	2	0.02	36	610	49	0.04	2	4	19
CC23807		10	2	0.14	40	1.13	4730	3	0.03	35	1450	1215	0.10	33	2	26
CC23808		<10	<1	0.03	10	11.35	185	1	0.02	9	280	13	<0.01	<2	1	87
CC23809		<10	2	0.05	10	7.31	1555	1	0.03	72	600	290	0.02	5	2	65
CC23810		<10	1	0.03	10	10.50	838	<1	0.02	54	360	178	<0.01	4	1	65
CC23811		<10	1	0.03	20	10.60	1110	<1	0.01	38	630	139	<0.01	3	1	51
CC23812		<10	<1	0.03	20	10.35	1750	1	0.02	10	1190	43	<0.01	3	<1	71
CC23813		<10	1	0.05	<10	10.40	1195	1	0.03	14	440	45	<0.01	<2	1	127
CC23814		<10	<1	0.06	<10	11.10	628	2	0.03	16	420	32	<0.01	<2	1	133
CC23815		<10	1	0.03	<10	11.75	856	1	0.02	7	350	26	<0.01	<2	<1	109
CC23816		<10	1	0.03	<10	12.20	482	1	0.03	7	290	17	<0.01	<2	<1	97
CC23817		<10	<1	0.08	<10	12.40	906	2	0.03	15	160	73	<0.01	4	1	97
CC23818		<10	<1	0.07	<10	9.84	1640	3	0.02	17	460	53	0.03	3	1	89
CC23819		<10	<1	0.06	<10	11.10	1050	1	0.02	16	270	81	<0.01	<2	1	95
CC23820		<10	1	0.03	<10	11.40	1710	3	0.03	12	240	71	<0.01	2	1	83
CC23821		<10	2	0.05	10	10.15	3510	3	0.02	17	620	62	0.07	4	1	96
CC23823		10	1	0.07	10	0.41	264	1	0.01	26	520	13	0.02	<2	2	16
CC23824		10	<1	0.02	<10	0.11	90	2	0.01	16	480	14	0.05	<2	<1	5
CC23825		10	1	0.04	10	0.28	372	2	0.01	23	860	13	0.06	<2	1	15
CC23826		<10	1	0.02	<10	0.08	261	1	0.02	15	600	16	0.04	<2	1	25
CC23827		<10	<1	0.09	10	0.44	3090	3	0.04	20	1880	20	0.18	<2	1	23
CC23828		10	1	0.09	10	0.27	959	4	0.02	14	760	30	0.05	<2	1	13
CC23829		10	1	0.08	10	0.12	288	4	0.01	8	410	13	0.03	<2	1	10
CC23830		<10	<1	0.08	10	0.39	512	7	0.02	33	660	45	0.05	3	1	14
CC23831		10	1	0.09	10	0.52	588	11	0.02	49	830	112	0.04	11	2	12
CC23832		10	1	0.11	20	0.62	1105	6	0.03	50	1400	131	0.08	15	3	21
CC23833		10	1	0.11	20	0.59	801	6	0.03	48	1130	122	0.05	15	3	19
CC23834		10	1	0.11	20	0.58	895	5	0.02	45	1340	89	0.08	7	3	17
CC23835		10	1	0.12	20	0.69	824	5	0.03	40	1400	107	0.11	11	3	19
CC23836		10	<1	0.10	20	0.63	766	4	0.02	41	1120	66	0.07	6	3	15
CC23837		10	<1	0.10	30	0.62	1210	3	0.03	46	1420	37	0.12	4	2	18
CC23838		10	<1	0.11	30	2.78	937	5	0.03	42	1080	46	0.06	5	2	26
CC23839		10	<1	0.09	20	0.72	867	3	0.03	39	1150	41	0.08	3	3	17
CC23840		<10	<1	0.07	30	0.64	1030	2	0.02	29	1550	25	0.15	3	2	17
CC23841		10	1	0.09	20	0.79	732	3	0.03	32	1100	17	0.10	2	2	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23801		<20	0.03	<10	<10	91	10	183	<10	7	10
CC23802		<20	0.03	<10	<10	78	10	191	<10	6	10
CC23803		<20	0.04	<10	<10	68	10	209	<10	7	10
CC23804		<20	0.03	<10	<10	134	10	763	<10	9	30
CC23805		<20	0.04	<10	<10	84	<10	187	<10	6	10
CC23806		<20	0.04	<10	<10	64	<10	192	<10	7	10
CC23807		<20	0.03	<10	<10	109	10	838	<10	7	30
CC23808		<20	0.02	<10	<10	23	<10	65	<10	4	<10
CC23809		<20	0.03	<10	<10	44	<10	1230	<10	5	10
CC23810		<20	0.01	<10	10	22	<10	857	<10	4	10
CC23811		<20	0.01	<10	<10	14	<10	701	<10	5	10
CC23812		<20	<0.01	<10	<10	8	20	251	<10	5	20
CC23813		<20	0.01	<10	10	17	<10	312	<10	4	10
CC23814		<20	0.01	<10	10	11	<10	195	<10	4	<10
CC23815		<20	0.01	<10	10	10	<10	116	<10	4	<10
CC23816		<20	0.01	<10	10	7	<10	83	<10	5	<10
CC23817		<20	0.01	<10	10	9	30	236	<10	5	30
CC23818		<20	0.01	<10	10	21	20	199	<10	5	30
CC23819		<20	0.01	<10	10	15	10	360	<10	5	10
CC23820		<20	0.01	<10	10	14	10	406	<10	6	10
CC23821		<20	0.01	<10	10	25	10	378	<10	5	10
CC23823		<20	0.05	<10	<10	65	<10	90	<10	4	<10
CC23824		<20	0.04	<10	<10	66	<10	49	<10	6	<10
CC23825		<20	0.02	<10	<10	42	<10	85	<10	5	<10
CC23826		<20	0.02	<10	<10	24	<10	80	<10	5	<10
CC23827		<20	0.02	<10	<10	48	<10	98	<10	5	<10
CC23828		<20	0.03	<10	<10	68	<10	144	<10	6	10
CC23829		<20	0.04	<10	<10	70	10	72	<10	6	10
CC23830		<20	0.04	<10	<10	64	50	216	<10	7	60
CC23831		<20	0.03	<10	<10	72	80	380	<10	7	80
CC23832		<20	0.04	<10	<10	81	10	400	<10	7	10
CC23833		<20	0.04	<10	<10	76	10	352	<10	6	20
CC23834		<20	0.03	<10	<10	75	10	377	<10	7	10
CC23835		<20	0.03	<10	<10	75	10	409	<10	7	10
CC23836		<20	0.03	<10	<10	77	10	258	<10	7	10
CC23837		<20	0.03	<10	<10	77	10	246	<10	9	10
CC23838		<20	0.03	<10	<10	65	30	244	<10	7	40
CC23839		<20	0.03	<10	<10	69	10	203	<10	7	10
CC23840		<20	0.03	<10	<10	55	<10	155	<10	7	<10
CC23841		<20	0.03	<10	<10	63	<10	114	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23842		0.10	<0.001	0.4	1.75	19	<10	340	0.7	<2	1.77	1.8	9	28	19	2.59
CC23843		0.12	0.006	0.6	1.70	10	<10	240	0.7	<2	1.79	2.8	9	28	20	2.48
CC23844		0.26	0.003	0.5	1.04	18	<10	150	<0.5	<2	9.46	<0.5	6	19	20	2.01
CC23845		0.16	0.001	0.4	1.84	18	<10	270	0.8	4	0.94	1.1	11	31	19	3.17
CC23846		0.18	0.001	0.5	1.78	23	<10	240	0.8	2	2.20	1.4	9	31	21	2.95
CC23847		0.12	0.002	0.2	1.85	13	<10	270	0.6	<2	1.56	1.0	11	30	13	2.98
CC23848		0.12	<0.001	0.5	1.49	20	<10	300	0.5	2	2.31	5.2	9	21	24	2.29
CC23849		0.16	0.001	0.4	1.57	11	<10	240	0.6	<2	2.59	1.5	9	23	15	2.47
CC23850		0.10	<0.001	0.4	1.15	7	<10	250	0.5	<2	2.58	3.3	7	15	15	1.65
CC23851		0.18	0.001	0.4	1.06	5	<10	150	0.5	<2	13.00	0.7	5	15	10	1.44
CC23852		0.08	<0.001	0.3	0.90	14	<10	190	0.5	<2	4.65	4.3	6	14	14	1.49
CC23853		0.26	0.001	<0.2	0.45	<2	<10	80	<0.5	<2	18.7	<0.5	<1	7	4	0.56
CC23854		0.18	0.002	2.6	0.76	37	<10	250	0.6	15	14.5	5.2	7	13	36	2.35
CC23855		0.18	0.002	2.1	0.45	17	<10	300	0.5	<2	17.6	4.5	2	8	26	1.35
CC23856		0.08	0.004	0.4	0.70	<2	<10	190	1.0	5	3.38	1.4	3	12	12	1.19
CC23857		0.20	0.001	0.8	0.28	13	<10	210	0.5	<2	18.2	1.2	1	5	17	1.19
CC23858		0.18	0.001	0.4	0.32	11	<10	730	<0.5	4	18.8	<0.5	<1	6	9	0.73
CC23859		0.14	<0.001	<0.2	0.64	11	10	200	0.5	<2	14.5	<0.5	2	11	11	1.04
CC23860		0.10	<0.001	0.5	0.92	10	10	220	0.8	<2	7.09	1.1	4	10	19	1.27
CC23861		0.18	<0.001	0.7	1.17	16	10	190	0.6	3	11.50	<0.5	4	14	19	1.59
CC23862		0.16	<0.001	0.6	0.69	3	10	370	<0.5	<2	17.8	0.7	1	9	17	1.02
CC23863		0.14	<0.001	0.4	2.08	24	10	520	0.9	2	2.76	2.9	10	28	33	3.17
CC23864		0.24	<0.001	0.8	0.29	4	10	240	<0.5	<2	18.3	0.6	1	4	11	0.99
CC23865		0.14	<0.001	0.4	0.48	8	10	120	<0.5	<2	16.1	<0.5	1	5	10	0.84
CC23866		0.20	<0.001	0.4	0.74	12	<10	140	<0.5	<2	0.08	<0.5	10	16	11	2.38
CC23867		0.18	0.001	0.2	0.85	11	<10	100	<0.5	<2	0.23	<0.5	2	20	12	2.79
CC23868		0.16	<0.001	0.4	1.56	8	<10	170	<0.5	2	0.28	<0.5	4	26	19	2.91
CC23869		0.14	0.002	0.3	1.77	9	<10	240	0.5	2	0.25	<0.5	48	26	11	3.20
CC23870		0.18	0.001	0.2	1.91	8	<10	210	0.7	<2	0.16	<0.5	9	29	15	2.98
CC23871		0.18	0.003	0.3	1.19	12	<10	180	0.6	3	0.17	0.8	6	24	21	2.97
CC23872		0.20	0.001	<0.2	1.54	9	<10	360	0.5	2	0.43	0.7	8	25	11	2.99
CC23873		0.22	<0.001	<0.2	1.15	7	<10	290	<0.5	3	0.18	<0.5	5	23	16	2.73
CC23874		0.26	0.005	1.0	1.25	17	<10	300	2.1	4	0.41	1.4	7	24	57	3.53
CC23875		0.14	0.003	1.0	1.12	16	<10	360	1.4	4	1.89	9.1	9	19	50	2.90
CC23876		0.14	0.002	1.2	1.53	12	<10	330	1.1	2	1.66	4.8	11	24	30	2.83
CC23877		0.18	0.003	0.7	1.89	23	<10	320	0.8	5	0.41	<0.5	10	31	27	3.44
CC23878		0.20	0.002	0.2	1.82	18	<10	390	0.7	3	0.55	1.1	9	31	23	3.05
CC23879		0.16	<0.001	0.2	1.94	14	<10	400	0.8	4	0.50	0.9	10	30	22	3.13
CC23880		0.18	0.001	0.3	1.58	8	<10	200	<0.5	2	0.15	<0.5	6	28	17	2.98
CC23881		0.14	<0.001	<0.2	1.92	11	<10	220	0.5	<2	1.42	1.2	8	28	13	2.77

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23842		<10	<1	0.09	30	0.83	1375	2	0.03	37	1780	45	0.15	4	2	19
CC23843		10	2	0.08	30	0.69	1615	3	0.03	31	1970	72	0.17	7	2	18
CC23844		10	<1	0.07	20	5.72	702	5	0.03	38	660	75	0.02	13	3	49
CC23845		10	<1	0.08	20	0.67	1295	3	0.02	45	1310	60	0.10	7	3	16
CC23846		10	<1	0.09	30	1.40	1640	2	0.02	52	1340	71	0.10	8	2	17
CC23847		10	1	0.09	20	0.69	2240	2	0.02	25	1600	28	0.15	2	2	17
CC23848		10	1	0.06	20	0.67	2400	1	0.02	26	2130	86	0.20	3	1	20
CC23849		10	<1	0.07	20	1.11	1795	2	0.02	20	1810	36	0.15	2	1	20
CC23850		10	<1	0.06	20	0.61	2390	2	0.02	15	1830	64	0.25	4	1	21
CC23851		<10	<1	0.06	20	8.09	746	1	0.03	33	610	89	0.04	7	2	52
CC23852		<10	<1	0.05	20	2.01	1105	1	0.02	32	1250	129	0.18	3	1	24
CC23853		<10	<1	0.03	10	11.85	326	<1	0.02	13	270	26	<0.01	3	1	85
CC23854		<10	<1	0.05	20	8.83	2160	2	0.03	96	590	533	0.04	13	2	63
CC23855		<10	<1	0.04	20	10.60	2580	1	0.03	36	610	137	<0.01	11	1	60
CC23856		<10	<1	0.05	30	0.92	1550	1	0.03	13	1590	25	0.21	<2	1	21
CC23857		<10	<1	0.03	10	11.15	2190	1	0.02	28	510	101	<0.01	8	1	99
CC23858		<10	<1	0.03	10	11.65	1340	1	0.02	19	390	62	<0.01	6	1	99
CC23859		<10	<1	0.04	20	8.71	1280	1	0.03	13	1070	16	0.10	4	1	62
CC23860		<10	<1	0.07	20	3.55	1200	1	0.03	14	1260	27	0.19	<2	1	40
CC23861		<10	<1	0.08	20	7.56	1475	2	0.03	23	910	40	0.12	<2	1	61
CC23862		<10	<1	0.09	10	11.65	938	2	0.03	17	350	48	<0.01	4	1	98
CC23863		10	<1	0.11	20	2.34	2430	4	0.03	33	1520	143	0.18	3	2	25
CC23864		<10	<1	0.03	10	11.35	1725	1	0.02	10	390	70	<0.01	6	1	84
CC23865		<10	<1	0.04	10	9.86	1165	1	0.03	10	600	26	0.09	4	1	68
CC23866		<10	<1	0.05	10	0.11	1235	1	0.01	12	470	20	0.04	4	1	4
CC23867		<10	<1	0.10	10	0.20	123	1	0.01	9	540	18	0.05	<2	1	10
CC23868		<10	1	0.12	10	0.42	161	1	0.01	28	460	17	0.04	<2	2	14
CC23869		<10	1	0.09	10	0.31	6800	1	0.01	16	1070	36	0.09	2	1	15
CC23870		10	1	0.09	10	0.51	544	2	0.01	23	930	21	0.06	2	1	14
CC23871		<10	<1	0.10	10	0.28	1010	3	0.02	26	940	37	0.07	2	<1	12
CC23872		10	1	0.09	10	0.42	737	2	0.01	22	930	29	0.05	2	1	15
CC23873		10	<1	0.08	10	0.25	820	6	0.01	24	490	35	0.04	2	1	11
CC23874		<10	<1	0.06	10	0.45	804	8	0.01	63	740	109	0.04	12	2	13
CC23875		<10	<1	0.06	10	0.46	1670	6	0.02	47	1650	144	0.16	14	1	21
CC23876		<10	<1	0.07	10	0.46	2450	5	0.02	30	2600	113	0.21	14	2	23
CC23877		<10	1	0.10	10	0.56	770	6	0.02	42	1120	172	0.05	20	2	19
CC23878		<10	<1	0.11	20	0.61	636	4	0.02	46	1210	44	0.06	5	3	20
CC23879		<10	<1	0.10	20	0.61	835	4	0.01	44	1200	32	0.07	3	2	18
CC23880		10	1	0.10	10	0.33	540	6	0.01	32	710	24	0.06	3	1	15
CC23881		<10	<1	0.09	20	0.69	802	2	0.02	21	1300	23	0.13	<2	2	22

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23842		<20	0.03	<10	<10	66	<10	219	<10	9	10
CC23843		<20	0.02	<10	<10	62	<10	241	<10	9	10
CC23844		<20	0.04	<10	<10	44	10	185	<10	5	10
CC23845		<20	0.03	<10	<10	73	10	253	<10	6	10
CC23846		<20	0.03	<10	<10	66	<10	337	<10	6	10
CC23847		<20	0.03	<10	<10	75	10	157	<10	6	10
CC23848		<20	0.02	<10	<10	52	<10	310	<10	7	10
CC23849		<20	0.02	<10	<10	51	<10	188	<10	7	10
CC23850		<20	0.02	<10	<10	36	<10	233	<10	5	<10
CC23851		<20	0.02	<10	<10	37	<10	285	<10	5	10
CC23852		<20	0.02	<10	<10	39	<10	461	<10	6	10
CC23853		<20	0.01	<10	<10	18	<10	106	<10	4	<10
CC23854		<20	0.02	<10	<10	52	10	1465	<10	5	20
CC23855		<20	0.01	<10	<10	22	<10	692	<10	5	10
CC23856		<20	0.02	<10	<10	19	10	273	<10	5	10
CC23857		<20	0.01	<10	<10	14	10	538	<10	4	10
CC23858		<20	0.01	<10	<10	15	10	315	<10	5	10
CC23859		<20	0.01	<10	<10	22	<10	138	<10	4	<10
CC23860		<20	0.02	<10	<10	23	10	303	<10	6	10
CC23861		<20	0.02	<10	<10	28	10	249	<10	6	10
CC23862		<20	0.02	<10	<10	19	10	425	<10	5	10
CC23863		<20	0.03	<10	10	85	10	666	<10	10	20
CC23864		<20	0.01	<10	<10	15	<10	301	<10	6	10
CC23865		<20	0.01	<10	<10	19	<10	244	<10	4	10
CC23866		<20	0.04	<10	<10	71	<10	85	<10	6	<10
CC23867		<20	0.05	<10	<10	67	<10	55	<10	6	<10
CC23868		<20	0.04	<10	<10	41	<10	87	<10	5	<10
CC23869		<20	0.02	<10	<10	62	<10	90	<10	6	<10
CC23870		<20	0.03	<10	<10	60	<10	137	<10	5	10
CC23871		<20	0.02	<10	<10	56	10	202	<10	5	20
CC23872		<20	0.03	<10	<10	66	10	144	<10	6	20
CC23873		<20	0.04	<10	<10	80	40	186	<10	6	50
CC23874		<20	0.03	<10	<10	63	120	551	<10	7	130
CC23875		<20	0.02	<10	10	53	50	643	<10	6	60
CC23876		<20	0.02	<10	<10	68	30	304	<10	7	40
CC23877		<20	0.03	<10	<10	94	10	354	<10	7	20
CC23878		<20	0.04	<10	<10	107	10	298	<10	7	10
CC23879		<20	0.03	<10	<10	102	<10	259	<10	8	10
CC23880		<20	0.04	<10	<10	139	10	139	<10	7	10
CC23881		<20	0.03	<10	<10	69	<10	210	<10	6	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23882		0.14	0.002	0.3	2.00	14	<10	240	0.9	2	0.82	1.3	10	32	25	3.16
CC23883		0.14	0.002	<0.2	1.93	14	<10	240	0.8	2	0.54	<0.5	10	32	21	3.08
CC23884		0.14	0.002	0.2	1.74	14	<10	200	0.7	8	1.79	0.6	8	28	20	2.84
CC23885		0.20	0.004	0.2	1.40	10	<10	160	0.6	3	3.61	<0.5	7	22	19	2.42
CC23886		0.16	0.002	<0.2	2.04	16	<10	260	0.8	4	0.86	<0.5	10	31	23	3.30
CC23887		0.16	0.003	0.6	1.95	27	<10	270	0.8	3	1.03	0.8	10	34	22	3.17
CC23888		0.18	0.005	1.5	1.52	29	<10	170	0.6	<2	5.23	0.5	8	26	22	2.44
CC23889		0.16	0.002	0.2	1.48	15	<10	160	0.6	3	6.87	<0.5	7	23	12	2.24
CC23890		0.16	0.001	0.2	2.04	21	<10	220	1.1	4	0.79	0.9	11	33	23	3.48
CC23891		0.10	0.004	<0.2	1.89	7	<10	220	0.5	2	1.18	0.6	9	25	10	2.79
CC23892		0.10	0.005	0.4	1.36	13	<10	250	0.5	2	3.93	2.2	7	20	15	2.04
CC23893		0.14	0.004	0.2	1.89	12	<10	230	0.6	<2	1.84	1.2	9	27	16	2.97
CC23894		0.14	0.004	1.4	1.34	15	<10	320	0.6	<2	4.28	2.7	8	17	15	2.35
CC23895		0.22	0.004	0.6	0.50	10	<10	80	<0.5	<2	16.8	0.8	3	9	7	0.95
CC23896		0.20	0.001	<0.2	0.56	8	<10	30	<0.5	<2	16.9	<0.5	2	7	<1	0.37
CC23897		0.22	0.004	0.5	0.64	11	<10	100	<0.5	<2	15.3	1.8	5	10	7	0.95
CC23898		0.24	0.002	1.7	0.91	33	<10	180	0.6	5	12.15	4.3	7	14	25	1.97
CC23899		0.20	0.001	0.5	0.42	15	<10	70	<0.5	6	15.8	1.5	3	6	7	0.76
CC23900		0.22	0.002	1.1	0.52	19	<10	160	0.7	14	17.0	3.1	3	8	24	1.18
CC23901		0.24	0.001	0.8	0.49	17	<10	160	0.5	6	18.0	2.0	3	6	11	1.12
CC23902		0.34	0.002	0.5	0.26	2	<10	210	<0.5	2	19.4	<0.5	1	4	3	0.59
CC23903		0.20	0.006	1.6	0.47	9	<10	340	1.4	11	15.7	1.3	2	5	23	1.02
CC23904		0.26	0.002	0.4	0.90	<2	<10	110	<0.5	4	15.3	0.7	3	11	12	0.98
CC23905		0.14	<0.001	<0.2	1.07	8	<10	210	0.7	<2	9.58	0.7	3	12	19	1.34
CC23906		0.24	0.003	1.2	0.76	11	<10	280	0.5	<2	15.5	3.6	2	9	18	1.25
CC23907		0.22	0.004	1.2	1.34	7	<10	400	0.8	3	11.90	7.3	4	17	22	2.65
CC23908		0.18	<0.001	<0.2	0.35	<2	<10	370	<0.5	<2	16.1	2.0	1	3	8	0.93
CC23909		0.22	0.002	3.5	1.27	17	<10	110	<0.5	<2	0.17	<0.5	4	27	18	4.38
CC23910		0.20	0.001	0.2	1.08	12	<10	90	<0.5	2	0.10	<0.5	5	22	14	2.83
CC23911		0.22	<0.001	0.5	0.92	8	<10	110	<0.5	<2	0.22	<0.5	3	21	17	2.49
CC23912		0.22	<0.001	0.2	0.63	8	<10	90	<0.5	2	0.05	<0.5	2	11	7	1.48
CC23913		0.32	0.002	<0.2	1.77	8	<10	130	0.5	2	0.09	<0.5	6	28	16	2.77
CC23914		0.22	0.003	0.3	1.28	5	<10	270	0.7	3	0.35	0.9	5	25	24	2.71
CC23915		0.28	<0.001	0.3	1.09	7	<10	150	0.7	3	0.12	<0.5	5	24	27	2.60
CC23916		0.20	0.002	0.2	1.40	5	<10	370	0.8	3	0.32	1.3	5	25	20	2.60
CC23917		0.28	0.002	0.2	1.39	11	<10	210	0.6	3	0.14	0.5	7	25	29	2.87
CC23918		0.26	0.005	0.3	1.07	11	<10	240	0.9	3	0.25	0.9	5	21	31	2.69
CC23919		0.18	0.004	1.2	1.63	18	<10	320	0.9	5	0.45	1.5	8	29	32	3.09
CC23920		0.28	0.002	0.4	1.20	15	<10	390	0.6	8	0.51	1.2	9	24	30	2.81
CC23921		0.34	0.006	2.2	1.04	23	<10	200	0.7	7	4.25	3.0	6	20	41	2.25

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23882		<10	1	0.12	20	0.81	922	2	0.02	49	1220	35	0.07	<2	3	23
CC23883		10	1	0.11	30	0.75	997	4	0.02	49	1120	31	0.05	<2	3	21
CC23884		<10	1	0.10	30	1.36	1080	4	0.02	40	1170	29	0.09	3	2	23
CC23885		<10	1	0.07	20	2.44	857	4	0.02	35	950	28	0.05	3	2	28
CC23886		<10	<1	0.09	30	0.78	2420	5	0.02	36	1870	50	0.13	5	2	19
CC23887		<10	1	0.10	40	1.08	1710	4	0.02	55	1310	95	0.09	9	2	21
CC23888		<10	<1	0.09	20	3.48	1140	4	0.02	39	830	158	0.05	10	3	36
CC23889		<10	<1	0.08	20	4.49	870	1	0.02	33	930	35	0.06	3	2	35
CC23890		<10	1	0.12	30	0.73	2080	1	0.01	55	1250	48	0.09	6	2	17
CC23891		<10	<1	0.10	10	0.57	1390	1	0.02	20	1410	26	0.14	2	1	19
CC23892		<10	1	0.08	20	1.74	2510	<1	0.02	19	2060	39	0.22	2	1	29
CC23893		<10	<1	0.10	20	0.88	1250	1	0.02	22	1410	44	0.14	<2	2	21
CC23894		<10	1	0.06	30	1.64	4070	1	0.02	13	2250	173	0.30	6	1	28
CC23895		<10	<1	0.03	20	10.55	1420	1	0.02	16	750	66	<0.01	4	1	73
CC23896		<10	<1	0.01	10	11.60	358	<1	0.01	9	560	4	<0.01	2	<1	75
CC23897		<10	<1	0.04	10	10.20	704	<1	0.02	46	590	67	0.05	<2	1	61
CC23898		<10	<1	0.05	20	8.31	1780	1	0.02	92	760	437	0.05	6	1	53
CC23899		<10	1	0.03	10	10.50	891	<1	<0.01	37	420	82	0.02	3	1	62
CC23900		<10	<1	0.04	20	11.15	1890	<1	0.01	42	810	106	<0.01	3	1	69
CC23901		<10	1	0.03	10	11.80	2230	<1	0.02	30	610	121	<0.01	3	1	111
CC23902		<10	1	0.03	10	12.85	1110	<1	0.02	7	370	67	<0.01	<2	1	99
CC23903		<10	<1	0.08	10	9.94	1575	2	0.02	13	600	75	0.05	6	1	76
CC23904		<10	<1	0.05	10	10.50	652	1	0.02	21	420	37	0.03	<2	1	82
CC23905		<10	<1	0.09	10	6.13	1080	2	0.03	16	1090	29	0.11	<2	1	70
CC23906		<10	1	0.05	10	10.40	2110	2	0.02	16	420	154	0.04	<2	1	87
CC23907		<10	1	0.07	10	8.63	4360	1	0.02	34	760	138	0.07	4	2	62
CC23908		<10	1	0.03	<10	10.10	2040	2	0.02	8	350	48	<0.01	<2	<1	105
CC23909		10	<1	0.09	10	0.27	182	2	0.01	15	370	126	0.03	<2	2	10
CC23910		10	<1	0.07	10	0.23	403	1	0.01	14	370	35	0.02	3	1	9
CC23911		<10	<1	0.07	10	0.23	160	1	0.01	22	320	52	0.02	<2	1	9
CC23912		10	<1	0.08	10	0.06	272	1	0.01	8	250	29	0.01	<2	<1	8
CC23913		10	<1	0.06	10	0.38	332	1	0.01	21	550	14	0.03	2	1	10
CC23914		<10	<1	0.08	10	0.36	485	4	0.01	28	720	41	0.05	5	1	11
CC23915		<10	<1	0.06	10	0.30	429	4	0.01	33	530	37	0.02	<2	1	8
CC23916		<10	<1	0.07	10	0.38	498	4	0.01	29	830	49	0.04	3	1	13
CC23917		<10	<1	0.08	10	0.34	455	5	0.01	34	510	34	0.02	3	2	13
CC23918		<10	<1	0.06	10	0.32	621	6	0.01	42	670	65	0.03	8	1	10
CC23919		<10	<1	0.09	20	0.48	750	6	0.02	37	1240	218	0.06	22	2	15
CC23920		<10	<1	0.04	10	0.37	1075	9	<0.01	35	1430	143	0.06	18	2	12
CC23921		<10	<1	0.03	10	2.64	743	8	0.01	39	970	231	0.02	27	2	34

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23882		<20	0.04	<10	<10	97	<10	260	<10	8	10
CC23883		<20	0.04	<10	<10	78	<10	209	<10	7	10
CC23884		<20	0.04	<10	<10	70	<10	184	<10	7	10
CC23885		<20	0.03	<10	<10	57	10	119	<10	5	10
CC23886		<20	0.03	<10	<10	87	10	148	<10	9	10
CC23887		<20	0.03	<10	<10	88	<10	292	<10	7	10
CC23888		<20	0.04	<10	<10	60	<10	240	<10	5	10
CC23889		<20	0.03	<10	<10	53	<10	199	<10	6	10
CC23890		<20	0.03	<10	<10	73	10	365	<10	9	20
CC23891		<20	0.03	<10	<10	64	<10	154	<10	6	10
CC23892		<20	0.02	<10	<10	46	<10	196	<10	6	10
CC23893		<20	0.03	<10	<10	58	<10	233	<10	6	10
CC23894		<20	0.01	<10	<10	43	<10	492	<10	6	10
CC23895		<20	0.01	<10	<10	25	<10	336	<10	4	<10
CC23896		<20	0.01	<10	<10	14	<10	176	<10	4	<10
CC23897		<20	0.02	<10	<10	24	<10	607	<10	5	10
CC23898		<20	0.02	<10	<10	48	<10	1390	<10	5	20
CC23899		<20	0.01	<10	<10	16	<10	550	<10	5	10
CC23900		<20	0.01	<10	<10	18	10	663	<10	4	20
CC23901		<20	0.01	<10	<10	17	<10	600	<10	5	10
CC23902		<20	0.01	<10	<10	8	<10	203	<10	4	<10
CC23903		<20	0.01	<10	<10	13	20	310	<10	5	20
CC23904		<20	0.02	<10	<10	18	<10	243	<10	4	10
CC23905		<20	0.02	<10	<10	28	<10	227	<10	6	10
CC23906		<20	0.01	<10	<10	21	<10	907	<10	5	20
CC23907		<20	0.02	<10	<10	31	<10	2010	<10	5	20
CC23908		<20	0.01	<10	<10	10	<10	743	<10	6	10
CC23909		<20	0.05	<10	<10	68	<10	89	<10	6	10
CC23910		<20	0.04	<10	<10	56	<10	90	<10	5	<10
CC23911		<20	0.04	<10	<10	45	<10	116	<10	6	<10
CC23912		<20	0.03	<10	<10	61	<10	35	<10	6	<10
CC23913		<20	0.04	<10	<10	55	<10	83	<10	6	10
CC23914		<20	0.03	<10	<10	61	30	175	<10	6	50
CC23915		<20	0.03	<10	<10	52	40	238	<10	6	50
CC23916		<20	0.03	<10	<10	66	40	250	<10	6	50
CC23917		<20	0.04	<10	<10	63	30	155	<10	7	30
CC23918		<20	0.03	<10	<10	57	50	298	<10	7	50
CC23919		<20	0.03	<10	<10	79	20	383	<10	8	30
CC23920		<20	0.02	<10	<10	84	10	344	<10	7	20
CC23921		<20	0.02	<10	<10	57	10	445	<10	6	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23922		0.22	0.005	0.6	1.05	11	<10	350	0.6	5	0.30	1.4	9	26	24	2.66
CC23923		0.18	0.001	0.4	1.53	14	<10	590	0.6	3	0.39	1.1	8	26	24	2.59
CC23924		0.18	0.003	0.3	1.69	17	<10	410	0.7	7	0.25	1.1	9	32	31	3.23
CC23925		0.22	0.005	0.9	0.93	31	<10	1590	<0.5	3	0.12	1.7	7	21	34	2.67
CC23926		0.20	0.001	<0.2	1.30	16	<10	210	<0.5	3	0.13	0.5	5	22	9	2.36
CC23927		0.20	<0.001	0.2	0.98	10	<10	130	<0.5	3	0.10	<0.5	4	16	11	2.17
CC23928		0.14	0.001	0.3	1.65	11	<10	190	0.6	3	1.24	0.6	7	28	21	2.70
CC23929		0.28	0.002	0.2	1.16	7	<10	130	<0.5	<2	8.18	0.6	6	18	19	1.85
CC23930		0.24	0.003	0.3	1.07	11	<10	150	<0.5	3	7.38	0.9	6	17	15	1.74
CC23931		0.14	0.004	0.5	1.38	17	<10	170	0.5	3	2.83	1.0	8	23	19	2.41
CC23932		0.20	0.005	0.3	1.14	23	<10	150	0.5	2	5.59	1.6	6	22	17	2.07
CC23933		0.22	0.002	0.3	1.18	12	<10	150	0.5	3	5.80	0.7	7	19	19	2.04
CC23934		0.24	0.005	0.4	1.56	17	<10	250	0.7	4	0.86	0.8	9	27	19	2.86
CC23935		0.24	0.002	0.4	1.51	16	<10	210	0.7	5	0.68	0.8	10	27	18	2.84
CC23936		0.18	0.002	0.4	1.39	12	<10	210	0.5	<2	4.21	1.1	7	24	15	2.25
CC23937		0.12	0.005	0.5	1.53	13	10	560	0.7	<2	5.76	2.7	5	24	17	3.78
CC23938		0.20	0.002	0.4	0.39	4	10	90	<0.5	<2	17.5	1.0	<1	6	7	0.83
CC23939		0.26	0.005	1.9	1.29	23	10	210	0.8	<2	8.29	5.9	6	19	35	2.31
CC23940		0.16	0.003	1.2	0.73	14	<10	100	0.6	<2	13.75	2.5	4	12	21	1.19
CC23941		0.22	0.002	0.4	0.74	7	<10	100	0.5	<2	13.6	1.8	5	12	15	1.17
CC23942		0.18	0.002	1.3	1.03	24	10	150	0.8	2	9.53	5.5	8	16	21	1.94
CC23943		0.20	0.003	1.2	0.73	18	<10	140	0.6	5	14.0	4.0	4	12	27	1.49
CC23944		0.28	0.003	1.4	0.60	17	<10	210	1.0	10	16.3	3.7	3	9	32	1.28
CC23945		0.32	0.001	0.3	0.23	7	<10	130	<0.5	<2	16.9	1.0	1	3	9	0.57
CC23946		0.28	<0.001	0.3	0.30	<2	<10	140	<0.5	<2	18.7	<0.5	1	4	9	0.56
CC23947		0.28	<0.001	0.6	0.58	11	<10	120	<0.5	<2	17.3	<0.5	2	7	14	0.80
CC23948		0.20	0.001	1.0	0.57	12	<10	520	0.5	<2	17.5	1.9	2	7	16	1.01
CC23949		0.26	<0.001	0.6	0.35	11	10	270	<0.5	<2	19.6	0.9	1	5	6	0.63
CC23950		0.18	<0.001	1.1	0.79	31	10	490	0.6	<2	14.9	2.6	3	10	23	1.78
CC23951		0.24	<0.001	0.4	0.44	14	<10	510	<0.5	<2	18.3	1.2	1	6	13	0.93
CC23952		0.10	<0.001	0.9	0.83	13	<10	120	<0.5	<2	0.29	<0.5	4	20	10	2.34
CC23953		0.18	0.001	<0.2	0.87	9	<10	80	<0.5	<2	0.11	<0.5	4	19	7	2.70
CC23954		0.18	0.002	0.2	0.19	<2	<10	30	<0.5	<2	0.04	<0.5	1	7	3	0.90
CC23955		0.14	0.002	<0.2	1.15	11	<10	110	<0.5	<2	0.12	<0.5	3	27	13	3.18
CC23956		0.14	0.002	0.4	1.69	12	10	170	<0.5	<2	0.13	<0.5	6	31	15	3.11
CC23957		0.20	0.002	<0.2	2.22	12	<10	260	0.7	<2	0.20	0.5	7	33	16	3.19
CC23958		0.22	0.002	0.5	1.44	13	<10	190	0.9	<2	0.13	0.7	7	29	31	3.45
CC23959		0.16	0.003	0.2	1.40	12	<10	210	<0.5	<2	0.15	<0.5	6	29	18	2.78
CC23960		0.18	0.009	<0.2	1.40	17	<10	320	0.7	2	0.38	0.8	5	27	25	3.04
CC23961		0.18	NSS	1.7	1.61	25	<10	370	1.2	4	0.81	4.4	9	29	46	3.45

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23922		10	<1	0.04	10	0.32	910	9	0.01	40	1020	77	0.06	6	1	13
CC23923		<10	<1	0.05	10	0.49	521	5	0.01	33	1010	21	0.05	3	1	16
CC23924		<10	<1	0.11	10	0.50	735	10	0.01	47	840	33	0.04	4	1	20
CC23925		<10	<1	0.13	20	0.19	233	14	0.01	41	1190	367	0.09	5	1	55
CC23926		10	<1	0.07	10	0.16	789	4	0.02	11	1800	26	0.10	2	<1	12
CC23927		10	<1	0.07	10	0.11	115	5	0.01	11	410	9	0.03	<2	1	10
CC23928		<10	<1	0.08	20	1.00	998	3	0.02	35	940	36	0.07	2	2	18
CC23929		<10	<1	0.05	20	5.39	939	4	0.02	33	630	31	0.03	4	2	35
CC23930		<10	<1	0.06	20	4.59	1090	2	0.02	23	860	19	0.06	4	1	32
CC23931		<10	<1	0.07	30	1.96	940	3	0.02	39	750	68	0.04	7	2	24
CC23932		<10	<1	0.07	20	3.61	1030	10	0.02	45	690	37	0.05	5	1	28
CC23933		<10	<1	0.06	20	3.76	954	2	0.01	43	700	29	0.02	<2	2	30
CC23934		<10	<1	0.07	20	0.65	1115	2	0.01	51	740	39	0.05	5	2	16
CC23935		<10	<1	0.06	20	0.59	1165	4	0.01	50	860	46	0.05	4	2	15
CC23936		<10	<1	0.07	20	2.31	1280	1	0.02	19	1370	46	0.11	2	1	29
CC23937		<10	<1	0.05	50	2.99	11300	1	0.02	22	2020	97	0.20	2	1	35
CC23938		<10	<1	0.02	20	10.75	1435	<1	0.02	26	560	93	<0.01	6	<1	65
CC23939		<10	<1	0.07	30	5.04	2640	1	0.03	76	1170	404	0.08	19	1	41
CC23940		<10	<1	0.05	20	8.65	1350	1	0.02	77	790	189	0.03	10	1	53
CC23941		<10	<1	0.04	20	8.77	886	<1	0.02	67	570	105	0.03	4	1	57
CC23942		<10	<1	0.06	20	5.94	1590	1	0.02	123	900	263	0.06	6	1	41
CC23943		<10	<1	0.04	20	8.85	1665	1	0.02	81	690	120	0.03	6	1	55
CC23944		<10	<1	0.04	20	10.30	2040	1	0.02	52	650	116	<0.01	6	1	77
CC23945		<10	<1	0.02	10	10.60	1025	1	0.01	18	250	60	<0.01	2	1	99
CC23946		<10	<1	0.03	10	11.90	823	<1	0.02	10	280	46	<0.01	<2	1	91
CC23947		<10	<1	0.05	10	11.20	589	<1	0.02	19	260	36	<0.01	4	1	97
CC23948		<10	<1	0.05	10	11.30	1440	1	0.02	14	240	99	<0.01	3	1	103
CC23949		<10	<1	0.06	10	12.20	1170	<1	0.02	12	130	34	<0.01	3	1	102
CC23950		<10	<1	0.07	10	9.49	2800	1	0.02	20	450	99	0.03	4	1	93
CC23951		<10	<1	0.05	10	11.75	1400	1	0.02	14	200	54	<0.01	4	1	105
CC23952		<10	<1	0.08	10	0.23	551	1	0.02	10	480	24	0.03	2	1	10
CC23953		<10	1	0.05	10	0.13	270	<1	0.01	9	230	33	<0.01	<2	1	6
CC23954		<10	<1	0.03	<10	0.05	78	<1	0.01	3	90	4	<0.01	<2	<1	2
CC23955		10	<1	0.09	10	0.20	222	1	0.02	18	460	52	0.03	4	1	12
CC23956		10	<1	0.14	10	0.36	271	2	0.03	22	790	24	0.04	4	1	15
CC23957		10	<1	0.09	20	0.47	332	1	0.02	22	510	18	0.02	2	2	15
CC23958		<10	<1	0.08	10	0.27	457	5	0.01	36	550	56	0.02	6	1	9
CC23959		<10	<1	0.12	10	0.36	291	3	0.03	23	490	24	0.03	2	2	14
CC23960		10	<1	0.10	10	0.39	496	6	0.02	33	760	47	0.05	6	2	15
CC23961		10	1	0.11	20	0.59	1370	7	0.02	49	1220	230	0.08	22	2	19

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10
CC23922		<20	0.03	<10	<10	125	10	280	<10	7	10
CC23923		<20	0.02	<10	<10	91	<10	163	<10	8	10
CC23924		<20	0.04	<10	<10	152	30	204	<10	8	40
CC23925		<20	0.03	<10	<10	109	30	234	<10	10	40
CC23926		<20	0.02	<10	<10	87	<10	75	<10	8	10
CC23927		<20	0.03	<10	<10	63	<10	44	<10	7	<10
CC23928		<20	0.03	10	<10	72	<10	164	<10	6	10
CC23929		<20	0.03	<10	<10	56	<10	127	<10	5	10
CC23930		<20	0.02	<10	<10	45	<10	119	<10	5	<10
CC23931		<20	0.03	<10	<10	58	<10	231	<10	6	10
CC23932		<20	0.02	<10	<10	56	10	254	<10	5	20
CC23933		<20	0.03	10	<10	46	<10	202	<10	5	10
CC23934		<20	0.03	<10	<10	60	<10	232	<10	6	10
CC23935		<20	0.03	<10	<10	57	10	223	<10	6	20
CC23936		<20	0.02	<10	<10	54	<10	171	<10	7	10
CC23937		<20	0.02	<10	<10	84	10	386	<10	6	20
CC23938		<20	0.01	<10	10	22	<10	328	<10	4	<10
CC23939		<20	0.02	<10	10	51	10	1080	<10	5	20
CC23940		<20	0.02	<10	<10	34	<10	680	<10	5	10
CC23941		<20	0.02	<10	10	30	<10	645	<10	4	10
CC23942		<20	0.02	<10	10	45	<10	1150	<10	5	10
CC23943		<20	0.02	<10	10	29	10	895	<10	5	20
CC23944		<20	0.01	<10	10	22	20	727	<10	4	20
CC23945		<20	0.01	<10	10	9	<10	267	<10	5	10
CC23946		<20	0.01	<10	10	10	10	128	<10	4	10
CC23947		<20	0.01	<10	10	14	10	192	<10	5	10
CC23948		<20	0.01	<10	10	16	<10	642	<10	5	10
CC23949		<20	0.01	<10	10	7	<10	467	<10	4	10
CC23950		<20	0.01	<10	10	27	<10	795	<10	5	20
CC23951		<20	0.01	<10	10	13	<10	549	<10	4	10
CC23952		<20	0.04	<10	<10	63	<10	54	<10	5	<10
CC23953		<20	0.05	<10	<10	59	<10	54	<10	5	<10
CC23954		<20	0.03	<10	<10	27	<10	11	<10	4	<10
CC23955		<20	0.05	<10	<10	67	<10	74	<10	5	<10
CC23956		<20	0.04	<10	<10	68	<10	82	<10	5	<10
CC23957		<20	0.04	<10	<10	68	<10	100	<10	7	10
CC23958		<20	0.04	<10	<10	73	60	202	<10	7	60
CC23959		<20	0.05	<10	<10	68	20	123	<10	6	20
CC23960		<20	0.04	<10	<10	78	30	255	<10	7	30
CC23961		<20	0.03	<10	<10	89	30	629	<10	8	40

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23962		0.28	0.007	2.4	1.44	33	<10	520	1.6	7	0.65	3.2	9	27	57	4.06
CC23963		0.24	0.007	2.2	1.42	24	<10	270	0.9	6	1.65	2.5	7	25	43	2.81
CC23964		0.28	0.004	1.9	1.63	21	<10	260	0.9	8	0.85	2.8	9	30	39	3.18
CC23965		0.14	0.006	0.2	1.05	14	<10	260	0.5	<2	0.18	<0.5	6	23	31	2.65
CC23966		0.16	0.004	0.3	1.04	11	<10	150	<0.5	<2	0.09	<0.5	3	17	13	2.42
CC23967		0.14	0.013	0.3	0.80	13	<10	130	<0.5	3	0.10	<0.5	3	17	16	2.41
CC23968		0.12	NSS	1.3	0.73	7	<10	740	<0.5	<2	1.96	2.9	5	10	22	1.40
CC23969		0.14	0.004	0.3	1.07	17	<10	930	<0.5	<2	0.14	<0.5	3	21	27	2.40
CC23970		0.14	0.004	0.3	2.50	21	<10	230	0.7	<2	0.16	<0.5	8	35	21	3.54
CC23971		0.24	0.006	0.3	1.85	16	<10	250	1.1	9	0.69	1.0	10	33	35	3.16
CC23972		0.10	0.004	<0.2	1.26	6	<10	200	0.5	2	1.64	1.2	7	20	20	2.00
CC23973		0.12	0.004	0.4	0.87	14	<10	160	<0.5	<2	15.8	<0.5	2	13	17	1.25
CC23974		0.16	0.006	0.9	1.93	34	<10	290	0.8	2	3.16	1.1	9	32	26	3.08
CC23975		0.16	0.004	0.5	1.65	18	<10	220	0.7	5	0.89	<0.5	8	28	19	3.01
CC23976		0.16	0.005	0.4	1.67	16	<10	200	0.7	<2	7.20	1.0	7	25	20	2.55
CC23977		0.26	0.004	0.3	1.30	20	<10	180	0.6	2	9.55	0.7	6	18	19	2.12
CC23978		0.10	0.007	0.5	0.92	6	<10	230	0.5	<2	6.33	0.9	3	13	18	1.50
CC23979		0.12	0.010	0.5	1.39	9	<10	250	0.6	<2	2.32	2.4	5	18	22	1.83
CC23980		0.20	0.001	0.2	0.50	8	<10	80	<0.5	<2	16.8	<0.5	<1	7	7	0.76
CC23981		0.26	0.070	0.8	0.74	10	<10	130	1.7	49	10.45	<0.5	6	10	235	2.53
CC23982		0.24	0.006	4.5	1.95	18	<10	300	1.1	5	3.04	1.7	10	30	35	3.14
CC23983		0.18	0.021	8.9	0.73	25	<10	180	1.5	27	11.40	2.5	8	12	92	1.96
CC23984		0.14	0.014	6.1	1.06	7	<10	200	1.1	13	4.76	2.4	5	16	42	1.88
CC23985		0.12	0.012	1.0	1.47	10	<10	200	0.8	3	1.71	2.3	7	22	21	2.28
CC23986		0.18	0.003	1.4	0.80	29	<10	210	0.7	5	13.45	5.6	7	11	30	1.88
CC23987		0.24	0.004	1.0	1.00	28	<10	150	0.8	9	13.50	3.9	5	15	30	1.82
CC23988		0.28	0.003	0.9	0.95	21	10	190	1.3	8	13.95	3.4	5	14	28	1.69
CC23989		0.26	0.002	0.7	0.40	5	<10	150	<0.5	<2	18.5	<0.5	1	5	12	0.68
CC23990		0.28	0.001	0.6	0.35	2	<10	160	<0.5	<2	17.3	<0.5	1	5	11	0.68
CC23991		0.24	0.002	0.5	0.44	5	10	210	<0.5	<2	17.9	1.1	1	5	8	0.79
CC23992		0.18	0.001	0.5	0.68	17	10	380	0.7	<2	15.1	1.0	2	9	19	1.47
CC23993		0.18	0.001	1.0	0.59	15	10	510	<0.5	<2	16.2	1.8	1	7	15	1.30
CC23994		0.18	0.001	1.2	1.60	16	10	280	0.8	<2	9.88	1.9	5	20	26	2.36
CC23995		0.14	<0.001	<0.2	1.29	7	<10	100	<0.5	<2	0.24	<0.5	4	20	7	2.27
CC23996		0.14	<0.001	0.2	0.75	7	<10	100	<0.5	<2	0.18	<0.5	2	16	7	1.96
CC23997		0.14	0.002	<0.2	1.55	5	<10	130	<0.5	<2	0.11	0.5	7	28	10	2.78
CC23998		0.20	0.001	<0.2	1.50	7	<10	190	<0.5	<2	0.18	<0.5	9	25	9	2.73
CC23999		0.14	0.005	<0.2	1.31	5	<10	130	<0.5	<2	0.12	<0.5	4	24	9	2.63
CC24000		0.20	0.003	0.2	1.83	11	<10	240	0.7	<2	0.28	0.6	8	30	20	3.16

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23962		<10	<1	0.09	20	0.56	1820	11	0.02	67	830	384	0.04	41	3	16
CC23963		<10	<1	0.08	20	0.78	899	7	0.02	36	1380	252	0.10	37	2	22
CC23964		<10	<1	0.08	20	0.51	1110	8	0.02	41	1230	257	0.08	32	2	22
CC23965		<10	<1	0.08	10	0.25	288	6	0.02	39	480	20	0.04	2	2	14
CC23966		10	<1	0.12	10	0.10	345	3	0.01	11	490	21	0.04	2	1	10
CC23967		10	<1	0.11	10	0.13	521	6	0.01	15	740	21	0.06	4	1	10
CC23968		<10	1	0.06	10	0.15	1620	3	0.02	10	1750	10	0.28	<2	1	22
CC23969		10	<1	0.10	10	0.15	196	10	0.02	27	1030	15	0.14	2	1	16
CC23970		10	1	0.11	10	0.42	424	6	0.02	23	940	17	0.08	<2	3	16
CC23971		10	<1	0.13	20	0.82	882	9	0.03	57	1110	27	0.04	2	4	25
CC23972		10	<1	0.08	10	0.71	1670	3	0.02	21	1840	21	0.21	<2	1	19
CC23973		<10	<1	0.06	30	9.44	1860	6	0.03	26	1020	30	0.09	4	<1	61
CC23974		<10	<1	0.11	40	2.27	2180	3	0.03	46	1060	97	0.08	12	2	31
CC23975		<10	<1	0.11	20	0.75	1510	3	0.02	34	540	60	0.06	7	3	18
CC23976		10	<1	0.10	30	4.72	1640	2	0.03	44	830	50	0.06	6	2	43
CC23977		<10	<1	0.08	20	6.06	1200	2	0.03	66	780	41	0.05	7	2	43
CC23978		<10	<1	0.06	20	3.02	2570	1	0.02	19	1590	41	0.23	7	1	29
CC23979		10	<1	0.07	20	0.64	2330	1	0.02	22	2060	48	0.22	4	1	20
CC23980		<10	<1	0.03	10	10.35	897	<1	0.02	10	410	47	<0.01	3	1	62
CC23981		<10	<1	0.08	10	7.00	958	4	0.02	54	510	58	0.03	6	1	42
CC23982		10	<1	0.12	20	2.23	1340	2	0.03	43	670	148	0.05	4	3	26
CC23983		<10	<1	0.06	10	7.58	1040	1	0.02	163	660	207	0.04	8	1	49
CC23984		<10	<1	0.07	20	3.06	1050	2	0.02	68	1210	104	0.12	4	1	23
CC23985		10	<1	0.09	10	1.06	1010	1	0.03	51	1130	79	0.13	4	1	19
CC23986		<10	<1	0.05	10	8.27	2040	2	0.02	150	780	301	0.05	5	1	52
CC23987		<10	<1	0.05	20	8.67	1840	1	0.03	90	730	144	0.03	7	2	56
CC23988		<10	<1	0.05	20	8.85	1975	1	0.03	58	740	118	0.03	7	1	64
CC23989		<10	<1	0.05	10	11.80	754	<1	0.03	13	290	34	<0.01	3	1	104
CC23990		<10	<1	0.06	10	11.00	566	1	0.03	13	250	34	<0.01	2	1	102
CC23991		<10	<1	0.05	10	11.55	1295	<1	0.03	11	180	37	<0.01	2	1	98
CC23992		<10	<1	0.06	20	9.44	2000	2	0.03	18	580	57	0.05	3	1	89
CC23993		<10	<1	0.07	10	10.25	2040	1	0.03	15	360	71	0.04	5	1	93
CC23994		10	<1	0.11	20	6.56	2120	2	0.03	26	920	79	0.07	5	2	50
CC23995		<10	<1	0.05	10	0.15	519	<1	0.02	8	840	10	0.03	2	<1	8
CC23996		<10	<1	0.07	10	0.17	190	1	0.02	9	240	42	0.02	2	1	9
CC23997		<10	<1	0.08	10	0.35	391	<1	0.02	15	470	21	0.02	2	1	10
CC23998		<10	<1	0.08	10	0.28	835	1	0.02	15	640	41	0.02	<2	1	11
CC23999		10	<1	0.11	10	0.20	263	1	0.02	13	400	25	0.02	<2	1	13
CC24000		10	<1	0.09	10	0.51	424	2	0.02	26	810	40	0.06	3	1	14

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078304

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23962		<20	0.03	<10	<10	82	80	896	<10	7	90
CC23963		<20	0.03	<10	<10	75	20	401	<10	7	20
CC23964		<20	0.03	<10	<10	85	10	488	<10	7	20
CC23965		<20	0.04	<10	<10	73	20	132	<10	6	20
CC23966		<20	0.05	<10	<10	86	<10	72	<10	6	10
CC23967		<20	0.03	<10	<10	86	10	90	<10	6	10
CC23968		<20	0.02	<10	<10	32	<10	36	<10	5	10
CC23969		<20	0.04	<10	<10	98	10	135	<10	7	20
CC23970		<20	0.04	<10	<10	92	10	91	<10	8	10
CC23971		<20	0.06	<10	<10	151	20	199	<10	8	30
CC23972		<20	0.03	<10	<10	57	10	162	<10	7	10
CC23973		<20	0.01	<10	<10	59	<10	140	<10	6	10
CC23974		<20	0.04	<10	<10	93	<10	262	<10	6	10
CC23975		<20	0.04	<10	<10	75	<10	192	<10	6	10
CC23976		<20	0.03	<10	<10	64	<10	255	<10	5	10
CC23977		<20	0.03	<10	<10	47	<10	323	<10	6	10
CC23978		<20	0.01	<10	<10	35	<10	209	<10	6	10
CC23979		<20	0.02	<10	<10	43	<10	214	<10	11	10
CC23980		<20	0.01	<10	<10	18	<10	123	<10	4	<10
CC23981		<20	0.03	<10	<10	31	170	173	<10	5	180
CC23982		<20	0.04	<10	<10	66	20	317	<10	6	20
CC23983		<20	0.02	<10	<10	40	20	939	<10	6	40
CC23984		<20	0.02	<10	<10	43	10	512	<10	6	20
CC23985		<20	0.03	<10	<10	51	<10	487	<10	7	10
CC23986		<20	0.02	<10	<10	38	<10	1570	<10	5	20
CC23987		<20	0.02	<10	10	38	10	1020	<10	5	20
CC23988		<20	0.02	<10	<10	34	10	746	<10	5	20
CC23989		<20	0.01	<10	10	11	10	139	<10	5	10
CC23990		<20	0.02	<10	10	13	10	200	<10	5	10
CC23991		<20	0.01	<10	10	11	<10	472	<10	5	10
CC23992		<20	0.01	<10	10	26	10	405	<10	6	10
CC23993		<20	0.01	<10	10	20	10	683	<10	5	10
CC23994		<20	0.03	<10	10	54	10	567	<10	6	20
CC23995		<20	0.02	<10	<10	36	<10	61	<10	5	<10
CC23996		<20	0.04	<10	<10	57	<10	45	<10	5	<10
CC23997		<20	0.04	<10	<10	56	<10	74	<10	5	<10
CC23998		<20	0.04	<10	<10	55	<10	80	<10	5	<10
CC23999		<20	0.04	<10	<10	74	<10	54	<10	6	<10
CC24000		<20	0.03	<10	<10	62	10	202	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 20-AUG-2007
Account: RCM

CERTIFICATE VA07078303

Project: RAU

P.O. No.:

This report is for 300 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34201		0.18	<10	7	10	0.002		0.3	1.05	9	<10	180	0.8	<2	12.90	0.9
CC34202		0.28	<10	7	20	0.006		0.5	1.58	23	10	260	1.6	3	8.60	0.9
CC34203		0.40	<10	6	20	0.005		0.5	1.94	18	<10	270	1.0	4	3.51	1.1
CC34204		0.20	<10	5	20	0.005		0.7	1.46	13	<10	290	0.8	3	3.17	1.7
CC34205		0.24	<10	7	10	0.003		0.5	2.01	10	10	250	1.3	<2	8.25	0.8
CC34206		0.24	<10	6	30	0.001		0.2	1.13	12	10	200	1.0	<2	15.1	<0.5
CC34207		0.30	<10	5	10	<0.001		<0.2	0.83	7	10	80	0.8	<2	14.35	<0.5
CC34208		0.34	<10	5	10	0.003		0.3	0.80	5	10	120	1.0	<2	15.6	<0.5
CC34209		0.34	<10	4	20	0.001		0.4	0.62	8	10	60	1.3	5	15.7	0.8
CC34210		0.32	<10	6	30	0.002		<0.2	1.24	4	<10	150	1.4	3	14.60	<0.5
CC34211		0.46	<10	4	<10	<0.001		<0.2	0.74	3	<10	70	<0.5	<2	18.6	<0.5
CC34212		0.40	<10	4	<10	0.002		<0.2	0.75	6	<10	60	<0.5	<2	18.1	<0.5
CC34213		0.24	<10	5	30	0.003		0.3	1.85	13	<10	170	1.0	2	15.1	<0.5
CC34214		0.34	<10	4	<10	0.002		0.2	1.51	7	<10	50	<0.5	<2	17.1	<0.5
CC34215		0.30	<10	5	<10	<0.001		<0.2	2.10	6	<10	80	0.5	<2	16.0	<0.5
CC34216		0.32	<10	5	10	0.002		<0.2	2.16	12	<10	370	0.7	<2	0.58	<0.5
CC34217		0.28	<10	7	10	0.027		<0.2	2.73	12	<10	410	0.9	<2	0.99	<0.5
CC34218		0.20	<10	6	10	0.002		0.4	2.13	8	<10	530	0.8	<2	1.25	4.0
CC34219		0.18	<10	6	10	0.013		0.3	2.51	8	<10	470	1.0	<2	1.18	0.5
CC34220		0.42	<10	7	10	0.005		0.6	2.29	15	<10	300	0.9	<2	3.04	0.6
CC34221		0.28	<10	7	10	0.003		0.2	2.66	19	10	480	1.3	<2	0.43	<0.5
CC34222		0.20	<10	6	10	0.005		0.7	2.86	20	<10	390	0.9	<2	0.29	1.0
CC34223		0.26	<10	6	10	<0.001		<0.2	2.29	2	<10	340	0.6	<2	0.28	<0.5
CC34224		0.28	<10	7	10	0.004		0.3	2.92	10	<10	370	1.3	<2	0.47	<0.5
CC34225		0.18	<10	8	20	<0.001		<0.2	2.95	20	10	510	1.2	<2	0.55	0.6
CC34226		0.26	<10	7	10	0.002		<0.2	2.58	6	10	390	0.7	<2	0.44	<0.5
CC34227		0.40	<10	7	10	0.002		0.2	2.37	13	<10	430	1.0	<2	0.43	<0.5
CC34228		0.14	<10	9	10	0.003		0.4	2.43	11	10	560	1.3	<2	0.77	0.6
CC34229		0.20	<10	18	10	0.002		0.2	2.50	5	<10	480	0.9	<2	0.89	<0.5
CC34230		0.22	<10	9	30	0.006		0.4	2.21	16	<10	380	2.3	<2	5.84	0.5
CC34231		0.20	<10	6	10	0.003		<0.2	2.71	8	10	400	0.9	<2	0.54	0.5
CC34232		0.24	<10	7	10	0.005		0.4	2.92	9	10	470	1.3	2	0.93	0.8
CC34233		0.18	<10	6	10	0.002		<0.2	2.70	9	<10	320	0.8	2	0.31	<0.5
CC34234		0.12	<10	6	10	0.002		<0.2	2.71	7	<10	420	0.9	<2	0.48	<0.5
CC34235		0.16	<10	7	10	0.001		0.2	2.94	10	<10	400	1.3	<2	0.43	<0.5
CC34236		0.22	<10	7	20	0.002		<0.2	2.41	11	<10	320	1.1	<2	0.48	0.7
CC34237		0.24	<10	6	10	0.001		<0.2	2.67	8	<10	360	0.8	<2	0.38	<0.5
CC34238		0.14	<10	6	20	0.002		<0.2	2.59	13	10	380	0.9	<2	0.48	0.7
CC34239		0.20	<10	7	10	0.001		0.2	3.24	14	10	800	1.2	<2	0.85	1.0
CC34240		0.22	<10	7	10	0.001		<0.2	2.78	9	<10	490	0.8	<2	0.52	2.5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34201		4	12	16	1.19	<10	<1	0.15	10	8.43	643	1	<0.01	12	510	28
CC34202		6	19	23	2.02	<10	<1	0.19	10	5.70	977	2	0.01	21	790	44
CC34203		8	29	27	2.94	<10	1	0.18	20	2.49	940	2	0.02	27	600	42
CC34204		8	23	25	2.54	<10	<1	0.13	10	1.45	947	2	0.01	24	790	45
CC34205		8	24	18	2.20	<10	<1	0.22	10	5.95	880	2	0.01	19	920	43
CC34206		4	11	16	1.23	<10	<1	0.29	10	10.45	450	2	<0.01	8	440	21
CC34207		2	10	7	0.88	<10	<1	0.11	10	9.72	349	<1	<0.01	9	520	14
CC34208		1	9	8	0.70	<10	<1	0.14	10	10.75	290	1	<0.01	7	410	38
CC34209		1	6	10	0.67	<10	<1	0.12	10	10.50	529	<1	<0.01	7	320	70
CC34210		2	14	19	1.23	<10	<1	0.41	10	10.30	318	1	0.01	10	270	10
CC34211		1	7	8	0.54	<10	<1	0.31	10	11.60	139	<1	0.01	6	120	5
CC34212		1	7	7	0.52	<10	<1	0.35	10	11.50	114	<1	<0.01	8	80	3
CC34213		4	21	38	1.67	10	<1	0.40	10	4.84	328	<1	0.01	21	270	20
CC34214		3	17	9	1.14	<10	<1	0.07	10	7.52	407	<1	<0.01	11	240	47
CC34215		4	21	10	1.51	<10	<1	0.18	10	5.44	403	<1	0.01	15	310	16
CC34216		8	38	21	3.37	10	<1	0.20	20	0.79	499	1	0.01	30	540	30
CC34217		10	46	14	3.64	10	<1	0.22	20	1.18	688	<1	0.03	29	650	27
CC34218		9	32	20	2.86	10	<1	0.14	20	0.80	1445	<1	0.01	22	890	20
CC34219		9	42	22	3.59	10	<1	0.27	20	1.15	817	<1	0.05	34	900	32
CC34220		7	33	18	2.80	10	<1	0.16	20	2.81	639	<1	0.02	34	750	46
CC34221		11	43	28	3.53	10	<1	0.26	20	0.95	948	2	0.02	43	740	48
CC34222		8	42	17	3.67	10	1	0.22	20	0.48	364	2	0.01	25	650	41
CC34223		4	35	8	2.94	10	<1	0.26	20	0.66	314	1	0.03	15	340	27
CC34224		8	42	13	3.57	10	<1	0.20	20	1.25	657	2	0.02	34	540	34
CC34225		11	48	15	4.95	10	<1	0.29	20	0.87	2040	3	0.03	31	630	54
CC34226		7	38	10	3.17	10	<1	0.18	20	0.78	441	<1	0.02	19	400	20
CC34227		9	37	13	3.35	10	<1	0.21	20	0.70	825	1	0.01	28	440	36
CC34228		9	38	19	3.84	10	<1	0.29	20	0.84	1685	2	0.03	36	630	56
CC34229		11	38	13	3.46	10	<1	0.21	20	0.73	662	2	0.02	24	840	21
CC34230		8	34	42	3.22	10	<1	0.25	20	3.98	1175	1	0.02	32	630	37
CC34231		9	45	11	3.49	10	<1	0.22	20	0.85	616	<1	0.03	28	480	21
CC34232		10	41	20	3.97	10	<1	0.25	20	1.05	1540	<1	0.02	30	620	46
CC34233		7	41	9	3.78	10	<1	0.26	20	0.76	608	<1	0.02	19	260	24
CC34234		8	43	12	3.82	10	<1	0.24	20	0.68	846	1	0.05	23	670	20
CC34235		10	43	13	3.87	10	<1	0.24	20	0.80	842	<1	0.02	33	500	28
CC34236		9	38	13	3.92	10	<1	0.20	20	0.77	1045	1	0.02	30	710	43
CC34237		8	40	9	3.52	10	<1	0.20	20	0.75	426	<1	0.01	21	330	19
CC34238		9	40	11	3.82	10	<1	0.24	20	0.76	1010	1	0.02	23	410	34
CC34239		14	43	16	3.80	10	<1	0.26	20	1.30	1515	1	0.01	31	620	22
CC34240		11	40	11	3.55	10	<1	0.21	20	0.65	1355	1	0.02	20	490	24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method Analyte Units LOR	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC34201		0.03	3	1	67	<20	0.02	<10	<10	27	10	190
CC34202		0.04	<2	2	47	<20	0.03	<10	<10	40	10	233
CC34203		0.01	4	4	44	<20	0.06	<10	<10	57	20	210
CC34204		0.06	<2	2	36	<20	0.04	<10	<10	43	20	268
CC34205		0.03	<2	3	43	<20	0.04	<10	<10	49	10	153
CC34206		0.02	<2	2	70	<20	0.02	<10	<10	23	30	88
CC34207		<0.01	<2	1	51	<20	0.02	<10	<10	18	10	69
CC34208		0.02	2	1	53	<20	0.02	<10	<10	13	10	188
CC34209		0.01	<2	1	68	<20	0.01	<10	<10	10	20	350
CC34210		0.01	<2	2	91	<20	0.03	<10	<10	16	30	49
CC34211		<0.01	<2	1	130	<20	0.02	<10	<10	7	10	17
CC34212		0.04	2	1	110	<20	0.02	<10	<10	7	<10	13
CC34213		0.04	<2	3	164	<20	0.07	<10	<10	26	20	148
CC34214		<0.01	<2	2	165	<20	0.05	<10	<10	18	<10	351
CC34215		0.02	<2	3	160	<20	0.07	<10	<10	28	<10	72
CC34216		<0.01	2	4	25	<20	0.06	<10	<10	74	20	156
CC34217		<0.01	5	5	32	<20	0.09	<10	<10	86	10	147
CC34218		0.02	<2	4	26	<20	0.05	<10	<10	62	10	230
CC34219		0.01	15	5	42	<20	0.08	<10	<10	78	10	179
CC34220		<0.01	2	4	39	<20	0.06	<10	<10	61	10	233
CC34221		<0.01	4	6	30	<20	0.07	<10	<10	79	10	228
CC34222		<0.01	2	4	26	<20	0.07	<10	<10	90	<10	127
CC34223		<0.01	<2	4	24	<20	0.10	<10	<10	89	<10	95
CC34224		<0.01	2	4	23	<20	0.07	<10	<10	75	10	192
CC34225		<0.01	3	4	27	<20	0.07	<10	<10	90	10	315
CC34226		<0.01	<2	4	24	<20	0.07	<10	<10	80	<10	132
CC34227		<0.01	<2	5	23	<20	0.06	<10	<10	73	10	228
CC34228		<0.01	3	5	32	<20	0.06	<10	<10	70	10	288
CC34229		0.01	2	4	29	<20	0.06	<10	10	76	<10	134
CC34230		<0.01	3	4	53	<20	0.06	<10	<10	57	30	206
CC34231		<0.01	<2	5	27	<20	0.09	<10	<10	82	<10	216
CC34232		<0.01	<2	5	28	<20	0.07	<10	<10	86	10	281
CC34233		<0.01	3	4	24	<20	0.11	<10	<10	99	10	147
CC34234		<0.01	<2	4	30	<20	0.08	<10	<10	83	<10	163
CC34235		<0.01	<2	5	25	<20	0.07	<10	<10	78	10	169
CC34236		<0.01	<2	3	21	<20	0.05	<10	<10	68	20	288
CC34237		<0.01	<2	4	22	<20	0.08	<10	<10	88	10	114
CC34238		<0.01	<2	4	27	<20	0.08	<10	<10	82	10	211
CC34239		<0.01	<2	5	29	<20	0.07	<10	<10	93	<10	178
CC34240		<0.01	<2	4	26	<20	0.08	<10	<10	96	10	229

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd
	Units	kg	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	10	4	10	0.001	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5
CC34241		0.20	<10	6	10	0.001		<0.2	2.88	9	<10	410	1.1	<2	0.52	0.5
CC34242		0.16	<10	7	20	0.001		<0.2	2.51	9	<10	350	1.0	<2	0.30	<0.5
CC34243		0.10	<10	9	10	0.001		0.2	2.16	15	<10	250	1.1	2	6.85	0.9
CC34244		0.14	<10	8	20	<0.001		0.2	2.80	21	<10	440	1.4	3	1.16	3.7
CC34245		0.16	<10	7	10	0.003		0.2	2.17	20	<10	270	1.1	<2	4.41	1.3
CC34246		0.12	<10	9	10	0.007		0.2	2.12	16	10	290	1.1	<2	1.32	1.0
CC34247		0.16	<10	8	30	0.004		0.2	1.70	18	<10	230	1.1	2	3.40	0.9
CC34248		0.16	<10	7	30	0.002		0.4	1.88	15	<10	270	1.3	2	5.23	2.3
CC34249		0.18	<10	5	10	0.002		<0.2	0.79	13	<10	110	2.0	<2	15.1	<0.5
CC34250		0.16	<10	6	20	<0.001		0.3	1.89	14	<10	180	2.5	4	10.80	<0.5
CC34251		0.18	<10	5	20	0.002		0.3	1.31	9	<10	130	1.5	<2	13.5	1.1
CC34252		0.20	<10	5	70	0.003		<0.2	0.91	3	<10	100	2.0	4	16.4	0.5
CC34253		0.20	<10	5	10	0.001		<0.2	1.65	7	<10	110	1.2	<2	13.4	<0.5
CC34254		0.16	<10	5	10	<0.001		<0.2	2.29	12	<10	120	0.8	<2	12.10	0.9
CC34255		0.20	<10	5	20	0.002		<0.2	1.67	13	<10	150	0.9	<2	13.8	<0.5
CC34256		0.20	<10	4	30	0.005		<0.2	2.83	12	<10	220	1.7	3	15.9	1.3
CC34257		0.16	<10	7	20	0.002		0.6	2.71	22	<10	250	1.1	5	1.45	1.2
CC34258		0.18	<10	5	10	0.001		<0.2	2.07	12	<10	160	0.6	<2	12.05	<0.5
CC34259		0.14	<10	6	20	0.002		0.5	2.12	18	<10	400	0.9	2	1.69	0.9
CC34260		0.22	<10	6	20	0.002		0.4	1.99	21	<10	410	0.8	<2	1.21	0.6
CC34261		0.22	<10	6	20	0.002		0.5	1.92	25	<10	420	1.2	2	4.98	1.3
CC34262		0.18	<10	6	10	0.003		0.6	2.12	17	<10	300	0.8	<2	3.37	<0.5
CC34263		0.34	<10	6	10	0.004		0.5	2.19	21	<10	370	0.9	<2	1.21	0.6
CC34264		0.20	<10	6	10	0.001		0.3	2.35	15	<10	370	0.7	<2	0.46	0.6
CC34265		0.30	<10	6	10	0.002		0.3	2.16	21	<10	350	0.6	<2	0.31	<0.5
CC34266		0.28	<10	7	10	0.002		0.4	2.73	20	<10	470	1.0	<2	0.59	0.9
CC34267		0.16	<10	7	10	0.002		0.2	2.47	12	<10	400	0.7	<2	0.58	1.4
CC34268		0.18	<10	7	10	0.001		0.2	2.35	15	<10	340	0.9	<2	0.47	<0.5
CC34269		0.28	<10	7	10	0.002		<0.2	2.41	17	<10	370	0.9	2	0.46	0.5
CC34270		0.28	<10	7	20	0.003		0.2	2.20	23	<10	340	1.1	3	0.39	0.6
CC34271		0.22	<10	14	10	0.002		0.4	2.11	11	<10	400	0.8	2	1.55	1.0
CC34272		0.40	<10	7	10	0.004		0.6	2.50	32	<10	370	1.2	<2	3.59	0.6
CC34273		0.36	<10	6	10	0.002		0.3	2.48	15	<10	390	0.9	<2	0.44	<0.5
CC34274		0.38	<10	7	10	0.002		0.2	2.16	21	<10	300	0.8	<2	0.35	0.7
CC34275		0.30	<10	6	10	0.002		0.3	2.10	13	<10	300	0.7	<2	5.56	<0.5
CC34276		0.22	<10	6	20	0.003		0.8	2.16	17	<10	320	1.1	<2	4.54	0.6
CC34277		0.36	<10	6	10	0.001		<0.2	2.89	16	<10	360	1.0	<2	0.64	<0.5
CC34278		0.40	<10	6	10	0.001		<0.2	2.80	23	<10	340	1.0	<2	0.42	<0.5
CC34279		0.24	<10	7	10	0.001		0.2	2.40	17	<10	350	0.9	<2	0.66	1.5
CC34280		0.20	<10	7	20	0.002		0.4	2.58	25	<10	300	1.0	2	0.66	1.2

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34241		9	41	14	3.91	10	<1	0.19	20	0.80	627	<1	0.01	34	480	27
CC34242		9	41	14	4.04	10	<1	0.23	10	0.75	607	2	0.01	32	300	43
CC34243		7	27	13	2.75	10	1	0.19	10	4.29	1415	3	0.03	22	980	28
CC34244		11	41	21	4.51	10	1	0.24	20	0.99	2660	3	0.04	34	790	47
CC34245		9	31	21	3.04	10	<1	0.20	10	2.99	1315	1	0.04	25	710	35
CC34246		10	35	23	3.49	10	1	0.20	10	0.91	1130	2	0.04	30	780	30
CC34247		9	28	21	2.89	10	<1	0.17	10	2.31	913	2	0.03	27	660	35
CC34248		8	27	26	2.56	10	1	0.22	10	3.48	1230	2	0.04	25	810	36
CC34249		2	9	17	0.99	<10	<1	0.21	<10	9.78	485	1	0.01	9	330	23
CC34250		6	21	19	1.78	10	<1	0.27	10	8.00	490	1	0.02	22	750	42
CC34251		3	15	11	1.27	<10	1	0.16	10	9.14	576	1	0.01	13	600	67
CC34252		2	8	18	0.92	<10	<1	0.23	<10	10.90	580	<1	0.01	8	350	26
CC34253		2	16	17	1.22	<10	<1	0.24	10	9.85	418	<1	0.02	10	490	8
CC34254		4	25	18	1.67	10	<1	0.17	10	8.50	643	<1	0.02	20	400	43
CC34255		5	20	26	1.58	10	1	0.24	10	7.83	483	<1	0.02	18	390	33
CC34256		7	30	68	2.20	10	1	0.49	10	6.64	688	1	0.03	26	370	79
CC34257		11	40	23	3.70	10	1	0.21	20	1.70	1130	2	0.04	36	380	58
CC34258		7	27	20	2.16	10	<1	0.17	10	3.11	386	<1	0.04	24	490	15
CC34259		10	36	30	3.63	10	1	0.18	10	0.96	1080	2	0.03	33	990	32
CC34260		9	36	20	3.09	10	1	0.18	10	0.82	973	1	0.03	30	720	40
CC34261		8	35	21	3.17	10	1	0.21	10	3.36	2170	3	0.05	28	800	46
CC34262		8	35	21	2.74	10	1	0.19	10	2.51	745	2	0.04	30	630	33
CC34263		10	36	25	3.09	10	<1	0.17	20	1.30	511	2	0.03	35	620	42
CC34264		8	40	15	3.21	10	1	0.19	20	0.78	459	2	0.04	29	490	32
CC34265		7	35	14	3.06	10	<1	0.18	20	0.49	332	3	0.02	26	600	44
CC34266		13	46	20	3.81	10	<1	0.20	20	0.91	1155	2	0.04	35	750	37
CC34267		13	39	16	3.69	10	<1	0.19	10	0.60	1890	4	0.03	22	760	36
CC34268		10	37	14	3.31	10	<1	0.21	20	0.71	557	2	0.04	24	560	32
CC34269		9	37	15	3.33	10	<1	0.19	20	0.68	762	1	0.03	26	730	28
CC34270		9	34	17	3.41	10	1	0.20	10	0.79	755	3	0.03	32	460	44
CC34271		10	31	18	3.05	10	<1	0.12	10	0.91	1440	3	0.02	23	1040	28
CC34272		9	34	18	3.65	10	<1	0.20	20	2.61	2010	2	0.03	35	540	53
CC34273		9	40	14	3.45	10	1	0.17	20	0.75	719	2	0.03	32	500	32
CC34274		11	34	16	3.27	10	1	0.07	10	0.66	1495	2	0.01	31	560	25
CC34275		8	28	14	2.56	10	1	0.16	10	3.75	794	1	0.03	24	540	31
CC34276		7	34	21	3.04	10	<1	0.23	10	3.11	1365	3	0.04	33	640	55
CC34277		11	41	16	3.65	10	1	0.21	20	0.91	896	2	0.04	29	470	27
CC34278		10	42	16	3.74	10	<1	0.21	20	0.96	788	2	0.04	27	470	23
CC34279		12	38	24	3.76	10	<1	0.16	20	0.70	1180	2	0.04	25	770	19
CC34280		15	50	26	3.97	10	<1	0.18	10	1.12	972	2	0.04	39	540	26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method Analyte Units LOR	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC34241		<0.01	<2	4	23	<20	0.06	<10	<10	78	<10	156
CC34242		<0.01	<2	4	19	<20	0.09	<10	<10	83	20	240
CC34243		0.05	2	3	56	<20	0.04	<10	<10	60	<10	213
CC34244		0.04	4	4	30	<20	0.06	<10	<10	79	10	441
CC34245		0.03	3	3	36	<20	0.05	<10	<10	59	10	228
CC34246		0.05	<2	3	29	<20	0.05	<10	<10	62	<10	207
CC34247		0.04	2	3	32	<20	0.05	<10	<10	52	30	220
CC34248		0.05	2	3	49	<20	0.05	<10	<10	51	30	206
CC34249		0.01	<2	2	79	<20	0.02	<10	10	18	20	163
CC34250		0.02	2	3	59	<20	0.04	<10	<10	36	20	264
CC34251		0.02	<2	2	52	<20	0.02	<10	<10	26	20	360
CC34252		<0.01	5	1	73	<20	0.02	<10	10	12	70	200
CC34253		0.03	3	2	79	<20	0.04	<10	<10	23	10	70
CC34254		0.05	<2	3	98	<20	0.07	<10	<10	32	<10	465
CC34255		0.05	<2	2	111	<20	0.05	<10	<10	27	10	264
CC34256		0.07	<2	3	162	<20	0.09	<10	10	32	20	804
CC34257		0.02	3	6	34	<20	0.08	<10	<10	68	10	385
CC34258		0.02	2	4	140	<20	0.07	<10	<10	43	<10	90
CC34259		0.06	3	3	31	<20	0.04	<10	<10	60	20	157
CC34260		0.03	2	3	29	<20	0.05	<10	<10	61	20	188
CC34261		0.02	2	4	53	<20	0.06	<10	<10	56	20	350
CC34262		0.01	3	4	42	<20	0.05	<10	<10	66	10	190
CC34263		<0.01	2	5	32	<20	0.06	<10	<10	68	10	180
CC34264		0.01	2	4	26	<20	0.06	<10	<10	75	10	175
CC34265		0.01	3	3	25	<20	0.05	<10	<10	78	<10	140
CC34266		0.01	2	5	30	<20	0.07	<10	<10	86	<10	285
CC34267		0.03	<2	4	25	<20	0.06	<10	<10	87	<10	226
CC34268		0.01	3	4	28	<20	0.06	<10	<10	69	<10	159
CC34269		0.01	3	4	26	<20	0.06	<10	<10	71	<10	161
CC34270		0.01	2	4	22	<20	0.05	<10	<10	63	10	216
CC34271		0.05	2	3	24	<20	0.03	<10	<10	62	<10	152
CC34272		0.01	3	5	35	<20	0.05	<10	<10	61	10	265
CC34273		0.01	2	5	25	<20	0.06	<10	<10	71	<10	194
CC34274		0.01	2	4	16	<20	0.04	<10	<10	62	<10	160
CC34275		0.01	4	4	44	<20	0.05	<10	<10	58	<10	146
CC34276		0.01	4	4	46	<20	0.06	<10	<10	60	10	230
CC34277		0.01	2	5	26	<20	0.07	<10	<10	77	<10	135
CC34278		0.01	3	4	25	<20	0.07	<10	<10	79	<10	184
CC34279		0.03	2	3	22	<20	0.05	<10	<10	73	10	269
CC34280		0.02	<2	4	20	<20	0.10	<10	<10	73	10	226

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd
	Units	kg	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	10	4	10	0.001	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5
CC34281		0.36	<10	8	20	0.002		0.3	2.76	22	<10	320	1.5	<2	0.50	0.6
CC34282		0.30	<10	6	10	0.001		0.2	2.35	7	<10	470	0.5	<2	0.51	<0.5
CC34283		0.40	<10	7	10	0.004		0.5	2.43	16	10	370	1.2	<2	0.83	0.6
CC34284		0.30	<10	6	10	0.003		<0.2	2.32	13	<10	330	0.9	<2	5.33	<0.5
CC34285		0.26	<10	6	20	0.002		0.3	2.03	14	<10	240	1.0	2	8.87	0.6
CC34286		0.30	<10	10	60	0.007		0.3	2.95	23	<10	360	1.9	5	2.78	1.2
CC34287		0.28	<10	7	20	0.003		0.3	2.21	20	<10	240	1.2	2	5.09	0.6
CC34288		0.26	<10	8	20	0.003		0.3	2.20	14	<10	240	1.9	2	2.73	1.0
CC34289		0.28	<10	7	20	0.001		<0.2	1.55	12	<10	220	0.8	<2	8.01	0.6
CC34290		0.26	<10	5	10	0.008		0.4	0.88	11	<10	120	0.5	<2	9.98	0.8
CC34291		0.26	<10	5	20	0.003		<0.2	0.92	9	<10	160	<0.5	<2	14.0	0.5
CC34292		0.24	<10	7	20	0.043		<0.2	1.26	9	10	200	1.1	<2	13.10	<0.5
CC34293		0.14	<10	6	30	0.003		<0.2	1.12	7	10	150	0.9	<2	12.10	1.2
CC34294		0.32	<10	7	20	0.002		0.4	2.34	17	<10	250	1.9	3	1.43	1.4
CC34295		0.38	<10	4	10	0.001		<0.2	0.91	3	<10	80	<0.5	<2	19.2	<0.5
CC34296		0.20	<10	6	10	0.001		0.4	2.35	7	10	110	1.1	<2	9.51	<0.5
CC34297		0.28	<10	4	10	0.002		0.4	0.96	12	<10	100	0.5	<2	18.6	<0.5
CC34298		0.24	<10	5	10	0.001		0.5	1.32	10	<10	100	0.8	<2	18.3	1.2
CC34299		0.34	<10	4	10	0.001		0.5	1.26	15	<10	120	0.6	<2	15.3	1.6
CC34300		0.20	<10	5	10	0.002		0.6	2.51	17	<10	130	1.0	<2	3.67	0.6
CC34301		0.28	<10	4	<10	<0.001		0.3	1.85	7	<10	70	<0.5	<2	16.5	<0.5
CC34302		0.28	<10	7	10	0.004		0.8	1.73	19	<10	300	1.1	<2	0.80	0.7
CC34303		0.38	<10	6	20	0.005		0.8	2.11	17	<10	370	1.2	2	0.45	<0.5
CC34304		0.12	<10	7	10	0.004		0.6	1.88	13	<10	290	0.8	<2	0.77	1.2
CC34305		0.32	<10	6	10	0.006		0.7	1.78	20	<10	300	0.8	<2	1.40	0.9
CC34306		0.32	<10	5	20	0.003		1.0	1.49	19	<10	240	0.9	<2	6.90	1.2
CC34307		0.26	<10	6	10	0.001		0.4	1.71	14	<10	320	0.7	2	0.46	1.2
CC34308		0.14	<10	6	10	0.001		0.3	1.62	13	<10	230	0.5	3	0.49	1.8
CC34309		0.22	<10	8	10	0.001		0.4	2.70	25	<10	270	1.0	2	0.42	0.6
CC34310		0.34	<10	6	10	0.002		0.2	2.00	15	<10	230	0.8	<2	0.24	<0.5
CC34311		0.18	<10	7	10	0.003		0.2	1.91	14	<10	250	0.6	2	0.23	0.5
CC34312		0.34	<10	7	<10	0.003		0.2	2.03	11	<10	270	0.6	<2	0.27	<0.5
CC34313		0.16	<10	8	10	0.003		0.5	2.18	14	<10	340	1.2	<2	0.61	1.2
CC34314		0.14	<10	7	20	0.002		0.4	2.22	18	<10	310	1.0	3	0.68	0.6
CC34315		0.26	<10	7	10	0.002		0.4	1.94	13	<10	290	1.3	<2	0.51	0.5
CC34316		0.26	<10	7	10	0.001		0.4	2.08	14	<10	310	0.7	<2	0.44	1.4
CC34317		0.18	<10	6	10	0.002		0.3	2.13	19	<10	300	0.8	2	0.51	0.5
CC34318		0.18	<10	7	10	0.001		0.2	2.08	25	<10	230	0.7	3	0.26	<0.5
CC34319		0.18	<10	8	10	0.004		0.5	1.76	12	<10	190	0.7	<2	5.22	1.3
CC34320		0.26	<10	6	<10	0.001		0.2	0.22	3	<10	40	<0.5	2	0.10	<0.5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34281		11	38	18	3.86	10	1	0.20	20	0.90	1030	2	0.03	34	730	37
CC34282		6	34	9	2.46	10	<1	0.16	20	0.54	357	2	0.04	13	270	13
CC34283		9	37	17	3.41	10	<1	0.23	20	1.13	770	2	0.05	33	470	20
CC34284		9	30	18	2.79	<10	<1	0.20	20	3.62	814	2	0.04	26	500	29
CC34285		8	23	14	2.36	<10	<1	0.15	10	5.84	893	2	0.02	22	580	38
CC34286		10	38	25	4.16	<10	<1	0.29	20	2.62	2040	5	0.04	40	530	67
CC34287		7	28	16	2.89	<10	1	0.17	20	3.62	1330	3	0.03	29	390	38
CC34288		8	28	21	3.07	10	1	0.22	20	2.08	1010	2	0.03	25	670	38
CC34289		7	20	14	2.13	<10	1	0.17	10	5.10	780	1	0.03	18	540	22
CC34290		5	13	19	1.46	<10	<1	0.08	10	6.36	567	2	0.02	20	510	49
CC34291		5	12	14	1.16	<10	1	0.11	10	8.38	398	1	0.02	14	350	22
CC34292		5	14	14	1.44	<10	<1	0.31	10	9.12	531	4	0.03	12	560	32
CC34293		5	14	15	1.38	<10	1	0.20	10	7.95	780	1	0.03	12	600	27
CC34294		11	34	17	3.29	10	<1	0.16	20	2.01	1060	1	0.02	31	440	117
CC34295		3	9	10	0.74	<10	<1	0.34	10	11.25	222	1	0.03	6	170	11
CC34296		5	26	13	2.07	<10	<1	0.12	10	7.86	280	2	0.03	22	380	20
CC34297		1	11	10	0.77	<10	<1	0.26	<10	11.20	302	<1	0.03	10	120	18
CC34298		2	15	20	1.23	<10	<1	0.37	<10	8.77	473	<1	0.03	17	220	61
CC34299		3	15	14	1.31	<10	<1	0.13	10	8.69	881	<1	0.02	16	230	66
CC34300		9	33	19	2.71	<10	<1	0.11	10	3.34	622	1	0.03	31	330	40
CC34301		4	21	17	1.60	<10	1	0.09	<10	3.73	268	<1	0.03	18	350	10
CC34302		9	35	30	2.85	<10	<1	0.12	10	0.90	704	2	0.02	34	560	34
CC34303		9	34	29	3.38	<10	<1	0.16	20	0.99	662	2	0.03	36	380	41
CC34304		9	31	18	2.87	<10	<1	0.09	10	0.80	841	2	0.03	25	650	25
CC34305		9	28	21	2.90	<10	<1	0.10	10	1.32	730	2	0.03	28	590	41
CC34306		4	21	16	2.47	<10	<1	0.11	10	4.50	939	2	0.03	27	590	56
CC34307		9	30	15	2.68	10	<1	0.10	10	0.57	1045	2	0.02	20	650	29
CC34308		9	27	13	2.72	<10	<1	0.09	10	0.60	832	2	0.02	18	750	27
CC34309		10	43	15	3.36	10	<1	0.12	10	1.91	989	2	0.02	34	580	43
CC34310		10	32	14	3.13	10	<1	0.09	10	0.64	778	2	0.02	23	510	29
CC34311		9	30	10	3.24	10	<1	0.09	10	0.51	571	2	0.02	19	320	21
CC34312		8	30	11	2.77	10	<1	0.08	10	0.54	372	1	0.02	18	390	15
CC34313		12	31	19	3.13	10	<1	0.10	10	0.66	1200	1	0.02	25	730	30
CC34314		9	31	18	3.17	10	<1	0.12	10	0.84	481	2	0.02	27	650	54
CC34315		8	30	18	2.92	<10	<1	0.10	10	0.60	670	2	0.02	29	620	33
CC34316		10	30	15	3.12	10	<1	0.09	10	0.57	1235	2	0.02	22	650	31
CC34317		10	34	17	3.36	10	<1	0.10	10	0.76	864	2	0.02	23	560	23
CC34318		7	33	14	3.61	10	<1	0.11	10	0.68	321	2	0.02	28	330	23
CC34319		7	22	12	2.28	<10	<1	0.08	10	3.24	652	1	0.03	22	560	23
CC34320		2	7	7	1.03	<10	<1	0.02	<10	0.07	126	8	0.01	9	140	7

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	2	1	1	20	0.01	10	10	1	10	2
CC34281		0.03	4	4	22	<20	0.05	<10	<10	68	20	231
CC34282		0.01	<2	4	24	<20	0.07	<10	<10	87	<10	113
CC34283		0.02	<2	5	29	<20	0.06	<10	<10	69	<10	109
CC34284		0.02	8	4	43	<20	0.05	<10	<10	59	10	141
CC34285		0.03	4	3	37	<20	0.04	<10	<10	46	10	167
CC34286		0.03	4	6	26	<20	0.05	<10	<10	74	40	392
CC34287		0.02	<2	4	32	<20	0.04	<10	<10	49	10	147
CC34288		0.05	3	4	25	<20	0.04	<10	<10	51	20	226
CC34289		0.03	2	3	38	<20	0.03	<10	<10	41	10	131
CC34290		0.01	<2	2	59	<20	0.03	<10	<10	28	10	170
CC34291		0.06	5	2	84	<20	0.03	<10	<10	20	20	114
CC34292		0.03	2	2	90	<20	0.02	<10	<10	23	20	136
CC34293		0.04	4	2	49	<20	0.03	<10	<10	26	30	223
CC34294		0.03	5	5	22	<20	0.06	<10	<10	64	10	676
CC34295		<0.01	4	1	120	<20	0.03	<10	<10	11	20	56
CC34296		0.04	2	3	53	<20	0.06	<10	10	40	<10	89
CC34297		<0.01	<2	1	123	<20	0.03	<10	10	11	<10	165
CC34298		<0.01	2	2	171	<20	0.04	<10	10	16	<10	700
CC34299		0.04	<2	2	124	<20	0.04	<10	10	18	<10	841
CC34300		0.03	<2	5	38	<20	0.08	<10	<10	52	<10	224
CC34301		<0.01	<2	3	164	<20	0.07	<10	10	32	<10	62
CC34302		0.03	<2	3	18	<20	0.04	<10	<10	57	10	178
CC34303		0.02	2	5	21	<20	0.05	<10	<10	60	10	206
CC34304		0.04	2	3	20	<20	0.04	<10	<10	59	10	151
CC34305		0.02	2	4	25	<20	0.04	<10	<10	50	10	223
CC34306		0.02	<2	3	54	<20	0.03	<10	<10	41	10	345
CC34307		0.02	2	2	17	<20	0.04	<10	<10	65	<10	261
CC34308		0.03	2	3	16	<20	0.04	<10	<10	57	<10	215
CC34309		0.04	<2	3	17	<20	0.06	<10	<10	61	<10	257
CC34310		0.02	3	3	15	<20	0.04	<10	<10	60	<10	160
CC34311		0.01	2	3	13	<20	0.04	<10	<10	69	<10	134
CC34312		0.02	<2	3	14	<20	0.04	<10	<10	65	<10	85
CC34313		0.04	<2	4	20	<20	0.04	<10	<10	64	10	187
CC34314		0.03	2	3	19	<20	0.04	<10	<10	63	<10	203
CC34315		0.03	<2	3	16	<20	0.03	<10	<10	57	<10	175
CC34316		0.03	2	3	17	<20	0.04	<10	<10	67	<10	213
CC34317		0.02	2	2	17	<20	0.05	<10	<10	75	<10	197
CC34318		0.02	3	3	15	<20	0.05	<10	<10	64	<10	142
CC34319		0.03	<2	2	25	<20	0.03	<10	<10	44	<10	158
CC34320		<0.01	<2	<1	3	<20	0.02	<10	<10	32	<10	22

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34321		0.20	<10	7	10	<0.001		0.3	2.06	15	<10	220	0.8	<2	0.31	0.6
CC34322		0.16	<10	7	10	0.004		0.3	2.12	18	<10	280	0.8	<2	0.57	0.6
CC34323		0.16	<10	7	10	<0.001		0.6	1.82	8	10	300	0.7	4	1.30	5.0
CC34324		0.22	<10	7	10	<0.001		<0.2	1.80	10	<10	230	0.5	2	0.32	0.9
CC34325		0.28	<10	7	10	0.002		0.2	2.22	10	<10	280	0.7	<2	0.48	<0.5
CC34326		0.18	<10	6	10	0.001		0.3	2.39	16	<10	330	0.9	2	0.38	<0.5
CC34327		0.18	<10	6	10	0.003		0.2	2.01	15	<10	250	<0.5	2	0.24	<0.5
CC34328		0.20	<10	6	20	0.001		0.4	1.46	11	<10	310	<0.5	3	0.23	<0.5
CC34329		0.22	<10	7	20	0.001		0.2	2.22	15	<10	270	0.7	3	0.36	0.7
CC34330		0.18	<10	5	10	0.002		0.2	2.28	15	<10	240	1.0	<2	0.44	<0.5
CC34331		0.14	<10	8	10	0.001		0.3	2.07	14	<10	180	1.1	2	0.57	1.3
CC34332		0.08	<10	7	10	0.002		0.5	1.97	11	<10	200	1.0	2	1.07	2.4
CC34333		0.14	<10	7	10	0.001		0.5	1.67	17	20	180	1.1	<2	2.98	0.9
CC34334		0.16	<10	7	10	0.001		0.4	1.71	12	10	190	1.1	3	0.95	0.9
CC34335		0.22	<10	5	10	0.001		0.4	0.78	9	<10	90	<0.5	<2	20.3	<0.5
CC34336		0.16	<10	4	<10	<0.001		0.3	0.81	7	<10	60	<0.5	<2	17.3	<0.5
CC34337		0.22	<10	5	10	0.005		0.3	0.83	4	<10	70	0.5	<2	17.5	<0.5
CC34338		0.14	<10	6	40	<0.001		0.4	1.55	7	20	140	2.6	<2	11.30	0.9
CC34339		0.24	<10	4	10	0.001		0.3	1.11	3	<10	80	0.5	<2	15.9	0.7
CC34340		0.18	<10	4	10	0.001		0.5	1.55	6	<10	70	0.6	<2	17.3	0.5
CC34341		0.22	<10	4	10	<0.001		0.5	1.32	3	<10	70	0.5	<2	19.3	<0.5
CC34342		0.10	<10	5	20	<0.001		0.4	2.56	9	<10	170	1.1	2	1.94	1.3
CC34343		0.12	<10	5	10	0.001		0.3	2.95	16	<10	170	1.1	<2	0.96	1.3
CC34344		0.20	<10	4	<10	0.003		0.4	2.55	12	<10	60	0.6	<2	22.2	<0.5
CC34345		0.34	<10	6	20	0.007		0.7	1.55	19	<10	220	0.9	3	3.21	0.7
CC34346		0.14	<10	7	30	<0.001		0.9	1.62	12	10	380	1.9	<2	2.75	2.5
CC34347		0.20	<10	6	10	<0.001		0.4	1.98	15	<10	270	0.9	2	0.49	1.0
CC34348		0.16	<10	6	10	0.003		0.4	2.10	18	<10	260	0.8	2	0.53	0.9
CC34349		0.18	<10	7	10	0.001		0.4	2.15	17	<10	310	0.8	<2	0.33	0.8
CC34350		0.16	<10	8	10	<0.001		0.3	2.01	16	<10	330	0.8	2	0.42	2.0
CC34351		0.20	<10	8	10	0.002		0.5	1.79	18	<10	320	0.9	2	0.47	2.2
CC34352		0.26	<10	8	20	0.003		0.7	2.17	26	<10	300	1.5	4	0.62	1.4
CC34353		0.14	NSS	NSS	NSS	<0.001		0.7	1.23	5	<10	380	0.6	<2	1.75	3.7
CC34354		0.30	<10	7	10	0.006		0.4	2.30	22	<10	280	1.1	13	0.22	<0.5
CC34355		0.08	NSS	NSS	NSS	0.004		0.8	1.68	6	<10	340	1.0	2	1.61	5.1
CC34356		0.24	<10	6	10	0.003		0.4	1.77	21	<10	240	0.8	<2	2.28	0.7
CC34357		0.20	<10	7	10	0.002		0.2	2.04	16	<10	300	0.7	<2	0.51	0.8
CC34358		0.20	<10	7	10	0.021	NSS	0.4	1.91	11	10	290	0.9	2	0.61	1.4
CC34359		0.14	<10	6	<10	NSS		0.4	0.65	10	<10	190	<0.5	2	0.51	1.1
CC34360		0.16	<10	7	10	<0.001		0.3	1.92	11	<10	230	0.7	<2	0.46	0.8

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34321		9	31	12	3.07	10	<1	0.09	10	0.57	489	1	0.02	23	320	25
CC34322		8	31	14	3.25	<10	<1	0.11	10	0.69	565	2	0.02	27	460	30
CC34323		10	25	17	2.53	<10	<1	0.10	10	0.88	1310	1	0.03	21	630	20
CC34324		8	33	11	3.07	10	<1	0.10	10	0.74	549	2	0.02	20	360	24
CC34325		9	36	10	3.04	10	<1	0.09	10	0.68	483	1	0.03	22	420	17
CC34326		11	34	14	3.65	10	<1	0.12	10	0.62	792	1	0.03	29	360	20
CC34327		10	31	8	3.06	10	<1	0.10	10	0.48	726	2	0.02	12	210	19
CC34328		3	21	7	2.05	10	<1	0.06	10	0.27	126	2	0.02	10	200	17
CC34329		11	31	13	3.93	10	<1	0.09	10	0.68	795	3	0.02	24	300	24
CC34330		9	33	13	3.26	10	<1	0.09	10	0.90	628	1	0.02	26	440	26
CC34331		11	30	16	3.26	10	1	0.08	10	0.69	830	1	0.02	23	430	25
CC34332		10	28	27	2.68	<10	<1	0.11	10	0.85	1200	1	0.03	23	590	39
CC34333		8	25	20	2.43	<10	<1	0.13	10	2.26	827	1	0.03	25	650	37
CC34334		9	27	17	2.58	<10	<1	0.13	10	1.06	643	1	0.03	24	640	33
CC34335		1	8	10	0.67	<10	<1	0.16	<10	8.09	301	1	0.03	10	120	11
CC34336		<1	9	7	0.57	<10	<1	0.32	<10	9.73	197	<1	0.03	8	90	12
CC34337		1	9	11	0.70	<10	<1	0.31	<10	10.05	189	<1	0.03	9	150	9
CC34338		4	17	17	1.69	<10	<1	0.42	10	8.18	725	1	0.05	16	430	27
CC34339		2	13	13	1.01	<10	<1	0.22	<10	9.59	381	<1	0.02	14	210	34
CC34340		4	17	16	1.31	<10	<1	0.31	<10	9.56	428	<1	0.03	18	230	24
CC34341		2	14	13	1.17	<10	<1	0.40	<10	10.20	400	1	0.03	15	180	24
CC34342		8	34	16	2.33	<10	<1	0.11	10	2.77	875	<1	0.02	27	320	36
CC34343		10	39	14	3.02	10	<1	0.14	10	2.57	1395	<1	0.03	30	330	39
CC34344		5	24	21	1.68	<10	1	0.28	<10	4.00	408	<1	0.05	19	240	73
CC34345		7	27	30	2.71	<10	<1	0.11	10	2.29	544	2	0.03	31	560	37
CC34346		7	22	35	2.41	<10	<1	0.10	10	1.43	991	1	0.03	23	910	28
CC34347		9	35	14	3.05	<10	<1	0.10	10	0.70	669	1	0.02	28	560	24
CC34348		10	33	16	3.13	10	<1	0.09	10	0.87	830	1	0.02	28	570	33
CC34349		8	33	12	3.28	10	<1	0.09	10	0.69	1275	2	0.02	25	530	54
CC34350		11	32	15	3.50	10	<1	0.11	10	0.62	2230	2	0.02	25	760	44
CC34351		10	28	20	3.72	<10	<1	0.12	10	0.69	2580	3	0.02	29	700	49
CC34352		7	32	16	4.04	<10	<1	0.12	20	0.86	2310	4	0.02	37	600	104
CC34353		9	15	12	1.81	<10	<1	0.06	10	0.40	2220	2	<0.01	13	1570	26
CC34354		11	34	16	3.31	10	<1	0.13	10	0.77	1025	2	0.02	29	340	45
CC34355		8	19	21	2.12	<10	<1	0.08	10	0.54	1485	1	0.03	20	1140	24
CC34356		9	27	20	2.86	<10	<1	0.11	10	1.82	951	2	0.02	27	690	34
CC34357		9	31	14	3.05	10	<1	0.11	10	0.68	654	1	0.02	24	660	25
CC34358		9	29	17	2.94	<10	<1	0.13	10	0.88	911	2	0.03	27	840	25
CC34359		4	18	7	1.43	<10	<1	0.05	<10	0.20	617	1	0.02	9	570	6
CC34360		9	36	13	2.86	10	<1	0.10	10	0.74	793	2	0.02	22	890	23

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	2	1	1	20	0.01	10	10	1	10	2
CC34321		0.01	2	3	14	<20	0.04	<10	<10	65	<10	163
CC34322		0.02	<2	3	16	<20	0.03	<10	<10	59	10	136
CC34323		0.05	<2	1	23	<20	0.04	<10	<10	54	10	197
CC34324		0.01	2	2	12	<20	0.05	<10	<10	65	10	198
CC34325		0.02	<2	3	16	<20	0.05	<10	<10	70	<10	108
CC34326		0.01	<2	4	19	<20	0.05	<10	<10	67	<10	112
CC34327		<0.01	2	3	14	<20	0.06	<10	<10	83	<10	92
CC34328		0.01	<2	2	12	<20	0.04	<10	<10	66	10	75
CC34329		0.02	2	3	13	<20	0.06	<10	<10	84	10	235
CC34330		0.03	<2	3	16	<20	0.04	<10	<10	65	<10	139
CC34331		0.03	2	3	14	<20	0.04	<10	<10	67	10	240
CC34332		0.04	2	3	19	<20	0.05	<10	<10	56	<10	460
CC34333		0.04	<2	2	27	<20	0.04	<10	<10	45	10	196
CC34334		0.06	<2	3	21	<20	0.05	<10	<10	51	<10	218
CC34335		<0.01	3	1	152	<20	0.02	<10	10	10	10	65
CC34336		<0.01	<2	1	126	<20	0.03	<10	10	9	<10	127
CC34337		<0.01	<2	1	123	<20	0.03	<10	10	9	10	54
CC34338		0.04	<2	2	53	<20	0.04	<10	<10	26	40	282
CC34339		0.05	<2	2	114	<20	0.04	<10	10	14	<10	368
CC34340		<0.01	<2	2	138	<20	0.05	<10	10	19	<10	360
CC34341		<0.01	<2	2	154	<20	0.05	<10	10	15	<10	324
CC34342		0.04	<2	3	29	<20	0.09	<10	<10	49	10	399
CC34343		0.04	3	4	20	<20	0.11	<10	<10	59	<10	283
CC34344		<0.01	<2	4	280	<20	0.09	<10	10	30	<10	71
CC34345		0.03	3	3	31	<20	0.04	<10	<10	45	10	223
CC34346		0.09	<2	2	33	<20	0.03	<10	<10	41	30	231
CC34347		0.03	2	3	17	<20	0.04	<10	<10	66	<10	191
CC34348		0.03	2	3	19	<20	0.05	<10	<10	63	<10	219
CC34349		0.02	3	4	15	<20	0.04	<10	<10	66	<10	325
CC34350		0.03	3	3	17	<20	0.04	<10	<10	65	<10	307
CC34351		0.03	<2	3	18	<20	0.04	<10	<10	53	10	393
CC34352		0.03	3	4	17	<20	0.03	<10	<10	53	10	499
CC34353		0.13	<2	2	30	<20	0.02	<10	10	30	<10	157
CC34354		0.02	2	4	14	<20	0.05	<10	<10	67	<10	221
CC34355		0.10	2	2	28	<20	0.02	<10	<10	34	<10	262
CC34356		0.03	2	3	27	<20	0.04	<10	<10	51	<10	218
CC34357		0.03	2	3	18	<20	0.04	<10	<10	64	<10	188
CC34358		0.04	<2	3	19	<20	0.04	<10	<10	57	10	199
CC34359		0.04	<2	1	10	<20	0.02	<10	<10	38	<10	63
CC34360		0.05	2	3	16	<20	0.04	<10	<10	71	<10	181

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34361		0.24	<10	6	10	<0.001		0.5	2.24	14	<10	290	1.0	2	0.39	0.6
CC34362		0.30	<10	7	10	<0.001		0.2	2.33	15	<10	260	0.8	2	0.36	0.5
CC34363		0.16	<10	5	<10	NSS		0.4	1.08	7	<10	240	0.5	2	1.19	3.3
CC34364		0.12	<10	6	10	0.007		0.3	1.74	13	<10	240	0.6	<2	0.54	1.8
CC34365		0.14	NSS	NSS	NSS	0.003		0.3	1.17	4	<10	290	0.7	2	2.12	5.5
CC34366		0.18	<10	7	10	<0.001		0.7	2.50	15	10	380	1.1	2	0.93	1.8
CC34367		0.18	<10	6	10	0.002		0.3	1.59	7	<10	230	0.6	2	0.27	2.4
CC34368		0.18	<10	7	10	<0.001		0.2	2.22	15	<10	240	0.9	<2	0.44	0.9
CC34369		0.14	<10	9	10	0.003		0.2	3.00	21	<10	250	1.3	2	0.49	0.6
CC34370		0.18	<10	7	10	<0.001		0.2	2.49	20	<10	230	1.2	3	0.34	<0.5
CC34371		0.22	<10	6	10	<0.001		<0.2	1.34	11	<10	210	<0.5	<2	0.12	<0.5
CC34372		0.24	<10	6	10	0.001		0.2	1.35	13	<10	170	0.7	<2	9.53	<0.5
CC34373		0.18	<10	5	<10	<0.001		0.2	0.63	<2	<10	190	<0.5	<2	3.99	0.8
CC34374		0.12	<10	6	10	<0.001		<0.2	1.76	9	<10	200	0.8	<2	3.38	0.9
CC34375		0.08	<10	7	10	<0.001		<0.2	1.40	10	10	180	0.7	<2	3.88	1.0
CC34376		0.16	<10	8	10	<0.001		0.2	2.15	13	<10	230	1.3	<2	0.72	0.7
CC34377		0.10	<10	7	10	0.002		0.3	1.68	13	10	240	1.2	<2	2.92	2.9
CC34378		0.18	<10	8	20	<0.001		0.5	1.57	13	20	220	1.9	4	5.93	1.5
CC34379		0.24	<10	5	10	0.002		0.3	0.75	4	<10	90	<0.5	<2	17.6	<0.5
CC34380		0.24	<10	4	<10	<0.001		<0.2	0.88	3	<10	70	<0.5	<2	17.7	<0.5
CC34381		0.18	<10	4	10	<0.001		<0.2	1.11	11	<10	80	0.5	<2	17.1	1.3
CC34382		0.18	<10	5	10	0.001		<0.2	2.31	4	<10	110	0.7	<2	11.85	0.8
CC34383		0.10	<10	5	10	<0.001		<0.2	2.92	9	<10	110	1.0	<2	7.95	1.6
CC34384		0.16	<10	<4	<10	<0.001		<0.2	1.27	5	<10	70	<0.5	<2	17.8	0.5
CC34385		0.12	<10	6	20	<0.001		0.3	2.27	10	<10	180	1.3	<2	1.01	0.6
CC34386		0.20	<10	4	<10	<0.001		<0.2	2.42	5	<10	60	<0.5	<2	16.4	<0.5
CC34387		0.22	<10	4	<10	<0.001		<0.2	2.24	10	<10	60	<0.5	<2	18.6	0.6
CC34388		0.26	<10	7	10	<0.001		<0.2	0.57	10	<10	50	1.1	3	16.8	0.9
CC34389		0.22	<10	5	10	<0.001		<0.2	0.33	<2	<10	40	0.8	<2	18.2	<0.5
CC34390		0.20	<10	4	<10	<0.001		<0.2	0.20	6	<10	30	0.8	<2	19.7	<0.5
CC34391		0.26	<10	<4	10	<0.001		<0.2	0.18	<2	<10	30	0.7	<2	19.2	<0.5
CC34392		0.24	<10	5	10	0.002		<0.2	0.38	6	<10	40	0.8	<2	17.2	<0.5
CC34393		0.18	<10	5	10	0.001		0.4	0.54	16	<10	60	1.0	<2	14.25	0.5
CC34394		0.18	<10	5	10	<0.001		0.8	0.82	19	<10	90	1.4	3	10.85	0.6
CC34395		0.18	<10	5	10	<0.001		0.2	1.21	17	<10	120	1.1	3	7.87	0.6
CC34396		0.20	<10	5	10	<0.001		0.4	0.62	8	<10	90	0.8	<2	13.7	<0.5
CC34397		0.16	<10	4	<10	<0.001		<0.2	0.33	5	<10	60	0.5	<2	17.9	<0.5
CC34398		0.18	<10	4	<10	<0.001		<0.2	0.41	5	<10	60	0.5	<2	14.9	<0.5
CC34399		0.20	<10	4	<10	<0.001		<0.2	0.21	9	<10	40	<0.5	<2	18.8	<0.5
CC34400		0.14	<10	<4	10	<0.001		<0.2	0.22	11	<10	50	0.5	<2	18.9	<0.5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34361		9	33	19	3.21	10	1	0.11	10	0.68	811	2	0.02	31	590	40
CC34362		10	35	14	3.39	10	<1	0.10	10	0.82	778	2	0.02	26	540	28
CC34363		8	21	14	1.82	<10	<1	0.07	10	0.41	995	1	0.03	15	1190	14
CC34364		8	28	14	2.59	10	<1	0.10	10	0.70	684	1	0.02	21	750	20
CC34365		8	18	16	1.54	<10	2	0.06	10	0.54	573	<1	<0.01	15	1190	10
CC34366		10	32	14	3.24	10	<1	0.11	10	0.92	1455	2	0.02	23	810	38
CC34367		10	26	14	2.76	10	<1	0.09	10	0.43	753	2	0.02	18	660	26
CC34368		15	34	18	3.40	10	<1	0.10	10	0.68	1100	4	0.01	27	600	28
CC34369		9	34	15	4.03	10	<1	0.11	10	0.81	1020	3	0.01	35	820	41
CC34370		11	34	16	3.63	10	1	0.10	10	0.78	1250	3	0.01	33	400	37
CC34371		3	20	5	2.32	10	<1	0.06	10	0.23	237	3	<0.01	7	180	15
CC34372		5	17	10	1.99	<10	1	0.06	10	5.78	814	2	0.01	16	870	30
CC34373		3	7	12	0.77	<10	<1	0.03	10	0.60	466	1	0.02	5	1320	7
CC34374		8	25	13	2.50	<10	<1	0.09	10	2.29	817	2	0.01	21	710	24
CC34375		9	21	14	2.00	<10	1	0.11	10	2.31	742	1	0.02	18	780	25
CC34376		9	29	15	2.84	10	1	0.10	20	1.32	736	2	0.01	20	540	36
CC34377		9	24	22	2.45	<10	1	0.10	10	1.89	1250	1	0.02	22	710	39
CC34378		6	20	18	2.41	<10	1	0.14	10	4.16	1580	2	0.02	18	710	124
CC34379		4	9	9	0.79	<10	<1	0.16	10	9.70	273	1	0.02	7	250	16
CC34380		3	9	9	0.67	<10	1	0.25	10	10.95	200	1	0.02	6	140	13
CC34381		3	12	14	1.05	<10	<1	0.20	10	10.65	477	1	0.02	9	260	33
CC34382		7	27	17	1.98	<10	<1	0.35	10	8.69	643	1	0.02	20	350	33
CC34383		9	34	22	2.34	<10	<1	0.21	10	7.18	839	1	0.03	22	500	38
CC34384		5	14	10	1.14	<10	<1	0.22	10	8.59	350	1	0.02	13	240	24
CC34385		9	36	18	2.86	10	<1	0.14	10	2.00	734	2	0.03	34	250	45
CC34386		6	26	11	1.48	<10	1	0.05	10	6.56	350	<1	0.02	16	410	13
CC34387		6	24	12	1.56	<10	<1	0.05	10	4.77	428	1	0.02	16	300	48
CC34388		2	4	7	0.53	<10	1	0.21	<10	10.75	900	1	0.01	5	410	86
CC34389		2	3	7	0.46	<10	<1	0.06	<10	11.25	431	1	0.01	4	400	45
CC34390		2	2	5	0.34	<10	<1	0.04	<10	12.10	312	<1	0.01	2	290	44
CC34391		1	2	5	0.32	<10	<1	0.04	<10	11.70	314	1	0.01	3	310	40
CC34392		2	5	8	0.61	<10	<1	0.05	<10	10.20	423	1	0.01	6	350	34
CC34393		4	7	18	1.02	<10	<1	0.05	10	8.44	872	1	0.01	11	670	29
CC34394		5	11	34	1.71	<10	<1	0.06	10	6.52	881	2	0.01	17	700	45
CC34395		6	16	21	1.92	<10	<1	0.06	10	4.76	1210	1	0.01	18	540	31
CC34396		4	7	14	1.12	<10	<1	0.05	10	8.36	1230	1	0.01	8	560	20
CC34397		1	4	9	0.65	<10	<1	0.04	10	11.10	902	1	0.01	6	390	14
CC34398		2	5	11	0.79	<10	<1	0.04	10	9.14	797	1	0.01	5	430	13
CC34399		1	2	7	0.46	<10	1	0.02	<10	11.65	807	1	0.01	4	300	12
CC34400		<1	2	7	0.50	<10	<1	0.03	<10	11.55	924	1	0.01	4	290	13

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method Analyte Units LOR	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC34361		0.02	2	4	17	<20	0.04	<10	<10	64	<10	230
CC34362		0.02	3	3	15	<20	0.04	<10	<10	71	10	164
CC34363		0.12	<2	1	22	<20	0.03	<10	<10	39	<10	155
CC34364		0.05	<2	2	18	<20	0.04	<10	<10	55	<10	155
CC34365		0.12	<2	2	30	<20	0.03	<10	<10	27	<10	162
CC34366		0.04	<2	3	21	<20	0.05	<10	<10	73	10	270
CC34367		0.04	<2	2	14	<20	0.03	<10	<10	62	<10	207
CC34368		0.03	2	3	16	<20	0.04	<10	<10	69	<10	182
CC34369		0.04	4	3	15	<20	0.04	<10	<10	63	10	167
CC34370		0.02	3	4	16	<20	0.04	<10	<10	68	10	159
CC34371		0.01	2	2	11	<20	0.06	<10	<10	78	<10	38
CC34372		0.05	3	2	56	<20	0.02	<10	<10	35	<10	151
CC34373		0.21	<2	<1	30	<20	0.01	<10	<10	14	<10	29
CC34374		0.06	2	3	27	<20	0.04	<10	<10	50	10	139
CC34375		0.08	3	2	30	<20	0.03	<10	<10	39	<10	133
CC34376		0.04	5	4	19	<20	0.05	<10	<10	57	10	186
CC34377		0.05	3	2	26	<20	0.04	<10	<10	44	10	259
CC34378		0.05	2	2	33	<20	0.04	<10	<10	38	10	588
CC34379		0.05	<2	1	107	<20	0.02	<10	<10	12	10	87
CC34380		<0.01	3	1	109	<20	0.03	<10	<10	11	10	57
CC34381		0.05	<2	2	109	<20	0.04	<10	<10	14	10	380
CC34382		0.08	2	3	87	<20	0.08	<10	<10	29	10	437
CC34383		0.08	3	4	66	<20	0.10	<10	<10	40	10	448
CC34384		<0.01	2	2	143	<20	0.05	<10	<10	17	10	238
CC34385		0.03	2	4	22	<20	0.09	<10	<10	51	20	205
CC34386		0.05	2	2	159	<20	0.09	<10	<10	32	<10	118
CC34387		<0.01	<2	3	190	<20	0.08	<10	<10	33	<10	163
CC34388		<0.01	2	1	84	<20	0.01	<10	<10	8	10	122
CC34389		<0.01	3	<1	112	<20	0.01	<10	<10	7	10	82
CC34390		<0.01	5	<1	113	<20	<0.01	<10	<10	5	10	70
CC34391		<0.01	5	<1	133	<20	<0.01	<10	<10	4	10	69
CC34392		<0.01	2	1	110	<20	0.01	<10	<10	10	10	70
CC34393		0.05	7	1	94	<20	0.01	<10	<10	14	10	142
CC34394		0.05	2	1	62	<20	0.02	<10	<10	22	10	244
CC34395		0.05	5	2	56	<20	0.02	<10	<10	31	10	163
CC34396		0.05	3	1	94	<20	0.01	<10	<10	15	10	115
CC34397		<0.01	3	1	125	<20	0.01	<10	<10	8	10	72
CC34398		0.03	<2	1	107	<20	0.01	<10	<10	10	<10	75
CC34399		<0.01	2	1	132	<20	0.01	<10	<10	5	10	60
CC34400		<0.01	2	1	129	<20	0.01	<10	<10	5	10	69

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34401		0.28	<10	4	<10	<0.001		<0.2	0.21	3	<10	40	0.5	<2	19.7	<0.5
CC34402		0.28	<10	4	<10	<0.001		<0.2	0.25	7	<10	40	0.5	<2	20.1	<0.5
CC34403		0.28	<10	<4	<10	<0.001		<0.2	0.14	2	<10	20	0.5	2	21.4	<0.5
CC34404		0.30	<10	4	10	<0.001		0.7	0.25	11	<10	40	0.8	<2	17.6	<0.5
CC34405		0.20	<10	4	10	0.001		0.7	0.69	6	<10	70	1.0	<2	13.15	<0.5
CC34406		0.24	<10	4	10	<0.001		0.5	0.56	6	<10	50	0.9	<2	14.4	<0.5
CC34407		0.20	<10	4	10	<0.001		0.5	0.64	14	<10	50	0.8	<2	13.35	<0.5
CC34408		0.20	<10	4	10	<0.001		0.7	0.58	10	<10	50	0.8	<2	14.40	<0.5
CC34409		0.18	<10	5	10	<0.001		0.4	0.68	13	<10	60	1.0	<2	14.45	<0.5
CC34410		0.18	<10	5	10	<0.001		0.5	0.61	11	<10	60	1.0	<2	13.05	<0.5
CC34411		0.22	<10	4	10	<0.001		0.5	0.32	5	<10	30	0.9	<2	17.7	<0.5
CC34412		0.12	<10	6	20	<0.001		0.5	1.96	21	<10	140	2.3	<2	5.10	<0.5
CC34413		0.20	<10	7	10	<0.001		0.4	1.56	18	<10	110	1.8	<2	5.66	<0.5
CC34414		0.22	<10	5	10	0.002		0.4	1.66	14	<10	100	1.0	<2	4.00	<0.5
CC34415		0.12	<10	6	10	0.001		0.3	1.69	12	<10	120	0.9	<2	2.16	<0.5
CC34416		0.18	<10	6	10	0.001		0.2	1.64	13	<10	100	0.8	<2	2.05	<0.5
CC34417		0.18	<10	6	10	<0.001		0.4	1.51	11	<10	130	0.8	<2	4.71	<0.5
CC34418		0.26	<10	7	30	0.004		0.6	1.53	24	<10	260	1.0	3	0.94	1.3
CC34419		0.28	<10	7	20	0.004		0.8	1.88	26	<10	240	1.0	<2	3.21	0.8
CC34420		0.26	<10	6	20	0.004		0.4	2.04	33	<10	240	0.9	2	0.43	0.6
CC34421		0.26	<10	6	10	<0.001		0.5	1.92	24	<10	300	0.8	<2	0.61	1.2
CC34422		0.24	<10	7	10	<0.001		0.6	1.68	13	<10	290	0.8	2	0.88	1.3
CC34423		0.22	<10	6	10	<0.001		0.7	1.81	17	<10	310	0.9	2	0.66	1.8
CC34424		0.22	<10	6	10	0.001		0.9	1.83	25	<10	260	1.1	<2	4.75	0.6
CC34425		0.32	<10	7	10	0.002		0.2	1.78	13	<10	210	0.6	2	0.26	<0.5
CC34426		0.32	<10	7	20	0.007		0.2	2.40	21	<10	260	1.1	3	0.30	0.6
CC34427		0.28	<10	7	10	0.002		0.5	1.86	13	<10	260	0.8	2	0.51	1.5
CC34428		0.16	<10	7	20	0.002		0.4	1.73	17	<10	290	0.9	3	0.89	3.0
CC34429		0.30	<10	8	10	0.004		0.5	1.98	16	<10	260	1.0	2	0.41	<0.5
CC34430		0.30	<10	7	10	0.002		0.3	2.03	19	<10	220	0.9	<2	0.37	0.5
CC34431		0.24	<10	7	10	0.002		0.3	2.62	16	<10	370	1.3	3	0.30	0.5
CC34432		0.22	<10	7	20	0.001		0.4	2.34	20	<10	240	1.1	2	0.43	0.5
CC34433		0.42	<10	6	10	<0.001		0.2	2.12	18	<10	210	0.7	2	0.28	0.5
CC34434		0.28	<10	7	10	0.001		0.4	2.12	15	<10	270	0.9	2	0.54	0.7
CC34435		0.22	<10	7	10	0.001		0.4	1.94	14	<10	230	0.8	<2	0.36	0.7
CC34436		0.26	<10	7	10	<0.001		0.2	1.48	11	<10	190	0.8	<2	0.33	0.6
CC34437		0.28	<10	6	10	0.004		0.5	1.48	21	<10	210	1.0	2	0.36	0.6
CC34438		0.34	<10	7	10	0.002		0.3	1.82	15	<10	280	0.8	2	0.36	0.7
CC34439		0.28	<10	11	30	0.001		0.6	2.37	17	<10	320	1.2	3	0.51	2.2
CC34440		0.24	<10	7	10	0.001		0.2	2.22	20	<10	250	0.8	<2	0.66	0.8

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34401		2	2	5	0.44	<10	1	0.03	<10	12.05	867	1	0.01	2	210	13
CC34402		1	3	5	0.47	<10	1	0.03	<10	12.25	930	1	0.01	5	230	13
CC34403		2	1	5	0.28	<10	<1	0.02	<10	12.15	748	1	0.01	1	180	10
CC34404		1	3	7	0.48	<10	<1	0.03	<10	10.60	858	<1	0.02	9	270	18
CC34405		3	10	15	1.11	<10	<1	0.05	<10	7.83	713	<1	0.02	14	480	20
CC34406		2	7	11	0.91	<10	<1	0.05	<10	9.32	758	<1	0.02	12	380	17
CC34407		2	8	11	0.97	<10	1	0.05	<10	8.18	660	<1	0.02	11	370	15
CC34408		2	8	11	0.93	<10	<1	0.04	<10	8.86	658	<1	0.02	11	420	14
CC34409		2	9	15	1.10	<10	<1	0.05	10	8.93	714	<1	0.02	15	430	25
CC34410		2	9	14	1.05	<10	1	0.05	10	7.93	670	<1	0.02	14	510	29
CC34411		1	4	9	0.63	<10	<1	0.04	10	11.30	627	<1	0.02	11	300	15
CC34412		7	25	25	2.59	<10	<1	0.13	20	3.38	1450	1	0.03	31	570	40
CC34413		6	21	21	2.14	<10	<1	0.11	30	3.77	1065	1	0.02	25	410	37
CC34414		6	24	23	2.29	<10	<1	0.10	10	2.72	709	1	0.02	25	390	30
CC34415		8	26	27	2.53	<10	<1	0.10	20	1.61	697	1	0.02	28	290	34
CC34416		8	26	26	2.45	<10	<1	0.09	10	1.57	632	1	0.02	27	300	26
CC34417		6	22	25	2.19	<10	<1	0.13	20	3.19	884	1	0.02	28	330	27
CC34418		11	25	28	3.39	<10	<1	0.11	10	1.02	1600	3	0.02	31	520	48
CC34419		9	27	25	3.25	<10	<1	0.10	10	2.39	1180	2	0.02	32	620	39
CC34420		10	36	20	3.76	10	<1	0.08	10	1.08	932	2	0.02	31	640	38
CC34421		9	31	15	3.17	<10	<1	0.08	10	0.80	1035	1	0.02	25	700	37
CC34422		7	26	16	2.86	<10	<1	0.08	10	0.65	1190	2	0.03	23	900	36
CC34423		10	30	17	3.38	<10	<1	0.09	10	0.76	1575	2	0.02	25	660	40
CC34424		8	27	17	3.02	<10	<1	0.10	10	3.38	1465	1	0.03	33	580	34
CC34425		7	28	10	3.12	10	<1	0.07	10	0.59	390	1	0.02	19	330	17
CC34426		10	36	20	3.58	10	<1	0.14	10	1.05	703	3	0.02	43	470	46
CC34427		9	30	18	3.02	<10	<1	0.10	10	0.74	796	2	0.02	25	680	36
CC34428		9	25	17	2.89	<10	<1	0.10	10	0.74	1420	2	0.02	23	980	37
CC34429		10	30	18	3.11	10	<1	0.09	10	0.85	905	2	0.02	26	550	29
CC34430		11	33	18	3.42	10	<1	0.10	10	0.83	631	2	0.02	32	650	29
CC34431		11	34	20	3.57	10	<1	0.14	10	1.13	821	2	0.02	45	580	46
CC34432		9	33	17	3.37	10	<1	0.11	10	0.99	623	2	0.02	29	590	34
CC34433		9	33	16	3.18	10	1	0.09	10	0.71	500	2	0.02	24	350	25
CC34434		10	31	18	3.21	10	<1	0.08	10	0.79	734	1	0.02	26	700	31
CC34435		9	30	15	3.11	<10	<1	0.07	10	0.64	739	1	0.02	30	690	24
CC34436		8	26	13	2.63	<10	<1	0.07	10	0.57	662	2	0.02	22	490	26
CC34437		8	25	19	2.95	<10	<1	0.10	10	0.69	1095	3	0.02	33	590	36
CC34438		11	30	14	3.08	10	<1	0.07	10	0.62	1010	1	0.02	21	550	23
CC34439		12	33	19	3.52	10	<1	0.11	10	1.07	1805	1	0.02	28	850	30
CC34440		11	39	16	3.09	10	<1	0.10	10	1.06	735	4	0.02	32	500	34

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	2	1	1	20	0.01	10	10	1	10	2
CC34401		<0.01	<2	1	137	<20	0.01	<10	<10	5	10	58
CC34402		<0.01	<2	1	138	<20	0.01	<10	<10	6	10	59
CC34403		<0.01	3	<1	156	<20	<0.01	<10	<10	3	10	56
CC34404		<0.01	<2	1	133	<20	0.01	<10	10	5	<10	72
CC34405		0.04	<2	2	85	<20	0.02	<10	<10	17	<10	83
CC34406		0.04	<2	1	86	<20	0.01	<10	10	13	<10	69
CC34407		0.04	<2	1	77	<20	0.01	<10	<10	15	<10	67
CC34408		0.04	<2	1	77	<20	0.01	<10	10	14	10	67
CC34409		0.04	<2	2	92	<20	0.01	<10	<10	15	10	94
CC34410		0.04	<2	2	82	<20	0.01	<10	<10	14	10	95
CC34411		<0.01	<2	1	133	<20	0.01	<10	10	5	10	58
CC34412		0.06	2	5	39	<20	0.04	<10	<10	42	10	158
CC34413		0.04	4	6	39	<20	0.03	<10	<10	39	10	122
CC34414		0.04	3	4	28	<20	0.04	<10	<10	44	<10	92
CC34415		0.03	2	5	22	<20	0.04	<10	<10	49	<10	95
CC34416		0.03	<2	4	20	<20	0.04	<10	<10	48	<10	91
CC34417		0.03	2	4	32	<20	0.04	<10	<10	43	<10	92
CC34418		0.02	3	3	17	<20	0.03	<10	<10	50	20	320
CC34419		0.03	3	3	29	<20	0.03	<10	<10	53	10	255
CC34420		0.03	<2	3	16	<20	0.04	<10	<10	58	10	213
CC34421		0.03	<2	3	17	<20	0.04	<10	<10	57	<10	243
CC34422		0.06	<2	3	21	<20	0.03	<10	<10	46	<10	230
CC34423		0.03	<2	3	18	<20	0.04	<10	<10	55	10	310
CC34424		0.03	2	4	41	<20	0.04	<10	<10	45	<10	180
CC34425		0.01	<2	3	13	<20	0.04	<10	<10	61	<10	127
CC34426		0.02	<2	3	16	<20	0.04	<10	<10	56	10	231
CC34427		0.03	<2	3	17	<20	0.04	<10	<10	57	<10	244
CC34428		0.05	<2	2	18	<20	0.03	<10	<10	51	10	324
CC34429		0.02	3	3	15	<20	0.03	<10	<10	55	<10	156
CC34430		0.03	<2	3	15	<20	0.03	<10	<10	58	<10	171
CC34431		0.02	4	4	16	<20	0.04	<10	<10	58	<10	217
CC34432		0.03	<2	4	16	<20	0.04	<10	<10	67	20	222
CC34433		0.01	2	3	14	<20	0.04	<10	<10	69	<10	150
CC34434		0.02	2	4	17	<20	0.03	<10	<10	60	<10	186
CC34435		0.03	3	3	15	<20	0.04	<10	<10	55	<10	152
CC34436		0.02	<2	2	11	<20	0.03	<10	<10	57	<10	189
CC34437		0.02	2	3	13	<20	0.03	<10	<10	42	10	194
CC34438		0.02	2	3	13	<20	0.04	<10	<10	59	<10	157
CC34439		0.04	<2	3	15	<20	0.04	<10	<10	67	20	290
CC34440		0.03	3	3	17	<20	0.06	<10	<10	64	20	182

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34441		0.36	<10	6	10	<0.001		0.2	2.25	19	<10	280	0.8	<2	0.52	0.5
CC34442		0.22	<10	8	20	0.002		0.3	3.20	29	<10	270	1.9	2	0.29	0.8
CC34443		0.42	<10	6	10	<0.001		<0.2	2.09	13	<10	250	0.5	<2	0.22	<0.5
CC34444		0.20	<10	7	10	<0.001		0.2	2.69	14	<10	290	1.2	<2	0.45	0.6
CC34445		0.28	<10	5	<10	<0.001		<0.2	0.84	5	<10	70	<0.5	<2	13.6	<0.5
CC34446		0.24	<10	6	10	<0.001		<0.2	2.39	17	10	160	0.9	<2	4.95	<0.5
CC34447		0.20	<10	8	10	<0.001		<0.2	3.44	18	10	260	2.6	3	0.63	1.2
CC34448		0.26	<10	6	10	0.001		0.3	0.75	4	<10	90	1.8	<2	16.5	0.9
CC34449		0.24	<10	9	20	0.001		0.2	2.85	20	<10	250	2.2	<2	0.53	1.0
CC34450		0.26	<10	5	10	0.002		0.3	1.29	8	10	180	1.1	<2	12.20	0.7
CC34451		0.18	<10	8	20	<0.001		0.2	2.78	16	20	330	2.5	3	2.25	2.5
CC34452		0.30	<10	6	30	0.002		0.2	0.91	4	<10	160	1.2	<2	16.5	1.1
CC34453		0.42	<10	<4	10	<0.001		<0.2	0.92	7	<10	70	<0.5	<2	19.1	<0.5
CC34454		0.20	<10	4	10	0.001		<0.2	1.08	8	<10	70	0.5	<2	13.7	<0.5
CC34455		0.24	<10	6	10	0.002		<0.2	2.72	10	<10	90	1.2	<2	8.20	<0.5
CC34456		0.32	<10	4	<10	<0.001		<0.2	1.23	7	<10	70	<0.5	2	19.0	<0.5
CC34457		0.26	<10	5	<10	0.001		0.2	2.05	14	<10	80	0.7	2	10.25	0.6
CC34458		0.12	<10	6	10	<0.001		<0.2	3.59	7	<10	160	1.1	<2	4.61	1.1
CC34459		0.18	<10	4	<10	<0.001		<0.2	1.77	8	<10	90	0.5	<2	19.2	0.7
CC34460		0.24	<10	5	10	0.004		0.4	2.53	11	<10	150	0.8	<2	5.35	2.4
CC34461		0.08	<10	16	10	0.005		0.4	0.97	13	<10	430	0.9	<2	5.10	2.9
CC34462		0.18	<10	8	20	0.004		0.4	2.31	33	<10	320	1.7	2	0.59	1.3
CC34463		0.12	<10	6	10	0.003		0.5	1.69	21	<10	300	0.9	<2	1.44	3.4
CC34464		0.12	<10	7	10	0.002		0.3	1.38	16	<10	240	0.7	<2	0.90	2.3
CC34465		0.20	<10	6	10	<0.001		0.3	1.64	17	<10	320	0.8	<2	0.55	1.1
CC34466		0.22	<10	6	10	0.002		0.6	1.88	21	<10	250	0.9	<2	0.54	0.5
CC34467		0.16	<10	7	20	<0.001		0.4	2.28	22	<10	260	1.5	3	0.33	<0.5
CC34468		0.18	<10	7	20	<0.001		0.3	1.91	13	<10	310	0.8	5	0.66	2.8
CC34469		0.18	<10	7	10	0.001		0.2	2.11	21	<10	200	0.8	3	0.23	0.5
CC34470		0.16	<10	7	10	0.001		0.2	1.97	15	<10	280	0.6	<2	0.53	0.9
CC34471		0.18	<10	8	10	<0.001		0.6	1.75	14	<10	290	1.0	<2	1.21	1.3
CC34472		0.24	<10	8	10	0.001		0.3	1.86	18	<10	240	0.8	<2	0.53	0.8
CC34473		0.16	<10	7	<10	0.005		0.3	1.71	15	<10	300	0.6	<2	1.10	1.3
CC34474		0.16	<10	6	<10	0.023		0.3	1.62	6	<10	300	0.5	<2	0.86	1.0
CC34475		0.22	<10	7	10	<0.001		<0.2	2.25	17	<10	270	0.9	<2	0.40	0.8
CC34476		0.24	<10	8	10	0.002		<0.2	2.06	11	<10	300	0.8	3	0.62	1.0
CC34477		0.14	<10	8	10	<0.001		0.2	2.06	14	<10	270	0.7	3	0.43	<0.5
CC34478		0.18	<10	7	10	0.018		0.3	2.06	13	<10	320	0.8	2	0.73	0.8
CC34479		0.26	<10	7	10	0.005		0.2	1.66	23	<10	290	0.8	3	0.45	0.7
CC34480		0.22	<10	6	10	0.003		0.3	2.21	19	<10	220	0.8	4	0.61	0.5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34441		11	34	14	3.16	10	1	0.09	10	0.87	956	2	0.01	25	600	27
CC34442		12	36	22	4.29	<10	1	0.11	10	0.95	2750	4	0.01	44	670	75
CC34443		8	29	8	3.13	10	<1	0.06	10	0.63	469	2	0.01	16	250	20
CC34444		12	35	10	3.67	10	1	0.07	20	0.78	1190	2	0.01	23	500	31
CC34445		4	12	6	1.17	<10	<1	0.04	10	8.67	206	1	0.01	9	320	8
CC34446		9	27	7	2.59	<10	1	0.08	20	3.53	613	1	0.02	16	340	26
CC34447		13	39	13	3.54	10	1	0.14	10	1.42	1110	2	0.02	35	410	33
CC34448		4	8	8	0.89	<10	<1	0.12	10	10.75	729	1	0.02	4	360	55
CC34449		13	39	26	3.71	10	1	0.20	20	1.85	1140	2	0.02	37	280	43
CC34450		6	16	12	1.55	<10	1	0.15	10	8.58	683	2	0.02	14	420	70
CC34451		13	37	17	3.42	10	<1	0.21	20	2.57	996	2	0.03	28	420	73
CC34452		3	12	6	0.78	<10	<1	0.05	10	11.05	205	2	0.02	7	250	45
CC34453		2	9	8	0.82	<10	<1	0.29	10	10.80	192	1	0.02	9	170	14
CC34454		5	13	13	1.17	<10	<1	0.13	10	9.01	352	1	0.02	12	390	19
CC34455		9	31	15	2.32	<10	<1	0.14	10	8.18	726	1	0.02	23	390	23
CC34456		4	12	8	0.96	<10	<1	0.39	10	10.25	261	1	0.02	10	140	16
CC34457		9	26	20	2.24	<10	<1	0.08	10	3.64	481	1	0.01	23	270	102
CC34458		9	39	18	2.53	10	1	0.21	10	5.24	1040	<1	0.03	27	570	25
CC34459		5	21	16	1.56	<10	1	0.29	10	4.42	484	1	0.02	17	280	26
CC34460		14	54	27	3.25	<10	<1	0.13	10	3.73	1160	1	0.04	50	620	64
CC34461		4	15	20	1.81	<10	1	0.09	10	1.88	995	4	0.03	17	890	48
CC34462		12	34	24	4.32	10	<1	0.11	20	0.94	2000	4	0.01	40	620	75
CC34463		10	30	28	3.05	<10	1	0.10	10	0.87	1050	2	0.02	32	940	41
CC34464		8	25	20	2.69	<10	1	0.09	10	0.69	1160	2	0.01	29	690	40
CC34465		8	29	16	2.85	<10	<1	0.11	10	0.76	824	2	0.01	25	560	35
CC34466		7	29	13	2.88	<10	<1	0.08	10	1.00	835	2	0.01	26	340	43
CC34467		7	34	15	3.46	10	1	0.10	10	1.33	776	3	0.01	30	490	58
CC34468		13	27	15	2.97	10	<1	0.08	10	0.71	1810	2	0.01	19	670	50
CC34469		8	29	9	2.95	10	<1	0.08	10	0.61	323	2	0.01	19	240	34
CC34470		10	31	12	2.96	10	1	0.08	10	0.87	845	2	0.01	19	650	28
CC34471		11	27	15	2.76	<10	1	0.08	10	0.83	1280	2	0.02	21	750	24
CC34472		10	28	15	2.97	<10	<1	0.07	10	0.70	766	1	0.01	22	590	22
CC34473		9	26	14	2.70	<10	<1	0.08	10	0.65	847	1	0.01	19	1010	20
CC34474		9	25	13	2.43	<10	<1	0.08	10	0.62	789	2	0.01	19	990	20
CC34475		9	33	13	3.56	10	1	0.10	10	1.03	1370	2	0.01	28	530	43
CC34476		13	30	15	3.39	10	<1	0.07	10	0.70	2410	3	0.02	14	610	24
CC34477		8	30	10	3.02	10	1	0.07	10	0.61	456	2	0.02	15	430	19
CC34478		10	31	19	3.13	10	<1	0.07	10	0.84	1315	2	0.02	19	980	21
CC34479		10	31	22	3.60	<10	1	0.09	20	0.97	2450	3	0.03	32	450	27
CC34480		10	37	15	3.05	10	<1	0.07	10	1.18	650	1	0.02	27	560	24

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	2	1	1	20	0.01	10	10	1	10	2
CC34441		0.03	<2	3	15	<20	0.04	<10	<10	62	<10	162
CC34442		0.04	6	4	13	<20	0.04	<10	<10	54	20	258
CC34443		0.01	3	3	12	<20	0.05	<10	<10	76	<10	139
CC34444		0.02	2	4	14	<20	0.05	<10	<10	80	10	356
CC34445		0.02	<2	2	76	<20	0.02	<10	<10	23	<10	41
CC34446		0.02	2	4	28	<20	0.05	<10	<10	55	<10	91
CC34447		0.02	6	5	18	<20	0.05	<10	<10	65	<10	159
CC34448		0.02	3	2	48	<20	0.01	<10	<10	14	10	194
CC34449		0.02	3	6	18	<20	0.07	<10	<10	71	10	244
CC34450		0.03	5	2	51	<20	0.03	<10	<10	28	10	279
CC34451		0.03	6	5	23	<20	0.07	<10	<10	66	10	398
CC34452		<0.01	<2	1	91	<20	0.03	<10	<10	15	20	1015
CC34453		<0.01	<2	1	123	<20	0.03	<10	<10	11	10	54
CC34454		0.04	4	2	83	<20	0.04	<10	<10	19	20	146
CC34455		0.04	5	4	53	<20	0.09	<10	<10	40	10	154
CC34456		<0.01	2	1	122	<20	0.04	<10	<10	14	10	123
CC34457		0.02	<2	5	87	<20	0.06	<10	<10	43	<10	199
CC34458		0.08	<2	4	57	<20	0.13	<10	<10	52	<10	253
CC34459		<0.01	3	2	150	<20	0.07	<10	<10	28	10	238
CC34460		0.05	7	4	53	<20	0.12	<10	<10	52	10	607
CC34461		0.14	4	1	38	<20	0.01	<10	10	22	<10	436
CC34462		0.03	<2	4	18	<20	0.03	<10	<10	61	10	388
CC34463		0.08	4	3	25	<20	0.03	<10	<10	47	<10	328
CC34464		0.04	3	2	19	<20	0.03	<10	<10	44	10	315
CC34465		0.03	3	3	17	<20	0.04	<10	<10	54	<10	266
CC34466		0.02	2	3	15	<20	0.04	<10	<10	56	10	294
CC34467		0.02	2	3	13	<20	0.04	<10	<10	58	10	371
CC34468		0.03	5	3	18	<20	0.04	<10	<10	64	20	284
CC34469		0.02	3	3	12	<20	0.05	<10	<10	69	10	172
CC34470		0.03	<2	3	17	<20	0.04	<10	<10	62	<10	244
CC34471		0.06	<2	3	19	<20	0.03	<10	<10	53	10	174
CC34472		0.03	2	3	15	<20	0.03	<10	<10	55	<10	139
CC34473		0.07	2	2	21	<20	0.03	<10	<10	51	<10	131
CC34474		0.07	<2	2	20	<20	0.03	<10	<10	48	10	114
CC34475		0.02	2	4	16	<20	0.04	<10	<10	65	<10	327
CC34476		0.03	2	3	17	<20	0.04	<10	<10	69	<10	235
CC34477		0.02	<2	3	14	<20	0.04	<10	<10	70	10	127
CC34478		0.05	3	2	17	<20	0.03	<10	<10	59	<10	135
CC34479		0.02	2	4	19	<20	0.05	<10	<10	45	10	136
CC34480		0.03	5	3	14	<20	0.05	<10	<10	55	10	127

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5
CC34481		0.22	<10	7	20	0.001		0.3	2.01	12	<10	290	0.8	<2	0.63	2.2
CC34482		0.12	<10	6	10	<0.001		<0.2	2.06	11	<10	300	0.7	2	0.63	1.6
CC34483		0.18	<10	5	10	<0.001		0.2	1.20	14	<10	300	<0.5	2	0.92	0.9
CC34484		0.12	<10	6	10	<0.001		<0.2	4.56	10	<10	100	0.9	6	0.29	1.3
CC34485		0.16	<10	6	10	<0.001		<0.2	2.06	10	<10	230	0.7	3	0.26	0.7
CC34486		0.18	<10	6	10	<0.001		0.2	1.99	13	<10	200	0.9	3	5.81	1.2
CC34487		0.14	<10	6	20	0.001		0.4	2.78	21	<10	220	1.5	5	0.22	2.0
CC34488		0.22	<10	7	20	<0.001		<0.2	2.14	16	<10	200	1.3	6	0.29	3.6
CC34489		0.16	<10	7	10	<0.001		<0.2	1.94	13	<10	220	0.9	2	0.16	0.8
CC34490		0.14	<10	7	10	<0.001		0.2	2.40	15	<10	280	1.4	5	0.20	1.5
CC34491		0.12	<10	6	10	<0.001		0.2	2.16	7	<10	290	1.3	3	0.28	0.9
CC34492		0.10	<10	6	20	<0.001		0.3	1.98	10	<10	230	1.1	3	0.67	1.4
CC34493		0.18	<10	5	10	<0.001		0.2	0.91	10	<10	70	0.8	<2	15.2	<0.5
CC34494		0.18	<10	5	10	0.001		0.4	0.76	13	<10	70	1.0	<2	13.10	<0.5
CC34495		0.12	<10	32	20	<0.001		1.0	1.48	10	10	320	3.4	6	2.56	4.3
CC34496		0.24	<10	5	<10	<0.001		<0.2	0.95	5	<10	90	0.5	<2	20.2	<0.5
CC34497		0.12	<10	6	20	<0.001		0.2	1.92	9	<10	160	1.0	4	2.60	1.1
CC34498		0.12	<10	6	<10	<0.001		<0.2	1.91	9	<10	170	0.8	3	6.96	0.7
CC34499		0.18	<10	4	<10	0.001		<0.2	1.81	8	<10	80	0.5	<2	15.1	<0.5
CC34500		0.12	<10	4	<10	0.001		<0.2	3.50	9	<10	90	0.6	2	5.65	<0.5

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2
CC34481		12	29	18	3.04	10	<1	0.07	10	0.62	2080	3	0.02	18	980	162
CC34482		10	31	14	2.94	10	<1	0.07	10	0.82	1120	1	0.02	16	640	18
CC34483		10	24	10	1.97	10	<1	0.06	10	0.52	863	1	0.02	11	690	23
CC34484		13	58	11	3.66	10	3	0.07	10	4.15	557	2	0.02	21	500	21
CC34485		10	32	12	2.88	10	<1	0.07	10	0.69	459	1	0.02	20	430	20
CC34486		9	28	17	2.64	<10	1	0.08	10	4.35	1245	1	0.03	25	430	25
CC34487		14	66	20	3.66	10	<1	0.08	10	1.49	851	3	0.03	45	480	54
CC34488		10	29	12	3.28	10	<1	0.14	10	0.99	1030	2	0.02	15	280	32
CC34489		8	28	8	3.00	10	<1	0.07	10	0.49	542	2	0.02	12	220	19
CC34490		11	34	12	3.51	10	1	0.13	10	0.87	1055	2	0.02	18	300	34
CC34491		9	30	11	2.91	10	<1	0.11	10	0.82	1625	1	0.02	17	240	26
CC34492		10	27	18	2.63	10	1	0.12	10	0.92	1935	2	0.03	17	340	20
CC34493		4	11	8	0.99	<10	<1	0.09	10	9.75	407	1	0.02	2	400	30
CC34494		4	9	13	0.94	<10	<1	0.10	10	8.66	280	<1	0.02	2	410	15
CC34495		8	24	24	2.30	<10	<1	0.14	10	1.65	436	3	0.04	21	890	111
CC34496		4	10	13	0.71	<10	<1	0.32	<10	11.20	499	1	0.04	1	200	10
CC34497		8	25	20	2.13	<10	<1	0.10	10	2.44	693	2	0.03	23	510	22
CC34498		7	25	15	1.71	<10	<1	0.10	10	5.87	745	1	0.03	12	470	20
CC34499		6	19	15	1.43	<10	1	0.23	10	9.58	363	<1	0.03	11	230	22
CC34500		8	40	14	2.42	10	<1	0.08	10	6.17	690	<1	0.04	16	500	23

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 20-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078303

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	2	1	1	20	0.01	10	10	1	10	2
CC34481		0.05	4	3	17	<20	0.04	<10	<10	65	10	308
CC34482		0.05	<2	3	18	<20	0.04	<10	<10	58	<10	149
CC34483		0.06	<2	2	17	<20	0.03	<10	<10	54	<10	120
CC34484		0.03	5	3	9	<20	0.14	<10	<10	69	10	257
CC34485		0.02	2	3	13	<20	0.04	<10	<10	61	<10	142
CC34486		0.03	2	3	31	<20	0.05	<10	<10	45	10	175
CC34487		0.03	4	4	11	<20	0.11	<10	<10	70	20	455
CC34488		0.02	<2	3	13	<20	0.07	<10	<10	76	20	557
CC34489		0.01	<2	2	12	<20	0.05	<10	<10	75	10	183
CC34490		0.01	2	3	14	<20	0.06	<10	<10	76	10	298
CC34491		0.02	<2	4	14	<20	0.06	<10	<10	62	10	287
CC34492		0.03	3	2	19	<20	0.06	<10	<10	52	10	306
CC34493		0.04	4	1	103	<20	0.02	<10	<10	18	10	156
CC34494		0.03	5	1	65	<20	0.02	<10	<10	16	10	103
CC34495		0.10	2	3	31	<20	0.04	<10	30	38	10	1980
CC34496		<0.01	5	1	128	<20	0.03	<10	<10	10	<10	46
CC34497		0.07	<2	3	28	<20	0.05	<10	<10	38	10	195
CC34498		0.08	3	2	52	<20	0.06	<10	<10	35	<10	217
CC34499		0.05	7	2	104	<20	0.06	<10	<10	23	<10	129
CC34500		0.07	4	4	56	<20	0.14	<10	<10	44	<10	183

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D

12-AUG-2007
Account: RCM

CERTIFICATE VA07078302

Project: RAU

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34001		0.20	<10	7	10	0.002	0.4	1.79	14	<10	350	0.8	<2	0.47	1.6	9
CC34002		0.22	<10	5	10	<0.001	0.2	1.72	15	<10	370	0.5	<2	0.39	0.8	8
CC34003		0.20	<10	6	10	<0.001	0.2	1.97	16	<10	320	0.8	<2	0.26	<0.5	8
CC34004		0.18	<10	7	10	<0.001	0.6	1.89	10	<10	480	0.7	<2	0.56	2.0	9
CC34005		0.12	<10	6	10	0.003	0.4	1.68	10	<10	330	0.8	<2	0.88	3.7	8
CC34006		0.10	<10	5	10	0.004	0.5	1.28	5	<10	290	0.6	<2	1.15	3.3	6
CC34007		0.20	<10	6	10	0.001	0.4	2.01	15	<10	320	0.9	<2	0.50	1.8	9
CC34008		0.20	<10	7	10	<0.001	0.2	2.04	12	<10	250	0.8	<2	0.41	0.6	8
CC34009		0.16	<10	6	10	<0.001	0.2	1.99	8	<10	370	0.6	<2	0.44	1.8	11
CC34010		0.26	<10	4	<10	<0.001	0.3	0.23	<2	<10	70	<0.5	<2	17.7	<0.5	2
CC34011		0.20	<10	<4	<10	0.001	0.2	0.13	4	10	100	<0.5	<2	18.0	<0.5	1
CC34012		0.20	<10	4	10	0.002	0.4	0.28	<2	<10	110	<0.5	<2	17.8	0.5	1
CC34013		0.18	<10	6	20	0.004	1.0	1.39	17	<10	280	1.3	3	5.44	1.7	6
CC34014		0.18	<10	8	20	0.006	0.6	1.47	13	<10	380	1.0	2	2.87	2.6	6
CC34015		0.14	<10	6	10	0.003	0.3	1.62	8	<10	330	0.9	<2	1.22	2.3	11
CC34016		0.20	<10	6	10	0.010	<0.2	2.39	17	<10	280	0.9	<2	0.44	<0.5	11
CC34017		0.10	<10	5	10	0.011	0.3	1.36	<2	<10	450	<0.5	<2	0.83	3.8	8
CC34018		0.18	<10	6	10	<0.001	0.3	1.95	11	<10	200	0.7	<2	0.40	0.6	7
CC34019		0.16	<10	6	10	0.001	<0.2	1.95	11	<10	320	0.6	<2	0.32	1.9	9
CC34020		0.20	<10	6	10	<0.001	<0.2	1.82	15	<10	220	0.6	<2	0.21	<0.5	7
CC34021		0.14	<10	7	20	<0.001	0.2	1.80	13	<10	370	1.0	<2	0.63	1.3	9
CC34022		0.14	<10	6	10	<0.001	<0.2	2.31	10	<10	310	0.6	<2	0.33	<0.5	8
CC34023		0.26	<10	7	20	<0.001	<0.2	1.81	8	<10	230	0.6	<2	0.56	0.9	4
CC34024		0.14	<10	6	20	<0.001	<0.2	1.84	8	<10	300	0.8	<2	0.52	0.6	7
CC34025		0.26	<10	7	20	<0.001	0.2	1.95	14	<10	310	0.9	2	0.41	<0.5	7
CC34026		0.08	<10	6	10	0.006	<0.2	1.38	6	<10	240	0.7	<2	1.39	1.6	7
CC34027		0.20	<10	6	10	0.001	0.3	1.80	12	<10	240	0.8	<2	0.65	<0.5	9
CC34028		0.12	<10	6	10	0.001	0.2	1.37	11	10	250	0.9	<2	1.10	2.5	7
CC34029		0.14	<10	6	10	0.005	0.2	1.25	3	<10	210	0.6	<2	3.95	<0.5	6
CC34030		0.10	<10	6	10	0.003	<0.2	2.07	4	10	170	0.8	<2	3.16	0.8	5
CC34031		0.18	<10	4	10	0.001	<0.2	0.86	<2	<10	100	<0.5	<2	16.3	<0.5	1
CC34032		0.10	<10	6	20	<0.001	<0.2	1.66	5	<10	240	0.5	<2	0.91	1.9	13
CC34033		0.14	<10	7	20	<0.001	<0.2	1.69	9	<10	220	0.6	<2	1.89	<0.5	6
CC34034		0.24	<10	6	10	0.002	<0.2	1.94	9	<10	210	0.7	<2	0.85	0.5	7
CC34035		0.16	<10	6	10	0.004	<0.2	1.81	7	<10	180	1.0	<2	1.80	1.6	8
CC34036		0.12	<10	6	20	<0.001	0.3	1.91	10	<10	180	1.0	4	3.47	1.0	7
CC34037		0.20	<10	6	20	<0.001	0.5	1.24	14	<10	150	0.7	3	7.75	0.6	5
CC34038		0.14	<10	5	10	0.028	0.3	1.45	14	<10	210	0.8	2	1.91	1.4	7
CC34039		0.16	<10	6	20	0.001	0.2	2.32	16	<10	230	1.1	3	0.45	0.5	8
CC34040		0.12	<10	10	30	0.002	<0.2	2.69	6	<10	180	2.3	5	1.48	1.5	13

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34001		31	15	2.94	10	<1	0.09	10	0.59	773	3	0.02	26	570	48	0.03
CC34002		28	11	2.82	10	<1	0.07	10	0.48	713	3	0.02	19	400	36	0.02
CC34003		32	14	3.08	<10	<1	0.09	10	0.55	547	4	0.02	36	360	44	0.02
CC34004		29	14	2.82	10	<1	0.09	10	0.67	746	2	0.02	23	590	40	0.04
CC34005		27	17	2.69	10	<1	0.08	20	0.66	688	2	0.02	27	680	48	0.05
CC34006		20	14	2.14	<10	<1	0.08	20	0.61	617	3	0.02	22	740	51	0.07
CC34007		31	14	3.30	10	<1	0.09	20	0.74	1230	3	0.02	32	560	51	0.03
CC34008		30	11	3.05	10	<1	0.07	20	0.59	623	2	0.02	26	460	28	0.03
CC34009		28	12	3.26	10	<1	0.08	10	0.57	1600	3	0.02	20	460	25	0.03
CC34010		6	10	0.48	<10	<1	0.02	10	10.85	371	3	0.02	12	190	25	<0.01
CC34011		1	6	0.39	<10	<1	0.01	10	11.20	807	1	0.02	7	180	31	<0.01
CC34012		2	9	0.58	<10	<1	0.03	10	11.05	875	1	0.02	14	310	54	<0.01
CC34013		23	18	2.41	10	<1	0.08	20	3.28	1170	2	0.03	26	970	55	0.05
CC34014		25	19	2.44	10	<1	0.08	20	1.59	932	2	0.02	24	960	48	0.07
CC34015		23	14	2.49	10	<1	0.06	20	0.61	1830	2	0.02	20	950	29	0.07
CC34016		30	14	3.37	10	<1	0.08	20	0.53	1360	2	0.02	31	640	42	0.03
CC34017		19	11	2.28	10	<1	0.06	10	0.29	2220	2	0.02	10	660	28	0.06
CC34018		29	12	3.09	10	<1	0.07	10	0.54	514	1	0.02	23	520	35	0.03
CC34019		28	12	3.23	10	<1	0.08	10	0.45	1140	2	0.02	18	520	31	0.03
CC34020		29	12	3.76	10	<1	0.08	10	0.49	699	3	0.01	18	340	38	0.02
CC34021		28	17	3.18	10	<1	0.10	10	0.59	1630	2	0.02	27	720	65	0.04
CC34022		33	12	3.54	10	<1	0.09	10	0.58	745	2	0.02	20	470	25	0.02
CC34023		22	8	2.38	10	<1	0.06	10	0.41	651	2	0.02	12	580	40	0.04
CC34024		23	14	2.58	10	<1	0.08	10	0.44	1090	3	0.02	30	700	57	0.04
CC34025		29	15	3.45	10	<1	0.07	10	0.58	1190	3	0.02	31	480	52	0.03
CC34026		21	15	2.37	10	<1	0.08	20	0.63	996	1	0.02	20	990	35	0.09
CC34027		29	17	3.18	10	<1	0.09	20	0.80	859	2	0.02	29	570	29	0.04
CC34028		21	17	2.38	<10	<1	0.08	20	0.64	1440	2	0.02	23	1000	36	0.10
CC34029		22	20	2.26	10	<1	0.09	20	2.28	711	<1	0.03	24	1000	28	0.06
CC34030		25	15	1.78	10	<1	0.07	20	2.93	811	1	0.03	17	1210	18	0.16
CC34031		9	11	0.83	<10	<1	0.11	10	9.66	346	<1	0.02	9	240	15	<0.01
CC34032		24	10	2.55	10	<1	0.07	20	0.71	4080	2	0.03	14	750	37	0.06
CC34033		24	13	2.42	10	<1	0.09	20	1.37	575	2	0.02	19	630	20	0.04
CC34034		28	15	2.77	10	<1	0.07	20	0.75	743	1	0.02	22	500	28	0.03
CC34035		23	16	2.38	10	<1	0.09	20	1.18	786	1	0.02	20	870	24	0.08
CC34036		26	21	2.57	<10	<1	0.11	10	2.78	736	2	0.03	18	670	35	0.04
CC34037		17	19	1.99	<10	<1	0.08	10	5.17	791	2	0.03	18	570	38	0.03
CC34038		21	19	2.33	<10	<1	0.07	10	1.26	1345	2	0.03	24	850	35	0.07
CC34039		33	17	2.93	10	<1	0.12	10	1.05	495	1	0.03	27	570	32	0.05
CC34040		30	36	2.97	10	<1	0.16	10	3.05	897	9	0.03	26	750	15	0.08

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34001		3	3	15	<20	0.04	<10	<10	57	10	298
CC34002		2	3	14	<20	0.04	<10	<10	68	10	209
CC34003		2	3	14	<20	0.04	<10	<10	59	<10	241
CC34004		3	3	16	<20	0.03	<10	<10	62	<10	364
CC34005		5	2	19	<20	0.03	<10	<10	49	10	287
CC34006		5	2	19	<20	0.03	<10	<10	39	10	287
CC34007		5	4	16	<20	0.04	<10	<10	57	10	332
CC34008		3	4	15	<20	0.04	<10	<10	59	<10	228
CC34009		3	3	16	<20	0.04	<10	<10	65	10	228
CC34010		4	1	125	<20	0.01	<10	<10	8	10	67
CC34011		4	<1	148	<20	<0.01	<10	<10	3	<10	191
CC34012		4	1	134	<20	0.01	<10	10	6	10	306
CC34013		4	2	46	<20	0.02	<10	<10	36	10	924
CC34014		5	2	31	<20	0.03	<10	<10	40	10	633
CC34015		2	2	23	<20	0.03	<10	<10	45	10	256
CC34016		4	3	17	<20	0.04	<10	<10	53	10	231
CC34017		2	2	20	<20	0.03	<10	<10	59	10	205
CC34018		2	3	14	<20	0.03	<10	<10	62	10	194
CC34019		3	3	15	<20	0.04	<10	<10	71	10	238
CC34020		6	3	13	<20	0.05	<10	<10	71	10	242
CC34021		6	3	16	<20	0.03	<10	<10	57	10	329
CC34022		3	3	16	<20	0.04	<10	<10	75	<10	203
CC34023		6	2	13	<20	0.04	<10	<10	70	20	327
CC34024		6	2	17	<20	0.04	<10	<10	49	20	261
CC34025		3	3	14	<20	0.04	<10	<10	55	10	341
CC34026		4	2	22	<20	0.03	<10	<10	38	10	262
CC34027		5	3	18	<20	0.04	<10	<10	54	10	157
CC34028		4	2	21	<20	0.03	<10	<10	40	10	262
CC34029		3	3	39	<20	0.04	<10	<10	41	10	160
CC34030		2	2	38	<20	0.05	<10	10	35	10	112
CC34031		5	1	103	<20	0.03	<10	<10	13	20	92
CC34032		4	3	19	<20	0.05	<10	<10	54	20	208
CC34033		3	3	27	<20	0.05	<10	<10	57	20	123
CC34034		4	3	19	<20	0.04	<10	<10	56	10	149
CC34035		4	3	23	<20	0.04	<10	<10	43	10	123
CC34036		3	3	29	<20	0.04	<10	<10	47	30	200
CC34037		2	2	56	<20	0.03	<10	<10	31	20	190
CC34038		<2	2	23	<20	0.03	<10	<10	39	10	241
CC34039		<2	3	19	<20	0.05	<10	<10	59	10	138
CC34040		<2	2	19	<20	0.08	10	<10	60	30	239

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	10	4	10	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC34041		0.14	<10	8	30	<0.001	0.2	4.28	5	<10	140	2.4	4	0.72	<0.5	12
CC34042		0.22	<10	4	10	<0.001	<0.2	0.93	10	<10	110	0.5	3	20.0	<0.5	3
CC34043		0.16	<10	4	<10	<0.001	<0.2	2.10	<2	<10	80	0.8	<2	23.7	<0.5	6
CC34044		0.24	<10	6	10	<0.001	0.2	1.42	15	<10	280	0.7	2	0.89	0.8	5
CC34045		0.24	<10	6	10	0.001	0.8	1.84	17	<10	380	1.2	4	4.09	0.7	7
CC34046		0.26	<10	7	20	<0.001	0.3	2.44	25	<10	330	1.2	3	0.31	1.2	10
CC34047		0.24	<10	8	20	0.018	1.1	1.77	22	<10	610	1.3	3	0.46	1.5	7
CC34048		0.24	<10	5	10	0.002	0.8	1.23	15	<10	360	0.7	3	6.95	1.7	6
CC34049		0.16	<10	6	20	<0.001	0.7	1.50	18	<10	250	0.6	2	4.56	1.5	6
CC34050		0.24	<10	6	<10	0.002	0.4	1.05	10	<10	160	0.5	5	10.50	0.9	5
CC34051		0.20	<10	8	10	0.002	0.2	2.07	22	<10	300	0.9	2	0.44	1.4	10
CC34052		0.24	<10	8	10	0.003	0.8	2.13	30	<10	290	1.2	2	0.34	1.2	10
CC34053		0.24	<10	6	10	<0.001	0.5	1.34	17	<10	180	0.7	<2	8.38	<0.5	7
CC34054		0.38	<10	5	<10	0.001	0.3	0.82	15	<10	160	<0.5	<2	13.10	0.6	4
CC34055		0.24	<10	6	10	0.004	0.2	2.02	25	<10	170	0.8	3	0.21	<0.5	12
CC34056		0.20	<10	7	10	0.002	0.3	2.28	17	<10	240	1.0	3	0.37	0.6	10
CC34057		0.30	<10	7	10	<0.001	<0.2	2.03	17	<10	230	0.9	2	0.30	<0.5	9
CC34058		0.32	<10	7	10	<0.001	0.4	2.07	17	<10	250	1.3	6	0.33	<0.5	9
CC34059		0.20	<10	7	10	0.001	0.2	2.66	19	<10	290	1.1	3	0.22	<0.5	11
CC34060		0.18	<10	7	10	<0.001	0.4	2.00	24	<10	290	1.1	3	0.34	0.7	9
CC34061		0.22	<10	6	10	<0.001	0.2	2.12	15	<10	250	0.9	3	0.35	<0.5	9
CC34062		0.28	<10	7	10	0.002	<0.2	1.87	18	<10	290	0.9	3	0.45	0.9	9
CC34063		0.18	<10	5	10	<0.001	0.2	1.81	17	<10	240	0.6	4	0.35	0.8	7
CC34064		0.32	<10	8	20	0.001	0.4	1.93	19	<10	230	1.0	3	0.49	0.9	5
CC34065		0.32	<10	6	10	0.001	0.4	1.64	19	<10	200	0.9	3	3.76	0.5	6
CC34066		0.40	<10	7	10	0.001	0.2	1.96	13	<10	250	0.7	2	0.24	<0.5	9
CC34067		0.30	<10	7	10	0.001	0.6	1.57	16	<10	220	1.0	2	3.06	0.5	7
CC34068		0.36	<10	7	10	<0.001	0.3	1.86	15	<10	230	0.9	6	0.44	<0.5	8
CC34069		0.24	<10	6	20	<0.001	0.6	1.56	19	<10	200	0.9	3	4.01	0.5	7
CC34070		0.12	<10	7	10	0.004	0.3	1.56	15	<10	240	0.9	3	1.42	1.1	8
CC34071		0.18	<10	7	10	<0.001	0.2	1.86	17	<10	230	1.0	2	0.56	1.1	10
CC34072		0.36	<10	5	10	0.003	0.4	0.58	16	<10	130	0.6	7	15.5	0.9	1
CC34073		0.16	<10	6	20	<0.001	0.5	0.66	14	<10	130	0.6	4	11.95	1.5	3
CC34074		0.26	<10	4	10	<0.001	<0.2	0.88	8	<10	130	<0.5	2	17.2	0.5	2
CC34075		0.20	<10	6	20	<0.001	0.4	1.65	16	<10	230	0.7	2	2.25	0.8	7
CC34076		0.24	<10	7	50	<0.001	<0.2	2.56	15	<10	270	1.6	3	2.31	1.3	7
CC34077		0.28	<10	5	10	0.002	0.3	0.74	8	<10	80	0.7	<2	14.7	<0.5	2
CC34078		0.18	<10	7	20	0.003	0.2	2.13	20	<10	250	0.9	5	0.39	0.8	11
CC34079		0.32	<10	5	20	<0.001	0.2	1.42	10	<10	120	0.9	2	11.50	0.5	4
CC34080		0.26	<10	6	40	0.002	0.5	1.10	10	<10	110	0.9	2	9.99	<0.5	3

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34041		48	37	3.97	10	<1	0.15	10	5.66	1285	2	0.02	28	700	8	0.08
CC34042		10	10	0.75	<10	<1	0.30	<10	10.95	198	1	0.04	6	120	18	<0.01
CC34043		20	20	1.29	<10	<1	0.75	<10	5.36	282	<1	0.05	20	180	2	<0.01
CC34044		25	13	2.55	<10	<1	0.07	10	0.79	688	3	0.02	23	470	44	0.02
CC34045		25	17	2.43	<10	1	0.10	10	2.90	675	3	0.03	36	430	83	0.02
CC34046		35	16	3.71	<10	<1	0.09	10	0.72	1545	4	0.02	44	500	101	0.02
CC34047		28	16	3.23	<10	1	0.10	10	0.63	1535	5	0.03	44	570	114	0.03
CC34048		19	20	1.99	<10	<1	0.09	10	4.42	677	3	0.03	27	630	65	0.03
CC34049		22	13	2.45	<10	1	0.09	10	2.92	717	3	0.03	22	500	42	0.03
CC34050		14	12	1.56	<10	<1	0.06	10	6.55	672	3	0.02	18	500	36	0.03
CC34051		30	14	3.20	<10	<1	0.12	20	0.65	1240	4	0.03	27	560	41	0.03
CC34052		33	20	3.39	<10	<1	0.12	20	0.77	1460	7	0.02	44	520	85	0.03
CC34053		18	17	1.76	<10	<1	0.09	10	5.49	619	3	0.03	20	510	48	0.03
CC34054		23	9	1.18	<10	<1	0.05	10	8.10	527	2	0.03	8	340	25	0.02
CC34055		43	17	3.26	<10	<1	0.08	10	0.74	645	2	0.02	40	400	37	0.02
CC34056		47	14	3.01	10	1	0.09	10	0.71	562	2	0.02	35	520	42	0.02
CC34057		51	20	2.90	<10	<1	0.09	10	0.60	496	2	0.02	35	430	42	0.01
CC34058		31	15	3.45	10	<1	0.10	10	0.61	1180	2	0.02	35	420	49	0.02
CC34059		37	17	3.43	10	1	0.13	20	0.63	908	2	0.03	37	380	35	0.02
CC34060		30	17	3.22	<10	<1	0.10	20	0.54	1635	3	0.02	35	590	58	0.03
CC34061		29	16	3.01	<10	<1	0.08	20	0.54	808	2	0.02	35	690	27	0.03
CC34062		28	16	3.05	10	<1	0.07	10	0.52	1170	2	0.02	27	570	56	0.03
CC34063		26	11	2.87	10	<1	0.08	10	0.49	739	2	0.02	19	570	37	0.03
CC34064		28	16	2.84	10	<1	0.07	20	0.55	743	2	0.02	24	600	45	0.04
CC34065		22	19	2.38	<10	<1	0.09	10	2.59	1075	2	0.02	27	520	47	0.03
CC34066		29	14	2.65	10	1	0.07	10	0.51	534	1	0.02	25	320	28	0.01
CC34067		23	17	2.32	<10	<1	0.08	20	2.13	908	2	0.02	27	610	47	0.03
CC34068		28	14	2.74	10	<1	0.08	20	0.58	763	1	0.02	26	480	40	0.03
CC34069		22	15	2.35	<10	1	0.08	10	2.76	963	2	0.02	28	460	47	0.03
CC34070		24	18	2.53	<10	<1	0.09	10	0.81	983	2	0.02	23	850	31	0.07
CC34071		29	21	2.92	10	<1	0.10	20	0.76	1270	2	0.02	28	710	40	0.05
CC34072		8	15	1.05	<10	<1	0.05	10	9.27	1100	1	0.02	21	500	91	0.03
CC34073		10	17	1.18	<10	<1	0.06	10	7.09	868	1	0.02	16	690	60	0.05
CC34074		9	13	0.79	<10	<1	0.18	10	8.27	316	1	0.03	8	250	15	0.08
CC34075		27	17	2.62	10	<1	0.08	10	1.69	644	2	0.02	26	460	33	0.02
CC34076		29	19	2.96	10	<1	0.13	20	2.01	752	3	0.02	25	590	31	0.04
CC34077		8	9	0.90	<10	<1	0.08	10	8.90	453	1	0.02	9	450	20	0.03
CC34078		32	17	3.17	10	<1	0.13	10	1.00	1325	3	0.02	25	470	69	0.03
CC34079		16	12	1.35	<10	<1	0.12	10	7.89	401	2	0.03	13	490	27	0.03
CC34080		14	13	1.44	<10	<1	0.10	10	6.47	554	2	0.03	14	530	44	0.04

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34041		<2	5	13	<20	0.11	<10	<10	60	20	103
CC34042		3	1	129	<20	0.03	<10	<10	12	10	226
CC34043		2	2	255	<20	0.06	<10	<10	20	<10	24
CC34044		3	2	17	<20	0.03	<10	<10	46	<10	249
CC34045		4	3	46	<20	0.03	<10	<10	46	10	392
CC34046		4	3	14	<20	0.04	<10	<10	63	10	535
CC34047		<2	3	15	<20	0.02	<10	<10	50	10	527
CC34048		3	2	60	<20	0.02	<10	<10	34	10	338
CC34049		2	3	43	<20	0.03	<10	<10	48	10	277
CC34050		4	2	80	<20	0.02	<10	<10	27	10	173
CC34051		<2	4	18	<20	0.04	<10	<10	63	10	242
CC34052		3	5	17	<20	0.03	<10	<10	58	10	277
CC34053		5	3	66	<20	0.03	<10	<10	33	10	186
CC34054		<2	2	83	<20	0.02	<10	<10	22	10	148
CC34055		2	3	14	<20	0.05	<10	<10	51	10	219
CC34056		3	4	17	<20	0.04	<10	<10	58	10	169
CC34057		3	3	16	<20	0.04	<10	<10	54	10	193
CC34058		4	3	16	<20	0.04	<10	<10	57	10	233
CC34059		<2	5	17	<20	0.05	<10	<10	64	<10	239
CC34060		<2	4	17	<20	0.04	<10	<10	52	10	273
CC34061		<2	3	19	<20	0.03	<10	<10	50	<10	149
CC34062		3	3	18	<20	0.04	<10	<10	57	10	317
CC34063		<2	2	16	<20	0.03	<10	<10	58	<10	255
CC34064		3	3	16	<20	0.03	<10	<10	57	10	273
CC34065		3	3	34	<20	0.03	<10	<10	41	<10	206
CC34066		<2	3	15	<20	0.04	<10	<10	58	<10	132
CC34067		4	4	32	<20	0.03	<10	<10	39	<10	193
CC34068		3	4	17	<20	0.04	<10	<10	55	10	167
CC34069		4	3	38	<20	0.03	<10	<10	43	10	202
CC34070		2	2	22	<20	0.03	<10	<10	47	<10	202
CC34071		3	3	19	<20	0.04	<10	<10	55	<10	208
CC34072		3	1	93	<20	0.01	<10	<10	18	10	304
CC34073		4	1	69	<20	0.02	<10	<10	21	20	302
CC34074		<2	1	124	<20	0.02	<10	<10	12	20	113
CC34075		2	3	27	<20	0.05	<10	<10	54	20	173
CC34076		2	4	25	<20	0.04	<10	<10	62	50	253
CC34077		<2	1	77	<20	0.02	<10	<10	17	10	76
CC34078		3	3	16	<20	0.06	<10	<10	61	20	288
CC34079		3	2	56	<20	0.04	<10	<10	28	20	131
CC34080		3	2	65	<20	0.03	<10	<10	23	50	146

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	10	4	10	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC34081		0.20	<10	6	20	0.001	0.2	2.09	19	<10	320	0.9	3	0.30	2.5	11
CC34082		0.18	<10	5	10	<0.001	<0.2	1.76	7	<10	70	<0.5	<2	14.0	0.7	3
CC34083		0.24	<10	6	80	0.003	<0.2	2.52	12	<10	240	1.0	3	0.34	<0.5	8
CC34084		0.28	<10	4	<10	<0.001	<0.2	1.21	8	<10	70	<0.5	<2	16.7	<0.5	2
CC34085		0.22	<10	5	30	<0.001	0.2	1.35	4	<10	170	1.3	2	20.3	<0.5	3
CC34086		0.26	<10	<4	10	0.001	<0.2	1.68	3	<10	40	<0.5	<2	24.1	<0.5	3
CC34087		0.24	<10	4	<10	0.001	<0.2	2.51	5	<10	90	0.6	<2	21.1	<0.5	7
CC34088		0.24	<10	4	10	0.001	<0.2	2.63	5	<10	120	0.9	2	22.0	<0.5	5
CC34089		0.34	<10	4	<10	0.001	<0.2	0.23	5	<10	30	<0.5	<2	20.7	<0.5	<1
CC34090		0.10	<10	7	20	0.005	<0.2	2.47	11	<10	190	1.2	2	0.78	<0.5	11
CC34091		0.14	<10	6	30	<0.001	<0.2	1,11	<2	<10	90	0.8	<2	13.40	0.8	2
CC34092		0.12	<10	7	30	0.005	0.2	2.37	12	<10	280	1.4	2	0.77	0.9	9
CC34093		0.16	<10	8	130	0.003	0.2	2.95	12	<10	330	2.8	9	3.48	1.3	9
CC34094		0.10	<10	6	20	<0.001	0.4	1.95	16	<10	300	1.3	5	3.12	1.5	7
CC34095		0.08	<10	6	10	0.005	<0.2	0.94	7	<10	140	0.7	2	9.73	1.1	2
CC34096		0.12	<10	7	50	0.002	<0.2	1.77	9	<10	180	1.1	5	7.94	0.7	6
CC34097		0.10	10	10	30	0.002	<0.2	2.76	15	10	380	2.2	4	2.33	0.7	8
CC34098		0.24	<10	5	10	0.001	<0.2	0.57	7	<10	110	0.5	<2	17.2	<0.5	1
CC34099		0.18	<10	4	30	<0.001	<0.2	0.84	11	<10	120	<0.5	4	19.2	<0.5	1
CC34100		0.24	<10	6	20	0.003	0.2	1.21	13	<10	200	0.6	2	7.25	0.8	4
CC34101		0.12	<10	7	10	0.003	0.3	1.93	18	10	290	1.0	3	2.57	0.7	8
CC34102		0.14	<10	6	10	0.002	0.3	1.35	16	10	190	0.8	3	5.36	0.7	7
CC34103		0.08	<10	21	10	<0.001	0.6	1.61	19	<10	370	1.1	5	2.86	3.5	8
CC34104		0.14	<10	7	30	0.002	0.2	1.88	18	<10	270	0.9	5	3.00	0.7	7
CC34105		0.08	<10	9	40	0.008	0.8	1.64	20	<10	330	1.4	6	2.10	2.0	7
CC34106		0.24	<10	6	10	<0.001	<0.2	1.90	14	<10	310	0.6	2	0.16	<0.5	8
CC34107		0.14	<10	7	10	0.001	0.2	2.06	12	<10	250	0.7	2	0.49	1.2	9
CC34108		0.24	<10	6	30	0.002	0.6	1.54	19	<10	210	1.0	4	5.34	0.9	5
CC34109		0.20	<10	6	10	0.003	0.3	2.02	18	<10	350	0.8	<2	0.68	1.1	10
CC34110		0.16	<10	5	10	0.002	0.2	1.70	17	<10	220	0.5	<2	0.47	0.6	5
CC34111		0.20	<10	6	10	<0.001	<0.2	2.10	16	<10	290	0.5	<2	0.27	0.8	7
CC34112		0.12	<10	6	10	0.002	<0.2	1.82	15	<10	320	0.6	2	0.39	1.1	8
CC34113		0.18	<10	6	10	<0.001	<0.2	2.08	14	<10	220	0.6	2	0.27	<0.5	6
CC34114		0.24	<10	7	10	0.003	0.3	1.93	15	<10	280	0.8	4	0.29	<0.5	7
CC34115		0.32	<10	6	10	0.002	<0.2	2.20	18	<10	290	0.9	2	0.20	<0.5	8
CC34116		0.26	<10	6	10	0.002	<0.2	1.92	13	<10	300	0.6	<2	0.37	0.8	7
CC34117		0.22	<10	7	10	0.002	0.3	2.33	16	<10	280	0.9	<2	0.34	0.5	9
CC34118		0.16	<10	6	10	0.003	0.7	1.64	16	10	220	0.7	<2	7.15	0.7	7
CC34119		0.26	<10	6	10	0.005	<0.2	2.01	18	<10	310	1.0	<2	0.41	<0.5	11
CC34120		0.36	<10	6	10	0.005	0.2	0.93	13	<10	210	<0.5	<2	8.03	1.0	5

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34081		33	18	3.24	10	<1	0.12	10	0.56	1965	5	0.02	33	340	69	0.03
CC34082		16	9	0.99	<10	<1	0.07	10	9.64	310	1	0.03	9	850	9	0.09
CC34083		35	17	2.91	10	<1	0.17	10	1.51	398	1	0.03	22	470	17	0.04
CC34084		12	7	0.77	<10	<1	0.22	10	10.90	206	1	0.03	8	190	17	0.10
CC34085		13	22	0.95	<10	<1	0.59	10	8.86	214	1	0.05	11	120	4	0.13
CC34086		14	15	0.94	<10	<1	0.53	<10	6.26	200	<1	0.04	13	120	3	0.06
CC34087		23	39	1.83	10	<1	0.86	10	5.24	256	1	0.05	29	190	3	0.13
CC34088		23	34	1.48	10	<1	0.98	10	5.33	302	<1	0.06	19	180	4	0.10
CC34089		2	1	0.18	<10	<1	0.16	<10	12.15	98	<1	0.02	1	20	3	0.11
CC34090		33	21	2.84	10	<1	0.19	20	1.84	1225	1	0.04	28	650	38	0.08
CC34091		11	15	1.01	<10	<1	0.25	10	9.08	366	1	0.03	9	730	10	0.08
CC34092		31	16	2.84	10	1	0.20	10	1.45	2000	2	0.03	23	520	35	0.07
CC34093		31	23	3.06	10	1	0.34	10	4.05	2560	4	0.04	21	460	46	0.07
CC34094		26	14	2.49	<10	<1	0.15	10	2.35	1250	1	0.03	23	550	100	0.06
CC34095		11	12	0.94	<10	<1	0.14	10	6.28	546	1	0.03	8	700	20	0.11
CC34096		19	17	2.05	<10	<1	0.15	10	5.34	1095	3	0.03	15	460	27	0.06
CC34097		30	17	3.16	10	<1	0.22	10	2.47	1400	3	0.03	27	390	83	0.04
CC34098		6	11	0.63	<10	<1	0.10	<10	10.05	223	1	0.03	6	210	9	0.04
CC34099		8	11	0.71	<10	<1	0.21	<10	9.16	314	1	0.03	7	190	13	0.08
CC34100		18	22	1.76	<10	<1	0.13	10	4.60	565	2	0.04	21	690	38	0.03
CC34101		30	21	2.86	10	1	0.19	10	1.71	916	1	0.05	25	840	31	0.08
CC34102		22	19	2.06	<10	<1	0.11	10	3.33	915	1	0.03	23	660	35	0.07
CC34103		22	85	2.27	10	1	0.13	10	0.74	1235	3	0.04	24	1260	35	0.14
CC34104		27	15	2.64	10	<1	0.12	10	2.05	845	2	0.03	23	560	34	0.05
CC34105		21	39	2.48	<10	1	0.13	10	0.88	3110	3	0.03	23	1500	44	0.13
CC34106		26	10	2.49	10	<1	0.07	10	0.34	440	2	0.01	14	330	28	0.02
CC34107		29	11	2.85	10	<1	0.09	10	0.53	1135	2	0.02	18	390	28	0.02
CC34108		21	16	2.22	<10	<1	0.11	10	3.48	956	2	0.03	25	600	52	0.04
CC34109		29	13	2.77	10	<1	0.09	10	0.57	1165	2	0.02	23	660	30	0.04
CC34110		27	11	2.31	10	1	0.10	10	0.52	340	1	0.03	19	610	30	0.04
CC34111		31	11	3.00	10	<1	0.10	10	0.47	681	2	0.02	16	390	26	0.03
CC34112		27	11	2.79	10	<1	0.12	10	0.44	1330	2	0.02	17	630	40	0.05
CC34113		29	8	2.93	10	<1	0.10	10	0.45	463	2	0.02	14	300	27	0.02
CC34114		29	15	2.65	10	1	0.10	10	0.54	550	1	0.02	23	430	29	0.02
CC34115		30	12	3.09	10	<1	0.09	10	0.46	708	2	0.02	25	330	43	0.02
CC34116		27	10	2.47	10	<1	0.09	10	0.47	478	2	0.02	18	360	29	0.02
CC34117		32	14	3.35	10	<1	0.10	20	0.61	713	2	0.02	25	370	39	0.02
CC34118		24	20	2.27	<10	<1	0.14	20	5.20	965	3	0.03	28	550	81	0.03
CC34119		31	26	3.26	10	<1	0.15	20	0.73	844	2	0.03	39	700	57	0.02
CC34120		14	17	1.47	<10	<1	0.07	10	4.65	343	1	0.02	16	500	38	0.03

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34081		4	3	21	<20	0.06	<10	<10	65	10	335
CC34082		2	1	97	<20	0.03	<10	<10	21	10	83
CC34083		<2	3	18	<20	0.08	<10	<10	69	80	89
CC34084		4	1	103	<20	0.03	<10	<10	15	<10	65
CC34085		2	2	185	<20	0.04	<10	<10	13	30	30
CC34086		<2	2	273	<20	0.05	<10	<10	15	<10	19
CC34087		2	2	249	<20	0.09	<10	<10	24	10	25
CC34088		<2	3	260	<20	0.09	<10	<10	23	10	30
CC34089		3	<1	130	<20	0.01	<10	<10	2	<10	5
CC34090		<2	4	24	<20	0.07	<10	<10	55	20	144
CC34091		3	1	93	<20	0.03	<10	<10	16	30	81
CC34092		2	4	20	<20	0.07	<10	<10	59	30	214
CC34093		<2	4	30	<20	0.08	<10	<10	59	130	626
CC34094		4	3	29	<20	0.05	<10	<10	51	10	393
CC34095		3	1	35	<20	0.02	<10	<10	18	10	217
CC34096		2	3	38	<20	0.04	<10	<10	42	50	177
CC34097		2	4	24	<20	0.07	<10	<10	74	20	324
CC34098		3	1	80	<20	0.02	<10	<10	14	10	53
CC34099		<2	1	138	<20	0.02	<10	<10	12	30	91
CC34100		3	3	61	<20	0.04	<10	<10	37	10	184
CC34101		2	3	32	<20	0.05	<10	<10	58	<10	186
CC34102		3	2	41	<20	0.03	<10	<10	38	20	157
CC34103		2	2	32	<20	0.02	<10	20	43	10	280
CC34104		2	3	24	<20	0.04	<10	<10	53	30	192
CC34105		3	1	25	<20	0.02	<10	<10	40	30	275
CC34106		<2	3	13	<20	0.05	<10	<10	69	10	127
CC34107		2	3	17	<20	0.05	<10	<10	75	10	233
CC34108		2	3	47	<20	0.03	<10	<10	42	30	292
CC34109		3	3	21	<20	0.04	<10	<10	64	10	218
CC34110		2	3	20	<20	0.04	<10	<10	59	10	180
CC34111		2	3	16	<20	0.05	<10	<10	82	<10	192
CC34112		3	2	17	<20	0.04	<10	<10	71	10	256
CC34113		2	3	16	<20	0.06	<10	<10	78	<10	170
CC34114		3	4	17	<20	0.05	<10	<10	59	<10	135
CC34115		2	3	15	<20	0.05	<10	<10	68	<10	183
CC34116		<2	3	18	<20	0.04	<10	<10	66	<10	179
CC34117		<2	4	17	<20	0.05	<10	<10	76	<10	234
CC34118		3	4	65	<20	0.04	<10	<10	41	<10	314
CC34119		<2	5	24	<20	0.05	<10	<10	59	<10	234
CC34120		2	2	73	<20	0.03	<10	<10	27	<10	176

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-XRF05 Ta ppm 10	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
CC34121		0.14	<10	5	10	<0.001	0.5	0.49	10	10	180	<0.5	5	13.7	2.2	3
CC34122		0.22	<10	6	10	0.007	0.4	0.92	14	<10	160	<0.5	<2	10.50	0.6	4
CC34123		0.20	<10	5	10	0.003	0.4	0.94	19	<10	240	0.5	<2	10.55	0.7	5
CC34124		0.34	<10	7	10	0.002	0.5	1.10	9	<10	180	0.5	<2	11.25	0.6	3
CC34125		0.36	<10	7	10	0.002	1.0	0.87	16	<10	310	0.6	<2	9.26	3.4	5
CC34126		0.18	<10	6	10	0.001	0.8	1.84	17	<10	400	0.9	<2	1.18	4.1	10
CC34127		0.20	<10	6	10	0.001	<0.2	2.11	16	<10	250	0.8	<2	0.35	0.7	12
CC34128		0.18	<10	7	10	0.002	0.2	1.97	23	<10	330	1.0	2	0.35	0.8	9
CC34129		0.22	<10	6	20	0.002	0.7	1.87	16	<10	380	1.0	2	0.76	1.9	9
CC34130		0.20	<10	6	10	<0.001	0.7	0.83	9	<10	570	<0.5	<2	11.55	2.1	5
CC34131		0.10	<10	6	10	<0.001	0.3	1.81	11	<10	270	0.7	<2	0.73	3.2	9
CC34132		0.10	<10	10	10	NSS	1.0	0.97	10	10	420	0.6	<2	5.37	6.6	4
CC34133		0.28	<10	6	10	0.005	1.4	0.79	9	<10	230	0.5	<2	11.10	1.5	3
CC34134		0.08	<10	7	10	<0.001	0.4	0.83	9	<10	290	<0.5	<2	3.03	1.1	5
CC34135		0.28	<10	7	20	0.005	0.4	1.94	22	<10	240	0.9	2	0.40	0.7	8
CC34136		0.28	<10	5	10	0.004	0.6	1.33	14	<10	190	0.7	2	2.17	0.5	7
CC34137		0.10	<10	7	10	<0.001	0.5	1.37	13	<10	260	0.7	<2	2.66	1.8	6
CC34138		0.10	NSS	NSS	NSS	NSS	0.4	0.36	5	10	360	<0.5	<2	3.89	1.5	2
CC34139		0.18	<10	6	10	0.003	0.3	1.81	14	<10	290	0.9	2	0.50	1.1	10
CC34140		0.22	<10	5	10	0.002	0.2	2.00	15	<10	260	0.8	<2	0.41	0.5	9
CC34141		0.24	<10	7	10	0.003	0.2	2.07	13	<10	310	0.7	<2	0.34	0.5	8
CC34142		0.22	<10	6	10	0.001	0.3	1.95	8	<10	250	0.5	<2	0.27	<0.5	6
CC34143		0.12	<10	9	10	<0.001	0.2	2.07	14	<10	340	1.0	3	0.74	3.0	11
CC34144		0.16	<10	8	10	<0.001	0.3	1.51	7	<10	340	0.6	2	0.97	2.9	13
CC34145		0.26	<10	7	10	0.001	<0.2	1.97	9	<10	270	0.6	2	0.33	<0.5	8
CC34146		0.16	<10	6	10	0.002	0.3	1.89	12	<10	250	<0.5	<2	0.28	<0.5	6
CC34147		0.12	<10	6	10	0.003	0.3	1.90	12	<10	300	0.7	2	0.41	0.7	7
CC34148		0.20	<10	7	10	0.001	0.2	2.17	14	<10	290	0.7	<2	0.25	<0.5	8
CC34149		0.12	<10	6	10	<0.001	0.2	1.68	11	<10	290	0.5	3	0.39	0.9	8
CC34150		0.24	<10	6	10	<0.001	0.3	1.98	10	<10	350	0.7	2	0.34	1.3	9
CC34151		0.16	<10	6	10	0.002	<0.2	1.86	15	<10	210	0.8	3	0.23	0.5	8
CC34152		0.10	<10	5	10	<0.001	0.2	1.51	7	<10	250	0.6	<2	1.47	2.9	7
CC34153		0.22	<10	8	10	0.002	<0.2	2.32	14	<10	190	1.1	2	0.23	0.6	9
CC34154		0.22	<10	6	10	<0.001	0.2	2.70	8	<10	320	0.9	<2	1.31	<0.5	11
CC34155		0.12	<10	6	<10	<0.001	<0.2	1.26	9	<10	180	<0.5	<2	0.26	<0.5	4
CC34156		0.10	<10	8	10	0.001	0.2	2.12	12	50	400	1.7	6	1.52	1.9	9
CC34157		0.14	<10	7	10	<0.001	0.2	1.74	15	<10	260	0.8	2	1.42	1.0	9
CC34158		0.08	<10	6	<10	0.001	0.2	0.95	8	10	180	0.6	<2	2.58	0.9	6
CC34159		0.16	<10	7	20	0.002	0.5	1.43	14	<10	220	0.9	3	2.69	0.9	8
CC34160		0.16	<10	5	10	0.002	0.3	1.17	9	<10	170	0.6	2	4.53	0.8	6

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34121		7	9	0.93	<10	<1	0.05	10	8.45	881	1	0.02	8	490	30	0.06
CC34122		13	12	1.47	<10	<1	0.08	10	6.10	732	2	0.03	15	550	30	0.03
CC34123		13	12	1.97	<10	<1	0.07	10	6.32	1440	4	0.03	18	500	28	0.03
CC34124		15	11	1.15	<10	<1	0.08	10	6.91	151	3	0.03	17	540	29	0.05
CC34125		14	20	1.21	<10	<1	0.07	10	5.56	942	4	0.03	22	590	103	0.06
CC34126		28	20	2.96	10	<1	0.12	20	0.77	1940	3	0.03	30	710	86	0.05
CC34127		33	18	2.99	10	<1	0.11	10	0.68	926	2	0.02	29	370	30	0.02
CC34128		31	15	3.15	10	<1	0.13	10	0.63	1475	3	0.02	30	480	71	0.02
CC34129		29	18	3.03	<10	1	0.10	20	0.69	1745	4	0.03	34	530	56	0.03
CC34130		12	14	1.89	<10	<1	0.08	10	6.61	4460	10	0.03	17	630	51	0.10
CC34131		30	15	2.75	10	<1	0.12	10	0.69	1095	2	0.03	24	570	43	0.04
CC34132		16	20	1.57	<10	1	0.08	10	2.53	1055	4	0.03	18	1140	49	0.17
CC34133		12	11	1.18	<10	<1	0.07	10	6.48	634	2	0.03	14	570	36	0.05
CC34134		14	17	1.32	<10	<1	0.09	10	0.66	441	2	0.03	15	930	23	0.17
CC34135		32	20	2.77	10	1	0.12	10	0.91	562	2	0.03	36	690	42	0.01
CC34136		22	28	2.09	<10	<1	0.09	10	1.57	478	2	0.03	28	430	39	0.02
CC34137		21	18	2.00	<10	<1	0.09	10	1.55	844	2	0.03	23	830	37	0.06
CC34138		7	10	0.56	<10	<1	0.05	<10	0.77	238	2	0.03	8	1000	11	0.22
CC34139		28	22	2.70	10	1	0.11	20	0.62	942	2	0.02	30	760	41	0.03
CC34140		28	13	2.68	10	<1	0.08	10	0.57	755	2	0.02	21	560	30	0.02
CC34141		31	14	2.76	10	<1	0.09	10	0.56	875	2	0.02	21	570	33	0.02
CC34142		29	9	2.41	10	<1	0.09	10	0.46	335	2	0.02	15	360	23	0.01
CC34143		27	18	2.70	10	<1	0.11	10	0.56	1930	2	0.03	26	1130	46	0.06
CC34144		23	16	2.05	10	<1	0.08	10	0.42	1750	2	0.03	17	900	21	0.06
CC34145		28	10	2.59	10	1	0.09	10	0.48	787	2	0.02	15	320	25	0.01
CC34146		28	10	2.78	10	<1	0.10	10	0.39	467	2	0.02	15	350	22	0.01
CC34147		27	11	2.72	10	<1	0.09	10	0.47	974	2	0.02	18	570	26	0.03
CC34148		31	11	3.01	10	<1	0.09	10	0.45	1045	2	0.02	17	400	34	0.01
CC34149		26	9	2.70	10	<1	0.09	10	0.41	942	2	0.02	14	340	27	0.02
CC34150		29	12	2.81	10	<1	0.08	10	0.43	1050	2	0.02	17	380	31	0.01
CC34151		30	12	3.02	10	<1	0.10	10	0.51	503	2	0.02	23	420	39	0.02
CC34152		21	13	1.93	<10	<1	0.06	10	0.49	769	1	0.03	16	1170	13	0.12
CC34153		32	14	3.01	10	1	0.10	20	0.58	689	2	0.02	29	440	31	0.02
CC34154		29	7	3.00	10	<1	0.07	10	0.74	806	2	0.02	14	860	18	0.05
CC34155		21	7	2.07	10	<1	0.08	10	0.27	284	2	0.02	11	220	12	0.01
CC34156		29	20	2.85	10	1	0.15	10	1.01	1330	2	0.03	22	1000	38	0.07
CC34157		26	16	2.55	10	1	0.10	10	0.86	830	1	0.02	22	660	28	0.05
CC34158		14	18	1.31	<10	<1	0.06	10	0.54	736	2	0.03	15	1110	21	0.17
CC34159		22	24	2.25	<10	<1	0.10	10	1.69	861	2	0.03	26	720	42	0.03
CC34160		19	22	1.86	<10	<1	0.09	10	2.69	506	1	0.03	22	680	31	0.02

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34121		<2	1	92	<20	0.01	<10	<10	13	<10	436
CC34122		<2	2	74	<20	0.02	<10	<10	26	10	157
CC34123		<2	2	85	<20	0.02	<10	<10	26	10	153
CC34124		<2	2	92	<20	0.02	<10	<10	27	<10	195
CC34125		4	1	72	<20	0.02	<10	<10	27	10	494
CC34126		2	3	22	<20	0.04	<10	<10	53	<10	581
CC34127		3	4	18	<20	0.05	<10	<10	63	10	194
CC34128		2	3	17	<20	0.04	<10	<10	60	<10	323
CC34129		2	4	20	<20	0.03	<10	<10	49	20	298
CC34130		2	1	86	<20	0.01	<10	<10	22	<10	331
CC34131		<2	3	21	<20	0.04	<10	<10	56	<10	311
CC34132		2	1	45	<20	0.02	<10	<10	24	<10	463
CC34133		2	1	81	<20	0.02	<10	<10	22	10	500
CC34134		<2	1	35	<20	0.02	<10	<10	23	<10	142
CC34135		3	4	20	<20	0.05	<10	<10	58	20	226
CC34136		2	3	29	<20	0.04	<10	<10	39	<10	185
CC34137		<2	2	33	<20	0.03	<10	<10	37	<10	230
CC34138		2	<1	32	<20	0.01	<10	30	9	<10	380
CC34139		2	4	21	<20	0.04	<10	<10	53	<10	225
CC34140		2	3	17	<20	0.04	<10	<10	62	<10	186
CC34141		<2	3	18	<20	0.04	<10	<10	62	<10	216
CC34142		<2	3	17	<20	0.05	<10	<10	75	<10	137
CC34143		2	3	23	<20	0.03	<10	<10	54	<10	319
CC34144		2	2	24	<20	0.03	<10	<10	48	<10	204
CC34145		<2	3	18	<20	0.05	<10	<10	71	<10	135
CC34146		<2	2	16	<20	0.05	<10	<10	76	<10	138
CC34147		<2	3	17	<20	0.04	<10	<10	64	<10	220
CC34148		2	3	15	<20	0.05	<10	<10	73	<10	193
CC34149		2	3	15	<20	0.04	<10	<10	63	<10	209
CC34150		<2	3	16	<20	0.05	<10	<10	72	10	253
CC34151		3	3	14	<20	0.04	<10	<10	60	10	207
CC34152		2	2	22	<20	0.03	<10	<10	39	<10	210
CC34153		3	3	15	<20	0.04	<10	<10	61	10	198
CC34154		3	3	19	<20	0.04	<10	<10	66	<10	93
CC34155		<2	2	14	<20	0.06	<10	<10	69	<10	70
CC34156		2	3	23	<20	0.04	<10	<10	59	<10	349
CC34157		<2	3	21	<20	0.04	<10	<10	54	<10	129
CC34158		2	1	23	<20	0.02	<10	<10	24	<10	117
CC34159		3	3	30	<20	0.04	<10	<10	42	20	209
CC34160		2	3	42	<20	0.04	<10	<10	36	10	161

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ta	U	W	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co
	Units	kg	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.02	10	4	10	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
CC34161		0.12	<10	4	20	<0.001	<0.2	0.76	8	<10	110	<0.5	3	17.5	0.8	1
CC34162		0.22	<10	4	10	0.002	<0.2	0.49	3	<10	70	0.9	4	17.1	<0.5	2
CC34163		0.18	<10	5	10	0.001	0.2	0.95	4	10	150	0.7	3	14.7	0.6	3
CC34164		0.08	<10	6	30	0.001	<0.2	2.64	9	<10	220	1.9	3	3.23	0.5	8
CC34165		0.14	<10	6	30	<0.001	0.2	1.53	10	<10	190	1.3	4	7.27	1.2	6
CC34166		0.16	<10	5	30	0.001	0.3	1.02	4	<10	130	1.6	2	13.9	0.7	3
CC34167		0.10	<10	7	40	<0.001	<0.2	2.48	9	<10	270	1.2	2	0.96	2.7	9
CC34168		0.08	<10	8	20	<0.001	<0.2	2.59	8	10	230	1.5	<2	1.11	2.1	11
CC34169		0.24	<10	4	<10	<0.001	<0.2	0.97	<2	<10	80	<0.5	<2	19.7	<0.5	3
CC34170		0.16	<10	4	10	0.001	<0.2	1.41	3	<10	100	0.9	4	19.8	<0.5	4
CC34171		0.20	<10	<4	10	<0.001	0.5	2.23	6	<10	100	0.8	<2	22.9	0.5	6
CC34172		0.18	<10	<4	<10	<0.001	<0.2	1.86	12	<10	40	<0.5	2	21.0	<0.5	5
CC34173		0.16	<10	7	10	0.006	1.4	1.02	9	<10	270	0.6	<2	7.17	1.5	5
CC34174		0.24	<10	5	10	0.001	0.4	1.33	10	<10	230	0.6	<2	5.54	0.9	6
CC34175		0.26	<10	6	10	0.001	0.4	1.54	13	<10	250	0.5	2	2.56	0.7	8
CC34176		0.14	<10	7	<10	<0.001	0.5	1.44	12	<10	360	0.6	<2	2.04	1.8	8
CC34177		0.30	<10	5	10	0.002	0.5	1.37	14	<10	220	0.6	<2	3.41	1.0	6
CC34178		0.32	<10	7	10	0.006	0.2	2.14	15	<10	280	0.8	<2	0.35	<0.5	8
CC34179		0.32	<10	6	10	0.001	0.5	1.92	16	<10	190	0.5	<2	0.26	<0.5	6
CC34180		0.18	<10	6	10	0.006	0.3	1.64	11	<10	210	0.7	<2	0.33	<0.5	7
CC34181		0.30	<10	7	20	0.001	<0.2	1.89	19	<10	220	0.9	2	0.28	<0.5	10
CC34182		0.28	<10	7	10	0.001	0.4	2.06	19	<10	330	1.0	<2	0.28	<0.5	10
CC34183		0.26	<10	8	10	0.001	0.2	2.08	12	<10	290	0.8	2	0.45	<0.5	9
CC34184		0.30	<10	7	10	<0.001	<0.2	1.95	16	<10	270	1.0	2	0.29	<0.5	9
CC34185		0.26	<10	8	10	<0.001	0.4	2.02	16	<10	330	0.8	2	0.40	0.6	10
CC34186		0.30	<10	11	10	0.002	0.3	2.03	17	<10	370	0.8	3	0.57	0.5	9
CC34187		0.26	<10	10	10	0.004	0.5	1.58	14	<10	360	1.1	2	1.76	1.7	7
CC34188		0.22	<10	7	<10	<0.001	<0.2	1.86	13	<10	250	0.5	2	0.22	<0.5	6
CC34189		0.32	<10	6	10	<0.001	<0.2	2.03	14	<10	260	0.6	<2	0.24	<0.5	10
CC34190		0.28	<10	7	10	0.001	0.2	2.20	11	<10	340	0.7	<2	0.46	0.5	8
CC34191		0.32	<10	7	20	0.013	0.9	1.52	20	<10	260	1.0	<2	8.72	1.0	7
CC34192		0.26	<10	7	<10	<0.001	<0.2	1.76	9	<10	240	0.5	2	0.37	0.5	8
CC34193		0.20	<10	6	10	<0.001	<0.2	1.88	7	<10	320	0.6	<2	0.48	1.1	8
CC34194		0.34	<10	6	10	0.004	0.2	1.90	33	<10	230	0.6	2	0.23	<0.5	10
CC34195		0.34	<10	6	10	0.001	0.7	1.85	16	<10	230	0.9	<2	2.86	0.6	6
CC34196		0.34	<10	7	10	0.001	0.4	2.09	12	<10	330	0.7	<2	0.81	1.2	8
CC34197		0.30	<10	6	10	0.001	0.5	1.85	12	<10	260	0.8	<2	3.80	<0.5	6
CC34198		0.22	<10	8	30	0.001	0.4	3.01	19	<10	300	1.6	3	0.21	1.0	11
CC34199		0.20	<10	7	10	0.001	0.5	2.82	19	<10	290	1.5	<2	1.78	0.8	11
CC34200		0.30	<10	6	10	<0.001	0.5	1.06	12	<10	150	0.7	<2	12.05	<0.5	3

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
CC34161		8	11	0.70	<10	<1	0.18	<10	8.16	309	1	0.03	6	260	11	<0.01
CC34162		5	13	0.65	<10	<1	0.08	<10	10.30	385	1	0.02	5	310	15	<0.01
CC34163		10	10	0.87	<10	<1	0.17	10	9.27	362	1	0.03	9	470	18	0.03
CC34164		31	18	2.61	10	<1	0.26	20	3.32	501	2	0.03	23	520	27	0.04
CC34165		18	16	1.90	<10	<1	0.17	10	5.02	1270	2	0.03	17	530	74	0.05
CC34166		10	20	1.00	<10	<1	0.16	10	8.81	509	2	0.03	10	560	13	0.07
CC34167		31	19	2.85	10	<1	0.27	10	2.11	2110	1	0.03	22	470	28	0.05
CC34168		31	31	2.62	10	<1	0.18	10	2.65	2270	2	0.03	27	680	24	0.09
CC34169		8	13	0.69	<10	<1	0.40	<10	10.15	171	<1	0.04	8	100	4	<0.01
CC34170		13	32	1.03	<10	<1	0.42	10	8.06	239	1	0.04	11	160	9	<0.01
CC34171		22	39	1.44	10	<1	0.65	10	3.58	359	1	0.05	21	210	59	<0.01
CC34172		17	20	1.29	<10	<1	0.62	<10	7.02	284	<1	0.04	16	140	4	<0.01
CC34173		17	15	1.64	<10	<1	0.08	10	4.36	579	4	0.03	21	700	43	0.04
CC34174		21	20	1.90	<10	<1	0.09	10	3.47	615	2	0.03	23	630	36	0.02
CC34175		25	17	2.21	10	<1	0.09	10	1.75	459	2	0.02	21	730	24	0.03
CC34176		22	18	2.23	<10	<1	0.09	10	0.62	1605	1	0.03	19	830	27	0.08
CC34177		24	32	2.07	<10	<1	0.11	10	2.06	489	1	0.03	31	660	37	0.01
CC34178		32	19	2.64	10	<1	0.10	20	0.94	540	2	0.02	33	660	32	0.01
CC34179		27	14	2.71	10	<1	0.09	10	0.36	364	2	0.02	20	520	22	0.01
CC34180		28	15	2.35	10	<1	0.09	10	0.54	406	2	0.02	23	650	19	0.01
CC34181		32	14	2.95	10	1	0.12	10	0.66	700	3	0.02	27	580	38	0.01
CC34182		32	18	2.94	10	<1	0.10	20	0.59	629	2	0.02	26	360	28	0.01
CC34183		30	17	2.62	10	<1	0.10	20	0.53	562	2	0.02	19	470	26	0.01
CC34184		29	17	2.90	10	<1	0.12	10	0.72	677	2	0.02	35	580	38	0.01
CC34185		30	15	2.82	10	1	0.09	10	0.57	956	2	0.02	22	560	38	0.02
CC34186		30	15	3.04	10	<1	0.08	10	0.58	1265	2	0.02	22	680	28	0.03
CC34187		25	22	2.12	<10	<1	0.09	10	0.74	847	2	0.03	23	850	29	0.09
CC34188		27	9	2.70	10	1	0.08	10	0.44	403	2	0.02	16	230	20	<0.01
CC34189		29	11	2.65	10	<1	0.07	10	0.51	758	2	0.02	17	290	22	0.01
CC34190		31	11	2.74	10	<1	0.09	10	0.60	821	1	0.02	18	440	20	0.01
CC34191		18	15	2.09	<10	<1	0.09	10	5.57	1565	1	0.02	37	560	38	0.03
CC34192		27	9	2.45	10	<1	0.09	10	0.55	532	2	0.02	15	490	20	0.02
CC34193		26	9	2.47	10	<1	0.07	10	0.41	924	1	0.02	12	620	17	0.02
CC34194		32	11	3.19	10	1	0.08	10	0.66	649	3	0.01	19	270	27	0.01
CC34195		27	19	2.63	<10	1	0.10	10	1.98	987	2	0.03	28	670	39	0.03
CC34196		28	13	2.72	10	1	0.09	10	0.72	925	2	0.02	20	820	22	0.04
CC34197		25	16	2.37	<10	1	0.09	10	2.63	740	2	0.03	25	600	36	0.03
CC34198		36	21	3.40	10	<1	0.10	10	0.75	1075	4	0.02	50	420	77	0.02
CC34199		34	16	3.21	<10	2	0.10	10	1.43	1220	2	0.03	33	480	48	0.03
CC34200		14	12	1.49	<10	<1	0.08	10	7.89	686	1	0.03	17	500	26	0.03

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078302

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	2	1	1	20	0.01	10	10	1	10	2
CC34161		<2	1	123	<20	0.02	<10	<10	10	20	112
CC34162		<2	1	84	<20	0.01	<10	<10	11	10	64
CC34163		<2	1	76	<20	0.02	<10	<10	18	10	119
CC34164		<2	4	25	<20	0.06	<10	<10	57	30	204
CC34165		<2	3	38	<20	0.04	<10	<10	34	30	413
CC34166		<2	1	62	<20	0.02	<10	<10	18	30	138
CC34167		<2	4	20	<20	0.09	<10	<10	56	40	387
CC34168		2	3	20	<20	0.08	<10	<10	47	20	272
CC34169		<2	1	146	<20	0.03	<10	10	9	10	22
CC34170		2	2	180	<20	0.04	<10	<10	15	10	53
CC34171		2	3	259	<20	0.07	<10	10	21	<10	208
CC34172		<2	2	222	<20	0.07	<10	<10	20	<10	30
CC34173		2	2	56	<20	0.02	<10	<10	28	10	712
CC34174		<2	2	47	<20	0.04	<10	<10	37	20	223
CC34175		<2	3	28	<20	0.04	<10	<10	46	<10	150
CC34176		<2	2	33	<20	0.03	<10	<10	41	10	130
CC34177		3	3	42	<20	0.03	<10	<10	39	<10	213
CC34178		<2	4	21	<20	0.05	<10	<10	56	<10	149
CC34179		<2	3	17	<20	0.04	<10	<10	63	<10	90
CC34180		<2	3	20	<20	0.05	<10	<10	50	10	99
CC34181		2	3	17	<20	0.05	<10	<10	59	10	194
CC34182		<2	5	17	<20	0.04	<10	<10	63	<10	136
CC34183		2	4	19	<20	0.04	<10	<10	69	<10	125
CC34184		4	3	17	<20	0.04	<10	<10	52	20	180
CC34185		<2	3	17	<20	0.04	<10	<10	61	<10	221
CC34186		3	3	18	<20	0.03	<10	<10	60	10	212
CC34187		2	2	25	<20	0.03	<10	<10	38	<10	590
CC34188		<2	3	15	<20	0.05	<10	<10	65	<10	127
CC34189		2	3	15	<20	0.05	<10	<10	69	<10	143
CC34190		<2	3	18	<20	0.05	<10	<10	69	<10	171
CC34191		<2	3	74	<20	0.03	<10	<10	32	10	269
CC34192		<2	2	16	<20	0.04	<10	<10	61	<10	139
CC34193		<2	2	17	<20	0.04	<10	<10	73	<10	140
CC34194		<2	3	14	<20	0.06	<10	<10	72	10	152
CC34195		<2	4	31	<20	0.04	<10	<10	54	10	202
CC34196		2	3	21	<20	0.04	<10	<10	64	<10	168
CC34197		<2	3	34	<20	0.04	<10	<10	50	10	170
CC34198		<2	4	14	<20	0.05	<10	<10	61	30	370
CC34199		2	5	23	<20	0.05	<10	<10	61	10	212
CC34200		<2	2	58	<20	0.02	<10	10	27	10	96

Comments: NSS is non-sufficient sample. samples are screened with 35 mesh & pulverized the fine.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 12-AUG-2007
Account: RCM

CERTIFICATE VA07078301

Project: RAU

P.O. No.:

This report is for 30 Rock samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Lawrence Ng

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078301

Sample Description	Method	WEI-21	ME-XRF05	ME-XRF05	ME-XRF05	ME-XRF05	ME-XRF05	ME-XRF05	ME-XRF05	ME-XRF05	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ce	La	Nb	Sn	Ta	Th	W	Y	Au	Ag	Al	As	B	Ba
	Units	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	10	10	2	5	10	4	10	2	0.001	0.2	0.01	2	10	10
C384901		1.70	20	<10	4	<5	<10	<4	20	5	<0.001	0.2	1.69	3	<10	100
C384902		0.60	<10	<10	103	7	20	12	10	43	<0.001	<0.2	0.27	<2	<10	<10
C384903		0.80	40	10	69	16	20	<4	750	40	0.060	<0.2	1.23	7	<10	<10
C384904		2.86	20	10	4	56	<10	<4	30	7	<0.001	<0.2	3.11	7	10	180
C384905		2.86	<10	<10	<2	<5	<10	<4	10	2	0.001	2.4	0.03	8	<10	<10
C384906		0.38	10	<10	<2	<5	<10	<4	<10	2	<0.001	<0.2	0.46	5	<10	130
C384907		0.60	40	20	31	47	<10	7	10	20	0.001	0.2	2.32	4	<10	180
C384908		1.00	<10	10	11	<5	<10	<4	<10	18	<0.001	<0.2	3.02	4	<10	20
C384909		1.56	10	20	21	<5	<10	<4	2060	19	0.006	0.5	0.82	5	<10	10
C384910		1.70	<10	<10	8	<5	30	<4	30	9	0.001	0.2	0.29	<2	<10	20
C384911		2.86	120	70	22	73	<10	21	20	38	<0.001	<0.2	12.05	10	<10	160
C384912		1.44	10	<10	75	96	110	6	10	10	0.538	0.3	0.63	3	10	50
C384913		1.28	<10	<10	47	49	70	7	<10	5	<0.001	<0.2	0.26	<2	30	20
C384914		0.98	10	<10	70	26	20	<4	10	33	<0.001	<0.2	2.48	6	10	160
C384915		1.34	10	10	2	<5	<10	<4	<10	17	<0.001	<0.2	0.07	<2	<10	20
C384916		3.02	80	40	52	<5	<10	5	4010	33	<0.001	0.4	0.90	2	<10	10
C384917		0.62	80	40	51	5	70	28	720	24	<0.001	<0.2	3.66	4	<10	30
C384918		0.78	40	20	72	8	130	24	40	16	<0.001	<0.2	3.17	4	<10	50
C384919		1.24	50	10	2	<5	<10	<4	10	6	<0.001	<0.2	1.17	<2	<10	20
C384920		1.00	50	20	70	50	20	13	30	32	<0.001	<0.2	1.15	6	20	40
C384921		1.42	40	10	79	11	30	18	500	48	0.001	<0.2	0.76	<2	<10	30
C384922		1.50	20	<10	<2	<5	<10	<4	10	13	<0.001	<0.2	0.05	6	<10	10
C384923		1.96	20	10	2	<5	<10	<4	<10	11	<0.001	<0.2	0.07	3	<10	40
C384924		1.18	10	<10	<2	7	<10	<4	30	16	0.045	0.6	0.07	3	<10	10
C384925		1.44	30	20	5	<5	<10	<4	<10	16	<0.001	<0.2	0.79	<2	<10	40
C384926		0.38	30	10	<2	58	<10	<4	10	3	<0.001	0.9	0.35	7	<10	40
C384927		0.22	10	10	119	6	20	17	<10	26	<0.001	<0.2	0.28	2	<10	10
C384928		0.66	10	<10	128	7	10	17	2930	32	<0.001	<0.2	0.61	<2	<10	20
C384929		1.78	20	<10	33	9	<10	<4	1470	23	0.012	0.4	1.27	4	<10	50
C384930		1.28	30	20	93	58	<10	6	30	51	0.217	0.6	3.21	6	<10	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078301

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
	LOR	0.5	2	0.01	0.5	1	1	1	0.01	10	1	0.01	10	0.01	5	1
C384901		3.6	<2	17.0	<0.5	<1	2	17	0.93	10	<1	1.78	<10	12.05	468	<1
C384902		0.5	<2	0.25	<0.5	<1	2	2	0.30	<10	1	0.14	<10	0.14	235	<1
C384903		71.7	34	8.64	<0.5	28	20	845	20.2	10	<1	0.12	10	0.61	3150	11
C384904		3.2	<2	15.3	<0.5	<1	1	10	1.33	20	<1	2.99	<10	10.75	765	<1
C384905		<0.5	3	0.13	<0.5	393	2	4590	27.7	<10	<1	0.02	<10	0.02	119	1
C384906		<0.5	<2	19.0	<0.5	4	5	64	0.54	<10	<1	0.31	<10	10.35	49	1
C384907		0.8	<2	3.38	<0.5	25	153	365	5.26	10	<1	1.97	<10	2.42	815	<1
C384908		<0.5	<2	0.50	<0.5	34	233	52	4.35	10	<1	0.15	<10	3.48	214	<1
C384909		74.1	2	7.03	<0.5	28	3	1960	21.8	<10	<1	0.06	<10	0.26	4000	4
C384910		10.4	<2	9.82	<0.5	1	5	101	2.86	<10	<1	0.24	<10	1.42	1980	<1
C384911		18.6	<2	6.26	<0.5	1	107	73	5.15	50	1	3.28	30	3.80	1240	1
C384912		1.8	69	0.15	<0.5	4	2	199	6.88	10	<1	0.40	<10	0.15	294	21
C384913		0.5	<2	0.71	<0.5	<1	5	2	0.26	<10	<1	0.18	<10	0.04	127	1
C384914		4.0	<2	4.68	<0.5	2	4	28	4.51	20	1	2.27	<10	1.46	1360	8
C384915		<0.5	<2	17.2	<0.5	<1	5	17	0.32	<10	<1	0.07	<10	3.07	422	1
C384916		46.3	<2	7.42	<0.5	65	1	2200	30.1	<10	<1	0.05	30	0.43	2470	8
C384917		26.8	<2	5.54	<0.5	<1	1	24	0.87	20	<1	0.21	30	0.28	170	5
C384918		19.7	<2	5.24	<0.5	1	1	25	2.45	20	<1	0.58	20	0.66	606	<1
C384919		0.5	<2	>25.0	<0.5	1	1	5	0.40	<10	<1	<0.01	<10	0.20	107	<1
C384920		4.8	3	2.26	<0.5	<1	2	3	0.42	10	<1	0.94	20	1.07	495	1
C384921		1.6	3	1.75	<0.5	<1	3	3	0.70	10	<1	0.46	20	0.40	365	1
C384922		<0.5	7	10.10	<0.5	<1	1	<1	0.28	<10	<1	0.03	<10	0.30	1040	2
C384923		<0.5	<2	17.5	<0.5	<1	2	5	0.12	<10	1	0.05	10	6.01	254	1
C384924		1.1	49	1.75	<0.5	2	1	123	1.83	<10	<1	0.03	<10	0.54	353	9
C384925		<0.5	<2	4.36	<0.5	1	6	17	0.45	<10	<1	0.04	<10	0.38	125	2
C384926		1.3	5	22.8	<0.5	<1	1	4	0.21	<10	<1	0.18	<10	7.81	909	1
C384927		<0.5	6	0.28	<0.5	<1	2	1	0.30	<10	<1	0.11	<10	0.10	117	<1
C384928		0.8	<2	1.03	<0.5	<1	3	1	0.71	<10	<1	0.28	<10	0.26	230	3
C384929		108.5	6	8.39	<0.5	31	8	1260	21.7	10	<1	0.25	<10	0.68	3120	3
C384930		61.8	182	6.50	<0.5	22	26	1680	17.6	20	<1	0.24	10	0.55	1660	68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 12-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07078301

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	1	10	2	0.01	2	1	1	20	0.01	10	10	1	10	2
C384901		0.03	3	40	12	<0.01	<2	<1	36	<20	<0.01	<10	<10	5	30	65
C384902		0.04	<1	<10	22	0.01	<2	<1	1	<20	<0.01	<10	10	<1	<10	19
C384903		0.24	44	80	<2	7.97	<2	4	23	<20	0.12	<10	<10	18	740	91
C384904		0.03	2	50	8	0.08	<2	<1	91	<20	<0.01	10	<10	4	30	156
C384905		<0.01	463	10	<2	>10.0	2	1	2	<20	<0.01	<10	<10	2	10	48
C384906		0.02	9	60	<2	<0.01	<2	1	66	<20	0.01	<10	<10	7	<10	4
C384907		0.02	118	2210	3	1.28	2	15	19	<20	0.17	<10	<10	66	<10	46
C384908		0.04	151	660	5	0.04	<2	2	5	<20	0.21	<10	<10	84	<10	66
C384909		0.15	15	70	4	8.72	<2	1	13	<20	0.03	<10	<10	7	1420	149
C384910		0.03	2	40	7	0.60	<2	2	50	<20	0.02	<10	<10	16	30	69
C384911		0.41	9	350	7	0.39	2	7	99	20	0.29	10	<10	57	20	166
C384912		0.01	<1	30	<2	0.03	<2	1	2	<20	<0.01	<10	<10	1	10	8
C384913		0.01	<1	<10	<2	0.01	<2	<1	5	<20	<0.01	<10	<10	<1	<10	26
C384914		0.05	<1	20	8	0.01	<2	17	16	<20	0.01	<10	<10	3	10	113
C384915		0.01	4	220	<2	<0.01	<2	<1	78	<20	<0.01	<10	<10	5	<10	5
C384916		0.19	120	50	<2	>10.0	<2	1	18	<20	0.03	<10	<10	7	2200	123
C384917		1.33	<1	20	10	0.20	<2	6	113	30	<0.01	<10	<10	1	710	21
C384918		0.80	1	40	6	0.20	2	30	68	20	<0.01	<10	<10	3	50	38
C384919		0.03	6	20	<2	<0.01	<2	1	536	<20	0.01	<10	<10	<1	10	9
C384920		0.22	<1	20	11	0.03	<2	2	14	20	<0.01	<10	<10	<1	30	29
C384921		0.08	<1	10	5	0.02	<2	3	16	20	<0.01	<10	<10	<1	520	24
C384922		0.01	<1	380	<2	0.01	<2	<1	28	<20	<0.01	<10	<10	2	10	6
C384923		0.01	7	230	2	<0.01	<2	<1	72	<20	<0.01	<10	<10	5	<10	11
C384924		0.02	25	630	48	0.01	<2	<1	4	<20	<0.01	<10	<10	11	40	31
C384925		0.16	22	500	4	0.01	<2	<1	52	<20	0.04	<10	<10	5	<10	21
C384926		0.02	9	20	184	<0.01	<2	<1	141	<20	<0.01	<10	<10	1	10	77
C384927		0.06	<1	<10	13	<0.01	2	1	2	<20	<0.01	<10	<10	<1	<10	11
C384928		0.07	<1	10	12	<0.01	<2	2	3	20	<0.01	<10	20	<1	540	44
C384929		0.16	18	170	2	9.01	<2	1	51	<20	0.05	<10	<10	9	1450	106
C384930		0.47	42	320	8	6.43	<2	3	52	<20	0.14	<10	<10	18	30	70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized D 13-AUG-2007
Account: RCM

CERTIFICATE VA07077384

Project: RAU

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 18-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 13-AUG-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07077384

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-XRF05 Ce ppm 10	ME-XRF05 La ppm 10	ME-XRF05 Nb ppm 2	ME-XRF05 Sn ppm 5	ME-XRF05 Ta ppm 10	ME-XRF05 Th ppm 4	ME-XRF05 U ppm 4	ME-XRF05 W ppm 10	ME-XRF05 Y ppm 2
C384951		2.58	<0.001							<4	<10	
C384952		1.44	<0.001							<4	<10	
C384953		0.88	0.006							<4	<10	
C384954		1.12	0.004							<4	>10000	
C384955		1.06	<0.001	<10	<10	11	65	20	<4	<4	10	2
C384956		1.90	0.001							<4	120	
C384957		1.68	0.005							<4	<10	
C384958		2.10	0.002							<4	10	
C384959		5.16	0.009							<4	<10	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized [illegible] 26-JUL-2007
Account: RCM

CERTIFICATE VA07070024

Project: RAU

P.O. No.:

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23601		0.16	0.004	0.3	0.61	<2	<10	100	2.1	24	16.5	<0.5	1	7	39	1.04
CC23602		0.18	0.002	<0.2	0.57	7	<10	80	<0.5	<2	17.1	<0.5	1	7	7	0.51
CC23603		0.20	0.002	0.2	0.73	7	<10	110	<0.5	<2	16.6	<0.5	2	8	5	0.61
CC23604		0.16	0.004	0.2	1.12	10	<10	150	0.6	<2	12.70	<0.5	3	13	18	1.12
CC23605		0.24	0.003	0.2	0.62	9	<10	50	<0.5	<2	16.6	<0.5	2	8	6	0.62
CC23606		0.20	0.003	0.9	0.74	2	<10	130	<0.5	4	16.8	0.6	2	9	10	0.78
CC23607		0.20	0.001	0.6	0.30	2	<10	100	<0.5	<2	17.9	1.4	<1	4	6	0.44
CC23608		0.16	0.001	0.4	1.19	4	<10	170	<0.5	<2	0.26	0.9	8	24	12	2.42
CC23609		0.24	0.001	<0.2	1.11	6	<10	110	<0.5	2	0.12	<0.5	3	23	10	2.52
CC23610		0.26	0.001	<0.2	1.06	14	<10	100	<0.5	<2	0.08	<0.5	4	20	15	2.22
CC23611		0.18	<0.001	0.2	1.30	9	<10	110	0.5	<2	0.09	0.7	6	25	23	3.14
CC23612		0.18	<0.001	<0.2	0.81	11	<10	110	<0.5	2	0.08	<0.5	4	20	14	3.06
CC23613		0.22	<0.001	0.2	1.08	8	<10	170	<0.5	<2	0.07	0.7	5	25	15	3.04
CC23614		0.20	0.001	0.3	1.22	14	<10	130	<0.5	<2	0.10	<0.5	6	27	17	2.75
CC23615		0.16	0.004	1.0	1.63	28	<10	310	1.1	5	0.49	2.7	9	31	45	4.39
CC23616		0.20	<0.001	0.4	1.65	14	<10	200	0.5	<2	0.86	0.9	9	28	12	2.57
CC23617		0.18	0.003	2.1	1.58	20	<10	200	0.7	<2	3.01	3.1	9	29	26	2.63
CC23618		0.22	0.002	1.9	1.19	17	<10	180	0.6	6	8.48	2.7	6	20	32	2.19
CC23619		0.14	0.004	0.8	0.86	17	<10	140	<0.5	11	6.21	3.0	5	15	22	1.63
CC23620		0.14	0.004	1.8	1.29	32	<10	150	0.5	13	1.99	2.9	8	26	30	3.00
CC23621		0.26	0.002	0.6	1.01	23	<10	140	<0.5	2	7.69	1.7	6	19	18	1.88
CC23622		0.14	0.002	0.3	1.08	12	<10	130	0.5	2	8.61	2.7	6	19	24	1.94
CC23623		0.14	0.002	1.3	1.10	14	<10	130	<0.5	5	6.92	2.2	7	22	30	2.34
CC23624		0.18	0.003	0.4	1.32	15	<10	160	0.6	3	3.95	1.2	8	23	31	2.50
CC23625		0.14	0.001	0.5	1.76	25	<10	200	0.8	9	0.98	3.9	12	28	35	3.09
CC23626		0.16	0.001	0.3	1.82	17	<10	230	0.8	5	1.09	1.8	12	26	19	2.92
CC23627		0.14	0.001	0.3	1.89	16	<10	240	0.6	2	1.02	2.3	11	28	19	2.99
CC23628		0.22	0.001	0.4	1.43	18	<10	210	0.7	<2	8.33	0.8	6	22	15	2.11
CC23629		0.18	0.002	0.5	1.95	20	<10	300	0.8	3	1.40	4.6	12	30	27	3.25
CC23630		0.16	0.003	0.7	1.66	28	<10	250	0.8	6	4.24	4.1	9	27	22	2.99
CC23631		0.22	0.004	1.3	1.50	52	<10	330	1.2	30	7.65	7.6	10	22	58	3.62
CC23632		0.22	0.002	0.3	0.70	17	<10	140	<0.5	11	13.85	1.3	4	12	19	1.32
CC23633		0.14	0.005	1.1	0.89	47	<10	320	0.8	30	12.20	7.8	5	14	54	2.73
CC23634		0.16	0.003	1.8	1.19	59	<10	340	1.0	35	9.42	8.3	6	22	41	2.91
CC23635		0.24	0.004	1.2	0.49	13	<10	160	0.8	7	16.5	7.8	4	10	18	1.09
CC23636		0.18	0.001	0.5	0.41	14	<10	100	0.5	<2	16.2	3.2	1	9	15	0.63
CC23637		0.28	0.002	<0.2	0.24	11	<10	150	<0.5	<2	18.9	3.4	<1	6	6	0.32
CC23638		0.16	0.001	<0.2	0.31	5	<10	50	<0.5	<2	17.5	<0.5	1	7	7	0.33
CC23639		0.24	0.001	0.5	0.16	10	<10	240	<0.5	<2	19.4	1.5	<1	4	6	0.71
CC23640		0.20	0.001	0.3	0.20	<2	<10	120	<0.5	<2	19.0	<0.5	<1	3	5	0.52

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23601		<10	<1	0.21	<10	10.40	649	1	0.01	8	320	9	<0.01	<2	1	111
CC23602		<10	<1	0.12	10	11.05	172	1	0.02	8	350	8	<0.01	<2	1	152
CC23603		<10	1	0.10	10	10.55	208	1	0.02	9	340	10	0.05	<2	1	112
CC23604		<10	<1	0.07	10	8.66	570	1	0.02	18	580	24	0.07	<2	1	68
CC23605		<10	1	0.02	10	10.75	237	1	0.01	16	380	8	0.04	<2	1	58
CC23606		<10	<1	0.14	10	11.20	872	2	0.02	11	290	90	0.04	<2	1	70
CC23607		<10	<1	0.02	<10	11.25	1120	1	0.01	4	220	95	<0.01	<2	1	103
CC23608		10	<1	0.07	10	0.34	1140	2	0.01	12	490	55	0.05	<2	1	11
CC23609		10	<1	0.06	10	0.21	395	3	0.01	12	430	27	0.03	<2	1	8
CC23610		<10	<1	0.06	10	0.19	267	3	0.01	17	590	38	0.02	<2	1	8
CC23611		<10	1	0.05	10	0.29	346	4	0.01	26	340	28	0.02	<2	1	6
CC23612		10	<1	0.05	10	0.13	867	5	0.01	18	600	44	0.06	<2	<1	6
CC23613		10	1	0.06	10	0.22	794	2	0.01	19	630	27	0.04	<2	<1	8
CC23614		10	<1	0.06	10	0.28	348	6	0.01	28	500	33	0.04	<2	1	8
CC23615		10	<1	0.07	10	0.54	1415	11	0.02	62	1140	211	0.06	15	1	12
CC23616		10	<1	0.06	10	0.47	681	2	0.01	17	1270	82	0.10	5	1	14
CC23617		<10	<1	0.07	20	1.86	940	5	0.02	33	1000	255	0.06	24	2	23
CC23618		<10	1	0.06	10	5.12	840	5	0.02	27	870	252	0.05	25	2	50
CC23619		<10	<1	0.04	10	3.32	786	5	0.03	22	1160	134	0.12	10	1	36
CC23620		<10	1	0.07	20	1.31	724	34	0.02	56	750	203	0.06	19	2	21
CC23621		<10	<1	0.06	10	4.31	752	9	0.02	32	1050	54	0.08	5	1	40
CC23622		<10	<1	0.07	20	5.06	1105	13	0.02	27	1390	43	0.10	3	1	37
CC23623		<10	<1	0.06	20	4.08	662	11	0.02	38	1080	145	0.06	14	2	38
CC23624		<10	<1	0.07	20	2.42	929	5	0.02	28	1110	39	0.05	4	2	28
CC23625		<10	<1	0.07	20	0.68	1815	2	0.02	68	1860	176	0.11	10	2	15
CC23626		10	1	0.04	20	0.55	2560	2	0.01	28	1670	73	0.11	<2	1	16
CC23627		10	1	0.07	10	0.54	1780	1	0.02	29	1590	51	0.11	2	2	15
CC23628		<10	1	0.06	20	4.93	915	2	0.02	21	1190	47	0.08	2	1	36
CC23629		<10	<1	0.06	20	0.90	1960	1	0.02	39	1170	137	0.09	3	2	18
CC23630		<10	<1	0.07	20	2.59	1875	1	0.02	36	790	156	0.07	2	2	24
CC23631		<10	<1	0.06	30	4.72	3310	2	0.02	106	1000	345	0.06	8	2	41
CC23632		<10	<1	0.04	10	8.21	1365	1	0.02	25	830	49	0.06	<2	1	53
CC23633		<10	<1	0.05	20	7.34	3720	1	0.02	89	990	336	0.08	7	1	56
CC23634		<10	2	0.05	30	5.33	3650	2	0.02	61	1620	449	0.12	8	1	45
CC23635		<10	<1	0.03	20	9.60	2140	<1	0.02	39	1220	215	<0.01	2	<1	60
CC23636		<10	<1	0.03	20	9.30	913	1	0.02	27	1020	81	<0.01	<2	<1	82
CC23637		<10	<1	0.02	10	11.35	509	1	0.01	17	620	42	<0.01	<2	<1	72
CC23638		<10	<1	0.02	10	10.40	422	<1	0.02	11	760	16	<0.01	<2	<1	70
CC23639		<10	<1	0.01	<10	11.25	1830	1	0.01	12	400	67	<0.01	2	<1	119
CC23640		<10	<1	0.02	<10	11.80	1100	1	0.01	14	220	141	<0.01	<2	<1	103

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23601		<20	0.01	<10	<10	12	110	76	<10	5	110
CC23602		<20	0.01	<10	<10	8	<10	91	<10	4	<10
CC23603		<20	0.02	<10	<10	9	<10	54	<10	4	10
CC23604		<20	0.02	<10	<10	22	10	190	<10	5	10
CC23605		<20	0.01	<10	<10	13	<10	94	<10	4	<10
CC23606		<20	0.02	<10	<10	16	10	266	<10	5	10
CC23607		<20	0.01	<10	<10	5	<10	404	<10	<4	10
CC23608		<20	0.04	<10	<10	61	<10	145	<10	6	<10
CC23609		<20	0.04	<10	<10	61	<10	88	<10	5	<10
CC23610		<20	0.03	<10	<10	56	10	108	<10	6	10
CC23611		<20	0.04	<10	<10	61	10	234	<10	6	20
CC23612		<20	0.04	<10	<10	74	10	311	<10	5	20
CC23613		<20	0.03	<10	<10	67	<10	238	<10	6	10
CC23614		<20	0.03	<10	<10	57	10	214	<10	6	20
CC23615		<20	0.02	<10	<10	81	30	816	<10	6	50
CC23616		<20	0.02	<10	<10	60	<10	165	<10	7	10
CC23617		<20	0.02	<10	<10	60	<10	544	<10	7	10
CC23618		<20	0.03	<10	<10	43	10	472	<10	6	10
CC23619		<20	0.01	<10	<10	34	<10	335	<10	5	10
CC23620		<20	0.03	<10	<10	76	10	581	<10	8	20
CC23621		<20	0.02	<10	<10	48	<10	284	<10	6	10
CC23622		<20	0.01	<10	<10	56	<10	375	<10	7	10
CC23623		<20	0.03	<10	<10	59	10	359	<10	7	10
CC23624		<20	0.03	<10	<10	49	10	221	<10	6	10
CC23625		<20	0.02	<10	<10	66	10	723	<10	9	20
CC23626		<20	0.02	<10	<10	66	<10	227	<10	13	10
CC23627		<20	0.02	<10	<10	62	<10	261	<10	7	10
CC23628		<20	0.02	<10	<10	43	<10	173	<10	6	10
CC23629		<20	0.02	<10	<10	60	<10	489	<10	6	10
CC23630		<20	0.02	<10	<10	55	<10	547	<10	5	10
CC23631		<20	0.02	<10	<10	67	10	1690	<10	5	20
CC23632		<20	0.01	<10	<10	30	<10	327	<10	5	10
CC23633		<20	0.01	<10	<10	48	30	1460	<10	6	40
CC23634		<20	0.01	<10	<10	66	<10	1340	<10	6	20
CC23635		<20	0.01	<10	<10	29	<10	784	<10	5	10
CC23636		<20	0.01	<10	<10	19	<10	433	<10	5	10
CC23637		<20	<0.01	<10	<10	10	<10	226	<10	4	<10
CC23638		<20	0.01	<10	<10	10	<10	122	<10	4	<10
CC23639		<20	<0.01	<10	<10	10	<10	439	<10	<4	<10
CC23640		<20	<0.01	<10	<10	5	<10	207	<10	4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23641		0.26	<0.001	0.3	0.22	8	<10	160	<0.5	<2	19.1	1.2	<1	3	12	0.52
CC23642		0.40	0.002	0.2	0.19	7	<10	70	<0.5	<2	19.4	<0.5	<1	3	3	0.39
CC23643		0.18	0.013	0.4	0.17	6	<10	100	<0.5	2	18.5	<0.5	<1	3	5	0.35
CC23644		0.26	0.002	0.5	0.33	16	<10	110	<0.5	<2	17.9	<0.5	<1	4	6	0.78
CC23645		0.18	<0.001	<0.2	0.10	14	<10	60	<0.5	<2	19.4	<0.5	<1	2	15	0.43
CC23646		0.26	0.001	0.2	0.68	3	<10	70	<0.5	<2	17.1	<0.5	3	8	15	0.88
CC23647		0.26	<0.001	0.3	0.72	15	<10	70	<0.5	<2	17.2	<0.5	1	9	6	0.68
CC23648		0.16	0.001	<0.2	1.14	2	<10	170	<0.5	<2	12.55	<0.5	2	13	10	1.03
CC23649		0.26	<0.001	<0.2	0.75	<2	<10	110	<0.5	<2	16.4	1.3	2	10	12	0.72
CC23650		0.30	0.001	<0.2	0.36	6	<10	180	0.8	<2	18.3	1.1	1	5	14	0.55
CC23651		0.18	0.001	<0.2	2.59	8	<10	90	0.5	<2	0.15	<0.5	5	33	11	3.54
CC23652		0.34	<0.001	<0.2	1.95	9	<10	150	0.5	<2	0.12	<0.5	6	28	15	2.73
CC23653		0.20	0.003	0.2	0.71	11	<10	80	<0.5	<2	0.05	<0.5	3	14	13	2.04
CC23654		0.24	<0.001	<0.2	0.17	<2	<10	40	<0.5	<2	0.06	<0.5	<1	6	3	0.36
CC23655		0.24	<0.001	<0.2	1.14	8	<10	100	<0.5	<2	0.06	<0.5	4	21	13	2.48
CC23656		0.18	<0.001	<0.2	0.87	9	<10	140	<0.5	<2	0.07	<0.5	5	18	12	2.62
CC23657		0.22	<0.001	0.7	1.37	16	<10	150	0.5	<2	0.07	0.6	6	31	20	3.40
CC23658		0.24	0.002	<0.2	1.24	15	<10	260	1.6	3	0.20	1.2	8	27	66	3.45
CC23659		0.20	0.001	0.3	1.52	12	<10	250	0.7	2	1.25	6.6	8	24	23	2.44
CC23660		0.20	0.003	0.9	1.79	17	<10	250	0.7	2	1.31	2.3	10	31	26	2.86
CC23661		0.16	0.001	1.1	1.72	17	<10	230	0.7	5	0.83	2.3	11	30	22	2.84
CC23662		0.16	0.001	0.9	1.81	18	<10	210	0.7	11	1.10	6.5	11	28	28	2.93
CC23663		0.16	0.002	1.6	1.34	21	<10	160	0.5	5	4.12	4.2	7	22	25	2.26
CC23664		0.16	0.001	0.8	1.53	21	<10	170	0.6	11	3.91	3.3	9	26	30	2.71
CC23665		0.18	0.001	1.2	1.30	19	<10	130	0.5	6	2.71	3.2	7	22	31	2.34
CC23666		0.16	<0.001	<0.2	1.62	8	<10	150	0.6	<2	1.65	1.9	11	20	13	2.45
CC23667		0.16	0.001	0.2	1.58	8	<10	230	0.7	3	3.10	2.4	8	24	35	2.54
CC23668		0.14	<0.001	0.7	1.78	21	<10	260	0.9	5	4.14	5.0	10	27	32	2.55
CC23669		0.22	<0.001	0.2	1.70	23	<10	240	0.7	5	0.78	0.9	10	28	21	2.78
CC23670		0.18	0.002	0.4	2.02	21	<10	240	0.9	7	0.89	1.5	11	30	24	3.09
CC23671		0.18	<0.001	0.4	2.23	15	<10	420	0.9	<2	2.02	3.9	13	26	17	2.72
CC23672		0.18	<0.001	0.5	1.85	10	<10	410	0.8	3	1.36	5.1	11	25	20	2.55
CC23673		0.20	0.001	1.2	1.72	91	<10	410	2.0	21	8.87	7.2	17	19	77	4.89
CC23674		0.18	<0.001	<0.2	2.28	13	<10	270	0.8	3	0.89	1.3	10	32	17	3.41
CC23675		0.18	<0.001	0.5	1.53	30	<10	250	0.8	29	4.38	3.2	10	23	33	2.97
CC23676		0.14	<0.001	1.0	1.86	52	<10	520	1.3	16	2.95	11.3	14	27	53	3.92
CC23677		0.18	0.001	1.2	1.27	33	<10	230	0.8	10	8.91	9.0	7	19	35	2.68
CC23678		0.22	<0.001	2.0	0.35	23	<10	230	<0.5	4	15.8	2.2	2	10	14	1.07
CC23679		0.24	0.002	0.2	0.54	24	<10	160	0.6	5	17.5	2.1	4	8	31	0.99
CC23680		0.26	<0.001	<0.2	0.39	16	<10	90	<0.5	3	17.7	3.6	3	7	10	0.56

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23641		<10	<1	0.02	<10	11.85	1025	<1	0.01	11	220	300	<0.01	2	<1	107
CC23642		<10	<1	0.04	<10	11.85	577	1	0.01	3	200	12	<0.01	<2	<1	109
CC23643		<10	<1	0.02	<10	11.10	625	<1	0.01	6	260	18	<0.01	<2	<1	86
CC23644		<10	<1	0.02	<10	11.05	1130	<1	0.02	6	300	22	<0.01	<2	<1	60
CC23645		<10	1	0.01	<10	11.85	664	<1	0.02	4	150	10	<0.01	<2	<1	55
CC23646		<10	<1	0.11	10	11.05	145	1	0.02	11	270	8	<0.01	<2	1	138
CC23647		<10	<1	0.07	10	11.20	278	1	0.02	11	290	17	<0.01	<2	1	100
CC23648		<10	<1	0.07	10	8.57	558	1	0.03	9	750	13	0.10	<2	1	62
CC23649		<10	<1	0.04	10	10.15	917	2	0.02	44	510	95	<0.01	<2	1	79
CC23650		<10	<1	0.07	10	11.80	1220	<1	0.02	8	210	52	<0.01	<2	1	114
CC23651		10	<1	0.04	10	0.23	209	2	0.01	20	560	28	0.04	<2	2	7
CC23652		10	1	0.05	10	0.39	230	2	0.01	23	530	41	0.04	2	2	11
CC23653		10	1	0.04	10	0.08	94	7	0.01	14	450	24	0.04	2	1	6
CC23654		<10	<1	0.02	<10	0.03	72	<1	0.01	5	380	5	0.02	<2	<1	2
CC23655		10	<1	0.05	10	0.19	344	3	0.01	15	450	20	0.04	<2	<1	8
CC23656		10	<1	0.07	10	0.11	822	4	0.01	16	880	28	0.06	2	<1	9
CC23657		10	<1	0.05	10	0.29	622	3	0.01	37	640	51	0.07	2	1	6
CC23658		10	<1	0.05	10	0.34	920	8	0.01	60	740	98	0.05	7	1	11
CC23659		<10	<1	0.06	10	0.50	913	5	0.02	28	1700	137	0.17	11	2	17
CC23660		<10	<1	0.07	20	1.04	796	3	0.02	33	1040	159	0.05	12	3	25
CC23661		<10	<1	0.07	20	0.61	862	3	0.02	32	1080	200	0.07	13	3	22
CC23662		10	<1	0.08	20	0.71	1370	8	0.02	40	1540	247	0.13	15	2	21
CC23663		<10	1	0.06	20	2.27	1085	18	0.02	34	1450	196	0.13	18	1	33
CC23664		<10	<1	0.07	20	2.47	911	16	0.02	37	1120	142	0.08	19	2	31
CC23665		<10	1	0.07	20	1.65	697	22	0.03	42	920	124	0.11	17	2	27
CC23666		<10	<1	0.05	20	0.61	1000	6	0.02	17	3200	54	0.28	5	2	21
CC23667		<10	<1	0.06	20	1.80	1830	3	0.02	26	1550	58	0.12	8	1	25
CC23668		<10	<1	0.05	30	1.88	2690	11	0.02	41	3150	100	0.23	10	1	28
CC23669		<10	1	0.06	20	0.53	1305	3	0.02	32	1380	42	0.09	4	2	17
CC23670		<10	1	0.07	20	0.70	1685	4	0.02	45	1370	100	0.10	6	2	18
CC23671		<10	1	0.05	20	0.72	5710	1	0.02	28	3090	127	0.28	9	1	23
CC23672		<10	1	0.06	20	0.56	4230	2	0.02	27	1980	143	0.19	8	2	18
CC23673		<10	1	0.05	20	5.51	5680	4	0.02	248	1460	1150	0.10	32	2	46
CC23674		10	1	0.07	20	0.63	1360	1	0.02	29	1420	93	0.10	3	2	16
CC23675		<10	1	0.07	20	2.50	2560	1	0.02	45	930	126	0.10	5	2	31
CC23676		<10	1	0.07	40	1.21	9010	1	0.02	73	2360	486	0.23	11	1	26
CC23677		<10	1	0.05	20	5.45	2560	1	0.02	63	1310	543	0.11	9	1	45
CC23678		<10	1	0.02	20	9.54	2890	1	0.02	23	1180	152	0.09	5	<1	80
CC23679		<10	<1	0.03	10	11.15	1290	1	0.01	60	500	237	<0.01	6	1	83
CC23680		<10	<1	0.02	20	11.10	741	<1	0.02	23	640	96	<0.01	<2	1	64

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23641		<20	<0.01	<10	<10	7	10	473	<10	4	10
CC23642		<20	<0.01	<10	<10	4	<10	39	<10	5	<10
CC23643		<20	<0.01	<10	10	6	<10	76	<10	4	<10
CC23644		<20	0.01	<10	<10	8	<10	80	<10	6	<10
CC23645		<20	<0.01	<10	10	3	<10	87	<10	5	<10
CC23646		<20	0.01	<10	<10	10	10	63	<10	4	10
CC23647		<20	0.02	<10	<10	9	<10	60	<10	4	<10
CC23648		<20	0.02	<10	<10	19	<10	147	<10	4	10
CC23649		<20	0.01	<10	<10	27	<10	513	<10	4	10
CC23650		<20	0.01	<10	<10	12	<10	340	<10	4	10
CC23651		<20	0.05	<10	<10	53	<10	66	<10	5	<10
CC23652		<20	0.03	<10	<10	59	<10	94	<10	5	<10
CC23653		<20	0.04	<10	<10	60	<10	95	<10	6	10
CC23654		<20	0.01	<10	<10	19	<10	13	<10	5	<10
CC23655		<20	0.03	<10	<10	64	<10	93	<10	5	10
CC23656		<20	0.02	<10	<10	73	10	194	<10	6	10
CC23657		<20	0.03	<10	<10	73	10	308	<10	5	10
CC23658		<20	0.02	<10	<10	79	110	500	<10	6	100
CC23659		<20	0.02	<10	<10	54	10	366	<10	6	10
CC23660		<20	0.04	<10	<10	64	<10	334	<10	6	10
CC23661		<20	0.03	<10	<10	63	<10	372	<10	7	10
CC23662		<20	0.02	<10	<10	72	<10	690	<10	8	10
CC23663		<20	0.02	<10	<10	58	10	527	<10	8	10
CC23664		<20	0.03	<10	<10	63	<10	475	<10	6	10
CC23665		<20	0.03	<10	<10	63	10	464	<10	7	10
CC23666		<20	0.02	<10	<10	55	<10	213	<10	7	10
CC23667		<20	0.02	<10	10	57	10	282	<10	7	10
CC23668		<20	0.01	<10	<10	65	<10	476	<10	9	10
CC23669		<20	0.03	<10	<10	66	<10	181	<10	6	10
CC23670		<20	0.03	<10	<10	73	<10	335	<10	7	10
CC23671		<20	0.02	<10	<10	58	<10	216	<10	8	10
CC23672		<20	0.02	<10	<10	53	<10	293	<10	5	10
CC23673		<20	0.02	<10	<10	69	20	2930	<10	6	50
CC23674		<20	0.02	<10	<10	79	<10	272	<10	5	10
CC23675		<20	0.02	<10	<10	56	<10	646	<10	6	10
CC23676		<20	0.02	<10	<10	92	<10	1360	<10	7	20
CC23677		<20	0.01	<10	<10	61	<10	1130	<10	5	20
CC23678		<20	<0.01	<10	<10	31	10	624	<10	5	10
CC23679		<20	0.01	<10	<10	22	10	1090	<10	5	20
CC23680		<20	0.01	<10	<10	14	<10	338	<10	4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23681	0.24	<0.001	<0.2	0.21	12	<10	160	<0.5	3	19.0	0.7	2	4	15	0.54
CC23682	0.26	<0.001	<0.2	0.28	4	<10	100	<0.5	<2	17.2	0.9	2	4	7	0.43
CC23683	0.20	<0.001	<0.2	0.49	6	<10	110	<0.5	<2	17.7	<0.5	2	5	7	0.67
CC23684	0.20	0.002	0.5	0.15	6	<10	80	<0.5	<2	18.5	<0.5	2	2	5	0.48
CC23685	0.26	<0.001	0.7	0.48	8	<10	310	<0.5	<2	14.7	2.9	2	5	13	0.87
CC23686	0.22	<0.001	<0.2	0.42	3	<10	110	<0.5	<2	16.4	0.5	1	5	9	0.91
CC23687	0.24	0.001	0.4	0.23	6	<10	80	<0.5	<2	18.4	<0.5	1	2	7	0.50
CC23688	0.24	0.004	0.5	0.13	5	<10	40	<0.5	2	18.0	<0.5	1	1	13	0.58
CC23689	0.26	<0.001	0.5	0.64	22	<10	90	<0.5	10	16.1	<0.5	5	8	21	1.39
CC23690	0.24	<0.001	<0.2	0.93	4	<10	120	<0.5	<2	15.6	<0.5	3	11	8	0.89
CC23691	0.22	<0.001	0.3	0.42	7	<10	150	<0.5	<2	17.6	<0.5	2	7	6	0.64
CC23692	0.30	0.001	<0.2	0.30	8	<10	140	<0.5	<2	18.3	<0.5	2	5	8	0.50
CC23693	0.16	<0.001	<0.2	0.79	<2	<10	120	<0.5	<2	12.10	1.0	3	8	11	0.90
CC23694	0.28	<0.001	<0.2	1.83	9	<10	190	0.5	<2	0.33	<0.5	8	27	11	2.80
CC23695	0.32	<0.001	<0.2	2.05	11	<10	160	0.8	<2	0.31	<0.5	8	22	21	2.51
CC23696	0.26	<0.001	<0.2	1.53	4	<10	160	0.5	<2	0.32	<0.5	6	23	16	2.45
CC23697	0.20	<0.001	<0.2	1.40	9	<10	80	<0.5	<2	0.07	<0.5	5	27	13	2.89
CC23698	0.16	<0.001	<0.2	1.17	7	<10	150	0.6	2	0.16	<0.5	11	23	47	3.21
CC23699	0.22	<0.001	<0.2	1.09	6	<10	100	0.5	2	0.11	<0.5	5	22	19	2.90
CC23700	0.28	<0.001	0.3	1.50	15	<10	250	0.9	<2	0.12	1.0	8	28	24	2.94
CC23701	0.28	<0.001	<0.2	1.68	12	<10	250	0.5	<2	0.13	<0.5	8	30	12	2.71
CC23702	0.22	0.001	0.2	1.32	8	<10	160	0.8	<2	0.10	<0.5	7	22	56	2.88
CC23703	0.24	0.004	4.0	1.55	24	<10	230	1.1	5	2.55	4.7	11	26	43	2.86
CC23704	0.28	0.001	0.9	1.66	23	<10	320	0.8	<2	1.22	5.3	9	28	22	3.27
CC23705	0.18	0.002	1.4	1.80	18	<10	220	0.7	3	0.85	2.9	9	31	23	2.91
CC23706	0.22	<0.001	1.1	1.06	20	<10	130	<0.5	6	9.00	2.6	6	17	20	1.85
CC23707	0.26	0.002	0.9	0.87	19	<10	110	<0.5	4	12.00	2.6	6	16	19	1.66
CC23708	0.20	<0.001	1.4	1.63	23	<10	180	0.6	3	5.15	2.7	10	27	20	2.52
CC23709	0.26	<0.001	0.6	1.44	9	<10	180	0.6	6	3.43	1.6	9	27	35	2.87
CC23710	0.18	<0.001	0.6	1.01	8	<10	150	0.5	5	10.60	5.1	6	19	25	1.64
CC23711	0.22	<0.001	0.3	1.25	16	<10	160	0.6	5	4.73	1.8	7	22	30	2.10
CC23712	0.18	<0.001	0.7	1.50	24	<10	210	0.8	8	7.15	1.9	9	23	28	2.24
CC23713	0.22	<0.001	0.2	1.99	17	<10	210	0.7	3	1.37	1.0	10	28	15	2.91
CC23714	0.20	<0.001	0.6	2.25	20	<10	290	1.0	4	1.32	1.9	11	32	21	3.09
CC23715	0.16	<0.001	0.3	2.37	13	<10	310	1.0	7	1.14	3.2	13	31	23	3.04
CC23716	0.18	<0.001	0.7	1.96	24	<10	260	0.8	3	2.88	3.0	10	28	27	2.78
CC23717	0.26	<0.001	0.4	1.36	15	<10	160	0.5	5	7.66	0.9	7	22	18	1.99
CC23718	0.24	0.001	0.3	1.40	14	<10	250	0.6	8	6.51	1.6	7	21	18	2.37
CC23719	0.18	0.001	1.1	1.21	31	<10	240	0.7	12	9.27	4.3	8	17	26	2.32
CC23720	0.14	0.001	2.6	0.95	21	<10	300	0.8	7	11.45	2.9	5	16	25	2.12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23681		<10	<1	0.02	10	11.65	1065	<1	0.01	18	660	76	<0.01	3	<1	78
CC23682		<10	1	0.02	10	10.75	916	<1	0.03	7	600	38	<0.01	3	<1	102
CC23683		<10	1	0.02	10	11.60	1290	2	0.01	10	560	34	<0.01	<2	<1	103
CC23684		<10	<1	0.02	10	11.80	1070	<1	0.01	7	220	46	<0.01	3	<1	63
CC23685		<10	2	0.03	10	9.09	2220	1	0.03	11	630	344	0.11	5	<1	81
CC23686		<10	<1	0.03	10	10.50	1260	1	0.01	5	410	27	0.04	3	1	77
CC23687		<10	<1	0.03	<10	11.80	813	1	0.01	5	260	20	<0.01	3	<1	68
CC23688		<10	<1	0.02	<10	11.55	1010	1	0.01	3	180	15	<0.01	4	<1	48
CC23689		<10	<1	0.07	10	10.75	462	2	0.01	22	290	23	0.05	2	1	90
CC23690		<10	<1	0.10	10	11.00	288	1	0.01	17	390	17	0.04	<2	2	103
CC23691		<10	1	0.03	10	11.45	742	1	0.01	13	280	25	<0.01	2	1	106
CC23692		<10	<1	0.06	10	11.90	641	1	0.01	10	170	29	<0.01	<2	1	94
CC23693		<10	<1	0.05	10	7.22	1030	1	0.02	14	550	34	0.09	<2	1	45
CC23694		10	<1	0.06	10	0.48	314	1	0.01	22	420	17	0.01	3	3	16
CC23695		10	2	0.04	10	0.33	443	1	0.02	30	810	15	0.03	<2	2	20
CC23696		10	<1	0.06	10	0.35	389	2	0.02	26	840	17	0.08	2	1	19
CC23697		10	1	0.06	10	0.25	268	3	0.01	17	420	17	0.04	<2	1	8
CC23698		<10	<1	0.06	10	0.42	788	4	0.02	39	530	23	0.04	2	1	10
CC23699		10	<1	0.05	10	0.29	413	3	0.01	27	630	26	0.05	<2	1	7
CC23700		10	1	0.06	10	0.35	693	3	0.01	45	620	48	0.03	2	1	9
CC23701		10	<1	0.09	10	0.39	1065	4	0.02	18	780	18	0.05	<2	1	12
CC23702		<10	<1	0.06	10	0.29	383	6	0.01	29	700	47	0.05	5	1	9
CC23703		<10	1	0.07	20	1.79	1370	9	0.02	47	1180	455	0.06	45	2	27
CC23704		<10	1	0.06	20	0.63	1570	10	0.02	46	1300	114	0.09	10	2	20
CC23705		<10	<1	0.08	20	0.67	796	6	0.03	39	960	202	0.08	12	2	21
CC23706		<10	1	0.06	10	5.55	782	13	0.02	32	780	154	0.06	13	1	50
CC23707		<10	1	0.05	10	7.64	674	24	0.02	28	700	126	0.04	15	1	60
CC23708		<10	<1	0.07	20	3.23	799	15	0.02	33	890	153	0.07	19	2	37
CC23709		<10	1	0.06	20	2.05	1535	8	0.02	35	1230	65	0.10	8	1	24
CC23710		<10	<1	0.05	20	6.55	1515	3	0.02	17	1460	76	0.08	11	1	47
CC23711		<10	<1	0.05	20	2.70	1145	2	0.02	30	1480	67	0.11	9	1	30
CC23712		<10	<1	0.07	20	4.47	1435	3	0.02	62	1430	79	0.08	6	1	43
CC23713		10	<1	0.07	20	0.94	524	2	0.02	27	820	50	0.06	2	2	17
CC23714		10	1	0.09	20	1.15	1980	2	0.02	37	1510	112	0.11	12	2	20
CC23715		10	2	0.07	30	0.77	4050	2	0.02	35	2200	74	0.16	6	2	20
CC23716		<10	<1	0.08	20	1.89	2100	2	0.02	27	1410	251	0.11	22	2	27
CC23717		<10	1	0.06	20	4.83	931	1	0.02	22	820	68	0.05	3	2	42
CC23718		<10	1	0.05	20	4.11	2010	1	0.02	32	1040	59	0.09	3	1	35
CC23719		<10	1	0.06	20	5.76	2670	1	0.02	49	1240	211	0.10	7	1	48
CC23720		<10	2	0.04	30	6.74	4810	<1	0.03	28	1920	181	0.16	7	<1	43

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23681		<20	<0.01	<10	<10	8	10	277	<10	4	<10
CC23682		<20	<0.01	<10	<10	13	<10	161	<10	<4	<10
CC23683		<20	0.01	<10	<10	12	<10	133	<10	5	<10
CC23684		<20	<0.01	<10	<10	6	<10	170	<10	4	<10
CC23685		<20	0.01	<10	<10	14	10	575	<10	4	10
CC23686		<20	0.01	<10	<10	12	10	116	<10	4	<10
CC23687		<20	<0.01	<10	<10	7	10	90	<10	5	10
CC23688		<20	<0.01	<10	<10	4	20	70	<10	5	20
CC23689		<20	0.01	<10	<10	14	30	154	<10	5	30
CC23690		<20	0.02	<10	<10	14	10	122	<10	4	10
CC23691		<20	0.01	<10	<10	11	<10	233	<10	<4	10
CC23692		<20	0.01	<10	<10	10	<10	243	<10	4	10
CC23693		<20	0.02	<10	<10	18	<10	359	<10	4	<10
CC23694		<20	0.04	<10	<10	51	<10	79	<10	5	<10
CC23695		<20	0.03	<10	<10	39	<10	86	<10	5	<10
CC23696		<20	0.03	<10	<10	46	<10	80	<10	5	<10
CC23697		<20	0.04	<10	<10	64	<10	70	<10	5	10
CC23698		<20	0.03	<10	<10	48	30	237	<10	5	40
CC23699		<20	0.03	<10	<10	54	20	215	<10	5	20
CC23700		<20	0.03	<10	<10	56	10	394	<10	6	10
CC23701		<20	0.03	<10	<10	63	<10	116	<10	6	10
CC23702		<20	0.03	<10	<10	56	50	153	<10	6	40
CC23703		<20	0.03	<10	<10	72	10	724	<10	6	20
CC23704		<20	0.03	<10	<10	81	<10	507	<10	8	10
CC23705		<20	0.03	<10	<10	69	<10	484	<10	7	10
CC23706		<20	0.02	<10	<10	45	<10	379	<10	6	10
CC23707		<20	0.02	<10	<10	44	<10	389	<10	6	10
CC23708		<20	0.02	<10	<10	67	<10	371	<10	5	10
CC23709		<20	0.02	<10	<10	78	10	270	<10	7	10
CC23710		<20	0.02	<10	<10	50	<10	535	<10	7	10
CC23711		<20	0.02	<10	<10	49	10	305	<10	8	10
CC23712		<20	0.02	<10	<10	64	10	374	<10	6	10
CC23713		<20	0.03	<10	<10	61	<10	218	<10	6	10
CC23714		<20	0.03	<10	<10	72	<10	345	<10	6	10
CC23715		<20	0.02	<10	<10	76	<10	330	<10	12	10
CC23716		<20	0.03	<10	<10	62	<10	433	<10	7	10
CC23717		<20	0.02	<10	<10	53	<10	213	<10	5	10
CC23718		<20	0.02	<10	<10	47	<10	401	<10	5	10
CC23719		<20	0.01	<10	<10	45	10	787	<10	5	20
CC23720		<20	0.01	<10	<10	52	<10	649	<10	4	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23721		0.20	<0.001	0.9	0.33	20	<10	150	<0.5	3	16.5	1.6	2	6	15	0.71
CC23722		0.28	0.001	<0.2	0.27	20	<10	70	<0.5	3	18.4	0.5	1	7	21	0.52
CC23723		0.30	<0.001	1.1	1.17	85	<10	930	1.5	10	15.1	7.7	16	8	95	4.49
CC23724		0.28	<0.001	0.2	0.80	14	10	140	0.6	<2	15.8	0.6	2	15	21	1.17
CC23725		0.20	0.002	<0.2	0.23	2	<10	200	<0.5	<2	19.1	<0.5	<1	3	4	0.45
CC23726		0.22	<0.001	<0.2	0.15	<2	<10	20	<0.5	<2	19.7	<0.5	<1	1	3	0.16
CC23727		0.26	0.004	0.3	0.03	2	<10	150	<0.5	<2	20.0	<0.5	<1	1	1	0.49
CC23728		0.24	0.002	0.6	0.14	6	<10	40	<0.5	<2	19.4	<0.5	<1	2	4	0.36
CC23729		0.30	0.001	0.2	0.19	4	<10	170	<0.5	<2	19.5	0.6	<1	3	5	0.37
CC23730		0.22	<0.001	0.6	0.40	8	<10	140	<0.5	2	13.9	0.7	1	4	14	0.88
CC23731		0.24	0.004	0.8	0.28	3	<10	80	0.7	10	17.6	<0.5	<1	4	18	1.02
CC23732		0.24	0.002	<0.2	0.27	7	<10	40	<0.5	<2	18.3	<0.5	<1	3	4	0.51
CC23733		0.36	0.001	0.5	0.57	7	<10	110	<0.5	<2	17.6	<0.5	<1	7	9	0.66
CC23734		0.24	<0.001	<0.2	0.88	6	<10	140	<0.5	<2	14.9	<0.5	1	10	11	0.84
CC23735		0.34	0.001	0.2	0.69	5	<10	210	<0.5	<2	16.6	2.5	2	9	11	0.88
CC23736		0.36	0.009	1.3	0.46	14	<10	1540	<0.5	<2	17.6	3.7	3	9	29	1.48
CC23737		0.16	0.003	0.2	1.42	5	<10	110	0.5	<2	2.69	0.5	5	11	19	1.42
CC23738		0.16	<0.001	0.2	1.92	9	<10	240	0.6	<2	0.48	<0.5	8	28	17	2.67
CC23739		0.22	0.002	0.2	2.57	8	<10	60	0.9	<2	0.78	0.7	7	11	20	2.58
CC23740		0.22	0.001	<0.2	1.77	6	<10	150	0.6	<2	0.18	<0.5	6	25	17	3.04
CC23741		0.20	<0.001	<0.2	1.05	11	<10	90	0.5	2	0.10	<0.5	4	19	28	2.68
CC23742		0.28	0.004	0.2	1.81	10	<10	200	0.9	<2	0.19	<0.5	7	29	39	3.02
CC23743		0.16	0.003	0.2	1.03	8	<10	210	0.5	2	1.43	3.6	5	19	16	1.84
CC23744		0.26	0.002	<0.2	1.62	13	<10	200	0.8	<2	0.16	0.8	9	27	27	2.97
CC23745		0.18	<0.001	<0.2	0.65	9	<10	210	<0.5	<2	0.14	1.0	9	13	12	1.68
CC23746		0.26	0.003	0.3	1.79	19	<10	240	1.3	4	0.32	0.7	12	30	47	3.82
CC23747		0.14	0.003	0.5	1.59	22	<10	190	0.6	5	0.63	1.6	8	29	23	3.03
CC23748		0.20	0.001	0.9	1.72	21	<10	220	0.7	5	0.98	3.8	9	28	24	2.90
CC23749		0.14	0.002	1.3	1.50	15	<10	210	0.6	4	1.26	5.4	8	26	22	2.70
CC23750		0.26	0.004	1.0	1.46	21	<10	170	0.6	4	3.62	2.7	8	26	25	2.70
CC23751		0.18	0.002	1.3	1.86	17	<10	180	0.6	3	1.19	3.3	10	28	24	3.03
CC23752		0.16	0.004	0.2	1.10	5	<10	170	<0.5	2	2.27	3.1	7	17	17	1.75
CC23753		0.14	0.001	0.6	2.11	9	<10	170	0.7	8	0.77	4.2	10	33	26	3.64
CC23754		0.14	0.004	0.3	1.07	26	<10	180	0.8	3	7.04	6.8	5	16	32	2.38
CC23755		0.20	0.002	2.7	0.63	39	<10	370	0.7	4	13.7	9.1	5	11	28	2.90
CC23756		0.22	0.002	<0.2	0.66	16	<10	130	0.5	<2	15.6	7.1	3	10	17	1.33
CC23757		0.20	NSS	0.2	1.35	6	<10	220	0.6	2	2.34	2.3	8	18	15	1.95
CC23758		0.18	NSS	<0.2	0.86	5	<10	130	<0.5	2	1.84	1.2	6	14	16	1.30
CC23759		0.14	0.001	<0.2	1.58	16	<10	210	<0.5	2	1.13	0.7	9	23	13	2.42
CC23760		0.16	0.003	0.4	1.92	16	<10	210	0.6	2	1.02	1.0	8	28	15	2.99

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23721		<10	<1	0.02	20	10.25	1685	1	0.02	13	900	89	0.07	4	<1	72
CC23722		<10	<1	0.03	10	11.05	675	1	0.01	14	630	40	<0.01	<2	<1	64
CC23723		<10	<1	0.03	20	9.43	6520	4	0.01	272	550	836	0.03	21	2	47
CC23724		<10	<1	0.06	20	6.52	759	1	0.01	18	1500	17	0.09	<2	<1	56
CC23725		<10	<1	0.02	<10	11.85	710	1	0.01	8	510	10	<0.01	<2	<1	87
CC23726		<10	<1	0.02	<10	12.30	122	1	0.01	4	200	4	<0.01	<2	<1	83
CC23727		<10	<1	0.01	<10	12.45	953	1	0.01	3	120	44	<0.01	<2	<1	117
CC23728		<10	<1	0.03	<10	12.15	586	<1	0.01	1	140	19	<0.01	<2	<1	56
CC23729		<10	1	0.05	<10	12.40	793	1	0.01	4	200	155	<0.01	2	1	99
CC23730		<10	<1	0.04	<10	8.28	1375	<1	0.01	8	570	27	0.07	4	<1	55
CC23731		<10	<1	0.05	<10	11.10	1555	2	0.01	11	280	24	<0.01	6	1	77
CC23732		<10	<1	0.03	<10	11.60	733	2	0.01	4	270	6	<0.01	2	<1	70
CC23733		<10	<1	0.07	10	11.60	387	1	0.01	20	250	20	<0.01	2	1	99
CC23734		<10	1	0.10	10	9.79	467	2	0.02	13	540	14	0.07	<2	1	83
CC23735		<10	<1	0.12	10	11.25	1445	3	0.01	18	260	75	<0.01	<2	1	77
CC23736		<10	<1	0.09	10	11.55	1775	4	0.02	19	150	140	<0.01	2	1	96
CC23737		<10	<1	0.04	10	0.26	734	2	0.04	15	1220	10	0.18	<2	<1	75
CC23738		10	<1	0.07	10	0.48	403	2	0.02	24	750	14	0.05	<2	3	23
CC23739		10	1	0.04	10	0.11	307	2	0.02	36	1010	12	0.06	<2	1	34
CC23740		10	<1	0.08	10	0.38	314	2	0.01	27	570	18	0.04	<2	1	13
CC23741		<10	<1	0.05	10	0.24	216	3	0.01	35	420	23	0.02	2	1	6
CC23742		<10	<1	0.07	20	0.51	304	2	0.01	32	660	19	0.03	2	3	14
CC23743		<10	1	0.05	10	0.20	513	2	0.01	24	1350	15	0.14	<2	1	20
CC23744		<10	<1	0.08	10	0.44	582	2	0.01	41	630	25	0.03	2	2	11
CC23745		<10	<1	0.10	10	0.07	1080	7	0.01	10	370	27	0.04	3	<1	9
CC23746		10	1	0.07	10	0.50	1035	8	0.01	38	870	183	0.04	25	1	13
CC23747		<10	<1	0.08	10	0.54	537	5	0.02	31	930	133	0.06	14	2	16
CC23748		<10	1	0.08	20	0.58	922	7	0.02	32	1320	191	0.09	13	2	18
CC23749		<10	<1	0.08	20	0.68	927	4	0.02	30	1110	196	0.08	14	2	20
CC23750		<10	<1	0.08	20	2.48	823	9	0.02	37	990	145	0.04	13	3	31
CC23751		10	<1	0.09	20	0.74	1085	5	0.02	28	1160	287	0.10	25	2	18
CC23752		<10	<1	0.06	10	0.64	1555	4	0.02	14	1900	47	0.23	5	1	22
CC23753		10	<1	0.08	20	0.78	1700	11	0.02	35	1860	293	0.13	19	2	18
CC23754		<10	<1	0.07	20	3.90	1795	2	0.02	64	1220	682	0.15	10	1	41
CC23755		<10	<1	0.04	30	8.04	5510	1	0.01	68	1300	527	0.12	4	1	42
CC23756		<10	<1	0.05	20	9.45	885	1	0.01	46	590	155	0.04	3	1	58
CC23757		<10	<1	0.04	20	0.63	2680	6	0.02	18	2440	42	0.25	2	1	21
CC23758		<10	<1	0.03	10	0.39	810	4	0.02	17	1390	35	0.20	2	1	15
CC23759		<10	<1	0.05	10	0.47	1380	2	0.02	16	1670	33	0.14	<2	1	14
CC23760		<10	<1	0.06	20	0.58	932	1	0.02	18	1280	53	0.10	3	1	15

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23721		<20	<0.01	<10	<10	25	<10	404	<10	5	10
CC23722		<20	0.01	<10	10	18	10	161	<10	5	10
CC23723		<20	0.02	20	<10	47	40	3500	<10	5	70
CC23724		<20	0.01	<10	<10	23	10	126	<10	5	10
CC23725		<20	<0.01	<10	10	10	<10	69	<10	4	<10
CC23726		<20	<0.01	<10	10	2	<10	25	<10	4	<10
CC23727		<20	<0.01	<10	10	2	<10	199	<10	4	<10
CC23728		<20	<0.01	<10	10	4	<10	72	<10	4	<10
CC23729		<20	<0.01	<10	10	7	10	186	<10	5	10
CC23730		<20	0.01	<10	10	11	10	191	<10	6	10
CC23731		<20	0.01	<10	10	8	10	96	<10	6	20
CC23732		<20	<0.01	<10	<10	7	<10	52	<10	5	<10
CC23733		<20	0.01	<10	<10	10	<10	158	<10	<4	10
CC23734		<20	0.02	<10	<10	19	<10	123	<10	5	<10
CC23735		<20	0.02	<10	<10	16	<10	759	<10	<4	10
CC23736		<20	0.01	<10	<10	16	10	979	<10	4	10
CC23737		<20	0.01	<10	<10	13	<10	102	<10	4	<10
CC23738		<20	0.03	<10	<10	50	<10	87	<10	5	<10
CC23739		<20	0.02	<10	<10	16	<10	122	<10	5	<10
CC23740		<20	0.04	<10	<10	54	<10	142	<10	5	10
CC23741		<20	0.03	<10	<10	49	20	268	<10	5	30
CC23742		<20	0.04	<10	<10	50	10	134	<10	7	10
CC23743		<20	0.02	<10	<10	36	<10	202	<10	5	<10
CC23744		<20	0.04	<10	<10	54	10	261	<10	6	10
CC23745		<20	0.03	<10	<10	70	10	77	<10	7	10
CC23746		<20	0.03	<10	<10	77	40	338	<10	6	40
CC23747		<20	0.03	<10	<10	64	10	386	<10	6	10
CC23748		<20	0.03	<10	<10	60	<10	440	<10	7	10
CC23749		<20	0.03	<10	<10	61	<10	554	<10	8	10
CC23750		<20	0.04	<10	<10	64	<10	432	<10	6	10
CC23751		<20	0.03	<10	<10	68	<10	435	<10	9	10
CC23752		<20	0.02	<10	<10	49	<10	184	<10	7	10
CC23753		<20	0.03	<10	<10	82	10	1310	<10	11	20
CC23754		<20	0.02	<10	<10	70	10	1210	<10	5	20
CC23755		<20	0.01	<10	<10	54	<10	1890	<10	5	20
CC23756		<20	0.01	<10	<10	26	<10	732	<10	4	10
CC23757		<20	0.02	<10	<10	50	<10	185	<10	8	10
CC23758		<20	0.02	<10	<10	29	<10	129	<10	5	<10
CC23759		<20	0.02	<10	<10	50	<10	151	<10	7	10
CC23760		<20	0.03	<10	<10	63	<10	328	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23761		0.20	0.002	0.3	1.50	20	<10	210	0.6	6	0.89	1.0	9	25	18	2.61
CC23762		0.24	0.001	<0.2	1.37	20	<10	180	0.5	9	0.43	0.5	8	26	21	2.74
CC23763		0.22	0.003	0.2	1.57	24	<10	190	0.5	5	0.78	0.9	9	27	21	2.67
CC23764		0.16	0.021	<0.2	1.47	14	<10	200	0.5	7	1.01	0.7	8	23	17	2.55
CC23765		0.14	0.002	0.7	1.64	56	<10	500	1.6	5	5.13	6.0	17	25	32	3.93
CC23766		0.12	0.002	0.3	0.96	18	<10	170	<0.5	2	7.60	2.2	5	14	18	1.80
CC23767		0.16	0.002	<0.2	1.50	15	<10	210	0.5	2	1.23	4.4	9	24	15	2.67
CC23768		0.16	0.002	0.9	1.24	29	<10	410	0.8	13	10.05	6.4	5	21	48	3.03
CC23769		0.18	0.004	2.3	0.53	25	<10	420	0.6	5	14.4	11.4	3	6	12	1.99
CC23770		0.24	0.005	<0.2	0.31	5	<10	50	<0.5	<2	18.8	<0.5	<1	4	4	0.34
CC23771		0.28	0.005	<0.2	0.47	4	<10	70	<0.5	<2	18.3	<0.5	<1	5	5	0.53
CC23772		0.32	0.001	0.2	0.29	3	<10	90	<0.5	<2	18.0	0.5	<1	3	5	0.47
CC23773		0.22	0.003	1.7	0.52	8	<10	270	1.9	10	16.1	1.1	1	5	21	1.19
CC23774		0.26	0.018	0.2	0.12	3	<10	60	<0.5	2	19.4	<0.5	<1	2	6	0.37
CC23775		0.24	0.007	0.5	0.21	9	<10	90	0.6	15	18.0	<0.5	<1	3	19	0.73
CC23776		0.22	0.001	<0.2	0.52	<2	<10	90	<0.5	<2	17.5	<0.5	<1	5	7	0.55
CC23777		0.24	0.002	<0.2	0.85	7	<10	140	<0.5	<2	15.0	<0.5	2	10	11	0.99
CC23778		0.16	<0.001	<0.2	0.91	5	<10	80	<0.5	<2	14.4	<0.5	1	9	6	0.71
CC23779		0.20	0.002	0.5	0.61	11	<10	530	0.5	<2	15.2	2.6	2	8	16	1.21
CC23780		0.18	0.003	<0.2	1.36	12	<10	90	0.6	2	1.80	0.5	6	20	16	1.83
CC23781		0.16	0.004	<0.2	1.06	7	<10	100	<0.5	2	2.04	<0.5	4	15	12	1.34
CC23782		0.20	0.003	<0.2	1.67	12	<10	100	0.6	<2	0.53	<0.5	7	20	16	2.28
CC23783		0.18	0.001	<0.2	1.46	8	<10	200	<0.5	2	0.23	0.5	5	22	10	2.09
CC23784		0.18	0.003	<0.2	1.46	9	<10	120	0.6	2	0.30	0.6	8	20	24	3.02
CC23785		0.24	0.002	<0.2	1.38	7	<10	210	0.6	2	0.28	0.6	7	24	23	2.52
CC23786		0.18	0.001	<0.2	1.05	10	<10	80	<0.5	2	0.06	<0.5	5	20	16	2.95
CC23787		0.18	0.001	0.2	1.32	5	<10	360	<0.5	<2	0.34	0.7	6	22	11	2.41
CC23788		0.18	<0.001	0.2	1.50	15	<10	310	0.7	4	0.60	2.4	9	24	22	3.09
CC23789		0.18	0.003	0.2	1.73	15	<10	190	0.9	3	0.45	1.1	8	32	25	3.52
CC23790		0.18	0.014	0.6	1.71	15	<10	200	0.9	5	0.55	2.5	8	28	26	3.09
CC23791		0.18	0.003	0.8	1.58	18	<10	210	0.8	7	0.76	3.9	11	28	30	3.08
CC23792		0.20	0.003	0.8	1.70	16	<10	250	0.7	4	0.95	2.0	9	27	23	2.82
CC23793		0.22	0.005	1.0	1.58	14	<10	250	0.7	3	3.08	3.0	9	27	29	2.84
CC23794		0.14	0.002	0.4	1.35	14	<10	160	<0.5	3	3.23	1.6	7	23	20	2.28
CC23795		0.22	0.002	0.5	1.53	14	<10	170	0.6	4	1.20	4.8	9	26	44	2.61
CC23796		0.22	0.005	0.5	1.53	16	<10	200	0.6	4	3.66	2.6	8	25	36	2.55
CC23797		0.12	<0.001	0.2	1.48	12	<10	190	0.5	3	1.35	1.7	7	22	17	1.99
CC23798		0.14	0.006	<0.2	1.75	15	<10	190	0.5	<2	1.52	0.5	8	31	14	2.70
CC23799		0.16	<0.001	0.2	1.48	16	<10	190	0.5	2	1.34	1.2	9	25	16	2.39
CC23800		0.16	0.003	<0.2	1.67	16	<10	220	<0.5	3	0.91	0.5	7	30	14	2.72

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23761		<10	<1	0.05	20	0.54	1630	1	0.02	25	1270	58	0.09	3	2	16
CC23762		<10	1	0.05	10	0.47	942	2	0.02	32	690	44	0.05	2	2	15
CC23763		<10	<1	0.05	20	0.47	1440	2	0.02	24	1460	53	0.11	3	2	14
CC23764		<10	<1	0.05	10	0.48	1210	1	0.02	21	1330	47	0.13	<2	1	16
CC23765		<10	<1	0.06	30	3.79	5760	6	0.02	207	2170	564	0.17	7	1	33
CC23766		<10	<1	0.06	10	4.52	1550	1	0.02	31	950	127	0.10	6	1	41
CC23767		<10	<1	0.07	20	0.64	1220	1	0.01	30	1410	77	0.11	<2	1	14
CC23768		<10	1	0.06	50	5.88	6080	1	0.02	42	2080	140	0.11	<2	1	46
CC23769		<10	<1	0.04	10	8.59	4900	2	0.01	59	690	367	0.07	9	1	98
CC23770		<10	<1	0.05	<10	12.10	208	2	0.01	6	250	9	<0.01	<2	1	125
CC23771		<10	<1	0.04	<10	11.70	515	1	0.01	10	410	22	<0.01	<2	<1	94
CC23772		<10	<1	0.03	<10	11.35	791	1	0.01	7	310	84	<0.01	<2	<1	65
CC23773		<10	<1	0.11	10	10.35	2120	2	0.01	20	500	122	<0.01	3	1	84
CC23774		<10	<1	0.02	<10	12.20	526	1	0.01	6	160	24	<0.01	<2	<1	64
CC23775		<10	<1	0.05	<10	11.40	798	3	0.01	10	200	25	<0.01	2	1	83
CC23776		<10	<1	0.05	10	11.30	520	1	0.01	10	400	9	<0.01	<2	1	90
CC23777		<10	<1	0.05	10	10.30	922	2	0.01	14	480	23	0.06	<2	1	83
CC23778		<10	<1	0.07	10	9.87	292	4	0.02	9	450	12	0.06	2	1	97
CC23779		<10	<1	0.05	10	9.95	1700	3	0.01	18	350	100	0.07	3	1	84
CC23780		<10	<1	0.04	10	0.34	540	1	0.03	20	1260	12	0.14	<2	1	54
CC23781		<10	<1	0.03	10	0.26	370	1	0.02	13	1130	9	0.15	<2	1	56
CC23782		<10	1	0.05	10	0.25	425	1	0.02	29	910	13	0.07	<2	1	20
CC23783		10	1	0.07	10	0.28	473	2	0.01	13	850	19	0.07	<2	1	13
CC23784		<10	1	0.06	10	0.31	391	4	0.01	41	850	21	0.05	<2	1	14
CC23785		<10	<1	0.07	10	0.43	491	3	0.01	27	830	22	0.06	<2	1	14
CC23786		10	<1	0.06	10	0.16	270	4	0.01	18	510	26	0.04	2	1	8
CC23787		10	1	0.08	10	0.28	647	5	0.01	12	720	56	0.04	2	1	13
CC23788		10	1	0.08	10	0.41	1230	6	0.01	22	1170	100	0.07	9	1	14
CC23789		10	<1	0.08	10	0.50	678	7	0.01	28	1070	122	0.05	13	2	13
CC23790		<10	<1	0.07	10	0.52	678	7	0.02	36	1130	149	0.06	19	2	16
CC23791		<10	1	0.09	20	0.60	912	7	0.02	47	1150	162	0.07	13	3	18
CC23792		<10	1	0.07	20	0.62	809	5	0.02	35	1130	127	0.09	11	2	17
CC23793		<10	<1	0.08	20	2.05	1030	5	0.02	37	1160	160	0.06	14	2	28
CC23794		<10	1	0.07	10	1.95	772	6	0.03	27	910	76	0.10	7	2	25
CC23795		<10	1	0.06	20	0.73	1030	5	0.02	42	1220	89	0.11	8	2	19
CC23796		<10	<1	0.06	20	2.15	1080	5	0.02	29	1460	77	0.11	7	2	25
CC23797		<10	1	0.06	20	0.47	1080	3	0.02	21	1800	85	0.18	4	1	18
CC23798		<10	1	0.07	20	1.01	698	6	0.02	24	1220	19	0.10	<2	2	16
CC23799		<10	<1	0.06	20	0.54	1210	2	0.02	26	2050	62	0.16	6	1	15
CC23800		<10	1	0.07	10	0.52	1490	2	0.02	15	2100	64	0.13	3	2	14

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 26-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070024

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23761		<20	0.02	<10	<10	55	10	178	<10	7	10
CC23762		<20	0.04	<10	<10	57	10	254	<10	6	10
CC23763		<20	0.02	<10	<10	61	<10	216	<10	6	10
CC23764		<20	0.02	<10	<10	54	<10	206	<10	5	10
CC23765		<20	0.02	<10	<10	81	10	1795	<10	8	20
CC23766		<20	0.02	<10	<10	33	<10	445	<10	4	10
CC23767		<20	0.02	<10	<10	53	<10	410	<10	6	10
CC23768		<20	0.01	<10	<10	46	<10	854	<10	4	10
CC23769		<20	0.01	<10	<10	15	30	1580	<10	5	40
CC23770		<20	0.01	<10	10	6	<10	46	<10	4	<10
CC23771		<20	0.01	<10	10	9	<10	119	<10	4	<10
CC23772		<20	0.01	<10	10	8	<10	129	<10	5	<10
CC23773		<20	0.01	<10	<10	13	20	376	<10	5	30
CC23774		<20	<0.01	<10	10	4	10	158	<10	6	<10
CC23775		<20	0.01	<10	10	7	20	125	<10	5	20
CC23776		<20	0.01	<10	<10	9	<10	93	<10	5	<10
CC23777		<20	0.02	<10	10	18	10	231	<10	5	10
CC23778		<20	0.02	<10	10	16	<10	92	<10	6	<10
CC23779		<20	0.01	<10	<10	17	<10	855	<10	5	10
CC23780		<20	0.01	<10	<10	30	<10	78	<10	5	<10
CC23781		<20	0.01	<10	<10	24	<10	54	<10	5	<10
CC23782		<20	0.02	<10	<10	30	<10	95	<10	6	<10
CC23783		<20	0.02	<10	<10	58	<10	58	<10	5	<10
CC23784		<20	0.02	<10	<10	39	10	182	<10	5	10
CC23785		<20	0.03	<10	<10	47	10	162	<10	6	10
CC23786		<20	0.03	<10	<10	67	10	94	<10	6	10
CC23787		<20	0.03	<10	<10	82	10	106	<10	6	20
CC23788		<20	0.03	<10	<10	70	30	285	<10	6	30
CC23789		<20	0.03	<10	<10	77	50	310	<10	6	50
CC23790		<20	0.03	<10	<10	68	10	371	<10	6	20
CC23791		<20	0.03	<10	<10	70	10	494	<10	6	20
CC23792		<20	0.03	<10	<10	62	10	324	<10	7	10
CC23793		<20	0.03	<10	<10	69	<10	399	<10	7	10
CC23794		<20	0.03	<10	<10	56	<10	230	<10	6	10
CC23795		<20	0.03	<10	<10	64	10	668	<10	9	20
CC23796		<20	0.02	<10	<10	57	20	438	<10	7	20
CC23797		<20	0.02	<10	<10	60	<10	224	<10	9	10
CC23798		<20	0.03	<10	<10	70	<10	218	<10	7	10
CC23799		<20	0.02	<10	<10	60	<10	218	<10	8	10
CC23800		<20	0.03	<10	<10	64	<10	174	<10	7	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **ATAC RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 27-JUL-2007
Account: RCM

CERTIFICATE VA07070023

Project: RAU

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23401		0.14	0.015	0.6	1.47	7	<10	370	0.6	<2	1.61	3.0	6	23	17	2.16
CC23402		0.16	0.001	0.5	1.98	7	<10	370	0.8	<2	0.91	4.7	9	28	24	2.81
CC23403		0.28	0.001	0.5	1.83	10	<10	380	0.9	<2	0.89	2.7	9	27	23	2.79
CC23404		0.16	0.001	0.8	1.82	11	<10	540	0.9	<2	0.69	1.3	9	28	26	2.95
CC23405		0.22	0.001	0.2	1.97	8	<10	370	0.7	<2	0.41	1.9	8	29	15	2.85
CC23406		0.20	0.001	0.2	1.96	9	<10	2820	1.4	2	0.34	0.5	9	32	16	2.81
CC23407		0.16	<0.001	0.2	1.83	14	<10	340	0.5	<2	0.57	2.5	9	27	13	2.66
CC23408		0.22	0.008	0.8	1.90	11	<10	500	0.8	<2	0.66	1.5	9	29	21	2.77
CC23409		0.24	0.008	0.6	1.84	6	<10	560	0.7	<2	0.86	2.8	8	28	19	2.54
CC23410		0.26	<0.001	0.4	1.38	10	<10	280	0.5	<2	0.31	1.1	5	25	13	2.22
CC23411		0.20	<0.001	0.4	1.07	8	<10	230	<0.5	<2	0.30	4.9	4	21	14	1.59
CC23412		0.18	<0.001	0.6	1.78	7	<10	290	0.5	<2	0.60	2.8	8	36	15	2.61
CC23413		0.26	0.003	0.6	1.24	9	<10	340	0.8	<2	0.67	3.4	6	22	19	2.14
CC23414		0.08	NSS	0.6	0.36	<2	<10	200	<0.5	<2	1.66	4.8	2	6	7	0.58
CC23416		0.16	<0.001	0.2	1.23	2	<10	80	0.5	<2	17.0	<0.5	3	12	20	0.87
CC23417		0.26	0.001	<0.2	1.05	2	<10	70	1.1	2	16.4	<0.5	3	10	16	0.88
CC23418		0.20	<0.001	<0.2	1.48	8	<10	80	0.5	<2	16.1	<0.5	3	15	17	1.01
CC23419		0.14	<0.001	0.2	1.83	3	<10	110	0.6	<2	7.84	<0.5	5	20	16	1.71
CC23420		0.18	<0.001	<0.2	0.63	<2	<10	110	<0.5	<2	15.8	<0.5	1	7	6	0.59
CC23421		0.14	<0.001	<0.2	2.36	4	<10	290	0.9	<2	0.79	<0.5	10	33	19	3.16
CC23422		0.12	<0.001	<0.2	2.13	8	<10	230	0.8	3	4.17	1.1	10	26	17	2.79
CC23423		0.22	<0.001	0.3	0.32	8	<10	70	<0.5	<2	17.3	<0.5	2	4	5	0.48
CC23424		0.14	<0.001	<0.2	2.93	12	<10	370	1.5	4	0.90	0.8	12	37	22	3.81
CC23425		0.30	0.022	<0.2	0.12	4	<10	40	<0.5	3	18.6	<0.5	1	1	15	0.47
CC23426		0.24	<0.001	<0.2	0.46	5	<10	90	<0.5	<2	17.3	<0.5	2	7	6	0.53
CC23427		0.22	<0.001	<0.2	0.63	<2	<10	120	<0.5	<2	15.8	<0.5	2	7	5	0.61
CC23428		0.22	<0.001	0.2	0.18	8	<10	70	0.5	<2	17.8	<0.5	2	3	3	0.55
CC23429		0.16	<0.001	0.2	1.19	8	<10	110	0.6	<2	10.30	<0.5	5	15	12	1.51
CC23430		Not Recvd														
CC23431		0.22	0.005	0.5	0.57	16	<10	70	0.8	3	13.30	<0.5	3	8	22	1.14
CC23432		0.14	0.003	0.6	1.47	9	<10	240	0.9	6	1.52	1.1	7	22	20	2.32
CC23433		0.24	0.006	<0.2	1.79	9	<10	250	0.5	<2	0.19	<0.5	8	29	14	2.91
CC23434		0.08	NSS	0.5	0.33	<2	<10	120	<0.5	<2	2.62	2.0	2	5	8	0.53
CC23435		0.12	0.001	0.4	1.50	11	<10	290	0.8	<2	1.16	1.5	8	26	20	2.67
CC23436		0.16	0.002	<0.2	1.81	17	<10	250	0.8	<2	0.55	2.1	9	31	17	3.10
CC23437		0.20	<0.001	0.4	1.28	7	<10	360	<0.5	<2	0.45	0.5	7	21	13	2.11
CC23438		0.22	<0.001	<0.2	1.71	9	<10	320	0.5	<2	0.44	2.1	9	27	12	2.98
CC23439		0.14	<0.001	<0.2	1.12	11	<10	250	<0.5	<2	0.14	1.9	5	20	11	1.99
CC23440		0.16	<0.001	0.3	1.22	8	<10	340	<0.5	<2	0.46	2.7	5	22	10	1.91
CC23441		0.10	0.001	0.8	1.49	20	<10	260	1.0	2	1.67	4.8	9	26	37	2.48

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 27-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23401		<10	<1	0.11	10	0.62	496	2	0.03	20	910	37	0.08	3	2	27
CC23402		<10	<1	0.10	20	0.69	1120	2	0.02	24	800	48	0.03	<2	3	20
CC23403		<10	<1	0.11	20	0.70	944	3	0.02	29	670	53	0.05	<2	3	20
CC23404		<10	<1	0.11	20	0.63	958	2	0.02	29	690	58	0.03	<2	3	19
CC23405		10	<1	0.10	10	0.51	680	2	0.02	22	510	44	0.02	2	2	15
CC23406		10	<1	0.10	10	0.67	512	3	0.02	30	390	101	0.06	2	3	21
CC23407		<10	<1	0.08	10	0.60	769	2	0.02	21	690	27	0.04	<2	2	17
CC23408		10	<1	0.09	10	0.64	982	2	0.02	24	820	73	0.03	3	3	18
CC23409		10	<1	0.07	10	0.60	641	2	0.02	24	790	62	0.04	3	3	19
CC23410		<10	<1	0.07	10	0.46	294	4	0.02	23	560	46	0.02	4	2	12
CC23411		10	<1	0.08	10	0.23	252	3	0.02	13	580	24	0.03	2	1	13
CC23412		10	<1	0.08	10	0.65	394	2	0.02	20	540	26	0.03	<2	2	17
CC23413		<10	<1	0.06	10	0.38	603	4	0.01	18	940	57	0.04	4	2	16
CC23414		<10	1	0.05	10	0.17	175	4	0.02	4	920	9	0.13	<2	1	23
CC23416		10	<1	0.39	10	7.66	233	1	0.04	12	160	5	0.05	<2	2	142
CC23417		<10	<1	0.18	10	7.10	291	<1	0.04	12	240	8	0.03	2	2	133
CC23418		10	<1	0.27	10	7.60	256	<1	0.04	14	220	6	0.05	<2	2	136
CC23419		10	<1	0.11	20	6.15	392	2	0.03	21	720	16	0.06	<2	2	47
CC23420		<10	<1	0.07	10	10.25	169	2	0.02	9	330	12	0.03	3	1	69
CC23421		<10	<1	0.13	20	1.26	662	3	0.03	32	590	25	0.04	<2	4	20
CC23422		<10	1	0.13	10	3.35	1570	3	0.03	24	660	27	0.06	<2	3	30
CC23423		<10	1	0.03	10	10.65	257	1	0.01	6	280	5	<0.01	<2	1	92
CC23424		10	<1	0.13	20	1.59	1500	4	0.02	33	640	26	0.06	<2	5	19
CC23425		<10	1	0.05	<10	11.25	440	1	0.01	<1	80	2	<0.01	<2	<1	85
CC23426		<10	<1	0.04	10	10.95	322	1	0.01	7	330	7	0.02	<2	1	70
CC23427		<10	<1	0.04	10	10.15	323	1	0.01	5	400	19	<0.01	<2	1	76
CC23428		<10	1	0.02	10	11.00	806	1	0.01	5	330	51	<0.01	<2	1	73
CC23429		<10	1	0.07	10	6.63	626	1	0.02	16	660	21	0.09	<2	2	65
CC23430																
CC23431		<10	1	0.07	10	8.54	571	1	0.02	10	440	24	0.04	<2	1	71
CC23432		<10	2	0.08	10	0.67	602	2	0.02	22	860	55	0.10	4	2	22
CC23433		<10	<1	0.06	10	0.47	265	2	0.01	24	300	24	<0.01	<2	3	13
CC23434		<10	1	0.05	10	0.39	280	1	0.02	5	1030	4	0.15	<2	<1	25
CC23435		<10	1	0.09	10	0.66	1040	2	0.02	28	960	68	0.06	3	2	21
CC23436		<10	1	0.11	10	0.61	728	2	0.02	30	620	68	0.03	5	2	15
CC23437		10	<1	0.08	10	0.26	463	2	0.02	14	680	43	0.04	2	1	15
CC23438		10	1	0.06	10	0.42	824	2	0.01	19	690	31	0.03	2	2	13
CC23439		10	<1	0.07	10	0.23	349	2	0.01	13	500	30	0.04	2	1	11
CC23440		10	<1	0.05	10	0.33	587	2	0.01	11	650	23	0.07	2	1	13
CC23441		<10	2	0.06	20	0.57	1440	2	0.01	39	1650	155	0.13	4	1	17

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23401		<20	0.03	<10	<10	42	<10	238	<10	<4	10
CC23402		<20	0.03	<10	<10	52	<10	334	<10	4	10
CC23403		<20	0.03	<10	<10	49	<10	286	<10	4	10
CC23404		<20	0.03	<10	<10	52	<10	260	<10	5	10
CC23405		<20	0.03	<10	<10	61	<10	254	<10	4	10
CC23406		<20	0.04	<10	<10	62	<10	192	<10	<4	10
CC23407		<20	0.03	<10	<10	57	<10	178	<10	5	10
CC23408		<20	0.03	<10	<10	61	<10	308	<10	4	10
CC23409		<20	0.03	<10	<10	52	<10	296	<10	4	10
CC23410		<20	0.03	<10	<10	51	20	230	<10	4	30
CC23411		<20	0.03	<10	<10	49	<10	147	<10	<4	10
CC23412		<20	0.05	<10	<10	63	<10	191	<10	4	10
CC23413		<20	0.02	<10	10	43	20	339	<10	11	30
CC23414		<20	0.01	<10	10	11	<10	154	<10	<4	<10
CC23416		<20	0.04	<10	<10	13	10	26	<10	<4	20
CC23417		<20	0.03	<10	<10	15	20	73	<10	4	30
CC23418		<20	0.04	<10	<10	17	10	49	<10	4	10
CC23419		<20	0.04	<10	<10	33	10	96	<10	5	20
CC23420		<20	0.01	<10	<10	12	10	41	<10	4	10
CC23421		<20	0.05	<10	<10	59	<10	103	<10	7	10
CC23422		<20	0.05	<10	<10	56	10	183	<10	8	20
CC23423		<20	0.01	<10	<10	9	10	29	<10	4	10
CC23424		<20	0.06	<10	<10	94	20	151	<10	6	20
CC23425		<20	<0.01	<10	<10	3	30	15	<10	<4	40
CC23426		<20	0.01	<10	<10	14	<10	42	<10	4	10
CC23427		<20	0.01	<10	<10	18	<10	87	<10	4	<10
CC23428		<20	<0.01	<10	<10	6	10	185	<10	<4	<10
CC23429		<20	0.03	<10	<10	29	<10	84	<10	4	10
CC23430											
CC23431		<20	0.02	<10	<10	17	10	121	<10	<4	20
CC23432		<20	0.03	<10	<10	42	10	200	<10	5	20
CC23433		<20	0.05	<10	<10	63	<10	98	<10	<4	10
CC23434		<20	0.01	<10	<10	9	<10	79	<10	<4	<10
CC23435		<20	0.03	<10	<10	50	<10	263	<10	4	10
CC23436		<20	0.04	<10	<10	62	10	317	<10	4	10
CC23437		<20	0.04	<10	<10	67	10	114	<10	5	10
CC23438		<20	0.03	<10	<10	70	10	198	<10	5	10
CC23439		<20	0.03	<10	<10	59	10	129	<10	5	10
CC23440		<20	0.03	<10	<10	62	<10	139	<10	6	10
CC23441		<20	0.02	<10	<10	51	10	593	<10	9	20

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 27-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23442		0.12	<0.001	0.5	1.12	9	<10	440	0.5	<2	1.75	2.2	7	17	20	1.85
CC23443		0.20	<0.001	0.3	1.74	15	<10	340	0.8	2	0.63	2.9	10	29	18	3.19
CC23444		0.18	0.001	0.5	1.73	7	<10	310	0.8	<2	0.72	0.9	9	27	19	2.70
CC23445		0.16	0.002	0.9	1.45	15	<10	340	0.7	<2	1.27	1.1	7	24	19	2.36
CC23446		0.12	<0.001	0.4	2.00	13	<10	540	1.1	<2	0.62	1.5	11	30	17	2.83
CC23447		0.18	<0.001	0.3	2.18	13	<10	550	1.0	<2	0.75	1.4	9	31	13	3.12
CC23448		0.14	<0.001	0.4	1.27	9	<10	940	0.6	<2	1.57	1.7	7	20	15	2.14
CC23449		0.18	0.001	0.6	1.50	11	<10	550	1.0	<2	0.57	1.6	9	26	22	2.72
CC23450		0.16	<0.001	0.4	1.51	14	<10	210	0.8	<2	0.32	0.7	11	26	19	2.89
CC23451		0.16	<0.001	0.5	1.41	11	<10	410	0.8	2	0.51	<0.5	9	26	25	2.85
CC23452		0.10	<0.001	0.5	0.88	7	<10	240	0.5	3	2.24	2.9	6	15	21	1.63
CC23453		0.14	<0.001	0.5	1.94	10	<10	320	0.9	4	0.42	4.0	11	32	17	3.25
CC23454		0.14	<0.001	1.0	1.55	11	<10	250	0.8	4	1.11	6.0	9	26	25	2.73
CC23455		0.18	<0.001	1.0	1.86	15	<10	350	1.3	7	0.69	3.0	10	30	31	3.10
CC23456		0.18	<0.001	0.6	1.74	17	<10	420	0.8	3	0.36	0.7	9	29	24	2.97
CC23457		0.12	<0.001	1.2	0.70	7	<10	370	<0.5	<2	2.72	10.0	3	9	26	1.01
CC23458		0.16	0.001	1.1	1.35	16	<10	290	0.6	4	0.68	3.9	8	24	24	2.78
CC23459		0.16	<0.001	0.3	1.15	10	<10	230	0.5	<2	0.44	3.1	7	22	20	2.39
CC23460		0.16	0.001	0.3	1.76	16	<10	230	1.1	5	0.35	0.8	11	29	21	3.01
CC23461		0.16	0.007	0.5	1.73	21	<10	230	1.3	6	0.45	1.4	12	30	19	2.95
CC23462		0.14	0.002	0.3	1.30	7	<10	240	0.8	4	1.74	1.5	8	20	23	2.40
CC23463		0.18	0.002	0.3	1.40	8	<10	210	0.7	3	1.94	0.9	7	21	17	2.28
CC23464		0.20	0.002	0.2	0.80	11	<10	100	0.7	4	9.73	<0.5	4	12	20	1.59
CC23465		0.14	0.001	0.2	1.71	10	<10	240	0.8	3	0.55	0.6	9	29	15	2.81
CC23466		0.16	<0.001	0.5	0.95	5	<10	150	0.5	4	10.25	0.5	4	13	11	1.68
CC23467		0.20	<0.001	0.2	1.66	10	<10	330	0.7	3	0.36	<0.5	7	26	12	2.55
CC23468		0.18	<0.001	0.2	0.76	7	<10	130	0.7	<2	14.3	<0.5	3	10	9	1.28
CC23469		0.30	0.004	<0.2	0.09	<2	<10	50	<0.5	8	19.8	<0.5	1	<1	9	0.55
CC23470		0.22	<0.001	<0.2	0.23	<2	<10	80	<0.5	<2	18.9	<0.5	1	2	5	0.37
CC23471		0.18	0.003	<0.2	0.18	<2	<10	80	0.5	2	19.9	<0.5	<1	1	7	0.42
CC23472		0.24	<0.001	<0.2	0.75	2	<10	120	<0.5	<2	15.4	<0.5	2	8	6	0.70
CC23473		0.18	<0.001	0.3	0.71	<2	<10	140	<0.5	<2	14.8	<0.5	2	8	8	0.78
CC23474		0.18	<0.001	<0.2	0.72	2	<10	100	<0.5	<2	16.5	<0.5	2	7	7	0.66
CC23475		0.20	<0.001	<0.2	0.70	3	<10	70	<0.5	<2	16.2	<0.5	2	8	8	0.65
CC23476		0.18	0.001	<0.2	1.36	8	<10	130	1.3	2	10.75	<0.5	4	17	14	1.20
CC23477		0.24	<0.001	<0.2	0.84	<2	<10	90	0.5	<2	17.5	<0.5	2	9	13	0.73
CC23478		0.20	0.007	0.2	0.89	<2	<10	80	1.0	2	16.2	<0.5	4	10	20	0.88
CC23479		0.24	0.001	<0.2	1.45	2	<10	90	0.6	2	20.8	<0.5	4	15	17	1.07
CC23480		0.24	0.001	<0.2	0.81	6	<10	130	<0.5	3	15.8	<0.5	4	10	9	0.97
CC23481		0.24	0.002	<0.2	0.81	3	<10	50	<0.5	<2	16.7	<0.5	2	8	8	0.61

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 27-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23442		<10	1	0.05	10	0.40	979	2	0.01	16	1490	32	0.13	2	1	19
CC23443		<10	<1	0.08	10	0.54	775	2	0.01	27	1000	70	0.04	3	2	15
CC23444		<10	1	0.06	10	0.52	634	1	0.01	24	940	51	0.05	2	2	15
CC23445		<10	2	0.06	10	0.50	441	1	0.02	23	930	52	0.08	4	2	18
CC23446		<10	<1	0.10	20	0.88	1120	3	0.02	27	990	82	0.06	3	3	16
CC23447		10	1	0.08	10	0.84	808	2	0.02	24	660	45	0.04	3	3	16
CC23448		<10	<1	0.08	10	0.62	573	3	0.02	21	990	57	0.10	3	1	19
CC23449		<10	1	0.07	10	0.53	761	2	0.01	30	830	111	0.08	4	2	14
CC23450		<10	<1	0.08	10	0.45	873	4	0.01	27	650	102	0.03	5	2	12
CC23451		<10	<1	0.09	10	0.61	585	2	0.02	30	590	70	0.03	5	3	17
CC23452		<10	1	0.07	10	0.49	701	2	0.01	18	1060	46	0.14	3	1	22
CC23453		10	<1	0.09	20	0.56	1050	2	0.01	25	630	153	0.02	6	3	12
CC23454		<10	<1	0.09	10	0.67	940	2	0.01	24	800	156	0.04	10	2	17
CC23455		10	1	0.10	20	0.74	990	3	0.02	28	720	284	0.03	11	3	17
CC23456		10	<1	0.06	10	0.48	644	4	0.01	21	530	168	0.01	12	3	14
CC23457		<10	<1	0.04	10	0.42	571	1	0.01	12	1070	44	0.14	5	1	28
CC23458		<10	<1	0.06	10	0.46	1090	5	0.01	21	640	226	0.04	12	2	17
CC23459		10	<1	0.06	10	0.33	430	4	0.01	19	600	59	0.02	2	2	13
CC23460		10	1	0.08	10	0.60	1160	2	0.01	35	540	79	0.02	3	3	16
CC23461		10	<1	0.08	20	0.64	826	2	0.01	37	560	100	0.02	5	3	16
CC23462		<10	<1	0.07	10	0.85	1080	2	0.01	22	680	48	0.04	2	2	22
CC23463		<10	<1	0.05	10	1.18	1070	2	0.01	19	560	60	0.05	4	1	20
CC23464		<10	<1	0.06	10	6.00	959	2	0.01	12	620	29	0.03	<2	1	65
CC23465		10	<1	0.07	10	0.71	634	2	0.01	25	400	30	0.02	3	3	16
CC23466		<10	<1	0.05	10	6.70	1380	2	0.01	12	600	51	0.03	<2	2	43
CC23467		10	<1	0.07	10	0.55	627	1	0.01	20	680	26	0.05	<2	2	13
CC23468		<10	<1	0.05	<10	9.09	981	1	0.01	9	760	18	0.04	2	1	76
CC23469		<10	<1	0.04	<10	12.00	812	1	0.01	<1	80	6	<0.01	<2	<1	78
CC23470		<10	<1	0.03	<10	11.90	367	1	0.01	1	220	5	<0.01	<2	<1	98
CC23471		<10	<1	0.06	<10	12.40	503	1	0.01	<1	140	5	<0.01	<2	<1	115
CC23472		<10	<1	0.08	<10	9.25	239	2	0.01	8	430	5	0.04	2	1	78
CC23473		<10	<1	0.09	<10	9.72	203	2	0.01	6	280	9	0.03	<2	1	99
CC23474		<10	<1	0.14	<10	10.95	168	1	0.02	6	320	17	<0.01	2	1	112
CC23475		<10	<1	0.12	<10	10.85	146	1	0.02	6	270	7	<0.01	2	1	78
CC23476		<10	<1	0.19	10	8.51	262	2	0.02	14	510	21	0.04	<2	2	77
CC23477		<10	<1	0.29	<10	10.60	283	<1	0.02	6	150	21	<0.01	<2	1	113
CC23478		<10	<1	0.26	<10	10.30	267	<1	0.03	6	190	16	<0.01	2	2	101
CC23479		<10	<1	0.73	<10	6.58	319	<1	0.04	9	170	2	<0.01	<2	2	208
CC23480		<10	<1	0.26	<10	9.47	276	<1	0.03	9	210	45	<0.01	<2	2	100
CC23481		<10	<1	0.22	<10	11.35	168	1	0.02	4	150	3	<0.01	2	1	109

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23442		<20	0.02	<10	<10	37	<10	208	<10	6	10
CC23443		<20	0.03	<10	<10	62	10	401	<10	6	10
CC23444		<20	0.03	<10	<10	54	<10	238	<10	6	10
CC23445		<20	0.03	<10	<10	46	<10	218	<10	6	10
CC23446		<20	0.03	<10	<10	58	<10	276	<10	7	10
CC23447		<20	0.04	<10	<10	65	<10	311	<10	7	10
CC23448		<20	0.02	<10	<10	39	10	243	<10	6	10
CC23449		<20	0.03	<10	<10	51	<10	286	<10	6	10
CC23450		<20	0.03	<10	<10	53	<10	287	<10	6	10
CC23451		<20	0.03	<10	<10	50	<10	220	<10	6	10
CC23452		<20	0.02	<10	<10	28	<10	224	<10	5	10
CC23453		<20	0.03	<10	<10	66	10	558	<10	6	20
CC23454		<20	0.02	<10	<10	51	<10	450	<10	6	10
CC23455		<20	0.03	<10	<10	58	20	628	<10	7	30
CC23456		<20	0.03	<10	<10	66	10	414	<10	6	20
CC23457		<20	0.01	<10	<10	18	<10	387	<10	4	10
CC23458		<20	0.03	<10	<10	53	<10	549	<10	5	10
CC23459		<20	0.03	<10	<10	58	10	274	<10	6	20
CC23460		<20	0.04	<10	<10	61	<10	298	<10	6	10
CC23461		<20	0.04	<10	<10	62	<10	407	<10	6	10
CC23462		<20	0.03	<10	<10	45	10	235	<10	5	20
CC23463		<20	0.03	<10	<10	47	10	191	<10	6	10
CC23464		<20	0.02	<10	<10	26	10	124	<10	5	10
CC23465		<20	0.04	<10	<10	58	<10	178	<10	6	10
CC23466		<20	0.02	<10	<10	28	10	277	<10	6	10
CC23467		<20	0.03	<10	<10	54	10	138	<10	6	10
CC23468		<20	0.01	<10	<10	24	<10	92	<10	5	10
CC23469		<20	<0.01	<10	<10	5	60	16	<10	6	40
CC23470		<20	<0.01	<10	<10	9	10	24	<10	5	10
CC23471		<20	<0.01	<10	<10	7	40	17	<10	5	30
CC23472		<20	0.01	<10	<10	17	<10	30	<10	6	<10
CC23473		<20	0.02	<10	<10	16	<10	37	<10	<4	10
CC23474		<20	0.01	<10	<10	13	10	51	<10	4	10
CC23475		<20	0.02	<10	<10	12	10	38	<10	4	10
CC23476		<20	0.03	<10	<10	25	10	105	<10	5	10
CC23477		<20	0.03	<10	<10	13	<10	169	<10	<4	10
CC23478		<20	0.02	<10	<10	14	20	84	<10	4	20
CC23479		<20	0.05	<10	<10	18	10	36	<10	4	<10
CC23480		<20	0.03	<10	<10	17	<10	127	<10	4	<10
CC23481		<20	0.02	<10	<10	11	<10	15	<10	4	<10

Comments: NSS is non-sufficient sample.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 27-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23482		0.20	0.002	<0.2	1.61	9	<10	150	0.6	2	0.73	1.0	11	26	16	2.75
CC23483		0.16	0.003	0.2	1.76	10	<10	160	1.2	4	1.99	<0.5	9	28	19	2.72
CC23484		0.14	0.002	<0.2	2.00	9	<10	180	1.5	4	1.12	1.5	9	27	15	2.87
CC23485		0.14	0.001	0.2	1.53	9	<10	160	1.1	4	1.20	<0.5	8	22	19	2.44
CC23486		0.16	0.005	0.2	1.78	12	<10	170	1.1	3	0.74	0.5	9	27	17	2.78
CC23487		0.16	0.002	0.3	1.65	11	<10	150	1.0	2	0.74	<0.5	9	26	19	2.72
CC23488		0.22	0.004	<0.2	1.12	9	<10	70	<0.5	<2	0.08	<0.5	4	22	14	2.40
CC23489		0.20	0.002	0.2	1.59	12	<10	160	0.7	3	0.31	0.5	8	26	20	2.93
CC23490		0.16	0.003	0.2	1.32	10	<10	150	<0.5	<2	0.45	<0.5	7	24	15	2.40
CC23491		0.22	0.001	<0.2	0.64	4	<10	90	<0.5	2	18.2	<0.5	2	7	10	0.68
CC23492		0.14	0.001	<0.2	0.77	5	<10	80	<0.5	3	10.90	<0.5	3	10	13	0.93
CC23493		0.26	0.001	0.2	1.45	10	<10	160	0.6	<2	0.49	<0.5	8	23	16	2.35
CC23494		0.14	0.004	<0.2	0.64	7	<10	130	0.5	11	8.32	<0.5	4	11	20	1.41
CC23495		0.10	0.003	0.7	1.39	10	<10	200	0.9	2	0.79	1.5	8	23	18	2.49
CC23496		0.18	0.003	0.6	1.39	11	<10	240	0.8	3	0.86	1.7	8	22	19	2.48
CC23497		0.14	<0.001	0.5	1.25	10	<10	220	0.7	3	0.67	2.3	8	21	16	2.51
CC23498		0.12	0.004	0.3	0.94	8	<10	180	0.6	3	2.51	0.7	5	15	14	1.74
CC23499		0.18	0.002	<0.2	1.06	9	<10	170	<0.5	3	0.34	0.7	5	18	11	2.07
CC23500		0.26	0.002	0.4	1.01	14	<10	200	0.6	<2	3.90	<0.5	4	14	13	1.95
CC23501		0.16	0.002	0.6	1.86	13	<10	360	0.9	3	0.81	0.8	8	28	14	2.96
CC23502		0.18	0.003	0.2	2.02	13	<10	280	0.9	3	0.16	<0.5	9	31	12	3.32
CC23503		0.16	0.002	0.2	1.72	10	<10	350	0.6	3	0.49	1.7	9	27	16	2.98
CC23504		0.18	0.002	0.2	1.46	15	<10	230	0.7	2	0.31	1.8	9	26	16	2.88
CC23505		0.20	0.003	0.4	1.16	10	<10	170	<0.5	<2	1.04	1.0	7	20	13	2.28
CC23506		0.14	0.004	<0.2	1.32	12	<10	130	<0.5	2	0.40	0.9	6	24	12	2.51
CC23507		0.20	0.002	0.3	1.64	12	<10	160	0.9	2	0.39	1.7	9	26	15	2.89
CC23508		0.16	0.002	0.4	1.95	16	<10	210	1.5	9	0.35	2.5	10	29	14	3.57
CC23509		0.16	0.002	0.3	1.76	11	<10	290	0.8	3	0.54	1.4	10	28	13	3.21
CC23510		0.16	0.002	0.2	1.90	15	<10	230	0.7	3	0.29	0.7	10	29	12	3.19
CC23511		0.18	0.004	0.2	1.73	14	<10	440	0.6	<2	0.33	2.4	11	27	13	2.98
CC23512		0.14	0.005	0.6	1.53	12	<10	530	0.7	2	0.88	4.7	9	24	18	2.91
CC23513		0.22	0.002	0.2	1.49	12	<10	330	0.5	2	0.53	2.6	7	23	11	2.60
CC23514		0.22	0.003	0.7	1.55	5	<10	320	0.7	2	0.97	5.2	7	24	19	2.47
CC23515		0.18	0.003	0.2	1.67	10	<10	310	0.5	2	0.45	2.3	10	27	12	2.89
CC23516		0.28	0.003	0.6	1.77	12	<10	360	0.9	2	0.61	2.0	9	29	18	2.91
CC23517		0.22	0.002	0.2	1.52	13	<10	290	0.6	2	0.55	3.4	9	25	14	2.63
CC23518		0.20	0.002	0.5	1.37	11	<10	620	0.6	2	0.80	1.1	7	24	15	2.38
CC23519		0.20	0.005	0.4	1.26	7	<10	320	<0.5	<2	0.81	5.7	10	22	16	2.01
CC23520		0.16	0.002	0.6	1.39	10	<10	380	<0.5	<2	1.19	1.8	6	23	12	2.06
CC23521		0.26	0.005	0.3	1.16	12	<10	280	<0.5	2	0.39	2.2	7	23	11	2.26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 27-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23482		10	<1	0.09	10	1.04	927	2	0.01	17	850	20	0.05	<2	2	16
CC23483		10	<1	0.12	10	2.26	634	2	0.02	23	620	34	0.03	<2	3	21
CC23484		10	<1	0.11	10	1.40	755	2	0.02	19	750	35	0.06	2	2	21
CC23485		<10	<1	0.10	10	1.14	512	2	0.02	18	600	42	0.05	<2	2	18
CC23486		10	<1	0.10	10	1.24	765	2	0.01	24	640	36	0.11	<2	3	18
CC23487		<10	<1	0.10	10	1.13	670	2	0.01	25	720	33	0.07	<2	3	19
CC23488		<10	<1	0.04	10	0.33	178	2	<0.01	15	300	20	0.03	<2	2	8
CC23489		<10	<1	0.07	10	0.51	558	2	0.01	26	580	40	0.02	<2	3	15
CC23490		<10	<1	0.07	10	0.52	361	1	0.01	22	550	20	0.02	2	3	18
CC23491		<10	<1	0.16	<10	9.51	278	1	0.02	4	160	11	<0.01	<2	1	121
CC23492		<10	<1	0.09	<10	7.08	404	1	0.01	9	470	16	0.08	<2	1	70
CC23493		<10	<1	0.06	10	0.58	461	1	0.01	22	520	25	0.02	<2	3	17
CC23494		<10	<1	0.07	10	5.08	757	1	0.02	16	750	36	0.05	3	1	53
CC23495		<10	<1	0.08	10	0.59	934	2	0.01	24	850	49	0.05	2	2	18
CC23496		<10	<1	0.07	10	0.59	831	1	0.01	26	900	45	0.13	2	2	18
CC23497		<10	<1	0.08	10	0.50	1020	2	0.01	24	820	50	0.08	2	2	19
CC23498		<10	<1	0.06	10	1.21	793	2	0.02	17	950	36	0.09	3	1	26
CC23499		10	<1	0.05	10	0.26	373	2	0.01	13	480	28	0.03	2	1	13
CC23500		<10	<1	0.05	10	2.38	1020	3	0.01	16	480	42	0.03	2	2	31
CC23501		<10	<1	0.06	20	0.43	1870	2	0.01	25	1400	53	0.04	2	3	17
CC23502		10	<1	0.06	10	0.53	454	2	0.01	22	330	41	0.01	<2	4	13
CC23503		10	<1	0.06	10	0.52	1190	2	0.01	20	610	41	0.02	<2	2	17
CC23504		<10	<1	0.06	10	0.46	866	3	0.01	25	600	59	0.02	3	2	13
CC23505		<10	<1	0.05	10	0.67	586	2	0.01	17	570	31	0.02	<2	2	16
CC23506		<10	<1	0.07	10	0.46	359	2	0.01	18	560	28	0.09	2	2	14
CC23507		<10	<1	0.08	10	0.59	766	2	0.01	23	450	30	0.06	<2	3	16
CC23508		10	<1	0.08	20	0.58	1910	4	0.01	23	510	60	0.03	3	3	13
CC23509		10	<1	0.09	10	0.60	1240	3	0.01	23	430	50	0.03	<2	3	15
CC23510		10	<1	0.08	10	0.56	935	3	0.01	22	330	40	0.02	2	3	14
CC23511		10	<1	0.08	10	0.48	1480	3	0.01	19	350	36	0.02	<2	2	14
CC23512		<10	1	0.09	10	0.56	1940	3	0.02	25	700	69	0.05	2	2	20
CC23513		10	<1	0.07	10	0.40	682	2	0.01	15	490	28	0.03	<2	2	17
CC23514		<10	<1	0.06	10	0.49	847	3	0.01	22	590	40	0.04	2	2	19
CC23515		10	<1	0.08	10	0.46	688	2	0.01	17	440	30	0.02	<2	2	16
CC23516		10	<1	0.09	10	0.72	693	4	0.01	26	720	69	0.08	5	3	17
CC23517		10	<1	0.08	10	0.51	683	3	0.01	19	640	54	0.07	3	2	15
CC23518		<10	<1	0.07	10	0.49	537	3	0.01	19	880	46	0.05	3	2	21
CC23519		10	<1	0.06	10	0.39	1180	3	0.01	12	610	27	0.05	<2	2	19
CC23520		<10	<1	0.07	10	0.52	473	2	0.01	16	780	28	0.07	<2	2	22
CC23521		<10	<1	0.07	10	0.40	642	5	0.01	19	540	37	0.03	2	2	12

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07070023

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23482		<20	0.04	<10	<10	58	<10	132	<10	6	10
CC23483		<20	0.05	<10	<10	49	40	181	<10	6	30
CC23484		<20	0.04	<10	<10	50	40	262	<10	5	40
CC23485		<20	0.04	<10	<10	47	10	203	<10	6	10
CC23486		<20	0.05	<10	<10	53	10	192	<10	6	10
CC23487		<20	0.04	<10	<10	50	10	157	<10	6	10
CC23488		<20	0.05	<10	<10	58	10	76	<10	4	10
CC23489		<20	0.05	<10	<10	57	10	177	<10	5	10
CC23490		<20	0.04	<10	<10	50	<10	110	<10	5	10
CC23491		<20	0.02	<10	<10	12	10	63	<10	4	10
CC23492		<20	0.02	<10	<10	17	10	85	<10	4	10
CC23493		<20	0.03	<10	<10	47	<10	101	<10	5	10
CC23494		<20	0.02	<10	<10	24	20	208	<10	5	20
CC23495		<20	0.03	<10	<10	44	<10	292	<10	5	10
CC23496		<20	0.03	<10	<10	43	<10	316	<10	6	10
CC23497		<20	0.03	<10	<10	42	10	325	<10	7	10
CC23498		<20	0.02	<10	<10	36	10	176	<10	5	10
CC23499		<20	0.03	<10	<10	56	<10	110	<10	5	10
CC23500		<20	0.03	<10	<10	47	10	181	<10	6	10
CC23501		<20	0.03	<10	<10	53	10	235	<10	6	10
CC23502		<20	0.05	<10	<10	66	<10	230	<10	6	10
CC23503		<20	0.03	<10	<10	62	<10	321	<10	6	10
CC23504		<20	0.03	<10	<10	54	10	330	<10	6	10
CC23505		<20	0.02	<10	<10	47	<10	181	<10	5	10
CC23506		<20	0.03	<10	<10	51	<10	136	<10	4	10
CC23507		<20	0.04	<10	<10	51	10	198	<10	5	10
CC23508		<20	0.04	<10	<10	62	10	583	<10	8	20
CC23509		<20	0.04	<10	<10	57	<10	448	<10	6	10
CC23510		<20	0.04	<10	<10	64	<10	252	<10	6	10
CC23511		<20	0.04	<10	<10	69	<10	377	<10	6	10
CC23512		<20	0.03	<10	<10	48	<10	406	<10	6	10
CC23513		<20	0.03	<10	<10	58	<10	248	<10	6	10
CC23514		<20	0.03	<10	<10	50	<10	348	<10	6	10
CC23515		<20	0.04	<10	<10	65	<10	281	<10	6	10
CC23516		<20	0.03	<10	<10	59	10	305	<10	7	10
CC23517		<20	0.03	<10	<10	60	10	337	<10	6	10
CC23518		<20	0.02	<10	<10	49	<10	315	<10	5	10
CC23519		<20	0.03	<10	<10	54	<10	208	<10	5	10
CC23520		<20	0.03	<10	<10	47	10	200	<10	6	10
CC23521		<20	0.03	<10	<10	52	<10	488	<10	6	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23201		0.24	0.001	<0.2	0.89	6	<10	120	<0.5	<2	16.8	<0.5	4	10	10	0.77
CC23202		0.22	0.002	<0.2	0.82	4	<10	80	<0.5	<2	17.5	<0.5	4	9	7	0.67
CC23203		0.20	0.002	0.2	0.67	3	<10	90	<0.5	<2	19.4	<0.5	3	7	8	0.58
CC23204		0.20	0.002	1.5	0.24	11	<10	120	0.5	7	19.6	<0.5	1	3	15	1.15
CC23205		0.18	<0.001	<0.2	0.25	7	<10	60	<0.5	4	19.8	<0.5	2	3	7	0.59
CC23206		0.22	0.005	1.0	0.57	5	<10	130	1.2	20	18.1	<0.5	3	6	28	1.19
CC23207		0.20	0.004	1.6	0.27	12	<10	80	0.5	6	19.9	<0.5	2	3	12	0.72
CC23208		0.20	0.001	0.4	0.39	11	<10	110	<0.5	5	18.4	<0.5	2	4	7	0.66
CC23209		0.14	0.002	0.5	0.82	4	<10	120	<0.5	5	13.3	0.6	4	11	15	1.25
CC23210		0.20	0.002	0.3	0.50	19	<10	120	0.8	15	17.0	0.5	2	6	15	0.97
CC23211		0.14	0.004	0.7	2.17	24	<10	360	1.7	8	7.71	4.6	11	28	36	3.19
CC23212		0.14	0.004	0.8	2.70	35	<10	400	1.9	18	2.03	5.3	18	40	39	4.21
CC23213		0.12	<0.001	0.8	2.68	48	<10	420	2.9	35	1.23	9.1	21	41	48	4.49
CC23214		0.16	0.006	0.8	1.73	52	<10	330	1.6	44	8.26	2.8	11	25	46	3.20
CC23215		0.12	0.002	0.5	2.29	28	10	290	1.3	11	5.14	3.2	10	34	29	2.90
CC23216		0.12	0.002	1.0	2.14	35	<10	310	1.4	20	3.46	2.8	10	30	42	3.41
CC23217		0.18	0.001	0.3	2.39	26	<10	260	1.3	13	1.09	2.0	10	36	23	3.35
CC23218		0.14	0.032	0.4	2.26	39	<10	290	2.8	39	1.11	1.5	11	34	33	3.53
CC23219		0.14	0.234	0.7	1.50	25	10	210	0.9	46	7.95	1.1	8	26	27	2.22
CC23220		0.10	0.002	1.3	2.93	26	10	500	1.9	3	2.45	7.3	14	47	27	3.52
CC23221		0.12	0.010	0.4	2.46	13	<10	290	0.9	2	1.42	3.8	11	35	19	3.09
CC23222		0.16	0.004	0.6	2.38	12	<10	260	0.8	4	0.69	2.2	8	33	14	3.33
CC23223		0.14	0.002	0.7	2.06	13	<10	290	1.0	2	1.29	5.1	10	32	16	2.86
CC23224		0.12	0.002	0.5	2.04	13	<10	310	0.9	5	1.00	4.6	11	31	22	3.06
CC23225		0.14	0.002	0.7	2.02	18	<10	290	0.8	4	0.97	2.9	8	34	18	3.16
CC23226		0.16	0.001	0.5	1.50	10	<10	260	0.6	2	0.69	1.5	7	27	15	2.54
CC23227		0.16	0.003	0.4	1.80	17	<10	350	0.7	2	0.53	1.3	8	34	16	3.34
CC23228		0.26	0.005	0.8	1.99	23	<10	280	1.0	4	0.51	1.5	8	32	21	3.22
CC23229		0.14	0.002	0.3	1.66	8	<10	540	0.7	3	1.91	13.8	10	20	18	2.04
CC23230		0.14	0.002	1.2	1.81	17	<10	290	1.1	8	0.84	3.9	7	31	19	3.03
CC23231		0.16	0.001	0.5	1.77	15	<10	500	1.0	7	0.63	10.0	14	28	25	3.41
CC23232		0.18	0.001	0.6	1.11	8	<10	350	0.5	<2	0.30	1.1	6	30	17	2.83
CC23233		0.22	0.001	0.2	1.38	10	<10	330	0.6	2	0.17	0.9	7	28	15	3.22
CC23234		0.16	0.002	0.4	1.66	13	<10	270	0.7	<2	0.13	0.9	6	31	17	3.48
CC23235		0.16	<0.001	0.4	1.86	15	<10	400	1.0	2	0.58	1.9	9	32	27	4.03
CC23236		0.18	0.003	0.9	1.27	7	<10	580	0.5	<2	1.45	2.5	7	23	16	2.23
CC23237		0.18	<0.001	0.5	1.53	10	<10	430	0.6	<2	0.45	0.9	7	34	21	3.55
CC23238		0.16	0.002	0.4	0.88	9	<10	260	<0.5	<2	0.23	3.2	6	23	14	2.62
CC23239		0.16	<0.001	0.5	1.38	12	<10	240	0.5	<2	0.18	0.8	5	30	16	3.49
CC23240		0.14	<0.001	0.8	0.91	7	<10	200	<0.5	<2	0.14	1.2	9	20	11	2.29

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23201		<10	<1	0.11	<10	11.15	181	1	0.02	11	260	12	0.03	2	1	64
CC23202		<10	<1	0.14	<10	11.35	100	1	0.02	6	220	6	<0.01	<2	1	92
CC23203		<10	<1	0.16	<10	12.25	128	1	0.02	8	210	8	<0.01	4	1	150
CC23204		<10	<1	0.04	<10	12.25	2350	1	0.01	5	210	29	<0.01	8	<1	109
CC23205		<10	<1	0.03	<10	12.15	826	2	0.01	2	320	12	<0.01	3	<1	116
CC23206		<10	<1	0.09	<10	11.45	1630	2	0.02	7	410	22	<0.01	4	1	80
CC23207		<10	<1	0.05	<10	12.35	1350	1	0.01	<1	230	21	<0.01	4	<1	87
CC23208		<10	1	0.05	<10	11.50	886	1	0.01	3	300	16	<0.01	3	1	83
CC23209		<10	1	0.08	10	8.34	902	1	0.02	10	590	25	0.05	2	1	64
CC23210		<10	<1	0.07	<10	10.60	1200	1	0.02	4	480	35	<0.01	4	1	93
CC23211		<10	<1	0.18	20	4.90	2890	2	0.03	83	1580	383	0.09	12	2	57
CC23212		10	1	0.18	30	1.69	2750	2	0.03	117	1580	337	0.08	5	4	26
CC23213		10	1	0.24	30	1.12	3260	2	0.05	118	1740	381	0.09	8	4	27
CC23214		<10	<1	0.18	20	5.18	2410	2	0.03	75	1050	244	0.06	8	3	45
CC23215		<10	<1	0.22	30	3.22	1990	1	0.04	36	2050	105	0.10	6	2	33
CC23216		<10	<1	0.17	30	2.16	2500	3	0.04	58	1620	210	0.12	9	2	28
CC23217		10	2	0.18	30	0.85	1280	2	0.04	34	1290	61	0.10	3	3	23
CC23218		10	1	0.18	30	1.00	1230	2	0.05	48	820	97	0.07	7	4	24
CC23219		<10	<1	0.14	30	4.83	989	2	0.04	28	1290	66	0.08	6	2	42
CC23220		10	1	0.19	80	2.04	4590	6	0.04	40	3460	149	0.19	8	2	25
CC23221		10	<1	0.16	20	0.82	1390	2	0.04	22	1830	70	0.13	3	2	25
CC23222		10	1	0.13	20	0.58	1120	2	0.03	20	1630	103	0.10	6	2	18
CC23223		<10	1	0.15	20	0.78	2200	2	0.04	21	1860	91	0.12	7	2	20
CC23224		<10	1	0.14	20	0.59	2200	5	0.04	32	1860	111	0.12	5	3	21
CC23225		10	1	0.16	20	0.67	836	4	0.05	29	1140	111	0.09	8	2	23
CC23226		<10	<1	0.12	10	0.48	718	2	0.03	22	1060	63	0.07	3	2	18
CC23227		10	1	0.18	10	0.53	782	5	0.04	25	930	85	0.06	7	2	19
CC23228		<10	<1	0.12	20	0.58	919	7	0.04	42	1050	237	0.06	19	3	19
CC23229		<10	1	0.10	20	0.48	4550	3	0.04	18	3200	89	0.27	7	2	24
CC23230		<10	<1	0.11	20	0.52	904	3	0.03	30	1410	157	0.10	9	2	17
CC23231		10	<1	0.14	20	0.32	4440	5	0.04	23	1410	152	0.11	8	2	18
CC23232		10	<1	0.11	10	0.31	536	3	0.03	26	670	47	0.05	3	1	14
CC23233		10	1	0.11	10	0.26	1050	5	0.03	20	670	74	0.06	7	1	14
CC23234		10	1	0.13	10	0.34	608	4	0.03	20	480	58	0.04	2	2	13
CC23235		10	<1	0.16	10	0.40	1160	5	0.05	25	660	155	0.06	12	2	20
CC23236		<10	<1	0.09	10	0.29	860	6	0.04	19	1600	56	0.14	2	2	25
CC23237		10	1	0.16	10	0.49	684	4	0.06	26	580	53	0.04	3	2	21
CC23238		<10	<1	0.13	10	0.15	828	5	0.03	18	770	69	0.06	2	<1	16
CC23239		10	<1	0.17	10	0.29	542	3	0.04	21	630	32	0.04	2	1	16
CC23240		10	<1	0.12	10	0.17	989	3	0.03	15	800	73	0.06	2	<1	13

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23201		<20	0.03	<10	<10	16	<10	67	<10	5	<10
CC23202		<20	0.02	<10	<10	9	<10	25	<10	5	<10
CC23203		<20	0.01	<10	<10	10	10	85	<10	4	10
CC23204		<20	<0.01	<10	<10	7	10	133	<10	6	10
CC23205		<20	0.01	<10	<10	9	10	75	<10	5	10
CC23206		<20	0.01	<10	<10	13	60	110	<10	6	60
CC23207		<20	<0.01	<10	<10	8	10	87	<10	5	10
CC23208		<20	0.01	<10	<10	11	10	68	<10	6	10
CC23209		<20	0.02	<10	<10	21	10	142	<10	6	10
CC23210		<20	0.01	<10	<10	13	10	162	<10	5	10
CC23211		<20	0.03	<10	<10	61	10	1250	<10	6	20
CC23212		<20	0.04	<10	<10	84	10	1770	<10	6	20
CC23213		<20	0.04	<10	<10	92	20	1790	<10	6	30
CC23214		<20	0.03	10	<10	58	10	1010	<10	6	20
CC23215		<20	0.03	<10	<10	66	<10	572	<10	7	10
CC23216		<20	0.03	<10	<10	66	10	888	<10	7	20
CC23217		<20	0.04	<10	<10	72	10	289	<10	7	20
CC23218		<20	0.05	<10	<10	68	30	381	<10	7	30
CC23219		<20	0.03	<10	<10	46	10	252	<10	6	20
CC23220		<20	0.03	<10	<10	109	<10	920	<10	10	20
CC23221		<20	0.04	<10	<10	78	<10	471	<10	8	10
CC23222		<20	0.03	<10	<10	86	<10	497	<10	8	10
CC23223		<20	0.03	<10	<10	78	<10	359	<10	7	10
CC23224		<20	0.03	<10	<10	70	<10	359	<10	6	10
CC23225		<20	0.04	<10	<10	82	<10	390	<10	6	10
CC23226		<20	0.03	<10	<10	47	<10	185	<10	6	10
CC23227		<20	0.04	<10	<10	75	<10	378	<10	7	10
CC23228		<20	0.04	<10	<10	71	10	410	<10	7	10
CC23229		<20	0.02	<10	10	41	<10	456	<10	7	10
CC23230		<20	0.03	<10	<10	64	10	583	<10	6	10
CC23231		<20	0.04	<10	<10	87	10	437	<10	8	10
CC23232		<20	0.03	<10	<10	66	20	270	<10	6	20
CC23233		<20	0.04	<10	<10	79	10	241	<10	5	20
CC23234		<20	0.05	<10	<10	78	20	271	<10	6	30
CC23235		<20	0.05	<10	<10	79	20	412	<10	6	30
CC23236		<20	0.02	<10	<10	46	<10	217	<10	5	10
CC23237		<20	0.07	<10	<10	78	<10	239	<10	6	10
CC23238		<20	0.02	<10	<10	66	10	216	<10	6	10
CC23239		<20	0.05	<10	<10	73	10	216	<10	6	10
CC23240		<20	0.02	<10	<10	54	<10	187	<10	6	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23241		0.16	0.003	0.8	0.83	9	<10	90	<0.5	<2	18.1	1.3	4	9	9	0.71
CC23242		0.18	0.001	1.4	0.77	9	<10	120	0.6	<2	17.9	0.5	4	9	10	0.71
CC23243		0.18	0.002	4.8	0.97	4	<10	130	<0.5	<2	16.1	1.6	4	10	11	0.93
CC23244		0.20	0.002	0.2	0.81	9	<10	190	<0.5	<2	16.3	<0.5	3	9	10	0.60
CC23245		0.16	0.003	0.3	1.19	3	<10	110	0.5	<2	14.3	<0.5	3	11	20	0.84
CC23246		0.20	0.002	1.2	0.17	8	<10	180	<0.5	2	19.7	<0.5	2	2	12	0.98
CC23247		0.22	<0.001	1.2	0.19	7	<10	190	<0.5	3	19.3	<0.5	2	2	11	1.03
CC23248		0.24	0.016	1.3	0.45	9	<10	170	2.0	39	18.2	0.6	3	4	56	1.22
CC23249		0.20	0.002	1.1	0.22	10	<10	70	<0.5	2	19.6	<0.5	3	2	8	0.65
CC23250		0.20	<0.001	0.5	0.19	6	<10	90	<0.5	8	20.0	<0.5	2	2	4	0.57
CC23251		0.18	0.002	1.3	0.27	11	<10	120	<0.5	5	19.6	<0.5	1	3	8	0.49
CC23252		0.20	0.001	0.6	0.36	5	<10	90	<0.5	2	18.7	<0.5	3	4	8	0.72
CC23253		0.20	0.003	0.3	0.37	4	<10	120	0.7	<2	18.4	1.2	2	5	13	0.69
CC23254		0.16	<0.001	0.6	0.56	8	<10	250	0.9	7	16.9	2.5	4	7	21	1.32
CC23255		0.18	<0.001	0.2	2.63	12	<10	410	1.1	<2	2.50	3.3	13	40	21	3.41
CC23256		0.14	0.005	1.0	1.24	33	10	280	2.2	26	11.85	3.3	11	19	47	2.28
CC23257		0.16	0.005	0.7	1.13	39	<10	260	1.6	26	12.70	3.1	6	16	42	2.39
CC23258		0.20	0.002	1.0	2.66	57	<10	380	3.9	31	1.42	1.4	13	42	41	4.64
CC23259		0.22	0.002	1.2	0.72	30	<10	170	0.6	14	16.3	1.3	3	11	27	1.28
CC23260		0.14	0.002	0.3	1.36	15	10	190	1.0	6	12.10	1.0	5	22	26	1.74
CC23261		0.12	0.005	0.7	2.25	56	<10	330	5.5	74	3.73	0.7	10	33	56	3.69
CC23262		0.16	0.002	0.2	2.34	27	10	300	1.1	22	1.75	1.7	12	35	26	3.42
CC23263		0.14	0.001	2.0	2.10	35	10	350	1.4	28	1.81	2.2	12	35	40	3.67
CC23264		0.16	0.003	0.8	2.04	43	<10	350	2.1	19	5.82	3.0	11	30	44	3.53
CC23265		0.14	0.002	0.9	2.65	30	10	340	1.1	3	1.19	1.6	12	42	22	3.73
CC23266		0.14	0.002	1.6	1.99	21	<10	250	1.1	4	3.78	3.3	10	35	36	3.47
CC23267		0.14	0.004	0.8	2.26	21	<10	300	0.9	6	1.09	2.0	12	37	37	3.79
CC23268		0.16	<0.001	0.7	2.04	31	<10	340	0.8	4	1.25	1.3	11	34	23	3.55
CC23269		0.20	0.003	2.6	1.88	25	<10	330	0.9	4	1.59	2.6	10	34	32	3.38
CC23270		0.14	0.001	0.4	1.98	15	<10	280	0.7	<2	1.18	1.5	10	31	18	3.08
CC23271		0.20	0.002	0.7	2.24	26	<10	360	1.0	5	0.78	2.4	10	35	23	3.59
CC23272		0.16	0.002	0.2	2.22	22	<10	360	0.7	19	0.63	1.0	9	40	26	4.04
CC23273		0.22	0.010	0.2	1.97	6	<10	390	0.5	4	0.81	0.7	7	34	13	2.86
CC23274		0.20	0.427	<0.2	2.29	10	<10	370	0.8	<2	0.54	0.7	10	38	16	3.38
CC23275		0.18	0.021	0.2	1.88	6	<10	440	0.6	<2	0.42	1.1	9	37	16	3.31
CC23276		0.22	0.005	0.7	1.77	14	<10	400	0.9	<2	0.48	0.6	9	28	23	3.11
CC23277		0.20	0.002	0.3	1.62	10	<10	260	0.7	<2	0.19	<0.5	6	27	19	3.32
CC23278		0.14	0.003	0.5	1.41	17	<10	450	0.5	<2	1.47	2.1	9	23	14	2.34
CC23279		0.16	0.002	0.3	1.28	7	<10	330	0.7	<2	0.20	<0.5	8	26	20	2.71
CC23280		0.30	0.002	<0.2	1.09	6	<10	160	0.5	<2	0.11	<0.5	7	21	16	2.78

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23241		<10	<1	0.08	<10	11.95	749	1	0.03	7	330	104	<0.01	<2	1	88
CC23242		<10	<1	0.16	<10	11.85	601	2	0.03	14	270	100	<0.01	5	1	92
CC23243		<10	<1	0.12	10	10.75	1080	1	0.03	21	380	606	<0.01	3	1	82
CC23244		<10	1	0.07	<10	10.90	272	1	0.03	11	320	20	0.06	5	1	70
CC23245		<10	<1	0.11	<10	9.92	246	3	0.03	7	460	18	0.10	2	1	65
CC23246		<10	<1	0.03	<10	11.90	2020	1	0.03	2	270	23	<0.01	8	<1	118
CC23247		<10	<1	0.03	<10	11.75	2140	1	0.03	5	290	19	<0.01	7	<1	117
CC23248		<10	<1	0.18	<10	11.40	1730	1	0.03	27	250	21	<0.01	7	1	91
CC23249		<10	<1	0.05	<10	12.30	1345	1	0.03	<1	180	16	<0.01	5	<1	93
CC23250		<10	<1	0.04	<10	12.40	1065	1	0.03	<1	210	12	<0.01	4	<1	80
CC23251		<10	<1	0.06	<10	12.10	828	1	0.03	4	190	25	<0.01	5	1	92
CC23252		<10	1	0.06	<10	11.70	973	1	0.03	2	270	16	<0.01	3	1	85
CC23253		<10	<1	0.06	10	11.35	868	<1	0.02	34	520	90	<0.01	<2	1	111
CC23254		<10	<1	0.07	10	10.20	1870	<1	0.02	49	750	177	<0.01	4	1	92
CC23255		10	<1	0.16	30	1.58	2010	<1	0.03	36	1640	68	0.10	<2	2	28
CC23256		10	<1	0.19	30	7.13	2090	<1	0.03	98	1190	202	0.06	4	2	57
CC23257		10	<1	0.14	20	7.73	2160	<1	0.03	79	970	247	0.05	5	2	62
CC23258		10	<1	0.25	40	1.27	2590	1	0.03	79	1240	204	0.07	4	3	23
CC23259		<10	<1	0.11	20	9.82	1385	<1	0.02	34	670	138	<0.01	5	1	60
CC23260		<10	<1	0.16	30	7.55	992	<1	0.04	30	1160	64	0.04	2	2	46
CC23261		10	<1	0.35	30	2.99	1410	1	0.05	51	1030	112	0.05	5	3	35
CC23262		10	<1	0.17	30	1.12	1510	1	0.03	41	1240	83	0.08	3	2	23
CC23263		10	<1	0.21	30	1.20	1910	2	0.04	61	1000	350	0.05	6	3	28
CC23264		10	<1	0.24	30	3.70	2410	3	0.04	75	870	320	0.03	14	3	43
CC23265		10	<1	0.22	30	1.02	1135	1	0.04	47	1010	276	0.04	9	4	26
CC23266		10	<1	0.20	30	2.64	1475	4	0.04	59	960	272	0.03	16	3	32
CC23267		10	<1	0.17	30	0.74	1890	5	0.03	45	1540	131	0.07	10	3	22
CC23268		<10	<1	0.19	20	0.77	1980	4	0.04	43	1330	467	0.07	10	3	23
CC23269		10	1	0.17	20	1.02	1515	6	0.03	52	1100	477	0.06	18	2	26
CC23270		10	<1	0.16	20	0.55	1245	1	0.02	23	1720	75	0.10	<2	2	20
CC23271		10	<1	0.14	30	0.64	1795	4	0.02	46	1520	295	0.05	12	3	19
CC23272		10	<1	0.18	20	0.58	1105	5	0.04	32	1030	168	0.04	15	3	24
CC23273		10	<1	0.16	10	0.45	966	1	0.03	21	1540	51	0.09	3	2	21
CC23274		10	1	0.16	20	0.50	890	2	0.03	28	1060	51	0.05	<2	2	20
CC23275		10	<1	0.18	10	0.42	978	3	0.03	25	960	55	0.05	2	1	20
CC23276		10	<1	0.09	10	0.42	802	7	0.01	35	830	266	0.02	36	1	14
CC23277		10	<1	0.08	10	0.33	359	3	0.01	24	530	51	0.01	<2	1	13
CC23278		<10	1	0.06	10	0.43	877	7	0.01	22	1720	65	0.13	8	1	21
CC23279		10	<1	0.07	10	0.34	690	3	0.01	29	700	84	0.01	<2	1	11
CC23280		10	<1	0.07	10	0.16	924	3	0.01	20	510	50	0.01	2	1	9

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23241		<20	0.02	<10	<10	16	<10	329	<10	4	<10
CC23242		<20	0.02	<10	<10	18	10	239	<10	5	10
CC23243		<20	0.02	<10	<10	17	10	644	<10	5	10
CC23244		<20	0.02	<10	<10	14	<10	125	<10	4	<10
CC23245		<20	0.02	<10	<10	14	10	81	<10	5	10
CC23246		<20	<0.01	<10	<10	7	<10	133	<10	5	10
CC23247		<20	<0.01	<10	<10	8	10	133	<10	6	10
CC23248		<20	0.01	<10	<10	9	100	198	<10	6	100
CC23249		<20	<0.01	<10	<10	5	<10	68	<10	4	10
CC23250		<20	<0.01	<10	<10	7	<10	44	<10	6	<10
CC23251		<20	<0.01	<10	<10	8	10	93	<10	5	10
CC23252		<20	0.01	<10	<10	9	10	71	<10	4	10
CC23253		<20	0.01	<10	<10	12	10	394	<10	4	10
CC23254		<20	0.01	<10	<10	18	10	754	<10	4	20
CC23255		<20	0.03	<10	<10	79	<10	417	<10	7	10
CC23256		<20	0.02	<10	<10	42	20	1185	<10	6	20
CC23257		<20	0.02	<10	<10	44	10	1025	<10	5	10
CC23258		<20	0.04	<10	<10	88	20	839	<10	8	30
CC23259		<20	0.02	<10	<10	27	10	530	<10	4	10
CC23260		<20	0.03	<10	<10	41	<10	281	<10	6	10
CC23261		<20	0.05	<10	<10	65	60	468	<10	7	70
CC23262		<20	0.03	<10	<10	72	<10	392	<10	7	10
CC23263		<20	0.04	<10	<10	78	10	669	<10	6	20
CC23264		<20	0.04	<10	<10	76	20	934	<10	6	20
CC23265		<20	0.05	<10	<10	92	<10	505	<10	6	10
CC23266		<20	0.04	<10	<10	79	10	576	<10	6	20
CC23267		<20	0.04	<10	<10	87	10	334	<10	8	10
CC23268		<20	0.04	<10	<10	87	10	676	<10	6	20
CC23269		<20	0.03	<10	<10	78	<10	767	<10	7	10
CC23270		<20	0.03	<10	<10	64	<10	228	<10	7	10
CC23271		<20	0.03	<10	<10	77	10	782	<10	8	20
CC23272		<20	0.06	<10	<10	94	10	525	<10	6	20
CC23273		<20	0.03	<10	<10	75	<10	214	<10	6	10
CC23274		<20	0.05	<10	<10	85	10	221	<10	7	10
CC23275		<20	0.05	<10	<10	84	10	214	<10	5	20
CC23276		<20	0.03	<10	<10	67	10	250	<10	7	20
CC23277		<20	0.04	<10	<10	72	10	223	<10	6	20
CC23278		<20	0.02	<10	10	54	<10	262	<10	8	10
CC23279		<20	0.03	<10	<10	56	10	304	<10	6	10
CC23280		<20	0.03	<10	<10	63	10	187	<10	6	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23281		0.14	0.002	0.3	1.04	7	<10	270	0.7	<2	0.16	0.6	6	25	18	3.40
CC23282		0.20	<0.001	0.3	0.92	7	<10	100	<0.5	<2	0.11	<0.5	4	24	12	2.48
CC23283		0.18	0.001	0.6	0.74	5	<10	140	<0.5	<2	0.14	1.3	5	17	10	1.50
CC23285		0.20	<0.001	<0.2	0.58	3	10	70	<0.5	<2	18.1	0.5	<1	8	7	0.47
CC23286		0.18	<0.001	1.6	0.67	<2	<10	70	<0.5	<2	17.5	<0.5	1	8	8	0.72
CC23287		0.18	0.001	<0.2	1.28	2	<10	90	0.5	<2	14.05	<0.5	4	15	16	1.29
CC23288		0.14	0.001	<0.2	0.74	3	<10	120	<0.5	<2	16.4	<0.5	2	8	12	0.70
CC23289		0.18	<0.001	<0.2	0.41	<2	<10	210	<0.5	6	18.4	<0.5	3	4	11	0.46
CC23290		0.18	0.005	<0.2	0.57	11	<10	150	<0.5	2	22.2	<0.5	3	8	14	0.80
CC23291		0.16	0.002	0.4	0.23	4	<10	90	0.8	4	22.0	0.5	<1	3	11	0.55
CC23292		0.18	0.003	2.5	0.22	13	<10	150	0.6	8	21.5	<0.5	<1	3	16	0.78
CC23293		0.22	0.002	2.1	0.13	8	<10	70	<0.5	74	21.9	<0.5	<1	1	4	0.35
CC23294		0.18	0.002	2.3	0.42	17	<10	130	0.5	10	20.0	0.5	<1	4	16	0.91
CC23295		0.18	0.002	0.8	0.36	14	<10	170	<0.5	4	20.6	1.4	2	4	22	0.85
CC23296		0.30	0.001	<0.2	0.42	5	<10	140	<0.5	<2	21.1	0.8	1	5	7	0.49
CC23297		0.16	0.003	0.3	0.40	15	<10	150	1.1	7	20.1	2.2	3	6	18	0.87
CC23298		0.22	0.002	0.4	0.43	16	<10	240	0.5	4	20.4	2.4	3	5	20	0.87
CC23299		0.18	0.002	0.5	1.24	14	<10	110	0.9	3	16.5	2.1	5	19	19	1.40
CC23300		0.18	0.002	0.8	0.56	14	<10	120	1.8	8	19.5	2.8	1	10	18	0.94
CC23301		0.20	0.004	1.1	1.99	38	<10	300	1.1	27	3.15	3.0	10	30	42	3.42
CC23302		0.22	0.003	1.5	1.42	37	<10	260	0.9	23	9.15	4.3	7	22	42	2.67
CC23303		0.26	0.004	0.6	0.75	55	<10	210	0.7	17	17.3	3.2	3	10	52	1.59
CC23304		0.20	0.006	1.3	1.13	44	<10	270	1.2	24	11.65	3.9	6	16	46	2.34
CC23305		0.20	0.005	1.0	1.62	50	<10	270	1.3	36	7.40	2.6	9	23	49	2.93
CC23306		0.24	0.002	0.4	1.89	28	<10	240	0.8	11	1.88	1.5	10	31	25	3.08
CC23307		0.22	0.005	2.5	1.38	48	<10	240	0.9	63	7.68	2.5	8	23	34	2.62
CC23308		0.16	0.005	1.7	1.84	33	<10	260	1.2	10	2.57	4.2	9	29	31	2.88
CC23309		0.30	0.004	0.4	1.41	18	<10	200	0.6	15	4.89	1.2	8	23	34	2.54
CC23310		0.22	0.003	0.4	2.07	30	<10	220	1.0	11	0.97	1.4	12	30	49	3.86
CC23311		0.24	0.004	1.5	0.62	25	<10	120	<0.5	15	14.5	2.2	4	11	45	1.75
CC23312		0.28	0.003	2.0	0.99	35	<10	200	0.7	6	10.15	3.6	7	18	45	2.59
CC23313		0.22	0.001	1.9	1.51	28	<10	200	0.7	8	5.93	2.3	8	25	31	2.80
CC23314		0.24	0.002	0.7	1.83	24	<10	210	0.9	14	0.65	2.0	11	34	29	3.21
CC23315		0.16	0.004	0.8	1.96	22	<10	260	0.8	4	0.92	1.5	10	30	18	3.18
CC23316		0.30	0.002	1.0	1.87	26	<10	210	0.8	19	0.76	2.0	9	32	24	3.23
CC23317		0.32	0.005	1.6	1.53	27	<10	220	0.9	44	4.93	2.0	8	24	56	2.96
CC23318		0.20	0.001	0.5	1.78	15	<10	390	0.7	<2	0.72	0.9	7	28	13	2.78
CC23319		0.24	0.004	3.0	1.93	21	<10	350	1.1	3	1.17	4.3	10	31	40	3.06
CC23320		0.28	0.003	2.4	2.01	21	<10	310	1.0	3	1.83	2.9	11	31	39	3.43
CC23321		0.34	0.018	3.6	1.75	76	<10	980	2.8	25	0.28	14.8	20	29	138	6.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23281		10	<1	0.08	10	0.24	1395	3	0.01	23	830	40	0.04	<2	<1	9
CC23282		10	<1	0.08	10	0.22	249	2	0.01	17	410	24	<0.01	<2	1	9
CC23283		10	<1	0.10	10	0.12	514	2	0.01	10	880	19	0.03	<2	<1	10
CC23285		<10	<1	0.04	10	11.80	499	<1	0.02	9	300	62	<0.01	<2	1	96
CC23286		<10	<1	0.05	10	11.30	857	<1	0.02	15	330	161	<0.01	<2	1	85
CC23287		10	<1	0.06	10	9.83	440	1	0.02	29	470	16	0.04	<2	2	56
CC23288		<10	<1	0.07	10	10.75	289	<1	0.02	19	370	11	0.03	<2	1	81
CC23289		<10	<1	0.14	10	11.20	238	<1	0.02	36	150	19	<0.01	<2	1	114
CC23290		<10	<1	0.19	10	12.70	148	3	0.05	21	190	19	<0.01	<2	1	179
CC23291		<10	<1	0.06	<10	13.00	962	1	0.04	18	240	18	<0.01	3	<1	86
CC23292		<10	<1	0.07	<10	12.70	1560	1	0.04	26	180	34	<0.01	9	<1	109
CC23293		<10	<1	0.04	<10	12.50	650	<1	0.03	2	150	17	<0.01	<2	<1	74
CC23294		<10	<1	0.05	10	12.10	1605	1	0.04	9	320	40	<0.01	7	1	98
CC23295		<10	<1	0.03	<10	12.45	1570	1	0.04	18	280	356	<0.01	6	1	111
CC23296		<10	<1	0.05	<10	11.70	353	1	0.04	10	260	30	<0.01	<2	1	128
CC23297		<10	<1	0.05	10	11.95	1230	1	0.04	44	870	171	<0.01	3	1	107
CC23298		<10	<1	0.04	10	12.10	1335	1	0.04	49	490	182	<0.01	3	1	100
CC23299		<10	<1	0.06	30	9.79	1280	1	0.04	31	1620	39	<0.01	3	1	84
CC23300		<10	<1	0.07	30	11.55	1240	1	0.04	27	1100	56	<0.01	2	1	79
CC23301		10	<1	0.10	20	2.21	1755	2	0.04	62	860	230	0.06	6	3	28
CC23302		<10	<1	0.09	20	5.16	2470	1	0.04	49	1090	163	0.09	5	1	43
CC23303		<10	<1	0.06	20	10.20	2040	2	0.04	59	860	203	<0.01	7	1	66
CC23304		<10	<1	0.09	20	6.89	2600	3	0.04	60	930	243	0.07	9	1	47
CC23305		<10	1	0.08	30	4.40	2100	2	0.04	60	910	253	0.06	9	2	36
CC23306		10	<1	0.08	30	1.20	783	2	0.03	35	860	74	0.05	6	2	21
CC23307		<10	<1	0.08	20	4.57	1860	4	0.04	44	1190	382	0.07	11	1	39
CC23308		10	1	0.09	30	1.63	1940	2	0.03	50	1440	345	0.10	14	2	24
CC23309		<10	<1	0.08	20	3.10	838	3	0.04	34	730	68	0.04	5	3	36
CC23310		10	<1	0.08	20	0.77	1560	8	0.03	50	950	104	0.06	13	2	18
CC23311		<10	<1	0.06	10	7.97	820	9	0.04	45	550	129	0.03	11	1	70
CC23312		<10	<1	0.06	10	6.23	1520	17	0.04	68	820	647	0.03	22	2	50
CC23313		<10	<1	0.09	20	3.77	1460	9	0.04	45	800	238	0.05	12	2	38
CC23314		<10	1	0.10	20	0.82	1125	5	0.03	50	950	124	0.06	7	3	17
CC23315		10	<1	0.09	20	0.57	2220	4	0.03	28	1620	200	0.10	9	2	16
CC23316		10	<1	0.08	10	0.63	1230	5	0.03	31	1310	155	0.07	10	2	16
CC23317		<10	<1	0.09	20	3.10	1105	6	0.04	33	750	147	0.04	14	2	33
CC23318		10	<1	0.07	10	0.50	717	6	0.03	21	1300	75	0.08	10	1	15
CC23319		10	<1	0.07	20	0.67	1505	5	0.03	37	1230	207	0.09	37	2	20
CC23320		<10	<1	0.10	20	1.24	1225	8	0.04	34	1010	455	0.06	81	2	23
CC23321		10	<1	0.08	20	0.53	9110	22	0.02	176	1370	865	0.04	76	2	12

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23281		<20	0.02	<10	<10	71	10	408	<10	7	10
CC23282		<20	0.04	<10	<10	54	<10	147	<10	6	10
CC23283		<20	0.01	<10	<10	52	<10	78	<10	6	<10
CC23285		<20	0.01	<10	<10	12	<10	208	<10	4	<10
CC23286		<20	0.01	<10	<10	18	10	292	<10	4	10
CC23287		<20	0.03	<10	<10	25	<10	237	<10	6	10
CC23288		<20	0.02	<10	<10	12	10	106	<10	5	10
CC23289		<20	0.01	<10	<10	5	10	198	<10	4	10
CC23290		<20	0.01	<10	<10	10	10	145	<10	4	<10
CC23291		<20	<0.01	<10	<10	6	10	124	<10	6	20
CC23292		<20	<0.01	<10	<10	6	10	202	<10	5	10
CC23293		<20	<0.01	<10	<10	5	<10	42	<10	5	<10
CC23294		<20	0.01	<10	<10	12	10	150	<10	5	10
CC23295		<20	0.01	<10	<10	12	10	682	<10	5	10
CC23296		<20	0.01	<10	<10	12	<10	126	<10	5	<10
CC23297		<20	0.01	<10	<10	14	10	615	<10	5	20
CC23298		<20	0.01	<10	<10	15	10	834	<10	4	10
CC23299		<20	0.01	<10	<10	41	<10	346	<10	5	10
CC23300		<20	0.01	<10	<10	20	10	297	<10	5	20
CC23301		<20	0.03	<10	<10	67	<10	747	<10	6	20
CC23302		<20	0.02	<10	<10	52	<10	701	<10	5	20
CC23303		<20	0.01	<10	<10	35	10	989	<10	5	20
CC23304		<20	0.02	<10	<10	45	10	1040	<10	5	10
CC23305		<20	0.03	<10	<10	56	10	847	<10	6	20
CC23306		<20	0.03	<10	<10	64	<10	283	<10	6	10
CC23307		<20	0.02	<10	<10	58	10	626	<10	6	20
CC23308		<20	0.02	<10	<10	70	<10	894	<10	7	20
CC23309		<20	0.03	<10	<10	50	<10	222	<10	5	10
CC23310		<20	0.03	<10	<10	71	<10	266	<10	7	20
CC23311		<20	0.02	<10	<10	30	10	561	<10	6	10
CC23312		<20	0.03	<10	<10	70	10	1020	<10	6	20
CC23313		<20	0.03	<10	<10	66	10	577	<10	7	10
CC23314		<20	0.03	<10	<10	75	<10	572	<10	7	10
CC23315		<20	0.02	<10	<10	69	<10	450	<10	7	10
CC23316		<20	0.03	<10	<10	67	<10	467	<10	7	10
CC23317		<20	0.03	<10	<10	50	20	480	<10	6	20
CC23318		<20	0.02	<10	<10	71	<10	247	<10	7	10
CC23319		<20	0.03	<10	<10	62	<10	414	<10	7	10
CC23320		<20	0.03	<10	<10	63	<10	273	<10	7	10
CC23321		<20	0.03	20	<10	107	90	3140	<10	9	100

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23322		0.20	0.003	1.1	1.45	48	<10	530	5.3	9	0.23	3.3	16	36	248	7.28
CC23323		0.26	0.001	0.4	1.17	11	<10	180	0.6	2	0.10	1.0	9	29	20	3.08
CC23324		0.14	0.001	0.4	1.01	11	<10	260	0.7	<2	0.14	1.5	8	25	16	2.73
CC23325		0.22	0.002	<0.2	1.13	11	<10	210	0.5	<2	0.13	1.0	7	26	15	2.77
CC23326		0.24	<0.001	0.2	1.20	11	<10	160	<0.5	<2	0.16	1.4	6	26	15	2.82
CC23327		0.32	0.001	0.2	1.38	13	<10	160	0.5	<2	0.13	0.5	7	29	14	2.81
CC23328		0.18	0.001	<0.2	2.57	14	<10	100	0.7	2	15.7	<0.5	6	27	18	1.90
CC23329		0.20	0.003	<0.2	1.58	5	<10	120	0.6	4	19.9	<0.5	4	16	21	1.22
CC23330		0.18	0.006	<0.2	1.20	3	10	120	1.8	15	16.7	0.6	2	11	23	1.08
CC23331		0.24	0.003	0.2	1.69	11	<10	110	0.8	2	16.7	<0.5	5	19	27	1.56
CC23332		0.22	0.001	<0.2	1.61	7	<10	110	0.8	5	15.3	<0.5	4	17	22	1.30
CC23333		0.24	0.002	<0.2	0.35	8	<10	100	<0.5	8	20.9	<0.5	1	4	10	0.62
CC23334		0.14	0.002	<0.2	0.25	2	<10	60	<0.5	2	19.7	<0.5	<1	2	6	0.57
CC23335		0.24	0.002	<0.2	0.60	4	<10	100	0.6	2	17.7	<0.5	2	7	8	0.80
CC23336		0.12	0.002	0.2	1.91	17	<10	330	0.9	<2	0.62	<0.5	9	30	20	3.00
CC23337		0.20	0.006	<0.2	0.53	13	10	110	0.9	7	18.9	<0.5	1	4	27	1.64
CC23338		0.18	0.002	0.3	0.52	7	<10	80	<0.5	3	19.4	<0.5	1	6	8	0.75
CC23339		0.30	0.002	<0.2	0.28	7	<10	60	<0.5	<2	21.0	<0.5	<1	3	5	0.60
CC23340		0.24	0.002	<0.2	0.20	10	<10	50	0.7	18	21.2	0.5	<1	2	9	0.61
CC23341		0.18	0.011	0.2	2.43	18	<10	270	1.4	3	1.12	1.7	10	34	19	3.96
CC23342		0.26	0.004	0.6	1.00	15	<10	150	0.9	12	10.65	0.7	6	14	42	1.93
CC23343		0.16	<0.001	0.9	1.39	12	<10	140	1.0	16	6.97	1.1	6	19	22	2.15
CC23344		0.22	0.003	0.3	0.53	12	<10	80	0.5	3	16.7	0.5	2	7	11	0.98
CC23345		0.26	0.005	0.3	1.76	15	<10	310	0.7	<2	1.12	<0.5	11	30	38	2.75
CC23346		0.14	0.003	0.8	1.53	14	<10	340	1.0	3	1.20	2.1	8	26	23	2.63
CC23347		0.34	0.002	0.7	0.96	14	<10	200	0.6	3	8.72	0.8	4	16	22	1.75
CC23348		0.22	0.003	0.6	1.41	16	<10	250	0.9	2	2.60	1.0	7	24	22	2.64
CC23349		0.22	0.002	0.6	1.38	17	<10	220	1.0	2	0.20	0.9	6	25	23	2.88
CC23350		0.26	0.001	0.3	1.76	13	<10	450	0.7	3	0.21	0.6	8	31	15	3.08
CC23351		0.22	0.001	0.5	1.54	12	<10	410	0.6	<2	0.61	5.4	10	27	17	2.67
CC23352		0.18	0.001	0.3	1.68	13	<10	290	0.6	<2	0.38	1.0	10	30	16	3.15
CC23353		0.26	<0.001	0.5	1.68	10	<10	270	0.6	<2	0.52	0.8	9	28	15	2.77
CC23354		0.26	0.002	0.9	1.45	15	<10	240	0.8	2	0.40	1.1	9	28	22	2.84
CC23355		0.28	0.002	0.5	1.71	14	<10	300	0.7	<2	0.46	1.0	9	29	20	2.81
CC23356		0.14	0.001	1.1	1.38	12	<10	310	0.9	<2	0.82	2.5	7	24	22	2.49
CC23357		0.22	0.002	0.3	2.02	18	<10	450	0.8	<2	0.42	1.1	9	32	20	3.19
CC23358		0.24	0.001	0.4	1.70	14	<10	230	0.8	<2	0.41	2.3	10	28	18	3.01
CC23359		0.24	0.001	0.5	1.96	15	<10	410	0.9	<2	0.48	2.3	9	31	19	3.34
CC23360		0.26	0.002	0.5	1.72	17	<10	450	0.8	<2	0.53	0.8	8	30	20	2.88
CC23361		0.18	0.001	0.6	1.85	17	<10	440	1.0	2	0.73	2.0	10	31	22	3.07

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23322		10	<1	0.09	10	0.43	3500	13	0.03	96	1010	229	0.04	27	1	11
CC23323		10	<1	0.08	10	0.30	1135	5	0.02	37	510	65	0.04	5	1	8
CC23324		<10	<1	0.09	10	0.27	1130	3	0.02	27	1010	32	0.07	3	<1	10
CC23325		10	<1	0.09	10	0.27	813	3	0.03	19	720	26	0.05	2	1	11
CC23326		10	<1	0.10	10	0.29	586	3	0.03	20	570	29	0.05	2	1	11
CC23327		10	<1	0.09	10	0.35	418	3	0.03	23	470	35	0.03	<2	1	11
CC23328		10	<1	0.18	10	5.90	420	<1	0.06	22	430	10	0.06	2	3	160
CC23329		<10	<1	0.40	10	8.43	298	1	0.06	13	250	7	<0.01	2	2	170
CC23330		<10	<1	0.49	10	11.25	467	1	0.07	7	350	7	0.06	2	1	97
CC23331		<10	<1	0.28	10	7.90	369	1	0.06	17	300	10	<0.01	<2	3	133
CC23332		<10	1	0.35	10	8.90	365	1	0.06	15	360	10	0.08	<2	2	119
CC23333		<10	<1	0.10	<10	11.70	230	2	0.04	9	160	12	<0.01	2	1	124
CC23334		<10	<1	0.05	<10	11.75	533	1	0.03	3	260	8	<0.01	3	1	80
CC23335		<10	<1	0.07	10	10.80	317	2	0.03	8	380	10	<0.01	<2	1	98
CC23336		10	<1	0.12	20	0.86	1170	2	0.04	27	470	27	0.04	3	4	21
CC23337		<10	<1	0.13	<10	11.35	1910	1	0.04	5	380	18	<0.01	<2	1	109
CC23338		<10	<1	0.05	10	11.70	441	2	0.04	8	390	16	<0.01	<2	1	117
CC23339		<10	<1	0.03	<10	12.60	906	1	0.03	4	260	25	<0.01	2	1	105
CC23340		<10	<1	0.04	10	12.60	888	2	0.03	3	320	18	<0.01	<2	1	110
CC23341		10	<1	0.13	20	1.05	2530	2	0.04	30	720	35	0.05	2	4	25
CC23342		<10	<1	0.14	10	6.32	668	3	0.05	30	480	23	0.02	4	3	70
CC23343		<10	<1	0.11	10	4.42	1105	2	0.04	21	490	41	0.04	2	2	55
CC23344		<10	<1	0.06	10	9.86	546	1	0.04	24	400	17	<0.01	2	1	118
CC23345		<10	<1	0.11	20	1.03	514	1	0.04	33	730	22	0.01	3	5	29
CC23346		<10	<1	0.10	20	0.66	1140	3	0.04	28	1050	76	0.07	4	2	22
CC23347		<10	<1	0.07	10	5.37	573	3	0.04	23	540	62	0.02	4	2	58
CC23348		<10	<1	0.09	10	1.65	1045	2	0.04	30	660	64	0.04	5	2	26
CC23349		<10	<1	0.06	10	0.35	711	4	0.03	31	430	94	0.03	7	2	10
CC23350		10	<1	0.08	10	0.47	703	3	0.03	21	460	58	0.02	5	2	12
CC23351		10	<1	0.07	10	0.39	1730	3	0.03	17	1000	41	0.05	3	2	16
CC23352		10	<1	0.10	10	0.47	923	3	0.03	21	720	43	0.04	2	2	17
CC23353		10	<1	0.08	10	0.46	843	2	0.03	20	730	43	0.04	3	2	15
CC23354		<10	<1	0.08	10	0.51	621	3	0.03	33	570	57	0.03	5	3	16
CC23355		10	<1	0.08	10	0.51	689	2	0.03	25	760	50	0.04	3	3	16
CC23356		<10	<1	0.08	10	0.46	941	3	0.03	24	940	97	0.06	7	1	16
CC23357		10	1	0.12	10	0.83	776	3	0.03	29	510	49	0.03	4	3	16
CC23358		10	<1	0.11	20	0.56	812	3	0.03	26	620	55	0.04	4	3	16
CC23359		10	<1	0.13	20	0.65	934	2	0.03	26	550	52	0.03	2	4	16
CC23360		10	<1	0.11	20	0.57	637	2	0.03	26	610	60	0.04	3	3	18
CC23361		10	<1	0.12	20	0.62	992	3	0.03	33	720	106	0.05	5	3	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23322		<20	0.03	<10	<10	110	160	1580	<10	8	170
CC23323		<20	0.03	<10	<10	65	10	455	<10	6	20
CC23324		<20	0.01	<10	<10	51	10	364	<10	6	20
CC23325		<20	0.02	<10	<10	56	<10	171	<10	6	10
CC23326		<20	0.03	<10	<10	62	<10	163	<10	6	10
CC23327		<20	0.03	<10	<10	55	<10	149	<10	6	10
CC23328		<20	0.08	<10	<10	36	<10	67	<10	4	<10
CC23329		<20	0.05	<10	<10	20	10	44	<10	4	10
CC23330		<20	0.03	<10	<10	13	50	110	<10	7	50
CC23331		<20	0.06	<10	<10	28	20	64	<10	5	20
CC23332		<20	0.05	<10	<10	21	10	68	<10	4	10
CC23333		<20	0.01	<10	<10	8	10	75	<10	5	10
CC23334		<20	0.01	<10	<10	7	<10	44	<10	5	<10
CC23335		<20	0.01	<10	<10	17	10	38	<10	6	10
CC23336		<20	0.05	<10	<10	61	40	116	<10	7	40
CC23337		<20	0.01	<10	<10	12	30	86	<10	6	30
CC23338		<20	0.01	<10	<10	14	<10	42	<10	5	<10
CC23339		<20	0.01	<10	<10	8	<10	130	<10	5	10
CC23340		<20	<0.01	<10	<10	6	<10	70	<10	5	10
CC23341		<20	0.05	<10	<10	71	10	418	<10	8	10
CC23342		<20	0.04	<10	<10	32	100	144	<10	5	90
CC23343		<20	0.03	<10	<10	37	50	179	<10	6	40
CC23344		<20	0.02	<10	<10	17	20	107	<10	4	20
CC23345		<20	0.06	<10	<10	54	<10	105	<10	5	10
CC23346		<20	0.03	<10	<10	51	10	257	<10	6	10
CC23347		<20	0.03	<10	<10	31	10	201	<10	5	10
CC23348		<20	0.03	<10	<10	46	10	224	<10	6	20
CC23349		<20	0.03	<10	<10	47	30	297	<10	6	30
CC23350		<20	0.04	<10	<10	68	10	215	<10	6	10
CC23351		<20	0.03	<10	<10	62	<10	266	<10	6	10
CC23352		<20	0.04	<10	<10	68	10	232	<10	6	10
CC23353		<20	0.03	<10	<10	66	<10	223	<10	6	10
CC23354		<20	0.04	<10	<10	49	10	247	<10	6	10
CC23355		<20	0.03	<10	<10	57	<10	217	<10	6	10
CC23356		<20	0.02	<10	<10	46	50	377	<10	7	50
CC23357		<20	0.03	<10	<10	59	<10	187	<10	6	10
CC23358		<20	0.03	<10	<10	52	<10	246	<10	7	10
CC23359		<20	0.04	<10	<10	59	<10	330	<10	7	10
CC23360		<20	0.03	<10	<10	55	<10	205	<10	6	10
CC23361		<20	0.03	<10	<10	60	<10	369	<10	7	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23362		0.20	0.002	0.6	1.82	18	<10	480	1.4	2	0.49	1.0	11	30	29	3.25
CC23363		0.28	0.001	0.3	1.96	15	<10	420	0.8	<2	0.45	0.5	10	31	17	3.19
CC23364		0.18	0.002	1.0	1.78	15	<10	430	0.9	2	1.72	0.8	9	28	32	2.79
CC23365		0.24	0.002	1.6	1.76	17	<10	430	0.9	<2	1.18	1.6	8	29	38	2.81
CC23366		0.16	0.001	0.5	1.47	12	<10	380	0.6	<2	1.82	1.3	7	21	20	2.17
CC23367		0.18	0.002	0.2	1.84	13	<10	460	0.9	<2	0.87	3.8	11	28	32	3.05
CC23368		0.28	0.001	0.6	1.65	14	<10	390	1.7	<2	0.63	2.3	8	26	29	3.00
CC23369		0.12	0.002	0.5	1.35	10	<10	270	0.6	<2	0.70	3.2	8	22	21	2.54
CC23370		0.14	0.003	1.0	1.46	20	<10	280	0.8	3	0.40	2.5	10	26	33	3.42
CC23372		0.22	0.002	<0.2	0.51	<2	<10	60	<0.5	<2	18.8	<0.5	2	5	12	0.46
CC23373		0.18	<0.001	<0.2	3.32	10	<10	120	1.5	3	2.29	<0.5	11	39	19	3.05
CC23374		0.24	0.002	<0.2	1.42	5	<10	80	0.5	<2	17.5	<0.5	4	14	23	1.12
CC23375		0.20	0.002	<0.2	0.70	3	<10	80	1.1	<2	15.5	<0.5	2	7	18	0.81
CC23376		0.18	0.009	<0.2	0.80	9	<10	110	1.3	<2	12.75	<0.5	3	8	20	1.07
CC23377		0.20	0.001	<0.2	1.82	8	10	230	2.2	<2	3.86	0.9	8	24	29	2.35
CC23378		0.18	0.001	0.3	1.76	11	<10	200	1.4	<2	1.80	1.0	8	25	24	2.74
CC23379		0.20	0.002	<0.2	0.19	2	<10	60	<0.5	<2	18.6	<0.5	1	2	14	0.41
CC23380		0.22	0.001	<0.2	0.52	4	10	100	<0.5	<2	15.3	<0.5	2	6	14	0.77
CC23381		0.10	0.005	<0.2	1.11	7	10	180	1.0	<2	6.68	0.8	5	14	29	2.24
CC23382		0.24	0.003	<0.2	0.54	<2	<10	80	<0.5	<2	15.9	<0.5	3	7	20	1.02
CC23383		0.18	0.001	0.5	1.00	10	<10	120	0.5	<2	9.74	<0.5	5	13	17	1.64
CC23384		0.12	0.004	0.2	1.77	18	20	340	1.8	18	1.79	1.9	9	19	33	3.52
CC23385		0.18	0.002	0.2	2.07	17	<10	280	1.7	<2	1.94	0.7	9	27	21	3.71
CC23386		0.24	0.004	<0.2	1.53	12	<10	240	0.5	<2	0.64	<0.5	8	28	23	2.76
CC23387		0.16	0.004	<0.2	0.98	12	<10	150	0.8	2	7.66	<0.5	5	12	29	1.66
CC23388		0.12	0.009	<0.2	0.88	8	<10	190	0.5	<2	2.66	3.9	5	16	25	1.71
CC23389		0.18	0.007	0.6	1.37	15	<10	230	1.0	<2	1.37	2.1	9	24	27	2.72
CC23390		0.14	0.010	0.3	1.01	8	<10	160	0.7	<2	6.95	1.0	6	15	24	1.84
CC23391		0.12	0.001	<0.2	0.93	6	<10	180	<0.5	<2	2.27	2.1	5	14	14	1.61
CC23392		0.18	0.001	0.4	1.47	10	<10	310	0.7	<2	0.41	1.2	6	23	17	2.70
CC23393		0.16	0.022	<0.2	1.00	7	<10	200	<0.5	<2	0.28	1.7	3	18	10	1.89
CC23394		0.18	0.002	0.3	1.31	6	<10	240	<0.5	<2	0.19	1.3	4	22	15	2.21
CC23395		0.14	0.001	0.2	1.75	4	<10	310	0.5	<2	0.39	0.8	8	29	16	3.15
CC23396		0.20	<0.001	0.2	1.64	13	<10	280	0.8	<2	0.40	1.9	9	27	18	3.18
CC23397		0.16	0.054	<0.2	1.72	11	<10	220	0.5	<2	0.42	1.6	7	30	14	3.22
CC23398		0.12	<0.001	0.3	1.43	13	<10	360	0.5	<2	0.72	2.8	9	24	14	2.79
CC23399		0.22	0.002	0.4	1.64	12	<10	410	0.6	<2	0.77	2.8	8	27	16	2.79
CC23400		0.16	0.001	0.2	1.77	13	<10	350	0.6	<2	0.42	2.8	10	31	16	3.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23362		10	<1	0.09	20	0.62	1250	4	0.03	42	670	165	0.03	5	3	17
CC23363		10	<1	0.09	10	0.61	698	2	0.02	28	540	59	0.02	5	3	15
CC23364		10	<1	0.10	10	0.98	653	1	0.03	28	950	147	0.06	7	3	22
CC23365		10	<1	0.09	20	0.73	492	1	0.02	27	860	220	0.05	16	3	20
CC23366		<10	<1	0.06	10	0.52	505	1	0.02	17	1080	56	0.10	6	2	24
CC23367		10	<1	0.08	20	0.55	1470	2	0.02	22	960	72	0.05	6	3	17
CC23368		10	1	0.10	10	0.73	1270	4	0.02	24	700	118	0.03	10	2	15
CC23369		<10	<1	0.08	10	0.41	787	3	0.02	18	890	77	0.07	6	2	17
CC23370		<10	1	0.09	10	0.49	1160	4	0.02	32	690	259	0.03	17	3	15
CC23372		<10	<1	0.28	<10	11.00	123	<1	0.03	3	90	3	<0.01	2	1	117
CC23373		10	<1	0.11	10	4.71	818	<1	0.03	28	420	10	0.03	2	5	32
CC23374		<10	<1	0.32	<10	8.33	268	<1	0.03	11	190	11	<0.01	3	2	134
CC23375		<10	<1	0.19	<10	10.35	276	<1	0.03	6	190	6	0.04	3	2	117
CC23376		<10	1	0.20	<10	8.23	352	1	0.02	10	460	18	0.06	2	1	66
CC23377		10	<1	0.20	10	3.48	660	1	0.03	19	910	24	0.08	4	2	32
CC23378		10	<1	0.14	10	1.88	793	2	0.03	25	810	31	0.06	3	3	25
CC23379		<10	<1	0.05	<10	11.45	290	1	0.01	<1	140	9	<0.01	2	1	94
CC23380		<10	<1	0.05	<10	9.62	364	1	0.02	9	440	8	0.04	3	1	80
CC23381		<10	<1	0.13	<10	4.08	1530	1	0.03	14	690	21	0.09	3	2	40
CC23382		<10	<1	0.08	<10	9.57	494	1	0.02	9	370	17	0.03	4	2	84
CC23383		<10	<1	0.08	<10	6.11	733	1	0.02	16	530	22	0.03	3	2	56
CC23384		10	<1	0.22	10	1.26	3250	4	0.03	16	760	35	0.10	3	4	25
CC23385		10	<1	0.09	10	1.49	2040	1	0.02	28	480	44	0.04	5	4	23
CC23386		<10	<1	0.10	10	0.60	441	1	0.05	22	710	15	0.02	5	4	29
CC23387		<10	<1	0.09	<10	4.48	971	2	0.03	17	720	22	0.07	3	2	65
CC23388		<10	<1	0.06	10	0.53	1020	1	0.02	15	1050	21	0.13	2	1	24
CC23389		<10	<1	0.11	10	0.81	1180	2	0.02	31	1020	62	0.07	4	2	20
CC23390		<10	<1	0.08	<10	4.23	691	1	0.03	20	790	40	0.06	4	2	42
CC23391		<10	<1	0.06	<10	0.64	606	1	0.02	14	850	30	0.11	2	1	21
CC23392		<10	<1	0.09	10	0.47	679	2	0.02	25	400	65	0.03	5	2	14
CC23393		10	<1	0.09	10	0.20	378	2	0.02	11	340	31	0.03	4	1	14
CC23394		10	<1	0.07	10	0.19	423	2	0.02	10	390	31	0.02	3	1	13
CC23395		10	<1	0.12	10	0.43	641	2	0.03	17	550	43	0.04	5	2	18
CC23396		10	<1	0.11	10	0.53	1060	2	0.02	25	660	53	0.03	6	2	16
CC23397		10	<1	0.10	10	0.51	570	2	0.03	20	490	42	0.03	3	2	17
CC23398		10	<1	0.10	10	0.42	789	2	0.02	14	710	45	0.04	6	2	15
CC23399		10	<1	0.11	10	0.54	799	3	0.03	19	1190	47	0.08	4	2	19
CC23400		10	<1	0.11	10	0.55	1170	3	0.02	21	630	49	0.03	3	2	15

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 30-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070022

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23362		<20	0.03	<10	<10	57	10	524	<10	7	20
CC23363		<20	0.03	<10	<10	62	10	202	<10	6	10
CC23364		<20	0.03	<10	<10	52	10	403	<10	7	10
CC23365		<20	0.03	<10	<10	51	10	467	<10	7	10
CC23366		<20	0.02	<10	<10	40	<10	210	<10	7	10
CC23367		<20	0.03	<10	<10	56	10	290	<10	8	20
CC23368		<20	0.04	<10	<10	58	70	514	<10	8	80
CC23369		<20	0.03	<10	<10	46	10	267	<10	6	10
CC23370		<20	0.03	<10	<10	54	30	495	<10	6	30
CC23372		<20	0.02	<10	20	6	<10	12	<10	4	<10
CC23373		<20	0.10	<10	<10	54	10	105	<10	6	10
CC23374		<20	0.05	<10	20	17	10	52	<10	<4	10
CC23375		<20	0.02	<10	10	10	10	71	<10	5	10
CC23376		<20	0.02	<10	<10	15	40	99	<10	6	40
CC23377		<20	0.04	<10	<10	41	10	201	<10	7	10
CC23378		<20	0.05	<10	<10	46	10	201	<10	6	20
CC23379		<20	0.01	<10	20	6	20	28	<10	5	20
CC23380		<20	0.01	<10	10	15	10	53	<10	5	10
CC23381		<20	0.03	<10	<10	28	10	125	<10	8	20
CC23382		<20	0.02	<10	10	15	20	57	<10	5	10
CC23383		<20	0.03	<10	<10	28	10	104	<10	6	10
CC23384		<20	0.04	<10	<10	39	70	254	<10	9	70
CC23385		<20	0.04	<10	<10	54	30	223	<10	8	30
CC23386		<20	0.06	<10	<10	55	10	103	<10	5	10
CC23387		<20	0.02	<10	<10	24	30	127	<10	6	30
CC23388		<20	0.02	<10	<10	27	<10	232	<10	5	<10
CC23389		<20	0.03	<10	<10	42	10	313	<10	6	10
CC23390		<20	0.02	<10	<10	28	10	235	<10	6	10
CC23391		<20	0.02	<10	<10	27	<10	162	<10	5	10
CC23392		<20	0.04	<10	<10	53	20	242	<10	7	20
CC23393		<20	0.04	<10	<10	58	20	143	<10	6	20
CC23394		<20	0.04	<10	<10	64	<10	81	<10	6	10
CC23395		<20	0.05	<10	<10	75	10	150	<10	6	10
CC23396		<20	0.04	<10	<10	56	10	302	<10	6	20
CC23397		<20	0.04	<10	<10	69	10	282	<10	5	10
CC23398		<20	0.04	<10	<10	61	<10	288	<10	6	10
CC23399		<20	0.04	<10	<10	60	<10	291	<10	6	10
CC23400		<20	0.04	<10	<10	68	10	366	<10	6	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 31-JUL-2007
Account: RCM

CERTIFICATE VA07070021

Project: RAU

P.O. No.:

This report is for 199 Soil samples submitted to our lab in Vancouver, BC, Canada on 5-JUL-2007.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-43	Screen to -500um, discard plus
PUL-31	Pulverize split to 85% <75 um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF05	Trace Level XRF Analysis	XRF
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **ATAC RESOURCES LTD.**
ATTN: AL ARCHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Lawrence Ng, Laboratory Manager - Vancouver

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23001		0.24	0.003	0.4	0.99	<2	<10	150	0.9	2	16.2	1.0	3	10	20	0.84
CC23002		0.20	<0.001	2.0	0.96	<2	<10	90	0.6	<2	14.90	0.7	3	10	11	0.80
CC23003		0.24	<0.001	<0.2	0.69	<2	<10	70	<0.5	<2	15.0	<0.5	1	7	9	0.60
CC23004		0.30	<0.001	<0.2	0.84	5	<10	60	<0.5	<2	16.0	<0.5	3	9	6	0.62
CC23005		0.28	<0.001	<0.2	0.80	7	<10	210	<0.5	<2	17.4	<0.5	3	8	10	0.72
CC23006		0.30	<0.001	<0.2	0.52	5	<10	110	<0.5	<2	18.4	<0.5	2	5	8	0.57
CC23007		0.38	<0.001	<0.2	0.12	4	<10	50	<0.5	6	20.9	0.5	2	1	9	0.38
CC23008		0.34	0.001	0.2	0.16	6	<10	60	<0.5	8	19.5	0.5	<1	1	10	0.52
CC23009		0.26	<0.001	<0.2	0.13	9	<10	60	<0.5	2	21.6	<0.5	<1	1	6	0.28
CC23010		0.40	<0.001	<0.2	0.07	5	<10	40	<0.5	<2	19.9	<0.5	<1	<1	3	0.27
CC23011		0.42	0.005	0.2	0.17	7	<10	70	<0.5	<2	20.6	<0.5	<1	2	9	0.46
CC23012		0.26	0.001	0.4	0.79	6	<10	110	0.6	2	13.30	<0.5	1	10	13	1.20
CC23013		0.38	0.002	0.5	2.24	11	<10	260	0.9	2	1.60	<0.5	7	34	19	3.19
CC23014		0.36	0.004	0.6	0.81	8	<10	150	0.5	6	11.75	<0.5	2	12	11	1.37
CC23015		0.42	0.008	0.4	0.56	32	10	100	0.9	2	17.3	<0.5	1	6	21	1.12
CC23016		0.24	0.001	<0.2	1.65	14	<10	200	0.5	<2	0.43	<0.5	7	31	15	2.94
CC23017		0.28	0.007	0.5	1.73	14	<10	240	0.8	2	1.89	<0.5	7	30	16	2.70
CC23018		0.24	<0.001	1.0	1.98	30	<10	250	2.6	5	1.69	<0.5	8	32	30	2.97
CC23019		0.34	<0.001	0.5	1.29	8	<10	200	0.7	<2	8.63	<0.5	3	24	10	1.78
CC23020		0.28	<0.001	0.2	2.20	13	<10	260	0.9	2	0.52	<0.5	8	34	11	3.14
CC23021		0.16	<0.001	0.2	2.53	19	<10	370	1.0	3	0.92	1.6	11	44	19	4.35
CC23022		0.20	<0.001	0.3	2.27	13	<10	260	0.9	<2	0.82	<0.5	7	34	11	3.12
CC23023		0.18	<0.001	0.2	2.06	19	<10	250	0.8	2	0.26	<0.5	9	34	16	3.29
CC23024		0.20	<0.001	0.2	1.92	14	<10	250	0.6	2	0.31	<0.5	7	31	13	3.11
CC23025		0.16	<0.001	0.3	2.04	18	<10	290	0.8	2	0.41	<0.5	8	33	18	3.26
CC23026		0.14	<0.001	0.3	1.89	16	<10	320	0.8	<2	0.68	1.5	10	32	17	2.97
CC23027		0.14	<0.001	0.5	2.03	14	<10	330	0.9	2	0.52	<0.5	7	33	16	3.13
CC23028		0.20	<0.001	0.5	1.96	15	<10	320	0.9	<2	0.57	0.8	8	35	17	3.05
CC23029		0.14	<0.001	0.4	1.86	11	<10	660	0.9	<2	1.35	<0.5	5	30	14	2.44
CC23030		0.18	0.002	1.1	2.00	14	<10	350	0.9	2	0.96	0.8	6	35	14	2.81
CC23031		0.16	0.002	1.0	1.73	19	<10	410	0.8	<2	2.50	1.4	6	29	20	2.62
CC23032		0.20	0.003	0.6	1.79	10	<10	330	0.9	<2	0.64	0.5	7	31	20	2.89
CC23033		0.18	<0.001	0.5	2.10	18	<10	310	0.9	<2	0.33	<0.5	10	33	20	3.51
CC23034		0.18	<0.001	0.5	1.67	15	<10	370	0.9	2	0.39	5.4	9	30	21	3.35
CC23035		0.22	<0.001	0.6	2.19	16	<10	410	1.3	6	0.33	<0.5	10	36	30	3.74
CC23036		0.32	<0.001	0.5	2.19	13	<10	410	1.0	3	0.47	1.2	10	36	31	3.70
CC23037		0.28	0.001	0.4	2.14	14	<10	360	0.8	3	0.39	<0.5	6	33	16	3.19
CC23038		0.18	<0.001	1.1	1.82	15	<10	660	1.1	3	0.60	0.7	8	29	26	3.31
CC23039		0.18	0.008	1.2	1.70	23	<10	570	1.0	6	0.66	<0.5	7	29	34	3.40
CC23040		0.12	0.001	1.5	1.30	12	<10	500	0.8	2	0.88	3.4	5	23	31	2.65

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23001		<10	<1	0.21	10	10.95	784	1	0.02	12	300	76	0.03	2	1	79
CC23002		<10	<1	0.12	10	10.35	571	1	0.01	13	340	229	0.03	2	1	83
CC23003		<10	<1	0.07	10	9.84	244	1	0.01	8	330	14	0.03	2	1	81
CC23004		<10	<1	0.10	10	10.75	145	1	0.01	6	290	8	0.03	<2	1	85
CC23005		<10	<1	0.41	10	10.70	112	2	0.04	6	170	7	<0.01	<2	1	74
CC23006		<10	<1	0.13	10	11.75	215	2	0.02	4	160	6	<0.01	<2	1	98
CC23007		<10	<1	0.03	<10	12.85	508	1	0.01	6	120	12	<0.01	<2	<1	97
CC23008		<10	<1	0.03	<10	12.20	766	1	0.01	4	130	20	<0.01	2	<1	90
CC23009		<10	<1	0.04	<10	12.85	395	1	0.01	3	120	7	<0.01	<2	<1	103
CC23010		<10	<1	0.02	<10	11.95	486	<1	0.01	<1	110	3	<0.01	<2	<1	100
CC23011		<10	<1	0.03	<10	12.20	595	1	0.01	4	150	6	<0.01	<2	<1	96
CC23012		<10	<1	0.06	<10	8.28	682	1	0.02	14	480	11	0.05	2	1	64
CC23013		<10	<1	0.10	20	1.27	652	1	0.03	32	450	38	0.03	<2	5	23
CC23014		<10	<1	0.06	10	7.21	680	1	0.02	14	450	31	0.02	<2	2	66
CC23015		<10	<1	0.12	<10	10.70	552	2	0.02	9	310	22	<0.01	<2	1	96
CC23016		10	<1	0.09	10	0.62	333	2	0.02	28	690	31	0.02	2	2	16
CC23017		<10	<1	0.09	20	1.33	813	1	0.03	30	880	45	0.05	<2	3	24
CC23018		10	<1	0.12	30	1.16	1140	1	0.03	54	1350	85	0.10	4	2	21
CC23019		<10	<1	0.07	20	5.06	292	<1	0.02	17	1130	32	0.04	<2	2	37
CC23020		10	<1	0.09	20	0.61	606	1	0.02	27	650	45	0.04	3	3	15
CC23021		10	<1	0.15	20	0.80	894	2	0.04	35	1040	74	0.08	4	2	24
CC23022		10	<1	0.09	10	0.72	523	1	0.02	27	1100	77	0.06	<2	3	15
CC23023		10	<1	0.09	20	0.58	747	1	0.02	33	640	155	0.03	2	3	16
CC23024		10	<1	0.10	10	0.52	624	1	0.03	28	770	93	0.04	2	2	16
CC23025		10	1	0.11	10	0.58	975	2	0.02	33	1100	145	0.06	5	2	15
CC23026		<10	<1	0.10	20	0.60	1190	2	0.02	27	1210	62	0.08	2	2	16
CC23027		10	1	0.12	20	0.60	820	2	0.03	27	1060	87	0.06	4	2	15
CC23028		<10	<1	0.11	20	0.71	723	2	0.02	30	870	117	0.05	7	2	15
CC23029		10	1	0.12	10	0.69	598	2	0.02	21	1850	88	0.14	3	2	18
CC23030		<10	<1	0.10	20	0.78	550	2	0.02	29	1010	100	0.07	6	3	17
CC23031		<10	<1	0.12	20	1.32	698	1	0.03	26	1170	77	0.09	<2	2	24
CC23032		<10	1	0.11	10	0.52	601	2	0.02	31	1170	59	0.07	2	2	15
CC23033		10	1	0.11	20	0.58	1050	3	0.02	45	780	210	0.04	7	3	14
CC23034		10	<1	0.10	10	0.47	907	3	0.02	34	780	120	0.04	4	2	12
CC23035		10	<1	0.11	10	0.56	1180	3	0.02	39	840	404	0.04	15	3	12
CC23036		10	<1	0.12	10	0.57	1080	3	0.03	35	770	184	0.04	10	3	16
CC23037		10	<1	0.12	10	0.57	470	3	0.03	24	740	110	0.04	11	2	15
CC23038		<10	1	0.09	10	0.55	928	6	0.02	35	1000	215	0.07	18	3	15
CC23039		<10	<1	0.09	10	0.62	527	6	0.03	41	550	228	0.03	20	3	18
CC23040		<10	<1	0.09	10	0.42	827	4	0.02	27	1100	171	0.10	12	2	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23001		<20	0.03	<10	<10	18	10	470	<10	5	20
CC23002		<20	0.02	<10	<10	18	10	199	<10	5	10
CC23003		<20	0.02	<10	<10	14	<10	82	<10	4	10
CC23004		<20	0.02	<10	<10	12	<10	41	<10	5	<10
CC23005		<20	0.02	<10	<10	8	20	15	<10	5	20
CC23006		<20	0.01	<10	<10	7	10	26	<10	5	10
CC23007		<20	<0.01	<10	<10	3	10	71	<10	5	10
CC23008		<20	<0.01	<10	<10	5	10	107	<10	5	10
CC23009		<20	<0.01	<10	10	2	10	39	<10	5	10
CC23010		<20	<0.01	<10	<10	3	<10	11	<10	5	<10
CC23011		<20	<0.01	<10	10	4	20	23	<10	5	10
CC23012		<20	0.02	<10	<10	19	30	88	<10	6	30
CC23013		<20	0.05	<10	<10	60	<10	147	<10	6	10
CC23014		<20	0.03	<10	<10	24	20	116	<10	5	20
CC23015		<20	0.01	<10	<10	12	20	104	<10	6	10
CC23016		<20	0.07	<10	<10	71	10	213	<10	5	10
CC23017		<20	0.04	<10	<10	52	<10	178	<10	6	10
CC23018		<20	0.03	<10	<10	57	10	461	<10	6	20
CC23019		<20	0.03	<10	<10	38	<10	157	<10	5	<10
CC23020		<20	0.04	<10	<10	66	<10	202	<10	7	10
CC23021		<20	0.06	<10	<10	93	<10	406	<10	6	10
CC23022		<20	0.03	<10	<10	68	<10	274	<10	6	10
CC23023		<20	0.05	<10	<10	75	<10	322	<10	6	10
CC23024		<20	0.04	<10	<10	68	<10	236	<10	6	10
CC23025		<20	0.04	<10	<10	69	10	353	<10	6	10
CC23026		<20	0.04	<10	<10	62	<10	339	<10	7	10
CC23027		<20	0.04	<10	<10	67	<10	327	<10	7	10
CC23028		<20	0.04	<10	<10	65	<10	423	<10	6	10
CC23029		<20	0.03	<10	<10	53	<10	221	<10	7	10
CC23030		<20	0.04	<10	<10	60	<10	338	<10	7	10
CC23031		<20	0.03	<10	<10	53	10	325	<10	7	10
CC23032		<20	0.03	<10	<10	58	10	353	<10	7	10
CC23033		<20	0.04	<10	<10	68	10	589	<10	7	20
CC23034		<20	0.03	<10	<10	70	10	726	<10	6	20
CC23035		<20	0.04	<10	<10	79	10	1140	<10	6	20
CC23036		<20	0.05	<10	<10	80	10	665	<10	6	20
CC23037		<20	0.04	<10	<10	72	10	493	<10	6	20
CC23038		<20	0.03	<10	<10	63	20	521	<10	6	30
CC23039		<20	0.04	<10	<10	62	30	574	<10	6	40
CC23040		<20	0.03	<10	<10	43	20	479	<10	7	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23081		0.20	<0.001	0.2	0.47	<2	<10	200	<0.5	<2	19.6	<0.5	<1	4	6	0.47
CC23082		0.22	<0.001	0.2	0.76	<2	<10	160	<0.5	<2	19.6	<0.5	<1	8	6	0.60
CC23083		0.20	<0.001	0.2	1.01	4	<10	70	<0.5	<2	15.6	<0.5	1	11	8	0.83
CC23084		0.20	0.001	0.4	1.18	<2	<10	130	1.6	<2	13.45	<0.5	2	14	15	1.09
CC23085		0.30	0.003	1.2	0.91	8	<10	90	0.6	<2	16.6	<0.5	2	11	16	1.06
CC23086		0.24	<0.001	<0.2	0.59	2	<10	120	<0.5	<2	22.2	<0.5	<1	5	7	0.43
CC23087		0.34	0.005	0.4	1.35	21	<10	260	1.0	3	0.51	<0.5	7	28	27	3.30
CC23088		0.18	<0.001	1.9	1.95	19	<10	350	0.9	3	0.65	<0.5	7	29	26	3.14
CC23089		0.22	0.004	5.3	1.79	24	<10	410	1.2	7	1.12	2.0	8	29	102	3.08
CC23090		0.22	0.006	3.2	2.32	27	<10	380	1.5	4	0.97	8.1	9	38	48	3.47
CC23091		0.28	0.002	1.5	1.52	19	<10	290	0.8	<2	2.79	<0.5	6	24	24	2.53
CC23092		0.26	0.002	0.9	1.87	15	<10	440	0.9	<2	0.61	<0.5	8	30	30	3.09
CC23093		0.20	0.001	1.5	1.85	16	<10	330	0.9	2	0.53	<0.5	8	31	26	3.20
CC23094		0.20	0.002	0.9	1.97	9	<10	400	0.9	<2	0.41	<0.5	7	31	20	3.14
CC23095		0.18	0.002	0.5	1.91	14	<10	470	0.7	<2	0.53	3.8	10	30	21	3.16
CC23096		0.24	0.003	2.9	1.99	26	<10	390	2.2	7	0.65	1.5	9	32	56	3.44
CC23097		0.24	0.002	1.6	2.05	15	<10	930	1.7	2	0.62	<0.5	9	33	30	3.05
CC23098		0.24	0.005	0.8	1.82	13	<10	1490	0.9	<2	1.02	1.0	6	29	16	2.80
CC23099		0.18	0.002	1.2	1.28	11	<10	900	0.8	<2	2.79	1.4	5	20	24	2.03
CC23100		0.18	0.001	4.5	1.65	16	<10	580	0.7	3	1.22	1.1	8	25	23	2.75
CC23101		0.16	<0.001	0.5	1.94	11	<10	380	1.0	<2	0.89	<0.5	8	31	19	3.02
CC23102		0.20	<0.001	0.7	1.91	8	<10	370	0.9	<2	0.79	<0.5	8	32	23	2.93
CC23103		0.22	0.002	0.9	1.97	16	<10	360	1.0	<2	0.56	<0.5	7	32	30	3.08
CC23104		0.26	<0.001	0.5	2.21	13	<10	380	0.9	<2	0.64	<0.5	10	33	18	3.23
CC23105		0.30	0.001	1.2	2.15	20	<10	350	1.1	3	0.52	<0.5	9	37	25	3.45
CC23106		0.30	<0.001	0.8	2.39	12	<10	480	1.0	<2	0.48	<0.5	8	36	16	3.28
CC23107		0.26	<0.001	0.5	2.12	15	<10	390	0.9	2	0.46	<0.5	6	33	16	3.03
CC23108		0.16	0.001	0.5	2.24	11	<10	320	0.9	<2	0.77	2.1	9	39	21	3.26
CC23109		0.16	<0.001	0.3	2.00	10	<10	650	0.8	<2	1.00	2.3	9	33	27	3.04
CC23110		0.18	0.001	0.8	1.81	12	<10	330	1.0	<2	0.77	0.8	8	32	31	2.83
CC23111		0.18	0.001	0.7	1.21	<2	<10	80	0.9	<2	15.5	0.7	3	13	14	0.76
CC23112		0.20	<0.001	0.6	0.79	3	<10	90	0.5	<2	16.8	<0.5	3	11	11	0.71
CC23113		0.24	0.002	<0.2	0.96	5	<10	80	<0.5	<2	15.0	<0.5	4	13	12	0.90
CC23114		0.20	<0.001	<0.2	0.92	8	<10	90	<0.5	<2	16.1	<0.5	3	11	10	0.74
CC23115		0.26	0.003	<0.2	0.76	5	<10	70	<0.5	<2	16.3	<0.5	4	10	10	0.72
CC23116		0.22	0.006	0.5	0.54	9	<10	210	<0.5	3	17.6	0.9	3	6	11	0.54
CC23117		0.22	0.004	2.6	0.24	14	<10	120	0.7	7	18.7	<0.5	1	3	34	0.82
CC23118		0.28	0.007	0.3	0.11	8	<10	50	<0.5	13	19.7	<0.5	1	2	9	0.52
CC23119		0.28	0.007	0.4	0.28	7	<10	90	1.0	22	19.6	<0.5	2	3	21	0.73
CC23120		0.22	0.009	<0.2	0.50	6	<10	100	0.7	12	18.1	<0.5	3	6	12	0.90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23081		<10	<1	0.14	<10	11.35	106	2	0.03	5	160	6	<0.01	<2	1	139
CC23082		<10	<1	0.23	<10	11.15	97	2	0.04	7	170	9	<0.01	2	1	116
CC23083		<10	<1	0.08	<10	10.45	177	<1	0.02	15	370	11	0.04	<2	1	78
CC23084		<10	<1	0.16	10	9.32	300	2	0.02	17	390	34	0.04	2	2	74
CC23085		<10	<1	0.12	10	10.15	443	2	0.02	18	350	108	<0.01	<2	1	74
CC23086		<10	<1	0.34	<10	11.50	172	<1	0.04	6	110	17	<0.01	<2	1	173
CC23087		<10	<1	0.08	10	0.51	935	6	0.02	43	600	112	0.03	5	2	12
CC23088		10	<1	0.09	10	0.58	803	3	0.02	27	620	214	0.03	13	3	16
CC23089		<10	<1	0.12	20	0.84	761	2	0.03	34	840	406	0.04	31	3	20
CC23090		10	<1	0.13	30	0.95	1480	2	0.02	39	860	427	0.05	36	3	16
CC23091		<10	<1	0.10	10	1.84	429	2	0.02	25	570	109	0.03	9	3	21
CC23092		<10	1	0.10	20	0.61	665	3	0.02	31	640	164	0.04	12	3	17
CC23093		10	<1	0.10	20	0.55	736	3	0.02	30	570	175	0.03	12	3	15
CC23094		10	<1	0.12	20	0.60	573	2	0.02	29	560	110	0.03	6	4	14
CC23095		10	<1	0.11	10	0.55	1260	2	0.02	23	760	96	0.04	4	3	14
CC23096		10	<1	0.12	20	0.70	1450	2	0.02	63	780	617	0.04	22	3	17
CC23097		10	<1	0.12	20	0.75	958	2	0.03	47	800	194	0.05	6	3	19
CC23098		<10	<1	0.13	10	0.78	661	4	0.03	27	790	109	0.06	6	2	17
CC23099		<10	<1	0.08	10	1.36	781	3	0.03	30	1150	93	0.09	3	1	29
CC23100		<10	<1	0.09	10	0.70	1010	3	0.03	29	750	82	0.05	4	2	20
CC23101		10	1	0.14	10	0.61	621	2	0.04	28	890	69	0.07	3	3	19
CC23102		<10	<1	0.14	20	0.57	722	2	0.03	30	830	77	0.05	3	3	19
CC23103		10	1	0.13	20	0.53	708	2	0.03	34	830	83	0.04	3	3	18
CC23104		10	1	0.16	10	0.58	881	2	0.03	24	990	39	0.05	<2	3	20
CC23105		10	<1	0.14	20	0.66	1270	2	0.03	49	920	180	0.05	5	3	19
CC23106		10	<1	0.13	20	0.65	832	2	0.03	34	760	70	0.04	4	3	17
CC23107		10	1	0.13	20	0.54	496	2	0.03	28	680	68	0.03	3	3	18
CC23108		10	<1	0.19	20	0.74	684	3	0.04	30	840	70	0.04	3	3	23
CC23109		<10	<1	0.15	20	0.61	1320	2	0.04	22	710	90	0.04	4	3	23
CC23110		<10	<1	0.15	20	0.65	860	2	0.04	29	770	75	0.04	6	3	25
CC23111		<10	<1	0.11	10	10.95	603	1	0.02	6	490	46	<0.01	<2	1	72
CC23112		<10	<1	0.08	<10	11.10	512	1	0.02	11	320	72	<0.01	6	1	71
CC23113		<10	<1	0.07	10	10.05	340	1	0.01	8	380	27	0.03	2	1	63
CC23114		<10	<1	0.06	<10	10.70	177	1	0.02	8	320	7	0.03	<2	1	71
CC23115		<10	<1	0.10	<10	10.65	180	1	0.02	6	290	6	<0.01	3	1	83
CC23116		<10	1	0.04	<10	11.15	534	1	0.01	16	530	40	<0.01	2	<1	136
CC23117		<10	<1	0.04	<10	11.60	1460	1	0.01	8	230	25	<0.01	12	<1	96
CC23118		<10	<1	0.02	<10	12.10	1000	1	0.01	<1	170	27	<0.01	5	<1	83
CC23119		<10	<1	0.11	<10	11.90	972	1	0.01	<1	200	17	<0.01	3	1	94
CC23120		<10	<1	0.05	<10	11.50	1215	1	0.01	2	350	13	<0.01	3	1	82

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-JUL-2007
Account: RCM

Project: RAU

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23081		<20	0.01	<10	<10	6	10	20	<10	4	10
CC23082		<20	0.02	<10	10	8	10	17	<10	5	10
CC23083		<20	0.03	<10	<10	16	10	74	<10	4	10
CC23084		<20	0.04	<10	<10	23	10	120	<10	5	20
CC23085		<20	0.03	<10	<10	18	10	154	<10	4	10
CC23086		<20	0.02	<10	10	6	<10	135	<10	4	<10
CC23087		<20	0.04	<10	<10	57	40	512	<10	6	40
CC23088		<20	0.04	<10	<10	58	10	611	<10	6	20
CC23089		<20	0.03	<10	<10	53	10	873	<10	7	20
CC23090		<20	0.04	<10	<10	69	10	1060	<10	7	20
CC23091		<20	0.03	<10	<10	41	20	321	<10	5	20
CC23092		<20	0.04	<10	<10	56	10	381	<10	6	10
CC23093		<20	0.04	<10	<10	61	10	411	<10	6	20
CC23094		<20	0.04	<10	<10	57	10	336	<10	6	20
CC23095		<20	0.04	<10	<10	65	10	435	<10	7	20
CC23096		<20	0.04	<10	<10	71	10	1210	<10	7	30
CC23097		<20	0.04	<10	<10	66	<10	510	<10	8	10
CC23098		<20	0.04	<10	<10	62	10	368	<10	7	20
CC23099		<20	0.03	<10	<10	42	<10	229	<10	6	10
CC23100		<20	0.04	<10	<10	52	10	360	<10	6	20
CC23101		<20	0.04	<10	<10	61	<10	254	<10	6	10
CC23102		<20	0.04	<10	<10	63	10	306	<10	6	10
CC23103		<20	0.04	<10	<10	63	10	346	<10	6	20
CC23104		<20	0.05	<10	<10	69	10	277	<10	6	10
CC23105		<20	0.05	<10	<10	72	10	502	<10	7	20
CC23106		<20	0.05	<10	<10	67	10	325	<10	6	10
CC23107		<20	0.05	<10	<10	72	20	256	<10	6	30
CC23108		<20	0.05	<10	<10	75	<10	266	<10	7	10
CC23109		<20	0.04	<10	<10	68	<10	312	<10	7	10
CC23110		<20	0.04	<10	<10	58	<10	230	<10	8	10
CC23111		<20	0.02	<10	<10	22	10	202	<10	4	10
CC23112		<20	0.02	<10	<10	16	<10	150	<10	5	10
CC23113		<20	0.03	<10	<10	19	<10	111	<10	4	10
CC23114		<20	0.02	<10	<10	16	<10	57	<10	4	<10
CC23115		<20	0.02	<10	<10	14	<10	44	<10	5	10
CC23116		<20	0.01	<10	<10	13	10	263	<10	4	10
CC23117		<20	<0.01	<10	<10	7	20	145	<10	5	20
CC23118		<20	<0.01	<10	<10	6	20	105	<10	6	20
CC23119		<20	<0.01	<10	<10	7	150	57	<10	6	140
CC23120		<20	0.01	<10	<10	12	60	71	<10	5	50

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC23121		0.26	0.007	0.8	0.41	4	<10	120	0.7	5	18.1	<0.5	2	5	11	0.71
CC23122		0.20	0.006	0.7	1.09	15	<10	190	0.6	8	12.45	0.8	5	14	13	1.40
CC23123		0.18	0.001	0.4	2.28	16	<10	330	1.2	9	1.11	2.2	11	35	21	3.50
CC23124		0.20	0.003	1.3	1.63	22	<10	290	1.4	12	4.17	3.0	9	24	33	3.22
CC23125		0.14	0.002	0.4	2.45	25	<10	340	1.6	18	0.66	4.3	14	40	31	4.09
CC23126		0.12	0.001	0.7	3.29	37	10	500	2.5	24	0.76	2.8	13	51	36	4.95
CC23127		0.16	0.002	1.2	2.89	34	10	300	2.1	20	0.69	1.3	10	46	29	4.08
CC23128		0.12	0.001	0.3	2.53	34	10	360	1.3	17	1.24	2.9	10	41	36	4.02
CC23129		0.16	0.002	0.4	2.93	17	10	370	1.4	3	2.46	2.8	10	44	21	3.41
CC23130		0.14	0.004	0.4	2.59	21	10	330	1.6	12	1.03	1.5	10	43	26	3.84
CC23131		0.14	<0.001	0.3	3.16	21	10	380	1.9	14	1.40	1.2	9	49	23	3.80
CC23132		0.08	<0.001	0.3	2.04	7	10	260	1.0	<2	7.24	5.9	7	49	26	2.05
CC23133		0.18	<0.001	1.0	3.11	18	10	400	1.4	5	0.90	1.7	11	48	21	3.78
CC23134		0.18	0.003	0.6	2.59	24	<10	340	1.6	13	1.11	3.1	9	41	24	3.72
CC23135		0.24	<0.001	0.2	2.83	14	<10	330	0.9	2	0.45	0.7	8	43	16	3.67
CC23136		0.20	<0.001	0.3	2.62	13	<10	350	0.9	3	0.57	0.9	8	42	19	3.84
CC23137		0.16	0.002	<0.2	2.09	8	<10	360	0.8	<2	0.77	3.5	10	37	16	3.22
CC23138		0.14	0.001	0.5	2.72	6	<10	470	1.0	2	1.08	5.3	12	42	20	3.75
CC23139		0.20	<0.001	0.7	2.39	13	<10	360	0.9	3	1.01	1.7	8	39	17	3.23
CC23140		0.14	0.007	<0.2	2.56	8	<10	480	0.7	<2	0.87	5.5	10	41	18	3.79
CC23141		0.16	0.001	0.5	1.97	12	<10	340	0.7	3	0.47	1.3	7	39	18	3.55
CC23142		0.22	<0.001	0.6	2.02	11	<10	380	0.7	<2	0.36	4.3	10	41	22	4.23
CC23143		0.18	<0.001	0.5	1.93	7	<10	430	1.0	5	0.64	2.8	10	39	24	3.49
CC23144		0.20	<0.001	0.4	2.23	19	<10	650	1.0	5	0.39	1.6	12	43	30	4.24
CC23145		0.18	0.027	0.2	0.96	5	<10	280	0.5	<2	0.24	4.0	13	24	16	2.47
CC23146		0.14	0.003	0.2	1.85	11	<10	480	1.5	3	0.49	7.7	9	36	31	3.90
CC23147		0.22	0.007	<0.2	1.65	15	<10	420	1.2	<2	0.24	<0.5	7	42	27	3.41
CC23148		0.18	0.003	0.6	1.79	11	<10	350	0.9	<2	0.42	0.8	7	35	21	3.30
CC23149		0.14	0.003	0.2	1.99	12	<10	670	0.7	<2	0.97	1.7	8	35	22	3.58
CC23150		0.16	0.006	0.4	1.68	11	<10	350	0.8	<2	0.34	0.5	5	34	19	3.19
CC23151		0.14	<0.001	0.7	1.73	12	<10	400	0.8	<2	0.78	2.7	6	33	21	3.16
CC23152		0.16	0.001	0.6	1.39	12	<10	340	0.8	3	0.27	0.8	6	30	19	3.35
CC23153		0.14	0.004	0.8	1.60	11	<10	330	0.6	<2	0.25	1.3	10	36	22	3.44
CC23154		0.16	0.002	<0.2	1.38	3	<10	140	1.2	7	15.9	<0.5	3	13	24	0.89
CC23155		0.14	0.002	2.4	1.03	3	<10	100	0.5	<2	16.7	<0.5	3	12	10	0.81
CC23156		0.16	0.001	<0.2	1.46	7	<10	110	0.5	<2	13.6	0.7	5	17	13	1.15
CC23157		0.14	<0.001	<0.2	1.28	4	<10	90	<0.5	<2	16.2	<0.5	3	14	9	0.85
CC23158		0.20	0.002	<0.2	1.02	6	<10	140	<0.5	<2	15.5	<0.5	5	12	14	1.04
CC23159		0.18	0.002	<0.2	0.68	10	<10	100	<0.5	<2	18.8	<0.5	4	7	10	0.89
CC23160		0.18	0.002	0.3	0.20	6	<10	70	<0.5	9	20.0	<0.5	1	2	14	0.49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23121		<10	<1	0.06	<10	11.35	1025	1	0.01	1	360	16	<0.01	3	1	93
CC23122		<10	<1	0.08	10	8.06	898	1	0.02	14	760	43	0.04	2	2	72
CC23123		10	<1	0.18	20	1.02	1950	2	0.03	27	1050	92	0.07	2	3	23
CC23124		<10	<1	0.15	20	2.56	2980	2	0.03	46	1240	141	0.10	5	2	27
CC23125		10	<1	0.14	20	0.71	2410	2	0.03	68	1130	253	0.06	6	3	20
CC23126		10	<1	0.30	40	0.82	3010	2	0.06	64	1350	225	0.07	6	4	28
CC23127		10	<1	0.25	40	0.84	1135	2	0.05	52	1000	131	0.05	4	5	27
CC23128		10	<1	0.26	30	0.82	1430	1	0.06	54	1270	148	0.08	3	4	30
CC23129		10	<1	0.24	40	1.75	1570	2	0.04	30	1700	59	0.10	3	3	27
CC23130		<10	<1	0.26	30	0.91	1195	2	0.06	34	1330	86	0.09	3	4	28
CC23131		10	<1	0.25	30	1.14	1390	2	0.05	31	2090	58	0.13	4	3	26
CC23132		<10	<1	0.19	50	4.33	1745	1	0.03	26	4840	37	0.19	2	2	38
CC23133		10	<1	0.23	40	0.93	977	1	0.05	36	1210	152	0.06	5	4	28
CC23134		10	<1	0.22	30	0.96	1040	1	0.06	35	1010	114	0.05	6	4	31
CC23135		10	<1	0.20	20	0.64	594	2	0.05	27	660	133	0.04	6	3	25
CC23136		10	<1	0.22	20	0.65	1015	4	0.04	27	1270	75	0.07	5	3	23
CC23137		<10	<1	0.21	10	0.50	1260	2	0.04	20	1820	43	0.10	3	3	22
CC23138		10	<1	0.22	30	0.75	2810	2	0.04	23	2270	207	0.13	13	3	25
CC23139		10	<1	0.17	30	0.66	1170	3	0.04	25	1670	92	0.11	8	3	23
CC23140		10	<1	0.23	20	0.60	1470	3	0.05	18	1690	64	0.10	3	3	27
CC23141		10	<1	0.21	20	0.48	1140	5	0.04	23	910	92	0.06	6	2	23
CC23142		10	<1	0.22	10	0.46	1275	5	0.04	32	750	134	0.05	8	2	21
CC23143		10	<1	0.15	10	0.46	2070	4	0.03	32	1510	131	0.08	5	3	19
CC23144		10	<1	0.18	10	0.49	1490	6	0.04	40	940	208	0.05	7	2	19
CC23145		10	<1	0.13	10	0.16	1680	5	0.02	15	800	79	0.06	3	1	14
CC23146		10	<1	0.19	10	0.48	1125	5	0.05	27	900	89	0.05	7	2	22
CC23147		10	<1	0.11	10	0.42	728	4	0.02	28	740	84	0.03	7	1	13
CC23148		10	<1	0.15	10	0.43	567	3	0.03	23	650	57	0.03	3	2	18
CC23149		10	<1	0.16	10	0.45	822	4	0.05	20	870	62	0.05	5	2	26
CC23150		10	<1	0.14	10	0.43	431	3	0.03	30	550	95	0.02	4	2	16
CC23151		<10	<1	0.14	10	0.51	457	4	0.04	35	920	104	0.05	5	3	22
CC23152		10	<1	0.14	10	0.40	836	4	0.03	21	730	70	0.04	3	1	16
CC23153		10	<1	0.17	10	0.36	1250	3	0.04	28	870	65	0.05	2	1	18
CC23154		<10	<1	0.43	10	11.30	439	1	0.03	8	420	19	<0.01	2	1	101
CC23155		<10	<1	0.11	10	11.40	699	1	0.02	8	350	225	<0.01	3	1	86
CC23156		<10	<1	0.09	10	9.69	329	1	0.02	13	560	18	0.06	3	1	69
CC23157		<10	1	0.14	10	11.30	191	1	0.02	3	370	12	0.04	3	1	93
CC23158		<10	<1	0.13	10	8.89	278	1	0.02	9	470	6	<0.01	4	1	66
CC23159		<10	<1	0.12	<10	11.40	153	4	0.02	17	170	11	<0.01	5	1	144
CC23160		<10	<1	0.05	<10	12.55	772	1	0.01	3	150	15	<0.01	6	<1	91

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23121		<20	0.01	<10	<10	11	10	97	<10	5	10
CC23122		<20	0.02	<10	<10	29	10	199	<10	5	10
CC23123		<20	0.04	<10	<10	70	10	357	<10	7	10
CC23124		<20	0.03	<10	<10	47	10	793	<10	7	20
CC23125		<20	0.04	<10	<10	80	10	919	<10	7	20
CC23126		<20	0.06	<10	<10	107	10	938	<10	7	20
CC23127		<20	0.06	<10	<10	90	10	478	<10	7	20
CC23128		<20	0.05	<10	<10	80	10	753	<10	6	20
CC23129		<20	0.04	<10	<10	82	<10	432	<10	6	10
CC23130		<20	0.05	<10	<10	77	10	353	<10	6	20
CC23131		<20	0.04	<10	<10	84	10	387	<10	7	20
CC23132		<20	0.02	<10	<10	55	<10	566	<10	7	10
CC23133		<20	0.05	<10	<10	94	<10	487	<10	6	10
CC23134		<20	0.05	<10	<10	83	10	328	<10	7	20
CC23135		<20	0.06	<10	<10	99	<10	300	<10	6	10
CC23136		<20	0.05	<10	<10	93	10	247	<10	5	10
CC23137		<20	0.04	<10	<10	73	<10	256	<10	6	10
CC23138		<20	0.05	<10	<10	79	<10	475	<10	7	10
CC23139		<20	0.04	<10	<10	75	<10	297	<10	8	10
CC23140		<20	0.05	<10	<10	83	<10	339	<10	6	10
CC23141		<20	0.06	<10	<10	81	10	264	<10	6	10
CC23142		<20	0.06	<10	<10	93	<10	404	<10	6	10
CC23143		<20	0.05	<10	<10	75	20	461	<10	6	20
CC23144		<20	0.04	<10	<10	99	10	554	<10	6	20
CC23145		<20	0.03	<10	<10	72	20	227	<10	6	20
CC23146		<20	0.05	<10	<10	76	30	479	<10	6	40
CC23147		<20	0.03	<10	<10	81	30	449	<10	5	40
CC23148		<20	0.05	<10	<10	73	20	313	<10	6	30
CC23149		<20	0.04	<10	<10	73	10	296	<10	6	20
CC23150		<20	0.05	<10	<10	66	10	316	<10	5	20
CC23151		<20	0.04	<10	<10	59	10	406	<10	7	20
CC23152		<20	0.03	<10	<10	65	20	296	<10	5	30
CC23153		<20	0.04	<10	<10	69	<10	308	<10	6	10
CC23154		<20	0.03	<10	<10	17	10	129	<10	5	20
CC23155		<20	0.02	<10	<10	18	<10	165	<10	4	10
CC23156		<20	0.03	<10	<10	26	10	139	<10	5	10
CC23157		<20	0.03	<10	<10	17	<10	49	<10	5	<10
CC23158		<20	0.02	<10	<10	20	10	60	<10	5	10
CC23159		<20	0.01	<10	<10	11	10	116	<10	4	10
CC23160		<20	<0.01	<10	<10	7	20	88	<10	5	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
CC23161		0.14	0.004	0.3	0.20	11	<10	70	<0.5	8	19.5	<0.5	1	2	9	0.60
CC23162		0.20	0.003	0.2	0.09	6	<10	40	0.5	7	20.4	<0.5	1	<1	7	0.57
CC23163		0.20	0.002	0.2	0.60	6	<10	120	0.5	13	16.9	<0.5	3	7	13	0.92
CC23164		0.18	0.002	0.2	1.00	5	<10	150	0.8	4	16.1	<0.5	4	11	14	1.11
CC23165		0.14	0.001	0.2	2.66	12	<10	340	1.0	6	1.06	0.8	11	36	15	3.72
CC23166		0.12	0.002	0.7	0.74	8	<10	200	0.5	8	15.7	0.8	3	9	15	1.09
CC23167		0.12	0.004	0.8	1.15	18	10	250	1.0	9	11.30	2.1	6	16	21	2.64
CC23168		0.14	0.008	0.7	2.04	14	10	290	1.1	6	5.29	1.4	8	31	27	3.27
CC23169		0.14	0.001	0.4	2.26	18	<10	280	0.9	16	0.95	4.1	8	36	14	3.10
CC23170		0.08	0.003	0.2	2.24	18	<10	410	1.3	11	0.79	1.1	11	35	22	3.60
CC23171		0.10	0.003	0.4	2.61	14	<10	340	1.2	<2	1.13	2.2	7	40	16	3.15
CC23172		0.10	0.003	0.3	1.60	6	<10	170	0.9	<2	9.91	0.5	5	27	13	1.78
CC23173		0.08	0.006	0.6	1.55	12	10	200	1.0	5	7.57	1.4	6	29	23	1.77
CC23174		0.12	0.002	0.4	2.64	81	<10	360	3.1	37	1.09	1.6	13	40	49	4.56
CC23175		0.16	0.005	0.3	2.05	12	<10	270	0.8	<2	1.02	1.1	9	33	17	2.81
CC23176		0.16	0.001	<0.2	2.34	17	<10	300	0.8	6	0.32	0.5	9	40	18	3.27
CC23177		0.16	0.002	0.5	2.64	15	<10	370	1.0	2	1.04	1.9	8	42	17	3.48
CC23178		0.18	0.002	<0.2	2.77	15	<10	320	0.9	2	0.32	<0.5	8	39	13	3.30
CC23179		0.12	0.002	0.3	2.28	12	<10	390	0.9	2	0.91	4.1	9	39	18	3.30
CC23180		0.18	0.003	<0.2	2.22	13	<10	320	1.0	2	0.37	1.2	9	39	17	3.24
CC23181		0.16	0.002	0.2	2.15	10	<10	340	0.7	2	0.44	1.4	10	35	15	3.24
CC23182		0.16	0.002	0.2	2.05	8	<10	320	0.8	<2	0.74	2.9	8	32	14	2.82
CC23183		0.14	0.006	1.4	1.72	17	<10	310	0.9	3	1.03	1.6	8	35	28	3.55
CC23184		0.12	0.001	0.3	1.72	11	<10	290	0.8	<2	0.60	2.0	8	36	20	3.06
CC23185		0.14	0.005	0.8	1.86	15	<10	370	0.9	2	0.55	1.5	7	36	23	3.42
CC23186		0.18	0.002	0.2	1.84	12	<10	410	0.8	<2	0.47	0.8	8	33	19	3.19
CC23187		0.12	<0.001	0.6	1.60	11	<10	670	0.9	<2	0.51	1.9	8	37	23	3.52
CC23188		0.16	0.003	1.8	1.86	18	<10	440	1.1	6	0.50	5.6	8	35	41	3.35
CC23189		0.12	0.003	4.0	2.54	19	<10	340	1.2	2	1.29	22.5	10	41	30	3.49
CC23190		0.14	0.003	0.3	1.69	10	<10	360	0.6	<2	0.59	3.7	5	30	19	3.05
CC23191		0.24	0.012	0.9	1.79	11	<10	380	1.2	3	0.80	1.8	7	34	30	3.46
CC23192		0.26	0.003	0.5	1.77	8	<10	740	1.0	<2	0.39	1.7	9	33	33	3.11
CC23193		0.32	0.003	0.8	1.58	14	<10	580	1.4	<2	0.45	1.0	7	33	37	3.53
CC23194		0.32	0.002	1.1	1.75	14	<10	660	1.5	<2	0.79	2.1	9	33	47	3.15
CC23195		0.22	0.003	0.5	1.50	15	<10	410	1.3	<2	0.48	1.1	7	35	37	3.51
CC23196		0.24	0.001	0.5	1.36	8	<10	410	0.8	<2	0.25	1.0	9	32	23	3.35
CC23198		0.16	0.001	0.8	1.04	2	<10	100	<0.5	<2	16.4	0.6	3	11	10	0.67
CC23199		0.18	0.001	0.4	0.86	3	<10	80	<0.5	<2	17.2	<0.5	3	10	10	0.67
CC23200		0.18	0.001	1.5	0.90	5	<10	90	<0.5	<2	16.1	<0.5	4	11	11	0.84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
CC23161		<10	<1	0.03	<10	12.05	1025	1	0.01	3	200	24	<0.01	5	<1	89
CC23162		<10	<1	0.05	<10	12.60	1135	1	0.01	<1	70	9	<0.01	<2	<1	75
CC23163		<10	<1	0.08	<10	10.60	839	1	0.02	1	350	13	<0.01	2	1	89
CC23164		<10	<1	0.10	10	10.25	725	1	0.02	7	580	12	<0.01	<2	1	90
CC23165		10	<1	0.22	20	0.94	2070	2	0.04	16	710	44	0.05	2	3	24
CC23166		<10	<1	0.09	10	9.80	1085	1	0.02	10	680	28	0.06	6	1	81
CC23167		<10	<1	0.16	10	7.02	3170	2	0.03	19	910	63	0.07	2	1	59
CC23168		<10	<1	0.20	20	3.21	2010	1	0.05	28	1030	54	0.06	3	3	49
CC23169		10	<1	0.13	20	0.74	839	1	0.04	28	850	85	0.06	5	4	24
CC23170		10	<1	0.21	20	0.70	1990	2	0.05	34	1270	72	0.08	2	2	25
CC23171		10	<1	0.17	30	0.89	670	1	0.03	23	1500	57	0.09	<2	2	21
CC23172		<10	<1	0.13	40	6.16	655	1	0.03	13	1890	23	0.07	3	1	43
CC23173		<10	<1	0.16	30	4.61	623	1	0.04	24	2210	38	0.10	4	2	38
CC23174		10	<1	0.19	30	0.99	2280	4	0.04	82	1390	256	0.08	11	3	24
CC23175		10	<1	0.13	20	0.69	642	1	0.03	24	1000	70	0.06	3	3	22
CC23176		10	<1	0.15	20	0.58	863	1	0.04	29	830	151	0.03	5	3	21
CC23177		10	<1	0.18	30	0.78	714	1	0.04	23	1550	34	0.09	<2	3	23
CC23178		10	<1	0.16	20	0.53	516	1	0.03	20	660	64	0.03	2	3	19
CC23179		10	<1	0.19	20	0.76	1510	3	0.04	25	1690	73	0.10	4	2	22
CC23180		10	<1	0.15	20	0.61	646	3	0.03	31	800	76	0.04	6	2	20
CC23181		10	<1	0.14	10	0.55	939	2	0.03	20	970	60	0.05	2	2	17
CC23182		10	<1	0.14	10	0.53	889	2	0.03	17	1520	56	0.10	2	2	19
CC23183		<10	<1	0.18	30	0.77	1010	4	0.05	39	980	229	0.05	16	3	28
CC23184		<10	<1	0.15	10	0.62	672	3	0.03	27	920	64	0.05	4	2	19
CC23185		10	<1	0.16	20	0.52	683	4	0.04	32	990	146	0.05	13	3	22
CC23186		10	<1	0.11	10	0.46	667	3	0.03	23	860	73	0.04	3	2	16
CC23187		10	<1	0.14	10	0.42	1105	4	0.04	28	1030	98	0.06	2	2	18
CC23188		<10	<1	0.13	10	0.51	1085	4	0.03	39	850	295	0.04	15	2	19
CC23189		10	<1	0.16	30	0.88	1870	1	0.03	23	1370	649	0.07	27	3	21
CC23190		10	<1	0.14	10	0.42	538	4	0.03	19	740	100	0.04	9	2	17
CC23191		10	<1	0.14	10	0.77	619	5	0.04	38	480	127	0.02	9	3	20
CC23192		<10	<1	0.11	10	0.43	1070	5	0.03	27	1050	63	0.04	3	2	18
CC23193		10	<1	0.10	10	0.48	669	5	0.03	35	780	125	0.03	7	2	15
CC23194		10	<1	0.10	20	0.58	863	6	0.03	40	1030	113	0.04	4	3	20
CC23195		10	<1	0.12	10	0.41	740	5	0.03	40	760	110	0.03	5	2	17
CC23196		10	<1	0.14	10	0.36	1160	3	0.03	23	780	95	0.03	<2	1	16
CC23198		<10	<1	0.10	10	11.30	562	1	0.02	5	370	77	<0.01	2	1	81
CC23199		<10	<1	0.09	<10	11.50	486	1	0.02	8	310	71	<0.01	4	1	87
CC23200		<10	<1	0.09	10	10.70	464	1	0.02	13	330	222	<0.01	5	1	76

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: ATAC RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: RAU

Finalized Date: 31-JUL-2007
Account: RCM

CERTIFICATE OF ANALYSIS VA07070021

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF05	ME-XRF05	ME-XRF05
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ta	U	W
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	10	4	10
CC23161		<20	<0.01	<10	<10	7	10	130	<10	5	10
CC23162		<20	<0.01	<10	<10	3	70	35	<10	5	70
CC23163		<20	0.01	<10	<10	15	110	63	<10	5	110
CC23164		<20	0.02	<10	<10	24	30	80	<10	4	30
CC23165		<20	0.06	<10	<10	84	10	259	<10	6	20
CC23166		<20	0.01	<10	<10	19	10	213	<10	5	10
CC23167		<20	0.02	10	<10	35	<10	367	<10	5	10
CC23168		<20	0.05	<10	<10	60	<10	339	<10	7	10
CC23169		<20	0.05	<10	<10	71	10	340	<10	6	10
CC23170		<20	0.04	<10	<10	75	10	306	<10	6	20
CC23171		<20	0.03	<10	<10	80	<10	287	<10	6	10
CC23172		<20	0.02	<10	<10	41	<10	113	<10	5	10
CC23173		<20	0.02	<10	<10	42	10	235	<10	6	10
CC23174		<20	0.05	<10	<10	90	10	872	<10	7	20
CC23175		<20	0.04	<10	<10	60	<10	196	<10	5	10
CC23176		<20	0.05	<10	<10	92	<10	298	<10	6	10
CC23177		<20	0.04	<10	<10	85	<10	204	<10	7	10
CC23178		<20	0.05	<10	<10	82	<10	154	<10	6	10
CC23179		<20	0.04	<10	<10	74	<10	424	<10	6	10
CC23180		<20	0.04	<10	<10	72	10	219	<10	7	10
CC23181		<20	0.04	<10	<10	75	<10	241	<10	6	10
CC23182		<20	0.03	<10	<10	64	<10	270	<10	6	10
CC23183		<20	0.05	<10	<10	70	10	408	<10	7	10
CC23184		<20	0.04	<10	<10	58	10	408	<10	6	10
CC23185		<20	0.05	<10	<10	68	10	490	<10	7	20
CC23186		<20	0.04	<10	<10	74	10	292	<10	6	20
CC23187		<20	0.04	<10	<10	74	10	349	<10	6	10
CC23188		<20	0.04	<10	<10	69	20	815	<10	7	30
CC23189		<20	0.04	<10	<10	91	<10	1990	<10	8	20
CC23190		<20	0.04	<10	<10	72	20	438	<10	6	30
CC23191		<20	0.05	<10	<10	72	30	545	<10	7	40
CC23192		<20	0.04	<10	<10	69	20	286	<10	8	30
CC23193		<20	0.04	<10	<10	66	40	538	<10	8	50
CC23194		<20	0.03	<10	<10	66	20	483	<10	8	30
CC23195		<20	0.04	<10	<10	63	20	682	<10	6	30
CC23196		<20	0.03	<10	<10	70	10	374	<10	5	10
CC23198		<20	0.02	<10	<10	18	<10	239	<10	4	<10
CC23199		<20	0.02	<10	<10	15	<10	130	<10	4	10
CC23200		<20	0.02	<10	<10	17	<10	224	<10	4	10

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions

Project: Rau Property: Rau

Sample Number	Grid East			Grid North			Type	Dimension
C384901	UTM: 530287	E	UTM: 7119377	N	Sample Width:		Subcrop	5x15x10cm
	Elevation:	m					Abundance:	localized along ridge

Comments: grey fine-grained limestone with chlorite-mica altered calcite veins trending 110 degrees, seen in outcrop on top of ridge, abundant in float, veins appear to host disseminated scheelite (not visible w/o lamp); the sample was a subcrop sample but veins of like characteristics can be found in abundance by following the assumed trend trend, at this outcrop the veins are trending 140

Sample Number	Grid East			Grid North			Type	Dimension
C384902	UTM: 530703	E	UTM: 7118675	N	Sample Width: 30cm		Chip	20x10x10cm
	Elevation:	m					Abundance:	composition varying in large sill

Comments: fine- to coarse-grained spessartine-albite-quartz-biotite granite; black oxide is seen in clots (tantalite?); 'sill x' (see inset)

Sample Number	Grid East			Grid North			Type	Dimension
C384903	UTM: 530197	E	UTM: 7118200	N	Sample Width: 2m		Chip	representitive chips
	Elevation:	m					Abundance:	abundant in bill's skarn zone

Comments: boxwork limonite replaced skarn with pyrrhotite, minor löllingite and trace magnetite. manganese-rich area. 130/25

Sample Number	Grid East			Grid North			Type	Dimension
C384904	UTM: 530299	E	UTM: 7119373	N	Sample Width:		Outcrop	10x3x7cm
	Elevation:	m					Abundance:	localized along ridge

Comments: grey recrystallised limestone with black metamorphic tourmaline (unknown aluminosilicate?), with chlorite-mica veins.

Sample Number	Grid East			Grid North			Type	Dimension
C384905	UTM: 529618	E	UTM: 7118587	N	Sample Width: 2m		Chip	representitive chunks
	Elevation:	m					Abundance:	Localized

Comments: manganese-rich quartz vein, with pyrrhotite +/- chalcopyrite, bornite and löllingite. In places malachite can be observed. Sample was taken from the contact of the clean limestone and the interbedded hornfels-skarn unit; this area contains coarse grained quartz and is very folded.

Sample Number	Grid East			Grid North			Type	Dimension
C384906	UTM: 530179	E	UTM: 7119223	N	Sample Width:		Outcrop	10x2x5cm
	Elevation:	m					Abundance:	localized

Comments: grey fine grained limestone with tremolite-actinolite-biotite altered calcite veins hosting trace sphalerite

APPENDIX IV

GEOPHYSICAL REPORTS

REPORT ON A HELICOPTER-BORNE VERSATILE TIME DOMAIN ELECTROMAGNETIC (VTEM) GEOPHYSICAL SURVEY

RAU property

Yukon, Canada

for

ATAC Resources Ltd.

By

Geotech Ltd.

30 Industrial Parkway South

Aurora, Ontario, Canada

Tel: 1.905.841.5004

Fax: 1.905.841.0611

www.geotech.ca

Email: info@geotech.ca

Survey flown in August 2007

Project 7067

February, 2008

TABLE OF CONTENTS

Executive Summary 3
1. INTRODUCTION 4
1.1 General Considerations 4
1.2. Survey and System Specifications 4
1.3. Data Processing and Final Products 5
1.4. Topographic Relief and cultural features 5
2. DATA ACQUISITION 6
2.1. Survey Area 6
2.2. Survey Operations 6
2.3. Flight Specifications 7
2.4. Aircraft and Equipment 8
2.4.1. Survey Aircraft 8
2.4.2. Electromagnetic System 8
2.4.3. Airborne magnetometer 10
2.4.4. Ancillary Systems 10
2.4.4.1. Radar Altimeter 10
2.4.4.2. GPS Navigation System 10
2.4.4.3. Digital Acquisition System 11
2.4.5. Base Station 11
3. PERSONNEL 12
4. DATA PROCESSING AND PRESENTATION 13
4.1. Flight Path 13
4.2. Electromagnetic Data 13
4.3. Magnetic Data 14
5. DELIVERABLES 15
5.1. Survey Report 15
5.2. Maps 15
5.3. Digital Data 15
6. CONCLUSIONS 19

APPENDICES

A. Survey block location map 20
B. Survey block coordinates 22
C. Modeling VTEM data 23
D. VTEM Waveform 24
E. Geophysical maps 25

REPORT ON A HELICOPTER-BORNE
VERSATILE TIME DOMAIN ELECTROMAGNETIC SURVEY

RAU property, Yukon, Canada

Executive Summary

This report describes the Helicopter-borne geophysical survey carried out on behalf of ATAC Resources Ltd. by Geotech Ltd. over one block in Yukon , Canada.

Principal geophysical sensors included a versatile time domain electromagnetic (VTEM) system and a cesium magnetometer. Ancillary equipment included a GPS navigation system and a radar altimeter. A total of 149.73 line-km were flown.

In-field data processing involved quality control and compilation of data collected during the acquisition stage, using the in-field processing centre established in Mayo, Yukon. Preliminary and final data processing, including generation of final digital data products were done at the office of Geotech Ltd. in Aurora, Ontario.

The processed survey results are presented as electromagnetic stacked profiles and total magnetic intensity grid.

Digital data includes all electromagnetic and magnetic products plus positional, altitude and raw data.

1. INTRODUCTION

1.1 General Considerations

These services are the result of the Agreement made between Geotech Ltd. and Archer Cathro & Associates to perform a helicopter-borne geophysical survey over one block located in Yukon, Canada.

149.73 line-km of geophysical data were acquired during the survey.

Bill Wengzynowski, acted on behalf of ATAC Resources Ltd. during data acquisition and data processing phases of this project.

The survey block is as shown in Appendix A.

The crew was based in Mayo, Yukon for the acquisition phase of the survey, as shown in Section 2 of this report.

The helicopter was based at the Mayo airport for the duration of the survey. Survey flying was completed on August 12th, 2007. Preliminary data processing was carried out daily during the acquisition phase of the project. Final data presentation and data archiving was completed in the Aurora office of Geotech Ltd. in February, 2008.

1.2. Survey and System Specifications

The survey block was flown at nominal traverse line spacing of 100 metres, at N0°E / N180°E direction. Tie lines were flown perpendicular to traverse lines.

Where possible, the helicopter maintained a mean terrain clearance of 195 metres, which translated into an average height of 160 metres above ground for the bird-mounted VTEM system and 180 metres for the magnetic sensor.

The survey was flown using an Astar B3 helicopter, registration C-GTFX. The helicopter was operated by TRK helicopters. Details of the survey specifications may be found in Section 2 of this report.

1.3. Data Processing and Final Products

Data compilation and processing were carried out by the application of Geosoft OASIS Montaj and programs proprietary to Geotech Ltd.

A database, grids and maps of final products were presented to ATAC Resources Ltd.

The survey report describes the procedures for data acquisition, processing, final image presentation and the specifications for the digital data set.

1.4. Topographic Relief and cultural features

The survey block is located in Yukon, approximately 100 kilometers NE of the town of Mayo.

Topographically, the survey area exhibits a challenging hilly terrain, with elevation range from 810 metres to 1260 metres above sea level. Due to rugged topography, the altitude of the aircraft above ground varied significantly and the geophysical data was influenced accordingly.



Figure 1. – Projection of flight path on topography

2. DATA ACQUISITION

2.1. Survey Area

The survey block (see location map, Appendix A) and general flight specifications are as follows:

Survey block	Line spacing (m)	Area (Km2)	Line-km	Flight direction	Line number
RAU	100	13.37	135.09	N0E / N180E	L3010 - L3370
	1000		14.65	N90E / N270E	T3910 - T3940

Table 1 - Survey block

Survey block boundaries co-ordinates are provided in Appendix B.

2.2. Survey Operations

Survey operations were based in Mayo, Yukon for the acquisition phase of the survey. The following table shows the timing of the flying.

Date	Flight #	Flown KM	Block	Crew Location	Comments
12-Aug-07	40 - 42	149.73	RAU	Mayo, Yukon	RAU block complete

Table 2 - Survey schedule

2.3. Flight Specifications

The nominal EM sensor terrain clearance was 160 m (EM bird height above ground, i.e. helicopter is maintained 195 m above ground) due to rough terrain and helicopter crew safety.

** Due to rugged topography, the altitude of the aircraft above ground varied significantly and the geophysical data was influenced accordingly.

Nominal survey speed was 80 km/hour. The data recording rates of the data acquisition was 0.1 second for electromagnetics and magnetometer, 0.2 second for altimeter and GPS. This translates to a geophysical reading about every 2 metres along flight track. Navigation was assisted by a GPS receiver and data acquisition system, which reports GPS co-ordinates as latitude/longitude and directs the pilot over a pre-programmed survey grid.

The operator was responsible for monitoring of the system integrity. He also maintained a detailed flight log during the survey, tracking the times of the flight as well as any unusual geophysical or topographic feature.

On return of the aircrew to the base the survey data was transferred from a compact flash card (PCMCIA) to the data processing computer.

2.4. Aircraft and Equipment

2.4.1. Survey Aircraft

An Astar B3 helicopter, registration C-GTFX - owned and operated by TRK Helicopters Ltd. - was used for the survey. Installation of the geophysical and ancillary equipment was carried out by Geotech Ltd.

2.4.2. Electromagnetic System

The electromagnetic system was a Geotech Time Domain EM (VTEM) system. The configuration is as indicated in Figure 2 below.



Figure 2 – VTEM configuration



Figure 3 – Sample times

Receiver and transmitter coils are concentric and Z-direction oriented.
The receiver decay recording scheme is shown diagrammatically in Figure 3.

Twenty-four measurement gates were used in the range from 120 μs to 6578 μs, as shown in Table 3.

VTEM Decay Sampling scheme				
Array Index	(Microseconds)			
	Time Gate	Start	End	Width
10	120	110	131	21
11	141	131	154	24
12	167	154	183	29
13	198	183	216	34
14	234	216	258	42
15	281	258	310	53
16	339	310	373	63
17	406	373	445	73
18	484	445	529	84
19	573	529	628	99
20	682	628	750	123
21	818	750	896	146
22	974	896	1063	167
23	1151	1063	1261	198
24	1370	1261	1506	245
25	1641	1506	1797	292
26	1953	1797	2130	333
27	2307	2130	2526	396
28	2745	2526	3016	490
29	3286	3016	3599	583
30	3911	3599	4266	667
31	4620	4266	5058	792
32	5495	5058	6037	979
33	6578	6037	7203	1167

Table 3 - VTEM decay sampling scheme

Transmitter coil diameter was 26 metres, the number of turns was 4.
Transmitter pulse repetition rate was 30 Hz.
Peak current was 201.4 Amp.
Pulse width was 7.2 ms
Duty cycle was 43%.
Peak dipole moment was 427,700 NIA.

Receiver coil diameter was 1.2 metre, the number of turns was 100.
Receiver effective area was 113.1 m^2
Wave form – trapezoid.
Recording sampling rate was 10 samples per second.

The EM bird was towed 42 m below the helicopter.

2.4.3. Airborne magnetometer

The magnetic sensor utilized for the survey was a Geometrics optically pumped cesium vapour magnetic field sensor, mounted in a separated bird, towed 15 metres below the helicopter, as shown on figure 1. The sensitivity of the magnetic sensor is 0.02 nanoTesla (nT) at a sampling interval of 0.1 seconds. The magnetometer sends the measured magnetic field strength as nanoTeslas to the data acquisition system via the RS-232 port.

2.4.4. Ancillary Systems

2.4.4.1. Radar Altimeter

A Terra TRA 3000/TRI 40 radar altimeter was used to record terrain clearance. The antenna was mounted beneath the bubble of the helicopter cockpit.

2.4.4.2. GPS Navigation System

The navigation system used was a Geotech PC based navigation system utilizing a NovAtel's WAAS enable OEM4-G2-3151W GPS receiver, Geotech navigate software, a full screen display with controls in front of the pilot to direct the flight and an NovAtel GPS antenna mounted on the helicopter tail.
The co-ordinates of the block were set-up prior to the survey and the information was fed into the airborne navigation system.

2.4.4.3. Digital Acquisition System

A Geotech data acquisition system recorded the digital survey data on an internal compact flash card. Data is displayed on an LCD screen as traces to allow the operator to monitor the integrity of the system. The data type and sampling interval as provided in table 4.

DATA TYPE	SAMPLING
TDEM	0.1 sec
Magnetometer	0.1 sec
GPS Position	0.2 sec
RadarAltimeter	0.2 sec

Table 4 - Sampling Rates

2.4.5. Base Station

A combine magnetometer/GPS base station was utilized on this project. A Geometrics Cesium vapour magnetometer was used as a magnetic sensor with a sensitivity of 0.001 nT. The base station was recording the magnetic field together with the GPS time at 1 Hz on a base station computer.

The base station magnetometer sensor was installed close to the airport in Mayo, away from electric transmission lines and moving ferrous objects such as motor vehicles.

The magnetometer base station's data was backed-up to the data processing computer at the end of each survey day.

3. PERSONNEL

The following Geotech Ltd. personnel were involved in the project:

Field

Project Manager:	Harish Kumar
Crew chief / QC Geophysicist:	Sean Hayes
Operator:	Ioan Serbu

The survey pilot and the mechanic engineer were employed directly by the helicopter operator – TRK Helicopters Ltd.

Pilot:	Pierre Forand

Office

Data Processing / Reporting:	George Lev
Data Technician:	Maria Jagodkin

Data acquisition and processing phases were carried out under the supervision of Andrei Bagrianski, Surveys Manager. Overall management of the project was undertaken by Edward Morrison, President, Geotech Ltd.

4. DATA PROCESSING AND PRESENTATION

4.1. Flight Path

The flight path, recorded by the acquisition program as WGS 84 latitude/longitude, was converted into the UTM coordinate system in Oasis Montaj.

The flight path was drawn using linear interpolation between x, y positions from the navigation system. Positions are updated every second and expressed as UTM eastings (x) and UTM northings (y).

4.2. Electromagnetic Data

A three stage digital filtering process was used to reject major sferic events and to reduce system noise. Local sferic activity can produce sharp, large amplitude events that cannot be removed by conventional filtering procedures. Smoothing or stacking will reduce their amplitude but leave a broader residual response that can be confused with geological phenomena. To avoid this possibility, a computer algorithm searches out and rejects the major sferic events. The filter used was a 16 point non-linear filter.

The signal to noise ratio was further improved by the application of a low pass linear digital filter. This filter has zero phase shift which prevents any lag or peak displacement from occurring, and it suppresses only variations with a wavelength less than about 1 second or 20 metres. This filter is a symmetrical 1 sec linear filter.

The results are presented as stacked profiles of EM voltages for the time gates, in linear - logarithmic scale for both B-field and dB/dt response.

Generalized modeling results of the VTEM system, written by Geophysicist Roger Barlow, are shown in Appendix C.

Graphical representation of the VTEM output voltage of the receiver coil and the transmitter current is shown in Appendix D.

4.3. Magnetic Data

The processing of the magnetic data involved the correction for diurnal variations by using the digitally recorded ground base station magnetic values. The base station magnetometer data was edited and merged into the Geosoft GDB database on a daily basis. The aeromagnetic data was corrected for diurnal variations by subtracting the observed magnetic base station deviations.

A micro-levelling procedure was applied to remove persistent low-amplitude components of flight-line noise remaining in the data. Where Tie lines were available, Tie line levelling was carried out by adjusting intersection points along the traverse lines.

The corrected magnetic data was interpolated between survey lines using a random point gridding method to yield x-y grid values for a standard grid cell size of approximately 0.1 cm at the mapping scale. The Minimum Curvature algorithm was used to interpolate values onto a rectangular regular spaced grid.

The survey area shows an average magnetic activity. Maximum values of 58140 nT are observed in the SE quadrant of the block.. Average of 58082 nT is detected in the survey area.

5. DELIVERABLES

5.1. Survey Report

The survey report describes the data acquisition, processing, and final presentation of the survey results.

The survey report is provided in two paper copies and digitally in PDF format.

5.2. Maps

Final maps were produced at a scale of 1:10,000. The coordinate/projection system used was the WGS84, UTM zone 8N. All maps show the flight path trace and topographic data. Latitude and longitude are also noted on maps.

The following maps are presented on paper,

- dB/dt profiles, Time Gates 0.234 – 7.828 ms in linear - logarithmic scale
- B-field profiles, Time Gates 0.234 – 7.828 ms in linear - logarithmic scale
- Total Magnetic intensity contours and colour image

5.3. Digital Data

Two copies of DVDs were prepared.

There are two (2) main directories,

Data contains a database, grids and maps, as described below.

Report contains a copy of the report and appendices in PDF format.

a kmz file containing flightpath of the RAU property.
A free version of Google Earth software can be downloaded from,
http://earth.google.com/download-earth.html

- Database in Geosoft GDB format, containing the following channels:

X:	X positional data (metres – WGS84, utm zone 8 north)
Y:	Y positional data (metres – WGS84, utm zone 8 north)
Z:	GPS antenna elevation (metres - ASL)
Radar:	Helicopter terrain clearance from radar altimeter (metres - AGL)
Radarb:	EM Loop terrain clearance from radar altimeter (metres AGL)
DEM:	Digital elevation model (metres)
Gtime1:	GPS time (seconds of the day)
Mag1:	Raw Total Magnetic field data (nT)
Basemag:	Magnetic diurnal variation data (nT)
Mag2:	Total Magnetic field diurnal variation corrected data (nT)
Mag3:	Leveled Total Magnetic field data (nT)
SF[10]:	dB/dt 120 microsecond time channel (pV/A/m^4)
SF[11]:	dB/dt 141 microsecond time channel (pV/A/m^4)
SF[12]:	dB/dt 167 microsecond time channel (pV/A/m^4)
SF[13]:	dB/dt 198 microsecond time channel (pV/A/m^4)
SF[14]:	dB/dt 234 microsecond time channel (pV/A/m^4)
SF[15]:	dB/dt 281 microsecond time channel (pV/A/m^4)
SF[16]:	dB/dt 339 microsecond time channel (pV/A/m^4)
SF[17]:	dB/dt 406 microsecond time channel (pV/A/m^4)
SF[18]:	dB/dt 484 microsecond time channel (pV/A/m^4)
SF[19]:	dB/dt 573 microsecond time channel (pV/A/m^4)
SF[20]:	dB/dt 682 microsecond time channel (pV/A/m^4)
SF[21]:	dB/dt 818 microsecond time channel (pV/A/m^4)
SF[22]:	dB/dt 974 microsecond time channel (pV/A/m^4)
SF[23]:	dB/dt 1151 microsecond time channel (pV/A/m^4)
SF[24]:	dB/dt 1370 microsecond time channel (pV/A/m^4)
SF[25]:	dB/dt 1641 microsecond time channel (pV/A/m^4)
SF[26]:	dB/dt 1953 microsecond time channel (pV/A/m^4)
SF[27]:	dB/dt 2307 microsecond time channel (pV/A/m^4)
SF[28]:	dB/dt 2745 microsecond time channel (pV/A/m^4)
SF[29]:	dB/dt 3286 microsecond time channel (pV/A/m^4)
SF[30]:	dB/dt 3911 microsecond time channel (pV/A/m^4)
SF[31]:	dB/dt 4620 microsecond time channel (pV/A/m^4)
SF[32]:	dB/dt 5495 microsecond time channel (pV/A/m^4)
SF[33]:	dB/dt 6578 microsecond time channel (pV/A/m^4)
BF[10]:	B-field 120 microsecond time channel (pV*ms)/(A*m^4)
BF[11]:	B-field 141 microsecond time channel (pV*ms)/(A*m^4)
BF[12]:	B-field 167 microsecond time channel (pV*ms)/(A*m^4)
BF[13]:	B-field 198 microsecond time channel (pV*ms)/(A*m^4)
BF[14]:	B-field 234 microsecond time channel (pV*ms)/(A*m^4)

BF[15]: B-field 281 microsecond time channel (pV*ms)/(A*m^4)
BF[16]: B-field 339 microsecond time channel (pV*ms)/(A*m^4)
BF[17]: B-field 406 microsecond time channel (pV*ms)/(A*m^4)
BF[18]: B-field 484 microsecond time channel (pV*ms)/(A*m^4)
BF[19]: B-field 573 microsecond time channel (pV*ms)/(A*m^4)
BF[20]: B-field 682 microsecond time channel (pV*ms)/(A*m^4)
BF[21]: B-field 818 microsecond time channel (pV*ms)/(A*m^4)
BF[22]: B-field 974 microsecond time channel (pV*ms)/(A*m^4)
BF[23]: B-field 1151 microsecond time channel (pV*ms)/(A*m^4)
BF[24]: B-field 1370 microsecond time channel (pV*ms)/(A*m^4)
BF[25]: B-field 1641 microsecond time channel (pV*ms)/(A*m^4)
BF[26]: B-field 1953 microsecond time channel (pV*ms)/(A*m^4)
BF[27]: B-field 2307 microsecond time channel (pV*ms)/(A*m^4)
BF[28]: B-field 2745 microsecond time channel (pV*ms)/(A*m^4)
BF[29]: B-field 3286 microsecond time channel (pV*ms)/(A*m^4)
BF[30]: B-field 3911 microsecond time channel (pV*ms)/(A*m^4)
BF[31]: B-field 4620 microsecond time channel (pV*ms)/(A*m^4)
BF[32]: B-field 5495 microsecond time channel (pV*ms)/(A*m^4)
BF[33]: B-field 6578 microsecond time channel (pV*ms)/(A*m^4)
PLM: Power line monitor

Electromagnetic B-field and dB/dt data is found in array channel format between indexes 10 – 33, as described above.

- Database 7067Rau_wform.gdb in Geosoft GDB format, containing the following channels:

  Time: Sampling rate interval, 10.416 microseconds
  Volt: output voltage of the receiver coil (volt)

- Grids in Geosoft GRD format, as follow,

  Rau_magfin: Total magnetic intensity (nT)
  Rau_DEM: Digital elevation model (m)

  A Geosoft .GRD file has a .GI metadata file associated with it, containing grid projection information.
  Grid cell size of 10 metres was used.

- Maps at 1:10,000 scale in Geosoft MAP format, as follow,

  Rau_Magfin: Total magnetic intensity contours and colour image
  Rau_dBdt: VTEM dB/dt profiles, Time Gates 0.234 – 7.828 ms in linear - logarithmic scale
  Rau_EMLP: VTEM B-field profiles, Time Gates 0.234 – 7.828 ms in linear - logarithmic scale

- A *readme.txt* file describing the content of digital data, as described above.

6. CONCLUSIONS

A helicopter-borne versatile time domain electromagnetic (VTEM) geophysical survey has been completed over the RAU property, located in Yukon, Canada.

The total area coverage is 13.37 km^2. Total survey line coverage is 149.73 line kilometres. The principal sensors included a Time Domain EM system and a magnetometer. Results have been presented as stacked profiles and contour colour images at a scale of 1:10,000.

Final data processing at the office of Geotech Ltd. in Aurora, Ontario was carried out under the supervision of Andrei Bagrianski, Surveys Manager.

A number of EM anomaly groupings were identified. Ground follow-up of those anomalies should be carried out if favourably supported by other geoscientific data.

Respectfully submitted,

George Lev
Geotech Ltd.
February, 2008

APPENDIX A

SURVEY BLOCK LOCATION MAP


-134°25'
-134°24'
-134°23'
-134°22'
-134°21'
-134°20'
528000
529000
530000
531000
532000
7121000
7120000
7119000
7118000
7117000
64°12'
64°11'
RAU Property
Contract 7067 - ATAC Resources Ltd..
Yukon, Canada
Location map
Geotech VTEM System
500
0
500
(meters)
WGS 84 / UTM zone 8N

APPENDIX B

SURVEY BLOCK COORDINATES
(WGS 84, UTM zone 8 north)

RAU property

RAU	
Easting	**Northing**
528399	7116829
532061	7116830
532060	7120481
528399	7120480

APPENDIX C

MODELING VTEM DATA

APPENDIX D

VTEM WAVEFORM



APPENDIX E

GEOPHYSICAL MAP



MODELING VTEM DATA

Introduction

The VTEM system is based on a concentric or central loop design, whereby, the receiver is positioned at the centre of a 26.1 meters diameter transmitter loop that produces a dipole moment up to 625,000 NIA at peak current. The wave form is a bi-polar, modified square wave with a turn-on and turn-off at each end. With a base frequency of 30 Hz, the duration of each pulse is approximately 7.5 milliseconds followed by an off time where no primary field is present.

During turn-on and turn-off, a time varying field is produced (dB/dt) and an electro-motive force (emf) is created as a finite impulse response. A current ring around the transmitter loop moves outward and downward as time progresses. When conductive rocks and mineralization are encountered, a secondary field is created by mutual induction and measured by the receiver at the centre of the transmitter loop.

Measurements are made during the off-time, when only the secondary field (representing the conductive targets encountered in the ground) is present.

Late in 2006, Geotech Ltd. incorporated a B-Field measurement in the VTEM system. The B-Field measurements have the advantage of containing more spectral energy at low spectral frequencies than the dB/dt measurements; hence, greater amplitudes and accuracies when encountering targets with higher conductances (> 500 Siemens). The converse is true at higher spectral frequencies where dB/dt measurements are best applied. The B-field is most widely used in nickel exploration where a small percentage of targets are extremely conductive (> 2500 Siemens) and less resolvable or invisible (below the noise threshold) using dB/dt measurements.

Efficient modeling of the results can be carried out on regularly shaped geometries, thus yielding close approximations to the parameters of the measured targets. The following is a description of a series of common models made for the purpose of promoting a general understanding of the measured results.

Variation of Plate Depth

Geometries represented by plates of different strike length, depth extent, dip, plunge and depth below surface can be varied with characteristic parameters like conductance of the target, conductance of the host and conductivity/thickness and thickness of the overburden layer.

Diagrammatic models for a vertical plate are shown in figures A and G at two different depths, all other parameters remaining constant. With this transmitter-receiver geometry, the classic **M** shaped response is generated. Figure A shows a plate where the top is near surface. Here, amplitudes of the duel peaks are higher and symmetrical with the zero centre positioned directly above the plate. Most important is the separation distance of the peaks. This distance is small when the plate is near surface and widens with a linear relationship as the plate (depth to top) increases. Figure G shows a much deeper plate where the separation distance of the peaks is much wider and the amplitudes of the channels have decreased.

Variation of Plate Dip

As the plate dips and departs from the vertical position, the peaks become asymmetrical. Figure B shows a near surface plate dipping 80º. Note that the direction of dip is toward the high shoulder of the response and the top of the plate remains under the centre minimum.

As the dip increases, the aspect ratio (Min/Max) decreases and this aspect ratio can be used as an empirical guide to dip angles from near 90º to about 30º. The method is not sensitive enough where dips are less than about 30º. Figure E shows a plate dipping 45º and, at this angle, the minimum shoulder starts to vanish. In Figure D, a flat lying plate is shown, relatively near surface. Note that the twin peak anomaly has been replaced by a symmetrical shape with large, bell shaped, channel amplitudes which decay relative to the conductance of the plate.

Figure H shows a special case where two plates are positioned to represent a synclinal structure. Note that the main characteristic to remember is the centre amplitudes are higher (approximately double) compared to the high shoulder of a single plate. This model is very representative of tightly folded formations where the conductors where once flat lying.

Variation of Prism Depth

Finally, with prism models, another algorithm is required to represent current on the plate. A plate model is considered to be infinitely thin with respect to thickness and incapable of representing the current in the thickness dimension. A prism model is constructed to deal with this problem, thereby, representing the thickness of the body more accurately.

Figures C, F and I show the same prism at increasing depths. Aside from an expected decrease in amplitude, the side lobes of the anomaly show a widening with deeper prism depths of the bell shaped early time channels.

A



B



C



D



E



F



G



H



I



General Modeling Concepts

A set of models has been produced for the Geotech VTEM® system with explanation notes (see models A to I above). The reader is encouraged to review these models, so as to get a general understanding of the responses as they apply to survey results. While these models do not begin to cover all possibilities, they give a general perspective on the simple and most commonly encountered anomalies.

When producing these models, a few key points were observed and are worth noting as follows:

- For near vertical and vertical plate models, the top of the conductor is always located directly under the centre low point between the two shoulders in the classic **M** shaped response.

- As the plate is positioned at an increasing depth to the top, the shoulders of the **M** shaped response, have a greater separation distance.

- When faced with choosing between a flat lying plate and a prism model to represent the target (broad response) some ambiguity is present and caution should be exercised.

- With the concentric loop system and Z-component receiver coil, virtually all types of conductors and most geometries are most always well coupled and a response is generated (see model H). Only concentric loop systems can map this type of target.

The modelling program used to generate the responses was prepared by PetRos Eikon Inc. and is one of a very few that can model a wide range of targets in a conductive half space.

General Interpretation Principals

Magnetics

The total magnetic intensity responses reflect major changes in the magnetite and/or other magnetic minerals content in the underlying rocks and unconsolidated overburden. Precambrian rocks have often been subjected to intense heat and pressure during structural and metamorphic events in their history. Original signatures imprinted on these rocks at the time of formation have, it most cases, been modified, resulting in low magnetic susceptibility values.

The amplitude of magnetic anomalies, relative to the regional background, helps to assist in identifying specific magnetic and non-magnetic rock units (and conductors) related to, for example, mafic flows, mafic to ultramafic intrusives, felsic intrusives, felsic volcanics and/or sediments etc. Obviously, several geological sources can produce the same magnetic response. These ambiguities can be reduced considerably if basic geological information on the area is available to the geophysical interpreter.

In addition to simple amplitude variations, the shape of the response expressed in the wave length and the symmetry or asymmetry, is used to estimate the depth, geometric parameters and magnetization of the anomaly. For example, long narrow magnetic linears usually reflect mafic flows or intrusive dyke features. Large areas with complex magnetic patterns may be produced by intrusive bodies with significant magnetization, flat lying magnetic sills or sedimentary iron formation. Local isolated circular magnetic patterns often represent plug-like igneous intrusives such as kimberlites, pegmatites or volcanic vent areas.

Because the total magnetic intensity (TMI) responses may represent two or more closely spaced bodies within a response, the second derivative of the TMI response may be helpful for distinguishing these complexities. The second derivative is most useful in mapping near surface linears and other subtle magnetic structures that are partially masked by nearby higher amplitude magnetic features. The broad zones of higher magnetic amplitude, however, are severely attenuated in the vertical derivative results. These higher amplitude zones reflect rock units having strong magnetic susceptibility signatures. For this reason, both the TMI and the second derivative maps should be evaluated together.

Theoretically, the second derivative, zero contour or colour delineates the contacts or limits of large sources with near vertical dip and shallow depth to the top. The vertical gradient map also aids in determining contact zones between rocks with a susceptibility contrast, however, different, more complicated rules of thumb apply.

Concentric Loop EM Systems

Concentric systems with horizontal transmitter and receiver antennae produce much larger responses for flat lying conductors as contrasted with vertical plate-like conductors. The amount of current developing on the flat upper surface of targets having a substantial area in this dimension, are the direct result of the effective coupling angle, between the primary magnetic field and the flat surface area. One therefore, must not compare the amplitude/conductance of responses generated from flat lying bodies with those derived from near vertical plates; their ratios will be quite different for similar conductances.

Determining dip angle is very accurate for plates with dip angles greater than 30º. For angles less than 30º to 0º, the sensitivity is low and dips can not be distinguished accurately in the presence of normal survey noise levels.

A plate like body that has near vertical position will display a two shoulder, classic **M** shaped response with a distinctive separation distance between peaks for a given depth to top.

It is sometimes difficult to distinguish between responses associated with the edge effects of flat lying conductors and poorly conductive bedrock conductors. Poorly conductive bedrock conductors having low dip angles will also exhibit responses that may be interpreted as surfacial overburden conductors. In some situations, the conductive response has line to line continuity and some magnetic correlation providing possible evidence that the response is related to an actual bedrock source.

The EM interpretation process used, places considerable emphasis on determining an understanding of the general conductive patterns in the area of interest. Each area has different characteristics and these can effectively guide the detailed process used.

The first stage is to determine which time gates are most descriptive of the overall conductance patterns. Maps of the time gates that represent the range of responses can be very informative.

Next, stacking the relevant channels as profiles on the flight path together with the second vertical derivative of the TMI is very helpful in revealing correlations between the EM and Magnetics.

Next, key lines can be profiled as single lines to emphasize specific characteristics of a conductor or the relationship of one conductor to another on the same line. Resistivity Depth sections can be constructed to show the relationship of conductive overburden or conductive bedrock with the conductive anomaly.

GEOTECH LTD.

Survey Specifications:
Dates Flown: August 12, 2007
Survey Base: Mayo, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 100 metres
Nominal Flight Line Directions: N0°E/N180°E
Nominal Tie Line Spacing: 1000 metres
Nominal Tie Line Directions: N90°E/N270°E
Nominal helicopter terrain clearance 195 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM)
with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 427,700 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec



Contour intervals:
2 nT
10 nT
50 nT

Legend:
Roads
Lakes, Rivers
Swamps
Topographic contours

Scale 1:10000
100 0 100 200 300 400 500
(meters)
WGS 84 / UTM zone 8N

ATAC Resources Ltd.
Block RAU
Yukon, Canada

Geotech VTEM System
Total Magnetic Field Map

Flown and processed by Geotech Ltd.
245 Industrial Parkway North,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

December 2007

Project 7067

GEOTECH LTD.

Survey Specifications:
Dates Flown: August 12, 2007
Survey Base: Mayo, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 100 metres
Nominal Flight Line Directions: N0°E/N180°E
Nominal Tie Line Spacing: 1000 metres
Nominal Tie Line Directions: N90°E/N270°E
Nominal helicopter terrain clearance 195 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 427,700 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec



Profiles scale 1 mm = 0.05 (pV*ms)/A/m^4
(Linear between +/-0.2 (pV*ms)/A/m^4
logarithmic above 0.2 (pV*ms)/A/m^4)

- 0.234 ms (B-field)
- 0.281 ms (B-field)
- 0.339 ms (B-field)
- 0.406 ms (B-field)
- 0.484 ms (B-field)
- 0.573 ms (B-field)
- 0.682 ms (B-field)
- 0.818 ms (B-field)
- 0.974 ms (B-field)
- 1.151 ms (B-field)
- 1.370 ms (B-field)
- 1.641 ms (B-field)
- 1.953 ms (B-field)
- 2.307 ms (B-field)
- 2.745 ms (B-field)
- 3.286 ms (B-field)
- 3.911 ms (B-field)
- 4.620 ms (B-field)
- 5.495 ms (B-field)
- 6.578 ms (B-field)
- 7.828 ms (B-field)

Legend:
Roads
Lakes, Rivers
Swamps
Topographic contours

Scale 1:10000
100 0 100 200 300 400 500
(meters)
WGS 84 / UTM zone 8N

ATAC Resources Ltd.
Block RAU
Yukon, Canada

Geotech VTEM System
B-Field Profiles
Time Gates 0.234 - 7.828 ms

Flown and processed by Geotech Ltd.
245 Industrial Parkway North.,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

December 2007

Project 7067

GEOTECH LTD.

Survey Specifications:
Dates Flown: August 12, 2007
Survey Base: Mayo, YT
Aircraft: Astar B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 100 metres
Nominal Flight Line Directions: N0°E/N180°E
Nominal Tie Line Spacing: 1000 metres
Nominal Tie Line Directions: N90°E/N270°E
Nominal helicopter terrain clearance 195 metres
EM Loop is towed 42 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM) with concentric Rx/Tx geometry
Transmitter Loop Diameter 26 m, Base Frequency 30 Hz
Dipole Moment 427,700 NIA
Transmitter Wave Form: Trapezoid, Pulse Width 7.22 ms
Geometrics Optically-pumped,
High Sensitivity Cesium Magnetometer
Magnetometer Resolution 0.02 nT at 10 samples/sec



Profiles scale 1 mm = 0.05 pV/A/m^4
(Linear between +/-0.2 pV/A/m^4
logarithmic above 0.2 pV/A/m^4)

- 0.234 ms
- 0.281 ms
- 0.339 ms
- 0.406 ms
- 0.484 ms
- 0.573 ms
- 0.682 ms
- 0.818 ms
- 0.974 ms
- 1.151 ms
- 1.370 ms
- 1.641 ms
- 1.953 ms
- 2.307 ms
- 2.745 ms
- 3.286 ms
- 3.911 ms
- 4.620 ms
- 5.495 ms
- 6.578 ms
- 7.828 ms

Legend:

- Roads
- Lakes, Rivers
- Swamps
- Topographic contours

Scale 1:10000

100 0 100 200 300 400 500
(meters)
WGS 84 / UTM zone 8N

ATAC Resources Ltd.
Block RAU
Yukon, Canada

Geotech VTEM System
dB/dt Profiles
Time Gates 0.234 - 7.828 ms

Flown and processed by Geotech Ltd.
245 Industrial Parkway North,
Aurora, Ontario, Canada L4G 4C4
www.geotech.ca

December 2007

Project 7057