ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 3-AUG-2009
Account: BUSHMA

CERTIFICATE VA09075502

Project: Revenue
P.O. No.: 9NFR071
This report is for 36 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23-JUL-2009.

The following have access to data associated with this certificate:

W. BARNS GRAEME HOPKINS	CHARLIE CHEN ROGER HULSTEIN	FABRIZIO COLOMBO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
SPL-34	Pulp Splitting Charge
PUL-31	Pulverize split to 85% <75 um
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
LOG-25	Pulp Received - 95%pass 106um no BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
ATTN: CHARLIE CHEN
900 - 475 HOWE STREET
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 3-AUG-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075502

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	Au-ICP21 Au Check ppm 0.001	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
X44351		3.46	0.083			<0.5	7.21	162	710	1.2	<2	1.15	<0.5	15	23	227
X44352		2.86	0.089			<0.5	7.07	24	830	1.0	<2	1.09	<0.5	13	19	231
X44353		1.86	0.099			<0.5	7.75	644	520	1.2	2	1.51	<0.5	15	15	293
X44354		1.74	0.187			<0.5	6.40	680	1390	1.0	2	1.24	<0.5	8	35	185
X44355		1.16	0.312			<0.5	7.26	1055	260	1.2	8	1.90	<0.5	17	174	341
X44356		1.50	0.035			<0.5	7.84	377	570	1.5	2	2.74	<0.5	9	49	92
X44357		<0.02	0.034			<0.5	8.09	301	580	1.5	3	2.79	<0.5	9	49	92
X44358		2.80	0.035			<0.5	6.75	99	860	1.1	2	2.72	<0.5	12	186	103
X44359		0.62	0.090			<0.5	6.34	61	1910	0.9	4	1.06	<0.5	7	6	107
X44360		1.64	0.141			<0.5	7.81	109	290	1.5	14	1.23	<0.5	21	39	480
X44361		1.54	0.033			<0.5	5.39	147	970	1.0	<2	4.19	<0.5	6	12	89
X44362		1.76	0.048			<0.5	7.22	19	660	1.5	3	0.93	<0.5	20	23	328
X44363		2.68	0.014			<0.5	7.19	49	730	1.4	<2	2.16	<0.5	11	25	98
X44364		2.06	0.030			<0.5	7.57	23	1890	0.9	<2	1.93	<0.5	9	32	139
X44365		3.06	0.078			<0.5	8.29	<5	630	1.1	<2	3.87	<0.5	17	28	183
X44366		4.10	0.020			<0.5	8.29	7	600	1.2	2	4.39	<0.5	16	46	109
X44367		<0.02	0.021			<0.5	7.87	<5	580	1.2	2	4.27	<0.5	16	46	107
X44368		3.20	0.018			<0.5	8.18	15	540	1.1	<2	4.74	<0.5	18	48	204
X44369		2.06	0.011			<0.5	6.07	12	420	0.9	<2	2.46	<0.5	13	100	240
X44370		0.90	0.006			<0.5	6.58	114	1950	1.3	<2	1.10	<0.5	6	21	137
X44371		1.30	0.035			<0.5	6.43	121	760	1.1	2	2.10	<0.5	10	110	131
X44372		1.18	0.049			<0.5	7.61	284	2990	1.3	<2	1.32	<0.5	10	11	106
X44373		2.16	0.015			<0.5	7.62	108	440	1.7	2	4.61	<0.5	18	111	85
X44374		1.38	0.038			<0.5	8.09	215	250	2.9	7	4.17	<0.5	20	69	107
X44375		1.04	0.012			<0.5	7.06	135	4860	1.4	<2	1.03	<0.5	4	31	51
X44376		3.12	0.545			<0.5	7.21	35	450	1.1	5	1.80	<0.5	18	91	192
X44377		7.74	0.137			<0.5	7.51	15	190	1.0	34	3.61	<0.5	34	218	236
X44378		7.18	0.182			<0.5	7.64	14	180	1.0	3	3.24	<0.5	23	204	220
X44379		3.82	0.216			<0.5	7.02	91	100	1.9	2	1.79	<0.5	21	126	454
X44380		6.90	0.160			<0.5	6.20	59	1180	1.4	5	0.14	<0.5	1	8	46
X44381		5.28	0.161	0.163		<0.5	6.25	33	1270	1.3	2	0.13	<0.5	1	31	23
X44382		0.14	1.045	0.844	0.86	3.6	7.02	56	1400	1.2	9	0.84	2.8	14	98	3100
X44383		6.06	0.168	0.243		<0.5	6.45	66	1340	1.4	8	0.11	<0.5	1	10	31
X44384		4.64	0.525	0.631		<0.5	6.22	36	1330	1.3	8	0.11	<0.5	1	35	32
X44385		2.12	0.004			<0.5	6.94	14	450	5.9	2	0.38	<0.5	2	9	20
X44386		6.80	0.861			0.7	6.35	62	1320	1.3	10	0.11	<0.5	<1	35	24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 3-AUG-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075502

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1
X44351		5.26	10	1.98	10	1.59	191	<1	2.79	10	720	<2	1.86	<5	19	302
X44352		5.06	20	2.04	10	1.39	164	<1	2.41	4	730	2	1.87	<5	19	315
X44353		6.11	20	2.03	10	2.00	199	<1	2.48	13	620	<2	2.35	8	21	282
X44354		3.43	10	2.68	280	0.91	122	<1	1.96	33	670	4	1.58	5	6	201
X44355		8.75	30	2.07	20	3.85	346	<1	1.42	63	2220	2	3.10	8	31	142
X44356		5.79	20	3.45	10	4.27	331	<1	2.07	159	1490	<2	0.68	6	11	318
X44357		5.89	20	3.43	10	4.22	328	<1	2.11	160	1480	3	0.70	5	11	324
X44358		5.29	20	2.34	20	2.94	365	<1	1.89	102	670	<2	0.92	<5	16	259
X44359		2.38	10	2.80	180	0.30	130	<1	2.50	3	390	6	0.98	<5	3	213
X44360		8.01	20	1.90	10	2.26	222	<1	1.75	15	1230	<2	3.73	8	20	256
X44361		3.30	10	1.84	30	0.82	197	<1	1.76	7	260	4	1.35	9	6	221
X44362		6.00	20	1.80	20	1.68	180	<1	2.60	7	1010	4	2.44	<5	19	231
X44363		4.34	20	1.69	20	1.36	281	<1	2.66	7	660	8	1.00	<5	14	311
X44364		4.13	20	1.95	70	0.88	224	<1	2.89	3	560	2	1.25	<5	12	349
X44365		6.42	20	1.53	10	2.15	652	<1	2.89	10	1420	4	1.54	<5	20	543
X44366		5.58	20	1.38	10	2.09	763	1	2.99	15	1290	3	0.87	5	18	622
X44367		5.37	20	1.37	10	2.01	739	1	2.91	14	1240	6	0.85	<5	17	601
X44368		5.74	20	1.31	10	2.51	882	<1	2.90	20	1190	7	0.79	<5	22	610
X44369		4.06	10	1.15	10	1.75	376	1	1.83	34	1030	4	0.57	<5	15	309
X44370		1.80	10	2.74	10	0.48	139	<1	2.77	9	400	12	0.57	<5	4	723
X44371		3.70	10	1.49	10	1.37	245	1	2.10	43	690	3	0.87	<5	12	333
X44372		2.76	10	3.59	110	0.54	199	<1	2.91	10	320	9	0.96	<5	4	383
X44373		4.56	20	1.17	10	1.60	498	<1	2.27	67	930	6	0.70	<5	18	603
X44374		7.85	20	0.85	20	2.38	991	<1	1.18	41	1350	3	0.99	8	24	579
X44375		2.01	10	3.31	120	0.29	136	<1	2.85	4	270	13	0.57	<5	3	312
X44376		5.65	20	2.33	10	2.93	616	<1	2.23	28	580	6	0.03	<5	21	151
X44377		6.73	20	1.66	10	4.24	1095	<1	2.35	80	700	5	0.03	<5	30	187
X44378		6.62	20	1.71	10	4.08	995	<1	2.37	60	650	6	0.19	<5	29	187
X44379		8.83	30	1.84	10	2.87	682	<1	2.32	59	810	6	0.12	<5	26	133
X44380		1.09	10	3.56	30	0.08	40	<1	2.25	3	90	13	0.07	<5	2	76
X44381		0.97	10	3.67	30	0.05	41	<1	2.20	4	60	14	0.13	<5	2	78
X44382		4.09	20	3.82	40	0.69	291	243	0.57	14	630	121	1.54	31	10	162
X44383		0.97	10	4.02	30	0.05	33	<1	1.86	1	90	16	0.12	<5	2	82
X44384		0.94	10	3.96	30	0.04	45	<1	1.97	2	80	15	0.10	<5	2	79
X44385		1.53	20	4.50	30	0.18	200	2	2.61	2	220	17	<0.01	<5	3	138
X44386		0.69	10	4.05	30	0.05	40	<1	1.94	2	50	15	0.11	<5	2	76

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 3-AUG-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075502

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
X44351		<20	0.33	<10	<10	125	10	20
X44352		<20	0.32	<10	<10	90	<10	15
X44353		<20	0.34	<10	<10	124	<10	20
X44354		60	0.21	<10	<10	51	<10	8
X44355		<20	0.57	10	<10	222	10	39
X44356		<20	0.29	10	<10	110	<10	46
X44357		<20	0.29	10	<10	109	10	45
X44358		<20	0.34	<10	<10	108	10	41
X44359		50	0.13	<10	<10	32	10	5
X44360		<20	0.43	<10	<10	173	10	29
X44361		<20	0.14	<10	<10	43	<10	10
X44362		<20	0.46	<10	<10	109	<10	21
X44363		<20	0.31	<10	<10	84	<10	26
X44364		20	0.25	<10	<10	66	<10	17
X44365		<20	0.47	<10	<10	180	<10	52
X44366		<20	0.44	<10	<10	164	<10	55
X44367		<20	0.43	<10	<10	159	<10	54
X44368		<20	0.40	<10	<10	177	<10	71
X44369		<20	0.35	<10	<10	133	<10	38
X44370		<20	0.11	<10	10	31	<10	13
X44371		<20	0.30	<10	<10	149	<10	27
X44372		20	0.15	<10	<10	29	<10	9
X44373		<20	0.45	<10	<10	176	10	60
X44374		<20	0.46	<10	<10	203	10	83
X44375		30	0.12	<10	<10	15	<10	7
X44376		<20	0.41	<10	<10	162	<10	59
X44377		<20	0.46	<10	<10	189	<10	86
X44378		<20	0.43	<10	<10	181	<10	85
X44379		<20	0.52	<10	<10	171	10	139
X44380		20	0.04	<10	<10	8	<10	6
X44381		20	0.03	<10	<10	6	<10	3
X44382		<20	0.17	<10	<10	81	20	169
X44383		30	0.04	<10	<10	3	<10	5
X44384		20	0.04	<10	<10	4	<10	<2
X44385		40	0.20	<10	10	20	<10	23
X44386		20	0.04	<10	10	3	<10	<2