ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 27-JUL-2009
Account: BUSHMA

CERTIFICATE VA09075504

Project: Revenue
P.O. No.: 9NFR065
This report is for 35 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23-JUL-2009.
The following have access to data associated with this certificate:

W. BARNS GRAEME HOPKINS	CHARLIE CHEN ROGER HULSTEIN	FABRIZIO COLOMBO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
SPL-34	Pulp Splitting Charge
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-35	Pulv 250 g Split to 95%<106 um
LOG-25	Pulp Received - 95%pass 106um no BarCode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
ATTN: CHARLIE CHEN
900 - 475 HOWE STREET
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 27-JUL-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075504

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
X44281		4.22	0.013		<0.5	9.34	<5	120	0.6	<2	8.16	<0.5	43	36	179	8.94
X44282		2.50	0.005		<0.5	8.71	7	120	0.5	<2	6.74	<0.5	37	36	44	8.69
X44283		4.76	0.004		<0.5	8.36	9	140	0.6	<2	6.69	0.5	44	37	107	9.41
X44284		1.68	0.011		<0.5	9.04	9	150	0.8	<2	7.70	<0.5	34	39	153	7.94
X44285		3.30	0.009		<0.5	8.57	12	170	0.9	<2	6.36	<0.5	41	37	122	8.25
X44286		1.00	0.014		<0.5	6.82	15	1260	1.5	3	0.76	<0.5	4	26	147	1.35
X44287		3.20	0.008		<0.5	9.02	11	140	0.6	<2	6.51	<0.5	40	42	128	8.54
X44288		3.48	0.008		<0.5	8.67	6	170	0.7	<2	7.21	<0.5	34	36	83	7.35
X44289		3.94	0.068		<0.5	8.97	6	200	0.9	<2	5.59	<0.5	30	35	189	7.76
X44290		0.88	0.011		0.6	8.34	21	130	1.4	<2	1.62	<0.5	14	16	289	3.02
X44291		0.16	4.93	4.87	3.3	5.58	39	1200	0.7	<2	0.84	<0.5	7	33	47	2.58
X44292		3.70	0.030		<0.5	8.89	77	200	0.6	<2	6.80	<0.5	38	37	222	8.34
X44293		2.48	0.020		0.5	8.48	10	220	1.7	<2	5.48	<0.5	32	36	355	7.50
X44294		0.92	0.006		<0.5	2.00	<5	270	0.6	<2	1.16	<0.5	10	18	160	2.14
X44295		1.58	0.002		<0.5	5.79	10	1140	1.7	<2	1.06	<0.5	6	49	107	1.41
X44296		3.74	0.013		<0.5	7.69	10	160	0.7	<2	6.92	<0.5	38	50	264	9.64
X44297		3.00	0.019		0.6	8.80	17	260	0.7	<2	7.48	0.6	41	38	400	8.23
X44298		2.72	0.006		<0.5	8.77	7	290	0.8	<2	6.30	<0.5	31	28	162	8.16
X44299		3.68	0.003		<0.5	8.43	6	260	0.6	<2	7.28	0.6	36	35	158	7.94
X44300		2.92	0.009		<0.5	8.97	13	660	1.9	<2	8.09	<0.5	36	32	223	7.05
X44301		1.66	0.001		<0.5	7.37	22	500	6.0	<2	0.59	<0.5	3	25	30	1.87
X44302		3.20	0.002		<0.5	9.26	9	590	0.6	<2	6.68	<0.5	42	42	108	7.91
X44303		3.46	0.006		<0.5	9.00	<5	330	<0.5	<2	7.04	<0.5	45	49	113	8.59
X44304		2.96	0.053		<0.5	8.75	13	340	0.8	<2	5.14	<0.5	41	42	379	8.96
X44305		2.76	0.013		<0.5	9.09	11	420	1.5	<2	4.49	<0.5	26	29	140	5.51
X44306		<0.02	0.011		<0.5	9.48	8	440	1.6	<2	4.70	<0.5	27	30	147	5.76
X44307		3.34	0.027		<0.5	9.43	80	480	1.9	<2	4.98	<0.5	34	26	241	5.26
X44308		2.28	0.014		<0.5	8.32	55	170	0.6	<2	7.51	<0.5	43	52	156	9.47
X44309		3.92	0.007		<0.5	7.75	24	150	0.6	<2	6.67	<0.5	38	84	98	9.17
X44310		4.04	0.014		<0.5	8.13	21	160	0.5	<2	7.20	<0.5	48	48	145	9.03
X44311		4.16	0.059		0.8	7.73	11	240	<0.5	<2	7.29	<0.5	76	49	766	12.10
X44312		2.90	0.065		1.0	6.98	21	240	0.5	<2	6.69	<0.5	77	25	726	12.20
X44313		2.86	0.072		1.3	7.02	49	220	0.5	4	6.70	<0.5	56	21	702	11.95
X44314		<0.02	0.069		1.0	7.07	38	230	0.5	7	6.72	<0.5	59	24	728	12.30
X44315		1.40	0.013		0.8	5.88	141	140	1.2	<2	6.67	<0.5	30	101	523	9.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 27-JUL-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075504

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
X44281		20	1.23	<10	5.93	2610	<1	1.12	51	1180	5	0.36	<5	46	313	<20
X44282		20	1.13	<10	6.50	3070	<1	1.18	55	510	3	0.21	<5	44	223	<20
X44283		20	1.18	<10	6.87	2900	<1	1.12	56	830	5	0.34	<5	44	173	<20
X44284		20	1.31	<10	5.53	2240	<1	1.10	46	630	2	0.23	<5	43	353	<20
X44285		20	1.60	<10	5.82	2160	<1	1.50	49	620	5	0.44	<5	41	232	<20
X44286		10	3.37	30	0.28	155	<1	2.82	3	100	19	0.42	<5	4	144	20
X44287		20	1.74	<10	5.82	1830	<1	1.40	55	540	5	0.34	<5	46	233	<20
X44288		20	1.11	<10	4.45	1530	<1	1.98	42	580	4	0.35	<5	42	306	<20
X44289		20	1.40	<10	4.00	1490	<1	2.69	36	890	4	0.79	<5	37	287	<20
X44290		10	0.81	<10	1.42	509	<1	6.4	15	280	2	0.69	<5	11	169	<20
X44291		20	5.92	<10	0.12	129	384	0.35	34	440	149	2.22	17	2	883	<20
X44292		20	1.61	<10	5.71	1875	<1	1.56	50	760	2	0.44	<5	43	273	<20
X44293		20	1.46	<10	4.55	1555	<1	2.14	43	570	8	0.81	5	39	325	<20
X44294		10	0.36	<10	0.56	157	<1	0.69	9	110	2	0.83	<5	5	71	<20
X44295		10	0.58	<10	0.25	109	<1	3.12	9	270	8	0.38	<5	4	338	<20
X44296		20	1.76	<10	6.39	2280	<1	1.18	46	1520	2	0.88	<5	47	204	<20
X44297		20	1.53	<10	5.79	2300	<1	1.46	54	610	4	0.20	<5	45	259	<20
X44298		20	0.97	10	4.19	1715	<1	2.48	28	1780	6	0.74	<5	41	321	<20
X44299		20	0.96	<10	5.17	2020	<1	1.88	38	1500	6	0.44	<5	42	362	<20
X44300		30	1.16	<10	4.17	1465	<1	2.10	42	780	4	0.56	<5	39	578	<20
X44301		20	4.69	40	0.30	277	1	2.63	3	270	19	0.01	<5	4	161	40
X44302		20	1.16	<10	4.98	1590	<1	2.18	54	600	2	0.14	<5	47	534	<20
X44303		20	1.24	<10	5.29	1525	<1	1.77	59	530	5	0.17	<5	50	439	<20
X44304		20	1.73	<10	4.52	1095	<1	2.15	50	690	6	1.80	7	40	337	<20
X44305		20	1.06	<10	2.80	730	<1	3.65	30	730	9	0.72	5	26	545	<20
X44306		20	1.11	<10	2.94	765	<1	3.86	30	760	8	0.76	<5	28	576	<20
X44307		20	1.23	<10	2.62	835	<1	3.66	39	1080	13	0.93	<5	23	754	<20
X44308		20	1.36	<10	5.95	1580	<1	1.55	55	1950	8	0.47	6	52	315	<20
X44309		20	1.55	<10	6.64	1415	<1	1.47	70	650	2	0.43	<5	50	175	<20
X44310		20	1.65	<10	6.62	1660	<1	1.35	63	450	<2	0.46	<5	46	241	<20
X44311		20	2.08	<10	7.78	1450	<1	1.11	56	170	5	1.82	<5	70	170	<20
X44312		20	2.04	<10	7.00	1290	<1	0.89	36	510	2	2.11	6	66	114	<20
X44313		20	2.34	<10	7.13	1405	<1	0.87	32	400	2	1.57	14	66	133	<20
X44314		20	2.38	<10	7.25	1415	<1	0.86	36	340	3	1.79	15	67	130	<20
X44315		20	1.65	<10	4.58	1000	<1	0.23	51	230	4	2.21	11	57	361	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 27-JUL-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09075504

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
X44281		0.60	<10	<10	339	<10	176
X44282		0.52	<10	<10	314	<10	249
X44283		0.58	<10	<10	328	<10	210
X44284		0.50	<10	<10	335	<10	142
X44285		0.48	<10	<10	307	<10	157
X44286		0.06	<10	10	18	<10	11
X44287		0.54	<10	<10	347	<10	121
X44288		0.46	<10	10	296	<10	96
X44289		0.46	<10	10	271	<10	104
X44290		0.13	<10	20	82	<10	49
X44291		0.07	10	<10	37	<10	270
X44292		0.50	<10	<10	318	<10	155
X44293		0.44	<10	10	281	<10	119
X44294		0.06	<10	<10	32	<10	10
X44295		0.05	<10	10	23	<10	7
X44296		0.67	10	<10	359	<10	207
X44297		0.50	<10	<10	319	<10	236
X44298		0.62	<10	<10	308	<10	127
X44299		0.62	<10	<10	345	<10	172
X44300		0.45	<10	10	277	<10	104
X44301		0.22	<10	10	28	<10	32
X44302		0.53	<10	10	327	<10	101
X44303		0.58	<10	<10	376	<10	85
X44304		0.51	<10	<10	296	<10	83
X44305		0.33	<10	10	180	<10	53
X44306		0.35	<10	10	189	<10	56
X44307		0.35	<10	10	163	<10	57
X44308		0.70	<10	<10	388	<10	112
X44309		0.66	<10	<10	395	<10	100
X44310		0.61	<10	<10	382	<10	107
X44311		0.86	<10	<10	561	<10	123
X44312		1.00	<10	<10	615	<10	113
X44313		1.07	<10	<10	659	<10	119
X44314		1.06	<10	<10	663	<10	120
X44315		0.60	10	<10	370	<10	98