



002842

Costs associated with this report have been approved in the amount of \$ 6000.00 for assessment credit under Certificate of Work No. 0102842

[Signature]

Mining Recorder
Whitehorse Mining District

Table of Contents

1	Summary	1
2	Property Description and Location.....	2
3	Access, Local Resources, Infrastructure and Physiography.....	2
4	Exploration History	4
5	Geological Setting	6
5.1	Regional Geology	6
5.2	Property Geology	7
6	Exploration (2008) Soil Geochemical Survey.....	7
7	Expenditures.....	8
8	Conclusions and Recommendations.....	8
9	References	10
10	Certificates	11
	Appendix 1	

List of Tables

Table 1, Claim Status 2009.....	3
---------------------------------	---

List of Figures

Figure 1	Location of Property.....	3
Figure 2	Claim and Grid Plan	following page 3
Figure 3	Property Geology.....	following page 6
Figure 4	Geochemical Survey Summary	following page 7

List of Appendices

Appendix 1	Geochemical Analysis Results.....	12
------------	-----------------------------------	----

1 Summary

The ST Claims consists of 60 claims located in the Aishihik Lake area of the south-central Yukon Territory. The property is accessed by helicopter charter from Whitehorse, 120 kilometers to the south.

The property consists of one contiguous claim block which lie in a broad upland area, characterized by wide plateaus and valleys, rounded hills, and old lake bottom flats and terraces.

The claims overlie rocks of the Yukon Crystalline Terrane, consisting of basement schist and gneiss, amphibolite and volcanics intruded by granitic rocks of the Aishihik batholith. Tertiary and Eocene felsic to basic volcanics unconformably overlie the granitic bodies. Structurally, the Kirkland Creek fault, a major northwest orientated fault, traverses the area and the claims.

Fine-grained placer gold was discovered in early 1900's in tributaries of Kirkland Creek, draining east from a large area underlain by felsic volcanic rocks. Reconnaissance level exploration in 1989 identified highly anomalous gold values in heavy mineral concentrates collected from stream sediments on the former NICK I claims, part of which are now covered by the subject claims. In 1990, airborne geophysical surveys over three sections of the NICK I claims located EM, resistivity and VLF anomalies coinciding with anomalous gold values in stream sediments. These areas were targeted for further surface work but economic conditions at that time prevented the recommended programs. One of the target areas is now covered by the ST claims.

Wide spread clay and silicified alteration zones were formed as a result of hydrothermal activity in faults and breccia pipes during multi-stage volcanism and may represent a potential source for the fine-grained gold in the stream sediments. However, rock samples collected from several alteration zones have returned only background precious metal values. Future exploration on the NICK I claims was recommended to evaluate grid geophysical and geochemical anomalies, argillic alteration zones, and airborne EM

anomalies. Potential mineralized structures recognized include breccia pipes, splays and cross-faults from the Kirkland Creek fault and stockworks.

2 Property Description and Location

The ST Claims property of King Resources is located 120 kilometres northwest of Whitehorse and consists of 60 contiguous two-post Yukon Quartz claim covering an area of 1254 hectares in the Whitehorse Mining District. The ST Claims are located on NTS map sheet 115H10 with geographic center 61^o 35' North and 136^o 7' West. Figure 1 shows the general location of the property. Claim status is summarized in Table 1.

Table 1 - Claim Summary

YC 64716-775

ST 1-60

Anniversary Date May 18, 2010

3 Access, Local Resources, Infrastructure and Physiography

The claims are located east of Aishihik Lake and 30 km west of the Klondike Highway near Kirkland Creek in the south-central Yukon on NTS Map Sheet 115H10 and are centered at geographical co-ordinates 61^o 35' North and 136^o 7' East. Whitehorse, the capital of the Yukon Territory, is 120 kilometers southeast of the property.


Helicopter charter is the primary means of access to the property. Charters are available from Whitehorse, Haines Junction, and Carmacks. There is a winter road to the area of the property from the Aishihik Lake Road, which was used to service placer mining operations in the 1980's.

The property lies in a broad upland area, characterized by wide plateaus and valleys, rounded hills, old lake-bottom flats and terraces. The central and northern portion of the ST Claims property is above treeline, consisting of long interconnected ridges and spurs rising

up to 1,525 metres; separated by wide flat-bottomed valleys. The ridge tops are broad and grassy with few rocky sections. Ridge walls are steep and the southern and westerly facing slopes are grassy with sections of alder and rock talus. Spruce and pine forest is limited to lower elevations and valley bottoms which are typically swampy. Lake Terrace Creek flows to the east from the south section of the claim block.

This region has central interior Climate characterized by long cold winters and dry warm summers. Temperatures average 15 degrees Celsius in summer and range from 0 to -50 degrees Celsius in winter. Annual precipitation averages 30 centimetres and with packs up to 50 centimeters.

Figure 1 Location of Property







FIGURE 2

CLAIM AND GRID PLAN

4 Exploration History

The Aishihik Lake – Kirkland Creek area has long history of intermittent exploration dating from before the 1896 discovery of rich placer gold deposits in the Klondyke, as prospectors searching for placer gold first passed through the Kirkland Creek region during the 1880's. Subsequently, the Dalton Trail, which provided access from the coast at Haines, Alaska to the Klondyke, partly followed along Kirkland Creek and the presence of fine placer gold in creeks draining into Kirkland Creek from the area now covered by the property was noted during the initial Klondyke gold rush stampede.

Prospectors traversed the general Aishihik region at various times, exploring for both placer gold occurrences and lode deposits of copper and/or gold-silver-lead-zinc mineralization. Numerous prospects have been located during the various exploration surges, including gold-copper deposits near Hopkins and Giltana Lakes and gold-silver-deposits to the north west at Mt. Nansen. The area covered by the property was traversed by prospectors working for major mining companies on regional copper-molybdenum porphyry and uranium exploration projects during the 1970's. At this time, several claim groups were explored on and around the property, by companies such as Noranda Exploration and Mitsubishi who tested for "porphyry" copper deposits.

In 1987-1988 a regional stream sediment geochemical survey was performed over the Aishihik Lake map sheet funded by Yukon Territorial Government and the Department of Energy, Mines and Resources. A large area underlain by Tertiary volcanic rocks produced anomalous gold, arsenic, antimony and mercury values. The Nick claims were staked as a result in 1989 and explored by Golden Hemlock Exploration Ltd./Golden Quail Exploration Ltd.

Gold exploration in the 1980's focused on Cretaceous to Tertiary volcanic events in the south-central Yukon. Several prospects were staked in the Kirkland Creek area but no significant results were reported. Placer gold testing was performed on three creeks draining easterly into Kirkland Creek. Fine-grained gold was recovered in sub-economic amounts from the test pits.

During 1989 Golden Quail undertook reconnaissance level exploration work in the area south and east of the ST claims in August and September 1989 consisting of 56 soil and 103 stream sediments, 24 rock, and 18 heavy metal samples. The heavy mineral concentrates collected from tributaries of Lake Terrace Creeks recorded gold values from 327 to 24,300 ppb (.Lambert 1989). The presence of very fine grained gold was noted during the sampling program.

In 1990 Golden Hemlock undertook an airborne geophysical survey over parts of the Nick 1 the property. A Total of 200 line kilometres of electromagnetic, magnetic, and VLF survey were flown in these areas, one of which covered the area now staked as the ST claims. As a result 15 airborne anomalies were identified with several coinciding with high gold values in stream sediment samples which were targeted for further surface work.

A 3D Induced Polarization (3DIP) survey was undertaken for King Resources on its ST Claims during September and October 2007. The purpose of the survey was to guide future geological mapping by outlining subsurface features as well as delineating drill targets.

As a result, 11 East-West lines grid survey, labeled from 0 N to 500N and 500S were cut at centers of 100 m. with a line lengths from 500 m to 2000m. All lines were staked with 25m stations.(figure 5). A total of 15 line kilometers of data was acquired.

A grid north trending series of parallel alternating highly conductive and highly resistant narrow (50-100 meter wide) linears trend across the grid. From drill tests on similar IP anomalies a few km south east it is probable that the cause of these anomalies is alternating clay alteration and silicification. The ST anomalies are also coincident with an Airborne EM and Mag detected by the earlier explorers.

5 Geological Setting

5.1 Regional Geology


The Kirkland Creek area lies in the Yukon Crystalline Terrane, an assemblage of Yukon Group schist, gneiss, and amphibolite; Triassic andesite to basalt flows and tuff breccia; intruded by granitic batholiths. Eocene volcanic rocks unconformably overlie the basement units.

The Aishihik Batholith underlies much of the district. Triassic to Lower Jurassic in age, the intrusive body ranges in composition from dark grey granodiorite to pink quartz monzonite and porphyritic quartz monzonite.

Tertiary and Eocene volcanic rocks unconformably overlie the granitic bodies. On the property the volcanics consist primarily of felsic tuffs, flows and breccias which weather white, yellow or red in colour. Dark green mafic volcanic plugs and dykes cut the felsic units. Structurally a major northwest trending fault traverses the property. Other prominent features include east-west faults along Lake Terrace Creeks, and northwesterly trending faults along the Black Lake valley.

Cretaceous to Tertiary volcanic rocks host lode gold deposits in the Dawson Range north of the property and in the Wheaton District south of the Aishihik area. Lode mineralization consists of epithermal to mesothermal gold bearing calcite-quartz-chalcedony vein systems in faults and fracture zones associated with felsic intrusives. In the Wheaton Valley ring dykes and fault zones developed during caldera collapse. In the Dawson Range gold mineralization occurs in quartz veins and fractures formed during intrusion of quartz feldspar porphyry and breccia bodies. Alteration zones vary from narrow seams of clay gouge along the margins of individual quartz veins to wide areas of propylitic and argillic alteration around intrusive breccias. Sericite and pyrite are common accessory minerals.

Figure 2 Property Geology




5.2 Property Geology

The property is mainly underlain by felsic Tertiary volcanic units of the Selkirk Volcanics. A few dykes and sills of basic volcanic rock intrude the sequence. The volcanics are flat-lying. No granitic or older volcanic rocks are seen but intrusives of the Aishihik Batholith probably underlie the western margin of claim block. Outcrop locally is limited to a few steep slopes and high ridges, Prominent bedrock usually consists of red to light brown highly silicified felsic breccia. Recessive areas contain talus of white to yellow crystal tuff and breccia. The volcanics are rhyolitic to dacitic in composition, containing yellow feldspar phenocrysts. Andesite porphyry dykes and mafic volcanic dykes and sills intrude the felsic volcanics.

Argillic alteration zones containing banded coliform texture jasperoid occur along linear depressions trending N40°-65°W. The alteration zones were formed by hydrothermal circulation through faults and breccia pipes in the volcanic pile. They occasionally contain drusy quartz-chalcedony veinlets and fluorite but no sulphide minerals were evident.

6 Exploration (2008) Soil Geochemical Survey

On September 24, 2008, a four-man soil sampling crew supplied by Coeur Des Bois was dispatched to the property via helicopter. A total of 192 soil samples were collected. The soil profile available in this area is poorly developed with no readily identifiable horizons. Material available by mattock was a mixture of very fine silt (loess), organics and locally derived soils. Samples were placed in kraft sample bags, numbered for each station and shipped in sacks to Acme Analytical Labs in Vancouver for analysis. The samples were tested by lab method SS80 with Aqua Regia digestion followed by ICP-MS Ultra-trace analysis for 53 elements. Anomalous amounts of silver (≥ 100 ppb), gold (≥ 3 ppb) and mercury (≥ 80 ppb) are present in a sporadic manner and are presented on Figure 4. Anomalous silver results occur on all surveyed lines with gold spot highs and mercury somewhat coincident. The erratic nature of the results possibly is a result of variability of the sampled material collected. The anomalous results do form a pattern down-slope from the presumed sub-crop of the source of the coincident IP/EM anomalies detected previously.



KING RESOURCES LTD.
SOIL GEOCHEMISTRY
 FIG. 4

7 Expenditures

Coeur des Bois (soil sample collection).....	\$ 1,250
Capital Helicopters	6,300
Acme Analytical (geochemical analysis).....	<u>5,549</u>
TOTAL	\$13,099

8 Conclusions and Recommendations

The 2008 program at the ST Claims was designed to collect soil geochemical samples over the IP/EM anomalous zones in an area proximal to and upstream from known placer flour ("epithermal") gold and stream silt geochemical anomalies. The survey identified area with erratic anomalous geochemical content of silver and gold and mercury. The anomalies generally coincide with the previously identified IP and airborne EM geophysical anomalies and occur down-slope from their expected sub-cropping.

The survey indicates that the area requires additional exploration. The grid should be extended to the NW to cover the stream sediment geochemical anomalies prior to selecting drill targets based on the IP anomalies. The grid should be surveyed with a ground EM/mag geophysical system, and a deeper-penetrating soil sampling technique should be applied to selected areas.

Proposed Budget

Grid extension	\$ 50,000
Detailed soil sampling	20,000
Geology and prospecting	10,000
EM/mag geophysical survey.....	20,000
Lab analysis	<u>5,000</u>
 TOTAL	 <u>\$105,000</u>

9 References


- Adamson, R.S., 1989, Summary Report on the Nick Claim Groups, Kirkland Creek, Yukon: unpublished company report for Long Lake Syndicate.
- Carlson G. 1987 Geology of Mt. Nansen (115 1/3) and Stoddart Creek (115 1/6) map areas, Dawson Range, Central Yukon. INAC Yukon Region Open File 1987-2.
- Davidson G.S., 1991, Exploration Report on the Kirkland Creek Property Whitehorse Mining, District Lat. 61 30'N, Long. 13630W NTS 115 H7,8,9,10 for Golden Hemlock Exploration Ltd.
- Fairbank, B. et al 1977: Combined Geological and Geophysical Report on the TAH 1-42 Claims, for Noranda Exploration Co,
- Fraser D.C. 1978. The multicoil II airborne electromagnetic system. Geophysics Vol. 44 No 8 pp1367-1394.
- Lambert E., 1989 Geochemical Report in the Nick 1 Claim Group, Kirkland Creek, Yukon, for Golden Quail Resources Ltd. Yukon Assessment report 092772
- Kikuchi, T. 1970: Geological and Geochemical Report on KL Mineral Claims, for Mitsubishi Metal Mining Co. Ltd.
- MacDonald, G.C. 1980: Diamond Drilling Assessment Report, TAH 1-42 Mineral Claims, for Noranda Exploration Co.
- MacDonald, G.C. 1989: Interim Report Summarizing Geological, Geophysical and Geochemical Information on the NICK Claims, for Golden Quail Resources.
- MacDonald, G.C. 1990 Summary Report on the Kirkland Creek Property, for Golden Hemlock Exploration Ltd.
- McDonald B.W.D. 1990 Geology and genesis of the Mount Skukum epithermal gold-silver deposits. Southwestern Yukon Territory. Exploration and Geological Services Division, Yukon Region Bulletin 2.
- Montgomery, J.H., 1981, Report on the Kirkland Creek Gold Placer Prospect, Yukon Territory; unpublished compa
- Cathro, R.J. 1971 : Report on Diamond Drilling on KL Mineral Claims, for Mitsubishi Metal Mining Co. Ltd.
- Pritchard, R.A. 1990: Dighem III Survey for Golden Quail Resources Ltd., Carmacks, Yukon.ny report for Kirkland Creek Syndicate.

10 Certificate

I, GLEN MACDONALD, of 905-1600 M Beach Avenue, Vancouver, BC, hereby certify that:

1. I am a graduate of the University of British Columbia with degrees in Economics (B.A., 1971) and Geology (B.Sc., 1973);
2. I have practiced my profession as Geologist since graduation;
3. I have practiced Geology as an Independent Consulting Geologist since 1983;
4. I am a member of the Association of Professional Engineers, Geologists and Geophysicists of Alberta (No.36214);
5. I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia (no.20464)
6. I supervised the exploration program reported here in.

Dated at Vancouver, BC, This 30th day of October, 2009


Glen Macdonald, P. Geo.

APPENDIX 1

GEOCHEMICAL ANALYSIS RESULTS



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Submitted By: G. MacDonald
 Receiving Lab: Canada-Vancouver
 Received: January 14, 2009
 Report Date: January 30, 2009
 Page: 1 of 16

CERTIFICATE OF ANALYSIS

VAN09000103.1

CLIENT JOB INFORMATION

Project: None Given
 Shipment ID:
 P.O. Number
 Number of Samples: 427

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status
SS80	426	Dry at 60C sieve 100g to -80 mesh		
Dry at 60C	426	Dry at 60C		
1F15	421	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	15	Completed

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
 DISP-RJT-SOIL Immediate Disposal of Soil Reject

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Analysis

Total cost = \$ 12,348

Invoice To: WGT Consultants NWT Ltd.
 c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6
 Canada

$\div 427 = \$28.90/\text{sample}$

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 2 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 Bi	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
LO 600W	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
LO 575W	Soil			0.10	3.19	0.44	6.6	13	1.1	1.8	71	0.52	0.7	0.1	0.8	0.2	13.1	<0.01	0.03	<0.02	13	0.15	0.061
LO 550W	Soil			0.06	1.79	0.56	14.6	5	1.5	2.8	94	1.04	0.5	<0.1	0.7	0.2	14.2	0.01	0.03	<0.02	34	0.23	0.092
LO 525W	Soil			0.40	9.54	7.62	36.3	20	6.2	3.5	189	1.38	2.8	0.5	0.7	3.2	45.9	0.09	0.23	0.08	30	0.38	0.083
LO 500W	Soil			1.78	25.65	1.72	13.6	110	6.0	23.7	2834	4.48	2.4	1.2	2.1	0.6	31.5	0.12	0.34	0.05	36	0.23	0.067
LO 450W	Soil			0.43	23.45	9.69	44.2	307	11.0	7.6	546	2.17	2.1	1.2	3.9	2.4	70.1	0.15	0.47	0.16	40	0.62	0.093
LO 425W	Soil			0.69	50.54	10.87	72.4	415	20.1	12.7	2728	3.35	3.6	1.5	3.9	3.1	87.5	0.74	0.52	0.22	44	0.75	0.128
LO 400W	Soil			0.60	16.57	8.26	53.4	45	14.5	7.4	292	2.46	5.0	0.6	1.7	2.5	50.4	0.07	0.23	0.15	54	0.50	0.059
LO 375W	Soil			0.89	16.31	9.31	48.4	65	12.0	8.9	1024	2.15	4.9	0.6	1.8	1.7	54.8	0.08	0.25	0.15	48	0.44	0.060
LO 350W	Soil			0.31	15.88	9.24	49.4	58	14.2	5.4	285	1.91	3.0	0.7	2.1	2.1	57.8	0.09	0.26	0.16	43	0.51	0.064
LO 325W	Soil			0.62	34.96	4.08	16.8	298	10.6	9.1	1243	1.38	1.3	1.6	3.3	0.7	59.8	0.16	0.42	0.11	29	0.53	0.212
LO 300W	Soil			3.04	38.67	3.14	25.2	220	17.1	53.0	>10000	2.52	3.4	1.8	1.7	0.6	55.6	0.47	0.41	0.08	58	0.56	0.144
LO 275W	Soil			0.71	15.31	9.47	47.7	110	12.8	5.7	524	2.05	2.9	1.3	2.5	1.3	64.5	0.11	0.30	0.17	46	0.71	0.128
LO 250W	Soil			0.66	22.26	2.53	17.3	253	7.2	14.3	1188	2.00	1.5	2.9	3.4	0.3	50.0	0.19	0.35	0.08	49	0.57	0.173
LO 225W	Soil			0.23	25.02	9.64	35.3	205	9.5	3.8	147	1.60	1.7	2.8	4.4	2.4	51.1	0.19	0.50	0.16	42	0.55	0.083
LO 200W	Soil			0.26	25.54	7.82	29.7	364	10.0	3.0	165	1.39	1.2	3.4	6.0	1.6	76.6	0.14	0.36	0.14	24	0.88	0.134
LO 175W	Soil			1.20	26.59	6.30	31.6	618	13.1	11.7	1393	3.11	6.8	2.9	5.2	2.4	86.5	0.35	0.45	0.11	46	1.02	0.148
LO 150W	Soil			0.70	12.11	8.03	50.9	78	11.0	6.0	275	2.13	4.2	0.7	1.5	3.3	55.2	0.15	0.27	0.13	45	0.58	0.064
LO 125W	Soil			0.71	13.04	8.56	55.6	37	11.3	7.2	415	2.32	4.6	0.6	0.8	3.1	48.5	0.06	0.28	0.13	51	0.46	0.064
LO 100W	Soil			0.53	12.82	8.52	57.5	29	15.2	7.0	360	2.37	4.1	0.6	0.9	2.9	44.9	0.09	0.23	0.14	48	0.50	0.038
LO 075W	Soil			0.46	11.64	8.93	46.3	39	12.4	5.5	274	1.92	1.9	0.9	0.8	1.7	52.5	0.08	0.15	0.12	36	0.70	0.063
LO 025W	Soil			0.62	12.31	11.40	70.6	46	11.6	8.2	505	2.23	2.7	0.8	0.6	3.0	66.8	0.23	0.18	0.11	38	0.78	0.071
LO 0W	Soil			0.63	18.23	13.20	67.4	62	15.9	8.3	605	2.42	3.4	2.2	1.8	3.9	52.3	0.11	0.22	0.19	42	0.69	0.070
LO 0E	Soil			1.70	18.88	16.57	57.2	93	14.2	12.8	2931	2.72	4.1	3.5	3.2	5.9	62.3	0.14	0.28	0.18	47	0.88	0.082
LO 025E	Soil			0.70	7.11	14.16	69.9	81	8.4	4.8	364	2.08	1.7	1.8	1.6	5.0	52.5	0.09	0.15	0.14	26	0.68	0.066
LO 075E	Soil			0.84	11.45	13.24	77.6	105	13.4	6.5	447	2.45	3.9	0.8	0.9	2.7	41.3	0.32	0.22	0.14	42	0.44	0.059
LO 100E	Soil			0.66	13.49	9.24	50.1	54	18.5	8.4	657	2.29	3.3	1.7	2.5	2.7	50.4	0.08	0.18	0.14	50	0.62	0.076
LO 125E	Soil			0.70	10.57	10.72	68.9	40	11.6	5.9	401	2.32	3.5	0.7	2.1	2.6	54.2	0.18	0.22	0.13	40	0.56	0.050
LO 150E	Soil			0.93	8.72	13.21	83.8	36	10.4	5.4	463	2.49	1.9	1.1	1.0	2.7	52.1	0.11	0.12	0.15	32	0.68	0.057
LO 175E	Soil			0.71	9.98	8.59	51.9	49	11.3	5.7	257	2.23	3.7	0.7	1.4	2.5	37.6	0.05	0.21	0.13	43	0.40	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 2 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Ti	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga	1F15 Cs	1F15 Gd	1F15 Hf
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
LO 600W	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
LO 575W	Soil			4.5	1.7	0.09	19.4	0.047	<1	0.16	0.030	0.01	<0.1	0.3	0.03	<0.02	6	<0.1	<0.02	0.9	0.02	<0.1	<0.02
LO 550W	Soil			4.0	3.3	0.11	12.4	0.081	<1	0.13	0.018	<0.01	<0.1	0.2	<0.02	<0.02	<5	<0.1	0.03	1.5	0.02	<0.1	<0.02
LO 525W	Soil			15.4	12.1	0.31	122.4	0.055	<1	0.76	0.020	0.07	0.1	2.3	0.08	<0.02	23	<0.1	0.04	2.3	0.83	<0.1	0.07
LO 500W	Soil			19.7	8.9	0.09	190.8	0.038	<1	0.45	0.021	0.02	0.1	2.2	0.04	0.07	53	0.3	0.03	1.8	0.10	<0.1	<0.02
LO 450W	Soil			24.1	22.6	0.37	269.9	0.030	<1	1.68	0.018	0.07	0.1	4.8	0.11	0.05	219	0.2	0.02	5.5	0.67	<0.1	0.04
LO 425W	Soil			34.1	33.2	0.49	523.1	0.024	<1	2.95	0.025	0.13	0.2	7.7	0.18	0.09	91	0.3	0.09	8.4	1.29	<0.1	0.11
LO 400W	Soil			11.5	26.1	0.61	181.6	0.072	<1	1.71	0.018	0.08	0.2	4.3	0.09	<0.02	15	<0.1	0.03	5.4	0.90	<0.1	0.05
LO 375W	Soil			14.2	20.5	0.54	232.2	0.045	<1	1.51	0.019	0.06	0.1	3.4	0.11	0.02	35	0.1	0.10	5.2	1.03	<0.1	0.03
LO 350W	Soil			14.8	25.2	0.53	194.3	0.057	<1	1.80	0.018	0.08	0.2	4.2	0.10	0.03	37	<0.1	0.05	5.8	1.02	<0.1	0.04
LO 325W	Soil			22.7	24.4	0.20	159.6	0.016	1	1.05	0.019	0.03	0.1	2.3	0.08	0.15	117	0.7	0.07	2.5	0.40	<0.1	0.05
LO 300W	Soil			38.6	16.7	0.18	405.3	0.036	<1	0.69	0.022	0.02	<0.1	2.4	0.06	0.09	94	0.6	0.04	3.0	0.21	<0.1	<0.02
LO 275W	Soil			27.8	26.9	0.51	195.4	0.032	<1	1.64	0.025	0.06	0.1	3.7	0.11	0.07	81	<0.1	0.04	6.0	0.85	<0.1	0.05
LO 250W	Soil			34.8	18.2	0.12	105.9	0.029	<1	0.57	0.023	0.02	0.1	2.0	0.06	0.16	137	0.7	0.04	2.3	0.14	<0.1	<0.02
LO 225W	Soil			34.1	26.1	0.36	186.3	0.039	<1	1.67	0.019	0.05	<0.1	4.9	0.10	0.07	248	0.3	0.06	6.3	0.67	<0.1	<0.02
LO 200W	Soil			43.6	24.0	0.30	178.8	0.018	<1	1.75	0.021	0.05	0.1	4.9	0.11	0.12	337	0.6	0.05	5.5	0.63	<0.1	0.04
LO 175W	Soil			58.1	21.2	0.31	223.6	0.012	<1	1.81	0.031	0.06	0.1	5.6	0.13	0.13	280	0.3	0.09	5.0	0.59	<0.1	0.11
LO 150W	Soil			14.9	19.5	0.47	190.5	0.047	<1	1.54	0.022	0.09	0.1	3.7	0.10	<0.02	22	<0.1	0.05	4.9	0.97	<0.1	0.05
LO 125W	Soil			14.5	21.7	0.52	148.5	0.050	<1	1.38	0.014	0.10	0.1	3.3	0.07	<0.02	14	<0.1	0.02	4.8	0.70	<0.1	0.05
LO 100W	Soil			13.2	25.4	0.59	111.5	0.068	<1	1.80	0.017	0.14	0.1	4.0	0.08	<0.02	9	0.1	0.04	5.8	0.76	<0.1	0.05
LO 075W	Soil			24.1	21.2	0.56	118.4	0.042	<1	1.55	0.022	0.09	0.2	3.2	0.08	0.03	25	<0.1	0.05	5.9	0.62	<0.1	<0.02
LO 025W	Soil			21.3	17.2	0.56	125.7	0.018	<1	1.73	0.021	0.12	0.1	3.0	0.06	<0.02	56	<0.1	0.05	6.5	0.75	<0.1	0.08
LO 0W	Soil			72.2	27.3	0.58	152.3	0.035	<1	2.06	0.020	0.12	0.2	5.2	0.08	<0.02	56	0.1	0.05	7.6	0.74	<0.1	0.05
LO 0E	Soil			263.6	26.3	0.55	193.7	0.025	<1	2.39	0.021	0.10	0.2	8.4	0.10	0.04	90	<0.1	0.02	8.1	0.68	<0.1	0.04
LO 025E	Soil			55.1	15.2	0.53	90.5	0.011	<1	1.67	0.018	0.14	0.2	4.4	0.08	<0.02	30	<0.1	0.04	7.1	1.49	<0.1	0.05
LO 075E	Soil			35.7	22.9	0.58	110.0	0.030	<1	2.07	0.019	0.16	0.2	3.6	0.08	0.04	51	<0.1	0.04	7.7	0.62	<0.1	0.03
LO 100E	Soil			33.0	29.0	0.55	142.2	0.059	1	1.70	0.020	0.07	0.2	4.5	0.07	<0.02	27	<0.1	0.02	6.3	0.71	<0.1	<0.02
LO 125E	Soil			20.7	20.0	0.48	100.2	0.029	<1	1.80	0.013	0.18	<0.1	3.1	0.09	<0.02	25	0.2	0.04	6.8	0.92	<0.1	0.04
LO 150E	Soil			29.7	19.3	0.44	101.1	0.008	<1	1.62	0.016	0.16	0.1	2.9	0.11	<0.02	17	<0.1	<0.02	6.6	1.62	<0.1	0.02
LO 175E	Soil			17.6	19.4	0.50	116.9	0.047	<1	1.66	0.014	0.11	0.1	2.9	0.08	<0.02	28	<0.1	0.08	5.6	0.92	<0.1	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 2 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Nb	1F15 Rb	1F15 Sn	1F15 Ta	1F15 Zr	1F15 Y	1F15 Ce	1F15 In	1F15 Re	1F15 Be	1F15 Li	1F15 Pd	1F15 Pt
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
				0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
LO 600W	Soil			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
LO 575W	Soil			0.16	0.3	<0.1	<0.05	0.4	2.12	9.3	<0.02	<1	<0.1	0.5	<10	<2
LO 550W	Soil			0.16	0.2	<0.1	<0.05	0.6	1.53	8.4	<0.02	<1	<0.1	0.3	<10	<2
LO 525W	Soil			0.58	7.3	0.4	<0.05	3.8	5.83	27.2	<0.02	<1	0.3	4.5	<10	<2
LO 500W	Soil			0.25	0.9	0.2	<0.05	0.7	16.49	46.7	<0.02	<1	0.5	1.0	<10	<2
LO 450W	Soil			1.00	8.1	0.7	<0.05	1.9	14.81	39.1	0.05	<1	0.5	7.6	<10	<2
LO 425W	Soil			0.97	11.8	0.9	<0.05	3.5	18.91	88.2	0.04	<1	0.8	12.9	<10	<2
LO 400W	Soil			0.83	9.8	0.7	<0.05	1.6	5.54	21.1	<0.02	<1	0.4	14.4	<10	<2
LO 375W	Soil			0.72	6.7	0.6	<0.05	1.1	7.71	29.0	0.03	1	0.3	9.9	<10	<2
LO 350W	Soil			1.07	10.2	0.6	<0.05	1.2	9.86	28.2	0.02	<1	0.6	13.0	<10	<2
LO 325W	Soil			0.51	2.8	0.4	<0.05	1.7	18.94	48.0	0.02	<1	1.2	3.5	<10	<2
LO 300W	Soil			0.30	1.5	0.2	<0.05	0.7	32.06	107.9	<0.02	<1	1.2	2.2	<10	<2
LO 275W	Soil			0.87	7.9	0.8	<0.05	1.8	18.54	39.7	<0.02	<1	0.9	8.9	<10	<2
LO 250W	Soil			0.36	1.1	0.2	<0.05	0.7	30.74	51.6	<0.02	<1	1.1	1.4	<10	<2
LO 225W	Soil			1.22	4.9	0.8	<0.05	1.3	22.31	51.0	0.05	1	1.0	10.5	<10	<2
LO 200W	Soil			1.10	4.7	0.7	<0.05	2.0	26.03	61.6	0.04	<1	1.2	7.3	<10	<2
LO 175W	Soil			0.92	5.1	0.5	<0.05	3.2	31.61	88.8	0.03	2	1.6	7.3	<10	<2
LO 150W	Soil			0.77	11.7	0.6	<0.05	1.9	5.62	31.2	<0.02	<1	0.6	9.2	<10	<2
LO 125W	Soil			0.57	7.1	0.7	<0.05	1.9	5.56	30.1	0.03	<1	0.6	11.2	<10	<2
LO 100W	Soil			0.92	10.2	0.7	<0.05	1.9	5.17	32.0	0.02	<1	0.6	13.7	<10	<2
LO 075W	Soil			1.07	8.6	0.8	<0.05	1.0	13.00	34.2	0.05	2	0.8	11.8	<10	<2
LO 025W	Soil			0.83	10.0	0.9	<0.05	2.5	7.70	40.0	0.04	<1	0.8	14.1	<10	<2
LO 0W	Soil			1.02	9.1	1.2	<0.05	1.5	29.09	91.0	0.03	<1	1.9	15.1	<10	<2
LO 0E	Soil			1.01	7.2	1.2	<0.05	1.9	99.32	394.4	0.08	<1	3.8	13.7	<10	<2
LO 025E	Soil			0.81	12.7	1.4	<0.05	2.2	15.42	66.7	0.08	<1	1.4	12.3	<10	<2
LO 075E	Soil			1.29	8.9	1.2	<0.05	1.3	8.21	71.1	0.08	<1	1.2	15.2	<10	<2
LO 100E	Soil			1.09	7.8	0.9	<0.05	0.8	23.12	56.6	0.04	<1	1.5	18.5	<10	<2
LO 125E	Soil			0.83	15.4	1.0	<0.05	1.4	8.56	39.4	0.05	<1	0.7	11.7	<10	<2
LO 150E	Soil			0.47	18.0	1.2	<0.05	1.0	8.55	50.2	0.05	<1	0.7	10.4	<10	<2
LO 175E	Soil			0.72	10.4	0.9	<0.05	1.0	6.00	32.5	0.03	<1	0.7	13.4	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



ACME ANALYTICAL LABORATORIES LTD.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 3 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Mo	1F15 Cu	1F15 Pb	1F15 Zn	1F15 Ag	1F15 Ni	1F15 Co	1F15 Mn	1F15 Fe	1F15 As	1F15 U	1F15 Au	1F15 Th	1F15 Sr	1F15 Cd	1F15 Sb	1F15 BI	1F15 V	1F15 Ca	1F15 P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
LD 200E	Soil			1.07	11.88	10.26	59.9	57	11.1	7.2	457	2.38	4.6	0.7	1.3	2.7	30.6	0.15	0.26	0.17	51	0.32	0.035
L1N 300W	Soil			0.58	12.66	8.30	51.5	43	8.6	6.3	384	1.99	4.4	0.6	1.6	3.6	59.2	0.06	0.28	0.12	44	0.49	0.065
L1N 275W	Soil			0.70	14.98	8.54	53.4	40	17.1	7.1	303	2.22	2.6	1.1	1.4	3.7	57.3	0.08	0.24	0.11	48	0.63	0.058
L1N 250W	Soil			0.36	14.85	8.40	46.7	73	15.5	6.4	233	2.07	3.1	1.2	2.3	2.5	63.1	0.08	0.18	0.14	47	0.86	0.069
L1N 225W	Soil			0.47	13.33	7.47	51.3	42	15.8	6.4	272	2.13	3.5	0.8	1.4	3.5	51.4	0.09	0.22	0.13	49	0.63	0.055
L1N 175W	Soil			0.48	34.28	5.49	16.1	159	6.7	2.2	62	1.38	1.7	1.7	3.1	1.0	83.4	0.06	0.37	0.07	48	1.43	0.126
L1N 150W	Soil			0.62	17.22	9.45	50.3	71	16.3	9.1	473	2.48	3.2	1.0	1.8	4.0	65.9	0.11	0.18	0.13	49	0.51	0.051
L1N 125W	Soil			0.79	11.88	8.04	46.3	26	15.0	8.6	289	2.60	4.4	0.5	3.2	2.5	35.1	0.14	0.21	0.16	56	0.32	0.034
L1N 100W	Soil			0.59	12.37	9.10	62.2	32	20.7	10.8	421	2.87	3.4	0.6	1.3	2.9	46.2	0.09	0.16	0.12	58	0.45	0.039
L1N 075W	Soil			0.72	13.82	8.78	45.8	86	12.4	6.1	224	1.96	3.1	0.7	1.0	1.9	42.3	0.16	0.21	0.18	50	0.50	0.036
L1N 050W	Soil			0.53	18.43	7.15	50.6	63	18.1	8.7	405	2.27	4.6	1.1	4.2	1.6	51.2	0.13	0.22	0.15	53	0.72	0.074
L1N 025W	Soil			0.99	14.53	7.90	41.5	32	11.7	6.4	235	2.17	3.8	0.6	1.0	1.2	20.8	0.11	0.24	0.15	49	0.21	0.044
L1N 0	Soil			0.74	8.51	10.13	69.6	52	9.5	5.9	228	2.47	4.0	0.9	0.6	2.3	19.5	0.18	0.18	0.15	41	0.20	0.025
L1N 025E	Soil			0.85	12.77	10.15	68.7	40	13.5	8.0	451	2.62	5.7	0.6	0.7	1.2	24.8	0.22	0.23	0.16	49	0.23	0.041
L1N 050E	Soil			0.66	12.22	7.49	54.0	42	12.0	7.5	403	2.28	3.1	1.1	1.3	1.4	39.7	0.10	0.14	0.13	44	0.44	0.072
L1N 075E	Soil			0.50	14.21	8.60	59.8	88	12.9	6.8	512	2.26	3.0	2.2	1.1	2.5	58.7	0.14	0.18	0.12	39	0.86	0.131
L1N 100E	Soil			0.61	10.84	9.90	66.3	29	11.5	7.2	458	2.23	3.6	0.8	0.8	3.7	29.5	0.09	0.17	0.13	38	0.28	0.029
L1N 125E	Soil			0.87	9.63	12.21	91.9	37	12.8	10.3	996	2.86	2.4	1.1	0.7	3.9	37.8	0.19	0.12	0.12	47	0.60	0.059
L1N 150E	Soil			0.66	9.87	9.61	60.5	41	10.7	6.2	337	2.20	3.6	0.7	0.7	2.9	25.6	0.13	0.18	0.15	44	0.30	0.030
L1N 175E	Soil			0.50	10.11	13.05	78.2	38	10.5	5.4	410	2.35	4.1	0.8	5.5	3.1	32.6	0.11	0.17	0.16	39	0.40	0.040
L1N 200E	Soil			0.56	11.44	14.41	100.3	75	10.2	5.9	635	2.19	3.5	0.9	0.5	3.2	47.3	0.32	0.17	0.18	31	0.53	0.074
L1N 225E	Soil			0.67	10.04	9.71	63.7	13	9.7	5.9	352	2.17	3.7	0.7	0.2	3.1	21.2	0.09	0.18	0.14	41	0.19	0.022
L1N 250E	Soil			0.84	15.39	14.00	100.5	55	13.8	8.3	879	2.43	4.8	0.9	0.9	2.3	47.6	0.65	0.30	0.18	41	0.61	0.125
L1N 275E	Soil			1.03	14.76	11.35	75.6	72	11.6	9.3	884	2.35	4.3	0.7	0.9	0.8	35.0	0.19	0.29	0.17	42	0.37	0.080
L1N 300E	Soil			0.93	13.33	12.43	84.8	46	12.5	6.9	741	2.42	5.3	0.9	0.9	2.5	38.1	0.40	0.28	0.17	41	0.45	0.087
L1N 325E	Soil			0.75	12.62	9.21	52.7	24	11.2	6.4	392	2.27	4.2	0.7	6.5	1.6	23.0	0.12	0.23	0.14	46	0.22	0.028
L1N 350E	Soil			1.03	16.92	13.14	101.3	51	16.7	10.0	759	2.69	5.6	0.7	0.3	1.1	22.1	0.52	0.35	0.18	57	0.21	0.036
L1N 375E	Soil			1.20	14.39	18.67	77.4	52	13.3	7.3	690	2.72	5.2	1.0	0.8	1.2	29.7	0.25	0.26	0.17	51	0.29	0.054
L1N 400E	Soil			0.79	12.77	10.18	55.0	26	11.9	6.3	290	2.28	5.1	0.5	1.4	1.3	17.1	0.19	0.25	0.16	52	0.17	0.031
L1N 425E	Soil			0.98	16.88	12.96	79.4	90	14.3	10.3	1187	2.25	5.1	0.8	0.7	1.1	46.7	0.71	0.32	0.17	45	0.59	0.125

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval. preliminary reports are unsigned and should be used for reference only



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 3 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Ti	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga	1F15 Cs	1F15 Ge	1F15 Hf
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
LO 200E	Soil			16.1	23.5	0.52	96.4	0.077	<1	1.61	0.012	0.17	0.1	3.4	0.10	<0.02	16	0.2	0.08	6.4	0.94	<0.1	0.02
L1N 300W	Soil			12.7	16.0	0.44	138.5	0.061	<1	1.27	0.020	0.11	0.1	3.4	0.12	<0.02	15	0.1	0.04	4.0	1.06	<0.1	0.06
L1N 275W	Soil			18.3	29.4	0.60	119.0	0.080	<1	1.67	0.025	0.11	0.1	4.8	0.09	<0.02	18	<0.1	0.04	5.7	1.11	<0.1	0.09
L1N 250W	Soil			16.3	32.4	0.58	125.6	0.069	<1	1.80	0.022	0.12	0.1	5.3	0.09	0.04	49	0.1	0.03	5.9	0.80	<0.1	0.07
L1N 225W	Soil			13.1	28.0	0.57	112.7	0.093	<1	1.58	0.029	0.12	0.1	4.8	0.10	<0.02	20	0.2	0.06	5.1	0.86	<0.1	0.08
L1N 175W	Soil			42.1	11.6	0.20	47.6	0.040	<1	0.86	0.018	0.04	<0.1	3.1	0.04	0.21	177	1.0	0.05	2.9	0.53	<0.1	0.05
L1N 150W	Soil			32.2	26.0	0.61	97.9	0.056	<1	1.83	0.019	0.14	0.1	5.9	0.10	<0.02	42	<0.1	0.04	6.5	1.54	<0.1	0.06
L1N 125W	Soil			13.4	27.0	0.51	121.8	0.051	<1	2.14	0.012	0.09	<0.1	3.6	0.07	<0.02	15	0.2	<0.02	6.5	0.63	<0.1	0.04
L1N 100W	Soil			16.1	39.2	0.61	114.2	0.037	<1	2.01	0.011	0.12	<0.1	3.9	0.07	<0.02	20	0.3	<0.02	6.9	0.72	<0.1	0.05
L1N 075W	Soil			15.3	27.7	0.45	118.5	0.059	1	1.50	0.011	0.07	<0.1	3.4	0.09	<0.02	35	0.4	0.02	6.2	0.83	<0.1	0.03
L1N 050W	Soil			16.2	31.9	0.59	150.9	0.058	2	1.71	0.017	0.09	0.1	4.2	0.07	0.03	46	0.4	<0.02	5.7	0.73	<0.1	0.04
L1N 025W	Soil			10.9	20.7	0.37	100.6	0.050	1	1.46	0.011	0.08	0.1	2.7	0.07	<0.02	27	0.3	<0.02	5.8	0.61	<0.1	0.03
L1N 0	Soil			18.8	19.7	0.46	94.8	0.019	<1	2.14	0.013	0.14	<0.1	2.9	0.10	<0.02	17	0.1	<0.02	8.2	0.62	<0.1	0.04
L1N 025E	Soil			14.3	22.5	0.50	138.2	0.038	<1	1.91	0.012	0.12	<0.1	2.9	0.08	<0.02	23	0.2	<0.02	6.9	0.66	<0.1	<0.02
L1N 050E	Soil			19.7	23.3	0.48	132.7	0.025	<1	1.68	0.013	0.08	<0.1	3.3	0.07	0.03	46	0.3	<0.02	6.2	0.60	<0.1	<0.02
L1N 075E	Soil			42.5	22.9	0.53	137.9	0.018	<1	1.76	0.018	0.12	<0.1	5.1	0.08	0.03	92	0.6	<0.02	6.4	0.82	0.1	0.07
L1N 100E	Soil			24.8	21.1	0.44	114.7	0.028	<1	1.71	0.013	0.10	<0.1	3.6	0.09	<0.02	19	0.1	<0.02	5.7	0.58	<0.1	0.03
L1N 125E	Soil			30.5	26.7	0.48	132.7	0.011	<1	1.75	0.014	0.13	<0.1	4.4	0.09	<0.02	29	0.3	<0.02	6.9	2.21	0.1	0.04
L1N 150E	Soil			22.9	20.1	0.43	100.1	0.046	<1	1.78	0.011	0.13	<0.1	3.4	0.09	<0.02	21	0.3	<0.02	6.0	0.72	<0.1	0.02
L1N 175E	Soil			26.3	20.3	0.42	102.7	0.016	<1	1.93	0.016	0.10	0.1	3.4	0.11	0.02	11	0.1	0.02	6.7	0.98	<0.1	0.05
L1N 200E	Soil			26.9	15.0	0.36	121.7	0.011	<1	1.85	0.021	0.17	<0.1	2.8	0.16	0.04	25	0.3	<0.02	7.2	0.98	<0.1	0.16
L1N 225E	Soil			29.4	19.0	0.41	101.9	0.039	<1	1.62	0.012	0.11	<0.1	3.2	0.09	<0.02	15	0.2	0.02	5.3	0.72	<0.1	<0.02
L1N 250E	Soil			27.9	21.7	0.48	182.7	0.022	1	1.90	0.018	0.16	<0.1	3.0	0.11	0.07	32	0.4	<0.02	6.4	0.92	<0.1	0.11
L1N 275E	Soil			17.6	21.7	0.41	180.0	0.021	<1	1.70	0.012	0.15	<0.1	2.0	0.11	0.05	35	0.5	<0.02	5.5	0.94	<0.1	<0.02
L1N 300E	Soil			27.1	22.3	0.43	144.9	0.024	1	1.92	0.014	0.21	<0.1	3.4	0.13	0.05	26	0.3	<0.02	6.4	1.37	<0.1	0.08
L1N 325E	Soil			15.6	21.3	0.43	102.7	0.052	<1	1.61	0.015	0.10	0.1	3.0	0.08	<0.02	13	0.2	<0.02	5.1	0.77	<0.1	<0.02
L1N 350E	Soil			15.5	29.4	0.54	143.3	0.047	<1	1.94	0.011	0.10	0.1	2.9	0.10	0.02	22	0.2	<0.02	6.8	0.99	<0.1	<0.02
L1N 375E	Soil			24.6	26.5	0.41	108.5	0.020	<1	1.97	0.018	0.10	<0.1	3.4	0.11	0.04	19	0.3	<0.02	5.8	0.82	<0.1	<0.02
L1N 400E	Soil			9.1	22.4	0.44	104.3	0.049	<1	1.71	0.012	0.07	0.1	2.3	0.07	<0.02	16	0.2	<0.02	5.7	0.92	<0.1	<0.02
L1N 425E	Soil			27.2	25.0	0.44	182.2	0.032	2	1.49	0.013	0.18	<0.1	2.4	0.10	0.08	47	0.4	0.03	5.3	0.95	<0.1	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **WGT Consultants NWT Ltd.**

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 3 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Nb	1F15 Rb	1F15 Sn	1F15 Ta	1F15 Zr	1F15 Y	1F15 Ce	1F15 In	1F15 Re	1F15 Be	1F15 Li	1F15 Pd	1F15 Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	0.1	0.02	1	0.1	0.1	10	2
LO 200E	Soil	1.10	15.9	0.8	<0.05	1.3	5.88	29.3	0.04	<1	0.6	11.5	<10	<2		
L1N 300W	Soil	0.63	10.1	0.5	<0.05	2.9	5.04	27.3	<0.02	<1	0.4	7.3	<10	<2		
L1N 275W	Soil	0.96	12.2	0.7	<0.05	4.0	8.84	33.4	0.03	<1	0.5	10.2	<10	<2		
L1N 250W	Soil	1.26	9.8	0.6	<0.05	2.1	9.06	34.2	0.04	<1	0.5	12.6	<10	<2		
L1N 225W	Soil	1.06	11.2	0.7	<0.05	2.7	6.16	27.5	0.03	<1	0.4	11.1	<10	<2		
L1N 175W	Soil	0.51	3.2	0.2	<0.05	2.6	37.16	40.0	0.02	2	0.7	2.6	<10	<2		
L1N 150W	Soil	0.84	13.8	0.7	<0.05	2.2	23.36	55.5	0.05	<1	0.9	11.9	<10	<2		
L1N 125W	Soil	0.94	9.2	0.6	<0.05	1.9	4.50	22.7	0.03	<1	0.5	15.7	<10	<2		
L1N 100W	Soil	0.65	13.0	0.7	<0.05	2.1	6.16	34.9	0.03	<1	0.7	14.9	<10	<2		
L1N 075W	Soil	1.39	10.1	0.6	<0.05	1.4	6.35	25.8	0.02	<1	0.6	10.6	<10	<2		
L1N 050W	Soil	1.15	9.1	0.5	<0.05	1.6	12.63	28.4	0.03	<1	0.9	14.4	<10	<2		
L1N 025W	Soil	1.04	9.2	0.6	<0.05	0.9	3.73	25.3	0.03	<1	0.4	11.1	<10	<2		
L1N 0	Soil	0.97	16.3	1.2	<0.05	1.6	4.74	35.5	0.04	<1	0.4	13.1	<10	<2		
L1N 025E	Soil	0.85	13.0	0.9	<0.05	0.8	4.40	30.4	0.04	<1	0.6	13.8	<10	<2		
L1N 050E	Soil	0.75	8.7	0.7	<0.05	0.6	8.39	39.3	0.04	<1	0.7	13.1	<10	<2		
L1N 075E	Soil	0.78	11.6	0.8	<0.05	2.3	28.42	68.2	0.04	<1	1.5	12.8	<10	<2		
L1N 100E	Soil	0.71	9.2	1.0	<0.05	1.2	6.97	57.0	0.05	<1	1.0	11.8	<10	<2		
L1N 125E	Soil	0.34	15.6	1.2	<0.05	2.2	18.98	64.6	0.05	1	1.2	12.2	<10	<2		
L1N 150E	Soil	0.97	11.5	0.8	<0.05	1.5	9.17	48.2	0.04	<1	1.3	15.6	<10	<2		
L1N 175E	Soil	0.65	9.9	1.0	<0.05	1.5	8.68	78.5	0.05	<1	1.2	13.4	<10	<2		
L1N 200E	Soil	0.84	13.1	1.2	<0.05	3.3	10.56	75.5	0.07	<1	1.1	11.5	<10	<2		
L1N 225E	Soil	0.64	9.1	0.9	<0.05	0.9	7.20	54.0	0.06	<1	1.0	12.6	<10	<2		
L1N 250E	Soil	0.98	14.1	1.1	<0.05	2.7	12.34	62.1	0.06	<1	1.2	14.4	<10	<2		
L1N 275E	Soil	0.72	14.2	0.8	<0.05	0.6	5.02	37.2	0.04	<1	0.9	10.9	<10	<2		
L1N 300E	Soil	0.86	18.8	1.0	<0.05	1.9	11.12	63.4	0.06	<1	1.0	12.2	<10	<2		
L1N 325E	Soil	0.70	9.2	0.7	<0.05	0.9	5.23	36.5	0.04	<1	0.8	11.5	<10	<2		
L1N 350E	Soil	0.88	13.2	0.8	<0.05	0.8	5.51	37.2	0.03	1	0.7	15.1	<10	<2		
L1N 375E	Soil	0.52	10.3	0.8	<0.05	0.6	11.46	79.8	0.06	<1	1.9	11.8	<10	<2		
L1N 400E	Soil	1.03	7.2	0.7	<0.05	0.7	2.75	23.4	0.03	<1	0.5	13.1	<10	<2		
L1N 425E	Soil	0.88	16.2	0.7	<0.05	0.8	12.28	75.1	0.04	<1	1.0	11.7	<10	<2		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 4 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
				0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001
L1N 450E	Soil			0.83	12.01	11.61	64.2	45	11.8	6.6	410	2.38	4.9	0.7	0.7	1.9	26.2	0.16	0.24	0.18	49	0.25	0.043
L1N 475E	Soil			0.69	13.69	8.58	55.4	64	11.4	7.7	677	1.93	4.1	0.5	0.2	1.0	44.2	0.24	0.27	0.15	42	0.50	0.073
L1N 500E	Soil			0.91	11.71	9.52	62.2	34	10.2	6.6	373	2.06	3.4	0.6	<0.2	1.8	31.8	0.20	0.27	0.16	46	0.34	0.041
L1S 6+00W	Soil			0.06	1.88	0.56	8.8	5	1.0	1.8	46	0.51	<0.1	<0.1	0.5	0.3	10.5	0.02	<0.02	<0.02	18	0.13	0.052
L1S 5+50W	Soil			0.10	16.38	0.58	12.1	11	1.5	2.0	69	0.66	0.4	<0.1	0.3	0.2	18.1	0.07	0.04	<0.02	28	0.24	0.084
L1S 5+00W	Soil			0.39	20.63	3.77	29.5	129	6.4	5.1	175	1.66	2.4	0.5	1.7	0.8	34.9	0.07	0.16	0.08	43	0.36	0.061
L1S 4+75W	Soil			0.92	21.34	9.22	51.4	41	15.7	10.2	334	2.71	5.9	0.6	1.4	3.2	31.9	0.09	0.29	0.18	58	0.30	0.058
L1S 4+50W	Soil			0.55	19.37	8.60	46.6	73	10.7	5.3	203	1.78	4.0	0.6	1.3	1.3	39.9	0.08	0.17	0.17	48	0.38	0.077
L1S 4+25W	Soil			0.27	18.19	9.93	57.8	91	11.2	7.6	243	1.87	2.5	0.8	2.6	4.8	62.9	0.14	0.28	0.17	43	0.45	0.071
L1S 4+00W	Soil			0.33	11.71	6.52	40.4	45	9.5	5.2	178	1.70	2.6	0.5	1.6	2.9	49.4	0.07	0.16	0.10	40	0.44	0.071
L1S 3+75W	Soil			0.72	9.99	6.22	46.0	21	10.6	6.0	233	2.09	4.1	0.4	0.9	2.1	41.9	0.07	0.19	0.13	51	0.37	0.062
L1S 3+50W	Soil			0.46	9.51	6.15	46.7	20	10.6	6.0	220	1.75	2.8	0.4	2.1	2.4	41.5	0.09	0.15	0.10	40	0.37	0.068
L1S 3+25W	Soil			0.25	15.70	7.71	46.7	81	12.7	6.0	152	1.73	2.3	0.8	9.3	3.8	51.3	0.09	0.18	0.14	41	0.47	0.073
L1S 3+00W	Soil			0.32	26.95	8.82	47.9	140	14.0	5.3	162	1.90	3.0	1.4	3.1	4.0	59.0	0.12	0.26	0.19	46	0.48	0.074
L1S 2+75W	Soil			0.33	17.61	8.57	52.0	98	12.4	6.2	208	1.85	2.5	0.9	2.2	3.4	59.3	0.12	0.23	0.17	42	0.51	0.078
L1S 2+50W	Soil			0.37	19.88	8.57	47.8	80	15.6	7.4	226	2.08	2.8	0.9	1.5	2.6	64.0	0.08	0.22	0.16	45	0.52	0.081
L1S 2+25W	Soil			0.52	16.35	6.54	54.8	47	15.3	7.8	295	2.35	3.5	0.6	1.7	3.2	60.7	0.12	0.26	0.12	46	0.50	0.076
L1S 2+00W	Soil			0.33	11.46	6.31	39.5	61	11.9	6.3	243	1.58	1.5	0.7	1.5	1.8	50.6	0.10	0.17	0.13	35	0.42	0.089
L1S 1+75W	Soil			0.22	12.04	7.20	41.0	104	13.1	7.2	234	1.63	1.5	1.0	1.8	1.8	54.4	0.10	0.21	0.14	36	0.42	0.088
L1S 1+50W	Soil			0.38	12.30	6.92	41.0	41	13.1	6.5	168	2.09	3.2	0.6	4.2	2.2	59.4	0.06	0.15	0.12	45	0.42	0.075
L1S 1+25W	Soil			0.41	14.06	6.97	47.7	72	16.0	7.5	260	2.27	2.7	0.8	13.2	3.0	75.2	0.12	0.13	0.11	47	0.46	0.066
L1S 0+75W	Soil			0.54	16.61	7.98	41.2	217	13.5	9.8	864	1.94	3.0	1.5	1.7	1.1	49.0	0.15	0.18	0.15	41	0.44	0.161
L1S 0+50W	Soil			0.71	14.05	9.02	47.5	232	13.3	7.9	563	2.22	3.1	1.7	2.4	1.8	52.5	0.15	0.17	0.14	41	0.51	0.191
L1S 0+25W	Soil			0.83	10.30	9.39	46.1	102	10.6	8.2	616	2.34	3.8	0.6	1.4	2.5	29.2	0.20	0.18	0.16	54	0.31	0.044
L1S 0+00	Soil			0.52	17.56	7.33	41.5	132	12.9	6.3	279	1.88	2.4	1.4	2.5	0.8	44.8	0.14	0.13	0.12	38	0.45	0.079
L1S 0+25E	Soil			0.76	10.29	8.43	50.0	84	10.5	6.7	187	2.12	3.0	0.7	0.6	1.7	34.9	0.25	0.20	0.13	46	0.38	0.045
L1S 0+50E	Soil			1.01	20.60	9.40	45.7	82	12.6	7.6	330	2.16	3.5	1.2	2.3	1.3	36.0	0.21	0.22	0.14	47	0.39	0.050
L1S 0+75E	Soil			0.73	11.04	16.00	81.2	30	14.6	8.2	791	2.70	1.9	1.4	0.4	3.7	48.1	0.23	0.13	0.13	43	0.52	0.064
L1S 1+00E	Soil			0.81	8.75	8.97	57.0	48	9.1	5.0	219	2.02	2.8	0.7	1.3	1.3	21.5	0.26	0.19	0.12	45	0.23	0.033
L1S 1+25E	Soil			0.57	13.47	7.27	50.8	36	14.0	7.7	341	2.22	4.3	0.7	0.7	2.8	31.6	0.10	0.25	0.13	51	0.34	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 4 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Tl	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga	1F15 Cs	1F15 Ge	1F15 Hf
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
				0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
L1N 450E	Soil			20.7	25.7	0.48	106.7	0.054	<1	1.67	0.016	0.19	0.1	3.2	0.11	0.02	25	0.2	0.03	6.0	1.09	<0.1	0.02
L1N 475E	Soil			13.2	20.7	0.39	144.8	0.042	2	1.26	0.015	0.19	<0.1	2.4	0.07	0.05	31	0.2	<0.02	4.2	0.90	<0.1	0.03
L1N 500E	Soil			12.7	20.6	0.40	127.9	0.066	1	1.31	0.012	0.16	<0.1	2.6	0.09	0.02	21	0.2	0.02	5.4	0.95	<0.1	0.02
L1S 6+00W	Soil			3.4	2.0	0.09	8.9	0.061	<1	0.14	0.019	<0.01	<0.1	0.3	<0.02	<0.02	15	<0.1	<0.02	1.2	<0.02	<0.1	<0.02
L1S 5+50W	Soil			7.8	3.3	0.09	28.5	0.064	<1	0.22	0.033	0.02	<0.1	0.6	0.03	<0.02	9	0.2	<0.02	2.0	0.07	<0.1	<0.02
L1S 5+00W	Soil			18.9	11.4	0.20	140.6	0.049	<1	0.99	0.017	0.04	<0.1	2.4	0.06	0.02	46	0.3	<0.02	3.6	0.51	<0.1	<0.02
L1S 4+75W	Soil			10.3	26.7	0.50	207.1	0.066	<1	2.20	0.012	0.08	0.1	4.1	0.11	<0.02	26	0.3	<0.02	6.0	0.93	<0.1	0.07
L1S 4+50W	Soil			11.0	24.9	0.49	193.1	0.060	1	1.52	0.013	0.06	0.1	3.4	0.11	0.02	30	0.2	0.03	6.4	1.02	<0.1	<0.02
L1S 4+25W	Soil			21.0	23.2	0.51	215.5	0.058	<1	1.69	0.022	0.08	<0.1	4.5	0.12	<0.02	94	0.3	<0.02	5.2	0.85	<0.1	0.10
L1S 4+00W	Soil			11.7	20.5	0.46	143.5	0.074	1	1.36	0.021	0.08	0.1	3.2	0.09	<0.02	17	<0.1	<0.02	4.1	0.77	<0.1	0.04
L1S 3+75W	Soil			9.8	22.1	0.51	146.4	0.063	<1	1.53	0.012	0.06	0.1	3.2	0.07	<0.02	16	<0.1	0.02	5.4	0.72	<0.1	0.05
L1S 3+50W	Soil			10.6	19.7	0.44	135.2	0.073	<1	1.20	0.018	0.07	0.1	2.9	0.06	<0.02	12	0.1	<0.02	4.1	0.63	<0.1	0.05
L1S 3+25W	Soil			21.4	28.2	0.51	193.1	0.076	<1	1.66	0.019	0.06	0.1	5.0	0.09	<0.02	37	0.2	<0.02	5.2	0.80	<0.1	0.09
L1S 3+00W	Soil			29.1	31.3	0.47	229.7	0.055	2	2.03	0.019	0.07	<0.1	6.8	0.12	<0.02	70	0.2	<0.02	6.0	0.87	<0.1	0.10
L1S 2+75W	Soil			13.8	26.9	0.50	176.5	0.074	1	1.78	0.019	0.09	0.1	4.7	0.09	<0.02	50	0.1	<0.02	5.3	0.78	<0.1	0.08
L1S 2+50W	Soil			18.5	31.2	0.56	203.0	0.068	2	2.07	0.021	0.08	0.1	5.9	0.11	<0.02	31	0.3	<0.02	6.3	1.05	<0.1	0.10
L1S 2+25W	Soil			16.1	26.5	0.56	176.0	0.077	1	1.78	0.019	0.10	0.1	5.1	0.08	<0.02	20	0.2	<0.02	5.4	0.88	<0.1	0.10
L1S 2+00W	Soil			14.0	26.0	0.50	150.4	0.060	1	1.66	0.017	0.07	<0.1	3.7	0.08	<0.02	46	0.2	<0.02	5.2	0.79	<0.1	0.04
L1S 1+75W	Soil			17.6	28.9	0.49	155.2	0.049	1	1.98	0.017	0.07	<0.1	4.1	0.10	0.02	95	0.3	<0.02	5.8	0.83	<0.1	0.05
L1S 1+50W	Soil			14.0	24.8	0.51	165.3	0.052	1	1.87	0.014	0.08	<0.1	3.8	0.07	<0.02	27	<0.1	<0.02	5.7	0.91	<0.1	0.03
L1S 1+25W	Soil			25.2	27.1	0.57	121.9	0.050	1	2.03	0.014	0.10	0.1	5.3	0.08	<0.02	26	0.1	<0.02	6.2	1.24	<0.1	0.06
L1S 0+75W	Soil			24.1	30.9	0.49	181.9	0.021	<1	1.99	0.018	0.06	0.1	3.5	0.12	0.06	69	0.4	<0.02	6.4	0.82	<0.1	0.04
L1S 0+50W	Soil			36.0	27.3	0.48	164.7	0.013	<1	2.22	0.017	0.09	0.1	4.2	0.11	0.06	90	0.4	<0.02	7.3	0.70	<0.1	0.10
L1S 0+25W	Soil			13.3	25.2	0.47	111.6	0.051	1	1.82	0.012	0.08	0.1	3.3	0.09	<0.02	40	0.1	<0.02	6.9	0.75	<0.1	0.03
L1S 0+00	Soil			38.1	23.4	0.44	154.7	0.022	<1	1.71	0.017	0.06	0.1	2.9	0.09	0.03	54	0.4	<0.02	6.6	0.47	<0.1	<0.02
L1S 0+25E	Soil			13.7	22.8	0.45	96.6	0.028	<1	1.59	0.012	0.09	0.1	2.7	0.07	<0.02	27	0.1	<0.02	6.6	0.47	<0.1	<0.02
L1S 0+50E	Soil			18.1	21.7	0.39	135.6	0.040	1	1.58	0.014	0.08	0.1	2.8	0.07	0.02	36	0.3	<0.02	6.5	0.44	<0.1	<0.02
L1S 0+75E	Soil			32.0	27.4	0.70	139.9	0.013	<1	2.07	0.018	0.11	0.1	4.1	0.06	<0.02	17	0.1	<0.02	9.2	0.66	<0.1	0.07
L1S 1+00E	Soil			10.0	21.4	0.39	87.2	0.039	<1	1.53	0.012	0.11	0.1	2.3	0.06	<0.02	34	<0.1	<0.02	7.2	0.57	<0.1	0.03
L1S 1+25E	Soil			24.2	26.9	0.54	160.8	0.055	<1	1.62	0.015	0.08	0.1	3.8	0.06	<0.02	21	0.1	<0.02	5.4	0.62	<0.1	0.03

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project:

None Given

Report Date:

January 30, 2009

Page:

4 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Nb	1F15 Rb	1F15 Sn	1F15 Ta	1F15 Zr	1F15 Y	1F15 Ce	1F15 In	1F15 Re	1F15 Be	1F15 Li	1F15 Pd	1F15 Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	0.1	0.02	1	0.1	0.1	10	2
L1N 450E	Soil	0.89	17.7	0.7	<0.05	1.2	5.69	48.2	0.05	1	0.9	12.1	<10	<2		
L1N 475E	Soil	0.83	16.4	0.5	<0.05	0.9	5.50	36.0	0.03	<1	0.4	9.9	<10	<2		
L1N 500E	Soil	1.26	19.6	0.7	<0.05	1.3	4.28	25.9	0.03	<1	0.4	9.5	<10	<2		
L1S 6+00W	Soil	0.17	0.2	<0.1	<0.05	0.3	1.01	7.0	<0.02	<1	<0.1	0.3	<10	<2		
L1S 5+50W	Soil	0.22	0.6	<0.1	<0.05	0.7	4.86	12.5	<0.02	<1	<0.1	0.6	<10	<2		
L1S 5+00W	Soil	0.43	4.7	0.3	<0.05	0.7	9.35	26.2	<0.02	<1	0.4	4.7	<10	<2		
L1S 4+75W	Soil	1.26	8.5	0.6	<0.05	3.1	4.29	24.0	0.03	<1	0.5	14.7	<10	<2		
L1S 4+50W	Soil	1.10	7.5	0.7	<0.05	1.0	5.71	20.9	0.03	<1	0.3	13.5	<10	<2		
L1S 4+25W	Soil	1.09	10.3	0.6	<0.05	4.4	8.64	34.7	0.04	<1	0.5	10.5	<10	<2		
L1S 4+00W	Soil	0.91	9.6	0.5	<0.05	2.5	5.09	21.1	<0.02	<1	0.4	10.9	<10	<2		
L1S 3+75W	Soil	0.89	7.0	0.5	<0.05	2.4	4.51	18.8	0.02	<1	0.3	13.9	<10	<2		
L1S 3+50W	Soil	0.89	8.3	0.6	<0.05	2.4	4.75	20.5	0.02	<1	0.3	9.6	<10	<2		
L1S 3+25W	Soil	1.10	8.2	0.6	<0.05	4.3	8.43	36.1	0.03	<1	0.5	10.8	<10	<2		
L1S 3+00W	Soil	1.12	9.0	0.7	<0.05	3.7	14.50	47.4	0.04	<1	0.8	11.3	<10	<2		
L1S 2+75W	Soil	1.12	10.0	0.6	<0.05	3.7	7.59	24.4	0.03	<1	0.3	9.8	<10	<2		
L1S 2+50W	Soil	1.19	10.3	0.7	<0.05	3.5	12.50	38.2	0.05	<1	0.6	14.2	<10	<2		
L1S 2+25W	Soil	0.82	9.5	0.6	<0.05	4.2	8.75	33.5	0.04	<1	0.4	10.9	<10	<2		
L1S 2+00W	Soil	0.85	7.8	0.6	<0.05	1.5	7.13	24.1	0.02	<1	0.4	11.3	<10	<2		
L1S 1+75W	Soil	0.84	6.7	0.6	<0.05	1.5	9.79	29.5	0.03	<1	0.6	12.6	<10	<2		
L1S 1+50W	Soil	0.74	7.8	0.6	<0.05	1.3	6.47	25.7	0.03	<1	0.6	11.8	<10	<2		
L1S 1+25W	Soil	0.85	13.9	0.6	<0.05	3.4	14.33	41.9	0.03	<1	0.8	14.8	<10	<2		
L1S 0+75W	Soil	0.75	6.9	0.7	<0.05	1.3	11.43	45.9	0.04	<1	1.3	13.8	<10	<2		
L1S 0+50W	Soil	0.96	8.5	1.0	<0.05	2.3	12.74	62.7	0.06	<1	1.7	13.9	<10	<2		
L1S 0+25W	Soil	1.14	10.6	0.8	<0.05	1.6	4.34	27.1	0.04	<1	0.7	18.4	<10	<2		
L1S 0+00	Soil	0.87	7.3	0.9	<0.05	0.5	15.29	58.2	0.04	<1	1.3	11.1	<10	<2		
L1S 0+25E	Soil	1.05	9.0	0.8	<0.05	0.9	4.03	25.1	0.03	<1	0.5	13.1	<10	<2		
L1S 0+50E	Soil	1.45	5.9	0.8	<0.05	0.9	5.86	30.2	0.03	<1	0.8	10.8	<10	<2		
L1S 0+75E	Soil	1.01	9.6	1.5	<0.05	2.7	8.47	59.9	0.06	<1	0.7	16.2	<10	<2		
L1S 1+00E	Soil	1.15	14.1	1.0	<0.05	1.1	3.08	17.4	0.03	<1	0.3	13.9	<10	<2		
L1S 1+25E	Soil	0.78	6.4	0.6	<0.05	1.4	5.56	44.5	0.03	<1	0.8	12.7	<10	<2		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 5 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
L1S 1+50E	Soil			0.89	13.69	8.87	58.4	40	13.5	8.6	503	2.46	4.6	0.9	1.0	2.6	32.4	0.17	0.22	0.15	52	0.33	0.046
L1S 1+75E	Soil			0.83	11.32	9.47	69.2	37	12.2	8.1	404	2.47	3.2	0.8	0.6	1.6	29.9	0.10	0.20	0.13	48	0.37	0.036
L1S 2+00E	Soil			1.01	13.10	9.04	50.8	66	14.3	8.9	530	2.50	4.7	0.6	0.8	1.8	35.4	0.17	0.26	0.16	57	0.33	0.036
L2N 600W	Soil			0.09	4.12	0.51	13.1	7	1.6	2.9	74	0.88	0.2	<0.1	<0.2	0.1	13.3	0.01	<0.02	<0.02	29	0.18	0.070
L2N 575W	Soil			0.38	6.36	0.73	24.1	26	3.4	5.5	166	1.77	0.8	0.2	0.5	0.2	21.7	0.05	0.07	<0.02	59	0.28	0.100
L2N 550W	Soil			0.33	22.52	8.72	55.4	59	11.4	6.4	176	2.06	3.2	1.4	2.2	4.6	48.3	0.12	0.33	0.15	47	0.49	0.076
L2N 525W	Soil			0.35	16.58	8.88	43.3	79	8.9	7.4	637	1.81	2.4	1.4	2.4	2.5	50.3	0.11	0.36	0.13	37	0.52	0.088
L2N 500W	Soil			0.34	31.61	8.54	65.1	71	9.9	5.7	258	1.99	2.9	2.5	2.2	3.2	43.2	0.49	0.42	0.14	54	0.40	0.070
L2N 475W	Soil			0.48	14.54	9.57	60.8	45	9.9	6.5	308	1.76	1.4	0.6	1.2	2.7	45.0	0.38	0.27	0.14	39	0.47	0.069
L2N 450W	Soil			0.42	15.19	9.95	58.0	82	11.1	7.4	172	2.12	3.2	1.1	2.0	4.4	48.3	0.14	0.37	0.16	53	0.58	0.072
L2N 425W	Soil			1.04	7.82	8.05	49.0	27	8.4	7.9	964	2.06	3.8	0.5	0.8	2.3	50.1	0.13	0.16	0.11	43	0.52	0.074
L2N 400W	Soil			0.66	15.83	8.78	62.2	59	10.9	6.8	206	2.11	3.1	0.8	1.4	3.6	56.6	0.09	0.31	0.13	51	0.65	0.086
L2N 375W	Soil			0.36	14.39	9.29	65.5	105	10.8	6.7	281	1.75	2.1	1.2	2.2	3.4	61.7	0.12	0.29	0.15	43	0.83	0.086
L2N 350W	Soil			0.50	18.36	9.62	52.8	83	12.0	9.2	207	2.30	3.4	1.9	2.8	4.4	53.2	0.14	0.32	0.15	53	0.65	0.064
L2N 325W	Soil			0.38	14.20	8.76	58.5	98	11.7	5.9	205	1.86	2.3	0.8	2.8	3.6	56.4	0.11	0.21	0.12	41	0.63	0.076
L2N 300W	Soil			0.69	21.11	7.57	64.9	62	14.8	7.1	318	2.42	4.9	0.8	1.5	2.9	69.5	0.12	0.28	0.14	53	0.72	0.045
L2N 275W	Soil			0.61	17.09	7.00	61.2	64	13.2	6.5	283	2.36	4.6	0.6	1.5	3.6	71.4	0.12	0.27	0.12	50	0.62	0.057
L2N 250W	Soil			0.97	22.46	9.93	71.2	110	17.5	7.9	293	2.65	5.3	0.6	3.2	2.6	68.6	0.24	0.28	0.17	60	0.75	0.036
L2N 225W	Soil			0.62	15.33	7.68	57.3	38	19.4	8.2	382	2.50	4.1	0.6	1.9	3.4	59.7	0.11	0.20	0.11	50	0.56	0.040
L2N 200W	Soil			3.00	13.45	8.51	53.0	24	17.0	8.0	351	2.44	3.8	0.8	1.5	2.6	68.4	0.09	0.18	0.11	47	0.66	0.033
L2N 175W	Soil			0.43	35.19	7.91	45.4	195	25.6	10.7	463	2.28	3.2	2.8	2.6	3.7	84.8	0.11	0.29	0.12	49	0.73	0.059
L2N 150W	Soil			0.63	13.98	8.87	51.9	65	16.0	8.6	532	2.37	3.8	0.7	2.2	2.9	55.9	0.09	0.69	0.10	53	0.42	0.057
L2N 125W	Soil			0.65	14.12	12.19	58.7	36	20.9	11.4	683	2.83	3.4	0.8	1.2	5.0	70.0	0.10	0.18	0.11	48	0.42	0.043
L2N 100W	Soil			5.61	11.84	23.99	63.9	35	16.8	10.0	785	2.56	6.1	1.0	0.9	5.4	52.4	0.11	0.25	0.14	40	0.29	0.028
L2N 075W	Soil			1.79	11.34	12.11	68.0	157	13.3	8.1	338	2.85	5.0	0.8	0.5	2.1	39.7	0.21	0.25	0.12	50	0.40	0.067
L2N 050W	Soil			0.88	12.01	13.24	88.2	29	29.3	10.5	508	2.92	3.1	0.9	0.5	5.1	44.9	0.11	0.16	0.11	52	0.46	0.051
L2N 025W	Soil			0.67	13.10	10.76	59.7	40	14.5	7.6	515	2.48	4.9	0.8	1.6	4.1	44.0	0.10	0.23	0.13	46	0.42	0.042
L2N 0	Soil			0.72	6.26	14.04	78.6	13	7.2	5.4	1230	1.89	1.3	0.7	<0.2	5.2	45.0	0.38	0.09	0.11	14	0.95	0.085
L2N 025E	Soil			0.58	12.40	10.94	72.0	23	14.5	9.6	911	2.78	2.8	1.0	0.9	4.5	37.1	0.15	0.16	0.11	48	0.47	0.045
L2N 050E	Soil			0.73	11.22	9.88	64.8	48	15.4	9.8	546	2.84	3.5	0.7	0.9	2.7	41.3	0.08	0.20	0.12	50	0.55	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 5 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 La	1F15 Cr	1F15 Mg	1F15 Ba	1F15 Ti	1F15 B	1F15 Al	1F15 Na	1F15 K	1F15 W	1F15 Sc	1F15 Ti	1F15 S	1F15 Hg	1F15 Se	1F15 Te	1F15 Ga	1F15 Cs	1F15 Ge	1F15 Hf
				ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
L1S 1+50E	Soil			23.8	27.9	0.51	130.5	0.056	<1	1.84	0.014	0.10	0.1	3.4	0.07	<0.02	20	0.2	<0.02	6.3	0.73	<0.1	0.03
L1S 1+75E	Soil			22.5	25.3	0.46	141.2	0.032	<1	1.88	0.014	0.07	0.1	3.1	0.08	<0.02	22	0.2	<0.02	6.9	0.70	<0.1	<0.02
L1S 2+00E	Soil			15.9	26.8	0.48	128.6	0.054	1	1.90	0.012	0.11	0.1	3.2	0.09	<0.02	27	0.2	<0.02	6.5	0.95	<0.1	0.03
L2N 600W	Soil			3.4	2.8	0.12	21.9	0.070	<1	0.21	0.030	0.01	<0.1	0.3	<0.02	<0.02	<5	<0.1	<0.02	1.8	0.03	<0.1	<0.02
L2N 575W	Soil			6.6	5.5	0.11	37.2	0.080	<1	0.25	0.023	0.01	<0.1	0.6	<0.02	<0.02	12	0.1	<0.02	2.4	0.08	<0.1	<0.02
L2N 550W	Soil			19.1	24.4	0.48	209.9	0.079	1	1.62	0.021	0.09	<0.1	4.9	0.11	<0.02	42	0.2	<0.02	5.2	0.97	<0.1	0.16
L2N 525W	Soil			17.3	23.1	0.32	217.4	0.047	<1	1.42	0.017	0.05	<0.1	4.1	0.11	0.04	109	0.4	<0.02	4.8	0.76	<0.1	0.05
L2N 500W	Soil			25.4	22.5	0.37	205.5	0.064	1	1.33	0.024	0.07	0.1	4.4	0.10	0.04	77	0.5	<0.02	4.7	0.66	<0.1	0.06
L2N 475W	Soil			14.3	20.5	0.43	220.4	0.073	1	1.57	0.021	0.09	0.1	3.4	0.09	<0.02	34	0.1	<0.02	5.5	0.72	<0.1	0.08
L2N 450W	Soil			12.9	26.7	0.49	181.1	0.083	1	1.70	0.024	0.09	0.1	4.7	0.10	<0.02	49	0.3	<0.02	5.9	0.77	<0.1	0.18
L2N 425W	Soil			11.2	17.2	0.39	181.3	0.059	<1	1.33	0.020	0.06	<0.1	2.8	0.08	<0.02	59	<0.1	<0.02	4.6	0.74	<0.1	0.07
L2N 400W	Soil			14.5	22.5	0.49	186.5	0.070	1	1.65	0.025	0.10	0.1	4.4	0.11	<0.02	30	<0.1	<0.02	5.7	1.04	<0.1	0.13
L2N 375W	Soil			13.6	26.2	0.47	174.9	0.066	2	1.62	0.023	0.09	<0.1	5.1	0.11	0.03	77	0.3	<0.02	6.0	0.76	<0.1	0.08
L2N 350W	Soil			17.8	26.1	0.51	172.0	0.081	1	1.65	0.024	0.10	0.1	5.5	0.11	<0.02	74	0.2	<0.02	6.0	0.85	<0.1	0.11
L2N 325W	Soil			16.0	22.6	0.51	145.7	0.073	1	1.43	0.027	0.12	0.1	4.3	0.11	<0.02	37	<0.1	<0.02	4.7	1.00	<0.1	0.12
L2N 300W	Soil			14.7	26.3	0.55	170.4	0.065	1	1.63	0.025	0.10	0.1	4.9	0.10	0.02	23	0.2	<0.02	5.7	0.84	<0.1	0.07
L2N 275W	Soil			13.5	22.9	0.51	156.8	0.066	1	1.58	0.025	0.12	<0.1	5.0	0.13	<0.02	20	0.1	<0.02	5.3	1.25	<0.1	0.09
L2N 250W	Soil			16.9	29.9	0.55	198.2	0.062	1	2.24	0.018	0.12	0.1	4.6	0.11	<0.02	14	<0.1	<0.02	8.2	1.16	<0.1	0.05
L2N 225W	Soil			15.8	30.1	0.63	132.9	0.058	1	1.88	0.021	0.14	<0.1	4.9	0.09	<0.02	30	0.1	<0.02	6.4	0.85	<0.1	0.09
L2N 200W	Soil			13.6	26.5	0.60	140.8	0.045	<1	1.85	0.019	0.11	0.1	4.0	0.08	<0.02	21	<0.1	0.03	6.5	0.78	<0.1	0.08
L2N 175W	Soil			54.3	32.3	0.67	107.3	0.061	<1	1.92	0.023	0.12	0.2	7.2	0.08	<0.02	158	<0.1	<0.02	6.0	1.03	<0.1	0.11
L2N 150W	Soil			21.3	23.0	0.56	118.7	0.052	<1	1.51	0.020	0.10	0.1	4.0	0.07	<0.02	45	<0.1	<0.02	5.1	0.49	<0.1	0.05
L2N 125W	Soil			28.3	30.1	0.77	103.3	0.018	<1	1.97	0.020	0.13	<0.1	5.5	0.08	<0.02	23	<0.1	0.04	7.3	0.82	<0.1	0.11
L2N 100W	Soil			29.4	24.1	0.55	127.5	0.020	<1	1.79	0.019	0.12	0.1	5.2	0.13	<0.02	111	<0.1	0.02	6.2	0.65	<0.1	0.07
L2N 075W	Soil			18.7	22.9	0.55	92.3	0.017	<1	1.93	0.014	0.15	<0.1	2.7	0.11	0.05	194	<0.1	0.03	7.1	0.30	<0.1	0.07
L2N 050W	Soil			32.6	54.1	0.79	222.5	0.011	<1	2.14	0.015	0.16	<0.1	4.3	0.18	<0.02	13	<0.1	<0.02	7.1	0.62	<0.1	0.09
L2N 025W	Soil			22.2	21.6	0.58	197.0	0.032	<1	1.97	0.020	0.10	0.1	4.5	0.09	<0.02	18	<0.1	<0.02	5.5	0.72	<0.1	0.08
L2N 0	Soil			41.4	8.7	0.40	178.5	0.003	<1	1.51	0.011	0.11	0.1	3.4	0.05	<0.02	28	<0.1	0.03	4.7	0.41	<0.1	0.07
L2N 025E	Soil			35.0	25.5	0.67	243.1	0.015	<1	2.10	0.016	0.11	<0.1	5.9	0.07	<0.02	41	<0.1	<0.02	7.9	0.68	<0.1	0.10
L2N 050E	Soil			19.3	25.3	0.53	156.2	0.014	<1	2.52	0.015	0.13	0.1	4.6	0.07	0.02	33	<0.1	0.04	6.8	0.68	<0.1	0.07

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 5 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
L1S 1+50E	Soil	1.03	12.4	0.8	<0.05	1.6	6.81	42.6	0.03	<1	0.9	14.9	<10	<2
L1S 1+75E	Soil	0.96	8.3	1.1	<0.05	0.7	5.20	36.3	0.04	<1	0.7	13.7	<10	<2
L1S 2+00E	Soil	1.27	12.3	0.7	<0.05	1.4	4.23	26.5	0.03	<1	0.5	13.5	<10	<2
L2N 600W	Soil	0.24	0.4	<0.1	<0.05	0.7	1.52	7.5	<0.02	<1	<0.1	0.8	<10	<2
L2N 575W	Soil	0.17	0.7	0.1	<0.05	0.5	4.17	12.9	<0.02	<1	0.1	1.1	<10	<2
L2N 550W	Soil	0.85	10.8	0.6	<0.05	6.9	10.33	37.0	0.03	<1	0.4	11.0	<10	<2
L2N 525W	Soil	1.10	6.5	0.6	<0.05	2.0	11.13	29.2	0.03	<1	0.4	8.4	<10	<2
L2N 500W	Soil	1.37	8.1	0.6	<0.05	3.4	17.44	44.9	0.02	<1	0.8	9.1	<10	<2
L2N 475W	Soil	1.15	8.6	0.8	<0.05	3.5	6.52	27.7	0.02	<1	0.3	10.9	<10	<2
L2N 450W	Soil	1.21	10.9	0.8	<0.05	6.7	5.40	25.5	0.04	<1	0.3	11.9	<10	3
L2N 425W	Soil	0.83	7.1	0.6	<0.05	2.9	4.47	21.5	0.02	<1	0.2	8.3	<10	<2
L2N 400W	Soil	1.06	13.1	0.7	<0.05	5.3	6.02	27.1	0.04	<1	0.4	11.1	<10	<2
L2N 375W	Soil	1.31	11.9	0.6	<0.05	3.5	6.45	26.0	0.03	<1	0.4	12.3	<10	<2
L2N 350W	Soil	1.43	13.4	0.7	<0.05	5.2	7.73	37.4	0.03	<1	0.5	13.8	<10	<2
L2N 325W	Soil	1.04	14.0	0.5	<0.05	5.0	6.90	28.0	0.03	<1	0.6	10.6	<10	<2
L2N 300W	Soil	1.27	11.6	0.6	<0.05	3.2	7.17	32.5	0.03	<1	0.6	12.5	<10	<2
L2N 275W	Soil	0.91	14.1	0.6	<0.05	4.3	6.30	29.5	0.03	<1	0.6	10.9	<10	<2
L2N 250W	Soil	1.39	16.2	0.8	<0.05	2.4	8.02	33.3	0.03	<1	0.6	13.8	<10	<2
L2N 225W	Soil	1.00	12.4	0.7	<0.05	3.4	6.69	33.7	0.04	<1	0.6	11.9	<10	<2
L2N 200W	Soil	1.09	9.7	0.7	<0.05	2.3	4.74	29.5	0.05	<1	0.4	12.0	<10	<2
L2N 175W	Soil	1.70	11.1	0.7	<0.05	5.0	42.09	57.6	0.03	<1	1.4	12.2	10	2
L2N 150W	Soil	0.73	7.6	0.6	<0.05	2.2	13.01	47.2	0.03	1	0.6	9.0	<10	<2
L2N 125W	Soil	0.43	10.9	0.8	<0.05	3.2	13.07	71.8	0.05	2	0.9	11.2	<10	2
L2N 100W	Soil	0.46	9.8	0.9	<0.05	2.5	13.48	65.6	0.04	<1	1.1	10.1	<10	<2
L2N 075W	Soil	1.15	12.3	1.0	<0.05	1.9	5.77	34.9	0.05	<1	0.6	9.3	<10	<2
L2N 050W	Soil	0.63	12.3	1.1	<0.05	3.1	12.15	62.3	0.05	<1	1.0	12.6	<10	<2
L2N 025W	Soil	0.65	9.2	0.9	<0.05	2.7	9.96	58.1	0.03	<1	0.7	11.2	<10	5
L2N 0	Soil	0.21	6.1	1.1	<0.05	2.8	21.46	76.3	0.05	<1	1.2	8.2	<10	<2
L2N 025E	Soil	0.59	10.1	1.2	<0.05	3.1	13.19	74.8	0.06	1	1.0	12.1	<10	<2
L2N 050E	Soil	0.77	10.1	0.9	<0.05	1.9	7.56	50.4	0.04	1	0.8	12.8	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 6 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
L2N 075E	Soil	1.03	12.99	13.10	86.1	39	15.6	8.4	638	3.12	4.3	0.9	1.2	2.8	25.0	0.14	0.34	0.20	61	0.21	0.032
L2N 100E	Soil	0.61	9.89	11.81	80.5	34	14.0	8.0	631	2.92	3.2	1.0	0.5	4.6	47.0	0.16	0.15	0.15	52	0.28	0.040
L2N 125E	Soil	0.38	10.32	13.13	98.9	22	22.9	11.6	760	3.54	3.2	1.3	<0.2	4.8	53.4	0.09	0.11	0.20	63	0.72	0.120
L2N 150E	Soil	0.65	10.20	14.19	99.4	28	14.0	6.4	440	2.59	3.6	0.9	14.0	3.7	28.6	0.19	0.15	0.16	37	0.27	0.030
L2N 175E	Soil	0.61	10.45	11.93	80.9	21	12.0	6.8	461	2.39	3.4	0.7	1.4	3.6	33.5	0.11	0.18	0.16	42	0.33	0.021
L2N 200E	Soil	0.49	5.39	29.35	146.1	10	7.1	5.9	1615	2.32	0.8	1.3	0.6	8.2	56.1	0.58	0.08	0.23	19	0.59	0.030
L2S 6+00W	Soil	0.59	13.04	15.90	72.6	66	10.7	6.4	248	2.19	3.0	0.8	8.1	5.7	26.3	0.21	0.25	0.17	42	0.28	0.058
L2S 5+75W	Soil	0.11	6.45	0.45	15.6	26	1.8	3.1	69	1.16	<0.1	0.1	<0.2	0.2	9.4	0.03	<0.02	<0.02	37	0.07	0.020
L2S 5+50W	Soil	0.85	15.28	12.39	45.8	93	10.0	13.3	1935	2.11	2.9	0.5	0.9	2.1	20.1	0.15	0.13	0.15	48	0.21	0.059
L2S 5+25W	Soil	0.82	14.69	9.91	51.9	47	10.2	6.0	251	2.18	3.4	0.6	0.5	2.1	24.7	0.12	0.21	0.16	51	0.24	0.048
L2S 5+00W	Soil	0.59	19.59	4.70	34.4	128	7.0	5.1	164	1.86	1.8	0.7	0.9	1.0	28.1	0.08	0.15	0.08	48	0.22	0.063
L2S 4+75W	Soil	0.37	7.40	5.78	24.9	33	5.1	7.2	1010	1.58	1.6	0.3	2.8	1.4	26.8	0.05	0.11	0.07	34	0.27	0.057
L2S 4+50W	Soil	0.05	3.30	0.54	4.9	3	0.8	1.1	42	0.35	0.1	<0.1	0.3	0.2	12.2	<0.01	0.03	<0.02	9	0.11	0.031
L2S 4+25W	Soil	0.09	5.20	0.56	5.0	16	1.1	1.3	84	0.33	0.3	<0.1	<0.2	0.2	14.4	0.02	0.03	<0.02	8	0.18	0.061
L2S 4+00W	Soil	0.11	2.83	0.60	11.3	17	1.8	2.4	122	0.79	<0.1	<0.1	0.2	0.1	16.3	<0.01	<0.02	<0.02	26	0.16	0.045
L2S 3+75W	Soil	0.59	17.22	6.71	36.2	87	8.7	9.5	718	1.76	3.1	0.9	1.2	1.8	74.6	0.07	0.23	0.09	44	0.51	0.073
L2S 3+50W	Soil	0.11	6.28	0.37	12.2	40	1.7	2.8	52	0.93	<0.1	<0.1	<0.2	0.1	13.9	0.03	0.02	<0.02	28	0.11	0.022
L2S 3+25W	Soil	1.12	12.54	8.13	44.6	48	13.6	6.5	266	2.34	4.2	0.5	0.2	2.1	46.3	0.13	0.27	0.17	65	0.40	0.037
L2S 3+00W	Soil	0.64	12.88	8.59	53.0	38	12.8	7.2	272	2.35	3.7	0.7	0.6	2.9	50.8	0.16	0.21	0.12	49	0.41	0.044
L2S 2+75W	Soil	0.67	17.58	5.02	29.7	129	10.7	4.1	151	1.50	1.8	0.5	0.9	0.9	51.3	0.19	0.16	0.11	49	0.37	0.034
L2S 2+50W	Soil	0.59	15.37	7.20	45.5	31	35.0	11.7	414	2.73	3.7	0.6	0.6	2.7	65.9	0.10	0.17	0.13	66	0.54	0.051
L2S 2+25W	Soil	0.52	13.64	7.56	47.3	42	12.8	8.4	394	2.21	3.1	0.8	1.3	3.0	52.5	0.12	0.43	0.11	51	0.47	0.063
L2S 2+00W	Soil	0.81	17.37	8.81	49.6	26	17.9	8.7	335	2.62	4.6	1.0	1.2	3.8	53.0	0.08	0.21	0.14	59	0.53	0.056
L2S 1+75W	Soil	0.54	15.24	11.25	56.9	46	13.0	7.0	400	2.56	3.0	1.0	1.3	3.5	204.7	0.11	0.19	0.11	46	0.59	0.057
L2S 1+50W	Soil	0.47	11.90	7.59	50.7	24	15.0	7.5	327	2.22	3.4	0.7	1.3	3.2	180.7	0.08	0.21	0.08	49	0.48	0.060
L2S 1+25W	Soil	0.45	13.68	9.41	60.8	65	15.4	7.4	359	2.44	3.6	0.9	2.8	3.3	135.5	0.13	0.17	0.13	44	0.50	0.060
L2S 1+00W	Soil	0.73	11.74	6.93	43.3	90	13.0	7.4	249	2.56	5.3	0.5	1.3	2.3	40.1	0.13	0.21	0.15	57	0.33	0.052
L2S 0+75W	Soil	0.93	10.22	6.75	39.0	46	10.9	6.0	211	2.21	4.3	0.4	0.7	1.7	38.0	0.20	0.22	0.15	49	0.30	0.039
L2S 0+50W	Soil	0.67	9.90	7.27	36.6	34	11.8	6.7	196	2.35	5.2	0.5	1.3	1.6	31.7	0.10	0.22	0.16	58	0.27	0.055
L2S 0+25W	Soil	0.35	14.89	2.56	16.6	148	6.4	2.5	58	1.08	1.1	0.5	0.9	<0.1	28.9	0.29	0.09	0.06	22	0.16	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 6 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 La ppm	1F15 Cr ppm	1F15 Mg %	1F15 Ba ppm	1F15 Ti %	1F15 B ppm	1F15 Al %	1F15 Na %	1F15 K %	1F15 W ppm	1F15 Sc ppm	1F15 Ti ppm	1F15 S %	1F15 Hg ppb	1F15 Se ppm	1F15 Te ppm	1F15 Ga ppm	1F15 Cs ppm	1F15 Ge ppm	1F15 Hf ppm
L2N 075E	Soil			18.4	29.7	0.58	133.7	0.058	<1	2.03	0.019	0.18	0.1	3.8	0.08	<0.02	27	<0.1	0.06	9.0	0.78	<0.1	0.03
L2N 100E	Soil			40.5	27.6	0.66	190.4	0.026	<1	2.10	0.019	0.11	<0.1	5.3	0.10	<0.02	32	<0.1	0.03	7.8	0.94	<0.1	0.06
L2N 125E	Soil			33.6	44.9	0.73	121.5	0.013	<1	2.27	0.011	0.17	<0.1	6.6	0.10	<0.02	22	<0.1	<0.02	8.3	1.41	<0.1	0.06
L2N 150E	Soil			27.6	23.4	0.50	93.6	0.017	<1	1.95	0.013	0.17	<0.1	3.4	0.11	<0.02	22	<0.1	<0.02	6.8	1.09	<0.1	0.04
L2N 175E	Soil			26.8	22.8	0.56	91.0	0.034	<1	1.80	0.019	0.12	<0.1	3.2	0.09	<0.02	20	<0.1	0.04	6.5	0.74	<0.1	0.03
L2N 200E	Soil			45.0	16.9	0.34	181.5	0.002	<1	1.90	0.024	0.18	<0.1	5.1	0.15	<0.02	77	<0.1	0.03	8.6	1.18	<0.1	0.10
L2S 6+00W	Soil			35.8	22.8	0.45	135.3	0.060	<1	1.89	0.020	0.15	0.1	4.4	0.14	<0.02	37	<0.1	<0.02	6.5	1.55	<0.1	0.07
L2S 5+75W	Soil			2.7	3.4	0.09	8.3	0.068	<1	0.16	0.019	<0.01	<0.1	0.4	<0.02	<0.02	11	<0.1	<0.02	1.5	0.03	<0.1	<0.02
L2S 5+50W	Soil			19.5	20.8	0.44	127.6	0.067	<1	1.53	0.019	0.07	0.1	3.2	0.09	0.02	43	<0.1	<0.02	6.0	0.90	<0.1	<0.02
L2S 5+25W	Soil			18.5	18.6	0.45	152.4	0.062	<1	1.55	0.016	0.08	0.1	3.3	0.09	<0.02	32	0.1	0.07	6.4	0.82	<0.1	0.03
L2S 5+00W	Soil			24.3	13.8	0.27	129.9	0.048	<1	1.20	0.018	0.05	<0.1	2.6	0.07	0.03	47	<0.1	0.04	4.3	0.62	<0.1	<0.02
L2S 4+75W	Soil			11.5	9.4	0.26	116.3	0.067	<1	0.78	0.020	0.04	<0.1	1.9	0.05	<0.02	17	<0.1	<0.02	2.9	0.42	<0.1	<0.02
L2S 4+50W	Soil			3.2	1.9	0.11	10.2	0.077	<1	0.18	0.024	<0.01	<0.1	0.4	<0.02	<0.02	6	<0.1	<0.02	1.2	<0.02	<0.1	<0.02
L2S 4+25W	Soil			3.7	1.2	0.11	21.6	0.042	<1	0.19	0.035	0.02	<0.1	0.4	0.03	<0.02	11	<0.1	0.03	1.0	0.04	<0.1	<0.02
L2S 4+00W	Soil			2.4	2.8	0.10	18.2	0.057	<1	0.17	0.032	0.01	<0.1	0.4	<0.02	<0.02	5	<0.1	<0.02	1.4	0.06	<0.1	<0.02
L2S 3+75W	Soil			17.9	17.2	0.34	174.9	0.057	<1	1.25	0.028	0.06	<0.1	3.9	0.08	0.02	51	<0.1	0.03	4.2	0.69	<0.1	0.03
L2S 3+50W	Soil			1.5	2.9	0.12	17.6	0.062	<1	0.19	0.027	0.02	<0.1	0.4	<0.02	<0.02	14	<0.1	<0.02	1.4	0.06	<0.1	<0.02
L2S 3+25W	Soil			10.0	28.9	0.51	123.3	0.113	<1	1.59	0.015	0.08	0.1	3.5	0.08	<0.02	22	<0.1	0.02	6.7	0.79	<0.1	0.06
L2S 3+00W	Soil			13.7	23.1	0.49	131.2	0.064	<1	1.94	0.016	0.10	<0.1	4.0	0.10	<0.02	20	<0.1	0.03	5.8	1.06	<0.1	0.07
L2S 2+75W	Soil			9.2	17.4	0.26	83.0	0.074	<1	0.75	0.019	0.05	<0.1	2.3	0.05	0.03	34	<0.1	<0.02	4.0	0.55	<0.1	0.03
L2S 2+50W	Soil			13.5	46.2	0.71	175.5	0.119	<1	2.36	0.016	0.10	<0.1	5.5	0.07	<0.02	16	<0.1	0.04	6.9	0.82	<0.1	0.10
L2S 2+25W	Soil			16.7	22.3	0.54	136.0	0.128	1	1.62	0.024	0.10	<0.1	4.4	0.07	<0.02	24	<0.1	0.03	5.3	0.79	<0.1	0.09
L2S 2+00W	Soil			24.5	30.9	0.60	135.3	0.134	1	2.24	0.018	0.12	0.1	5.3	0.09	<0.02	22	<0.1	0.07	6.7	1.35	<0.1	0.10
L2S 1+75W	Soil			28.8	24.1	0.55	156.5	0.106	<1	2.17	0.025	0.17	0.1	6.0	0.09	<0.02	22	<0.1	0.03	7.4	2.12	<0.1	0.10
L2S 1+50W	Soil			20.1	24.5	0.58	144.7	0.119	<1	1.52	0.028	0.09	<0.1	3.8	0.06	<0.02	12	<0.1	0.04	4.7	1.23	<0.1	0.08
L2S 1+25W	Soil			25.5	24.0	0.58	101.1	0.065	<1	2.00	0.044	0.11	<0.1	5.4	0.09	<0.02	24	0.3	0.03	6.8	2.68	<0.1	0.08
L2S 1+00W	Soil			11.0	24.7	0.51	128.5	0.063	<1	2.07	0.010	0.10	0.1	3.9	0.08	<0.02	32	0.3	0.03	6.4	1.26	<0.1	0.05
L2S 0+75W	Soil			8.4	21.2	0.43	114.6	0.072	<1	1.51	0.010	0.08	0.1	3.1	0.06	<0.02	18	0.2	<0.02	7.0	0.85	<0.1	0.04
L2S 0+50W	Soil			8.6	25.0	0.42	97.4	0.075	<1	1.65	0.010	0.07	0.2	3.0	0.08	<0.02	24	0.3	0.03	6.3	1.05	<0.1	0.02
L2S 0+25W	Soil			9.9	7.8	0.12	70.8	0.017	<1	0.79	0.020	0.03	<0.1	0.7	0.03	0.06	62	0.4	<0.02	2.4	0.63	<0.1	<0.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project:

None Given

Report Date:

January 30, 2009

Page:

6 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
				ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb
L2N 075E	Soil			0.93	16.6	1.4	<0.05	1.6	5.95	35.4	0.05	<1	0.6	14.0	<10	3
L2N 100E	Soil			0.68	11.8	1.4	<0.05	1.5	13.73	86.4	0.06	<1	1.0	15.2	<10	<2
L2N 125E	Soil			0.32	14.3	1.3	<0.05	1.9	19.84	64.7	0.04	<1	1.6	14.9	<10	<2
L2N 150E	Soil			0.57	11.2	1.3	<0.05	1.6	9.80	53.0	0.07	<1	0.9	11.1	<10	<2
L2N 175E	Soil			0.67	10.6	1.1	<0.05	1.6	8.68	51.7	0.06	1	0.9	11.3	<10	<2
L2N 200E	Soil			0.09	13.1	1.6	<0.05	2.9	21.90	122.8	0.13	<1	1.4	8.1	<10	<2
L2S 6+00W	Soil			1.35	19.3	1.3	<0.05	3.6	8.74	50.5	0.06	<1	0.9	10.9	<10	3
L2S 5+75W	Soil			0.09	0.3	<0.1	<0.05	0.3	0.95	5.3	<0.02	<1	<0.1	0.2	<10	<2
L2S 5+50W	Soil			0.67	7.7	0.7	<0.05	0.8	5.22	40.5	0.03	<1	0.5	8.5	<10	<2
L2S 5+25W	Soil			0.96	8.7	0.9	<0.05	1.6	5.06	30.3	0.04	<1	0.5	8.9	<10	<2
L2S 5+00W	Soil			0.55	4.9	0.5	<0.05	0.7	7.67	34.8	<0.02	<1	0.7	3.7	<10	<2
L2S 4+75W	Soil			0.38	3.4	0.4	<0.05	1.1	5.08	21.4	<0.02	<1	0.1	3.2	<10	<2
L2S 4+50W	Soil			0.23	0.2	<0.1	<0.05	0.6	1.38	5.4	<0.02	1	<0.1	0.5	<10	<2
L2S 4+25W	Soil			0.19	0.6	<0.1	<0.05	0.4	1.56	7.1	<0.02	<1	<0.1	1.0	<10	<2
L2S 4+00W	Soil			0.14	0.6	<0.1	<0.05	0.4	1.33	4.3	<0.02	<1	<0.1	0.3	<10	<2
L2S 3+75W	Soil			0.72	8.2	0.6	<0.05	1.4	10.40	28.9	<0.02	<1	0.5	6.2	<10	<2
L2S 3+50W	Soil			0.16	0.8	<0.1	<0.05	0.4	0.76	2.7	<0.02	<1	<0.1	0.3	<10	<2
L2S 3+25W	Soil			1.24	11.2	0.6	<0.05	2.5	4.48	18.2	<0.02	1	0.3	9.4	<10	<2
L2S 3+00W	Soil			0.98	9.9	0.8	<0.05	3.5	5.10	24.6	0.04	<1	0.4	8.8	<10	<2
L2S 2+75W	Soil			0.92	5.6	0.4	<0.05	1.2	5.97	14.5	<0.02	<1	0.3	3.4	<10	<2
L2S 2+50W	Soil			1.27	7.9	0.7	<0.05	5.2	5.88	22.7	0.03	<1	0.3	16.8	<10	<2
L2S 2+25W	Soil			1.28	9.4	0.6	<0.05	4.3	7.29	29.3	0.03	<1	0.5	8.3	<10	<2
L2S 2+00W	Soil			1.61	9.9	0.8	<0.05	4.6	10.54	39.8	0.03	<1	0.8	13.4	<10	2
L2S 1+75W	Soil			1.75	18.7	1.0	<0.05	4.1	16.46	48.6	0.05	<1	1.4	10.7	<10	<2
L2S 1+50W	Soil			1.00	8.1	0.6	<0.05	3.2	8.15	37.1	0.02	<1	0.5	8.0	<10	<2
L2S 1+25W	Soil			1.12	12.1	0.8	<0.05	3.3	15.13	48.7	0.04	<1	0.8	13.1	<10	<2
L2S 1+00W	Soil			1.27	10.5	0.6	<0.05	2.4	4.93	24.3	0.03	<1	0.5	14.8	<10	<2
L2S 0+75W	Soil			1.22	12.2	0.6	<0.05	1.8	3.04	16.8	0.02	<1	0.2	12.5	<10	<2
L2S 0+50W	Soil			1.28	8.3	0.6	<0.05	1.3	3.34	17.0	0.02	<1	0.4	12.8	<10	<2
L2S 0+25W	Soil			0.34	4.2	0.2	<0.05	0.2	3.95	16.4	<0.02	<1	0.4	1.6	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 7 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Unit	MDL	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
L2S 0+00	Soil	0.58	19.47	4.09	22.3	223	10.0	4.2	172	1.36	2.2	0.7	0.4	<0.1	63.6	0.81	0.16	0.10	28	0.57	0.084
L2S 0+25E	Soil	0.71	12.88	5.48	27.2	167	7.4	3.9	110	1.43	2.4	0.4	0.3	0.2	27.7	0.21	0.22	0.12	37	0.20	0.042
L2S 0+50E	Soil	0.63	14.15	8.15	61.6	60	14.2	8.4	532	2.47	2.9	1.1	0.4	2.2	67.7	0.22	0.19	0.11	49	0.53	0.054
L2S 0+75E	Soil	0.85	13.51	7.71	37.1	69	11.2	5.8	289	2.26	4.0	0.4	0.4	0.7	41.5	0.42	0.25	0.15	58	0.37	0.045
L2S 1+00E	Soil	0.93	16.12	8.79	62.9	63	10.9	8.4	1181	2.35	3.4	0.6	<0.2	1.2	35.3	0.52	0.26	0.14	50	0.30	0.046
L2S 1+25E	Soil	0.97	11.69	7.76	47.4	58	11.7	7.1	308	2.60	4.8	0.6	0.4	2.2	24.8	0.15	0.26	0.15	59	0.27	0.040
L2S 1+50E	Soil	0.76	10.01	7.32	45.3	27	11.2	6.0	233	2.32	4.3	0.5	<0.2	2.2	22.7	0.09	0.22	0.11	51	0.25	0.027
L2S 1+75E	Soil	0.60	14.60	7.91	55.4	24	15.6	8.3	400	2.25	4.6	0.6	0.4	2.7	29.5	0.13	0.26	0.11	45	0.35	0.046
L2S 2+00E	Soil	0.72	15.48	6.04	44.0	30	14.8	6.9	258	2.36	5.1	0.5	0.8	2.4	26.2	0.10	0.24	0.13	49	0.33	0.052
L4N 600W	Soil	0.35	9.99	5.23	36.1	46	6.3	4.0	143	1.42	2.7	0.5	1.1	2.0	46.1	0.06	0.22	0.09	34	0.46	0.068
L4N 575W	Soil	1.08	17.09	7.41	43.8	96	10.7	17.9	1774	2.24	5.6	1.3	2.5	2.1	72.8	0.10	0.30	0.12	51	0.77	0.095
L4N 550W	Soil	1.90	20.05	9.00	56.9	127	13.3	22.9	2700	2.44	4.6	1.6	1.5	2.6	86.4	0.16	0.35	0.15	51	0.90	0.106
L4N 525W	Soil	0.46	11.33	7.73	50.1	84	10.5	9.3	363	2.34	4.3	0.8	1.0	3.4	60.9	0.08	0.25	0.14	50	0.66	0.066
L4N 500W	Soil	0.58	21.68	7.13	57.2	114	11.5	7.0	291	2.41	5.3	1.1	8.0	4.0	64.0	0.08	0.31	0.14	51	0.62	0.083
L4N 475W	Soil	0.35	11.99	8.24	54.7	35	12.0	6.1	180	1.97	3.2	0.7	2.4	3.7	51.2	0.06	0.22	0.15	43	0.52	0.071
L4N 450W	Soil	0.84	34.93	1.02	17.1	80	13.1	2.3	1531	0.37	2.0	0.2	1.8	0.3	248.1	0.51	0.56	0.09	9	3.10	0.136
L4N 425W	Soil	0.62	10.33	1.61	16.9	59	4.1	4.6	1020	1.20	1.3	0.4	0.5	0.4	38.0	0.05	0.13	0.04	36	0.40	0.072
L4N 400W	Soil	1.30	100.2	2.20	29.5	275	28.5	15.2	4490	1.91	3.8	1.1	1.7	0.4	171.7	1.17	0.91	0.06	18	1.97	0.212
L4N 375W	Soil	0.46	13.74	7.86	55.3	110	9.3	12.8	594	2.25	3.1	0.7	2.1	3.0	67.1	0.18	0.28	0.13	55	0.70	0.098
L4N 350W	Soil	0.37	20.57	7.42	54.8	93	9.3	6.4	321	1.99	3.3	2.3	3.3	4.7	66.6	0.09	0.37	0.14	46	0.64	0.095
L4N 325W	Soil	0.34	6.83	0.62	16.1	41	2.0	6.9	920	1.22	0.6	0.2	<0.2	0.3	20.4	0.07	0.07	<0.02	36	0.26	0.083
L4N 300W	Soil	0.09	8.42	0.69	22.3	19	2.0	3.5	85	1.22	0.6	0.1	<0.2	0.2	24.1	0.02	0.04	<0.02	42	0.30	0.071
L4N 275W	Soil	0.87	9.98	11.10	76.9	36	9.6	6.5	472	2.60	4.5	0.8	<0.2	2.9	41.9	0.12	0.19	0.18	53	0.47	0.041
L4N 250W	Soil	0.66	18.24	11.74	86.5	39	12.1	7.7	691	2.73	4.8	1.0	0.3	2.8	59.2	0.15	0.23	0.17	47	0.71	0.058
L4N 225W	Soil	0.59	16.89	6.36	37.5	63	6.7	6.3	519	1.80	1.7	0.4	<0.2	0.4	44.2	0.40	0.11	0.05	49	0.54	0.066
L4N 200W	Soil	1.25	15.93	13.69	68.4	92	15.5	8.9	767	2.82	5.7	0.8	0.5	1.7	56.3	0.37	0.35	0.14	53	0.55	0.077
L4N 175W	Soil	0.62	16.25	10.73	60.7	36	17.3	9.0	581	2.84	4.9	0.8	0.7	3.5	95.4	0.14	0.26	0.12	53	0.43	0.042
L4N 150W	Soil	1.04	18.23	11.59	65.2	60	25.9	11.3	480	3.34	5.4	0.8	0.8	1.7	76.1	0.23	0.31	0.15	65	0.32	0.054
L4N 125W	Soil	0.83	16.48	10.36	64.8	25	17.0	10.4	575	3.29	3.7	0.7	0.7	2.2	76.1	0.14	0.24	0.14	68	0.50	0.050
L4N 100W	Soil	0.68	15.38	9.25	72.6	84	12.0	6.5	932	2.32	2.5	1.2	4.5	2.5	61.3	0.20	0.14	0.13	40	0.86	0.102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



ACME ANALYTICAL LABORATORIES LTD.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 7 of 16 Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
				ppm	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
L2S 0+00	Soil			12.2	12.9	0.20	154.3	0.017	<1	0.97	0.022	0.05	<0.1	1.1	0.05	0.07	87	0.6	0.04	3.7	0.62	<0.1	<0.02
L2S 0+25E	Soil			7.6	13.8	0.21	89.0	0.044	<1	0.85	0.016	0.05	<0.1	1.3	0.06	0.03	48	0.4	0.04	4.2	0.75	<0.1	<0.02
L2S 0+50E	Soil			23.0	22.8	0.52	135.5	0.028	<1	1.91	0.017	0.11	0.1	3.9	0.07	<0.02	29	0.4	<0.02	7.4	0.54	<0.1	<0.02
L2S 0+75E	Soil			7.6	20.7	0.31	138.1	0.057	<1	1.24	0.013	0.07	<0.1	2.2	0.06	0.02	27	0.3	0.03	6.8	0.69	<0.1	<0.02
L2S 1+00E	Soil			10.2	19.2	0.36	140.7	0.053	<1	1.58	0.016	0.11	<0.1	2.7	0.08	0.02	36	0.3	0.03	7.6	0.65	<0.1	0.03
L2S 1+25E	Soil			10.2	26.4	0.47	97.8	0.080	<1	2.12	0.014	0.08	<0.1	3.6	0.09	<0.02	27	0.4	0.04	7.1	0.92	<0.1	0.04
L2S 1+50E	Soil			9.9	23.0	0.47	105.7	0.069	<1	1.78	0.010	0.09	0.1	3.1	0.07	<0.02	14	0.3	0.03	6.6	0.92	<0.1	0.07
L2S 1+75E	Soil			11.2	24.7	0.51	142.5	0.049	<1	1.89	0.012	0.12	<0.1	3.8	0.07	<0.02	20	0.3	0.02	6.0	0.74	<0.1	0.04
L2S 2+00E	Soil			9.3	24.8	0.50	120.6	0.074	1	1.93	0.014	0.12	0.2	3.6	0.07	<0.02	19	0.3	0.05	5.5	1.05	<0.1	0.05
L4N 600W	Soil			9.0	14.2	0.32	136.1	0.053	1	1.14	0.029	0.06	<0.1	3.0	0.07	<0.02	32	0.3	0.02	3.8	0.70	<0.1	0.07
L4N 575W	Soil			12.6	21.1	0.36	259.0	0.048	<1	1.48	0.026	0.05	<0.1	4.3	0.10	0.06	117	0.4	0.03	5.7	0.84	<0.1	0.05
L4N 550W	Soil			16.3	26.5	0.50	346.4	0.049	<1	1.77	0.021	0.06	<0.1	5.5	0.12	0.05	67	0.5	0.03	6.5	0.97	<0.1	0.10
L4N 525W	Soil			12.5	25.2	0.51	219.0	0.073	<1	1.92	0.020	0.08	0.1	4.8	0.10	<0.02	31	0.2	0.05	6.2	0.99	<0.1	0.09
L4N 500W	Soil			15.9	22.7	0.53	234.8	0.066	1	1.93	0.022	0.09	<0.1	5.7	0.12	<0.02	51	0.4	0.03	6.3	1.12	<0.1	0.11
L4N 475W	Soil			13.7	21.3	0.54	197.7	0.088	1	1.65	0.026	0.10	<0.1	4.4	0.09	<0.02	17	0.1	0.03	5.4	0.96	<0.1	0.13
L4N 450W	Soil			4.3	4.7	0.21	324.2	0.010	7	0.46	0.027	0.04	<0.1	1.1	0.04	0.21	87	0.9	0.04	0.8	0.20	<0.1	0.08
L4N 425W	Soil			3.5	6.3	0.09	87.4	0.047	<1	0.38	0.052	0.02	<0.1	1.4	0.03	0.03	27	0.4	<0.02	2.7	0.13	<0.1	<0.02
L4N 400W	Soil			16.1	13.4	0.14	421.0	0.009	5	0.78	0.021	0.03	<0.1	1.6	0.07	0.27	165	1.5	0.06	1.5	0.12	0.1	0.09
L4N 375W	Soil			14.1	19.7	0.42	246.5	0.055	2	1.80	0.022	0.08	<0.1	4.7	0.12	0.03	78	0.6	0.02	6.5	1.08	<0.1	0.06
L4N 350W	Soil			31.0	22.5	0.46	183.3	0.062	1	1.92	0.025	0.09	<0.1	5.7	0.13	<0.02	106	0.5	0.03	6.5	1.15	<0.1	0.11
L4N 325W	Soil			7.1	3.1	0.13	36.2	0.074	<1	0.29	0.049	0.02	<0.1	0.5	<0.02	<0.02	10	0.3	<0.02	2.5	0.06	<0.1	<0.02
L4N 300W	Soil			3.6	3.8	0.13	26.1	0.072	<1	0.26	0.038	0.02	<0.1	0.6	<0.02	<0.02	11	0.3	<0.02	2.4	0.12	<0.1	<0.02
L4N 275W	Soil			16.7	23.2	0.49	154.3	0.047	<1	2.30	0.015	0.17	<0.1	3.6	0.11	<0.02	16	0.3	0.04	8.9	1.17	<0.1	0.03
L4N 250W	Soil			22.1	21.9	0.51	155.8	0.038	<1	2.00	0.019	0.16	<0.1	4.4	0.12	<0.02	32	0.4	0.03	7.7	1.01	<0.1	0.04
L4N 225W	Soil			6.5	8.5	0.17	57.1	0.070	<1	0.51	0.022	0.09	<0.1	1.2	0.02	0.03	23	0.3	<0.02	4.1	0.45	<0.1	<0.02
L4N 200W	Soil			24.3	23.4	0.46	169.2	0.078	1	2.03	0.020	0.20	0.1	4.2	0.12	0.06	83	0.5	0.04	9.6	1.25	<0.1	0.03
L4N 175W	Soil			25.6	26.0	0.60	164.3	0.093	1	2.15	0.022	0.14	0.1	5.9	0.09	<0.02	24	0.4	0.04	7.9	1.13	<0.1	0.07
L4N 150W	Soil			17.8	31.1	0.53	139.2	0.118	<1	2.41	0.019	0.19	0.1	5.4	0.10	0.04	28	0.4	0.03	10.1	1.11	<0.1	0.07
L4N 125W	Soil			16.8	32.4	0.68	199.9	0.054	<1	2.68	0.017	0.10	<0.1	5.7	0.09	<0.02	35	0.4	0.05	10.6	1.20	<0.1	<0.02
L4N 100W	Soil			25.3	24.7	0.58	239.4	0.016	<1	2.09	0.021	0.13	<0.1	5.2	0.10	0.05	130	0.5	0.03	8.8	0.93	<0.1	0.08

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 7 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15 Nb	1F15 Rb	1F15 Sn	1F15 Ta	1F15 Zr	1F15 Y	1F15 Ce	1F15 In	1F15 Re	1F15 Be	1F15 Li	1F15 Pd	1F15 Pt
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
		0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	0.1	0.02	1	0.1	0.1	10	2
L2S 0+00	Soil	0.56	4.4	0.3	<0.05	0.4	10.69	21.2	<0.02	<1	0.5	4.5	<10	<2		
L2S 0+25E	Soil	0.72	7.4	0.4	<0.05	0.5	2.61	14.3	<0.02	<1	0.2	3.8	<10	<2		
L2S 0+50E	Soil	1.27	9.6	1.0	<0.05	1.4	7.67	45.5	0.04	<1	0.8	14.6	<10	<2		
L2S 0+75E	Soil	1.22	9.4	0.6	<0.05	1.0	2.42	14.9	<0.02	<1	0.3	9.3	<10	<2		
L2S 1+00E	Soil	1.13	11.8	0.9	<0.05	1.2	3.31	21.1	0.03	<1	0.4	8.3	<10	<2		
L2S 1+25E	Soil	1.31	11.1	0.8	<0.05	2.3	3.76	19.8	0.03	<1	0.5	15.1	<10	<2		
L2S 1+50E	Soil	1.02	11.9	0.8	<0.05	2.8	3.21	18.1	0.03	<1	0.3	14.2	<10	<2		
L2S 1+75E	Soil	0.91	8.5	0.7	<0.05	1.8	4.05	27.3	0.03	<1	0.5	13.5	<10	<2		
L2S 2+00E	Soil	1.17	8.9	0.6	<0.05	2.3	3.98	19.3	0.03	<1	0.4	12.6	<10	<2		
L4N 600W	Soil	0.90	6.5	0.4	<0.05	2.9	3.73	17.2	<0.02	<1	0.3	7.2	<10	<2		
L4N 575W	Soil	0.98	5.9	0.6	<0.05	2.5	6.45	30.0	0.03	<1	0.3	11.7	<10	<2		
L4N 550W	Soil	0.97	7.2	0.6	<0.05	3.5	9.56	39.8	0.03	<1	0.5	12.5	<10	<2		
L4N 525W	Soil	1.13	9.2	0.7	<0.05	3.7	4.60	25.5	0.03	<1	0.4	12.8	<10	<2		
L4N 500W	Soil	0.90	10.4	0.6	<0.05	5.6	6.97	31.8	0.03	<1	0.6	12.6	<10	<2		
L4N 475W	Soil	0.78	11.2	0.7	<0.05	5.3	6.11	27.0	0.02	<1	0.5	12.9	<10	<2		
L4N 450W	Soil	0.20	2.5	<0.1	<0.05	2.7	5.56	5.4	<0.02	<1	0.2	1.2	<10	<2		
L4N 425W	Soil	0.31	1.3	0.2	<0.05	1.0	2.13	8.8	<0.02	<1	0.2	1.3	<10	<2		
L4N 400W	Soil	0.33	1.6	<0.1	<0.05	3.8	23.19	22.9	<0.02	<1	1.0	1.5	<10	<2		
L4N 375W	Soil	1.12	8.9	0.7	<0.05	3.9	7.05	30.3	0.03	<1	0.4	10.6	<10	<2		
L4N 350W	Soil	0.85	11.9	0.8	<0.05	6.0	12.39	50.6	0.03	<1	1.1	11.0	<10	<2		
L4N 325W	Soil	0.31	0.5	<0.1	<0.05	1.1	4.20	19.0	<0.02	<1	0.4	0.8	<10	<2		
L4N 300W	Soil	0.18	1.1	0.1	<0.05	0.4	1.69	7.8	<0.02	<1	<0.1	0.7	<10	<2		
L4N 275W	Soil	1.06	14.7	1.2	<0.05	1.7	5.89	35.6	0.05	<1	0.8	15.2	<10	<2		
L4N 250W	Soil	0.96	16.0	1.1	<0.05	1.6	13.05	47.2	0.04	<1	1.1	11.9	<10	<2		
L4N 225W	Soil	0.72	6.8	0.3	<0.05	0.7	2.14	15.5	<0.02	<1	0.2	2.2	<10	<2		
L4N 200W	Soil	2.06	18.0	0.9	<0.05	1.7	8.60	55.8	0.04	<1	0.7	12.1	<10	<2		
L4N 175W	Soil	1.53	13.0	0.9	<0.05	4.0	11.03	60.3	0.03	<1	0.9	12.3	<10	4		
L4N 150W	Soil	2.84	20.5	1.0	<0.05	3.7	7.36	41.4	0.04	<1	0.6	13.1	<10	<2		
L4N 125W	Soil	1.21	12.5	1.1	<0.05	1.2	7.23	34.2	0.05	<1	0.6	18.9	<10	<2		
L4N 100W	Soil	1.02	14.8	1.1	<0.05	2.5	12.49	49.4	0.04	<1	1.0	15.2	<10	<2		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T6 Canada

Project: None Given

Report Date: January 30, 2009

Page: 8 of 16 Part 1

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	MDL	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
				Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
				ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
L4N 075W	Soil			0.49	11.35	10.18	66.2	89	15.3	10.0	640	2.90	3.8	0.8	8.7	4.2	34.2	0.14	0.17	0.13	47	0.28	0.047
L4N 050W	Soil			0.61	7.34	11.52	64.9	152	8.7	4.8	226	1.98	3.9	0.6	1.2	3.7	16.4	0.12	0.18	0.13	33	0.15	0.030
L4N 025W	Soil			0.89	12.34	11.56	56.3	43	24.6	8.1	258	2.85	5.3	0.5	1.3	2.9	29.0	0.13	0.27	0.16	58	0.35	0.031
L4N 000	Soil			0.90	10.21	10.60	45.0	89	10.4	5.4	259	2.35	4.8	0.6	0.8	1.8	21.8	0.14	0.23	0.18	50	0.25	0.045
L4N 025E	Soil			0.73	10.82	11.85	59.4	65	10.7	5.7	396	2.06	6.0	1.0	1.3	3.3	36.6	0.19	0.17	0.15	32	0.49	0.063
L4N 050E	Soil			0.43	9.72	12.73	57.8	86	11.6	5.7	610	2.01	5.4	0.8	1.8	5.4	34.4	0.23	0.15	0.14	28	0.42	0.055
L4N 075E	Soil			0.74	12.42	8.99	51.7	60	13.6	6.8	321	2.36	3.9	0.8	1.5	1.5	40.4	0.15	0.23	0.17	46	0.51	0.063
L4N 100E	Soil			0.70	12.96	8.09	54.9	39	14.4	11.3	613	3.07	4.8	0.5	1.0	2.2	36.3	0.18	0.19	0.16	64	0.33	0.055
L4N 125E	Soil			0.62	10.42	7.94	55.3	64	7.6	4.3	260	1.83	2.2	0.8	0.8	0.8	40.8	0.14	0.15	0.13	30	0.47	0.110
L4N 150E	Soil			0.58	10.30	12.30	70.0	37	8.7	5.5	481	2.20	2.7	0.8	0.8	2.6	45.1	0.19	0.13	0.12	28	0.49	0.078
L4N 175E	Soil			0.55	11.10	9.98	76.0	56	7.9	5.2	379	1.95	2.4	0.8	1.2	0.8	34.8	0.22	0.12	0.13	32	0.36	0.087
L4N 200E	Soil			0.68	11.85	11.45	75.8	46	7.2	5.7	729	2.22	2.4	0.9	0.7	1.0	29.9	0.18	0.14	0.14	39	0.31	0.099
L35+1000W	Soil			1.02	15.63	14.41	112.0	53	16.0	7.6	605	2.66	6.5	0.8	1.3	2.9	20.4	0.54	0.40	0.16	60	0.19	0.035
L35+975W	Soil			0.91	14.34	12.20	82.8	51	14.8	7.0	447	2.49	5.3	0.6	3.1	1.2	20.5	0.32	0.39	0.14	57	0.18	0.043
L35+950W	Soil			0.88	16.04	17.47	88.1	51	18.0	7.9	364	2.41	5.8	0.8	5.2	4.1	18.2	0.35	0.36	0.13	51	0.18	0.033
L35+925W	Soil			0.76	13.52	17.94	81.6	56	12.5	5.4	272	2.16	6.8	1.7	1.0	4.7	15.7	0.30	0.58	0.12	44	0.16	0.022
L35+900W	Soil			0.97	16.67	18.36	99.9	32	17.1	8.1	640	2.58	6.5	1.0	0.9	4.0	19.5	0.28	0.42	0.17	57	0.18	0.037
L35+875W	Soil			0.85	14.57	17.19	98.2	22	15.8	7.6	675	2.43	6.0	0.8	1.0	2.8	19.6	0.20	0.38	0.15	52	0.16	0.036
L35+850W	Soil			0.81	15.61	13.60	71.3	38	15.0	7.8	483	2.33	5.7	0.8	2.1	3.2	18.7	0.26	0.34	0.15	49	0.17	0.037
L35+825W	Soil			0.94	12.62	16.19	85.2	27	11.5	6.9	624	2.09	4.1	0.7	1.0	1.9	17.3	0.25	0.38	0.13	48	0.15	0.040
L35+800W	Soil			1.00	11.50	17.75	82.6	43	8.3	4.3	448	1.78	3.1	1.0	0.3	1.6	19.2	0.30	0.34	0.10	34	0.18	0.056
L35+775W	Soil			1.10	10.49	13.22	68.1	33	8.8	5.2	588	2.08	4.0	0.7	1.2	2.9	18.2	0.22	0.39	0.15	51	0.16	0.030
L35+750W	Soil			0.68	7.82	17.37	77.6	31	6.8	3.4	447	1.35	2.8	0.8	0.3	2.4	13.2	0.24	0.24	0.06	25	0.12	0.033
L35+725W	Soil			0.75	11.73	16.82	61.5	107	8.6	4.1	238	1.58	4.0	1.1	0.3	3.9	15.1	0.21	0.33	0.10	33	0.14	0.031
L35+700W	Soil			0.72	15.19	12.32	52.6	56	11.4	5.7	244	2.11	5.1	0.8	1.2	3.4	15.4	0.14	0.33	0.12	49	0.14	0.025
L35+675W	Soil			0.61	18.44	10.72	53.3	46	12.6	6.3	279	2.14	4.8	0.7	1.2	3.0	16.2	0.23	0.29	0.11	49	0.15	0.031
L35+650W	Soil			0.46	11.56	14.90	50.8	35	9.6	5.1	322	1.65	4.0	1.1	0.9	5.1	13.1	0.19	0.26	0.12	34	0.13	0.029
L35+625W	Soil			0.66	11.87	15.73	56.7	31	12.2	5.9	301	2.15	4.8	0.8	0.7	3.7	17.4	0.22	0.31	0.13	49	0.15	0.031
L35+600W	Soil			0.88	16.04	17.25	69.7	40	13.8	7.2	399	2.36	5.7	1.0	0.7	5.0	18.7	0.26	0.37	0.15	50	0.17	0.035
L35+575W	Soil			0.86	15.60	17.59	68.4	39	13.2	6.9	375	2.32	5.5	1.0	0.9	5.3	18.1	0.25	0.36	0.15	51	0.17	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client:

WGT Consultants NWT Ltd.

c/o G. MacDonald
488 - 625 Howe Street
Vancouver BC V6C 2T6 Canada

Project:

None Given

Report Date:

January 30, 2009

Page:

8 of 16

Part 2

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Cs	Ge	Hf
MDL			ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
			0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02	
L4N 075W	Soil		23.8	28.0	0.78	340.4	0.020	<1	2.53	0.015	0.20	<0.1	5.1	0.11	<0.02	23	0.3	0.04	9.5	1.49	<0.1	0.04
L4N 050W	Soil		22.7	15.8	0.39	85.8	0.020	1	1.60	0.008	0.16	0.1	1.9	0.08	0.02	21	0.1	<0.02	6.0	0.67	<0.1	0.03
L4N 025W	Soil		12.9	42.1	0.37	161.1	0.033	1	1.72	0.011	0.11	<0.1	3.3	0.09	<0.02	26	0.2	<0.02	6.2	0.73	<0.1	0.05
L4N 000	Soil		17.1	22.9	0.36	140.6	0.034	1	1.53	0.009	0.10	0.1	2.5	0.10	0.02	35	0.2	0.02	6.6	0.64	<0.1	<0.02
L4N 025E	Soil		34.3	18.3	0.38	179.4	0.013	1	1.66	0.012	0.12	0.1	3.5	0.14	<0.02	52	0.2	0.05	6.3	0.63	<0.1	0.04
L4N 050E	Soil		35.1	17.5	0.44	168.8	0.018	<1	1.53	0.012	0.15	0.1	4.2	0.12	<0.02	51	0.1	0.02	6.1	1.10	<0.1	0.07
L4N 075E	Soil		20.7	24.6	0.44	183.1	0.024	<1	1.77	0.012	0.09	0.1	2.8	0.09	0.02	40	0.2	0.02	7.0	0.60	<0.1	<0.02
L4N 100E	Soil		12.9	26.3	0.71	204.4	0.045	2	2.44	0.013	0.14	0.1	3.8	0.09	<0.02	26	0.2	0.04	7.5	0.87	<0.1	0.02
L4N 125E	Soil		25.4	14.0	0.29	132.4	0.011	1	1.43	0.016	0.07	<0.1	2.1	0.09	0.06	63	0.3	<0.02	5.2	0.54	<0.1	<0.02
L4N 150E	Soil		34.4	13.9	0.31	106.9	0.009	<1	1.35	0.017	0.12	0.1	3.4	0.08	0.02	54	0.3	<0.02	5.7	1.00	<0.1	<0.02
L4N 175E	Soil		20.1	14.2	0.34	102.6	0.011	<1	1.55	0.014	0.10	<0.1	1.8	0.11	0.04	31	0.2	<0.02	6.2	0.93	<0.1	<0.02
L4N 200E	Soil		25.6	14.6	0.29	141.6	0.013	<1	1.66	0.015	0.09	<0.1	2.0	0.11	0.04	45	0.2	0.03	6.4	0.94	<0.1	<0.02
L35+1000W	Soil		13.0	28.6	0.52	98.8	0.097	1	1.74	0.012	0.12	0.2	2.8	0.11	0.02	28	0.3	0.04	7.1	1.50	<0.1	0.05
L35+975W	Soil		10.1	27.3	0.48	166.8	0.074	1	1.51	0.011	0.09	0.2	2.3	0.10	0.03	32	0.4	0.03	6.8	1.19	<0.1	<0.02
L35+950W	Soil		13.8	23.2	0.46	153.1	0.071	1	1.89	0.011	0.08	0.2	3.0	0.09	<0.02	27	0.2	0.03	5.7	1.48	<0.1	0.05
L35+925W	Soil		24.4	22.3	0.37	81.1	0.066	1	1.48	0.010	0.10	0.3	2.6	0.09	<0.02	22	0.2	0.03	5.1	1.50	<0.1	0.05
L35+900W	Soil		12.7	25.4	0.45	148.9	0.071	2	1.69	0.013	0.09	0.2	2.6	0.12	0.02	25	0.3	0.04	6.2	1.47	<0.1	0.03
L35+875W	Soil		11.0	22.8	0.42	146.1	0.066	1	1.61	0.012	0.08	0.2	2.3	0.11	0.02	27	0.2	0.05	5.8	1.37	<0.1	<0.02
L35+850W	Soil		13.3	22.7	0.40	129.0	0.063	1	1.58	0.011	0.09	0.2	2.3	0.10	0.02	27	0.3	0.03	5.4	1.25	<0.1	0.03
L35+825W	Soil		10.9	21.5	0.36	123.8	0.061	2	1.21	0.011	0.08	0.3	2.0	0.11	0.03	35	0.3	0.03	5.3	1.37	<0.1	<0.02
L35+800W	Soil		9.1	14.5	0.24	109.1	0.032	1	0.87	0.011	0.06	0.3	1.2	0.08	0.04	42	0.3	0.02	4.2	0.88	<0.1	0.02
L35+775W	Soil		9.2	16.7	0.24	99.5	0.068	1	0.92	0.010	0.06	0.3	1.9	0.11	0.02	48	0.3	0.03	5.4	1.07	<0.1	0.03
L35+750W	Soil		7.8	11.5	0.18	75.6	0.030	<1	0.75	0.009	0.05	0.3	1.1	0.08	0.02	31	0.2	<0.02	3.1	0.69	<0.1	<0.02
L35+725W	Soil		17.4	14.0	0.24	84.8	0.042	<1	0.97	0.010	0.06	0.2	1.6	0.07	0.02	25	0.3	<0.02	4.0	0.81	<0.1	0.03
L35+700W	Soil		12.7	21.4	0.36	96.5	0.073	1	1.38	0.010	0.08	0.2	2.2	0.08	<0.02	11	0.2	0.02	5.2	0.99	<0.1	0.03
L35+675W	Soil		11.1	20.7	0.39	102.6	0.069	1	1.39	0.013	0.08	0.2	2.2	0.07	<0.02	15	0.3	<0.02	4.7	0.99	<0.1	0.03
L35+650W	Soil		17.8	15.3	0.28	105.4	0.047	<1	1.15	0.010	0.06	0.2	1.8	0.07	<0.02	38	0.3	0.03	3.4	0.82	<0.1	0.04
L35+625W	Soil		13.8	21.2	0.39	122.8	0.069	1	1.42	0.014	0.07	0.2	2.4	0.09	<0.02	18	0.2	<0.02	5.4	1.05	<0.1	0.03
L35+600W	Soil		12.0	21.9	0.41	114.0	0.074	<1	1.65	0.013	0.08	0.2	2.6	0.10	<0.02	31	0.3	<0.02	5.7	1.16	<0.1	0.04
L35+575W	Soil		12.4	22.9	0.41	110.8	0.077	1	1.65	0.013	0.08	0.2	2.6	0.10	<0.02	34	0.3	0.05	6.0	1.19	<0.1	0.04

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

ACME ANALYTICAL LABORATORIES LTD.

www.acmelab.com

Client: WGT Consultants NWT Ltd.

c/o G. MacDonald
 488 - 625 Howe Street
 Vancouver BC V6C 2T8 Canada

Project: None Given

Report Date: January 30, 2009

Page: 8 of 16 Part 3

CERTIFICATE OF ANALYSIS

VAN09000103.1

Method	Analyte	Unit	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
			Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
MDL			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
			0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
L4N 075W	Soil		0.57	18.7	1.0	<0.05	1.5	10.39	55.2	0.04	<1	1.1	16.4	<10	<2
L4N 050W	Soil		1.08	12.6	0.8	<0.05	1.0	5.20	45.0	0.04	<1	0.5	10.9	<10	<2
L4N 025W	Soil		1.42	11.1	0.8	<0.05	2.5	3.63	26.3	0.03	<1	0.5	11.9	<10	<2
L4N 000	Soil		1.31	11.2	0.8	<0.05	1.1	4.59	31.3	0.03	<1	0.7	10.8	<10	<2
L4N 025E	Soil		0.88	12.8	1.0	<0.05	1.3	16.34	58.7	0.04	<1	1.2	11.9	<10	<2
L4N 050E	Soil		0.64	15.9	0.7	<0.05	2.3	13.42	79.5	0.04	1	1.1	10.0	<10	<2
L4N 075E	Soil		0.93	11.0	0.9	<0.05	0.7	7.82	41.9	0.04	<1	0.9	13.4	<10	<2
L4N 100E	Soil		1.04	12.9	0.6	<0.05	1.2	4.44	27.7	0.04	<1	0.9	19.4	<10	<2
L4N 125E	Soil		0.69	8.7	0.8	<0.05	0.5	10.20	47.2	0.04	<1	1.1	7.5	<10	<2
L4N 150E	Soil		0.66	12.2	0.9	<0.05	1.0	11.78	57.6	0.05	<1	1.2	10.2	<10	<2
L4N 175E	Soil		0.58	11.7	1.0	<0.05	0.5	5.97	37.3	0.04	<1	0.7	8.7	<10	<2
L4N 200E	Soil		0.53	12.4	1.1	<0.05	0.6	8.64	52.3	0.05	<1	1.2	9.8	<10	<2
L35+1000W	Soil		1.70	21.7	0.8	<0.05	1.9	5.14	31.8	0.04	<1	0.7	15.2	<10	<2
L35+975W	Soil		1.30	15.3	0.7	<0.05	1.0	3.88	25.1	0.03	<1	0.6	14.3	<10	<2
L35+950W	Soil		2.06	14.2	0.8	<0.05	2.4	6.11	37.9	0.04	<1	0.7	15.0	<10	<2
L35+925W	Soil		2.28	14.7	1.0	<0.05	3.0	15.49	45.8	0.04	<1	0.6	11.7	<10	<2
L35+900W	Soil		2.27	15.6	1.0	<0.05	1.6	6.98	44.5	0.04	<1	0.7	16.1	<10	<2
L35+875W	Soil		2.17	14.6	1.0	<0.05	1.1	6.17	39.8	0.04	<1	0.6	14.1	<10	<2
L35+850W	Soil		2.31	13.1	0.9	<0.05	1.4	7.13	31.8	0.03	<1	0.4	13.9	<10	<2
L35+825W	Soil		2.58	15.6	1.4	<0.05	1.0	7.31	30.4	0.04	<1	0.5	13.3	<10	<2
L35+800W	Soil		4.00	11.0	1.2	<0.05	0.9	6.41	32.1	0.04	<1	0.3	6.8	<10	<2
L35+775W	Soil		2.99	14.1	1.0	<0.05	1.7	5.30	19.4	0.03	<1	0.2	7.5	<10	<2
L35+750W	Soil		4.28	7.9	1.3	<0.05	0.8	6.72	30.7	0.05	<1	0.4	6.2	<10	<2
L35+725W	Soil		4.61	8.1	1.2	<0.05	1.2	16.83	37.5	0.03	<1	0.4	8.5	<10	<2
L35+700W	Soil		3.40	11.2	0.8	<0.05	1.6	8.63	26.9	0.02	<1	0.4	11.4	<10	<2
L35+675W	Soil		2.32	9.5	0.6	<0.05	1.3	6.66	26.4	0.02	<1	0.3	10.3	<10	<2
L35+650W	Soil		2.46	7.6	0.7	<0.05	1.9	18.58	43.8	0.02	<1	0.3	7.7	<10	<2
L35+625W	Soil		2.04	11.1	0.7	<0.05	1.7	9.61	34.3	0.02	<1	0.4	11.2	<10	<2
L35+600W	Soil		2.40	12.3	0.8	<0.05	2.1	8.38	38.4	0.03	<1	0.5	12.0	<10	<2
L35+575W	Soil		2.50	12.4	0.8	<0.05	2.5	8.47	40.6	0.03	<1	0.5	12.0	<10	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.