ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 19-SEP-2009
This copy reported on 4-NOV-2009
Account: BUSHMA

CERTIFICATE VA09094833

Project: Revenue
P.O. No.: 9NFR164
This report is for 37 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2009.
The following have access to data associated with this certificate:

WADE BARNES GRAEME HOPKINS	CHARLIE CHEN ROGER HULSTEIN	FABRIZIO COLOMBO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-35	Pulv 250 g Split to 95%<106 um
LOG-26	Pulp Received - 95%pass 106um w. Barcode
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-35d	Pulv 250 g Split to 95%<106 um DUP

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
ATTN: CHARLIE CHEN
900 - 475 HOWE STREET
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 19-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094833

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
X44853		1.28	0.122	2.6	6.77	402	2170	1.4	71	0.13	4.1	4	23	63	1.86	10
X44854		0.86	0.028	0.6	4.90	744	1130	1.2	6	0.22	1.9	11	62	156	2.42	10
X44855		3.16	0.034	<0.5	6.49	513	880	1.6	<2	0.16	1.1	15	41	175	2.95	10
X44856		3.02	0.007	<0.5	7.03	152	960	1.3	<2	0.16	0.5	17	43	47	2.69	10
X44857		2.16	<0.005	0.5	7.18	59	1850	1.6	<2	0.10	<0.5	6	9	21	1.30	20
X44858		2.50	0.006	<0.5	7.42	62	1630	1.4	<2	0.25	<0.5	8	27	32	2.30	20
X44859		1.90	0.008	<0.5	7.10	88	1040	1.7	<2	0.40	<0.5	14	51	43	3.98	20
X44860		5.08	0.009	<0.5	7.38	88	850	2.3	<2	0.47	<0.5	16	49	16	4.48	20
X44861		2.56	<0.005	<0.5	7.34	81	880	1.6	<2	0.36	<0.5	11	53	12	3.21	20
X44862		4.38	<0.005	<0.5	6.08	228	1010	1.3	<2	0.21	<0.5	19	48	102	4.28	20
X44863		4.56	0.009	<0.5	7.05	66	1360	1.4	<2	0.30	<0.5	12	51	70	3.67	20
X44864		1.08	0.012	<0.5	6.64	1790	750	1.8	<2	0.77	<0.5	17	30	59	4.41	10
X44865		4.66	0.006	<0.5	7.86	131	1390	1.9	<2	0.96	<0.5	9	44	31	2.89	20
X44866		4.04	<0.005	<0.5	7.13	190	800	1.7	<2	2.11	<0.5	4	33	12	2.13	10
X44867		4.22	<0.005	<0.5	6.99	276	930	2.2	<2	1.46	<0.5	9	46	18	2.93	20
X44868		5.06	0.006	<0.5	7.67	152	820	2.2	<2	1.45	<0.5	12	57	15	3.28	20
X44869		4.32	0.017	<0.5	7.27	221	1280	2.1	<2	1.47	<0.5	9	53	38	2.95	20
X44870		2.80	0.005	<0.5	5.15	17	1100	1.3	<2	4.00	<0.5	17	192	86	5.10	10
X44871		5.48	0.017	<0.5	6.35	81	780	1.5	<2	1.76	<0.5	11	124	34	3.73	10
X44872		5.68	0.006	0.7	6.82	81	640	1.6	<2	1.04	<0.5	16	54	16	3.35	10
X44873		<0.02	0.008	<0.5	6.95	55	660	1.6	<2	1.00	<0.5	12	55	16	3.41	20
X44874		1.96	<0.005	<0.5	6.91	9	480	5.8	<2	0.37	<0.5	2	9	20	1.51	20
X44875		5.06	0.006	<0.5	7.72	26	680	2.0	<2	1.05	<0.5	12	58	15	3.15	20
X44876		2.92	<0.005	<0.5	8.25	31	990	2.3	<2	0.63	<0.5	14	54	12	3.45	20
X44877		5.22	0.010	<0.5	6.97	51	590	1.8	<2	0.46	<0.5	10	53	11	3.26	20
X44878		7.48	0.007	<0.5	7.48	60	760	1.7	<2	0.42	<0.5	14	53	15	3.55	20
X44879		4.32	0.017	<0.5	6.94	488	830	1.6	<2	0.27	<0.5	13	53	16	3.33	20
X44880		5.04	0.006	<0.5	7.03	53	2260	2.3	<2	0.83	<0.5	12	66	41	3.19	20
X44881		<0.02	0.005	<0.5	6.95	45	2250	2.3	<2	0.81	<0.5	11	64	34	3.14	20
X44882		0.14	0.844	11.0	7.78	83	800	1.1	2	2.91	5.1	23	122	1450	6.26	20
X44883		4.68	0.013	<0.5	6.42	46	1640	2.0	<2	1.09	<0.5	7	69	29	4.24	20
X44884		5.94	0.014	<0.5	6.71	60	1820	1.8	3	3.16	<0.5	12	148	79	4.39	20
X44885		3.90	0.158	0.6	5.22	2420	1980	1.8	12	1.43	0.5	28	145	53	5.10	20
X44886		1.36	0.019	<0.5	6.48	91	1310	1.7	3	0.42	<0.5	5	48	88	4.10	20
X44887		4.36	0.008	<0.5	7.84	23	880	2.6	<2	1.89	<0.5	4	59	18	3.88	20
X44888		4.22	0.094	<0.5	7.04	137	960	2.0	3	0.80	<0.5	4	58	61	4.76	20
X44889		6.08	0.014	<0.5	7.63	116	1040	1.8	4	0.65	<0.5	5	55	30	4.44	20

Comments: **CORRECTED RESULTS FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44882 AND X44883**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 19-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094833

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
X44853		3.42	10	0.28	150	4	0.12	13	240	2030	0.70	50	5	195	<20	0.10
X44854		2.21	20	0.56	126	7	0.07	38	840	143	0.92	55	8	60	<20	0.24
X44855		2.84	20	0.48	150	7	0.09	29	410	14	1.38	39	8	81	<20	0.25
X44856		2.93	40	0.32	216	<1	0.09	22	440	41	0.83	19	10	114	<20	0.31
X44857		4.03	40	0.23	112	4	0.15	4	240	17	0.30	26	4	324	<20	0.11
X44858		3.98	20	0.62	189	1	0.46	12	380	35	0.50	7	8	389	<20	0.23
X44859		3.18	30	0.92	335	<1	0.59	26	430	14	0.71	11	11	163	<20	0.35
X44860		2.83	40	0.88	626	<1	0.85	23	370	23	0.15	<5	11	168	<20	0.34
X44861		2.97	40	0.92	303	<1	0.39	23	460	14	0.19	6	12	79	<20	0.38
X44862		2.45	30	0.55	224	<1	0.08	26	450	20	1.66	30	8	69	<20	0.29
X44863		2.91	40	0.72	208	<1	0.09	24	560	13	1.14	11	10	74	<20	0.32
X44864		2.68	30	0.76	223	14	0.08	26	270	12	2.44	93	8	68	<20	0.22
X44865		3.59	30	0.71	246	<1	0.77	21	400	12	0.54	10	10	156	<20	0.30
X44866		2.72	20	0.67	177	<1	1.31	14	260	9	0.16	<5	8	170	<20	0.24
X44867		2.62	30	0.83	228	1	1.28	20	440	15	0.22	5	10	203	<20	0.32
X44868		2.66	40	0.94	378	<1	1.32	26	410	15	0.16	<5	12	170	<20	0.39
X44869		3.26	30	0.84	238	<1	1.61	24	420	11	0.56	7	10	195	<20	0.29
X44870		1.83	30	2.31	652	9	1.30	149	420	11	1.06	<5	11	210	<20	0.29
X44871		2.15	30	1.48	456	9	0.44	74	390	12	0.39	6	12	105	<20	0.33
X44872		2.45	40	0.87	399	<1	0.72	27	330	12	0.21	<5	11	113	<20	0.35
X44873		2.53	40	0.89	400	<1	0.71	25	330	15	0.19	<5	12	111	20	0.36
X44874		4.65	30	0.20	203	3	2.70	2	230	14	<0.01	<5	3	139	40	0.21
X44875		2.94	40	0.85	251	<1	1.11	23	410	13	0.23	<5	12	154	<20	0.38
X44876		3.77	50	0.96	225	<1	1.09	24	520	16	0.16	<5	13	200	<20	0.38
X44877		2.80	40	0.86	334	4	1.09	27	330	10	0.14	6	11	141	<20	0.35
X44878		2.97	40	0.85	433	<1	0.85	27	380	15	0.15	<5	12	123	<20	0.36
X44879		2.46	40	0.67	437	<1	0.09	21	560	11	0.21	15	12	52	<20	0.35
X44880		3.31	30	0.86	309	5	0.88	52	480	12	0.60	10	11	131	<20	0.30
X44881		3.32	30	0.85	306	5	0.88	45	490	10	0.60	7	11	130	20	0.30
X44882		1.61	20	1.88	933	64	1.98	200	730	268	1.19	17	20	289	<20	0.45
X44883		2.71	40	1.14	413	6	1.06	37	530	3	0.57	<5	10	137	20	0.31
X44884		2.74	40	1.76	391	7	1.13	103	670	7	1.09	<5	13	218	20	0.36
X44885		2.61	30	1.87	418	8	0.36	95	2580	39	0.74	7	12	112	<20	0.38
X44886		4.52	40	0.83	185	1	1.11	28	400	4	1.34	6	10	147	20	0.31
X44887		3.48	50	1.04	251	1	1.62	27	910	7	0.33	<5	12	250	20	0.50
X44888		3.79	50	0.94	261	16	0.63	28	850	6	1.22	8	12	138	20	0.50
X44889		3.96	50	1.16	284	4	0.86	21	800	6	0.65	8	14	161	20	0.43

Comments: **CORRECTED RESULTS FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44882 AND X44883**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 19-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094833

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
X44853		<10	10	52	<10	943
X44854		<10	10	136	10	88
X44855		<10	<10	54	10	41
X44856		<10	<10	52	20	34
X44857		<10	<10	23	<10	38
X44858		<10	10	53	20	35
X44859		<10	<10	65	<10	39
X44860		<10	<10	60	<10	53
X44861		<10	<10	61	10	31
X44862		<10	<10	56	20	27
X44863		<10	<10	75	20	29
X44864		10	<10	40	10	22
X44865		<10	<10	58	10	22
X44866		<10	<10	41	10	22
X44867		<10	<10	54	<10	22
X44868		<10	<10	66	<10	21
X44869		<10	<10	55	<10	25
X44870		10	<10	92	<10	70
X44871		<10	<10	70	10	32
X44872		<10	<10	61	<10	21
X44873		<10	<10	62	<10	20
X44874		<10	10	21	<10	25
X44875		<10	<10	65	<10	20
X44876		<10	<10	67	10	21
X44877		<10	<10	62	<10	25
X44878		<10	<10	61	20	37
X44879		<10	<10	66	70	31
X44880		<10	<10	81	60	100
X44881		<10	<10	78	60	79
X44882		<10	10	158	30	769
X44883		<10	<10	77	<10	45
X44884		<10	<10	136	<10	68
X44885		<10	<10	164	<10	87
X44886		<10	<10	60	<10	18
X44887		<10	<10	80	<10	24
X44888		<10	<10	75	30	19
X44889		10	<10	87	20	25

Comments: **CORRECTED RESULTS FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44882 AND X44883**