ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 21-SEP-2009
Account: BUSHMA

CERTIFICATE VA09094839

Project: Revenue
P.O. No.: 9NFR172
This report is for 37 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2009.
The following have access to data associated with this certificate:

WADE BARNES GRAEME HOPKINS	CHARLIE CHEN ROGER HULSTEIN	FABRIZIO COLOMBO

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-35	Pulv 250 g Split to 95%<106 um
LOG-26	Pulp Received - 95%pass 106um w. Barcode
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-35d	Pulv 250 g Split to 95%<106 um DUP

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
ATTN: CHARLIE CHEN
900 - 475 HOWE STREET
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 21-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094839

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
X45884		5.98	0.314		1.6	6.94	312	1520	1.9	<2	0.28	<0.5	11	29	403	2.91
X45885		1.12	0.247		0.9	6.59	319	1160	2.4	4	0.88	<0.5	12	102	371	5.80
X45886		4.20	0.210		1.1	6.95	38	2280	2.4	<2	0.38	<0.5	4	15	113	2.07
X45887		5.00	0.385		2.0	6.19	61	800	1.6	<2	0.95	<0.5	6	47	687	2.71
X45888		6.10	0.083		<0.5	6.14	32	790	1.7	<2	1.09	<0.5	6	56	115	2.79
X45889		2.90	0.162		0.5	7.13	25	650	2.4	<2	1.58	<0.5	8	60	156	3.93
X45890		5.88	0.078		<0.5	5.48	94	700	1.3	<2	0.19	<0.5	7	40	62	2.45
X45891		4.02	0.062		<0.5	6.96	703	840	1.6	<2	0.32	<0.5	14	51	183	4.99
X45892		<0.02	0.102		0.5	7.25	714	890	1.7	<2	0.34	<0.5	14	53	181	5.07
X45893		1.02	0.055		1.0	7.05	58	1730	1.2	<2	0.13	<0.5	9	10	179	2.78
X45894		3.34	0.122		<0.5	7.81	20	760	2.0	<2	0.39	<0.5	10	67	216	4.04
X45895		3.54	0.221		0.6	6.73	20	1080	1.9	<2	0.89	<0.5	12	55	276	4.19
X45896		6.06	0.745		1.5	5.39	110	850	1.3	4	0.66	<0.5	7	36	330	2.42
X45897		4.34	0.142		1.9	4.97	37	900	1.3	2	0.39	<0.5	12	27	526	3.87
X45898		5.24	0.461		1.9	6.32	18	950	1.7	112	0.24	<0.5	9	35	540	3.23
X45899		3.32	0.422		1.7	5.04	39	630	1.4	7	0.16	<0.5	9	25	469	2.82
X45900		4.56	0.125		0.7	5.68	35	840	1.5	2	0.34	<0.5	11	36	386	3.97
X45901		4.10	0.037		0.5	7.07	37	1840	1.5	<2	0.11	<0.5	2	4	63	1.21
X45902		0.14	>10.0	19.10	3.9	2.85	>10000	220	0.6	6	1.94	1.4	15	71	117	3.71
X45903		6.60	0.115		0.7	6.31	45	670	1.9	<2	1.42	<0.5	9	50	329	3.60
X45904		5.54	0.118		1.0	6.50	14	900	1.7	6	0.50	<0.5	5	36	252	2.10
X45905		4.74	0.135		0.9	6.09	18	640	1.4	4	0.21	<0.5	6	36	345	2.14
X45906		3.64	0.068		1.3	6.06	12	1000	1.3	<2	0.20	<0.5	4	10	411	1.39
X45907		1.42	0.041		1.9	5.09	194	650	1.3	<2	0.35	<0.5	5	26	506	1.85
X45908		3.22	0.049		0.5	6.46	22	690	1.4	33	0.23	<0.5	7	52	147	2.26
X45909		1.92	0.077		0.5	6.31	13	1830	1.3	<2	0.33	<0.5	5	14	267	1.34
X45910		7.06	0.064		<0.5	6.73	13	930	1.7	<2	0.80	<0.5	8	49	117	2.52
X45911		<0.02	0.049		<0.5	6.56	13	900	1.6	<2	0.79	<0.5	7	49	117	2.48
X45912		5.48	0.025		<0.5	6.29	14	570	1.6	7	1.48	<0.5	8	51	95	2.85
X45913		3.78	0.028		0.7	7.05	57	1320	2.3	<2	0.72	<0.5	11	64	300	3.81
X45914		1.14	0.017		<0.5	6.71	102	540	2.1	<2	1.28	<0.5	12	54	325	4.16
X45915		5.94	0.049		2.1	5.45	94	570	1.6	4	0.68	<0.5	13	42	500	3.55
X45916		1.50	<0.005		<0.5	6.66	23	470	5.5	2	0.37	<0.5	3	9	25	1.51
X45917		5.58	0.053		1.0	5.91	46	740	1.6	2	0.56	<0.5	10	51	418	3.02
X45918		3.30	0.026		0.6	6.73	20	1230	1.5	4	0.28	<0.5	13	22	330	3.23
X45919		6.34	0.269		1.4	7.16	18	870	1.5	9	0.25	<0.5	13	55	420	4.01
X45920		8.26	0.538		1.1	6.83	81	730	1.6	5	0.16	<0.5	13	48	470	3.19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 21-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094839

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
X45884		20	3.85	10	0.33	146	<1	2.15	9	250	9	1.39	31	4	660	<20
X45885		20	3.52	30	1.49	299	<1	1.74	26	1520	5	1.92	29	18	439	<20
X45886		20	4.07	10	0.25	113	<1	2.34	3	220	9	0.89	39	2	925	<20
X45887		10	2.74	30	0.66	152	<1	1.19	17	290	4	0.80	7	8	226	<20
X45888		20	2.64	30	0.73	169	<1	1.38	20	230	8	0.61	<5	8	238	<20
X45889		20	2.59	40	1.01	217	<1	1.17	26	360	11	0.87	<5	11	233	20
X45890		10	2.44	30	0.31	277	1	0.08	17	270	5	0.43	27	7	92	<20
X45891		20	3.15	30	0.35	447	1	0.11	25	460	10	1.64	63	9	167	<20
X45892		20	3.27	40	0.36	468	1	0.11	26	480	13	1.61	64	10	182	<20
X45893		20	4.60	10	0.11	286	<1	0.22	11	160	18	1.09	12	3	566	<20
X45894		20	3.35	50	0.86	187	1	0.46	35	860	5	1.37	9	11	124	20
X45895		20	3.16	40	0.80	150	<1	1.25	29	850	11	1.50	<5	9	372	<20
X45896		10	2.91	30	0.56	116	<1	1.26	11	380	10	0.71	<5	6	279	<20
X45897		10	2.76	20	0.50	121	<1	1.31	11	110	5	2.01	7	3	275	<20
X45898		20	3.42	20	0.46	116	<1	1.20	15	190	10	1.50	8	6	213	<20
X45899		10	2.71	20	0.33	125	<1	0.10	11	180	6	1.37	26	4	82	<20
X45900		20	2.44	30	0.60	178	<1	0.10	15	490	9	1.60	22	8	125	<20
X45901		20	3.59	<10	0.15	82	<1	0.16	<1	40	13	0.38	13	2	209	<20
X45902		10	0.88	10	0.60	540	31	0.57	47	220	1210	0.86	5	8	74	<20
X45903		20	2.45	30	0.81	182	1	1.19	21	370	12	1.02	8	7	223	<20
X45904		10	3.07	30	0.58	137	1	1.01	13	270	11	0.42	<5	6	167	<20
X45905		20	3.18	30	0.51	133	<1	0.13	16	220	7	0.51	7	7	60	20
X45906		10	4.00	20	0.16	84	1	0.15	1	60	16	0.63	12	2	122	20
X45907		10	2.57	20	0.34	116	3	0.09	12	170	7	0.72	30	4	75	<20
X45908		20	3.00	30	0.72	115	<1	0.34	20	550	3	0.53	6	8	71	<20
X45909		10	3.50	10	0.30	66	<1	1.67	8	50	14	0.49	6	2	334	<20
X45910		20	2.91	30	0.83	140	<1	1.30	20	350	8	0.42	<5	8	231	<20
X45911		20	2.83	30	0.81	138	<1	1.27	17	350	9	0.41	<5	8	224	<20
X45912		20	2.23	30	0.76	160	<1	1.30	21	300	9	0.62	<5	8	243	<20
X45913		20	3.11	20	1.19	150	<1	1.23	24	690	9	1.31	9	11	396	<20
X45914		20	2.20	50	1.06	149	<1	0.38	23	400	10	1.42	15	9	120	<20
X45915		10	2.21	30	0.75	120	<1	1.05	19	250	6	1.61	10	7	138	<20
X45916		20	4.51	30	0.19	202	1	2.61	1	220	15	0.02	<5	3	138	40
X45917		20	2.55	30	0.86	126	<1	1.10	21	400	5	1.01	9	9	149	<20
X45918		20	2.93	20	0.60	119	<1	2.01	8	520	5	1.36	9	6	231	<20
X45919		20	2.89	30	1.03	164	<1	0.78	22	570	5	1.45	7	11	76	<20
X45920		20	3.05	30	0.53	178	3	0.08	25	450	3	1.25	13	9	34	<20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 21-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094839

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
X45884		0.06	<10	<10	28	<10	16
X45885		0.23	<10	<10	124	<10	33
X45886		0.07	<10	<10	24	<10	11
X45887		0.21	<10	<10	51	<10	23
X45888		0.25	<10	<10	52	<10	16
X45889		0.32	<10	<10	69	<10	22
X45890		0.23	<10	<10	47	10	20
X45891		0.27	<10	<10	67	10	33
X45892		0.28	10	<10	68	10	34
X45893		0.07	<10	<10	19	<10	17
X45894		0.37	<10	<10	77	30	17
X45895		0.33	<10	<10	60	<10	16
X45896		0.16	<10	<10	36	<10	17
X45897		0.09	<10	<10	23	<10	15
X45898		0.14	<10	<10	35	10	17
X45899		0.10	<10	<10	29	10	14
X45900		0.20	<10	<10	47	60	15
X45901		0.03	<10	<10	4	<10	9
X45902		0.08	<10	<10	65	<10	261
X45903		0.23	<10	<10	49	20	20
X45904		0.18	<10	<10	37	10	15
X45905		0.16	<10	<10	39	10	14
X45906		0.04	<10	<10	10	<10	9
X45907		0.12	<10	<10	28	10	14
X45908		0.23	<10	<10	53	20	12
X45909		0.05	<10	<10	14	<10	9
X45910		0.25	<10	<10	51	<10	16
X45911		0.25	<10	<10	50	<10	16
X45912		0.28	<10	<10	55	<10	16
X45913		0.25	<10	<10	80	20	19
X45914		0.30	<10	<10	66	20	13
X45915		0.21	<10	<10	49	<10	14
X45916		0.21	<10	<10	20	<10	24
X45917		0.25	<10	<10	54	<10	17
X45918		0.12	<10	<10	44	<10	9
X45919		0.26	<10	<10	69	<10	18
X45920		0.17	<10	<10	53	10	22