ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 24-SEP-2009
This copy reported on 26-NOV-2009
Account: BUSHMA

CERTIFICATE VA09094834

Project: Revenue
P.O. No.: 9NFR163
This report is for 37 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2009.
The following have access to data associated with this certificate:

WADE BARNES	CHARLIE CHEN	FABRIZIO COLOMBO
GRAEME HOPKINS	ROGER HULSTEIN	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-35	Pulv 250 g Split to 95%<106 um
LOG-26	Pulp Received - 95%pass 106um w. Barcode
LOG-22d	Sample login - Rcd w/o BarCode dup

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
ATTN: CHARLIE CHEN
900 - 475 HOWE STREET
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 24-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094834

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
X44816		3.18	0.010		0.5	8.06	67	1060	1.9	4	0.05	<0.5	<1	7	115	4.71
X44817		2.08	0.015		<0.5	9.15	110	160	3.2	9	0.07	<0.5	<1	11	169	6.66
X44818		4.82	0.035		<0.5	9.51	53	390	2.7	5	0.12	<0.5	1	17	123	5.22
X44819		4.34	0.015		<0.5	8.48	31	1060	1.7	2	1.79	0.6	15	126	105	6.36
X44820		4.88	0.007		0.6	8.80	7	900	1.9	<2	3.66	<0.5	16	60	35	7.55
X44821		3.70	0.069		<0.5	7.05	19	770	2.0	6	1.85	<0.5	18	77	130	9.00
X44822		4.68	0.023		<0.5	6.80	148	1200	1.8	4	1.92	<0.5	13	41	82	7.03
X44823		3.94	0.260		1.4	6.50	175	910	2.0	83	0.71	<0.5	8	56	110	6.23
X44824		1.52	0.014		1.9	5.03	34	250	1.3	42	0.21	1.6	35	57	671	17.80
X44825		1.44	0.014		5.0	8.53	34	1150	3.6	<2	2.81	2.5	20	84	672	4.36
X44826		4.62	0.024		<0.5	6.67	22	380	2.2	9	1.32	<0.5	13	68	233	10.60
X44827		4.44	0.043		<0.5	7.51	14	490	2.0	<2	2.18	<0.5	7	116	102	7.62
X44828		6.44	0.028		2.0	7.35	1380	820	1.5	2	0.98	<0.5	6	11	88	4.05
X44829		2.22	<0.005		<0.5	7.49	17	520	6.4	<2	0.43	<0.5	1	7	26	1.73
X44830		5.76	0.288		0.7	7.09	9560	900	1.5	9	0.99	1.2	4	11	108	4.15
X44831		<0.02	0.135		0.8	6.51	6040	790	1.3	2	0.98	0.8	5	17	106	3.84
X44832		6.62	<0.005		<0.5	6.14	58	1530	1.3	<2	1.93	<0.5	9	61	48	4.53
X44833		0.14	1.035	1.06	3.5	6.88	56	1420	1.2	6	0.82	2.6	13	97	3100	4.07
X44834		5.26	0.026		<0.5	5.25	114	2000	1.2	<2	0.71	<0.5	9	73	62	3.38
X44835		1.88	<0.005		0.5	7.55	35	2830	1.3	<2	0.10	<0.5	2	10	7	0.70
X44836		4.54	0.089		<0.5	4.58	872	1060	1.6	4	0.12	0.9	11	56	278	2.17
X44837		1.10	0.166		<0.5	7.54	65	2370	1.5	3	0.05	0.6	2	11	82	0.62
X44838		5.98	0.165		<0.5	4.75	280	1820	1.1	21	0.10	2.3	12	46	139	1.80
X44839		2.22	0.275		<0.5	4.89	319	1030	1.1	5	0.10	1.7	12	42	91	2.34
X44840		3.64	0.581		<0.5	4.99	1170	300	1.2	3	0.13	1.3	11	42	62	2.22
X44841		3.22	0.428		<0.5	4.35	409	790	1.1	3	0.10	1.4	8	39	84	1.99
X44842		5.84	3.74	3.15	0.6	5.78	1090	740	1.2	11	0.08	1.1	5	29	37	1.11
X44843		4.54	1.150	1.23	0.6	5.51	382	2350	1.1	421	0.18	1.0	16	54	69	2.65
X44844		5.40	0.148		<0.5	5.05	512	1870	1.3	14	1.02	<0.5	32	104	26	3.87
X44845		5.22	0.018		<0.5	5.25	23	2370	1.2	2	1.85	<0.5	16	106	50	4.83
X44846		5.44	0.579		<0.5	5.32	>10000	550	1.3	6	0.29	<0.5	31	71	86	4.96
X44847		4.34	0.007		0.5	7.18	140	1290	1.5	<2	0.26	0.5	3	4	12	1.34
X44848		4.22	0.126		<0.5	7.25	69	930	1.6	<2	0.20	5.1	2	3	16	1.17
X44849		5.46	0.007		<0.5	7.17	60	1210	1.4	<2	0.22	<0.5	1	3	9	1.14
X44850		4.58	0.122		<0.5	4.55	133	1420	1.0	2	0.39	0.5	13	109	75	4.37
X44851		3.56	1.605	1.47	<0.5	5.06	164	1010	1.2	11	0.26	0.5	11	99	78	4.58
X44852		4.74	0.065		0.5	5.84	570	940	1.3	28	0.28	<0.5	15	90	116	4.51

Comments: **CORRECTED COPY FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44832 AND X44835**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 24-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094834

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
X44816		20	2.09	20	0.12	22	1	0.07	<1	360	2	0.27	19	10	62	<20
X44817		30	0.53	10	0.44	62	<1	0.03	1	680	7	0.24	12	16	16	<20
X44818		20	0.83	50	0.51	84	1	0.12	<1	760	6	0.32	12	18	36	20
X44819		20	2.50	20	2.19	593	1	1.99	47	830	6	0.94	<5	28	208	<20
X44820		20	2.86	20	2.94	1120	1	2.38	28	490	4	0.67	<5	32	216	<20
X44821		20	2.84	20	2.11	991	2	1.98	40	520	4	2.89	9	23	145	<20
X44822		20	3.55	20	1.88	734	4	1.30	26	920	3	1.32	<5	20	162	<20
X44823		20	2.96	20	1.52	395	7	1.52	16	590	55	1.72	<5	15	170	<20
X44824		20	1.30	10	2.93	945	5	0.19	37	410	64	7.94	5	14	38	<20
X44825		20	3.42	40	1.48	617	17	2.17	721	1150	1110	0.35	<5	14	341	30
X44826		20	2.15	20	2.59	775	2	1.58	42	860	13	3.53	5	22	164	<20
X44827		20	1.74	20	2.65	729	1	1.63	33	550	2	1.70	<5	27	207	<20
X44828		20	2.46	10	0.88	320	2	1.43	1	250	2	1.28	<5	17	102	<20
X44829		20	5.00	40	0.23	238	3	2.93	<1	240	13	0.01	<5	3	156	50
X44830		20	2.19	10	0.70	243	1	1.81	1	330	4	1.64	27	13	145	<20
X44831		20	2.06	10	0.70	238	<1	1.60	2	360	4	1.36	17	12	140	<20
X44832		10	2.05	10	1.55	499	1	1.49	31	390	9	0.57	<5	17	230	<20
X44833		10	3.77	40	0.69	294	235	0.57	14	620	121	1.52	32	9	162	<20
X44834		10	2.11	10	1.11	298	4	0.57	44	530	8	0.60	9	13	109	<20
X44835		20	4.11	10	0.26	69	1	0.18	6	160	18	0.04	9	3	270	<20
X44836		10	1.66	20	0.47	107	7	0.04	48	480	6	1.21	56	10	34	<20
X44837		20	4.49	10	0.24	41	8	0.13	13	150	16	0.12	9	4	199	<20
X44838		10	2.16	20	0.57	102	4	0.05	44	430	6	0.63	12	9	62	<20
X44839		10	2.15	10	0.83	129	3	0.05	35	440	4	0.87	14	10	46	<20
X44840		10	2.24	20	0.64	83	2	0.06	31	530	4	1.32	15	10	41	<20
X44841		10	1.99	20	0.55	104	3	0.05	29	380	4	0.86	10	9	30	<20
X44842		10	2.83	10	0.36	71	3	0.06	15	270	7	0.33	16	5	29	<20
X44843		20	2.49	20	0.64	215	4	0.10	33	520	35	0.72	18	9	101	<20
X44844		10	1.82	20	1.43	440	2	0.85	43	690	9	0.27	<5	14	151	<20
X44845		20	2.39	20	1.74	529	4	0.80	63	1220	6	0.63	5	15	202	<20
X44846		20	2.45	20	1.12	302	18	0.27	40	930	14	1.67	18	10	81	<20
X44847		10	2.58	30	0.22	244	<1	2.35	1	320	8	0.17	5	2	139	20
X44848		10	2.71	30	0.22	161	<1	1.71	<1	290	4	0.26	<5	2	79	<20
X44849		10	2.55	30	0.26	138	2	2.09	1	330	5	0.23	6	2	107	20
X44850		20	1.89	20	1.33	364	6	0.07	54	1530	8	0.86	13	12	55	<20
X44851		20	2.47	40	1.05	343	5	0.07	42	900	8	1.16	20	10	57	<20
X44852		20	2.33	20	0.77	303	4	0.08	58	790	10	1.53	37	12	55	<20

Comments: **CORRECTED COPY FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44832 AND X44835**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **BUSHMASTER EXPLORATION SERVICES (2007) LTD.**
PO BOX 31293
WHITEHORSE YT Y1A 5P7

Finalized Date: 24-SEP-2009
Account: BUSHMA

Project: Revenue

CERTIFICATE OF ANALYSIS VA09094834

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
X44816		0.20	<10	<10	30	10	17
X44817		0.39	<10	<10	96	50	64
X44818		0.43	<10	<10	113	140	65
X44819		0.49	<10	10	193	40	59
X44820		0.62	<10	10	229	<10	83
X44821		0.42	<10	10	152	<10	69
X44822		0.56	<10	<10	192	<10	62
X44823		0.35	<10	<10	105	<10	46
X44824		0.24	<10	<10	128	<10	147
X44825		0.55	<10	10	122	10	849
X44826		0.61	<10	<10	154	10	72
X44827		0.41	10	<10	171	<10	57
X44828		0.21	<10	10	46	<10	28
X44829		0.23	<10	20	23	<10	26
X44830		0.18	<10	10	29	<10	88
X44831		0.17	<10	<10	31	<10	75
X44832		0.26	<10	10	126	<10	39
X44833		0.16	<10	<10	81	20	165
X44834		0.28	<10	<10	133	<10	40
X44835		0.09	<10	<10	25	<10	22
X44836		0.22	10	<10	116	10	25
X44837		0.05	<10	<10	34	<10	13
X44838		0.20	<10	<10	110	10	24
X44839		0.22	<10	<10	120	20	26
X44840		0.22	<10	<10	101	20	19
X44841		0.19	<10	<10	97	20	22
X44842		0.11	<10	<10	59	<10	27
X44843		0.20	<10	<10	109	20	68
X44844		0.32	<10	<10	143	10	56
X44845		0.52	<10	<10	177	<10	77
X44846		0.40	<10	<10	125	10	45
X44847		0.06	<10	10	8	<10	71
X44848		0.05	<10	<10	7	<10	436
X44849		0.05	<10	<10	6	<10	28
X44850		0.36	<10	<10	191	10	60
X44851		0.36	<10	<10	138	10	45
X44852		0.37	<10	<10	114	10	42

Comments: **CORRECTED COPY FOR Au-AA23 AND ME-ICP61 ON SAMPLES X44832 AND X44835**