

GEOCHEMICAL / GEOLOGICAL REPORT

GOLD CAP 1 - 56 CLAIMS	YC94345 - YC94400
POLAR 1 - 28 CLAIMS	YC86922 - YC86949
POLAR 29 - 56 CLAIMS	YC87251 - YC87278
TIM 1 - 8 CLAIMS	YC21932 - YC21939
SIM 13 - 20 CLAIMS	YC23744 - YC23751
STEWARD 1 - 16 CLAIMS	YC23698 - YC23713
STEWARD 18 - 32 CLAIMS	YC23715 - YC23729
STEWART 33 - 60 CLAIMS	YC35204 - YC35231
STEWART 65 - 82 CLAIMS	YC35236 - YC35253

NTS # 115 O \ 3

LAT: 63° 13' N

LONG: 139° 23' W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED MAY 30, 2008

DATE OF REPORT DECEMBER 02, 2008

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
LOCATION MAP	p.4
5.0 REGIONAL AND PROPERTY GEOLOGY	P.5
5.1 REGIONAL GEOLOGY	p.5
5.2 PROPERTY GEOLOGY	P.5
GEOLOGY DESCRIPTION	p.6
6.0 WORK PROGRAM / METHODS	P.7
6.1 SOIL WORK	P.7
7.0 INTERPRETATION	P.8
7.1 SOIL WORK	P.8
8.0 RECOMMENDATION	P.8
9.0 REFERENCES CITED	P.8
10.0 COST	P.9
11.0 QUALIFICATION	P.9
Chris Ash CHAPTER 2 GEOLOGY Excerpts	P.1-12
Gold Soil Map	Figure 1
Arsenic Soil Map	Figure 2
Nickel Soil Map	Figure 3
Antimony Soil Map	Figure 4
Gold Compilation Soil Map	Figure 5
Arsenic Compilation Soil Map	Figure 6
Assay Data + GPS data	Appendix

SUMMARY

A soil survey was undertaken between August 15 and September 15, 2009 by Ryanwood Exploration. A total of 1516 soils were collected in two areas. The western grid produce the best results with two gold clusters values reached up to 292 ppb Au, arsenic values reached up to 413 ppm, antimony

1.0 INTRODUCTION

The Gold Cap, Polar, Tim will be renewed for 4.5 years, the Sim, Steward will be renewed for 3.75 years, and the Stewart will be renewed for 4.25 years.

2.0 LOCATIONS AND ACCESS


The Polar - Gold Cap Project is located on NTS 115 O / 3 in the Dawson Mining District. The Property lies 90 kilometer south of Dawson City, Yukon. Access is via helicopter from Dawson City, Yukon. The 2009 soil survey was undertaken from a base camp located on Thistle Creek.

3.0 PROPERTY DESCRIPTION

The Property consists of 205 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 4,149 hectares or 10,250 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 1500 feet and 3400 feet. The entire property is covered with boreal forest vegetation such as white spruce and poplar on well-drained soil and black spruce on poorly drained frozen north facing slope.




5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

The Yukon-Tanana terrane in the Stewart River area consists of twice-transposed, amphibolite-facies gneiss and schist of mostly of (?) Paleozoic age. Quartz-rich metaclastic rocks (quartzite, quartz-mica schist, psammite, conglomerate) appear to have deposited during the mid-Paleozoic, rather than the Proterozoic as previously suspected. Broadly contemporaneous amphibolite of intermediate to mafic composition interdigitates with , and lies structurally (and possibly stragraphically) above, the metaclastic rocks. Extensive orthogneiss (including augen granite) intrudes both. The orthogneiss and amphibolite formed the subvolcanic root and volcanic cover, respectively, of a Devonian-Mississippian island arc. These rocks served in turn as basement to a Permian magmatic arc, manifested as the Klondike schist and related plutons. A co-magmatic Permian orogeny resulted in extensive transposition and metamorphism of the mid- and late Paleozoic rocks. (geology excerpt from Ryan @ Gordey 2003)

5.2 PROPERTY GEOLOGY

According to the GSC Stewart River Geology Map Open File 4970 the Polar Gold Cap Claim block mainly covers Devonian Mississippian orthogneiss (DMogt) and Devonian Mississippian undivided amphibolite and orthogneiss (DMota). The north-west corner of the claim block also covers Devonian Mississippian quartz-mica schist.



GSC Geology Description

MID?-CRETACEOUS



GRANITE/GRANODIORITE: Kg, pink to grey, locally porphyritic syenogranite to monzogranite plutons and dykes; Kgd, biotite-hornblende bearing granodiorite, locally foliated


JURASSIC

EARLY JURASSIC



GRANODIORITE: chlorite-altered hornblende and biotite-bearing granodiorite, monzogranite, quartz monzonite and quartz monzodiorite

DEVONIAN TO MISSISSIPPIAN




ORTHOGNEISS (OLDER, 363-343 Ma): DMog, undivided orthogneiss; DMogg, pink to orange K-feldspar rich, granitic orthogneiss, commonly with biotite, banded to layered, commonly includes or associated with DMoga; DMoga, mainly K-feldspar augen orthogneiss, commonly includes or associated with DMogg; DMogt, mainly tonalitic or intermediate to mafic orthogneiss, generally grey, banded to layered, commonly veined; commonly interlayered with amphibolite schist and gneiss, biotite and/or hornblende bearing; ?-age assignment probable, ??-age assignment assumed (alternatively could be part of Pog)



Undivided DMogt (ORTHOGNEISS (OLDER)) and DMa (AMPHIBOLITE)



AMPHIBOLITE: amphibolite schist and gneiss; metabasite; probably derived from mafic to intermediate volcanic or volcanoclastic rocks; locally associated with psammite or interlayered with orthogneiss



MARBLE: marble (metacarbonate) derived from pure to impure limestone; associated calc-silicate schist derived from calcareous metapelite



QUARTZ-MICA SCHIST: undivided metasedimentary rocks dominated by metapsammite, semipelite and metapelite; commonly quartz-garnet-biotite-muscovite schist possibly derived from siliceous siltstone; commonly finely interlayered with garnet metapelite; commonly contains members of micaceous quartzite; rare conglomerate; grades locally to paragneiss

6.0 WORK PROGRAM / METHODS

The Polar Gold Cap Project had 48 man days of work collecting 1516 soil samples. The soil survey was undertaken in two areas. The western grid was design to cover anomalous GSC gold silt. The eastern grid was design to cover a couple of historical anomalous gold soil samples taken in 2006.

6.1 SOIL WORK

Soil sampling Description

All soil samples are taken with one meter soil probes and sometime with a prospector pick. We carried both on rocky talus slope. Soil samples are gathered from an average depth of 70 centimeter. Soil sample locations are marked in the field with pink flagging and aluminum tags. The sample number is inscribed on the aluminum tag and tied to a tree or shrub at shoulder height above sample site.

The sample number is recorded with a Garmin Map76 GPS in UTM NAD 83.

Sample description such as color, depth, slope, sample quality, ground vegetation, tree cover and GPS coordinates (backup) are recorded in a Palm PDA data recorder.

A total of 400-500 grams of soil is collected and place in well mark kraft soil bags.

The GPS and PDA are downloaded every night and stored in the crew chief personal computer. A second backup copy of the data is transferred to a memory stick and the memory stick is relocated to a secondary tent (in case of fire).

All samples are brought back to Dawson City and air dried, repacked in rice bags, and sent to Acme Labs in Vancouver.

Samples are process with Aqua Regia ICP-MS for 36 elements (Acme Labs 1DX-15 gram).

7.0 INTERPRETATION

7.1 SOIL WORK

The Eastern Grid had only one spot gold anomaly with a couple of minor arsenic and antimony soil anomalies. The Western Soil Grid had the best results with a couple of anomalous gold clusters (Figure 1) results reached up to 292 ppb Au.

The Western Soil Grid also revealed some interesting arsenic (Figure 2), antimony (Figure 4) soil patterns that seems to running in north-west pattern.

Values reached up to 413 ppm As and 3.7 ppm Sb. Also noted was an interesting nickel soil anomaly (Figure 3) that showed up in the most western soil lines indicating possible ultra mafic units, values reached up to 1293 ppm Ni.

8.0 RECOMMENDATION

I would recommend expanding the Western Soil Grid to the north and west to the edge of Cathy Claims. Lines should be on 100 station spacing and soils on 50 meter station spacing.

9.0 REFERENCES CITED

Ryan, J.J., Gordey, S.P., Glombick, P., Piercey, S.J., and Villeneuve, M.E., 2003: Update on Bedrock geological mapping of the Yukon-Tanana terrane, southern Stewart River map area, Yukon Territory. Current Research 2003.

Ryan, J.J. and Gordey, S.P. 2001. GSC Open File 3690 Geology of Thistle Creek Area, Yukon Territory.

10.0 COST

Assay Cost 1516 soil samples @ \$24.00 per sample	\$36,384.00
Wage 48 man days @ \$330.00 per day	\$15,840.00
Camp Cost / Food / Cook 48 man days @ \$130.00	\$6,240.00
Helicopter cost 13.6 hours at \$1300.00	\$17,630.00
Fix Wing 5 flights @ \$600.00 per flight	\$3,000.00
Geology Work	
Geologist 8 man days @ \$750.00	\$6,000.00
Helicopter work 3.1 hours @ \$1,300.00 per hour	\$4,000.00
Report Writing	\$1,000.00

Total	\$90,094 .00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 26 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 14 years as a local prospector for myself.

I have overseen the Polar Gold Cap Soil Survey.

I own 100 % of the Polar, Stewart, Steward, Tim and Sim Claims and have now option the claim blocks to Pacific Ridge Exploration Ltd.

Dated this 07 of April 2010 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan

CHAPTER 2

Gold Cap - Polar - Stewart (GC-P-S)

Quartz Claim Mineral Properties



By
Chris H. Ash, PGeo

April 07, 2010

Introduction

Gold Cap, Polar, Stewart (GC-P-S) Property Assessments

Mapping was conducted on the GC-P-S claim group over a two stage period. The initial stage of mapping was conducted on September 1st and 12th by both George Norman and Chris Ash and involved property scale helicopter-based mapping. The second stage of mapping was conducted by Chris Ash and involved three separate helicopter supported set out and pick up, ground-based traverses on September 12 and 16th. The September 12th traverse involved transects across the Polar-Stewart property at two separate locations to establish the source of the magnetic anomalies occurring along the western margin of these claim groups. Both of the anomalous areas were examined in detail with sufficient outcrop available to provide insight into the cause of the local anomalies. A detailed traverse along the NNE-trending ridge transecting the Polar property on September 16 established the detailed geology of the property.

Polar

The Polar property covers an area of 11 square kms and includes 56 claims. It forms a SE-trending belt of claims which connect to the SW corner of the Stewart claims.

Gold Cap

The Polar claim group covers an area of 11.4 square kms and includes 56 claims. It forms a more or less rectangular claim group

Stewart

The **Stewart** claim group covers an area of 15.8 square kms and includes 56 claims

Gold Cap - Polar - Stewart Property Geology

The Gold Cap - Polar - Stewart (GC-P-S) claim groups overlie an area dominated by a succession of deformed and metamorphosed, quartz-rich to quartz-bearing clastic metasedimentary rocks with lesser muddy\silty interbeds. Locally limestone beds or more commonly limy muds\silts may form a component of the sedimentary succession.

In this region of the Klondike these sedimentary rocks have been intruded by a north to northwest trending suite of dike-like, granitic intrusions. These intrusions range from metres to tens of metres in width and more or less parallel the prominent foliation fabric. Such rocks comprise a significant component of the property area possibly represent in the range of 20% or more. The prominent foliation is commonly a bedding parallel cleavage but also locally defined as an axial planar cleavage schistosity developed in response too tight, transposed isoclinal folds. Due to the contact metasomatic\metamorphic effects considerable variation in the sedimentary succession results from development of secondary calc-silicate alteration minerals.

Photos selected for the cover page of this chapter are meant to depict, at the outcrop scale, what is happening at the property scale. These photos show several well-defined, granitic dike-like bodies intruding the sedimentary rocks, or a classic example of "Lit par Lit structure"¹.


The area mapped is subdivided into eight different map units. Six of those have been identified and mapped during the 2009 field program and are described following. Both the Early Jurassic granodiorite (EJgd) and the Mississippian limestone units are included for completeness have been taken from other sources (Gordey and Ryan, 2005) was not identified in the map area described.

Quartzite Unit


Quartzite or some variant of dirty (i.e. muddy\silty) quartzite is the most common rock type present in the GC-P-S claim group. The quartz-rich clastic metasediments vary from pure quartzite (Photos 1) to dirty or muddy quartzite (Photos 2) with the colour variations, now often preserved as centimetre-scale banding, resulting from variation in the relative abundance of quartz to the darker mud and\or silt and is interpreted to reflect relict primary bedding.

Relatively clean quartzite varies is common and varies in colour from white, to light grey to dark grey to dun brown. It is typically fine to medium-grained but locally medium to coarse grained intervals are also present. Bedding is commonly well developed in the cleaner quartzite unit. The more muddy\silty variants of the quartzite unit or dirty quartzites in this region of the Klondike are typically converted to quartz and biotite schists. The rocks are foliated to less commonly massive, medium to fine-grained and light to medium grey. Relict bedding in these rocks is often evident due too difference in the relative abundance of silt\mud within the individual layers that produces relative colour differences between them, often as variations on shades of grey that may be subtle or sharp.

¹ Lit par Lit - Pertaining to the penetration of bedded, schistose, or other foliate rocks by innumerable narrow sheets and tongues of granitic rock. From <http://www.answers.com/topic/lit-par-lit>



Photos 1. Variations in colour and appearance of fine- to medium-grained quartzites (Unit **DMSq**).



Photos 2. Quartz-biotite schist (Unit **DMSb**) formed from relatively dirty (i.e. silty/muddy) quartzite.



Photos 3. Axial planar schistosity parallel to tight isoclinal to transposed folding in quartz-rich clastic metasedimentary rocks.

Calc-Silicate Altered Metasedimentary Rocks

Locally and to varying degrees the quartz-rich clastic metasedimentary rocks show evidence of calc-silicate alteration. Within the quartzite unit this is most often reflected by the development of secondary garnet, amphibole (actinolite?) and epidote. The garnets often form large cm size porphyroblastic crystals or crystal aggregates (Photos 4).



Photos 4. Large porphyroblastic crystals and crystal aggregates formed in quartzite. Epidote alteration also evident in 141.




Photo 5. Garnet developed in quartz biotite-amphibole (actinolite) schist.

Garnet development, although locally well developed is more often developed as finer grained crystals that can be seen on close inspection to be finely disseminated throughout the metaclastic units.


Amphibolite (Unit DMA)

Units designated as amphibolite are assigned to dark grey to black coloured rocks containing a significant component of biotite and/or amphibolite. The rocks are often not true amphibolites (i.e. containing greater than 90% amphibole) but often contain up to 30% quartz and feldspar. These are typically fine- to medium-grained, foliated and commonly banded.



Photos 6. Variations in range of colours for units designated as amphibolites.

True amphibolites are in fact not at all common. Where rocks dominated by amphibole are identified they also shows signs of significant calc-silicate alteration in the form either secondary garnet (Photos 7) or epidote (Photo 8). It is therefore not evident if these amphibolite units are derived from pre-existing mafic units or are the result of intense and pervasive alteration of individual sedimentary layers. More detailed mapping needs to be conducted to clarify this issue.



Photos 7. Amphibolite-garnet-quartz-epidote schist



Photo 8. Amphibolite-garnet-quartz-epidote schist.

Coarse grained Porphyritic Tonalite\Granodiorite (Unit LPt)

Coarse-grained tonalite and possibly quartz diorite of either Late Paleozoic (*ca.* 260) or Mississippian (*ca.* 355 Ma) age is a relatively common unit found cutting the clastic sedimentary succession throughout the Klondike region. This unit was only identified at the southern end of the area mapped. It is typically buff white to light-grey, coarse-grained and commonly quartz porphyritic. More mafic end members are less common but are a clearly defined variant of the unit. Some isolated area of coarser grained mafic igneous rocks


The age of the unit is left to question as a number of U-Pb zircon isotopic age dates have been reported for different locations throughout the Klondike region for what appear to be texturally and mineralogically similar rock units. Mortensen (1990) reported a *ca.* 260 Ma age for two samples collected from the west side of Bonanza Creek. While a date of 355 Ma has been reported by Gordey and Ryan (2005) for the Lucky Joe property located roughly 40 km north, on trend with the current property. It is not at this point exactly clear what was in fact dated in the Lucky Joe area and therefore any correlation with similar rocks to those occurring on the GC-P-S properties remains to be established.

Post Collisional Intrusive Rocks (?)




Jg - Jurassic (?) Granite\Felsite

The granites are pink or flesh tone to white in colour, medium to coarse-grained and less commonly pegmatic (Photos 10). They are usually massive equigranular to K-feldspar porphyritic. These intrusive bodies vary widely in scale and range from several metres, to several tens of metres and less commonly several hundred metres in width. Contacts are not often exposed; however trains of more resistant, granitic boulders tend to stand out and can often be traced over several hundreds of metres along the length of the intrusive granite bodies (Photos 11). Note, many of these bodies are defined by an alignment of boulders, shown as pink coloured x's (Maps 1 & 2).

Recent published maps of the area (Gordey and Ryan, 2005) have interpreted likely analogous rocks too those described here to be of Cretaceous age (designated Kg; Figure 3.1) and have shown them as isolated plugs and stocks. The geometry shown is clearly a departure from that described. Extension of more detailed mapping may however demonstrate a relationship between the two styles of intrusions currently established.



Photos 10. Pink coarse grained to pegmatitic granite



Photos 11. Views along two prominent trains of more resistant granite boulders delineating the continuity and trend of granite dikes. A typical expression for such dikes identified throughout the property.

GC-P-S Map Compilation

Contacts from the current GSC geology map for the White-East property area (Gordey and Ryan, 2005) have been added to the Geology and station location map generated. This was done as a precursor of the request to generate a coloured geology map for the property area. Attempts to rationalize the published GSC published geology with that identified in an effort to define continuity of unit contacts identified during the course of mapping was not possible due to differences in interpretation for unit designation. Specifically the bulk of the property area is interpreted to consist almost entirely Devonian-Mississippian granitic orthogneiss, designated as either DMogt? or DMogta (Figure 1).






Figure 1. Geology of the GC-P-S property area (after Gordey and Ryan, 2005)

REFERENCES

Mortensen, J.K., 1990, Geology and U-Pb geochronology of the Klondike District, west-central Yukon Territory: *Canadian Journal of Earth Sciences*, v. 27, p. 903-914.

Gordey, S.P. and Ryan, J.J. 2005: Geology, Stewart River Area (115N, 115 O and part of 115J), Yukon Territory; *Geological Survey of Canada*, Open File 4970, scale 1:250 000.



LAYERED ROCKS

DEVONIAN TO MISSISSIPPIAN

DMsq Quartz-rich clastic metasediments; buff-white to light and med-dark grey, fine to medium-grained; primary bedding often well preserved; unit variably metamorphosed and recrystallized to quartz-biotite schist. Silt and calc-silicate alteration common in limy horizons where associated with intrusive rocks.

DMsb Quartz & biotite-rich clastic metasediments; medium to dark-grey, medium to coarse-grained; variably metamorphosed and recrystallized to biotite-quartz schist. Relict bedding moderately preserved; trace to several % garnet common.

DMs(?) Igneous/sedimentary Rocks (?); buff white, medium to coarse-grained; typically well foliated. Uncertain as to protolith, considered either deformed and recrystallized clastic sediment or intrusive?

DMc Marble; metacarbonate derived from pure to impure limestone; associated calc-silicate schist derived from calcareous metapelite, (taken directly from Gordey and Ryan, 2005)

DMs Amphibolite; dark green to black, medium to coarse-grained, hornblende \ actinolite-biotite; quartz in the 5 to 10% range common; secondary epidote and garnet common.

INTRUSIVE ROCKS

MIDDLE JURASSIC (?)

Jg Gneiss: light pink to flesh-tone to buff-white, medium to coarse grained, equigranular; to locally K-feldspar porphyritic with less common megacrystic variants; displays little or no structure at a range of scales.

EARLY JURASSIC

LONG LAKE or AISH-HK SUITES (?)

EJgd Gneiss/diorite/hornblende/dike: light-grey to med grey to black, fine to to very coarse-grained, hornblende +/- biotite granodiorite. Varies from massive equigranular to well foliated.

LATE PALEOZOIC (ca. 350 or 260 Ma)

LPt Tonalite: light-grey to buff-white, coarse-grained, often quartz porphyritic.

SYMBOLS

Contact (defined, approximate, inferred).....

Fault (defined, approximate, inferred).....

Contact (defined, approximate, inferred).....

Contact from GSC OF 4970

Bedding (inclined, vertical)

S1 foliation (inclined, vertical)

S1 foliation (inclined, vertical)

Minor fold hinge line (inclined).....

Dikes: MD - mafic dike; FD - felsic dike

Quartz veins (inclined, vertical)

Mineral occurrence (MINFILE).....

Helicopter Landing Pad

Outcrop shape not specified

Outcrop shape not specified

Float \ Subcrop (colour reflets unit designation)

Property Boundary

Abbreviations gt - garnet, ep - epidote, mt - magnetite, qv - quartz vein

2009 rock assay sample location with assay data.....

SAMPLE No.
(Au, As, Ni, Sb)
(Au in ppb, all others in ppm)

0 0.5 1.0
Kilometre

CARTOGRAPHIC INFORMATION


North American Datum 1983, UTM Zone 7; Transverse Mercator Projection.
Contour interval in feet.

Pacific Ridge Exploration

**Gold Cap, Polar & Stewart Property
Geology & Rock Geochemistry
Dawson District, Yukon**

By: Chris H. Ash, PGeo & George Norman, PGeo January, 2010

NTS 1150/03 & 1150/06 Figure 1 Map 1



LAYERED ROCKS

DEVONIAN TO MISSISSIPPIAN

DMsq

DMsb

DMs(p)

DMc

DMa

INTRUSIVE ROCKS

MIDDLE JURASSIC (?)

Jg

EARLY JURASSIC

LONG LAKE or ASH-HK SUITES (?)

EJgd

LATE PALAEZOIC (ca. 350 or 260 Ma)

LPr

SYMBOLS

Contact (defined, approximate, inferred).....

Fault (defined, approximate, inferred).....

Contact (defined, approximate, inferred).....

Contact from GSC OF 4970

Bedding (inclined, vertical)

S1 foliation (inclined, vertical).....

S1 foliation (inclined, vertical).....

Minor fold hinge line (inclined).....

Dikes: MD - mafic dike; FD - felsic dike

Quartz veins (inclined, vertical)

Mineral occurrence (MINFILE).....

Helicopter Landing Pad

Outcrop shape not specified

Outcrop shape not specified

Float \ Subcrop (colour reflects unit designation)

Property Boundary

Abbreviations

Field Station Number

0 0.5 1.0

Kilometre

CARTOGRAPHIC INFORMATION

North American Datum 1983, UTM Zone 7; Transverse Mercator Projection.
Contour interval in feet.

Pacific Ridge Exploration

Gold Cap, Polar & Stewart Property
Geology & Field Stations
Dawson District, Yukon


By: Chris H. Ash, PGeo & George Norman, PGeo

January, 2010

NTS 1150/03 & 1150/06


Figure 2


Map 2





Location Map plus Claims in Surrounding Area


Figure 1

















SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL45001	581096	7011638	NAD 83-07V	0.7	27.2	13.6	68	0.2	10.5	7.6	243	2.56	4.1
POL45005	581229	7011488	NAD 83-07V	0.8	20.3	9.3	69	0.05	32.3	14	510	3.5	7.4
POL45007	581294	7011414	NAD 83-07V	0.9	22.6	8.1	64	0.05	23.2	9.8	398	3.46	10.2
POL45008	581328	7011375	NAD 83-07V	0.9	19.8	8.3	104	0.05	16.9	8.4	591	4.35	8.6
POL45009	581362	7011338	NAD 83-07V	0.3	43.1	4.8	95	0.05	27.6	22.7	871	4.81	4.3
POL45010	581396	7011299	NAD 83-07V	0.7	18.7	8.1	55	0.05	21	9.7	389	2.79	7.5
POL45017	581593	7011074	NAD 83-07V	0.7	32.5	7.4	50	0.05	34.9	12.5	361	3.06	9.3
POL45019	581658	7011001	NAD 83-07V	0.3	45.6	8.9	86	0.05	20.1	15.8	500	3.18	2.5
POL45020	581692	7010961	NAD 83-07V	0.7	46.4	12.6	110	0.05	27.6	15.7	695	4.28	6.2
POL45021	581726	7010924	NAD 83-07V	0.6	42.2	19.2	100	0.05	36.4	20.4	1049	5.68	3.7
POL45022	581758	7010888	NAD 83-07V	0.7	39.7	11.4	76	0.05	27.3	13.7	516	3.56	7.7
POL45023	581791	7010852	NAD 83-07V	0.6	51.2	7.8	131	0.05	15.9	19.5	851	5.17	2.6
POL45024	581824	7010813	NAD 83-07V	0.5	25	6.6	50	0.05	24	9.5	335	2.18	7.4
POL64602	581011	7011430	NAD 83-07V	2	50	15	150	0.05	49.6	11.9	616	3.61	7.9
POL64603	581045	7011392	NAD 83-07V	3.6	97.5	13.7	200	0.05	70	15.1	816	3.62	26.8
POL64606	581115	7011318	NAD 83-07V	0.3	28.2	10	95	0.05	9.1	13.5	569	4.08	2
POL64607	581115	7011318	NAD 83-07V	0.3	29.8	9.3	94	0.05	9.3	13.9	541	4	2.7
POL64608	581148	7011281	NAD 83-07V	0.6	66.5	10.9	108	0.05	17	9.2	395	3.77	10.2
POL64608	581148	7011281	NAD 83-07V	0.5	61.1	10.8	101	0.05	16.3	9.5	396	3.72	9.4
POL64609	581181	7011243	NAD 83-07V	0.9	35.7	15.7	108	0.05	45.8	12.2	384	4.43	18.7
POL64615	581385	7011023	NAD 83-07V	0.9	40.6	10.5	59	0.2	30.2	10.3	370	2.78	16.7
POL64620	581553	7010839	NAD 83-07V	0.4	25.8	7	61	0.05	44.8	10	299	2.44	7
POL64622	581621	7010766	NAD 83-07V	0.9	33.8	7	62	0.05	27.9	10.8	452	2.46	9.2
POL64622	581621	7010766	NAD 83-07V	0.9	33.6	7.5	62	0.05	26.5	11.1	459	2.46	9.4
POL64623	581658	7010730	NAD 83-07V	1	46.5	16.6	108	0.05	40.1	15.4	497	3.93	6.9
POL64628	581823	7010542	NAD 83-07V	0.4	58.4	4.1	61	0.05	13.8	21.7	705	3.99	2.9
POL64629	581854	7010505	NAD 83-07V	0.8	48.4	7.5	68	0.05	22.7	19.4	563	4.26	7.3
POL64630	581889	7010467	NAD 83-07V	0.8	39.5	10.3	59	0.05	21.3	13.6	405	3.13	6.4
POL64631	581920	7010428	NAD 83-07V	0.9	20.3	7.6	62	0.05	23.9	9.4	384	2.12	7.2
POL64634	582021	7010315	NAD 83-07V	0.7	36.5	8.4	59	0.05	27.4	11.1	443	2.54	8.4
POL64721	581727	7010320	NAD 83-07V	0.4	26.1	5.9	58	0.05	22.3	10.1	418	2.27	5.6
POL64722	581761	7010282	NAD 83-07V	0.4	21.7	6.8	64	0.05	21.7	10.9	317	2.32	5.8
POL64723	581793	7010245	NAD 83-07V	0.6	29.8	8.9	66	0.05	21.1	13.4	281	3.21	4.5
POL64726	581860	7010170	NAD 83-07V	0.6	51.1	7.8	77	0.05	22.9	13.8	428	4.07	4.4
POL64729	583428	7009499	NAD 83-07V	1.4	27.2	8.9	90	0.05	29.2	11.8	312	3.45	6.2
POL64742	581662	7010396	NAD 83-07V	0.7	41.3	7.8	70	0.05	31.2	12	434	2.68	8.4
POL64743	581022	7011573	NAD 83-07V	1	19.1	10.6	80	0.05	14.4	7.7	316	2.66	4
POL64744	581054	7011535	NAD 83-07V	0.6	22.1	10.8	79	0.05	13.2	12	635	3.59	4.9
POL64745	581088	7011498	NAD 83-07V	1.1	16	10.2	52	0.05	13.5	8.5	338	3.33	7.5
POL64746	581121	7011460	NAD 83-07V	0.9	10.9	8.5	30	0.05	7.5	4	240	1.83	3.7
POL64748	581187	7011383	NAD 83-07V	0.9	19	8.6	57	0.05	21.1	11.2	317	3.05	7.8
POL64749	581220	7011348	NAD 83-07V	0.6	46.7	4.9	78	0.05	13.6	13	552	4.98	5.5
POL64750	581256	7011310	NAD 83-07V	0.8	39.1	7.8	56	0.05	27.8	13.2	308	3.41	9.8
POL64751	581288	7011273	NAD 83-07V	0.9	17.1	8.9	53	0.05	19.7	12.9	490	3.06	7.2
POL64753	581355	7011199	NAD 83-07V	0.7	38.7	6.8	50	0.05	19.3	14.1	290	3.24	13.4
POL64754	581388	7011160	NAD 83-07V	0.7	27.3	9.1	53	0.05	24.6	11.2	406	2.93	12.4
POL64754	581388	7011160	NAD 83-07V	0.7	26	9.3	50	0.05	23.5	11.1	386	2.93	12.2
POL64757	581486	7011048	NAD 83-07V	1.3	59.5	11	104	0.05	45	16.1	530	3.93	10.6
POL64759	581554	7010972	NAD 83-07V	1	28.8	6.8	63	0.05	25.1	10.3	264	2.54	9
POL64762	581651	7010858	NAD 83-07V	0.6	29.7	7	56	0.05	26.9	10.6	399	2.53	7.4
POL64763	581685	7010821	NAD 83-07V	0.6	24.6	6.4	54	0.05	24.1	10	382	2.33	7
POL64765	581750	7010745	NAD 83-07V	0.8	38.8	7.8	60	0.05	27.5	11.3	432	2.39	8.4
POL64771	581950	7010522	NAD 83-07V	0.6	46.5	4.3	89	0.05	33.6	28	517	5.32	5.2

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL45001	0.8	1.3	2.1	20	0.1	0.2	0.2	58	0.27	0.069	13	24	0.66	166	0.148
POL45005	0.7	1.1	2.8	19	0.1	0.2	0.1	72	0.24	0.067	13	54	0.92	190	0.125
POL45007	0.5	0.7	4.3	23	0.05	0.6	0.1	65	0.26	0.024	9	38	0.67	375	0.095
POL45008	0.6	0.9	6.3	14	0.05	0.4	0.2	57	0.16	0.031	10	29	0.72	374	0.179
POL45009	0.4	0.25	4.1	24	0.05	0.2	0.05	111	0.36	0.038	14	126	2	270	0.265
POL45010	0.5	2	3.8	22	0.05	0.5	0.1	58	0.22	0.02	10	30	0.52	253	0.101
POL45017	0.9	2.1	4.2	22	0.05	0.6	0.1	69	0.28	0.038	14	62	0.84	257	0.117
POL45019	0.5	1.9	4.5	20	0.05	0.1	0.05	69	0.45	0.061	14	59	1.27	254	0.214
POL45020	0.6	1.9	5.5	56	0.05	0.4	0.1	87	0.62	0.04	16	45	1.32	372	0.237
POL45021	0.8	1.8	6.6	32	0.1	0.2	0.2	114	0.54	0.094	20	86	1.75	486	0.193
POL45022	1	3.8	5.6	27	0.1	0.5	0.2	79	0.36	0.039	24	39	0.91	272	0.174
POL45023	1.5	1.8	5.9	48	0.05	0.2	0.05	128	0.71	0.183	24	24	1.71	343	0.288
POL45024	0.4	1.4	2.8	38	0.2	0.5	0.1	52	0.66	0.062	10	24	0.56	232	0.079
POL64602	0.8	4.2	5.2	14	0.3	0.3	0.2	113	0.16	0.066	11	76	0.96	433	0.161
POL64603	1.8	0.5	9.8	33	0.5	0.9	0.2	139	0.64	0.162	36	74	1.15	899	0.12
POL64606	0.5	0.25	5.9	22	0.05	0.1	0.05	82	0.26	0.041	28	19	1.16	655	0.216
POL64607	0.6	0.25	5.7	22	0.05	0.2	0.05	77	0.25	0.036	26	20	1.11	631	0.219
POL64608	0.9	0.8	5.5	32	0.05	0.4	0.1	72	0.27	0.027	28	35	0.93	813	0.156
POL64608	0.9	1.8	5.7	33	0.05	0.4	0.05	70	0.26	0.028	28	35	0.96	813	0.158
POL64609	1.2	0.25	7.2	19	0.05	0.3	0.1	89	0.23	0.062	19	60	0.99	571	0.218
POL64615	1.4	1.3	4.1	44	0.2	0.4	0.1	66	0.54	0.054	26	39	0.63	741	0.083
POL64620	0.7	2.4	3.5	48	0.2	0.4	0.1	56	0.6	0.068	13	39	0.72	313	0.077
POL64622	0.7	1	3.3	76	0.4	0.7	0.1	52	1.84	0.095	12	27	0.75	228	0.087
POL64622	0.7	2.9	3.5	74	0.3	0.8	0.1	53	1.84	0.096	12	28	0.73	238	0.092
POL64623	0.5	0.6	6.6	21	0.2	0.5	0.2	88	0.3	0.058	15	63	0.94	323	0.118
POL64628	0.4	1.6	2.1	71	0.05	0.3	0.05	76	0.67	0.059	8	22	1.22	293	0.131
POL64629	1.1	1.7	3.9	122	0.05	0.4	0.1	88	0.71	0.053	13	32	0.97	377	0.131
POL64630	1.6	1.2	3.7	127	0.1	0.5	0.2	62	0.64	0.048	19	32	0.7	335	0.11
POL64631	1.6	0.8	3.7	211	0.2	0.3	0.05	55	0.66	0.064	15	36	0.6	268	0.1
POL64634	0.8	3.3	3.4	50	0.3	0.8	0.1	57	0.92	0.077	13	29	0.6	267	0.09
POL64721	0.7	2.3	2.7	37	0.2	0.4	0.05	51	0.73	0.069	12	29	0.54	333	0.082
POL64722	0.6	4.7	3	34	0.3	0.5	0.1	56	0.56	0.066	12	30	0.63	293	0.097
POL64723	0.7	1.5	4.1	31	0.1	0.3	0.1	66	0.44	0.069	16	49	0.78	457	0.134
POL64726	0.7	1	5.1	25	0.05	0.2	0.1	88	0.33	0.041	17	59	1.16	369	0.202
POL64729	1.3	1.9	7.8	17	0.05	0.3	0.1	65	0.25	0.072	14	35	0.6	238	0.101
POL64742	0.8	2.4	3.6	78	0.2	0.6	0.1	61	0.66	0.062	14	37	0.63	376	0.091
POL64743	0.8	0.7	2	19	0.1	0.2	0.2	64	0.18	0.041	13	39	0.72	301	0.156
POL64744	1	2.6	4.7	19	0.05	0.3	0.1	80	0.27	0.073	24	28	0.86	314	0.181
POL64745	0.7	1.7	6.7	13	0.05	0.5	0.2	62	0.1	0.022	13	26	0.48	161	0.08
POL64746	0.7	0.25	3.6	15	0.05	0.2	0.2	50	0.13	0.024	19	18	0.31	178	0.096
POL64748	0.4	1.2	3.4	20	0.05	0.4	0.2	72	0.28	0.04	8	34	0.63	311	0.074
POL64749	0.7	0.9	5.5	26	0.05	0.3	0.05	65	0.32	0.044	13	19	0.85	336	0.195
POL64750	0.5	2.8	5.1	21	0.05	0.5	0.1	79	0.23	0.023	12	45	0.8	187	0.109
POL64751	0.4	1.4	3	23	0.05	0.4	0.1	71	0.34	0.028	8	36	0.62	345	0.069
POL64753	0.4	1	4.3	24	0.05	0.5	0.05	80	0.3	0.015	12	38	0.71	324	0.093
POL64754	0.7	1.2	5	27	0.05	0.6	0.1	67	0.33	0.022	18	35	0.58	278	0.098
POL64754	0.7	1.9	5.2	26	0.05	0.6	0.1	65	0.33	0.022	18	34	0.55	288	0.092
POL64757	1	0.25	7.6	26	0.1	0.4	0.1	111	0.21	0.029	21	68	1.01	431	0.194
POL64759	1.7	1.9	3.5	115	0.1	0.6	0.05	54	0.74	0.088	13	30	0.55	241	0.087
POL64762	0.6	5.7	3.1	42	0.2	0.5	0.1	62	0.92	0.07	12	30	0.62	230	0.084
POL64763	0.7	5	2.7	37	0.2	0.5	0.1	54	0.77	0.063	11	28	0.56	249	0.067
POL64765	0.6	3.1	3	60	0.3	0.7	0.2	54	1.53	0.08	11	29	0.74	252	0.085
POL64771	0.8	2.9	4.3	59	0.05	0.3	0.1	106	0.72	0.104	19	63	1.43	894	0.064

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL45001	0.5	1.36	0.016	0.19	0.1	0.05	3.8	0.2	0.025	7	0.25	1DX15	SMI09000257
POL45005	0.5	2.13	0.012	0.29	0.05	0.02	3.6	0.2	0.025	9	0.25	1DX15	SMI09000257
POL45007	0.5	2.18	0.011	0.12	0.2	0.02	5	0.1	0.025	7	0.25	1DX15	SMI09000257
POL45008	0.5	2.31	0.01	0.49	0.05	0.02	8.5	0.4	0.025	10	0.25	1DX15	SMI09000257
POL45009	0.5	2.47	0.009	1.04	0.05	0.005	7.8	0.5	0.025	11	0.25	1DX15	SMI09000257
POL45010	0.5	1.4	0.01	0.19	0.1	0.005	4.8	0.1	0.025	5	0.25	1DX15	SMI09000257
POL45017	0.5	1.8	0.028	0.13	0.1	0.03	5.5	0.05	0.025	5	0.6	1DX15	SMI09000257
POL45019	0.5	1.69	0.024	0.57	0.05	0.01	4.4	0.3	0.025	8	0.25	1DX15	SMI09000257
POL45020	2	2.1	0.027	0.74	0.1	0.02	6.8	0.4	0.025	9	0.6	1DX15	SMI09000257
POL45021	0.5	2.36	0.019	1.25	0.05	0.03	13.1	0.5	0.025	12	0.25	1DX15	SMI09000257
POL45022	2	1.66	0.016	0.54	0.1	0.02	6.9	0.3	0.025	7	0.6	1DX15	SMI09000257
POL45023	0.5	2.46	0.015	1.26	0.1	0.02	8.8	0.5	0.025	11	1.1	1DX15	SMI09000257
POL45024	1	1.08	0.028	0.05	0.1	0.005	2.8	0.05	0.06	4	0.25	1DX15	SMI09000257
POL64602	0.5	1.72	0.01	0.37	0.05	0.01	6	0.3	0.025	8	0.6	1DX15	SMI09000257
POL64603	1	2.01	0.009	0.53	0.05	0.03	6.8	0.9	0.025	10	1.9	1DX15	SMI09000257
POL64606	0.5	1.85	0.014	0.54	0.05	0.005	6.3	0.3	0.025	9	0.25	1DX15	SMI09000257
POL64607	0.5	1.89	0.013	0.51	0.05	0.005	6.2	0.3	0.025	9	0.25	1DX15	SMI09000257
POL64608	2	1.65	0.012	0.2	0.05	0.02	7.8	0.3	0.025	7	0.25	1DX15	SMI09000257
POL64608	0.5	1.71	0.013	0.2	0.05	0.03	7.5	0.2	0.025	7	0.7	1DX15	SMI09000257
POL64609	0.5	2.04	0.009	0.83	0.05	0.005	6.6	0.4	0.025	8	0.8	1DX15	SMI09000257
POL64615	2	1.54	0.015	0.19	0.2	0.08	5.9	0.1	0.07	5	0.9	1DX15	SMI09000257
POL64620	3	1.27	0.025	0.06	0.2	0.02	3.7	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64622	2	1.05	0.033	0.09	0.2	0.01	3.4	0.1	0.025	3	0.25	1DX15	SMI09000257
POL64622	2	1.11	0.033	0.09	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64623	2	2.38	0.01	0.45	0.05	0.01	5	0.3	0.025	9	0.25	1DX15	SMI09000257
POL64628	0.5	2.21	0.035	0.47	0.05	0.03	10	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64629	3	2.33	0.026	0.39	0.05	0.03	10.2	0.1	0.025	7	0.7	1DX15	SMI09000257
POL64630	2	1.85	0.022	0.15	0.05	0.04	7	0.05	0.05	6	0.25	1DX15	SMI09000257
POL64631	3	1.12	0.021	0.14	0.2	0.01	2.9	0.05	0.1	4	0.7	1DX15	SMI09000257
POL64634	2	1.32	0.033	0.06	0.2	0.02	4.2	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64721	1	1.23	0.031	0.07	0.2	0.02	3.2	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64722	1	1.32	0.037	0.09	0.1	0.03	3.3	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64723	1	1.65	0.026	0.19	0.05	0.04	5.7	0.05	0.025	7	0.25	1DX15	SMI09000257
POL64726	0.5	2.1	0.017	0.47	0.05	0.02	5.9	0.2	0.025	9	0.25	1DX15	SMI09000257
POL64729	0.5	1.91	0.013	0.34	0.1	0.01	3.4	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64742	1	1.44	0.03	0.06	0.2	0.03	4.1	0.05	0.025	4	0.7	1DX15	SMI09000257
POL64743	0.5	1.5	0.014	0.28	0.1	0.04	4.9	0.2	0.05	8	0.25	1DX15	SMI09000257
POL64744	0.5	2.12	0.021	0.29	0.1	0.02	6.5	0.2	0.025	8	0.25	1DX15	SMI09000257
POL64745	0.5	1.88	0.009	0.06	0.1	0.02	4.8	0.1	0.025	7	0.6	1DX15	SMI09000257
POL64746	1	1.03	0.012	0.1	0.05	0.01	4	0.1	0.025	7	0.25	1DX15	SMI09000257
POL64748	2	2.06	0.013	0.11	0.1	0.005	2.9	0.05	0.025	6	0.25	1DX15	SMI09000257
POL64749	0.5	1.98	0.017	0.63	0.05	0.01	8	0.2	0.025	8	0.25	1DX15	SMI09000257
POL64750	2	2.2	0.013	0.08	0.1	0.01	6.5	0.05	0.025	6	0.25	1DX15	SMI09000257
POL64751	0.5	1.89	0.011	0.11	0.1	0.02	4.6	0.1	0.025	5	0.25	1DX15	SMI09000257
POL64753	0.5	1.61	0.013	0.2	0.1	0.005	6.8	0.1	0.025	6	0.25	1DX15	SMI09000257
POL64754	0.5	1.56	0.014	0.13	0.1	0.02	6.4	0.05	0.025	5	0.25	1DX15	SMI09000257
POL64754	1	1.43	0.013	0.13	0.2	0.03	6	0.05	0.025	5	0.25	1DX15	SMI09000257
POL64757	2	2.07	0.012	0.58	0.05	0.005	7.8	0.3	0.025	8	1	1DX15	SMI09000257
POL64759	2	1.27	0.031	0.1	0.2	0.03	3.6	0.05	0.025	4	1.1	1DX15	SMI09000257
POL64762	3	1.35	0.033	0.06	0.2	0.02	3.5	0.05	0.06	4	0.25	1DX15	SMI09000257
POL64763	2	1.27	0.027	0.05	0.2	0.03	3.3	0.05	0.06	4	0.6	1DX15	SMI09000257
POL64765	3	1.13	0.033	0.07	0.2	0.02	3.4	0.05	0.09	4	0.7	1DX15	SMI09000257
POL64771	2	2.41	0.017	0.27	0.05	0.03	13.2	0.05	0.11	10	0.6	1DX15	SMI09000257

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL64773	581983	7010484	NAD 83-07V	0.9	40.3	8.5	58	0.05	26.5	12.3	461	2.98	7.9
POL64879	580906	7011400	NAD 83-07V	1.2	40.5	18	75	0.1	34.3	12.8	295	3.36	15.5
POL64884	581076	7011215	NAD 83-07V	2.5	86.1	21	187	0.05	81.4	18.9	736	5.4	306.9
POL64885	581110	7011179	NAD 83-07V	7	159	20.9	220	0.1	86.3	21.6	526	5.39	66.7
POL64886	581143	7011141	NAD 83-07V	2	102.9	18	154	0.05	50.2	15.7	555	4.24	12.6
POL64887	581177	7011104	NAD 83-07V	1.1	64.5	19.1	109	0.05	33.6	9.2	241	3.83	8.5
POL64889	581246	7011031	NAD 83-07V	2.1	61.8	14.4	82	0.1	44.1	12	227	4.11	11.7
POL64890	581278	7010994	NAD 83-07V	1.2	82.7	13.9	157	0.05	44.1	19.1	414	5.18	4.3
POL64895	581446	7010808	NAD 83-07V	0.9	42.9	9.1	76	0.05	31.2	12.9	536	2.79	9.5
POL64896	581479	7010769	NAD 83-07V	0.1	26.2	2.5	45	0.05	1293	77.7	712	3.66	1.9
POL64899	581577	7010655	NAD 83-07V	0.8	86.9	8.1	66	0.05	37.4	20.1	563	4	5.1
POL64900	581609	7010617	NAD 83-07V	1.6	128.7	7.4	147	0.05	110.9	24.3	689	4.81	2.7
POL64901	581642	7010580	NAD 83-07V	0.5	47.1	8.1	96	0.05	25.3	12.9	636	3.94	6.9
POL64902	581675	7010541	NAD 83-07V	0.7	31.1	10.8	66	0.2	29.4	9.6	398	2.82	8.7
POL64907	581838	7010352	NAD 83-07V	0.6	34.5	6.9	59	0.05	28.2	11.1	475	2.42	8.8
POL64909	581902	7010275	NAD 83-07V	0.7	35	8.2	57	0.05	29.3	11.4	397	2.56	7.6
POL64924	582024	7010588	NAD 83-07V	0.9	33.6	7.2	63	0.05	29.1	12.1	479	2.73	8.7
POL64925	582058	7010549	NAD 83-07V	0.8	30.5	6.8	50	0.05	26.7	11	464	2.55	8.2
POL64963	583143	7009512	NAD 83-07V	0.8	61.6	22.6	86	0.1	32.8	15.6	551	3.78	6.3
POL64964	583110	7009550	NAD 83-07V	0.7	65.2	14.1	92	0.05	31.7	14.5	473	3.76	4.5
POL64965	583075	7009587	NAD 83-07V	0.3	70.8	4.4	94	0.05	30.1	21.3	794	3.57	2.4
POL64966	583042	7009625	NAD 83-07V	0.8	56.9	11.6	87	0.2	25.6	16.4	588	3.63	6.6
POL64967	583010	7009662	NAD 83-07V	0.3	89.5	3.1	86	0.05	23.8	16.7	866	3.59	1.4
POL64968	582977	7009700	NAD 83-07V	0.4	77.9	5.8	108	0.05	30.9	20.7	993	4.46	2.1
POL64972	582842	7009849	NAD 83-07V	0.6	57.1	8.3	72	0.05	26.3	15	488	3.51	8
POL64973	582808	7009885	NAD 83-07V	0.7	32	7.3	52	0.05	81.5	16.1	330	3.2	6.5
POL64974	582775	7009923	NAD 83-07V	0.6	30	7.5	51	0.05	31	10.6	282	3.08	9.4
POL64975	582742	7009959	NAD 83-07V	0.3	6.7	3.8	69	0.05	24.6	22.8	363	4.22	5.1
POL64977	582674	7010032	NAD 83-07V	1.6	30.9	10.6	71	0.05	21.6	11.7	290	3.45	7.4
POL64979	582607	7010108	NAD 83-07V	0.9	27.5	11.3	67	0.05	26	13.9	389	3.59	8.2
POL64980	582573	7010145	NAD 83-07V	0.8	28.2	9.9	59	0.05	18.2	9.8	416	2.81	6.3
POL64981	582541	7010182	NAD 83-07V	1	35.5	11	62	0.05	22.9	12.7	437	3.33	8.1
POL64982	582540	7010181	NAD 83-07V	1	26	9.5	59	0.05	21.8	11.3	405	3.06	7.3
POL64983	582507	7010218	NAD 83-07V	0.9	42	17.7	125	0.05	43.1	17	503	5.64	5.6
POL64985	582441	7010294	NAD 83-07V	0.9	25.1	10.4	61	0.05	29	12	352	3.19	7.3
POL64985	582441	7010294	NAD 83-07V	0.9	24.9	9.8	59	0.05	29	11.9	347	3.2	7.8
POL64988	582339	7010406	NAD 83-07V	1	37.5	10.8	80	0.05	21.1	18.2	557	4.26	6.3
POL64995	580800	7011369	NAD 83-07V	1.5	19.2	14.6	52	0.05	22.1	8.9	343	3.47	9.3
POL64996	580830	7011331	NAD 83-07V	1.4	25.6	11.7	75	0.05	29.4	18.8	610	3.87	11.4
POL64997	580865	7011293	NAD 83-07V	1	24.5	9.1	52	0.05	24.7	11.1	261	3.02	8.7
POL64997	580865	7011293	NAD 83-07V	0.9	22.7	8.8	52	0.05	23.5	10	262	2.9	8.3
POL64998	580896	7011256	NAD 83-07V	1.2	39.2	34.6	74	0.05	25	11.9	507	3.98	3.9
POL65392	581899	7010148	NAD 83-07V	0.5	41.6	9.8	73	0.05	22.5	15.5	463	4.1	3.6
POL65393	581172	7011706	NAD 83-07V	0.9	49.6	17.8	87	0.4	22.7	13.1	409	2.85	4.1
POL65395	581238	7011632	NAD 83-07V	1.4	87.2	39.3	227	0.05	86.7	24.3	866	5.07	37.1
POL65396	581273	7011595	NAD 83-07V	0.8	36.3	9	71	0.05	17.2	16.2	463	4.4	7.3
POL65397	581307	7011558	NAD 83-07V	0.4	62.5	12.6	101	0.05	25.6	15.5	994	4.98	2.1
POL65398	581307	7011557	NAD 83-07V	0.5	58.3	18.5	98	0.05	29.6	14.7	857	4.58	3.4
POL65399	581340	7011520	NAD 83-07V	0.4	32.3	10.3	85	0.05	17.6	15.5	628	4.42	3.2
POL65400	581375	7011483	NAD 83-07V	1	24.6	18.7	75	0.05	16.2	11	554	3.89	7.2
POL65401	581408	7011447	NAD 83-07V	1	25.4	26.8	96	0.05	15.4	14	806	4.86	3.9
POL65401	581408	7011447	NAD 83-07V	1.2	25.1	27	98	0.05	15.8	14.4	829	4.56	3.9
POL65402	581443	7011410	NAD 83-07V	0.8	20.7	14.4	73	0.05	15.8	8.6	413	3.28	9

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL64773	1	8.7	4.5	52	0.05	0.7	0.2	66	0.59	0.054	18	37	0.62	400	0.113
POL64879	2.2	1.3	12.7	23	0.2	0.3	0.2	58	0.23	0.049	65	47	0.84	339	0.126
POL64884	2.5	2.6	18.4	22	0.3	3.7	0.1	106	0.33	0.08	46	80	1.04	755	0.189
POL64885	2.9	8.8	7.1	28	0.4	0.9	0.3	168	0.33	0.137	19	57	0.75	310	0.058
POL64886	2.4	2	8.7	75	0.2	0.4	0.2	154	0.6	0.18	36	67	1.14	2547	0.156
POL64887	1	1.1	5	54	0.05	0.2	0.1	109	0.16	0.032	20	82	1.22	473	0.28
POL64889	1.3	1.5	4.2	82	0.1	0.4	0.2	75	0.12	0.046	12	49	0.67	337	0.13
POL64890	1.4	0.25	6.6	116	0.2	0.1	0.1	116	0.39	0.109	24	86	1.56	604	0.298
POL64895	0.6	2.6	3.1	66	0.4	0.8	0.2	65	1.81	0.096	13	34	0.8	274	0.103
POL64896	0.5	0.8	0.9	11	0.05	0.05	0.05	26	0.08	0.007	3	471	8.4	143	0.04
POL64899	0.3	0.25	2.7	21	0.05	0.3	0.05	114	0.43	0.047	6	60	0.91	395	0.136
POL64900	1.2	0.6	6.6	83	0.1	0.2	0.1	198	0.56	0.096	24	181	1.98	1050	0.324
POL64901	0.4	8.8	5.1	37	0.05	0.5	0.1	81	0.52	0.077	21	27	0.99	449	0.159
POL64902	0.9	3.6	6.2	36	0.05	0.5	0.05	63	0.48	0.075	19	35	0.76	408	0.127
POL64907	0.6	7.8	3.4	62	0.3	0.5	0.1	51	1.51	0.097	12	29	0.74	198	0.087
POL64909	1	4.5	3.3	44	0.2	0.6	0.1	60	0.7	0.071	13	33	0.6	278	0.097
POL64924	0.6	7.1	3.1	59	0.2	0.6	0.1	63	2.04	0.081	12	31	0.84	250	0.081
POL64925	0.8	7.6	2.9	47	0.2	0.6	0.1	56	0.86	0.071	12	31	0.57	256	0.078
POL64963	1.2	1.3	5.4	29	0.2	0.2	0.2	84	0.56	0.088	19	44	0.88	360	0.142
POL64964	1.2	1.4	5.3	27	0.1	0.2	0.2	93	0.53	0.092	18	49	1.08	362	0.158
POL64965	0.5	1.8	2	47	0.05	0.1	0.05	82	0.7	0.153	7	34	1.4	630	0.225
POL64966	1.4	2.2	4.3	28	0.05	0.2	0.2	89	0.55	0.091	18	40	1.05	418	0.149
POL64967	0.5	2	2.3	32	0.05	0.1	0.05	85	0.68	0.145	7	29	1.18	573	0.22
POL64968	0.5	0.5	2.2	23	0.05	0.05	0.05	114	0.52	0.125	6	41	1.67	472	0.315
POL64972	0.7	1.6	4.2	33	0.05	0.6	0.1	82	0.46	0.05	14	44	1.16	338	0.185
POL64973	0.5	0.6	3.8	27	0.05	0.4	0.1	70	0.37	0.015	11	121	1.15	249	0.119
POL64974	0.5	1.9	4.3	29	0.05	0.5	0.1	71	0.34	0.016	10	49	0.68	194	0.115
POL64975	0.4	0.25	1.9	40	0.05	0.2	0.05	121	0.64	0.06	6	66	2.04	278	0.281
POL64977	0.9	1.6	5.1	18	0.05	0.4	0.2	84	0.22	0.049	14	36	0.76	225	0.141
POL64979	0.6	1.2	4.3	22	0.05	0.4	0.1	79	0.39	0.034	13	58	1.15	266	0.146
POL64980	1.1	3.3	5	23	0.05	0.3	0.2	62	0.34	0.026	20	35	0.7	327	0.11
POL64981	1.2	1.3	6.4	27	0.05	0.4	0.2	64	0.43	0.03	30	40	0.7	338	0.152
POL64982	1.1	1.9	6	22	0.05	0.3	0.2	58	0.4	0.025	21	36	0.67	312	0.131
POL64983	1.2	0.25	13.1	20	0.05	0.2	0.3	64	0.23	0.036	17	61	1.29	167	0.314
POL64985	1.2	2.2	7.6	23	0.05	0.4	0.1	62	0.39	0.027	33	41	0.71	176	0.132
POL64985	1.1	5	7.5	23	0.05	0.4	0.2	62	0.36	0.028	31	41	0.7	170	0.127
POL64988	1.5	0.8	5.5	27	0.05	0.2	0.1	87	0.68	0.055	25	42	1.47	354	0.221
POL64995	0.6	0.8	4.1	15	0.05	0.4	0.2	79	0.09	0.047	11	45	0.49	101	0.129
POL64996	0.9	5.6	5.2	18	0.1	0.3	0.2	75	0.18	0.065	21	50	0.73	180	0.146
POL64997	1.1	3.1	4.2	20	0.05	0.4	0.1	68	0.24	0.035	17	46	0.55	217	0.089
POL64997	1.1	2	4.1	20	0.05	0.4	0.2	67	0.23	0.036	16	42	0.55	211	0.087
POL64998	1.8	1.1	11.2	25	0.05	0.3	0.3	83	0.13	0.023	30	62	1.03	284	0.178
POL65392	0.6	0.25	5.2	26	0.1	0.3	0.1	83	0.25	0.062	14	69	1.26	303	0.217
POL65393	1.7	2	3.2	34	0.3	0.2	0.2	65	0.66	0.061	21	46	0.88	254	0.122
POL65395	1	291.1	6.7	20	0.2	0.7	0.4	113	0.35	0.099	24	187	2.23	378	0.232
POL65396	0.6	0.25	3.6	18	0.05	0.4	0.2	95	0.24	0.052	8	24	0.92	188	0.201
POL65397	1	0.25	6.8	27	0.05	0.2	0.2	125	0.36	0.062	21	48	2.12	608	0.292
POL65398	1.1	0.25	6.7	26	0.05	0.3	0.2	113	0.31	0.046	22	57	1.83	516	0.264
POL65399	0.6	0.25	4.3	19	0.05	0.2	0.05	101	0.2	0.035	14	42	1.82	291	0.294
POL65400	0.7	2.9	4.2	14	0.05	0.4	0.3	80	0.15	0.053	10	40	0.99	170	0.177
POL65401	0.6	0.25	4.2	18	0.05	0.2	0.2	92	0.23	0.062	12	39	1.56	249	0.277
POL65401	0.6	0.25	4.1	18	0.05	0.2	0.2	92	0.22	0.061	12	38	1.5	246	0.278
POL65402	0.6	0.5	3.3	21	0.05	0.5	0.2	76	0.23	0.046	11	33	0.79	185	0.147

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL64773	1	1.68	0.028	0.08	0.2	0.03	6.2	0.05	0.025	6	0.25	1DX15	SMI09000257
POL64879	0.5	2.1	0.011	0.51	0.1	0.06	5.3	0.3	0.08	8	0.25	1DX15	SMI09000257
POL64884	2	2.37	0.01	0.77	0.1	0.53	10.2	1.5	0.025	9	0.9	1DX15	SMI09000257
POL64885	1	1.76	0.008	0.18	0.1	0.02	7.2	0.2	0.07	7	2.4	1DX15	SMI09000257
POL64886	0.5	2.17	0.011	0.42	0.2	0.005	7.6	0.4	0.06	10	1.3	1DX15	SMI09000257
POL64887	0.5	2.19	0.012	0.76	0.05	0.005	6.4	0.6	0.15	8	1.2	1DX15	SMI09000257
POL64889	1	1.58	0.014	0.54	0.1	0.005	4	0.3	0.31	5	1.1	1DX15	SMI09000257
POL64890	0.5	2.76	0.027	1.53	0.05	0.005	8.1	0.7	0.33	10	2.2	1DX15	SMI09000257
POL64895	3	1.38	0.044	0.11	0.2	0.02	4.4	0.05	0.025	5	0.6	1DX15	SMI09000257
POL64896	2	1.6	0.006	0.02	0.05	0.02	5.6	0.3	0.025	5	0.25	1DX15	SMI09000257
POL64899	0.5	1.82	0.028	0.26	0.05	0.02	6.3	0.1	0.025	7	0.25	1DX15	SMI09000257
POL64900	0.5	2.83	0.02	0.98	0.05	0.005	11.6	0.5	0.025	12	1.1	1DX15	SMI09000257
POL64901	0.5	1.7	0.024	0.4	0.1	0.03	7.7	0.2	0.025	7	0.25	1DX15	SMI09000257
POL64902	2	1.37	0.023	0.25	0.2	0.04	4.4	0.2	0.025	5	0.6	1DX15	SMI09000257
POL64907	2	1.05	0.034	0.09	0.2	0.01	3.6	0.05	0.025	3	0.25	1DX15	SMI09000257
POL64909	1	1.36	0.031	0.05	0.3	0.03	4.1	0.05	0.025	4	0.25	1DX15	SMI09000257
POL64924	4	1.35	0.035	0.08	0.2	0.02	3.8	0.05	0.05	4	0.5	1DX15	SMI09000257
POL64925	2	1.32	0.038	0.05	0.2	0.02	3.7	0.05	0.025	4	0.9	1DX15	SMI09000257
POL64963	1	1.83	0.016	0.44	0.05	0.02	7.8	0.3	0.025	8	0.25	1DX15	SMI09000257
POL64964	1	2.21	0.016	0.47	0.05	0.02	7.5	0.3	0.025	8	0.25	1DX15	SMI09000257
POL64965	0.5	2.25	0.02	0.75	0.1	0.005	3.8	0.3	0.025	8	0.25	1DX15	SMI09000257
POL64966	1	1.98	0.018	0.38	0.1	0.03	7.9	0.2	0.025	8	0.25	1DX15	SMI09000257
POL64967	0.5	2.01	0.015	0.79	0.1	0.01	4.3	0.2	0.025	8	0.25	1DX15	SMI09000257
POL64968	0.5	2.57	0.012	1.35	0.2	0.005	4.1	0.5	0.025	11	0.25	1DX15	SMI09000257
POL64972	1	2.1	0.026	0.29	0.05	0.03	6.5	0.2	0.025	7	0.25	1DX15	SMI09000257
POL64973	0.5	2.03	0.017	0.07	0.1	0.005	3.8	0.05	0.025	6	0.25	1DX15	SMI09000257
POL64974	1	1.99	0.019	0.1	0.05	0.02	4.4	0.05	0.025	6	0.25	1DX15	SMI09000257
POL64975	0.5	2.77	0.012	0.71	0.05	0.005	3.1	0.2	0.025	10	0.25	1DX15	SMI09000257
POL64977	2	2.09	0.015	0.36	0.1	0.02	3.8	0.2	0.025	7	0.25	1DX15	SMI09000257
POL64979	2	2.14	0.014	0.35	0.2	0.005	5.5	0.2	0.025	8	0.25	1DX15	SMI09000257
POL64980	0.5	1.53	0.014	0.16	0.05	0.03	5.2	0.1	0.025	6	0.25	1DX15	SMI09000257
POL64981	1	1.8	0.017	0.32	0.1	0.02	4.7	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64982	1	1.71	0.014	0.28	0.1	0.02	3.8	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64983	1	3.24	0.017	1.3	0.05	0.005	4.8	0.8	0.025	10	0.25	1DX15	SMI09000257
POL64985	1	1.98	0.017	0.28	0.2	0.02	3.4	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64985	1	1.97	0.013	0.27	0.2	0.02	3.3	0.2	0.025	6	0.25	1DX15	SMI09000257
POL64988	2	2.56	0.019	0.49	0.2	0.02	6	0.3	0.025	9	0.25	1DX15	SMI09000257
POL64995	1	1.93	0.01	0.12	0.2	0.03	3.3	0.1	0.025	8	0.25	1DX15	SMI09000257
POL64996	0.5	2.3	0.013	0.33	0.05	0.02	3.4	0.2	0.025	8	0.5	1DX15	SMI09000257
POL64997	1	1.94	0.016	0.09	0.05	0.02	3.8	0.1	0.025	6	0.6	1DX15	SMI09000257
POL64997	1	1.83	0.014	0.09	0.1	0.03	3.6	0.1	0.025	6	0.6	1DX15	SMI09000257
POL64998	0.5	2.63	0.01	0.57	0.05	0.02	6.5	0.5	0.025	10	0.25	1DX15	SMI09000257
POL65392	0.5	2.22	0.014	0.54	0.05	0.005	5.9	0.2	0.025	10	0.25	1DX15	SMI09000257
POL65393	0.5	1.77	0.022	0.26	0.2	0.04	3.9	0.1	0.025	5	0.6	1DX15	SMI09000257
POL65395	1	3.39	0.014	1.11	0.1	0.01	9.8	0.6	0.025	11	0.25	1DX15	SMI09000257
POL65396	0.5	2.45	0.019	0.52	0.1	0.01	3.7	0.3	0.025	7	0.25	1DX15	SMI09000257
POL65397	0.5	3.08	0.016	1.18	0.05	0.01	14.2	0.3	0.025	13	0.25	1DX15	SMI09000257
POL65398	0.5	2.98	0.016	0.92	0.1	0.01	12.5	0.3	0.025	11	0.25	1DX15	SMI09000257
POL65399	0.5	3.05	0.02	0.97	0.05	0.01	6.5	0.5	0.025	10	0.25	1DX15	SMI09000257
POL65400	0.5	2.42	0.023	0.43	0.1	0.02	5.8	0.2	0.025	9	0.25	1DX15	SMI09000257
POL65401	0.5	2.92	0.012	0.88	0.1	0.02	7.1	0.4	0.025	11	0.25	1DX15	SMI09000257
POL65401	0.5	2.93	0.012	0.92	0.2	0.02	6.7	0.4	0.025	11	0.25	1DX15	SMI09000257
POL65402	0.5	1.99	0.012	0.17	0.2	0.02	4.7	0.2	0.025	6	0.25	1DX15	SMI09000257

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL65403	581474	7011374	NAD 83-07V	0.5	40.1	21.1	127	0.05	18.3	16.6	1077	5.32	9.9
POL65404	581509	7011336	NAD 83-07V	0.7	59.5	16	110	0.05	68.5	20	837	4.85	3.6
POL65405	581543	7011300	NAD 83-07V	1.5	70.5	15	124	0.05	58.9	16.5	791	4.97	7.6
POL65405	581543	7011300	NAD 83-07V	1.8	71	14.6	124	0.05	57.1	16.3	796	5	7.4
POL65406	581578	7011261	NAD 83-07V	0.8	17.1	9.7	74	0.05	21.1	9.6	382	3.24	7.7
POL65407	581610	7011226	NAD 83-07V	0.6	25.7	7.3	65	0.05	20.6	9.3	334	3.19	6.9
POL65408	581644	7011189	NAD 83-07V	0.9	22.6	8.9	68	0.05	25.2	11.2	412	3.02	6.5
POL65409	581678	7011150	NAD 83-07V	0.7	50.3	16.3	121	0.05	29.3	12.7	699	5.06	13.5
POL65410	581711	7011114	NAD 83-07V	0.6	45.1	20.3	60	0.05	54	16.9	508	4.07	5
POL65411	581742	7011081	NAD 83-07V	0.4	48.5	14.3	75	0.05	49.6	18.5	499	4.65	8.2
POL65412	581775	7011045	NAD 83-07V	0.7	41.4	10.9	83	0.05	28.6	13.3	471	3.58	4
POL65413	581809	7011008	NAD 83-07V	0.9	33.4	12.7	55	0.05	28.1	10.2	279	3.18	10
POL65415	581878	7010935	NAD 83-07V	0.9	21.9	17.9	72	0.05	12.8	10.5	490	3.27	2.9
POL65416	581911	7010897	NAD 83-07V	0.7	17.7	5.3	75	0.05	17	11.9	508	3.57	3.2
POL65417	581945	7010861	NAD 83-07V	1	41	9.1	101	0.05	21.1	8	572	4.37	8
POL65418	581978	7010824	NAD 83-07V	0.7	37	10	64	0.05	24.3	11.3	402	3.32	7.4
POL65419	582012	7010787	NAD 83-07V	0.6	40.1	11.9	107	0.05	18.6	16.2	730	4.83	2.7
POL65420	582047	7010749	NAD 83-07V	0.7	44.9	8.7	84	0.05	26.6	13.4	505	3.68	6.7
POL65421	582080	7010711	NAD 83-07V	0.9	30.9	8.2	57	0.05	25.1	11.1	502	2.8	9
POL65422	583244	7009403	NAD 83-07V	1.3	37.5	10.2	89	0.05	28.9	14	323	3.61	4.3
POL65423	583211	7009438	NAD 83-07V	0.7	33.3	15.9	91	0.05	18.3	17.2	649	4.48	2.1
POL65424	583176	7009476	NAD 83-07V	0.6	48.1	11.7	89	0.05	30.8	17.4	798	3.64	5.1
POL65465	581958	7010662	NAD 83-07V	0.8	31.6	6.5	60	0.05	26.7	10.6	444	2.55	8.8
POL65466	581992	7010626	NAD 83-07V	0.6	32.5	8.2	49	0.05	26.6	10.9	414	2.47	8.2
POL65498	583311	7009326	NAD 83-07V	0.5	104.8	12	78	0.05	41.8	17.4	452	4.44	6.6
POL65499	583310	7009326	NAD 83-07V	0.5	95.3	13.4	73	0.05	36.9	18	404	4.23	7
POL65499	583310	7009326	NAD 83-07V	0.5	96.6	13	74	0.05	38.2	16.9	416	4.15	6.6
POL65500	583278	7009365	NAD 83-07V	1.5	19.6	10.6	74	0.05	23.5	13.6	419	4.07	10.1
POL68526	583324	7010958	NAD 83-07V	1.2	42.2	22.8	84	0.05	22	9.7	594	3.57	8.8
POL68530	583191	7011106	NAD 83-07V	1.7	36.9	22.7	102	0.05	27.7	9	330	3.41	27.1
POL68533	583090	7011216	NAD 83-07V	1	74.3	32.1	638	0.05	18.7	12.8	471	4.15	4.8
POL69001	583905	7009861	NAD 83-07V	0.2	20.3	9.5	42	0.05	9.7	11.8	360	3.06	2.2
POL69003	583838	7009938	NAD 83-07V	0.5	14.3	14.1	43	0.05	10	13.1	466	3.43	2.3
POL69017	583535	7009528	NAD 83-07V	0.7	35.2	9	68	0.05	24	10.7	375	3.02	7.6
POL69018	583501	7009565	NAD 83-07V	0.7	23	8.6	78	0.05	15.2	10.2	466	3	5.1
POL69019	583433	7009638	NAD 83-07V	1.2	28.4	11.5	58	0.05	23.3	10.6	306	3.12	11.6
POL69021	583368	7009714	NAD 83-07V	1.4	36.2	18.2	63	0.05	27	10.2	287	3	29.6
POL69026	583200	7009899	NAD 83-07V	0.6	20.1	6	82	0.05	7.3	10.7	526	3.87	4
POL69026	583200	7009899	NAD 83-07V	0.7	20.4	5.9	84	0.05	7.5	10.7	525	3.89	4.2
POL69027	583166	7009938	NAD 83-07V	0.5	36.7	7.2	65	0.05	20	14.4	402	3.22	6.6
POL69029	583099	7010012	NAD 83-07V	1	61.1	13.1	116	0.05	32.8	18.3	425	3.93	4.8
POL69055	583167	7010680	NAD 83-07V	0.6	48.3	8.5	84	0.05	10.8	30.4	1688	6.22	1.5
POL69056	583134	7010719	NAD 83-07V	0.9	43.2	24.2	93	0.05	12.4	19.4	730	5.73	10.3
POL69058	583066	7010792	NAD 83-07V	0.7	37.7	5.8	94	0.05	13.7	15.2	642	4.48	3.6
POL69059	583034	7010830	NAD 83-07V	0.9	47.1	8.4	123	0.05	21.5	21.5	711	4.96	2.5
POL69060	583000	7010867	NAD 83-07V	1.9	49.5	18.6	123	0.05	32.4	12.3	455	4.14	1.8
POL69075	583440	7009780	NAD 83-07V	1	13.9	10.8	55	0.05	12.4	6.8	274	2.91	8.6
POL69079	583341	7009891	NAD 83-07V	4.7	56.5	34.1	179	0.05	52.4	16.4	514	4.8	6.5
POL69082	583240	7010004	NAD 83-07V	1.7	26.5	26.5	73	0.05	17.7	8.3	310	3.81	154.9
POL69083	583207	7010040	NAD 83-07V	0.9	18.3	19.5	91	0.05	11.7	9.4	429	2.9	6.5
POL69092	582904	7010376	NAD 83-07V	0.5	51.3	12	66	0.1	21.4	13.6	521	3.13	4.3
POL69093	582872	7010413	NAD 83-07V	0.5	48.3	9.2	70	0.05	24.3	15.1	525	3.12	4.6
POL69104	584054	7009996	NAD 83-07V	0.4	56.8	9.2	51	0.05	22.9	14.1	381	3.14	4.1

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL65403	1	0.8	8.9	18	0.05	0.3	0.3	115	0.42	0.096	27	51	1.88	502	0.217
POL65404	1.6	1.6	7.2	28	0.2	0.2	0.2	140	0.87	0.227	24	112	2.36	633	0.229
POL65405	1.7	0.25	9.3	18	0.2	0.5	0.3	126	0.34	0.091	21	96	1.9	397	0.224
POL65405	1.6	1.3	9.1	18	0.2	0.5	0.3	127	0.34	0.087	21	94	1.89	399	0.225
POL65406	0.6	0.5	4.8	17	0.1	0.4	0.2	61	0.17	0.022	10	36	0.74	226	0.12
POL65407	0.6	3.1	7.1	14	0.05	0.4	0.1	61	0.14	0.018	10	31	0.6	254	0.129
POL65408	0.6	0.25	4.1	26	0.05	0.4	0.1	72	0.22	0.032	12	45	0.8	307	0.149
POL65409	1.1	0.25	11.6	21	0.05	0.5	0.2	88	0.31	0.069	21	49	1.14	346	0.24
POL65410	1.5	0.25	14	18	0.05	0.3	0.2	78	0.23	0.018	28	92	1.22	245	0.178
POL65411	0.9	2.5	12.6	21	0.05	0.5	0.2	86	0.44	0.083	36	74	1.47	299	0.21
POL65412	0.9	2.6	9.3	19	0.05	0.3	0.2	68	0.39	0.05	28	41	1.06	321	0.143
POL65413	1.1	3.1	6.6	18	0.05	0.5	0.2	65	0.24	0.025	22	42	0.67	168	0.105
POL65415	0.9	0.25	6.7	18	0.05	0.2	0.2	46	0.31	0.015	29	24	0.82	246	0.138
POL65416	0.6	0.6	6	16	0.05	0.2	0.05	53	0.27	0.012	12	40	1.3	288	0.15
POL65417	1.1	0.6	12.4	22	0.05	0.5	0.1	56	0.24	0.02	17	24	0.76	261	0.202
POL65418	0.7	3.3	6	31	0.05	0.4	0.1	66	0.42	0.035	15	34	0.75	245	0.129
POL65419	0.7	1.3	5.1	24	0.05	0.2	0.1	93	0.47	0.069	16	60	1.62	308	0.282
POL65420	0.8	2.6	4.2	49	0.3	0.4	0.1	80	1.04	0.067	16	35	1.04	382	0.161
POL65421	1.1	3.3	4	57	0.05	0.5	0.1	63	0.7	0.077	15	33	0.64	284	0.102
POL65422	1.4	2.6	7	24	0.05	0.2	0.1	82	0.24	0.056	25	49	0.92	314	0.164
POL65423	1.1	0.7	4.1	17	0.05	0.05	0.1	120	0.29	0.083	18	35	1.45	274	0.221
POL65424	0.7	0.25	4	25	0.05	0.1	0.1	98	0.49	0.09	13	37	1.6	439	0.171
POL65465	0.7	2.2	3.3	57	0.3	0.6	0.1	55	1.66	0.082	13	29	0.73	258	0.092
POL65466	0.7	8	3	46	0.2	0.5	0.1	55	0.71	0.066	13	30	0.55	270	0.078
POL65498	0.8	1.4	5.1	29	0.05	0.2	0.1	116	0.74	0.18	19	70	1.19	344	0.126
POL65499	0.8	2.1	4.8	27	0.05	0.2	0.1	107	0.66	0.149	21	69	1.14	326	0.131
POL65499	0.8	1.4	4.8	28	0.05	0.2	0.1	108	0.64	0.162	20	64	1.14	331	0.133
POL65500	0.7	1.8	4.2	15	0.05	0.4	0.2	86	0.14	0.073	14	48	0.75	207	0.111
POL68526	1.3	1.9	4.4	34	0.1	0.6	0.3	48	0.42	0.05	13	32	0.61	366	0.094
POL68530	1.2	1.6	5.5	32	0.1	0.9	0.3	43	0.22	0.049	17	20	0.27	455	0.021
POL68533	0.7	2.3	4.4	19	0.6	0.4	0.3	84	0.29	0.057	12	27	0.77	256	0.115
POL69001	0.5	0.25	2	28	0.05	0.2	0.05	74	0.36	0.045	7	21	1.11	319	0.155
POL69003	0.5	0.6	2.4	24	0.05	0.3	0.1	74	0.26	0.048	6	17	1.18	294	0.176
POL69017	1.3	2.1	5.3	26	0.05	0.5	0.2	61	0.27	0.031	24	38	0.59	251	0.122
POL69018	0.9	1.8	5	15	0.05	0.4	0.2	46	0.15	0.027	16	26	0.59	172	0.116
POL69019	1.3	1.4	4.8	25	0.05	0.6	0.2	68	0.25	0.048	20	37	0.55	253	0.088
POL69021	1.9	2.7	3.6	28	0.05	1.4	0.2	60	0.24	0.032	21	34	0.44	358	0.052
POL69026	0.7	0.25	3.7	17	0.1	0.2	0.05	58	0.25	0.058	12	15	0.96	203	0.188
POL69026	0.7	0.25	3.6	17	0.1	0.3	0.05	60	0.25	0.057	12	15	0.97	203	0.185
POL69027	1.1	1.3	4.2	21	0.05	0.3	0.1	84	0.29	0.047	13	31	0.81	239	0.154
POL69029	1.3	5.4	5.3	24	0.3	0.2	0.2	111	0.37	0.127	30	57	1.17	322	0.192
POL69055	0.9	0.25	0.8	65	0.1	0.6	0.05	115	3.83	0.077	7	4	0.3	427	0.005
POL69056	0.9	0.25	4.6	15	0.05	0.5	0.4	113	0.3	0.052	23	14	0.92	287	0.187
POL69058	0.6	1.1	4.5	13	0.05	0.3	0.05	112	0.28	0.034	11	20	1.13	305	0.152
POL69059	0.8	1.4	5.2	15	0.5	0.1	0.1	134	0.36	0.082	15	48	1.54	386	0.239
POL69060	1.9	0.25	9.4	35	0.3	0.2	0.3	64	0.31	0.076	26	25	0.93	213	0.08
POL69075	0.7	1.1	3.4	12	0.1	0.5	0.2	66	0.12	0.043	12	28	0.37	94	0.095
POL69079	2.3	0.25	14.2	33	0.05	0.2	0.4	70	0.39	0.171	27	41	0.74	281	0.146
POL69082	0.7	4.6	3.9	14	0.2	2.6	0.3	87	0.15	0.053	10	30	0.43	129	0.11
POL69083	0.6	1.8	2.5	13	0.2	0.3	0.2	62	0.2	0.05	9	24	0.53	127	0.095
POL69092	0.9	1.8	2.8	23	0.1	0.2	0.2	79	0.48	0.078	13	34	0.86	339	0.153
POL69093	0.7	5.8	3.3	23	0.1	0.2	0.1	78	0.5	0.072	11	37	0.89	265	0.145
POL69104	0.9	1.3	2.9	23	0.05	0.2	0.1	68	0.48	0.042	12	94	1.28	383	0.148

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL65403	0.5	3	0.011	1.5	0.1	0.02	10.8	0.9	0.025	12	0.25	1DX15	SMI09000257
POL65404	0.5	3.68	0.023	1.63	0.2	0.01	10	0.6	0.025	11	0.7	1DX15	SMI09000257
POL65405	0.5	3.39	0.011	1.2	0.05	0.01	7.9	0.6	0.025	13	0.25	1DX15	SMI09000257
POL65405	1	3.35	0.011	1.2	0.1	0.02	8	0.7	0.025	12	0.25	1DX15	SMI09000257
POL65406	0.5	1.97	0.009	0.39	0.1	0.01	4.4	0.2	0.025	7	0.25	1DX15	SMI09000257
POL65407	0.5	1.77	0.009	0.43	0.05	0.01	6.5	0.3	0.025	7	0.25	1DX15	SMI09000257
POL65408	0.5	1.89	0.015	0.36	0.1	0.005	5.4	0.3	0.025	6	0.25	1DX15	SMI09000257
POL65409	0.5	2.68	0.014	1.09	0.2	0.02	11.3	0.5	0.025	12	0.25	1DX15	SMI09000257
POL65410	1	2.57	0.01	0.86	0.1	0.02	6	0.5	0.025	10	0.25	1DX15	SMI09000257
POL65411	1	2.68	0.016	0.93	0.05	0.02	6.9	0.5	0.025	10	0.25	1DX15	SMI09000257
POL65412	0.5	1.89	0.021	0.55	0.1	0.04	6.8	0.4	0.025	7	0.25	1DX15	SMI09000257
POL65413	3	2	0.013	0.23	0.1	0.03	7.7	0.1	0.025	6	0.25	1DX15	SMI09000257
POL65415	0.5	1.93	0.009	0.58	0.1	0.005	5	0.4	0.025	7	0.25	1DX15	SMI09000257
POL65416	0.5	2.16	0.01	0.78	0.1	0.005	6.6	0.4	0.025	9	0.25	1DX15	SMI09000257
POL65417	0.5	1.93	0.013	0.9	0.2	0.01	11.6	0.5	0.025	11	0.25	1DX15	SMI09000257
POL65418	3	1.87	0.017	0.27	0.1	0.03	7.6	0.2	0.025	7	0.25	1DX15	SMI09000257
POL65419	0.5	2.75	0.02	1.28	0.2	0.005	7.5	0.4	0.025	10	0.25	1DX15	SMI09000257
POL65420	2	1.92	0.045	0.36	0.1	0.02	5.8	0.2	0.025	7	0.7	1DX15	SMI09000257
POL65421	2	1.33	0.045	0.1	0.2	0.03	3.9	0.05	0.025	4	0.25	1DX15	SMI09000257
POL65422	0.5	2.2	0.012	0.57	0.1	0.01	6	0.4	0.025	7	0.25	1DX15	SMI09000257
POL65423	0.5	2.52	0.012	1.01	0.05	0.005	6.6	0.4	0.025	10	0.25	1DX15	SMI09000257
POL65424	0.5	2.2	0.011	0.48	0.1	0.01	5.5	0.3	0.025	9	0.25	1DX15	SMI09000257
POL65465	3	1.3	0.051	0.09	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	SMI09000257
POL65466	0.5	1.31	0.033	0.04	0.2	0.03	4.2	0.05	0.025	4	0.25	1DX15	SMI09000257
POL65498	0.5	1.97	0.03	0.48	0.05	0.005	9.7	0.4	0.025	6	0.8	1DX15	SMI09000257
POL65499	0.5	1.96	0.026	0.37	0.05	0.01	9.1	0.3	0.025	7	0.6	1DX15	SMI09000257
POL65499	0.5	1.93	0.026	0.36	0.05	0.01	8.8	0.3	0.025	6	0.7	1DX15	SMI09000257
POL65500	0.5	2.66	0.009	0.23	0.1	0.02	4.4	0.2	0.025	8	0.25	1DX15	SMI09000257
POL68526	1	1.47	0.024	0.21	0.1	0.07	9	0.1	0.025	6	0.6	1DX15	SMI09000257
POL68530	5	1.02	0.011	0.11	0.05	0.09	7	0.05	0.025	3	0.7	1DX15	SMI09000257
POL68533	3	1.88	0.017	0.26	0.05	0.05	7.6	0.2	0.025	7	0.5	1DX15	SMI09000257
POL69001	2	1.83	0.017	0.49	0.05	0.005	5.4	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69003	1	2.15	0.015	0.54	0.1	0.01	4.8	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69017	1	2.05	0.016	0.09	0.1	0.04	6.9	0.1	0.025	7	0.6	1DX15	SMI09000257
POL69018	0.5	2.02	0.01	0.3	0.1	0.01	5.1	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69019	2	2.24	0.016	0.06	0.2	0.04	5.6	0.1	0.025	6	0.9	1DX15	SMI09000257
POL69021	2	1.76	0.014	0.06	0.1	0.06	5.2	0.1	0.025	5	0.8	1DX15	SMI09000257
POL69026	1	1.85	0.014	0.53	0.05	0.01	8.4	0.2	0.025	9	0.25	1DX15	SMI09000257
POL69026	1	1.87	0.016	0.52	0.05	0.01	8.4	0.2	0.025	10	0.25	1DX15	SMI09000257
POL69027	1	1.75	0.02	0.34	0.1	0.02	6.2	0.2	0.025	7	0.5	1DX15	SMI09000257
POL69029	0.5	2.61	0.02	0.71	0.05	0.02	6.2	0.3	0.025	9	0.5	1DX15	SMI09000257
POL69055	4	1.04	0.008	0.2	0.2	0.06	24.1	0.2	0.025	3	0.25	1DX15	SMI09000257
POL69056	2	2.08	0.019	0.64	0.05	0.005	10.7	0.3	0.025	9	0.8	1DX15	SMI09000257
POL69058	0.5	2.06	0.021	0.8	0.05	0.02	10.2	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69059	0.5	2.34	0.018	1.28	0.05	0.005	7.7	0.4	0.025	9	0.25	1DX15	SMI09000257
POL69060	2	1.79	0.013	0.56	0.05	0.03	8.4	0.3	0.06	5	1.1	1DX15	SMI09000257
POL69075	1	1.72	0.009	0.09	0.1	0.02	3.4	0.1	0.025	8	0.25	1DX15	SMI09000257
POL69079	1	1.9	0.011	0.81	0.05	0.01	4.2	0.7	0.06	7	1.4	1DX15	SMI09000257
POL69082	2	1.62	0.013	0.12	0.2	0.03	4.2	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69083	1	1.52	0.014	0.14	0.1	0.03	3.9	0.1	0.025	7	0.25	1DX15	SMI09000257
POL69092	1	1.68	0.015	0.25	0.2	0.04	5.2	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69093	0.5	1.71	0.015	0.2	0.2	0.02	4.6	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69104	1	1.9	0.024	0.2	0.05	0.03	6.8	0.1	0.025	6	0.25	1DX15	SMI09000257

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69135	583187	7010361	NAD 83-07V	0.3	46	3.1	92	0.05	9	17.8	557	4.09	1.8
POL69136	583187	7010361	NAD 83-07V	0.9	27.3	9.7	85	0.05	18.7	11.1	396	3.18	8.7
POL69137	583153	7010398	NAD 83-07V	0.5	26.8	6.8	96	0.05	12.7	9.2	542	3.77	5
POL69138	583120	7010435	NAD 83-07V	0.8	32.5	15.4	63	0.05	16.6	12.3	377	3.51	6.2
POL69139	583087	7010473	NAD 83-07V	0.4	39.8	10.2	75	0.05	14	16.5	568	3.65	3.3
POL69140	583054	7010510	NAD 83-07V	0.5	34.6	8.6	66	0.05	18.5	10.4	463	3.06	5
POL69140	583054	7010510	NAD 83-07V	0.5	33.7	8.7	61	0.05	17.1	10.7	467	3	4.8
POL69141	583020	7010547	NAD 83-07V	0.05	67.7	4.6	29	0.05	7.8	20.2	309	2.18	0.8
POL69142	582986	7010584	NAD 83-07V	0.1	74.1	23.7	29	0.05	13.4	23.7	362	2.59	0.9
POL69143	582952	7010620	NAD 83-07V	0.4	124	4.9	101	0.05	34.7	25.9	1235	4.85	2.7
POL69144	582921	7010659	NAD 83-07V	0.5	110.1	6.4	77	0.05	21.8	18	650	3.74	4
POL69145	582886	7010695	NAD 83-07V	0.4	51.4	7.3	74	0.05	20.9	13.2	558	3.6	7.7
POL69146	582853	7010733	NAD 83-07V	0.6	61.5	7.4	77	0.05	29.6	17	671	3.7	5.3
POL69147	582819	7010770	NAD 83-07V	1	66.3	15.1	90	0.05	32.9	20.3	880	4.39	2.7
POL69148	582785	7010807	NAD 83-07V	0.8	63	7.9	75	0.05	22.5	16.4	679	3.45	5
POL69149	582752	7010844	NAD 83-07V	0.7	64.3	8.7	56	0.05	24.9	23.4	473	3.53	4.1
POL69150	582966	7010904	NAD 83-07V	0.5	80.3	5.2	77	0.05	37.1	24.8	1322	3.92	3.2
POL69155	583652	7009696	NAD 83-07V	0.4	32.4	5.1	68	0.05	11.2	6.8	430	3.06	4.8
POL69156	583620	7009735	NAD 83-07V	1.1	39.6	18.6	104	0.05	5.8	3.8	613	3.34	3.3
POL69157	583619	7009734	NAD 83-07V	1	35.2	9.3	125	0.05	9.2	7.8	511	3.47	4.9
POL69159	583551	7009808	NAD 83-07V	0.7	49.4	29.4	99	0.05	18.3	9.8	852	3.96	5.5
POL69168	583251	7010143	NAD 83-07V	0.7	28.1	9.3	67	0.05	12.3	8.8	291	3.22	8.5
POL69174	583047	7010365	NAD 83-07V	0.7	29.3	14.3	78	0.05	16.9	13.7	528	3.59	7
POL69185	582680	7010775	NAD 83-07V	1.5	51.8	47	163	0.05	38.1	17.2	324	4.23	19
POL69186	582647	7010810	NAD 83-07V	1.4	44.2	58.1	102	0.3	32.4	17.6	261	3.81	16.1
POL69194	583663	7009979	NAD 83-07V	1	69	20.8	79	0.05	25.6	20.8	431	4.84	5
POL69196	583593	7010053	NAD 83-07V	0.9	38.5	11.6	60	0.05	20	15.5	340	3.31	4.4
POL69235	582833	7011053	NAD 83-07V	0.9	59.9	10.2	58	0.05	18.9	14.2	434	3.2	6.5
POL69248	584023	7010032	NAD 83-07V	1.1	53.1	8.2	42	0.05	23.8	12.3	216	2.7	6.7
POL69250	583955	7010107	NAD 83-07V	0.4	63	11.5	54	0.05	21	16.1	614	3.06	5
POL69251	583921	7010143	NAD 83-07V	0.5	43.8	10.3	46	0.05	23.5	12.1	289	2.48	7
POL69252	583889	7010181	NAD 83-07V	0.6	50	12.1	54	0.05	25.3	14.1	292	3.02	5.2
POL69253	583856	7010217	NAD 83-07V	0.6	54.3	6.7	63	0.05	19.2	16.6	327	3.71	4.7
POL69254	583822	7010255	NAD 83-07V	0.7	63.9	8.9	51	0.05	20.1	16	309	3.07	4.9
POL69255	583788	7010292	NAD 83-07V	0.6	47.3	5.3	45	0.05	22.8	14.6	327	2.91	4.9
POL69257	583721	7010366	NAD 83-07V	0.7	28.2	9.5	53	0.05	17.1	12.4	336	3.29	4
POL69262	583617	7010480	NAD 83-07V	0.6	20.8	11.7	39	0.05	12.1	10.7	267	2.62	3.6
POL69289	583811	7010114	NAD 83-07V	0.4	24.8	7.4	72	0.05	6.3	10.3	593	3.52	1.9
POL69300	583446	7010522	NAD 83-07V	0.8	26.3	9.6	57	0.05	13.9	11.7	379	2.9	4.5
POL69304	583312	7010673	NAD 83-07V	1.4	24.3	23.5	72	0.05	20.5	10.4	477	2.89	13.3
POL69309	583144	7010854	NAD 83-07V	0.7	168.7	8.5	65	0.05	13.6	29.9	636	4.76	2.9
POL69310	583110	7010894	NAD 83-07V	0.5	137.6	4.6	85	0.05	9.6	22.3	911	5.51	1.1
POL69378	581616	7012105	NAD 83-07V	1	13	8.5	72	0.05	10.2	9.6	455	3.82	4.2
POL69379	581650	7012070	NAD 83-07V	1.2	26.8	18.4	107	0.05	17.9	14.6	898	4.66	1.6
POL69380	581681	7012034	NAD 83-07V	0.6	23.5	6.8	72	0.05	12.8	10.5	381	3.57	4.3
POL69381	581715	7011996	NAD 83-07V	0.5	22.9	7.8	109	0.05	10.1	12.3	631	5.23	1.9
POL69382	581749	7011960	NAD 83-07V	0.7	116.6	9.3	87	0.05	24.8	19	2108	4.29	2.2
POL69383	581781	7011922	NAD 83-07V	1.2	46.2	20.7	80	0.05	25.7	11.7	521	3.92	8.9
POL69384	581816	7011883	NAD 83-07V	1.6	33.7	17	73	0.05	19.1	10.1	529	3.29	14.8
POL69385	581849	7011848	NAD 83-07V	2.7	71.4	31.9	173	0.2	51.2	20.4	921	5.98	9.6
POL69385	581849	7011848	NAD 83-07V	2.6	68.9	32	168	0.1	52.2	18.7	870	6.05	9.6
POL69386	581881	7011810	NAD 83-07V	1	90.8	24.5	120	0.05	33.8	18.7	1152	4.56	8.4
POL69387	581917	7011774	NAD 83-07V	0.9	46.8	17.3	119	0.1	26.2	12	823	4.11	15.4

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69135	0.7	0.25	2	22	0.2	0.5	0.05	132	0.42	0.048	17	8	1	382	0.129
POL69136	0.8	1.4	2.9	19	0.2	0.4	0.2	75	0.25	0.041	13	27	0.58	242	0.092
POL69137	0.6	0.25	3.8	12	0.1	0.3	0.1	46	0.19	0.034	9	20	0.94	239	0.173
POL69138	0.7	1	2.7	17	0.1	0.4	0.2	75	0.22	0.031	12	26	0.78	221	0.119
POL69139	0.6	0.6	3.3	17	0.05	0.2	0.05	91	0.35	0.084	13	30	1.12	291	0.202
POL69140	0.6	0.25	3.1	22	0.05	0.3	0.1	72	0.41	0.068	12	25	0.89	402	0.135
POL69140	0.6	1.4	3	21	0.05	0.3	0.1	67	0.4	0.061	13	25	0.84	363	0.129
POL69141	0.2	0.25	0.5	24	0.05	0.05	0.05	85	0.72	0.096	3	10	1.15	294	0.143
POL69142	0.2	0.25	0.4	25	0.05	0.05	0.2	103	0.59	0.037	3	16	1.48	215	0.189
POL69143	0.5	2.4	2.2	29	0.05	0.1	0.05	117	0.76	0.17	8	35	1.87	845	0.237
POL69144	0.6	0.8	1.5	36	0.05	0.2	0.05	92	0.67	0.11	7	25	1.21	507	0.233
POL69145	0.6	1.1	2.5	36	0.1	0.5	0.1	80	0.65	0.106	8	32	0.87	403	0.113
POL69146	1	2.6	2.5	51	0.1	0.3	0.05	81	0.75	0.102	9	36	1.2	519	0.207
POL69147	0.7	1.1	2.2	44	0.05	0.1	0.2	100	0.61	0.136	8	37	1.57	430	0.277
POL69148	0.7	2.9	2.5	37	0.05	0.2	0.05	85	0.64	0.087	9	31	1.03	374	0.219
POL69149	0.8	1.7	3.4	65	0.05	0.3	0.05	75	0.67	0.084	11	42	1.22	243	0.18
POL69150	0.4	1	2.4	29	0.05	0.2	0.05	107	0.62	0.177	10	38	1.53	1315	0.2
POL69155	1.4	2.2	4.8	17	0.05	0.3	0.05	45	0.19	0.026	22	16	0.56	187	0.109
POL69156	1	1.6	5.2	15	0.1	0.2	0.3	34	0.2	0.024	15	7	0.62	229	0.09
POL69157	1	0.25	5.3	16	0.1	0.3	0.2	46	0.18	0.03	18	13	0.66	223	0.106
POL69159	1.5	1	4.7	18	0.2	0.8	0.4	65	0.26	0.084	23	22	0.49	268	0.097
POL69168	0.5	0.8	2.6	15	0.05	0.5	0.2	77	0.2	0.034	9	25	0.56	131	0.151
POL69174	0.7	0.8	3.1	20	0.05	0.2	0.1	86	0.36	0.064	12	29	1	262	0.192
POL69185	1.8	0.6	10.9	23	0.3	0.4	0.3	65	0.3	0.104	24	45	0.7	360	0.135
POL69186	1.7	3	8.3	27	0.6	0.5	0.3	69	0.15	0.06	19	49	0.52	383	0.099
POL69194	0.4	1.5	1.9	25	0.05	0.2	0.2	138	0.28	0.061	6	39	0.99	315	0.252
POL69196	0.6	3.4	2.8	19	0.05	0.2	0.1	86	0.46	0.06	9	27	0.86	250	0.162
POL69235	0.4	1.7	1.6	32	0.05	0.4	0.2	83	0.36	0.063	6	28	0.85	359	0.184
POL69248	0.4	0.6	1.6	14	0.05	0.4	0.1	58	0.2	0.024	5	54	0.75	186	0.128
POL69250	0.7	1.3	2.7	26	0.1	0.2	0.1	74	0.65	0.066	10	60	1.1	362	0.162
POL69251	0.6	2.1	3.5	27	0.1	0.5	0.1	57	0.42	0.066	14	38	0.68	248	0.116
POL69252	0.5	1.3	3	25	0.05	0.4	0.1	72	0.38	0.042	10	52	0.93	260	0.164
POL69253	0.4	0.25	1.8	20	0.05	0.3	0.05	88	0.35	0.062	7	58	1.48	336	0.209
POL69254	0.4	1.2	2.1	23	0.05	0.2	0.1	71	0.38	0.041	7	44	0.99	323	0.178
POL69255	0.6	0.7	2.5	27	0.05	0.3	0.05	67	0.4	0.041	11	33	0.75	248	0.13
POL69257	0.5	1.4	2.8	22	0.05	0.3	0.1	58	0.31	0.042	10	27	0.71	292	0.171
POL69262	0.6	1.8	2.4	29	0.05	0.2	0.1	62	0.43	0.044	9	21	0.74	268	0.145
POL69289	0.4	0.25	2.2	14	0.05	0.2	0.05	46	0.19	0.034	6	9	0.87	203	0.235
POL69300	0.7	0.8	3	25	0.1	0.3	0.1	67	0.35	0.053	11	26	0.66	277	0.139
POL69304	1	0.25	5.3	28	0.2	1.1	0.2	52	0.39	0.092	21	29	0.5	222	0.088
POL69309	0.4	0.6	1.4	17	0.05	0.3	0.05	136	0.49	0.025	4	12	1.32	200	0.215
POL69310	0.5	2.5	1.4	18	0.1	0.4	0.05	127	0.65	0.051	18	6	0.77	191	0.108
POL69378	0.5	1	4.4	9	0.05	0.2	0.1	61	0.12	0.039	12	26	1.14	284	0.17
POL69379	0.9	0.6	4.1	13	0.05	0.05	0.2	99	0.32	0.114	20	42	1.42	418	0.218
POL69380	0.9	1.8	5.3	15	0.05	0.3	0.1	72	0.23	0.042	19	28	0.95	317	0.178
POL69381	1.2	1.4	6.9	15	0.05	0.1	0.1	81	0.28	0.074	27	23	1.74	539	0.265
POL69382	1.3	3.4	10.6	21	0.05	0.4	0.2	97	0.42	0.093	37	23	1.16	2271	0.209
POL69383	1.7	2.7	6.5	22	0.1	1	0.3	71	0.46	0.049	22	44	0.66	406	0.095
POL69384	1.2	2	7.2	21	0.05	0.4	0.3	43	0.33	0.053	12	22	0.44	472	0.04
POL69385	2.7	2.4	23.1	26	0.2	0.3	0.7	73	0.63	0.138	39	45	0.62	522	0.135
POL69385	2.6	3	23.8	26	0.2	0.2	0.7	76	0.59	0.153	38	42	0.66	534	0.128
POL69386	1.4	1.6	9.2	24	0.2	0.3	0.4	83	0.64	0.14	22	29	0.92	772	0.169
POL69387	1.7	2.6	12.5	29	0.1	0.3	0.3	59	0.84	0.104	26	23	0.67	589	0.129

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69135	0.5	1.91	0.029	0.46	0.2	0.005	10.4	0.1	0.025	8	0.5	1DX15	SMI09000257
POL69136	1	1.9	0.024	0.1	0.2	0.03	5.3	0.1	0.025	7	0.8	1DX15	SMI09000257
POL69137	0.5	2.23	0.015	0.54	0.05	0.02	9.2	0.2	0.025	9	0.25	1DX15	SMI09000257
POL69138	0.5	2	0.019	0.17	0.05	0.005	5.4	0.1	0.025	6	0.5	1DX15	SMI09000257
POL69139	0.5	2.03	0.016	0.81	0.05	0.005	5.1	0.3	0.025	7	0.25	1DX15	SMI09000257
POL69140	0.5	1.69	0.016	0.29	0.1	0.02	5.2	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69140	0.5	1.64	0.016	0.27	0.05	0.02	5.3	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69141	0.5	1.37	0.067	0.37	0.05	0.005	5.7	0.2	0.025	3	0.25	1DX15	SMI09000257
POL69142	0.5	1.55	0.066	0.43	0.05	0.005	7.4	0.2	0.025	5	0.25	1DX15	SMI09000257
POL69143	1	2.77	0.026	1.09	0.05	0.01	6.6	0.4	0.025	10	0.25	1DX15	SMI09000257
POL69144	1	1.87	0.02	0.59	0.05	0.07	4.8	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69145	2	1.63	0.019	0.37	0.2	3.62	6.2	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69146	1	2	0.025	0.59	0.1	0.05	4.1	0.2	0.025	7	0.8	1DX15	SMI09000257
POL69147	0.5	2.27	0.014	0.86	0.1	0.04	3.5	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69148	0.5	1.63	0.018	0.61	0.1	0.03	3.8	0.3	0.025	7	0.6	1DX15	SMI09000257
POL69149	0.5	1.68	0.024	0.25	0.05	0.02	3.6	0.1	0.025	6	0.7	1DX15	SMI09000257
POL69150	0.5	2.12	0.023	0.68	0.2	0.01	9.4	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69155	0.5	1.57	0.013	0.24	0.05	0.02	9.9	0.1	0.025	7	0.8	1DX15	SMI09000257
POL69156	0.5	1.83	0.008	0.55	0.05	0.04	6.9	0.3	0.025	7	0.8	1DX15	SMI09000257
POL69157	1	2.2	0.01	0.49	0.05	0.04	8.7	0.2	0.025	8	0.6	1DX15	SMI09000257
POL69159	4	1.75	0.013	0.29	0.2	0.05	7.6	0.2	0.025	6	0.6	1DX15	SMI09000257
POL69168	1	1.8	0.019	0.14	0.1	0.02	5	0.1	0.025	8	0.25	1DX15	SMI09000257
POL69174	2	1.96	0.015	0.37	0.1	0.005	5.1	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69185	2	1.79	0.013	0.51	0.05	0.005	5.2	0.5	0.025	6	0.9	1DX15	SMI09000257
POL69186	2	2.78	0.021	0.21	0.2	0.04	4.2	0.1	0.05	6	0.8	1DX15	SMI09000257
POL69194	0.5	2.34	0.035	0.73	0.05	0.01	4	0.3	0.22	7	0.25	1DX15	SMI09000257
POL69196	0.5	1.76	0.013	0.28	0.1	0.02	3.1	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69235	1	1.73	0.017	0.22	0.1	0.02	3.1	0.1	0.025	7	0.25	1DX15	SMI09000257
POL69248	1	1.72	0.018	0.15	0.05	0.01	2.9	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69250	1	1.6	0.024	0.3	0.1	0.02	5.6	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69251	1	1.46	0.02	0.08	0.1	0.02	4.8	0.05	0.025	4	0.6	1DX15	SMI09000257
POL69252	1	1.97	0.02	0.09	0.1	0.005	4.2	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69253	0.5	2.37	0.016	0.55	0.05	0.005	4.2	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69254	1	2.14	0.022	0.14	0.05	0.005	3.3	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69255	0.5	1.63	0.021	0.11	0.05	0.02	4.9	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69257	0.5	1.97	0.015	0.16	0.05	0.01	5.6	0.05	0.025	7	0.25	1DX15	SMI09000257
POL69262	1	1.58	0.018	0.2	0.1	0.005	3.9	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69289	0.5	1.97	0.012	0.49	0.05	0.005	7.5	0.1	0.025	8	0.25	1DX15	SMI09000257
POL69300	1	1.51	0.019	0.17	0.1	0.02	4.4	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69304	2	1.37	0.017	0.2	0.3	0.03	4.6	0.2	0.025	5	0.25	1DX15	SMI09000257
POL69309	2	2.21	0.055	0.24	0.05	0.02	8.3	0.2	0.025	7	0.9	1DX15	SMI09000257
POL69310	1	1.39	0.07	0.38	0.05	0.05	18	0.3	0.025	6	0.7	1DX15	SMI09000257
POL69378	0.5	2.4	0.011	0.72	0.1	0.005	5.2	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69379	0.5	2.68	0.014	1.15	0.05	0.005	6.9	0.4	0.025	11	0.25	1DX15	SMI09000257
POL69380	0.5	2.22	0.013	0.6	0.1	0.005	6.3	0.2	0.025	8	0.5	1DX15	SMI09000257
POL69381	0.5	3	0.016	1.5	0.2	0.005	10.5	0.3	0.025	13	0.5	1DX15	SMI09000257
POL69382	1	2.03	0.013	1.11	0.05	0.04	9.1	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69383	2	1.95	0.012	0.2	0.1	0.07	10.2	0.1	0.025	7	0.25	1DX15	SMI09000257
POL69384	0.5	1.11	0.01	0.14	0.05	0.01	4.8	0.1	0.025	4	0.6	1DX15	SMI09000257
POL69385	2	1.77	0.009	0.84	0.05	0.02	7.1	0.5	0.025	7	1.4	1DX15	SMI09000257
POL69385	2	1.77	0.008	0.84	0.05	0.02	6.9	0.5	0.025	7	1.7	1DX15	SMI09000257
POL69386	1	1.71	0.013	0.79	0.05	0.02	8	0.3	0.025	7	1.1	1DX15	SMI09000257
POL69387	2	1.65	0.011	0.63	0.05	0.02	6.8	0.5	0.025	6	0.9	1DX15	SMI09000257

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69388	581950	7011736	NAD 83-07V	0.5	40.1	9.9	58	0.05	26.9	12.1	407	2.72	9
POL69391	582051	7011624	NAD 83-07V	0.6	56.2	14.6	65	0.1	26.2	11.4	394	3.1	15
POL69391	582051	7011624	NAD 83-07V	0.6	57.4	14	68	0.1	26	11.8	394	3.14	15.1
POL69393	582117	7011550	NAD 83-07V	0.6	50.3	14.1	56	0.05	26.5	12.3	371	2.84	12.2
POL69394	582151	7011510	NAD 83-07V	0.6	42.3	9.4	50	0.05	26.7	10.9	411	2.49	10.6
POL69395	582186	7011473	NAD 83-07V	0.6	43.8	11.8	60	0.05	26.2	12	478	2.63	11.5
POL69546	582627	7009789	NAD 83-07V	0.7	80.4	12.5	103	0.05	29.5	17.6	965	4.76	4.7
POL69547	582594	7009826	NAD 83-07V	1.3	50.3	13.1	82	0.05	33.8	16.2	395	4.75	46.4
POL69551	582462	7009974	NAD 83-07V	0.8	41.1	8.8	105	0.05	43.7	24.4	584	4.68	4.3
POL69552	582427	7010013	NAD 83-07V	0.8	35.9	10.8	73	0.05	28	15.7	473	3.56	6.3
POL69553	582393	7010049	NAD 83-07V	0.9	52	11.2	72	0.1	29.6	14.6	499	3.15	5.9
POL69554	582361	7010087	NAD 83-07V	0.8	38.2	10	73	0.05	30.4	13.9	419	3.47	7.8
POL69555	582361	7010087	NAD 83-07V	1	33.8	10.1	72	0.05	29.8	13.9	398	3.2	6.3
POL69556	582325	7010125	NAD 83-07V	0.7	42.7	10.4	67	0.05	29.3	13.4	383	3.24	7.2
POL69556	582325	7010125	NAD 83-07V	0.7	40.5	10.4	67	0.05	28.6	13.2	383	3.22	7
POL69557	582294	7010167	NAD 83-07V	0.8	32.9	7.9	88	0.05	22.9	15.2	597	4.12	5.3
POL69558	582261	7010199	NAD 83-07V	0.8	34.5	5.8	94	0.05	22.5	20.7	685	4.36	5.3
POL69559	582228	7010238	NAD 83-07V	0.8	47.2	8.7	63	0.05	22.5	14	486	3.28	7.1
POL69560	582196	7010274	NAD 83-07V	2.3	30.6	14.2	116	0.05	8.7	13	684	4.47	7.3
POL69562	583061	7009302	NAD 83-07V	1.2	47.2	10.1	84	0.05	36.7	14.2	503	3.99	6.8
POL69564	582993	7009378	NAD 83-07V	0.6	30.2	7.7	67	0.05	25.9	14.7	468	3.17	4.4
POL69565	582961	7009416	NAD 83-07V	0.3	82.4	5.5	83	0.05	25.1	24.5	724	4.12	1.5
POL69567	582894	7009489	NAD 83-07V	1.2	44.4	11.3	75	0.05	27.9	15.8	510	3.68	10.9
POL69569	582827	7009564	NAD 83-07V	0.8	21.5	7.1	59	0.05	19	12.2	415	2.83	6.5
POL69573	582692	7009715	NAD 83-07V	0.7	40.8	6.3	75	0.05	23.6	16.5	637	4.03	4.5
POL69574	583092	7009269	NAD 83-07V	0.7	45.3	8	60	0.05	24.3	12	459	3.26	7.4
POL69576	583162	7009193	NAD 83-07V	0.9	33	8.8	64	0.05	27.9	11.2	344	3.57	8.6
POL69671	582938	7008991	NAD 83-07V	0.7	52.9	10.8	101	0.05	47.2	21.8	583	4.65	6.7
POL69672	582904	7009033	NAD 83-07V	0.8	51.1	9.7	133	0.05	41.9	19.3	922	4.94	4.7
POL69673	582871	7009065	NAD 83-07V	0.5	38.6	8.9	71	0.05	27.4	11.7	373	3.13	15.6
POL69674	582837	7009104	NAD 83-07V	0.9	61.2	15.2	121	0.05	40.4	17.8	446	5.22	13.4
POL69675	582805	7009140	NAD 83-07V	0.5	40.1	10.8	113	0.05	35.8	20.6	446	4.73	2.8
POL69677	582738	7009215	NAD 83-07V	0.9	32.3	10.4	71	0.05	31.6	11.9	278	3.59	6.9
POL69678	582704	7009253	NAD 83-07V	0.8	26.4	9.3	60	0.05	26	10.6	310	3.06	8.3
POL69681	582604	7009364	NAD 83-07V	1	25.6	8.7	65	0.05	21.6	12.5	371	3.55	7.6
POL69682	582571	7009401	NAD 83-07V	0.9	22.7	7.2	72	0.05	27.7	13.2	428	3.43	4.6
POL69688	582367	7009628	NAD 83-07V	0.6	29.6	6.9	56	0.05	23.6	9.8	389	2.55	7
POL69689	582335	7009663	NAD 83-07V	0.6	29.7	8.2	58	0.05	23.8	11.2	320	2.91	6.9
POL69737	583055	7009165	NAD 83-07V	0.6	37.6	6.8	47	0.05	18.5	10.9	287	2.61	5.7
POL69738	583021	7009199	NAD 83-07V	0.3	49.9	6.5	55	0.05	20.3	13.7	423	3.09	5.2
POL69741	582955	7009276	NAD 83-07V	0.3	10.1	3.7	70	0.05	14.9	18.2	572	4.22	2.4
POL69745	582820	7009424	NAD 83-07V	1.1	33.4	12.7	85	0.05	19.3	11.9	411	3.6	8.7
POL69782	582769	7009780	NAD 83-07V	0.5	38.9	7.9	65	0.05	24.7	15.5	423	3.48	5.5
POL69787	582611	7009962	NAD 83-07V	1.3	18.5	10	58	0.05	19.8	10.8	356	3.47	5.8
POL69788	582570	7010005	NAD 83-07V	0.9	27.2	9.3	68	0.05	24	13.2	369	3.5	7.2
POL69790	582502	7010079	NAD 83-07V	0.7	30.1	9.6	82	0.05	28.6	14.9	417	3.45	6.3
POL69791	582466	7010119	NAD 83-07V	0.8	33.3	9.9	106	0.05	44.7	19.9	502	4.23	5.1
POL69792	582433	7010153	NAD 83-07V	0.9	36.1	10.7	76	0.05	36.3	14.9	411	3.54	6.2
POL69798	582233	7010378	NAD 83-07V	1.1	27.1	10.1	97	0.05	15.5	14.8	558	4.46	5.2
POL69806	583184	7009616	NAD 83-07V	1.3	53.3	11.1	103	0.05	24.7	16.5	574	4.63	5.9
POL69811	583018	7009800	NAD 83-07V	0.6	57.6	6.1	73	0.05	20.5	16.3	747	3.31	2.8
POL69812	582982	7009841	NAD 83-07V	0.8	104.6	5.6	82	0.05	30.4	21.2	672	3.88	4.5
POL69814	582949	7009878	NAD 83-07V	0.9	27.8	7.8	57	0.05	18.6	10.1	365	2.97	7.3

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69388	0.4	2.4	3	48	0.2	0.5	0.1	61	1.94	0.038	12	27	0.73	363	0.083
POL69391	0.6	4.1	5	52	0.1	0.9	0.2	59	1.62	0.073	17	28	0.62	393	0.07
POL69391	0.6	25.9	4.9	51	0.1	0.8	0.2	61	1.67	0.073	17	29	0.63	396	0.073
POL69393	0.6	1.9	3.1	75	0.1	0.6	0.2	61	2.72	0.072	13	31	0.78	335	0.101
POL69394	0.5	9.5	3.2	56	0.1	0.6	0.2	58	1.73	0.088	13	28	0.63	308	0.085
POL69395	0.6	2.6	3.6	99	0.2	0.7	0.2	53	4.72	0.076	13	26	0.8	372	0.087
POL69546	1	2.2	7.3	40	0.1	0.3	0.2	87	0.97	0.073	27	46	0.82	240	0.103
POL69547	1.5	1.2	16	15	0.05	0.4	0.3	60	0.29	0.06	37	56	1.22	270	0.163
POL69551	1.7	1.4	10.6	32	0.05	0.2	0.1	80	0.57	0.121	42	57	1.5	224	0.243
POL69552	1.7	1.6	11.3	28	0.05	0.4	0.2	63	0.4	0.063	40	45	0.87	219	0.164
POL69553	2.6	1.5	9.3	44	0.2	0.3	0.2	56	0.8	0.065	51	40	0.7	262	0.123
POL69554	1.5	1	9.2	35	0.05	0.4	0.2	58	0.6	0.061	33	40	0.74	223	0.163
POL69555	1.3	2.5	9.6	32	0.1	0.4	0.2	57	0.55	0.053	31	39	0.75	209	0.142
POL69556	1.8	4.2	9	33	0.05	0.3	0.2	57	0.64	0.065	46	39	0.74	240	0.141
POL69556	2	2.4	9	34	0.05	0.3	0.2	56	0.61	0.064	47	39	0.75	251	0.133
POL69557	1	0.9	8.4	29	0.05	0.2	0.1	73	0.55	0.056	26	40	1.33	285	0.215
POL69558	1.3	1.6	5.8	34	0.05	0.2	0.05	81	0.64	0.079	22	42	1.56	314	0.252
POL69559	2.2	2.2	6.4	34	0.05	0.4	0.2	64	0.53	0.043	25	34	0.83	273	0.141
POL69560	1.6	0.25	10.3	26	0.1	0.2	0.2	65	0.51	0.041	17	16	1.28	260	0.17
POL69562	0.6	3.8	3.8	20	0.05	0.4	0.2	97	0.26	0.06	11	72	1.24	354	0.203
POL69564	0.5	1.1	3.3	39	0.05	0.2	0.1	67	0.38	0.072	8	74	1.03	187	0.18
POL69565	0.4	0.9	2.6	50	0.05	0.2	0.05	66	0.92	0.18	10	51	1.83	499	0.224
POL69567	0.8	1	3.8	40	0.05	0.7	0.1	75	0.54	0.077	13	59	1.06	279	0.143
POL69569	0.8	1.7	3.9	33	0.1	0.3	0.1	61	0.49	0.068	13	35	0.75	254	0.116
POL69573	0.8	0.7	5.5	28	0.05	0.3	0.1	82	0.61	0.061	19	50	1.22	300	0.143
POL69574	0.5	1.7	3.1	22	0.05	0.4	0.1	77	0.3	0.028	9	40	0.75	273	0.139
POL69576	0.6	2.5	4.3	23	0.05	0.6	0.1	80	0.29	0.024	15	46	0.8	194	0.155
POL69671	1.5	1.3	13.1	31	0.05	0.4	0.2	73	0.3	0.031	18	59	1.09	293	0.266
POL69672	1	0.25	11	22	0.05	0.3	0.2	75	0.19	0.031	12	49	1.14	431	0.302
POL69673	1	1.1	11.1	25	0.05	0.4	0.2	56	0.32	0.044	25	37	0.74	243	0.147
POL69674	1.4	1.8	14.9	17	0.05	0.5	0.2	62	0.21	0.04	11	50	1.05	223	0.25
POL69675	2.5	0.25	12.5	23	0.05	0.2	0.1	52	0.24	0.031	18	47	1	251	0.286
POL69677	1.2	0.25	9.4	22	0.05	0.5	0.2	56	0.21	0.027	13	41	0.78	149	0.137
POL69678	0.9	2.4	6.3	24	0.05	0.3	0.1	60	0.27	0.049	22	41	0.74	199	0.132
POL69681	1	0.25	6.6	22	0.05	0.4	0.1	66	0.22	0.024	36	43	0.97	220	0.179
POL69682	0.8	0.5	4.2	24	0.05	0.3	0.1	67	0.3	0.041	19	63	1.19	219	0.208
POL69688	1	3.3	4.8	72	0.1	0.5	0.1	60	0.59	0.096	14	29	0.62	222	0.097
POL69689	1	1.9	6.7	34	0.05	0.5	0.1	60	0.47	0.037	20	38	0.72	223	0.131
POL69737	0.3	0.7	2.3	29	0.05	0.3	0.05	64	0.39	0.032	7	38	0.74	145	0.12
POL69738	0.5	0.9	4	35	0.05	0.3	0.05	73	0.54	0.061	15	40	1.03	228	0.183
POL69741	0.6	0.25	5.9	34	0.05	0.2	0.05	101	0.45	0.077	13	31	2.11	271	0.227
POL69745	1.1	0.9	8.3	20	0.1	0.2	0.2	72	0.34	0.069	17	32	0.8	288	0.136
POL69782	0.4	1.5	3.3	34	0.05	0.3	0.05	80	0.67	0.067	10	52	1.29	265	0.167
POL69787	0.5	1.5	2.8	18	0.1	0.4	0.2	92	0.22	0.027	10	52	0.77	207	0.12
POL69788	0.8	1.5	5.4	21	0.05	0.3	0.1	67	0.38	0.037	17	42	0.91	243	0.129
POL69790	1.4	1.3	9.8	24	0.05	0.2	0.1	51	0.52	0.055	29	41	0.87	246	0.154
POL69791	0.9	1.1	10.9	29	0.05	0.2	0.1	67	0.53	0.055	33	60	1.21	164	0.221
POL69792	1.5	3.6	10	28	0.05	0.3	0.2	57	0.55	0.049	34	59	0.86	217	0.136
POL69798	0.8	0.9	4.3	18	0.05	0.2	0.1	90	0.34	0.072	17	26	1.32	246	0.25
POL69806	1.3	1.4	6.5	17	0.1	0.1	0.2	80	0.37	0.086	17	29	1.04	251	0.116
POL69811	0.2	0.8	1	27	0.05	0.2	0.05	90	0.25	0.044	3	23	1.09	432	0.243
POL69812	0.5	4.3	2.7	38	0.05	0.4	0.05	109	0.47	0.087	17	34	1.46	546	0.249
POL69814	0.4	1.1	2	20	0.05	0.4	0.1	70	0.23	0.02	6	31	0.64	229	0.089

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69388	2	1.52	0.027	0.06	0.2	0.05	3.8	0.05	0.025	4	0.5	1DX15	SMI09000257
POL69391	3	1.47	0.024	0.09	0.1	0.04	5.6	0.1	0.025	4	0.7	1DX15	SMI09000257
POL69391	3	1.45	0.026	0.09	0.2	0.04	5.5	0.05	0.025	5	0.5	1DX15	SMI09000257
POL69393	2	1.49	0.038	0.09	0.2	0.03	5	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69394	3	1.33	0.031	0.1	0.2	0.04	4.3	0.05	0.025	4	0.25	1DX15	SMI09000257
POL69395	3	1.29	0.031	0.11	0.2	0.04	4.5	0.05	0.025	4	0.25	1DX15	SMI09000257
POL69546	2	1.52	0.012	0.27	0.05	0.04	12.9	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69547	1	2.4	0.009	0.94	0.05	0.02	6.5	0.5	0.025	9	0.25	1DX15	SMI09000257
POL69551	1	2.74	0.014	0.88	0.1	0.01	5.1	0.6	0.025	8	0.25	1DX15	SMI09000257
POL69552	0.5	1.92	0.017	0.32	0.1	0.04	5.3	0.3	0.025	7	0.6	1DX15	SMI09000257
POL69553	2	1.64	0.021	0.26	0.1	0.05	5.9	0.2	0.025	6	0.8	1DX15	SMI09000257
POL69554	2	1.75	0.028	0.31	0.1	0.03	5.1	0.2	0.025	6	0.6	1DX15	SMI09000257
POL69555	1	1.79	0.019	0.31	0.1	0.02	4.6	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69556	0.5	1.72	0.022	0.27	0.1	0.03	4.9	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69556	1	1.83	0.025	0.28	0.1	0.03	4.9	0.2	0.025	6	0.7	1DX15	SMI09000257
POL69557	4	2.54	0.017	0.75	0.2	0.02	5.6	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69558	1	2.4	0.022	0.84	0.1	0.01	5.4	0.4	0.025	7	0.25	1DX15	SMI09000257
POL69559	1	1.88	0.032	0.17	0.1	0.03	6.3	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69560	2	2.34	0.018	0.74	0.05	0.01	6.3	0.3	0.025	10	0.25	1DX15	SMI09000257
POL69562	1	2.57	0.013	0.75	0.1	0.005	5	0.3	0.025	8	0.6	1DX15	SMI09000257
POL69564	2	2.02	0.021	0.27	0.1	0.01	2.7	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69565	1	2.47	0.018	1.01	0.1	0.005	2.4	0.3	0.025	6	0.25	1DX15	SMI09000257
POL69567	1	1.98	0.018	0.28	0.1	0.03	5.1	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69569	1	1.67	0.022	0.11	0.2	0.03	3.9	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69573	0.5	1.94	0.018	0.46	0.05	0.02	7.3	0.2	0.025	7	0.5	1DX15	SMI09000257
POL69574	0.5	1.81	0.014	0.26	0.1	0.01	4.7	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69576	1	2.03	0.012	0.41	0.1	0.01	5.8	0.05	0.025	7	0.5	1DX15	SMI09000257
POL69671	0.5	2.62	0.015	1.08	0.05	0.005	7	0.5	0.025	9	0.25	1DX15	SMI09000257
POL69672	0.5	2.75	0.012	1.26	0.1	0.005	6.1	0.6	0.025	10	0.25	1DX15	SMI09000257
POL69673	0.5	1.63	0.021	0.4	0.05	0.01	5.2	0.2	0.025	5	0.25	1DX15	SMI09000257
POL69674	0.5	2.75	0.013	1.1	0.05	0.005	5.3	0.6	0.025	9	0.25	1DX15	SMI09000257
POL69675	0.5	2.63	0.013	0.81	0.05	0.005	4.5	0.7	0.025	9	0.25	1DX15	SMI09000257
POL69677	6	2.11	0.014	0.44	0.05	0.01	3.2	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69678	0.5	1.74	0.014	0.17	0.2	0.02	3.7	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69681	0.5	2.17	0.013	0.32	0.1	0.005	4.3	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69682	0.5	2.04	0.018	0.49	0.2	0.01	4.1	0.3	0.025	7	0.25	1DX15	SMI09000257
POL69688	2	1.17	0.033	0.13	0.2	0.02	4.1	0.1	0.025	4	0.25	1DX15	SMI09000257
POL69689	0.5	1.67	0.025	0.13	0.05	0.02	5.7	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69737	0.5	1.62	0.021	0.11	0.05	0.005	3.1	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69738	0.5	1.75	0.029	0.4	0.05	0.02	5.1	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69741	0.5	2.96	0.016	1.16	0.05	0.005	6.1	0.2	0.025	10	0.25	1DX15	SMI09000257
POL69745	0.5	1.77	0.012	0.5	0.05	0.01	6.6	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69782	1	1.95	0.03	0.49	0.05	0.02	5.5	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69787	1	1.78	0.014	0.15	0.2	0.02	4.2	0.05	0.025	9	0.25	1DX15	SMI09000257
POL69788	2	2.03	0.014	0.23	0.1	0.01	4.2	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69790	1	1.86	0.016	0.49	0.1	0.01	4.1	0.3	0.025	6	0.25	1DX15	SMI09000257
POL69791	1	2.42	0.015	0.54	0.3	0.005	4.3	0.5	0.025	9	0.25	1DX15	SMI09000257
POL69792	1	1.85	0.017	0.37	0.2	0.02	4.4	0.3	0.025	7	0.25	1DX15	SMI09000257
POL69798	0.5	2.42	0.014	0.73	0.2	0.02	5.6	0.3	0.025	10	0.25	1DX15	SMI09000257
POL69806	1	1.7	0.008	0.68	0.05	0.01	9	0.6	0.025	7	0.7	1DX15	SMI09000257
POL69811	0.5	1.77	0.009	0.74	0.05	0.005	2.6	0.3	0.025	7	0.25	1DX15	SMI09000257
POL69812	0.5	2.35	0.023	0.33	0.2	0.005	4.6	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69814	2	1.8	0.011	0.1	0.1	0.01	2.8	0.05	0.025	6	0.25	1DX15	SMI09000257

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69815	582914	7009913	NAD 83-07V	0.6	57.4	6	92	0.05	54.2	20.1	706	4.57	2.4
POL69816	582884	7009952	NAD 83-07V	0.9	41.2	7.5	75	0.05	24.8	12.6	447	3.74	7.9
POL69817	582848	7009989	NAD 83-07V	1.2	26.6	9	65	0.05	23.3	11.6	457	3.41	8.6
POL69818	582814	7010026	NAD 83-07V	0.6	59.5	7.5	84	0.05	30.3	17.7	731	4.19	5.4
POL69819	582781	7010063	NAD 83-07V	0.8	36.6	9.3	63	0.05	25.1	13.5	431	3.04	6.5
POL69819	582781	7010063	NAD 83-07V	0.7	37	9.3	65	0.05	24.9	13.7	447	3.09	6.9
POL69820	582747	7010099	NAD 83-07V	0.5	40.6	16.6	56	0.05	41.3	15.4	368	2.86	4.8
POL69821	582715	7010138	NAD 83-07V	0.5	25.2	9.2	48	0.05	15.9	8.9	299	2.33	3.1
POL69822	582681	7010176	NAD 83-07V	0.9	30.2	8.8	84	0.05	18.2	20.1	496	4.94	20.5
POL69823	582648	7010213	NAD 83-07V	1.4	33.7	8.3	81	0.05	26.9	11.8	303	3.23	7.6
POL69834	583576	7009630	NAD 83-07V	0.5	33.6	8.9	73	0.05	12.6	7.3	445	2.99	5
POL69834	583576	7009630	NAD 83-07V	0.6	34.8	8.8	77	0.05	13	7.7	460	3.08	4.5
POL69836	583509	7009704	NAD 83-07V	0.3	18.9	4	61	0.05	42.1	17.4	558	3.16	3.7
POL69837	583475	7009742	NAD 83-07V	0.8	17.9	10.1	63	0.05	21.3	10.7	343	3.6	9.4
POL69838	583014	7009059	NAD 83-07V	1.2	39.2	11.2	88	0.05	26.5	11.5	346	3.37	11.3
POL69843	582847	7009244	NAD 83-07V	1.6	55.4	16.7	107	0.05	32.8	13.3	409	3.85	19.3
POL69845	582814	7009282	NAD 83-07V	2.2	34.5	13.1	102	0.2	25.7	9.8	307	3.94	8.1
POL69846	582782	7009320	NAD 83-07V	1.2	31.4	8.9	70	0.05	22.3	12.2	355	3.44	6.7
POL69850	582646	7009468	NAD 83-07V	0.7	49.6	9.8	78	0.05	38.9	20	459	4.03	7.4
POL69851	582613	7009506	NAD 83-07V	0.7	35.5	10.2	74	0.05	41.1	16.7	362	3.46	11.7
POL69852	582579	7009543	NAD 83-07V	0.9	25.6	8.1	70	0.05	28.6	14.3	325	3.38	7.2
POL69868	582892	7010836	NAD 83-07V	0.6	45.1	10.1	68	0.05	27.7	15.1	566	3.06	5.5
POL69870	582825	7010910	NAD 83-07V	1	63.7	17.8	71	0.05	28.3	16.3	558	3.7	6.2
POL69876	583292	7009646	NAD 83-07V	1.2	24.1	9.9	65	0.05	19.3	9.8	323	3.11	7.4
POL69877	583260	7009685	NAD 83-07V	1.1	22.1	7.9	76	0.05	15.3	8.3	296	3	6.4
POL69878	583227	7009721	NAD 83-07V	0.7	18	7.1	105	0.05	12.5	7.3	494	3.06	4
POL69879	583193	7009759	NAD 83-07V	0.6	66.2	3.9	78	0.05	10.5	22.6	871	4.72	2.8
POL69880	583159	7009799	NAD 83-07V	1.1	17.6	8.9	60	0.05	17.4	10	444	2.87	8.3
POL69881	583125	7009833	NAD 83-07V	1.3	27.5	9.2	77	0.05	25.4	11.8	326	3.55	7.2
POL69889	582856	7010135	NAD 83-07V	0.6	51.4	10	85	0.05	27	16.1	813	4.08	4.1
POL69889	582856	7010135	NAD 83-07V	0.6	49.8	9.6	85	0.05	26	16	798	4.01	3.9
POL69891	582789	7010207	NAD 83-07V	0.4	44	9.3	69	0.05	20.3	17.1	430	3.32	3.2
POL69893	582721	7010282	NAD 83-07V	0.5	34.9	10.5	85	0.05	14.6	21	776	5.31	12.3
POL69899	582520	7010505	NAD 83-07V	0.9	34.2	14.9	78	0.05	27.1	13.7	418	3.52	31.7
POL69901	582455	7010579	NAD 83-07V	1.2	26.3	14.2	61	0.05	23.2	12.9	374	3.36	5.5
POL69902	582420	7010616	NAD 83-07V	0.8	31	14.3	89	0.05	35.3	16.2	249	3.3	3.6
POL69903	582420	7010616	NAD 83-07V	0.9	32.1	15	91	0.05	34.6	17.4	268	3.38	3.8
POL69907	583461	7010201	NAD 83-07V	0.9	33.3	9.4	65	0.05	17.5	11.8	364	3.07	6.3
POL69913	583263	7010428	NAD 83-07V	0.8	30.4	12.2	52	0.1	17.5	8.3	246	2.7	6.7
POL69914	583229	7010467	NAD 83-07V	1.1	34.8	7.8	61	0.05	14.4	10.5	450	3.64	4.7
POL69915	583196	7010502	NAD 83-07V	0.9	23.5	8.5	52	0.05	21.7	9.3	276	3.11	10.3
POL69916	583161	7010540	NAD 83-07V	1.1	38.2	14.1	138	0.05	22.6	11.1	352	3.2	14.5
POL69917	583128	7010577	NAD 83-07V	1.1	29.7	13.6	82	0.05	17.8	8.3	295	2.81	7.2
POL69919	583061	7010652	NAD 83-07V	0.8	44.1	8.6	77	0.05	20.5	17.6	538	4.33	7.4
POL69920	583027	7010687	NAD 83-07V	0.9	43.4	14	85	0.05	31.2	14.7	641	4.01	18.5
POL69922	582958	7010763	NAD 83-07V	0.4	106.9	8.3	82	0.05	39.1	24.6	874	4.11	3.5
POL69923	582924	7010801	NAD 83-07V	0.8	70.9	7.2	69	0.05	28.4	16.4	588	3.87	6.3
POL69926	582418	7009870	NAD 83-07V	0.8	30.8	8.1	85	0.05	19.5	14.6	492	4.21	4.9
POL69931	582250	7010055	NAD 83-07V	0.9	27	8.4	58	0.05	17.9	11.5	382	3.03	6
POL69933	582182	7010130	NAD 83-07V	1.1	43.3	4.3	185	0.05	7.6	19.1	843	5.61	1.1
POL69933	582182	7010130	NAD 83-07V	1.1	44.6	4.3	188	0.05	7.4	19.6	856	5.68	1.1
POL42131	583056	7011253	NAD 83-07V	1	27.4	19.7	131	0.05	20.5	13.6	621	3.57	5.1
POL45003	581162	7011563	NAD 83-07V	1.3	36.8	63	97	0.1	11.7	17.6	621	4.4	4.8

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69815	0.5	1	2.7	29	0.05	0.1	0.05	119	0.41	0.093	12	84	1.99	359	0.284
POL69816	0.4	0.8	2.4	16	0.05	0.4	0.1	94	0.23	0.043	7	38	0.95	326	0.167
POL69817	0.5	2.1	3	18	0.1	0.5	0.2	77	0.3	0.041	8	38	0.66	273	0.05
POL69818	0.4	0.7	2.5	28	0.05	0.2	0.05	96	0.44	0.102	8	44	1.38	425	0.211
POL69819	0.6	2.3	3.3	20	0.05	0.4	0.2	73	0.24	0.043	9	40	0.78	244	0.112
POL69819	0.6	1.3	3.4	21	0.05	0.4	0.2	75	0.25	0.044	10	40	0.83	254	0.117
POL69820	0.9	2.4	4.4	34	0.05	0.3	0.2	62	0.32	0.029	20	72	1.07	296	0.129
POL69821	0.4	0.25	1.6	31	0.1	0.1	0.1	60	0.38	0.048	9	40	0.72	180	0.137
POL69822	0.7	0.25	3.9	24	0.1	0.5	0.05	117	0.29	0.049	10	40	1.59	292	0.202
POL69823	1	1.1	7.4	17	0.05	0.3	0.1	67	0.26	0.051	25	34	0.64	209	0.1
POL69834	1.1	2	3.8	14	0.05	0.3	0.1	35	0.22	0.034	19	21	0.5	187	0.089
POL69834	1.2	1.3	3.9	15	0.05	0.3	0.05	36	0.22	0.035	19	22	0.52	202	0.092
POL69836	1	1	2.8	34	0.05	0.3	0.05	80	0.86	0.162	17	90	1.61	282	0.13
POL69837	0.5	1.4	3.5	9	0.2	0.6	0.2	65	0.11	0.052	9	31	0.47	99	0.093
POL69838	1.1	0.6	7.9	24	0.05	0.4	0.2	63	0.4	0.053	17	35	0.71	261	0.135
POL69843	1.4	1.4	12.4	16	0.05	0.2	0.2	50	0.27	0.07	21	30	0.48	237	0.07
POL69845	1	0.6	7.1	18	0.05	0.4	0.2	87	0.17	0.045	12	42	0.72	226	0.177
POL69846	0.8	0.9	5.4	19	0.05	0.3	0.1	72	0.22	0.032	13	44	0.91	236	0.17
POL69850	0.9	1	7.4	18	0.05	0.3	0.1	72	0.31	0.083	24	85	1.12	186	0.208
POL69851	1.4	0.8	9.8	21	0.05	0.4	0.1	62	0.34	0.074	33	53	0.9	171	0.178
POL69852	1.1	0.8	6.4	19	0.05	0.3	0.1	64	0.31	0.058	23	40	0.92	208	0.177
POL69868	0.7	4.2	3.7	27	0.05	0.3	0.1	76	0.57	0.093	14	30	1.02	480	0.158
POL69870	0.6	3.6	2.8	23	0.05	0.3	0.2	90	0.33	0.065	8	40	1.14	352	0.208
POL69876	0.8	1.3	3.7	14	0.1	0.3	0.2	66	0.2	0.047	12	32	0.54	185	0.081
POL69877	0.7	1.5	3.3	14	0.05	0.3	0.1	58	0.19	0.036	10	31	0.58	167	0.107
POL69878	0.7	1.6	3.5	13	0.2	0.2	0.1	48	0.18	0.032	13	19	0.85	245	0.133
POL69879	0.6	0.25	2.1	24	0.05	0.1	0.05	121	0.89	0.221	9	19	1.18	342	0.196
POL69880	0.5	1.2	3.1	15	0.1	0.4	0.2	65	0.2	0.034	9	33	0.57	202	0.091
POL69881	0.7	0.8	3.7	16	0.2	0.3	0.2	90	0.19	0.059	11	43	0.76	191	0.128
POL69889	0.7	0.6	3.1	21	0.05	0.2	0.1	96	0.63	0.118	12	39	1.31	381	0.161
POL69889	0.7	0.25	3.1	21	0.05	0.2	0.1	94	0.6	0.117	12	38	1.3	365	0.157
POL69891	0.4	0.5	2.4	43	0.05	0.1	0.05	71	0.46	0.079	8	39	1.24	327	0.151
POL69893	0.7	0.25	4.8	18	0.1	0.2	0.1	110	0.61	0.107	11	37	1.73	363	0.178
POL69899	1.2	0.25	8.4	24	0.1	0.3	0.2	71	0.3	0.041	42	54	0.88	226	0.172
POL69901	1.5	1.9	9.5	20	0.05	0.2	0.2	61	0.26	0.035	61	35	0.63	162	0.143
POL69902	1.8	1.7	14.4	21	0.05	0.2	0.2	45	0.27	0.049	46	37	0.73	115	0.148
POL69903	1.8	0.7	15.4	20	0.05	0.2	0.3	45	0.27	0.052	49	37	0.74	121	0.149
POL69907	0.8	1.8	2.9	22	0.1	0.3	0.1	71	0.35	0.047	14	28	0.7	235	0.149
POL69913	0.6	2	2.9	17	0.05	0.4	0.1	69	0.19	0.029	12	23	0.48	165	0.115
POL69914	0.4	1.1	2.2	14	0.1	0.5	0.2	82	0.21	0.035	5	25	0.58	149	0.1
POL69915	0.6	1.6	3.9	16	0.05	0.5	0.2	59	0.14	0.018	10	33	0.48	237	0.061
POL69916	0.7	2.4	4.3	18	0.1	0.6	0.2	62	0.17	0.021	13	40	0.67	249	0.091
POL69917	0.7	1.3	3.5	21	0.1	0.5	0.2	64	0.21	0.017	12	29	0.45	193	0.093
POL69919	0.9	1	5.4	19	0.05	0.4	0.1	108	0.42	0.054	20	40	1.23	308	0.183
POL69920	0.9	2.5	5.3	29	0.05	0.4	0.2	96	0.63	0.065	18	43	1.17	331	0.15
POL69922	0.6	3.8	3.1	29	0.05	0.2	0.1	119	0.81	0.117	12	34	1.66	580	0.185
POL69923	0.3	1	1.9	21	0.05	0.3	0.1	112	0.46	0.117	6	31	1.38	603	0.22
POL69926	0.6	0.25	3.9	28	0.05	0.3	0.05	85	0.26	0.03	8	49	1.38	227	0.26
POL69931	0.9	3.4	5.3	33	0.1	0.3	0.1	61	0.46	0.057	19	28	0.69	211	0.14
POL69933	1.2	4.2	8.6	26	0.05	0.05	0.1	125	0.69	0.187	21	13	2.01	378	0.399
POL69933	1.2	0.25	8.6	27	0.05	0.05	0.05	127	0.67	0.185	22	13	2.04	378	0.392
POL42131	0.5	1.3	2.9	31	0.3	0.3	0.2	79	0.49	0.096	9	35	0.92	261	0.147
POL45003	0.5	0.25	3.1	13	0.2	0.2	0.4	104	0.19	0.065	8	24	1.03	181	0.211

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69815	0.5	2.95	0.011	1.05	0.1	0.005	5	0.4	0.025	11	0.25	1DX15	SMI09000257
POL69816	2	2.28	0.012	0.45	0.1	0.005	4.7	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69817	2	2.05	0.01	0.12	0.2	0.01	3.2	0.05	0.025	7	0.25	1DX15	SMI09000257
POL69818	2	2.7	0.012	0.77	0.05	0.005	2.9	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69819	0.5	1.93	0.012	0.16	0.1	0.01	3.7	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69819	1	2.03	0.012	0.16	0.1	0.005	3.8	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69820	0.5	1.97	0.015	0.16	0.05	0.01	3.9	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69821	0.5	1.46	0.02	0.12	0.05	0.005	2.8	0.05	0.025	7	0.25	1DX15	SMI09000257
POL69822	2	2.98	0.013	0.68	0.05	0.02	7	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69823	1	1.61	0.01	0.22	0.1	0.005	4.6	0.1	0.025	5	0.25	1DX15	SMI09000257
POL69834	0.5	1.4	0.011	0.18	0.05	0.02	6.6	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69834	0.5	1.44	0.011	0.18	0.05	0.02	6.8	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69836	1	2.18	0.054	0.25	0.05	0.02	10.1	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69837	0.5	2.43	0.009	0.09	0.2	0.02	3.9	0.1	0.025	7	0.25	1DX15	SMI09000257
POL69838	0.5	1.75	0.014	0.4	0.05	0.02	5.2	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69843	2	1.42	0.007	0.41	0.05	0.01	5.4	0.3	0.025	5	1	1DX15	SMI09000257
POL69845	0.5	2.1	0.01	0.53	0.05	0.01	4.9	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69846	0.5	2.07	0.013	0.34	0.05	0.01	4.1	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69850	0.5	2.35	0.01	0.55	0.1	0.01	4.4	0.5	0.025	9	0.25	1DX15	SMI09000257
POL69851	1	2.07	0.013	0.53	0.2	0.02	3.8	0.3	0.025	7	0.25	1DX15	SMI09000257
POL69852	1	2.25	0.013	0.41	0.1	0.005	3.4	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69868	1	1.79	0.021	0.32	0.2	0.04	5.8	0.2	0.025	7	0.25	1DX15	SMI09000257
POL69870	0.5	2.08	0.013	0.54	0.2	0.02	3.5	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69876	1	1.66	0.011	0.12	0.1	0.02	3.5	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69877	1	1.8	0.015	0.15	0.05	0.01	3.7	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69878	1	1.85	0.011	0.39	0.1	0.005	5.8	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69879	0.5	2.09	0.064	0.64	0.05	0.005	7.3	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69880	1	1.83	0.014	0.12	0.2	0.02	3.4	0.05	0.025	6	0.25	1DX15	SMI09000257
POL69881	1	2.21	0.011	0.32	0.05	0.005	3.9	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69889	3	2.11	0.011	0.41	0.2	0.02	5.6	0.2	0.05	8	0.25	1DX15	SMI09000257
POL69889	3	2.11	0.012	0.4	0.2	0.02	5.4	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69891	1	2.19	0.018	0.39	0.05	0.01	2.6	0.2	0.025	6	0.25	1DX15	SMI09000257
POL69893	2	2.63	0.013	1.02	0.05	0.01	10.7	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69899	2	1.94	0.016	0.34	0.1	0.02	4.8	0.2	0.025	8	0.25	1DX15	SMI09000257
POL69901	1	1.94	0.013	0.29	0.05	0.02	2.6	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69902	1	1.8	0.014	0.45	0.05	0.01	2.9	0.4	0.025	6	0.25	1DX15	SMI09000257
POL69903	1	1.83	0.016	0.45	0.05	0.01	3.1	0.4	0.025	6	0.25	1DX15	SMI09000257
POL69907	1	1.57	0.019	0.18	0.1	0.02	4.7	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69913	0.5	1.66	0.011	0.09	0.1	0.02	3.4	0.1	0.025	6	0.8	1DX15	SMI09000257
POL69914	0.5	1.67	0.019	0.15	0.2	0.005	4.7	0.1	0.025	7	0.25	1DX15	SMI09000257
POL69915	1	1.89	0.016	0.06	0.1	0.01	4.6	0.05	0.025	5	0.25	1DX15	SMI09000257
POL69916	0.5	1.96	0.016	0.14	0.05	0.02	5.1	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69917	0.5	1.59	0.012	0.08	0.05	0.02	4.7	0.05	0.025	6	0.7	1DX15	SMI09000257
POL69919	0.5	2.22	0.02	0.56	0.1	0.03	7.9	0.4	0.025	9	0.25	1DX15	SMI09000257
POL69920	2	2.25	0.021	0.46	0.1	0.05	10.5	0.4	0.025	8	0.25	1DX15	SMI09000257
POL69922	1	2.28	0.026	0.55	0.1	0.04	9.1	0.3	0.025	9	0.25	1DX15	SMI09000257
POL69923	1	2.33	0.017	0.45	0.2	0.01	5	0.4	0.025	9	0.25	1DX15	SMI09000257
POL69926	0.5	2.51	0.016	0.79	0.1	0.005	4.2	0.3	0.025	8	0.25	1DX15	SMI09000257
POL69931	1	1.61	0.021	0.22	0.1	0.01	4.3	0.1	0.025	6	0.25	1DX15	SMI09000257
POL69933	0.5	2.64	0.019	1.57	0.2	0.005	6	0.4	0.05	12	0.25	1DX15	SMI09000257
POL69933	1	2.68	0.018	1.59	0.2	0.005	6	0.4	0.05	12	0.25	1DX15	SMI09000257
POL42131	2	1.86	0.022	0.27	0.1	0.02	5.1	0.1	0.025	7	0.25	1DX15	SMI09000258
POL45003	0.5	2.18	0.013	0.35	0.2	0.04	3.6	0.2	0.025	9	0.25	1DX15	SMI09000258

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL45004	581195	7011525	NAD 83-07V	1.2	36.8	20.2	123	0.05	45.4	22.7	966	4.56	12.9
POL45004	581195	7011525	NAD 83-07V	1.1	35.3	19.7	120	0.05	44.5	22.5	947	4.46	12.5
POL45006	581262	7011451	NAD 83-07V	0.5	43.6	23.1	79	0.05	59.3	20.3	700	4.15	11
POL45011	581428	7011263	NAD 83-07V	0.9	26	11.4	75	0.05	24.1	11.1	441	4.07	8.2
POL45012	581459	7011225	NAD 83-07V	0.6	40.4	8.1	60	0.05	31.2	10.6	484	3.21	10
POL45013	581494	7011188	NAD 83-07V	0.7	46.3	10.5	69	0.05	33.4	11.2	421	3.62	11.3
POL45014	581526	7011151	NAD 83-07V	1	35.2	5.8	71	0.05	20.8	15.2	568	4.85	8.9
POL45015	581560	7011113	NAD 83-07V	0.7	28.3	9.5	64	0.05	26.8	12.7	395	3.68	8.2
POL45016	581593	7011074	NAD 83-07V	0.5	35.2	6.4	54	0.05	46.8	15.8	445	3.48	7
POL45018	581625	7011037	NAD 83-07V	0.8	46.3	8.4	55	0.05	30.2	11.7	355	3.03	10.7
POL45025	581857	7010776	NAD 83-07V	0.7	31.6	7.5	66	0.1	28	11.6	392	2.53	7.9
POL45026	581893	7010738	NAD 83-07V	0.8	33.2	7.9	53	0.05	29.2	11.9	454	2.5	7.4
POL64601	580978	7011466	NAD 83-07V	1.4	25.1	10.4	66	0.05	28	12	331	3.3	7.9
POL64604	581080	7011355	NAD 83-07V	1.5	68.4	24.9	252	0.05	28.2	15	783	4.42	6.8
POL64605	581080	7011355	NAD 83-07V	1.5	66.4	24.7	241	0.05	27.3	14.5	785	4.31	7.2
POL64610	581214	7011207	NAD 83-07V	0.9	42.4	13	82	0.05	48	11.7	325	3.21	97
POL64611	581248	7011171	NAD 83-07V	1	34.1	11.1	71	0.05	30.5	10.5	292	3.06	14.5
POL64612	581284	7011136	NAD 83-07V	1.2	37.2	8.8	110	0.05	30.9	12.2	402	4.28	10.8
POL64613	581318	7011098	NAD 83-07V	0.7	27.6	8.7	59	0.05	27.1	12.2	468	3	13.6
POL64616	581421	7010985	NAD 83-07V	0.8	30.9	7.5	60	0.05	27.2	9.7	274	2.44	17.2
POL64617	581453	7010950	NAD 83-07V	0.8	22.8	8.7	63	0.05	24.6	10.9	348	2.83	15.5
POL64618	581488	7010914	NAD 83-07V	1.7	44.8	16.1	98	0.05	42.1	11.5	314	3.68	48.5
POL64621	581589	7010804	NAD 83-07V	0.9	32.7	7	65	0.05	28.4	11.3	451	2.64	8.2
POL64624	581690	7010693	NAD 83-07V	0.1	147.9	2.8	40	0.05	82.4	28.9	497	2.44	2.3
POL64625	581722	7010654	NAD 83-07V	0.6	13.9	6.6	76	0.05	26.7	13.9	502	4.24	5.5
POL64626	581756	7010617	NAD 83-07V	0.7	36.6	11.9	62	0.05	25.7	11.7	331	3.42	9.3
POL64627	581790	7010581	NAD 83-07V	0.7	28.4	11.1	45	0.05	16.8	8.3	206	2.77	6.2
POL64711	580996	7011144	NAD 83-07V	0.7	28.2	7.6	55	0.05	28.9	11.8	281	2.81	7.2
POL64713	581064	7011067	NAD 83-07V	1.5	31.4	12.7	57	0.05	28	12.1	419	3.7	7
POL64714	581097	7011032	NAD 83-07V	1.1	37	9.1	71	0.05	33.8	14.8	441	4.22	7.3
POL64714	581097	7011032	NAD 83-07V	1	36.8	9.3	69	0.05	34.8	15.1	449	4.28	7.9
POL64715	581130	7010994	NAD 83-07V	0.8	33.7	14.3	81	0.05	29.7	12.7	431	3.32	7.3
POL64716	581163	7010956	NAD 83-07V	0.7	35.7	14.3	86	0.05	30.3	11.8	349	3.19	8.4
POL64717	581197	7010920	NAD 83-07V	2.2	90.6	126	150	0.05	46.5	11.5	446	3.84	412.8
POL64718	581230	7010882	NAD 83-07V	0.7	40.6	9.4	74	0.05	30.6	10.4	289	2.79	14.4
POL64719	581263	7010845	NAD 83-07V	0.7	31.1	9.1	64	0.05	28.8	9.7	191	2.91	11.9
POL64724	581826	7010208	NAD 83-07V	0.4	55.7	7.9	102	0.05	28	15.9	645	4.52	4.2
POL64725	581826	7010208	NAD 83-07V	0.4	57	7.8	102	0.05	27.2	15.8	670	4.44	3.9
POL64728	583459	7009460	NAD 83-07V	1.8	44.7	13.4	114	0.05	40.2	17.7	475	4.18	6.6
POL64730	583394	7009535	NAD 83-07V	0.9	41.6	7.2	53	0.05	21.2	14.5	359	3.06	7.5
POL64731	581297	7010808	NAD 83-07V	0.9	35.6	11.5	83	0.05	32.6	10.1	226	3.34	13.8
POL64732	581329	7010770	NAD 83-07V	0.4	51.5	13.8	94	0.05	58.8	9.7	307	3.09	35.7
POL64733	581364	7010733	NAD 83-07V	1.4	46.4	14.7	85	0.05	43.3	11.9	269	3.57	15.2
POL64734	581396	7010695	NAD 83-07V	0.2	29.9	11	89	0.05	101.7	19.3	375	3.6	3
POL64735	581431	7010654	NAD 83-07V	0.9	57.2	11.7	97	0.05	54.7	16.6	295	4.57	7.7
POL64736	581462	7010621	NAD 83-07V	0.9	105.8	10.2	115	0.05	62.7	21	678	4.87	5.4
POL64737	581497	7010582	NAD 83-07V	1	49.8	19.2	89	0.05	34.6	13	512	4.44	19.9
POL64738	581528	7010547	NAD 83-07V	0.4	145.3	10.7	98	0.05	72	32.7	1062	5.46	3.8
POL64739	581560	7010507	NAD 83-07V	0.5	88.3	19.2	70	0.05	45.6	21.2	538	4.08	5.1
POL64740	581594	7010470	NAD 83-07V	0.7	67.2	12.4	87	0.05	35.6	14.9	576	4	8.5
POL64741	581630	7010430	NAD 83-07V	0.8	39.9	10.3	61	0.05	30	13	472	3.13	9.9
POL64747	581154	7011421	NAD 83-07V	1.5	20.2	10.5	53	0.05	25.3	12.9	277	3.25	9.8
POL64752	581320	7011235	NAD 83-07V	0.7	25.4	7.3	51	0.05	26.3	11.3	296	3.23	9.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL45004	0.9	0.6	8.5	16	0.1	0.3	0.2	88	0.26	0.068	16	74	1.65	193	0.202
POL45004	0.9	0.8	8.3	15	0.1	0.2	0.2	85	0.25	0.066	15	73	1.6	195	0.191
POL45006	0.9	1.2	16.5	23	0.05	0.3	0.2	67	0.43	0.079	24	85	1.35	311	0.128
POL45011	0.6	0.25	6	21	0.05	0.5	0.2	67	0.27	0.027	12	36	0.73	276	0.177
POL45012	0.6	3.6	5.1	35	0.2	0.6	0.1	68	0.7	0.055	20	35	0.79	288	0.13
POL45013	0.8	4.6	6.1	28	0.05	0.6	0.2	78	0.41	0.029	21	38	0.88	340	0.144
POL45014	0.8	0.9	5.1	19	0.05	0.4	0.2	108	0.32	0.038	17	53	1.29	367	0.203
POL45015	0.8	6.1	6.1	22	0.05	0.4	0.1	85	0.3	0.019	18	60	1.12	338	0.165
POL45016	1	3.7	3.8	25	0.05	0.4	0.05	85	0.39	0.051	14	114	1.42	230	0.177
POL45018	0.6	2.6	4.3	44	0.1	0.5	0.1	70	1.47	0.032	15	39	0.85	307	0.13
POL45025	0.6	2.9	3.1	41	0.4	0.6	0.1	58	1.11	0.063	11	31	0.67	294	0.075
POL45026	1.4	4.5	3.1	37	0.2	0.5	0.1	59	0.68	0.054	13	32	0.55	339	0.068
POL64601	0.6	1.4	3.9	10	0.2	0.4	0.1	89	0.13	0.034	11	49	0.57	234	0.089
POL64604	1.1	1.2	12.8	10	0.2	0.4	0.3	91	0.18	0.05	27	53	1.17	331	0.134
POL64605	1.2	0.25	12.8	10	0.3	0.5	0.3	93	0.17	0.049	26	52	1.14	314	0.133
POL64610	1.3	4.7	6.8	19	0.05	1.9	0.1	83	0.28	0.056	22	90	0.74	352	0.106
POL64611	0.9	0.25	5.7	20	0.05	0.3	0.1	89	0.17	0.031	12	58	0.74	281	0.132
POL64612	1.5	2	8.2	33	0.05	0.2	0.05	122	0.33	0.075	20	93	1.53	436	0.261
POL64613	0.6	1.1	4	36	0.05	0.5	0.1	72	0.48	0.036	13	44	0.71	565	0.11
POL64616	1	4	4.1	32	0.2	0.6	0.1	60	0.48	0.062	16	36	0.58	301	0.09
POL64617	0.9	2.8	3.5	36	0.2	0.5	0.1	68	0.48	0.074	14	38	0.57	343	0.093
POL64618	1.1	0.25	7.6	33	0.3	1.9	0.2	83	0.54	0.085	19	51	0.69	365	0.121
POL64621	0.7	2	3.1	62	0.3	0.6	0.1	62	1.86	0.081	12	31	0.8	260	0.084
POL64624	0.05	1.2	0.5	55	0.05	0.2	0.05	56	0.77	0.068	2	129	1.69	210	0.122
POL64625	0.3	2.7	5.5	29	0.05	0.3	0.05	85	0.38	0.039	14	116	1.09	701	0.172
POL64626	0.5	0.6	5.3	21	0.05	0.5	0.1	66	0.29	0.018	10	35	0.63	362	0.081
POL64627	0.9	1.7	6.2	117	0.05	0.4	0.1	54	0.34	0.013	11	29	0.59	251	0.12
POL64711	1	2.2	6.2	25	0.05	0.4	0.1	62	0.28	0.045	18	41	0.67	371	0.114
POL64713	0.9	1	7	15	0.1	0.3	0.1	64	0.14	0.03	21	47	0.8	270	0.136
POL64714	0.9	1.5	8.5	36	0.05	0.4	0.1	74	0.26	0.046	23	59	1.01	644	0.197
POL64714	0.9	1.9	8.5	35	0.05	0.4	0.1	75	0.25	0.046	23	60	1.02	644	0.2
POL64715	1.1	3.3	7.8	34	0.2	0.4	0.2	72	0.39	0.075	22	48	0.74	504	0.164
POL64716	1	0.9	7.4	34	0.1	0.4	0.2	70	0.35	0.058	21	56	0.73	535	0.161
POL64717	1.4	0.9	7	42	0.4	3.1	0.9	105	0.39	0.124	20	53	0.85	520	0.108
POL64718	0.8	8.6	5.4	35	0.1	0.6	0.1	71	0.39	0.067	17	40	0.67	416	0.146
POL64719	0.8	1.9	4.4	25	0.05	0.5	0.1	72	0.26	0.039	15	44	0.66	375	0.116
POL64724	0.8	0.7	4.2	34	0.1	0.3	0.05	97	0.52	0.103	17	59	1.32	637	0.183
POL64725	0.8	1.7	4	34	0.05	0.2	0.05	97	0.54	0.11	17	57	1.33	616	0.186
POL64728	1.7	0.9	8.9	20	0.2	0.3	0.2	85	0.22	0.076	19	48	0.77	237	0.149
POL64730	0.8	0.9	4	15	0.1	0.4	0.1	73	0.28	0.048	10	31	0.66	165	0.116
POL64731	0.7	0.6	5.1	27	0.05	0.4	0.1	80	0.24	0.057	17	51	0.83	317	0.174
POL64732	1	0.6	7.8	22	0.05	0.3	0.05	77	0.38	0.098	26	60	0.9	442	0.165
POL64733	1.1	5.3	7.6	28	0.05	0.5	0.1	85	0.27	0.042	24	69	0.81	888	0.15
POL64734	1	0.7	13.6	49	0.05	0.1	0.1	82	0.72	0.126	26	290	2.41	1047	0.154
POL64735	0.9	2.3	9.6	24	0.05	0.3	0.1	97	0.28	0.043	26	74	1.19	664	0.175
POL64736	1.1	1.8	10.5	33	0.05	0.3	0.1	146	0.4	0.057	36	126	1.54	937	0.341
POL64737	0.8	1.6	10.5	34	0.05	1.3	0.2	91	0.36	0.02	29	61	0.92	483	0.179
POL64738	0.7	1.7	3.9	34	0.05	0.3	0.05	162	0.67	0.106	19	109	1.71	800	0.209
POL64739	0.4	1.6	3.1	28	0.05	0.3	0.2	122	0.55	0.066	8	75	1.18	581	0.232
POL64740	0.8	2.9	8.2	41	0.05	0.5	0.2	95	0.53	0.038	26	58	1.02	399	0.198
POL64741	0.9	1.9	4.6	59	0.05	0.7	0.2	80	0.44	0.032	15	45	0.66	427	0.131
POL64747	0.8	1.2	6.6	14	0.05	0.5	0.2	65	0.15	0.024	12	42	0.52	313	0.062
POL64752	0.6	1.3	4.3	25	0.05	0.6	0.1	72	0.33	0.025	14	45	0.69	258	0.104

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL45004	0.5	3.2	0.011	0.75	0.3	0.03	4.8	0.4	0.025	11	0.25	1DX15	SMI09000258
POL45004	0.5	3.05	0.011	0.72	0.3	0.02	4.5	0.4	0.025	11	0.25	1DX15	SMI09000258
POL45006	3	2.76	0.008	0.43	0.1	0.005	4.6	0.4	0.025	11	0.25	1DX15	SMI09000258
POL45011	1	2.05	0.017	0.49	0.2	0.01	8.2	0.3	0.025	8	0.25	1DX15	SMI09000258
POL45012	1	1.6	0.03	0.23	0.1	0.04	5.9	0.2	0.025	5	0.6	1DX15	SMI09000258
POL45013	2	1.83	0.026	0.26	0.1	0.03	7.5	0.2	0.025	7	0.7	1DX15	SMI09000258
POL45014	0.5	2.47	0.019	0.8	0.05	0.005	9.4	0.3	0.025	10	0.25	1DX15	SMI09000258
POL45015	0.5	2.33	0.015	0.36	0.1	0.02	7.2	0.2	0.025	8	0.25	1DX15	SMI09000258
POL45016	0.5	1.88	0.048	0.19	0.05	0.03	5.5	0.2	0.025	7	0.25	1DX15	SMI09000258
POL45018	2	1.88	0.032	0.13	0.2	0.04	5.5	0.05	0.025	6	0.25	1DX15	SMI09000258
POL45025	2	1.27	0.028	0.05	0.2	0.02	3.7	0.05	0.025	4	0.25	1DX15	SMI09000258
POL45026	1	1.45	0.022	0.04	0.2	0.03	4.2	0.05	0.025	4	0.6	1DX15	SMI09000258
POL64601	0.5	2.01	0.008	0.15	0.2	0.02	4	0.1	0.025	7	0.25	1DX15	SMI09000258
POL64604	0.5	2.72	0.01	0.82	0.05	0.02	6.4	0.7	0.025	10	0.25	1DX15	SMI09000258
POL64605	0.5	2.65	0.009	0.79	0.1	0.02	6.1	0.7	0.025	11	0.6	1DX15	SMI09000258
POL64610	0.5	1.41	0.009	0.24	0.1	0.07	6.4	0.6	0.025	5	0.25	1DX15	SMI09000258
POL64611	1	1.55	0.008	0.39	0.05	0.005	4.6	0.2	0.025	6	0.25	1DX15	SMI09000258
POL64612	0.5	2.61	0.018	1.15	0.05	0.03	8.1	0.6	0.06	11	0.6	1DX15	SMI09000258
POL64613	1	1.72	0.032	0.15	0.1	0.04	4.9	0.1	0.025	6	0.25	1DX15	SMI09000258
POL64616	2	1.41	0.019	0.18	0.2	0.03	3.6	0.2	0.025	4	0.6	1DX15	SMI09000258
POL64617	2	1.6	0.021	0.06	0.2	0.04	3.8	0.05	0.025	5	0.25	1DX15	SMI09000258
POL64618	2	1.64	0.018	0.32	0.2	0.02	5.5	0.4	0.025	6	1.1	1DX15	SMI09000258
POL64621	2	1.28	0.032	0.09	0.2	0.02	3.8	0.05	0.025	4	0.25	1DX15	SMI09000258
POL64624	2	1.69	0.067	0.11	0.05	0.005	3.7	0.05	0.025	4	0.25	1DX15	SMI09000258
POL64625	2	2.14	0.013	0.59	0.05	0.01	7.9	0.3	0.025	9	0.25	1DX15	SMI09000258
POL64626	0.5	1.88	0.014	0.1	0.05	0.01	8.8	0.05	0.025	7	0.25	1DX15	SMI09000258
POL64627	2	1.71	0.015	0.18	0.05	0.02	7	0.05	0.025	6	0.5	1DX15	SMI09000258
POL64711	1	1.69	0.016	0.14	0.1	0.02	4	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64713	1	1.95	0.011	0.47	0.05	0.02	4.4	0.3	0.025	8	0.25	1DX15	SMI09000258
POL64714	0.5	2.49	0.014	0.57	0.05	0.02	5.1	0.4	0.025	8	0.6	1DX15	SMI09000258
POL64714	1	2.53	0.014	0.58	0.1	0.02	5.2	0.4	0.025	8	0.25	1DX15	SMI09000258
POL64715	2	1.8	0.019	0.36	0.2	0.02	5.6	0.2	0.025	7	0.25	1DX15	SMI09000258
POL64716	0.5	1.87	0.021	0.34	0.1	0.02	5.5	0.2	0.025	7	0.25	1DX15	SMI09000258
POL64717	0.5	1.4	0.01	0.41	0.05	0.02	8.9	0.4	0.025	6	1.8	1DX15	SMI09000258
POL64718	1	1.49	0.024	0.24	0.2	0.03	5.1	0.2	0.025	5	0.6	1DX15	SMI09000258
POL64719	0.5	1.85	0.013	0.13	0.1	0.02	4.3	0.1	0.025	6	0.25	1DX15	SMI09000258
POL64724	0.5	2.14	0.019	0.71	0.05	0.02	7.9	0.2	0.025	9	0.5	1DX15	SMI09000258
POL64725	1	2.15	0.018	0.75	0.05	0.01	8.1	0.3	0.025	9	0.25	1DX15	SMI09000258
POL64728	1	2.23	0.012	0.45	0.05	0.02	5.2	0.4	0.025	7	0.6	1DX15	SMI09000258
POL64730	2	2.04	0.028	0.13	0.05	0.01	4.8	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64731	0.5	2.13	0.021	0.39	0.05	0.01	4.9	0.2	0.025	6	0.25	1DX15	SMI09000258
POL64732	1	1.65	0.008	0.89	0.05	0.005	7.2	0.5	0.025	8	0.5	1DX15	SMI09000258
POL64733	1	1.81	0.011	0.36	0.05	0.02	6.7	0.3	0.025	7	0.6	1DX15	SMI09000258
POL64734	0.5	3.34	0.014	0.92	0.05	0.01	10	0.6	0.025	10	0.25	1DX15	SMI09000258
POL64735	0.5	2.57	0.015	0.7	0.05	0.02	7.1	0.4	0.025	9	0.25	1DX15	SMI09000258
POL64736	0.5	2.61	0.02	0.96	0.1	0.01	14.3	0.5	0.025	11	0.7	1DX15	SMI09000258
POL64737	1	2.42	0.015	0.28	0.1	0.02	8.4	0.2	0.025	9	0.25	1DX15	SMI09000258
POL64738	0.5	2.08	0.04	0.56	0.05	0.01	15	0.4	0.025	11	0.6	1DX15	SMI09000258
POL64739	0.5	1.88	0.041	0.18	0.05	0.01	9	0.05	0.025	8	0.25	1DX15	SMI09000258
POL64740	1	2.24	0.039	0.32	0.1	0.03	8	0.3	0.025	9	0.6	1DX15	SMI09000258
POL64741	1	1.89	0.031	0.11	0.1	0.03	6.8	0.05	0.025	5	0.25	1DX15	SMI09000258
POL64747	2	2.39	0.01	0.06	0.2	0.03	4.4	0.1	0.025	6	0.25	1DX15	SMI09000258
POL64752	0.5	1.89	0.015	0.16	0.05	0.02	7.3	0.05	0.025	5	0.25	1DX15	SMI09000258

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL64755	581421	7011122	NAD 83-07V	0.8	98.1	9	81	0.05	80.1	27.4	942	4.48	17.6
POL64756	581452	7011085	NAD 83-07V	0.7	35.4	8	59	0.05	26.9	12.1	469	3.12	16.4
POL64758	581521	7011009	NAD 83-07V	1.1	64.8	11.7	126	0.1	55.9	18.3	639	4.36	5.7
POL64760	581585	7010933	NAD 83-07V	0.9	21.8	8.3	64	0.05	24	12.3	524	2.85	9.9
POL64761	581618	7010896	NAD 83-07V	1	27.8	9.9	79	0.05	37.2	12.2	448	2.78	6
POL64761	581618	7010896	NAD 83-07V	1.1	28.4	9.5	86	0.05	38.2	12.4	455	2.83	6.3
POL64764	581716	7010784	NAD 83-07V	0.6	30.6	7.7	57	0.05	31.3	11.3	457	2.75	8.2
POL64766	581783	7010709	NAD 83-07V	0.7	52.8	11	67	0.05	34.1	15.6	405	3.82	6.3
POL64767	581816	7010669	NAD 83-07V	0.6	44.1	19.5	85	0.05	31.6	14	523	3.79	6
POL64768	581850	7010631	NAD 83-07V	0.7	29.2	8.5	53	0.05	21.8	11.3	261	3.06	5.4
POL64769	581886	7010595	NAD 83-07V	0.6	62.2	7.8	97	0.05	34	14.4	738	4.33	3.4
POL64770	581915	7010558	NAD 83-07V	1.5	43.9	10.6	62	0.05	33.1	13.4	385	3.75	5.9
POL64772	581950	7010522	NAD 83-07V	0.6	44.8	4.4	87	0.05	34.7	28.2	512	5.77	5.1
POL64880	580940	7011364	NAD 83-07V	3.4	86.1	46.1	512	0.2	70.1	22.2	951	5.45	61.8
POL64881	580975	7011327	NAD 83-07V	0.9	47.6	15.6	129	0.05	48.1	17.4	537	5.33	15.8
POL64882	581009	7011290	NAD 83-07V	1.3	48.9	22.1	104	0.05	35.3	14.7	540	4.57	14.4
POL64883	581042	7011253	NAD 83-07V	1.2	35.3	12.5	106	0.1	31.8	14.2	926	4.8	5.6
POL64888	581210	7011068	NAD 83-07V	1.4	42.8	16.8	72	0.05	36.3	13.1	288	3.46	10
POL64891	581312	7010956	NAD 83-07V	0.6	25.6	8.6	59	0.05	27.5	9.4	343	2.65	11.2
POL64892	581345	7010920	NAD 83-07V	0.9	28.6	8.3	65	0.05	26.6	11	381	2.71	11.6
POL64893	581381	7010883	NAD 83-07V	1.1	88.4	11	140	0.05	70.8	18.6	359	5.37	81.4
POL64894	581414	7010846	NAD 83-07V	0.7	25.2	8	57	0.05	25.1	8.4	264	2.5	11.3
POL64894	581414	7010846	NAD 83-07V	0.7	27.9	8	64	0.05	27.1	9	285	2.61	11.8
POL64897	581512	7010732	NAD 83-07V	1.3	72	13.4	113	0.05	62.4	19.2	425	4.74	4.5
POL64898	581545	7010693	NAD 83-07V	0.9	74.6	15.4	112	0.05	54.7	18.4	606	4.72	14.3
POL64903	581706	7010504	NAD 83-07V	1.1	38.6	12.4	72	0.05	30.8	14.1	718	3.13	8.4
POL64904	581737	7010463	NAD 83-07V	0.9	40.5	9.6	61	0.05	25.5	11.7	392	2.99	7.8
POL64905	581773	7010428	NAD 83-07V	0.5	62.3	12.3	52	0.05	37	18.6	379	3.46	4.6
POL64926	582092	7010512	NAD 83-07V	0.7	32.2	7.6	54	0.05	27	10.8	424	2.58	7.7
POL64969	582944	7009736	NAD 83-07V	1.9	93	9.5	86	0.05	30.9	16.5	632	4.85	3.9
POL64970	582908	7009775	NAD 83-07V	0.6	85.6	5.2	84	0.05	32.8	18	710	4.07	2.3
POL64971	582875	7009811	NAD 83-07V	0.8	57.2	7	76	0.05	27.5	13.9	632	3.93	5
POL64976	582708	7009996	NAD 83-07V	0.6	21.5	8.9	67	0.05	21.3	17.6	432	4.19	8
POL64978	582642	7010070	NAD 83-07V	1.2	45.7	11.9	74	0.05	31.9	12.6	448	3.37	10.2
POL64984	582475	7010256	NAD 83-07V	0.8	28.7	11	78	0.05	33.5	15.4	365	3.98	6.8
POL64984	582475	7010256	NAD 83-07V	0.9	30.9	10.9	80	0.05	34.3	16.1	362	4.17	7.2
POL64986	582406	7010331	NAD 83-07V	1	25.1	11	64	0.05	30.1	15.4	730	3.44	7.8
POL64987	582372	7010367	NAD 83-07V	1.1	25.1	8.6	58	0.05	23.3	14.3	327	3.25	6.2
POL64999	580930	7011219	NAD 83-07V	1.5	55.9	17.7	130	0.05	40.2	16.7	765	5.23	3.4
POL65000	580963	7011182	NAD 83-07V	1.2	33.5	12.5	72	0.05	29.6	11.1	349	3.12	7.9
POL65394	581205	7011669	NAD 83-07V	1.1	29.2	28	89	0.05	19.7	13.5	465	3	7.4
POL65414	581843	7010972	NAD 83-07V	0.9	28.6	15.7	96	0.05	25.5	15.9	652	4.22	4.9
POL65464	581925	7010699	NAD 83-07V	0.7	34.7	7	55	0.05	29.8	11.1	432	2.44	8
POL68519	583559	7010695	NAD 83-07V	0.8	119	14.3	338	0.05	15.1	12	394	3.53	3.1
POL68525	583358	7010917	NAD 83-07V	1.2	29.3	16.3	62	0.05	17.6	8.4	331	2.64	8.4
POL68529	583226	7011068	NAD 83-07V	1.2	33.6	18.5	64	0.05	23.2	9	294	2.78	17.3
POL68531	583158	7011141	NAD 83-07V	1	24.5	13.3	72	0.05	17.4	9.2	371	3.15	8.9
POL68532	583125	7011179	NAD 83-07V	1	37	25.1	93	0.05	24.2	9.9	480	3.63	11
POL69004	583806	7009973	NAD 83-07V	0.7	15	8.8	41	0.05	16.2	11.4	343	2.84	6.1
POL69005	583772	7010011	NAD 83-07V	0.9	14.4	8.8	44	0.05	12.2	12.4	347	3.36	6.7
POL69006	583738	7010050	NAD 83-07V	0.6	36.3	3.2	105	0.05	10.1	16	396	4.2	1.1
POL69008	583670	7010123	NAD 83-07V	1	51.4	11.3	106	0.05	28.2	19.4	362	3.54	2.5
POL69013	583503	7010309	NAD 83-07V	1	33.3	9.8	75	0.05	18	12.2	367	3.25	4.2

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL64755	0.5	5.4	4	33	0.1	0.4	0.05	129	0.52	0.077	10	142	1.6	556	0.182
POL64756	0.5	2.7	4.9	29	0.05	0.5	0.1	70	0.54	0.036	17	36	0.68	470	0.1
POL64758	1	1.1	8.7	37	0.2	0.3	0.1	121	0.38	0.045	24	80	1.32	512	0.238
POL64760	0.9	2.7	3.4	37	0.2	0.4	0.1	68	0.52	0.073	14	39	0.6	295	0.102
POL64761	1	18.4	5.8	33	0.2	0.3	0.1	68	0.62	0.063	15	47	0.71	296	0.108
POL64761	1	1.1	5.8	34	0.2	0.3	0.1	70	0.63	0.065	16	49	0.63	292	0.129
POL64764	0.9	3.4	3.9	41	0.2	0.6	0.1	69	0.75	0.081	14	38	0.63	295	0.102
POL64766	0.4	0.5	3.6	34	0.05	0.5	0.1	95	0.51	0.059	9	92	1.22	368	0.185
POL64767	0.7	1.8	4.5	36	0.05	0.5	0.2	87	0.47	0.063	14	72	1.25	430	0.194
POL64768	0.4	1.3	3.5	24	0.05	0.4	0.1	74	0.36	0.027	10	43	0.73	306	0.112
POL64769	0.9	1.2	9.4	26	0.05	0.2	0.05	86	0.3	0.036	23	66	1.27	473	0.249
POL64770	0.8	3.1	7.1	35	0.05	0.5	0.1	89	0.53	0.036	20	52	0.85	451	0.166
POL64772	0.7	3.7	4.2	54	0.05	0.3	0.05	110	0.83	0.114	19	68	1.61	1057	0.075
POL64880	1.7	1.5	23.8	22	1.6	1.1	0.4	72	0.51	0.098	60	57	0.76	464	0.055
POL64881	1.6	0.25	25	17	0.05	0.3	0.05	50	0.19	0.044	45	49	0.75	693	0.223
POL64882	1.7	1.2	22.2	21	0.1	0.4	0.1	37	0.18	0.028	80	36	0.49	704	0.067
POL64883	1	1.6	10.6	11	0.2	0.3	0.1	71	0.11	0.048	24	56	0.93	271	0.238
POL64888	0.6	0.8	4.1	22	0.1	0.4	0.2	93	0.17	0.031	10	62	0.69	255	0.124
POL64891	0.8	2	4.1	38	0.3	0.5	0.1	62	0.64	0.085	15	33	0.61	396	0.09
POL64892	0.8	12.3	3.8	36	0.3	0.5	0.1	62	0.56	0.073	15	35	0.56	452	0.081
POL64893	1.1	0.25	7.3	25	0.1	1.1	0.05	110	0.37	0.091	19	87	1.4	548	0.245
POL64894	0.9	3.2	5.4	31	0.2	0.4	0.05	62	0.41	0.069	16	47	0.63	354	0.103
POL64894	0.9	2.2	5.4	30	0.2	0.4	0.1	62	0.42	0.069	16	52	0.61	368	0.106
POL64897	0.9	0.8	10.6	46	0.2	0.2	0.1	120	0.29	0.09	26	80	1.28	425	0.199
POL64898	0.7	0.25	9.4	24	0.1	0.2	0.1	124	0.38	0.047	11	103	1.33	1008	0.166
POL64903	1.2	2.7	5.6	43	0.2	0.5	0.1	67	0.74	0.057	19	43	0.79	461	0.098
POL64904	1.3	4.1	4.2	261	0.1	0.5	0.1	62	0.78	0.062	15	37	0.73	396	0.086
POL64905	0.7	1.2	2.4	225	0.05	0.2	0.1	60	0.78	0.115	11	124	1.11	280	0.124
POL64926	0.9	2.1	3.2	40	0.2	0.6	0.1	58	0.79	0.067	13	30	0.61	272	0.084
POL64969	0.6	0.25	3.1	15	0.05	0.3	0.1	122	0.35	0.08	6	47	0.99	333	0.158
POL64970	0.7	1.6	3.8	20	0.05	0.1	0.05	105	0.48	0.104	13	61	1.42	488	0.238
POL64971	0.5	0.25	2.5	22	0.05	0.3	0.1	101	0.41	0.081	7	57	1.17	365	0.21
POL64976	0.5	4	3	26	0.05	0.4	0.1	98	0.37	0.043	8	42	1.27	267	0.236
POL64978	1.6	2.2	8.6	21	0.05	0.4	0.2	74	0.44	0.052	29	39	0.67	355	0.1
POL64984	1.2	0.8	10	22	0.05	0.3	0.2	60	0.29	0.043	22	44	0.87	165	0.2
POL64984	1.1	3	10.1	22	0.05	0.3	0.2	62	0.31	0.044	22	44	0.85	163	0.2
POL64986	1.1	1	7	31	0.1	0.3	0.2	59	0.57	0.044	21	40	0.65	214	0.136
POL64987	1.2	1.2	6.9	16	0.05	0.3	0.1	62	0.35	0.032	39	33	0.79	218	0.115
POL64999	1.3	1	11.7	17	0.1	0.2	0.1	108	0.22	0.065	24	83	1.43	300	0.294
POL65000	0.9	3.8	6.1	27	0.05	0.4	0.2	75	0.28	0.028	17	46	0.66	325	0.119
POL65394	0.7	1.7	3.6	15	0.2	0.3	0.2	79	0.19	0.044	11	45	0.85	170	0.134
POL65414	0.7	0.6	5.7	26	0.05	0.3	0.2	73	0.39	0.026	21	50	1.21	238	0.195
POL65464	0.8	3	3.1	51	0.2	0.6	0.1	56	1.36	0.07	11	31	0.67	275	0.075
POL68519	0.5	1.1	2	25	0.2	0.1	0.1	85	0.37	0.056	7	38	1.1	401	0.239
POL68525	1	2.7	3.4	33	0.2	0.4	0.2	53	0.37	0.053	15	26	0.48	342	0.092
POL68529	1	2.5	4.6	29	0.05	0.9	0.2	52	0.34	0.044	17	30	0.44	411	0.059
POL68531	0.8	0.8	3	19	0.1	0.7	0.2	53	0.16	0.02	8	29	0.43	266	0.064
POL68532	1.6	1.3	9.4	30	0.2	0.9	0.4	55	0.34	0.071	44	31	0.43	324	0.063
POL69004	0.4	0.25	2.2	20	0.05	0.3	0.1	72	0.24	0.037	7	24	0.74	195	0.112
POL69005	0.5	1.1	2.5	11	0.05	0.3	0.1	77	0.15	0.023	6	23	0.74	298	0.11
POL69006	0.9	0.25	3.2	14	0.05	0.05	0.05	130	0.49	0.106	12	16	1.91	648	0.203
POL69008	0.6	0.25	1.6	17	0.2	0.1	0.1	97	0.38	0.057	9	88	1.48	595	0.193
POL69013	0.6	1.4	3	21	0.1	0.3	0.1	81	0.39	0.048	10	28	0.73	277	0.141

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL64755	2	2.19	0.02	0.59	0.05	0.03	8.8	0.3	0.025	9	0.25	1DX15	SMI09000258
POL64756	1	1.59	0.022	0.14	0.1	0.03	6.1	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64758	0.5	2.84	0.023	0.9	0.1	0.01	8.3	0.5	0.025	10	1.1	1DX15	SMI09000258
POL64760	1	1.62	0.028	0.08	0.2	0.03	3.9	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64761	2	1.47	0.019	0.23	0.2	0.02	4.1	0.2	0.025	5	0.25	1DX15	SMI09000258
POL64761	0.5	1.53	0.021	0.23	0.2	0.04	4.2	0.2	0.025	6	0.25	1DX15	SMI09000258
POL64764	2	1.36	0.036	0.06	0.3	0.03	4.1	0.05	0.025	4	0.6	1DX15	SMI09000258
POL64766	0.5	2.06	0.021	0.34	0.1	0.01	5.1	0.2	0.025	7	0.25	1DX15	SMI09000258
POL64767	0.5	2.13	0.029	0.63	0.05	0.03	6.5	0.2	0.025	8	0.25	1DX15	SMI09000258
POL64768	0.5	1.83	0.014	0.15	0.1	0.005	4.5	0.05	0.025	6	0.25	1DX15	SMI09000258
POL64769	0.5	2.21	0.014	1.04	0.05	0.02	10	0.4	0.025	11	0.25	1DX15	SMI09000258
POL64770	1	2	0.023	0.32	0.2	0.02	8.8	0.2	0.025	8	0.25	1DX15	SMI09000258
POL64772	0.5	2.85	0.018	0.3	0.05	0.03	14.1	0.05	0.025	11	0.25	1DX15	SMI09000258
POL64880	1	1.68	0.007	0.46	0.05	0.11	12.4	0.6	0.025	7	1	1DX15	SMI09000258
POL64881	2	2.07	0.009	0.98	0.05	0.03	7.9	0.6	0.025	8	0.7	1DX15	SMI09000258
POL64882	0.5	1.73	0.007	0.45	0.05	0.04	7.1	0.3	0.025	6	0.25	1DX15	SMI09000258
POL64883	0.5	2.6	0.009	1.05	0.05	0.01	5.2	0.6	0.025	10	0.25	1DX15	SMI09000258
POL64888	1	2.08	0.012	0.22	0.1	0.005	5	0.2	0.025	7	0.7	1DX15	SMI09000258
POL64891	1	1.25	0.028	0.07	0.3	0.02	3.7	0.05	0.025	4	0.25	1DX15	SMI09000258
POL64892	0.5	1.35	0.018	0.11	0.2	0.02	3.6	0.1	0.025	4	0.25	1DX15	SMI09000258
POL64893	0.5	2.36	0.012	1.25	0.05	0.02	7.9	0.9	0.025	9	0.7	1DX15	SMI09000258
POL64894	0.5	1.43	0.021	0.19	0.1	0.02	3.9	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64894	2	1.47	0.02	0.18	0.1	0.01	3.9	0.2	0.025	5	0.25	1DX15	SMI09000258
POL64897	0.5	2.53	0.008	0.92	0.05	0.005	6.5	0.6	0.06	10	0.25	1DX15	SMI09000258
POL64898	0.5	2.78	0.011	0.66	0.1	0.005	9	0.4	0.025	11	0.7	1DX15	SMI09000258
POL64903	0.5	1.68	0.022	0.24	0.2	0.04	5.2	0.2	0.025	6	0.25	1DX15	SMI09000258
POL64904	0.5	1.52	0.023	0.16	0.2	0.04	5.3	0.1	0.025	5	0.25	1DX15	SMI09000258
POL64905	2	1.66	0.02	0.41	0.05	0.01	5.4	0.2	0.025	5	0.25	1DX15	SMI09000258
POL64926	0.5	1.44	0.029	0.06	0.2	0.02	4	0.05	0.025	5	0.25	1DX15	SMI09000258
POL64969	0.5	1.9	0.011	0.57	0.1	0.01	8.1	0.2	0.025	9	0.25	1DX15	SMI09000258
POL64970	0.5	2.32	0.013	1.08	0.1	0.02	7.5	0.4	0.025	9	0.25	1DX15	SMI09000258
POL64971	0.5	2.14	0.018	0.71	0.1	0.01	5.8	0.2	0.025	9	0.25	1DX15	SMI09000258
POL64976	1	2.44	0.018	0.56	0.1	0.01	3.6	0.2	0.025	7	0.25	1DX15	SMI09000258
POL64978	1	1.73	0.013	0.22	0.1	0.03	6	0.2	0.025	6	0.7	1DX15	SMI09000258
POL64984	0.5	2.53	0.015	0.45	0.05	0.01	3.2	0.4	0.025	7	0.25	1DX15	SMI09000258
POL64984	1	2.49	0.013	0.46	0.1	0.01	3.4	0.4	0.025	8	0.25	1DX15	SMI09000258
POL64986	3	1.8	0.022	0.33	0.2	0.02	3.8	0.2	0.025	6	0.25	1DX15	SMI09000258
POL64987	0.5	1.83	0.011	0.23	0.1	0.01	3.5	0.1	0.025	6	0.25	1DX15	SMI09000258
POL64999	0.5	3.16	0.011	1.16	0.05	0.005	7.2	0.7	0.025	11	0.7	1DX15	SMI09000258
POL65000	1	1.92	0.022	0.13	0.05	0.02	4.7	0.2	0.025	6	0.25	1DX15	SMI09000258
POL65394	1	1.94	0.01	0.23	0.1	0.01	3.2	0.2	0.025	7	0.25	1DX15	SMI09000258
POL65414	0.5	2.53	0.015	0.54	0.1	0.02	7.1	0.4	0.025	9	0.25	1DX15	SMI09000258
POL65464	2	1.26	0.026	0.06	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	SMI09000258
POL68519	0.5	2.02	0.019	0.54	0.05	0.005	5.3	0.3	0.025	7	0.25	1DX15	SMI09000258
POL68525	0.5	1.4	0.035	0.1	0.2	0.04	4.4	0.05	0.025	5	0.25	1DX15	SMI09000258
POL68529	4	1.38	0.015	0.07	0.1	0.07	6.3	0.05	0.025	4	0.25	1DX15	SMI09000258
POL68531	1	1.6	0.014	0.13	0.1	0.05	5.3	0.05	0.025	5	0.25	1DX15	SMI09000258
POL68532	2	1.32	0.022	0.18	0.05	0.07	8.5	0.1	0.025	5	0.9	1DX15	SMI09000258
POL69004	1	1.82	0.011	0.15	0.1	0.01	2.9	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69005	1	2.02	0.014	0.3	0.05	0.005	5.3	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69006	0.5	2.41	0.018	0.93	0.05	0.01	6.9	0.4	0.025	9	0.25	1DX15	SMI09000258
POL69008	0.5	2.21	0.015	0.48	0.05	0.005	3.8	0.3	0.025	7	0.25	1DX15	SMI09000258
POL69013	2	1.66	0.016	0.22	0.2	0.02	4.4	0.1	0.025	6	0.25	1DX15	SMI09000258

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69020	583400	7009676	NAD 83-07V	1.6	37.1	28	95	0.05	25.5	9.5	473	3.17	40.1
POL69022	583333	7009751	NAD 83-07V	1.6	30.4	13.2	77	0.05	25.2	9.6	255	3.11	10.9
POL69023	583300	7009789	NAD 83-07V	0.9	43.6	8.8	69	0.05	15.1	13.6	456	3.68	8.6
POL69024	583267	7009826	NAD 83-07V	0.6	90.3	7.2	50	0.05	21.1	20.4	314	3.01	5.7
POL69025	583232	7009862	NAD 83-07V	0.8	32.6	15.1	63	0.05	20.4	12.1	343	3.29	9.5
POL69046	582563	7010608	NAD 83-07V	0.4	35.6	14.3	82	0.05	32.1	16.7	547	3.88	3.1
POL69047	582528	7010643	NAD 83-07V	1.2	21.1	10.8	59	0.05	25.1	12.6	310	3.92	6.9
POL69050	583335	7010493	NAD 83-07V	1	22	8.4	63	0.05	20	8.7	300	2.85	6.8
POL69051	583300	7010530	NAD 83-07V	1	26.9	10.4	77	0.05	23.9	10.1	286	3.1	6
POL69052	583267	7010568	NAD 83-07V	1.9	46.1	15.1	102	0.05	38.8	14.3	364	3.66	5.5
POL69053	583235	7010605	NAD 83-07V	0.6	56.5	7.6	75	0.05	19.8	15.8	402	3.28	4.2
POL69054	583201	7010643	NAD 83-07V	0.5	87.1	18.6	50	0.05	12.6	15.4	447	3.41	3.5
POL69057	583099	7010755	NAD 83-07V	1.4	37.4	20.4	92	0.05	15.3	9.6	400	3.89	15
POL69151	582934	7010941	NAD 83-07V	0.5	125.2	25.9	75	0.05	34.5	21.2	833	4.55	4
POL69152	582900	7010978	NAD 83-07V	0.5	59.6	8.5	67	0.05	33.6	16.3	620	3.39	5.4
POL69188	582758	7010986	NAD 83-07V	0.8	42.3	8.1	57	0.05	22.7	12.6	425	2.76	3.9
POL69192	583730	7009906	NAD 83-07V	0.7	39.3	6.1	82	0.05	34.6	26.2	749	5.14	4
POL69193	583696	7009943	NAD 83-07V	1.7	59.9	9	59	0.05	26.2	17.4	324	3.16	4.3
POL69195	583627	7010014	NAD 83-07V	1.2	34.4	14.1	59	0.05	21	15.9	292	3.33	5.4
POL69197	583561	7010089	NAD 83-07V	1	27.7	9.8	52	0.05	15.3	11.2	278	2.55	4.4
POL69198	583527	7010129	NAD 83-07V	1	31.8	7.3	59	0.05	17.5	13.3	344	3.01	3.9
POL69234	582866	7011015	NAD 83-07V	0.9	92.8	12.4	86	0.05	36	23.7	1000	4.19	5.4
POL69272	583281	7010852	NAD 83-07V	0.8	64.4	8.2	74	0.05	22	17.2	465	3.81	9
POL69274	583213	7010928	NAD 83-07V	1.7	53.5	21.2	110	0.05	30	10.7	341	3.35	26.8
POL69275	583181	7010963	NAD 83-07V	2.1	33.4	27.6	91	0.05	11.8	6.1	365	3.22	8
POL69277	583113	7011037	NAD 83-07V	1.2	24.4	21	70	0.05	19.7	9.3	316	2.67	28.5
POL69278	583079	7011075	NAD 83-07V	1.6	53.4	43.5	98	0.05	19.1	14.7	504	4.34	16.6
POL69284	583946	7009964	NAD 83-07V	0.4	94.1	6.1	65	0.05	30.4	22	479	4.02	3.4
POL69285	583913	7010001	NAD 83-07V	0.6	62.7	6.7	77	0.05	26.8	24.4	846	5.52	4.1
POL69286	583879	7010039	NAD 83-07V	0.6	28.6	8.4	44	0.05	19.2	12.8	620	2.68	4.8
POL69287	583845	7010077	NAD 83-07V	0.6	19.5	7.3	51	0.05	12.5	7.3	321	2.69	5.3
POL69288	583811	7010114	NAD 83-07V	0.4	27.5	7.3	77	0.05	6.8	10.8	634	3.64	2
POL69288	583811	7010114	NAD 83-07V	0.4	25	7.3	73	0.05	6.8	9.9	589	3.58	2.1
POL69290	583778	7010150	NAD 83-07V	0.8	13	7.1	51	0.05	12.2	10	407	3.28	8.3
POL69291	583746	7010188	NAD 83-07V	0.6	24	6.3	43	0.05	11.7	14.8	436	3.45	3.3
POL69292	583711	7010224	NAD 83-07V	1.1	20.5	14.5	45	0.05	13.5	10.9	301	2.94	6
POL69293	583678	7010262	NAD 83-07V	1.1	16.2	16.5	64	0.05	8.2	14.6	375	3.53	2.5
POL69294	583644	7010300	NAD 83-07V	1	38.9	6.9	84	0.05	13.4	13.7	383	3.58	3.3
POL69295	583609	7010338	NAD 83-07V	0.9	34	11.5	69	0.05	14.2	13.6	368	3.14	3.4
POL69296	583577	7010373	NAD 83-07V	0.9	31.6	8.6	68	0.05	14.2	14.6	328	3.31	2.5
POL69298	583513	7010449	NAD 83-07V	0.7	33.4	10.4	61	0.05	13.5	12.6	333	3.11	3.7
POL69299	583477	7010486	NAD 83-07V	0.7	29.4	10.1	61	0.05	13.3	11.6	331	3.13	4.1
POL69303	583348	7010634	NAD 83-07V	1	22.5	11.4	55	0.05	18.3	7.5	502	2.23	6.6
POL69308	583178	7010819	NAD 83-07V	1.7	116.6	34.7	108	0.05	27.4	17.5	474	5.3	11
POL69312	583043	7010968	NAD 83-07V	1.4	30.6	24.4	86	0.05	13.3	13.2	625	4.19	7
POL69312	583043	7010968	NAD 83-07V	1.4	30.7	24.3	89	0.05	13.6	13.3	625	4.23	7.2
POL69313	583009	7011006	NAD 83-07V	1.1	34.8	26.9	93	0.05	19.6	12	587	3.92	6.6
POL69313	583009	7011006	NAD 83-07V	1	33.2	26	88	0.05	19.4	11.9	568	3.75	5.9
POL69315	582943	7011079	NAD 83-07V	0.5	97.3	18.7	81	0.1	23.8	18	730	3.76	5.3
POL69389	581982	7011698	NAD 83-07V	0.8	45.1	9.2	117	0.05	33.6	18.7	775	5.62	8.9
POL69390	582018	7011659	NAD 83-07V	1.5	40.8	20.4	86	0.05	25.6	9.8	439	3.94	22
POL69392	582083	7011586	NAD 83-07V	0.4	44	11.7	50	0.05	25.1	11.2	360	2.58	9.2
POL69396	582217	7011433	NAD 83-07V	0.6	57.8	28.6	111	0.2	34.4	19.1	1082	4.78	3.9

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69020	1.5	0.9	5.9	22	0.1	1.4	0.2	52	0.29	0.046	21	29	0.35	283	0.051
POL69022	1	1.2	5.4	16	0.05	0.4	0.2	64	0.17	0.038	13	32	0.56	209	0.12
POL69023	0.4	0.25	2.7	13	0.05	0.5	0.2	93	0.27	0.047	7	24	0.63	155	0.143
POL69024	0.4	0.7	2.3	22	0.05	0.4	0.05	71	0.27	0.014	9	26	0.9	148	0.132
POL69025	0.7	1.5	4.7	16	0.1	0.6	0.2	61	0.16	0.029	20	32	0.61	237	0.095
POL69046	0.5	3.2	3.9	20	0.05	0.2	0.1	91	0.37	0.067	13	90	1.66	263	0.201
POL69047	1	1.1	7.7	13	0.1	0.3	0.2	67	0.15	0.037	21	41	0.61	129	0.098
POL69050	0.7	3	4.4	20	0.05	0.5	0.1	62	0.28	0.065	15	30	0.56	149	0.112
POL69051	0.8	0.7	5.6	20	0.05	0.4	0.2	64	0.26	0.051	20	37	0.61	200	0.121
POL69052	1.3	3.3	9.5	18	0.1	0.2	0.2	75	0.39	0.096	29	48	0.77	247	0.143
POL69053	1	1.8	4.8	23	0.05	0.3	0.1	80	0.41	0.063	20	27	0.82	213	0.171
POL69054	0.4	1.4	1.4	16	0.05	0.2	0.2	78	0.36	0.034	5	15	0.7	140	0.114
POL69057	1.1	0.6	4	17	0.05	1.1	0.3	50	0.17	0.022	12	21	0.34	293	0.038
POL69151	0.3	1.1	1.9	29	0.05	0.2	0.3	131	0.72	0.208	7	34	1.64	700	0.234
POL69152	0.6	2.1	2.7	32	0.05	0.3	0.1	88	0.55	0.115	9	47	1.2	433	0.154
POL69188	0.7	2.5	2.7	34	0.05	0.2	0.1	67	0.39	0.091	9	29	0.82	235	0.168
POL69192	1	0.25	2.8	35	0.1	0.1	0.05	121	0.78	0.129	19	86	1.95	1064	0.212
POL69193	0.4	1	2.2	19	0.05	0.3	0.1	81	0.34	0.05	8	39	0.9	304	0.159
POL69195	0.5	1.4	2.3	17	0.05	0.2	0.2	84	0.37	0.04	7	35	0.7	176	0.133
POL69197	0.5	1.4	2.4	17	0.05	0.2	0.1	65	0.38	0.052	9	25	0.59	190	0.101
POL69198	0.5	2.9	2.3	21	0.1	0.2	0.1	79	0.38	0.052	10	27	0.77	204	0.17
POL69234	0.7	2.4	2.3	36	0.1	0.2	0.2	109	0.6	0.108	10	40	1.64	1015	0.227
POL69272	0.7	1.3	3.8	29	0.05	0.5	0.1	85	0.43	0.06	10	32	0.92	323	0.13
POL69274	1.6	1.6	9.8	28	0.2	0.5	0.3	52	0.35	0.087	26	29	0.46	312	0.083
POL69275	0.7	1.8	2.7	24	0.2	0.6	0.3	71	0.2	0.042	11	22	0.38	315	0.116
POL69277	0.9	1.7	4.4	17	0.05	1.4	0.3	54	0.17	0.04	13	27	0.36	212	0.042
POL69278	1.3	1.9	5.4	22	0.1	1.8	0.5	73	0.3	0.056	25	23	0.48	407	0.056
POL69284	0.8	1	2.9	22	0.05	0.1	0.05	119	0.63	0.057	8	143	2.07	496	0.25
POL69285	0.9	3.1	2.8	22	0.05	0.4	0.05	141	0.69	0.046	14	62	0.97	342	0.026
POL69286	0.3	0.25	1.4	24	0.05	0.4	0.1	72	0.33	0.032	5	34	0.59	243	0.111
POL69287	0.4	1.6	2.8	20	0.1	0.3	0.1	50	0.22	0.017	7	15	0.67	204	0.168
POL69288	0.5	0.7	2.1	15	0.05	0.2	0.05	48	0.2	0.04	7	9	0.88	238	0.243
POL69288	0.5	0.6	2.1	15	0.05	0.2	0.05	47	0.19	0.04	7	9	0.81	243	0.238
POL69290	0.4	1.1	1.5	15	0.1	0.3	0.1	57	0.2	0.059	6	19	0.57	168	0.168
POL69291	0.5	1.1	1.8	20	0.05	0.2	0.05	85	0.27	0.031	7	22	1.17	261	0.176
POL69292	0.7	2.1	2.4	23	0.05	0.3	0.2	69	0.29	0.045	10	23	0.67	253	0.119
POL69293	0.4	0.25	1.9	18	0.1	0.1	0.1	86	0.24	0.042	5	12	1.04	252	0.159
POL69294	0.6	0.25	2.4	18	0.1	0.1	0.05	105	0.4	0.069	9	24	0.97	332	0.17
POL69295	0.6	0.8	1.9	30	0.05	0.2	0.1	85	0.46	0.071	8	33	0.98	403	0.218
POL69296	0.4	0.25	1.4	22	0.05	0.1	0.05	97	0.44	0.05	6	31	1.11	362	0.196
POL69298	0.6	5.9	2.4	33	0.05	0.2	0.1	79	0.42	0.054	9	25	0.84	345	0.199
POL69299	0.5	1.2	2.4	30	0.05	0.2	0.1	74	0.42	0.062	9	28	0.82	319	0.189
POL69303	0.7	0.6	3	25	0.1	0.4	0.2	52	0.41	0.046	14	25	0.43	262	0.072
POL69308	1.4	1.7	6.7	24	0.1	0.8	0.4	102	0.32	0.033	16	28	0.46	300	0.065
POL69312	0.7	1	3.1	10	0.1	0.9	0.3	70	0.17	0.049	9	23	0.6	181	0.074
POL69312	0.7	0.25	3.2	10	0.1	1	0.2	70	0.17	0.05	9	23	0.59	181	0.075
POL69313	0.9	4.8	4.9	22	0.2	0.4	0.3	78	0.33	0.069	20	29	0.74	272	0.129
POL69313	0.9	5.2	4.5	21	0.2	0.4	0.3	75	0.33	0.062	19	28	0.67	263	0.126
POL69315	1	2.6	3.1	57	0.2	0.3	0.2	95	1.31	0.165	16	30	1.18	455	0.156
POL69389	1	1	10.5	16	0.1	0.3	0.2	140	0.44	0.059	28	44	1.48	728	0.256
POL69390	1.2	22.4	16.8	17	0.05	0.8	0.4	41	0.46	0.08	22	19	0.38	263	0.05
POL69392	0.4	3	2.2	64	0.1	0.7	0.2	61	2.91	0.087	11	28	0.65	327	0.072
POL69396	0.5	0.9	4.2	32	0.1	0.2	0.3	101	0.86	0.143	18	66	1.6	558	0.229

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69020	0.5	1.26	0.013	0.08	0.05	0.07	7	0.2	0.025	4	0.25	1DX15	SMI09000258
POL69022	2	1.82	0.011	0.28	0.1	0.01	3.6	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69023	1	1.89	0.03	0.25	0.1	0.01	4.5	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69024	0.5	2.07	0.027	0.06	0.05	0.01	5.4	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69025	1	2.48	0.013	0.16	0.1	0.02	5.6	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69046	0.5	2.37	0.015	0.69	0.1	0.01	6.9	0.3	0.025	10	0.25	1DX15	SMI09000258
POL69047	0.5	2.03	0.011	0.13	0.2	0.03	3.1	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69050	1	1.56	0.016	0.15	0.2	0.02	3.1	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69051	0.5	1.74	0.015	0.22	0.1	0.01	3.6	0.2	0.025	5	0.25	1DX15	SMI09000258
POL69052	2	1.85	0.013	0.51	0.1	0.01	4.8	0.3	0.025	6	0.7	1DX15	SMI09000258
POL69053	0.5	1.67	0.029	0.36	0.1	0.02	6.1	0.3	0.025	7	0.6	1DX15	SMI09000258
POL69054	0.5	1.52	0.035	0.13	0.05	0.01	5.4	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69057	0.5	1.39	0.012	0.17	0.1	0.05	7.7	0.05	0.025	5	0.6	1DX15	SMI09000258
POL69151	0.5	2.52	0.022	0.77	0.1	0.01	7.2	0.3	0.025	9	0.25	1DX15	SMI09000258
POL69152	0.5	1.91	0.023	0.24	0.1	0.02	4.8	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69188	2	1.59	0.014	0.33	0.2	0.01	2.6	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69192	0.5	2.48	0.034	0.27	0.05	0.005	12.4	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69193	0.5	1.8	0.013	0.29	0.1	0.005	2.9	0.2	0.025	5	0.25	1DX15	SMI09000258
POL69195	0.5	1.78	0.012	0.18	0.1	0.02	3	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69197	0.5	1.34	0.014	0.15	0.2	0.01	3	0.05	0.025	5	0.25	1DX15	SMI09000258
POL69198	1	1.66	0.017	0.22	0.1	0.005	3.2	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69234	0.5	2.75	0.022	0.51	0.1	0.02	6.8	0.2	0.025	11	0.25	1DX15	SMI09000258
POL69272	1	1.84	0.029	0.32	0.05	0.02	7.2	0.2	0.025	5	0.5	1DX15	SMI09000258
POL69274	3	1.2	0.016	0.23	0.2	0.04	6.6	0.2	0.025	5	1	1DX15	SMI09000258
POL69275	1	1.32	0.013	0.15	0.1	0.02	4.4	0.1	0.025	8	0.25	1DX15	SMI09000258
POL69277	2	1.49	0.017	0.07	0.2	0.05	4.2	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69278	2	1.53	0.013	0.22	0.1	0.07	10.7	0.2	0.025	6	0.7	1DX15	SMI09000258
POL69284	0.5	2.73	0.026	0.77	0.05	0.02	9.7	0.4	0.025	8	0.25	1DX15	SMI09000258
POL69285	2	2.45	0.02	0.09	0.1	0.09	21.4	0.1	0.025	9	0.7	1DX15	SMI09000258
POL69286	0.5	1.63	0.034	0.08	0.05	0.01	5.1	0.05	0.025	5	0.25	1DX15	SMI09000258
POL69287	0.5	1.69	0.015	0.15	0.05	0.01	6	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69288	0.5	2.04	0.015	0.54	0.05	0.005	8.6	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69288	0.5	1.98	0.016	0.49	0.05	0.005	7.5	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69290	1	1.61	0.023	0.21	0.1	0.01	4.3	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69291	0.5	2.08	0.02	0.46	0.05	0.01	6.4	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69292	1	1.81	0.021	0.14	0.1	0.01	4.5	0.05	0.025	5	0.5	1DX15	SMI09000258
POL69293	0.5	2.1	0.009	0.49	0.05	0.01	4.9	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69294	2	1.91	0.016	0.38	0.1	0.01	4.6	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69295	0.5	1.75	0.027	0.4	0.05	0.01	4.5	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69296	0.5	1.81	0.015	0.33	0.1	0.005	3.6	0.3	0.025	6	0.25	1DX15	SMI09000258
POL69298	0.5	1.57	0.025	0.35	0.05	0.02	4.2	0.2	0.025	5	0.25	1DX15	SMI09000258
POL69299	0.5	1.67	0.024	0.3	0.05	0.02	4.6	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69303	2	1.28	0.013	0.1	0.2	0.02	3.2	0.05	0.025	4	0.25	1DX15	SMI09000258
POL69308	1	1.63	0.021	0.11	0.05	0.07	12	0.1	0.025	6	1.3	1DX15	SMI09000258
POL69312	2	1.78	0.01	0.26	0.1	0.03	7.6	0.2	0.025	7	0.7	1DX15	SMI09000258
POL69312	2	1.76	0.01	0.26	0.05	0.04	7.5	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69313	0.5	1.81	0.02	0.26	0.1	0.03	8.6	0.2	0.025	8	0.25	1DX15	SMI09000258
POL69313	0.5	1.75	0.019	0.27	0.1	0.02	8.4	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69315	3	1.81	0.032	0.43	0.1	0.09	8.5	0.3	0.025	7	0.9	1DX15	SMI09000258
POL69389	0.5	2.85	0.016	1.36	0.1	0.02	14.1	0.5	0.025	11	0.25	1DX15	SMI09000258
POL69390	2	1.31	0.008	0.45	0.05	0.02	5.8	0.3	0.025	5	0.6	1DX15	SMI09000258
POL69392	1	1.5	0.034	0.07	0.2	0.05	4.3	0.05	0.025	4	0.6	1DX15	SMI09000258
POL69396	0.5	2.61	0.028	1.11	0.05	0.04	6.9	0.4	0.025	9	0.25	1DX15	SMI09000258

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69545	582660	7009750	NAD 83-07V	2	44.7	7.6	109	0.05	28.2	10.8	757	4.49	6.1
POL69548	582563	7009864	NAD 83-07V	0.8	43.5	6.9	76	0.05	36.9	16.6	557	5.22	7.2
POL69549	582527	7009901	NAD 83-07V	0.9	30.2	8.5	57	0.05	30.1	14.6	473	3.35	7
POL69550	582496	7009939	NAD 83-07V	0.9	24.7	8.6	53	0.05	27.6	12.9	290	3.24	6.9
POL69563	583026	7009340	NAD 83-07V	1	40.6	8.5	74	0.05	22.1	14.9	467	3.59	10.2
POL69566	582927	7009453	NAD 83-07V	0.6	36.6	14.4	59	0.05	20.2	14.3	348	2.99	4.7
POL69568	582858	7009527	NAD 83-07V	0.7	22.3	7.3	70	0.05	18.4	13.9	396	3.27	6.9
POL69575	583125	7009228	NAD 83-07V	0.8	64.4	8.3	61	0.05	33.4	13	462	3.2	9.6
POL69676	582772	7009177	NAD 83-07V	0.6	25.3	6.3	50	0.05	24.5	9.3	291	2.55	4.5
POL69676	582772	7009177	NAD 83-07V	0.6	24.1	6.2	48	0.05	22.9	8.9	274	2.43	4.4
POL69679	582671	7009289	NAD 83-07V	1	30.4	13.9	70	0.1	30.7	12.6	340	3.1	6.1
POL69680	582638	7009329	NAD 83-07V	1	25.6	7.3	63	0.05	29.5	14.3	298	3.2	8.8
POL69683	582537	7009439	NAD 83-07V	0.9	19.7	6.6	62	0.05	18.9	9.9	310	2.99	4.7
POL69690	582302	7009701	NAD 83-07V	0.6	25.9	6.5	55	0.05	24.2	9.2	330	2.46	6.7
POL69702	581935	7010109	NAD 83-07V	0.5	27.3	9.3	59	0.05	19.8	13.5	362	3.27	2.3
POL69736	583089	7009126	NAD 83-07V	0.5	53.7	8	56	0.1	29.9	12.2	863	2.86	6.9
POL69740	582955	7009276	NAD 83-07V	0.5	12.6	5.9	53	0.05	16.7	10.9	307	2.8	4.5
POL69751	582618	7009646	NAD 83-07V	0.8	57	9.5	96	0.05	42.2	21.6	611	4.73	33.9
POL69783	582734	7009819	NAD 83-07V	0.3	34.6	6.9	69	0.05	14.8	18.8	462	4.23	2
POL69785	582669	7009895	NAD 83-07V	2.1	42.4	20.2	87	0.05	30.3	13	330	4.45	15.3
POL69786	582637	7009933	NAD 83-07V	1.3	16.4	9	56	0.05	20.9	10.2	350	3.05	7.9
POL69789	582535	7010042	NAD 83-07V	1	29.4	10.2	74	0.05	25.8	13.9	427	3.38	4.5
POL69793	582400	7010190	NAD 83-07V	0.9	43.8	11.5	80	0.05	40.3	15	341	3.9	8.2
POL69794	582367	7010228	NAD 83-07V	0.9	36.7	10.7	69	0.05	36	15.7	335	3.73	7.5
POL69796	582299	7010303	NAD 83-07V	0.9	43	6.4	97	0.05	14.1	21.6	673	5.15	4.7
POL69797	582265	7010339	NAD 83-07V	0.9	45	7.7	83	0.1	15.2	22.8	576	4.84	5.6
POL69800	583387	7009393	NAD 83-07V	0.7	33	9.8	66	0.05	23.3	11.5	389	3.24	7.8
POL69801	583353	7009430	NAD 83-07V	0.6	22.1	12.4	79	0.05	13.7	8.3	339	2.91	5.5
POL69802	583319	7009468	NAD 83-07V	0.2	65.3	5.4	65	0.05	9.3	22.2	573	3.88	1.4
POL69803	583286	7009504	NAD 83-07V	0.8	30	8	64	0.05	13.8	10.7	373	2.97	5.1
POL69804	583252	7009541	NAD 83-07V	0.3	323.9	7.3	71	0.05	93.6	37.7	445	3.99	0.9
POL69805	583219	7009578	NAD 83-07V	0.5	165.2	13.7	67	0.05	63.4	24.4	361	3.51	3.1
POL69807	583152	7009652	NAD 83-07V	0.7	34.1	8.5	100	0.05	14.8	16.3	737	4.98	3.3
POL69807	583152	7009652	NAD 83-07V	0.6	32.9	8.9	98	0.05	14.1	15.6	693	4.7	3.3
POL69808	583118	7009689	NAD 83-07V	0.9	36.1	8.9	66	0.05	20.6	11.7	348	3.25	4.5
POL69809	583087	7009729	NAD 83-07V	0.6	61.7	8.7	79	0.05	35.6	17.4	749	3.58	6
POL69810	583051	7009765	NAD 83-07V	0.5	69.1	10	68	0.1	32.4	13.8	690	3.1	4.8
POL69813	582982	7009841	NAD 83-07V	0.8	92.5	5.6	75	0.05	30.3	19.6	624	3.83	4.5
POL69825	582579	7010288	NAD 83-07V	0.3	107.2	5.9	89	0.05	29.9	18.1	571	4.97	0.8
POL69827	582514	7010360	NAD 83-07V	0.8	32.5	8.1	68	0.05	29.7	16.1	455	3.74	4
POL69828	582480	7010398	NAD 83-07V	0.7	38.8	11.5	77	0.05	35.4	17.3	455	3.79	3.6
POL69829	582447	7010436	NAD 83-07V	0.9	32.5	15	74	0.05	31.1	14.5	413	3.55	5.3
POL69830	582413	7010473	NAD 83-07V	0.9	30.2	16.3	69	0.1	30.2	12.4	329	3.22	4.9
POL69831	582379	7010509	NAD 83-07V	1.1	25.2	16.9	78	0.05	30.3	17.8	506	3.68	5.7
POL69832	582346	7010547	NAD 83-07V	1.1	36.9	17.9	95	0.1	43	18.9	352	4	5.2
POL69840	582949	7009133	NAD 83-07V	1.2	46.9	15.6	108	0.05	37	10.6	257	2.63	7.9
POL69841	582913	7009171	NAD 83-07V	1.8	92.7	10.3	121	0.05	41.3	16.5	463	5.91	6.3
POL69842	582880	7009208	NAD 83-07V	2.2	88.8	14	81	0.05	39.1	14.6	526	5.49	2.2
POL69842	582880	7009208	NAD 83-07V	2.3	92.5	14.4	84	0.05	39.8	14.6	514	5.51	2.3
POL69844	582848	7009245	NAD 83-07V	1.6	65.8	19.3	123	0.05	36.8	14.8	507	4.22	20.1
POL69847	582747	7009357	NAD 83-07V	1.1	39.9	9.3	89	0.05	20.7	12.7	485	4.21	6.4
POL69848	582714	7009395	NAD 83-07V	0.8	35.6	7.5	55	0.05	23.2	13.4	298	3	6.9
POL69849	582679	7009431	NAD 83-07V	1	31.8	9.1	62	0.05	24.1	12.8	288	3.32	7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69545	1	3.1	10.4	21	0.05	0.3	0.1	68	0.42	0.054	20	30	0.97	301	0.2
POL69548	1.5	1.9	16.3	20	0.05	0.2	0.2	91	0.28	0.044	36	80	1.51	281	0.32
POL69549	0.8	1.5	4.6	25	0.05	0.5	0.1	71	0.33	0.022	14	61	0.82	216	0.12
POL69550	1.1	1	8.2	23	0.05	0.4	0.2	59	0.25	0.024	20	41	0.78	205	0.132
POL69563	0.4	1.7	2.7	19	0.05	0.5	0.2	88	0.21	0.047	7	39	0.8	221	0.153
POL69566	0.6	2.2	3.6	42	0.05	0.3	0.1	65	0.44	0.075	11	42	0.97	268	0.174
POL69568	0.7	1.7	3.9	35	0.1	0.5	0.1	76	0.48	0.076	12	36	1.01	245	0.161
POL69575	0.8	4.3	4.6	29	0.05	0.6	0.1	80	0.47	0.058	18	39	0.81	291	0.141
POL69676	0.8	1.8	6.4	23	0.05	0.3	0.05	57	0.39	0.048	17	37	0.59	184	0.112
POL69676	0.8	1.5	6.2	21	0.05	0.3	0.05	54	0.34	0.046	16	35	0.57	180	0.104
POL69679	1.2	2.3	7.5	21	0.05	0.3	0.1	55	0.31	0.034	30	38	0.76	226	0.137
POL69680	0.8	1.8	6.3	19	0.05	0.3	0.1	56	0.25	0.032	20	38	0.81	166	0.163
POL69683	0.6	0.8	3.8	19	0.05	0.3	0.1	60	0.27	0.033	12	35	0.75	159	0.135
POL69690	0.5	4.1	4	34	0.2	0.5	0.1	53	0.52	0.072	14	28	0.61	214	0.09
POL69702	0.5	1.7	4.1	22	0.05	0.2	0.05	71	0.35	0.059	14	52	1.17	471	0.179
POL69736	0.7	1.4	3.2	39	0.05	0.5	0.1	65	0.7	0.048	16	37	0.75	376	0.108
POL69740	0.4	11.3	3.6	18	0.05	0.3	0.1	66	0.25	0.026	8	29	0.87	196	0.104
POL69751	1.8	0.25	14.1	26	0.05	0.3	0.1	77	0.51	0.156	33	54	1.42	232	0.273
POL69783	0.5	0.25	4	36	0.05	0.05	0.05	103	0.69	0.154	12	39	1.51	309	0.263
POL69785	1.2	1.5	9.3	15	0.05	0.4	0.2	64	0.2	0.032	20	30	0.33	297	0.03
POL69786	0.5	5.1	3.6	16	0.1	0.5	0.1	69	0.22	0.025	9	38	0.61	237	0.092
POL69789	0.9	0.9	6.2	21	0.05	0.2	0.1	68	0.4	0.035	19	46	0.93	202	0.171
POL69793	1.5	2.7	12.6	27	0.05	0.5	0.2	64	0.35	0.028	51	46	0.87	175	0.164
POL69794	1.6	2.4	11.3	27	0.05	0.4	0.2	61	0.37	0.038	36	41	0.82	180	0.146
POL69796	1.5	0.5	3.8	30	0.05	0.3	0.05	117	0.54	0.042	17	24	1.55	450	0.248
POL69797	2.7	2.3	4	34	0.05	0.3	0.1	102	0.58	0.046	19	24	1.33	383	0.194
POL69800	1	0.8	4.7	24	0.05	0.4	0.2	70	0.28	0.057	15	44	0.63	261	0.115
POL69801	0.8	2.4	3.4	16	0.05	0.3	0.1	59	0.23	0.045	13	24	0.61	196	0.098
POL69802	0.5	0.6	2	22	0.05	0.1	0.05	105	0.88	0.21	8	12	1.05	185	0.124
POL69803	0.8	2.5	3	15	0.1	0.2	0.1	70	0.27	0.045	12	28	0.65	191	0.096
POL69804	0.5	0.25	1	43	0.2	0.05	0.05	119	0.68	0.148	8	123	1.82	299	0.194
POL69805	0.7	1.9	2.3	21	0.1	0.1	0.1	91	0.47	0.088	9	80	1.04	271	0.119
POL69807	1.3	1	5.5	27	0.05	0.1	0.1	123	0.54	0.109	18	35	1.71	381	0.215
POL69807	1.2	0.25	5.3	26	0.05	0.1	0.05	118	0.51	0.104	18	34	1.64	386	0.205
POL69808	1	3.5	3.8	23	0.05	0.2	0.1	84	0.37	0.047	17	35	0.93	349	0.151
POL69809	0.5	0.9	3	23	0.05	0.3	0.2	97	0.32	0.037	7	38	1.3	566	0.207
POL69810	1.2	5.1	3.3	34	0.1	0.3	0.1	76	0.86	0.088	18	34	0.97	735	0.126
POL69813	0.5	2.7	2.5	32	0.05	0.4	0.05	102	0.46	0.077	16	32	1.35	576	0.196
POL69825	1.6	0.25	9.4	21	0.05	0.05	0.2	110	0.45	0.168	28	97	2.36	468	0.234
POL69827	0.7	1.6	5.3	15	0.05	0.2	0.1	81	0.23	0.043	13	64	1.29	173	0.188
POL69828	1.4	2.1	8.6	16	0.05	0.2	0.1	67	0.27	0.047	34	62	1.23	207	0.192
POL69829	1.1	1.3	8.2	17	0.05	0.2	0.2	61	0.27	0.038	29	48	0.89	208	0.144
POL69830	1.2	1.8	8.3	20	0.1	0.2	0.2	55	0.35	0.039	37	39	0.74	194	0.126
POL69831	1.2	1.8	9.2	20	0.05	0.2	0.2	63	0.31	0.045	28	41	0.78	215	0.124
POL69832	2.1	0.9	13.2	21	0.05	0.5	0.2	56	0.38	0.052	61	44	0.96	203	0.16
POL69840	2.4	0.8	14.4	19	0.2	0.4	0.1	24	0.25	0.059	34	17	0.15	332	0.003
POL69841	3.2	1	20.9	34	0.05	0.2	0.3	115	0.22	0.09	62	65	1.37	442	0.329
POL69842	3.7	0.5	19.8	36	0.05	0.1	0.2	106	0.26	0.099	53	67	1.19	321	0.295
POL69842	3.7	0.25	20.4	36	0.05	0.1	0.2	106	0.26	0.105	53	65	1.29	319	0.294
POL69844	1.8	1	14.7	17	0.2	0.3	0.3	53	0.35	0.098	27	31	0.5	278	0.086
POL69847	0.7	0.5	5.2	16	0.05	0.3	0.1	89	0.19	0.036	9	52	1.29	213	0.196
POL69848	1.1	2.4	5.3	22	0.05	0.3	0.1	64	0.26	0.036	20	46	0.87	226	0.144
POL69849	1.1	1.3	6.6	20	0.05	0.4	0.1	68	0.2	0.033	17	44	0.77	200	0.151

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69545	0.5	2	0.019	0.68	0.2	0.02	10.4	0.4	0.025	10	0.6	1DX15	SMI09000258
POL69548	0.5	2.71	0.013	1.42	0.05	0.01	9.4	0.6	0.025	11	0.6	1DX15	SMI09000258
POL69549	1	1.75	0.017	0.36	0.05	0.01	4.9	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69550	0.5	1.97	0.018	0.26	0.1	0.02	4.2	0.2	0.025	6	0.5	1DX15	SMI09000258
POL69563	0.5	2.11	0.014	0.25	0.1	0.01	3.6	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69566	0.5	1.87	0.018	0.25	0.05	0.01	2.9	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69568	1	1.73	0.019	0.32	0.2	0.02	4.7	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69575	1	1.67	0.029	0.22	0.1	0.04	7.7	0.05	0.025	6	0.25	1DX15	SMI09000258
POL69676	0.5	1.35	0.014	0.2	0.1	0.005	3.5	0.2	0.025	5	0.25	1DX15	SMI09000258
POL69676	0.5	1.3	0.013	0.19	0.1	0.005	3.3	0.1	0.025	4	0.25	1DX15	SMI09000258
POL69679	1	1.78	0.012	0.38	0.1	0.01	3.5	0.3	0.025	6	0.25	1DX15	SMI09000258
POL69680	0.5	2.05	0.014	0.36	0.1	0.01	3.2	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69683	0.5	1.68	0.017	0.24	0.1	0.02	3.3	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69690	1	1.36	0.039	0.09	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	SMI09000258
POL69702	0.5	1.82	0.013	0.58	0.05	0.02	4.7	0.2	0.025	8	0.25	1DX15	SMI09000258
POL69736	0.5	1.73	0.035	0.13	0.05	0.03	4.9	0.05	0.025	5	0.7	1DX15	SMI09000258
POL69740	0.5	1.84	0.013	0.34	0.05	0.005	2.9	0.05	0.025	6	0.25	1DX15	SMI09000258
POL69751	2	2.43	0.016	1.14	0.05	0.005	6.4	0.5	0.025	11	0.25	1DX15	SMI09000258
POL69783	0.5	2.45	0.02	1.06	0.05	0.005	6.1	0.2	0.025	8	0.25	1DX15	SMI09000258
POL69785	0.5	1.4	0.007	0.11	0.1	0.01	6.3	0.1	0.025	5	0.6	1DX15	SMI09000258
POL69786	0.5	1.9	0.009	0.12	0.2	0.01	3.3	0.05	0.025	6	0.25	1DX15	SMI09000258
POL69789	0.5	1.98	0.013	0.35	0.1	0.005	3.7	0.3	0.025	7	0.25	1DX15	SMI09000258
POL69793	1	2.24	0.024	0.3	0.05	0.04	5.7	0.3	0.025	7	0.25	1DX15	SMI09000258
POL69794	1	2.15	0.021	0.22	0.05	0.02	4.2	0.2	0.025	6	0.5	1DX15	SMI09000258
POL69796	3	2.72	0.031	1.08	0.05	0.02	8.9	0.6	0.19	9	0.25	1DX15	SMI09000258
POL69797	2	2.51	0.031	0.5	0.1	0.03	8.9	0.4	0.1	8	0.6	1DX15	SMI09000258
POL69800	0.5	1.93	0.016	0.24	0.1	0.02	5.5	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69801	0.5	1.66	0.012	0.2	0.1	0.01	4.8	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69802	0.5	1.92	0.072	0.4	0.05	0.005	6.4	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69803	0.5	1.78	0.018	0.19	0.05	0.02	5.2	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69804	0.5	2.13	0.059	0.57	0.05	0.005	7.1	0.3	0.025	6	0.25	1DX15	SMI09000258
POL69805	0.5	1.74	0.022	0.25	0.1	0.02	6.7	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69807	0.5	2.59	0.012	1.19	0.05	0.03	11.1	0.5	0.025	10	0.25	1DX15	SMI09000258
POL69807	0.5	2.45	0.012	1.13	0.05	0.02	10.6	0.5	0.025	10	0.25	1DX15	SMI09000258
POL69808	0.5	1.86	0.013	0.27	0.1	0.02	5.4	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69809	1	2.2	0.021	0.65	0.05	0.005	6	0.4	0.025	9	0.25	1DX15	SMI09000258
POL69810	2	1.75	0.021	0.26	0.1	0.04	6	0.2	0.025	7	0.7	1DX15	SMI09000258
POL69813	0.5	2.29	0.022	0.3	0.2	0.01	4.3	0.2	0.025	8	0.25	1DX15	SMI09000258
POL69825	0.5	2.86	0.022	1.48	0.05	0.005	11.6	0.4	0.06	11	0.25	1DX15	SMI09000258
POL69827	0.5	2.33	0.013	0.54	0.1	0.01	4.2	0.3	0.025	8	0.25	1DX15	SMI09000258
POL69828	0.5	2.35	0.013	0.67	0.1	0.01	4.5	0.4	0.025	8	0.25	1DX15	SMI09000258
POL69829	0.5	2	0.012	0.34	0.1	0.01	4.1	0.3	0.025	7	0.25	1DX15	SMI09000258
POL69830	0.5	1.76	0.014	0.3	0.1	0.02	3.4	0.3	0.025	7	0.25	1DX15	SMI09000258
POL69831	1	2.11	0.016	0.25	0.1	0.02	3.6	0.3	0.025	8	0.25	1DX15	SMI09000258
POL69832	0.5	2.29	0.015	0.43	0.1	0.04	3.7	0.4	0.025	8	0.25	1DX15	SMI09000258
POL69840	0.5	0.63	0.012	0.08	0.05	0.02	5.4	0.1	0.025	2	1	1DX15	SMI09000258
POL69841	0.5	2.99	0.015	1.56	0.05	0.005	10	0.9	0.025	12	1.2	1DX15	SMI09000258
POL69842	0.5	2.65	0.012	1.25	0.05	0.005	7.1	0.7	0.025	10	0.9	1DX15	SMI09000258
POL69842	0.5	2.73	0.012	1.25	0.05	0.005	7.1	0.8	0.025	10	1	1DX15	SMI09000258
POL69844	1	1.46	0.006	0.51	0.05	0.02	6.5	0.4	0.025	6	1.1	1DX15	SMI09000258
POL69847	1	2.34	0.013	0.67	0.1	0.01	6.7	0.3	0.025	9	0.25	1DX15	SMI09000258
POL69848	0.5	1.81	0.014	0.21	0.1	0.01	3.9	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69849	1	2	0.013	0.28	0.05	0.01	3.8	0.2	0.025	7	0.25	1DX15	SMI09000258

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69854	582512	7009616	NAD 83-07V	1	29.1	6.4	59	0.05	28	13.2	318	3.17	6.8
POL69855	582479	7009654	NAD 83-07V	0.9	35.9	10.8	60	0.05	28	10.8	320	2.93	8.2
POL69858	582378	7009766	NAD 83-07V	0.8	37.6	7.9	63	0.05	26.3	13.2	433	3.11	5.5
POL69859	582345	7009803	NAD 83-07V	0.6	30.8	7.2	57	0.05	24.2	10.5	396	2.88	7.2
POL69860	582310	7009839	NAD 83-07V	1.1	18.2	8.7	58	0.05	15.9	9.2	313	3.17	6.3
POL69861	582277	7009877	NAD 83-07V	0.6	27.8	6.7	57	0.05	23.2	10.2	333	2.84	6.3
POL69862	582244	7009915	NAD 83-07V	0.6	24.7	7.3	51	0.05	19.9	9.2	261	2.52	4.7
POL69863	582210	7009951	NAD 83-07V	0.8	32.2	7.2	53	0.05	21.1	10.4	413	2.36	4
POL69866	582109	7010063	NAD 83-07V	0.7	37.4	9.4	66	0.05	30.6	12.1	423	3.03	8.6
POL69869	582860	7010874	NAD 83-07V	0.7	64.2	5.6	55	0.05	21.2	12	397	3.12	5.2
POL69871	582825	7010910	NAD 83-07V	0.9	58	17	69	0.05	26.3	15	527	3.54	6.1
POL69873			NAD 83-07V	1.4	34.3	10.1	67	0.05	22.7	13.3	442	3.42	6.4
POL69874	583360	7009573	NAD 83-07V	1.1	35.9	8.1	60	0.05	23.4	14.1	426	3.41	8.2
POL69875	583326	7009610	NAD 83-07V	0.8	32.3	6.5	71	0.05	16	11.1	458	3.49	4.8
POL69887	582925	7010056	NAD 83-07V	0.7	82.3	7.6	73	0.05	16.7	13.8	431	3.84	5.8
POL69894	582688	7010319	NAD 83-07V	0.4	30.8	77.4	74	0.05	23.8	9.2	559	2.59	4.6
POL69897	582588	7010430	NAD 83-07V	0.6	28	9.9	100	0.05	10.9	12.9	676	4.75	3
POL69898	582553	7010467	NAD 83-07V	0.8	24.6	13.8	74	0.05	15.6	12	519	3.4	5.1
POL69906	583494	7010165	NAD 83-07V	0.8	27.5	6.1	55	0.05	14.9	12.1	302	2.84	3.4
POL69918	583095	7010613	NAD 83-07V	0.9	18.9	13.7	63	0.05	12.1	8.8	375	3.14	4.5
POL69921	582995	7010722	NAD 83-07V	0.8	49	12.4	72	0.05	24.8	10.1	530	3.01	10.4
POL69924	582484	7009795	NAD 83-07V	0.8	46.4	9.2	112	0.05	55.8	20.1	535	4.87	3
POL69927	582383	7009906	NAD 83-07V	0.9	21.1	8.3	61	0.05	19.7	10.1	347	3.21	5.3
POL69929	582319	7009981	NAD 83-07V	0.6	21	9.8	59	0.05	17.8	13.4	356	2.9	4.4
POL69930	582283	7010018	NAD 83-07V	0.7	25.2	8.3	63	0.05	22.9	11	392	2.73	5.4
POL69930	582283	7010018	NAD 83-07V	0.7	24.4	7.9	60	0.05	21.2	10.6	375	2.68	5.2
POL53211	582147	7010640	NAD 83-07V	0.8	23.2	6.3	55	0.05	24	10.1	547	2.38	6.9
POL64369	588757	7010425	NAD 83-07V	1.7	75.7	1.7	95	0.05	41.5	18.4	749	4.73	2.8
POL64370	588794	7010390	NAD 83-07V	1.1	67.3	1.7	86	0.05	25.2	16.9	506	4.39	0.9
POL64375	588974	7010216	NAD 83-07V	0.6	68.9	2.7	74	0.05	12.8	13.9	490	3.81	1.6
POL64614	581350	7011061	NAD 83-07V	0.9	32.9	9.1	63	0.1	25.1	11.8	436	3.03	20.7
POL64778	589041	7010147	NAD 83-07V	0.7	79.7	2.7	85	0.05	11.7	20.4	839	4.38	0.9
POL64780	589118	7010077	NAD 83-07V	7.6	101.2	10.8	128	0.1	55.3	13.8	396	4.02	50.5
POL64780	589118	7010077	NAD 83-07V	7.5	102.4	10.6	128	0.1	55.3	14.4	406	4.05	51.8
POL64784	589264	7009937	NAD 83-07V	1.4	142.7	16.7	90	0.05	20.8	20.2	586	4.38	3.3
POL64787	589370	7009833	NAD 83-07V	0.6	128	4.9	67	0.1	15.5	19.4	486	3.82	1
POL64790	589478	7009729	NAD 83-07V	0.5	38.1	3.6	32	0.05	13.9	10.1	257	3.03	4.9
POL64908	581869	7010313	NAD 83-07V	0.7	25.8	6	48	0.05	27.3	10.9	342	2.28	6
POL64910	581935	7010237	NAD 83-07V	0.9	32.6	6.7	59	0.05	30.2	11.1	417	2.29	7.9
POL64991	582462	7010719	NAD 83-07V	1.1	23.3	12.3	77	0.05	30.9	11.6	318	2.93	2.9
POL65669	589145	7010469	NAD 83-07V	1.3	33.4	7.8	56	0.05	20.4	11	340	2.4	5.6
POL68251	588871	7010038	NAD 83-07V	0.4	94.1	2.7	61	0.05	13.3	15.2	184	3.77	1.4
POL68253	588943	7009970	NAD 83-07V	0.4	145.1	2.2	29	0.05	16.2	12.4	155	1.75	3.3
POL68254	588979	7009935	NAD 83-07V	0.4	167	2.5	36	0.05	16.7	14.1	195	2.24	3.5
POL68258	589123	7009794	NAD 83-07V	0.8	64	6.6	50	0.05	29.3	13.8	426	2.6	6.4
POL68261	589231	7009691	NAD 83-07V	0.3	180.1	2	57	0.05	17	32.5	408	6.34	1.6
POL68269	589264	7009795	NAD 83-07V	0.6	56.3	6.5	52	0.05	23.5	13	415	2.64	6.1
POL68271	589192	7009866	NAD 83-07V	0.8	126.8	3	58	0.05	16.6	18	315	4.39	3.8
POL68280	588062	7009705	NAD 83-07V	0.6	30.7	6.8	164	0.05	21.7	6.7	401	3.39	7.6
POL68281	588098	7009670	NAD 83-07V	0.6	39.5	3.3	182	0.05	12.3	5.6	657	4.79	3.8
POL68282	588134	7009636	NAD 83-07V	0.5	25.9	4.8	132	0.05	12.9	10.5	646	4.12	3.8
POL68283	588171	7009601	NAD 83-07V	0.6	31.6	4.9	78	0.05	23.9	9.4	356	2.85	6.5
POL68284	588206	7009566	NAD 83-07V	0.3	36.6	2.5	131	0.05	11.9	13.8	276	2.96	3.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69854	2.2	1.4	4.5	26	0.1	0.4	0.1	64	0.27	0.031	18	54	0.96	232	0.142
POL69855	1.3	3.8	6.8	35	0.05	0.4	0.1	64	0.4	0.033	17	35	0.64	219	0.103
POL69858	1	2.6	5.8	27	0.05	0.4	0.1	61	0.43	0.031	15	34	0.75	238	0.131
POL69859	0.7	3.2	5.3	32	0.05	0.5	0.1	54	0.46	0.049	16	31	0.75	229	0.113
POL69860	0.6	0.25	4.2	25	0.05	0.5	0.1	67	0.28	0.024	17	29	0.75	234	0.145
POL69861	0.7	2.3	4.5	38	0.1	0.5	0.1	59	0.5	0.033	14	32	0.65	240	0.107
POL69862	0.5	1.3	4.7	26	0.05	0.4	0.1	55	0.45	0.04	17	31	0.63	235	0.1
POL69863	1	3.9	3.7	33	0.3	0.4	0.1	53	0.58	0.044	14	30	0.54	281	0.09
POL69866	0.5	6.1	5.2	45	0.05	0.5	0.1	60	1.19	0.044	19	31	0.77	290	0.118
POL69869	0.4	3.6	1.6	21	0.05	0.3	0.05	81	0.31	0.036	4	29	0.79	330	0.154
POL69871	0.6	2.6	2.9	27	0.05	0.4	0.2	85	0.34	0.061	8	37	1.1	342	0.207
POL69873	0.6	1.5	2.5	29	0.05	0.3	0.2	81	0.31	0.07	7	33	0.98	207	0.195
POL69874	0.7	3.6	3.2	14	0.1	0.4	0.1	75	0.23	0.04	11	32	0.64	175	0.093
POL69875	0.7	0.5	3.5	15	0.05	0.3	0.05	60	0.24	0.038	11	25	0.62	192	0.101
POL69887	0.3	0.8	1.5	24	0.1	0.2	0.1	96	0.26	0.094	5	28	0.92	212	0.201
POL69894	0.6	2.8	3.8	37	0.3	0.2	0.3	60	0.96	0.061	18	29	1.41	330	0.081
POL69897	0.7	0.6	5.6	15	0.05	0.2	0.05	74	0.23	0.052	12	27	1.2	232	0.261
POL69898	0.9	1.4	5.3	16	0.1	0.2	0.1	70	0.27	0.056	14	36	1.01	157	0.153
POL69906	0.5	0.9	2.2	16	0.05	0.2	0.05	72	0.39	0.044	8	24	0.69	216	0.117
POL69918	0.5	1.3	2.7	14	0.05	0.5	0.2	74	0.18	0.02	7	22	0.67	180	0.131
POL69921	0.8	2.2	4.6	39	0.05	0.8	0.2	67	0.71	0.079	13	35	1.01	303	0.077
POL69924	1.6	1.9	19.4	18	0.05	0.2	0.1	60	0.24	0.046	62	58	1.18	214	0.243
POL69927	0.7	35.8	4	24	0.05	0.3	0.1	63	0.37	0.039	13	36	0.91	228	0.152
POL69929	0.8	0.7	3.8	28	0.05	0.2	0.1	62	0.4	0.034	13	29	0.89	228	0.145
POL69930	1.2	1.5	5.6	31	0.05	0.3	0.1	48	0.54	0.056	28	34	0.65	215	0.103
POL69930	1.2	1.4	5.8	32	0.05	0.3	0.1	48	0.56	0.055	27	35	0.67	218	0.103
POL53211	2.1	2	2.6	223	0.2	0.4	0.05	55	1.04	0.075	13	28	0.62	289	0.091
POL64369	0.8	0.25	1.2	169	0.3	0.2	0.05	134	1.12	0.118	5	19	1.48	402	0.105
POL64370	0.4	0.25	1	91	0.6	0.1	0.05	141	1.1	0.125	6	16	1.28	352	0.149
POL64375	0.5	0.25	1.2	101	0.05	0.1	0.05	104	1.02	0.124	6	22	1.21	482	0.123
POL64614	1	3.2	4.7	34	0.2	0.4	0.1	68	0.42	0.067	18	43	0.67	433	0.11
POL64778	0.6	1.9	1	53	0.1	0.05	0.05	156	0.85	0.073	5	17	1.24	349	0.099
POL64780	1.1	0.9	3.9	27	0.05	0.8	0.1	86	0.43	0.088	13	26	0.75	282	0.058
POL64780	1.1	0.5	4.1	27	0.2	0.9	0.1	90	0.42	0.086	13	26	0.77	288	0.062
POL64784	0.8	1.4	1.7	146	0.2	0.2	0.2	129	1.02	0.147	7	32	1.53	599	0.13
POL64787	0.5	1.1	0.9	41	0.05	0.05	0.05	152	0.64	0.103	5	18	1.51	542	0.189
POL64790	0.3	2.7	1.9	28	0.05	0.3	0.05	78	0.57	0.1	7	18	0.42	142	0.07
POL64908	0.7	2.9	2.6	29	0.2	0.4	0.05	59	0.63	0.057	10	31	0.44	237	0.067
POL64910	0.7	2.3	3.1	46	0.3	0.5	0.1	54	1.59	0.073	10	29	0.7	206	0.07
POL64991	1	1.9	6.9	13	0.05	0.1	0.2	59	0.23	0.039	20	47	0.75	106	0.183
POL65669	0.8	1.7	2.6	28	0.2	0.4	0.1	64	0.62	0.063	9	25	0.48	265	0.08
POL68251	0.2	0.25	0.8	19	0.1	0.05	0.05	161	0.58	0.103	3	21	1.28	210	0.151
POL68253	0.3	0.7	1.3	20	0.05	0.1	0.05	57	0.42	0.069	3	22	0.42	92	0.058
POL68254	0.3	0.6	1.3	49	0.05	0.2	0.05	69	0.78	0.057	6	21	0.65	126	0.081
POL68258	0.8	1.9	2.9	36	0.2	0.5	0.05	70	0.71	0.071	12	28	0.45	278	0.084
POL68261	0.6	1	3.9	65	0.05	0.05	0.05	271	0.85	0.121	16	31	2.26	976	0.372
POL68269	0.9	2.1	2.8	35	0.1	0.4	0.05	72	0.71	0.07	11	30	0.48	296	0.085
POL68271	0.6	1.1	2.4	32	0.05	0.3	0.05	156	0.47	0.063	7	21	1.15	358	0.099
POL68280	0.5	1.8	3.2	13	0.05	0.3	0.05	45	0.18	0.015	10	28	0.46	234	0.138
POL68281	0.6	0.25	2.4	9	0.05	0.2	0.05	25	0.14	0.024	12	15	0.76	285	0.209
POL68282	0.9	1.3	5.2	14	0.05	0.3	0.05	52	0.25	0.03	25	21	0.96	217	0.186
POL68283	0.5	3.9	3.9	17	0.05	0.4	0.05	58	0.33	0.043	11	31	0.51	204	0.136
POL68284	0.4	0.25	1.1	14	0.3	0.1	0.05	96	0.68	0.113	4	14	0.76	160	0.128

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69854	0.5	1.85	0.02	0.24	0.1	0.01	4.9	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69855	0.5	1.59	0.02	0.16	0.1	0.02	6.2	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69858	0.5	1.68	0.019	0.27	0.2	0.02	4.8	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69859	1	1.68	0.038	0.19	0.2	0.04	5.5	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69860	1	1.69	0.017	0.16	0.2	0.005	4.3	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69861	2	1.77	0.047	0.09	0.1	0.03	4.8	0.05	0.025	5	0.5	1DX15	SMI09000258
POL69862	0.5	1.5	0.02	0.08	0.2	0.02	4.4	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69863	0.5	1.41	0.024	0.09	0.2	0.02	4	0.05	0.025	5	0.25	1DX15	SMI09000258
POL69866	1	1.68	0.038	0.2	0.05	0.04	4.5	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69869	0.5	1.62	0.012	0.38	0.2	0.005	3.2	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69871	0.5	2.07	0.014	0.51	0.1	0.04	3.6	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69873	1	1.94	0.011	0.33	0.1	0.01	2.4	0.2	0.025	7	0.25	1DX15	SMI09000258
POL69874	0.5	2.02	0.014	0.11	0.1	0.01	4.4	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69875	0.5	1.82	0.014	0.22	0.1	0.02	5.4	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69887	1	2.09	0.017	0.35	0.1	0.01	3.1	0.1	0.025	8	0.25	1DX15	SMI09000258
POL69894	0.5	1.57	0.022	0.1	0.1	0.04	5.1	0.1	0.025	5	0.25	1DX15	SMI09000258
POL69897	0.5	2.55	0.01	0.85	0.05	0.005	4.7	0.3	0.025	10	0.25	1DX15	SMI09000258
POL69898	0.5	1.93	0.012	0.37	0.1	0.005	5	0.2	0.025	8	0.25	1DX15	SMI09000258
POL69906	0.5	1.45	0.013	0.17	0.1	0.02	3.4	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69918	1	1.55	0.017	0.27	0.1	0.005	5	0.1	0.025	7	0.25	1DX15	SMI09000258
POL69921	3	1.75	0.022	0.15	0.2	0.07	8.6	0.1	0.025	6	0.25	1DX15	SMI09000258
POL69924	0.5	2.45	0.014	1.07	0.05	0.01	6.1	0.8	0.025	9	0.25	1DX15	SMI09000258
POL69927	0.5	1.79	0.018	0.37	0.2	0.02	4.2	0.2	0.025	6	0.25	1DX15	SMI09000258
POL69929	0.5	1.83	0.024	0.25	0.1	0.02	3.7	0.2	0.025	5	0.25	1DX15	SMI09000258
POL69930	2	1.71	0.022	0.16	0.2	0.03	4.3	0.1	0.025	5	0.6	1DX15	SMI09000258
POL69930	1	1.64	0.022	0.16	0.2	0.04	4.4	0.1	0.025	5	0.5	1DX15	SMI09000258
POL53211	2	1.43	0.034	0.12	0.2	0.03	3.5	0.05	0.025	4	1.2	1DX15	VAN09004678
POL64369	0.5	2.98	0.059	0.3	0.05	0.005	11.2	0.05	0.025	9	0.7	1DX15	VAN09004678
POL64370	0.5	2.65	0.074	0.44	0.05	0.005	9.6	0.05	0.025	9	0.6	1DX15	VAN09004678
POL64375	0.5	2.76	0.05	0.28	0.05	0.02	7.5	0.05	0.025	8	0.25	1DX15	VAN09004678
POL64614	1	1.79	0.019	0.17	0.2	0.05	4.8	0.1	0.025	6	0.8	1DX15	VAN09004678
POL64778	0.5	2.54	0.02	0.3	0.05	0.005	11.6	0.05	0.025	9	0.25	1DX15	VAN09004678
POL64780	1	1.69	0.007	0.35	0.05	0.02	9.8	0.2	0.025	6	2.8	1DX15	VAN09004678
POL64780	0.5	1.73	0.008	0.36	0.1	0.01	9.8	0.2	0.025	6	2.9	1DX15	VAN09004678
POL64784	0.5	2.8	0.039	0.29	0.05	0.01	10.3	0.05	0.025	9	0.7	1DX15	VAN09004678
POL64787	0.5	2.32	0.024	0.87	0.05	0.005	8.3	0.2	0.025	7	0.25	1DX15	VAN09004678
POL64790	0.5	0.99	0.052	0.04	0.05	0.01	4.1	0.05	0.025	3	0.25	1DX15	VAN09004678
POL64908	2	1.22	0.018	0.04	0.2	0.02	3.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL64910	1	1.09	0.021	0.07	0.2	0.03	3.3	0.05	0.025	3	0.25	1DX15	VAN09004678
POL64991	0.5	1.55	0.009	0.44	0.1	0.02	3	0.3	0.05	7	0.25	1DX15	VAN09004678
POL65669	0.5	1.22	0.017	0.06	0.2	0.02	3.4	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68251	0.5	2.15	0.038	0.49	0.05	0.005	6	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68253	0.5	1.12	0.024	0.08	0.05	0.005	4.6	0.05	0.025	3	0.25	1DX15	VAN09004678
POL68254	1	1.9	0.025	0.1	0.05	0.005	6.1	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68258	1	1.38	0.027	0.05	0.1	0.03	4.5	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68261	0.5	3.07	0.036	0.77	0.05	0.005	15.5	0.3	0.025	10	0.25	1DX15	VAN09004678
POL68269	0.5	1.46	0.025	0.04	0.1	0.02	4.5	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68271	0.5	2.3	0.017	0.25	0.05	0.02	9.7	0.05	0.025	7	0.25	1DX15	VAN09004678
POL68280	0.5	1.8	0.007	0.32	0.05	0.02	6.6	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68281	1	2.3	0.009	0.93	0.05	0.005	13.4	0.3	0.025	14	0.25	1DX15	VAN09004678
POL68282	0.5	2.28	0.007	0.92	0.05	0.005	7.8	0.4	0.025	11	0.25	1DX15	VAN09004678
POL68283	0.5	1.46	0.011	0.2	0.1	0.01	6	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68284	0.5	1.69	0.038	0.22	0.05	0.005	6.2	0.05	0.025	6	0.25	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68285	588242	7009532	NAD 83-07V	0.2	45.5	1.2	34	0.05	12	14	182	2.37	0.7
POL68287	588314	7009463	NAD 83-07V	0.5	44.3	4.2	63	0.05	18.1	13.4	367	2.95	4.2
POL68288	588350	7009427	NAD 83-07V	0.5	27.2	5	74	0.05	15.6	9.5	301	2.68	4.5
POL68289	588386	7009392	NAD 83-07V	0.7	44.8	6.1	75	0.05	19.9	12.5	489	2.94	5.2
POL68289	588386	7009392	NAD 83-07V	0.7	45.6	5.9	76	0.05	20.6	12.8	484	2.94	5.1
POL68290	588422	7009358	NAD 83-07V	0.8	23.5	6.2	61	0.05	17.5	10.6	396	2.78	7.4
POL68291	588493	7009429	NAD 83-07V	0.3	42.5	3	61	0.05	22.7	17.8	445	3.66	3.2
POL68292	588493	7009429	NAD 83-07V	0.3	46.6	2.7	61	0.05	22.2	17.6	431	3.39	2.4
POL68296	588240	7009674	NAD 83-07V	0.6	31.3	6.2	82	0.05	16.3	17.6	305	3.56	4.4
POL68297	588276	7009639	NAD 83-07V	0.4	46.4	3	50	0.05	22.3	18.7	321	3.26	4
POL68298	588313	7009604	NAD 83-07V	0.7	39.9	7.8	59	0.05	28.7	12.8	390	2.73	8.1
POL68300	588385	7009535	NAD 83-07V	0.7	31.5	5.1	176	0.05	17.7	10.2	696	4.05	5.5
POL68301	588419	7009499	NAD 83-07V	0.6	47	3.2	71	0.05	22.3	14.2	276	3.22	3.9
POL68302	588457	7009464	NAD 83-07V	0.3	89.1	3.2	58	0.05	25.1	18.4	372	3.41	4.5
POL68304	588565	7009360	NAD 83-07V	0.7	73.2	2.5	67	0.1	22.4	16.5	184	3.11	5.9
POL68306	588636	7009291	NAD 83-07V	0.9	209.8	3.2	58	0.05	18.8	20.4	299	4.08	3
POL68307	588672	7009255	NAD 83-07V	0.5	91.9	1.8	34	0.05	25.4	14.5	170	2.42	4.1
POL68308	588708	7009221	NAD 83-07V	0.3	63.6	1.7	96	0.05	13.2	18.4	514	4.44	1.9
POL68309	588746	7009186	NAD 83-07V	0.3	54.4	3.7	70	0.05	18.4	13.8	411	3.65	4.7
POL68310	588781	7009151	NAD 83-07V	0.3	84.5	1.7	61	0.05	11.7	18.8	341	3.87	1.7
POL68311	588816	7009117	NAD 83-07V	0.4	43.6	5.9	57	0.05	16.7	11.7	279	2.71	4.7
POL68312	588851	7009083	NAD 83-07V	0.4	48.8	4.8	50	0.05	14.4	12.4	264	2.8	4.1
POL68457	588921	7009297	NAD 83-07V	0.4	77.4	5.2	54	0.05	19.3	15.4	320	3	5.2
POL68458	588956	7009261	NAD 83-07V	0.5	39.9	6.6	46	0.05	22.8	13.6	417	2.42	7.1
POL68470	588378	7009817	NAD 83-07V	4.1	123.2	3.5	88	0.05	14.9	13.9	384	4.51	4
POL68471	588415	7009780	NAD 83-07V	0.8	49	4.3	73	0.05	20.3	16	411	3.51	3.8
POL68473	588485	7009711	NAD 83-07V	0.6	131.7	4.1	62	0.05	23	22.4	203	3.06	3.6
POL68478	588342	7009993	NAD 83-07V	0.4	63.5	3.4	67	0.05	16.4	16.4	402	3.32	2.2
POL68479	588376	7009958	NAD 83-07V	0.6	40.2	4	68	0.05	21.6	17.4	501	3.8	4.4
POL68480	588413	7009921	NAD 83-07V	0.4	68.9	5.5	54	0.05	13.5	17.5	281	3.11	3.9
POL68482	588483	7009850	NAD 83-07V	0.4	79.3	3.9	74	0.05	17.1	15.7	317	3.11	4.8
POL68483	588520	7009817	NAD 83-07V	3	78.8	5.5	91	0.1	40.3	10.6	319	3.11	18.7
POL68484	588555	7009782	NAD 83-07V	3.7	75	3.1	103	0.05	21.2	11.9	346	3.24	17.2
POL68484	588555	7009782	NAD 83-07V	3.5	75.1	3.2	97	0.05	19.9	11.7	348	3.32	18.1
POL68485	588591	7009748	NAD 83-07V	3.4	55.6	3.5	67	0.1	19.6	9.1	284	2.71	22.1
POL68486	588627	7009712	NAD 83-07V	0.7	52.7	3.6	44	0.05	12.1	12.4	271	2.3	3.9
POL68487	588664	7009678	NAD 83-07V	0.6	47.8	6.5	51	0.1	22.9	10	355	2.32	6.5
POL68488	588698	7009643	NAD 83-07V	0.5	108.2	4	57	0.05	22.5	18.5	354	3.05	4.9
POL68491	588807	7009540	NAD 83-07V	0.5	272.6	2.9	54	0.05	27.8	24.4	269	3.9	3.3
POL68492	588843	7009507	NAD 83-07V	0.5	91.4	3.8	51	0.05	21.1	15.2	346	2.77	4.5
POL68492	588843	7009507	NAD 83-07V	0.5	91.4	3.6	48	0.05	20.1	15	334	2.66	4.3
POL68495	588951	7009402	NAD 83-07V	0.2	59.3	2.1	20	0.05	19.7	9.5	186	1.28	2.6
POL68498	589059	7009298	NAD 83-07V	0.6	57.2	6.9	51	0.1	22.1	10.9	339	2.56	7.5
POL68501	584130	7010062	NAD 83-07V	0.5	93.1	13.4	47	0.2	22.7	15.1	464	2.5	3.6
POL68507	583963	7010249	NAD 83-07V	0.6	42.2	9.9	49	0.05	17.2	14.4	377	2.62	3.8
POL68509	583894	7010323	NAD 83-07V	0.4	60.8	5.3	56	0.05	22.4	13	369	3.16	5.4
POL68510	583861	7010361	NAD 83-07V	0.6	50.2	4.7	50	0.05	23.6	16	231	2.89	5.8
POL68511	583827	7010398	NAD 83-07V	0.3	28.3	5.1	62	0.05	11.7	12.7	416	3.2	4
POL68515	583692	7010547	NAD 83-07V	0.8	27.8	10.4	48	0.05	13.6	12.3	479	2.62	4.9
POL68516	583660	7010584	NAD 83-07V	0.5	20.9	8.2	41	0.05	11.8	10.7	263	2.58	3.1
POL68518	583592	7010658	NAD 83-07V	0.7	24.9	7.5	44	0.05	11.5	9.5	261	2.63	4.2
POL68520	583527	7010733	NAD 83-07V	0.7	37.9	5.3	74	0.05	13.1	9.4	219	2.49	4
POL68521	583492	7010768	NAD 83-07V	0.8	43.4	6.3	75	0.05	15	11.5	268	2.84	4.5

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68285	0.3	0.25	0.5	31	0.05	0.05	0.05	99	0.97	0.085	3	25	0.88	157	0.143
POL68287	0.5	5.7	2.1	23	0.05	0.2	0.05	90	0.5	0.045	7	35	0.86	244	0.171
POL68288	0.4	3.6	2.4	20	0.05	0.2	0.05	64	0.45	0.048	7	27	0.51	221	0.128
POL68289	0.8	1.3	2.7	26	0.1	0.4	0.05	69	0.57	0.047	11	30	0.56	310	0.128
POL68289	0.7	8.2	2.7	25	0.1	0.3	0.05	68	0.56	0.049	11	31	0.59	320	0.128
POL68290	0.4	1.7	2.7	23	0.1	0.4	0.05	64	0.46	0.055	8	28	0.46	203	0.101
POL68291	0.7	0.25	5.5	41	0.05	0.1	0.05	113	0.7	0.074	9	40	1.51	365	0.275
POL68292	0.6	2	4.1	50	0.05	0.1	0.05	108	0.94	0.087	9	35	1.42	359	0.26
POL68296	0.3	0.25	1.4	13	0.05	0.2	0.05	115	0.25	0.042	4	23	0.96	494	0.217
POL68297	0.4	0.25	1.2	13	0.05	0.2	0.05	129	0.39	0.055	6	37	1.19	480	0.225
POL68298	0.6	2.5	3.6	23	0.05	0.5	0.1	70	0.4	0.048	11	34	0.62	332	0.103
POL68300	0.5	0.25	2.4	14	0.1	0.2	0.05	59	0.16	0.025	6	22	0.98	463	0.223
POL68301	0.5	0.25	5.1	14	0.05	0.2	0.05	70	0.25	0.039	13	45	1.25	480	0.194
POL68302	0.5	0.7	2.1	18	0.05	0.2	0.05	104	0.36	0.068	6	34	1.35	419	0.251
POL68304	0.5	1.6	1.8	67	0.05	0.2	0.05	116	0.71	0.083	11	46	1.43	369	0.188
POL68306	0.9	0.25	2.9	22	0.05	0.2	0.05	146	0.66	0.097	13	25	1.05	440	0.224
POL68307	0.6	0.25	1.9	13	0.05	0.2	0.05	93	0.43	0.069	9	67	0.99	228	0.151
POL68308	0.4	2	2.2	19	0.05	0.2	0.05	139	0.46	0.108	8	22	1.73	1087	0.33
POL68309	0.4	1.6	2.7	28	0.05	0.3	0.05	89	0.52	0.107	9	26	1.31	528	0.183
POL68310	0.4	0.5	1.8	21	0.05	0.1	0.05	134	0.49	0.093	9	24	1.61	439	0.191
POL68311	0.4	0.7	3.3	37	0.05	0.4	0.1	73	0.43	0.06	11	26	0.79	327	0.122
POL68312	0.6	1	2.1	31	0.05	0.3	0.05	85	0.48	0.041	8	22	0.98	331	0.147
POL68457	0.5	2.4	3	45	0.05	0.5	0.1	80	0.77	0.086	10	39	0.89	312	0.124
POL68458	0.4	3	2.8	38	0.1	0.4	0.1	59	0.52	0.061	9	26	0.58	242	0.08
POL68470	0.7	0.25	2.9	76	0.05	0.1	0.05	114	0.34	0.064	9	44	1.55	762	0.242
POL68471	0.8	0.25	5.9	52	0.05	0.3	0.05	90	0.5	0.083	12	36	1.35	468	0.216
POL68473	0.2	0.25	1.4	26	0.05	0.2	0.05	97	0.29	0.027	3	40	1.35	267	0.18
POL68478	0.4	0.25	1.9	69	0.1	0.05	0.05	89	0.47	0.106	6	33	1.36	487	0.227
POL68479	0.7	0.25	4.1	54	0.05	0.2	0.05	91	0.41	0.099	6	39	1.36	226	0.203
POL68480	0.2	0.25	1.2	35	0.05	0.2	0.05	98	0.31	0.027	3	51	1.36	233	0.184
POL68482	0.7	2.1	2.7	74	0.05	0.2	0.05	88	0.46	0.063	14	32	1.03	274	0.157
POL68483	1	1.9	4	73	0.1	0.4	0.05	79	0.73	0.103	15	38	0.87	280	0.074
POL68484	1.4	1	4.4	85	0.05	0.2	0.05	95	0.55	0.116	19	39	1.27	587	0.123
POL68484	1.3	1	4.2	89	0.05	0.2	0.05	96	0.57	0.119	19	40	1.27	602	0.127
POL68485	1.1	0.9	3.6	55	0.05	0.3	0.05	76	0.45	0.088	13	35	0.73	324	0.082
POL68486	0.4	1.8	1.8	41	0.05	0.2	0.05	61	0.66	0.12	6	24	0.79	262	0.098
POL68487	0.9	1.7	2.6	38	0.2	0.5	0.1	50	0.55	0.066	11	28	0.55	313	0.071
POL68488	0.5	1.5	1.9	66	0.05	0.3	0.05	79	1.01	0.229	6	27	1.03	326	0.122
POL68491	0.4	1.3	1.4	47	0.1	0.2	0.05	95	1.25	0.346	5	37	0.84	270	0.095
POL68492	0.4	3.3	1.9	36	0.1	0.3	0.05	72	0.69	0.154	7	27	0.94	293	0.111
POL68492	0.4	2.9	1.8	36	0.05	0.4	0.05	72	0.7	0.149	7	27	0.92	287	0.113
POL68495	0.3	1.3	0.9	40	0.05	0.2	0.05	33	0.56	0.137	4	35	0.49	89	0.047
POL68498	1	1.7	2.5	52	0.1	0.5	0.1	61	0.82	0.078	11	28	0.59	340	0.08
POL68501	0.7	3.2	1.4	34	0.2	0.3	0.1	64	0.98	0.049	8	60	0.88	381	0.119
POL68507	0.4	2.2	2.2	19	0.05	0.2	0.1	59	0.29	0.039	8	44	0.84	274	0.129
POL68509	0.8	1.6	3.8	25	0.05	0.3	0.05	76	0.4	0.047	13	57	1.1	337	0.167
POL68510	0.4	1.1	2.5	16	0.05	0.3	0.05	62	0.23	0.041	15	57	1.06	307	0.138
POL68511	0.9	0.25	2.5	34	0.05	0.3	0.05	54	0.37	0.048	20	27	1.17	297	0.202
POL68515	0.4	0.25	1.8	14	0.05	0.3	0.1	54	0.22	0.063	6	32	0.59	198	0.127
POL68516	0.4	0.25	1.8	20	0.05	0.2	0.05	61	0.29	0.039	6	24	0.74	221	0.146
POL68518	0.4	0.6	1.9	21	0.05	0.2	0.1	60	0.35	0.044	6	22	0.66	195	0.143
POL68520	0.6	1.5	2.1	23	0.05	0.2	0.05	61	0.38	0.047	8	29	0.69	286	0.137
POL68521	0.7	3.6	2.4	24	0.1	0.2	0.05	67	0.4	0.057	10	30	0.7	336	0.138

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68285	0.5	2.04	0.035	0.14	0.05	0.005	5.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68287	0.5	1.77	0.016	0.35	0.05	0.01	5.3	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68288	0.5	1.41	0.016	0.19	0.1	0.01	4.3	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68289	0.5	1.67	0.018	0.14	0.1	0.02	5.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68289	1	1.65	0.017	0.14	0.1	0.02	5.2	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68290	0.5	1.31	0.018	0.13	0.2	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68291	0.5	2.77	0.012	0.89	0.05	0.005	4.2	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68292	0.5	2.88	0.012	0.75	0.05	0.005	3.8	0.1	0.025	8	0.25	1DX15	VAN09004678
POL68296	0.5	2.06	0.012	0.46	0.05	0.005	3.9	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68297	0.5	1.99	0.019	0.6	0.05	0.005	5.2	0.2	0.025	5	0.25	1DX15	VAN09004678
POL68298	1	1.35	0.02	0.1	0.2	0.04	4.4	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68300	0.5	2.17	0.009	0.7	0.05	0.005	8.4	0.2	0.025	11	0.25	1DX15	VAN09004678
POL68301	0.5	1.99	0.01	0.81	0.05	0.005	8.2	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68302	0.5	2.12	0.01	0.9	0.1	0.005	3.9	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68304	0.5	2.31	0.028	0.49	0.05	0.005	5.8	0.1	0.025	7	0.25	1DX15	VAN09004678
POL68306	0.5	2.42	0.026	0.52	0.05	0.005	8.1	0.1	0.025	8	0.25	1DX15	VAN09004678
POL68307	0.5	1.65	0.019	0.25	0.05	0.005	5.1	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68308	0.5	2.5	0.016	1.28	0.05	0.02	7.3	0.3	0.025	9	0.25	1DX15	VAN09004678
POL68309	0.5	2.29	0.022	0.72	0.05	0.02	8.2	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68310	0.5	2.35	0.025	0.87	0.05	0.01	8	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68311	0.5	1.63	0.023	0.27	0.1	0.02	5.2	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68312	0.5	1.79	0.024	0.34	0.05	0.02	5	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68457	0.5	1.9	0.044	0.06	0.05	0.03	6.3	0.05	0.025	6	0.25	1DX15	VAN09004678
POL68458	0.5	1.33	0.035	0.06	0.1	0.02	4	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68470	0.5	2.4	0.015	1.12	0.05	0.005	6.6	0.3	0.025	10	0.6	1DX15	VAN09004678
POL68471	0.5	2.2	0.021	0.56	0.05	0.005	4.5	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68473	0.5	2.02	0.024	0.22	0.05	0.005	3.5	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68478	0.5	2.15	0.021	0.79	0.05	0.005	2.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68479	0.5	2.25	0.013	0.59	0.05	0.005	2.8	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68480	0.5	2.27	0.025	0.19	0.05	0.005	3.7	0.05	0.025	7	0.25	1DX15	VAN09004678
POL68482	0.5	2.02	0.022	0.29	0.05	0.01	6.5	0.05	0.025	6	0.25	1DX15	VAN09004678
POL68483	0.5	1.87	0.034	0.06	0.1	0.03	6.1	0.05	0.025	6	0.6	1DX15	VAN09004678
POL68484	0.5	1.97	0.015	0.23	0.05	0.01	7.2	0.05	0.07	6	1.5	1DX15	VAN09004678
POL68484	0.5	2	0.016	0.22	0.05	0.005	7.3	0.05	0.08	7	1.7	1DX15	VAN09004678
POL68485	0.5	1.33	0.021	0.13	0.05	0.005	5.4	0.05	0.05	5	0.9	1DX15	VAN09004678
POL68486	0.5	1.49	0.046	0.22	0.05	0.005	4.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68487	0.5	1.25	0.022	0.06	0.2	0.03	3.6	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68488	0.5	1.73	0.06	0.19	0.05	0.01	5.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68491	0.5	1.53	0.065	0.21	0.05	0.01	5.9	0.05	0.025	5	0.8	1DX15	VAN09004678
POL68492	0.5	1.41	0.055	0.17	0.05	0.02	4.8	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68492	0.5	1.41	0.052	0.17	0.05	0.02	4.7	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68495	0.5	0.9	0.037	0.04	0.05	0.005	3.6	0.05	0.025	2	0.25	1DX15	VAN09004678
POL68498	1	1.31	0.028	0.07	0.1	0.02	4.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68501	1	1.48	0.021	0.16	0.1	0.07	4.6	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68507	0.5	1.54	0.015	0.25	0.05	0.005	4	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68509	0.5	1.78	0.017	0.34	0.1	0.03	7	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68510	0.5	1.91	0.011	0.17	0.1	0.005	2.7	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68511	0.5	1.93	0.01	0.29	0.1	0.005	3.4	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68515	0.5	1.52	0.014	0.16	0.1	0.01	3.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68516	0.5	1.52	0.014	0.21	0.05	0.005	3.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68518	0.5	1.47	0.015	0.18	0.1	0.005	3.7	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68520	0.5	1.32	0.015	0.13	0.1	0.01	3.3	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68521	0.5	1.5	0.016	0.18	0.1	0.02	3.8	0.1	0.025	5	0.25	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68522	583458	7010806	NAD 83-07V	0.7	35.4	6.5	65	0.05	14.2	12.9	294	3.1	3.9
POL68527	583293	7010993	NAD 83-07V	1	35.7	15.8	73	0.05	15	11.1	587	3.1	6.9
POL68528	583259	7011029	NAD 83-07V	0.9	28.3	9.2	47	0.05	17	9.4	388	2.42	8.2
POL68534	581394	7011906	NAD 83-07V	0.4	38.1	14.2	88	0.05	45.7	17.2	469	4.53	3.3
POL68536	581424	7011869	NAD 83-07V	0.4	32.8	19.2	81	0.05	35.7	16.3	462	3.88	4.7
POL68559	582195	7011013	NAD 83-07V	0.6	34.7	9.9	61	0.05	26.8	11.1	332	2.87	8.4
POL68560	582231	7010976	NAD 83-07V	0.6	28.4	9.5	63	0.05	25.8	12	466	2.75	7.3
POL68568	581243	7011772	NAD 83-07V	0.9	25.9	13.5	84	0.05	19.2	14.4	665	3.91	6.5
POL68571	581345	7011660	NAD 83-07V	0.5	12	6.6	123	0.05	9.8	26.2	1533	6.47	1.8
POL68572	581379	7011622	NAD 83-07V	1.9	28.1	8.4	107	0.05	4.3	9.3	714	6.47	5.4
POL68572	581379	7011622	NAD 83-07V	2	27.3	9	106	0.1	4.7	10.3	717	6.75	5.8
POL68573	581412	7011585	NAD 83-07V	0.5	19.6	25.8	115	0.05	6.1	12.2	931	5.44	1.5
POL68574	581446	7011549	NAD 83-07V	0.6	27.5	13.5	106	0.05	9	9	731	4.44	2.9
POL68575	581479	7011511	NAD 83-07V	0.6	27.2	13.3	75	0.05	19	10.3	456	3.1	3.7
POL68576	581512	7011474	NAD 83-07V	0.6	29.8	11.5	71	0.05	19.3	10.5	424	3.37	5.8
POL68578	581580	7011401	NAD 83-07V	0.6	28.7	8.9	57	0.05	23.1	10.9	332	2.86	5.8
POL68589	581947	7010991	NAD 83-07V	0.4	43.7	4.3	95	0.05	7.7	20	366	5.3	1.1
POL68597	582214	7010693	NAD 83-07V	0.6	35.5	7.5	69	0.05	21.9	9.7	357	2.88	7.1
POL68599	581798	7012203	NAD 83-07V	0.4	46.4	17.3	60	0.05	22	28.5	450	4.02	0.8
POL68608	581711	7011853	NAD 83-07V	0.9	26.6	10.2	68	0.05	22.1	10.6	377	3.16	7.7
POL68609	581742	7011814	NAD 83-07V	1.3	23.3	6.1	51	0.05	22.2	10.1	382	3.7	4.6
POL68614	581876	7011666	NAD 83-07V	1.1	69.2	6.9	126	0.1	23.3	12.7	563	4.04	2.7
POL68615	581910	7011630	NAD 83-07V	1	43	10.3	68	0.2	18.9	9	398	2.88	5.1
POL68619	582044	7011481	NAD 83-07V	0.6	34.7	6.8	69	0.05	23.4	9.5	271	2.37	6
POL68621	582113	7011408	NAD 83-07V	0.5	34.2	7.1	60	0.05	28.7	10.4	347	2.45	8.6
POL68637	581725	7012136	NAD 83-07V	0.4	31.3	4.3	70	0.05	15	15.2	448	3.01	2.2
POL68637	581725	7012136	NAD 83-07V	0.4	31.4	4.5	70	0.05	15.4	15.6	445	3.02	2.2
POL68642	581891	7011950	NAD 83-07V	0.5	46	4	104	0.05	12.2	19.3	578	6.02	3.5
POL68643	581925	7011912	NAD 83-07V	0.6	32	5.5	61	0.05	18.1	13.2	365	3.65	6.8
POL68644	581959	7011875	NAD 83-07V	0.8	39.8	7.8	52	0.05	31.6	11.2	302	3.12	11.2
POL68646	582025	7011800	NAD 83-07V	0.6	45.8	5.2	64	0.05	21	15.5	338	3.43	5.2
POL68649	582126	7011689	NAD 83-07V	0.6	64.4	29.6	59	0.05	28.4	19.1	354	3.72	6.9
POL68651	582193	7011616	NAD 83-07V	0.5	29.9	9.4	53	0.05	18.7	13.5	314	2.98	4.5
POL68652	582227	7011577	NAD 83-07V	0.5	35.4	8.2	64	0.05	21	17.5	528	3.44	5
POL68655	582294	7011506	NAD 83-07V	0.3	59.3	4.2	53	0.05	23.1	15.1	326	2.84	4
POL68657	582359	7011429	NAD 83-07V	0.6	60.7	8.5	56	0.05	22	17.1	341	3.47	5.8
POL68660	582460	7011317	NAD 83-07V	0.6	51.4	7.3	54	0.05	22.1	15.5	422	3.26	4.5
POL68662	582527	7011242	NAD 83-07V	0.6	26.4	7.4	58	0.05	19.8	9.7	248	2.37	4.9
POL68663	582563	7011204	NAD 83-07V	0.6	18.7	6.2	52	0.05	19	8.9	279	2.31	6.5
POL68665	582627	7011129	NAD 83-07V	0.6	22.8	6.7	55	0.05	21.9	9.2	310	2.36	6
POL68666	582661	7011093	NAD 83-07V	0.7	29.9	6.3	51	0.05	25.5	10	400	2.39	8.1
POL68667	582697	7011057	NAD 83-07V	0.6	27.5	6.8	49	0.05	23.8	9.5	324	2.31	7.1
POL68668	582729	7011018	NAD 83-07V	1	51.6	6.9	76	0.05	25.1	14.7	410	3.22	4.5
POL68679	582416	7011816	NAD 83-07V	0.2	76.7	34.4	41	0.05	18.5	12.2	294	2.13	2
POL68682	582515	7011705	NAD 83-07V	0.6	54.7	12.8	60	0.05	23.9	11.7	346	2.91	7.4
POL68685	582618	7011592	NAD 83-07V	0.3	83.7	20.8	74	0.05	19.3	16.3	491	3.51	2.2
POL68697	588771	7009719	NAD 83-07V	0.4	128	4	43	0.1	29.7	18	174	2.74	5.3
POL68698	588809	7009685	NAD 83-07V	0.4	234.9	3.3	66	0.05	9.2	17.9	298	5.15	3.3
POL68699	588843	7009649	NAD 83-07V	0.2	170.7	2	39	0.05	23.8	22.3	251	2.69	2.5
POL68701	588445	7010031	NAD 83-07V	1.5	222.7	1.9	149	0.05	9.3	28.8	675	5.43	0.6
POL68701	588445	7010031	NAD 83-07V	1.5	234.7	1.9	147	0.05	9.7	29.8	688	5.64	0.7
POL68702	588481	7009996	NAD 83-07V	0.8	298.7	4.9	265	0.05	15.5	27	522	3.9	2
POL68709	588879	7009614	NAD 83-07V	0.1	120.2	3.8	58	0.05	20	19.4	465	3.49	2.5

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68522	0.5	0.5	2.6	20	0.05	0.2	0.05	78	0.34	0.057	9	25	0.75	273	0.161
POL68527	0.6	0.25	3	23	0.05	0.4	0.3	52	0.32	0.055	8	24	0.5	238	0.096
POL68528	0.7	1.4	3	25	0.05	0.5	0.1	52	0.34	0.036	10	27	0.47	329	0.066
POL68534	1.4	1.5	12.4	17	0.05	0.2	0.2	64	0.21	0.022	48	61	1.16	379	0.247
POL68536	0.8	1.3	9.9	25	0.05	0.3	0.2	62	0.2	0.016	25	55	1.23	283	0.206
POL68559	0.6	22.4	6	35	0.05	0.6	0.2	62	0.54	0.038	21	35	0.61	248	0.104
POL68560	1.2	2.7	5.5	35	0.2	0.5	0.2	56	0.66	0.057	17	33	0.58	264	0.107
POL68568	0.9	2.4	5.3	22	0.1	0.2	0.2	84	0.34	0.086	18	39	1.44	383	0.177
POL68571	1.7	0.25	8.8	17	0.1	0.05	0.1	136	0.37	0.112	25	17	2.31	591	0.328
POL68572	2.2	1.5	4.3	53	0.05	0.2	0.3	205	0.31	0.1	18	7	1.83	645	0.251
POL68572	2.3	60.3	4.4	54	0.05	0.2	0.3	213	0.32	0.102	18	7	1.9	629	0.265
POL68573	1.5	1	10.5	17	0.05	0.1	0.3	103	0.41	0.137	32	11	1.77	351	0.333
POL68574	1.4	1.2	8.7	16	0.05	0.3	0.2	73	0.28	0.071	27	22	1.44	325	0.268
POL68575	0.9	1.6	4.8	18	0.05	0.2	0.2	74	0.25	0.053	18	37	1	294	0.161
POL68576	1.2	2.3	6.1	27	0.05	0.4	0.2	68	0.37	0.056	22	39	0.82	290	0.144
POL68578	0.8	0.9	4.3	24	0.05	0.4	0.1	66	0.38	0.053	18	64	0.9	284	0.145
POL68589	1.2	0.25	5	17	0.05	0.1	0.05	133	0.94	0.32	28	19	1.89	385	0.197
POL68597	0.7	1.4	4.5	46	0.2	0.5	0.1	61	0.77	0.084	16	29	0.79	257	0.127
POL68599	0.2	0.25	0.4	54	0.1	0.05	0.1	116	1.44	0.382	2	13	1.76	283	0.15
POL68608	0.5	1.5	3.5	23	0.05	0.5	0.2	76	0.24	0.022	9	47	1	295	0.157
POL68609	0.8	1.9	7.8	14	0.05	0.3	0.1	66	0.15	0.026	18	42	1.48	285	0.194
POL68614	0.8	1.8	4.4	23	0.05	0.2	0.2	95	0.39	0.066	17	74	1.94	387	0.212
POL68615	1	3.1	4.5	40	0.1	0.4	0.2	57	0.64	0.059	27	29	0.85	392	0.128
POL68619	1.8	2	3.7	43	0.3	0.5	0.1	56	0.89	0.095	16	30	0.62	252	0.103
POL68621	1.1	4.9	3.1	54	0.3	0.7	0.1	55	1.19	0.082	13	29	0.7	268	0.089
POL68637	0.4	0.25	2	56	0.1	0.2	0.05	70	0.77	0.118	7	30	1.52	448	0.199
POL68637	0.4	0.25	2	55	0.1	0.2	0.05	70	0.74	0.121	7	30	1.54	450	0.2
POL68642	0.7	0.25	2.2	30	0.1	0.4	0.05	171	0.64	0.061	10	26	1.52	460	0.179
POL68643	0.4	0.25	3.3	28	0.05	0.4	0.05	99	0.43	0.039	7	31	0.98	423	0.187
POL68644	0.5	1.5	4.8	26	0.05	0.7	0.2	76	0.35	0.04	12	45	0.71	320	0.121
POL68646	0.5	0.25	4.3	24	0.05	0.3	0.05	81	0.36	0.064	9	40	1.11	239	0.166
POL68649	0.5	0.25	4.5	39	0.05	0.4	0.3	92	0.5	0.041	8	44	1.26	267	0.2
POL68651	0.5	0.5	3	41	0.05	0.3	0.1	71	0.44	0.052	8	38	0.98	369	0.17
POL68652	0.7	0.25	6.3	28	0.05	0.3	0.1	67	0.51	0.116	14	39	1.35	459	0.182
POL68655	0.4	2.1	2.9	47	0.05	0.2	0.05	69	0.62	0.097	12	37	1.37	404	0.196
POL68657	0.5	0.7	3	39	0.05	0.4	0.1	92	0.58	0.088	8	39	0.97	296	0.156
POL68660	1.6	0.25	4	71	0.05	0.3	0.1	75	0.81	0.056	14	40	1.15	506	0.185
POL68662	0.9	1	3.5	76	0.2	0.4	0.1	55	0.89	0.069	17	28	0.7	293	0.102
POL68663	0.7	2	3.3	41	0.1	0.5	0.1	55	0.69	0.085	14	27	0.61	206	0.1
POL68665	0.9	3.3	3.3	81	0.1	0.4	0.1	54	0.73	0.083	13	30	0.61	212	0.096
POL68666	0.7	2.2	3.4	47	0.2	0.6	0.1	54	0.88	0.093	13	29	0.63	243	0.09
POL68667	0.9	2.4	3.2	47	0.1	0.6	0.1	51	0.75	0.08	12	27	0.57	235	0.078
POL68668	0.8	1.2	2.9	34	0.05	0.4	0.1	80	0.48	0.098	9	36	1.03	276	0.18
POL68679	0.2	1	1.1	30	0.05	0.1	0.3	67	0.46	0.083	3	45	0.83	232	0.143
POL68682	0.6	1.9	3.6	40	0.05	0.5	0.3	70	0.45	0.058	12	32	0.77	324	0.13
POL68685	0.2	0.25	1.2	30	0.05	0.1	0.2	86	0.5	0.123	4	24	1.22	424	0.23
POL68697	0.5	0.25	1.9	59	0.05	0.3	0.05	75	1.25	0.372	8	42	0.9	185	0.104
POL68698	0.7	0.25	0.7	314	0.1	0.1	0.05	111	3.05	1.085	5	10	0.94	370	0.057
POL68699	0.4	0.25	0.9	130	0.05	0.1	0.05	77	1.19	0.318	3	26	0.85	306	0.102
POL68701	0.6	0.5	2.2	119	0.2	0.05	0.05	106	0.82	0.171	10	17	1.5	577	0.167
POL68701	0.6	1.5	2.1	120	0.05	0.05	0.05	109	0.87	0.163	10	18	1.5	600	0.172
POL68702	0.3	0.25	1.6	78	0.7	0.1	0.05	117	0.59	0.04	5	24	1.27	239	0.189
POL68709	0.3	0.25	0.6	69	0.05	0.1	0.05	114	1.31	0.297	4	29	1.34	276	0.159

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68522	0.5	1.63	0.014	0.3	0.2	0.01	3.5	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68527	0.5	1.27	0.016	0.2	0.1	0.02	5.3	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68528	0.5	1.37	0.014	0.05	0.1	0.03	4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68534	0.5	2.38	0.009	0.96	0.05	0.005	5.4	0.7	0.025	8	0.6	1DX15	VAN09004678
POL68536	0.5	2.51	0.011	0.58	0.1	0.005	4.9	0.4	0.025	8	0.25	1DX15	VAN09004678
POL68559	1	1.74	0.034	0.11	0.2	0.03	5.5	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68560	2	1.65	0.021	0.15	0.2	0.02	4.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68568	1	2.3	0.012	0.63	0.1	0.01	7	0.3	0.025	8	0.25	1DX15	VAN09004678
POL68571	0.5	3.61	0.015	1.71	0.1	0.005	11.5	0.8	0.025	13	0.25	1DX15	VAN09004678
POL68572	0.5	2.95	0.016	1.15	0.05	0.005	20.8	0.4	0.22	13	1.1	1DX15	VAN09004678
POL68572	0.5	3.02	0.021	1.14	0.05	0.005	20.9	0.5	0.22	13	0.8	1DX15	VAN09004678
POL68573	0.5	2.99	0.011	1.61	0.1	0.005	10.8	0.7	0.025	12	0.5	1DX15	VAN09004678
POL68574	0.5	2.39	0.01	1.14	0.2	0.01	10.7	0.5	0.025	11	0.25	1DX15	VAN09004678
POL68575	0.5	1.9	0.012	0.47	0.2	0.01	5.3	0.3	0.025	7	0.5	1DX15	VAN09004678
POL68576	0.5	1.94	0.017	0.3	0.1	0.02	7.7	0.2	0.025	7	0.5	1DX15	VAN09004678
POL68578	0.5	1.88	0.016	0.27	0.1	0.02	5.7	0.2	0.025	6	0.25	1DX15	VAN09004678
POL68589	0.5	3.06	0.025	1.49	0.2	0.005	10.1	0.5	0.025	11	0.25	1DX15	VAN09004678
POL68597	1	1.78	0.04	0.29	0.2	0.03	5.1	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68599	0.5	2.52	0.085	0.77	0.05	0.005	3.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68608	0.5	2.07	0.012	0.39	0.1	0.005	4.3	0.2	0.025	6	0.25	1DX15	VAN09004678
POL68609	1	2.56	0.012	0.96	0.05	0.005	8.5	0.3	0.025	11	0.25	1DX15	VAN09004678
POL68614	0.5	2.75	0.023	0.96	0.05	0.02	7.1	0.3	0.025	9	0.25	1DX15	VAN09004678
POL68615	2	1.79	0.02	0.43	0.1	0.03	6.1	0.2	0.025	6	0.7	1DX15	VAN09004678
POL68619	3	1.38	0.038	0.16	0.2	0.03	4	0.05	0.025	4	0.9	1DX15	VAN09004678
POL68621	3	1.31	0.044	0.07	0.2	0.03	3.8	0.05	0.025	4	0.6	1DX15	VAN09004678
POL68637	0.5	2.31	0.041	0.62	0.05	0.01	3	0.2	0.025	5	0.25	1DX15	VAN09004678
POL68637	0.5	2.4	0.04	0.61	0.05	0.005	3	0.2	0.025	5	0.25	1DX15	VAN09004678
POL68642	0.5	3	0.056	0.08	0.05	0.01	12.1	0.05	0.025	10	0.25	1DX15	VAN09004678
POL68643	0.5	2.27	0.044	0.32	0.05	0.005	5.1	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68644	0.5	2.09	0.014	0.15	0.1	0.01	5.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68646	0.5	2.15	0.02	0.65	0.1	0.005	4.5	0.3	0.025	6	0.25	1DX15	VAN09004678
POL68649	1	2.5	0.037	0.47	0.1	0.005	6.8	0.2	0.025	6	0.25	1DX15	VAN09004678
POL68651	0.5	2.03	0.021	0.35	0.05	0.005	3.5	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68652	0.5	2.3	0.015	0.83	0.05	0.005	3.9	0.2	0.025	5	0.25	1DX15	VAN09004678
POL68655	0.5	2.06	0.035	0.46	0.05	0.03	3.5	0.2	0.025	5	0.25	1DX15	VAN09004678
POL68657	1	2.07	0.032	0.25	0.1	0.005	5.8	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68660	1	2.19	0.029	0.53	0.05	0.02	4.7	0.2	0.025	6	0.6	1DX15	VAN09004678
POL68662	2	1.57	0.036	0.15	0.3	0.02	4.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68663	2	1.36	0.042	0.09	0.2	0.01	3.4	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68665	2	1.39	0.043	0.09	0.2	0.03	3.5	0.05	0.025	4	0.5	1DX15	VAN09004678
POL68666	2	1.32	0.041	0.08	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68667	2	1.3	0.031	0.06	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68668	2	1.71	0.023	0.51	0.1	0.02	3.7	0.2	0.07	6	0.25	1DX15	VAN09004678
POL68679	0.5	1.28	0.021	0.33	0.05	0.005	2.6	0.2	0.025	4	0.25	1DX15	VAN09004678
POL68682	1	1.74	0.023	0.13	0.1	0.03	5.1	0.05	0.025	5	0.6	1DX15	VAN09004678
POL68685	0.5	2.03	0.015	0.86	0.05	0.005	2.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68697	0.5	1.75	0.047	0.13	0.1	0.005	6.3	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68698	0.5	1.94	0.09	0.4	0.05	0.005	9.3	0.05	0.025	7	0.6	1DX15	VAN09004678
POL68699	0.5	1.66	0.108	0.21	0.05	0.005	6.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68701	0.5	2.99	0.038	0.65	0.05	0.01	9.8	0.1	0.025	8	0.25	1DX15	VAN09004678
POL68701	0.5	2.99	0.04	0.65	0.05	0.005	9.9	0.2	0.025	9	0.25	1DX15	VAN09004678
POL68702	0.5	3.28	0.032	0.13	0.05	0.005	4.1	0.05	0.025	8	0.25	1DX15	VAN09004678
POL68709	0.5	2.35	0.071	0.27	0.05	0.005	10.3	0.05	0.025	7	0.25	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68710	588913	7009580	NAD 83-07V	0.2	99.5	2.5	51	0.05	16.1	18.7	506	3.34	2.5
POL68711	588950	7009546	NAD 83-07V	0.3	186.6	4.6	100	0.2	33.8	21	637	5.27	3.5
POL68712	588986	7009510	NAD 83-07V	0.1	113.4	2.3	31	0.05	10.6	14.8	301	2.53	1.7
POL68713	589023	7009476	NAD 83-07V	0.4	67	4.8	44	0.1	18.6	13.4	281	2.6	4.9
POL68714	589059	7009441	NAD 83-07V	0.3	104.1	3	50	0.05	18.4	20.7	282	3.11	3
POL68715	589059	7009441	NAD 83-07V	0.4	87.7	4	50	0.05	19	16.9	255	2.91	3.8
POL68716	589095	7009405	NAD 83-07V	0.4	94	4.2	45	0.05	19.2	14.7	243	2.73	2.4
POL68717	589129	7009371	NAD 83-07V	0.4	49.3	2.8	29	0.05	12	11	222	2.01	1.3
POL68718	589199	7009442	NAD 83-07V	0.6	68.9	6.9	51	0.05	23	14.6	408	2.82	5.2
POL68719	589161	7009478	NAD 83-07V	0.3	68	3.2	36	0.05	10.7	12.5	220	2.4	1.5
POL68720	589127	7009512	NAD 83-07V	0.5	52.9	6.9	46	0.05	21.6	12.4	290	2.7	6.3
POL68721	589092	7009546	NAD 83-07V	0.6	71.8	7.5	54	0.1	25.2	13.4	245	2.89	9.3
POL68725	588946	7009687	NAD 83-07V	0.3	137	4.6	47	0.1	19.3	19.3	360	3.27	3.7
POL68727	588874	7009755	NAD 83-07V	0.3	119.6	8	113	0.05	38.4	28.1	1139	6.79	2.4
POL68729	582607	7011452	NAD 83-07V	0.4	76.8	4.6	73	0.05	22.9	25.9	503	3.61	1.8
POL68729	582607	7011452	NAD 83-07V	0.4	79.8	4.7	76	0.05	23.5	26.6	536	3.81	1.7
POL68732	582708	7011340	NAD 83-07V	0.5	40.2	8.7	59	0.1	28.5	12.2	464	2.79	9.6
POL68739	588515	7010103	NAD 83-07V	0.2	60.9	2.1	132	0.05	10.8	19.5	568	4.24	0.9
POL68740	588551	7010067	NAD 83-07V	0.5	98	7.7	125	0.05	13.9	18	364	3.72	3
POL68741	588587	7010033	NAD 83-07V	0.2	50.1	2.9	71	0.05	10.8	12.3	303	2.74	1.2
POL68750	588549	7010208	NAD 83-07V	0.5	87.1	3.7	101	0.05	13.6	16.2	675	4.66	0.9
POL68751	588582	7010174	NAD 83-07V	0.6	39.5	8.4	78	0.05	14.4	14	396	3.36	4.4
POL68752	588620	7010141	NAD 83-07V	1.7	241.3	3.7	90	0.05	17.7	18	580	4.32	1.4
POL68753	588655	7010105	NAD 83-07V	0.5	171.9	3.4	69	0.05	13.6	19.6	402	3.61	1.6
POL68755	588726	7010034	NAD 83-07V	0.8	115.4	3.1	99	0.05	17.2	23.7	752	4.68	1.2
POL68756	588763	7010001	NAD 83-07V	0.9	219.9	2.2	99	0.05	15.6	14.6	541	6.93	0.25
POL68757	588799	7009966	NAD 83-07V	0.7	262.4	1	89	0.05	29	47.3	672	4.21	1.4
POL68762	588980	7009792	NAD 83-07V	0.3	88.8	2.6	33	0.05	13.6	15.5	267	2.23	1.6
POL68766	589123	7009652	NAD 83-07V	0.2	238.2	1.7	46	0.05	20.1	28.2	236	3.49	1.4
POL68766	589123	7009652	NAD 83-07V	0.2	238.7	1.7	45	0.05	20.4	29.8	242	3.66	1.5
POL68769	589232	7009549	NAD 83-07V	0.5	77.7	4.1	34	0.05	13.6	16	226	2.58	2.7
POL68853	582322	7012069	NAD 83-07V	0.5	65.5	20.4	71	0.05	20.7	15.5	651	2.99	2.8
POL68854	582357	7012032	NAD 83-07V	0.5	72.8	15.1	78	0.05	26.5	15.8	595	3.17	3.2
POL68855	582357	7012032	NAD 83-07V	0.5	73.1	16.2	77	0.05	31	15.6	557	3.2	3.8
POL68856	582389	7011993	NAD 83-07V	0.8	70.4	15.7	60	0.05	39.7	14.3	490	3.37	6.7
POL68860	582523	7011846	NAD 83-07V	1.2	26.6	8	53	0.05	21.7	9.5	386	2.77	6.8
POL68862	582590	7011770	NAD 83-07V	0.6	51.2	7.6	48	0.05	25.5	11.4	385	2.76	8
POL68864	582658	7011696	NAD 83-07V	0.6	137.5	7.9	80	0.05	28	15.6	1010	3.39	2.8
POL68865	582692	7011659	NAD 83-07V	0.5	49.3	9.2	48	0.05	23.5	10.4	389	2.61	6.9
POL68868	582792	7011549	NAD 83-07V	0.5	44.1	9.8	55	0.05	22.9	10.2	310	2.48	5.8
POL68869	582824	7011511	NAD 83-07V	0.6	39.3	7.9	56	0.05	23.9	9.8	378	2.5	7.1
POL68957	588640	7009010	NAD 83-07V	0.6	45.8	6.4	50	0.05	24.8	10.3	390	2.57	7
POL68959	588712	7008939	NAD 83-07V	0.6	28.9	5.8	60	0.05	14.5	9.5	393	2.7	5.2
POL68966	588567	7009217	NAD 83-07V	0.7	28	6.8	54	0.05	21.5	11.3	456	2.95	6.3
POL68968	588496	7009288	NAD 83-07V	0.6	32.9	5.6	69	0.05	17.6	11.8	573	2.74	5.2
POL69002	583871	7009900	NAD 83-07V	0.3	10.9	17.6	34	0.05	8.6	12	294	2.94	2.8
POL69009	583638	7010160	NAD 83-07V	1.6	68.3	11.2	104	0.05	44.3	31	583	5.18	2.7
POL69011	583571	7010235	NAD 83-07V	0.6	47	4.6	63	0.05	17.5	20.1	350	3.72	2.7
POL69012	583537	7010271	NAD 83-07V	0.7	31.9	6.8	57	0.05	19.4	16.6	324	3.33	4.3
POL69012	583537	7010271	NAD 83-07V	0.6	32.6	6.7	62	0.05	19.3	16.6	343	3.32	4.3
POL69014	583469	7010346	NAD 83-07V	0.7	24.4	9.5	54	0.05	13.4	11.3	363	2.79	9.9
POL69015	583435	7010382	NAD 83-07V	0.6	31	9.2	57	0.05	11.7	13.5	452	2.8	4.3
POL69016	583402	7010420	NAD 83-07V	0.7	29	9.8	58	0.05	13.6	10	337	2.74	7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68710	0.3	0.25	0.8	36	0.05	0.1	0.05	114	0.78	0.083	3	28	1.53	796	0.193
POL68711	0.4	0.25	1.8	147	0.05	0.2	0.05	158	0.87	0.222	8	69	2.04	403	0.214
POL68712	0.5	1.1	0.7	32	0.05	0.2	0.05	81	0.74	0.095	4	26	0.76	96	0.084
POL68713	0.4	0.7	2.3	87	0.05	0.3	0.05	69	0.69	0.126	7	25	0.72	219	0.101
POL68714	0.5	0.5	1.6	104	0.05	0.2	0.05	90	0.89	0.191	5	27	1.13	352	0.142
POL68715	0.6	1.2	1.8	101	0.05	0.2	0.05	90	0.8	0.158	6	30	1.02	296	0.131
POL68716	0.5	0.9	1.6	87	0.05	0.2	0.05	88	0.84	0.124	7	46	0.99	179	0.133
POL68717	0.9	0.7	1.2	84	0.05	0.1	0.05	64	0.93	0.137	5	26	0.61	95	0.087
POL68718	0.7	2.4	3	90	0.2	0.5	0.1	69	0.82	0.1	11	27	0.64	272	0.117
POL68719	0.5	0.25	0.9	133	0.05	0.1	0.05	75	0.84	0.129	4	23	0.7	110	0.099
POL68720	0.5	0.25	2.7	74	0.05	0.3	0.1	69	0.51	0.111	8	31	0.55	239	0.086
POL68721	0.7	1.8	3.7	50	0.05	0.6	0.1	69	0.45	0.098	11	37	0.6	267	0.093
POL68725	0.3	0.25	1.4	59	0.05	0.2	0.05	102	0.62	0.085	4	29	1.11	302	0.137
POL68727	0.2	1	1	61	0.3	0.2	0.05	230	0.81	0.075	5	27	2.5	479	0.297
POL68729	0.7	0.25	1.9	60	0.05	0.2	0.05	106	0.87	0.234	6	27	1.36	423	0.223
POL68729	0.7	0.8	1.9	61	0.05	0.2	0.05	111	0.83	0.232	6	27	1.45	431	0.227
POL68732	0.6	3.2	3.8	46	0.05	0.6	0.4	64	0.7	0.064	13	31	0.64	307	0.108
POL68739	0.5	0.25	2.5	108	0.05	0.05	0.05	99	1.1	0.313	11	27	1.54	757	0.226
POL68740	0.6	1.6	2.9	61	0.3	0.2	0.05	91	0.68	0.119	12	25	1.26	448	0.191
POL68741	0.7	0.25	3.7	109	0.1	0.05	0.05	63	0.74	0.191	16	25	1.09	600	0.19
POL68750	0.7	0.25	5.4	62	0.2	0.05	0.05	135	0.91	0.155	14	35	1.61	734	0.24
POL68751	0.8	0.9	3.3	42	0.05	0.2	0.1	92	0.48	0.075	10	31	1.09	382	0.204
POL68752	0.8	0.25	5.3	26	0.2	0.05	0.05	112	0.65	0.196	12	37	1.63	516	0.295
POL68753	0.5	0.25	2.8	55	0.1	0.05	0.05	102	0.64	0.136	11	39	1.32	449	0.234
POL68755	0.6	0.25	1.9	121	0.1	0.05	0.05	130	0.8	0.133	8	37	2.18	531	0.298
POL68756	1.4	1.6	4.8	60	0.05	0.05	0.05	173	0.37	0.091	21	39	1.78	956	0.306
POL68757	0.3	0.5	1	144	0.2	0.05	0.05	94	1.4	0.327	6	38	1.03	374	0.151
POL68762	0.2	0.25	0.9	59	0.05	0.1	0.05	63	1.11	0.256	3	24	0.69	180	0.089
POL68766	0.4	0.25	1.2	185	0.05	0.1	0.05	96	0.9	0.214	6	59	0.95	499	0.095
POL68766	0.4	0.25	1.2	181	0.05	0.1	0.05	92	0.9	0.214	5	58	0.95	495	0.108
POL68769	0.4	1	1.6	92	0.05	0.2	0.05	76	0.88	0.207	6	18	0.54	200	0.082
POL68853	0.5	1.6	1.6	29	0.1	0.2	0.2	77	0.4	0.109	8	27	1.11	603	0.171
POL68854	0.5	1	2.2	28	0.05	0.2	0.2	83	0.53	0.154	9	29	1.21	684	0.161
POL68855	0.6	1.5	2.2	27	0.2	0.2	0.2	82	0.52	0.147	11	31	1.09	690	0.142
POL68856	0.5	0.25	2	26	0.1	0.3	0.2	76	0.55	0.104	7	39	0.96	411	0.116
POL68860	0.5	0.25	2.9	22	0.05	0.4	0.1	61	0.39	0.03	6	41	0.68	211	0.078
POL68862	0.7	4	3.6	35	0.05	0.5	0.1	67	0.51	0.101	16	31	0.71	415	0.11
POL68864	0.4	0.8	3.3	20	0.1	0.2	0.1	95	0.39	0.101	8	28	1.54	739	0.194
POL68865	0.6	3.9	3.2	36	0.05	0.4	0.2	63	0.53	0.064	11	32	0.66	321	0.101
POL68868	0.9	7	3	39	0.05	0.4	0.1	59	0.57	0.068	10	29	0.59	314	0.099
POL68869	0.7	3	3	56	0.2	0.6	0.1	57	1.27	0.07	11	28	0.61	228	0.086
POL68957	1.7	3.2	2.6	40	0.2	0.6	0.1	56	0.7	0.055	12	24	0.5	425	0.077
POL68959	0.5	2	2.4	30	0.1	0.3	0.1	52	0.53	0.049	9	21	0.48	281	0.091
POL68966	0.5	2.4	3.4	33	0.05	0.5	0.1	68	0.45	0.039	11	31	0.57	447	0.098
POL68968	0.6	1.9	2.3	40	0.1	0.4	0.05	57	0.7	0.06	10	22	0.58	341	0.109
POL69002	0.4	0.6	1.5	27	0.05	0.2	0.1	69	0.36	0.04	6	22	1.08	305	0.16
POL69009	0.7	0.25	1.7	20	0.1	0.2	0.1	100	0.36	0.082	7	84	1.31	384	0.258
POL69011	0.4	0.6	1.5	20	0.05	0.1	0.05	118	0.45	0.078	6	21	1.14	306	0.209
POL69012	0.5	1.5	1.9	21	0.05	0.2	0.05	88	0.37	0.059	7	30	0.9	257	0.17
POL69012	0.4	0.8	1.9	20	0.05	0.2	0.05	89	0.37	0.059	7	29	0.94	267	0.171
POL69014	0.7	0.25	2.3	22	0.1	0.4	0.1	67	0.39	0.06	13	23	0.66	222	0.123
POL69015	0.6	1	2.1	21	0.1	0.3	0.1	67	0.37	0.056	10	20	0.7	225	0.116
POL69016	1	1.6	2.5	28	0.1	0.4	0.1	67	0.54	0.055	15	24	0.66	267	0.121

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68710	0.5	2.71	0.068	0.61	0.05	0.005	8	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68711	0.5	2.92	0.04	1.44	0.05	0.005	13.9	0.4	0.025	10	0.25	1DX15	VAN09004678
POL68712	0.5	1.49	0.091	0.12	0.05	0.005	10.4	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68713	0.5	1.87	0.064	0.21	0.05	0.005	6.2	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68714	0.5	2.08	0.088	0.34	0.05	0.005	5.9	0.2	0.025	6	0.25	1DX15	VAN09004678
POL68715	0.5	1.99	0.072	0.25	0.05	0.005	5.6	0.1	0.025	5	0.25	1DX15	VAN09004678
POL68716	1	1.83	0.079	0.22	0.05	0.005	6.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68717	2	1.25	0.094	0.13	0.05	0.01	5.1	0.05	0.025	4	0.6	1DX15	VAN09004678
POL68718	1	1.82	0.059	0.12	0.05	0.02	5.9	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68719	1	1.61	0.091	0.14	0.05	0.005	6	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68720	0.5	1.79	0.04	0.1	0.1	0.005	5.9	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68721	0.5	1.89	0.027	0.11	0.05	0.01	6.4	0.05	0.025	5	0.5	1DX15	VAN09004678
POL68725	0.5	2.02	0.083	0.47	0.05	0.005	8.1	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68727	0.5	3.99	0.031	1.52	0.05	0.02	15.6	0.5	0.025	13	0.25	1DX15	VAN09004678
POL68729	0.5	2.1	0.028	1.1	0.05	0.005	4.5	0.4	0.025	6	0.25	1DX15	VAN09004678
POL68729	0.5	2.13	0.027	1.15	0.05	0.005	4.6	0.4	0.025	6	0.25	1DX15	VAN09004678
POL68732	2	1.56	0.033	0.09	0.1	0.02	4.5	0.05	0.025	5	0.8	1DX15	VAN09004678
POL68739	0.5	2.51	0.048	0.96	0.05	0.005	6.5	0.2	0.025	8	0.6	1DX15	VAN09004678
POL68740	0.5	2.49	0.034	0.4	0.1	0.005	4.9	0.2	0.025	8	0.25	1DX15	VAN09004678
POL68741	0.5	1.88	0.031	0.44	0.05	0.005	4.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68750	0.5	2.97	0.023	1.02	0.05	0.005	10.8	0.2	0.025	12	0.25	1DX15	VAN09004678
POL68751	0.5	2.26	0.022	0.34	0.1	0.01	4.1	0.1	0.025	7	0.25	1DX15	VAN09004678
POL68752	0.5	2.59	0.019	1.09	0.05	0.005	7	0.2	0.025	11	0.25	1DX15	VAN09004678
POL68753	0.5	2.28	0.028	0.46	0.05	0.005	5.5	0.1	0.025	9	0.25	1DX15	VAN09004678
POL68755	0.5	3.09	0.025	0.97	0.05	0.005	5	0.2	0.025	10	0.6	1DX15	VAN09004678
POL68756	0.5	2.83	0.023	1.41	0.05	0.005	14.2	0.4	0.21	11	1.5	1DX15	VAN09004678
POL68757	0.5	2.24	0.064	0.2	0.05	0.005	10.2	0.05	0.025	6	0.7	1DX15	VAN09004678
POL68762	1	1.54	0.078	0.07	0.05	0.005	5.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68766	0.5	1.8	0.059	0.2	0.05	0.005	7.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68766	0.5	1.76	0.057	0.21	0.05	0.005	7	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68769	0.5	1.43	0.063	0.12	0.05	0.01	6.1	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68853	0.5	2.02	0.015	0.5	0.1	0.005	3.3	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68854	0.5	2.15	0.014	0.5	0.05	0.02	5.1	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68855	0.5	2.12	0.013	0.43	0.1	0.01	5.6	0.2	0.025	7	0.25	1DX15	VAN09004678
POL68856	1	1.9	0.01	0.09	0.1	0.005	5.3	0.1	0.025	6	0.25	1DX15	VAN09004678
POL68860	0.5	1.69	0.01	0.06	0.1	0.005	4.5	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68862	1	1.41	0.029	0.14	0.2	0.03	5.9	0.05	0.025	4	0.7	1DX15	VAN09004678
POL68864	0.5	2.15	0.015	1.06	0.05	0.01	6.9	0.4	0.025	9	0.25	1DX15	VAN09004678
POL68865	0.5	1.59	0.029	0.12	0.2	0.02	4.4	0.05	0.025	5	0.25	1DX15	VAN09004678
POL68868	1	1.35	0.027	0.13	0.2	0.03	3.7	0.1	0.025	4	0.25	1DX15	VAN09004678
POL68869	2	1.31	0.031	0.09	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68957	0.5	1.21	0.026	0.06	0.1	0.03	3.6	0.05	0.025	4	0.8	1DX15	VAN09004678
POL68959	0.5	1.22	0.022	0.13	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004678
POL68966	0.5	1.51	0.021	0.12	0.1	0.01	4.3	0.05	0.025	5	0.6	1DX15	VAN09004678
POL68968	1	1.49	0.029	0.14	0.1	0.02	4.3	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69002	0.5	1.95	0.019	0.44	0.05	0.03	4	0.2	0.025	5	0.25	1DX15	VAN09004678
POL69009	0.5	2.45	0.015	0.92	0.05	0.01	2.9	0.4	0.025	6	0.7	1DX15	VAN09004678
POL69011	0.5	1.98	0.021	0.57	0.05	0.005	3.4	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69012	1	1.87	0.019	0.24	0.1	0.01	3.1	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69012	0.5	1.93	0.018	0.25	0.1	0.005	3.2	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69014	0.5	1.45	0.019	0.19	0.2	0.02	4.8	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69015	1	1.39	0.019	0.31	0.1	0.01	4.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69016	1	1.54	0.019	0.18	0.1	0.03	4.6	0.05	0.025	6	0.25	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69028	583132	7009975	NAD 83-07V	0.7	23.6	13.7	68	0.05	11.1	9.7	372	3.5	6.3
POL69031	583032	7010087	NAD 83-07V	0.3	64.1	12.7	77	0.05	41.2	14.4	1061	2.73	9.9
POL69032	582998	7010123	NAD 83-07V	0.4	55.1	8.2	71	0.05	24.7	15.6	620	3.14	3.2
POL69035	582898	7010235	NAD 83-07V	0.5	33.9	6.5	76	0.05	36.6	14.3	544	3.31	3.1
POL69036	582863	7010272	NAD 83-07V	0.3	69.9	5.4	93	0.05	28.1	20.8	823	4.38	2.1
POL69037	582864	7010272	NAD 83-07V	0.4	66.8	6.3	86	0.05	27	20.8	743	4.15	2.8
POL69040	582763	7010384	NAD 83-07V	0.5	27.6	8.5	75	0.05	20.5	16	574	3.72	6.5
POL69041	582730	7010421	NAD 83-07V	0.4	30.5	19.3	93	0.05	20	16	600	3.73	8.5
POL69049	583368	7010458	NAD 83-07V	1.3	32	9.8	76	0.05	23.7	10.7	346	3.09	6.4
POL69078	583341	7009891	NAD 83-07V	4.8	58.7	38.1	183	0.05	53.4	18.4	526	4.94	7.1
POL69080	583308	7009928	NAD 83-07V	1.8	22	8	62	0.05	16.6	6.4	221	2.98	6.1
POL69084	583173	7010079	NAD 83-07V	0.8	14.1	10.3	76	0.05	10.4	6.8	375	3.44	4.4
POL69085	583139	7010117	NAD 83-07V	0.5	27.9	6	97	0.05	14	16	794	4.76	2.1
POL69086	583107	7010154	NAD 83-07V	0.5	29.7	42.4	84	0.05	12.4	10.5	462	3.63	3.2
POL69088	583040	7010228	NAD 83-07V	0.7	31.7	12.2	77	0.05	18.6	12.8	458	3.6	6.1
POL69089	583005	7010265	NAD 83-07V	0.8	28	14.3	82	0.1	19.4	14.7	490	3.43	4.1
POL69090	582972	7010301	NAD 83-07V	0.7	36.6	7.2	77	0.05	19.5	17.5	937	3.01	7.4
POL69090	582972	7010301	NAD 83-07V	0.7	36	7.4	74	0.05	18.5	17.6	923	2.95	6.9
POL69094	582839	7010452	NAD 83-07V	0.2	157.6	5.7	44	0.05	46.7	33.3	413	2.84	1.4
POL69095	582804	7010489	NAD 83-07V	0.5	22.7	8.6	63	0.05	18.7	14.6	507	3.22	5.7
POL69096	582771	7010525	NAD 83-07V	0.3	25.9	12.1	79	0.05	20.9	17	450	3.88	8.3
POL69097	582738	7010562	NAD 83-07V	0.3	35.4	6.1	89	0.05	20.6	21.2	761	4.75	3.9
POL69098	582704	7010599	NAD 83-07V	0.4	22.7	13.5	71	0.05	19.8	11.9	536	2.92	11.1
POL69099	582672	7010636	NAD 83-07V	0.8	30.7	8	101	0.05	36.3	15	568	4	6.7
POL69100	582636	7010675	NAD 83-07V	0.8	28.4	12.2	80	0.05	21.5	12.8	432	3.39	13.7
POL69102	582570	7010748	NAD 83-07V	0.8	29.6	7.6	76	0.05	21.4	16.8	909	3.38	4.6
POL69119	583728	7009768	NAD 83-07V	0.4	39.7	7.5	73	0.05	46.1	24.3	813	4.67	20.7
POL69125	583524	7009989	NAD 83-07V	0.8	39.2	6.1	65	0.1	15.1	14.2	479	3.39	4.5
POL69128	583422	7010101	NAD 83-07V	1.4	12.9	8.9	69	0.05	12.2	6.9	790	2.81	6.2
POL69130	583355	7010175	NAD 83-07V	1	29.6	11.6	87	0.05	24.2	13.9	455	3.19	5.1
POL69132	583288	7010250	NAD 83-07V	0.7	34.9	6	99	0.05	28	13.5	454	3.32	4.9
POL69134	583221	7010324	NAD 83-07V	0.7	40.7	6.8	64	0.05	16.9	13.8	357	3.6	9.7
POL69158	583585	7009772	NAD 83-07V	1.5	46.2	41.6	103	0.05	28	12.6	346	3.53	18.3
POL69161	583484	7009883	NAD 83-07V	1.2	17.4	8.9	47	0.05	8	4.7	222	3.69	8.4
POL69163	583417	7009958	NAD 83-07V	1.4	14.2	12.9	64	0.05	16.2	7.7	309	3.24	10.6
POL69166	583318	7010069	NAD 83-07V	0.6	22.1	11.1	38	0.1	9.6	5	133	1.77	4.3
POL69167	583282	7010106	NAD 83-07V	0.7	25.4	9.7	65	0.05	16.8	10	310	3.09	10.5
POL69173	583082	7010327	NAD 83-07V	0.5	30.5	8	84	0.05	13.1	17.5	574	4.08	2.7
POL69179	582881	7010550	NAD 83-07V	0.6	24.2	6.7	70	0.05	17.4	15.9	708	3.03	5.3
POL69181	582814	7010626	NAD 83-07V	0.4	25	11.1	69	0.05	17.8	13.5	590	2.91	5.8
POL69184	582714	7010737	NAD 83-07V	0.6	40.6	7.2	68	0.05	23.2	12.4	617	2.88	7.6
POL69189	583832	7009795	NAD 83-07V	0.5	45.9	3.6	102	0.05	15.5	19.1	371	5.05	4.5
POL69189	583832	7009795	NAD 83-07V	0.5	46.1	3.6	101	0.05	15.6	18.1	378	4.99	4.4
POL69190	583797	7009831	NAD 83-07V	0.7	47.5	5.3	62	0.05	22.1	14.7	282	3.25	4.9
POL69191	583764	7009868	NAD 83-07V	0.7	60	6.1	75	0.05	18.9	18.2	302	3.9	5.3
POL69256	583755	7010329	NAD 83-07V	0.9	33.8	9.6	46	0.05	16.8	12.9	281	3.07	5.3
POL69260	583654	7010441	NAD 83-07V	0.8	16.3	8.3	40	0.05	13.2	11	259	2.8	4.7
POL69264	583549	7010556	NAD 83-07V	0.8	50.7	8.4	91	0.05	16	15.3	369	3.77	3.5
POL69273	583247	7010891	NAD 83-07V	1.8	30.3	19.1	68	0.05	26.1	9.9	249	2.98	11.8
POL69280	583013	7011151	NAD 83-07V	0.6	65.6	79.8	122	0.2	22.8	32.1	990	5.85	3.9
POL69281	582981	7011186	NAD 83-07V	0.9	36	44.8	95	0.1	20.7	15.4	628	3.84	32.4
POL69283	583979	7009931	NAD 83-07V	0.8	35.2	11.9	48	0.1	21.4	13.9	665	3.42	4.4
POL69301	583411	7010560	NAD 83-07V	0.9	35	13.5	59	0.1	15.4	12.3	429	2.89	4.8

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69028	0.5	1.2	2	13	0.1	0.3	0.2	79	0.22	0.061	9	25	0.6	131	0.137
POL69031	1.3	3	2.9	40	0.3	0.6	0.1	72	1.19	0.09	15	41	1.17	821	0.124
POL69032	0.8	2.6	2.9	27	0.1	0.3	0.1	87	0.44	0.083	13	28	1.05	662	0.176
POL69035	0.5	4	2	32	0.1	0.2	0.05	82	0.52	0.12	7	51	1.26	238	0.183
POL69036	0.7	0.6	4.2	25	0.05	0.05	0.05	116	0.51	0.143	12	43	1.73	422	0.303
POL69037	0.6	0.25	3.5	27	0.1	0.1	0.05	111	0.51	0.128	10	40	1.58	368	0.279
POL69040	0.9	1	3.5	41	0.1	0.3	0.05	81	1.17	0.089	19	35	1.23	439	0.133
POL69041	1.9	1.5	4.2	47	0.3	0.2	0.1	89	1.5	0.094	25	37	1.44	458	0.175
POL69049	1.2	5.5	5.4	20	0.1	0.4	0.2	64	0.3	0.063	21	30	0.6	238	0.106
POL69078	2.5	0.25	14.3	31	0.1	0.1	0.6	72	0.38	0.177	29	44	0.82	271	0.139
POL69080	0.8	0.8	3.3	7	0.05	0.4	0.2	84	0.09	0.038	12	29	0.4	106	0.122
POL69084	0.3	0.25	1.3	7	0.05	0.1	0.2	66	0.13	0.048	5	21	0.84	130	0.171
POL69085	0.4	0.25	3	6	0.05	0.1	0.05	120	0.11	0.031	7	30	1.74	223	0.226
POL69086	0.6	1.2	2.5	11	0.1	0.2	0.3	71	0.25	0.067	9	21	0.73	172	0.128
POL69088	0.7	0.7	3	16	0.05	0.4	0.1	90	0.45	0.07	10	31	1	232	0.158
POL69089	0.9	0.8	2.8	19	0.1	0.2	0.2	89	0.42	0.069	14	34	1.01	305	0.141
POL69090	0.8	2	1.9	29	0.2	0.3	0.1	80	0.87	0.086	11	27	0.88	534	0.114
POL69090	0.7	3.2	1.8	29	0.1	0.3	0.1	76	0.88	0.077	11	26	0.87	532	0.11
POL69094	0.2	0.25	0.9	15	0.05	0.05	0.05	75	0.39	0.048	4	59	1.54	152	0.107
POL69095	0.7	1.2	3.4	22	0.1	0.2	0.05	71	0.59	0.059	15	34	0.86	286	0.123
POL69096	0.9	1.4	3.9	28	0.2	0.2	0.1	90	0.93	0.078	16	36	1.2	303	0.14
POL69097	0.6	2.7	4.6	38	0.2	0.1	0.05	103	1.3	0.097	15	31	1.77	225	0.171
POL69098	0.6	6.8	2.7	35	0.2	0.5	0.2	55	1.19	0.072	12	24	0.47	228	0.054
POL69099	1.3	2.9	10	19	0.2	0.2	0.2	58	0.62	0.098	21	43	0.7	202	0.074
POL69100	1	6.6	4	32	0.2	1.2	0.1	61	1.18	0.082	15	27	0.63	251	0.055
POL69102	0.9	8.5	3.7	26	0.2	0.2	0.1	77	0.53	0.068	17	52	1.16	315	0.142
POL69119	0.5	1.2	2.4	16	0.05	0.7	0.05	124	0.63	0.057	12	112	1.1	366	0.075
POL69125	0.8	2	2.2	23	0.1	0.3	0.1	86	0.44	0.053	15	22	0.77	259	0.116
POL69128	0.4	1.3	2.1	9	0.2	0.5	0.2	73	0.11	0.034	8	26	0.31	119	0.08
POL69130	1	1.3	5.3	15	0.1	0.3	0.1	73	0.31	0.07	20	38	0.76	173	0.116
POL69132	0.8	0.6	4.1	14	0.1	0.2	0.05	72	0.3	0.057	15	78	0.86	208	0.133
POL69134	0.6	1.5	3.1	16	0.05	0.8	0.1	82	0.31	0.051	10	29	0.67	183	0.087
POL69158	2.5	1	5.9	16	0.1	1.3	0.3	66	0.29	0.054	13	29	0.65	241	0.075
POL69161	0.5	4.7	2	6	0.05	0.7	0.2	74	0.06	0.043	7	19	0.19	54	0.108
POL69163	0.5	0.8	2.3	10	0.1	0.5	0.2	78	0.11	0.071	10	30	0.38	99	0.082
POL69166	0.6	2.2	1	13	0.1	0.2	0.1	38	0.21	0.047	8	23	0.33	101	0.063
POL69167	0.6	1.7	2.2	15	0.05	1.2	0.1	72	0.26	0.045	10	29	0.58	149	0.096
POL69173	0.7	0.8	2.9	15	0.05	0.2	0.05	112	0.36	0.074	12	29	1.29	243	0.204
POL69179	0.7	0.25	2.5	33	0.2	0.2	0.05	66	0.85	0.076	12	32	0.84	300	0.1
POL69181	0.7	2	1.9	43	0.3	0.2	0.05	67	1.69	0.066	10	26	0.77	241	0.08
POL69184	0.7	1.9	3	36	0.2	0.4	0.1	67	0.95	0.08	12	28	0.62	309	0.088
POL69189	0.4	0.25	1.9	12	0.05	0.2	0.05	141	0.52	0.113	7	29	1.57	315	0.194
POL69189	0.4	0.25	1.9	12	0.1	0.2	0.05	142	0.53	0.109	7	29	1.49	309	0.198
POL69190	0.6	1.1	2.6	17	0.05	0.2	0.05	87	0.39	0.044	12	45	1.05	450	0.138
POL69191	0.7	1	2.6	18	0.05	0.2	0.05	105	0.32	0.041	21	33	1.04	542	0.162
POL69256	0.5	1.9	2	18	0.05	0.3	0.1	69	0.29	0.031	8	35	0.68	256	0.118
POL69260	0.4	1.3	1.8	20	0.05	0.2	0.1	69	0.32	0.041	7	22	0.71	229	0.114
POL69264	0.6	2	2.4	21	0.1	0.1	0.05	98	0.46	0.084	8	27	1.19	377	0.197
POL69273	1	0.5	6.4	22	0.05	0.5	0.2	64	0.32	0.067	26	32	0.55	444	0.076
POL69280	0.7	0.25	3.3	50	0.3	0.4	0.4	170	1.23	0.197	14	56	2.34	621	0.194
POL69281	1.2	1	4	57	0.2	0.8	0.4	76	1.2	0.077	19	29	0.76	379	0.089
POL69283	1.1	0.25	2.4	21	0.2	0.4	0.1	69	0.73	0.06	19	32	0.71	423	0.071
POL69301	0.9	0.25	2.7	27	0.1	0.4	0.2	68	0.5	0.057	14	24	0.71	360	0.117

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69028	1	1.82	0.021	0.24	0.05	0.01	3.9	0.1	0.025	8	0.25	1DX15	VAN09004678
POL69031	2	1.79	0.019	0.24	0.1	0.05	5.5	0.2	0.025	7	0.6	1DX15	VAN09004678
POL69032	2	2.04	0.015	0.34	0.2	0.02	4	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69035	1	1.84	0.016	0.46	0.1	0.01	2.9	0.3	0.025	7	0.25	1DX15	VAN09004678
POL69036	0.5	2.57	0.012	1.29	0.2	0.005	6	0.4	0.025	10	0.25	1DX15	VAN09004678
POL69037	0.5	2.46	0.015	1.06	0.2	0.005	5.6	0.3	0.025	9	0.25	1DX15	VAN09004678
POL69040	3	2.1	0.02	0.39	0.2	0.05	8.5	0.2	0.025	7	0.9	1DX15	VAN09004678
POL69041	2	2.33	0.019	0.57	0.05	0.03	6.3	0.2	0.025	8	0.9	1DX15	VAN09004678
POL69049	1	1.62	0.013	0.22	0.2	0.06	3.9	0.2	0.025	6	0.5	1DX15	VAN09004678
POL69078	1	1.94	0.011	0.85	0.05	0.005	3.7	0.6	0.08	8	1.3	1DX15	VAN09004678
POL69080	0.5	1.23	0.01	0.18	0.1	0.01	3.3	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69084	2	1.71	0.015	0.33	0.1	0.005	5.4	0.1	0.025	12	0.25	1DX15	VAN09004678
POL69085	0.5	2.71	0.01	0.89	0.1	0.005	7.4	0.4	0.025	11	0.25	1DX15	VAN09004678
POL69086	0.5	1.63	0.011	0.38	0.05	0.01	5	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69088	0.5	1.96	0.013	0.41	0.1	0.02	4.6	0.3	0.025	7	0.25	1DX15	VAN09004678
POL69089	1	2	0.012	0.3	0.1	0.02	4.8	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69090	2	1.67	0.014	0.21	0.2	0.02	4	0.2	0.025	6	0.5	1DX15	VAN09004678
POL69090	2	1.61	0.014	0.21	0.2	0.03	3.8	0.2	0.025	6	0.5	1DX15	VAN09004678
POL69094	0.5	1.45	0.011	0.3	0.1	0.005	3.7	0.2	0.025	5	0.25	1DX15	VAN09004678
POL69095	1	1.72	0.016	0.17	0.2	0.01	4	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69096	2	2.04	0.016	0.41	0.2	0.03	5.8	0.2	0.025	7	0.5	1DX15	VAN09004678
POL69097	2	2.29	0.014	0.55	0.1	0.02	6.3	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69098	2	1.03	0.016	0.07	0.2	0.03	3.6	0.05	0.05	4	0.25	1DX15	VAN09004678
POL69099	2	1.43	0.012	0.41	0.2	0.02	4.9	0.3	0.025	5	0.25	1DX15	VAN09004678
POL69100	3	1.36	0.015	0.15	0.2	0.19	5.8	0.2	0.025	4	0.25	1DX15	VAN09004678
POL69102	1	1.98	0.018	0.46	0.2	0.02	5.4	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69119	2	2.32	0.014	0.25	0.2	4.06	11.9	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69125	0.5	1.85	0.013	0.18	0.1	0.04	4.1	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69128	0.5	1.44	0.009	0.07	0.2	0.02	2.2	0.1	0.025	8	0.25	1DX15	VAN09004678
POL69130	1	1.72	0.014	0.3	0.1	0.02	3.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69132	1	1.7	0.016	0.45	0.05	0.005	4.2	0.3	0.025	7	0.5	1DX15	VAN09004678
POL69134	0.5	1.94	0.017	0.13	0.2	0.01	4.5	0.1	0.025	7	0.25	1DX15	VAN09004678
POL69158	2	1.82	0.008	0.21	0.05	0.02	5.1	0.3	0.025	7	0.9	1DX15	VAN09004678
POL69161	0.5	1.15	0.006	0.07	0.2	0.02	3.8	0.05	0.025	9	0.25	1DX15	VAN09004678
POL69163	0.5	1.68	0.008	0.08	0.2	0.02	2.5	0.1	0.025	9	0.25	1DX15	VAN09004678
POL69166	0.5	0.94	0.015	0.12	0.1	0.04	2.6	0.1	0.025	5	0.25	1DX15	VAN09004678
POL69167	1	1.71	0.012	0.11	0.2	0.02	3.5	0.1	0.025	7	0.25	1DX15	VAN09004678
POL69173	0.5	2.19	0.014	0.83	0.2	0.005	4.9	0.4	0.025	9	0.25	1DX15	VAN09004678
POL69179	0.5	1.56	0.016	0.18	0.2	0.04	4.2	0.1	0.025	5	0.25	1DX15	VAN09004678
POL69181	2	1.4	0.016	0.18	0.1	0.03	3.7	0.1	0.06	5	0.7	1DX15	VAN09004678
POL69184	3	1.35	0.019	0.17	0.2	0.02	3.7	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69189	0.5	2.59	0.021	0.56	0.1	0.03	5.6	0.3	0.025	10	0.25	1DX15	VAN09004678
POL69189	0.5	2.56	0.023	0.53	0.05	0.02	6	0.3	0.025	10	0.25	1DX15	VAN09004678
POL69190	1	2	0.018	0.21	0.05	0.005	3.8	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69191	0.5	2.21	0.015	0.28	0.05	0.005	3.8	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69256	0.5	1.83	0.014	0.09	0.1	0.005	3.5	0.05	0.025	6	0.25	1DX15	VAN09004678
POL69260	0.5	1.65	0.012	0.21	0.1	0.005	2.7	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69264	0.5	2.06	0.018	0.55	0.1	0.01	3.6	0.2	0.025	7	0.6	1DX15	VAN09004678
POL69273	2	1.47	0.013	0.21	0.1	0.04	3.5	0.2	0.025	5	0.8	1DX15	VAN09004678
POL69280	1	2.84	0.032	0.82	0.2	0.11	13.1	0.5	0.025	8	1	1DX15	VAN09004678
POL69281	2	1.57	0.017	0.27	0.2	0.18	8.8	0.3	0.025	5	1	1DX15	VAN09004678
POL69283	0.5	1.61	0.021	0.12	0.2	0.07	8.8	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69301	0.5	1.56	0.018	0.18	0.2	0.03	4.2	0.1	0.025	5	0.7	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69305	583279	7010708	NAD 83-07V	0.9	35.1	14.9	72	0.1	33.4	11.9	296	3.14	9.1
POL69306	583245	7010746	NAD 83-07V	1.4	32.1	16.2	78	0.05	23.4	10.5	391	3.21	17.2
POL69307	583212	7010782	NAD 83-07V	1.1	35.2	12.9	60	0.05	23.2	10	280	2.95	15.6
POL69307	583212	7010782	NAD 83-07V	1.1	36.5	12.5	65	0.1	24.9	10	298	3.05	15.9
POL69311	583079	7010931	NAD 83-07V	1.3	27.8	8.2	60	0.05	20.2	9.5	289	3.02	13.4
POL69314	582977	7011041	NAD 83-07V	1.1	40.4	18.9	79	0.1	26.9	14.6	656	3.88	6
POL69316	582912	7011115	NAD 83-07V	1	59.9	22.7	84	0.1	20.4	17.8	782	4.02	5.4
POL69318	581353	7011803	NAD 83-07V	0.6	49.3	21	109	0.05	48.2	19.7	429	5.54	4.8
POL69321	581454	7011693	NAD 83-07V	0.3	38.6	11	105	0.05	20.6	14.1	921	4.5	3.7
POL69324	581519	7011616	NAD 83-07V	0.9	51.5	12.7	87	0.05	43.8	22.6	485	5.28	2.5
POL69325	581553	7011580	NAD 83-07V	0.7	34.9	13.6	95	0.05	12	11.1	560	4.28	5.1
POL69327	581620	7011505	NAD 83-07V	0.6	25.5	14.2	92	0.05	12.4	11.4	523	3.78	3.3
POL69328	581653	7011468	NAD 83-07V	0.6	24.6	9.7	64	0.1	19.4	10.3	398	3.05	7.6
POL69330	581719	7011392	NAD 83-07V	0.8	25.5	26.9	165	0.05	11.4	12.6	496	4.39	4.2
POL69332	581787	7011318	NAD 83-07V	0.7	39.6	6.5	109	0.05	10.7	16.5	866	5.72	2.3
POL69333	581822	7011281	NAD 83-07V	0.8	21.3	9.3	111	0.05	10.7	15.4	705	5	2.6
POL69334	581854	7011244	NAD 83-07V	0.6	45.3	27.6	85	0.05	39.9	18.7	843	3.8	2.1
POL69335	581888	7011207	NAD 83-07V	0.7	37.1	14.2	98	0.05	34.4	14.2	467	4.04	4.8
POL69336	581923	7011170	NAD 83-07V	0.6	35.1	12	92	0.05	34.2	15.1	402	3.83	5.9
POL69337	581954	7011132	NAD 83-07V	0.5	30.1	9.2	74	0.05	37.2	14.6	443	3.71	5.5
POL69338	581987	7011093	NAD 83-07V	0.4	53.4	8.8	132	0.05	62.9	24.1	645	5.85	2
POL69339	582021	7011057	NAD 83-07V	0.4	39.2	16	111	0.05	43.1	17	768	4.47	1.8
POL69340	582054	7011022	NAD 83-07V	0.4	57.6	13.3	94	0.05	43.4	15.6	699	3.83	3.5
POL69341	582088	7010982	NAD 83-07V	0.9	41.5	11.3	83	0.05	44.5	14.5	508	4.07	3.3
POL69342	582122	7010946	NAD 83-07V	0.5	44.9	15.7	114	0.05	47.8	17.4	658	4.79	1.4
POL69344	582191	7010871	NAD 83-07V	0.5	53.4	27.4	92	0.05	55.3	20.6	698	4.71	2.6
POL69345	582223	7010835	NAD 83-07V	1	35.7	10.6	96	0.05	48	22.1	297	4.19	1.6
POL69349	582356	7010687	NAD 83-07V	1.2	45.7	17.7	99	0.1	37.8	21.4	484	3.6	8.7
POL69352	581872	7012270	NAD 83-07V	0.7	42.9	5.8	87	0.05	19.4	17.5	665	3.86	3
POL69359	582106	7012009	NAD 83-07V	0.8	69.5	10.4	93	0.05	24.6	22.3	772	4.75	1.3
POL69359	582106	7012009	NAD 83-07V	0.8	69.6	9.6	89	0.05	24.5	22.6	758	4.8	1.2
POL69361	582173	7011935	NAD 83-07V	0.2	121.9	3.9	45	0.05	15.3	30.1	395	3.48	1.7
POL69364	582240	7011861	NAD 83-07V	0.3	67.7	6.6	82	0.05	35.3	20.8	851	3.63	3.1
POL69371	582440	7011638	NAD 83-07V	4.3	47	12.7	70	0.05	17.3	6	600	3.77	2.3
POL69398	582287	7011360	NAD 83-07V	0.5	41	9.3	60	0.05	24.3	11.6	412	2.62	7.6
POL69399	582318	7011324	NAD 83-07V	0.7	42.2	11.7	65	0.1	27.8	12.3	458	2.78	9.2
POL69402	582421	7011211	NAD 83-07V	0.7	30.6	7.2	51	0.05	24.1	10	431	2.31	8.3
POL69405	582520	7011097	NAD 83-07V	0.8	29.9	6.9	56	0.05	24.8	9.7	384	2.27	7.4
POL69407	582588	7011026	NAD 83-07V	0.8	32.4	7.4	59	0.05	26.2	10.3	419	2.41	8.1
POL69409	582622	7010989	NAD 83-07V	0.7	27.8	7.4	51	0.05	23.8	9.7	377	2.41	7.4
POL69410	582655	7010952	NAD 83-07V	0.9	44.2	9.9	70	0.1	20.8	15.2	632	3.06	7.2
POL69411	582690	7010918	NAD 83-07V	0.8	42.5	10.2	72	0.1	29	12.2	400	2.65	7.3
POL69412	581466	7011973	NAD 83-07V	0.4	23.6	15	77	0.05	25.2	12.7	477	3.2	3
POL69414	581533	7011900	NAD 83-07V	0.3	35.2	6	56	0.05	22.9	16.7	550	3.29	2.6
POL69416	581601	7011822	NAD 83-07V	0.7	40	8.3	53	0.05	24.1	12.4	252	3.89	5.6
POL69418	581668	7011750	NAD 83-07V	0.9	23.4	10.8	55	0.05	27.4	11.3	321	3.37	6.4
POL69422	581801	7011601	NAD 83-07V	0.7	37.4	4.1	59	0.05	36.5	16.5	373	4.6	2.3
POL69423	581836	7011564	NAD 83-07V	0.5	30.7	9.5	71	0.05	29.1	12.6	449	3.08	4.3
POL69423	581836	7011564	NAD 83-07V	0.5	29.8	10.5	72	0.05	28.3	12.9	453	3.16	4.4
POL69424	581871	7011527	NAD 83-07V	0.6	31.6	9.1	61	0.05	28.6	11.5	385	2.69	5.3
POL69425	581901	7011489	NAD 83-07V	0.8	22.8	11.1	71	0.1	18.5	10.1	464	2.79	5.8
POL69427	581970	7011414	NAD 83-07V	0.7	44.8	5.5	70	0.05	34.2	17.5	630	3.54	3.8
POL69428	581970	7011414	NAD 83-07V	0.7	44.7	5	68	0.05	33.8	17.4	574	3.68	3.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69305	1	4.8	7.2	27	0.1	0.4	0.2	67	0.5	0.081	23	40	0.75	299	0.104
POL69306	1.1	2.3	5.4	22	0.05	0.6	0.2	55	0.41	0.054	19	30	0.43	269	0.06
POL69307	0.7	3	4.9	27	0.2	1.6	0.2	64	0.44	0.071	20	29	0.6	230	0.079
POL69307	0.7	3.6	4.8	27	0.1	1.7	0.2	68	0.45	0.072	20	31	0.57	229	0.076
POL69311	0.7	1.2	3.7	26	0.05	0.6	0.2	58	0.29	0.049	14	28	0.46	231	0.068
POL69314	1	0.8	4.2	39	0.2	0.3	0.2	87	0.86	0.068	18	41	0.93	357	0.12
POL69316	1	1.4	3.3	45	0.2	0.3	0.2	91	1.25	0.107	19	31	1.01	444	0.139
POL69318	2.3	13.9	24.2	19	0.05	0.2	0.4	59	0.4	0.104	41	62	1.33	270	0.226
POL69321	0.9	0.25	12.1	20	0.05	0.3	0.2	36	0.46	0.087	49	16	1.02	151	0.152
POL69324	1.7	1.3	17	16	0.05	0.1	0.3	73	0.31	0.058	38	56	1.57	415	0.178
POL69325	1.1	2.2	5.6	19	0.1	0.2	0.3	85	0.38	0.073	21	22	1.22	379	0.173
POL69327	0.9	2.5	4.5	17	0.05	0.2	0.2	80	0.38	0.091	16	26	1.1	333	0.198
POL69328	0.9	1.7	3.9	24	0.1	0.3	0.1	67	0.38	0.064	16	31	0.68	316	0.11
POL69330	0.8	1.4	6.3	18	0.2	0.2	0.3	83	0.38	0.064	17	22	1.27	404	0.168
POL69332	0.6	0.8	6.2	9	0.1	0.1	0.05	95	0.36	0.147	14	25	1.92	350	0.27
POL69333	0.8	1	7	16	0.05	0.2	0.2	88	0.27	0.056	22	30	1.64	444	0.173
POL69334	2	0.9	23.6	19	0.1	0.2	0.6	40	0.39	0.104	84	30	0.77	308	0.092
POL69335	1.2	1.9	11.4	23	0.05	0.3	0.2	64	0.41	0.075	29	50	1.1	258	0.179
POL69336	0.8	1.3	8.3	19	0.05	0.4	0.1	70	0.27	0.03	28	53	1.04	196	0.195
POL69337	0.7	1.6	6.3	25	0.1	0.3	0.05	77	0.44	0.056	24	55	1.12	252	0.186
POL69338	1.6	0.9	20.2	17	0.05	0.1	0.2	95	0.33	0.064	53	75	1.65	208	0.408
POL69339	0.6	1.8	9.7	21	0.05	0.2	0.2	60	0.51	0.118	39	52	1.45	210	0.169
POL69340	0.9	0.7	15.6	21	0.05	0.2	0.2	49	0.56	0.088	55	45	1.07	164	0.136
POL69341	1.2	0.5	16.4	19	0.05	0.3	0.2	58	0.35	0.056	45	62	1.22	121	0.142
POL69342	1.9	0.25	17.9	39	0.05	0.1	0.2	58	0.59	0.087	47	56	1.15	141	0.233
POL69344	1.1	1.7	19	22	0.2	0.3	0.2	63	0.42	0.108	49	61	0.97	178	0.163
POL69345	1.4	1	20.6	12	0.1	0.05	0.2	46	0.24	0.058	40	50	0.99	204	0.158
POL69349	1.9	1.6	11.1	19	0.1	0.4	0.4	56	0.28	0.057	36	38	0.84	148	0.127
POL69352	0.6	0.8	2.7	26	0.1	0.1	0.05	99	0.47	0.133	9	28	1.07	363	0.218
POL69359	0.4	0.9	2.7	36	0.05	0.05	0.1	129	0.71	0.248	9	35	1.65	575	0.222
POL69359	0.5	0.9	2.6	37	0.05	0.05	0.1	127	0.81	0.245	9	36	1.57	539	0.237
POL69361	0.1	0.25	0.7	22	0.05	0.05	0.05	140	0.43	0.028	3	25	1.72	387	0.153
POL69364	0.8	1.8	3	28	0.05	0.2	0.1	93	0.2	0.056	11	38	1.27	375	0.237
POL69371	2.8	1.1	14.5	109	0.05	0.2	1.8	87	0.3	0.117	30	27	1.5	357	0.249
POL69398	0.7	3.3	3.5	52	0.2	0.6	0.2	59	1.28	0.066	12	29	0.73	324	0.102
POL69399	0.9	3	3.8	47	0.2	0.6	0.2	55	0.84	0.056	14	30	0.73	359	0.095
POL69402	0.5	5.5	3.3	67	0.3	0.6	0.1	51	1.71	0.076	12	26	0.69	260	0.085
POL69405	0.5	1.8	3.3	63	0.3	0.6	0.1	50	1.72	0.078	11	25	0.74	236	0.085
POL69407	0.5	5.3	3.3	56	0.3	0.6	0.1	56	1.32	0.076	12	28	0.7	236	0.092
POL69409	0.6	2.7	3.3	45	0.1	0.5	0.1	57	0.76	0.071	12	29	0.57	248	0.083
POL69410	0.8	25	2.2	43	0.2	0.3	0.1	63	0.82	0.089	11	27	0.75	407	0.117
POL69411	0.7	3.7	3.3	39	0.3	0.6	0.2	58	0.7	0.079	13	31	0.72	264	0.099
POL69412	0.8	3.8	12.1	14	0.05	0.2	0.2	44	0.18	0.036	35	57	1.06	213	0.166
POL69414	0.4	0.25	2.5	18	0.05	0.2	0.05	93	0.4	0.046	6	59	1.28	227	0.178
POL69416	0.8	0.9	11	13	0.05	0.3	0.2	64	0.13	0.032	17	39	1.11	187	0.148
POL69418	1.1	1.2	7.6	15	0.05	0.4	0.2	58	0.14	0.019	15	40	0.71	202	0.148
POL69422	1.3	0.25	12.6	13	0.05	0.2	0.1	61	0.15	0.019	15	55	1.58	247	0.246
POL69423	1.7	2	11.3	33	0.05	0.3	0.2	50	0.54	0.06	39	38	0.76	237	0.154
POL69423	1.7	1.8	11.3	35	0.1	0.3	0.2	51	0.54	0.062	39	41	0.78	240	0.155
POL69424	1.4	1.4	7.4	39	0.2	0.4	0.2	49	0.62	0.059	32	36	0.65	256	0.111
POL69425	1.3	3.5	4.4	31	0.2	0.3	0.2	61	0.41	0.067	22	30	0.68	296	0.11
POL69427	0.9	1.6	4.7	31	0.2	0.3	0.05	91	0.69	0.078	14	76	1.37	316	0.174
POL69428	0.8	47.5	4.4	28	0.2	0.3	0.05	92	0.67	0.085	13	75	1.38	311	0.176

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69305	1	1.79	0.021	0.22	0.2	0.04	4.3	0.2	0.025	5	0.7	1DX15	VAN09004678
POL69306	1	1.51	0.015	0.09	0.1	0.04	4.8	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69307	0.5	1.66	0.018	0.1	0.2	0.03	3.3	0.1	0.025	5	0.25	1DX15	VAN09004678
POL69307	0.5	1.64	0.016	0.1	0.2	0.04	3.6	0.1	0.025	5	0.5	1DX15	VAN09004678
POL69311	0.5	1.61	0.023	0.11	0.2	0.02	4	0.05	0.025	5	0.6	1DX15	VAN09004678
POL69314	2	2.03	0.022	0.33	0.1	0.05	6.7	0.2	0.025	7	0.7	1DX15	VAN09004678
POL69316	2	1.86	0.022	0.4	0.1	0.05	6.7	0.2	0.025	7	0.8	1DX15	VAN09004678
POL69318	0.5	3.02	0.013	1.12	0.05	0.01	6.6	0.8	0.025	10	0.8	1DX15	VAN09004678
POL69321	0.5	2.46	0.012	0.79	0.1	0.03	5.5	0.6	0.025	9	0.7	1DX15	VAN09004678
POL69324	0.5	2.98	0.018	1.21	0.05	0.01	7.2	0.5	0.025	10	0.7	1DX15	VAN09004678
POL69325	0.5	2.11	0.016	0.74	0.2	0.02	6.6	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69327	0.5	2.15	0.017	0.67	0.2	0.01	5.1	0.3	0.025	8	0.25	1DX15	VAN09004678
POL69328	1	1.81	0.017	0.13	0.2	0.04	4.4	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69330	0.5	2.26	0.019	0.98	0.2	0.01	9.3	0.3	0.025	10	0.25	1DX15	VAN09004678
POL69332	0.5	3.05	0.014	1.82	0.1	0.005	11.7	0.4	0.025	12	0.6	1DX15	VAN09004678
POL69333	0.5	2.87	0.013	1.08	0.2	0.02	9.7	0.4	0.025	12	0.25	1DX15	VAN09004678
POL69334	1	1.87	0.011	0.75	0.05	0.02	4.8	0.3	0.025	7	0.6	1DX15	VAN09004678
POL69335	0.5	2.51	0.021	0.67	0.1	0.02	6	0.4	0.025	7	0.25	1DX15	VAN09004678
POL69336	0.5	2.59	0.014	0.4	0.1	0.01	3.6	0.3	0.025	8	0.25	1DX15	VAN09004678
POL69337	0.5	2.52	0.026	0.54	0.1	0.01	4.1	0.3	0.025	7	0.25	1DX15	VAN09004678
POL69338	0.5	3.54	0.017	1.66	0.2	0.005	5.6	1	0.025	11	0.7	1DX15	VAN09004678
POL69339	0.5	2.49	0.013	0.91	0.2	0.02	4.3	0.7	0.025	9	0.25	1DX15	VAN09004678
POL69340	0.5	2.24	0.012	0.63	0.1	0.03	3.6	0.5	0.025	8	0.7	1DX15	VAN09004678
POL69341	0.5	2.36	0.012	0.47	0.05	0.02	4.2	0.4	0.025	8	0.25	1DX15	VAN09004678
POL69342	0.5	2.52	0.014	0.96	0.1	0.02	3.7	0.7	0.025	11	0.5	1DX15	VAN09004678
POL69344	0.5	2.43	0.018	0.83	0.1	0.03	4.2	0.5	0.025	9	0.25	1DX15	VAN09004678
POL69345	0.5	2.3	0.012	1.08	0.05	0.005	4.4	0.7	0.025	8	0.6	1DX15	VAN09004678
POL69349	0.5	1.89	0.012	0.41	0.05	0.01	2.4	0.4	0.025	7	0.25	1DX15	VAN09004678
POL69352	0.5	2.24	0.013	0.88	0.05	0.01	2.3	0.3	0.025	8	0.25	1DX15	VAN09004678
POL69359	0.5	2.35	0.024	1.39	0.1	0.005	4.2	0.4	0.025	9	0.25	1DX15	VAN09004678
POL69359	0.5	2.29	0.023	1.54	0.1	0.01	4.3	0.4	0.025	8	0.25	1DX15	VAN09004678
POL69361	0.5	1.97	0.039	0.6	0.05	0.005	7.1	0.3	0.025	5	0.25	1DX15	VAN09004678
POL69364	0.5	2.19	0.011	0.83	0.05	0.005	4.1	0.4	0.025	9	0.25	1DX15	VAN09004678
POL69371	0.5	1.93	0.026	1.21	0.05	0.01	4.7	0.9	0.33	8	1	1DX15	VAN09004678
POL69398	2	1.38	0.03	0.12	0.2	0.03	4	0.05	0.025	4	0.5	1DX15	VAN09004678
POL69399	2	1.42	0.026	0.13	0.2	0.03	4.2	0.05	0.025	4	0.25	1DX15	VAN09004678
POL69402	1	1.18	0.032	0.07	0.2	0.03	3.3	0.05	0.025	3	0.5	1DX15	VAN09004678
POL69405	2	1.1	0.037	0.09	0.2	0.01	3.1	0.05	0.025	3	0.25	1DX15	VAN09004678
POL69407	2	1.28	0.039	0.07	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004678
POL69409	1	1.28	0.03	0.06	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	VAN09004678
POL69410	2	1.44	0.022	0.17	0.2	0.05	4	0.1	0.025	5	0.5	1DX15	VAN09004678
POL69411	2	1.38	0.028	0.11	0.2	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004678
POL69412	1	2.23	0.01	0.65	0.05	0.005	3.2	0.4	0.025	6	0.25	1DX15	VAN09004678
POL69414	0.5	2.27	0.032	0.59	0.05	0.005	5.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69416	0.5	2.42	0.011	0.68	0.05	0.005	4.8	0.3	0.025	8	0.25	1DX15	VAN09004678
POL69418	0.5	1.73	0.017	0.42	0.05	0.005	4	0.2	0.025	5	0.5	1DX15	VAN09004678
POL69422	0.5	2.7	0.012	1.37	0.05	0.005	5.8	0.6	0.025	9	0.25	1DX15	VAN09004678
POL69423	1	1.74	0.017	0.5	0.1	0.02	4.1	0.3	0.025	6	0.6	1DX15	VAN09004678
POL69423	1	1.78	0.016	0.5	0.1	0.03	4.4	0.3	0.025	5	0.25	1DX15	VAN09004678
POL69424	1	1.59	0.019	0.21	0.2	0.03	4.1	0.2	0.025	5	0.7	1DX15	VAN09004678
POL69425	0.5	1.69	0.018	0.16	0.2	0.04	4.5	0.1	0.025	5	0.6	1DX15	VAN09004678
POL69427	0.5	1.99	0.027	0.59	0.1	0.005	6.7	0.2	0.025	7	0.5	1DX15	VAN09004678
POL69428	0.5	1.97	0.026	0.63	0.05	0.01	6.8	0.2	0.025	7	0.6	1DX15	VAN09004678

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69429	582002	7011376	NAD 83-07V	0.6	29	8.1	64	0.05	24.4	11.5	447	2.77	6.5
POL69430	582036	7011339	NAD 83-07V	0.6	25.4	7.2	56	0.05	23.4	10.5	332	2.58	7.1
POL69431	582070	7011302	NAD 83-07V	0.6	24.8	8.7	60	0.05	25.3	10.7	317	2.88	5.1
POL69432	582103	7011264	NAD 83-07V	0.6	28.4	7.7	56	0.05	26	11.9	250	2.96	5.8
POL69433	582138	7011228	NAD 83-07V	0.8	64.5	15.5	100	0.05	47.2	22.7	590	5	0.8
POL69437	582269	7011077	NAD 83-07V	0.7	27.9	6.9	54	0.05	24.7	9.3	375	2.29	7.7
POL69450	581933	7012054	NAD 83-07V	0.3	120.9	4.9	66	0.05	27.6	28.1	480	4.27	2.1
POL69452	581999	7011980	NAD 83-07V	0.1	70.3	2.5	74	0.05	10.1	22.8	545	4.9	0.7
POL69452	581999	7011980	NAD 83-07V	0.1	69.7	7.5	76	0.05	10.3	22.2	541	4.71	0.8
POL69454	582066	7011905	NAD 83-07V	0.2	39.5	5.9	75	0.05	15.8	16.5	678	4.32	2.3
POL69459	582229	7011721	NAD 83-07V	0.4	31.3	6.2	84	0.05	24.3	20.6	573	4.19	3.9
POL69460	582263	7011684	NAD 83-07V	0.3	51.4	5.8	70	0.05	53.8	26.5	598	4.44	3.2
POL69470	582597	7011312	NAD 83-07V	0.2	112.3	3.2	39	0.05	30.6	26.9	320	5.09	2.8
POL69471	582631	7011276	NAD 83-07V	0.5	157.1	4.3	35	0.2	35	27.2	358	3.21	1.9
POL69475	588309	7009746	NAD 83-07V	0.5	42.5	6.5	102	0.05	18.7	10	374	3.66	7.2
POL69477	588381	7009676	NAD 83-07V	0.6	97.7	3.4	83	0.05	12.8	20	325	5	3.2
POL69478	588418	7009640	NAD 83-07V	0.3	83.9	1.7	78	0.05	27.4	24	764	5.11	2.2
POL69479	588453	7009606	NAD 83-07V	0.3	38.9	3.3	114	0.05	11.4	16.8	957	4.83	2.4
POL69481	588526	7009537	NAD 83-07V	2.1	89	3	122	0.4	27.2	13.9	516	4.7	8
POL69485	588670	7009397	NAD 83-07V	0.4	44.9	4.2	52	0.05	17.5	11.3	247	2.7	3.2
POL69487	588742	7009327	NAD 83-07V	0.1	72.4	1	52	0.05	11.3	13.9	249	2.74	1.2
POL69490	588814	7009259	NAD 83-07V	0.2	154.5	1.6	64	0.05	31.5	20.4	396	3.6	2.5
POL69492	588888	7009189	NAD 83-07V	0.3	60.6	2	130	0.05	16.1	15.8	489	4.83	3.2
POL69492	588888	7009189	NAD 83-07V	0.4	62.3	2.1	136	0.05	16.4	16.1	475	4.93	2.9
POL69495	588671	7009542	NAD 83-07V	0.3	114.4	2.7	38	0.05	15.1	11.9	276	2.42	3.5
POL69496	588706	7009509	NAD 83-07V	0.5	76.8	6	55	0.05	22.2	14.4	326	3.07	6.5
POL69497	588743	7009474	NAD 83-07V	0.5	99.4	4.4	66	0.05	20.7	18.8	461	3.78	4.4
POL69500	588850	7009367	NAD 83-07V	0.3	234.9	1.7	85	0.05	23.4	29	570	5.93	3.1
POL69544	589269	7009514	NAD 83-07V	0.7	57.4	9	70	0.05	25.8	14.8	472	3.15	7.6
POL69684	582503	7009476	NAD 83-07V	0.8	19.7	6.9	58	0.05	19.8	10.2	306	3.12	5.5
POL69685	582469	7009513	NAD 83-07V	0.8	32.7	8.6	73	0.05	26.8	11.1	433	2.86	7.4
POL69691	582268	7009736	NAD 83-07V	0.6	37.1	8.7	75	0.05	26.5	11.5	352	3.3	6
POL69743	582887	7009350	NAD 83-07V	1.2	28.4	17	64	0.05	20.2	10.3	323	3.09	21.4
POL69744	582854	7009387	NAD 83-07V	0.9	33.8	13.2	71	0.05	19.6	11.3	373	3.06	21.7
POL69772	583104	7009408	NAD 83-07V	0.7	58	6.6	59	0.05	21.6	12.6	342	3.09	6.7
POL69775	583003	7009520	NAD 83-07V	0.5	54.7	6.1	80	0.05	22.5	13.9	556	3.57	3.6
POL69826	582548	7010324	NAD 83-07V	0.7	32.9	8.9	70	0.05	25.5	15.2	497	3.52	5.3
POL69833	583609	7009593	NAD 83-07V	0.7	25.2	7.3	69	0.05	12.8	7.4	428	2.9	5
POL69835	583541	7009668	NAD 83-07V	0.7	28	8.1	62	0.05	20.7	9.9	450	3.35	7.6
POL69853	582546	7009579	NAD 83-07V	1.2	22.5	8.7	66	0.05	14.1	10.3	272	2.89	5.1
POL69857	582411	7009729	NAD 83-07V	0.7	37.1	8.9	60	0.05	24.5	13.4	493	2.96	6.9
POL69864	582177	7009989	NAD 83-07V	0.7	31.7	6.3	49	0.1	18.2	8.6	342	2.12	3.6
POL69883	583061	7009908	NAD 83-07V	0.7	47.1	5	82	0.05	64.1	16.9	692	3.82	2.6
POL69890	582822	7010171	NAD 83-07V	0.4	125.6	11.4	55	0.1	22.6	25.5	357	3.43	13
POL69890	582822	7010171	NAD 83-07V	0.4	129	11.1	56	0.1	23.7	26.5	367	3.53	12.7
POL69892	582755	7010244	NAD 83-07V	0.4	42.7	8.1	65	0.05	16.2	14.4	385	3.46	3.4
POL45002	581128	7011601	NAD 83-07V	0.8	51.3	28.2	94	0.2	12.7	14.4	535	3.22	6.4
POL51180	581929	7009965	NAD 83-07V	0.6	30	8.9	68	0.05	26	10.9	291	2.7	5
POL51182	581961	7009927	NAD 83-07V	0.8	34	9.6	67	0.05	25.3	11.1	326	2.87	6.8
POL51194	582330	7009518	NAD 83-07V	1.1	31.7	8.4	71	0.05	24.8	12.9	416	3.23	8.5
POL51196	582397	7009444	NAD 83-07V	1	18.8	6.4	58	0.05	16	9.1	276	3.12	5
POL51197	582428	7009408	NAD 83-07V	0.8	21.2	7.5	70	0.05	18.2	12.6	304	3.22	5.4
POL51198	582463	7009370	NAD 83-07V	0.9	26.7	8.8	68	0.05	18.1	11.2	314	3.29	4.4

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69429	0.9	3.4	4.2	40	0.2	0.5	0.1	65	0.72	0.08	16	33	0.66	280	0.107
POL69430	0.9	6.3	4.6	36	0.3	0.5	0.1	58	0.59	0.081	15	28	0.57	246	0.094
POL69431	0.9	1.4	6.9	27	0.05	0.4	0.1	54	0.36	0.052	23	36	0.68	220	0.138
POL69432	0.6	1.6	6	26	0.05	0.4	0.1	64	0.35	0.034	17	41	0.75	224	0.142
POL69433	1.7	1	7.3	40	0.1	0.05	0.2	140	0.7	0.081	19	85	1.69	399	0.335
POL69437	0.6	4.4	3.8	55	0.3	0.6	0.1	50	1.49	0.082	14	26	0.65	216	0.088
POL69450	0.7	1	1.3	62	0.2	0.2	0.05	104	1.57	0.447	6	25	1.21	291	0.127
POL69452	0.4	1.1	1.2	65	0.05	0.1	0.05	133	2.33	0.631	9	12	1.48	466	0.103
POL69452	0.4	0.7	1.1	64	0.3	0.05	0.05	131	2.32	0.624	9	11	1.54	467	0.126
POL69454	0.5	0.6	2.4	41	0.2	0.2	0.05	99	0.5	0.153	8	17	1.07	399	0.353
POL69459	0.3	3	1.2	48	0.1	0.2	0.05	95	0.38	0.096	3	26	1.23	328	0.332
POL69460	0.3	0.25	1.2	47	0.05	0.2	0.05	120	0.44	0.107	3	78	1.83	414	0.358
POL69470	0.5	1.4	1.4	49	0.05	0.2	0.05	183	1.15	0.306	5	44	1.03	192	0.118
POL69471	5	5.5	1.4	172	0.3	0.5	0.05	108	2.01	0.13	8	30	0.87	485	0.127
POL69475	0.7	2.4	3.7	48	0.05	0.5	0.1	64	0.44	0.102	10	27	0.87	650	0.195
POL69477	0.9	1.2	3.3	90	0.1	0.1	0.05	151	0.62	0.114	15	17	1.39	918	0.298
POL69478	0.4	0.25	1.7	59	0.05	0.05	0.05	151	0.53	0.089	5	57	2.68	808	0.417
POL69479	0.6	0.25	4.9	34	0.05	0.1	0.05	106	0.36	0.07	9	24	2.32	987	0.303
POL69481	2	0.25	6.2	36	0.05	0.2	0.05	119	0.32	0.101	25	30	1.39	610	0.208
POL69485	0.3	0.5	1.8	24	0.05	0.2	0.05	71	0.4	0.071	5	37	0.73	490	0.15
POL69487	0.3	0.25	1	20	0.05	0.05	0.05	98	0.66	0.171	4	34	1.14	566	0.201
POL69490	0.5	0.5	2.7	21	0.05	0.1	0.05	132	0.7	0.198	11	92	1.4	1672	0.266
POL69492	0.4	0.25	2.7	31	0.05	0.2	0.05	122	0.58	0.151	9	39	1.63	1655	0.244
POL69492	0.4	0.25	2.8	31	0.05	0.2	0.05	126	0.56	0.151	9	40	1.74	1717	0.245
POL69495	0.3	0.25	1.2	43	0.1	0.2	0.05	74	0.68	0.128	5	23	0.68	262	0.129
POL69496	0.5	2.1	2.8	32	0.05	0.5	0.1	85	0.67	0.094	10	32	0.89	414	0.131
POL69497	0.4	2.2	3.7	31	0.1	0.4	0.05	109	0.92	0.225	14	43	1.24	470	0.174
POL69500	0.5	1	1.4	55	0.05	0.2	0.05	188	1.06	0.234	7	32	1.69	878	0.219
POL69544	0.5	2.2	3.6	58	0.2	0.6	0.2	75	0.74	0.11	13	30	0.69	282	0.115
POL69684	0.8	3.1	5.1	20	0.05	0.4	0.1	63	0.32	0.032	21	35	0.72	190	0.131
POL69685	0.9	2.2	4.7	37	0.3	0.7	0.2	59	0.67	0.07	19	31	0.65	330	0.102
POL69691	1.1	3.1	6.1	39	0.1	0.5	0.2	63	0.62	0.056	21	36	0.77	277	0.147
POL69743	1	2.6	2.7	19	0.1	0.7	0.2	65	0.21	0.062	12	30	0.48	232	0.059
POL69744	1.2	2.4	4.7	21	0.05	0.6	0.1	67	0.26	0.043	17	28	0.63	247	0.118
POL69772	0.7	1.8	2.6	30	0.05	0.3	0.1	76	0.35	0.059	9	33	0.77	289	0.134
POL69775	0.6	1.5	2.5	22	0.05	0.2	0.05	96	0.38	0.098	9	39	1.05	359	0.228
POL69826	0.7	0.6	3.9	19	0.05	0.3	0.1	81	0.25	0.043	13	60	1.22	248	0.173
POL69833	0.9	1.2	3.3	17	0.05	0.3	0.1	49	0.22	0.054	16	24	0.5	162	0.113
POL69835	1.1	1.3	4.6	24	0.05	0.6	0.1	56	0.28	0.032	18	32	0.63	263	0.104
POL69853	0.9	3.2	3.6	25	0.05	0.2	0.2	66	0.37	0.071	13	30	0.74	164	0.145
POL69857	0.7	2.3	5.5	31	0.05	0.4	0.1	66	0.4	0.045	30	36	0.75	271	0.128
POL69864	1.6	1.8	2.2	69	0.2	0.4	0.1	47	1.41	0.063	25	24	0.56	364	0.095
POL69883	1.1	0.5	5	22	0.05	0.1	0.05	113	0.76	0.099	18	103	1.79	611	0.234
POL69890	0.4	0.7	1.1	26	0.1	0.2	0.1	136	0.68	0.122	5	50	1.49	351	0.156
POL69890	0.4	0.25	1	26	0.1	0.2	0.1	142	0.68	0.124	5	53	1.48	348	0.163
POL69892	0.3	0.25	2.4	43	0.05	0.2	0.05	84	0.41	0.056	10	39	1.15	238	0.191
POL45002	1.6	1.4	3.1	50	0.3	0.3	0.2	70	0.71	0.094	31	21	0.8	515	0.145
POL51180	0.9	2.9	3.6	34	0.2	0.4	0.1	72	0.42	0.061	15	40	0.66	518	0.121
POL51182	0.9	1.6	3.8	32	0.2	0.4	0.1	69	0.4	0.061	15	39	0.64	534	0.112
POL51194	1.4	3.3	3.6	48	0.3	0.7	0.2	70	0.82	0.071	14	35	0.61	285	0.087
POL51196	0.7	2.2	3.3	20	0.1	0.3	0.1	63	0.25	0.03	14	28	0.6	193	0.133
POL51197	0.7	0.25	4.2	25	0.05	0.3	0.1	64	0.3	0.036	14	32	0.7	199	0.149
POL51198	0.8	0.25	5.2	25	0.05	0.3	0.1	64	0.3	0.032	21	35	0.81	223	0.19

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69429	1	1.44	0.028	0.13	0.2	0.03	4	0.05	0.025	4	0.6	1DX15	VAN09004678
POL69430	0.5	1.26	0.025	0.11	0.3	0.03	3.6	0.05	0.025	4	0.6	1DX15	VAN09004678
POL69431	0.5	1.77	0.016	0.18	0.1	0.02	3.7	0.1	0.025	5	0.6	1DX15	VAN09004678
POL69432	0.5	1.82	0.02	0.23	0.1	0.005	4	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69433	0.5	3.62	0.027	1.24	0.05	0.005	9.2	0.5	0.025	11	0.25	1DX15	VAN09004678
POL69437	1	1.12	0.03	0.09	0.2	0.02	3.1	0.05	0.025	3	0.6	1DX15	VAN09004678
POL69450	2	1.79	0.088	0.51	0.05	0.005	6.7	0.2	0.025	6	1	1DX15	VAN09004678
POL69452	0.5	2.38	0.075	0.66	0.05	0.01	7.8	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69452	2	2.39	0.08	0.67	0.05	0.005	7.7	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69454	0.5	2.41	0.011	1.02	0.1	0.005	2.5	0.3	0.025	8	0.6	1DX15	VAN09004678
POL69459	0.5	2.47	0.01	0.76	0.2	0.005	1.9	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69460	0.5	2.88	0.015	1.06	0.1	0.005	2.6	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69470	0.5	1.54	0.055	0.29	0.05	0.005	7.3	0.1	0.025	5	0.8	1DX15	VAN09004678
POL69471	3	1.45	0.034	0.28	0.05	0.05	6.4	0.1	0.07	4	1.8	1DX15	VAN09004678
POL69475	0.5	2.14	0.016	0.54	0.05	0.005	5.5	0.1	0.025	8	0.5	1DX15	VAN09004678
POL69477	0.5	2.5	0.03	1.09	0.05	0.005	6	0.1	0.025	10	0.25	1DX15	VAN09004678
POL69478	2	3.51	0.021	1.86	0.05	0.005	3.8	0.4	0.025	10	0.25	1DX15	VAN09004678
POL69479	2	3.25	0.016	1.95	0.1	0.005	6.9	0.5	0.025	12	0.25	1DX15	VAN09004678
POL69481	1	2.42	0.013	0.94	0.05	0.005	13.7	0.2	0.09	9	0.8	1DX15	VAN09004678
POL69485	0.5	1.8	0.026	0.27	0.05	0.005	3.5	0.05	0.025	6	0.25	1DX15	VAN09004678
POL69487	0.5	1.73	0.039	0.66	0.05	0.005	4.4	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69490	0.5	2.2	0.03	0.94	0.05	0.005	5.4	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69492	1	2.42	0.026	1.11	0.05	0.005	11.7	0.3	0.025	11	0.25	1DX15	VAN09004678
POL69492	2	2.51	0.028	1.16	0.05	0.005	11.8	0.3	0.025	12	0.25	1DX15	VAN09004678
POL69495	1	1.85	0.041	0.16	0.05	0.005	4.1	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69496	1	2.08	0.035	0.15	0.05	0.02	6.2	0.05	0.025	6	0.25	1DX15	VAN09004678
POL69497	2	2.31	0.049	0.54	0.05	0.02	6.3	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69500	0.5	2.93	0.09	0.79	0.05	0.005	13.2	0.2	0.025	9	0.7	1DX15	VAN09004678
POL69544	3	1.74	0.044	0.09	0.1	0.02	5.8	0.05	0.025	5	0.25	1DX15	VAN09004678
POL69684	2	1.79	0.013	0.17	0.1	0.02	3.8	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69685	1	1.56	0.022	0.13	0.2	0.04	4.7	0.1	0.025	5	0.7	1DX15	VAN09004678
POL69691	2	1.8	0.032	0.27	0.2	0.03	4.9	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69743	2	1.96	0.01	0.07	0.1	0.06	4.1	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69744	0.5	1.63	0.014	0.25	0.1	0.03	5.3	0.2	0.025	5	0.25	1DX15	VAN09004678
POL69772	3	2.05	0.023	0.12	0.2	0.02	3.5	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69775	1	2.08	0.015	0.58	0.1	0.01	5.2	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69826	1	2.27	0.014	0.44	0.1	0.005	4.7	0.2	0.025	8	0.25	1DX15	VAN09004678
POL69833	2	1.67	0.012	0.19	0.1	0.02	4.6	0.1	0.025	7	0.25	1DX15	VAN09004678
POL69835	0.5	1.91	0.016	0.13	0.1	0.03	8.5	0.1	0.025	6	0.25	1DX15	VAN09004678
POL69853	2	1.49	0.02	0.28	0.2	0.03	3.2	0.2	0.025	6	0.25	1DX15	VAN09004678
POL69857	2	1.76	0.026	0.18	0.2	0.04	4.6	0.1	0.025	5	0.25	1DX15	VAN09004678
POL69864	2	1.4	0.026	0.16	0.1	0.05	3.7	0.05	0.09	4	0.8	1DX15	VAN09004678
POL69883	0.5	2.7	0.02	0.66	0.1	0.01	7.2	0.3	0.025	9	0.25	1DX15	VAN09004678
POL69890	6	1.9	0.039	0.39	0.05	0.02	7.3	0.3	0.025	6	0.25	1DX15	VAN09004678
POL69890	1	1.91	0.036	0.4	0.05	0.01	7.5	0.2	0.025	7	0.25	1DX15	VAN09004678
POL69892	1	2.12	0.022	0.24	0.05	0.01	3.5	0.1	0.025	7	0.25	1DX15	VAN09004678
POL45002	0.5	1.71	0.022	0.24	0.2	0.07	5.7	0.2	0.025	6	0.25	1DX15	VAN09004679
POL51180	0.5	1.59	0.026	0.08	0.2	0.03	4.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL51182	0.5	1.6	0.022	0.1	0.1	0.03	5.1	0.05	0.025	5	0.25	1DX15	VAN09004679
POL51194	1	1.65	0.04	0.06	0.2	0.04	4.7	0.05	0.025	5	0.5	1DX15	VAN09004679
POL51196	1	1.68	0.015	0.19	0.3	0.02	3.5	0.1	0.025	6	0.25	1DX15	VAN09004679
POL51197	1	1.78	0.021	0.16	0.1	0.02	3.4	0.1	0.025	6	0.25	1DX15	VAN09004679
POL51198	0.5	1.88	0.018	0.35	0.1	0.01	4.2	0.2	0.025	7	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL51199	582497	7009334	NAD 83-07V	0.8	20.7	7.2	67	0.05	19.4	11.4	326	3.35	4.7
POL51200	582529	7009296	NAD 83-07V	0.7	27.3	7.4	61	0.05	18.3	9.8	302	2.94	5
POL64358	589049	7010004	NAD 83-07V	0.4	127.6	1.5	59	0.05	8.8	26.2	352	4.5	1.3
POL64359	589012	7010039	NAD 83-07V	0.5	78.8	3.4	52	0.1	7.7	12.4	307	4.07	1.7
POL64360	588977	7010074	NAD 83-07V	0.3	126.7	2.6	65	0.1	21.3	24.5	370	5.09	2.2
POL64361	588941	7010109	NAD 83-07V	1.8	397.7	2.3	138	0.05	66	77.7	557	8.63	0.25
POL64362	588905	7010143	NAD 83-07V	6.9	119	3.5	101	0.2	26.1	10.4	379	4.9	1.3
POL64363	588869	7010179	NAD 83-07V	11.3	167.3	3.8	141	0.2	51.3	15.1	353	5.38	1.7
POL64363	588869	7010179	NAD 83-07V	11.5	170	3.9	145	0.2	51.4	15.1	360	5.36	1.3
POL64364	588832	7010213	NAD 83-07V	3.4	146.2	1.4	56	0.1	28.5	12.4	188	4.88	0.25
POL64365	588797	7010249	NAD 83-07V	0.2	73.8	2.5	62	0.05	12.2	18.6	385	3.78	0.9
POL64366	588760	7010283	NAD 83-07V	0.4	69.8	1.8	52	0.05	10.9	18.2	330	3.19	2.1
POL64367	588724	7010318	NAD 83-07V	0.2	52.5	1.6	51	0.05	11	18.4	398	3	0.25
POL64368	588689	7010353	NAD 83-07V	0.5	109.4	4.9	174	0.05	18.1	18	425	4.49	1.7
POL64371	588829	7010356	NAD 83-07V	3.6	152.7	0.9	74	0.05	30.5	15.5	298	3.95	5.8
POL64372	588865	7010321	NAD 83-07V	7.4	64.5	4.8	109	0.2	30.7	10.5	394	3.22	2.3
POL64374	588937	7010251	NAD 83-07V	3.7	68.3	13	135	0.2	33.9	11.5	298	3.8	7.8
POL64600	580947	7011503	NAD 83-07V	1.3	39	13.5	113	0.2	45.3	16.4	528	3.71	14
POL64619	581522	7010875	NAD 83-07V	0.6	28.5	6.8	64	0.05	30.2	12.6	444	2.7	8
POL64632	581955	7010392	NAD 83-07V	0.7	35.5	6.2	68	0.05	33	12.1	403	2.56	7.6
POL64633	581986	7010354	NAD 83-07V	0.7	32.5	6.8	64	0.05	30.5	11.9	448	2.71	8.3
POL64774	582015	7010445	NAD 83-07V	0.7	36.9	6.7	60	0.05	33.1	13.1	424	2.89	8.5
POL64775	582049	7010408	NAD 83-07V	0.9	31.3	7.5	61	0.05	28.7	11.4	454	2.62	8.5
POL64775	582049	7010408	NAD 83-07V	0.8	33.4	7.1	63	0.05	28.9	11.2	464	2.65	8.2
POL64776	582083	7010371	NAD 83-07V	0.7	32.1	6.3	61	0.05	30.6	12.3	483	2.66	8.7
POL64779	589082	7010112	NAD 83-07V	5.9	55.8	3.1	87	0.2	27.6	12.8	424	3.82	9.4
POL64781	589154	7010041	NAD 83-07V	1	65.4	4	94	0.05	19.8	19.7	746	5.26	8.4
POL64782	589188	7010008	NAD 83-07V	1.4	86.9	10.5	86	0.05	18.2	17.6	574	5.01	18.6
POL64783	589226	7009973	NAD 83-07V	1.1	62.6	11.6	80	0.05	17.7	17.1	504	4.06	7.8
POL64785	589298	7009904	NAD 83-07V	0.4	47.8	3.1	58	0.05	11.1	12.5	432	3.3	3.7
POL64786	589334	7009869	NAD 83-07V	0.9	111.3	9.2	100	0.2	26.4	23.1	688	6.02	2.9
POL64788	589442	7009765	NAD 83-07V	0.6	35.8	3.5	36	0.05	13.7	10.3	304	2.86	5.2
POL64789	589406	7009799	NAD 83-07V	0.7	62.6	4.6	45	0.05	18.7	11.7	268	2.8	4.5
POL64878	580872	7011438	NAD 83-07V	1.4	40.5	19.2	78	0.4	57.7	20.2	552	3.04	5
POL64906	581805	7010390	NAD 83-07V	0.9	31.8	6.9	71	0.1	31.1	12	462	2.7	8.9
POL64989	582306	7010442	NAD 83-07V	1.1	35.8	10.7	75	0.05	17.3	20.7	495	4.67	4.6
POL64989	582306	7010442	NAD 83-07V	1.1	34.3	10.6	75	0.05	16.9	19.7	485	4.45	4.2
POL64990	582271	7010480	NAD 83-07V	1.5	42.9	8.2	69	0.2	19.4	16.1	461	3.68	4.6
POL64992	583684	7009660	NAD 83-07V	0.7	21.7	7.7	63	0.05	14.5	7.8	327	2.95	5.5
POL65461	588724	7010318	NAD 83-07V	0.2	52.2	1.6	52	0.05	11.7	18.2	389	3.03	0.25
POL65548	588826	7010496	NAD 83-07V	0.7	51.3	3.5	73	0.05	33.5	25.2	567	4.3	3.5
POL65549	588862	7010463	NAD 83-07V	0.6	46.8	3.3	60	0.05	31.2	21.6	495	3.46	4.3
POL65550	588897	7010428	NAD 83-07V	0.7	53	4.4	82	0.05	30.3	23.7	580	3.89	3.3
POL65551	588934	7010392	NAD 83-07V	1.7	34	8.9	69	0.1	28.8	13.1	491	2.85	8.3
POL65553	589006	7010324	NAD 83-07V	2.3	56.4	8.5	61	0.05	23.5	18.9	456	3.59	2.3
POL65554	589006	7010324	NAD 83-07V	2.1	53.8	7.7	61	0.05	24.1	18.6	445	3.56	2.8
POL65555	589042	7010289	NAD 83-07V	2	48.1	19.1	60	0.1	23.3	18.3	412	3.29	3.3
POL65556	589079	7010253	NAD 83-07V	2.4	56.9	24.9	70	0.2	28.4	18.1	454	3.36	2.2
POL65557	589114	7010220	NAD 83-07V	5.5	79.8	38.2	69	0.1	30.8	23.3	603	4.13	1.6
POL65559	589186	7010150	NAD 83-07V	4.7	74.3	2.4	105	0.05	64.7	22.3	538	5.74	22.2
POL65560	589222	7010114	NAD 83-07V	1.8	41.6	15.9	59	0.2	26.3	15.7	416	3.19	4.2
POL65570	589615	7009874	NAD 83-07V	0.6	127.9	2.1	83	0.05	17.4	21.9	729	4	3.3
POL65571	589582	7009907	NAD 83-07V	0.7	88.7	1.3	74	0.05	18.6	26.3	566	4.17	3

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL51199	0.7	1.7	4.6	22	0.05	0.3	0.1	65	0.28	0.034	15	35	0.86	211	0.181
POL51200	0.8	0.25	4.7	24	0.05	0.3	0.1	61	0.3	0.033	19	32	0.8	219	0.17
POL64358	0.4	0.25	1.2	12	0.05	0.1	0.05	194	0.35	0.061	5	9	1.14	408	0.17
POL64359	0.7	1.4	0.6	75	0.05	0.05	0.05	160	1.24	0.078	4	7	0.9	113	0.143
POL64360	0.4	0.8	1.4	28	0.05	0.05	0.05	239	0.68	0.069	7	7	1.18	333	0.204
POL64361	0.7	0.7	2.4	42	0.1	0.05	0.05	277	0.72	0.085	9	18	1.82	1002	0.201
POL64362	2.2	0.25	7.7	128	0.05	0.1	0.05	120	0.4	0.11	32	50	1.38	388	0.115
POL64363	3	1.1	6	202	0.1	0.05	0.05	214	0.72	0.137	35	70	1.57	300	0.119
POL64363	3.1	1.1	6	200	0.1	0.1	0.05	218	0.73	0.142	35	69	1.58	308	0.121
POL64364	1.5	0.9	3.4	100	0.05	0.05	0.05	113	0.49	0.112	11	82	1.17	202	0.086
POL64365	0.2	0.25	0.9	56	0.05	0.05	0.05	127	1.14	0.122	5	20	1.17	267	0.135
POL64366	0.3	0.6	1.1	22	0.05	0.05	0.05	109	0.81	0.174	5	25	1.02	190	0.104
POL64367	0.2	0.25	0.7	29	0.05	0.05	0.05	94	0.8	0.12	4	23	1.46	294	0.144
POL64368	0.5	0.7	3.2	66	0.3	0.1	0.05	113	1.19	0.17	13	46	1.4	487	0.23
POL64371	0.8	1	2	84	0.4	0.2	0.05	90	0.62	0.13	10	20	0.74	330	0.06
POL64372	1.7	0.25	6.1	67	0.05	0.3	0.05	63	0.44	0.089	22	47	1.05	271	0.061
POL64374	0.9	0.25	3.3	71	0.2	0.1	0.2	88	0.68	0.099	15	33	1.01	434	0.097
POL64600	0.9	1.6	4.9	19	0.2	0.4	0.1	107	0.31	0.072	21	89	1	516	0.136
POL64619	0.9	3.1	3	37	0.2	0.5	0.1	69	0.88	0.079	12	36	0.62	240	0.088
POL64632	0.8	5.1	2.7	52	0.3	0.6	0.1	62	1.59	0.085	11	32	0.8	222	0.081
POL64633	0.5	2	3.1	49	0.3	0.6	0.1	63	1.48	0.076	11	33	0.81	219	0.092
POL64774	0.5	4.7	2.9	36	0.2	0.5	0.1	71	0.86	0.083	12	35	0.73	235	0.093
POL64775	0.5	1.5	3.2	58	0.3	0.7	0.1	58	1.49	0.074	12	31	0.72	239	0.082
POL64775	0.5	3.3	3	57	0.3	0.6	0.1	58	1.47	0.077	12	29	0.71	233	0.087
POL64776	0.5	3.6	3	49	0.2	0.6	0.1	62	1.71	0.078	12	32	0.75	233	0.081
POL64779	1.8	0.25	5.3	102	0.05	0.05	0.05	96	0.78	0.219	30	96	1.82	683	0.086
POL64781	0.6	0.25	4.4	16	0.1	0.2	0.05	142	0.65	0.118	14	26	1.58	692	0.178
POL64782	0.6	1.6	2.4	27	0.2	0.2	0.2	143	0.73	0.116	11	32	1.28	755	0.096
POL64783	0.5	0.9	2.2	41	0.1	0.3	0.2	116	0.75	0.092	7	34	1.26	576	0.193
POL64785	0.8	0.7	1.4	77	0.05	0.1	0.05	71	1.01	0.102	7	17	0.9	421	0.152
POL64786	0.5	1.7	1.4	43	0.05	0.1	0.05	251	1.27	0.263	7	67	2.66	570	0.232
POL64788	0.4	1.9	1.9	28	0.1	0.3	0.05	66	0.63	0.097	6	18	0.45	141	0.055
POL64789	0.7	1.9	2.1	35	0.2	0.3	0.05	68	0.8	0.097	10	22	0.53	211	0.068
POL64878	1.9	2.5	6.1	26	0.3	0.2	0.2	64	0.32	0.08	61	110	0.8	598	0.092
POL64906	0.6	3.6	2.9	51	0.3	0.6	0.1	63	1.54	0.082	12	32	0.85	242	0.092
POL64989	0.7	0.6	2.9	20	0.05	0.2	0.1	108	0.46	0.044	16	26	1.39	202	0.286
POL64989	0.7	1.2	2.9	19	0.05	0.1	0.1	105	0.46	0.043	17	26	1.35	199	0.277
POL64990	2.8	1.6	4.5	33	0.1	0.2	0.1	65	1.03	0.063	37	27	0.86	316	0.149
POL64992	0.7	2	3.3	16	0.05	0.4	0.1	57	0.27	0.041	14	26	0.52	167	0.08
POL65461	0.2	0.25	0.6	31	0.05	0.05	0.05	98	0.84	0.129	4	25	1.43	289	0.145
POL65548	0.3	1.4	1.6	36	0.05	0.2	0.05	112	0.65	0.077	7	48	1.92	284	0.285
POL65549	0.2	0.6	1.6	46	0.05	0.2	0.05	88	0.58	0.064	4	53	1.54	176	0.167
POL65550	0.2	0.25	1.1	41	0.1	0.1	0.05	112	0.69	0.083	3	50	1.76	241	0.227
POL65551	0.6	2.9	3.4	30	0.2	0.7	0.2	69	0.55	0.064	13	34	0.61	336	0.076
POL65553	0.5	2.3	2.3	36	0.05	0.2	0.2	99	0.66	0.092	7	43	1.18	331	0.125
POL65554	0.5	2.9	2.4	34	0.1	0.2	0.2	97	0.66	0.091	8	42	1.1	289	0.124
POL65555	0.5	1.5	2.2	28	0.05	0.2	0.4	89	0.49	0.061	8	38	1.26	365	0.15
POL65556	0.3	0.25	1.4	26	0.2	0.1	0.6	95	0.45	0.075	5	52	1.49	328	0.158
POL65557	0.4	2.1	2.2	28	0.1	0.05	1	122	0.51	0.077	8	54	1.88	578	0.181
POL65559	0.8	0.25	5.9	20	0.05	0.2	0.05	247	0.49	0.066	12	126	2.01	1247	0.294
POL65560	0.4	0.7	2.3	16	0.05	0.3	0.4	87	0.27	0.033	6	44	1.09	221	0.141
POL65570	0.6	2.2	1.5	32	0.05	0.2	0.05	126	0.63	0.062	6	29	1.6	588	0.304
POL65571	0.5	0.25	1	45	0.05	0.1	0.05	112	0.51	0.054	3	28	1.96	491	0.306

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL51199	2	1.87	0.016	0.34	0.1	0.01	3.6	0.2	0.025	6	0.25	1DX15	VAN09004679
POL51200	1	1.7	0.016	0.35	0.1	0.005	3.7	0.2	0.025	6	0.25	1DX15	VAN09004679
POL64358	0.5	2.11	0.028	0.82	0.05	0.005	7.4	0.2	0.025	7	0.25	1DX15	VAN09004679
POL64359	0.5	2.45	0.061	0.18	0.05	0.02	9.4	0.05	0.025	8	0.25	1DX15	VAN09004679
POL64360	0.5	2.27	0.039	0.54	0.05	0.005	5.9	0.05	0.025	8	0.25	1DX15	VAN09004679
POL64361	0.5	3.17	0.044	0.75	0.05	0.005	21.8	0.1	0.025	13	1.1	1DX15	VAN09004679
POL64362	0.5	2.9	0.016	0.33	0.05	0.005	7.7	0.05	0.43	9	2.2	1DX15	VAN09004679
POL64363	0.5	3.24	0.06	0.59	0.05	0.01	12	0.2	0.58	10	5	1DX15	VAN09004679
POL64363	0.5	3.31	0.062	0.6	0.05	0.005	12.4	0.2	0.57	10	4.7	1DX15	VAN09004679
POL64364	0.5	2.08	0.061	0.27	0.05	0.005	8.2	0.05	0.35	6	1.5	1DX15	VAN09004679
POL64365	1	2.61	0.051	0.28	0.05	0.005	5.8	0.05	0.025	8	0.25	1DX15	VAN09004679
POL64366	0.5	1.91	0.049	0.15	0.05	0.005	4.1	0.05	0.025	6	0.25	1DX15	VAN09004679
POL64367	0.5	2.18	0.054	0.33	0.05	0.005	4.6	0.05	0.025	6	0.25	1DX15	VAN09004679
POL64368	0.5	2.77	0.03	0.32	0.05	0.01	7.1	0.1	0.025	10	0.5	1DX15	VAN09004679
POL64371	0.5	1.36	0.042	0.19	0.05	0.01	6.8	0.05	0.025	5	1.2	1DX15	VAN09004679
POL64372	0.5	1.77	0.023	0.16	0.05	0.01	4.8	0.05	0.17	6	2.9	1DX15	VAN09004679
POL64374	0.5	2.27	0.019	0.31	0.05	0.005	6.3	0.2	0.025	8	2.3	1DX15	VAN09004679
POL64600	2	2.11	0.012	0.4	0.1	0.07	6.9	0.3	0.025	9	0.8	1DX15	VAN09004679
POL64619	2	1.45	0.031	0.08	0.2	0.02	3.5	0.05	0.025	4	0.5	1DX15	VAN09004679
POL64632	2	1.3	0.035	0.08	0.2	0.02	3.2	0.05	0.025	4	0.7	1DX15	VAN09004679
POL64633	2	1.41	0.043	0.09	0.2	0.03	3.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL64774	4	1.5	0.039	0.07	0.2	0.02	3.6	0.05	0.025	5	0.6	1DX15	VAN09004679
POL64775	3	1.26	0.035	0.07	0.2	0.02	3.6	0.05	0.025	4	0.6	1DX15	VAN09004679
POL64775	2	1.25	0.034	0.07	0.1	0.02	3.7	0.05	0.025	4	0.9	1DX15	VAN09004679
POL64776	2	1.34	0.035	0.08	0.2	0.02	3.4	0.05	0.025	4	0.25	1DX15	VAN09004679
POL64779	0.5	2.25	0.014	0.24	0.05	0.005	7.2	0.05	0.16	8	1.5	1DX15	VAN09004679
POL64781	0.5	2.78	0.016	0.79	0.05	0.02	12.8	0.2	0.025	11	1.1	1DX15	VAN09004679
POL64782	0.5	2.49	0.023	0.43	0.05	0.01	12.2	0.1	0.025	9	0.7	1DX15	VAN09004679
POL64783	0.5	2.64	0.02	0.6	0.05	0.005	5.8	0.1	0.025	8	0.25	1DX15	VAN09004679
POL64785	1	2.3	0.033	0.45	0.05	0.005	7.2	0.05	0.025	7	0.25	1DX15	VAN09004679
POL64786	0.5	3.45	0.035	1.32	0.05	0.02	9.5	0.6	0.025	13	0.25	1DX15	VAN09004679
POL64788	0.5	0.99	0.04	0.04	0.1	0.005	4	0.05	0.025	3	0.25	1DX15	VAN09004679
POL64789	0.5	1.19	0.041	0.07	0.2	0.02	4.1	0.05	0.025	4	0.7	1DX15	VAN09004679
POL64878	2	2.03	0.009	0.27	0.2	0.09	5.1	0.3	0.025	8	0.8	1DX15	VAN09004679
POL64906	3	1.44	0.044	0.1	0.2	0.02	3.3	0.05	0.025	4	0.7	1DX15	VAN09004679
POL64989	1	2.41	0.015	0.49	0.1	0.02	4.5	0.3	0.025	9	0.25	1DX15	VAN09004679
POL64989	1	2.39	0.017	0.47	0.1	0.02	4.5	0.3	0.025	8	0.25	1DX15	VAN09004679
POL64990	2	1.86	0.017	0.35	0.2	0.04	5	0.2	0.06	7	1	1DX15	VAN09004679
POL64992	0.5	1.55	0.015	0.1	0.1	0.02	4.6	0.05	0.025	6	0.5	1DX15	VAN09004679
POL65461	0.5	2.22	0.056	0.34	0.05	0.005	4.7	0.05	0.025	6	0.25	1DX15	VAN09004679
POL65548	0.5	2.97	0.013	0.49	0.05	0.005	2.2	0.1	0.025	8	0.25	1DX15	VAN09004679
POL65549	0.5	2.76	0.016	0.19	0.05	0.01	2.4	0.05	0.025	7	0.25	1DX15	VAN09004679
POL65550	0.5	3.1	0.015	0.26	0.05	0.01	2.5	0.05	0.025	9	0.25	1DX15	VAN09004679
POL65551	1	1.59	0.029	0.07	0.2	0.03	3.7	0.05	0.025	5	0.9	1DX15	VAN09004679
POL65553	0.5	2.07	0.016	0.44	0.1	0.01	4.2	0.05	0.025	6	0.5	1DX15	VAN09004679
POL65554	0.5	1.97	0.017	0.4	0.2	0.01	4.1	0.1	0.025	6	0.25	1DX15	VAN09004679
POL65555	0.5	2.14	0.014	0.5	0.05	0.01	3.3	0.1	0.025	6	0.25	1DX15	VAN09004679
POL65556	0.5	2.17	0.011	0.64	0.05	0.005	2.9	0.1	0.025	7	0.25	1DX15	VAN09004679
POL65557	0.5	2.7	0.012	1.01	0.05	0.005	5.1	0.3	0.025	8	0.25	1DX15	VAN09004679
POL65559	0.5	3.36	0.015	1.12	0.05	0.03	10.5	0.5	0.025	13	0.8	1DX15	VAN09004679
POL65560	0.5	1.99	0.009	0.44	0.05	0.005	3.1	0.1	0.025	7	0.25	1DX15	VAN09004679
POL65570	0.5	2.64	0.013	0.91	0.05	0.02	4.3	0.2	0.025	7	0.25	1DX15	VAN09004679
POL65571	0.5	2.66	0.011	1.07	0.05	0.005	2.7	0.2	0.025	6	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL65573	589509	7009976	NAD 83-07V	0.4	149.6	1.1	63	0.05	19.7	28.6	803	5.28	2.3
POL65654	588969	7010498	NAD 83-07V	0.7	43.3	4.8	58	0.05	30.5	14	292	3.33	4.9
POL65656	589041	7010426	NAD 83-07V	0.8	27.8	5.6	53	0.05	21.2	9.9	299	2.48	5.6
POL65662	589219	7010253	NAD 83-07V	2.8	121.9	2.6	68	0.05	8.4	15.8	434	4.71	1.9
POL65663	589255	7010217	NAD 83-07V	1.5	58.2	6.3	235	0.05	23.6	18.4	968	5.45	3.1
POL65663	589255	7010217	NAD 83-07V	1.3	57.4	6.9	235	0.05	23.1	18.2	954	5.41	3.1
POL65664	588966	7010641	NAD 83-07V	1.8	43.1	2.4	79	0.05	23.8	14.1	582	4.54	1.3
POL65671	589217	7010399	NAD 83-07V	0.8	36.3	8.2	70	0.1	26.7	11.6	395	2.67	7.5
POL65844	581721	7010048	NAD 83-07V	1.1	60.9	9.9	102	0.05	76	20.1	580	4.33	3.4
POL65845	581754	7010010	NAD 83-07V	0.8	45.2	7.1	63	0.05	38.5	14.3	328	3.12	4.7
POL65846	581789	7009972	NAD 83-07V	1.3	48.2	7.4	100	0.05	40.5	14.3	429	3.47	5
POL65847	581821	7009936	NAD 83-07V	0.8	58.1	10	106	0.05	53.8	15.7	456	3.6	2.6
POL65848	581858	7009898	NAD 83-07V	1.1	53.7	9.6	120	0.05	26.7	12.5	725	5.82	7.5
POL65849	581889	7009861	NAD 83-07V	0.9	64.2	8.7	99	0.05	53.3	23.6	639	5.59	6.4
POL65849	581889	7009861	NAD 83-07V	0.8	64.3	8.8	100	0.05	52.7	23.4	628	5.53	6.7
POL65850	581923	7009823	NAD 83-07V	0.1	47.2	4.1	75	0.05	908.5	44.9	455	3.33	1.8
POL65851	581955	7009787	NAD 83-07V	0.8	23.2	7	64	0.05	91.7	14.7	361	2.87	5.8
POL65853	582023	7009712	NAD 83-07V	0.3	51.2	5.1	56	0.05	398.6	31.9	625	3.73	1.9
POL65854	582056	7009675	NAD 83-07V	0.5	29.2	8.8	56	0.05	44	14	323	3.38	3.5
POL65855	582088	7009638	NAD 83-07V	0.5	34.4	5.5	66	0.05	56.6	17.7	671	4.93	1.4
POL65857	582157	7009563	NAD 83-07V	0.9	36.1	15.2	71	0.1	34.5	13.7	514	2.95	9.7
POL65860	582322	7009378	NAD 83-07V	1	25.6	8.4	52	0.05	22.4	12.8	387	2.73	5.6
POL65862	582389	7009305	NAD 83-07V	0.8	24.8	5.1	67	0.05	18.4	12.1	327	3.27	4.1
POL65863	582424	7009266	NAD 83-07V	0.7	20.3	4.9	59	0.05	18.7	11.1	330	3.03	4.8
POL65864	582456	7009228	NAD 83-07V	0.7	23.6	5.5	67	0.05	22.4	12.9	344	3.27	5.8
POL65865	582489	7009191	NAD 83-07V	0.8	20.8	6.1	65	0.05	18.6	13.7	421	3.46	5.1
POL65866	582523	7009155	NAD 83-07V	0.9	29.5	5.8	89	0.05	14.2	14.8	576	4.85	4.2
POL65867	582557	7009119	NAD 83-07V	0.7	32.8	6.2	65	0.05	26.8	13.2	399	3.37	6.3
POL65870	582658	7009006	NAD 83-07V	0.7	24	9.2	62	0.05	20.4	9.6	280	3.32	7.6
POL65872	582725	7008933	NAD 83-07V	0.8	29.3	7.2	53	0.05	25.5	10.2	251	3.08	6.4
POL68245	588691	7010211	NAD 83-07V	1.3	131.5	5.1	94	0.05	17.3	21.1	581	4.17	1.9
POL68246	588726	7010178	NAD 83-07V	1.8	279.2	7.3	117	0.1	13.7	20.7	584	6.12	0.25
POL68246	588726	7010178	NAD 83-07V	1.8	282.6	7.5	122	0.1	13.2	20.8	579	5.95	0.25
POL68247	588728	7010177	NAD 83-07V	1.4	202.3	5.5	114	0.05	17.7	18.9	567	5.27	0.25
POL68248	588762	7010142	NAD 83-07V	0.9	206	2.8	136	0.05	16.7	17	504	4.55	0.8
POL68249	588799	7010107	NAD 83-07V	0.2	136.7	69.9	52	0.05	26.7	35.7	350	3.01	0.25
POL68250	588835	7010073	NAD 83-07V	0.4	97.2	1.7	38	0.05	17.4	21.4	189	3.07	1.7
POL68252	588906	7010003	NAD 83-07V	1.3	111.2	5.6	61	0.1	20	18.3	342	3.81	4
POL68255	589015	7009900	NAD 83-07V	0.2	91.7	1.3	29	0.05	11.2	14.3	225	1.89	0.8
POL68256	589051	7009863	NAD 83-07V	0.7	59.6	6.5	53	0.1	22.2	11.7	419	2.64	7.1
POL68259	589160	7009761	NAD 83-07V	0.3	88.9	1.8	58	0.05	10.4	20.6	346	4.61	1.3
POL68260	589196	7009724	NAD 83-07V	0.7	313	2.9	69	0.05	14.4	28	392	5.1	3.5
POL68262	589268	7009655	NAD 83-07V	0.4	195.3	2.1	42	0.05	25.3	29	283	3.59	2.6
POL68268	589300	7009760	NAD 83-07V	0.5	106.4	1.7	38	0.05	18.1	17.9	227	2.46	2.2
POL68270	589230	7009830	NAD 83-07V	0.6	133.2	3.2	62	0.05	13.7	15.7	307	3.35	2.3
POL68272	589155	7009900	NAD 83-07V	0.8	66.8	7.6	54	0.1	22.9	11.9	227	3.67	10.1
POL68273	589121	7009936	NAD 83-07V	0.7	82.4	5.3	59	0.1	17.6	14.8	312	3.93	5.3
POL68274	589085	7009970	NAD 83-07V	0.5	113.9	3.1	51	0.1	12.1	20	375	4.86	3.3
POL68294	588169	7009743	NAD 83-07V	0.4	76.9	4.3	96	0.05	17	19.5	492	4.38	2.6
POL68295	588205	7009708	NAD 83-07V	0.6	34.3	6.6	72	0.05	23.9	13.7	391	3.17	7.2
POL68303	588528	7009395	NAD 83-07V	0.7	36.8	2.1	56	0.05	15	15.1	262	3.61	3.5
POL68305	588600	7009326	NAD 83-07V	0.4	62.1	2.9	98	0.05	12	17.5	541	5.78	3.2
POL68475	588557	7009642	NAD 83-07V	0.6	69.4	4.2	62	0.05	17.9	16.5	328	3.48	4.4

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL65573	0.5	2.3	1.5	22	0.05	0.2	0.05	185	0.62	0.063	5	35	2.04	591	0.156
POL65654	0.6	1.3	3.7	25	0.05	0.3	0.05	90	0.42	0.031	16	56	0.97	464	0.132
POL65656	0.7	2.5	2.3	31	0.1	0.4	0.1	61	0.62	0.068	10	26	0.53	194	0.071
POL65662	0.8	5.4	3.8	31	0.05	0.1	0.2	111	0.32	0.07	12	15	1.27	559	0.129
POL65663	1.2	0.7	4.2	31	0.3	0.1	0.2	130	0.67	0.121	13	101	2.73	1022	0.178
POL65663	1.2	0.25	4.1	31	0.4	0.1	0.2	130	0.65	0.116	13	102	2.75	1025	0.185
POL65664	2.1	0.25	10.3	14	0.05	0.1	0.05	60	0.2	0.045	27	27	1.63	560	0.112
POL65671	0.8	2.2	3.2	30	0.3	0.5	0.2	58	0.66	0.056	13	31	0.62	397	0.081
POL65844	1	1	6.9	33	0.1	0.2	0.05	123	0.43	0.065	20	111	1.34	924	0.229
POL65845	0.6	1.4	2.7	23	0.05	0.3	0.05	88	0.31	0.045	10	64	0.78	655	0.13
POL65846	0.8	2.9	4.2	25	0.1	0.3	0.05	114	0.34	0.074	15	86	0.96	692	0.157
POL65847	0.7	0.5	4.8	27	0.05	0.1	0.1	105	0.33	0.062	16	96	1.07	758	0.173
POL65848	1	1.4	6.7	31	0.1	0.6	0.05	76	0.33	0.072	25	49	1.83	1225	0.236
POL65849	0.7	0.8	3.5	26	0.1	0.4	0.05	113	0.43	0.076	8	70	0.8	537	0.069
POL65849	0.7	0.25	3.5	26	0.1	0.4	0.05	115	0.43	0.074	8	68	0.81	518	0.071
POL65850	0.4	0.6	1.6	10	0.1	0.05	0.05	44	0.14	0.015	5	735	7.41	150	0.054
POL65851	0.9	2.4	4.2	24	0.1	0.3	0.1	63	0.34	0.034	14	105	0.98	294	0.114
POL65853	0.5	0.25	4.2	67	0.05	0.1	0.05	59	0.4	0.058	15	284	3.28	359	0.139
POL65854	0.3	0.9	4.2	25	0.05	0.1	0.1	72	0.31	0.054	14	49	1.07	430	0.16
POL65855	0.9	0.25	9.4	30	0.05	0.1	0.05	107	0.54	0.146	33	68	1.71	939	0.381
POL65857	0.6	2.1	2.6	50	0.6	0.6	0.1	68	1.55	0.07	12	37	0.89	204	0.096
POL65860	3	2.1	2.9	56	0.2	0.4	0.1	59	0.78	0.046	16	32	0.6	263	0.094
POL65862	1.7	0.8	5.5	33	0.05	0.2	0.05	63	0.4	0.041	21	33	0.77	216	0.167
POL65863	0.5	1	4.4	22	0.05	0.3	0.05	62	0.41	0.045	13	30	0.71	178	0.14
POL65864	0.8	1.2	5.9	22	0.05	0.3	0.1	61	0.39	0.051	19	34	0.79	222	0.151
POL65865	0.7	0.6	5.8	24	0.05	0.2	0.05	63	0.47	0.045	17	33	0.81	213	0.148
POL65866	0.6	1.5	6.3	36	0.05	0.2	0.05	89	0.65	0.046	20	39	1.76	262	0.191
POL65867	0.9	2.2	6.5	28	0.05	0.3	0.2	66	0.46	0.035	23	41	0.8	232	0.141
POL65870	0.5	2	5.1	29	0.05	0.4	0.2	63	0.4	0.023	9	35	0.72	230	0.126
POL65872	1.2	6.1	6.3	32	0.05	0.5	0.1	68	0.43	0.028	35	41	0.76	592	0.111
POL68245	0.8	1.4	3.8	39	0.1	0.1	0.1	111	0.54	0.119	12	36	1.29	534	0.213
POL68246	1.4	0.7	4.6	64	0.1	0.05	0.05	129	0.6	0.129	22	28	1.49	749	0.189
POL68246	1.4	0.6	4.8	61	0.05	0.05	0.05	129	0.58	0.147	22	29	1.51	738	0.207
POL68247	0.9	0.25	3.4	50	0.1	0.05	0.05	133	0.54	0.116	12	38	1.6	794	0.244
POL68248	0.7	2.9	2.8	80	0.2	0.1	0.05	116	0.89	0.22	12	26	1.31	502	0.116
POL68249	0.2	0.25	0.3	23	0.05	0.05	2.3	135	0.53	0.023	3	56	2.54	532	0.227
POL68250	0.2	0.25	0.5	16	0.05	0.05	0.05	102	0.82	0.184	3	28	0.77	158	0.075
POL68252	0.4	0.25	2.4	29	0.1	0.3	0.1	102	0.4	0.101	7	24	0.81	158	0.104
POL68255	0.2	0.5	1.2	19	0.05	0.05	0.05	58	0.67	0.109	5	22	0.9	163	0.079
POL68256	0.9	3.6	2.6	50	0.3	0.5	0.1	67	0.93	0.095	11	25	0.55	302	0.074
POL68259	0.3	0.25	1	28	0.05	0.2	0.05	132	0.68	0.116	6	18	1.28	373	0.12
POL68260	0.5	1	2.7	24	0.05	0.2	0.05	105	0.62	0.162	10	18	1.03	222	0.114
POL68262	0.4	0.25	1.4	28	0.05	0.2	0.05	87	1.2	0.363	6	32	0.82	167	0.071
POL68268	0.4	1	1.6	51	0.05	0.1	0.05	67	1.53	0.499	7	54	1.01	257	0.11
POL68270	0.3	0.6	1.1	89	0.2	0.1	0.05	111	0.82	0.1	4	17	1.16	510	0.202
POL68272	0.7	0.9	3.9	23	0.05	0.6	0.1	89	0.29	0.04	11	33	0.84	347	0.134
POL68273	0.6	1	2.7	24	0.1	0.4	0.1	121	0.33	0.038	8	24	0.87	449	0.162
POL68274	0.5	0.7	2.2	29	0.05	0.2	0.05	181	0.31	0.051	7	17	1.52	477	0.245
POL68294	0.6	0.25	1.7	52	0.05	0.2	0.05	156	0.74	0.054	6	31	1.62	309	0.224
POL68295	0.4	1.8	2.5	23	0.1	0.5	0.1	80	0.3	0.031	7	46	0.97	331	0.152
POL68303	0.8	1.1	2.9	26	0.05	0.2	0.05	97	0.89	0.209	13	24	1.3	366	0.15
POL68305	0.7	0.7	3.6	17	0.05	0.2	0.05	190	0.43	0.102	14	23	2.73	681	0.254
POL68475	0.3	1	2.1	27	0.05	0.3	0.05	98	0.45	0.06	6	37	1.14	328	0.173

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL65573	1	2.93	0.019	0.61	0.05	0.005	11.3	0.1	0.025	9	0.25	1DX15	VAN09004679
POL65654	0.5	1.98	0.019	0.18	0.05	0.01	5.2	0.05	0.025	7	0.5	1DX15	VAN09004679
POL65656	0.5	1.19	0.031	0.05	0.2	0.02	2.9	0.05	0.025	4	0.25	1DX15	VAN09004679
POL65662	0.5	2.41	0.017	0.78	0.05	0.005	8.8	0.2	0.1	9	1.4	1DX15	VAN09004679
POL65663	0.5	3.53	0.017	0.94	0.05	0.005	10.3	0.2	0.025	13	0.6	1DX15	VAN09004679
POL65663	1	3.54	0.016	0.97	0.05	0.005	10.3	0.2	0.025	13	0.5	1DX15	VAN09004679
POL65664	0.5	2.61	0.013	0.57	0.05	0.005	3.6	0.2	0.025	8	0.25	1DX15	VAN09004679
POL65671	2	1.47	0.019	0.06	0.2	0.03	3.4	0.05	0.025	4	0.9	1DX15	VAN09004679
POL65844	0.5	3.11	0.041	0.75	0.05	0.01	5.3	0.4	0.025	10	0.6	1DX15	VAN09004679
POL65845	0.5	1.65	0.017	0.11	0.1	0.01	4.1	0.1	0.025	6	0.25	1DX15	VAN09004679
POL65846	0.5	1.76	0.013	0.4	0.1	0.01	5.2	0.2	0.025	7	0.6	1DX15	VAN09004679
POL65847	0.5	1.97	0.013	0.47	0.05	0.01	5.6	0.3	0.025	8	0.25	1DX15	VAN09004679
POL65848	0.5	3.04	0.012	1.54	0.1	0.02	13.1	0.6	0.025	12	0.25	1DX15	VAN09004679
POL65849	1	1.58	0.012	0.36	0.05	0.02	11.7	0.4	0.025	6	0.6	1DX15	VAN09004679
POL65849	1	1.58	0.014	0.37	0.05	0.02	12	0.4	0.025	6	0.25	1DX15	VAN09004679
POL65850	3	2.33	0.009	0.13	0.05	0.005	3.2	0.3	0.025	6	0.25	1DX15	VAN09004679
POL65851	0.5	1.68	0.019	0.09	0.1	0.02	3.2	0.1	0.025	5	0.25	1DX15	VAN09004679
POL65853	2	1.57	0.015	0.49	0.05	0.01	4.8	0.3	0.025	7	0.25	1DX15	VAN09004679
POL65854	0.5	1.86	0.015	0.46	0.05	0.005	3.5	0.2	0.025	7	0.25	1DX15	VAN09004679
POL65855	0.5	2.68	0.009	1.32	0.2	0.005	10	0.4	0.025	12	0.25	1DX15	VAN09004679
POL65857	4	1.59	0.054	0.09	0.2	0.02	3.9	0.05	0.025	5	0.7	1DX15	VAN09004679
POL65860	1	1.73	0.032	0.08	0.1	0.03	3.7	0.05	0.025	5	0.5	1DX15	VAN09004679
POL65862	0.5	1.73	0.018	0.47	0.1	0.02	4.1	0.2	0.025	6	0.25	1DX15	VAN09004679
POL65863	0.5	1.56	0.015	0.27	0.1	0.005	3.4	0.1	0.025	6	0.25	1DX15	VAN09004679
POL65864	0.5	1.7	0.015	0.27	0.1	0.01	3.5	0.2	0.025	6	0.6	1DX15	VAN09004679
POL65865	0.5	1.72	0.019	0.28	0.05	0.02	4.1	0.2	0.025	6	0.25	1DX15	VAN09004679
POL65866	0.5	2.62	0.014	0.51	0.05	0.005	8.4	0.3	0.025	11	0.25	1DX15	VAN09004679
POL65867	0.5	1.89	0.022	0.2	0.1	0.03	5.2	0.2	0.025	6	0.6	1DX15	VAN09004679
POL65870	1	1.89	0.017	0.21	0.1	0.005	3.7	0.1	0.025	6	0.25	1DX15	VAN09004679
POL65872	0.5	1.65	0.021	0.13	0.2	0.04	5.5	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68245	0.5	2.22	0.021	0.92	0.1	0.005	4.7	0.2	0.025	8	0.25	1DX15	VAN09004679
POL68246	0.5	2.29	0.027	1.16	0.05	0.005	10	0.3	0.19	10	0.7	1DX15	VAN09004679
POL68246	0.5	2.35	0.022	1.23	0.05	0.01	9.8	0.3	0.18	10	1.3	1DX15	VAN09004679
POL68247	0.5	2.53	0.02	1.27	0.05	0.005	7.6	0.3	0.09	10	0.7	1DX15	VAN09004679
POL68248	0.5	2.36	0.026	0.41	0.05	0.005	10.2	0.1	0.025	9	0.7	1DX15	VAN09004679
POL68249	0.5	2.34	0.045	0.87	0.05	0.005	6.4	0.3	0.025	6	0.25	1DX15	VAN09004679
POL68250	0.5	1.34	0.073	0.08	0.05	0.005	3.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68252	0.5	1.92	0.021	0.24	0.05	0.005	5.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68255	0.5	1.34	0.078	0.13	0.05	0.005	5.8	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68256	0.5	1.3	0.038	0.05	0.2	0.02	4.2	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68259	0.5	2	0.047	0.36	0.05	0.005	7.2	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68260	0.5	1.96	0.032	0.29	0.05	0.005	8	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68262	2	1.51	0.064	0.2	0.05	0.005	6.6	0.05	0.025	4	0.6	1DX15	VAN09004679
POL68268	0.5	1.57	0.06	0.2	0.05	0.005	5.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68270	0.5	2.47	0.044	0.58	0.05	0.005	5.5	0.1	0.025	8	0.25	1DX15	VAN09004679
POL68272	0.5	2.02	0.017	0.42	0.1	0.02	6.2	0.1	0.025	6	0.6	1DX15	VAN09004679
POL68273	0.5	2.19	0.02	0.37	0.05	0.005	6.8	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68274	0.5	2.74	0.026	1.27	0.05	0.005	8.5	0.3	0.025	8	0.25	1DX15	VAN09004679
POL68294	0.5	3.01	0.028	0.5	0.05	0.005	7	0.1	0.025	8	0.25	1DX15	VAN09004679
POL68295	1	2.01	0.017	0.29	0.05	0.005	3.6	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68303	0.5	2.13	0.054	0.53	0.1	0.01	6.9	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68305	0.5	3.62	0.03	1.49	0.05	0.01	19.3	0.3	0.025	12	0.7	1DX15	VAN09004679
POL68475	0.5	2.21	0.03	0.35	0.05	0.005	4	0.1	0.025	6	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68476	588594	7009607	NAD 83-07V	0.5	66.4	4.8	57	0.05	20	14.3	282	3.22	5
POL68477	588630	7009571	NAD 83-07V	0.3	82	3.1	47	0.05	16	13.4	293	2.72	3.4
POL68489	588735	7009611	NAD 83-07V	0.6	44.5	6.4	60	0.05	23.1	10.6	380	2.72	6.5
POL68502	584095	7010100	NAD 83-07V	0.5	46.8	9.4	56	0.05	18.9	13.1	382	3.01	6.2
POL68502	584095	7010100	NAD 83-07V	0.5	46.2	9.2	55	0.05	19	12.9	377	2.97	6
POL68505	583994	7010212	NAD 83-07V	0.7	37.4	9.8	54	0.05	18.1	12	431	2.88	5.8
POL68540	581560	7011719	NAD 83-07V	0.5	23.9	10.4	50	0.05	22.6	9.3	249	2.68	7.6
POL68553	581997	7011235	NAD 83-07V	0.6	32.7	9.2	83	0.05	36.5	13.8	404	3.82	5.1
POL68554	582029	7011198	NAD 83-07V	0.5	35.3	8.8	82	0.05	35.4	12.9	399	3.7	3.3
POL68555	582062	7011161	NAD 83-07V	0.6	28.1	10.8	75	0.05	28.1	11.3	376	3.65	4.9
POL68557	582130	7011086	NAD 83-07V	0.4	48	19	74	0.05	35	13.2	629	3.11	5.2
POL68563	582332	7010865	NAD 83-07V	0.8	35.2	9.2	63	0.05	29.5	10.7	436	2.75	9
POL68566	582430	7010752	NAD 83-07V	0.7	15.9	7.9	62	0.05	21.1	8.2	251	2.54	5.7
POL68567	581690	7012173	NAD 83-07V	0.6	30.3	5.8	62	0.05	15.7	12.8	370	2.78	4
POL68577	581546	7011437	NAD 83-07V	0.6	26	8.4	59	0.05	17.5	9.8	371	2.67	7
POL68582	581713	7011251	NAD 83-07V	0.4	35.2	6.9	220	0.05	6	20.8	1141	5.85	1.2
POL68582	581713	7011251	NAD 83-07V	0.4	35	6.6	217	0.05	5.6	21.3	1121	5.76	1.5
POL68587	581880	7011066	NAD 83-07V	0.3	23.7	3.1	78	0.05	11.2	17.2	465	4.52	2.2
POL68591	582015	7010916	NAD 83-07V	0.6	46	10.4	103	0.05	19.5	14.7	607	4.36	3.6
POL68592	582047	7010879	NAD 83-07V	0.8	40.6	23.6	121	0.05	23.1	15.7	519	4.83	3.8
POL68596	582180	7010730	NAD 83-07V	0.6	37.6	9.2	59	0.05	29.6	11.4	443	2.89	8.7
POL68601	581866	7012129	NAD 83-07V	0.5	29.3	9.8	65	0.05	17	14.4	637	2.96	5.7
POL68603	581542	7012039	NAD 83-07V	1	55.9	4.3	138	0.05	27.4	16	788	4.66	1.5
POL68604	581575	7012002	NAD 83-07V	0.7	40.8	4.2	99	0.05	24.2	14.6	808	4.44	2.4
POL68605	581609	7011964	NAD 83-07V	0.8	29.8	84.7	81	0.05	26.3	13	648	4.02	5.8
POL68606	581642	7011926	NAD 83-07V	0.8	31.4	9.9	56	0.05	26.9	11.1	324	2.84	11.3
POL68607	581675	7011890	NAD 83-07V	0.6	24.3	9.1	77	0.05	19.9	10.2	443	4.02	5.4
POL68610	581776	7011778	NAD 83-07V	0.9	32.7	6.3	79	0.05	15.6	13.3	596	4.44	2.6
POL68611	581810	7011741	NAD 83-07V	1	26.7	7.9	67	0.05	17	8.4	358	2.76	5.1
POL68612	581843	7011704	NAD 83-07V	1.1	47.4	7	91	0.1	28.6	11.1	533	3.32	4
POL68613	581844	7011704	NAD 83-07V	1.1	44.6	6.6	87	0.05	26.1	10.1	477	3.37	4.1
POL68628	582345	7011146	NAD 83-07V	0.6	38.5	7.9	57	0.05	26.7	11.7	451	2.78	7.7
POL68629	582379	7011109	NAD 83-07V	0.7	36.6	7.4	61	0.05	28.4	10.1	450	2.42	9.2
POL68630	582414	7011071	NAD 83-07V	0.9	37.8	7.9	69	0.05	27.9	11.9	477	2.67	9.1
POL68631	582446	7011035	NAD 83-07V	0.6	34.7	6.8	58	0.05	26.8	10.3	453	2.46	8.8
POL68632	582480	7010998	NAD 83-07V	0.7	35.3	6.6	59	0.1	24.7	9.9	458	2.4	9.5
POL68633	582513	7010961	NAD 83-07V	1	37.1	7.5	61	0.1	30	10.2	457	2.49	9.7
POL68635	582579	7010885	NAD 83-07V	0.7	34.8	8.8	70	0.05	28.8	11.8	423	2.46	7.3
POL68638	581756	7012098	NAD 83-07V	0.6	34.8	15.9	74	0.05	16.9	10.9	430	3.44	5.3
POL68639	581791	7012062	NAD 83-07V	0.5	43.7	18.1	78	0.05	19.1	11.8	523	3.46	5.6
POL68647	582058	7011764	NAD 83-07V	0.5	62	6.3	50	0.05	27.7	14.1	365	3.15	7.3
POL68648	582094	7011726	NAD 83-07V	0.4	49.7	15.5	73	0.05	22.8	16.1	460	3.4	5.7
POL68650	582159	7011653	NAD 83-07V	0.6	41.3	7.8	43	0.05	27.3	12.4	266	3	9.5
POL68653	582260	7011541	NAD 83-07V	0.4	65	7.7	74	0.05	21	19.2	486	3.56	2.9
POL68653	582260	7011541	NAD 83-07V	0.4	64.1	7.3	77	0.05	20.7	19.5	482	3.69	2.9
POL68656	582328	7011466	NAD 83-07V	0.4	75	11.3	60	0.05	28.5	17.7	444	3.41	6.4
POL68659	582427	7011355	NAD 83-07V	0.3	52.8	3.5	56	0.05	19.2	15.9	474	3.3	2.4
POL68661	582493	7011280	NAD 83-07V	0.9	39.7	6.8	54	0.05	23	12.3	306	2.77	6.7
POL68664	582596	7011168	NAD 83-07V	0.5	29.5	6.9	69	0.05	24.8	9.6	291	2.33	6
POL68675	582282	7011965	NAD 83-07V	0.4	102.5	12.2	63	0.05	15.5	13.6	342	3.53	3.3
POL68676	582315	7011928	NAD 83-07V	0.6	76.1	7.3	62	0.05	23.5	14.5	410	3.25	4.9
POL68677	582350	7011891	NAD 83-07V	0.4	100.4	14.4	57	0.05	28.6	13.8	364	3.06	4.9
POL68678	582382	7011853	NAD 83-07V	0.2	59.8	30.7	46	0.05	23.9	17.1	363	2.78	1.2

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68476	0.5	1.2	2.8	26	0.05	0.4	0.05	95	0.4	0.046	13	33	1.12	586	0.165
POL68477	0.3	0.7	1.8	54	0.05	0.2	0.05	90	0.78	0.073	9	30	0.97	316	0.151
POL68489	0.5	1.6	3.1	39	0.2	0.6	0.1	64	0.75	0.074	12	28	0.69	306	0.095
POL68502	0.9	3.6	3.1	24	0.05	0.3	0.1	66	0.42	0.045	14	35	0.78	360	0.136
POL68502	0.9	2	3.3	24	0.05	0.3	0.1	64	0.43	0.045	15	34	0.77	350	0.138
POL68505	0.4	1.9	2.5	21	0.05	0.3	0.1	65	0.37	0.036	8	40	0.79	236	0.123
POL68540	1.2	0.8	8	24	0.05	0.5	0.2	55	0.3	0.037	40	36	0.57	181	0.108
POL68553	1	0.7	10.3	25	0.05	0.3	0.2	54	0.42	0.081	32	48	0.95	222	0.176
POL68554	0.8	1.4	9.6	22	0.05	0.2	0.1	51	0.38	0.078	38	48	1.04	170	0.203
POL68555	0.8	1	7.9	25	0.05	0.3	0.1	50	0.35	0.045	19	35	0.81	191	0.181
POL68557	0.9	3.9	10.4	34	0.05	0.4	0.2	49	0.67	0.064	32	36	0.8	180	0.128
POL68563	0.9	2.5	4.7	58	0.2	0.7	0.2	60	1.26	0.058	16	32	0.66	303	0.102
POL68566	0.7	4.5	4.5	45	0.1	0.2	0.1	56	0.4	0.073	15	35	0.74	118	0.134
POL68567	0.6	0.25	2.9	52	0.05	0.2	0.05	70	0.41	0.083	8	40	1.06	429	0.157
POL68577	1	5.2	4.7	27	0.1	0.4	0.2	63	0.35	0.051	17	34	0.66	279	0.111
POL68582	1.5	1.1	3.9	24	0.8	0.4	0.2	132	0.65	0.132	14	9	1.53	1045	0.108
POL68582	1.5	1.4	3.8	24	0.8	0.4	0.2	131	0.62	0.126	14	10	1.54	1059	0.11
POL68587	0.8	0.25	5.4	10	0.05	0.05	0.05	110	0.31	0.083	15	33	1.93	376	0.305
POL68591	0.9	2.5	8.8	15	0.05	0.2	0.2	80	0.29	0.04	24	36	1.49	396	0.21
POL68592	1.5	0.6	10	14	0.05	0.2	0.2	100	0.18	0.039	34	37	1.13	377	0.26
POL68596	0.6	4.4	4.5	45	0.05	0.6	0.2	61	0.85	0.049	17	33	0.63	287	0.096
POL68601	1	2.2	3.7	30	0.1	0.5	0.1	65	0.6	0.078	14	30	0.69	419	0.12
POL68603	0.8	0.25	4.7	13	0.05	0.1	0.2	101	0.19	0.045	16	79	2.06	429	0.249
POL68604	0.9	0.25	8.3	18	0.05	0.05	0.2	91	0.2	0.045	23	56	1.71	455	0.251
POL68605	0.8	0.9	8.2	12	0.05	0.3	0.8	72	0.14	0.037	18	68	1.29	291	0.167
POL68606	0.8	1.3	5	20	0.1	0.6	0.2	70	0.23	0.025	12	40	0.62	229	0.105
POL68607	0.9	0.25	7.6	12	0.05	0.2	0.1	80	0.15	0.021	14	48	1.64	316	0.225
POL68610	0.8	0.25	8.3	17	0.05	0.2	0.3	100	0.43	0.103	19	51	1.75	419	0.208
POL68611	0.6	0.25	3.5	19	0.05	0.3	0.1	66	0.26	0.033	15	35	0.81	223	0.146
POL68612	0.8	0.6	5	25	0.05	0.2	0.2	77	0.35	0.053	17	64	1.36	319	0.179
POL68613	0.8	1.5	5	23	0.05	0.2	0.2	74	0.33	0.05	18	58	1.29	314	0.167
POL68628	1	2.8	4.3	36	0.2	0.5	0.1	64	0.6	0.051	17	42	0.75	276	0.109
POL68629	0.8	1.9	3.4	55	0.2	0.7	0.1	57	1.23	0.079	13	28	0.65	262	0.086
POL68630	0.6	2.4	2.8	53	0.3	0.7	0.1	64	1.12	0.067	12	31	0.66	255	0.087
POL68631	0.5	4.1	3.2	64	0.3	0.6	0.1	58	1.89	0.079	12	29	0.77	203	0.093
POL68632	0.5	1.9	3.4	69	0.3	0.7	0.1	59	1.82	0.086	12	28	0.78	204	0.094
POL68633	0.9	4	3.1	66	0.2	0.8	0.2	56	1.44	0.081	13	29	0.75	267	0.085
POL68635	1.6	2.1	3.4	53	0.3	0.5	0.1	59	0.8	0.078	15	36	0.62	253	0.098
POL68638	0.6	1.3	3.3	22	0.1	0.6	0.2	76	0.46	0.075	11	25	0.72	351	0.126
POL68639	1.2	2.2	4.7	23	0.1	0.5	0.2	75	0.41	0.068	22	32	0.73	420	0.134
POL68647	0.5	1.3	3.2	26	0.05	0.4	0.1	79	0.54	0.113	11	36	0.73	230	0.101
POL68648	0.6	0.25	5.8	27	0.05	0.3	0.1	73	0.34	0.072	11	44	1.15	246	0.183
POL68650	0.5	2.3	3.7	27	0.05	0.5	0.1	78	0.45	0.075	9	38	0.55	214	0.097
POL68653	0.9	1.7	4.6	46	0.05	0.2	0.05	85	0.47	0.077	15	41	1.47	432	0.242
POL68653	0.9	0.25	4.5	43	0.05	0.2	0.05	79	0.46	0.077	15	41	1.52	434	0.229
POL68656	0.3	1.2	2.9	63	0.05	0.4	0.1	87	2.07	0.063	12	36	1.04	414	0.158
POL68659	0.5	0.25	2.8	53	0.05	0.1	0.05	81	0.68	0.114	12	36	1.27	477	0.199
POL68661	3.3	1.9	3.2	86	0.2	0.5	0.1	67	0.93	0.062	12	33	0.77	334	0.126
POL68664	0.9	3.8	3.3	44	0.2	0.5	0.1	59	0.71	0.078	14	30	0.61	245	0.099
POL68675	0.4	1.5	1	48	0.1	0.2	0.1	101	0.38	0.075	4	28	0.93	233	0.171
POL68676	0.3	0.6	1.2	28	0.05	0.2	0.05	83	0.23	0.054	4	43	1.06	378	0.212
POL68677	0.4	2.9	2	34	0.05	0.3	0.1	84	0.36	0.052	9	45	1.07	328	0.185
POL68678	0.2	0.25	0.6	31	0.05	0.05	0.2	89	0.64	0.174	2	36	1.38	335	0.205

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68476	0.5	1.91	0.036	0.28	0.05	0.005	5.6	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68477	0.5	2.15	0.052	0.27	0.05	0.005	5.2	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68489	0.5	1.48	0.034	0.14	0.1	0.02	4.1	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68502	0.5	1.61	0.027	0.18	0.1	0.02	4.8	0.05	0.025	5	0.5	1DX15	VAN09004679
POL68502	0.5	1.66	0.025	0.18	0.1	0.02	4.8	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68505	0.5	1.79	0.021	0.16	0.1	0.005	3.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68540	0.5	1.57	0.016	0.12	0.2	0.02	4.5	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68553	0.5	2.27	0.016	0.72	0.05	0.01	3.9	0.4	0.025	7	0.25	1DX15	VAN09004679
POL68554	4	2.33	0.014	0.73	0.1	0.01	3.2	0.6	0.025	7	0.25	1DX15	VAN09004679
POL68555	0.5	2.11	0.021	0.5	0.05	0.02	2.8	0.4	0.025	6	0.25	1DX15	VAN09004679
POL68557	0.5	1.87	0.021	0.32	0.1	0.03	3.8	0.3	0.025	7	0.25	1DX15	VAN09004679
POL68563	0.5	1.62	0.046	0.08	0.1	0.03	4.1	0.05	0.025	5	0.7	1DX15	VAN09004679
POL68566	0.5	1.36	0.017	0.29	0.2	0.02	3.2	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68567	1	1.96	0.017	0.36	0.1	0.01	2.2	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68577	2	1.56	0.015	0.1	0.2	0.03	5.4	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68582	1	2.66	0.032	0.61	0.1	0.04	18.2	0.2	0.025	11	0.25	1DX15	VAN09004679
POL68582	1	2.65	0.03	0.64	0.1	0.03	17.8	0.1	0.025	11	0.25	1DX15	VAN09004679
POL68587	0.5	2.42	0.018	1.43	0.05	0.01	7.3	0.4	0.025	9	0.25	1DX15	VAN09004679
POL68591	0.5	2.38	0.024	0.99	0.1	0.03	8.4	0.4	0.025	9	0.6	1DX15	VAN09004679
POL68592	0.5	2.47	0.013	1.35	0.1	0.02	10.8	0.6	0.025	9	0.25	1DX15	VAN09004679
POL68596	2	1.61	0.039	0.1	0.2	0.03	4.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68601	2	1.62	0.016	0.22	0.2	0.04	4.7	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68603	0.5	3.16	0.026	1.46	0.05	0.01	8	0.4	0.025	11	0.25	1DX15	VAN09004679
POL68604	0.5	2.68	0.014	1.34	0.05	0.005	8	0.4	0.025	10	0.5	1DX15	VAN09004679
POL68605	2	2.82	0.015	0.72	0.1	0.01	6.3	0.3	0.025	9	0.25	1DX15	VAN09004679
POL68606	2	1.9	0.018	0.06	0.1	0.01	4.4	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68607	0.5	2.65	0.011	1.02	0.1	0.005	8.4	0.3	0.025	11	0.25	1DX15	VAN09004679
POL68610	1	2.48	0.017	1.03	0.05	0.01	9.1	0.3	0.025	9	0.25	1DX15	VAN09004679
POL68611	2	1.52	0.016	0.35	0.2	0.005	3.8	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68612	0.5	2.03	0.02	0.72	0.1	0.02	6.6	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68613	1	1.99	0.017	0.67	0.1	0.02	6.4	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68628	2	1.56	0.026	0.12	0.1	0.03	4.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68629	2	1.29	0.043	0.06	0.2	0.03	3.7	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68630	2	1.43	0.042	0.05	0.2	0.02	3.9	0.05	0.025	4	0.6	1DX15	VAN09004679
POL68631	3	1.25	0.046	0.08	0.2	0.03	3.5	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68632	3	1.14	0.048	0.08	0.2	0.02	3.3	0.05	0.025	4	0.6	1DX15	VAN09004679
POL68633	4	1.25	0.045	0.07	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68635	2	1.37	0.026	0.08	0.2	0.03	3.8	0.05	0.025	4	0.6	1DX15	VAN09004679
POL68638	1	1.67	0.012	0.28	0.1	0.01	5.4	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68639	1	1.9	0.014	0.33	0.1	0.05	7.9	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68647	0.5	1.55	0.02	0.2	0.1	0.02	6.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68648	0.5	1.86	0.013	0.86	0.05	0.02	4	0.4	0.025	6	0.25	1DX15	VAN09004679
POL68650	3	1.59	0.018	0.12	0.2	0.01	6.3	0.05	0.025	5	0.5	1DX15	VAN09004679
POL68653	0.5	2.16	0.018	0.89	0.05	0.005	3.6	0.3	0.025	6	0.25	1DX15	VAN09004679
POL68653	0.5	2.11	0.019	0.88	0.05	0.01	3.5	0.3	0.025	6	0.25	1DX15	VAN09004679
POL68656	2	1.84	0.028	0.32	0.1	0.04	5	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68659	2	1.84	0.025	0.8	0.05	0.01	4.4	0.2	0.025	6	0.25	1DX15	VAN09004679
POL68661	3	1.46	0.03	0.26	0.2	0.03	3.9	0.1	0.07	4	1.4	1DX15	VAN09004679
POL68664	2	1.31	0.034	0.1	0.2	0.02	3.7	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68675	1	2.04	0.015	0.29	0.05	0.02	4.2	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68676	0.5	2.04	0.016	0.52	0.05	0.01	2	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68677	0.5	1.88	0.02	0.35	0.1	0.005	3.1	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68678	1	1.86	0.023	0.74	0.1	0.005	1.7	0.2	0.025	6	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68680	582448	7011779	NAD 83-07V	0.5	45.8	7.5	47	0.05	20.4	10.9	356	2.58	5.7
POL68681	582483	7011742	NAD 83-07V	0.5	79.7	8.9	56	0.05	21.6	12.3	349	2.81	5
POL68683	582550	7011666	NAD 83-07V	0.5	68.1	12.6	67	0.05	21.2	13.8	415	3.34	4.5
POL68686	582618	7011592	NAD 83-07V	0.4	79.9	17.5	75	0.05	20.1	16	477	3.71	2.5
POL68687	582650	7011554	NAD 83-07V	0.4	58.3	14.7	64	0.05	18.7	12.4	381	3.02	4.5
POL68688	582684	7011518	NAD 83-07V	0.6	50.5	10.2	55	0.05	28.8	12.7	505	2.83	8
POL68689	582718	7011481	NAD 83-07V	0.4	84.5	4.9	62	0.05	18.2	13.9	357	3.15	2.3
POL68689	582718	7011481	NAD 83-07V	0.4	88.9	5.2	63	0.05	18.8	14.6	373	3.32	2.4
POL68695	582950	7011219	NAD 83-07V	0.4	56.9	94.6	59	0.2	13.5	18.5	582	3.31	4.1
POL68696	588733	7009754	NAD 83-07V	0.3	143.2	1.2	31	0.05	17.9	23.2	144	2.67	1.8
POL68700	588411	7010065	NAD 83-07V	0.5	44	4	52	0.05	12	12.1	275	3.19	3.4
POL68703	588518	7009962	NAD 83-07V	0.4	66.5	6.5	147	0.05	9.1	16.9	532	4.69	2.7
POL68704	588554	7009926	NAD 83-07V	0.5	60.3	5.4	122	0.05	13.5	16.7	515	4.2	4.9
POL68705	588589	7009892	NAD 83-07V	0.5	83.2	4.1	124	0.05	15.2	19.1	355	3.43	3
POL68706	588625	7009857	NAD 83-07V	0.6	70	6.8	69	0.05	31.3	14.4	286	3.17	9
POL68707	588662	7009822	NAD 83-07V	1.7	95.4	3.7	193	0.05	7.9	17.2	384	3.81	2
POL68708	588697	7009788	NAD 83-07V	0.4	106.4	3.3	62	0.05	17.4	16.6	320	3.3	3.3
POL68722	589055	7009581	NAD 83-07V	0.3	116.2	4.4	43	0.2	16.7	18.4	242	2.69	5.2
POL68723	589018	7009615	NAD 83-07V	0.2	127	3.1	115	0.05	22.1	24.2	740	5.13	3.3
POL68724	588983	7009652	NAD 83-07V	0.7	51.2	7.6	54	0.05	25	11.2	222	2.92	9.9
POL68726	588910	7009721	NAD 83-07V	0.4	134.1	2.2	52	0.05	12.3	18.2	335	4.68	2.7
POL68733	582743	7011302	NAD 83-07V	0.7	40.1	8.4	63	0.05	28.1	12.3	458	2.79	7.3
POL68734	582776	7011266	NAD 83-07V	0.6	39.8	7.4	58	0.05	26.4	10.7	352	2.54	8
POL68737	582875	7011155	NAD 83-07V	0.6	97.2	36.2	61	0.2	20.9	20.3	648	3.6	4
POL68738	588480	7010136	NAD 83-07V	0.3	119.9	3	101	0.05	11.9	15.6	395	3.54	1.4
POL68738	588480	7010136	NAD 83-07V	0.3	131.1	3	108	0.05	12.4	17.5	420	3.83	1.7
POL68742	588622	7009998	NAD 83-07V	0.4	38.3	3.5	62	0.05	11.2	11.5	337	2.73	2.3
POL68743	588658	7009964	NAD 83-07V	0.4	26.6	3	51	0.05	10.2	8.5	248	2.32	3.4
POL68744	588695	7009929	NAD 83-07V	0.7	70.5	4.7	103	0.05	17.7	13.4	473	3.86	3.2
POL68745	588731	7009894	NAD 83-07V	0.3	202.3	2.9	69	0.05	17.3	21.7	329	4.24	2
POL68746	588767	7009858	NAD 83-07V	0.1	134.8	1.8	42	0.05	22.5	21.6	292	2.65	1.1
POL68747	588767	7009858	NAD 83-07V	0.1	133.6	1.9	41	0.05	25.7	22.4	310	2.7	1.5
POL68748	588803	7009826	NAD 83-07V	0.2	116.9	2.5	38	0.05	20.9	19.1	260	2.52	1.6
POL68749	588839	7009790	NAD 83-07V	0.6	273.5	3.4	65	0.05	55	44.3	378	4.55	2.2
POL68754	588692	7010070	NAD 83-07V	0.2	17.4	6.9	89	0.05	14.2	18	678	3.6	1.9
POL68758	588836	7009931	NAD 83-07V	0.2	61.8	2.1	68	0.05	13	18.2	333	3.49	1.9
POL68759	588871	7009896	NAD 83-07V	0.3	69.2	1.7	49	0.05	12.7	18.1	390	3.32	2.4
POL68759	588871	7009896	NAD 83-07V	0.3	67.9	1.7	46	0.05	12.5	17.9	389	3.3	2.6
POL68760	588908	7009861	NAD 83-07V	0.6	44	6.1	55	0.1	23.7	11	418	2.74	7.7
POL68761	588943	7009826	NAD 83-07V	0.8	58.8	6.4	54	0.05	26.4	16.2	433	2.82	7.2
POL68763	589016	7009759	NAD 83-07V	0.3	76.7	3.9	41	0.05	15.2	15.1	268	2.7	2.8
POL68764	589052	7009722	NAD 83-07V	0.3	149.9	2	62	0.05	10.5	21	397	5.15	2
POL68765	589088	7009686	NAD 83-07V	0.3	116	1.6	79	0.05	9	27.8	519	4.79	1.4
POL68767	589160	7009618	NAD 83-07V	0.2	133	1.5	29	0.05	14.8	15.7	285	2.32	2.6
POL68768	589197	7009583	NAD 83-07V	0.4	51.2	3.9	44	0.05	17	14.8	281	2.54	5.1
POL68838	589440	7010047	NAD 83-07V	0.5	70.6	2.3	65	0.05	16.9	25.1	666	4.37	3.9
POL68839	589475	7010013	NAD 83-07V	1.3	39.7	5.7	104	0.05	20.6	26.8	1179	6.34	3.6
POL68840	589403	7010080	NAD 83-07V	0.7	135	3.4	89	0.05	30.5	25.2	807	4.61	3.3
POL68842	589330	7010151	NAD 83-07V	1.7	112.6	5.3	285	0.05	33	23.8	2443	5.85	3.2
POL68843	589293	7010187	NAD 83-07V	1.3	73.8	9.7	404	0.05	23.6	14.2	694	4.43	5.3
POL68845	582055	7012366	NAD 83-07V	0.5	79.2	9.6	57	0.3	20.4	13.4	474	2.77	2.9
POL68847	582155	7012254	NAD 83-07V	0.7	36.9	8.4	63	0.1	17.2	12.6	369	2.93	3.9
POL68849	582188	7012218	NAD 83-07V	0.5	28.5	8.4	56	0.05	16.4	11.7	307	2.7	5

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68680	0.6	3.2	2.7	34	0.05	0.3	0.1	65	0.47	0.073	10	27	0.68	301	0.125
POL68681	0.5	3.1	2.4	39	0.1	0.3	0.1	73	0.5	0.067	9	26	0.83	341	0.145
POL68683	0.4	2.6	2.4	39	0.05	0.3	0.1	90	0.51	0.096	8	27	1.13	427	0.205
POL68686	0.3	1.1	1.3	31	0.05	0.2	0.2	96	0.48	0.099	5	26	1.27	447	0.249
POL68687	0.3	1.6	2	40	0.05	0.3	0.2	79	0.46	0.081	6	25	0.87	360	0.176
POL68688	0.6	3.6	3.5	41	0.05	0.5	0.2	69	0.51	0.049	13	32	0.66	353	0.119
POL68689	0.3	2	1.6	35	0.05	0.2	0.05	90	0.55	0.111	5	24	1	396	0.205
POL68689	0.3	1.8	1.6	37	0.05	0.2	0.05	96	0.56	0.108	5	25	1.02	396	0.223
POL68695	0.7	3.1	1.8	82	0.3	0.2	0.9	85	1.52	0.325	8	15	1.09	569	0.128
POL68696	0.2	0.25	0.7	16	0.05	0.1	0.05	83	0.62	0.143	3	31	1.1	137	0.129
POL68700	0.6	1.8	3.2	64	0.05	0.2	0.05	81	0.75	0.159	11	26	0.87	272	0.112
POL68703	0.4	0.6	2.2	20	0.2	0.2	0.05	105	0.49	0.129	7	16	1.36	496	0.249
POL68704	0.5	0.25	2.9	22	0.2	0.3	0.05	93	0.42	0.107	7	22	1.09	488	0.227
POL68705	0.4	2	1.7	33	0.2	0.2	0.05	85	0.96	0.315	7	29	0.94	376	0.113
POL68706	0.8	2.3	4.1	22	0.05	0.6	0.1	71	0.33	0.084	14	41	0.72	291	0.115
POL68707	0.5	0.8	4	15	0.3	0.1	0.05	108	0.47	0.121	11	12	1.17	383	0.196
POL68708	0.3	1.2	1.3	41	0.1	0.3	0.05	77	0.54	0.122	4	23	0.84	161	0.105
POL68722	0.5	0.7	2.1	196	0.05	0.3	0.05	71	1.25	0.408	9	27	0.74	230	0.083
POL68723	0.3	1	1.5	134	0.1	0.2	0.05	190	1.02	0.16	8	30	2.23	330	0.244
POL68724	0.7	6.1	3.5	113	0.05	0.6	0.1	71	0.44	0.103	11	36	0.61	231	0.084
POL68726	0.4	1.3	0.9	42	0.05	0.2	0.05	89	1.08	0.311	4	15	0.66	169	0.087
POL68733	1.4	3	3.2	64	0.3	0.6	0.1	67	1.14	0.077	12	31	0.73	327	0.12
POL68734	0.8	5.9	3.1	54	0.2	0.6	0.1	62	0.86	0.082	12	29	0.63	262	0.089
POL68737	0.9	1.5	2.1	62	0.2	0.3	0.3	94	1.43	0.15	12	26	1.09	540	0.133
POL68738	0.5	0.25	2.1	121	0.1	0.1	0.05	98	1.14	0.273	10	27	1.11	493	0.158
POL68738	0.6	1.1	2.2	123	0.1	0.1	0.05	101	1.23	0.285	10	28	1.23	520	0.162
POL68742	0.5	0.25	3.3	30	0.1	0.2	0.05	57	0.38	0.077	10	19	1.04	418	0.18
POL68743	0.3	0.25	2.3	28	0.05	0.2	0.05	58	0.39	0.06	6	18	0.62	263	0.095
POL68744	0.6	1.3	3.2	56	0.05	0.2	0.05	87	0.47	0.109	13	34	1.31	595	0.251
POL68745	0.5	0.8	2.1	36	0.05	0.2	0.05	108	0.88	0.209	12	27	1.08	307	0.134
POL68746	0.2	0.7	0.9	39	0.05	0.1	0.05	91	0.98	0.22	5	70	1.13	212	0.151
POL68747	0.2	0.7	0.9	38	0.05	0.1	0.05	95	0.94	0.181	5	86	1.23	212	0.165
POL68748	0.3	0.7	1.1	41	0.1	0.2	0.05	80	1.08	0.243	5	52	1	165	0.115
POL68749	0.4	1	1.2	54	0.2	0.2	0.05	131	1.05	0.203	6	31	1.06	283	0.146
POL68754	0.5	0.6	2.3	35	0.05	0.1	0.05	93	0.49	0.088	8	23	1.36	514	0.243
POL68758	0.2	1.5	1	24	0.05	0.1	0.05	120	0.73	0.145	5	23	1.72	341	0.186
POL68759	0.4	2.4	1.2	50	0.1	0.1	0.05	92	1.36	0.292	6	21	1.37	281	0.128
POL68759	0.4	1.1	1.2	49	0.2	0.1	0.05	93	1.36	0.286	6	20	1.32	273	0.125
POL68760	0.7	3.2	3	38	0.2	0.5	0.1	59	0.75	0.082	12	28	0.63	302	0.068
POL68761	0.9	2.8	2.5	41	0.2	0.5	0.1	62	0.88	0.086	10	27	0.63	295	0.067
POL68763	0.2	0.25	1.5	59	0.05	0.2	0.05	74	0.92	0.198	5	21	0.75	215	0.076
POL68764	0.4	1.3	1.4	43	0.05	0.2	0.05	133	1.04	0.224	6	14	0.89	229	0.08
POL68765	0.4	0.8	2.3	52	0.05	0.1	0.05	128	1.16	0.237	14	13	0.98	324	0.111
POL68767	0.3	2.3	0.8	81	0.05	0.2	0.05	69	0.62	0.064	6	16	0.64	183	0.065
POL68768	0.3	0.7	1.6	54	0.05	0.4	0.05	64	0.83	0.197	6	19	0.65	255	0.075
POL68838	0.5	1.1	1.7	144	0.05	0.2	0.05	114	1.25	0.057	6	22	1.96	466	0.372
POL68839	0.9	1.5	3.3	17	0.05	0.2	0.05	223	0.46	0.07	12	55	2.35	487	0.199
POL68840	0.4	1.2	1.1	56	0.05	0.2	0.05	123	0.89	0.083	5	59	2	464	0.246
POL68842	0.8	1.2	5.2	14	0.8	0.1	0.1	95	1.09	0.121	38	84	1.03	1068	0.03
POL68843	1	0.8	6.1	16	0.9	0.3	0.2	83	0.39	0.11	12	46	1.41	724	0.152
POL68845	0.8	4	2	30	0.05	0.2	0.1	70	0.53	0.075	9	29	0.93	649	0.126
POL68847	0.6	2.6	1.8	23	0.1	0.2	0.1	76	0.4	0.086	8	29	0.85	310	0.129
POL68849	0.6	4.2	1.9	24	0.1	0.3	0.1	70	0.41	0.077	9	26	0.69	287	0.099

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68680	1	1.46	0.022	0.19	0.2	0.02	3.4	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68681	2	1.66	0.031	0.24	0.1	0.03	3.9	0.1	0.025	5	0.25	1DX15	VAN09004679
POL68683	1	1.96	0.022	0.49	0.1	0.01	3.8	0.2	0.025	6	0.25	1DX15	VAN09004679
POL68686	0.5	2.22	0.017	0.77	0.1	0.005	2.6	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68687	2	1.76	0.02	0.4	0.1	0.005	3.2	0.2	0.025	6	0.25	1DX15	VAN09004679
POL68688	0.5	1.67	0.03	0.1	0.2	0.02	4.9	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68689	0.5	1.85	0.022	0.6	0.05	0.01	3	0.2	0.025	6	0.25	1DX15	VAN09004679
POL68689	2	1.82	0.023	0.63	0.05	0.01	3.3	0.2	0.025	6	0.25	1DX15	VAN09004679
POL68695	2	1.5	0.047	0.26	0.1	0.04	4.9	0.2	0.025	5	0.6	1DX15	VAN09004679
POL68696	0.5	1.56	0.053	0.31	0.05	0.005	5	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68700	0.5	2.3	0.038	0.11	0.05	0.005	4.6	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68703	1	2.47	0.028	0.65	0.05	0.005	6.4	0.1	0.025	9	0.25	1DX15	VAN09004679
POL68704	1	2.32	0.023	0.76	0.1	0.005	4.9	0.2	0.025	8	0.25	1DX15	VAN09004679
POL68705	1	1.97	0.044	0.2	0.1	0.005	4.6	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68706	0.5	1.87	0.017	0.25	0.2	0.01	6.3	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68707	0.5	2.11	0.022	0.77	0.05	0.005	6.2	0.1	0.025	8	0.25	1DX15	VAN09004679
POL68708	0.5	2	0.04	0.17	0.05	0.005	5.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68722	0.5	1.71	0.066	0.15	0.1	0.005	5.8	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68723	1	3.03	0.056	0.84	0.05	0.005	11.3	0.3	0.025	11	0.25	1DX15	VAN09004679
POL68724	2	1.88	0.027	0.1	0.1	0.005	5.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68726	0.5	1.76	0.076	0.08	0.05	0.005	7.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68733	2	1.59	0.029	0.17	0.2	0.01	4	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68734	2	1.36	0.035	0.08	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68737	3	1.68	0.035	0.25	0.1	0.06	6.4	0.2	0.025	6	0.8	1DX15	VAN09004679
POL68738	0.5	2.32	0.049	0.35	0.05	0.005	5.1	0.05	0.025	7	0.25	1DX15	VAN09004679
POL68738	0.5	2.44	0.051	0.38	0.05	0.005	5.3	0.05	0.025	8	0.25	1DX15	VAN09004679
POL68742	0.5	1.93	0.021	0.25	0.05	0.005	4.6	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68743	0.5	1.53	0.028	0.13	0.05	0.005	4.4	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68744	0.5	2.41	0.024	0.75	0.05	0.005	5.5	0.3	0.025	8	0.25	1DX15	VAN09004679
POL68745	0.5	2.04	0.058	0.27	0.05	0.005	7.9	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68746	0.5	1.82	0.079	0.14	0.05	0.005	8	0.05	0.025	5	0.5	1DX15	VAN09004679
POL68747	0.5	1.92	0.074	0.14	0.05	0.005	8	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68748	1	1.62	0.087	0.09	0.05	0.01	6.8	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68749	1	2.13	0.092	0.17	0.05	0.005	9.6	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68754	1	2.15	0.018	1.01	0.05	0.005	3.6	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68758	2	2.2	0.065	0.42	0.05	0.005	4.8	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68759	0.5	2.05	0.107	0.26	0.05	0.005	6.3	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68759	0.5	2.02	0.107	0.25	0.05	0.005	6.3	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68760	1	1.46	0.029	0.06	0.1	0.03	4.5	0.05	0.025	4	0.5	1DX15	VAN09004679
POL68761	2	1.46	0.032	0.05	0.1	0.02	4.4	0.05	0.025	4	0.7	1DX15	VAN09004679
POL68763	0.5	1.63	0.067	0.08	0.05	0.005	5.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68764	0.5	1.82	0.077	0.18	0.05	0.005	11.5	0.05	0.025	6	0.6	1DX15	VAN09004679
POL68765	0.5	2.22	0.082	0.37	0.05	0.005	14.2	0.05	0.025	7	0.25	1DX15	VAN09004679
POL68767	0.5	1.39	0.083	0.06	0.05	0.005	8.2	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68768	0.5	1.52	0.06	0.15	0.05	0.02	5.1	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68838	1	4.12	0.009	0.9	0.05	0.005	2.8	0.1	0.025	8	0.25	1DX15	VAN09004679
POL68839	1	3.29	0.01	0.98	0.05	0.03	22.1	0.3	0.025	16	0.6	1DX15	VAN09004679
POL68840	0.5	3.23	0.015	0.82	0.05	0.005	6.3	0.1	0.025	9	0.25	1DX15	VAN09004679
POL68842	1	1.95	0.009	0.34	0.05	0.04	18.8	0.1	0.025	8	1	1DX15	VAN09004679
POL68843	0.5	2.64	0.013	0.97	0.1	0.005	5.8	0.3	0.025	9	0.9	1DX15	VAN09004679
POL68845	0.5	1.63	0.017	0.33	0.1	0.04	4.4	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68847	0.5	1.65	0.014	0.16	0.2	0.03	3.5	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68849	1	1.54	0.018	0.1	0.2	0.03	3.7	0.05	0.025	5	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68851	582223	7012181	NAD 83-07V	0.5	34.1	9	54	0.1	16.8	11.2	245	2.77	5.6
POL68858	582456	7011921	NAD 83-07V	0.7	38.6	16.8	58	0.05	34	11.1	348	2.98	8.2
POL68859	582490	7011881	NAD 83-07V	0.8	55.7	5.2	73	0.05	58.1	15.9	807	3.29	1.9
POL68861	582559	7011808	NAD 83-07V	1	28.4	9.9	52	0.05	27.5	10	284	2.85	9.7
POL68866	582725	7011622	NAD 83-07V	0.3	77.6	8.8	55	0.05	25.5	14.1	588	3	2.4
POL68867	582757	7011585	NAD 83-07V	0.6	43.4	8.7	55	0.05	27.2	11.8	442	2.84	7.9
POL68870	582858	7011473	NAD 83-07V	0.6	45.2	8.8	52	0.05	24.7	11.1	417	2.56	5.1
POL68871	582892	7011435	NAD 83-07V	0.6	27	6.2	50	0.05	23.2	9.4	382	2.4	7.7
POL68872	582926	7011398	NAD 83-07V	0.6	25.6	5.5	46	0.05	25.2	10.1	422	2.27	6.9
POL68874	582992	7011324	NAD 83-07V	0.7	26.2	11.5	85	0.1	18.2	11	584	2.6	5
POL68875	583026	7011287	NAD 83-07V	0.8	24.9	13	101	0.05	17	12.5	522	3.23	3.7
POL68876	588619	7010280	NAD 83-07V	0.6	124.8	16.1	71	0.05	13.4	16.7	607	4.16	0.25
POL68877	588655	7010248	NAD 83-07V	0.6	53.5	2	90	0.05	14.5	18.4	572	4.12	0.7
POL68939	588027	7009600	NAD 83-07V	0.7	20.3	4.8	112	0.05	14.9	8	449	3.46	4.9
POL68940	588062	7009562	NAD 83-07V	0.7	18.2	6.7	117	0.05	19.3	9.5	448	3.16	6.4
POL68940	588062	7009562	NAD 83-07V	0.7	18.3	6.7	120	0.05	19.3	9.4	444	3.11	6.4
POL68941	588102	7009529	NAD 83-07V	0.6	65.5	6.6	105	0.05	26.1	14.6	425	3.3	9.3
POL68942	588135	7009495	NAD 83-07V	0.7	33.2	7.4	69	0.1	24.4	10.3	308	3.33	10.2
POL68943	588174	7009461	NAD 83-07V	0.5	35.9	6.9	56	0.05	22.6	10	435	2.43	7.7
POL68945	588209	7009424	NAD 83-07V	1.1	143.9	7.8	453	0.05	12.9	13.3	449	5.01	2.3
POL68946	588244	7009390	NAD 83-07V	0.6	72.2	4.3	317	0.05	7.2	10	662	5.57	1.4
POL68947	588281	7009357	NAD 83-07V	0.3	50.1	4	133	0.05	11.2	18.8	394	4.14	3.3
POL68948	588317	7009322	NAD 83-07V	0.6	22.2	4.9	61	0.05	13.1	10.2	266	2.9	3.9
POL68949	588352	7009286	NAD 83-07V	0.3	24	5.5	187	0.05	5.9	4.1	625	3.16	2
POL68951	588426	7009217	NAD 83-07V	0.4	30.4	4.5	127	0.05	14.6	6.7	494	3.32	3.7
POL68953	588498	7009146	NAD 83-07V	0.6	26.8	7.1	46	0.05	22.7	9	275	2.68	9.6
POL68961	588748	7009041	NAD 83-07V	0.9	38.9	7.8	61	0.1	27.9	10.8	417	2.65	8.8
POL68963	588674	7009113	NAD 83-07V	0.7	35.5	8.2	62	0.05	26.6	11	360	2.68	9
POL68964	588642	7009145	NAD 83-07V	0.5	30.9	6.4	54	0.05	22.2	9.3	391	2.81	6.7
POL68965	588608	7009177	NAD 83-07V	0.6	25.2	6.3	54	0.05	19.4	8.2	330	2.46	6
POL68965	588608	7009177	NAD 83-07V	0.7	25.6	5.9	51	0.05	17.9	8.2	321	2.43	6.6
POL69045	582595	7010569	NAD 83-07V	0.5	26.4	9.3	79	0.05	26.8	14.3	588	4.82	3.6
POL69076	583407	7009816	NAD 83-07V	1.2	21.2	15.7	88	0.05	19.7	7	341	3.09	9.1
POL69077	583374	7009854	NAD 83-07V	3.5	32.6	15.3	108	0.1	29.4	10	248	3.26	5.3
POL69081	583273	7009965	NAD 83-07V	0.4	48.7	12.9	80	0.1	13.3	10.4	365	3.21	3.6
POL69101	582603	7010711	NAD 83-07V	0.6	24.3	9.2	61	0.05	21.2	10.2	467	2.65	6.4
POL69103	582536	7010785	NAD 83-07V	0.5	34.1	9.4	73	0.05	22.8	14.1	369	3.18	5.1
POL69120	583692	7009804	NAD 83-07V	0.6	41.8	4.2	124	0.05	50.2	30.8	795	6.09	2
POL69124	583557	7009953	NAD 83-07V	0.7	47.8	8.2	79	0.05	12.5	13.4	508	3.56	4
POL69131	583322	7010214	NAD 83-07V	1	35.9	13.6	83	0.1	22.2	10.1	308	2.91	6
POL69172	583116	7010291	NAD 83-07V	0.6	30.8	7.3	71	0.05	13.3	12	459	3.37	4.2
POL69236	582721	7010876	NAD 83-07V	0.9	64.3	17.3	71	0.1	25.7	19.7	812	4.68	6.1
POL69249	583989	7010068	NAD 83-07V	0.8	26.4	6.7	59	0.05	17.4	11.9	544	3.51	6.4
POL69265	583517	7010592	NAD 83-07V	0.6	52.8	4.5	75	0.05	16.5	19.5	518	4.16	2
POL69266	583483	7010629	NAD 83-07V	0.5	29.4	5.6	55	0.05	12.7	10.6	277	2.78	4.1
POL69276	583146	7010999	NAD 83-07V	1.3	22.7	20.2	67	0.05	21.2	11.2	427	2.91	12.6
POL69297	583545	7010411	NAD 83-07V	0.9	32	11.8	71	0.05	15.6	15.2	386	3.58	2.7
POL69302	583379	7010598	NAD 83-07V	1.4	51.5	12.6	85	0.2	23.6	8.1	801	2.57	5
POL69317	581319	7011838	NAD 83-07V	0.9	33.6	11.5	90	0.05	37.9	16.9	571	4.25	4.8
POL69319	581385	7011767	NAD 83-07V	0.5	36.8	43.5	78	0.05	39.7	15.3	483	3.88	2.3
POL69323	581486	7011653	NAD 83-07V	0.6	33.4	11.3	81	0.05	41.6	13.2	549	3.44	5.1
POL69326	581587	7011543	NAD 83-07V	0.8	35	7.7	101	0.05	7.5	13.3	639	4.63	2.3
POL69329	581687	7011431	NAD 83-07V	0.9	38.6	9.8	112	0.05	6.6	12.9	668	5.15	2.1

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68851	0.5	4	2	24	0.1	0.3	0.1	70	0.4	0.077	9	25	0.64	323	0.097
POL68858	0.6	3.4	3.7	59	0.1	0.5	0.2	65	3.95	0.029	18	40	0.64	251	0.07
POL68859	0.6	1.8	2.2	61	0.05	0.2	0.05	69	0.69	0.131	11	52	1.18	517	0.135
POL68861	0.4	0.9	2.9	19	0.05	0.5	0.1	65	0.28	0.018	8	35	0.66	245	0.083
POL68866	0.3	1.2	2.2	16	0.05	0.2	0.1	104	0.51	0.099	6	23	1.17	554	0.142
POL68867	0.5	11.4	2.7	42	0.05	0.6	0.1	64	0.94	0.055	12	31	0.66	328	0.091
POL68870	2	2	2.4	50	0.2	0.5	0.1	59	1.01	0.063	11	29	0.61	318	0.088
POL68871	0.8	4.1	2.3	44	0.2	0.5	0.1	57	0.93	0.069	11	29	0.57	226	0.068
POL68872	1.3	2.9	2.1	49	0.2	0.5	0.1	53	1.13	0.07	10	27	0.54	213	0.067
POL68874	0.9	1.7	2.9	49	0.2	0.3	0.1	52	0.91	0.078	25	24	0.5	375	0.06
POL68875	0.9	2.6	3.6	40	0.1	0.2	0.2	55	0.81	0.087	14	27	0.81	239	0.094
POL68876	0.4	0.25	1.8	56	0.2	0.05	0.3	108	1.16	0.201	8	25	1.53	492	0.207
POL68877	0.3	0.5	1	52	0.1	0.05	0.05	107	0.8	0.136	4	28	1.49	468	0.221
POL68939	0.4	0.25	2.1	18	0.05	0.3	0.05	45	0.29	0.037	8	23	0.63	263	0.127
POL68940	0.4	0.7	2.6	24	0.1	0.4	0.1	52	0.36	0.048	8	31	0.53	264	0.097
POL68940	0.4	0.25	2.6	24	0.05	0.4	0.1	51	0.37	0.049	8	31	0.53	274	0.099
POL68941	0.4	3.2	2.8	58	0.3	0.5	0.1	79	2.48	0.037	11	28	0.8	324	0.117
POL68942	0.6	7.9	3.2	22	0.1	0.5	0.1	59	0.33	0.038	9	35	0.51	354	0.087
POL68943	0.6	4.4	2.9	88	0.2	0.6	0.1	45	2.51	0.084	10	22	0.8	238	0.076
POL68945	1.1	0.25	2.1	61	1.3	0.2	0.05	18	0.71	0.071	8	8	0.5	225	0.242
POL68946	1.3	0.8	1.7	43	0.7	0.2	0.05	35	0.6	0.084	11	21	0.81	375	0.297
POL68947	0.5	0.25	1.9	30	0.2	0.2	0.05	156	0.45	0.077	6	15	1.23	353	0.244
POL68948	0.4	0.25	1.9	20	0.05	0.2	0.1	67	0.45	0.099	7	20	0.56	204	0.097
POL68949	0.4	0.25	1.2	19	0.05	0.2	0.05	15	0.29	0.054	4	7	0.54	155	0.158
POL68951	0.3	1.3	2.3	20	0.05	0.3	0.05	34	0.26	0.034	9	14	0.57	152	0.175
POL68953	0.8	2.9	4	29	0.05	0.6	0.1	62	0.42	0.059	15	30	0.49	283	0.079
POL68961	1.7	2.8	3.1	63	0.2	0.7	0.2	58	1.26	0.073	13	29	0.7	286	0.085
POL68963	0.6	3.5	3.7	41	0.2	0.8	0.2	57	0.77	0.077	13	28	0.63	272	0.088
POL68964	0.4	34	3.3	34	0.2	0.5	0.1	60	0.5	0.083	10	24	0.52	258	0.085
POL68965	0.5	2.2	3.4	35	0.05	0.5	0.1	56	0.51	0.076	11	25	0.51	235	0.088
POL68965	0.5	2.6	3.1	33	0.1	0.5	0.1	54	0.52	0.075	11	24	0.49	235	0.086
POL69045	0.8	0.25	6.8	17	0.05	0.2	0.1	82	0.3	0.079	21	62	1.88	458	0.232
POL69076	1.4	11.2	4.6	21	0.1	0.5	0.2	64	0.2	0.039	31	34	0.5	242	0.091
POL69077	2.4	0.8	8.9	20	0.1	0.2	0.2	68	0.19	0.092	42	41	0.65	196	0.13
POL69081	1.5	1.4	2.6	19	0.2	0.2	0.1	55	0.27	0.066	22	23	0.6	195	0.116
POL69101	0.9	1.9	4.1	38	0.2	0.4	0.1	58	0.65	0.078	15	28	0.61	298	0.101
POL69103	1.1	3.2	3.8	24	0.2	0.2	0.1	71	0.33	0.07	18	48	1.07	246	0.16
POL69120	0.3	1.2	1.4	20	0.05	0.1	0.05	146	0.42	0.093	7	70	1.65	676	0.357
POL69124	0.6	0.25	3	15	0.1	0.7	0.1	85	0.26	0.042	11	19	0.75	187	0.111
POL69131	1.1	4.5	3.7	22	0.2	0.3	0.2	66	0.26	0.065	20	31	0.6	194	0.116
POL69172	0.8	0.25	2.5	16	0.05	0.3	0.05	75	0.29	0.064	10	22	0.75	169	0.131
POL69236	1.3	4.4	5.3	33	0.05	0.5	0.2	102	0.56	0.081	19	37	1.25	404	0.12
POL69249	0.5	0.25	2.4	22	0.05	0.4	0.1	73	0.25	0.03	6	26	0.93	337	0.179
POL69265	0.4	1.4	2.2	27	0.1	0.1	0.05	108	0.43	0.076	6	18	1.15	302	0.226
POL69266	0.5	1.1	2.1	22	0.05	0.2	0.05	68	0.4	0.06	7	19	0.69	230	0.133
POL69276	0.7	1.6	5	17	0.05	0.7	0.2	51	0.16	0.034	10	26	0.39	208	0.038
POL69297	0.5	0.25	2	31	0.05	0.1	0.05	86	0.45	0.079	7	26	1.01	381	0.214
POL69302	2.2	4	2.8	63	0.4	0.5	0.2	39	0.89	0.08	56	25	0.46	514	0.057
POL69317	1.4	0.25	10.8	19	0.05	0.2	0.2	61	0.27	0.082	24	48	0.96	360	0.178
POL69319	1.1	0.8	11.9	32	0.05	0.2	0.5	60	0.45	0.056	54	57	1.2	296	0.182
POL69323	0.8	2.2	8.1	29	0.05	0.3	0.1	55	0.37	0.059	14	56	0.97	191	0.17
POL69326	1.3	1	6.4	18	0.05	0.2	0.2	96	0.39	0.104	22	16	1.56	489	0.223
POL69329	1.3	0.25	7.3	21	0.1	0.1	0.4	82	0.26	0.056	19	14	1.57	501	0.243

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68851	0.5	1.48	0.016	0.09	0.2	0.03	3.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68858	0.5	1.72	0.018	0.07	0.2	0.03	6.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68859	0.5	1.85	0.011	0.4	0.1	0.02	5.1	0.2	0.025	7	0.25	1DX15	VAN09004679
POL68861	0.5	1.85	0.011	0.08	0.1	0.01	3.3	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68866	0.5	1.67	0.03	0.62	0.05	0.005	5.8	0.2	0.025	7	0.5	1DX15	VAN09004679
POL68867	2	1.64	0.026	0.07	0.2	0.03	4	0.05	0.025	5	0.5	1DX15	VAN09004679
POL68870	1	1.55	0.027	0.07	0.2	0.03	3.6	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68871	3	1.34	0.029	0.06	0.2	0.02	3.4	0.05	0.025	4	0.8	1DX15	VAN09004679
POL68872	2	1.25	0.028	0.05	0.2	0.02	3.2	0.05	0.025	4	0.7	1DX15	VAN09004679
POL68874	1	1.19	0.023	0.09	0.2	0.07	4.7	0.05	0.025	4	0.6	1DX15	VAN09004679
POL68875	2	1.45	0.017	0.3	0.1	0.05	5.9	0.1	0.025	6	0.25	1DX15	VAN09004679
POL68876	0.5	2.78	0.019	0.86	0.05	0.005	4.2	0.2	0.025	9	0.25	1DX15	VAN09004679
POL68877	0.5	2.67	0.017	0.9	0.05	0.005	3.7	0.2	0.025	8	0.25	1DX15	VAN09004679
POL68939	0.5	1.9	0.01	0.33	0.1	0.005	6.7	0.05	0.025	9	0.25	1DX15	VAN09004679
POL68940	0.5	1.92	0.01	0.22	0.1	0.005	4.4	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68940	0.5	1.93	0.01	0.23	0.1	0.005	4.4	0.05	0.025	7	0.25	1DX15	VAN09004679
POL68941	1	1.91	0.025	0.09	0.1	0.03	4.9	0.05	0.025	6	0.25	1DX15	VAN09004679
POL68942	0.5	1.73	0.011	0.19	0.1	0.02	4.9	0.05	0.025	5	0.7	1DX15	VAN09004679
POL68943	2	1.06	0.042	0.07	0.1	0.02	3	0.05	0.025	3	0.25	1DX15	VAN09004679
POL68945	1	2.47	0.013	0.72	0.05	0.005	3.2	0.05	0.025	8	0.6	1DX15	VAN09004679
POL68946	1	2.36	0.019	0.86	0.05	0.005	7.4	0.2	0.025	10	0.25	1DX15	VAN09004679
POL68947	0.5	2.18	0.027	0.95	0.05	0.005	5.5	0.3	0.025	8	0.25	1DX15	VAN09004679
POL68948	1	1.68	0.026	0.21	0.1	0.005	5.1	0.05	0.025	5	0.25	1DX15	VAN09004679
POL68949	1	1.47	0.01	0.57	0.05	0.005	4.4	0.2	0.025	8	0.25	1DX15	VAN09004679
POL68951	0.5	1.61	0.013	0.49	0.05	0.005	4.3	0.1	0.025	7	0.25	1DX15	VAN09004679
POL68953	2	1.23	0.026	0.06	0.2	0.02	4.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68961	3	1.32	0.032	0.08	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68963	3	1.28	0.034	0.08	0.3	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68964	2	1.06	0.034	0.1	0.3	0.02	3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68965	2	1.16	0.032	0.08	0.2	0.02	3.2	0.05	0.025	4	0.25	1DX15	VAN09004679
POL68965	2	1.11	0.032	0.08	0.3	0.01	3.2	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69045	1	2.68	0.014	0.97	0.05	0.005	10.9	0.3	0.025	12	0.25	1DX15	VAN09004679
POL69076	2	2.04	0.013	0.1	0.2	0.03	4.8	0.2	0.025	8	0.25	1DX15	VAN09004679
POL69077	1	1.71	0.012	0.49	0.05	0.04	3.6	0.3	0.025	7	0.7	1DX15	VAN09004679
POL69081	2	1.54	0.018	0.31	0.05	0.04	6.6	0.2	0.025	7	0.25	1DX15	VAN09004679
POL69101	2	1.41	0.025	0.16	0.2	0.03	4.1	0.1	0.025	4	0.25	1DX15	VAN09004679
POL69103	2	1.86	0.019	0.39	0.1	0.03	4.9	0.2	0.025	7	0.25	1DX15	VAN09004679
POL69120	1	3.17	0.015	1.33	0.2	0.01	4.1	0.6	0.025	7	0.25	1DX15	VAN09004679
POL69124	2	1.7	0.02	0.22	0.2	0.02	5.7	0.1	0.025	6	0.25	1DX15	VAN09004679
POL69131	0.5	1.69	0.017	0.21	0.05	0.03	4	0.2	0.025	7	0.5	1DX15	VAN09004679
POL69172	2	1.66	0.021	0.29	0.1	0.005	5.5	0.1	0.025	7	0.25	1DX15	VAN09004679
POL69236	3	1.86	0.014	0.48	0.1	0.14	10.1	0.1	0.025	7	0.25	1DX15	VAN09004679
POL69249	0.5	1.98	0.014	0.33	0.2	0.01	4.4	0.1	0.025	7	0.25	1DX15	VAN09004679
POL69265	0.5	2.02	0.015	0.78	0.05	0.005	3.6	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69266	1	1.45	0.018	0.19	0.05	0.005	3.2	0.05	0.025	5	0.25	1DX15	VAN09004679
POL69276	2	1.47	0.01	0.07	0.05	0.04	3.1	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69297	0.5	1.89	0.019	0.49	0.1	0.005	3.4	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69302	3	1.28	0.023	0.12	0.2	0.08	5.5	0.05	0.05	4	0.7	1DX15	VAN09004679
POL69317	1	2.23	0.011	0.61	0.1	0.01	5.3	0.4	0.025	8	0.25	1DX15	VAN09004679
POL69319	1	2.16	0.012	0.54	0.1	0.01	5.2	0.4	0.025	8	0.25	1DX15	VAN09004679
POL69323	1	2.02	0.013	0.51	0.1	0.005	3.1	0.4	0.025	8	0.25	1DX15	VAN09004679
POL69326	0.5	2.51	0.019	1.16	0.05	0.005	9.5	0.3	0.025	9	0.25	1DX15	VAN09004679
POL69329	0.5	2.65	0.016	1.4	0.05	0.01	9.4	0.4	0.025	11	0.25	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69343	582156	7010907	NAD 83-07V	0.9	51.2	10	101	0.05	53.2	26.5	656	4.92	1.8
POL69343	582156	7010907	NAD 83-07V	0.8	50.2	9.6	98	0.05	52.2	26.4	651	4.85	1.6
POL69346	582257	7010798	NAD 83-07V	0.7	36.3	9.8	68	0.05	28.2	11	464	2.82	7.1
POL69348	582323	7010721	NAD 83-07V	0.8	27.2	8.5	50	0.05	22	9.5	416	2.26	6.4
POL69350	582390	7010648	NAD 83-07V	1.4	32.8	17	81	0.05	31.4	15.3	290	4.06	6.8
POL69351	581838	7012306	NAD 83-07V	0.8	45.7	6.1	55	0.05	17.1	12.6	382	3.11	4.8
POL69354	581939	7012196	NAD 83-07V	0.7	83.4	9.6	59	0.2	29.8	16.6	350	3.04	3
POL69360	582139	7011972	NAD 83-07V	0.4	103.4	5	76	0.05	18.9	22.1	469	4.29	2.7
POL69362	582207	7011897	NAD 83-07V	0.2	77.6	5.3	87	0.05	13.2	18	848	4.27	1
POL69363	582240	7011861	NAD 83-07V	0.2	79.7	4.9	85	0.05	27.9	21.5	987	3.83	2.2
POL69365	582274	7011824	NAD 83-07V	0.2	103.8	5.1	82	0.05	31.6	21	916	3.73	1.6
POL69366	582306	7011786	NAD 83-07V	0.3	98.5	16.2	66	0.05	18.1	19.6	447	4.01	2.4
POL69367	582341	7011749	NAD 83-07V	0.3	137.9	3.4	72	0.05	19.2	18.8	549	4.35	0.8
POL69368	582341	7011749	NAD 83-07V	0.3	115.5	3.2	68	0.05	20.8	17.6	462	3.87	0.9
POL69369	582376	7011713	NAD 83-07V	0.3	77.5	4.8	94	0.05	22.4	18.4	562	3.84	4.3
POL69369	582376	7011713	NAD 83-07V	0.6	80.8	4.8	94	0.05	23	19.1	576	3.98	4.3
POL69370	582407	7011675	NAD 83-07V	0.6	148.7	4.3	89	0.05	28.9	20.8	609	5.01	3
POL69372	582475	7011601	NAD 83-07V	0.8	138.8	4.8	69	0.05	21.7	16.6	459	4.23	1.9
POL69373	582506	7011564	NAD 83-07V	0.4	62.7	3.2	64	0.05	17.4	24.3	593	3.76	1
POL69374	582541	7011525	NAD 83-07V	0.7	48.8	16.5	75	0.05	27.8	16	626	3.4	5
POL69375	582574	7011487	NAD 83-07V	0.5	32.1	11.8	61	0.05	16.7	12.5	422	3.3	4.8
POL69397	582254	7011397	NAD 83-07V	0.6	43.4	9.5	61	0.05	27.5	12.8	426	2.73	8.3
POL69401	582387	7011249	NAD 83-07V	0.8	30.4	7.3	61	0.05	27.7	10.6	441	2.44	8.8
POL69403	582452	7011175	NAD 83-07V	0.6	30.7	7.7	60	0.05	24.1	10.6	406	2.7	6.5
POL69403	582452	7011175	NAD 83-07V	0.6	30.9	8	63	0.05	23.9	10.3	417	2.65	6.6
POL69404	582487	7011137	NAD 83-07V	0.6	22.5	6.9	49	0.05	20.9	9.3	288	2.26	7.4
POL69408	582622	7010989	NAD 83-07V	0.8	31.4	7.3	53	0.05	26.2	10.3	386	2.5	8.3
POL69415	581567	7011862	NAD 83-07V	0.6	31.4	13.6	107	0.05	34.1	11.4	253	3.66	4.8
POL69419	581700	7011712	NAD 83-07V	0.5	33.2	8.4	63	0.05	37.8	15.5	376	4.46	3.7
POL69420	581735	7011675	NAD 83-07V	0.3	39.6	9.3	46	0.05	23.1	14.9	345	2.9	3.1
POL69426	581934	7011453	NAD 83-07V	0.7	20.2	7.3	58	0.05	18.6	10	440	2.45	7
POL69439	582337	7011003	NAD 83-07V	0.6	24.2	7.7	50	0.05	22.5	9.4	371	2.37	6.9
POL69443	582471	7010854	NAD 83-07V	0.8	27.6	8.4	51	0.05	23.1	11.3	376	2.38	7.3
POL69453	582033	7011942	NAD 83-07V	0.3	57.7	3.7	83	0.05	18.9	19.3	811	3.99	1.9
POL69457	582166	7011793	NAD 83-07V	0.3	23.3	13.9	74	0.05	21.1	18.4	517	3.52	3.2
POL69458	582200	7011756	NAD 83-07V	0.4	35.7	5.9	77	0.05	42.1	24.1	727	4.4	4.5
POL69461	582296	7011647	NAD 83-07V	0.9	52.1	43.9	79	0.1	24.8	18	647	3.89	5.9
POL69466	582464	7011461	NAD 83-07V	0.3	152.5	3.2	50	0.05	21.6	35.3	348	5.38	4.2
POL69468	582532	7011387	NAD 83-07V	0.3	112.9	4.6	33	0.05	35	25.4	385	3.04	2.9
POL69472	582665	7011238	NAD 83-07V	0.7	25	5.8	51	0.05	19.1	10.1	316	2.11	5.7
POL69473	582700	7011201	NAD 83-07V	0.5	25.1	6.3	53	0.05	20.6	8.7	355	2.25	6.8
POL69474	582732	7011165	NAD 83-07V	0.5	21	6.5	57	0.05	21.4	9.7	378	2.18	6.3
POL69476	588345	7009711	NAD 83-07V	0.2	20.5	4.4	85	0.05	28.1	14.3	350	2.66	3.1
POL69480	588490	7009571	NAD 83-07V	0.5	110.9	3.8	104	0.1	17.1	19.5	524	4.59	4.4
POL69482	588562	7009502	NAD 83-07V	0.5	124.4	2.2	66	0.05	17.8	25	377	3.89	3.3
POL69483	588599	7009467	NAD 83-07V	0.4	93.9	4	41	0.05	17.5	13.5	228	2.57	5
POL69484	588634	7009432	NAD 83-07V	0.3	151.5	3.9	93	0.05	21.5	22.3	536	4.97	7
POL69486	588706	7009363	NAD 83-07V	0.6	95.4	5.4	66	0.05	24.1	18.6	361	4.01	9.1
POL69493	588922	7009154	NAD 83-07V	0.2	55.5	1.7	82	0.05	18.3	15.8	336	3.57	2.4
POL69494	588992	7009228	NAD 83-07V	0.5	40.4	5.1	40	0.05	16.3	9.9	266	2.47	6.5
POL69498	588778	7009438	NAD 83-07V	0.6	107	2.6	35	0.05	28.2	15.4	245	2.34	5.2
POL69561	582159	7010309	NAD 83-07V	0.6	37.8	7.3	64	0.1	16.8	10.9	642	2.89	3.4
POL69571	582760	7009640	NAD 83-07V	1.3	60.1	10.5	97	0.1	34.3	15.8	492	4.04	5.3

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69343	2	2	22.9	20	0.05	0.2	0.2	63	0.32	0.062	52	63	1.27	184	0.363
POL69343	1.9	2.8	22.1	19	0.05	0.2	0.2	62	0.28	0.058	50	62	1.23	179	0.358
POL69346	0.7	1.7	5	64	0.2	0.7	0.2	56	0.81	0.061	17	32	0.65	271	0.102
POL69348	1.1	1.7	3	69	0.2	0.7	0.2	45	1.03	0.062	13	26	0.47	270	0.064
POL69350	1.8	0.25	12.5	13	0.05	0.4	0.3	56	0.11	0.045	29	35	0.64	109	0.131
POL69351	0.8	0.25	3.8	18	0.05	0.4	0.1	77	0.28	0.067	9	29	0.79	506	0.147
POL69354	0.8	1.7	1.9	40	0.2	0.3	0.1	71	0.95	0.207	8	31	0.86	330	0.114
POL69360	0.6	0.25	2.4	38	0.05	0.1	0.05	125	0.53	0.131	9	33	1.31	410	0.187
POL69362	0.4	0.25	1.8	39	0.05	0.05	0.05	103	0.51	0.15	5	14	1.4	532	0.23
POL69363	0.7	0.5	2.3	30	0.05	0.1	0.05	97	0.24	0.07	9	30	1.21	386	0.241
POL69365	0.6	2	2	39	0.05	0.2	0.05	107	0.57	0.127	7	31	1.38	677	0.167
POL69366	0.2	0.25	1.5	33	0.05	0.2	0.2	116	0.73	0.205	4	23	1.37	327	0.173
POL69367	0.6	0.25	2.6	24	0.05	0.05	0.05	112	0.67	0.186	10	23	1.24	751	0.221
POL69368	0.5	0.25	2.5	18	0.05	0.05	0.05	106	0.43	0.112	10	27	1.21	609	0.242
POL69369	0.3	0.25	1.6	38	0.05	0.2	0.05	100	0.32	0.062	4	30	1.52	394	0.249
POL69369	0.3	0.25	1.6	38	0.05	0.2	0.05	103	0.31	0.056	4	29	1.51	417	0.25
POL69370	0.5	0.25	2.7	22	0.05	0.1	0.05	135	0.32	0.087	7	37	1.49	561	0.324
POL69372	0.5	0.25	1.7	27	0.05	0.1	0.05	111	0.43	0.111	9	25	1.16	591	0.251
POL69373	0.5	0.25	1.5	83	0.05	0.05	0.05	120	1.09	0.246	5	18	1.57	462	0.18
POL69374	0.6	1	3.8	53	0.05	0.3	0.2	86	0.64	0.148	10	32	1.02	351	0.199
POL69375	0.7	0.25	3	39	0.1	0.3	0.1	86	0.56	0.11	7	25	0.81	260	0.185
POL69397	0.7	2	3.6	56	0.2	0.7	0.1	62	1.31	0.072	13	31	0.74	343	0.102
POL69401	0.6	1.4	3.7	70	0.2	0.7	0.1	56	1.92	0.081	11	27	0.75	279	0.088
POL69403	1.7	1.6	4.5	83	0.2	0.5	0.1	59	0.66	0.078	16	28	0.59	235	0.109
POL69403	1.7	4.6	4.4	84	0.2	0.5	0.2	60	0.67	0.076	16	29	0.59	237	0.107
POL69404	0.9	2.7	3.3	45	0.2	0.5	0.1	53	0.7	0.074	12	25	0.5	199	0.071
POL69408	0.6	3.8	3.5	44	0.1	0.6	0.1	59	0.73	0.074	13	29	0.57	263	0.084
POL69415	1.8	0.25	15.9	10	0.05	0.3	0.3	53	0.11	0.023	28	38	0.83	162	0.105
POL69419	1	0.25	12.9	17	0.05	0.2	0.2	76	0.24	0.035	19	80	1.5	347	0.199
POL69420	0.3	0.25	2.5	16	0.05	0.1	0.05	72	0.29	0.038	5	58	1.35	243	0.204
POL69426	0.8	45.1	3.5	29	0.2	0.4	0.1	53	0.46	0.066	13	26	0.5	216	0.08
POL69439	1.2	2.8	2.6	59	0.1	0.4	0.1	56	0.98	0.052	11	28	0.55	283	0.075
POL69443	1	1	3.9	44	0.2	0.5	0.2	52	0.81	0.058	16	29	0.54	225	0.089
POL69453	0.4	0.8	1.5	33	0.05	0.05	0.05	96	0.68	0.218	5	27	1.31	336	0.221
POL69457	0.3	0.25	1.4	49	0.05	0.2	0.1	78	0.34	0.099	4	26	0.98	333	0.231
POL69458	0.4	0.25	1.4	52	0.05	0.2	0.05	103	0.5	0.143	3	66	1.42	315	0.284
POL69461	0.5	0.25	2	45	0.1	0.3	0.7	101	0.37	0.071	6	35	1.04	439	0.211
POL69466	0.5	0.7	1	34	0.05	0.2	0.05	194	1	0.215	5	21	1.29	216	0.141
POL69468	0.5	0.6	1.5	32	0.05	0.2	0.05	93	0.83	0.146	8	55	1.15	294	0.121
POL69472	1.7	1.2	2.7	84	0.2	0.3	0.05	50	1.04	0.073	10	26	0.56	226	0.088
POL69473	1	0.25	2.9	72	0.2	0.4	0.1	50	0.97	0.07	13	26	0.54	233	0.085
POL69474	0.9	1.1	3	49	0.1	0.5	0.1	49	0.63	0.071	12	26	0.59	223	0.083
POL69476	0.2	0.8	1.1	65	0.05	0.1	0.05	67	0.39	0.041	4	77	1.34	434	0.163
POL69480	0.5	0.25	2.4	32	0.05	0.2	0.05	118	0.39	0.099	7	31	1.62	840	0.244
POL69482	0.3	0.6	1.2	26	0.1	0.2	0.05	107	0.35	0.041	4	26	1.81	384	0.205
POL69483	0.4	0.25	1.8	18	0.05	0.3	0.05	73	0.55	0.13	6	28	0.79	355	0.116
POL69484	0.4	0.25	1.9	17	0.05	0.3	0.05	175	0.41	0.077	9	27	1.36	595	0.334
POL69486	0.8	0.9	4.4	25	0.05	0.5	0.1	97	0.53	0.156	16	36	0.98	562	0.173
POL69493	0.3	0.25	3.1	25	0.05	0.2	0.05	102	0.62	0.148	12	46	1.4	1009	0.24
POL69494	1.6	1.4	2.9	33	0.05	0.3	0.05	57	0.53	0.083	11	27	0.53	269	0.086
POL69498	0.3	0.25	1.7	38	0.05	0.2	0.05	70	1	0.224	8	73	0.96	294	0.133
POL69561	1.4	0.9	3.3	59	0.2	0.3	0.1	49	1.45	0.063	19	26	0.68	354	0.102
POL69571	1.4	1.8	6.8	34	0.2	0.8	0.2	87	0.61	0.085	23	40	1.06	408	0.152

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69343	0.5	2.54	0.016	1.4	0.05	0.01	5.7	0.9	0.025	10	0.25	1DX15	VAN09004679
POL69343	0.5	2.48	0.015	1.34	0.05	0.01	5.5	0.9	0.025	9	0.25	1DX15	VAN09004679
POL69346	2	1.59	0.032	0.14	0.1	0.03	4.3	0.05	0.025	5	0.25	1DX15	VAN09004679
POL69348	2	1.35	0.022	0.05	0.2	0.04	3.3	0.05	0.025	4	0.8	1DX15	VAN09004679
POL69350	2	2.06	0.011	0.33	0.2	0.03	2.5	0.3	0.025	7	0.25	1DX15	VAN09004679
POL69351	0.5	1.67	0.014	0.46	0.1	0.005	3.7	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69354	0.5	1.46	0.024	0.26	0.1	0.03	4.9	0.1	0.025	5	0.25	1DX15	VAN09004679
POL69360	0.5	2.16	0.023	0.8	0.05	0.01	6.4	0.3	0.025	7	0.25	1DX15	VAN09004679
POL69362	0.5	2.33	0.011	1.14	0.1	0.005	3.8	0.3	0.025	10	0.25	1DX15	VAN09004679
POL69363	0.5	2.13	0.009	0.87	0.05	0.005	3.8	0.4	0.025	10	0.25	1DX15	VAN09004679
POL69365	0.5	1.87	0.018	0.77	0.05	0.02	6.3	0.3	0.025	8	0.25	1DX15	VAN09004679
POL69366	0.5	2.18	0.03	0.75	0.05	0.005	3.8	0.4	0.025	6	0.25	1DX15	VAN09004679
POL69367	0.5	2.06	0.021	1.01	0.05	0.005	4.4	0.2	0.025	7	0.25	1DX15	VAN09004679
POL69368	0.5	1.99	0.018	0.97	0.05	0.005	4.4	0.3	0.025	7	0.25	1DX15	VAN09004679
POL69369	0.5	2.34	0.011	1.11	0.05	0.005	2.1	0.3	0.025	7	0.25	1DX15	VAN09004679
POL69369	0.5	2.3	0.008	1.09	0.05	0.005	2.2	0.4	0.025	7	0.25	1DX15	VAN09004679
POL69370	0.5	2.64	0.016	1.47	0.1	0.005	5.4	0.4	0.025	9	0.25	1DX15	VAN09004679
POL69372	1	2.11	0.011	1.1	0.05	0.005	4.4	0.3	0.025	8	0.25	1DX15	VAN09004679
POL69373	1	2.17	0.035	0.99	0.05	0.005	5.4	0.3	0.025	6	0.25	1DX15	VAN09004679
POL69374	0.5	1.79	0.019	0.66	0.1	0.02	3.2	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69375	0.5	1.69	0.016	0.46	0.05	0.005	3	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69397	2	1.4	0.028	0.13	0.2	0.03	3.9	0.1	0.025	4	0.25	1DX15	VAN09004679
POL69401	2	1.14	0.033	0.09	0.2	0.02	3.2	0.05	0.025	3	0.25	1DX15	VAN09004679
POL69403	2	1.4	0.026	0.15	0.2	0.01	3.9	0.1	0.025	5	0.25	1DX15	VAN09004679
POL69403	2	1.36	0.026	0.15	0.2	0.03	3.9	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69404	2	1.13	0.025	0.05	0.2	0.02	3.1	0.05	0.025	3	0.25	1DX15	VAN09004679
POL69408	2	1.3	0.029	0.06	0.2	0.03	3.5	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69415	0.5	2.21	0.007	0.43	0.05	0.005	3.2	0.4	0.025	7	0.25	1DX15	VAN09004679
POL69419	0.5	2.85	0.013	1.13	0.05	0.005	7	0.5	0.025	9	0.25	1DX15	VAN09004679
POL69420	0.5	1.91	0.017	0.81	0.05	0.005	3.4	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69426	0.5	1.26	0.018	0.09	0.2	0.02	3.1	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69439	3	1.47	0.028	0.05	0.2	0.03	3.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69443	2	1.45	0.026	0.07	0.2	0.02	3.4	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69453	0.5	2.1	0.017	1	0.05	0.005	3.4	0.3	0.025	7	0.25	1DX15	VAN09004679
POL69457	0.5	2.04	0.01	0.59	0.1	0.005	1.7	0.2	0.025	7	0.25	1DX15	VAN09004679
POL69458	0.5	2.39	0.008	1.06	0.1	0.005	3.2	0.2	0.025	8	0.25	1DX15	VAN09004679
POL69461	0.5	2.24	0.011	0.37	0.1	0.005	3.7	0.2	0.025	8	0.25	1DX15	VAN09004679
POL69466	0.5	1.61	0.065	0.28	0.05	0.005	10.6	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69468	0.5	1.5	0.033	0.22	0.05	0.01	11.4	0.1	0.025	4	0.25	1DX15	VAN09004679
POL69472	3	1.2	0.026	0.1	0.2	0.02	3.2	0.05	0.05	4	0.7	1DX15	VAN09004679
POL69473	2	1.18	0.025	0.09	0.2	0.02	3.2	0.05	0.025	4	0.6	1DX15	VAN09004679
POL69474	2	1.2	0.031	0.09	0.2	0.02	3.2	0.05	0.06	4	0.25	1DX15	VAN09004679
POL69476	0.5	2.02	0.015	0.53	0.05	0.005	3.6	0.2	0.025	8	0.25	1DX15	VAN09004679
POL69480	0.5	2.71	0.018	1.38	0.05	0.005	9.6	0.2	0.025	9	0.25	1DX15	VAN09004679
POL69482	0.5	2.69	0.019	0.91	0.05	0.005	3.9	0.2	0.025	6	0.25	1DX15	VAN09004679
POL69483	0.5	1.75	0.041	0.19	0.05	0.005	4.4	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69484	0.5	2.56	0.022	1.19	0.05	0.005	6.6	0.3	0.025	9	0.25	1DX15	VAN09004679
POL69486	1	1.97	0.028	0.48	0.1	0.01	6.7	0.2	0.025	7	0.6	1DX15	VAN09004679
POL69493	0.5	2.08	0.035	0.97	0.05	0.005	6.7	0.2	0.025	8	0.25	1DX15	VAN09004679
POL69494	1	1.3	0.034	0.05	0.05	0.02	4.7	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69498	1	1.81	0.059	0.12	0.05	0.005	5.5	0.05	0.025	5	0.25	1DX15	VAN09004679
POL69561	3	1.46	0.027	0.26	0.05	0.04	5.6	0.1	0.09	5	0.6	1DX15	VAN09004679
POL69571	2	2.1	0.023	0.46	0.1	0.03	7	0.2	0.025	7	0.7	1DX15	VAN09004679

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69572	582728	7009674	NAD 83-07V	0.7	61.4	13.4	126	0.05	23.7	17.9	924	4.37	4
POL69686	582438	7009550	NAD 83-07V	0.8	32.6	6.8	58	0.05	26.1	11.2	415	2.5	9.5
POL69687	582401	7009590	NAD 83-07V	0.5	31.4	6.9	63	0.05	25.9	10.9	391	2.5	8.4
POL69687	582401	7009590	NAD 83-07V	0.6	31.7	6.8	58	0.05	25.5	10.7	392	2.44	8.2
POL69739	582988	7009238	NAD 83-07V	0.5	41.6	11.4	59	0.05	22.6	12.3	378	3.41	4.8
POL69746	582786	7009461	NAD 83-07V	2.2	56.1	17.9	140	0.05	34.8	16.1	605	4.89	4.2
POL69747	582753	7009498	NAD 83-07V	1.4	34.8	13.4	110	0.1	24.5	13.3	441	3.92	10.3
POL69748	582718	7009535	NAD 83-07V	1.2	18.9	12.8	82	0.05	18	9.4	321	3.28	11.3
POL69752	582584	7009683	NAD 83-07V	0.5	39.2	7	77	0.05	35.7	13.5	347	3.5	6
POL69753	582552	7009721	NAD 83-07V	0.5	45.4	8.6	88	0.05	42.2	19.8	573	4.51	3.9
POL69754	582517	7009757	NAD 83-07V	0.6	42.7	9.3	105	0.05	52.3	24	328	4.48	14.7
POL69768	583237	7009260	NAD 83-07V	0.8	32.6	7.6	63	0.05	36.3	12	548	2.79	7.1
POL69769	583204	7009298	NAD 83-07V	0.8	47.3	9.2	59	0.1	24.2	10.2	256	3.08	8.7
POL69769	583204	7009298	NAD 83-07V	0.8	48.6	9.3	60	0.1	25.4	10.5	260	3.1	9.2
POL51161	581976	7010212	NAD 83-07V	0.4	27.5	7	51	0.05	25.6	9.1	460	2.3	7.5
POL51179	581895	7010001	NAD 83-07V	0.6	31.3	8.6	59	0.05	25.3	11.2	337	2.61	6.2
POL51181	581961	7009927	NAD 83-07V	0.6	31.7	8.9	61	0.05	25.2	11	358	2.74	6.1
POL51183	581995	7009889	NAD 83-07V	0.5	49.4	6	114	0.05	35.5	16.3	717	5.01	2.8
POL51184	582028	7009853	NAD 83-07V	0.3	45	3.9	81	0.05	36.7	18.2	840	5.12	1.4
POL51184	582028	7009853	NAD 83-07V	0.3	47.2	3.9	89	0.05	38	18.9	871	5.33	1.5
POL51185	582062	7009816	NAD 83-07V	0.6	28	7.6	65	0.05	52.3	12.7	409	3.11	5.3
POL51186	582095	7009778	NAD 83-07V	0.6	26.8	9.1	60	0.05	82.9	14	366	2.82	6
POL51187	582128	7009741	NAD 83-07V	0.3	27.4	6.3	57	0.05	109.6	13.4	364	2.37	6.7
POL51188	582163	7009705	NAD 83-07V	0.5	29.8	7.6	56	0.05	34.8	10.9	361	2.42	6.9
POL51189	582195	7009667	NAD 83-07V	0.6	29.8	8.8	62	0.05	22.8	11.8	486	2.84	7.6
POL51190	582231	7009630	NAD 83-07V	0.4	23.4	6.3	56	0.05	17.9	10.7	345	2.34	4.4
POL51191	582263	7009593	NAD 83-07V	0.8	34.4	8.6	69	0.1	30	11.3	430	2.59	9.4
POL51192	582298	7009556	NAD 83-07V	0.6	34	8.5	58	0.05	28.9	11.3	424	2.58	8.7
POL51195	582365	7009480	NAD 83-07V	0.7	22.9	6.9	57	0.05	20.5	11.2	468	2.78	6.2
POL51201	582565	7009260	NAD 83-07V	1.3	22.7	8.4	57	0.1	23	10.2	364	3.1	7.8
POL51202	582596	7009224	NAD 83-07V	1	18.5	7.5	49	0.05	19.1	8	305	2.63	6.9
POL51203	582631	7009185	NAD 83-07V	1.4	18.8	9.8	48	0.05	15.2	7.5	272	2.96	6
POL51204	582664	7009148	NAD 83-07V	0.7	26.3	6.8	51	0.05	21.9	9.4	229	2.66	7.3
POL51205	582697	7009110	NAD 83-07V	0.6	23.6	6.4	59	0.05	20.1	10.3	344	3	5.7
POL51206	582730	7009073	NAD 83-07V	0.7	33.3	6.7	60	0.05	25.7	10.6	464	2.78	8.2
POL51206	582730	7009073	NAD 83-07V	0.6	33.5	7	58	0.05	26	10.4	474	2.72	8.4
POL51207	582765	7009036	NAD 83-07V	0.9	14.8	10.9	46	0.05	19.6	7.6	237	2.74	7.4
POL51208	582798	7008999	NAD 83-07V	0.7	27	7.3	49	0.05	25.1	10.5	396	2.66	9.3
POL51209	582832	7008962	NAD 83-07V	1	24.1	6.4	56	0.05	16.6	10	386	3.57	6.5
POL51210	582865	7008926	NAD 83-07V	1	17.8	10.4	50	0.05	15.5	9.7	413	3.2	5.1
POL51850	582248	7010528	NAD 83-07V	1.4	21.4	11.4	78	0.1	19.1	13	545	3.06	5.2
POL53210	582114	7010676	NAD 83-07V	0.8	34.9	9.2	65	0.05	26.5	10.9	520	2.84	8.7
POL53212	582181	7010601	NAD 83-07V	0.6	22.1	5.7	55	0.05	20.8	8	274	2.11	5.3
POL64373	588901	7010286	NAD 83-07V	2.8	92.6	4.6	69	0.4	26.9	21.5	284	3.95	3.3
POL64376	589009	7010181	NAD 83-07V	1.1	67.9	4.4	74	0.05	12.8	16.6	521	4.2	4
POL64712	581031	7011107	NAD 83-07V	1.1	41.6	8.7	58	0.1	33.2	15	499	3.42	5.7
POL64720	581693	7010358	NAD 83-07V	0.8	37	7.6	55	0.05	26.3	11.9	490	2.62	7.8
POL64727	582127	7010348	NAD 83-07V	0.5	24.3	6.9	60	0.05	22.4	8.9	361	2.19	6.1
POL64911	588201	7009849	NAD 83-07V	0.2	31.8	14.4	138	0.05	21.1	15.4	709	3.65	2.2
POL64912	588238	7009814	NAD 83-07V	0.5	23.6	3.5	62	0.05	17.4	13.6	453	3.32	4
POL64913	588273	7009780	NAD 83-07V	0.2	44.5	1.7	31	0.05	19.3	12.4	297	2.13	2
POL65552	588970	7010360	NAD 83-07V	1.6	46.8	5.8	59	0.2	15.7	10.4	196	2.77	5
POL65558	589150	7010185	NAD 83-07V	6.5	91.2	45.8	74	0.05	29.4	20.2	616	4.2	2.4

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69572	0.9	1.3	6.1	30	0.2	0.3	0.1	86	0.57	0.071	14	61	1.6	404	0.214
POL69686	0.8	2.4	3.7	73	0.4	0.7	0.1	59	1.92	0.094	12	27	0.8	263	0.09
POL69687	0.6	6.1	3.2	50	0.4	0.6	0.1	57	1.24	0.084	12	29	0.65	242	0.086
POL69687	0.6	2.2	3.1	47	0.3	0.6	0.1	54	1.15	0.085	12	28	0.69	233	0.083
POL69739	0.4	1.3	3.1	36	0.05	0.3	0.1	75	0.45	0.045	9	52	1.01	215	0.135
POL69746	1.6	0.6	12.4	32	0.2	0.3	0.2	77	0.42	0.115	34	42	0.97	419	0.138
POL69747	1.6	3.6	8.3	25	0.2	0.4	0.2	72	0.34	0.079	25	34	0.78	328	0.133
POL69748	0.8	1	4.4	21	0.1	0.4	0.2	73	0.3	0.069	13	29	0.73	212	0.116
POL69752	0.8	0.8	11	19	0.05	0.3	0.05	54	0.19	0.041	21	54	1.01	100	0.17
POL69753	1.1	0.25	12.8	21	0.05	0.2	0.1	75	0.39	0.089	37	36	1.24	272	0.197
POL69754	1.9	0.6	18.6	18	0.05	0.3	0.1	54	0.37	0.084	46	50	1.05	178	0.177
POL69768	0.5	3.9	2.7	25	0.05	0.4	0.1	68	0.31	0.031	8	33	0.84	647	0.105
POL69769	0.4	4.1	2.3	17	0.05	0.5	0.1	78	0.19	0.031	6	44	0.75	275	0.117
POL69769	0.4	2.3	2.4	19	0.05	0.5	0.1	75	0.2	0.033	6	42	0.84	276	0.121
POL51161	1	3	3.2	46	0.3	0.5	0.1	52	0.79	0.074	12	29	0.52	246	0.074
POL51179	0.9	4.2	3.8	26	0.1	0.4	0.1	62	0.33	0.059	14	38	0.53	522	0.097
POL51181	0.9	2.2	3.9	32	0.05	0.4	0.1	64	0.39	0.056	14	37	0.57	533	0.1
POL51183	0.8	2.4	9.6	35	0.05	0.2	0.05	92	0.32	0.06	24	73	1.65	671	0.349
POL51184	0.7	1.4	7.2	28	0.1	0.05	0.05	88	0.33	0.089	19	66	1.88	517	0.365
POL51184	0.7	1.5	6.8	29	0.1	0.05	0.05	90	0.31	0.08	19	66	1.92	538	0.377
POL51185	1	2.2	5.6	35	0.1	0.3	0.1	64	0.37	0.048	16	68	0.97	412	0.154
POL51186	1	2.8	4.6	39	0.1	0.3	0.1	61	0.36	0.038	15	85	0.94	512	0.116
POL51187	0.8	5.5	3.3	60	0.3	0.5	0.1	50	1.03	0.073	11	75	1.03	241	0.081
POL51188	0.8	6.9	3.3	46	0.2	0.7	0.1	58	0.68	0.069	13	33	0.58	278	0.087
POL51189	1.5	2.2	3.6	55	0.05	0.5	0.1	59	0.77	0.067	16	32	0.67	287	0.105
POL51190	2	2.1	3.1	115	0.2	0.2	0.05	54	0.7	0.076	12	26	0.61	222	0.108
POL51191	0.7	3.8	3.4	53	0.3	0.8	0.2	59	1.18	0.066	13	32	0.67	300	0.095
POL51192	0.6	4.1	3.4	52	0.2	0.7	0.2	60	1.14	0.07	13	30	0.65	277	0.09
POL51195	0.9	2.8	4.7	31	0.05	0.5	0.1	58	0.52	0.059	17	30	0.57	239	0.107
POL51201	0.9	2	4.7	27	0.05	0.4	0.1	68	0.33	0.032	18	33	0.66	243	0.142
POL51202	0.8	1.9	4.4	25	0.05	0.4	0.1	57	0.36	0.033	18	32	0.58	176	0.112
POL51203	0.7	3.9	3.4	20	0.05	0.4	0.2	65	0.24	0.017	16	26	0.54	210	0.124
POL51204	0.7	2.1	5.4	22	0.05	0.5	0.1	58	0.3	0.028	28	34	0.61	235	0.1
POL51205	0.7	7.1	5.3	29	0.05	0.4	0.1	63	0.42	0.032	20	32	0.85	258	0.152
POL51206	0.5	3.8	4.2	47	0.05	0.6	0.2	61	1.58	0.04	17	30	0.74	324	0.1
POL51206	0.4	2.7	4.1	47	0.1	0.5	0.1	59	1.6	0.04	16	30	0.71	308	0.101
POL51207	0.4	4	3.1	24	0.05	0.6	0.2	62	0.24	0.016	11	33	0.43	907	0.058
POL51208	0.4	3.2	4	38	0.05	0.6	0.1	61	1.08	0.031	15	31	0.55	316	0.088
POL51209	0.6	0.25	5.5	18	0.05	0.3	0.1	59	0.29	0.025	10	23	0.75	201	0.109
POL51210	1.1	1.6	4.6	43	0.2	0.4	0.2	65	0.63	0.033	20	25	0.62	461	0.098
POL51850	1.4	1.8	4.7	29	0.05	0.2	0.1	59	0.68	0.049	26	29	0.76	196	0.138
POL53210	0.8	5.1	4.1	61	0.1	0.6	0.1	67	1	0.05	15	30	0.74	323	0.113
POL53212	1.4	7.6	3	97	0.2	0.4	0.05	49	0.69	0.07	11	28	0.51	226	0.086
POL64373	0.9	4.1	1.9	52	0.1	0.3	0.05	102	0.57	0.068	9	27	0.79	261	0.129
POL64376	0.6	0.9	1.4	83	0.05	0.2	0.05	137	1	0.1	7	18	1.59	540	0.188
POL64712	1.1	3.4	5.3	31	0.1	0.3	0.1	75	0.35	0.071	22	40	0.88	371	0.175
POL64720	1.1	3.2	3.1	88	0.1	0.5	0.1	67	0.78	0.052	13	38	0.55	350	0.095
POL64727	0.8	2.5	2.4	37	0.2	0.5	0.1	54	0.71	0.072	11	27	0.48	238	0.072
POL64911	0.5	1.1	1.7	48	0.4	0.05	0.05	108	0.62	0.024	8	80	1.65	314	0.266
POL64912	0.3	0.9	1.8	16	0.05	0.2	0.05	91	0.25	0.018	5	47	1.18	302	0.219
POL64913	0.1	0.6	0.5	26	0.05	0.05	0.05	77	0.66	0.036	2	46	0.98	144	0.147
POL65552	0.8	5	1.8	30	0.2	0.3	0.1	74	0.41	0.083	10	26	0.53	216	0.09
POL65558	0.8	1.5	2.8	40	0.2	0.2	0.8	133	0.59	0.083	14	55	2.09	442	0.229

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69572	0.5	2.27	0.016	0.71	0.05	0.02	8.1	0.4	0.025	9	0.6	1DX15	VAN09004679
POL69686	3	1.16	0.039	0.09	0.2	0.01	3.5	0.05	0.025	4	0.6	1DX15	VAN09004679
POL69687	2	1.15	0.032	0.08	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69687	3	1.2	0.033	0.07	0.2	0.02	3.3	0.05	0.025	4	0.25	1DX15	VAN09004679
POL69739	1	1.91	0.024	0.14	0.1	0.005	3.3	0.05	0.025	7	0.25	1DX15	VAN09004679
POL69746	1	2.03	0.013	0.78	0.05	0.01	6.1	0.5	0.025	8	2.1	1DX15	VAN09004679
POL69747	2	1.89	0.013	0.44	0.1	0.02	5.3	0.3	0.025	7	0.8	1DX15	VAN09004679
POL69748	0.5	1.8	0.013	0.29	0.2	0.03	3.9	0.2	0.025	7	0.5	1DX15	VAN09004679
POL69752	0.5	1.96	0.01	0.71	0.05	0.005	3.5	0.4	0.025	7	0.25	1DX15	VAN09004679
POL69753	0.5	2.29	0.016	0.97	0.05	0.005	5.1	0.6	0.025	9	0.6	1DX15	VAN09004679
POL69754	1	2.27	0.017	0.86	0.05	0.005	4.5	0.5	0.025	9	0.6	1DX15	VAN09004679
POL69768	2	1.7	0.012	0.23	0.2	0.005	3.5	0.1	0.025	6	0.25	1DX15	VAN09004679
POL69769	1	1.99	0.012	0.13	0.1	0.005	2.9	0.1	0.025	6	0.25	1DX15	VAN09004679
POL69769	2	2.09	0.013	0.14	0.2	0.005	2.9	0.05	0.025	6	0.25	1DX15	VAN09004679
POL51161	1	1.18	0.028	0.05	0.2	0.03	3.1	0.05	0.025	4	0.25	1DX15	VAN09004680
POL51179	1	1.45	0.015	0.08	0.2	0.02	3.8	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51181	0.5	1.43	0.02	0.09	0.2	0.02	5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51183	0.5	2.44	0.012	1.39	0.1	0.005	8.5	0.5	0.025	11	0.25	1DX15	VAN09004680
POL51184	0.5	2.5	0.01	1.52	0.1	0.01	8	0.3	0.025	11	0.25	1DX15	VAN09004680
POL51184	0.5	2.49	0.009	1.59	0.05	0.01	7.8	0.4	0.025	12	0.25	1DX15	VAN09004680
POL51185	2	1.64	0.018	0.35	0.2	0.02	5.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL51186	1	1.68	0.018	0.1	0.1	0.04	4	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51187	3	1.11	0.029	0.07	0.2	0.005	3.3	0.05	0.025	4	0.25	1DX15	VAN09004680
POL51188	2	1.39	0.03	0.05	0.2	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL51189	2	1.56	0.026	0.1	0.2	0.03	4.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL51190	3	1.21	0.022	0.18	0.2	0.02	3.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51191	3	1.34	0.036	0.06	0.2	0.02	3.6	0.05	0.025	4	0.5	1DX15	VAN09004680
POL51192	2	1.42	0.035	0.07	0.2	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL51195	1	1.43	0.022	0.13	0.1	0.03	4.3	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51201	1	1.69	0.016	0.21	0.1	0.02	3.6	0.2	0.025	6	0.25	1DX15	VAN09004680
POL51202	1	1.44	0.015	0.11	0.1	0.02	3.1	0.1	0.025	5	0.25	1DX15	VAN09004680
POL51203	1	1.56	0.014	0.19	0.05	0.02	3	0.1	0.025	6	0.25	1DX15	VAN09004680
POL51204	1	1.61	0.016	0.11	0.1	0.01	4.4	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51205	2	1.72	0.029	0.17	0.1	0.01	5	0.1	0.025	6	0.25	1DX15	VAN09004680
POL51206	3	1.66	0.033	0.13	0.2	0.03	4.9	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51206	2	1.62	0.029	0.13	0.2	0.02	4.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51207	2	1.99	0.01	0.07	0.1	0.005	3.6	0.05	0.025	6	0.25	1DX15	VAN09004680
POL51208	3	1.56	0.022	0.09	0.2	0.02	4.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL51209	1	2.02	0.011	0.3	0.05	0.005	4.8	0.1	0.025	7	0.25	1DX15	VAN09004680
POL51210	3	1.81	0.016	0.25	0.1	0.01	6	0.1	0.025	7	0.5	1DX15	VAN09004680
POL51850	2	1.65	0.022	0.19	0.2	0.04	4	0.2	0.025	7	0.25	1DX15	VAN09004680
POL53210	4	1.71	0.037	0.16	0.2	0.04	4.9	0.1	0.025	5	0.6	1DX15	VAN09004680
POL53212	3	1.24	0.025	0.1	0.2	0.02	3.3	0.05	0.025	4	0.9	1DX15	VAN09004680
POL64373	1	2.4	0.041	0.11	0.05	0.03	7.7	0.05	0.025	8	0.7	1DX15	VAN09004680
POL64376	1	2.93	0.03	0.5	0.05	0.005	7.6	0.1	0.025	9	0.25	1DX15	VAN09004680
POL64712	1	2.37	0.02	0.5	0.1	0.02	4.4	0.3	0.025	9	0.25	1DX15	VAN09004680
POL64720	2	1.56	0.027	0.06	0.2	0.03	4.9	0.05	0.025	5	0.25	1DX15	VAN09004680
POL64727	2	1.42	0.025	0.05	0.2	0.03	3.6	0.05	0.025	4	0.7	1DX15	VAN09004680
POL64911	2	2.71	0.016	0.33	0.05	0.005	6	0.05	0.025	11	0.25	1DX15	VAN09004680
POL64912	1	2.36	0.015	0.48	0.05	0.005	2.8	0.2	0.025	7	0.25	1DX15	VAN09004680
POL64913	2	1.92	0.029	0.16	0.05	0.005	3.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL65552	2	1.61	0.025	0.05	0.1	0.02	4.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL65558	1	2.66	0.014	0.83	0.05	0.005	6.3	0.3	0.025	10	0.25	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL65561	589260	7010079	NAD 83-07V	1	66	13	73	0.1	33.5	16.3	675	4.29	6.7
POL65562	589294	7010045	NAD 83-07V	1.6	63.4	3.3	65	0.05	33.4	22.6	622	4.6	3.4
POL65563	589330	7010011	NAD 83-07V	0.8	87.1	3.3	69	0.05	28.6	21.5	585	3.86	3.3
POL65564	589367	7009976	NAD 83-07V	0.3	69.8	2.8	32	0.05	34.5	21.2	300	2.87	2.6
POL65565	589402	7009941	NAD 83-07V	0.5	84.6	2.9	44	0.05	21.5	17.1	441	3.07	1.7
POL65566	589438	7009906	NAD 83-07V	0.6	24.5	3.3	58	0.05	19.8	10.9	390	2.41	1.9
POL65567	589474	7009872	NAD 83-07V	0.4	168.9	2.6	57	0.1	39.8	27.5	1092	6.02	2.5
POL65568	589511	7009837	NAD 83-07V	1.1	53.2	4.5	53	0.05	17.7	13.9	398	3.3	5.1
POL65569	589547	7009801	NAD 83-07V	1	58.4	7	51	0.05	19.5	12.1	376	2.53	4.9
POL65572	589547	7009943	NAD 83-07V	0.4	79.1	3.4	67	0.05	17.7	19.6	556	3.87	4
POL65652	588898	7010567	NAD 83-07V	1.7	88	2.1	80	0.05	11.9	17.9	719	4.68	1.9
POL65652	588898	7010567	NAD 83-07V	1.9	94.6	2	89	0.05	12.9	19.5	831	5.12	2.2
POL65653	588933	7010533	NAD 83-07V	0.9	108.1	1.9	96	0.05	12.9	11.1	489	3.52	1.3
POL65655	589003	7010463	NAD 83-07V	0.8	32.9	6	61	0.05	25.5	9.6	427	2.37	7.6
POL65657	589074	7010393	NAD 83-07V	0.9	33	7	67	0.1	23.6	10.7	444	2.54	7.1
POL65658	589112	7010358	NAD 83-07V	0.6	53.9	2.4	67	0.05	10.5	14.7	428	3.39	0.25
POL65659	589112	7010358	NAD 83-07V	0.8	48.6	2.3	67	0.05	9.6	15	467	3.27	0.6
POL65660	589148	7010322	NAD 83-07V	2.1	132	8.9	137	0.05	12.1	22.1	445	3.52	1.5
POL65661	589183	7010287	NAD 83-07V	2.1	79.2	6	66	0.05	11.1	17.3	469	4.94	3.5
POL65665	589001	7010609	NAD 83-07V	1.6	83.4	5	100	0.05	31.4	10.2	538	3.86	3.1
POL65666	589036	7010574	NAD 83-07V	0.9	41.2	5.9	54	0.05	19.6	13.7	530	3.61	4.8
POL65667	589075	7010538	NAD 83-07V	0.8	38	8	62	0.05	24.7	10.2	354	2.63	8.6
POL65668	589110	7010503	NAD 83-07V	0.9	50.3	8.3	58	0.1	28.8	12.5	536	2.74	10
POL65670	589181	7010433	NAD 83-07V	0.9	38.7	8.6	69	0.05	28.2	11.6	480	2.75	9
POL65672	589253	7010365	NAD 83-07V	0.8	39.6	8.4	77	0.05	22.4	10.7	418	2.67	7.3
POL65672	589253	7010365	NAD 83-07V	1	41.1	8.3	80	0.05	23.8	11.1	423	2.65	6.9
POL65673	589289	7010329	NAD 83-07V	0.6	50.3	3.5	61	0.05	16.8	19.8	605	3.72	2.7
POL65674	589325	7010294	NAD 83-07V	0.8	85.7	2.1	60	0.05	20.5	21.8	632	4.04	2.3
POL65675	589362	7010259	NAD 83-07V	0.5	45	3.1	74	0.05	17.3	23.2	695	4.39	4.9
POL65676	589397	7010225	NAD 83-07V	0.4	68.9	3.1	65	0.05	68.9	30.4	1068	5.58	4.3
POL65677	589434	7010189	NAD 83-07V	0.7	61.1	5.2	75	0.1	15.9	20.6	755	3.75	4.5
POL65678	589470	7010155	NAD 83-07V	0.9	80.1	6.9	65	0.05	21.5	22.4	634	4.34	6.3
POL65679	589505	7010121	NAD 83-07V	1	66.4	28.2	64	0.2	25.8	17.2	671	3.65	6.4
POL65680	589542	7010086	NAD 83-07V	1.5	89.5	4	65	0.05	17.8	25.2	611	4.34	5.7
POL65681	589577	7010052	NAD 83-07V	5.1	52.9	54.1	55	0.3	23.4	15.7	396	3.51	7.8
POL65682	589613	7010015	NAD 83-07V	0.6	100.4	3.7	78	0.05	24.5	23.1	666	4.19	5.3
POL65683	589649	7009981	NAD 83-07V	0.8	88.8	3.5	66	0.05	17.8	20.5	451	3.95	7.4
POL65684	589685	7009946	NAD 83-07V	1.1	72.2	5.4	69	0.05	15.6	18.3	504	4.01	5.6
POL65852	581988	7009750	NAD 83-07V	0.4	26.7	8.4	61	0.05	75.4	12.5	346	2.79	6
POL65856	582122	7009600	NAD 83-07V	0.3	41.1	9.2	55	0.05	88.3	13.3	369	3.39	5.9
POL65858	582190	7009524	NAD 83-07V	0.6	30.9	7.1	56	0.05	26.7	10.2	423	2.46	7.5
POL65859	582223	7009487	NAD 83-07V	0.6	26.7	6.7	52	0.05	23.2	9.7	372	2.39	7
POL65861	582356	7009340	NAD 83-07V	0.8	29.5	8.1	60	0.1	21.3	11	335	2.91	5.9
POL65868	582590	7009082	NAD 83-07V	0.6	35.8	7.6	59	0.05	25.1	12.8	445	3.16	6.7
POL65869	582624	7009045	NAD 83-07V	0.7	30.8	7.9	57	0.05	22.4	10.8	446	2.86	7.5
POL65869	582624	7009045	NAD 83-07V	0.6	30.8	8.3	58	0.05	23.3	11.2	441	2.97	7.6
POL65871	582692	7008970	NAD 83-07V	0.4	36	3	40	0.05	11.8	10.8	248	2.86	3.5
POL65873	582792	7008858	NAD 83-07V	0.8	22.6	7.4	59	0.05	18.4	11.5	404	2.85	5.4
POL68257	589087	7009830	NAD 83-07V	0.7	52.7	8	56	0.1	24.7	12.8	392	2.71	8
POL68263	589303	7009620	NAD 83-07V	0.6	178.9	4.3	58	0.1	23.3	23.1	402	3.73	3.2
POL68264	589339	7009586	NAD 83-07V	0.7	61.8	5.9	58	0.05	20.6	12.4	368	3.11	7
POL68265	589408	7009658	NAD 83-07V	1.6	78.5	7	54	0.05	19.4	15.1	352	2.65	6
POL68266	589372	7009691	NAD 83-07V	0.7	62.6	7.6	67	0.1	22	14.5	351	3	6.1

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL65561	1	2	4.6	25	0.05	0.4	0.3	126	0.47	0.057	16	59	1.61	257	0.198
POL65562	0.8	2.1	3	37	0.05	0.2	0.05	122	0.47	0.062	10	41	1.94	421	0.181
POL65563	0.6	0.25	1.8	106	0.05	0.2	0.05	110	1.22	0.081	9	51	2.11	331	0.233
POL65564	0.3	0.6	0.9	53	0.05	0.1	0.05	105	0.92	0.058	3	92	1.83	159	0.239
POL65565	0.6	1.3	2.1	39	0.05	0.1	0.05	106	0.69	0.082	7	38	1.48	227	0.141
POL65566	0.3	0.9	1	95	0.05	0.1	0.05	69	1.3	0.061	4	51	0.76	207	0.135
POL65567	0.7	5.2	3	45	0.05	0.05	0.1	162	0.73	0.057	21	217	2.98	596	0.113
POL65568	0.7	1.9	2.4	45	0.1	0.3	0.05	82	0.89	0.083	10	37	1.05	318	0.11
POL65569	1.4	3.5	2.5	53	0.2	0.6	0.1	65	1.22	0.068	13	27	0.64	372	0.088
POL65572	0.3	0.7	1.1	44	0.05	0.2	0.05	119	0.84	0.073	3	41	1.85	530	0.278
POL65652	1	0.25	4.2	42	0.05	0.05	0.05	126	0.83	0.169	17	37	2.09	788	0.264
POL65652	1	1.9	4.3	44	0.05	0.05	0.05	139	0.86	0.163	17	43	2.22	855	0.288
POL65653	0.7	1.9	2.6	58	0.05	0.1	0.05	85	0.58	0.063	13	34	1.47	717	0.112
POL65655	0.9	1.1	3	65	0.3	0.6	0.1	56	1.77	0.083	11	27	0.8	207	0.094
POL65657	0.7	4	3.4	38	0.4	0.6	0.1	61	0.82	0.081	12	31	0.68	275	0.097
POL65658	0.5	1	2.2	47	0.05	0.05	0.05	95	0.75	0.088	6	30	1.2	717	0.189
POL65659	0.5	0.6	2.1	44	0.05	0.05	0.05	94	0.71	0.09	6	30	1.19	677	0.184
POL65660	1.4	1.4	2.8	42	0.2	0.1	0.3	99	0.69	0.084	7	25	1.03	584	0.139
POL65661	1	1.1	3	47	0.1	0.2	0.2	110	0.34	0.094	11	19	1.24	530	0.147
POL65665	1.4	2.3	7.8	26	0.2	0.3	0.1	92	0.4	0.08	30	34	1.21	842	0.081
POL65666	0.8	1.3	4	35	0.05	0.4	0.1	85	0.4	0.041	15	33	1.05	470	0.116
POL65667	0.7	3	4	43	0.2	0.8	0.1	56	0.9	0.075	13	30	0.71	272	0.084
POL65668	0.9	1.8	3.6	52	0.05	0.7	0.1	60	0.76	0.063	15	30	0.59	293	0.076
POL65670	0.7	5.2	3.8	62	0.3	0.7	0.2	58	1.41	0.083	13	30	0.88	335	0.091
POL65672	1.1	5.1	3.7	39	0.3	0.6	0.2	59	0.59	0.071	13	31	0.68	373	0.09
POL65672	1.1	2.6	3.8	40	0.3	0.6	0.2	59	0.62	0.066	13	32	0.65	374	0.094
POL65673	0.3	1	2.3	109	0.05	0.1	0.05	94	1.46	0.078	8	37	1.46	445	0.141
POL65674	0.5	0.9	2.1	55	0.05	0.05	0.05	107	0.98	0.102	8	54	1.55	659	0.188
POL65675	0.2	0.25	1.8	32	0.05	0.1	0.05	122	0.48	0.076	4	33	1.99	486	0.223
POL65676	0.5	1.2	2.7	20	0.05	0.1	0.05	130	0.64	0.067	23	186	1.95	375	0.063
POL65677	0.3	0.25	1.7	28	0.05	0.2	0.05	100	0.54	0.084	4	27	1.6	421	0.234
POL65678	0.7	0.7	2.7	63	0.05	0.4	0.05	120	0.73	0.065	8	32	1.61	432	0.276
POL65679	0.4	2.1	2.4	43	0.1	0.3	0.3	90	3.34	0.077	9	28	1.26	450	0.105
POL65680	0.4	0.7	1.8	42	0.05	0.2	0.05	114	0.44	0.047	4	29	1.79	566	0.3
POL65681	0.7	1.3	3.3	22	0.1	0.5	0.7	84	0.32	0.033	9	34	1.09	422	0.173
POL65682	0.3	3.7	1.5	57	0.05	0.3	0.05	119	1	0.075	5	32	1.73	486	0.326
POL65683	0.5	0.5	1.6	51	0.05	0.2	0.05	115	0.83	0.081	6	26	1.39	534	0.258
POL65684	2.5	1	5.8	36	0.05	0.4	0.05	104	0.67	0.072	11	25	1.24	468	0.218
POL65852	1.1	1.9	5.6	33	0.05	0.4	0.05	59	0.37	0.041	17	82	0.9	372	0.132
POL65856	0.9	1.8	5.5	157	0.2	0.4	0.05	64	0.59	0.057	17	59	1.09	486	0.157
POL65858	0.8	2.4	3.8	46	0.3	0.6	0.1	57	0.88	0.082	13	30	0.58	246	0.095
POL65859	1.1	11.4	3.4	54	0.2	0.5	0.05	56	0.9	0.083	13	30	0.54	263	0.095
POL65861	1.6	1.6	5.5	45	0.1	0.4	0.1	55	0.54	0.048	31	31	0.62	315	0.134
POL65868	0.8	0.7	6.6	42	0.05	0.6	0.1	62	0.54	0.037	21	35	0.72	302	0.147
POL65869	0.7	6.4	5.4	41	0.1	0.6	0.1	62	0.59	0.045	19	31	0.63	372	0.121
POL65869	0.8	4	5.5	42	0.05	0.6	0.1	61	0.59	0.046	19	32	0.66	370	0.12
POL65871	0.6	0.25	4.8	29	0.05	0.2	0.05	53	0.35	0.062	14	36	0.74	207	0.162
POL65873	1.4	4.1	5.1	52	0.3	0.4	0.1	61	0.72	0.062	22	30	0.71	330	0.124
POL68257	1.3	2.5	3	52	0.3	0.6	0.1	66	0.87	0.072	13	29	0.54	317	0.088
POL68263	0.4	2.6	2.2	51	0.05	0.3	0.05	105	1.03	0.127	9	49	1.13	307	0.16
POL68264	0.4	2.6	3.5	48	0.2	0.6	0.1	72	0.9	0.095	12	25	0.67	267	0.101
POL68265	1.3	2.9	3.4	66	0.3	0.5	0.1	65	1.08	0.092	12	26	0.61	305	0.084
POL68266	0.9	1.9	4	52	0.3	0.5	0.1	74	0.76	0.098	14	32	0.66	316	0.12

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL65561	1	2.73	0.012	0.59	0.1	0.005	9.8	0.2	0.025	11	0.25	1DX15	VAN09004680
POL65562	2	2.97	0.017	0.97	0.05	0.01	7	0.2	0.025	9	0.6	1DX15	VAN09004680
POL65563	0.5	3.69	0.013	0.5	0.05	0.005	5.1	0.1	0.025	10	0.25	1DX15	VAN09004680
POL65564	0.5	2.66	0.027	0.19	0.05	0.005	6.4	0.05	0.025	8	0.25	1DX15	VAN09004680
POL65565	2	2.07	0.034	0.48	0.05	0.005	8.8	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65566	0.5	2.48	0.036	0.19	0.05	0.005	5.7	0.05	0.025	7	0.25	1DX15	VAN09004680
POL65567	2	3.75	0.028	0.65	0.05	0.01	24.2	0.2	0.025	12	0.25	1DX15	VAN09004680
POL65568	2	1.61	0.026	0.29	0.1	0.02	5.7	0.1	0.025	5	0.25	1DX15	VAN09004680
POL65569	2	1.36	0.024	0.15	0.2	0.03	4.7	0.05	0.025	4	0.5	1DX15	VAN09004680
POL65572	2	2.76	0.038	0.73	0.05	0.005	5.9	0.1	0.025	8	0.25	1DX15	VAN09004680
POL65652	0.5	3.16	0.018	0.93	0.05	0.005	8.5	0.2	0.025	10	0.25	1DX15	VAN09004680
POL65652	0.5	3.42	0.019	1.04	0.05	0.005	9.1	0.2	0.025	11	0.25	1DX15	VAN09004680
POL65653	2	2.55	0.033	0.24	0.05	0.005	6.2	0.05	0.025	7	0.25	1DX15	VAN09004680
POL65655	3	1.15	0.04	0.1	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL65657	2	1.3	0.032	0.12	0.3	0.02	3.9	0.05	0.025	4	0.6	1DX15	VAN09004680
POL65658	0.5	2.52	0.04	0.68	0.1	0.005	4.5	0.1	0.025	7	0.25	1DX15	VAN09004680
POL65659	0.5	2.49	0.036	0.67	0.05	0.005	4.3	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65660	0.5	2.47	0.033	0.38	0.05	0.005	6.4	0.05	0.025	7	0.25	1DX15	VAN09004680
POL65661	0.5	2.58	0.028	0.55	0.05	0.01	7.5	0.05	0.09	8	0.8	1DX15	VAN09004680
POL65665	0.5	1.92	0.016	0.3	0.05	0.04	7.5	0.1	0.025	7	1.1	1DX15	VAN09004680
POL65666	0.5	2.23	0.03	0.12	0.2	0.005	7	0.05	0.025	7	0.25	1DX15	VAN09004680
POL65667	1	1.42	0.029	0.07	0.2	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL65668	1	1.45	0.029	0.05	0.2	0.04	4.4	0.05	0.025	4	0.7	1DX15	VAN09004680
POL65670	2	1.28	0.04	0.11	0.2	0.03	3.8	0.05	0.025	4	0.6	1DX15	VAN09004680
POL65672	1	1.56	0.022	0.09	0.2	0.03	4.3	0.05	0.025	5	0.5	1DX15	VAN09004680
POL65672	1	1.56	0.023	0.09	0.3	0.02	4.4	0.05	0.025	5	0.6	1DX15	VAN09004680
POL65673	0.5	3.56	0.011	0.31	0.05	0.005	7.5	0.05	0.025	8	0.25	1DX15	VAN09004680
POL65674	0.5	2.91	0.018	0.7	0.05	0.005	7.1	0.1	0.025	7	0.25	1DX15	VAN09004680
POL65675	0.5	2.69	0.013	0.64	0.05	0.005	6.8	0.2	0.025	7	0.25	1DX15	VAN09004680
POL65676	0.5	2.89	0.013	0.31	0.05	0.03	16.1	0.05	0.025	10	0.6	1DX15	VAN09004680
POL65677	0.5	2.27	0.023	0.74	0.05	0.005	4.5	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65678	0.5	2.96	0.025	0.7	0.1	0.01	6.9	0.1	0.025	8	0.25	1DX15	VAN09004680
POL65679	1	2.03	0.02	0.3	0.05	0.03	7.6	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65680	0.5	2.71	0.019	1.13	0.05	0.005	4.3	0.2	0.025	7	0.25	1DX15	VAN09004680
POL65681	0.5	2.11	0.013	0.59	0.1	0.01	5.8	0.2	0.025	5	0.25	1DX15	VAN09004680
POL65682	0.5	2.51	0.031	0.48	0.05	0.01	4.2	0.1	0.025	7	0.25	1DX15	VAN09004680
POL65683	0.5	2.47	0.031	0.51	0.05	0.005	5.5	0.1	0.025	7	0.25	1DX15	VAN09004680
POL65684	0.5	2.49	0.018	1.03	0.05	0.07	8.6	0.2	0.025	7	0.8	1DX15	VAN09004680
POL65852	0.5	1.56	0.021	0.11	0.2	0.01	4.4	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65856	1	1.59	0.023	0.34	0.1	0.02	5.7	0.2	0.025	6	0.25	1DX15	VAN09004680
POL65858	3	1.2	0.03	0.08	0.2	0.02	3.5	0.05	0.025	3	0.25	1DX15	VAN09004680
POL65859	2	1.23	0.032	0.07	0.2	0.02	3.3	0.05	0.025	4	0.25	1DX15	VAN09004680
POL65861	0.5	1.82	0.025	0.15	0.2	0.03	4.8	0.1	0.025	6	0.25	1DX15	VAN09004680
POL65868	0.5	1.81	0.031	0.11	0.1	0.02	5.1	0.1	0.025	6	0.6	1DX15	VAN09004680
POL65869	0.5	1.65	0.032	0.12	0.2	0.03	4.6	0.05	0.025	5	0.25	1DX15	VAN09004680
POL65869	1	1.64	0.031	0.12	0.2	0.03	4.7	0.05	0.025	6	0.6	1DX15	VAN09004680
POL65871	0.5	1.4	0.018	0.44	0.05	0.005	3.8	0.2	0.025	6	0.25	1DX15	VAN09004680
POL65873	1	1.56	0.024	0.14	0.2	0.03	5.5	0.1	0.025	6	0.25	1DX15	VAN09004680
POL68257	0.5	1.48	0.038	0.06	0.1	0.03	4.5	0.05	0.025	4	0.9	1DX15	VAN09004680
POL68263	1	2.23	0.059	0.25	0.05	0.03	9	0.05	0.025	7	0.5	1DX15	VAN09004680
POL68264	0.5	1.45	0.042	0.12	0.1	0.02	4.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68265	0.5	1.52	0.035	0.13	0.1	0.04	5.4	0.05	0.025	4	0.6	1DX15	VAN09004680
POL68266	0.5	1.73	0.047	0.13	0.1	0.03	5.8	0.05	0.025	5	0.25	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68267	589337	7009725	NAD 83-07V	0.4	108.7	1.9	42	0.05	13.7	18.4	296	2.67	1.8
POL68286	588278	7009497	NAD 83-07V	0.3	57.2	2.9	66	0.05	13.1	17.4	461	3.91	1.6
POL68293	588133	7009778	NAD 83-07V	0.6	37.4	31.4	174	0.05	9.9	10.6	781	4.54	3.6
POL68299	588348	7009570	NAD 83-07V	0.7	40.4	6.2	109	0.05	21.9	12.1	489	4.2	6.9
POL68456	588884	7009332	NAD 83-07V	0.3	187	2.1	50	0.05	19	28.4	389	3.47	2.4
POL68467	588306	7009886	NAD 83-07V	0.7	39.6	7.5	69	0.05	16	11.5	329	2.71	6.6
POL68468	588342	7009851	NAD 83-07V	2.1	83.5	4.1	81	0.05	16.2	12.9	494	4.57	3.5
POL68469	588342	7009851	NAD 83-07V	2.8	88.2	3.6	82	0.05	16	12	486	4.46	2.8
POL68472	588450	7009747	NAD 83-07V	0.6	48.2	4.6	64	0.05	21.5	16.1	426	3.53	3.7
POL68472	588450	7009747	NAD 83-07V	0.4	49.9	4.5	66	0.05	20.3	16.9	457	3.63	3.2
POL68474	588522	7009675	NAD 83-07V	0.8	329	3.7	76	0.05	32.3	37.5	369	4.29	3.7
POL68481	588449	7009887	NAD 83-07V	1.6	195.5	4.3	212	0.05	9.3	23.9	639	5.68	1.5
POL68490	588773	7009576	NAD 83-07V	0.4	49	6.9	60	0.1	25	9.9	313	2.7	6.6
POL68493	588881	7009472	NAD 83-07V	0.5	90.5	3.5	42	0.2	16.9	12.7	296	2.21	2.9
POL68494	588917	7009437	NAD 83-07V	0.8	45.7	5.1	42	0.05	18.7	16.7	794	2.38	5.1
POL68496	588986	7009368	NAD 83-07V	0.4	41.3	5.3	42	0.05	20	9.9	317	2.29	5.2
POL68497	589023	7009334	NAD 83-07V	0.6	34.4	5	37	0.05	16.7	10.8	329	2.39	6.4
POL68503	584062	7010137	NAD 83-07V	0.5	37.5	3.2	81	0.05	7.2	19.1	589	5.67	0.9
POL68504	584028	7010176	NAD 83-07V	0.8	42.1	11.9	54	0.05	22.9	14.4	323	3.33	6.2
POL68506	583963	7010251	NAD 83-07V	0.4	53.7	15.8	47	0.05	19.2	15	384	2.7	2.9
POL68508	583928	7010286	NAD 83-07V	0.6	38.9	6.9	47	0.05	20.3	11.4	256	2.73	6.1
POL68512	583794	7010435	NAD 83-07V	1.4	117.6	9.1	54	0.05	33.4	24.8	402	3.4	5
POL68513	583760	7010473	NAD 83-07V	0.7	74.1	8.8	54	0.05	31	19.1	447	3.37	3.4
POL68524	583392	7010881	NAD 83-07V	0.8	35.4	16.3	71	0.1	23.4	10.5	534	2.89	9
POL68535	581394	7011906	NAD 83-07V	0.5	45.1	15.5	99	0.05	50.7	21.6	559	4.97	4.2
POL68537	581460	7011831	NAD 83-07V	1.1	24.4	15.2	63	0.05	27.3	11.3	396	3.09	8.8
POL68538	581492	7011794	NAD 83-07V	0.6	39.6	11.4	91	0.05	41.5	15.4	581	4.62	6.2
POL68539	581526	7011756	NAD 83-07V	0.5	27.7	11.3	57	0.05	28.5	10.9	326	3.11	6.7
POL68542	581627	7011645	NAD 83-07V	0.4	41.7	11.8	81	0.05	41.8	15.5	448	4.21	3.8
POL68544	581692	7011572	NAD 83-07V	0.8	20.9	10.7	71	0.05	28.9	12.7	316	3.67	4.4
POL68545	581725	7011534	NAD 83-07V	0.4	32.6	6.7	58	0.05	42.7	15.5	325	3.68	3.9
POL68546	581759	7011497	NAD 83-07V	0.7	25.5	11.9	79	0.1	17.7	10.4	386	3.27	5.2
POL68547	581795	7011459	NAD 83-07V	1	26.9	9.9	62	0.05	22.6	12.2	378	2.99	7.6
POL68547	581795	7011459	NAD 83-07V	0.5	27.4	9.7	63	0.05	22	12.4	397	2.93	7.8
POL68548	581827	7011423	NAD 83-07V	0.7	27.1	8.7	73	0.05	23.7	12.3	449	2.92	7
POL68549	581862	7011383	NAD 83-07V	0.8	34.4	7.5	72	0.05	28.1	11.9	360	3	6.2
POL68550	581896	7011346	NAD 83-07V	0.7	25.1	7.6	62	0.05	22.9	10.6	445	2.64	7.4
POL68551	581927	7011309	NAD 83-07V	0.7	24.6	7.6	67	0.05	22.5	10.2	302	2.79	6.3
POL68552	581963	7011271	NAD 83-07V	0.7	27.6	7.8	66	0.05	27.8	11.4	299	3.03	5.7
POL68556	582096	7011124	NAD 83-07V	0.4	34.3	10.2	67	0.05	29.5	11.1	381	3.15	6.3
POL68558	582164	7011050	NAD 83-07V	0.6	44.6	24	120	0.05	39.3	13	533	3.86	3.6
POL68561	582264	7010939	NAD 83-07V	0.6	31.7	9	62	0.05	27.7	10.7	325	2.56	6.5
POL68562	582298	7010900	NAD 83-07V	1	30.7	8.1	61	0.05	27.7	10.4	452	2.58	9
POL68564	582363	7010827	NAD 83-07V	0.6	33.9	8.8	58	0.1	29.3	10.2	422	2.59	8.8
POL68565	582398	7010789	NAD 83-07V	0.8	23	6.9	51	0.05	21	9.2	315	2.32	7.1
POL68581	581679	7011289	NAD 83-07V	0.3	42.6	8.9	104	0.05	15.5	14.2	664	4.96	3.6
POL68593	582082	7010843	NAD 83-07V	0.8	52.4	9.4	73	0.05	38.8	13.2	532	3.07	8.7
POL68594	582114	7010806	NAD 83-07V	0.6	42.4	9.5	70	0.05	36.4	12.8	507	3.04	8.3
POL68595	582149	7010766	NAD 83-07V	0.5	39.1	9.8	64	0.05	31.5	12.4	423	3.04	8.2
POL68598	581764	7012240	NAD 83-07V	0.8	106.5	8.4	54	0.05	36.6	24.6	459	4	3
POL68598	581764	7012240	NAD 83-07V	0.9	105.1	8.1	53	0.05	33.8	25	449	3.9	3.4
POL68600	581832	7012166	NAD 83-07V	0.9	107.7	7.8	64	0.1	33.4	22	500	3.99	2.4
POL68602	581900	7012091	NAD 83-07V	0.9	237.1	5.5	80	0.2	55.2	37.5	466	5.62	0.25

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68267	0.6	0.25	4.7	40	0.05	0.1	0.05	80	1.46	0.434	16	25	0.82	159	0.08
POL68286	0.3	0.8	0.6	50	0.05	0.1	0.05	120	0.82	0.073	5	25	1.19	333	0.223
POL68293	0.5	0.25	2.2	25	0.2	0.2	0.7	48	0.21	0.022	6	16	0.99	298	0.21
POL68299	0.7	1	4.1	21	0.05	0.5	0.1	62	0.26	0.024	11	32	1.2	577	0.215
POL68456	0.8	2	5.1	34	0.05	0.2	0.05	106	1.25	0.284	18	39	0.97	195	0.1
POL68467	1.1	2.4	3.7	24	0.05	0.4	0.1	54	0.3	0.027	20	33	0.51	479	0.09
POL68468	0.6	0.25	2.8	38	0.05	0.2	0.05	98	0.23	0.041	11	44	1.33	543	0.206
POL68469	0.6	0.25	2.9	42	0.05	0.2	0.05	98	0.23	0.044	11	43	1.4	553	0.211
POL68472	0.7	0.6	3.9	55	0.05	0.3	0.05	97	0.68	0.091	11	38	1.39	465	0.225
POL68472	0.7	1.4	3.8	55	0.05	0.3	0.05	101	0.69	0.089	10	40	1.36	468	0.238
POL68474	0.4	0.25	1	18	0.2	0.1	0.05	135	0.52	0.02	4	24	1.28	272	0.159
POL68481	0.9	2.8	4.2	308	0.1	0.1	0.05	71	0.87	0.108	21	17	1.11	373	0.079
POL68490	0.6	5.4	3.6	37	0.05	0.5	0.1	61	0.68	0.055	13	33	0.63	332	0.098
POL68493	0.6	0.25	1.8	32	0.05	0.2	0.05	62	0.88	0.162	7	28	0.62	241	0.094
POL68494	0.6	2.1	2.4	35	0.1	0.3	0.05	65	0.72	0.101	9	25	0.51	258	0.083
POL68496	0.6	3.1	2.7	35	0.05	0.4	0.05	60	0.71	0.092	11	27	0.51	243	0.084
POL68497	0.5	3.6	2.6	32	0.05	0.4	0.05	65	0.72	0.098	10	26	0.49	187	0.083
POL68503	0.5	0.5	1.2	14	0.05	0.05	0.05	92	0.42	0.099	5	9	1.31	241	0.323
POL68504	0.4	2.5	2.4	19	0.05	0.3	0.1	84	0.39	0.037	8	34	0.78	253	0.155
POL68506	0.4	0.7	1.9	18	0.05	0.1	0.1	64	0.39	0.042	8	52	0.98	301	0.147
POL68508	0.7	1	2.8	19	0.05	0.4	0.05	70	0.37	0.026	12	42	0.65	368	0.122
POL68512	0.3	0.25	1.2	16	0.1	0.3	0.05	79	0.27	0.062	5	92	1.07	200	0.153
POL68513	0.4	0.25	1.8	21	0.05	0.1	0.1	98	0.4	0.054	7	82	1.25	370	0.192
POL68524	1.2	3.5	3.6	43	0.2	0.6	0.2	61	0.69	0.061	19	31	0.53	325	0.089
POL68535	1.6	0.25	13.5	18	0.05	0.2	0.1	79	0.26	0.025	51	76	1.28	403	0.318
POL68537	0.7	1.2	6.6	16	0.05	0.5	0.2	66	0.2	0.019	12	44	0.61	243	0.096
POL68538	1.2	1.8	13.6	13	0.05	0.9	0.2	64	0.16	0.025	34	63	1.16	177	0.281
POL68539	1.2	3.2	14.7	20	0.05	0.5	0.2	54	0.21	0.014	39	43	0.67	217	0.141
POL68542	0.9	0.9	13.6	21	0.05	0.3	0.2	68	0.31	0.036	40	55	1.11	210	0.232
POL68544	0.6	0.25	7.3	13	0.05	0.2	0.1	62	0.16	0.027	19	50	0.73	165	0.232
POL68545	1.2	1.1	12.2	23	0.05	0.2	0.1	60	0.38	0.045	36	94	1.16	214	0.223
POL68546	1.2	1.4	4.9	24	0.2	0.3	0.2	71	0.38	0.059	21	34	0.8	330	0.165
POL68547	1.3	0.7	4.5	27	0.2	0.5	0.1	66	0.39	0.059	18	34	0.58	324	0.108
POL68547	1.3	5.3	4.3	27	0.2	0.4	0.2	66	0.41	0.061	18	35	0.61	329	0.11
POL68548	1	0.7	5.7	31	0.3	0.5	0.1	63	0.55	0.072	16	34	0.61	285	0.123
POL68549	1.1	13.9	7.1	39	0.3	0.5	0.1	62	0.8	0.081	18	32	0.73	280	0.112
POL68550	0.9	1.5	3.3	35	0.3	0.6	0.1	62	0.63	0.064	14	31	0.6	279	0.1
POL68551	0.7	2.9	4.4	32	0.2	0.5	0.2	64	0.58	0.071	16	35	0.65	268	0.119
POL68552	0.9	2.5	7.1	23	0.05	0.4	0.1	63	0.37	0.06	24	39	0.67	212	0.134
POL68556	0.9	1.3	7.7	28	0.05	0.4	0.1	62	0.44	0.057	22	40	0.71	223	0.121
POL68558	1.4	2	16.9	21	0.05	0.3	0.3	46	0.43	0.055	46	45	0.82	178	0.181
POL68561	1.4	1	4.4	32	0.1	0.6	0.2	57	0.6	0.058	17	31	0.54	278	0.087
POL68562	0.7	1.4	3.2	56	0.3	0.7	0.2	58	1.49	0.06	12	28	0.64	308	0.076
POL68564	0.9	12.4	3.2	47	0.1	0.7	0.2	60	0.87	0.053	13	33	0.58	335	0.073
POL68565	0.8	2.6	3.5	33	0.05	0.5	0.1	56	0.64	0.066	13	28	0.46	208	0.081
POL68581	1	0.9	5.7	27	0.05	0.6	0.1	108	0.5	0.087	22	27	1.44	416	0.24
POL68593	0.6	3.3	4.6	66	0.3	0.8	0.2	66	1.87	0.061	20	34	0.78	336	0.114
POL68594	0.6	2.5	5.5	62	0.2	0.6	0.2	63	1.84	0.052	20	36	0.76	289	0.114
POL68595	0.7	1.7	5.9	39	0.1	0.6	0.2	61	0.73	0.046	23	37	0.68	272	0.115
POL68598	0.5	1	1.5	35	0.05	0.2	0.1	92	1.11	0.254	6	39	0.92	346	0.126
POL68598	0.4	0.6	1.4	33	0.1	0.2	0.1	91	1.04	0.249	5	36	0.91	338	0.119
POL68600	1.1	1.4	2.7	40	0.1	0.2	0.1	96	1.23	0.238	9	43	1.07	419	0.175
POL68602	0.5	0.7	1	63	0.05	0.1	0.05	115	1.52	0.367	6	43	1.44	490	0.112

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68267	0.5	1.61	0.107	0.17	0.05	0.005	6.9	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68286	0.5	2.53	0.042	0.51	0.05	0.005	8.4	0.1	0.025	8	0.25	1DX15	VAN09004680
POL68293	1	2.42	0.008	0.49	0.05	0.005	5.9	0.2	0.025	14	0.25	1DX15	VAN09004680
POL68299	1	2.46	0.013	0.71	0.1	0.03	9	0.2	0.025	10	0.25	1DX15	VAN09004680
POL68456	0.5	2.09	0.102	0.11	0.1	0.01	8.7	0.05	0.025	6	0.25	1DX15	VAN09004680
POL68467	0.5	1.64	0.013	0.07	0.1	0.02	5.1	0.05	0.025	6	0.25	1DX15	VAN09004680
POL68468	0.5	2.35	0.013	0.67	0.05	0.01	7.7	0.2	0.025	10	1.1	1DX15	VAN09004680
POL68469	0.5	2.39	0.013	0.73	0.05	0.005	7.8	0.2	0.05	10	1	1DX15	VAN09004680
POL68472	0.5	2.39	0.029	0.49	0.1	0.01	4.9	0.1	0.025	7	0.5	1DX15	VAN09004680
POL68472	0.5	2.45	0.027	0.5	0.05	0.01	4.9	0.2	0.025	8	0.25	1DX15	VAN09004680
POL68474	0.5	1.8	0.055	0.23	0.05	0.005	10.1	0.1	0.025	6	1.1	1DX15	VAN09004680
POL68481	0.5	2.97	0.04	0.34	0.05	0.005	7.7	0.1	0.025	9	0.25	1DX15	VAN09004680
POL68490	1	1.63	0.027	0.06	0.2	0.04	4.3	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68493	0.5	1.32	0.049	0.13	0.2	0.02	4.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68494	1	1.16	0.03	0.07	0.3	0.03	3.5	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68496	2	1.2	0.03	0.07	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68497	2	1.12	0.035	0.06	0.2	0.03	3.3	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68503	0.5	2.27	0.024	1.04	0.1	0.02	7.2	0.3	0.025	10	0.25	1DX15	VAN09004680
POL68504	2	1.9	0.017	0.29	0.1	0.02	3.8	0.1	0.025	7	0.25	1DX15	VAN09004680
POL68506	0.5	1.62	0.02	0.34	0.1	0.01	3.8	0.1	0.025	4	0.25	1DX15	VAN09004680
POL68508	1	1.73	0.013	0.11	0.2	0.02	3.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68512	1	1.98	0.015	0.14	0.05	0.02	2.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL68513	2	2	0.017	0.35	0.1	0.01	3.8	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68524	3	1.48	0.021	0.13	0.1	0.08	4.9	0.05	0.025	5	0.7	1DX15	VAN09004680
POL68535	0.5	2.82	0.01	1.03	0.05	0.01	6.2	0.7	0.025	10	0.25	1DX15	VAN09004680
POL68537	0.5	2.18	0.009	0.13	0.1	0.02	3	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68538	1	3.03	0.01	0.98	0.4	0.01	3.8	0.7	0.025	9	0.25	1DX15	VAN09004680
POL68539	1	2.01	0.012	0.3	0.1	0.03	4.1	0.2	0.025	6	0.5	1DX15	VAN09004680
POL68542	0.5	2.63	0.015	0.66	0.05	0.03	5.3	0.4	0.025	8	0.5	1DX15	VAN09004680
POL68544	2	1.99	0.01	0.7	0.1	0.01	3	0.4	0.025	8	0.25	1DX15	VAN09004680
POL68545	1	2.63	0.018	0.61	0.05	0.02	5.2	0.5	0.025	7	0.25	1DX15	VAN09004680
POL68546	2	2.11	0.017	0.3	0.2	0.04	5.2	0.1	0.025	8	0.25	1DX15	VAN09004680
POL68547	2	1.68	0.019	0.09	0.2	0.04	4.6	0.05	0.025	5	0.8	1DX15	VAN09004680
POL68547	2	1.76	0.018	0.09	0.2	0.03	4.5	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68548	2	1.57	0.022	0.19	0.3	0.04	3.6	0.1	0.025	5	0.9	1DX15	VAN09004680
POL68549	2	1.46	0.026	0.25	0.3	0.03	3.8	0.1	0.025	4	0.25	1DX15	VAN09004680
POL68550	1	1.52	0.023	0.07	0.3	0.03	3.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68551	2	1.66	0.035	0.09	0.2	0.03	4	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68552	0.5	1.79	0.014	0.24	0.1	0.03	4.1	0.2	0.025	5	0.25	1DX15	VAN09004680
POL68556	1	1.77	0.019	0.23	0.1	0.02	4.5	0.2	0.025	5	0.25	1DX15	VAN09004680
POL68558	2	1.95	0.014	0.6	0.05	0.03	4.2	0.5	0.025	7	0.25	1DX15	VAN09004680
POL68561	1	1.38	0.021	0.07	0.2	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68562	2	1.29	0.029	0.05	0.2	0.03	3.4	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68564	2	1.47	0.028	0.05	0.2	0.04	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68565	1	1.22	0.025	0.04	0.3	0.02	3	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68581	0.5	2.47	0.014	0.94	0.1	0.03	7.6	0.3	0.025	10	0.25	1DX15	VAN09004680
POL68593	2	1.54	0.033	0.15	0.2	0.04	3.8	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68594	2	1.63	0.027	0.19	0.2	0.04	3.8	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68595	2	1.64	0.027	0.14	0.05	0.04	4.1	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68598	1	1.68	0.04	0.18	0.05	0.01	5.4	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68598	0.5	1.67	0.034	0.17	0.05	0.005	5	0.1	0.025	4	0.7	1DX15	VAN09004680
POL68600	2	1.84	0.032	0.41	0.05	0.03	5.4	0.2	0.025	6	0.7	1DX15	VAN09004680
POL68602	0.5	2.02	0.066	0.53	0.05	0.02	6.8	0.3	0.19	6	3	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68616	581944	7011592	NAD 83-07V	0.6	49.6	10.9	69	0.05	27.6	10.5	583	3.16	6.6
POL68617	581977	7011555	NAD 83-07V	0.9	39.1	10.3	73	0.05	21.3	10.4	609	3.48	5
POL68618	582011	7011518	NAD 83-07V	0.9	27.8	5.1	98	0.05	9.9	17.2	731	5.26	2.2
POL68620	582077	7011444	NAD 83-07V	0.6	24.3	8.3	60	0.05	19.8	9.1	317	2.58	4.5
POL68622	582146	7011369	NAD 83-07V	0.7	29.4	8.6	63	0.1	26.4	11.9	311	3.01	5.7
POL68623	582179	7011332	NAD 83-07V	0.6	31.4	7.5	57	0.05	26.6	11.5	450	2.7	7
POL68624	582211	7011295	NAD 83-07V	0.6	37.4	8.5	72	0.1	31.6	11.7	437	2.76	8.6
POL68625	582246	7011258	NAD 83-07V	0.7	42.9	8.2	60	0.05	31.6	12.1	559	2.74	9.2
POL68626	582280	7011220	NAD 83-07V	0.6	57.4	15.1	154	0.05	29.5	16	1058	4.84	5.4
POL68627	582312	7011184	NAD 83-07V	0.6	54.5	12.4	111	0.05	32	14.3	747	4.26	6
POL68634	582546	7010923	NAD 83-07V	0.8	25.3	6.2	54	0.05	26.8	9.4	349	2.37	6.1
POL68636	581988	7012442	NAD 83-07V	0.9	65.3	7.3	56	0.2	27.7	13.4	558	2.85	4.5
POL68640	581824	7012024	NAD 83-07V	0.6	35.2	5.2	57	0.05	16.4	12.2	357	2.78	4.3
POL68641	581858	7011987	NAD 83-07V	0.5	49	7.2	54	0.05	17.1	15.2	340	2.83	3.3
POL68645	581992	7011838	NAD 83-07V	0.6	53	6.4	67	0.05	26.6	18.9	526	3.56	4.3
POL68654	582260	7011541	NAD 83-07V	0.3	63.5	7.6	72	0.05	25.2	20.7	480	3.66	3.7
POL68658	582394	7011391	NAD 83-07V	0.4	43.7	3.2	54	0.05	14	18.1	435	3.34	1.7
POL68658	582394	7011391	NAD 83-07V	0.4	43.7	3.3	55	0.05	15.2	17.9	436	3.47	2.4
POL68669	588270	7009922	NAD 83-07V	0.8	23.6	4.7	162	0.05	7.7	13.5	825	5.52	3.9
POL68670	582112	7012150	NAD 83-07V	0.9	29.8	7.4	64	0.05	20.6	13.3	409	2.89	5.3
POL68671	582148	7012113	NAD 83-07V	0.6	75.2	11.5	74	0.05	21.5	19.5	580	3.49	3.9
POL68672	582181	7012075	NAD 83-07V	0.5	68.9	14.9	78	0.05	21.3	19.1	599	3.36	3.8
POL68673	582215	7012038	NAD 83-07V	0.5	49	11.3	60	0.2	18.8	10.5	297	2.66	4.6
POL68674	582249	7012001	NAD 83-07V	0.2	101.4	43.8	70	0.05	21	16.2	431	3.23	3.1
POL68684	582582	7011629	NAD 83-07V	0.5	45.4	14.5	59	0.05	18.3	11.9	333	3.14	4.8
POL68690	582751	7011443	NAD 83-07V	0.7	73.9	13.2	49	0.1	22.3	12.9	320	2.97	5.7
POL68691	582785	7011405	NAD 83-07V	0.6	49.9	8.1	50	0.05	22.5	11.3	382	2.52	6
POL68692	582818	7011370	NAD 83-07V	0.7	50.4	8.9	45	0.1	21.3	11.9	415	2.57	6.3
POL68693	582854	7011331	NAD 83-07V	0.7	37.1	7.8	45	0.05	23.9	10.8	405	2.46	6.8
POL68694	582884	7011295	NAD 83-07V	0.8	37.3	7.8	44	0.05	21.6	11.5	511	2.29	5.6
POL68728	581796	7010114	NAD 83-07V	0.7	60.7	11.3	135	0.05	19.2	14.8	655	5.52	4.2
POL68730	582641	7011413	NAD 83-07V	1.3	48	7.7	72	0.05	14.3	12.2	617	3.82	2.3
POL68731	582675	7011378	NAD 83-07V	0.6	48.2	7.8	63	0.05	26.2	17.1	564	3.37	5
POL68735	582808	7011229	NAD 83-07V	0.4	24.3	6.2	55	0.05	19.3	9.1	265	2.11	4.7
POL68736	582842	7011194	NAD 83-07V	0.8	37.4	11.8	60	0.05	23	16.1	1071	2.81	6.4
POL68841	589367	7010115	NAD 83-07V	3.8	68.2	2.5	28	0.1	7	8.7	293	2.18	3
POL68844	582020	7012403	NAD 83-07V	0.9	49.2	8	51	0.1	19.1	10.5	324	2.33	3.5
POL68845	582055	7012366	NAD 83-07V	0.6	67.4	13.1	56	0.05	22.1	14.4	421	2.87	5
POL68845	582055	7012366	NAD 83-07V	0.7	66.9	13.2	57	0.05	23.2	14.8	430	2.95	5
POL68848	582122	7012292	NAD 83-07V	0.5	55.8	10.1	55	0.05	21.5	12.4	342	2.66	5.1
POL68850	582257	7012143	NAD 83-07V	0.6	41.6	11.3	58	0.05	20.7	13.8	409	2.53	4.5
POL68852	582289	7012105	NAD 83-07V	0.4	79.2	14.4	82	0.05	24.5	16.9	620	3.42	2.9
POL68857	582423	7011957	NAD 83-07V	0.2	15.7	14.1	33	0.05	11.9	4.3	324	1.06	2.3
POL68857	582423	7011957	NAD 83-07V	0.2	16.1	13.8	33	0.05	12.2	4.5	334	1.09	2.3
POL68863	582624	7011734	NAD 83-07V	0.7	80.8	9	47	0.1	24.4	11.9	468	2.45	5
POL68873	582959	7011361	NAD 83-07V	0.9	35.9	6.6	52	0.05	27.6	13.7	564	2.5	7.2
POL68878	581828	7010075	NAD 83-07V	0.6	73.1	6.1	91	0.05	33.5	22.9	792	5.03	2
POL68879	581862	7010040	NAD 83-07V	0.7	38	8.4	70	0.05	25.4	15.2	416	3.44	5.2
POL68938	587994	7009634	NAD 83-07V	0.4	20.3	3.9	144	0.05	9	9.7	475	3.77	3.9
POL68944	588209	7009424	NAD 83-07V	1.2	151.5	7	457	0.05	13.6	14.1	455	5.09	2.3
POL68950	588390	7009251	NAD 83-07V	0.7	62.1	7.1	111	0.2	28.7	11.3	447	3.21	7.6
POL68952	588461	7009182	NAD 83-07V	0.6	40.6	7	52	0.1	27	11	400	2.55	7.7
POL68954	588535	7009112	NAD 83-07V	0.5	27	6	51	0.05	18.3	9.6	313	2.75	6.6

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68616	0.8	1.5	4.2	34	0.1	0.5	0.2	63	1.08	0.046	20	31	0.82	410	0.128
POL68617	1.2	2.5	4.6	41	0.2	0.4	0.2	59	1.06	0.051	20	28	0.84	458	0.167
POL68618	0.6	0.6	4.7	18	0.05	0.2	0.05	98	0.46	0.089	17	28	1.6	535	0.312
POL68620	1.4	1.8	4	33	0.1	0.3	0.1	57	0.64	0.065	21	29	0.63	248	0.107
POL68622	1.1	1	5.8	28	0.2	0.4	0.2	66	0.46	0.058	22	40	0.69	268	0.134
POL68623	0.9	6.6	3.5	43	0.2	0.6	0.1	65	0.82	0.061	14	35	0.57	275	0.097
POL68624	0.9	3.8	3.4	47	0.3	0.7	0.2	63	1	0.072	12	34	0.71	311	0.085
POL68625	0.7	2.6	3.6	56	0.2	0.7	0.2	64	1.41	0.063	14	36	0.71	341	0.099
POL68626	1.2	0.25	9.6	23	0.1	0.2	0.1	92	0.46	0.09	18	65	1.67	452	0.269
POL68627	1.1	2.4	9	28	0.05	0.4	0.1	89	0.46	0.064	28	56	1.46	380	0.256
POL68634	0.8	3.5	2.2	50	0.2	0.5	0.1	57	0.99	0.074	11	30	0.57	232	0.081
POL68636	1	2.2	2.8	24	0.05	0.3	0.1	74	0.4	0.051	15	31	0.85	689	0.149
POL68640	0.5	1.7	2.2	48	0.05	0.4	0.05	65	0.76	0.081	8	31	1.06	316	0.142
POL68641	0.5	0.25	3.2	46	0.05	0.4	0.05	63	0.54	0.081	11	38	1.18	406	0.177
POL68645	0.6	0.25	5.6	31	0.05	0.2	0.05	79	0.42	0.074	9	50	1.34	311	0.192
POL68654	0.9	0.8	5.3	40	0.05	0.2	0.05	80	0.48	0.083	15	47	1.51	414	0.235
POL68658	0.4	0.25	2.4	31	0.05	0.1	0.05	74	0.59	0.13	9	27	1.21	535	0.242
POL68658	0.4	0.25	2.5	31	0.05	0.1	0.05	81	0.58	0.138	9	28	1.26	537	0.246
POL68669	0.4	0.25	2	18	0.05	0.2	0.05	47	0.25	0.076	5	14	1.05	296	0.305
POL68670	0.7	1.5	2.1	27	0.05	0.3	0.1	79	0.38	0.072	10	32	0.68	284	0.132
POL68671	0.5	1.6	1.9	33	0.1	0.2	0.1	100	0.59	0.118	7	33	1.13	412	0.2
POL68672	0.4	0.7	1.6	34	0.1	0.1	0.2	91	0.5	0.114	6	33	1.09	381	0.206
POL68673	0.5	2.6	1.9	25	0.2	0.3	0.2	74	0.34	0.068	9	28	0.7	261	0.136
POL68674	0.3	0.6	1.2	30	0.05	0.1	0.4	91	0.47	0.119	4	37	1.14	296	0.191
POL68684	0.3	0.25	1.8	40	0.05	0.3	0.2	88	0.53	0.076	6	25	0.97	316	0.18
POL68690	1	4	3.1	39	0.1	0.4	0.2	76	0.6	0.063	13	31	0.69	459	0.126
POL68691	1	1.9	3.2	38	0.2	0.4	0.2	60	0.65	0.074	12	30	0.6	332	0.1
POL68692	0.9	2.3	2.7	46	0.05	0.4	0.2	60	0.72	0.063	12	29	0.55	405	0.087
POL68693	1	3	2.8	48	0.1	0.6	0.1	57	0.93	0.076	11	29	0.57	301	0.08
POL68694	1	2.3	2.4	51	0.2	0.5	0.1	54	0.93	0.073	11	28	0.52	290	0.074
POL68728	0.9	0.9	5	28	0.05	0.3	0.1	68	0.25	0.031	27	50	1.44	1716	0.208
POL68730	0.9	0.8	4.1	62	0.05	0.2	0.05	102	0.57	0.162	13	18	1.17	402	0.265
POL68731	0.7	1.6	3.2	43	0.05	0.3	0.05	87	0.63	0.14	10	28	0.93	339	0.208
POL68735	1.2	5	2.9	55	0.2	0.4	0.1	52	0.88	0.078	11	28	0.55	202	0.081
POL68736	1.1	1.3	3.2	51	0.2	0.3	0.1	64	0.98	0.082	15	33	0.68	344	0.097
POL68841	0.7	1.8	3.7	166	0.1	0.3	0.05	48	13.74	0.037	14	10	0.74	831	0.076
POL68844	0.6	2.8	2.2	23	0.05	0.2	0.1	64	0.35	0.056	10	29	0.79	504	0.137
POL68845	0.7	2.2	3	26	0.05	0.3	0.1	74	0.4	0.071	10	39	0.85	403	0.148
POL68845	0.7	3.4	3	26	0.05	0.2	0.2	75	0.38	0.068	10	38	0.87	402	0.145
POL68848	0.6	8.8	2.8	26	0.05	0.3	0.1	68	0.41	0.072	10	31	0.78	365	0.132
POL68850	0.7	14	2.4	27	0.05	0.4	0.1	67	0.45	0.081	10	30	0.61	295	0.09
POL68852	0.4	2.7	2.2	24	0.05	0.2	0.2	95	0.44	0.115	10	30	1.1	522	0.187
POL68857	0.3	1.9	0.5	275	0.3	0.1	0.05	25	16.03	0.059	5	16	1.96	107	0.024
POL68857	0.3	1.6	0.6	282	0.2	0.1	0.05	28	17.56	0.058	5	18	1.89	109	0.024
POL68863	0.9	2.5	2.7	33	0.1	0.3	0.1	60	0.49	0.074	17	29	0.64	557	0.096
POL68873	0.7	2.8	2.8	44	0.2	0.6	0.1	58	0.91	0.073	12	31	0.58	214	0.083
POL68878	0.7	0.25	7	21	0.1	0.2	0.05	116	0.45	0.098	19	105	1.88	555	0.316
POL68879	0.6	1.3	3.9	26	0.1	0.3	0.1	83	0.4	0.067	12	51	0.91	517	0.151
POL68938	0.4	0.25	1.9	13	0.05	0.2	0.05	45	0.34	0.056	7	15	0.72	170	0.165
POL68944	1	0.6	2.2	53	1.1	0.2	0.05	20	0.72	0.067	7	9	0.51	217	0.243
POL68950	0.5	4.6	2.3	63	0.2	0.6	0.05	62	3.1	0.03	11	32	0.76	261	0.138
POL68952	0.7	3.6	3	82	0.1	0.5	0.1	61	2.92	0.068	12	31	0.69	298	0.093
POL68954	0.5	5.3	2.9	24	0.05	0.4	0.1	59	0.46	0.038	9	27	0.49	407	0.1

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68616	3	1.72	0.019	0.34	0.2	0.04	5.1	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68617	3	1.97	0.02	0.55	0.1	0.03	5.1	0.2	0.025	7	0.25	1DX15	VAN09004680
POL68618	1	2.86	0.012	1.27	0.05	0.01	5.3	0.3	0.025	11	0.25	1DX15	VAN09004680
POL68620	2	1.43	0.017	0.2	0.3	0.04	4	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68622	0.5	1.85	0.016	0.15	0.2	0.03	4	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68623	2	1.44	0.027	0.06	0.3	0.03	3.7	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68624	2	1.47	0.032	0.06	0.2	0.03	3.6	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68625	3	1.61	0.034	0.07	0.2	0.04	3.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68626	0.5	2.64	0.012	1.3	0.05	0.01	7.3	0.3	0.025	11	0.25	1DX15	VAN09004680
POL68627	0.5	2.32	0.019	0.97	0.1	0.04	8.3	0.4	0.025	10	0.25	1DX15	VAN09004680
POL68634	1	1.31	0.031	0.05	0.1	0.03	3.2	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68636	1	1.67	0.013	0.28	0.3	0.03	4.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL68640	0.5	1.82	0.02	0.22	0.1	0.01	3.5	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68641	0.5	2.06	0.022	0.3	0.1	0.005	3	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68645	0.5	2.07	0.014	0.9	0.05	0.005	4	0.3	0.025	6	0.5	1DX15	VAN09004680
POL68654	0.5	2.24	0.016	0.8	0.05	0.005	3.7	0.3	0.025	6	0.25	1DX15	VAN09004680
POL68658	0.5	1.84	0.018	0.83	0.1	0.005	3	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68658	0.5	1.83	0.019	0.86	0.05	0.005	3.1	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68669	0.5	2.71	0.009	1.17	0.05	0.005	4.6	0.3	0.025	11	0.25	1DX15	VAN09004680
POL68670	1	1.63	0.013	0.12	0.1	0.02	3	0.05	0.025	6	0.25	1DX15	VAN09004680
POL68671	0.5	1.91	0.019	0.52	0.1	0.02	4	0.1	0.025	7	0.25	1DX15	VAN09004680
POL68672	1	1.9	0.015	0.59	0.2	0.005	3.2	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68673	1	1.5	0.016	0.18	0.2	0.02	3.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68674	0.5	2.03	0.017	0.57	0.1	0.01	2.7	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68684	1	1.96	0.016	0.2	0.05	0.01	3.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL68690	2	1.74	0.021	0.14	0.05	0.05	5.2	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68691	1	1.34	0.022	0.11	0.2	0.03	4.1	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68692	1	1.42	0.02	0.06	0.2	0.03	4.2	0.05	0.025	4	0.5	1DX15	VAN09004680
POL68693	2	1.28	0.026	0.06	0.2	0.03	3.6	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68694	2	1.25	0.022	0.06	0.2	0.03	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68728	0.5	2.95	0.012	0.88	0.05	0.04	14.6	0.5	0.025	11	0.25	1DX15	VAN09004680
POL68730	0.5	2.05	0.015	1.1	0.1	0.005	3.4	0.4	0.05	8	0.25	1DX15	VAN09004680
POL68731	0.5	1.76	0.016	0.63	0.2	0.005	3.2	0.2	0.025	6	0.25	1DX15	VAN09004680
POL68735	2	1.18	0.028	0.06	0.3	0.02	3.3	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68736	2	1.32	0.019	0.16	0.2	0.03	4.1	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68841	2	0.91	0.017	0.24	0.05	0.02	5.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68844	0.5	1.42	0.015	0.25	0.2	0.03	3.2	0.2	0.025	5	0.25	1DX15	VAN09004680
POL68845	1	1.6	0.015	0.26	0.2	0.01	3.9	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68845	0.5	1.61	0.015	0.27	0.2	0.01	3.9	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68848	1	1.52	0.016	0.22	0.2	0.02	3.3	0.1	0.025	5	0.25	1DX15	VAN09004680
POL68850	1	1.35	0.017	0.09	0.2	0.02	3.7	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68852	1	1.87	0.016	0.6	0.2	0.005	4.5	0.2	0.025	7	0.25	1DX15	VAN09004680
POL68857	0.5	0.94	0.011	0.03	0.05	0.02	1.9	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68857	1	0.91	0.01	0.03	0.05	0.02	2.1	0.05	0.025	3	0.25	1DX15	VAN09004680
POL68863	0.5	1.37	0.016	0.17	0.1	0.04	4.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL68873	3	1.34	0.033	0.06	0.2	0.02	3.9	0.05	0.025	4	0.5	1DX15	VAN09004680
POL68878	0.5	2.63	0.013	1.19	0.05	0.01	7.6	0.4	0.025	12	0.25	1DX15	VAN09004680
POL68879	1	1.77	0.021	0.29	0.1	0.02	5.1	0.1	0.025	7	0.25	1DX15	VAN09004680
POL68938	1	1.59	0.015	0.35	0.05	0.005	8.8	0.05	0.025	8	0.25	1DX15	VAN09004680
POL68944	1	2.49	0.009	0.71	0.05	0.005	3.3	0.1	0.025	8	0.25	1DX15	VAN09004680
POL68950	2	1.86	0.021	0.2	0.05	0.05	5.2	0.05	0.025	7	0.25	1DX15	VAN09004680
POL68952	2	1.4	0.042	0.07	0.2	0.03	4.1	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68954	1	1.42	0.025	0.1	0.05	0.01	5	0.05	0.025	4	0.25	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL68955	588568	7009079	NAD 83-07V	0.6	25.4	5.2	51	0.05	18.1	11	454	2.73	6
POL68956	588604	7009043	NAD 83-07V	0.6	35.7	7.5	54	0.05	24.7	11.4	361	2.97	8.2
POL68958	588674	7008976	NAD 83-07V	0.8	34.1	7.3	49	0.05	24.1	11.2	375	2.9	8.2
POL68967	588532	7009254	NAD 83-07V	0.9	60	6	63	0.2	27.5	14.5	514	3.12	6.2
POL68999			NAD 83-07V	1	34.7	12.2	61	0.2	23.1	15.3	464	3.24	5.2
POL69007	583706	7010085	NAD 83-07V	0.9	117.4	6.1	325	0.05	17.4	21.1	457	5.06	1.8
POL69030	583063	7010047	NAD 83-07V	1.5	31.1	8.1	83	0.05	20.6	16.5	434	4.19	3.1
POL69048	582497	7010682	NAD 83-07V	1	46.6	22.6	99	0.1	44.5	22.3	659	4.26	4.1
POL69087	583073	7010191	NAD 83-07V	0.8	44.1	14.6	87	0.05	20.2	16.7	475	3.92	4.3
POL69091	582938	7010340	NAD 83-07V	0.5	53.9	10.6	82	0.05	26	15.5	572	3.5	4.8
POL69091	582938	7010340	NAD 83-07V	0.6	55.4	10.8	84	0.05	26.5	16.1	605	3.62	4.8
POL69118	583758	7009728	NAD 83-07V	0.3	33.2	4.3	72	0.05	33.1	26.1	598	4.52	2.1
POL69121	583658	7009843	NAD 83-07V	0.2	31.1	2.1	52	0.05	39.8	23.8	536	3.1	1.4
POL69122	583625	7009880	NAD 83-07V	0.8	43.9	3.7	99	0.05	10.1	27.8	570	5.39	1.9
POL69123	583593	7009917	NAD 83-07V	0.6	37.4	7.6	75	0.05	17.3	17.3	405	3.82	3.3
POL69126	583490	7010027	NAD 83-07V	0.9	53	11.1	76	0.2	14.6	17.1	921	3.07	4.5
POL69127	583457	7010064	NAD 83-07V	1.2	19	17.9	63	0.05	13.4	7	476	2.73	6.3
POL69129	583389	7010137	NAD 83-07V	1.2	19	12.5	82	0.05	19	7.6	173	2.64	6.4
POL69133	583256	7010287	NAD 83-07V	0.5	41.6	6.9	83	0.05	14.7	12.1	570	3.57	6.9
POL69165	583350	7010032	NAD 83-07V	1.4	25.7	13.6	76	0.05	20.6	6.3	122	2.55	7.4
POL69169	583215	7010180	NAD 83-07V	1	104	11.2	149	0.05	15.1	13.1	542	4.23	6
POL69170	583183	7010217	NAD 83-07V	0.7	21.9	6.5	82	0.05	20.9	14.1	520	4.14	4.5
POL69175	583015	7010402	NAD 83-07V	0.7	34.7	9	72	0.05	17.1	14.4	492	3.46	6.3
POL69177	582946	7010478	NAD 83-07V	0.7	48.1	8.1	60	0.1	21.2	13.5	389	3.04	5
POL69178	582914	7010514	NAD 83-07V	0.8	84.3	11	64	0.2	22.5	16.4	512	3.05	4.7
POL69183	582746	7010701	NAD 83-07V	0.5	22.1	8	62	0.05	18.9	9.5	338	2.27	6
POL69187	582613	7010849	NAD 83-07V	0.8	36	7.4	65	0.05	29	11.8	400	2.66	7.7
POL69258	583686	7010404	NAD 83-07V	0.6	20.4	6.5	42	0.05	12.8	10	279	2.7	4.1
POL69259	583654	7010441	NAD 83-07V	0.8	18.4	9.9	42	0.05	13.3	12.6	296	3.03	5.2
POL69259	583654	7010441	NAD 83-07V	0.7	18.7	9.8	43	0.05	12.9	12.7	288	2.95	4.8
POL69261	583617	7010480	NAD 83-07V	0.6	19.5	11.2	38	0.05	11.6	10.6	261	2.64	3.7
POL69263	583585	7010519	NAD 83-07V	0.7	27	10	57	0.05	10.6	11	246	2.77	3.7
POL69267	583449	7010667	NAD 83-07V	0.8	39.2	7.3	65	0.05	15.3	11.8	403	3.13	5.1
POL69268	583416	7010703	NAD 83-07V	1.1	45.7	8.9	82	0.1	19.7	14.7	566	3.93	12.4
POL69269	583383	7010741	NAD 83-07V	0.9	35.9	11.8	58	0.1	20.3	10.3	546	2.74	8
POL69270	583348	7010778	NAD 83-07V	1.2	22	12.2	65	0.05	21.9	11.2	433	2.88	11.4
POL69271	583314	7010816	NAD 83-07V	0.8	25	8.2	56	0.05	20.1	11.1	322	2.74	8.3
POL69279	583047	7011113	NAD 83-07V	1.4	25.1	18.5	87	0.05	17	18	703	4.03	8.4
POL69320	581419	7011729	NAD 83-07V	0.6	31.2	5.7	85	0.05	56.2	19.2	576	4.91	5.8
POL69322	581454	7011693	NAD 83-07V	0.3	40.4	11.7	90	0.05	20.8	13	848	4.18	3.5
POL69331	581754	7011355	NAD 83-07V	0.6	31.8	9.5	118	0.05	10.4	14.9	540	4.33	3
POL69347	582290	7010759	NAD 83-07V	0.7	36.7	8.7	59	0.1	28.4	11.6	460	2.66	7
POL69353	581907	7012233	NAD 83-07V	0.6	52.8	5.9	68	0.05	23.1	19	516	3.8	2.5
POL69355	581971	7012159	NAD 83-07V	0.7	32.8	9.1	57	0.05	17.7	12.9	367	2.59	5.5
POL69355	581971	7012159	NAD 83-07V	0.7	34.7	9	59	0.05	18.5	14.1	384	2.69	5.9
POL69356	582007	7012122	NAD 83-07V	0.7	40.7	8	66	0.1	23.5	14.3	422	2.9	5.7
POL69357	582041	7012084	NAD 83-07V	0.5	44.5	13.8	86	0.05	32.7	21.1	644	4.15	2.8
POL69358	582074	7012047	NAD 83-07V	0.8	38.7	6.8	73	0.1	23.2	17.5	508	3.45	4.7
POL69400	582353	7011287	NAD 83-07V	0.7	38.6	7.1	63	0.05	30.2	12.3	466	2.6	8.2
POL69406	582554	7011061	NAD 83-07V	0.9	31.9	7	56	0.05	26.1	10.8	426	2.34	8
POL69413	581501	7011936	NAD 83-07V	0.6	39.7	7.6	59	0.05	32	10.9	344	4.06	1.4
POL69417	581635	7011787	NAD 83-07V	0.3	38.9	6.2	55	0.05	32.3	14.1	201	3.27	2.3
POL69421	581769	7011637	NAD 83-07V	0.5	40.7	10.4	75	0.05	31.3	14.5	338	3.52	2.7

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL68955	0.5	1.7	2.6	26	0.05	0.3	0.05	61	0.5	0.052	9	24	0.47	256	0.094
POL68956	1.2	5.6	3.2	32	0.05	0.5	0.1	66	0.56	0.039	13	29	0.56	825	0.089
POL68958	1.6	2.1	3.4	28	0.05	0.5	0.1	63	0.51	0.046	12	29	0.53	502	0.081
POL68967	0.7	5.5	3	47	0.3	0.4	0.1	80	0.88	0.075	11	33	0.85	499	0.132
POL68999	1.7	2.8	4.5	40	0.1	0.4	0.1	72	0.52	0.054	23	44	0.72	601	0.121
POL69007	0.5	0.8	2	15	0.4	0.05	0.05	138	0.39	0.12	9	30	1.66	699	0.246
POL69030	0.9	2	4.8	15	0.05	0.2	0.1	123	0.25	0.072	14	50	1.19	258	0.197
POL69048	1.7	0.9	12.6	21	0.05	0.2	0.3	73	0.34	0.051	47	60	1.07	216	0.205
POL69087	0.9	0.25	4	18	0.1	0.2	0.1	96	0.34	0.083	13	36	1.01	254	0.185
POL69091	0.8	5.3	3.1	30	0.05	0.2	0.1	88	0.61	0.095	11	42	1.06	323	0.173
POL69091	0.8	6.5	3.1	31	0.05	0.2	0.1	93	0.62	0.1	12	43	1.1	348	0.185
POL69118	0.3	0.6	1.6	24	0.05	0.1	0.05	135	0.5	0.114	5	67	1.43	293	0.31
POL69121	0.2	0.25	0.7	27	0.05	0.05	0.05	79	0.62	0.092	3	57	1.76	620	0.258
POL69122	0.5	0.25	1.7	22	0.05	0.05	0.05	160	0.5	0.114	7	11	1.62	509	0.351
POL69123	0.6	0.9	3.1	14	0.1	0.1	0.1	106	0.3	0.048	8	28	1.1	217	0.196
POL69126	1.2	1.3	2	24	0.2	0.5	0.2	76	0.39	0.072	16	25	0.65	284	0.077
POL69127	0.9	0.8	3.5	14	0.2	0.6	0.3	62	0.15	0.043	21	26	0.36	210	0.083
POL69129	1	1.8	4.5	16	0.05	0.3	0.2	60	0.26	0.07	14	30	0.51	136	0.102
POL69133	0.5	1.2	2.6	11	0.05	0.4	0.05	70	0.25	0.053	8	26	0.7	156	0.152
POL69165	1.5	0.7	5	16	0.05	0.5	0.2	54	0.24	0.078	24	36	0.54	150	0.101
POL69169	1.1	1	3.9	19	0.2	0.4	0.2	87	0.29	0.061	17	23	0.78	269	0.131
POL69170	0.7	0.25	3.8	11	0.05	0.5	0.1	76	0.24	0.066	8	58	1.03	143	0.153
POL69175	0.8	3.2	3.4	19	0.2	0.3	0.1	87	0.48	0.077	11	30	0.96	343	0.165
POL69177	0.6	2.3	1.9	27	0.05	0.2	0.1	83	0.45	0.079	9	27	0.92	404	0.156
POL69178	1	3.5	2	40	0.1	0.2	0.2	79	0.72	0.077	12	28	0.9	530	0.152
POL69183	0.9	7.2	2.6	42	0.2	0.4	0.1	50	1.13	0.064	12	24	0.52	273	0.066
POL69187	0.7	1.9	3.4	52	0.3	0.6	0.1	64	1.56	0.085	12	32	0.83	241	0.091
POL69258	0.4	4.6	1.9	19	0.05	0.2	0.05	55	0.29	0.046	7	23	0.63	229	0.125
POL69259	0.4	1.4	2	22	0.05	0.2	0.1	74	0.32	0.041	7	20	0.79	253	0.136
POL69259	0.4	1.2	2	23	0.05	0.2	0.1	70	0.31	0.04	6	21	0.79	258	0.138
POL69261	0.5	2.2	2.2	23	0.05	0.2	0.1	64	0.41	0.046	7	19	0.74	265	0.132
POL69263	0.5	0.25	1.8	20	0.05	0.1	0.1	69	0.39	0.047	6	18	0.78	248	0.149
POL69267	0.9	1.7	2.8	25	0.1	0.2	0.1	75	0.47	0.055	13	26	0.71	284	0.127
POL69268	0.9	2.5	2.8	26	0.1	0.5	0.1	87	0.47	0.06	13	31	0.94	427	0.135
POL69269	1.4	1.7	3.3	44	0.2	0.5	0.2	53	0.79	0.053	15	26	0.5	320	0.07
POL69270	0.6	1.3	3.7	21	0.05	0.5	0.2	56	0.33	0.06	11	31	0.54	204	0.069
POL69271	0.5	0.8	3.2	23	0.1	0.5	0.1	56	0.39	0.054	10	29	0.54	203	0.076
POL69279	0.6	1.3	2.9	14	0.2	1.3	0.3	83	0.17	0.05	8	28	0.53	258	0.049
POL69320	1	0.25	12.2	12	0.05	0.3	0.1	68	0.25	0.054	13	78	1.37	182	0.315
POL69322	0.9	1.3	13.9	20	0.05	0.4	0.2	32	0.42	0.074	51	18	0.96	143	0.156
POL69331	1.1	1	5.6	21	0.1	0.2	0.2	95	0.36	0.078	17	26	1.34	416	0.235
POL69347	1.1	1.6	4	58	0.3	0.5	0.2	57	0.92	0.058	16	33	0.6	300	0.091
POL69353	0.5	1.3	1.7	28	0.05	0.1	0.05	101	0.68	0.166	6	27	1.2	466	0.26
POL69355	0.7	1.9	2.6	33	0.1	0.3	0.1	60	0.81	0.117	10	27	0.55	267	0.083
POL69355	0.8	0.9	2.7	34	0.2	0.3	0.1	63	0.86	0.116	10	29	0.56	272	0.089
POL69356	0.9	1.7	2.8	34	0.2	0.4	0.1	69	0.67	0.106	11	30	0.61	348	0.105
POL69357	0.5	2.2	1.9	34	0.1	0.1	0.2	97	0.64	0.16	7	44	1.41	415	0.26
POL69358	0.8	0.7	2.5	33	0.1	0.2	0.1	85	0.41	0.1	10	33	0.95	375	0.183
POL69400	0.6	2.3	3.3	66	0.3	0.6	0.1	61	1.98	0.078	11	32	0.85	231	0.097
POL69406	0.5	2.4	3.7	59	0.4	0.6	0.1	54	1.95	0.081	11	28	0.78	232	0.076
POL69413	1.9	0.25	14.6	15	0.05	0.2	0.05	53	0.16	0.021	32	54	0.96	219	0.114
POL69417	1.5	1.8	16.3	13	0.05	0.2	0.2	45	0.18	0.031	39	41	1.05	179	0.117
POL69421	1	1.2	9.8	13	0.05	0.2	0.2	57	0.25	0.04	18	61	1	218	0.155

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL68955	0.5	1.19	0.031	0.07	0.1	0.01	4.2	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68956	1	1.45	0.021	0.06	0.2	0.02	4.8	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68958	0.5	1.38	0.021	0.05	0.1	0.03	4.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL68967	1	1.65	0.02	0.27	0.2	0.03	4.2	0.05	0.025	6	0.25	1DX15	VAN09004680
POL68999	0.5	1.85	0.016	0.14	0.2	0.06	6.8	0.1	0.025	6	0.25	1DX15	VAN09004680
POL69007	0.5	2.78	0.017	0.84	0.05	0.005	5.7	0.4	0.06	9	0.25	1DX15	VAN09004680
POL69030	0.5	2.15	0.011	0.68	0.1	0.005	7.2	0.2	0.025	9	0.6	1DX15	VAN09004680
POL69048	1	2.19	0.013	0.64	0.1	0.02	4.2	0.4	0.025	8	0.25	1DX15	VAN09004680
POL69087	0.5	2	0.014	0.52	0.1	0.02	5.5	0.2	0.025	8	0.25	1DX15	VAN09004680
POL69091	0.5	1.82	0.012	0.41	0.2	0.04	4.6	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69091	0.5	1.9	0.013	0.43	0.2	0.04	4.7	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69118	0.5	2.3	0.014	1.03	0.05	0.01	3	0.3	0.025	6	0.25	1DX15	VAN09004680
POL69121	0.5	2.36	0.015	0.76	0.05	0.005	1.8	0.3	0.025	4	0.25	1DX15	VAN09004680
POL69122	0.5	2.59	0.015	1.37	0.05	0.005	3.3	0.4	0.025	8	0.5	1DX15	VAN09004680
POL69123	1	2.1	0.015	0.52	0.1	0.01	4	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69126	2	1.71	0.017	0.18	0.1	0.06	6	0.1	0.025	7	0.25	1DX15	VAN09004680
POL69127	2	1.47	0.008	0.12	0.3	0.03	3.8	0.2	0.025	8	0.25	1DX15	VAN09004680
POL69129	2	1.38	0.012	0.21	0.2	0.03	3.7	0.2	0.025	5	0.7	1DX15	VAN09004680
POL69133	1	1.72	0.017	0.39	0.05	0.01	5.5	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69165	1	1.45	0.01	0.3	0.1	0.05	3.5	0.3	0.025	6	0.9	1DX15	VAN09004680
POL69169	0.5	2.1	0.015	0.33	0.05	0.03	7.4	0.2	0.025	8	0.5	1DX15	VAN09004680
POL69170	2	2.24	0.011	0.38	0.05	0.01	6.5	0.2	0.025	9	0.6	1DX15	VAN09004680
POL69175	1	1.94	0.015	0.34	0.2	0.01	5	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69177	1	1.66	0.016	0.3	0.1	0.02	3.7	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69178	2	1.75	0.019	0.3	0.2	0.03	4.3	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69183	2	1.13	0.017	0.07	0.3	0.03	3.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69187	2	1.25	0.038	0.09	0.2	0.01	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69258	0.5	1.44	0.012	0.14	0.1	0.005	3.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69259	0.5	1.69	0.011	0.32	0.2	0.005	3.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69259	0.5	1.69	0.012	0.31	0.2	0.005	3.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69261	0.5	1.53	0.013	0.23	0.1	0.01	3.3	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69263	0.5	1.5	0.014	0.28	0.1	0.01	3.3	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69267	0.5	1.58	0.017	0.21	0.1	0.03	5.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL69268	2	1.82	0.016	0.29	0.05	0.03	7	0.2	0.025	8	0.25	1DX15	VAN09004680
POL69269	2	1.31	0.018	0.12	0.2	0.03	4	0.05	0.025	5	0.6	1DX15	VAN09004680
POL69270	1	1.53	0.013	0.21	0.2	0.02	3.3	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69271	1	1.37	0.017	0.09	0.2	0.02	3.7	0.05	0.025	4	0.6	1DX15	VAN09004680
POL69279	3	2.07	0.01	0.15	0.4	0.07	5.5	0.1	0.025	7	0.25	1DX15	VAN09004680
POL69320	0.5	3.17	0.01	1.1	0.1	0.005	3.8	0.8	0.025	11	0.25	1DX15	VAN09004680
POL69322	0.5	2.26	0.009	0.71	0.1	0.02	6	0.5	0.025	8	0.25	1DX15	VAN09004680
POL69331	0.5	2.27	0.016	1.08	0.2	0.01	6.2	0.3	0.025	8	0.25	1DX15	VAN09004680
POL69347	2	1.57	0.033	0.08	0.2	0.03	3.9	0.05	0.025	4	0.7	1DX15	VAN09004680
POL69353	0.5	2.06	0.013	0.88	0.1	0.01	2.6	0.2	0.025	6	0.6	1DX15	VAN09004680
POL69355	0.5	1.31	0.022	0.1	0.2	0.03	4.1	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69355	0.5	1.34	0.024	0.1	0.1	0.04	4.2	0.05	0.025	4	0.8	1DX15	VAN09004680
POL69356	1	1.48	0.021	0.16	0.2	0.02	3.9	0.05	0.025	4	0.7	1DX15	VAN09004680
POL69357	0.5	2.34	0.013	1	0.2	0.02	2.9	0.3	0.025	8	0.25	1DX15	VAN09004680
POL69358	0.5	1.94	0.014	0.52	0.2	0.03	3.2	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69400	3	1.26	0.043	0.1	0.1	0.02	3.7	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69406	3	1.14	0.04	0.1	0.1	0.01	3.3	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69413	0.5	1.97	0.011	0.61	0.05	0.005	5.7	0.3	0.025	9	0.25	1DX15	VAN09004680
POL69417	1	2	0.015	0.55	0.05	0.005	4.9	0.5	0.025	6	0.25	1DX15	VAN09004680
POL69421	1	1.9	0.013	0.7	0.05	0.005	4.7	0.4	0.025	6	0.25	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69434	582171	7011192	NAD 83-07V	0.4	41.9	5.2	47	0.05	27.7	14.9	277	2.71	3.3
POL69435	582204	7011155	NAD 83-07V	0.6	22.5	7.3	46	0.05	21.6	9.1	252	2.52	6.3
POL69436	582234	7011114	NAD 83-07V	0.5	27.7	9.3	83	0.05	31.1	15.3	392	3.46	3
POL69438	582302	7011039	NAD 83-07V	0.7	32.4	7	54	0.05	26.1	10	364	2.35	7.9
POL69440	582370	7010965	NAD 83-07V	0.6	33.5	8.8	60	0.05	27.3	11.3	404	2.55	7.4
POL69441	582404	7010929	NAD 83-07V	0.5	29.1	8.1	57	0.05	24.7	10.6	352	2.43	6.9
POL69442	582438	7010891	NAD 83-07V	0.6	25.9	6.6	52	0.05	22.8	10	341	2.45	6.3
POL69444	581913	7012373	NAD 83-07V	0.6	98.8	6.1	61	0.1	16.5	15	403	3.35	2.3
POL69445	581948	7012337	NAD 83-07V	0.7	91	7.1	63	0.05	19.7	16.9	403	3.49	3.8
POL69446	581981	7012299	NAD 83-07V	0.5	121.7	9.5	70	0.05	23.8	17.7	452	3.69	2.1
POL69447	582014	7012262	NAD 83-07V	0.4	89	12.9	69	0.05	30.3	18.9	467	3.5	3
POL69447	582014	7012262	NAD 83-07V	0.5	90.3	13.4	69	0.05	32.5	19	473	3.66	3
POL69448	582046	7012225	NAD 83-07V	1.4	151.6	18.9	104	0.05	34.7	22.7	874	4.13	3.2
POL69449	582081	7012185	NAD 83-07V	0.8	27.7	8.3	63	0.05	20.9	13.8	354	2.98	4.9
POL69451	581967	7012017	NAD 83-07V	0.2	146.6	6.6	62	0.05	16.1	48.7	670	5.37	1.3
POL69455	582099	7011868	NAD 83-07V	0.6	46.7	8.2	75	0.05	26	19.8	575	4.76	5.7
POL69456	582133	7011830	NAD 83-07V	0.5	38.8	6.9	71	0.05	23.9	19.8	546	4.08	4.3
POL69462	582330	7011611	NAD 83-07V	0.7	52.6	34.9	73	0.05	29.8	16.8	507	4.24	6.2
POL69463	582363	7011573	NAD 83-07V	0.4	140.4	9.5	39	0.05	28.1	22	358	3.46	4.2
POL69464	582397	7011536	NAD 83-07V	0.3	129.1	4.4	48	0.05	29.5	23.2	345	3.58	4.5
POL69465	582429	7011499	NAD 83-07V	0.7	89.1	7	51	0.05	28.5	19.6	266	3.45	6.7
POL69467	582497	7011425	NAD 83-07V	0.4	161.1	3.8	41	0.05	30.7	31.9	294	3.68	3.5
POL69469	582564	7011349	NAD 83-07V	0.4	130.3	4	41	0.05	34.7	26.2	333	3.44	3.3
POL69488	588742	7009327	NAD 83-07V	0.2	89.2	1.7	57	0.05	14.6	17.1	321	3	1.6
POL69489	588779	7009293	NAD 83-07V	0.2	69.2	1.9	44	0.05	20	16.6	309	2.57	2.5
POL69491	588850	7009222	NAD 83-07V	0.2	93.2	2.9	97	0.05	18	17	436	4.29	4.2
POL69499	588814	7009403	NAD 83-07V	0.8	61.7	8	66	0.05	33.8	15.3	446	2.88	8.8
POL69570	582794	7009601	NAD 83-07V	1.4	42.3	8.7	93	0.1	31.5	16.8	422	3.63	8.7
POL69692	582233	7009775	NAD 83-07V	0.8	34.9	8.4	61	0.05	25.7	12.8	422	3.03	7.2
POL69692	582233	7009775	NAD 83-07V	0.9	34.7	8.5	61	0.05	26.1	13.4	420	3.01	7.4
POL69693	582199	7009811	NAD 83-07V	0.6	39.1	7.9	59	0.05	28.4	12.3	527	2.75	7.4
POL69694	582169	7009849	NAD 83-07V	0.8	35.7	8.3	62	0.05	24.4	13	489	2.98	7.3
POL69695	582133	7009885	NAD 83-07V	0.7	27.2	8.1	60	0.05	51.3	12.7	324	2.57	5.7
POL69696	582101	7009922	NAD 83-07V	0.8	38.6	7.7	65	0.05	33.2	12.4	423	2.87	8.4
POL69697	582068	7009960	NAD 83-07V	0.7	34.4	7.5	62	0.05	29.8	11.2	351	2.47	7
POL69698	582035	7009999	NAD 83-07V	0.7	34.9	6.9	64	0.05	33	11.5	409	2.47	7.2
POL69699	582003	7010036	NAD 83-07V	0.8	27.8	7.9	58	0.05	25	11.9	381	2.59	5.3
POL69700	581967	7010073	NAD 83-07V	0.8	32.6	7.5	58	0.05	23.6	10.5	300	2.73	4.1
POL69701	581967	7010073	NAD 83-07V	0.8	32.4	7.5	59	0.05	24.1	10.2	300	2.74	4.6
POL69701	581967	7010073	NAD 83-07V	0.8	32.6	7.7	61	0.05	24.7	10.6	312	2.78	4.5
POL69742	582921	7009311	NAD 83-07V	1.1	25.3	7.9	95	0.05	9.1	12.5	529	3.35	25.8
POL69749	582685	7009573	NAD 83-07V	1.1	23.8	10.9	76	0.1	18.4	11.8	374	3.03	8.8
POL69750	582650	7009609	NAD 83-07V	1.1	20	10.1	69	0.05	16.1	12	349	2.72	7.7
POL69770	583171	7009335	NAD 83-07V	0.7	47.8	6.2	76	0.05	31.2	18.2	641	3.67	4.2
POL69771	583137	7009372	NAD 83-07V	0.7	48.8	6.9	49	0.05	18.2	12.4	307	3.06	6
POL69773	583071	7009446	NAD 83-07V	0.6	51.6	7.5	67	0.05	27.1	12.8	456	3	4.8
POL69774	583036	7009483	NAD 83-07V	0.4	69.9	5.9	91	0.05	31	18.6	741	4.04	3.4
POL69776	582968	7009558	NAD 83-07V	0.6	48.2	6.1	74	0.05	24.4	13.9	457	3.3	3.9
POL69777	582968	7009558	NAD 83-07V	0.6	48.3	6.1	74	0.05	24.1	14	454	3.26	4.4
POL69778	582935	7009595	NAD 83-07V	0.7	51.4	6.6	75	0.05	23.1	16.5	452	3.41	4.2
POL69779	582903	7009631	NAD 83-07V	0.8	58.3	12.1	58	0.05	25.8	14	773	3.02	4.9
POL69781	582800	7009742	NAD 83-07V	0.7	43	8	56	0.05	25.3	13.5	434	3.12	5.1
POL69784	582703	7009857	NAD 83-07V	1.4	50.7	17	109	0.05	32.5	12.5	436	4.09	4.6

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69434	0.5	1.8	3.4	23	0.05	0.2	0.05	66	0.36	0.032	14	49	0.98	192	0.138
POL69435	0.6	2.1	4.4	27	0.05	0.4	0.1	55	0.44	0.039	17	33	0.56	212	0.081
POL69436	0.7	4.8	9.9	21	0.05	0.2	0.1	52	0.38	0.05	19	45	0.9	198	0.212
POL69438	0.7	3.9	3.2	48	0.2	0.5	0.1	52	1.14	0.077	12	28	0.62	235	0.073
POL69440	1	4.2	3.8	46	0.2	0.6	0.2	54	0.94	0.06	14	31	0.6	283	0.075
POL69441	0.9	2.4	3.3	44	0.2	0.6	0.2	55	0.87	0.06	12	30	0.55	260	0.071
POL69442	0.7	3	3.7	36	0.05	0.5	0.1	61	0.73	0.077	13	30	0.55	166	0.085
POL69444	0.4	6.6	1.4	27	0.05	0.1	0.05	95	0.45	0.086	5	28	1.1	426	0.203
POL69445	0.3	2.3	1.7	20	0.05	0.2	0.1	94	0.35	0.067	5	31	1.12	322	0.192
POL69446	0.2	0.8	0.8	21	0.05	0.05	0.05	109	0.43	0.107	2	38	1.35	392	0.231
POL69447	0.4	2.7	1.7	24	0.05	0.2	0.2	92	0.38	0.085	11	55	1.35	412	0.209
POL69447	0.4	1.4	1.7	25	0.05	0.2	0.2	97	0.4	0.088	11	56	1.38	419	0.218
POL69448	0.8	2.7	2.7	39	0.05	0.2	0.1	111	0.5	0.137	9	30	1.82	883	0.247
POL69449	0.6	2.3	2.3	25	0.05	0.3	0.1	75	0.38	0.093	9	31	0.7	248	0.12
POL69451	0.3	0.9	1.2	45	0.05	0.05	0.05	196	1.31	0.284	6	14	1.59	317	0.159
POL69455	0.4	1.3	1.9	25	0.05	0.3	0.05	117	0.44	0.118	5	35	1.32	485	0.275
POL69456	0.4	0.25	1.6	60	0.05	0.3	0.05	92	0.46	0.108	4	26	1.11	314	0.258
POL69462	0.6	1.8	2.9	25	0.05	0.3	0.4	97	0.54	0.146	9	35	1.18	345	0.193
POL69463	0.3	0.25	1.7	40	0.05	0.2	0.1	87	1.26	0.383	6	33	0.68	157	0.076
POL69464	0.4	1.7	2.2	27	0.05	0.2	0.05	90	0.72	0.192	5	37	0.85	183	0.121
POL69465	0.4	1.6	2.4	20	0.05	0.4	0.1	99	0.45	0.09	7	40	0.83	179	0.104
POL69467	0.4	0.9	1.1	25	0.05	0.2	0.05	117	0.76	0.107	3	87	1.17	233	0.111
POL69469	0.5	2.7	1.5	36	0.05	0.2	0.05	111	0.76	0.114	5	50	1.15	335	0.145
POL69488	0.4	3.9	1.4	20	0.05	0.1	0.05	109	0.64	0.137	6	43	1.26	589	0.199
POL69489	0.4	0.6	1.3	21	0.05	0.1	0.05	72	0.57	0.07	4	33	1.08	434	0.17
POL69491	0.3	0.6	2.3	23	0.05	0.1	0.05	110	0.6	0.128	7	36	1.32	593	0.269
POL69499	0.5	3.3	3.7	53	0.1	0.6	0.1	73	1.78	0.076	12	45	0.88	506	0.117
POL69570	1.5	1.4	8	40	0.2	0.9	0.1	79	0.61	0.089	29	39	1.03	311	0.152
POL69692	1	2.9	4.5	43	0.1	0.5	0.1	67	0.58	0.042	15	35	0.67	298	0.107
POL69692	1	1.8	4.4	44	0.1	0.5	0.2	66	0.57	0.042	16	35	0.66	303	0.109
POL69693	1	4.8	4.5	43	0.2	0.5	0.1	62	0.74	0.068	19	32	0.62	331	0.097
POL69694	1.4	2.8	4.5	43	0.1	0.5	0.1	63	0.73	0.056	16	33	0.71	314	0.114
POL69695	1	5.8	3.3	35	0.1	0.4	0.1	60	0.46	0.063	15	55	0.7	337	0.085
POL69696	0.8	4.9	3.4	45	0.3	0.6	0.1	65	0.9	0.078	13	36	0.7	259	0.092
POL69697	0.9	3.1	3	36	0.3	0.5	0.1	57	0.7	0.069	11	32	0.61	232	0.075
POL69698	0.8	2.5	3	45	0.3	0.5	0.1	59	1.15	0.07	11	32	0.71	224	0.074
POL69699	0.8	9.3	3.4	22	0.2	0.3	0.1	63	0.34	0.059	13	41	0.59	373	0.087
POL69700	0.8	1	4.1	27	0.05	0.3	0.05	69	0.37	0.054	12	46	0.73	459	0.127
POL69701	0.8	0.9	4	26	0.1	0.3	0.05	69	0.37	0.054	12	45	0.71	463	0.124
POL69701	0.9	3.3	4.1	27	0.1	0.2	0.1	71	0.38	0.054	13	46	0.73	471	0.129
POL69742	2.2	1.2	8.3	8	0.05	0.4	0.05	16	0.08	0.014	23	7	0.08	99	0.003
POL69749	1.2	3.1	4.8	21	0.2	0.3	0.1	64	0.3	0.064	16	31	0.63	238	0.104
POL69750	0.9	3.3	3.3	20	0.1	0.3	0.1	68	0.3	0.06	13	29	0.59	196	0.092
POL69770	0.4	0.25	2.2	27	0.05	0.2	0.05	98	0.39	0.082	5	37	1.28	427	0.229
POL69771	0.4	1	2.3	22	0.05	0.2	0.1	85	0.32	0.067	8	29	0.72	215	0.124
POL69773	0.7	1.9	2.5	30	0.05	0.2	0.05	82	0.31	0.066	10	42	0.83	289	0.143
POL69774	0.7	0.8	3.2	22	0.05	0.2	0.05	105	0.37	0.099	11	47	1.28	455	0.231
POL69776	0.5	1.9	2.4	21	0.05	0.2	0.05	88	0.37	0.08	8	41	0.94	314	0.175
POL69777	0.5	1.1	2.6	23	0.05	0.2	0.05	87	0.4	0.085	9	40	0.93	318	0.175
POL69778	0.6	0.25	2.5	23	0.05	0.2	0.05	85	0.4	0.083	8	39	1.04	323	0.187
POL69779	0.9	1.7	3.1	29	0.05	0.3	0.1	74	0.6	0.055	16	35	0.74	457	0.119
POL69781	0.6	8.2	3.3	29	0.05	0.3	0.1	78	0.57	0.035	12	42	0.81	350	0.134
POL69784	1	1.1	10.8	17	0.05	0.4	0.2	77	0.32	0.069	25	39	0.82	304	0.108

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69434	1	1.66	0.018	0.23	0.05	0.005	3.3	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69435	1	1.47	0.022	0.08	0.2	0.005	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69436	0.5	1.99	0.017	0.65	0.1	0.005	3.1	0.4	0.025	7	0.25	1DX15	VAN09004680
POL69438	3	1.21	0.035	0.08	0.1	0.02	3.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69440	2	1.37	0.028	0.07	0.2	0.03	3.7	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69441	2	1.37	0.03	0.05	0.2	0.02	3.5	0.05	0.025	4	0.6	1DX15	VAN09004680
POL69442	2	1.25	0.037	0.07	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69444	0.5	1.81	0.018	0.59	0.1	0.005	3.2	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69445	1	1.98	0.017	0.57	0.05	0.005	3	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69446	0.5	2.12	0.018	0.94	0.05	0.005	2.6	0.3	0.025	6	0.25	1DX15	VAN09004680
POL69447	1	2.05	0.015	0.7	0.05	0.005	2.8	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69447	1	2.12	0.016	0.75	0.05	0.005	2.9	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69448	0.5	2.74	0.019	1.14	0.1	0.005	4.4	0.3	0.025	10	0.5	1DX15	VAN09004680
POL69449	1	1.69	0.014	0.13	0.1	0.03	2.9	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69451	0.5	2.24	0.124	0.68	0.05	0.005	9.1	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69455	1	2.77	0.012	1.06	0.2	0.005	3.4	0.2	0.025	9	0.25	1DX15	VAN09004680
POL69456	0.5	2.33	0.013	0.89	0.2	0.005	2.1	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69462	1	2.34	0.016	0.9	0.2	0.005	4.8	0.3	0.025	7	0.25	1DX15	VAN09004680
POL69463	1	1.32	0.035	0.3	0.05	0.005	8.4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69464	1	1.54	0.023	0.36	0.05	0.005	7.8	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69465	0.5	1.8	0.025	0.14	0.05	0.005	6.6	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69467	0.5	1.68	0.05	0.13	0.05	0.005	12.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69469	0.5	1.62	0.039	0.26	0.05	0.01	7.8	0.2	0.025	5	0.25	1DX15	VAN09004680
POL69488	0.5	1.89	0.04	0.67	0.05	0.005	5.7	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69489	1	1.99	0.026	0.57	0.05	0.005	5.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69491	1	2.43	0.023	1.23	0.05	0.005	4.8	0.3	0.025	9	0.25	1DX15	VAN09004680
POL69499	2	1.77	0.05	0.12	0.1	0.02	4.8	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69570	1	2.01	0.018	0.42	0.1	0.03	4.3	0.2	0.025	6	0.8	1DX15	VAN09004680
POL69692	1	1.78	0.036	0.09	0.2	0.03	4.3	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69692	1	1.81	0.036	0.09	0.1	0.03	4.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69693	2	1.54	0.036	0.09	0.2	0.03	4.5	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69694	2	1.67	0.033	0.13	0.2	0.04	4.8	0.1	0.025	5	0.7	1DX15	VAN09004680
POL69695	2	1.57	0.023	0.06	0.1	0.03	3.9	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69696	3	1.4	0.039	0.06	0.2	0.02	4.1	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69697	3	1.27	0.026	0.05	0.2	0.02	3.6	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69698	3	1.2	0.033	0.05	0.2	0.02	3.5	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69699	0.5	1.45	0.017	0.07	0.2	0.02	3.9	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69700	0.5	1.54	0.015	0.15	0.1	0.02	4.8	0.05	0.025	6	0.25	1DX15	VAN09004680
POL69701	0.5	1.49	0.014	0.15	0.2	0.03	4.7	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69701	0.5	1.55	0.016	0.15	0.1	0.02	4.8	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69742	0.5	0.5	0.003	0.08	0.05	0.01	7.4	0.1	0.025	1	0.6	1DX15	VAN09004680
POL69749	0.5	1.59	0.012	0.18	0.2	0.03	4.3	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69750	0.5	1.48	0.012	0.11	0.05	0.03	3.6	0.05	0.025	5	0.25	1DX15	VAN09004680
POL69770	0.5	2.32	0.01	0.55	0.2	0.005	2.5	0.2	0.025	9	0.25	1DX15	VAN09004680
POL69771	0.5	1.83	0.016	0.11	0.1	0.02	2.9	0.05	0.025	6	0.25	1DX15	VAN09004680
POL69773	0.5	1.85	0.011	0.31	0.2	0.01	3.5	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69774	0.5	2.25	0.011	0.82	0.1	0.01	5.3	0.3	0.025	9	0.25	1DX15	VAN09004680
POL69776	0.5	1.87	0.012	0.4	0.05	0.02	4	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69777	0.5	1.86	0.014	0.38	0.2	0.02	4.1	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69778	0.5	1.93	0.015	0.4	0.1	0.02	3.8	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69779	0.5	1.61	0.016	0.26	0.05	0.04	4.9	0.1	0.025	6	0.25	1DX15	VAN09004680
POL69781	0.5	1.85	0.02	0.16	0.1	0.02	4.5	0.05	0.025	6	0.25	1DX15	VAN09004680
POL69784	0.5	1.91	0.01	0.46	0.05	0.005	6.2	0.3	0.025	7	0.25	1DX15	VAN09004680

SampleID	Easting	Northing	UTM	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As
POL69795	582333	7010264	NAD 83-07V	0.9	37.8	6.1	61	0.05	20.6	18.2	336	3.67	4.3
POL69799	582199	7010414	NAD 83-07V	1	42.6	9.1	92	0.1	16.1	15.4	619	4	4
POL69824	582614	7010251	NAD 83-07V	0.7	56.7	7.3	68	0.05	14.7	11.8	543	4.03	4.7
POL69839	582982	7009096	NAD 83-07V	1.2	41.5	11.7	89	0.05	28.3	12.2	416	3.58	8.1
POL69867	582076	7010100	NAD 83-07V	0.9	22.5	7.4	50	0.05	20.9	10	315	2.43	5.5
POL69882	583091	7009871	NAD 83-07V	0.7	25.7	8.4	88	0.05	12.7	13.8	669	4.63	3.8
POL69884	583026	7009944	NAD 83-07V	0.7	55.9	9.4	58	0.2	31.9	12.2	1159	2.47	4.3
POL69885	582993	7009982	NAD 83-07V	1	37.3	7.4	63	0.05	17.9	11.5	504	3.3	7.8
POL69886	582960	7010020	NAD 83-07V	0.8	62.7	8.6	66	0.05	25.3	11.8	474	3.13	3.5
POL69895	582654	7010357	NAD 83-07V	2.3	42.8	14	82	0.05	15.7	14.2	578	4.76	20.2
POL69896	582622	7010393	NAD 83-07V	0.9	42.1	44.7	117	0.05	18.5	17.9	808	4.54	3.6
POL69900	582484	7010542	NAD 83-07V	0.9	27.2	19	64	0.05	23.2	10.6	310	2.91	22.8
POL69904	582387	7010652	NAD 83-07V	0.9	38.5	14.6	87	0.05	28.4	13.9	248	2.93	6.2
POL69908	583427	7010240	NAD 83-07V	0.9	29.3	9.3	65	0.05	16.2	11.6	416	2.93	5.7
POL69909	583394	7010277	NAD 83-07V	1.8	38.8	15.9	90	0.2	29.4	9.5	236	3.16	5
POL69910	583363	7010317	NAD 83-07V	1.6	37.7	11.3	108	0.05	30.2	10.9	270	3.27	4.1
POL69912	583295	7010391	NAD 83-07V	1.1	36.9	12.1	76	0.05	20.9	11.8	362	3.2	8.2
POL69925	582450	7009833	NAD 83-07V	0.6	36.9	9.3	63	0.05	26.6	13.3	434	3.36	6.4
POL69925	582450	7009833	NAD 83-07V	0.8	36.7	9.3	60	0.05	25.9	13.7	439	3.32	6.4
POL69928	582351	7009944	NAD 83-07V	1	27.7	9.7	79	0.05	20.5	12.2	559	3.72	5
POL69932	582216	7010092	NAD 83-07V	0.7	32.9	8.2	61	0.1	23	11.6	435	3.05	7
POL69934	582150	7010167	NAD 83-07V	0.8	47.8	7	97	0.1	21	13.4	656	3.88	7.3
POL69935	582116	7010205	NAD 83-07V	0.9	23.8	8.3	59	0.05	25.2	11.9	369	3.04	8.6
POL69936	582083	7010243	NAD 83-07V	0.6	26.4	6.7	60	0.05	23.8	9.5	350	2.4	8
POL70000	582009	7010175	NAD 83-07V	0.7	32.7	7.9	58	0.05	22.5	10.6	410	2.7	6.9

SampleID	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
POL69795	0.9	1.7	4.6	20	0.05	0.2	0.05	86	0.5	0.034	21	31	1.32	204	0.172
POL69799	1.8	1.6	4.5	31	0.1	0.2	0.1	87	0.83	0.051	26	27	1.13	413	0.184
POL69824	0.8	0.25	6.8	15	0.05	0.3	0.1	54	0.34	0.039	10	21	0.79	322	0.152
POL69839	1.2	1.4	9.4	24	0.05	0.3	0.2	70	0.43	0.062	25	37	0.74	326	0.132
POL69867	0.8	5.7	3.1	31	0.1	0.3	0.1	60	0.44	0.067	13	34	0.54	385	0.087
POL69882	0.7	0.5	5.3	16	0.05	0.3	0.05	131	0.35	0.083	19	28	1.03	260	0.147
POL69884	1.2	4.1	3.1	23	0.05	0.3	0.2	67	0.54	0.028	19	35	0.66	970	0.072
POL69885	0.5	3.1	1	17	0.05	0.4	0.1	93	0.21	0.084	7	31	0.7	217	0.104
POL69886	0.6	1.5	1.9	15	0.1	0.3	0.2	86	0.13	0.063	9	27	0.83	506	0.162
POL69895	1.1	0.25	5.5	15	0.05	0.6	0.2	75	0.29	0.066	11	16	0.38	381	0.03
POL69896	0.9	1.4	3.9	18	0.05	0.2	0.2	109	0.37	0.076	17	28	1.08	452	0.22
POL69900	1.1	1.8	8.7	16	0.05	0.3	0.2	57	0.22	0.035	37	38	0.57	183	0.103
POL69904	1.5	0.9	9.6	14	0.05	0.4	0.3	43	0.2	0.04	30	34	0.7	93	0.134
POL69908	0.6	1	2.3	19	0.1	0.3	0.1	77	0.37	0.048	11	25	0.69	207	0.125
POL69909	1.9	1.4	5.5	19	0.1	0.2	0.2	68	0.23	0.059	27	39	0.59	208	0.095
POL69910	1.5	0.6	6.5	15	0.05	0.2	0.2	67	0.25	0.074	19	34	0.58	172	0.102
POL69912	1.1	1.2	5.1	18	0.1	0.4	0.2	78	0.28	0.053	19	34	0.67	217	0.127
POL69925	1.1	1.9	7.7	27	0.05	0.5	0.1	68	0.37	0.038	26	44	0.82	251	0.142
POL69925	1.1	1.6	7.7	27	0.05	0.4	0.1	67	0.39	0.038	26	44	0.81	247	0.142
POL69928	1.1	1.4	6.1	30	0.05	0.3	0.2	67	0.46	0.055	27	39	1.03	257	0.15
POL69932	1.2	18.9	5.2	38	0.2	0.4	0.2	62	0.63	0.05	23	29	0.66	307	0.111
POL69934	1.5	1.7	4.3	40	0.2	0.4	0.1	83	0.76	0.098	27	28	1.21	328	0.207
POL69935	0.8	3.9	2.9	34	0.2	0.5	0.1	61	0.61	0.079	13	33	0.61	250	0.094
POL69936	0.8	2.6	3.1	43	0.2	0.5	0.2	55	0.76	0.084	12	27	0.56	212	0.088
POL70000	1	2.6	3.5	43	0.2	0.6	0.1	64	0.7	0.066	15	35	0.62	336	0.101

SampleID	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Method	JobNumber
POL69795	0.5	2.16	0.017	0.41	0.1	0.01	5.3	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69799	2	1.94	0.02	0.46	0.1	0.05	6.9	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69824	0.5	2.13	0.011	0.47	0.1	0.01	7.8	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69839	0.5	1.83	0.013	0.44	0.05	0.01	5.5	0.3	0.025	6	0.25	1DX15	VAN09004680
POL69867	0.5	1.35	0.017	0.05	0.2	0.03	4	0.05	0.025	4	0.25	1DX15	VAN09004680
POL69882	0.5	2.26	0.01	0.49	0.05	0.01	9.2	0.2	0.025	10	0.25	1DX15	VAN09004680
POL69884	1	1.91	0.013	0.06	0.05	0.05	5.1	0.1	0.025	6	0.25	1DX15	VAN09004680
POL69885	1	1.84	0.011	0.12	0.05	0.02	2.8	0.05	0.025	7	0.25	1DX15	VAN09004680
POL69886	0.5	1.77	0.013	0.26	0.05	0.02	3.6	0.2	0.025	9	0.25	1DX15	VAN09004680
POL69895	3	1.07	0.006	0.29	0.05	0.01	10.9	0.2	0.025	5	0.25	1DX15	VAN09004680
POL69896	0.5	2.44	0.012	0.73	0.05	0.005	5	0.3	0.025	8	0.25	1DX15	VAN09004680
POL69900	2	1.79	0.013	0.19	0.05	0.02	3.4	0.2	0.025	7	0.25	1DX15	VAN09004680
POL69904	1	1.58	0.012	0.45	0.1	0.005	2.4	0.4	0.05	6	0.25	1DX15	VAN09004680
POL69908	1	1.53	0.016	0.2	0.1	0.02	4.2	0.1	0.025	7	0.25	1DX15	VAN09004680
POL69909	1	1.69	0.011	0.25	0.05	0.04	4	0.2	0.025	6	0.8	1DX15	VAN09004680
POL69910	1	1.63	0.012	0.3	0.1	0.03	4.1	0.3	0.025	6	0.25	1DX15	VAN09004680
POL69912	0.5	1.88	0.014	0.29	0.1	0.01	4.4	0.2	0.025	6	0.25	1DX15	VAN09004680
POL69925	0.5	1.82	0.021	0.32	0.1	0.03	5.8	0.1	0.025	6	0.25	1DX15	VAN09004680
POL69925	1	1.83	0.021	0.32	0.1	0.03	5.5	0.2	0.025	6	0.5	1DX15	VAN09004680
POL69928	2	2.03	0.02	0.43	0.2	0.02	6.4	0.2	0.09	7	0.6	1DX15	VAN09004680
POL69932	0.5	1.64	0.021	0.15	0.2	0.03	4.2	0.1	0.025	5	0.25	1DX15	VAN09004680
POL69934	3	2.06	0.025	0.76	0.2	0.04	4.7	0.2	0.07	7	0.5	1DX15	VAN09004680
POL69935	2	1.34	0.022	0.06	0.2	0.02	3.7	0.05	0.06	4	0.6	1DX15	VAN09004680
POL69936	2	1.22	0.03	0.06	0.3	0.02	3.4	0.05	0.07	4	0.5	1DX15	VAN09004680
POL70000	2	1.49	0.026	0.06	0.2	0.04	4.3	0.05	0.05	5	0.25	1DX15	VAN09004680