

Aldrin Resource Corporation

**2010 GEOLOGICAL, GEOCHEMICAL AND
DIAMOND DRILLING REPORT ON THE
LONGLINE PROJECT**

Volume I
Text, Appendices A – G

Located in the Moosehorn Range Area
Whitehorse Mining District
NTS 115N/02
63°6' N Latitude; 140°54' W Longitude

-prepared for-

ALDRIN RESOURCE CORPORATION
Suite 2020-401 West Georgia Street
Vancouver, British Columbia, Canada, V6B 5A1

-prepared by-

David Swanton, M.Sc.
Cameron Bartsch, M.Sc., P. Geo.
EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

December 7, 2010

TABLE OF CONTENTS

TABLE OF CONTENTS	1
LIST OF APPENDICES	1
LIST OF TABLES	2
LIST OF FIGURES	2
LIST OF MAPS	2
1.0 SUMMARY	3
2.0 INTRODUCTION	3
3.0 RELIANCE ON OTHER EXPERTS	4
4.0 PROPERTY DESCRIPTION AND LOCATION	4
5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	7
6.0 HISTORY	7
6.1 Previous Work	7
6.2 2010 Exploration Program	8
7.0 REGIONAL GEOLOGY AND MINERALIZATION	9
7.1 Geology	9
7.2 Mineralization	10
8.0 GEOCHEMISTRY	14
8.1 Rock Geochemistry	14
8.2 Soil Geochemistry	14
9.0 PROPERTY GEOLOGY AND MINERALIZATION	16
9.1 Lithology	16
9.2 Mineralization	16
10.0 DIAMOND DRILLING	20
10.1 LON10-01	21
10.2 LON10-02	21
10.3 LON10-03	21
10.4 LON10-04	21
10.5 LON10-05	22
10.6 LON10-06	22
10.7 LON10-07	22
11.0 DISCUSSION AND CONCLUSIONS	29

LIST OF APPENDICES

Appendix A: Bibliography
 Appendix B: Statement of Expenditures
 Appendix C: Rock Sample Descriptions
 Appendix D: Drill Logs
 Appendix E: Geotech Logs
 Appendix F: Thin Section Petrography
 Appendix G: Certificates of Analysis
 Appendix H: Quality Control / Quality Assurance
 Appendix I: Compact Disc
 Appendix J: Geologist's Certificates

LIST OF TABLES

Table 1: Longline Claims	4
Table 2: Percentile values for elements of interest from 2010 rock samples	14
Table 3: Correlation matrix for elements of interest from 2010 rock samples	14
Table 4: Percentile values for elements of interest from combined soil sample dataset	15
Table 5: Correlation matrix for elements of interest from combined soil sample dataset	15
Table 6: Rock samples with significant mineralization	17
Table 7: 2010 Drill Holes	20
Table 8: Significant intercepts from 2010 drilling	21

LIST OF FIGURES

Figure 1: Location Map	5
Figure 2: Tenure information	6
Figure 3: Regional Geology of the Moosehorn Range	11
Figure 4: Summary of relative and absolute ages of major lithologies in the Moosehorn Range area from Joyce (2002)	12
Figure 5: Magnetic Map of the Moosehorn Range area with interpreted structures	13
Figure 6: Map showing the Antler trenches with sample locations	18
Figure 7: Arsenopyrite-quartz-chlorite vein from LON10-06	19
Figure 8: Quartz-carbonate vein with sericite-carbonate selvage from LON10-01	19
Figure 9: Brecciated arsenopyrite from LON10-04	20
Figure 10: Section through LON10-01 and LON10-05	23
Figure 11: Section through LON10-02	24
Figure 12: Section through LON10-03	25
Figure 13: Section through LON10-04	26
Figure 14: Section through LON10-06	27
Figure 15: Section through LON10-07	28

LIST OF MAPS

Map 1a: Rock sample, drill hole and trench locations	in pocket
Map 1b: Rock sample Au values	in pocket
Map 1c: Rock sample As values	in pocket
Map 2a: Soil sample, drill hole and trench locations	in pocket
Map 2b: Soil sample Au values	in pocket
Map 2c: Soil sample As values	in pocket

1.0 SUMMARY

The Longline property lies approximately 135 km southwest of Dawson City, within the Whitehorse mining district of the Yukon Territory. The property consists of the Line and Antler claim blocks, totalling approximately 5000 hectares, which have been optioned by Aldrin Resource Corp from Ryanwood Exploration and Moosehorn Exploration respectively.

The property adjoins the Alaska border at latitude of 63°06' N and during summer months is accessible only by air. There is an active placer mine in the area, the owner of which maintains a dirt airstrip and a small network of dirt roads which provide access to both sides of the Moosehorn Range. The region has a sub-arctic climate with discontinuous but widespread permafrost. Peaks of the Moosehorn Range are rolling with elevations up to 1400 m and tree-line at approximately 1200 m. The area remained un-glaciated during the last ice age and as such is covered by a deep weathering profile.

The area is part of the Yukon-Tanana Terrane, a Paleozoic to Mesozoic continental arc assemblage intruded by plutonic suites of widely varying (Triassic to Neogene) age. The Moosehorn Range itself is mostly underlain by the Dawson Range Batholith, a large granitoid body which, in the Moosehorn area, intruded metasedimentary country rock. Gold mineralization in the region is hosted in late-stage quartz veins superficially similar to those elsewhere in the Tintina Gold Belt, though the Moosehorn area is unusual in that veining does not appear to be associated with any nearby intrusive event. Vein mineralogy is dominated by quartz, calcite and sulphides; gold is most often directly associated with the latter as micron to mm-size grains.

Exploration for gold in the Longline area dates back to 1970 when the first discovery of high-grade gold in quartz veins was made. Since that time hardrock exploration has been sporadic but ongoing. Many of the creeks draining the south end of the Moosehorn Range have produced economic quantities of placer gold, and there is active mining on the eastern side of the ridge. Small-scale hardrock operations have produced several thousand ounces of gold but ceased in the mid-1990s. In 2009, a soil sampling program over the north end of the Moosehorn Range identified several promising gold-in-soil anomalies which revived interest in the area and led to the work described in this report.

The 2010 program consisted of mapping, prospecting, trenching, soil sampling and diamond drilling. Mapping, prospecting and interpretation of regional geophysics found potential structures that correlate with the previously identified soil anomalies. However, when these anomalies were drilled, it was found that either the structures did not extend to depth or did not contain anomalous gold values. Based on the results of this drilling the areas identified for exploration by previous soil sampling do not appear to host any significant gold mineralization. However, the areas to the south of both the Line and Antler claim blocks have been identified as zones of interest. South of the Line claims on the crest of the Moosehorn Range there has been historical gold production from surface but little exploration to depth. On the Antler claim block, an anomalous gold-in-soil/rock trend is open toward the south and presents an attractive target for future exploration.

2.0 INTRODUCTION

Equity Exploration Consultants Ltd ("Equity") was contracted by Aldrin Resource Corporation ("Aldrin") to carry out a field mapping and diamond drilling program in the summer of 2010. The purpose of the program was early-stage exploration of Aldrin's Longline property for its gold potential. All work was carried out under the direction of the authors, with the exception of the soil sampling program which was carried out by Groundtruth Exploration. Subsequent to completion of the field program, Equity was requested by Aldrin to compile and interpret the results of both programs. The information used in compiling this report consists of assessment reports filed with the Yukon Department of Energy, Mines and Resources, peer-reviewed scientific papers, government maps and reports, and private information supplied by Aldrin. Both of the authors worked on the Longline property during the 2010 program and have first-hand knowledge of its geology, mineralization and drill core.

3.0 RELIANCE ON OTHER EXPERTS

The authors have not relied on a report, opinion or statement of an expert for information concerning legal, environmental, political or other issues.

4.0 PROPERTY DESCRIPTION AND LOCATION

The Longline property is located in the Moosehorn Range of the west-central Yukon Territory, directly adjacent to the border with Alaska (Figure 1). The claim block is centered at 63°06' north latitude and 140°54' west longitude on map sheet NTS 115N/02. Beaver Creek is the nearest population center 80 km to the south, though mobilization and supply is most easily accomplished out of Dawson City 135 km to the northeast. Access was by fixed wing aircraft to a tent camp located on the dirt Moosehorn airstrip, which is suitable for landing aircraft up to the size of a de Havilland Twin Otter. The airstrip is located on the southwestern section of the claim block. There is no summer road access to the site, though in previous years a winter haul road has been constructed from the Alaska Highway (50 kilometres away at its closest point) to bring supplies into a nearby placer operation. From camp, personnel and equipment were mobilized throughout the work area by helicopter.

The claim block consists of 251 adjoining quartz claims of the Line and Antler blocks with a total area of approximately 5021 hectares (Table 1, Figure 2). The Line claim block has been optioned from Ryanwood Exploration for a payment of \$450,000 over a four-year period, in addition to 1.25 million shares of Aldrin, work commitments of \$1.5 million and a 2% net smelter returns royalty. The Antler block has been optioned from Ian Warrick and Kate Robertson, owners of a nearby placer operation. Claim boundaries are defined by claim posts, some of which have been located in the field but which have not been legally surveyed.

Immediately to the south of the Antler claim block (Figure 2) are a set of placer claims on Aggie, Kate and Great Bear Creeks staked as the Aggie, Kate, GBM, Aug and Roo blocks. The claims have been owned and actively worked from the mid-1980's to the present by Ian and Kate Warrick, who have established a seasonal residence in the vicinity. This placer operation and residence is serviced by the same airstrip upon which camp is located and is accessible by a short dirt road. The airstrip and road are maintained by Mr. Warrick.

There are no known environmental liabilities on the property.

A Class 3 Quartz Mining Land Use Permit valid until May 12, 2015 has been issued for drilling, trenching, ground geophysics and surface sampling on the Line claim block. Work on the Antler claim block was conducted under a Class 1 Quartz Mining Land Use permit. A land use permit has been issued allowing occupancy of the camp.

Table 1: Longline Claims

Grant Numbers	Claim Names	Recording Date	Staking Date	Expiry Date
YC83777 – YC83836	LINE1 – LINE60	13/02/2009	07/02/2009	13/02/2015
YC93401 – YC93440	LINE61 – LINE100	24/08/2009	31/07/2009	13/02/2015
YD42601 – YD42612	LINE185 – LINE196	25/02/2010	20/02/2010	25/02/2011
YD43001 – YD43084	LINE101 – LINE184	25/02/2010	19/02/2010	25/02/2011
YC94506 – YC94521	ANTLER1 – ANTLER 16	10/23/2009	10/12/2009	1/23/2012
YD59880 – YD59925	ANTLER17 – ANTLER57	5/31/2010	5/28/2010	5/31/2011
YD59926 – YD59935	ANTLER58 – ANTLER67	6/30/2010	6/26/2010	6/30/2011



0 150 300
kilometres




Aldrin Resources Corp.

Longline Project Location Map

EQUITY	Date:	NOV 2010	Scale:	1:7,000,000	Figure 1
	U.T.M. Zone:	UTM 7 - NAD83	Mining District:	Whitehorse	
	N.T.S.	115N/02	Province:	Yukon	

ALASKA, USA



LEGEND

-  Camp Location
-  Airstrip
-  Line Claims
-  Antler Claims
-  Yukon Quartz Claims

5 km



Aldrin Resources Corp.

**Longline Project
Tenure Map**

 EQUITY	Date:	NOV 2010	Scale:	1:75,000	Figure 2
	U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	
	N.T.S.	115N/02	Province	Yukon	

5.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Longline property is located in the west-central Yukon Territory, adjacent to the Alaska-Yukon border, accessible during summer months only by air. There are several dirt airstrips in the area, the best-maintained of which is the Moosehorn strip located on the Antler claim block, which was the site of the Longline exploration camp. There are remnants of hard-rock and placer mining operations near Swede's Pit, to the south of the claim blocks. The area is reachable by dirt road from the camp airstrip. Active placer operations run by Ian Warrick and Kate Robertson of Moosehorn Exploration are less than a kilometre from the Longline camp location. Vehicles used during the 2010 exploration program were rented from this operation. Potable water is available in creeks downslope from the airstrip, but needs to be pumped or hauled several hundred feet upslope to the top of the ridge where camp and the airstrip are located.

Climate of the region is classified as sub-arctic, with long cold winters and short cool summers. Permafrost is discontinuous but widespread. The Moosehorn Range is a north-northwest trending ridge with rolling peaks up to 1400 m and local creek beds down to 650 m. Slopes are generally vegetated with spruce, birch and aspen forest on dry sections of slopes and dense willow and alder thickets near watercourses. Tree-line is approximately 1200 m, above which the most common forms of vegetation are stunted spruce trees and buckbrush. Streams flowing off the east side of the Moosehorn Range drain into the Ladue River. The area escaped continental glaciation, which has resulted in thick soil cover and very little outcrop. Best rock exposure generally consists of angular felsenmeer above tree line, which can be treated as being close to bedrock source.

Field work can be feasibly conducted on the Longline property from May through September, with weather and temperature making work conditions difficult outside of that time frame. Water flow in the upper sections of the streams draining the Moosehorn Range is abundant throughout the summer months, presenting no impediment to drilling. The only land-use conflicts which could potentially affect exploration are active placer claims on the creeks to the south of the Antler claim block (described in section 4.0). Most of the area to the south of the claim block is covered by active quartz claims, but ground to the north and east is either unclaimed or has been allowed to lapse.

6.0 HISTORY

6.1 Previous Work

The Moosehorn Range area has been the subject of placer and hardrock gold exploration and mining since the discovery of high grade quartz gold veins several kilometres to the south of the current Longline claims by Quintana Minerals Ltd. in 1970 (Sears and Heaton 1997). Their claims were allowed to lapse, but were re-staked by A. Harman and R.S. Adamson in 1972 as the Dea block. An adjoining area was prospected in 1974 by J. M. Kenyon who staked the area as the LORI claim block. On the strength of hand samples containing up to 88 g/t Au, the claims were optioned by Great Bear Mining and Claymore Resources in 1975 (Greig 1975). Claymore Resources drilled the Lori block in 1975 and though no significant mineralization was found, it was concluded that the area still had potential for sub-surface mineralization. Placer gold was discovered on Kenyon Creek (draining the west side of the Moosehorn Range) at this time, and Claymore ceased bedrock operation and began placer mining. During the course of this mining, a rich quartz vein (termed the "V1 vein") was discovered and traced to the top of the Moosehorn Range. Processing of material extracted from near surface in a pilot mill by Ian Warrick confirmed grades over 80 g/t Au over narrow vein widths. In addition to the pay streaks on Kenyon Creek, the nearby Swamp and Soya creeks were found to be the sites of economic placers. During the late 1980s, Canada Tungsten Mining Corp. extracted over 13,000 oz Au from these creeks. Subsequent to these operations, the ground was acquired by Sikanni Oilfield Construction Ltd. which conducted placer operations in all three of the above-mentioned creeks as well as a small scale hardrock operation (Davidson 1995) which extracted 3225 oz Au before operations ceased in 1996 (Sears et al. 2000).

After Sikanni divested itself of its interest in the claims on the southwest flank of the Moosehorn Range, the ground was acquired by Barramundi Gold Ltd. Barramundi's 1996 exploration program consisted

of a geophysical survey, field mapping, trenching and surface sampling of felsenmeer, soil and stream sediment. Sears and Heaton (1997) concluded that gold is mostly localized to the wallrock contacts of sheeted vein complexes, likely controlled by regional structures. They recommended further work to better constrain these structures and test anomalous zones through diamond drilling, soil sampling and detailed ground geophysics. Much of the recommended work was conducted during the 1999 field season, when Barramundi undertook a large exploration program intended to delineate and extend the resource around "Swede's Pit" on Swamp Creek. The program confirmed the presence of a gold-bearing quartz vein system of moderate size in Swede's Pit and intersected several smaller gold-bearing veins directly to the north (Sears et al. 2000). The following year six additional holes were drilled to the north of the 1999 sites, five of which targeted geophysical and geochemical anomalies which lie on the current Line claim block under option to Aldrin. The main mineralization intersected by these holes was minor quartz-arsenopyrite-pyrite veins with little gold content (Ritcey et al. 2001).

The work described above focused primarily on the western slope of the Moosehorn Range. The streams draining the eastern flank of the ridge were first explored for the potential of placer gold in 1986 and it was concluded that the area had potential for producing similar grades to those seen in Kenyon Creek (Warrick and Robertson 1987). Despite the fact that a placer operation is still in operation on these claims, there has been very little hardrock exploration on the western side of the Moosehorn Range.

The entire Moosehorn range area was the subject of an M.Sc. thesis by Nancy Joyce from the University of British Columbia. Joyce (2002) described the tectonic setting and timing of intrusive bodies in the area, post-intrusion structural events, and the geochemistry of the gold-bearing quartz veins which have been the focus all historical economic exploration. Her thesis is summarized in more detail in section 7.

During 2009 and early 2010 the claims that make up the current Line block were staked by Ryanwood Exploration, who subsequently took 1647 soil samples at 50 intervals along lines oriented east-west and spaced 100 metres apart. Geochemical results from soil samples taken during the summer of 2009 were integrated into a previously existing dataset (collected in 1999 and 2001) to generate a series of promising geochemical targets which formed the basis for the 2010 exploration program, and on the strength of which the property was optioned to Aldrin Resource Corp.

6.2 2010 Exploration Program

The 2010 exploration program for Aldrin Resources Corp. consisted of a two month program of drilling, prospecting, mapping, and pit/trench sampling by Equity Exploration and a two-week soil sampling program conducted by Groundtruth Exploration. Equity was contracted by Aldrin to compile and interpret the results of both of these programs. Work was conducted out of the tent camp described in section 4.0, with access to the work areas via a Bell 206 Long Ranger contracted from Trans North Helicopters of Whitehorse.

Field crews collected a total of 64 rock samples from subcrop/float, with descriptions in Appendix C. which were analysed by ALS Chemex Labs of North Vancouver for a 36-element suite (sample locations shown on Map 1a). Analytical codes were Au-AA23 (fire assay for gold) and ME-ICP41 (ICP Mass Spectrometry for other elements). Certificates of analysis are presented in Appendix G. Sample sites were marked with blue and orange flagging tape, and a metal tag inscribed with the sample number. Rock sample locations are shown on Map 1a. A sampling crew operated by Groundtruth Exploration based out of Dawson City, Yukon was contracted by Aldrin to extend the soil sample grid established previously by Ryanwood Exploration. Sample locations are shown on Map 2a. A crew of eight people collected a total of 1981 soil samples between August 10th and August 15th, which were subsequently analysed by Acme Labs of Vancouver for a 36-element suite by aqua regia digestion followed by ICP-MS analysis (Acme code 1DX2). Soil samples were taken from the B-horizon where possible. All sample locations for soil and rock samples were recorded by hand-held GPS. Most areas of accessible exposure on the property were traversed and mapped even if no sampling was done.

As a follow-up to the soil anomalies identified by the 2009 soil sampling program, a small helicopter-portable excavator was used to dig a series of pits over anomalous zones. Approximately 275 (locations shown on Map 2a) pits and several short trenches up to 1 m deep were dug and sampled for both soil and rock. Bedrock was not reached by any of the excavations, but angular rock fragments from the pits are

considered to be close to source. A total of 276 soil samples were taken from the pits and trenches and analysed by ACME labs for the same suite of elements as the soil samples taken by Ryanwood Exploration.

A total of 300 m of trenching was completed on the Antler claims in September, 2010. The trenching was located at the southern end of a north-south trending linear magnetic anomaly that lies immediately to the east of the Line claims, shown on Maps 1b and 1c. The trenching was carried out by Ian Warrick from Moosehorn Exploration, and completed down to 2-3 feet below surface in most places. Although bedrock was not reached, abundant boulders were uncovered and are interpreted as being close to their bedrock source. Boulders which appeared to be mineralized were sampled by Equity geologists. Soil samples were collected at 5 m intervals throughout the lengths of the trenches and sent to ALS Chemex for analysis.

During the 2010 program, 1341 m of core in nine holes was drilled by Coretech Diamond Drilling of Princeton, BC. Collar locations are shown on Map 1a. All holes were drilled by a helicopter-portable rig set up to drill NQ thinwall-size core. The core was processed onsite at the Longline camp. Recovery, percent rock quality descriptor (RQD; total length of unbroken segments longer than 10 cm) and magnetic susceptibility were measured for each drill run. A KT-9 Kappameter was used to measure magnetic susceptibility. Drill logs are attached in Appendix D and geotechnical logs in Appendix E. Sample intervals were 1.5 m, delineated with numbered waterproof paper tags stapled at the end of the sample interval. A gas-powered core saw was used to split the core, with half being shipped to ALS Chemex Labs for analysis and half stored onsite at the Longline camp. Samples were flown to Dawson City by Tintina Air or Great River Air, after which delivery to the ALS Chemex prep lab in Whitehorse was via Small's Expediting Services. All samples were sealed in rice bags with numbered security tags to prevent tampering during shipping. ALS Chemex assayed core samples for gold via fire assay (code Au-AA23) and a further 35-element suite via ICP-MS (code ME-ICP41). Approximately 15% QC/QA samples were inserted into the sequence, the analysis of which is presented in Appendix H.

A total of 6 thin sections were described petrographically by Alex Mauler of Mineral Services Canada (Appendix F). The examined sections were selected from core specimens to better understand mineralogy, alteration and paragenesis of the veining.

A magnetic declination of 22° E was used for all compass measurements. Structural measurements are all reported utilizing the right-hand rule. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 8).

7.0 REGIONAL GEOLOGY AND MINERALIZATION

7.1 Geology

The Moosehorn Range area lies within the Yukon-Tanana Terrane, a series of mid-Paleozoic to Mid-Mesozoic continental arc assemblages built on Lower Palaeozoic and possibly older continental basement. The terrane is generally composed of variably deformed metamorphic rocks including pelitic and quartzofeldspathic schist and paragneiss, felsic orthogneiss, and mafic to felsic metavolcanic and metaplutonic rocks, all of which are intruded by plutonic suites that range in age from Late Triassic to Neogene (Mortensen 1992; Joyce 2002). The area is also considered to lie within the Tintina gold belt, which forms an arcuate belt of gold-rich mineral occurrences stretching from southeastern Yukon through to central and southwestern Alaska.

Underlying most of the Moosehorn Range area (Figure 3) is the Dawson Range Batholith (DRB; Unit Kgd)), a Cretaceous granite to granodiorite emplaced entirely within the Yukon-Tanana Terrane during subduction of the Farallon plate (Joyce 2002). The DRB is a regionally significant body, extending from the Moosehorn area over a hundred kilometres to the southeast and northwest into Alaska. Mortensen et al. (2000) interpreted the DRB to have formed in a continental magmatic arc environment. In the immediate area surrounding the Longline claims, there are several phases of the DRB, as well as metamorphic country rock and younger dykes/veins.

Metamorphic country rock (Unit DMogg) into which the DRB intrudes is confined mostly to the northeast portion of the Moosehorn Range, though enclaves of this unit (xenoliths and potentially roof pendants) are common throughout the intrusive units in the area (Figure 3). The unit is fine- to medium-grained biotite-quartz $\pm$ feldspar $\pm$ muscovite gneiss and schist of the Schist Gneiss unit of Tempelman-Kluit (1974) (Joyce 2002), believed to be Devonian-Mississippian in age. The main (and oldest) phase of the DRB in the Moosehorn Range area is the Moosehorn Range Granodiorite, a dominantly massive hornblende-biotite granodiorite. Retrograde replacement of hornblende by biotite and hornblende by chlorite $\pm$ epidote is common. In the western and northern parts of the Longline property there are zones of weak to locally mylonitic foliation. Numerous porphyritic dykes of diorite to granodiorite composition cut the main body of the intrusion and have been interpreted to be co-magmatic with the main intrusion based on rare earth composition. Cutting these dykes, but still interpreted to be co-magmatic, are a set of aplite (locally pegmatitic) and leucogranite dykes which range in size from 2 cm up to several metres thick. This set of intrusions has been dated to between 96 and 100 Ma (Joyce 2002). Significantly younger than all these phases are a set of mafic lamprophyre dykes (dated to ~64 Ma) and an even younger set of fine-grained mafic dykes. The relationship between these units is summarized in Figure 4.


Structural geology of the area is difficult to interpret due to lack of in-place outcrop but important, as it may be the control system for hydrothermal gold mineralization described in section 7.2. Topographic lineaments define a major set of NNW-trending features connected by a smaller set of northeast-trending ones. Lows on a magnetic total field map (Figure 5) are parallel to this system, which has been interpreted by Joyce (2002) to be a dextral strike-slip fault zone which formed contemporaneous to dextral movement along the Tintina and Denali faults. Structures which trend perpendicular to this system (approximately NE-SW) may be conjugate Riedel sinistral shear faults or normal faults. Alternatively, they could be a separate generation of structures related to Tertiary – Cenozoic age movement in eastern Alaska (Joyce 2002).

7.2 Mineralization

Economic mineralization in the Moosehorn Range area is confined to a set of ~92-93 Ma gold-bearing quartz veins which are genetically unrelated to the DRB. Veins occur in sub-parallel sets generally striking north-northwest, dipping shallowly (20°-40°) to the east (Greig 1975). Mineralogy of the veins is dominated by quartz with minor calcite, tourmaline, muscovite and a variety of sulphide minerals including pyrite, galena, arsenopyrite, sphalerite, jamesonite, boulangerite and tetrahedrite. Gold is spatially associated with galena, arsenopyrite, sphalerite and boulangerite and commonly occurs in limonite/azurite/malachite-encrusted vugs (Joyce 2002). Micron-sized gold is intermixed with sulphide minerals. In gold-rich zones, it is possible to find grains of visible gold up to 2 mm in diameter. Overall fineness of the gold ranges from 825 – 850. The gold is interpreted to have co-precipitated with the sulphides and sulphosalts.

The best exposures of the mineralized vein set are in Swede's Pit to the south of the Line claim block, where the set displays a ramp-flat geometry with the "ramps" dipping shallowly to the east connected by subhorizontal east-southeast-striking dilatant oreshoots (the "flats"). Features of this system are consistent with formation during brittle shallow reverse fault movement accompanied by episodes of dilation and infill mineralizing fluids. Reverse faulting may be related to jogs in a dextral strike-slip fault system represented by north-south trending mylonite zones further south in the Moosehorn Range and by the NNW-SSE trending magnetic low on the western edge of the Longline property (Figure 5, Joyce 2002).

Host rock surrounding the mineralized veins has undergone pervasive magnetite-destructive, muscovite-sericite, clay, pyrite, and/or arsenopyrite, iron carbonate, and localized chlorite and K-feldspar alteration (Joyce 2002). In the case of narrow veinlets, the alteration halos can extend several times the width of the vein itself into the host rock. Fluid inclusion studies by Joyce (2002) indicate that the veins formed from an aqueous-carbonic fluid of the $\text{H}_2\text{O}-\text{CO}_2-\text{CH}_4-\text{NaCl}\pm\text{N}_2$ system with moderate (~10% NaCl) salinity. It is on the basis of Pb-isotope work from the same study that it was concluded that the mineralizing fluids of the vein system are genetically unrelated to the DRB or related intrusions within the Yukon-Tanana Terrane, and that the granodiorite and related intrusive rocks simply acted as a passive host for mineralization.



LEGEND

- Camp Location
- Airstrip
- Longline Claims
- contact, assumed
- contact, approx.
- fault, assumed
- fault, appox.

- DMogg?? - Schist Gneiss /Orthogneiss
- Kg/Kgd - Granite/Granodiorite
- Qs - Fluvial deposits
- PKs - Klondike Schist
- uKCv - Carmacks Grp.
- Pv - Foliated Volcanics

Aldrin Resources Corp.

Longline Project Regional Geology



Date:	NOV 2010	Scale:	1:100,000	Figure
U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	3
N.T.S.	115N/02	Province	Yukon	





Figure 4: Summary of relative and absolute ages of major lithologies in the Moosehorn Range area from Joyce (2002)



LEGEND

-  Camp Location
-  Airstrip
-  Longline Project Claims
-  NE Trending Structures
-  NW Trending Structures

5 km

Aldrin Resources Corp.

Longline Project Magnetics



Date:	NOV 2010	Scale:	1:100,000
U.T.M. Zone:	UTM 7 - NAD83	Mining District:	Whitehorse
N.T.S.	115N/02	Province:	Yukon

Figure
5

8.0 GEOCHEMISTRY

8.1 Rock Geochemistry

A total of 64 rock samples were collected by Equity geologists during the 2010 exploration program from pits, trenches and subcrop encountered on traverse. Nowhere on the property was true outcrop found, though due to the lack of glaciations most of the angular felsenmeer is considered to be representative of nearby bedrock. Percentile values and a correlation matrix for the assayed values of Au, As, Ag, Sb, Pb and Zn for these samples are presented in Table 2 and Table 3. Note that there is excellent correlation between Ag and Pb and moderate correlations for Au:Ag, Au:Pb, Ag:Sb and Pb:Sb. Maps 1b and 1c show assay values of Au and As coded by percentile.

Table 2: Percentile values for elements of interest from 2010 rock samples

	Au (ppm)	As (ppm)	Ag (ppm)	Sb (ppm)	Pb (ppm)	Zn (ppm)
Population	64	64	64	64	64	64
Max Value	4.87	>10000	100	4920	>10000	2410
Min Value	0.005	2	0.2	2	2	2
98th	3.5	>10000	92	2922	8864	780
95th	2.1	>10000	67	363	3680	398
90th	1.0	7619	26	90	553	177
85th	0.71	3871	6.9	38	207	86
80th	0.48	3136	2.8	16	65.4	58
70th	0.15	847	1.0	5.1	24.3	42
60th	0.027	247	0.48	2	14.8	32
50th	0.008	77	0.20	2	9	21

Table 3: Correlation matrix for elements of interest from 2010 rock samples

	Au	As	Ag	Sb	Pb
Au					
As	0.33				
Ag	0.42	0.20			
Sb	0.04	0.18	0.48		
Pb	0.43	0.16	0.88	0.53	
Zn	0.12	0.19	0.32	0.08	0.20

8.2 Soil Geochemistry

During the 2010 program, 1981 soil samples were collected by Groundtruth Exploration in grid, ridge-and-spur and contour line patterns. Equity personnel collected 276 soil samples from pits excavated over soils anomalies found during the 2009 soil sampling program and 63 soil samples from trenches dug on the Antler claim block. Locations of all samples are shown on Map 2a. Percentile values and a correlation matrix for these samples, combined with all previous soil samples on the property, are shown in Table 4 and Table 5. Note that the best correlations are between Pb-Zn and Au-As-Ag, though none of these are better than 0.5. Based on the available data, the strongest correlations are between Au:Ag, Pb:Zn, Pb:As and Au:As. Maps 2b and 2c show assays values of Au and As coded by percentile.

Table 4: Percentile values for elements of interest from combined soil sample dataset

	Au (ppb)	Ag (ppm)	As (ppm)	Sb (ppm)	Pb (ppm)	Zn (ppm)
Population	5569	5569	5569	5569	5569	5569
Max Value	655	44	8160	639	352	276
Min Value	0.005	0.05	0	0.05	0	0
98th	36	1.2	645	5.0	38	99
95th	21	0.7	402	2.5	25	84
90th	13	0.4	266	2.5	18	75
85th	10	0.3	196	2.5	16	71
80th	8.0	0.2	154	2.5	14	68
70th	6.0	0.2	94	1.2	12	64
60th	4.9	0.1	58	0.7	11	61
50th	3.5	0.1	33	0.6	10	58

Table 5: Correlation matrix for elements of interest from combined soil sample dataset

	Au	Ag	As	Sb	Pb	Zn
Au						
Ag	0.443827					
As	0.429610	0.236765				
Sb	0.082084	0.074693	0.065993			
Pb	0.364688	0.369794	0.437427	0.067570		
Zn	0.194442	0.21775	0.265877	0.072141	0.451865	

Soil sampling prior to 2010 identified three zones of anomalous Au/As values which were judged to merit further work. The North soil anomaly (Inset G on Maps 2b, 2c) showed elevated gold and arsenic values and was the target of much of the 2010 trenching. Pit and trench samples confirm the presence of, and were able to constrain the extent of, this gold-arsenic in soil anomaly. Four of the seven 2010 drill holes were collared near this anomaly and as described in section 10, intersected mineralization which has the potential to be the cause of the elevated gold values. The Central soil anomaly (inset D on Maps 2b and 2c) contains only elevated arsenic (very little gold above background) and was not the subject of any additional sampling this year. Two historic drill holes from the Barramundi drill program in 2000 were collared in this zone, both of which encountered cm-scale quartz-arsenopyrite veins which did not contain significant gold (Ritcey et al. 2001). The South soil anomaly (insets E and F on Maps 2b and 2c) is more diffuse than the other two, with anomalous gold (and lesser arsenic) stretching over a 500 m x 1.5 km north-south trending strip. Pit sampling during the 2010 program confirmed anomalous gold (up to 75 ppb) values in soil over this zone. One hole was drilled to investigate this zone, but failed to intersect strong gold mineralization.

Reconnaissance soil lines over un-sampled ground identified one new zone of highly anomalous gold and arsenic. Directly west of camp, a line of samples along the "airstrip ridge" identified a 300m long strip of highly elevated Au-As values. This strip lies to the east of a linear magnetic high of uncertain origin. To the southwest of this anomaly, directly on the other side of the magnetic high, soil samples taken from trenches on the Antler block indicate the presence of a North-South anomalous low-grade gold trend. Placer gold is abundant downslope from these points (the Warrick placer operation), but has been reported to cease upstream of this magnetic high (I. Warrick, personal communication). It is possible that the structure responsible for the linear magnetic high is also related to gold mineralization in the area and as such may warrant further investigation.

9.0 PROPERTY GEOLOGY AND MINERALIZATION

9.1 Lithology

Field work by Equity geologists confirmed that the geology of the Longline property as reported by previous workers is essentially correct. The lack of continental glaciations during the last ice age has preserved a deep weathering profile and thick soil cover layer over the entire property, making it effectively impossible to locate true outcrop. However, above tree line there is abundant angular felsenmeer which is assumed to not have been transported far from bedrock source and can thus be used to effectively determine bedrock lithology. However, the lack of exposed bedrock makes it difficult to obtain structural information such as the orientation of shear zones or dykes. The same problem was encountered in the pits and trenches, none of which were able to expose true bedrock due to permafrost and groundwater.

As described in section 7.1, the dominant rock type on the Longline property is medium-grained hornblende-biotite granodiorite of the Dawson Range Batholith. Cutting this unit are porphyritic quartz diorite, aplite, pegmatite and fine-grained mafic dykes. The aplite dykes are usually quite rich in magnetite (up to 5%). Less common than these dykes are small quartz veins which cross-cut all units, typically several centimetres wide, in some cases up to 1 m. Some veins contain pyrite and/or arsenopyrite. These veins appear to be larger and more abundant in the north of the claim block than in the south, though many of the veins in the north lack sulphides, being composed solely of quartz with stringers of a mafic mineral (likely biotite) which weathers readily to iron oxide.

Cross-cutting relationships can be observed in enough boulders to establish that all intrusive units cut the main granodiorite, though it is not possible to constrain other relationships from the present field work. Ages established by Joyce (2002) for similar rock types several kilometres to the south (Figure 4) are taken to apply to the rocks of the Longline claim block as well. Mylonitic shearing (primarily of the granodiorite) can be found in boulders throughout the property, though due to lack of in-place material it was not possible to establish boundaries of any well-defined shear zones. Also common throughout the property are xenoliths of metasedimentary country rock ranging from cm-scale enclaves to boulder size. The northern section of the property is entirely underlain by quartz-biotite schist, transitional to foliated granodiorite several kilometres south of the northern end of the claim block, as indicated by previously published regional mapping (Figure 3).

9.2 Mineralization

Though thick soil cover made locating zones of mineralization difficult on the Longline property, it appears as if the area is host to only a few areas which host late-stage auriferous quartz veins. Samples of arsenopyrite-rich quartz vein taken from over top of the north soil anomaly returned good gold grades (E855661, EE855657 and E855657, gold values shown in Table 6). It was possible to trace out on surface a train of quartz boulders stretching from a large near-surface, shallowly dipping quartz vein to the area which yielded some of the best soil samples (Map 1a). If the boulder train were taken to represent a surface expression of this vein, then its orientation would have been similar to gold-bearing structures in Swede's Pit (see Section 7.2) and as such would have been an attractive exploration target. However, this vein could not be traced to depth during drilling, and it is concluded that the boulder train and remaining vein material are remnants of a flat-lying/shallowly-dipping structure which has been mostly eroded away. The possibility exists that a portion of this vein is still present under the slightly higher ground to the east and north of the drill site. One sample from the far side of the ridge to the north at approximately the altitude that a flat-lying structure would outcrop (E859356) contained 3.7 g/t Au. However, even if it were the case the part of the vein was still present under higher ground, the amount of material present would likely be quite limited. It is likely that this vein was the source of the soil anomaly.


Table 6: Rock samples with significant mineralization

Sample ID	PY%	ASP%	Au (ppm)	Ag (ppm)	As (ppm)	Pb (ppm)	Sb (ppm)	Zn (ppm)
E859356			3.74	0.3	262	27	6	16
E855661	1	1	2.34	32.4	10000	502	19	369
E855657		1	1.53	100	1760	4040	45	24
E855655			1.05	2.7	3410	24	5	9
E855660	1	2	0.999	2.5	4230	9	19	10
E855659	1	5	0.938	6	10000	75	31	404
E855614		3	0.718	13.2	3080	575	96	17
E855611		7	0.704	0.4	3220	6	5	5
E855662	1	1	0.57	100	5750	15500	4920	532
E855612		5	0.543	1.5	3690	2	5	13

The ridge on which the airstrip and camp are situated lies within the Antler claim block and is host to at least two multi-metre wide quartz veins and abundant hematite alteration. One of the veins (exposed best at the east end of the airstrip) can be traced over several outcrops and appears to dip moderately to the east. The road leading down the south flank of the ridge also contains abundant rusty quartz float, suggesting the system of veins extends beyond the immediate vicinity of the airstrip. Grab samples taken from the veins on the airstrip did not return elevated gold values, but sampling was not exhaustive and further investigation of the area may be warranted.

A zone of promising mineralization was discovered in the trenches on the Antler claim block, paralleling a prominent north-south linear magnetic high. Though bedrock was not reached due to permafrost, abundant angular rock fragments which were likely close to bedrock were uncovered. The rocks were largely comprised of unaltered, medium-grained, biotite-hornblende granodiorite. Several areas containing limonite staining on quartz boulders were also uncovered, one sample from which (E855614) contained coarse arsenopyrite and 0.71 g/t Au. In addition, the southern trench and the western arm of the northern trench all returned anomalous arsenic-in-soil values (Figure 6). No evidence as to the source of the magnetic anomaly was observed in the trenching. A trench dug immediately to the south (parallel to the magnetic high) contained significant veining and mineralization, and may represent a continuation of the mineralization found in the Antler trenches.

The major style of mineralization encountered during drilling on the Longline property is narrow (1 – 5 cm wide) quartz-carbonate-arsenopyrite veins with magnetite-destructive alteration halos. Quartz in the veins has a crystal habit suggestive of formation under extensional conditions. Within these alteration zones feldspar is altered to sericite ($\pm$ carbonate $\pm$ chlorite), amphibole to biotite and/ or carbonate ($\pm$ chlorite $\pm$ sericite $\pm$ apatite) and biotite to sericite and carbonate ($\pm$ chlorite $\pm$ rutile $\pm$ titanite). Magnetite appears to have been replaced by opaques, titanite and apatite. A complete petrographic report with detailed description of alteration styles is presented in Appendix F. Some veins contain minor amounts of pyrrhotite, chlorite and tourmaline. Modal mineralogy of the veins vary, being dominated in some cases by arsenopyrite (Figure 7), with other veins composed primarily of quartz (Figure 8), though similar alteration halos suggest similar formation conditions. A different style of mineralization is encountered in LON10-04 at the contact between a pronounced regional magnetic total field low and the surrounding magnetic high. Large arsenopyrite crystals show a brecciated texture in a groundmass of fine-grained tourmaline (Figure 9). In thin section, it is possible to observe this tourmaline cutting an earlier generation of quartz veining (Appendix F). Assay results from both types of mineralization returned very low gold values, suggesting that these veins formed at a different time from the auriferous quartz-veins further south (e.g. at Swede's Pit). Mineralogy of the vein set on the property (most specifically pyrrhotite) suggests it formed from higher-temperature fluids than the pyrrhotite-lacking gold-bearing set further south. These fluids may have been derived from the Dawson Range Batholith and thus are older than, and unrelated to, any gold mineralization (M. Allen and J. Mortensen, personal communication).



Soils in Trench
by As ppm

- > 645
- 402 to 645
- 266 to 402
- 154 to 266
- < 154

Rocks by Au ppm

- > 0.5
- < 0.5

— Trenches

Antler Claims

Soils

● Sample ID, As ppm

Rocks

■ Sample ID, Au ppm



Aldrin Resources Corp.

Longline Project

Antler Trenches



Date:	NOV 2010	Scale:	1:1000	Figure
U.T.M. Zone	UTM 7 - NAD83	Mining District	Whitehorse	6
N.T.S.	115N/02	Province	Yukon	



Figure 7: Arsenopyrite-quartz-chlorite vein from LON10-06




Figure 8: Quartz-carbonate vein with sericite-carbonate selvage from LON10-01



Figure 9: Brecciated arsenopyrite from LON10-04

10.0 DIAMOND DRILLING

Seven NQ thinwall core holes totalling 1340 metres were drilled on the Longline property in 2010 (Maps 1a – 1c, 2a – 2c, Table 7). Given the nature of mineralization elsewhere in the region (e.g. Swede's Pit) it was hypothesized that the widespread elevated gold-in-soil values on the property were the result of a system of structurally controlled auriferous quartz veins. The 2010 drill holes were directed at soil geochemical anomalies and structures as interpreted from airborne geophysics in order to test for the existence of these veins and/or surrounding alteration zones. Collar locations, orientations and lengths of holes are summarized in Table 7 and significant intersections in Table 8. All holes intersected the same variably faulted hornblende-biotite granodiorite with minor diorite, aplite, and enclaves of metasedimentary rock cut by mafic dykes and small quartz-carbonate $\pm$ sulphide veins. The interpreted presence of a fault zone co-incident with the north-south trending magnetic low on the west of the property was confirmed.

Table 7: 2010 Drill Holes

Hole ID	Northing	Easting	Length	Dip	Azimuth
LON10-01	7000560	500757	226.76	-60	120
LON10-02	7000646	500914	200.65	-60	270
LON10-03	7000878	501100	172.82	-50	270
LON10-04	7000210	500544	251.76	-45	250
LON10-05	7000526	500823	123.51	-70	300
LON10-06	6999370	500590	217.93	-45	90
LON10-07	6995442	502083	146.61	-55	270

Table 8: Significant mineralized intercepts from 2010 drilling

Hole ID	From	To	Sample ID	Au (ppm)	Ag (ppm)	As (ppm)	Pb (ppm)	Sb (ppm)	Zn (ppm)
LON10-04	37.63	38.13	E858938	0.296	2.1	10000	96	6	543
	56.8	57.3	E858956	0.214	0.8	10000	24	9	108
	225.5	227	E859600	0.304	4.6	4360	79	2	52
LON10-05	2.44	3.5	E859621	0.297	6.2	3450	52	6	1140
	4.5	6	E859624	0.259	3.2	813	46	2	104
	23.25	23.75	E859639	0.23	5.3	10000	41	2	74
LON10-06	149	150	E859853	0.654	5.8	5710	883	2	42
LON10-07	137.5	138.5	E860965	0.462	0.2	57	11	2	61

10.1 LON10-01

LON10-01 was drilled to investigate the source of mineralized quartz boulders uncovered in the pit excavations in the northern part of the claims. The hole was drilled from the northwest as the hypothesized source of the boulders was a large, northeast-trending vein with unknown dip. The most common lithology encountered was medium-grained magnetite-rich hornblende-biotite granodiorite with subordinate diorite, aplite/mafic dykes and xenoliths of biotite schist (Figure 10). No significant veining or mineralization (gold in excess of 0.2 g/t) was intersected.

10.2 LON10-02

The target of LON10-02 was the source of the same mineralized quartz boulders as LON10-01. Since the previous hole failed to intersect the vein, it was suspected that the vein dipped towards the east and so the second hole was collared several hundred metres to the east and drilled in the opposite direction towards the northwest. Lithology was identical to LON10-01, and no significant veining or mineralization was intersected, showing that no large vein is present below the pit with mineralized boulders, or that it pinches out or is faulted off above the drill holes (Figure 11). Despite the lack of large veins, much of the rock is pervasively altered. A sample taken near the bottom of the hole (LON10-7, described in Appendix F) displayed pervasive muscovite and carbonate replacement of both plagioclase and potassium feldspar.

10.3 LON10-03

The purpose of this hole was to explore the northern end of the quartz boulder train and ascertain the source of soil anomalies on the northern end of the claims. Lithology was the same as the previous two holes, with rare carbonate veinlets and fractures mantled by sericite-iron oxide-silica alteration (Figure 12). Some halos contain up to 2% pyrite. No significant mineralization was intersected.

10.4 LON10-04

Hole LON10-04 was drilled to investigate the N-S oriented contrast between the magnetic high and low, and to investigate the source of E-W trending Sb soil anomalies. There was a large fracture zone near where the magnetic contact was expected to be, providing support for the idea that the magnetic low is related to faulting (Figure 13). The hole contained significant amounts of arsenopyrite in veins in and around the fault zone, but only minor gold mineralization was encountered (Table 8). The arsenopyrite has a brecciated texture, contained in veins of tourmaline which cut an earlier generation of quartz vein (sample LON10-2 as described in Appendix F). Pervasively altered sections of this hole display sericite, carbonate and minor chlorite alteration in all lithologies. Some zones are highly mylonitized, appearing gneissic in hand sample, but showing mylonitic textures in thin section (sample LON10-4).

10.5 LON10-05


Hole LON10-05 was the last attempt at intersecting the mineralized quartz boulders at depth. The hole was set up 6 meters back from the trench which exposed the vein, and collared in vein material. The vein was intersected but only down to 3.4 m depth (Figure 10), and contained only moderately anomalous gold values (Table 8). The results indicate the vein is likely flat-lying and largely eroded in that area. It is possible that this vein was the source of the gold-in-soil anomaly in the area.

10.6 LON10-06

LON10-06 was drilled to test the same N-S trending magnetic high-low contact as LON10-04, and was designed to follow up on the arsenopyrite mineralization encountered in that hole. The hole intersected moderate amounts of sulphides in closely-spaced narrow veinlets, and returned one gold value that while low, was the best encountered during the 2010 drilling program (Figure 14, Table 8).

10.7 LON10-07

The purpose of LON10-07 was to test the gold-in-soil anomaly in the southern part of the claims along the same linear magnetic feature as in holes 4 and 6. The hole intersected strong shearing of the same granodiorite/mafic dyke package as elsewhere but failed to intersect gold mineralization over any significant width (Figure 15, Table 8).



7,000,650 mN

LON10-02

500,800 mE

500,900 mE

500,850 mE

500,950 mE

1,100mRL

1,100mRL

1,000mRL

500,850 mE

500,950 mE

Thin Section LON10-7

LON10-02

Lithology

-  Aplite
-  Basalt
-  Casing
-  Diorite
-  Gneiss
-  Granodiorite
-  Lamprophyre
-  Monzonite
-  Mylonite
-  Schist
-  Tonalite
-  Mafic Dyke

Histogram

-  As: 1000ppm/mm
-  Au: 1 ppm/10 mm

Aldrin Resources Corp.


Longline Project
Cross Section
LON10-02
 Looking 000





Date:	NOV 2010	Scale:	1:1000
U.T.M. Zone:	UTM 7 - NAD83	Mining District:	Whitehorse
N.T.S.	115N/02	Province:	Yukon

Figure

11







11.0 DISCUSSION AND CONCLUSIONS

The 2010 exploration program on the Longline property drill-tested the soil anomalies identified by Ryanwood Exploration in 2009 and provided a more complete picture of property geology and mineralization potential than previously existed. Several new zones of interest were identified but more work is needed before any determination of the true potential of these areas can be assessed.

Drilling of the northern geochemical anomaly revealed that it is likely not the result of large auriferous quartz veins similar to those found elsewhere in the region. Underlying the southern section of the anomaly within several metres of surface, a mostly-eroded quartz vein containing low levels of gold was discovered. To date, this structure is the only known source of anomalous gold in the area. Unfortunately, it appears to have been almost completely eroded away, and there is no evidence for any parallel gold-bearing structures at depth. Topography to the south and west falls away steeply, precluding the possibility of undiscovered extensions of the vein to those directions. To the north and east the topography rises slightly, so there is a possibility that part of the vein is preserved in that area.

Drilling towards a magnetic low on the west side of the property (previously interpreted to be a fault zone and thus a potential conduit for mineralizing fluids) showed that the area does indeed host faulting and significant quantities of arsenopyrite. However, gold values are not significantly elevated in conjunction with this arsenopyrite. Sulphide mineralization along the magnetic low and elsewhere associated with geochemical arsenic anomalies is thought to be co-genetic with the Dawson Range Batholith and unrelated to the younger gold-bearing mineralization event. There is little evidence of any significant gold mineralization in the northern and middle zones of the Line claim block.

The most promising results of this year's program came from the areas on the southernmost extent of the current land holdings. The crest of the Moosehorn Range to the south of the Line claims has been explored before but never on a large enough scale to ascertain the full extent of mineralization. Historical near-surface excavation (trenching and shallow drilling) has shown the area to contain rich gold-bearing quartz veins, and reconnaissance visits during this field season confirmed the existence of widespread mineralization on surface. Given the lack of significant historical subsurface exploration the potential exists for this system to extend to depth.

Soil sampling on the Antler block from a ridge line to the west of the airstrip/camp revealed a previously unrecognized anomalous gold-arsenic trend. The airstrip is underlain by at least two large north-south trending quartz veins which intrude country rock more strongly altered than elsewhere on the property. Fragments of quartz and altered plutonic rock can be found exposed all along the road leading down and along the southern flank of the airstrip ridge. Samples taken from this road adjacent to the Antler trenches returned promising gold values. It is unclear at this time whether this mineralization is connected to the north-south trending magnetic anomaly, to the northeast trending structures or to the northwest trending structures in the area. Determining this should be a high priority for any future exploration work. Mineralized rock samples and anomalous soils extend to the southern border of the Antler claim block; given the long-standing and productive nature of the adjacent placer operation there is a strong possibility that whatever system is responsible for these anomalies continues to the south. Acquisition and exploration of the claims south of both the Antler and Line blocks has the potential to yield positive results and should be considered an attractive option to be included in any future work.

Respectfully submitted,



David Swanton, M.Sc.



Cameron Bartsch, M.Sc., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

December 7, 2010

Appendix A: Bibliography

REFERENCES

- Davidson, G. S. 1995. Sikanni Oilfield Construction Ltd. Summary report on the claymore property Moosehorn Range. Yukon Mines, Energy and Resources report 093347.
- Greig, J.A. 1975. Claymore Resources Ltd. Geological, geochemical and drilling report on the Lori claim group, Yukon. Yukon Mines, Energy and Resources report 061386.
- Joyce, N.L. 2002. Geologic setting, nature and structural evolution of intrusion-hosted Au-bearing quartz veins that the Longline occurrence, Moosehorn Range area, west-central Yukon Territory. M.Sc. thesis, University of British Columbia, Vancouver, Canada.
- Mortensen, J.K. 1992. Pre-mid-Mesozoic tectonic evolution of the Yukon-Tanana terrane, Yukon and Alaska. *Tectonics*, **11**: 836 – 853.
- Mortensen, J.K., Hart, C.J.R., Murphy, D.C., and Heffernan, S. 2000. Temporal evolution of Early and Mid-Cretaceous magmatism in the Tintina Gold Belt. *In* The Tintina Gold Belt: Concepts, exploration and discoveries. British Columbia and Yukon Chamber of Mines Cordilleran Roundup Special Volume 2. Vancouver, British Columbia. P. 49 – 57.
- Ritcey, D., Conroy, P., and Sears, S. 2001. Barramundi Gold Ltd. Geochemical and drilling report on the Longline property 2000. Yukon Mines, Energy and Resources report 094170.
- Sears, S. and Heaton, T. 1997. Barramundi Gold Ltd. Summary of Geological Field Work – 1996. Yukon Mines, Energy and Resources report 093610.
- Sears, S., Ritcey, D. And Conroy, P. 2000. Barramundi Gold Ltd. Summary of geological field work – 1999. Prospecting, geochemical, geophysical, trenching and drilling report. Yukon Mines, Energy and Resources report 094027.
- Tempelman-Kluit, D.K. 1974. Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O): Geological Survey of Canada Paper 73-41, 97p.
- Thompson, M., Howarth, R.J. 1978. A new approach to the estimation of analytical precision. *Journal of Geochemical Exploration* **9(1)**: 23-30.
- Warrick, I., Robertson, K. 1987. Mooshorn Exploration program limited partnership, Moosehorn range area, Yukon. Yukon Mines, Energy and Resources report 091716.

Appendix B: Statement of Expenditures

**STATEMENT OF EXPENDITURES
LINE CLAIMS**

July 23 - September 19, 2010

PROFESSIONAL FEES AND WAGES:

Henry Awmack, P.Eng.	0.25 days @	\$650/day	\$	162.50
Cameron Bartsch, Project Geologist	47.53 days @	\$650/day		30,894.50
Thomas Branson, Geologist	5.69 days @	\$525/day		2,987.50
Annette Giesbrecht, Cook/First Aid (Level III)	22.50 days @	\$500/day		11,250.00
Terry Graham, Sampler	40.00 days @	\$275/day		11,000.00
Veronique Jones, Sr. Sampler	8.00 days @	\$325/day		2,600.00
Marilyn Livingston, Bull Cook	34.00 days @	\$275/day		9,350.00
Joe McCreery, Prospector	10.50 days @	\$475/day		4,987.50
Margot McKeown, Geologist	26.00 days @	\$525/day		13,650.00
John Robson, Sampler	37.00 days @	\$275/day		10,175.00
Phil Seccombe, PhD.	8.51 days @	\$650/day		5,531.50
Edward Sinnot, Pad Builder	28.50 days @	\$400/day		11,400.00
Colin Slauenwhite, Project Manager	25.50 days @	\$575/day		14,662.50
Dave Swanton, Project Geologist	28.67 days @	\$650/day		18,637.50
Dave Swanton, Geologist	9.00 days @	\$525/day		4,725.00
Dawn Thompson, Cook/First Aid level III	34.00 days @	\$500/day		17,000.00
William VanZanten, Prospector	16.50 days @	\$475/day		7,837.50
Tyler Woyiwada, Sampler	26.50 days @	\$275/day		7,287.50
Agata Zurek, GIS	16.75 hours @	\$75/hour		1,256.25
Clerical	15.00 hours @	\$35/hour		525.00
			\$	185,919.75

EQUIPMENT RENTALS

Field Camp	585 mandays @	\$40/manday	\$	23,400.00
Chainsaw	52 days @	\$30/day		1,560.00
Core Saw (Gas)	21 days @	\$60/day		1,260.00

Field Computers	166 days @ \$40/day	6,640.00	
First Aid Equipment (Level III)	52 days @ \$30/day	1,560.00	
Fuel Berm	22 days @ \$15/day	330.00	
Generator (1kVA)	13 days @ \$20/day	260.00	
Generator (12kVA Diesel)	48 days @ \$80/day	3,840.00	
Rental Truck Insurance	52 days @ \$10/day	<u>520.00</u>	39,370.00

EXPENSES:

Chemical Analyses	\$ 36,349.14	
Field Consumables	2,501.30	
Materials and Supplies	17,760.19	
Camp Food	17,147.93	
Meals	1,328.39	
Accommodation	6,567.88	
Taxis and Airporters	546.13	
ATV Rental (Non-Equity)	6,000.00	
Truck Rental (Non-Equity)	12,881.89	
Automotive Fuel	182.72	
Automotive Expenses	264.58	
Aircraft Charters	169,568.25	
Helicopter Charters	126,997.50	
Telephone Distance Charges	88.69	
Courier	77.93	
Freight	11,121.09	
Bulk Fuel	44,680.94	
Drum Deposits	10,080.00	
Geophysical Equipment Rental	1,215.00	
Padbuilding	500.00	
Satellite Phone Rental (non-Equity)	3,055.21	
Radio Rental (non-Equity)	998.00	
Generator Rental (non-Equity)	1,350.00	
Excavator	1,575.00	
Forklift	115.00	
Drilling: Footage	175,965.00	
Drilling: Materials	5,416.71	
Drilling: Coreboxes	3,885.00	
Expediting	16,979.35	
Storage Rental	2,500.00	
Report (estimated)	<u>3,000.00</u>	<u>680,698.82</u>

SUB-TOTAL: \$ 905,988.57

PROJECT SUPERVISION CHARGES: 73,938.80

TOTAL: \$ 979,927.37



STATEMENT OF EXPENDITURES
ANTLER CLAIMS
July 23 - September 19, 2010

PROFESSIONAL FEES AND WAGES:

Cameron Bartsch, Project Geologist			
2.00 days @ \$650/day	\$	1,300.00	
Margot McKeown, Geologist			
1.00 days @ \$525/day		525.00	
Dave Swanton, Geologist			
2.00 days @ \$525/day		<u>1,050.00</u>	\$ 2,875.00

EXPENSES:

Chemical Analyses	\$	10,123.83	
Contract Soil Sampling		9,881.32	
Excavator		<u>937.50</u>	<u>20,942.65</u>

TOTAL:

\$ 23,817.65

Appendix C: Rock Sample Descriptions

Sample ID	Easting	Northing	Sample Type	Lithology	PY%	ASP%	COMMENTS
E855610	502577	6993216	Float	Qtz Vein		5	Coarse Asp in vein boulder, just off claim bounday to south. Only Qz boulder in area
E855611	500823	7000579	Float	Qtz Vein		7	Fine-grained sulphide veinlets in Qtz vein
E855612	500828	7000621	Float	Qtz Vein		5	Fine-grained sulphide veinlets in Qtz vein
E855613	501144	7001481	Float	Qtz Vein		Tr	Trace Asp and Galena (?) in vein. Surrounded by sheared up granodiorite
E855651	501068	7000848	Select	GRDT			Multiple vein/fracture coatings, indeterminate orientations
E855652	501043	7000876	Float	GRDT/AP LT			Thin, mm-spaced sheeted fractures in APLT dyke. Abundant GE on fracture surfaces
E855653	501036	7000876	Float	GRDT/AP LT			Select float material APLT/GRDT with abundant GE representing dyke contact surfaces
E855654	500878	7000825	Float	GRDT	2	1	Shallow pit opened in GRDT boulders. Patches of Py and fine Asp needles
E855655	500756	7000725	Float	Qtz Vein			Qtz with cross-vein crystal growth and intense CL laminae
E855656	500863	7000725	Float	GRDT			Loss of mafics, alteration , sheeted microveined by GE
E855657	500873	7000669	Float	Qtz Vein		1	2 % Galena, disseminated in Qtz float, Asp and MS/CL alteration in Aplite(?)
E855658	500800	7000669	Float	GRDT/DIOR/QTZ			5% Galena in Qtz vein
E855659	500777	7000619	Float	GRDT	1	5	Internally laminated qtz vein float, Fine grained metallics in wall-parallel and discordant seems
E855660	500805	7000571	Float	GRDT/QT Z	1	2	Fine-grained grey metallic seems in Qtz vein - Asp?
E855661	500819	7000531	Float	GRDT	1	1	Qtz float block associated with 1 m wide barren Qtz vein 000/90. F.g. needles of Asp
E855662	500651	7000520	Float	DIOR/GR DT	1	1	Qtz vein in GRDT/DIOR contact
E855663	501865	6995531	Float	GRDT	1		Minor mm-wide Py vein in GRDT float
E855664	501912	6995534	Float	GRDT	1	1	Disseminated and patchy Py in 10cm Qtz vein float with foliated GRDT float, minor Asp in Qz
E859201	502129	6996111	Float	Mafic dyke	5		Mafic dyke with coarse pyrite on a fracture surface
E859202	502077	6995783	Float	GRDT	1		Rusty, foliated granodiorite with f.g. disseminated sulphide
E859203	502568	6996094	Float	Mafic dyke			Magnetite rich mafic dyke
E859204	501333	6998144	Float	Qtz Vein	2	3	Thin (2-3 cm) thick quartz vein with small euhedral crystals of pyrite and aspy
E859205	501269	6998213	Float	Aplite			Aplite vein in granodiorite boulder with small crystals of magnetite
E859206	500903	7000534	Float	Qtz Vein			Quartz boulder with minor pyrite/aspy
E859207	501404	7000492	Float	DIOR/GR DT	1		Diorite with disseminated pyrite
E859208	501374	7000479	Float	Aplite	1		Aplite with magnetite and minor pyrite
E859209	500408	6999731	Float	Qtz Vein		2	Boulder of quartz with arsenopyrite
E859210	500853	7000327	Float	Aplite			Aplite dike with magnetite
E859351	500355	7003916	Float	qtz vein			Possible trace sphalerite

E859352	500484	7003448	Float	granodiorite			carb-fe-sil altered granodiorite
E859353	500478	7003447	Float	qtz vein		tr	trace apy along salvages (hosted within granodiorite sampled above)
E859354			Float	Qtz vein		6	From Swede's Pit. Contains apy, sph, cpy,py and possible bisuthinite
E859355			Float	Qtz vein		2	From Swede's Pit. Contains apy blebs.
E859212			Outcrop	Qtz Vein			Bedrock from Ian Warrick's placer pit
E859451			Outcrop	Qtz Vein			Bedrock from Ian Warrick's placer pit
E859356	501792	7002095	Float	Aplite dyke			Ilmenite (?) blebs in aplite dyke
E859357	501825	7002084	Float	Mafic dyke	Tr		Trace disseminated pyrite and possible trace galena
E859358	501777	7002102	Float	Qtz Vein		Tr	Qtz vein with possible trace apy?
E859359	501726	7002130	Float	Granodiorite			Fe altered grd with biotite stringers, possible sulphides (?)
E859360	500251	7004471	Float	Granodiorite			Foliated, fine grain grannodiorite, unaltered, unlikely any mineralization.
E859361	500501	7004433	Float	Qtz Vein			Quarz vein with biotite and muscovite infilling salvage // cracks
E859362	500501	7004494	Float	Qtz Vein			Quart vein with mm scale veinlets of hematite (?) possibly trace sulphides.
E859213	506108	6997230	Subcrop	Qtz Vein			Quartz vein from runway with stringers of iron oxide
E859214	506309	6997345	Subcrop	Qtz Vein			Quartz vein from runway with stringers of iron oxide
E859215	501524	7007016	Float	Qtz Vein			Quartz boulder from north end of property, with general rustyness and minor biotite
E859216	501426	7006977	Float	Qtz Vein			Boulder of quartz with iron oxide
E859217	500104	7005992	Float	Qtz Vein			Quartz with muscovite and iron oxide
E859363	501423	7003670	Float	Aplite dyke			Abundant fe-carb alteration and and a series of parallel mm scale magnetite/biotite veinlets
E859364	501423	7003670	Float	Qtz vein			Sheeted quartz vein with abundant muscovite along fractures, possibly other mineralization.
E859365	501256	7003698	Float	Qtz vein			Sheeted quartz vein with abundant fe-oxide staining. No visible mineralization.
E859366	501100	7003695	Float	Granodiorite			Taken for comparison to soil sample (LINI36469/LINI36470). No visible mineralization.
E859367	500370	7003981	Float	Qtz vein			Taken for comparison to soil sample (LINI36464). No visible mineralization.
E859368	500326	7003979	Float	Aplite dyke			Taken for comparison to soil sample (LINI36467). Highly magnetic aplite dyke. No visible mineralization.
E859369	500230	7003984	Float	Aplite dyke			Taken for comparison to soil sample (LINI36466). Highly magnetic aplite dyke. No visible mineralization.
E859370	500177	7003982	Float	Aplite dyke			Taken for comparison to soil sample (LINI36465). Aplite dyke with fe-oxide alteration. No visible mineralization.
E859371	500125	7003983	Float	Granodiorite			Taken for comparison to soil sample (LINI36464). Granodiorite with phyllic alteration. No visible mineralization.
E859372	500073	7003980	Float	Granodiorite			Taken for comparison to soil sample

							(LINI36463). Foliated granodiorite with minor fe-oxide staining. No visible mineralization.
E859218	504343	6995102	Float	Quartz Vein		5	Assorted pieces of quartz rubble from ditch beside road with up to 5% arsenopyrite and galena
E859219	504246	6995066	Float	Quartz Vein		5	Assorted pieces of quartz rubble from ditch beside road with up to 5% arsenopyrite and galena
E859220	504246	6995066	Float	Quartz Vein			Boulder from beside road with clumps of galena
E859373	504258	6995082	Float	Quartz Vein		10	Quartz float beside the road with abundant, thick blebs of arsenopyrite
E859374			Core	Granodiorite			LON10-04 56.64-56.98m alteration zone adjacent to apy vein
E859375			Core	Quartz Vein		70%	LON10-04 56.98-57.09m arsenopyrite rich vein
E859376			Core	Granodiorite			LON10-04 57.09-57.32m alteration zone adjacent to apy vein
E855614	504243	6995249	Trench 2	Qtz Vein		3	Single qtz boulder, hematite alt., with fine-grained sulphides
E855615	504226	6995356	Trench 1	Qtz Vein			Qtz boulder, 30 cm X 40 cm, patchy rust spots, most likely weathered sulphides
E855616	504320	6995402	Trench 1	Qtz Vein			Qtz boulder, no sulphides, abundant Mn oxides
E855617	504266	6995063	Trench 3	Qtz Vein		5	3-5% Asp in qtz vein, minor galena

Appendix D: Drill Logs

Abbreviations used in logs

Rock Types	Alteration and Mineralization	Features
CAS - Casing Brx – Breccia EOH – End of Hole GRNT – Granite DIOR – Diorite TONL – Tonalite GRDR – Granodiorite MYLN – Mylonite APLT – Aplite MAFC dk – Mafic dyke SCHT - Schist	Apy – arsenopyrite Cal – calcite Chl – chlorite Fer – iron oxide Po – pyrrhoite Py – pyrite Ser – sericite Sid – siderite Mus - muscovite Sil – silica Sme - smectite Mnt - magnetite	V – Vein Fr – Fracture Ft - Fault

****Note that alteration is measured on a relative scale of 1 – 4. The mineralization values shown are visual estimates of percent by volume****


Drill Log Legend



Aplite (APLT)

Casing (CAS)

Granodiorite (GRDR)



Mafic Dyke (MAFC dk)

Schist (SCHS)

Mylonite (MYLN)



Tonalite (TONL)

Diorite (DIOR)



DRILL LOG

Project: Longline	Collar Elevation (m): 1127.0
Hole LON10-01	Azimuth (°): 120
Location: 7000560 m North 500757 m East	Dip (°): -60.0
Logged by: D. Swanton	Length (m): 226.76
Drilled by: CoreTech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	
Date Started: 2010/08/13	
Date Completed: 2010/08/16	
Dip Tests By:	
Objective Determine orientation and size of quartz vein supposed to be the cause of soil anomalies and quartz boulder train	

Summary Log:

3.05 - 4.57 Highly fractured Porphyritic mafic dyke with lathes of plagioclase and small discrete masses of iron oxide
4.57 - 6.00 Medium grained hornblende biotite granodiorite.
6.00 - 8.00 Fractured mafic dyke with plagioclase lathes
8.00 - 23.5 Medium grained hornblende biotite granodiorite to tonalite. Many small fractures @ 60° to core axis are surrounded by sericite/iron oxide/carbonate alteration halos
23.5 - 25.5 Intermingled aplite and mafic dykes. Traces pyrite in mafic bands
25.5 - 41.1 Same granodiorite as above.
41.1 - 42.0 Xenolith of magnetic biotite gneiss
42.0 - 60.2 Same granodiorite as above, except now cut by small quartz veins as well as fractures, on a similar 60° to core axis orientation. Veins surrounded by smectite + sericite + iron oxide +/- carbonate +/- silica alteration halos
60.2 - 60.9 Mafic dyke
60.95 - 68.5 Medium grained diorite gradational with above granodiorite, containing same sets of quartz veins with alteration halos
68.5 - 116.25 Same granodiorite as above. Some of the small quartz veins contain up to 50% massive arsenopyrite.
116.25 - 122.5 Same plutonic body as the rest of the hole, grading into diorite. Same mineralization style as elsewhere
122.5 - 129.65 Unaltered granodiorite
129.65 - 136.75 Diorite
136.75 - 151.0 Highly faulted zone, but rock types and alteration are similar to elsewhere
151 - 154 Mafic dyke
154.0 - 226.76 (EOH) Chlorite altered hornblende biotite granodiorite cut by mineralized quartz veins of similar size and density to elsewhere in the hole



DRILL LOG

Project: Longline

Hole ID: LON10-01

Downhole surveys:

Depth	Dip	Azimuth
0.00	-60.00	120.00
226.76	-60.00	120.00

Hole ID: LON10-01

Project: Longline															Hole Number: LON10-01									
From	To	Rocktype	& Description	ser	crb	mus	fer	chl	tl	bo	apy	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
0.00	3.05	CAS																						
		Casing																						
3.05	4.57	MAFC dk																						
			Porphyritic basalt 0.5 cm long plagioclase lathes and small discrete masses of iron oxide. Highly fractured.																					
4.57	6.00	GRDR																						
			Hornblende biotite granodiorite												3.00	4.50	1.50	E858351	0.01	0.20	21.00	3	60	
			alteration zone at 5.9m with trace pyrite and arsenopyrite												4.50	6.00	1.50	E858352	0.01	3.80	60.00	105	313	
6.00	8.00	MAFC dk																						
			Same as above, fractured basat with plagioclase lathes												6.00	7.50	1.50	E858353	0.01	0.20	48.00	4	74	
			< @ 7.80 Ft 40.00° 250.00mm >												7.50	9.00	1.50	E858354	0.01	0.20	46.00	13	67	
8.00	23.50	GRDR																						
			Medium-grained biotite-hornblende granodiorite/tonalite. Moderately fractured, becoming more competant with depth. Trace pyrite diseminatd throughout. Small sericite + iron oxide + carbonate alteration zones surrouned many of the fractures. Large xenolith of magnetic, pyrite-rich gneiss @ 22.0 - 22.2m												9.00	10.50	1.50	E858355	0.17	0.60	1040.00	30	33	
			« Pyrite 0.10%»												10.50	12.00	1.50	E858356	0.01	0.20	14.00	2	32	
			« 12.55- 12.70 sericite surrouned fractures @ 60 degrees to core axis												12.00	13.50	1.50	E858357	0.01	0.70	10.00	27	66	
			ser 2.00*»												13.50	15.00	1.50	E858358	0.01	0.40	174.00	17	34	
			« crb 1.00*»												15.00	16.50	1.50	E858359	0.01	0.20	20.00	5	31	
			« fer 2.00%»												16.50	18.00	1.50	E858360	0.01	0.30	2.00	3	49	
			« 15.20- 15.90 ser 1.00*»												18.00	19.50	1.50	E858361	0.01	0.40	13.00	11	30	
			« fer 5.00%»												18.00	19.50	1.50	E858362						
			« 14.50- 14.60 trace arsenopyrite surrounding an iron-altered fracture												19.50	21.00	1.50	E858363	0.01	0.20	8.00	2	45	
			apy 0.5												21.00	22.50	1.50	E858364	0.01	0.20	11.00	3	46	
			« 15.20- 15.90 crb 1.00*																					
			« 20.95- 21.10 iron carbonate crb 1.00*»																					
			« ser 2.00*»																					
			< @ 21.50 iron carbonate V 60.00° 5.00mm >																					
			« 22.80- 23.50 chl 2.00*»																					
			« ser 2.00*»																					
			« fer 2.00%»																					
23.50	25.50	APLT													22.50	24.00	1.50	E858365	0.01	0.20	4.00	5	41	
															24.00	25.50	1.50	E858366	0.01	0.20	14.00	9	83	

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 1 of 8

Project: Longline																Hole Number: LON10-01															
From	To	Rocktype	& Description	ser	crb	mus	fer	chl	sil	po	py	by	mt	sme		From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm							
Intermingled aplite and fine-grained mafic dike. Aplite overprinted by Fe-carbonate alteration. Trace pyrite in mafic bands.																															
« crb 1.00%»																															
« fer 2.00%»																															
« Pyrite 0.10%»																															
25.50	41.10	GRDR														25.50	27.00	1.50	E858367	0.01	0.20	2.00	4	33							
Medium grained granodiorite cut by fine grained aplite dikes. Moderately fractured, with many of the fractures mantled by sericite, smectite, iron-oxide and (in some cases) carbonate alteration.																27.00	28.50	1.50	E858368	0.01	3.30	59.00	20	31							
																27.00	28.50	1.50	E858369												
																27.00	28.50	1.50	E858370												
																28.50	30.00	1.50	E858371	0.01	0.40	483.00	29	31							
																30.00	31.50	1.50	E858372	0.01	0.40	14.00	7	37							
																31.50	33.00	1.50	E858373	0.01	0.20	2.00	2	43							
																33.00	34.50	1.50	E858374	0.01	0.20	14.00	4	34							
																34.50	36.00	1.50	E858375	0.01	0.30	12.00	10	43							
																36.00	37.50	1.50	E858376	0.01	1.00	14.00	36	44							
																37.50	39.00	1.50	E858377	0.02	22.70	59.00	46	75							
																39.00	40.50	1.50	E858378	0.01	1.00	35.00	12	33							
« 26.25- 26.50 feldspar altered to smectite clay sme 3.00%»																															
« Pyrite 0.10%»																															
< @ 29.18 Ft 50.00° 5.00mm >																															
« 29.90- 30.70 altered feldspar sme 15.00%»																															
« crb 1.00%»																															
« fer 5.00%»																															
« 33.00- 33.80 sme 2.00%»																															
« fer 2.00%»																															
< @ 33.50 Ft 60.00° 2.00mm																															
« 38.80- 39.00 Pyrrhotite 3.00%»																															
< @ 37.00 Ft 90.00° 1700.00mm >																															
« 40.10- 40.60 ser 1.00%»																															
< @ 40.30 quartz V 75.00° 5.00mm >																															
41.10	42.00	GNSS																													
Xenolith of magnetic biotite gneiss																40.50	42.00	1.50	E858379	0.01	0.20	2.00	2	75							
42.00	60.20	GRDR														42.00	43.50	1.50	E858380	0.03	0.80	67.00	6	45							
Same granodiorite host rock as above, cut by quartz veins and fractures with smectite + sericite + iron oxide+/- carbonate +/- silicic alteration halos. Small aplite dikes and gneiss xenoliths.																43.50	45.00	1.50	E858381	0.12	0.40	1370.00	5	53							
																43.50	45.00	1.50	E858382												
																45.00	46.50	1.50	E858383	0.03	1.00	924.00	13	39							
																46.50	48.00	1.50	E858384	0.01	0.20	8.00	4	34							
																48.00	49.50	1.50	E858385	0.01	0.20	11.00	2	46							
																49.50	51.00	1.50	E858386	0.01	0.30	56.00	16	36							
																51.00	52.50	1.50	E858387	0.01	0.30	137.00	11	28							
« 42.28- 42.32 ser 2.00%»																52.50	54.00	1.50	E858388	0.01	0.20	2.00	5	36							
2010/11/16 Equity Exploration Ltd.																* depth component not to scale															
																* Samples with duplicate ranges are QA/QC samples and have no associated assays															
																Page 2 of 8															

Project: Longline															Hole Number: LON10-01									
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	sil	po	ap	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
« 45.00- 45.80 sil 2.00*»															52.50	54.00	1.50	E858389						
« 45.50- 45.80 fer 5.00%»															52.50	54.00	1.50	E858390						
< @ 46.35 quartz V 45.00° 15.00mm >															54.00	55.50	1.50	E858391	0.01	0.30	4.00	5	34	
< @ 48.55 Fr 50.00° >															55.50	57.00	1.50	E858392	0.01	0.20	2.00	4	37	
« 48.50- 48.58 ser 1.00*»															57.00	58.50	1.50	E858393	0.01	0.20	2.00	12	42	
« 50.80- 50.90 ser 1.00*»															58.50	60.00	1.50	E858394	0.01	0.20	2.00	2	50	
« 54.60- 54.85 ser 1.00*»																								
« 56.80- 57.00 crb 2.00*»																								
< @ 57.00 Fr 60.00° >																								
« 56.80- 57.50 sme 30.00%»																								
« 59.60- 59.75 Pyrrhotite 0.50%»																								
« Pyrite 0.50%»																								
< @ 59.65 Fr 75.00° >																								
60.20 60.95 MAFC dk															60.00	61.50	1.50	E858395	0.01	0.90	17.00	2	75	
Fine-grained mafic dike with 2-mm phenocrysts of plagioclase																								
60.95 68.50 DIOR															61.50	63.00	1.50	E858396	0.01	0.20	2.00	2	50	
Medium grained diorite. Gradational and part of the same igneous body as the granodiorite, but slightly richer in mafic minerals, almost totally lacking quartz.															63.00	64.50	1.50	E858397	0.10	0.80	2800.00	40	48	
															64.50	66.00	1.50	E858398	0.01	0.20	6.00	2	53	
															66.00	67.50	1.50	E858399	0.01	0.20	2.00	2	66	
< @ 62.10 Fr 25.00° >																								
< @ 63.40 qtz-carbonate V 85.00° 5.00mm >																								
« 63.39- 63.45 sil 2.00*»																								
< @ 63.95 qtz and massive arsenopyrite V 55.00° 15.00mm >																								
« 63.90- 64.10 ser 2.00*»																								
< @ 64.45 qtz-carb V 60.00° 10.00mm >																								
« 64.40- 64.60 sil 2.00*»																								
< @ 66.95 qtz+chlorite V 60.00° 30.00mm >																								
« 67.70- 68.00 sil 2.00*»																								
« epd 1.00*»																								
68.50 116.25 GRDR															67.50	69.00	1.50	E858400	0.01	0.70	15.00	16	79	
Medium-grained granodiorite, same plutonic unit as everywhere else. Multiple thin parallel quartz veins mantled by sericite +/- silicified selvage. Some quartz veins are barren, some contain arsenopyrite and/or pyrite. Areas of high vein density have a hard alteration mineral with a green colour, likely epidote. In these same zones, feldspar is commonly altered to smectite.															69.00	70.50	1.50	E858501	0.01	0.20	2.00	3	53	
															69.00	70.50	1.50	E858502						
															70.50	72.00	1.50	E858503	0.01	0.20	33.00	6	46	
															72.00	73.50	1.50	E858504	0.01	0.20	2.00	4	32	
															73.50	75.00	1.50	E858505	0.01	0.20	2.00	4	37	
															75.00	76.50	1.50	E858506	0.01	0.20	4.00	2	37	
															76.50	78.00	1.50	E858507	0.01	0.20	4.00	3	40	

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 3 of 8

Project: Longline				Hole Number: LON10-01																			
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	sil	po	apy	py	mnt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« 70.40- 70.80 mafic dyke 45.00°»															78.00	79.50	1.50	E858508	0.01	0.20	2.00	16	51
< @ 71.65 quartz V 80.00° >															78.00	79.50	1.50	E858509					
« 71.60- 71.70 ser 2.00°»															78.00	79.50	1.50	E858510					
< @ 77.75 Fr 70.00° >															79.50	81.00	1.50	E858511	0.01	0.20	3.00	15	48
« 75.70- 75.80 sil 2.00°»															81.00	82.50	1.50	E858512	0.01	0.20	4.00	4	43
« epd 1.00°»															82.50	84.00	1.50	E858513	0.01	0.20	14.00	8	42
« 77.90- 78.00 sme 30.00%»															84.00	85.50	1.50	E858514	0.01	0.20	2.00	7	147
< @ 78.55 crb-qtz V 60.00° 5.00mm >															85.50	87.00	1.50	E858515	0.01	0.20	4.00	9	44
« 78.30- 79.80 sil 1.00°»															87.00	88.50	1.50	E858516	0.01	1.30	98.00	37	48
« epd 1.00°»															88.50	90.00	1.50	E858517	0.01	0.20	2.00	4	45
< @ 84.55 quartz-pyrite-sphalerite V 60.00° 3.00mm >															90.00	91.50	1.50	E858518	0.01	0.20	2.00	2	61
« 84.59- 84.70 Pyrite 0.50%»															91.50	93.00	1.50	E858519	0.02	3.20	5190.00	57	44
< @ 86.90 qtz-carb-pyrite V 60.00° >															93.00	94.50	1.50	E858520	0.01	0.20	2.00	6	62
< @ 87.40 quartz V 50.00° 5.00mm >															94.50	96.00	1.50	E858521	0.01	0.50	67.00	16	36
« 86.80- 87.50 ser 2.00°»															94.50	96.00	1.50	E858522					
« Pyrite 0.50%»															96.00	97.50	1.50	E858523	0.01	3.10	7.00	17	35
« apy 0.10%»															97.50	99.00	1.50	E858524	0.01	1.60	2.00	89	41
< @ 88.70 vuggy qtz V 50.00° 10.00mm >															99.00	100.50	1.50	E858525	0.01	0.20	2.00	9	41
« 89.65- 89.75 sme 5.00%»															100.50	102.00	1.50	E858526	0.01	0.20	2.00	12	39
« ser 1.00°»															102.00	103.50	1.50	E858527	0.01	0.20	2.00	7	39
« Pyrite 0.50%»															103.50	105.00	1.50	E858528	0.01	0.20	2.00	9	36
< @ 89.90 quartz - pyrite V 70.00° >															103.50	105.00	1.50	E858529					
« 89.80- 89.90 ser 2.00°»															103.50	105.00	1.50	E858530					
< @ 92.45 aspy and quartz V 50.00° 10.00mm >															105.00	106.50	1.50	E858531	0.01	0.20	2.00	6	31
« 92.30- 92.70 ser 2.00°»															106.50	108.00	1.50	E858532	0.01	0.20	2.00	13	40
« 94.60- 99.00 ser 1.00°»															108.00	109.50	1.50	E858533	0.01	0.20	362.00	11	49
« sme 20.00%»															109.50	111.00	1.50	E858534	0.01	0.20	178.00	10	31
< @ 97.00 vuggy quartz V 55.00° 8.00mm >															111.00	112.50	1.50	E858535	0.01	0.20	18.00	13	39
< @ 97.90 finely crystalline pyrite V 60.00° 10.00mm >															112.50	114.00	1.50	E858536	0.01	0.20	2.00	7	33
< @ 98.00 quartz V 60.00° >															114.00	115.50	1.50	E858537	0.01	0.20	2.00	3	74
< @ 100.75 quartz V 50.00° 5.00mm >																							
< @ 103.30 quartz with minor aspy V 20.00° 10.00mm >																							
« 104.00- 105.50 sme 5.00%»																							
< @ 109.23 qtz-massive aspy V 50.00° 5.00mm >																							
« 109.13- 109.20 ser 2.00°»																							
« Pyrite 2.00%»																							
« apy 3.00%»																							
< @ 112.40 qtz V 60.00° 2.00mm >																							

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 4 of 8

Project: Longline														Hole Number: LON10-01										
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	cll	po	apy	by	mnt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
« 112.38- 112.42 ser 2.00»																								
« Pyrite 1.00%»																								
« Pyrite 0.10%»																								
116.25 122.50 DIOR															115.50	117.00	1.50	E858538	0.01	0.20	2.00	2	79	
Slightly more mafic section of the same pluton as rest of hole. contacts with granodiorite gradational. Minor quartz veining paralel to veins in other units.															117.00	118.50	1.50	E858539	0.01	0.20	2.00	2	75	
															118.50	120.00	1.50	E858540	0.01	0.20	5.00	3	59	
« 118.47- 118.70 aplite with disseminated magnetite dyke 40.00»															120.00	121.50	1.50	E858541	0.01	0.20	2.00	2	73	
< @ 121.00 quartz V 50.00° 5.00mm >															120.00	121.50	1.50	E858542						
« Pyrite 0.10%»																								
122.50 129.65 GRDR																								
Mostly unaltered granodiorite.																								
< @ 124.40 qtz-aspy V 65.00° 100.00mm >																								
« 124.61- 121.75 ser 1.00»																								
< @ 127.70 quartz V 550.00° 100.00mm >																								
« 127.60- 127.80 ser 2.00»																								
129.65 136.75 DIOR																								
Diorite gradational from overlying granodiorite																								
« 131.90- 132.20 sme 30.00%»																								
« Pyrite 10.00%»																								
136.75 146.50 DIOR																								
-Highly altered and faulted diorite cut by carbonate and quartz veins, some of which are mineralized with pyrite and arsenopyrite																								
-healed breccia fault zone between 137 and 138.5																								
-Pyritic, magnetic gneissic xenolith between 136 and 137 m.																								
« chl 10.00»																								
< @ 138.70 large fault zone with abundant clay gouge Ft 70.00° 1300.00mm >																								
< @ 140.22 quartz-massive aspy V 60.00° 10.00mm																								
« 140.20- 140.26 ser 2.00»																								

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 5 of 8

Project: Longline														Hole Number:		LON10-01																	
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	chl	po	py	py	hnt	smg	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm										
« 140.30- 144.00 crb 1.00*»																																	
< @ 141.22 arsenopyrite-quartz V 70.00° 15.00mm >																																	
« 141.19- 141.27 ser 2.00*»																																	
< @ 143.64 carbonate V 30.00° 10.00mm >																																	
< @ 143.90 quartz-carbonate V 60.00° 30.00mm >																																	
< @ 144.00 iron-stained clay and gravel gouge Ft 40.00° 450.00mm >																																	
146.50 151.00 GRDR																																	
Altered, fractured granodiorite. Dominant alteration styles are chlorite and smectite (clay) in fault zones. Fault zones contain iron stained clay to gravel sized gouge.																																	
« chl 2.00*»																																	
« sme 5.00%»																																	
< @ 147.55 Ft 60.00° 450.00mm >																																	
< @ 150.80 branching quartz vein V 40.00° >																																	
151.00 154.00 MAFC dk																																	
Slightly porphyritic mafic dike cut by abundant quartz and carbonate veins. 151.8 - 152.2 is a stretch of the same rock as the previous unit. Iron staining is common around fractures.																																	
< @ 153.10 two-stage quartz vein V 50.00° 60.00mm >																																	
154.00 226.76 GRDR																																	
Chlorite-altered medium grained biotite-hornblende granodiorite grading to diorite in places. Cut by small quartz veins surrounded by sericite/white mica alteration. Veins locally contain arsenopyrite and/or pyrite. Mafic and aplite dikes intrude the main lithology. Trace pyrite throughout.																																	
« 155.50- 155.60 aplite dyke 30.00° 100.00mm»																																	
« fracture system with iron-stained carbonate crb 3.00*»																																	
< @ 156.63 qtz w/ pyrite V 60.00° 5.00mm >																																	
« 158.55- 158.65 ser 2.00*»																																	
< @ 164.20 qtz-carb w/ chlorite-sericite selvage V 55.00° 10.00mm >																																	
< @ 168.90 qtz-carb V 60.00° 8.00mm >																																	
« 168.85- 168.95 ser 2.00*»																																	

Project: Longline																Hole Number:		LON10-01					
From	To	Rocktype	& Description	ser	lzo	mus	ker	dy	sil	zo	py	py	mt	amph	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
< @ 170.00	carbonate V 55.00° 10.00mm >														171.00	172.50	1.50	E858581	0.01	0.20	2.00	4	59
< @ 172.70	qtz-carb-asy V 60.00° 10.00mm >														171.00	172.50	1.50	E858582					
< @ 172.65- 172.75	sericite w/ minor chlorite ser »														172.50	174.00	1.50	E858583	0.01	0.20	882.00	6	64
< @ 173.90	qtz-carb-asy V 60.00° 5.00mm >														174.00	175.50	1.50	E858584	0.01	0.20	781.00	4	51
< @ 179.65	qtz-carbonate mantled by iron carbonate V 30.00° 15.00mm >														175.50	177.00	1.50	E858585	0.01	0.30	3.00	4	54
< @ 182.50	qtz-carb V 55.00° 5.00mm >														177.00	178.50	1.50	E858586	0.01	0.20	5.00	6	47
< @ 182.44- 182.52	ser 2.00°»														178.50	180.00	1.50	E858587	0.01	0.20	5.00	6	46
< @ 184.40	carbonate mantled by pyrite, biotite and sericite V 60.00° 20.00mm >														180.00	181.50	1.50	E858588	0.01	0.20	2.00	7	47
>															180.00	181.50	1.50	E858589					
< @ 187.40	qtz w/ sericite selvage V 60.00° 5.00mm >														180.00	181.50	1.50	E858590					
< @ 189.45	qtz-asy V 55.00° 10.00mm >														181.50	183.00	1.50	E858591	0.01	0.40	26.00	11	109
< @ 190.82	qtz-carbonate with pyrite in selvage V 60.00° 5.00mm >														183.00	184.50	1.50	E858592	0.01	0.40	700.00	7	50
< @ 199.60- 199.70	aplite with magnetite dyke 50.00°»														184.50	186.00	1.50	E858593	0.01	0.20	2.00	7	50
< @ 203.80- 203.85	mafic dyke 70.00°»														186.00	187.50	1.50	E858594	0.01	0.20	183.00	3	55
< @ 204.60	qtz-carbonate V 60.00° 5.00mm >														187.50	189.00	1.50	E858595	0.01	0.20	155.00	3	58
< @ 209.80	qtz-carb V 60.00° 3.00mm >														189.00	190.50	1.50	E858596	0.03	3.60	1400.00	142	60
< @ 214.40	qtz-pyrite V 80.00° 2.00mm >														190.50	192.00	1.50	E858597	0.01	0.20	256.00	4	58
< @ 219.80	qtz-carbonate-pyrite V 65.00° 5.00mm >														192.00	193.50	1.50	E858598	0.01	0.20	2.00	5	57
< @ 219.30	Blocky fracture zone Ft 900.00mm >														193.50	195.00	1.50	E858599	0.01	0.20	3.00	4	58
< @ 221.90	Blocky fracture zone Ft 500.00mm >														195.00	196.50	1.50	E858600	0.01	0.20	4.00	3	53
< @ 224.10	qtz-carb-asy V 60.00° 5.00mm >														196.50	198.00	1.50	E858601	0.01	0.20	2.00	3	51
< @ 224.10	chl 1.00°»														196.50	198.00	1.50	E858602					
< @ 224.04- 224.10	ser 1.00°»														198.00	199.50	1.50	E858603	0.01	0.30	2.00	3	61
< @ 225.35	qtz-carb-asy V 65.00° 5.00mm >														199.50	201.00	1.50	E858604	0.01	0.20	2.00	10	70
< @ 225.30- 225.37	ser 2.00°»														201.00	202.50	1.50	E858605	0.01	0.20	2.00	6	76
< @ 225.70	qtz-carb V 55.00° 5.00mm >														202.50	204.00	1.50	E858606	0.01	0.20	3.00	6	62
< @ 225.68- 225.74	ser 2.00°»														204.00	205.50	1.50	E858607	0.01	0.20	395.00	6	58
EOH @ 226.76															205.50	207.00	1.50	E858608	0.01	0.20	13.00	6	63
															205.50	207.00	1.50	E858609					
															205.50	207.00	1.50	E858610					
															207.00	208.50	1.50	E858611	0.01	0.20	2.00	4	54
															208.50	210.00	1.50	E858612	0.01	0.20	253.00	3	58
															210.00	211.50	1.50	E858613	0.01	0.20	256.00	6	58
															211.50	213.00	1.50	E858614	0.01	0.20	2.00	3	63
															213.00	214.50	1.50	E858615	0.01	0.20	197.00	6	63
															214.50	216.00	1.50	E858616	0.01	0.20	2.00	4	62
															216.00	217.50	1.50	E858617	0.01	0.20	2.00	6	60
															217.50	219.00	1.50	E858618	0.01	0.20	8.00	4	66

2020/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 7 of 8

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 8 of 8



DRILL LOG

Project: Longline	Collar Elevation (m): 1141.0
Hole LON10-02	Azimuth (°): 270
Location: 7000646 m North 500914 m East	Dip (°): -60.0
Logged by: M. McKeown	Length (m): 200.65
Drilled by: CoreTech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective To target a high grade quartz vein thought to be dipping at a shallow angle to the East.
Date Started: 2010/08/17	
Date Completed: 2010/08/22	
Dip Tests By:	

Summary Log:

0-2: Casing
2-15: Granodiorite with fe-carbonate alteration.
15-16: Fine grain mafic dyke.
16-21: Biotite +/- hornblende granodiorite with xenoliths of amphibolite
21-22: Fine grain mafic dyke.
22-48: Granodiorite as above with xenoliths of country rock and zones with fe-carbonate alteration. Trace pyrite.
48-55: Same granodiorite with trace (0.1%) disseminated apy and mm scale qtz veinlets with lateral zones of phyllic alteration.
55-61: Fine grain diorite with a 30cm fault zone (@56.54) and trace disseminated py (2%) and apy(0.5%).
61-65: Xenolith of garnet schist with trace disseminated py (2%) and apy (0.5%).
65-79: Course grain, nearly pegmatitic granodiorite with trace disseminated py(2%) and apy(1%) and xenoliths of schist.
79-85: Highly phyllic (sericite and smectite) altered granodiorite with fe-oxide staining.
85-94: Same granodiorite with zones of phyllic (sericite, smectite, chlorite) alteration and silica flooding. Zones with trace disseminated py(0.5%) and apy(0.1%).
94-102: Same granodiorite with a pegmatitic quartz monzonite and zones of phyllic alteration associated with mm scale quartz veinlets.
102-108: Fault zone within highly phyllic altered granodiorite.
108-119: Same granodiorite with zones of phyllic alteration.
119-133: Course grain magnetite, hornblende, biotite granodiorite with trace py (2%) and cut by a minor aplite dyke.
133-135: Aplitic dyke with sparse, fine grain biotite.
135-142: Diorite/Granodiorite with abundant hydrothermal alteration overprinting primary textures.
142-144: Fine grain aplitic dyke with sparse, fine grain biotite.
144-146: Equigranular biotite +/- hornblende granodiorite with large zones of phyllic alteration.
146-147: Quartz monzonite with stringers of py (5%) and possibly trace mo (2%).
147-149: Same granodiorite as above
149-150: Aplitic dyke with stringers of py (2%), trace disseminated apy(0.1%) and trace mo (0.5%).
150-188: Granodiorite containing metasedimentary xenoliths; strongly phyllically altered in zones. Cut by aplitic dykes.
188-195: Schist xenolith with abundant hydrothermal alteration and trace py (1%).
195-201: Hornblende +/- biotite granodiorite with xenoliths of schist containing trace py (1%).
200.65 EOH



DRILL LOG

Project: Longline

Hole ID: LON10-02

Downhole surveys:

Depth	Dip	Azimuth
0.00	-60.00	270.00
200.65	-60.00	270.00

Hole ID: LON10-02

Project: Longline				Hole Number: LON10-02																				
From	To	Rocktype	& Description	ser	crb	mus	fer	chl	sil	po	ap	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
0.00	1.75	CAS																						
1.75	5.20	GRDR	Highly fractured and altered granodiorite. Extensive iron-carbonate alteration that overprints primary textures.												1.75	3.00	1.25	E858625	0.01	0.30	19.00	11	27	
			« pervasive crb 2.00*»												3.00	4.50	1.50	E858626	0.01	0.20	11.00	8	24	
			« pervasive (iron-carboate) fer 2.00*»																					
			< @ 0.75 Randomly oriented fractures throughout Fr 4.45 >																					
5.20	14.88	GRDR	Hornblende +/-biotite porphyritic (quartz) granodiorite. Patchy zones of intense iron +/- carbonate alteration associated with fractures. Infrequent mm scale quartz veinlets that cross-cut each other and occur at variable orientations.												4.50	6.00	1.50	E858627	0.01	0.20	3.00	5	49	
			« in select zones fer 2.00*»												6.00	7.50	1.50	E858628	0.01	0.20	2.00	5	40	
			« weak, associated with fer crb 1.00*»												7.50	9.00	1.50	E858629	0.01	0.30	15.00	11	29	
			< @ 5.20 sporadic throughout Fr 9.68m >												9.00	10.50	1.50	E858630	0.01	0.50	24.00	30	36	
14.88	16.00	MAFC dk	Fine grain, heavily chlorite altered mafic dyke with wispy iron alteration throughout.												10.50	12.00	1.50	E858631	0.02	0.60	318.00	12	42	
			« fer 1.00*»												12.00	13.50	1.50	E858632	0.01	0.20	11.00	7	34	
			« pervasive chl 2.00*»																					
16.00	21.23	GRDR	Biotite +/- hornblende granodiorite with abundant xenoliths (15%) of biotite rich metasediments with poorly defined boundaries. Iron oxide staining associated with fractures.												13.50	15.00	1.50	E858633	0.10	0.60	136.00	11	38	
			« associated with fractures fer 2.00*»												15.00	16.50	1.50	E858634	0.01	0.40	31.00	14	70	
			« 19.26- 21.23 bleached and silicified sil 2.00* 2.07m»																					
21.23	21.87	MAFC dk	Biotite dominate mafic dyke with minor chlorite alteration.												16.50	18.00	1.50	E858635	0.01	0.30	302.00	10	49	
															18.00	19.50	1.50	E858636	0.01	0.20	26.00	5	36	
															19.50	21.00	1.50	E858637	0.01	0.20	19.00	8	29	
															21.00	22.50	1.50	E858638	0.01	0.20	2.00	4	93	
2010/11/16 Equity Exploration Ltd.				* depth component not to scale										* Samples with duplicate ranges are QA/QC samples and have no associated assays										Page 1 of 14

Project: Longline														Hole Number: LON10-02									
From	To	Rocktype	& Description	ser	crb	mus	fer	chl	sil	py	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
< @ 21.23 con 50.00° >																							
« veinlets in mafic dyke chl 1.00*»																							
21.87	28.50	GRDR												22.50	24.00	1.50	E858639	0.01	0.30	5.00	10	42	
Hornblende +/- biotite granodiorite with xenoliths (10%) of biotite rich metasediments. The upper part of this section is silicified.														24.00	25.50	1.50	E858640	0.01	0.20	3.00	5	37	
« 21.87- 25.00 sil 2.00*»														25.50	27.00	1.50	E858641	0.01	0.20	2.00	4	34	
« sporadic, along fracture surfaces fer 1.00*»														27.00	28.50	1.50	E858642	0.01	0.20	2.00	11	37	
« 21.87- 28.50 alteration of biotite throughout the grd chl 1.00*»																							
28.50	30.91	GRDR												28.50	30.00	1.50	E858643	0.01	0.20	111.00	20	34	
Highly fractured granodiorite with abundant iron oxide alteration.														30.00	31.50	1.50	E858644	0.01	0.20	5.00	8	27	
< @ 28.50 abundant, randomly oriented Fr 2.41m >																							
« abundant throughout fer 2.00*»																							
« lim 1.00*»																							
30.91	41.82	GRDR												31.50	33.00	1.50	E858645	0.01	0.20	3.00	7	25	
Biotite +/- hornblende granodiorite with discrete zones of iron alteration, minor quartz veining and trace pyrite. The unit contains sparse cm scale xenoliths of metasediments (5%).														33.00	34.50	1.50	E858646	0.01	0.20	17.00	9	28	
« 34.00- 35.50 pervasive though dominate along fractures fer 1.00*»														34.50	36.00	1.50	E858647	0.01	0.20	2.00	7	34	
« 39.81- 40.30 fer 1.00*»														36.00	37.50	1.50	E858648	0.01	0.20	2.00	7	36	
« extensive alteration of feldspar sme 2.00*»														37.50	39.00	1.50	E858649	0.01	0.20	2.00	6	36	
< @ 37.30 Quartz and siderite vein with large books of muscovite V 35.00° 15.00cm >														39.00	40.50	1.50	E858650	0.01	0.20	12.00	7	31	
< @ 33.95 randomly oriented fractures Fr 41.00cm >																							
« fine, disemiated throughout Pyrite 1.00%»																							
41.82	42.63	GRDR												40.50	42.00	1.50	E858651	0.01	0.20	3.00	7	32	
Heavily iron-carbonate altered and fractured granodiorite.														42.00	43.50	1.50	E858652	0.01	0.30	2.00	16	29	
« pervasive iron carbonate crb 2.00*»																							
« pervasive iron-carbonate fer 3.00*»																							
< @ 41.82 abundant fractures nearly // to core axis Fr 5.00° 81.00cm >														43.50	45.00	1.50	E858653	0.01	0.20	2.00	8	36	
42.63	46.81	GRDR												45.00	46.50	1.50	E858654	0.01	0.20	2.00	7	28	
Granodiorite cut by a diorite dyke. The top of the section has moderate																							

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 2 of 14

Project: Longline														Hole Number:		LON10-02									
From	To	Rocktype	& Description	ser	crb	mus	fer	chl	sil	bo	apy	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm		
iron-carbonate alteration.																									
« 42.63- 43.90 moderate iron carbonate alteration fer 1.00*»																									
« moderate iron-carbonate alteration crb 1.00*»																									
« 42.63- 46.81 alteration of feldspar sme 1.00*»																									
« 44.67- 45.00 medium grain diorite with trace pyrite dyke 50.00*»																									
« alteration of biotite within the groundmass chl 1.00*»																									
46.81	47.80	GRDR																							
Highly clay and iron oxide altered section of granodiorite.																									
« pervasive fer 2.00*»																									
« intense alteration of feldspar sme 2.00*»																									
< @ 46.81 moderately fractured, randomly oriented Fr 99.00cm >																									
47.80	55.42	GRDR																							
Granodiorite with abundant silica alteration and mm scale quartz veining.																									
Feldspar is variably altered to smectite or sericite. Biotite is altered to chlorite and there are zones with abundant secondary muscovite. Pervasive iron-oxide staining occurs with varying intensity throughout. Trace disseminated arsenopyrite throughout.																									
« feldspar alteration ser 1.00*»																									
« feldspar alteration sme 1.00*»																									
« biotite alteration and minor pervasive chl 2.00*»																									
« zones with pervasive silica alteration sil 1.00*»																									
« secondary, some in quartz veins mus 1.00»																									
« in discrete zones, focused along fractures fer 2.00*»																									
< @ 53.95 Quartz vein parallel to core axis (~3thick) V 2.00° 86.00cm>																									
« fine, disseminated apy 0.10%»																									
55.42	56.54	DIOR																							
Fine grain diorite dyke(?) with minor sericite alteration and trace arsenopyrite. Trace pyrite occurs in the lower portion of the dyke along undulating quartz micro-veinlets that are roughly parallel to core axis.																									
« pervasive ser 1.00*»																									
« diorite dyke 60°»																									

2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 4 of 14

Project: Longline				Hole Number: LON10-02																				
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	py	apy	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm		
« mus 1.00»																								
« sil 2.00»																								
« 74.58- 75.18 patch of alteration ser 2.00»																								
« mus 1.00»																								
« fine stringers chl 1.00»																								
« sil 2.00»																								
« 65.48- 65.53 disseminated, visible along fracture surface mol 0.10%»																								
« 65.48- 65.53 large blebs along fracture surface apy 15.00%»																								
« coarse disseminated Pyrite 5.00%»																								
« 65.53- 78.84 disseminated throughout apy 1.00%»																								
« disseminated throughout Pyrite 2.0»																								
78.84 84.37 GRDR														77.50	79.00	1.50	E858679	0.01	0.20	2.00	5	42		
Highly phyllic (sericite and smectite) and iron altered granodiorite. Feldspar altered to sericite and smectite. Iron staining throughout. Though sulphides aren't visible there is likely mineralization in this highly fluid altered section.														79.00	80.50	1.50	E858680	0.01	0.20	21.00	9	31		
														80.50	82.00	1.50	E858681	0.01	0.20	5.00	8	43		
														80.50	82.00	1.50	E858682							
														82.00	83.50	1.50	E858683	0.04	0.80	13.00	139	94		
« feldspar alteration sme 3.00»																								
« ser 2.00»																								
« pervasive fer 2.00»																								
« throughout mus 1.00»																								
84.37 85.46 GRDR																								
Granodiorite with xenoliths of schist. There are very fine strings of clay alteration and moderate silica alteration throughout. Trace arsenopyrite with lesser pyrite occur throughout.																								
« minor alteration of feldspar in limited zones sme 1.00»																								
« pervasive sil 1.00»																								
« occurs with clay alteration fer 1.00»																								
« apy 0.50%»																								
« Pyrite 0.50%»																								
85.46 87.08 GRDR																								
Granodiorite with zones of extensive clay alteration and a rusty quartz vein.																								
< @ 85.46 Quartz with abundant iron oxide staining V 85.00° 30.00cm >																								

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 5 of 14

Project: Longline				Hole Number: LON10-02																			
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	po	apy	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« 86.45- 87.08 alteration of feldspar sme 2.00*»																							
« abundant iron oxide staining fer 2.00*»																							
87.08	90.58	GRDR																					
Relatively unaltered medium grained biotite, hornblende granodiorite with several 2-8cm wide bleached bands forming halos around mm scale quartz veinlets.																							
90.58	93.54	GRDR																					
Silica flooded, bleached granodiorite. Sericite>chlorite alteration overprinted with silica alteration. Iron oxide alteration along fracture surfaces. Trace disseminated arsenopyrite.																							
« alteration of feldspar and pervasive in zones ser 2.00*»																							
« chl 1.00*»																							
« alteration of feldspar in limited zones sme 1.00*»																							
« pervasive sil 3.00*»																							
« along fracture surfaces fer 1.00*»																							
« apy 0.10%»																							
93.54	102.27	GRDR																					
Coarse grain biotite +/- hornblende granodiorite with a pegmatitic quartz monzonite dyke. Intermittent zones of phyllic (sericite +/- smectite) alteration with silicification laterally from fine quartz veinlets creates wide alteration zones around the veinlets.																							
« 97.13- 97.28 pegmatitic quartz monzonite dyke 40.00°																							
« 97.65- 97.78 alteration surrounding quartz veinlet ser 2.00*»																							
« alteration of feldspar sme 1.00*»																							
« sil 2.00*»																							
< @ 97.68 quartz V 35.00° 2.00mm >																							
« 98.70- 98.85 pervasive alteration surrounding quartz veinlet ser 2.00*»																							
« sme 1.00*»																							
« sil 2.00*»																							
< @ 100.88 quartz V 35.00° 3.00mm >																							
« 100.83- 100.91 ser 2.00*»																							
« sme 1.00*»																							
« fer 1.00*»																							

Project: Longline																							Hole Number:		LON10-02					
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	po	apb	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm							
			« sil 1.00*»																											
			< @ 101.42 quartz V 60.00° 1.00cm >																											
			« pervasive ser 2.00*»																											
			« feldspar sme 1.00*»																											
			« 101.36- 101.61 fer 1.00*»																											
			« sil 2.00*»																											
102.27	108.11	GRDR																												
			Fault zone. Highly phyllic altered granodiorite, extensive sericite, smectite alteration and iron oxide staining.																											
			« feldspar and pervasive sme 3.00*»																											
			« pervasive ser 2.00*»																											
			« fer 2.00*»																											
			< @ 102.67 70% gouge, randomly oriented fractures Ft 5.08m >																											
108.11	109.87	GRDR																												
			Same granodiorite with abundant pervasive sericite alteration creating zones and stringers with a bleached appearance.																											
			« 108.20- 108.28 pervasive surrounding a quartz veinlet ser 3.00*»																											
			< @ 108.24 quartz veinlet V 3.00mm >																											
			< @ 109.49 quartz V 2.00mm >																											
			« 109.44- 109.53 surrounding quartz veinlet ser 3.00*»																											
109.87	110.71	GRDR																												
			Same granodiorite with abundant smectite alteration of feldspar and moderate iron oxide staining.																											
			« feldspar alteration sme 3.00*»																											
			« focused along fracture surfaces fer 2.00*»																											
110.71	111.77	GRDR																												
			Same granodiorite however with abundant zones of pervasive alteration, presumably associated with quartz veinlets though few are visible.																											
			« 111.38- 111.77 pervasive, surrounding a mm scale quartz vein ser »																											
			< @ 111.54 quartz V 50.00° 6.00mm >																											
111.77	113.97	GRDR																												

Project: Longline														Hole Number: LON10-02									
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	chl	po	ap	by	mnt	mg	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
			Same granodiorite as above with xenoliths of biotite rich schist.												111.00	112.50	1.50	E858705	0.01	0.20	2.00	5	45
			< @ 113.24 quartz V 50.00° 2.00mm >												112.50	114.00	1.50	E858706	0.01	0.20	2.00	3	43
			« 113.22- 113.30 pervasive, surrounding quartz vein ser »																				
113.97	115.86	GRDR																					
			Same granodiorite with abundant smectite alteration of feldspar, pervasive sericite alteration surrounding mm scale quartz veins and moderate iron oxide staining throughout.												114.00	115.50	1.50	E858707	0.01	0.20	9.00	6	37
			« feldspar sme 2.00*»												115.50	117.00	1.50	E858708	0.01	0.20	143.00	6	35
			« pervasive, surrounding quartz veinlets ser 2.00*»												115.50	117.00	1.50	E858709					
			« pervasive fer 2.00*»												115.50	117.00	1.50	E858710					
115.86	119.00	GRDR																					
			Same granodiorite as above with several cm scale zones of sericite alteration surrounding fine quartz veinlets.												117.00	118.50	1.50	E858711	0.01	0.50	14.00	22	65
			« ser 1.00*»																				
119.00	120.03	DIOR																					
			Relatively unaltered porphyritic magnetite +/- biotite diorite plug. Mafic minerals (biotite and hornblende) are altered to magnetite as well there is minor sericite alteration of plagioclase.												118.50	120.00	1.50	E858712	0.01	0.20	6.00	7	70
			« mnt 4.00% 1.00-2.00mm»												120.00	121.50	1.50	E858713	0.01	0.20	2.00	9	42
			« alteration of plagioclase ser 3.00* 1.00-2.00mm																				
			< @ 119.00 blurred upper contact con 60.00° >																				
			« disseminated Pyrite 2.00%»																				
120.03	132.88	GRDR													121.50	123.00	1.50	E858714	0.01	0.20	4.00	5	38
			Course grained magnetite, hornblende, biotite granodiorite. Blots of magnetite are overprinting hornblende and some quartz crystals. Biotite is undergoing chlorite alteration and plagioclase is being altered to sericite. There are several zones of significant phyllite alteration with sericite and chlorite alteration surrounding fine quartz veins.												123.00	124.50	1.50	E858715	0.01	0.20	2.00	8	39
															124.50	126.00	1.50	E858716	0.01	0.20	2.00	11	61
															126.00	127.50	1.50	E858717	0.01	0.20	34.00	6	53
															127.50	129.00	1.50	E858718	0.01	0.20	3.00	6	63
															129.00	130.50	1.50	E858719	0.01	0.20	3.00	2	52

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 8 of 14

Project: Longline															Hole Number: LON10-02									
From	To	Rocktype	& Description	ser	cpo	mus	fer	chl	sil	po	py	by	mnt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
< @ 124.52 quartz V 60.00° 5.00mm >															130.50	132.00	1.50	E858720	0.01	0.20	2.00	2	66	
« 124.40- 124.62 pervasive surrounding quartz vein ser 3.00* »																								
« pervasive chl 2.00*»																								
< @ 126.34 quartz V 70.00° 1.00cm >																								
« 126.14- 126.46 pervasive surrounding quartz vein ser 2.00*»																								
« pervasive surrounding quartz vein chl 2.00*»																								
« focused along fractures fer 2.00*»																								
« 128.48- 128.97 low angle aplite dyke dyke 15.00° 4.00cm»																								
« blots of magnetite overprinting hornblende and quartz mnt 3.00* 4.00-20.00mm»																								
« 120.03- 132.88 felspar alteration ser 2.00*»																								
« trace disseminated throughout Pyrite 1.00%»																								
132.88	134.53	APLT																						
Medium grain aplite dyke with fine grain biotite and indistinct borders.																								
134.53	136.45	DIOR																						
															132.00	133.50	1.50	E858721	0.01	0.30	3.00	7	59	
															132.00	133.50	1.50	E858722						
															133.50	135.00	1.50	E858723	0.01	0.20	3.00	6	24	
															135.00	136.50	1.50	E858724	0.01	0.20	2.00	3	47	
Fine grain diorite with abundant biotite and silicification.																								
« pervasive sil 2.00*»																								
« plagioclase alteration ser 1.00*»																								
« trace disseminated Pyrite 0.50%»																								
136.45	142.13	DIOR													136.50	138.00	1.50	E858725	0.01	0.20	2.00	3	41	
Diorite/Granodiorite with abundant fine grain biotite and abundant hydrothermal alteration overprinting primary textures. Silica alteration is pervasive.															138.00	139.50	1.50	E858726	0.01	0.20	2.00	4	40	
															139.50	141.00	1.50	E858727	0.01	0.30	24.00	8	45	
« sil 3.00*»																								
« 139.84- 140.32 pervasive ser 2.00*»																								
« altering plagioclase sme 1.00*»																								
« fer 1.00*»																								
142.13	143.55	APLT																						
															141.00	142.50	1.50	E858728	0.01	0.20	137.00	7	50	
															141.00	142.50	1.50	E858729						
															141.00	142.50	1.50	E858730						
															142.50	144.00	1.50	E858731	0.01	0.20	3.00	7	42	
Fine grain aplite dykes (70%) with sparse biotite and lesser fine grain diorite																								

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 9 of 14

Project: Longline														Hole Number:		LON10-02								
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	chl	po	py	py	mnt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
(30%).																								
< @ 142.13 chilled margin con 25.00° >																								
« 142.13- 142.43 aplite dyke 25.00°»																								
« 142.13- 142.43 altering feldspar in aplite dyke ser 2.00°»																								
« aplite dyke 50.00°»																								
« 143.05- 143.55 altering feldspar in aplite dyke ser 2»																								
143.55 146.25 GRDR															144.00	145.50	1.50	E858732	0.01	1.50	5.00	34	47	
Equigranular biotite +/- hornblende granodiorite with a large zone of phyllic alteration.																								
« pervasive ser 3.00°»																								
« 144.21- 144.76 fer 1.00°»																								
146.25 147.07 MNZT																								
Pink-cream quartz monzonite dyke with stringers and one blot of pyrite with lesser molybdenite (softer than arsenopyrite).																								
« Pyrite 5.00%»																								
« mol 2.00%»																								
147.07 148.74 GRDR																								
Same as previous granodiorite with very fine cross-cutting quartz veinlets with lateral phyllic (chlorite) alteration.																								
« forming 2cm halo around mm scale quartz veinlets chl 1.00°»																								
148.74 150.03 APLT															145.50	147.00	1.50	E858733	0.01	0.20	2.00	7	32	
Aplite dyk with specks of hematite and fine blebs and stringers of pyrite and molybdenite (?) with possible trace arsenopyrite.															147.00	148.50	1.50	E858734	0.01	0.20	3.00	4	44	
« aplite dyke 45.00°»															148.50	150.00	1.50	E858735	0.01	0.50	13.00	17	31	
« blebs throughout chl 2.00°»															150.00	151.50	1.50	E858736	0.01	1.40	9.00	45	24	
« throughout fer 1.00°»																								
« fine specks, smear red hem 1.00°»																								
2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 10 of 14																								

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 11 of 14

Project: Longline															Hole Number: LON10-02								
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	po	apy	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
			Aplite dyke with sparse, fine grained biotite.												162.00	163.50	1.50	E858745	0.01	0.20	2.00	4	35
															163.50	165.00	1.50	E858746	0.01	0.20	3.00	8	34
			« pervasive ser 1.00*»																				
164.04	170.20	GRDR													165.00	166.50	1.50	E858747	0.01	0.20	2.00	4	34
			Porphyritic granodiorite with zones of abundant phyllic alteration and xenoliths of schist.												166.50	168.00	1.50	E858748	0.03	0.50	132.00	72	70
															166.50	168.00	1.50	E858749					
			< @ 164.09 quartz V 70.00° 3.00mm >												166.50	168.00	1.50	E858750					
			« 164.04- 164.22 pervasive associated with quart veinlet ser 2.00* »												168.00	169.50	1.50	E858751	0.01	0.90	136.00	59	110
			« pervasive chl 2.00*»																				
			« 166.44- 166.83 alteration of feldspar sme 1.00*»																				
			« along fractures fer 1.00*»																				
			« 165.48- 168.81 silica flooding sil 2.00*»																				
			« 164.04- 170.20 pervasive within schist xenoliths mus 2.00»																				
170.20	171.13	APLT																					
			Pink-cream aplite dyk with fine grain biotite and sparse, fine, hematite.												169.50	171.00	1.50	E858752	0.01	0.60	7.00	18	31
															171.00	172.50	1.50	E858753	0.01	0.70	13.00	73	49
			« aplite dyke 60.00*»																				
			« along fractures sme 1.00*»																				
			« sparse fine grain hem 1.00%»																				
			« fine blebs apy 0.50%»																				
171.13	176.79	GRDR													172.50	174.00	1.50	E858754	0.01	0.20	2.00	11	32
			Course grain , equigranular granodiorite with zones of phyllic alteration and silica flooding. Trace pyrite occurs as fine stringers.												174.00	175.50	1.50	E858755	0.01	0.50	2.00	18	21
			« 172.24- 172.60 pervasive ser 2.00*»																				
			« pervasive chl 2.00*»																				
			« of feldspar sme 1.00*»																				
			« 174.75- 176.20 pervasive ser 2.00*»																				
			« pervasive chl 3.00*»																				
			« 171.13- 176.79 fine stringers throughout Pyrite 0.50%»																				
176.79	184.69	APLT													175.50	177.00	1.50	E858756	0.01	0.20	2.00	9	19
			Tan colored aplite dyke (80%) and lesser silicified granodiorite (20%), both with phyllic alteration. Small blebs of pyrite within the aplite dyke, possibly												177.00	178.50	1.50	E858757	0.01	5.00	36.00	79	95
															178.50	180.00	1.50	E858758	0.01	1.20	9.00	54	92
															180.00	181.50	1.50	E858759	0.01	1.60	8.00	60	134

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 12 of 14

2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 13 of 14

2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 14 of 14



DRILL LOG

Project: Longline	Collar Elevation (m): 1200.0
Hole LON10-03	Azimuth (°): 270
Location: 7000878 m North 501100 m East	Dip (°): -50.0
Logged by: D. Swanton	Length (m): 172.82
Drilled by: CoreTech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective Explore northern end of quartz boulder train and ascertain the source of soil anomalies on the northern end of the northern anomaly
Date Started: 2010/08/24	
Date Completed: 2010/08/25	
Dip Tests By:	

Summary Log:

1.0 - 13.2 Fractured medium grained biotite-hornblende granodiorite. Fractures are mantled by silica + iron oxide + muscovite/sercite alteration.

13.2 - 16.0 Fine-grained mafic intrusive with minor disseminated pyrite.

16.0 - 32.3 Magnetite-rich granodiorite. Fractures are mantled by sericite, iron oxide and silica alteration.

32.3 - 35.3 Fine-grained diorite transitional to the surrounding granodiorite

35.3 - 55.0 Fractured magnetite-bearing granodiorite. Fractures are mantled by silica, iron oxide and sericite alteration.

55.0 - 90.0 Competent magnetite-rich granodiorite cut by small quartz veins surrounded by silica and/or sericite selvages.

90.0 - 92.0 Fine-grained aplite with minor biotite.

92.0 - 97.0 Magnetite-rich granodiorite with a few zones of almost entirely assimilated xenoliths. Fractures are more common than in the unit directly above, but are mantled by the same alteration halos. In this unit, the halos contain up to 2% blebby pyrite.

97.0 - 122.5 Competent magnetite-rich granodiorite with abundant small quartz/carbonate veins mantled by the same alteration pattern as in the rest of the hole, except containing up to 2% pyrite.

122.5 - 125.5 Fine to medium-grained diorite cut by carbonate veinlets.

125.5 - 172.82 Granodiorite grading locally to monzogranite. Competency increases with depth. Alteration surrounding quartz veins and fractures is similar to that in the rest of the hole.

172.82 End of Hole



DRILL LOG

Project: Longline

Hole ID: LON10-03

Downhole surveys:

Depth	Dip	Azimuth
0.00	-50.00	270.00
172.82	-50.00	270.00

Hole ID: LON10-03

Project: Longline															Hole Number: LON10-03								
From	To	Rocktype	& Description	ser	crp	mus	fer	chl	sil	po	ap	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
0.00	1.00	CAS																					
Casing															0.50	2.00	1.50	E858776	0.01	0.20	20.00	9	87
1.00	13.20	GRDR													2.00	3.50	1.50	E858777	0.01	0.20	15.00	5	41
Medium grained biotite-hornblende granodiorite. Fractures are generally mantled by silica+iron oxide+muscovite/sercite alteration.															3.50	5.00	1.50	E858778	0.01	0.20	18.00	4	46
< @ 3.20 Fr 45.00° >															5.00	6.50	1.50	E858779	0.01	0.20	14.00	5	47
« 3.14- 3.23 ser 1.00*»															6.50	8.00	1.50	E858780	0.01	0.60	45.00	10	36
« sil 1.00*»															8.00	9.50	1.50	E858781	0.01	0.20	6.00	6	48
« fer 2.00*»															8.00	9.50	1.50	E858782					
« 3.58- 3.64 sil 2.00*»															9.50	11.00	1.50	E858783	0.01	0.70	127.00	33	37
« fer 2.00*»															11.00	12.50	1.50	E858784	0.01	0.20	102.00	5	40
« 3.95- 4.05 ser 2.00*»																							
« fer 2.00*»																							
« sil 1.00*»																							
< @ 4.05 fine-grained black mineral V 40.00° 5.00mm >																							
< @ 5.18 Fr 40.00° >																							
« 5.15- 5.25 fer 2.00*»																							
< @ 6.20 Fr 50.00° >																							
« 6.10- 6.25 sil 1.00*»																							
« fer 2.00*»																							
< @ 6.53 quartz V 60.00° 10.00mm >																							
< @ 7.50 Fr 60.00° >																							
« 10.50- 10.60 fer 2.00*»																							
« 10.45- 10.55 sil 2.00*»																							
« 9.75- 10.35 sil 3.00*»																							
« fer 1.00*»																							
« ser 1.00*»																							
< @ 10.10 vuggy quartz V 60.00° 20.00mm >																							
« 11.84- 11.93 fer 2.00*»																							
« ser 2.00*»																							
< @ 11.88 vuggy quartz V 60.00° 5.00mm >																							
13.20	16.00	MAFC dk													12.50	14.00	1.50	E858785	0.01	0.20	2.00	4	45
Fine-grained mafic intrusive with minor disseminated pyrite															14.00	15.50	1.50	E858786	0.01	0.20	2.00	4	38
16.00	32.30	GRDR													15.50	17.00	1.50	E858787	0.01	0.20	12.00	4	57
Magnetite-rich granodiorite. Fractures are mantled by sericite, iron oxide															17.00	18.50	1.50	E858788	0.01	0.20	2.00	3	42
															17.00	18.50	1.50	E858789					

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 1 of 7

Project: Longline

Hole Number: LON10-03

From	To	Rocktype	& Description	ser	crb	mus	fer	chl	sil	po	py	by	mt	mg	znc	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
			and silica alteration													17.00	18.50	1.50	E858790					
			« 17.10- 17.70 fer 2.00*»													18.50	20.00	1.50	E858791	0.03	0.20	168.00	9	38
			« crb 1.00*»													20.00	21.50	1.50	E858792	0.01	0.20	2.00	6	49
			« 19.10- 19.80 ser 2.00*»													21.50	23.00	1.50	E858793	0.01	0.20	5.00	7	42
			« fer 2.00*»													23.00	24.50	1.50	E858794	0.01	0.20	9.00	6	41
			< @ 19.20 Fr 50.00° >													24.50	26.00	1.50	E858795	0.01	0.20	2.00	5	47
			< @ 21.35 iron carbonate V 30.00° 2.00mm >													26.00	27.50	1.50	E858796	0.01	0.20	10.00	6	34
			< @ 22.00 iron carbonate V 10.00° 1.00mm >													27.50	29.00	1.50	E858797	0.01	0.20	146.00	6	38
			« 22.00- 22.50 iron carbonate concentrated around fractures/small veinlets crb 1.00*»													29.00	30.50	1.50	E858798	0.01	0.20	2.00	6	41
			« 22.60- 23.20 sil 2.00*»													30.50	32.00	1.50	E858799	0.01	0.20	2.00	6	41
			< @ 23.00 Fr 50.00° >																					
			« 22.95- 23.10 ser 3.00*»																					
			< @ 23.65 quartz V 60.00° 10.00mm >																					
			« 23.50- 23.70 sil 2.00*»																					
			< @ 26.70 Fr 45.00° >																					
			« 26.63- 26.71 white mica surrounding fracture ser 2.00*»																					
			« 26.60- 26.74 sil 3.00*»																					
			« 27.25- 27.45 aplite w/ pyrite and biotite/chlorite dyke 45.00° 200.00mm»																					
			« Pyrite 1.00%»																					
			< @ 28.40 Fr 50.00° >																					
			« 28.37- 28.41 mica and iron alteration surrounding fracture ser 2.00*»																					
			« fer 2.00*»																					
			« mt 2.00%»																					
32.30	35.30	DIOR														32.00	33.50	1.50	E858800	0.01	0.20	2.00	4	71
			Fine grained diorite - likely part of same intrusion as granodiorite													33.50	35.00	1.50	E858801	0.01	0.20	2.00	3	49
			« 34.67- 34.80 aplite with chlorite dyke 70.00°»													33.50	35.00	1.50	E858802					
																35.00	36.50	1.50	E858803	0.01	0.20	5.00	5	43
35.30	55.00	GRDR																						
			Magnetite-bearing granodiorite with a moderate degree of fracturing. Fracture zones are generally altered by silica, iron oxide and sericite. 46 - 49.5 m is a fracture zone with widespread carbonate, iron, silica and sericite alteration													36.50	38.00	1.50	E858804	0.01	0.20	5.00	4	35
			« 37.66- 37.86 magnetic schist w/ pyrite xlt 200.00mm»													38.00	39.50	1.50	E858805	0.01	0.20	2.00	5	27
																39.50	41.00	1.50	E858806	0.01	0.20	9.00	2	47
																41.00	42.50	1.50	E858807	0.01	0.20	11.00	5	27
																42.50	44.00	1.50	E858808	0.01	0.20	38.00	13	24
																42.50	44.00	1.50	E858809					
																42.50	44.00	1.50	E858810					

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 3 of 7

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 4 of 7

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 5 of 7

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 6 of 7

2010/10/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 7 of 7



DRILL LOG

Project: Longline	Collar Elevation (m): 1105.0
Hole LON10-04	Azimuth (°): 250
Location: 7000210 m North 500544 m East	Dip (°): -45.0
Logged by: M. McKeown	Length (m): 251.76
Drilled by: CoreTech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective To investigate the N-S oriented contrast from magnetic high to low and intercept the source of E-W trending Sb soil anomalies.
Date Started: 2010/08/26	
Date Completed: 2010/09/03	
Dip Tests By:	

Summary Log:

4-9: Faulted, highly phyllic altered granodiorite.
9-30: Hornblende+/- biotite grd with zones of pervasive chlorite+/-sericite alt.
30-35: Fault zone within the granodiorite, ~30% fault gouge.
35-88: Horn+/-bio+/-mnt grd with ser alt, a 6cm vein of bx apy(65%) and a 4cm wide vein of apy(65%).
88-89: Grd with a 10cm apy (20%) rich quartz vein @88.56m.
89-110: Same grd with minor sericite alteration and lesser magnetic diorite.
110-115: Highly fractured, phyllic altered grd and mafic dyke.
115-123: Fault zone within extremely altered metaseds and mafic dyke.
123-130: Metasedimentary unit.
130-132: Mafic dyke with minor carbonate specs.
132-151: Same grd with moderate to abundant Fe-carb alteration.
151-153: Grd with a 4cm apy (15%) and gln (%) bearing quartz vein.
153-166: Grd with 4cm apy(20%) bearing Qtz vein & 10cm apy(15%), gln (2%),po(4%) bearing Qtz vein.
166-175: Grd with 4cm apy(5%) bearing Qtz vein and 2cm zone with apy(10%), py(4%).
175-181: Grd with a 2cm wide zone with coarse apy(10%) and py(4%).
181-194: Fine grain mafic dyke.
194-197: Chl and carb alt grd with 8cm wide apy(1%) and py(4%) bearing Qtz vein.
197-209: Fine grain mafic dyke.
209-231: Chl and carb alt grd with 30cm apy(7%) and po (1%) bearing Qtz-bio(?) vein.
231-243: Same grd with Fe-carb alteration near contact with dyke.
243-246: Fine grain mafic dyke.
246-252: Same grd unit with minor sericite alteration of feldspar.



DRILL LOG

Project: Longline

Hole ID: LON10-04

Downhole surveys:

Depth	Dip	Azimuth
0.00	-45.00	250.00
251.76	-45.00	250.00

Hole ID: LON10-04

Project: Longline															Hole Number: LON10-04																																																											
From	To	Rocktype	& Description	ser	cp	mus	ser	chl	sil	po	apy	by	mnt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm																																																			
0.00	3.50	CAS																																																																								
3.50	8.76	GRDR	Fault zone. Highly fractured and hydrothermally altered granodiorite. Extreme phyllic (sericite+chlorite+/-smectite) alteration overprints primary textures. Possible trace apy.												3.50	5.00	1.50	E858912	0.01	0.20	12.00	4	49																																																			
															5.00	6.50	1.50	E858913	0.01	0.20	12.00	4	57																																																			
															6.50	8.00	1.50	E858914	0.01	0.80	90.00	77	83																																																			
			< @ 3.50 Highly fractured, mostly randomly oriented. Ft 60.00° 5.26m >																																																																							
			« pervasive ser 2.00*»																																																																							
			« sme 2.00*»																																																																							
			« chl 3.00*»																																																																							
			« trace apy 0.10%»																																																																							
8.76	17.25	GRDR	Hornblende +/- biotite granodiorite with bleached zones and zones of strong phyllic alteration. There are two highly magnetic zones with strong chlorite alteration.												8.00	9.50	1.50	E858915	0.01	0.30	29.00	14	80																																																			
															9.50	11.00	1.50	E858916	0.01	0.30	4.00	5	71																																																			
															11.00	12.50	1.50	E858917	0.01	0.20	3.00	2	31																																																			
															12.50	14.00	1.50	E858918	0.01	0.20	2.00	2	26																																																			
															14.00	15.50	1.50	E858919	0.01	0.20	5.00	3	49																																																			
															15.50	17.00	1.50	E858920	0.01	0.20	10.00	5	58																																																			
			< @ 10.20 small brecciated zone with abundant silica alteration Vbx 60.00° >																																																																							
			« 8.81 - 9.18 highly magnetic zone mnt 6.00%»																																																																							
			« 8.81 - 10.36 pervasive chl 2.00*»																																																																							
			« alteration of feldspar sme 2.00*»																																																																							
			« 11.82 - 14.07 pervasive (bleached zone) ser 2.00*»																																																																							
			« pervasive sil 2.00*»																																																																							
			« 15.06 - 15.19 highly magnetic alteration zone mnt 6.00%»																																																																							
			« pervasive chl 3.00*»																																																																							
			« 16.00 - 16.50 of feldspar sme 2.00*»																																																																							
			« chl 2.00*»																																																																							
17.25	30.10	GRDR	Hornblende +/- biotite granodiorite with zones of pervasive chlorite alteration.												17.00	18.50	1.50	E858921	0.02	0.50	938.00	16	177																																																			
															17.00	18.50	1.50	E858922																																																								
															18.50	20.00	1.50	E858923	0.01	0.40	40.00	17	82																																																			
															20.00	21.50	1.50	E858924	0.02	0.50	169.00	11	71																																																			
															21.50	23.00	1.50	E858925	0.01	0.20	27.00	6	54																																																			
															23.00	24.50	1.50	E858926	0.01	0.20	33.00	8	57																																																			
															24.50	26.00	1.50	E858927	0.01	0.20	62.00	3	57																																																			
															26.00	27.50	1.50	E858928	0.01	2.30	57.00	30	158																																																			
															26.00	27.50	1.50	E858929																																																								
2010/11/16															Equity Exploration Ltd.															* depth component not to scale															* Samples with duplicate ranges are QA/QC samples and have no associated assays															Page 1 of 17														

Project: Longline															Hole Number: LON10-04									
From	To	Rocktype	& Description	ser	crp	mus	fer	chl	sil	po	apy	by	mnt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
« staining along fracture surfaces fer 1.00*»																26.00	27.50	1.50	E858930					
« 20.85- 22.00 alteration of feldspar ser 2.00*»																27.50	29.00	1.50	E858931	0.01	0.20	35.00	7	57
< @ 21.65 Quartz vein with biotite along salvages V 25.00° 5.00cm >																								
« 20.10- 20.25 pervasive chl 2.00*»																								
< @ 29.27 quartz with biotite along salvages V 88.00° 3.00cm >																								
« 29.50- 30.10 pervasive sil 2.00*»																								
30.10	35.44	GRDR	Fault zone within the same granodiorite unit with ~30% fault gouge. Abundant phyllic alteration throughout and silica alteration within the top of the section. Randomly oriented fractures with moderate iron-oxide alteration along fracture surfaces.												29.00	30.50	1.50	E858932	0.01	0.30	35.00	18	41	
															30.50	32.00	1.50	E858933	0.11	4.20	4210.00	165	65	
															32.00	33.50	1.50	E858934	0.01	0.20	48.00	2	59	
< @ 30.14 40% gouge, randomly oriented fractures Ft 1.36m >																								
< @ 34.05 50% gouge, abundant randomly oriented fractures Ft 1.35m >																								
« 30.10- 30.50 pervasive sil 2.00*»																								
« staining along fracture surfaces fer 1.00*»																								
« alteration of feldspar ser 1.00*»																								
35.44	37.63	GRDR	Granodiorite(70%) with lesser, highly magnetic diorite (30%) dykes or xenoliths(?).												33.50	35.50	2.00	E858935	0.01	0.20	69.00	7	70	
															35.50	36.88	1.38	E858936	0.01	0.20	25.00	5	66	
															36.88	37.63	0.75	E858937	0.01	0.20	9.00	2	50	
« 36.04- 36.25 highly magnetic diorite dyke 40.00*»																								
« 36.04- 36.25 mnt 5.00%»																								
« 35.56- 33.70 highly magnetic diorite dyke 50.00*»																								
« 35.56- 33.70 mnt 5.00%»																								
37.63	38.01	GRDR	Arsenopyrite rich, space filling , fractured quartz vein with highly muscovite altered and fe-oxide stained zones along salvages.												37.63	38.13	0.50	E858938	0.30	2.10	10000.00	96	543	
< @ 37.81 quartz, arsenopyrite, biotite V 25.00° 15.00cm >																								
« mus 2.00»																								
« fer 2.00*																								
« abundant along salvages of quartz vein bio 2.00*»																								
« 37.83- 37.90 large bleb of arsenopyrite within vuggy quartz vein apy 20.00%»																								
38.01	48.30	GRDR	Hornblende +/- biotite granodiorite with lesser more fine grain diorite												38.13	39.00	0.87	E858939	0.01	0.20	15.00	3	54	
															39.00	40.50	1.50	E858940	0.01	0.20	14.00	4	55	

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 2 of 17

Project: Longline															Hole Number: LON10-04								
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	bo	apy	by	mtz	lime	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
xenoliths.				40											40.50	42.00	1.50	E858941	0.01	0.20	23.00	3	56
« 41.72- 42.44 pervasive sil 2.00*»															40.50	42.00	1.50	E858942					
« fer 1.00*»															42.00	43.50	1.50	E858943	0.01	1.20	23.00	106	144
« secondary pyrite Pyrite 2.00%»															43.50	45.00	1.50	E858944	0.01	0.20	7.00	2	59
« along fine veinlets bio 1.00*»															45.00	46.50	1.50	E858945	0.01	0.20	23.00	3	56
« fine specs hem 1.00%»															46.50	48.00	1.50	E858946	0.01	0.20	2.00	2	55
« pervasive mus 2.00»																							
« 42.40- 42.54 aplite dyke 55.00*»																							
48.30	48.82	TONL													48.00	49.50	1.50	E858947	0.01	0.20	18.00	9	51
Fine grain, equigranular tonalite/granodiorite in contact with the more coarse grain granodiorite. Minor bands of chlorite alteration and sericite alteration of plagioclase.																							
< @ 48.30 con 55.00* >																							
« alteration of feldspar ser 2.00*»																							
« several bands of alteration chl 1.00*»																							
48.82	56.69	GRDR													49.50	51.00	1.50	E858948	0.01	0.20	9.00	5	58
Horblende +/- biotite +/- magnetite granodiorite with moderate sericite alteration of feldspar. Pervasive chlorite alteration near the lower portion of the section.															49.50	51.00	1.50	E858949					
															49.50	51.00	1.50	E858950					
															51.00	52.50	1.50	E858951	0.01	0.20	2.00	5	57
															52.50	54.00	1.50	E858952	0.01	0.20	6.00	3	56
															54.00	55.00	1.00	E858953	0.01	0.20	43.00	14	71
															55.00	56.05	1.05	E858954	0.01	0.20	68.00	15	63
															56.05	56.80	0.75	E858955	0.01	0.20	59.00	9	74
56.69	57.31	GRDR													56.80	57.30	0.50	E858956	0.21	0.80	10000.00	24	108
Extremely phyllic (chlorite, muscovite, sericite) altered, fe-oxide stained granodiorite with a 4cm zone of brecciated arsenopyrite. Large angular clasts of arsenopyrite occur within fine-grain, black, crack-sealing tourmaline(?) matrix.															57.30	58.10	0.80	E858957	0.01	0.20	38.00	15	67
																							</

Project: Longline															Hole Number: LON10-04								
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	chl	bo	by	by	mt	mt	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« 57.10- 57.31 mus 2.00*»																							
« ser 1.00*»																							
« chl 3.00*»																							
« hem 1.00*»																							
« fer 1.00*»																							
57.31	65.11	GRDR													58.10	59.00	0.90	E858958	0.01	0.20	65.00	9	66
Granodiorite (60%) with lesser, magnetic diorite (40%) phases (dykes or xenoliths).															59.00	60.50	1.50	E858959	0.01	0.20	7.00	4	62
« alteration of feldspar ser 1.00*»															60.50	62.00	1.50	E858960	0.01	0.20	7.00	5	66
« particularly abundant in diorite mnt 2.00*»															62.00	63.50	1.50	E858961	0.01	1.40	107.00	157	265
< @ 64.36 quartz and biotite V 40.00° 8.00cm >															62.00	63.50	1.50	E858962					
« 63.34- 63.46 alteration associated with weathered out vein? fer 3.00*»															63.50	65.00	1.50	E858963	0.01	0.80	941.00	15	63
« 63.34- 63.46 mus 2.00»																							
« ser 1.00*»																							
« 57.31- 58.16 diorite dyke 25.00°»																							
« 59.64- 60.16 diorite dyke 40.00°»																							
« 60.49- 61.00 diorite dyke 40.00°»																							
« 61.90- 62.09 diorite dyke 45.00°»																							
65.11	72.14	GRDR													65.00	66.50	1.50	E858964	0.01	0.20	12.00	2	56
Biotite +/- hornblende granodiorite															66.50	68.00	1.50	E858965	0.01	0.20	7.00	2	56
< @ 65.39 pegmatitic vein V 65.00° 5.00cm >															68.00	69.50	1.50	E858966	0.01	0.20	3.00	4	53
															69.50	71.00	1.50	E858967	0.01	0.20	6.00	5	49
72.14	73.34	GRDR																					
Extremely altered granodiorite with a ~10cm wide zone of biotite-sericite veining with abundant iron carbonate alteration beneath.															71.00	72.50	1.50	E858968	0.01	0.20	76.00	5	53
« 72.14- 72.65 abundant, pervasive chl 2.00*»															71.00	72.50	1.50	E858969					
« pervasive bio 2.00*»															71.00	72.50	1.50	E858970					
< @ 72.65 sequence of biotite, sericite veins V 40.00° 11.00cm >															72.50	74.00	1.50	E858971	0.01	0.20	71.00	9	42
« 72.81- 73.12 abundant, pervasive iron carbonate alteration cal 3.00*»																							

Project: Longline															Hole Number: LON10-04								
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	sil	po	apy	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« abundant pervasive fer 2.00*»																							
« 73.12- 73.34 pervasive chl 2.00*»																							
« pervasive bio 2.00*»																							
73.34	88.00	GRDR													74.00	75.50	1.50	E858972	0.01	0.20	3.00	3	54
Porphyritic hornblende +/- biotite granodiorite with hornblende altered to chlorite and moderate sericite alteration of feldspar.															75.50	77.00	1.50	E858973	0.01	0.20	1520.00	8	54
															77.00	78.50	1.50	E858974	0.01	0.20	10.00	2	57
															78.50	80.00	1.50	E858975	0.01	0.20	3.00	4	56
« 81.94- 82.03 pervasive zone of alteration chl 2.00*»															80.00	81.50	1.50	E858976	0.01	0.20	10.00	6	56
« pervasive zone of alteration sil 3.00*»															81.50	83.00	1.50	E858977	0.01	0.20	51.00	6	64
< @ 81.16 Quartz veinlet V 40.00° 2.00cm >															83.00	84.50	1.50	E858978	0.01	0.20	8.00	5	59
« 81.11- 81.19 pervasive, associated with quartz veinlet chl 2.00*»															84.50	86.00	1.50	E858979	0.01	0.20	2.00	5	58
« 81.11- 81.19 pervasive bio 2.00*»															86.00	87.23	1.23	E858980	0.01	0.20	2.00	5	55
« small blebs within alteration zone of quartz vein Pyrite 4.00%»															87.23	87.98	0.75	E858981	0.01	0.30	75.00	9	59
« 81.46- 81.88 Very fine grain mafic dyke 40.0»															87.23	87.98	0.75	E858982					
< @ 82.42 Quartz vein V 35.00° 2.00cm >																							
« 82.28- 82.54 pervasive associated with qtz vein chl 2.00*»																							
« pervasive, associated with qtz vein(?) bio 2.00*»																							
« 83.11- 83.23 pervasive fer 1.00*»																							
88.00	88.78	GRDR																					
Pervasive phyllic and silica alteration of granodiorite overprinting primary textures. Quartz veins with possible crack-sealing tourmaline(?) occur with brecciated arsenopyrite. The black mineral veining is the youngest, brecciating the arsenopyrite.																							
< @ 88.10 Quartz with later mafic vein V 35.00° 10.00cm >																							
« 88.00- 88.63 pervasive, associated with quartz vein ser 3.00*»																							
« pervasive chl 1.00*»																							
« zones of pervasive fer 2.00*»																							
< @ 88.63 Quartz with later stage mafic veinlets both brecciating arsenopyrite V 45.00° 4.00cm >																							
« 88.63- 88.78 pervasive, associated with veining ser 3.00*»																							
« pervasive fer 2.00*»																							
« 88.56- 88.70 brecciated by mafic veining apy 20.00%»																							
« 88.00- 88.78 associated with mafic veining Pyrite 1.00%»																							
88.78	89.12	GRDR																					
Very sericite and silica altered granodiorite.															87.98	88.75	0.77	E858983	0.19	7.90	2760.00	256	102
« alteration of feldspar ser 2.00*»															88.75	89.50	0.75	E858984	0.01	0.20	7.00	8	42

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 5 of 17

Project: Longline														Hole Number: LON10-04								
From	To	Rocktype	& Description	ser	cpb	mus	fer	chl	chl	py	py	py	py	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« pervasive sil 2.00*»																						
« fer 1.00*»																						
89.12	103.92	GRDR												89.50	91.00	1.50	E858985	0.01	0.20	56.00	9	55
Hornblende +/- biotite granodiorite with moderate alteration of feldspar throughout.														91.00	92.50	1.50	E858986	0.01	0.20	10.00	4	57
														92.50	94.00	1.50	E858987	0.01	0.20	2.00	3	56
														94.00	95.50	1.50	E858988	0.01	0.20	3.00	4	58
< @ 90.44 Quartz with biotite along selvages V 35.00° 2.00cm >														94.00	95.50	1.50	E858989					
« 90.77- 91.00 pervasive fer 2.00*»														94.00	95.50	1.50	E858990					
« feldspar alteration ser 2.00*»														95.50	97.00	1.50	E858991	0.01	0.50	12.00	9	67
« alteration of feldspar ser 2.00*»														97.00	98.50	1.50	E858992	0.01	0.20	82.00	7	42
« mus 1.00»														98.50	100.00	1.50	E858993	0.01	0.30	2.00	3	54
« pervasive chl 3.00*»														100.00	101.50	1.50	E858994	0.01	0.20	2.00	3	68
< @ 97.64 quartz with biotite along salvages V 45.00° 1.00cm >														101.50	103.00	1.50	E858995	0.01	0.20	3.00	3	56
« 89.12- 103.92 alteration of feldspar ser 2.00*»																						
« alteration of amphibole chl 1.00*»																						
103.92	105.46	APLT																				
Aplite dyke or silica flooded granodiorite within highly sericite altered granodiorite with cm scale dyke // quartz veins.														103.00	104.50	1.50	E858996	0.01	0.20	48.00	16	45
														104.50	106.00	1.50	E858997	0.01	0.20	13.00	11	28
« 104.26- 105.21 aplite dyke with fine biotite and sparse hematite 80.00*»																						
« 103.92- 105.46 patchy throughout the aplite dyke fer 1.0»																						
« sparse hematite hem 1.00*»																						
« 105.21- 105.46 feldspar alteration ser 1»																						
« 103.92- 104.26 pervasive ser 2.00*»																						
« pervasive chl 1.00*»																						
« fer 1.00*»																						
105.46	110.23	GRDR																				
Same hornblende +/- biotite granodiorite as above with a highly magnetic diorite phase (xenoliths or dyks?) , fractured zones and chlorite alteration towards the lower portion of this section.														106.00	107.50	1.50	E858998	0.02	0.70	2400.00	32	50
														107.50	109.00	1.50	E858999	0.01	0.30	26.00	7	55
« 105.73- 106.05 magnetic diorite dyke 45.00*»																						
< @ 106.55 randomly oriented highly fractured zone Ft 16.00cm >																						

Project: Longline															Hole Number: LON10-04								
From	To	Rocktype	& Description	ser	cpb	mus	fer	chl	cll	po	ap	by	mt	sme	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« 106.37- 106.71 pervasive fer 3.00*»																							
« 108.61- 110.23 pervasive chl 2.00*»																							
« pervasive fer 1.00*»																							
« pervasive sme 1.00*»																							
« sporadic alteration of feldspar ser 1.00*»																							
< @ 108.61 abundant fractures Fr 45.00° 1.62m >																							
110.23	113.91	GRDR	Fault/fracture zone within highly phyllic (chlorite,smectite(?)) altered granodiorite with iron carbonate alteration.												109.00	110.50	1.50	E859000	0.01	0.20	86.00	8	61
« pervasive chl 3.00*»															110.50	112.00	1.50	E859501	0.01	0.20	289.00	8	63
« pervasive clay alteration sme 2.00*»															110.50	112.00	1.50	E859502					
« pervasive though most abundant along fracture surfaces fer 2.00*»															112.00	113.50	1.50	E859503	0.01	0.20	43.00	8	60
« 110.23- 113.91 as specs and along fracture surfaces cal 1.00*»																							
< @ 110.23 abundant fractures Fr 35.00° 3.68m >																							
113.91	114.57	MAFC dk	Continuation of the same fracture/fault zone though within extremely chlorite and clay altered fine grained mafic dyke with abundant cross cutting carbonate veinlets.												113.50	115.00	1.50	E859504	0.02	0.40	1310.00	15	67
« pervasive chl 3.00*»																							
« mm scale cross-cutting veinlets cal 2.00*»																							
« pervasive fer 2.00*»																							
114.57	117.30	SCHS	Fault zone within extremely altered schistose metasediments. The rock is so thoroughly chlorite and clay altered primary textures have been erased making identification imposible.												115.00	116.50	1.50	E859505	0.01	0.30	22.00	20	72
< @ 114.57 40 % fault gouge Ft 2.35m >															116.50	118.00	1.50	E859506	0.01	0.20	31.00	10	83
« pervasive ser 2.00*»																							
« pervasive chl 3.00*»																							
117.30	121.11	MAFC dk	Fine grained, black-green mafic dyk with sparse, mm scale black mafic mineral with poor crystal forms that appear secondary. This unit has undergone pervasive chlorite alteration and is cut by mm scale carbonate veinlets at random orientations.												118.00	119.50	1.50	E859507	0.01	0.20	56.00	4	102
															119.50	121.00	1.50	E859508	0.01	0.20	28.00	3	104
															119.50	121.00	1.50	E859509					
															119.50	121.00	1.50	E859510					

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 7 of 17

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 8 of 17

Project: Longline														Hole Number:		LON10-04							
From	To	Rocktype	& Description	ser	ch	mus	fer	chl	bl	bo	my	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
			« chlorite alteration of hornblende chl 1.00*»																				
129.98	132.13	MAFC dk													130.00	131.50	1.50	E859517	0.01	0.20	29.00	3	96
			Fine grain basalt with fine, carbonate specs.												131.50	133.00	1.50	E859518	0.01	0.20	15.00	2	69
			« fine grain mafic with plag microphenocrysts dyke 70.00*»																				
			« cal 1.00*»																				
132.13	135.62	GRDR													133.00	134.50	1.50	E859519	0.01	0.20	29.00	3	68
			Hornblende +/- biotite granodiorite with zones of abundant, pervasive iron-carbonate alteration and sparse xenoliths of more fine grained diorite.												134.50	136.00	1.50	E859520	0.01	0.30	49.00	7	83
			« 134.34- 135.62 pervasive fer 2.00*»																				
			« pervasive, also mm scale veinlets cal 2.00*»																				
			< @ 134.34 moderately abundant fractures Fr 40.00* 1.30m >																				
			« 132.13- 135.62 abundant alteration of hornblende chl 2.00*»																				
			« pervasive mus 1.00»																				
135.62	150.09	GRDR													136.00	137.50	1.50	E859521	0.01	0.40	13.00	6	67
			Hornblende +/-biotite granodiorite with xenoliths of diorite. Moderate sericite alteration of feldspar, zones of chlorite alteration as well as zones of iron-carbonate alteration along fractures.												136.00	137.50	1.50	E859522					
			« alteration of feldspar ser 1.00*»												137.50	139.00	1.50	E859523	0.01	0.20	10.00	4	66
			« limited zones throughout fer 1.00*»												139.00	140.50	1.50	E859524	0.01	0.20	10.00	2	59
			« with iron alteration cal 1.00*»												140.50	142.00	1.50	E859525	0.01	0.20	8.00	2	59
			« both pervasive-hydrothermal and alteration of hornblende chl 2.00*»												142.00	143.50	1.50	E859526	0.01	0.20	7.00	2	64
															143.50	145.00	1.50	E859527	0.01	0.20	8.00	4	67
															145.00	146.50	1.50	E859528	0.01	0.20	6.00	2	60
															145.00	146.50	1.50	E859529					
															145.00	146.50	1.50	E859530					
															146.50	148.00	1.50	E859531	0.01	0.20	5.00	5	60
															148.00	149.50	1.50	E859532	0.01	0.20	10.00	5	82
150.09	150.92	APLT																					
			Aplite-pegmatite dyke with abundant, pervasive chlorite and sericite alteration. Fine, acicular biotite throughout and sparse, fine-grain hematite throughout.																				
			« aplite-pegmatite dyke 60.00*»																				
			« pervasive chl 2.00*»																				
			« pervasive ser 2.00*»																				

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 9 of 17

2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 10 of 17

Project: Longline				Hole Number: LON10-04																			
From	To	Rocktype	& Description	ser	cp	mus	fer	chl	bl	bo	apy	by	mt	stg	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
173.58	174.46	GRDR	Extremely altered granodiorite with blebs of arsenopyrite in a limited zone and a quartz vein with radiating tourmaline and a zone with black indistinct mineral along selvages (possibly also tourmaline). Later stage carbonate stringers also occur within the vein. « 173.74- 173.77 blebs along a band, associated with alteration apy 5.00%» < @ 173.94 quartz and tourmaline and later carbonate V 40.00° 7.00cm > « 173.58- 174.46 pervasive chl 3.00*» « ser 1.00*» « mus 2.00» « 173.88- 174.46 iron-carbonate alteration focused along a fracture fer 1*» « iron-carbonate alteration cal 1.00*»																				
173.50	175.00	1.50		E859558	0.12	0.40	787.00	10	51														
174.46	180.49	GRDR	Hornblende phyric granodiorite.with xenoliths of diorite. Chlorite alteration of hornblende. « alteration of hornblende chl 1.00*» « 179.62- 179.75 iron-carbonate alteration associated with veining fer 2.00*» « iron-carbonate alteration associated with veining cal 2.00*» < @ 179.71 biotite rich (black, soft) V 30.00° > « 180.00- 180.42 alteration of feldspar ser 2.00*» « pervasive fer 1.00*»																				
175.00	176.50	1.50		E859559	0.01	0.20	3.00	5	58														
176.50	178.00	1.50		E859560	0.01	0.20	2.00	5	55														
178.00	179.50	1.50		E859561	0.01	0.20	4.00	5	56														
178.00	179.50	1.50		E859562																			
179.50	180.41	0.91		E859563	0.01	0.20	30.00	9	62														
180.49	180.80	GRDR	Highly altered granodiorite hosting a limited section of mafic dyke within which are cm scale quartz veins and coarse blebs of arsenopyrite and pyrite. « 180.62- 180.83 fine grain, matte, mafic dyke 55.00°» < @ 180.66 quartz within mafic dyke V 35.00° 2.00cm > « coarse blebs, roughly oriented parallel to dyke and vein apy 10.00%» « coarse blebs occurring with arsenopyrite Pyrite 4.00%» « iron-carbonate alteration within dyke fer 1.00*» « blebs and bands within mafic dyke cal 2.00*» « pervasive on the outer edge of alteration associated with dyking and veining mus 2.00»																				
180.80	181.93	GRDR																					

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 12 of 17

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 13 of 17

Project: Longline														Hole Number: LON10-04									
From	To	Rocktype	& Description	ser	cpb	mus	ker	chl	chl	po	apb	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« mafic dyke 15.00»				0	4	0	4	0	4	0	5	0	4	0	4	0	5	0	4	0	5	0	4
« fine specs and stringers cal 1.00»				0	4	0	4	0	4	0	5	0	4	0	4	0	5	0	4	0	5	0	4
				205											201.50	203.00	1.50	E859582					
															203.00	204.50	1.50	E859583	0.01	0.20	23.00	7	93
															204.50	206.00	1.50	E859584	0.01	0.20	11.00	5	94
															206.00	207.50	1.50	E859585	0.01	0.20	19.00	7	94
															207.50	209.00	1.50	E859586	0.01	0.20	46.00	7	96
209.00	210.40	GRDR																					
Chlorite and carbonate altered granodiorite.																							
« pervasive chl 2.00»																							
« pervasive cal 2.00»				210																			
210.40	211.84	MAFC dk																					
															209.00	210.50	1.50	E859587	0.01	0.20	73.00	13	78
															210.50	212.00	1.50	E859588	0.01	0.20	69.00	10	93
															210.50	212.00	1.50	E859589					
															210.50	212.00	1.50	E859590					
Fine grain mafic dyke with specs and stringers of carbonate alteration.																							
« cal 1.00»																							
211.84	219.70	GRDR													212.00	213.50	1.50	E859591	0.01	0.20	10.00	15	57
Hornblende +/- biotite granodiorite with narrow aplite dykes and abundant chlorite alteration adjacent to the dykes.															213.50	215.00	1.50	E859592	0.01	0.20	5.00	7	62
															215.00	216.50	1.50	E859593	0.01	0.20	4.00	6	56
« 212.74- 212.84 aplite dyke 60.00»															216.50	218.00	1.50	E859594	0.01	0.20	9.00	7	57
« 213.00- 213.08 aplite dyke 25.00»				215											218.00	219.50	1.50	E859595	0.01	0.20	99.00	7	57
« 213.35- 213.41 aplite dyke 60.00»																							
« 211.84- 214.00 pervasive chl 2.00»																							
« 218.00- 219.70 alteration of feldspar ser 1.00»																							
« 218.80- 219.00 blebs Pyrite 0.50»																							
219.70	222.60	GRDR													219.50	221.00	1.50	E859596	0.03	0.40	453.00	17	82
Extremely altered granodiorite, obscuring primary textures.				220											221.00	222.50	1.50	E859597	0.11	3.40	2590.00	53	81
« pervasive chl 2.00»																							
« pervasive cal 2.00»																							
« iron-carbonate alteration fer 2.00»																							
222.60	225.40	GRDR																					
Hornblende +/- biotite granodiorite with sericite alteration of feldspar and a																							

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 15 of 17

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 16 of 17

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 17 of 17



DRILL LOG

Project: Longline	Collar Elevation (m): 1131.0
Hole LON10-05	Azimuth (°): 300
Location: 7000526 m North 500823 m East	Dip (°): -70.0
Logged by: C.Bartsch	Length (m): 123.51
Drilled by: CoreTech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective LON10-05 was the last attempt at intersecting the mineralized quartz boulders at depth. The hole was set up 6 meters back from the trench with the exposed vein, and collared in vein material.
Date Started: 2010/09/03	
Date Completed: 2010/09/06	
Dip Tests By:	

Summary Log:

2.44-3.4: Quartz vein containing up to 2% fine-grained arsenopyrite.
3.4-9.7: Silicified granodiorite with trace sphalerite and arsenopyrite.
9.7-15.0: Hornblende-biotite granodiorite
15.0-48.9: Granodiorite. Largely unaltered with sporadic quartz-sericite-arsenopyrite veins.
48.9-49.65: Diorite.
49.65-123.52: Granodiorite, locally grading to diorite. Minor veining with arsenopyrite.



DRILL LOG

Project: Longline

Hole ID: LON10-05

Downhole surveys:

Depth	Dip	Azimuth
0.00	-70.00	300.00
123.51	-70.00	300.00

Hole ID: LON10-05

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 1 of 6

Project: Longline				Hole Number: LON10-05																	
From	To	Rocktype	& Description	ser	lzo	plus	ser	chl	ap	py	mt	msv	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
« hem 2.00%»													13.50	15.00	1.50	E859632	0.01	0.20	41.00	6	50
« ser 1.00%»																					
< @ 12.05 4 cm hem alt envelope Fr 60.00° >																					
< @ 13.70 Fr 6.00° >																					
< @ 14.78 Fr 80.00° >																					
« conc around fractures chl 1.00%»																					
15.00	16.95	GNSS		15									15.00	16.50	1.50	E859633	0.01	0.30	6.00	4	39
Sheared granodiorite? Strong foliation, fine grained with minor pyrite and sercite along folition planes. becomes slightly porphyritic near lower contact - feldspars.													16.50	18.00	1.50	E859634	0.01	0.30	65.00	5	76
se« ser 2.00%»																					
« Pyrite 1.00%»																					
< @ 16.40 quartz vein V 40.00° 60.00mm >																					
« chl 1.00%»																					
16.95	35.90	GRDR											18.00	19.50	1.50	E859635	0.01	0.30	13.00	7	36
Altered granodiorite. Banded appearance due to variable sercite and hematite alteration around fractures. Sercite alteration of mafics results in a bleached appearance. Moderate shallow angle fracturing and faulting in middle setion. Entire unit is modertely magnetic (primary mag) with trace galena and pyrite around some fractures. One 2cm wide masive arsenopyrite vein at 23.35m.													19.50	21.00	1.50	E859636	0.01	0.20	4.00	10	32
													21.00	22.50	1.50	E859637	0.01	0.30	21.00	10	45
													22.50	23.25	0.75	E859638	0.01	0.20	2.00	5	30
													23.25	23.75	0.50	E859639	0.23	5.30	10000.00	41	74
													23.75	24.50	0.75	E859640	0.01	0.30	50.00	10	28
													23.75	24.50	0.75	E859641					
« ser 2.00%»													24.50	26.00	1.50	E859642	0.01	1.20	11.00	27	34
« hem 2.00%»													26.00	27.50	1.50	E859643	0.01	0.20	6.00	9	34
« 16.95- 23.25 Pyrite 0.10%»													27.50	29.00	1.50	E859644	0.01	0.90	469.00	21	30
« 23.25- 23.75 Pyrite 1.00%»													29.00	30.50	1.50	E859645	0.02	1.60	34.00	32	42
« mssv vein apy 3.00%»													30.50	32.00	1.50	E859646	0.02	0.90	37.00	35	164
« 23.75- 35.90 Pyrite 0.1													32.00	33.50	1.50	E859647	0.01	0.20	5.00	13	48
< @ 18.70 V 60.00° 60.00mm >													33.50	35.00	1.50	E859648	0.05	1.10	35.00	40	34
< @ 19.75 Fr 35.00° >													33.50	35.00	1.50	E859649					
< @ 21.95 Fr 70.00° >													33.50	35.00	1.50	E859650					
< @ 23.35 mssv apy and pyrite V 70.00° 20.00mm >																					
< @ 25.95 qtz plus sercite V 64.00° 10.00mm >																					
< @ 26.82 Fr 10.00° >																					
< @ 29.24 qtz plus pyrite V 55.00° >																					
< @ 31.26 Fr 52.00° >																					
« 31.70- 32.95 limonite gouge Fault 5.00%»																					
< @ 35.85 Fr 16.00° >																					
2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 2 of 6																					

Project: Longline														Hole Number: LON10-05										
From	To	Rocktype	& Description	ser	crp	mus	ker	chl	chl	po	apy	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
35.90	48.90	GRDR	Uniform granodiorite, reduction in deformation and alteration. Moderately to strongly magnetic. Localized zones of sercite alteration around frctures, predominantly 70 degrees wrt core axis. Areas with strongest sercite appear to be associated with weak arsenopyrite mineralization. « Restricted to fracture margins ser 1.00*» « fracture surfaces lim 1.00*» « Pyrite 0.10%» « 35.90- 39.00 apy 0.10%» « 35.90- 39.55 in veinlets apy 1.00%» « 39.55- 48.90 apy 0.10%» < @ 37.65 Fr 72.00° > < @ 38.32 Fr 18.00° > < @ 39.08 Fr 68.00° > < @ 39.36 c.g. apy veinlet V 70.00° 5.00mm > < @ 40.17 qtz V 30.00° 10.00mm > < @ 42.85 Fr 10.00° > < @ 44.45 Fr 38.00° > < @ 48.42 minor sercite V 17.00° >	35												35.00	36.50	1.50	E859651	0.01	0.30	13.00	12	60
																36.50	38.00	1.50	E859652	0.01	0.20	4.00	7	32
																38.00	39.50	1.50	E859653	0.01	0.50	1350.00	25	33
																39.50	41.00	1.50	E859654	0.01	0.20	10.00	7	41
																41.00	42.50	1.50	E859655	0.01	0.20	4.00	6	39
																42.50	44.00	1.50	E859656	0.01	0.20	2.00	5	27
																44.00	45.50	1.50	E859657	0.01	0.20	2.00	6	31
																45.50	47.00	1.50	E859658	0.01	1.20	9.00	71	55
																47.00	48.50	1.50	E859659	0.01	0.20	2.00	3	52
48.90	49.65	DIOR		Diorite. Likely the more mafic phase of the same intrusive. Massive, fine-grained.	40																			
																48.50	50.00	1.50	E859660	0.01	0.20	4.00	4	66
																48.50	50.00	1.50	E859661					
																50.00	51.50	1.50	E859662	0.01	0.40	25.00	12	79
																51.50	53.00	1.50	E859663	0.01	0.20	2.00	4	55
53.17	53.50	DIOR	Same as diorite above.	45																				
																53.00	54.50	1.50	E859664	0.01	0.20	2.00	4	53
																54.50	56.00	1.50	E859665	0.01	0.20	6.00	4	48
																56.00	57.50	1.50	E859666	0.01	0.20	2.00	2	45
																57.50	59.00	1.50	E859667	0.01	0.20	2.00	5	35

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 4 of 6

Project: Longline														Hole Number: LON10-05												
From	To	Rocktype	& Description	ser	chl	mus	ser	chl	cal	bo	py	py	lim	lim	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm			
healed with interesting cherty looking quartz veins with moderate silicification at margins, but overall lacking suplhides. 20 cm pegmatite dyke at 104 m. « pervasive ser 3.00*» « chl 1.00*» « qtz 3.00*» < @ 93.35 Fr 60.00° > < @ 94.27 V 28.00° > < @ 97.25 healed with pyrite Fr 62.00° > < @ 98.60 wide zone of silica-ser alt V 24.00° 600.00mm > < @ 100.60 chlorite on surface Fr 24.00° > < @ 101.85 qtz and f.g. black min - tourmaline? V 70.00° 10.00mm > < @ 102.10 cherty looking vein V 15.00° 15.00mm > < @ 105.41 pyrite on surface Fr 68.00° > < @ 106.30 quartz-sercite V 10.00° 3.00mm > « apy 0.10%» « Pyrite 0.10%»				95																						
108.10	111.04	GRDR																								
Unaltered, medium-grained, hbld-biotite granodiorite. < @ 110.45 Fr 35.00° >				110																						
111.04	115.90	DIOR																								
Diorite, gradational upper and lower contcts with granodiorite, but drastic increase in mag susc. (max >40) compared to grdr (max <10). A few sercitic and chloritic shallow angle fracture present. « ser 1.00*» « chl 1.00*» « dissminated Pyrite 0.10%» < @ 112.50 chlorite and carbonate on surface Fr 12.00° > « in minor veinlets cal 1.00*» < @ 115.13 chlorite and sercite on surface Fr 18.00° >				115																						
115.90	123.51	GRDR																								
Back to unaltered, medium to coarse grained grandiorite. Minor sercitic fractures present. « ser 1.00*»																										

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 5 of 6

Project: Longline

Hole Number: LON10-05

From	To	Rocktype	& Description	ser	cpb	mus	ker	chl	slf	po	apy	by	hmt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
« restricted to fractures lim 1.00»				0	4	0	4	0	4	0	5	0	4	0	4	122.00	123.50	1.50	E859720	0.01	0.20	2.00	4	41
« 11.52- 118.62 a few coarse apy crystals in vein apy 3.00%»															122.00	123.50	1.50	E859721						
< @ 118.55 qtz with apy V 68.00° 15.00mm >																								
< @ 118.73 Fr 50.00° >																								
< @ 121.05 Fr 15.00° >																								
< @ 121.95 barren qtz vein V 62.00° 25.00mm >																								
EOH @ 123.51																								
123.51	123.51	EOH																						



DRILL LOG

Project: Longline	Collar Elevation (m): 1100.0
Hole LON10-06	Azimuth (°): 90.0
Location: 6999370 m North 500590 m East	Dip (°): -45.0
Logged by: C.Bartsch	Length (m): 217.93
Drilled by: Coretech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective LON10-06 was drilled to test the N-S trending magnetic high-low contact, and was designed to follow up on decent arsenopyrite ineralization encountered in LON10-04.
Date Started: 2010/09/07 Date Completed: 2010/09/10	
Dip Tests By:	

Summary Log:

3.86-18.5: Granodiorite. Fresh, unaltered.
18.5-22.4: Mafic dyke
22.4-24.5: Granodiorite.
24.5-35.45: Mixed mafic dykes with lesser granodiorite.
35.45-36.25: Aplite dyke.
36.25-49.1: Granodiorite. Fresh, unaltered.
49.1-50.25: Mafic dyke
50.25-61.14: Altered Granodiorite with multiple 2-5 cm wide quartz-arsenopyrite veins.
61.14-66.0: Mafic dyke
61.14-114.80: Altered granodiorite as in previous.
114.80-116.1: Mafic dyke
116.1-138.25: Granodiorite with trace arsenopyrite stringers
138.25-141.9: Mafic dyke.
141.9-152.05: Granodiorite with multiple arsenopyrite and pyrrhotite veins (after arsenopyrite).
152.05-166.12: Mafic dyke.
166.12-174.12: Moderately sheared granodiorite with locally up to 2% pyrrhotite in veins.
174.12-191.82: Mafic dyke.
191.82-196.60: Strongly deformed and sheared granodiorite. No mineralization.
196.6-200.0: Mafic dyke.
200.0-217.93: Granodiorite. As in previous.



DRILL LOG

Project: Longline

Hole ID: LON10-06

Downhole surveys:

Depth	Dip	Azimuth
0.00	-45.00	90.00
217.93	-45.00	90.00

Hole ID: LON10-06

Project: Longline															Hole Number: LON10-06																																												
From	To	Rocktype	& Description	ser	crb	mus	ker	chl	sl	po	ap	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm																																				
0.00	3.86	CAS		0																																																							
Casing.																																																											
3.86	18.50	GRDR													3.86	5.00	1.14	E859722	0.01	0.20	17.00	6	54																																				
Relatively fresh, unaltered granodiorite. Medium grained, bt-hbld-rich with coarse feldspars and hornblende, almost porphyritic. A few minor alteree fractures - mainly muscovite and minor limonite. 20cm interval of diorite from 5.4-5.6m.				5											5.00	6.50	1.50	E859723	0.01	0.20	17.00	7	60																																				
« mus 1.00»															6.50	8.50	2.00	E859724	0.01	0.20	34.00	8	54																																				
< @ 7.35 Fr 38.00° >				10											8.50	10.00	1.50	E859725	0.01	0.20	23.00	8	54																																				
< @ 8.75 qtz vein V 60.00° 5.00mm >															10.00	11.50	1.50	E859726	0.01	0.20	9.00	8	53																																				
< @ 12.72 qtz V 48.00° 15.00mm >															11.50	13.00	1.50	E859727	0.01	0.20	31.00	8	54																																				
< @ 12.95 healed fr with 3 cm wide alt - mus/lim Fr 45.00° >															13.00	14.50	1.50	E859728	0.01	0.20	18.00	9	56																																				
< @ 15.00 veinlet with f.g. dark mineral V 45.00° 2.00mm >				15											13.00	14.50	1.50	E859729																																									
< @ 16.00 dominant frac/vein orientation Fr 45.00° >															14.50	16.00	1.50	E859731	0.01	0.20	398.00	9	51																																				
18.50	22.40	MAFC dk													16.00	17.50	1.50	E859732	0.01	0.20	61.00	10	57																																				
Mafic dyke. Moderately magnetic, fine-grained with small white laths (zeolites?). Competant, weak deformation, no veining.				20											17.50	19.00	1.50	E859733	0.01	0.20	84.00	8	73																																				
22.40	24.25	GRDR																																																									
As in previous, slightly more cooked appearance. Likely a wall rock fragment caught up in the larger mafic dyke. Slight increase in very fine-grained, black veinlets - possibly tourmaline as seen in other holes, but too fine to tell.																																																											
< @ 23.00 f.g. black mineral with qtz on both margins V 55.00° 4.00mm >																																																											
< @ 23.80 Fr 22.00° >																																																											
< @ 24.18 f.g. black veinlets V 48.00° 1.00mm >																																																											
24.25	27.45	MAFC dk													25.00	26.50	1.50	E859738	0.01	0.20	20.00	4	97																																				
Mafic Dyke. As in previous.				25																																																							
27.45	28.10	GRDR																																																									
Another wall rock fragment. Weak reddish alteration of mafics. One small quartz vein.																																																											
« hem 1.00%»																																																											
« mus 1»																																																											
< @ 28.04 qtz-tourm V 28.00° 10.00mm >																																																											
2010/11/16															Equity Exploration Ltd.															* depth component not to scale																													
																														* Samples with duplicate ranges are QA/QC samples and have no associated assays															Page 1 of 9														

Project: Longline				Hole Number: LON10-06																			
From	To	Rocktype	& Description	ser	cp	mus	ker	chl	chl	py	py	mt	mg	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
28.10	31.80	MAFC dk	Mafic dyke. Slight increase in brittle fracturing, but otherwise unaltered. Minor hematite on fracture surfaces.											29.50	31.00	1.50	E859742	0.01	0.20	151.00	3	93	
31.80	33.52	GRDR	Altered granodiorite. Moderate fracturing, sericite-muscovite alteration along with weak chlorite. Two quartz veins, one with c.g. arsenopyrite at 33.17 m. « ser 2.00%» « chl 1.00%» « mus 1.00%» « 33.10- 33.20 in vein only apy 5.00%» « associated with pyrite Pyrite 2.00%» < @ 33.28 Quartz V 62.00° 10.00mm > < @ 33.05 Fr 30.00° > < @ 33.18 Qtz vein with arsenopyrite V 58.00° 45.00mm >																				
33.52	35.45	MAFC dk	Mafic dyke. Moderately magnetic.																				
35.45	36.25	APLT	Aplite dyke. White, fine-grained, with granodiorite at each contact. < @ 36.25 lower contact with mafic dyke con 48.00° >											31.00	32.50	1.50	E859743	0.01	0.20	104.00	8	80	
36.25	49.10	GRDR	Mixed granodiorite (80%) and mafic dyke (20%). Alteration increases slightly as you move downhole, but otherwise as in previous. < @ 37.78 Fr 40.00° > < @ 40.33 qtz-tourm V 60.00° 5.00mm > « 41.94- 42.00 mafic dyke intruding dominant fractures dyke 50.00°» < @ 44.00 Fr 46.00° > < @ 44.25 Fr 40.00° > < @ 47.85 qtz plus sulphides? V 54.00° 25.00mm > « increase downhole ser 2.00%»											32.50	34.00	1.50	E859744	0.01	0.30	602.00	12	59	
49.10	50.25	MAFC dk	Mafic dyke. Minor carbonate stringers. < @ 49.53 V 55.00° 2.00mm >											34.00	35.50	1.50	E859745	0.01	0.20	75.00	6	84	
50.25	61.14	GRDR												35.50	37.00	1.50	E859746	0.01	0.20	66.00	12	44	
														37.00	38.50	1.50	E859747	0.01	0.20	1620.00	14	64	
														38.50	40.00	1.50	E859748	0.01	0.20	158.00	6	75	
														38.50	40.00	1.50	E859749						
														38.50	40.00	1.50	E859750						
														40.00	41.50	1.50	E859751	0.01	0.40	253.00	17	62	
														41.50	43.00	1.50	E859752	0.01	0.20	63.00	13	60	
														43.00	44.50	1.50	E859753	0.01	0.20	43.00	18	72	
														44.50	46.00	1.50	E859754	0.01	0.20	39.00	15	57	
														46.00	47.50	1.50	E859755	0.01	0.20	64.00	15	53	
														47.50	49.00	1.50	E859756	0.01	0.80	505.00	15	56	
														49.00	50.50	1.50	E859757	0.01	0.20	62.00	8	69	
														50.50	52.00	1.50	E859758	0.01	0.20	21.00	9	49	

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 2 of 9

Project: Longline													Hole Number: LON10-06									
From	To	Rocktype	& Description										From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
Getting into more altered granodiorite, mainly restricted to around fractures. Moderate amount of <3cm wide veins with arsenopyrite and pyrite, all around 50 degrees with respect to core axis. Alteration corresponds to decreased mag susceptibility. One 15 cm mafic dyke at 52.5 m. « concentrated around fractures ser 2.00» « lim 1» « apy 1.00%» « Pyrite 0.50%» « 55.00- 55.15 one mssv apy vein apy 15.00% 10.00mm» < @ 54.30 qtz plus apy V 45.00° 10.00mm > < @ 55.05 mainly apy and tourmaline V 50.00° 30.00mm > < @ 56.75 qtz plus apy and pyrite V 48.00° 10.00mm > < @ 58.15 qtz plus apy, pyrite, and sphalerite? V 50.00° 15.00mm > < @ 61.14 lower contct with dyke con 60.00° >													52.00	53.00	1.00	E859759	0.01	0.20	33.00	8	51	
													53.00	54.00	1.00	E859760	0.01	0.20	80.00	10	49	
													53.00	54.00	1.00	E859761						
													54.00	55.00	1.00	E859762	0.01	0.40	493.00	9	50	
													55.00	56.00	1.00	E859763	0.03	0.90	10000.00	35	43	
													56.00	57.00	1.00	E859764	0.04	0.70	3290.00	21	43	
													57.00	58.00	1.00	E859765	0.01	0.20	189.00	9	46	
													58.00	59.00	1.00	E859766	0.01	0.20	112.00	9	49	
													59.00	60.00	1.00	E859767	0.01	0.20	29.00	8	53	
													60.00	61.14	1.14	E859768	0.01	0.20	9.00	8	47	
61.14 66.00 MAFC dk Mixed unit of mafic dyke (60%) and granodiorite (40%). Granodiorite are altered similar to previous, but mafic remains fresh. « apy 0.10» « Pyrite 0.10%» « ser 2.0» « mus 1.00» « chl 1.00»													60.00	61.14	1.14	E859769						
													60.00	61.14	1.14	E859770						
													61.14	62.50	1.36	E859771	0.01	0.20	46.00	9	79	
													62.50	64.00	1.50	E859772	0.01	0.30	95.00	10	146	
													64.00	65.50	1.50	E859773	0.01	0.20	28.00	5	87	
66.00 94.95 GRDR Altered granodiorite as in previous. Sporadic veining and veinlets with associated arsenopyrite and pyrite (oxidized). Never wider than 2-3 cm, but vein density increasing over upper part of hole. « apy 0.50%» « Pyrite 0.10%» « ser 2.00» « near fracture only mus 1.00» « chl 2.00» « 75.55- 76.64 mafic dyke dyke 55.00» < @ 66.30 Fr 65.00° > < @ 69.80 Fr 50.00° > < @ 75.55 qtz and apy V 52.00° 10.00mm > < @ 75.05 qtz and apy V 50.00° 3.00mm > « dyke 55.00» < @ 77.54 f.g. tourmaline veinlets V 45.00° 1.00mm >													65.50	67.00	1.50	E859774	0.01	0.20	50.00	9	64	
													67.00	68.50	1.50	E859775	0.01	0.20	52.00	7	50	
													68.50	70.00	1.50	E859776	0.01	0.30	64.00	9	55	
													70.00	71.50	1.50	E859777	0.01	0.20	18.00	10	53	
													71.50	73.00	1.50	E859778	0.01	0.60	296.00	10	70	
													73.00	74.50	1.50	E859779	0.01	0.20	14.00	8	52	
													74.50	76.00	1.50	E859780	0.01	0.30	70.00	9	68	
													74.50	76.00	1.50	E859781						
													76.00	77.50	1.50	E859782	0.01	0.20	18.00	8	72	
													77.50	79.00	1.50	E859783	0.01	0.20	65.00	7	51	
													79.00	80.50	1.50	E859784	0.01	0.50	392.00	13	49	
													80.50	82.00	1.50	E859785	0.01	0.20	51.00	8	53	
													82.00	83.50	1.50	E859786	0.01	0.20	68.00	6	59	
													83.50	85.00	1.50	E859787	0.01	0.20	34.00	9	54	
													85.00	86.50	1.50	E859788	0.01	0.20	380.00	7	53	
													85.00	86.50	1.50	E859789						
													85.00	86.50	1.50	E859790						

2010/11/16

Equity Exploration Ltd.

* depth component not to scale

* Samples with duplicate ranges are QA/QC samples and have no associated assays

Page 3 of 9

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 4 of 9

[illegible]

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 6 of 9

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 7 of 9

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 8 of 9

Project: Longline															Hole Number: LON10-06												
From	To	Rocktype	& Description		ser	epd	mus	ker	chl	sl	po	ap	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm			
« chl 1.00*»																											
215.17	217.93	GRDR		215												216.50	217.93	1.43	E859906	0.01	0.20	29.00	5	53			
Granodiorite. Fresh and massive relative to previous units.																											
« epd 1.00*»																											
« chl 1.00*»																											
« ser 1.00*»																											
EOH 217.93 m																											
217.93	217.93	EOH																									



DRILL LOG

Project: Longline	Collar Elevation (m): 1227.0
Hole LON10-07	Azimuth (°): 270
Location: 6995442 m North 502083 m East	Dip (°): -55.0
Logged by: C.Bartsch	Length (m): 146.61
Drilled by: Coretech	Horizontal Projection:
Assayed by: ALS Chemex	Vertical Projection:
Core Size: NTW	Objective Test the gold-in-soil anomaly in the southern part of the claims along the same linear magnetic feature as in LON10-04 and LON10-06
Date Started: 2010/09/11	
Date Completed: 2010/09/14	
Dip Tests By:	

Summary Log:

4.88-33.55: Unaltered granodiorite
33.55-36.73: Silicified granodiorite
36.73-41.45: Shear Zone in Granodiorite.
41.45-45.12: Mylonite. Primary textures obscured
45.12-75.40: Weak to moderately foliated granodiorite.
75.40-83.60: Mafic Dyke.
83.6-123.94: Granodiorite. Minor quartz veining with trace to 1% sphalerite and galena.
123.94-126.03: Mylonite.
126.03-146.61: Granodiorite. Minor sphalerite-galena-arsenopyrite in quartz veins.



DRILL LOG

Project: Longline

Hole ID: LON10-07

Downhole surveys:

Depth	Dip	Azimuth
0.00	-55.00	270.00
146.61	-55.00	270.00

Hole ID: LON10-07

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 1 of 5

2010/11/16 Equity Exploration Ltd. * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 2 of 5

Project: Longline														Hole Number: LON10-07									
From	To	Rocktype	& Description	ser	chl	py	sil	chl	py	sil	chl	py	ser	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm	
75.40	83.60	MAFC dk	Faulted granodiorite intermixed with mafic dyke. Both units are highly broken and strongly altered with chlorite, sericite, and silica. Granodiorite clasts are strongly sheared and show weak brecciation, healed with quartz-carbonate veinlets. Mafic dykes are light green and display strong chill margins. No suphides. « strongest in dykes chl 3.00*» « ser 2.00*» « strongest in granodiorite sil 2.00*» < @ 79.63 dyke-grano contact con 24.00° > < @ 80.88 qtz-carb breccia Vbx 40.00° 220.00mm >											76.00	77.50	1.50	E858463	0.01	0.20	53.00	12	35	
														77.50	79.00	1.50	E858464	0.01	0.20	85.00	21	35	
														79.00	80.50	1.50	E858465	0.01	0.50	127.00	14	88	
														80.50	82.00	1.50	E858466	0.01	0.40	169.00	17	40	
														82.00	83.50	1.50	E858467	0.01	0.20	169.00	14	64	

2010/11/16 **Equity Exploration Ltd.** * depth component not to scale * Samples with duplicate ranges are QA/QC samples and have no associated assays Page 4 of 5

Project: Longline

Hole Number: LON10-07

From	To	Rocktype	& Description	ser	cpb	mus	ker	chl	chl	po	apy	by	mt	eng	From	To	Width	Sample	Au ppm	Ag ppm	As ppm	Pb ppm	Zn ppm
< @ 130.75	Fr 30.00° >														137.50	138.50	1.00	E860965	0.46	0.20	57.00	11	61
< @ 131.90	qtz-chl V 32.00° 10.00mm >														138.50	139.50	1.00	E860966	0.03	0.50	1655.00	12	56
« 136.00- 140.00	sph 0.50%»														139.50	140.50	1.00	E860967	0.02	0.30	1190.00	7	54
« gln 0.50%»															140.50	142.00	1.50	E860968	0.01	0.20	45.00	11	56
« apy 1.50%»															140.50	142.00	1.50	E860969					
< @ 136.52	qtz-apy-gal-sph-py V 50.00° 15.00mm >														140.50	142.00	1.50	E860970					
« Pyrite 2.00%»															142.00	143.50	1.50	E860971	0.01	0.20	5.00	13	60
< @ 136.90	qtz-py V 38.00° 7.00mm >														143.50	145.00	1.50	E860972	0.01	0.20	27.00	18	65
< @ 139.18	qtz-apy V 70.00° 15.00mm >														145.00	146.61	1.61	E860973	0.01	0.20	3.00	9	64
< @ 139.94	qtz-apy V 65.00° 25.00mm >																						
< @ 141.70	Fr 26.00° >																						
< @ 144.40	Fr 35.00° >																						
EOH 146.61m																							
146.61	146.61	EOH																					

Appendix E: Geotech Logs

Project : Aldrin

Claim : Longline

Hole # : LON10-01

From	To	Interval	Recovery	Recovery	RQD	RQD	Mag.	Mag.	From	To	Interval	Recovery	Recovery	RQD	RQD	Mag.	Mag.
(metres)	(metres)	(metres)	(metres)	(%)	(metres)	(%)	Av.	High	(metres)	(metres)	(metres)	(metres)	(%)	(metres)	(%)	Av.	High
3.05	4.57	1.52	1.52	100	0.33	22	0.517	1.810	72.24	75.29	3.05	2.96	97	2.65	87	1.725	5.56
4.57	5.18	0.61	0.61	100	0.50	82	0.519	1.223	75.29	78.33	3.04	3.04	100	3.04	100	1.692	5.53
5.18	6.71	1.53	1.32	86	1.10	72	0.034	1.008	78.33	81.38	3.05	2.97	97	2.66	87	1.305	5.42
6.71	8.23	1.52	1.52	100	0.72	47	0.785	2.396	81.38	84.43	3.05	3.05	100	2.81	92	-2.438	7.95
8.23	10.06	1.83	1.80	98	1.38	75	0.881	5.254	84.43	87.48	3.05	3.05	100	2.96	97	-2.445	2.18
10.06	10.67	0.61	0.61	100	0.60	98	0.358	1.305	87.48	90.53	3.05	2.83	93	2.50	82	1.769	6.26
10.67	12.80	2.13	2.13	100	1.65	77	1.572	3.520	90.53	93.57	3.04	3.04	100	2.95	97	2.453	9.30
12.80	14.33	1.53	1.37	90	0.96	63	0.453	1.463	93.57	96.62	3.05	3.05	100	2.80	92	0.904	6.08
14.33	16.00	1.67	1.67	100	0.93	56	0.586	2.610	96.62	99.67	3.05	3.05	100	2.87	94	0.661	10.93
16.00	16.15	0.15	0.15	100	0.15	100	1.236	2.605	99.67	102.72	3.05	3.05	100	2.80	92	0.669	3.08
16.15	17.37	1.22	1.22	100	1.18	97	0.071	3.682	102.72	105.77	3.05	3.05	100	2.71	89	0.601	2.75
17.37	20.42	3.05	2.99	98	2.88	94	1.703	6.057	105.77	108.81	3.04	3.04	100	2.71	89	1.988	7.38
20.42	23.47	3.05	3.00	98	2.86	94	7.597	68.550	108.81	110.34	1.53	1.53	100	1.50	98	2.302	8.63
23.47	26.52	3.05	3.05	100	2.97	97	-0.091	1.610	110.34	111.86	1.52	1.52	100	1.28	84	2.457	6.70
26.52	29.57	3.05	2.93	96	2.60	85	0.370	2.966	111.86	113.39	1.53	1.53	100	1.48	97	2.414	8.79
29.57	32.61	3.04	2.94	97	2.90	95	1.141	5.423	113.39	114.91	1.52	1.52	100	1.31	86	-0.563	3.23
32.61	35.52	2.91	2.33	80	2.07	71	3.635	11.970	114.91	117.96	3.05	3.05	100	3.05	100	12.350	40.29
35.52	38.10	2.58	1.03	40	0.92	36	0.644	2.599	117.96	121.01	3.05	3.05	100	2.95	97	8.341	22.76
38.10	38.71	0.61	0.04	7	0.00	0	0.036	0.096	121.01	122.53	1.52	1.52	100	1.35	89	-8.165	5.83
38.71	40.54	1.83	1.44	79	1.28	70	1.078	7.557	122.53	125.42	2.89	2.89	100	2.85	99	2.389	5.95
40.54	41.76	1.22	0.90	74	0.88	72	1.045	2.940	125.42	126.19	0.77	0.77	100	0.77	100	0.873	4.38
41.76	44.81	3.05	3.05	100	3.05	100	2.026	10.100	126.19	128.02	1.83	1.83	100	1.81	99	-3.630	1.29
44.81	46.94	2.13	2.13	100	2.04	96	0.941	4.008	128.02	130.15	2.13	2.13	100	2.13	100	3.992	10.24
46.94	47.85	0.91	0.91	100	0.79	87	-0.259	1.598	130.15	133.20	3.05	3.05	100	3.00	98	0.335	6.71
47.85	50.90	3.05	2.98	98	2.89	95	1.306	5.012	133.20	136.25	3.05	3.05	100	3.01	99	-5.108	4.07
50.90	53.95	3.05	2.94	96	2.98	98	-0.153	4.239	136.25	139.29	3.04	3.05	100	2.11	69	0.224	3.97
53.95	56.24	2.29	2.29	100	2.24	98	0.958	3.799	139.29	142.34	3.05	3.05	100	2.79	91	0.671	3.82
56.24	57.00	0.76	0.76	100	0.70	92	-0.143	2.323	142.34	144.02	1.68	1.68	100	1.31	78	0.404	1.77
57.00	60.05	3.05	3.05	100	2.67	88	3.867	17.120	144.02	145.39	1.37	1.37	100	1.16	85	0.001	2.90
60.05	63.09	3.04	2.83	93	2.70	89	3.803	15.890	145.39	146.61	1.22	1.22	100	0.75	60	0.121	1.16
63.09	64.01	0.92	0.92	100	0.78	85	1.563	4.117	146.61	148.44	1.83	1.79	98	1.20	66	0.169	0.00
64.01	66.14	2.13	2.13	100	2.07	97	3.538	9.731	148.44	151.49	3.05	3.05	100	2.05	67	0.132	0.41
66.14	69.19	3.05	3.05	100	2.91	95	5.245	25.940	151.49	154.53	3.04	3.04	100	2.34	77	0.283	1.98
69.19	72.24	3.05	3.05	100	2.37	63	1.094	3.166	154.53	157.58	3.05	3.05	100	3.02	99	2.726	11.81

Project : Aldrin

Claim : Longline

Hole # : 10_02

Page 1 of 2

From	To	Interval	Recovery	Recovery	RQD	RQD	Mag.	Mag.	From	To	Interval	Recovery	Recovery	RQD	RQD	Mag.	Mag.
(metres)	(metres)	(metres)	(metres)	(%)	(metres)	(%)	Av.	High	(metres)	(metres)	(metres)	(metres)	(%)	(metres)	(%)	Av.	High
1.80	3.35	1.55	1.55	100	0.41	26	0.131	1.146	84.43	87.48	3.05	3.05	100	2.87	94	0.499	4.94
3.35	6.40	3.05	3.05	100	1.29	42	0.042	0.784	87.48	90.53	3.05	3.05	100	2.89	95	2.198	14.34
6.40	8.23	1.83	1.83	100	1.32	72	0.269	2.051	90.53	93.57	3.04	3.04	100	3.04	100	-0.262	0.38
8.23	11.28	3.05	3.05	100	2.07	68	-0.842	1.611	93.57	96.62	3.05	3.05	100	2.97	97	-0.451	0.52
11.28	14.33	3.05	3.05	100	2.20	72	0.009	0.164	96.62	99.67	3.05	3.05	100	2.94	96	0.544	3.58
14.33	17.37	3.04	3.04	100	2.70	89	0.050	0.206	99.67	102.72	3.05	3.05	100	2.87	94	0.038	0.53
17.37	20.42	3.05	3.05	100	2.40	79	0.063	0.289	102.72	105.00	2.28	2.28	100	1.08	47	0.008	0.08
20.42	23.47	3.05	3.05	100	2.60	85	0.032	0.547	105.00	107.75	2.75	1.05	38	0.51	19	0.017	0.09
23.47	26.52	3.05	3.05	100	2.61	86	0.077	2.058	107.75	110.79	3.04	3.04	100	2.94	97	0.069	0.22
26.52	28.96	2.44	2.44	100	2.20	90	0.048	0.408	110.79	111.87	1.08	1.08	100	1.08	100	0.059	0.26
28.96	31.39	2.43	2.09	86	1.23	51	0.270	1.933	111.87	114.91	3.04	3.04	100	2.95	97	0.005	0.60
31.39	32.61	1.22	1.22	100	0.87	71	0.694	1.390	114.91	117.96	3.05	3.05	100	3.01	99	0.038	1.71
32.61	35.05	2.44	2.24	92	1.58	65	-0.214	1.350	117.96	121.01	3.05	3.05	100	3.03	99	3.649	17.89
35.05	37.19	2.14	2.14	100	1.88	88	-0.448	0.605	121.01	124.05	3.04	3.05	100	2.95	97	1.399	4.81
37.19	38.71	1.52	1.52	100	1.39	91	0.265	1.570	124.05	127.10	3.05	3.05	100	3.05	100	3.284	9.50
38.71	41.15	2.44	2.36	97	2.34	96	1.478	6.246	127.10	130.15	3.05	3.05	100	3.05	100	4.293	11.59
41.15	44.20	3.05	3.05	100	1.95	64	0.550	7.811	130.15	133.20	3.05	3.05	100	3.05	100	4.633	10.44
44.20	46.33	2.13	2.13	100	0.99	46	1.231	9.673	133.20	136.25	3.05	3.05	100	2.98	98	1.046	6.56
46.33	47.85	1.52	1.52	100	0.90	59	-0.624	0.319	136.25	138.07	1.82	1.82	100	1.33	73	0.121	0.68
47.85	49.38	1.53	1.53	100	1.20	78	0.088	1.214	138.07	139.30	1.23	1.23	100	0.88	65	0.100	1.22
49.38	50.60	1.22	1.22	100	1.19	98	0.047	1.005	139.30	141.43	2.13	2.13	100	2.13	100	-0.571	0.39
50.60	51.36	0.76	0.74	97	0.41	54	0.559	0.740	141.43	142.34	0.91	0.91	100	0.91	100	0.206	4.85
51.36	53.95	2.59	2.59	100	2.07	80	0.113	0.268	142.34	145.39	3.05	3.05	100	2.90	95	0.345	1.79
53.95	56.54	2.59	2.59	100	2.35	91	0.022	0.252	145.39	147.83	2.44	2.44	100	2.44	100	1.254	0.00
56.54	57.61	1.07	1.07	100	0.53	50	0.001	0.115	147.83	148.44	0.61	0.61	100	0.61	100	-0.312	0.38
57.61	60.05	2.44	2.40	98	2.29	94	0.031	0.250	148.44	149.97	1.53	1.53	100	0.94	61	0.418	1.07
60.05	63.09	3.04	3.04	100	2.95	97	0.329	8.610	149.97	151.49	1.52	1.52	100	1.27	84	0.103	0.13
63.09	66.14	3.05	3.05	100	2.97	97	1.208	7.626	151.49	154.23	2.74	2.74	100	2.30	84	-0.014	0.15
66.14	69.19	3.05	3.05	100	2.90	95	1.284	4.540	154.23	157.28	3.05	3.05	100	3.05	100	0.005	0.31
69.19	72.24	3.05	2.67	88	2.59	85	1.435	14.560	157.28	160.32	3.04	3.05	100	2.98	98	0.556	5.30
72.24	75.29	3.05	3.05	100	2.91	95	-2.478	1.086	160.32	163.37	3.05	3.05	100	2.35	77	-0.301	2.30
75.29	78.33	3.04	3.04	100	3.04	100	0.098	2.041	163.37	166.42	3.05	3.05	100	2.95	97	0.532	6.72
78.33	81.38	3.05	3.05	100	2.75	90	0.008	0.291	166.42	169.47	3.05	3.05	100	2.84	93	0.064	0.57
81.38	84.43	3.05	3.05	100	2.87	94	-0.103	0.305	169.47	172.21	2.74	2.74	100	2.46	90	0.221	1.69

Claim : *Longline*

Project : *Aldrin*

Hole # : 10_02

Page 2 of 2

[illegible]

Project : Aldrin

Claim : Longline

Hole # : LON10-04

Page 1 of 2

From (metres)	To (metres)	Interval (metres)	Recovery (metres)	Recovery (%)	RQD (metres)	RQD (%)	Mag. Av.	Mag. High	From (metres)	To (metres)	Interval (metres)	Recovery (metres)	Recovery (%)	RQD (metres)	RQD (%)	Mag. Av.	Mag. High
3.50	7.31	3.81	3.81	100	2.00	52	0.953	5.879	102.41	105.46	3.05	2.93	96	2.81	92	1.461	8.38
7.31	7.92	0.61	0.61	100	0.31	51	0.008	0.211	105.46	108.51	3.05	3.05	100	2.95	97	2.720	7.40
7.92	10.97	3.05	3.05	100	2.27	74	4.155	19.020	108.51	111.56	3.05	3.05	100	2.17		1.361	3.35
10.97	14.02	3.05	3.05	100	3.05	100	0.724	6.924	111.56	114.60	3.04	3.04	100	2.23	73	-0.086	1.65
14.02	17.07	3.05	3.05	100	2.61	86	2.517	10.630	114.60	117.65	3.05	3.04	100	1.82	60	0.387	3.69
17.07	19.20	2.13	2.13	100	1.90	89	0.471	2.087	117.65	120.70	3.05	3.05	100	2.27	74	1.616	5.48
19.20	20.12	0.92	0.92	100	0.79	86	0.320	1.234	120.70	123.75	3.05	3.05	100	2.77	91	1.562	6.57
20.12	23.16	3.04	3.05	100	2.70	89	0.987	3.587	123.75	126.80	3.05	3.05	100	2.79	91	-2.479	0.00
23.16	26.21	3.05	2.94	96	2.73	90	2.079	6.849	126.80	129.84	3.04	3.04	100	2.86	94	1.666	6.86
26.21	29.26	3.05	3.05	100	2.99	98	2.870	8.988	129.84	132.89	3.05	3.05	100	2.35	77	1.269	5.42
29.26	32.31	3.05	3.05	100	2.41	79	0.905	6.018	132.89	135.94	3.05	3.05	100	2.09	69	-0.856	1.29
32.31	35.36	3.05	3.05	100	1.22	40	1.026	4.380	135.94	138.99	3.05	3.05	100	2.77	91	-0.212	2.99
35.36	38.40	3.05	3.05	100	2.72	89	2.550	17.700	138.99	142.04	3.05	3.05		2.59	85	-2.436	4.52
38.40	41.45	3.05	3.05	100	2.92	96	2.325	7.857	142.04	145.08	3.04	3.05	100	2.92	96	2.288	6.44
41.45	44.50	3.05	3.05	100	2.90	95	1.456	5.983	145.08	148.13	3.05	3.05	100	2.70	89	1.867	7.55
44.50	47.55	3.05	3.05	100	3.05	100	-0.740	2.401	148.13	151.18	3.05	3.05	100	2.56	84	1.581	8.98
47.55	50.60	3.05	2.74	90	2.74	90	2.651	6.905	151.18	154.23	3.05	3.05	100	2.59	85	1.847	6.13
50.60	53.64	3.04	3.04	100	2.70	89	0.501	13.740	154.23	157.28	3.05	3.05	100	2.86	94	2.448	8.14
53.64	56.69	3.05	3.05	100	3.05	100	1.438	11.780	157.28	160.33	3.05	2.74	90	2.70	89	2.985	6.94
56.69	59.74	3.05	3.05	100	2.81	92	5.197	27.840	160.33	163.37	3.04	3.04	100	3.04	100	3.258	14.26
59.74	62.79	3.05	2.79	91	2.68	88	10.440	32.520	163.37	166.42	3.05	3.05	100	2.94	96	-3.659	10.31
62.79	65.84	3.05	3.05	100	3.01	99	2.317	13.600	166.42	169.47	3.05	3.05	100	2.84	93	3.324	8.39
65.84	68.88	3.04	3.04	100	2.98	98	3.607	1.730	169.47	172.52	3.05	3.05	100	3.05	100	1.491	5.56
68.88	71.93	3.05	3.05	100	3.01	99	0.421	1.399	172.52	175.56	3.04	3.04	100	3.04	100	-0.947	2.41
71.93	74.98	3.05	3.05	100	3.05	100	1.103	3.553	175.56	178.61	3.05	3.04	100	3.04	100	2.834	9.37
74.98	78.03	3.05	3.05	100	3.05	100	2.030	5.249	178.61	181.66	3.05	3.05	100	2.99	98	2.509	8.36
78.03	81.08	3.05	3.05	100	2.99	98	-1.296	2.574	181.66	184.71	3.05	3.05	100	2.48	81	3.635	72.63
81.08	84.12	3.04	3.04	100	2.99	98	1.623	5.887	184.71	187.76	3.05	2.68	88	0.80	26	0.542	3.32
84.12	87.17	3.05	2.99	98	2.98	98	3.522	7.525	187.76	190.81	3.05	2.71	89	1.56	51	0.989	5.91
87.17	90.22	3.05	3.05	100	3.05	100	0.358	2.926	190.81	193.85	3.04	2.89	95	2.68	88	0.869	2.47
90.22	93.27	3.05	3.05	100	3.05	100	3.588	13.610	193.85	196.90	3.05	3.00	98	2.60	85	0.177	2.10
93.27	96.32	3.05	3.05	100	3.05	100	3.400	9.002	196.90	199.95	3.05	2.90	95	2.30	75	0.506	3.14
96.32	99.36	3.04	3.04	100	2.97	98	0.495	3.975	199.95	202.99	3.04	3.10	102	2.76	91	2.780	8.93
99.36	102.41	3.05	3.05	100	2.96	97	2.908	11.450	202.99	206.05	3.06	2.93	96	2.71	89	0.737	2.78

Project : Aldrin

Claim : Longline

Hole # : LON10-04

Page 2 of 2

From	To	Interval	Recovery	Recovery	RQD	RQD	Mag.	Mag.
(metres)	(metres)	(metres)	(metres)	(%)	(metres)	(%)	Av.	High
206.05	209.09	3.04	2.94	97	2.35	77	0.545	2.00
209.09	212.14	2.97	2.93	99	2.76	93	0.420	2.10
212.14	215.19	3.05	3.02	99	2.94	96	0.177	0.57
215.19	218.24	3.05	2.63	86	2.54	83	0.337	4.27
218.24	221.29	3.05	3.00	98	2.45	80	0.154	0.97
221.29	224.33	3.04	2.95	97	2.68	88	1.608	25.86
224.33	227.38	3.05	2.95	97	2.83	93	0.692	2.26
227.38	230.43	3.05	2.95	97	2.73	90	2.079	10.90
230.43	233.48	3.05	2.84	93	2.84	93	2.036	8.33
233.48	236.53	3.05	2.87	94	2.33	76	1.594	9.08
236.53	239.57	3.04	2.64	87	2.11	69	1.868	15.64
239.57	242.62	3.05	3.08	101	2.98	98	1.914	8.57
242.62	245.67	3.05	3.05	100	2.42	79	2.680	10.01
245.67	248.72	3.05	3.00	98	2.77	91	1.775	5.83
248.72	251.76	3.04	3.03	100	2.94	97	1.065	10.33

Project : Aldrin

Claim : Longline

Hole # : LON10_06

Page 1 of 1

From (metres)	To (metres)	Interval (metres)	Recovery (metres)	Recovery (%)	RQD (metres)	RQD (%)	Mag. Av.	Mag. High
4.88	7.92	3.04	3.04	100	2.71	89	1.828	5.441
7.92	10.97	3.05	3.04	100	2.84	93	3.355	11.780
10.97	14.02	3.05	3.05	100	2.59	85	3.435	10.180
14.02	17.00	2.98	2.98	100	2.64	89	5.495	11.090
17.00	20.11	3.11	3.11	100	2.74	88	1.306	6.351
20.11	23.16	3.05	2.88	94	1.52	50	0.413	3.520
23.16	26.21	3.05	3.00	98	2.98	98	2.920	8.739
26.21	29.26	3.05	3.05	100	2.09	69	0.905	3.978
29.26	32.30	3.04	3.04	100	2.50	82	1.422	3.948
32.30	35.36	3.06	2.71	89	2.08	68	2.453	8.471
35.36	38.46	3.10	3.10	100	2.55	82	2.697	10.830
38.46	41.45	2.99	2.99	100	2.32	78	0.699	8.549
41.45	44.50	3.05	2.72	89	1.19	39	0.046	0.250
44.50	47.55	3.05	3.05	100	2.08	68	2.645	7.920
47.55	50.60	3.05	3.00	98	2.00	66	4.139	8.549

Appendix F: Thin Section Petrography

Mineral Services

AN MS GROUP BUSINESS



REPORT NO. MSC10/054R

**PETROGRAPHY OF SIX CORE SAMPLES
FROM THE LONGLINE GOLD PROJECT (YUKON)**

Report prepared for
Equity Exploration Consultants Ltd.

700 – 700 West Pender Street
Vancouver, B.C.
V6C 1G8

By
Mineral Services Canada Inc.
205-930 Harbourside Drive
North Vancouver, B.C.
V7P 3S7

December 6, 2010

TABLE OF CONTENTS

1. INTRODUCTION	1
2. METHODS.....	1
3. RESULTS.....	1
3.1. GRANODIORITE SAMPLES.....	1
3.1.1. LITHOLOGY	1
3.1.2. ALTERATION	2
3.2. VEIN SAMPLES	3
4. SUMMARY AND CONCLUSION	4
APPENDIX A: SAMPLE DESCRIPTIONS.....	A-1
A.1: SAMPLE LON 10-1	A-1
A.2: SAMPLE LON 10-2	A-3
A.3: SAMPLE LON 10-3	A-5
A.4: SAMPLE LON 10-4	A-7
A.5: SAMPLE LON 10-5	A-9
A.6: SAMPLE LON 10-7	A-11
APPENDIX B: HAND SAMPLE DESCRIPTIONS	B-1

CONDITIONS AND DISCLAIMER

This report is issued subject to the following conditions:

This report has been prepared on the basis of information as described in section 1 below. Other than as specifically noted in this report, Mineral Services Canada (MSC) has not conducted any work to verify the source, accuracy or completeness of information provided, and is not responsible for any shortcomings in these regards.

Discussions, conclusions and / or summaries are presented to assist the reader in highlighting key points; however they cannot be interpreted in isolation and must be considered with reference to and in the context of the body of the report.

Any reports, maps, graphs, logs or other information of a geological nature or otherwise, generated by MSC and contained in this report or submitted separately (“the information”), may be used for general information purposes only by the Client to whom the information is addressed. For other uses of the information, such as public disclosure, press releases, regulatory requirements, share exchange, financing and so forth, permission must first be obtained in writing from MSC.

Any quotations, excerpts and references from the report must be made in such a manner that their meaning and intent are not materially changed from the meaning and intent as contained in the report.

MSC will not be held liable for loss or damages resulting from work undertaken or reported in terms of this assignment, or decisions taken on the basis of such work and / or reporting.

PETROGRAPHY OF SIX CORE SAMPLES FROM THE LONGLINE GOLD PROJECT (YUKON)

1. INTRODUCTION

This report presents the results of petrographic analyses of six samples received from Dave Swanton of Equity Exploration Consultants Ltd. Hand samples, thin sections and offcuts were submitted. The offcuts were not stained for feldspar identification.

The aim of the study was to characterize the mineralogy of the samples, focusing on alteration.

2. METHODS

Petrographic descriptions were performed in the office of Mineral Services Canada Inc. using a Nikon eclipse E400 microscope equipped with transmitted and reflected light. Petrographic descriptions of thin sections with representative photomicrographs are presented in Appendix A. Hand sample and offcut descriptions are presented in Appendix B. All modal abundance percentages are approximate.

3. RESULTS

Four samples, LON 10-1, LON 10-3, LON 10-4 and LON 10-5 consist entirely or partly of granodiorite. Samples LON 10-2 and LON 10-7 consist of quartz veins and their host rocks.

3.1. Granodiorite samples

3.1.1. Lithology

Of the four samples in this group, LON 10-3 and LON 10-5 best represent the granodiorite lithology. The samples are medium-grained, granular and made up of quartz (25-35%), plagioclase and K-feldspar (30%), biotite (15-20%) and hornblende (15%). Feldspars, biotite and hornblende are typically subhedral and feldspars are twinned and/or zoned. Minor opaque minerals and epidote are disseminated throughout the samples.

In addition to the granodiorite in sample LON 10-5, approximately half of the sample consists of fine-grained, granular and porphyritic diorite that is essentially made up of plagioclase (45%), hornblende (30%) and biotite (15%). Quartz and K-feldspar are rare (<5% each). The major groundmass minerals are anhedral to subhedral and plagioclase is twinned. Plagioclase and to a much lesser extent hornblende and biotite occur as phenocrysts and glomerocrysts (up to 5 mm in size) disseminated throughout the groundmass.

Quartz in the two granodiorites is fine-grained, internally deformed or annealed and occurs in medium-size clusters, suggesting that the samples were affected by some degree of metamorphism.

Sample LON 10-1 is texturally very similar to the granodiorites in samples LON 10-3 and LON 10-5 but the sample is pervasively altered. Primary textures are mostly preserved and the presence of platy tabular grains suggests former biotite while truncated diamond-shaped grains suggest amphibole was also originally present. The relative abundance of the two major mafic minerals is difficult to estimate confidently based only on the presence of pseudomorphs but biotite appears to be more abundant (20-25%) than amphibole (5-10%). Feldspars are pervasively altered and therefore the primary abundance and texture of K-feldspar and plagioclase cannot be determined. Epidote and opaque minerals are also disseminated.

In sample LON 10-4, the granodiorite is mylonitic and essentially made up of medium-grained quartz and feldspar porphyroclasts wrapped in ribbons of biotite and its alteration product. The presence of amphibole is not confirmed. The mylonite is cut by a possible mafic porphyritic dyke that consists of feldspar (K-feldspar possibly dominant) phenocrysts and microphenocrysts in a cryptocrystalline, undetermined groundmass. Pervasively altered probable mafic phenocrysts are also present. . The shapes of the pseudomorphs suggest these could be pyroxene.

3.1.2.Alteration

Samples LON 10-3 and LON 10-5 are weakly altered as follows:

- local replacement of feldspars by sericite and/or epidote, with sericitization being more advanced in K-feldspar than in plagioclase;
- partial replacement of hornblende by patchy secondary biotite, or by chlorite $\pm$ epidote $\pm$ carbonate preferentially along grain boundaries;
- local replacement of biotite by chlorite along cleavages or by titanite along grain boundaries.

Small, very fine-grained clusters of opaque minerals + titanite $\pm$ apatite also occur in both samples and suggest replacement of an earlier sulphide/oxide (possible magnetite).

No clear differences in alteration type and alteration intensity are observed between the granodiorite and diorite in sample LON 10-5.

In sample LON 10-1, biotite is pseudomorphed by sericite and carbonate ($\pm$ chlorite $\pm$ rutile) in alternating bands (former cleavages), preserving the original platy habit. Amphibole is totally altered to patchy carbonate ($\pm$ chlorite $\pm$ sericite $\pm$ apatite) and feldspars to sericite ($\pm$ carbonate $\pm$ chlorite). Quartz is the only preserved major phase and occurs as annealed granular aggregates throughout the sample.

In the granodiorite of sample LON 10-4, feldspars are pitted by sericite $\pm$ carbonate and biotite is either preserved or slightly altered to chlorite $\pm$ carbonate. In the mafic dyke, feldspars are unaltered while possible pyroxene is replaced by serpentine $\pm$ clay $\pm$ carbonate (calcite). Calcite could also be present in the groundmass as suggested by the effervescence produced when subjected to cold dilute HCl.

3.2. Vein samples

Sample LON 10-2 consists of a massive quartz vein cut by a possible vein or lens of tourmaline and Fe-oxyhydroxides. On one side of the tourmaline vein, quartz is fine- to medium-grained and internally deformed showing subgrains and sutured grain boundaries. A possible shear zone is developed at the edge of the sample. Fan-like muscovite is disseminated throughout the quartz groundmass and Fe-oxyhydroxides locally rim the quartz and muscovite grain boundaries giving the sample an orange stain. On the other side of the tourmaline vein, quartz is coarse- to very coarse-grained and internal deformation is less extensive, only marked by faint undulose extinction and irregular grain boundaries. Two acicular grains of possible hematite occur in the quartz vein.

The tourmaline vein is crustiform and colloform, and consists of alternating bands of fine- to very fine-grained, euhedral, acicular to platy tourmaline and very thin bands of orange Fe-oxyhydroxides that also occur as coating and interstitial infill between tourmaline grains.

Sample LON 10-7 consists of two quartz $\pm$ carbonate veins in a fine-grained, equigranular host rock. The vein quartz is fine- to medium-grained and anhedral to elongated (typically with euhedral terminations), suggesting growth in extension settings. The carbonate is anhedral to interstitial to quartz in the veins.

The host rock is essentially made up of anhedral quartz and patches of sericite + carbonate. Plagioclase and K-feldspar that are preserved from alteration are locally recognized. Coarser-grained muscovite, very fine-grained rutile and small grains of epidote and opaque minerals are disseminated throughout the host rock.

4. SUMMARY AND CONCLUSION

- This report presents the results of petrographic analyses of six samples from the Longline Project in Yukon.
- The sample suite submitted consists of two sample sets: vein samples and metamorphosed igneous samples.
- Four of the samples consist entirely or partly of granodiorite (LON 10-1, LON 10-3, LON 10-4 and LON 10-5). Samples LON 10-1 and LON 10-3 are medium-grained hornblende-biotite granodiorites; sample LON 10-5 consists of medium-grained hornblende-biotite granodiorite in contact with fine-grained porphyritic diorite; sample LON 10-4 is a mylonitic granodiorite cut by a mafic dyke.
- Quartz in all granodiorite samples is internally deformed or annealed suggesting these rocks have been metamorphosed.
- All granodiorite samples are weakly altered except sample LON 10-1 which is pervasively altered.
- In the least altered samples, alteration of the granodiorite (and diorite in sample LON 10-5) is limited to: 1) the occurrence of disseminated sheaves of sericite ($\pm$ epidote $\pm$ carbonate) in feldspar, 2) the partial replacement of amphibole by secondary biotite and/or chlorite $\pm$ epidote $\pm$ carbonate and 3) partial replacement of biotite by chlorite $\pm$ epidote $\pm$ titanite.
- In the mafic dyke in sample LON 10-4, feldspars are unaltered while the primary mafic phase(s) is/are replaced by serpentine $\pm$ clay $\pm$ carbonate. Calcite may be present in the groundmass.
- In sample LON 10-1, feldspars are completely altered to sericite ($\pm$ carbonate $\pm$ chlorite). Biotite is pervasively replaced by sericite and carbonate ($\pm$ chlorite $\pm$ rutile) and amphibole by carbonate ($\pm$ chlorite $\pm$ sericite $\pm$ apatite).
- Two of the samples are classified as vein material: sample LON 10-2 consists of a quartz vein cut by a colloform and crustiform vein of tourmaline and Fe-oxyhydroxides. Sample LON 10-7 consists of quartz-carbonate veins and their host rock that is pervasively altered to a fine-grained granular assemblage of quartz-sericite-carbonate.

Geology reported by:
Alexandra Mauler-Steinmann,
Ph. D., P. Geo.

Report reviewed by:
Tom Nowicki, Ph. D., P. Geo.

APPENDIX A: SAMPLE DESCRIPTIONS

A.1: Sample LON 10-1

LITHOLOGY:	Granodiorite	
ALTERATION TYPE:	Muscovite-carbonate-chlorite-rutile	
Thin section description:		
The sample consists of a fine- to medium-grained, equigranular, polygonal and pervasively altered igneous rock interpreted as a granodiorite. Quartz is the dominant phase and occurs as monomineralic, polycrystalline clusters of anhedral to subhedral grains. Muscovite occurs as replacement of feldspars and locally contains small patches of carbonate + chlorite. Sericite + calcite + chlorite + rutile occur as very fine-grained replacement of primary mafic phases. They form pseudomorphs that are typically platy with sericite and clusters of carbonate ± chlorite ± rutile alternating in parallel bands (former cleavages), suggesting former biotite. Truncated diamond-shaped pseudomorphs likely after amphibole also occur throughout the sample, but are less common than biotite pseudomorphs. Fine-grained anhedral to subhedral opaque minerals are disseminated throughout the sample and include possible pyrite, hematite and sphalerite. Epidote and apatite are disseminated and carbonate microveinlets cut the sample.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	35	Fine-grained, anhedral to subhedral annealed grains with common triple junctions occurring in small granular clusters
Muscovite	30	Medium- to very fine-grained (sericite); muscovite occurring as tabular pseudomorphs (likely after feldspars) disseminated in the section; sericite occurring as sheaves associated with carbonate ± chlorite in subhedral platy pseudomorphs; sericite sheaves typically aligned along former cleavages, which with platy shapes suggest replacement of biotite
Carbonate	20	Calcite as patches of very fine-grained colourless to slightly greenish carbonate occurring 1) associated with sericite as replacement of primary mafic phases, 2) disseminated within muscovite grains and 3) in microveinlets
Chlorite	10	Greenish hues possibly due to association of carbonate with chlorite Very fine-grained sheaves, associated with various amounts of carbonate as alteration of primary mafic phases
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Rutile	3	Microcrystalline clusters occurring with sericite and carbonate along cleavages of former biotite
Opaque minerals	1	Disseminated small anhedral to subhedral cubic grains (possible pyrite); locally displaying reddish colors along edges (possible hematite)
Epidote	tr	Few small grains
Apatite	tr	Disseminated small elongated grains and octahedrons




Figure 1: Photomicrograph of sample LON 10-1 showing the occurrence of annealed quartz, sericite (colourless in PPL, replacing feldspar) and dark brownish clusters of alteration minerals. Most are tabular and platy, suggesting biotite pseudomorphs but one of the clusters has a truncated diamond-shape suggesting an amphibole pseudomorph. A) PPL, B) XPL, = ~ 7 mm.

A.2: Sample LON 10-2

LITHOLOGY:	Quartz vein/quartzite cut by tourmaline vein	
ALTERATION TYPE:	Tourmaline	
Thin section description:		
The sample is mostly made up of internally deformed quartz grains of variable sizes (0.4 to more than 10 mm) that are recrystallized to a much finer grain size (<100 microns). Fan-like masses of muscovite occur in the quartz groundmass and are commonly coated by Fe-oxyhydroxides. Two partial acicular grains of possible hematite occur at the edge of the thin sections and are several mm in length. The sample is cut by a crustiform to colloform tourmaline + Fe-oxyhydroxide vein/lens consisting of alternating Fe-oxyhydroxides-rich and tourmaline-rich bands. Tourmaline is fine-grained, typically subhedral and acicular and defines a decussate fabric. Fe-oxyhydroxides also occur throughout the vein as coating along tourmaline grain boundaries or interstitial to tourmaline.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	65	Fine- to coarse-grained, anhedral and internally deformed to various extents; commonly with undulose extinction and subgrains; rarely as clusters of extremely small recrystallized grains
Tourmaline	25	Small subhedral acicular to platy grains, coated by Fe-oxyhydroxides that also occur as interstitial material between tourmaline
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Hematite	3	Two subhedral grains in the quartz groundmass
Fe-oxyhydroxides	3	Thin coating around muscovite and hematite grains as well as interstitial infill and coating around tourmaline;
Muscovite	1	Disseminated fan-like aggregates in the quartz groundmass. Aggregates are made up of small sheaves that are commonly stained by orange Fe-oxyhydroxides




Figure 2: Photomicrograph of sample LON 10-2 showing the colloform and crustiform vein of tourmaline and Fe-oxyhydroxides in the quartz vein. Note the difference in quartz grain size on opposite sides of the tourmaline vein. A) PPL, B) XPL, FOV = ~ 7 mm.

A.3: Sample LON 10-3

LITHOLOGY:	Hornblende-biotite granodiorite	
ALTERATION TYPE:	Chlorite, epidote, titanite	
Thin section description:		
The sample consists of a medium-grained, equigranular and weakly altered hornblende-biotite granodiorite. Quartz occurs as anhedral clusters of annealed small grains and feldspars as subhedral tabular grains that are typically twinned and zoned. Similar amounts of amphibole and biotite occur in the sample with both phases occurring as subhedral grains. Fine-grained epidote is disseminated throughout the sample. Alteration is weak and marked by: - local sericitization + epidote replacement of feldspars, with sericitization being more advanced in K-feldspar than in plagioclase - partial replacement of hornblende by secondary biotite, or by chlorite ± epidote ± carbonate along grain boundaries - weak replacement of biotite by chlorite along cleavages or by titanite along grain boundaries - replacement of an earlier sulphide/oxide by very fine-grained clusters of opaque minerals + titanite ± apatite.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Feldspars	30	Medium-grained, subhedral tabular; typically with polysynthetic twins (plagioclase) and locally zoned; more altered grains of K-feldspar present
Quartz	25	Medium-size, equigranular and polygonal clusters of fine-grained anhedral to subhedral quartz
Amphibole	15	Medium-grained, subhedral; typically with a partial corona of microcrystalline alteration minerals (epidote ± chlorite ± carbonate) or containing sheaves of secondary biotite
Biotite	15	Medium-grained, subhedral; typically altered along cleavages by chlorite, locally containing microcrystalline clusters of epidote or partially replaced by titanite along grain boundaries
Chlorite	7	Also fine- to very fine-grained plates in amphibole, likely replacing it Small sheaves variably associated with epidote ± carbonate and replacing mafic phases
Epidote	5	1) Disseminated small anhedral grains; 2) very small granular clusters, occurring with chlorite ± carbonate replacing biotite and amphibole or with sericite as feldspar replacement
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Sericite	1	Very fine-grained sheaves after feldspars and associated with epidote
Titanite	1	Very small anhedral grains occurring with apatite and opaque minerals in small clusters or along biotite grain boundaries
Apatite	tr	Small anhedral grains in clusters with opaque minerals and titanite
Opaque minerals	tr	Small anhedral grains in clusters with apatite and titanite
Carbonate	tr	Possible calcite as very small anhedral patches replacing feldspars or amphibole



Figure 3: Photomicrograph of sample LON 10-3 showing the occurrence of unaltered plagioclase (bottom left) and partially chloritized biotite (middle left). The area shown on the right side of the photomicrograph is essentially made up of feldspar that is pitted by sericite and epidote. XPL, FOV = ~ 7 mm.




Figure 4: Close-up of a hornblende crystal in sample LON 10-3 displaying a partial corona of very fine-grained epidote. XPL, FOV = ~ 1.4 mm.

A.4: Sample LON 10-4

LITHOLOGY:	Mylonitic granodiorite in contact with mafic dyke	
ALTERATION TYPE:	Carbonate, chlorite, sericite	
Thin section description:		
The sample consists of a mylonitic granodiorite cut by a possible mafic dyke. The mylonite is essentially made up of quartz, feldspars and sheared bands of micas ± chlorite ± rutile or of calcite. Quartz occurs in anhedral clusters and is fine-grained and either extensively internally deformed (displaying subgrains and recrystallized grains) or polygonal and annealed. Feldspars are medium-grained, anhedral to flattened and replaced to varying extent by sericite ± calcite that occurs in microveinlets throughout the mylonite. Clusters and bands of opaque minerals occur throughout. The mafic dyke is essentially made up of a dark brown cryptocrystalline groundmass in which acicular and unaltered phenocrysts and microphenocrysts of K-feldspar and/or plagioclase occur. Subhedral phenocryst pseudomorphs made up of serpentine ± brown clay ± calcite are also present and suggest former pyroxene. Calcite likely also occurs as part of the groundmass of the mafic dyke.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Groundmass	30	Dark brown, cryptocrystalline mafic dyke groundmass in which phenocrysts and microphenocrysts of K-feldspar are disseminated; possibly comprised of a dark carbonate
Feldspars	20	<u>Mafic dyke:</u> Fine- to medium-grained euhedral acicular phenocrysts and microphenocrysts set in the groundmass (K-feldspar essentially) <u>Mylonite:</u> Medium-grained anhedral to flattened grains, extensively replaced by sericite and carbonate
Quartz	15	Fine- to medium-size clusters of small anhedral grains, that are extensively internally deformed or annealed
Carbonate	10	Calcite as small to microcrystalline patches altering feldspars, in bands and as microveinlets and as groundmass constituent in mafic dike samples (as indicated by the reaction of the sample with cold dilute HCl)
Micas	10	Elongated and sheared bands of extremely foliated brown to colourless micas (biotite and muscovite) associated with microcrystalline rutile
Serpentine	5	Replacement of phenocrysts in the mafic dyke
Chlorite	5	Small sheaves associated with micas in shear bands
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Rutile	2	Very small microcrystalline clusters occurring with micas in the mylonite
Opaque minerals	1	Fine- to medium-grained in bands and clusters in the mylonite
Brown clay	tr	Cryptocrystalline patches associated with serpentine as replacement of mafic phase(s) in the dyke




Figure 5: Photomicrograph of sample LON 10-4 showing the mylonitic granodiorite (left), the mafic dyke (right) and the contact between them. A) PPL FOV = ~ 2.7 mm.





Figure 6: Close-up of phenocrysts and glomerocrysts in the mafic dyke in sample LON 10-4. Unaltered K-feldspar phenocrysts occur with serpentine and clay pseudomorphs of possible pyroxene. XPL, FOV = ~ 1.4 mm.

A.5: Sample LON 10-5

LITHOLOGY:	Hornblende-biotite granodiorite in contact with hornblende diorite	
ALTERATION TYPE:	Chlorite, epidote, titanite	
Thin section description:		
The sample consists of two rock types: a hornblende-biotite granodiorite similar to that represented in sample LON 10-3 and a porphyritic to glomeroporphyritic diorite. The contact between the two rock types is sharp. The granodiorite is medium-grained, equigranular, weakly altered and essentially made up of quartz (35%), plagioclase and K-feldspar (30%), biotite (20%) and amphibole (15%). Quartz is fine-grained and occurs in medium-sized polygranular clusters, while all other major phases are medium-grained and subhedral. Magnetite and its alteration products are disseminated throughout. The diorite is fine-grained and essentially made up of plagioclase (45%), hornblende (30%) and biotite (15%). K-feldspar is rare and quartz only occurs as an interstitial phase. At the scale of the thin section, only hornblende and plagioclase occur as phenocrysts with plagioclase commonly forming glomerophytic clusters. Acicular opaque grains of hematite are disseminated. Alteration is weak and similar in the two units: feldspars are locally replaced by sericite ± epidote; amphibole by secondary biotite and/or epidote ± chlorite and biotite by chlorite ± epidote. In the granodiorite, clusters of hematite + titanite ± apatite occur as possible replacement of magnetite.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Feldspars	30	<u>Granodiorite</u> : Plagioclase and K-feldspar; medium-grained, subhedral and tabular; <u>Diorite</u> : Fine-grained plagioclase, anhedral to subhedral in the groundmass, as phenocrysts and in glomerocrysts; K-feldspar rare
Amphibole	20	<u>Granodiorite</u> : Fine- to medium-grained, subhedral; altered by sheaves of secondary biotite or by very fine-grained epidote ± chlorite; <u>Diorite</u> : Fine-grained in the groundmass and medium-grained phenocrysts, subhedral; altered by biotite or epidote (± chlorite)
Biotite	20	<u>Granodiorite</u> : Medium-grained, subhedral; locally altered to chlorite (± epidote); <u>Diorite</u> : Fine-grained in the groundmass, subhedral and locally partially replaced by chlorite (± epidote)
Quartz	15	<u>Granodiorite</u> : Medium-size equigranular and polygonal clusters of fine-grained anhedral to subhedral quartz; internally deformed or annealed; <u>Diorite</u> : Few small interstitial grains
Chlorite	5	Small sheaves replacing mafic phases with epidote
Epidote	5	Very small granular clusters, occurring with chlorite replacing biotite and amphibole or with sericite as feldspar replacement
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Sericite	3	Sheaves replacing feldspars and associated with epidote
Opaque minerals	1	Disseminated small anhedral grains and clusters; hematite and magnetite recognized
Titanite	tr	Very small anhedral grains
Apatite	tr	Small anhedral grains in clusters



A)



B)

Figure 7: Photomicrographs of the (A) granodiorite and (B) diorite present in sample LON 10-5. Note the higher abundance of mafic phases (hornblende and biotite) and the porphyritic texture in the diorite. PPL, FOV = ~ 7 mm.

A.6: Sample LON 10-7

LITHOLOGY:	Undetermined	
ALTERATION TYPE:	Muscovite, carbonate	
Thin section description:		
The sample is fine-grained, equigranular and pervasively altered. Quartz is the only unaltered phase and occurs as anhedral, internally deformed grains throughout. Both plagioclase and K-feldspar are locally recognized based on the presence of polysynthetic and cross-hatched twinning respectively but are typically pervasively altered by sericite and carbonate (possible Fe-Mg-carbonate as suggested by lack of reaction of the sample with cold dilute HCl). No mafic phase is observed in the sample but disseminated clusters of coarser-grained muscovite and very fine-grained rutile suggest replacement of an earlier mafic phase. Few small grains of epidote and opaque minerals are also disseminated. The sample is cut by subparallel quartz/carbonate veins in which quartz is fine- to medium-grained and anhedral to elongated (typically with euhedral terminations), suggesting growth in extension settings. Carbonate is anhedral to interstitial to quartz in the veins.		
MAJOR MINERALS		
Mineral	%	Distribution & Characteristics
Quartz	50	Fine-grained, anhedral and internally deformed or annealed in the host rock; fine- to medium-grained, anhedral to elongated with straight terminations, internally deformed and/or with sutured grain boundaries in the subparallel veins
Muscovite	20	Very fine-grained (sericite), pervasive alteration of feldspars; locally as coarser-grained sheaves associated with rutile as possible alteration of mafic phase(s)
Carbonate	20	Small anhedral grains (possible Fe-Mg-carbonate) occurring with sericite as alteration of feldspars; also coarser-grained, anhedral in veins with quartz
Feldspars	5	Fine-grained with twins and zoning only locally recognized due to extensive alteration; both plagioclase and K-feldspar recognized
MINOR MINERALS		
Mineral	%	Distribution & Characteristics
Epidote	tr	Few small anhedral grains in the host rock
Opaque minerals	tr	Rare subhedral hexagonal to cubic grains occurring in the host rock and in the veins
Rutile	tr	Microcrystalline clusters associated with muscovite




Figure 8: Photomicrograph of sample LON 10-7 showing the fine-grained granular texture of the sample and the quartz and sericite/carbonate alteration mineralogy. XPL, FOV = ~ 7 mm.




Figure 9: Photomicrograph of sample LON 10-7 showing part of a coarse-grained quartz-carbonate vein (left) cutting the host rock. The vein wall is oriented vertically in the photomicrograph. XPL, FOV = ~ 7 mm.

APPENDIX B: HAND SAMPLE DESCRIPTIONS

<i>Sample LON 10-1</i>
The sample consists of a medium-grained granular rock that is extensively altered. Quartz (30-35%) and pale pistachio and olive green alteration minerals (50%) form most of the sample with black mafic minerals occurring disseminated (10-15%). The sample is not magnetic and effervesces vigorously in cold dilute HCl.
<i>Sample LON 10-2</i>
The sample consists of a white to orange quartz vein (or quartzite) that is itself cut by a crustiform and colloform vein of alternating orange Fe-oxyhydroxides and dark blue to black possible tourmaline. Acicular grains of possible hematite occur in the quartz vein. The sample is not magnetic and does not react to cold dilute HCl.
<i>Sample LON 10-3</i>
The sample consists of a medium-grained granodiorite, and is essentially made up of colourless quartz (40%), white feldspars (25%), green amphibole (15%) and black biotite (10%). Small pistachio green patches of epidote are disseminated throughout. The sample is locally magnetic and does not react to cold dilute HCl.
<i>Sample LON 10-4</i>
The sample consists of a mylonitic rock in contact with a mafic porphyritic rock. The mylonite is altered and essentially made up of medium- to coarse-grained white to green minerals wrapped in black biotite-rich ribbons. The mafic rock is essentially made up of elongated white phenocrysts (up to 2 mm long) set in a black, aphanitic groundmass. The sample is not magnetic. Cold dilute HCl reacts with carbonate in both the mylonite and the groundmass of the mafic rock.
<i>Sample LON 10-5</i>
The sample consists of a medium-grained granodiorite in contact with a mafic, porphyritic rock. The granodiorite is similar to that in sample LON 10-3. The more mafic rock is dominated by fine-grained amphibole (40%), biotite (20%) and feldspar (30%). Feldspars and to a lesser extent amphibole and biotite occur as phenocrysts and glomerocrysts up to 5 mm in size. Quartz is virtually absent. The granodiorite is locally magnetic and does not react to cold dilute HCl.
<i>Sample LON 10-7</i>
The sample consists of subparallel veinlets of white quartz + carbonate and their host rock. The quartz veins are 1 and 15 mm respectively and are devoid of opaque minerals. The host rock is microcrystalline and greenish in colour. The sample is not magnetic. There is no reaction between HCl and carbonate in the host rock. Reaction is very moderate in the veins.

Appendix G: Certificates of Analysis



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **30-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10133320

Project: ALN10-01

P.O. No.: ALN10-02_18

This report is for 79 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859722		2.69	<0.005		<0.2	1.41	17	<10	390	<0.5	<2	0.52	<0.5	6	8	4
E859723		3.72	<0.005		<0.2	1.50	17	<10	360	<0.5	<2	0.64	<0.5	6	6	8
E859724		5.60	<0.005		<0.2	1.36	34	<10	320	<0.5	<2	0.73	<0.5	6	7	6
E859725		4.57	<0.005		<0.2	1.37	23	<10	330	<0.5	<2	0.73	<0.5	5	7	5
E859726		4.55	<0.005		<0.2	1.32	9	<10	300	<0.5	<2	0.83	<0.5	5	7	3
E859727		4.31	<0.005		<0.2	1.28	31	<10	280	<0.5	<2	0.96	<0.5	6	7	7
E859728		4.13	<0.005		<0.2	1.46	18	<10	390	<0.5	<2	0.77	<0.5	5	7	6
E859729C		<0.02	<0.005		<0.2	1.45	18	<10	380	<0.5	<2	0.76	<0.5	6	9	6
E859730		0.04	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	<0.01	<0.5	<1	<1	<1
E859731		4.62	<0.005		<0.2	1.34	398	<10	330	<0.5	<2	0.74	<0.5	6	7	11
E859732		4.45	<0.005		<0.2	1.46	61	<10	330	<0.5	<2	0.84	<0.5	6	7	5
E859733		3.78	<0.005		<0.2	1.57	84	<10	170	<0.5	<2	1.60	<0.5	12	15	13
E859734		4.97	<0.005		<0.2	2.00	24	<10	70	0.7	<2	2.37	<0.5	22	32	30
E859735		4.36	<0.005		<0.2	2.13	17	<10	80	0.7	<2	2.37	<0.5	21	30	30
E859736		3.88	<0.005		<0.2	1.51	121	<10	210	<0.5	<2	1.54	<0.5	8	8	17
E859737		5.86	<0.005		<0.2	1.67	74	<10	230	<0.5	<2	1.69	<0.5	10	23	19
E859738		4.93	<0.005		<0.2	1.95	20	<10	70	0.6	<2	2.26	<0.5	20	25	31
E859739		4.81	0.006		<0.2	1.75	26	<10	130	0.6	<2	2.09	<0.5	16	18	23
E859740		1.76	0.006		<0.2	2.73	70	<10	210	0.5	<2	3.03	<0.5	21	80	45
E859741		1.83	0.006		<0.2	2.79	130	<10	230	0.6	<2	2.90	<0.5	22	88	42
E859742		5.32	<0.005		<0.2	1.97	151	<10	80	0.6	<2	2.44	<0.5	22	44	34
E859743		4.51	<0.005		<0.2	1.83	104	<10	190	0.5	<2	2.12	<0.5	16	34	23
E859744		4.41	0.013		0.3	1.54	602	<10	160	0.5	<2	2.01	<0.5	10	15	23
E859745		4.04	<0.005		<0.2	2.42	75	<10	140	0.7	<2	3.01	<0.5	22	73	35
E859746		4.78	<0.005		<0.2	1.04	66	<10	110	<0.5	<2	1.41	<0.5	7	12	8
E859747		4.40	<0.005		0.2	1.61	1620	<10	150	0.5	<2	2.21	<0.5	10	15	14
E859748		2.89	<0.005		<0.2	1.94	158	<10	170	0.6	<2	2.38	<0.5	18	33	28
E859749C		<0.02	<0.005		<0.2	1.90	149	<10	170	0.6	<2	2.36	<0.5	18	33	29
E859750		0.04	<0.005		<0.2	0.01	2	<10	10	<0.5	<2	0.01	<0.5	<1	1	1
E859751		4.07	0.006		0.4	1.73	253	<10	140	0.5	<2	2.50	<0.5	10	31	19
E859752		5.54	<0.005		0.2	1.42	63	<10	140	<0.5	<2	1.90	<0.5	7	9	14
E859753		2.52	<0.005		0.2	1.30	43	<10	90	<0.5	2	1.85	<0.5	7	5	6
E859754		4.67	<0.005		0.2	1.31	39	<10	180	<0.5	<2	1.76	<0.5	6	6	3
E859755		4.29	<0.005		<0.2	1.29	64	<10	150	<0.5	<2	1.67	<0.5	6	6	3
E859756		3.64	0.010		0.8	1.49	505	<10	130	<0.5	<2	2.27	<0.5	9	23	15
E859757		4.13	<0.005		0.2	2.75	62	<10	150	0.5	<2	2.61	<0.5	19	58	17
E859758		4.76	<0.005		<0.2	1.19	21	<10	240	<0.5	<2	1.42	<0.5	6	7	3
E859759		3.35	<0.005		<0.2	1.43	33	<10	190	<0.5	<2	1.90	<0.5	9	21	9
E859760		1.39	<0.005		<0.2	1.32	80	<10	310	<0.5	<2	1.14	<0.5	6	5	12
E859761		1.51	<0.005		<0.2	1.30	75	<10	310	<0.5	<2	1.05	<0.5	5	6	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859722		2.58	10	<1	0.70	20	0.70	646	<1	0.13	1	680	6	0.02	<2	4
E859723		2.69	<10	<1	0.70	20	0.77	721	<1	0.13	2	700	7	0.02	<2	4
E859724		2.60	<10	<1	0.64	30	0.68	656	<1	0.11	1	660	8	0.02	<2	4
E859725		2.60	<10	<1	0.62	20	0.66	626	<1	0.12	2	640	8	0.02	<2	4
E859726		2.58	<10	<1	0.54	30	0.69	657	<1	0.11	1	650	8	0.02	<2	3
E859727		2.54	<10	<1	0.53	30	0.67	666	<1	0.08	1	650	8	0.03	<2	4
E859728		2.63	<10	<1	0.78	20	0.70	670	<1	0.12	1	660	9	0.02	<2	4
E859729C		2.65	<10	<1	0.78	20	0.71	673	<1	0.12	<1	670	10	0.02	<2	4
E859730		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	0.01	<1	10	<2	0.02	<2	<1
E859731		2.51	10	<1	0.67	30	0.64	654	<1	0.09	1	660	9	0.05	<2	3
E859732		2.58	<10	<1	0.66	20	0.70	669	<1	0.11	2	670	10	0.03	<2	4
E859733		3.42	10	<1	0.42	30	1.08	611	1	0.14	11	1470	8	0.07	2	6
E859734		4.82	10	<1	0.34	30	1.91	660	1	0.28	33	2710	3	0.18	<2	7
E859735		4.82	10	<1	0.39	30	1.94	639	2	0.31	32	2760	4	0.15	<2	7
E859736		2.93	10	<1	0.42	20	0.84	649	<1	0.11	5	990	14	0.06	<2	6
E859737		2.98	10	<1	0.49	20	1.12	616	1	0.13	18	950	16	<0.01	2	6
E859738		4.65	10	<1	0.35	30	1.85	625	2	0.26	30	2750	4	0.09	<2	6
E859739		3.99	10	1	0.33	20	1.46	611	1	0.20	20	2070	7	0.04	<2	6
E859740		3.78	10	<1	0.54	20	2.07	582	1	0.31	57	1340	10	0.05	<2	10
E859741		4.20	10	<1	0.55	20	2.33	543	1	0.30	63	1480	12	0.05	<2	10
E859742		4.74	10	<1	0.40	20	1.77	637	2	0.25	27	2850	3	0.18	<2	7
E859743		3.99	10	<1	0.47	20	1.42	576	1	0.18	18	1960	8	0.07	<2	7
E859744		3.15	10	<1	0.36	20	0.98	569	1	0.12	9	1230	12	0.05	<2	6
E859745		4.83	10	<1	0.39	20	2.29	565	1	0.24	46	2330	6	0.12	<2	11
E859746		2.29	<10	<1	0.28	20	0.66	453	<1	0.09	7	750	12	0.01	<2	4
E859747		3.27	10	<1	0.30	20	1.11	637	<1	0.10	12	1000	14	0.09	2	6
E859748		4.54	10	<1	0.33	30	1.64	599	1	0.20	26	2260	6	0.12	<2	8
E859749C		4.54	10	<1	0.32	30	1.65	591	1	0.19	25	2300	6	0.12	2	8
E859750		0.02	<10	<1	<0.01	<10	0.01	<5	<1	<0.01	1	10	2	<0.01	<2	<1
E859751		3.01	10	1	0.25	20	1.11	745	<1	0.09	14	830	17	0.06	<2	6
E859752		2.85	<10	<1	0.27	30	0.81	730	1	0.06	2	770	13	0.05	<2	5
E859753		2.71	<10	<1	0.21	30	0.70	645	<1	0.05	2	670	18	0.01	<2	3
E859754		2.62	<10	<1	0.32	30	0.69	656	<1	0.07	<1	660	15	<0.01	<2	3
E859755		2.65	<10	<1	0.27	30	0.70	628	<1	0.07	1	680	15	0.01	<2	3
E859756		2.94	<10	<1	0.27	20	0.99	688	<1	0.07	4	730	15	0.14	2	6
E859757		4.05	10	<1	0.42	20	1.91	691	<1	0.34	10	1120	8	0.07	<2	10
E859758		2.54	<10	<1	0.45	30	0.66	642	<1	0.07	1	680	9	0.02	<2	3
E859759		2.93	<10	<1	0.38	20	0.98	691	<1	0.09	8	890	8	0.03	<2	5
E859760		2.61	<10	<1	0.62	30	0.67	633	<1	0.09	1	670	10	0.06	<2	3
E859761		2.62	<10	<1	0.60	30	0.68	628	<1	0.08	1	670	8	0.07	<2	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859722		34	<20	0.17	<10	<10	46	<10	54			
E859723		34	<20	0.16	<10	<10	47	<10	60			
E859724		37	<20	0.13	<10	<10	43	<10	54			
E859725		36	<20	0.13	<10	<10	43	<10	54			
E859726		43	<20	0.13	<10	<10	42	<10	53			
E859727		44	<20	0.10	<10	<10	40	<10	54			
E859728		40	<20	0.15	<10	<10	45	<10	56			
E859729C		40	<20	0.15	<10	<10	46	<10	58			
E859730		<1	<20	<0.01	<10	<10	<1	<10	3			
E859731		35	<20	0.13	<10	<10	42	<10	51			
E859732		43	<20	0.15	<10	<10	44	<10	57			
E859733		62	<20	0.17	<10	<10	60	<10	73			
E859734		123	<20	0.20	<10	<10	78	<10	94			
E859735		127	<20	0.21	<10	<10	83	<10	97			
E859736		55	<20	0.14	<10	<10	51	<10	60			
E859737		63	<20	0.16	<10	<10	57	<10	68			
E859738		112	<20	0.18	<10	<10	79	<10	97			
E859739		86	<20	0.18	<10	<10	68	<10	82			
E859740		128	<20	0.20	<10	<10	98	<10	49			
E859741		119	<20	0.22	<10	<10	100	<10	61			
E859742		111	<20	0.18	<10	<10	82	<10	93			
E859743		84	<20	0.18	<10	<10	73	<10	80			
E859744		65	<20	0.12	<10	<10	54	<10	59			
E859745		116	<20	0.23	<10	<10	96	<10	84			
E859746		37	<20	0.14	<10	<10	36	<10	44			
E859747		65	<20	0.11	<10	<10	52	<10	64			
E859748		113	<20	0.17	<10	<10	72	<10	75			
E859749C		110	<20	0.16	<10	<10	71	<10	74			
E859750		<1	<20	<0.01	<10	<10	<1	<10	3			
E859751		111	<20	0.06	<10	<10	48	<10	62			
E859752		88	<20	0.04	<10	<10	41	<10	60			
E859753		71	20	0.02	<10	<10	33	<10	72			
E859754		75	<20	0.05	<10	<10	34	<10	57			
E859755		75	<20	0.04	<10	<10	32	<10	53			
E859756		98	<20	0.07	<10	<10	43	<10	56			
E859757		135	<20	0.22	<10	<10	80	<10	69			
E859758		71	<20	0.08	<10	<10	35	<10	49			
E859759		88	<20	0.11	<10	<10	46	<10	51			
E859760		55	<20	0.11	<10	<10	40	<10	49			
E859761		51	<20	0.12	<10	<10	41	<10	50			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859762		2.55	<0.005		0.4	1.23	493	<10	270	<0.5	<2	0.89	<0.5	5	6	9
E859763		3.23	0.027		0.9	1.06	>10000	<10	230	<0.5	<2	0.92	<0.5	5	6	11
E859764		2.63	0.040		0.7	1.16	3290	<10	260	<0.5	<2	0.99	<0.5	5	6	16
E859765		3.07	<0.005		<0.2	1.18	189	<10	250	<0.5	<2	0.92	<0.5	5	7	17
E859766		2.87	<0.005		0.2	1.29	112	<10	260	<0.5	<2	0.95	<0.5	6	7	7
E859767		3.03	<0.005		<0.2	1.31	29	<10	240	<0.5	<2	1.16	<0.5	6	6	3
E859768		3.35	<0.005		<0.2	1.18	9	<10	170	<0.5	<2	1.27	<0.5	5	6	4
E859769C		<0.02	<0.005		<0.2	1.24	9	<10	180	<0.5	<2	1.31	<0.5	5	7	4
E859770		0.05	0.915		>100	0.52	4680	<10	20	<0.5	5	0.55	99.9	6	53	319
E859771		4.78	<0.005		0.2	2.01	46	<10	140	0.6	<2	2.45	<0.5	17	41	23
E859772		3.37	0.012		0.3	1.53	95	<10	120	0.5	<2	2.13	1.0	10	16	14
E859773		5.06	<0.005		<0.2	1.91	28	<10	130	0.6	<2	2.30	<0.5	19	41	27
E859774		4.46	0.005		<0.2	1.46	50	<10	150	<0.5	<2	1.73	<0.5	12	27	21
E859775		4.42	<0.005		<0.2	1.24	52	<10	170	<0.5	<2	1.71	<0.5	6	7	7
E859776		4.30	<0.005		0.3	1.35	64	<10	230	<0.5	<2	1.62	<0.5	6	8	14
E859777		4.75	<0.005		<0.2	1.20	18	<10	130	<0.5	<2	1.52	<0.5	6	7	5
E859778		3.90	0.008		0.6	1.55	296	<10	190	<0.5	<2	1.99	<0.5	7	9	11
E859779		4.33	<0.005		<0.2	1.24	14	<10	230	<0.5	<2	1.00	<0.5	6	7	3
E859780		2.04	<0.005		0.3	1.55	70	<10	170	<0.5	<2	1.56	<0.5	12	26	23
E859781		1.99	0.005		0.7	1.54	321	<10	160	<0.5	<2	1.64	<0.5	13	27	33
E859782		3.75	<0.005		<0.2	1.60	18	<10	190	<0.5	<2	1.39	<0.5	13	27	15
E859783		4.76	<0.005		<0.2	1.28	65	<10	270	<0.5	<2	1.01	<0.5	5	7	8
E859784		3.45	0.007		0.5	1.17	392	<10	190	<0.5	<2	1.33	<0.5	5	6	13
E859785		3.98	<0.005		<0.2	1.35	51	<10	270	<0.5	<2	1.23	<0.5	5	6	8
E859786		4.48	<0.005		<0.2	1.52	68	<10	350	<0.5	<2	0.96	<0.5	6	7	5
E859787		3.92	<0.005		<0.2	1.35	34	<10	250	<0.5	<2	1.30	<0.5	6	6	5
E859788		4.61	0.005		<0.2	1.35	380	<10	300	<0.5	<2	1.04	<0.5	5	7	8
E859789C		<0.02	<0.005		<0.2	1.33	322	<10	300	<0.5	<2	1.00	<0.5	6	6	9
E859790		0.05	1.260	NSS	>100	0.36	4510	<10	20	<0.5	6	0.82	528	5	53	841
E859791		4.48	<0.005		<0.2	1.45	22	<10	290	<0.5	<2	1.11	<0.5	6	7	11
E859792		4.36	<0.005		<0.2	1.25	15	<10	200	<0.5	<2	1.49	<0.5	6	7	4
E859793		4.72	<0.005		<0.2	1.68	154	<10	150	0.5	<2	2.02	<0.5	16	35	20
E859794		4.48	<0.005		<0.2	1.29	289	<10	260	<0.5	<2	1.23	<0.5	6	8	6
E859795		4.98	<0.005		<0.2	1.41	95	<10	240	<0.5	<2	1.40	<0.5	7	14	14
E859796		2.77	<0.005		<0.2	2.59	104	<10	60	0.8	<2	4.14	<0.5	24	101	30
E859797		2.44	0.006		<0.2	1.54	141	<10	180	<0.5	<2	1.42	<0.5	7	8	15
E859798		2.50	0.009		<0.2	1.33	279	<10	180	<0.5	<2	1.61	<0.5	6	5	7
E859799		3.69	0.014		<0.2	1.38	83	<10	270	<0.5	<2	1.10	<0.5	6	7	13
E859800		2.20	0.005		<0.2	1.32	216	<10	270	<0.5	<2	1.01	<0.5	6	5	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859762		2.48	10	<1	0.53	20	0.64	576	<1	0.08	1	640	9	0.07	<2	3
E859763		2.95	<10	<1	0.46	20	0.51	514	<1	0.07	1	530	35	0.66	5	2
E859764		2.45	<10	<1	0.51	20	0.57	544	<1	0.07	<1	620	21	0.20	<2	3
E859765		2.35	<10	<1	0.51	20	0.60	558	<1	0.07	1	600	9	0.03	<2	3
E859766		2.46	10	<1	0.50	20	0.67	582	<1	0.08	<1	640	9	0.02	<2	3
E859767		2.58	<10	<1	0.50	20	0.70	633	<1	0.07	1	650	8	<0.01	<2	3
E859768		2.42	10	<1	0.33	20	0.67	573	<1	0.06	1	620	8	<0.01	<2	3
E859769C		2.46	<10	<1	0.35	20	0.66	577	<1	0.07	1	610	7	<0.01	<2	3
E859770		5.90	<10	1	0.32	10	0.10	306	2	0.04	5	690	4960	7.9	1630	1
E859771		4.51	10	<1	0.33	30	1.57	684	<1	0.21	18	2050	9	0.06	<2	8
E859772		3.19	10	<1	0.31	30	0.94	621	1	0.09	8	1310	10	0.07	<2	4
E859773		4.64	10	<1	0.38	20	1.60	629	<1	0.24	21	2350	5	0.08	<2	7
E859774		3.66	<10	<1	0.37	20	1.07	616	<1	0.14	10	1410	9	0.07	<2	5
E859775		2.68	<10	<1	0.35	30	0.72	643	<1	0.07	<1	700	7	<0.01	<2	3
E859776		2.83	10	<1	0.43	20	0.78	673	<1	0.09	1	710	9	0.04	<2	4
E859777		2.52	<10	<1	0.23	30	0.72	613	<1	0.07	<1	670	10	<0.01	<2	3
E859778		3.25	10	<1	0.35	20	0.95	802	<1	0.06	1	850	10	0.06	<2	6
E859779		2.66	10	<1	0.42	30	0.71	587	<1	0.08	<1	670	8	<0.01	<2	3
E859780		3.55	10	<1	0.34	20	1.17	643	<1	0.15	12	1390	9	0.07	<2	5
E859781		3.74	<10	<1	0.33	20	1.20	639	<1	0.15	13	1470	11	0.13	<2	5
E859782		3.55	<10	<1	0.39	20	1.22	606	<1	0.18	14	1420	8	0.05	<2	4
E859783		2.69	10	<1	0.53	20	0.70	609	<1	0.09	<1	660	7	0.03	<2	3
E859784		2.53	<10	<1	0.36	30	0.65	595	<1	0.06	<1	660	13	0.07	<2	3
E859785		2.79	10	<1	0.51	20	0.74	662	<1	0.09	<1	680	8	0.01	<2	4
E859786		3.01	<10	<1	0.69	30	0.82	699	<1	0.11	1	750	6	<0.01	<2	4
E859787		2.72	<10	<1	0.51	20	0.73	652	<1	0.07	<1	700	9	<0.01	<2	3
E859788		2.70	10	<1	0.58	30	0.71	659	<1	0.10	<1	650	7	0.02	<2	4
E859789C		2.68	<10	<1	0.58	20	0.71	649	<1	0.10	<1	640	9	0.02	<2	4
E859790		6.71	<10	2	0.24	10	0.25	377	1	0.04	3	560	>10000	9.4	2680	1
E859791		2.81	10	<1	0.59	30	0.80	682	<1	0.07	1	680	7	0.02	<2	4
E859792		2.58	10	<1	0.38	30	0.66	674	<1	0.08	<1	640	11	0.03	<2	4
E859793		4.09	<10	<1	0.36	30	1.45	761	<1	0.19	25	1690	8	0.09	<2	6
E859794		2.66	<10	<1	0.53	20	0.67	669	<1	0.08	<1	670	8	0.04	<2	3
E859795		2.75	10	<1	0.48	30	0.75	666	<1	0.10	3	700	8	0.04	<2	4
E859796		5.45	10	<1	0.15	30	2.31	921	<1	0.19	50	2440	6	0.06	<2	13
E859797		3.04	<10	<1	0.35	20	0.93	689	<1	0.07	2	710	12	<0.01	<2	4
E859798		2.69	<10	<1	0.34	30	0.67	684	<1	0.08	<1	680	13	<0.01	<2	4
E859799		2.70	10	<1	0.53	20	0.71	646	<1	0.09	1	670	10	<0.01	<2	4
E859800		2.56	<10	<1	0.51	20	0.69	633	<1	0.08	<1	670	8	<0.01	<2	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859762		40	<20	0.11	<10	<10	40	<10	50			
E859763		51	<20	0.07	<10	<10	30	<10	43			
E859764		46	<20	0.09	<10	<10	33	<10	43			
E859765		44	<20	0.10	<10	<10	37	<10	46			
E859766		50	<20	0.12	<10	<10	39	<10	49			
E859767		51	<20	0.11	<10	<10	41	<10	53			
E859768		54	<20	0.08	<10	<10	37	<10	47			
E859769C		59	<20	0.09	<10	<10	38	<10	48			
E859770		138	<20	<0.01	<10	<10	6	10	>10000		1.305	NSS
E859771		103	<20	0.24	<10	<10	75	<10	79			
E859772		70	<20	0.11	<10	<10	40	<10	146			
E859773		112	<20	0.26	<10	<10	75	<10	87			
E859774		76	<20	0.18	<10	<10	52	<10	64			
E859775		65	<20	0.07	<10	<10	34	<10	50			
E859776		65	<20	0.10	<10	<10	42	<10	55			
E859777		73	<20	0.08	<10	<10	34	<10	53			
E859778		87	<20	0.06	<10	<10	42	<10	70			
E859779		47	<20	0.12	<10	<10	41	<10	52			
E859780		76	<20	0.16	<10	<10	52	<10	68			
E859781		74	<20	0.16	<10	<10	52	<10	70			
E859782		79	<20	0.21	<10	<10	53	<10	72			
E859783		46	<20	0.11	<10	<10	41	<10	51			
E859784		51	<20	0.06	<10	<10	32	<10	49			
E859785		53	<20	0.10	<10	<10	41	<10	53			
E859786		44	<20	0.16	<10	<10	48	<10	59			
E859787		55	<20	0.10	<10	<10	38	<10	54			
E859788		47	<20	0.13	<10	<10	42	<10	53			
E859789C		45	<20	0.13	<10	<10	42	<10	53			
E859790		110	<20	<0.01	<10	<10	5	20	>10000	1.955	3.64	323
E859791		44	<20	0.13	<10	<10	44	<10	54			
E859792		69	<20	0.06	<10	<10	34	<10	53			
E859793		120	<20	0.15	<10	<10	47	<10	85			
E859794		49	<20	0.11	<10	<10	39	<10	53			
E859795		60	<20	0.10	<10	<10	42	<10	55			
E859796		200	<20	0.13	<10	<10	93	<10	103			
E859797		54	<20	0.05	<10	<10	40	<10	59			
E859798		55	<20	0.04	<10	<10	34	<10	52			
E859799		44	<20	0.12	<10	<10	42	<10	53			
E859800		44	<20	0.13	<10	<10	41	<10	53			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10133320

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **7 - OCT - 2010**
Account: **EIAALN**

CERTIFICATE WH10132891

Project: ALN10-02

P.O. No.: ALN10-02_20

This report is for 117 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858451		4.16	<0.005		<0.2	1.16	1160	10	180	<0.5	<2	1.40	<0.5	5	6	3
E858452		4.07	<0.005		<0.2	1.26	4	<10	220	<0.5	<2	1.04	<0.5	4	8	2
E858453		4.57	<0.005		<0.2	1.46	4	<10	290	<0.5	<2	1.13	<0.5	5	7	5
E858454		3.83	<0.005		<0.2	1.22	5	<10	230	<0.5	<2	1.60	<0.5	4	7	3
E858455		4.54	<0.005		<0.2	1.67	6	<10	420	<0.5	<2	1.34	<0.5	5	7	6
E858456		4.37	<0.005		<0.2	1.75	2	<10	440	<0.5	<2	1.04	<0.5	6	7	2
E858457		3.81	<0.005		<0.2	1.66	<2	<10	400	<0.5	<2	1.21	<0.5	6	8	4
E858458		5.85	<0.005		<0.2	1.92	<2	<10	480	<0.5	<2	1.25	<0.5	6	9	7
E858459		4.12	<0.005		<0.2	1.82	<2	<10	420	<0.5	<2	1.38	<0.5	6	7	8
E858460		2.52	<0.005		<0.2	1.12	3	<10	280	<0.5	<2	1.83	<0.5	4	6	9
E858461		1.94	<0.005		<0.2	1.28	2	<10	340	<0.5	<2	1.89	<0.5	5	5	10
E858462		4.36	<0.005		<0.2	1.12	98	<10	200	<0.5	<2	1.53	<0.5	4	6	6
E858463		3.23	<0.005		<0.2	1.19	53	10	140	0.6	<2	1.75	<0.5	4	5	3
E858464		3.77	<0.005		<0.2	0.69	85	10	80	0.6	<2	3.10	<0.5	4	4	2
E858465		3.41	0.005		0.5	2.74	127	<10	120	1.3	<2	3.81	<0.5	19	55	30
E858466		4.42	0.006		0.4	1.14	169	<10	80	0.7	<2	3.40	<0.5	8	13	10
E858467		4.03	0.006		<0.2	2.14	169	<10	150	0.9	<2	2.91	<0.5	12	39	13
E858468		4.00	<0.005		<0.2	1.08	1365	<10	200	<0.5	<2	1.70	<0.5	5	6	2
E858469CD		<0.02	<0.005		<0.2	1.15	1425	<10	210	<0.5	<2	1.69	<0.5	5	7	2
E858470		0.05	1.695	1.65	>100	0.40	4580	<10	20	<0.5	7	0.83	527	4	55	873
E858471		4.84	0.010		<0.2	1.17	249	<10	240	<0.5	<2	1.61	<0.5	5	7	3
E858472		3.65	<0.005		<0.2	1.68	4	<10	380	<0.5	<2	0.78	<0.5	5	9	4
E858473		4.14	<0.005		<0.2	1.62	2	<10	330	<0.5	<2	0.67	<0.5	6	9	6
E858474		4.56	<0.005		<0.2	1.56	<2	<10	330	<0.5	<2	0.60	<0.5	5	8	2
E858475		3.76	0.008		<0.2	1.28	189	<10	250	<0.5	<2	1.61	<0.5	4	8	11
E858476		5.43	<0.005		<0.2	1.61	<2	<10	330	<0.5	<2	0.85	<0.5	5	8	2
E858477		4.21	<0.005		<0.2	1.49	2	<10	290	<0.5	<2	0.74	<0.5	5	8	3
E858478		4.54	<0.005		<0.2	1.67	2	<10	330	<0.5	<2	0.67	<0.5	5	9	2
E858479		4.26	<0.005		<0.2	1.59	<2	<10	300	<0.5	<2	0.66	<0.5	5	8	2
E858480		2.38	0.022		0.5	1.16	449	<10	270	<0.5	<2	2.80	<0.5	4	7	15
E858481		2.52	0.019		1.0	1.14	496	<10	240	<0.5	<2	2.44	<0.5	4	7	12
E858482		4.38	<0.005		<0.2	1.56	5	<10	330	<0.5	<2	0.75	<0.5	5	9	2
E858483		4.74	<0.005		<0.2	1.30	202	<10	230	<0.5	<2	0.94	<0.5	5	7	2
E858484		4.83	<0.005		<0.2	1.50	31	<10	360	<0.5	2	0.90	<0.5	5	9	8
E858485		4.09	<0.005		<0.2	1.49	2	<10	380	<0.5	<2	0.97	<0.5	4	8	3
E858486		4.36	<0.005		<0.2	1.56	2	<10	380	<0.5	<2	0.88	<0.5	5	8	<1
E858487		3.40	<0.005		<0.2	1.40	3	<10	330	<0.5	<2	0.91	<0.5	5	9	1
E858488		4.31	<0.005		0.2	1.40	23	<10	310	<0.5	<2	1.15	<0.5	5	7	2
E858489CD		<0.02	<0.005		<0.2	1.24	45	<10	260	<0.5	<2	1.29	<0.5	4	6	4
E858490		0.06	0.913		>100	0.56	4960	<10	20	<0.5	8	0.58	110.5	6	56	322



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858451		2.45	<10	<1	0.64	30	0.53	762	<1	0.05	1	620	14	0.26	2	3
E858452		2.37	<10	<1	0.59	30	0.53	585	<1	0.09	2	590	10	<0.01	<2	3
E858453		2.57	<10	<1	0.73	30	0.61	676	<1	0.10	1	630	9	0.02	<2	3
E858454		2.30	<10	<1	0.58	30	0.56	708	<1	0.05	2	630	8	0.02	<2	3
E858455		2.70	<10	<1	0.93	30	0.69	765	<1	0.10	2	690	10	0.02	<2	4
E858456		2.90	10	<1	1.00	40	0.77	758	<1	0.11	2	730	9	<0.01	<2	5
E858457		2.77	10	<1	0.90	30	0.69	705	<1	0.08	2	690	12	0.01	<2	4
E858458		3.18	10	<1	1.21	30	0.91	959	<1	0.09	2	760	9	<0.01	<2	7
E858459		2.79	<10	<1	1.08	30	0.77	861	<1	0.11	2	680	10	0.01	<2	5
E858460		1.89	<10	<1	0.56	20	0.47	635	<1	0.04	1	570	14	0.03	<2	2
E858461		1.98	<10	<1	0.61	20	0.48	644	<1	0.06	1	580	12	0.03	<2	2
E858462		2.01	<10	<1	0.56	30	0.49	609	<1	0.04	1	570	13	0.05	<2	2
E858463		2.22	<10	1	0.58	30	0.51	750	<1	0.03	1	610	12	0.05	2	3
E858464		1.72	<10	<1	0.36	30	0.47	1025	<1	<0.01	1	650	21	0.08	<2	3
E858465		4.74	10	<1	0.36	20	1.93	993	<1	<0.01	53	1390	14	0.20	2	9
E858466		2.49	<10	<1	0.34	30	1.02	962	<1	<0.01	13	800	17	0.12	2	4
E858467		3.68	<10	<1	0.36	30	1.41	891	<1	0.02	28	1010	14	0.08	2	7
E858468		2.34	<10	<1	0.50	30	0.51	723	<1	0.02	1	630	16	0.41	3	4
E858469CD		2.41	<10	1	0.53	30	0.51	726	<1	0.02	2	630	17	0.41	4	4
E858470		6.79	<10	3	0.26	10	0.26	389	1	0.01	5	570	>10000	9.8	2450	1
E858471		2.34	<10	<1	0.58	30	0.53	698	<1	0.05	1	600	16	0.08	2	4
E858472		2.77	<10	<1	0.89	30	0.70	714	<1	0.14	2	630	10	0.01	<2	4
E858473		2.62	<10	<1	0.86	30	0.68	653	<1	0.12	1	640	11	0.02	<2	3
E858474		2.53	10	<1	0.80	30	0.64	619	<1	0.14	2	590	8	<0.01	<2	3
E858475		2.21	<10	<1	0.59	30	0.50	708	<1	0.05	1	570	12	0.16	3	3
E858476		2.66	<10	<1	0.82	30	0.65	673	<1	0.12	1	620	9	<0.01	<2	4
E858477		2.47	<10	<1	0.74	30	0.63	634	<1	0.11	1	590	10	0.01	<2	3
E858478		2.59	<10	<1	0.83	30	0.66	658	<1	0.16	1	600	8	<0.01	<2	3
E858479		2.50	10	<1	0.84	30	0.63	626	<1	0.13	2	580	10	<0.01	<2	3
E858480		2.16	<10	<1	0.58	20	0.45	827	<1	0.05	1	530	12	0.33	3	3
E858481		2.15	<10	<1	0.59	20	0.45	722	<1	0.04	1	560	13	0.34	3	3
E858482		2.56	<10	1	0.78	30	0.63	639	<1	0.14	1	590	8	<0.01	<2	3
E858483		2.45	<10	<1	0.66	30	0.57	702	<1	0.07	1	590	11	0.07	<2	3
E858484		2.70	10	<1	0.77	30	0.64	701	<1	0.11	8	610	9	0.03	2	4
E858485		2.55	<10	<1	0.74	30	0.64	700	<1	0.11	<1	580	7	0.02	<2	4
E858486		2.74	10	1	0.72	30	0.67	703	<1	0.13	<1	590	5	0.01	2	4
E858487		2.55	<10	<1	0.72	30	0.62	671	<1	0.11	1	580	7	0.02	<2	4
E858488		2.57	10	<1	0.64	30	0.58	665	<1	0.07	<1	590	12	0.06	2	4
E858489CD		2.34	10	<1	0.54	30	0.52	648	<1	0.05	<1	590	11	0.07	2	3
E858490		6.54	<10	1	0.35	10	0.11	326	2	0.04	5	710	5350	8.2	1710	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858451		70	20	0.05	<10	<10	23	<10	45			
E858452		68	<20	0.09	<10	<10	29	<10	46			
E858453		64	20	0.11	<10	<10	33	<10	50			
E858454		78	20	0.08	<10	<10	24	<10	42			
E858455		58	20	0.15	<10	<10	41	<10	55			
E858456		46	20	0.20	<10	<10	50	<10	60			
E858457		45	20	0.15	<10	<10	40	<10	56			
E858458		42	<20	0.21	<10	<10	57	<10	69			
E858459		47	<20	0.17	<10	<10	44	<10	61			
E858460		50	<20	0.07	<10	<10	16	<10	41			
E858461		52	<20	0.08	<10	<10	17	<10	43			
E858462		59	<20	0.07	<10	<10	17	<10	42			
E858463		110	20	0.04	<10	<10	18	<10	35			
E858464		177	20	<0.01	<10	<10	4	<10	35			
E858465		218	<20	<0.01	<10	<10	48	<10	88			
E858466		214	<20	<0.01	<10	<10	16	<10	40			
E858467		183	<20	0.01	<10	<10	45	<10	64			
E858468		75	<20	0.04	<10	<10	23	<10	80			
E858469CD		76	<20	0.04	<10	<10	23	<10	81			
E858470		112	<20	<0.01	<10	<10	6	20	>10000	1.890	3.57	NSS
E858471		84	20	0.07	<10	<10	27	<10	52			
E858472		55	20	0.16	<10	<10	45	<10	56			
E858473		57	20	0.15	<10	<10	41	<10	54			
E858474		51	<20	0.15	<10	<10	40	<10	50			
E858475		95	<20	0.08	<10	<10	28	<10	41			
E858476		63	<20	0.14	<10	<10	42	<10	52			
E858477		56	<20	0.13	<10	<10	39	<10	50			
E858478		65	<20	0.15	<10	<10	40	<10	51			
E858479		52	<20	0.15	<10	<10	40	<10	50			
E858480		156	<20	0.08	<10	<10	25	<10	39			
E858481		136	<20	0.08	<10	<10	27	<10	38			
E858482		54	<20	0.16	<10	<10	40	<10	50			
E858483		68	20	0.10	<10	<10	32	<10	51			
E858484		63	<20	0.13	<10	<10	38	<10	64			
E858485		67	<20	0.11	<10	<10	38	<10	54			
E858486		71	<20	0.11	<10	<10	39	<10	57			
E858487		65	20	0.11	<10	<10	38	<10	55			
E858488		83	20	0.07	<10	<10	31	<10	51			
E858489CD		91	20	0.05	<10	<10	25	<10	48			
E858490		138	<20	<0.01	<10	<10	7	10	>10000		1.250	153



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858491		4.43	<0.005		<0.2	1.61	2	<10	390	<0.5	<2	1.13	<0.5	5	8	2
E858492		2.79	<0.005		<0.2	1.28	6	<10	290	<0.5	<2	1.35	<0.5	4	8	<1
E858493		2.46	0.017		16.9	1.08	34	<10	160	0.6	3	2.86	27.6	4	5	22
E858494		1.65	<0.005		<0.2	1.01	13	<10	170	0.6	<2	2.08	<0.5	4	5	<1
E858495		2.88	<0.005		1.7	1.05	32	<10	180	0.6	<2	2.31	24.8	4	5	3
E858496		4.47	<0.005		<0.2	1.41	4	<10	330	<0.5	<2	1.12	<0.5	4	7	<1
E858497		4.73	<0.005		<0.2	1.57	<2	<10	370	<0.5	<2	1.02	<0.5	5	8	<1
E858498		4.76	<0.005		<0.2	1.50	<2	<10	390	<0.5	<2	0.72	<0.5	5	8	<1
E858499		3.63	<0.005		<0.2	1.39	2	<10	360	<0.5	<2	1.00	<0.5	4	8	<1
E858500		3.23	<0.005		<0.2	1.39	4	<10	340	<0.5	<2	0.85	<0.5	5	8	<1
E859907		4.34	0.009		<0.2	1.51	121	<10	420	<0.5	<2	0.89	<0.5	5	8	<1
E859908		4.60	<0.005		<0.2	1.28	172	<10	370	<0.5	2	0.90	<0.5	4	7	<1
E859909CD		<0.02	<0.005		<0.2	1.34	192	<10	380	<0.5	<2	0.92	<0.5	4	7	<1
E859910		0.05	1.605	1.64	>100	0.41	4770	<10	20	<0.5	11	0.84	567	5	58	898
E859911		4.85	<0.005		<0.2	1.33	10	<10	360	<0.5	<2	1.10	<0.5	5	7	2
E859912		4.86	<0.005		<0.2	1.59	5	<10	410	<0.5	<2	0.65	<0.5	5	7	<1
E859913		4.75	<0.005		<0.2	1.47	3	<10	390	<0.5	2	0.64	<0.5	4	9	<1
E859914		4.72	<0.005		0.2	1.36	7	<10	360	<0.5	<2	0.76	<0.5	4	7	<1
E859915		4.33	<0.005		<0.2	1.46	<2	<10	390	<0.5	<2	0.75	<0.5	5	8	<1
E859916		4.51	<0.005		<0.2	1.53	<2	<10	410	<0.5	<2	0.72	<0.5	10	51	32
E859917		4.15	0.030		<0.2	1.13	808	<10	300	<0.5	2	1.17	<0.5	5	7	2
E859918		4.29	<0.005		<0.2	1.05	93	10	240	0.5	2	1.45	<0.5	4	7	<1
E859919		3.74	0.024		0.2	0.93	796	<10	230	<0.5	2	1.39	<0.5	4	7	5
E859920		1.98	<0.005		1.5	0.93	646	<10	270	<0.5	<2	1.85	<0.5	5	4	8
E859921		1.55	0.011		0.5	0.90	920	<10	230	<0.5	<2	1.88	<0.5	5	5	3
E859922		4.30	<0.005		<0.2	1.42	53	<10	350	<0.5	<2	0.99	<0.5	5	7	3
E859923		4.54	<0.005		<0.2	1.50	3	<10	380	<0.5	2	0.82	<0.5	5	8	<1
E859924		4.60	0.014		1.2	1.13	572	<10	310	<0.5	<2	1.67	<0.5	5	8	17
E859925		4.15	<0.005		<0.2	1.26	36	<10	340	<0.5	<2	1.51	<0.5	5	6	1
E859926		4.90	<0.005		<0.2	1.32	11	<10	350	<0.5	<2	1.86	<0.5	5	7	8
E859927		3.96	<0.005		0.2	1.40	45	<10	410	<0.5	<2	1.06	<0.5	4	11	5
E859928		4.52	<0.005		<0.2	1.60	7	<10	450	<0.5	2	1.24	<0.5	5	7	2
E859929CD		<0.02	<0.005		<0.2	1.52	<2	<10	430	<0.5	<2	1.16	<0.5	5	6	1
E859930		0.05	0.884		>100	0.60	4980	<10	20	<0.5	6	0.62	109.5	6	58	326
E859931		3.44	<0.005		0.3	1.38	38	<10	320	<0.5	<2	0.96	<0.5	4	8	8
E859932		4.31	<0.005		<0.2	0.51	7	<10	110	<0.5	<2	0.29	<0.5	1	10	4
E859933		4.31	<0.005		<0.2	1.55	2	<10	360	<0.5	<2	0.76	<0.5	5	7	1
E859934		4.56	<0.005		<0.2	1.55	3	<10	360	<0.5	<2	0.61	<0.5	5	8	<1
E859935		3.93	<0.005		<0.2	1.60	7	<10	370	<0.5	<2	1.55	<0.5	5	6	2
E859936		4.16	0.025		8.4	0.70	2040	<10	270	<0.5	<2	1.70	0.9	4	3	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858491		2.77	10	<1	0.74	30	0.66	694	<1	0.15	1	600	12	0.02	3	4
E858492		2.46	10	<1	0.58	30	0.59	684	<1	0.07	1	570	9	0.02	2	3
E858493		2.44	<10	<1	0.41	30	0.51	1280	<1	0.02	<1	550	2000	0.31	22	3
E858494		2.09	<10	<1	0.42	30	0.47	682	<1	0.03	1	550	16	0.12	2	3
E858495		2.49	<10	<1	0.50	30	0.58	1370	<1	0.03	<1	580	197	0.28	6	3
E858496		2.48	<10	<1	0.67	30	0.61	670	<1	0.07	<1	590	9	0.05	2	3
E858497		2.73	10	1	0.76	30	0.65	683	<1	0.10	<1	600	8	0.02	<2	4
E858498		2.58	10	<1	0.78	30	0.66	648	<1	0.12	<1	600	5	0.02	2	3
E858499		2.46	<10	<1	0.68	30	0.57	648	<1	0.11	1	550	6	0.03	2	3
E858500		2.52	10	<1	0.69	30	0.62	640	<1	0.09	<1	590	6	0.02	2	3
E859907		2.70	10	<1	0.78	30	0.63	671	<1	0.13	1	600	4	0.06	<2	4
E859908		2.42	<10	<1	0.68	30	0.56	646	<1	0.09	<1	590	6	0.08	2	4
E859909CD		2.49	<10	<1	0.70	30	0.56	661	<1	0.10	<1	580	7	0.07	<2	4
E859910		7.08	<10	2	0.27	10	0.27	404	2	0.02	3	590	>10000	>10.0	2570	1
E859911		2.49	<10	<1	0.61	30	0.58	681	<1	0.13	<1	610	12	0.06	<2	4
E859912		2.74	10	<1	0.73	30	0.63	619	<1	0.19	<1	600	10	0.02	<2	5
E859913		2.65	10	<1	0.69	30	0.63	612	<1	0.16	<1	610	8	0.01	<2	4
E859914		2.57	<10	<1	0.65	30	0.57	607	<1	0.14	<1	580	7	0.02	<2	4
E859915		2.74	10	<1	0.68	30	0.65	651	<1	0.15	<1	640	5	0.01	<2	5
E859916		2.89	10	<1	0.66	30	0.67	674	<1	0.16	15	650	4	0.02	<2	5
E859917		2.55	<10	<1	0.63	30	0.55	692	<1	0.07	1	620	8	0.35	3	4
E859918		2.63	<10	1	0.51	40	0.56	766	<1	0.05	<1	630	14	0.08	2	4
E859919		2.40	<10	<1	0.44	30	0.51	719	1	0.03	<1	610	7	0.45	4	3
E859920		2.35	10	<1	0.46	30	0.48	741	1	0.03	<1	600	12	0.27	6	3
E859921		2.48	<10	<1	0.44	40	0.51	755	2	0.03	<1	600	12	0.34	3	4
E859922		2.71	<10	<1	0.66	30	0.64	693	<1	0.12	<1	610	5	0.05	<2	4
E859923		2.72	<10	<1	0.70	30	0.70	696	<1	0.12	1	640	5	0.02	<2	4
E859924		2.60	<10	<1	0.57	30	0.54	776	4	0.06	1	640	14	0.34	10	4
E859925		2.58	<10	<1	0.49	30	0.58	698	<1	0.08	<1	620	9	0.08	2	4
E859926		2.61	<10	1	0.53	30	0.57	737	1	0.07	7	650	16	0.15	<2	5
E859927		2.54	<10	<1	0.72	30	0.62	656	1	0.09	3	600	9	0.06	2	4
E859928		2.86	10	<1	0.76	30	0.67	776	<1	0.10	2	660	8	0.09	<2	5
E859929CD		2.72	10	<1	0.73	30	0.66	738	<1	0.09	1	640	9	0.08	<2	5
E859930		6.61	<10	1	0.37	20	0.11	326	2	0.06	4	730	5450	8.2	1725	1
E859931		2.55	<10	<1	0.60	30	0.58	617	7	0.08	1	550	20	0.07	4	4
E859932		0.86	<10	<1	0.31	10	0.14	193	1	0.07	<1	120	11	0.03	3	1
E859933		2.63	10	<1	0.81	30	0.63	657	<1	0.12	<1	590	8	0.02	2	3
E859934		2.63	10	<1	0.79	30	0.70	650	<1	0.12	<1	620	5	0.02	<2	3
E859935		2.80	10	<1	0.72	30	0.65	759	<1	0.08	<1	660	10	0.05	<2	5
E859936		2.25	<10	<1	0.42	30	0.41	847	<1	0.01	<1	620	39	0.99	13	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858491		91	20	0.11	<10	<10	38	<10	59			
E858492		108	<20	0.07	<10	<10	31	<10	56			
E858493		196	<20	0.02	<10	<10	18	<10	1715			
E858494		179	<20	0.02	<10	<10	18	<10	56			
E858495		179	<20	0.02	<10	<10	18	<10	1650			
E858496		90	20	0.08	<10	<10	32	<10	68			
E858497		86	<20	0.11	<10	<10	37	<10	60			
E858498		52	<20	0.15	<10	<10	40	<10	56			
E858499		70	<20	0.10	<10	<10	34	<10	50			
E858500		63	20	0.12	<10	<10	37	<10	54			
E859907		54	20	0.14	<10	<10	40	<10	51			
E859908		51	<20	0.11	<10	<10	35	<10	50			
E859909CD		53	<20	0.12	<10	<10	35	<10	51			
E859910		111	<20	<0.01	<10	<10	6	20	>10000	1.885	3.43	NSS
E859911		68	<20	0.12	<10	<10	37	<10	54			
E859912		48	20	0.17	<10	<10	44	<10	73			
E859913		42	<20	0.17	<10	<10	43	<10	60			
E859914		50	<20	0.14	<10	<10	38	<10	51			
E859915		44	<20	0.17	<10	<10	46	<10	56			
E859916		46	20	0.17	<10	<10	54	<10	58			
E859917		71	<20	0.09	<10	<10	31	<10	53			
E859918		95	<20	0.07	<10	<10	26	<10	55			
E859919		71	20	0.04	<10	<10	21	<10	56			
E859920		99	20	0.03	<10	<10	17	<10	53			
E859921		105	20	0.04	<10	<10	19	<10	48			
E859922		60	20	0.12	<10	<10	39	<10	50			
E859923		44	20	0.17	<10	<10	45	<10	57			
E859924		100	20	0.06	<10	<10	26	<10	61			
E859925		102	20	0.07	<10	<10	30	<10	52			
E859926		86	20	0.07	<10	<10	30	<10	65			
E859927		59	<20	0.11	<10	<10	37	<10	61			
E859928		69	20	0.11	<10	<10	41	<10	58			
E859929CD		64	<20	0.11	<10	<10	41	<10	57			
E859930		147	<20	<0.01	<10	<10	7	10	>10000		1.325	151
E859931		63	<20	0.08	<10	<10	32	<10	148			
E859932		17	20	0.04	<10	30	9	<10	22			
E859933		53	20	0.12	<10	<10	39	<10	57			
E859934		47	20	0.15	<10	<10	43	<10	58			
E859935		73	<20	0.11	<10	<10	39	<10	60			
E859936		94	<20	0.01	<10	<10	7	<10	66			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859937		3.26	0.026		3.0	0.69	2430	<10	280	<0.5	3	1.70	8.2	5	2	4
E859938		4.23	<0.005		<0.2	0.77	37	<10	280	<0.5	2	2.16	<0.5	4	5	1
E859939		4.25	<0.005		<0.2	1.53	11	<10	320	<0.5	<2	0.89	<0.5	4	9	<1
E859940		1.91	<0.005		<0.2	1.42	3	<10	310	<0.5	<2	0.79	<0.5	5	6	<1
E859941		2.21	<0.005		<0.2	1.43	5	<10	320	<0.5	<2	0.77	<0.5	5	6	1
E859942		4.01	<0.005		<0.2	1.36	2	<10	280	<0.5	2	0.74	<0.5	5	7	1
E859943		4.37	<0.005		<0.2	1.46	2	<10	340	<0.5	<2	0.77	<0.5	5	9	1
E859944		4.09	<0.005		<0.2	1.49	3	<10	360	<0.5	2	0.60	<0.5	5	7	<1
E859945		3.21	<0.005		0.2	0.99	1745	<10	150	0.6	2	1.41	<0.5	4	6	5
E859946		4.21	<0.005		<0.2	1.39	52	<10	290	<0.5	<2	0.95	<0.5	5	7	1
E859947		4.60	<0.005		<0.2	1.64	6	<10	390	<0.5	2	0.93	<0.5	5	7	2
E859948		4.10	<0.005		<0.2	1.37	8	<10	280	<0.5	<2	1.24	<0.5	5	6	1
E859949CD		<0.02	<0.005		<0.2	1.42	4	<10	300	<0.5	<2	1.25	<0.5	5	7	1
E859950		0.06	1.655	NSS	>100	0.43	4820	<10	30	<0.5	8	0.87	563	5	59	913
E860951		3.08	<0.005		0.2	1.41	9	<10	320	<0.5	<2	0.86	0.5	5	7	2
E860952		3.96	0.016		0.5	1.21	133	<10	250	<0.5	<2	1.10	<0.5	6	5	16
E860953		4.25	<0.005		<0.2	1.08	482	<10	200	0.5	2	1.47	<0.5	5	5	1
E860954		4.04	<0.005		<0.2	1.50	13	<10	280	<0.5	2	1.56	<0.5	5	6	1
E860955		4.67	<0.005		<0.2	1.27	<2	<10	300	<0.5	<2	0.88	<0.5	5	7	1
E860956		2.86	<0.005		0.7	1.00	2890	<10	80	0.8	<2	1.77	<0.5	5	3	5
E860957		2.83	<0.005		<0.2	1.43	43	<10	250	0.5	<2	1.12	<0.5	5	6	<1
E860958		3.07	<0.005		0.2	1.13	1240	<10	170	0.7	2	1.39	<0.5	5	5	2
E860959		2.12	<0.005		<0.2	1.33	14	<10	310	<0.5	<2	1.38	<0.5	5	5	<1
E860960		1.28	<0.005		<0.2	1.30	12	<10	310	<0.5	2	1.75	<0.5	5	5	2
E860961		1.58	<0.005		<0.2	1.29	6	<10	310	<0.5	2	1.74	<0.5	5	5	2
E860962		2.53	<0.005		<0.2	1.60	5	<10	410	<0.5	2	1.08	<0.5	6	7	6
E860963		2.86	<0.005		<0.2	1.55	9	<10	320	<0.5	<2	1.35	<0.5	5	6	1
E860964		2.95	0.068		2.4	0.76	2610	<10	160	<0.5	7	1.61	20.9	4	4	12
E860965		3.35	0.462		<0.2	1.27	57	<10	250	<0.5	<2	1.64	0.5	4	6	8
E860966		2.35	0.028		0.5	1.15	1655	<10	230	<0.5	2	1.77	<0.5	4	5	30
E860967		3.02	0.024		0.3	1.31	1190	<10	280	<0.5	3	0.77	<0.5	5	6	4
E860968		4.52	<0.005		<0.2	1.50	45	<10	230	0.5	<2	1.21	<0.5	5	5	2
E860969CD		<0.02	<0.005		<0.2	1.36	26	<10	210	0.5	<2	1.18	<0.5	5	5	1
E860970		0.05	1.615	NSS	>100	0.36	4710	<10	20	<0.5	10	0.80	539	5	53	879
E860971		3.99	<0.005		<0.2	1.42	5	<10	260	<0.5	2	1.80	<0.5	5	6	1
E860972		3.26	<0.005		<0.2	1.28	27	<10	230	<0.5	<2	1.54	<0.5	4	5	4
E860973		4.47	<0.005		<0.2	1.54	3	<10	340	<0.5	<2	0.70	<0.5	5	8	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859937		2.24	<10	<1	0.46	20	0.38	768	<1	0.01	<1	580	40	1.09	8	1
E859938		2.03	<10	<1	0.39	30	0.44	689	1	0.04	<1	590	9	0.05	3	2
E859939		2.67	10	1	0.72	30	0.64	665	<1	0.12	<1	610	6	0.02	<2	4
E859940		2.59	<10	<1	0.70	30	0.65	664	<1	0.10	<1	610	5	0.02	<2	3
E859941		2.59	10	<1	0.73	30	0.64	663	<1	0.11	<1	600	5	0.02	<2	3
E859942		2.53	10	<1	0.54	30	0.66	644	<1	0.10	1	610	6	0.02	<2	3
E859943		2.60	10	<1	0.73	30	0.62	645	<1	0.13	<1	590	4	0.01	<2	3
E859944		2.60	10	<1	0.77	30	0.66	634	<1	0.12	1	610	4	0.01	<2	3
E859945		2.41	<10	<1	0.50	30	0.45	752	<1	0.03	3	590	10	0.45	3	3
E859946		2.59	<10	<1	0.66	30	0.64	688	<1	0.10	<1	630	7	0.03	<2	3
E859947		2.98	10	<1	0.86	30	0.71	744	<1	0.13	1	670	6	0.03	<2	4
E859948		2.69	<10	<1	0.61	30	0.63	719	1	0.08	<1	650	6	0.02	2	4
E859949CD		2.78	10	<1	0.63	30	0.63	731	1	0.09	<1	630	5	0.02	<2	4
E859950		7.15	<10	2	0.28	10	0.27	401	1	0.04	4	600	>10000	>10.0	2640	1
E860951		2.59	<10	<1	0.71	30	0.65	650	<1	0.11	<1	610	28	0.03	4	3
E860952		2.38	<10	<1	0.62	30	0.54	602	4	0.05	<1	600	23	0.22	5	3
E860953		2.45	<10	<1	0.56	30	0.54	762	<1	0.03	<1	630	12	0.24	4	3
E860954		2.75	<10	<1	0.64	30	0.68	777	<1	0.05	<1	630	12	0.04	<2	3
E860955		2.55	10	<1	0.67	30	0.70	712	<1	0.03	1	650	7	0.02	<2	3
E860956		2.67	<10	<1	0.35	30	0.40	707	<1	0.01	<1	640	22	0.90	9	4
E860957		2.63	10	<1	0.52	30	0.67	694	<1	0.05	<1	630	11	0.05	<2	3
E860958		2.52	<10	<1	0.48	30	0.48	652	<1	0.02	1	620	9	0.36	5	3
E860959		2.66	10	1	0.71	30	0.65	806	<1	0.06	<1	640	10	0.05	2	4
E860960		2.46	<10	<1	0.62	30	0.57	790	<1	0.05	<1	610	9	0.08	<2	4
E860961		2.41	<10	1	0.62	30	0.59	778	<1	0.05	1	630	9	0.06	<2	4
E860962		2.99	10	1	0.84	30	0.76	806	<1	0.08	7	680	8	0.01	3	6
E860963		2.79	<10	<1	0.74	30	0.72	774	<1	0.07	<1	640	9	0.03	3	4
E860964		1.99	<10	<1	0.35	20	0.31	658	<1	0.01	<1	560	147	0.66	12	2
E860965		2.34	<10	<1	0.50	30	0.55	672	<1	0.05	<1	590	11	0.08	2	3
E860966		2.43	<10	1	0.52	30	0.50	753	<1	0.03	1	590	12	0.37	7	3
E860967		2.54	<10	<1	0.66	30	0.63	638	<1	0.07	<1	610	7	0.18	4	3
E860968		2.69	<10	<1	0.61	30	0.62	633	<1	0.04	<1	650	11	0.03	3	3
E860969CD		2.41	<10	<1	0.57	30	0.59	592	<1	0.03	<1	620	10	0.03	3	3
E860970		6.81	<10	3	0.25	10	0.25	385	2	0.02	2	550	>10000	9.9	2470	1
E860971		2.54	10	<1	0.65	30	0.60	732	<1	0.05	<1	590	13	0.02	3	3
E860972		2.28	<10	1	0.51	30	0.53	635	<1	0.04	<1	590	18	0.07	3	3
E860973		2.65	10	<1	0.82	30	0.64	638	<1	0.14	<1	590	9	0.01	2	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859937		102	<20	<0.01	<10	<10	4	<10	600			
E859938		132	<20	0.02	<10	<10	10	<10	52			
E859939		53	20	0.13	<10	<10	40	<10	58			
E859940		52	<20	0.13	<10	<10	40	<10	55			
E859941		51	<20	0.13	<10	<10	39	<10	57			
E859942		48	<20	0.14	<10	<10	39	<10	55			
E859943		55	<20	0.13	<10	<10	38	<10	53			
E859944		46	<20	0.15	<10	<10	41	<10	55			
E859945		75	<20	0.03	<10	<10	18	<10	44			
E859946		56	20	0.13	<10	<10	36	<10	55			
E859947		65	20	0.14	<10	<10	44	<10	59			
E859948		75	<20	0.10	<10	<10	37	<10	55			
E859949CD		78	20	0.10	<10	<10	37	<10	56			
E859950		118	<20	<0.01	<10	<10	6	20	>10000	NSS	NSS	NSS
E860951		67	20	0.12	<10	<10	38	<10	101			
E860952		71	<20	0.07	<10	<10	26	<10	60			
E860953		85	20	0.05	<10	<10	23	<10	57			
E860954		130	<20	0.06	<10	<10	34	<10	61			
E860955		71	<20	0.10	<10	<10	38	<10	59			
E860956		120	20	0.01	<10	<10	12	<10	41			
E860957		99	20	0.04	<10	<10	30	<10	56			
E860958		116	<20	0.02	<10	<10	19	<10	44			
E860959		104	<20	0.09	<10	<10	36	<10	60			
E860960		97	<20	0.07	<10	<10	30	<10	51			
E860961		96	20	0.08	<10	<10	32	<10	52			
E860962		97	<20	0.11	<10	<10	47	<10	67			
E860963		123	<20	0.10	<10	<10	40	<10	61			
E860964		97	<20	0.01	<10	<10	9	<10	551			
E860965		104	<20	0.07	<10	<10	30	<10	61			
E860966		126	<20	0.04	<10	<10	23	<10	56			
E860967		66	<20	0.09	<10	<10	35	<10	54			
E860968		147	20	0.04	<10	<10	31	<10	56			
E860969CD		140	<20	0.04	<10	<10	29	<10	52			
E860970		107	<20	<0.01	<10	<10	6	20	>10000	NSS	NSS	NSS
E860971		190	<20	0.06	<10	<10	33	<10	60			
E860972		111	20	0.05	<10	<10	29	<10	65			
E860973		54	<20	0.16	<10	<10	42	<10	64			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132891

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIAALN

CERTIFICATE WH10130409

Project: ALN10-02

P.O. No.: ALN10-02_17

This report is for 101 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859621		1.91	0.297		6.2	0.46	3450	<10	90	<0.5	<2	0.30	9.3	3	21	7
E859622		1.73	0.325		4.4	0.32	3350	<10	70	<0.5	<2	0.26	5.5	2	21	4
E859623		2.95	0.133		6.2	0.54	3460	<10	80	<0.5	3	2.54	1.1	3	8	2
E859624		3.58	0.259		3.2	0.60	813	<10	90	<0.5	<2	1.73	3.0	4	7	9
E859625		4.63	0.005		0.6	0.60	39	<10	90	<0.5	<2	1.65	<0.5	4	7	2
E859626		5.03	0.008		1.0	0.64	46	<10	140	<0.5	<2	1.54	0.6	4	7	2
E859627		4.32	<0.005		0.2	0.81	8	<10	110	<0.5	<2	1.01	<0.5	4	8	3
E859628		4.02	<0.005		<0.2	1.02	4	<10	120	<0.5	<2	0.73	<0.5	5	8	2
E859629		<0.02	<0.005		0.2	1.07	5	<10	120	<0.5	<2	0.76	<0.5	5	8	2
E859630		0.11	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1
E859631		4.59	<0.005		0.4	0.88	32	<10	120	<0.5	<2	0.56	<0.5	4	10	14
E859632		5.10	<0.005		<0.2	0.96	41	<10	120	<0.5	<2	0.44	<0.5	4	9	17
E859633		4.43	<0.005		0.3	0.81	6	<10	140	<0.5	<2	0.48	<0.5	3	9	20
E859634		4.19	<0.005		0.3	1.79	65	<10	430	<0.5	<2	1.38	<0.5	8	6	6
E859635		4.76	<0.005		0.3	0.73	13	<10	100	<0.5	<2	0.72	<0.5	3	5	3
E859636		4.29	<0.005		<0.2	0.67	4	<10	70	<0.5	<2	0.43	<0.5	3	6	2
E859637		4.10	<0.005		0.3	0.58	21	<10	70	<0.5	<2	0.66	0.5	3	5	<1
E859638		2.17	<0.005		0.2	0.71	2	<10	80	<0.5	<2	0.55	<0.5	3	6	<1
E859639		2.00	0.230		5.3	0.57	>10000	<10	80	<0.5	4	1.02	0.8	4	4	2
E859640		1.10	<0.005		0.3	0.44	50	<10	80	<0.5	2	0.98	<0.5	3	4	4
E859641		1.18	<0.005		0.3	0.48	28	<10	120	<0.5	<2	0.85	<0.5	3	6	1
E859642		4.50	0.005		1.2	0.55	11	<10	90	<0.5	<2	0.78	<0.5	3	5	2
E859643		4.25	<0.005		0.2	0.68	6	<10	70	<0.5	<2	0.46	<0.5	3	7	<1
E859644		4.91	0.011		0.9	0.52	469	<10	90	<0.5	<2	0.91	<0.5	3	5	1
E859645		4.57	0.017		1.6	0.48	34	<10	110	<0.5	<2	0.90	0.8	2	5	1
E859646		4.37	0.017		0.9	0.44	37	<10	140	<0.5	<2	1.28	8.9	3	5	6
E859647		3.16	<0.005		0.2	0.53	5	<10	120	<0.5	<2	1.17	0.6	3	4	7
E859648		5.15	0.051		1.1	0.55	35	<10	70	<0.5	4	1.04	<0.5	3	5	5
E859649		0.04	<0.005		0.9	0.54	30	<10	60	<0.5	2	1.04	<0.5	3	7	4
E859650		0.09	0.897		>100	0.52	4530	<10	20	<0.5	6	0.58	98.9	6	52	297
E859651		4.24	<0.005		0.3	0.59	13	<10	50	<0.5	<2	0.69	<0.5	3	5	1
E859652		4.85	<0.005		0.2	0.58	4	<10	70	<0.5	<2	0.62	<0.5	3	6	1
E859653		4.70	<0.005		0.5	0.62	1350	<10	120	<0.5	<2	0.58	<0.5	3	5	<1
E859654		3.82	<0.005		<0.2	0.74	10	<10	80	<0.5	<2	0.49	<0.5	3	6	1
E859655		5.00	<0.005		0.2	0.80	4	<10	120	<0.5	<2	0.58	<0.5	3	5	<1
E859656		4.29	<0.005		<0.2	0.53	<2	<10	80	<0.5	<2	0.78	<0.5	3	4	<1
E859657		4.65	<0.005		<0.2	0.66	<2	<10	70	<0.5	<2	0.51	<0.5	3	7	<1
E859658		4.88	<0.005		1.2	0.78	9	<10	80	<0.5	<2	0.38	1.0	3	6	2
E859659		4.39	<0.005		<0.2	1.19	<2	<10	150	<0.5	<2	0.45	<0.5	5	6	6
E859660		2.51	<0.005		<0.2	1.78	4	<10	430	<0.5	<2	1.05	<0.5	10	4	12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859621		1.36	<10	<1	0.27	10	0.09	381	<1	0.01	2	260	52	0.40	6	1
E859622		1.19	<10	<1	0.21	10	0.05	341	<1	0.01	2	210	39	0.31	3	1
E859623		1.71	<10	<1	0.39	10	0.27	809	<1	<0.01	2	530	133	0.65	3	1
E859624		1.88	<10	<1	0.40	10	0.32	856	1	0.01	<1	550	46	0.71	2	2
E859625		1.81	<10	<1	0.37	10	0.34	789	1	0.06	1	430	10	0.09	<2	3
E859626		2.00	<10	<1	0.39	20	0.35	879	<1	0.06	1	510	20	0.13	<2	3
E859627		1.93	<10	<1	0.43	20	0.40	824	<1	0.08	1	500	6	0.03	<2	4
E859628		2.23	<10	<1	0.53	20	0.52	879	1	0.10	1	650	4	0.01	<2	5
E859629		2.33	<10	1	0.55	20	0.54	907	1	0.11	2	660	4	0.02	<2	6
E859630		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	2	<0.01	<2	<1
E859631		1.96	<10	<1	0.53	30	0.42	691	1	0.08	1	160	8	0.14	<2	4
E859632		2.12	<10	<1	0.56	40	0.40	758	1	0.09	1	170	6	0.13	<2	4
E859633		1.84	<10	<1	0.45	30	0.52	563	1	0.06	1	150	4	0.17	<2	3
E859634		3.41	<10	<1	0.54	20	1.00	879	1	0.12	1	880	5	0.06	<2	6
E859635		1.77	<10	<1	0.44	10	0.34	573	44	0.07	1	390	7	0.05	<2	3
E859636		1.44	<10	<1	0.37	20	0.29	468	3	0.07	2	260	10	0.01	<2	3
E859637		1.41	<10	<1	0.33	10	0.25	526	1	0.06	<1	300	10	0.05	<2	2
E859638		1.57	<10	<1	0.42	20	0.35	523	1	0.08	<1	310	5	0.01	<2	3
E859639		2.53	<10	<1	0.37	10	0.33	607	1	0.03	<1	350	41	0.92	2	2
E859640		1.31	<10	<1	0.27	20	0.24	503	1	0.06	1	250	10	0.03	<2	2
E859641		1.40	<10	<1	0.27	10	0.26	512	1	0.06	<1	250	10	0.03	<2	2
E859642		1.43	<10	<1	0.31	10	0.28	477	1	0.06	<1	280	27	0.07	<2	2
E859643		1.49	<10	<1	0.37	10	0.32	491	1	0.07	<1	270	9	0.02	<2	3
E859644		1.39	<10	<1	0.30	20	0.25	494	366	0.05	<1	300	21	0.12	<2	2
E859645		1.31	<10	<1	0.27	20	0.23	416	2	0.04	<1	220	32	0.19	<2	1
E859646		1.54	<10	<1	0.27	20	0.24	502	19	0.04	<1	350	35	0.12	<2	2
E859647		1.54	<10	<1	0.31	20	0.32	452	1	0.05	<1	410	13	0.07	<2	2
E859648		1.59	<10	<1	0.29	20	0.25	451	1	0.06	<1	340	40	0.07	<2	3
E859649		1.58	<10	<1	0.28	20	0.25	458	1	0.06	<1	340	38	0.06	<2	3
E859650		6.14	<10	1	0.32	10	0.10	303	2	0.04	4	660	5040	7.6	1730	1
E859651		1.49	<10	<1	0.30	20	0.25	402	1	0.05	<1	280	12	0.02	<2	2
E859652		1.43	<10	<1	0.34	20	0.28	418	5	0.06	<1	270	7	0.02	<2	3
E859653		1.49	<10	<1	0.36	20	0.30	408	10	0.07	<1	270	25	0.10	<2	3
E859654		1.63	<10	<1	0.45	10	0.35	433	1	0.08	<1	310	7	0.04	<2	4
E859655		1.78	<10	<1	0.44	20	0.38	464	1	0.08	<1	330	6	0.01	<2	4
E859656		1.42	<10	<1	0.29	20	0.31	449	<1	0.06	<1	260	5	0.01	<2	3
E859657		1.46	<10	<1	0.36	20	0.32	439	1	0.07	<1	270	6	0.01	<2	3
E859658		1.65	<10	<1	0.48	10	0.33	419	1	0.08	<1	310	71	0.08	<2	4
E859659		2.33	<10	<1	0.73	10	0.59	634	<1	0.10	<1	530	3	0.03	<2	6
E859660		3.32	10	<1	0.64	10	1.11	701	<1	0.11	<1	900	4	0.12	<2	6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859621		13	<20	0.01	<10	<10	6	<10	1140			
E859622		14	<20	<0.01	<10	<10	3	10	525			
E859623		168	<20	<0.01	<10	<10	3	970	103			
E859624		92	<20	<0.01	<10	<10	4	110	104			
E859625		92	<20	0.01	<10	<10	10	20	40			
E859626		72	<20	0.01	<10	<10	10	<10	63			
E859627		34	<20	0.03	<10	<10	17	<10	42			
E859628		22	<20	0.06	<10	<10	27	<10	50			
E859629		23	<20	0.07	<10	<10	28	<10	53			
E859630		<1	<20	<0.01	<10	<10	<1	<10	3			
E859631		24	20	0.06	<10	<10	19	<10	41			
E859632		17	30	0.06	<10	<10	21	<10	50			
E859633		32	20	0.04	<10	<10	12	<10	39			
E859634		79	<20	0.16	<10	<10	54	<10	76			
E859635		27	<20	0.04	<10	<10	16	<10	36			
E859636		14	<20	0.04	<10	<10	16	<10	32			
E859637		21	<20	0.03	<10	<10	10	<10	45			
E859638		25	<20	0.05	<10	<10	16	<10	30			
E859639		47	<20	0.02	<10	<10	9	<10	74			
E859640		37	<20	0.01	<10	<10	7	<10	28			
E859641		34	<20	0.01	<10	<10	9	<10	29			
E859642		38	<20	0.02	<10	<10	10	<10	34			
E859643		18	<20	0.05	<10	<10	16	<10	34			
E859644		42	<20	0.01	<10	<10	8	<10	30			
E859645		41	<20	0.01	<10	<10	6	<10	42			
E859646		52	<20	<0.01	<10	<10	5	<10	164			
E859647		31	<20	0.01	<10	<10	8	<10	48			
E859648		33	<20	0.01	<10	<10	10	<10	34			
E859649		33	<20	0.01	<10	<10	10	<10	33			
E859650		136	<20	<0.01	<10	<10	6	10	>10000		0.650	130
E859651		21	<20	0.02	<10	<10	13	<10	60			
E859652		27	<20	0.03	<10	<10	16	<10	32			
E859653		26	<20	0.04	<10	<10	17	<10	33			
E859654		22	<20	0.06	<10	<10	21	<10	41			
E859655		27	<20	0.06	<10	<10	22	<10	39			
E859656		29	<20	0.02	<10	<10	13	<10	27			
E859657		20	<20	0.05	<10	<10	17	<10	31			
E859658		16	<20	0.08	<10	<10	20	<10	55			
E859659		15	<20	0.14	<10	<10	34	<10	52			
E859660		54	<20	0.21	<10	<10	73	<10	66			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859661		2.47	<0.005		0.2	1.82	2	<10	430	<0.5	<2	1.09	<0.5	11	4	14
E859662		3.97	0.009		0.4	1.51	25	<10	390	<0.5	<2	1.57	<0.5	8	4	7
E859663		3.92	<0.005		<0.2	1.30	<2	<10	510	<0.5	<2	0.88	<0.5	8	30	21
E859664		5.50	<0.005		0.2	1.49	<2	<10	430	<0.5	<2	1.07	<0.5	9	5	9
E859665		4.43	<0.005		0.2	1.04	6	<10	120	<0.5	<2	0.50	<0.5	4	5	4
E859666		2.37	<0.005		<0.2	1.04	2	<10	110	<0.5	<2	0.36	<0.5	4	6	<1
E859667		4.96	<0.005		0.2	0.71	<2	<10	120	<0.5	<2	0.80	<0.5	4	5	5
E859668		4.09	<0.005		<0.2	1.04	<2	<10	120	<0.5	<2	0.49	<0.5	4	6	<1
E859669		0.04	<0.005		<0.2	1.01	<2	<10	110	<0.5	<2	0.46	<0.5	4	6	<1
E859670		0.07	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1
E859671		2.68	<0.005		0.2	0.98	5	<10	90	<0.5	<2	0.61	<0.5	4	6	1
E859672		5.24	<0.005		<0.2	1.01	2	<10	90	<0.5	<2	0.35	<0.5	4	6	5
E859673		4.41	0.025		1.3	0.81	753	<10	80	<0.5	2	0.59	<0.5	4	5	5
E859674		4.57	0.026		0.2	0.84	7	<10	80	<0.5	<2	0.54	<0.5	3	5	3
E859675		4.62	0.059		<0.2	0.75	5	<10	70	<0.5	<2	0.30	<0.5	2	6	1
E859676		4.81	<0.005		<0.2	1.07	2	<10	100	<0.5	<2	0.41	<0.5	4	6	2
E859677		4.35	<0.005		<0.2	0.83	17	<10	100	<0.5	<2	0.33	<0.5	3	5	4
E859678		5.36	<0.005		<0.2	0.83	2	<10	100	<0.5	<2	0.35	<0.5	2	6	6
E859679		5.18	<0.005		<0.2	0.82	2	<10	90	<0.5	<2	0.21	<0.5	2	6	10
E859680		2.09	<0.005		0.3	0.62	6	<10	70	<0.5	<2	0.65	<0.5	2	5	7
E859681		2.44	<0.005		<0.2	0.60	3	<10	70	<0.5	<2	0.47	<0.5	2	6	9
E859682		4.42	0.006		0.7	0.69	12	<10	80	<0.5	<2	0.67	<0.5	2	5	4
E859683		4.11	<0.005		<0.2	0.64	3	<10	70	<0.5	<2	0.50	<0.5	2	6	3
E859684		5.51	<0.005		0.5	1.15	74	<10	110	<0.5	<2	1.09	<0.5	5	8	4
E859685		5.53	<0.005		<0.2	0.72	3	<10	70	<0.5	<2	0.47	<0.5	3	6	1
E859686		2.92	<0.005		<0.2	0.71	3	<10	70	<0.5	<2	0.44	<0.5	3	5	1
E859687		1.84	<0.005		0.4	0.62	134	<10	80	<0.5	<2	0.74	<0.5	2	5	2
E859688		5.09	<0.005		0.8	0.58	17	<10	60	<0.5	<2	0.74	<0.5	2	6	3
E859689		0.03	<0.005		0.9	0.64	18	<10	70	<0.5	<2	0.74	<0.5	2	6	3
E859690		0.08	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1
E859691		4.40	<0.005		0.2	0.72	8	<10	90	<0.5	<2	0.61	<0.5	3	6	2
E859692		5.06	<0.005		<0.2	0.64	8	<10	80	<0.5	<2	1.64	<0.5	3	4	2
E859693		4.47	<0.005		<0.2	0.80	2	<10	80	<0.5	<2	0.48	<0.5	3	6	1
E859694		4.15	<0.005		<0.2	0.71	139	<10	110	<0.5	<2	0.53	<0.5	3	5	2
E859695		2.69	0.007		0.2	0.68	2640	<10	100	<0.5	<2	0.56	<0.5	3	5	1
E859696		5.34	<0.005		<0.2	0.87	11	<10	180	<0.5	<2	0.76	<0.5	4	9	2
E859697		4.71	<0.005		0.6	0.56	13	<10	70	<0.5	<2	1.56	<0.5	3	4	2
E859698		4.70	<0.005		0.3	0.49	16	<10	200	<0.5	<2	1.58	<0.5	3	4	5
E859699		4.75	<0.005		0.2	0.80	5	<10	170	<0.5	<2	0.57	<0.5	3	5	4
E859700		2.36	<0.005		<0.2	1.16	3	<10	160	<0.5	<2	0.66	<0.5	5	3	6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859661		3.36	10	<1	0.64	10	1.12	710	<1	0.12	<1	890	3	0.13	<2	6
E859662		3.30	<10	<1	0.41	20	0.98	930	<1	0.08	<1	1130	12	0.09	<2	3
E859663		2.60	<10	<1	0.67	20	0.64	761	<1	0.11	7	590	4	0.06	<2	4
E859664		2.84	10	<1	0.55	10	0.89	655	<1	0.12	<1	710	4	0.09	<2	5
E859665		2.20	<10	<1	0.68	10	0.51	763	<1	0.09	<1	410	4	0.05	<2	6
E859666		2.06	<10	<1	0.68	10	0.48	718	<1	0.10	<1	410	2	<0.01	<2	5
E859667		1.82	<10	<1	0.43	20	0.42	664	1	0.06	<1	310	5	0.04	<2	4
E859668		2.19	10	<1	0.69	10	0.53	765	1	0.09	<1	450	3	0.01	<2	5
E859669		2.12	10	<1	0.68	10	0.51	728	1	0.09	<1	430	3	<0.01	<2	5
E859670		0.02	<10	<1	<0.01	<10	0.01	<5	1	<0.01	<1	10	<2	<0.01	<2	<1
E859671		2.09	10	<1	0.66	10	0.53	726	<1	0.08	<1	480	4	0.06	<2	5
E859672		2.23	10	<1	0.62	10	0.45	629	2	0.09	3	310	5	0.03	<2	5
E859673		1.82	<10	<1	0.51	10	0.39	581	3	0.05	2	320	59	0.10	<2	4
E859674		1.83	<10	<1	0.53	10	0.41	601	1	0.08	1	350	10	0.04	<2	4
E859675		1.53	<10	<1	0.45	10	0.35	505	1	0.07	1	270	3	0.01	<2	3
E859676		2.19	10	1	0.66	10	0.50	727	10	0.08	1	370	3	0.03	<2	5
E859677		1.68	<10	<1	0.56	20	0.43	608	3	0.05	1	120	6	0.04	<2	4
E859678		1.82	<10	<1	0.54	30	0.42	599	1	0.05	1	80	4	0.05	<2	4
E859679		1.73	<10	<1	0.53	20	0.43	556	1	0.04	2	80	3	0.06	<2	4
E859680		1.68	<10	1	0.36	30	0.35	527	1	0.04	2	90	12	0.07	<2	3
E859681		1.56	<10	<1	0.35	30	0.35	494	1	0.04	1	80	7	0.06	<2	3
E859682		1.70	<10	<1	0.43	30	0.37	521	1	0.04	1	170	18	0.11	<2	3
E859683		1.57	<10	<1	0.39	30	0.37	491	1	0.04	1	100	4	0.03	<2	3
E859684		2.62	10	<1	0.68	20	0.59	729	6	0.10	1	540	10	0.08	<2	5
E859685		1.60	<10	<1	0.46	10	0.36	400	1	0.06	1	380	5	0.01	<2	3
E859686		1.60	<10	<1	0.39	10	0.32	394	1	0.07	1	340	5	0.01	<2	3
E859687		1.42	<10	<1	0.35	10	0.25	433	1	0.04	1	310	16	0.05	<2	2
E859688		1.37	<10	<1	0.33	10	0.28	396	1	0.04	<1	220	34	0.08	<2	2
E859689		1.63	<10	<1	0.36	10	0.28	421	2	0.05	1	210	37	0.08	<2	2
E859690		0.02	<10	<1	<0.01	<10	<0.01	<5	1	<0.01	1	10	<2	<0.01	<2	<1
E859691		1.64	<10	<1	0.43	10	0.34	459	3	0.07	1	280	6	0.03	<2	3
E859692		2.09	<10	<1	0.39	10	0.52	742	1	0.03	1	350	5	0.04	<2	3
E859693		1.74	<10	<1	0.47	10	0.36	458	37	0.06	2	330	5	0.02	<2	3
E859694		1.58	<10	<1	0.40	10	0.31	420	2	0.06	1	250	5	0.02	<2	3
E859695		1.74	<10	<1	0.39	10	0.32	399	1	0.05	1	270	9	0.14	<2	4
E859696		2.40	<10	<1	0.52	10	0.45	546	2	0.06	2	420	5	0.01	<2	5
E859697		1.79	<10	<1	0.33	20	0.43	526	1	0.01	1	350	6	0.08	<2	2
E859698		1.57	<10	<1	0.20	10	0.48	494	35	<0.01	1	300	18	0.07	<2	2
E859699		2.01	<10	<1	0.38	20	0.39	464	2	0.04	2	340	13	0.03	<2	2
E859700		2.42	<10	1	0.40	20	0.48	577	4	<0.01	1	740	6	0.02	<2	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859661		56	<20	0.22	<10	<10	74	<10	65			
E859662		94	<20	0.14	<10	<10	48	<10	79			
E859663		53	<20	0.11	<10	<10	42	<10	55			
E859664		54	<20	0.15	<10	<10	60	<10	53			
E859665		19	<20	0.11	<10	<10	34	<10	48			
E859666		12	<20	0.12	<10	<10	35	<10	45			
E859667		31	<20	0.05	<10	<10	20	<10	35			
E859668		20	<20	0.11	<10	<10	30	<10	47			
E859669		19	<20	0.11	<10	<10	29	<10	44			
E859670		<1	<20	<0.01	<10	<10	<1	<10	<2			
E859671		26	<20	0.11	<10	<10	26	<10	43			
E859672		13	<20	0.11	<10	<10	33	<10	42			
E859673		24	<20	0.07	<10	<10	23	<10	42			
E859674		23	<20	0.08	<10	<10	24	<10	41			
E859675		10	<20	0.07	<10	<10	19	<10	32			
E859676		15	<20	0.11	<10	<10	30	<10	45			
E859677		17	20	0.08	<10	<10	19	<10	34			
E859678		19	20	0.07	<10	<10	13	<10	35			
E859679		11	20	0.08	<10	<10	11	<10	35			
E859680		33	20	0.03	<10	<10	8	<10	33			
E859681		24	20	0.04	<10	<10	9	<10	29			
E859682		34	20	0.04	<10	<10	9	<10	39			
E859683		26	20	0.05	<10	<10	11	<10	32			
E859684		49	<20	0.09	<10	<10	26	<10	57			
E859685		17	<20	0.07	<10	<10	20	<10	36			
E859686		16	<20	0.06	<10	<10	17	<10	33			
E859687		33	<20	0.03	<10	<10	13	<10	31			
E859688		33	<20	0.04	<10	<10	13	<10	29			
E859689		35	<20	0.04	<10	<10	13	<10	30			
E859690		1	<20	<0.01	<10	<10	<1	<10	2			
E859691		23	<20	0.05	<10	<10	17	<10	33			
E859692		68	<20	0.03	<10	<10	14	<10	37			
E859693		19	<20	0.06	<10	<10	20	<10	35			
E859694		23	<20	0.04	<10	<10	16	<10	33			
E859695		23	<20	0.05	<10	<10	19	<10	32			
E859696		35	<20	0.07	<10	<10	25	<10	40			
E859697		57	<20	0.01	<10	<10	7	<10	26			
E859698		61	<20	<0.01	<10	<10	7	<10	40			
E859699		29	<20	0.05	<10	<10	21	<10	35			
E859700		32	<20	0.06	<10	<10	24	<10	46			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859701		2.01	<0.005		<0.2	1.07	3	<10	170	<0.5	<2	0.55	<0.5	4	2	5
E859702		4.42	<0.005		0.2	0.78	2	<10	50	<0.5	<2	1.37	<0.5	3	4	6
E859703		5.13	<0.005		<0.2	0.72	3	<10	50	0.5	<2	1.78	<0.5	4	3	5
E859704		4.13	<0.005		<0.2	0.94	13	<10	70	<0.5	<2	1.44	<0.5	4	3	4
E859705		4.91	<0.005		<0.2	1.45	4	<10	90	<0.5	<2	1.09	<0.5	5	5	12
E859706		4.70	<0.005		<0.2	0.88	24	<10	230	<0.5	<2	1.46	<0.5	5	3	5
E859707		4.63	<0.005		0.2	0.53	4	<10	120	0.5	<2	2.23	<0.5	4	4	5
E859708		4.38	<0.005		<0.2	0.88	2	<10	580	0.5	<2	1.62	<0.5	6	5	7
E859709		0.04	<0.005		<0.2	0.91	3	<10	610	0.5	<2	1.69	<0.5	6	5	5
E859710		0.09	1.635	1.68	>100	0.36	4580	<10	20	<0.5	9	0.81	528	5	55	838
E859711		5.08	<0.005		<0.2	1.13	<2	<10	380	<0.5	<2	0.72	<0.5	5	7	11
E859712		5.07	<0.005		<0.2	1.78	<2	<10	830	<0.5	<2	1.27	<0.5	8	31	11
E859713		5.78	<0.005		<0.2	3.05	2	<10	1790	<0.5	2	2.19	<0.5	10	3	17
E859714		5.47	<0.005		<0.2	2.06	2	<10	1000	<0.5	<2	1.22	<0.5	8	5	4
E859715		3.89	<0.005		<0.2	1.90	2	<10	1290	<0.5	<2	1.13	<0.5	8	21	4
E859716		4.41	<0.005		<0.2	1.79	3	<10	680	<0.5	<2	0.83	<0.5	6	5	5
E859717		4.51	<0.005		<0.2	0.93	404	<10	90	<0.5	<2	0.57	<0.5	4	6	1
E859718		4.94	<0.005		<0.2	1.16	4	<10	100	<0.5	<2	0.31	<0.5	5	23	1
E859719		5.13	<0.005		<0.2	1.15	3	<10	90	<0.5	<2	0.31	<0.5	5	6	1
E859720		2.29	<0.005		<0.2	0.98	2	<10	80	<0.5	<2	0.39	<0.5	4	7	1
E859721		1.99	<0.005		<0.2	1.06	3	<10	100	<0.5	<2	0.36	<0.5	4	22	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859701		2.31	<10	<1	0.40	30	0.45	534	14	<0.01	2	730	6	0.02	<2	3
E859702		1.38	<10	<1	0.20	10	0.47	382	16	<0.01	3	370	10	0.02	<2	3
E859703		1.95	<10	<1	0.31	10	0.65	681	58	<0.01	2	460	9	0.03	<2	3
E859704		2.20	<10	<1	0.46	20	0.69	695	3	0.01	1	350	9	0.04	<2	6
E859705		2.55	<10	<1	0.65	20	0.74	698	1	0.02	1	460	9	0.07	<2	8
E859706		2.11	<10	<1	0.46	10	0.59	800	1	0.04	1	500	7	0.07	<2	5
E859707		1.98	<10	<1	0.25	10	0.69	679	2	0.02	<1	420	10	0.04	<2	3
E859708		2.41	<10	1	0.44	10	0.71	764	25	0.05	4	620	11	0.04	<2	5
E859709		2.43	<10	1	0.45	20	0.73	768	25	0.06	1	630	9	0.05	<2	5
E859710		6.67	<10	3	0.23	10	0.25	379	1	0.02	3	570	>10000	9.7	2530	1
E859711		2.56	10	<1	0.76	20	0.70	708	<1	0.07	6	570	3	0.07	<2	7
E859712		3.07	10	1	0.81	20	0.90	714	<1	0.17	4	1080	8	0.05	<2	5
E859713		4.85	10	1	0.94	10	1.24	1005	<1	0.31	<1	1960	5	0.11	<2	7
E859714		3.52	10	1	0.89	20	0.96	801	<1	0.17	<1	1100	4	0.02	<2	7
E859715		3.44	10	1	0.90	20	0.93	842	<1	0.15	1	860	5	0.02	<2	6
E859716		3.02	10	1	0.91	20	0.79	921	<1	0.15	<1	880	4	0.03	<2	6
E859717		1.87	<10	1	0.57	10	0.45	695	2	0.07	<1	410	7	0.03	<2	6
E859718		2.35	10	<1	0.73	10	0.51	755	<1	0.11	<1	440	3	<0.01	<2	6
E859719		2.17	10	1	0.75	10	0.52	747	1	0.10	<1	490	3	<0.01	<2	6
E859720		1.95	<10	1	0.64	10	0.47	704	<1	0.08	<1	480	4	<0.01	<2	4
E859721		2.16	10	1	0.66	10	0.46	724	<1	0.11	1	460	4	<0.01	<2	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130409

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859701		26	<20	0.06	<10	<10	23	<10	43			
E859702		56	<20	0.01	<10	<10	12	<10	26			
E859703		59	<20	0.01	<10	<10	8	<10	37			
E859704		71	<20	0.06	<10	<10	26	<10	45			
E859705		56	<20	0.10	<10	<10	35	<10	51			
E859706		59	<20	0.04	<10	<10	19	<10	36			
E859707		113	<20	0.01	<10	<10	15	<10	40			
E859708		94	<20	0.05	<10	<10	25	<10	51			
E859709		100	<20	0.05	<10	<10	25	<10	50			
E859710		110	<20	<0.01	<10	<10	5	10	>10000	1.905	3.56	298
E859711		45	<20	0.13	<10	<10	41	<10	59			
E859712		86	<20	0.15	<10	<10	58	<10	65			
E859713		168	<20	0.23	<10	<10	90	<10	92			
E859714		79	<20	0.19	<10	<10	67	<10	71			
E859715		76	<20	0.17	<10	<10	57	<10	67			
E859716		51	<20	0.18	<10	<10	52	<10	64			
E859717		24	<20	0.09	<10	<10	31	<10	43			
E859718		13	<20	0.13	<10	<10	37	<10	45			
E859719		11	<20	0.13	<10	<10	40	<10	46			
E859720		13	<20	0.10	<10	10	35	<10	41			
E859721		12	<20	0.10	<10	<10	35	<10	39			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **7-OCT-2010**
Account: **EIAALN**

CERTIFICATE WH10130408

Project: ALN10-02

P.O. No.: ALN10-02_16

This report is for 105 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859517		4.04	<0.005		<0.2	2.34	29	<10	180	0.8	<2	2.54	3.0	25	26	24
E859518		4.05	<0.005		0.2	2.32	15	<10	220	<0.5	<2	2.06	2.2	16	9	13
E859519		3.97	<0.005		<0.2	2.15	29	<10	170	<0.5	<2	2.42	2.1	15	9	9
E859520		4.43	<0.005		0.3	2.13	49	<10	160	<0.5	<2	2.61	3.0	14	8	11
E859521		2.29	0.009		0.4	1.80	13	<10	140	<0.5	<2	2.70	2.1	13	6	11
E859522		2.29	0.013		0.3	1.70	12	<10	170	<0.5	<2	2.82	2.1	12	6	9
E859523		4.57	0.007		<0.2	2.14	10	<10	240	<0.5	<2	2.21	2.1	16	9	11
E859524		4.43	<0.005		<0.2	1.93	10	<10	320	<0.5	<2	1.68	1.7	15	9	7
E859525		4.76	<0.005		<0.2	2.03	8	<10	360	<0.5	<2	1.67	1.8	16	9	8
E859526		4.70	<0.005		<0.2	2.23	7	<10	430	<0.5	<2	1.98	2.1	17	10	9
E859527		4.51	0.009		<0.2	2.34	8	<10	160	<0.5	<2	2.59	<0.5	14	11	12
E859528		4.65	<0.005		<0.2	2.26	6	<10	290	<0.5	<2	1.55	<0.5	13	10	13
E859529C		<0.02	<0.005		<0.2	2.37	3	<10	310	<0.5	<2	1.64	<0.5	13	11	12
E859530		0.05	1.560	NSS	>100	0.43	4550	<10	10	<0.5	6	0.85	539	6	57	868
E859531		3.98	0.005		0.2	1.97	5	<10	170	<0.5	2	2.05	<0.5	12	9	15
E859532		4.76	<0.005		<0.2	2.28	10	<10	270	<0.5	<2	1.56	<0.5	14	10	12
E859533		4.65	<0.005		<0.2	1.65	11	<10	180	<0.5	<2	2.00	1.0	9	7	12
E859534		4.22	0.005		0.6	1.72	30	<10	410	<0.5	2	1.57	0.5	12	7	15
E859535		1.30	0.195		>100	0.69	>10000	<10	100	<0.5	205	3.80	2.1	12	5	12
E859536		2.18	0.008		0.7	2.08	118	<10	220	<0.5	4	3.24	<0.5	13	8	18
E859537		4.80	0.016		<0.2	2.32	25	<10	410	<0.5	<2	1.78	<0.5	15	8	21
E859538		3.73	0.006		0.2	2.25	31	<10	340	<0.5	<2	1.55	<0.5	13	10	17
E859539		2.52	<0.005		<0.2	2.39	3	<10	470	<0.5	<2	1.11	<0.5	13	10	13
E859540		0.79	0.029		1.2	1.70	5100	<10	270	<0.5	<2	2.41	<0.5	13	5	16
E859541		0.92	0.014		1.0	1.85	4330	<10	280	<0.5	<2	2.51	<0.5	14	7	18
E859542		1.62	<0.005		<0.2	2.58	54	<10	480	<0.5	<2	1.44	<0.5	14	10	13
E859543		3.64	<0.005		<0.2	2.44	40	<10	410	<0.5	<2	1.64	<0.5	16	16	18
E859544		5.23	<0.005		<0.2	2.27	11	<10	450	<0.5	<2	1.07	<0.5	14	27	24
E859545		4.64	0.005		<0.2	2.65	14	<10	380	<0.5	<2	2.16	<0.5	15	20	13
E859546		3.25	<0.005		<0.2	2.30	8	<10	340	<0.5	<2	1.65	<0.5	14	9	12
E859547		2.12	0.007		0.2	2.51	18	<10	350	<0.5	<2	2.83	<0.5	14	8	15
E859548		2.30	<0.005		<0.2	2.33	3	<10	410	<0.5	<2	1.38	<0.5	13	10	7
E859549C		<0.02	<0.005		<0.2	2.26	4	<10	420	<0.5	<2	1.31	<0.5	13	9	7
E859550		0.04	<0.005		<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	1	1	<1
E859551		1.58	0.088		1.4	0.78	9780	<10	110	<0.5	<2	1.44	3.0	9	7	18
E859552		3.20	0.010		<0.2	1.72	5	<10	370	<0.5	<2	0.83	<0.5	9	9	10
E859553		3.84	<0.005		<0.2	1.93	3	<10	450	<0.5	<2	1.60	<0.5	11	9	11
E859554		4.57	<0.005		<0.2	1.70	12	<10	300	<0.5	<2	1.33	<0.5	9	8	7
E859555		4.65	<0.005		<0.2	2.21	7	<10	410	<0.5	<2	1.38	<0.5	13	9	24
E859556		4.89	<0.005		<0.2	2.06	5	<10	390	<0.5	<2	1.51	<0.5	12	8	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859517		5.09	10	<1	0.28	30	1.90	760	<1	0.27	27	2190	3	0.12	4	8
E859518		4.10	10	<1	0.59	20	1.54	791	1	0.14	2	530	<2	0.06	5	10
E859519		4.01	10	<1	0.47	20	1.47	802	<1	0.07	3	500	3	0.05	3	9
E859520		4.11	10	<1	0.41	20	1.35	791	<1	0.08	2	530	7	0.11	6	11
E859521		3.64	<10	<1	0.35	10	1.21	816	<1	0.06	2	560	6	0.18	5	8
E859522		3.52	<10	<1	0.42	20	1.09	854	<1	0.07	1	660	7	0.21	2	7
E859523		3.98	10	<1	0.62	20	1.44	863	<1	0.10	<1	650	4	0.10	3	9
E859524		3.51	<10	<1	0.70	20	1.32	709	<1	0.10	2	480	2	0.05	<2	7
E859525		3.68	10	<1	0.77	10	1.33	680	<1	0.13	2	510	<2	0.06	3	8
E859526		3.98	10	<1	0.68	10	1.48	762	<1	0.15	3	510	<2	0.09	<2	10
E859527		4.36	10	<1	0.31	20	1.59	801	<1	0.09	5	540	4	0.11	<2	13
E859528		3.83	10	<1	0.77	10	1.39	685	<1	0.15	2	520	2	0.07	<2	10
E859529C		4.00	10	<1	0.80	20	1.41	709	1	0.17	2	530	2	0.08	<2	10
E859530		7.45	<10	3	0.27	10	0.27	391	1	0.04	4	580	>10000	9.8	2660	2
E859531		3.68	10	1	0.48	20	1.30	686	1	0.06	4	500	5	0.02	<2	9
E859532		3.97	10	<1	0.76	20	1.43	705	<1	0.15	2	530	5	0.05	2	11
E859533		2.95	10	<1	0.42	20	0.89	584	1	0.10	1	420	22	0.06	<2	8
E859534		3.55	10	<1	0.78	10	1.14	644	1	0.08	2	560	15	0.19	<2	6
E859535		3.06	<10	<1	0.34	10	0.38	993	1	0.03	1	620	5240	1.10	5	5
E859536		4.08	10	<1	0.47	20	1.22	894	1	0.04	2	530	16	0.14	<2	10
E859537		4.02	10	<1	0.77	10	1.42	767	1	0.14	2	620	5	0.11	<2	9
E859538		3.86	10	<1	0.79	10	1.32	663	<1	0.14	2	530	22	0.07	<2	9
E859539		3.73	10	<1	1.06	10	1.26	597	1	0.23	2	530	<2	0.06	<2	9
E859540		3.63	<10	<1	0.63	10	1.17	1060	<1	0.07	2	510	32	0.46	<2	8
E859541		3.61	<10	<1	0.66	10	1.14	868	<1	0.09	2	520	28	0.38	2	9
E859542		4.19	10	<1	1.00	20	1.42	678	<1	0.24	2	570	3	0.06	<2	10
E859543		4.55	10	<1	0.79	20	1.63	678	1	0.21	10	1080	4	0.09	<2	10
E859544		3.67	10	<1	0.98	10	1.28	592	<1	0.19	8	550	2	0.04	<2	9
E859545		4.51	10	1	0.83	10	1.60	775	1	0.18	7	560	4	0.06	<2	13
E859546		4.03	10	<1	0.77	20	1.46	692	1	0.14	2	530	2	0.07	<2	11
E859547		4.63	10	<1	0.63	10	1.60	901	<1	0.12	2	890	5	0.10	<2	12
E859548		3.75	10	<1	0.92	10	1.31	663	1	0.20	2	500	2	0.04	<2	9
E859549C		3.78	10	1	0.94	10	1.34	665	<1	0.17	2	530	<2	0.04	<2	9
E859550		0.03	<10	<1	0.01	<10	0.01	<5	<1	0.01	<1	10	<2	0.01	<2	1
E859551		2.62	<10	<1	0.28	10	0.41	404	1	0.05	1	220	39	0.94	2	4
E859552		2.75	10	<1	0.70	10	0.99	477	1	0.14	1	440	6	0.03	<2	6
E859553		3.29	10	<1	0.80	10	1.24	667	1	0.12	<1	520	7	0.04	<2	8
E859554		2.86	10	<1	0.59	10	1.00	553	1	0.12	<1	470	7	0.03	<2	6
E859555		3.48	10	<1	0.77	10	1.36	675	1	0.16	1	570	5	0.06	<2	9
E859556		3.36	10	<1	0.80	10	1.26	660	1	0.14	1	500	5	0.03	<2	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E859517		149	<20	0.23	<10	<10	73	<10	96			
E859518		61	<20	0.10	<10	<10	103	<10	69			
E859519		59	<20	0.07	<10	<10	89	<10	68			
E859520		66	<20	0.05	<10	<10	81	<10	83			
E859521		69	<20	0.04	<10	<10	66	<10	67			
E859522		72	<20	0.07	<10	<10	65	<10	62			
E859523		67	<20	0.13	<10	10	93	<10	66			
E859524		52	<20	0.15	<10	<10	88	<10	59			
E859525		48	<20	0.16	<10	<10	96	<10	59			
E859526		55	<20	0.16	<10	10	104	<10	64			
E859527		75	<20	0.07	<10	<10	91	<10	67			
E859528		49	<20	0.20	<10	<10	98	<10	60			
E859529C		54	<20	0.21	<10	<10	102	<10	62			
E859530		115	<20	0.01	<10	<10	5	20	>10000	NSS	NSS	NSS
E859531		58	<20	0.10	<10	<10	84	<10	60			
E859532		50	<20	0.22	<10	<10	99	<10	82			
E859533		60	<20	0.06	<10	<10	53	<10	74			
E859534		57	<20	0.19	<10	<10	79	<10	110			
E859535		96	<20	0.01	<10	<10	8	<10	141			109
E859536		73	<20	0.06	<10	<10	74	<10	75			
E859537		54	<20	0.22	<10	<10	101	<10	63			
E859538		48	<20	0.19	<10	<10	95	<10	59			
E859539		40	<20	0.28	<10	<10	104	<10	56			
E859540		77	<20	0.13	<10	<10	67	<10	44			
E859541		73	<20	0.13	<10	<10	72	<10	47			
E859542		49	<20	0.29	<10	<10	116	<10	61			
E859543		60	<20	0.31	<10	<10	103	<10	71			
E859544		38	<20	0.27	<10	<10	99	<10	56			
E859545		69	<20	0.18	<10	<10	108	<10	70			
E859546		46	<20	0.21	<10	<10	104	<10	63			
E859547		84	<20	0.14	<10	<10	93	<10	77			
E859548		48	<20	0.24	<10	<10	101	<10	59			
E859549C		43	<20	0.25	<10	<10	102	<10	60			
E859550		2	<20	0.01	<10	<10	<1	<10	3			
E859551		41	<20	0.05	<10	<10	23	<10	52			
E859552		30	<20	0.21	<10	<10	84	<10	45			
E859553		50	<20	0.19	<10	<10	92	<10	55			
E859554		46	<20	0.14	<10	<10	74	<10	48			
E859555		43	<20	0.24	<10	<10	104	<10	57			
E859556		42	<20	0.21	<10	<10	99	<10	55			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859557		4.65	<0.005		<0.2	1.70	4	<10	180	<0.5	<2	1.24	<0.5	11	8	11
E859558		4.95	0.115		0.4	1.76	787	<10	110	<0.5	<2	3.03	<0.5	11	6	11
E859559		4.83	<0.005		<0.2	2.12	3	<10	420	<0.5	<2	1.17	<0.5	12	9	12
E859560		4.65	<0.005		<0.2	2.09	2	<10	470	<0.5	<2	0.83	<0.5	12	10	12
E859561		2.23	<0.005		<0.2	2.09	4	<10	400	<0.5	<2	1.06	<0.5	11	9	12
E859562		2.29	<0.005		<0.2	2.13	2	<10	400	<0.5	<2	1.08	<0.5	12	9	11
E859563		2.85	0.005		0.2	2.04	30	<10	270	<0.5	<2	2.20	<0.5	12	9	9
E859564		1.47	0.183		21.8	0.76	6980	20	100	<0.5	37	2.59	2.2	5	5	8
E859565		3.68	0.098		9.2	2.22	1380	<10	360	<0.5	<2	1.53	4.4	13	10	86
E859566		5.19														
E859567		5.22														
E859568		3.87	<0.005		0.2	2.41	28	<10	120	0.6	<2	2.47	<0.5	19	30	30
E859569C		<0.02	<0.005		<0.2	2.42	13	<10	110	0.6	<2	2.43	<0.5	18	30	30
E859570		0.04	0.890		>100	0.50	4570	<10	30	<0.5	3	0.56	101.0	6	50	306
E859571		3.36	<0.005		<0.2	2.23	8	<10	70	0.7	<2	2.49	<0.5	21	37	28
E859572		2.73	<0.005		<0.2	2.16	12	<10	90	0.7	<2	2.61	<0.5	21	38	29
E859573		5.30	<0.005		<0.2	2.16	11	<10	80	0.7	<2	2.52	<0.5	21	40	36
E859574		4.63	<0.005		<0.2	2.16	12	<10	90	0.7	<2	2.53	<0.5	21	36	34
E859575		4.42	<0.005		<0.2	2.14	13	<10	130	0.6	<2	2.51	<0.5	17	29	25
E859576		4.76	<0.005		<0.2	2.32	10	<10	360	0.5	<2	3.16	<0.5	13	7	11
E859577		4.76	0.011		0.5	1.93	23	<10	80	<0.5	<2	2.85	<0.5	12	7	11
E859578		4.88	0.010		0.3	2.30	41	<10	110	0.7	<2	3.00	<0.5	22	36	31
E859579		3.91	<0.005		<0.2	2.15	11	<10	100	0.5	<2	2.43	<0.5	22	62	36
E859580		5.17	<0.005		<0.2	2.18	10	<10	80	0.5	<2	2.48	<0.5	23	62	37
E859581		2.58	<0.005		<0.2	2.28	18	<10	110	0.6	<2	2.74	<0.5	23	68	36
E859582		2.20	<0.005		<0.2	2.16	18	<10	100	0.6	<2	2.59	<0.5	22	66	35
E859583		4.75	0.005		<0.2	2.31	23	<10	150	0.6	<2	2.64	<0.5	22	51	33
E859584		5.40	<0.005		<0.2	2.16	11	<10	80	<0.5	<2	2.22	<0.5	22	60	36
E859585		4.82	<0.005		<0.2	2.22	19	<10	80	<0.5	<2	2.28	<0.5	22	56	36
E859586		5.55	<0.005		<0.2	2.10	46	<10	100	0.5	<2	2.34	<0.5	23	63	40
E859587		4.48	0.005		<0.2	2.41	73	<10	290	0.5	<2	2.94	<0.5	15	13	14
E859588		4.91	<0.005		<0.2	2.23	69	<10	120	0.6	<2	2.62	<0.5	23	49	33
E859589		<0.02	<0.005		<0.2	2.19	65	<10	120	0.6	<2	2.57	<0.5	22	48	32
E859590		<0.02	0.018		<0.2	0.01	<2	<10	10	<0.5	<2	0.02	<0.5	<1	<1	5
E859591		5.05	<0.005		<0.2	1.85	10	<10	190	<0.5	<2	2.21	<0.5	11	7	10
E859592		4.73	<0.005		<0.2	2.19	5	<10	450	<0.5	<2	1.39	<0.5	13	10	15
E859593		4.50	<0.005		<0.2	1.91	4	<10	320	<0.5	<2	1.06	<0.5	11	10	13
E859594		4.16	<0.005		<0.2	2.06	9	<10	290	<0.5	<2	1.35	<0.5	12	10	12
E859595		4.80	<0.005		<0.2	1.92	99	<10	220	<0.5	<2	1.76	<0.5	12	8	13
E859596		3.90	0.032		0.4	1.57	453	<10	70	<0.5	<2	3.06	0.7	10	6	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859557		2.95	10	<1	0.37	10	1.15	534	1	0.08	<1	520	7	0.03	<2	6
E859558		3.14	<10	<1	0.30	10	1.22	959	1	0.04	1	520	10	0.16	<2	8
E859559		3.40	10	<1	0.91	10	1.30	633	1	0.16	2	550	5	0.03	<2	7
E859560		3.32	10	<1	0.94	20	1.23	582	1	0.17	<1	560	5	0.02	<2	6
E859561		3.29	10	<1	1.00	10	1.22	607	1	0.17	1	530	5	0.03	<2	7
E859562		3.44	10	<1	1.01	10	1.29	633	1	0.16	<1	550	5	0.03	<2	7
E859563		3.63	10	<1	0.73	10	1.35	748	2	0.10	1	550	9	0.04	<2	8
E859564		1.94	<10	<1	0.25	10	0.38	798	1	0.03	1	500	140	0.44	2	3
E859565		4.73	10	<1	0.96	10	1.37	686	3	0.15	1	590	99	0.44	<2	9
E859566																
E859567																
E859568		4.97	10	<1	0.28	30	2.04	558	2	0.21	32	2740	7	0.07	<2	8
E859569C		4.91	10	<1	0.28	30	2.03	550	2	0.22	32	2720	5	0.07	<2	8
E859570		5.95	<10	1	0.30	10	0.10	307	2	0.04	4	700	4990	7.9	1650	1
E859571		5.09	10	<1	0.28	30	2.14	591	1	0.26	31	2820	4	0.10		8
E859572		5.08	10	<1	0.36	30	2.03	582	2	0.23	26	2840	8	0.08	<2	9
E859573		5.08	10	<1	0.39	30	1.95	672	2	0.26	26	3060	5	0.13	<2	7
E859574		4.96	10	<1	0.39	30	1.86	726	2	0.27	22	2910	6	0.16	<2	7
E859575		4.30	10	<1	0.42	20	1.64	633	1	0.20	17	2060	6	0.11	<2	9
E859576		3.91	10	<1	0.27	10	1.52	772	1	0.09	1	580	11	0.05	<2	14
E859577		3.50	10	<1	0.20	10	1.30	741	1	0.06	1	500	16	0.15	<2	12
E859578		5.04	10	<1	0.40	20	2.00	704	2	0.18	25	2410	11	0.17	<2	10
E859579		5.02	10	<1	0.49	20	1.92	600	2	0.25	29	2690	6	0.15	<2	6
E859580		5.27	10	<1	0.45	20	2.00	626	2	0.24	33	2800	7	0.12	<2	5
E859581		5.43	10	<1	0.52	30	2.07	622	2	0.25	33	2800	8	0.14	<2	7
E859582		5.21	10	<1	0.50	20	1.99	606	2	0.23	30	2750	7	0.14	<2	6
E859583		5.19	10	<1	0.59	20	1.99	599	2	0.25	30	2710	7	0.15	<2	7
E859584		5.16	10	<1	0.45	20	1.82	611	2	0.27	30	2890	5	0.13	<2	5
E859585		5.19	10	<1	0.42	20	1.87	588	2	0.27	32	2880	7	0.16	<2	4
E859586		5.20	10	<1	0.45	30	1.82	558	2	0.24	31	2860	7	0.22	<2	6
E859587		4.20	10	<1	0.29	10	1.69	775	1	0.11	7	740	13	0.06	<2	15
E859588		5.27	10	<1	0.44	20	1.90	643	2	0.22	30	2640	10	0.26	<2	10
E859589		5.20	10	<1	0.42	20	1.86	637	2	0.21	27	2610	9	0.26	2	10
E859590		0.03	<10	<1	<0.01	<10	0.01	<5	1	<0.01	5	20	8	<0.01	<2	<1
E859591		3.26	10	<1	0.38	20	1.19	693	1	0.08	2	480	15	0.05	<2	10
E859592		3.77	10	<1	0.91	20	1.42	693	1	0.15	2	600	7	0.03	<2	9
E859593		3.20	10	<1	0.83	20	1.20	618	<1	0.14	1	510	6	0.02	<2	7
E859594		3.43	10	<1	0.70	20	1.28	629	1	0.14	1	550	7	0.02	<2	8
E859595		3.37	10	<1	0.51	10	1.28	683	1	0.09	2	560	7	0.09	<2	7
E859596		3.02	<10	<1	0.21	10	1.10	873	1	0.03	<1	540	17	0.22	<2	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859557		37	<20	0.21	<10	<10	80	<10	52			
E859558		112	<20	0.04	<10	<10	59	<10	51			
E859559		39	<20	0.25	<10	<10	100	<10	58			
E859560		32	<20	0.27	<10	<10	100	<10	55			
E859561		35	<20	0.26	<10	<10	97	<10	56			
E859562		35	<20	0.27	<10	<10	102	<10	58			
E859563		50	<20	0.19	<10	<10	98	<10	62			
E859564		79	<20	0.03	<10	<10	26	<10	46			
E859565		42	<20	0.23	<10	<10	110	<10	139			
E859566												
E859567												
E859568		320	<20	0.18	<10	<10	74	<10	67			
E859569C		317	<20	0.19	<10	<10	74	<10	67			
E859570		139	<20	<0.01	<10	<10	6	<10	>10000		1.270	145
E859571		213	<20	0.23	<10	<10	84	<10	85			
E859572		193	<20	0.25	<10	<10	89	<10	85			
E859573		160	<20	0.21	<10	<10	80	<10	99			
E859574		157	<20	0.23	<10	<10	77	<10	95			
E859575		148	<20	0.22	<10	<10	80	<10	80			
E859576		123	<20	0.21	<10	<10	97	<10	69			
E859577		79	<20	0.13	<10	<10	79	<10	60			
E859578		132	<20	0.29	<10	<10	89	<10	95			
E859579		149	<20	0.24	<10	<10	91	<10	92			
E859580		154	<20	0.26	<10	<10	89	<10	95			
E859581		199	<20	0.33	<10	<10	103	<10	95			
E859582		151	<20	0.30	<10	<10	98	<10	92			
E859583		152	<20	0.28	<10	<10	97	<10	93			
E859584		149	<20	0.23	<10	<10	84	<10	94			
E859585		161	<20	0.24	<10	<10	83	<10	94			
E859586		165	<20	0.25	<10	<10	92	<10	96			
E859587		84	<20	0.27	<10	<10	120	<10	78			
E859588		152	<20	0.24	<10	<10	97	<10	93			
E859589		148	<20	0.25	<10	<10	94	<10	91			
E859590		1	<20	<0.01	<10	<10	<1	<10	7			
E859591		56	<20	0.17	<10	<10	85	<10	57			
E859592		38	<20	0.26	<10	<10	113	<10	62			
E859593		30	<20	0.24	<10	<10	96	<10	56			
E859594		36	<20	0.23	<10	<10	101	<10	57			
E859595		51	<20	0.18	<10	<10	90	<10	57			
E859596		88	<20	0.06	<10	<10	55	<10	82			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859597		5.40	0.108		3.4	1.57	2590	<10	80	<0.5	<2	4.15	2.4	14	4	11
E859598		5.37	<0.005		<0.2	1.99	21	<10	300	<0.5	<2	1.54	<0.5	12	10	12
E859599		4.79	<0.005		<0.2	2.08	6	<10	460	<0.5	<2	0.95	<0.5	11	10	13
E859600		4.26	0.304		4.6	1.80	4360	<10	340	<0.5	6	1.66	0.7	14	9	15
E859601		2.28	<0.005		<0.2	2.12	17	<10	440	<0.5	<2	1.14	<0.5	11	13	12
E859602		2.57	<0.005		<0.2	2.07	7	<10	430	<0.5	<2	1.16	<0.5	12	9	11
E859603		4.77	<0.005		0.4	1.99	25	<10	290	<0.5	<2	1.89	1.3	12	9	17
E859604		4.68	<0.005		<0.2	2.05	63	<10	210	<0.5	<2	1.96	<0.5	18	35	24
E859605		5.37	<0.005		<0.2	1.80	74	<10	130	<0.5	<2	2.10	<0.5	12	8	10
E859606		4.75	<0.005		<0.2	2.23	74	<10	210	<0.5	<2	1.96	<0.5	16	22	20
E859607		4.18	<0.005		0.4	2.07	27	<10	130	<0.5	<2	2.32	0.7	13	15	20
E859608		4.32	<0.005		0.2	1.94	100	<10	290	<0.5	<2	1.41	<0.5	12	10	14
E859609C		<0.02	<0.005		<0.2	2.02	137	<10	300	<0.5	<2	1.49	<0.5	12	9	14
E859610		0.04	1.630	1.77	>100	0.35	4470	<10	30	<0.5	7	0.79	519	6	53	862
E859611		3.90	<0.005		0.2	2.31	7	<10	390	<0.5	<2	1.52	<0.5	12	13	12
E859612		4.78	<0.005		<0.2	2.15	4	<10	420	<0.5	<2	0.92	<0.5	12	11	16
E859613		4.83	<0.005		<0.2	2.08	4	<10	350	<0.5	<2	1.12	<0.5	11	10	14
E859614		4.79	<0.005		<0.2	2.19	38	<10	230	<0.5	<2	2.09	<0.5	17	30	25
E859615		4.70	<0.005		<0.2	2.27	45	<10	100	0.5	<2	2.48	<0.5	21	36	35
E859616		5.02	<0.005		<0.2	2.19	88	<10	110	0.6	<2	2.70	<0.5	21	42	30
E859617		4.75	0.009		<0.2	1.91	18	<10	250	<0.5	<2	1.42	<0.5	11	8	43
E859618		4.84	<0.005		<0.2	1.77	3	<10	260	<0.5	<2	0.98	<0.5	11	9	66
E859619		4.58	0.013		<0.2	1.67	46	<10	170	<0.5	<2	1.21	<0.5	10	10	8
E859620		2.57	0.005		0.2	1.64	22	<10	120	<0.5	<2	1.74	<0.5	10	8	16
E859566/567			<0.005		<0.2	2.22	22	<10	80	0.7	<2	2.45	<0.5	21	31	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859597		3.53	<10	<1	0.27	10	1.09	1040	2	0.02	2	560	53	0.31	<2	7
E859598		3.41	10	<1	0.78	10	1.28	685	1	0.13	1	590	8	0.03	<2	8
E859599		3.27	10	<1	1.01	10	1.16	576	1	0.18	1	560	6	0.03	<2	6
E859600		3.17	10	<1	0.70	10	0.97	684	1	0.13	<1	490	79	0.37	<2	6
E859601		3.38	10	<1	0.94	20	1.21	615	1	0.17	1	570	7	0.04	<2	7
E859602		3.33	10	<1	0.94	10	1.20	614	1	0.16	<1	560	6	0.05	<2	7
E859603		3.42	10	<1	0.63	10	1.24	693	1	0.12	1	530	19	0.11	<2	9
E859604		4.38	10	<1	0.67	20	1.66	570	1	0.20	22	1780	9	0.13	<2	7
E859605		3.24	10	<1	0.32	10	1.23	663	1	0.07	1	580	11	0.19	<2	7
E859606		4.13	10	<1	0.54	20	1.57	594	1	0.21	14	1400	7	0.16	<2	7
E859607		3.73	10	<1	0.40	20	1.38	663	1	0.15	7	1080	14	0.24	<2	9
E859608		3.28	10	<1	0.64	20	1.24	617	1	0.12	1	560	8	0.09	<2	7
E859609C		3.36	10	<1	0.66	10	1.27	641	1	0.13	2	570	9	0.10	<2	8
E859610		6.47	<10	2	0.23	10	0.24	381	2	0.02	2	570	>10000	9.6	2460	1
E859611		3.66	10	1	0.90	10	1.37	676	1	0.19	4	570	2	0.05	<2	9
E859612		3.44	10	<1	1.11	20	1.25	626	1	0.18	1	580	9	0.03	<2	7
E859613		3.24	10	<1	0.93	20	1.18	591	<1	0.18	1	510	7	0.02	<2	7
E859614		4.32	10	<1	0.72	20	1.60	626	1	0.22	16	1840	9	0.08	<2	6
E859615		5.07	10	<1	0.41	30	1.93	617	2	0.28	28	2970	4	0.17	<2	4
E859616		4.92	10	<1	0.41	30	1.78	606	2	0.25	24	2680	9	0.29	<2	7
E859617		3.28	10	<1	0.78	20	1.16	711	1	0.13	1	490	11	0.21	<2	7
E859618		2.97	10	<1	0.84	20	1.05	663	1	0.13	<1	490	7	0.15	<2	6
E859619		2.93	10	<1	0.50	20	1.05	615	1	0.10	1	450	8	0.04	<2	6
E859620		3.04	10	<1	0.34	20	1.05	718	1	0.06	<1	470	12	0.16	<2	6
E859566/567		5.13	10	<1	0.35	30	2.04	596	1	0.27	32	2760	5	0.12	<2	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E859597		129	<20	0.01	<10	<10	38	<10	81			
E859598		45	<20	0.21	<10	<10	96	<10	59			
E859599		36	<20	0.26	<10	<10	100	<10	54			
E859600		55	<20	0.17	<10	<10	77	<10	52			
E859601		39	<20	0.26	<10	<10	100	<10	55			
E859602		38	<20	0.26	<10	<10	101	<10	55			
E859603		58	<20	0.22	<10	<10	95	<10	75			
E859604		86	<20	0.26	<10	<10	96	<10	77			
E859605		108	<20	0.20	<10	<10	82	<10	53			
E859606		117	<20	0.24	<10	<10	98	<10	74			
E859607		113	<20	0.19	<10	<10	90	<10	68			
E859608		47	<20	0.22	<10	<10	94	<10	62			
E859609C		50	<20	0.24	<10	<10	97	<10	64			
E859610		110	<20	<0.01	<10	<10	5	10	>10000	1.900	3.57	NSS
E859611		47	<20	0.27	<10	<10	109	<10	61			
E859612		33	<20	0.28	<10	<10	104	<10	64			
E859613		51	<20	0.25	<10	<10	98	<10	57			
E859614		106	<20	0.25	<10	<10	89	<10	87			
E859615		167	<20	0.20	<10	<10	73	<10	97			
E859616		199	<20	0.24	<10	<10	85	<10	92			
E859617		45	<20	0.22	<10	<10	89	<10	57			
E859618		36	<20	0.21	<10	<10	80	<10	58			
E859619		41	<20	0.20	<10	<10	78	<10	54			
E859620		60	<20	0.16	<10	<10	72	<10	67			
E859566/567		191	<20	0.25	<10	<10	86	<10	90			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10130408

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **1-OCT-2010**
Account: **EIAALN**

CERTIFICATE WH10127715

Project: ALN10-01

P.O. No.: ALN10-02_19

This report is for 106 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859801		2.10	<0.005		<0.2	1.33	104	<10	270	<0.5	<2	1.00	<0.5	6	7	10
E859802		3.20	<0.005		<0.2	1.52	78	<10	260	<0.5	<2	1.37	<0.5	7	7	14
E859803		2.92	<0.005		<0.2	1.28	265	<10	140	<0.5	<2	1.50	<0.5	6	5	17
E859804		4.16	<0.005		<0.2	1.39	69	<10	310	<0.5	<2	0.84	<0.5	7	6	7
E859805		4.29	<0.005		<0.2	1.44	869	<10	350	<0.5	<2	0.99	<0.5	6	8	16
E859806		3.99	0.006		<0.2	1.38	77	<10	280	<0.5	<2	0.86	<0.5	6	6	5
E859807		3.53	<0.005		<0.2	1.44	233	<10	290	<0.5	<2	0.87	<0.5	7	6	11
E859808		2.80	0.006		<0.2	1.57	79	<10	340	<0.5	<2	0.70	<0.5	7	9	12
E859809C		<0.02	<0.005		<0.2	1.69	83	<10	360	<0.5	<2	0.73	<0.5	7	10	13
E859810		0.05	0.880		>100	0.51	4690	<10	20	<0.5	5	0.57	103.0	7	54	310
E859811		4.23	<0.005		<0.2	2.33	49	<10	290	<0.5	<2	1.55	<0.5	14	34	16
E859812		4.64	<0.005		<0.2	1.58	38	<10	370	<0.5	<2	0.81	<0.5	7	6	3
E859813		4.71	<0.005		<0.2	2.60	129	<10	230	<0.5	<2	2.19	<0.5	23	54	31
E859814		2.92	<0.005		2.0	1.68	569	<10	350	<0.5	6	0.99	<0.5	9	14	13
E859815		2.93	<0.005		<0.2	1.64	30	<10	310	<0.5	<2	1.21	<0.5	10	24	9
E859816		3.10	0.005		<0.2	1.89	828	<10	280	<0.5	<2	1.45	<0.5	12	26	28
E859817		2.59	<0.005		0.2	1.80	206	<10	390	<0.5	2	1.49	0.6	11	30	18
E859818		2.13	<0.005		<0.2	1.53	100	<10	370	<0.5	<2	0.90	<0.5	7	5	3
E859819		3.17	0.006		<0.2	1.39	2860	<10	350	<0.5	<2	0.91	<0.5	7	6	29
E859820		1.32	0.033		<0.2	1.59	>10000	<10	410	<0.5	<2	1.26	<0.5	8	5	58
E859821		1.30	0.047		<0.2	1.47	9070	<10	410	<0.5	<2	1.01	<0.5	7	5	61
E859822		3.12	<0.005		0.2	2.87	131	<10	240	<0.5	<2	2.54	<0.5	25	67	36
E859823		3.01	0.010		0.8	1.62	2130	<10	460	<0.5	<2	0.92	<0.5	8	6	62
E859824		3.09	0.007		<0.2	1.84	1630	<10	570	<0.5	<2	1.23	<0.5	9	7	61
E859825		2.44	<0.005		<0.2	1.57	105	<10	410	<0.5	<2	1.03	<0.5	6	6	13
E859826		2.88	0.014		0.2	1.41	2500	<10	360	<0.5	<2	0.99	<0.5	7	6	27
E859827		2.75	<0.005		<0.2	1.89	661	<10	580	<0.5	<2	0.93	<0.5	10	18	30
E859828		2.59	<0.005		<0.2	2.55	211	<10	360	<0.5	<2	2.13	<0.5	15	42	25
E859829C		<0.02	<0.005		<0.2	2.66	233	<10	390	<0.5	<2	2.22	<0.5	16	44	27
E859830		0.05	1.670	1.70	>100	0.37	4590	<10	20	<0.5	10	0.83	539	6	56	890
E859831		2.81	<0.005		<0.2	2.25	219	<10	340	<0.5	<2	1.56	<0.5	9	15	20
E859832		2.86	<0.005		<0.2	2.81	156	<10	240	<0.5	<2	2.06	<0.5	23	55	41
E859833		2.87	<0.005		<0.2	1.45	597	<10	280	<0.5	<2	1.26	<0.5	6	6	26
E859834		4.24	0.010		<0.2	1.61	461	<10	350	<0.5	<2	1.02	<0.5	8	6	31
E859835		2.92	<0.005		<0.2	1.64	29	<10	470	<0.5	<2	0.72	<0.5	7	6	20
E859836		3.41	<0.005		0.2	2.29	292	<10	760	<0.5	<2	1.22	<0.5	11	8	46
E859837		3.00	0.005		<0.2	2.40	119	<10	450	<0.5	<2	1.75	<0.5	15	28	54
E859838		2.97	<0.005		0.2	1.83	114	<10	490	<0.5	<2	1.12	<0.5	8	9	37
E859839		2.62	<0.005		<0.2	2.36	300	<10	230	<0.5	<2	2.30	<0.5	18	27	41
E859840		1.33	<0.005		<0.2	2.57	266	<10	230	<0.5	<2	2.16	<0.5	19	25	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859801		2.66	10	<1	0.49	20	0.70	676	<1	0.06	2	680	10	<0.01	<2	4
E859802		3.07	10	<1	0.51	20	0.83	808	<1	0.06	<1	780	7	0.01	<2	5
E859803		2.69	<10	1	0.26	20	0.64	728	<1	0.05	<1	660	8	<0.01	<2	3
E859804		2.70	10	<1	0.68	20	0.71	659	<1	0.08	<1	690	6	0.02	<2	4
E859805		2.74	10	<1	0.67	20	0.70	699	<1	0.09	<1	690	7	0.06	<2	4
E859806		2.70	10	<1	0.53	20	0.73	667	<1	0.06	<1	710	8	<0.01	<2	3
E859807		2.87	10	<1	0.57	20	0.73	696	<1	0.08	<1	700	7	<0.01	<2	4
E859808		2.82	10	1	0.66	20	0.80	764	<1	0.07	3	720	7	<0.01	<2	4
E859809C		2.90	10	<1	0.69	20	0.82	788	<1	0.09	3	730	7	<0.01	<2	5
E859810		6.06	<10	1	0.30	10	0.10	314	1	0.04	5	690	5130	7.9	1740	1
E859811		3.37	10	<1	0.78	20	1.40	599	<1	0.13	26	1120	8	0.03	<2	4
E859812		2.88	10	<1	0.74	20	0.75	690	<1	0.11	<1	730	9	0.01	<2	4
E859813		4.33	10	<1	0.83	20	2.05	508	<1	0.23	51	1650	8	0.12	<2	5
E859814		3.02	10	<1	0.71	20	0.93	621	<1	0.13	9	840	72	0.04	<2	3
E859815		3.05	10	<1	0.63	20	1.06	616	<1	0.10	12	870	8	0.02	<2	4
E859816		3.29	10	<1	0.69	20	1.24	601	<1	0.14	19	1020	8	0.09	<2	4
E859817		3.09	10	<1	0.58	20	1.19	593	<1	0.11	20	940	15	0.04	<2	4
E859818		2.77	10	<1	0.66	20	0.74	680	<1	0.10	<1	720	8	0.01	<2	4
E859819		2.89	10	<1	0.65	20	0.70	670	<1	0.08	<1	720	7	0.16	<2	3
E859820		3.76	10	<1	0.77	30	0.77	763	<1	0.09	<1	850	8	0.57	3	4
E859821		3.43	<10	<1	0.73	30	0.73	706	<1	0.07	<1	800	9	0.47	2	4
E859822		4.76	10	<1	0.81	20	2.25	585	<1	0.22	55	1780	6	0.12	<2	6
E859823		3.30	10	<1	0.86	30	0.83	764	<1	0.08	<1	860	13	0.15	<2	5
E859824		3.65	10	1	1.03	40	0.94	873	<1	0.09	1	990	6	0.20	<2	6
E859825		2.88	10	<1	0.82	30	0.75	717	<1	0.08	<1	770	7	0.05	<2	4
E859826		2.76	<10	<1	0.71	20	0.70	682	<1	0.08	<1	720	10	0.19	<2	4
E859827		3.71	10	<1	0.98	40	1.00	882	<1	0.12	3	990	7	0.07	<2	7
E859828		3.90	10	<1	0.76	20	1.62	613	<1	0.16	22	1290	9	0.06	<2	6
E859829C		4.08	10	<1	0.80	30	1.68	644	<1	0.18	22	1330	7	0.06	<2	6
E859830		6.72	<10	3	0.25	10	0.25	397	<1	0.02	3	590	>10000	10.0	2610	1
E859831		2.98	10	<1	0.58	30	0.94	591	<1	0.16	7	850	5	0.02	<2	5
E859832		4.42	10	<1	0.78	20	2.12	540	<1	0.23	52	1680	9	0.09	<2	5
E859833		2.70	10	<1	0.46	20	0.69	640	<1	0.07	<1	680	10	0.07	<2	3
E859834		2.81	10	<1	0.66	30	0.76	683	<1	0.09	<1	740	9	0.09	<2	4
E859835		3.07	10	<1	0.89	30	0.86	730	<1	0.10	<1	830	6	0.10	<2	4
E859836		4.69	10	<1	1.35	40	1.34	1160	<1	0.10	<1	1320	8	0.14	<2	9
E859837		4.27	10	<1	1.06	30	1.63	795	<1	0.16	22	1430	6	0.08	<2	6
E859838		3.14	10	<1	0.91	20	0.95	796	<1	0.12	3	860	5	0.06	<2	5
E859839		4.05	10	<1	0.73	20	1.74	530	<1	0.19	34	1690	4	0.10	<2	4
E859840		4.18	10	1	0.79	20	1.81	522	<1	0.24	38	1730	2	0.12	<2	4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859801		40	<20	0.13	<10	<10	43	<10	56			
E859802		50	<20	0.11	<10	<10	47	<10	65			
E859803		52	<20	0.04	<10	<10	35	<10	53			
E859804		39	<20	0.14	<10	<10	46	<10	57			
E859805		42	<20	0.14	<10	<10	44	<10	55			
E859806		46	<20	0.13	<10	<10	44	<10	58			
E859807		44	<20	0.12	<10	<10	45	<10	57			
E859808		85	<20	0.16	<10	<10	47	<10	59			
E859809C		90	<20	0.17	<10	<10	49	<10	60			
E859810		139	<20	<0.01	<10	<10	6	10	>10000		1.275	NSS
E859811		239	<20	0.19	<10	<10	54	<10	84			
E859812		52	<20	0.17	<10	<10	50	<10	62			
E859813		96	<20	0.21	<10	<10	64	<10	72			
E859814		49	<20	0.17	<10	<10	48	<10	59			
E859815		47	<20	0.19	<10	<10	51	<10	61			
E859816		73	<20	0.17	<10	<10	53	<10	59			
E859817		98	<20	0.19	<10	<10	52	<10	101			
E859818		42	<20	0.16	<10	<10	48	<10	58			
E859819		34	<20	0.14	<10	<10	45	<10	55			
E859820		48	20	0.16	<10	<10	55	<10	62			
E859821		40	<20	0.15	<10	<10	51	<10	59			
E859822		174	<20	0.25	<10	<10	77	<10	78			
E859823		39	20	0.17	<10	<10	57	<10	63			
E859824		43	20	0.20	<10	<10	65	<10	70			
E859825		34	<20	0.17	<10	<10	51	<10	58			
E859826		37	<20	0.14	<10	<10	46	<10	55			
E859827		41	20	0.22	<10	<10	74	<10	74			
E859828		110	<20	0.24	<10	<10	75	<10	68			
E859829C		114	<20	0.25	<10	<10	78	<10	71			
E859830		115	<20	<0.01	<10	<10	5	10	>10000	1.910	3.65	NSS
E859831		93	<20	0.18	<10	<10	52	<10	52			
E859832		103	<20	0.23	<10	<10	65	<10	82			
E859833		45	<20	0.13	<10	<10	44	<10	56			
E859834		46	<20	0.16	<10	<10	50	<10	58			
E859835		33	<20	0.19	<10	<10	58	<10	64			
E859836		41	20	0.29	<10	<10	95	<10	99			
E859837		63	<20	0.28	<10	<10	77	<10	82			
E859838		49	<20	0.20	<10	<10	61	<10	63			
E859839		98	<20	0.22	<10	<10	67	<10	72			
E859840		104	<20	0.22	<10	<10	65	<10	73			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859841		1.20	<0.005		<0.2	2.47	285	<10	210	<0.5	<2	2.14	<0.5	20	25	38
E859842		2.78	0.009		0.3	2.12	2080	<10	410	<0.5	<2	1.47	<0.5	12	14	69
E859843		2.93	<0.005		<0.2	2.41	225	<10	270	<0.5	<2	1.62	<0.5	18	35	33
E859844		2.73	<0.005		0.5	1.68	312	<10	370	<0.5	<2	1.12	<0.5	6	5	49
E859845		3.45	0.012		0.3	1.44	2630	<10	290	<0.5	2	0.98	<0.5	7	6	27
E859846		3.00	0.012		0.2	1.85	1080	<10	300	<0.5	<2	1.85	<0.5	9	16	31
E859847		3.24	0.008		0.2	1.63	1630	<10	330	<0.5	<2	1.55	<0.5	6	5	51
E859848		2.72	0.007		0.3	2.66	1500	<10	240	<0.5	<2	2.13	<0.5	17	41	50
E859849C		<0.02	0.005		0.3	2.55	1370	<10	220	<0.5	<2	2.05	<0.5	18	41	48
E859850		0.05	0.907		>100	0.52	4520	<10	20	<0.5	5	0.55	98.3	6	51	307
E859851		2.16	<0.005		<0.2	3.86	96	<10	100	<0.5	<2	2.93	<0.5	24	57	41
E859852		2.75	<0.005		<0.2	2.90	147	<10	170	<0.5	<2	2.10	<0.5	21	51	35
E859853		2.92	0.654		5.8	1.33	5710	<10	190	<0.5	8	1.13	0.5	6	6	36
E859854		3.36	0.030		0.2	1.35	1220	<10	230	<0.5	<2	1.01	<0.5	5	7	12
E859855		4.10	0.018		<0.2	1.91	87	<10	250	<0.5	<2	1.34	<0.5	12	18	25
E859856		4.32	<0.005		<0.2	3.05	81	<10	240	<0.5	<2	2.25	<0.5	24	65	42
E859857		4.75	<0.005		<0.2	2.90	89	<10	170	<0.5	<2	2.41	<0.5	25	49	41
E859858		4.74	<0.005		<0.2	3.09	121	<10	190	<0.5	<2	2.45	<0.5	26	56	41
E859859		3.68	<0.005		<0.2	2.98	78	<10	200	<0.5	<2	2.43	<0.5	24	42	40
E859860		2.11	<0.005		<0.2	3.16	76	<10	200	<0.5	<2	2.26	<0.5	26	72	40
E859861		2.16	<0.005		<0.2	3.05	77	<10	200	<0.5	<2	2.17	<0.5	26	72	41
E859862		5.65	<0.005		<0.2	3.03	47	<10	200	<0.5	<2	2.07	<0.5	26	84	43
E859863		4.58	<0.005		<0.2	2.83	55	<10	140	<0.5	<2	2.21	<0.5	28	72	43
E859864		4.94	<0.005		<0.2	3.56	63	<10	150	<0.5	<2	2.49	<0.5	27	39	45
E859865		5.23	<0.005		<0.2	3.09	66	<10	140	<0.5	<2	2.17	<0.5	24	36	39
E859866		4.09	0.009		1.7	2.33	252	<10	270	<0.5	3	1.63	<0.5	14	41	34
E859867		4.63	0.012		0.4	1.68	49	<10	260	<0.5	<2	1.22	<0.5	6	6	17
E859868		3.85	<0.005		<0.2	3.02	26	<10	330	<0.5	<2	2.41	1.2	20	46	34
E859869C		<0.02	<0.005		0.2	2.99	24	<10	330	<0.5	<2	2.36	0.9	21	45	35
E859870		0.05	1.650	NSS	>100	0.40	4630	<10	30	<0.5	8	0.82	521	5	55	890
E859871		4.85	0.020		0.4	2.53	130	<10	290	0.5	<2	1.98	<0.5	12	25	26
E859872		4.06	0.027		0.5	1.80	2290	<10	300	<0.5	<2	1.31	<0.5	6	7	16
E859873		4.38	0.017		0.2	1.87	961	<10	250	<0.5	<2	1.28	<0.5	8	21	18
E859874		4.70	<0.005		<0.2	3.04	56	<10	120	<0.5	<2	2.35	<0.5	25	67	44
E859875		3.84	<0.005		<0.2	3.14	41	<10	180	<0.5	<2	2.34	<0.5	26	71	42
E859876		3.06	0.010		0.4	2.80	87	<10	220	<0.5	<2	1.72	<0.5	14	48	41
E859877		4.92	<0.005		<0.2	3.29	79	<10	80	<0.5	<2	2.72	<0.5	22	36	37
E859878		4.03	<0.005		<0.2	3.12	186	<10	50	<0.5	<2	2.98	<0.5	23	52	39
E859879		4.89	0.006		<0.2	2.82	202	<10	90	<0.5	<2	2.15	<0.5	16	25	29
E859880		1.82	0.033		0.2	1.68	1805	<10	200	<0.5	<2	1.24	<0.5	5	5	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859841		4.24	10	<1	0.81	20	1.86	501	<1	0.21	38	1800	3	0.14	<2	4
E859842		3.81	10	<1	0.91	30	1.24	715	<1	0.15	13	1160	6	0.20	<2	5
E859843		3.83	10	<1	0.85	20	1.76	448	<1	0.21	40	1500	2	0.11	<2	3
E859844		2.95	10	<1	0.67	30	0.81	634	<1	0.09	<1	830	9	0.07	<2	4
E859845		2.77	10	<1	0.57	20	0.69	583	<1	0.08	<1	690	9	0.20	<2	3
E859846		3.01	10	<1	0.70	20	1.03	567	<1	0.15	14	900	5	0.09	<2	4
E859847		2.91	10	<1	0.66	20	0.76	685	<1	0.10	<1	760	5	0.16	<2	5
E859848		4.20	10	<1	0.63	20	1.79	539	<1	0.30	42	1390	3	0.22	<2	6
E859849C		4.10	10	<1	0.61	20	1.79	514	<1	0.27	42	1410	2	0.19	2	5
E859850		5.92	<10	1	0.31	10	0.10	300	<1	0.04	4	670	4990	7.6	1565	1
E859851		4.56	10	<1	0.53	20	2.44	463	1	0.70	67	1790	2	0.07	<2	5
E859852		4.31	10	<1	0.63	20	2.15	502	<1	0.38	56	1600	3	0.07	<2	5
E859853		2.49	10	1	0.44	10	0.55	495	<1	0.10	<1	530	883	0.34	2	3
E859854		2.33	<10	<1	0.47	20	0.59	516	<1	0.11	<1	560	22	0.08	<2	3
E859855		3.18	10	<1	0.71	20	1.20	534	<1	0.18	19	1110	7	0.03	<2	3
E859856		4.40	10	<1	0.94	20	2.17	424	<1	0.35	61	1950	3	0.09	<2	3
E859857		4.55	10	<1	0.90	20	2.21	450	<1	0.33	60	1940	2	0.08	<2	4
E859858		4.64	10	<1	0.99	20	2.21	463	<1	0.36	61	2020	3	0.08	<2	4
E859859		4.65	10	<1	0.97	20	2.19	455	<1	0.33	58	2220	7	0.08	<2	3
E859860		4.50	10	<1	0.94	20	2.35	452	<1	0.36	67	1920	3	0.07	<2	3
E859861		4.43	10	<1	0.93	20	2.37	433	<1	0.34	70	1910	3	0.07	<2	3
E859862		4.45	10	<1	0.97	20	2.50	435	<1	0.35	84	1960	2	0.09	<2	4
E859863		4.69	10	<1	0.91	20	2.57	461	<1	0.32	93	2050	4	0.09	<2	4
E859864		4.58	10	1	0.92	20	2.42	451	<1	0.42	76	2050	3	0.08	<2	3
E859865		4.21	10	<1	0.88	20	2.16	408	<1	0.37	67	1970	3	0.08	<2	3
E859866		3.43	10	<1	0.77	20	1.35	513	<1	0.23	30	1290	31	0.12	<2	4
E859867		2.64	10	<1	0.43	20	0.68	510	<1	0.14	1	680	27	0.16	<2	4
E859868		4.04	10	<1	0.63	20	2.11	453	<1	0.32	59	1530	10	0.11	<2	3
E859869C		4.08	10	<1	0.64	20	2.12	447	<1	0.31	59	1560	9	0.11	<2	3
E859870		6.71	<10	2	0.26	10	0.25	386	<1	0.03	3	580	>10000	9.8	2510	1
E859871		3.26	10	1	0.53	20	1.20	565	<1	0.27	24	1060	13	0.18	<2	5
E859872		2.74	10	<1	0.35	20	0.64	480	<1	0.16	<1	700	13	0.29	<2	5
E859873		2.75	10	<1	0.52	20	0.87	477	<1	0.17	13	850	6	0.15	<2	4
E859874		4.59	10	1	0.57	20	2.31	417	<1	0.32	74	2120	<2	0.08	<2	3
E859875		4.59	10	<1	0.62	20	2.47	411	<1	0.33	75	2010	3	0.09	<2	3
E859876		3.58	10	<1	0.48	20	1.40	512	<1	0.30	30	1230	7	0.15	<2	6
E859877		4.31	10	<1	0.42	20	2.13	411	<1	0.36	54	1930	<2	0.08	<2	4
E859878		4.60	10	<1	0.36	20	2.37	437	<1	0.29	57	1900	2	0.08	<2	5
E859879		3.61	10	<1	0.45	20	1.46	454	<1	0.34	34	1340	4	0.10	<2	4
E859880		2.54	10	<1	0.31	20	0.63	475	<1	0.15	<1	610	11	0.18	<2	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E859841		92	<20	0.21	<10	<10	65	<10	73			
E859842		60	<20	0.21	<10	<10	66	<10	68			
E859843		72	<20	0.27	<10	<10	60	<10	66			
E859844		46	<20	0.16	<10	<10	56	<10	55			
E859845		44	<20	0.14	<10	<10	43	<10	48			
E859846		66	<20	0.17	<10	<10	49	<10	51			
E859847		41	<20	0.15	<10	<10	49	<10	51			
E859848		90	<20	0.18	<10	<10	61	<10	67			
E859849C		84	<20	0.18	<10	<10	59	<10	67			
E859850		134	<20	<0.01	<10	<10	6	10	>10000		1.290	NSS
E859851		324	<20	0.19	<10	<10	62	<10	71			
E859852		115	<20	0.20	<10	<10	60	<10	70			
E859853		41	<20	0.10	<10	<10	34	<10	42			
E859854		38	<20	0.12	<10	<10	36	<10	46			
E859855		62	<20	0.22	<10	<10	50	<10	57			
E859856		124	<20	0.22	<10	<10	57	<10	77			
E859857		117	<20	0.19	<10	<10	61	<10	78			
E859858		125	<20	0.20	<10	<10	63	<10	81			
E859859		116	<20	0.21	<10	<10	57	<10	85			
E859860		127	<20	0.23	<10	<10	54	<10	80			
E859861		125	<20	0.22	<10	<10	53	<10	78			
E859862		116	<20	0.23	<10	<10	57	<10	77			
E859863		109	<20	0.16	<10	<10	56	<10	80			
E859864		152	<20	0.16	<10	<10	44	<10	84			
E859865		125	<20	0.18	<10	<10	45	<10	77			
E859866		84	<20	0.19	<10	<10	55	<10	61			
E859867		55	<20	0.14	<10	<10	46	<10	49			
E859868		113	<20	0.31	<10	<10	52	<10	123			
E859869C		109	<20	0.30	<10	<10	52	<10	105			
E859870		113	<20	<0.01	<10	<10	5	10	>10000	NSS	NSS	NSS
E859871		106	<20	0.20	<10	<10	50	<10	63			
E859872		72	<20	0.12	<10	<10	46	<10	53			
E859873		63	<20	0.16	<10	<10	48	<10	50			
E859874		147	<20	0.30	<10	<10	56	<10	83			
E859875		134	<20	0.31	<10	<10	58	<10	80			
E859876		119	<20	0.25	<10	<10	63	<10	69			
E859877		192	<20	0.24	<10	<10	57	<10	78			
E859878		124	<20	0.24	<10	<10	64	<10	81			
E859879		117	<20	0.17	<10	<10	48	<10	63			
E859880		61	<20	0.11	<10	<10	42	<10	45			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859881		2.54	0.008		<0.2	1.61	529	<10	200	<0.5	<2	1.10	<0.5	6	12	7
E859882		3.63	<0.005		<0.2	2.76	46	<10	310	<0.5	<2	1.58	<0.5	19	78	36
E859883		4.21	<0.005		<0.2	3.27	18	<10	130	<0.5	<2	2.66	<0.5	25	47	43
E859884		3.93	<0.005		<0.2	3.40	41	<10	130	<0.5	<2	2.76	<0.5	26	40	47
E859885		4.80	<0.005		<0.2	3.07	31	<10	170	<0.5	<2	2.75	<0.5	22	78	42
E859886		3.94	<0.005		<0.2	2.58	28	<10	330	<0.5	<2	2.38	<0.5	19	51	31
E859887		4.69	<0.005		<0.2	2.81	36	<10	350	<0.5	<2	2.06	<0.5	18	38	28
E859888		4.03	0.005		0.2	2.15	15	<10	580	<0.5	<2	1.81	<0.5	10	8	23
E859889C		<0.02	<0.005		0.2	2.08	13	<10	550	<0.5	<2	1.79	<0.5	10	7	24
E859890		0.05	0.879		>100	0.53	4550	<10	20	<0.5	5	0.56	98.4	6	51	315
E859891		4.27	<0.005		0.3	2.20	33	<10	210	0.5	<2	3.24	<0.5	14	52	20
E859892		4.24	<0.005		<0.2	3.24	54	<10	120	0.5	<2	2.57	<0.5	25	81	40
E859893		4.05	<0.005		<0.2	2.79	37	<10	200	<0.5	<2	2.48	<0.5	20	64	28
E859894		4.11	<0.005		<0.2	1.81	15	<10	290	<0.5	<2	1.36	<0.5	7	10	8
E859895		4.80	<0.005		<0.2	3.22	25	<10	170	<0.5	<2	2.36	<0.5	24	65	37
E859896		4.36	<0.005		<0.2	2.60	99	<10	210	<0.5	<2	1.76	<0.5	14	42	25
E859897		1.89	<0.005		0.2	2.36	88	<10	140	<0.5	<2	1.21	<0.5	5	4	10
E859898		2.14	0.009		<0.2	2.31	151	<10	160	<0.5	<2	1.12	<0.5	6	4	6
E859899		4.03	0.015		0.2	2.33	252	<10	170	<0.5	<2	1.92	<0.5	11	26	14
E859900		1.93	<0.005		<0.2	1.97	109	<10	90	<0.5	<2	1.65	<0.5	13	11	15
E859901		1.53	<0.005		0.2	2.08	166	<10	120	<0.5	<2	1.58	<0.5	12	8	12
E859902		3.62	0.078		<0.2	1.79	61	<10	250	<0.5	<2	1.11	<0.5	8	5	6
E859903		3.78	0.011		<0.2	1.61	118	<10	320	<0.5	<2	0.84	<0.5	6	4	6
E859904		4.47	<0.005		<0.2	2.48	76	<10	110	0.5	<2	2.23	<0.5	21	17	24
E859905		4.81	<0.005		<0.2	1.77	39	<10	310	<0.5	<2	0.87	<0.5	8	13	9
E859906		4.44	0.006		<0.2	1.52	29	<10	310	<0.5	<2	0.79	<0.5	6	5	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859881		2.50	10	<1	0.33	20	0.73	485	<1	0.15	5	660	6	0.05	<2	4
E859882		3.88	10	<1	0.78	20	1.87	406	<1	0.31	61	1570	4	0.09	<2	3
E859883		4.58	10	<1	0.56	20	2.38	450	<1	0.37	70	1930	2	0.07	<2	4
E859884		4.63	10	<1	0.58	20	2.33	469	<1	0.36	66	1940	4	0.07	<2	4
E859885		4.66	10	<1	0.61	20	2.15	503	<1	0.33	51	1970	4	0.08	<2	5
E859886		4.55	10	<1	0.75	30	1.87	711	<1	0.21	37	1670	8	0.11	<2	7
E859887		4.52	10	<1	0.81	20	1.95	634	<1	0.23	38	1570	5	0.06	<2	7
E859888		4.33	10	<1	0.57	30	1.32	1055	<1	0.10	1	1060	11	0.10	<2	12
E859889C		4.30	10	<1	0.56	30	1.30	1045	<1	0.09	1	1050	11	0.10	<2	12
E859890		5.98	<10	1	0.31	10	0.10	303	<1	0.05	4	680	4970	7.7	1560	1
E859891		4.09	10	<1	0.16	20	1.83	779	<1	0.10	32	1210	9	0.06	<2	11
E859892		4.95	10	<1	0.53	20	2.65	495	<1	0.29	76	1860	4	0.10	2	5
E859893		4.69	10	<1	0.46	30	2.29	600	<1	0.18	41	1600	4	0.07	<2	7
E859894		2.73	10	<1	0.53	20	0.84	542	<1	0.15	6	750	5	0.03	<2	5
E859895		4.52	10	<1	0.79	20	2.32	465	<1	0.34	53	1840	3	0.09	<2	4
E859896		3.75	10	1	0.58	20	1.59	574	<1	0.21	29	1280	4	0.04	<2	5
E859897		2.32	10	<1	0.32	20	0.69	532	<1	0.11	1	570	9	<0.01	<2	4
E859898		2.81	10	<1	0.31	30	0.82	723	<1	0.13	1	670	11	<0.01	<2	5
E859899		3.26	10	<1	0.37	20	1.29	523	<1	0.20	15	1020	16	0.01	<2	5
E859900		3.74	10	<1	0.41	20	1.34	496	<1	0.16	17	1590	7	0.02	<2	5
E859901		3.69	10	<1	0.41	30	1.29	574	<1	0.16	12	1460	9	<0.01	<2	6
E859902		3.03	10	<1	0.64	30	0.93	614	<1	0.12	5	970	6	<0.01	<2	4
E859903		2.73	10	<1	0.66	30	0.75	654	<1	0.09	<1	710	3	<0.01	<2	4
E859904		4.80	10	<1	0.67	20	1.88	459	<1	0.20	34	2260	4	0.06	<2	5
E859905		3.01	10	<1	0.78	20	0.95	614	<1	0.14	6	930	4	0.01	<2	4
E859906		2.66	10	<1	0.68	30	0.74	645	<1	0.10	<1	700	5	<0.01	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E859881		53	<20	0.14	<10	<10	45	<10	46			
E859882		102	<20	0.32	<10	<10	59	<10	67			
E859883		147	<20	0.26	<10	<10	54	<10	81			
E859884		149	<20	0.25	<10	<10	56	<10	83			
E859885		139	<20	0.30	<10	<10	72	<10	83			
E859886		101	<20	0.24	<10	<10	77	<10	80			
E859887		111	<20	0.31	<10	<10	77	<10	78			
E859888		56	<20	0.23	<10	<10	91	<10	81			
E859889C		53	<20	0.23	<10	<10	90	<10	80			
E859890		139	<20	<0.01	<10	<10	6	10	>10000		1.300	147
E859891		66	<20	0.34	<10	<10	77	<10	68			
E859892		109	<20	0.41	<10	<10	68	<10	79			
E859893		120	<20	0.41	<10	<10	80	<10	82			
E859894		76	<20	0.16	<10	<10	49	<10	49			
E859895		119	<20	0.25	<10	<10	62	<10	76			
E859896		106	<20	0.23	<10	<10	61	<10	65			
E859897		66	<20	0.13	<10	<10	38	<10	46			
E859898		137	<20	0.17	<10	<10	47	<10	53			
E859899		134	<20	0.18	<10	<10	54	<10	53			
E859900		74	<20	0.18	<10	<10	46	<10	62			
E859901		72	<20	0.21	<10	<10	51	<10	67			
E859902		87	<20	0.21	<10	<10	49	<10	57			
E859903		66	<20	0.17	<10	<10	47	<10	53			
E859904		164	<20	0.24	<10	<10	60	<10	77			
E859905		65	<20	0.24	<10	<10	53	<10	58			
E859906		38	<20	0.17	<10	<10	46	<10	53			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10127715

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 18-SEP-2010
Account: EIAALN

CERTIFICATE WH10124754

Project: ALN10-02

P.O. No.: ALN10-02_15

This report is for 4 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 18-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859373		0.21	2.25	2.83	7.9	0.35	>10000	<10	20	<0.5	14	0.56	5.9	67	<1	7
E859374		0.68	0.297		2.7	0.12	>10000	<10	60	<0.5	11	0.05	0.5	17	11	3
E859375		0.55	0.007		<0.2	1.56	426	<10	140	<0.5	<2	3.65	<0.5	6	5	2
E859376		0.43	0.042		0.2	1.80	442	<10	130	0.5	<2	3.94	0.5	9	3	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 18-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
E859373		26.6	<10	<1	0.07	<10	0.20	113	4	<0.01	4	140	234	>10.0	137
E859374		3.55	<10	<1	0.06	<10	0.01	70	<1	0.01	2	110	657	1.80	127
E859375		3.00	10	<1	0.34	20	0.91	863	<1	0.02	2	860	14	0.27	<2
E859376		3.28	<10	<1	0.39	30	0.97	872	<1	0.02	<1	1900	19	0.33	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 18-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Tl	U	V	W	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		1	20	0.01	10	10	1	10	2
E859373		27	<20	<0.01	<10	10	6	<10	737
E859374		5	<20	<0.01	<10	<10	2	<10	32
E859375		166	<20	0.01	<10	<10	29	<10	42
E859376		218	<20	0.01	<10	<10	23	<10	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **1-OCT-2010**
Account: **EIAALN**

CERTIFICATE WH10124753

Project: ALN10-02

P.O. No.: ALN10-02_14

This report is for 70 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GR21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858947		4.97	<0.005		<0.2	1.59	18	<10	220	<0.5	<2	0.96	<0.5	9	10	6
E858948		3.78	<0.005		<0.2	2.14	9	<10	390	<0.5	<2	1.14	<0.5	11	10	12
E858949CD		<0.02	<0.005		<0.2	1.95	10	<10	380	<0.5	<2	1.06	<0.5	12	9	12
E858950		0.06	1.555	NSS	>100	0.35	4410	<10	30	<0.5	7	0.77	514	6	52	849
E858951		4.93	<0.005		<0.2	2.26	2	<10	510	<0.5	<2	0.83	<0.5	10	9	9
E858952		5.32	<0.005		<0.2	2.12	6	<10	400	<0.5	<2	0.98	<0.5	12	10	10
E858953		3.67	<0.005		<0.2	1.82	43	<10	180	<0.5	2	1.14	<0.5	12	9	13
E858954		2.91	<0.005		<0.2	1.78	68	<10	110	<0.5	2	1.51	<0.5	11	8	15
E858955		1.15	<0.005		<0.2	1.94	59	<10	110	<0.5	<2	1.86	<0.5	12	8	7
E858956		1.70	0.214		0.8	1.70	>10000	<10	110	<0.5	3	2.79	0.7	15	4	9
E858957		2.19	0.007		0.2	2.09	38	<10	200	<0.5	2	2.61	<0.5	10	2	20
E858958		3.15	<0.005		<0.2	1.70	65	<10	230	<0.5	<2	1.41	<0.5	9	6	7
E858959		5.08	<0.005		<0.2	1.83	7	<10	470	<0.5	2	1.01	<0.5	9	6	13
E858960		4.82	<0.005		<0.2	2.11	7	<10	640	<0.5	<2	0.96	<0.5	11	6	17
E858961		2.32	<0.005		1.4	1.63	107	<10	210	<0.5	2	1.27	1.6	10	7	10
E858962		2.30	<0.005		0.3	1.74	45	<10	240	<0.5	<2	1.22	<0.5	11	8	9
E858963		4.18	0.012		0.8	1.95	941	<10	490	<0.5	2	1.41	<0.5	10	8	15
E858964		4.89	<0.005		<0.2	2.05	12	<10	490	<0.5	<2	0.89	<0.5	11	9	14
E858965		4.46	<0.005		<0.2	2.30	7	<10	500	<0.5	<2	0.86	<0.5	12	9	13
E858966		5.10	<0.005		<0.2	1.87	3	<10	300	<0.5	<2	0.93	<0.5	11	9	12
E858967		4.62	<0.005		<0.2	1.54	6	<10	70	<0.5	2	0.97	<0.5	11	7	10
E858968		4.73	0.005		<0.2	1.75	76	<10	60	<0.5	2	1.88	<0.5	12	8	11
E858969CD		<0.02	0.006		<0.2	1.77	79	<10	70	<0.5	<2	1.90	<0.5	11	8	12
E858970		0.05	<0.005		<0.2	0.01	<2	<10	10	<0.5	2	0.02	<0.5	1	<1	<1
E858971		4.75	0.006		<0.2	1.19	71	<10	100	<0.5	<2	3.90	<0.5	8	4	5
E858972		5.16	<0.005		<0.2	2.00	3	<10	350	<0.5	<2	1.13	<0.5	12	9	13
E858973		4.63	<0.005		0.2	2.12	1520	<10	380	<0.5	<2	1.08	<0.5	11	9	9
E858974		4.00	<0.005		<0.2	2.22	10	<10	400	<0.5	2	1.00	<0.5	11	10	9
E858975		4.86	<0.005		<0.2	2.33	3	<10	440	<0.5	<2	0.86	<0.5	12	10	12
E858976		4.43	<0.005		<0.2	2.27	10	<10	500	<0.5	<2	1.23	<0.5	13	10	20
E858977		4.86	<0.005		<0.2	2.42	51	<10	470	<0.5	<2	1.40	<0.5	13	8	24
E858978		4.81	<0.005		<0.2	2.23	8	<10	400	<0.5	<2	1.33	<0.5	13	9	13
E858979		4.59	<0.005		<0.2	2.30	<2	<10	470	<0.5	<2	1.01	<0.5	13	10	12
E858980		4.25	<0.005		<0.2	2.19	<2	<10	410	<0.5	<2	1.04	<0.5	12	10	12
E858981		1.39	0.005		0.3	1.82	75	<10	270	<0.5	<2	1.13	<0.5	11	8	17
E858982		1.33	<0.005		<0.2	1.91	57	<10	270	<0.5	<2	1.14	<0.5	12	8	31
E858983		2.24	0.194		7.9	0.41	2760	<10	200	<0.5	13	1.07	3.1	3	5	27
E858984		2.10	<0.005		<0.2	1.41	7	<10	130	<0.5	<2	0.93	<0.5	8	7	8
E858985		4.29	<0.005		0.2	1.83	56	<10	210	<0.5	<2	1.34	<0.5	11	9	11
E858986		4.75	<0.005		0.2	2.35	10	<10	530	<0.5	<2	1.04	<0.5	13	10	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858947		2.78	10	<1	0.56	20	0.98	549	<1	0.11	<1	520	9	0.03	<2	4
E858948		3.13	10	<1	0.87	10	1.20	596	<1	0.17	1	560	5	0.07	2	6
E858949CD		3.12	10	<1	0.85	10	1.16	562	1	0.15	2	530	2	0.06	<2	6
E858950		6.62	<10	2	0.24	10	0.25	376	2	0.03	4	550	>10000	9.3	2440	1
E858951		3.11	10	<1	1.12	10	1.09	568	<1	0.25	3	550	5	0.01	<2	6
E858952		3.08	10	<1	0.86	20	1.20	548	<1	0.18	1	540	3	0.04	<2	6
E858953		3.01	10	<1	0.39	10	1.14	519	<1	0.09	4	550	14	0.06	<2	6
E858954		2.94	10	<1	0.28	10	1.16	619	<1	0.06	4	550	15	0.12	<2	7
E858955		3.59	10	<1	0.20	20	1.36	749	<1	0.05	5	1270	9	0.04	<2	6
E858956		4.94	<10	<1	0.25	20	1.12	755	<1	0.03	2	1240	24	1.39	9	5
E858957		4.09	10	<1	0.36	30	1.19	819	<1	0.08	<1	2140	15	0.10	2	4
E858958		3.16	10	<1	0.30	20	1.06	622	14	0.07	4	1180	9	0.04	<2	4
E858959		3.21	10	1	0.63	20	1.00	606	<1	0.14	3	1110	4	0.05	<2	4
E858960		3.53	10	<1	0.95	20	1.06	623	<1	0.21	3	1210	5	0.07	<2	5
E858961		2.82	<10	<1	0.43	20	1.01	580	<1	0.09	4	560	157	0.06	<2	5
E858962		2.96	<10	<1	0.47	20	1.09	577	<1	0.10	3	580	10	0.05	<2	6
E858963		3.37	10	<1	0.69	20	1.09	710	<1	0.13	4	1040	15	0.17	<2	6
E858964		3.20	10	<1	0.90	20	1.13	543	<1	0.18	5	650	2	0.05	<2	6
E858965		3.31	10	<1	1.13	20	1.17	552	<1	0.24	5	560	2	0.04	<2	7
E858966		2.90	10	<1	0.68	20	1.10	489	<1	0.13	5	530	4	0.03	<2	5
E858967		2.41	<10	<1	0.19	10	1.03	432	<1	0.07	4	510	5	0.05	<2	4
E858968		2.98	<10	<1	0.23	10	1.19	589	<1	0.05	5	540	5	0.06	<2	6
E858969CD		2.98	<10	<1	0.23	10	1.18	589	<1	0.06	4	530	5	0.06	<2	7
E858970		0.03	<10	<1	<0.01	<10	0.01	<5	<1	<0.01	1	10	<2	0.02	<2	<1
E858971		2.68	<10	<1	0.32	10	1.37	2190	<1	0.03	2	560	9	0.09	<2	5
E858972		3.17	10	1	0.79	10	1.16	561	<1	0.14	4	550	3	0.10	<2	6
E858973		3.24	10	<1	1.07	10	1.13	647	<1	0.18	5	570	8	0.14	<2	6
E858974		3.28	10	<1	1.08	20	1.22	584	<1	0.18	4	550	2	0.05	<2	6
E858975		3.31	10	<1	1.19	20	1.19	566	<1	0.23	5	560	4	0.04	<2	7
E858976		3.43	10	<1	1.04	10	1.24	663	<1	0.21	4	610	6	0.11	<2	7
E858977		3.77	10	<1	1.07	20	1.35	753	<1	0.20	4	560	6	0.14	<2	9
E858978		3.59	10	<1	0.94	20	1.31	630	<1	0.16	3	520	5	0.02	<2	8
E858979		3.53	10	<1	1.06	20	1.29	603	<1	0.22	3	550	5	0.03	<2	7
E858980		3.36	10	<1	0.93	10	1.24	574	<1	0.20	3	530	5	0.03	<2	7
E858981		3.01	<10	<1	0.65	10	1.06	564	<1	0.12	3	500	9	0.16	<2	6
E858982		3.15	<10	<1	0.65	10	1.15	583	<1	0.13	2	540	7	0.13	<2	6
E858983		0.97	<10	<1	0.22	<10	0.07	275	6	0.02	<1	80	256	0.38	<2	1
E858984		2.32	<10	<1	0.28	10	0.80	423	<1	0.08	2	410	8	0.02	<2	4
E858985		2.92	<10	<1	0.47	10	1.06	572	<1	0.11	2	520	9	0.06	<2	6
E858986		3.60	10	<1	1.05	10	1.27	600	<1	0.23	4	570	4	0.04	<2	8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858947		35	<20	0.20	<10	<10	64	<10	51			
E858948		36	<20	0.26	<10	<10	94	<10	58			
E858949CD		31	<20	0.22	<10	<10	88	<10	56			
E858950		104	<20	<0.01	<10	<10	4	20	>10000	NSS	NSS	NSS
E858951		37	<20	0.26	<10	<10	92	<10	57			
E858952		34	<20	0.27	<10	<10	94	<10	56			
E858953		38	<20	0.22	<10	<10	85	<10	71			
E858954		51	<20	0.18	<10	<10	77	<10	63			
E858955		84	<20	0.15	<10	<10	68	<10	74			
E858956		125	<20	0.04	<10	<10	43	<10	108			
E858957		120	<20	0.14	<10	<10	67	<10	67			
E858958		75	<20	0.18	<10	<10	62	<10	66			
E858959		63	<20	0.22	<10	<10	71	<10	62			
E858960		57	<20	0.25	<10	<10	87	<10	66			
E858961		51	<20	0.18	<10	<10	67	<10	265			
E858962		50	<20	0.21	<10	<10	77	<10	60			
E858963		62	<20	0.20	<10	<10	79	<10	63			
E858964		37	<20	0.27	<10	<10	94	<10	56			
E858965		35	<20	0.28	<10	<10	103	<10	56			
E858966		31	<20	0.24	<10	<10	85	<10	53			
E858967		30	<20	0.18	<10	<10	62	<10	49			
E858968		64	<20	0.15	<10	<10	71	<10	53			
E858969CD		65	<20	0.15	<10	<10	71	<10	52			
E858970		1	<20	<0.01	<10	<10	1	<10	5			
E858971		141	<20	0.07	<10	<10	39	<10	42			
E858972		36	<20	0.24	<10	<10	92	<10	54			
E858973		42	<20	0.22	<10	<10	90	<10	54			
E858974		34	<20	0.26	<10	<10	98	<10	57			
E858975		36	<20	0.28	<10	<10	102	<10	56			
E858976		45	<20	0.26	<10	<10	98	<10	56			
E858977		47	<20	0.26	<10	<10	111	<10	64			
E858978		37	<20	0.22	<10	<10	103	<10	59			
E858979		33	<20	0.29	<10	<10	107	<10	58			
E858980		34	<20	0.27	<10	<10	102	<10	55			
E858981		33	<20	0.22	<10	<10	83	<10	59			
E858982		33	<20	0.23	<10	<10	89	<10	57			
E858983		34	<20	<0.01	<10	<10	5	<10	102			
E858984		34	<20	0.17	<10	<10	56	<10	42			
E858985		42	<20	0.21	<10	<10	80	<10	55			
E858986		36	<20	0.29	<10	<10	110	<10	57			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858987		4.66	<0.005		<0.2	2.47	<2	<10	610	<0.5	<2	0.97	<0.5	12	9	8
E858988		4.85	<0.005		<0.2	2.34	3	<10	520	<0.5	<2	1.04	<0.5	12	10	14
E858989		<0.02	<0.005		<0.2	2.35	2	<10	520	<0.5	<2	1.07	<0.5	12	10	14
E858990		0.06	0.885		>100	0.59	4690	<10	20	<0.5	6	0.55	104.0	6	56	312
E858991		5.34	<0.005		0.5	1.92	12	<10	280	<0.5	<2	1.07	<0.5	11	9	13
E858992		4.56	<0.005		<0.2	1.37	82	<10	180	<0.5	<2	1.91	<0.5	9	6	7
E858993		5.02	<0.005		0.3	2.11	<2	<10	340	<0.5	<2	0.88	<0.5	11	9	10
E858994		4.68	<0.005		<0.2	2.61	<2	<10	550	<0.5	<2	1.03	<0.5	13	9	14
E858995		5.07	<0.005		<0.2	2.19	3	<10	450	<0.5	<2	1.02	<0.5	12	9	32
E858996		4.10	<0.005		0.2	1.51	48	<10	280	<0.5	<2	0.96	<0.5	9	8	9
E858997		4.75	<0.005		<0.2	0.99	13	<10	250	<0.5	<2	0.62	<0.5	4	6	7
E858998		4.89	0.020		0.7	1.95	2400	<10	380	<0.5	5	1.50	<0.5	12	8	16
E858999		4.37	<0.005		0.3	2.03	26	<10	300	<0.5	<2	1.55	<0.5	12	9	10
E859000		4.17	<0.005		0.2	2.02	86	<10	130	<0.5	<2	2.42	<0.5	11	8	14
E859001		2.43	<0.005		0.2	2.00	289	<10	80	<0.5	<2	2.75	<0.5	12	7	11
E859002		2.05	<0.005		<0.2	2.00	147	<10	80	<0.5	<2	2.52	<0.5	11	6	11
E859003		3.61	0.006		<0.2	2.00	43	<10	100	<0.5	<2	2.59	<0.5	11	7	13
E859004		3.18	0.017		0.4	2.31	1310	<10	70	0.6	<2	3.81	<0.5	16	29	18
E859005		2.18	<0.005		0.3	1.98	22	<10	70	0.5	<2	3.92	1.8	10	4	16
E859006		3.49	<0.005		<0.2	2.59	31	<10	170	0.7	<2	3.38	<0.5	17	53	18
E859007		4.25	<0.005		<0.2	3.20	56	<10	60	0.8	<2	3.80	<0.5	26	113	31
E859008		4.28	<0.005		<0.2	3.17	28	<10	50	0.7	<2	3.65	<0.5	26	119	32
E859009CD		<0.02	<0.005		<0.2	3.18	28	<10	50	0.7	<2	3.63	<0.5	26	119	32
E859010		0.05	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1
E859011		3.98	0.018		0.2	2.51	108	<10	210	0.8	<2	3.06	<0.5	18	37	18
E859012		3.56	<0.005		<0.2	2.65	60	<10	220	0.7	<2	2.51	<0.5	24	74	31
E859013		4.63	<0.005		<0.2	2.53	46	<10	640	0.7	<2	3.09	<0.5	23	59	31
E859014		4.34	<0.005		<0.2	2.62	31	<10	160	0.7	<2	2.54	<0.5	22	60	29
E859015		5.23	<0.005		<0.2	2.44	20	<10	180	0.7	<2	3.05	<0.5	16	32	17
E859016		4.62	<0.005		<0.2	2.33	11	<10	310	0.5	<2	2.12	<0.5	14	15	14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858987		3.45	10	<1	1.19	20	1.24	580	<1	0.28	3	540	3	0.02	<2	7
E858988		3.55	10	<1	1.09	10	1.28	602	<1	0.22	2	560	4	0.03	<2	7
E858989		3.54	10	<1	1.08	10	1.27	605	<1	0.22	3	550	3	0.03	<2	7
E858990		6.31	<10	<1	0.35	10	0.10	314	1	0.04	4	670	5110	7.8	1730	1
E858991		3.09	<10	<1	0.68	10	1.11	530	<1	0.14	2	520	9	0.05	<2	6
E858992		2.67	<10	<1	0.54	10	0.97	873	<1	0.07	2	470	7	0.05	<2	5
E858993		3.22	<10	<1	1.03	10	1.12	578	1	0.21	2	480	3	0.01	<2	7
E858994		4.04	10	<1	1.38	20	1.42	726	<1	0.26	3	730	3	0.04	<2	9
E858995		3.41	10	<1	1.09	20	1.20	603	<1	0.20	3	520	3	0.09	<2	7
E858996		2.54	<10	<1	0.66	10	0.80	493	<1	0.11	2	370	16	0.07	<2	5
E858997		1.75	<10	<1	0.50	10	0.47	321	<1	0.10	1	250	11	0.02	<2	3
E858998		3.34	<10	<1	0.89	20	1.08	810	<1	0.13	3	480	32	0.18	<2	7
E858999		3.36	10	<1	0.88	20	1.20	708	<1	0.15	4	540	7	<0.01	<2	8
E859000		3.62	10	<1	0.40	10	1.22	821	<1	0.08	2	480	8	0.04	<2	9
E859001		3.66	10	<1	0.34	20	1.13	881	<1	0.07	3	520	8	0.01	<2	10
E859002		3.69	10	<1	0.34	20	1.18	807	<1	0.06	3	500	6	<0.01	<2	10
E859003		3.70	10	<1	0.39	20	1.15	752	<1	0.07	3	560	8	<0.01	<2	10
E859004		4.22	10	<1	0.26	10	1.66	977	<1	0.04	26	920	15	0.05	<2	10
E859005		3.27	<10	<1	0.32	20	1.12	919	<1	0.03	2	490	20	<0.01	<2	7
E859006		4.67	10	<1	0.30	20	1.86	815	<1	0.06	23	1250	10	0.05	<2	10
E859007		6.58	10	<1	0.08	30	3.31	866	1	0.06	57	2460	4	0.14	<2	11
E859008		6.51	10	<1	0.07	30	3.31	897	1	0.05	56	2520	3	0.09	<2	11
E859009CD		6.52	10	<1	0.07	30	3.41	895	1	0.05	56	2520	3	0.09	<2	11
E859010		0.02	<10	<1	<0.01	<10	0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1
E859011		4.49	10	<1	0.46	20	1.84	826	<1	0.12	18	1240	11	0.08	<2	10
E859012		5.41	10	1	0.25	30	2.47	672	1	0.22	45	2570	5	0.09	<2	9
E859013		5.05	10	1	0.27	30	2.16	815	1	0.26	43	2590	4	0.09	<2	7
E859014		5.30	10	<1	0.25	30	2.23	727	1	0.23	39	2560	2	0.06	<2	8
E859015		4.39	10	1	0.43	20	1.77	817	<1	0.10	14	1110	6	0.04	<2	11
E859016		4.29	10	1	0.56	20	1.68	790	<1	0.13	8	790	4	0.04	<2	11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858987		37	<20	0.30	<10	<10	108	<10	56			
E858988		33	<20	0.30	<10	<10	109	<10	58			
E858989		34	<20	0.30	<10	<10	108	<10	60			
E858990		136	<20	<0.01	<10	<10	6	10	>10000		1.270	NSS
E858991		32	<20	0.25	<10	<10	89	<10	67			
E858992		79	<20	0.13	<10	<10	56	<10	42			
E858993		31	<20	0.25	<10	<10	97	<10	54			
E858994		36	<20	0.32	<10	<10	121	<10	68			
E858995		31	<20	0.26	<10	<10	101	<10	56			
E858996		40	<20	0.17	<10	<10	64	<10	45			
E858997		26	<20	0.10	<10	<10	40	<10	28			
E858998		41	<20	0.18	<10	<10	83	<10	50			
E858999		41	<20	0.18	<10	<10	85	<10	55			
E859000		63	<20	0.03	<10	<10	75	<10	61			
E859001		68	<20	0.01	<10	<10	67	<10	63			
E859002		63	<20	0.01	<10	<10	67	<10	62			
E859003		65	<20	0.02	<10	<10	70	<10	60			
E859004		91	<20	<0.01	<10	<10	58	<10	67			
E859005		89	<20	<0.01	<10	<10	42	<10	72			
E859006		129	<20	0.04	<10	<10	81	<10	83			
E859007		185	<20	0.03	<10	<10	108	<10	102			
E859008		166	<20	0.02	<10	<10	114	<10	104			
E859009CD		166	<20	0.02	<10	<10	114	<10	105			
E859010		<1	<20	<0.01	<10	<10	<1	<10	3			
E859011		113	<20	0.12	<10	<10	80	<10	83			
E859012		168	<20	0.20	<10	<10	77	<10	101			
E859013		172	<20	0.21	<10	<10	61	<10	102			
E859014		183	<20	0.18	<10	<10	65	<10	95			
E859015		106	<20	0.12	<10	<10	84	<10	76			
E859016		76	<20	0.18	<10	<10	101	<10	68			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1 - OCT - 2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124753

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **14-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10122537

Project: ALN10-02

P.O. No.: ALN10-02_12

This report is for 75 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122537

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E858872		3.68	<0.005	0.2	1.27	10	<10	750	<0.5	<2	0.96	<0.5	6	8	14	2.57
E858873		4.43	<0.005	<0.2	1.40	6	<10	810	<0.5	<2	1.00	<0.5	6	19	20	3.17
E858874		4.71	<0.005	1.3	0.67	9	<10	390	<0.5	3	0.84	<0.5	2	9	3	1.65
E858875		4.46	<0.005	0.2	0.63	6	<10	440	<0.5	<2	1.69	<0.5	2	6	5	1.38
E858876		3.64	<0.005	0.2	0.59	4	<10	300	<0.5	<2	0.99	<0.5	2	9	3	1.30
E858877		4.10	<0.005	0.4	0.49	15	<10	260	<0.5	<2	1.28	<0.5	2	7	5	1.17
E858878		4.86	<0.005	0.6	0.57	3	<10	290	<0.5	<2	0.85	<0.5	2	8	3	1.28
E858879		4.33	<0.005	0.2	0.63	3	<10	340	<0.5	<2	0.50	<0.5	1	8	4	1.36
E858880		4.44	<0.005	<0.2	0.65	4	<10	270	<0.5	<2	0.27	<0.5	2	9	1	1.43
E858881		1.99	<0.005	<0.2	0.62	<2	<10	270	<0.5	<2	0.27	<0.5	2	8	1	1.37
E858882		2.36	<0.005	<0.2	0.62	2	<10	240	<0.5	<2	0.23	<0.5	2	9	2	1.37
E858883		4.47	<0.005	<0.2	0.69	3	<10	300	<0.5	<2	0.34	<0.5	2	9	4	1.50
E858884		4.69	<0.005	<0.2	0.68	2	<10	280	<0.5	<2	0.23	<0.5	2	9	2	1.44
E858885		4.07	<0.005	<0.2	0.66	3	<10	260	<0.5	<2	0.17	<0.5	2	7	7	1.39
E858886		3.54	<0.005	<0.2	0.69	2	<10	290	<0.5	<2	0.28	<0.5	2	8	7	1.46
E858887		4.19	<0.005	<0.2	0.62	<2	<10	390	<0.5	<2	0.58	<0.5	2	8	2	1.38
E858888		4.99	0.011	0.3	0.63	332	<10	240	<0.5	<2	0.33	<0.5	2	9	3	1.39
E858889CD		<0.02	0.012	0.4	0.64	300	<10	240	<0.5	<2	0.33	<0.5	2	9	3	1.37
E858890		0.05	0.872	>100	0.52	4700	<10	30	<0.5	5	0.57	103.0	7	54	314	6.15
E858891		5.19	<0.005	<0.2	0.63	<2	<10	240	<0.5	<2	0.27	<0.5	2	9	2	1.33
E858892		3.43	<0.005	0.2	0.69	3	<10	260	<0.5	<2	0.38	<0.5	2	11	1	1.51
E858893		4.61	<0.005	<0.2	0.63	2	<10	220	<0.5	<2	0.42	<0.5	2	9	1	1.39
E858894		4.46	<0.005	<0.2	0.58	4	<10	220	<0.5	<2	0.65	<0.5	2	9	1	1.24
E858895		4.45	<0.005	<0.2	0.59	<2	<10	300	<0.5	<2	0.66	<0.5	2	9	8	1.29
E858896		4.22	<0.005	0.2	0.57	<2	<10	240	<0.5	<2	0.52	<0.5	1	8	3	1.23
E858897		4.02	<0.005	0.2	0.63	26	<10	250	<0.5	<2	0.57	<0.5	2	9	14	1.34
E858898		4.30	0.006	0.2	0.68	109	<10	310	<0.5	<2	0.37	<0.5	1	9	5	1.42
E858899		4.50	<0.005	<0.2	0.64	<2	<10	270	<0.5	<2	0.29	<0.5	2	9	2	1.34
E858900		4.64	<0.005	0.2	0.62	<2	<10	260	<0.5	<2	0.28	<0.5	2	10	5	1.31
E858901		1.77	<0.005	<0.2	0.64	<2	<10	300	<0.5	<2	0.45	<0.5	2	8	2	1.35
E858902		1.86	<0.005	<0.2	0.63	<2	<10	290	<0.5	<2	0.41	<0.5	2	8	2	1.33
E858903		4.71	0.008	0.2	0.59	139	<10	260	<0.5	<2	0.50	<0.5	2	9	4	1.30
E858904		4.74	<0.005	<0.2	0.63	<2	<10	260	<0.5	<2	0.37	<0.5	2	10	<1	1.33
E858905		4.21	<0.005	<0.2	0.58	<2	<10	280	<0.5	<2	0.38	<0.5	2	9	3	1.21
E858906		4.42	<0.005	<0.2	0.59	7	<10	260	<0.5	<2	0.43	<0.5	2	10	1	1.25
E858907		4.63	0.009	0.2	0.55	186	<10	380	<0.5	<2	0.72	<0.5	2	10	1	1.30
E858908		3.88	<0.005	0.2	0.64	<2	<10	330	<0.5	<2	0.18	<0.5	2	9	1	1.32
E858909CD		<0.02	<0.005	<0.2	0.65	<2	<10	340	<0.5	<2	0.18	<0.5	2	9	<1	1.32
E858910		0.06	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.02
E858911		3.83	<0.005	<0.2	0.66	3	<10	320	<0.5	<2	0.56	<0.5	2	8	2	1.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122537

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
E858872		<10	<1	0.55	30	0.73	699	<1	0.08	<1	700	7	0.11	<2	2
E858873		10	<1	0.56	20	0.65	687	<1	0.11	3	950	7	0.09	<2	3
E858874		<10	<1	0.27	30	0.29	382	<1	0.06	<1	310	13	0.06	<2	2
E858875		<10	<1	0.19	20	0.26	377	<1	0.04	<1	340	15	0.09	<2	1
E858876		<10	<1	0.18	20	0.23	299	<1	0.05	<1	240	11	0.02	<2	1
E858877		<10	<1	0.17	30	0.21	326	<1	0.04	<1	220	18	0.09	<2	1
E858878		<10	<1	0.21	30	0.25	293	<1	0.05	<1	220	17	0.03	<2	1
E858879		<10	<1	0.33	30	0.27	268	<1	0.06	<1	220	8	0.04	<2	2
E858880		<10	<1	0.37	30	0.30	270	<1	0.06	<1	230	6	<0.01	<2	2
E858881		<10	<1	0.38	30	0.27	254	<1	0.06	<1	220	7	0.02	<2	2
E858882		<10	<1	0.39	30	0.27	249	<1	0.06	<1	220	6	0.02	<2	2
E858883		<10	<1	0.40	30	0.32	264	<1	0.06	<1	250	6	0.02	<2	2
E858884		<10	<1	0.42	30	0.31	242	<1	0.07	<1	240	6	<0.01	<2	2
E858885		<10	<1	0.43	20	0.29	247	<1	0.08	<1	220	7	<0.01	<2	3
E858886		<10	<1	0.39	30	0.30	252	<1	0.07	<1	230	8	0.02	<2	2
E858887		<10	<1	0.36	30	0.27	256	<1	0.07	<1	220	7	0.09	<2	2
E858888		<10	<1	0.37	30	0.27	257	<1	0.06	<1	230	25	0.06	<2	2
E858889CD		<10	<1	0.39	20	0.28	256	<1	0.07	<1	220	22	0.05	<2	2
E858890		<10	1	0.34	10	0.10	309	1	0.04	4	670	5160	8.0	1720	1
E858891		<10	<1	0.36	30	0.27	262	<1	0.07	<1	220	4	<0.01	<2	2
E858892		<10	<1	0.38	30	0.31	288	<1	0.07	<1	240	9	<0.01	<2	3
E858893		<10	<1	0.34	30	0.29	267	<1	0.06	<1	230	7	0.04	<2	2
E858894		<10	<1	0.30	30	0.25	283	<1	0.05	<1	220	10	0.03	<2	2
E858895		<10	1	0.30	30	0.26	282	<1	0.06	6	220	8	0.03	<2	2
E858896		<10	<1	0.28	30	0.25	258	<1	0.06	2	210	3	0.01	<2	2
E858897		<10	<1	0.32	30	0.28	277	<1	0.07	<1	240	5	0.13	<2	2
E858898		<10	<1	0.39	30	0.29	239	<1	0.08	1	230	4	0.06	<2	2
E858899		<10	<1	0.36	30	0.29	228	<1	0.07	1	220	<2	0.02	<2	2
E858900		<10	<1	0.33	30	0.28	221	<1	0.07	1	210	<2	0.04	<2	2
E858901		<10	1	0.33	30	0.27	244	<1	0.07	1	220	2	0.05	<2	2
E858902		<10	<1	0.32	30	0.28	239	<1	0.07	<1	220	2	0.04	<2	2
E858903		<10	1	0.35	30	0.26	269	<1	0.07	<1	220	8	0.12	<2	2
E858904		<10	<1	0.30	30	0.27	258	<1	0.07	<1	210	2	0.02	<2	2
E858905		<10	<1	0.32	30	0.25	222	<1	0.07	<1	200	2	0.04	<2	2
E858906		<10	<1	0.26	30	0.25	258	<1	0.07	<1	200	3	0.06	<2	2
E858907		<10	<1	0.20	40	0.24	266	<1	0.06	<1	200	4	0.09	<2	1
E858908		<10	<1	0.38	30	0.28	208	<1	0.08	<1	200	<2	0.06	<2	2
E858909CD		<10	<1	0.38	30	0.28	208	<1	0.08	<1	200	<2	0.05	<2	2
E858910		<10	1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.03	<2	<1
E858911		<10	<1	0.32	30	0.28	251	<1	0.07	<1	220	2	0.08	<2	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com


To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122537


Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46	Ag-GRA21
		Th	Ti	Ti	U	V	W	Zn	Zn	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
		20	0.01	10	10	1	10	2	0.001	5
E858872		<20	0.13	<10	<10	36	<10	65		
E858873		<20	0.12	<10	<10	37	<10	72		
E858874		20	0.04	<10	<10	13	<10	36		
E858875		20	<0.01	<10	<10	7	<10	28		
E858876		20	0.01	<10	<10	9	<10	23		
E858877		20	<0.01	<10	<10	6	<10	22		
E858878		20	0.03	<10	<10	10	<10	33		
E858879		20	0.06	<10	<10	13	<10	26		
E858880		20	0.08	<10	<10	16	<10	29		
E858881		30	0.08	<10	<10	14	<10	27		
E858882		30	0.08	<10	<10	14	<10	27		
E858883		20	0.08	<10	<10	15	<10	29		
E858884		20	0.09	<10	<10	16	<10	29		
E858885		20	0.10	<10	<10	16	<10	28		
E858886		20	0.09	<10	<10	16	<10	28		
E858887		20	0.07	<10	<10	14	<10	26		
E858888		20	0.08	<10	<10	14	<10	27		
E858889CD		20	0.08	<10	<10	14	<10	28		
E858890		<20	<0.01	<10	<10	6	<10	>10000	1.290	147
E858891		20	0.08	<10	<10	14	<10	28		
E858892		20	0.08	<10	<10	15	<10	33		
E858893		20	0.07	<10	<10	14	<10	28		
E858894		20	0.05	<10	<10	11	<10	26		
E858895		20	0.05	<10	<10	11	<10	30		
E858896		20	0.06	<10	<10	12	<10	25		
E858897		20	0.06	<10	<10	13	<10	25		
E858898		20	0.09	<10	<10	15	<10	26		
E858899		20	0.09	<10	<10	15	<10	27		
E858900		20	0.08	<10	<10	14	<10	25		
E858901		20	0.07	<10	<10	14	<10	24		
E858902		20	0.07	<10	<10	14	<10	25		
E858903		20	0.07	<10	<10	13	<10	25		
E858904		20	0.07	<10	<10	14	<10	26		
E858905		20	0.07	<10	<10	13	<10	22		
E858906		20	0.06	<10	<10	13	<10	25		
E858907		20	0.02	<10	<10	10	<10	22		
E858908		20	0.09	<10	<10	15	<10	25		
E858909CD		20	0.09	<10	<10	15	<10	25		
E858910		<20	<0.01	<10	<10	<1	<10	2		
E858911		20	0.06	<10	<10	13	<10	24		



Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

CERTIFICATE OF ANALYSIS WH10122537


Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E858912		3.10	<0.005	<0.2	1.61	12	<10	170	<0.5	<2	0.84	<0.5	9	8	9	2.96
E858913		4.20	<0.005	<0.2	2.00	12	<10	200	<0.5	<2	1.54	<0.5	12	10	10	3.51
E858914		3.39	0.007	0.8	2.19	90	<10	160	0.6	2	2.74	<0.5	12	8	12	4.00
E858915		3.79	<0.005	0.3	2.28	29	<10	250	0.5	<2	2.78	<0.5	12	8	7	4.04
E858916		4.73	<0.005	0.3	1.85	4	<10	220	<0.5	<2	1.97	<0.5	11	9	17	3.55
E858917		5.46	<0.005	<0.2	1.42	3	<10	90	<0.5	<2	1.57	<0.5	6	9	5	2.05
E858918		4.04	<0.005	0.2	1.30	2	<10	70	<0.5	<2	1.01	<0.5	6	9	4	1.59
E858919		4.80	<0.005	<0.2	1.81	5	<10	70	<0.5	<2	1.74	<0.5	11	10	9	2.87
E858920		3.95	<0.005	0.2	1.86	10	<10	80	<0.5	<2	1.29	<0.5	11	10	13	2.90
E858921		1.94	0.024	0.5	2.24	938	<10	110	0.5	<2	2.52	1.0	13	11	18	3.68
E858922		1.60	0.041	0.7	2.20	1980	<10	110	0.5	<2	2.53	0.6	12	10	20	3.61
E858923		4.57	0.006	0.4	2.17	40	<10	80	<0.5	<2	2.22	0.5	12	11	22	3.54
E858924		4.93	0.018	0.5	2.77	169	<10	100	0.6	<2	1.82	<0.5	13	8	15	3.39
E858925		4.81	<0.005	0.2	1.85	27	<10	50	<0.5	<2	1.48	<0.5	10	9	10	2.90
E858926		4.41	<0.005	0.2	2.06	33	<10	70	<0.5	<2	1.83	<0.5	12	9	10	3.14
E858927		4.52	<0.005	<0.2	1.88	62	<10	40	<0.5	<2	1.56	<0.5	12	9	13	3.08
E858928		4.82	0.008	2.3	1.87	57	<10	60	<0.5	2	1.57	0.9	12	10	23	3.23
E858929CD		<0.02	0.007	2.4	1.87	57	<10	60	<0.5	3	1.56	0.8	11	9	23	3.22
E858930		0.02	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.02
E858931		4.54	<0.005	<0.2	1.85	35	<10	100	<0.5	<2	1.33	<0.5	12	9	23	3.18
E858932		5.03	<0.005	0.3	1.10	35	<10	130	<0.5	<2	1.36	<0.5	5	6	3	1.95
E858933		5.16	0.107	4.2	1.50	4210	<10	300	<0.5	7	1.64	0.9	13	7	13	3.25
E858934		3.87	<0.005	<0.2	2.20	48	<10	1020	<0.5	<2	1.60	<0.5	12	10	11	3.65
E858935		3.35	<0.005	<0.2	2.27	69	<10	150	<0.5	2	2.57	<0.5	14	7	11	3.96
E858936		4.82	<0.005	0.2	2.06	25	<10	400	<0.5	2	1.48	<0.5	11	8	18	3.68
E858937		2.63	<0.005	<0.2	1.67	9	<10	220	<0.5	2	0.95	<0.5	11	9	9	2.90
E858938		1.64	0.296	2.1	1.41	>10000	<10	200	<0.5	4	1.10	1.8	12	6	24	3.50
E858939		2.56	<0.005	<0.2	1.78	15	<10	280	<0.5	<2	0.81	<0.5	11	9	11	3.06
E858940		2.16	<0.005	<0.2	1.79	14	<10	170	<0.5	<2	1.43	<0.5	12	9	11	2.99
E858941		1.96	<0.005	<0.2	1.80	23	<10	180	<0.5	<2	1.34	<0.5	11	9	11	3.00
E858942		5.16	<0.005	<0.2	1.75	10	<10	220	<0.5	<2	1.08	<0.5	11	9	3	2.98
E858943		5.24	0.014	1.2	1.56	23	<10	290	<0.5	2	0.95	2.2	9	9	7	2.70
E858944		5.16	<0.005	<0.2	2.00	7	<10	340	<0.5	<2	0.89	<0.5	11	9	4	3.18
E858945		5.36	<0.005	<0.2	2.11	23	<10	320	<0.5	<2	1.13	<0.5	11	11	12	3.30
E858946		4.59	<0.005	<0.2	2.16	<2	<10	390	<0.5	<2	0.80	<0.5	11	11	11	3.25



Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

CERTIFICATE OF ANALYSIS WH10122537

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1	ppm 1
E858912		10	<1	0.29	20	0.94	528	<1	0.08	4	520	4	0.02	<2	6	36
E858913		10	<1	0.40	20	1.25	601	<1	0.10	4	510	4	0.01	<2	10	49
E858914		<10	1	0.41	20	1.27	870	<1	0.04	5	840	77	0.01	<2	9	66
E858915		10	<1	0.42	30	1.40	966	<1	0.07	4	1070	14	0.03	<2	9	80
E858916		10	<1	0.31	20	1.33	723	<1	0.09	4	860	5	0.02	<2	7	66
E858917		<10	<1	0.22	10	0.70	382	<1	0.14	2	290	<2	0.02	<2	4	50
E858918		<10	<1	0.16	10	0.58	260	<1	0.14	2	270	2	0.01	<2	3	34
E858919		10	1	0.17	10	1.11	476	<1	0.11	3	480	3	0.03	<2	6	49
E858920		10	1	0.20	10	1.10	449	<1	0.12	4	510	5	0.05	<2	6	48
E858921		10	1	0.39	10	1.25	841	<1	0.09	5	510	16	0.38	<2	9	58
E858922		10	<1	0.38	10	1.20	801	<1	0.09	5	530	27	0.48	<2	8	60
E858923		10	<1	0.19	20	1.30	737	<1	0.10	6	560	17	0.09	<2	8	46
E858924		10	<1	0.29	20	1.10	601	<1	0.12	5	550	11	0.32	<2	6	71
E858925		10	<1	0.13	20	1.01	474	<1	0.10	4	460	6	0.09	<2	5	44
E858926		10	<1	0.15	20	1.16	532	<1	0.10	2	520	8	0.11	<2	6	51
E858927		10	1	0.11	20	1.25	523	<1	0.08	3	520	3	0.09	<2	5	38
E858928		10	1	0.13	10	1.21	515	<1	0.09	4	570	30	0.09	<2	6	43
E858929CD		10	1	0.14	10	1.19	512	<1	0.09	4	560	28	0.08	<2	6	44
E858930		<10	<1	<0.01	<10	0.01	<5	<1	0.01	<1	10	<2	0.01	<2	<1	<1
E858931		10	1	0.15	10	1.14	479	<1	0.10	6	650	7	0.06	<2	6	45
E858932		<10	<1	0.19	20	0.53	449	<1	0.05	1	380	18	<0.01	<2	3	33
E858933		<10	1	0.38	20	0.81	579	<1	0.05	3	450	165	0.07	2	5	40
E858934		10	1	0.58	20	1.36	622	<1	0.12	4	540	2	<0.01	<2	9	41
E858935		10	<1	0.29	20	1.45	774	<1	0.04	5	700	7	<0.01	<2	9	63
E858936		10	1	0.55	10	1.27	631	<1	0.13	4	900	5	0.07	<2	6	55
E858937		<10	<1	0.43	10	1.08	475	<1	0.10	4	530	<2	0.02	<2	5	28
E858938		<10	<1	0.43	10	0.77	1305	<1	0.04	4	470	96	0.85	6	5	30
E858939		10	<1	0.62	10	1.09	494	<1	0.11	2	540	3	0.04	<2	5	27
E858940		10	<1	0.43	10	1.13	529	<1	0.08	4	510	4	0.02	<2	5	44
E858941		10	1	0.44	20	1.13	522	<1	0.08	4	500	3	0.02	<2	6	43
E858942		10	1	0.57	20	1.06	543	<1	0.09	3	510	9	0.01	<2	5	36
E858943		<10	<1	0.64	20	0.89	521	<1	0.10	3	470	106	0.11	<2	5	36
E858944		10	1	0.95	20	1.15	589	<1	0.15	4	530	<2	<0.01	<2	6	31
E858945		10	<1	0.93	20	1.21	609	<1	0.15	3	510	3	0.05	<2	7	33
E858946		10	<1	1.17	20	1.18	573	<1	0.19	4	530	2	0.02	<2	6	28



Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

CERTIFICATE OF ANALYSIS WH10122537

[illegible]



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **16-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10121194

Project: ALN10-02

P.O. No.: ALN10-02_11

This report is for 96 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858776		1.42	<0.005		0.2	1.35	20	<10	100	<0.5	<2	0.96	0.7	7	10	17
E858777		4.12	<0.005		<0.2	0.83	15	<10	160	<0.5	<2	0.46	<0.5	4	6	4
E858778		3.96	0.005		<0.2	0.89	18	<10	160	<0.5	2	0.63	<0.5	4	15	6
E858779		4.36	<0.005		<0.2	0.95	14	<10	150	<0.5	<2	0.61	<0.5	4	7	5
E858780		4.00	0.006		0.6	0.75	45	<10	140	<0.5	<2	0.82	<0.5	4	8	8
E858781		2.52	<0.005		0.2	1.03	6	<10	170	<0.5	<2	0.74	<0.5	5	7	3
E858782		2.32	<0.005		<0.2	0.73	10	<10	120	<0.5	<2	0.79	<0.5	4	13	3
E858783		4.04	0.010		0.7	0.80	127	<10	160	<0.5	<2	0.98	<0.5	4	6	9
E858784		3.56	0.005		<0.2	0.94	102	<10	180	<0.5	<2	0.64	<0.5	4	7	6
E858785		5.08	<0.005		<0.2	1.68	2	<10	180	<0.5	<2	1.12	<0.5	8	30	20
E858786		4.94	<0.005		<0.2	2.42	<2	<10	160	0.5	<2	2.12	<0.5	14	41	37
E858787		4.56	<0.005		<0.2	2.22	12	<10	330	<0.5	<2	1.99	<0.5	11	30	20
E858788		3.98	<0.005		<0.2	0.84	<2	<10	140	<0.5	<2	0.62	<0.5	4	15	2
E858789		<0.02	<0.005		<0.2	0.92	2	<10	140	<0.5	<2	0.69	<0.5	5	4	2
E858790		0.08	1.615	1.89	>100	0.42	4490	<10	20	<0.5	5	0.86	545	6	59	883
E858791		4.30	0.026		0.2	0.73	168	<10	140	<0.5	<2	0.85	<0.5	4	6	5
E858792		3.90	<0.005		<0.2	0.97	<2	<10	290	<0.5	<2	0.72	<0.5	4	6	3
E858793		4.96	<0.005		<0.2	0.69	5	<10	220	<0.5	<2	1.54	<0.5	4	22	5
E858794		4.32	<0.005		<0.2	0.85	9	<10	180	<0.5	<2	0.94	<0.5	3	7	3
E858795		4.56	<0.005		<0.2	1.01	2	<10	170	<0.5	<2	0.89	<0.5	5	7	4
E858796		4.80	<0.005		<0.2	0.96	10	<10	200	<0.5	<2	0.72	<0.5	3	20	7
E858797		3.88	0.006		<0.2	0.90	146	<10	150	<0.5	<2	0.73	<0.5	4	7	8
E858798		5.00	<0.005		<0.2	0.96	<2	<10	100	<0.5	<2	0.72	<0.5	4	7	3
E858799		4.58	<0.005		<0.2	1.06	<2	<10	180	<0.5	<2	0.52	<0.5	4	21	2
E858800		4.52	<0.005		<0.2	1.17	<2	<10	360	<0.5	<2	0.74	<0.5	4	6	4
E858801		2.12	<0.005		<0.2	0.88	<2	<10	260	<0.5	<2	0.59	<0.5	3	3	<1
E858802		2.04	<0.005		<0.2	0.98	<2	<10	300	<0.5	<2	0.57	<0.5	3	19	<1
E858803		5.26	<0.005		<0.2	0.89	5	<10	220	<0.5	<2	0.82	<0.5	3	7	4
E858804		4.38	<0.005		<0.2	0.85	5	<10	220	<0.5	<2	0.43	<0.5	3	7	6
E858805		4.54	<0.005		<0.2	0.69	<2	<10	140	<0.5	<2	0.47	<0.5	2	23	6
E858806		4.50	<0.005		<0.2	0.96	9	<10	210	<0.5	<2	0.65	<0.5	3	6	5
E858807		4.68	0.005		<0.2	0.56	11	<10	170	<0.5	<2	0.99	<0.5	2	5	5
E858808		4.20	0.011		<0.2	0.45	38	<10	180	<0.5	<2	1.23	<0.5	2	27	5
E858809		<0.02	0.008		0.3	0.34	32	<10	130	<0.5	<2	1.21	<0.5	2	4	4
E858810		0.06	0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	1
E858811		4.98	0.006		<0.2	0.50	15	<10	370	<0.5	<2	0.64	<0.5	2	6	5
E858812		3.92	<0.005		<0.2	0.49	12	<10	790	<0.5	<2	1.05	<0.5	3	6	5
E858813		4.76	<0.005		<0.2	0.55	9	<10	130	<0.5	<2	1.03	<0.5	2	21	5
E858814		4.26	0.006		<0.2	0.74	10	<10	270	<0.5	<2	1.44	<0.5	4	4	6
E858815		4.16	<0.005		0.3	1.14	7	<10	360	<0.5	<2	0.98	<0.5	5	8	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858776		2.54	<10	<1	0.28	20	0.71	438	<1	0.08	7	520	9	0.07	<2	4
E858777		1.95	<10	<1	0.49	20	0.43	335	<1	0.08	<1	430	5	0.03	<2	3
E858778		2.18	<10	<1	0.59	20	0.54	418	<1	0.06	2	490	4	0.06	<2	4
E858779		2.01	<10	1	0.57	30	0.48	367	<1	0.07	<1	440	5	0.04	<2	3
E858780		1.84	<10	<1	0.44	30	0.40	348	<1	0.06	<1	410	10	0.16	<2	3
E858781		2.20	<10	<1	0.55	30	0.56	387	<1	0.09	<1	490	6	0.04	<2	4
E858782		1.95	<10	<1	0.40	30	0.48	360	<1	0.04	<1	440	5	0.05	<2	3
E858783		2.00	<10	<1	0.45	40	0.44	436	<1	0.06	<1	480	33	0.18	2	3
E858784		2.00	<10	<1	0.52	30	0.48	341	<1	0.07	<1	440	5	0.08	<2	3
E858785		2.62	<10	1	0.54	20	0.97	448	<1	0.15	10	1450	4	0.07	2	5
E858786		3.12	10	<1	0.45	10	1.40	549	<1	0.28	18	2390	4	0.11	<2	8
E858787		3.43	<10	<1	0.78	30	1.35	664	<1	0.18	14	1640	4	0.07	<2	7
E858788		2.06	<10	<1	0.49	40	0.49	337	<1	0.04	<1	460	3	0.03	2	3
E858789		2.04	10	<1	0.49	50	0.47	331	<1	0.07	<1	450	2	0.02	<2	3
E858790		6.90	<10	2	0.28	10	0.27	395	1	0.03	1	580	>10000	9.7	2570	1
E858791		1.91	<10	<1	0.38	30	0.36	382	1	0.06	<1	420	9	0.06	<2	2
E858792		2.27	<10	<1	0.57	60	0.51	368	<1	0.07	<1	510	6	0.03	<2	4
E858793		2.07	<10	<1	0.36	50	0.38	437	<1	0.06	<1	490	7	0.07	2	2
E858794		1.95	<10	<1	0.38	40	0.47	441	<1	0.07	<1	460	6	0.03	<2	3
E858795		2.15	<10	<1	0.38	40	0.58	411	<1	0.07	<1	540	5	0.05	<2	3
E858796		1.88	<10	<1	0.56	30	0.43	375	<1	0.09	<1	400	6	0.08	2	3
E858797		1.82	<10	<1	0.54	30	0.42	374	<1	0.07	<1	400	6	0.15	<2	3
E858798		1.91	<10	<1	0.37	30	0.50	362	<1	0.07	<1	430	6	0.03	<2	3
E858799		1.96	<10	<1	0.54	30	0.48	345	<1	0.10	<1	400	6	0.04	2	3
E858800		2.95	10	<1	0.61	40	0.57	465	<1	0.09	<1	1020	4	0.05	<2	3
E858801		2.50	10	<1	0.42	40	0.39	388	<1	0.09	<1	620	3	0.01	<2	2
E858802		2.59	10	<1	0.45	40	0.38	387	<1	0.13	<1	610	5	0.01	<2	2
E858803		2.18	<10	<1	0.46	40	0.43	397	<1	0.08	<1	500	5	0.06	<2	3
E858804		1.76	<10	<1	0.49	40	0.44	315	<1	0.07	<1	190	4	0.05	<2	3
E858805		1.49	<10	<1	0.26	80	0.29	245	<1	0.09	2	110	5	0.02	<2	2
E858806		2.13	<10	<1	0.56	50	0.51	404	<1	0.07	<1	370	2	0.05	<2	4
E858807		1.34	<10	1	0.30	50	0.29	348	<1	0.04	<1	230	5	0.05	<2	2
E858808		1.42	<10	<1	0.26	50	0.16	368	<1	0.04	1	80	13	0.10	<2	1
E858809		1.31	<10	<1	0.22	50	0.17	341	<1	0.03	<1	80	10	0.10	<2	1
E858810		0.02	<10	1	<0.01	<10	0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1
E858811		1.44	<10	<1	0.33	60	0.32	272	<1	0.03	<1	80	8	0.08	<2	2
E858812		2.11	<10	<1	0.23	100	0.44	447	<1	0.03	<1	170	8	0.07	<2	3
E858813		1.67	<10	1	0.28	30	0.31	361	<1	0.06	1	250	8	0.08	<2	2
E858814		2.56	<10	1	0.36	60	0.61	557	<1	0.04	<1	580	8	0.12	<2	3
E858815		2.85	<10	<1	0.60	40	0.70	521	1	0.06	2	590	6	0.08	<2	4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858776		32	<20	0.13	<10	<10	48	<10	87			
E858777		16	<20	0.11	<10	<10	27	<10	41			
E858778		23	<20	0.13	<10	<10	31	<10	46			
E858779		21	<20	0.13	<10	<10	29	<10	47			
E858780		35	<20	0.08	<10	<10	22	<10	36			
E858781		31	<20	0.13	<10	<10	32	<10	48			
E858782		31	<20	0.09	<10	<10	25	<10	43			
E858783		41	<20	0.08	<10	<10	22	<10	37			
E858784		24	<20	0.11	<10	<10	29	<10	40			
E858785		102	<20	0.17	<10	<10	55	<10	45			
E858786		207	<20	0.24	<10	<10	80	<10	38			
E858787		162	<20	0.20	<10	<10	75	<10	57			
E858788		20	<20	0.10	<10	<10	29	<10	42			
E858789		25	<20	0.10	<10	<10	29	<10	42			
E858790		111	<20	<0.01	<10	<10	6	20	>10000	1.920	3.58	NSS
E858791		37	<20	0.06	<10	<10	21	<10	38			
E858792		35	20	0.09	<10	<10	31	<10	49			
E858793		80	20	0.02	<10	<10	16	<10	42			
E858794		41	<20	0.08	<10	<10	25	<10	41			
E858795		36	<20	0.13	<10	<10	31	<10	47			
E858796		35	<20	0.11	<10	<10	26	<10	34			
E858797		26	<20	0.11	<10	<10	25	<10	38			
E858798		25	<20	0.13	<10	<10	28	<10	41			
E858799		21	<20	0.14	<10	<10	29	<10	41			
E858800		35	<20	0.17	<10	<10	24	<10	71			
E858801		33	<20	0.13	<10	<10	16	<10	49			
E858802		36	<20	0.13	<10	<10	16	<10	49			
E858803		39	<20	0.11	<10	<10	21	<10	43			
E858804		20	20	0.11	<10	<10	21	<10	35			
E858805		20	50	0.05	<10	<10	14	<10	27			
E858806		20	30	0.11	<10	<10	23	<10	47			
E858807		46	30	0.03	<10	<10	11	<10	27			
E858808		68	60	<0.01	<10	<10	5	<10	24			
E858809		69	60	<0.01	<10	<10	4	<10	23			
E858810		<1	<20	<0.01	<10	<10	<1	<10	3			
E858811		49	40	0.04	<10	<10	9	<10	25			
E858812		63	60	0.01	<10	<10	12	<10	43			
E858813		54	20	0.02	<10	<10	14	<10	27			
E858814		79	20	0.03	<10	<10	21	<10	46			
E858815		47	<20	0.11	<10	<10	35	<10	54			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858816		4.38	<0.005		0.4	1.27	3	<10	270	<0.5	<2	0.63	<0.5	4	19	7
E858817		4.86	<0.005		0.2	0.82	9	<10	150	<0.5	<2	0.82	<0.5	4	6	3
E858818		4.94	<0.005		<0.2	1.03	4	<10	190	<0.5	<2	0.55	<0.5	4	8	5
E858819		4.84	0.006		<0.2	0.89	6	<10	180	<0.5	<2	1.39	<0.5	4	20	4
E858820		4.12	<0.005		0.2	1.06	<2	<10	180	<0.5	<2	0.48	<0.5	3	7	6
E858821		2.60	<0.005		<0.2	0.89	3	<10	160	<0.5	<2	0.89	<0.5	3	5	3
E858822		2.48	<0.005		0.3	1.03	3	<10	170	<0.5	<2	0.62	<0.5	4	22	5
E858823		4.36	<0.005		<0.2	0.84	<2	<10	160	<0.5	<2	0.90	<0.5	3	7	3
E858824		4.38	<0.005		<0.2	0.90	6	<10	160	<0.5	<2	0.98	<0.5	3	6	3
E858825		5.22	<0.005		0.2	1.03	<2	<10	180	<0.5	<2	0.70	<0.5	4	21	3
E858826		4.00	<0.005		0.3	0.84	47	<10	190	<0.5	<2	1.49	<0.5	4	5	5
E858827		4.92	<0.005		<0.2	0.93	11	<10	160	<0.5	<2	0.70	<0.5	4	7	3
E858828		4.60	<0.005		<0.2	1.15	261	<10	220	<0.5	<2	0.76	<0.5	4	23	5
E858829		<0.02	<0.005		0.2	1.04	328	<10	200	<0.5	<2	0.80	<0.5	4	5	4
E858830		0.06	0.016		<0.2	0.02	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	4
E858831		4.70	<0.005		<0.2	1.16	3	<10	220	<0.5	<2	0.42	<0.5	3	7	4
E858832		4.54	<0.005		0.2	0.77	6	<10	130	<0.5	<2	1.47	<0.5	3	6	3
E858833		4.36	0.024		1.0	1.10	1680	<10	230	<0.5	<2	0.75	<0.5	4	27	7
E858834		4.34	<0.005		<0.2	1.10	3	<10	230	<0.5	<2	0.45	<0.5	4	6	6
E858835		4.66	<0.005		<0.2	1.16	<2	<10	220	<0.5	<2	0.40	<0.5	4	7	7
E858836		4.60	<0.005		0.2	1.47	8	<10	480	<0.5	<2	0.47	<0.5	5	21	8
E858837		4.16	<0.005		<0.2	1.05	<2	<10	210	<0.5	<2	0.50	<0.5	4	6	4
E858838		4.14	<0.005		0.2	0.74	5	<10	140	<0.5	<2	1.15	<0.5	3	6	4
E858839		3.88	<0.005		0.4	0.81	7	<10	160	<0.5	<2	1.19	<0.5	3	18	6
E858840		4.92	0.007		0.9	0.64	10	<10	130	<0.5	<2	1.26	2.1	3	7	10
E858841		2.48	<0.005		<0.2	1.02	<2	<10	180	<0.5	<2	0.63	<0.5	4	7	10
E858842		2.30	<0.005		0.2	1.06	<2	<10	190	<0.5	<2	0.72	<0.5	4	20	8
E858843		4.82	<0.005		<0.2	1.06	<2	<10	170	<0.5	<2	0.45	<0.5	4	6	12
E858844		4.42	<0.005		<0.2	1.06	<2	<10	190	<0.5	<2	0.31	<0.5	4	6	8
E858845		4.68	<0.005		0.2	0.81	2	<10	190	<0.5	<2	0.53	<0.5	3	22	6
E858846		4.34	<0.005		<0.2	0.21	2	<10	80	<0.5	<2	0.24	<0.5	1	5	6
E858847		5.44	<0.005		0.6	0.58	23	<10	190	<0.5	<2	1.55	<0.5	3	5	6
E858848		4.78	<0.005		0.2	0.96	3	<10	260	<0.5	<2	1.34	<0.5	4	18	13
E858849		<0.02	<0.005		0.2	0.87	4	<10	230	<0.5	<2	1.31	<0.5	4	4	12
E858850		0.10	0.889		>100	0.50	4460	<10	20	<0.5	3	0.58	99.7	6	50	302
E858851		3.86	<0.005		<0.2	0.63	<2	<10	230	<0.5	<2	0.95	<0.5	2	6	8
E858852		3.40	<0.005		<0.2	0.59	5	<10	170	<0.5	<2	0.74	<0.5	2	6	3
E858853		4.96	<0.005		<0.2	0.76	15	<10	150	<0.5	<2	0.81	<0.5	2	22	6
E858854		4.64	<0.005		1.2	0.65	4	<10	120	<0.5	3	0.62	<0.5	3	6	10
E858855		4.98	<0.005		0.2	0.61	7	<10	110	<0.5	<2	0.82	<0.5	2	7	4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858816		2.76	<10	<1	0.67	30	0.72	447	<1	0.09	1	490	4	0.06	<2	5
E858817		2.08	<10	<1	0.47	50	0.49	372	<1	0.05	<1	470	4	0.04	<2	3
E858818		2.19	<10	<1	0.59	30	0.55	422	<1	0.07	1	440	4	0.07	<2	4
E858819		2.24	<10	<1	0.40	50	0.51	447	1	0.07	<1	470	5	0.08	<2	2
E858820		2.24	<10	<1	0.66	30	0.56	408	<1	0.07	<1	460	4	0.06	<2	4
E858821		2.08	<10	<1	0.53	40	0.52	403	<1	0.07	1	430	3	0.05	<2	3
E858822		2.14	<10	<1	0.56	40	0.51	380	<1	0.10	1	420	4	0.05	<2	3
E858823		2.04	<10	<1	0.48	30	0.52	404	<1	0.06	1	430	4	0.04	<2	3
E858824		2.15	<10	<1	0.49	40	0.52	450	<1	0.06	<1	440	4	0.02	<2	3
E858825		2.16	<10	<1	0.54	30	0.51	408	<1	0.10	1	410	4	0.02	<2	3
E858826		2.14	<10	<1	0.47	30	0.53	522	<1	0.04	<1	520	5	0.09	<2	3
E858827		2.09	<10	<1	0.54	30	0.50	419	<1	0.08	<1	420	5	0.08	<2	3
E858828		2.29	<10	<1	0.63	40	0.54	423	<1	0.12	1	440	5	0.14	<2	3
E858829		2.24	<10	<1	0.62	30	0.55	441	<1	0.07	<1	480	5	0.13	<2	3
E858830		0.03	<10	<1	0.01	<10	0.01	<5	<1	<0.01	<1	20	<2	0.01	<2	<1
E858831		2.33	<10	<1	0.70	40	0.60	391	<1	0.09	1	470	3	0.03	<2	4
E858832		2.18	<10	<1	0.39	40	0.52	470	<1	0.04	<1	490	3	0.04	<2	2
E858833		2.39	<10	<1	0.58	30	0.51	440	<1	0.10	1	440	52	0.22	<2	3
E858834		2.33	<10	<1	0.68	30	0.58	380	1	0.08	1	460	4	0.16	<2	4
E858835		2.28	<10	<1	0.72	40	0.59	408	3	0.09	<1	470	4	0.04	<2	4
E858836		2.85	<10	<1	0.84	40	0.68	487	1	0.14	1	590	3	0.05	<2	4
E858837		2.24	<10	<1	0.62	30	0.57	387	<1	0.08	1	470	3	0.03	<2	4
E858838		2.09	<10	<1	0.35	50	0.46	381	<1	0.05	<1	470	4	0.06	<2	3
E858839		2.03	<10	<1	0.47	40	0.47	398	<1	0.07	1	410	6	0.14	<2	3
E858840		1.80	<10	<1	0.38	30	0.42	395	<1	0.05	<1	390	38	0.12	<2	2
E858841		2.27	<10	<1	0.57	30	0.58	378	<1	0.07	<1	460	4	0.07	<2	4
E858842		2.28	<10	<1	0.57	30	0.57	387	<1	0.10	1	440	3	0.06	<2	3
E858843		2.15	<10	<1	0.63	30	0.54	349	<1	0.08	1	440	4	0.12	<2	4
E858844		2.15	<10	<1	0.68	30	0.56	334	<1	0.08	1	430	4	0.07	<2	4
E858845		1.73	<10	<1	0.47	30	0.33	276	2	0.10	1	290	8	0.13	<2	2
E858846		0.31	<10	<1	0.12	10	0.03	46	<1	0.05	3	60	11	<0.01	<2	<1
E858847		2.43	<10	<1	0.33	40	0.52	554	1	0.04	<1	400	11	0.35	<2	2
E858848		2.53	<10	<1	0.37	40	0.62	481	<1	0.07	1	320	8	0.13	<2	3
E858849		2.30	<10	<1	0.33	40	0.61	469	<1	0.05	1	300	7	0.13	<2	3
E858850		6.42	<10	<1	0.32	10	0.10	303	2	0.04	5	680	5050	7.6	1600	1
E858851		1.42	<10	<1	0.26	40	0.29	284	1	0.05	4	240	13	<0.01	<2	2
E858852		1.33	<10	<1	0.29	30	0.27	256	<1	0.05	<1	200	8	0.05	<2	2
E858853		1.60	<10	<1	0.35	40	0.33	301	<1	0.08	1	240	7	0.07	<2	2
E858854		1.43	<10	<1	0.35	30	0.31	258	<1	0.06	<1	230	14	0.15	<2	2
E858855		1.37	<10	<1	0.28	30	0.30	309	<1	0.06	<1	230	10	0.07	<2	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858816		27	<20	0.17	<10	<10	41	<10	50			
E858817		37	20	0.10	<10	<10	26	<10	37			
E858818		22	<20	0.14	<10	<10	32	<10	40			
E858819		66	20	0.05	<10	<10	21	<10	36			
E858820		19	<20	0.15	<10	<10	34	<10	41			
E858821		37	<20	0.11	<10	<10	26	<10	36			
E858822		26	<20	0.12	<10	<10	29	<10	37			
E858823		34	<20	0.10	<10	<10	25	<10	35			
E858824		46	20	0.10	<10	<10	25	<10	39			
E858825		33	<20	0.12	<10	<10	28	<10	39			
E858826		91	<20	0.09	<10	<10	23	<10	36			
E858827		32	<20	0.11	<10	<10	27	<10	39			
E858828		34	<20	0.13	<10	<10	32	<10	40			
E858829		35	<20	0.13	<10	<10	31	<10	42			
E858830		1	<20	<0.01	<10	<10	1	<10	3			
E858831		16	<20	0.17	<10	<10	37	<10	43			
E858832		76	<20	0.07	<10	<10	21	<10	34			
E858833		36	<20	0.11	<10	<10	30	<10	47			
E858834		17	<20	0.16	<10	<10	35	<10	43			
E858835		15	<20	0.16	<10	<10	35	<10	45			
E858836		29	<20	0.20	<10	<10	43	<10	58			
E858837		25	<20	0.15	<10	<10	33	<10	41			
E858838		58	20	0.05	<10	<10	21	<10	34			
E858839		63	20	0.07	<10	<10	19	<10	32			
E858840		70	<20	0.05	<10	<10	16	<10	132			
E858841		24	<20	0.13	<10	<10	32	<10	41			
E858842		32	<20	0.12	<10	<10	30	<10	39			
E858843		16	20	0.14	<10	<10	31	<10	38			
E858844		12	<20	0.16	<10	<10	32	<10	39			
E858845		29	20	0.08	<10	<10	18	<10	27			
E858846		12	<20	0.01	<10	<10	2	<10	6			
E858847		89	20	0.04	<10	<10	14	<10	38			
E858848		63	20	0.03	<10	<10	18	<10	45			
E858849		60	20	0.03	<10	<10	17	<10	44			
E858850		141	<20	<0.01	<10	<10	6	10	>10000		1.280	157
E858851		38	20	0.03	<10	<10	14	<10	30			
E858852		34	20	0.05	<10	<10	14	<10	24			
E858853		43	20	0.06	<10	<10	16	<10	27			
E858854		32	20	0.07	<10	<10	14	<10	31			
E858855		42	20	0.05	<10	<10	11	<10	26			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E858856		4.38	0.010		0.6	0.52	23	<10	140	<0.5	<2	1.36	<0.5	2	27	5
E858857		4.24	<0.005		0.3	0.47	8	<10	120	<0.5	<2	0.74	<0.5	1	5	5
E858858		4.88	0.031		2.3	0.96	7	<10	210	<0.5	<2	0.60	0.5	3	6	11
E858859		4.46	0.007		0.4	1.04	13	<10	250	<0.5	<2	1.43	<0.5	4	32	10
E858860		4.54	0.007		1.6	0.53	19	<10	140	<0.5	<2	1.21	0.5	2	7	3
E858861		2.52	<0.005		<0.2	0.74	<2	<10	120	<0.5	<2	0.51	<0.5	2	6	3
E858862		2.42	<0.005		<0.2	0.83	3	<10	140	<0.5	<2	0.58	<0.5	2	24	4
E858863		4.54	<0.005		<0.2	0.68	<2	<10	120	<0.5	<2	0.66	<0.5	2	5	2
E858864		4.26	0.010		2.5	0.66	10	<10	180	<0.5	<2	0.76	1.5	2	6	6
E858865		4.60	<0.005		0.4	0.73	2	<10	170	<0.5	<2	0.79	<0.5	2	23	4
E858866		4.78	0.022		5.1	0.55	19	<10	380	<0.5	<2	1.04	1.1	2	4	6
E858867		4.34	<0.005		<0.2	0.69	<2	<10	230	<0.5	2	0.29	<0.5	2	6	3
E858868		4.30	<0.005		<0.2	0.69	3	<10	360	<0.5	<2	0.45	<0.5	2	23	3
E858869		<0.02	<0.005		<0.2	0.63	<2	<10	310	<0.5	2	0.43	<0.5	2	6	2
E858870		0.08	<0.005		<0.2	0.03	<2	<10	10	<0.5	<2	0.04	<0.5	<1	1	2
E858871		5.10	<0.005		<0.2	0.64	<2	<10	330	<0.5	<2	0.57	<0.5	3	6	12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858856		1.23	<10	<1	0.29	30	0.23	325	<1	0.06	1	210	12	0.20	<2	1
E858857		1.08	<10	<1	0.23	30	0.20	221	<1	0.05	<1	150	18	0.07	<2	1
E858858		1.90	<10	<1	0.60	30	0.54	381	<1	0.07	3	270	18	0.14	<2	4
E858859		2.33	<10	<1	0.58	30	0.71	568	<1	0.06	13	240	16	0.14	<2	4
E858860		1.33	<10	<1	0.26	20	0.31	410	<1	0.04	<1	230	47	0.08	<2	2
E858861		1.50	<10	1	0.37	40	0.35	284	<1	0.07	<1	250	6	<0.01	<2	2
E858862		1.60	<10	<1	0.39	40	0.34	302	<1	0.10	1	250	5	<0.01	<2	2
E858863		1.43	<10	<1	0.35	40	0.32	287	<1	0.06	1	250	7	0.02	<2	2
E858864		1.50	<10	<1	0.37	40	0.33	297	11	0.06	<1	250	86	0.07	<2	2
E858865		1.55	<10	1	0.27	40	0.30	300	<1	0.08	1	230	11	0.01	<2	2
E858866		1.45	<10	<1	0.27	40	0.29	316	<1	0.04	<1	260	134	0.17	<2	1
E858867		1.45	<10	<1	0.40	30	0.32	258	<1	0.06	1	240	6	<0.01	<2	2
E858868		1.46	<10	<1	0.35	50	0.29	269	<1	0.07	<1	230	7	<0.01	<2	2
E858869		1.38	<10	<1	0.32	50	0.29	264	<1	0.06	<1	240	7	<0.01	<2	2
E858870		0.05	<10	<1	<0.01	<10	0.01	10	<1	<0.01	<1	10	3	<0.01	<2	<1
E858871		1.39	<10	<1	0.27	40	0.28	315	<1	0.05	<1	250	9	0.06	<2	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858856		86	20	0.01	<10	<10	4	<10	24			
E858857		41	20	0.04	<10	<10	8	<10	28			
E858858		29	20	0.12	<10	<10	17	<10	68			
E858859		78	20	0.08	<10	<10	15	<10	69			
E858860		71	20	0.03	<10	<10	9	<10	50			
E858861		23	20	0.08	<10	<10	15	<10	35			
E858862		28	20	0.08	<10	<10	15	<10	34			
E858863		29	20	0.07	<10	<10	13	<10	30			
E858864		43	20	0.07	<10	<10	12	<10	123			
E858865		42	30	0.03	<10	<10	11	<10	53			
E858866		46	30	0.03	<10	<10	8	<10	102			
E858867		15	20	0.09	<10	<10	15	<10	29			
E858868		28	30	0.07	<10	<10	13	<10	27			
E858869		25	30	0.08	<10	<10	14	<10	28			
E858870		2	<20	<0.01	<10	<10	1	<10	3			
E858871		29	20	0.05	<10	<10	12	<10	28			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10121194

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **10-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10120402

Project: ALN10-02

P.O. No.: ALN10-02_9

This report is for 21 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 10-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10120402

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E858625		2.84	<0.005	0.3	0.33	19	<10	50	<0.5	<2	0.15	<0.5	1	4	3	1.12
E858626		2.74	<0.005	<0.2	0.27	11	<10	50	<0.5	<2	0.54	<0.5	2	18	3	1.01
E858627		3.04	<0.005	<0.2	0.54	3	<10	40	<0.5	<2	0.47	<0.5	4	14	4	1.67
E858628		4.23	<0.005	<0.2	0.58	<2	<10	40	<0.5	<2	0.45	<0.5	3	6	5	1.52
E858629		4.22	<0.005	0.3	0.42	15	<10	40	<0.5	<2	0.50	<0.5	2	18	2	1.14
E858630		4.60	<0.005	0.5	0.59	24	<10	50	<0.5	<2	0.46	<0.5	3	6	2	1.49
E858631		4.59	0.024	0.6	0.37	318	<10	50	<0.5	<2	0.75	<0.5	3	17	2	1.39
E858632		3.98	0.007	0.2	0.39	11	<10	40	<0.5	<2	0.57	<0.5	2	6	1	1.25
E858633		4.02	0.101	0.6	0.43	136	<10	50	<0.5	<2	0.84	<0.5	2	5	4	1.61
E858634		4.94	<0.005	0.4	0.86	31	<10	50	<0.5	<2	0.92	<0.5	3	11	2	2.19
E858635		4.45	<0.005	0.3	0.75	302	<10	60	<0.5	2	0.64	<0.5	3	5	5	1.83
E858636		4.13	<0.005	<0.2	0.62	26	<10	40	<0.5	<2	0.57	<0.5	2	18	1	1.42
E858637		4.26	<0.005	0.2	0.23	19	<10	30	<0.5	<2	0.99	<0.5	1	6	1	1.09
E858638		4.23	<0.005	0.2	1.51	2	<10	60	<0.5	<2	0.55	<0.5	3	3	5	2.74
E858639		4.32	<0.005	0.3	0.60	5	<10	30	<0.5	<2	0.44	<0.5	2	6	4	1.34
E858640		4.20	<0.005	0.2	0.73	3	<10	60	<0.5	<2	0.54	<0.5	2	6	8	1.38
E858641		5.23	<0.005	<0.2	0.75	2	<10	100	<0.5	<2	0.33	<0.5	3	7	18	1.30
E858642		4.21	<0.005	<0.2	0.62	2	<10	50	<0.5	<2	0.24	<0.5	2	7	8	1.32
E858643		4.03	0.007	0.2	0.49	111	<10	60	<0.5	<2	0.69	0.6	2	6	8	1.16
E858644		4.53	<0.005	<0.2	0.52	5	<10	50	<0.5	<2	0.57	<0.5	1	7	4	1.17
E858645		4.87	<0.005	<0.2	0.50	3	<10	40	<0.5	<2	0.39	<0.5	1	7	2	1.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 10-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10120402

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
E858625		<10	<1	0.18	20	0.04	214	2	0.05	<1	50	11	0.01	<2	1
E858626		<10	<1	0.17	20	0.02	235	3	0.04	<1	60	8	0.02	<2	1
E858627		<10	<1	0.25	30	0.22	354	7	0.05	<1	60	5	0.03	<2	4
E858628		<10	<1	0.23	20	0.25	314	40	0.06	<1	50	5	0.05	<2	3
E858629		<10	<1	0.21	20	0.15	260	5	0.05	<1	50	11	0.03	<2	2
E858630		<10	<1	0.27	20	0.22	292	21	0.07	<1	50	30	0.05	<2	2
E858631		<10	<1	0.22	20	0.25	330	3	0.04	<1	50	12	0.09	<2	2
E858632		<10	<1	0.20	20	0.20	287	4	0.05	<1	50	7	0.02	<2	2
E858633		<10	<1	0.24	30	0.29	363	5	0.04	<1	50	11	0.10	<2	2
E858634		<10	<1	0.40	30	0.85	508	37	0.04	<1	60	14	0.04	<2	4
E858635		<10	<1	0.33	30	0.47	406	14	0.05	<1	60	10	0.10	<2	4
E858636		<10	<1	0.28	30	0.32	303	3	0.05	<1	60	5	0.03	<2	3
E858637		<10	<1	0.16	20	0.23	309	2	0.03	<1	60	8	0.03	<2	1
E858638		10	<1	0.92	40	1.32	596	1	0.03	<1	90	4	0.04	<2	6
E858639		<10	<1	0.21	20	0.35	303	5	0.03	<1	50	10	0.04	<2	3
E858640		<10	<1	0.26	20	0.34	299	5	0.05	<1	140	5	0.02	<2	2
E858641		<10	<1	0.40	20	0.34	289	1	0.06	<1	110	4	0.03	<2	2
E858642		<10	<1	0.36	20	0.31	271	1	0.04	5	50	11	0.03	<2	2
E858643		<10	1	0.19	20	0.19	238	37	0.04	2	100	20	0.04	<2	1
E858644		<10	<1	0.27	20	0.22	278	1	0.04	<1	50	8	0.03	<2	2
E858645		<10	1	0.23	20	0.23	235	5	0.04	1	50	7	0.01	<2	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 10-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10120402

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
E858625		<20	<0.01	<10	<10	6	<10	27
E858626		20	<0.01	<10	<10	4	<10	24
E858627		20	0.02	<10	<10	14	<10	49
E858628		20	0.02	<10	<10	9	<10	40
E858629		20	0.01	<10	<10	6	<10	29
E858630		20	0.02	<10	<10	11	<10	36
E858631		<20	0.01	<10	<10	3	<10	42
E858632		20	<0.01	<10	<10	4	<10	34
E858633		20	<0.01	<10	<10	4	<10	38
E858634		20	0.02	<10	<10	5	<10	70
E858635		20	0.02	<10	<10	8	<10	49
E858636		20	0.02	<10	<10	9	<10	36
E858637		<20	<0.01	<10	<10	2	<10	29
E858638		20	0.08	<10	<10	9	<10	93
E858639		<20	0.02	<10	<10	7	<10	42
E858640		<20	0.02	<10	<10	10	<10	37
E858641		20	0.05	<10	<10	11	<10	34
E858642		20	0.05	<10	<10	10	<10	37
E858643		<20	0.01	<10	<10	7	<10	34
E858644		<20	0.02	<10	<10	8	<10	27
E858645		<20	0.02	<10	<10	8	<10	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **13-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10119947

Project: ALN10-02

P.O. No.: ALN10-02_10

This report is for 130 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858646		3.11	<0.005		<0.2	0.61	17	<10	60	<0.5	<2	0.60	<0.5	2	7	1
E858647		5.38	<0.005		<0.2	0.61	2	<10	50	<0.5	<2	0.34	<0.5	2	5	2
E858648		4.68	<0.005		<0.2	0.78	2	<10	90	<0.5	<2	0.27	<0.5	2	24	6
E858649		4.58	<0.005		<0.2	0.65	<2	<10	60	<0.5	<2	0.38	<0.5	2	6	3
E858650		4.17	<0.005		<0.2	0.61	12	<10	60	<0.5	<2	0.38	<0.5	2	6	2
E858651		4.95	<0.005		<0.2	0.43	3	<10	40	<0.5	<2	0.36	<0.5	2	17	2
E858652		4.15	<0.005		0.3	0.40	<2	<10	60	<0.5	<2	0.29	<0.5	1	8	2
E858653		5.01	<0.005		0.2	0.42	<2	<10	50	<0.5	<2	0.48	<0.5	2	7	2
E858654		4.08	<0.005		0.2	0.33	<2	<10	70	<0.5	<2	0.41	<0.5	1	31	1
E858655		3.67	<0.005		<0.2	0.31	25	<10	40	<0.5	<2	0.23	<0.5	1	5	4
E858656		4.66	<0.005		0.2	0.55	<2	<10	40	<0.5	<2	0.43	<0.5	2	6	1
E858657		4.68	<0.005		<0.2	0.28	<2	<10	30	<0.5	2	0.38	<0.5	1	18	<1
E858658		4.65	<0.005		<0.2	0.61	<2	<10	40	<0.5	<2	0.58	<0.5	1	10	1
E858659		4.76	<0.005		<0.2	0.35	10	<10	30	<0.5	<2	0.61	<0.5	1	6	2
E858660		4.73	<0.005		0.2	0.49	<2	<10	40	<0.5	<2	0.67	<0.5	1	28	2
E858661		1.71	<0.005		1.7	0.67	3	<10	70	<0.5	<2	0.46	<0.5	2	6	4
E858662		1.64	<0.005		1.8	0.79	9	<10	80	<0.5	<2	0.45	<0.5	2	5	5
E858663		4.48	<0.005		0.2	0.52	2	<10	100	0.5	<2	0.91	<0.5	1	17	4
E858664		4.35	<0.005		0.6	1.14	3	<10	120	1.0	<2	0.62	<0.5	1	7	5
E858665		4.59	<0.005		<0.2	0.83	<2	<10	230	<0.5	<2	0.40	<0.5	1	6	1
E858666		4.68	<0.005		0.2	0.87	2	<10	100	<0.5	<2	0.35	<0.5	2	26	6
E858667		4.81	<0.005		<0.2	0.98	<2	<10	170	<0.5	<2	0.36	<0.5	2	6	1
E858668		4.43	<0.005		0.9	0.86	381	<10	160	<0.5	<2	0.40	<0.5	3	7	6
E858669CD		<0.02	0.005		0.8	0.69	1240	<10	120	<0.5	3	0.38	<0.5	3	18	6
E858670		0.05	0.907		>100	0.55	4610	<10	30	<0.5	6	0.58	103.5	7	54	311
E858671		4.61	<0.005		0.7	0.70	33	<10	90	<0.5	2	0.29	<0.5	2	7	3
E858672		3.07	<0.005		0.4	0.50	80	<10	50	<0.5	<2	0.37	0.6	2	6	7
E858673		4.76	<0.005		<0.2	0.88	3	<10	90	<0.5	<2	0.12	<0.5	3	24	2
E858674		3.77	<0.005		<0.2	0.68	12	<10	60	<0.5	<2	0.18	<0.5	2	6	4
E858675		3.63	<0.005		0.2	0.55	2	<10	60	<0.5	<2	0.20	<0.5	2	6	3
E858676		4.56	<0.005		<0.2	0.67	<2	<10	50	<0.5	<2	0.29	<0.5	3	16	2
E858677		5.39	<0.005		0.6	0.87	8	<10	90	<0.5	<2	0.39	<0.5	3	12	3
E858678		4.26	<0.005		<0.2	0.82	<2	<10	80	<0.5	<2	0.15	<0.5	3	5	1
E858679		4.99	<0.005		0.2	0.82	<2	<10	90	<0.5	<2	0.19	<0.5	3	20	1
E858680		4.02	<0.005		<0.2	0.33	21	<10	80	<0.5	<2	0.39	<0.5	2	4	1
E858681		2.64	<0.005		0.2	0.58	5	<10	60	<0.5	<2	0.32	<0.5	2	5	1
E858682		2.15	<0.005		0.2	0.48	2	<10	40	<0.5	<2	0.31	<0.5	2	16	7
E858683		4.12	0.041		0.8	0.40	13	<10	70	<0.5	<2	1.13	1.9	2	5	10
E858684		4.17	<0.005		<0.2	0.40	2	<10	30	<0.5	<2	0.93	<0.5	1	5	1
E858685		3.90	<0.005		<0.2	0.70	3	<10	90	<0.5	<2	0.29	<0.5	1	27	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858646		1.22	<10	<1	0.26	20	0.20	273	<1	0.07	1	60	9	0.01	<2	1
E858647		1.33	<10	<1	0.30	30	0.29	289	5	0.03	<1	70	7	0.03	<2	2
E858648		1.44	<10	<1	0.43	40	0.34	314	1	0.06	1	70	7	0.05	<2	3
E858649		1.40	<10	<1	0.29	30	0.33	296	1	0.04	<1	60	6	0.03	<2	2
E858650		1.28	<10	<1	0.31	30	0.22	274	<1	0.07	<1	60	7	0.02	<2	2
E858651		1.17	<10	<1	0.23	30	0.22	268	<1	0.03	1	60	7	0.02	<2	2
E858652		1.09	<10	<1	0.21	30	0.09	171	<1	0.07	<1	60	16	0.03	<2	1
E858653		1.28	<10	<1	0.21	30	0.21	278	3	0.03	<1	110	8	0.02	<2	2
E858654		1.13	<10	<1	0.21	30	0.15	225	40	0.04	1	60	7	0.03	<2	1
E858655		1.09	<10	<1	0.18	30	0.10	202	1	0.03	1	70	7	0.04	<2	1
E858656		1.53	<10	<1	0.28	30	0.33	366	<1	0.05	<1	60	6	0.02	<2	3
E858657		0.81	<10	<1	0.16	20	0.16	199	<1	0.03	<1	60	7	0.01	<2	1
E858658		1.34	<10	<1	0.30	30	0.38	351	3	0.06	<1	60	8	0.02	<2	2
E858659		1.09	<10	<1	0.19	20	0.27	348	<1	0.02	<1	60	11	0.02	<2	2
E858660		1.12	<10	<1	0.29	30	0.36	336	<1	0.05	<1	60	9	0.02	<2	2
E858661		1.58	<10	<1	0.46	30	0.47	400	1	0.03	<1	60	9	0.05	<2	4
E858662		1.59	<10	<1	0.51	30	0.47	390	1	0.06	<1	70	9	0.03	<2	4
E858663		1.36	<10	<1	0.33	30	0.60	492	<1	0.02	<1	60	10	0.04	<2	2
E858664		1.67	10	<1	0.69	30	0.79	599	<1	0.06	1	60	12	0.05	<2	4
E858665		1.59	<10	<1	0.57	30	0.61	425	<1	0.03	<1	50	7	0.03	<2	5
E858666		1.49	<10	<1	0.53	20	0.44	380	<1	0.07	1	70	20	0.06	<2	4
E858667		1.94	10	<1	0.64	20	0.58	471	<1	0.05	<1	180	5	0.03	<2	4
E858668		2.01	<10	<1	0.53	30	0.39	426	<1	0.06	1	240	46	0.18	<2	3
E858669CD		1.98	<10	<1	0.44	20	0.38	406	1	0.03	1	240	42	0.25	<2	3
E858670		6.38	<10	1	0.34	10	0.10	321	1	0.03	6	690	5220	8.0	1680	1
E858671		1.29	<10	<1	0.43	20	0.23	301	5	0.08	1	70	39	0.12	2	2
E858672		1.35	<10	<1	0.31	10	0.23	320	10	0.03	<1	60	38	0.22	<2	2
E858673		1.67	10	<1	0.60	20	0.37	351	80	0.09	2	60	5	0.03	<2	4
E858674		1.49	10	<1	0.46	20	0.31	371	1	0.05	1	60	5	0.04	<2	3
E858675		1.18	<10	<1	0.33	20	0.19	243	<1	0.08	<1	50	5	0.02	<2	2
E858676		1.40	<10	<1	0.42	20	0.35	352	1	0.04	<1	60	5	0.03	<2	3
E858677		1.61	10	<1	0.54	30	0.43	413	<1	0.07	<1	70	43	0.08	<2	4
E858678		1.55	<10	<1	0.60	20	0.43	420	<1	0.04	<1	70	6	0.02	<2	4
E858679		1.50	<10	<1	0.57	30	0.42	390	<1	0.06	<1	70	5	0.02	<2	4
E858680		1.16	<10	<1	0.22	30	0.26	303	<1	0.03	<1	60	9	0.02	<2	2
E858681		1.48	<10	<1	0.38	30	0.33	364	<1	0.05	1	60	8	0.03	<2	3
E858682		1.31	<10	<1	0.34	30	0.32	331	2	0.04	5	60	14	0.03	<2	3
E858683		1.50	<10	<1	0.27	30	0.36	450	1	0.05	5	80	139	0.20	<2	2
E858684		1.34	<10	<1	0.29	20	0.48	429	2	0.03	1	60	7	0.01	<2	3
E858685		1.25	<10	<1	0.38	20	0.30	295	2	0.07	1	50	6	0.02	<2	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858646		21	20	0.01	<10	<10	8	<10	28			
E858647		11	20	0.04	<10	<10	11	<10	34			
E858648		12	30	0.06	<10	<10	12	<10	36			
E858649		12	20	0.04	<10	<10	10	<10	36			
E858650		14	20	0.03	<10	<10	10	<10	31			
E858651		11	20	0.03	<10	<10	9	<10	32			
E858652		11	20	0.01	<10	<10	8	<10	29			
E858653		16	20	0.02	<10	<10	8	<10	36			
E858654		15	20	<0.01	<10	<10	7	<10	28			
E858655		8	20	0.01	<10	<10	4	<10	29			
E858656		18	20	0.02	<10	<10	6	<10	41			
E858657		14	<20	0.01	<10	<10	3	<10	20			
E858658		23	20	0.01	<10	<10	5	<10	35			
E858659		22	<20	0.01	<10	<10	3	<10	31			
E858660		25	20	0.02	<10	<10	3	<10	29			
E858661		19	20	0.06	<10	<10	7	<10	39			
E858662		20	20	0.06	<10	<10	7	<10	40			
E858663		44	<20	0.01	<10	<10	2	<10	39			
E858664		32	20	0.05	<10	<10	4	<10	46			
E858665		20	20	0.08	<10	<10	8	<10	46			
E858666		18	20	0.07	<10	<10	9	<10	44			
E858667		18	20	0.11	<10	<10	13	<10	52			
E858668		24	20	0.08	<10	<10	15	<10	46			
E858669CD		21	20	0.07	<10	<10	14	<10	45			
E858670		142	<20	<0.01	<10	<10	7	10	>10000		1.320	152
E858671		16	20	0.05	<10	<10	10	<10	39			
E858672		19	<20	0.04	<10	<10	11	<10	52			
E858673		7	20	0.10	<10	<10	17	<10	43			
E858674		8	20	0.08	<10	<10	13	<10	35			
E858675		9	<20	0.05	<10	<10	9	<10	26			
E858676		11	20	0.06	<10	<10	12	<10	38			
E858677		20	20	0.07	<10	<10	12	<10	59			
E858678		6	20	0.11	<10	<10	14	<10	41			
E858679		9	20	0.09	<10	<10	12	<10	42			
E858680		20	20	0.02	<10	<10	5	<10	31			
E858681		16	20	0.04	<10	<10	10	<10	43			
E858682		16	20	0.04	<10	<10	9	<10	43			
E858683		48	20	<0.01	<10	<10	2	<10	94			
E858684		38	20	0.03	<10	<10	4	<10	38			
E858685		19	20	0.05	<10	<10	5	<10	40			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858686		3.75	<0.005		<0.2	0.60	6	<10	50	<0.5	<2	0.30	<0.5	1	5	4
E858687		5.00	<0.005		0.2	0.68	82	<10	70	<0.5	<2	0.35	<0.5	1	7	3
E858688		4.61	<0.005		0.2	0.49	190	<10	50	<0.5	<2	0.59	<0.5	1	19	4
E858689CD		<0.02	<0.005		0.4	0.64	181	<10	70	<0.5	<2	0.61	<0.5	1	6	5
E858690		0.05	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1
E858691		4.41	<0.005		<0.2	0.42	<2	<10	40	<0.5	<2	0.47	<0.5	1	9	2
E858692		4.80	<0.005		<0.2	0.39	357	<10	50	<0.5	<2	0.69	<0.5	1	29	2
E858693		4.79	<0.005		<0.2	0.69	2	<10	60	<0.5	<2	0.24	<0.5	2	6	2
E858694		4.37	<0.005		<0.2	0.73	<2	<10	70	<0.5	<2	0.27	<0.5	1	6	2
E858695		4.36	<0.005		<0.2	0.60	<2	<10	50	<0.5	<2	0.20	<0.5	1	18	1
E858696		4.76	<0.005		0.2	0.63	6	<10	70	<0.5	<2	0.26	<0.5	1	7	3
E858697		4.43	<0.005		<0.2	0.62	<2	<10	60	<0.5	<2	0.37	<0.5	1	8	2
E858698		4.64	0.005		2.4	0.66	2	<10	140	<0.5	<2	0.76	<0.5	2	33	5
E858699		3.14	0.014		2.2	0.33	6	<10	610	<0.5	<2	1.67	<0.5	1	3	5
E858700		1.42	0.021		4.0	0.30	<2	<10	1050	0.5	<2	1.66	<0.5	1	15	2
E858701		1.36	<0.005		0.2	0.63	6	<10	60	<0.5	<2	1.05	<0.5	2	4	7
E858702		0.98	<0.005		<0.2	0.38	<2	<10	40	<0.5	<2	1.03	<0.5	2	3	5
E858703		4.75	<0.005		0.2	0.73	82	<10	90	<0.5	<2	0.60	<0.5	2	26	3
E858704		4.30	<0.005		0.2	0.60	96	<10	60	<0.5	<2	0.76	<0.5	1	7	3
E858705		5.16	<0.005		<0.2	0.74	<2	<10	80	<0.5	<2	0.55	<0.5	2	6	2
E858706		4.81	<0.005		<0.2	0.85	<2	<10	80	<0.5	<2	0.24	<0.5	2	17	2
E858707		4.28	<0.005		<0.2	0.68	9	<10	90	<0.5	<2	0.61	<0.5	2	6	2
E858708		4.40	<0.005		<0.2	0.63	143	<10	90	<0.5	<2	0.47	<0.5	2	6	5
E858709CD		<0.02	<0.005		0.2	0.72	259	<10	100	<0.5	<2	0.48	<0.5	2	27	4
E858710		0.05	1.625	1.69	>100	0.39	4560	<10	30	<0.5	8	0.85	540	5	56	892
E858711		4.54	<0.005		0.5	0.75	14	<10	70	<0.5	<2	0.45	<0.5	2	7	5
E858712		4.04	<0.005		<0.2	1.16	6	<10	350	<0.5	<2	0.74	<0.5	3	6	11
E858713		4.08	<0.005		<0.2	0.73	<2	<10	170	<0.5	<2	0.59	<0.5	2	17	6
E858714		4.43	<0.005		<0.2	0.89	4	<10	170	<0.5	<2	0.41	<0.5	3	7	16
E858715		4.40	<0.005		0.2	0.60	2	<10	140	<0.5	<2	0.73	<0.5	3	6	4
E858716		5.17	<0.005		0.2	1.47	<2	<10	330	<0.5	<2	1.22	<0.5	8	21	8
E858717		4.63	<0.005		<0.2	1.28	34	<10	140	<0.5	<2	1.96	<0.5	8	7	9
E858718		4.92	<0.005		<0.2	1.96	3	<10	540	<0.5	<2	1.08	<0.5	8	10	11
E858719		5.19	<0.005		<0.2	1.67	3	<10	570	<0.5	<2	0.77	<0.5	8	18	3
E858720		4.74	<0.005		<0.2	2.23	2	<10	710	<0.5	<2	1.00	<0.5	9	11	1
E858721		2.38	<0.005		0.3	1.37	3	<10	360	<0.5	<2	1.17	<0.5	6	6	8
E858722		2.42	<0.005		<0.2	1.50	2	<10	360	<0.5	<2	1.00	<0.5	5	8	8
E858723		4.38	<0.005		<0.2	0.72	3	<10	180	<0.5	<2	0.38	<0.5	1	9	6
E858724		4.15	<0.005		<0.2	0.80	<2	<10	160	<0.5	<2	0.57	<0.5	3	6	6
E858725		4.36	<0.005		<0.2	0.82	2	<10	110	<0.5	<2	0.45	<0.5	2	8	7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858686		1.37	<10	<1	0.38	20	0.33	335	1	0.04	1	50	8	0.03	<2	3
E858687		1.41	<10	<1	0.46	20	0.37	362	<1	0.06	1	50	10	0.04	<2	3
E858688		1.41	<10	<1	0.31	20	0.35	381	<1	0.04	<1	60	8	0.06	<2	2
E858689CD		1.55	<10	<1	0.38	30	0.35	393	<1	0.06	<1	60	9	0.06	<2	3
E858690		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1
E858691		1.22	<10	<1	0.27	20	0.32	294	<1	0.03	<1	50	6	0.03	<2	2
E858692		1.44	<10	<1	0.26	30	0.35	371	<1	0.05	1	60	8	0.04	<2	2
E858693		1.38	<10	<1	0.46	20	0.38	363	<1	0.05	1	60	4	0.02	<2	3
E858694		1.41	<10	<1	0.48	20	0.36	364	<1	0.07	<1	60	6	0.01	<2	3
E858695		1.14	<10	<1	0.43	20	0.32	340	<1	0.04	1	50	5	0.02	<2	3
E858696		1.28	<10	<1	0.43	20	0.35	352	<1	0.04	1	60	10	0.03	<2	3
E858697		1.47	<10	<1	0.44	30	0.44	456	<1	0.03	<1	60	3	0.02	<2	3
E858698		1.64	<10	<1	0.43	30	0.45	444	1	0.04	1	60	12	0.06	<2	3
E858699		1.45	<10	<1	0.17	20	0.54	487	1	0.03	1	40	24	0.04	<2	2
E858700		1.46	<10	<1	0.16	30	0.58	504	<1	0.02	<1	40	14	0.04	<2	3
E858701		1.70	<10	1	0.33	30	0.45	471	<1	0.04	<1	70	8	0.02	<2	3
E858702		1.47	<10	<1	0.22	30	0.42	436	1	0.02	<1	60	7	0.01	<2	2
E858703		1.70	<10	<1	0.53	30	0.51	547	1	0.05	1	70	6	0.04	<2	4
E858704		1.61	<10	<1	0.40	30	0.49	522	<1	0.03	<1	50	9	0.06	<2	4
E858705		1.76	<10	<1	0.54	40	0.56	577	2	0.06	<1	60	5	0.03	<2	4
E858706		1.67	<10	<1	0.63	30	0.49	507	<1	0.05	1	50	3	0.03	<2	4
E858707		1.69	<10	<1	0.41	30	0.35	461	<1	0.07	<1	60	6	0.04	<2	3
E858708		1.51	<10	<1	0.43	20	0.36	437	<1	0.04	<1	50	6	0.06	<2	3
E858709CD		1.52	<10	<1	0.47	20	0.35	429	1	0.07	1	50	8	0.07	<2	3
E858710		6.94	<10	2	0.26	10	0.27	383	1	0.03	4	570	>10000	9.8	2620	1
E858711		1.65	<10	<1	0.48	30	0.41	454	<1	0.06	1	60	22	0.05	2	4
E858712		2.73	10	<1	0.55	20	0.51	491	<1	0.11	1	620	7	0.09	<2	4
E858713		1.75	<10	<1	0.36	20	0.37	376	<1	0.06	<1	220	9	0.04	<2	3
E858714		1.71	<10	<1	0.49	30	0.40	356	<1	0.10	<1	130	5	0.06	<2	4
E858715		1.59	<10	<1	0.37	20	0.39	377	<1	0.04	1	190	8	0.03	<2	3
E858716		2.96	10	<1	0.55	30	1.00	625	<1	0.07	3	660	11	0.04	<2	5
E858717		2.94	<10	<1	0.23	20	1.05	647	<1	0.04	2	810	6	0.05	<2	4
E858718		3.10	10	<1	0.72	30	1.03	668	<1	0.15	6	780	6	0.03	<2	5
E858719		2.86	10	<1	0.78	20	0.91	626	<1	0.12	2	690	2	0.01	<2	4
E858720		3.27	10	<1	0.92	30	1.10	763	<1	0.19	3	790	<2	0.02	<2	6
E858721		2.18	<10	<1	0.52	20	0.64	569	<1	0.08	1	470	7	0.05	<2	5
E858722		2.15	10	<1	0.58	20	0.56	524	<1	0.12	1	430	7	0.05	<2	5
E858723		1.34	<10	<1	0.42	20	0.18	254	<1	0.10	<1	100	6	0.03	<2	2
E858724		1.87	<10	<1	0.34	20	0.28	391	1	0.07	<1	460	3	0.05	<2	3
E858725		1.67	<10	<1	0.45	30	0.30	362	1	0.11	<1	70	3	0.06	<2	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858686		15	20	0.05	<10	<10	7	<10	42			
E858687		19	20	0.06	<10	<10	8	<10	36			
E858688		25	20	0.04	<10	<10	6	<10	35			
E858689CD		28	20	0.04	<10	<10	7	<10	35			
E858690		2	<20	<0.01	<10	<10	<1	<10	2			
E858691		21	20	0.03	<10	<10	6	<10	31			
E858692		34	20	0.01	<10	<10	5	<10	36			
E858693		12	20	0.07	<10	<10	9	<10	36			
E858694		14	20	0.06	<10	<10	9	<10	35			
E858695		11	<20	0.06	<10	<10	7	<10	31			
E858696		14	20	0.06	<10	<10	8	<10	34			
E858697		20	20	0.06	<10	<10	8	<10	39			
E858698		46	20	0.05	<10	<10	8	<10	46			
E858699		87	<20	<0.01	<10	<10	3	<10	42			
E858700		101	20	<0.01	<10	<10	3	<10	41			
E858701		66	20	0.02	<10	<10	6	<10	39			
E858702		64	20	0.02	<10	<10	5	<10	39			
E858703		40	20	0.07	<10	<10	9	<10	42			
E858704		58	20	0.05	<10	<10	7	<10	40			
E858705		43	20	0.07	<10	<10	9	<10	45			
E858706		11	20	0.10	<10	<10	13	<10	43			
E858707		36	20	0.04	<10	<10	9	<10	37			
E858708		24	<20	0.06	<10	<10	11	<10	35			
E858709CD		24	20	0.06	<10	<10	11	<10	34			
E858710		114	<20	<0.01	<10	<10	5	20	>10000	1.925	3.70	NSS
E858711		25	20	0.07	<10	<10	14	<10	65			
E858712		48	<20	0.12	<10	<10	26	<10	70			
E858713		36	<20	0.07	<10	<10	15	<10	42			
E858714		24	20	0.08	<10	<10	19	<10	38			
E858715		38	<20	0.05	<10	<10	18	<10	39			
E858716		61	<20	0.17	<10	<10	54	<10	61			
E858717		104	<20	0.10	<10	<10	44	<10	53			
E858718		61	<20	0.20	<10	<10	65	<10	63			
E858719		42	<20	0.19	<10	<10	60	<10	52			
E858720		65	<20	0.23	<10	<10	70	<10	66			
E858721		69	<20	0.08	<10	<10	34	<10	59			
E858722		64	<20	0.08	<10	<10	32	<10	55			
E858723		27	<20	0.03	<10	<10	7	<10	24			
E858724		30	<20	0.05	<10	<10	13	<10	47			
E858725		25	20	0.04	<10	<10	8	<10	41			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858726		4.19	<0.005		<0.2	0.49	2	<10	50	<0.5	<2	0.52	<0.5	2	6	2
E858727		4.17	<0.005		0.3	0.59	24	<10	100	<0.5	<2	0.49	<0.5	2	8	18
E858728		4.86	<0.005		<0.2	0.45	137	<10	80	<0.5	<2	0.15	<0.5	2	7	48
E858729CD		<0.02	<0.005		<0.2	0.58	141	<10	120	<0.5	<2	0.16	<0.5	2	8	49
E858730		<0.02	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	<0.01	<0.5	1	<1	1
E858731		5.23	<0.005		<0.2	0.60	3	<10	60	<0.5	<2	0.31	<0.5	1	9	4
E858732		4.31	0.007		1.5	0.61	5	<10	90	<0.5	<2	0.59	<0.5	1	7	2
E858733		4.05	<0.005		<0.2	0.46	<2	<10	50	<0.5	<2	0.45	<0.5	2	8	1
E858734		5.64	<0.005		<0.2	0.75	3	<10	120	<0.5	<2	0.30	<0.5	2	8	2
E858735		3.62	<0.005		0.5	0.39	13	<10	70	<0.5	<2	0.53	<0.5	3	28	17
E858736		4.55	<0.005		1.4	0.42	9	<10	70	<0.5	2	0.34	<0.5	1	6	7
E858737		3.29	<0.005		0.5	0.80	2	<10	80	<0.5	<2	0.57	<0.5	2	7	9
E858738		4.30	<0.005		<0.2	0.59	<2	<10	70	<0.5	<2	0.49	0.6	1	7	3
E858739		4.54	<0.005		<0.2	0.41	<2	<10	40	<0.5	<2	0.51	<0.5	1	7	4
E858740		4.57	<0.005		0.6	0.82	14	<10	120	<0.5	<2	0.70	<0.5	2	6	3
E858741		2.41	0.026		0.4	0.62	2830	<10	60	<0.5	<2	0.48	<0.5	2	5	1
E858742		2.30	0.018		0.2	0.82	2800	<10	80	<0.5	<2	0.35	<0.5	2	5	2
E858743		4.41	<0.005		<0.2	0.93	23	<10	110	<0.5	<2	0.33	<0.5	2	6	3
E858744		3.79	<0.005		<0.2	0.62	12	<10	80	<0.5	<2	1.23	0.5	1	5	<1
E858745		4.29	<0.005		<0.2	0.69	<2	<10	70	<0.5	<2	0.26	<0.5	2	6	4
E858746		5.67	<0.005		<0.2	0.45	3	<10	50	<0.5	<2	0.40	<0.5	2	7	7
E858747		4.00	<0.005		<0.2	0.53	2	<10	70	<0.5	<2	0.49	<0.5	2	7	1
E858748		4.82	0.032		0.5	0.64	132	<10	110	<0.5	<2	0.65	0.7	3	6	6
E858749CD		<0.02	0.013		0.4	0.71	75	<10	120	<0.5	<2	0.64	0.6	3	7	7
E858750		0.05	0.910		>100	0.56	4690	<10	40	<0.5	7	0.56	102.5	7	54	312
E858751		5.00	0.013		0.9	0.28	136	<10	160	<0.5	<2	0.65	0.8	2	6	6
E858752		5.09	<0.005		0.6	0.27	7	<10	390	<0.5	<2	0.74	<0.5	2	6	4
E858753		4.58	0.008		0.7	0.36	13	<10	60	<0.5	<2	0.56	1.2	1	7	2
E858754		4.54	<0.005		<0.2	0.44	2	<10	50	<0.5	<2	0.38	<0.5	1	9	5
E858755		4.09	<0.005		0.5	0.25	2	<10	40	<0.5	<2	0.87	<0.5	1	4	2
E858756		5.47	<0.005		0.2	0.35	<2	<10	50	<0.5	<2	0.62	<0.5	2	7	3
E858757		3.80	0.008		5.0	0.31	36	<10	40	<0.5	4	0.50	4.9	2	4	6
E858758		3.99	0.005		1.2	0.32	9	<10	50	<0.5	2	0.53	2.6	2	9	8
E858759		4.59	0.008		1.6	0.20	8	<10	50	<0.5	<2	0.41	9.1	2	7	7
E858760		4.54	0.006		3.2	0.25	8	<10	50	<0.5	4	0.08	4.3	1	7	9
E858761		2.29	<0.005		0.4	0.21	2	<10	30	<0.5	<2	0.26	<0.5	2	4	8
E858762		2.75	<0.005		0.4	0.28	5	<10	40	<0.5	<2	0.27	<0.5	2	6	7
E858763		3.96	<0.005		2.4	0.28	91	<10	90	<0.5	2	0.58	9.6	1	6	6
E858764		4.57	<0.005		0.5	0.38	53	<10	130	<0.5	2	0.64	<0.5	1	6	2
E858765		4.29	<0.005		0.2	0.45	<2	<10	60	<0.5	<2	0.57	<0.5	2	5	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858726		1.30	<10	<1	0.26	30	0.27	338	2	0.06	<1	70	4	0.02	<2	2
E858727		1.49	<10	<1	0.33	40	0.19	332	1	0.08	<1	90	8	0.16	<2	2
E858728		1.59	<10	<1	0.28	30	0.16	241	1	0.05	<1	70	7	0.40	<2	2
E858729CD		1.81	<10	<1	0.38	30	0.16	265	1	0.07	<1	70	10	0.40	<2	2
E858730		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	0.01	<1	10	3	0.01	<2	<1
E858731		0.98	<10	<1	0.33	20	0.20	275	1	0.07	<1	60	7	0.03	<2	2
E858732		1.24	<10	<1	0.31	30	0.22	315	<1	0.09	<1	70	34	0.07	<2	2
E858733		1.00	<10	<1	0.26	20	0.22	279	<1	0.06	<1	60	7	0.03	<2	2
E858734		1.41	<10	<1	0.42	30	0.27	339	1	0.10	<1	70	4	0.01	<2	3
E858735		1.01	<10	<1	0.24	30	0.27	350	<1	0.04	6	70	17	0.04	<2	2
E858736		0.88	<10	<1	0.28	30	0.18	259	<1	0.04	<1	90	45	0.08	<2	2
E858737		1.62	<10	<1	0.45	30	0.46	437	1	0.09	<1	70	6	0.09	<2	5
E858738		1.13	<10	<1	0.36	30	0.27	338	<1	0.07	<1	70	7	0.04	<2	3
E858739		0.97	<10	<1	0.24	30	0.29	292	1	0.05	<1	70	5	0.06	<2	2
E858740		1.23	<10	<1	0.44	30	0.41	447	1	0.07	<1	90	22	0.08	<2	2
E858741		1.49	<10	<1	0.30	20	0.32	385	1	0.06	<1	100	6	0.20	<2	2
E858742		1.52	<10	<1	0.42	30	0.31	359	<1	0.09	<1	90	7	0.18	<2	2
E858743		1.52	<10	<1	0.49	30	0.29	355	<1	0.13	<1	90	4	0.04	<2	3
E858744		1.35	<10	<1	0.31	30	0.29	530	1	0.05	<1	140	12	0.02	<2	2
E858745		1.16	<10	<1	0.38	20	0.27	289	<1	0.07	<1	80	4	0.02	<2	2
E858746		1.11	<10	<1	0.27	20	0.26	302	<1	0.03	<1	80	8	0.08	<2	2
E858747		1.21	<10	<1	0.32	30	0.33	360	1	0.04	<1	70	4	0.01	<2	2
E858748		1.75	<10	<1	0.29	20	0.34	434	1	0.04	<1	380	72	0.15	<2	2
E858749CD		1.79	<10	<1	0.33	20	0.34	437	1	0.05	<1	350	43	0.16	<2	2
E858750		6.15	<10	1	0.33	10	0.10	310	2	0.04	4	690	5060	7.9	1770	1
E858751		1.05	<10	<1	0.18	20	0.23	316	1	0.03	<1	80	59	0.09	3	1
E858752		0.97	<10	<1	0.20	30	0.21	288	1	0.04	<1	80	18	0.07	<2	1
E858753		0.96	<10	<1	0.20	20	0.18	343	1	0.03	<1	80	73	0.09	<2	2
E858754		1.19	<10	<1	0.26	20	0.21	310	<1	0.05	2	70	11	0.03	<2	2
E858755		0.98	<10	<1	0.18	20	0.22	350	<1	0.03	<1	80	18	0.04	<2	1
E858756		1.17	<10	<1	0.23	20	0.20	336	<1	0.04	<1	80	9	0.04	<2	1
E858757		1.16	<10	<1	0.20	20	0.18	341	<1	0.02	<1	90	79	0.15	<2	1
E858758		0.99	<10	<1	0.23	20	0.11	297	<1	0.03	1	90	54	0.15	<2	1
E858759		0.73	<10	<1	0.17	20	0.07	205	<1	0.03	<1	70	60	0.15	<2	1
E858760		0.75	<10	<1	0.22	20	0.03	134	<1	0.03	<1	80	201	0.20	<2	<1
E858761		0.83	<10	<1	0.15	20	0.09	219	<1	0.02	<1	80	9	0.10	<2	1
E858762		0.95	<10	<1	0.20	20	0.09	229	<1	0.03	<1	80	11	0.09	<2	1
E858763		0.95	<10	<1	0.17	20	0.16	309	<1	0.03	<1	80	33	0.11	<2	1
E858764		1.20	<10	<1	0.20	20	0.20	357	<1	0.04	<1	80	24	0.04	<2	2
E858765		1.60	<10	<1	0.26	30	0.39	458	<1	0.03	<1	90	8	0.04	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Ti	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858726		27	20	0.02	<10	<10	6	<10	40			
E858727		26	20	0.01	<10	<10	6	<10	45			
E858728		11	20	0.02	<10	<10	4	<10	50			
E858729CD		13	20	0.02	<10	<10	4	<10	51			
E858730		1	<20	<0.01	<10	<10	<1	<10	2			
E858731		14	<20	0.03	<10	<10	5	<10	42			
E858732		32	20	0.01	<10	<10	3	<10	47			
E858733		23	20	0.01	<10	<10	2	<10	32			
E858734		19	20	0.04	<10	<10	6	<10	44			
E858735		31	20	0.01	<10	<10	6	<10	31			
E858736		20	20	0.01	<10	<10	2	<10	24			
E858737		38	20	0.03	<10	<10	4	<10	45			
E858738		31	20	0.01	<10	<10	2	<10	36			
E858739		29	20	<0.01	<10	<10	2	<10	29			
E858740		35	20	0.01	<10	<10	3	<10	35			
E858741		24	20	0.02	<10	<10	6	<10	38			
E858742		21	20	0.02	<10	<10	6	<10	43			
E858743		16	20	0.05	<10	<10	11	<10	42			
E858744		46	20	0.02	<10	<10	6	<10	41			
E858745		12	20	0.05	<10	<10	6	<10	35			
E858746		21	<20	0.02	<10	<10	3	<10	34			
E858747		30	20	0.03	<10	<10	3	<10	34			
E858748		34	<20	0.03	<10	<10	11	<10	70			
E858749CD		35	<20	0.03	<10	<10	11	<10	67			
E858750		142	<20	<0.01	<10	<10	4	<10	>10000		1.340	145
E858751		34	<20	0.01	<10	<10	2	<10	110			
E858752		37	<20	<0.01	<10	<10	1	<10	31			
E858753		29	<20	0.01	<10	<10	3	<10	49			
E858754		18	20	0.02	<10	<10	7	<10	32			
E858755		32	<20	<0.01	<10	<10	3	<10	21			
E858756		23	<20	0.01	<10	<10	5	<10	19			
E858757		21	20	0.01	<10	<10	4	<10	95			
E858758		23	<20	<0.01	<10	<10	3	<10	92			
E858759		17	<20	<0.01	<10	<10	2	<10	134			
E858760		4	<20	<0.01	<10	<10	2	<10	79			
E858761		13	<20	<0.01	<10	<10	2	<10	18			
E858762		14	<20	<0.01	<10	<10	3	<10	18			
E858763		26	<20	<0.01	<10	<10	4	<10	942			
E858764		27	<20	<0.01	<10	<10	5	<10	32			
E858765		28	20	0.02	<10	<10	7	<10	47			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E858766		4.11	0.009		0.6	0.57	444	<10	50	<0.5	<2	0.65	0.9	2	7	4
E858767		5.03	<0.005		0.4	0.44	12	<10	50	<0.5	<2	0.82	<0.5	1	5	3
E858768		4.75	<0.005		0.2	0.78	2	<10	70	<0.5	<2	0.70	<0.5	3	6	5
E858769CD		<0.02	<0.005		0.2	0.70	2	<10	60	<0.5	<2	0.70	<0.5	2	6	5
E858770		0.05	<0.005		<0.2	0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
E858771		4.57	<0.005		<0.2	1.08	2	<10	90	<0.5	2	0.49	<0.5	4	7	13
E858772		4.15	<0.005		0.6	0.54	6	<10	60	<0.5	<2	0.55	<0.5	3	6	10
E858773		4.34	<0.005		0.2	0.93	<2	<10	100	<0.5	2	0.25	<0.5	2	6	10
E858774		4.45	<0.005		<0.2	0.67	<2	<10	70	<0.5	2	0.30	<0.5	2	6	3
E858775		3.78	<0.005		<0.2	0.78	<2	<10	80	<0.5	2	0.40	<0.5	3	6	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
E858766		1.56	<10	<1	0.29	30	0.39	486	<1	0.04	1	110	17	0.09	<2
E858767		1.25	<10	<1	0.27	30	0.42	427	2	0.03	<1	100	11	0.07	<2
E858768		1.98	<10	<1	0.48	40	0.62	561	<1	0.04	<1	110	7	0.07	<2
E858769CD		1.87	<10	<1	0.44	30	0.61	555	<1	0.03	<1	100	7	0.07	<2
E858770		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2
E858771		2.41	<10	1	0.67	30	0.71	637	1	0.05	1	130	6	0.12	<2
E858772		1.58	<10	<1	0.34	20	0.35	459	2	0.04	1	110	10	0.13	<2
E858773		1.87	<10	<1	0.63	20	0.48	480	<1	0.05	1	100	6	0.08	<2
E858774		1.42	<10	<1	0.43	20	0.36	396	<1	0.04	<1	80	5	0.04	<2
E858775		1.74	<10	<1	0.53	30	0.45	480	<1	0.05	<1	90	7	0.04	<2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	0.001	5
E858766		38	20	0.02	<10	<10	5	<10	53			
E858767		53	20	0.01	<10	<10	2	<10	34			
E858768		44	20	0.05	<10	<10	7	<10	46			
E858769CD		44	20	0.05	<10	<10	7	<10	44			
E858770		<1	<20	<0.01	<10	<10	<1	<10	2			
E858771		22	20	0.10	<10	<10	15	<10	56			
E858772		30	<20	0.04	<10	<10	10	<10	37			
E858773		15	<20	0.10	<10	<10	14	<10	46			
E858774		14	<20	0.07	<10	<10	10	<10	38			
E858775		23	20	0.08	<10	<10	11	<10	43			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119947

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **13-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10119946

Project: ALN10-02

P.O. No.: ALN10-02_8

This report is for 105 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858535		4.73	<0.005		0.2	0.88	18	<10	170	<0.5	<2	0.59	<0.5	3	9	11
E858536		4.64	<0.005		<0.2	0.74	<2	<10	150	<0.5	<2	0.41	<0.5	3	7	2
E858537		4.26	<0.005		<0.2	1.71	<2	<10	500	<0.5	<2	0.77	<0.5	7	8	7
E858538		4.64	<0.005		<0.2	2.15	<2	<10	1080	<0.5	<2	1.05	<0.5	8	6	13
E858539		4.43	<0.005		<0.2	2.35	2	<10	1360	<0.5	<2	1.34	<0.5	9	4	9
E858540		5.31	<0.005		<0.2	1.61	5	<10	580	<0.5	<2	0.58	<0.5	9	10	1
E858541		1.99	<0.005		<0.2	1.95	<2	<10	1130	<0.5	<2	0.75	<0.5	7	7	7
E858542		2.01	<0.005		0.2	1.99	3	<10	1170	<0.5	<2	0.78	<0.5	8	5	8
E858543		5.04	<0.005		<0.2	1.59	<2	<10	550	<0.5	<2	0.68	<0.5	5	8	6
E858544		4.50	<0.005		<0.2	1.10	<2	<10	110	<0.5	<2	0.42	<0.5	4	8	1
E858545		4.61	<0.005		<0.2	1.03	133	<10	70	<0.5	<2	0.67	<0.5	4	8	10
E858546		4.57	<0.005		<0.2	0.99	<2	<10	80	<0.5	<2	0.54	<0.5	4	9	8
E858547		4.24	<0.005		0.2	0.73	2	<10	100	<0.5	4	0.60	<0.5	2	9	6
E858548		4.92	<0.005		<0.2	1.37	<2	<10	350	<0.5	<2	0.60	<0.5	5	8	11
E858549CD		<0.02	<0.005		<0.2	1.49	<2	<10	370	<0.5	<2	0.66	<0.5	6	9	11
E858550		0.05	<0.005		<0.2	0.01	2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	2
E858551		4.79	<0.005		<0.2	1.49	<2	<10	400	<0.5	<2	1.22	<0.5	8	8	7
E858552		5.00	<0.005		<0.2	1.21	<2	<10	450	<0.5	<2	1.56	<0.5	8	7	12
E858553		4.18	0.005		<0.2	1.67	<2	<10	540	<0.5	3	1.07	<0.5	8	9	14
E858554		4.37	<0.005		<0.2	0.46	2	<10	650	<0.5	<2	1.65	<0.5	5	8	23
E858555		4.38	<0.005		<0.2	1.36	<2	<10	320	<0.5	2	1.21	<0.5	11	9	38
E858556		4.04	0.017		1.2	0.56	31	<10	680	0.7	<2	3.68	<0.5	7	4	27
E858557		4.78	0.009		0.2	1.43	2520	<10	500	<0.5	3	1.72	<0.5	9	6	10
E858558		4.57	0.017		<0.2	1.23	2950	<10	240	0.5	<2	1.91	<0.5	9	7	7
E858559		4.32	<0.005		0.2	1.34	57	<10	1230	<0.5	<2	2.60	<0.5	10	9	20
E858560		4.10	<0.005		<0.2	1.00	4	<10	1140	0.5	<2	1.74	<0.5	8	6	11
E858561		1.90	0.008		<0.2	0.74	18	<10	210	0.5	4	1.80	<0.5	6	5	10
E858562		2.04	<0.005		<0.2	0.78	3	<10	230	0.5	<2	1.67	<0.5	6	4	9
E858563		3.93	<0.005		<0.2	0.68	120	<10	1660	0.6	2	2.75	<0.5	7	4	8
E858564		4.70	<0.005		<0.2	0.68	2	<10	1090	0.7	<2	2.70	<0.5	9	6	5
E858565		4.87	<0.005		<0.2	0.60	8	<10	840	1.2	<2	4.87	<0.5	16	21	17
E858566		4.07	<0.005		<0.2	0.64	6	<10	140	1.3	<2	5.01	<0.5	19	26	28
E858567		4.36	<0.005		4.1	0.95	10	<10	1420	1.2	9	4.67	<0.5	19	28	27
E858568		4.13	<0.005		<0.2	1.06	2	<10	540	<0.5	<2	1.49	<0.5	8	8	4
E858569CD		<0.02	<0.005		<0.2	1.03	3	<10	540	<0.5	<2	1.46	<0.5	7	7	3
E858570		0.03	<0.005		<0.2	0.01	<2	<10	10	<0.5	<2	0.05	<0.5	<1	<1	1
E858571		4.41	<0.005		<0.2	1.56	<2	<10	430	<0.5	<2	1.10	<0.5	9	6	15
E858572		5.17	<0.005		<0.2	1.71	<2	<10	340	<0.5	<2	0.58	<0.5	9	8	15
E858573		4.74	<0.005		<0.2	1.44	<2	<10	250	<0.5	<2	1.42	<0.5	9	8	13
E858574		4.47	<0.005		<0.2	1.53	<2	<10	290	<0.5	<2	0.55	<0.5	9	10	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858535		1.88	10	1	0.49	20	0.47	575	<1	0.06	2	340	13	0.15	<2	5
E858536		1.60	<10	<1	0.39	10	0.39	448	<1	0.05	1	260	7	0.05	<2	3
E858537		3.23	10	<1	0.91	10	0.93	736	<1	0.10	3	750	3	0.09	<2	6
E858538		3.98	10	<1	0.97	10	1.16	751	<1	0.14	2	1540	2	0.13	<2	3
E858539		4.12	10	1	0.93	10	1.11	761	<1	0.20	2	1660	<2	0.08	<2	4
E858540		3.02	10	<1	0.94	20	0.97	666	<1	0.12	3	440	3	0.07	<2	5
E858541		3.73	10	<1	1.00	20	1.03	819	<1	0.15	1	1170	<2	0.06	<2	3
E858542		3.80	10	1	1.04	20	1.08	848	<1	0.15	2	1220	<2	0.06	<2	4
E858543		2.93	10	1	0.80	20	0.75	772	<1	0.12	<1	750	3	0.07	<2	5
E858544		2.26	10	<1	0.66	10	0.60	701	<1	0.08	1	470	3	0.03	<2	6
E858545		2.28	10	<1	0.57	10	0.59	769	<1	0.06	1	480	4	0.12	<2	6
E858546		2.15	10	<1	0.52	20	0.52	628	<1	0.08	1	360	5	0.06	<2	5
E858547		1.67	<10	<1	0.37	10	0.37	439	<1	0.05	<1	290	9	0.07	<2	3
E858548		2.75	10	1	0.74	20	0.83	589	<1	0.08	2	540	2	0.10	<2	3
E858549CD		2.94	10	1	0.78	20	0.84	615	<1	0.10	3	550	3	0.09	<2	3
E858550		0.02	<10	<1	<0.01	<10	<0.01	<5	<1	0.01	2	10	<2	<0.01	<2	<1
E858551		3.31	10	1	0.83	20	1.09	773	<1	0.07	3	600	2	0.10	<2	6
E858552		3.09	10	<1	0.68	20	1.03	795	<1	0.05	3	610	2	0.09	<2	6
E858553		3.36	10	1	0.96	20	1.05	819	<1	0.11	2	560	4	0.12	<2	6
E858554		1.99	<10	<1	0.23	20	0.51	596	<1	0.04	2	570	8	0.17	<2	4
E858555		3.27	10	<1	0.67	20	0.83	792	<1	0.09	3	680	5	0.27	<2	5
E858556		3.00	<10	1	0.28	20	1.19	904	<1	0.02	5	680	42	0.46	<2	5
E858557		3.78	<10	<1	0.57	20	1.11	795	<1	0.03	2	870	12	0.20	<2	6
E858558		3.46	<10	<1	0.40	20	0.96	803	<1	0.03	2	530	7	0.24	<2	7
E858559		3.34	<10	<1	0.34	20	1.17	924	<1	0.02	3	720	5	0.20	<2	8
E858560		2.93	<10	<1	0.43	20	0.86	858	<1	0.03	1	650	6	0.08	<2	9
E858561		2.93	<10	<1	0.25	20	0.56	701	<1	0.03	1	590	15	0.39	<2	3
E858562		2.74	<10	<1	0.26	30	0.59	691	<1	0.03	1	710	8	0.10	<2	3
E858563		2.50	<10	<1	0.25	30	0.91	762	<1	0.01	2	580	12	0.10	<2	3
E858564		3.16	<10	<1	0.26	30	0.94	801	<1	0.02	3	680	10	0.05	<2	5
E858565		4.44	<10	<1	0.24	20	1.98	1030	<1	0.01	25	1180	14	0.08	<2	9
E858566		5.17	<10	<1	0.19	20	2.24	1205	<1	<0.01	35	1680	15	0.06	<2	14
E858567		4.92	<10	<1	0.28	20	2.21	1110	<1	0.05	33	1330	14	0.14	<2	11
E858568		2.85	<10	<1	0.53	10	0.92	759	<1	0.04	3	430	4	0.03	<2	6
E858569CD		2.77	<10	<1	0.52	10	0.91	744	<1	0.04	1	420	5	0.03	<2	5
E858570		0.02	<10	<1	<0.01	<10	0.01	<5	<1	<0.01	<1	10	<2	<0.01	<2	<1
E858571		3.30	10	<1	0.96	10	1.09	803	<1	0.08	1	690	3	0.07	<2	5
E858572		3.25	10	<1	1.10	10	1.08	732	<1	0.10	2	650	2	0.04	<2	5
E858573		3.12	<10	<1	0.73	20	0.98	760	<1	0.09	2	540	5	0.03	<2	5
E858574		3.02	<10	<1	0.99	10	1.03	759	<1	0.08	2	510	3	0.01	<2	6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858535		26	<20	0.10	<10	<10	25	<10	39			
E858536		17	<20	0.09	<10	<10	25	<10	33			
E858537		31	<20	0.19	<10	<10	60	<10	74			
E858538		58	<20	0.24	<10	<10	81	<10	79			
E858539		83	<20	0.23	<10	<10	80	<10	75			
E858540		24	<20	0.20	<10	<10	72	<10	59			
E858541		49	<20	0.24	<10	<10	67	<10	73			
E858542		49	<20	0.24	<10	<10	69	<10	76			
E858543		40	<20	0.18	<10	<10	48	<10	60			
E858544		12	<20	0.15	<10	<10	43	<10	47			
E858545		20	<20	0.11	<10	<10	36	<10	45			
E858546		17	20	0.10	<10	<10	33	<10	40			
E858547		25	<20	0.08	<10	<10	24	<10	30			
E858548		25	<20	0.17	<10	<10	52	<10	53			
E858549CD		30	<20	0.17	<10	<10	55	<10	55			
E858550		<1	<20	<0.01	<10	<10	<1	<10	4			
E858551		52	<20	0.15	<10	<10	67	<10	65			
E858552		71	<20	0.09	<10	<10	55	<10	60			
E858553		53	<20	0.17	<10	<10	66	<10	63			
E858554		79	<20	0.02	<10	<10	26	<10	32			
E858555		49	<20	0.14	<10	<10	55	<10	57			
E858556		142	<20	<0.01	<10	<10	23	<10	47			
E858557		83	<20	0.08	<10	<10	53	<10	69			
E858558		95	<20	0.04	<10	<10	50	<10	58			
E858559		140	<20	0.03	<10	<10	47	10	65			
E858560		92	<20	0.05	<10	<10	46	<10	56			
E858561		94	<20	0.01	<10	<10	23	<10	54			
E858562		87	<20	0.01	<10	<10	26	<10	58			
E858563		129	<20	0.01	<10	<10	24	<10	58			
E858564		137	<20	<0.01	<10	<10	31	<10	62			
E858565		224	<20	0.01	<10	<10	36	<10	69			
E858566		241	<20	<0.01	<10	<10	42	<10	63			
E858567		259	<20	0.01	<10	<10	36	<10	62			
E858568		75	<20	0.07	<10	<10	49	<10	55			
E858569CD		72	<20	0.07	<10	<10	48	<10	54			
E858570		<1	<20	<0.01	<10	<10	<1	<10	2			
E858571		50	<20	0.17	<10	<10	62	<10	66			
E858572		21	<20	0.22	<10	<10	75	<10	60			
E858573		48	<20	0.14	<10	<10	61	<10	54			
E858574		18	<20	0.20	<10	<10	76	<10	57			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858575		4.83	<0.005		<0.2	1.51	<2	<10	320	<0.5	<2	0.63	<0.5	7	7	7
E858576		4.11	<0.005		0.3	1.10	<2	<10	210	<0.5	<2	0.95	<0.5	6	7	4
E858577		4.68	<0.005		0.3	1.66	<2	<10	340	<0.5	<2	0.59	<0.5	9	9	7
E858578		4.34	<0.005		<0.2	1.61	92	<10	260	<0.5	<2	0.80	<0.5	9	9	9
E858579		4.76	<0.005		<0.2	3.48	<2	<10	540	<0.5	<2	1.60	<0.5	19	19	20
E858580		5.88	<0.005		<0.2	1.59	<2	<10	210	<0.5	<2	0.80	<0.5	8	8	11
E858581		2.14	<0.005		<0.2	1.73	2	<10	220	<0.5	<2	0.83	<0.5	10	9	10
E858582		2.23	<0.005		0.2	1.27	760	<10	150	<0.5	2	1.23	<0.5	9	6	14
E858583		4.03	0.012		0.2	1.51	882	<10	170	<0.5	<2	1.46	<0.5	11	8	17
E858584		4.84	0.007		<0.2	1.50	781	<10	170	<0.5	<2	0.77	<0.5	9	31	12
E858585		4.96	<0.005		0.3	1.64	3	<10	160	<0.5	<2	0.85	<0.5	10	11	14
E858586		4.66	<0.005		<0.2	1.17	5	<10	50	<0.5	<2	0.78	<0.5	8	8	12
E858587		4.54	<0.005		<0.2	1.15	5	<10	90	<0.5	2	1.28	<0.5	8	7	8
E858588		4.53	<0.005		<0.2	1.23	<2	<10	80	<0.5	<2	0.79	<0.5	8	9	6
E858589CD		<0.02	<0.005		<0.2	1.31	<2	<10	90	<0.5	<2	0.83	<0.5	8	8	6
E858590		0.05	0.687		>100	0.55	4610	<10	30	<0.5	5	0.56	102.5	6	58	311
E858591		5.35	<0.005		0.4	1.42	26	<10	110	<0.5	<2	0.92	<0.5	10	10	11
E858592		3.71	<0.005		0.4	1.33	700	<10	110	<0.5	2	1.09	<0.5	8	9	10
E858593		4.36	<0.005		<0.2	1.46	<2	<10	100	<0.5	<2	0.70	<0.5	9	9	6
E858594		4.37	<0.005		<0.2	1.58	183	<10	140	<0.5	<2	0.60	<0.5	9	9	11
E858595		4.71	<0.005		<0.2	1.61	155	<10	180	<0.5	<2	0.88	<0.5	10	9	11
E858596		5.44	0.034		3.6	1.77	1400	<10	240	<0.5	126	0.72	0.6	10	10	23
E858597		4.97	<0.005		<0.2	1.65	256	<10	220	<0.5	<2	0.59	<0.5	9	9	17
E858598		4.78	<0.005		<0.2	1.65	<2	<10	210	<0.5	<2	0.49	<0.5	11	9	15
E858599		4.56	<0.005		<0.2	1.70	3	<10	210	<0.5	<2	0.71	<0.5	9	9	6
E858600		3.87	<0.005		<0.2	1.57	4	<10	220	<0.5	<2	0.49	<0.5	8	8	15
E858601		2.20	<0.005		<0.2	1.44	<2	<10	190	<0.5	<2	0.53	<0.5	8	7	6
E858602		2.08	<0.005		<0.2	1.59	3	<10	210	<0.5	<2	0.62	<0.5	9	8	7
E858603		4.42	<0.005		0.3	1.66	<2	<10	190	<0.5	<2	0.55	<0.5	9	10	9
E858604		4.23	<0.005		0.2	1.53	<2	<10	180	<0.5	<2	0.71	<0.5	8	8	8
E858605		4.97	<0.005		0.2	1.81	<2	<10	290	<0.5	<2	1.01	<0.5	10	7	13
E858606		4.73	<0.005		<0.2	1.73	3	<10	160	<0.5	<2	1.30	<0.5	11	24	24
E858607		4.48	<0.005		<0.2	1.60	395	<10	150	<0.5	<2	1.11	<0.5	10	10	10
E858608		4.56	<0.005		0.2	1.72	13	<10	170	<0.5	<2	0.93	<0.5	10	9	11
E858609CD		<0.02	<0.005		<0.2	1.74	8	<10	170	<0.5	<2	0.95	<0.5	10	9	11
E858610		0.04	<0.005		<0.2	0.04	<2	<10	10	<0.5	<2	0.01	<0.5	<1	2	1
E858611		3.96	<0.005		<0.2	1.61	<2	<10	230	<0.5	<2	0.52	<0.5	9	8	7
E858612		4.99	<0.005		0.2	1.71	253	<10	250	<0.5	<2	0.55	<0.5	10	9	8
E858613		4.62	<0.005		0.2	1.72	256	<10	270	<0.5	<2	0.72	<0.5	10	9	12
E858614		4.69	<0.005		<0.2	1.85	<2	<10	300	<0.5	<2	0.57	<0.5	9	9	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858575		2.96	10	<1	0.93	20	0.91	674	<1	0.08	1	550	2	0.01	<2	4
E858576		2.62	<10	<1	0.67	20	0.74	506	<1	0.06	<1	460	3	<0.01	<2	2
E858577		3.15	<10	<1	1.08	20	1.08	686	<1	0.09	2	530	3	0.01	<2	5
E858578		3.12	10	<1	1.01	10	1.03	753	<1	0.10	2	480	2	0.05	<2	5
E858579		6.48	10	<1	2.13	40	2.23	1300	<1	0.25	4	1180	4	0.06	<2	10
E858580		3.05	<10	<1	0.92	10	1.03	640	<1	0.08	2	460	3	0.05	<2	5
E858581		3.25	10	<1	0.99	20	1.07	669	<1	0.10	2	490	4	0.05	<2	5
E858582		2.89	<10	<1	0.61	10	0.89	610	<1	0.05	2	430	6	0.17	<2	5
E858583		3.41	<10	<1	0.75	20	1.05	720	<1	0.05	2	520	6	0.20	<2	7
E858584		3.07	10	<1	0.90	10	0.97	622	<1	0.08	2	480	4	0.08	<2	5
E858585		3.10	<10	<1	0.84	20	1.02	635	<1	0.12	2	480	4	0.05	<2	5
E858586		2.23	<10	<1	0.28	10	0.87	500	<1	0.04	1	420	6	0.05	<2	3
E858587		2.40	<10	<1	0.42	10	0.79	535	<1	0.04	2	400	6	0.04	<2	4
E858588		2.40	<10	<1	0.48	10	0.86	507	<1	0.05	1	400	7	0.01	<2	4
E858589CD		2.46	<10	<1	0.49	20	0.85	515	<1	0.06	2	400	6	0.01	<2	4
E858590		6.38	<10	1	0.34	10	0.10	308	<1	0.04	5	680	5060	7.7	1700	1
E858591		2.93	10	<1	0.64	10	0.96	606	<1	0.08	2	510	11	0.06	2	5
E858592		2.68	<10	<1	0.74	20	0.85	717	<1	0.07	2	390	7	0.16	<2	4
E858593		2.68	10	<1	0.83	20	0.85	598	<1	0.11	1	380	7	0.03	<2	5
E858594		2.85	10	<1	1.05	20	0.96	661	<1	0.11	1	410	3	0.06	<2	5
E858595		3.01	<10	<1	1.00	20	1.02	718	<1	0.10	1	460	3	0.11	<2	5
E858596		3.29	<10	<1	1.10	20	1.03	785	<1	0.15	<1	450	142	0.21	2	6
E858597		2.99	10	<1	1.11	20	1.00	775	<1	0.12	1	440	4	0.13	<2	5
E858598		2.92	10	<1	1.15	20	0.98	680	<1	0.13	<1	430	5	0.08	<2	5
E858599		2.99	10	<1	1.07	20	0.99	702	<1	0.12	<1	420	4	0.05	<2	6
E858600		2.76	10	<1	1.06	20	0.93	627	<1	0.12	<1	440	3	0.07	2	4
E858601		2.68	10	<1	1.00	10	0.90	616	<1	0.09	<1	410	3	0.04	<2	4
E858602		2.88	10	<1	1.03	20	0.92	645	<1	0.13	<1	420	4	0.07	<2	5
E858603		3.02	<10	<1	1.07	10	1.01	679	<1	0.09	5	430	3	0.01	<2	5
E858604		2.81	<10	<1	0.92	20	0.93	660	<1	0.11	1	450	10	0.05	<2	5
E858605		3.51	10	<1	1.00	20	1.15	759	<1	0.11	<1	740	6	0.05	<2	5
E858606		3.33	10	<1	0.69	20	1.12	738	<1	0.11	7	510	6	0.06	<2	7
E858607		3.10	10	<1	0.76	20	1.06	683	<1	0.09	<1	500	6	0.07	<2	5
E858608		3.24	10	<1	0.85	10	1.10	677	<1	0.11	1	520	6	0.04	<2	6
E858609CD		3.28	10	<1	0.83	10	1.08	674	<1	0.13	1	500	7	0.04	<2	6
E858610		0.41	<10	<1	0.01	<10	0.01	45	<1	0.01	<1	10	3	<0.01	<2	<1
E858611		2.83	10	<1	1.05	10	0.94	570	<1	0.15	<1	460	4	0.04	<2	5
E858612		3.02	10	1	1.14	10	1.00	623	<1	0.15	1	490	3	0.04	<2	5
E858613		3.09	10	<1	1.12	20	1.01	666	<1	0.15	1	510	6	0.10	<2	5
E858614		3.14	10	<1	1.21	10	1.08	645	<1	0.16	2	510	3	0.04	<2	5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858575		22	<20	0.17	<10	<10	63	<10	56			
E858576		41	<20	0.11	<10	<10	43	<10	45			
E858577		20	<20	0.22	<10	<10	82	<10	60			
E858578		30	<20	0.19	<10	<10	76	<10	57			
E858579		64	20	0.39	<10	<10	152	<10	121			
E858580		28	<20	0.18	<10	<10	73	<10	64			
E858581		30	<20	0.19	<10	<10	78	<10	59			
E858582		46	<20	0.10	<10	<10	60	30	53			
E858583		55	<20	0.12	<10	<10	73	40	64			
E858584		23	<20	0.18	<10	<10	77	<10	51			
E858585		27	<20	0.21	<10	<10	76	<10	54			
E858586		19	<20	0.14	<10	<10	49	<10	47			
E858587		28	<20	0.13	<10	<10	52	<10	46			
E858588		19	<20	0.16	<10	<10	59	<10	47			
E858589CD		23	<20	0.16	<10	<10	59	<10	46			
E858590		139	<20	<0.01	<10	<10	7	10	>10000		1.280	142
E858591		25	<20	0.18	<10	<10	71	<10	109			
E858592		31	<20	0.14	<10	<10	59	10	50			
E858593		25	<20	0.17	<10	<10	65	<10	50			
E858594		19	<20	0.20	<10	<10	73	<10	55			
E858595		25	<20	0.19	<10	<10	77	<10	58			
E858596		23	<20	0.20	<10	<10	80	<10	60			
E858597		20	<20	0.21	<10	<10	78	<10	58			
E858598		18	<20	0.22	<10	<10	76	<10	57			
E858599		24	<20	0.20	<10	<10	75	<10	58			
E858600		19	<20	0.20	<10	<10	69	<10	53			
E858601		18	<20	0.19	<10	<10	69	<10	51			
E858602		25	<20	0.20	<10	<10	72	<10	53			
E858603		20	<20	0.21	<10	<10	75	<10	61			
E858604		22	<20	0.18	<10	10	71	<10	70			
E858605		34	<20	0.21	<10	<10	81	<10	76			
E858606		41	<20	0.16	<10	<10	80	<10	62			
E858607		27	<20	0.18	<10	<10	80	<10	58			
E858608		31	<20	0.19	<10	<10	86	<10	63			
E858609CD		31	<20	0.19	<10	<10	86	<10	61			
E858610		<1	<20	<0.01	<10	<10	1	<10	7			
E858611		18	<20	0.22	<10	<10	80	<10	54			
E858612		20	<20	0.23	<10	<10	83	<10	58			
E858613		25	<20	0.22	<10	<10	83	<10	58			
E858614		20	<20	0.25	<10	<10	88	<10	63			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E858615		4.53	<0.005		0.2	1.76	197	<10	250	<0.5	<2	0.82	<0.5	10	10	14
E858616		4.80	<0.005		<0.2	1.84	<2	<10	260	<0.5	<2	0.63	<0.5	10	10	9
E858617		4.85	<0.005		<0.2	1.71	<2	<10	270	<0.5	<2	0.55	<0.5	9	9	8
E858618		4.17	<0.005		<0.2	1.84	8	<10	330	<0.5	<2	0.59	<0.5	10	9	10
E858619		3.92	<0.005		<0.2	1.84	5	<10	220	<0.5	<2	1.17	<0.5	11	8	14
E858620		3.75	<0.005		<0.2	1.70	<2	<10	240	<0.5	<2	1.23	<0.5	10	8	11
E858621		2.50	<0.005		<0.2	1.68	<2	<10	270	<0.5	<2	0.76	<0.5	10	9	9
E858622		1.84	<0.005		<0.2	1.75	<2	<10	220	<0.5	<2	0.78	<0.5	10	10	12
E858623		5.08	<0.005		<0.2	1.73	38	<10	260	<0.5	<2	0.60	<0.5	10	10	7
E858624		6.18	<0.005		<0.2	1.88	71	<10	320	<0.5	<2	0.65	<0.5	10	10	12
E858520		4.30	<0.005		<0.2	1.26	<2	<10	150	<0.5	<2	0.41	<0.5	6	7	4
E858521		2.18	0.006		0.5	0.49	67	<10	60	<0.5	<2	1.48	<0.5	5	4	7
E858522		2.47	<0.005		0.6	0.38	82	<10	60	<0.5	<2	1.61	<0.5	4	5	6
E858523		4.34	0.005		3.1	0.43	7	<10	110	<0.5	<2	1.52	<0.5	3	5	6
E858524		4.07	<0.005		1.6	0.50	2	<10	250	<0.5	23	1.26	<0.5	4	4	15
E858525		4.45	0.005		<0.2	0.74	<2	<10	160	<0.5	<2	0.62	<0.5	3	6	5
E858526		4.76	<0.005		<0.2	0.68	<2	<10	330	<0.5	<2	0.90	<0.5	3	6	4
E858527		4.13	<0.005		<0.2	0.75	<2	<10	140	<0.5	<2	0.61	<0.5	4	7	11
E858528		4.98	<0.005		<0.2	0.58	<2	<10	170	<0.5	<2	0.88	<0.5	3	6	7
E858529CD		<0.02	<0.005		<0.2	0.63	<2	<10	160	<0.5	<2	0.87	<0.5	3	7	6
E858530		0.02	1.595	1.66	>100	0.40	4800	<10	20	<0.5	7	0.80	540	5	55	927
E858531		5.55	<0.005		<0.2	0.77	<2	<10	140	<0.5	<2	0.61	<0.5	3	7	5
E858532		3.76	<0.005		0.2	0.72	<2	<10	200	<0.5	<2	0.47	<0.5	2	8	4
E858533		4.13	<0.005		0.2	1.07	362	<10	240	<0.5	<2	0.89	<0.5	4	6	8
E858534		3.90	<0.005		0.2	0.68	178	<10	90	<0.5	<2	0.43	<0.5	3	7	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E858615		3.19	10	<1	1.09	10	1.11	715	<1	0.12	3	510	6	0.09	<2	6
E858616		3.24	10	<1	1.15	20	1.08	676	<1	0.17	1	520	4	0.02	<2	6
E858617		3.01	10	<1	1.12	10	1.03	639	<1	0.14	2	490	6	0.02	<2	5
E858618		3.24	10	<1	1.24	20	1.12	725	<1	0.15	1	530	4	0.05	<2	5
E858619		3.43	10	1	0.75	20	1.19	754	<1	0.10	<1	570	6	0.08	<2	7
E858620		3.23	10	<1	0.72	10	1.12	716	<1	0.10	1	510	6	0.03	<2	7
E858621		3.11	10	<1	0.98	10	1.09	698	<1	0.11	1	490	6	0.02	<2	6
E858622		3.14	10	<1	0.93	20	1.09	699	<1	0.14	1	480	5	0.03	<2	7
E858623		3.04	10	<1	1.15	10	1.03	665	<1	0.14	1	490	5	0.04	<2	6
E858624		3.36	10	<1	1.28	20	1.14	734	<1	0.13	1	620	4	0.07	<2	5
E858520		2.52	10	<1	0.78	20	0.69	652	<1	0.10	1	470	6	0.01	<2	7
E858521		1.96	<10	<1	0.29	10	0.47	614	2	0.04	1	460	16	0.17	<2	3
E858522		1.75	<10	<1	0.25	10	0.43	582	5	0.03	<1	390	15	0.17	<2	2
E858523		1.59	<10	<1	0.22	20	0.43	506	3	0.03	1	420	17	0.10	<2	1
E858524		1.69	<10	<1	0.23	10	0.48	516	34	<0.01	5	420	89	0.02	<2	2
E858525		2.08	<10	1	0.42	20	0.40	529	<1	0.04	1	420	9	<0.01	<2	4
E858526		1.75	<10	<1	0.44	20	0.48	570	27	0.03	1	260	12	<0.01	<2	4
E858527		1.82	<10	<1	0.46	10	0.44	612	245	0.03	<1	390	7	0.05	<2	5
E858528		1.59	<10	<1	0.34	10	0.41	564	417	0.03	1	370	9	0.04	<2	4
E858529CD		1.66	<10	<1	0.35	10	0.40	570	561	0.04	<1	360	10	0.05	<2	4
E858530		6.84	<10	2	0.26	10	0.25	394	2	0.01	4	580	>10000	>10.0	2740	1
E858531		1.62	<10	<1	0.36	20	0.34	449	4	0.06	<1	350	6	0.03	<2	4
E858532		1.65	<10	<1	0.31	20	0.35	409	1	0.04	<1	280	13	<0.01	<2	3
E858533		2.28	<10	<1	0.46	20	0.54	643	3	0.04	<1	590	11	0.06	<2	3
E858534		1.51	<10	<1	0.32	20	0.31	436	50	0.05	2	170	10	0.03	<2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Zn-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Zn	Ag
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001	ppm 5
E858615		24	<20	0.22	<10	<10	87	<10	63			
E858616		23	<20	0.25	<10	<10	93	<10	62			
E858617		19	<20	0.23	<10	<10	84	<10	60			
E858618		21	<20	0.25	<10	<10	88	<10	66			
E858619		38	<20	0.15	<10	<10	81	<10	67			
E858620		45	<20	0.14	<10	<10	79	<10	64			
E858621		27	<20	0.22	<10	<10	85	<10	62			
E858622		28	<20	0.22	<10	<10	85	<10	61			
E858623		22	<20	0.23	<10	<10	82	<10	60			
E858624		23	<20	0.25	<10	<10	85	<10	65			
E858520		15	<20	0.17	<10	<10	46	<10	62			
E858521		59	<20	0.02	<10	<10	14	<10	36			
E858522		65	<20	0.01	<10	<10	9	<10	32			
E858523		62	<20	<0.01	<10	<10	7	<10	35			
E858524		55	<20	0.02	<10	<10	13	<10	41			
E858525		35	<20	0.07	<10	<10	25	<10	41			
E858526		54	<20	0.07	<10	<10	22	<10	39			
E858527		34	<20	0.08	<10	<10	25	<10	39			
E858528		43	<20	0.04	<10	<10	19	<10	36			
E858529CD		42	<20	0.04	<10	<10	19	<10	36			
E858530		111	<20	<0.01	<10	<10	5	10	>10000	1.910	3.61	NSS
E858531		28	<20	0.05	<10	<10	21	<10	31			
E858532		20	<20	0.08	<10	<10	22	<10	40			
E858533		44	<20	0.10	<10	<10	32	<10	49			
E858534		19	<20	0.05	<10	<10	19	<10	31			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119946

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **7 -SEP- 2010**
Account: **EIAALN**

CERTIFICATE WH10115576

Project: ALN10-01

P.O. No.: ALN10-02_6

This report is for 69 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 7-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E858351		3.84	<0.005	<0.2	3.29	21	<10	250	0.6	2	2.53	<0.5	19	78	29	4.37
E858352		4.57	0.006	3.8	1.24	60	<10	120	0.7	3	0.96	16.2	5	11	6	2.11
E858353		3.60	<0.005	<0.2	3.50	48	<10	130	0.5	<2	2.97	0.8	21	45	18	4.34
E858354		4.72	<0.005	0.2	2.22	46	<10	110	0.7	<2	2.52	1.3	13	42	14	3.11
E858355		4.03	0.167	0.6	0.71	1040	<10	90	0.5	<2	1.04	0.8	2	6	1	1.10
E858356		4.53	<0.005	<0.2	0.81	14	<10	70	<0.5	<2	0.41	<0.5	2	7	2	1.51
E858357		3.67	<0.005	0.7	0.68	10	<10	60	<0.5	<2	0.79	2.6	3	9	1	1.55
E858358		4.94	<0.005	0.4	0.65	174	<10	90	0.5	2	0.99	0.5	2	7	6	1.60
E858359		4.11	<0.005	0.2	0.63	20	<10	80	<0.5	<2	0.71	<0.5	3	7	3	1.54
E858360		4.27	<0.005	0.3	0.65	<2	<10	70	<0.5	<2	0.57	1.4	2	7	<1	1.52
E858361		2.02	<0.005	0.4	0.70	13	<10	90	<0.5	<2	0.55	<0.5	3	6	5	1.48
E858362		2.19	<0.005	0.5	0.69	12	<10	80	<0.5	2	0.55	<0.5	3	6	6	1.57
E858363		3.82	<0.005	<0.2	0.92	8	<10	90	<0.5	<2	0.56	<0.5	3	7	1	1.94
E858364		4.62	<0.005	<0.2	0.94	11	<10	100	<0.5	2	0.79	<0.5	4	17	13	2.26
E858365		4.87	<0.005	<0.2	0.68	4	<10	150	0.5	<2	1.22	<0.5	6	16	12	2.08
E858366		4.21	<0.005	0.2	1.96	14	<10	1340	1.1	<2	2.79	<0.5	15	60	2	3.55
E858367		5.31	<0.005	<0.2	0.80	<2	<10	90	<0.5	<2	0.70	<0.5	3	8	4	1.64
E858368		3.45	<0.005	3.3	0.70	59	<10	110	<0.5	<2	0.54	<0.5	2	7	5	1.41
E858369CD		<0.02	<0.005	0.7	0.69	52	<10	110	<0.5	2	0.56	<0.5	2	7	4	1.39
E858370		0.05	0.915	>100	0.55	4890	<10	30	<0.5	7	0.58	104.5	6	54	319	6.21
E858371		4.17	<0.005	0.4	0.62	483	<10	120	<0.5	<2	0.77	<0.5	3	8	6	1.32
E858372		3.26	<0.005	0.4	0.69	14	<10	70	0.5	<2	1.33	<0.5	3	6	16	1.89
E858373		5.45	<0.005	<0.2	1.08	<2	<10	220	<0.5	<2	0.42	<0.5	3	9	4	1.95
E858374		3.39	<0.005	<0.2	0.63	14	<10	90	<0.5	<2	0.26	<0.5	2	7	<1	1.33
E858375		3.46	<0.005	0.3	0.65	12	<10	100	<0.5	<2	0.27	0.7	1	8	2	1.56
E858376		1.75	<0.005	1.0	0.47	14	<10	110	<0.5	<2	0.79	0.7	2	6	10	1.48
E858377		0.95	0.020	22.7	1.55	59	<10	220	<0.5	<2	0.65	<0.5	5	11	75	3.23
E858378		3.69	0.005	1.0	0.72	35	<10	120	<0.5	<2	0.54	<0.5	2	5	7	1.57
E858379		4.17	<0.005	<0.2	1.63	<2	<10	200	<0.5	<2	0.23	<0.5	4	9	8	2.96
E858380		4.01	0.026	0.8	0.91	67	<10	120	<0.5	<2	0.62	<0.5	4	21	13	1.94
E858381		2.38	0.124	0.4	1.21	1370	<10	310	<0.5	<2	1.00	<0.5	4	7	6	2.58
E858382		2.34	0.124	0.3	1.28	1660	<10	320	<0.5	<2	0.92	<0.5	5	7	6	2.55
E858383		4.50	0.027	1.0	0.60	924	<10	90	<0.5	<2	0.95	<0.5	2	7	5	1.52
E858384		4.42	<0.005	<0.2	0.72	8	<10	80	<0.5	<2	0.46	<0.5	1	7	2	1.55
E858385		3.61	<0.005	<0.2	1.01	11	<10	100	<0.5	<2	0.42	<0.5	2	8	5	2.00
E858386		4.29	<0.005	0.3	0.80	56	<10	100	<0.5	<2	0.34	<0.5	2	8	4	1.54
E858387		4.58	<0.005	0.3	0.64	137	<10	80	<0.5	<2	0.40	<0.5	2	8	3	1.22
E858388		3.83	<0.005	<0.2	0.75	2	<10	90	<0.5	<2	0.38	<0.5	2	8	1	1.53
E858389CD		<0.02	<0.005	<0.2	0.73	<2	<10	90	<0.5	<2	0.37	<0.5	2	7	<1	1.46
E858390		0.03	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 7 - SEP - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
E858351		10	<1	0.36	10	2.32	563	<1	0.39	38	1280	3	<0.01	<2	12	125
E858352		10	<1	0.31	20	0.54	610	4	0.12	<1	390	105	0.01	<2	4	27
E858353		10	<1	0.38	10	1.83	608	<1	0.46	8	1130	4	<0.01	<2	9	148
E858354		10	<1	0.35	10	1.26	688	<1	0.27	17	770	13	0.02	<2	8	107
E858355		<10	<1	0.40	20	0.15	446	<1	0.03	<1	130	30	0.19	<2	1	44
E858356		<10	<1	0.41	10	0.31	531	<1	0.10	<1	220	2	<0.01	<2	3	14
E858357		<10	<1	0.34	20	0.30	575	2	0.06	<1	260	27	0.03	<2	3	24
E858358		<10	<1	0.37	20	0.24	589	38	0.07	<1	220	17	0.10	<2	2	34
E858359		<10	<1	0.38	20	0.24	562	1	0.07	<1	250	5	0.06	<2	3	24
E858360		<10	<1	0.36	20	0.29	519	<1	0.07	<1	180	3	0.01	<2	3	19
E858361		<10	<1	0.40	20	0.26	516	60	0.09	<1	220	11	0.08	<2	3	20
E858362		<10	<1	0.38	20	0.28	535	62	0.07	<1	260	17	0.10	<2	3	19
E858363		<10	<1	0.56	20	0.42	688	5	0.08	<1	430	<2	0.02	<2	5	17
E858364		<10	<1	0.58	30	0.47	772	5	0.09	3	370	3	0.12	<2	5	31
E858365		<10	<1	0.40	20	0.54	776	2	0.06	8	420	5	0.10	<2	4	52
E858366		10	<1	0.82	20	1.81	1120	<1	0.06	39	920	9	0.17	<2	8	150
E858367		<10	<1	0.41	30	0.39	595	<1	0.06	<1	60	4	0.04	<2	3	37
E858368		<10	<1	0.41	30	0.33	509	2	0.06	<1	40	20	0.08	<2	3	31
E858369CD		<10	<1	0.40	30	0.34	512	<1	0.06	<1	40	18	0.08	<2	3	31
E858370		<10	1	0.34	10	0.10	315	<1	0.03	3	680	5250	8.0	1820	1	141
E858371		<10	<1	0.36	30	0.26	465	20	0.06	3	70	29	0.11	2	2	39
E858372		<10	<1	0.27	20	0.33	575	<1	0.05	<1	250	7	0.23	<2	3	50
E858373		<10	<1	0.57	20	0.46	556	<1	0.12	<1	290	<2	0.03	<2	4	24
E858374		<10	<1	0.37	20	0.20	446	<1	0.09	<1	40	4	<0.01	<2	3	14
E858375		<10	<1	0.42	30	0.26	444	<1	0.07	<1	30	10	0.03	<2	3	18
E858376		<10	<1	0.29	30	0.23	503	<1	0.07	<1	50	36	0.25	<2	2	44
E858377		10	<1	1.02	30	0.85	1055	30	0.09	3	180	46	0.43	<2	8	29
E858378		<10	<1	0.49	30	0.37	591	<1	0.05	<1	40	12	0.20	<2	4	33
E858379		10	<1	1.29	30	0.93	1070	<1	0.07	<1	70	2	0.11	<2	12	17
E858380		<10	<1	0.55	30	0.50	644	<1	0.06	3	50	6	0.18	<2	6	40
E858381		10	<1	0.62	20	0.61	666	<1	0.07	<1	490	5	0.27	<2	3	62
E858382		10	<1	0.63	20	0.60	639	<1	0.08	<1	490	5	0.27	<2	3	57
E858383		<10	<1	0.37	30	0.32	503	<1	0.04	<1	70	13	0.26	<2	2	56
E858384		<10	<1	0.41	20	0.31	466	<1	0.07	<1	50	4	0.02	<2	4	20
E858385		10	<1	0.58	20	0.44	648	<1	0.12	<1	50	2	0.06	<2	5	20
E858386		<10	<1	0.47	20	0.34	480	<1	0.09	<1	40	16	0.02	<2	4	17
E858387		<10	<1	0.36	20	0.24	363	<1	0.08	<1	40	11	0.04	<2	2	22
E858388		<10	<1	0.43	20	0.29	399	<1	0.10	<1	140	5	0.01	<2	3	19
E858389CD		<10	<1	0.43	20	0.29	388	<1	0.10	<1	150	4	<0.01	<2	3	18
E858390		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 7-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46	Ag-GRA21
		Th	Ti	Ti	U	V	W	Zn	Zn	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
		20	0.01	10	10	1	10	2	0.001	5
E858351		<20	0.18	<10	<10	95	<10	60		
E858352		<20	0.06	<10	<10	29	<10	313		
E858353		<20	0.17	<10	<10	79	<10	74		
E858354		<20	0.12	<10	<10	54	<10	67		
E858355		<20	<0.01	<10	<10	5	<10	33		
E858356		<20	0.06	<10	<10	19	<10	32		
E858357		<20	0.03	<10	<10	15	<10	66		
E858358		<20	0.01	<10	<10	10	<10	34		
E858359		<20	0.03	<10	<10	15	<10	31		
E858360		<20	0.04	<10	<10	18	<10	49		
E858361		<20	0.04	<10	<10	15	<10	30		
E858362		<20	0.05	<10	<10	17	<10	31		
E858363		<20	0.08	<10	<10	26	<10	45		
E858364		20	0.06	<10	<10	23	<10	46		
E858365		20	0.02	<10	<10	25	<10	41		
E858366		<20	0.11	<10	<10	67	<10	83		
E858367		20	0.04	<10	<10	15	<10	33		
E858368		20	0.04	<10	<10	12	<10	31		
E858369CD		20	0.04	<10	<10	12	<10	32		
E858370		<20	<0.01	<10	<10	6	10	>10000	NSS	125
E858371		20	0.02	<10	<10	9	<10	31		
E858372		<20	0.01	<10	<10	15	<10	37		
E858373		20	0.12	<10	<10	27	<10	43		
E858374		20	0.04	<10	<10	15	<10	34		
E858375		20	0.06	<10	<10	14	<10	43		
E858376		20	0.01	<10	<10	6	<10	44		
E858377		20	0.18	<10	<10	29	10	75		
E858378		20	0.06	<10	<10	11	<10	33		
E858379		20	0.23	<10	<10	32	<10	75		
E858380		20	0.08	<10	<10	18	<10	45		
E858381		<20	0.11	<10	<10	26	<10	53		
E858382		<20	0.11	<10	<10	26	<10	52		
E858383		20	0.01	<10	<10	6	<10	39		
E858384		20	0.05	<10	<10	14	<10	34		
E858385		20	0.09	<10	<10	18	<10	46		
E858386		20	0.07	<10	<10	17	<10	36		
E858387		20	0.04	<10	<10	14	<10	28		
E858388		20	0.05	<10	<10	20	<10	36		
E858389CD		20	0.05	<10	<10	19	<10	34		
E858390		<20	<0.01	<10	<10	<1	<10	<2		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 7-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E858391		4.15	<0.005	0.3	0.75	4	<10	120	<0.5	<2	0.72	<0.5	3	8	1	1.63
E858392		4.36	<0.005	<0.2	0.90	<2	<10	130	<0.5	<2	0.60	<0.5	3	7	2	1.68
E858393		4.30	<0.005	<0.2	0.71	<2	<10	110	0.5	<2	1.52	<0.5	5	8	3	1.86
E858394		4.31	0.005	<0.2	1.15	<2	<10	340	<0.5	<2	0.84	<0.5	4	8	3	2.35
E858395		4.30	0.005	0.9	2.68	17	<10	590	<0.5	<2	1.99	<0.5	17	39	40	4.57
E858396		4.51	<0.005	<0.2	1.31	<2	<10	360	<0.5	2	0.77	<0.5	4	7	6	2.44
E858397		4.41	0.102	0.8	0.96	2800	<10	120	<0.5	2	0.80	<0.5	4	7	5	2.16
E858398		4.90	<0.005	<0.2	1.30	6	<10	260	<0.5	<2	0.75	<0.5	5	7	5	2.50
E858399		4.90	<0.005	<0.2	1.65	<2	<10	470	<0.5	<2	0.82	<0.5	7	8	6	2.94
E858400		3.84	<0.005	0.7	1.34	15	<10	260	<0.5	2	1.44	<0.5	5	5	14	2.79
E858501		2.24	<0.005	<0.2	1.12	<2	<10	90	<0.5	<2	0.56	<0.5	3	6	4	2.16
E858502		2.52	<0.005	<0.2	1.21	<2	<10	100	<0.5	<2	0.59	<0.5	4	6	5	2.25
E858503		4.65	<0.005	<0.2	1.30	33	<10	110	<0.5	<2	1.26	<0.5	12	34	14	2.77
E858504		4.43	<0.005	<0.2	0.72	<2	<10	80	<0.5	<2	0.52	<0.5	3	8	3	1.54
E858505		4.43	<0.005	<0.2	0.94	<2	<10	100	<0.5	<2	0.53	<0.5	3	7	2	1.91
E858506		4.50	<0.005	<0.2	0.83	4	<10	100	<0.5	<2	0.32	<0.5	4	9	2	1.64
E858507		4.59	<0.005	<0.2	0.82	4	<10	90	<0.5	<2	0.53	<0.5	4	7	3	1.74
E858508		4.41	<0.005	<0.2	0.59	2	<10	60	0.5	<2	1.19	0.8	3	8	5	1.90
E858509CD		<0.02	<0.005	<0.2	0.53	2	<10	60	<0.5	<2	1.15	0.8	3	5	5	1.73
E858510		0.09	<0.005	<0.2	0.01	<2	<10	10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.02
E858511		4.60	<0.005	<0.2	0.83	3	<10	100	<0.5	<2	0.59	0.6	4	7	4	1.77
E858512		4.75	<0.005	<0.2	0.98	4	<10	90	<0.5	<2	0.38	<0.5	4	8	3	1.98
E858513		4.44	<0.005	0.2	0.91	14	<10	200	<0.5	2	0.73	<0.5	4	7	5	1.84
E858514		3.89	<0.005	0.2	0.86	<2	<10	190	<0.5	<2	0.59	1.3	2	7	9	1.81
E858515		4.90	<0.005	0.2	1.03	4	<10	240	<0.5	2	0.77	<0.5	3	14	3	1.97
E858516		4.50	<0.005	1.3	0.83	98	<10	190	<0.5	2	0.87	<0.5	2	8	2	1.55
E858517		3.86	<0.005	<0.2	1.03	<2	<10	180	<0.5	<2	0.50	<0.5	3	7	5	1.97
E858518		4.61	<0.005	<0.2	1.37	<2	<10	190	<0.5	<2	0.46	<0.5	5	8	5	2.67
E858519		4.71	0.019	3.2	0.94	5190	<10	130	<0.5	6	0.84	<0.5	3	7	2	2.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 7 - SEP - 2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
E858391		<10	<1	0.45	20	0.34	464	<1	0.08	<1	360	5	0.03	<2	3	33
E858392		<10	<1	0.44	10	0.36	386	<1	0.08	<1	330	4	0.01	<2	4	21
E858393		<10	<1	0.29	10	0.62	477	4	0.04	4	380	12	0.01	<2	4	62
E858394		<10	<1	0.48	20	0.62	557	<1	0.09	<1	620	2	0.06	<2	5	41
E858395		10	<1	0.67	20	2.08	998	<1	0.33	29	1450	2	0.16	<2	8	126
E858396		<10	<1	0.58	20	0.58	643	<1	0.12	<1	660	2	0.02	<2	5	48
E858397		<10	<1	0.51	10	0.47	520	<1	0.08	<1	390	40	0.19	<2	5	36
E858398		10	<1	0.63	20	0.63	610	<1	0.13	<1	570	2	0.03	<2	6	31
E858399		10	<1	0.74	20	0.84	642	<1	0.15	<1	730	<2	0.04	<2	7	41
E858400		<10	<1	0.62	30	0.78	811	<1	0.08	<1	540	16	0.21	<2	5	68
E858501		10	<1	0.60	30	0.56	618	<1	0.10	<1	80	3	0.04	<2	6	20
E858502		10	<1	0.63	30	0.56	630	<1	0.13	<1	70	2	0.04	<2	6	21
E858503		<10	<1	0.41	30	1.32	627	1	0.17	26	490	6	0.07	<2	7	52
E858504		<10	<1	0.36	20	0.34	404	<1	0.08	1	130	4	0.06	<2	3	17
E858505		<10	<1	0.52	20	0.44	465	<1	0.11	<1	310	4	0.02	<2	5	20
E858506		<10	<1	0.53	10	0.39	446	<1	0.10	<1	230	2	0.01	<2	5	13
E858507		<10	<1	0.46	20	0.41	486	<1	0.08	<1	250	3	0.05	<2	4	20
E858508		<10	<1	0.28	20	0.36	584	<1	0.07	1	350	16	0.02	<2	3	40
E858509CD		<10	<1	0.25	20	0.35	554	<1	0.06	1	330	16	0.02	<2	3	38
E858510		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.01	<2	<1	2
E858511		<10	<1	0.54	10	0.44	512	1	0.08	<1	320	15	0.06	<2	5	20
E858512		<10	<1	0.54	10	0.47	529	<1	0.11	1	340	4	0.01	<2	5	12
E858513		<10	<1	0.56	10	0.43	479	<1	0.09	1	350	8	0.06	<2	4	36
E858514		<10	<1	0.43	20	0.32	440	<1	0.10	<1	300	7	0.05	<2	3	34
E858515		<10	<1	0.53	20	0.41	508	<1	0.11	<1	350	9	0.06	<2	4	48
E858516		<10	<1	0.48	20	0.30	448	<1	0.08	<1	70	37	0.20	<2	3	53
E858517		10	<1	0.60	20	0.52	543	<1	0.09	<1	220	4	0.04	<2	5	27
E858518		10	<1	0.90	20	0.72	686	<1	0.11	<1	490	2	0.02	<2	8	25
E858519		<10	<1	0.55	10	0.47	516	<1	0.08	<1	390	57	0.26	2	4	41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 7-SEP-2010
 Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Zn-OG46	Ag-GRA21
		Th	Ti	Ti	U	V	W	Zn	Zn	Ag
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
		20	0.01	10	10	1	10	2	0.001	5
E858391		<20	0.05	<10	<10	17	<10	34		
E858392		<20	0.06	<10	<10	20	<10	37		
E858393		<20	0.01	<10	<10	15	<10	42		
E858394		<20	0.11	<10	<10	35	<10	50		
E858395		<20	0.27	<10	<10	72	<10	75		
E858396		<20	0.12	<10	<10	35	<10	50		
E858397		<20	0.07	<10	<10	27	<10	48		
E858398		<20	0.10	<10	<10	38	<10	53		
E858399		<20	0.16	<10	<10	55	<10	66		
E858400		20	0.08	<10	<10	34	<10	79		
E858501		30	0.10	<10	<10	29	<10	53		
E858502		30	0.09	<10	<10	30	<10	52		
E858503		20	0.14	<10	<10	41	<10	46		
E858504		<20	0.04	<10	<10	20	<10	32		
E858505		<20	0.09	<10	<10	26	<10	37		
E858506		<20	0.10	<10	<10	24	<10	37		
E858507		<20	0.08	<10	<10	23	<10	40		
E858508		<20	0.01	<10	<10	13	<10	51		
E858509CD		<20	<0.01	<10	<10	12	<10	49		
E858510		<20	<0.01	<10	<10	<1	<10	3		
E858511		<20	0.10	<10	<10	26	<10	48		
E858512		<20	0.12	<10	<10	31	<10	43		
E858513		<20	0.09	<10	<10	23	<10	42		
E858514		<20	0.07	<10	<10	24	<10	147		
E858515		<20	0.09	<10	<10	23	<10	44		
E858516		20	0.03	<10	<10	13	<10	48		
E858517		<20	0.12	<10	<10	25	<10	45		
E858518		<20	0.17	<10	<10	38	<10	61		
E858519		<20	0.08	<10	<10	23	<10	44		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-SEP-2010
Account: EIAALN

Project: ALN10-01

CERTIFICATE OF ANALYSIS WH10115576

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 29-SEP-2010
Account: EIAALN

CERTIFICATE WH10132892

Project: ALN10-02

P.O. No.: ALN10-02_21

This report is for 4 Rock samples submitted to our lab in Whitehorse, YT, Canada on 20-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 29-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132892

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E855614		1.34	0.718	13.2	0.07	3080	<10	20	<0.5	2	0.04	0.8	<1	16	22
E855615		1.08	<0.005	<0.2	0.05	102	<10	10	<0.5	<2	0.28	<0.5	<1	16	1
E855616		1.43	<0.005	<0.2	0.05	60	<10	30	<0.5	2	0.01	0.5	1	20	1
E855617		1.36	0.245	69.3	0.17	4020	<10	30	<0.5	95	0.09	12.7	1	23	14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 29-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132892

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
E855614		<10	<1	0.02	<10	0.01	105	<1	<0.01	2	40	575	0.07	96	<1
E855615		<10	<1	0.03	<10	0.05	267	<1	<0.01	<1	10	4	<0.01	<2	<1
E855616		<10	<1	0.01	<10	0.02	591	<1	<0.01	1	10	2	<0.01	<2	<1
E855617		<10	<1	0.02	<10	0.06	89	<1	<0.01	2	50	8250	0.39	683	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 29-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10132892

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
E855614		<20	<0.01	<10	<10	2	<10	17
E855615		<20	<0.01	<10	<10	2	<10	14
E855616		<20	<0.01	<10	<10	2	<10	14
E855617		<20	0.01	<10	<10	7	<10	796



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **18-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10124754

Project: ALN10-02

P.O. No.: ALN10-02_15

This report is for 4 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 18-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E859373		0.21	2.25	2.83	7.9	0.35	>10000	<10	20	<0.5	14	0.56	5.9	67	<1	7
E859374		0.68	0.297		2.7	0.12	>10000	<10	60	<0.5	11	0.05	0.5	17	11	3
E859375		0.55	0.007		<0.2	1.56	426	<10	140	<0.5	<2	3.65	<0.5	6	5	2
E859376		0.43	0.042		0.2	1.80	442	<10	130	0.5	<2	3.94	0.5	9	3	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 18-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
E859373		26.6	<10	<1	0.07	<10	0.20	113	4	<0.01	4	140	234	>10.0	137
E859374		3.55	<10	<1	0.06	<10	0.01	70	<1	0.01	2	110	657	1.80	127
E859375		3.00	10	<1	0.34	20	0.91	863	<1	0.02	2	860	14	0.27	<2
E859376		3.28	<10	<1	0.39	30	0.97	872	<1	0.02	<1	1900	19	0.33	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 18-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10124754

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Tl	U	V	W	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		1	20	0.01	10	10	1	10	2
E859373		27	<20	<0.01	<10	10	6	<10	737
E859374		5	<20	<0.01	<10	<10	2	<10	32
E859375		166	<20	0.01	<10	<10	29	<10	42
E859376		218	<20	0.01	<10	<10	23	<10	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 14-SEP-2010
Account: EIAALN

CERTIFICATE WH10122536

Project: ALN10-02

P.O. No.: ALN10-02_13

This report is for 13 Rock samples submitted to our lab in Whitehorse, YT, Canada on 30-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122536

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
E859218		2.67	0.148		55.8	0.05	1260	<10	20	<0.5	254	0.03	1.3	<1	17	9
E859219		4.23	4.87	3.81	71.3	0.18	791	<10	40	<0.5	23	0.08	7.9	1	56	71
E859220		5.52	0.040		3.1	0.06	2780	<10	30	<0.5	2	0.03	<0.5	1	19	<1
E859363		0.38	<0.005		0.5	0.33	25	<10	60	<0.5	<2	0.04	<0.5	1	11	1
E859364		0.56	0.007		0.6	0.78	5	<10	100	<0.5	<2	0.11	<0.5	5	48	11
E859365		0.97	<0.005		<0.2	0.07	10	<10	20	<0.5	<2	0.20	<0.5	1	13	<1
E859366		1.82	<0.005		0.2	0.65	2	<10	70	<0.5	<2	0.23	<0.5	2	13	2
E859367		0.76	<0.005		<0.2	0.96	<2	<10	90	<0.5	<2	0.17	<0.5	3	33	2
E859368		0.53	<0.005		<0.2	0.40	<2	<10	10	<0.5	<2	0.31	<0.5	2	7	4
E859369		0.35	<0.005		<0.2	0.44	<2	<10	40	<0.5	<2	0.07	<0.5	1	8	2
E859370		0.64	<0.005		<0.2	0.47	6	<10	30	<0.5	<2	0.19	<0.5	1	38	31
E859371		0.29	<0.005		<0.2	0.76	<2	<10	80	<0.5	<2	0.17	<0.5	2	7	6
E859372		0.35	<0.005		<0.2	0.76	<2	<10	120	<0.5	<2	0.07	<0.5	1	6	<1

Comments: Additional Au-GRA21 check result for sample E859219 is 7.46ppm



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 14-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122536

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E859218		0.55	<10	<1	0.02	<10	0.01	46	<1	0.01	4	10	1640	0.05	403	<1
E859219		0.67	<10	<1	0.10	<10	0.05	101	2	0.02	2	40	9080	0.22	76	<1
E859220		0.53	<10	<1	0.04	<10	<0.01	44	1	0.01	<1	10	176	0.14	9	<1
E859363		0.65	<10	1	0.21	10	0.05	138	<1	0.05	<1	160	19	<0.01	<2	1
E859364		2.28	<10	<1	0.45	30	0.25	253	<1	0.10	7	280	59	<0.01	<2	5
E859365		0.39	<10	<1	0.06	<10	0.07	62	<1	0.01	<1	10	8	<0.01	<2	<1
E859366		1.98	<10	<1	0.21	30	0.15	281	<1	0.10	1	190	6	<0.01	<2	5
E859367		2.13	<10	<1	0.53	30	0.28	353	<1	0.09	2	250	6	<0.01	<2	7
E859368		1.45	<10	<1	0.06	30	0.11	149	<1	0.10	<1	250	5	<0.01	<2	3
E859369		1.22	<10	<1	0.20	30	0.08	95	<1	0.09	<1	140	5	<0.01	<2	2
E859370		1.03	<10	<1	0.09	20	0.05	84	<1	0.11	1	170	4	<0.01	<2	3
E859371		2.35	<10	<1	0.40	30	0.21	376	<1	0.08	<1	200	4	<0.01	<2	6
E859372		1.87	<10	<1	0.44	40	0.28	108	<1	0.10	<1	80	3	<0.01	<2	5

Comments: Additional Au-GRA21 check result for sample E859219 is 7.46ppm



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 14-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10122536

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Tl	U	V	W	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		1	20	0.01	10	10	1	10	2
E859218		2	<20	<0.01	<10	<10	2	<10	7
E859219		5	<20	0.01	<10	<10	5	<10	140
E859220		3	<20	<0.01	<10	<10	1	<10	8
E859363		4	<20	0.01	<10	<10	5	<10	9
E859364		9	20	0.08	<10	<10	31	<10	35
E859365		10	<20	<0.01	<10	<10	2	<10	4
E859366		9	<20	0.06	<10	<10	11	<10	18
E859367		7	<20	0.15	<10	<10	27	<10	25
E859368		12	<20	0.08	<10	<10	14	<10	6
E859369		6	20	0.02	<10	<10	11	<10	9
E859370		9	<20	0.07	<10	<10	6	<10	4
E859371		6	<20	0.13	<10	<10	19	<10	23
E859372		6	20	0.08	<10	<10	2	<10	8

Comments: Additional Au-GRA21 check result for sample E859219 is 7.46ppm



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **13-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10119945

Project: ALN10-02

P.O. No.: ALN10-02_7

This report is for 27 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119945

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	Au-GRA21 Au Check ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm
		0.02	0.005	0.05	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1
E859204		0.57	0.028			<0.2	0.45	>10000	<10	190	<0.5	<2	1.52	<0.5	4	16
E859205		1.25	<0.005			<0.2	0.24	118	<10	10	<0.5	<2	0.04	<0.5	<1	4
E859206		1.12	<0.005			<0.2	1.31	24	<10	110	<0.5	<2	0.03	<0.5	5	18
E859207		1.29	<0.005			<0.2	2.36	3	<10	890	<0.5	<2	0.69	<0.5	8	4
E859208		1.63	<0.005			<0.2	0.25	3	<10	70	<0.5	<2	0.06	<0.5	<1	20
E859209		0.96	<0.005			<0.2	0.34	5	<10	170	<0.5	<2	0.08	<0.5	<1	7
E859210		1.31	<0.005			<0.2	0.54	<2	<10	70	<0.5	<2	0.10	<0.5	2	20
E859211		1.20	<0.005			<0.2	1.43	216	<10	190	<0.5	<2	0.37	<0.5	6	22
E859212		0.88	0.059			0.3	0.26	6560	<10	700	<0.5	<2	0.04	1.1	1	5
E859213		3.10	<0.005			<0.2	0.10	75	<10	50	<0.5	<2	0.01	<0.5	1	38
E859214		2.41	<0.005			<0.2	0.04	77	<10	20	<0.5	<2	0.21	<0.5	<1	19
E859215		2.38	<0.005			<0.2	0.16	<2	<10	10	<0.5	<2	0.02	<0.5	1	22
E859216		1.58	<0.005			<0.2	0.14	2	<10	20	<0.5	<2	0.16	<0.5	3	21
E859217		1.51	<0.005			<0.2	0.08	6	<10	80	<0.5	<2	0.01	<0.5	<1	43
E859351		1.48	<0.005			0.2	0.15	<2	<10	50	<0.5	5	0.01	<0.5	<1	14
E859352		2.52	<0.005			0.2	0.99	5	<10	100	<0.5	<2	1.93	<0.5	6	13
E859353		1.21	0.259			1.8	0.09	>10000	<10	30	<0.5	<2	0.23	0.8	26	14
E859354		3.08	>10.0	284		83.9	0.07	>10000	<10	20	<0.5	<2	0.03	33.8	<1	40
E859355		0.33	>10.0	101.5		32.4	0.04	7170	<10	40	<0.5	<2	0.01	402	<1	18
E859356		2.08	3.92	2.67	3.74	0.3	0.09	262	<10	10	<0.5	<2	0.01	0.5	<1	42
E859357		2.11	0.346			0.4	4.27	52	<10	590	1.6	3	1.08	2.8	17	22
E859358		1.44	0.118			<0.2	0.63	14	<10	80	<0.5	<2	0.01	<0.5	2	27
E859359		2.46	0.027			0.2	0.32	29	<10	30	<0.5	<2	0.01	<0.5	<1	15
E859360		1.06	0.025			<0.2	0.75	7	<10	50	<0.5	<2	0.23	<0.5	3	25
E859361		1.43	0.009			<0.2	0.15	4	<10	30	<0.5	<2	0.02	<0.5	1	20
E859362		1.42	0.017			<0.2	0.06	24	<10	10	<0.5	<2	0.01	<0.5	1	40
E859451		3.10	0.016			0.3	0.29	926	<10	170	<0.5	<2	0.06	0.5	1	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 13-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119945

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
		ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
		1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
E859204		54	1.97	<10	<1	0.27	10	0.20	640	<1	0.02	2	380	9	0.70
E859205		4	0.29	<10	<1	0.24	<10	0.01	45	<1	0.03	<1	10	15	0.01
E859206		16	2.38	<10	<1	0.94	20	0.74	681	<1	0.03	2	110	10	0.02
E859207		9	3.41	10	<1	1.10	20	1.08	513	<1	0.22	2	970	6	0.01
E859208		2	0.49	<10	<1	0.14	<10	0.03	59	<1	0.06	<1	20	7	<0.01
E859209		2	1.11	<10	<1	0.16	<10	0.03	86	<1	0.09	1	20	8	<0.01
E859210		1	0.98	<10	<1	0.32	<10	0.19	191	<1	0.08	1	90	7	<0.01
E859211		4	2.42	10	<1	0.38	20	0.45	494	<1	0.09	3	490	17	<0.01
E859212		3	1.27	<10	<1	0.15	10	0.01	97	<1	0.08	1	50	63	0.20
E859213		3	0.48	<10	<1	0.04	<10	0.01	321	<1	0.01	2	30	4	<0.01
E859214		4	0.42	<10	<1	0.02	<10	0.01	85	<1	<0.01	1	10	3	<0.01
E859215		2	0.29	<10	<1	0.01	<10	0.03	50	<1	0.11	1	10	3	<0.01
E859216		4	0.90	<10	<1	0.02	<10	0.07	231	<1	0.01	7	330	3	<0.01
E859217		1	0.48	<10	<1	0.05	<10	0.01	87	<1	0.01	1	50	2	<0.01
E859351		2	0.55	<10	<1	0.12	<10	0.01	39	<1	0.03	1	30	11	<0.01
E859352		6	2.67	<10	<1	0.26	20	0.63	602	<1	0.05	1	720	8	0.08
E859353		13	2.97	<10	<1	0.05	10	0.02	357	14	0.01	3	30	79	1.26
E859354		3	4.48	<10	<1	0.04	<10	0.01	40	2	<0.01	1	40	2090	2.62
E859355		12	1.18	<10	3	0.01	<10	0.01	59	<1	<0.01	1	10	4740	1.24
E859356		2	0.38	<10	<1	0.03	<10	<0.01	34	<1	0.04	1	20	27	0.03
E859357		8	8.40	20	1	4.38	10	4.74	902	<1	0.04	17	690	41	0.27
E859358		13	2.22	<10	<1	0.46	40	0.31	198	<1	0.03	2	70	8	0.05
E859359		3	0.95	<10	<1	0.24	10	0.08	64	<1	0.04	<1	40	9	<0.01
E859360		1	2.09	<10	<1	0.44	30	0.28	266	<1	0.07	2	270	4	<0.01
E859361		3	0.54	<10	<1	0.08	<10	0.02	58	<1	0.02	<1	40	4	<0.01
E859362		10	0.51	<10	<1	0.02	<10	0.01	39	<1	0.01	1	30	6	<0.01
E859451		5	0.84	<10	<1	0.18	<10	0.02	158	<1	0.05	1	90	53	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 13-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10119945

Sample Description	Method Analyte Units LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Zn-OG46 Zn % 0.001
E859204		1	48	<20	0.01	<10	<10	7	<10	56	
E859205		<1	1	<20	<0.01	<10	10	1	<10	6	
E859206		7	4	20	0.16	<10	<10	24	<10	53	
E859207		5	59	<20	0.25	<10	<10	65	<10	62	
E859208		<1	5	<20	0.01	<10	<10	8	<10	4	
E859209		<1	16	<20	0.01	<10	<10	17	<10	5	
E859210		1	8	<20	0.04	<10	<10	18	<10	13	
E859211		3	30	<20	0.12	<10	<10	39	<10	48	
E859212		1	6	<20	<0.01	<10	10	6	<10	27	
E859213		1	<1	<20	<0.01	<10	<10	5	<10	3	
E859214		<1	1	<20	<0.01	<10	<10	1	<10	2	
E859215		<1	<1	<20	<0.01	<10	<10	2	<10	<2	
E859216		1	4	<20	<0.01	<10	<10	6	<10	8	
E859217		<1	<1	<20	<0.01	<10	<10	1	<10	3	
E859351		1	1	<20	<0.01	<10	<10	1	<10	<2	
E859352		3	75	<20	0.03	<10	<10	33	<10	50	
E859353		<1	8	<20	<0.01	<10	<10	2	<10	41	
E859354		<1	1	<20	<0.01	<10	<10	1	<10	1210	
E859355		<1	5	<20	<0.01	<10	<10	1	<10	>10000	1.585
E859356		<1	<1	<20	<0.01	<10	<10	1	<10	16	
E859357		26	36	<20	0.72	<10	<10	238	<10	193	
E859358		3	3	20	0.05	<10	<10	9	<10	41	
E859359		1	2	20	0.01	<10	<10	2	<10	22	
E859360		2	7	20	0.12	<10	<10	26	<10	20	
E859361		1	2	<20	<0.01	<10	<10	3	<10	5	
E859362		<1	<1	<20	<0.01	<10	<10	1	<10	5	
E859451		1	4	<20	<0.01	<10	<10	6	<10	21	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 16-AUG-2010
Account: EIAALN

CERTIFICATE WH10107029

Project: ALN10-02

P.O. No.: ALN10-02_3

This report is for 21 Rock samples submitted to our lab in Whitehorse, YT, Canada on 6-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 16-AUG-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10107029

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
E855610		1.54	1.440	2.08	0.8	0.18	8420	<10	80	<0.5	<2	0.25	0.9	1	10	11
E855611		1.34	0.704		0.4	0.14	3220	<10	30	<0.5	<2	0.02	<0.5	<1	13	4
E855612		1.36	0.543		1.5	0.10	3690	<10	90	<0.5	<2	0.01	<0.5	<1	12	6
E855613		1.32	0.005		0.2	0.22	16	<10	40	<0.5	<2	0.01	<0.5	1	10	14
E855651		0.82	0.009		1.0	0.73	459	<10	200	<0.5	<2	0.17	<0.5	6	12	11
E855652		0.90	<0.005		0.2	0.75	77	<10	150	<0.5	<2	0.11	<0.5	3	6	6
E855653		1.20	<0.005		0.6	0.70	191	<10	190	<0.5	<2	0.25	<0.5	3	6	8
E855654		1.14	0.041		0.8	0.52	1415	<10	270	<0.5	<2	0.67	<0.5	2	6	6
E855655		0.70	1.010	1.05	2.7	0.07	3410	<10	60	<0.5	<2	0.02	<0.5	1	6	6
E855656		0.72	0.007		0.3	0.44	101	<10	280	<0.5	<2	0.70	<0.5	1	7	4
E855657		0.84	1.690	1.53	>100	0.20	1760	<10	140	<0.5	<2	0.51	<0.5	1	10	8
E855658		0.98	0.449		7.8	0.08	2720	<10	30	<0.5	<2	0.02	<0.5	<1	11	7
E855659		0.88	0.938		6.0	0.13	10000	<10	30	<0.5	<2	0.17	3.0	1	14	6
E855660		0.46	0.999		2.5	0.18	4230	<10	90	<0.5	<2	0.02	<0.5	1	10	7
E855661		0.64	2.13	2.34	32.4	0.17	>10000	<10	50	<0.5	<2	0.04	5.1	1	8	17
E855662		0.70		0.57	>100	0.03	5750	<10	30	<0.5	<2	0.01	61.4	<1	8	366
E855663		1.16	0.011		5.7	1.23	60	<10	330	<0.5	<2	0.32	<0.5	7	9	22
E855664		0.86	0.193		34.3	0.03	627	<10	10	<0.5	176	0.01	114.0	1	11	52
E859201		0.82	<0.005		0.9	1.76	79	<10	340	<0.5	<2	0.81	0.6	4	4	10
E859202		1.64	0.132		0.4	0.51	802	<10	220	<0.5	<2	1.11	0.5	5	5	21
E859203		1.62	0.006		1.5	3.12	20	<10	960	<0.5	<2	1.60	<0.5	14	5	9

Comments: Gold assay(s) on sample E855662 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 16-AUG-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10107029

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E855610		1.29	<10	<1	0.11	10	0.02	218	<1	0.01	<1	40	41	0.42	8	<1
E855611		0.76	<10	<1	0.09	<10	<0.01	45	<1	<0.01	1	60	6	0.17	5	<1
E855612		0.90	<10	<1	0.06	<10	<0.01	68	<1	<0.01	<1	10	2	0.13	5	<1
E855613		0.52	<10	<1	0.16	20	0.01	65	1	0.04	7	40	13	<0.01	<2	<1
E855651		2.08	<10	1	0.36	30	0.16	533	<1	0.01	8	610	18	<0.01	<2	2
E855652		1.64	<10	<1	0.36	30	0.23	333	<1	0.08	2	280	6	<0.01	<2	2
E855653		1.83	<10	<1	0.40	30	0.16	448	<1	0.05	2	390	5	<0.01	<2	2
E855654		1.57	<10	<1	0.32	30	0.07	390	<1	0.05	1	280	5	0.26	<2	1
E855655		0.78	<10	<1	0.04	<10	<0.01	242	<1	<0.01	1	20	24	0.01	5	<1
E855656		0.71	<10	<1	0.25	30	0.03	530	<1	0.05	3	230	7	0.03	<2	1
E855657		1.27	<10	<1	0.16	20	0.13	295	<1	<0.01	1	50	4040	0.21	45	1
E855658		0.85	<10	<1	0.05	<10	0.01	56	<1	<0.01	<1	10	44	0.49	3710	<1
E855659		1.65	<10	<1	0.07	<10	0.03	198	4	<0.01	1	70	75	0.56	31	<1
E855660		0.81	<10	<1	0.11	10	0.01	53	<1	<0.01	1	40	9	0.15	19	<1
E855661		2.44	<10	<1	0.12	<10	0.01	121	<1	<0.01	1	100	502	0.88	19	<1
E855662		0.90	<10	<1	0.01	<10	<0.01	42	1	<0.01	<1	10	>10000	0.33	4920	<1
E855663		2.61	<10	<1	0.60	20	0.52	538	<1	0.11	5	490	39	0.06	4	3
E855664		0.71	<10	<1	0.02	<10	<0.01	36	<1	<0.01	<1	10	289	0.39	74	<1
E859201		3.44	10	<1	0.83	30	0.70	881	<1	0.07	<1	1350	15	0.05	<2	2
E859202		2.41	<10	<1	0.31	20	0.14	803	<1	0.02	3	580	19	0.53	14	2
E859203		4.75	10	<1	1.17	10	1.79	970	<1	0.20	<1	1150	8	0.01	<2	3

Comments: Gold assay(s) on sample E855662 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - C)
Finalized Date: 16-AUG-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10107029

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Ag-GRA21
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Ag
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm
		1	20	0.01	10	10	1	10	2	0.001	5
E855610		5	<20	<0.01	<10	<10	1	<10	67		
E855611		3	<20	<0.01	<10	<10	1	<10	5		
E855612		5	<20	<0.01	<10	<10	1	<10	13		
E855613		6	<20	<0.01	<10	<10	1	<10	10		
E855651		13	<20	<0.01	<10	<10	11	<10	47		
E855652		9	<20	0.05	<10	<10	16	<10	32		
E855653		12	<20	0.03	<10	<10	15	<10	39		
E855654		28	20	0.01	<10	<10	5	<10	32		
E855655		6	<20	<0.01	<10	<10	1	<10	9		
E855656		48	20	<0.01	<10	<10	3	<10	8		
E855657		28	<20	<0.01	<10	<10	1	10	25		235
E855658		5	<20	<0.01	<10	<10	1	60	30		
E855659		19	<20	<0.01	<10	<10	1	2040	404		
E855660		7	<20	<0.01	<10	<10	2	60	10		
E855661		9	<20	<0.01	<10	<10	1	30	369		
E855662		6	<20	<0.01	<10	<10	1	<10	286	1.550	5320
E855663		27	<20	0.12	<10	<10	34	<10	51		
E855664		2	<20	<0.01	<10	<10	1	<10	2410		
E859201		45	<20	0.15	<10	<10	15	<10	119		
E859202		74	<20	0.01	<10	<10	6	<10	47		
E859203		77	<20	0.25	<10	<10	100	<10	99		

Comments: Gold assay(s) on sample E855662 is (are) reported by fire assay gravimetric method due to high silver content in sample(s) that may cause incomplete gold dissolution in aqua-regia solution



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: August 23, 2010

Report Date: September 06, 2010

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000308.1

CLIENT JOB INFORMATION

Project: Longline
Shipment ID: ALN10-02-05
P.O. Number
Number of Samples: 12

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.
200 - 900 W. Hastings St.
Vancouver BC V6C 1E5
Canada

CC: Cam Bartsch

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	12	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	12	Dry at 60C			VAN
RJSV	12	Saving all or part of Soil Reject			VAN
1DX2	12	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 06, 2010

Page: 2 of 2 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000308.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
E859315	Soil	0.8	25.2	9.2	51	0.2	20.7	8.9	304	2.85	26.2	1.2	7.0	2.2	30	0.2	0.7	0.1	68	0.44	0.065
E859316	Soil	0.6	28.1	9.9	63	0.1	25.5	10.6	398	3.33	152.1	1.7	27.6	3.7	34	0.1	1.2	0.2	79	0.49	0.066
E859317	Soil	0.7	27.5	9.1	59	0.2	25.4	10.4	331	3.49	275.5	1.2	75.4	3.4	32	<0.1	1.8	0.2	74	0.49	0.081
E859318	Soil	0.6	28.1	11.7	64	0.2	23.7	10.2	429	3.35	101.7	1.5	24.0	4.1	32	0.1	3.9	0.2	77	0.47	0.057
E859319	Soil	0.7	22.8	19.1	65	1.3	26.8	13.2	615	3.34	230.0	1.2	59.5	3.7	27	0.3	1.0	0.2	74	0.43	0.074
E859320	Soil	0.6	32.2	68.2	87	6.5	27.3	9.5	313	3.36	260.2	1.2	24.8	3.3	34	0.4	1.8	0.1	79	0.52	0.069
E859321	Soil	0.6	30.0	9.7	56	0.1	26.3	8.6	291	3.25	34.3	1.6	6.3	3.8	37	0.1	0.6	0.2	82	0.49	0.060
E859322	Soil	0.6	25.5	11.2	68	0.3	28.1	12.8	637	3.45	114.3	1.3	19.2	4.0	28	0.2	0.6	0.1	80	0.47	0.069
E859323	Soil	0.6	26.0	16.4	69	0.5	25.1	12.2	621	3.30	144.2	1.8	28.8	4.3	33	0.2	1.0	0.1	78	0.53	0.070
E859324	Soil	0.6	30.3	14.5	65	0.7	27.5	10.1	376	3.29	111.4	1.4	18.9	3.7	36	0.2	5.1	0.1	80	0.54	0.070
E859325	Soil	0.7	27.8	33.4	70	1.9	23.5	9.9	339	3.22	138.1	1.2	23.4	3.3	33	0.3	5.0	0.2	78	0.51	0.069
E859326	Soil	0.8	30.5	43.0	78	3.6	25.2	12.2	424	3.45	212.0	1.3	32.0	3.7	33	0.3	5.0	0.1	82	0.47	0.070



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 06, 2010

Page: 2 of 2 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000308.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859315	Soil	12	32	0.60	160	0.113	1	2.36	0.022	0.09	0.1	0.04	4.5	0.1	<0.05	7	<0.5	<0.2
E859316	Soil	15	37	0.75	178	0.132	1	2.62	0.024	0.10	0.1	0.03	5.9	0.1	<0.05	7	<0.5	<0.2
E859317	Soil	15	36	0.78	169	0.117	1	2.62	0.024	0.09	0.1	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
E859318	Soil	17	37	0.75	174	0.132	<1	2.45	0.022	0.11	0.1	0.02	6.2	0.1	<0.05	7	<0.5	<0.2
E859319	Soil	13	31	0.74	140	0.117	2	2.64	0.025	0.09	0.1	0.03	4.5	<0.1	<0.05	7	<0.5	<0.2
E859320	Soil	13	38	0.74	186	0.129	<1	2.58	0.023	0.10	0.1	0.03	5.7	0.1	<0.05	7	<0.5	<0.2
E859321	Soil	17	38	0.73	199	0.129	1	2.78	0.022	0.11	0.1	0.04	6.4	0.1	<0.05	7	<0.5	<0.2
E859322	Soil	14	35	0.73	165	0.127	2	2.84	0.023	0.11	0.2	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
E859323	Soil	17	35	0.73	193	0.129	<1	2.37	0.022	0.09	0.1	0.03	5.9	0.1	<0.05	6	<0.5	<0.2
E859324	Soil	15	38	0.74	182	0.140	2	2.53	0.029	0.10	0.1	0.04	6.4	0.1	<0.05	7	<0.5	<0.2
E859325	Soil	15	37	0.66	152	0.130	1	2.38	0.022	0.10	0.1	0.05	5.6	0.1	<0.05	7	<0.5	<0.2
E859326	Soil	14	39	0.72	172	0.123	2	2.80	0.022	0.09	0.3	0.05	6.0	0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 06, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000308.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Reference Materials																					
STD DS7	Standard	21.9	104.5	67.4	417	1.0	59.5	9.8	678	2.57	57.7	4.7	73.3	4.7	78	6.6	6.2	4.9	90	1.06	0.086
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 06, 2010

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

WHI10000308.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																		
STD DS7	Standard	13	203	1.10	424	0.124	48	1.11	0.122	0.52	4.0	0.25	2.7	4.2	0.14	5	3.6	1.8
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: August 19, 2010

Report Date: September 07, 2010

Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI10000307.1

CLIENT JOB INFORMATION

Project: Longline
Shipment ID: ALN10-02-04
P.O. Number
Number of Samples: 91

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.
200 - 900 W. Hastings St.
Vancouver BC V6C 1E5
Canada

CC: Cam Bartsch

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	91	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	91	Dry at 60C			VAN
RJSV	91	Saving all or part of Soil Reject			VAN
1DX2	91	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

2 of 5

Part 1

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
E859174	Soil	0.6	23.3	26.0	74	0.3	20.5	8.9	391	2.90	227.2	2.3	39.9	5.1	33	0.4	2.1	0.8	70	0.52	0.077
E859175	Soil	0.8	34.8	91.6	112	2.8	20.8	10.1	501	3.35	413.0	1.8	49.0	4.8	34	2.3	7.3	31.4	73	0.52	0.066
E859176	Soil	1.1	27.4	13.1	65	0.3	21.2	10.4	429	3.15	223.7	2.8	27.9	5.2	32	0.2	2.6	0.7	76	0.51	0.071
E859177	Soil	0.8	27.9	11.8	59	0.2	22.1	9.8	424	3.08	176.2	2.4	31.9	4.7	35	<0.1	1.3	0.3	73	0.48	0.058
E859178	Soil	0.6	24.3	12.1	55	0.1	17.7	7.9	268	2.61	62.8	1.7	6.7	4.8	32	<0.1	1.0	0.1	64	0.46	0.068
E859179	Soil	0.7	24.0	27.6	109	0.8	19.5	8.6	457	2.63	420.2	1.5	12.7	2.5	33	0.8	3.7	0.4	55	0.43	0.062
E859180	Soil	0.6	24.4	11.0	61	0.2	19.9	10.9	379	2.80	183.6	1.9	13.4	4.2	38	0.3	3.5	0.2	70	0.58	0.078
E859181	Soil	0.7	28.1	13.9	72	0.3	25.9	11.4	519	2.98	439.0	2.8	27.0	5.0	39	0.3	5.2	0.3	69	0.64	0.088
E859182	Soil	0.6	20.1	19.7	67	0.3	17.2	9.5	519	2.78	446.6	2.0	47.7	5.6	26	0.2	5.7	0.4	64	0.42	0.069
E859183	Soil	0.6	28.9	28.4	75	0.6	23.7	11.4	606	3.43	297.5	2.4	26.2	5.6	32	0.2	4.3	0.5	75	0.46	0.071
E859184	Soil	0.7	29.3	21.3	66	0.5	23.7	9.5	460	2.98	97.2	2.6	12.1	4.9	33	0.2	1.7	0.1	77	0.51	0.067
E859185	Soil	0.6	26.0	9.8	53	0.2	22.9	10.6	379	2.97	243.0	1.5	14.8	4.0	27	0.1	1.2	0.5	74	0.42	0.062
E859186	Soil	0.6	23.4	8.6	49	<0.1	20.4	9.4	350	2.71	20.0	1.2	4.4	3.3	27	0.1	0.6	0.2	71	0.40	0.059
E859187	Soil	0.4	28.5	8.7	54	0.1	25.1	8.8	296	2.82	25.4	1.1	4.1	3.7	35	<0.1	0.5	0.1	75	0.53	0.070
E859188	Soil	1.0	18.5	9.0	41	0.2	15.2	7.4	273	2.25	17.5	1.4	4.7	2.1	22	0.1	0.4	0.3	60	0.31	0.054
E859189	Soil	1.0	35.2	12.9	49	3.3	20.8	9.1	600	2.43	212.5	3.1	23.3	0.9	55	0.2	1.3	0.2	53	0.77	0.083
E859190	Soil	0.7	26.7	11.7	56	0.8	19.7	7.7	338	2.66	172.2	2.1	10.8	3.3	36	0.2	1.5	0.2	64	0.52	0.060
E859191	Soil	0.6	25.1	16.3	67	0.3	22.4	11.5	497	3.13	329.9	2.5	14.4	5.2	36	0.3	1.6	0.3	72	0.50	0.072
E859192	Soil	0.4	25.5	10.2	54	0.2	22.6	7.5	275	2.66	142.9	2.0	13.1	4.8	31	0.1	1.1	0.2	68	0.48	0.071
E859193	Soil	0.6	22.9	11.7	56	0.2	21.9	9.9	416	2.88	350.2	1.6	25.9	3.8	30	0.2	1.5	0.2	72	0.47	0.067
E859194	Soil	0.6	27.5	16.2	58	0.3	23.3	10.3	556	3.07	204.4	1.9	31.0	4.7	35	0.1	1.5	0.2	76	0.52	0.069
E859195	Soil	0.5	23.7	11.1	55	0.2	22.0	9.3	296	2.85	106.0	1.7	11.5	4.0	35	0.1	0.9	0.2	71	0.55	0.084
E859196	Soil	0.6	28.2	9.9	62	0.1	24.2	10.5	471	3.12	80.6	1.9	7.9	4.9	39	0.1	0.9	0.2	78	0.58	0.082
E859197	Soil	0.9	27.4	8.7	59	0.1	22.4	9.5	370	2.93	136.9	2.1	15.4	4.0	35	0.2	1.4	0.3	76	0.55	0.077
E859198	Soil	0.6	27.9	9.5	55	<0.1	21.6	9.5	250	2.98	41.1	1.4	6.0	3.8	33	0.1	0.7	0.8	78	0.51	0.085
E859199	Soil	0.6	33.8	20.0	62	<0.1	23.8	8.5	308	3.22	37.9	1.7	14.6	4.9	36	0.6	0.6	0.1	84	0.57	0.065
E859200	Soil	0.5	13.1	5.3	38	<0.1	9.0	5.7	216	1.79	14.2	0.4	2.8	1.1	14	0.1	0.3	<0.1	50	0.20	0.046
E859251	Soil	0.4	17.7	38.5	94	1.5	18.2	10.0	274	2.83	148.3	2.9	19.8	4.7	32	0.6	3.1	0.7	73	0.49	0.069
E859252	Soil	0.5	20.3	46.2	106	2.1	18.0	10.7	709	2.38	174.8	2.9	28.9	4.2	42	0.8	3.7	0.7	64	0.59	0.068
E859253	Soil	1.0	25.4	52.0	137	4.0	18.3	12.8	883	3.54	809.4	3.1	28.4	2.4	43	1.2	3.8	0.7	74	0.51	0.081



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

2 of 5

Part 2

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859174	Soil	15	32	0.63	160	0.108	2	1.89	0.025	0.10	0.2	0.04	4.9	0.1	<0.05	5	<0.5	<0.2
E859175	Soil	14	36	0.67	158	0.105	3	2.07	0.023	0.13	<0.1	0.03	6.2	0.1	<0.05	6	0.5	0.5
E859176	Soil	15	34	0.63	167	0.107	2	2.01	0.022	0.11	0.3	0.04	5.5	0.1	<0.05	6	<0.5	<0.2
E859177	Soil	18	34	0.62	175	0.092	2	2.13	0.023	0.11	0.2	0.03	5.2	0.1	<0.05	6	0.6	<0.2
E859178	Soil	16	29	0.63	160	0.118	<1	1.75	0.022	0.09	<0.1	0.03	5.6	0.1	<0.05	6	<0.5	<0.2
E859179	Soil	12	26	0.53	157	0.081	<1	1.77	0.021	0.06	0.2	0.04	4.3	<0.1	<0.05	5	<0.5	<0.2
E859180	Soil	14	30	0.65	178	0.128	1	1.76	0.025	0.10	0.1	0.02	5.3	0.2	<0.05	6	<0.5	<0.2
E859181	Soil	17	33	0.77	151	0.113	2	1.85	0.052	0.16	0.1	0.02	5.3	0.2	<0.05	6	0.5	<0.2
E859182	Soil	17	26	0.61	128	0.108	2	1.67	0.024	0.09	0.1	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
E859183	Soil	17	32	0.73	195	0.113	2	2.27	0.021	0.14	0.2	0.03	5.6	0.2	<0.05	7	0.7	<0.2
E859184	Soil	16	37	0.67	190	0.121	3	2.19	0.025	0.11	0.1	0.03	6.2	0.1	<0.05	6	0.6	<0.2
E859185	Soil	13	34	0.63	162	0.115	2	2.25	0.020	0.09	0.1	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
E859186	Soil	13	32	0.61	149	0.113	2	2.22	0.016	0.09	<0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
E859187	Soil	13	35	0.68	173	0.120	2	2.19	0.023	0.08	0.1	0.03	5.5	0.1	<0.05	6	0.6	<0.2
E859188	Soil	10	25	0.46	114	0.084	2	1.67	0.018	0.07	0.1	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
E859189	Soil	25	30	0.35	194	0.054	3	2.31	0.019	0.07	<0.1	0.08	4.6	0.1	0.08	6	0.7	<0.2
E859190	Soil	14	32	0.55	158	0.098	2	1.98	0.023	0.09	0.1	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
E859191	Soil	17	33	0.68	185	0.101	2	2.20	0.021	0.10	0.1	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
E859192	Soil	16	33	0.68	173	0.117	2	2.05	0.021	0.09	0.1	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
E859193	Soil	14	33	0.64	143	0.107	2	2.07	0.022	0.09	0.1	0.03	4.5	0.1	<0.05	6	<0.5	<0.2
E859194	Soil	16	37	0.68	165	0.119	3	2.17	0.023	0.10	0.1	0.03	6.1	0.1	<0.05	6	0.6	<0.2
E859195	Soil	15	33	0.70	164	0.110	2	2.25	0.025	0.08	0.1	0.03	5.0	0.1	<0.05	6	0.7	<0.2
E859196	Soil	19	36	0.77	168	0.115	1	1.98	0.031	0.14	<0.1	0.03	6.1	0.1	<0.05	6	<0.5	<0.2
E859197	Soil	15	35	0.69	171	0.126	2	2.13	0.028	0.11	0.1	0.03	5.5	0.1	<0.05	6	<0.5	<0.2
E859198	Soil	14	34	0.64	155	0.122	2	2.15	0.023	0.09	<0.1	0.03	5.1	0.1	<0.05	6	0.6	<0.2
E859199	Soil	16	41	0.72	171	0.146	2	2.30	0.043	0.15	<0.1	0.02	7.1	0.2	<0.05	7	0.8	<0.2
E859200	Soil	6	14	0.25	64	0.073	2	1.17	0.024	0.05	<0.1	0.02	1.8	<0.1	<0.05	4	<0.5	<0.2
E859251	Soil	16	30	0.61	164	0.100	2	2.12	0.019	0.09	0.1	0.04	4.8	0.1	<0.05	6	<0.5	<0.2
E859252	Soil	15	31	0.60	165	0.102	2	2.12	0.022	0.09	0.1	0.06	5.0	0.2	0.06	6	<0.5	<0.2
E859253	Soil	18	28	0.49	170	0.071	2	2.07	0.025	0.07	0.1	0.05	4.5	0.2	0.06	6	0.7	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

3 of 5

Part 1

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
E859254	Soil	0.5	22.4	90.7	149	5.4	15.5	9.3	563	2.62	326.0	2.1	33.1	5.8	35	1.8	3.6	0.8	62	0.53	0.071
E859255	Soil	0.6	23.1	49.0	132	2.1	22.3	13.0	890	3.44	302.9	3.1	36.3	5.6	39	0.6	4.0	0.7	78	0.53	0.076
E859256	Soil	0.8	21.1	36.3	91	1.7	15.2	11.5	1762	2.50	222.4	3.3	26.3	3.3	39	0.5	2.4	0.7	59	0.50	0.072
E859257	Soil	0.6	19.8	42.1	107	2.2	16.7	10.4	784	2.40	266.0	2.2	17.3	3.2	45	0.8	2.5	1.7	62	0.64	0.068
E859258	Soil	0.4	21.3	51.7	126	2.4	17.0	8.3	456	2.75	311.4	2.1	20.8	5.3	38	1.0	3.3	2.5	65	0.58	0.076
E859259	Soil	0.6	18.9	29.5	95	0.7	15.7	11.5	1351	2.77	375.5	2.7	16.3	4.4	41	0.9	3.9	0.7	65	0.64	0.079
E859260	Soil	0.5	15.1	10.2	48	0.1	15.1	9.6	459	2.16	30.6	1.8	18.5	2.7	38	0.2	0.8	0.1	57	0.49	0.056
E859261	Soil	0.6	16.5	8.9	49	0.3	12.4	7.9	678	1.73	50.2	2.5	8.6	1.2	62	0.2	0.9	0.2	42	0.80	0.063
E859262	Soil	0.4	12.5	13.9	63	0.2	16.6	8.8	306	2.42	76.0	1.8	20.9	3.9	32	0.1	0.9	0.2	58	0.46	0.057
E859263	Soil	0.5	19.5	13.2	53	0.3	17.6	10.4	337	2.19	80.9	3.1	13.1	2.9	35	0.2	1.0	0.2	56	0.45	0.058
E859264	Soil	0.6	19.2	14.3	67	0.6	16.6	9.6	763	2.05	85.0	3.0	10.2	1.8	67	0.3	1.0	0.3	50	0.81	0.059
E859265	Soil	0.5	11.8	9.0	33	0.2	9.7	5.8	260	1.54	29.4	1.5	6.2	0.8	33	<0.1	0.4	0.2	37	0.40	0.050
E859266	Soil	0.6	14.2	7.2	25	0.4	7.2	4.4	245	1.20	45.0	0.5	2.1	0.1	17	0.2	0.2	0.1	31	0.18	0.041
E859267	Soil	0.8	20.6	12.4	54	0.6	20.7	9.5	375	2.65	94.9	0.7	7.5	3.0	23	0.2	0.5	0.2	63	0.31	0.048
E859268	Soil	0.9	19.5	12.5	48	0.5	16.9	8.5	358	2.55	97.4	0.7	7.4	2.4	22	0.2	0.5	0.2	62	0.29	0.043
E859269	Soil	0.5	17.3	11.6	44	0.4	15.3	7.8	358	2.20	62.3	0.7	3.1	3.2	21	<0.1	0.4	0.1	55	0.29	0.046
E859270	Soil	0.6	22.9	16.3	44	1.9	17.9	8.2	251	2.42	594.6	0.8	100.3	2.4	23	0.1	1.6	0.2	57	0.26	0.044
E859271	Soil	0.6	18.5	7.8	30	0.6	11.6	5.3	175	1.69	256.0	0.8	21.4	0.8	19	0.1	0.6	0.1	39	0.20	0.042
E859272	Soil	0.5	19.3	7.5	39	0.3	16.4	7.2	221	2.13	314.1	0.8	45.9	2.1	21	0.1	0.8	0.1	49	0.26	0.040
E859273	Soil	0.5	19.2	8.7	35	0.5	13.1	6.3	201	1.94	927.4	0.8	165.6	1.3	20	0.2	1.0	0.2	43	0.19	0.046
E859274	Soil	0.6	21.8	10.0	43	0.4	17.9	7.7	221	2.40	712.1	0.8	106.8	2.1	23	0.2	0.8	0.2	56	0.27	0.046
E859275	Soil	0.8	21.2	8.9	38	0.3	15.1	6.7	199	2.14	206.8	0.9	29.2	0.9	21	0.1	0.6	0.2	51	0.24	0.047
E859276	Soil	0.6	24.2	9.3	45	0.2	18.9	8.0	277	2.51	129.3	1.0	8.2	2.4	25	0.1	0.6	0.2	61	0.32	0.049
E859277	Soil	0.7	25.9	10.4	52	0.3	22.2	9.2	309	2.88	256.6	0.9	18.3	3.3	25	0.1	0.7	0.2	68	0.32	0.049
E859278	Soil	0.7	26.4	10.0	45	0.5	20.5	8.7	247	2.67	352.4	0.9	22.9	1.8	26	0.1	0.6	0.2	61	0.32	0.048
E859279	Soil	0.6	22.9	9.0	40	0.5	16.1	6.9	205	2.15	270.4	0.9	25.8	1.0	22	0.2	0.6	0.2	50	0.25	0.047
E859280	Soil	0.7	25.1	10.8	47	0.4	19.1	8.2	243	2.38	221.9	0.8	13.8	1.7	24	0.2	0.5	0.3	58	0.30	0.052
E859281	Soil	0.7	24.0	13.3	51	0.6	21.0	8.9	289	2.61	246.5	0.9	14.7	2.9	23	0.1	0.5	0.9	62	0.32	0.052
E859282	Soil	0.5	21.4	10.4	44	0.4	18.9	8.0	248	2.31	156.7	0.7	11.6	2.5	22	0.2	0.4	0.4	57	0.31	0.051
E859283	Soil	0.6	21.7	14.8	47	0.5	18.6	8.2	242	2.42	232.7	0.8	17.1	2.9	23	0.1	0.7	0.5	60	0.31	0.052



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

3 of 5

Part 2

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859254	Soil	18	23	0.54	124	0.100	2	1.49	0.040	0.13	0.3	0.03	4.3	0.1	<0.05	5	0.6	<0.2
E859255	Soil	16	31	0.73	200	0.101	2	2.33	0.019	0.15	0.1	0.06	5.2	0.2	<0.05	7	<0.5	<0.2
E859256	Soil	15	25	0.51	173	0.076	1	1.78	0.023	0.08	<0.1	0.05	4.3	0.2	<0.05	6	0.7	<0.2
E859257	Soil	14	26	0.55	156	0.087	3	1.81	0.023	0.09	0.1	0.05	4.2	0.2	0.06	5	<0.5	0.3
E859258	Soil	16	27	0.63	147	0.109	2	1.83	0.023	0.16	0.2	0.03	5.1	0.2	<0.05	6	<0.5	<0.2
E859259	Soil	15	25	0.62	173	0.105	2	1.87	0.020	0.13	0.2	0.04	4.7	0.2	<0.05	6	0.6	0.2
E859260	Soil	10	24	0.48	128	0.072	2	1.39	0.013	0.06	0.2	0.03	2.5	0.1	<0.05	5	<0.5	<0.2
E859261	Soil	12	19	0.38	160	0.049	3	1.22	0.014	0.05	<0.1	0.09	2.3	0.1	0.06	4	0.7	<0.2
E859262	Soil	10	24	0.62	139	0.094	2	1.56	0.016	0.08	0.1	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
E859263	Soil	16	23	0.48	150	0.064	2	1.50	0.016	0.06	0.2	0.05	3.5	0.1	<0.05	5	<0.5	<0.2
E859264	Soil	12	23	0.49	170	0.055	2	1.53	0.017	0.05	<0.1	0.07	3.2	0.1	<0.05	5	<0.5	<0.2
E859265	Soil	6	16	0.28	96	0.041	2	1.06	0.017	0.04	<0.1	0.04	1.6	<0.1	<0.05	4	0.5	<0.2
E859266	Soil	6	12	0.18	116	0.035	<1	0.81	0.016	0.04	0.2	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
E859267	Soil	9	27	0.56	197	0.091	1	1.97	0.020	0.06	0.5	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
E859268	Soil	10	24	0.52	179	0.088	2	1.66	0.015	0.05	0.4	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
E859269	Soil	12	22	0.50	197	0.090	1	1.41	0.013	0.05	0.5	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
E859270	Soil	12	27	0.50	136	0.082	2	1.73	0.018	0.05	18.4	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
E859271	Soil	11	18	0.28	114	0.055	<1	1.24	0.017	0.04	2.3	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
E859272	Soil	11	23	0.44	127	0.075	1	1.59	0.015	0.05	4.7	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
E859273	Soil	14	19	0.32	118	0.058	2	1.33	0.013	0.05	16.4	0.03	1.9	<0.1	<0.05	4	0.7	<0.2
E859274	Soil	12	25	0.49	129	0.081	2	1.65	0.013	0.06	9.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
E859275	Soil	11	23	0.41	127	0.069	2	1.59	0.014	0.05	2.1	0.03	2.4	<0.1	<0.05	5	<0.5	<0.2
E859276	Soil	14	29	0.53	155	0.094	2	1.73	0.014	0.06	0.7	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2
E859277	Soil	15	33	0.60	172	0.103	1	2.09	0.013	0.07	1.0	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
E859278	Soil	12	30	0.50	174	0.091	2	2.11	0.014	0.06	1.1	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
E859279	Soil	11	25	0.41	135	0.070	1	1.57	0.015	0.05	3.7	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
E859280	Soil	12	28	0.51	151	0.089	2	1.75	0.014	0.06	1.5	0.04	3.1	<0.1	<0.05	6	<0.5	<0.2
E859281	Soil	14	29	0.56	158	0.100	<1	1.91	0.014	0.06	1.0	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
E859282	Soil	12	26	0.52	168	0.096	2	1.66	0.014	0.05	0.7	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
E859283	Soil	12	28	0.54	163	0.101	1	1.73	0.015	0.06	1.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

4 of 5

Part 1

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
E859284	Soil				0.6	23.1	12.6	52	0.5	19.8	9.2	276	2.65	311.2	0.8	26.5	3.1	21	0.1	0.6	0.4	65	0.32	0.055
E859285	Soil				0.6	17.1	7.8	26	0.6	9.6	3.8	103	1.37	140.1	0.6	14.0	0.2	16	0.1	0.4	0.2	32	0.17	0.045
E859286	Soil				0.7	23.1	11.3	52	0.4	20.2	9.1	309	2.63	255.5	0.8	13.4	3.4	25	0.2	0.6	0.3	64	0.34	0.053
E859287	Soil				0.9	24.1	11.7	48	0.2	21.0	9.3	313	2.79	68.7	0.9	6.4	2.3	22	0.1	0.4	0.2	67	0.29	0.049
E859288	Soil				0.8	24.1	12.0	46	0.2	18.4	8.3	283	2.55	59.7	1.1	3.9	1.8	24	0.2	0.5	0.2	63	0.31	0.049
E859289	Soil				0.7	23.4	9.6	41	0.2	16.3	7.2	249	2.27	56.6	0.9	7.2	1.2	23	0.2	0.4	0.2	56	0.31	0.050
E859290	Soil				0.8	24.9	10.4	58	0.5	19.1	9.2	325	2.96	1090	1.0	92.3	2.9	26	0.2	1.3	0.2	61	0.31	0.059
E859291	Soil				0.6	25.2	10.8	49	0.5	20.4	9.1	298	2.58	541.9	1.1	69.6	2.3	27	0.2	0.8	0.2	61	0.33	0.056
E859292	Soil				0.6	25.7	10.6	41	0.5	18.1	7.5	206	2.22	388.8	1.0	55.1	0.8	24	0.2	0.7	0.2	53	0.29	0.053
E859293	Soil				0.5	16.5	5.7	23	0.4	9.9	4.5	106	1.30	191.5	0.7	31.0	0.2	18	0.2	0.4	0.1	31	0.18	0.044
E859294	Soil				0.6	16.9	8.6	40	0.3	12.8	7.6	642	1.78	49.8	1.5	10.5	1.6	31	0.2	5.6	0.1	47	0.47	0.072
E859295	Soil				0.4	24.8	18.2	67	0.6	23.7	10.7	268	2.88	85.1	2.3	16.1	5.0	40	0.3	15.6	0.2	86	0.61	0.067
E859296	Soil				0.7	25.5	23.3	69	0.9	27.2	17.0	895	5.34	491.1	2.3	32.2	4.8	39	0.3	10.8	0.2	87	0.67	0.083
E859297	Soil				0.7	26.8	10.1	51	0.3	22.6	9.6	491	2.67	124.6	4.4	22.0	2.2	58	0.3	16.3	0.1	61	0.96	0.098
E859298	Soil				0.8	23.7	10.9	56	0.4	22.3	11.2	702	2.88	205.5	1.9	25.8	2.6	42	0.2	10.7	0.1	68	0.63	0.094
E859299	Soil				0.8	19.2	7.8	46	0.2	15.0	8.1	431	2.38	37.1	1.1	8.5	1.8	27	0.2	1.0	0.1	59	0.39	0.062
E859300	Soil				0.5	27.5	9.9	58	0.2	26.2	9.9	371	3.35	33.7	1.3	7.4	3.4	31	0.1	1.0	0.2	82	0.48	0.065
E859301	Soil				0.7	31.8	14.9	77	0.3	27.4	10.5	395	3.62	189.9	1.8	38.9	4.1	38	0.2	2.1	0.6	80	0.53	0.075
E859302	Soil				1.0	28.0	10.0	58	0.1	26.3	11.0	377	3.64	85.5	1.3	19.6	3.2	41	0.1	1.4	0.3	80	0.59	0.072
E859303	Soil				0.5	23.1	8.3	56	<0.1	20.3	9.7	377	3.02	38.5	1.2	10.1	2.9	31	0.1	0.9	0.1	70	0.46	0.068
E859304	Soil				0.4	5.9	3.1	25	<0.1	3.1	2.4	94	1.05	2.3	0.3	0.9	0.1	9	0.1	0.2	<0.1	26	0.10	0.033
E859305	Soil				0.7	23.1	9.1	68	0.1	22.4	11.2	448	3.52	37.6	4.5	7.9	4.2	41	0.2	8.7	0.1	88	0.73	0.098
E859306	Soil				0.5	23.6	9.3	61	<0.1	23.5	11.6	438	3.07	27.0	2.2	4.3	4.2	34	0.1	6.3	0.1	77	0.64	0.090
E859307	Soil				0.5	24.1	8.5	67	0.1	29.3	13.8	689	3.56	30.7	3.4	9.8	4.6	39	0.3	1.4	0.1	81	0.64	0.098
E859308	Soil				0.5	28.5	9.4	71	0.2	29.4	13.9	462	3.45	50.7	1.6	13.9	3.9	47	0.2	3.2	0.1	83	0.86	0.104
E859309	Soil				0.6	23.9	11.0	68	0.2	25.0	12.8	519	3.21	41.1	2.4	13.1	4.0	37	0.2	2.9	0.1	77	0.64	0.095
E859310	Soil				0.5	20.6	11.7	68	0.2	24.2	12.1	494	3.15	31.2	2.8	9.1	5.1	37	0.3	4.8	0.1	84	0.64	0.097
E859311	Soil				0.6	25.6	7.9	61	<0.1	27.4	10.9	454	3.41	27.5	1.1	8.0	3.5	31	0.2	0.7	0.3	86	0.46	0.067
E859312	Soil				0.6	28.6	9.4	64	0.1	27.1	14.1	526	3.49	48.2	1.9	8.4	3.8	41	0.2	1.8	0.1	85	0.70	0.088
E859313	Soil				0.7	29.1	10.1	56	0.2	27.9	11.5	461	3.39	49.9	1.7	15.3	3.6	32	0.1	1.0	0.1	82	0.47	0.070



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 07, 2010

Page:

4 of 5

Part 2

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859284	Soil	12	30	0.58	156	0.104	1	1.98	0.014	0.06	0.9	0.03	3.4	<0.1	<0.05	6	0.5	<0.2
E859285	Soil	7	15	0.22	97	0.043	2	1.12	0.017	0.04	0.4	0.04	1.1	<0.1	<0.05	4	0.5	<0.2
E859286	Soil	14	30	0.58	168	0.107	2	1.81	0.014	0.06	0.6	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
E859287	Soil	11	30	0.55	147	0.100	2	1.99	0.014	0.06	0.2	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
E859288	Soil	14	28	0.51	143	0.098	2	1.79	0.015	0.06	0.3	0.03	3.3	<0.1	<0.05	6	<0.5	<0.2
E859289	Soil	12	26	0.47	135	0.091	2	1.57	0.015	0.06	0.3	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
E859290	Soil	17	30	0.55	144	0.092	2	1.89	0.014	0.08	14.8	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
E859291	Soil	16	29	0.55	163	0.093	2	1.83	0.015	0.06	8.5	0.03	3.4	<0.1	<0.05	6	0.8	<0.2
E859292	Soil	14	27	0.43	165	0.071	2	1.82	0.016	0.05	4.5	0.05	2.7	<0.1	<0.05	5	0.6	<0.2
E859293	Soil	8	15	0.21	92	0.043	1	0.97	0.017	0.04	1.9	0.03	1.1	<0.1	<0.05	3	<0.5	<0.2
E859294	Soil	10	20	0.41	137	0.078	2	1.25	0.025	0.05	0.1	0.03	2.7	<0.1	<0.05	4	<0.5	<0.2
E859295	Soil	14	37	0.73	214	0.143	3	2.15	0.021	0.09	<0.1	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
E859296	Soil	17	37	0.73	213	0.120	1	2.20	0.029	0.12	0.1	0.02	6.0	0.2	<0.05	6	<0.5	<0.2
E859297	Soil	15	29	0.59	186	0.084	<1	2.01	0.031	0.09	0.1	0.05	4.5	0.1	0.06	5	0.6	<0.2
E859298	Soil	15	29	0.63	179	0.082	<1	2.10	0.026	0.08	0.1	0.04	3.8	0.1	<0.05	6	<0.5	<0.2
E859299	Soil	11	22	0.40	105	0.084	<1	1.68	0.027	0.06	<0.1	0.02	3.0	<0.1	<0.05	5	0.6	<0.2
E859300	Soil	14	37	0.78	185	0.141	<1	2.53	0.017	0.10	0.1	0.03	5.6	0.1	<0.05	7	<0.5	<0.2
E859301	Soil	16	41	0.82	210	0.128	1	2.69	0.031	0.11	0.1	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
E859302	Soil	15	37	0.81	208	0.123	<1	2.73	0.028	0.09	0.1	0.03	5.7	0.1	<0.05	7	<0.5	<0.2
E859303	Soil	13	32	0.73	171	0.121	<1	2.45	0.026	0.09	0.2	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
E859304	Soil	2	7	0.09	25	0.035	<1	0.52	0.027	0.03	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
E859305	Soil	19	33	0.72	185	0.123	2	2.34	0.029	0.12	0.1	0.05	5.7	0.2	<0.05	6	<0.5	<0.2
E859306	Soil	17	35	0.74	195	0.131	1	2.13	0.028	0.12	0.2	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
E859307	Soil	20	34	0.82	228	0.134	1	2.19	0.037	0.14	0.2	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
E859308	Soil	16	37	0.85	138	0.128	1	1.81	0.069	0.14	0.1	0.04	5.2	0.1	<0.05	6	<0.5	<0.2
E859309	Soil	17	35	0.77	191	0.134	<1	2.23	0.038	0.10	0.1	0.03	5.1	0.1	<0.05	6	<0.5	<0.2
E859310	Soil	17	33	0.81	211	0.138	1	2.37	0.030	0.10	0.2	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
E859311	Soil	13	36	0.79	173	0.155	<1	2.64	0.029	0.13	0.1	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
E859312	Soil	15	38	0.72	191	0.136	2	2.08	0.040	0.13	0.1	0.02	6.3	0.1	<0.05	6	0.5	<0.2
E859313	Soil	15	38	0.75	199	0.131	<1	2.59	0.022	0.07	0.1	0.04	5.7	0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 07, 2010

Page: 5 of 5 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
E859314	Soil	1.0	30.4	10.9	65	<0.1	27.8	13.1	516	3.71	44.1	2.1	7.2	3.1	32	0.1	1.5	0.2	88	0.41	0.059



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 07, 2010

Page: 5 of 5 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859314	Soil	18	38	0.79	214	0.118	1	3.03	0.022	0.07	0.4	0.04	5.7	0.2	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 07, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
Pulp Duplicates																					
E859190	Soil	0.7	26.7	11.7	56	0.8	19.7	7.7	338	2.66	172.2	2.1	10.8	3.3	36	0.2	1.5	0.2	64	0.52	0.060
REP E859190	QC	0.7	27.1	12.1	56	0.7	20.5	8.4	345	2.71	171.1	2.1	11.3	3.3	36	0.2	1.4	0.2	68	0.51	0.062
E859254	Soil	0.5	22.4	90.7	149	5.4	15.5	9.3	563	2.62	326.0	2.1	33.1	5.8	35	1.8	3.6	0.8	62	0.53	0.071
REP E859254	QC	0.4	21.5	89.5	150	5.6	15.6	9.6	554	2.65	336.0	1.9	41.6	5.9	36	1.6	3.8	0.8	62	0.53	0.073
E859271	Soil	0.6	18.5	7.8	30	0.6	11.6	5.3	175	1.69	256.0	0.8	21.4	0.8	19	0.1	0.6	0.1	39	0.20	0.042
REP E859271	QC	0.6	18.9	7.6	31	0.6	12.4	5.5	179	1.75	261.9	0.9	23.5	0.8	19	0.1	0.6	0.1	40	0.20	0.044
E859289	Soil	0.7	23.4	9.6	41	0.2	16.3	7.2	249	2.27	56.6	0.9	7.2	1.2	23	0.2	0.4	0.2	56	0.31	0.050
REP E859289	QC	0.7	23.6	10.2	42	0.2	17.0	7.5	242	2.25	56.6	0.9	3.6	1.3	24	0.2	0.4	0.2	56	0.30	0.051
E859303	Soil	0.5	23.1	8.3	56	<0.1	20.3	9.7	377	3.02	38.5	1.2	10.1	2.9	31	0.1	0.9	0.1	70	0.46	0.068
REP E859303	QC	0.5	24.3	8.6	57	<0.1	21.7	9.9	393	3.12	40.4	1.1	10.9	3.0	32	<0.1	0.8	0.1	73	0.49	0.069
E859310	Soil	0.5	20.6	11.7	68	0.2	24.2	12.1	494	3.15	31.2	2.8	9.1	5.1	37	0.3	4.8	0.1	84	0.64	0.097
REP E859310	QC	0.5	20.8	11.5	71	0.2	23.9	12.0	490	3.09	29.5	2.7	8.4	4.8	38	0.2	4.8	0.1	81	0.66	0.089
Reference Materials																					
STD DS7	Standard	21.9	104.5	67.4	417	1.0	59.5	9.8	678	2.57	57.7	4.7	73.3	4.7	78	6.6	6.2	4.9	90	1.06	0.086
STD DS7	Standard	22.4	118.7	69.8	407	1.0	61.4	9.7	664	2.49	53.5	4.7	72.9	4.5	72	6.2	6.0	4.8	93	0.95	0.079
STD DS7	Standard	20.4	97.4	62.5	365	0.9	53.0	9.1	603	2.28	46.4	4.5	63.1	4.4	73	5.7	5.4	4.3	88	0.91	0.074
STD DS7	Standard	19.7	108.5	59.0	390	1.0	53.2	8.9	612	2.32	53.7	4.3	89.8	4.0	68	6.2	5.9	4.2	81	0.91	0.079
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 07, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000307.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
E859190	Soil	14	32	0.55	158	0.098	2	1.98	0.023	0.09	0.1	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
REP E859190	QC	14	33	0.57	154	0.099	2	2.06	0.026	0.09	0.1	0.03	5.1	0.1	<0.05	6	<0.5	<0.2
E859254	Soil	18	23	0.54	124	0.100	2	1.49	0.040	0.13	0.3	0.03	4.3	0.1	<0.05	5	0.6	<0.2
REP E859254	QC	18	23	0.54	127	0.102	2	1.48	0.031	0.13	0.2	0.02	4.3	0.1	<0.05	4	<0.5	<0.2
E859271	Soil	11	18	0.28	114	0.055	<1	1.24	0.017	0.04	2.3	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
REP E859271	QC	11	18	0.29	114	0.056	<1	1.28	0.015	0.04	2.9	0.03	1.8	<0.1	<0.05	4	<0.5	<0.2
E859289	Soil	12	26	0.47	135	0.091	2	1.57	0.015	0.06	0.3	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
REP E859289	QC	13	26	0.47	137	0.089	2	1.56	0.016	0.06	0.3	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
E859303	Soil	13	32	0.73	171	0.121	<1	2.45	0.026	0.09	0.2	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
REP E859303	QC	13	31	0.76	174	0.131	1	2.40	0.024	0.09	0.1	0.03	4.6	0.1	<0.05	7	<0.5	<0.2
E859310	Soil	17	33	0.81	211	0.138	1	2.37	0.030	0.10	0.2	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
REP E859310	QC	16	34	0.72	203	0.136	2	2.31	0.037	0.10	0.2	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	203	1.10	424	0.124	48	1.11	0.122	0.52	4.0	0.25	2.7	4.2	0.14	5	3.6	1.8
STD DS7	Standard	12	203	1.11	403	0.130	41	1.06	0.096	0.48	3.6	0.21	2.4	4.3	0.23	5	3.1	1.2
STD DS7	Standard	13	202	1.02	410	0.116	38	1.03	0.103	0.48	3.4	0.23	2.7	4.1	0.19	5	3.3	1.3
STD DS7	Standard	12	168	1.03	395	0.128	38	0.98	0.091	0.46	3.4	0.20	2.8	3.8	0.14	5	3.5	1.6
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: August 18, 2010

Report Date: September 03, 2010

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000298.1

CLIENT JOB INFORMATION

Project: Longline
Shipment ID: ALN10-02-02
P.O. Number
Number of Samples: 32

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.
200 - 900 W. Hastings St.
Vancouver BC V6C 1E5
Canada

CC: Cam Bartsch

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	32	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	32	Dry at 60C			VAN
1DX2	32	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	32	Saving all or part of Soil Reject			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 03, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000298.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
859121	Soil					0.6	21.6	10.1	53	0.2	17.9	9.9	1112	2.27	58.8	1.9	12.2	3.1	41	0.3	1.2	0.1	62	0.52	0.069
859122	Soil					0.6	21.0	11.4	61	0.2	20.0	10.1	534	2.67	57.4	1.5	5.3	2.9	34	0.2	0.6	0.1	66	0.44	0.066
859123	Soil					0.7	17.8	11.4	59	0.2	18.8	10.5	512	3.02	63.3	1.6	3.4	3.3	41	0.1	1.4	0.1	63	0.56	0.091
859124	Soil					0.6	17.6	11.4	62	0.1	19.4	13.4	597	3.00	72.9	1.6	9.6	5.0	34	0.2	1.0	0.1	68	0.51	0.077
859125	Soil					0.3	28.5	10.9	62	0.2	21.7	8.8	249	2.48	44.8	3.0	22.5	5.1	35	0.2	1.2	0.1	66	0.52	0.063
859126	Soil					1.2	16.5	9.1	51	0.3	11.2	6.8	427	2.31	55.2	1.4	5.8	0.8	28	0.3	0.6	0.1	60	0.29	0.057
859127	Soil					0.5	30.2	13.2	60	0.3	22.6	9.5	451	3.00	46.0	1.6	16.7	5.1	46	<0.1	0.8	0.2	68	0.62	0.064
859128	Soil					1.9	34.8	27.1	87	2.2	28.9	12.9	419	3.51	236.9	1.7	15.6	4.5	51	0.3	2.9	0.1	78	0.73	0.074
859129	Soil					1.3	26.0	13.2	60	0.4	22.2	11.6	587	2.94	111.3	4.9	17.4	4.3	41	0.2	2.3	0.2	68	0.57	0.081
859130	Soil					0.9	23.6	10.5	42	0.4	18.1	9.0	885	2.39	64.4	2.6	11.0	2.7	28	0.1	1.2	0.2	56	0.36	0.074
859131	Soil					0.8	26.3	12.3	59	0.3	23.8	13.3	685	3.20	68.5	2.5	9.4	3.1	52	0.2	1.8	0.1	73	0.71	0.100
859132	Soil					0.5	22.0	10.4	63	0.1	21.8	10.5	372	3.20	64.1	1.5	9.9	5.0	39	0.1	0.7	0.1	80	0.56	0.067
859133	Soil					0.5	23.8	11.1	61	0.1	19.7	9.4	461	2.84	30.3	1.3	9.6	4.9	39	0.1	0.6	0.1	72	0.59	0.073
859134	Soil					0.4	28.2	8.3	53	0.1	22.3	10.0	411	2.92	39.8	1.6	12.7	3.9	38	<0.1	0.6	0.2	74	0.54	0.065
859135	Soil					0.4	32.4	7.9	60	0.1	22.3	10.2	353	3.29	50.3	1.5	14.0	4.4	37	<0.1	0.6	0.1	81	0.53	0.066
859136	Soil					0.4	26.0	8.1	54	0.1	19.3	8.8	296	2.80	40.9	1.2	10.7	3.6	37	0.1	0.6	0.1	68	0.52	0.066
859137	Soil					0.4	13.0	5.8	14	1.1	5.3	2.0	89	0.83	20.5	0.9	3.2	0.3	29	<0.1	0.3	<0.1	19	0.32	0.046
859138	Soil					0.3	37.4	12.2	67	0.3	24.2	10.2	209	3.04	28.8	1.4	7.4	4.8	39	0.2	1.2	0.1	79	0.53	0.058
859139	Soil					1.1	22.7	7.7	41	0.2	16.7	8.1	479	2.39	38.2	1.6	7.4	2.5	36	0.2	0.8	0.1	57	0.45	0.069
859140	Soil					1.1	38.6	10.2	72	0.2	29.3	14.8	598	3.43	136.2	1.3	21.2	5.1	45	0.2	4.5	0.2	81	0.70	0.073
859141	Soil					0.4	27.3	8.9	58	0.1	20.5	9.6	316	3.01	71.3	1.4	10.5	4.0	36	<0.1	0.6	0.1	76	0.52	0.061
859142	Soil					0.5	31.8	8.4	65	0.2	20.8	9.0	313	3.31	67.0	1.3	9.6	4.2	39	0.2	0.6	0.1	82	0.58	0.070
859143	Soil					0.6	25.2	15.8	75	0.8	20.1	7.8	299	2.56	293.6	1.2	14.8	4.1	36	0.2	2.0	0.1	60	0.51	0.059
859144	Soil					1.5	36.5	21.2	63	0.4	17.9	9.5	288	2.77	184.7	1.6	105.8	7.0	29	0.2	3.1	0.6	66	0.41	0.049
859145	Soil					1.0	28.6	14.7	62	0.3	20.0	9.1	272	2.85	88.7	1.6	30.0	5.4	32	0.2	1.4	0.3	69	0.47	0.056
859146	Soil					1.1	32.5	16.0	63	0.3	20.4	10.5	385	3.06	158.9	2.4	9.9	5.6	37	0.1	1.6	0.3	76	0.54	0.063
859147	Soil					0.9	33.0	13.9	66	0.2	22.6	10.7	435	2.97	127.6	1.8	13.2	4.6	40	0.2	1.8	0.3	69	0.63	0.068
859148	Soil					0.8	26.0	10.2	61	0.1	18.0	8.8	465	2.68	104.9	1.2	5.1	3.6	36	0.1	1.2	0.2	66	0.53	0.069
859149	Soil					0.6	30.2	10.1	59	0.1	21.1	9.0	284	2.88	40.0	2.4	4.5	5.0	37	0.1	1.2	0.2	71	0.58	0.069
859150	Soil					0.6	26.7	9.9	62	0.2	23.4	9.6	359	2.84	132.8	2.2	14.0	4.7	40	0.2	1.5	0.3	69	0.60	0.080



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 03, 2010

Page:

2 of 3

Part 2

CERTIFICATE OF ANALYSIS

WHI10000298.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
859121	Soil	15	29	0.53	184	0.101	2	1.82	0.026	0.07	0.1	0.04	4.8	0.1	<0.05	5	<0.5	<0.2
859122	Soil	12	27	0.61	157	0.106	1	1.91	0.021	0.07	0.2	0.03	4.1	0.1	<0.05	6	0.6	<0.2
859123	Soil	12	31	0.62	182	0.092	2	2.00	0.022	0.08	0.1	0.05	4.5	0.1	<0.05	6	0.7	<0.2
859124	Soil	15	29	0.66	185	0.118	1	1.95	0.024	0.09	0.2	0.03	4.9	0.1	<0.05	6	0.7	<0.2
859125	Soil	17	34	0.64	178	0.131	2	1.94	0.032	0.09	0.2	0.04	6.0	0.1	<0.05	6	<0.5	<0.2
859126	Soil	9	23	0.31	98	0.073	1	1.49	0.019	0.06	<0.1	0.05	2.6	<0.1	<0.05	6	<0.5	<0.2
859127	Soil	17	35	0.67	218	0.112	2	1.92	0.036	0.12	<0.1	0.03	7.1	<0.1	<0.05	6	0.6	<0.2
859128	Soil	17	46	0.88	131	0.117	1	2.21	0.051	0.11	0.1	0.04	7.7	0.1	<0.05	6	0.6	<0.2
859129	Soil	18	35	0.67	192	0.097	2	2.27	0.032	0.08	0.1	0.05	6.1	0.2	<0.05	7	0.7	<0.2
859130	Soil	16	28	0.48	177	0.071	2	1.79	0.028	0.06	<0.1	0.05	4.8	0.1	<0.05	5	0.8	<0.2
859131	Soil	16	39	0.76	219	0.095	1	2.20	0.038	0.07	0.1	0.05	6.1	0.2	<0.05	7	0.7	<0.2
859132	Soil	15	38	0.67	195	0.149	1	2.31	0.028	0.11	0.1	0.03	6.1	0.1	<0.05	7	<0.5	<0.2
859133	Soil	16	36	0.66	161	0.149	2	1.94	0.031	0.11	0.2	0.02	5.7	0.1	<0.05	6	<0.5	<0.2
859134	Soil	16	37	0.63	186	0.142	1	2.14	0.026	0.08	0.3	0.04	6.1	0.1	<0.05	7	<0.5	<0.2
859135	Soil	15	41	0.68	182	0.154	1	2.20	0.028	0.10	<0.1	0.03	7.1	0.1	<0.05	7	<0.5	<0.2
859136	Soil	14	34	0.58	165	0.128	1	1.91	0.029	0.08	<0.1	0.03	5.7	0.1	<0.05	5	<0.5	<0.2
859137	Soil	7	9	0.12	70	0.033	<1	0.73	0.027	0.02	<0.1	0.05	1.5	<0.1	<0.05	3	<0.5	<0.2
859138	Soil	17	42	0.69	166	0.149	2	2.20	0.040	0.11	<0.1	0.02	7.4	0.1	<0.05	6	0.9	<0.2
859139	Soil	14	28	0.50	160	0.087	1	1.78	0.025	0.08	<0.1	0.04	4.8	0.1	<0.05	5	<0.5	<0.2
859140	Soil	18	45	0.88	165	0.143	2	2.22	0.047	0.18	0.1	0.02	8.2	0.2	<0.05	7	0.7	<0.2
859141	Soil	14	38	0.59	183	0.142	1	1.98	0.029	0.08	<0.1	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
859142	Soil	14	40	0.66	169	0.152	1	2.13	0.032	0.10	0.1	0.04	7.1	0.1	<0.05	6	<0.5	<0.2
859143	Soil	14	32	0.56	173	0.114	1	1.86	0.024	0.07	0.2	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
859144	Soil	21	33	0.60	166	0.123	1	2.01	0.020	0.12	0.2	0.03	6.3	0.2	<0.05	6	0.5	<0.2
859145	Soil	15	34	0.68	172	0.136	2	2.29	0.023	0.10	0.1	0.03	5.7	0.2	<0.05	7	<0.5	<0.2
859146	Soil	18	36	0.67	199	0.139	2	2.13	0.025	0.11	<0.1	0.03	6.7	0.2	<0.05	7	0.6	<0.2
859147	Soil	17	38	0.74	199	0.151	2	2.26	0.036	0.14	0.1	0.04	6.6	0.2	<0.05	6	<0.5	<0.2
859148	Soil	13	31	0.67	158	0.125	<1	1.81	0.028	0.11	0.1	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
859149	Soil	18	36	0.71	192	0.143	1	2.13	0.029	0.13	<0.1	0.03	6.7	0.2	<0.05	7	0.6	<0.2
859150	Soil	16	34	0.74	182	0.139	1	2.03	0.033	0.11	0.1	0.03	5.9	0.2	<0.05	6	0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 03, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000298.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
859172	Soil	0.5	25.1	10.4	63	0.1	22.7	10.1	393	2.86	111.7	2.1	10.7	4.7	38	0.2	1.2	0.4	72	0.55	0.070
859173	Soil	0.7	37.7	12.4	58	0.3	22.8	10.9	642	3.39	333.1	3.2	16.4	4.0	43	0.2	1.6	0.6	79	0.59	0.079



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 03, 2010

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000298.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
859172	Soil	16	36	0.71	190	0.142	1	2.06	0.030	0.10	<0.1	0.02	6.1	0.2	<0.05	6	0.6	<0.2
859173	Soil	21	36	0.62	204	0.115	2	2.16	0.025	0.07	<0.1	0.05	6.4	0.1	<0.05	6	0.8	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 03, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000298.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
859137	Soil	0.4	13.0	5.8	14	1.1	5.3	2.0	89	0.83	20.5	0.9	3.2	0.3	29	<0.1	0.3	<0.1	19	0.32	0.046
REP 859137	QC	0.4	13.4	5.9	14	1.2	5.0	2.1	93	0.85	22.2	0.9	4.5	0.3	30	<0.1	0.3	<0.1	19	0.32	0.050
Reference Materials																					
STD DS7	Standard	20.8	109.0	59.5	379	1.0	50.9	9.0	602	2.27	49.7	4.4	65.7	4.5	74	6.0	5.3	4.1	86	0.91	0.073
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 03, 2010

Page: 1 of 1 **Part** 2

QUALITY CONTROL REPORT

WHI10000298.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
859137	Soil	7	9	0.12	70	0.033	<1	0.73	0.027	0.02	<0.1	0.05	1.5	<0.1	<0.05	3	<0.5	<0.2
REP 859137	QC	7	10	0.12	70	0.035	<1	0.80	0.030	0.03	<0.1	0.05	1.7	<0.1	0.05	3	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	191	0.99	386	0.133	35	0.99	0.094	0.45	3.5	0.21	2.8	3.8	0.17	5	3.5	1.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Bert Jeffries

Receiving Lab: Canada-Whitehorse

Received: August 18, 2010

Report Date: September 02, 2010

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI10000297.1

CLIENT JOB INFORMATION

Project: Longline
Shipment ID: ALN10-02-01
P.O. Number
Number of Samples: 141

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.
200 - 900 W. Hastings St.
Vancouver BC V6C 1E5
Canada

CC: Cam Bartsch

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	141	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	141	Dry at 60C			VAN
1DX2	141	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
RJSV	141	Saving all or part of Soil Reject			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 02, 2010

Page:

2 of 6

Part 1

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
E859001	Soil	0.6	20.7	11.6	36	0.7	12.1	5.9	190	1.94	508.9	1.0	57.9	1.1	27	0.2	1.0	0.2	42	0.25	0.048
E859002	Soil	0.4	23.9	8.9	48	0.3	17.2	8.0	233	2.37	124.7	0.7	18.5	3.9	28	0.1	0.7	0.2	57	0.34	0.054
E859003	Soil	0.5	22.9	11.8	57	0.4	18.6	9.8	371	3.10	181.2	0.8	13.7	6.5	28	0.2	0.8	0.6	67	0.34	0.065
E859004	Soil	0.4	16.6	8.8	50	0.2	14.0	7.4	285	2.33	132.2	0.9	7.5	6.7	27	0.2	0.6	0.4	52	0.36	0.061
E859005	Soil	0.7	24.2	13.6	57	0.7	17.6	8.7	358	2.98	228.2	1.3	17.0	7.1	29	0.1	1.0	0.6	67	0.35	0.053
E859006	Soil	0.7	19.1	9.5	41	0.4	14.8	6.7	230	2.48	631.2	0.8	75.8	1.3	26	0.2	0.7	0.2	58	0.28	0.050
E859007	Soil	0.4	25.1	8.3	47	0.3	20.0	7.0	243	2.62	283.3	0.8	23.5	3.2	34	<0.1	0.7	0.2	60	0.42	0.062
E859008	Soil	0.7	25.1	27.5	84	2.2	20.8	8.7	340	2.97	656.0	1.1	81.3	3.5	27	0.3	1.7	0.3	64	0.31	0.054
E859009	Soil	0.8	23.9	17.7	59	0.5	19.7	9.9	395	2.96	167.4	1.2	11.5	3.8	25	0.2	0.6	0.4	65	0.30	0.056
E859010	Soil	0.9	27.1	13.0	59	0.6	24.6	10.7	395	3.15	133.3	1.1	17.6	3.7	27	0.1	0.6	0.3	71	0.32	0.054
E859011	Soil	1.2	29.3	11.0	65	0.3	26.3	13.4	606	3.38	123.9	1.7	10.0	6.1	35	0.2	1.1	0.1	74	0.44	0.047
E859012	Soil	1.2	28.4	10.9	61	0.3	28.4	13.9	606	3.37	185.5	1.8	12.7	5.2	35	0.2	1.1	0.2	76	0.48	0.047
E859013	Soil	1.8	19.3	5.3	29	0.6	12.4	7.2	837	1.39	39.9	2.7	6.3	0.6	29	0.1	0.6	<0.1	30	0.41	0.071
E859014	Soil	0.8	21.5	8.7	52	0.3	20.0	8.6	274	2.46	50.1	0.8	8.0	4.3	28	0.1	0.6	<0.1	58	0.39	0.053
E859015	Soil	1.1	30.7	18.2	69	1.0	26.8	11.1	472	3.11	172.6	1.2	13.3	5.8	40	0.2	1.0	0.2	70	0.55	0.069
E859016	Soil	1.1	27.0	22.2	61	0.7	23.4	8.7	345	2.82	186.0	1.1	15.0	5.6	30	0.2	0.9	0.1	65	0.40	0.057
E859017	Soil	2.0	28.3	28.3	72	1.2	20.5	8.3	344	2.73	267.8	1.2	19.4	7.8	36	0.2	1.6	0.2	63	0.49	0.060
E859018	Soil	1.3	28.7	48.7	74	2.0	20.3	9.7	491	2.78	184.9	1.7	16.3	6.8	30	0.5	1.2	0.2	67	0.38	0.046
E859019	Soil	0.8	23.5	12.8	53	0.3	21.3	10.3	394	2.93	32.8	0.9	5.7	5.3	22	0.2	0.5	0.1	66	0.25	0.044
E859020	Soil	0.5	31.5	11.6	55	0.2	22.2	9.8	386	2.97	81.4	1.0	13.6	7.4	33	0.1	0.8	0.2	69	0.40	0.048
E859021	Soil	0.5	29.1	13.6	57	0.4	23.6	9.8	360	3.12	107.7	1.1	14.1	7.5	31	0.2	0.7	0.1	70	0.39	0.046
E859022	Soil	1.2	27.3	35.0	66	0.7	21.6	9.4	352	3.08	249.1	2.3	22.4	6.3	34	0.3	1.1	0.2	66	0.45	0.056
E859023	Soil	2.0	24.9	27.1	68	1.0	16.3	9.4	361	2.90	419.7	1.9	47.7	7.3	31	0.3	1.7	0.3	63	0.39	0.043
E859024	Soil	5.9	38.9	63.2	118	4.6	27.6	13.5	571	5.68	1745	4.9	145.0	6.0	35	0.5	2.2	1.0	80	0.40	0.069
E859025	Soil	1.4	23.2	50.0	68	1.5	20.1	9.8	374	2.72	446.4	1.0	44.5	4.0	26	0.3	1.2	2.1	58	0.35	0.054
E859026	Soil	1.3	25.5	23.1	72	0.5	23.9	10.1	383	3.07	174.7	0.8	34.9	3.9	26	0.3	0.7	0.2	71	0.33	0.053
E859027	Soil	1.4	20.9	16.0	70	0.2	19.1	10.2	675	2.89	607.9	0.6	32.9	3.8	28	0.3	0.9	0.2	63	0.34	0.056
E859028	Soil	1.4	30.4	10.6	60	0.3	22.4	9.4	416	3.12	87.8	1.0	21.8	5.1	39	0.1	0.6	0.2	68	0.50	0.059
E859029	Soil	1.3	26.0	9.0	56	0.1	19.5	7.5	254	2.88	72.6	1.0	7.9	5.4	34	0.1	0.5	0.2	65	0.43	0.046
E859030	Soil	4.4	20.0	7.8	52	<0.1	17.0	7.4	279	2.50	33.0	0.8	15.0	5.0	22	0.1	0.4	0.1	63	0.28	0.049



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 2 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859001	Soil	14	21	0.34	143	0.055	1	1.50	0.017	0.06	10.2	0.03	2.2	<0.1	<0.05	5	<0.5	<0.2
E859002	Soil	15	27	0.57	179	0.107	2	1.82	0.015	0.05	1.4	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
E859003	Soil	19	32	0.63	235	0.126	2	2.23	0.016	0.10	1.6	0.03	4.3	<0.1	<0.05	6	<0.5	<0.2
E859004	Soil	23	24	0.58	176	0.118	1	1.48	0.015	0.08	1.8	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2
E859005	Soil	25	31	0.60	234	0.120	1	2.09	0.014	0.10	3.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
E859006	Soil	11	23	0.45	130	0.084	2	1.54	0.014	0.05	6.9	0.03	2.6	<0.1	<0.05	6	<0.5	<0.2
E859007	Soil	14	29	0.61	184	0.105	2	1.79	0.017	0.05	2.6	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
E859008	Soil	13	29	0.63	159	0.102	1	2.14	0.015	0.07	7.7	0.04	3.7	<0.1	<0.05	6	<0.5	<0.2
E859009	Soil	14	30	0.63	191	0.116	2	2.20	0.016	0.07	0.5	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
E859010	Soil	11	33	0.68	187	0.126	1	2.51	0.017	0.07	0.5	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
E859011	Soil	15	44	0.77	235	0.140	1	2.03	0.023	0.09	1.1	0.04	6.2	0.1	<0.05	6	<0.5	<0.2
E859012	Soil	14	51	0.78	227	0.144	1	2.10	0.028	0.09	1.3	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
E859013	Soil	9	15	0.26	152	0.042	<1	1.09	0.033	0.05	0.2	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
E859014	Soil	12	32	0.69	170	0.122	1	1.72	0.019	0.08	0.7	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
E859015	Soil	16	40	0.74	283	0.114	1	1.91	0.043	0.10	0.6	0.03	6.2	0.1	<0.05	5	<0.5	<0.2
E859016	Soil	15	33	0.67	294	0.116	1	2.08	0.019	0.07	0.6	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
E859017	Soil	17	32	0.59	260	0.115	1	1.42	0.030	0.08	0.7	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
E859018	Soil	18	32	0.54	268	0.108	1	2.04	0.017	0.07	0.5	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2
E859019	Soil	15	30	0.48	284	0.089	1	2.32	0.017	0.06	0.2	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2
E859020	Soil	17	36	0.64	258	0.130	2	2.13	0.022	0.07	0.3	0.02	5.8	<0.1	<0.05	6	<0.5	<0.2
E859021	Soil	18	37	0.65	303	0.123	1	2.30	0.018	0.07	0.3	0.02	5.6	<0.1	<0.05	6	<0.5	<0.2
E859022	Soil	16	36	0.65	223	0.135	1	2.28	0.023	0.08	1.6	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
E859023	Soil	18	36	0.45	171	0.116	1	2.08	0.022	0.09	4.0	0.04	6.3	0.1	<0.05	6	<0.5	<0.2
E859024	Soil	18	47	0.51	288	0.085	1	3.36	0.016	0.12	6.8	0.10	9.5	0.1	<0.05	8	0.7	<0.2
E859025	Soil	15	30	0.52	186	0.101	<1	2.08	0.018	0.07	2.8	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
E859026	Soil	13	31	0.64	165	0.119	1	2.28	0.017	0.07	1.0	0.03	4.2	<0.1	<0.05	7	<0.5	<0.2
E859027	Soil	13	27	0.53	153	0.100	1	1.73	0.019	0.08	1.7	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
E859028	Soil	17	38	0.63	218	0.121	1	2.16	0.025	0.07	0.7	0.05	6.6	<0.1	<0.05	6	<0.5	<0.2
E859029	Soil	16	35	0.60	207	0.125	1	1.98	0.021	0.07	0.5	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
E859030	Soil	14	27	0.54	140	0.122	1	1.78	0.016	0.10	0.3	0.03	4.0	0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 02, 2010

Page:

3 of 6

Part 1

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
E859031	Soil	1.0	35.0	7.5	60	<0.1	23.9	9.3	338	3.12	36.8	0.9	4.4	5.6	39	<0.1	0.6	0.1	76	0.50	0.050
E859032	Soil	0.5	25.0	19.1	71	1.6	21.2	10.1	254	2.62	115.6	3.1	26.1	3.8	36	0.3	5.3	0.2	68	0.53	0.058
E859033	Soil	0.6	24.3	21.2	87	2.0	24.3	12.2	367	3.28	168.2	1.4	126.5	3.1	42	0.3	5.2	0.2	73	0.62	0.078
E859034	Soil	0.6	22.5	16.1	80	0.7	19.7	12.7	314	3.10	89.0	1.6	17.4	4.3	39	0.3	2.5	0.2	72	0.52	0.073
E859035	Soil	0.8	19.2	16.6	76	0.3	18.5	12.6	446	3.25	96.8	1.3	9.0	4.8	31	0.2	2.2	0.1	70	0.46	0.067
E859036	Soil	0.3	6.5	4.4	19	0.1	3.9	2.3	124	0.62	16.4	0.5	4.0	0.6	20	<0.1	0.3	<0.1	15	0.26	0.057
E859037	Soil	1.2	17.0	13.8	57	0.3	15.5	10.2	465	3.02	159.3	1.4	8.6	3.3	28	0.2	0.9	0.2	62	0.35	0.055
E859038	Soil	0.7	20.5	18.2	58	0.3	16.3	8.0	217	2.26	104.6	1.7	10.7	4.0	32	0.4	1.1	0.2	67	0.42	0.050
E859039	Soil	1.1	22.5	16.4	62	0.4	19.2	10.9	271	2.92	159.5	1.7	11.1	4.5	33	0.4	1.0	0.2	65	0.43	0.063
E859040	Soil	0.8	26.2	16.8	53	0.3	16.9	8.1	293	2.78	112.8	1.5	12.6	5.1	26	0.3	1.0	0.2	69	0.36	0.029
E859041	Soil	0.5	19.0	20.1	66	1.0	24.5	13.4	214	3.12	136.4	1.2	10.8	3.4	37	0.2	2.9	0.2	66	0.51	0.093
E859042	Soil	0.3	23.6	13.9	64	0.8	25.8	10.3	149	2.16	43.5	1.2	9.7	2.0	43	0.3	2.3	0.1	43	0.74	0.139
E859043	Soil	0.6	22.4	17.1	78	0.9	21.2	13.4	618	3.02	245.1	1.7	20.6	2.6	41	0.3	2.5	0.3	70	0.56	0.058
E859044	Soil	0.7	28.2	15.7	81	1.1	28.0	15.9	718	3.35	235.6	2.1	111.1	3.1	57	0.4	3.0	0.2	64	0.72	0.113
E859045	Soil	0.9	28.9	19.7	82	1.5	19.4	13.9	912	3.13	297.0	2.6	27.3	3.4	36	0.8	5.0	0.3	72	0.54	0.066
E859046	Soil	0.6	21.1	8.2	33	8.7	7.7	2.9	370	0.94	92.0	1.4	70.9	0.3	33	0.8	3.3	0.1	20	0.46	0.072
E859047	Soil	0.8	28.4	62.2	110	6.8	24.3	9.5	269	3.34	351.5	1.7	65.2	2.8	31	0.3	4.8	0.3	70	0.44	0.061
E859048	Soil	1.7	47.8	60.0	124	44.5	22.7	7.8	417	3.09	551.7	3.1	294.9	1.7	42	0.6	6.4	0.4	57	0.49	0.081
E859049	Soil	1.6	40.1	70.2	109	14.9	22.4	9.8	653	3.00	618.8	1.8	156.1	2.0	34	0.7	4.4	0.3	62	0.41	0.065
E859050	Soil	2.0	26.8	12.9	58	0.9	22.3	9.4	331	2.67	67.5	1.4	14.4	2.8	30	0.2	0.7	0.2	65	0.42	0.061
E859051	Soil	0.5	20.8	11.9	52	1.0	18.1	7.9	250	2.61	326.8	0.9	32.1	4.5	28	0.2	1.1	0.2	57	0.38	0.059
E859052	Soil	0.4	21.5	13.0	49	0.2	18.5	10.2	387	2.49	111.0	0.7	7.2	5.1	26	<0.1	0.6	0.3	60	0.38	0.051
E859053	Soil	0.6	20.4	10.8	46	0.3	19.0	8.8	192	2.42	131.2	0.6	15.8	3.4	21	0.1	0.5	0.2	57	0.29	0.048
E859054	Soil	0.5	26.7	8.8	58	0.1	19.2	7.7	289	2.72	100.8	0.9	10.8	6.6	30	<0.1	0.5	0.2	65	0.41	0.058
E859055	Soil	0.6	20.4	13.4	42	0.2	15.6	7.2	291	2.41	83.8	0.7	8.7	4.1	25	0.2	0.6	0.2	55	0.31	0.045
E859056	Soil	0.6	26.0	9.7	49	0.2	20.3	8.4	264	2.43	45.0	0.7	4.5	2.7	24	0.2	0.5	0.2	60	0.31	0.053
E859057	Soil	0.6	23.9	9.1	32	0.3	12.8	4.9	123	1.70	55.8	0.8	2.4	0.9	21	0.3	0.4	0.3	41	0.22	0.045
E859058	Soil	0.8	26.5	9.1	55	0.2	22.3	9.1	295	2.97	24.3	0.9	2.8	6.0	33	<0.1	0.5	0.3	68	0.43	0.062
E859059	Soil	0.7	19.2	9.6	55	0.3	16.2	8.7	328	2.58	23.2	0.6	3.3	3.6	22	0.2	0.6	0.2	60	0.29	0.051
E859060	Soil	0.6	17.1	11.8	37	0.4	11.0	4.8	157	1.86	69.9	0.7	7.7	3.2	17	0.1	0.5	0.3	44	0.19	0.036



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 3 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859031	Soil	16	40	0.71	200	0.155	2	2.20	0.023	0.09	0.4	0.03	6.9	0.2	<0.05	6	<0.5	<0.2
E859032	Soil	13	36	0.74	176	0.165	1	2.22	0.024	0.15	1.1	0.05	5.7	0.1	<0.05	7	0.5	<0.2
E859033	Soil	12	39	0.79	209	0.143	<1	2.30	0.026	0.11	1.1	0.05	5.2	0.1	<0.05	7	<0.5	<0.2
E859034	Soil	13	32	0.70	237	0.107	1	2.14	0.021	0.10	0.7	0.04	5.9	0.1	0.06	7	<0.5	<0.2
E859035	Soil	12	29	0.73	194	0.107	<1	2.03	0.022	0.09	0.7	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
E859036	Soil	4	7	0.17	67	0.030	<1	0.48	0.036	0.03	0.1	0.02	1.1	<0.1	0.06	2	<0.5	<0.2
E859037	Soil	9	25	0.49	170	0.082	1	1.59	0.016	0.06	0.8	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
E859038	Soil	12	28	0.53	230	0.086	2	1.88	0.016	0.05	1.0	0.05	4.8	<0.1	<0.05	6	<0.5	<0.2
E859039	Soil	12	30	0.55	206	0.099	2	1.87	0.016	0.06	0.9	0.04	5.0	<0.1	<0.05	6	<0.5	<0.2
E859040	Soil	12	35	0.50	174	0.116	1	1.86	0.015	0.06	0.9	0.03	5.7	<0.1	<0.05	6	<0.5	<0.2
E859041	Soil	11	25	0.85	181	0.108	1	2.04	0.023	0.10	0.5	0.04	3.9	0.1	<0.05	7	<0.5	<0.2
E859042	Soil	14	22	0.74	172	0.093	1	1.85	0.035	0.09	0.4	0.04	3.3	0.1	0.08	6	<0.5	<0.2
E859043	Soil	10	28	0.77	201	0.106	1	2.04	0.019	0.07	0.7	0.04	4.3	0.1	<0.05	7	<0.5	<0.2
E859044	Soil	15	29	1.04	240	0.124	1	2.16	0.030	0.17	0.7	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
E859045	Soil	13	28	0.68	177	0.106	1	1.86	0.017	0.10	0.6	0.04	5.5	0.1	0.06	6	<0.5	<0.2
E859046	Soil	8	13	0.19	136	0.025	1	0.98	0.020	0.03	0.2	0.07	1.6	<0.1	0.09	3	0.7	<0.2
E859047	Soil	11	34	0.81	213	0.097	2	2.38	0.019	0.10	1.0	0.04	4.9	<0.1	<0.05	7	<0.5	<0.2
E859048	Soil	14	36	0.54	295	0.053	1	3.11	0.019	0.11	1.4	0.13	6.9	0.1	0.10	7	0.8	<0.2
E859049	Soil	12	31	0.60	205	0.073	1	2.14	0.018	0.08	2.8	0.05	4.5	<0.1	<0.05	6	<0.5	<0.2
E859050	Soil	12	36	0.71	209	0.088	1	2.29	0.019	0.06	0.6	0.04	5.4	<0.1	<0.05	6	<0.5	<0.2
E859051	Soil	19	27	0.60	262	0.086	1	1.99	0.013	0.08	2.7	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
E859052	Soil	15	29	0.56	199	0.115	1	1.76	0.017	0.06	0.8	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
E859053	Soil	12	29	0.52	175	0.088	2	2.25	0.012	0.05	1.2	0.05	3.2	<0.1	<0.05	6	<0.5	<0.2
E859054	Soil	22	34	0.60	272	0.112	1	1.84	0.019	0.07	0.9	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
E859055	Soil	21	25	0.43	432	0.064	<1	1.76	0.014	0.06	0.6	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
E859056	Soil	13	29	0.54	231	0.088	2	1.99	0.016	0.06	0.2	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
E859057	Soil	11	23	0.32	148	0.060	1	1.41	0.015	0.04	0.2	0.05	2.2	<0.1	<0.05	5	<0.5	<0.2
E859058	Soil	19	33	0.61	346	0.111	1	2.14	0.018	0.07	0.2	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
E859059	Soil	13	25	0.50	191	0.094	1	1.89	0.015	0.06	0.2	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
E859060	Soil	12	18	0.33	134	0.070	1	1.51	0.019	0.04	0.1	0.04	2.2	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 02, 2010

Page:

4 of 6

Part 1

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte	Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
E859061	Soil		0.5	24.9	18.0	60	1.0	21.7	10.2	379	2.92	118.5	1.0	17.3	6.7	29	0.2	0.9	0.3	67	0.39
E859062	Soil		0.4	25.7	35.3	64	2.0	17.1	7.4	188	2.37	35.3	1.5	14.7	7.7	28	0.2	1.1	0.1	69	0.39
E859063	Soil		0.8	35.5	19.8	64	1.4	22.0	10.4	323	2.83	54.7	2.0	10.6	6.1	39	0.4	0.9	0.1	71	0.54
E859064	Soil		0.8	29.0	19.8	61	0.8	23.4	10.3	278	2.76	34.4	1.9	9.4	7.7	30	0.3	0.7	0.2	68	0.43
E859065	Soil		1.6	24.3	37.0	96	2.4	18.9	9.0	503	2.59	109.7	1.5	16.9	5.0	32	0.4	1.0	0.2	60	0.43
E859066	Soil		1.9	30.3	48.7	118	3.6	19.7	9.3	322	2.84	118.9	2.2	18.8	6.5	40	0.6	1.1	0.2	59	0.57
E859067	Soil		1.0	21.8	38.1	76	1.3	20.8	10.0	380	2.74	73.2	1.0	18.3	4.8	21	0.4	0.6	0.3	66	0.27
E859068	Soil		1.5	30.0	48.2	106	3.5	20.7	7.9	374	2.81	194.3	2.0	24.4	8.3	32	0.3	1.2	0.2	64	0.43
E859069	Soil		0.7	27.0	44.9	94	2.9	24.5	11.4	454	3.10	52.4	1.0	11.2	7.2	23	0.8	0.7	0.1	75	0.31
E859070	Soil		0.8	29.5	132.3	182	8.7	16.2	7.7	322	2.67	99.7	0.7	28.9	7.8	25	1.8	0.9	0.1	63	0.35
E859071	Soil		0.6	24.2	34.8	56	5.7	11.7	5.5	144	1.92	55.0	0.9	6.3	1.8	20	0.6	1.1	0.1	45	0.22
E859072	Soil		0.4	27.9	52.0	63	3.8	19.9	8.2	195	2.39	15.6	0.8	2.2	4.5	26	0.4	1.0	0.1	59	0.34
E859073	Soil		0.9	22.8	14.6	56	0.5	18.2	7.3	214	2.47	168.4	1.4	25.2	4.9	24	0.3	2.3	0.2	55	0.31
E859074	Soil		0.9	26.7	13.1	54	0.6	19.3	8.4	405	2.47	158.5	0.9	23.5	3.8	29	0.2	2.4	0.2	56	0.43
E859075	Soil		1.0	25.4	16.5	52	0.7	17.7	6.9	250	2.51	201.6	1.2	33.0	4.0	25	0.2	2.4	0.2	56	0.33
E859076	Soil		1.2	22.8	14.6	48	0.7	17.3	6.5	265	2.30	143.9	0.8	18.8	1.9	24	0.2	1.5	0.2	50	0.30
E859077	Soil		1.2	26.4	14.8	52	0.8	20.1	7.5	292	2.50	209.1	1.3	26.4	4.1	28	<0.1	1.5	0.3	57	0.38
E859078	Soil		1.3	29.8	14.5	57	0.8	22.6	7.8	317	2.67	234.4	1.1	54.8	4.5	30	0.1	1.4	0.2	61	0.42
E859079	Soil		0.8	28.2	22.2	65	0.9	20.2	8.7	261	2.83	378.5	0.9	58.6	5.4	29	0.3	8.3	0.2	61	0.42
E859080	Soil		0.7	29.4	14.3	48	0.7	20.5	7.3	247	2.62	203.1	0.9	34.5	4.1	31	0.1	1.3	0.4	61	0.38
E859081	Soil		1.5	23.0	19.3	51	0.8	16.9	7.9	271	2.43	328.8	0.9	42.2	3.9	22	0.2	2.1	0.6	55	0.29
E859082	Soil		0.9	32.7	11.2	61	1.0	21.9	9.4	369	3.05	346.0	1.1	43.5	4.1	33	0.1	2.6	0.1	66	0.42
E859083	Soil		0.5	23.0	13.2	46	0.6	19.9	7.5	215	2.40	63.6	0.6	19.2	3.4	26	0.1	0.7	0.1	57	0.33
E859084	Soil		0.6	23.5	17.2	61	1.4	28.9	16.2	309	3.30	236.0	1.3	28.6	3.2	48	0.3	12.2	0.3	72	0.57
E859085	Soil		2.1	18.5	9.1	58	1.8	16.5	26.1	2378	2.64	337.0	1.3	21.8	0.8	43	0.6	5.7	0.1	49	0.62
E859086	Soil		1.2	21.8	23.1	60	3.1	13.4	6.9	451	4.06	900.1	2.0	23.0	2.2	32	0.4	4.1	0.3	79	0.46
E859087	Soil		0.7	23.8	18.0	62	1.0	21.9	11.9	270	2.92	185.6	0.9	20.0	3.3	24	0.1	3.4	0.2	71	0.35
E859088	Soil		0.7	21.0	13.1	65	0.6	18.1	9.7	415	2.48	187.2	0.9	16.4	2.9	27	0.3	3.8	0.2	60	0.39
E859089	Soil		1.3	14.8	16.5	53	0.9	14.5	11.7	827	2.53	161.6	0.6	19.0	2.2	25	0.2	1.4	0.2	55	0.37
E859090	Soil		0.5	9.3	5.5	18	1.2	4.4	2.1	215	0.67	48.5	0.7	22.5	0.3	26	0.2	0.4	<0.1	15	0.36



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 4 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859061	Soil	17	30	0.65	339	0.116	1	2.13	0.016	0.07	0.3	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
E859062	Soil	16	31	0.53	228	0.117	1	1.91	0.022	0.05	0.3	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
E859063	Soil	16	35	0.60	291	0.109	2	1.84	0.033	0.07	0.2	0.04	6.0	<0.1	<0.05	5	<0.5	<0.2
E859064	Soil	16	34	0.61	287	0.121	1	1.95	0.024	0.06	0.3	0.03	5.7	<0.1	<0.05	6	<0.5	<0.2
E859065	Soil	15	30	0.54	351	0.080	1	1.91	0.021	0.07	0.4	0.04	4.3	<0.1	<0.05	6	0.6	<0.2
E859066	Soil	19	33	0.60	408	0.095	1	1.87	0.050	0.08	0.4	0.03	5.4	<0.1	<0.05	5	<0.5	<0.2
E859067	Soil	11	28	0.54	193	0.098	2	2.02	0.014	0.05	0.2	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
E859068	Soil	22	33	0.57	349	0.096	1	1.94	0.023	0.06	0.5	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
E859069	Soil	13	34	0.60	277	0.116	2	2.62	0.016	0.06	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
E859070	Soil	16	28	0.52	203	0.115	2	1.70	0.017	0.07	0.3	0.02	3.7	<0.1	<0.05	5	<0.5	<0.2
E859071	Soil	15	21	0.32	161	0.064	1	1.58	0.017	0.05	0.2	0.07	2.6	<0.1	<0.05	5	<0.5	<0.2
E859072	Soil	15	27	0.52	215	0.096	2	1.83	0.017	0.05	0.2	0.04	3.7	<0.1	<0.05	5	0.5	<0.2
E859073	Soil	13	29	0.50	191	0.076	<1	1.74	0.014	0.05	7.0	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2
E859074	Soil	12	30	0.49	189	0.079	1	1.51	0.022	0.07	3.9	0.03	4.9	<0.1	<0.05	4	<0.5	0.2
E859075	Soil	13	30	0.53	188	0.079	1	1.68	0.014	0.07	6.7	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
E859076	Soil	8	25	0.42	172	0.055	<1	1.62	0.011	0.05	2.8	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
E859077	Soil	13	29	0.61	183	0.085	<1	1.54	0.015	0.07	1.1	0.02	4.8	<0.1	<0.05	5	<0.5	0.2
E859078	Soil	13	33	0.63	197	0.093	1	1.67	0.016	0.06	1.6	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
E859079	Soil	13	32	0.60	216	0.090	1	1.61	0.018	0.08	4.2	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
E859080	Soil	13	33	0.60	228	0.092	<1	1.76	0.014	0.05	2.3	0.02	5.5	<0.1	<0.05	5	<0.5	<0.2
E859081	Soil	12	27	0.45	163	0.075	1	1.64	0.012	0.06	2.8	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
E859082	Soil	14	34	0.64	267	0.090	1	1.91	0.017	0.09	5.0	0.04	5.6	<0.1	<0.05	6	<0.5	<0.2
E859083	Soil	10	28	0.56	215	0.083	<1	1.71	0.011	0.05	0.7	0.03	4.3	<0.1	<0.05	5	<0.5	<0.2
E859084	Soil	14	38	0.81	188	0.126	1	2.04	0.025	0.12	1.2	0.03	5.2	0.2	<0.05	6	<0.5	<0.2
E859085	Soil	8	22	0.43	222	0.053	<1	1.31	0.021	0.06	0.8	0.06	3.2	0.1	0.08	4	<0.5	<0.2
E859086	Soil	9	25	0.41	195	0.075	1	1.63	0.010	0.07	0.9	0.05	3.8	<0.1	<0.05	6	<0.5	<0.2
E859087	Soil	9	33	0.67	187	0.087	2	2.14	0.013	0.08	0.9	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
E859088	Soil	9	28	0.61	174	0.080	<1	1.70	0.013	0.06	0.8	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
E859089	Soil	8	24	0.51	171	0.078	<1	1.63	0.016	0.05	1.0	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
E859090	Soil	5	8	0.15	83	0.020	<1	0.49	0.018	0.03	0.2	0.03	1.1	<0.1	0.07	2	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

Longline

Report Date:

September 02, 2010

Page:

5 of 6

Part 1

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
E859091	Soil	4.1	20.1	7.5	39	1.2	13.3	18.7	8723	1.28	210.2	0.7	24.7	0.2	51	1.1	0.6	0.1	24	0.62	0.096
E859092	Soil	3.4	15.7	10.1	37	1.0	11.7	9.4	2272	1.76	154.7	1.0	16.7	0.9	36	0.6	0.7	0.2	35	0.46	0.082
E859093	Soil	2.4	19.5	12.2	39	1.2	10.5	7.9	952	1.77	128.9	1.3	27.9	0.7	37	0.4	0.6	0.1	32	0.50	0.092
E859094	Soil	2.7	29.4	100.8	60	2.3	21.1	11.9	1915	2.85	261.9	1.9	36.3	2.9	41	0.6	1.8	0.2	59	0.60	0.070
E859095	Soil	2.3	28.0	53.7	74	1.7	24.2	9.4	434	3.17	561.2	1.6	47.7	4.7	33	0.3	1.3	1.1	63	0.50	0.056
E859096	Soil	0.7	29.1	84.0	54	2.6	24.5	9.3	367	2.94	171.4	1.3	48.3	3.7	27	0.1	1.1	0.2	69	0.41	0.058
E859097	Soil	0.6	26.4	29.9	72	1.4	23.2	11.2	425	3.14	701.7	0.8	80.8	3.5	23	0.6	0.8	0.3	66	0.31	0.059
E859098	Soil	0.6	24.5	10.7	60	0.3	26.1	10.9	469	3.00	230.8	0.6	6.6	3.2	22	0.1	0.6	0.2	68	0.35	0.058
E859099	Soil	0.8	24.0	13.6	52	0.3	20.9	9.8	449	2.74	38.2	0.8	2.6	2.3	27	0.2	0.5	0.2	67	0.39	0.049
E859100	Soil	0.6	22.3	9.2	49	<0.1	21.1	7.6	221	2.62	23.3	0.6	1.8	2.2	25	<0.1	0.7	0.1	62	0.39	0.061
E859101	Soil	2.7	17.0	8.1	28	1.9	9.3	6.5	855	1.56	54.3	0.9	12.7	0.4	27	0.3	0.4	0.1	33	0.39	0.072
E859102	Soil	2.1	21.4	16.9	56	0.6	20.6	8.5	230	2.71	101.7	0.8	21.6	3.7	25	0.2	0.6	0.3	64	0.40	0.049
E859103	Soil	2.6	25.4	19.9	62	1.2	20.2	8.8	400	2.80	300.0	1.1	48.3	3.4	27	0.2	0.8	0.3	63	0.40	0.053
E859104	Soil	0.8	25.0	123.6	276	1.5	19.9	9.7	408	2.78	474.2	0.9	94.8	4.2	27	2.8	1.9	0.3	65	0.41	0.060
E859105	Soil	0.3	24.1	11.1	55	0.7	23.2	13.0	220	3.41	430.3	1.2	15.4	3.7	28	0.1	2.2	0.2	76	0.42	0.069
E859106	Soil	0.3	21.3	12.2	51	0.8	24.6	10.8	210	2.79	350.2	1.1	18.9	2.9	33	0.1	2.7	0.2	69	0.53	0.074
E859107	Soil	0.3	19.1	11.2	49	0.7	23.9	9.4	206	2.36	144.0	0.8	40.6	1.8	32	<0.1	1.9	0.2	57	0.50	0.076
E859108	Soil	0.5	14.9	7.2	26	1.6	9.3	8.3	494	0.96	66.3	0.9	18.1	0.2	53	0.4	1.5	0.1	21	0.76	0.096
E859109	Soil	0.7	21.9	10.6	60	0.7	23.3	10.5	393	3.14	318.0	0.7	18.4	2.3	29	0.2	1.8	0.2	80	0.43	0.044
E859110	Soil	0.6	25.8	14.8	83	1.0	24.6	17.0	682	3.97	822.0	0.9	54.2	3.4	28	0.2	4.6	0.4	97	0.50	0.075
E859111	Soil	0.7	24.3	41.9	94	1.3	18.2	16.1	804	4.13	502.8	1.2	33.4	4.4	29	0.4	3.9	0.8	99	0.54	0.082
E859112	Soil	0.8	24.4	33.0	82	1.2	18.5	14.5	736	3.78	367.1	1.2	25.5	3.8	30	0.3	3.1	0.7	94	0.52	0.072
E859113	Soil	0.5	25.4	8.2	58	0.2	23.9	13.6	485	3.53	47.7	0.9	6.4	3.4	28	<0.1	0.7	0.1	88	0.52	0.079
E859114	Soil	0.5	20.8	7.8	66	0.2	18.6	11.2	456	3.40	53.7	0.9	3.2	3.6	26	0.1	0.7	0.1	83	0.49	0.063
E859115	Soil	0.6	26.1	11.1	64	0.6	19.3	12.1	566	3.23	198.1	1.1	20.6	3.0	29	0.1	1.4	0.1	76	0.53	0.059
E859116	Soil	0.8	28.3	10.3	65	0.7	27.1	13.0	725	3.55	293.5	1.2	14.1	3.5	30	0.1	1.3	0.3	84	0.43	0.052
E859117	Soil	0.5	24.9	10.8	76	0.7	24.2	16.0	569	3.76	697.2	0.9	45.5	2.9	39	0.2	2.3	0.2	85	0.66	0.095
E859118	Soil	0.7	27.4	10.2	70	0.7	22.1	13.3	817	3.40	469.6	1.0	20.8	2.9	34	0.1	1.7	0.3	83	0.58	0.072
E859119	Soil	0.6	29.4	10.5	77	0.7	26.2	16.1	660	4.14	791.9	1.0	70.4	3.0	35	<0.1	3.1	0.4	96	0.60	0.093
E859120	Soil	0.6	29.5	18.2	83	2.0	24.1	11.9	571	3.60	469.2	1.4	33.6	2.7	42	0.2	4.3	0.8	84	0.68	0.074



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 5 of 6 Part 2

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859091	Soil	7	12	0.16	401	0.014	<1	0.74	0.016	0.03	0.5	0.06	1.1	<0.1	0.10	3	<0.5	<0.2
E859092	Soil	8	19	0.28	203	0.033	1	1.19	0.017	0.03	1.0	0.03	2.7	<0.1	0.06	4	<0.5	<0.2
E859093	Soil	10	19	0.29	187	0.030	<1	1.30	0.016	0.04	0.8	0.04	2.6	0.1	0.09	4	<0.5	<0.2
E859094	Soil	15	34	0.57	276	0.073	<1	1.99	0.016	0.07	1.3	0.06	5.8	0.1	<0.05	5	<0.5	<0.2
E859095	Soil	13	36	0.58	218	0.107	1	2.11	0.021	0.10	4.1	0.04	6.5	0.1	<0.05	6	<0.5	0.2
E859096	Soil	13	34	0.66	214	0.114	1	2.11	0.014	0.06	2.3	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2
E859097	Soil	9	31	0.62	151	0.092	<1	2.31	0.013	0.07	2.5	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
E859098	Soil	9	31	0.64	143	0.101	2	2.12	0.013	0.07	0.2	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
E859099	Soil	9	29	0.50	175	0.090	2	1.85	0.017	0.07	0.2	0.03	3.9	<0.1	<0.05	6	<0.5	0.2
E859100	Soil	10	31	0.54	146	0.090	1	1.74	0.013	0.06	0.2	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
E859101	Soil	8	15	0.18	148	0.032	1	1.12	0.022	0.04	0.4	0.05	2.7	<0.1	<0.05	3	<0.5	0.2
E859102	Soil	11	32	0.64	183	0.114	1	1.94	0.016	0.07	1.0	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
E859103	Soil	12	29	0.57	164	0.097	2	1.86	0.014	0.07	2.3	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
E859104	Soil	13	31	0.59	143	0.102	1	1.67	0.015	0.08	5.0	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
E859105	Soil	13	31	0.72	168	0.109	2	1.90	0.019	0.08	0.7	0.02	4.9	<0.1	<0.05	6	<0.5	0.3
E859106	Soil	12	30	0.73	187	0.096	<1	2.04	0.022	0.06	0.8	0.03	4.5	<0.1	<0.05	6	<0.5	<0.2
E859107	Soil	9	27	0.68	152	0.093	<1	1.92	0.019	0.07	0.9	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
E859108	Soil	8	14	0.26	128	0.023	1	0.90	0.017	0.03	<0.1	0.07	1.2	<0.1	0.11	3	<0.5	<0.2
E859109	Soil	8	31	0.75	148	0.115	2	2.13	0.027	0.07	0.7	0.04	3.5	<0.1	<0.05	7	<0.5	<0.2
E859110	Soil	10	32	1.14	204	0.156	2	2.88	0.031	0.22	1.6	0.02	5.8	0.2	<0.05	8	<0.5	<0.2
E859111	Soil	11	24	1.15	174	0.167	2	2.38	0.030	0.31	1.6	0.02	5.2	0.3	<0.05	8	<0.5	<0.2
E859112	Soil	11	28	1.01	180	0.157	1	2.29	0.025	0.25	1.1	0.03	5.0	0.2	<0.05	8	<0.5	<0.2
E859113	Soil	12	36	1.00	193	0.132	2	2.42	0.032	0.19	0.3	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
E859114	Soil	11	27	0.93	193	0.151	2	2.22	0.022	0.19	1.0	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
E859115	Soil	13	28	0.72	215	0.108	1	2.30	0.022	0.12	0.6	0.03	4.9	0.1	<0.05	7	<0.5	<0.2
E859116	Soil	13	34	0.74	243	0.114	2	2.60	0.024	0.09	0.9	0.04	4.8	0.1	<0.05	7	<0.5	<0.2
E859117	Soil	14	39	1.12	201	0.126	2	2.50	0.054	0.22	6.3	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
E859118	Soil	13	28	0.97	197	0.137	1	2.29	0.027	0.14	1.0	0.03	4.7	0.1	<0.05	7	<0.5	<0.2
E859119	Soil	12	30	1.14	245	0.156	2	2.96	0.026	0.15	1.3	0.04	4.9	0.1	<0.05	8	<0.5	<0.2
E859120	Soil	12	33	0.86	263	0.123	2	2.72	0.028	0.16	0.7	0.06	6.1	0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 6 of 6 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
E859151	Soil	0.5	28.9	7.5	50	<0.1	24.4	9.6	285	3.08	20.1	0.8	8.1	3.6	32	<0.1	0.5	0.1	77	0.45	0.054
E859152	Soil	0.7	23.5	12.1	53	0.1	18.7	7.5	301	2.72	114.2	0.7	4.1	4.1	29	0.1	0.4	0.3	63	0.43	0.053
E859153	Soil	0.5	31.6	13.6	91	1.5	53.0	26.2	600	5.00	49.9	0.6	10.8	2.3	71	0.1	1.9	<0.1	45	1.35	0.293
E859154	Soil	0.7	39.7	8.5	103	1.0	70.8	33.7	732	5.90	43.8	0.4	9.8	2.5	69	0.1	1.3	<0.1	47	1.59	0.464
E859155	Soil	0.5	40.5	16.7	132	1.4	71.8	35.2	788	6.12	150.9	0.5	17.9	2.8	82	0.2	5.0	<0.1	54	1.65	0.352
E859156	Soil	0.5	26.5	17.5	68	1.4	22.8	10.8	433	3.30	376.4	1.4	70.7	3.5	37	0.2	46.2	0.3	84	0.60	0.075
E859157	Soil	0.8	35.9	19.1	75	2.7	21.6	14.6	668	3.72	416.4	1.3	49.4	3.9	38	0.2	2.3	0.3	90	0.66	0.084
E859158	Soil	0.5	23.6	23.0	67	2.3	23.9	10.4	406	3.14	288.9	0.9	22.2	2.7	35	0.2	1.9	0.3	77	0.57	0.075
E859159	Soil	0.5	24.5	25.3	76	2.5	20.3	9.8	411	3.13	275.6	1.3	24.4	3.8	34	0.3	2.1	0.6	71	0.55	0.080
E859160	Soil	0.4	26.2	21.4	69	2.3	19.2	8.4	335	3.07	171.3	1.3	23.5	4.6	32	0.2	1.9	0.4	75	0.58	0.078
E859161	Soil	0.6	28.5	35.9	68	3.4	21.9	9.9	358	3.01	181.0	1.2	31.4	3.9	31	0.2	1.6	0.2	70	0.50	0.061
E859162	Soil	0.6	26.2	20.9	86	1.9	21.0	10.9	428	3.40	106.0	1.0	17.2	3.6	38	0.2	2.5	0.1	74	0.63	0.078
E859163	Soil	0.8	25.0	22.7	63	1.3	20.9	9.1	442	2.96	26.4	1.0	3.1	2.4	29	0.5	0.4	0.5	71	0.42	0.056
E859164	Soil	0.5	23.5	6.4	52	0.1	18.0	9.8	380	3.00	8.9	1.0	2.0	3.1	26	0.1	0.3	0.1	79	0.37	0.049
E859165	Soil	0.6	25.9	7.1	53	0.1	22.5	10.6	394	3.15	8.5	0.9	2.5	3.3	26	<0.1	0.4	0.1	78	0.38	0.059
E859166	Soil	3.0	17.7	6.5	24	0.8	10.0	18.5	1847	2.53	96.5	1.7	5.6	0.7	48	0.1	1.0	0.1	46	0.70	0.116
E859167	Soil	0.7	15.9	3.6	16	0.6	6.5	5.1	253	0.99	32.9	1.0	4.1	0.2	33	0.1	0.6	<0.1	34	0.46	0.093
E859168	Soil	0.5	17.2	10.3	48	0.6	20.4	7.8	194	2.14	51.8	0.6	6.7	1.4	41	0.1	1.2	0.2	48	0.57	0.058
E859169	Soil	0.8	14.1	5.3	24	0.9	9.7	10.7	403	1.33	51.6	0.6	4.9	0.3	39	0.1	0.6	0.1	28	0.50	0.088
E859170	Soil	0.9	35.4	7.8	137	0.2	79.1	44.0	1045	7.54	32.5	0.4	2.5	2.4	80	0.3	0.5	0.1	41	1.91	0.497
E859171	Soil	0.7	23.7	11.1	58	0.5	27.5	11.8	398	3.22	264.0	0.6	10.7	2.3	34	0.2	1.6	0.4	72	0.54	0.070



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: Longline
Report Date: September 02, 2010

Page: 6 of 6 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
E859151	Soil	13	36	0.71	205	0.145	2	2.43	0.023	0.08	0.2	0.02	5.0	0.1	<0.05	7	<0.5	<0.2
E859152	Soil	13	31	0.63	142	0.131	1	1.97	0.024	0.11	0.2	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
E859153	Soil	22	19	1.84	215	0.123	1	2.64	0.076	0.24	0.4	0.03	3.0	0.2	<0.05	8	<0.5	<0.2
E859154	Soil	29	17	1.98	312	0.152	1	3.47	0.065	0.34	0.2	0.01	2.8	0.3	<0.05	10	0.5	<0.2
E859155	Soil	30	25	2.48	309	0.136	<1	3.30	0.077	0.35	0.2	0.02	4.0	0.4	<0.05	10	0.7	<0.2
E859156	Soil	13	32	0.84	203	0.145	1	2.39	0.028	0.15	1.4	0.02	5.6	0.1	<0.05	7	<0.5	<0.2
E859157	Soil	14	33	0.96	162	0.150	2	2.24	0.039	0.25	1.5	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
E859158	Soil	11	32	0.88	190	0.132	2	2.44	0.033	0.13	0.5	0.03	4.2	0.1	<0.05	7	0.5	0.2
E859159	Soil	12	29	0.83	192	0.133	2	2.32	0.028	0.13	0.6	0.03	4.5	0.1	<0.05	7	0.6	<0.2
E859160	Soil	15	32	0.87	182	0.151	2	2.23	0.031	0.21	0.6	0.03	5.3	0.2	<0.05	7	<0.5	<0.2
E859161	Soil	15	32	0.78	199	0.131	2	2.38	0.025	0.12	0.3	0.03	5.0	0.1	<0.05	7	0.5	<0.2
E859162	Soil	16	36	0.90	186	0.136	1	2.21	0.048	0.17	0.2	0.02	6.1	0.2	<0.05	6	<0.5	<0.2
E859163	Soil	12	28	0.60	208	0.118	2	2.18	0.024	0.11	0.1	0.04	3.7	<0.1	<0.05	7	0.5	<0.2
E859164	Soil	11	28	0.78	157	0.173	2	2.24	0.025	0.19	0.2	0.03	4.0	0.2	<0.05	7	<0.5	<0.2
E859165	Soil	12	30	0.72	178	0.149	2	2.39	0.022	0.14	0.2	0.02	4.6	0.2	<0.05	7	0.6	<0.2
E859166	Soil	8	17	0.31	141	0.043	1	1.16	0.033	0.04	0.2	0.07	3.1	0.1	0.12	4	0.7	<0.2
E859167	Soil	7	10	0.22	83	0.031	1	0.83	0.041	0.03	<0.1	0.04	1.9	<0.1	0.07	3	0.6	<0.2
E859168	Soil	8	26	0.60	175	0.105	2	1.90	0.029	0.07	0.3	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2
E859169	Soil	7	10	0.28	115	0.036	1	1.04	0.034	0.03	0.1	0.05	1.6	0.1	0.09	4	<0.5	<0.2
E859170	Soil	35	11	2.97	357	0.100	<1	2.69	0.068	0.34	<0.1	0.02	2.5	0.4	<0.05	10	0.7	<0.2
E859171	Soil	10	30	0.88	166	0.125	2	2.35	0.038	0.09	0.4	0.03	3.5	0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 02, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
E859008	Soil	0.7	25.1	27.5	84	2.2	20.8	8.7	340	2.97	656.0	1.1	81.3	3.5	27	0.3	1.7	0.3	64	0.31	0.054
REP E859008	QC	0.7	26.8	27.4	87	2.2	21.1	9.5	335	3.03	679.2	1.1	84.6	3.4	28	0.2	1.6	0.3	64	0.32	0.053
E859025	Soil	1.4	23.2	50.0	68	1.5	20.1	9.8	374	2.72	446.4	1.0	44.5	4.0	26	0.3	1.2	2.1	58	0.35	0.054
REP E859025	QC	1.4	24.8	52.2	67	1.5	19.7	10.0	403	2.83	457.9	1.1	35.0	4.2	28	0.3	1.2	2.3	58	0.35	0.054
E859049	Soil	1.6	40.1	70.2	109	14.9	22.4	9.8	653	3.00	618.8	1.8	156.1	2.0	34	0.7	4.4	0.3	62	0.41	0.065
REP E859049	QC	1.6	39.1	73.4	112	14.8	23.8	10.5	687	3.01	618.0	1.9	160.8	2.1	34	0.8	4.5	0.3	66	0.43	0.066
E859064	Soil	0.8	29.0	19.8	61	0.8	23.4	10.3	278	2.76	34.4	1.9	9.4	7.7	30	0.3	0.7	0.2	68	0.43	0.047
REP E859064	QC	0.8	30.5	19.7	61	0.9	23.3	10.4	283	2.74	34.1	1.9	12.4	7.4	31	0.2	0.7	0.1	70	0.44	0.047
E859087	Soil	0.7	23.8	18.0	62	1.0	21.9	11.9	270	2.92	185.6	0.9	20.0	3.3	24	0.1	3.4	0.2	71	0.35	0.050
REP E859087	QC	0.8	25.5	18.9	62	1.0	22.1	12.2	273	2.96	194.6	1.0	17.8	3.3	23	0.2	3.5	0.2	71	0.35	0.051
E859103	Soil	2.6	25.4	19.9	62	1.2	20.2	8.8	400	2.80	300.0	1.1	48.3	3.4	27	0.2	0.8	0.3	63	0.40	0.053
REP E859103	QC	2.5	25.4	19.2	64	1.4	20.6	9.1	403	2.81	303.7	1.2	136.1	3.4	27	0.3	0.8	0.3	64	0.39	0.052
E859115	Soil	0.6	26.1	11.1	64	0.6	19.3	12.1	566	3.23	198.1	1.1	20.6	3.0	29	0.1	1.4	0.1	76	0.53	0.059
REP E859115	QC	0.7	27.0	12.0	66	0.6	19.9	12.4	581	3.26	204.8	1.2	20.8	3.0	32	0.1	1.4	0.2	79	0.57	0.063
E859160	Soil	0.4	26.2	21.4	69	2.3	19.2	8.4	335	3.07	171.3	1.3	23.5	4.6	32	0.2	1.9	0.4	75	0.58	0.078
REP E859160	QC	0.5	26.1	21.2	70	2.3	19.9	8.5	338	3.07	170.2	1.3	25.7	4.6	34	0.2	1.9	0.4	75	0.59	0.078
Reference Materials																					
STD DS7	Standard	19.7	119.3	63.1	409	0.9	55.4	9.0	623	2.36	54.9	4.5	66.0	4.1	67	7.0	6.2	4.9	85	0.87	0.077
STD DS7	Standard	21.0	112.0	62.6	396	1.0	56.1	9.5	612	2.40	54.4	4.8	68.8	4.5	74	6.6	6.5	4.8	81	0.93	0.080
STD DS7	Standard	21.4	103.2	64.6	405	1.0	55.1	8.9	641	2.43	51.4	4.7	69.7	4.6	81	6.3	5.8	4.3	86	1.01	0.076
STD DS7	Standard	19.2	105.8	65.9	373	1.0	53.5	8.7	591	2.28	49.6	4.7	79.5	4.2	65	6.0	6.0	4.6	81	0.86	0.071
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: Longline

Report Date: September 02, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000297.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
E859008	Soil	13	29	0.63	159	0.102	1	2.14	0.015	0.07	7.7	0.04	3.7	<0.1	<0.05	6	<0.5	<0.2
REP E859008	QC	13	30	0.63	163	0.105	2	2.19	0.016	0.07	7.8	0.04	4.0	<0.1	<0.05	6	<0.5	<0.2
E859025	Soil	15	30	0.52	186	0.101	<1	2.08	0.018	0.07	2.8	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
REP E859025	QC	15	30	0.57	185	0.103	2	2.19	0.019	0.08	2.8	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
E859049	Soil	12	31	0.60	205	0.073	1	2.14	0.018	0.08	2.8	0.05	4.5	<0.1	<0.05	6	<0.5	<0.2
REP E859049	QC	12	32	0.64	213	0.074	2	2.19	0.018	0.08	2.7	0.07	4.7	0.1	<0.05	6	<0.5	<0.2
E859064	Soil	16	34	0.61	287	0.121	1	1.95	0.024	0.06	0.3	0.03	5.7	<0.1	<0.05	6	<0.5	<0.2
REP E859064	QC	16	33	0.62	284	0.117	1	2.06	0.025	0.07	0.3	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
E859087	Soil	9	33	0.67	187	0.087	2	2.14	0.013	0.08	0.9	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
REP E859087	QC	10	33	0.68	189	0.088	<1	2.18	0.013	0.08	0.9	0.03	4.9	<0.1	<0.05	6	<0.5	<0.2
E859103	Soil	12	29	0.57	164	0.097	2	1.86	0.014	0.07	2.3	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
REP E859103	QC	12	30	0.57	165	0.097	1	1.85	0.014	0.07	2.5	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
E859115	Soil	13	28	0.72	215	0.108	1	2.30	0.022	0.12	0.6	0.03	4.9	0.1	<0.05	7	<0.5	<0.2
REP E859115	QC	14	29	0.76	222	0.117	2	2.41	0.025	0.13	0.5	0.04	5.1	0.1	<0.05	7	<0.5	<0.2
E859160	Soil	15	32	0.87	182	0.151	2	2.23	0.031	0.21	0.6	0.03	5.3	0.2	<0.05	7	<0.5	<0.2
REP E859160	QC	15	32	0.87	188	0.156	2	2.30	0.032	0.21	0.6	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	12	171	1.02	385	0.120	41	0.98	0.086	0.47	3.6	0.21	2.2	4.0	0.21	5	3.4	1.4
STD DS7	Standard	14	176	1.04	405	0.128	38	1.01	0.105	0.49	3.7	0.21	2.5	3.8	0.21	5	3.6	1.4
STD DS7	Standard	14	204	1.09	420	0.135	41	1.13	0.113	0.50	3.7	0.22	2.5	4.2	0.19	5	3.5	1.3
STD DS7	Standard	11	179	0.99	381	0.108	37	0.93	0.084	0.43	3.6	0.20	2.3	4.2	0.19	4	2.8	1.0
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **30-SEP-2010**
Account: **EIAALN**

CERTIFICATE WH10135035

Project: ALN10-02

P.O. No.: ALN10-02_22

This report is for 63 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

CAM BARTSCH

BERT JEFFRIES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: CAM BARTSCH
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E860501		0.86	0.010	0.2	1.94	337	<10	140	<0.5	<2	0.45	0.5	9	27	19	2.70
E860502		1.14	0.014	<0.2	1.97	305	<10	160	<0.5	<2	0.42	0.5	9	25	19	2.64
E860503		1.16	0.013	0.2	1.98	243	<10	140	<0.5	<2	0.43	<0.5	8	25	35	2.64
E860504		1.38	0.015	<0.2	2.09	243	<10	150	<0.5	<2	0.47	<0.5	9	27	18	2.73
E860505		1.50	0.016	<0.2	2.22	295	<10	180	<0.5	<2	0.51	<0.5	11	27	19	2.99
E860506		2.00	0.017	<0.2	2.23	368	<10	180	<0.5	<2	0.50	<0.5	11	28	21	3.09
E860507		1.56	0.020	<0.2	1.92	371	<10	170	<0.5	<2	0.47	<0.5	10	23	18	2.70
E860508		2.00	0.050	0.2	2.10	363	<10	210	<0.5	<2	0.48	<0.5	12	24	22	2.83
E860509		2.26	0.039	0.2	2.23	296	<10	230	<0.5	<2	0.54	<0.5	12	26	24	3.04
E860510		2.06	0.024	<0.2	1.98	180	<10	190	<0.5	<2	0.52	<0.5	10	23	19	2.71
E860511		2.20	0.013	<0.2	2.00	147	<10	190	<0.5	<2	0.54	<0.5	11	24	20	2.86
E860512		2.36	0.012	0.2	2.29	185	<10	190	<0.5	<2	0.51	<0.5	11	26	19	3.10
E860513		2.00	0.014	<0.2	2.20	170	<10	210	<0.5	<2	0.52	<0.5	12	25	22	3.11
E860514		1.80	0.015	<0.2	2.05	155	<10	190	<0.5	<2	0.53	<0.5	12	22	21	3.02
E860515		2.02	0.008	0.2	2.31	108	<10	230	<0.5	<2	0.61	<0.5	13	28	29	3.20
E860516		2.36	0.008	<0.2	2.43	101	<10	210	<0.5	<2	0.59	<0.5	15	51	38	3.43
E860517		2.50	0.008	0.2	2.44	112	<10	220	<0.5	<2	0.54	<0.5	14	28	25	3.43
E860518		2.44	0.010	0.3	2.32	111	<10	200	<0.5	<2	0.74	<0.5	12	25	22	3.23
E860519		3.00	0.010	0.2	2.49	150	<10	200	0.5	<2	0.67	<0.5	13	30	28	3.64
E860520		2.48	0.011	<0.2	2.38	137	<10	180	<0.5	<2	0.66	<0.5	12	29	27	3.33
E860521		2.00	0.011	0.2	2.28	107	<10	190	<0.5	<2	0.70	<0.5	12	27	25	3.08
E860522		2.42	0.011	<0.2	2.24	138	<10	180	<0.5	<2	0.69	<0.5	12	28	27	3.21
E860523		2.34	0.013	<0.2	2.46	109	<10	200	<0.5	<2	0.67	<0.5	12	30	27	3.27
E860524		2.10	0.009	<0.2	2.34	122	<10	190	<0.5	<2	0.68	<0.5	12	29	25	3.23
E860525		2.44	0.017	<0.2	2.25	150	<10	170	<0.5	<2	0.72	<0.5	12	29	30	3.52
E860526		1.96	0.011	<0.2	2.38	113	<10	190	<0.5	<2	0.64	<0.5	11	31	29	3.31
E860527		2.32	0.012	1.3	2.13	129	<10	180	<0.5	<2	0.69	<0.5	12	29	28	3.15
E860528		2.48	0.009	<0.2	2.40	171	<10	200	<0.5	<2	0.64	<0.5	12	32	32	3.42
E860529		2.48	0.014	<0.2	2.39	121	<10	200	<0.5	<2	0.65	<0.5	12	31	31	3.28
E860530		2.68	0.012	<0.2	2.45	122	<10	200	<0.5	<2	0.61	<0.5	10	31	28	3.32
E860531		2.74	0.013	<0.2	2.42	103	<10	180	<0.5	<2	0.56	<0.5	11	29	22	3.15
E860532		3.28	0.061	<0.2	2.39	123	<10	200	<0.5	<2	0.60	<0.5	12	30	26	3.25
E860533		2.60	0.007	<0.2	2.16	97	<10	190	<0.5	<2	0.63	<0.5	12	27	24	2.93
E860534		2.58	0.007	<0.2	2.36	94	<10	190	<0.5	<2	0.59	<0.5	11	30	26	3.20
E860535		2.54	0.008	<0.2	2.36	107	<10	190	<0.5	<2	0.58	<0.5	11	29	22	3.10
E860536		2.38	0.009	0.2	2.24	166	<10	460	<0.5	<2	0.71	<0.5	11	30	30	3.01
E860537		1.70	0.010	<0.2	2.08	237	<10	180	<0.5	<2	0.58	<0.5	11	29	27	2.91
E860538		1.70	0.005	<0.2	2.14	147	<10	170	<0.5	<2	0.55	<0.5	11	29	28	2.93
E860539		2.30	<0.005	<0.2	2.07	175	<10	180	<0.5	<2	0.59	<0.5	11	29	28	3.00
E860540		2.42	0.014	<0.2	2.20	133	<10	180	<0.5	<2	0.54	<0.5	10	30	28	2.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
E860501		10	<1	0.08	10	0.62	335	1	0.03	15	650	50	0.02	2	5	30
E860502		<10	<1	0.07	10	0.62	233	1	0.03	14	670	53	0.02	2	5	29
E860503		10	1	0.09	10	0.63	260	1	0.02	30	590	33	0.03	<2	4	30
E860504		10	<1	0.08	10	0.69	282	1	0.02	15	670	35	0.02	<2	5	30
E860505		10	<1	0.08	10	0.76	430	1	0.02	15	680	34	0.02	<2	6	32
E860506		10	<1	0.08	10	0.77	393	1	0.02	17	650	39	0.01	3	6	32
E860507		10	<1	0.07	10	0.61	524	1	0.03	14	700	27	0.03	2	5	31
E860508		<10	<1	0.08	10	0.69	841	1	0.02	15	650	27	0.02	<2	5	32
E860509		10	<1	0.09	10	0.74	545	1	0.03	15	730	26	0.03	<2	6	36
E860510		10	<1	0.08	10	0.67	358	1	0.03	14	680	24	0.03	<2	5	34
E860511		10	<1	0.11	10	0.75	433	1	0.03	14	690	20	0.02	<2	6	35
E860512		<10	1	0.09	10	0.82	384	1	0.02	16	660	36	0.02	<2	5	32
E860513		10	<1	0.11	20	0.78	482	1	0.03	13	730	27	0.02	2	7	35
E860514		10	<1	0.11	10	0.75	598	1	0.03	13	710	19	0.02	<2	6	34
E860515		10	<1	0.16	20	0.88	558	1	0.03	17	690	17	0.03	<2	8	37
E860516		10	<1	0.15	20	0.91	645	1	0.02	22	700	17	0.02	<2	8	34
E860517		10	<1	0.16	20	0.92	503	1	0.02	15	710	24	0.02	<2	8	32
E860518		10	<1	0.20	10	0.90	705	<1	0.02	14	710	23	0.03	<2	8	41
E860519		10	<1	0.23	20	0.99	622	1	0.02	18	730	24	0.02	<2	10	36
E860520		10	<1	0.19	20	0.88	539	1	0.02	17	660	16	0.02	<2	8	37
E860521		10	<1	0.16	20	0.81	592	<1	0.03	15	710	16	0.02	<2	8	39
E860522		10	<1	0.20	20	0.84	624	1	0.03	17	660	17	0.02	<2	8	39
E860523		10	<1	0.16	20	0.88	579	<1	0.02	18	700	16	0.02	<2	9	38
E860524		10	<1	0.16	20	0.85	621	1	0.03	16	680	16	0.02	<2	8	39
E860525		10	1	0.26	20	0.89	608	1	0.03	18	720	30	0.01	2	9	40
E860526		<10	<1	0.19	20	0.87	444	<1	0.03	18	660	17	0.02	<2	8	40
E860527		10	<1	0.21	20	0.82	527	1	0.03	17	700	72	0.02	5	8	39
E860528		10	<1	0.19	20	0.88	521	1	0.03	19	680	17	0.02	<2	9	38
E860529		10	<1	0.17	20	0.86	505	1	0.03	19	690	18	0.02	<2	9	38
E860530		10	<1	0.14	20	0.87	445	1	0.03	17	660	19	0.02	<2	8	37
E860531		10	<1	0.11	10	0.82	419	1	0.02	15	670	15	0.02	<2	6	34
E860532		10	<1	0.11	20	0.82	572	1	0.02	18	660	17	0.02	<2	8	36
E860533		10	<1	0.12	10	0.75	585	1	0.02	15	690	16	0.03	<2	7	38
E860534		10	<1	0.12	10	0.84	486	<1	0.03	16	640	16	0.02	<2	7	37
E860535		10	1	0.10	10	0.81	446	1	0.02	16	660	16	0.02	<2	6	35
E860536		10	<1	0.06	20	0.70	401	1	0.03	20	580	31	0.02	2	7	47
E860537		10	<1	0.08	20	0.67	394	3	0.03	18	640	25	0.02	<2	6	39
E860538		10	<1	0.07	10	0.67	395	1	0.03	17	660	24	0.02	<2	6	37
E860539		10	<1	0.07	20	0.68	414	1	0.03	19	640	22	0.01	2	6	39
E860540		10	<1	0.06	20	0.68	283	1	0.03	17	580	34	0.02	<2	6	35



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
E860501		<20	0.13	<10	<10	65	<10	72
E860502		<20	0.12	<10	<10	65	<10	70
E860503		<20	0.12	<10	<10	61	<10	70
E860504		<20	0.13	<10	<10	63	<10	67
E860505		<20	0.13	<10	<10	71	<10	68
E860506		<20	0.14	<10	<10	72	<10	68
E860507		<20	0.11	<10	<10	62	<10	58
E860508		<20	0.11	<10	<10	64	<10	63
E860509		<20	0.13	<10	<10	69	<10	61
E860510		<20	0.12	<10	<10	68	<10	57
E860511		<20	0.13	<10	<10	69	<10	59
E860512		<20	0.14	<10	<10	71	<10	64
E860513		<20	0.13	<10	<10	76	<10	63
E860514		<20	0.12	<10	<10	71	<10	60
E860515		<20	0.14	<10	<10	82	<10	72
E860516		<20	0.14	<10	<10	85	<10	70
E860517		<20	0.14	<10	<10	83	<10	68
E860518		<20	0.14	<10	<10	80	<10	74
E860519		<20	0.15	<10	<10	89	<10	77
E860520		<20	0.16	<10	<10	79	<10	69
E860521		<20	0.15	<10	<10	77	<10	65
E860522		<20	0.16	<10	<10	79	<10	76
E860523		<20	0.16	<10	<10	79	<10	67
E860524		<20	0.16	<10	<10	80	<10	65
E860525		<20	0.16	<10	<10	86	<10	71
E860526		<20	0.17	<10	<10	81	<10	68
E860527		<20	0.16	<10	<10	79	<10	67
E860528		<20	0.17	<10	<10	83	<10	71
E860529		<20	0.16	<10	<10	79	<10	67
E860530		<20	0.17	<10	<10	79	<10	66
E860531		<20	0.16	<10	<10	75	<10	63
E860532		<20	0.15	<10	<10	78	<10	64
E860533		<20	0.14	<10	<10	71	<10	61
E860534		<20	0.16	<10	<10	77	<10	70
E860535		<20	0.16	<10	<10	74	<10	64
E860536		<20	0.15	<10	<10	71	<10	65
E860537		<20	0.14	<10	<10	71	<10	63
E860538		<20	0.14	<10	<10	70	<10	63
E860539		<20	0.14	<10	<10	71	<10	62
E860540		<20	0.15	<10	<10	73	<10	62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
E860541		3.02	0.009	<0.2	2.10	370	<10	170	<0.5	<2	0.63	<0.5	10	29	28	2.92
E860542		2.12	0.008	0.2	1.74	385	<10	160	<0.5	<2	0.51	0.5	12	25	30	2.54
E860543		2.40	0.016	<0.2	2.13	372	<10	190	<0.5	<2	0.61	0.5	12	30	31	3.04
E860544		2.78	0.008	<0.2	1.80	326	<10	140	<0.5	<2	0.50	<0.5	10	26	20	2.76
E860545		2.56	<0.005	<0.2	1.93	231	<10	160	<0.5	<2	0.47	<0.5	11	28	25	2.72
E860546		2.80	0.017	0.8	1.80	487	<10	160	<0.5	<2	0.53	0.7	11	24	28	2.59
E860547		3.52	0.014	0.5	1.99	223	<10	180	<0.5	<2	0.60	0.6	13	29	31	2.81
E860548		2.88	0.031	0.3	2.01	489	<10	200	<0.5	<2	0.57	0.7	13	29	30	3.08
E860549		3.38	0.054	0.3	2.08	368	<10	170	<0.5	<2	0.46	0.5	11	27	18	2.86
E860550		2.92	0.038	0.5	1.94	545	<10	170	<0.5	<2	0.45	0.5	12	25	17	2.98
E860551		3.26	0.055	0.3	1.65	363	<10	170	<0.5	<2	0.43	<0.5	12	20	16	2.50
E860552		3.22	0.046	0.4	2.42	447	<10	200	<0.5	<2	0.48	0.5	13	27	24	3.29
E860553		2.68	0.019	0.6	1.00	215	<10	120	<0.5	<2	0.31	<0.5	7	13	15	1.31
E860554		2.48	0.005	0.2	0.51	280	<10	80	<0.5	<2	0.24	<0.5	6	8	10	1.12
E860555		3.16	0.013	0.3	2.65	240	<10	300	0.5	<2	0.62	0.6	15	32	38	3.47
E860556		3.32	0.012	<0.2	2.62	369	<10	210	<0.5	<2	0.51	<0.5	14	29	26	3.64
E860557		2.36	0.016	<0.2	2.31	457	<10	190	0.5	<2	0.50	0.7	14	31	24	3.58
E860558		3.52	0.016	<0.2	2.47	210	<10	200	<0.5	<2	0.50	<0.5	14	32	27	3.37
E860559		2.24	0.010	<0.2	2.22	164	<10	160	<0.5	<2	0.44	<0.5	12	27	21	3.03
E860560		2.04	0.021	<0.2	2.55	754	<10	180	<0.5	<2	0.45	0.6	16	30	20	3.98
E860561		1.92	0.022	<0.2	2.37	703	<10	180	<0.5	<2	0.55	<0.5	14	30	27	3.68
E860562		2.44	0.014	<0.2	2.22	403	<10	170	<0.5	<2	0.60	<0.5	13	30	25	3.42
E860563		2.36	0.012	0.3	2.28	731	<10	180	<0.5	<2	0.59	<0.5	13	28	25	3.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 30-SEP-2010
Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
E860541		10	<1	0.07	10	0.67	357	1	0.03	18	610	31	0.02	2	6
E860542		10	<1	0.06	10	0.52	533	2	0.03	23	610	42	0.02	2	5
E860543		10	<1	0.07	20	0.67	410	1	0.04	22	620	36	0.01	<2	6
E860544		10	<1	0.06	10	0.56	419	1	0.03	16	610	24	0.02	2	4
E860545		10	1	0.06	10	0.55	320	1	0.03	17	620	29	0.02	<2	5
E860546		10	<1	0.06	20	0.51	603	1	0.03	17	590	101	0.02	4	5
E860547		10	<1	0.07	20	0.65	419	1	0.03	25	550	52	0.01	3	6
E860548		10	<1	0.09	20	0.71	581	1	0.03	22	630	47	0.01	3	7
E860549		10	<1	0.06	10	0.64	260	1	0.03	18	610	47	0.02	3	5
E860550		10	<1	0.06	10	0.63	374	1	0.03	16	620	50	0.02	4	5
E860551		10	<1	0.07	10	0.59	369	1	0.03	14	550	43	0.02	3	4
E860552		10	<1	0.13	10	0.87	437	1	0.03	20	700	64	0.01	5	5
E860553		<10	<1	0.04	10	0.20	261	<1	0.03	9	430	18	0.02	<2	2
E860554		<10	<1	0.03	10	0.10	264	<1	0.03	4	390	8	0.02	<2	1
E860555		10	1	0.13	30	0.94	595	1	0.03	23	760	37	0.02	2	9
E860556		10	<1	0.13	20	0.90	715	1	0.03	20	660	35	0.01	2	7
E860557		10	1	0.16	20	0.92	656	1	0.03	20	710	47	0.01	2	7
E860558		10	1	0.11	20	0.85	391	1	0.03	22	610	31	0.01	<2	7
E860559		10	<1	0.09	10	0.75	364	1	0.03	18	600	28	0.01	<2	5
E860560		10	<1	0.14	10	0.97	787	1	0.03	22	660	35	0.01	<2	7
E860561		10	<1	0.12	20	0.92	612	1	0.03	23	610	31	0.01	<2	7
E860562		10	<1	0.16	20	0.92	489	<1	0.03	20	670	19	0.01	2	8
E860563		10	1	0.13	20	0.91	570	1	0.03	22	620	34	0.01	<2	7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 30-SEP-2010
 Account: EIAALN

Project: ALN10-02

CERTIFICATE OF ANALYSIS WH10135035

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
E860541		<20	0.14	<10	<10	68	<10	67
E860542		<20	0.12	<10	<10	56	<10	63
E860543		<20	0.15	<10	<10	67	<10	69
E860544		<20	0.13	<10	<10	63	<10	53
E860545		<20	0.13	<10	<10	61	<10	57
E860546		<20	0.11	<10	<10	56	<10	66
E860547		<20	0.14	<10	<10	64	<10	70
E860548		<20	0.15	<10	<10	67	<10	92
E860549		<20	0.13	<10	<10	60	<10	70
E860550		<20	0.13	<10	<10	62	<10	73
E860551		<20	0.12	<10	<10	56	<10	59
E860552		<20	0.16	<10	<10	70	<10	87
E860553		<20	0.05	<10	<10	29	<10	27
E860554		<20	0.03	<10	<10	26	<10	13
E860555		<20	0.16	<10	<10	78	<10	82
E860556		<20	0.16	<10	<10	79	<10	80
E860557		<20	0.15	<10	<10	78	<10	93
E860558		<20	0.16	<10	<10	72	<10	76
E860559		<20	0.15	<10	<10	66	<10	66
E860560		<20	0.17	<10	<10	85	<10	97
E860561		<20	0.16	<10	<10	83	<10	76
E860562		<20	0.17	<10	<10	81	<10	72
E860563		<20	0.16	<10	<10	80	<10	70

Aldrin Resource Corporation

**2010 GEOLOGICAL, GEOCHEMICAL AND
DIAMOND DRILLING REPORT ON THE
LONGLINE PROJECT**

Volume II
Appendices G – J, Maps

Located in the Moosehorn Range Area
Whitehorse Mining District
NTS 115N/02
63°6' N Latitude; 140°54' W Longitude

-prepared for-

ALDRIN RESOURCE CORPORATION
Suite 2020-401 West Georgia Street
Vancouver, British Columbia, Canada, V6B 5A1

-prepared by-

David Swanton, M.Sc.
Cameron Bartsch, M.Sc., P. Geo.
EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

December 7, 2010



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: September 01, 2010

Report Date: October 12, 2010

Page: 1 of 9

CERTIFICATE OF ANALYSIS

WHI10000507.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 215

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	215	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	215	Dry at 60C			VAN
1DX2	215	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 2 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 137848	Soil	0.8	26.1	9.0	56	0.1	21.5	9.3	290	3.27	13.1	1.8	7.5	2.0	34	<0.1	0.5	0.2	83	0.40
LIN 137849	Soil	0.4	25.9	9.1	65	<0.1	23.4	11.1	383	3.08	10.3	1.6	7.2	4.8	35	0.1	0.6	0.1	84	0.51
LIN 137850	Soil	0.5	26.2	8.8	61	0.1	25.2	11.4	282	3.18	11.2	1.5	5.5	4.8	33	0.1	0.5	0.1	79	0.48
LIN 137851	Soil	0.8	19.0	7.2	60	<0.1	23.5	9.7	436	3.38	17.3	0.5	5.3	2.7	35	0.1	0.4	0.1	84	0.46
LIN 137852	Soil	0.7	29.7	10.6	61	0.2	25.5	11.5	240	3.04	22.8	1.7	7.9	6.5	30	0.2	0.9	0.2	85	0.42
LIN 137853	Soil	1.1	26.6	8.0	43	0.3	17.9	9.4	484	2.54	35.7	1.0	7.2	1.2	33	0.2	0.7	0.1	61	0.39
LIN 137854	Soil	1.0	32.2	9.9	69	0.2	29.4	14.0	649	3.74	74.2	1.3	16.2	4.1	29	0.2	0.8	0.2	93	0.35
LIN 137855	Soil	1.4	38.1	11.6	67	0.9	26.4	14.4	735	3.39	103.2	1.5	26.0	2.6	48	0.1	1.2	0.2	74	0.65
LIN 137856	Soil	1.0	21.3	8.5	50	0.1	20.1	8.6	338	3.11	33.6	0.5	9.8	2.6	26	0.3	0.6	0.2	88	0.34
LIN 137857	Soil	0.8	27.6	7.1	57	0.1	22.2	11.9	538	3.18	78.7	0.9	15.3	3.5	31	0.1	0.8	0.1	79	0.43
LIN 137858	Soil	0.5	26.1	8.8	54	<0.1	22.0	10.6	336	3.32	15.6	0.6	11.4	3.2	38	0.2	0.6	0.2	85	0.48
LIN 137859	Soil	0.4	38.0	8.9	57	<0.1	25.4	11.3	253	3.57	17.8	0.7	10.5	4.0	44	0.1	0.8	0.1	88	0.65
LIN 137860	Soil	0.7	25.6	7.6	54	<0.1	24.6	9.4	293	3.06	9.0	0.6	3.7	2.6	30	0.2	0.6	0.1	76	0.40
LIN 137861	Soil	1.3	22.5	7.8	65	<0.1	22.4	13.9	822	3.52	14.4	1.3	3.5	3.8	36	0.1	0.8	0.2	89	0.51
LIN 137862	Soil	1.6	18.9	7.7	72	<0.1	20.6	11.8	639	3.48	13.7	0.9	6.8	3.6	37	0.1	0.5	0.1	90	0.48
LIN 137863	Soil	1.0	18.6	7.0	55	<0.1	21.3	16.2	949	3.45	11.4	1.1	2.6	3.9	37	0.1	0.4	0.1	79	0.52
LIN 137864	Soil	0.8	19.5	7.5	62	<0.1	22.5	13.4	793	3.31	8.9	1.1	7.3	4.6	36	0.1	0.4	0.1	87	0.53
LIN 137865	Soil	0.6	30.9	6.6	64	<0.1	28.2	10.0	316	3.44	8.1	1.4	3.4	5.0	41	0.2	0.5	0.1	90	0.59
LIN 137866	Soil	1.1	13.7	7.5	43	<0.1	10.9	5.6	263	2.59	5.7	0.5	4.8	1.3	24	0.2	0.3	0.1	74	0.24
LIN 137867	Soil	1.0	20.5	8.1	60	<0.1	14.3	7.9	367	2.90	5.7	0.9	2.3	1.8	25	0.2	0.4	0.2	81	0.25
LIN 137868	Soil	0.7	24.7	7.9	72	<0.1	24.5	13.1	583	3.43	6.6	0.8	4.9	2.9	36	0.3	0.4	<0.1	91	0.55
LIN 137869	Soil	0.6	21.2	5.3	49	<0.1	16.9	9.6	631	2.43	4.0	0.6	2.4	2.4	32	0.2	0.3	<0.1	62	0.42
LIN 137870	Soil	0.7	26.0	7.1	57	<0.1	23.2	11.8	563	3.23	6.6	0.9	1.6	4.3	39	0.1	0.7	0.1	80	0.52
LIN 137871	Soil	0.5	29.1	6.7	55	<0.1	23.4	9.4	358	3.49	8.0	1.1	2.8	4.3	42	0.1	0.7	0.1	78	0.55
LIN 137872	Soil	0.6	28.5	6.8	64	<0.1	27.2	12.1	531	3.32	6.2	1.1	9.9	3.8	37	0.1	0.4	<0.1	91	0.52
LIN 137879	Soil	0.7	20.6	8.6	71	<0.1	22.7	14.0	579	3.51	31.7	1.3	8.0	5.1	37	<0.1	4.6	<0.1	77	0.53
LIN 137880	Soil	1.3	17.3	13.5	52	<0.1	15.5	8.2	397	2.72	8.7	0.8	14.6	9.5	20	0.2	1.2	0.3	65	0.20
LIN 137881	Soil	1.4	22.4	10.0	67	0.2	25.1	11.6	880	3.30	13.0	0.5	2.3	4.0	28	0.2	0.7	0.2	88	0.26
LIN 137882	Soil	0.9	11.1	10.3	46	<0.1	8.5	4.4	261	1.99	4.7	1.8	2.1	26.4	18	<0.1	2.2	0.2	33	0.15
LIN 137883	Soil	0.9	11.5	9.9	45	<0.1	8.7	4.2	251	1.89	4.3	1.8	<0.5	26.4	16	<0.1	2.1	0.2	30	0.15



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 2 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137848	Soil	12	35	0.70	210	0.089	<1	2.30	0.030	0.06	0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
LIN 137849	Soil	15	35	0.79	243	0.139	1	2.23	0.037	0.09	0.1	0.03	5.4	0.1	<0.05	6	<0.5	<0.2
LIN 137850	Soil	14	36	0.84	246	0.127	2	2.31	0.040	0.09	0.2	0.03	5.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137851	Soil	8	34	0.79	222	0.133	2	1.95	0.033	0.06	0.2	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137852	Soil	17	37	0.79	303	0.128	1	2.50	0.034	0.09	0.1	0.05	6.1	0.1	<0.05	7	<0.5	<0.2
LIN 137853	Soil	12	24	0.44	220	0.076	2	1.84	0.034	0.05	0.1	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137854	Soil	14	36	0.77	297	0.129	2	2.90	0.034	0.09	0.3	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 137855	Soil	17	32	0.70	365	0.105	3	2.37	0.050	0.09	0.4	0.06	5.0	0.1	<0.05	6	<0.5	<0.2
LIN 137856	Soil	9	28	0.54	188	0.126	2	1.75	0.032	0.06	0.1	0.04	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 137857	Soil	12	30	0.72	200	0.125	<1	2.28	0.029	0.08	0.1	0.03	4.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137858	Soil	10	37	0.72	248	0.160	2	2.43	0.035	0.09	0.1	0.02	4.9	<0.1	<0.05	7	<0.5	<0.2
LIN 137859	Soil	13	42	0.84	242	0.154	<1	2.19	0.053	0.10	<0.1	0.03	7.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137860	Soil	9	35	0.67	159	0.118	2	2.30	0.027	0.07	<0.1	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2
LIN 137861	Soil	14	34	0.79	206	0.136	2	2.19	0.031	0.11	0.3	0.02	4.3	<0.1	<0.05	7	<0.5	<0.2
LIN 137862	Soil	11	30	0.80	218	0.137	1	1.97	0.032	0.10	0.2	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2
LIN 137863	Soil	13	28	0.79	263	0.141	2	2.13	0.040	0.11	0.2	0.03	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 137864	Soil	12	34	0.79	227	0.160	2	2.06	0.039	0.12	0.3	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 137865	Soil	16	38	0.84	209	0.165	2	2.26	0.049	0.14	0.2	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
LIN 137866	Soil	6	19	0.31	96	0.117	<1	1.08	0.028	0.06	0.1	0.03	1.9	<0.1	<0.05	7	<0.5	<0.2
LIN 137867	Soil	10	24	0.38	159	0.110	<1	1.62	0.031	0.06	<0.1	0.04	2.9	<0.1	<0.05	7	<0.5	<0.2
LIN 137868	Soil	11	31	0.87	199	0.144	2	2.41	0.040	0.12	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 137869	Soil	12	22	0.47	185	0.113	2	1.55	0.046	0.09	0.1	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 137870	Soil	14	37	0.68	287	0.150	2	2.34	0.033	0.10	0.1	0.12	5.1	0.1	<0.05	6	<0.5	<0.2
LIN 137871	Soil	17	37	0.82	322	0.152	3	2.42	0.039	0.10	<0.1	0.10	6.9	0.1	<0.05	6	<0.5	<0.2
LIN 137872	Soil	14	35	0.84	244	0.176	2	2.40	0.039	0.12	0.2	0.03	5.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137879	Soil	15	34	0.89	244	0.144	<1	2.22	0.033	0.18	0.2	0.03	4.6	0.2	<0.05	7	<0.5	<0.2
LIN 137880	Soil	17	26	0.34	201	0.067	<1	1.95	0.021	0.05	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137881	Soil	10	41	0.55	288	0.112	1	2.63	0.026	0.07	0.1	0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
LIN 137882	Soil	42	15	0.24	139	0.024	<1	1.10	0.012	0.12	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
LIN 137883	Soil	42	13	0.23	130	0.020	2	1.10	0.011	0.10	<0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

3 of 9

Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 137884	Soil	1.0	28.4	9.1	50	<0.1	25.4	10.7	303	3.24	12.5	0.7	2.1	7.6	27	<0.1	0.8	0.2	82	0.27	0.013
LIN 137885	Soil	1.2	29.1	15.1	131	<0.1	34.6	14.9	758	4.08	10.8	2.2	2.5	14.2	28	0.1	3.5	0.5	64	0.26	0.015
LIN 137886	Soil	1.3	19.5	11.4	60	0.1	19.5	9.3	367	2.92	96.1	0.8	13.3	6.6	25	0.2	2.0	0.3	67	0.24	0.020
LIN 137887	Soil	1.7	15.8	10.6	55	<0.1	15.1	8.0	335	3.33	37.2	0.6	3.4	6.3	18	0.2	0.8	0.2	81	0.18	0.032
LIN 137888	Soil	1.1	18.2	12.2	53	<0.1	19.9	9.6	484	3.14	33.7	1.5	11.2	14.1	21	0.1	1.5	0.1	48	0.20	0.032
LIN 137890	Soil	1.1	22.0	10.6	42	<0.1	18.3	8.6	245	3.02	10.1	1.0	1.4	5.1	26	0.1	0.4	0.2	65	0.24	0.035
LIN 137891	Soil	1.3	20.1	9.7	42	0.1	20.0	8.3	213	3.15	28.5	0.8	1.6	5.7	20	0.1	0.5	0.2	72	0.19	0.023
LIN 137892	Soil	0.8	19.5	28.8	72	<0.1	26.8	12.6	627	3.21	58.3	0.9	2.2	9.2	26	0.4	0.4	0.3	65	0.23	0.041
LIN 137893	Soil	1.3	18.4	9.6	48	<0.1	23.7	10.8	395	3.10	16.8	1.3	0.8	11.4	25	<0.1	0.3	0.2	63	0.25	0.028
LIN 137894	Soil	0.8	17.6	13.4	44	<0.1	20.2	10.1	260	2.76	9.3	0.9	2.9	6.9	30	<0.1	0.4	0.2	62	0.31	0.025
LIN 137895	Soil	0.8	23.3	10.2	46	<0.1	20.1	9.6	326	3.15	27.2	1.3	2.5	11.1	32	<0.1	0.5	0.1	68	0.36	0.023
LIN 137896	Soil	0.6	37.2	5.2	67	<0.1	32.2	18.6	599	3.98	4.9	0.3	0.5	2.3	50	0.1	0.3	<0.1	62	0.94	0.245
LIN 137897	Soil	1.0	11.8	86.1	73	<0.1	10.3	7.0	270	2.30	14.2	1.4	1.4	10.4	25	0.3	0.3	0.2	48	0.27	0.039
LIN 137898	Soil	0.9	14.6	18.1	46	<0.1	12.6	7.0	248	2.60	17.9	1.1	<0.5	8.4	19	0.2	0.4	0.1	46	0.16	0.041
LIN 137899	Soil	0.7	21.9	16.0	44	<0.1	15.9	9.5	394	2.69	43.9	1.8	2.6	14.8	24	<0.1	0.3	0.2	52	0.26	0.032
LIN 137900	Soil	0.3	33.6	13.4	81	0.7	8.0	16.4	652	4.93	4.3	1.8	22.4	14.5	52	0.2	0.2	0.9	68	0.84	0.100
LIN 137901	Soil	0.7	15.5	8.8	41	<0.1	16.7	10.7	259	3.10	6.8	0.6	8.4	7.2	29	0.2	0.3	0.1	69	0.33	0.023
LIN 137902	Soil	0.8	20.2	6.0	39	<0.1	17.8	9.4	220	2.50	4.5	0.6	2.9	0.6	41	<0.1	0.2	0.1	57	0.43	0.075
LIN 137903	Soil	0.6	22.0	9.5	62	<0.1	14.2	15.7	586	4.16	7.8	1.6	5.6	3.7	33	<0.1	0.3	0.2	103	0.39	0.031
LIN 137904	Soil	1.0	23.1	148.1	59	0.2	18.8	13.0	398	4.11	8.6	0.6	1.4	2.5	26	0.2	0.5	0.2	105	0.27	0.041
LIN 137905	Soil	1.1	20.1	7.1	54	<0.1	12.9	12.9	402	4.19	6.9	0.5	2.5	3.9	19	0.1	0.4	0.2	113	0.20	0.029
LIN 137906	Soil	0.6	16.0	16.6	56	<0.1	8.1	10.7	588	3.75	15.6	1.9	7.5	11.3	17	<0.1	1.2	0.1	36	0.28	0.068
LIN 137907	Soil	0.5	15.3	10.5	59	0.1	14.7	10.4	389	2.85	46.3	1.0	4.1	3.0	37	0.1	0.4	0.2	77	0.51	0.050
LIN 137908	Soil	0.5	31.3	6.4	49	0.1	22.5	11.1	491	2.57	7.4	1.3	3.1	2.7	58	0.2	0.4	0.2	68	0.92	0.058
LIN 137909	Soil	0.5	24.1	6.8	51	<0.1	17.9	10.8	458	2.68	7.5	0.8	7.7	2.8	52	0.2	0.3	0.2	75	0.97	0.064
LIN 137910	Soil	0.4	24.1	6.5	54	<0.1	18.8	11.1	439	2.73	7.7	0.8	12.3	2.8	51	0.2	0.4	0.2	76	0.94	0.070
LIN 137911	Soil	0.3	29.8	5.6	42	0.2	13.6	9.1	499	2.23	6.1	1.0	3.3	1.8	57	0.1	0.3	0.3	58	1.21	0.058
LIN 137912	Soil	0.5	26.4	7.0	59	0.1	11.8	13.9	615	3.83	12.2	0.7	3.5	3.3	39	<0.1	0.3	0.6	96	0.72	0.065
LIN 137913	Soil	0.4	40.7	6.8	66	0.3	10.7	15.2	995	4.33	23.2	1.3	5.9	3.1	54	0.2	0.4	0.6	92	1.31	0.072
LIN 137914	Soil	0.7	32.1	7.2	63	0.1	20.2	18.3	658	4.93	9.5	0.9	<0.5	4.7	30	0.2	0.3	0.4	105	0.33	0.049



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 3 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137884	Soil	10	38	0.60	214	0.094	1	2.58	0.022	0.06	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137885	Soil	35	46	0.92	200	0.128	1	2.41	0.019	0.28	<0.1	0.01	8.6	0.3	<0.05	7	<0.5	<0.2
LIN 137886	Soil	16	30	0.48	198	0.069	<1	2.35	0.022	0.06	<0.1	0.01	4.1	0.1	<0.05	7	<0.5	<0.2
LIN 137887	Soil	15	28	0.43	162	0.064	1	2.49	0.015	0.09	<0.1	0.01	3.3	0.1	<0.05	9	<0.5	<0.2
LIN 137888	Soil	20	27	0.41	242	0.026	<1	2.53	0.023	0.13	<0.1	0.01	3.9	0.1	<0.05	5	<0.5	<0.2
LIN 137890	Soil	15	29	0.40	193	0.057	<1	2.30	0.022	0.08	<0.1	0.02	4.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137891	Soil	14	34	0.46	145	0.079	<1	2.37	0.016	0.06	<0.1	0.01	3.7	<0.1	<0.05	7	<0.5	<0.2
LIN 137892	Soil	22	44	0.60	137	0.073	<1	2.29	0.017	0.13	<0.1	0.01	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 137893	Soil	26	37	0.52	173	0.059	<1	1.87	0.015	0.10	<0.1	0.01	4.5	0.1	<0.05	5	<0.5	<0.2
LIN 137894	Soil	20	29	0.57	195	0.086	<1	1.85	0.023	0.07	<0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
LIN 137895	Soil	55	31	0.64	257	0.074	<1	2.60	0.019	0.06	<0.1	0.01	5.7	<0.1	<0.05	7	<0.5	<0.2
LIN 137896	Soil	31	21	1.06	141	0.073	<1	1.31	0.045	0.10	0.1	0.02	4.4	<0.1	<0.05	4	<0.5	<0.2
LIN 137897	Soil	33	17	0.31	244	0.035	<1	1.42	0.013	0.11	<0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
LIN 137898	Soil	28	20	0.28	152	0.029	<1	1.82	0.019	0.08	<0.1	0.03	3.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137899	Soil	50	23	0.42	213	0.063	<1	1.64	0.018	0.09	<0.1	<0.01	4.3	<0.1	<0.05	4	<0.5	<0.2
LIN 137900	Soil	40	6	0.32	324	0.004	<1	0.76	0.020	0.07	<0.1	0.02	11.5	<0.1	<0.05	2	<0.5	<0.2
LIN 137901	Soil	25	22	0.59	365	0.029	<1	2.65	0.022	0.08	<0.1	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
LIN 137902	Soil	18	20	0.47	134	0.074	<1	1.73	0.025	0.04	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137903	Soil	13	21	1.02	419	0.130	<1	2.71	0.026	0.20	<0.1	0.02	8.9	0.2	<0.05	9	<0.5	<0.2
LIN 137904	Soil	8	28	0.68	274	0.144	<1	2.75	0.022	0.09	<0.1	0.02	4.2	0.1	<0.05	9	<0.5	<0.2
LIN 137905	Soil	10	21	0.90	278	0.153	<1	2.64	0.021	0.24	<0.1	<0.01	5.8	0.2	<0.05	9	<0.5	<0.2
LIN 137906	Soil	40	6	0.18	200	0.011	<1	0.81	0.011	0.10	0.1	0.03	4.1	<0.1	<0.05	2	<0.5	<0.2
LIN 137907	Soil	10	24	0.78	202	0.145	1	1.89	0.028	0.08	0.1	0.03	4.2	0.1	<0.05	6	<0.5	0.2
LIN 137908	Soil	11	27	0.61	186	0.122	2	1.54	0.056	0.06	0.2	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137909	Soil	11	25	0.64	189	0.121	2	1.61	0.048	0.06	0.4	0.04	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137910	Soil	11	26	0.65	179	0.120	2	1.55	0.047	0.06	0.3	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
LIN 137911	Soil	12	19	0.54	267	0.095	2	1.66	0.041	0.05	0.4	0.03	5.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137912	Soil	10	18	0.95	299	0.112	<1	2.36	0.043	0.08	0.4	0.02	8.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137913	Soil	13	13	0.90	474	0.050	<1	2.07	0.042	0.08	0.4	0.04	11.4	<0.1	<0.05	7	<0.5	0.2
LIN 137914	Soil	12	26	1.05	400	0.078	<1	3.19	0.026	0.09	<0.1	0.02	8.2	<0.1	<0.05	9	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 4 of 9 Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137915	Soil				0.5	15.5	18.5	51	<0.1	9.0	7.3	302	2.66	9.1	0.9	0.5	23.5	20	<0.1	0.2	0.2	37	0.23	0.048
LIN 137916	Soil				0.6	18.6	6.6	77	<0.1	18.3	9.5	284	3.64	7.9	1.3	1.7	14.5	26	<0.1	0.3	0.2	60	0.24	0.020
LIN 137917	Soil				1.0	20.2	8.5	44	<0.1	21.5	10.5	223	2.99	8.4	0.8	<0.5	6.9	20	<0.1	0.5	0.1	62	0.20	0.026
LIN 137918	Soil				1.1	16.9	11.2	65	0.2	17.2	9.4	306	3.06	6.1	1.1	0.9	6.1	17	0.2	0.5	0.2	72	0.15	0.025
LIN 137919	Soil				1.2	13.6	9.2	56	<0.1	15.2	8.7	289	3.08	15.7	0.7	0.7	7.5	15	0.2	0.4	0.2	66	0.15	0.026
LIN 137920	Soil				0.4	14.5	7.1	68	0.1	43.7	28.2	730	5.74	18.3	1.2	1.4	5.6	29	<0.1	0.3	<0.1	175	0.45	0.055
LIN 137921	Soil				0.8	14.9	8.6	54	<0.1	23.9	13.8	726	4.54	56.2	1.1	1.6	7.4	34	<0.1	0.6	0.2	115	0.37	0.022
LIN 137922	Soil				1.1	19.6	11.2	57	0.2	20.6	10.2	451	2.86	9.0	0.5	0.7	5.7	24	0.3	0.4	0.2	71	0.25	0.021
LIN 137923	Soil				1.2	17.5	8.2	48	<0.1	20.0	9.6	382	3.36	10.4	0.7	<0.5	7.3	23	<0.1	0.7	0.3	69	0.24	0.021
LIN 137924	Soil				0.9	24.6	8.5	44	<0.1	23.3	10.2	432	3.05	12.9	1.3	2.9	10.0	37	<0.1	0.5	0.7	72	0.38	0.022
LIN 137925	Soil				0.9	32.2	11.9	53	<0.1	28.7	14.5	889	3.75	11.7	1.2	5.1	13.1	37	<0.1	0.6	0.6	85	0.39	0.022
LIN 137926	Soil				1.0	23.7	8.8	48	<0.1	16.8	9.7	761	2.88	11.2	1.8	2.5	11.8	32	<0.1	0.4	0.7	65	0.36	0.033
LIN 137927	Soil				0.2	25.1	27.0	95	0.1	27.5	20.6	608	4.62	13.6	0.9	3.7	7.9	30	0.4	0.6	<0.1	109	0.59	0.078
LIN 137928	Soil				0.9	14.6	7.1	48	<0.1	17.0	9.6	362	2.94	8.3	0.5	2.3	4.8	24	<0.1	0.4	0.1	70	0.26	0.020
LIN 137929	Soil				0.4	23.8	5.9	84	<0.1	13.3	18.8	615	5.07	4.6	1.4	1.8	7.8	25	<0.1	0.5	0.1	131	0.33	0.047
LIN 137930	Soil				0.5	10.6	4.5	25	<0.1	9.3	6.9	229	2.32	3.6	1.2	0.9	12.7	18	<0.1	0.2	0.1	38	0.22	0.033
LIN 137931	Soil				0.7	21.8	7.5	35	<0.1	12.7	6.3	203	2.18	5.7	1.0	3.1	6.0	29	0.1	0.3	0.1	52	0.31	0.025
LIN 137932	Soil				0.7	28.3	8.1	48	<0.1	19.2	9.2	324	3.05	11.1	1.0	3.3	9.1	27	<0.1	0.4	0.2	67	0.31	0.014
LIN 137933	Soil				0.6	38.3	5.7	58	<0.1	49.8	18.5	604	4.06	5.4	0.9	2.6	6.4	57	<0.1	0.5	0.1	97	0.57	0.073
LIN 137934	Soil				0.8	14.5	5.6	50	<0.1	30.5	11.5	561	2.95	5.8	0.4	4.8	3.0	28	<0.1	0.4	0.1	81	0.31	0.019
LIN 137935	Soil				0.3	26.5	3.6	41	<0.1	46.7	16.1	329	2.96	4.1	0.5	1.1	4.2	28	<0.1	0.2	<0.1	90	0.41	0.025
LIN 137939	Soil				0.6	26.3	3.8	67	<0.1	12.8	21.5	472	4.21	5.9	0.6	0.6	1.0	23	<0.1	0.2	0.2	123	0.50	0.106
LIN 137940	Soil				0.7	17.5	5.3	47	<0.1	13.3	13.8	463	3.22	5.2	0.7	0.9	2.2	25	<0.1	0.2	0.1	85	0.31	0.046
LIN 137942	Soil				0.4	29.6	4.5	54	<0.1	10.5	17.8	323	3.93	4.8	0.7	1.1	1.8	30	<0.1	0.2	<0.1	116	0.56	0.114
LIN 137943	Soil				1.7	20.0	24.6	67	<0.1	11.0	11.7	351	3.86	4.9	0.8	4.9	8.5	24	0.2	0.3	0.1	77	0.38	0.030
LIN 137944	Soil				0.6	25.2	8.3	70	0.1	15.3	19.1	703	5.22	6.1	0.7	1.5	3.9	23	0.2	0.3	0.2	131	0.47	0.060
LIN 137945	Soil				1.3	24.6	8.7	80	0.2	17.1	18.1	795	4.54	8.2	0.8	0.9	4.2	28	0.2	0.4	0.1	109	0.39	0.037
LIN 137946	Soil				0.5	25.8	8.3	99	<0.1	11.1	21.6	1009	6.19	4.2	1.0	1.1	6.7	20	<0.1	0.2	0.2	133	0.43	0.104
LIN 137947	Soil				1.2	25.0	8.2	64	0.1	20.7	12.6	533	3.55	7.3	0.7	1.3	3.3	29	0.1	0.5	0.2	94	0.32	0.024
LIN 137948	Soil				1.5	25.9	35.9	74	0.9	17.8	12.3	1284	2.82	13.5	0.6	1.1	3.8	29	1.3	0.5	1.0	68	0.34	0.040



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 4 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137915	Soil	59	15	0.47	91	0.032	<1	1.54	0.013	0.13	<0.1	0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137916	Soil	31	27	0.78	171	0.108	<1	2.34	0.017	0.24	<0.1	0.01	4.4	0.2	<0.05	8	<0.5	<0.2
LIN 137917	Soil	16	27	0.48	195	0.093	<1	2.21	0.019	0.11	<0.1	0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137918	Soil	18	31	0.45	165	0.088	<1	2.06	0.016	0.09	<0.1	0.01	3.6	0.1	<0.05	7	<0.5	<0.2
LIN 137919	Soil	10	26	0.52	123	0.111	<1	2.21	0.015	0.20	<0.1	<0.01	4.1	0.3	<0.05	7	<0.5	<0.2
LIN 137920	Soil	28	138	2.45	176	0.090	<1	3.63	0.029	0.11	<0.1	0.02	23.8	0.1	<0.05	12	<0.5	<0.2
LIN 137921	Soil	16	37	1.49	189	0.107	<1	2.78	0.021	0.14	<0.1	0.02	7.5	0.1	<0.05	11	<0.5	<0.2
LIN 137922	Soil	14	32	0.55	196	0.109	<1	2.24	0.020	0.11	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137923	Soil	11	34	0.75	150	0.097	<1	2.58	0.015	0.11	0.4	0.01	4.6	0.1	<0.05	8	<0.5	<0.2
LIN 137924	Soil	29	35	0.58	176	0.140	<1	2.51	0.025	0.09	0.1	0.02	5.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137925	Soil	20	50	0.70	202	0.151	<1	3.37	0.022	0.10	0.2	0.03	6.9	0.1	<0.05	8	<0.5	<0.2
LIN 137926	Soil	24	29	0.51	136	0.119	<1	2.16	0.021	0.18	<0.1	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
LIN 137927	Soil	24	70	1.75	223	0.141	1	2.87	0.021	0.83	<0.1	<0.01	9.8	0.4	<0.05	10	<0.5	<0.2
LIN 137928	Soil	13	30	0.61	157	0.105	1	1.91	0.026	0.10	<0.1	<0.01	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137929	Soil	21	21	1.20	347	0.190	<1	2.74	0.016	1.15	<0.1	<0.01	9.2	0.6	<0.05	10	<0.5	0.2
LIN 137930	Soil	32	15	0.88	123	0.123	<1	1.91	0.015	0.32	<0.1	<0.01	2.7	0.1	<0.05	6	<0.5	<0.2
LIN 137931	Soil	17	25	0.42	173	0.121	1	1.81	0.030	0.09	<0.1	0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137932	Soil	22	36	0.61	274	0.128	<1	2.45	0.018	0.07	<0.1	0.01	7.0	0.1	<0.05	7	0.6	<0.2
LIN 137933	Soil	22	101	2.07	397	0.218	2	2.79	0.019	0.51	<0.1	0.01	9.9	0.5	<0.05	8	<0.5	<0.2
LIN 137934	Soil	8	75	0.91	169	0.150	2	2.29	0.029	0.13	<0.1	0.01	4.2	0.2	<0.05	7	<0.5	<0.2
LIN 137935	Soil	12	199	1.36	192	0.207	2	2.45	0.034	0.40	<0.1	<0.01	5.4	0.3	<0.05	7	<0.5	<0.2
LIN 137939	Soil	3	19	1.36	227	0.222	1	2.52	0.046	0.25	0.9	<0.01	4.0	0.1	<0.05	9	<0.5	<0.2
LIN 137940	Soil	7	18	0.83	413	0.115	1	2.22	0.032	0.20	0.1	0.01	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 137942	Soil	8	15	1.24	341	0.208	1	2.48	0.048	0.38	0.2	<0.01	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 137943	Soil	24	17	0.90	314	0.051	<1	2.53	0.019	0.15	<0.1	<0.01	5.7	0.2	<0.05	8	<0.5	<0.2
LIN 137944	Soil	17	22	1.36	629	0.209	1	2.99	0.028	0.61	<0.1	0.01	11.5	0.4	<0.05	9	<0.5	<0.2
LIN 137945	Soil	10	26	1.04	554	0.170	2	2.56	0.026	0.49	<0.1	0.02	7.1	0.3	<0.05	8	<0.5	<0.2
LIN 137946	Soil	19	14	1.81	779	0.140	<1	3.21	0.017	0.57	0.1	<0.01	10.8	0.3	<0.05	11	<0.5	<0.2
LIN 137947	Soil	11	34	0.65	337	0.140	2	2.49	0.031	0.10	<0.1	<0.01	5.5	0.1	<0.05	8	<0.5	<0.2
LIN 137948	Soil	10	28	0.37	224	0.081	<1	2.01	0.023	0.11	0.1	0.02	3.3	<0.1	<0.05	6	<0.5	0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

5 of 9

Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte	Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137949	Soil		0.5	31.0	5.2	75	<0.1	11.8	18.8	634	4.69	12.2	0.8	1.9	5.2	31	<0.1	0.2	0.2	108	0.39	0.039
LIN 137950	Soil		0.6	27.4	5.3	75	<0.1	18.4	19.8	645	4.92	9.4	0.5	3.7	3.2	25	<0.1	0.3	0.1	127	0.36	0.043
LIN 137951	Soil		0.9	7.6	18.9	31	<0.1	4.0	4.3	492	1.66	7.9	1.1	4.3	23.4	13	<0.1	0.5	<0.1	15	0.13	0.016
LIN 137952	Soil		1.4	17.8	15.1	43	0.1	12.7	7.4	398	2.58	33.5	0.7	19.2	5.8	24	0.1	0.6	0.2	69	0.25	0.035
LIN 137953	Soil		1.6	16.4	12.7	47	<0.1	14.0	7.4	442	2.37	8.6	0.5	3.7	5.2	24	0.2	0.4	0.1	66	0.27	0.030
LIN 137954	Soil		1.1	18.8	8.3	48	<0.1	19.5	8.8	281	2.93	13.6	0.5	9.9	3.3	24	0.1	0.5	0.1	78	0.25	0.026
LIN 137955	Soil		1.6	22.5	15.0	54	<0.1	21.0	10.0	307	3.30	17.2	0.6	4.2	9.6	23	0.1	0.7	0.2	76	0.26	0.036
LIN 137956	Soil		0.8	29.3	9.3	53	<0.1	25.6	13.1	344	3.54	13.6	0.6	9.1	5.8	31	<0.1	0.6	0.2	89	0.34	0.013
LIN 137957	Soil		0.8	22.3	8.5	52	<0.1	18.0	10.0	398	2.80	20.2	0.7	8.7	6.0	36	<0.1	0.4	0.1	66	0.40	0.026
LIN 137958	Soil		1.4	20.2	9.2	74	<0.1	18.4	8.8	350	2.72	19.3	0.9	9.6	9.8	28	0.1	0.6	0.2	55	0.34	0.022
LIN 137959	Soil		0.6	23.1	13.1	50	<0.1	14.2	6.3	269	2.11	142.8	1.0	39.8	6.1	28	0.3	0.7	0.1	51	0.30	0.025
LIN 137960	Soil		0.6	28.5	9.2	56	<0.1	20.2	8.5	370	2.67	39.4	1.1	9.1	6.0	41	0.1	0.5	0.1	65	0.41	0.024
LIN 137961	Soil		0.5	21.0	7.3	56	<0.1	18.6	9.3	274	2.76	5.8	0.8	2.3	7.0	29	0.1	0.3	0.1	62	0.34	0.025
LIN 137962	Soil		0.7	20.3	7.4	57	<0.1	20.1	9.3	235	3.07	7.2	0.6	2.6	5.0	21	<0.1	0.3	0.1	73	0.23	0.021
LIN 137963	Soil		0.5	9.3	3.9	29	<0.1	4.7	3.4	265	1.18	2.4	0.3	0.6	1.0	16	0.1	0.2	<0.1	28	0.17	0.035
LIN 137964	Soil		0.6	17.4	11.3	82	<0.1	10.5	6.5	253	2.76	4.2	0.5	0.7	6.3	14	0.2	0.4	0.2	57	0.15	0.022
LIN 137965	Soil		0.6	10.9	9.0	39	<0.1	5.0	2.8	118	1.60	3.3	0.4	1.7	4.3	9	0.1	0.3	0.2	45	0.07	0.014
LIN 137966	Soil		1.0	20.5	26.5	68	<0.1	9.2	6.1	257	2.06	5.2	0.6	1.4	3.1	14	0.5	0.5	0.1	52	0.13	0.023
LIN 137967	Soil		1.5	21.2	16.2	60	0.2	18.0	9.5	250	3.80	10.2	0.6	1.7	5.0	17	0.3	0.6	0.2	98	0.14	0.025
LIN 137968	Soil		0.8	20.0	10.1	57	<0.1	22.0	8.6	535	2.92	15.9	0.5	2.8	6.3	19	0.2	0.4	0.2	65	0.21	0.028
LIN 137969	Soil		1.2	20.1	11.2	42	<0.1	14.1	6.4	217	2.47	7.1	0.6	3.1	4.3	18	0.2	0.4	0.2	75	0.18	0.034
LIN 137970	Soil		1.2	19.9	10.1	64	<0.1	20.7	9.9	521	3.27	8.0	0.4	1.0	3.7	20	0.3	0.5	0.2	82	0.19	0.032
LIN 137971	Soil		1.4	19.5	9.6	43	<0.1	17.9	9.2	322	3.04	7.4	0.5	1.3	2.7	23	<0.1	0.5	0.2	76	0.21	0.035
LIN 137972	Soil		0.8	18.3	8.0	43	<0.1	17.3	7.7	327	2.41	5.0	0.6	4.1	5.5	25	<0.1	0.3	0.1	63	0.30	0.034
LIN 137973	Soil		0.9	18.0	7.9	42	<0.1	16.2	8.1	327	2.51	5.2	0.5	2.9	5.2	24	0.1	0.3	0.1	68	0.28	0.032
LIN 137974	Soil		1.4	18.9	10.4	33	<0.1	13.6	7.3	423	2.36	5.1	0.7	5.1	4.3	25	0.1	0.4	0.2	65	0.28	0.016
LIN 137975	Soil		1.4	15.6	9.7	49	<0.1	18.2	8.1	493	2.92	7.3	0.3	0.7	2.9	20	0.1	0.5	0.2	80	0.20	0.022
LIN 137976	Soil		1.3	16.5	10.0	48	<0.1	15.8	8.4	410	2.74	6.1	0.4	1.5	2.8	16	0.2	0.4	0.1	72	0.16	0.030
LIN 137977	Soil		1.1	14.7	8.3	56	<0.1	13.0	6.7	807	2.35	4.5	0.3	1.4	1.9	17	0.3	0.6	0.2	65	0.17	0.025
LIN 137978	Soil		1.3	17.5	10.5	60	0.3	18.2	9.5	525	3.18	6.4	0.3	<0.5	2.7	17	0.2	0.6	0.2	80	0.17	0.020



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 5 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137949	Soil	15	13	1.47	555	0.178	<1	2.94	0.040	0.57	0.9	<0.01	5.5	0.4	<0.05	8	<0.5	<0.2
LIN 137950	Soil	7	24	1.47	425	0.228	1	3.38	0.028	0.63	<0.1	<0.01	7.1	0.4	<0.05	10	<0.5	<0.2
LIN 137951	Soil	46	6	0.14	162	0.004	<1	0.89	0.010	0.12	<0.1	<0.01	2.5	<0.1	<0.05	2	<0.5	<0.2
LIN 137952	Soil	16	27	0.34	195	0.099	2	1.74	0.029	0.06	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137953	Soil	14	26	0.42	207	0.087	1	1.86	0.021	0.08	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137954	Soil	9	31	0.49	188	0.121	2	2.03	0.036	0.06	<0.1	<0.01	4.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137955	Soil	21	31	0.53	230	0.079	2	2.70	0.024	0.10	0.1	0.02	4.4	<0.1	<0.05	8	<0.5	<0.2
LIN 137956	Soil	12	49	0.70	271	0.142	2	3.03	0.028	0.08	<0.1	0.02	6.1	<0.1	<0.05	7	<0.5	<0.2
LIN 137957	Soil	14	30	0.72	195	0.172	2	2.48	0.032	0.11	0.1	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 137958	Soil	24	39	0.99	219	0.141	2	1.89	0.031	0.33	0.2	<0.01	6.0	0.4	<0.05	7	<0.5	<0.2
LIN 137959	Soil	19	26	0.42	167	0.113	4	1.51	0.035	0.11	0.1	0.02	4.4	<0.1	<0.05	5	<0.5	<0.2
LIN 137960	Soil	19	30	0.64	201	0.173	3	2.04	0.045	0.13	<0.1	0.02	6.2	0.2	<0.05	6	<0.5	<0.2
LIN 137961	Soil	18	29	0.86	140	0.186	1	2.25	0.027	0.24	0.1	0.02	5.4	0.3	<0.05	7	<0.5	<0.2
LIN 137962	Soil	14	28	0.70	131	0.151	2	2.44	0.024	0.14	<0.1	<0.01	3.8	0.2	<0.05	8	<0.5	<0.2
LIN 137963	Soil	6	9	0.15	81	0.055	1	0.97	0.042	0.04	<0.1	<0.01	1.8	<0.1	<0.05	3	<0.5	<0.2
LIN 137964	Soil	16	21	0.75	82	0.155	<1	2.18	0.019	0.25	0.1	<0.01	3.7	0.3	<0.05	9	<0.5	<0.2
LIN 137965	Soil	11	10	0.28	55	0.089	<1	1.09	0.031	0.09	0.1	<0.01	2.2	0.2	<0.05	7	<0.5	<0.2
LIN 137966	Soil	12	18	0.24	127	0.065	<1	1.54	0.021	0.06	<0.1	0.01	2.7	0.1	<0.05	6	<0.5	<0.2
LIN 137967	Soil	12	35	0.44	173	0.079	<1	2.77	0.021	0.05	<0.1	0.02	3.8	<0.1	<0.05	9	<0.5	<0.2
LIN 137968	Soil	14	26	0.56	192	0.091	<1	2.17	0.019	0.09	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 137969	Soil	9	27	0.36	181	0.104	1	2.02	0.018	0.05	<0.1	0.03	3.2	<0.1	<0.05	8	<0.5	<0.2
LIN 137970	Soil	9	32	0.53	318	0.067	<1	2.31	0.025	0.05	<0.1	0.01	3.0	<0.1	<0.05	7	<0.5	<0.2
LIN 137971	Soil	9	29	0.39	276	0.084	<1	2.11	0.023	0.04	0.2	0.02	3.7	<0.1	<0.05	7	<0.5	<0.2
LIN 137972	Soil	14	26	0.48	187	0.096	<1	1.82	0.019	0.07	<0.1	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137973	Soil	14	26	0.48	188	0.095	<1	1.73	0.017	0.07	0.1	0.02	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 137974	Soil	15	24	0.36	275	0.084	<1	1.60	0.028	0.05	<0.1	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
LIN 137975	Soil	7	27	0.39	253	0.070	<1	1.91	0.017	0.05	0.1	0.02	2.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137976	Soil	8	26	0.36	199	0.061	1	1.94	0.023	0.06	<0.1	0.02	2.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137977	Soil	6	21	0.28	194	0.068	1	1.54	0.023	0.05	<0.1	0.01	2.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137978	Soil	8	29	0.40	247	0.072	1	2.05	0.017	0.05	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

6 of 9

Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137979	Soil				1.4	10.4	10.8	39	0.1	10.3	5.2	294	2.18	4.6	0.4	1.4	4.6	20	0.1	0.5	0.2	63	0.19	0.013
LIN 137980	Soil				1.5	13.6	9.5	38	<0.1	13.2	6.9	428	2.40	5.5	0.5	1.3	5.9	21	0.1	0.8	0.2	59	0.21	0.024
LIN 137981	Soil				1.7	12.2	15.8	32	0.1	8.5	4.8	321	1.97	8.1	0.8	1.6	13.6	21	0.1	2.0	0.2	37	0.21	0.015
LIN 137982	Soil				1.8	17.4	8.8	38	<0.1	16.0	7.1	269	2.84	6.4	0.8	4.3	4.9	29	<0.1	0.4	0.2	78	0.30	0.016
LIN 137983	Soil				2.4	20.1	10.0	40	<0.1	13.2	9.0	1125	2.23	3.6	1.2	1.9	5.3	25	0.2	0.3	0.2	50	0.25	0.040
LIN 137984	Soil				1.4	22.6	10.9	55	<0.1	22.0	12.4	464	3.35	8.1	0.7	1.4	11.5	18	0.1	0.5	0.1	64	0.19	0.035
LIN 137985	Soil				1.2	21.9	10.7	54	0.1	17.6	12.2	829	2.90	6.1	2.4	4.6	9.2	54	0.1	0.4	0.2	61	0.82	0.051
LIN 137986	Soil				1.0	15.0	13.3	52	0.1	15.0	11.3	864	2.59	6.2	2.1	4.6	7.7	47	0.1	0.5	0.1	55	0.61	0.044
LIN 137987	Soil				0.7	14.1	7.9	63	<0.1	13.0	7.0	405	2.42	8.3	1.1	1.3	12.1	14	0.2	0.3	0.1	39	0.15	0.014
LIN 137988	Soil				0.7	8.9	18.2	24	<0.1	5.9	3.5	764	1.61	3.2	1.1	1.7	19.6	12	<0.1	0.3	<0.1	12	0.11	0.014
LIN 137989	Soil				1.4	23.8	10.1	48	<0.1	21.2	10.9	271	3.18	10.0	0.7	2.7	4.1	21	0.1	0.5	0.2	89	0.21	0.024
LIN 137990	Soil				0.7	12.3	17.8	36	<0.1	9.4	6.8	304	1.87	4.4	1.1	1.0	15.9	13	0.1	0.4	0.1	39	0.12	0.012
LIN 137991	Soil				1.1	23.5	9.4	49	<0.1	23.6	10.7	337	3.08	8.3	0.8	2.2	5.3	29	<0.1	0.5	0.1	81	0.27	0.016
LIN 137992	Soil				1.2	24.5	9.5	52	<0.1	27.5	11.2	379	3.24	9.1	0.5	1.8	4.3	25	<0.1	0.5	0.1	88	0.25	0.016
LIN 137993	Soil				1.3	14.3	15.2	43	<0.1	13.9	7.3	313	2.42	8.3	1.1	3.2	11.3	15	0.1	0.5	0.1	50	0.14	0.021
LIN 137994	Soil				0.7	12.3	33.2	36	<0.1	9.2	5.4	424	1.93	6.2	1.8	4.3	20.0	13	<0.1	0.5	<0.1	31	0.15	0.015
LIN 137995	Soil				0.8	13.7	14.9	38	<0.1	11.4	7.3	405	2.08	6.1	1.1	2.6	14.9	19	<0.1	0.5	0.1	38	0.19	0.017
LIN 137996	Soil				1.4	27.6	11.7	58	<0.1	28.8	13.0	337	3.69	10.3	0.6	2.6	4.2	27	0.1	0.6	0.2	95	0.25	0.024
LIN 137997	Soil				0.9	20.1	8.8	48	<0.1	21.6	10.0	529	2.65	7.5	0.6	2.1	3.7	26	0.1	0.5	0.1	75	0.30	0.020
LIN 137998	Soil				1.2	18.4	21.3	52	<0.1	18.0	9.3	396	2.79	43.4	0.7	21.1	6.9	22	0.2	0.7	0.1	69	0.23	0.020
LIN 137999	Soil				0.8	13.4	14.9	38	<0.1	13.7	7.3	264	2.21	5.9	0.7	1.1	10.4	17	0.1	0.4	<0.1	51	0.21	0.016
LIN 141036	Soil				0.2	12.5	7.1	85	<0.1	7.0	10.2	887	3.91	116.9	1.0	60.0	7.4	75	<0.1	0.6	<0.1	64	0.48	0.102
LIN 141039	Soil				0.7	19.6	12.2	70	0.5	11.8	10.8	761	2.88	258.7	4.7	5.4	4.1	37	0.2	0.7	0.5	60	0.63	0.098
LIN 141040	Soil				0.6	15.5	5.7	79	<0.1	5.9	10.4	871	3.81	246.8	1.9	2.2	6.8	14	0.1	0.4	<0.1	69	0.45	0.166
LIN 141041	Soil				0.6	19.0	9.3	67	0.3	17.5	11.5	732	3.53	181.2	1.4	7.4	4.2	34	0.1	0.5	0.5	73	0.56	0.086
LIN 141042	Soil				0.6	24.3	51.9	72	0.4	16.1	11.5	760	3.84	921.1	1.5	9.9	6.5	23	0.4	2.8	12.9	69	0.40	0.086
LIN 141043	Soil				0.7	27.1	15.3	51	0.8	20.1	9.0	342	3.30	110.8	1.9	8.1	3.8	31	0.2	0.6	0.7	78	0.35	0.040
LIN 141044	Soil				0.6	23.5	11.6	59	0.2	25.0	13.2	442	3.60	99.3	0.7	4.9	3.2	33	0.2	0.5	0.5	79	0.43	0.057
LIN 141045	Soil				1.0	19.8	11.9	56	<0.1	19.0	10.6	294	4.01	131.5	0.4	3.3	1.8	22	0.2	0.5	0.4	91	0.29	0.074
LIN 141046	Soil				0.4	23.1	6.6	61	<0.1	31.2	18.6	438	3.75	62.1	0.5	2.5	2.8	60	0.1	0.3	0.2	64	0.75	0.134



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

6 of 9

Part 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137979	Soil	12	19	0.29	185	0.067	<1	1.23	0.019	0.08	<0.1	0.01	2.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137980	Soil	17	22	0.41	234	0.077	<1	1.57	0.019	0.08	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137981	Soil	25	15	0.28	238	0.027	<1	1.25	0.015	0.09	0.2	0.01	2.4	<0.1	<0.05	4	<0.5	0.2
LIN 137982	Soil	15	29	0.47	218	0.114	<1	1.92	0.018	0.06	<0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137983	Soil	22	20	0.29	415	0.037	<1	1.79	0.020	0.09	<0.1	0.03	4.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137984	Soil	22	29	0.56	236	0.055	<1	2.74	0.015	0.10	<0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
LIN 137985	Soil	24	33	0.73	187	0.085	2	1.53	0.046	0.12	0.1	0.04	5.2	0.1	<0.05	5	<0.5	<0.2
LIN 137986	Soil	28	28	0.54	329	0.050	<1	1.53	0.031	0.13	<0.1	0.04	5.0	0.1	<0.05	5	<0.5	<0.2
LIN 137987	Soil	27	20	0.75	140	0.094	<1	1.79	0.014	0.29	<0.1	<0.01	3.0	0.3	<0.05	6	<0.5	<0.2
LIN 137988	Soil	37	6	0.09	205	0.005	<1	0.60	0.010	0.11	<0.1	0.01	2.8	<0.1	<0.05	1	<0.5	<0.2
LIN 137989	Soil	10	38	0.46	235	0.097	<1	2.55	0.022	0.07	<0.1	0.02	4.8	<0.1	<0.05	7	<0.5	<0.2
LIN 137990	Soil	28	17	0.20	132	0.028	<1	1.45	0.014	0.05	<0.1	0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137991	Soil	14	36	0.56	276	0.117	2	2.43	0.030	0.06	<0.1	0.02	5.5	<0.1	<0.05	7	<0.5	0.2
LIN 137992	Soil	9	42	0.58	259	0.115	<1	2.61	0.022	0.06	<0.1	0.01	4.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137993	Soil	23	21	0.27	180	0.033	<1	1.64	0.015	0.08	<0.1	0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
LIN 137994	Soil	34	14	0.19	191	0.022	<1	1.14	0.013	0.11	<0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2
LIN 137995	Soil	27	18	0.25	307	0.034	<1	1.20	0.018	0.11	<0.1	0.02	3.4	<0.1	<0.05	3	<0.5	<0.2
LIN 137996	Soil	8	43	0.55	369	0.115	2	2.93	0.024	0.07	<0.1	0.02	5.0	<0.1	<0.05	8	<0.5	<0.2
LIN 137997	Soil	9	36	0.53	305	0.108	<1	1.99	0.026	0.06	<0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137998	Soil	15	29	0.40	266	0.045	1	2.19	0.017	0.09	<0.1	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
LIN 137999	Soil	20	22	0.38	266	0.035	<1	1.73	0.019	0.09	<0.1	0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 141036	Soil	18	10	0.97	849	0.168	<1	2.40	0.015	0.73	<0.1	<0.01	5.3	0.5	<0.05	8	<0.5	<0.2
LIN 141039	Soil	21	18	0.66	267	0.102	1	1.82	0.027	0.23	0.1	0.05	4.3	0.2	<0.05	6	<0.5	<0.2
LIN 141040	Soil	16	9	0.92	271	0.158	<1	2.09	0.014	0.68	0.1	0.02	4.1	0.4	<0.05	8	<0.5	<0.2
LIN 141041	Soil	13	26	0.86	255	0.139	2	2.47	0.035	0.31	0.2	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
LIN 141042	Soil	12	20	0.76	209	0.103	<1	2.28	0.021	0.31	0.3	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
LIN 141043	Soil	14	31	0.63	234	0.114	<1	2.52	0.025	0.07	0.1	0.03	5.0	<0.1	<0.05	8	<0.5	<0.2
LIN 141044	Soil	9	36	0.81	247	0.132	<1	3.16	0.034	0.07	0.2	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
LIN 141045	Soil	9	29	0.75	106	0.135	<1	2.33	0.031	0.08	0.2	0.02	4.0	<0.1	<0.05	9	<0.5	<0.2
LIN 141046	Soil	13	40	1.09	188	0.132	1	2.49	0.084	0.09	0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

7 of 9

Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 141047	Soil	0.9	30.3	6.1	66	<0.1	30.6	16.0	279	3.83	16.9	0.5	2.9	2.8	45	0.2	0.5	0.1	70	0.73
LIN 141048	Soil	0.4	34.8	4.8	125	<0.1	79.6	33.2	670	6.56	28.5	0.3	1.6	3.0	96	0.1	0.2	<0.1	42	1.88
LIN 141049	Soil	0.6	41.4	5.5	143	<0.1	95.8	38.7	710	6.94	30.0	0.4	1.6	3.1	97	<0.1	0.2	<0.1	47	1.86
LIN 141050	Soil	0.6	16.2	11.4	56	0.2	17.5	10.3	413	3.11	231.9	1.2	21.9	3.7	25	0.1	0.4	0.5	73	0.38
LIN 141051	Soil	1.1	22.3	19.5	69	0.5	14.3	12.3	1037	3.28	381.0	2.2	8.4	2.7	30	0.3	0.5	1.1	72	0.40
LIN 141052	Soil	1.1	19.6	18.0	74	0.3	13.4	12.2	903	3.31	382.0	1.7	4.6	3.3	25	0.2	0.5	1.0	74	0.36
LIN 141053	Soil	1.5	16.8	26.3	96	<0.1	10.0	16.5	1119	4.76	1032	4.2	4.2	13.7	13	0.2	1.2	5.6	69	0.29
LIN 141054	Soil	1.0	22.3	12.1	65	0.4	15.0	9.6	665	3.16	719.3	2.0	5.2	3.7	32	0.2	0.7	2.5	66	0.49
LIN 141055	Soil	0.9	20.9	14.0	84	0.2	14.4	11.2	807	3.85	375.1	1.4	6.4	5.9	31	0.3	0.7	1.5	74	0.51
LIN 141056	Soil	1.0	24.5	10.0	64	0.4	20.0	9.8	457	2.99	118.6	1.7	4.8	3.2	38	0.2	0.3	0.4	67	0.49
LIN 141057	Soil	0.9	23.5	12.5	63	0.2	22.4	11.2	330	3.16	67.4	1.3	4.7	3.9	39	<0.1	0.4	0.3	68	0.53
LIN 141058	Soil	0.9	26.3	20.3	72	0.6	18.4	13.0	693	4.09	491.3	1.7	7.4	6.5	36	0.3	0.6	3.0	73	0.51
LIN 141059	Soil	0.7	29.7	8.8	75	<0.1	26.5	16.2	508	4.23	162.7	1.1	2.2	3.5	68	0.1	0.3	0.2	75	0.89
LIN 141061	Soil	0.5	36.4	7.5	76	0.2	39.4	18.4	252	4.22	14.3	0.8	4.8	3.2	53	0.1	0.3	<0.1	56	0.83
LIN 141062	Soil	0.3	35.3	3.9	91	<0.1	69.7	31.1	604	5.51	37.5	0.3	1.0	2.5	130	0.2	0.1	<0.1	40	1.45
LIN 141063	Soil	0.3	35.8	3.8	93	<0.1	68.0	30.0	590	5.38	37.5	0.3	1.0	2.4	128	0.1	0.1	<0.1	40	1.46
LIN 141064	Soil	0.3	20.8	7.1	104	<0.1	21.2	17.4	1305	5.42	76.0	0.8	<0.5	6.4	34	0.1	0.3	0.1	96	0.65
LIN 141065	Soil	0.5	20.2	8.8	66	<0.1	20.4	13.0	538	3.76	166.7	0.6	2.9	3.9	29	0.2	0.5	0.6	80	0.38
LIN 141066	Soil	0.9	17.2	9.4	45	0.2	15.6	7.7	267	3.08	41.0	0.9	4.5	2.6	26	<0.1	0.4	0.3	80	0.28
LIN 141067	Soil	0.8	16.2	9.5	66	<0.1	15.4	11.4	632	3.77	275.1	1.1	3.1	5.7	20	0.2	0.5	1.3	78	0.29
LIN 141068	Soil	1.0	21.1	13.5	78	0.1	16.0	11.2	977	3.88	675.4	4.0	5.6	12.9	22	0.2	0.8	1.0	77	0.43
LIN 141069	Soil	0.7	16.1	9.0	52	0.2	14.2	6.9	357	2.52	176.9	1.7	4.2	2.3	29	0.1	0.3	0.5	63	0.34
LIN 141070	Soil	0.7	16.4	11.6	57	0.1	17.9	11.4	781	3.03	359.0	1.7	4.0	3.1	27	<0.1	0.5	1.0	67	0.35
LIN 141071	Soil	0.7	20.8	11.3	60	0.3	18.0	9.8	577	2.98	331.5	2.5	4.4	3.8	27	0.2	0.4	1.0	68	0.38
LIN 141072	Soil	0.6	17.9	12.1	61	0.2	30.0	9.0	313	2.99	330.9	1.6	9.2	3.1	34	0.1	0.5	0.8	74	0.46
LIN 141073	Soil	0.6	16.2	9.3	56	<0.1	32.2	11.0	572	2.84	239.5	1.6	3.4	2.5	42	0.2	0.5	0.7	77	0.52
LIN 141074	Soil	0.7	15.3	10.4	58	0.1	26.4	9.4	423	2.70	207.5	1.9	4.4	2.6	37	0.1	0.5	0.9	68	0.45
LIN 141075	Soil	0.9	17.6	10.2	57	0.1	40.1	12.7	645	3.09	277.0	1.4	3.6	2.6	42	0.1	0.4	0.6	85	0.52
LIN 141076	Soil	0.7	15.4	10.1	57	0.1	30.3	11.6	541	2.87	310.0	1.4	3.1	2.7	41	0.2	0.4	0.8	75	0.54
LIN 141077	Soil	0.7	15.6	9.9	52	0.1	16.3	8.5	493	2.63	362.7	1.8	3.8	2.7	29	0.1	0.5	0.9	63	0.35



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 7 of 9 Part 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 141047	Soil	15	38	0.95	196	0.131	3	2.12	0.063	0.18	0.1	0.03	6.5	<0.1	<0.05	6	<0.5	<0.2
LIN 141048	Soil	35	12	2.21	462	0.130	<1	2.79	0.159	0.46	0.1	<0.01	2.3	0.4	<0.05	8	<0.5	<0.2
LIN 141049	Soil	37	12	2.37	501	0.130	1	2.99	0.108	0.46	0.1	<0.01	2.4	0.5	<0.05	9	<0.5	<0.2
LIN 141050	Soil	12	24	0.69	205	0.127	1	1.79	0.017	0.13	0.2	0.01	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 141051	Soil	13	21	0.64	217	0.099	2	1.85	0.021	0.11	0.2	0.04	3.4	0.1	<0.05	7	<0.5	<0.2
LIN 141052	Soil	11	20	0.69	195	0.115	1	1.74	0.018	0.16	0.2	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
LIN 141053	Soil	23	15	0.69	241	0.100	<1	2.43	0.013	0.44	0.4	0.02	4.5	0.4	<0.05	8	<0.5	<0.2
LIN 141054	Soil	13	21	0.70	250	0.115	<1	1.82	0.037	0.22	0.2	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
LIN 141055	Soil	13	22	0.83	203	0.146	<1	1.99	0.031	0.31	0.1	0.01	4.2	0.3	<0.05	7	<0.5	<0.2
LIN 141056	Soil	13	30	0.71	225	0.113	<1	2.28	0.041	0.08	<0.1	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
LIN 141057	Soil	14	32	0.85	206	0.134	2	2.46	0.044	0.10	0.1	0.03	5.2	<0.1	<0.05	6	<0.5	<0.2
LIN 141058	Soil	19	25	0.93	185	0.130	2	2.28	0.042	0.17	0.2	0.03	5.5	0.2	<0.05	8	<0.5	<0.2
LIN 141059	Soil	22	34	1.19	175	0.143	<1	2.27	0.072	0.19	0.1	0.02	6.0	0.2	<0.05	7	<0.5	<0.2
LIN 141061	Soil	19	24	1.31	167	0.131	<1	2.75	0.065	0.16	0.1	0.04	4.5	0.2	<0.05	7	<0.5	<0.2
LIN 141062	Soil	26	14	2.13	233	0.147	<1	3.34	0.198	0.35	<0.1	<0.01	1.9	0.3	<0.05	8	<0.5	<0.2
LIN 141063	Soil	26	13	2.14	233	0.146	<1	3.10	0.193	0.34	0.1	<0.01	2.1	0.3	<0.05	7	<0.5	<0.2
LIN 141064	Soil	12	20	1.56	312	0.292	<1	3.37	0.036	0.79	0.1	<0.01	6.4	0.8	<0.05	11	<0.5	<0.2
LIN 141065	Soil	9	29	0.80	156	0.155	<1	2.80	0.031	0.17	0.2	0.02	4.3	0.1	<0.05	8	<0.5	<0.2
LIN 141066	Soil	12	29	0.50	140	0.118	<1	2.29	0.022	0.05	<0.1	0.02	3.6	<0.1	<0.05	8	<0.5	<0.2
LIN 141067	Soil	10	22	0.74	178	0.150	<1	2.55	0.024	0.41	0.2	0.02	4.3	0.3	<0.05	8	<0.5	<0.2
LIN 141068	Soil	23	23	1.00	309	0.142	<1	2.60	0.020	0.68	0.4	0.02	5.1	0.5	<0.05	7	<0.5	<0.2
LIN 141069	Soil	10	23	0.55	171	0.117	<1	1.68	0.029	0.11	0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 141070	Soil	11	30	0.70	181	0.130	<1	2.08	0.038	0.15	0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
LIN 141071	Soil	13	29	0.69	210	0.136	<1	2.09	0.029	0.18	0.1	0.03	3.9	0.2	<0.05	6	<0.5	<0.2
LIN 141072	Soil	10	42	0.89	185	0.145	<1	2.11	0.037	0.14	0.1	0.04	3.9	0.2	<0.05	6	<0.5	<0.2
LIN 141073	Soil	10	46	0.92	212	0.136	1	1.98	0.035	0.11	0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 141074	Soil	10	43	0.80	180	0.132	<1	1.93	0.033	0.10	0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 141075	Soil	10	50	1.10	194	0.144	<1	2.03	0.033	0.10	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
LIN 141076	Soil	11	44	1.00	185	0.145	<1	1.93	0.038	0.11	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 141077	Soil	11	27	0.58	177	0.102	<1	1.73	0.033	0.08	<0.1	0.04	3.1	0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

8 of 9

Part 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 141078	Soil	0.7	18.7	11.8	52	0.2	14.8	9.9	836	2.49	507.8	1.9	2.9	1.7	22	0.2	0.5	1.6	61	0.25	0.070
LIN 141079	Soil	0.5	21.8	16.1	69	0.4	14.1	10.5	795	3.21	1571	2.9	11.5	4.9	21	0.2	0.9	3.4	66	0.30	0.080
LIN 141088	Soil	1.0	22.4	14.7	76	0.3	25.1	15.1	491	4.01	249.4	1.2	27.4	6.0	16	0.2	0.6	0.3	89	0.16	0.039
LIN 141092	Soil	1.0	19.4	11.7	69	0.2	19.4	13.7	645	3.92	114.2	1.1	2.9	4.6	27	0.2	0.5	0.2	84	0.33	0.061
LIN 141093	Soil	1.0	22.7	48.0	68	0.5	18.7	9.2	400	3.00	434.6	3.0	14.2	4.4	27	0.5	0.7	2.0	65	0.39	0.062
LIN 141094	Soil	0.7	23.5	10.1	49	0.2	18.2	9.2	351	2.83	162.9	2.1	5.3	3.7	29	0.1	0.4	0.3	72	0.33	0.045
LIN 141095	Soil	0.8	11.7	9.3	49	0.3	10.7	6.5	290	2.33	245.5	1.1	3.2	2.6	23	0.1	0.3	0.4	57	0.32	0.045
LIN 141096	Soil	0.7	14.3	8.9	41	0.1	13.6	7.2	246	2.43	137.2	1.3	1.4	2.0	23	<0.1	0.3	0.5	69	0.30	0.043
LIN 141097	Soil	0.8	23.6	10.0	60	0.2	23.3	12.8	512	3.38	138.2	2.4	8.3	5.0	28	<0.1	0.4	0.4	82	0.36	0.049
LIN 141098	Soil	0.8	18.3	7.9	45	0.3	11.0	8.1	429	2.30	64.6	2.0	2.6	2.3	24	0.2	0.3	0.2	59	0.31	0.046
LIN 141099	Soil	1.1	19.4	10.1	69	0.1	17.0	12.0	542	3.76	95.6	1.0	10.2	3.5	24	0.2	0.5	0.3	87	0.41	0.072
LIN 141100	Soil	0.8	23.8	10.5	62	0.2	21.0	12.2	553	2.94	87.8	1.8	3.7	2.5	41	0.2	0.3	0.3	71	0.61	0.079
LIN 141101	Soil	1.6	19.4	8.2	82	0.1	21.4	20.4	1393	3.63	133.2	0.7	2.5	2.4	44	0.2	0.3	0.2	68	0.72	0.174
LIN 141102	Soil	0.9	19.7	6.8	74	<0.1	14.5	7.7	119	2.04	10.0	0.7	2.8	1.5	63	0.2	0.4	0.1	39	0.67	0.216
LIN 141103	Soil	0.9	24.0	6.3	51	<0.1	23.6	11.9	186	2.83	10.0	0.7	2.5	2.5	42	0.1	0.4	0.1	66	0.57	0.112
LIN 141104	Soil	0.5	31.9	5.6	70	<0.1	44.4	18.9	264	3.92	14.5	0.6	1.3	2.7	47	0.1	0.3	<0.1	57	0.80	0.190
LIN 141105	Soil	0.4	29.0	7.3	49	0.1	22.7	11.9	221	3.11	55.4	1.0	2.0	2.8	44	<0.1	0.3	0.2	79	0.61	0.078
LIN 141106	Soil	0.7	20.4	8.3	49	0.1	21.1	11.7	341	3.08	102.3	0.8	3.6	2.9	27	<0.1	0.3	0.5	73	0.35	0.058
LIN 141107	Soil	0.7	20.9	8.3	51	0.1	24.7	12.2	330	3.11	60.2	0.8	5.2	2.2	30	0.1	0.4	0.3	79	0.38	0.069
LIN 141108	Soil	0.2	17.6	8.2	94	<0.1	9.6	12.2	929	4.29	191.2	0.8	2.8	7.1	16	0.1	0.3	0.3	79	0.39	0.145
LIN 141109	Soil	0.6	21.1	7.9	62	<0.1	18.6	11.5	545	3.40	97.4	0.9	3.0	4.5	24	0.1	0.3	0.2	80	0.36	0.082
LIN 141110	Soil	0.6	24.0	7.8	48	0.2	20.8	10.6	323	2.94	399.2	2.5	5.3	2.8	28	0.1	0.4	0.2	75	0.34	0.046
LIN 141111	Soil	0.5	9.7	11.3	56	0.2	11.6	7.2	362	2.48	240.4	2.1	3.4	5.8	24	<0.1	0.3	0.7	54	0.39	0.095
LIN 141112	Soil	0.9	18.4	16.6	57	0.2	12.3	14.9	1321	2.53	524.5	1.9	2.3	2.2	24	0.2	0.5	1.0	59	0.27	0.069
LIN 141113	Soil	0.6	21.8	13.1	56	0.3	18.2	9.4	425	2.45	365.7	2.0	2.0	1.6	24	0.2	0.3	0.8	60	0.32	0.059
LIN 141114	Soil	0.5	17.8	12.8	62	0.2	20.4	11.3	541	2.94	400.3	1.8	4.8	2.8	26	0.2	0.4	0.9	71	0.35	0.074
LIN 141116	Soil	0.6	17.7	12.6	58	0.2	23.9	11.1	432	2.97	446.3	2.1	4.1	2.4	29	0.2	0.4	1.1	73	0.38	0.076
LIN 141117	Soil	0.6	15.5	12.2	55	0.1	21.2	9.7	418	2.63	343.0	1.6	7.5	2.5	29	0.1	0.3	1.3	64	0.40	0.069
LIN 141118	Soil	0.8	20.7	13.3	57	0.2	26.4	8.6	363	2.76	392.1	1.9	3.1	1.9	27	0.1	0.4	1.5	68	0.34	0.075
LIN 141119	Soil	0.6	23.7	13.9	56	0.3	30.3	12.8	557	3.16	605.3	2.2	5.8	2.7	31	0.1	0.5	2.0	76	0.42	0.081



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 8 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 141078	Soil	9	25	0.53	164	0.084	2	1.49	0.018	0.07	0.1	0.04	2.6	0.1	<0.05	6	0.5	<0.2
LIN 141079	Soil	14	20	0.67	243	0.106	1	1.74	0.014	0.26	0.4	0.02	3.6	0.2	<0.05	6	0.8	<0.2
LIN 141088	Soil	9	33	0.81	242	0.135	1	3.23	0.020	0.11	0.1	0.03	4.2	0.2	<0.05	9	<0.5	<0.2
LIN 141092	Soil	12	28	0.82	303	0.130	1	2.38	0.017	0.19	0.1	0.03	4.0	0.2	<0.05	8	<0.5	<0.2
LIN 141093	Soil	17	26	0.58	217	0.078	2	1.94	0.020	0.08	0.1	0.04	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 141094	Soil	16	29	0.55	222	0.105	1	1.95	0.024	0.06	0.1	0.02	4.5	<0.1	<0.05	7	<0.5	<0.2
LIN 141095	Soil	10	17	0.48	178	0.092	1	1.45	0.022	0.09	0.2	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
LIN 141096	Soil	12	22	0.47	195	0.100	1	1.58	0.020	0.06	0.2	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 141097	Soil	15	33	0.72	287	0.123	2	2.53	0.021	0.07	0.1	0.03	4.5	0.1	<0.05	7	0.8	<0.2
LIN 141098	Soil	10	19	0.43	188	0.098	1	1.51	0.027	0.06	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
LIN 141099	Soil	10	27	0.80	164	0.153	1	2.24	0.021	0.22	0.2	0.01	3.9	0.3	<0.05	9	<0.5	<0.2
LIN 141100	Soil	12	31	0.67	195	0.104	2	2.19	0.027	0.06	0.1	0.03	4.6	<0.1	<0.05	7	0.6	<0.2
LIN 141101	Soil	14	31	0.95	197	0.110	1	2.17	0.037	0.10	<0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
LIN 141102	Soil	15	25	0.56	276	0.095	<1	1.63	0.047	0.06	0.1	0.06	3.7	<0.1	<0.05	5	0.6	<0.2
LIN 141103	Soil	13	27	0.64	197	0.116	2	1.86	0.045	0.06	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	0.2
LIN 141104	Soil	17	27	1.20	244	0.133	2	2.49	0.065	0.14	0.1	0.02	4.3	0.1	<0.05	7	0.6	<0.2
LIN 141105	Soil	13	39	0.85	202	0.150	2	2.39	0.052	0.06	0.1	0.03	5.6	<0.1	<0.05	7	<0.5	<0.2
LIN 141106	Soil	9	32	0.62	140	0.133	2	2.81	0.029	0.06	0.1	0.03	3.9	<0.1	<0.05	7	<0.5	<0.2
LIN 141107	Soil	10	35	0.67	168	0.142	2	2.66	0.030	0.07	0.1	0.03	3.6	<0.1	<0.05	8	<0.5	<0.2
LIN 141108	Soil	10	10	1.06	268	0.208	<1	2.59	0.013	0.79	0.2	<0.01	4.5	0.7	<0.05	9	<0.5	<0.2
LIN 141109	Soil	11	28	0.76	201	0.152	1	2.38	0.022	0.25	0.1	0.02	3.8	0.2	<0.05	8	<0.5	<0.2
LIN 141110	Soil	17	32	0.58	222	0.110	2	2.36	0.021	0.05	0.1	0.03	3.7	0.1	<0.05	7	0.6	<0.2
LIN 141111	Soil	15	19	0.61	171	0.112	<1	1.73	0.019	0.19	0.4	0.03	3.3	0.2	<0.05	6	<0.5	<0.2
LIN 141112	Soil	12	22	0.47	177	0.097	1	1.52	0.018	0.11	0.2	0.03	2.8	0.1	<0.05	7	<0.5	<0.2
LIN 141113	Soil	10	25	0.61	157	0.106	2	1.66	0.019	0.09	0.2	0.04	2.7	0.1	<0.05	7	<0.5	<0.2
LIN 141114	Soil	10	34	0.73	172	0.122	2	2.05	0.019	0.11	<0.1	0.04	3.3	0.2	<0.05	7	<0.5	<0.2
LIN 141116	Soil	10	37	0.78	180	0.114	1	1.98	0.020	0.09	0.1	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
LIN 141117	Soil	10	33	0.74	157	0.124	1	1.80	0.021	0.09	0.3	0.04	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 141118	Soil	9	37	0.76	185	0.111	2	1.85	0.023	0.09	0.1	0.04	3.1	0.1	<0.05	6	0.5	<0.2
LIN 141119	Soil	12	43	0.91	222	0.116	1	1.95	0.019	0.10	0.2	0.03	3.8	0.2	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 9 of 9 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 141120	Soil	0.7	23.9	18.1	72	0.3	20.1	12.2	747	3.36	759.6	2.3	7.1	4.1	27	0.2	0.6	3.6	76	0.36	0.081
LIN 136880	Soil	0.6	13.5	5.7	42	<0.1	14.6	9.2	323	2.79	4.2	1.3	1.6	6.1	17	<0.1	0.2	0.1	62	0.24	0.047
LIN 137168	Soil	0.4	48.5	18.0	90	0.5	7.4	20.5	938	5.69	8.7	1.1	2.7	11.7	62	0.3	0.2	0.5	102	2.66	0.089
LIN 137220	Soil	0.7	34.6	15.1	89	0.2	16.1	19.5	1003	5.12	295.1	3.4	12.9	38.6	45	0.2	2.0	0.4	92	0.78	0.175
LIN 137938	Soil	0.3	35.2	23.4	98	0.2	8.9	24.3	1229	6.55	18.0	2.3	4.4	2.4	31	0.5	1.2	0.1	98	0.63	0.122



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 9 of 9 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 141120	Soil	12	31	0.74	203	0.134	1	2.24	0.017	0.16	0.4	0.03	3.9	0.2	<0.05	8	<0.5	<0.2
LIN 136880	Soil	18	23	0.51	110	0.105	<1	1.73	0.016	0.12	0.4	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 137168	Soil	31	11	1.43	480	0.029	<1	2.43	0.016	0.17	0.4	0.01	11.9	<0.1	<0.05	9	0.6	<0.2
LIN 137220	Soil	59	21	0.85	312	0.104	<1	1.63	0.028	0.60	0.2	0.02	13.4	0.7	<0.05	6	<0.5	<0.2
LIN 137938	Soil	14	10	0.33	608	0.006	<1	0.98	0.011	0.13	<0.1	0.02	22.1	<0.1	<0.05	3	0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
Pulp Duplicates		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 137852	Soil	0.7	29.7	10.6	61	0.2	25.5	11.5	240	3.04	22.8	1.7	7.9	6.5	30	0.2	0.9	0.2	85	0.42
REP LIN 137852	QC	0.7	29.7	10.7	64	0.2	26.5	11.6	242	2.99	23.3	1.7	8.7	6.5	31	0.2	0.9	0.1	86	0.44
LIN 137881	Soil	1.4	22.4	10.0	67	0.2	25.1	11.6	880	3.30	13.0	0.5	2.3	4.0	28	0.2	0.7	0.2	88	0.26
REP LIN 137881	QC	1.2	21.6	9.9	64	0.1	24.0	11.8	874	3.37	12.7	0.5	3.3	4.1	28	0.2	0.7	0.2	88	0.26
LIN 137908	Soil	0.5	31.3	6.4	49	0.1	22.5	11.1	491	2.57	7.4	1.3	3.1	2.7	58	0.2	0.4	0.2	68	0.92
REP LIN 137908	QC	0.6	32.2	6.5	50	<0.1	21.8	10.9	482	2.54	7.5	1.2	2.5	2.6	59	0.1	0.5	0.1	67	0.93
LIN 137924	Soil	0.9	24.6	8.5	44	<0.1	23.3	10.2	432	3.05	12.9	1.3	2.9	10.0	37	<0.1	0.5	0.7	72	0.38
REP LIN 137924	QC	0.8	25.3	8.3	42	<0.1	23.9	10.0	426	3.02	12.8	1.4	2.4	10.2	36	<0.1	0.5	0.7	72	0.37
LIN 137935	Soil	0.3	26.5	3.6	41	<0.1	46.7	16.1	329	2.96	4.1	0.5	1.1	4.2	28	<0.1	0.2	<0.1	90	0.41
REP LIN 137935	QC	0.3	24.7	3.3	39	<0.1	45.1	16.2	319	2.83	3.6	0.5	1.0	4.3	26	<0.1	0.2	<0.1	90	0.37
LIN 137957	Soil	0.8	22.3	8.5	52	<0.1	18.0	10.0	398	2.80	20.2	0.7	8.7	6.0	36	<0.1	0.4	0.1	66	0.40
REP LIN 137957	QC	0.9	21.0	8.8	52	<0.1	17.9	9.8	395	2.78	20.1	0.6	8.6	5.9	35	<0.1	0.4	0.2	67	0.39
LIN 137980	Soil	1.5	13.6	9.5	38	<0.1	13.2	6.9	428	2.40	5.5	0.5	1.3	5.9	21	0.1	0.8	0.2	59	0.21
REP LIN 137980	QC	1.5	14.3	9.8	41	<0.1	13.1	6.8	415	2.38	5.8	0.6	0.9	5.8	22	0.1	0.8	0.2	60	0.21
LIN 137995	Soil	0.8	13.7	14.9	38	<0.1	11.4	7.3	405	2.08	6.1	1.1	2.6	14.9	19	<0.1	0.5	0.1	38	0.19
REP LIN 137995	QC	0.8	13.7	14.6	41	<0.1	12.2	7.6	403	2.10	6.1	1.1	3.2	14.2	18	<0.1	0.7	0.1	39	0.20
LIN 141070	Soil	0.7	16.4	11.6	57	0.1	17.9	11.4	781	3.03	359.0	1.7	4.0	3.1	27	<0.1	0.5	1.0	67	0.35
REP LIN 141070	QC	0.7	16.3	11.5	57	0.2	18.8	10.9	746	2.98	365.9	1.9	4.0	3.1	27	<0.1	0.5	0.9	66	0.34
LIN 141096	Soil	0.7	14.3	8.9	41	0.1	13.6	7.2	246	2.43	137.2	1.3	1.4	2.0	23	<0.1	0.3	0.5	69	0.30
REP LIN 141096	QC	0.7	14.9	9.0	44	0.2	13.4	7.3	250	2.46	138.8	1.3	1.5	2.1	23	<0.1	0.3	0.5	69	0.30
LIN 141110	Soil	0.6	24.0	7.8	48	0.2	20.8	10.6	323	2.94	399.2	2.5	5.3	2.8	28	0.1	0.4	0.2	75	0.34
REP LIN 141110	QC	0.7	23.2	7.6	45	0.2	20.6	10.4	313	2.85	385.0	2.3	4.4	2.7	27	0.1	0.4	0.3	71	0.33
Reference Materials																				
STD DS7	Standard	20.2	104.0	68.2	391	0.9	54.1	8.9	607	2.29	48.5	5.2	65.0	4.3	83	6.1	6.2	5.1	81	0.90
STD DS7	Standard	21.3	108.1	70.6	412	1.1	54.4	9.2	687	2.56	56.7	4.9	67.1	4.9	84	7.1	6.6	4.8	88	1.04
STD DS7	Standard	20.5	121.7	66.5	387	0.9	54.8	8.6	626	2.31	53.2	4.6	66.4	4.4	76	6.5	6.0	4.4	84	0.91
STD DS7	Standard	20.6	105.0	64.7	388	1.0	54.2	9.2	609	2.31	52.1	4.6	65.2	4.4	75	6.1	6.0	4.5	82	0.91
STD DS7	Standard	19.3	101.2	63.1	380	1.0	52.2	8.6	614	2.36	51.8	4.4	72.9	4.6	83	6.0	5.9	4.5	79	0.93



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000507.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
LIN 137852	Soil	17	37	0.79	303	0.128	1	2.50	0.034	0.09	0.1	0.05	6.1	0.1	<0.05	7	<0.5	<0.2
REP LIN 137852	QC	18	38	0.80	307	0.130	1	2.60	0.035	0.09	0.1	0.05	6.2	0.1	<0.05	7	<0.5	<0.2
LIN 137881	Soil	10	41	0.55	288	0.112	1	2.63	0.026	0.07	0.1	0.01	4.2	<0.1	<0.05	7	<0.5	<0.2
REP LIN 137881	QC	10	40	0.57	285	0.114	<1	2.51	0.019	0.07	<0.1	0.01	4.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137908	Soil	11	27	0.61	186	0.122	2	1.54	0.056	0.06	0.2	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
REP LIN 137908	QC	12	27	0.61	186	0.123	3	1.57	0.057	0.06	0.1	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
LIN 137924	Soil	29	35	0.58	176	0.140	<1	2.51	0.025	0.09	0.1	0.02	5.5	<0.1	<0.05	7	<0.5	<0.2
REP LIN 137924	QC	29	35	0.57	178	0.138	<1	2.48	0.023	0.09	0.1	0.02	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 137935	Soil	12	199	1.36	192	0.207	2	2.45	0.034	0.40	<0.1	<0.01	5.4	0.3	<0.05	7	<0.5	<0.2
REP LIN 137935	QC	11	196	1.35	185	0.192	1	2.44	0.032	0.41	<0.1	<0.01	5.0	0.2	<0.05	7	<0.5	<0.2
LIN 137957	Soil	14	30	0.72	195	0.172	2	2.48	0.032	0.11	0.1	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
REP LIN 137957	QC	14	30	0.69	186	0.165	2	2.45	0.027	0.11	<0.1	0.01	4.9	0.2	<0.05	7	<0.5	<0.2
LIN 137980	Soil	17	22	0.41	234	0.077	<1	1.57	0.019	0.08	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
REP LIN 137980	QC	17	23	0.41	237	0.081	<1	1.60	0.021	0.08	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137995	Soil	27	18	0.25	307	0.034	<1	1.20	0.018	0.11	<0.1	0.02	3.4	<0.1	<0.05	3	<0.5	<0.2
REP LIN 137995	QC	26	18	0.24	295	0.033	<1	1.25	0.018	0.12	<0.1	0.01	3.3	<0.1	<0.05	3	<0.5	<0.2
LIN 141070	Soil	11	30	0.70	181	0.130	<1	2.08	0.038	0.15	0.1	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
REP LIN 141070	QC	11	29	0.66	179	0.129	<1	1.94	0.031	0.15	<0.1	0.03	3.6	0.2	<0.05	6	<0.5	<0.2
LIN 141096	Soil	12	22	0.47	195	0.100	1	1.58	0.020	0.06	0.2	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
REP LIN 141096	QC	12	22	0.48	195	0.101	<1	1.55	0.020	0.06	0.2	0.02	2.6	<0.1	<0.05	7	<0.5	<0.2
LIN 141110	Soil	17	32	0.58	222	0.110	2	2.36	0.021	0.05	0.1	0.03	3.7	0.1	<0.05	7	0.6	<0.2
REP LIN 141110	QC	16	31	0.59	225	0.106	2	2.25	0.019	0.05	0.1	0.03	3.6	<0.1	<0.05	6	0.6	<0.2
Reference Materials																		
STD DS7	Standard	13	184	1.03	395	0.136	37	1.01	0.099	0.46	3.6	0.22	2.6	3.8	0.13	5	3.3	1.2
STD DS7	Standard	14	210	1.09	438	0.131	45	1.13	0.120	0.55	3.5	0.21	3.1	4.2	0.19	5	3.6	1.5
STD DS7	Standard	13	186	1.01	420	0.123	39	1.01	0.104	0.46	3.5	0.22	2.5	3.9	0.19	5	3.4	1.7
STD DS7	Standard	13	192	1.06	406	0.126	42	1.04	0.121	0.49	3.6	0.23	3.0	4.1	0.17	5	3.5	1.4
STD DS7	Standard	14	194	1.01	416	0.124	39	1.08	0.118	0.49	3.5	0.19	3.0	3.9	0.16	4	2.9	1.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000507.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS7	Standard	20.7	112.2	74.4	408	1.0	57.9	9.4	646	2.45	53.1	5.1	68.0	4.8	77	6.3	6.5	4.9	88	0.96	0.080
STD DS7	Standard	20.7	104.5	67.1	393	1.0	55.1	9.2	627	2.41	52.3	4.9	78.3	4.9	77	6.5	5.6	5.0	86	0.96	0.094
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 2 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000507.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS7	Standard	12	191	1.08	394	0.125	41	1.02	0.099	0.49	3.8	0.24	2.4	4.2	0.20	5	3.4	2.1
STD DS7	Standard	13	197	1.07	393	0.127	44	1.08	0.108	0.46	3.6	0.21	2.7	4.1	0.18	5	3.8	1.5
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: September 09, 2010

Report Date: October 04, 2010

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000433.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN2
P.O. Number
Number of Samples: 10

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	10	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	10	Dry at 60C			WHI
1DX2	10	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 04, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000433.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 135349	Soil	0.6	14.8	10.0	63	0.1	13.7	10.3	686	2.90	227.2	1.8	6.0	4.2	23	0.2	0.6	0.9	66	0.34	0.069
LIN 135357	Soil	0.4	18.4	15.8	75	0.2	19.8	9.6	415	2.81	142.8	2.9	8.5	6.0	35	0.2	0.9	1.6	62	0.55	0.077
LIN 135360	Soil	0.6	23.5	10.1	58	0.3	16.4	9.4	635	2.81	373.6	3.2	9.1	4.6	35	0.2	0.5	0.8	60	0.47	0.068
LIN 135362	Soil	1.0	19.8	13.7	51	0.4	14.9	8.7	447	2.64	244.5	3.1	21.1	3.9	23	0.1	0.5	0.7	66	0.24	0.052
LIN 135364	Soil	0.4	12.3	15.1	71	0.2	11.7	10.5	500	3.22	168.8	6.3	6.5	9.4	38	0.1	0.8	0.5	53	0.42	0.066
LIN 135367	Soil	0.4	28.6	7.7	64	<0.1	34.4	14.9	300	3.46	27.3	1.3	10.0	3.7	54	0.1	0.3	0.2	63	0.77	0.146
LIN 135368	Soil	0.7	25.6	15.1	68	0.2	22.4	11.3	614	3.50	710.7	5.8	10.8	7.5	39	0.2	0.7	1.6	73	0.51	0.074
LIN 135397	Soil	1.1	16.9	16.8	56	0.5	11.7	15.2	1159	2.62	187.9	3.3	6.4	3.7	27	<0.1	0.4	1.4	61	0.32	0.079
LIN 136625	Soil	0.6	15.9	10.1	59	0.4	14.9	9.0	497	2.51	197.3	3.0	9.1	2.9	36	0.1	0.4	0.5	53	0.53	0.079
LIN 141115	Soil	0.7	16.2	9.1	63	0.2	24.5	10.5	466	2.60	255.4	1.6	7.2	1.9	30	0.1	0.4	0.8	55	0.39	0.074



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 04, 2010

Page: 2 of 2 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000433.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 135349	Soil	12	22	0.61	175	0.113	6	1.82	0.021	0.10	0.1	0.04	3.2	0.2	<0.05	6	<0.5	<0.2
LIN 135357	Soil	15	31	0.81	222	0.146	3	2.18	0.022	0.19	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
LIN 135360	Soil	21	25	0.52	215	0.093	3	2.08	0.023	0.11	0.1	0.05	4.1	0.1	0.06	6	<0.5	<0.2
LIN 135362	Soil	17	26	0.42	177	0.070	2	1.94	0.019	0.08	<0.1	0.04	3.3	0.1	0.05	8	<0.5	<0.2
LIN 135364	Soil	21	20	0.66	255	0.088	<1	2.41	0.023	0.07	<0.1	0.03	4.6	0.1	<0.05	8	<0.5	<0.2
LIN 135367	Soil	17	31	1.02	215	0.147	1	2.17	0.049	0.08	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 135368	Soil	20	35	0.77	295	0.122	2	2.04	0.025	0.17	0.1	0.03	5.0	0.3	<0.05	6	<0.5	<0.2
LIN 135397	Soil	18	22	0.57	226	0.098	2	1.82	0.028	0.12	0.2	0.07	3.3	0.2	<0.05	6	<0.5	<0.2
LIN 136625	Soil	15	22	0.72	182	0.102	2	1.84	0.034	0.13	0.2	0.04	4.0	0.2	<0.05	6	<0.5	<0.2
LIN 141115	Soil	9	32	0.80	182	0.099	2	1.96	0.022	0.09	0.1	0.04	3.4	0.1	0.07	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 04, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000433.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LIN 135349	Soil	0.6	14.8	10.0	63	0.1	13.7	10.3	686	2.90	227.2	1.8	6.0	4.2	23	0.2	0.6	0.9	66	0.34	0.069
REP LIN 135349	QC	0.6	13.9	9.6	61	0.1	13.6	10.1	673	2.80	222.5	1.7	6.2	4.1	22	0.1	0.6	0.9	64	0.32	0.066
LIN 135368	Soil	0.7	25.6	15.1	68	0.2	22.4	11.3	614	3.50	710.7	5.8	10.8	7.5	39	0.2	0.7	1.6	73	0.51	0.074
REP LIN 135368	QC	0.8	26.1	14.8	70	0.2	22.1	11.8	613	3.60	715.0	4.4	13.5	7.3	43	0.1	0.7	1.5	77	0.55	0.076
Reference Materials																					
STD DS7	Standard	20.4	111.1	76.9	411	1.1	56.1	9.0	628	2.36	52.7	5.2	205.4	5.2	84	6.4	6.8	5.4	85	0.96	0.077
STD DS7	Standard	24.0	102.4	64.2	425	1.0	58.4	9.6	663	2.59	51.7	4.9	81.4	4.7	84	6.3	5.7	4.9	87	0.95	0.090
STD DS7	Standard	21.8	106.2	63.8	411	1.3	57.1	10.2	655	2.49	53.6	4.6	72.9	4.4	72	6.0	6.0	4.4	89	0.99	0.082
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 04, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000433.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
LIN 135349	Soil	12	22	0.61	175	0.113	6	1.82	0.021	0.10	0.1	0.04	3.2	0.2	<0.05	6	<0.5	<0.2
REP LIN 135349	QC	11	22	0.58	165	0.103	2	1.79	0.019	0.10	0.2	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
LIN 135368	Soil	20	35	0.77	295	0.122	2	2.04	0.025	0.17	0.1	0.03	5.0	0.3	<0.05	6	<0.5	<0.2
REP LIN 135368	QC	21	36	0.79	308	0.146	2	2.19	0.029	0.18	0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	201	1.06	383	0.130	40	1.02	0.099	0.46	3.6	0.21	2.6	4.2	0.20	5	3.7	1.6
STD DS7	Standard	14	197	1.23	400	0.123	55	1.14	0.117	0.49	4.0	0.22	2.7	4.1	0.21	5	2.9	1.4
STD DS7	Standard	13	209	1.13	417	0.120	43	1.10	0.107	0.51	4.0	0.23	2.5	4.5	0.25	5	3.5	1.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 31, 2010

Report Date: October 12, 2010

Page: 1 of 10

CERTIFICATE OF ANALYSIS

WHI10000364.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 270

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	270	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	270	Dry at 60C			VAN
1DX2	270	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 2 of 10 Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137528	Soil				0.9	8.1	3.5	21	<0.1	6.0	2.3	75	0.96	1.9	0.4	1.6	0.6	12	<0.1	<0.1	0.1	17	0.18	0.041
LIN 137529	Soil				0.4	10.0	3.4	19	<0.1	11.1	3.2	77	1.00	1.5	0.4	0.6	0.6	12	<0.1	<0.1	0.1	19	0.19	0.037
LIN 137530	Soil				0.6	11.9	3.2	31	<0.1	15.3	4.8	129	1.38	2.4	0.5	0.6	1.2	16	<0.1	0.1	0.1	27	0.28	0.064
LIN 137531	Soil				0.9	14.7	18.9	48	0.2	15.1	9.7	934	2.02	5.0	3.3	6.4	5.7	53	0.2	0.5	0.2	37	0.72	0.048
LIN 137532	Soil				1.3	7.2	14.0	66	<0.1	9.4	9.0	419	3.03	4.6	1.8	2.3	16.9	34	<0.1	0.4	0.2	41	0.45	0.044
LIN 137533	Soil				1.4	13.0	12.1	51	0.1	15.4	13.4	1017	2.40	5.3	2.0	6.5	5.0	40	0.1	0.3	0.2	49	0.59	0.054
LIN 137534	Soil				0.9	18.1	8.2	55	<0.1	18.7	12.1	733	4.17	19.1	1.5	2.9	4.3	25	<0.1	1.0	0.1	75	0.42	0.070
LIN 137535	Soil				0.4	6.0	3.1	17	<0.1	2.7	2.2	73	1.11	1.8	0.2	<0.5	0.2	9	<0.1	<0.1	<0.1	25	0.08	0.025
LIN 137536	Soil				0.4	9.7	3.8	36	<0.1	7.6	4.9	210	1.47	2.5	0.2	2.3	0.8	11	<0.1	0.1	<0.1	31	0.17	0.045
LIN 137537	Soil				0.7	11.6	4.6	32	<0.1	7.6	3.5	113	1.66	2.4	0.3	0.8	0.5	11	0.2	0.2	0.1	42	0.11	0.031
LIN 137538	Soil				1.1	17.2	8.7	44	<0.1	20.8	9.9	272	3.29	7.7	0.7	1.4	2.4	17	0.2	0.4	0.2	76	0.20	0.031
LIN 137539	Soil				0.9	17.8	7.1	45	<0.1	20.8	9.4	286	3.05	5.9	0.6	2.0	3.5	15	0.1	0.3	0.1	75	0.19	0.030
LIN 137540	Soil				0.6	21.5	5.4	48	<0.1	20.3	9.6	415	2.67	4.9	1.1	3.4	3.3	24	0.1	0.3	0.1	64	0.38	0.053
LIN 137541	Soil				1.0	29.3	6.1	48	0.1	25.4	12.3	794	2.80	5.1	1.8	1.2	2.5	27	0.1	0.3	0.2	66	0.31	0.060
LIN 137542	Soil				0.5	10.7	3.6	15	<0.1	5.2	2.0	55	1.02	1.8	0.3	1.4	0.1	10	<0.1	0.2	<0.1	31	0.11	0.030
LIN 137543	Soil				0.7	19.6	6.6	38	<0.1	14.1	5.6	170	2.61	5.1	0.4	1.3	1.1	11	0.1	0.3	0.1	62	0.13	0.032
LIN 137544	Soil				0.8	13.1	6.3	33	<0.1	12.7	5.9	182	2.44	5.2	0.5	3.0	2.0	14	<0.1	0.3	0.2	67	0.16	0.021
LIN 137545	Soil				0.5	7.3	3.2	18	<0.1	3.4	2.1	93	1.01	1.4	0.2	<0.5	0.3	8	<0.1	0.1	<0.1	27	0.09	0.023
LIN 137546	Soil				0.5	9.8	4.9	27	<0.1	10.2	4.7	181	2.06	3.6	0.4	1.2	2.4	11	<0.1	0.2	0.1	45	0.15	0.022
LIN 137547	Soil				0.4	6.7	2.9	19	<0.1	5.1	2.6	96	1.10	1.5	0.4	0.6	1.0	11	<0.1	0.1	<0.1	25	0.15	0.029
LIN 137548	Soil				0.8	13.2	7.0	22	<0.1	6.0	2.7	87	1.49	2.4	0.4	1.7	1.1	11	<0.1	0.3	0.1	47	0.11	0.017
LIN 137549	Soil				0.5	13.1	4.1	27	<0.1	9.3	4.1	147	1.65	2.7	0.9	1.7	1.7	9	<0.1	0.2	0.1	38	0.11	0.026
LIN 137550	Soil				1.1	11.9	7.1	36	<0.1	12.8	5.9	191	2.86	5.0	0.6	0.8	3.3	17	<0.1	0.2	0.2	60	0.19	0.027
LIN 137551	Soil				0.9	10.8	6.3	36	<0.1	12.5	5.6	186	2.69	4.5	0.6	2.0	2.7	16	<0.1	0.2	0.1	55	0.19	0.027
LIN 137552	Soil				0.9	15.0	5.5	47	<0.1	17.7	10.0	690	2.41	4.2	1.4	1.1	3.3	36	<0.1	0.2	0.1	61	0.57	0.054
LIN 137553	Soil				0.7	12.5	5.0	43	<0.1	16.0	7.3	526	2.02	3.6	1.0	5.2	3.0	32	<0.1	0.2	0.1	51	0.54	0.064
LIN 137554	Soil				0.7	15.0	4.5	43	<0.1	17.1	7.2	265	2.13	3.3	1.0	0.6	2.7	25	<0.1	0.2	0.1	52	0.45	0.053
LIN 137555	Soil				0.7	12.8	3.9	44	<0.1	17.3	9.3	459	2.25	3.4	0.5	0.8	3.2	20	<0.1	0.2	0.1	62	0.35	0.056
LIN 137556	Soil				0.9	14.7	4.2	39	<0.1	16.5	7.6	375	1.77	2.8	1.1	1.0	2.2	30	<0.1	0.2	0.2	42	0.46	0.075
LIN 137557	Soil				0.5	12.3	3.6	34	<0.1	27.2	8.3	215	2.16	2.9	0.6	4.6	3.1	12	<0.1	0.1	0.2	54	0.25	0.048



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

2 of 10

Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137528	Soil	5	15	0.18	50	0.052	2	0.56	0.013	0.05	0.1	0.03	1.2	<0.1	0.07	4	<0.5	<0.2
LIN 137529	Soil	5	29	0.27	62	0.055	1	0.61	0.015	0.05	<0.1	0.03	1.4	<0.1	0.06	3	<0.5	<0.2
LIN 137530	Soil	7	37	0.44	78	0.083	3	0.87	0.017	0.06	0.2	0.03	1.9	<0.1	0.12	4	<0.5	<0.2
LIN 137531	Soil	26	23	0.35	300	0.019	<1	1.19	0.019	0.09	0.1	0.05	4.8	0.1	0.10	4	<0.5	<0.2
LIN 137532	Soil	41	14	1.00	145	0.066	<1	1.54	0.014	0.29	<0.1	0.02	4.0	0.2	0.05	7	<0.5	<0.2
LIN 137533	Soil	20	30	0.55	155	0.045	1	1.15	0.021	0.11	0.1	0.05	4.2	0.1	0.07	5	<0.5	<0.2
LIN 137534	Soil	11	27	0.69	189	0.124	1	1.92	0.022	0.08	0.3	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
LIN 137535	Soil	3	7	0.11	33	0.041	<1	0.52	0.024	0.03	<0.1	0.02	0.6	<0.1	<0.05	3	<0.5	<0.2
LIN 137536	Soil	5	13	0.28	51	0.054	<1	0.89	0.028	0.04	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137537	Soil	5	14	0.21	64	0.059	<1	1.10	0.015	0.04	<0.1	0.03	1.4	<0.1	<0.05	5	<0.5	<0.2
LIN 137538	Soil	9	30	0.47	146	0.096	1	3.05	0.015	0.04	0.1	0.05	3.1	<0.1	<0.05	8	<0.5	<0.2
LIN 137539	Soil	8	28	0.55	125	0.126	2	2.31	0.017	0.06	0.2	0.05	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137540	Soil	16	27	0.58	185	0.106	1	1.88	0.019	0.12	0.1	0.03	4.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137541	Soil	28	38	0.52	280	0.075	1	2.45	0.016	0.09	0.1	0.06	5.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137542	Soil	4	10	0.08	50	0.035	<1	0.59	0.015	0.04	<0.1	0.03	0.6	<0.1	<0.05	4	<0.5	<0.2
LIN 137543	Soil	6	24	0.32	98	0.075	<1	1.98	0.017	0.03	<0.1	0.02	1.8	<0.1	<0.05	7	<0.5	<0.2
LIN 137544	Soil	7	21	0.33	132	0.091	<1	1.57	0.015	0.04	0.1	0.03	2.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137545	Soil	3	7	0.10	39	0.041	<1	0.51	0.019	0.03	<0.1	0.02	0.6	<0.1	<0.05	4	<0.5	<0.2
LIN 137546	Soil	8	16	0.30	66	0.062	<1	1.20	0.018	0.04	0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 137547	Soil	8	9	0.16	87	0.045	<1	0.69	0.022	0.03	<0.1	0.02	1.3	<0.1	<0.05	3	<0.5	<0.2
LIN 137548	Soil	7	13	0.17	50	0.066	<1	1.02	0.018	0.03	<0.1	0.02	1.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137549	Soil	12	14	0.21	78	0.049	<1	1.02	0.015	0.04	<0.1	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137550	Soil	9	24	0.35	103	0.075	1	1.86	0.015	0.06	0.1	0.03	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 137551	Soil	8	22	0.34	95	0.079	1	1.77	0.017	0.06	0.1	0.03	2.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137552	Soil	13	31	0.51	170	0.087	1	1.55	0.025	0.08	0.1	0.04	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 137553	Soil	12	28	0.53	155	0.091	1	1.49	0.026	0.07	0.2	0.03	3.4	0.1	0.07	5	<0.5	<0.2
LIN 137554	Soil	9	34	0.51	115	0.086	<1	1.38	0.021	0.08	0.3	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 137555	Soil	10	34	0.60	90	0.105	<1	1.24	0.017	0.09	0.7	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
LIN 137556	Soil	12	36	0.48	117	0.061	<1	1.12	0.025	0.06	0.4	0.04	2.8	0.1	0.08	5	<0.5	<0.2
LIN 137557	Soil	9	83	0.60	49	0.094	<1	1.25	0.018	0.05	0.6	0.02	2.4	0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

3 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 137558	Soil				1.1	15.7	3.9	42	<0.1	22.3	10.4	385	2.14	3.5	0.6	1.3	2.9	25	<0.1	0.1	0.2	58	0.49	0.056
LIN 137559	Soil				0.4	13.6	2.8	23	<0.1	10.8	3.7	87	1.10	1.4	0.5	1.3	0.7	13	<0.1	<0.1	0.1	26	0.17	0.050
LIN 137560	Soil				1.3	13.7	3.4	38	<0.1	37.2	8.5	221	1.80	2.1	0.7	0.6	2.0	24	<0.1	0.1	0.1	37	0.40	0.054
LIN 137561	Soil				2.2	35.5	5.9	61	0.1	44.3	14.8	536	3.33	6.5	2.3	1.8	4.3	29	<0.1	0.2	0.3	72	0.42	0.066
LIN 137562	Soil				1.2	19.1	3.0	25	<0.1	10.7	3.4	96	1.17	1.9	0.9	0.6	0.5	33	0.2	0.1	0.1	17	0.54	0.066
LIN 137563	Soil				1.0	19.0	3.4	33	<0.1	12.4	4.7	155	1.53	2.8	0.7	0.6	1.4	30	<0.1	0.1	0.1	35	0.53	0.045
LIN 137564	Soil				1.5	18.5	4.6	48	<0.1	17.1	12.1	384	2.77	4.8	0.7	2.1	3.1	16	<0.1	0.3	0.1	75	0.30	0.073
LIN 137565	Soil				0.7	12.4	2.7	26	<0.1	8.9	5.7	192	1.46	1.6	0.4	<0.5	0.6	15	0.1	<0.1	<0.1	40	0.27	0.074
LIN 137570	Soil				0.5	22.2	6.9	38	<0.1	20.2	8.6	224	2.55	4.5	0.8	1.8	3.8	22	<0.1	0.2	0.1	62	0.29	0.035
LIN 137571	Soil				0.5	27.8	7.0	50	<0.1	20.9	8.3	323	2.85	4.1	0.8	1.1	8.9	27	<0.1	0.3	0.1	65	0.37	0.062
LIN 137572	Soil				1.2	18.7	7.8	50	<0.1	19.2	9.7	318	3.07	4.9	0.8	4.2	5.1	18	0.1	0.3	0.2	66	0.23	0.032
LIN 137573	Soil				0.8	16.2	7.8	46	<0.1	13.7	8.2	451	2.74	3.9	1.3	<0.5	5.6	21	0.1	0.3	0.2	58	0.33	0.056
LIN 137574	Soil				0.9	31.8	12.4	61	0.2	25.1	10.3	355	3.32	5.2	1.7	5.2	10.0	29	0.2	0.3	0.3	70	0.46	0.045
LIN 137575	Soil				0.5	26.1	7.7	47	<0.1	27.6	11.5	246	3.12	4.7	1.1	2.3	4.1	24	0.1	0.3	0.1	77	0.32	0.043
LIN 137576	Soil				0.4	18.9	8.1	55	<0.1	20.5	10.8	404	3.28	4.1	0.9	1.7	6.6	19	0.1	0.2	0.4	67	0.32	0.059
LIN 137577	Soil				0.6	32.5	8.0	57	<0.1	24.5	10.5	411	3.41	6.0	1.7	7.5	5.6	34	0.1	0.3	0.7	79	0.46	0.049
LIN 137578	Soil				0.7	25.8	155.6	48	0.1	21.3	9.4	302	2.80	4.7	1.0	1.4	4.5	26	<0.1	0.2	1.7	70	0.37	0.050
LIN 137579	Soil				0.8	20.1	7.1	34	<0.1	12.4	6.1	183	2.24	4.5	1.0	2.2	1.9	17	<0.1	0.2	0.2	53	0.20	0.044
LIN 137580	Soil				1.8	25.2	11.2	62	<0.1	17.8	10.4	379	3.18	4.6	0.9	1.4	6.6	18	0.2	0.3	0.2	70	0.24	0.033
LIN 137581	Soil				1.3	22.2	8.3	45	<0.1	19.2	8.9	325	2.85	5.1	1.3	6.1	5.8	22	<0.1	0.3	0.2	70	0.28	0.033
LIN 137582	Soil				1.2	33.5	8.2	56	0.1	27.0	10.0	389	3.05	4.9	2.2	1.9	6.4	34	0.1	0.4	0.3	72	0.52	0.064
LIN 137583	Soil				0.7	25.1	8.6	53	<0.1	22.7	10.5	283	3.09	5.6	1.5	10.7	6.7	31	<0.1	0.4	0.2	77	0.48	0.059
LIN 137584	Soil				0.8	28.9	9.0	47	0.1	22.3	10.4	306	3.14	6.4	1.3	7.2	4.2	27	0.1	0.3	0.2	81	0.40	0.053
LIN 137585	Soil				0.5	25.2	7.9	47	<0.1	22.8	10.7	295	2.96	5.2	1.4	7.9	5.1	29	<0.1	0.3	0.2	71	0.42	0.053
LIN 137586	Soil				1.0	16.2	6.4	40	<0.1	13.9	7.7	364	2.35	4.9	0.6	1.8	3.1	21	<0.1	0.2	0.2	63	0.27	0.030
LIN 137587	Soil				1.2	22.6	8.0	56	<0.1	21.6	11.3	409	2.94	4.5	1.3	1.5	6.1	27	0.1	0.2	0.9	71	0.41	0.052
LIN 137588	Soil				1.4	20.3	11.4	56	<0.1	20.6	10.0	403	3.02	4.9	1.2	2.3	5.3	19	0.2	0.2	0.6	68	0.29	0.044
LIN 137589	Soil				0.5	26.1	6.3	57	<0.1	21.1	9.4	414	2.96	4.7	1.1	4.1	5.4	31	<0.1	0.3	0.2	72	0.49	0.073
LIN 137590	Soil				0.4	25.2	3.5	43	<0.1	45.5	20.6	485	3.47	7.3	0.4	0.6	4.0	25	<0.1	0.2	<0.1	104	0.38	0.033
LIN 137591	Soil				0.4	34.3	3.6	51	<0.1	21.6	22.0	628	3.86	9.9	0.5	1.3	2.6	25	<0.1	0.2	<0.1	112	0.52	0.046



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

3 of 10

Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137558	Soil	9	51	0.66	86	0.105	1	1.28	0.024	0.08	0.4	0.02	2.9	0.2	0.06	5	<0.5	<0.2
LIN 137559	Soil	6	28	0.29	51	0.048	1	0.77	0.023	0.04	0.1	0.04	1.4	0.1	<0.05	4	<0.5	<0.2
LIN 137560	Soil	11	89	0.75	102	0.084	1	1.27	0.022	0.08	0.3	0.03	2.8	0.2	0.06	5	<0.5	<0.2
LIN 137561	Soil	25	102	0.89	193	0.104	2	2.13	0.025	0.08	0.3	0.04	5.0	0.3	<0.05	7	<0.5	<0.2
LIN 137562	Soil	9	22	0.24	116	0.035	2	0.70	0.022	0.05	0.1	0.05	1.8	<0.1	0.13	3	<0.5	<0.2
LIN 137563	Soil	8	24	0.41	129	0.082	1	0.95	0.021	0.08	0.2	0.04	2.4	<0.1	0.09	5	<0.5	<0.2
LIN 137564	Soil	11	35	0.77	110	0.110	1	1.52	0.016	0.08	0.2	0.02	3.2	<0.1	<0.05	6	0.9	<0.2
LIN 137565	Soil	6	23	0.48	89	0.070	<1	0.83	0.022	0.10	<0.1	0.03	1.7	<0.1	<0.05	3	<0.5	<0.2
LIN 137570	Soil	13	31	0.59	126	0.112	<1	1.81	0.023	0.06	<0.1	0.02	4.2	0.1	<0.05	5	0.6	<0.2
LIN 137571	Soil	33	32	0.71	177	0.119	2	1.76	0.019	0.10	0.1	0.01	5.2	<0.1	<0.05	5	<0.5	<0.2
LIN 137572	Soil	15	33	0.72	94	0.125	1	2.01	0.016	0.12	<0.1	0.02	4.0	0.1	<0.05	6	0.5	<0.2
LIN 137573	Soil	17	24	0.55	229	0.086	<1	1.63	0.019	0.06	0.2	0.03	4.3	<0.1	<0.05	5	0.5	<0.2
LIN 137574	Soil	27	41	0.66	302	0.112	<1	1.79	0.024	0.14	0.1	0.03	7.6	0.2	<0.05	5	<0.5	<0.2
LIN 137575	Soil	15	53	0.87	126	0.152	<1	2.24	0.017	0.13	0.1	0.04	5.5	0.2	<0.05	6	0.7	<0.2
LIN 137576	Soil	19	30	0.69	140	0.118	<1	1.94	0.016	0.15	0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
LIN 137577	Soil	22	46	0.84	233	0.150	2	2.29	0.024	0.15	<0.1	0.03	7.5	0.2	<0.05	6	<0.5	<0.2
LIN 137578	Soil	17	34	0.69	127	0.124	<1	2.03	0.019	0.09	0.1	0.03	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 137579	Soil	10	21	0.40	78	0.090	<1	1.47	0.022	0.06	0.1	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137580	Soil	16	31	0.67	113	0.132	<1	2.19	0.015	0.15	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
LIN 137581	Soil	18	32	0.59	117	0.121	<1	1.97	0.015	0.09	0.2	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 137582	Soil	21	35	0.73	207	0.138	<1	1.83	0.033	0.12	0.2	0.04	6.6	0.1	<0.05	5	<0.5	<0.2
LIN 137583	Soil	17	33	0.77	205	0.146	1	2.11	0.022	0.08	0.2	0.04	6.1	0.2	<0.05	6	<0.5	<0.2
LIN 137584	Soil	16	33	0.68	185	0.122	<1	2.14	0.020	0.07	0.1	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
LIN 137585	Soil	16	32	0.72	186	0.132	<1	2.13	0.024	0.07	0.1	0.05	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 137586	Soil	9	25	0.57	104	0.119	<1	1.49	0.020	0.08	0.4	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 137587	Soil	17	36	0.85	159	0.150	<1	1.90	0.025	0.20	0.3	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
LIN 137588	Soil	15	33	0.62	136	0.123	<1	2.11	0.017	0.09	1.4	0.03	4.0	0.2	<0.05	6	<0.5	<0.2
LIN 137589	Soil	17	29	0.73	179	0.146	<1	1.82	0.026	0.13	0.3	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
LIN 137590	Soil	10	111	1.74	213	0.154	<1	2.92	0.027	0.23	<0.1	0.02	6.1	0.2	<0.05	7	<0.5	<0.2
LIN 137591	Soil	7	40	1.59	268	0.194	<1	2.65	0.026	0.41	0.1	0.03	6.2	0.3	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

4 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 137592	Soil	0.2	23.4	3.0	53	<0.1	33.0	18.6	536	3.64	11.6	0.4	1.1	3.7	20	<0.1	0.1	0.2	110	0.58	0.052
LIN 137593	Soil	0.3	25.6	5.3	49	<0.1	28.6	17.4	439	3.25	14.3	1.0	0.8	4.3	37	<0.1	0.2	0.1	86	0.70	0.054
LIN 137594	Soil	0.2	25.0	7.5	47	0.1	23.4	11.1	380	2.95	11.0	1.0	7.6	6.0	27	<0.1	0.3	0.3	75	0.53	0.048
LIN 137595	Soil	0.3	28.6	23.8	50	0.4	19.7	9.5	247	3.31	27.8	1.7	2.3	9.7	32	0.1	0.4	0.3	75	0.51	0.040
LIN 137596	Soil	0.6	17.0	11.1	58	<0.1	17.5	10.4	474	3.09	31.2	1.1	<0.5	7.5	21	<0.1	0.3	0.4	59	0.27	0.047
LIN 137597	Soil	0.6	17.1	20.0	44	<0.1	14.7	7.4	287	2.48	35.4	0.9	4.7	7.9	20	<0.1	0.3	0.4	56	0.21	0.019
LIN 137598	Soil	0.4	30.9	5.5	53	<0.1	25.3	13.8	397	3.78	19.3	1.0	2.7	5.6	36	<0.1	0.3	0.1	108	0.43	0.023
LIN 137599	Soil	1.0	15.6	14.5	46	<0.1	12.1	7.5	320	2.78	29.4	1.2	3.3	9.9	18	<0.1	0.3	0.2	60	0.19	0.025
LIN 137600	Soil	0.4	22.8	9.3	49	<0.1	19.2	8.9	312	2.71	11.7	0.7	2.7	6.7	27	<0.1	0.3	0.2	66	0.37	0.038
LIN 137601	Soil	0.6	10.5	7.3	42	<0.1	5.3	6.3	337	2.36	7.3	1.8	<0.5	21.1	11	<0.1	0.2	0.1	34	0.10	0.025
LIN 137602	Soil	0.9	25.7	10.4	51	<0.1	22.4	10.4	364	3.20	7.1	1.4	1.6	12.8	25	<0.1	0.3	0.1	65	0.30	0.035
LIN 137603	Soil	1.1	18.3	13.0	39	<0.1	16.2	8.1	240	2.77	14.9	0.6	3.1	5.3	15	0.2	0.4	0.2	72	0.14	0.022
LIN 137604	Soil	0.5	19.1	7.8	46	<0.1	17.4	7.9	312	2.33	11.8	0.8	5.3	5.4	24	<0.1	0.3	0.2	53	0.31	0.035
LIN 137605	Soil	0.7	20.4	5.6	43	<0.1	42.1	16.2	331	3.21	8.9	0.3	1.3	1.9	18	<0.1	0.3	0.1	83	0.19	0.025
LIN 137606	Soil	0.5	16.3	3.9	51	<0.1	16.0	17.0	409	3.71	6.1	0.4	0.6	1.5	20	<0.1	0.2	<0.1	115	0.32	0.040
LIN 137607	Soil	0.6	18.3	12.7	52	<0.1	17.5	8.8	325	2.68	17.4	0.7	2.1	8.1	20	<0.1	0.3	0.2	56	0.25	0.027
LIN 137608	Soil	0.9	13.2	13.1	42	<0.1	36.1	14.0	360	2.83	57.7	0.5	<0.5	6.0	18	<0.1	0.5	0.6	74	0.21	0.017
LIN 137609	Soil	1.2	14.8	32.3	40	<0.1	13.2	7.0	259	2.61	222.3	0.8	<0.5	10.1	13	0.1	0.3	0.3	45	0.10	0.021
LIN 137610	Soil	0.7	19.3	11.3	50	0.2	20.6	10.5	378	2.73	15.1	0.5	1.1	6.2	25	0.3	0.3	0.2	68	0.26	0.019
LIN 137611	Soil	0.6	29.6	19.2	55	0.3	24.7	9.2	399	3.04	94.3	1.2	4.4	11.9	31	0.1	0.4	0.2	66	0.35	0.017
LIN 137612	Soil	1.4	12.9	19.4	46	0.1	13.3	8.5	373	2.58	34.9	1.0	2.0	11.9	21	<0.1	0.4	0.4	47	0.21	0.032
LIN 137613	Soil	0.9	9.3	13.6	53	<0.1	10.0	8.2	338	2.89	23.0	1.2	<0.5	20.6	16	<0.1	0.2	0.3	37	0.14	0.021
LIN 137614	Soil	1.3	19.3	211.9	235	<0.1	9.9	8.7	324	3.86	662.2	2.1	9.6	25.4	13	2.2	1.3	2.7	33	0.06	0.036
LIN 137615	Soil	0.8	19.7	18.1	44	0.1	17.9	7.3	250	2.62	41.3	0.7	1.8	7.1	25	0.1	0.3	0.2	68	0.27	0.017
LIN 137616	Soil	1.1	15.9	29.0	59	<0.1	15.8	7.8	284	2.99	163.0	0.6	3.5	5.7	19	0.4	0.4	0.5	68	0.19	0.030
LIN 137617	Soil	0.6	17.3	17.3	49	<0.1	16.8	8.4	314	2.56	94.7	1.1	1.8	9.0	21	0.2	0.4	0.3	54	0.25	0.027
LIN 137618	Soil	1.3	22.2	35.5	76	0.1	10.9	7.5	352	3.29	204.2	1.1	4.9	11.8	16	0.5	0.6	1.0	47	0.15	0.042
LIN 137619	Soil	0.5	22.1	15.3	51	0.2	18.2	9.4	307	2.79	64.8	1.0	2.8	10.0	30	<0.1	0.4	0.5	62	0.36	0.030
LIN 137620	Soil	0.8	20.1	20.4	49	0.2	18.0	8.5	289	2.68	129.5	1.1	3.3	8.9	25	0.2	0.3	0.5	62	0.27	0.024
LIN 137621	Soil	0.7	18.1	16.6	51	<0.1	20.1	12.4	457	2.98	105.0	0.9	3.9	8.5	26	0.1	0.3	0.3	71	0.29	0.026



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 4 of 10 Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137592	Soil	8	70	1.69	261	0.222	<1	2.59	0.024	0.68	0.1	0.02	6.4	0.4	<0.05	7	<0.5	<0.2
LIN 137593	Soil	14	52	1.13	252	0.146	<1	2.14	0.031	0.27	<0.1	0.04	6.3	0.1	<0.05	6	<0.5	0.6
LIN 137594	Soil	19	44	0.85	209	0.141	<1	2.07	0.023	0.28	0.1	0.04	5.5	0.2	<0.05	6	<0.5	<0.2
LIN 137595	Soil	31	30	0.68	264	0.123	<1	2.29	0.025	0.18	<0.1	0.06	6.7	0.2	<0.05	6	<0.5	<0.2
LIN 137596	Soil	18	26	0.75	125	0.155	<1	2.13	0.018	0.32	0.1	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
LIN 137597	Soil	20	23	0.55	109	0.122	<1	1.70	0.020	0.11	<0.1	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 137598	Soil	17	55	1.41	284	0.127	<1	2.75	0.025	0.07	<0.1	0.03	11.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137599	Soil	24	21	0.42	144	0.055	<1	1.69	0.018	0.09	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
LIN 137600	Soil	18	30	0.70	158	0.135	<1	1.70	0.030	0.10	0.1	0.02	4.2	0.1	<0.05	5	<0.5	<0.2
LIN 137601	Soil	56	9	0.62	130	0.082	<1	1.41	0.008	0.32	<0.1	0.02	3.3	0.3	<0.05	5	<0.5	<0.2
LIN 137602	Soil	36	30	0.67	247	0.096	<1	2.36	0.023	0.12	<0.1	0.03	5.7	0.1	<0.05	6	<0.5	<0.2
LIN 137603	Soil	12	29	0.42	108	0.086	<1	2.12	0.020	0.07	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 137604	Soil	17	25	0.58	159	0.102	2	1.41	0.022	0.10	<0.1	0.01	3.5	<0.1	<0.05	4	<0.5	<0.2
LIN 137605	Soil	5	67	1.12	161	0.177	2	3.00	0.020	0.12	<0.1	0.02	3.6	<0.1	<0.05	9	<0.5	<0.2
LIN 137606	Soil	7	20	1.31	270	0.188	<1	2.61	0.016	0.52	0.1	0.02	4.5	0.3	<0.05	8	<0.5	<0.2
LIN 137607	Soil	22	27	0.63	121	0.101	<1	1.96	0.016	0.13	<0.1	0.02	3.8	0.2	<0.05	6	<0.5	<0.2
LIN 137608	Soil	15	76	0.95	132	0.076	<1	2.13	0.011	0.09	0.1	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
LIN 137609	Soil	29	26	0.47	105	0.048	<1	1.71	0.016	0.09	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
LIN 137610	Soil	12	34	0.54	208	0.070	<1	2.13	0.017	0.05	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 137611	Soil	31	38	0.65	348	0.109	1	1.88	0.025	0.08	0.1	0.03	8.2	0.1	<0.05	5	<0.5	<0.2
LIN 137612	Soil	31	22	0.38	152	0.044	<1	1.47	0.017	0.10	0.1	0.02	3.4	<0.1	<0.05	4	<0.5	<0.2
LIN 137613	Soil	48	14	1.02	274	0.079	<1	2.19	0.011	0.32	<0.1	<0.01	4.8	0.3	<0.05	7	<0.5	<0.2
LIN 137614	Soil	55	15	0.15	72	0.006	<1	1.81	0.008	0.07	0.3	0.02	3.6	0.1	<0.05	4	<0.5	<0.2
LIN 137615	Soil	23	29	0.53	167	0.089	<1	1.77	0.017	0.05	0.1	0.01	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137616	Soil	16	25	0.46	121	0.085	<1	1.96	0.012	0.10	0.1	0.01	3.3	<0.1	<0.05	7	<0.5	<0.2
LIN 137617	Soil	24	26	0.53	144	0.089	<1	1.51	0.020	0.08	<0.1	0.02	3.5	0.1	<0.05	4	<0.5	<0.2
LIN 137618	Soil	24	18	0.24	110	0.039	<1	1.44	0.013	0.09	0.2	0.01	4.3	0.1	<0.05	5	<0.5	<0.2
LIN 137619	Soil	30	29	0.67	200	0.116	1	1.86	0.023	0.11	0.4	0.03	5.3	0.1	<0.05	5	<0.5	<0.2
LIN 137620	Soil	30	33	0.66	174	0.121	<1	2.03	0.019	0.10	0.2	0.02	4.7	0.1	<0.05	7	<0.5	0.2
LIN 137621	Soil	25	35	0.74	186	0.135	<1	2.22	0.017	0.13	0.1	0.02	4.4	0.2	<0.05	7	<0.5	0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

5 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137622	Soil				0.7	18.4	6.7	43	<0.1	15.5	8.8	357	2.63	9.2	1.4	3.3	7.8	28	<0.1	0.3	0.2	61	0.38	0.032
LIN 137623	Soil				0.5	18.0	3.9	51	<0.1	15.6	13.3	480	3.22	4.7	0.9	0.7	5.6	26	<0.1	0.2	<0.1	88	0.45	0.059
LIN 137624	Soil				0.6	28.6	6.5	51	<0.1	21.8	11.2	443	3.06	8.7	1.2	1.6	4.4	36	<0.1	0.3	0.1	74	0.58	0.053
LIN 137625	Soil				0.5	20.2	5.7	36	<0.1	19.3	8.9	325	2.50	4.7	1.1	2.3	7.9	34	<0.1	0.3	0.2	63	0.44	0.037
LIN 137626	Soil				0.6	20.2	6.2	41	<0.1	17.3	9.6	331	2.46	3.9	1.5	11.0	9.3	32	<0.1	0.3	0.1	60	0.44	0.031
LIN 137627	Soil				0.5	18.5	5.3	38	<0.1	14.2	7.1	262	2.28	4.2	1.1	0.7	7.4	32	<0.1	0.2	0.2	57	0.47	0.031
LIN 137628	Soil				0.6	19.1	3.8	61	<0.1	137.6	24.4	515	3.90	2.7	1.0	<0.5	5.5	39	<0.1	0.2	0.1	97	0.69	0.043
LIN 137629	Soil				0.6	22.2	4.3	41	<0.1	37.0	11.2	354	2.39	4.0	0.9	4.5	3.1	35	0.1	0.2	<0.1	66	0.54	0.049
LIN 137630	Soil				0.6	18.3	5.6	43	<0.1	17.2	10.0	302	2.52	5.2	0.7	0.8	4.3	26	<0.1	0.3	<0.1	73	0.37	0.036
LIN 137631	Soil				0.5	27.5	5.6	61	<0.1	59.9	27.4	474	4.86	6.5	0.6	<0.5	3.9	29	<0.1	0.4	<0.1	142	0.51	0.028
LIN 137632	Soil				0.7	32.3	4.8	43	<0.1	30.1	13.8	302	2.87	5.0	0.3	<0.5	2.3	26	<0.1	0.3	<0.1	81	0.45	0.032
LIN 137633	Soil				0.5	31.6	9.5	48	<0.1	24.5	10.3	424	2.70	7.1	1.0	1.8	9.4	33	<0.1	0.4	<0.1	57	0.62	0.035
LIN 137634	Soil				0.8	15.3	7.0	40	<0.1	13.3	9.1	339	2.40	5.2	1.0	<0.5	6.3	30	<0.1	0.3	0.1	60	0.41	0.022
LIN 137635	Soil				1.0	24.4	6.5	46	0.1	23.5	11.6	539	2.84	6.8	1.7	0.6	6.9	40	0.1	0.3	0.1	66	0.55	0.036
LIN 137636	Soil				1.6	26.0	6.3	43	<0.1	29.1	11.3	353	2.84	4.6	1.4	0.7	6.7	38	<0.1	0.3	0.1	68	0.53	0.025
LIN 137637	Soil				1.0	18.9	7.8	37	<0.1	21.4	8.0	268	2.33	5.4	0.6	<0.5	4.0	23	<0.1	0.3	0.2	63	0.32	0.016
LIN 137638	Soil				2.1	25.1	8.6	57	0.1	21.3	9.9	377	2.85	4.2	6.2	2.5	7.0	35	0.1	0.3	0.2	69	0.56	0.048
LIN 137639	Soil				2.0	32.8	7.2	56	0.1	28.6	15.0	1447	3.43	5.6	10.2	1.4	6.3	37	<0.1	0.3	0.2	75	0.61	0.054
LIN 137641	Soil				0.8	26.6	6.8	62	<0.1	20.7	9.8	473	2.99	4.1	3.3	3.0	7.6	39	0.1	0.4	0.2	68	0.54	0.067
LIN 137642	Soil				1.2	27.0	6.9	55	0.1	16.0	10.1	634	2.75	3.9	2.7	2.3	2.9	60	0.2	0.3	0.2	61	0.81	0.071
LIN 137643	Soil				0.9	17.5	7.9	32	0.1	13.7	9.7	758	1.74	2.7	3.2	2.4	2.2	74	0.1	0.3	0.2	40	0.97	0.075
LIN 137644	Soil				1.2	25.5	8.5	66	0.2	19.3	11.2	696	3.17	5.0	5.1	6.1	5.5	50	0.2	0.3	0.4	65	0.72	0.074
LIN 137645	Soil				1.0	17.1	6.0	34	<0.1	9.2	4.7	200	1.71	2.7	0.6	1.1	1.8	22	0.1	0.2	0.2	52	0.22	0.017
LIN 137646	Soil				0.9	21.9	7.1	49	<0.1	15.8	12.4	473	3.23	5.7	2.4	3.3	5.0	34	<0.1	0.3	0.4	75	0.52	0.063
LIN 137647	Soil				0.7	21.7	6.5	45	0.1	14.9	9.1	322	2.57	4.1	3.1	3.4	3.9	34	<0.1	0.3	0.3	60	0.51	0.059
LIN 137648	Soil				0.8	29.1	8.3	57	0.1	18.7	10.1	445	2.85	4.7	2.0	3.2	4.0	38	<0.1	0.3	0.5	69	0.54	0.055
LIN 137649	Soil				1.1	24.4	8.2	58	<0.1	21.8	12.1	402	3.52	7.4	0.9	2.7	5.3	28	<0.1	0.3	0.3	84	0.37	0.044
LIN 137650	Soil				1.9	24.8	8.9	48	0.1	18.9	10.0	426	2.88	8.6	1.6	3.2	4.1	24	0.1	0.3	0.3	66	0.26	0.034
LIN 137651	Soil				3.2	28.2	19.3	56	0.2	20.3	13.9	763	3.63	8.7	1.7	2.4	4.9	30	0.1	0.3	0.4	79	0.34	0.039
LIN 137652	Soil				2.0	25.7	10.5	40	0.2	13.1	6.1	306	2.13	4.5	1.6	2.6	2.5	28	0.1	0.3	0.2	54	0.26	0.034



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

5 of 10

Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137622	Soil	23	30	0.64	115	0.116	<1	1.66	0.026	0.18	<0.1	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
LIN 137623	Soil	19	34	1.09	119	0.151	<1	1.96	0.020	0.46	<0.1	0.01	5.7	0.3	<0.05	7	<0.5	<0.2
LIN 137624	Soil	13	37	0.91	170	0.127	1	2.05	0.038	0.19	<0.1	0.02	6.8	0.1	0.08	6	<0.5	<0.2
LIN 137625	Soil	17	39	0.72	152	0.126	1	1.66	0.030	0.12	0.2	0.03	4.3	0.1	<0.05	5	<0.5	0.4
LIN 137626	Soil	21	31	0.68	158	0.124	<1	1.68	0.031	0.13	<0.1	0.03	4.4	0.1	<0.05	5	<0.5	<0.2
LIN 137627	Soil	18	26	0.67	144	0.134	<1	1.57	0.030	0.13	<0.1	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
LIN 137628	Soil	14	285	2.58	187	0.157	<1	2.87	0.022	0.42	<0.1	0.03	7.6	0.3	<0.05	9	<0.5	<0.2
LIN 137629	Soil	11	73	0.77	159	0.114	1	1.62	0.034	0.07	0.1	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
LIN 137630	Soil	11	36	0.66	134	0.133	<1	1.72	0.032	0.07	<0.1	0.02	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 137631	Soil	10	180	2.06	142	0.144	<1	3.37	0.016	0.36	<0.1	<0.01	12.3	0.2	<0.05	10	<0.5	<0.2
LIN 137632	Soil	6	76	0.94	126	0.154	1	2.04	0.028	0.19	<0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 137633	Soil	24	30	0.76	235	0.078	<1	1.60	0.036	0.18	<0.1	0.03	4.8	0.1	<0.05	5	<0.5	<0.2
LIN 137634	Soil	16	26	0.54	154	0.112	<1	1.57	0.023	0.10	<0.1	0.01	3.4	<0.1	<0.05	5	<0.5	<0.2
LIN 137635	Soil	22	46	0.67	236	0.096	1	1.89	0.026	0.12	0.1	0.03	6.1	0.1	<0.05	6	<0.5	<0.2
LIN 137636	Soil	19	63	0.83	183	0.118	<1	1.98	0.030	0.16	<0.1	0.03	5.6	0.1	<0.05	6	<0.5	<0.2
LIN 137637	Soil	10	38	0.60	137	0.106	<1	1.70	0.030	0.09	<0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137638	Soil	25	39	0.69	260	0.132	<1	2.14	0.033	0.10	0.1	0.04	6.5	0.2	<0.05	6	<0.5	<0.2
LIN 137639	Soil	26	39	0.77	453	0.130	<1	2.22	0.027	0.11	<0.1	0.03	7.5	0.1	<0.05	6	<0.5	<0.2
LIN 137641	Soil	26	36	0.74	254	0.157	2	1.95	0.027	0.22	0.1	0.02	7.8	0.2	<0.05	6	<0.5	<0.2
LIN 137642	Soil	15	24	0.51	421	0.090	1	1.85	0.026	0.13	0.1	0.04	6.3	0.2	<0.05	6	<0.5	0.2
LIN 137643	Soil	13	20	0.44	363	0.061	1	1.45	0.027	0.06	<0.1	0.05	3.6	<0.1	0.06	4	<0.5	<0.2
LIN 137644	Soil	21	31	0.67	313	0.144	2	2.32	0.028	0.14	0.2	0.04	6.9	0.2	<0.05	7	<0.5	<0.2
LIN 137645	Soil	8	15	0.25	111	0.094	1	1.05	0.020	0.06	0.2	0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
LIN 137646	Soil	15	26	0.68	261	0.152	2	1.94	0.023	0.11	0.3	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
LIN 137647	Soil	13	25	0.58	265	0.129	2	1.77	0.024	0.10	0.2	0.03	5.1	0.2	<0.05	6	<0.5	<0.2
LIN 137648	Soil	14	29	0.72	312	0.147	1	2.08	0.025	0.12	0.9	0.02	4.8	0.1	<0.05	7	<0.5	<0.2
LIN 137649	Soil	14	34	0.76	245	0.148	1	2.57	0.019	0.10	0.3	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
LIN 137650	Soil	14	29	0.52	200	0.122	1	2.22	0.022	0.10	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 137651	Soil	11	33	0.53	275	0.108	1	2.80	0.022	0.10	0.1	0.02	4.9	0.1	<0.05	8	<0.5	<0.2
LIN 137652	Soil	14	21	0.38	156	0.110	1	1.56	0.024	0.08	<0.1	0.03	3.1	0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 6 of 10 Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137653	Soil				2.2	18.6	9.1	56	<0.1	15.5	8.4	356	2.89	5.8	1.1	2.7	4.5	22	0.1	0.3	0.2	75	0.24	0.023
LIN 137654	Soil				1.1	25.8	8.4	55	0.2	16.2	10.6	659	2.73	4.8	1.7	2.6	5.5	34	<0.1	0.3	0.3	61	0.49	0.074
LIN 137655	Soil				1.0	24.1	9.6	62	<0.1	19.2	11.0	490	3.27	6.3	0.9	2.9	7.0	26	0.1	0.3	0.2	76	0.40	0.074
LIN 137656	Soil				1.8	23.4	8.4	57	<0.1	20.7	10.3	439	3.21	6.6	0.9	1.9	3.8	30	0.2	0.3	0.3	78	0.42	0.048
LIN 137657	Soil				0.7	29.2	6.8	53	<0.1	18.7	14.2	658	2.93	4.7	1.3	1.6	3.6	37	0.1	0.2	0.2	77	0.50	0.070
LIN 137658	Soil				0.7	16.0	7.1	51	<0.1	16.2	8.0	204	2.19	6.5	0.9	2.5	3.5	25	0.1	0.2	0.2	61	0.35	0.064
LIN 137659	Soil				1.2	14.3	9.1	51	0.2	14.9	9.8	434	2.19	12.0	1.2	7.0	2.7	30	<0.1	0.3	0.2	60	0.35	0.056
LIN 137661	Soil				0.9	11.5	12.1	63	0.1	16.9	8.9	323	2.35	15.5	0.9	5.4	5.1	28	0.1	0.3	0.3	59	0.39	0.053
LIN 137662	Soil				1.3	12.8	11.1	54	0.1	12.3	9.6	500	2.47	35.3	1.0	13.5	5.7	27	0.2	0.3	0.4	60	0.41	0.064
LIN 137663	Soil				1.8	12.1	17.6	57	0.2	15.7	8.0	229	2.26	51.1	1.0	3.8	4.2	28	0.2	0.2	0.6	62	0.39	0.064
LIN 137664	Soil				0.6	15.1	7.4	59	<0.1	15.8	7.5	215	2.22	6.7	1.5	6.6	4.1	25	0.3	0.2	0.2	49	0.27	0.060
LIN 137665	Soil				0.5	14.0	6.7	49	<0.1	15.3	8.1	314	2.18	8.9	0.8	4.5	4.6	21	0.1	0.2	0.2	59	0.26	0.040
LIN 137666	Soil				0.7	13.7	9.1	58	<0.1	16.9	8.5	216	2.25	9.3	1.2	2.1	5.2	29	0.2	0.3	0.3	61	0.34	0.058
LIN 137667	Soil				0.8	15.7	8.7	60	0.1	16.5	10.5	537	2.26	5.8	1.5	6.0	3.9	38	0.2	0.3	0.2	56	0.45	0.061
LIN 137668	Soil				1.2	15.1	9.2	56	<0.1	16.8	9.4	339	2.81	4.2	1.6	1.8	5.1	26	<0.1	0.3	0.2	67	0.29	0.045
LIN 137669	Soil				0.8	14.1	6.5	40	0.1	10.7	8.0	919	1.62	3.0	3.0	2.3	2.6	35	0.1	0.2	0.1	39	0.44	0.055
LIN 137670	Soil				0.9	17.4	7.0	51	0.1	14.2	7.4	475	1.94	3.4	4.0	1.6	1.9	49	0.2	0.2	0.1	44	0.66	0.070
LIN 137671	Soil				1.2	16.1	6.7	48	0.1	12.6	17.2	1296	2.62	4.8	3.8	1.5	2.8	47	0.2	0.2	0.2	54	0.55	0.076
LIN 137672	Soil				0.9	18.7	8.0	61	<0.1	15.8	10.3	657	2.68	3.9	2.4	6.6	5.0	38	0.2	0.2	0.2	63	0.47	0.058
LIN 137673	Soil				1.1	14.0	8.1	53	<0.1	13.6	10.9	623	2.64	4.2	1.7	1.5	5.3	30	0.1	0.2	0.3	58	0.41	0.057
LIN 137674	Soil				1.7	10.5	5.4	30	0.1	6.5	33.2	2838	2.24	2.9	1.1	0.6	1.9	31	0.1	0.2	0.1	31	0.39	0.061
LIN 137675	Soil				0.9	23.2	11.0	63	<0.1	22.9	10.9	473	2.99	5.3	1.5	1.0	6.0	30	0.1	0.3	0.4	72	0.37	0.049
LIN 137676	Soil				0.9	22.1	10.6	62	<0.1	21.4	10.4	443	2.84	5.0	1.5	2.9	5.8	29	0.1	0.2	0.3	70	0.36	0.046
LIN 137701	Soil				0.7	18.5	8.9	60	<0.1	17.3	9.7	320	2.84	5.8	1.8	2.9	6.4	30	0.2	0.4	0.2	74	0.41	0.053
LIN 137702	Soil				0.6	15.9	8.5	55	<0.1	15.5	7.2	187	2.43	4.3	1.9	3.5	5.3	29	0.2	0.4	0.2	61	0.37	0.050
LIN 137703	Soil				0.6	21.2	10.6	61	<0.1	18.5	8.4	204	2.95	5.4	1.5	2.7	6.9	30	0.1	0.4	0.2	68	0.39	0.048
LIN 137704	Soil				1.3	22.3	11.7	62	<0.1	17.6	11.7	379	2.76	5.6	2.5	1.7	6.3	34	0.3	0.4	0.3	65	0.43	0.058
LIN 137705	Soil				2.6	23.6	23.6	62	0.2	18.9	11.2	484	2.70	5.9	3.2	4.6	3.9	47	0.4	0.4	0.4	61	0.59	0.058
LIN 137706	Soil				4.9	25.2	12.6	67	<0.1	19.4	13.3	797	3.25	5.3	2.3	5.5	8.6	25	0.2	0.3	0.3	72	0.32	0.044
LIN 137707	Soil				1.4	18.9	5.8	41	0.1	9.5	4.8	306	1.64	3.6	1.6	1.2	1.1	21	0.2	0.3	0.3	45	0.21	0.046



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

6 of 10

Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137653	Soil	12	25	0.65	143	0.155	2	1.79	0.018	0.10	0.1	0.01	4.0	0.2	<0.05	7	<0.5	<0.2
LIN 137654	Soil	24	26	0.62	240	0.124	2	1.86	0.029	0.15	0.5	0.03	5.5	0.2	<0.05	6	<0.5	<0.2
LIN 137655	Soil	14	29	0.74	170	0.162	1	2.04	0.022	0.19	0.6	0.02	4.9	0.2	<0.05	6	<0.5	<0.2
LIN 137656	Soil	12	31	0.73	220	0.162	2	2.16	0.022	0.12	0.2	0.01	4.4	0.1	<0.05	7	<0.5	<0.2
LIN 137657	Soil	13	27	0.81	307	0.144	1	1.92	0.025	0.15	0.2	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 137658	Soil	11	29	0.58	146	0.126	1	1.55	0.023	0.08	0.2	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 137659	Soil	11	27	0.53	176	0.107	2	1.63	0.023	0.06	0.2	0.03	4.0	0.1	<0.05	5	<0.5	<0.2
LIN 137661	Soil	12	29	0.65	156	0.137	1	1.80	0.022	0.07	0.2	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
LIN 137662	Soil	14	22	0.58	142	0.130	1	1.42	0.021	0.10	0.6	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
LIN 137663	Soil	14	27	0.56	121	0.127	2	1.52	0.025	0.06	0.8	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
LIN 137664	Soil	14	23	0.47	157	0.110	1	1.66	0.024	0.11	0.3	0.05	4.2	0.2	<0.05	6	<0.5	<0.2
LIN 137665	Soil	11	23	0.47	81	0.125	<1	1.39	0.027	0.08	0.2	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
LIN 137666	Soil	16	27	0.50	156	0.118	2	1.65	0.026	0.09	0.2	0.04	4.1	0.2	<0.05	6	<0.5	<0.2
LIN 137667	Soil	18	25	0.50	180	0.104	2	1.71	0.033	0.08	0.1	0.04	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 137668	Soil	16	26	0.50	163	0.113	1	1.85	0.028	0.07	0.2	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 137669	Soil	14	19	0.36	223	0.064	1	1.15	0.033	0.06	<0.1	0.04	3.6	<0.1	0.06	4	<0.5	<0.2
LIN 137670	Soil	16	20	0.39	205	0.064	3	1.26	0.022	0.08	<0.1	0.05	3.1	0.1	0.08	4	<0.5	0.3
LIN 137671	Soil	13	23	0.41	232	0.077	1	1.39	0.031	0.08	<0.1	0.04	4.4	0.1	0.06	5	<0.5	0.2
LIN 137672	Soil	18	27	0.54	202	0.114	1	1.60	0.027	0.09	0.1	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 137673	Soil	15	23	0.50	166	0.101	<1	1.56	0.025	0.08	0.1	0.03	4.2	<0.1	<0.05	5	<0.5	<0.2
LIN 137674	Soil	10	12	0.24	203	0.045	1	0.88	0.029	0.04	<0.1	0.03	2.3	<0.1	<0.05	3	<0.5	<0.2
LIN 137675	Soil	17	35	0.64	180	0.137	2	2.10	0.021	0.11	<0.1	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
LIN 137676	Soil	17	33	0.62	174	0.127	2	1.96	0.021	0.10	<0.1	0.02	5.1	0.1	<0.05	6	<0.5	<0.2
LIN 137701	Soil	15	29	0.57	143	0.148	1	1.85	0.025	0.09	0.2	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 137702	Soil	13	28	0.54	141	0.121	2	1.82	0.025	0.07	0.2	0.04	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 137703	Soil	15	30	0.63	151	0.143	2	2.06	0.025	0.09	0.5	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
LIN 137704	Soil	20	28	0.53	174	0.122	2	1.78	0.026	0.10	0.3	0.04	5.7	0.1	<0.05	6	<0.5	<0.2
LIN 137705	Soil	24	30	0.51	250	0.090	2	2.05	0.027	0.08	0.3	0.05	6.0	0.2	<0.05	6	0.6	<0.2
LIN 137706	Soil	26	32	0.66	207	0.138	1	2.06	0.023	0.08	0.4	0.03	7.0	0.2	<0.05	7	<0.5	<0.2
LIN 137707	Soil	7	18	0.28	86	0.073	1	1.04	0.031	0.05	0.2	0.03	2.1	0.1	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

7 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 137708	Soil	2.7	16.6	6.9	41	<0.1	12.1	10.1	499	2.42	5.3	2.0	2.4	3.5	25	<0.1	0.2	0.4	51	0.33
LIN 137709	Soil	4.7	23.4	9.5	59	0.1	17.9	10.4	423	3.00	6.7	2.3	7.9	6.4	45	0.2	0.4	0.5	72	0.67
LIN 137710	Soil	8.3	20.6	10.0	59	0.1	19.6	11.8	266	4.03	9.8	3.0	2.3	5.7	37	0.2	0.4	0.6	76	0.54
LIN 137712	Soil	0.9	21.2	17.8	65	0.1	20.8	12.6	596	3.25	7.4	1.8	3.7	6.0	32	0.3	0.3	1.6	70	0.38
LIN 137713	Soil	1.3	23.1	14.0	66	0.3	20.9	12.1	440	3.01	5.4	3.5	11.5	8.0	45	0.2	0.3	1.0	63	0.64
LIN 137714	Soil	1.0	11.0	8.2	23	0.5	6.3	2.6	97	1.14	2.4	0.9	2.8	1.4	32	0.1	0.2	1.3	28	0.36
LIN 137715	Soil	3.5	20.9	11.5	53	0.2	14.2	10.8	1221	2.53	5.0	2.8	4.3	4.1	49	0.2	0.3	0.3	48	0.61
LIN 137716	Soil	0.8	22.3	9.8	40	0.2	14.9	7.4	357	2.13	4.8	3.8	3.3	3.1	45	<0.1	0.3	0.5	44	0.57
LIN 137717	Soil	1.8	20.9	9.7	43	<0.1	11.6	5.5	173	2.28	5.2	0.8	2.4	2.2	17	0.1	0.3	0.2	55	0.19
LIN 137718	Soil	2.5	26.2	50.4	64	1.4	16.6	8.7	434	3.00	11.2	1.8	10.3	4.7	24	0.5	0.4	22.5	63	0.25
LIN 137719	Soil	1.9	24.2	22.2	73	1.1	18.4	11.3	711	3.70	8.8	4.4	7.8	7.1	35	0.2	0.4	4.5	71	0.51
LIN 137720	Soil	8.4	28.0	11.6	59	0.1	20.3	10.5	408	3.16	6.7	1.9	6.7	4.8	33	0.1	0.4	1.1	74	0.44
LIN 137721	Soil	3.0	28.5	12.4	59	0.1	21.4	12.7	517	3.22	7.1	1.5	3.7	5.6	36	<0.1	0.4	1.2	73	0.46
LIN 137722	Soil	3.0	24.9	12.0	63	0.1	20.4	10.7	564	3.17	7.2	2.3	3.4	5.6	37	0.1	0.4	1.0	71	0.52
LIN 137723	Soil	3.2	24.9	12.8	61	0.1	20.2	10.9	515	3.27	7.5	2.4	4.0	5.6	37	<0.1	0.4	1.1	75	0.50
LIN 137724	Soil	0.9	27.3	11.2	62	0.1	20.2	11.9	409	3.20	5.9	2.5	11.0	7.4	36	0.1	0.4	0.6	74	0.51
LIN 137725	Soil	1.4	16.3	10.2	33	0.1	8.3	3.4	156	1.45	2.2	1.2	1.3	1.2	32	0.2	0.2	0.3	34	0.38
LIN 137726	Soil	0.9	18.6	11.3	48	<0.1	18.6	9.7	264	2.85	6.7	0.6	6.7	3.7	21	0.4	0.4	0.2	69	0.23
LIN 137727	Soil	0.9	27.3	11.1	58	<0.1	20.7	9.9	348	2.93	5.5	2.9	6.4	8.7	39	0.2	0.4	0.2	68	0.49
LIN 137728	Soil	1.1	26.5	10.6	61	<0.1	21.0	12.7	317	3.68	8.7	3.5	2.0	10.4	34	0.1	0.4	0.3	80	0.50
LIN 137729	Soil	1.1	26.1	15.3	62	0.3	19.5	10.2	674	2.70	7.3	4.2	4.2	3.8	59	0.2	0.4	0.5	59	0.82
LIN 137730	Soil	1.6	17.6	11.2	54	0.1	14.3	11.4	671	2.90	6.7	1.5	2.2	3.3	36	0.2	0.3	0.4	76	0.46
LIN 137731	Soil	0.8	19.9	9.0	60	<0.1	19.0	10.9	391	2.80	5.5	1.6	3.3	4.3	36	<0.1	0.3	0.3	68	0.45
LIN 137732	Soil	0.9	27.1	8.0	65	0.1	18.0	16.6	482	4.68	9.4	0.8	2.0	3.7	23	0.1	0.4	0.2	115	0.28
LIN 137733	Soil	0.7	30.0	6.2	68	<0.1	17.6	17.1	573	4.35	8.5	1.0	1.6	3.4	31	<0.1	0.3	0.1	113	0.36
LIN 137736	Soil	0.7	24.7	7.4	55	<0.1	20.4	13.0	609	3.23	5.5	1.3	3.4	5.9	30	<0.1	0.4	0.1	80	0.41
LIN 137737	Soil	0.5	32.5	7.9	52	<0.1	24.5	14.2	379	3.45	5.4	1.4	2.1	7.1	29	0.1	0.3	0.2	83	0.40
LIN 137738	Soil	0.4	30.1	7.5	52	<0.1	23.8	13.6	274	3.08	5.9	1.0	2.0	6.8	28	<0.1	0.4	0.1	87	0.44
LIN 137739	Soil	0.8	48.9	7.3	48	0.1	28.7	16.1	248	3.43	6.2	1.8	2.3	6.9	26	0.1	0.4	0.2	98	0.44
LIN 137740	Soil	0.5	45.4	5.1	48	<0.1	29.8	13.6	375	2.98	4.2	1.0	1.9	4.8	34	<0.1	0.2	0.1	77	0.48



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 7 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137708	Soil	13	20	0.43	145	0.098	1	1.44	0.027	0.06	0.6	0.03	4.3	0.1	<0.05	5	<0.5	<0.2
LIN 137709	Soil	18	31	0.66	199	0.155	2	1.96	0.029	0.11	0.7	0.06	6.6	0.2	<0.05	6	<0.5	0.2
LIN 137710	Soil	15	34	0.69	194	0.140	2	2.04	0.023	0.10	0.4	0.04	5.9	0.2	<0.05	7	<0.5	<0.2
LIN 137712	Soil	18	30	0.67	156	0.141	2	2.04	0.025	0.15	1.1	0.02	5.4	0.2	<0.05	7	<0.5	<0.2
LIN 137713	Soil	27	30	0.63	226	0.132	2	1.68	0.038	0.15	1.0	0.03	6.4	0.1	<0.05	5	<0.5	<0.2
LIN 137714	Soil	6	14	0.21	93	0.054	1	0.72	0.027	0.05	0.3	0.04	2.2	<0.1	0.09	4	<0.5	<0.2
LIN 137715	Soil	20	23	0.45	230	0.091	2	1.51	0.028	0.11	0.1	0.05	5.3	0.2	<0.05	5	<0.5	<0.2
LIN 137716	Soil	34	23	0.41	230	0.068	2	1.51	0.031	0.07	0.3	0.04	4.7	<0.1	<0.05	4	<0.5	<0.2
LIN 137717	Soil	10	21	0.34	118	0.088	<1	1.77	0.022	0.06	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 137718	Soil	23	27	0.43	151	0.094	1	1.80	0.021	0.09	2.5	0.04	5.0	0.2	<0.05	6	<0.5	<0.2
LIN 137719	Soil	23	31	0.61	202	0.127	2	2.31	0.019	0.20	1.8	0.06	8.4	0.3	<0.05	8	<0.5	<0.2
LIN 137720	Soil	15	35	0.63	153	0.142	2	2.23	0.022	0.09	0.2	0.03	5.6	0.1	<0.05	7	<0.5	<0.2
LIN 137721	Soil	16	35	0.66	192	0.153	2	2.28	0.025	0.11	1.2	0.03	5.9	0.1	<0.05	7	<0.5	<0.2
LIN 137722	Soil	16	34	0.67	175	0.160	2	2.13	0.029	0.12	1.4	0.03	5.6	0.2	<0.05	7	<0.5	<0.2
LIN 137723	Soil	16	34	0.67	183	0.162	2	2.17	0.029	0.12	1.2	0.03	5.8	0.2	<0.05	7	<0.5	<0.2
LIN 137724	Soil	22	35	0.71	207	0.163	2	2.13	0.028	0.12	0.7	0.02	6.7	0.2	<0.05	7	<0.5	<0.2
LIN 137725	Soil	9	16	0.24	130	0.063	1	1.03	0.029	0.05	0.2	0.03	2.7	0.1	0.05	4	<0.5	<0.2
LIN 137726	Soil	10	30	0.47	129	0.130	1	2.59	0.024	0.06	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 137727	Soil	29	32	0.62	160	0.157	2	1.97	0.035	0.11	0.3	0.03	7.1	0.2	<0.05	6	<0.5	<0.2
LIN 137728	Soil	29	29	0.66	222	0.159	1	2.20	0.024	0.17	0.2	0.03	7.1	0.2	<0.05	7	<0.5	<0.2
LIN 137729	Soil	21	28	0.49	238	0.086	2	2.02	0.027	0.08	0.2	0.06	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 137730	Soil	12	26	0.54	179	0.117	2	1.71	0.029	0.08	0.2	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 137731	Soil	15	29	0.62	183	0.136	2	2.02	0.031	0.08	0.2	0.03	4.9	0.1	<0.05	7	<0.5	<0.2
LIN 137732	Soil	10	29	0.98	426	0.192	1	3.37	0.023	0.38	<0.1	0.02	7.2	0.2	<0.05	10	<0.5	<0.2
LIN 137733	Soil	12	28	1.25	531	0.243	1	2.94	0.027	0.65	0.1	0.01	7.8	0.5	<0.05	8	<0.5	<0.2
LIN 137736	Soil	16	34	0.71	197	0.149	1	2.38	0.022	0.10	0.2	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
LIN 137737	Soil	20	40	0.79	228	0.165	<1	2.52	0.020	0.14	0.1	0.04	7.4	0.2	<0.05	8	<0.5	<0.2
LIN 137738	Soil	19	41	0.83	180	0.183	2	2.19	0.029	0.16	0.1	0.04	6.2	0.1	<0.05	6	<0.5	<0.2
LIN 137739	Soil	23	44	0.87	194	0.165	2	2.39	0.022	0.16	0.2	0.05	8.3	0.1	<0.05	7	<0.5	<0.2
LIN 137740	Soil	18	42	0.84	169	0.165	1	1.93	0.029	0.24	0.2	0.03	6.6	0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

8 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 137741	Soil	0.6	36.1	7.5	60	<0.1	30.1	14.1	436	3.40	6.9	0.9	2.8	4.3	26	0.1	0.3	0.2	84	0.38
LIN 137742	Soil	0.6	23.6	7.1	51	<0.1	22.0	11.5	280	3.03	5.8	0.5	2.0	2.6	24	<0.1	0.3	0.2	77	0.32
LIN 137743	Soil	0.4	17.4	5.6	38	<0.1	15.1	8.3	179	2.41	4.1	0.4	2.4	2.2	14	<0.1	0.2	0.1	68	0.20
LIN 137744	Soil	0.7	16.0	4.7	35	<0.1	14.0	7.1	301	1.80	2.8	0.3	1.6	1.7	12	<0.1	0.2	0.2	56	0.17
LIN 137745	Soil	0.5	19.3	6.3	50	<0.1	22.3	13.9	612	3.11	4.3	1.1	4.4	5.5	23	<0.1	0.2	1.1	72	0.39
LIN 137746	Soil	0.6	18.3	6.6	54	<0.1	17.7	12.8	675	3.23	6.0	2.1	2.4	6.2	25	0.1	0.3	0.2	68	0.43
LIN 137747	Soil	1.3	23.0	7.6	61	0.2	20.5	12.9	458	3.44	7.3	1.3	3.8	3.9	33	<0.1	0.3	0.2	72	0.51
LIN 137748	Soil	0.8	24.3	7.2	53	0.1	19.9	9.5	264	2.23	6.3	1.6	3.2	2.7	30	0.1	0.2	0.2	54	0.43
LIN 137749	Soil	1.1	22.6	9.6	61	0.2	18.9	12.6	432	2.82	23.1	1.7	4.4	4.2	31	0.1	0.3	0.3	72	0.43
LIN 137750	Soil	2.2	22.3	15.5	63	0.4	20.9	15.2	1226	2.76	55.8	2.3	5.9	3.0	35	0.1	0.4	0.6	69	0.46
LIN 137751	Soil	1.3	13.4	13.6	63	0.2	16.1	12.0	560	2.72	36.9	1.0	4.7	4.2	32	0.2	0.3	0.5	67	0.48
LIN 137752	Soil	3.6	12.4	15.2	71	0.2	13.8	29.4	3506	4.28	130.3	1.1	4.4	4.5	33	0.3	0.3	0.4	80	0.44
LIN 137753	Soil	3.8	20.1	15.8	57	0.3	17.4	10.5	550	2.27	39.3	3.0	4.1	3.6	35	0.3	0.3	0.6	57	0.41
LIN 137754	Soil	1.2	7.3	5.8	11	<0.1	2.6	1.5	60	0.79	2.5	0.3	3.8	0.5	8	<0.1	0.1	0.2	28	0.05
LIN 137755	Soil	2.9	27.4	10.0	67	0.1	22.5	10.9	443	2.77	14.8	2.5	3.8	3.5	30	0.1	0.3	0.3	66	0.33
LIN 137756	Soil	0.6	16.0	9.8	58	<0.1	15.9	9.1	377	2.58	19.3	0.9	3.9	5.3	19	0.2	0.2	0.3	61	0.26
LIN 137757	Soil	0.5	16.7	7.9	56	<0.1	16.6	10.0	426	2.58	11.5	1.2	4.8	7.8	20	0.2	0.2	0.2	64	0.31
LIN 137758	Soil	0.5	13.6	7.4	35	<0.1	9.7	4.7	135	1.73	5.2	1.0	2.1	1.5	16	<0.1	0.2	0.2	42	0.14
LIN 137759	Soil	0.6	24.2	11.6	69	0.1	22.3	10.8	461	3.04	6.2	2.0	4.0	7.8	33	0.2	0.3	0.3	65	0.49
LIN 137760	Soil	1.2	19.6	9.6	67	0.1	17.3	12.3	975	3.05	5.9	2.8	20.8	5.9	38	0.1	0.3	0.2	54	0.55
LIN 137761	Soil	0.7	27.4	8.1	65	<0.1	21.7	10.6	386	3.19	5.5	2.3	5.2	7.8	33	0.2	0.3	0.2	72	0.52
LIN 137762	Soil	1.5	27.9	23.1	62	0.1	23.2	9.9	340	2.98	5.2	3.8	3.2	8.3	36	<0.1	0.3	0.5	69	0.54
LIN 137763	Soil	2.8	39.8	12.3	82	0.3	29.0	15.7	1645	4.57	8.8	6.9	6.4	7.5	57	0.2	0.5	0.6	80	0.87
LIN 137764	Soil	0.7	24.6	9.6	58	<0.1	21.1	11.1	248	3.32	6.5	3.1	2.7	8.4	31	0.1	0.4	0.2	76	0.44
LIN 137765	Soil	1.2	32.3	12.9	54	0.1	19.5	11.5	225	3.74	8.3	2.7	3.0	6.7	32	0.2	0.4	0.3	68	0.43
LIN 137766	Soil	0.8	12.8	18.6	55	<0.1	11.2	9.6	476	2.78	23.2	1.0	2.2	27.0	24	<0.1	0.5	0.1	45	0.30
LIN 137767	Soil	1.4	11.2	17.0	57	<0.1	13.4	10.3	490	2.66	20.4	0.7	3.8	8.5	34	0.1	0.5	0.2	70	0.44
LIN 137768	Soil	0.9	14.0	23.1	60	0.1	11.5	7.2	265	2.56	29.6	3.1	11.8	11.4	32	0.1	0.7	0.2	50	0.38
LIN 137769	Soil	0.9	16.1	14.9	57	<0.1	13.9	9.5	320	2.46	20.9	2.5	5.5	7.3	31	0.2	0.5	0.2	53	0.33
LIN 137770	Soil	1.2	15.7	29.2	60	<0.1	10.5	6.4	158	2.48	62.7	2.4	11.4	16.4	24	0.2	2.0	0.1	48	0.29



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 8 of 10 Part 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137741	Soil	14	48	0.95	230	0.145	2	2.96	0.020	0.20	0.2	0.03	5.4	0.1	<0.05	8	<0.5	<0.2
LIN 137742	Soil	10	36	0.73	154	0.115	2	2.33	0.017	0.09	0.2	0.03	4.1	<0.1	<0.05	7	<0.5	<0.2
LIN 137743	Soil	7	28	0.64	83	0.135	2	2.04	0.017	0.09	0.2	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 137744	Soil	7	40	0.48	79	0.087	1	1.05	0.016	0.08	0.1	0.05	2.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137745	Soil	15	40	0.98	235	0.157	2	2.20	0.020	0.21	0.2	0.03	4.9	0.1	<0.05	6	<0.5	0.2
LIN 137746	Soil	17	31	0.70	221	0.106	<1	1.83	0.017	0.11	0.3	0.03	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 137747	Soil	19	39	0.84	243	0.129	2	1.93	0.022	0.20	0.2	0.04	5.3	0.2	<0.05	7	<0.5	<0.2
LIN 137748	Soil	16	38	0.66	211	0.101	1	1.77	0.026	0.08	0.2	0.05	3.9	0.1	0.07	6	<0.5	<0.2
LIN 137749	Soil	15	30	0.65	193	0.119	2	1.97	0.025	0.08	0.2	0.05	4.8	0.1	<0.05	7	<0.5	<0.2
LIN 137750	Soil	15	33	0.63	222	0.086	2	1.99	0.024	0.06	0.2	0.05	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 137751	Soil	12	27	0.70	165	0.130	2	1.81	0.025	0.06	0.4	0.03	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 137752	Soil	11	26	0.56	228	0.101	2	1.74	0.023	0.07	0.3	0.04	4.0	0.2	<0.05	6	<0.5	<0.2
LIN 137753	Soil	18	29	0.50	179	0.097	2	1.80	0.028	0.06	0.3	0.07	4.4	0.1	<0.05	6	<0.5	0.2
LIN 137754	Soil	4	8	0.07	29	0.055	<1	0.63	0.018	0.03	0.1	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
LIN 137755	Soil	15	32	0.64	189	0.110	2	2.32	0.029	0.08	0.2	0.05	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 137756	Soil	13	25	0.55	79	0.122	1	1.72	0.022	0.13	0.2	0.03	3.3	0.2	<0.05	6	<0.5	<0.2
LIN 137757	Soil	18	25	0.53	100	0.129	1	1.69	0.021	0.16	0.3	0.03	3.9	0.2	<0.05	6	<0.5	<0.2
LIN 137758	Soil	11	17	0.31	80	0.075	1	1.42	0.026	0.05	0.1	0.03	2.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137759	Soil	24	38	0.62	267	0.121	2	1.85	0.031	0.13	0.2	0.04	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 137760	Soil	27	26	0.55	445	0.070	1	1.88	0.023	0.14	0.1	0.04	5.3	0.2	<0.05	6	<0.5	<0.2
LIN 137761	Soil	24	33	0.70	197	0.148	2	1.78	0.036	0.14	0.1	0.02	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 137762	Soil	23	40	0.75	215	0.137	2	2.00	0.027	0.15	0.5	0.04	6.4	0.2	<0.05	6	<0.5	<0.2
LIN 137763	Soil	36	46	0.81	694	0.106	2	3.30	0.025	0.19	0.2	0.08	10.7	0.2	<0.05	8	<0.5	<0.2
LIN 137764	Soil	24	32	0.73	264	0.145	1	2.26	0.026	0.12	0.1	0.05	6.4	0.2	<0.05	7	<0.5	<0.2
LIN 137765	Soil	20	32	0.53	189	0.121	2	1.91	0.029	0.11	<0.1	0.04	6.6	0.1	<0.05	6	<0.5	<0.2
LIN 137766	Soil	42	17	0.46	254	0.048	<1	1.74	0.016	0.21	<0.1	0.01	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137767	Soil	18	24	0.59	218	0.104	1	1.72	0.019	0.12	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137768	Soil	27	22	0.48	353	0.061	<1	2.14	0.021	0.13	0.4	0.06	4.9	0.1	<0.05	6	<0.5	<0.2
LIN 137769	Soil	21	26	0.46	237	0.067	<1	1.97	0.021	0.10	<0.1	0.06	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 137770	Soil	28	20	0.38	180	0.076	<1	1.80	0.018	0.10	<0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

9 of 10

Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 137771	Soil	0.9	26.5	35.2	69	0.2	18.1	9.3	236	3.05	67.4	2.2	24.1	6.7	30	0.3	2.4	0.2	66	0.37	0.042
LIN 137772	Soil	1.2	23.9	17.0	50	<0.1	9.9	9.6	554	3.42	131.7	1.8	20.3	10.2	15	0.2	2.6	0.2	68	0.15	0.032
LIN 137773	Soil	1.0	14.0	67.7	77	0.2	9.2	4.9	271	2.27	33.3	1.1	3.8	9.9	21	0.5	2.1	0.1	48	0.19	0.020
LIN 137774	Soil	1.1	16.4	15.5	56	<0.1	12.2	6.0	262	2.45	18.8	0.7	3.8	2.3	15	0.5	0.8	0.2	61	0.13	0.040
LIN 137775	Soil	1.0	24.8	10.3	56	<0.1	24.6	12.9	325	3.76	11.1	0.5	3.2	4.6	24	0.2	0.5	0.2	95	0.23	0.017
LIN 137776	Soil	0.7	14.1	17.1	60	<0.1	6.0	7.1	242	2.95	3.5	2.4	1.4	28.8	8	<0.1	0.5	0.2	31	0.07	0.019
LIN 137777	Soil	1.0	24.7	14.2	53	<0.1	15.2	8.5	359	2.99	6.8	2.0	3.3	22.8	25	0.1	1.2	0.2	53	0.22	0.014
LIN 137778	Soil	0.8	21.1	35.5	59	<0.1	11.1	5.1	224	1.91	18.1	1.3	10.8	11.5	26	0.4	1.9	0.3	45	0.28	0.018
LIN 137779	Soil	1.3	57.8	20.4	59	0.2	15.0	8.2	334	2.71	18.9	1.2	17.0	9.0	27	0.2	10.6	0.3	57	0.29	0.015
LIN 137780	Soil	1.6	54.6	35.5	51	<0.1	13.4	7.7	333	2.44	67.8	1.7	48.2	12.3	29	0.2	2.3	0.4	52	0.30	0.019
LIN 137781	Soil	0.9	23.5	17.0	49	<0.1	15.5	8.6	276	2.65	19.3	1.5	14.3	14.2	26	0.2	1.2	0.3	60	0.27	0.013
LIN 137782	Soil	1.7	19.3	15.5	60	0.1	10.5	5.5	261	2.67	11.3	1.8	6.1	16.2	15	0.5	0.7	0.5	53	0.13	0.027
LIN 137783	Soil	1.0	18.3	10.9	39	<0.1	14.2	6.8	238	2.45	15.5	1.0	17.4	10.0	27	0.3	0.5	0.3	66	0.27	0.015
LIN 137784	Soil	2.0	32.0	20.3	49	<0.1	10.0	7.1	264	2.33	11.7	1.8	8.8	20.2	19	0.2	1.2	1.2	45	0.18	0.022
LIN 137785	Soil	1.2	17.8	12.2	51	<0.1	13.4	7.6	328	2.70	5.0	1.1	2.3	12.4	20	0.2	0.6	0.2	65	0.18	0.018
LIN 137786	Soil	0.9	14.5	6.3	51	<0.1	12.2	7.8	256	2.69	5.4	1.6	0.8	16.5	20	<0.1	0.5	0.1	55	0.20	0.019
LIN 137787	Soil	1.1	20.1	12.1	47	<0.1	19.8	9.9	236	3.14	23.7	0.8	8.3	6.7	23	0.1	0.8	0.2	80	0.21	0.015
LIN 137790	Soil	0.5	28.7	7.3	51	<0.1	20.9	9.3	281	2.72	4.2	1.2	3.2	4.1	36	<0.1	0.3	0.2	65	0.49	0.062
LIN 137791	Soil	0.5	33.7	6.8	53	<0.1	25.2	9.7	338	2.92	4.5	2.4	7.1	6.3	39	0.1	0.3	0.2	72	0.56	0.063
LIN 137792	Soil	0.6	34.3	7.3	60	0.1	30.9	11.8	473	3.23	4.9	2.5	3.7	4.8	45	<0.1	0.4	0.5	79	0.69	0.065
LIN 137793	Soil	1.5	28.8	8.3	69	0.2	18.4	11.3	644	3.31	4.5	4.6	4.0	6.1	40	0.2	0.4	1.7	70	0.58	0.070
LIN 137794	Soil	0.9	29.6	8.1	62	<0.1	21.9	11.7	575	3.32	4.9	2.4	2.5	8.7	36	0.1	0.3	0.3	76	0.48	0.059
LIN 137795	Soil	1.1	24.8	15.1	67	<0.1	17.7	9.9	536	3.35	4.0	2.1	3.1	8.2	34	<0.1	0.3	1.1	72	0.50	0.081
LIN 137796	Soil	0.7	22.4	7.2	54	<0.1	21.3	11.0	367	3.30	5.4	0.9	1.6	4.8	28	<0.1	0.3	0.2	78	0.39	0.053
LIN 137797	Soil	0.5	24.9	10.4	58	<0.1	22.1	10.9	452	3.16	5.4	1.2	1.5	7.9	32	0.1	0.3	0.1	76	0.43	0.060
LIN 137798	Soil	0.9	27.3	7.1	55	<0.1	21.6	10.1	469	3.11	5.1	2.0	4.5	5.8	33	<0.1	0.3	0.2	73	0.42	0.061
LIN 137799	Soil	1.5	33.0	13.9	58	0.2	19.0	11.7	585	3.20	5.4	1.6	1.7	3.6	31	0.1	0.4	0.2	73	0.34	0.041
LIN 137807	Soil	0.5	21.5	9.0	60	<0.1	18.6	10.6	350	2.82	35.8	2.0	2.1	5.3	36	0.1	0.5	0.1	75	0.45	0.061
LIN 137808	Soil	0.5	23.8	10.2	59	<0.1	19.1	10.5	291	2.79	18.7	3.0	3.5	5.9	38	0.2	0.5	0.1	81	0.48	0.061
LIN 137809	Soil	0.6	16.3	7.9	57	<0.1	18.0	10.6	356	2.73	7.9	2.5	2.0	4.2	41	0.1	0.4	0.1	74	0.51	0.064



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 9 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137771	Soil	17	31	0.65	216	0.136	1	2.75	0.022	0.11	0.1	0.05	4.9	0.2	<0.05	8	<0.5	<0.2
LIN 137772	Soil	23	21	0.97	110	0.201	<1	2.16	0.016	0.58	0.1	0.01	4.5	0.3	<0.05	10	<0.5	<0.2
LIN 137773	Soil	23	17	0.28	124	0.066	<1	1.42	0.017	0.09	<0.1	0.01	2.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137774	Soil	17	22	0.30	111	0.051	<1	1.50	0.015	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.2
LIN 137775	Soil	11	40	0.63	241	0.130	<1	2.86	0.018	0.07	<0.1	0.01	4.0	0.1	<0.05	8	<0.5	0.3
LIN 137776	Soil	41	11	0.19	100	0.009	<1	1.68	0.008	0.09	<0.1	0.02	2.8	0.2	<0.05	4	<0.5	<0.2
LIN 137777	Soil	35	24	0.48	254	0.076	<1	1.74	0.017	0.11	0.1	<0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137778	Soil	23	20	0.35	189	0.102	<1	1.06	0.029	0.08	0.1	0.02	3.6	<0.1	<0.05	3	<0.5	<0.2
LIN 137779	Soil	17	26	0.51	157	0.121	<1	1.53	0.022	0.07	0.1	0.01	4.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137780	Soil	24	23	0.40	143	0.107	<1	1.13	0.029	0.05	0.1	0.02	4.2	<0.1	<0.05	3	<0.5	<0.2
LIN 137781	Soil	27	26	0.46	172	0.096	<1	1.47	0.016	0.07	0.1	0.01	3.9	<0.1	<0.05	4	<0.5	<0.2
LIN 137782	Soil	40	18	0.28	85	0.053	<1	1.53	0.012	0.09	<0.1	0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
LIN 137783	Soil	20	26	0.41	167	0.089	<1	1.47	0.018	0.06	0.1	0.01	3.4	<0.1	<0.05	4	<0.5	<0.2
LIN 137784	Soil	39	19	0.26	127	0.046	<1	1.16	0.015	0.10	<0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2
LIN 137785	Soil	26	21	0.37	213	0.058	<1	1.88	0.017	0.05	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5	<0.2
LIN 137786	Soil	33	20	0.57	258	0.076	<1	1.95	0.014	0.13	<0.1	<0.01	2.6	0.1	<0.05	7	<0.5	<0.2
LIN 137787	Soil	14	35	0.50	249	0.073	<1	2.60	0.014	0.07	0.1	0.01	3.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137790	Soil	15	31	0.72	224	0.150	<1	2.11	0.025	0.09	0.1	0.03	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 137791	Soil	20	36	0.81	277	0.179	<1	2.06	0.032	0.14	0.3	0.02	7.1	0.2	<0.05	6	<0.5	<0.2
LIN 137792	Soil	17	53	0.98	301	0.184	<1	2.20	0.038	0.18	2.4	0.03	8.0	0.2	<0.05	7	<0.5	<0.2
LIN 137793	Soil	24	28	0.68	289	0.165	<1	2.07	0.035	0.20	1.0	0.02	6.8	0.2	<0.05	7	<0.5	<0.2
LIN 137794	Soil	27	35	0.77	269	0.167	1	2.27	0.025	0.17	0.2	0.02	8.3	0.2	<0.05	6	<0.5	<0.2
LIN 137795	Soil	27	29	0.79	225	0.194	<1	2.02	0.027	0.30	0.3	0.01	7.2	0.3	<0.05	6	<0.5	<0.2
LIN 137796	Soil	14	32	0.74	191	0.174	<1	2.53	0.021	0.09	0.2	0.01	5.5	0.1	<0.05	7	<0.5	<0.2
LIN 137797	Soil	22	33	0.81	215	0.170	<1	2.02	0.025	0.13	<0.1	0.01	5.9	0.2	<0.05	6	<0.5	<0.2
LIN 137798	Soil	20	32	0.70	232	0.162	<1	2.21	0.025	0.13	0.2	0.02	6.7	0.2	<0.05	6	<0.5	<0.2
LIN 137799	Soil	18	32	0.45	354	0.089	<1	2.45	0.023	0.08	<0.1	0.03	5.4	0.1	<0.05	8	<0.5	<0.2
LIN 137807	Soil	11	29	0.73	162	0.154	<1	2.15	0.026	0.09	0.1	0.03	4.6	0.2	<0.05	7	<0.5	<0.2
LIN 137808	Soil	15	31	0.66	182	0.150	1	2.08	0.031	0.07	0.1	0.03	5.3	0.2	<0.05	7	<0.5	<0.2
LIN 137809	Soil	11	28	0.66	164	0.139	<1	1.99	0.028	0.07	0.1	0.05	4.3	0.2	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 10 of 10 Part 1

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15			
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137810	Soil		0.5	30.0	9.8	59	<0.1	21.7	12.0	392	3.03	13.2	3.7	2.5	6.9	44	0.2	0.5	0.2	81	0.57	0.061		
LIN 137811	Soil		0.6	18.8	18.1	48	0.1	13.4	9.0	314	2.38	68.6	2.1	2.9	4.7	32	0.2	0.6	0.2	64	0.39	0.049		
LIN 137812	Soil		0.6	26.8	39.2	72	0.4	18.4	11.1	500	2.91	477.4	2.6	18.5	6.8	42	0.4	2.5	1.1	72	0.53	0.062		
LIN 137821	Soil		0.5	19.8	31.2	88	0.2	14.0	13.4	638	3.70	77.1	0.9	2.7	5.9	28	0.3	1.7	0.2	93	0.42	0.074		
LIN 137822	Soil		0.4	15.6	14.6	70	0.3	8.4	13.3	768	3.22	58.2	1.2	20.2	4.8	23	0.1	1.4	0.3	85	0.34	0.077		
LIN 137823	Soil		0.3	14.2	24.8	75	0.6	10.7	10.7	376	3.17	55.4	0.9	5.8	4.1	27	0.2	0.7	0.5	83	0.40	0.074		
LIN 137824	Soil		0.3	18.6	15.7	67	0.1	17.0	9.3	299	2.72	25.5	1.2	3.8	4.4	37	0.2	0.6	0.2	73	0.51	0.061		
LIN 137825	Soil		0.5	21.7	17.0	66	0.2	16.8	10.9	449	2.93	30.2	1.4	14.5	3.6	37	0.2	0.6	0.3	77	0.47	0.056		
LIN 137826	Soil		0.5	19.2	13.3	60	0.1	16.1	12.9	566	2.85	27.0	1.0	4.5	3.1	33	0.2	0.5	0.2	76	0.44	0.050		
LIN 137827	Soil		0.4	18.9	12.6	62	0.2	15.5	10.4	403	2.76	28.4	1.2	7.4	3.2	41	0.2	0.5	0.3	73	0.61	0.059		
LIN 137828	Soil		0.4	16.8	11.0	63	0.1	15.1	11.5	549	2.87	41.1	1.0	4.9	3.5	37	0.2	0.5	0.2	79	0.55	0.062		
LIN 137829	Soil		0.5	30.1	7.1	55	<0.1	23.1	10.3	318	3.18	8.6	0.6	4.2	4.3	33	0.1	0.5	0.1	80	0.45	0.065		
LIN 137830	Soil		1.2	21.8	9.0	54	<0.1	17.2	7.0	215	3.25	32.2	0.5	5.4	1.6	28	0.3	0.5	0.2	98	0.29	0.054		
LIN 137831	Soil		0.9	23.8	8.1	44	<0.1	9.1	9.9	472	2.25	22.5	0.5	4.5	1.2	15	0.2	0.5	0.1	62	0.15	0.044		
LIN 137832	Soil		0.5	38.2	3.8	77	<0.1	55.4	22.3	425	4.37	54.3	0.8	7.7	3.3	77	0.1	1.0	<0.1	59	1.10	0.190		
LIN 137833	Soil		0.7	24.9	6.8	61	0.1	20.9	11.6	430	3.02	44.3	0.9	13.9	3.6	41	0.1	1.0	<0.1	93	0.58	0.076		
LIN 137834	Soil		0.5	26.1	7.0	60	<0.1	23.6	12.9	487	3.17	29.4	0.9	11.4	4.4	33	0.1	1.0	<0.1	97	0.44	0.064		
LIN 137835	Soil		0.6	30.1	7.9	62	0.1	22.6	12.5	434	3.09	35.2	1.6	26.2	3.8	34	0.2	1.1	<0.1	89	0.45	0.058		
LIN 137836	Soil		0.5	27.5	10.7	59	0.1	23.3	10.9	244	2.66	27.7	1.3	19.1	5.7	30	0.2	1.1	0.1	90	0.44	0.061		
LIN 137837	Soil		0.7	17.8	7.3	46	<0.1	15.5	8.2	269	2.42	14.7	0.6	4.0	1.8	25	0.1	0.4	<0.1	71	0.32	0.043		
LIN 137838	Soil		0.8	35.1	8.8	41	0.2	15.8	6.7	248	2.26	8.7	2.0	3.3	1.2	29	0.2	0.5	0.1	64	0.34	0.054		
LIN 137839	Soil		0.8	24.0	7.6	57	<0.1	17.0	9.6	428	2.74	10.2	1.1	2.4	2.3	27	0.2	0.6	0.1	82	0.31	0.042		
LIN 137840	Soil		0.7	21.8	6.1	47	<0.1	15.2	7.4	301	2.13	6.7	1.6	3.4	1.3	33	0.1	0.4	<0.1	61	0.40	0.061		
LIN 137841	Soil		0.7	20.8	8.7	66	<0.1	21.6	12.5	610	3.22	51.0	1.0	9.1	4.5	32	0.1	0.5	<0.1	85	0.43	0.057		
LIN 137842	Soil		0.5	30.5	8.8	65	<0.1	24.3	13.0	338	3.26	13.5	2.0	6.8	4.5	31	0.2	0.5	<0.1	92	0.43	0.072		
LIN 137843	Soil		0.6	28.9	8.1	75	<0.1	24.8	11.8	408	3.28	15.4	1.4	7.8	4.0	39	<0.1	0.5	0.1	87	0.51	0.095		
LIN 137844	Soil		0.6	30.7	8.1	77	<0.1	24.6	12.2	408	3.30	15.7	1.5	6.3	3.8	39	0.1	0.4	<0.1	86	0.51	0.095		
LIN 137845	Soil		0.6	26.2	9.7	65	<0.1	23.3	12.5	374	3.20	15.9	1.7	6.2	3.4	32	0.2	0.6	0.1	86	0.41	0.079		
LIN 137846	Soil		0.8	26.5	10.3	63	0.1	21.8	10.8	525	2.81	13.0	2.5	6.7	2.3	33	0.2	0.6	0.1	79	0.39	0.082		
LIN 137847	Soil		0.6	22.2	11.4	68	<0.1	23.9	11.0	297	2.83	11.1	1.9	4.9	4.1	30	0.1	0.6	0.1	80	0.42	0.068		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 12, 2010

Page: 10 of 10 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 137810	Soil	17	32	0.72	200	0.170	1	2.13	0.037	0.07	0.1	0.03	6.1	0.2	<0.05	6	<0.5
LIN 137811	Soil	11	24	0.53	115	0.138	1	1.72	0.031	0.07	0.1	0.03	3.8	0.2	<0.05	6	<0.5
LIN 137812	Soil	15	28	0.69	167	0.152	<1	2.01	0.032	0.13	0.1	0.04	5.2	0.3	<0.05	6	<0.5
LIN 137821	Soil	15	24	1.05	208	0.178	<1	2.26	0.023	0.36	0.2	0.02	6.2	0.3	<0.05	7	<0.5
LIN 137822	Soil	13	15	0.98	190	0.192	<1	2.04	0.025	0.47	0.2	0.02	6.0	0.4	<0.05	7	<0.5
LIN 137823	Soil	10	19	0.99	200	0.205	<1	2.20	0.027	0.46	<0.1	0.04	5.4	0.4	<0.05	7	<0.5
LIN 137824	Soil	13	27	0.74	168	0.163	1	1.95	0.036	0.15	0.2	0.04	5.8	0.2	<0.05	6	<0.5
LIN 137825	Soil	13	28	0.70	204	0.143	<1	2.08	0.031	0.08	<0.1	0.02	5.6	0.1	<0.05	7	<0.5
LIN 137826	Soil	10	25	0.69	183	0.131	<1	1.91	0.028	0.07	<0.1	0.03	4.6	0.1	<0.05	6	<0.5
LIN 137827	Soil	11	25	0.74	209	0.153	<1	1.94	0.030	0.11	0.2	0.03	5.2	0.1	<0.05	6	<0.5
LIN 137828	Soil	12	24	0.75	205	0.154	1	1.91	0.032	0.11	0.2	0.02	5.1	0.1	<0.05	6	<0.5
LIN 137829	Soil	11	38	0.69	153	0.167	1	2.52	0.025	0.09	0.1	0.04	5.6	0.1	<0.05	7	<0.5
LIN 137830	Soil	7	33	0.49	126	0.122	2	1.75	0.017	0.05	<0.1	0.04	3.2	<0.1	<0.05	9	<0.5
LIN 137831	Soil	8	19	0.30	97	0.073	1	1.59	0.029	0.03	<0.1	0.02	2.2	<0.1	<0.05	6	<0.5
LIN 137832	Soil	24	38	1.95	156	0.101	<1	2.33	0.136	0.12	<0.1	0.01	3.5	0.2	<0.05	7	<0.5
LIN 137833	Soil	10	30	0.74	203	0.135	1	1.81	0.043	0.10	0.2	0.04	3.9	<0.1	<0.05	6	<0.5
LIN 137834	Soil	12	31	0.80	258	0.146	2	2.16	0.039	0.09	0.1	0.02	4.0	<0.1	<0.05	6	<0.5
LIN 137835	Soil	14	30	0.76	250	0.136	2	2.22	0.035	0.08	0.2	0.03	4.5	<0.1	<0.05	6	<0.5
LIN 137836	Soil	13	34	0.86	245	0.155	2	2.37	0.031	0.10	0.2	0.05	4.9	<0.1	<0.05	7	<0.5
LIN 137837	Soil	7	22	0.53	173	0.101	2	1.60	0.027	0.05	0.1	0.02	2.5	<0.1	<0.05	6	<0.5
LIN 137838	Soil	10	25	0.42	205	0.077	1	1.71	0.025	0.05	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5
LIN 137839	Soil	9	26	0.56	181	0.116	1	1.65	0.025	0.07	0.1	0.02	3.1	<0.1	<0.05	7	<0.5
LIN 137840	Soil	10	23	0.47	158	0.080	1	1.44	0.028	0.06	0.2	0.03	2.8	<0.1	<0.05	5	<0.5
LIN 137841	Soil	10	32	0.75	200	0.143	2	2.00	0.027	0.10	0.2	0.02	3.7	<0.1	<0.05	7	<0.5
LIN 137842	Soil	16	35	0.78	233	0.141	2	2.15	0.029	0.09	0.2	0.02	5.0	0.1	<0.05	7	<0.5
LIN 137843	Soil	16	35	0.86	250	0.135	2	2.19	0.029	0.11	0.1	0.02	5.2	<0.1	<0.05	7	<0.5
LIN 137844	Soil	16	35	0.85	244	0.134	1	2.19	0.028	0.11	0.1	0.03	5.2	<0.1	<0.05	7	<0.5
LIN 137845	Soil	15	35	0.77	242	0.120	1	2.35	0.024	0.09	<0.1	0.03	5.2	<0.1	<0.05	7	<0.5
LIN 137846	Soil	14	35	0.70	231	0.099	1	2.31	0.023	0.08	0.1	0.05	4.6	<0.1	<0.05	7	<0.5
LIN 137847	Soil	11	34	0.77	227	0.124	1	2.37	0.026	0.09	0.2	0.04	4.4	<0.1	<0.05	7	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000364.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LIN 137533	Soil	1.4	13.0	12.1	51	0.1	15.4	13.4	1017	2.40	5.3	2.0	6.5	5.0	40	0.1	0.3	0.2	49	0.59	0.054
REP LIN 137533	QC	1.3	12.6	12.4	51	0.1	15.3	13.2	1057	2.33	5.1	1.9	2.3	5.3	40	0.1	0.3	0.2	50	0.56	0.051
LIN 137560	Soil	1.3	13.7	3.4	38	<0.1	37.2	8.5	221	1.80	2.1	0.7	0.6	2.0	24	<0.1	0.1	0.1	37	0.40	0.054
REP LIN 137560	QC	1.2	13.9	3.5	40	<0.1	35.7	8.1	214	1.83	2.1	0.7	0.8	2.1	24	<0.1	0.1	0.1	36	0.39	0.055
LIN 137574	Soil	0.9	31.8	12.4	61	0.2	25.1	10.3	355	3.32	5.2	1.7	5.2	10.0	29	0.2	0.3	0.3	70	0.46	0.045
REP LIN 137574	QC	1.0	33.9	12.2	61	0.2	26.2	10.3	360	3.39	5.1	1.7	5.0	9.9	31	0.3	0.4	0.2	71	0.44	0.046
LIN 137586	Soil	1.0	16.2	6.4	40	<0.1	13.9	7.7	364	2.35	4.9	0.6	1.8	3.1	21	<0.1	0.2	0.2	63	0.27	0.030
REP LIN 137586	QC	1.2	15.3	6.5	42	<0.1	15.2	7.8	364	2.35	4.9	0.6	1.6	3.2	21	<0.1	0.2	0.2	65	0.28	0.031
LIN 137638	Soil	2.1	25.1	8.6	57	0.1	21.3	9.9	377	2.85	4.2	6.2	2.5	7.0	35	0.1	0.3	0.2	69	0.56	0.048
REP LIN 137638	QC	1.8	24.9	8.6	57	0.1	21.2	10.4	374	2.80	4.4	6.1	8.8	7.1	36	0.2	0.3	0.2	69	0.55	0.047
LIN 137647	Soil	0.7	21.7	6.5	45	0.1	14.9	9.1	322	2.57	4.1	3.1	3.4	3.9	34	<0.1	0.3	0.3	60	0.51	0.059
REP LIN 137647	QC	0.8	22.8	6.4	46	0.1	15.1	9.7	341	2.67	4.5	3.1	3.4	4.1	37	<0.1	0.3	0.3	63	0.53	0.060
LIN 137670	Soil	0.9	17.4	7.0	51	0.1	14.2	7.4	475	1.94	3.4	4.0	1.6	1.9	49	0.2	0.2	0.1	44	0.66	0.070
REP LIN 137670	QC	0.8	17.4	7.0	50	0.1	13.9	7.5	479	1.91	3.2	4.1	3.9	1.9	49	0.2	0.3	0.2	45	0.68	0.069
LIN 137671	Soil	1.2	16.1	6.7	48	0.1	12.6	17.2	1296	2.62	4.8	3.8	1.5	2.8	47	0.2	0.2	0.2	54	0.55	0.076
REP LIN 137671	QC	1.3	16.1	6.7	47	0.1	12.6	17.2	1251	2.54	4.8	3.8	2.4	2.6	47	0.1	0.3	0.2	51	0.55	0.079
LIN 137717	Soil	1.8	20.9	9.7	43	<0.1	11.6	5.5	173	2.28	5.2	0.8	2.4	2.2	17	0.1	0.3	0.2	55	0.19	0.041
REP LIN 137717	QC	1.7	21.2	9.3	44	<0.1	11.2	5.3	172	2.24	5.1	0.8	2.5	2.2	17	0.1	0.3	0.2	55	0.18	0.042
LIN 137724	Soil	0.9	27.3	11.2	62	0.1	20.2	11.9	409	3.20	5.9	2.5	11.0	7.4	36	0.1	0.4	0.6	74	0.51	0.069
REP LIN 137724	QC	1.0	27.2	11.2	62	0.1	21.1	11.8	411	3.24	5.8	2.5	4.7	7.4	35	0.1	0.3	0.7	76	0.51	0.067
LIN 137750	Soil	2.2	22.3	15.5	63	0.4	20.9	15.2	1226	2.76	55.8	2.3	5.9	3.0	35	0.1	0.4	0.6	69	0.46	0.068
REP LIN 137750	QC	2.2	24.3	16.2	66	0.4	21.9	15.9	1295	2.90	59.3	2.4	7.0	3.1	37	0.1	0.4	0.6	73	0.50	0.073
LIN 137774	Soil	1.1	16.4	15.5	56	<0.1	12.2	6.0	262	2.45	18.8	0.7	3.8	2.3	15	0.5	0.8	0.2	61	0.13	0.040
REP LIN 137774	QC	1.2	16.6	15.8	56	<0.1	12.3	6.1	265	2.49	18.7	0.7	2.4	2.5	15	0.4	0.8	0.2	62	0.13	0.041
LIN 137785	Soil	1.2	17.8	12.2	51	<0.1	13.4	7.6	328	2.70	5.0	1.1	2.3	12.4	20	0.2	0.6	0.2	65	0.18	0.018
REP LIN 137785	QC	1.2	17.4	12.1	50	<0.1	12.9	7.6	330	2.75	5.2	1.1	1.0	12.7	20	0.2	0.7	0.3	65	0.18	0.020
LIN 137829	Soil	0.5	30.1	7.1	55	<0.1	23.1	10.3	318	3.18	8.6	0.6	4.2	4.3	33	0.1	0.5	0.1	80	0.45	0.065
REP LIN 137829	QC	0.5	30.0	7.0	54	<0.1	24.5	10.1	324	3.19	8.5	0.6	3.9	4.2	33	0.1	0.5	0.1	79	0.43	0.065



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 1 of 2 Part 2

QUALITY CONTROL REPORT

WHI10000364.1

Method Analyte Unit MDL		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
LIN 137533	Soil	20	30	0.55	155	0.045	1	1.15	0.021	0.11	0.1	0.05	4.2	0.1	0.07	5	<0.5	<0.2
REP LIN 137533	QC	20	29	0.53	157	0.042	1	1.13	0.020	0.10	0.2	0.05	4.2	<0.1	0.06	5	<0.5	<0.2
LIN 137560	Soil	11	89	0.75	102	0.084	1	1.27	0.022	0.08	0.3	0.03	2.8	0.2	0.06	5	<0.5	<0.2
REP LIN 137560	QC	11	87	0.76	103	0.081	2	1.24	0.024	0.08	0.3	0.03	2.8	0.2	<0.05	5	<0.5	<0.2
LIN 137574	Soil	27	41	0.66	302	0.112	<1	1.79	0.024	0.14	0.1	0.03	7.6	0.2	<0.05	5	<0.5	<0.2
REP LIN 137574	QC	27	42	0.67	302	0.113	<1	1.82	0.025	0.14	0.1	0.04	7.6	0.2	<0.05	5	<0.5	<0.2
LIN 137586	Soil	9	25	0.57	104	0.119	<1	1.49	0.020	0.08	0.4	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
REP LIN 137586	QC	9	26	0.59	106	0.122	<1	1.48	0.021	0.08	0.4	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 137638	Soil	25	39	0.69	260	0.132	<1	2.14	0.033	0.10	0.1	0.04	6.5	0.2	<0.05	6	<0.5	<0.2
REP LIN 137638	QC	25	40	0.69	260	0.129	<1	2.14	0.026	0.10	0.2	0.04	6.4	0.2	<0.05	6	<0.5	<0.2
LIN 137647	Soil	13	25	0.58	265	0.129	2	1.77	0.024	0.10	0.2	0.03	5.1	0.2	<0.05	6	<0.5	<0.2
REP LIN 137647	QC	14	26	0.61	264	0.135	1	1.82	0.026	0.10	0.2	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 137670	Soil	16	20	0.39	205	0.064	3	1.26	0.022	0.08	<0.1	0.05	3.1	0.1	0.08	4	<0.5	0.3
REP LIN 137670	QC	16	21	0.39	209	0.063	3	1.30	0.022	0.07	<0.1	0.08	3.0	<0.1	0.07	4	<0.5	<0.2
LIN 137671	Soil	13	23	0.41	232	0.077	1	1.39	0.031	0.08	<0.1	0.04	4.4	0.1	0.06	5	<0.5	0.2
REP LIN 137671	QC	13	22	0.41	234	0.079	2	1.37	0.030	0.08	<0.1	0.04	4.5	0.1	0.06	5	<0.5	<0.2
LIN 137717	Soil	10	21	0.34	118	0.088	<1	1.77	0.022	0.06	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
REP LIN 137717	QC	10	21	0.34	115	0.087	1	1.76	0.022	0.06	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137724	Soil	22	35	0.71	207	0.163	2	2.13	0.028	0.12	0.7	0.02	6.7	0.2	<0.05	7	<0.5	<0.2
REP LIN 137724	QC	22	34	0.72	214	0.162	2	2.14	0.027	0.13	0.9	0.04	6.6	0.2	<0.05	7	<0.5	<0.2
LIN 137750	Soil	15	33	0.63	222	0.086	2	1.99	0.024	0.06	0.2	0.05	4.7	0.1	<0.05	6	<0.5	<0.2
REP LIN 137750	QC	16	34	0.65	231	0.098	2	2.15	0.027	0.07	0.2	0.06	5.0	0.2	<0.05	7	<0.5	<0.2
LIN 137774	Soil	17	22	0.30	111	0.051	<1	1.50	0.015	0.08	<0.1	0.02	2.3	<0.1	<0.05	7	<0.5	<0.2
REP LIN 137774	QC	16	22	0.30	111	0.052	<1	1.48	0.016	0.08	<0.1	0.03	2.3	<0.1	<0.05	7	<0.5	<0.2
LIN 137785	Soil	26	21	0.37	213	0.058	<1	1.88	0.017	0.05	<0.1	0.01	2.6	<0.1	<0.05	7	<0.5	<0.2
REP LIN 137785	QC	25	21	0.37	216	0.059	<1	1.90	0.018	0.06	<0.1	0.01	2.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137829	Soil	11	38	0.69	153	0.167	1	2.52	0.025	0.09	0.1	0.04	5.6	0.1	<0.05	7	<0.5	<0.2
REP LIN 137829	QC	11	38	0.68	154	0.167	1	2.52	0.025	0.09	0.1	0.03	5.7	0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 12, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000364.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
Reference Materials																					
STD DS7	Standard	19.8	90.1	56.6	358	0.9	52.6	8.0	575	2.20	45.5	4.3	66.0	3.9	68	5.5	5.2	4.3	77	0.92	0.069
STD DS7	Standard	20.9	118.3	78.7	410	1.0	56.1	9.5	639	2.44	51.5	5.5	73.5	5.3	85	6.9	7.0	5.2	86	1.03	0.076
STD DS7	Standard	21.5	120.8	74.9	417	1.0	55.8	9.6	644	2.44	53.0	5.3	77.8	5.0	86	7.0	6.9	5.2	87	1.00	0.078
STD DS7	Standard	20.5	112.3	66.3	387	1.0	54.4	9.3	602	2.30	48.3	4.7	60.4	4.6	75	5.6	5.8	4.4	84	0.97	0.075
STD DS7	Standard	21.1	116.8	72.3	393	1.0	56.8	9.5	604	2.40	49.2	4.8	74.7	5.0	76	5.6	5.5	4.2	85	0.94	0.070
STD DS7	Standard	21.2	124.2	73.6	444	1.0	58.7	9.9	657	2.57	59.9	5.1	64.9	5.0	77	7.7	6.7	5.1	99	0.98	0.090
STD DS7	Standard	19.8	115.2	71.7	384	0.9	51.8	9.0	592	2.24	48.8	5.1	67.1	5.1	77	6.8	6.3	4.9	82	0.92	0.076
STD DS7	Standard	19.9	113.7	70.9	413	1.0	53.8	9.4	633	2.40	52.5	5.3	87.2	5.3	73	6.7	6.2	5.1	82	0.95	0.081
STD DS7	Standard	20.7	112.2	74.4	408	1.0	57.9	9.4	646	2.45	53.1	5.1	68.0	4.8	77	6.3	6.5	4.9	88	0.96	0.080
STD DS7	Standard	20.9	110.1	61.9	423	0.9	57.0	9.8	706	2.57	60.0	4.5	80.8	4.5	85	6.3	5.9	4.5	90	1.08	0.082
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 12, 2010

Page:

2 of 2

Part 2

QUALITY CONTROL REPORT

WHI10000364.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																		
STD DS7	Standard	12	172	0.94	371	0.108	37	0.95	0.092	0.45	3.7	0.21	2.2	4.0	0.20	5	3.3	1.6
STD DS7	Standard	15	200	1.07	411	0.144	39	1.07	0.101	0.48	3.9	0.23	2.9	4.2	0.17	5	3.8	1.4
STD DS7	Standard	15	196	1.07	430	0.144	40	1.09	0.103	0.50	3.7	0.25	2.8	4.4	0.16	5	3.5	1.4
STD DS7	Standard	14	191	1.03	394	0.128	38	1.02	0.096	0.45	3.6	0.22	2.6	3.9	0.16	5	3.2	1.1
STD DS7	Standard	14	210	1.03	385	0.129	39	1.02	0.100	0.48	3.6	0.18	2.6	4.0	0.17	5	3.0	1.3
STD DS7	Standard	13	193	1.11	427	0.127	45	1.01	0.104	0.50	3.7	0.22	2.7	4.2	0.19	5	3.4	1.5
STD DS7	Standard	14	181	1.03	403	0.135	40	1.01	0.097	0.45	3.5	0.18	2.8	4.1	0.17	5	2.5	1.3
STD DS7	Standard	14	184	1.07	414	0.125	39	1.00	0.095	0.48	3.5	0.25	2.6	4.0	0.19	5	3.0	1.2
STD DS7	Standard	12	191	1.08	394	0.125	41	1.02	0.099	0.49	3.8	0.24	2.4	4.2	0.20	5	3.4	2.1
STD DS7	Standard	14	203	1.02	436	0.137	43	1.07	0.122	0.52	4.1	0.22	3.2	4.2	0.18	5	3.5	2.1
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 31, 2010

Report Date: October 08, 2010

Page: 1 of 13

CERTIFICATE OF ANALYSIS

WHI10000363.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 360

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	360	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	360	Dry at 60C			VAN
1DX2	360	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

2 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136940	Soil	2.1	29.6	5.7	56	<0.1	26.6	12.5	363	2.74	7.9	1.0	6.2	3.8	31	0.1	0.3	0.1	74	0.52	0.071
LIN 136941	Soil	3.2	17.6	8.1	52	<0.1	17.3	7.2	205	2.99	8.3	1.2	3.0	2.7	19	0.4	0.3	0.2	69	0.20	0.033
LIN 136942	Soil	1.9	20.6	8.0	59	<0.1	21.6	9.6	388	2.67	10.3	1.5	3.5	3.0	28	0.2	0.2	0.2	63	0.35	0.060
LIN 136943	Soil	1.3	14.4	7.0	45	<0.1	14.6	8.2	284	2.05	10.1	0.7	4.2	3.4	20	0.2	0.2	0.2	54	0.25	0.038
LIN 136944	Soil	1.7	18.1	8.7	88	<0.1	13.8	6.8	313	2.86	5.0	0.5	3.1	1.6	16	0.2	0.4	0.3	73	0.15	0.034
LIN 136945	Soil	1.4	12.9	6.1	46	<0.1	13.2	6.5	281	2.41	4.5	0.4	1.6	1.9	15	0.1	0.3	0.2	62	0.19	0.032
LIN 136946	Soil	1.4	19.5	7.7	41	0.1	17.1	7.1	249	2.38	3.9	1.3	2.7	2.6	20	0.2	0.3	0.1	56	0.22	0.041
LIN 136947	Soil	1.1	18.0	8.2	50	<0.1	17.9	10.4	559	2.80	5.2	0.8	3.1	6.9	17	0.1	0.2	0.1	52	0.24	0.044
LIN 136948	Soil	1.4	18.0	7.0	45	<0.1	14.3	8.4	279	3.04	4.3	0.6	2.5	4.8	14	0.2	0.3	0.2	62	0.14	0.022
LIN 136949	Soil	1.2	14.9	6.7	39	<0.1	11.9	6.6	222	2.49	2.9	0.7	4.1	5.2	16	0.1	0.2	0.2	57	0.18	0.022
LIN 136950	Soil	2.0	20.2	7.0	52	<0.1	20.6	9.4	384	2.98	3.0	1.1	1.0	7.4	22	<0.1	0.3	0.1	65	0.30	0.025
LIN 136951	Soil	1.7	12.1	6.7	29	<0.1	9.0	5.6	212	2.07	3.3	0.4	1.8	1.6	12	<0.1	0.3	0.2	55	0.11	0.023
LIN 136952	Soil	0.8	31.2	11.5	57	<0.1	26.4	11.0	351	3.21	4.6	1.1	0.7	5.2	33	0.1	0.3	0.2	72	0.43	0.050
LIN 136953	Soil	1.4	23.2	9.6	44	<0.1	18.2	9.1	261	2.98	33.3	0.8	2.2	5.5	25	0.1	0.3	0.3	68	0.31	0.038
LIN 136954	Soil	1.3	4.0	2.1	7	<0.1	3.3	1.0	25	0.50	1.8	0.1	0.7	<0.1	9	<0.1	0.1	<0.1	14	0.07	0.017
LIN 136955	Soil	1.0	25.6	4.2	48	<0.1	29.6	15.7	485	3.41	5.4	0.5	1.1	2.8	31	<0.1	0.2	<0.1	96	0.51	0.044
LIN 136956	Soil	1.0	19.5	4.3	39	<0.1	22.5	12.7	289	2.67	4.2	0.4	1.5	2.6	19	<0.1	0.2	<0.1	74	0.28	0.027
LIN 136957	Soil	0.8	33.2	6.7	47	<0.1	25.7	12.0	241	2.90	26.4	0.6	1.6	2.9	27	<0.1	0.4	0.3	73	0.38	0.040
LIN 136958	Soil	1.4	23.8	6.1	24	0.2	15.0	4.4	65	1.49	7.7	0.7	0.5	0.3	31	0.2	0.2	0.2	27	0.27	0.054
LIN 136959	Soil	1.3	18.2	10.1	48	<0.1	19.6	9.3	262	2.64	5.8	0.7	<0.5	4.4	26	0.2	0.2	0.1	64	0.33	0.032
LIN 136960	Soil	1.3	20.2	7.9	48	<0.1	19.0	10.1	317	2.91	24.5	1.0	3.7	5.3	28	<0.1	0.3	0.2	65	0.36	0.042
LIN 136961	Soil	1.1	18.3	18.8	51	<0.1	13.6	8.8	283	2.62	104.8	1.0	6.5	4.1	19	0.2	0.3	0.5	60	0.21	0.034
LIN 136962	Soil	1.0	24.6	11.2	51	<0.1	18.6	9.9	284	2.86	28.8	1.0	2.9	5.5	30	0.2	0.3	0.2	66	0.41	0.042
LIN 136963	Soil	1.1	29.9	12.4	46	0.2	20.7	9.8	299	2.78	26.5	1.1	3.0	2.7	36	0.2	0.3	0.3	62	0.39	0.034
LIN 136964	Soil	1.3	23.5	11.3	51	<0.1	21.3	10.2	288	3.02	23.0	1.0	4.4	4.9	31	<0.1	0.3	0.2	69	0.40	0.041
LIN 136965	Soil	1.1	25.7	8.8	58	<0.1	20.1	9.2	304	2.91	11.4	1.3	1.6	5.5	35	0.1	0.3	0.2	65	0.48	0.051
LIN 136966	Soil	1.1	22.6	7.5	54	<0.1	18.5	8.1	227	2.68	6.5	1.1	3.7	3.8	34	0.2	0.3	0.2	57	0.46	0.052
LIN 136967	Soil	0.9	25.4	9.9	60	0.1	24.0	14.1	442	3.21	7.9	1.2	3.7	3.8	38	0.2	0.3	0.2	72	0.47	0.055
LIN 136968	Soil	0.7	26.8	7.7	56	<0.1	19.3	8.7	309	2.80	6.1	1.0	1.7	5.1	37	<0.1	0.3	0.1	65	0.51	0.047
LIN 136969	Soil	0.9	22.1	8.4	48	0.1	18.9	9.8	299	2.84	7.1	1.0	3.2	3.9	32	<0.1	0.3	0.1	62	0.43	0.044



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

2 of 13

Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136940	Soil	13	46	0.78	174	0.142	4	1.66	0.042	0.12	0.5	0.02	3.6	0.1	<0.05	4	<0.5	<0.2
LIN 136941	Soil	8	33	0.37	110	0.110	1	2.34	0.015	0.04	0.3	0.05	2.4	0.1	<0.05	7	<0.5	0.6
LIN 136942	Soil	10	31	0.56	114	0.116	2	1.83	0.021	0.12	0.3	0.05	2.8	0.1	0.05	6	<0.5	<0.2
LIN 136943	Soil	8	25	0.46	76	0.115	3	1.55	0.018	0.09	0.2	0.03	2.2	0.1	<0.05	5	0.9	0.3
LIN 136944	Soil	7	25	0.31	104	0.103	3	1.79	0.014	0.04	0.1	0.03	2.0	<0.1	<0.05	7	0.6	0.6
LIN 136945	Soil	7	23	0.38	69	0.100	<1	1.50	0.016	0.06	0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136946	Soil	20	27	0.45	111	0.088	<1	1.82	0.023	0.07	<0.1	0.02	2.6	0.1	<0.05	5	<0.5	<0.2
LIN 136947	Soil	20	25	0.44	94	0.074	<1	1.87	0.015	0.09	0.2	0.03	2.8	<0.1	<0.05	5	0.7	<0.2
LIN 136948	Soil	13	27	0.38	79	0.082	2	1.80	0.014	0.06	0.1	0.04	2.3	<0.1	<0.05	6	0.7	0.6
LIN 136949	Soil	13	23	0.38	86	0.096	<1	1.50	0.018	0.06	<0.1	0.02	2.3	<0.1	<0.05	5	<0.5	<0.2
LIN 136950	Soil	21	34	0.65	173	0.145	<1	1.76	0.021	0.11	<0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136951	Soil	8	20	0.23	70	0.074	1	1.33	0.017	0.04	<0.1	0.03	1.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136952	Soil	15	39	0.68	180	0.138	<1	2.25	0.020	0.07	<0.1	0.02	5.3	0.1	<0.05	6	0.6	<0.2
LIN 136953	Soil	19	29	0.56	177	0.097	1	2.11	0.016	0.11	<0.1	0.03	4.6	0.2	<0.05	7	<0.5	0.3
LIN 136954	Soil	2	15	0.04	26	0.028	3	0.30	0.019	0.03	<0.1	0.02	<0.1	<0.1	<0.05	2	1.2	<0.2
LIN 136955	Soil	10	74	1.32	283	0.179	1	2.35	0.039	0.44	0.1	0.01	5.2	0.3	<0.05	6	<0.5	<0.2
LIN 136956	Soil	9	47	0.91	161	0.152	1	1.96	0.026	0.21	<0.1	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
LIN 136957	Soil	12	35	0.73	175	0.148	1	2.23	0.024	0.08	<0.1	0.02	4.7	<0.1	<0.05	6	0.7	<0.2
LIN 136958	Soil	13	24	0.16	157	0.041	2	1.52	0.019	0.06	<0.1	0.07	2.0	<0.1	<0.05	4	0.7	<0.2
LIN 136959	Soil	12	32	0.61	162	0.150	<1	1.92	0.020	0.09	<0.1	0.01	3.3	<0.1	<0.05	6	0.6	<0.2
LIN 136960	Soil	14	32	0.67	150	0.160	2	2.01	0.019	0.15	<0.1	0.02	3.9	0.1	<0.05	6	0.7	<0.2
LIN 136961	Soil	14	26	0.56	114	0.139	2	1.82	0.019	0.15	<0.1	0.01	3.3	0.1	<0.05	6	0.6	0.4
LIN 136962	Soil	17	32	0.67	162	0.166	1	2.01	0.025	0.14	<0.1	0.01	4.4	0.1	<0.05	6	0.6	0.4
LIN 136963	Soil	15	34	0.52	208	0.107	1	2.13	0.020	0.07	<0.1	0.04	4.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136964	Soil	14	35	0.60	186	0.134	<1	2.20	0.025	0.08	<0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136965	Soil	17	35	0.64	179	0.146	<1	2.04	0.027	0.12	<0.1	0.03	4.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136966	Soil	14	31	0.59	174	0.127	1	1.84	0.026	0.09	<0.1	0.05	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136967	Soil	15	40	0.67	196	0.137	<1	2.26	0.025	0.10	0.1	0.05	5.4	<0.1	<0.05	6	0.8	<0.2
LIN 136968	Soil	16	32	0.66	185	0.149	<1	1.95	0.027	0.12	<0.1	0.04	4.6	0.1	<0.05	6	1.0	<0.2
LIN 136969	Soil	13	30	0.55	161	0.131	<1	2.08	0.024	0.08	<0.1	0.03	4.0	0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

3 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 136970	Soil	1.3	23.3	8.9	46	0.1	21.8	8.8	210	2.71	6.2	0.8	1.6	2.5	33	0.1	0.2	0.1	61	0.42	0.044
LIN 136971	Soil	0.8	26.7	10.1	57	0.1	24.9	12.0	285	3.21	11.2	1.1	3.2	4.3	38	0.1	0.3	0.2	79	0.53	0.043
LIN 136972	Soil	1.3	20.3	6.9	47	0.1	21.0	10.3	313	2.76	8.2	0.6	1.0	2.4	36	0.2	0.3	0.2	71	0.51	0.046
LIN 136973	Soil	1.1	26.7	6.9	54	<0.1	21.4	12.9	411	3.21	6.1	0.8	4.2	4.4	40	<0.1	0.3	0.2	82	0.67	0.054
LIN 136974	Soil	1.1	21.4	7.2	50	<0.1	21.4	10.2	295	3.02	6.9	0.7	0.6	4.4	34	0.2	0.4	0.2	73	0.47	0.040
LIN 136975	Soil	1.4	22.0	7.8	50	<0.1	19.4	11.6	334	2.99	8.9	0.8	3.2	5.9	36	<0.1	0.3	0.2	73	0.51	0.042
LIN 136976	Soil	0.5	15.5	18.8	52	<0.1	14.4	8.2	237	2.42	18.4	0.6	1.8	6.7	26	0.2	0.3	0.3	59	0.35	0.039
LIN 136977	Soil	0.9	21.1	10.6	37	0.1	14.0	7.4	198	2.28	14.3	0.8	3.1	5.0	31	<0.1	0.3	0.6	57	0.39	0.024
LIN 136978	Soil	0.5	13.4	3.8	16	<0.1	8.9	3.1	67	1.17	5.3	0.5	1.5	0.9	20	0.1	0.1	0.2	26	0.20	0.042
LIN 136979	Soil	0.8	14.4	8.9	48	<0.1	14.5	8.8	372	2.37	17.2	0.7	1.1	6.9	21	0.1	0.3	0.2	61	0.26	0.028
LIN 136980	Soil	0.6	13.6	5.4	40	<0.1	9.4	4.7	261	1.30	4.6	0.4	1.2	1.4	16	0.2	0.2	0.1	36	0.15	0.025
LIN 136981	Soil	0.6	29.6	8.9	48	<0.1	27.1	10.6	356	3.00	10.3	1.1	2.1	7.5	32	<0.1	0.4	0.1	75	0.39	0.033
LIN 136982	Soil	0.8	21.0	9.2	46	<0.1	20.7	9.6	261	2.92	8.2	0.8	2.0	7.3	24	0.1	0.4	0.1	72	0.27	0.015
LIN 136983	Soil	0.8	24.8	7.7	45	0.2	22.7	9.5	242	2.65	7.2	0.7	1.0	7.1	20	<0.1	0.4	0.1	66	0.24	0.026
LIN 136984	Soil	0.6	29.3	7.8	56	<0.1	23.5	13.5	240	3.01	6.7	1.4	3.4	6.3	26	0.1	0.4	0.1	80	0.39	0.065
LIN 136985	Soil	0.7	15.0	6.2	45	<0.1	16.6	7.7	435	1.96	3.9	1.3	1.9	2.9	23	<0.1	0.3	0.1	55	0.37	0.065
LIN 136986	Soil	0.6	14.9	3.8	21	<0.1	5.9	2.7	134	0.99	2.3	0.3	1.1	0.3	12	0.4	0.1	0.1	25	0.09	0.032
LIN 136987	Soil	1.1	17.0	7.3	46	<0.1	14.7	10.0	325	2.52	5.9	0.5	1.7	2.2	18	0.3	0.3	0.2	64	0.22	0.033
LIN 136988	Soil	0.5	34.6	6.1	56	<0.1	29.7	11.9	385	3.12	6.3	0.9	11.7	4.2	33	<0.1	0.3	0.1	83	0.52	0.059
LIN 136989	Soil	0.5	24.7	9.7	57	<0.1	18.6	10.0	406	3.10	4.0	1.1	7.7	6.3	25	0.1	0.2	0.1	62	0.38	0.070
LIN 136990	Soil	0.5	25.2	10.1	64	0.2	19.1	10.4	380	3.44	6.0	1.2	1.8	6.3	27	0.1	0.3	0.3	77	0.41	0.073
LIN 136991	Soil	0.8	20.7	7.7	58	<0.1	18.5	11.9	436	2.71	4.7	1.0	0.6	5.4	23	0.1	0.3	0.2	69	0.35	0.050
LIN 136992	Soil	0.6	22.7	7.9	65	0.1	17.0	9.6	415	3.46	5.7	1.1	3.8	7.2	27	<0.1	0.2	0.2	77	0.47	0.081
LIN 136993	Soil	1.3	14.3	8.7	45	0.1	13.4	7.0	314	2.16	20.7	1.5	4.5	1.6	22	<0.1	0.3	0.2	54	0.25	0.049
LIN 136994	Soil	0.4	17.2	6.1	46	<0.1	14.5	9.8	231	3.13	5.4	1.4	1.3	7.5	19	<0.1	0.3	0.1	64	0.28	0.048
LIN 136995	Soil	0.3	17.1	6.5	48	<0.1	15.2	8.5	229	2.77	5.1	1.2	3.9	7.0	21	0.1	0.3	0.1	67	0.30	0.045
LIN 136996	Soil	0.5	15.7	7.4	49	<0.1	17.8	12.0	336	2.83	4.4	1.2	2.1	4.8	23	<0.1	0.2	0.1	65	0.31	0.046
LIN 136997	Soil	0.5	16.4	5.6	47	<0.1	20.0	10.5	372	2.78	4.3	0.7	2.0	4.6	20	0.1	0.2	<0.1	65	0.28	0.034
LIN 136998	Soil	1.2	17.3	6.6	33	<0.1	7.6	4.0	244	2.09	3.5	0.4	1.5	1.4	15	0.3	0.4	0.1	61	0.13	0.033
LIN 136999	Soil	0.4	14.7	5.2	45	<0.1	15.1	8.3	338	2.67	4.0	0.8	2.9	5.3	19	<0.1	0.2	<0.1	59	0.30	0.045



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 3 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136970	Soil	11	36	0.66	166	0.132	<1	1.94	0.025	0.15	0.1	0.05	3.9	<0.1	<0.05	6	<0.5
LIN 136971	Soil	14	38	0.78	248	0.153	2	2.29	0.026	0.14	0.2	0.04	5.6	<0.1	<0.05	7	<0.5
LIN 136972	Soil	11	36	0.63	179	0.132	2	1.85	0.027	0.09	<0.1	0.02	4.6	0.1	<0.05	6	<0.5
LIN 136973	Soil	14	36	0.77	189	0.159	1	2.19	0.041	0.13	<0.1	0.04	5.8	0.1	<0.05	6	1.4
LIN 136974	Soil	13	34	0.60	144	0.138	<1	2.15	0.025	0.08	<0.1	0.03	4.5	<0.1	<0.05	6	<0.5
LIN 136975	Soil	17	24	0.63	182	0.132	<1	2.02	0.026	0.08	<0.1	0.03	4.5	<0.1	<0.05	6	0.6
LIN 136976	Soil	18	26	0.54	127	0.097	2	1.69	0.016	0.08	0.4	0.02	3.0	<0.1	<0.05	6	<0.5
LIN 136977	Soil	15	24	0.38	156	0.070	2	1.84	0.017	0.05	0.1	0.04	3.1	<0.1	<0.05	6	<0.5
LIN 136978	Soil	10	14	0.14	84	0.038	1	0.93	0.018	0.03	<0.1	0.04	1.7	<0.1	<0.05	3	<0.5
LIN 136979	Soil	11	26	0.49	74	0.106	2	1.61	0.019	0.10	0.1	0.02	2.7	<0.1	<0.05	7	<0.5
LIN 136980	Soil	11	13	0.17	102	0.058	1	0.84	0.021	0.05	<0.1	0.01	1.4	<0.1	<0.05	4	<0.5
LIN 136981	Soil	25	42	0.73	190	0.128	2	2.13	0.022	0.07	0.1	0.02	5.9	<0.1	<0.05	6	<0.5
LIN 136982	Soil	20	36	0.51	233	0.074	<1	2.07	0.015	0.05	0.1	0.01	4.4	<0.1	<0.05	6	<0.5
LIN 136983	Soil	15	30	0.56	157	0.089	2	2.02	0.015	0.07	<0.1	0.01	3.5	<0.1	<0.05	6	<0.5
LIN 136984	Soil	17	35	0.69	196	0.133	2	1.95	0.018	0.10	0.2	0.03	5.5	0.1	<0.05	6	<0.5
LIN 136985	Soil	11	27	0.55	141	0.098	2	1.60	0.020	0.07	0.1	0.05	3.3	<0.1	<0.05	5	<0.5
LIN 136986	Soil	3	10	0.10	46	0.040	2	0.79	0.022	0.03	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5
LIN 136987	Soil	8	28	0.46	107	0.104	2	1.61	0.018	0.07	0.1	0.02	2.4	<0.1	<0.05	6	<0.5
LIN 136988	Soil	17	55	1.02	212	0.166	3	2.12	0.026	0.19	0.1	0.03	6.3	0.2	<0.05	6	<0.5
LIN 136989	Soil	21	33	0.67	190	0.083	<1	1.78	0.014	0.18	0.3	0.03	5.0	0.2	<0.05	5	<0.5
LIN 136990	Soil	20	34	0.83	241	0.132	2	2.42	0.015	0.16	0.2	0.03	5.9	0.2	<0.05	7	<0.5
LIN 136991	Soil	16	39	0.69	129	0.126	2	1.90	0.018	0.13	0.3	0.03	4.1	0.1	<0.05	6	<0.5
LIN 136992	Soil	17	29	0.86	248	0.156	1	2.28	0.015	0.26	0.1	0.03	6.5	0.2	<0.05	7	<0.5
LIN 136993	Soil	8	22	0.46	131	0.084	2	1.51	0.022	0.05	0.1	0.04	2.6	<0.1	<0.05	6	<0.5
LIN 136994	Soil	17	25	0.54	165	0.109	2	1.75	0.017	0.09	0.1	0.04	5.2	0.1	<0.05	6	<0.5
LIN 136995	Soil	15	26	0.58	152	0.118	2	1.78	0.017	0.10	0.1	0.04	5.2	0.1	<0.05	6	<0.5
LIN 136996	Soil	16	28	0.60	166	0.108	2	1.97	0.016	0.09	0.1	0.05	4.6	0.1	<0.05	7	<0.5
LIN 136997	Soil	13	36	0.74	156	0.130	2	1.77	0.016	0.16	0.2	0.02	4.0	0.1	<0.05	6	<0.5
LIN 136998	Soil	8	15	0.16	73	0.092	<1	1.08	0.013	0.05	<0.1	0.06	1.9	<0.1	<0.05	7	<0.5
LIN 136999	Soil	15	22	0.55	102	0.117	1	1.56	0.014	0.13	0.5	0.02	3.9	0.1	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 4 of 13 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 137000	Soil		0.5	24.8	28.9	86	0.5	21.9	10.4	530	2.93	372.6	4.0	24.8	5.6	39	0.3	2.3	0.3	71	0.55	0.069
LIN 137001	Soil		0.5	35.5	8.0	60	<0.1	24.0	10.8	356	3.26	10.4	1.0	3.6	4.5	34	0.1	0.4	<0.1	92	0.51	0.061
LIN 137002	Soil		0.4	28.2	6.8	60	<0.1	21.8	10.4	368	3.12	5.6	0.6	1.8	4.8	31	0.1	0.4	0.1	80	0.41	0.058
LIN 137003	Soil		0.5	33.2	7.8	58	<0.1	24.8	11.4	393	3.35	9.1	0.9	1.4	5.4	36	<0.1	0.4	<0.1	82	0.57	0.070
LIN 137004	Soil		0.9	17.6	7.8	56	<0.1	12.8	7.3	303	2.65	43.6	0.5	4.6	1.1	23	0.2	0.4	0.1	70	0.28	0.041
LIN 137005	Soil		0.6	13.6	6.0	31	<0.1	10.4	5.7	190	1.68	14.4	0.5	2.3	1.0	16	<0.1	0.3	<0.1	45	0.17	0.033
LIN 137006	Soil		0.9	18.8	9.9	53	<0.1	21.3	10.4	327	2.90	17.3	0.5	6.2	2.9	22	0.2	0.4	<0.1	76	0.33	0.049
LIN 137007	Soil		0.7	19.0	6.8	50	<0.1	17.7	11.0	601	2.54	10.5	1.2	6.9	3.1	35	0.2	0.4	<0.1	64	0.52	0.064
LIN 137008	Soil		1.6	23.6	5.3	39	0.1	13.1	10.5	685	3.71	9.0	1.7	4.2	2.0	52	0.2	0.6	<0.1	62	0.78	0.113
LIN 137009	Soil		0.7	30.3	7.0	64	<0.1	25.5	12.7	422	3.17	7.5	1.7	4.1	3.8	32	<0.1	0.4	0.1	81	0.45	0.071
LIN 137010	Soil		0.7	21.0	6.8	56	<0.1	18.9	11.8	581	2.96	7.2	1.0	6.1	3.9	27	<0.1	0.3	<0.1	79	0.42	0.064
LIN 137011	Soil		0.6	15.9	8.3	58	<0.1	18.5	9.9	374	2.53	5.6	0.9	2.5	4.7	30	<0.1	0.4	0.1	72	0.46	0.064
LIN 137012	Soil		0.4	14.6	7.8	58	<0.1	17.5	9.7	410	2.70	3.0	0.9	3.1	3.8	28	0.2	0.3	<0.1	64	0.44	0.062
LIN 137013	Soil		0.5	18.6	7.6	56	<0.1	15.1	9.4	524	2.84	6.6	0.9	2.3	2.6	28	<0.1	0.5	0.1	63	0.39	0.058
LIN 137014	Soil		0.4	20.4	8.1	59	<0.1	20.3	10.2	330	3.33	7.5	1.0	1.0	3.8	26	0.1	0.6	0.1	71	0.42	0.061
LIN 137015	Soil		0.3	17.4	8.7	52	0.1	16.3	7.9	272	2.51	10.1	1.9	12.3	4.3	24	<0.1	0.9	0.2	67	0.33	0.062
LIN 137016	Soil		0.5	17.2	9.1	55	<0.1	17.0	9.7	319	2.96	15.7	1.7	7.6	5.2	25	0.2	1.1	0.2	74	0.36	0.059
LIN 137017	Soil		0.5	18.2	8.8	56	0.1	17.4	10.2	334	3.06	17.4	1.8	7.8	4.9	26	<0.1	1.1	0.1	76	0.38	0.060
LIN 137018	Soil		0.6	17.6	8.0	59	<0.1	15.7	9.9	859	2.89	10.3	2.1	5.3	1.8	31	<0.1	0.5	0.1	61	0.37	0.063
LIN 137019	Soil		0.6	19.0	9.3	58	<0.1	19.0	12.3	781	2.60	10.5	1.2	10.2	2.9	24	0.1	0.6	0.1	68	0.38	0.060
LIN 137020	Soil		0.7	22.3	9.6	63	0.1	21.4	10.2	371	3.10	12.8	1.6	8.6	2.5	30	<0.1	0.5	0.2	75	0.42	0.066
LIN 137021	Soil		0.7	22.2	7.3	61	<0.1	22.5	12.1	461	3.44	12.7	0.9	5.4	2.5	27	0.2	0.4	0.1	80	0.40	0.057
LIN 137022	Soil		0.7	22.7	8.0	62	<0.1	22.7	12.4	455	3.49	13.6	0.9	3.5	2.3	28	<0.1	0.4	0.1	82	0.38	0.059
LIN 137023	Soil		1.2	20.5	8.5	53	<0.1	19.3	13.9	754	3.33	11.4	1.1	3.1	2.2	32	0.2	0.4	0.1	71	0.40	0.079
LIN 137024	Soil		1.1	19.9	7.5	52	<0.1	17.7	13.2	1643	2.73	8.4	1.0	1.1	1.7	33	0.1	0.3	0.1	62	0.39	0.062
LIN 137025	Soil		0.6	24.4	7.5	58	<0.1	21.8	13.3	567	3.25	12.9	0.9	4.3	4.1	31	<0.1	0.6	0.1	80	0.48	0.073
LIN 137026	Soil		0.5	23.4	7.5	58	<0.1	22.2	13.0	594	3.19	12.3	0.8	7.3	4.2	33	0.2	0.6	<0.1	79	0.50	0.073
LIN 137027	Soil		0.9	22.6	8.4	51	<0.1	24.3	10.4	230	3.02	13.6	1.1	9.3	4.5	27	<0.1	0.6	0.1	81	0.38	0.063
LIN 137028	Soil		0.8	28.5	7.2	62	<0.1	28.2	13.9	534	3.55	16.3	1.1	8.9	4.4	28	<0.1	0.5	0.1	87	0.40	0.061
LIN 137029	Soil		0.8	21.6	8.4	61	<0.1	26.7	13.2	541	3.65	43.3	1.0	10.5	4.1	28	0.1	0.7	0.1	90	0.38	0.043



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 4 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137000	Soil	16	27	0.61	164	0.108	1	1.72	0.033	0.09	0.1	0.05	4.5	0.1	<0.05	5	<0.5	<0.2
LIN 137001	Soil	16	43	0.67	214	0.164	2	2.16	0.031	0.10	0.1	0.04	6.8	0.1	<0.05	7	<0.5	<0.2
LIN 137002	Soil	14	38	0.68	156	0.147	2	2.34	0.021	0.09	<0.1	0.04	5.1	<0.1	<0.05	7	<0.5	<0.2
LIN 137003	Soil	18	40	0.77	198	0.144	2	2.15	0.033	0.11	<0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137004	Soil	7	24	0.41	114	0.096	1	1.48	0.017	0.06	<0.1	0.04	2.1	<0.1	<0.05	7	<0.5	0.2
LIN 137005	Soil	7	15	0.29	102	0.076	2	1.09	0.023	0.04	<0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 137006	Soil	11	29	0.61	117	0.118	2	2.07	0.022	0.06	0.1	0.03	2.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137007	Soil	13	26	0.58	212	0.107	2	1.65	0.031	0.08	0.1	0.04	3.6	0.1	<0.05	5	<0.5	<0.2
LIN 137008	Soil	15	23	0.40	226	0.055	4	1.25	0.025	0.08	0.1	0.07	3.4	<0.1	0.12	4	0.7	<0.2
LIN 137009	Soil	16	35	0.75	243	0.130	2	2.38	0.023	0.08	0.1	0.05	5.1	<0.1	<0.05	7	<0.5	<0.2
LIN 137010	Soil	12	28	0.69	178	0.133	2	1.91	0.021	0.10	0.1	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137011	Soil	11	29	0.75	173	0.138	1	2.02	0.022	0.10	0.1	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137012	Soil	10	26	0.72	167	0.127	3	1.83	0.019	0.09	0.2	0.04	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137013	Soil	10	25	0.65	184	0.110	2	1.65	0.018	0.10	<0.1	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 137014	Soil	11	29	0.73	194	0.132	2	2.03	0.016	0.12	<0.1	0.06	3.2	0.2	<0.05	6	<0.5	<0.2
LIN 137015	Soil	16	27	0.62	189	0.109	1	1.84	0.012	0.11	<0.1	0.03	4.2	0.2	<0.05	6	0.7	0.5
LIN 137016	Soil	15	26	0.68	189	0.122	2	2.04	0.014	0.12	0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
LIN 137017	Soil	16	28	0.69	186	0.125	<1	2.08	0.014	0.12	0.1	0.05	3.6	0.1	<0.05	6	0.6	<0.2
LIN 137018	Soil	11	25	0.61	235	0.086	<1	1.81	0.016	0.07	0.1	0.03	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 137019	Soil	10	29	0.72	195	0.116	2	2.07	0.015	0.09	0.2	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 137020	Soil	11	34	0.73	235	0.109	2	2.15	0.015	0.09	<0.1	0.03	3.7	0.1	<0.05	7	0.9	<0.2
LIN 137021	Soil	9	27	0.71	175	0.114	2	2.11	0.016	0.06	0.2	0.04	3.1	<0.1	<0.05	6	0.8	<0.2
LIN 137022	Soil	9	32	0.72	182	0.120	1	2.14	0.017	0.07	0.2	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137023	Soil	9	32	0.67	199	0.097	1	1.89	0.016	0.05	0.2	0.05	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137024	Soil	10	28	0.58	231	0.085	2	1.66	0.017	0.05	<0.1	0.07	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137025	Soil	12	33	0.74	202	0.147	2	1.87	0.022	0.09	0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137026	Soil	12	32	0.74	204	0.150	2	1.84	0.023	0.09	0.2	0.04	4.4	<0.1	<0.05	5	<0.5	0.4
LIN 137027	Soil	12	32	0.80	203	0.128	<1	2.30	0.018	0.08	0.1	0.04	4.1	0.1	<0.05	7	<0.5	<0.2
LIN 137028	Soil	11	34	0.83	231	0.135	2	2.16	0.027	0.08	0.2	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137029	Soil	11	30	0.80	189	0.143	1	2.10	0.023	0.07	0.2	0.03	3.8	<0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

5 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137030	Soil				0.9	19.6	5.5	56	<0.1	10.0	5.9	298	2.01	4.7	0.4	<0.5	0.2	16	0.3	0.4	0.1	51	0.15	0.032
LIN 137031	Soil				0.9	24.0	7.8	56	<0.1	23.7	11.1	318	3.32	9.2	0.4	1.4	1.5	24	0.3	0.4	0.2	79	0.29	0.045
LIN 137032	Soil				0.6	23.5	6.9	47	<0.1	18.9	9.9	293	2.99	15.0	0.5	5.3	1.9	27	0.2	0.6	0.1	69	0.34	0.057
LIN 137033	Soil				0.5	33.6	5.9	58	<0.1	25.9	15.8	404	3.89	6.8	0.4	1.8	2.8	29	0.2	0.5	<0.1	89	0.43	0.061
LIN 137034	Soil				0.4	31.9	5.9	58	<0.1	26.2	15.4	382	3.73	6.5	0.4	2.7	2.7	28	0.2	0.4	0.1	89	0.41	0.057
LIN 137035	Soil				0.8	17.4	5.8	45	<0.1	14.4	8.9	430	2.60	4.0	0.4	<0.5	1.5	28	0.2	0.3	0.1	67	0.33	0.043
LIN 137037	Soil				1.8	26.8	7.7	63	<0.1	17.9	16.8	840	4.38	22.3	3.3	4.7	5.4	34	0.2	0.6	0.1	107	0.53	0.075
LIN 137038	Soil				0.6	35.6	5.9	60	<0.1	25.9	11.8	466	3.57	11.7	2.3	2.6	4.3	32	0.1	0.5	0.1	88	0.47	0.056
LIN 137039	Soil				0.5	31.2	6.2	59	<0.1	19.0	13.2	300	3.47	8.3	3.6	15.6	4.1	26	0.1	0.5	0.1	90	0.41	0.070
LIN 137040	Soil				0.7	17.6	5.7	64	<0.1	15.9	9.7	486	3.01	5.6	0.5	4.2	1.2	23	0.2	0.4	0.1	73	0.32	0.051
LIN 137041	Soil				1.2	22.8	7.3	64	<0.1	18.2	13.0	428	3.79	20.3	2.9	3.2	3.6	37	<0.1	0.5	0.1	87	0.53	0.063
LIN 137042	Soil				0.7	16.0	5.5	59	<0.1	15.3	12.5	495	3.30	6.9	1.3	4.3	3.8	27	0.1	0.3	<0.1	82	0.42	0.056
LIN 137043	Soil				0.8	20.6	6.7	65	<0.1	17.3	12.3	419	3.32	11.1	1.3	1.8	3.0	29	<0.1	0.5	<0.1	83	0.40	0.055
LIN 137044	Soil				0.8	10.3	5.6	32	<0.1	6.1	4.8	212	2.06	4.4	0.4	0.6	1.2	14	<0.1	0.3	0.1	67	0.17	0.033
LIN 137045	Soil				0.8	22.2	6.2	59	<0.1	16.7	10.5	360	2.75	7.5	1.7	5.1	2.9	35	0.1	0.3	<0.1	69	0.51	0.061
LIN 137046	Soil				0.5	17.1	6.0	45	<0.1	14.6	8.9	279	2.29	3.8	1.3	2.6	1.8	30	0.2	0.3	0.1	57	0.35	0.061
LIN 137047	Soil				0.6	13.1	5.3	47	<0.1	12.0	7.7	255	2.19	3.8	0.8	5.0	2.2	27	<0.1	0.2	<0.1	60	0.39	0.058
LIN 137048	Soil				0.6	13.5	5.8	45	<0.1	11.3	8.1	222	2.10	7.7	1.2	4.8	1.7	20	0.1	0.3	0.1	54	0.26	0.050
LIN 137049	Soil				0.4	14.9	7.5	46	<0.1	14.9	7.1	169	1.93	3.1	1.4	9.4	2.7	21	0.1	0.3	0.1	49	0.29	0.058
LIN 137050	Soil				0.8	13.3	13.0	51	0.1	10.7	5.8	207	2.10	15.6	1.4	7.3	2.7	24	<0.1	0.3	0.1	52	0.34	0.055
LIN 137051	Soil				1.1	16.2	8.2	55	<0.1	16.0	8.3	291	2.60	16.3	1.4	4.7	2.1	30	<0.1	0.3	0.1	68	0.40	0.045
LIN 137052	Soil				1.3	13.9	5.9	53	<0.1	12.6	10.3	465	2.53	15.9	1.2	5.2	3.2	35	<0.1	0.9	<0.1	65	0.48	0.046
LIN 137053	Soil				1.3	17.4	7.2	50	0.1	15.0	8.4	293	2.38	29.6	1.2	7.0	2.1	30	<0.1	4.7	0.1	65	0.40	0.046
LIN 137054	Soil				0.5	19.8	5.8	55	<0.1	19.5	12.8	445	3.18	20.4	0.7	5.8	3.5	31	<0.1	5.3	<0.1	86	0.46	0.053
LIN 137055	Soil				0.3	19.7	4.9	51	<0.1	15.6	10.8	464	2.64	24.6	1.9	9.2	3.3	44	0.1	3.2	<0.1	72	0.75	0.065
LIN 137056	Soil				0.5	18.9	6.6	50	0.1	15.2	11.2	402	2.66	59.7	1.0	13.4	2.6	28	0.2	4.0	<0.1	72	0.42	0.045
LIN 137057	Soil				0.6	17.3	7.3	46	<0.1	15.9	9.8	308	3.40	51.4	0.5	65.3	2.3	16	0.1	0.6	0.1	97	0.18	0.025
LIN 137058	Soil				0.4	23.3	6.2	52	<0.1	18.6	11.9	459	2.86	70.1	2.0	10.6	3.4	33	<0.1	0.7	<0.1	75	0.53	0.052
LIN 137059	Soil				0.8	28.1	6.5	46	<0.1	17.0	9.9	362	2.61	9.9	1.0	71.5	3.8	25	0.1	0.4	0.1	70	0.34	0.043
LIN 137060	Soil				0.8	28.8	6.7	48	<0.1	19.1	10.1	388	2.74	10.6	1.0	5.0	4.2	27	0.1	0.3	0.1	71	0.36	0.047



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 5 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 137030	Soil	5	16	0.24	106	0.057	<1	1.20	0.020	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5
LIN 137031	Soil	7	32	0.61	180	0.115	2	2.47	0.016	0.06	<0.1	0.06	3.0	0.1	<0.05	7	0.6
LIN 137032	Soil	9	30	0.67	174	0.122	2	1.88	0.025	0.07	<0.1	0.03	3.3	<0.1	<0.05	5	0.9
LIN 137033	Soil	9	37	0.90	224	0.182	2	2.75	0.028	0.13	0.1	0.02	4.6	0.2	<0.05	7	<0.5
LIN 137034	Soil	8	37	0.87	220	0.182	2	2.63	0.025	0.13	<0.1	0.02	4.5	0.1	<0.05	7	0.8
LIN 137035	Soil	6	23	0.51	174	0.124	2	1.66	0.018	0.07	0.1	0.04	2.8	<0.1	<0.05	6	<0.5
LIN 137037	Soil	17	30	0.88	269	0.176	2	2.21	0.023	0.18	0.2	0.04	5.9	0.2	<0.05	7	<0.5
LIN 137038	Soil	17	34	0.81	325	0.171	3	2.34	0.022	0.13	0.1	0.02	6.3	0.1	<0.05	7	<0.5
LIN 137039	Soil	14	27	0.79	219	0.170	1	2.19	0.021	0.09	0.2	0.03	4.6	0.2	<0.05	6	<0.5
LIN 137040	Soil	7	22	0.58	167	0.121	2	1.79	0.018	0.07	<0.1	0.03	2.4	<0.1	<0.05	6	<0.5
LIN 137041	Soil	15	26	0.78	284	0.138	2	2.24	0.022	0.12	<0.1	0.05	4.7	0.2	<0.05	7	1.4
LIN 137042	Soil	11	22	0.73	179	0.156	1	1.78	0.023	0.12	0.1	0.02	3.6	0.1	<0.05	6	<0.5
LIN 137043	Soil	11	26	0.76	173	0.155	<1	1.94	0.023	0.09	0.2	0.05	3.9	<0.1	<0.05	6	<0.5
LIN 137044	Soil	5	15	0.29	59	0.112	1	0.98	0.016	0.06	<0.1	0.03	1.7	<0.1	<0.05	6	<0.5
LIN 137045	Soil	13	23	0.61	216	0.116	<1	1.70	0.025	0.07	0.1	0.06	3.5	0.1	<0.05	5	0.6
LIN 137046	Soil	12	21	0.43	219	0.094	<1	1.61	0.022	0.05	0.1	0.03	3.2	0.1	<0.05	5	0.9
LIN 137047	Soil	9	19	0.51	137	0.106	1	1.28	0.020	0.07	0.2	0.03	2.5	<0.1	<0.05	5	0.8
LIN 137048	Soil	9	19	0.48	149	0.102	2	1.46	0.020	0.06	0.1	0.03	2.8	<0.1	<0.05	5	0.9
LIN 137049	Soil	11	25	0.56	160	0.103	1	1.69	0.018	0.08	0.1	0.05	3.6	0.1	<0.05	5	<0.5
LIN 137050	Soil	10	20	0.56	183	0.099	<1	1.51	0.016	0.13	<0.1	0.04	3.2	0.2	<0.05	6	<0.5
LIN 137051	Soil	8	27	0.66	197	0.103	<1	1.78	0.019	0.10	<0.1	0.03	3.5	0.1	<0.05	7	<0.5
LIN 137052	Soil	10	19	0.66	206	0.115	1	1.54	0.024	0.10	0.2	0.07	3.4	0.1	<0.05	5	<0.5
LIN 137053	Soil	8	22	0.58	195	0.105	<1	1.69	0.022	0.08	0.1	0.04	3.1	0.1	<0.05	6	<0.5
LIN 137054	Soil	8	24	0.86	202	0.150	2	2.15	0.034	0.11	0.1	0.03	3.7	0.1	<0.05	6	<0.5
LIN 137055	Soil	11	20	0.74	283	0.128	1	1.65	0.035	0.13	0.2	0.03	3.3	0.1	<0.05	5	<0.5
LIN 137056	Soil	9	21	0.71	190	0.123	1	1.73	0.025	0.07	0.1	0.02	3.3	<0.1	<0.05	6	<0.5
LIN 137057	Soil	7	23	0.67	125	0.134	<1	2.16	0.017	0.04	0.1	0.03	3.1	0.1	<0.05	8	<0.5
LIN 137058	Soil	12	25	0.78	243	0.122	2	1.86	0.026	0.14	<0.1	0.02	4.7	0.2	<0.05	6	<0.5
LIN 137059	Soil	10	22	0.65	122	0.135	1	1.69	0.022	0.08	0.1	0.02	3.1	0.1	<0.05	6	<0.5
LIN 137060	Soil	10	23	0.68	129	0.135	1	1.81	0.024	0.08	0.1	0.02	3.1	0.1	<0.05	6	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

6 of 13

Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137061	Soil	0.6	9.5	4.7	25	<0.1	4.4	2.8	135	1.35	8.9	0.3	2.7	1.7	11	<0.1	0.2	<0.1	41	0.10	0.013
LIN 137062	Soil	1.2	14.6	8.4	49	<0.1	15.1	8.7	327	3.21	35.5	0.5	35.8	2.4	19	0.1	0.4	0.1	104	0.22	0.021
LIN 137063	Soil	0.4	21.9	6.7	51	<0.1	21.1	12.3	392	2.96	15.1	1.0	2.8	4.6	24	0.2	0.4	<0.1	80	0.36	0.052
LIN 137064	Soil	0.7	18.1	9.9	49	<0.1	17.0	9.3	242	2.65	16.1	1.7	4.7	4.0	20	0.2	0.4	0.1	72	0.23	0.034
LIN 137065	Soil	0.7	17.7	9.1	47	<0.1	17.0	9.5	235	2.60	15.2	1.6	4.8	3.8	19	0.1	0.4	0.1	71	0.23	0.033
LIN 137066	Soil	0.7	18.7	7.1	47	<0.1	22.0	11.7	249	2.68	7.3	0.5	3.2	2.5	23	0.3	0.3	0.1	69	0.22	0.028
LIN 137067	Soil	0.6	19.5	5.7	52	<0.1	14.1	7.1	276	2.03	10.0	1.1	1.0	0.9	15	0.3	0.3	<0.1	54	0.21	0.049
LIN 137068	Soil	0.6	19.3	10.4	56	<0.1	21.5	12.7	445	3.02	64.5	1.7	3.2	4.0	25	0.2	0.5	0.1	74	0.31	0.051
LIN 137069	Soil	0.7	16.3	20.0	64	0.6	14.1	10.2	440	2.48	62.9	1.8	8.1	5.1	35	0.3	2.3	0.1	65	0.42	0.048
LIN 137070	Soil	0.5	17.5	14.1	53	0.4	14.2	8.7	348	2.49	41.8	1.8	5.1	7.1	27	0.2	1.4	0.2	64	0.36	0.053
LIN 137071	Soil	0.5	15.2	15.8	53	0.3	14.1	8.6	317	2.38	41.0	1.8	4.1	5.1	28	0.3	1.1	0.2	63	0.36	0.050
LIN 137072	Soil	0.5	21.6	65.0	64	0.7	16.1	9.8	305	2.84	16.7	1.9	3.2	6.1	30	0.2	0.8	0.1	72	0.40	0.049
LIN 137073	Soil	0.6	17.6	8.4	46	0.2	12.0	11.5	623	2.49	18.4	19.2	2.6	5.7	34	0.1	0.4	0.1	62	0.56	0.050
LIN 137074	Soil	0.7	15.7	9.0	52	0.1	12.6	10.1	443	2.57	13.4	1.8	4.9	5.0	21	0.2	0.3	0.1	65	0.26	0.050
LIN 137075	Soil	0.5	20.6	7.1	49	<0.1	15.7	9.6	261	2.53	10.8	1.5	4.0	3.7	33	0.1	0.3	0.1	65	0.46	0.051
LIN 137076	Soil	0.6	16.6	10.0	56	0.2	14.1	11.6	360	2.66	17.8	2.1	5.6	4.7	38	0.1	0.4	0.2	70	0.56	0.058
LIN 137077	Soil	0.7	27.0	6.2	45	0.2	15.4	14.3	651	2.89	45.8	2.9	7.8	2.2	44	0.2	0.4	0.2	73	0.72	0.047
LIN 137078	Soil	0.7	27.8	6.3	58	0.3	10.8	13.2	487	3.35	43.5	9.6	9.3	5.0	38	0.1	0.4	0.2	88	0.90	0.074
LIN 137079	Soil	0.7	23.1	10.1	66	<0.1	17.0	15.5	552	3.64	65.4	1.2	6.9	3.1	26	0.1	0.4	0.2	96	0.44	0.038
LIN 137080	Soil	0.6	21.7	11.5	68	0.2	12.1	14.1	539	3.70	97.5	1.5	6.7	3.0	24	0.2	0.3	0.2	96	0.41	0.066
LIN 137081	Soil	0.7	25.9	5.9	49	0.1	11.8	11.2	470	2.98	175.3	4.1	3.4	3.2	35	0.1	0.4	0.2	76	0.53	0.047
LIN 137082	Soil	0.8	21.5	7.1	54	0.2	13.1	12.5	543	3.03	378.8	2.1	3.7	2.6	29	0.1	0.3	0.4	80	0.46	0.038
LIN 137083	Soil	0.7	24.2	8.8	50	0.3	13.2	11.3	545	2.80	185.6	2.6	4.0	3.9	29	0.1	0.3	0.3	73	0.45	0.038
LIN 137084	Soil	0.5	23.4	8.0	53	0.2	12.7	11.9	640	2.83	145.0	3.0	3.7	4.0	36	0.1	0.4	0.3	76	0.58	0.053
LIN 137085	Soil	0.5	19.8	9.1	52	0.2	12.6	11.0	558	2.79	222.6	2.3	10.5	3.6	26	0.1	0.5	0.2	70	0.38	0.039
LIN 137086	Soil	0.6	18.2	11.2	50	0.3	10.5	10.4	588	2.55	310.1	2.8	3.3	3.2	32	0.2	0.5	0.3	64	0.43	0.041
LIN 137087	Soil	0.6	17.1	11.1	50	0.3	11.9	10.1	590	2.58	308.4	2.7	3.1	3.4	29	0.2	0.5	0.3	66	0.46	0.044
LIN 137088	Soil	0.8	23.6	8.8	69	0.3	13.5	13.0	1187	2.71	320.2	2.1	7.1	2.7	28	0.2	0.4	0.3	67	0.40	0.053
LIN 137089	Soil	0.6	15.8	6.8	49	0.2	10.5	9.4	604	2.52	343.0	1.7	2.4	2.6	31	0.1	0.4	0.3	67	0.49	0.053
LIN 137090	Soil	0.8	26.8	9.1	46	0.7	11.8	10.3	902	2.50	263.4	5.6	24.0	2.2	50	0.1	0.5	0.5	55	0.71	0.064



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 6 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 137061	Soil	3	9	0.19	56	0.072	<1	0.81	0.019	0.03	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5
LIN 137062	Soil	6	23	0.61	91	0.168	1	1.71	0.017	0.06	0.2	0.02	2.8	0.1	<0.05	9	<0.5
LIN 137063	Soil	9	26	0.67	125	0.134	2	2.12	0.022	0.07	0.1	0.05	3.4	0.1	<0.05	6	<0.5
LIN 137064	Soil	10	26	0.53	127	0.126	1	2.18	0.016	0.05	<0.1	0.04	3.3	0.1	<0.05	8	<0.5
LIN 137065	Soil	9	26	0.53	129	0.124	2	2.14	0.017	0.05	<0.1	0.05	3.1	0.1	<0.05	7	<0.5
LIN 137066	Soil	6	28	0.48	135	0.108	<1	2.89	0.016	0.05	<0.1	0.04	2.8	<0.1	<0.05	6	<0.5
LIN 137067	Soil	6	18	0.37	73	0.074	<1	1.54	0.019	0.04	<0.1	0.04	1.6	0.1	<0.05	5	<0.5
LIN 137068	Soil	11	28	0.62	211	0.116	2	2.24	0.019	0.08	0.1	0.03	3.8	0.1	<0.05	6	<0.5
LIN 137069	Soil	15	23	0.56	139	0.102	1	1.63	0.018	0.08	0.1	0.04	3.5	0.2	<0.05	6	<0.5
LIN 137070	Soil	16	23	0.63	144	0.111	1	1.68	0.017	0.12	<0.1	0.04	3.5	0.2	<0.05	6	<0.5
LIN 137071	Soil	17	22	0.55	155	0.108	1	1.72	0.021	0.08	0.2	0.05	4.0	0.1	<0.05	6	<0.5
LIN 137072	Soil	15	26	0.65	195	0.114	1	1.84	0.020	0.10	0.1	0.04	5.3	0.1	<0.05	6	<0.5
LIN 137073	Soil	17	19	0.52	151	0.107	1	1.66	0.017	0.16	0.1	0.04	3.6	0.2	<0.05	6	<0.5
LIN 137074	Soil	15	21	0.52	151	0.106	<1	1.87	0.016	0.10	0.1	0.04	3.6	0.1	<0.05	6	<0.5
LIN 137075	Soil	12	26	0.53	167	0.101	2	1.91	0.022	0.06	0.1	0.04	3.8	<0.1	<0.05	6	<0.5
LIN 137076	Soil	14	23	0.74	164	0.114	1	1.89	0.022	0.15	0.1	0.05	4.3	0.2	<0.05	6	<0.5
LIN 137077	Soil	11	23	0.85	322	0.145	1	1.85	0.032	0.35	0.1	0.05	4.8	0.2	<0.05	6	<0.5
LIN 137078	Soil	21	18	1.01	437	0.168	1	2.10	0.024	0.41	0.3	0.06	5.9	0.3	<0.05	7	<0.5
LIN 137079	Soil	10	25	0.99	288	0.177	1	2.27	0.024	0.23	0.2	0.02	4.2	0.2	<0.05	7	<0.5
LIN 137080	Soil	12	20	1.04	333	0.162	<1	2.28	0.018	0.46	0.2	0.03	4.2	0.3	<0.05	7	<0.5
LIN 137081	Soil	17	19	0.73	402	0.127	1	1.72	0.018	0.30	<0.1	0.04	4.3	0.2	<0.05	6	<0.5
LIN 137082	Soil	11	21	0.79	268	0.152	1	1.85	0.020	0.31	0.2	0.03	3.3	0.2	<0.05	7	<0.5
LIN 137083	Soil	14	21	0.66	235	0.140	2	1.82	0.024	0.19	0.1	0.03	3.6	0.2	<0.05	6	<0.5
LIN 137084	Soil	21	21	0.75	262	0.147	1	1.82	0.020	0.29	0.2	0.04	3.8	0.3	<0.05	6	<0.5
LIN 137085	Soil	12	21	0.64	207	0.138	2	1.59	0.020	0.19	0.2	0.02	3.9	0.2	<0.05	6	<0.5
LIN 137086	Soil	15	17	0.64	241	0.120	1	1.56	0.019	0.23	0.2	0.03	3.7	0.2	<0.05	5	<0.5
LIN 137087	Soil	15	17	0.70	239	0.124	3	1.72	0.020	0.24	0.3	0.03	3.6	0.2	<0.05	5	<0.5
LIN 137088	Soil	12	19	0.67	213	0.128	2	1.66	0.023	0.25	0.2	0.03	3.6	0.2	<0.05	6	<0.5
LIN 137089	Soil	9	17	0.66	173	0.126	2	1.46	0.018	0.27	0.2	0.02	3.0	0.2	<0.05	5	<0.5
LIN 137090	Soil	22	17	0.56	307	0.092	2	1.56	0.021	0.24	0.2	0.07	4.4	0.2	<0.05	5	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 7 of 13 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137091	Soil				0.5	20.9	7.0	51	0.3	9.5	9.5	377	2.85	140.4	2.5	2.4	4.5	28	0.1	0.4	0.3	71	0.41	0.036
LIN 137092	Soil				0.5	17.0	10.0	53	0.2	12.4	10.9	458	3.02	210.8	1.9	9.2	4.4	30	0.1	0.5	0.5	77	0.46	0.045
LIN 137093	Soil				0.6	24.5	6.4	53	0.1	14.1	11.6	549	2.99	105.4	2.4	3.6	5.2	40	<0.1	0.3	0.2	76	0.60	0.056
LIN 137094	Soil				0.5	18.7	7.4	49	0.1	14.9	9.2	402	2.33	102.9	2.5	6.9	4.3	43	0.1	0.4	0.2	64	0.72	0.056
LIN 137095	Soil				0.4	36.7	8.6	36	0.4	15.1	8.8	409	2.25	199.3	5.3	6.6	7.8	58	0.2	0.5	0.3	57	0.88	0.042
LIN 137096	Soil				0.4	29.3	17.5	69	0.1	17.2	15.3	812	4.12	91.9	1.7	1.8	19.0	29	<0.1	1.6	0.4	92	0.49	0.097
LIN 137097	Soil				0.5	28.1	15.4	65	<0.1	18.0	14.5	771	4.08	83.0	1.5	3.1	16.8	29	<0.1	1.4	0.4	95	0.51	0.081
LIN 137098	Soil				0.6	31.2	11.5	76	<0.1	16.9	16.4	803	4.69	97.3	2.5	0.8	28.8	26	<0.1	1.8	0.2	100	0.52	0.113
LIN 137099	Soil				0.4	31.7	16.6	60	0.4	17.4	13.4	795	3.64	234.4	2.5	4.3	13.6	41	<0.1	0.9	0.6	87	0.66	0.083
LIN 137101	Soil				0.9	13.7	13.5	42	0.1	12.1	8.2	470	2.17	22.9	0.6	5.8	6.3	20	0.2	1.9	0.1	58	0.24	0.019
LIN 137102	Soil				0.8	15.2	13.9	71	<0.1	14.6	8.4	391	2.77	9.4	0.7	1.7	8.8	18	0.2	1.1	0.1	59	0.21	0.024
LIN 137103	Soil				1.0	14.9	13.8	53	<0.1	14.5	8.6	399	2.74	12.0	0.7	1.3	8.7	21	<0.1	0.7	0.1	54	0.23	0.018
LIN 137104	Soil				2.0	14.8	10.6	52	0.1	17.3	9.5	544	2.80	7.4	0.5	2.5	5.2	24	<0.1	0.5	0.1	69	0.27	0.045
LIN 137105	Soil				1.3	16.6	10.6	50	<0.1	18.3	10.1	355	2.86	6.8	0.5	2.3	4.1	17	0.1	0.5	0.2	73	0.17	0.022
LIN 137106	Soil				1.4	19.1	10.1	56	<0.1	20.1	10.0	330	2.98	7.3	0.5	0.9	3.4	18	0.1	0.5	0.2	77	0.18	0.023
LIN 137107	Soil				1.1	12.4	11.5	40	<0.1	11.0	6.2	429	2.17	5.3	0.6	0.8	9.1	15	0.1	0.4	0.1	43	0.18	0.024
LIN 137108	Soil				0.9	16.1	10.9	44	<0.1	15.1	9.1	879	2.42	5.3	0.6	1.1	7.8	19	<0.1	0.5	0.1	59	0.18	0.017
LIN 137109	Soil				1.4	13.9	9.6	50	<0.1	13.1	8.6	547	2.34	5.1	0.4	0.8	3.3	15	<0.1	0.5	0.2	63	0.15	0.020
LIN 137110	Soil				1.1	11.1	13.4	32	<0.1	8.4	4.9	344	1.65	3.8	0.6	1.2	11.1	12	0.1	0.4	0.5	37	0.13	0.017
LIN 137111	Soil				0.9	19.6	7.6	47	<0.1	21.2	9.4	265	2.82	6.7	0.5	1.3	3.0	23	<0.1	0.5	0.1	74	0.21	0.013
LIN 137112	Soil				1.0	18.6	12.4	49	<0.1	20.4	9.4	394	2.75	6.0	0.7	1.8	8.5	22	<0.1	0.5	0.1	67	0.21	0.016
LIN 137113	Soil				0.6	12.0	20.5	29	<0.1	10.3	5.7	473	1.82	6.0	1.2	2.7	19.0	19	<0.1	0.6	0.2	33	0.18	0.012
LIN 137114	Soil				1.2	20.6	12.0	48	<0.1	24.2	11.4	358	3.03	7.8	0.5	2.0	4.3	20	<0.1	0.5	0.1	74	0.18	0.019
LIN 137115	Soil				1.6	19.0	19.8	44	<0.1	11.8	10.4	769	2.90	4.6	1.1	4.7	11.4	21	<0.1	0.6	0.3	46	0.31	0.038
LIN 137116	Soil				1.5	20.4	17.8	49	<0.1	13.2	10.9	796	3.00	5.0	1.1	2.6	10.5	23	<0.1	0.6	0.2	53	0.36	0.042
LIN 137117	Soil				1.4	15.6	9.8	52	<0.1	17.6	9.6	344	2.81	5.2	0.5	1.8	4.1	20	<0.1	0.4	0.2	75	0.21	0.020
LIN 137118	Soil				1.7	14.9	16.7	34	<0.1	15.8	7.4	415	2.12	5.1	1.5	2.8	12.0	22	<0.1	0.4	0.1	48	0.25	0.013
LIN 137119	Soil				1.4	14.1	10.7	35	<0.1	14.1	7.5	317	2.10	4.2	0.8	1.6	6.9	28	<0.1	0.4	0.1	55	0.34	0.015
LIN 137120	Soil				0.5	26.4	6.5	44	<0.1	25.5	11.5	297	2.88	8.1	0.6	1.2	6.4	25	<0.1	0.4	<0.1	72	0.31	0.023
LIN 137121	Soil				0.6	26.8	6.6	45	<0.1	27.4	11.1	307	2.94	8.6	0.6	2.0	6.6	24	<0.1	0.4	0.1	69	0.28	0.022



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 7 of 13 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137091	Soil	14	18	0.69	269	0.132	2	1.66	0.024	0.30	0.2	0.02	4.7	0.2	<0.05	5	<0.5	0.2
LIN 137092	Soil	12	21	0.76	198	0.153	2	1.71	0.022	0.30	0.2	0.02	3.6	0.3	<0.05	5	<0.5	<0.2
LIN 137093	Soil	17	25	0.70	218	0.143	2	1.71	0.023	0.23	0.1	0.03	4.8	0.2	<0.05	5	<0.5	<0.2
LIN 137094	Soil	15	22	0.54	139	0.105	1	1.18	0.028	0.15	0.2	0.03	3.5	0.1	<0.05	4	<0.5	<0.2
LIN 137095	Soil	39	18	0.42	200	0.086	2	1.20	0.025	0.18	0.1	0.04	4.5	0.2	<0.05	4	<0.5	<0.2
LIN 137096	Soil	31	24	1.12	179	0.117	1	2.00	0.019	0.49	0.2	0.01	7.3	0.5	<0.05	8	<0.5	<0.2
LIN 137097	Soil	26	26	1.02	170	0.127	1	1.94	0.019	0.46	0.2	0.01	7.0	0.5	<0.05	8	<0.5	<0.2
LIN 137098	Soil	36	20	0.98	174	0.095	1	1.88	0.012	0.58	0.4	0.01	10.1	0.6	<0.05	7	<0.5	<0.2
LIN 137099	Soil	27	24	0.79	286	0.111	1	1.67	0.029	0.37	0.2	0.02	7.1	0.5	<0.05	6	<0.5	<0.2
LIN 137101	Soil	17	21	0.32	206	0.061	1	1.43	0.013	0.08	<0.1	<0.01	2.6	<0.1	<0.05	5	<0.5	0.2
LIN 137102	Soil	18	26	0.43	247	0.044	1	2.11	0.012	0.13	0.1	<0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137103	Soil	16	26	0.42	170	0.061	1	1.82	0.016	0.10	<0.1	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137104	Soil	12	28	0.46	245	0.054	<1	2.12	0.015	0.08	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137105	Soil	10	29	0.46	234	0.074	<1	2.32	0.015	0.09	<0.1	0.01	3.0	<0.1	<0.05	7	<0.5	<0.2
LIN 137106	Soil	9	30	0.45	205	0.084	1	2.36	0.015	0.07	<0.1	0.01	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 137107	Soil	16	17	0.27	156	0.028	<1	1.56	0.015	0.08	<0.1	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2
LIN 137108	Soil	16	26	0.42	208	0.059	1	1.73	0.016	0.08	0.1	0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 137109	Soil	9	22	0.37	200	0.058	<1	1.85	0.018	0.05	<0.1	<0.01	2.4	<0.1	<0.05	6	<0.5	<0.2
LIN 137110	Soil	18	14	0.18	98	0.036	<1	1.11	0.014	0.07	0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
LIN 137111	Soil	9	35	0.49	161	0.105	<1	2.01	0.018	0.05	<0.1	0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 137112	Soil	16	31	0.45	199	0.074	1	2.05	0.016	0.08	0.1	<0.01	3.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137113	Soil	29	17	0.29	164	0.042	<1	1.03	0.020	0.10	0.1	<0.01	3.5	<0.1	<0.05	3	<0.5	<0.2
LIN 137114	Soil	9	32	0.52	217	0.073	1	2.49	0.018	0.07	<0.1	<0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 137115	Soil	24	15	0.41	335	0.022	<1	1.45	0.019	0.15	<0.1	0.02	5.6	0.1	<0.05	4	<0.5	<0.2
LIN 137116	Soil	24	18	0.46	327	0.033	<1	1.60	0.020	0.16	<0.1	0.02	6.0	0.1	<0.05	4	<0.5	<0.2
LIN 137117	Soil	10	29	0.45	203	0.063	1	2.16	0.017	0.06	<0.1	<0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137118	Soil	21	24	0.34	211	0.055	<1	1.37	0.017	0.10	0.2	0.02	4.1	<0.1	<0.05	3	<0.5	<0.2
LIN 137119	Soil	16	24	0.36	194	0.067	<1	1.45	0.024	0.08	<0.1	0.02	3.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137120	Soil	12	35	0.70	160	0.120	1	2.30	0.023	0.10	0.1	0.01	4.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137121	Soil	12	36	0.60	167	0.108	<1	2.03	0.029	0.10	<0.1	0.01	3.9	<0.1	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 8 of 13 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 137125	Soil																							
LIN 137126	Soil																							
LIN 137127	Soil																							
LIN 137128	Soil																							
LIN 137129	Soil																							
LIN 137130	Soil																							
LIN 137131	Soil																							
LIN 137132	Soil																							
LIN 137133	Soil																							
LIN 137134	Soil																							
LIN 137135	Soil																							
LIN 137136	Soil																							
LIN 137137	Soil																							
LIN 137138	Soil																							
LIN 137139	Soil																							
LIN 137140	Soil																							
LIN 137141	Soil																							
LIN 137142	Soil																							
LIN 137143	Soil																							
LIN 137144	Soil																							
LIN 137145	Soil																							
LIN 137146	Soil																							
LIN 137147	Soil																							
LIN 137148	Soil																							
LIN 137149	Soil																							
LIN 137150	Soil																							
LIN 137151	Soil																							
LIN 137152	Soil																							
LIN 137153	Soil																							
LIN 137154	Soil																							



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 8 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137125	Soil	24	27	0.65	305	0.066	3	1.57	0.027	0.14	0.1	0.02	5.4	0.1	<0.05	5	0.7	<0.2
LIN 137126	Soil	19	52	0.99	278	0.094	<1	1.80	0.027	0.27	0.1	0.02	6.6	0.2	<0.05	5	0.5	<0.2
LIN 137127	Soil	13	50	0.92	289	0.057	1	1.41	0.033	0.13	<0.1	0.03	6.5	0.1	<0.05	4	<0.5	<0.2
LIN 137128	Soil	11	73	1.14	307	0.061	2	1.59	0.032	0.13	0.3	0.03	10.7	0.1	<0.05	4	<0.5	<0.2
LIN 137129	Soil	10	43	0.74	298	0.044	1	1.46	0.031	0.08	<0.1	0.04	5.2	0.1	0.05	4	0.8	<0.2
LIN 137130	Soil	10	60	1.01	287	0.042	2	1.50	0.032	0.10	0.3	0.03	7.9	0.1	<0.05	4	<0.5	<0.2
LIN 137131	Soil	8	41	0.56	291	0.024	2	0.93	0.025	0.08	<0.1	0.05	4.3	0.1	0.07	3	0.7	<0.2
LIN 137132	Soil	18	33	0.80	327	0.047	1	1.67	0.029	0.18	<0.1	0.04	5.4	0.1	<0.05	5	0.8	<0.2
LIN 137133	Soil	7	12	0.28	190	0.022	2	0.48	0.022	0.05	<0.1	0.03	1.3	<0.1	0.06	1	<0.5	<0.2
LIN 137134	Soil	28	16	0.44	201	0.017	<1	0.99	0.021	0.12	<0.1	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
LIN 137135	Soil	19	22	0.57	357	0.029	2	1.02	0.023	0.11	<0.1	0.03	2.5	<0.1	<0.05	3	0.8	<0.2
LIN 137136	Soil	32	28	0.58	348	0.037	1	1.31	0.021	0.15	<0.1	0.03	3.3	0.1	<0.05	4	<0.5	<0.2
LIN 137137	Soil	18	69	1.48	348	0.112	2	2.45	0.033	0.19	<0.1	0.02	4.8	0.2	<0.05	8	<0.5	<0.2
LIN 137138	Soil	13	28	0.55	205	0.048	<1	1.90	0.020	0.09	0.1	0.03	2.3	0.1	<0.05	7	<0.5	<0.2
LIN 137139	Soil	16	24	0.53	386	0.040	1	1.42	0.024	0.07	<0.1	0.04	3.0	<0.1	<0.05	4	0.6	<0.2
LIN 137140	Soil	13	34	0.58	113	0.093	2	1.24	0.027	0.08	<0.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 137141	Soil	13	31	0.58	204	0.094	2	1.36	0.044	0.08	0.2	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
LIN 137142	Soil	14	26	0.57	171	0.095	2	1.38	0.041	0.09	0.1	0.03	3.4	<0.1	<0.05	4	0.6	<0.2
LIN 137143	Soil	28	22	0.54	187	0.032	<1	1.50	0.017	0.13	<0.1	0.05	3.4	0.1	<0.05	4	0.6	0.2
LIN 137144	Soil	18	33	0.61	123	0.049	<1	1.76	0.023	0.10	0.2	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
LIN 137145	Soil	66	57	0.92	235	0.071	1	1.91	0.034	0.18	0.1	0.04	6.8	0.2	<0.05	6	<0.5	<0.2
LIN 137146	Soil	21	35	0.80	174	0.109	2	1.55	0.056	0.14	0.1	0.04	5.2	0.1	<0.05	5	<0.5	<0.2
LIN 137147	Soil	10	25	1.91	316	0.128	1	3.27	0.027	0.43	0.4	0.02	7.9	0.2	<0.05	10	0.6	<0.2
LIN 137148	Soil	8	10	1.97	1202	0.237	<1	3.05	0.065	0.52	0.5	0.02	9.9	0.3	<0.05	9	<0.5	<0.2
LIN 137149	Soil	14	10	1.33	519	0.010	1	2.49	0.030	0.11	0.2	0.02	17.4	<0.1	<0.05	8	<0.5	<0.2
LIN 137150	Soil	18	20	1.64	335	0.065	<1	3.11	0.034	0.10	0.6	0.03	14.6	<0.1	<0.05	9	<0.5	0.8
LIN 137151	Soil	12	6	1.17	610	0.038	<1	2.39	0.081	0.27	0.3	0.01	18.2	0.1	<0.05	7	0.5	<0.2
LIN 137152	Soil	35	7	1.14	674	0.110	<1	2.00	0.012	0.60	0.3	0.02	16.8	0.4	<0.05	7	<0.5	<0.2
LIN 137153	Soil	13	22	1.03	458	0.135	2	2.50	0.057	0.24	0.2	0.03	8.5	0.2	<0.05	7	0.7	<0.2
LIN 137154	Soil	13	25	0.94	683	0.137	3	2.44	0.049	0.16	0.2	0.04	6.3	0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 9 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 137155	Soil	0.6	26.9	6.5	56	0.3	12.5	12.5	584	3.06	8.0	1.2	2.4	1.8	54	<0.1	0.3	0.6	84	0.93	0.047
LIN 137156	Soil	0.6	20.7	6.8	59	0.1	13.9	14.8	444	3.66	11.1	1.1	1.4	2.3	49	0.1	0.2	0.4	102	0.80	0.041
LIN 137157	Soil	0.5	23.7	9.0	64	0.2	11.8	13.2	545	3.12	9.8	1.5	3.4	1.9	66	0.2	0.4	0.4	85	1.09	0.064
LIN 137158	Soil	0.5	32.7	9.8	68	0.2	17.9	14.8	447	3.42	12.6	1.6	2.4	2.8	55	0.2	0.3	0.4	93	0.86	0.071
LIN 137159	Soil	0.6	20.0	10.0	60	0.2	13.7	12.6	668	2.96	11.3	1.1	2.6	2.0	55	0.2	0.3	0.3	85	0.86	0.063
LIN 137160	Soil	0.6	38.8	5.8	57	0.1	26.1	12.1	491	2.90	6.8	1.0	3.8	3.0	73	0.1	0.6	0.2	82	1.29	0.066
LIN 137161	Soil	0.6	34.9	6.2	56	<0.1	27.0	12.5	466	2.78	6.9	0.6	1.8	2.7	88	0.2	0.6	0.1	77	2.06	0.076
LIN 137162	Soil	0.4	34.9	11.4	62	0.2	15.0	13.1	456	3.26	6.0	1.1	2.3	3.2	52	0.2	0.4	0.4	92	0.85	0.058
LIN 137163	Soil	0.4	36.3	15.2	115	0.2	14.2	15.9	609	4.03	6.0	0.8	5.4	3.2	52	0.4	0.2	0.3	110	0.78	0.082
LIN 137164	Soil	0.3	31.2	7.3	68	0.1	13.2	16.3	561	4.16	5.0	0.9	<0.5	4.7	54	<0.1	0.2	0.3	110	0.82	0.089
LIN 137165	Soil	0.5	21.3	6.0	73	<0.1	11.4	17.6	745	4.35	5.0	0.4	<0.5	2.5	27	0.1	0.2	0.2	126	0.42	0.058
LIN 137166	Soil	0.5	44.3	5.6	76	0.1	11.8	20.7	684	5.09	7.1	1.7	1.9	3.6	39	<0.1	0.3	0.3	144	0.66	0.122
LIN 137167	Soil	0.3	47.1	18.5	90	0.5	6.8	20.8	954	5.77	8.4	1.1	3.1	11.9	78	0.3	0.3	0.6	113	2.79	0.086
LIN 137169	Soil	0.8	35.5	30.3	82	0.4	14.4	17.3	585	3.95	20.8	3.2	5.4	2.9	42	0.2	0.5	0.5	110	0.63	0.033
LIN 137170	Soil	0.7	38.7	31.3	58	0.5	11.8	14.1	586	3.39	14.6	2.6	1.9	1.5	73	0.3	0.4	0.3	90	1.56	0.056
LIN 137171	Soil	0.7	26.4	48.1	59	0.4	11.9	11.4	430	3.08	13.1	1.1	1.4	2.1	37	0.3	0.3	0.6	84	0.55	0.029
LIN 137172	Soil	0.4	17.2	15.7	70	0.3	9.7	16.9	874	4.15	20.6	0.7	6.5	4.3	37	0.2	0.2	0.4	108	0.79	0.029
LIN 137173	Soil	0.4	26.3	78.6	106	0.6	10.3	16.9	749	4.35	18.2	1.4	7.4	4.8	45	0.5	0.3	0.3	98	1.01	0.066
LIN 137174	Soil	0.5	22.6	29.6	82	0.7	10.2	18.1	1092	3.92	19.5	1.2	6.4	4.7	52	0.2	0.4	0.4	92	0.89	0.068
LIN 137175	Soil	0.4	30.6	58.3	93	0.7	11.9	16.7	894	4.09	20.7	1.7	6.2	4.7	60	0.4	0.4	0.5	92	1.10	0.070
LIN 137176	Soil	0.3	31.0	52.3	80	0.6	13.3	17.3	901	3.76	12.2	1.8	5.6	4.0	60	0.3	0.4	0.3	91	1.26	0.063
LIN 137177	Soil	0.4	30.0	17.1	83	0.6	13.6	15.0	1107	3.69	21.1	1.9	9.7	4.2	68	0.4	0.4	0.6	73	1.13	0.067
LIN 137178	Soil	0.5	29.1	17.8	105	0.5	10.3	20.2	1036	5.15	18.0	1.8	4.3	6.1	77	0.3	0.4	0.6	87	1.38	0.098
LIN 137179	Soil	0.9	20.7	7.4	44	<0.1	25.4	11.8	290	3.57	8.1	0.4	<0.5	1.8	41	0.1	0.6	0.2	85	0.44	0.022
LIN 137182	Soil	0.8	55.5	20.8	150	<0.1	17.9	28.0	1056	6.12	39.4	0.7	<0.5	5.8	13	0.3	1.0	0.2	143	0.23	0.057
LIN 137183	Soil	1.6	18.2	15.7	48	0.2	17.8	9.7	311	3.42	72.1	1.1	1.6	4.6	22	0.3	0.6	0.3	97	0.20	0.027
LIN 137184	Soil	1.1	15.1	10.7	30	<0.1	10.1	4.7	212	2.34	41.5	0.8	0.6	4.3	21	<0.1	0.4	0.2	68	0.18	0.016
LIN 137185	Soil	0.8	16.6	8.2	45	<0.1	14.3	8.4	314	2.79	6.4	1.1	1.0	9.9	35	<0.1	0.3	0.2	64	0.37	0.031
LIN 137186	Soil	0.9	19.4	7.4	81	<0.1	13.2	11.6	609	4.08	5.4	1.2	<0.5	15.9	13	<0.1	0.3	0.3	53	0.19	0.057
LIN 137187	Soil	0.6	10.8	11.9	73	<0.1	8.4	8.2	611	3.92	2.4	2.2	<0.5	31.0	23	<0.1	0.2	<0.1	40	0.37	0.096



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 9 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137155	Soil	9	19	0.79	339	0.094	<1	1.95	0.049	0.06	0.3	0.03	5.1	<0.1	<0.05	6	0.5	<0.2
LIN 137156	Soil	8	22	0.82	286	0.087	1	2.13	0.039	0.06	0.3	0.02	5.9	<0.1	<0.05	7	<0.5	<0.2
LIN 137157	Soil	9	18	0.74	284	0.080	1	1.79	0.041	0.07	0.3	0.03	6.0	<0.1	<0.05	5	<0.5	0.2
LIN 137158	Soil	11	25	0.91	263	0.118	1	2.05	0.050	0.10	0.9	0.02	6.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137159	Soil	9	22	0.69	279	0.104	1	1.82	0.045	0.07	0.6	0.04	4.5	<0.1	<0.05	6	<0.5	0.2
LIN 137160	Soil	12	34	0.81	200	0.136	3	1.81	0.070	0.10	0.2	0.02	5.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137161	Soil	10	33	0.90	161	0.117	6	1.48	0.061	0.11	0.1	0.02	4.0	<0.1	<0.05	4	<0.5	0.2
LIN 137162	Soil	12	25	0.83	397	0.146	2	2.16	0.049	0.23	0.4	0.03	5.8	0.2	<0.05	7	<0.5	<0.2
LIN 137163	Soil	11	20	1.14	646	0.174	1	2.47	0.068	0.38	0.2	0.03	7.5	0.2	<0.05	7	<0.5	0.4
LIN 137164	Soil	15	20	1.22	623	0.184	2	2.64	0.066	0.38	0.2	0.02	6.7	0.2	<0.05	8	<0.5	<0.2
LIN 137165	Soil	6	18	1.24	368	0.203	1	2.57	0.036	0.45	0.1	<0.01	6.5	0.3	<0.05	10	<0.5	0.4
LIN 137166	Soil	13	17	1.35	526	0.132	1	2.62	0.045	0.32	0.3	<0.01	10.4	0.2	<0.05	8	<0.5	<0.2
LIN 137167	Soil	33	11	1.54	492	0.025	<1	2.57	0.018	0.17	0.4	0.02	11.4	<0.1	0.08	9	<0.5	0.2
LIN 137169	Soil	9	25	0.99	311	0.126	2	2.53	0.040	0.12	0.3	0.02	5.7	0.1	<0.05	9	<0.5	<0.2
LIN 137170	Soil	10	18	0.99	364	0.063	1	2.01	0.040	0.06	0.4	0.05	6.5	<0.1	0.10	6	<0.5	<0.2
LIN 137171	Soil	12	20	0.64	294	0.093	1	2.09	0.037	0.08	0.1	0.04	4.7	0.1	<0.05	7	<0.5	<0.2
LIN 137172	Soil	10	18	1.07	246	0.165	2	2.10	0.036	0.14	0.3	0.03	5.4	0.1	<0.05	8	<0.5	<0.2
LIN 137173	Soil	17	17	1.17	408	0.123	2	2.06	0.034	0.24	0.7	0.03	8.4	0.2	<0.05	7	<0.5	0.4
LIN 137174	Soil	18	19	0.84	404	0.082	2	1.69	0.035	0.14	0.7	0.04	7.9	<0.1	0.07	6	<0.5	<0.2
LIN 137175	Soil	19	20	1.00	482	0.106	1	1.99	0.035	0.21	0.7	0.03	8.9	0.2	0.06	6	0.5	0.2
LIN 137176	Soil	19	23	1.02	605	0.106	1	2.02	0.031	0.23	0.9	0.04	9.9	0.2	<0.05	6	<0.5	0.2
LIN 137177	Soil	23	19	0.64	516	0.042	1	1.54	0.035	0.11	0.6	0.04	9.1	<0.1	<0.05	5	<0.5	0.2
LIN 137178	Soil	24	12	0.79	626	0.015	<1	1.38	0.021	0.12	0.9	0.03	11.4	<0.1	0.06	4	<0.5	0.2
LIN 137179	Soil	8	40	0.62	239	0.070	1	2.69	0.032	0.05	0.1	0.02	4.3	<0.1	<0.05	7	<0.5	<0.2
LIN 137182	Soil	6	25	1.70	151	0.285	<1	3.49	0.014	0.64	0.1	<0.01	6.6	1.0	<0.05	11	<0.5	0.2
LIN 137183	Soil	11	32	0.51	173	0.115	1	2.36	0.018	0.08	<0.1	0.02	3.2	0.1	<0.05	9	<0.5	<0.2
LIN 137184	Soil	12	23	0.27	135	0.058	<1	1.60	0.016	0.07	<0.1	0.01	2.5	0.1	<0.05	8	<0.5	<0.2
LIN 137185	Soil	22	29	0.61	162	0.115	<1	1.91	0.022	0.13	0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
LIN 137186	Soil	15	22	0.62	112	0.072	<1	2.52	0.010	0.48	0.3	0.01	8.4	0.6	<0.05	9	<0.5	<0.2
LIN 137187	Soil	90	15	0.55	160	0.047	<1	1.67	0.011	0.44	0.2	<0.01	7.3	0.5	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 10 of 13 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

		Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137188	Soil		0.4	49.1	5.5	89	<0.1	43.1	19.8	457	4.31	5.4	1.2	<0.5	8.2	36	<0.1	0.4	0.3	87	0.39	0.014
LIN 137189	Soil		1.2	20.8	8.2	46	<0.1	21.1	10.4	307	3.32	9.0	0.9	0.8	4.8	30	<0.1	0.5	0.2	89	0.24	0.024
LIN 137190	Soil		0.7	31.5	7.9	48	<0.1	26.1	11.8	387	3.20	10.0	1.1	0.9	5.4	49	<0.1	0.5	0.2	83	0.44	0.022
LIN 137191	Soil		0.6	26.6	10.1	48	<0.1	23.6	11.3	351	3.32	8.1	1.1	1.4	6.6	41	<0.1	0.5	0.2	85	0.37	0.018
LIN 137192	Soil		0.7	11.6	3.8	24	<0.1	13.7	7.0	261	1.83	7.2	2.0	<0.5	10.8	15	<0.1	0.2	<0.1	30	0.09	0.016
LIN 137193	Soil		0.7	18.0	8.9	40	<0.1	16.6	11.2	417	2.81	8.1	1.2	<0.5	10.4	22	<0.1	0.7	0.1	67	0.19	0.026
LIN 137194	Soil		1.0	16.7	3.7	73	<0.1	17.1	14.2	678	4.81	8.4	1.8	1.3	14.3	21	<0.1	0.4	<0.1	66	0.36	0.103
LIN 137195	Soil		1.3	19.1	9.0	59	<0.1	16.2	11.5	567	3.91	7.1	0.8	<0.5	17.0	24	<0.1	0.5	0.1	63	0.27	0.049
LIN 137196	Soil		0.3	12.6	42.7	71	0.1	19.8	12.8	866	3.99	43.6	1.1	23.6	23.1	31	0.1	0.5	0.3	71	0.48	0.084
LIN 137197	Soil		0.2	13.8	35.3	73	0.1	22.4	13.3	822	4.16	38.1	1.2	2.5	22.4	34	<0.1	0.6	0.2	75	0.47	0.073
LIN 137198	Soil		0.6	17.3	6.1	66	<0.1	16.1	11.4	452	3.73	8.1	0.6	<0.5	6.1	23	<0.1	0.3	0.1	79	0.30	0.049
LIN 137199	Soil		0.4	60.5	2.5	108	<0.1	65.3	28.7	1126	6.58	2.6	0.8	<0.5	8.7	27	<0.1	0.6	0.1	176	0.52	0.114
LIN 137200	Soil		0.5	51.2	3.0	94	<0.1	60.0	25.7	1031	5.77	2.1	0.7	0.7	8.0	22	<0.1	0.4	<0.1	151	0.43	0.081
LIN 137201	Soil		0.6	21.9	5.7	37	<0.1	19.2	9.2	258	2.33	7.1	1.2	1.4	8.9	25	<0.1	0.3	0.1	53	0.40	0.032
LIN 137202	Soil		0.5	27.2	7.2	41	<0.1	20.8	11.3	379	2.54	8.4	0.8	1.3	5.4	40	<0.1	0.4	0.2	63	0.62	0.027
LIN 137203	Soil		0.6	15.3	7.5	38	0.2	12.7	8.1	235	2.42	6.2	1.3	1.4	9.4	31	<0.1	0.3	0.2	55	0.52	0.028
LIN 137204	Soil		0.9	17.1	7.4	42	<0.1	14.6	8.9	269	2.66	8.6	1.3	2.2	7.2	28	<0.1	0.3	0.1	57	0.39	0.029
LIN 137205	Soil		0.8	13.4	8.8	47	<0.1	12.2	8.1	317	2.60	11.2	1.1	1.5	10.1	29	<0.1	0.3	0.1	58	0.44	0.038
LIN 137206	Soil		0.9	21.4	7.8	52	<0.1	18.8	11.0	593	2.84	19.8	0.8	7.4	8.1	31	<0.1	0.4	0.1	70	0.37	0.023
LIN 137207	Soil		0.8	20.1	8.9	60	<0.1	16.5	12.5	654	3.14	57.7	0.7	1.2	14.1	25	<0.1	0.7	0.1	70	0.31	0.032
LIN 137208	Soil		0.8	45.1	38.6	84	0.2	18.7	19.8	978	5.13	203.0	3.5	8.3	23.5	23	0.2	2.7	0.9	109	0.40	0.076
LIN 137209	Soil		1.9	34.8	210.3	94	0.4	10.8	15.6	807	4.37	647.2	3.4	10.0	25.9	24	0.6	3.9	3.7	80	0.44	0.102
LIN 137210	Soil		0.8	48.8	16.4	56	0.2	22.1	13.5	570	3.40	237.5	2.2	14.4	11.7	54	0.1	1.4	0.4	70	0.76	0.048
LIN 137211	Soil		1.2	21.3	21.3	55	0.3	12.8	11.1	656	2.75	206.6	9.3	10.1	9.8	63	0.2	1.2	0.4	61	0.94	0.070
LIN 137212	Soil		0.4	27.6	9.6	54	<0.1	20.0	10.8	411	2.56	48.9	1.2	6.1	4.2	57	0.2	0.6	0.2	69	1.01	0.056
LIN 137213	Soil		0.6	29.7	18.0	64	0.2	16.6	12.8	571	3.33	234.8	2.7	11.1	16.5	52	0.3	1.6	0.3	76	0.87	0.089
LIN 137214	Soil		0.7	39.2	20.4	86	0.1	19.9	17.0	858	4.44	319.4	1.9	5.9	20.2	31	0.2	2.1	0.3	103	0.61	0.122
LIN 137215	Soil		0.5	28.0	13.1	70	0.2	17.2	14.4	690	3.74	119.3	4.1	4.4	14.2	47	<0.1	0.7	0.2	88	0.76	0.087
LIN 137216	Soil		0.4	37.3	13.5	78	0.2	16.9	17.6	880	4.31	71.5	1.7	181.2	15.2	30	<0.1	0.5	0.2	104	0.66	0.131
LIN 137217	Soil		0.8	27.8	24.7	62	0.2	19.7	15.2	691	3.76	95.7	2.6	6.1	15.0	28	0.1	0.7	0.3	93	0.44	0.064



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

10 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137188	Soil	27	92	2.26	264	0.137	<1	3.00	0.011	0.62	<0.1	<0.01	12.9	0.4	<0.05	10	<0.5	<0.2
LIN 137189	Soil	12	35	0.60	184	0.131	2	2.65	0.023	0.08	<0.1	0.02	3.8	<0.1	<0.05	8	<0.5	<0.2
LIN 137190	Soil	17	43	0.70	237	0.138	1	2.26	0.034	0.08	<0.1	0.04	7.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137191	Soil	16	34	0.66	201	0.134	1	2.38	0.032	0.09	<0.1	0.03	5.4	0.1	<0.05	7	<0.5	<0.2
LIN 137192	Soil	23	19	0.25	64	0.019	<1	1.35	0.007	0.05	0.1	0.01	1.8	<0.1	<0.05	2	<0.5	<0.2
LIN 137193	Soil	27	38	0.45	130	0.042	1	1.43	0.012	0.20	0.3	<0.01	5.2	0.1	<0.05	4	<0.5	<0.2
LIN 137194	Soil	46	24	0.92	205	0.078	<1	1.73	0.013	0.62	0.1	0.01	8.1	0.4	<0.05	7	<0.5	<0.2
LIN 137195	Soil	51	28	0.96	184	0.124	<1	2.32	0.015	0.40	<0.1	<0.01	5.6	0.3	<0.05	9	<0.5	<0.2
LIN 137196	Soil	78	42	1.51	294	0.130	<1	2.39	0.020	0.66	<0.1	0.01	9.5	0.4	<0.05	10	<0.5	0.2
LIN 137197	Soil	80	46	1.59	312	0.139	<1	2.54	0.021	0.64	<0.1	0.03	9.9	0.4	<0.05	9	<0.5	<0.2
LIN 137198	Soil	19	29	0.90	179	0.130	<1	2.50	0.019	0.41	0.1	<0.01	5.4	0.3	<0.05	9	<0.5	<0.2
LIN 137199	Soil	32	189	3.63	363	0.160	1	3.91	0.011	0.72	<0.1	0.02	25.0	0.4	<0.05	14	<0.5	<0.2
LIN 137200	Soil	26	168	3.34	320	0.136	1	3.52	0.009	0.63	<0.1	<0.01	22.4	0.3	<0.05	12	<0.5	<0.2
LIN 137201	Soil	18	37	0.64	120	0.091	1	1.46	0.025	0.16	<0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
LIN 137202	Soil	11	38	0.68	167	0.096	<1	1.75	0.033	0.08	<0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137203	Soil	19	25	0.54	163	0.084	1	1.60	0.022	0.13	0.1	0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
LIN 137204	Soil	19	29	0.51	197	0.080	1	1.44	0.020	0.11	<0.1	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137205	Soil	26	24	0.46	207	0.083	<1	1.51	0.019	0.17	0.2	0.01	4.3	0.1	<0.05	5	<0.5	<0.2
LIN 137206	Soil	22	34	0.54	211	0.101	1	1.89	0.021	0.10	0.1	0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
LIN 137207	Soil	21	27	0.64	263	0.077	1	1.91	0.016	0.24	0.2	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
LIN 137208	Soil	38	28	1.05	355	0.088	<1	2.02	0.016	0.48	0.2	0.02	12.0	0.5	<0.05	7	<0.5	0.2
LIN 137209	Soil	38	15	0.58	269	0.039	<1	1.41	0.009	0.34	0.1	<0.01	8.4	0.4	<0.05	5	<0.5	0.2
LIN 137210	Soil	30	29	0.60	350	0.082	2	1.67	0.031	0.15	0.1	0.04	7.1	0.2	<0.05	5	<0.5	<0.2
LIN 137211	Soil	28	20	0.64	291	0.064	2	1.26	0.022	0.19	0.5	0.03	5.2	0.2	0.05	4	<0.5	<0.2
LIN 137212	Soil	12	27	0.64	187	0.104	2	1.60	0.035	0.09	0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137213	Soil	30	23	0.69	231	0.097	2	1.42	0.036	0.25	0.2	0.03	6.5	0.3	<0.05	5	<0.5	<0.2
LIN 137214	Soil	30	27	1.25	267	0.119	1	2.22	0.024	0.49	<0.1	0.02	7.9	0.5	<0.05	8	<0.5	<0.2
LIN 137215	Soil	26	26	1.04	238	0.140	2	1.93	0.038	0.42	0.1	0.03	7.7	0.6	<0.05	7	<0.5	<0.2
LIN 137216	Soil	20	24	1.33	245	0.174	1	2.04	0.024	0.74	0.1	<0.01	7.5	1.1	<0.05	8	<0.5	<0.2
LIN 137217	Soil	22	32	0.95	262	0.141	1	2.35	0.020	0.39	<0.1	0.02	6.5	0.5	<0.05	8	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

11 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137218	Soil				0.9	28.1	8.9	68	<0.1	16.7	14.7	589	4.05	59.6	1.9	14.5	19.3	22	0.1	0.7	0.2	92	0.32	0.073
LIN 137227	Soil				1.0	26.6	16.8	50	0.2	21.9	12.8	346	3.94	289.1	1.8	13.4	7.6	22	<0.1	1.1	0.5	96	0.27	0.040
LIN 137228	Soil				0.8	20.9	7.4	59	<0.1	16.5	12.3	464	4.13	11.1	0.4	2.1	3.6	16	<0.1	0.4	0.1	101	0.22	0.051
LIN 137229	Soil				0.4	26.2	12.4	83	<0.1	13.9	19.7	1319	4.74	33.9	1.5	1.2	24.9	12	0.1	1.4	0.4	99	0.31	0.120
LIN 137230	Soil				0.6	26.6	29.9	69	<0.1	11.4	13.8	546	3.77	624.1	1.1	75.3	11.5	16	0.3	2.8	0.2	92	0.28	0.081
LIN 137231	Soil				0.8	30.1	24.3	72	0.5	23.6	13.6	486	3.52	367.8	2.0	46.3	10.0	26	0.2	1.8	0.1	72	0.28	0.031
LIN 137232	Soil				0.5	24.9	33.2	78	0.1	13.0	15.9	806	4.34	186.4	3.2	16.8	26.9	26	0.2	0.9	0.7	91	0.46	0.116
LIN 137233	Soil				0.2	22.7	17.1	82	0.2	7.9	18.6	1122	4.53	29.0	6.4	3.5	41.8	18	0.2	1.3	0.2	59	0.42	0.139
LIN 137234	Soil				1.8	46.7	42.6	85	0.5	14.5	22.1	1319	5.41	3326	7.8	73.2	30.7	25	0.4	9.7	0.6	69	0.43	0.109
LIN 137235	Soil				0.3	47.6	123.1	80	0.3	12.7	18.1	1115	4.32	1161	2.6	8.4	27.4	18	0.8	0.8	2.5	86	0.49	0.153
LIN 137236	Soil				1.1	48.7	38.1	80	0.1	23.3	22.9	874	4.80	1681	3.2	42.4	19.9	21	0.4	5.5	0.6	84	0.22	0.038
LIN 137237	Soil				1.0	26.8	18.3	70	0.4	17.7	12.5	349	3.31	121.4	1.8	7.5	7.6	23	0.3	0.7	0.2	82	0.23	0.036
LIN 137238	Soil				0.5	27.1	22.7	102	<0.1	12.9	22.3	973	4.90	176.2	2.4	7.5	24.6	14	0.4	1.8	0.3	100	0.35	0.122
LIN 137239	Soil				0.6	23.9	22.1	55	0.2	17.8	9.2	358	2.58	25.7	2.6	6.2	9.5	26	<0.1	0.6	0.1	64	0.32	0.029
LIN 137247	Soil				0.4	24.3	11.7	59	<0.1	17.9	9.6	365	2.92	6.3	1.3	3.9	6.7	29	0.2	0.3	0.2	68	0.45	0.058
LIN 137248	Soil				0.8	21.3	5.5	84	<0.1	9.9	4.6	206	1.58	3.5	0.4	1.3	0.2	19	0.8	0.3	0.1	45	0.17	0.036
LIN 137249	Soil				1.2	16.2	7.7	36	<0.1	9.5	4.8	199	2.10	7.6	0.4	6.1	1.6	14	0.2	0.4	0.2	53	0.11	0.028
LIN 137250	Soil				1.3	25.1	20.0	64	0.4	20.9	11.1	424	2.92	61.3	1.7	22.2	5.4	35	0.3	0.4	0.8	68	0.54	0.063
LIN 137251	Soil				4.7	22.3	18.0	48	0.5	12.7	6.2	270	2.01	104.4	1.8	10.1	1.0	19	0.6	0.3	0.7	47	0.23	0.046
LIN 137252	Soil				1.3	20.3	14.6	50	0.3	16.9	9.4	797	2.16	53.5	1.1	3.7	2.3	28	0.2	0.3	0.5	56	0.41	0.057
LIN 137253	Soil				3.5	21.2	22.8	57	0.5	17.9	11.1	700	2.60	147.0	1.8	5.0	3.1	30	0.2	0.4	1.1	62	0.44	0.066
LIN 137254	Soil				2.9	22.4	6.9	41	0.2	12.2	12.2	3399	1.00	19.8	1.4	3.1	0.4	77	0.8	0.5	0.3	19	1.10	0.105
LIN 137255	Soil				1.3	2.7	2.3	11	<0.1	1.8	2.4	148	0.65	16.4	0.2	<0.5	0.2	9	<0.1	<0.1	<0.1	15	0.11	0.035
LIN 137256	Soil				2.7	27.0	24.0	54	0.5	18.2	9.5	505	2.18	102.4	2.5	3.0	1.2	37	0.8	0.3	0.9	49	0.42	0.064
LIN 137257	Soil				0.9	11.3	4.6	29	0.1	8.6	4.0	141	1.48	6.5	0.8	1.7	0.7	13	0.1	0.2	0.1	36	0.13	0.042
LIN 137258	Soil				0.6	11.8	4.5	33	<0.1	5.6	2.4	156	1.04	2.2	0.2	0.8	0.2	15	0.2	0.2	0.1	40	0.13	0.027
LIN 137259	Soil				0.6	9.1	7.3	20	<0.1	5.1	2.7	106	1.12	6.2	0.4	<0.5	0.3	11	<0.1	0.2	0.2	32	0.10	0.020
LIN 137260	Soil				0.6	10.6	7.0	47	<0.1	10.6	6.2	283	1.85	9.7	0.3	1.3	1.1	12	0.4	0.3	0.2	48	0.11	0.025
LIN 137261	Soil				0.5	7.7	3.3	16	<0.1	3.2	2.3	115	1.03	2.2	0.3	1.0	0.3	8	0.1	0.1	<0.1	27	0.07	0.027
LIN 137262	Soil				0.9	10.9	7.1	33	<0.1	8.2	4.0	191	2.12	9.3	0.4	2.8	1.5	10	0.2	0.3	0.2	65	0.11	0.020



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

11 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137218	Soil	21	26	1.01	174	0.154	1	2.06	0.015	0.71	0.1	<0.01	7.6	0.8	<0.05	7	<0.5	<0.2
LIN 137227	Soil	17	36	0.72	172	0.126	2	2.91	0.017	0.12	<0.1	0.04	5.5	0.2	<0.05	8	<0.5	<0.2
LIN 137228	Soil	7	25	0.85	125	0.185	<1	2.43	0.016	0.20	<0.1	0.01	3.4	0.3	<0.05	10	<0.5	<0.2
LIN 137229	Soil	23	18	1.22	190	0.107	<1	2.86	0.008	0.70	0.3	<0.01	9.9	1.0	<0.05	8	<0.5	<0.2
LIN 137230	Soil	18	21	0.94	99	0.150	<1	2.20	0.011	0.34	0.2	0.01	4.1	0.5	<0.05	9	<0.5	<0.2
LIN 137231	Soil	19	33	0.68	174	0.103	2	2.37	0.024	0.10	0.1	0.04	5.9	0.2	<0.05	6	<0.5	0.2
LIN 137232	Soil	36	21	0.99	281	0.108	<1	2.05	0.013	0.55	0.2	0.01	9.3	0.8	<0.05	7	<0.5	<0.2
LIN 137233	Soil	61	8	0.31	400	0.012	<1	0.88	0.007	0.37	0.3	0.01	11.2	0.4	<0.05	3	<0.5	<0.2
LIN 137234	Soil	63	18	0.69	306	0.046	1	1.77	0.008	0.22	0.7	0.02	10.1	0.4	<0.05	5	<0.5	<0.2
LIN 137235	Soil	41	20	1.39	213	0.150	<1	2.28	0.009	0.65	0.2	0.01	5.4	1.0	<0.05	7	<0.5	<0.2
LIN 137236	Soil	20	32	0.62	209	0.097	1	2.95	0.014	0.14	0.2	0.02	6.7	0.3	<0.05	7	<0.5	<0.2
LIN 137237	Soil	18	30	0.59	142	0.119	2	2.56	0.018	0.12	0.2	0.03	4.3	0.2	<0.05	8	<0.5	<0.2
LIN 137238	Soil	29	18	1.19	172	0.122	<1	2.69	0.008	0.78	0.7	<0.01	8.7	1.0	<0.05	8	<0.5	<0.2
LIN 137239	Soil	21	27	0.56	259	0.100	1	1.57	0.023	0.07	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
LIN 137247	Soil	20	31	0.69	245	0.138	1	1.95	0.018	0.20	0.2	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
LIN 137248	Soil	4	15	0.16	81	0.051	<1	0.98	0.025	0.04	<0.1	0.04	1.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137249	Soil	5	15	0.25	64	0.095	2	1.08	0.019	0.05	0.1	0.04	1.8	<0.1	<0.05	6	0.6	<0.2
LIN 137250	Soil	15	31	0.70	163	0.131	2	1.68	0.026	0.12	1.7	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
LIN 137251	Soil	11	18	0.31	104	0.053	1	1.16	0.017	0.05	0.5	0.04	1.9	<0.1	0.05	4	<0.5	<0.2
LIN 137252	Soil	11	26	0.53	148	0.091	2	1.26	0.018	0.07	0.5	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 137253	Soil	14	27	0.56	192	0.090	1	1.76	0.017	0.07	0.2	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
LIN 137254	Soil	13	12	0.27	354	0.028	10	0.86	0.020	0.04	<0.1	0.08	1.4	0.1	0.13	2	<0.5	<0.2
LIN 137255	Soil	2	4	0.10	25	0.023	2	0.22	0.021	0.02	<0.1	0.01	0.4	<0.1	<0.05	1	<0.5	<0.2
LIN 137256	Soil	26	26	0.41	182	0.054	2	1.63	0.015	0.09	0.3	0.06	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 137257	Soil	6	12	0.20	61	0.056	1	0.79	0.014	0.04	0.2	0.03	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137258	Soil	4	9	0.08	68	0.051	<1	0.49	0.015	0.04	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5	<0.2
LIN 137259	Soil	5	10	0.17	53	0.049	1	0.67	0.014	0.04	<0.1	0.03	0.9	<0.1	<0.05	4	<0.5	<0.2
LIN 137260	Soil	6	17	0.31	75	0.079	1	1.30	0.020	0.05	0.1	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 137261	Soil	3	8	0.13	32	0.047	<1	0.66	0.018	0.03	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
LIN 137262	Soil	7	17	0.29	51	0.098	2	1.05	0.012	0.05	0.2	0.03	1.5	<0.1	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

12 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 137263	Soil	0.7	21.6	8.2	46	<0.1	19.4	8.1	261	2.52	9.0	0.9	1.6	3.6	20	<0.1	0.3	0.1	63	0.25	0.046
LIN 137264	Soil	0.3	4.9	2.6	12	<0.1	3.0	1.9	80	0.79	1.3	0.3	0.9	0.3	6	<0.1	<0.1	<0.1	17	0.07	0.026
LIN 137265	Soil	0.6	18.6	6.7	45	<0.1	18.4	9.2	321	2.47	3.5	1.3	1.5	5.1	20	<0.1	0.3	<0.1	59	0.30	0.043
LIN 137266	Soil	1.0	24.8	5.3	35	0.1	12.4	6.1	349	1.58	2.6	1.2	7.8	0.6	22	0.3	0.2	0.1	36	0.20	0.048
LIN 137267	Soil	0.5	16.1	4.7	21	<0.1	7.6	3.1	103	1.18	1.9	0.5	1.1	0.2	12	<0.1	0.2	0.1	31	0.12	0.027
LIN 137268	Soil	0.4	12.0	3.4	23	<0.1	6.5	3.0	136	1.13	2.0	0.4	0.7	0.2	10	0.2	0.1	<0.1	27	0.10	0.027
LIN 137269	Soil	0.6	21.6	5.8	42	<0.1	18.6	7.9	277	2.49	4.9	0.7	1.5	2.3	19	0.1	0.2	0.1	60	0.24	0.036
LIN 137273	Soil	1.2	13.4	9.8	38	0.2	8.8	6.6	472	2.17	11.6	1.3	1.8	2.4	16	0.1	0.1	0.3	61	0.19	0.047
LIN 137274	Soil	0.8	9.1	8.5	44	0.1	9.8	4.9	188	1.83	6.2	0.8	1.6	2.9	24	<0.1	0.2	0.3	48	0.30	0.033
LIN 137275	Soil	0.8	16.1	6.8	43	<0.1	20.9	13.2	584	2.21	5.1	0.6	2.3	1.9	18	<0.1	0.2	0.2	61	0.22	0.034
LIN 137277	Soil	0.5	13.0	4.8	37	<0.1	12.4	7.4	238	1.83	3.3	0.8	1.0	1.6	17	<0.1	0.1	0.1	43	0.19	0.044
LIN 137278	Soil	0.6	8.6	6.2	50	<0.1	17.3	8.6	275	2.51	3.3	0.7	<0.5	3.5	18	<0.1	0.1	0.1	64	0.30	0.027
LIN 137279	Soil	0.9	14.8	51.2	58	0.2	59.7	17.7	668	2.97	5.3	0.9	1.6	3.2	32	0.1	0.2	0.6	81	0.53	0.042
LIN 137280	Soil	1.0	15.2	10.3	49	0.1	24.2	10.0	382	2.27	4.6	1.0	1.1	6.5	31	<0.1	0.2	0.1	58	0.52	0.034
LIN 137281	Soil	1.1	15.8	14.9	47	0.1	11.9	9.6	536	2.36	4.8	1.6	3.2	3.7	23	0.2	0.2	0.2	49	0.30	0.049
LIN 137282	Soil	0.7	33.3	7.9	55	<0.1	79.9	23.3	876	3.39	4.8	1.5	0.9	2.6	64	0.1	0.3	0.2	75	1.24	0.063
LIN 137283	Soil	0.7	30.8	7.6	49	<0.1	55.8	19.7	525	2.89	3.7	0.8	0.9	1.8	37	<0.1	0.3	0.1	84	0.67	0.046
LIN 137284	Soil	1.5	16.3	11.6	53	0.2	11.3	9.6	952	2.13	3.6	4.4	3.0	5.5	63	0.2	0.3	0.1	40	0.80	0.051
LIN 137285	Soil	0.8	8.1	10.2	48	<0.1	8.4	7.1	360	1.94	3.9	1.2	12.1	6.8	19	<0.1	0.2	<0.1	39	0.26	0.038
LIN 137286	Soil	0.7	9.4	5.1	17	<0.1	3.3	1.9	78	1.00	1.7	0.3	<0.5	0.8	7	<0.1	0.1	0.1	30	0.07	0.014
LIN 137287	Soil	1.7	15.6	10.1	31	0.2	8.2	4.2	190	1.87	4.6	0.7	2.0	3.9	14	<0.1	0.2	0.2	45	0.17	0.022
LIN 137289	Soil	0.7	13.4	14.9	52	0.2	17.6	9.7	608	2.10	33.7	1.9	6.4	7.3	64	0.1	0.4	0.2	47	0.59	0.048
LIN 137290	Soil	0.9	17.8	9.7	54	<0.1	13.4	8.5	681	2.33	21.0	0.3	0.7	1.8	19	0.1	0.3	0.1	60	0.23	0.028
LIN 137291	Soil	0.8	17.3	13.3	65	0.2	17.1	14.8	635	3.05	65.2	0.8	3.6	2.5	57	0.2	0.4	<0.1	80	0.97	0.050
LIN 137292	Soil	1.1	11.4	14.4	44	<0.1	12.6	7.1	167	2.22	49.2	0.3	1.0	2.2	18	0.1	0.3	0.2	57	0.20	0.013
LIN 137293	Soil	0.3	14.7	8.0	28	0.2	9.0	4.2	217	1.07	19.8	1.3	3.1	0.8	37	0.5	0.2	0.2	22	0.52	0.048
LIN 137294	Soil	1.0	13.3	8.9	39	<0.1	9.6	6.9	559	2.09	57.2	0.5	2.9	2.5	19	0.2	0.3	0.2	54	0.22	0.027
LIN 137295	Soil	0.6	8.4	6.2	20	<0.1	4.4	2.9	120	1.16	10.6	0.2	1.5	1.1	9	0.1	0.2	0.1	34	0.08	0.013
LIN 137296	Soil	1.0	22.3	13.0	48	0.2	18.4	9.0	654	2.02	28.3	4.3	3.7	6.4	67	0.3	0.4	0.2	44	1.03	0.065
LIN 137297	Soil	0.9	11.8	16.4	52	0.1	12.5	9.4	815	2.17	30.8	1.8	1.7	9.0	27	0.2	0.3	0.2	43	0.34	0.045



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

12 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137263	Soil	12	26	0.56	126	0.113	2	1.77	0.013	0.06	0.2	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 137264	Soil	3	7	0.12	34	0.029	<1	0.58	0.020	0.02	<0.1	0.01	0.7	<0.1	<0.05	2	<0.5	<0.2
LIN 137265	Soil	17	31	0.63	196	0.104	1	1.78	0.015	0.08	0.1	0.02	4.3	<0.1	<0.05	5	<0.5	<0.2
LIN 137266	Soil	9	17	0.18	164	0.046	2	1.33	0.021	0.05	<0.1	0.03	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 137267	Soil	5	14	0.16	74	0.041	<1	0.94	0.021	0.04	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137268	Soil	4	12	0.18	57	0.039	1	0.84	0.021	0.05	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137269	Soil	10	29	0.57	123	0.107	2	1.89	0.021	0.08	<0.1	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 137273	Soil	11	21	0.39	96	0.083	2	1.15	0.018	0.08	0.1	0.03	2.4	0.1	0.06	5	<0.5	<0.2
LIN 137274	Soil	11	20	0.42	107	0.075	1	1.13	0.019	0.06	0.1	0.03	2.3	<0.1	0.06	5	<0.5	<0.2
LIN 137275	Soil	7	37	0.61	106	0.077	1	1.41	0.024	0.06	0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
LIN 137277	Soil	9	32	0.56	109	0.074	<1	1.21	0.019	0.06	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137278	Soil	11	48	1.36	111	0.147	2	1.78	0.024	0.17	<0.1	0.02	4.6	0.2	0.07	8	<0.5	<0.2
LIN 137279	Soil	9	145	1.49	147	0.133	3	1.85	0.025	0.17	0.1	0.03	4.6	0.3	0.07	7	<0.5	<0.2
LIN 137280	Soil	12	52	0.73	130	0.094	1	1.31	0.030	0.10	0.2	0.02	3.1	0.1	0.07	5	<0.5	<0.2
LIN 137281	Soil	15	22	0.42	176	0.048	1	1.18	0.020	0.08	0.1	0.04	3.6	<0.1	<0.05	5	<0.5	<0.2
LIN 137282	Soil	13	134	1.38	224	0.071	3	1.66	0.022	0.19	0.1	0.03	9.5	0.2	0.11	5	<0.5	<0.2
LIN 137283	Soil	8	129	1.25	148	0.103	2	1.73	0.026	0.10	0.1	0.03	5.5	0.2	0.09	6	<0.5	<0.2
LIN 137284	Soil	30	20	0.47	190	0.047	2	1.31	0.021	0.10	<0.1	0.05	3.4	0.1	0.08	5	<0.5	<0.2
LIN 137285	Soil	18	15	0.41	64	0.073	2	0.90	0.017	0.12	0.2	0.02	1.7	0.1	<0.05	4	<0.5	<0.2
LIN 137286	Soil	3	7	0.05	33	0.052	1	0.37	0.021	0.04	<0.1	0.03	0.5	<0.1	0.07	3	<0.5	<0.2
LIN 137287	Soil	10	15	0.28	81	0.061	2	1.28	0.024	0.05	<0.1	0.05	1.7	0.1	0.06	5	0.5	0.2
LIN 137289	Soil	19	29	0.78	115	0.083	2	1.44	0.028	0.12	<0.1	0.04	3.7	0.1	0.08	4	<0.5	<0.2
LIN 137290	Soil	7	23	0.55	100	0.096	1	1.39	0.027	0.09	<0.1	0.03	2.3	0.1	0.05	6	<0.5	<0.2
LIN 137291	Soil	12	31	1.06	139	0.130	2	1.77	0.028	0.28	0.1	0.04	4.9	0.2	0.08	7	<0.5	<0.2
LIN 137292	Soil	6	24	0.46	105	0.065	<1	1.46	0.023	0.06	<0.1	<0.01	2.1	0.1	<0.05	6	<0.5	<0.2
LIN 137293	Soil	27	16	0.22	102	0.032	1	0.79	0.023	0.05	<0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
LIN 137294	Soil	7	19	0.27	88	0.056	<1	1.08	0.022	0.06	<0.1	0.06	1.8	<0.1	<0.05	6	<0.5	<0.2
LIN 137295	Soil	3	9	0.12	63	0.050	<1	0.62	0.024	0.03	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137296	Soil	65	29	0.49	262	0.049	1	1.34	0.026	0.08	<0.1	0.06	4.0	0.1	<0.05	4	<0.5	<0.2
LIN 137297	Soil	33	20	0.49	137	0.036	<1	1.45	0.020	0.12	<0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 13 of 13 Part 1

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 137298	Soil				0.8	16.1	13.2	70	0.1	16.2	10.5	670	2.51	10.9	2.9	2.4	7.3	36	0.2	0.3	0.2	60	0.46	0.062
LIN 137299	Soil				1.1	14.4	10.1	40	<0.1	13.7	7.9	264	2.82	7.5	0.8	2.6	5.7	14	<0.1	0.4	0.1	68	0.16	0.027
LIN 137300	Soil				1.4	15.9	13.5	77	0.1	20.4	12.1	1030	2.75	14.5	2.4	1.1	9.4	37	0.1	0.2	0.2	56	0.56	0.062
LIN 137501	Soil				0.5	16.6	5.7	41	<0.1	14.2	7.9	221	2.69	4.0	0.8	3.1	3.3	21	<0.1	0.3	0.1	58	0.29	0.056
LIN 137502	Soil				0.4	24.1	6.0	51	<0.1	19.7	9.2	351	2.90	4.8	1.2	4.1	6.0	29	<0.1	0.3	0.2	67	0.39	0.052
LIN 137503	Soil				0.8	20.7	6.6	43	<0.1	17.1	9.9	322	3.07	5.9	0.6	1.7	3.7	17	0.1	0.3	0.2	73	0.20	0.029
LIN 137504	Soil				0.6	30.2	7.1	52	<0.1	24.9	13.5	331	3.45	6.1	1.4	2.5	6.5	25	<0.1	0.4	0.1	77	0.31	0.036
LIN 137505	Soil				0.4	19.9	5.1	32	0.1	13.1	7.0	287	1.87	4.3	1.5	2.4	1.5	29	0.1	0.3	<0.1	44	0.37	0.065
LIN 137506	Soil				0.5	20.5	5.8	51	<0.1	21.2	10.8	413	3.03	4.9	1.0	3.2	4.6	25	0.1	0.3	<0.1	73	0.37	0.057
LIN 137507	Soil				0.7	22.8	6.8	56	<0.1	21.7	11.0	506	2.95	5.7	1.1	4.4	3.6	31	0.1	0.3	0.1	73	0.39	0.064
LIN 137508	Soil				0.5	15.5	4.8	46	<0.1	15.7	8.5	336	2.62	4.0	0.5	2.1	3.4	22	0.1	0.2	<0.1	67	0.31	0.051
LIN 137509	Soil				0.5	19.6	5.5	53	<0.1	19.5	11.0	496	2.70	4.7	1.0	2.1	3.7	32	0.2	0.3	0.1	68	0.45	0.068
LIN 137510	Soil				0.6	17.4	5.9	33	<0.1	11.3	5.4	187	1.90	3.8	0.7	1.0	0.9	15	0.1	0.2	0.1	50	0.13	0.045
LIN 137511	Soil				0.8	19.0	7.7	46	<0.1	17.9	9.9	308	2.89	6.1	0.6	8.4	4.0	18	0.2	0.3	0.2	75	0.21	0.042
LIN 137512	Soil				0.9	23.9	8.5	53	0.1	19.9	9.2	366	2.77	5.9	0.9	2.3	2.2	30	0.1	0.3	0.2	68	0.44	0.056
LIN 137513	Soil				0.7	14.5	5.4	20	0.1	6.1	3.0	86	1.44	2.5	0.5	1.1	0.6	11	<0.1	0.2	0.1	38	0.10	0.032
LIN 137514	Soil				0.8	13.8	7.0	23	<0.1	7.1	3.5	112	1.74	3.4	0.4	1.3	0.9	13	0.1	0.2	0.2	57	0.12	0.026
LIN 137515	Soil				1.0	25.9	9.5	61	0.1	22.0	11.3	520	2.93	5.9	1.8	3.3	4.3	34	0.2	0.3	0.2	71	0.40	0.060
LIN 137516	Soil				0.8	14.3	7.1	45	<0.1	14.6	7.6	252	2.39	4.5	0.6	1.3	2.8	17	0.1	0.2	0.2	68	0.19	0.036
LIN 137517	Soil				0.8	13.4	5.2	88	<0.1	17.2	9.8	420	2.47	3.7	1.0	0.7	4.4	28	<0.1	0.2	0.1	65	0.41	0.059
LIN 137518	Soil				0.6	9.8	4.3	47	<0.1	13.2	9.8	447	2.17	2.7	1.0	1.6	4.2	34	<0.1	0.1	<0.1	56	0.52	0.049
LIN 137519	Soil				0.7	18.3	5.6	45	<0.1	21.3	11.1	453	2.28	3.2	1.3	3.4	3.3	32	0.1	0.2	<0.1	60	0.48	0.061
LIN 137520	Soil				0.8	17.0	4.9	46	<0.1	23.8	9.6	387	2.01	2.6	0.8	1.3	2.7	30	<0.1	0.2	0.1	58	0.42	0.052
LIN 137521	Soil				0.5	13.7	5.0	37	<0.1	20.7	6.1	153	1.69	2.0	0.8	0.7	2.3	26	<0.1	0.1	0.1	40	0.38	0.058
LIN 137522	Soil				0.3	11.0	4.2	31	<0.1	12.9	4.8	121	1.39	1.6	0.7	1.4	2.1	20	<0.1	0.1	0.1	30	0.30	0.048
LIN 137523	Soil				0.6	10.2	4.6	39	<0.1	16.5	6.7	177	1.87	2.5	0.5	2.5	3.2	18	<0.1	0.1	0.2	51	0.31	0.056
LIN 137524	Soil				0.5	13.9	4.5	35	<0.1	18.0	6.5	155	1.66	2.0	0.6	1.4	2.2	20	<0.1	0.1	0.2	43	0.33	0.057
LIN 137525	Soil				1.3	31.7	5.9	55	0.1	28.3	16.4	758	2.37	3.0	1.5	2.1	2.3	32	0.2	0.2	0.2	59	0.49	0.071
LIN 137526	Soil				1.5	16.4	4.8	42	<0.1	18.8	8.0	287	2.09	3.0	0.7	1.5	2.1	16	<0.1	0.2	0.2	60	0.23	0.044
LIN 137527	Soil				0.6	12.5	3.5	23	<0.1	8.1	3.9	86	1.25	1.6	0.8	2.5	0.9	16	<0.1	0.1	0.1	25	0.22	0.043



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 08, 2010

Page:

13 of 13 Part 2

CERTIFICATE OF ANALYSIS

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 137298	Soil	29	28	0.56	165	0.072	1	1.55	0.026	0.11	0.1	0.04	4.5	0.1	<0.05	6	<0.5	<0.2
LIN 137299	Soil	18	22	0.31	148	0.056	<1	1.62	0.017	0.08	<0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
LIN 137300	Soil	38	35	0.60	217	0.048	1	1.67	0.020	0.14	0.1	0.05	4.5	0.2	<0.05	6	<0.5	<0.2
LIN 137501	Soil	14	25	0.69	135	0.123	1	2.04	0.020	0.17	0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
LIN 137502	Soil	20	34	0.69	180	0.134	1	2.11	0.019	0.11	0.2	0.02	5.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137503	Soil	11	29	0.65	110	0.120	1	2.29	0.019	0.09	0.1	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
LIN 137504	Soil	18	38	0.83	252	0.134	1	2.86	0.021	0.08	<0.1	0.02	6.3	0.1	<0.05	8	<0.5	<0.2
LIN 137505	Soil	18	19	0.30	189	0.056	<1	1.54	0.035	0.06	0.1	0.04	3.3	<0.1	<0.05	5	<0.5	<0.2
LIN 137506	Soil	15	30	0.69	181	0.137	1	2.06	0.023	0.10	0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
LIN 137507	Soil	16	32	0.63	222	0.119	1	2.20	0.026	0.10	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 137508	Soil	11	23	0.53	113	0.122	1	1.56	0.023	0.08	0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 137509	Soil	14	27	0.66	192	0.125	1	1.80	0.027	0.10	0.1	0.03	4.4	<0.1	<0.05	6	<0.5	<0.2
LIN 137510	Soil	11	20	0.30	134	0.067	<1	1.56	0.024	0.05	0.1	0.03	2.3	<0.1	<0.05	6	<0.5	<0.2
LIN 137511	Soil	10	29	0.50	125	0.112	<1	2.50	0.022	0.05	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137512	Soil	19	31	0.49	347	0.080	1	2.13	0.022	0.07	0.1	0.04	3.4	<0.1	<0.05	7	<0.5	<0.2
LIN 137513	Soil	6	14	0.16	101	0.049	<1	0.98	0.021	0.04	<0.1	0.03	1.3	<0.1	<0.05	5	<0.5	<0.2
LIN 137514	Soil	6	16	0.20	75	0.072	<1	1.23	0.019	0.04	<0.1	0.03	1.7	<0.1	<0.05	6	<0.5	<0.2
LIN 137515	Soil	31	32	0.52	309	0.081	<1	2.37	0.028	0.09	0.3	0.04	5.1	0.1	<0.05	7	<0.5	<0.2
LIN 137516	Soil	9	25	0.40	97	0.094	<1	1.60	0.021	0.07	0.1	0.03	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 137517	Soil	14	37	0.58	153	0.103	<1	1.55	0.030	0.10	0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 137518	Soil	13	24	0.51	141	0.099	<1	1.36	0.029	0.07	0.2	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
LIN 137519	Soil	14	57	0.59	135	0.094	1	1.52	0.031	0.07	0.2	0.03	4.0	0.2	<0.05	5	<0.5	<0.2
LIN 137520	Soil	11	78	0.63	119	0.096	1	1.43	0.028	0.07	0.2	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
LIN 137521	Soil	11	65	0.55	85	0.089	<1	1.24	0.027	0.08	0.3	0.04	2.8	0.2	<0.05	5	<0.5	<0.2
LIN 137522	Soil	11	40	0.41	71	0.080	<1	1.03	0.021	0.07	0.4	0.03	2.4	0.1	<0.05	5	<0.5	<0.2
LIN 137523	Soil	11	41	0.56	58	0.102	<1	1.20	0.022	0.08	0.8	0.01	2.5	0.1	<0.05	5	<0.5	<0.2
LIN 137524	Soil	9	44	0.58	65	0.101	<1	1.32	0.028	0.06	0.3	0.02	2.3	0.2	<0.05	5	<0.5	<0.2
LIN 137525	Soil	17	73	0.70	168	0.093	<1	1.65	0.029	0.10	0.3	0.05	4.0	0.2	<0.05	6	<0.5	<0.2
LIN 137526	Soil	9	50	0.54	66	0.101	<1	1.22	0.021	0.07	0.3	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
LIN 137527	Soil	8	24	0.27	69	0.074	<1	0.85	0.019	0.05	0.2	0.03	1.9	0.1	<0.05	4	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 08, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
Pulp Duplicates		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136952	Soil	0.8	31.2	11.5	57	<0.1	26.4	11.0	351	3.21	4.6	1.1	0.7	5.2	33	0.1	0.3	0.2	72	0.43
REP LIN 136952	QC	1.2	31.9	11.5	57	<0.1	26.6	11.0	347	3.27	4.4	1.1	4.8	5.2	32	0.1	0.3	0.2	70	0.40
LIN 136971	Soil	0.8	26.7	10.1	57	0.1	24.9	12.0	285	3.21	11.2	1.1	3.2	4.3	38	0.1	0.3	0.2	79	0.53
REP LIN 136971	QC	0.9	26.1	9.7	56	0.1	23.2	11.6	280	3.13	10.5	1.1	1.6	4.2	35	0.2	0.3	0.2	74	0.52
LIN 136986	Soil	0.6	14.9	3.8	21	<0.1	5.9	2.7	134	0.99	2.3	0.3	1.1	0.3	12	0.4	0.1	0.1	25	0.09
REP LIN 136986	QC	0.6	15.0	4.1	20	<0.1	6.2	3.0	133	1.00	2.1	0.3	1.0	0.3	11	0.3	0.2	0.1	27	0.09
LIN 137009	Soil	0.7	30.3	7.0	64	<0.1	25.5	12.7	422	3.17	7.5	1.7	4.1	3.8	32	<0.1	0.4	0.1	81	0.45
REP LIN 137009	QC	0.7	29.0	7.1	60	<0.1	25.1	12.4	425	3.17	7.5	1.7	3.9	3.9	33	0.1	0.4	0.1	80	0.45
LIN 137022	Soil	0.7	22.7	8.0	62	<0.1	22.7	12.4	455	3.49	13.6	0.9	3.5	2.3	28	<0.1	0.4	0.1	82	0.38
REP LIN 137022	QC	0.6	23.0	8.0	60	<0.1	23.3	12.4	440	3.53	13.2	1.0	4.6	2.5	27	0.2	0.4	0.2	83	0.40
LIN 137044	Soil	0.8	10.3	5.6	32	<0.1	6.1	4.8	212	2.06	4.4	0.4	0.6	1.2	14	<0.1	0.3	0.1	67	0.17
REP LIN 137044	QC	0.7	10.1	5.7	31	<0.1	6.8	4.9	207	2.05	3.4	0.4	0.8	1.1	13	<0.1	0.2	0.1	66	0.16
LIN 137061	Soil	0.6	9.5	4.7	25	<0.1	4.4	2.8	135	1.35	8.9	0.3	2.7	1.7	11	<0.1	0.2	<0.1	41	0.10
REP LIN 137061	QC	0.6	9.6	4.7	23	<0.1	4.7	2.9	130	1.32	8.6	0.3	2.5	1.7	10	<0.1	0.2	<0.1	39	0.09
LIN 137072	Soil	0.5	21.6	65.0	64	0.7	16.1	9.8	305	2.84	16.7	1.9	3.2	6.1	30	0.2	0.8	0.1	72	0.40
REP LIN 137072	QC	0.5	20.3	65.1	63	0.7	14.9	9.8	303	2.82	16.3	1.9	4.8	6.4	29	0.2	0.7	0.2	72	0.40
LIN 137090	Soil	0.8	26.8	9.1	46	0.7	11.8	10.3	902	2.50	263.4	5.6	24.0	2.2	50	0.1	0.5	0.5	55	0.71
REP LIN 137090	QC	0.8	27.4	9.4	44	0.8	12.3	10.2	919	2.49	275.4	5.8	22.4	2.3	53	0.2	0.5	0.5	56	0.73
LIN 137118	Soil	1.7	14.9	16.7	34	<0.1	15.8	7.4	415	2.12	5.1	1.5	2.8	12.0	22	<0.1	0.4	0.1	48	0.25
REP LIN 137118	QC	2.1	16.9	16.6	36	<0.1	18.3	8.1	427	2.22	5.3	1.4	1.6	12.2	23	<0.1	0.4	0.1	49	0.25
LIN 137132	Soil	3.6	33.3	16.5	55	0.4	21.4	10.4	610	2.84	10.5	8.2	8.3	10.0	101	0.2	0.6	0.3	48	0.78
REP LIN 137132	QC	3.8	32.0	16.3	55	0.5	21.3	10.4	613	2.83	10.5	7.7	9.3	9.8	103	0.2	0.6	0.4	45	0.79
LIN 137145	Soil	0.8	30.8	11.8	59	0.1	23.6	13.4	652	2.91	5.3	4.6	0.9	13.7	80	<0.1	0.6	0.4	68	0.94
REP LIN 137145	QC	0.9	31.7	11.6	57	<0.1	24.0	13.0	664	2.91	4.9	4.6	1.4	13.7	83	0.1	0.6	0.4	70	0.97
LIN 137177	Soil	0.4	30.0	17.1	83	0.6	13.6	15.0	1107	3.69	21.1	1.9	9.7	4.2	68	0.4	0.4	0.6	73	1.13
REP LIN 137177	QC	0.5	29.7	18.3	82	0.6	14.1	15.3	1129	3.69	21.6	1.8	8.0	4.1	69	0.3	0.4	0.6	72	1.15
LIN 137199	Soil	0.4	60.5	2.5	108	<0.1	65.3	28.7	1126	6.58	2.6	0.8	<0.5	8.7	27	<0.1	0.6	0.1	176	0.52
REP LIN 137199	QC	0.4	63.5	2.5	107	<0.1	65.9	28.7	1154	6.59	2.4	0.7	1.8	8.8	28	<0.1	0.5	0.1	179	0.53



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 08, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000363.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
LIN 136952	Soil	15	39	0.68	180	0.138	<1	2.25	0.020	0.07	<0.1	0.02	5.3	0.1	<0.05	6	0.6	<0.2
REP LIN 136952	QC	16	38	0.69	187	0.134	1	2.27	0.022	0.07	0.2	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
LIN 136971	Soil	14	38	0.78	248	0.153	2	2.29	0.026	0.14	0.2	0.04	5.6	<0.1	<0.05	7	<0.5	<0.2
REP LIN 136971	QC	14	38	0.77	245	0.139	<1	2.23	0.022	0.13	0.2	0.04	5.2	0.1	<0.05	7	0.8	<0.2
LIN 136986	Soil	3	10	0.10	46	0.040	2	0.79	0.022	0.03	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
REP LIN 136986	QC	3	10	0.10	48	0.042	1	0.80	0.023	0.03	<0.1	0.04	0.9	<0.1	<0.05	3	<0.5	<0.2
LIN 137009	Soil	16	35	0.75	243	0.130	2	2.38	0.023	0.08	0.1	0.05	5.1	<0.1	<0.05	7	<0.5	<0.2
REP LIN 137009	QC	15	34	0.75	241	0.132	3	2.38	0.027	0.08	0.1	0.05	5.1	<0.1	<0.05	6	<0.5	<0.2
LIN 137022	Soil	9	32	0.72	182	0.120	1	2.14	0.017	0.07	0.2	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2
REP LIN 137022	QC	9	32	0.73	180	0.119	2	2.15	0.015	0.06	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
LIN 137044	Soil	5	15	0.29	59	0.112	1	0.98	0.016	0.06	<0.1	0.03	1.7	<0.1	<0.05	6	<0.5	<0.2
REP LIN 137044	QC	5	14	0.29	63	0.107	1	0.96	0.016	0.06	0.2	0.03	1.6	<0.1	<0.05	6	<0.5	0.4
LIN 137061	Soil	3	9	0.19	56	0.072	<1	0.81	0.019	0.03	<0.1	0.03	1.2	<0.1	<0.05	5	<0.5	<0.2
REP LIN 137061	QC	3	9	0.18	55	0.064	<1	0.77	0.017	0.03	<0.1	0.02	1.0	<0.1	<0.05	5	<0.5	<0.2
LIN 137072	Soil	15	26	0.65	195	0.114	1	1.84	0.020	0.10	0.1	0.04	5.3	0.1	<0.05	6	<0.5	<0.2
REP LIN 137072	QC	15	25	0.67	195	0.114	1	1.92	0.020	0.10	0.1	0.04	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 137090	Soil	22	17	0.56	307	0.092	2	1.56	0.021	0.24	0.2	0.07	4.4	0.2	<0.05	5	<0.5	<0.2
REP LIN 137090	QC	23	17	0.57	323	0.092	3	1.53	0.022	0.25	0.2	0.06	4.7	0.2	<0.05	5	0.5	<0.2
LIN 137118	Soil	21	24	0.34	211	0.055	<1	1.37	0.017	0.10	0.2	0.02	4.1	<0.1	<0.05	3	<0.5	<0.2
REP LIN 137118	QC	23	25	0.31	218	0.059	1	1.31	0.018	0.09	0.1	0.02	4.0	<0.1	<0.05	4	<0.5	<0.2
LIN 137132	Soil	18	33	0.80	327	0.047	1	1.67	0.029	0.18	<0.1	0.04	5.4	0.1	<0.05	5	0.8	<0.2
REP LIN 137132	QC	19	34	0.79	332	0.047	1	1.66	0.025	0.18	<0.1	0.04	5.2	0.1	<0.05	5	0.8	<0.2
LIN 137145	Soil	66	57	0.92	235	0.071	1	1.91	0.034	0.18	0.1	0.04	6.8	0.2	<0.05	6	<0.5	<0.2
REP LIN 137145	QC	65	60	0.93	241	0.076	2	1.99	0.032	0.19	0.1	0.05	7.2	0.2	<0.05	6	0.6	<0.2
LIN 137177	Soil	23	19	0.64	516	0.042	1	1.54	0.035	0.11	0.6	0.04	9.1	<0.1	<0.05	5	<0.5	0.2
REP LIN 137177	QC	22	19	0.65	500	0.039	1	1.59	0.029	0.11	0.4	0.05	9.1	<0.1	<0.05	5	<0.5	<0.2
LIN 137199	Soil	32	189	3.63	363	0.160	1	3.91	0.011	0.72	<0.1	0.02	25.0	0.4	<0.05	14	<0.5	<0.2
REP LIN 137199	QC	32	194	3.65	367	0.157	<1	3.88	0.011	0.75	<0.1	0.01	24.6	0.4	<0.05	14	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 08, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000363.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 137206	Soil	0.9	21.4	7.8	52	<0.1	18.8	11.0	593	2.84	19.8	0.8	7.4	8.1	31	<0.1	0.4	0.1	70	0.37
REP LIN 137206	QC	0.8	21.0	7.5	52	<0.1	19.1	11.3	607	2.88	19.8	0.8	2.5	8.2	31	<0.1	0.4	0.1	73	0.38
LIN 137218	Soil	0.9	28.1	8.9	68	<0.1	16.7	14.7	589	4.05	59.6	1.9	14.5	19.3	22	0.1	0.7	0.2	92	0.32
REP LIN 137218	QC	0.9	29.7	9.3	72	<0.1	16.7	15.5	620	4.28	61.1	2.0	1.1	20.5	23	0.1	0.6	0.2	97	0.35
LIN 137237	Soil	1.0	26.8	18.3	70	0.4	17.7	12.5	349	3.31	121.4	1.8	7.5	7.6	23	0.3	0.7	0.2	82	0.23
REP LIN 137237	QC	1.0	25.2	18.1	69	0.4	17.1	12.6	340	3.28	117.2	1.8	6.6	7.3	23	0.3	0.7	0.2	81	0.22
LIN 137268	Soil	0.4	12.0	3.4	23	<0.1	6.5	3.0	136	1.13	2.0	0.4	0.7	0.2	10	0.2	0.1	<0.1	27	0.10
REP LIN 137268	QC	0.5	12.8	3.4	24	<0.1	7.0	3.2	142	1.20	2.2	0.4	0.7	0.2	10	0.1	0.1	<0.1	29	0.09
LIN 137280	Soil	1.0	15.2	10.3	49	0.1	24.2	10.0	382	2.27	4.6	1.0	1.1	6.5	31	<0.1	0.2	0.1	58	0.52
REP LIN 137280	QC	1.0	15.1	10.3	48	0.1	24.1	10.0	389	2.31	4.5	0.9	0.8	6.2	31	<0.1	0.2	0.1	58	0.52
LIN 137501	Soil	0.5	16.6	5.7	41	<0.1	14.2	7.9	221	2.69	4.0	0.8	3.1	3.3	21	<0.1	0.3	0.1	58	0.29
REP LIN 137501	QC	0.5	16.2	5.6	41	<0.1	14.6	7.9	220	2.71	3.9	0.8	1.2	3.1	21	<0.1	0.2	0.1	56	0.28
LIN 137513	Soil	0.7	14.5	5.4	20	0.1	6.1	3.0	86	1.44	2.5	0.5	1.1	0.6	11	<0.1	0.2	0.1	38	0.10
REP LIN 137513	QC	0.7	14.5	5.3	20	0.1	6.3	3.0	88	1.46	2.7	0.5	1.1	0.6	12	0.1	0.2	0.1	39	0.10
Reference Materials																				
STD DS7	Standard	21.2	104.6	62.3	384	0.9	52.5	8.8	612	2.33	50.2	4.3	63.6	4.3	72	5.7	5.4	4.1	81	0.92
STD DS7	Standard	21.5	116.4	69.6	393	1.0	55.0	10.1	636	2.56	50.8	5.1	76.3	4.8	80	6.1	6.0	4.8	88	1.00
STD DS7	Standard	22.2	113.3	69.9	404	1.0	55.7	8.9	628	2.57	51.4	4.7	61.7	4.6	73	6.1	6.1	5.0	85	0.93
STD DS7	Standard	20.5	105.4	65.4	377	0.9	52.7	8.7	591	2.27	48.4	4.7	95.1	4.4	69	5.8	5.5	4.3	81	0.96
STD DS7	Standard	21.2	111.2	69.5	417	1.0	57.8	10.2	658	2.53	53.0	5.3	95.4	4.7	85	6.2	6.6	5.4	92	0.99
STD DS7	Standard	20.5	111.1	67.8	397	0.9	54.9	9.9	622	2.33	50.9	4.9	64.7	4.7	70	5.7	5.6	4.6	85	0.93
STD DS7	Standard	19.8	106.7	66.8	378	0.9	53.6	9.0	602	2.31	49.1	4.8	70.0	4.7	70	6.2	5.6	4.5	83	0.88
STD DS7	Standard	20.6	109.6	70.1	404	1.0	57.1	9.7	624	2.42	53.1	5.5	70.3	4.9	94	5.9	6.9	5.7	92	0.99
STD DS7	Standard	21.1	104.3	67.9	383	1.0	51.5	9.2	616	2.32	50.1	4.7	63.9	4.5	71	6.0	5.7	4.5	84	0.92
STD DS7	Standard	21.2	110.9	71.4	398	1.0	56.1	9.5	633	2.44	53.0	5.0	65.3	5.0	76	6.7	6.4	4.9	85	1.00
STD DS7	Standard	22.2	125.6	76.7	428	1.1	57.5	9.6	661	2.51	54.6	5.5	74.6	5.3	89	7.5	6.8	5.3	90	0.99
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 08, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000363.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
LIN 137206	Soil	22	34	0.54	211	0.101	1	1.89	0.021	0.10	0.1	0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
REP LIN 137206	QC	22	35	0.54	209	0.100	<1	1.92	0.022	0.10	0.1	0.02	5.6	0.1	<0.05	6	<0.5	<0.2
LIN 137218	Soil	21	26	1.01	174	0.154	1	2.06	0.015	0.71	0.1	<0.01	7.6	0.8	<0.05	7	<0.5	<0.2
REP LIN 137218	QC	22	26	1.07	181	0.165	2	2.20	0.017	0.76	0.1	<0.01	8.1	0.9	<0.05	8	<0.5	<0.2
LIN 137237	Soil	18	30	0.59	142	0.119	2	2.56	0.018	0.12	0.2	0.03	4.3	0.2	<0.05	8	<0.5	<0.2
REP LIN 137237	QC	17	28	0.59	141	0.118	<1	2.47	0.018	0.12	0.1	0.05	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 137268	Soil	4	12	0.18	57	0.039	1	0.84	0.021	0.05	<0.1	0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
REP LIN 137268	QC	4	12	0.18	61	0.040	<1	0.87	0.023	0.04	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 137280	Soil	12	52	0.73	130	0.094	1	1.31	0.030	0.10	0.2	0.02	3.1	0.1	0.07	5	<0.5	<0.2
REP LIN 137280	QC	12	53	0.66	126	0.094	2	1.18	0.027	0.10	0.2	0.02	3.1	<0.1	0.05	5	<0.5	<0.2
LIN 137501	Soil	14	25	0.69	135	0.123	1	2.04	0.020	0.17	0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
REP LIN 137501	QC	13	24	0.68	131	0.120	1	1.98	0.019	0.16	0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
LIN 137513	Soil	6	14	0.16	101	0.049	<1	0.98	0.021	0.04	<0.1	0.03	1.3	<0.1	<0.05	5	<0.5	<0.2
REP LIN 137513	QC	6	14	0.16	106	0.050	<1	1.00	0.022	0.04	<0.1	0.04	1.4	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	12	185	1.06	370	0.126	36	1.05	0.098	0.45	3.7	0.21	2.5	4.2	0.22	4	3.2	1.8
STD DS7	Standard	14	192	1.03	408	0.133	37	1.05	0.088	0.47	3.9	0.24	2.1	4.2	0.19	5	4.4	1.8
STD DS7	Standard	12	187	1.05	396	0.125	36	1.00	0.084	0.46	3.6	0.24	2.7	4.4	0.21	5	2.8	1.7
STD DS7	Standard	13	185	1.08	367	0.121	38	1.04	0.106	0.47	3.5	0.21	2.3	3.8	0.27	5	2.7	1.3
STD DS7	Standard	13	204	1.11	402	0.127	38	1.12	0.100	0.48	3.5	0.22	2.3	4.1	0.21	5	3.9	0.8
STD DS7	Standard	13	188	1.05	385	0.122	40	1.01	0.098	0.47	3.6	0.23	2.5	4.0	0.19	5	3.2	1.1
STD DS7	Standard	12	179	1.02	367	0.121	38	1.01	0.092	0.43	3.5	0.22	2.5	4.1	0.18	5	2.6	1.0
STD DS7	Standard	14	214	1.09	399	0.126	39	1.09	0.101	0.48	3.6	0.24	2.7	4.2	0.21	5	3.3	0.9
STD DS7	Standard	13	186	1.04	384	0.121	42	0.99	0.097	0.47	3.7	0.21	2.5	3.9	0.20	5	3.3	1.5
STD DS7	Standard	13	194	1.08	412	0.122	42	1.05	0.109	0.48	4.2	0.23	2.6	4.2	0.17	5	3.4	1.5
STD DS7	Standard	15	196	1.11	424	0.147	41	1.10	0.102	0.50	3.7	0.24	3.1	4.2	0.18	5	3.5	2.0
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 08, 2010

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000363.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 08, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000363.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 31, 2010

Report Date: October 06, 2010

Page: 1 of 12

CERTIFICATE OF ANALYSIS

WHI10000362.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 329

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	329	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	329	Dry at 60C			VAN
1DX2	328	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 2 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 136584	Soil	1.2	15.2	12.2	41	<0.1	17.0	7.3	294	2.41	4.5	0.8	4.0	4.5	19	0.2	0.2	0.4	70	0.28	0.046
LIN 136585	Soil	0.8	7.5	5.5	29	<0.1	5.9	4.4	260	1.48	2.0	0.2	0.9	0.6	12	0.2	0.2	0.1	43	0.13	0.023
LIN 136586	Soil	0.8	26.9	5.6	36	<0.1	19.9	9.1	252	2.40	3.8	0.9	1.4	4.0	24	<0.1	0.2	0.2	66	0.37	0.040
LIN 136587	Soil	1.2	22.2	5.7	39	<0.1	20.4	8.7	284	2.69	4.6	0.5	<0.5	3.3	17	0.1	0.2	0.1	75	0.24	0.027
LIN 136588	Soil	1.4	20.9	5.1	41	0.2	51.3	14.1	498	2.39	3.5	0.4	<0.5	2.2	22	<0.1	0.2	0.1	70	0.32	0.032
LIN 136589	Soil	1.0	11.8	6.0	35	<0.1	9.7	7.9	540	1.90	3.2	0.3	1.8	1.3	13	0.1	0.2	0.1	55	0.17	0.040
LIN 136590	Soil	1.3	11.2	6.9	34	<0.1	10.7	7.4	322	2.08	3.4	0.3	4.2	1.8	16	<0.1	0.2	0.1	64	0.21	0.025
LIN 136591	Soil	1.7	40.2	5.8	39	0.2	19.5	12.3	620	2.69	4.2	1.4	2.8	3.5	28	<0.1	0.2	0.1	68	0.45	0.048
LIN 136592	Soil	2.0	30.1	5.6	41	0.1	19.9	12.2	372	2.91	4.0	0.5	<0.5	2.5	21	<0.1	0.2	0.1	83	0.35	0.039
LIN 136593	Soil	1.4	26.1	4.9	39	<0.1	19.4	13.1	684	2.26	3.1	0.5	0.7	1.8	18	<0.1	0.2	0.1	67	0.26	0.055
LIN 136594	Soil	2.0	34.1	5.4	49	0.1	25.0	12.1	553	3.05	3.6	0.7	<0.5	2.4	24	<0.1	0.2	0.1	84	0.37	0.051
LIN 136595	Soil	1.6	35.8	7.5	60	<0.1	26.8	14.6	525	3.67	7.3	2.9	2.4	5.8	33	0.1	0.3	0.2	82	0.54	0.048
LIN 136596	Soil	0.7	26.8	14.7	67	0.5	19.3	11.6	562	3.29	598.1	2.7	3.6	3.7	23	0.2	0.6	1.7	80	0.36	0.066
LIN 136598	Soil	0.9	17.1	10.8	56	0.3	15.1	8.4	391	3.16	133.8	0.8	1.2	3.5	24	0.2	0.7	1.0	79	0.34	0.033
LIN 136599	Soil	0.7	14.9	10.4	45	0.7	11.2	6.0	221	2.21	215.5	0.8	3.0	2.1	19	0.2	0.4	0.4	61	0.19	0.020
LIN 136601	Soil	1.2	20.7	10.2	50	1.1	14.2	8.2	514	2.55	315.0	3.3	2.6	2.5	30	0.3	0.7	0.5	59	0.33	0.059
LIN 136602	Soil	0.7	18.8	16.5	36	0.8	10.1	4.6	189	1.79	514.4	1.8	3.8	1.7	18	0.1	0.5	1.0	42	0.21	0.039
LIN 136604	Soil	1.0	22.2	10.1	53	0.4	19.3	10.1	399	3.03	195.1	1.4	2.9	3.5	26	0.1	0.5	0.5	75	0.32	0.040
LIN 136606	Soil	0.7	30.5	5.9	64	0.1	28.9	15.8	367	3.83	98.8	1.3	3.5	2.6	43	0.1	0.4	0.2	79	0.66	0.124
LIN 136607	Soil	1.0	21.0	9.4	46	<0.1	24.5	11.8	234	3.51	12.5	0.6	1.5	2.7	24	0.1	0.4	0.2	81	0.23	0.043
LIN 136608	Soil	1.4	18.4	9.4	45	<0.1	16.5	10.1	213	3.49	9.9	0.6	3.1	2.1	22	0.1	0.4	0.2	83	0.22	0.053
LIN 136609	Soil	0.4	24.7	6.2	50	<0.1	34.5	15.6	279	3.38	49.9	0.4	0.9	2.3	35	0.1	0.4	0.2	65	0.39	0.090
LIN 136610	Soil	1.1	19.6	10.2	53	<0.1	18.8	11.3	384	3.51	62.5	0.5	1.6	3.5	16	0.1	0.5	0.2	90	0.16	0.034
LIN 136611	Soil	0.6	28.5	96.2	66	0.9	13.8	10.9	618	3.73	4451	2.5	10.7	6.2	27	0.4	1.9	7.2	70	0.42	0.093
LIN 136612	Soil	0.8	21.2	9.7	41	0.2	16.6	7.6	233	2.39	374.3	1.2	5.2	1.7	19	<0.1	0.4	0.4	59	0.22	0.042
LIN 136613	Soil	0.9	18.0	12.9	42	0.3	17.5	8.3	243	2.86	184.6	0.9	3.5	2.4	16	0.1	0.4	0.4	76	0.19	0.034
LIN 136614	Soil	0.7	22.9	19.6	53	0.3	16.1	8.2	302	2.81	520.2	1.3	7.7	2.4	19	0.1	0.6	1.3	72	0.25	0.044
LIN 136617	Soil	0.7	19.1	9.6	41	0.4	16.0	7.3	201	2.20	213.7	2.8	6.2	1.4	24	<0.1	0.4	0.5	58	0.26	0.044
LIN 136618	Soil	0.6	20.6	8.2	50	<0.1	22.9	11.1	270	2.76	97.5	0.9	3.4	2.6	23	0.1	0.4	0.2	70	0.30	0.057
LIN 136619	Soil	0.9	20.1	21.8	69	0.1	14.5	10.5	458	3.09	308.7	1.7	4.4	3.7	25	0.2	0.6	1.4	68	0.37	0.071



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 2 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136584	Soil	13	27	0.43	88	0.124	<1	1.49	0.018	0.09	0.5	0.02	2.8	<0.1	<0.05	6	<0.5
LIN 136585	Soil	3	11	0.14	76	0.069	<1	0.69	0.026	0.04	<0.1	0.02	0.9	<0.1	<0.05	5	<0.5
LIN 136586	Soil	14	43	0.56	120	0.128	1	1.79	0.020	0.14	0.5	0.01	3.4	0.1	<0.05	6	<0.5
LIN 136587	Soil	9	41	0.56	104	0.140	<1	1.78	0.014	0.11	0.3	0.01	2.9	0.2	<0.05	7	<0.5
LIN 136588	Soil	8	141	0.91	113	0.137	1	1.60	0.020	0.16	0.2	0.02	3.0	0.2	<0.05	6	<0.5
LIN 136589	Soil	7	20	0.28	94	0.096	<1	1.03	0.022	0.08	0.1	0.02	1.8	<0.1	<0.05	5	<0.5
LIN 136590	Soil	7	22	0.29	103	0.104	1	1.22	0.020	0.09	0.1	0.01	1.9	<0.1	<0.05	6	<0.5
LIN 136591	Soil	24	32	0.52	216	0.102	2	1.63	0.026	0.07	0.2	0.03	4.5	0.1	<0.05	5	<0.5
LIN 136592	Soil	8	37	0.72	168	0.169	<1	1.73	0.020	0.15	0.1	0.02	2.8	0.1	<0.05	7	<0.5
LIN 136593	Soil	8	42	0.53	161	0.140	<1	1.32	0.028	0.15	0.1	0.02	2.0	0.1	<0.05	5	<0.5
LIN 136594	Soil	9	54	0.75	286	0.187	<1	1.94	0.026	0.19	0.1	0.02	3.2	0.2	<0.05	7	<0.5
LIN 136595	Soil	19	44	0.81	230	0.167	2	2.01	0.037	0.17	0.1	0.02	6.6	0.2	<0.05	6	<0.5
LIN 136596	Soil	14	31	0.68	173	0.130	1	2.11	0.018	0.13	0.2	0.03	3.9	0.2	<0.05	7	<0.5
LIN 136598	Soil	12	22	0.63	237	0.123	<1	1.85	0.014	0.16	0.2	0.03	3.2	0.2	<0.05	7	<0.5
LIN 136599	Soil	8	21	0.41	146	0.105	<1	1.36	0.021	0.06	<0.1	0.02	2.2	0.1	<0.05	6	<0.5
LIN 136601	Soil	21	23	0.41	241	0.075	2	1.75	0.021	0.07	0.1	0.05	2.8	0.1	<0.05	6	<0.5
LIN 136602	Soil	9	17	0.31	123	0.069	<1	1.07	0.019	0.06	0.1	0.04	1.9	<0.1	<0.05	5	<0.5
LIN 136604	Soil	13	28	0.60	169	0.108	1	1.82	0.021	0.06	0.1	0.03	3.3	0.1	<0.05	6	<0.5
LIN 136606	Soil	18	37	1.05	175	0.120	2	2.53	0.039	0.09	0.1	0.02	4.4	0.1	<0.05	8	<0.5
LIN 136607	Soil	9	33	0.60	140	0.118	<1	2.73	0.025	0.04	<0.1	0.05	3.3	0.1	<0.05	9	<0.5
LIN 136608	Soil	10	30	0.53	102	0.143	1	2.13	0.018	0.05	0.1	0.03	2.5	<0.1	<0.05	10	<0.5
LIN 136609	Soil	9	33	0.89	154	0.120	2	2.71	0.036	0.10	0.1	0.01	3.0	0.1	<0.05	7	1.0
LIN 136610	Soil	6	29	0.61	144	0.132	2	2.56	0.012	0.12	0.1	0.02	3.3	0.2	<0.05	8	0.6
LIN 136611	Soil	19	19	0.72	345	0.104	2	2.13	0.013	0.31	0.1	0.03	4.6	0.3	<0.05	7	1.0
LIN 136612	Soil	7	22	0.44	126	0.080	2	1.63	0.015	0.05	0.1	0.04	2.3	<0.1	<0.05	6	<0.5
LIN 136613	Soil	7	27	0.49	129	0.100	4	2.02	0.013	0.04	0.2	0.02	2.9	<0.1	<0.05	7	<0.5
LIN 136614	Soil	10	25	0.53	154	0.087	1	1.68	0.014	0.05	0.2	0.03	2.6	<0.1	<0.05	7	<0.5
LIN 136617	Soil	11	22	0.43	149	0.074	3	1.56	0.016	0.04	0.2	0.03	2.5	<0.1	<0.05	5	0.7
LIN 136618	Soil	7	29	0.58	154	0.099	2	2.16	0.017	0.04	0.1	0.02	3.0	<0.1	<0.05	6	0.6
LIN 136619	Soil	9	22	0.67	159	0.111	2	1.82	0.016	0.27	0.2	0.02	3.3	0.2	<0.05	6	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

3 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 136620	Soil	0.6	22.6	9.9	50	0.1	18.5	9.0	252	2.59	133.7	1.2	13.4	2.5	27	<0.1	0.4	0.4	65	0.34
LIN 136621	Soil	0.8	15.2	17.4	55	0.5	6.0	8.0	507	2.76	461.5	2.3	2.5	2.3	20	0.1	1.0	6.1	59	0.29
LIN 136622	Soil	0.6	25.4	15.9	58	0.5	15.6	9.1	291	2.49	223.9	5.7	9.3	4.1	24	0.2	0.5	1.1	70	0.32
LIN 136623	Soil	0.6	20.6	13.8	56	0.5	16.4	9.4	400	2.57	336.3	4.4	5.3	3.0	20	0.2	0.4	1.2	60	0.25
LIN 136626	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
LIN 136627	Soil	0.4	10.7	2.8	12	<0.1	3.2	1.7	52	0.83	1.7	0.5	<0.5	0.2	8	<0.1	<0.1	<0.1	18	0.07
LIN 136628	Soil	0.6	49.4	5.9	41	<0.1	31.0	15.5	246	2.98	8.5	0.4	2.0	3.5	20	<0.1	0.3	0.1	68	0.25
LIN 136629	Soil	0.6	54.7	5.2	40	<0.1	24.5	15.3	347	2.54	4.7	0.6	2.1	3.8	21	<0.1	0.2	0.2	62	0.30
LIN 136630	Soil	0.3	9.6	2.8	13	<0.1	3.3	2.0	49	0.92	1.6	0.2	0.6	0.2	6	0.1	0.1	<0.1	24	0.04
LIN 136631	Soil	0.6	19.4	4.1	22	<0.1	10.6	5.9	132	1.44	2.2	0.2	1.1	0.8	16	0.2	0.2	0.1	46	0.17
LIN 136632	Soil	0.6	29.9	4.1	26	<0.1	14.2	9.3	162	2.52	5.6	0.3	1.0	2.3	8	<0.1	0.2	<0.1	70	0.14
LIN 136633	Soil	1.3	36.0	6.9	63	<0.1	74.4	26.9	829	4.33	2.5	0.4	1.5	1.8	18	0.1	0.1	0.1	100	0.42
LIN 136634	Soil	0.6	40.5	4.9	36	0.1	21.3	10.1	291	2.20	3.5	0.6	1.3	1.1	27	0.1	0.2	0.1	62	0.52
LIN 136635	Soil	0.4	35.7	4.3	39	<0.1	17.8	12.0	285	2.75	3.4	1.3	2.4	5.7	17	0.1	0.2	0.1	59	0.27
LIN 136636	Soil	1.0	31.1	7.6	66	0.1	18.7	9.3	368	3.32	5.7	2.2	1.9	3.6	24	0.3	0.3	0.2	71	0.26
LIN 136637	Soil	0.7	14.1	4.3	34	<0.1	8.6	4.0	217	1.54	2.2	0.3	1.2	0.5	16	0.2	0.2	0.1	42	0.16
LIN 136638	Soil	0.6	16.3	7.7	51	<0.1	18.1	8.6	312	2.60	4.3	1.3	1.2	3.8	25	0.1	0.2	0.1	61	0.34
LIN 136639	Soil	0.6	13.6	7.8	47	<0.1	13.9	7.3	245	2.22	4.1	1.0	1.2	2.6	23	<0.1	0.3	0.1	59	0.29
LIN 136640	Soil	0.4	14.1	4.9	52	<0.1	17.0	9.6	343	2.81	4.1	0.6	3.4	4.5	19	0.2	0.2	<0.1	70	0.32
LIN 136641	Soil	0.3	3.4	1.8	15	<0.1	1.7	1.9	62	0.81	1.0	0.1	0.7	0.1	5	<0.1	<0.1	<0.1	23	0.04
LIN 136642	Soil	0.5	12.4	6.4	47	<0.1	14.4	6.3	181	1.97	3.6	0.9	4.7	1.9	19	0.2	0.2	0.1	51	0.22
LIN 136643	Soil	0.5	12.5	5.8	46	<0.1	13.2	6.8	204	2.05	3.4	0.9	1.0	2.5	17	0.2	0.2	0.1	50	0.25
LIN 136644	Soil	0.4	13.3	4.0	41	<0.1	12.0	7.8	429	1.75	2.7	1.5	2.4	2.2	30	0.2	0.2	<0.1	35	0.40
LIN 136645	Soil	0.8	16.2	6.7	54	<0.1	16.5	10.6	434	2.42	4.4	1.2	3.4	2.7	23	0.2	0.3	0.1	61	0.31
LIN 136646	Soil	1.0	21.9	11.1	53	0.4	16.3	9.6	474	2.97	69.9	3.4	6.5	4.0	26	0.2	0.5	0.3	70	0.34
LIN 136647	Soil	1.1	24.3	13.3	54	0.8	15.0	10.1	685	2.65	70.8	2.9	4.0	3.1	28	0.2	0.5	0.4	60	0.34
LIN 136648	Soil	0.8	15.8	10.0	42	0.3	11.6	6.6	278	2.26	120.7	0.8	2.9	2.5	17	0.2	0.4	0.3	60	0.19
LIN 136649	Soil	0.7	27.5	9.6	63	<0.1	26.1	12.9	501	3.57	284.0	1.3	7.4	5.4	31	0.2	0.6	0.3	78	0.29
LIN 136650	Soil	0.8	21.7	21.3	63	0.4	21.4	13.4	480	3.54	243.9	0.9	6.5	5.4	24	0.2	0.7	1.9	74	0.26
LIN 136651	Soil	0.7	20.6	17.2	56	0.5	22.3	11.2	473	3.33	1064	1.9	8.6	6.2	33	0.2	0.8	1.4	59	0.38



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

3 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136620	Soil	8	28	0.56	143	0.097	1	1.84	0.017	0.04	0.1	0.03	3.2	<0.1	<0.05	5	0.6	<0.2
LIN 136621	Soil	12	11	0.63	154	0.120	1	1.46	0.015	0.49	0.1	0.02	2.7	0.3	<0.05	6	<0.5	<0.2
LIN 136622	Soil	20	25	0.60	207	0.097	2	1.99	0.017	0.13	0.2	0.04	3.9	0.2	<0.05	6	0.8	<0.2
LIN 136623	Soil	12	27	0.57	174	0.095	1	2.01	0.016	0.13	0.2	0.05	3.5	0.2	<0.05	6	0.8	<0.2
LIN 136626	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
LIN 136627	Soil	7	8	0.08	41	0.027	1	0.58	0.019	0.03	<0.1	0.01	0.7	<0.1	<0.05	2	0.7	<0.2
LIN 136628	Soil	11	49	0.80	207	0.119	<1	2.77	0.019	0.06	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136629	Soil	11	45	0.81	216	0.124	<1	2.40	0.031	0.12	0.3	0.02	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136630	Soil	2	7	0.06	32	0.039	<1	0.63	0.016	0.02	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
LIN 136631	Soil	4	22	0.25	87	0.075	1	0.87	0.015	0.03	<0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136632	Soil	7	31	0.44	57	0.102	<1	1.66	0.009	0.04	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136633	Soil	7	85	0.68	144	0.053	2	1.29	0.012	0.13	0.2	0.03	16.7	<0.1	<0.05	4	<0.5	<0.2
LIN 136634	Soil	7	55	0.71	138	0.075	2	1.72	0.019	0.05	0.2	0.05	4.8	<0.1	0.07	5	<0.5	<0.2
LIN 136635	Soil	17	29	0.59	128	0.128	1	1.54	0.015	0.18	0.2	0.03	5.3	0.1	<0.05	5	<0.5	<0.2
LIN 136636	Soil	30	37	0.59	207	0.119	8	2.36	0.016	0.17	0.2	0.09	6.3	<0.1	0.08	7	<0.5	<0.2
LIN 136637	Soil	5	12	0.15	94	0.061	2	0.73	0.014	0.04	<0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136638	Soil	10	26	0.63	142	0.122	2	1.82	0.016	0.13	0.1	0.04	3.9	0.1	<0.05	7	<0.5	<0.2
LIN 136639	Soil	10	27	0.52	132	0.110	3	1.55	0.018	0.09	0.1	0.05	3.6	<0.1	0.05	5	<0.5	<0.2
LIN 136640	Soil	11	27	0.59	82	0.119	2	1.44	0.017	0.10	0.2	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
LIN 136641	Soil	1	4	0.08	17	0.043	<1	0.26	0.020	0.02	<0.1	0.01	0.5	<0.1	<0.05	3	<0.5	<0.2
LIN 136642	Soil	8	23	0.44	106	0.085	1	1.51	0.014	0.05	0.1	0.04	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136643	Soil	10	22	0.49	101	0.102	4	1.43	0.019	0.07	0.1	0.03	3.4	<0.1	<0.05	5	0.8	<0.2
LIN 136644	Soil	17	18	0.39	144	0.072	6	1.28	0.016	0.06	0.1	0.07	3.7	<0.1	0.07	4	0.7	<0.2
LIN 136645	Soil	13	25	0.52	143	0.093	2	1.61	0.020	0.06	<0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136646	Soil	24	24	0.61	327	0.104	2	2.01	0.016	0.11	0.2	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
LIN 136647	Soil	20	22	0.53	324	0.077	<1	1.72	0.016	0.10	0.1	0.04	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 136648	Soil	10	19	0.40	147	0.102	<1	1.52	0.014	0.08	0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136649	Soil	15	36	0.80	283	0.139	2	2.63	0.020	0.11	0.1	0.03	4.5	0.1	<0.05	6	<0.5	<0.2
LIN 136650	Soil	9	30	0.73	225	0.117	2	2.44	0.020	0.12	<0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 136651	Soil	13	24	0.67	231	0.093	2	2.02	0.025	0.09	0.1	0.04	3.3	0.1	<0.05	5	0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 4 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136652	Soil	0.6	19.3	8.6	63	0.2	16.9	11.4	617	3.34	279.7	1.9	4.9	4.3	33	0.2	0.5	0.4	65	0.40	0.072
LIN 136653	Soil	0.8	19.4	11.5	54	0.2	17.5	10.1	657	2.90	188.8	1.6	3.3	3.1	42	0.1	0.5	0.8	64	0.45	0.055
LIN 136654	Soil	0.9	21.6	10.4	58	0.2	24.8	11.6	430	3.29	86.6	1.1	6.2	3.9	35	<0.1	0.6	0.8	72	0.35	0.036
LIN 136655	Soil	0.8	16.5	9.5	50	0.1	18.6	10.7	390	3.08	106.7	0.7	1.5	2.4	33	0.1	0.5	0.7	65	0.35	0.066
LIN 136656	Soil	0.6	30.0	5.6	68	<0.1	30.5	19.0	464	4.80	176.4	1.4	3.0	3.0	61	<0.1	0.4	0.3	76	0.87	0.200
LIN 136657	Soil	0.7	38.0	6.1	116	<0.1	39.4	31.2	731	6.60	73.0	0.6	<0.5	2.7	166	0.1	0.2	<0.1	53	1.90	0.571
LIN 136659	Soil	0.3	36.6	3.2	82	<0.1	69.7	27.1	343	5.66	16.7	0.4	1.4	2.0	123	<0.1	0.1	<0.1	33	1.28	0.286
LIN 136660	Soil	0.4	17.0	4.5	15	0.2	7.0	2.5	66	1.28	10.6	1.5	3.5	0.2	24	<0.1	0.2	0.1	20	0.18	0.055
LIN 136661	Soil	0.6	15.7	7.3	46	<0.1	19.6	9.3	278	2.75	102.0	0.6	2.3	2.2	26	0.1	0.4	0.3	66	0.28	0.035
LIN 136662	Soil	0.6	25.8	8.8	66	<0.1	26.7	13.7	597	3.71	128.1	1.0	4.0	4.1	32	<0.1	0.4	0.2	80	0.45	0.088
LIN 136663	Soil	0.7	17.7	11.7	43	0.3	16.7	8.7	315	2.61	277.0	1.0	4.1	2.3	22	<0.1	0.5	0.5	67	0.22	0.037
LIN 136664	Soil	0.7	29.7	78.0	77	3.4	20.5	11.2	680	3.23	1011	2.6	12.7	4.0	32	1.0	0.8	3.9	65	0.40	0.078
LIN 136665	Soil	0.7	18.8	18.4	42	1.1	15.8	5.9	253	2.20	400.5	2.1	4.2	1.2	25	0.2	0.3	0.6	54	0.25	0.043
LIN 136666	Soil	0.6	20.2	51.4	89	0.3	12.9	12.8	911	4.39	1355	1.7	4.3	5.6	20	0.4	2.1	8.8	82	0.34	0.103
LIN 136667	Soil	0.7	14.3	8.8	41	0.6	13.3	5.5	233	2.07	299.9	1.5	3.4	1.1	25	0.2	0.4	0.5	51	0.23	0.039
LIN 136668	Soil	0.9	21.2	10.5	59	0.8	13.3	9.3	527	2.66	549.2	6.2	11.4	3.7	35	0.2	0.8	0.5	57	0.40	0.087
LIN 136669	Soil	0.8	22.7	12.1	66	0.4	17.1	11.1	454	3.29	510.4	4.2	9.3	4.9	28	0.1	0.7	1.1	70	0.38	0.076
LIN 136670	Soil	0.7	20.4	11.0	51	0.3	16.5	9.1	496	2.54	448.5	2.9	6.4	1.9	21	<0.1	0.5	1.2	56	0.20	0.065
LIN 136671	Soil	0.7	11.5	7.9	51	0.2	11.7	6.3	289	2.33	244.4	1.3	2.4	1.9	19	<0.1	0.3	1.2	52	0.22	0.054
LIN 136672	Soil	1.0	19.1	13.3	69	0.2	18.2	12.0	761	3.97	7.1	1.8	1.9	4.8	32	0.2	0.4	0.2	63	0.30	0.072
LIN 136673	Soil	0.4	23.4	7.6	45	<0.1	17.2	8.8	282	2.74	3.7	1.5	16.4	9.0	27	0.2	0.3	0.1	56	0.30	0.036
LIN 136674	Soil	0.5	30.4	5.3	40	<0.1	17.2	10.5	289	2.80	4.1	1.2	1.3	3.4	23	0.1	0.3	0.1	59	0.28	0.056
LIN 136675	Soil	0.4	28.1	6.4	51	<0.1	20.5	12.3	311	3.21	3.8	1.9	1.7	7.2	25	0.1	0.3	0.1	66	0.33	0.039
LIN 136676	Soil	0.6	13.7	5.3	48	<0.1	12.9	6.6	293	2.68	3.1	0.6	1.6	3.4	18	0.1	0.2	<0.1	60	0.22	0.042
LIN 136677	Soil	0.5	28.6	6.8	52	<0.1	24.6	10.5	319	3.05	4.8	2.0	1.3	7.2	35	0.1	0.5	0.1	65	0.41	0.046
LIN 136678	Soil	0.4	7.7	3.4	15	<0.1	3.2	1.9	65	1.05	1.3	0.3	<0.5	0.4	12	<0.1	0.1	<0.1	25	0.08	0.018
LIN 136679	Soil	0.4	11.7	4.7	30	<0.1	10.3	6.0	230	2.12	2.7	0.6	<0.5	2.3	15	0.1	0.2	<0.1	44	0.17	0.032
LIN 136680	Soil	0.7	14.2	7.8	17	<0.1	8.8	4.2	111	1.60	1.8	0.6	1.1	2.0	25	<0.1	0.2	0.2	50	0.18	0.020
LIN 136681	Soil	0.4	26.1	8.1	44	<0.1	22.8	9.8	296	2.94	4.0	1.0	7.5	5.6	30	<0.1	0.3	0.1	67	0.37	0.043
LIN 136682	Soil	0.7	25.3	12.0	56	0.4	17.1	8.9	492	2.81	874.9	3.1	5.9	2.7	26	0.2	0.7	2.4	59	0.28	0.062



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 4 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136652	Soil	13	23	0.78	210	0.125	1	2.14	0.022	0.15	<0.1	0.01	3.3	0.2	<0.05	7	<0.5
LIN 136653	Soil	12	25	0.59	182	0.091	1	1.82	0.023	0.05	0.1	0.02	3.0	<0.1	<0.05	6	<0.5
LIN 136654	Soil	8	33	0.75	166	0.123	2	2.79	0.025	0.05	0.2	0.02	4.4	<0.1	<0.05	7	0.8
LIN 136655	Soil	8	26	0.62	127	0.105	1	2.04	0.027	0.05	0.1	0.03	2.9	<0.1	<0.05	7	<0.5
LIN 136656	Soil	25	23	1.38	130	0.114	1	2.05	0.042	0.16	0.1	0.02	4.6	0.2	<0.05	7	<0.5
LIN 136657	Soil	37	14	1.85	299	0.082	<1	2.65	0.053	0.30	<0.1	<0.01	3.4	0.3	<0.05	9	0.6
LIN 136659	Soil	23	13	2.13	432	0.162	1	2.89	0.119	0.23	0.1	0.02	2.1	0.3	<0.05	7	<0.5
LIN 136660	Soil	8	12	0.17	110	0.030	<1	1.24	0.027	0.03	<0.1	0.05	1.0	<0.1	<0.05	3	<0.5
LIN 136661	Soil	6	26	0.62	147	0.129	2	2.02	0.023	0.06	0.2	0.02	2.9	<0.1	<0.05	7	<0.5
LIN 136662	Soil	11	34	1.04	270	0.174	2	2.66	0.031	0.26	0.1	0.02	4.2	0.3	<0.05	8	<0.5
LIN 136663	Soil	8	24	0.54	136	0.114	2	1.89	0.022	0.05	0.1	0.03	2.8	<0.1	<0.05	6	<0.5
LIN 136664	Soil	13	27	0.79	181	0.110	2	1.94	0.019	0.16	0.4	0.03	3.6	0.1	<0.05	7	<0.5
LIN 136665	Soil	9	24	0.52	117	0.096	2	1.41	0.022	0.05	0.2	0.04	2.2	0.1	<0.05	6	<0.5
LIN 136666	Soil	9	19	0.94	185	0.173	<1	2.18	0.018	0.50	2.9	<0.01	3.9	0.5	<0.05	8	<0.5
LIN 136667	Soil	7	21	0.47	104	0.094	2	1.23	0.022	0.05	0.1	0.03	2.0	<0.1	<0.05	5	<0.5
LIN 136668	Soil	15	22	0.64	188	0.136	2	1.80	0.028	0.25	0.2	0.04	3.8	0.2	<0.05	6	0.6
LIN 136669	Soil	17	26	0.75	232	0.157	1	2.39	0.024	0.26	0.2	0.02	3.8	0.2	<0.05	7	<0.5
LIN 136670	Soil	11	25	0.55	137	0.099	2	1.63	0.021	0.11	0.2	0.05	2.7	0.1	<0.05	5	<0.5
LIN 136671	Soil	8	19	0.56	109	0.118	2	1.35	0.018	0.14	0.2	0.04	2.5	0.2	<0.05	6	<0.5
LIN 136672	Soil	19	33	0.54	266	0.089	2	2.67	0.020	0.16	0.1	0.08	6.1	0.1	<0.05	8	<0.5
LIN 136673	Soil	25	28	0.60	178	0.151	2	1.82	0.023	0.15	0.1	0.02	6.0	<0.1	<0.05	6	<0.5
LIN 136674	Soil	16	28	0.54	196	0.085	1	1.97	0.021	0.07	0.2	0.04	5.6	<0.1	<0.05	6	0.5
LIN 136675	Soil	22	32	0.70	254	0.146	1	2.07	0.022	0.13	<0.1	0.03	6.7	0.1	<0.05	6	<0.5
LIN 136676	Soil	10	24	0.57	82	0.132	1	1.76	0.018	0.09	0.2	0.02	3.5	<0.1	<0.05	6	<0.5
LIN 136677	Soil	22	34	0.66	187	0.159	2	1.93	0.034	0.13	0.1	0.04	6.6	0.1	<0.05	6	<0.5
LIN 136678	Soil	3	7	0.10	42	0.051	1	0.54	0.026	0.03	<0.1	0.02	0.9	<0.1	<0.05	3	0.8
LIN 136679	Soil	9	20	0.44	64	0.096	<1	1.29	0.025	0.08	0.2	0.02	2.4	<0.1	<0.05	4	<0.5
LIN 136680	Soil	9	28	0.23	91	0.086	<1	1.51	0.014	0.05	0.1	0.03	2.5	0.1	<0.05	7	<0.5
LIN 136681	Soil	19	50	0.74	151	0.163	2	2.07	0.026	0.16	0.1	0.02	5.7	0.1	<0.05	6	<0.5
LIN 136682	Soil	12	25	0.57	177	0.110	2	1.85	0.025	0.10	0.2	0.03	3.2	0.1	<0.05	6	0.7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 5 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 136683	Soil	1.1	17.8	7.7	55	<0.1	15.8	9.1	441	2.57	19.1	1.5	3.2	3.2	31	0.2	0.3	0.2	62	0.36	0.056
LIN 136684	Soil	0.9	23.6	7.7	61	0.1	18.5	9.6	413	2.83	20.0	2.4	4.9	4.5	32	0.2	0.4	0.2	64	0.42	0.059
LIN 136685	Soil	1.0	15.9	6.6	49	0.1	13.9	9.0	412	2.43	17.3	1.9	8.4	2.7	33	0.1	0.4	0.2	56	0.37	0.055
LIN 136686	Soil	1.1	17.6	7.7	46	0.2	14.6	9.6	535	2.23	17.6	1.6	3.9	2.2	31	0.1	0.4	0.2	53	0.41	0.061
LIN 136687	Soil	1.5	22.2	7.5	58	<0.1	18.6	9.9	436	2.86	23.9	1.4	5.9	3.0	26	0.1	0.4	0.1	69	0.37	0.060
LIN 136688	Soil	1.7	25.9	11.4	58	0.1	22.6	10.8	494	3.05	45.0	1.5	4.9	4.1	23	0.2	0.5	0.2	69	0.32	0.053
LIN 136689	Soil	1.0	16.2	12.0	52	<0.1	15.3	7.5	331	2.40	69.9	0.8	11.4	1.6	19	0.2	0.4	0.3	58	0.27	0.045
LIN 136690	Soil	0.7	17.6	8.4	59	<0.1	15.8	7.8	218	2.62	33.1	1.2	5.3	2.5	25	0.1	0.4	0.1	61	0.39	0.073
LIN 136691	Soil	0.7	22.9	7.9	57	<0.1	21.0	12.2	369	3.04	21.1	1.0	5.4	3.2	24	0.1	0.5	0.1	69	0.36	0.067
LIN 136692	Soil	1.6	32.9	10.3	62	0.1	24.4	12.6	368	3.32	71.4	2.1	6.3	4.2	31	0.2	0.8	0.2	77	0.42	0.068
LIN 136693	Soil	0.5	16.5	12.4	63	0.2	14.0	10.8	680	3.14	435.5	1.9	12.0	5.7	18	0.1	0.5	0.7	67	0.27	0.062
LIN 136694	Soil	0.9	21.4	8.5	56	0.3	17.1	9.1	546	2.25	25.0	2.3	6.8	1.9	38	0.2	1.1	0.1	59	0.54	0.071
LIN 136695	Soil	0.6	20.1	7.7	57	<0.1	21.8	11.5	510	2.86	16.1	1.1	4.7	3.0	27	<0.1	0.7	0.1	67	0.42	0.064
LIN 136696	Soil	0.6	20.7	9.8	65	0.1	18.7	11.7	607	2.94	20.0	1.5	4.4	3.6	27	0.2	1.1	0.1	69	0.38	0.064
LIN 136697	Soil	0.7	16.9	7.0	48	<0.1	14.7	11.2	1271	2.23	17.3	1.3	4.2	1.9	31	0.1	1.5	<0.1	53	0.44	0.078
LIN 136698	Soil	0.5	23.2	10.3	57	<0.1	20.6	11.1	378	2.83	52.8	1.7	12.5	4.6	29	0.1	2.6	0.1	72	0.42	0.055
LIN 136699	Soil	0.4	21.4	10.0	53	<0.1	20.9	9.6	259	2.49	83.2	2.0	29.5	4.7	34	0.1	5.0	0.1	70	0.49	0.054
LIN 136700	Soil	1.3	24.0	8.5	49	0.2	19.0	19.3	1583	3.59	560.9	3.8	33.7	2.3	46	0.3	15.8	0.1	57	0.66	0.089
LIN 136701	Soil	0.6	31.4	8.6	66	0.1	28.2	11.1	393	3.15	53.8	2.2	8.9	3.7	35	0.2	2.3	0.1	78	0.51	0.073
LIN 136702	Soil	1.1	31.4	11.8	67	0.2	23.7	12.3	765	2.81	177.2	1.8	13.6	1.5	27	0.7	1.4	0.3	64	0.28	0.054
LIN 136703	Soil	0.8	23.7	26.8	90	0.2	25.2	13.1	716	3.09	99.7	1.5	23.4	3.4	24	0.6	2.1	0.5	73	0.37	0.069
LIN 136704	Soil	0.6	29.5	7.1	51	<0.1	21.8	8.8	181	2.59	10.1	1.3	3.8	3.3	30	0.1	0.6	0.1	71	0.44	0.070
LIN 136705	Soil	0.9	24.6	9.2	59	<0.1	27.6	10.9	210	2.81	8.2	1.5	6.4	4.1	26	<0.1	0.8	0.1	71	0.40	0.072
LIN 136706	Soil	0.6	21.8	6.1	55	<0.1	24.0	12.4	478	3.09	9.0	0.8	8.1	3.4	26	0.1	0.4	<0.1	83	0.42	0.064
LIN 136708	Soil	0.5	20.6	5.4	58	0.1	22.5	11.5	537	2.86	7.2	0.7	4.8	3.2	25	0.2	0.3	<0.1	81	0.42	0.073
LIN 136709	Soil	1.5	30.9	6.8	58	0.1	26.0	13.6	417	2.83	7.0	1.5	4.2	2.1	30	0.1	0.4	0.1	80	0.41	0.067
LIN 136710	Soil	0.7	33.2	6.7	52	0.1	21.6	12.6	355	3.07	5.6	2.5	5.0	3.3	29	<0.1	0.3	0.1	85	0.43	0.077
LIN 136711	Soil	0.7	28.2	6.1	45	<0.1	23.5	13.4	502	2.47	3.8	1.3	3.4	2.2	29	0.1	0.4	0.1	66	0.41	0.066
LIN 136712	Soil	0.4	24.8	7.4	61	0.2	23.7	13.4	400	3.11	8.0	0.5	2.6	2.7	35	0.2	0.3	<0.1	80	0.49	0.066
LIN 136713	Soil	0.5	22.8	6.4	48	<0.1	24.0	10.6	318	2.76	6.7	0.5	2.7	2.2	24	0.1	0.3	<0.1	78	0.40	0.067



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

5 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136683	Soil	11	26	0.57	148	0.125	<1	1.77	0.024	0.08	0.2	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136684	Soil	17	28	0.69	184	0.154	2	2.00	0.028	0.10	0.2	0.03	4.8	0.1	<0.05	6	<0.5	<0.2
LIN 136685	Soil	11	22	0.56	164	0.111	<1	1.56	0.024	0.07	0.2	0.03	3.6	<0.1	<0.05	5	0.6	<0.2
LIN 136686	Soil	12	22	0.51	188	0.081	<1	1.52	0.019	0.06	0.1	0.04	3.3	0.1	<0.05	5	<0.5	<0.2
LIN 136687	Soil	11	28	0.70	173	0.126	<1	1.89	0.017	0.10	0.2	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136688	Soil	19	31	0.65	202	0.097	<1	2.06	0.014	0.08	0.1	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136689	Soil	8	22	0.48	110	0.086	<1	1.42	0.015	0.05	0.2	0.02	2.3	<0.1	<0.05	5	<0.5	<0.2
LIN 136690	Soil	8	25	0.66	176	0.109	<1	1.79	0.017	0.07	0.2	0.04	3.7	0.1	<0.05	6	0.6	<0.2
LIN 136691	Soil	11	29	0.73	190	0.124	<1	2.04	0.017	0.08	0.2	0.02	4.1	0.1	<0.05	6	0.5	<0.2
LIN 136692	Soil	13	31	0.75	238	0.131	1	1.93	0.022	0.08	0.2	0.03	5.8	0.1	<0.05	6	0.5	<0.2
LIN 136693	Soil	13	21	0.62	170	0.101	1	1.75	0.013	0.18	0.2	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
LIN 136694	Soil	13	26	0.57	217	0.083	<1	1.82	0.021	0.07	<0.1	0.04	3.5	0.1	<0.05	6	<0.5	<0.2
LIN 136695	Soil	10	29	0.71	188	0.122	<1	1.98	0.017	0.10	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 136696	Soil	12	27	0.70	207	0.119	<1	1.96	0.017	0.09	0.1	0.03	3.9	0.2	<0.05	6	<0.5	<0.2
LIN 136697	Soil	10	24	0.52	159	0.082	<1	1.44	0.021	0.08	0.1	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136698	Soil	14	34	0.72	198	0.131	<1	2.13	0.020	0.08	0.2	0.03	5.0	0.1	<0.05	6	<0.5	<0.2
LIN 136699	Soil	13	32	0.69	188	0.125	1	2.03	0.020	0.07	0.1	0.03	5.0	0.1	<0.05	6	<0.5	<0.2
LIN 136700	Soil	14	29	0.58	179	0.069	1	1.71	0.021	0.08	<0.1	0.06	4.6	0.1	0.07	5	0.5	<0.2
LIN 136701	Soil	13	38	0.76	177	0.138	1	2.01	0.032	0.12	0.2	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
LIN 136702	Soil	11	27	0.49	168	0.083	1	1.93	0.024	0.06	0.1	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 136703	Soil	11	30	0.73	127	0.127	1	2.13	0.023	0.08	0.2	0.04	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136704	Soil	12	34	0.68	153	0.128	<1	1.80	0.025	0.10	0.1	0.05	5.0	0.1	<0.05	6	0.6	<0.2
LIN 136705	Soil	13	40	1.07	152	0.124	1	2.41	0.024	0.09	<0.1	0.06	5.0	0.2	<0.05	7	<0.5	<0.2
LIN 136706	Soil	11	30	0.76	158	0.147	1	1.90	0.027	0.09	0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
LIN 136708	Soil	9	28	0.64	133	0.138	<1	1.74	0.024	0.09	0.1	0.03	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 136709	Soil	11	36	0.70	214	0.120	2	2.20	0.030	0.07	0.2	0.06	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136710	Soil	13	28	0.67	184	0.141	1	2.23	0.029	0.08	0.1	0.03	4.9	0.1	<0.05	6	<0.5	<0.2
LIN 136711	Soil	10	32	0.69	185	0.140	2	2.12	0.026	0.08	0.1	0.06	4.2	0.2	<0.05	6	<0.5	<0.2
LIN 136712	Soil	8	34	0.67	170	0.151	2	2.24	0.028	0.08	<0.1	0.03	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136713	Soil	8	30	0.65	117	0.141	1	2.16	0.020	0.07	0.1	0.04	3.5	<0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 6 of 12 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136714	Soil				0.8	25.0	8.3	57	<0.1	29.7	15.0	481	3.39	9.5	0.7	4.8	3.1	25	0.2	0.5	0.1	85	0.30	0.031
LIN 136715	Soil				1.0	39.8	11.2	65	0.2	29.8	15.4	473	3.35	11.4	3.5	10.1	3.8	31	0.1	0.6	0.2	83	0.45	0.080
LIN 136716	Soil				0.5	22.7	6.8	60	0.1	23.5	15.1	548	3.48	19.0	1.0	6.9	2.9	40	0.1	0.5	0.1	75	0.59	0.093
LIN 136717	Soil				0.6	21.9	10.4	78	0.1	22.6	16.2	621	3.70	191.6	1.0	26.9	3.2	38	0.2	1.8	0.1	79	0.65	0.131
LIN 136718	Soil				0.5	24.0	6.7	58	0.1	23.4	10.9	381	2.96	12.9	1.1	5.1	3.9	30	0.2	0.6	<0.1	79	0.49	0.079
LIN 136719	Soil				0.6	30.5	9.0	60	0.1	25.1	12.6	357	3.44	39.1	1.9	6.8	5.0	32	0.2	1.0	0.1	86	0.48	0.066
LIN 136720	Soil				0.5	22.4	8.5	56	<0.1	22.7	11.0	338	2.88	17.5	1.1	10.3	3.6	29	0.1	0.8	0.1	79	0.42	0.069
LIN 136721	Soil				0.7	26.5	8.7	61	<0.1	22.0	11.7	385	2.93	18.3	1.5	6.4	3.7	34	0.1	1.1	0.1	79	0.47	0.078
LIN 136724	Soil				0.9	20.8	8.1	65	0.1	17.3	12.6	1188	2.44	22.9	1.2	4.9	1.5	41	0.2	1.4	0.1	62	0.52	0.070
LIN 136725	Soil				1.0	18.8	9.1	66	0.5	16.5	10.5	480	3.44	73.8	3.3	14.3	5.3	31	<0.1	3.2	0.1	74	0.47	0.084
LIN 136729	Soil				9.7	17.0	12.9	61	0.2	17.1	10.6	506	2.46	47.6	1.2	8.7	3.8	33	0.2	0.5	0.2	64	0.49	0.065
LIN 136730	Soil				2.6	17.9	18.5	65	0.9	15.6	9.6	624	2.18	27.9	2.8	5.2	2.0	36	0.4	0.4	0.2	55	0.45	0.065
LIN 136731	Soil				0.7	27.7	15.7	83	0.8	21.0	11.5	548	2.94	37.0	3.7	8.0	4.1	39	0.3	0.6	0.2	79	0.52	0.059
LIN 136732	Soil				0.9	18.8	11.1	70	0.1	16.6	9.9	506	2.62	60.3	3.0	4.0	2.9	43	0.2	0.5	0.2	67	0.52	0.055
LIN 136733	Soil				0.5	10.8	12.6	50	0.2	14.6	5.8	179	1.90	33.1	1.3	3.3	1.5	30	<0.1	0.4	0.2	57	0.36	0.049
LIN 136734	Soil				0.6	20.4	26.5	81	0.7	17.4	9.3	735	2.22	172.8	4.0	21.7	2.2	68	0.8	1.3	0.3	53	0.89	0.064
LIN 136735	Soil				0.5	26.7	28.1	86	0.5	22.2	10.1	531	2.96	402.4	4.2	32.3	4.7	40	0.4	2.6	0.3	73	0.55	0.069
LIN 136736	Soil				0.7	19.3	13.9	57	0.3	18.7	12.2	717	2.75	33.9	2.6	7.9	3.3	41	0.1	0.6	0.3	74	0.55	0.048
LIN 136737	Soil				0.9	20.2	12.7	51	0.2	15.6	14.2	933	3.43	42.4	6.1	5.5	4.1	40	<0.1	0.6	0.1	72	0.50	0.055
LIN 136738	Soil				0.7	26.1	9.7	64	0.1	20.9	13.3	661	3.43	39.1	1.4	3.9	4.3	34	0.1	0.5	0.1	87	0.53	0.081
LIN 136739	Soil				1.5	25.1	40.7	55	0.9	14.9	13.9	1064	2.85	282.0	3.2	13.5	1.6	25	1.1	0.7	0.4	52	0.29	0.101
LIN 136740	Soil				2.8	35.8	15.0	73	0.3	24.3	14.1	1268	4.26	336.2	2.3	29.4	4.0	32	0.2	1.3	0.3	83	0.45	0.074
LIN 136741	Soil				3.2	31.1	9.3	61	0.1	24.1	11.5	405	3.21	66.3	1.1	11.6	3.8	32	0.1	0.8	0.2	83	0.48	0.066
LIN 136742	Soil				1.2	30.0	8.7	54	0.1	21.5	14.1	348	3.19	53.2	1.2	5.7	3.5	28	0.2	0.7	0.2	79	0.42	0.062
LIN 136743	Soil				1.3	21.8	7.3	47	<0.1	14.2	8.6	482	2.51	18.1	0.7	1.7	1.6	16	0.3	0.5	0.2	69	0.18	0.039
LIN 136744	Soil				1.5	17.2	13.3	57	<0.1	19.6	10.0	334	2.99	41.7	1.0	16.0	4.9	21	0.3	0.4	0.3	79	0.33	0.045
LIN 136745	Soil				1.8	24.0	13.1	59	0.1	18.1	11.5	532	2.93	41.5	2.3	3.8	3.7	25	0.2	0.5	0.3	71	0.34	0.063
LIN 136746	Soil				1.5	20.7	11.7	58	0.2	17.7	9.3	296	2.77	28.6	2.3	2.8	3.3	31	0.1	0.4	0.2	74	0.38	0.066
LIN 136747	Soil				1.4	19.3	11.6	57	0.1	18.9	9.2	279	2.68	25.3	2.2	10.0	2.9	28	0.1	0.4	0.2	68	0.37	0.060
LIN 136748	Soil				0.6	21.6	11.6	63	0.2	18.5	9.9	565	2.77	35.4	2.8	13.8	4.6	48	0.2	0.7	0.1	71	0.66	0.069



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 6 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136714	Soil	8	36	0.72	192	0.139	1	2.96	0.020	0.06	<0.1	0.03	4.2	0.1	<0.05	7	0.5	<0.2
LIN 136715	Soil	23	37	0.72	307	0.112	2	2.63	0.023	0.08	0.1	0.07	6.0	0.2	<0.05	7	0.6	<0.2
LIN 136716	Soil	13	30	0.99	182	0.130	1	2.22	0.050	0.09	0.1	0.01	4.1	0.1	<0.05	6	0.6	<0.2
LIN 136717	Soil	16	36	1.09	189	0.117	1	1.96	0.059	0.15	<0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136718	Soil	13	34	0.75	170	0.139	1	1.91	0.029	0.10	0.2	0.03	4.0	0.1	<0.05	5	<0.5	<0.2
LIN 136719	Soil	17	35	0.75	244	0.155	2	2.27	0.024	0.09	0.1	0.03	6.1	0.1	<0.05	6	0.5	<0.2
LIN 136720	Soil	12	33	0.68	189	0.143	2	2.15	0.023	0.07	0.2	0.03	4.6	0.1	<0.05	7	0.5	0.2
LIN 136721	Soil	13	33	0.72	211	0.143	2	2.04	0.025	0.09	0.1	0.04	4.9	0.1	<0.05	6	<0.5	<0.2
LIN 136724	Soil	11	26	0.56	207	0.091	2	1.66	0.022	0.08	0.1	0.04	3.3	0.1	0.06	5	<0.5	<0.2
LIN 136725	Soil	16	28	0.77	222	0.149	1	2.33	0.019	0.30	0.2	0.05	4.6	0.3	<0.05	7	<0.5	<0.2
LIN 136729	Soil	11	24	0.63	186	0.112	3	1.66	0.022	0.08	0.2	0.04	3.4	0.1	<0.05	5	<0.5	<0.2
LIN 136730	Soil	11	26	0.43	167	0.076	2	1.56	0.019	0.07	0.1	0.09	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136731	Soil	19	33	0.77	330	0.121	2	2.23	0.020	0.12	0.2	0.05	5.5	0.2	<0.05	7	<0.5	<0.2
LIN 136732	Soil	11	26	0.62	240	0.091	2	1.73	0.020	0.09	0.5	0.05	3.5	0.2	<0.05	6	<0.5	<0.2
LIN 136733	Soil	6	25	0.45	101	0.091	2	1.47	0.020	0.04	0.2	0.04	2.5	0.1	<0.05	5	<0.5	<0.2
LIN 136734	Soil	13	24	0.46	206	0.074	2	1.61	0.024	0.07	0.1	0.07	3.5	0.1	<0.05	5	<0.5	<0.2
LIN 136735	Soil	16	30	0.61	172	0.116	2	1.74	0.032	0.08	0.1	0.05	4.5	0.1	<0.05	5	<0.5	<0.2
LIN 136736	Soil	10	30	0.56	184	0.121	2	1.73	0.029	0.07	0.2	0.04	4.0	0.1	<0.05	5	<0.5	<0.2
LIN 136737	Soil	12	27	0.56	261	0.091	2	1.90	0.021	0.07	0.1	0.05	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136738	Soil	12	32	0.85	252	0.153	1	2.26	0.021	0.13	0.2	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
LIN 136739	Soil	14	22	0.36	156	0.062	5	2.68	0.021	0.08	0.1	0.12	2.4	0.1	0.05	5	0.7	<0.2
LIN 136740	Soil	16	34	0.76	246	0.128	3	2.29	0.024	0.09	0.3	0.06	5.9	0.1	<0.05	6	<0.5	<0.2
LIN 136741	Soil	13	35	0.74	223	0.152	2	2.14	0.023	0.09	0.3	0.04	5.1	0.1	<0.05	6	<0.5	<0.2
LIN 136742	Soil	12	33	0.67	196	0.134	3	2.33	0.020	0.07	0.2	0.04	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 136743	Soil	8	23	0.41	92	0.093	3	1.60	0.019	0.06	<0.1	0.04	2.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136744	Soil	11	28	0.65	113	0.151	2	2.06	0.020	0.07	0.2	0.01	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136745	Soil	14	28	0.62	178	0.117	2	1.94	0.021	0.07	0.1	0.04	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136746	Soil	12	29	0.60	188	0.107	2	1.92	0.023	0.07	0.1	0.05	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136747	Soil	11	28	0.63	177	0.119	2	1.94	0.021	0.06	0.1	0.04	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136748	Soil	16	30	0.66	238	0.150	3	1.82	0.032	0.14	0.2	0.04	5.0	0.2	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 7 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136749	Soil				2.1	27.1	12.1	64	0.8	20.8	12.0	719	3.05	28.8	4.2	10.0	3.0	46	0.1	0.7	0.1	81	0.72	0.069
LIN 136750	Soil				1.6	27.9	8.6	64	0.2	20.9	12.3	647	3.15	14.2	2.5	6.6	3.1	50	0.2	0.4	0.1	83	0.79	0.065
LIN 136751	Soil				1.8	22.0	9.1	54	0.3	17.1	12.3	895	2.56	18.8	1.9	5.6	1.7	59	0.2	0.4	0.1	68	0.91	0.082
LIN 136752	Soil				1.1	29.0	11.9	61	0.2	24.2	11.7	540	3.17	55.5	1.5	6.7	3.1	42	0.2	0.5	0.2	82	0.61	0.064
LIN 136753	Soil				1.8	23.4	7.4	50	0.2	18.5	9.9	477	2.66	15.9	1.8	4.4	2.1	40	<0.1	0.3	0.1	67	0.58	0.066
LIN 136754	Soil				0.8	21.5	6.6	61	0.1	18.6	10.7	499	3.19	15.9	1.0	5.1	2.6	33	0.1	0.3	0.1	81	0.49	0.061
LIN 136755	Soil				1.0	27.0	5.6	61	0.3	19.8	9.9	672	2.23	14.7	1.0	3.6	1.3	41	0.6	0.3	0.1	59	0.56	0.062
LIN 136756	Soil				1.3	23.6	8.0	62	0.2	19.4	10.7	511	3.11	22.8	1.0	10.5	2.7	35	0.2	0.4	0.1	81	0.52	0.060
LIN 136758	Soil				1.9	29.3	8.0	42	0.4	16.6	7.8	442	2.12	14.2	2.5	3.5	1.0	45	0.2	0.3	0.1	51	0.52	0.069
LIN 136759	Soil				1.6	25.8	7.9	57	0.2	20.6	9.5	749	2.66	14.9	1.5	3.6	2.3	38	0.2	0.4	0.2	69	0.46	0.044
LIN 136760	Soil				1.1	28.9	6.9	78	0.3	20.3	8.5	546	2.53	13.9	1.3	6.2	3.0	31	0.5	0.3	0.1	63	0.39	0.042
LIN 136761	Soil				1.7	24.1	9.5	68	0.1	21.6	10.1	655	3.05	21.0	1.4	6.5	3.8	34	0.2	0.3	0.2	84	0.42	0.039
LIN 136762	Soil				1.1	21.1	9.0	53	0.1	19.9	10.2	452	2.96	9.8	1.3	66.7	5.2	30	0.1	0.3	0.2	79	0.45	0.055
LIN 136763	Soil				1.1	20.2	9.0	55	0.2	19.0	10.0	450	2.76	11.4	1.0	2.4	2.7	28	0.1	0.3	0.2	74	0.36	0.044
LIN 136764	Soil				1.5	22.9	7.2	46	0.3	17.5	7.7	321	2.36	11.9	1.3	3.2	1.7	27	0.2	0.2	0.2	61	0.33	0.046
LIN 136765	Soil				2.2	18.7	8.2	47	0.2	14.1	8.5	368	2.50	15.9	1.2	3.9	2.6	20	0.2	0.3	0.2	59	0.24	0.038
LIN 136766	Soil				1.7	21.6	8.1	44	0.2	13.3	7.4	368	2.42	23.2	1.1	5.1	2.0	30	0.2	0.3	0.2	62	0.37	0.038
LIN 136767	Soil				2.7	19.6	8.2	49	<0.1	15.7	9.7	409	3.00	29.0	0.5	2.6	2.5	20	0.2	0.5	0.2	84	0.23	0.026
LIN 136768	Soil				1.9	19.4	8.5	50	<0.1	12.1	8.6	343	2.67	21.9	0.8	2.4	2.3	24	<0.1	0.4	0.1	66	0.31	0.040
LIN 136769	Soil				2.3	16.8	8.4	46	0.2	8.9	8.3	400	2.18	33.7	0.6	3.5	0.8	24	0.2	0.4	0.1	53	0.28	0.041
LIN 136770	Soil				1.8	22.6	9.2	56	0.2	16.5	9.2	326	3.00	33.8	0.7	3.2	3.0	27	0.1	0.6	0.1	77	0.41	0.056
LIN 136771	Soil				1.7	21.9	9.2	54	0.2	15.2	10.1	359	3.06	34.8	0.8	2.0	3.1	28	0.1	0.7	0.1	77	0.42	0.053
LIN 136772	Soil				1.0	16.6	5.0	39	0.1	10.5	7.1	297	2.12	14.1	0.6	2.8	1.4	22	<0.1	0.3	<0.1	52	0.33	0.048
LIN 136773	Soil				1.1	24.1	6.7	62	<0.1	15.3	10.1	374	2.95	22.3	0.9	10.7	3.3	33	<0.1	0.4	<0.1	75	0.56	0.069
LIN 136774	Soil				1.8	19.4	8.1	58	0.1	16.6	10.1	439	2.78	27.2	1.1	15.8	3.6	31	0.1	0.4	<0.1	68	0.51	0.068
LIN 136775	Soil				2.4	20.3	9.3	41	0.2	16.7	8.8	304	2.70	17.5	0.8	3.4	2.5	24	0.2	0.3	0.1	72	0.36	0.048
LIN 136776	Soil				2.5	20.1	11.1	58	0.2	16.2	9.5	407	2.80	35.2	1.1	14.3	2.0	43	0.4	0.5	0.1	72	0.66	0.062
LIN 136777	Soil				2.1	17.3	8.3	38	0.3	11.3	6.5	263	2.27	12.0	0.5	4.1	1.1	21	0.3	0.3	0.2	68	0.25	0.035
LIN 136778	Soil				1.7	30.3	9.2	56	0.3	15.6	11.3	516	3.17	19.8	1.2	2.9	2.4	25	0.1	0.4	0.1	82	0.31	0.041
LIN 136779	Soil				1.0	22.7	8.8	53	<0.1	17.6	10.3	409	2.88	51.8	2.0	15.1	3.4	30	0.2	0.4	0.1	71	0.42	0.049



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 7 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136749	Soil	16	30	0.75	291	0.138	3	2.17	0.032	0.10	0.2	0.04	4.9	0.2	<0.05	6	<0.5
LIN 136750	Soil	14	28	0.83	319	0.149	3	2.15	0.029	0.13	0.2	0.04	4.4	0.2	<0.05	6	<0.5
LIN 136751	Soil	11	24	0.62	273	0.101	3	1.77	0.026	0.11	<0.1	0.05	3.7	0.1	0.05	5	<0.5
LIN 136752	Soil	13	35	0.78	243	0.140	2	2.22	0.023	0.10	0.2	0.03	4.6	0.1	<0.05	6	<0.5
LIN 136753	Soil	11	27	0.58	226	0.118	2	1.84	0.026	0.08	0.1	0.04	4.1	0.1	<0.05	6	<0.5
LIN 136754	Soil	10	27	0.81	212	0.164	2	1.97	0.024	0.12	0.1	0.02	4.0	0.1	<0.05	7	<0.5
LIN 136755	Soil	13	25	0.57	180	0.109	2	1.51	0.030	0.11	0.2	0.03	2.8	0.1	<0.05	5	<0.5
LIN 136756	Soil	11	29	0.71	192	0.151	2	2.06	0.023	0.12	0.1	0.03	4.1	0.1	<0.05	7	<0.5
LIN 136758	Soil	14	22	0.42	205	0.077	2	1.55	0.021	0.10	0.1	0.06	3.2	<0.1	<0.05	5	<0.5
LIN 136759	Soil	15	29	0.53	256	0.109	2	1.93	0.024	0.08	0.1	0.03	3.6	<0.1	<0.05	6	<0.5
LIN 136760	Soil	12	27	0.47	163	0.115	2	1.65	0.026	0.11	0.1	0.03	3.6	<0.1	<0.05	6	<0.5
LIN 136761	Soil	13	32	0.61	188	0.146	2	2.17	0.023	0.09	0.1	0.03	4.1	0.1	<0.05	7	<0.5
LIN 136762	Soil	15	30	0.64	177	0.149	2	1.73	0.025	0.12	0.2	0.02	4.1	0.1	<0.05	5	<0.5
LIN 136763	Soil	11	28	0.57	152	0.131	2	1.79	0.021	0.08	<0.1	0.03	3.3	0.1	<0.05	6	<0.5
LIN 136764	Soil	9	27	0.49	148	0.098	1	1.66	0.018	0.09	0.1	0.04	2.9	<0.1	<0.05	6	<0.5
LIN 136765	Soil	10	26	0.48	160	0.097	3	1.81	0.016	0.07	0.2	0.03	2.6	0.1	<0.05	6	1.0
LIN 136766	Soil	9	22	0.47	146	0.097	3	1.59	0.016	0.07	<0.1	0.04	2.4	<0.1	<0.05	5	1.0
LIN 136767	Soil	7	25	0.56	98	0.118	3	1.77	0.013	0.06	0.1	0.02	2.9	0.1	<0.05	7	<0.5
LIN 136768	Soil	11	23	0.56	123	0.113	1	1.66	0.018	0.07	0.1	0.01	2.7	<0.1	<0.05	6	<0.5
LIN 136769	Soil	6	18	0.38	115	0.076	2	1.41	0.018	0.07	0.1	0.03	2.0	<0.1	<0.05	5	<0.5
LIN 136770	Soil	9	26	0.68	137	0.136	<1	1.79	0.020	0.08	0.1	0.03	3.3	<0.1	<0.05	6	<0.5
LIN 136771	Soil	10	24	0.68	143	0.139	3	1.83	0.019	0.09	0.1	0.02	3.5	0.1	<0.05	6	1.6
LIN 136772	Soil	6	18	0.50	137	0.095	2	1.38	0.024	0.07	0.2	0.02	2.6	<0.1	<0.05	5	0.7
LIN 136773	Soil	12	25	0.73	181	0.144	3	1.84	0.024	0.11	<0.1	0.03	4.0	<0.1	<0.05	6	0.8
LIN 136774	Soil	11	25	0.73	186	0.132	2	1.77	0.022	0.10	<0.1	0.03	3.5	<0.1	<0.05	6	0.9
LIN 136775	Soil	9	26	0.52	89	0.116	1	1.59	0.019	0.07	0.2	0.04	2.7	<0.1	<0.05	5	1.2
LIN 136776	Soil	11	24	0.60	171	0.102	1	1.64	0.022	0.08	0.2	0.04	2.6	<0.1	<0.05	5	1.2
LIN 136777	Soil	7	18	0.35	110	0.093	<1	1.14	0.018	0.06	<0.1	0.02	1.5	<0.1	<0.05	5	0.6
LIN 136778	Soil	10	23	0.66	190	0.135	1	2.11	0.023	0.09	0.2	0.02	3.4	0.2	<0.05	7	0.5
LIN 136779	Soil	12	27	0.69	170	0.135	3	1.93	0.020	0.09	0.1	0.03	4.0	0.1	<0.05	6	0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

8 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001
LIN 136785	Soil	1.5	20.5	5.0	32	0.1	11.3	9.7	456	2.74	5.9	1.1	1.2	3.7	19	<0.1	0.2	0.1	56	0.27	0.066
LIN 136786	Soil	1.3	33.8	6.1	48	<0.1	30.4	15.3	555	3.51	7.2	1.0	4.5	4.9	24	0.2	0.2	0.1	70	0.35	0.065
LIN 136787	Soil	0.9	28.9	5.8	47	<0.1	33.0	13.4	293	3.23	6.6	1.0	2.6	5.7	23	<0.1	0.3	0.1	80	0.41	0.076
LIN 136788	Soil	1.3	32.8	4.3	41	0.2	14.7	13.2	476	2.90	6.4	1.4	<0.5	2.8	23	<0.1	0.2	0.1	60	0.31	0.074
LIN 136789	Soil	1.8	15.3	4.9	41	<0.1	7.1	5.2	344	1.61	5.2	0.5	<0.5	0.2	16	0.3	0.2	0.1	40	0.16	0.052
LIN 136790	Soil	1.6	19.6	6.3	35	<0.1	8.4	5.9	373	1.83	5.2	0.7	3.2	0.8	18	0.2	0.3	0.2	63	0.19	0.042
LIN 136791	Soil	1.6	10.6	3.5	31	<0.1	5.2	4.2	181	1.35	4.0	0.5	1.3	0.6	13	<0.1	0.1	<0.1	37	0.13	0.033
LIN 136793	Soil	1.7	15.1	5.9	46	<0.1	6.9	5.4	251	1.94	4.8	0.6	1.5	1.3	17	0.3	0.2	0.2	60	0.16	0.039
LIN 136794	Soil	1.0	16.2	4.7	47	<0.1	12.0	10.3	603	2.44	5.6	1.1	1.1	3.8	29	0.2	0.3	<0.1	58	0.47	0.056
LIN 136795	Soil	1.3	17.2	15.0	52	0.1	12.1	12.9	837	2.67	6.3	1.2	6.8	2.2	31	0.1	0.3	0.1	67	0.39	0.062
LIN 136796	Soil	1.2	14.8	7.7	49	<0.1	11.4	10.0	493	2.88	6.6	1.0	1.4	3.6	21	0.2	0.3	0.1	66	0.27	0.054
LIN 136797	Soil	1.4	13.9	6.4	41	<0.1	11.8	8.3	283	3.00	7.1	0.5	3.1	3.0	17	<0.1	0.3	0.2	76	0.19	0.025
LIN 136798	Soil	1.3	21.1	6.3	51	<0.1	18.3	11.7	415	3.26	7.3	0.8	7.5	5.6	18	<0.1	0.3	0.1	69	0.25	0.042
LIN 136799	Soil	1.1	17.5	6.3	49	<0.1	15.4	10.0	425	2.72	6.3	0.8	1.7	3.0	22	0.2	0.2	0.1	62	0.30	0.039
LIN 136800	Soil	1.5	22.8	7.4	48	0.1	18.7	13.0	337	3.23	7.7	1.5	3.8	3.6	25	0.1	0.3	0.2	73	0.29	0.063
LIN 136801	Soil	1.3	22.4	7.6	57	<0.1	19.0	10.2	259	3.10	7.7	1.3	2.8	4.4	24	0.1	0.4	0.2	78	0.29	0.046
LIN 136802	Soil	1.4	16.9	6.5	52	<0.1	13.9	10.9	466	2.99	6.5	0.7	1.3	3.6	24	0.1	0.3	0.1	65	0.31	0.049
LIN 136803	Soil	0.8	17.3	5.7	47	<0.1	10.5	8.6	297	2.91	5.8	1.2	2.7	6.1	21	<0.1	0.3	<0.1	58	0.29	0.030
LIN 136804	Soil	1.0	21.3	286.4	75	0.3	9.6	7.3	250	3.11	5.8	1.7	2.9	6.5	20	0.5	0.2	0.1	55	0.31	0.035
LIN 136805	Soil	0.7	18.8	7.1	49	<0.1	10.8	6.8	228	2.50	5.2	1.5	1.2	8.1	19	0.2	0.2	0.1	51	0.25	0.030
LIN 136806	Soil	1.4	14.5	6.8	32	<0.1	8.6	6.1	201	2.47	4.9	0.8	0.7	3.9	16	<0.1	0.2	0.1	59	0.17	0.032
LIN 136807	Soil	0.7	10.2	5.6	22	<0.1	6.2	3.8	132	1.68	3.3	0.3	0.9	0.8	8	<0.1	0.2	0.1	44	0.07	0.020
LIN 136808	Soil	0.5	14.9	5.1	42	<0.1	15.9	7.5	282	2.40	4.1	0.6	3.1	3.2	20	<0.1	0.2	0.1	56	0.25	0.032
LIN 136809	Soil	0.6	16.0	5.4	43	<0.1	15.7	7.9	353	2.59	5.3	0.6	1.0	3.5	15	0.1	0.3	0.1	59	0.20	0.037
LIN 136810	Soil	0.5	14.7	5.0	43	<0.1	14.1	8.5	402	2.55	4.1	0.7	1.9	4.2	15	<0.1	0.2	<0.1	50	0.19	0.033
LIN 136811	Soil	0.6	13.5	4.7	32	<0.1	9.8	7.4	435	1.75	3.3	0.4	1.3	1.5	12	<0.1	0.2	0.1	42	0.13	0.026
LIN 136812	Soil	0.9	25.3	6.7	48	0.1	18.2	10.1	385	2.88	6.5	0.6	2.4	2.9	18	0.1	0.3	0.1	69	0.22	0.041
LIN 136813	Soil	0.3	22.5	5.5	47	<0.1	17.3	9.7	217	2.59	3.8	1.0	1.8	5.5	21	<0.1	0.3	<0.1	70	0.32	0.045
LIN 136814	Soil	0.5	28.5	4.2	43	<0.1	17.6	8.4	306	2.99	4.5	0.9	2.1	5.4	24	<0.1	0.3	<0.1	67	0.32	0.041
LIN 136815	Soil	0.4	15.5	5.0	43	<0.1	17.1	10.2	264	2.68	3.0	0.8	1.8	4.5	20	<0.1	0.2	<0.1	64	0.26	0.036



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 8 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136785	Soil	18	24	0.42	112	0.084	2	1.50	0.017	0.12	0.2	0.03	4.1	0.1	<0.05	5	0.7	0.3
LIN 136786	Soil	22	63	0.76	186	0.144	1	2.28	0.018	0.16	0.1	0.04	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 136787	Soil	21	53	0.84	147	0.150	<1	2.22	0.015	0.22	0.1	0.03	5.5	0.1	<0.05	7	1.2	<0.2
LIN 136788	Soil	30	23	0.50	146	0.097	2	1.86	0.020	0.14	0.1	0.07	5.4	0.1	<0.05	5	0.7	<0.2
LIN 136789	Soil	7	16	0.23	87	0.052	1	1.12	0.017	0.05	<0.1	0.07	1.1	<0.1	<0.05	4	0.6	0.3
LIN 136790	Soil	10	20	0.23	98	0.087	2	1.08	0.017	0.05	<0.1	0.03	2.1	<0.1	<0.05	6	1.6	<0.2
LIN 136791	Soil	5	13	0.19	55	0.064	2	0.76	0.019	0.04	<0.1	0.04	1.2	<0.1	<0.05	4	<0.5	<0.2
LIN 136793	Soil	7	18	0.31	86	0.102	2	1.01	0.017	0.07	0.1	0.06	2.5	<0.1	<0.05	6	0.8	<0.2
LIN 136794	Soil	16	21	0.57	146	0.121	1	1.40	0.024	0.13	0.2	0.03	4.2	0.1	<0.05	5	<0.5	<0.2
LIN 136795	Soil	14	24	0.48	154	0.101	3	1.47	0.019	0.09	0.2	0.07	3.9	0.1	<0.05	5	0.8	<0.2
LIN 136796	Soil	16	23	0.54	128	0.110	2	1.60	0.015	0.09	0.1	0.06	4.0	0.1	<0.05	6	0.9	<0.2
LIN 136797	Soil	9	8	0.40	111	0.112	3	1.85	0.014	0.06	<0.1	0.06	2.8	<0.1	<0.05	7	<0.5	0.3
LIN 136798	Soil	15	25	0.62	135	0.122	<1	1.96	0.013	0.10	0.2	0.03	4.6	0.1	<0.05	7	0.6	<0.2
LIN 136799	Soil	12	25	0.55	122	0.113	1	1.63	0.015	0.08	0.2	0.05	4.0	0.1	<0.05	6	0.6	<0.2
LIN 136800	Soil	19	30	0.57	215	0.099	3	2.10	0.017	0.09	<0.1	0.05	5.5	0.1	<0.05	7	1.1	<0.2
LIN 136801	Soil	16	28	0.65	201	0.126	3	2.19	0.017	0.10	<0.1	0.07	5.4	0.1	<0.05	7	1.4	<0.2
LIN 136802	Soil	13	23	0.59	167	0.118	2	1.82	0.016	0.09	0.1	0.04	4.5	0.1	<0.05	6	0.5	0.3
LIN 136803	Soil	15	23	0.82	206	0.169	<1	2.08	0.020	0.26	0.2	0.05	5.8	0.2	<0.05	7	1.1	<0.2
LIN 136804	Soil	16	22	0.74	186	0.155	4	1.94	0.020	0.33	0.1	0.06	5.1	0.1	<0.05	6	<0.5	0.6
LIN 136805	Soil	21	20	0.55	155	0.123	1	1.67	0.014	0.18	0.2	0.03	4.5	0.2	<0.05	5	1.0	<0.2
LIN 136806	Soil	15	20	0.39	92	0.112	1	1.46	0.010	0.10	0.1	0.02	3.6	<0.1	<0.05	7	0.6	<0.2
LIN 136807	Soil	3	13	0.23	55	0.066	<1	0.93	0.020	0.04	<0.1	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136808	Soil	11	25	0.63	164	0.125	<1	1.70	0.012	0.12	0.1	0.02	3.7	0.1	<0.05	5	<0.5	<0.2
LIN 136809	Soil	9	25	0.55	107	0.115	<1	1.65	0.011	0.11	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 136810	Soil	14	23	0.56	162	0.103	<1	1.60	0.010	0.13	<0.1	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136811	Soil	6	16	0.32	78	0.077	<1	1.06	0.014	0.05	<0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
LIN 136812	Soil	9	28	0.54	138	0.100	<1	1.91	0.012	0.06	0.1	0.03	3.5	<0.1	<0.05	7	<0.5	0.2
LIN 136813	Soil	19	31	0.63	148	0.148	<1	1.80	0.018	0.23	<0.1	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
LIN 136814	Soil	18	34	0.66	134	0.145	<1	1.80	0.023	0.26	0.2	0.02	7.0	0.1	<0.05	6	<0.5	<0.2
LIN 136815	Soil	12	31	0.66	116	0.141	<1	1.97	0.014	0.16	<0.1	0.02	4.4	0.2	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

9 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136816	Soil				0.4	23.4	7.1	50	<0.1	18.8	12.4	389	3.11	4.4	0.8	1.6	5.6	20	<0.1	0.2	0.1	69	0.24	0.021
LIN 136817	Soil				0.4	24.6	6.7	46	<0.1	19.3	9.1	409	3.02	4.7	1.0	2.7	4.9	23	<0.1	0.3	0.1	65	0.30	0.027
LIN 136818	Soil				0.4	16.4	4.8	41	<0.1	17.4	10.5	285	2.50	4.1	0.4	2.6	3.6	14	<0.1	0.2	<0.1	59	0.19	0.024
LIN 136819	Soil				0.6	15.5	5.4	43	<0.1	16.8	9.5	295	2.59	4.6	0.6	2.0	3.3	19	<0.1	0.3	0.1	59	0.27	0.041
LIN 136820	Soil				0.5	17.9	5.0	44	<0.1	19.1	10.4	409	2.76	4.9	1.2	4.7	5.4	17	0.1	0.3	<0.1	64	0.25	0.050
LIN 136821	Soil				0.5	17.5	4.9	44	<0.1	18.5	10.1	391	2.67	4.7	1.1	2.9	5.3	17	0.1	0.3	0.1	63	0.25	0.049
LIN 136822	Soil				0.6	17.3	5.1	42	<0.1	15.9	9.0	342	2.53	4.1	1.0	3.1	3.9	16	<0.1	0.2	0.1	63	0.24	0.043
LIN 136823	Soil				0.3	19.0	4.8	44	<0.1	16.7	8.6	292	2.46	4.1	0.9	3.3	3.7	21	<0.1	0.2	<0.1	56	0.28	0.042
LIN 136824	Soil				0.4	13.7	4.0	38	<0.1	14.0	8.1	370	2.38	3.5	0.6	1.8	3.2	15	<0.1	0.2	<0.1	59	0.24	0.040
LIN 136825	Soil				0.7	14.3	5.6	45	<0.1	14.9	8.6	375	2.40	4.2	0.7	1.1	2.5	21	<0.1	0.2	0.1	56	0.27	0.042
LIN 136826	Soil				0.7	16.3	5.7	52	<0.1	16.2	9.3	709	2.52	5.0	0.6	1.9	2.4	22	0.2	0.2	0.1	63	0.26	0.049
LIN 136827	Soil				0.8	14.8	5.8	41	<0.1	13.5	8.4	466	2.35	4.5	0.5	1.0	1.9	16	0.1	0.2	0.1	59	0.19	0.031
LIN 136828	Soil				0.7	16.3	5.4	43	<0.1	14.0	7.3	309	2.57	5.0	0.6	2.7	3.2	15	0.1	0.2	0.1	60	0.18	0.031
LIN 136829	Soil				0.8	15.6	5.6	45	<0.1	15.2	8.0	347	2.75	5.2	0.6	6.3	3.1	18	<0.1	0.2	0.1	61	0.21	0.040
LIN 136830	Soil				0.5	16.3	4.3	37	<0.1	15.9	8.3	266	2.57	5.0	0.4	1.2	3.2	17	<0.1	0.2	<0.1	59	0.20	0.026
LIN 136831	Soil				0.5	22.6	4.0	34	<0.1	13.4	9.9	308	2.37	4.0	0.6	5.8	2.9	18	<0.1	0.2	<0.1	62	0.24	0.031
LIN 136832	Soil				0.3	16.8	2.8	25	<0.1	11.0	8.1	269	1.99	3.0	0.5	0.6	3.4	14	<0.1	0.1	<0.1	45	0.22	0.026
LIN 136833	Soil				0.7	22.6	4.8	35	<0.1	16.2	8.8	247	2.42	5.3	0.5	<0.5	3.2	13	<0.1	0.3	0.1	58	0.18	0.032
LIN 136834	Soil				0.3	26.1	5.7	45	<0.1	20.5	8.2	228	2.98	5.3	0.9	1.9	4.2	28	<0.1	0.3	0.1	67	0.36	0.045
LIN 136835	Soil				0.4	5.1	2.6	19	<0.1	2.7	4.7	307	0.86	1.1	0.2	<0.5	0.2	11	<0.1	<0.1	<0.1	20	0.12	0.037
LIN 136836	Soil				0.5	21.8	5.3	43	<0.1	21.4	10.5	355	3.09	5.5	0.9	2.0	4.2	22	<0.1	0.2	0.1	69	0.29	0.035
LIN 136837	Soil				0.5	19.2	4.8	46	<0.1	22.4	10.1	408	2.82	4.5	0.8	2.4	4.3	22	<0.1	0.3	0.1	64	0.30	0.039
LIN 136838	Soil				0.4	16.7	3.9	38	<0.1	22.0	8.0	233	2.68	3.6	1.2	7.1	4.3	19	<0.1	0.2	<0.1	55	0.27	0.033
LIN 136839	Soil				0.4	16.7	4.0	39	<0.1	15.5	8.3	418	2.53	3.1	1.2	2.6	4.4	19	<0.1	0.2	<0.1	52	0.27	0.039
LIN 136840	Soil				0.8	26.0	7.2	46	<0.1	21.1	15.1	732	3.12	4.4	2.4	1.9	3.2	23	0.1	0.3	0.2	62	0.19	0.030
LIN 136841	Soil				0.3	15.9	3.8	37	<0.1	12.3	9.0	400	2.68	3.0	1.5	1.1	6.0	18	<0.1	0.2	0.1	52	0.27	0.049
LIN 136842	Soil				0.2	10.2	2.2	30	<0.1	9.2	7.2	330	2.21	1.5	0.8	0.7	6.3	13	<0.1	<0.1	<0.1	41	0.21	0.038
LIN 136843	Soil				0.5	11.0	3.9	33	<0.1	9.7	5.3	258	2.11	2.3	0.9	1.9	3.9	18	<0.1	0.2	0.1	47	0.20	0.026
LIN 136844	Soil				0.4	15.5	4.8	39	<0.1	13.0	7.5	358	2.64	3.8	1.6	4.8	3.9	23	0.1	0.2	0.2	51	0.24	0.044
LIN 136845	Soil				0.5	34.3	5.4	49	<0.1	24.7	11.6	277	2.83	4.8	0.7	1.8	3.4	22	<0.1	0.2	0.1	69	0.31	0.039



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 9 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136816	Soil	19	36	0.78	118	0.168	<1	2.15	0.017	0.20	<0.1	<0.01	5.7	0.2	<0.05	6	<0.5
LIN 136817	Soil	17	33	0.68	128	0.149	<1	1.95	0.017	0.12	0.1	0.02	6.5	<0.1	<0.05	6	<0.5
LIN 136818	Soil	8	27	0.52	112	0.131	<1	2.08	0.013	0.11	0.1	0.03	3.3	0.1	<0.05	6	<0.5
LIN 136819	Soil	8	24	0.54	111	0.118	<1	1.82	0.014	0.10	0.1	0.02	3.2	<0.1	<0.05	5	<0.5
LIN 136820	Soil	16	26	0.60	119	0.125	<1	1.92	0.013	0.11	0.2	0.02	4.4	0.1	<0.05	5	<0.5
LIN 136821	Soil	15	26	0.58	117	0.121	<1	1.87	0.013	0.11	0.1	0.02	4.3	0.1	<0.05	5	<0.5
LIN 136822	Soil	12	26	0.53	108	0.123	<1	1.59	0.015	0.13	0.2	0.01	3.6	0.1	<0.05	5	<0.5
LIN 136823	Soil	12	25	0.58	133	0.121	<1	1.65	0.014	0.11	0.1	0.02	4.4	0.1	<0.05	5	<0.5
LIN 136824	Soil	10	21	0.50	93	0.123	<1	1.37	0.013	0.13	0.1	0.02	3.2	<0.1	<0.05	5	<0.5
LIN 136825	Soil	9	22	0.47	133	0.107	<1	1.65	0.014	0.13	<0.1	0.03	3.3	0.1	<0.05	6	<0.5
LIN 136826	Soil	9	26	0.55	152	0.120	<1	1.79	0.014	0.10	0.1	0.02	3.5	<0.1	<0.05	6	<0.5
LIN 136827	Soil	7	22	0.48	101	0.111	<1	1.49	0.013	0.10	<0.1	0.02	2.9	<0.1	<0.05	6	<0.5
LIN 136828	Soil	9	24	0.50	106	0.120	<1	1.64	0.012	0.11	0.1	0.02	3.5	<0.1	<0.05	6	<0.5
LIN 136829	Soil	10	25	0.53	138	0.119	<1	1.74	0.013	0.10	<0.1	0.02	3.6	<0.1	<0.05	6	<0.5
LIN 136830	Soil	9	25	0.52	132	0.113	<1	1.87	0.014	0.05	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5
LIN 136831	Soil	9	22	0.63	153	0.113	<1	1.65	0.015	0.09	0.2	0.02	3.5	<0.1	<0.05	5	<0.5
LIN 136832	Soil	9	20	0.43	115	0.090	<1	1.13	0.011	0.06	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5
LIN 136833	Soil	9	28	0.52	130	0.098	<1	1.83	0.013	0.04	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5
LIN 136834	Soil	14	33	0.69	207	0.143	<1	2.13	0.018	0.11	0.1	0.02	5.8	0.1	<0.05	6	<0.5
LIN 136835	Soil	3	6	0.11	39	0.036	<1	0.70	0.029	0.03	<0.1	0.01	0.7	<0.1	<0.05	3	<0.5
LIN 136836	Soil	13	38	0.90	210	0.150	<1	2.29	0.015	0.16	0.1	0.02	5.9	0.1	<0.05	7	<0.5
LIN 136837	Soil	16	41	0.76	222	0.132	<1	1.97	0.016	0.15	0.2	0.01	5.2	0.1	<0.05	6	<0.5
LIN 136838	Soil	14	41	0.78	192	0.131	<1	1.60	0.012	0.20	0.2	0.02	4.9	<0.1	<0.05	5	<0.5
LIN 136839	Soil	14	29	0.66	192	0.116	<1	1.61	0.016	0.13	0.1	0.02	4.9	<0.1	<0.05	6	<0.5
LIN 136840	Soil	28	35	0.52	404	0.101	<1	2.74	0.020	0.08	0.1	0.03	7.0	0.1	<0.05	8	<0.5
LIN 136841	Soil	18	22	0.49	217	0.108	<1	1.63	0.011	0.20	0.3	0.02	5.0	0.1	<0.05	5	<0.5
LIN 136842	Soil	16	17	0.49	154	0.127	<1	1.23	0.012	0.26	0.1	<0.01	4.3	0.1	<0.05	5	<0.5
LIN 136843	Soil	12	19	0.46	134	0.105	<1	1.41	0.015	0.09	0.1	0.03	3.3	<0.1	<0.05	5	<0.5
LIN 136844	Soil	18	21	0.53	211	0.094	1	1.73	0.014	0.11	0.2	0.03	4.4	<0.1	<0.05	5	<0.5
LIN 136845	Soil	13	51	0.77	163	0.108	<1	1.90	0.016	0.09	0.2	0.05	4.3	<0.1	<0.05	6	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

10 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136846	Soil	0.4	45.5	5.3	62	<0.1	31.0	14.2	322	2.91	3.3	0.6	1.4	4.8	34	<0.1	0.3	0.1	81	0.54	0.043
LIN 136847	Soil	0.4	34.9	4.9	54	<0.1	29.7	16.0	367	2.85	3.9	0.8	2.0	4.5	25	<0.1	0.2	<0.1	65	0.37	0.045
LIN 136848	Soil	0.6	33.3	6.1	46	<0.1	21.7	12.3	351	2.67	4.8	1.1	4.3	3.9	36	<0.1	0.3	0.2	63	0.46	0.055
LIN 136849	Soil	0.4	35.4	6.8	49	0.1	20.5	12.4	249	2.54	6.0	1.4	4.8	5.4	29	0.2	0.4	0.2	68	0.37	0.043
LIN 136850	Soil	0.4	27.0	7.1	42	<0.1	18.4	7.2	182	2.52	5.8	0.8	2.2	3.0	28	0.1	0.4	0.2	57	0.35	0.050
LIN 136851	Soil	0.6	33.0	6.3	56	<0.1	21.2	12.7	429	2.29	4.3	0.6	3.4	1.8	34	0.2	0.3	0.2	64	0.47	0.056
LIN 136852	Soil	0.7	31.4	4.4	42	<0.1	20.0	10.3	307	2.16	4.1	0.4	1.9	1.2	23	0.2	0.3	0.3	60	0.25	0.046
LIN 136853	Soil	0.5	38.9	4.7	35	0.2	14.9	11.1	313	1.96	3.0	0.6	1.5	1.1	34	<0.1	0.3	0.2	52	0.42	0.059
LIN 136854	Soil	0.4	20.7	3.8	53	<0.1	9.8	11.0	487	3.46	2.7	0.6	1.7	7.5	15	<0.1	0.1	<0.1	78	0.28	0.068
LIN 136855	Soil	0.4	16.6	4.5	39	<0.1	13.2	8.0	272	1.95	2.9	0.4	1.0	1.5	24	0.1	0.1	0.1	50	0.29	0.043
LIN 136856	Soil	0.5	16.4	4.6	42	<0.1	12.2	7.7	275	1.89	2.9	0.4	1.1	1.6	23	<0.1	0.2	0.1	49	0.28	0.046
LIN 136857	Soil	0.5	11.6	4.7	41	<0.1	10.2	4.8	177	1.84	2.8	0.9	2.6	2.4	24	<0.1	0.2	0.1	34	0.23	0.045
LIN 136858	Soil	0.6	9.2	5.2	46	<0.1	10.9	5.0	217	1.93	2.8	0.9	<0.5	2.8	25	0.1	0.2	0.1	39	0.25	0.050
LIN 136859	Soil	0.5	10.0	6.4	45	<0.1	12.1	5.6	186	1.94	3.4	0.8	4.1	2.2	23	0.1	0.2	0.1	41	0.24	0.044
LIN 136860	Soil	0.5	11.9	5.8	36	<0.1	9.4	3.9	149	1.76	3.4	0.8	2.4	1.8	21	<0.1	0.2	0.1	35	0.19	0.049
LIN 136861	Soil	0.7	9.1	4.5	42	<0.1	11.5	5.6	199	1.93	3.2	0.7	1.7	2.7	25	<0.1	0.2	<0.1	41	0.27	0.046
LIN 136862	Soil	0.6	10.5	5.5	41	<0.1	12.2	5.2	177	1.80	2.9	0.8	1.2	2.1	22	<0.1	0.2	0.1	40	0.24	0.046
LIN 136863	Soil	0.6	9.8	5.3	46	<0.1	11.7	6.3	217	1.90	2.8	0.9	5.1	2.2	21	<0.1	0.2	0.1	44	0.21	0.045
LIN 136864	Soil	0.5	10.8	4.6	42	<0.1	13.5	7.5	299	2.13	3.1	0.8	2.0	3.4	25	<0.1	0.2	<0.1	55	0.30	0.049
LIN 136865	Soil	0.6	13.2	6.8	49	<0.1	14.1	7.1	239	2.23	4.1	1.1	2.5	2.5	26	0.1	0.2	0.1	56	0.28	0.063
LIN 136866	Soil	0.7	12.0	6.0	44	<0.1	12.8	6.2	225	2.05	3.7	0.9	5.1	2.3	24	0.2	0.2	0.1	48	0.24	0.057
LIN 136867	Soil	0.5	12.0	5.6	43	<0.1	11.8	5.1	168	1.77	3.3	0.9	2.0	1.7	26	0.2	0.2	0.1	37	0.26	0.053
LIN 136868	Soil	0.5	11.6	7.2	44	<0.1	12.0	6.1	206	1.84	3.0	0.8	2.4	1.8	26	<0.1	0.2	0.2	45	0.25	0.045
LIN 136869	Soil	0.6	11.0	6.4	45	<0.1	12.4	6.5	231	1.99	3.0	0.9	3.1	2.8	26	0.1	0.2	0.1	45	0.30	0.049
LIN 136870	Soil	0.5	11.9	6.0	47	<0.1	13.6	6.3	250	2.06	3.2	0.9	1.7	2.8	25	0.1	0.2	0.1	45	0.26	0.050
LIN 136871	Soil	0.5	11.2	5.9	41	<0.1	12.0	5.1	163	1.86	2.8	0.9	6.3	2.1	27	<0.1	0.2	0.1	36	0.24	0.047
LIN 136872	Soil	0.5	14.1	6.9	51	<0.1	15.1	7.3	238	2.45	3.9	0.9	0.6	3.6	25	0.1	0.3	0.1	61	0.27	0.048
LIN 136873	Soil	0.6	16.5	7.5	51	0.1	15.9	8.3	314	2.15	3.2	1.4	0.7	1.7	43	0.2	0.2	0.1	43	0.37	0.068
LIN 136874	Soil	0.7	16.6	7.4	43	<0.1	13.8	6.3	254	2.06	3.4	0.9	1.1	1.5	26	0.1	0.2	0.1	47	0.23	0.054
LIN 136876	Soil	1.2	25.9	9.1	53	0.1	22.4	10.6	465	3.22	7.6	1.6	2.4	5.6	33	<0.1	0.4	0.2	81	0.28	0.041



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

10 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136846	Soil	17	68	1.19	350	0.150	1	1.93	0.037	0.16	0.1	0.03	8.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136847	Soil	15	62	0.98	155	0.152	1	1.91	0.026	0.14	0.2	0.03	4.8	0.1	<0.05	5	<0.5	<0.2
LIN 136848	Soil	17	35	0.65	227	0.104	1	1.81	0.027	0.07	0.2	0.06	5.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136849	Soil	16	33	0.64	189	0.123	2	1.96	0.028	0.07	0.1	0.06	4.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136850	Soil	11	33	0.58	140	0.103	2	1.85	0.023	0.06	0.2	0.06	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136851	Soil	8	36	0.64	156	0.101	2	1.72	0.028	0.05	0.3	0.04	4.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136852	Soil	6	26	0.51	86	0.100	1	1.55	0.030	0.05	0.4	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136853	Soil	8	26	0.50	133	0.071	2	1.40	0.031	0.05	0.2	0.05	3.3	<0.1	0.07	4	<0.5	<0.2
LIN 136854	Soil	17	20	1.01	215	0.175	1	1.73	0.017	0.47	0.2	0.02	6.2	0.1	<0.05	7	<0.5	<0.2
LIN 136855	Soil	7	27	0.55	87	0.088	2	1.32	0.026	0.04	0.2	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136856	Soil	7	27	0.55	90	0.090	<1	1.28	0.025	0.05	0.2	0.03	2.9	<0.1	<0.05	5	0.6	<0.2
LIN 136857	Soil	11	19	0.46	109	0.100	1	1.27	0.021	0.08	0.1	0.04	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136858	Soil	11	18	0.51	120	0.101	2	1.22	0.020	0.09	<0.1	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136859	Soil	10	22	0.52	92	0.116	1	1.37	0.024	0.07	0.1	0.04	3.3	0.1	<0.05	5	<0.5	<0.2
LIN 136860	Soil	9	19	0.41	82	0.092	1	1.28	0.022	0.06	0.1	0.04	2.7	<0.1	<0.05	4	<0.5	<0.2
LIN 136861	Soil	11	19	0.55	101	0.115	1	1.24	0.025	0.09	<0.1	0.05	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136862	Soil	9	20	0.51	101	0.092	1	1.30	0.021	0.06	0.1	0.05	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 136863	Soil	10	21	0.54	98	0.103	2	1.41	0.023	0.06	<0.1	0.05	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136864	Soil	12	21	0.57	101	0.124	2	1.37	0.025	0.10	0.2	0.04	3.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136865	Soil	12	24	0.57	115	0.109	2	1.56	0.027	0.07	0.1	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
LIN 136866	Soil	11	19	0.51	103	0.098	<1	1.36	0.021	0.09	0.1	0.05	3.0	<0.1	0.06	5	<0.5	<0.2
LIN 136867	Soil	10	20	0.45	97	0.089	2	1.25	0.026	0.06	0.1	0.05	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136868	Soil	10	22	0.53	107	0.100	2	1.35	0.028	0.06	0.2	0.04	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 136869	Soil	14	22	0.51	120	0.098	<1	1.31	0.026	0.07	0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136870	Soil	12	22	0.54	118	0.098	<1	1.48	0.022	0.08	0.1	0.05	3.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136871	Soil	11	21	0.51	120	0.089	1	1.39	0.027	0.06	0.1	0.05	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136872	Soil	11	25	0.59	122	0.117	2	1.80	0.022	0.09	<0.1	0.04	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136873	Soil	15	24	0.57	220	0.094	2	1.81	0.028	0.10	0.1	0.05	3.8	<0.1	0.05	6	<0.5	<0.2
LIN 136874	Soil	9	23	0.52	132	0.088	1	1.49	0.030	0.08	<0.1	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 136876	Soil	26	33	0.60	216	0.132	2	2.53	0.024	0.09	0.2	0.03	5.0	0.1	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

11 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136881	Soil		0.3	17.6	6.1	48	<0.1	17.7	10.5	568	2.90	3.8	1.2	2.8	5.6	24	<0.1	0.3	0.1	62	0.27	0.047		
LIN 136882	Soil		0.6	22.1	26.7	52	0.1	17.9	9.3	320	2.65	4.0	1.8	2.4	5.8	34	0.2	0.3	0.1	67	0.41	0.051		
LIN 136883	Soil		0.6	17.7	9.2	53	<0.1	20.6	10.9	432	2.95	4.5	0.8	0.9	4.1	23	0.1	0.3	0.1	67	0.26	0.045		
LIN 136884	Soil		1.1	16.5	8.2	49	<0.1	22.4	9.5	404	2.89	2.1	0.7	4.8	3.8	16	<0.1	0.3	0.1	61	0.24	0.040		
LIN 136885	Soil		2.2	15.0	5.3	45	<0.1	22.0	10.5	413	2.93	2.2	1.2	6.2	5.3	18	<0.1	0.3	0.1	63	0.24	0.027		
LIN 136886	Soil		1.7	12.3	4.8	48	<0.1	20.9	11.3	380	3.19	3.5	0.6	1.3	3.4	20	<0.1	0.2	<0.1	66	0.33	0.058		
LIN 136887	Soil		1.0	6.2	2.0	80	<0.1	47.8	23.0	1057	5.89	1.7	0.5	<0.5	4.7	20	<0.1	<0.1	<0.1	151	0.58	0.139		
LIN 136888	Soil		1.8	16.9	5.0	44	<0.1	22.5	11.5	395	3.04	4.3	0.9	<0.5	6.7	20	<0.1	0.3	0.1	67	0.26	0.033		
LIN 136889	Soil		1.6	23.4	6.0	49	<0.1	30.2	13.0	382	3.86	6.4	0.8	1.9	5.7	27	<0.1	0.3	0.2	83	0.31	0.026		
LIN 136890	Soil		2.3	12.6	7.9	33	<0.1	14.8	5.2	237	2.31	3.6	0.4	2.4	2.0	17	<0.1	0.4	0.2	75	0.17	0.027		
LIN 136891	Soil		2.1	17.4	4.9	47	<0.1	28.7	12.1	354	3.20	5.1	0.5	6.9	3.3	22	0.2	0.3	0.1	70	0.30	0.040		
LIN 136892	Soil		1.9	24.6	5.7	51	<0.1	27.4	13.5	367	3.26	4.5	1.1	2.9	5.0	23	<0.1	0.3	0.2	76	0.33	0.040		
LIN 136893	Soil		2.0	8.7	4.4	29	<0.1	12.8	4.1	183	1.71	2.6	0.4	1.4	1.4	14	<0.1	0.2	<0.1	49	0.16	0.024		
LIN 136894	Soil		2.4	26.3	7.4	50	<0.1	29.6	12.7	287	3.27	5.2	1.6	2.5	5.9	22	<0.1	0.3	0.1	75	0.32	0.052		
LIN 136895	Soil		1.6	16.5	5.7	43	<0.1	20.3	8.5	343	2.75	3.9	0.8	0.8	4.4	20	<0.1	0.3	<0.1	65	0.30	0.042		
LIN 136896	Soil		1.8	11.9	4.1	36	<0.1	20.4	8.4	296	2.60	4.3	0.5	1.5	3.2	19	<0.1	0.2	0.1	59	0.22	0.032		
LIN 136897	Soil		2.0	22.6	5.6	49	<0.1	24.9	9.0	375	2.99	5.5	0.9	6.9	3.3	22	0.1	0.3	0.1	68	0.26	0.045		
LIN 136898	Soil		2.3	10.3	5.1	32	<0.1	16.0	4.2	169	1.70	2.9	0.3	0.5	1.0	18	<0.1	0.2	0.1	50	0.16	0.019		
LIN 136899	Soil		3.5	14.2	6.1	40	0.1	22.1	5.8	292	1.94	3.7	0.4	4.2	1.3	18	0.1	0.2	0.1	52	0.17	0.040		
LIN 136900	Soil		2.4	20.1	6.9	40	<0.1	27.2	8.3	294	2.63	4.6	0.6	0.8	2.4	21	0.1	0.3	0.1	64	0.24	0.037		
LIN 136901	Soil		2.5	15.3	8.9	34	0.1	15.9	6.1	277	2.33	4.4	0.4	1.6	1.6	19	0.1	0.3	0.2	68	0.21	0.028		
LIN 136902	Soil		2.4	9.4	3.3	20	0.1	15.5	2.7	92	1.04	1.5	0.4	<0.5	0.4	18	<0.1	0.1	<0.1	27	0.21	0.028		
LIN 136903	Soil		2.2	18.8	4.8	41	<0.1	28.7	10.4	375	2.77	4.1	0.6	15.8	4.3	24	<0.1	0.3	0.1	65	0.34	0.042		
LIN 136904	Soil		1.9	12.4	3.3	27	<0.1	17.4	5.1	184	1.70	2.5	0.4	<0.5	1.8	19	<0.1	0.1	<0.1	41	0.24	0.029		
LIN 136905	Soil		2.2	5.1	2.1	13	<0.1	10.6	1.8	55	0.79	1.3	0.3	0.5	0.2	10	<0.1	<0.1	<0.1	21	0.10	0.016		
LIN 136906	Soil		3.2	20.5	7.2	36	<0.1	27.5	8.1	241	2.90	5.7	0.6	2.1	2.4	21	0.1	0.4	0.2	73	0.24	0.039		
LIN 136907	Soil		2.8	16.7	6.7	40	<0.1	22.5	8.1	293	2.67	5.5	0.5	8.6	2.4	19	<0.1	0.4	0.2	74	0.23	0.034		
LIN 136908	Soil		2.1	26.7	5.4	67	<0.1	31.0	12.1	385	3.16	4.6	1.3	1.3	6.7	31	<0.1	0.3	0.3	77	0.48	0.069		
LIN 136909	Soil		1.7	8.0	3.4	15	<0.1	10.3	2.2	76	1.18	2.3	0.2	<0.5	0.2	9	0.1	0.1	<0.1	36	0.08	0.021		
LIN 136910	Soil		2.2	28.5	5.8	48	<0.1	32.9	12.2	392	3.35	5.4	1.2	1.1	5.0	30	<0.1	0.4	0.2	80	0.44	0.053		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 11 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136881	Soil	20	25	0.56	145	0.128	2	1.76	0.023	0.14	0.2	0.03	4.2	0.1	<0.05	5	<0.5	<0.2
LIN 136882	Soil	22	27	0.62	163	0.143	2	1.71	0.032	0.14	0.1	0.04	5.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136883	Soil	14	27	0.53	105	0.123	1	1.99	0.024	0.09	0.3	0.04	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136884	Soil	13	29	0.44	93	0.100	4	1.84	0.017	0.08	0.4	0.04	2.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136885	Soil	13	31	0.61	105	0.131	3	1.94	0.014	0.11	<0.1	0.02	3.3	0.2	<0.05	6	<0.5	0.5
LIN 136886	Soil	11	37	0.70	116	0.139	2	2.04	0.011	0.15	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5	0.5
LIN 136887	Soil	17	103	4.80	817	0.318	2	4.72	0.012	1.98	<0.1	0.01	10.6	0.9	<0.05	16	<0.5	<0.2
LIN 136888	Soil	20	32	0.72	146	0.175	2	2.16	0.016	0.20	<0.1	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
LIN 136889	Soil	14	42	0.87	200	0.170	4	2.91	0.013	0.12	<0.1	0.02	6.0	0.1	<0.05	7	<0.5	<0.2
LIN 136890	Soil	9	26	0.30	129	0.124	3	1.29	0.010	0.08	<0.1	0.03	2.3	0.1	<0.05	8	<0.5	<0.2
LIN 136891	Soil	11	38	0.67	146	0.137	2	2.27	0.013	0.09	0.3	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136892	Soil	17	51	0.86	159	0.170	3	2.28	0.020	0.18	0.2	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
LIN 136893	Soil	6	19	0.28	71	0.093	2	0.91	0.020	0.06	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136894	Soil	17	39	0.69	156	0.151	<1	2.21	0.017	0.12	0.1	0.05	5.4	0.2	<0.05	7	<0.5	<0.2
LIN 136895	Soil	12	30	0.58	106	0.141	2	1.61	0.015	0.13	0.2	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136896	Soil	9	29	0.58	110	0.141	1	1.59	0.019	0.12	<0.1	0.01	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 136897	Soil	13	34	0.54	161	0.104	1	2.06	0.019	0.07	<0.1	0.04	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136898	Soil	5	24	0.28	91	0.088	2	1.03	0.023	0.04	<0.1	<0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136899	Soil	7	31	0.30	98	0.082	<1	1.26	0.023	0.06	0.1	0.03	1.9	<0.1	<0.05	5	<0.5	0.5
LIN 136900	Soil	11	34	0.48	141	0.106	2	1.88	0.025	0.06	<0.1	0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136901	Soil	9	28	0.28	140	0.098	1	1.52	0.018	0.05	<0.1	0.03	2.1	<0.1	<0.05	7	<0.5	<0.2
LIN 136902	Soil	6	21	0.19	104	0.051	3	0.66	0.026	0.04	<0.1	0.03	1.1	<0.1	<0.05	3	<0.5	<0.2
LIN 136903	Soil	14	37	0.59	158	0.127	<1	1.74	0.018	0.08	<0.1	0.03	3.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136904	Soil	7	25	0.36	93	0.096	<1	1.15	0.025	0.06	0.1	0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136905	Soil	3	8	0.10	34	0.039	3	0.51	0.028	0.03	<0.1	0.02	0.9	<0.1	<0.05	2	<0.5	<0.2
LIN 136906	Soil	10	44	0.48	115	0.121	2	1.75	0.019	0.06	0.1	0.05	3.1	0.1	<0.05	7	<0.5	0.4
LIN 136907	Soil	10	33	0.46	99	0.108	3	1.63	0.027	0.07	0.9	0.02	3.1	0.1	<0.05	7	<0.5	<0.2
LIN 136908	Soil	31	52	0.84	156	0.171	3	2.26	0.026	0.14	0.9	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
LIN 136909	Soil	3	16	0.10	32	0.061	2	0.59	0.022	0.03	<0.1	0.01	0.8	<0.1	<0.05	4	<0.5	<0.2
LIN 136910	Soil	18	51	0.75	174	0.151	3	2.24	0.025	0.08	0.5	0.03	5.2	0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 12 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136911	Soil	1.8	18.9	3.7	31	<0.1	36.2	9.6	268	2.29	3.1	0.4	1.2	3.8	18	<0.1	0.2	0.1	60	0.31	0.050
LIN 136912	Soil	2.7	36.6	6.5	47	<0.1	37.8	13.8	378	3.28	5.3	0.8	0.8	5.5	26	<0.1	0.3	0.2	82	0.46	0.067
LIN 136913	Soil	1.3	15.1	6.2	31	0.1	10.6	5.4	221	2.16	2.9	0.3	4.4	1.6	14	0.1	0.2	0.2	60	0.14	0.031
LIN 136914	Soil	1.0	15.9	5.6	33	<0.1	13.8	7.3	215	2.57	3.8	0.4	1.6	3.0	15	<0.1	0.2	0.5	64	0.21	0.029
LIN 136915	Soil	1.0	25.8	5.8	42	0.2	23.5	10.3	329	2.75	3.8	1.1	2.2	4.7	30	<0.1	0.2	0.4	65	0.45	0.053
LIN 136916	Soil	0.9	22.2	6.1	43	<0.1	23.1	9.7	249	3.13	6.3	0.5	2.0	3.2	20	<0.1	0.3	0.3	81	0.28	0.032
LIN 136917	Soil	0.9	12.5	6.3	28	<0.1	9.0	5.0	223	2.30	4.2	0.3	3.0	1.0	14	0.1	0.3	0.1	59	0.14	0.032
LIN 136918	Soil	1.3	10.3	5.4	27	<0.1	8.8	3.9	128	1.76	3.8	0.2	1.9	0.6	16	0.2	0.2	0.1	60	0.19	0.036
LIN 136919	Soil	0.4	12.8	2.7	14	<0.1	4.9	2.3	74	1.02	1.5	0.3	1.7	0.1	14	<0.1	<0.1	<0.1	24	0.16	0.030
LIN 136920	Soil	0.7	8.2	5.6	27	<0.1	6.5	3.6	136	1.57	2.5	0.2	1.7	0.9	11	<0.1	0.2	0.1	49	0.16	0.027
LIN 136921	Soil	0.4	26.9	7.4	50	<0.1	24.5	10.9	255	2.83	4.7	1.0	2.9	5.1	23	0.1	0.3	0.1	76	0.42	0.063
LIN 136922	Soil	0.7	21.2	7.9	51	<0.1	19.7	10.2	286	2.63	4.3	1.1	1.9	5.3	23	<0.1	0.4	0.1	74	0.44	0.063
LIN 136923	Soil	0.6	32.1	8.1	55	<0.1	24.0	11.6	271	2.89	5.3	3.2	1.9	5.7	26	<0.1	0.4	0.1	84	0.44	0.060
LIN 136924	Soil	1.1	18.1	3.1	19	0.1	7.5	4.9	741	1.13	1.2	1.7	1.8	0.5	16	<0.1	0.2	<0.1	28	0.19	0.054
LIN 136925	Soil	1.5	35.4	8.2	58	0.2	24.0	15.9	1408	3.16	5.0	3.9	1.5	5.5	34	0.2	0.4	0.1	78	0.67	0.062
LIN 136926	Soil	0.5	8.3	2.6	29	<0.1	27.1	7.2	231	1.74	1.3	0.4	<0.5	1.0	13	0.1	0.1	<0.1	53	0.23	0.054
LIN 136927	Soil	0.4	17.5	3.6	10	<0.1	4.4	1.0	30	0.53	0.8	0.4	<0.5	<0.1	13	0.3	0.1	<0.1	12	0.14	0.032
LIN 136928	Soil	0.8	21.7	7.2	49	<0.1	18.7	9.4	281	2.80	4.8	0.4	3.6	2.5	16	<0.1	0.3	0.1	78	0.22	0.032
LIN 136929	Soil	0.6	19.0	5.3	40	<0.1	19.3	9.8	400	2.10	3.0	0.9	1.1	1.9	22	0.1	0.2	<0.1	52	0.33	0.050
LIN 136930	Soil	0.9	12.4	6.2	42	0.1	10.9	22.6	2400	2.60	3.8	0.8	<0.5	2.6	23	<0.1	0.2	<0.1	46	0.36	0.069
LIN 136931	Soil	1.0	28.2	9.7	57	0.1	26.0	13.7	288	3.40	8.1	1.3	9.3	6.4	23	0.1	0.3	0.2	93	0.39	0.049
LIN 136932	Soil	1.1	12.5	7.4	29	<0.1	10.1	5.5	259	2.00	10.4	0.5	2.4	1.2	17	0.2	0.2	0.2	59	0.20	0.027
LIN 136933	Soil	0.8	8.0	4.5	22	<0.1	4.8	2.9	120	1.16	5.1	0.2	<0.5	1.0	7	<0.1	0.2	0.1	37	0.07	0.017
LIN 136934	Soil	1.5	22.1	12.3	54	0.2	27.1	12.2	579	2.60	39.3	1.7	5.7	2.9	29	0.2	0.4	0.9	67	0.50	0.068
LIN 136935	Soil	2.5	20.4	20.6	60	0.3	21.5	9.0	476	2.83	39.7	1.1	15.7	4.8	31	0.2	0.5	0.5	75	0.54	0.063
LIN 136936	Soil	1.9	19.5	16.1	61	0.3	20.2	12.8	882	2.59	32.1	1.0	1.8	2.8	35	0.2	0.3	0.5	71	0.54	0.067
LIN 136937	Soil	1.8	17.4	14.5	69	<0.1	19.6	8.7	373	2.88	48.7	0.9	5.6	4.5	31	0.1	0.5	0.3	77	0.47	0.058
LIN 136938	Soil	5.1	41.7	30.0	68	0.7	28.7	13.9	691	3.26	119.1	4.1	2.7	3.1	34	0.2	0.4	1.3	78	0.35	0.063
LIN 136939	Soil	4.0	9.4	12.2	16	0.4	5.0	12.8	1568	1.13	46.5	0.9	1.4	0.5	21	<0.1	0.2	0.2	33	0.28	0.062



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 06, 2010

Page:

12 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136911	Soil	11	89	0.74	83	0.133	1	1.54	0.020	0.13	0.4	0.02	2.5	0.2	<0.05	4	<0.5	<0.2
LIN 136912	Soil	18	71	0.92	147	0.168	2	2.30	0.022	0.14	0.3	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
LIN 136913	Soil	6	18	0.22	77	0.090	1	1.54	0.018	0.04	<0.1	0.02	2.0	<0.1	<0.05	6	<0.5	0.9
LIN 136914	Soil	11	29	0.37	76	0.110	1	1.51	0.024	0.05	0.2	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 136915	Soil	22	47	0.65	150	0.123	2	1.81	0.020	0.09	0.4	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
LIN 136916	Soil	10	39	0.59	119	0.145	1	2.03	0.017	0.07	0.2	0.03	3.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136917	Soil	5	20	0.24	68	0.099	1	1.60	0.019	0.04	<0.1	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136918	Soil	5	18	0.27	54	0.094	<1	0.95	0.014	0.06	<0.1	0.02	1.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136919	Soil	4	8	0.16	64	0.047	<1	0.66	0.021	0.05	<0.1	0.03	1.2	<0.1	<0.05	3	<0.5	<0.2
LIN 136920	Soil	4	15	0.19	59	0.073	2	0.76	0.015	0.04	0.1	0.01	1.2	<0.1	0.07	5	<0.5	<0.2
LIN 136921	Soil	15	36	0.71	161	0.141	2	2.05	0.017	0.11	0.2	0.02	4.9	0.1	<0.05	6	<0.5	<0.2
LIN 136922	Soil	13	33	0.70	156	0.153	2	2.00	0.017	0.08	0.2	0.03	4.5	0.1	<0.05	6	<0.5	<0.2
LIN 136923	Soil	20	39	0.73	209	0.148	1	2.16	0.020	0.07	0.2	0.04	5.8	0.1	<0.05	6	<0.5	<0.2
LIN 136924	Soil	13	14	0.16	91	0.029	1	0.81	0.021	0.03	<0.1	0.04	1.8	<0.1	0.06	3	<0.5	<0.2
LIN 136925	Soil	44	46	0.75	249	0.125	2	2.31	0.024	0.15	0.2	0.06	6.5	0.2	0.05	6	0.5	<0.2
LIN 136926	Soil	8	62	0.79	164	0.124	<1	1.20	0.024	0.25	<0.1	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136927	Soil	5	8	0.06	58	0.020	2	0.38	0.023	0.03	<0.1	0.03	0.5	<0.1	0.06	2	<0.5	<0.2
LIN 136928	Soil	8	30	0.50	130	0.123	2	1.87	0.016	0.07	0.1	<0.01	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136929	Soil	15	34	0.59	156	0.088	1	1.50	0.021	0.11	0.3	0.04	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 136930	Soil	13	20	0.42	188	0.068	1	1.18	0.022	0.07	0.2	0.03	3.2	0.1	<0.05	4	<0.5	<0.2
LIN 136931	Soil	17	59	1.15	190	0.189	1	2.53	0.018	0.25	0.2	0.03	6.2	0.2	<0.05	7	<0.5	<0.2
LIN 136932	Soil	6	19	0.29	80	0.100	1	1.01	0.019	0.06	0.1	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136933	Soil	4	10	0.14	29	0.069	<1	0.62	0.023	0.04	0.2	0.03	0.9	<0.1	<0.05	3	<0.5	<0.2
LIN 136934	Soil	14	45	0.66	155	0.108	2	1.67	0.024	0.08	0.7	0.03	4.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136935	Soil	14	31	0.63	143	0.124	2	1.81	0.020	0.06	0.7	0.02	3.6	0.1	<0.05	5	0.8	<0.2
LIN 136936	Soil	11	32	0.67	171	0.112	2	1.78	0.021	0.07	0.8	0.04	3.5	0.1	0.05	6	<0.5	0.4
LIN 136937	Soil	11	32	0.67	178	0.156	1	2.08	0.025	0.07	0.2	0.04	4.5	0.1	<0.05	6	<0.5	<0.2
LIN 136938	Soil	37	42	0.60	254	0.103	1	3.12	0.024	0.09	0.3	0.07	5.3	0.2	<0.05	8	0.6	<0.2
LIN 136939	Soil	5	11	0.15	82	0.033	<1	0.52	0.031	0.03	<0.1	0.03	1.2	0.1	0.09	2	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 06, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000362.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
Pulp Duplicates		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136599	Soil	0.7	14.9	10.4	45	0.7	11.2	6.0	221	2.21	215.5	0.8	3.0	2.1	19	0.2	0.4	0.4	61	0.19
REP LIN 136599	QC	0.7	15.2	10.6	44	0.7	11.9	5.8	225	2.17	213.1	0.8	6.7	2.1	18	0.2	0.4	0.4	59	0.19
LIN 136630	Soil	0.3	9.6	2.8	13	<0.1	3.3	2.0	49	0.92	1.6	0.2	0.6	0.2	6	0.1	0.1	<0.1	24	0.04
REP LIN 136630	QC	0.3	9.6	2.7	14	<0.1	3.2	2.1	48	0.90	1.5	0.2	1.9	0.2	6	<0.1	0.1	<0.1	24	0.04
LIN 136635	Soil	0.4	35.7	4.3	39	<0.1	17.8	12.0	285	2.75	3.4	1.3	2.4	5.7	17	0.1	0.2	0.1	59	0.27
REP LIN 136635	QC	0.5	36.3	4.3	42	<0.1	17.1	11.5	281	2.71	3.3	1.3	2.4	5.8	17	0.1	0.2	0.1	58	0.27
LIN 136650	Soil	0.8	21.7	21.3	63	0.4	21.4	13.4	480	3.54	243.9	0.9	6.5	5.4	24	0.2	0.7	1.9	74	0.26
REP LIN 136650	QC	0.9	21.0	23.0	66	0.4	22.9	13.4	501	3.55	249.6	0.9	2.9	5.5	25	0.2	0.7	1.9	78	0.26
LIN 136673	Soil	0.4	23.4	7.6	45	<0.1	17.2	8.8	282	2.74	3.7	1.5	16.4	9.0	27	0.2	0.3	0.1	56	0.30
REP LIN 136673	QC	0.4	23.7	7.9	47	<0.1	17.5	8.9	289	2.77	3.7	1.5	9.1	8.9	26	0.1	0.3	0.1	58	0.29
LIN 136700	Soil	1.3	24.0	8.5	49	0.2	19.0	19.3	1583	3.59	560.9	3.8	33.7	2.3	46	0.3	15.8	0.1	57	0.66
REP LIN 136700	QC	1.4	24.3	8.9	49	0.2	19.7	19.9	1604	3.66	571.9	3.7	35.5	2.5	47	0.3	16.1	0.1	59	0.68
LIN 136706	Soil	0.6	21.8	6.1	55	<0.1	24.0	12.4	478	3.09	9.0	0.8	8.1	3.4	26	0.1	0.4	<0.1	83	0.42
REP LIN 136706	QC	0.6	21.6	5.9	54	<0.1	24.2	12.2	466	3.02	9.0	0.8	2.8	3.1	25	0.1	0.4	<0.1	81	0.41
LIN 136740	Soil	2.8	35.8	15.0	73	0.3	24.3	14.1	1268	4.26	336.2	2.3	29.4	4.0	32	0.2	1.3	0.3	83	0.45
REP LIN 136740	QC	3.0	36.9	15.4	74	0.3	24.5	14.6	1278	4.32	340.3	2.4	41.0	4.1	32	0.2	1.3	0.3	84	0.45
LIN 136754	Soil	0.8	21.5	6.6	61	0.1	18.6	10.7	499	3.19	15.9	1.0	5.1	2.6	33	0.1	0.3	0.1	81	0.49
REP LIN 136754	QC	0.8	22.2	6.6	62	0.1	18.7	10.5	504	3.19	15.6	1.0	2.3	2.6	31	<0.1	0.3	0.1	83	0.50
LIN 136768	Soil	1.9	19.4	8.5	50	<0.1	12.1	8.6	343	2.67	21.9	0.8	2.4	2.3	24	<0.1	0.4	0.1	66	0.31
REP LIN 136768	QC	1.9	19.8	8.1	50	<0.1	12.7	8.5	352	2.71	23.0	0.9	4.9	2.2	25	0.1	0.5	0.1	69	0.33
LIN 136791	Soil	1.6	10.6	3.5	31	<0.1	5.2	4.2	181	1.35	4.0	0.5	1.3	0.6	13	<0.1	0.1	<0.1	37	0.13
REP LIN 136791	QC	1.5	10.0	3.5	31	<0.1	3.3	4.2	180	1.38	4.1	0.4	1.1	0.5	13	0.1	0.2	0.1	38	0.14
LIN 136823	Soil	0.3	19.0	4.8	44	<0.1	16.7	8.6	292	2.46	4.1	0.9	3.3	3.7	21	<0.1	0.2	<0.1	56	0.28
REP LIN 136823	QC	0.4	20.3	5.1	45	<0.1	17.7	9.2	307	2.60	4.4	1.0	2.7	4.1	21	<0.1	0.2	0.1	60	0.30
LIN 136826	Soil	0.7	16.3	5.7	52	<0.1	16.2	9.3	709	2.52	5.0	0.6	1.9	2.4	22	0.2	0.2	0.1	63	0.26
REP LIN 136826	QC	0.8	17.5	5.8	54	<0.1	17.2	10.0	740	2.66	5.3	0.7	1.1	2.5	24	0.2	0.2	0.1	65	0.27
LIN 136843	Soil	0.5	11.0	3.9	33	<0.1	9.7	5.3	258	2.11	2.3	0.9	1.9	3.9	18	<0.1	0.2	0.1	47	0.20
REP LIN 136843	QC	0.5	11.2	3.9	34	<0.1	10.8	5.8	258	2.20	2.5	1.0	5.5	4.1	18	0.1	0.1	0.1	47	0.19



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 06, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000362.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
LIN 136599	Soil	8	21	0.41	146	0.105	<1	1.36	0.021	0.06	<0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
REP LIN 136599	QC	8	20	0.41	141	0.102	1	1.37	0.024	0.06	0.1	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
LIN 136630	Soil	2	7	0.06	32	0.039	<1	0.63	0.016	0.02	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
REP LIN 136630	QC	2	7	0.06	33	0.038	<1	0.61	0.017	0.01	<0.1	0.03	0.8	<0.1	<0.05	3	<0.5	<0.2
LIN 136635	Soil	17	29	0.59	128	0.128	1	1.54	0.015	0.18	0.2	0.03	5.3	0.1	<0.05	5	<0.5	<0.2
REP LIN 136635	QC	16	29	0.62	130	0.123	1	1.55	0.015	0.18	0.2	0.03	5.2	0.1	<0.05	5	0.5	<0.2
LIN 136650	Soil	9	30	0.73	225	0.117	2	2.44	0.020	0.12	<0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
REP LIN 136650	QC	9	30	0.75	238	0.125	2	2.52	0.021	0.13	0.2	0.04	3.6	0.1	<0.05	7	0.7	<0.2
LIN 136673	Soil	25	28	0.60	178	0.151	2	1.82	0.023	0.15	0.1	0.02	6.0	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136673	QC	26	26	0.63	187	0.152	1	1.89	0.021	0.15	<0.1	0.03	6.0	0.1	<0.05	6	<0.5	<0.2
LIN 136700	Soil	14	29	0.58	179	0.069	1	1.71	0.021	0.08	<0.1	0.06	4.6	0.1	0.07	5	0.5	<0.2
REP LIN 136700	QC	14	29	0.59	186	0.073	<1	1.75	0.022	0.08	0.1	0.06	4.6	0.2	0.07	5	0.6	<0.2
LIN 136706	Soil	11	30	0.76	158	0.147	1	1.90	0.027	0.09	0.1	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
REP LIN 136706	QC	11	29	0.76	150	0.142	1	1.89	0.027	0.09	0.1	0.03	3.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136740	Soil	16	34	0.76	246	0.128	3	2.29	0.024	0.09	0.3	0.06	5.9	0.1	<0.05	6	<0.5	<0.2
REP LIN 136740	QC	16	34	0.76	248	0.124	3	2.31	0.026	0.09	0.2	0.05	5.8	0.1	<0.05	7	<0.5	<0.2
LIN 136754	Soil	10	27	0.81	212	0.164	2	1.97	0.024	0.12	0.1	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
REP LIN 136754	QC	10	27	0.80	213	0.167	2	1.95	0.023	0.12	0.1	0.02	4.0	0.1	<0.05	7	<0.5	<0.2
LIN 136768	Soil	11	23	0.56	123	0.113	1	1.66	0.018	0.07	0.1	0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136768	QC	10	22	0.57	129	0.120	1	1.71	0.016	0.07	0.1	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136791	Soil	5	13	0.19	55	0.064	2	0.76	0.019	0.04	<0.1	0.04	1.2	<0.1	<0.05	4	<0.5	<0.2
REP LIN 136791	QC	5	11	0.18	53	0.065	2	0.76	0.023	0.04	<0.1	0.04	1.4	<0.1	<0.05	4	<0.5	<0.2
LIN 136823	Soil	12	25	0.58	133	0.121	<1	1.65	0.014	0.11	0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
REP LIN 136823	QC	12	27	0.62	138	0.127	<1	1.73	0.014	0.11	0.1	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 136826	Soil	9	26	0.55	152	0.120	<1	1.79	0.014	0.10	0.1	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136826	QC	9	27	0.56	155	0.124	<1	1.86	0.019	0.11	0.1	0.03	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 136843	Soil	12	19	0.46	134	0.105	<1	1.41	0.015	0.09	0.1	0.03	3.3	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136843	QC	13	19	0.48	131	0.111	1	1.42	0.015	0.09	0.1	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 06, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000362.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136867	Soil	0.5	12.0	5.6	43	<0.1	11.8	5.1	168	1.77	3.3	0.9	2.0	1.7	26	0.2	0.2	0.1	37	0.26
REP LIN 136867	QC	0.6	12.2	5.4	41	<0.1	12.5	5.3	173	1.80	2.9	0.9	0.8	1.7	27	<0.1	0.2	0.1	38	0.27
LIN 136885	Soil	2.2	15.0	5.3	45	<0.1	22.0	10.5	413	2.93	2.2	1.2	6.2	5.3	18	<0.1	0.3	0.1	63	0.24
REP LIN 136885	QC	2.2	14.5	5.3	44	<0.1	20.6	10.0	410	2.92	2.2	1.2	0.6	5.2	18	<0.1	0.3	0.1	65	0.23
LIN 136912	Soil	2.7	36.6	6.5	47	<0.1	37.8	13.8	378	3.28	5.3	0.8	0.8	5.5	26	<0.1	0.3	0.2	82	0.46
REP LIN 136912	QC	1.8	35.8	6.8	45	<0.1	37.5	13.3	371	3.18	4.6	0.8	4.3	5.4	25	<0.1	0.2	0.2	83	0.43
LIN 136932	Soil	1.1	12.5	7.4	29	<0.1	10.1	5.5	259	2.00	10.4	0.5	2.4	1.2	17	0.2	0.2	0.2	59	0.20
REP LIN 136932	QC	1.2	13.0	7.0	30	<0.1	10.4	5.5	268	2.07	10.7	0.5	2.2	1.2	17	0.2	0.3	0.2	60	0.20
Reference Materials																				
STD DS7	Standard	21.4	116.4	74.0	403	0.9	56.2	9.6	621	2.37	51.0	5.2	66.1	5.0	70	5.7	6.2	5.0	84	0.94
STD DS7	Standard	22.5	115.2	71.0	404	1.0	58.5	10.0	630	2.42	52.2	5.1	83.5	4.8	73	6.2	5.9	4.5	88	0.97
STD DS7	Standard	19.6	110.1	66.4	389	0.9	54.8	9.3	617	2.35	51.5	4.8	62.8	4.5	72	6.7	5.7	4.4	84	0.91
STD DS7	Standard	18.6	101.5	63.3	378	0.9	53.9	9.0	581	2.25	49.9	4.5	65.2	4.0	67	5.8	5.6	4.3	80	0.88
STD DS7	Standard	20.9	104.7	66.3	387	1.0	52.3	9.1	618	2.33	49.8	5.4	88.4	4.6	91	6.0	6.7	5.3	81	0.92
STD DS7	Standard	21.3	113.3	74.0	405	1.0	59.5	9.6	650	2.48	55.2	5.8	70.6	5.3	99	6.6	7.0	5.6	89	1.00
STD DS7	Standard	24.5	114.7	71.8	425	1.1	64.0	9.9	676	2.73	53.7	5.1	71.4	5.1	88	6.5	6.7	5.0	91	1.07
STD DS7	Standard	22.4	117.5	71.2	415	0.9	54.0	9.9	643	2.54	54.4	4.9	76.4	4.9	81	6.0	6.2	4.9	91	1.00
STD DS7	Standard	22.4	118.1	66.1	406	1.0	57.0	9.5	631	2.38	51.2	4.9	70.2	4.7	76	6.1	5.8	4.4	87	0.95
STD DS7	Standard	22.1	111.1	66.8	396	0.9	59.0	9.4	638	2.39	48.6	4.6	352.0	4.1	76	5.9	6.0	4.4	90	1.00
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.4	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 06, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000362.1

		1DX15 La ppm	1DX15 Cr ppm	1DX15 Mg %	1DX15 Ba ppm	1DX15 Ti %	1DX15 B ppm	1DX15 Al %	1DX15 Na %	1DX15 K %	1DX15 W ppm	1DX15 Hg ppm	1DX15 Sc ppm	1DX15 Ti ppm	1DX15 S %	1DX15 Ga ppm	1DX15 Se ppm	1DX15 Te ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136867	Soil	10	20	0.45	97	0.089	2	1.25	0.026	0.06	0.1	0.05	2.7	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136867	QC	10	21	0.45	97	0.091	2	1.31	0.027	0.06	0.1	0.06	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 136885	Soil	13	31	0.61	105	0.131	3	1.94	0.014	0.11	<0.1	0.02	3.3	0.2	<0.05	6	<0.5	0.5
REP LIN 136885	QC	13	32	0.61	108	0.127	2	1.91	0.013	0.11	<0.1	0.01	3.4	0.1	<0.05	5	<0.5	<0.2
LIN 136912	Soil	18	71	0.92	147	0.168	2	2.30	0.022	0.14	0.3	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
REP LIN 136912	QC	17	66	0.89	136	0.162	2	2.25	0.021	0.13	0.3	<0.01	4.1	0.2	<0.05	7	<0.5	<0.2
LIN 136932	Soil	6	19	0.29	80	0.100	1	1.01	0.019	0.06	0.1	0.04	1.8	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136932	QC	6	18	0.29	81	0.100	1	1.06	0.019	0.06	0.1	0.03	1.8	<0.1	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	187	1.03	390	0.122	40	0.99	0.090	0.46	3.8	0.20	2.4	4.1	0.22	5	3.3	1.7
STD DS7	Standard	14	206	1.05	386	0.131	39	1.04	0.098	0.45	3.5	0.23	2.5	4.2	0.19	5	3.4	1.5
STD DS7	Standard	12	187	1.03	385	0.127	36	0.98	0.097	0.46	3.5	0.22	2.5	4.0	0.19	5	3.4	1.5
STD DS7	Standard	11	184	1.00	342	0.112	36	0.94	0.090	0.43	3.6	0.21	2.4	3.9	0.19	4	2.9	1.2
STD DS7	Standard	13	185	1.05	404	0.136	36	1.04	0.102	0.46	3.8	0.24	2.5	3.9	0.19	4	3.4	1.3
STD DS7	Standard	14	207	1.11	444	0.144	43	1.09	0.109	0.50	3.8	0.25	2.7	4.3	0.21	5	2.6	1.6
STD DS7	Standard	15	208	1.13	437	0.146	41	1.14	0.101	0.51	3.7	0.25	2.9	4.2	0.21	5	3.0	5.3
STD DS7	Standard	14	185	1.08	404	0.138	43	1.09	0.098	0.46	3.9	0.22	2.5	4.2	0.21	5	4.3	2.1
STD DS7	Standard	13	199	1.05	413	0.139	38	1.04	0.096	0.47	3.9	0.23	2.5	4.3	0.18	5	3.0	1.1
STD DS7	Standard	13	205	1.08	382	0.129	39	1.08	0.100	0.46	3.6	0.22	2.6	4.1	0.21	5	3.9	2.2
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	1.1	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 06, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000362.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 06, 2010

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

WHI10000362.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: August 31, 2010

Report Date: October 05, 2010

Page: 1 of 14

CERTIFICATE OF ANALYSIS

WHI10000361.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 378

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	378	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	378	Dry at 60C			VAN
1DX2	377	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

2 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
LIN 136191	Soil	1.2	25.5	4.9	38	<0.1	15.1	8.5	335	2.56	2.8	2.3	<0.5	3.2	27	<0.1	0.2	0.1	58	0.33	0.056
LIN 136192	Soil	1.1	20.6	5.5	33	0.2	14.1	6.3	283	2.01	1.8	0.8	<0.5	2.0	23	<0.1	0.2	0.2	50	0.28	0.035
LIN 136193	Soil	1.2	24.1	4.8	45	<0.1	19.6	11.5	405	3.01	4.3	1.0	<0.5	3.9	26	<0.1	0.2	0.1	67	0.44	0.052
LIN 136194	Soil	1.5	29.2	5.0	43	0.2	16.2	11.7	615	2.87	3.1	1.8	<0.5	2.9	33	<0.1	0.2	0.2	72	0.54	0.086
LIN 136195	Soil	1.1	28.5	4.5	40	<0.1	15.9	10.6	406	2.57	2.6	1.3	0.7	3.0	22	<0.1	0.1	0.1	64	0.31	0.081
LIN 136200	Soil	0.6	18.9	6.4	48	0.1	13.7	8.4	486	2.42	3.1	0.8	<0.5	2.4	33	0.2	0.3	0.2	58	0.35	0.056
LIN 136201	Soil	0.7	14.8	5.7	41	<0.1	14.5	8.3	408	2.63	3.9	1.0	1.4	4.2	22	0.1	0.2	0.1	61	0.28	0.051
LIN 136202	Soil	1.0	19.4	7.2	48	<0.1	19.9	10.4	494	2.90	4.5	1.1	0.8	3.6	22	0.2	0.3	0.2	68	0.27	0.041
LIN 136203	Soil	1.2	17.8	7.7	44	<0.1	17.1	8.8	431	2.68	4.2	1.3	0.9	3.9	23	<0.1	0.3	0.2	60	0.30	0.044
LIN 136204	Soil	1.1	20.5	7.3	46	0.1	14.8	10.1	825	2.52	4.1	1.1	<0.5	2.9	21	<0.1	0.2	0.2	61	0.27	0.040
LIN 136205	Soil	1.3	21.8	7.3	46	<0.1	16.1	9.1	403	2.77	4.5	1.8	<0.5	4.4	23	<0.1	0.2	0.2	66	0.28	0.035
LIN 136206	Soil	1.3	23.5	8.9	50	0.1	23.5	11.1	462	3.07	4.7	1.2	<0.5	4.1	29	0.1	0.3	0.2	80	0.42	0.039
LIN 136207	Soil	1.2	18.9	6.4	36	<0.1	14.9	8.3	384	2.42	3.5	1.4	<0.5	4.1	20	<0.1	0.2	0.1	56	0.32	0.048
LIN 136208	Soil	1.4	22.2	7.3	44	0.1	17.9	8.9	403	2.67	4.7	0.9	<0.5	3.3	18	0.1	0.3	0.2	70	0.27	0.037
LIN 136209	Soil	1.4	21.4	6.3	43	0.1	16.3	8.7	361	2.70	4.7	0.8	1.4	3.8	21	<0.1	0.3	0.2	68	0.28	0.035
LIN 136210	Soil	1.4	27.2	11.2	44	0.2	20.1	10.6	560	2.95	4.3	2.1	1.0	3.9	33	0.1	0.2	0.2	69	0.43	0.066
LIN 136211	Soil	1.2	15.4	4.6	33	<0.1	12.1	7.1	309	2.08	2.8	0.7	<0.5	3.7	21	0.1	0.2	0.1	53	0.27	0.041
LIN 136212	Soil	1.3	26.0	6.4	41	<0.1	15.5	9.9	426	2.88	4.3	1.9	3.9	4.6	23	0.1	0.2	0.2	66	0.31	0.050
LIN 136213	Soil	1.1	18.6	4.5	42	<0.1	24.1	11.5	495	2.73	3.4	3.2	<0.5	5.7	33	<0.1	0.2	0.1	66	0.51	0.078
LIN 136214	Soil	0.8	18.1	5.3	46	<0.1	18.9	10.3	405	2.95	4.8	0.7	1.3	5.4	22	<0.1	0.3	0.1	71	0.33	0.036
LIN 136215	Soil	1.2	17.7	6.0	41	<0.1	20.2	10.0	381	2.63	4.9	0.6	4.7	3.1	25	0.1	0.2	0.2	67	0.34	0.044
LIN 136216	Soil	1.5	17.8	6.3	35	0.1	13.1	7.3	384	2.32	3.5	0.6	<0.5	2.2	20	<0.1	0.2	0.2	69	0.26	0.033
LIN 136217	Soil	1.6	27.7	6.9	43	<0.1	18.1	13.8	611	3.02	5.4	1.5	<0.5	4.4	25	<0.1	0.3	0.2	78	0.35	0.063
LIN 136218	Soil	0.9	15.8	6.7	41	0.1	13.3	7.1	243	2.59	3.9	0.8	4.5	3.7	24	<0.1	0.2	0.2	66	0.29	0.034
LIN 136219	Soil	0.7	20.0	5.3	45	<0.1	12.7	10.3	388	2.89	3.8	1.0	<0.5	4.1	22	<0.1	0.2	0.1	64	0.39	0.067
LIN 136220	Soil	0.6	18.1	5.6	44	<0.1	16.9	7.8	293	2.53	4.9	0.9	2.4	3.3	22	0.1	0.3	0.1	57	0.30	0.043
LIN 136221	Soil	0.4	18.9	6.4	42	<0.1	16.6	8.1	266	2.64	4.5	1.1	<0.5	3.4	27	<0.1	0.3	0.1	57	0.37	0.047
LIN 136222	Soil	0.6	19.1	7.0	49	<0.1	20.3	9.8	404	3.00	6.1	0.9	<0.5	4.8	23	<0.1	0.3	0.1	67	0.30	0.041
LIN 136223	Soil	0.5	20.3	6.3	45	<0.1	17.6	8.9	395	2.79	5.6	0.9	2.0	3.5	26	<0.1	0.3	0.1	62	0.32	0.044
LIN 136224	Soil	0.6	23.3	6.6	52	<0.1	19.8	10.5	459	3.20	6.6	1.0	2.4	4.7	23	<0.1	0.4	0.2	72	0.28	0.045



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 2 of 14 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136191	Soil	16	27	0.58	184	0.122	2	1.50	0.017	0.21	0.2	0.03	3.8	0.2	0.06	6	<0.5	<0.2
LIN 136192	Soil	11	26	0.43	198	0.117	2	1.26	0.023	0.12	0.2	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
LIN 136193	Soil	14	33	0.78	194	0.131	3	1.77	0.016	0.17	0.3	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136194	Soil	20	30	0.81	282	0.117	2	1.71	0.019	0.19	0.2	0.04	5.4	0.2	<0.05	6	<0.5	<0.2
LIN 136195	Soil	18	32	0.75	186	0.119	2	1.66	0.020	0.14	0.4	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
LIN 136200	Soil	14	23	0.43	214	0.119	3	1.66	0.019	0.11	0.2	0.03	3.3	0.1	<0.05	5	<0.5	<0.2
LIN 136201	Soil	13	24	0.55	136	0.113	2	1.68	0.016	0.13	0.2	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 136202	Soil	13	34	0.62	174	0.128	2	2.14	0.019	0.12	0.2	0.03	3.8	0.1	<0.05	7	<0.5	<0.2
LIN 136203	Soil	13	26	0.58	179	0.118	2	1.98	0.017	0.10	0.3	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136204	Soil	13	24	0.42	191	0.111	3	1.74	0.025	0.12	0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136205	Soil	14	28	0.61	186	0.137	2	1.98	0.018	0.14	0.2	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
LIN 136206	Soil	12	43	0.72	203	0.175	3	2.20	0.019	0.22	0.5	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
LIN 136207	Soil	14	28	0.60	160	0.133	3	1.58	0.017	0.19	0.3	0.01	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 136208	Soil	11	34	0.62	160	0.148	3	1.82	0.017	0.17	0.2	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 136209	Soil	10	28	0.62	154	0.144	2	1.79	0.017	0.14	0.1	0.01	3.4	0.1	<0.05	7	<0.5	<0.2
LIN 136210	Soil	16	34	0.62	260	0.125	3	2.05	0.027	0.14	0.3	0.06	4.8	0.1	<0.05	7	<0.5	<0.2
LIN 136211	Soil	11	27	0.51	144	0.125	3	1.38	0.022	0.16	0.5	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
LIN 136212	Soil	16	26	0.61	187	0.142	1	2.02	0.019	0.14	0.3	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 136213	Soil	18	51	0.86	215	0.141	2	1.84	0.019	0.22	0.6	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 136214	Soil	13	36	0.76	165	0.160	4	1.97	0.018	0.18	0.2	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
LIN 136215	Soil	12	42	0.71	193	0.143	3	1.77	0.021	0.19	0.1	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
LIN 136216	Soil	10	26	0.48	137	0.137	4	1.58	0.023	0.13	0.1	0.02	2.6	0.1	<0.05	7	<0.5	0.3
LIN 136217	Soil	18	32	0.63	207	0.156	5	2.13	0.020	0.11	0.2	0.03	4.9	0.1	<0.05	7	<0.5	<0.2
LIN 136218	Soil	13	23	0.58	161	0.148	3	1.93	0.019	0.10	0.1	0.02	3.6	0.1	<0.05	8	<0.5	<0.2
LIN 136219	Soil	14	19	0.64	222	0.141	2	1.89	0.016	0.18	0.2	0.01	3.7	0.1	<0.05	7	<0.5	0.3
LIN 136220	Soil	12	25	0.64	157	0.127	3	1.99	0.022	0.11	<0.1	0.03	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136221	Soil	12	26	0.66	175	0.130	4	2.05	0.020	0.12	<0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136222	Soil	12	30	0.77	148	0.147	3	2.42	0.018	0.12	0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
LIN 136223	Soil	13	28	0.70	163	0.126	3	2.07	0.019	0.10	<0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136224	Soil	13	32	0.74	168	0.142	3	2.42	0.016	0.11	0.1	0.03	4.9	0.1	<0.05	7	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

3 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LIN 136225	Soil	0.8	20.2	6.5	47	<0.1	16.5	9.3	405	2.82	5.3	0.8	2.0	4.0	24	0.2	0.3	0.1	65	0.27	0.041
LIN 136226	Soil	0.7	18.5	6.7	46	<0.1	15.1	9.0	512	2.65	5.3	0.7	<0.5	2.6	21	<0.1	0.3	0.1	67	0.24	0.044
LIN 136227	Soil	0.6	16.7	5.3	45	<0.1	16.3	10.1	490	2.75	4.3	0.7	3.9	4.0	24	0.1	0.2	0.1	75	0.35	0.059
LIN 136228	Soil	0.6	15.1	5.1	31	<0.1	11.4	6.3	251	2.01	3.6	0.6	<0.5	2.3	17	0.2	0.2	0.1	50	0.20	0.036
LIN 136229	Soil	0.7	18.4	6.5	44	<0.1	17.9	8.6	389	2.59	5.3	0.8	0.9	2.9	28	0.2	0.2	0.2	64	0.32	0.043
LIN 136230	Soil	0.8	22.5	6.6	42	<0.1	16.5	8.1	322	2.74	5.5	1.0	1.4	3.7	21	<0.1	0.3	0.2	72	0.22	0.036
LIN 136231	Soil	0.9	20.7	6.5	35	<0.1	15.5	7.3	277	2.29	3.9	1.2	3.1	1.9	27	<0.1	0.2	0.2	54	0.28	0.050
LIN 136232	Soil	0.6	19.4	5.9	44	<0.1	17.2	8.7	329	2.83	4.4	1.1	2.0	3.8	24	<0.1	0.2	0.2	63	0.34	0.042
LIN 136233	Soil	0.5	21.8	6.1	47	<0.1	19.7	11.4	442	2.94	4.3	4.1	1.9	5.1	33	0.1	0.3	0.1	63	0.55	0.057
LIN 136234	Soil	0.8	24.2	7.4	47	0.2	22.0	10.8	553	2.88	4.8	3.4	2.4	3.0	61	0.1	0.4	0.2	56	0.89	0.060
LIN 136235	Soil	0.9	9.0	12.2	25	<0.1	6.8	3.5	168	1.48	3.1	0.8	1.9	1.0	15	0.2	0.2	0.2	43	0.15	0.028
LIN 136236	Soil	0.9	12.1	7.6	30	<0.1	11.1	4.6	214	1.92	2.9	0.4	1.4	1.7	14	0.1	0.2	0.2	48	0.14	0.022
LIN 136237	Soil	1.7	17.3	12.1	45	<0.1	25.6	10.2	381	2.94	5.0	0.9	1.6	4.5	20	0.1	0.3	0.3	79	0.27	0.037
LIN 136238	Soil	0.9	13.2	10.2	28	<0.1	11.3	5.6	213	1.95	3.9	0.8	1.2	4.0	12	<0.1	0.2	0.3	49	0.12	0.017
LIN 136239	Soil	1.0	20.3	19.1	43	0.2	13.6	8.4	579	2.17	4.3	3.7	2.5	5.6	24	0.1	0.3	0.5	51	0.23	0.040
LIN 136240	Soil	1.0	17.8	7.9	50	<0.1	18.0	9.4	359	3.15	6.5	0.7	1.2	2.6	17	0.2	0.3	0.2	73	0.19	0.054
LIN 136241	Soil	0.7	23.5	7.1	60	0.1	21.7	9.9	472	2.88	5.1	1.1	2.4	3.0	38	0.2	0.3	0.2	66	0.56	0.053
LIN 136242	Soil	0.6	20.5	6.3	57	<0.1	19.5	10.9	476	2.83	4.1	0.8	5.1	4.1	25	0.1	0.2	0.2	66	0.36	0.058
LIN 136244	Soil	0.5	13.5	5.6	43	<0.1	12.5	7.1	429	2.07	2.8	1.1	1.4	3.7	26	<0.1	0.2	0.1	50	0.35	0.034
LIN 136245	Soil	0.7	18.6	7.3	58	<0.1	22.4	10.7	434	2.67	4.0	1.3	2.5	4.6	31	0.1	0.3	0.2	64	0.41	0.049
LIN 136246	Soil	0.7	14.7	5.8	48	<0.1	19.8	11.8	571	2.58	2.7	1.1	1.0	5.4	26	0.1	0.1	<0.1	59	0.47	0.074
LIN 136247	Soil	0.4	12.8	6.7	49	<0.1	16.1	7.4	212	2.17	2.8	1.1	2.8	3.4	25	<0.1	0.2	0.1	56	0.35	0.058
LIN 136248	Soil	0.5	13.4	6.0	43	<0.1	21.8	8.9	250	2.46	2.8	0.8	2.3	4.0	22	<0.1	0.3	0.1	67	0.32	0.030
LIN 136249	Soil	0.4	21.4	7.4	51	<0.1	17.9	8.1	308	3.04	4.1	1.3	2.2	8.9	27	<0.1	0.3	0.1	52	0.33	0.039
LIN 136250	Soil	0.3	12.0	4.3	34	<0.1	12.2	5.7	256	1.99	2.3	0.5	1.4	3.3	19	<0.1	0.2	<0.1	45	0.26	0.032
LIN 136251	Soil	0.7	32.9	7.9	54	<0.1	25.4	11.0	383	3.33	5.8	3.2	3.4	7.4	24	<0.1	0.3	0.1	73	0.29	0.044
LIN 136252	Soil	0.5	8.4	4.8	17	<0.1	4.4	2.8	128	1.20	1.3	0.3	2.9	0.4	12	<0.1	0.2	<0.1	31	0.09	0.024
LIN 136253	Soil	0.7	20.1	6.1	38	0.1	13.3	7.3	473	2.24	3.6	0.7	2.2	1.4	25	0.1	0.3	0.1	53	0.23	0.033
LIN 136254	Soil	1.0	9.2	7.4	30	<0.1	5.6	4.3	271	2.18	3.5	0.3	0.8	2.0	13	<0.1	0.3	0.1	64	0.12	0.025
LIN 136255	Soil	0.6	15.0	11.6	41	<0.1	16.3	8.5	287	2.70	3.8	0.7	2.4	3.9	19	<0.1	0.3	<0.1	62	0.27	0.035



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

3 of 14

Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136225	Soil	12	25	0.63	135	0.129	3	2.07	0.017	0.09	<0.1	0.02	4.1	0.1	<0.05	7	<0.5
LIN 136226	Soil	10	26	0.56	139	0.119	3	1.88	0.019	0.09	<0.1	0.03	3.3	<0.1	<0.05	6	<0.5
LIN 136227	Soil	13	27	0.61	138	0.141	4	1.79	0.020	0.11	0.2	0.03	3.5	0.1	<0.05	6	<0.5
LIN 136228	Soil	8	19	0.33	101	0.087	2	1.40	0.021	0.06	0.1	0.02	2.1	<0.1	<0.05	5	<0.5
LIN 136229	Soil	11	25	0.53	163	0.105	3	1.88	0.019	0.10	0.2	0.02	3.2	<0.1	<0.05	6	<0.5
LIN 136230	Soil	13	31	0.55	161	0.118	1	2.07	0.017	0.07	0.2	0.02	3.8	<0.1	<0.05	7	<0.5
LIN 136231	Soil	17	24	0.42	186	0.084	3	1.80	0.020	0.06	0.3	0.03	3.1	<0.1	0.05	6	0.5
LIN 136232	Soil	12	29	0.63	164	0.117	2	1.96	0.015	0.07	0.2	0.02	3.7	<0.1	<0.05	6	0.7
LIN 136233	Soil	18	32	0.64	252	0.112	3	1.94	0.020	0.09	0.3	0.03	5.3	0.1	<0.05	6	<0.5
LIN 136234	Soil	29	32	0.57	283	0.074	4	2.20	0.022	0.07	0.2	0.05	5.4	0.1	0.06	6	0.8
LIN 136235	Soil	7	13	0.21	74	0.079	1	0.85	0.017	0.06	0.2	0.03	1.3	<0.1	<0.05	6	<0.5
LIN 136236	Soil	6	19	0.32	86	0.095	3	1.23	0.017	0.06	0.3	<0.01	1.9	<0.1	<0.05	5	0.6
LIN 136237	Soil	11	67	0.72	109	0.150	1	2.25	0.015	0.07	0.3	0.02	3.1	0.1	<0.05	8	0.6
LIN 136238	Soil	10	20	0.31	64	0.087	2	1.50	0.019	0.05	0.3	0.02	2.2	<0.1	<0.05	5	0.6
LIN 136239	Soil	30	25	0.36	128	0.083	3	1.79	0.027	0.06	0.2	0.03	3.2	0.1	<0.05	6	<0.5
LIN 136240	Soil	7	31	0.50	102	0.113	6	2.82	0.016	0.05	0.1	0.04	3.2	<0.1	<0.05	7	<0.5
LIN 136241	Soil	18	31	0.59	383	0.098	6	2.22	0.020	0.11	0.2	0.03	4.3	0.1	<0.05	8	0.7
LIN 136242	Soil	15	31	0.68	209	0.121	4	1.88	0.018	0.11	0.2	0.02	4.1	0.1	<0.05	6	<0.5
LIN 136244	Soil	19	19	0.40	212	0.098	6	1.30	0.027	0.12	0.1	<0.01	2.7	0.1	<0.05	5	0.5
LIN 136245	Soil	21	37	0.66	236	0.109	7	2.02	0.025	0.09	0.2	0.03	4.3	0.2	<0.05	7	1.0
LIN 136246	Soil	19	35	0.60	139	0.112	4	1.45	0.020	0.17	0.2	0.02	3.8	0.2	<0.05	6	0.6
LIN 136247	Soil	16	35	0.58	129	0.104	5	1.62	0.023	0.07	0.1	0.02	3.2	0.2	<0.05	6	<0.5
LIN 136248	Soil	11	53	0.66	75	0.136	4	1.57	0.023	0.05	0.2	0.02	3.2	0.2	<0.05	6	0.7
LIN 136249	Soil	23	29	0.60	417	0.131	4	1.77	0.019	0.12	0.1	0.03	5.5	0.1	<0.05	6	<0.5
LIN 136250	Soil	9	19	0.48	93	0.097	2	1.39	0.014	0.06	<0.1	<0.01	3.1	0.1	<0.05	4	<0.5
LIN 136251	Soil	37	36	0.69	188	0.146	4	2.58	0.018	0.12	0.1	0.04	6.6	0.1	<0.05	8	<0.5
LIN 136252	Soil	5	9	0.16	60	0.057	3	0.78	0.024	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	0.5
LIN 136253	Soil	9	22	0.41	136	0.104	7	1.65	0.026	0.07	0.2	0.03	2.2	<0.1	<0.05	6	0.7
LIN 136254	Soil	8	15	0.29	82	0.131	4	1.09	0.021	0.07	0.2	<0.01	1.6	<0.1	<0.05	8	0.8
LIN 136255	Soil	11	32	0.69	113	0.157	4	2.03	0.017	0.15	0.1	0.02	3.8	0.1	<0.05	6	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

4 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136256	Soil	1.1	16.2	9.7	48	<0.1	14.0	8.7	470	3.15	6.7	0.4	1.0	2.0	15	0.3	0.4	0.2	76	0.16	0.029
LIN 136257	Soil	0.4	15.9	9.3	46	<0.1	26.2	11.7	374	2.88	2.7	0.8	22.7	5.3	20	<0.1	0.2	<0.1	66	0.28	0.026
LIN 136258	Soil	0.7	12.4	9.8	24	<0.1	7.1	3.8	201	1.47	1.8	0.9	1.1	1.0	13	<0.1	0.2	0.1	36	0.13	0.026
LIN 136259	Soil	0.7	24.4	6.4	48	<0.1	20.4	9.0	378	3.03	4.2	1.2	2.3	5.1	26	<0.1	0.3	0.1	69	0.35	0.039
LIN 136260	Soil	0.6	18.7	6.0	51	<0.1	20.6	9.6	361	2.99	4.6	0.8	0.8	4.7	20	<0.1	0.3	0.2	66	0.25	0.034
LIN 136261	Soil	0.8	19.5	9.0	60	<0.1	21.6	12.5	449	3.23	6.7	0.5	1.3	3.1	21	0.2	0.3	0.2	80	0.25	0.024
LIN 136262	Soil	1.1	13.7	9.4	42	0.1	8.5	7.8	587	2.24	3.2	0.5	0.9	2.3	16	0.2	0.3	0.2	64	0.15	0.020
LIN 136263	Soil	0.6	18.7	6.2	46	<0.1	17.8	8.7	421	2.61	4.1	1.2	1.1	4.5	22	<0.1	0.3	0.1	63	0.29	0.037
LIN 136264	Soil	0.5	3.2	3.3	14	<0.1	2.3	2.0	93	0.95	0.6	0.2	0.5	0.4	9	<0.1	0.1	<0.1	23	0.08	0.022
LIN 136265	Soil	0.8	13.1	6.2	32	<0.1	6.6	5.0	340	1.65	2.4	0.3	<0.5	1.0	12	0.2	0.3	0.1	43	0.11	0.027
LIN 136266	Soil	0.4	14.8	4.9	32	<0.1	13.1	5.9	224	1.99	3.0	0.6	1.8	2.9	17	<0.1	0.3	<0.1	53	0.19	0.031
LIN 136267	Soil	0.5	22.9	6.1	46	<0.1	21.8	10.3	344	2.81	4.9	0.9	2.4	5.3	22	<0.1	0.3	0.1	73	0.28	0.040
LIN 136268	Soil	0.7	18.9	5.7	48	<0.1	16.4	8.8	527	2.71	4.7	1.1	2.0	3.6	24	0.1	0.3	0.1	65	0.32	0.047
LIN 136269	Soil	0.6	15.8	5.4	43	<0.1	15.6	8.3	334	2.73	4.8	0.8	3.8	5.6	19	0.1	0.2	0.1	65	0.24	0.046
LIN 136270	Soil	1.2	17.1	8.6	52	0.1	16.6	7.8	261	3.12	6.8	0.6	4.0	3.2	13	0.2	0.4	0.2	84	0.13	0.029
LIN 136271	Soil	0.7	18.5	7.5	52	<0.1	22.3	9.7	336	3.11	7.6	0.6	2.6	3.5	17	0.1	0.4	0.1	76	0.18	0.032
LIN 136272	Soil	0.5	11.8	4.1	40	<0.1	13.2	6.6	296	2.44	3.6	0.7	8.9	5.4	15	0.1	0.2	0.1	59	0.21	0.044
LIN 136273	Soil	0.6	13.2	4.8	47	<0.1	11.4	7.6	428	2.48	3.1	1.0	1.6	5.1	20	<0.1	0.1	0.1	52	0.26	0.042
LIN 136274	Soil	0.6	14.1	5.2	42	<0.1	12.9	6.8	283	2.31	3.5	1.0	1.8	3.7	26	0.1	0.2	0.1	56	0.31	0.040
LIN 136275	Soil	0.5	14.3	5.5	39	<0.1	12.5	8.3	447	2.61	3.8	0.9	1.1	4.4	14	0.1	0.2	0.1	54	0.15	0.038
LIN 136276	Soil	0.6	9.7	3.4	20	<0.1	5.3	2.2	128	0.98	1.4	0.2	1.4	<0.1	20	0.2	0.2	<0.1	34	0.17	0.027
LIN 136277	Soil	0.4	21.1	5.9	43	<0.1	19.6	9.0	303	2.95	5.2	0.5	1.3	3.1	29	0.2	0.3	0.1	74	0.35	0.046
LIN 136278	Soil	0.9	19.2	6.1	49	<0.1	16.6	9.0	385	3.38	5.9	0.7	2.5	4.2	21	0.2	0.3	0.1	72	0.26	0.043
LIN 136279	Soil	0.6	13.1	5.1	30	<0.1	10.5	4.5	180	1.95	2.8	0.6	<0.5	0.9	20	<0.1	0.2	0.1	46	0.21	0.040
LIN 136280	Soil	0.7	17.0	6.4	41	<0.1	18.3	8.0	236	2.85	6.3	0.4	1.3	1.8	24	0.1	0.4	0.1	63	0.26	0.027
LIN 136281	Soil	0.6	11.3	4.7	25	<0.1	6.9	4.5	191	1.54	3.1	0.3	<0.5	1.0	12	<0.1	0.2	0.1	39	0.10	0.023
LIN 136282	Soil	0.5	21.3	5.7	44	<0.1	20.0	9.4	356	2.85	5.1	0.7	0.9	4.7	20	<0.1	0.3	0.1	70	0.32	0.057
LIN 136283	Soil	1.0	23.8	8.5	57	<0.1	16.2	11.3	570	2.92	7.3	0.6	1.8	1.4	16	0.3	0.5	0.2	71	0.14	0.043
LIN 136284	Soil	0.4	19.8	5.4	39	<0.1	16.8	8.1	321	2.55	4.8	0.7	5.6	4.0	21	0.1	0.3	<0.1	64	0.27	0.035
LIN 136285	Soil	0.6	8.5	3.8	16	<0.1	4.5	1.8	63	1.00	1.0	0.4	2.4	0.3	13	<0.1	0.2	<0.1	25	0.09	0.031



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

4 of 14

Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136256	Soil	7	23	0.43	113	0.126	3	1.94	0.016	0.08	<0.1	0.01	2.7	<0.1	<0.05	8	<0.5	<0.2
LIN 136257	Soil	19	37	1.03	128	0.213	3	2.26	0.022	0.28	0.2	0.02	4.6	0.2	<0.05	7	<0.5	<0.2
LIN 136258	Soil	8	13	0.25	88	0.071	2	1.01	0.022	0.08	0.2	0.02	1.9	<0.1	<0.05	5	0.5	<0.2
LIN 136259	Soil	16	34	0.76	157	0.163	2	2.22	0.018	0.16	0.1	0.02	5.6	0.1	<0.05	7	<0.5	<0.2
LIN 136260	Soil	11	35	0.77	123	0.162	4	2.19	0.015	0.18	0.1	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 136261	Soil	8	31	0.64	189	0.145	3	2.42	0.017	0.09	<0.1	<0.01	4.0	0.1	<0.05	8	<0.5	<0.2
LIN 136262	Soil	8	17	0.36	122	0.129	3	1.40	0.020	0.08	<0.1	<0.01	2.4	<0.1	<0.05	7	<0.5	<0.2
LIN 136263	Soil	13	25	0.62	129	0.142	3	1.77	0.018	0.13	0.1	0.01	4.2	0.1	<0.05	6	0.5	<0.2
LIN 136264	Soil	2	5	0.12	26	0.048	2	0.49	0.024	0.03	<0.1	<0.01	0.6	<0.1	<0.05	3	<0.5	<0.2
LIN 136265	Soil	5	12	0.19	84	0.074	4	1.12	0.020	0.04	<0.1	0.03	1.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136266	Soil	8	21	0.41	94	0.110	2	1.38	0.019	0.08	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136267	Soil	12	31	0.68	158	0.149	3	2.18	0.017	0.08	0.1	0.01	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136268	Soil	13	25	0.53	162	0.109	2	1.82	0.015	0.11	0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136269	Soil	11	24	0.48	132	0.112	3	1.79	0.014	0.09	0.1	0.03	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136270	Soil	7	30	0.47	99	0.127	3	2.45	0.012	0.06	0.1	0.03	3.2	<0.1	<0.05	9	<0.5	<0.2
LIN 136271	Soil	8	32	0.56	151	0.117	2	2.82	0.014	0.05	<0.1	0.02	3.4	<0.1	<0.05	7	<0.5	<0.2
LIN 136272	Soil	13	20	0.41	110	0.110	3	1.46	0.012	0.11	<0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 136273	Soil	12	20	0.58	143	0.130	4	1.83	0.017	0.33	0.1	0.02	4.8	0.2	<0.05	6	<0.5	<0.2
LIN 136274	Soil	13	19	0.44	148	0.102	6	1.70	0.015	0.10	0.1	0.04	3.5	0.1	<0.05	6	<0.5	<0.2
LIN 136275	Soil	13	21	0.43	125	0.108	2	1.81	0.011	0.10	0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136276	Soil	3	10	0.09	74	0.038	2	0.45	0.015	0.03	<0.1	0.03	0.6	<0.1	<0.05	3	<0.5	<0.2
LIN 136277	Soil	12	34	0.69	129	0.132	4	2.26	0.016	0.08	<0.1	0.03	4.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136278	Soil	11	29	0.71	138	0.130	2	2.19	0.014	0.14	0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
LIN 136279	Soil	10	20	0.36	81	0.076	3	1.40	0.016	0.06	<0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136280	Soil	7	27	0.46	135	0.103	2	2.03	0.017	0.06	<0.1	0.03	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136281	Soil	6	12	0.18	70	0.056	2	1.12	0.020	0.04	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136282	Soil	12	29	0.64	126	0.136	4	1.91	0.015	0.08	0.1	0.03	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136283	Soil	8	28	0.39	129	0.091	5	2.41	0.017	0.04	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136284	Soil	12	27	0.58	136	0.124	3	1.66	0.018	0.09	0.1	0.02	4.1	<0.1	<0.05	5	<0.5	<0.2
LIN 136285	Soil	5	11	0.11	62	0.047	8	0.81	0.029	0.04	<0.1	0.03	1.0	<0.1	<0.05	4	0.9	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

5 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136287	Soil				0.3	15.5	3.9	44	<0.1	23.7	10.3	355	3.17	2.8	0.6	1.2	4.7	23	<0.1	0.2	0.1	67	0.30	0.034
LIN 136288	Soil				0.5	21.2	4.5	49	<0.1	25.9	9.5	376	3.22	4.6	0.7	0.8	4.5	28	<0.1	0.3	<0.1	67	0.36	0.043
LIN 136289	Soil				0.7	14.4	6.3	35	<0.1	13.7	7.3	285	2.75	4.7	0.7	1.2	3.1	18	0.1	0.2	0.1	67	0.20	0.033
LIN 136290	Soil				0.4	16.1	4.3	38	<0.1	15.6	7.6	308	2.79	3.9	0.9	1.6	4.9	21	<0.1	0.2	<0.1	60	0.31	0.049
LIN 136291	Soil				0.6	17.6	5.7	45	<0.1	17.2	9.5	440	3.04	5.2	0.9	1.5	4.1	21	<0.1	0.3	0.1	62	0.27	0.046
LIN 136292	Soil				0.6	19.8	6.8	49	<0.1	15.9	8.5	480	3.13	4.6	1.0	1.5	4.5	23	<0.1	0.2	0.1	61	0.32	0.057
LIN 136293	Soil				0.6	17.7	6.8	44	<0.1	15.0	7.8	438	2.87	4.1	0.9	1.8	5.1	22	0.1	0.2	<0.1	54	0.32	0.054
LIN 136295	Soil				0.6	16.9	5.8	42	<0.1	15.1	8.6	439	2.61	3.9	1.0	1.1	4.2	23	0.2	0.2	0.1	59	0.30	0.036
LIN 136297	Soil				0.7	18.5	8.0	47	<0.1	17.5	9.5	515	2.93	5.6	0.9	1.7	3.7	22	<0.1	0.3	0.1	68	0.25	0.043
LIN 136299	Soil				0.7	17.8	6.9	46	<0.1	16.9	9.2	465	2.80	4.7	0.9	3.7	5.9	21	<0.1	0.3	0.1	62	0.29	0.032
LIN 136300	Soil				0.6	17.9	6.2	46	<0.1	16.0	9.6	458	2.86	4.1	0.9	1.3	6.2	22	<0.1	0.2	0.1	63	0.35	0.051
LIN 136301	Soil				0.9	18.3	6.3	51	<0.1	17.6	9.0	451	2.75	4.7	0.9	1.2	4.9	24	0.1	0.3	0.1	64	0.32	0.035
LIN 136302	Soil				1.2	21.0	9.2	51	<0.1	18.3	10.0	375	2.92	5.2	0.8	0.9	4.1	28	0.3	0.3	0.1	72	0.42	0.047
LIN 136303	Soil				1.1	20.8	11.8	52	0.2	14.8	9.2	583	2.63	4.0	1.1	1.7	3.0	24	0.1	0.2	0.2	66	0.28	0.029
LIN 136304	Soil				1.2	12.5	8.3	35	0.1	10.1	5.0	195	2.30	4.6	0.4	1.4	1.7	18	0.1	0.3	0.2	74	0.20	0.027
LIN 136305	Soil				1.0	20.4	6.2	46	<0.1	17.8	9.2	353	2.83	5.0	0.9	2.3	4.4	22	<0.1	0.2	0.2	68	0.29	0.042
LIN 136306	Soil				1.1	17.7	24.5	41	<0.1	16.1	10.4	616	2.82	4.2	1.0	3.2	4.5	23	0.2	0.3	0.1	66	0.35	0.051
LIN 136307	Soil				1.1	18.9	6.1	30	0.2	12.1	5.7	181	2.17	3.6	0.7	1.1	2.2	14	<0.1	0.3	0.2	58	0.14	0.017
LIN 136308	Soil				1.1	24.9	5.8	45	<0.1	22.3	11.2	395	3.09	5.1	1.1	2.1	3.5	20	0.1	0.2	0.2	83	0.32	0.036
LIN 136309	Soil				1.0	15.9	4.6	37	<0.1	16.9	10.6	412	2.57	3.9	0.9	1.8	2.5	15	<0.1	0.2	0.1	63	0.25	0.050
LIN 136310	Soil				1.2	19.6	5.2	43	<0.1	17.4	9.0	359	2.64	4.2	1.5	1.4	3.6	19	<0.1	0.2	0.1	68	0.28	0.029
LIN 136311	Soil				0.9	14.9	4.8	39	<0.1	15.9	8.8	304	2.35	3.8	0.5	0.7	2.2	14	<0.1	0.2	0.1	67	0.22	0.025
LIN 136312	Soil				1.2	20.3	4.7	41	<0.1	13.4	11.7	491	2.65	3.5	0.7	2.6	2.9	16	<0.1	0.2	0.1	61	0.26	0.055
LIN 136313	Soil				0.8	20.9	3.9	39	<0.1	20.2	10.8	335	2.60	3.6	0.8	0.8	3.5	16	<0.1	0.2	<0.1	68	0.27	0.041
LIN 136314	Soil				0.8	16.8	5.6	46	<0.1	19.9	10.6	303	2.99	5.4	0.7	<0.5	4.6	18	<0.1	0.2	0.1	71	0.26	0.032
LIN 136315	Soil				1.0	19.1	6.9	46	<0.1	20.6	11.2	295	3.47	6.6	0.6	2.2	4.3	14	0.1	0.3	0.2	77	0.19	0.033
LIN 136316	Soil				1.3	27.4	4.2	51	0.1	32.7	12.4	568	2.75	3.2	1.3	1.2	3.4	19	0.1	0.2	0.1	67	0.31	0.054
LIN 136317	Soil				1.2	20.7	6.7	35	<0.1	14.7	8.5	368	2.44	2.4	0.9	1.4	2.9	18	<0.1	0.1	0.1	66	0.32	0.052
LIN 136318	Soil				1.0	15.2	3.1	38	<0.1	13.3	9.5	476	2.61	2.5	1.0	1.4	4.1	19	<0.1	0.1	0.2	60	0.37	0.073
LIN 136319	Soil				1.0	31.0	3.6	30	0.2	17.9	7.7	223	2.09	2.1	2.7	0.9	2.8	27	<0.1	0.2	0.2	44	0.40	0.034



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

5 of 14

Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136287	Soil	13	54	1.47	201	0.190	5	2.51	0.015	0.34	<0.1	0.03	7.1	0.2	<0.05	8	<0.5	<0.2
LIN 136288	Soil	15	40	1.03	219	0.175	3	2.49	0.017	0.29	<0.1	0.03	6.4	0.1	<0.05	7	<0.5	<0.2
LIN 136289	Soil	11	27	0.69	137	0.143	3	1.83	0.016	0.17	<0.1	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
LIN 136290	Soil	15	28	0.78	154	0.153	3	1.91	0.017	0.21	<0.1	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136291	Soil	13	29	0.74	179	0.134	3	2.29	0.014	0.13	0.1	0.02	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 136292	Soil	17	28	0.52	346	0.082	2	1.97	0.013	0.10	<0.1	0.02	5.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136293	Soil	17	25	0.50	304	0.088	1	1.71	0.013	0.09	0.2	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136295	Soil	14	26	0.61	176	0.125	2	1.71	0.015	0.10	0.1	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136297	Soil	14	28	0.62	197	0.135	3	2.29	0.021	0.12	0.1	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 136299	Soil	14	27	0.66	149	0.134	3	1.92	0.015	0.15	0.2	0.03	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136300	Soil	15	28	0.76	176	0.147	2	1.83	0.016	0.19	0.2	0.01	4.6	0.2	<0.05	6	<0.5	<0.2
LIN 136301	Soil	14	27	0.65	169	0.126	2	1.83	0.016	0.16	0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136302	Soil	11	30	0.64	180	0.139	2	1.91	0.017	0.20	0.2	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
LIN 136303	Soil	13	25	0.48	167	0.129	1	1.76	0.021	0.14	0.4	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
LIN 136304	Soil	6	21	0.36	135	0.129	2	1.35	0.014	0.11	0.1	0.03	2.4	<0.1	<0.05	7	<0.5	<0.2
LIN 136305	Soil	13	29	0.69	186	0.137	2	2.07	0.017	0.16	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136306	Soil	13	27	0.65	192	0.126	2	1.77	0.017	0.14	1.3	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136307	Soil	9	21	0.37	118	0.105	2	1.42	0.019	0.09	0.1	<0.01	2.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136308	Soil	12	36	0.66	175	0.122	2	2.14	0.013	0.11	0.3	0.03	3.7	0.1	0.05	6	<0.5	<0.2
LIN 136309	Soil	10	29	0.55	142	0.104	2	1.87	0.014	0.15	0.2	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136310	Soil	12	30	0.50	155	0.109	1	1.65	0.012	0.11	0.2	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136311	Soil	6	30	0.53	184	0.101	2	1.60	0.016	0.11	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136312	Soil	9	21	0.58	162	0.113	1	1.75	0.013	0.17	0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 136313	Soil	10	40	0.63	122	0.120	1	1.67	0.015	0.15	0.2	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
LIN 136314	Soil	10	30	0.55	139	0.108	2	1.96	0.016	0.09	0.1	0.02	3.3	0.1	<0.05	6	<0.5	<0.2
LIN 136315	Soil	10	33	0.55	131	0.118	2	2.38	0.013	0.09	0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 136316	Soil	11	92	0.74	193	0.131	1	1.85	0.018	0.20	0.2	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
LIN 136317	Soil	9	30	0.62	121	0.126	1	1.35	0.014	0.20	1.0	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 136318	Soil	12	26	0.64	125	0.121	1	1.40	0.014	0.28	0.4	0.02	3.5	0.1	<0.05	5	<0.5	<0.2
LIN 136319	Soil	16	35	0.39	214	0.091	<1	1.14	0.015	0.12	0.3	0.03	3.4	<0.1	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 6 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LIN 136320	Soil	0.9	20.5	2.8	28	<0.1	13.3	7.0	216	1.88	1.2	1.9	3.7	2.1	20	<0.1	<0.1	0.2	46	0.33	0.053
LIN 136321	Soil	1.0	21.4	3.7	40	<0.1	13.4	9.6	400	2.77	2.5	1.5	2.4	3.4	20	<0.1	0.1	0.1	70	0.40	0.062
LIN 136322	Soil	1.2	29.8	4.3	42	0.1	17.3	10.3	412	2.87	5.0	1.1	0.8	3.4	13	<0.1	0.2	0.2	61	0.23	0.059
LIN 136323	Soil	0.9	32.2	4.0	43	0.1	22.9	12.9	482	3.00	2.7	1.2	1.0	3.7	24	0.1	0.1	0.1	76	0.41	0.051
LIN 136324	Soil	1.0	27.6	4.1	35	0.1	19.0	10.9	430	2.33	2.9	0.8	0.9	2.6	19	<0.1	0.1	<0.1	60	0.30	0.061
LIN 136325	Soil	0.7	22.4	3.4	41	<0.1	29.3	12.3	415	2.68	3.0	0.8	1.6	3.9	18	<0.1	0.1	<0.1	64	0.37	0.076
LIN 136326	Soil	0.6	23.6	3.3	42	<0.1	30.2	12.3	448	2.69	2.6	0.7	0.7	3.9	18	<0.1	0.1	<0.1	65	0.38	0.083
LIN 136327	Soil	1.1	24.9	5.8	53	<0.1	23.3	11.5	437	3.26	4.2	0.9	0.8	3.9	20	<0.1	0.3	0.1	73	0.27	0.035
LIN 136328	Soil	0.5	13.0	4.3	25	<0.1	10.9	4.5	138	1.65	1.4	0.5	0.7	1.1	10	<0.1	0.2	<0.1	41	0.12	0.020
LIN 136329	Soil	0.5	28.7	9.4	51	<0.1	24.7	10.3	326	2.82	4.3	0.9	2.5	3.8	27	<0.1	0.3	0.1	62	0.35	0.049
LIN 136330	Soil	1.8	15.9	4.8	44	<0.1	77.4	13.7	362	2.90	3.8	0.4	0.6	2.5	18	<0.1	0.2	0.1	74	0.26	0.022
LIN 136331	Soil	1.8	21.6	6.1	41	0.1	20.3	10.2	344	2.81	4.3	6.8	3.8	4.1	38	<0.1	0.2	0.1	60	0.44	0.050
LIN 136332	Soil	0.8	16.8	4.5	39	<0.1	19.1	10.1	479	2.69	3.2	1.9	1.2	4.2	26	0.1	0.2	0.2	62	0.36	0.041
LIN 136333	Soil	1.4	24.7	6.4	47	0.2	21.2	10.7	565	2.81	3.6	3.5	1.4	4.6	29	<0.1	0.2	0.1	64	0.52	0.044
LIN 136334	Soil	1.1	23.3	5.4	40	<0.1	18.7	9.0	304	2.78	3.8	1.1	3.7	3.3	19	<0.1	0.2	0.1	63	0.25	0.033
LIN 136335	Soil	1.3	24.9	6.3	43	0.1	21.3	10.4	443	2.72	4.1	1.1	<0.5	2.7	22	<0.1	0.2	0.1	64	0.34	0.062
LIN 136337	Soil	1.7	25.6	6.6	39	0.1	20.6	9.0	422	2.53	2.9	2.0	1.2	3.1	23	<0.1	0.2	0.1	60	0.38	0.053
LIN 136338	Soil	0.8	17.6	5.0	48	0.2	16.8	10.8	500	3.26	4.2	4.8	6.0	3.9	23	0.1	0.2	0.2	57	0.41	0.066
LIN 136339	Soil	0.6	16.6	3.9	46	<0.1	21.7	9.5	390	2.90	3.0	1.5	1.4	3.8	25	<0.1	0.1	0.1	57	0.51	0.113
LIN 136341	Soil	0.4	7.8	3.2	20	<0.1	6.9	3.1	76	1.17	1.1	0.3	<0.5	0.5	10	<0.1	0.1	<0.1	29	0.10	0.024
LIN 136342	Soil	0.4	4.5	2.2	16	<0.1	1.9	2.3	100	1.02	0.8	0.3	<0.5	0.8	6	<0.1	<0.1	<0.1	26	0.07	0.025
LIN 136343	Soil	0.4	10.2	2.5	20	<0.1	8.0	3.4	99	1.38	1.2	0.4	0.5	0.8	10	<0.1	0.1	<0.1	27	0.12	0.032
LIN 136344	Soil	0.3	15.2	3.4	39	<0.1	14.9	7.6	311	2.76	2.8	0.6	0.9	5.2	18	<0.1	0.2	<0.1	52	0.29	0.042
LIN 136345	Soil	0.7	22.7	8.8	57	0.1	16.0	11.3	762	3.49	3.4	1.3	0.8	3.1	17	0.2	0.2	0.1	49	0.22	0.055
LIN 136346	Soil	0.9	19.9	6.9	46	<0.1	18.9	9.8	514	3.32	4.3	1.1	1.5	4.5	21	<0.1	0.3	0.1	52	0.26	0.041
LIN 136347	Soil	0.6	21.8	6.8	49	<0.1	19.5	9.7	435	2.94	5.5	1.0	1.1	4.5	19	<0.1	0.3	0.1	60	0.24	0.047
LIN 136348	Soil	0.7	18.8	5.6	42	<0.1	17.1	8.6	362	2.48	4.1	0.8	4.6	3.0	21	<0.1	0.2	0.1	55	0.26	0.038
LIN 136349	Soil	0.5	16.0	5.6	40	<0.1	17.1	8.6	320	2.61	4.0	0.7	5.0	3.9	19	<0.1	0.2	0.1	57	0.24	0.033
LIN 136350	Soil	0.5	10.0	4.4	30	<0.1	7.9	4.7	244	1.47	2.0	0.4	<0.5	0.7	18	0.1	0.2	0.1	35	0.19	0.028
LIN 136351	Soil	0.6	18.5	6.2	46	<0.1	15.0	8.6	420	2.47	4.1	0.7	0.6	2.3	20	0.2	0.3	0.1	56	0.23	0.037



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 6 of 14 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136320	Soil	10	28	0.49	134	0.096	1	1.20	0.018	0.16	0.2	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136321	Soil	11	23	0.66	182	0.138	1	1.59	0.014	0.27	0.5	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136322	Soil	12	31	0.60	139	0.124	<1	1.51	0.012	0.24	0.3	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
LIN 136323	Soil	16	49	0.82	254	0.142	<1	1.81	0.016	0.24	0.3	0.03	4.9	0.1	<0.05	6	0.6	<0.2
LIN 136324	Soil	11	36	0.66	139	0.102	1	1.67	0.015	0.14	0.2	0.02	2.3	0.1	<0.05	5	<0.5	<0.2
LIN 136325	Soil	14	88	0.78	146	0.116	1	1.64	0.013	0.24	0.2	0.02	3.6	0.2	<0.05	5	0.5	<0.2
LIN 136326	Soil	14	94	0.93	143	0.127	1	1.81	0.014	0.26	0.2	0.01	3.7	0.2	<0.05	6	<0.5	<0.2
LIN 136327	Soil	14	42	1.02	177	0.146	1	2.29	0.015	0.18	<0.1	0.02	5.1	0.2	<0.05	8	<0.5	<0.2
LIN 136328	Soil	6	24	0.35	76	0.077	1	1.40	0.018	0.06	<0.1	0.01	2.1	<0.1	<0.05	4	<0.5	<0.2
LIN 136329	Soil	13	34	0.57	167	0.105	2	1.89	0.016	0.06	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136330	Soil	7	206	1.23	118	0.148	1	1.96	0.017	0.13	<0.1	0.01	2.4	0.1	<0.05	7	<0.5	<0.2
LIN 136331	Soil	21	30	0.55	285	0.094	3	2.25	0.022	0.11	0.4	0.05	4.2	<0.1	<0.05	7	0.6	<0.2
LIN 136332	Soil	19	33	0.60	190	0.112	2	1.69	0.016	0.10	0.4	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136333	Soil	16	48	0.57	186	0.108	2	2.03	0.017	0.20	0.6	0.04	4.5	0.1	<0.05	6	<0.5	<0.2
LIN 136334	Soil	11	33	0.52	149	0.123	1	1.64	0.018	0.17	0.2	0.02	3.3	0.1	<0.05	7	<0.5	<0.2
LIN 136335	Soil	12	35	0.59	169	0.111	2	2.04	0.021	0.17	0.4	0.03	3.4	0.1	<0.05	7	<0.5	<0.2
LIN 136337	Soil	14	39	0.64	189	0.113	1	2.00	0.019	0.14	0.4	0.04	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136338	Soil	32	32	0.57	270	0.072	3	2.05	0.014	0.14	0.5	0.03	5.0	0.1	<0.05	7	0.6	<0.2
LIN 136339	Soil	18	43	0.72	285	0.093	1	1.92	0.015	0.23	0.5	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 136341	Soil	4	12	0.24	57	0.054	1	0.96	0.019	0.04	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
LIN 136342	Soil	3	5	0.13	29	0.051	2	0.47	0.023	0.07	<0.1	0.02	0.7	<0.1	<0.05	4	<0.5	<0.2
LIN 136343	Soil	6	14	0.32	74	0.056	2	1.08	0.025	0.08	<0.1	0.03	1.8	<0.1	<0.05	4	<0.5	<0.2
LIN 136344	Soil	16	24	0.98	157	0.155	2	2.16	0.020	0.33	0.1	0.01	6.1	0.1	<0.05	7	<0.5	<0.2
LIN 136345	Soil	15	24	0.88	399	0.104	3	2.82	0.016	0.47	0.1	0.04	6.4	0.2	<0.05	9	<0.5	<0.2
LIN 136346	Soil	14	25	0.52	344	0.082	2	1.99	0.013	0.10	0.1	0.02	6.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136347	Soil	13	28	0.61	155	0.122	1	2.10	0.016	0.11	<0.1	0.01	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136348	Soil	9	27	0.62	150	0.121	1	1.67	0.013	0.10	0.2	0.02	3.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136349	Soil	11	24	0.54	153	0.101	1	1.62	0.015	0.07	0.1	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
LIN 136350	Soil	5	13	0.33	101	0.067	<1	0.86	0.017	0.07	0.1	0.02	1.4	<0.1	<0.05	4	<0.5	0.4
LIN 136351	Soil	10	22	0.52	117	0.118	1	1.71	0.017	0.13	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

7 of 14

Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136352	Soil				0.7	13.0	6.4	36	<0.1	9.6	8.4	516	1.89	3.1	0.5	<0.5	1.0	16	0.1	0.2	0.1	41	0.15	0.037
LIN 136353	Soil				0.6	9.8	6.9	32	<0.1	8.0	5.0	310	1.57	1.9	0.4	<0.5	1.2	16	<0.1	0.2	0.1	37	0.16	0.025
LIN 136354	Soil				0.5	11.3	4.7	24	<0.1	7.1	4.0	265	1.26	1.7	0.5	<0.5	0.8	14	0.1	0.2	0.1	29	0.12	0.025
LIN 136355	Soil				0.7	17.3	6.5	61	<0.1	14.4	8.9	594	2.46	3.8	0.6	0.6	2.4	18	0.2	0.2	0.1	57	0.21	0.032
LIN 136356	Soil				0.7	16.8	7.1	37	<0.1	12.7	7.1	462	1.82	2.6	0.8	<0.5	0.7	29	0.2	0.2	0.1	44	0.31	0.043
LIN 136357	Soil				0.7	9.7	10.0	31	<0.1	7.4	5.1	362	1.57	1.9	0.4	2.4	0.7	16	0.2	0.2	0.1	38	0.17	0.024
LIN 136358	Soil				0.8	15.9	7.2	31	0.1	9.9	7.0	457	1.63	2.0	0.7	<0.5	0.9	20	0.1	0.2	0.1	40	0.19	0.028
LIN 136359	Soil				1.0	13.5	6.9	38	<0.1	10.2	5.5	278	2.15	4.0	0.4	<0.5	1.3	21	0.2	0.3	0.2	55	0.21	0.029
LIN 136360	Soil				0.9	19.1	5.9	40	0.1	15.8	10.1	673	2.34	4.1	1.0	1.1	2.2	19	0.1	0.3	0.2	56	0.20	0.035
LIN 136361	Soil				1.0	12.0	6.0	28	<0.1	8.9	5.7	224	1.87	3.3	0.4	0.6	1.5	14	<0.1	0.3	0.1	48	0.13	0.017
LIN 136362	Soil				0.8	13.9	5.9	33	<0.1	12.8	7.1	263	2.08	3.7	0.7	<0.5	2.5	17	<0.1	0.3	0.1	51	0.17	0.026
LIN 136363	Soil				1.4	15.6	7.3	32	0.2	10.8	6.2	239	2.09	3.1	0.6	<0.5	1.5	15	0.1	0.3	0.2	57	0.15	0.024
LIN 136364	Soil				0.7	17.7	5.2	40	<0.1	15.2	8.8	315	2.49	4.1	1.0	0.6	4.2	20	<0.1	0.2	0.1	59	0.29	0.043
LIN 136365	Soil				1.0	18.1	7.7	40	<0.1	14.2	7.2	337	2.45	5.0	0.7	<0.5	2.9	24	0.1	0.3	0.2	64	0.25	0.035
LIN 136366	Soil				0.9	13.8	6.6	39	<0.1	13.8	7.5	242	2.51	4.8	0.6	<0.5	3.1	16	<0.1	0.3	0.2	63	0.19	0.030
LIN 136367	Soil				0.9	15.0	6.4	27	0.1	9.3	4.2	142	1.78	3.3	0.7	1.5	1.3	17	<0.1	0.2	0.2	48	0.16	0.031
LIN 136368	Soil				0.8	22.5	7.4	45	0.1	17.9	8.1	279	2.53	5.3	1.2	3.0	3.4	27	0.1	0.3	0.2	62	0.29	0.037
LIN 136369	Soil				1.0	19.5	7.3	45	<0.1	17.1	10.6	461	2.53	5.1	1.3	2.1	3.0	33	0.1	0.3	0.2	63	0.40	0.044
LIN 136370	Soil				0.5	12.1	4.8	31	<0.1	11.0	6.0	210	1.88	2.8	0.4	4.1	2.2	18	<0.1	0.2	0.1	48	0.24	0.030
LIN 136371	Soil				1.1	29.9	5.5	37	0.3	14.9	16.9	1587	2.63	4.0	1.8	2.4	2.2	35	0.1	0.4	0.3	59	0.36	0.101
LIN 136372	Soil				0.4	33.4	5.9	58	<0.1	19.9	12.6	387	3.75	3.6	1.3	0.7	7.9	27	<0.1	0.3	0.1	71	0.42	0.071
LIN 136373	Soil				0.6	44.5	6.7	50	0.2	22.2	11.9	308	3.50	6.1	1.9	1.4	5.5	28	0.1	0.4	0.2	77	0.39	0.071
LIN 136374	Soil				0.7	18.8	6.5	38	<0.1	14.6	7.1	200	2.46	3.9	0.4	<0.5	2.7	18	0.1	0.3	0.2	61	0.17	0.027
LIN 136375	Soil				0.5	31.5	7.0	51	0.1	25.6	10.7	325	3.20	6.1	1.1	0.6	5.1	32	0.1	0.4	0.2	74	0.45	0.061
LIN 136376	Soil				0.5	24.6	6.2	42	0.1	17.9	7.6	277	2.70	4.7	2.0	0.8	3.1	28	<0.1	0.3	0.1	57	0.38	0.053
LIN 136377	Soil				0.3	18.9	4.8	42	<0.1	16.3	7.0	290	2.57	3.4	0.9	2.1	4.2	24	0.1	0.3	<0.1	53	0.32	0.043
LIN 136378	Soil				0.6	16.1	4.9	43	<0.1	16.0	8.0	336	2.57	3.7	0.7	1.5	3.8	22	0.1	0.3	<0.1	62	0.29	0.046
LIN 136379	Soil				0.7	9.0	5.7	26	<0.1	5.2	3.3	196	1.39	1.8	0.3	1.3	0.6	15	<0.1	0.2	0.1	36	0.11	0.024
LIN 136380	Soil				0.8	22.2	7.9	49	<0.1	19.7	9.6	414	2.98	6.0	0.8	1.0	3.4	23	0.1	0.4	0.1	68	0.25	0.041
LIN 136381	Soil				0.8	20.8	7.0	48	<0.1	18.6	11.0	544	2.96	5.7	0.8	1.2	3.6	21	0.1	0.3	0.1	67	0.25	0.039



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 7 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136352	Soil	6	16	0.36	105	0.075	<1	1.54	0.017	0.06	0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136353	Soil	5	13	0.34	89	0.082	1	0.95	0.018	0.07	<0.1	0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136354	Soil	5	10	0.26	92	0.062	<1	0.78	0.018	0.05	<0.1	0.02	1.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136355	Soil	8	22	0.52	142	0.110	<1	1.59	0.017	0.08	0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136356	Soil	10	19	0.41	163	0.074	<1	1.35	0.023	0.08	0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136357	Soil	5	13	0.29	96	0.081	<1	0.88	0.023	0.07	0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136358	Soil	10	15	0.32	159	0.073	1	0.96	0.019	0.06	0.1	0.02	1.9	<0.1	<0.05	4	<0.5	<0.2
LIN 136359	Soil	5	18	0.37	119	0.097	<1	1.20	0.017	0.07	0.1	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136360	Soil	11	22	0.52	151	0.103	<1	1.67	0.018	0.10	0.2	0.03	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136361	Soil	4	15	0.31	94	0.086	<1	1.17	0.017	0.06	0.2	0.02	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136362	Soil	10	20	0.41	145	0.107	<1	1.44	0.018	0.07	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136363	Soil	7	18	0.30	116	0.092	<1	1.20	0.016	0.07	<0.1	0.02	1.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136364	Soil	12	25	0.60	161	0.123	<1	1.66	0.015	0.09	0.2	<0.01	3.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136365	Soil	8	24	0.42	129	0.105	<1	1.82	0.015	0.06	0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136366	Soil	8	21	0.45	107	0.122	<1	1.67	0.015	0.08	0.1	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136367	Soil	8	17	0.31	90	0.093	<1	1.20	0.015	0.06	<0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136368	Soil	15	24	0.48	189	0.107	<1	2.06	0.017	0.08	0.2	0.02	3.9	<0.1	<0.05	7	<0.5	<0.2
LIN 136369	Soil	13	24	0.51	193	0.105	<1	1.98	0.018	0.10	0.2	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136370	Soil	7	16	0.37	85	0.095	<1	1.23	0.020	0.08	0.2	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136371	Soil	30	29	0.43	210	0.085	2	1.77	0.019	0.14	0.1	0.08	5.2	0.2	0.11	5	0.7	<0.2
LIN 136372	Soil	31	32	0.78	191	0.166	2	2.24	0.018	0.32	0.1	0.03	7.0	0.2	<0.05	8	<0.5	<0.2
LIN 136373	Soil	37	43	0.71	178	0.144	1	2.26	0.017	0.15	0.1	0.04	6.5	0.1	<0.05	7	<0.5	<0.2
LIN 136374	Soil	8	25	0.41	104	0.125	1	1.75	0.019	0.08	0.1	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
LIN 136375	Soil	21	43	0.69	171	0.155	2	1.95	0.022	0.12	0.2	0.03	6.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136376	Soil	19	30	0.61	220	0.121	1	1.99	0.025	0.12	0.1	0.03	5.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136377	Soil	11	24	0.70	129	0.149	1	1.60	0.017	0.12	<0.1	0.02	4.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136378	Soil	11	25	0.65	118	0.150	1	1.59	0.023	0.12	0.2	<0.01	4.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136379	Soil	5	11	0.23	68	0.068	<1	0.89	0.023	0.04	<0.1	0.02	1.4	<0.1	<0.05	4	<0.5	<0.2
LIN 136380	Soil	10	29	0.63	145	0.134	1	1.98	0.017	0.09	<0.1	0.03	3.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136381	Soil	11	28	0.64	148	0.123	1	2.11	0.015	0.09	0.1	0.02	3.9	<0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 8 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LIN 136382	Soil	0.6	18.2	4.9	44	<0.1	19.0	9.1	308	2.90	5.2	0.4	1.3	3.8	18	<0.1	0.3	0.1	71	0.25	0.035
LIN 136383	Soil	0.5	19.9	5.4	48	<0.1	21.7	10.1	376	2.86	5.6	0.7	3.7	4.0	20	0.1	0.3	0.1	74	0.28	0.047
LIN 136385	Soil	0.9	17.4	7.3	53	<0.1	23.3	11.2	371	3.20	7.9	0.5	0.8	2.8	23	0.1	0.4	0.1	82	0.24	0.027
LIN 136386	Soil	0.6	18.8	5.0	45	<0.1	19.9	11.0	440	2.97	5.1	0.6	7.6	3.9	19	0.1	0.2	0.1	75	0.28	0.044
LIN 136387	Soil	0.8	18.5	5.8	42	<0.1	17.3	8.3	293	2.59	5.6	0.7	4.0	3.3	17	<0.1	0.3	0.1	69	0.22	0.034
LIN 136388	Soil	0.6	22.4	5.0	41	<0.1	17.6	9.8	577	2.65	4.0	1.4	3.7	4.1	24	<0.1	0.2	0.1	62	0.44	0.051
LIN 136389	Soil	0.5	15.1	4.3	38	<0.1	14.5	9.1	430	2.48	4.0	0.8	2.2	4.1	24	0.2	0.2	<0.1	57	0.36	0.053
LIN 136390	Soil	0.9	21.3	5.1	41	<0.1	16.7	11.9	748	2.82	4.8	1.5	1.7	4.4	27	0.1	0.2	0.1	61	0.46	0.044
LIN 136391	Soil	1.0	21.9	5.9	42	<0.1	20.0	10.1	323	2.73	5.4	0.6	0.9	4.4	19	<0.1	0.3	0.1	69	0.28	0.041
LIN 136392	Soil	1.1	26.0	6.9	48	<0.1	27.7	12.2	280	3.23	7.6	0.7	2.2	4.7	15	0.3	0.3	0.1	77	0.21	0.043
LIN 136393	Soil	1.2	19.3	10.1	70	0.1	16.4	13.2	950	2.81	4.9	0.5	0.5	2.6	20	0.3	0.4	0.2	81	0.19	0.026
LIN 136394	Soil	1.1	20.9	10.9	59	<0.1	25.7	15.3	405	3.24	7.2	0.6	1.4	4.2	30	0.2	0.4	0.2	87	0.21	0.018
LIN 136395	Soil	0.9	21.2	8.7	43	<0.1	24.5	11.0	310	2.88	6.5	0.8	8.0	5.3	22	<0.1	0.3	0.4	70	0.31	0.043
LIN 136396	Soil	0.9	14.3	6.9	36	<0.1	13.0	6.5	204	3.09	6.5	0.4	1.1	2.7	16	0.1	0.4	0.4	83	0.18	0.028
LIN 136397	Soil	1.1	20.1	7.4	42	<0.1	19.0	8.9	277	2.85	6.6	0.9	2.1	4.1	21	<0.1	0.3	0.3	80	0.29	0.037
LIN 136398	Soil	0.8	19.5	6.1	38	<0.1	16.0	9.2	364	2.36	4.6	0.6	1.0	3.4	17	<0.1	0.3	0.2	59	0.20	0.025
LIN 136399	Soil	0.9	25.6	4.1	37	<0.1	103.9	16.4	266	2.67	4.1	0.4	1.1	3.9	18	<0.1	0.2	0.2	70	0.31	0.046
LIN 136400	Soil	0.7	18.2	4.8	38	<0.1	18.2	7.5	223	2.31	4.1	0.5	<0.5	2.9	17	<0.1	0.2	0.1	61	0.25	0.028
LIN 136401	Soil	0.9	15.1	4.9	30	<0.1	15.3	6.2	181	2.07	3.5	0.6	4.5	3.1	16	<0.1	0.2	0.1	59	0.19	0.022
LIN 136402	Soil	1.3	18.7	4.4	36	<0.1	13.3	8.5	301	2.33	3.4	0.4	0.7	2.2	15	<0.1	0.2	<0.1	61	0.27	0.065
LIN 136403	Soil	1.7	21.5	4.6	45	<0.1	23.8	10.6	435	2.68	5.3	0.4	0.5	2.4	19	<0.1	0.2	0.1	73	0.34	0.061
LIN 136404	Soil	1.4	25.8	6.1	72	<0.1	20.5	14.2	749	2.78	4.9	0.5	1.0	2.8	18	0.2	0.2	0.2	69	0.26	0.059
LIN 136405	Soil	1.2	29.1	3.2	42	<0.1	28.6	13.2	340	2.86	3.2	0.6	<0.5	2.9	17	<0.1	0.2	0.1	79	0.37	0.087
LIN 136406	Soil	0.8	15.7	6.7	38	<0.1	13.3	6.8	271	2.40	5.4	0.5	2.0	2.5	17	<0.1	0.3	0.1	71	0.21	0.025
LIN 136407	Soil	0.8	25.9	6.9	46	<0.1	19.8	9.2	354	2.60	5.8	1.1	1.1	2.3	21	0.1	0.3	0.2	62	0.23	0.054
LIN 136408	Soil	0.8	15.8	9.4	56	<0.1	14.0	8.4	727	2.54	5.3	0.4	4.1	2.0	16	0.2	0.3	0.2	62	0.17	0.043
LIN 136409	Soil	0.9	11.2	6.8	32	<0.1	8.6	4.8	229	2.02	4.9	0.3	0.9	1.4	12	<0.1	0.3	0.1	57	0.12	0.023
LIN 136410	Soil	0.8	16.6	5.0	26	0.1	9.5	5.4	336	1.79	3.2	0.6	<0.5	1.4	15	<0.1	0.2	0.1	43	0.18	0.045
LIN 136411	Soil	0.5	20.7	5.6	43	<0.1	20.0	9.0	263	2.57	5.0	0.7	1.3	3.4	22	<0.1	0.3	0.1	64	0.32	0.050
LIN 136412	Soil	0.5	15.5	5.0	37	<0.1	13.5	7.0	276	2.09	3.9	0.7	1.2	2.1	24	<0.1	0.2	0.1	50	0.32	0.036



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 8 of 14 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136382	Soil	9	28	0.62	116	0.122	2	1.79	0.013	0.08	0.2	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136383	Soil	10	30	0.67	138	0.122	1	2.14	0.016	0.08	0.2	0.03	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136385	Soil	7	33	0.62	183	0.122	2	2.61	0.015	0.07	<0.1	0.02	3.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136386	Soil	10	30	0.69	143	0.118	1	1.88	0.019	0.09	0.2	0.01	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136387	Soil	10	25	0.51	148	0.100	2	1.84	0.018	0.06	0.1	0.02	3.2	<0.1	<0.05	7	0.5	<0.2
LIN 136388	Soil	21	28	0.60	273	0.091	2	1.78	0.017	0.07	0.2	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136389	Soil	16	24	0.52	183	0.082	<1	1.48	0.016	0.07	0.1	0.01	3.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136390	Soil	18	25	0.51	193	0.085	1	1.90	0.022	0.07	0.2	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
LIN 136391	Soil	10	34	0.61	142	0.112	1	1.99	0.018	0.08	0.3	0.01	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 136392	Soil	10	45	0.65	137	0.122	1	2.76	0.016	0.06	0.5	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
LIN 136393	Soil	9	29	0.32	218	0.084	<1	2.12	0.022	0.05	<0.1	0.02	3.3	0.1	<0.05	8	<0.5	<0.2
LIN 136394	Soil	7	40	0.54	209	0.116	2	3.14	0.025	0.05	0.1	0.01	3.9	0.1	<0.05	9	<0.5	<0.2
LIN 136395	Soil	9	31	0.56	137	0.114	1	2.28	0.023	0.06	0.6	0.01	3.5	<0.1	<0.05	5	<0.5	0.3
LIN 136396	Soil	7	25	0.36	83	0.113	<1	1.63	0.010	0.06	1.8	0.01	2.6	<0.1	<0.05	8	0.5	<0.2
LIN 136397	Soil	16	37	0.58	135	0.116	<1	1.94	0.013	0.09	0.4	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 136398	Soil	8	26	0.42	115	0.099	<1	1.65	0.026	0.06	0.2	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136399	Soil	11	327	1.59	105	0.135	<1	2.40	0.013	0.16	0.4	<0.01	2.4	0.2	<0.05	7	<0.5	<0.2
LIN 136400	Soil	9	29	0.53	111	0.105	<1	1.69	0.016	0.07	0.3	<0.01	2.9	0.1	<0.05	6	<0.5	<0.2
LIN 136401	Soil	12	27	0.45	112	0.104	<1	1.55	0.020	0.06	0.2	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 136402	Soil	8	25	0.60	117	0.121	<1	1.52	0.013	0.14	0.2	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
LIN 136403	Soil	8	43	0.70	125	0.123	1	1.68	0.014	0.13	0.3	0.02	2.9	0.1	<0.05	6	<0.5	<0.2
LIN 136404	Soil	8	37	0.58	141	0.115	1	1.88	0.018	0.10	0.2	0.02	2.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136405	Soil	8	61	1.16	198	0.147	<1	1.87	0.021	0.30	0.1	0.01	3.7	0.2	<0.05	7	<0.5	<0.2
LIN 136406	Soil	9	22	0.42	117	0.123	1	1.56	0.015	0.06	<0.1	0.02	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136407	Soil	17	28	0.48	237	0.076	<1	2.16	0.018	0.07	0.1	0.04	3.9	0.1	0.06	6	<0.5	<0.2
LIN 136408	Soil	6	23	0.33	107	0.081	<1	1.72	0.017	0.05	0.1	0.02	2.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136409	Soil	5	17	0.25	77	0.083	1	1.20	0.021	0.04	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136410	Soil	7	15	0.25	126	0.053	<1	1.15	0.024	0.04	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136411	Soil	11	28	0.59	158	0.106	1	1.92	0.017	0.05	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136412	Soil	10	20	0.42	146	0.084	<1	1.54	0.025	0.05	0.1	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 9 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136413	Soil				0.5	22.2	5.0	44	<0.1	18.6	8.1	272	2.38	3.9	0.8	2.0	3.5	25	<0.1	0.2	0.1	57	0.37	0.052
LIN 136414	Soil				0.7	20.0	5.6	45	<0.1	20.2	9.5	276	2.80	5.5	0.7	1.1	4.0	22	<0.1	0.2	0.1	66	0.32	0.048
LIN 136415	Soil				0.6	29.3	3.4	49	<0.1	22.3	10.8	396	2.78	3.7	0.9	3.9	4.7	21	<0.1	0.2	0.1	61	0.37	0.067
LIN 136416	Soil				1.2	15.0	8.4	30	<0.1	10.2	5.2	145	2.80	5.6	0.4	0.5	1.9	11	0.1	0.5	0.3	79	0.12	0.022
LIN 136417	Soil				0.5	16.8	4.5	42	<0.1	13.7	6.8	419	2.03	3.8	0.8	6.4	2.2	25	<0.1	0.2	0.1	49	0.33	0.039
LIN 136418	Soil				1.0	13.6	6.7	43	<0.1	15.8	7.5	315	2.79	5.9	0.3	<0.5	1.7	16	<0.1	0.3	0.2	71	0.20	0.033
LIN 136419	Soil				0.8	10.7	3.3	22	<0.1	11.6	5.6	197	1.28	2.0	0.4	0.9	1.7	14	<0.1	0.1	0.2	37	0.17	0.035
LIN 136420	Soil				1.0	26.5	4.9	46	<0.1	28.1	11.5	362	2.46	4.1	0.8	<0.5	4.3	28	0.1	0.2	0.3	61	0.52	0.083
LIN 136421	Soil				1.2	17.6	7.6	45	<0.1	14.6	7.0	420	2.62	5.2	0.3	<0.5	2.5	11	0.1	0.3	0.2	73	0.11	0.021
LIN 136422	Soil				1.2	29.5	5.1	42	<0.1	116.7	17.4	223	2.51	2.9	1.5	0.6	5.0	29	<0.1	0.2	0.3	55	0.39	0.033
LIN 136423	Soil				1.1	26.8	3.7	45	<0.1	23.1	11.7	434	2.73	4.0	0.5	0.8	3.4	18	<0.1	0.1	0.1	56	0.36	0.058
LIN 136424	Soil				1.0	28.7	4.7	46	<0.1	17.2	11.9	415	2.74	3.9	0.5	1.0	3.1	11	<0.1	0.2	0.1	65	0.26	0.071
LIN 136425	Soil				0.4	5.8	1.7	21	<0.1	16.1	6.3	160	1.11	1.1	<0.1	<0.5	1.0	5	<0.1	<0.1	<0.1	43	0.10	0.023
LIN 136426	Soil				1.0	30.1	9.3	41	<0.1	18.9	9.9	270	2.65	5.6	0.8	3.2	2.2	25	0.1	0.3	0.1	72	0.36	0.055
LIN 136427	Soil				0.7	26.7	4.1	42	<0.1	37.2	11.7	355	2.58	3.8	0.9	0.9	5.4	22	<0.1	0.2	<0.1	68	0.40	0.078
LIN 136428	Soil				1.0	30.5	7.8	51	0.2	18.3	11.8	482	2.84	5.8	2.6	1.8	2.5	38	0.1	0.3	0.4	62	0.51	0.064
LIN 136429	Soil				0.6	6.1	3.7	14	<0.1	3.4	1.7	49	0.79	1.2	0.4	<0.5	0.3	10	<0.1	<0.1	0.1	23	0.10	0.023
LIN 136430	Soil				0.7	24.2	8.3	54	<0.1	19.7	10.8	379	3.05	6.0	1.1	1.5	4.1	28	<0.1	0.3	0.3	75	0.43	0.060
LIN 136431	Soil				0.4	23.3	6.0	50	<0.1	18.7	9.5	290	2.57	4.0	0.9	1.0	4.0	30	0.1	0.3	0.2	61	0.48	0.064
LIN 136432	Soil				0.4	26.1	6.3	48	<0.1	18.0	10.5	507	2.65	4.5	1.3	2.8	4.7	29	0.1	0.3	0.2	65	0.46	0.070
LIN 136433	Soil				0.6	30.3	7.1	54	<0.1	23.6	10.3	370	3.02	5.2	1.4	2.1	4.8	36	0.1	0.4	0.3	71	0.57	0.069
LIN 136434	Soil				0.7	26.2	6.3	47	<0.1	21.7	9.1	348	2.85	5.3	1.2	1.3	4.0	30	<0.1	0.3	0.4	71	0.40	0.056
LIN 136435	Soil				1.1	21.0	9.2	53	<0.1	20.6	9.5	260	3.13	7.0	0.5	1.8	3.1	16	0.2	0.5	0.2	79	0.17	0.023
LIN 136436	Soil				0.6	22.9	4.6	37	<0.1	18.2	9.2	292	2.23	3.7	0.9	1.0	3.3	21	<0.1	0.2	0.3	54	0.32	0.063
LIN 136437	Soil				1.0	23.2	8.1	44	<0.1	22.1	10.3	303	3.18	6.3	1.5	5.1	5.1	20	0.1	0.3	0.2	73	0.22	0.030
LIN 136438	Soil				0.9	26.3	8.3	50	<0.1	22.0	10.0	339	2.93	5.6	1.0	5.5	4.3	23	<0.1	0.3	0.2	72	0.30	0.033
LIN 136439	Soil				0.9	24.4	7.0	47	<0.1	19.8	8.8	366	2.90	4.6	1.3	2.5	5.0	30	<0.1	0.2	0.1	66	0.43	0.061
LIN 136440	Soil				0.7	23.2	6.6	50	<0.1	20.2	10.5	349	3.00	4.7	1.0	1.5	5.6	25	<0.1	0.3	0.1	71	0.34	0.046
LIN 136441	Soil				1.0	22.0	8.4	48	<0.1	18.1	8.4	263	3.08	5.4	1.1	3.3	5.3	24	<0.1	0.3	0.1	78	0.29	0.034
LIN 136442	Soil				0.5	23.1	7.8	54	<0.1	23.0	9.2	314	2.64	10.7	1.0	4.4	4.0	33	<0.1	0.7	0.1	79	0.53	0.071



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

9 of 14

Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136413	Soil	12	31	0.61	136	0.116	1	1.67	0.021	0.10	0.2	0.01	3.6	0.1	<0.05	5	<0.5	<0.2
LIN 136414	Soil	10	32	0.57	159	0.110	1	1.99	0.016	0.09	0.1	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
LIN 136415	Soil	15	41	0.72	108	0.129	<1	1.68	0.019	0.19	1.4	0.01	3.6	0.3	<0.05	5	<0.5	<0.2
LIN 136416	Soil	6	21	0.22	68	0.093	<1	1.72	0.013	0.04	0.1	0.02	2.1	<0.1	<0.05	8	<0.5	0.4
LIN 136417	Soil	11	22	0.39	141	0.080	<1	1.48	0.023	0.06	<0.1	0.02	2.9	<0.1	<0.05	4	<0.5	<0.2
LIN 136418	Soil	7	34	0.37	114	0.097	1	1.73	0.018	0.04	0.2	0.03	2.2	<0.1	<0.05	7	<0.5	0.3
LIN 136419	Soil	7	29	0.33	43	0.067	1	0.83	0.022	0.07	0.2	0.02	1.4	<0.1	0.07	4	<0.5	<0.2
LIN 136420	Soil	11	61	0.78	110	0.116	1	1.61	0.019	0.14	1.1	0.02	3.2	0.2	<0.05	5	<0.5	<0.2
LIN 136421	Soil	6	27	0.29	103	0.089	1	1.87	0.015	0.04	0.1	0.03	2.3	0.1	<0.05	7	<0.5	<0.2
LIN 136422	Soil	21	298	1.60	141	0.106	2	2.16	0.019	0.05	0.4	0.05	4.0	0.3	<0.05	6	<0.5	<0.2
LIN 136423	Soil	8	42	0.71	119	0.138	2	1.72	0.014	0.19	0.3	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136424	Soil	7	31	0.65	86	0.141	1	1.71	0.014	0.12	0.2	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 136425	Soil	2	101	0.57	35	0.127	<1	0.84	0.011	0.14	<0.1	<0.01	0.8	<0.1	<0.05	4	<0.5	<0.2
LIN 136426	Soil	11	30	0.59	183	0.116	3	1.84	0.019	0.10	0.1	0.03	3.1	0.1	<0.05	6	<0.5	0.2
LIN 136427	Soil	16	99	0.93	168	0.136	2	1.76	0.018	0.17	0.1	<0.01	3.3	0.2	<0.05	5	<0.5	<0.2
LIN 136428	Soil	18	27	0.53	291	0.094	3	2.16	0.021	0.09	0.2	0.05	4.6	0.1	0.05	6	0.5	<0.2
LIN 136429	Soil	3	7	0.10	38	0.048	2	0.50	0.020	0.03	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
LIN 136430	Soil	13	29	0.77	223	0.143	1	2.00	0.022	0.16	0.2	0.03	4.2	0.2	<0.05	6	<0.5	<0.2
LIN 136431	Soil	13	29	0.65	167	0.137	1	1.85	0.022	0.08	0.2	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136432	Soil	17	27	0.65	163	0.142	2	1.75	0.025	0.12	0.3	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 136433	Soil	16	35	0.74	238	0.146	2	2.13	0.028	0.12	0.3	0.03	6.0	0.1	<0.05	6	<0.5	<0.2
LIN 136434	Soil	16	32	0.70	204	0.135	3	2.04	0.024	0.07	0.2	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136435	Soil	9	31	0.41	138	0.120	2	2.72	0.014	0.08	<0.1	0.03	3.3	<0.1	<0.05	8	<0.5	<0.2
LIN 136436	Soil	13	36	0.52	100	0.116	2	1.53	0.026	0.09	0.4	0.02	3.1	0.1	<0.05	5	<0.5	<0.2
LIN 136437	Soil	16	33	0.56	123	0.125	2	2.60	0.015	0.08	0.2	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 136438	Soil	14	33	0.66	139	0.143	2	2.12	0.018	0.10	0.2	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
LIN 136439	Soil	19	32	0.66	159	0.143	1	1.95	0.028	0.12	0.1	0.02	5.6	0.2	<0.05	6	<0.5	<0.2
LIN 136440	Soil	18	35	0.70	156	0.150	2	2.22	0.018	0.11	0.1	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
LIN 136441	Soil	16	34	0.62	124	0.146	3	2.32	0.015	0.11	<0.1	0.02	4.8	0.2	<0.05	8	<0.5	<0.2
LIN 136442	Soil	11	31	0.73	194	0.153	2	2.10	0.028	0.10	0.5	0.03	3.7	0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

10 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136443	Soil				0.6	20.8	7.4	60	<0.1	20.3	9.6	407	2.76	11.8	1.2	6.9	4.1	36	0.1	0.7	0.1	73	0.55	0.067
LIN 136444	Soil				0.7	22.6	8.9	61	<0.1	21.4	12.8	846	2.78	11.3	1.6	4.0	3.0	36	0.2	0.6	0.2	71	0.51	0.070
LIN 136445	Soil				0.8	21.6	9.7	64	<0.1	24.0	17.1	692	3.29	15.4	1.3	3.0	3.5	33	<0.1	0.6	0.2	81	0.45	0.068
LIN 136446	Soil				0.7	20.4	8.6	69	<0.1	21.1	13.8	525	3.35	27.5	1.1	7.7	4.9	36	0.1	4.2	<0.1	75	0.54	0.089
LIN 136447	Soil				0.6	14.9	7.5	55	<0.1	17.0	8.5	379	2.53	30.3	1.0	18.6	3.2	30	<0.1	5.3	0.1	62	0.46	0.070
LIN 136448	Soil				0.6	24.3	9.6	61	<0.1	22.0	12.1	344	2.91	58.8	2.0	16.3	4.9	32	0.1	3.5	0.1	86	0.43	0.062
LIN 136449	Soil				0.5	14.8	5.2	41	<0.1	23.5	9.9	311	2.22	2.9	1.0	0.9	2.6	23	<0.1	0.2	0.1	59	0.35	0.067
LIN 136450	Soil				0.8	15.9	4.5	35	<0.1	12.8	7.4	284	2.09	2.5	1.4	0.8	4.0	26	<0.1	0.1	0.1	51	0.40	0.049
LIN 136451	Soil				0.5	11.4	3.7	36	<0.1	17.5	7.4	245	1.84	2.5	0.7	<0.5	3.0	17	0.1	0.1	0.1	51	0.30	0.056
LIN 136452	Soil				1.2	18.8	3.4	41	<0.1	24.4	9.7	382	2.38	2.5	2.1	0.9	5.3	32	<0.1	0.2	0.2	60	0.55	0.040
LIN 136454	Soil				0.9	19.4	3.6	37	<0.1	16.9	10.0	374	2.35	3.1	1.0	<0.5	4.6	23	<0.1	0.1	0.1	61	0.45	0.079
LIN 136455	Soil				1.2	21.3	4.8	36	<0.1	19.2	11.3	471	2.54	3.3	1.3	<0.5	3.6	25	<0.1	0.2	0.1	66	0.38	0.050
LIN 136456	Soil				1.2	19.4	4.0	34	<0.1	17.5	8.6	353	2.22	2.9	0.8	2.1	2.5	21	<0.1	0.1	0.1	60	0.33	0.055
LIN 136457	Soil				0.7	17.0	2.8	34	<0.1	19.7	9.3	318	2.17	2.3	0.5	3.0	2.5	16	<0.1	0.1	<0.1	51	0.33	0.058
LIN 136458	Soil				0.8	17.5	2.7	36	<0.1	19.2	10.2	376	2.45	2.6	0.4	1.7	2.8	15	<0.1	0.1	<0.1	54	0.34	0.078
LIN 136459	Soil				1.1	19.8	3.2	39	<0.1	12.9	10.8	494	2.70	3.0	1.0	2.1	2.9	25	<0.1	0.1	<0.1	67	0.52	0.111
LIN 136460	Soil				0.7	16.4	5.6	44	<0.1	15.9	10.3	388	3.40	5.1	1.0	2.4	5.5	18	<0.1	0.3	0.1	59	0.26	0.061
LIN 136461	Soil				0.4	20.6	5.9	47	<0.1	16.9	8.5	225	2.73	4.5	1.5	5.2	6.8	17	0.2	0.3	0.2	61	0.25	0.048
LIN 136462	Soil				0.3	15.3	2.7	40	<0.1	12.6	9.6	392	3.22	3.3	1.1	1.7	5.7	20	<0.1	0.1	<0.1	59	0.40	0.110
LIN 136463	Soil				0.5	22.4	5.0	45	<0.1	19.3	9.0	339	2.73	4.8	0.7	2.3	4.4	25	0.1	0.3	0.2	58	0.31	0.048
LIN 136464	Soil				0.4	21.1	5.2	45	<0.1	23.7	11.2	420	2.75	5.6	0.5	6.7	3.9	21	0.2	0.3	0.2	62	0.29	0.054
LIN 136465	Soil				0.5	25.2	5.7	45	<0.1	27.8	9.2	363	2.67	4.7	0.7	3.8	3.7	26	<0.1	0.3	0.2	63	0.31	0.045
LIN 136466	Soil				0.4	26.3	4.2	50	<0.1	32.9	12.9	401	3.12	4.0	0.6	1.9	4.1	23	<0.1	0.2	0.2	68	0.40	0.086
LIN 136467	Soil				0.6	26.1	5.9	49	<0.1	21.4	11.3	323	3.13	5.7	0.6	3.4	4.4	19	<0.1	0.3	0.2	69	0.23	0.037
LIN 136468	Soil				0.9	20.4	7.1	48	<0.1	28.0	12.7	293	3.06	8.8	0.5	2.8	3.1	20	0.2	0.4	0.1	66	0.21	0.034
LIN 136469	Soil				0.7	32.2	4.3	56	<0.1	35.6	18.7	824	3.61	4.0	1.7	1.6	6.0	34	0.1	0.2	0.3	69	0.48	0.092
LIN 136470	Soil				0.8	29.8	4.5	55	<0.1	31.7	16.6	728	3.43	4.3	1.5	2.1	6.1	33	0.1	0.2	0.3	68	0.45	0.084
LIN 136471	Soil				0.5	22.3	5.1	44	<0.1	20.5	8.9	350	2.70	4.9	0.8	12.5	5.1	21	0.1	0.3	0.2	68	0.32	0.056
LIN 136472	Soil				0.7	18.4	5.6	50	<0.1	20.6	10.5	422	2.90	5.9	0.7	4.0	4.7	19	0.2	0.3	0.3	70	0.28	0.059
LIN 136473	Soil				0.5	18.0	5.6	46	<0.1	19.3	9.2	286	2.53	4.9	0.7	7.6	3.8	20	0.1	0.3	0.3	66	0.28	0.053



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 10 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136443	Soil	12	32	0.71	187	0.148	2	1.91	0.028	0.10	0.3	0.03	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136444	Soil	11	32	0.66	235	0.112	3	2.22	0.023	0.09	0.2	0.04	3.9	0.1	0.06	6	0.6	<0.2
LIN 136445	Soil	11	34	0.79	214	0.138	3	2.38	0.025	0.09	0.2	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
LIN 136446	Soil	15	34	0.88	221	0.157	2	2.24	0.029	0.17	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
LIN 136447	Soil	12	25	0.66	159	0.120	2	1.77	0.024	0.12	0.3	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
LIN 136448	Soil	15	34	0.78	220	0.146	2	2.52	0.024	0.11	0.2	0.05	4.9	0.2	<0.05	7	<0.5	<0.2
LIN 136449	Soil	11	69	0.67	95	0.110	2	1.59	0.025	0.08	0.2	0.03	3.2	0.2	0.06	5	<0.5	<0.2
LIN 136450	Soil	14	23	0.55	145	0.118	3	1.36	0.022	0.16	0.3	0.04	4.0	0.1	0.05	5	<0.5	<0.2
LIN 136451	Soil	11	50	0.51	66	0.099	<1	1.19	0.019	0.08	0.5	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136452	Soil	18	47	0.64	173	0.112	<1	1.39	0.018	0.15	0.4	0.03	5.1	0.1	<0.05	5	<0.5	<0.2
LIN 136454	Soil	13	35	0.66	182	0.137	<1	1.42	0.021	0.22	0.4	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
LIN 136455	Soil	13	43	0.64	171	0.147	1	1.58	0.023	0.21	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 136456	Soil	10	45	0.59	158	0.112	2	1.22	0.016	0.17	0.3	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136457	Soil	8	39	0.67	149	0.107	2	1.15	0.013	0.20	0.4	0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
LIN 136458	Soil	9	40	0.73	163	0.112	1	1.24	0.014	0.23	0.4	<0.01	3.1	0.1	<0.05	5	<0.5	<0.2
LIN 136459	Soil	14	23	0.74	216	0.098	1	1.28	0.014	0.20	0.3	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
LIN 136460	Soil	19	28	0.61	146	0.097	1	1.85	0.011	0.18	0.2	0.03	5.3	0.1	<0.05	6	<0.5	<0.2
LIN 136461	Soil	29	29	0.62	167	0.120	2	1.96	0.014	0.16	0.2	0.04	6.1	0.1	<0.05	6	<0.5	<0.2
LIN 136462	Soil	23	20	1.02	211	0.121	1	1.89	0.014	0.52	0.3	<0.01	6.8	0.2	<0.05	7	<0.5	<0.2
LIN 136463	Soil	16	32	0.56	151	0.118	2	2.05	0.017	0.11	0.3	0.02	4.7	0.1	<0.05	5	<0.5	0.3
LIN 136464	Soil	9	32	0.62	122	0.120	3	2.24	0.020	0.12	0.3	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
LIN 136465	Soil	19	44	0.63	170	0.119	2	1.80	0.016	0.11	0.2	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136466	Soil	16	60	0.99	150	0.152	2	2.09	0.016	0.37	0.2	0.02	4.4	0.3	<0.05	6	<0.5	<0.2
LIN 136467	Soil	11	35	0.64	148	0.136	2	2.49	0.015	0.09	0.1	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
LIN 136468	Soil	8	36	0.60	127	0.110	4	3.35	0.016	0.07	0.1	0.04	4.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136469	Soil	41	49	0.97	201	0.091	2	2.17	0.058	0.10	<0.1	0.03	6.0	0.1	<0.05	6	<0.5	<0.2
LIN 136470	Soil	37	44	0.85	183	0.101	2	2.12	0.056	0.10	<0.1	0.02	5.5	0.1	<0.05	6	<0.5	<0.2
LIN 136471	Soil	18	30	0.52	146	0.119	2	1.63	0.017	0.08	0.2	0.03	3.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136472	Soil	13	29	0.49	126	0.106	2	1.81	0.019	0.08	0.3	0.02	3.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136473	Soil	14	27	0.50	130	0.110	2	1.65	0.017	0.07	0.2	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

11 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136474	Soil	0.4	18.5	4.4	46	<0.1	18.6	9.9	431	2.84	4.1	0.7	9.7	4.0	22	0.2	0.2	0.1	68	0.34	0.065
LIN 136475	Soil	0.6	16.7	5.4	43	<0.1	12.6	6.4	267	2.20	4.0	0.7	2.7	2.1	12	0.1	0.2	0.2	59	0.15	0.040
LIN 136476	Soil	0.4	10.3	3.3	33	<0.1	8.9	5.4	237	1.69	2.1	0.6	0.9	1.4	15	<0.1	0.1	0.1	40	0.21	0.046
LIN 136477	Soil	0.8	10.0	6.5	44	0.1	12.6	6.0	176	1.94	8.3	0.7	2.0	3.1	18	0.1	0.2	0.2	47	0.26	0.049
LIN 136478	Soil	1.0	10.3	10.5	51	0.2	14.6	9.1	324	2.20	16.6	0.8	14.5	3.2	21	0.2	0.2	0.3	60	0.29	0.049
LIN 136479	Soil	1.5	9.2	14.0	57	0.2	13.2	8.1	280	2.24	46.5	0.9	12.5	3.1	24	0.2	0.2	0.5	54	0.35	0.056
LIN 136480	Soil	2.3	8.5	7.3	39	<0.1	11.8	5.7	144	1.63	12.6	0.7	1.6	2.4	19	<0.1	0.2	0.2	47	0.23	0.037
LIN 136481	Soil	1.9	11.4	6.2	48	<0.1	14.8	7.6	228	1.93	7.1	0.8	6.2	2.3	22	0.1	0.2	0.1	51	0.29	0.049
LIN 136482	Soil	0.8	9.7	7.6	47	<0.1	13.4	6.3	188	1.94	7.6	0.8	1.5	2.6	19	0.1	0.2	0.2	49	0.24	0.044
LIN 136483	Soil	1.4	11.6	7.0	47	<0.1	13.7	6.8	237	2.05	5.2	1.0	1.9	2.8	23	<0.1	0.2	0.2	55	0.28	0.046
LIN 136484	Soil	0.7	12.0	7.9	54	<0.1	16.2	7.8	212	2.18	3.7	1.3	2.3	4.2	24	<0.1	0.2	0.1	55	0.32	0.047
LIN 136485	Soil	0.6	12.8	8.6	63	<0.1	16.9	7.2	193	2.45	4.6	1.7	3.8	6.8	30	0.1	0.3	0.2	57	0.42	0.054
LIN 136486	Soil	1.0	9.8	6.7	46	<0.1	12.3	9.1	828	2.16	4.3	1.1	2.4	2.6	23	0.1	0.2	0.1	56	0.28	0.050
LIN 136487	Soil	0.6	9.2	7.3	55	<0.1	13.5	6.3	213	2.47	4.7	2.2	2.4	4.9	25	<0.1	0.3	0.2	53	0.33	0.052
LIN 136488	Soil	1.4	8.1	7.1	59	<0.1	10.8	10.6	983	2.22	3.6	0.8	5.2	3.6	25	0.1	0.2	0.3	53	0.31	0.046
LIN 136489	Soil	2.0	10.5	8.3	75	<0.1	12.3	12.1	1180	2.86	5.7	1.4	1.7	5.0	36	0.1	0.2	0.3	59	0.50	0.076
LIN 136490	Soil	1.3	16.8	9.9	69	0.1	20.1	14.7	826	3.45	6.4	2.4	2.4	7.1	38	0.1	0.3	0.3	67	0.49	0.054
LIN 136491	Soil	1.9	15.7	7.1	56	<0.1	19.0	10.8	431	3.01	5.8	1.1	2.9	4.1	16	0.2	0.3	0.2	66	0.20	0.037
LIN 136492	Soil	0.5	30.7	7.9	53	<0.1	22.8	7.9	222	3.18	5.2	0.7	2.8	4.2	36	0.1	0.4	0.1	74	0.46	0.050
LIN 136493	Soil	0.4	27.6	6.5	60	<0.1	19.9	9.4	229	2.69	3.0	0.8	2.4	3.7	31	<0.1	0.4	<0.1	78	0.47	0.052
LIN 136494	Soil	0.6	24.8	6.4	55	<0.1	19.5	10.1	319	2.76	5.2	0.7	1.8	3.4	31	0.1	0.3	0.1	66	0.42	0.062
LIN 136495	Soil	0.6	22.8	8.8	55	<0.1	22.9	13.4	559	2.99	12.8	0.9	6.3	3.8	24	0.1	0.3	<0.1	78	0.43	0.067
LIN 136496	Soil	1.1	14.1	7.3	59	<0.1	11.8	6.5	275	2.61	7.3	0.4	1.5	0.9	19	0.2	0.4	0.1	63	0.24	0.041
LIN 136497	Soil	0.9	20.0	7.8	61	<0.1	13.4	7.7	414	2.67	5.5	0.4	2.1	0.7	16	0.3	0.4	0.1	70	0.18	0.036
LIN 136498	Soil	1.0	33.5	5.5	56	<0.1	25.8	14.1	597	3.39	9.5	1.0	10.8	3.5	30	0.1	0.4	0.1	84	0.52	0.082
LIN 136499	Soil	1.4	27.9	10.6	56	0.1	23.5	8.9	256	2.18	30.0	2.0	11.4	2.7	38	0.2	0.7	0.2	62	0.53	0.081
LIN 136500	Soil	4.4	20.9	7.6	47	0.1	17.5	22.1	1856	4.26	39.0	1.6	8.6	2.4	35	0.1	0.5	0.2	84	0.55	0.109
LIN 136501	Soil	0.4	25.4	8.5	58	0.4	23.4	9.7	246	2.98	262.5	1.2	4.6	1.9	38	0.1	0.3	0.3	60	0.53	0.071
LIN 136502	Soil	0.5	23.4	19.0	84	0.3	18.0	13.0	757	4.07	396.0	0.9	4.0	4.0	23	0.2	0.5	1.7	80	0.41	0.084
LIN 136503	Soil	0.7	19.0	10.9	50	0.2	21.0	10.1	274	2.59	102.0	0.7	5.8	2.5	25	0.1	0.4	0.3	61	0.31	0.057



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

11 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136474	Soil	15	27	0.61	185	0.119	2	1.70	0.019	0.15	0.2	0.01	4.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136475	Soil	10	21	0.39	97	0.092	2	1.21	0.013	0.08	0.2	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136476	Soil	10	16	0.36	130	0.076	3	0.96	0.022	0.08	0.2	0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136477	Soil	11	25	0.47	102	0.096	3	1.33	0.017	0.07	0.5	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136478	Soil	10	25	0.53	119	0.106	2	1.47	0.019	0.06	0.4	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 136479	Soil	11	24	0.56	119	0.109	4	1.41	0.021	0.06	0.7	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
LIN 136480	Soil	8	21	0.40	84	0.091	4	1.14	0.019	0.05	0.3	0.03	2.4	<0.1	<0.05	4	<0.5	<0.2
LIN 136481	Soil	9	24	0.46	110	0.092	4	1.38	0.022	0.06	0.3	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136482	Soil	9	22	0.45	97	0.092	3	1.40	0.020	0.06	0.2	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
LIN 136483	Soil	11	23	0.44	125	0.086	3	1.37	0.023	0.05	0.2	0.04	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136484	Soil	13	25	0.51	150	0.098	3	1.55	0.029	0.07	0.1	0.04	3.7	0.2	<0.05	6	<0.5	<0.2
LIN 136485	Soil	16	27	0.59	178	0.118	3	1.68	0.027	0.09	0.1	0.04	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136486	Soil	9	25	0.44	103	0.092	2	1.26	0.023	0.07	0.1	0.04	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 136487	Soil	13	24	0.59	151	0.104	3	1.74	0.019	0.09	<0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136488	Soil	10	20	0.46	125	0.102	3	1.20	0.023	0.13	0.1	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 136489	Soil	15	21	0.55	215	0.098	2	1.41	0.022	0.12	0.2	0.03	4.4	0.2	<0.05	5	<0.5	<0.2
LIN 136490	Soil	21	29	0.64	212	0.104	2	1.86	0.022	0.11	0.2	0.04	5.1	0.2	<0.05	6	<0.5	<0.2
LIN 136491	Soil	10	25	0.52	106	0.123	2	1.84	0.017	0.08	0.2	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 136492	Soil	15	40	0.75	189	0.143	2	2.51	0.018	0.08	0.1	0.03	6.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136493	Soil	11	35	0.69	178	0.160	2	2.14	0.030	0.11	0.1	0.04	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 136494	Soil	11	30	0.63	160	0.134	2	2.17	0.021	0.09	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136495	Soil	13	29	0.78	186	0.141	2	2.34	0.025	0.09	<0.1	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136496	Soil	6	18	0.43	145	0.095	3	1.59	0.023	0.05	<0.1	0.02	1.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136497	Soil	6	22	0.31	137	0.073	1	1.72	0.017	0.03	<0.1	0.02	1.7	<0.1	<0.05	8	<0.5	<0.2
LIN 136498	Soil	13	34	0.77	201	0.140	1	1.60	0.027	0.14	1.6	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 136499	Soil	15	29	0.81	244	0.091	4	2.60	0.032	0.08	0.4	0.04	3.4	0.1	<0.05	7	<0.5	<0.2
LIN 136500	Soil	11	29	0.67	182	0.099	3	1.85	0.029	0.09	0.9	0.04	3.5	0.2	0.06	6	<0.5	<0.2
LIN 136501	Soil	11	34	0.72	183	0.118	3	2.83	0.034	0.07	0.2	0.03	3.9	0.1	<0.05	8	<0.5	<0.2
LIN 136502	Soil	10	25	1.02	241	0.178	1	2.79	0.020	0.53	0.1	0.02	4.5	0.4	<0.05	9	<0.5	<0.2
LIN 136503	Soil	8	26	0.65	153	0.108	1	2.29	0.023	0.07	0.2	0.04	2.6	0.1	<0.05	7	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

12 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136504	Soil				0.7	19.0	9.8	68	0.1	22.6	13.7	558	3.81	45.4	1.0	2.8	3.7	20	0.2	0.3	0.2	77	0.31	0.068
LIN 136505	Soil				0.6	19.7	8.2	52	0.3	23.7	11.5	343	3.00	131.8	0.9	6.3	3.2	27	0.1	0.4	0.2	76	0.40	0.071
LIN 136506	Soil				0.6	19.5	10.4	61	0.2	16.0	9.6	424	3.35	736.1	1.0	4.1	3.9	21	0.1	0.4	0.3	70	0.30	0.064
LIN 136507	Soil				0.7	20.4	11.8	51	0.2	21.0	10.2	317	3.39	477.6	1.5	6.2	3.2	21	<0.1	0.4	0.4	85	0.30	0.058
LIN 136508	Soil				0.7	20.1	14.3	62	0.3	19.7	9.0	369	2.97	503.0	1.9	4.3	2.8	20	0.1	0.5	1.2	67	0.30	0.067
LIN 136509	Soil				0.6	20.2	11.1	50	0.4	13.4	7.1	361	2.30	431.6	2.4	6.6	1.8	14	0.1	0.4	1.0	50	0.20	0.062
LIN 136510	Soil				0.6	11.7	4.5	51	<0.1	11.5	10.7	620	3.87	6.0	0.8	1.3	6.8	19	<0.1	0.2	<0.1	56	0.39	0.057
LIN 136511	Soil				0.5	11.6	5.3	50	<0.1	13.6	7.9	270	2.91	3.7	0.6	1.4	4.8	22	<0.1	0.2	<0.1	57	0.33	0.055
LIN 136512	Soil				0.5	22.2	6.5	49	<0.1	17.4	9.8	275	3.28	5.3	2.0	2.0	6.5	25	0.2	0.4	0.1	67	0.40	0.052
LIN 136513	Soil				0.6	18.3	4.8	41	<0.1	14.6	14.5	814	3.22	4.0	1.7	6.7	5.2	21	<0.1	0.2	<0.1	46	0.27	0.055
LIN 136514	Soil				0.5	22.8	7.1	52	<0.1	19.0	11.7	339	3.39	4.5	2.5	2.9	7.5	21	0.1	0.3	0.1	65	0.36	0.059
LIN 136515	Soil				0.8	17.5	6.8	52	<0.1	16.8	11.2	547	3.11	3.7	1.7	1.5	4.3	23	<0.1	0.3	0.1	70	0.32	0.068
LIN 136516	Soil				1.2	14.7	8.2	35	<0.1	10.0	5.1	197	2.52	3.9	0.5	1.6	2.8	20	0.1	0.4	0.2	78	0.17	0.018
LIN 136517	Soil				0.6	12.8	5.9	27	<0.1	6.9	3.4	161	1.68	2.0	0.4	0.7	1.4	13	0.1	0.2	0.1	56	0.15	0.026
LIN 136518	Soil				0.5	17.7	6.5	51	<0.1	22.5	13.8	334	3.25	5.1	0.5	2.1	4.2	20	0.1	0.3	<0.1	64	0.27	0.030
LIN 136519	Soil				0.4	16.0	5.9	41	<0.1	15.3	9.8	347	3.08	2.9	0.8	2.5	5.9	19	<0.1	0.3	<0.1	60	0.30	0.039
LIN 136520	Soil				0.5	22.4	16.5	45	<0.1	17.2	8.3	290	2.96	3.3	1.0	1.9	6.1	24	<0.1	0.3	0.1	61	0.33	0.043
LIN 136521	Soil				0.4	21.8	5.8	45	<0.1	19.1	8.6	358	2.92	3.7	0.7	3.0	5.0	34	<0.1	0.3	<0.1	63	0.47	0.049
LIN 136522	Soil				0.4	42.4	6.4	56	<0.1	21.9	11.5	225	3.34	8.5	0.7	4.4	2.9	33	<0.1	0.4	<0.1	83	0.48	0.066
LIN 136523	Soil				0.7	22.9	6.5	54	<0.1	18.9	11.6	383	2.98	15.6	0.7	4.8	2.2	23	0.1	0.4	0.1	77	0.35	0.065
LIN 136524	Soil				1.0	17.4	7.6	56	0.3	14.8	7.0	264	2.46	6.3	0.6	8.0	1.4	22	0.4	0.3	0.1	64	0.31	0.067
LIN 136525	Soil				0.4	28.0	5.6	51	<0.1	22.0	10.3	349	2.88	4.9	0.5	2.1	2.8	34	0.1	0.3	<0.1	72	0.43	0.060
LIN 136526	Soil				0.3	7.7	2.2	27	<0.1	3.6	2.9	114	1.04	<0.5	0.3	<0.5	0.2	11	0.2	0.1	<0.1	25	0.17	0.046
LIN 136527	Soil				0.7	22.0	6.4	63	<0.1	24.4	11.5	531	2.91	12.8	0.7	5.1	3.7	30	0.2	0.3	0.1	82	0.49	0.075
LIN 136528	Soil				0.6	23.2	7.0	60	<0.1	24.7	10.7	402	2.78	18.7	1.4	11.8	3.8	28	0.3	0.7	0.1	70	0.49	0.097
LIN 136529	Soil				0.8	30.2	8.3	62	0.1	27.5	13.0	590	3.07	20.9	2.1	11.5	3.4	32	0.2	0.4	0.1	78	0.57	0.076
LIN 136530	Soil				0.7	24.0	7.7	59	<0.1	27.1	12.0	422	3.14	36.7	1.6	12.8	3.3	29	0.1	0.7	0.1	80	0.45	0.087
LIN 136531	Soil				0.7	12.9	5.7	39	<0.1	15.6	9.0	279	2.57	11.0	1.0	4.2	2.0	23	<0.1	0.4	0.1	50	0.36	0.056
LIN 136532	Soil				1.3	16.3	7.3	69	<0.1	22.2	16.1	1045	3.23	13.1	0.9	4.0	2.8	34	<0.1	0.5	0.1	78	0.50	0.076
LIN 136533	Soil				1.0	17.0	7.3	49	<0.1	19.0	9.9	427	2.61	7.9	1.0	6.7	1.9	30	<0.1	0.4	0.1	64	0.38	0.071



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 12 of 14 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136504	Soil	9	30	0.88	149	0.155	2	3.21	0.022	0.20	0.1	0.03	4.1	0.3	<0.05	9	<0.5	<0.2
LIN 136505	Soil	11	30	0.71	167	0.126	3	2.33	0.029	0.07	0.1	0.02	3.1	<0.1	<0.05	7	<0.5	<0.2
LIN 136506	Soil	9	24	0.69	160	0.112	<1	1.95	0.016	0.13	0.3	0.02	2.6	0.2	<0.05	9	<0.5	<0.2
LIN 136507	Soil	10	32	0.64	128	0.128	2	2.59	0.019	0.07	0.2	0.03	3.4	0.1	<0.05	8	<0.5	<0.2
LIN 136508	Soil	11	29	0.70	161	0.125	4	1.96	0.021	0.12	0.3	0.03	3.2	0.2	<0.05	7	0.6	<0.2
LIN 136509	Soil	9	22	0.48	128	0.076	4	1.57	0.016	0.09	0.3	0.04	2.5	0.1	0.10	5	0.7	<0.2
LIN 136510	Soil	14	21	0.61	153	0.132	3	1.76	0.019	0.15	0.2	0.03	5.4	0.1	<0.05	7	<0.5	<0.2
LIN 136511	Soil	13	24	0.67	135	0.120	2	1.91	0.018	0.09	0.1	0.03	4.1	<0.1	<0.05	8	<0.5	<0.2
LIN 136512	Soil	20	29	0.64	195	0.108	4	2.12	0.023	0.10	0.1	0.05	5.4	0.1	<0.05	7	<0.5	<0.2
LIN 136513	Soil	26	21	0.49	226	0.090	2	1.49	0.017	0.10	0.1	0.04	4.8	0.1	<0.05	6	<0.5	<0.2
LIN 136514	Soil	24	28	0.60	161	0.119	3	2.16	0.022	0.15	0.2	0.04	5.6	0.1	<0.05	7	<0.5	<0.2
LIN 136515	Soil	20	30	0.58	138	0.110	3	2.10	0.020	0.13	0.2	0.05	4.9	0.1	<0.05	7	<0.5	<0.2
LIN 136516	Soil	11	21	0.27	105	0.096	2	1.54	0.013	0.05	<0.1	0.03	2.3	0.1	<0.05	9	<0.5	<0.2
LIN 136517	Soil	8	14	0.20	100	0.070	2	1.25	0.019	0.06	<0.1	0.02	1.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136518	Soil	9	31	0.60	89	0.113	4	2.81	0.019	0.09	0.1	0.03	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136519	Soil	18	27	0.72	98	0.141	2	2.05	0.020	0.23	<0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
LIN 136520	Soil	24	28	0.61	176	0.126	2	1.85	0.020	0.14	<0.1	0.03	5.7	0.1	<0.05	7	<0.5	<0.2
LIN 136521	Soil	17	32	0.73	198	0.139	3	2.15	0.025	0.17	0.1	0.02	5.9	0.1	<0.05	6	<0.5	<0.2
LIN 136522	Soil	11	36	0.78	177	0.152	4	2.71	0.031	0.11	<0.1	0.03	5.1	0.1	<0.05	7	<0.5	<0.2
LIN 136523	Soil	8	31	0.65	126	0.131	3	2.49	0.024	0.09	0.1	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
LIN 136524	Soil	7	26	0.42	92	0.106	6	1.69	0.019	0.07	0.1	0.05	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136525	Soil	10	33	0.72	203	0.134	3	2.43	0.030	0.10	<0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136526	Soil	3	7	0.14	28	0.049	7	0.51	0.034	0.04	<0.1	0.02	0.7	<0.1	0.08	3	<0.5	<0.2
LIN 136527	Soil	10	30	0.68	126	0.138	3	1.96	0.033	0.09	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136528	Soil	14	29	0.88	186	0.103	2	1.88	0.036	0.09	0.2	0.03	3.1	0.1	<0.05	5	<0.5	<0.2
LIN 136529	Soil	12	31	0.78	190	0.107	3	2.11	0.026	0.10	0.1	0.04	4.1	0.1	<0.05	6	<0.5	<0.2
LIN 136530	Soil	12	33	0.88	169	0.118	2	2.23	0.028	0.10	0.2	0.03	3.6	0.1	<0.05	6	0.6	<0.2
LIN 136531	Soil	8	22	0.50	144	0.083	3	1.58	0.025	0.06	0.1	0.04	2.6	<0.1	0.05	4	<0.5	<0.2
LIN 136532	Soil	9	29	0.64	212	0.109	2	1.65	0.022	0.08	0.2	0.03	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 136533	Soil	8	30	0.66	178	0.091	3	1.86	0.019	0.06	0.2	0.04	2.6	<0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

13 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
LIN 136534	Soil	0.7	16.8	6.7	56	<0.1	19.4	10.4	686	2.61	15.8	0.8	6.9	2.4	26	<0.1	0.5	0.1	66	0.45	0.060
LIN 136535	Soil	0.5	14.6	5.3	53	<0.1	18.0	9.2	413	2.67	24.4	0.5	4.2	3.1	22	0.2	0.7	<0.1	71	0.40	0.070
LIN 136536	Soil	0.8	21.9	12.3	86	0.3	25.0	13.0	632	3.68	42.6	1.1	4.7	3.7	31	0.2	1.4	0.1	85	0.47	0.058
LIN 136537	Soil	1.1	17.3	8.4	63	0.1	24.4	15.2	709	3.54	26.2	1.2	7.0	3.7	34	0.1	0.6	0.1	89	0.57	0.076
LIN 136538	Soil	1.0	18.0	11.7	68	0.2	19.9	13.2	606	3.02	40.6	1.0	14.0	3.3	30	0.2	0.9	0.1	78	0.46	0.070
LIN 136539	Soil	0.9	24.9	5.6	32	<0.1	14.3	6.6	160	1.80	4.6	0.5	1.2	2.6	15	<0.1	0.2	0.1	42	0.16	0.028
LIN 136540	Soil	0.7	28.8	6.6	50	<0.1	32.1	13.6	285	3.14	8.7	0.4	7.7	3.0	15	0.1	0.4	0.1	78	0.19	0.019
LIN 136541	Soil	0.7	32.6	4.9	40	<0.1	23.8	13.0	311	3.11	7.0	0.4	3.2	3.5	17	<0.1	0.2	0.1	78	0.24	0.029
LIN 136542	Soil	0.4	26.0	3.4	34	<0.1	16.1	8.6	252	2.35	3.2	0.5	1.9	3.0	17	<0.1	0.2	<0.1	53	0.23	0.032
LIN 136543	Soil	0.4	33.5	3.8	32	<0.1	22.3	12.3	295	2.41	4.1	0.3	1.1	3.0	15	<0.1	0.2	<0.1	61	0.24	0.030
LIN 136544	Soil	0.4	23.2	3.2	40	<0.1	17.9	13.3	346	3.03	3.7	0.4	2.2	3.8	15	<0.1	0.2	<0.1	75	0.21	0.030
LIN 136545	Soil	0.8	17.7	6.5	23	<0.1	8.6	4.3	119	2.02	3.9	0.3	1.7	1.0	11	<0.1	0.3	0.1	69	0.10	0.019
LIN 136546	Soil	0.3	40.4	3.6	30	<0.1	16.9	10.1	260	2.69	3.0	0.5	2.7	4.5	16	<0.1	0.2	<0.1	69	0.25	0.018
LIN 136547	Soil	0.4	35.9	3.7	48	<0.1	21.1	11.1	327	2.81	3.2	0.5	1.3	4.3	20	0.1	0.2	<0.1	72	0.35	0.038
LIN 136548	Soil	0.6	11.8	4.0	33	<0.1	6.4	5.2	373	2.05	2.9	0.3	<0.5	1.6	12	<0.1	0.2	<0.1	47	0.12	0.030
LIN 136549	Soil	0.6	14.7	6.2	51	<0.1	23.3	12.2	337	3.56	6.8	0.4	0.7	2.9	17	0.2	0.3	0.1	83	0.20	0.029
LIN 136550	Soil	0.7	16.9	5.4	45	<0.1	16.9	9.5	413	2.72	3.9	0.9	4.2	2.8	19	<0.1	0.3	0.1	69	0.25	0.049
LIN 136551	Soil	0.5	12.6	4.7	47	<0.1	13.6	8.4	395	2.45	3.7	0.7	4.1	2.8	18	0.2	0.2	0.1	60	0.23	0.040
LIN 136552	Soil	0.6	17.3	5.1	50	<0.1	17.9	11.1	472	2.71	3.9	1.0	1.6	4.0	23	0.1	0.3	0.1	62	0.30	0.049
LIN 136553	Soil	0.5	15.4	4.8	45	<0.1	16.2	9.2	343	2.52	4.1	0.9	4.0	2.7	17	0.1	0.2	0.1	63	0.25	0.048
LIN 136554	Soil	0.5	10.0	5.1	50	<0.1	14.8	8.8	348	3.02	5.0	0.4	1.1	3.4	15	0.1	0.2	0.1	87	0.23	0.036
LIN 136555	Soil	0.5	11.9	3.1	29	<0.1	4.9	3.2	147	1.20	1.6	0.3	0.6	0.2	11	<0.1	0.2	<0.1	32	0.11	0.033
LIN 136556	Soil	0.5	8.8	4.3	29	<0.1	7.0	4.2	177	1.34	8.7	0.4	1.0	0.5	11	0.1	0.2	<0.1	34	0.12	0.026
LIN 136557	Soil	0.6	27.2	7.1	65	<0.1	23.7	10.5	422	3.26	41.4	0.9	9.7	2.6	27	0.2	0.5	0.1	82	0.45	0.071
LIN 136558	Soil	0.6	17.5	6.1	46	<0.1	16.8	9.7	618	2.37	11.3	0.6	2.6	1.3	30	<0.1	0.4	0.1	63	0.37	0.058
LIN 136559	Soil	2.2	17.5	20.2	43	0.1	14.6	8.1	296	2.14	86.0	0.7	11.1	1.5	19	<0.1	0.6	0.2	48	0.24	0.055
LIN 136560	Soil	1.6	22.0	17.9	69	0.2	20.6	12.2	549	3.02	75.8	1.6	8.9	3.4	31	0.2	0.7	0.2	74	0.46	0.058
LIN 136561	Soil	1.3	17.9	9.4	31	0.2	9.9	6.6	323	1.63	24.9	1.4	6.3	0.6	25	<0.1	0.3	0.1	32	0.28	0.075
LIN 136563	Soil	1.2	14.0	14.9	54	0.2	16.7	8.3	271	2.64	31.0	1.0	4.1	2.8	29	0.1	0.6	0.2	59	0.39	0.065
LIN 136564	Soil	0.9	20.2	15.2	59	0.2	19.2	9.9	232	2.91	24.2	1.3	2.7	3.4	23	0.2	0.5	0.2	75	0.36	0.058



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 05, 2010

Page:

13 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136534	Soil	8	27	0.67	169	0.108	2	1.78	0.022	0.08	0.1	0.02	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 136535	Soil	8	25	0.69	106	0.121	1	1.62	0.023	0.11	0.1	0.03	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136536	Soil	10	33	0.82	207	0.130	3	2.29	0.024	0.12	0.2	0.02	4.0	0.2	0.06	7	<0.5	<0.2
LIN 136537	Soil	10	34	0.84	197	0.139	3	2.04	0.031	0.11	0.3	0.04	4.0	0.1	<0.05	6	0.7	<0.2
LIN 136538	Soil	11	31	0.68	167	0.135	1	1.84	0.022	0.12	0.1	0.02	3.8	0.2	<0.05	6	<0.5	<0.2
LIN 136539	Soil	10	22	0.40	172	0.070	<1	1.65	0.023	0.05	<0.1	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136540	Soil	6	39	0.79	183	0.117	1	3.35	0.016	0.06	0.1	0.03	4.0	<0.1	<0.05	7	<0.5	<0.2
LIN 136541	Soil	9	51	0.80	144	0.124	1	2.66	0.016	0.06	0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 136542	Soil	14	31	0.59	134	0.093	1	1.59	0.016	0.06	<0.1	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136543	Soil	7	45	0.62	130	0.103	<1	2.26	0.014	0.04	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136544	Soil	12	33	0.87	148	0.127	<1	1.91	0.011	0.10	0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136545	Soil	5	19	0.23	67	0.089	<1	1.11	0.009	0.02	<0.1	0.02	1.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136546	Soil	11	37	0.56	108	0.118	<1	1.78	0.013	0.06	<0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136547	Soil	13	44	0.82	158	0.151	1	1.65	0.021	0.24	0.1	0.02	5.1	0.1	<0.05	6	<0.5	<0.2
LIN 136548	Soil	6	12	0.27	77	0.077	<1	1.10	0.018	0.07	0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136549	Soil	7	34	0.63	132	0.142	2	3.00	0.016	0.09	0.1	0.04	3.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136550	Soil	9	28	0.57	111	0.106	<1	1.54	0.011	0.13	0.1	0.04	3.5	<0.1	<0.05	5	0.5	<0.2
LIN 136551	Soil	9	21	0.49	118	0.112	<1	1.17	0.012	0.14	0.1	0.04	2.9	0.1	<0.05	6	<0.5	<0.2
LIN 136552	Soil	15	27	0.68	180	0.118	<1	1.73	0.016	0.21	0.1	0.04	4.1	0.2	<0.05	5	<0.5	<0.2
LIN 136553	Soil	10	25	0.53	99	0.105	<1	1.56	0.017	0.10	0.2	0.04	3.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136554	Soil	8	26	0.63	72	0.155	<1	1.51	0.012	0.10	0.2	0.03	3.6	0.1	<0.05	7	<0.5	<0.2
LIN 136555	Soil	3	9	0.10	51	0.043	<1	0.70	0.018	0.03	<0.1	0.04	0.8	<0.1	<0.05	3	<0.5	<0.2
LIN 136556	Soil	3	11	0.18	56	0.052	<1	0.72	0.018	0.03	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
LIN 136557	Soil	10	34	0.75	191	0.131	1	2.04	0.024	0.11	0.2	0.04	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136558	Soil	7	24	0.51	210	0.092	2	1.54	0.023	0.05	0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136559	Soil	8	19	0.43	109	0.076	1	1.40	0.031	0.06	<0.1	0.03	2.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136560	Soil	11	29	0.71	165	0.123	2	1.76	0.025	0.10	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
LIN 136561	Soil	9	16	0.28	120	0.050	3	1.13	0.020	0.04	0.1	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136563	Soil	9	26	0.66	151	0.096	<1	1.81	0.022	0.07	0.2	0.04	3.2	0.1	<0.05	5	<0.5	<0.2
LIN 136564	Soil	10	33	0.72	156	0.122	<1	2.03	0.021	0.07	0.1	0.04	3.9	<0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 14 of 14 Part 1

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136565	Soil	1.1	18.9	11.3	57	0.1	19.6	10.9	471	2.82	23.6	1.6	9.2	3.2	30	0.1	0.5	0.1	73	0.46	0.060
LIN 136566	Soil	1.0	13.2	10.3	50	<0.1	16.5	8.1	281	2.49	20.5	1.0	4.9	2.5	25	0.1	0.4	0.1	66	0.37	0.053
LIN 136568	Soil	0.8	19.6	7.1	60	0.1	18.1	12.2	598	2.95	14.0	1.0	11.2	3.0	26	0.1	0.3	0.1	77	0.39	0.053
LIN 136569	Soil	1.0	15.3	10.1	45	0.2	15.2	6.9	249	2.33	11.2	0.7	2.9	2.1	22	0.1	0.2	0.2	68	0.27	0.027
LIN 136570	Soil	0.9	18.7	7.1	49	0.2	18.6	8.3	271	2.44	11.3	1.0	3.0	2.2	26	<0.1	0.3	0.1	61	0.33	0.033
LIN 136571	Soil	0.9	14.6	6.6	41	0.2	13.3	7.1	309	2.36	13.1	0.6	1.5	1.5	17	<0.1	0.3	0.1	63	0.25	0.035
LIN 136572	Soil	1.3	16.7	7.0	46	0.4	14.6	6.5	229	2.41	18.4	0.8	2.4	1.3	20	0.2	0.3	0.1	65	0.24	0.027
LIN 136573	Soil	1.3	13.7	7.1	42	0.6	11.4	6.7	349	2.10	20.8	0.5	2.5	1.1	18	0.2	0.3	0.2	64	0.20	0.022
LIN 136574	Soil	1.2	24.1	7.7	47	0.2	17.6	8.1	322	2.55	38.6	0.8	2.4	1.9	21	0.1	0.3	0.3	66	0.27	0.041
LIN 136575	Soil	0.5	21.4	6.1	56	<0.1	19.4	11.4	334	3.15	29.1	0.9	5.4	2.6	29	<0.1	0.4	0.2	75	0.46	0.066
LIN 136576	Soil	0.6	15.3	5.6	52	0.1	14.7	9.0	381	2.52	20.5	0.7	6.3	1.9	29	<0.1	0.4	0.1	61	0.50	0.075
LIN 136577	Soil	0.5	29.3	7.0	56	<0.1	23.6	9.9	360	2.99	36.8	1.1	8.6	3.1	29	<0.1	0.5	0.1	74	0.50	0.070
LIN 136578	Soil	0.7	19.7	8.1	44	0.3	16.0	8.2	446	2.08	15.7	0.8	1.7	1.4	27	0.3	0.3	0.1	53	0.38	0.052
LIN 136579	Soil	0.8	15.8	8.7	42	0.3	16.8	7.6	252	2.23	14.9	0.7	5.2	2.2	24	0.1	0.3	0.1	62	0.39	0.050
LIN 136580	Soil	1.1	17.4	8.6	51	0.2	17.6	8.7	364	2.15	19.5	3.2	5.3	1.8	34	0.1	0.4	0.1	60	0.53	0.064
LIN 136581	Soil	1.4	21.8	9.3	46	0.2	17.8	8.5	300	3.03	14.0	0.9	2.5	1.3	15	0.2	0.5	0.1	82	0.18	0.032
LIN 136582	Soil	0.7	24.8	6.8	51	0.2	18.8	9.5	349	2.95	7.8	0.6	1.8	1.9	30	<0.1	0.3	0.1	75	0.43	0.049
LIN 136583	Soil	0.6	22.1	12.1	54	<0.1	21.7	10.9	490	2.99	56.8	1.2	4.9	2.8	23	0.1	0.7	0.1	74	0.33	0.044



Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 05, 2010

Page: 14 of 14 Part 2

CERTIFICATE OF ANALYSIS

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136565	Soil	12	29	0.64	178	0.122	2	1.84	0.029	0.08	0.1	0.03	3.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136566	Soil	10	25	0.56	145	0.099	2	1.72	0.024	0.06	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136568	Soil	11	30	0.62	176	0.120	2	1.90	0.022	0.08	0.1	0.03	3.3	<0.1	<0.05	7	<0.5	<0.2
LIN 136569	Soil	7	26	0.49	116	0.111	2	1.72	0.021	0.07	<0.1	0.02	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136570	Soil	10	28	0.56	186	0.114	3	1.98	0.025	0.07	0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 136571	Soil	7	22	0.44	110	0.100	2	1.60	0.021	0.08	0.1	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136572	Soil	7	26	0.45	124	0.098	4	1.87	0.021	0.07	<0.1	0.03	2.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136573	Soil	7	21	0.37	94	0.102	2	1.33	0.020	0.08	<0.1	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2
LIN 136574	Soil	10	28	0.59	169	0.111	2	1.88	0.022	0.11	0.1	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
LIN 136575	Soil	10	27	0.76	224	0.134	2	2.21	0.025	0.09	0.2	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 136576	Soil	8	25	0.63	185	0.118	3	1.78	0.030	0.08	0.2	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136577	Soil	13	31	0.75	215	0.139	2	2.14	0.028	0.09	0.2	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
LIN 136578	Soil	10	23	0.44	177	0.087	2	1.58	0.026	0.06	0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136579	Soil	8	25	0.50	129	0.108	2	1.69	0.028	0.07	0.1	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136580	Soil	9	25	0.47	173	0.097	2	1.57	0.032	0.06	0.1	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136581	Soil	8	27	0.46	114	0.097	2	1.85	0.017	0.05	0.1	0.04	2.5	0.1	<0.05	8	0.6	<0.2
LIN 136582	Soil	10	32	0.70	208	0.132	2	2.10	0.029	0.11	0.1	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136583	Soil	10	34	0.63	176	0.118	2	2.27	0.019	0.08	<0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000361.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LIN 136206	Soil	1.3	23.5	8.9	50	0.1	23.5	11.1	462	3.07	4.7	1.2	<0.5	4.1	29	0.1	0.3	0.2	80	0.42	0.039
REP LIN 136206	QC	1.5	23.9	8.7	47	0.1	21.2	10.4	465	2.96	4.8	1.1	1.9	4.1	29	<0.1	0.3	0.2	77	0.42	0.042
LIN 136227	Soil	0.6	16.7	5.3	45	<0.1	16.3	10.1	490	2.75	4.3	0.7	3.9	4.0	24	0.1	0.2	0.1	75	0.35	0.059
REP LIN 136227	QC	0.6	15.7	5.4	45	<0.1	15.7	9.5	457	2.72	4.4	0.7	2.1	3.7	23	<0.1	0.3	0.1	70	0.32	0.053
LIN 136237	Soil	1.7	17.3	12.1	45	<0.1	25.6	10.2	381	2.94	5.0	0.9	1.6	4.5	20	0.1	0.3	0.3	79	0.27	0.037
REP LIN 136237	QC	1.8	18.1	11.5	45	<0.1	25.1	10.2	404	2.81	3.9	0.8	5.4	4.5	20	<0.1	0.3	0.2	79	0.27	0.038
LIN 136263	Soil	0.6	18.7	6.2	46	<0.1	17.8	8.7	421	2.61	4.1	1.2	1.1	4.5	22	<0.1	0.3	0.1	63	0.29	0.037
REP LIN 136263	QC	0.7	20.1	6.2	47	<0.1	17.6	9.3	450	2.70	3.6	1.2	1.5	4.7	22	<0.1	0.2	0.1	65	0.30	0.038
LIN 136278	Soil	0.9	19.2	6.1	49	<0.1	16.6	9.0	385	3.38	5.9	0.7	2.5	4.2	21	0.2	0.3	0.1	72	0.26	0.043
REP LIN 136278	QC	0.9	19.9	6.4	52	<0.1	17.7	9.3	380	3.36	6.1	0.8	1.9	4.3	21	0.2	0.3	0.2	71	0.26	0.045
LIN 136302	Soil	1.2	21.0	9.2	51	<0.1	18.3	10.0	375	2.92	5.2	0.8	0.9	4.1	28	0.3	0.3	0.1	72	0.42	0.047
REP LIN 136302	QC	0.9	19.7	8.8	52	<0.1	17.3	9.6	374	2.88	5.2	0.8	3.2	4.1	28	0.2	0.3	0.1	71	0.40	0.045
LIN 136325	Soil	0.7	22.4	3.4	41	<0.1	29.3	12.3	415	2.68	3.0	0.8	1.6	3.9	18	<0.1	0.1	<0.1	64	0.37	0.076
REP LIN 136325	QC	0.7	22.4	3.5	40	<0.1	29.5	12.4	436	2.74	2.9	0.8	1.6	3.9	18	<0.1	0.1	<0.1	62	0.33	0.064
LIN 136345	Soil	0.7	22.7	8.8	57	0.1	16.0	11.3	762	3.49	3.4	1.3	0.8	3.1	17	0.2	0.2	0.1	49	0.22	0.055
REP LIN 136345	QC	0.8	22.3	8.3	55	0.2	16.0	10.9	769	3.50	3.6	1.2	0.9	3.2	18	0.2	0.2	<0.1	51	0.24	0.049
LIN 136362	Soil	0.8	13.9	5.9	33	<0.1	12.8	7.1	263	2.08	3.7	0.7	<0.5	2.5	17	<0.1	0.3	0.1	51	0.17	0.026
REP LIN 136362	QC	0.8	15.0	6.1	34	<0.1	13.1	6.9	269	2.07	3.8	0.7	1.5	2.7	16	<0.1	0.3	0.1	50	0.17	0.027
LIN 136377	Soil	0.3	18.9	4.8	42	<0.1	16.3	7.0	290	2.57	3.4	0.9	2.1	4.2	24	0.1	0.3	<0.1	53	0.32	0.043
REP LIN 136377	QC	0.4	19.1	4.6	41	<0.1	15.5	6.8	276	2.55	3.2	0.8	2.0	4.2	24	<0.1	0.2	<0.1	54	0.31	0.046
LIN 136392	Soil	1.1	26.0	6.9	48	<0.1	27.7	12.2	280	3.23	7.6	0.7	2.2	4.7	15	0.3	0.3	0.1	77	0.21	0.043
REP LIN 136392	QC	1.1	25.7	6.6	48	<0.1	28.7	11.8	268	3.18	7.4	0.7	2.0	4.9	15	0.2	0.4	0.1	75	0.22	0.042
LIN 136409	Soil	0.9	11.2	6.8	32	<0.1	8.6	4.8	229	2.02	4.9	0.3	0.9	1.4	12	<0.1	0.3	0.1	57	0.12	0.023
REP LIN 136409	QC	0.9	10.8	6.9	34	<0.1	9.2	4.8	238	2.12	5.3	0.4	<0.5	1.4	13	<0.1	0.3	0.2	59	0.13	0.024
LIN 136432	Soil	0.4	26.1	6.3	48	<0.1	18.0	10.5	507	2.65	4.5	1.3	2.8	4.7	29	0.1	0.3	0.2	65	0.46	0.070
REP LIN 136432	QC	0.5	26.6	6.6	50	<0.1	18.6	10.4	504	2.70	4.5	1.3	1.0	4.9	29	<0.1	0.3	0.2	66	0.48	0.071
LIN 136447	Soil	0.6	14.9	7.5	55	<0.1	17.0	8.5	379	2.53	30.3	1.0	18.6	3.2	30	<0.1	5.3	0.1	62	0.46	0.070
REP LIN 136447	QC	0.6	15.3	8.1	57	<0.1	16.5	8.6	379	2.55	30.9	1.0	9.4	3.4	30	<0.1	5.4	0.2	60	0.45	0.071



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000361.1

Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
LIN 136206	Soil	12	43	0.72	203	0.175	3	2.20	0.019	0.22	0.5	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
REP LIN 136206	QC	13	43	0.73	204	0.171	4	2.21	0.021	0.22	0.5	0.03	4.0	0.2	<0.05	7	<0.5	0.6
LIN 136227	Soil	13	27	0.61	138	0.141	4	1.79	0.020	0.11	0.2	0.03	3.5	0.1	<0.05	6	<0.5	0.7
REP LIN 136227	QC	12	26	0.61	137	0.129	4	1.68	0.018	0.10	0.2	0.02	3.3	<0.1	<0.05	6	<0.5	0.2
LIN 136237	Soil	11	67	0.72	109	0.150	1	2.25	0.015	0.07	0.3	0.02	3.1	0.1	<0.05	8	0.6	<0.2
REP LIN 136237	QC	11	66	0.78	105	0.167	2	2.15	0.017	0.07	0.4	<0.01	3.0	0.1	<0.05	7	0.9	<0.2
LIN 136263	Soil	13	25	0.62	129	0.142	3	1.77	0.018	0.13	0.1	0.01	4.2	0.1	<0.05	6	0.5	<0.2
REP LIN 136263	QC	13	26	0.69	133	0.158	3	1.85	0.018	0.13	0.1	0.02	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136278	Soil	11	29	0.71	138	0.130	2	2.19	0.014	0.14	0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
REP LIN 136278	QC	12	30	0.72	138	0.135	3	2.39	0.015	0.14	0.1	0.04	4.4	<0.1	<0.05	7	<0.5	<0.2
LIN 136302	Soil	11	30	0.64	180	0.139	2	1.91	0.017	0.20	0.2	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
REP LIN 136302	QC	11	29	0.65	178	0.140	4	1.94	0.017	0.19	0.2	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 136325	Soil	14	88	0.78	146	0.116	1	1.64	0.013	0.24	0.2	0.02	3.6	0.2	<0.05	5	0.5	<0.2
REP LIN 136325	QC	14	84	0.77	147	0.112	1	1.51	0.015	0.21	0.2	0.02	3.2	0.2	<0.05	5	<0.5	<0.2
LIN 136345	Soil	15	24	0.88	399	0.104	3	2.82	0.016	0.47	0.1	0.04	6.4	0.2	<0.05	9	<0.5	<0.2
REP LIN 136345	QC	14	26	0.78	406	0.100	3	2.45	0.011	0.51	<0.1	0.03	6.7	0.2	<0.05	9	<0.5	<0.2
LIN 136362	Soil	10	20	0.41	145	0.107	<1	1.44	0.018	0.07	0.2	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136362	QC	9	20	0.41	144	0.108	1	1.49	0.019	0.06	0.2	<0.01	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136377	Soil	11	24	0.70	129	0.149	1	1.60	0.017	0.12	<0.1	0.02	4.7	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136377	QC	12	23	0.67	125	0.146	<1	1.57	0.017	0.12	0.1	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136392	Soil	10	45	0.65	137	0.122	1	2.76	0.016	0.06	0.5	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
REP LIN 136392	QC	10	44	0.67	137	0.121	2	2.78	0.017	0.07	0.5	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
LIN 136409	Soil	5	17	0.25	77	0.083	1	1.20	0.021	0.04	<0.1	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136409	QC	5	17	0.25	82	0.085	1	1.29	0.018	0.05	0.1	0.03	1.7	<0.1	<0.05	7	<0.5	<0.2
LIN 136432	Soil	17	27	0.65	163	0.142	2	1.75	0.025	0.12	0.3	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
REP LIN 136432	QC	17	28	0.65	163	0.141	2	1.75	0.027	0.12	0.3	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 136447	Soil	12	25	0.66	159	0.120	2	1.77	0.024	0.12	0.3	0.03	3.4	0.1	<0.05	5	<0.5	<0.2
REP LIN 136447	QC	11	26	0.68	161	0.116	2	1.82	0.026	0.11	0.2	0.02	3.4	0.1	0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000361.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136463	Soil	0.5	22.4	5.0	45	<0.1	19.3	9.0	339	2.73	4.8	0.7	2.3	4.4	25	0.1	0.3	0.2	58	0.31
REP LIN 136463	QC	0.5	22.7	5.0	46	<0.1	19.6	8.9	339	2.73	5.2	0.7	3.4	4.1	26	0.1	0.3	0.2	58	0.32
LIN 136475	Soil	0.6	16.7	5.4	43	<0.1	12.6	6.4	267	2.20	4.0	0.7	2.7	2.1	12	0.1	0.2	0.2	59	0.15
REP LIN 136475	QC	0.6	16.3	5.3	44	<0.1	12.1	6.5	267	2.18	3.8	0.7	1.7	2.0	13	0.1	0.2	0.2	60	0.17
LIN 136505	Soil	0.6	19.7	8.2	52	0.3	23.7	11.5	343	3.00	131.8	0.9	6.3	3.2	27	0.1	0.4	0.2	76	0.40
REP LIN 136505	QC	0.7	21.0	7.9	54	0.3	25.3	11.7	343	3.20	124.3	0.9	4.3	3.2	25	0.2	0.4	0.2	79	0.39
LIN 136515	Soil	0.8	17.5	6.8	52	<0.1	16.8	11.2	547	3.11	3.7	1.7	1.5	4.3	23	<0.1	0.3	0.1	70	0.32
REP LIN 136515	QC	0.9	17.6	6.3	48	<0.1	15.8	10.6	518	2.96	3.3	1.6	2.9	3.9	23	<0.1	0.3	0.1	61	0.32
LIN 136531	Soil	0.7	12.9	5.7	39	<0.1	15.6	9.0	279	2.57	11.0	1.0	4.2	2.0	23	<0.1	0.4	0.1	50	0.36
REP LIN 136531	QC	0.7	13.4	5.3	39	<0.1	16.2	9.6	291	2.69	10.6	1.0	2.4	1.9	23	<0.1	0.4	0.1	55	0.36
LIN 136556	Soil	0.5	8.8	4.3	29	<0.1	7.0	4.2	177	1.34	8.7	0.4	1.0	0.5	11	0.1	0.2	<0.1	34	0.12
REP LIN 136556	QC	0.6	9.4	4.2	25	<0.1	7.2	4.2	189	1.33	8.4	0.4	1.5	0.5	10	<0.1	0.2	<0.1	36	0.14
LIN 136582	Soil	0.7	24.8	6.8	51	0.2	18.8	9.5	349	2.95	7.8	0.6	1.8	1.9	30	<0.1	0.3	0.1	75	0.43
REP LIN 136582	QC	0.6	24.7	6.9	48	0.2	18.5	9.5	340	2.78	7.1	0.6	1.9	1.8	29	<0.1	0.3	0.1	71	0.41
Reference Materials																				
STD DS7	Standard	20.7	102.9	73.7	399	0.9	53.3	8.6	627	2.37	54.6	5.1	72.5	5.0	80	6.3	6.4	5.4	83	0.99
STD DS7	Standard	19.9	107.5	73.6	408	1.0	52.6	9.1	638	2.38	53.1	5.2	73.6	5.0	78	6.0	6.2	5.2	83	0.96
STD DS7	Standard	19.9	101.9	65.0	382	0.9	51.5	8.5	580	2.27	51.9	4.6	64.8	4.7	72	6.0	6.0	4.6	80	0.91
STD DS7	Standard	20.2	100.0	74.7	380	1.0	52.0	8.8	593	2.28	50.9	5.1	68.2	4.5	80	5.9	6.5	5.0	79	0.90
STD DS7	Standard	20.3	107.9	66.4	403	1.0	60.0	9.6	642	2.49	52.4	4.5	60.4	4.4	69	6.2	5.8	4.5	79	0.83
STD DS7	Standard	21.1	104.9	68.3	405	1.0	60.2	9.9	643	2.51	53.1	4.5	74.7	4.4	71	6.3	5.6	4.5	94	0.96
STD DS7	Standard	19.9	102.8	65.2	400	1.0	55.2	9.1	606	2.31	53.9	4.4	62.9	4.2	75	6.3	6.0	4.5	82	0.90
STD DS7	Standard	20.8	108.8	68.3	390	1.0	55.8	9.0	626	2.32	51.5	4.8	59.2	4.8	77	6.1	5.9	4.6	84	0.95
STD DS7	Standard	22.1	109.2	66.6	385	0.9	56.9	9.2	629	2.46	48.8	4.6	74.0	4.6	76	6.6	5.6	4.5	83	0.96
STD DS7	Standard	20.6	111.1	78.5	427	1.0	58.7	9.6	646	2.52	52.7	5.5	86.3	5.4	83	6.1	6.4	5.3	88	1.00
STD DS7	Standard	21.3	98.9	58.9	390	1.0	55.3	9.2	609	2.32	51.4	4.4	78.7	4.2	68	6.1	5.2	4.0	83	0.94
STD DS7	Standard	17.7	106.6	65.5	389	0.9	53.4	8.3	555	2.22	48.5	4.4	68.5	4.2	62	5.6	5.5	4.5	76	0.80
STD DS7	Standard	20.6	100.8	57.8	391	1.0	55.2	9.8	611	2.36	55.1	4.2	132.2	4.1	67	5.8	5.5	4.2	81	0.94
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 2 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000361.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
LIN 136463	Soil	16	32	0.56	151	0.118	2	2.05	0.017	0.11	0.3	0.02	4.7	0.1	<0.05	5	<0.5	0.3
REP LIN 136463	QC	16	32	0.62	155	0.117	3	2.13	0.022	0.11	0.3	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
LIN 136475	Soil	10	21	0.39	97	0.092	2	1.21	0.013	0.08	0.2	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136475	QC	10	22	0.41	104	0.097	2	1.36	0.015	0.08	0.2	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136505	Soil	11	30	0.71	167	0.126	3	2.33	0.029	0.07	0.1	0.02	3.1	<0.1	<0.05	7	<0.5	<0.2
REP LIN 136505	QC	11	31	0.76	173	0.128	2	2.54	0.028	0.07	0.2	0.03	3.2	<0.1	<0.05	7	<0.5	<0.2
LIN 136515	Soil	20	30	0.58	138	0.110	3	2.10	0.020	0.13	0.2	0.05	4.9	0.1	<0.05	7	<0.5	<0.2
REP LIN 136515	QC	20	29	0.53	139	0.106	3	2.05	0.021	0.12	0.2	0.04	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136531	Soil	8	22	0.50	144	0.083	3	1.58	0.025	0.06	0.1	0.04	2.6	<0.1	0.05	4	<0.5	<0.2
REP LIN 136531	QC	8	23	0.48	140	0.083	2	1.49	0.021	0.06	0.1	0.03	2.6	<0.1	0.06	5	<0.5	<0.2
LIN 136556	Soil	3	11	0.18	56	0.052	<1	0.72	0.018	0.03	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
REP LIN 136556	QC	4	11	0.25	60	0.053	1	0.89	0.020	0.04	<0.1	0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
LIN 136582	Soil	10	32	0.70	208	0.132	2	2.10	0.029	0.11	0.1	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
REP LIN 136582	QC	10	30	0.66	201	0.128	2	2.01	0.025	0.10	0.1	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	14	183	1.05	400	0.120	40	1.00	0.103	0.46	3.7	0.22	2.4	4.1	0.21	5	3.2	2.0
STD DS7	Standard	13	188	1.07	387	0.122	41	1.04	0.100	0.44	3.6	0.22	2.5	4.2	0.15	4	4.0	0.5
STD DS7	Standard	14	182	1.00	378	0.112	36	0.98	0.102	0.43	3.6	0.20	2.4	4.0	0.22	5	3.1	1.6
STD DS7	Standard	12	178	1.01	363	0.125	40	0.96	0.093	0.45	3.4	0.21	2.2	3.8	0.20	4	3.2	0.4
STD DS7	Standard	13	203	0.89	387	0.106	38	0.87	0.094	0.42	3.6	0.21	2.2	4.2	0.16	5	3.0	1.5
STD DS7	Standard	11	214	1.11	383	0.126	39	1.07	0.099	0.46	4.1	0.24	2.5	4.4	0.21	4	3.2	1.0
STD DS7	Standard	12	191	1.04	376	0.118	42	1.01	0.100	0.46	3.4	0.22	2.5	4.0	0.22	5	3.6	1.0
STD DS7	Standard	14	200	1.03	375	0.127	42	1.02	0.100	0.45	3.4	0.20	2.5	3.9	0.23	5	3.1	1.7
STD DS7	Standard	12	197	1.01	367	0.111	43	1.03	0.105	0.49	3.5	0.23	2.2	4.2	0.19	5	3.3	1.6
STD DS7	Standard	13	198	1.09	378	0.139	43	1.03	0.092	0.46	4.0	0.21	2.4	4.7	0.21	5	4.0	2.0
STD DS7	Standard	13	195	1.03	393	0.118	39	1.03	0.098	0.45	3.5	0.22	2.3	4.0	0.20	5	3.4	0.9
STD DS7	Standard	11	162	0.95	347	0.104	34	0.86	0.079	0.44	3.3	0.21	1.8	3.7	0.15	4	3.3	0.9
STD DS7	Standard	12	201	1.03	394	0.110	40	1.00	0.096	0.45	3.6	0.23	2.5	3.7	0.22	5	3.5	0.7
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 3 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000361.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 05, 2010

Page: 3 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000361.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Submitted By: Distribution List

Receiving Lab: Canada-Whitehorse

Received: September 01, 2010

Report Date: October 07, 2010

Page: 1 of 12

CERTIFICATE OF ANALYSIS

WHI10000360.1

CLIENT JOB INFORMATION

Project: LIN
Shipment ID: LIN1
P.O. Number
Number of Samples: 326

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1
Canada

CC: Bert Jeffries

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	324	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	324	Dry at 60C			VAN
1DX2	324	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 2 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136286	Soil		0.5	21.8	5.2	41	<0.1	16.3	7.5	234	2.89	4.4	0.8	3.5	4.1	27	<0.1	0.3	<0.1	62	0.35	0.046		
LIN 136294	Soil		0.6	15.5	5.0	43	<0.1	13.2	8.6	571	2.70	3.6	1.1	0.7	5.3	17	<0.1	0.2	<0.1	51	0.28	0.050		
LIN 136296	Soil		0.6	16.1	5.6	43	<0.1	15.6	9.6	504	2.68	4.1	0.8	2.6	4.0	18	<0.1	0.2	<0.1	60	0.26	0.041		
LIN 136298	Soil		1.0	21.3	7.1	47	<0.1	18.0	10.3	545	2.84	4.9	1.0	0.8	3.2	21	<0.1	0.2	0.1	67	0.26	0.037		
LIN 135303	Soil		1.0	21.0	8.0	50	<0.1	18.1	12.3	650	2.93	10.8	1.2	6.1	2.3	31	<0.1	0.4	0.1	69	0.47	0.088		
LIN 135304	Soil		1.2	19.6	7.1	50	0.1	16.6	14.2	1190	3.10	13.8	1.2	2.2	2.7	34	0.2	0.6	0.1	77	0.53	0.100		
LIN 135306	Soil		0.5	18.3	10.8	64	0.1	33.7	13.2	758	3.15	137.9	1.5	3.4	2.8	37	<0.1	0.4	0.4	78	0.54	0.069		
LIN 135307	Soil		0.6	13.2	10.6	54	0.2	13.8	7.8	485	2.27	138.0	1.7	3.3	1.9	24	0.2	0.4	0.5	54	0.29	0.061		
LIN 135308	Soil		0.6	17.6	11.0	63	0.1	26.9	18.5	1183	3.07	144.0	2.0	1.7	3.2	30	<0.1	0.3	0.5	76	0.43	0.068		
LIN 135309	Soil		0.5	17.1	10.5	66	0.1	22.7	11.7	659	2.98	106.0	1.9	10.7	3.9	33	0.1	0.3	0.6	71	0.46	0.075		
LIN 135310	Soil		0.8	20.7	12.1	56	0.2	28.4	13.3	843	2.77	165.9	2.5	1.9	2.7	35	0.1	0.4	0.6	70	0.44	0.075		
LIN 135311	Soil		0.8	20.7	14.1	64	0.1	44.0	14.6	724	3.22	266.3	2.3	4.6	4.0	46	0.1	0.6	0.7	79	0.61	0.080		
LIN 135312	Soil		0.5	19.2	10.1	45	0.2	26.3	8.3	338	2.17	121.0	3.7	1.1	1.6	39	0.1	0.4	0.4	44	0.46	0.077		
LIN 135313	Soil		0.5	28.9	12.8	69	0.2	80.8	18.0	579	3.80	136.9	2.2	3.6	3.2	62	0.1	0.6	1.0	95	0.84	0.093		
LIN 135314	Soil		0.4	25.1	12.3	68	0.2	22.9	10.0	331	2.97	170.1	3.9	5.1	5.1	31	0.2	0.7	0.6	76	0.42	0.067		
LIN 135315	Soil		0.7	14.8	14.2	56	0.2	15.1	11.9	672	2.73	332.1	1.9	6.3	3.2	28	<0.1	0.4	1.0	66	0.38	0.063		
LIN 135316	Soil		0.6	27.5	17.2	74	0.3	37.0	15.1	916	3.64	388.0	2.5	3.4	6.1	37	0.2	0.5	1.0	79	0.46	0.079		
LIN 135317	Soil		0.8	22.8	26.1	75	0.9	16.9	10.9	534	3.17	300.9	3.9	569.3	5.3	26	0.5	0.7	1.0	64	0.34	0.083		
LIN 135318	Soil		0.3	10.8	19.0	45	0.3	7.1	4.8	279	2.60	583.4	2.5	3.8	3.4	16	0.2	0.4	0.9	56	0.21	0.063		
LIN 135319	Soil		0.8	13.4	12.0	61	0.4	12.5	6.1	234	2.65	222.1	2.0	2.6	4.3	24	0.2	0.4	0.3	56	0.29	0.077		
LIN 135320	Soil		0.5	12.3	12.2	100	0.2	4.9	10.6	903	4.25	445.9	3.7	1.2	13.9	27	0.2	0.6	0.3	68	0.49	0.151		
LIN 135321	Soil		0.7	19.8	11.1	66	0.4	11.8	8.5	647	3.07	156.6	3.4	8.9	3.1	44	0.1	0.5	0.3	70	0.51	0.048		
LIN 135322	Soil		0.5	25.8	9.1	54	0.1	24.0	10.8	329	3.00	29.8	0.9	3.2	3.7	29	<0.1	0.3	0.2	73	0.38	0.053		
LIN 135323	Soil		0.5	39.3	5.8	105	<0.1	64.9	35.3	661	6.10	11.7	0.4	0.6	2.7	80	0.1	0.3	<0.1	48	1.38	0.413		
LIN 135324	Soil		0.5	39.4	32.2	114	<0.1	57.3	34.2	651	6.00	38.3	0.3	0.9	2.3	90	0.2	0.3	0.2	55	1.28	0.320		
LIN 135325	Soil		0.9	30.8	6.1	83	<0.1	53.5	25.4	437	4.67	66.8	0.3	<0.5	1.8	60	<0.1	0.2	0.1	59	0.89	0.190		
LIN 135326	Soil		0.7	28.6	9.9	60	0.2	27.7	11.9	253	3.56	50.7	0.9	2.2	2.9	51	0.1	0.3	0.2	70	0.69	0.116		
LIN 135329	Soil		1.3	20.6	11.8	71	0.2	18.1	12.0	634	3.78	82.4	1.5	4.6	3.7	27	0.1	0.5	0.3	96	0.36	0.051		
LIN 135330	Soil		0.8	16.3	8.4	40	0.3	10.2	6.6	364	2.14	72.2	2.5	2.4	2.0	24	<0.1	0.3	0.5	53	0.30	0.056		
LIN 135331	Soil		0.8	20.3	11.4	72	0.3	11.9	9.7	646	3.13	271.8	1.9	2.9	4.1	21	0.2	0.4	2.5	71	0.32	0.084		



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

2 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136286	Soil	17	28	0.72	213	0.137	<1	1.98	0.016	0.15	0.1	0.02	5.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136294	Soil	18	23	0.57	240	0.108	<1	1.69	0.011	0.15	0.1	0.02	5.1	0.1	<0.05	6	<0.5	<0.2
LIN 136296	Soil	14	24	0.57	184	0.106	<1	1.78	0.014	0.11	<0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 136298	Soil	13	27	0.58	183	0.122	<1	2.09	0.016	0.14	0.3	0.03	4.2	0.1	<0.05	7	<0.5	<0.2
LIN 135303	Soil	11	34	0.67	210	0.102	3	2.08	0.020	0.07	0.3	0.05	3.9	0.1	<0.05	6	<0.5	<0.2
LIN 135304	Soil	10	31	0.66	241	0.108	2	1.80	0.020	0.08	0.5	0.04	3.7	0.1	0.05	6	<0.5	<0.2
LIN 135306	Soil	10	40	1.04	204	0.135	2	2.17	0.018	0.07	0.1	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
LIN 135307	Soil	8	22	0.48	151	0.079	<1	1.46	0.019	0.06	0.1	0.03	2.6	0.1	<0.05	5	<0.5	<0.2
LIN 135308	Soil	11	36	0.90	195	0.133	1	2.07	0.020	0.08	0.2	0.04	3.6	0.2	<0.05	7	<0.5	<0.2
LIN 135309	Soil	11	34	0.83	200	0.140	1	2.06	0.021	0.11	0.1	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
LIN 135310	Soil	12	38	0.81	205	0.112	1	1.83	0.022	0.08	0.1	0.05	3.4	0.2	<0.05	6	<0.5	<0.2
LIN 135311	Soil	12	44	1.21	240	0.137	1	2.17	0.020	0.17	0.1	0.03	3.9	0.3	<0.05	7	<0.5	<0.2
LIN 135312	Soil	14	32	0.66	204	0.088	2	1.56	0.021	0.07	<0.1	0.05	3.1	0.2	<0.05	6	<0.5	<0.2
LIN 135313	Soil	13	93	1.99	303	0.185	1	2.63	0.019	0.28	0.1	0.02	4.9	0.4	<0.05	8	<0.5	<0.2
LIN 135314	Soil	14	38	0.78	240	0.153	2	2.19	0.022	0.13	0.1	0.04	4.8	0.2	<0.05	7	<0.5	<0.2
LIN 135315	Soil	11	26	0.62	185	0.109	1	1.90	0.020	0.07	0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
LIN 135316	Soil	17	51	1.07	288	0.143	2	2.39	0.021	0.20	0.2	0.04	4.8	0.2	<0.05	7	<0.5	<0.2
LIN 135317	Soil	22	25	0.56	262	0.071	<1	2.13	0.015	0.12	0.2	0.05	4.6	0.2	<0.05	6	<0.5	<0.2
LIN 135318	Soil	11	14	0.41	124	0.075	<1	1.29	0.019	0.14	0.2	0.04	2.3	0.1	<0.05	5	<0.5	<0.2
LIN 135319	Soil	16	21	0.58	136	0.086	<1	1.93	0.018	0.13	0.1	0.03	2.7	0.2	<0.05	8	<0.5	<0.2
LIN 135320	Soil	30	7	0.91	274	0.161	<1	2.62	0.015	0.68	0.1	<0.01	4.3	0.4	<0.05	9	<0.5	<0.2
LIN 135321	Soil	18	20	0.59	132	0.155	<1	2.32	0.022	0.11	0.2	0.03	4.2	0.1	<0.05	11	<0.5	<0.2
LIN 135322	Soil	10	32	0.71	189	0.117	<1	2.57	0.021	0.06	<0.1	0.03	3.8	<0.1	<0.05	6	<0.5	<0.2
LIN 135323	Soil	33	16	1.98	375	0.144	<1	3.21	0.082	0.25	0.1	<0.01	2.5	0.3	<0.05	9	<0.5	<0.2
LIN 135324	Soil	23	17	2.04	360	0.216	<1	3.19	0.093	0.24	<0.1	<0.01	2.5	0.3	<0.05	10	<0.5	<0.2
LIN 135325	Soil	17	18	1.71	323	0.188	<1	3.02	0.104	0.38	0.1	<0.01	2.4	0.3	<0.05	9	<0.5	<0.2
LIN 135326	Soil	17	34	0.99	181	0.135	1	2.42	0.034	0.09	0.1	0.03	5.3	<0.1	<0.05	7	<0.5	<0.2
LIN 135329	Soil	13	29	0.72	218	0.160	<1	2.22	0.019	0.13	0.1	0.04	3.5	0.2	<0.05	10	<0.5	<0.2
LIN 135330	Soil	18	19	0.39	175	0.094	1	1.52	0.021	0.10	0.1	0.04	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 135331	Soil	11	21	0.76	189	0.143	1	2.12	0.021	0.25	0.1	0.03	3.4	0.3	<0.05	8	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

3 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 135332	Soil	0.5	14.1	8.2	61	0.3	11.2	7.9	426	2.62	225.6	1.6	1.8	3.0	20	0.1	0.3	1.4	57	0.34	0.077
LIN 135333	Soil	0.8	16.8	10.7	72	0.2	17.2	12.9	722	3.00	199.7	1.8	2.5	2.8	27	0.1	0.4	1.2	65	0.36	0.074
LIN 135335	Soil	0.5	13.4	8.3	40	0.1	10.3	5.9	358	1.97	261.6	1.2	3.2	1.1	20	0.2	0.3	0.2	47	0.27	0.058
LIN 135336	Soil	0.6	14.4	11.1	65	0.2	12.9	10.4	626	3.02	196.9	1.6	2.3	4.0	24	0.1	0.3	0.5	67	0.34	0.061
LIN 135337	Soil	0.6	17.5	10.9	62	0.3	14.9	9.6	510	2.89	128.6	1.5	2.6	3.9	24	0.2	0.3	0.5	68	0.34	0.062
LIN 135338	Soil	0.6	20.1	16.8	73	0.3	17.9	8.5	357	2.79	56.3	1.0	12.2	2.7	24	0.3	0.7	0.1	69	0.32	0.049
LIN 135339	Soil	0.9	17.4	9.3	46	0.4	20.9	11.5	367	3.23	28.4	0.8	2.9	2.3	24	0.3	0.4	0.2	76	0.30	0.052
LIN 135340	Soil	1.3	30.9	7.9	66	0.1	24.1	11.7	518	3.46	43.9	2.9	7.4	3.7	35	0.1	0.6	0.1	86	0.58	0.093
LIN 135341	Soil	1.2	23.5	7.6	46	0.1	17.0	8.9	427	2.51	62.0	1.2	8.7	2.3	27	0.2	0.5	0.2	64	0.40	0.063
LIN 135343	Soil	0.7	12.9	8.7	76	<0.1	14.6	13.0	1118	3.21	99.6	1.5	68.0	3.9	35	0.1	0.3	0.3	70	0.50	0.075
LIN 135344	Soil	0.4	20.7	9.6	67	0.1	17.4	11.3	399	3.14	73.7	3.1	12.8	5.1	28	0.1	0.5	0.3	74	0.40	0.072
LIN 135345	Soil	0.7	11.1	6.9	66	<0.1	13.5	11.2	944	2.75	140.2	0.9	10.1	4.1	29	0.1	0.3	0.3	64	0.48	0.081
LIN 135346	Soil	0.8	11.2	10.2	61	0.1	14.0	10.5	812	2.76	143.8	1.4	2.3	2.6	33	0.2	0.6	0.3	63	0.41	0.075
LIN 135347	Soil	0.6	11.7	8.7	57	<0.1	13.0	8.2	371	2.65	79.8	1.4	3.4	3.2	25	<0.1	0.4	0.4	62	0.40	0.075
LIN 135348	Soil	0.4	15.2	8.7	64	<0.1	16.1	9.2	339	3.00	74.5	1.5	2.0	4.3	24	<0.1	0.4	0.4	73	0.40	0.070
LIN 135359	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
LIN 135365	Soil	0.5	15.7	12.4	65	<0.1	13.3	8.9	542	3.01	127.7	1.3	2.8	3.9	27	0.1	0.4	0.9	67	0.37	0.055
LIN 135366	Soil	0.5	33.6	4.0	86	<0.1	52.6	26.5	492	4.76	41.7	0.4	1.3	2.3	70	0.2	0.2	<0.1	52	1.15	0.243
LIN 135368	Soil	0.8	27.8	5.9	100	<0.1	40.9	25.8	538	5.09	17.8	0.5	0.7	2.4	54	0.1	0.2	0.1	61	1.07	0.365
LIN 135369	Soil	0.7	24.0	6.5	77	<0.1	31.5	19.2	304	4.39	61.9	0.4	<0.5	1.9	52	<0.1	0.2	0.1	57	1.02	0.282
LIN 135370	Soil	0.6	17.9	7.0	56	0.1	20.0	10.8	294	2.85	54.6	0.8	2.8	1.7	32	<0.1	0.3	0.3	62	0.46	0.086
LIN 135371	Soil	0.6	23.6	11.0	65	0.4	21.8	12.2	281	3.11	86.1	1.9	3.4	2.6	28	0.1	0.4	0.7	75	0.39	0.071
LIN 135372	Soil	0.9	17.2	8.7	61	0.2	19.9	11.9	505	3.34	330.0	0.9	6.4	2.9	25	0.1	0.4	1.2	79	0.39	0.065
LIN 135373	Soil	0.8	17.1	10.1	53	0.2	13.3	8.3	406	2.75	334.1	1.0	3.3	2.0	23	0.1	0.5	0.8	64	0.34	0.075
LIN 135374	Soil	0.7	16.4	10.0	75	0.2	19.8	12.9	717	3.65	297.6	1.1	3.9	3.9	24	<0.1	0.4	1.0	76	0.42	0.082
LIN 135375	Soil	0.6	19.0	12.8	69	0.8	17.1	11.7	637	3.58	1110	1.7	7.9	4.3	25	0.2	0.6	4.1	72	0.44	0.096
LIN 135376	Soil	0.6	21.3	7.9	66	0.3	20.6	11.9	479	3.65	285.1	1.4	4.0	3.9	23	0.1	0.4	0.7	85	0.37	0.063
LIN 135377	Soil	0.8	23.4	8.3	64	0.4	21.6	12.0	476	3.49	318.1	1.9	6.1	4.1	24	0.1	0.4	0.7	81	0.39	0.065
LIN 135378	Soil	0.9	16.5	8.7	55	0.5	13.4	8.5	456	2.89	273.5	1.8	6.3	2.9	24	0.1	0.4	0.7	66	0.31	0.056
LIN 135379	Soil	0.8	17.1	7.8	65	<0.1	21.0	10.8	491	3.61	149.4	1.1	2.9	3.9	24	<0.1	0.4	0.5	83	0.35	0.057



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

3 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 135332	Soil	11	18	0.63	153	0.112	<1	1.66	0.019	0.17	0.1	0.04	3.0	0.2	<0.05	7	<0.5	<0.2
LIN 135333	Soil	12	25	0.70	191	0.114	2	2.11	0.022	0.10	0.1	0.04	3.4	0.2	<0.05	8	<0.5	<0.2
LIN 135335	Soil	9	16	0.39	122	0.079	<1	1.31	0.021	0.09	<0.1	0.02	1.9	0.1	<0.05	5	<0.5	<0.2
LIN 135336	Soil	13	19	0.73	202	0.143	<1	1.92	0.019	0.23	0.1	0.02	3.1	0.3	<0.05	7	<0.5	<0.2
LIN 135337	Soil	16	22	0.63	226	0.106	1	1.95	0.018	0.11	0.2	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
LIN 135338	Soil	9	30	0.58	145	0.118	1	2.23	0.020	0.09	<0.1	0.03	3.6	0.1	<0.05	6	<0.5	<0.2
LIN 135339	Soil	7	32	0.57	105	0.110	3	2.57	0.019	0.06	0.1	0.04	3.2	<0.1	<0.05	7	0.5	<0.2
LIN 135340	Soil	17	33	0.86	310	0.132	2	2.24	0.032	0.14	0.3	0.04	5.4	0.2	<0.05	6	0.5	<0.2
LIN 135341	Soil	13	25	0.50	192	0.093	2	1.56	0.030	0.08	0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
LIN 135343	Soil	11	24	0.77	231	0.116	2	2.04	0.021	0.10	0.1	0.03	3.6	0.2	<0.05	7	0.7	<0.2
LIN 135344	Soil	17	29	0.72	250	0.122	2	2.29	0.022	0.08	0.2	0.04	4.8	0.2	<0.05	7	0.6	0.2
LIN 135345	Soil	12	21	0.66	163	0.113	2	1.56	0.021	0.08	0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 135346	Soil	9	24	0.50	165	0.079	2	1.69	0.021	0.05	<0.1	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
LIN 135347	Soil	10	23	0.58	152	0.105	2	1.76	0.020	0.06	0.1	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
LIN 135348	Soil	11	27	0.70	178	0.125	2	2.24	0.020	0.08	0.1	0.04	3.5	0.2	<0.05	7	<0.5	<0.2
LIN 135359	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
LIN 135365	Soil	11	19	0.66	182	0.124	1	1.99	0.021	0.18	0.1	0.02	3.8	0.2	<0.05	8	<0.5	<0.2
LIN 135366	Soil	20	15	1.52	223	0.153	1	3.62	0.166	0.35	0.2	<0.01	2.2	0.3	<0.05	9	0.6	<0.2
LIN 135368	Soil	24	21	1.53	194	0.145	1	3.17	0.055	0.24	0.2	0.02	3.0	0.2	<0.05	9	0.6	<0.2
LIN 135369	Soil	21	18	1.38	194	0.116	1	2.17	0.051	0.27	<0.1	0.02	2.5	0.2	<0.05	8	<0.5	<0.2
LIN 135370	Soil	10	28	0.67	174	0.106	1	2.14	0.031	0.06	0.1	0.04	3.4	<0.1	<0.05	7	<0.5	<0.2
LIN 135371	Soil	14	32	0.76	223	0.113	2	2.52	0.025	0.07	0.2	0.05	4.2	0.1	<0.05	8	0.6	<0.2
LIN 135372	Soil	10	29	0.77	180	0.124	2	2.17	0.023	0.14	0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
LIN 135373	Soil	10	20	0.57	153	0.099	1	1.66	0.023	0.14	0.1	0.02	2.5	0.2	<0.05	7	<0.5	<0.2
LIN 135374	Soil	11	26	0.85	206	0.131	2	2.22	0.022	0.24	0.1	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
LIN 135375	Soil	14	24	0.82	227	0.127	<1	2.18	0.023	0.16	0.2	0.03	3.8	0.2	<0.05	8	<0.5	0.2
LIN 135376	Soil	13	29	0.84	221	0.136	2	2.58	0.021	0.12	0.1	0.04	4.0	0.2	<0.05	8	<0.5	<0.2
LIN 135377	Soil	17	31	0.79	251	0.129	2	2.57	0.026	0.12	0.1	0.04	4.1	0.2	<0.05	8	<0.5	<0.2
LIN 135378	Soil	14	22	0.55	218	0.087	1	2.01	0.019	0.11	0.1	0.03	3.3	0.2	<0.05	7	0.7	<0.2
LIN 135379	Soil	12	29	0.78	237	0.124	1	2.31	0.018	0.12	0.1	0.02	3.5	0.2	<0.05	8	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

4 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte	Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
LIN 135380	Soil		0.6	16.1	7.0	51	0.1	16.0	9.1	352	2.93	60.8	1.1	2.5	3.6	21	0.1	0.3	0.2	69	0.30
LIN 135381	Soil		0.7	19.6	8.3	58	<0.1	23.3	12.5	435	3.39	34.1	0.9	3.9	5.1	22	0.1	0.4	0.2	80	0.31
LIN 135382	Soil		0.4	20.6	5.0	63	<0.1	24.4	12.3	357	3.38	29.9	0.7	6.7	2.8	133	<0.1	0.3	0.6	69	0.59
LIN 135383	Soil		1.0	23.3	8.2	69	0.2	21.6	15.1	1167	3.28	18.6	1.5	7.2	3.1	38	0.1	0.6	0.1	75	0.48
LIN 135384	Soil		0.7	15.2	7.4	66	<0.1	19.1	12.9	698	3.06	13.2	0.8	2.0	2.7	29	<0.1	0.5	0.1	72	0.46
LIN 135385	Soil		0.8	21.7	8.3	55	<0.1	19.1	9.6	440	3.67	43.3	1.8	3.9	2.2	30	0.1	0.7	0.1	87	0.45
LIN 135386	Soil		0.7	19.1	7.9	58	<0.1	21.6	11.6	291	3.06	14.3	1.1	4.6	2.4	26	<0.1	0.5	0.1	79	0.42
LIN 135387	Soil		0.5	27.2	6.4	64	0.1	25.8	10.4	366	3.18	14.3	1.6	6.2	4.1	37	0.1	0.6	<0.1	79	0.58
LIN 135388	Soil		0.5	19.1	7.0	60	<0.1	22.3	10.2	341	2.88	9.3	1.1	2.5	3.9	31	0.2	0.5	<0.1	73	0.56
LIN 135389	Soil		0.8	20.2	8.0	58	0.1	25.8	12.6	332	3.25	26.2	1.3	5.6	3.2	28	<0.1	0.6	0.1	76	0.51
LIN 135390	Soil		0.8	16.9	6.4	34	0.1	12.1	6.2	241	1.79	17.7	1.0	6.8	0.7	29	0.1	0.3	0.1	49	0.37
LIN 135391	Soil		0.6	20.7	7.5	61	<0.1	25.0	13.1	537	3.10	43.7	1.1	14.9	4.0	32	0.1	0.3	0.1	83	0.56
LIN 135392	Soil		1.0	20.3	8.7	59	<0.1	19.4	10.1	281	3.21	18.0	0.5	2.3	1.7	19	0.2	0.4	0.2	85	0.21
LIN 135393	Soil		0.6	25.7	5.6	56	<0.1	19.5	10.7	464	2.85	5.8	0.6	2.6	1.5	28	0.2	0.3	0.1	77	0.34
LIN 135394	Soil		0.6	28.4	8.0	52	0.1	23.1	9.4	343	2.95	17.9	0.6	5.5	4.1	36	<0.1	0.5	0.1	71	0.40
LIN 135395	Soil		1.0	15.8	10.1	55	0.4	11.2	8.2	659	2.48	236.9	5.9	4.1	2.7	22	0.2	0.4	0.6	57	0.25
LIN 135396	Soil		0.8	15.2	9.5	50	0.6	10.5	8.1	1624	2.06	273.0	4.8	6.3	2.1	21	0.2	0.3	0.5	45	0.25
LIN 135398	Soil		0.8	15.4	11.1	57	0.3	10.8	8.4	510	2.53	165.0	1.8	1.6	2.5	18	0.1	0.3	1.4	59	0.23
LIN 135399	Soil		0.8	15.5	8.9	56	0.3	12.1	9.0	569	2.55	105.0	1.7	3.0	2.9	19	0.1	0.3	0.7	60	0.23
LIN 135400	Soil		0.6	13.8	7.6	43	0.4	10.9	5.7	283	1.81	57.0	1.6	3.1	1.0	25	0.2	0.2	0.5	36	0.26
LIN 135401	Soil		1.1	18.2	9.6	61	0.5	14.8	9.3	574	2.58	161.9	2.1	6.5	2.1	28	0.1	0.4	0.7	60	0.32
LIN 135402	Soil		0.7	19.8	11.2	68	0.3	17.4	10.5	621	2.91	268.2	1.7	2.8	4.0	29	0.2	0.6	1.1	60	0.36
LIN 135403	Soil		0.9	17.0	9.0	60	0.2	14.6	9.3	459	2.94	106.4	1.0	1.7	3.3	24	<0.1	0.4	0.6	70	0.29
LIN 135404	Soil		1.0	17.1	9.4	39	0.3	11.4	7.5	411	1.82	57.3	0.7	1.2	0.9	24	0.2	0.2	0.4	49	0.20
LIN 135405	Soil		0.4	23.9	4.9	21	0.2	8.9	2.3	153	0.85	7.8	1.3	0.6	<0.1	35	0.3	0.1	0.1	17	0.29
LIN 135406	Soil		0.7	27.5	6.4	55	<0.1	28.3	12.2	328	3.25	53.9	1.1	2.0	2.6	52	0.1	0.2	0.2	61	0.66
LIN 135407	Soil		0.4	18.2	3.5	42	0.1	19.3	10.9	173	1.96	49.5	0.4	<0.5	0.4	35	0.1	0.2	<0.1	25	0.44
LIN 135408	Soil		0.7	28.3	6.6	78	<0.1	41.6	24.6	439	4.11	19.4	0.4	<0.5	1.8	57	0.1	0.2	<0.1	52	0.76
LIN 135409	Soil		0.3	31.1	4.7	67	<0.1	50.6	21.5	453	3.91	18.8	0.4	<0.5	2.3	109	<0.1	0.3	<0.1	47	0.97
LIN 135410	Soil		0.8	19.1	10.7	47	0.1	12.5	8.3	440	3.01	50.5	0.9	2.1	3.5	28	0.1	0.4	0.5	77	0.28



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 4 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 135380	Soil	14	23	0.61	202	0.107	1	1.94	0.020	0.11	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
LIN 135381	Soil	12	31	0.72	208	0.132	2	2.59	0.025	0.10	0.1	0.02	3.7	0.1	<0.05	8	<0.5	<0.2
LIN 135382	Soil	15	33	1.03	317	0.113	<1	2.42	0.033	0.13	<0.1	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
LIN 135383	Soil	13	30	0.75	242	0.112	<1	2.18	0.021	0.10	0.2	0.03	4.1	0.1	<0.05	7	0.5	<0.2
LIN 135384	Soil	9	28	0.79	201	0.127	2	2.01	0.025	0.11	0.2	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
LIN 135385	Soil	12	32	0.67	199	0.100	<1	2.04	0.022	0.07	0.2	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
LIN 135386	Soil	10	32	0.78	194	0.117	2	2.20	0.023	0.07	0.2	0.03	3.6	0.1	<0.05	7	<0.5	<0.2
LIN 135387	Soil	15	37	0.85	255	0.150	1	2.22	0.035	0.11	0.2	0.03	5.3	0.1	<0.05	7	0.5	<0.2
LIN 135388	Soil	12	33	0.83	214	0.146	1	2.01	0.035	0.09	0.2	0.03	4.1	0.1	<0.05	6	0.6	<0.2
LIN 135389	Soil	11	35	0.89	206	0.150	2	2.30	0.030	0.08	0.2	0.03	3.8	0.1	<0.05	7	0.6	<0.2
LIN 135390	Soil	7	18	0.32	153	0.070	<1	1.14	0.028	0.04	0.1	0.04	1.9	<0.1	<0.05	5	<0.5	<0.2
LIN 135391	Soil	11	33	0.77	195	0.135	1	1.92	0.034	0.10	0.2	0.03	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 135392	Soil	7	28	0.45	178	0.095	<1	2.35	0.019	0.04	<0.1	0.04	2.7	<0.1	<0.05	9	0.5	<0.2
LIN 135393	Soil	8	28	0.67	172	0.106	2	2.28	0.020	0.08	<0.1	0.05	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 135394	Soil	11	34	0.72	151	0.109	1	1.85	0.020	0.08	<0.1	0.04	5.1	<0.1	<0.05	5	<0.5	<0.2
LIN 135395	Soil	18	18	0.58	179	0.081	<1	1.57	0.014	0.12	0.1	0.03	2.9	0.2	<0.05	6	0.5	<0.2
LIN 135396	Soil	18	16	0.50	219	0.071	1	1.31	0.016	0.11	0.1	0.04	2.6	0.1	<0.05	5	<0.5	0.3
LIN 135398	Soil	11	18	0.65	155	0.094	1	1.57	0.015	0.11	<0.1	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
LIN 135399	Soil	11	18	0.64	145	0.099	1	1.62	0.018	0.11	0.1	0.04	2.5	0.2	<0.05	6	<0.5	0.3
LIN 135400	Soil	11	16	0.44	138	0.060	2	1.28	0.018	0.07	0.1	0.05	2.0	<0.1	<0.05	5	1.0	<0.2
LIN 135401	Soil	11	23	0.67	172	0.077	1	1.71	0.019	0.08	0.1	0.04	2.9	0.1	<0.05	6	<0.5	<0.2
LIN 135402	Soil	13	23	0.69	184	0.096	1	1.90	0.019	0.12	0.1	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
LIN 135403	Soil	9	22	0.73	134	0.129	1	1.91	0.017	0.15	0.1	0.01	2.7	0.2	<0.05	6	<0.5	<0.2
LIN 135404	Soil	6	17	0.37	102	0.073	1	1.24	0.020	0.05	0.1	0.02	1.7	<0.1	<0.05	6	<0.5	<0.2
LIN 135405	Soil	10	10	0.14	99	0.016	1	0.67	0.021	0.04	<0.1	0.04	0.7	<0.1	0.06	2	0.5	<0.2
LIN 135406	Soil	18	32	0.99	109	0.111	1	1.84	0.037	0.08	<0.1	0.03	4.4	<0.1	<0.05	6	0.6	<0.2
LIN 135407	Soil	11	11	0.66	85	0.057	<1	1.60	0.032	0.08	<0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 135408	Soil	17	17	1.40	241	0.142	1	2.60	0.043	0.18	0.2	0.02	2.2	0.2	<0.05	8	0.7	<0.2
LIN 135409	Soil	21	21	1.40	287	0.131	<1	3.16	0.084	0.19	0.1	0.02	2.5	0.2	<0.05	8	<0.5	<0.2
LIN 135410	Soil	11	21	0.63	154	0.121	1	2.32	0.014	0.14	0.2	0.03	3.6	0.2	<0.05	9	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

5 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 135411	Soil	0.6	19.8	7.4	52	0.2	19.5	10.8	469	2.48	37.4	1.4	5.5	2.5	26	<0.1	0.4	0.2	58	0.32	0.074
LIN 135412	Soil	0.5	12.8	10.1	61	0.2	11.1	8.6	453	2.81	178.7	1.2	5.1	3.5	24	0.1	0.4	1.1	64	0.28	0.077
LIN 135413	Soil	0.7	10.9	11.1	67	0.1	4.7	7.9	575	2.75	262.0	1.4	1.2	5.1	13	0.1	0.4	1.5	60	0.21	0.067
LIN 135414	Soil	0.4	7.5	7.3	23	0.4	4.1	3.1	234	2.20	978.9	1.9	4.8	1.3	14	0.2	0.3	0.6	54	0.14	0.046
LIN 135415	Soil	0.5	23.6	9.3	48	0.1	22.5	10.5	425	2.82	71.4	0.9	3.5	3.3	21	<0.1	0.3	0.4	68	0.23	0.032
LIN 135416	Soil	0.5	19.3	11.6	58	0.2	29.4	10.1	340	2.48	127.8	2.2	3.4	2.9	30	<0.1	0.4	0.9	57	0.34	0.061
LIN 135417	Soil	0.6	17.7	12.0	46	0.4	20.8	6.8	361	2.09	355.2	2.7	3.1	1.3	30	0.1	0.4	1.0	47	0.30	0.066
LIN 135418	Soil	0.5	14.2	8.8	48	0.2	23.5	9.7	557	2.10	215.0	1.7	3.3	1.4	34	0.1	0.4	0.7	49	0.37	0.062
LIN 135419	Soil	0.6	17.7	10.4	55	0.2	37.8	12.8	499	2.58	233.5	1.6	5.2	1.6	40	<0.1	0.5	0.7	64	0.40	0.059
LIN 135420	Soil	1.1	14.6	9.9	54	0.1	27.0	11.7	686	2.79	397.0	2.0	2.6	1.8	36	0.1	0.5	0.7	71	0.36	0.065
LIN 135421	Soil	0.8	15.2	9.1	51	0.1	39.4	9.8	385	2.36	183.1	1.5	2.2	1.5	39	0.1	0.4	0.7	59	0.42	0.069
LIN 135422	Soil	0.5	12.7	9.0	50	0.1	17.0	6.7	338	1.96	100.5	2.0	2.1	1.7	28	0.1	0.3	0.7	41	0.30	0.053
LIN 135423	Soil	0.6	15.9	9.3	47	0.2	14.0	7.8	451	1.81	141.4	2.6	2.6	1.0	30	0.2	0.3	0.8	36	0.31	0.064
LIN 135424	Soil	0.3	14.7	7.1	34	0.2	9.1	4.5	266	1.62	118.5	2.0	2.9	1.0	19	0.1	0.2	0.7	35	0.18	0.040
LIN 135425	Soil	0.4	14.2	9.0	58	0.1	16.4	10.7	977	2.56	259.3	1.9	2.4	4.0	30	<0.1	0.5	0.9	57	0.37	0.056
LIN 135426	Soil	0.4	19.3	12.9	62	0.1	24.3	9.6	494	2.70	466.6	2.0	4.5	2.3	26	0.1	0.5	1.9	67	0.29	0.059
LIN 135427	Soil	0.4	14.0	10.1	51	0.2	14.0	4.9	304	1.83	147.5	1.4	3.6	0.9	22	0.1	0.3	1.4	40	0.23	0.045
LIN 135428	Soil	0.5	13.1	11.3	64	0.1	13.7	8.9	453	2.63	223.7	1.5	5.6	3.3	26	<0.1	0.5	0.7	58	0.31	0.060
LIN 135429	Soil	0.5	15.2	8.8	56	0.1	14.6	8.1	478	2.27	109.1	1.8	1.5	2.2	33	<0.1	0.5	0.5	56	0.36	0.055
LIN 135430	Soil	0.7	15.9	8.3	43	0.1	14.6	14.5	1257	1.94	78.3	3.0	2.4	1.5	49	0.2	0.7	0.4	38	0.48	0.075
LIN 135433	Soil	0.4	16.9	12.2	65	0.2	17.5	9.6	431	2.71	103.5	2.5	10.2	6.0	31	0.1	0.5	0.7	68	0.37	0.064
LIN 135434	Soil	0.4	19.6	26.3	57	0.2	15.8	8.3	361	2.49	125.5	2.7	1.9	6.7	24	0.1	5.7	1.0	58	0.34	0.060
LIN 135435	Soil	1.4	24.7	14.2	74	0.2	16.1	10.0	529	2.91	203.4	4.0	3.9	6.3	30	0.1	0.6	1.1	66	0.40	0.066
LIN 135436	Soil	0.2	26.0	9.8	58	<0.1	72.6	18.1	548	3.28	89.4	0.8	1.4	2.3	107	<0.1	0.4	0.4	92	1.25	0.126
LIN 135437	Soil	0.6	20.5	11.9	53	0.3	29.0	10.9	516	2.38	195.1	2.6	3.8	2.6	54	<0.1	0.5	1.0	61	0.57	0.054
LIN 135438	Soil	0.7	14.2	12.8	58	0.2	14.0	11.2	663	2.43	194.8	2.5	3.7	4.0	38	<0.1	0.4	0.9	58	0.46	0.062
LIN 135439	Soil	0.5	20.2	14.7	59	0.4	18.4	8.7	418	2.59	170.8	2.1	4.8	3.7	25	0.1	0.4	0.6	66	0.29	0.050
LIN 135440	Soil	0.5	16.7	9.3	52	0.2	12.2	6.7	329	2.16	122.8	1.8	4.1	2.6	24	0.1	0.4	0.5	56	0.24	0.041
LIN 135441	Soil	0.4	14.3	16.3	78	0.1	7.9	6.8	465	2.60	232.9	2.1	2.7	10.8	15	0.1	0.6	1.1	54	0.19	0.048
LIN 135442	Soil	0.3	10.0	15.7	40	0.9	6.8	4.3	344	1.33	105.8	4.4	6.1	2.8	20	0.5	0.4	0.9	25	0.19	0.051



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

5 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 135411	Soil	11	23	0.69	144	0.088	<1	1.90	0.019	0.08	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 135412	Soil	13	15	0.70	164	0.125	<1	1.90	0.017	0.32	0.1	0.02	2.5	0.3	<0.05	7	<0.5	<0.2
LIN 135413	Soil	15	8	0.70	131	0.138	<1	1.57	0.014	0.52	<0.1	0.02	2.2	0.4	<0.05	7	<0.5	<0.2
LIN 135414	Soil	9	12	0.23	100	0.037	<1	0.74	0.016	0.05	<0.1	0.03	1.3	<0.1	<0.05	3	0.6	<0.2
LIN 135415	Soil	8	26	0.66	205	0.106	2	2.09	0.020	0.07	0.1	0.02	2.9	0.1	<0.05	6	<0.5	<0.2
LIN 135416	Soil	11	40	0.85	182	0.106	1	1.84	0.018	0.09	<0.1	0.03	3.7	0.2	<0.05	6	0.5	<0.2
LIN 135417	Soil	9	25	0.65	169	0.075	2	1.54	0.017	0.08	0.1	0.04	2.3	0.1	0.05	5	<0.5	0.3
LIN 135418	Soil	8	30	0.72	169	0.091	2	1.56	0.019	0.09	<0.1	0.04	2.8	0.1	0.05	5	0.5	<0.2
LIN 135419	Soil	8	48	0.99	185	0.105	1	1.75	0.022	0.09	<0.1	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
LIN 135420	Soil	9	36	0.77	175	0.098	1	1.63	0.021	0.10	0.1	0.04	2.5	0.2	<0.05	6	<0.5	0.3
LIN 135421	Soil	9	42	1.05	174	0.110	3	1.61	0.018	0.10	0.1	0.04	2.6	0.2	<0.05	6	<0.5	<0.2
LIN 135422	Soil	9	23	0.61	148	0.077	2	1.47	0.017	0.08	<0.1	0.03	2.4	0.1	<0.05	5	<0.5	<0.2
LIN 135423	Soil	10	22	0.48	169	0.059	2	1.26	0.020	0.07	<0.1	0.07	2.3	0.1	0.06	5	<0.5	<0.2
LIN 135424	Soil	8	16	0.39	113	0.063	2	1.04	0.015	0.06	<0.1	0.04	1.7	0.1	<0.05	4	<0.5	<0.2
LIN 135425	Soil	12	26	0.73	214	0.113	3	1.66	0.018	0.15	<0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
LIN 135426	Soil	9	31	0.75	178	0.095	1	1.91	0.018	0.09	0.2	0.04	3.1	0.1	<0.05	7	<0.5	<0.2
LIN 135427	Soil	7	24	0.50	122	0.074	3	1.42	0.018	0.05	0.1	0.04	2.2	0.1	<0.05	6	<0.5	<0.2
LIN 135428	Soil	10	22	0.68	160	0.092	<1	1.68	0.016	0.07	0.1	0.03	2.8	0.2	<0.05	6	<0.5	<0.2
LIN 135429	Soil	11	22	0.62	185	0.091	2	1.66	0.019	0.06	0.2	0.02	3.1	0.2	0.07	6	<0.5	<0.2
LIN 135430	Soil	14	18	0.48	182	0.071	7	1.27	0.022	0.06	<0.1	0.08	3.3	0.2	0.06	4	<0.5	<0.2
LIN 135433	Soil	13	24	0.71	188	0.121	2	1.96	0.017	0.11	0.1	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
LIN 135434	Soil	15	24	0.65	171	0.116	2	1.75	0.018	0.10	0.2	0.03	3.6	0.2	<0.05	5	<0.5	<0.2
LIN 135435	Soil	16	25	0.72	197	0.141	2	2.13	0.021	0.15	<0.1	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
LIN 135436	Soil	11	75	2.20	388	0.178	1	2.30	0.017	0.59	<0.1	0.02	4.4	0.4	<0.05	8	<0.5	<0.2
LIN 135437	Soil	10	46	0.86	267	0.111	2	1.75	0.025	0.10	<0.1	0.04	3.3	0.2	<0.05	6	<0.5	<0.2
LIN 135438	Soil	12	22	0.65	194	0.097	1	1.79	0.020	0.08	<0.1	0.04	3.7	0.2	<0.05	6	<0.5	0.3
LIN 135439	Soil	12	26	0.65	170	0.090	2	1.94	0.016	0.08	0.1	0.04	3.3	0.1	<0.05	7	<0.5	<0.2
LIN 135440	Soil	10	20	0.49	132	0.078	1	1.55	0.019	0.07	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
LIN 135441	Soil	13	13	0.58	134	0.124	<1	1.65	0.015	0.30	<0.1	0.02	2.9	0.3	<0.05	7	<0.5	<0.2
LIN 135442	Soil	13	13	0.33	151	0.029	2	1.23	0.018	0.09	<0.1	0.04	2.6	0.1	<0.05	4	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 6 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 135443	Soil	0.4	13.7	15.9	117	0.2	6.1	9.2	938	4.02	403.3	5.4	5.8	13.6	44	0.2	0.7	0.8	71	0.69	0.130
LIN 135444	Soil	0.3	14.3	15.5	117	0.2	6.2	9.6	924	4.08	405.7	5.7	3.7	15.2	44	0.2	0.7	0.8	72	0.69	0.131
LIN 135445	Soil	0.3	14.5	10.0	102	0.1	10.3	12.6	1038	4.05	218.8	1.8	3.2	9.9	29	<0.1	0.3	1.6	79	0.59	0.114
LIN 135446	Soil	0.7	23.7	14.7	50	0.5	17.8	10.3	453	2.95	141.1	5.4	11.5	5.7	35	0.2	0.4	0.7	72	0.33	0.037
LIN 135447	Soil	0.5	38.4	5.2	110	<0.1	45.6	32.2	811	5.83	19.4	0.4	1.3	2.7	101	<0.1	<0.1	<0.1	37	1.82	0.535
LIN 135448	Soil	0.6	41.0	5.6	116	<0.1	57.1	37.3	823	6.25	8.3	0.3	0.6	2.7	132	0.1	0.1	<0.1	41	1.60	0.374
LIN 135449	Soil	0.8	22.9	5.8	63	<0.1	31.8	18.0	464	3.47	21.3	0.4	2.1	2.4	45	0.1	0.3	0.1	59	0.62	0.163
LIN 135450	Soil	0.4	25.8	13.5	62	0.2	30.0	17.2	366	3.80	52.5	0.8	2.6	2.7	57	0.1	0.3	0.2	63	0.83	0.151
LIN 135451	Soil	0.5	14.7	6.9	58	<0.1	22.4	12.4	331	2.76	18.3	0.5	2.7	1.9	47	<0.1	0.3	0.2	56	0.57	0.128
LIN 135452	Soil	0.5	13.7	8.2	61	0.1	15.8	8.9	422	2.70	68.3	0.9	1.8	2.3	32	<0.1	0.3	3.2	57	0.40	0.083
LIN 135453	Soil	0.5	16.5	7.9	62	0.1	18.3	9.9	384	2.50	50.5	1.0	3.2	2.1	34	<0.1	0.3	0.4	58	0.43	0.082
LIN 135454	Soil	0.5	17.7	8.4	62	0.2	18.5	10.1	481	2.41	68.8	1.8	3.3	2.2	36	<0.1	0.3	0.4	52	0.40	0.077
LIN 135455	Soil	0.6	17.1	8.1	63	0.2	16.9	10.3	439	2.71	88.4	1.3	3.8	2.5	34	0.1	0.2	0.6	63	0.41	0.063
LIN 135456	Soil	0.7	17.0	8.2	63	0.2	17.8	10.3	489	2.62	115.3	1.5	4.0	2.7	33	0.1	0.2	0.7	63	0.41	0.072
LIN 135457	Soil	0.7	17.4	8.9	64	0.3	16.4	9.2	491	2.54	136.1	1.6	3.1	2.5	31	<0.1	0.3	0.6	62	0.36	0.061
LIN 135458	Soil	0.6	16.4	7.3	52	0.3	16.6	8.3	392	2.50	101.1	1.6	6.8	3.3	30	<0.1	0.3	0.5	65	0.35	0.055
LIN 135459	Soil	0.6	17.7	8.6	53	0.3	19.7	11.0	450	3.04	101.1	1.3	4.1	4.3	27	<0.1	0.3	0.6	78	0.32	0.045
LIN 135460	Soil	0.7	18.3	8.6	56	0.5	14.7	9.5	614	2.56	192.3	2.0	5.1	2.8	27	0.1	0.3	1.2	61	0.30	0.058
LIN 135461	Soil	0.7	16.7	8.9	51	0.4	13.9	8.1	463	2.55	196.4	1.9	9.6	3.5	27	<0.1	0.4	0.5	61	0.34	0.059
LIN 135462	Soil	1.0	14.2	14.0	54	<0.1	21.2	11.9	753	2.36	5.6	2.0	3.1	5.8	54	<0.1	0.3	0.2	49	0.55	0.045
LIN 138000	Soil	0.8	16.3	9.3	43	<0.1	19.8	10.0	387	2.59	6.1	0.5	3.3	3.7	29	0.1	0.5	0.1	73	0.30	0.015
LIN 136001	Soil	0.4	12.5	6.4	41	<0.1	14.4	6.6	270	2.61	4.0	1.1	1.1	4.3	25	<0.1	0.2	0.1	62	0.31	0.040
LIN 136002	Soil	0.5	14.1	6.0	49	<0.1	15.1	9.5	453	2.69	4.1	1.0	1.5	4.7	21	0.1	0.2	<0.1	59	0.28	0.050
LIN 136003	Soil	0.4	16.0	6.7	60	<0.1	19.2	12.3	592	2.86	4.7	0.9	3.1	5.2	24	<0.1	0.3	0.1	64	0.32	0.044
LIN 136004	Soil	0.5	23.2	7.1	55	<0.1	21.8	12.0	404	2.85	5.4	1.5	2.3	6.7	24	0.1	0.4	0.1	68	0.28	0.043
LIN 136005	Soil	0.7	18.5	7.3	51	<0.1	19.5	9.3	370	2.90	5.4	1.4	2.7	4.2	29	<0.1	0.3	0.1	69	0.37	0.055
LIN 136006	Soil	0.7	16.7	5.9	45	<0.1	15.3	8.1	426	2.29	4.0	1.3	1.7	3.0	27	<0.1	0.3	0.1	56	0.36	0.054
LIN 136007	Soil	0.7	9.0	4.3	18	<0.1	4.3	2.3	122	1.17	1.9	0.3	2.9	0.3	10	<0.1	0.2	0.1	42	0.08	0.022
LIN 136008	Soil	0.4	18.0	14.1	41	<0.1	15.9	9.3	341	2.37	3.1	1.3	5.7	5.0	23	0.1	0.3	<0.1	54	0.29	0.034
LIN 136009	Soil	0.4	5.7	2.4	13	<0.1	2.6	1.9	84	0.80	1.2	0.6	0.7	0.4	11	<0.1	0.1	<0.1	19	0.09	0.026



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

6 of 12

Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 135443	Soil	24	10	0.87	264	0.168	1	2.56	0.019	0.21	0.2	0.01	4.5	0.2	<0.05	11	<0.5	<0.2
LIN 135444	Soil	25	10	0.83	266	0.174	1	2.46	0.019	0.21	0.2	0.01	4.8	0.2	<0.05	11	<0.5	<0.2
LIN 135445	Soil	17	15	1.18	195	0.215	1	2.55	0.019	0.37	0.1	0.01	4.3	0.4	<0.05	11	<0.5	<0.2
LIN 135446	Soil	21	30	0.69	149	0.116	1	2.87	0.021	0.07	<0.1	0.05	5.7	0.1	<0.05	7	<0.5	0.3
LIN 135447	Soil	38	6	1.79	199	0.080	2	2.88	0.110	0.33	<0.1	0.01	2.4	0.4	<0.05	9	<0.5	<0.2
LIN 135448	Soil	31	10	2.28	361	0.110	1	2.87	0.095	0.35	<0.1	<0.01	2.2	0.4	<0.05	9	<0.5	<0.2
LIN 135449	Soil	14	25	1.00	151	0.117	2	2.49	0.054	0.11	0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
LIN 135450	Soil	19	31	1.14	156	0.145	2	2.08	0.066	0.17	<0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
LIN 135451	Soil	12	25	0.83	167	0.114	3	2.04	0.046	0.08	<0.1	0.05	2.9	0.1	<0.05	6	<0.5	0.3
LIN 135452	Soil	9	21	0.72	158	0.110	2	1.97	0.028	0.18	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
LIN 135453	Soil	11	25	0.72	176	0.101	2	1.91	0.029	0.08	<0.1	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 135454	Soil	12	25	0.74	189	0.090	2	1.99	0.029	0.07	<0.1	0.05	3.6	0.1	<0.05	7	<0.5	<0.2
LIN 135455	Soil	11	25	0.72	190	0.115	1	2.03	0.029	0.07	<0.1	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 135456	Soil	13	27	0.74	207	0.113	2	1.98	0.027	0.08	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
LIN 135457	Soil	12	24	0.69	189	0.103	2	1.93	0.025	0.08	0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
LIN 135458	Soil	12	23	0.66	180	0.112	1	1.81	0.022	0.12	<0.1	0.04	3.1	0.2	<0.05	6	<0.5	<0.2
LIN 135459	Soil	13	31	0.68	209	0.124	2	2.34	0.021	0.08	0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
LIN 135460	Soil	14	23	0.64	186	0.101	1	1.78	0.022	0.11	0.1	0.05	3.3	0.2	<0.05	6	<0.5	<0.2
LIN 135461	Soil	17	23	0.62	195	0.101	1	1.75	0.020	0.10	0.1	0.05	2.9	0.2	<0.05	6	<0.5	0.3
LIN 135462	Soil	19	50	0.62	203	0.049	2	1.37	0.027	0.09	0.2	0.03	4.7	<0.1	<0.05	4	<0.5	<0.2
LIN 138000	Soil	9	34	0.61	282	0.105	1	2.00	0.022	0.08	<0.1	<0.01	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136001	Soil	12	26	0.58	154	0.106	2	1.81	0.021	0.09	0.1	0.05	4.6	0.1	<0.05	6	<0.5	<0.2
LIN 136002	Soil	14	24	0.61	134	0.108	2	1.71	0.018	0.11	0.2	0.04	4.2	0.1	<0.05	6	<0.5	<0.2
LIN 136003	Soil	12	32	0.71	153	0.119	2	1.96	0.019	0.13	0.2	0.02	4.4	0.1	<0.05	6	<0.5	<0.2
LIN 136004	Soil	21	31	0.70	191	0.112	2	2.40	0.019	0.11	0.1	0.07	5.7	0.1	<0.05	7	<0.5	<0.2
LIN 136005	Soil	17	31	0.59	167	0.120	3	2.05	0.026	0.12	0.1	0.07	4.3	0.1	<0.05	6	0.6	<0.2
LIN 136006	Soil	16	23	0.46	146	0.101	2	1.58	0.030	0.11	0.1	0.05	3.2	0.1	<0.05	5	<0.5	<0.2
LIN 136007	Soil	5	11	0.08	46	0.063	<1	0.62	0.020	0.03	<0.1	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
LIN 136008	Soil	17	22	0.47	116	0.102	2	1.38	0.024	0.09	0.1	0.03	3.1	<0.1	<0.05	4	<0.5	<0.2
LIN 136009	Soil	8	6	0.09	38	0.035	2	0.56	0.038	0.03	<0.1	0.03	0.8	<0.1	<0.05	2	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

7 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte	Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136010	Soil		0.7	11.7	5.6	35	<0.1	14.8	7.9	283	2.77	4.4	0.5	4.6	2.5	21	0.1	0.2	0.1	63	0.25
LIN 136011	Soil		0.6	13.8	4.7	51	<0.1	16.8	9.4	464	2.75	4.5	0.9	0.9	5.2	18	0.1	0.2	0.1	62	0.28
LIN 136012	Soil		0.7	13.8	4.9	50	<0.1	15.4	8.8	448	2.59	4.4	0.9	2.9	4.9	18	0.1	0.3	<0.1	62	0.27
LIN 136013	Soil		1.0	20.1	6.8	69	<0.1	9.3	6.2	373	2.49	3.8	0.5	4.1	0.8	18	0.3	0.4	0.1	68	0.15
LIN 136014	Soil		1.0	19.3	7.1	67	<0.1	13.3	7.7	469	2.65	4.0	0.5	0.7	1.0	23	0.3	0.4	0.2	68	0.24
LIN 136015	Soil		0.5	6.3	2.5	27	<0.1	2.9	2.5	181	0.91	1.6	0.2	0.6	<0.1	15	0.1	0.1	<0.1	25	0.12
LIN 136016	Soil		0.5	10.3	3.3	34	<0.1	4.2	3.7	234	1.08	1.7	0.3	0.7	0.1	17	0.2	0.1	<0.1	30	0.15
LIN 136017	Soil		0.7	20.7	5.9	50	<0.1	18.7	9.5	323	2.83	4.4	1.4	2.8	4.4	29	<0.1	0.2	0.1	71	0.39
LIN 136018	Soil		0.4	14.1	3.9	38	<0.1	13.2	7.9	246	2.25	2.4	0.9	2.6	4.6	23	<0.1	0.1	<0.1	54	0.32
LIN 136019	Soil		0.6	10.5	5.5	34	<0.1	10.3	6.2	269	2.24	3.9	0.5	1.4	2.8	19	0.2	0.2	0.1	61	0.20
LIN 136020	Soil		0.9	13.4	6.3	41	<0.1	13.6	6.6	251	2.74	5.3	0.5	2.6	2.5	19	0.1	0.3	0.1	78	0.24
LIN 136021	Soil		0.5	19.5	5.1	43	<0.1	19.3	9.3	364	2.58	3.2	1.3	2.3	4.9	30	0.1	0.2	0.1	60	0.40
LIN 136022	Soil		0.5	20.2	5.6	45	<0.1	17.2	9.7	419	2.67	3.9	1.0	1.7	4.7	23	0.1	0.2	<0.1	63	0.33
LIN 136023	Soil		0.7	10.1	6.2	40	<0.1	13.1	7.6	234	3.02	4.7	0.5	1.3	3.9	14	0.1	0.2	0.1	72	0.18
LIN 136024	Soil		0.5	16.5	6.4	36	<0.1	15.9	8.2	252	2.69	3.6	0.7	1.4	4.2	20	<0.1	0.2	0.1	63	0.27
LIN 136025	Soil		0.5	10.2	3.9	28	<0.1	9.5	4.5	164	1.77	2.5	0.6	1.5	1.8	17	<0.1	0.1	<0.1	40	0.20
LIN 136026	Soil		1.4	16.1	6.9	43	<0.1	14.4	11.0	581	2.98	5.3	0.5	1.3	3.4	17	<0.1	0.2	0.1	71	0.20
LIN 136027	Soil		0.5	9.2	4.4	15	<0.1	3.5	2.7	104	1.20	1.7	0.2	0.9	0.5	8	<0.1	0.2	<0.1	36	0.08
LIN 136028	Soil		0.6	36.4	5.2	42	<0.1	21.5	14.9	349	2.93	6.5	0.5	1.5	3.6	18	0.1	0.3	0.1	76	0.27
LIN 136029	Soil		0.7	22.5	5.0	36	<0.1	18.8	8.8	247	2.44	5.4	0.5	2.8	3.2	18	<0.1	0.3	<0.1	63	0.23
LIN 136030	Soil		0.7	23.4	5.9	41	<0.1	19.0	9.0	263	2.76	6.2	0.7	3.7	4.5	23	<0.1	0.3	0.1	66	0.28
LIN 136031	Soil		0.6	14.4	4.2	34	<0.1	7.0	5.5	550	1.72	2.2	0.6	1.1	1.6	14	0.1	0.2	0.1	40	0.13
LIN 136032	Soil		0.4	5.8	2.3	11	<0.1	2.0	1.6	62	0.70	0.6	0.3	<0.5	0.3	10	<0.1	<0.1	<0.1	20	0.08
LIN 136033	Soil		0.5	19.2	4.6	41	<0.1	16.1	8.6	490	2.50	3.8	0.7	1.6	3.7	22	0.2	0.2	0.1	59	0.28
LIN 136034	Soil		0.7	7.9	5.5	20	<0.1	3.9	2.8	113	1.52	3.2	0.3	<0.5	1.3	13	<0.1	0.2	0.1	40	0.11
LIN 136035	Soil		0.6	15.0	4.3	34	<0.1	15.1	7.2	255	2.62	4.1	0.7	2.2	3.6	18	0.1	0.2	<0.1	62	0.22
LIN 136036	Soil		0.5	16.1	4.1	44	<0.1	13.9	6.6	304	2.29	3.1	0.6	2.7	2.5	21	0.1	0.2	0.1	50	0.26
LIN 136037	Soil		0.6	15.8	4.2	31	<0.1	10.2	4.4	271	1.54	2.4	0.6	1.7	0.8	24	0.2	0.2	0.1	35	0.22
LIN 136038	Soil		0.8	19.3	5.7	45	0.1	18.5	8.4	428	2.72	4.5	0.8	1.8	2.7	26	<0.1	0.2	0.1	68	0.29
LIN 136039	Soil		0.3	13.6	3.9	36	<0.1	14.0	8.0	363	2.57	3.4	0.8	8.2	5.0	20	<0.1	0.2	<0.1	57	0.27



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 7 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136010	Soil	12	23	0.49	93	0.112	2	1.47	0.022	0.08	0.1	0.04	2.5	<0.1	<0.05	6	0.5	<0.2
LIN 136011	Soil	15	24	0.49	105	0.127	1	1.50	0.019	0.13	0.2	0.04	3.2	0.1	<0.05	6	<0.5	<0.2
LIN 136012	Soil	15	23	0.51	104	0.126	1	1.69	0.022	0.13	0.3	0.04	3.1	<0.1	<0.05	5	<0.5	<0.2
LIN 136013	Soil	8	18	0.23	103	0.087	2	1.22	0.019	0.05	<0.1	0.03	1.9	<0.1	<0.05	7	<0.5	0.2
LIN 136014	Soil	10	22	0.34	145	0.080	2	1.59	0.019	0.06	0.1	0.05	2.5	<0.1	0.06	7	<0.5	<0.2
LIN 136015	Soil	2	7	0.12	45	0.044	2	0.51	0.042	0.03	<0.1	0.03	0.6	<0.1	<0.05	3	<0.5	<0.2
LIN 136016	Soil	3	8	0.15	75	0.049	2	0.71	0.037	0.04	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
LIN 136017	Soil	17	35	0.73	170	0.153	4	2.14	0.034	0.17	0.1	0.05	4.8	0.2	<0.05	6	<0.5	<0.2
LIN 136018	Soil	13	23	0.53	90	0.132	2	1.25	0.028	0.16	0.3	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
LIN 136019	Soil	8	19	0.45	77	0.132	2	1.43	0.023	0.10	0.1	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136020	Soil	8	24	0.38	92	0.142	2	1.54	0.018	0.08	0.1	0.04	2.9	<0.1	<0.05	7	0.6	<0.2
LIN 136021	Soil	21	29	0.68	176	0.130	3	1.76	0.028	0.17	0.1	0.04	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 136022	Soil	17	26	0.62	137	0.130	2	1.81	0.024	0.13	0.2	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
LIN 136023	Soil	9	23	0.49	78	0.144	1	1.86	0.012	0.11	0.1	0.03	3.3	<0.1	<0.05	9	<0.5	<0.2
LIN 136024	Soil	12	31	0.61	115	0.146	2	2.01	0.019	0.14	0.1	0.02	3.7	0.1	<0.05	6	<0.5	<0.2
LIN 136025	Soil	10	17	0.39	101	0.079	2	1.36	0.029	0.08	<0.1	0.03	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136026	Soil	11	29	0.54	97	0.128	2	1.80	0.017	0.11	0.1	0.03	3.3	0.1	<0.05	7	<0.5	<0.2
LIN 136027	Soil	4	9	0.11	44	0.056	<1	0.66	0.022	0.03	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
LIN 136028	Soil	11	32	0.61	127	0.123	3	2.32	0.020	0.06	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136029	Soil	9	28	0.54	137	0.106	2	1.91	0.026	0.06	<0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136030	Soil	15	33	0.63	206	0.119	2	2.18	0.020	0.07	0.1	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136031	Soil	8	15	0.23	111	0.070	1	1.13	0.025	0.10	<0.1	0.03	2.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136032	Soil	4	6	0.06	41	0.039	<1	0.45	0.029	0.03	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
LIN 136033	Soil	14	25	0.58	169	0.134	2	1.89	0.027	0.12	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136034	Soil	6	10	0.16	64	0.069	1	0.94	0.023	0.03	<0.1	0.02	1.1	<0.1	<0.05	5	<0.5	<0.2
LIN 136035	Soil	16	25	0.48	131	0.116	2	1.74	0.021	0.09	0.1	0.03	3.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136036	Soil	11	23	0.42	171	0.095	<1	1.44	0.020	0.09	0.1	0.02	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136037	Soil	8	15	0.27	186	0.061	2	1.11	0.025	0.07	<0.1	0.02	1.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136038	Soil	11	29	0.55	220	0.123	2	2.26	0.024	0.10	0.1	0.03	4.1	<0.1	<0.05	7	<0.5	<0.2
LIN 136039	Soil	14	22	0.63	168	0.134	1	1.66	0.016	0.12	0.1	0.02	4.0	<0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

8 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136040	Soil																							
LIN 136041	Soil																							
LIN 136042	Soil																							
LIN 136043	Soil																							
LIN 136044	Soil																							
LIN 136045	Soil																							
LIN 136046	Soil																							
LIN 136047	Soil																							
LIN 136048	Soil																							
LIN 136049	Soil																							
LIN 136050	Soil																							
LIN 136051	Soil																							
LIN 136052	Soil																							
LIN 136053	Soil																							
LIN 136054	Soil																							
LIN 136055	Soil																							
LIN 136056	Soil																							
LIN 136057	Soil																							
LIN 136058	Soil																							
LIN 136059	Soil																							
LIN 136060	Soil																							
LIN 136061	Soil																							
LIN 136062	Soil																							
LIN 136063	Soil																							
LIN 136064	Soil																							
LIN 136065	Soil																							
LIN 136066	Soil																							
LIN 136067	Soil																							
LIN 136068	Soil																							
LIN 136069	Soil																							



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 8 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
LIN 136040	Soil	15	27	0.61	233	0.120	2	2.29	0.018	0.09	<0.1	0.03	4.4	<0.1	<0.05	8	<0.5
LIN 136041	Soil	10	33	0.62	167	0.096	3	2.31	0.017	0.05	<0.1	0.03	3.7	<0.1	<0.05	6	<0.5
LIN 136042	Soil	10	33	0.63	142	0.102	2	2.15	0.015	0.05	0.1	0.02	4.1	<0.1	<0.05	6	<0.5
LIN 136043	Soil	10	42	0.77	221	0.120	3	2.98	0.019	0.06	0.1	0.03	5.0	<0.1	<0.05	8	<0.5
LIN 136044	Soil	7	21	0.42	106	0.074	1	1.72	0.020	0.04	<0.1	0.02	2.6	<0.1	<0.05	5	<0.5
LIN 136045	Soil	14	39	1.07	239	0.125	2	1.97	0.018	0.17	0.1	0.02	6.2	<0.1	<0.05	7	<0.5
LIN 136046	Soil	14	32	0.73	149	0.106	1	2.17	0.015	0.11	0.2	0.03	3.8	<0.1	<0.05	6	<0.5
LIN 136047	Soil	12	28	0.70	124	0.113	2	1.88	0.014	0.16	0.2	0.04	3.8	<0.1	<0.05	6	<0.5
LIN 136048	Soil	21	24	0.60	163	0.104	2	1.72	0.015	0.18	0.1	0.02	4.6	0.1	<0.05	6	<0.5
LIN 136049	Soil	27	41	0.70	290	0.108	4	2.98	0.018	0.19	0.2	0.06	7.3	0.1	<0.05	9	<0.5
LIN 136050	Soil	12	24	0.52	153	0.084	3	1.60	0.021	0.06	0.2	0.04	3.5	0.1	<0.05	6	<0.5
LIN 136051	Soil	11	24	0.51	121	0.088	4	1.45	0.026	0.07	0.1	0.05	2.9	<0.1	<0.05	5	<0.5
LIN 136052	Soil	14	26	0.53	146	0.086	4	1.77	0.021	0.06	0.1	0.05	3.4	0.1	<0.05	6	<0.5
LIN 136053	Soil	10	22	0.51	118	0.087	3	1.48	0.021	0.07	0.2	0.04	3.0	<0.1	<0.05	5	<0.5
LIN 136054	Soil	12	22	0.47	150	0.074	4	1.32	0.025	0.07	0.1	0.06	2.8	0.1	<0.05	5	<0.5
LIN 136055	Soil	6	24	0.38	115	0.089	2	1.66	0.016	0.04	<0.1	0.04	2.4	<0.1	<0.05	7	<0.5
LIN 136056	Soil	12	20	0.42	125	0.076	3	1.27	0.018	0.08	0.2	0.04	3.0	<0.1	<0.05	5	<0.5
LIN 136057	Soil	14	28	0.64	128	0.117	2	1.59	0.027	0.11	0.2	0.03	3.6	0.1	<0.05	5	<0.5
LIN 136058	Soil	14	23	0.61	142	0.111	1	1.56	0.023	0.13	0.1	0.03	3.7	0.1	<0.05	6	<0.5
LIN 136059	Soil	12	28	0.66	125	0.119	2	1.57	0.028	0.17	0.1	0.02	3.6	0.1	<0.05	5	<0.5
LIN 136060	Soil	11	28	0.50	174	0.084	2	1.73	0.019	0.07	<0.1	0.03	3.3	<0.1	<0.05	7	<0.5
LIN 136061	Soil	11	25	0.47	160	0.080	3	1.56	0.022	0.07	<0.1	0.03	3.1	<0.1	<0.05	6	<0.5
LIN 136062	Soil	10	25	0.48	238	0.069	5	1.42	0.020	0.13	0.1	0.07	3.6	<0.1	<0.05	5	<0.5
LIN 136063	Soil	9	16	0.56	163	0.089	5	1.46	0.012	0.22	0.2	0.04	3.4	<0.1	<0.05	6	<0.5
LIN 136064	Soil	2	7	0.03	40	0.022	4	0.39	0.021	0.02	<0.1	0.03	0.5	<0.1	<0.05	2	<0.5
LIN 136065	Soil	6	10	0.08	173	0.022	3	0.67	0.021	0.04	<0.1	0.06	1.0	<0.1	<0.05	2	<0.5
LIN 136066	Soil	12	29	0.53	162	0.089	1	2.11	0.015	0.07	0.1	0.04	3.8	0.1	<0.05	7	<0.5
LIN 136067	Soil	10	30	0.63	150	0.114	2	2.29	0.016	0.08	0.1	0.02	4.1	<0.1	<0.05	7	<0.5
LIN 136068	Soil	19	29	0.68	172	0.124	2	1.84	0.022	0.11	0.1	0.01	5.5	0.1	<0.05	6	<0.5
LIN 136069	Soil	24	29	0.62	206	0.105	<1	2.22	0.016	0.14	0.1	0.04	5.8	0.1	<0.05	7	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

9 of 12

Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01	% 0.001
LIN 136070	Soil	0.4	13.1	3.3	24	<0.1	7.8	3.8	169	1.20	2.1	0.6	<0.5	0.4	21	0.2	0.1	<0.1	29	0.21	0.037
LIN 136071	Soil	0.6	8.5	4.3	22	<0.1	5.2	5.0	510	1.17	1.9	0.3	1.1	0.4	18	<0.1	0.1	<0.1	32	0.21	0.034
LIN 136072	Soil	0.6	11.8	4.3	24	<0.1	5.9	4.6	258	1.26	2.3	0.2	0.7	0.2	14	0.2	0.1	0.1	36	0.12	0.030
LIN 136073	Soil	0.6	14.0	5.2	44	<0.1	16.2	9.6	390	2.68	5.1	0.6	1.0	3.9	15	<0.1	0.2	<0.1	60	0.23	0.036
LIN 136074	Soil	0.4	5.8	3.1	19	<0.1	3.2	3.1	229	0.79	1.2	0.2	<0.5	0.1	12	0.1	<0.1	<0.1	22	0.10	0.028
LIN 136075	Soil	0.8	16.8	7.6	42	0.1	14.2	7.0	365	2.22	4.4	0.6	1.1	1.5	20	0.1	0.2	0.1	53	0.24	0.033
LIN 136076	Soil	1.1	17.4	8.4	60	<0.1	16.1	10.9	634	2.79	5.4	0.7	2.5	2.0	21	0.2	0.3	0.1	68	0.25	0.041
LIN 136077	Soil	0.5	12.8	3.8	23	<0.1	6.9	2.8	141	1.22	2.0	0.3	<0.5	0.5	13	0.1	0.2	0.1	34	0.12	0.021
LIN 136078	Soil	0.9	14.5	20.6	40	<0.1	10.7	5.4	279	1.95	3.5	0.6	<0.5	1.2	19	0.2	0.2	0.1	51	0.21	0.031
LIN 136079	Soil	0.8	21.7	5.5	48	<0.1	19.2	9.5	378	2.87	5.2	0.9	<0.5	2.3	23	0.1	0.3	0.1	67	0.29	0.043
LIN 136080	Soil	0.8	17.1	5.3	43	<0.1	15.6	8.3	361	2.54	4.7	0.6	1.8	1.7	13	0.1	0.2	0.1	61	0.17	0.036
LIN 136081	Soil	0.5	10.6	3.9	20	<0.1	5.7	3.4	104	1.29	2.1	0.4	3.1	0.5	13	<0.1	0.2	0.1	34	0.12	0.035
LIN 136082	Soil	1.0	19.6	6.2	45	0.1	15.8	8.8	422	2.60	5.3	0.8	1.7	1.7	19	0.1	0.3	0.1	62	0.21	0.038
LIN 136083	Soil	0.7	13.9	5.2	47	<0.1	15.9	7.9	293	2.56	4.9	0.6	1.4	2.4	15	0.1	0.2	0.1	60	0.21	0.040
LIN 136084	Soil	1.1	14.6	5.8	42	<0.1	16.0	7.8	257	2.78	5.6	0.6	3.3	2.3	14	<0.1	0.3	0.2	66	0.19	0.036
LIN 136085	Soil	0.9	15.1	5.4	46	0.1	17.0	9.0	342	2.72	5.1	0.6	<0.5	2.2	26	0.1	0.2	0.2	65	0.37	0.049
LIN 136086	Soil	0.6	17.8	4.8	50	<0.1	19.3	9.8	362	2.89	5.0	0.5	1.3	3.5	19	<0.1	0.2	0.1	68	0.33	0.047
LIN 136087	Soil	0.3	10.7	2.5	17	<0.1	5.2	1.8	65	0.84	0.5	0.3	<0.5	0.3	11	<0.1	<0.1	<0.1	21	0.11	0.024
LIN 136088	Soil	0.5	10.5	3.3	25	<0.1	6.0	3.9	199	1.32	2.0	0.2	1.4	0.5	9	0.2	0.1	<0.1	34	0.08	0.022
LIN 136089	Soil	0.5	11.8	3.8	25	<0.1	7.4	3.6	120	1.42	2.3	0.4	<0.5	0.8	11	0.1	0.2	0.1	40	0.12	0.030
LIN 136090	Soil	0.6	15.4	3.8	38	<0.1	16.8	7.1	224	2.29	3.4	0.9	2.4	2.5	25	<0.1	0.1	0.1	54	0.42	0.036
LIN 136091	Soil	0.6	12.1	4.3	38	<0.1	13.1	6.2	208	2.49	3.4	0.8	1.7	3.4	15	<0.1	0.2	0.1	59	0.20	0.040
LIN 136092	Soil	0.7	12.7	4.6	40	<0.1	13.6	6.2	192	2.22	3.5	0.7	<0.5	2.3	20	0.1	0.2	0.1	54	0.24	0.040
LIN 136093	Soil	0.8	11.5	5.1	37	<0.1	13.1	5.8	167	2.08	3.3	0.6	1.2	2.2	16	<0.1	0.1	0.1	53	0.20	0.034
LIN 136094	Soil	0.4	7.4	2.7	23	<0.1	4.7	2.8	175	1.18	1.3	0.3	<0.5	0.2	10	0.1	0.1	0.1	27	0.09	0.020
LIN 136095	Soil	0.3	5.6	1.6	13	<0.1	3.1	1.7	41	0.68	<0.5	0.2	<0.5	<0.1	10	0.2	<0.1	<0.1	17	0.08	0.029
LIN 136096	Soil	0.6	12.3	4.4	43	<0.1	7.6	5.1	230	1.72	2.7	0.3	1.2	1.2	8	0.2	0.2	<0.1	41	0.09	0.025
LIN 136097	Soil	0.5	17.2	4.6	47	<0.1	18.0	8.9	325	2.70	3.7	0.5	5.1	3.5	19	0.1	0.2	<0.1	61	0.30	0.039
LIN 136098	Soil	0.3	7.9	2.3	21	<0.1	3.9	2.4	160	0.84	0.9	0.2	<0.5	0.1	10	<0.1	<0.1	<0.1	22	0.11	0.025
LIN 136099	Soil	0.5	10.2	3.3	27	<0.1	5.3	5.2	361	1.23	1.7	0.2	<0.5	0.3	10	0.2	0.2	<0.1	32	0.10	0.020



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 9 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136070	Soil	8	12	0.24	137	0.049	1	0.85	0.028	0.06	<0.1	0.04	1.4	<0.1	<0.05	4	<0.5	<0.2
LIN 136071	Soil	5	10	0.15	141	0.042	1	0.70	0.027	0.04	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 136072	Soil	4	11	0.15	82	0.046	1	0.75	0.022	0.04	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
LIN 136073	Soil	10	27	0.69	89	0.122	1	1.97	0.014	0.17	0.2	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
LIN 136074	Soil	3	7	0.11	55	0.036	<1	0.46	0.024	0.04	<0.1	0.02	0.7	<0.1	<0.05	3	<0.5	<0.2
LIN 136075	Soil	10	22	0.45	166	0.080	1	1.60	0.021	0.09	0.2	0.03	2.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136076	Soil	12	27	0.59	176	0.101	1	1.94	0.017	0.11	0.1	0.03	3.1	0.1	<0.05	8	<0.5	<0.2
LIN 136077	Soil	4	11	0.18	83	0.054	2	0.60	0.025	0.06	<0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 136078	Soil	18	19	0.33	157	0.076	2	1.25	0.022	0.07	0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136079	Soil	12	29	0.67	169	0.110	2	1.83	0.016	0.11	0.1	0.03	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 136080	Soil	10	25	0.55	141	0.095	2	1.80	0.017	0.09	<0.1	0.02	2.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136081	Soil	6	11	0.20	86	0.058	1	0.91	0.022	0.04	<0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136082	Soil	11	25	0.46	151	0.083	2	1.78	0.020	0.06	<0.1	0.03	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136083	Soil	8	24	0.51	117	0.095	1	1.76	0.016	0.09	0.1	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136084	Soil	8	25	0.49	117	0.099	1	1.76	0.016	0.08	0.2	0.05	2.9	<0.1	<0.05	7	<0.5	<0.2
LIN 136085	Soil	9	24	0.54	160	0.098	2	1.76	0.015	0.10	0.1	0.03	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136086	Soil	9	27	0.64	119	0.120	2	1.78	0.018	0.11	0.2	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136087	Soil	4	10	0.09	50	0.037	<1	0.54	0.024	0.05	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
LIN 136088	Soil	3	11	0.14	64	0.052	<1	0.85	0.022	0.03	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2
LIN 136089	Soil	5	13	0.19	63	0.065	1	0.86	0.020	0.06	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
LIN 136090	Soil	9	29	0.54	142	0.100	1	1.72	0.026	0.10	0.1	0.03	3.2	<0.1	<0.05	6	<0.5	<0.2
LIN 136091	Soil	10	21	0.41	114	0.093	<1	1.53	0.013	0.08	0.1	0.03	2.9	<0.1	<0.05	6	<0.5	<0.2
LIN 136092	Soil	9	21	0.41	135	0.093	1	1.65	0.016	0.09	0.1	0.04	2.9	<0.1	<0.05	7	<0.5	<0.2
LIN 136093	Soil	8	20	0.41	107	0.103	1	1.58	0.015	0.09	0.1	0.03	2.9	<0.1	<0.05	7	<0.5	<0.2
LIN 136094	Soil	4	10	0.16	56	0.038	<1	0.60	0.023	0.04	0.1	0.02	0.8	<0.1	<0.05	4	<0.5	<0.2
LIN 136095	Soil	2	6	0.07	42	0.018	<1	0.42	0.026	0.03	<0.1	0.02	0.3	<0.1	<0.05	2	<0.5	<0.2
LIN 136096	Soil	4	13	0.20	77	0.070	<1	1.18	0.024	0.04	<0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136097	Soil	12	30	0.79	141	0.121	1	1.93	0.019	0.11	<0.1	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136098	Soil	3	6	0.13	49	0.038	<1	0.45	0.028	0.04	<0.1	0.02	0.6	<0.1	<0.05	3	<0.5	<0.2
LIN 136099	Soil	2	9	0.12	63	0.049	<1	0.76	0.024	0.04	<0.1	0.02	0.8	<0.1	<0.05	4	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

10 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method	Analyte	Unit	MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15		
					Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
					0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136100	Soil				0.6	22.9	3.5	37	0.1	9.9	5.5	535	1.35	2.0	0.8	0.6	0.5	19	0.3	0.2	0.1	31	0.20	0.054
LIN 136101	Soil				0.5	18.5	4.8	50	<0.1	19.6	11.2	619	2.95	4.5	1.1	4.0	3.8	27	0.1	0.2	0.1	62	0.39	0.059
LIN 136102	Soil				0.6	13.9	5.2	34	<0.1	11.8	7.8	283	2.04	3.3	0.6	0.9	2.1	15	<0.1	0.2	<0.1	46	0.16	0.024
LIN 136103	Soil				0.5	13.5	4.2	45	<0.1	15.3	7.9	373	2.56	3.8	0.6	1.3	3.4	19	0.1	0.2	<0.1	57	0.31	0.044
LIN 136104	Soil				0.5	15.4	4.6	47	<0.1	19.0	9.9	414	3.04	5.1	0.6	4.6	3.9	17	0.1	0.2	<0.1	64	0.28	0.053
LIN 136105	Soil				0.5	6.6	3.5	21	<0.1	2.6	2.8	220	1.28	2.0	0.2	<0.5	0.4	6	<0.1	0.2	<0.1	32	0.07	0.029
LIN 136106	Soil				0.9	16.2	6.9	51	<0.1	18.4	8.0	328	2.79	5.5	0.7	1.0	2.5	17	0.1	0.3	0.2	70	0.20	0.036
LIN 136107	Soil				0.7	15.5	6.9	42	<0.1	15.3	7.6	231	2.86	4.0	0.7	0.5	4.0	17	<0.1	0.2	0.1	72	0.24	0.038
LIN 136108	Soil				0.5	20.7	150.9	47	0.2	15.0	7.5	236	2.93	4.7	0.8	1.4	4.3	21	<0.1	0.2	0.1	60	0.34	0.050
LIN 136109	Soil				0.4	25.0	36.8	57	<0.1	19.7	9.4	406	3.32	4.6	0.9	2.5	5.7	27	0.1	0.3	0.1	67	0.39	0.038
LIN 136110	Soil				0.5	23.3	5.8	49	<0.1	19.8	8.0	235	2.96	4.4	1.0	1.4	4.4	17	<0.1	0.3	0.1	66	0.28	0.043
LIN 136111	Soil				0.6	18.5	5.5	41	<0.1	16.0	9.6	257	2.96	4.6	1.0	2.1	5.0	18	<0.1	0.2	0.1	63	0.25	0.034
LIN 136112	Soil				0.8	10.8	3.7	30	<0.1	8.8	4.9	162	2.03	2.9	0.6	1.3	1.6	15	0.1	0.2	<0.1	44	0.19	0.032
LIN 136113	Soil				0.8	11.8	6.7	26	<0.1	6.2	4.5	248	2.43	3.7	0.4	1.5	4.2	10	<0.1	0.2	0.2	74	0.10	0.021
LIN 136115	Soil				0.3	3.4	2.1	16	<0.1	1.4	1.6	86	0.70	<0.5	0.1	<0.5	<0.1	6	<0.1	<0.1	<0.1	17	0.05	0.013
LIN 136116	Soil				0.3	17.2	4.3	37	<0.1	15.5	8.1	352	2.29	2.7	1.9	0.5	5.4	20	<0.1	0.2	<0.1	56	0.30	0.045
LIN 136117	Soil				0.3	16.7	4.4	38	<0.1	15.9	8.5	358	2.39	2.9	1.8	2.2	5.7	21	<0.1	0.2	<0.1	57	0.30	0.047
LIN 136118	Soil				0.4	9.9	3.3	15	<0.1	5.4	2.4	110	0.96	0.8	0.8	<0.5	0.4	13	<0.1	<0.1	<0.1	21	0.11	0.026
LIN 136119	Soil				0.4	9.5	4.6	24	<0.1	5.5	3.2	157	1.21	2.0	0.4	<0.5	0.7	12	<0.1	0.2	<0.1	31	0.08	0.016
LIN 136120	Soil				0.5	17.0	6.0	45	0.1	11.1	6.2	226	1.90	2.9	0.5	<0.5	1.7	12	0.2	0.2	0.1	45	0.13	0.028
LIN 136121	Soil				0.5	18.2	4.8	32	<0.1	12.1	4.8	224	1.67	2.6	0.9	<0.5	2.4	17	<0.1	0.2	0.1	40	0.18	0.023
LIN 136122	Soil				0.6	19.2	6.2	45	<0.1	16.7	8.2	312	2.52	4.3	1.2	2.5	3.5	23	<0.1	0.3	0.1	60	0.27	0.043
LIN 136123	Soil				0.5	13.2	4.7	28	<0.1	9.2	5.6	324	1.64	2.6	1.1	<0.5	1.8	15	<0.1	0.2	<0.1	40	0.15	0.026
LIN 136124	Soil				0.9	15.5	7.7	42	<0.1	12.0	7.2	277	2.55	5.4	0.6	1.6	2.0	12	0.1	0.3	0.1	62	0.13	0.031
LIN 136125	Soil				0.6	15.6	5.4	38	<0.1	13.0	8.6	460	2.86	4.1	0.8	1.2	3.8	19	<0.1	0.2	0.1	54	0.19	0.036
LIN 136126	Soil				0.6	20.3	7.0	46	0.1	15.6	7.1	287	2.54	4.7	1.7	1.0	2.9	24	<0.1	0.2	0.1	60	0.24	0.043
LIN 136127	Soil				0.6	22.1	6.6	53	0.1	15.8	8.9	497	2.69	4.6	1.0	0.6	3.8	20	0.1	0.2	0.1	64	0.19	0.044
LIN 136128	Soil				0.6	21.3	5.0	35	<0.1	12.6	8.7	302	2.25	3.8	1.3	1.6	2.8	30	<0.1	0.2	0.1	52	0.32	0.039
LIN 136131	Soil				0.5	9.4	7.0	54	<0.1	12.6	7.1	284	2.11	3.3	0.7	1.2	2.7	19	<0.1	0.2	0.1	54	0.23	0.042
LIN 136132	Soil				0.5	35.2	6.8	44	<0.1	21.1	10.3	235	2.78	5.6	1.0	1.0	5.1	25	<0.1	0.3	0.1	66	0.31	0.035



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 10 of 12 Part 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136100	Soil	11	14	0.22	99	0.047	<1	1.07	0.030	0.05	<0.1	0.04	1.7	<0.1	<0.05	4	<0.5	<0.2
LIN 136101	Soil	16	31	0.66	216	0.107	2	2.17	0.021	0.11	0.1	0.03	5.3	0.1	<0.05	7	<0.5	<0.2
LIN 136102	Soil	9	20	0.39	134	0.083	1	1.87	0.030	0.06	<0.1	0.02	3.1	<0.1	<0.05	6	<0.5	<0.2
LIN 136103	Soil	10	23	0.59	107	0.108	1	1.49	0.017	0.09	0.1	0.02	3.6	<0.1	<0.05	5	<0.5	<0.2
LIN 136104	Soil	11	26	0.61	155	0.113	2	2.00	0.019	0.09	0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136105	Soil	3	7	0.12	25	0.049	1	0.77	0.020	0.02	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
LIN 136106	Soil	10	29	0.52	152	0.098	2	2.07	0.021	0.08	0.1	0.03	3.2	0.1	<0.05	8	<0.5	<0.2
LIN 136107	Soil	14	34	0.69	122	0.149	1	1.92	0.019	0.14	0.2	0.02	4.5	0.1	<0.05	8	<0.5	<0.2
LIN 136108	Soil	15	27	0.55	121	0.110	2	1.86	0.017	0.17	0.1	0.04	4.4	0.1	<0.05	6	<0.5	<0.2
LIN 136109	Soil	18	36	0.75	173	0.148	1	2.04	0.021	0.25	0.1	0.02	6.7	0.2	<0.05	7	<0.5	<0.2
LIN 136110	Soil	14	31	0.68	113	0.143	2	2.37	0.015	0.14	0.1	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
LIN 136111	Soil	16	27	0.64	158	0.138	2	2.26	0.015	0.12	0.1	0.03	5.2	0.1	<0.05	7	<0.5	<0.2
LIN 136112	Soil	7	17	0.40	88	0.085	<1	1.35	0.016	0.09	0.1	0.04	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136113	Soil	8	16	0.64	112	0.169	2	1.53	0.009	0.14	<0.1	<0.01	4.9	<0.1	<0.05	9	<0.5	<0.2
LIN 136115	Soil	1	4	0.08	25	0.030	<1	0.30	0.020	0.02	<0.1	0.01	0.3	<0.1	<0.05	3	<0.5	<0.2
LIN 136116	Soil	17	26	0.58	99	0.128	1	1.31	0.015	0.15	<0.1	0.01	4.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136117	Soil	18	26	0.59	99	0.131	2	1.35	0.016	0.14	<0.1	0.02	4.0	0.1	<0.05	4	<0.5	<0.2
LIN 136118	Soil	5	9	0.14	56	0.036	1	0.63	0.018	0.04	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
LIN 136119	Soil	4	10	0.18	65	0.063	1	0.86	0.021	0.03	<0.1	0.01	1.1	<0.1	<0.05	4	<0.5	<0.2
LIN 136120	Soil	7	17	0.33	77	0.089	1	1.23	0.018	0.05	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136121	Soil	12	17	0.37	119	0.090	1	1.19	0.014	0.06	<0.1	0.02	2.6	<0.1	<0.05	4	<0.5	<0.2
LIN 136122	Soil	12	25	0.52	141	0.116	2	1.76	0.015	0.08	0.2	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136123	Soil	8	16	0.35	92	0.081	<1	1.21	0.016	0.05	<0.1	0.03	2.3	<0.1	<0.05	5	<0.5	<0.2
LIN 136124	Soil	7	24	0.40	84	0.099	2	1.74	0.014	0.05	<0.1	0.01	2.4	<0.1	<0.05	7	0.5	<0.2
LIN 136125	Soil	12	20	0.46	122	0.114	1	1.64	0.013	0.12	<0.1	0.01	3.3	<0.1	<0.05	6	<0.5	<0.2
LIN 136126	Soil	16	27	0.53	193	0.105	2	1.93	0.014	0.13	<0.1	0.02	4.0	0.1	<0.05	7	<0.5	0.3
LIN 136127	Soil	14	26	0.55	167	0.123	<1	2.05	0.013	0.12	<0.1	0.02	3.6	<0.1	<0.05	7	<0.5	<0.2
LIN 136128	Soil	13	24	0.50	223	0.101	<1	1.76	0.013	0.08	0.2	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136131	Soil	9	23	0.53	101	0.124	2	1.41	0.017	0.08	<0.1	0.05	3.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136132	Soil	19	38	0.70	281	0.127	2	2.01	0.021	0.05	<0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

11 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

		Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136133	Soil		0.4	39.4	6.9	49	<0.1	25.6	10.1	231	2.74	7.4	1.1	2.0	5.7	29	0.1	0.3	0.1	67	0.40	0.039
LIN 136134	Soil		0.4	29.9	6.6	44	<0.1	21.0	10.0	231	2.80	5.3	1.0	0.5	4.5	25	<0.1	0.3	0.1	61	0.36	0.039
LIN 136135	Soil		0.7	60.3	5.8	45	0.1	24.2	16.4	603	2.73	4.5	1.6	3.1	2.8	29	0.1	0.3	0.1	64	0.43	0.057
LIN 136136	Soil		0.6	63.2	6.8	47	0.2	24.3	13.3	485	2.64	5.0	1.5	2.2	2.1	31	<0.1	0.4	0.3	65	0.46	0.054
LIN 136137	Soil		0.5	81.1	3.7	29	0.1	14.5	9.2	230	1.67	3.0	0.5	5.6	0.7	27	<0.1	0.2	0.5	44	0.34	0.047
LIN 136138	Soil		0.5	84.3	4.8	44	<0.1	24.9	14.7	362	2.35	4.0	0.5	2.5	1.9	28	0.2	0.3	1.2	69	0.36	0.054
LIN 136139	Soil		0.6	21.7	5.1	44	<0.1	16.7	13.3	695	2.78	4.6	0.8	0.7	4.9	19	0.1	0.2	0.1	69	0.26	0.040
LIN 136140	Soil		0.4	36.2	5.3	40	<0.1	19.1	13.5	327	2.73	5.1	0.6	0.7	3.3	24	<0.1	0.3	0.1	77	0.41	0.051
LIN 136141	Soil		0.6	25.5	5.5	39	<0.1	15.1	7.7	297	1.74	2.6	0.5	1.2	1.3	28	0.1	0.2	0.1	48	0.39	0.053
LIN 136142	Soil		0.6	21.1	4.9	40	<0.1	13.9	12.0	571	2.32	3.6	0.8	<0.5	2.8	23	<0.1	0.2	0.1	56	0.30	0.049
LIN 136143	Soil		0.5	12.6	4.9	44	<0.1	11.6	9.3	398	2.74	3.1	0.8	14.2	4.9	16	<0.1	0.2	0.1	57	0.21	0.040
LIN 136144	Soil		0.7	12.7	6.6	49	<0.1	14.4	7.6	264	2.28	3.6	1.2	11.5	3.6	26	<0.1	0.2	0.1	53	0.29	0.047
LIN 136145	Soil		0.6	11.4	5.8	45	<0.1	12.9	7.8	321	2.05	3.3	0.8	0.9	3.0	22	0.1	0.2	0.1	55	0.27	0.042
LIN 136146	Soil		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
LIN 136147	Soil		0.6	12.4	5.4	45	<0.1	14.1	8.6	345	2.21	3.5	0.8	5.3	3.4	19	<0.1	0.2	<0.1	55	0.24	0.044
LIN 136148	Soil		0.5	11.4	5.3	44	<0.1	12.7	7.2	310	1.93	2.9	0.8	2.3	2.8	22	<0.1	0.2	<0.1	47	0.27	0.049
LIN 136149	Soil		0.6	9.4	5.1	39	<0.1	10.8	6.4	200	1.80	2.9	0.7	2.2	2.5	17	<0.1	0.2	<0.1	49	0.21	0.042
LIN 136150	Soil		0.5	11.4	5.8	44	<0.1	13.7	7.5	233	2.01	2.8	0.9	1.5	3.0	28	0.1	0.2	<0.1	51	0.37	0.052
LIN 136151	Soil		0.6	12.0	4.6	38	<0.1	5.8	3.8	261	1.41	1.9	0.4	<0.5	0.4	12	<0.1	0.2	<0.1	35	0.13	0.040
LIN 136152	Soil		0.8	13.1	7.7	38	<0.1	13.9	7.3	229	2.52	4.5	0.5	1.8	2.7	15	0.1	0.3	0.1	72	0.16	0.031
LIN 136153	Soil		0.7	9.7	6.4	37	<0.1	11.9	5.6	218	2.25	4.1	0.4	5.2	2.1	14	<0.1	0.2	0.1	70	0.16	0.020
LIN 136154	Soil		0.5	7.5	4.0	37	<0.1	10.1	4.7	159	1.70	2.2	0.5	3.6	1.7	17	<0.1	0.1	<0.1	36	0.21	0.037
LIN 136155	Soil		0.5	12.9	6.2	43	<0.1	15.5	9.7	422	2.34	4.0	0.9	3.1	3.1	26	<0.1	0.3	0.1	58	0.29	0.049
LIN 136156	Soil		0.5	11.0	5.1	39	<0.1	11.6	6.2	249	1.97	3.5	0.8	2.6	2.0	18	0.2	0.2	0.1	46	0.19	0.043
LIN 136157	Soil		0.8	15.0	6.1	50	<0.1	15.6	6.8	286	2.54	4.4	0.7	<0.5	2.4	15	<0.1	0.3	0.2	63	0.17	0.036
LIN 136158	Soil		0.4	12.9	4.4	42	<0.1	12.5	6.9	342	2.28	2.9	0.9	<0.5	3.6	16	<0.1	0.2	0.1	50	0.21	0.044
LIN 136159	Soil		0.5	12.4	5.4	46	<0.1	14.5	7.9	348	2.37	3.6	0.8	2.0	3.1	22	<0.1	0.2	0.1	53	0.27	0.043
LIN 136160	Soil		0.4	12.5	4.9	49	<0.1	15.4	8.5	426	2.62	4.5	0.6	<0.5	3.1	16	0.1	0.2	0.1	61	0.22	0.030
LIN 136161	Soil		0.8	18.4	5.8	45	<0.1	16.1	8.3	426	2.44	3.9	0.6	<0.5	1.6	20	<0.1	0.2	0.2	60	0.20	0.040
LIN 136162	Soil		0.5	7.6	2.7	16	<0.1	4.2	2.4	102	1.06	1.5	0.2	<0.5	0.5	9	<0.1	0.2	<0.1	23	0.07	0.017



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 11 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136133	Soil	20	41	0.71	282	0.133	2	1.79	0.025	0.10	0.2	0.02	6.1	0.1	<0.05	6	<0.5	<0.2
LIN 136134	Soil	14	35	0.65	149	0.129	2	1.88	0.024	0.07	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136135	Soil	15	44	0.68	180	0.116	2	1.92	0.025	0.09	0.2	0.03	4.7	0.1	<0.05	5	<0.5	<0.2
LIN 136136	Soil	16	38	0.60	238	0.100	2	2.03	0.026	0.06	1.2	0.06	4.3	<0.1	<0.05	6	<0.5	0.3
LIN 136137	Soil	6	21	0.37	96	0.071	1	1.08	0.028	0.03	0.3	0.04	2.2	<0.1	<0.05	3	<0.5	<0.2
LIN 136138	Soil	7	37	0.60	104	0.120	2	1.63	0.028	0.04	0.9	0.03	3.5	<0.1	<0.05	4	<0.5	<0.2
LIN 136139	Soil	11	28	0.69	152	0.122	2	1.82	0.015	0.13	<0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
LIN 136140	Soil	12	32	0.65	133	0.125	3	1.69	0.022	0.09	0.1	0.03	4.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136141	Soil	6	33	0.49	120	0.079	4	1.35	0.020	0.04	<0.1	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136142	Soil	12	25	0.47	153	0.090	2	1.46	0.017	0.06	0.1	0.04	3.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136143	Soil	12	22	0.51	103	0.127	2	1.36	0.014	0.15	0.1	0.02	3.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136144	Soil	15	23	0.50	165	0.111	3	1.65	0.020	0.11	0.1	0.04	4.0	<0.1	<0.05	6	<0.5	<0.2
LIN 136145	Soil	11	21	0.50	110	0.121	2	1.40	0.021	0.08	<0.1	0.04	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136146	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
LIN 136147	Soil	10	21	0.52	114	0.127	1	1.46	0.019	0.10	<0.1	0.04	3.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136148	Soil	10	19	0.46	119	0.105	1	1.30	0.019	0.10	0.1	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136149	Soil	9	19	0.44	81	0.106	2	1.22	0.018	0.05	0.1	0.04	2.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136150	Soil	12	21	0.49	128	0.110	2	1.30	0.026	0.08	0.2	0.05	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136151	Soil	5	10	0.19	63	0.057	1	1.04	0.017	0.04	<0.1	0.03	1.3	<0.1	<0.05	4	<0.5	<0.2
LIN 136152	Soil	9	25	0.40	82	0.109	2	2.08	0.011	0.04	<0.1	0.04	2.8	<0.1	<0.05	7	<0.5	<0.2
LIN 136153	Soil	7	23	0.47	76	0.098	3	1.66	0.014	0.05	0.2	0.03	2.8	<0.1	<0.05	6	<0.5	<0.2
LIN 136154	Soil	8	16	0.44	75	0.073	3	1.11	0.017	0.06	0.1	0.04	2.2	<0.1	<0.05	4	<0.5	<0.2
LIN 136155	Soil	13	24	0.58	144	0.094	1	1.61	0.020	0.07	<0.1	0.04	3.5	<0.1	<0.05	5	<0.5	<0.2
LIN 136156	Soil	11	18	0.43	110	0.069	2	1.29	0.017	0.07	0.1	0.05	2.6	<0.1	<0.05	5	0.5	<0.2
LIN 136157	Soil	9	25	0.56	99	0.086	2	1.88	0.014	0.05	0.1	0.04	3.4	0.1	<0.05	6	0.6	<0.2
LIN 136158	Soil	12	18	0.49	100	0.086	2	1.34	0.017	0.09	<0.1	0.03	2.9	<0.1	<0.05	5	<0.5	<0.2
LIN 136159	Soil	10	23	0.60	125	0.093	1	1.60	0.019	0.09	<0.1	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
LIN 136160	Soil	9	22	0.68	91	0.110	2	1.49	0.013	0.10	0.1	0.03	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136161	Soil	9	27	0.57	141	0.092	1	1.80	0.020	0.08	<0.1	0.03	3.1	<0.1	<0.05	7	<0.5	<0.2
LIN 136162	Soil	2	8	0.13	29	0.041	<1	0.61	0.025	0.03	<0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

12 of 12 Part 1

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
LIN 136163	Soil	1.0	17.9	6.3	36	0.1	14.7	5.4	211	2.35	4.7	0.3	<0.5	1.4	16	0.2	0.4	0.3	68	0.12	0.026
LIN 136164	Soil	0.7	17.1	3.9	34	<0.1	14.4	7.2	281	1.92	3.3	0.6	<0.5	1.2	16	<0.1	0.2	0.2	51	0.23	0.054
LIN 136165	Soil	0.5	18.4	5.4	54	<0.1	20.6	11.5	457	2.85	5.2	0.7	7.3	3.0	25	<0.1	0.2	0.2	77	0.37	0.060
LIN 136166	Soil	0.6	23.0	6.0	47	<0.1	18.1	10.6	383	3.15	4.6	1.4	3.4	5.1	27	<0.1	0.3	0.1	66	0.35	0.048
LIN 136167	Soil	0.3	16.9	4.8	39	<0.1	14.3	6.6	391	2.26	2.8	1.0	4.9	3.6	27	<0.1	0.3	0.1	53	0.34	0.048
LIN 136168	Soil	0.4	11.4	3.8	27	<0.1	10.6	6.3	433	1.51	1.6	0.7	0.7	1.1	23	<0.1	0.2	<0.1	28	0.21	0.049
LIN 136171	Soil	0.5	14.4	5.0	44	<0.1	15.8	7.7	349	2.84	5.1	0.9	0.6	4.0	23	<0.1	0.2	0.1	59	0.28	0.047
LIN 136172	Soil	0.7	20.6	6.2	44	0.1	17.2	8.5	282	3.30	5.8	1.6	0.7	3.1	29	<0.1	0.2	0.2	71	0.29	0.058
LIN 136173	Soil	0.8	21.3	6.9	39	0.1	15.7	8.3	287	2.65	4.7	1.5	1.4	2.1	26	<0.1	0.3	0.2	65	0.26	0.058
LIN 136174	Soil	0.5	13.2	4.1	35	<0.1	10.3	4.7	251	1.96	2.1	0.6	0.6	1.4	21	0.1	0.2	0.1	41	0.20	0.032
LIN 136175	Soil	0.5	12.3	3.8	35	<0.1	11.6	5.8	269	2.29	2.4	0.7	31.2	2.9	19	<0.1	0.2	0.1	49	0.22	0.039
LIN 136176	Soil	0.5	11.3	4.4	38	<0.1	11.9	6.3	279	2.46	2.8	1.0	0.6	4.0	20	<0.1	0.1	0.1	49	0.23	0.036
LIN 136177	Soil	0.4	8.4	3.2	32	<0.1	8.8	4.0	184	1.86	1.8	0.7	<0.5	3.5	13	<0.1	<0.1	<0.1	38	0.13	0.022
LIN 136178	Soil	0.4	8.1	3.1	30	<0.1	7.8	4.3	200	2.05	1.9	0.6	<0.5	3.9	12	<0.1	<0.1	0.1	46	0.12	0.018
LIN 136179	Soil	0.4	9.9	3.9	36	<0.1	11.3	5.1	246	2.03	2.3	0.9	<0.5	3.9	18	<0.1	0.1	0.1	42	0.22	0.036
LIN 136180	Soil	0.5	12.7	5.0	44	<0.1	12.1	7.4	343	2.52	3.4	0.8	1.8	4.1	16	<0.1	0.2	<0.1	55	0.20	0.037
LIN 136181	Soil	0.7	13.6	5.2	36	<0.1	13.4	5.3	184	2.03	3.0	0.6	1.2	2.1	16	<0.1	0.2	0.2	54	0.16	0.031
LIN 136182	Soil	0.7	16.0	6.7	43	0.2	14.8	6.2	208	2.31	3.4	0.9	1.4	3.0	19	<0.1	0.3	0.1	55	0.21	0.040
LIN 136183	Soil	2.2	28.6	7.3	36	0.1	19.9	11.5	432	2.60	3.1	3.8	<0.5	3.7	43	<0.1	0.2	0.2	64	0.56	0.040
LIN 136184	Soil	0.9	23.3	4.6	39	<0.1	21.6	11.5	369	2.66	3.1	1.2	1.9	8.0	20	<0.1	0.2	0.1	62	0.32	0.048
LIN 136185	Soil	1.2	26.0	5.6	40	0.1	14.4	6.6	323	2.11	2.3	1.4	0.8	3.5	23	<0.1	0.2	0.2	53	0.25	0.022
LIN 136186	Soil	1.0	15.4	3.5	39	<0.1	16.8	8.6	508	2.12	2.0	0.9	<0.5	3.2	20	<0.1	0.1	0.1	53	0.28	0.051
LIN 136187	Soil	1.2	15.9	5.6	37	<0.1	13.4	8.2	350	2.26	3.0	1.5	<0.5	3.4	25	<0.1	0.2	0.1	54	0.31	0.032
LIN 136188	Soil	1.3	19.1	3.5	38	<0.1	12.9	8.6	433	2.31	2.5	2.2	<0.5	4.0	28	<0.1	0.2	0.1	56	0.44	0.059
LIN 136189	Soil	1.1	19.2	3.2	37	<0.1	18.6	9.5	440	2.23	2.3	1.3	<0.5	3.5	25	<0.1	0.1	0.1	56	0.40	0.057
LIN 136190	Soil	0.9	24.0	3.7	32	<0.1	18.7	8.4	307	2.11	2.0	2.0	<0.5	3.1	25	<0.1	0.1	0.1	53	0.33	0.058



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Aldrin Resource Corporation
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 12 of 12 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
LIN 136163	Soil	6	23	0.31	80	0.083	2	1.53	0.015	0.04	<0.1	0.03	2.1	<0.1	<0.05	6	0.7	<0.2
LIN 136164	Soil	9	21	0.45	136	0.075	<1	1.26	0.017	0.08	0.2	0.02	2.3	<0.1	<0.05	4	0.6	<0.2
LIN 136165	Soil	10	32	0.72	188	0.110	1	1.87	0.018	0.11	0.2	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
LIN 136166	Soil	16	32	0.66	203	0.126	1	2.11	0.018	0.16	0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
LIN 136167	Soil	12	24	0.69	180	0.114	<1	1.61	0.017	0.13	<0.1	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2
LIN 136168	Soil	8	17	0.37	158	0.056	<1	1.21	0.026	0.06	0.1	0.03	2.5	<0.1	<0.05	4	0.6	<0.2
LIN 136171	Soil	12	27	0.66	168	0.099	<1	1.97	0.014	0.09	0.3	0.02	3.8	<0.1	<0.05	6	0.6	<0.2
LIN 136172	Soil	17	33	0.63	255	0.086	2	2.53	0.016	0.10	0.2	0.04	5.3	<0.1	<0.05	7	<0.5	<0.2
LIN 136173	Soil	15	26	0.54	199	0.078	1	2.11	0.015	0.08	0.2	0.04	4.0	<0.1	<0.05	7	<0.5	<0.2
LIN 136174	Soil	10	15	0.36	114	0.068	<1	1.11	0.014	0.09	<0.1	0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136175	Soil	12	17	0.43	107	0.087	<1	1.33	0.014	0.09	<0.1	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136176	Soil	14	17	0.47	114	0.093	<1	1.47	0.016	0.11	0.1	0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
LIN 136177	Soil	11	13	0.38	75	0.086	<1	1.17	0.012	0.07	<0.1	0.02	2.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136178	Soil	10	13	0.40	75	0.088	<1	1.16	0.012	0.08	0.1	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136179	Soil	13	17	0.46	127	0.084	<1	1.43	0.016	0.11	<0.1	<0.01	3.3	0.1	<0.05	6	<0.5	<0.2
LIN 136180	Soil	13	20	0.52	123	0.099	<1	1.59	0.014	0.09	0.1	0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
LIN 136181	Soil	10	19	0.39	122	0.090	2	1.45	0.018	0.07	0.1	0.04	2.5	<0.1	<0.05	6	<0.5	0.3
LIN 136182	Soil	14	23	0.49	167	0.086	<1	1.77	0.020	0.11	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2
LIN 136183	Soil	22	38	0.61	237	0.101	<1	1.78	0.023	0.13	0.3	0.04	5.5	0.1	<0.05	6	0.5	<0.2
LIN 136184	Soil	23	43	0.73	113	0.126	<1	1.62	0.020	0.19	0.3	0.02	3.9	0.2	<0.05	5	<0.5	<0.2
LIN 136185	Soil	10	30	0.49	138	0.110	<1	1.33	0.025	0.14	0.1	<0.01	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136186	Soil	12	29	0.67	169	0.114	<1	1.39	0.019	0.15	0.4	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
LIN 136187	Soil	14	24	0.58	155	0.114	<1	1.56	0.021	0.14	0.3	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
LIN 136188	Soil	15	25	0.67	171	0.118	<1	1.38	0.021	0.25	0.7	0.03	4.2	0.1	<0.05	5	<0.5	0.3
LIN 136189	Soil	12	39	0.66	147	0.102	<1	1.33	0.016	0.27	0.3	0.01	3.9	0.1	<0.05	5	<0.5	<0.2
LIN 136190	Soil	12	32	0.61	141	0.105	<1	1.31	0.019	0.16	0.3	0.02	3.4	0.2	<0.05	5	<0.5	0.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 07, 2010

Page: 1 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000360.1

	Method Analyte	1DX15																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
LIN 135304	Soil	1.2	19.6	7.1	50	0.1	16.6	14.2	1190	3.10	13.8	1.2	2.2	2.7	34	0.2	0.6	0.1	77	0.53	0.100
REP LIN 135304	QC	1.2	19.9	7.3	53	<0.1	16.5	14.5	1218	3.18	13.9	1.2	3.9	2.7	35	<0.1	0.6	0.1	75	0.50	0.101
LIN 135325	Soil	0.9	30.8	6.1	83	<0.1	53.5	25.4	437	4.67	66.8	0.3	<0.5	1.8	60	<0.1	0.2	0.1	59	0.89	0.190
REP LIN 135325	QC	0.9	31.0	6.2	86	<0.1	49.9	25.9	436	4.66	66.2	0.3	<0.5	1.9	58	0.1	0.2	<0.1	58	0.88	0.196
LIN 135341	Soil	1.2	23.5	7.6	46	0.1	17.0	8.9	427	2.51	62.0	1.2	8.7	2.3	27	0.2	0.5	0.2	64	0.40	0.063
REP LIN 135341	QC	1.1	23.7	7.4	47	0.2	16.9	8.9	430	2.52	63.6	1.2	9.4	2.4	27	0.1	0.5	0.2	64	0.40	0.064
LIN 135380	Soil	0.6	16.1	7.0	51	0.1	16.0	9.1	352	2.93	60.8	1.1	2.5	3.6	21	0.1	0.3	0.2	69	0.30	0.051
REP LIN 135380	QC	0.7	16.2	7.3	52	0.1	16.3	9.4	357	2.98	62.8	1.1	2.6	3.5	21	0.1	0.3	0.2	70	0.31	0.051
LIN 135400	Soil	0.6	13.8	7.6	43	0.4	10.9	5.7	283	1.81	57.0	1.6	3.1	1.0	25	0.2	0.2	0.5	36	0.26	0.055
REP LIN 135400	QC	0.4	14.3	8.3	46	0.4	10.0	5.4	299	1.88	56.6	1.5	1.6	1.0	24	0.1	0.3	0.5	38	0.27	0.057
LIN 135426	Soil	0.4	19.3	12.9	62	0.1	24.3	9.6	494	2.70	466.6	2.0	4.5	2.3	26	0.1	0.5	1.9	67	0.29	0.059
REP LIN 135426	QC	0.7	20.5	13.2	63	0.2	22.4	9.8	511	2.67	474.7	1.9	3.9	2.3	26	0.2	0.5	2.0	65	0.32	0.058
LIN 135430	Soil	0.7	15.9	8.3	43	0.1	14.6	14.5	1257	1.94	78.3	3.0	2.4	1.5	49	0.2	0.7	0.4	38	0.48	0.075
REP LIN 135430	QC	0.8	15.7	9.0	45	0.1	14.4	14.1	1290	2.05	81.2	3.1	2.3	1.6	52	0.2	0.7	0.4	40	0.48	0.083
LIN 135455	Soil	0.6	17.1	8.1	63	0.2	16.9	10.3	439	2.71	88.4	1.3	3.8	2.5	34	0.1	0.2	0.6	63	0.41	0.063
REP LIN 135455	QC	0.6	15.6	8.1	62	0.2	17.2	9.6	440	2.64	86.2	1.3	2.0	2.6	36	0.1	0.3	0.5	65	0.41	0.063
LIN 136007	Soil	0.7	9.0	4.3	18	<0.1	4.3	2.3	122	1.17	1.9	0.3	2.9	0.3	10	<0.1	0.2	0.1	42	0.08	0.022
REP LIN 136007	QC	0.6	9.0	4.1	19	<0.1	4.1	2.6	125	1.23	2.0	0.3	1.0	0.3	10	0.1	0.2	0.1	43	0.08	0.023
LIN 136026	Soil	1.4	16.1	6.9	43	<0.1	14.4	11.0	581	2.98	5.3	0.5	1.3	3.4	17	<0.1	0.2	0.1	71	0.20	0.037
REP LIN 136026	QC	1.3	17.1	6.6	46	<0.1	15.7	11.4	609	3.17	5.4	0.5	3.5	3.4	15	<0.1	0.2	0.1	79	0.20	0.036
LIN 136056	Soil	0.5	11.9	4.4	41	<0.1	11.5	6.4	281	2.06	3.6	0.8	1.9	2.3	20	0.2	0.2	<0.1	46	0.27	0.054
REP LIN 136056	QC	0.6	11.9	4.2	42	<0.1	11.6	6.3	278	2.02	3.4	0.8	3.9	2.3	20	0.1	0.2	<0.1	45	0.28	0.055
LIN 136072	Soil	0.6	11.8	4.3	24	<0.1	5.9	4.6	258	1.26	2.3	0.2	0.7	0.2	14	0.2	0.1	0.1	36	0.12	0.030
REP LIN 136072	QC	0.6	12.1	4.3	25	<0.1	6.0	4.8	259	1.25	2.2	0.2	0.7	0.3	14	0.2	0.1	<0.1	36	0.12	0.030
LIN 136087	Soil	0.3	10.7	2.5	17	<0.1	5.2	1.8	65	0.84	0.5	0.3	<0.5	0.3	11	<0.1	<0.1	<0.1	21	0.11	0.024
REP LIN 136087	QC	0.3	10.3	2.6	16	<0.1	4.9	1.9	63	0.81	0.7	0.3	0.6	0.3	11	<0.1	<0.1	<0.1	21	0.10	0.024
LIN 136112	Soil	0.8	10.8	3.7	30	<0.1	8.8	4.9	162	2.03	2.9	0.6	1.3	1.6	15	0.1	0.2	<0.1	44	0.19	0.032
REP LIN 136112	QC	0.7	11.1	3.8	30	<0.1	8.8	4.7	159	1.99	2.9	0.6	0.8	1.6	15	<0.1	0.2	<0.1	44	0.19	0.032



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 07, 2010

Page: 1 of 3 Part 2

QUALITY CONTROL REPORT

WHI10000360.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
LIN 135304	Soil	10	31	0.66	241	0.108	2	1.80	0.020	0.08	0.5	0.04	3.7	0.1	0.05	6	<0.5	<0.2
REP LIN 135304	QC	10	30	0.67	247	0.106	3	1.79	0.022	0.08	0.4	0.05	3.5	0.1	0.06	6	<0.5	0.3
LIN 135325	Soil	17	18	1.71	323	0.188	<1	3.02	0.104	0.38	0.1	<0.01	2.4	0.3	<0.05	9	<0.5	<0.2
REP LIN 135325	QC	17	17	1.73	330	0.191	<1	3.08	0.100	0.37	<0.1	0.01	2.3	0.3	<0.05	10	<0.5	<0.2
LIN 135341	Soil	13	25	0.50	192	0.093	2	1.56	0.030	0.08	0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
REP LIN 135341	QC	12	25	0.52	196	0.095	1	1.60	0.030	0.08	0.1	0.04	3.9	<0.1	<0.05	5	<0.5	<0.2
LIN 135380	Soil	14	23	0.61	202	0.107	1	1.94	0.020	0.11	0.1	0.02	3.1	0.2	<0.05	7	<0.5	<0.2
REP LIN 135380	QC	15	24	0.60	209	0.110	1	1.98	0.022	0.12	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
LIN 135400	Soil	11	16	0.44	138	0.060	2	1.28	0.018	0.07	0.1	0.05	2.0	<0.1	<0.05	5	1.0	<0.2
REP LIN 135400	QC	11	16	0.47	142	0.071	3	1.34	0.019	0.07	<0.1	0.06	2.1	0.1	<0.05	5	<0.5	<0.2
LIN 135426	Soil	9	31	0.75	178	0.095	1	1.91	0.018	0.09	0.2	0.04	3.1	0.1	<0.05	7	<0.5	<0.2
REP LIN 135426	QC	10	32	0.76	179	0.099	1	1.85	0.018	0.09	0.1	0.03	3.2	0.2	<0.05	7	0.6	<0.2
LIN 135430	Soil	14	18	0.48	182	0.071	7	1.27	0.022	0.06	<0.1	0.08	3.3	0.2	0.06	4	<0.5	<0.2
REP LIN 135430	QC	13	20	0.52	204	0.073	7	1.38	0.023	0.06	0.1	0.07	3.2	0.2	0.08	4	<0.5	<0.2
LIN 135455	Soil	11	25	0.72	190	0.115	1	2.03	0.029	0.07	<0.1	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
REP LIN 135455	QC	12	25	0.70	192	0.116	2	1.98	0.028	0.07	<0.1	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
LIN 136007	Soil	5	11	0.08	46	0.063	<1	0.62	0.020	0.03	<0.1	0.03	0.8	<0.1	<0.05	4	<0.5	<0.2
REP LIN 136007	QC	5	11	0.08	46	0.064	2	0.62	0.020	0.03	<0.1	0.02	0.9	<0.1	<0.05	4	<0.5	<0.2
LIN 136026	Soil	11	29	0.54	97	0.128	2	1.80	0.017	0.11	0.1	0.03	3.3	0.1	<0.05	7	<0.5	<0.2
REP LIN 136026	QC	10	31	0.50	95	0.125	<1	1.65	0.015	0.11	0.1	0.02	3.5	<0.1	<0.05	7	<0.5	<0.2
LIN 136056	Soil	12	20	0.42	125	0.076	3	1.27	0.018	0.08	0.2	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136056	QC	12	20	0.41	127	0.072	3	1.26	0.018	0.08	<0.1	0.04	3.0	<0.1	<0.05	5	<0.5	<0.2
LIN 136072	Soil	4	11	0.15	82	0.046	1	0.75	0.022	0.04	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
REP LIN 136072	QC	4	11	0.15	79	0.045	1	0.76	0.023	0.04	<0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2
LIN 136087	Soil	4	10	0.09	50	0.037	<1	0.54	0.024	0.05	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
REP LIN 136087	QC	4	9	0.09	50	0.039	<1	0.54	0.024	0.05	<0.1	0.02	1.0	<0.1	<0.05	3	<0.5	<0.2
LIN 136112	Soil	7	17	0.40	88	0.085	<1	1.35	0.016	0.09	0.1	0.04	2.9	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136112	QC	8	17	0.40	87	0.083	<1	1.35	0.017	0.09	<0.1	0.05	2.7	<0.1	<0.05	5	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Aldrin Resource Corporation**
Suite 2020 - 401 W. Georgia Street
Vancouver BC V6B 5A1 Canada

Project: LIN
Report Date: October 07, 2010

Page: 2 of 3 Part 1

QUALITY CONTROL REPORT

WHI10000360.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
LIN 136126	Soil	0.6	20.3	7.0	46	0.1	15.6	7.1	287	2.54	4.7	1.7	1.0	2.9	24	<0.1	0.2	0.1	60	0.24
REP LIN 136126	QC	0.7	20.6	6.8	43	0.1	16.0	7.4	293	2.54	4.6	1.7	1.4	2.9	24	<0.1	0.2	0.2	58	0.25
LIN 136145	Soil	0.6	11.4	5.8	45	<0.1	12.9	7.8	321	2.05	3.3	0.8	0.9	3.0	22	0.1	0.2	0.1	55	0.27
REP LIN 136145	QC	0.6	12.2	6.1	49	<0.1	13.1	8.1	340	2.13	3.1	0.9	0.9	3.3	23	0.2	0.2	0.1	59	0.28
LIN 136167	Soil	0.3	16.9	4.8	39	<0.1	14.3	6.6	391	2.26	2.8	1.0	4.9	3.6	27	<0.1	0.3	0.1	53	0.34
REP LIN 136167	QC	0.4	16.4	4.9	41	<0.1	14.9	7.1	396	2.32	2.8	0.9	1.5	3.7	27	<0.1	0.2	0.1	52	0.35
LIN 136187	Soil	1.2	15.9	5.6	37	<0.1	13.4	8.2	350	2.26	3.0	1.5	<0.5	3.4	25	<0.1	0.2	0.1	54	0.31
REP LIN 136187	QC	1.5	16.2	5.6	37	<0.1	14.0	7.9	348	2.30	3.0	1.5	<0.5	3.3	25	<0.1	0.1	0.1	55	0.30
Reference Materials																				
STD DS7	Standard	19.3	104.5	74.2	369	0.9	52.6	8.7	589	2.18	45.5	5.1	68.6	4.9	75	5.4	5.8	4.5	83	0.85
STD DS7	Standard	21.6	112.1	69.4	411	1.0	54.8	9.8	652	2.47	53.1	5.0	68.1	4.9	74	6.3	5.9	4.7	86	0.97
STD DS7	Standard	20.7	100.1	59.7	396	1.0	55.0	9.0	636	2.43	50.5	4.1	63.0	4.2	72	5.8	5.4	4.1	80	0.96
STD DS7	Standard	20.1	100.3	64.1	406	1.0	54.0	9.5	642	2.44	54.7	4.6	117.4	4.3	69	5.7	5.4	4.3	85	0.96
STD DS7	Standard	19.6	98.4	60.3	392	1.0	52.5	9.0	610	2.33	52.8	4.2	61.7	4.1	68	6.0	5.1	3.9	80	0.94
STD DS7	Standard	19.4	97.4	64.8	373	0.9	53.1	8.5	567	2.19	47.2	4.5	77.6	4.2	78	6.3	5.6	4.8	78	0.86
STD DS7	Standard	19.6	102.2	65.7	381	1.0	52.6	8.8	628	2.26	48.0	4.8	63.3	4.6	83	5.6	5.6	5.0	81	0.92
STD DS7	Standard	18.5	103.2	65.6	388	0.9	55.7	8.9	575	2.09	47.0	4.5	81.1	4.1	72	5.7	5.1	4.7	79	0.80
STD DS7	Standard	19.3	97.6	64.6	364	0.9	50.1	8.1	557	2.10	49.3	4.8	67.3	4.9	80	5.6	5.1	4.2	73	0.83
STD DS7	Standard	19.2	108.9	70.9	415	1.0	57.0	9.7	660	2.51	53.1	5.3	69.1	5.0	78	6.9	6.2	4.9	89	0.97
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project:

LIN

Report Date:

October 07, 2010

Page:

2 of 3

Part 2

QUALITY CONTROL REPORT

WHI10000360.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Ti ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
LIN 136126	Soil	16	27	0.53	193	0.105	2	1.93	0.014	0.13	<0.1	0.02	4.0	0.1	<0.05	7	<0.5	0.3
REP LIN 136126	QC	15	27	0.54	189	0.104	<1	1.97	0.014	0.13	<0.1	0.03	3.9	0.1	<0.05	7	<0.5	<0.2
LIN 136145	Soil	11	21	0.50	110	0.121	2	1.40	0.021	0.08	<0.1	0.04	3.2	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136145	QC	12	23	0.52	116	0.127	2	1.45	0.020	0.08	0.1	0.03	3.5	0.1	<0.05	6	<0.5	<0.2
LIN 136167	Soil	12	24	0.69	180	0.114	<1	1.61	0.017	0.13	<0.1	0.04	4.7	<0.1	<0.05	6	<0.5	<0.2
REP LIN 136167	QC	12	25	0.68	180	0.119	<1	1.75	0.019	0.13	0.1	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
LIN 136187	Soil	14	24	0.58	155	0.114	<1	1.56	0.021	0.14	0.3	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
REP LIN 136187	QC	13	24	0.59	162	0.112	<1	1.57	0.021	0.14	0.3	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS7	Standard	13	186	0.98	370	0.134	36	0.96	0.088	0.41	3.4	0.20	2.2	3.5	0.19	5	3.3	0.8
STD DS7	Standard	14	196	1.05	418	0.135	37	1.06	0.093	0.48	3.8	0.22	2.6	4.3	0.18	5	3.8	1.2
STD DS7	Standard	12	199	1.08	371	0.114	42	1.03	0.099	0.49	3.7	0.23	2.5	4.0	0.20	5	3.6	1.3
STD DS7	Standard	13	196	1.09	402	0.117	41	1.04	0.099	0.48	3.7	0.22	2.4	4.2	0.18	5	3.6	1.4
STD DS7	Standard	12	180	1.05	390	0.109	41	1.00	0.095	0.48	3.6	0.22	2.3	4.0	0.22	5	3.6	1.6
STD DS7	Standard	12	175	0.97	365	0.115	34	0.95	0.086	0.43	3.3	0.20	2.3	3.8	0.18	4	3.2	1.2
STD DS7	Standard	13	189	1.06	383	0.124	39	1.03	0.090	0.45	3.3	0.24	2.4	4.0	0.20	5	3.1	0.8
STD DS7	Standard	11	173	0.97	327	0.106	35	0.93	0.084	0.43	3.1	0.20	2.2	4.0	0.18	4	2.7	0.3
STD DS7	Standard	15	181	0.92	350	0.114	36	0.93	0.099	0.42	3.7	0.23	2.2	4.1	0.13	4	3.0	1.3
STD DS7	Standard	14	200	1.17	372	0.121	43	1.07	0.119	0.49	3.3	0.22	2.9	4.3	0.19	5	3.3	0.9
STD DS7 Expected		12	179	1.05	410	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5	1.08
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 07, 2010

Page: 3 of 3 **Part** 1

QUALITY CONTROL REPORT

WHI10000360.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Aldrin Resource Corporation

Suite 2020 - 401 W. Georgia Street

Vancouver BC V6B 5A1 Canada

Project: LIN

Report Date: October 07, 2010

Page: 3 of 3 **Part** 2

QUALITY CONTROL REPORT

WHI10000360.1

		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

Appendix H: Quality Control / Quality
Assurance

QUALITY CONTROL / QUALITY ASSURANCE

I Chain of Custody

All samples were packed in rice sacks and sealed with uniquely-numbered non-resealable security straps. Rice sacks were flown to Dawson City by charter aircraft (Tintina Air or Great River Air) then delivered to the ALS Chemex prep lab in Whitehorse by Small's Expediting Services. ALS Chemex reported that all bags were received in good condition, with all security straps intact, and with no evidence of tampering.

II Blanks


Blanks are samples which are known to be barren of mineralization and are inserted into the sample stream in the field to determine whether contamination has occurred after sample collection. A total of 22 blanks were inserted into the core sample sequence and submitted to the lab. Analyses for elements of interest are presented in the table below. All samples returned below detection or very low assay results. Thus, procedures to prevent contamination are judged to be acceptable.

Sample ID	Au	As	Ag	Pb	Zn
E858390	<0.005	<2	<0.2	<2	<2
E858510	<0.005	<2	<0.2	<2	3
E858550	<0.005	2	<0.2	<2	4
E858570	<0.005	<2	<0.2	<2	2
E858610	<0.005	<2	<0.2	3	7
E858690	<0.005	<2	<0.2	<2	2
E858730	<0.005	<2	<0.2	3	2
E858770	<0.005	<2	<0.2	<2	2
E858810	0.005	<2	<0.2	<2	3
E858830	0.016	<2	<0.2	<2	3
E858870	<0.005	<2	<0.2	3	3
E858910	<0.005	<2	<0.2	<2	2
E858930	<0.005	<2	<0.2	<2	2
E858970	<0.005	<2	<0.2	<2	5
E859510	<0.005	<2	<0.2	<2	3
E859550	<0.005	<2	<0.2	<2	3
E859590	0.018	<2	<0.2	8	7
E859630	<0.005	<2	<0.2	2	3
E859670	<0.005	<2	<0.2	<2	<2
E859690	<0.005	<2	<0.2	<2	2
E859730	<0.005	<2	<0.2	<2	3
E859750	<0.005	2	<0.2	2	3


III Field and Preparation Duplicate Analysis

Field duplicates are the collection and analysis of two separate samples from the same field location or core interval. They are used to measure the reproducibility, or precision of sampling, which includes both laboratory variation and sample variation. Quarter-core duplicates were taken every 20th sample for a total of 53 sample pairs. Preparation duplicates are separate analyses of two portions of a prepared sample. They are used to measure the reproducibility of laboratory analyses, eliminating variability introduced earlier in sample processing. The lab was requested to perform duplicate analyses of two pulps from the same crushing of every 20th core sample for a total of 52 sample pairs.

In this dataset, the majority of gold assays for both field and preparation duplicates are below effective detection limit, making them poor candidates to use in evaluating precision as the reported value is always the same (<5 ppb). Therefore, in the following analysis these pairs are excluded from the dataset. When this is done, 14 field duplicate pairs and 8 preparation duplicate pairs remain. Thompson and Howarth (1978) demonstrated an effective method for estimating analytical precision for datasets with 11 to 50 duplicate pairs. The method is therefore appropriate only for the field duplicate pairs, and a simple scatter plot must be used to evaluate precision of preparation duplicates.




As shown in the above scatter plot, six of the eight prep duplicate samples are quite similar and represent good data reproducibility. Two of the eight, however, plot quite far away from the ideal line (slope of 1, representing equal duplicate assays). This variability may be due to the inherent difficulty in reproducing gold assay values, especially at absolute values which are close to the detection limit.



The above plot of field duplicates of gold demonstrates that precision for quarter-core field duplicates is approximately 35%. Only one sample falls above the 90% confidence line for this level of analytical precision, an event which the binomial theorem predicts has a probability of 77%. This is an acceptable level of precision where mineralization is hosted within discrete veins.

Arsenic values did not show the same trend as gold values of most samples falling below detection, so all assays are included in an analysis of precision, making both the Thompson-Howarth method and scatter plots inappropriate. Presented below is a chart showing absolute relative difference (a proxy for precision) for quarter core and preparation duplicate analyses of arsenic. Field duplicate (quarter-core) pairs show a poor precision level with a calculated value of 100% over 90% of the samples. The preparation duplicates show a slightly better, though still low level of precision. The chart below shows that 90% of the samples have better than 65% precision. These values indicate that there is significant variability within the samples at core and pulp scale, a fact that must be considered when interpreting arsenic assay values for this program.





IV Standards

Standards are samples which contain known element concentrations, and are used to gauge accuracy and consistency of analytical results. A total of 29 standards were inserted during the 2010 drill program, approximately every 60th sample. Two types of standards (labelled T101 and T102) were obtained from WCM Minerals Ltd. The table below shows element concentrations as reported by WCM.

Standard	Au (ppm)	Std. Deviation (Au)	Ag (ppm)	Pb (%)	Zn (%)	As (%)	Sb (%)
T101	0.87	0.037	153	0.52	1.32	0.43	0.2
T102	1.61	0.064	330	2.01	3.60	0.43	0.29

A total of 15 T101 and 14 T102 standards were inserted into the core sequence. As shown below all except two assay gold values fall within 3 standard deviations of the certified value. The samples that fall outside the limit must be judged to be failures. However, as both of these standards were from digest runs in which samples contained less than 30 ppb Au (reported value) and no visible mineralization, re-analysis would have little effect on the overall results. Arsenic assays show a bias towards higher-than-actual values in all cases, though this over-reporting only exceeded 10% in six cases, and then only barely. Gold assays display no such bias, reporting both higher and lower than true values. Overall, assays on the standards show an acceptable level of error.



V Conclusions

- There is no evidence of tampering with the samples between collection and the laboratory.
- Low values for metals of interest in most blank samples indicate that there was no significant contamination of samples in the field or in the lab.
- For gold, field duplicates have a precision of 35%, and though the dataset is too small to quantitatively estimate the precision of prep duplicates, a scatter plot indicates that the precision is adequate. Duplicate analyses for arsenic show poor precision of 100% for quarter-core field duplicate pairs and 65% precision between preparation duplicate pairs for arsenic.
- Assay values of standards inserted into the sample stream compare well to the true values for those standards, with error rarely exceeding three standard deviations and/or 10%, although As values appear to be consistently overstated.
- Although not presented here, ALS Chemex carries out a full QA/QC protocol, including blanks, duplicates and standards, on laboratory handling and analysis of samples and satisfy themselves that results are satisfactory, prior to issuing certificates.

Appendix I: Compact Disc

Report text, geochemical and drill databases, geophysical files, drafting and plot files, photographs

Appendix J: Geologist's Certificates

GEOLOGIST'S CERTIFICATE

David A. Swanton
402-1595 East 6th Avenue
Vancouver, British Columbia
daves@equityexploration.com

I, David Swanton, do hereby certify that:

- I am a Project Geologist with Equity Exploration Consultants Ltd, with offices at Suite 200-900 West Hastings St., Vancouver, British Columbia.
- I am a graduate of the University of British Columbia (2004) with a Bachelor of Science degree and of Acadia University (2010) with a Master of Science degree in Geology.
- I have been involved in the mineral exploration industry since 2006.
- I assisted in the supervision of the 2010 exploration program on the Longline property and have first-hand field knowledge of said property.

Dated at Vancouver, British Columbia, this 7th day of December, 2010.


David Swanton, M.Sc.

GEOLOGIST'S CERTIFICATE
Cameron Bartsch
#202 – 1928 East 11th Ave.,
Vancouver, British Columbia, Canada

I, Cameron James Bartsch, am presently a Consulting Geologist with Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Pender Street, Vancouver, British Columbia, Canada, and have been since November 2007.

I graduated from the University of Saskatchewan with a Bachelor of Science degree in Geology in 2001, and graduated from Acadia University with a Master of Science degree in Geology in 2005.

I am a member of the Association of Professional Engineers and Geoscientists of Saskatchewan.





I have practiced my profession continuously since 2001.

I have been involved in mineral exploration for gold, silver, copper, uranium, lead, and zinc in various parts of Canada, Argentina, Armenia, and Eastern Europe.

Dated at Vancouver, British Columbia, this 7th day of December, 2010.



Cameron J. Bartsch, M.Sc.




LEGEND	
!	Grab Samples
.	2010 Drillholes
.	2000 Drillholes
—	Trenches
—	Quartz Boulder Train
□	Longline Claims
!	Camp
□	Airstrip

Aldrin Resources Corp.

Longline Project

Grab Sample, Drill Hole & Trench Locations

	Date:	NOV 2010	Scale:	1:20,000	Map
	U.T.M. Zone	UTM 7 - NAD83	Mining District	WHITEHORSE	1a
	N.T.S.	115N/02	State/Province	YK	



Grab Samples
by As ppm

- █ > 7,600
- █ 3,870 to 7,600
- █ 850 to 3,870
- █ < 850

Regional Magnetics (nT)

- █ 57,499.48
- █ 57,400.57
- █ 57,342.87
- █ 57,299.6
- █ 57,262.51
- █ 57,231.6
- █ 57,208.93
- █ 57,192.44
- █ 57,175.96
- █ 57,159.47
- █ 57,142.99
- █ 57,124.44
- █ 57,103.83
- █ 57,060.56
- █ 56,963.71
- █ 56,452.66

LEGEND


- █ Grab Samples
- 2010 Drillholes
- 2000 Drillholes
- Trenches
- Quartz Boulder Train
- ▭ Longline Claims
- ! Camp
- ▭ Airstrip

Aldrin Resources Corp.

Longline Project

Grab Samples As Values

	Date:	NOV 2010	Scale:	1:20,000	Map
	U.T.M. Zone	UTM 7 - NAD83	Mining District	WHITEHORSE	1c
	N.T.S.	115N/02	State/Province	YK	



LEGEND


-) Soils - Sample numbers preceded by LIN13
- 2010 Drillholes
- 2000 Drillholes
- Trenches
- - - Quartz Boulder Train
- Longline Claims
- ! Camp
- Airstrip
- ! Trench Soil Samples
- ! Pit Soil Samples

Aldrin Resources Corp.

Longline Project

Soil Sample, Drill Hole & Trench Locations

Date:	NOV 2010	Scale:	1:20,000	Map
U.T.M. Zone	UTM 7 - NAD83	Mining District	WHITEHORSE	2a
N.T.S.	115N/02	State/Province	YK	



Aldrin Resources Corp.

Longline Project

Soils - Au ppb

	Date:	NOV 2010	Scale:	1:20,000	Map
	U.T.M. Zone	UTM 7 - NAD83	Mining District	WHITEHORSE	2b
	N.T.S.	115N/02	State/Province	YK	

