



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Submitted By: Paul Gray  
Receiving Lab: Canada-Whitehorse  
Received: August 19, 2010  
Report Date: September 04, 2010  
Page: 1 of 11

## CERTIFICATE OF ANALYSIS

WHI10000309.1

### CLIENT JOB INFORMATION

Project: Hyland  
Shipment ID:  
P.O. Number: ARG10-01  
Number of Samples: 300

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.  
200 - 900 W. Hastings St.  
Vancouver BC V6C 1E5  
Canada

CC: Mike Collins  
Henry Awmack

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	286	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	13	Pulverize to 85% - 200 mesh			VAN
3B01	300	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1EX	300	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

2 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559051	Drill Core	1.09	45	0.7	74.8	8.1	19	0.6	30.5	15.7	5280	8.08	187	3.2	<0.1	13.9	84	0.1	16.8	6.6
G0559052	Drill Core	1.88	58	0.6	34.0	4.3	19	0.1	25.7	13.9	6384	9.52	251	3.1	<0.1	14.2	75	<0.1	16.5	9.3
G0559053	Drill Core	3.35	7	0.4	26.8	4.4	12	<0.1	17.5	12.8	2117	5.32	201	2.4	<0.1	12.2	70	0.1	26.0	6.0
G0559054	Drill Core	5.53	3	0.3	57.3	3.7	11	<0.1	13.8	6.2	1480	2.49	296	1.0	<0.1	6.5	21	<0.1	8.2	1.2
G0559055	Drill Core	2.78	7	0.5	177.3	5.4	16	<0.1	11.2	5.8	1710	2.99	361	0.9	<0.1	3.8	13	<0.1	5.7	0.5
G0559056	Drill Core	2.37	13	0.2	71.1	4.3	5	0.1	5.7	2.7	384	2.04	264	0.8	<0.1	4.4	9	<0.1	7.3	2.7
G0559057	Rock Chip	0.39	<2	0.2	1.3	1.3	17	<0.1	2.1	1.3	259	0.54	<1	1.0	<0.1	0.5	54	0.1	<0.1	0.1
G0559058	Drill Core	3.92	9	0.5	133.6	3.7	17	0.1	12.8	6.0	1268	4.36	618	1.3	<0.1	6.2	11	<0.1	4.6	1.7
G0559059	Drill Core	1.99	3	0.5	135.3	3.5	31	<0.1	22.0	9.3	1923	4.01	430	1.9	<0.1	11.5	81	<0.1	6.6	0.5
G0559060	Drill Core	1.19	2	0.3	56.7	3.6	13	<0.1	4.6	2.8	582	2.20	375	0.6	<0.1	3.0	5	<0.1	3.9	0.2
G0559061	Drill Core	1.54	3	0.3	28.9	3.7	29	<0.1	19.3	8.1	481	2.48	204	1.3	<0.1	8.7	64	<0.1	7.3	0.4
G0559062	Drill Core	2.73	32	0.3	30.1	20.8	22	0.6	4.1	2.5	784	1.55	511	0.8	<0.1	4.6	18	0.2	9.2	4.3
G0559063	Drill Core	2.52	33	0.2	24.0	18.6	23	0.6	3.6	2.4	771	1.62	601	0.8	<0.1	4.2	18	0.1	10.6	3.8
G0559064	Drill Core	3.19	22	0.3	10.9	21.8	31	0.8	5.0	2.8	562	2.16	845	0.7	<0.1	3.6	17	0.2	14.2	0.9
G0559065	Drill Core	1.02	117	0.6	91.2	15.0	102	0.9	22.1	13.1	7116	5.89	1817	1.8	0.1	9.9	335	0.7	61.0	13.6
G0559066	Drill Core	1.56	6270	0.2	165.1	637.5	45	24.2	2.7	1.9	2850	11.95	>10000	1.5	7.5	1.8	680	0.2	481.1	296.6
G0559067	Drill Core	1.66	3818	0.5	75.4	79.4	17	31.0	1.6	1.1	592	8.54	>10000	2.0	4.1	12.9	390	<0.1	1347	1267
G0559068	Rock Chip	0.38	6	0.1	1.9	1.8	19	<0.1	3.1	1.2	232	0.53	10	0.6	<0.1	0.2	51	<0.1	1.3	1.2
G0559069	Drill Core	1.24	882	0.7	18.1	55.4	8	7.6	3.9	0.8	112	4.21	7860	2.0	1.0	16.2	306	0.1	414.3	342.1
G0559070	Drill Core	2.00	523	0.3	22.5	301.0	13	12.7	4.1	1.0	75	6.24	8695	2.8	0.6	14.8	168	0.1	688.4	443.2
G0559071	Drill Core	2.37	411	0.2	10.3	80.4	6	1.6	1.2	0.3	60	2.21	3071	1.5	0.5	7.6	94	<0.1	161.7	161.2
G0559072	Drill Core	3.61	593	0.2	31.1	253.2	6	3.8	0.9	0.2	112	2.44	7078	1.2	0.7	4.3	129	0.1	112.7	118.5
G0559073	Drill Core	2.12	139	0.5	148.4	31.9	130	0.3	13.6	5.6	211	5.68	3897	1.8	0.1	10.7	221	0.2	229.8	30.9
G0559074	Drill Core	2.32	8	0.3	721.7	8.9	123	<0.1	20.5	10.1	608	4.88	4159	3.3	<0.1	13.5	139	0.3	30.3	1.5
G0559075	Drill Core	2.07	17	0.5	302.6	7.9	117	<0.1	28.4	13.1	338	6.86	4254	2.4	<0.1	15.4	85	0.2	34.6	1.2
G0559076	Drill Core	2.07	24	0.3	226.9	6.8	105	<0.1	13.7	7.1	1503	13.07	3224	1.8	<0.1	8.0	50	0.4	39.5	1.1
G0559077	Drill Core	2.14	92	0.7	120.8	12.5	105	0.2	19.6	10.7	>10000	30.52	2202	3.3	0.1	10.1	108	0.8	13.5	2.7
G0559078	Drill Core	1.33	66	0.5	85.9	7.2	83	<0.1	14.7	8.7	>10000	36.37	1309	2.3	<0.1	7.3	82	0.8	16.8	3.8
G0559079	Drill Core	1.25	67	0.5	74.2	6.8	75	<0.1	17.6	11.3	>10000	32.94	1062	2.3	<0.1	8.7	79	0.7	16.5	4.5
G0559080	Drill Core	2.25	589	0.6	1352	8.6	155	0.2	15.3	10.4	>10000	48.21	5555	4.0	0.7	3.3	43	1.0	59.0	11.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 2 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559051	Drill Core	8.15	0.059	41.0	48	0.27	325	0.180	6.11	0.120	2.80	1.9	86.3	77	3.0	17.3	5.0	0.4	2	9
G0559052	Drill Core	5.50	0.060	37.8	59	0.30	406	0.316	7.25	0.134	3.62	3.3	104.4	76	4.4	15.5	9.6	0.7	2	11
G0559053	Drill Core	5.45	0.114	36.6	52	0.34	396	0.237	6.63	0.091	3.39	2.0	90.9	74	3.7	14.0	7.1	0.5	1	12
G0559054	Drill Core	0.09	0.016	25.6	29	0.13	162	0.112	2.61	0.033	1.40	1.1	39.6	49	2.5	6.7	3.2	0.2	<1	4
G0559055	Drill Core	0.05	0.012	18.2	33	0.13	47	0.027	0.93	0.034	0.39	0.7	17.3	37	1.6	6.6	0.7	<0.1	<1	2
G0559056	Drill Core	0.01	0.008	23.1	18	0.12	90	0.057	1.58	0.026	0.78	0.9	26.1	46	2.6	4.0	1.3	<0.1	<1	2
G0559057	Rock Chip	22.19	0.022	1.8	3	12.36	39	0.016	0.29	0.035	0.11	0.1	1.3	3	0.3	1.7	0.6	<0.1	<1	<1
G0559058	Drill Core	0.05	0.016	21.4	23	0.14	108	0.044	1.93	0.028	0.92	1.0	28.0	43	5.4	7.1	1.1	<0.1	<1	4
G0559059	Drill Core	0.45	0.026	38.6	29	0.29	245	0.130	4.79	0.093	2.08	1.7	61.0	77	5.2	13.5	3.4	0.3	1	8
G0559060	Drill Core	0.03	0.009	15.5	17	0.06	43	0.028	0.91	0.015	0.44	1.2	18.7	30	8.3	4.0	0.9	<0.1	<1	1
G0559061	Drill Core	1.84	0.019	31.6	25	0.35	197	0.136	3.92	0.081	1.74	0.7	46.2	63	2.3	8.7	4.0	0.2	<1	6
G0559062	Drill Core	0.04	0.006	18.2	22	0.07	96	0.080	1.91	0.022	1.00	1.6	37.1	40	6.6	3.8	2.8	0.1	<1	2
G0559063	Drill Core	0.05	0.006	19.4	20	0.07	89	0.074	1.87	0.020	0.92	1.4	32.8	43	5.3	3.6	2.3	0.1	<1	2
G0559064	Drill Core	0.03	0.006	12.8	20	0.05	61	0.047	1.41	0.016	0.65	1.0	42.7	29	4.5	3.3	1.5	<0.1	<1	2
G0559065	Drill Core	12.12	0.048	31.3	31	0.47	234	0.102	4.73	0.045	2.15	1.8	61.5	66	14.8	15.5	3.1	0.3	1	7
G0559066	Drill Core	10.19	0.014	6.9	25	0.78	31	0.041	2.71	0.193	0.25	2.3	27.3	16	216.1	3.8	1.2	<0.1	<1	4
G0559067	Drill Core	1.68	0.009	51.7	38	0.63	338	0.093	5.92	0.158	2.38	3.5	55.8	94	341.1	3.8	2.3	0.2	1	9
G0559068	Rock Chip	21.27	0.021	1.3	3	12.46	40	0.016	0.30	0.026	0.11	0.2	1.4	3	0.6	1.3	0.7	<0.1	<1	<1
G0559069	Drill Core	0.24	0.012	55.4	47	0.36	599	0.197	7.24	0.088	2.81	7.1	76.4	103	141.9	4.4	7.0	0.5	2	13
G0559070	Drill Core	0.20	0.011	55.0	46	0.31	129	0.124	6.89	0.065	4.58	2.9	74.7	107	55.2	6.1	4.2	0.2	2	11
G0559071	Drill Core	0.08	0.008	41.1	29	0.46	137	0.114	2.97	0.120	1.16	3.7	51.9	77	17.9	4.3	3.6	0.2	1	5
G0559072	Drill Core	0.14	0.029	25.5	15	0.27	82	0.055	1.83	0.064	0.73	3.5	38.0	49	10.0	2.7	1.4	<0.1	<1	6
G0559073	Drill Core	0.12	0.036	32.0	44	0.16	294	0.117	5.61	0.112	2.86	4.9	77.9	69	4.9	7.8	3.7	0.3	1	8
G0559074	Drill Core	0.29	0.157	30.7	46	0.18	303	0.162	6.52	0.127	2.77	2.8	74.7	70	2.0	16.6	5.4	0.4	2	13
G0559075	Drill Core	0.14	0.024	41.1	59	0.26	403	0.149	7.80	0.159	3.38	2.5	70.6	89	2.9	10.3	4.3	0.3	2	12
G0559076	Drill Core	0.17	0.071	23.7	30	0.12	230	0.037	4.29	0.071	1.79	0.8	36.8	52	1.2	9.3	0.9	<0.1	1	7
G0559077	Drill Core	0.40	0.126	26.9	33	0.31	224	0.040	4.67	0.070	2.05	2.6	57.5	59	7.2	13.3	0.9	<0.1	1	7
G0559078	Drill Core	0.28	0.054	16.9	30	0.29	207	0.038	4.06	0.058	1.82	1.9	40.9	40	3.0	9.9	1.1	<0.1	<1	6
G0559079	Drill Core	0.22	0.062	18.6	33	0.29	241	0.047	4.79	0.067	2.05	2.1	50.1	43	3.4	10.0	1.0	<0.1	1	7
G0559080	Drill Core	0.16	0.039	6.4	13	0.13	79	0.019	2.02	0.014	0.64	2.1	20.1	18	4.5	8.8	1.1	<0.1	<1	3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 2 of 11 Part 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559051	Drill Core	<0.1	109.5	2.7
G0559052	Drill Core	<0.1	115.8	3.3
G0559053	Drill Core	<0.1	106.5	2.4
G0559054	Drill Core	<0.1	49.8	1.0
G0559055	Drill Core	<0.1	15.6	0.4
G0559056	Drill Core	<0.1	31.2	0.6
G0559057	Rock Chip	<0.1	4.8	<0.1
G0559058	Drill Core	<0.1	36.7	0.7
G0559059	Drill Core	<0.1	91.6	1.4
G0559060	Drill Core	<0.1	17.9	0.5
G0559061	Drill Core	<0.1	68.1	1.3
G0559062	Drill Core	<0.1	36.5	1.2
G0559063	Drill Core	<0.1	31.1	1.0
G0559064	Drill Core	<0.1	24.9	1.2
G0559065	Drill Core	<0.1	77.7	1.8
G0559066	Drill Core	<0.1	9.7	0.9
G0559067	Drill Core	0.4	84.3	1.9
G0559068	Rock Chip	<0.1	7.4	<0.1
G0559069	Drill Core	0.8	125.0	3.0
G0559070	Drill Core	1.6	164.5	2.3
G0559071	Drill Core	0.5	38.5	1.7
G0559072	Drill Core	0.4	29.2	1.1
G0559073	Drill Core	0.5	112.4	2.0
G0559074	Drill Core	<0.1	104.9	1.9
G0559075	Drill Core	<0.1	148.6	2.1
G0559076	Drill Core	<0.1	75.3	0.9
G0559077	Drill Core	<0.1	84.9	1.6
G0559078	Drill Core	<0.1	68.7	1.2
G0559079	Drill Core	<0.1	83.0	1.4
G0559080	Drill Core	0.1	27.0	0.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

3 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559081	Drill Core	2.83	225	0.3	12.7	22.5	14	3.1	7.3	1.5	75	3.24	2422	1.8	0.2	15.4	121	<0.1	21.6	24.7
G0559082	Drill Core	3.16	97	0.4	101.4	21.8	35	2.9	18.6	5.6	135	4.40	2857	2.4	0.1	17.3	245	0.1	46.5	2.5
G0559083	Drill Core	3.45	537	0.2	31.1	21.4	6	9.2	3.0	0.6	47	1.83	2665	1.4	0.6	11.0	71	<0.1	99.6	86.6
G0559084	Drill Core	1.98	287	0.2	20.3	18.0	3	4.3	0.9	0.3	48	1.23	2654	1.1	0.3	6.1	40	<0.1	47.6	97.1
G0559085	Drill Core	4.53	149	0.2	7.7	21.3	3	6.8	1.8	0.4	35	1.06	1327	1.4	0.2	9.2	69	<0.1	37.6	106.6
G0559086	Drill Core	4.27	174	0.3	10.6	47.2	3	33.6	1.0	0.2	41	0.71	902	0.9	0.2	5.0	27	<0.1	92.8	96.9
G0559087	Drill Core	4.69	118	0.2	7.7	38.3	3	1.3	1.3	0.3	38	1.02	610	1.5	0.1	9.0	88	0.1	32.6	182.6
G0559088	Drill Core	1.83	190	0.4	9.3	8.0	1	0.9	1.0	0.3	41	1.16	1846	1.0	0.2	5.4	83	<0.1	25.7	77.3
G0559089	Drill Core	1.62	279	0.5	36.9	8.1	3	0.8	1.7	0.3	76	1.03	2544	0.7	0.3	4.2	24	<0.1	27.8	37.7
G0559090	Drill Core	1.86	314	0.3	23.8	18.1	4	1.2	2.3	0.5	57	1.50	2017	1.6	0.3	9.1	48	<0.1	68.3	55.0
G0559091	Drill Core	1.36	132	0.3	5.5	8.4	2	1.0	1.3	0.3	42	0.76	607	0.6	0.2	2.2	12	<0.1	20.9	11.2
G0559092	Drill Core	2.32	505	0.4	19.8	32.7	9	11.2	4.8	1.0	14	1.24	946	3.3	0.5	13.6	29	0.1	208.5	149.2
G0559093	Drill Core	1.30	698	0.5	77.9	29.5	9	12.0	6.9	3.1	21	1.25	983	3.5	0.8	14.4	24	0.2	273.8	130.8
G0559094	Drill Core	0.71	118	0.3	76.2	26.5	7	3.7	6.4	2.1	26	1.16	1095	2.2	0.1	12.3	23	<0.1	108.1	94.7
G0559095	Drill Core	1.64	1345	0.9	955.4	72.5	41	1.8	29.1	11.7	16	10.29	>10000	1.3	1.3	7.2	14	0.2	107.8	118.3
G0559096	Drill Core	2.01	466	0.1	1258	16.0	119	2.1	34.9	13.8	13	7.92	>10000	0.9	0.4	6.4	14	0.7	51.5	65.5
G0559097	Drill Core	1.04	725	0.2	868.3	23.4	94	2.7	37.1	13.5	15	7.15	>10000	1.1	0.8	5.9	14	0.5	90.8	108.2
G0559098	Drill Core	0.82	1124	0.3	3591	467.8	603	46.6	9.8	2.7	25	1.96	4604	5.4	1.3	25.2	18	3.9	1168	402.8
G0559099	Drill Core	1.02	316	1.7	767.3	285.6	118	2.3	13.7	4.4	25	3.62	6921	2.6	0.3	19.0	21	0.6	192.0	112.7
G0559100	Drill Core	2.37	334	0.7	220.0	308.6	12	0.8	6.0	1.1	27	1.92	>10000	1.5	0.3	16.4	33	<0.1	236.5	147.4
G0559101	Drill Core	2.45	25	1.3	60.5	233.1	4	0.6	3.5	1.2	50	1.20	4985	2.6	<0.1	14.7	21	<0.1	222.2	277.7
G0559102	Drill Core	2.10	29	2.3	124.3	86.5	7	0.2	2.8	0.3	22	2.23	>10000	3.1	<0.1	14.0	15	<0.1	123.3	106.9
G0559103	Drill Core	2.71	9	10.7	453.0	11.6	77	<0.1	30.1	15.3	714	6.07	3216	4.7	<0.1	15.4	43	0.4	135.9	3.6
G0559104	Drill Core	2.45	9	7.6	456.0	2.0	91	<0.1	36.3	19.9	1092	6.24	1773	4.4	<0.1	15.3	33	0.3	97.7	1.6
G0559105	Drill Core	2.55	6	7.4	479.4	1.8	121	<0.1	36.9	15.6	1261	7.92	2586	4.7	<0.1	15.6	18	0.4	18.7	1.5
G0559106	Drill Core	1.20	208	4.5	563.0	5.0	81	0.3	33.8	14.1	2454	13.48	3125	4.1	0.2	11.7	18	0.2	41.5	3.4
G0559107	Drill Core	1.32	361	2.3	897.4	5.8	112	0.7	38.5	18.2	3723	32.51	5586	4.0	0.4	4.7	21	0.4	52.0	9.5
G0559108	Drill Core	1.01	200	2.8	322.5	4.5	96	0.2	41.3	16.8	2939	13.16	1882	4.0	0.2	11.6	49	0.2	36.5	2.6
G0559109	Rock Chip	0.34	<2	0.2	2.7	1.5	20	0.2	3.2	1.5	248	0.55	8	0.5	<0.1	0.2	52	0.1	0.2	<0.1
G0559110	Drill Core	4.46	116	0.5	266.6	6.1	79	0.1	15.8	10.1	>10000	29.47	1206	1.6	0.1	1.9	45	0.8	19.2	4.0



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 3 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559081	Drill Core	0.05	0.012	44.2	55	0.35	788	0.265	9.01	0.124	5.60	3.3	102.8	85	134.9	5.2	11.7	0.8	3	14
G0559082	Drill Core	0.12	0.027	46.8	59	0.50	620	0.213	8.06	0.084	3.96	1.8	85.8	96	19.2	7.3	8.7	0.5	2	16
G0559083	Drill Core	0.05	0.013	36.8	37	0.68	256	0.144	5.25	0.167	2.52	2.4	69.2	73	45.5	4.4	5.3	0.3	2	9
G0559084	Drill Core	0.04	0.009	24.5	20	0.25	103	0.101	2.66	0.045	1.39	3.2	50.0	53	21.3	4.0	2.9	0.2	<1	5
G0559085	Drill Core	0.03	0.008	31.8	26	0.33	182	0.179	3.52	0.048	2.08	4.1	73.3	67	16.9	5.2	5.9	0.3	1	6
G0559086	Drill Core	0.03	0.005	22.1	17	0.30	51	0.112	2.08	0.071	0.68	2.1	43.4	46	9.7	3.5	3.2	0.1	<1	4
G0559087	Drill Core	0.03	0.007	30.4	27	0.44	145	0.204	3.50	0.084	1.71	3.8	76.2	68	11.9	5.4	6.6	0.4	<1	6
G0559088	Drill Core	0.03	0.007	25.8	18	0.27	100	0.122	2.45	0.053	1.21	2.7	54.3	54	10.5	4.0	3.8	0.2	<1	4
G0559089	Drill Core	0.08	0.009	32.9	35	0.37	28	0.066	1.47	0.116	0.11	3.1	29.9	62	4.5	2.7	1.8	<0.1	<1	2
G0559090	Drill Core	0.07	0.010	37.6	25	0.51	183	0.164	3.35	0.087	1.65	3.9	84.0	79	40.3	6.3	5.0	0.3	2	6
G0559091	Drill Core	0.04	0.003	17.5	32	0.22	23	0.053	0.94	0.057	0.13	1.1	21.4	33	3.6	2.0	1.5	<0.1	<1	2
G0559092	Drill Core	0.02	0.009	36.5	36	0.60	467	0.344	6.98	0.043	4.08	4.8	130.5	83	66.2	8.6	12.1	0.8	2	13
G0559093	Drill Core	0.02	0.008	40.0	40	0.64	496	0.297	6.96	0.051	3.95	4.0	119.4	89	80.6	7.9	10.3	0.7	2	13
G0559094	Drill Core	0.02	0.006	38.6	30	0.61	434	0.255	5.04	0.088	2.92	4.8	91.1	84	50.2	6.5	8.7	0.6	1	10
G0559095	Drill Core	0.02	0.008	30.0	34	0.43	15	0.170	5.12	0.037	3.09	5.4	72.1	77	664.7	9.1	4.3	0.3	2	11
G0559096	Drill Core	0.01	0.005	23.1	40	0.57	24	0.173	6.64	0.045	4.22	3.9	45.8	65	954.1	5.4	4.4	0.3	2	12
G0559097	Drill Core	0.02	0.006	19.4	38	0.57	26	0.200	6.89	0.047	4.38	4.6	55.5	54	788.1	4.9	4.8	0.3	2	12
G0559098	Drill Core	0.04	0.025	30.9	58	0.52	218	0.272	6.84	0.047	4.18	4.5	52.1	70	>2000	4.2	7.7	0.6	3	16
G0559099	Drill Core	0.03	0.054	28.5	40	0.54	76	0.191	6.72	0.060	3.83	4.6	96.0	64	1668	6.5	4.3	0.3	2	21
G0559100	Drill Core	0.04	0.078	41.2	50	0.61	851	0.242	6.41	0.114	3.71	5.0	79.4	84	366.7	5.2	6.3	0.5	2	18
G0559101	Drill Core	0.04	0.041	48.0	45	0.57	895	0.364	6.95	0.072	3.95	5.0	124.7	93	42.4	7.0	11.7	0.8	2	14
G0559102	Drill Core	0.03	0.136	33.3	52	0.58	777	0.264	7.20	0.056	4.19	4.2	146.7	71	48.1	6.1	7.3	0.5	2	19
G0559103	Drill Core	0.90	0.059	44.6	52	0.98	733	0.171	7.03	0.041	3.77	4.0	99.3	83	4.9	13.7	3.9	0.3	2	12
G0559104	Drill Core	1.05	0.069	45.5	51	1.17	438	0.150	7.34	0.042	3.85	1.6	104.9	89	3.3	15.0	3.4	0.3	2	12
G0559105	Drill Core	0.10	0.059	41.0	53	0.69	736	0.149	7.19	0.040	3.86	1.2	88.7	79	4.3	15.8	2.9	0.2	2	12
G0559106	Drill Core	0.35	0.066	30.4	41	0.58	39	0.075	6.58	0.038	2.65	3.2	79.0	63	5.9	17.5	1.1	<0.1	1	10
G0559107	Drill Core	1.30	0.088	12.7	14	0.95	9	0.029	3.00	0.026	0.58	2.1	36.6	28	2.0	19.3	0.5	<0.1	<1	3
G0559108	Drill Core	2.77	0.050	33.9	38	1.43	61	0.122	6.24	0.041	2.47	5.5	59.9	66	4.9	16.2	2.7	0.2	2	9
G0559109	Rock Chip	21.31	0.022	1.3	3	12.17	38	0.015	0.27	0.030	0.11	0.1	1.0	3	0.3	1.3	0.7	<0.1	<1	<1
G0559110	Drill Core	4.20	0.051	3.5	6	4.16	47	0.014	0.95	0.008	0.28	0.7	15.1	10	0.9	9.3	0.5	<0.1	<1	1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland  
**Report Date:** September 04, 2010

**Page:** 3 of 11 **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
G0559081	Drill Core	0.8	201.0	3.3
G0559082	Drill Core	0.4	173.2	2.5
G0559083	Drill Core	0.3	84.1	2.0
G0559084	Drill Core	0.1	52.8	1.4
G0559085	Drill Core	0.2	83.1	2.1
G0559086	Drill Core	<0.1	26.7	1.2
G0559087	Drill Core	0.2	65.0	2.3
G0559088	Drill Core	0.2	46.8	1.5
G0559089	Drill Core	0.2	4.7	0.9
G0559090	Drill Core	0.2	61.3	2.2
G0559091	Drill Core	0.3	5.1	0.6
G0559092	Drill Core	0.2	180.5	3.6
G0559093	Drill Core	0.5	181.0	3.5
G0559094	Drill Core	0.5	111.8	2.8
G0559095	Drill Core	>10	122.9	1.8
G0559096	Drill Core	7.3	171.5	1.3
G0559097	Drill Core	6.5	162.0	1.6
G0559098	Drill Core	1.3	152.5	1.6
G0559099	Drill Core	3.0	128.2	2.7
G0559100	Drill Core	0.4	116.5	2.1
G0559101	Drill Core	0.1	141.8	3.4
G0559102	Drill Core	<0.1	141.5	3.4
G0559103	Drill Core	0.7	136.9	2.7
G0559104	Drill Core	1.0	145.4	2.7
G0559105	Drill Core	0.6	146.2	2.5
G0559106	Drill Core	5.5	107.6	2.1
G0559107	Drill Core	>10	25.7	1.0
G0559108	Drill Core	7.5	97.5	1.6
G0559109	Rock Chip	<0.1	6.6	<0.1
G0559110	Drill Core	2.5	12.2	0.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

4 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559111	Drill Core	4.10	59	0.4	142.1	2.6	99	<0.1	13.8	9.9	>10000	27.36	814	1.5	<0.1	1.4	45	0.5	17.1	1.9
G0559112	Drill Core	2.88	52	0.7	127.4	2.9	73	0.1	22.3	13.8	3836	8.03	539	2.0	<0.1	8.3	148	0.6	11.7	2.5
G0559113	Drill Core	2.60	70	0.5	205.7	21.3	39	0.2	23.6	7.6	359	2.82	869	3.1	<0.1	10.3	25	0.3	8.0	21.3
G0559114	Drill Core	0.67	733	0.5	263.5	54.9	8	0.7	13.9	4.5	79	4.72	2831	2.4	0.2	8.8	54	0.1	10.3	35.2
G0559115	Drill Core	0.65	484	0.4	283.3	84.1	8	1.1	14.1	3.6	62	5.77	3030	2.4	0.4	8.2	60	0.2	12.3	66.6
G0559116	Drill Core	3.78	217	0.4	186.8	44.9	10	0.5	15.6	3.8	56	4.69	4241	2.3	0.2	6.1	26	0.1	12.1	43.3
G0559117	Drill Core	3.47	207	0.3	219.7	43.6	7	0.5	18.6	13.7	44	2.67	4290	2.3	0.2	6.8	19	<0.1	15.2	42.2
G0559118	Drill Core	3.44	113	0.5	351.3	22.7	31	0.5	16.7	7.6	133	2.14	1688	3.0	0.3	9.3	25	0.2	9.6	115.9
G0559119	Drill Core	3.21	9	0.7	265.1	40.6	84	0.6	28.1	14.0	849	3.30	551	2.9	<0.1	16.6	35	0.8	12.2	156.1
G0559120	Drill Core	5.79	7	0.3	48.2	1.4	69	<0.1	22.2	9.5	1319	4.15	104	1.8	<0.1	15.4	55	0.3	4.2	0.9
G0559121	Drill Core	1.30	4	0.5	515.8	7.7	89	<0.1	33.6	7.1	613	2.87	2162	2.9	<0.1	17.4	69	0.6	10.2	5.0
G0559122	Drill Core	4.85	89	0.3	204.4	2.2	73	<0.1	20.3	5.0	972	3.44	174	2.0	<0.1	15.9	54	0.6	4.4	1.7
G0559123	Drill Core	2.85	28	0.1	200.6	210.2	90	0.4	26.3	7.9	3300	3.94	266	2.1	<0.1	14.7	91	0.4	6.5	2.5
G0559124	Rock Chip	0.43	2	0.3	2.2	1.3	18	0.2	3.6	1.2	246	0.54	<1	0.6	<0.1	0.3	51	<0.1	<0.1	<0.1
G0559125	Drill Core	4.10	47	0.2	173.0	11.1	96	0.1	20.5	8.2	2368	5.18	434	2.2	<0.1	12.7	112	1.9	5.2	2.6
G0559126	Drill Core	3.71	147	0.4	456.6	66.9	29	1.5	19.1	8.4	31	4.21	2493	1.7	0.2	16.7	52	0.2	31.2	23.2
G0559127	Drill Core	1.93	84	0.9	797.0	416.0	363	3.7	19.1	8.9	37	4.39	1061	2.0	<0.1	18.2	62	1.7	35.2	12.8
G0559128	Drill Core	2.33	75	0.6	1411	1899	1481	3.6	15.2	9.1	29	3.58	998	2.2	<0.1	11.9	45	6.4	26.0	9.3
G0559129	Drill Core	4.01	218	0.4	517.9	218.2	298	1.5	15.8	15.0	39	4.45	2899	2.1	0.2	9.6	36	1.4	28.7	18.6
G0559130	Drill Core	3.45	135	4.1	336.6	17.5	133	0.2	41.1	30.2	1254	7.13	944	2.5	0.1	14.0	55	0.6	37.0	54.6
G0559131	Drill Core	3.45	259	2.7	138.4	18.2	68	0.2	43.9	22.8	533	11.48	1933	2.2	0.3	13.8	32	0.1	23.4	70.4
G0559132	Drill Core	2.87	414	4.0	117.1	21.9	213	0.2	54.7	47.2	1603	17.53	2644	2.7	0.4	8.3	93	0.2	23.4	150.2
G0559133	Drill Core	3.53	548	2.1	161.1	20.0	49	0.2	47.4	32.0	1186	15.59	5760	1.9	0.5	7.4	90	<0.1	19.6	123.4
G0559134	Drill Core	3.39	1105	2.5	208.9	42.9	39	0.5	52.4	35.7	1041	21.74	7481	2.1	1.0	7.0	124	0.2	32.4	219.2
G0559135	Drill Core	3.17	200	2.6	172.9	17.3	25	0.2	36.9	21.6	1371	8.74	1565	2.2	0.2	10.6	119	0.2	17.1	87.5
G0559136	Drill Core	1.65	118	1.2	125.6	12.4	22	0.3	23.6	4.8	1000	4.25	123	2.0	<0.1	13.3	74	0.1	12.6	36.7
G0559137	Drill Core	1.47	88	1.6	138.9	16.6	33	0.3	29.4	7.3	1282	5.52	429	2.0	<0.1	12.0	100	0.2	16.2	46.9
G0559138	Drill Core	2.84	16	3.0	50.3	2.5	6	<0.1	28.6	11.7	836	3.11	142	1.9	<0.1	14.1	44	0.1	4.6	6.1
G0559139	Drill Core	2.94	45	2.3	60.4	4.0	9	<0.1	35.0	16.3	830	3.64	1797	1.7	<0.1	13.0	49	<0.1	4.9	14.1
G0559140	Drill Core	2.76	51	0.5	73.0	4.0	14	<0.1	21.0	16.8	572	4.39	1512	1.5	<0.1	12.5	35	<0.1	4.0	11.3





1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 4 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559111	Drill Core	4.84	0.046	2.2	9	4.09	41	0.028	0.73	0.011	0.27	1.1	13.5	7	0.6	9.8	0.4	<0.1	<1	1
G0559112	Drill Core	6.35	0.037	26.1	29	3.51	271	0.097	4.60	0.025	2.22	2.2	49.8	49	4.4	11.1	2.2	0.2	1	7
G0559113	Drill Core	0.31	0.046	34.2	32	0.61	276	0.123	5.48	0.032	2.73	1.7	69.5	71	8.4	8.8	2.9	0.2	1	9
G0559114	Drill Core	0.16	0.042	23.0	34	0.71	47	0.085	4.42	0.170	1.37	3.2	59.5	44	21.3	7.9	1.7	<0.1	1	7
G0559115	Drill Core	0.10	0.045	19.9	30	0.65	42	0.078	4.01	0.152	1.17	2.9	53.4	38	21.6	6.7	1.6	<0.1	<1	7
G0559116	Drill Core	0.09	0.044	16.9	35	0.46	25	0.178	2.17	0.123	0.27	1.8	34.9	30	16.0	6.2	0.9	<0.1	<1	4
G0559117	Drill Core	0.08	0.043	22.2	23	0.37	77	0.074	2.75	0.091	0.80	2.6	36.5	42	14.8	4.5	1.7	0.1	<1	4
G0559118	Drill Core	0.12	0.044	31.3	39	0.34	162	0.117	4.03	0.051	1.67	3.5	64.4	63	24.0	7.2	3.0	0.2	1	7
G0559119	Drill Core	0.57	0.045	48.4	44	1.08	572	0.219	8.31	0.041	4.46	2.6	86.5	92	12.1	11.7	5.7	0.4	2	13
G0559120	Drill Core	1.80	0.036	44.5	41	1.82	523	0.188	7.42	0.033	4.00	2.1	111.4	83	3.8	12.7	6.2	0.3	1	11
G0559121	Drill Core	1.35	0.056	45.7	39	1.29	505	0.198	8.34	0.036	4.01	4.7	73.5	85	13.3	12.7	4.6	0.3	2	11
G0559122	Drill Core	2.82	0.036	48.5	41	1.90	515	0.215	7.52	0.041	3.91	4.8	71.1	86	8.9	13.1	6.2	0.4	2	11
G0559123	Drill Core	2.75	0.042	45.3	39	1.96	498	0.193	7.69	0.034	3.86	3.9	79.8	82	16.0	13.5	6.0	0.4	2	12
G0559124	Rock Chip	21.24	0.020	1.7	3	12.07	40	0.028	0.30	0.029	0.13	<0.1	1.5	3	<0.1	1.4	0.5	<0.1	<1	<1
G0559125	Drill Core	3.78	0.060	39.2	36	2.20	430	0.168	6.53	0.033	3.25	3.5	64.3	71	17.0	12.5	4.4	0.3	1	11
G0559126	Drill Core	0.08	0.012	47.1	28	1.07	72	0.112	5.18	0.291	0.87	4.4	56.3	79	31.8	6.2	2.7	0.2	1	8
G0559127	Drill Core	0.07	0.018	38.1	30	0.89	88	0.137	5.51	0.227	1.42	6.6	55.9	66	60.5	7.0	6.3	0.3	1	9
G0559128	Drill Core	0.08	0.032	37.7	36	0.78	97	0.131	5.43	0.189	1.52	6.6	51.0	65	46.0	6.3	6.1	0.3	1	9
G0559129	Drill Core	0.07	0.033	40.1	29	0.72	57	0.077	3.82	0.179	0.62	4.7	39.3	68	86.2	5.0	2.9	0.2	1	5
G0559130	Drill Core	3.66	0.050	51.5	30	1.92	122	0.182	6.82	0.051	3.37	10.2	75.2	96	16.8	12.7	4.9	0.3	1	13
G0559131	Drill Core	1.66	0.049	44.5	38	1.08	35	0.131	7.18	0.065	3.41	7.7	71.0	88	18.1	9.1	2.4	0.2	2	12
G0559132	Drill Core	4.10	0.046	35.6	25	1.86	34	0.177	4.40	0.039	1.93	10.4	59.0	66	12.4	11.9	5.2	0.4	2	10
G0559133	Drill Core	4.06	0.044	30.1	28	1.84	61	0.166	4.55	0.038	2.15	9.1	52.9	60	8.6	9.2	6.8	0.4	1	10
G0559134	Drill Core	3.40	0.039	26.0	27	1.49	23	0.096	4.11	0.038	1.89	11.4	49.6	51	10.4	8.0	3.1	0.2	2	9
G0559135	Drill Core	4.69	0.047	37.8	27	2.13	36	0.160	5.75	0.055	2.70	9.6	67.5	74	9.6	11.6	5.3	0.4	2	12
G0559136	Drill Core	3.72	0.054	43.5	43	1.83	91	0.220	7.83	0.046	3.83	9.6	70.6	88	10.7	9.9	6.9	0.5	2	15
G0559137	Drill Core	4.35	0.048	40.8	35	2.01	75	0.213	7.02	0.047	3.48	9.5	68.9	82	9.5	11.0	6.8	0.5	2	14
G0559138	Drill Core	3.78	0.054	49.9	44	2.05	234	0.256	7.78	0.047	3.93	8.8	77.8	101	8.2	9.7	10.0	0.6	2	15
G0559139	Drill Core	3.65	0.059	50.9	42	1.98	82	0.226	7.03	0.056	3.49	8.2	66.8	100	7.4	10.7	8.3	0.6	2	14
G0559140	Drill Core	2.63	0.053	49.0	38	1.58	60	0.174	6.83	0.067	3.30	7.3	60.7	98	6.6	9.1	5.8	0.4	2	14



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland  
**Report Date:** September 04, 2010

**Page:** 4 of 11 **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559111	Drill Core	1.7	10.4	0.4
G0559112	Drill Core	1.5	85.1	1.4
G0559113	Drill Core	1.4	101.4	2.0
G0559114	Drill Core	4.7	46.7	1.7
G0559115	Drill Core	6.1	42.7	1.6
G0559116	Drill Core	4.8	11.1	1.0
G0559117	Drill Core	2.4	31.2	1.0
G0559118	Drill Core	1.5	64.9	1.6
G0559119	Drill Core	0.4	149.0	2.6
G0559120	Drill Core	0.2	145.7	2.0
G0559121	Drill Core	0.2	141.6	1.9
G0559122	Drill Core	1.1	146.1	2.1
G0559123	Drill Core	0.5	143.4	2.1
G0559124	Rock Chip	<0.1	6.5	<0.1
G0559125	Drill Core	1.3	119.0	1.8
G0559126	Drill Core	4.1	32.2	1.5
G0559127	Drill Core	4.4	54.1	1.5
G0559128	Drill Core	3.6	56.0	1.4
G0559129	Drill Core	4.4	25.4	1.0
G0559130	Drill Core	6.3	115.8	2.3
G0559131	Drill Core	>10	115.4	2.0
G0559132	Drill Core	>10	74.1	1.7
G0559133	Drill Core	>10	70.9	1.7
G0559134	Drill Core	>10	68.4	1.3
G0559135	Drill Core	7.4	89.3	1.9
G0559136	Drill Core	2.4	107.9	2.0
G0559137	Drill Core	3.3	90.3	1.9
G0559138	Drill Core	1.6	121.4	2.0
G0559139	Drill Core	1.7	104.3	1.8
G0559140	Drill Core	2.7	105.3	1.7



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

5 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	
G0559141	Drill Core	3.85	614	2.7	139.8	22.9	9	0.2	43.5	32.3	78	26.69	1576	1.6	<0.1	6.6	7	<0.1	8.8	210.9	85
G0559142	Drill Core	3.33	520	2.8	63.5	18.9	22	0.3	36.4	28.7	378	19.94	3156	2.1	0.2	8.1	32	<0.1	8.8	150.0	93
G0559143	Drill Core	3.29	323	3.9	62.7	13.4	24	0.2	34.0	26.7	527	13.43	1029	2.3	0.3	9.4	32	0.1	6.1	80.5	111
G0559144	Drill Core	2.99	493	3.4	71.7	12.2	11	0.2	36.9	40.8	235	22.20	1152	1.8	0.2	6.6	12	<0.1	6.3	216.6	95
G0559145	Drill Core	3.41	453	3.6	71.0	15.8	20	0.2	40.6	35.7	316	17.95	1416	2.2	0.3	7.7	18	<0.1	6.0	134.4	110
G0559146	Drill Core	2.94	260	4.1	76.1	17.1	25	0.1	40.5	27.0	511	12.80	724	2.3	0.2	10.1	29	<0.1	6.9	83.9	107
G0559147	Drill Core	2.82	279	2.4	161.4	11.6	89	<0.1	43.5	29.0	950	11.89	1469	2.5	0.3	12.0	48	<0.1	8.6	59.9	97
G0559148	Drill Core	4.15	2	0.1	19.6	1.3	14	<0.1	36.8	4.3	736	2.20	36	1.3	<0.1	13.4	44	<0.1	6.9	0.8	92
G0559149	Drill Core	3.65	17	1.3	46.3	2.7	21	<0.1	36.7	13.3	838	3.23	186	2.1	<0.1	13.9	53	<0.1	5.9	8.3	100
G0559150	Drill Core	2.05	13	3.6	46.9	2.7	9	0.1	28.6	9.3	1281	3.27	50	2.0	<0.1	13.7	82	<0.1	9.9	11.8	91
G0559151	Drill Core	2.52	49	0.8	45.7	2.7	20	<0.1	20.2	6.1	799	3.41	258	1.4	<0.1	11.1	47	<0.1	3.3	18.2	71
G0559152	Drill Core	3.00	132	2.3	197.3	7.7	29	0.2	30.0	13.9	912	6.28	952	2.2	0.1	11.5	83	0.3	7.5	50.8	96
G0559153	Drill Core	4.42	293	0.9	274.8	19.2	53	0.2	46.0	66.5	1011	16.44	573	1.8	0.2	8.8	45	0.2	4.8	52.8	76
G0559154	Drill Core	4.89	116	0.7	140.6	5.4	38	0.1	26.0	32.6	474	6.28	1155	2.3	0.1	14.2	21	0.4	4.0	14.8	74
G0559155	Drill Core	3.73	27	0.3	40.1	4.1	20	<0.1	11.7	11.1	376	2.64	488	1.5	<0.1	9.6	13	0.2	3.0	3.3	29
G0559156	Drill Core	3.73	37	0.4	63.8	2.8	22	<0.1	16.8	15.1	278	3.56	401	1.6	<0.1	11.6	12	<0.1	3.7	8.5	49
G0559157	Drill Core	3.65	20	0.5	70.4	2.9	28	<0.1	10.4	7.6	424	2.49	461	1.5	<0.1	11.8	23	<0.1	3.2	7.6	40
G0559158	Drill Core	3.71	40	0.6	74.4	2.8	9	0.2	23.5	9.3	3419	5.10	232	2.2	<0.1	12.0	57	<0.1	17.5	3.3	74
G0559159	Rock Chip	0.38	20	0.1	1.9	1.2	18	<0.1	1.9	1.1	233	0.51	<1	0.5	<0.1	0.3	50	<0.1	<0.1	<0.1	6
G0559160	Drill Core	2.15	13	0.3	192.2	2.5	9	0.1	18.2	4.7	1367	4.39	244	1.3	<0.1	7.7	30	<0.1	14.5	1.1	42
G0559161	Drill Core	4.69	7	0.2	105.6	2.9	7	<0.1	9.4	4.3	524	2.97	487	0.9	<0.1	4.8	15	<0.1	3.2	1.0	19
G0559162	Drill Core	4.18	3	0.3	111.6	2.7	9	<0.1	11.4	5.3	1275	2.82	313	1.0	<0.1	6.9	35	<0.1	3.8	1.1	30
G0559163	Drill Core	4.30	2	0.3	115.9	2.9	11	<0.1	12.3	6.3	1509	3.19	330	1.0	<0.1	6.5	34	<0.1	3.9	1.1	29
G0559164	Drill Core	5.00	<2	0.2	26.6	3.9	29	<0.1	12.6	5.7	430	2.56	286	1.1	<0.1	8.3	77	<0.1	6.7	0.3	40
G0559165	Drill Core	7.01	<2	0.2	4.2	1.2	5	<0.1	3.7	2.2	654	0.95	142	0.5	<0.1	2.8	30	<0.1	2.5	0.3	9
G0559166	Drill Core	5.88	3	0.2	58.0	1.9	9	0.2	3.9	1.9	701	1.34	282	0.5	<0.1	2.3	33	<0.1	10.9	1.0	6
G0559167	Drill Core	1.17	30	0.2	77.9	3.6	13	0.8	3.4	1.4	191	2.29	550	0.5	<0.1	1.9	8	<0.1	9.6	2.9	6
G0559168	Drill Core	2.43	1534	0.4	31.5	169.5	10	14.6	4.7	1.8	262	14.62	>10000	3.0	1.8	19.0	449	<0.1	164.9	331.2	54
G0559169	Drill Core	3.79	739	0.4	12.0	98.8	9	5.9	4.7	1.1	67	4.19	2416	1.9	0.8	14.1	160	<0.1	74.6	666.7	101
G0559170	Rock Chip	0.38	<2	0.2	1.4	1.3	18	<0.1	1.3	1.3	217	0.50	6	0.5	<0.1	0.2	48	<0.1	0.2	0.2	6



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 5 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559141	Drill Core	0.11	0.034	20.6	47	0.36	10	0.077	4.80	0.051	2.13	5.6	51.5	47	5.5	5.8	1.4	<0.1	2	10
G0559142	Drill Core	1.64	0.037	27.5	38	0.94	24	0.091	5.17	0.056	2.28	6.6	60.4	59	5.5	8.3	2.1	0.1	1	11
G0559143	Drill Core	2.47	0.041	30.1	34	1.42	37	0.139	6.12	0.066	2.72	8.4	73.5	65	6.2	9.3	3.6	0.3	2	13
G0559144	Drill Core	0.93	0.033	22.3	41	0.74	22	0.098	5.36	0.066	2.32	5.9	55.9	54	4.6	7.9	2.0	0.1	1	11
G0559145	Drill Core	1.31	0.038	27.3	48	0.95	26	0.150	6.11	0.070	2.75	7.4	67.7	60	5.6	10.9	3.7	0.3	2	13
G0559146	Drill Core	2.07	0.038	31.2	33	1.28	145	0.127	6.15	0.063	2.67	7.2	70.8	63	5.6	8.7	3.2	0.2	2	13
G0559147	Drill Core	3.69	0.047	36.2	30	1.99	183	0.141	6.36	0.067	2.58	9.2	66.9	73	7.3	10.6	4.2	0.3	2	13
G0559148	Drill Core	3.67	0.056	43.3	40	1.99	774	0.246	7.82	0.049	3.59	6.9	51.4	93	7.5	9.2	8.6	0.6	2	14
G0559149	Drill Core	3.91	0.061	44.5	44	2.17	270	0.224	7.90	0.065	3.98	8.9	68.0	93	7.8	10.8	8.1	0.5	3	15
G0559150	Drill Core	5.78	0.057	44.4	37	2.98	400	0.258	6.97	0.060	3.27	9.3	75.9	89	7.9	13.7	11.7	0.7	2	13
G0559151	Drill Core	3.13	0.045	35.0	37	1.82	78	0.156	5.48	0.141	2.20	7.0	49.1	71	7.5	8.5	5.7	0.4	2	11
G0559152	Drill Core	3.56	0.051	38.6	36	1.83	93	0.189	6.45	0.090	2.70	9.8	71.7	80	8.6	10.9	6.1	0.4	2	13
G0559153	Drill Core	3.44	0.071	39.1	42	1.91	15	0.145	4.79	0.151	1.67	10.3	62.6	75	5.2	8.9	4.5	0.3	1	11
G0559154	Drill Core	1.68	0.035	36.9	41	1.00	388	0.260	7.03	0.076	3.24	9.8	101.4	74	9.3	9.0	7.3	0.6	2	12
G0559155	Drill Core	1.32	0.018	21.5	26	0.68	176	0.115	3.73	0.039	1.91	5.8	45.8	46	5.0	5.5	6.0	0.6	<1	5
G0559156	Drill Core	0.84	0.021	23.7	40	0.58	69	0.154	5.44	0.053	2.68	8.4	58.9	51	7.5	6.4	8.2	0.6	2	8
G0559157	Drill Core	1.53	0.019	27.0	22	0.88	350	0.126	5.09	0.059	2.46	7.7	64.2	54	7.1	6.4	7.9	0.5	1	7
G0559158	Drill Core	2.54	0.045	33.4	49	0.35	452	0.208	7.23	0.091	3.55	2.9	97.4	77	5.2	12.9	6.6	0.4	1	11
G0559159	Rock Chip	21.59	0.021	1.3	3	13.00	37	0.014	0.28	0.031	0.12	0.1	1.4	3	0.2	1.3	0.6	<0.1	<1	<1
G0559160	Drill Core	0.51	0.034	27.6	29	0.28	298	0.088	4.23	0.060	2.15	2.2	58.0	61	3.0	8.0	2.6	0.2	1	6
G0559161	Drill Core	0.30	0.013	19.0	19	0.24	109	0.056	2.06	0.036	0.99	0.9	31.5	41	3.2	4.8	1.7	<0.1	<1	3
G0559162	Drill Core	1.53	0.020	25.1	21	0.26	154	0.085	3.30	0.062	1.44	1.3	59.2	54	8.9	7.9	2.8	0.2	<1	5
G0559163	Drill Core	2.11	0.024	23.8	24	0.25	150	0.065	3.00	0.050	1.41	1.1	36.3	52	7.7	7.8	2.1	0.1	<1	5
G0559164	Drill Core	1.19	0.020	29.5	25	0.34	213	0.133	4.22	0.101	1.99	0.7	50.1	67	1.5	8.9	4.3	0.3	1	6
G0559165	Drill Core	0.98	0.008	14.0	11	0.09	56	0.040	0.94	0.014	0.51	0.6	19.8	32	0.7	4.6	1.3	<0.1	<1	1
G0559166	Drill Core	1.17	0.007	11.4	18	0.09	37	0.025	0.62	0.011	0.33	0.5	19.9	25	1.2	3.6	0.8	<0.1	<1	<1
G0559167	Drill Core	0.03	0.005	9.4	9	0.07	30	0.023	0.61	0.009	0.29	0.2	18.8	21	2.0	2.3	0.4	<0.1	<1	1
G0559168	Drill Core	0.35	0.013	67.1	36	0.43	223	0.072	4.68	0.096	2.75	3.4	64.0	121	258.0	5.6	2.1	0.1	1	10
G0559169	Drill Core	0.07	0.010	43.5	54	0.42	511	0.197	7.95	0.104	4.21	5.6	96.6	85	212.1	4.4	7.3	0.5	2	11
G0559170	Rock Chip	21.23	0.020	1.6	3	12.95	37	0.014	0.26	0.032	0.11	0.1	1.1	3	0.4	1.4	0.6	<0.1	<1	<1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland  
**Report Date:** September 04, 2010

**Page:** 5 of 11      **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
G0559141	Drill Core	>10	68.9	1.6
G0559142	Drill Core	>10	74.2	1.8
G0559143	Drill Core	>10	81.9	2.1
G0559144	Drill Core	>10	74.0	1.6
G0559145	Drill Core	>10	78.3	1.8
G0559146	Drill Core	>10	82.8	2.0
G0559147	Drill Core	>10	80.1	1.9
G0559148	Drill Core	0.4	99.3	1.4
G0559149	Drill Core	1.5	98.8	1.8
G0559150	Drill Core	1.1	104.3	1.9
G0559151	Drill Core	1.7	66.6	1.3
G0559152	Drill Core	4.4	89.3	1.9
G0559153	Drill Core	>10	50.8	1.7
G0559154	Drill Core	5.3	114.0	2.5
G0559155	Drill Core	1.5	62.9	1.5
G0559156	Drill Core	2.7	88.1	1.6
G0559157	Drill Core	1.2	80.0	1.4
G0559158	Drill Core	<0.1	123.8	2.7
G0559159	Rock Chip	<0.1	3.0	<0.1
G0559160	Drill Core	<0.1	73.9	1.3
G0559161	Drill Core	<0.1	32.9	0.9
G0559162	Drill Core	<0.1	54.5	1.2
G0559163	Drill Core	<0.1	51.5	1.0
G0559164	Drill Core	<0.1	73.7	1.5
G0559165	Drill Core	<0.1	16.3	0.7
G0559166	Drill Core	<0.1	11.4	0.6
G0559167	Drill Core	<0.1	9.8	0.6
G0559168	Drill Core	1.9	89.9	1.8
G0559169	Drill Core	0.6	160.4	2.9
G0559170	Rock Chip	<0.1	6.3	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

6 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559171	Drill Core	1.98	160	0.1	8.0	22.6	3	0.6	0.8	0.3	48	0.73	525	1.0	0.2	4.9	31	<0.1	14.5	79.4
G0559172	Drill Core	1.04	7	0.3	174.5	5.0	105	0.1	40.8	18.6	963	9.84	3823	2.5	<0.1	13.8	83	<0.1	20.9	7.3
G0559173	Drill Core	4.25	3	0.2	106.6	3.9	26	<0.1	7.5	2.8	138	2.45	1600	1.1	<0.1	6.5	73	<0.1	12.2	4.0
G0559174	Drill Core	2.42	<2	0.3	210.9	2.6	41	<0.1	12.5	6.3	689	3.83	1683	1.1	<0.1	5.3	20	0.1	7.1	2.2
G0559175	Drill Core	2.83	2	0.2	237.2	3.0	34	<0.1	11.2	4.3	272	3.03	1651	1.2	<0.1	6.2	28	0.2	7.3	2.1
G0559176	Drill Core	5.63	4	0.3	64.9	43.3	39	<0.1	16.1	7.8	1124	6.29	1459	1.8	<0.1	9.2	138	<0.1	9.6	39.0
G0559177	Drill Core	4.16	10	0.2	10.9	5.2	3	<0.1	0.5	0.2	44	0.90	1332	0.8	<0.1	3.4	43	<0.1	6.1	9.0
G0559178	Drill Core	3.18	26	0.2	34.7	34.0	5	0.3	0.7	0.3	135	3.07	4532	1.2	<0.1	5.9	163	<0.1	15.4	23.5
G0559179	Drill Core	6.21	32	0.3	292.4	6.5	42	<0.1	11.6	6.2	>10000	41.63	2221	2.4	<0.1	4.7	62	<0.1	18.7	9.5
G0559180	Drill Core	8.17	37	0.4	1251	4.6	36	0.7	10.4	5.0	>10000	40.84	729	1.7	<0.1	2.2	14	0.2	13.9	8.6
G0559181	Drill Core	10.32	51	0.3	958.3	9.5	72	0.2	9.7	5.1	>10000	38.91	2259	3.0	<0.1	2.5	16	0.3	14.9	6.4
G0559182	Drill Core	2.31	80	0.9	1035	4.8	96	1.8	17.6	9.2	>10000	31.57	3443	3.8	<0.1	6.3	47	0.8	32.5	14.1
G0559183	Drill Core	4.53	88	0.4	195.0	4.1	59	0.1	16.4	12.0	>10000	26.25	1184	1.8	<0.1	3.3	40	0.4	12.6	6.9
G0559184	Drill Core	4.52	41	0.4	71.7	3.8	48	<0.1	15.5	10.2	>10000	20.91	823	1.7	<0.1	4.9	98	0.3	9.8	7.0
G0559185	Drill Core	3.46	9	0.7	90.2	2.7	36	<0.1	44.8	21.1	1083	5.37	441	2.5	<0.1	12.2	39	<0.1	10.7	1.6
G0559186	Drill Core	3.30	9	1.5	89.0	2.7	27	<0.1	41.7	24.1	1294	5.01	381	3.1	<0.1	14.1	45	<0.1	12.4	2.0
G0559187	Drill Core	2.46	<2	0.4	85.1	4.0	54	<0.1	44.7	17.6	987	4.77	365	2.3	<0.1	11.2	39	<0.1	8.6	1.0
G0559188	Drill Core	3.40	<2	0.5	39.7	10.2	99	<0.1	41.1	18.1	1205	4.90	133	2.4	<0.1	11.5	46	<0.1	8.2	0.7
G0559189	Rock Chip	0.40	<2	0.2	1.9	3.0	21	0.3	2.6	1.9	215	0.53	<1	0.8	<0.1	0.2	53	0.3	<0.1	<0.1
G0559190	Drill Core	4.50	<2	0.5	68.3	5.6	70	0.1	42.8	18.8	1463	4.68	161	2.5	<0.1	13.2	47	<0.1	4.4	0.7
G0559191	Drill Core	3.37	<2	0.2	58.3	2.0	61	0.3	47.4	19.8	1015	5.53	77	2.0	<0.1	13.0	52	<0.1	4.3	0.6
G0559192	Drill Core	2.12	<2	0.9	59.9	2.2	68	<0.1	50.6	22.1	970	5.48	149	2.3	<0.1	12.8	57	<0.1	6.7	0.7
G0559193	Drill Core	3.16	13	0.7	75.5	6.9	32	1.4	33.5	14.0	701	3.99	330	2.2	<0.1	12.3	51	<0.1	14.2	1.4
G0559194	Drill Core	2.58	276	0.3	429.9	29.3	14	8.1	24.6	8.6	43	4.13	2245	2.2	0.3	11.8	66	0.1	78.0	54.7
G0559195	Drill Core	1.85	2786	0.2	801.0	58.4	12	14.5	4.9	6.1	37	12.35	>10000	0.7	3.2	3.2	17	0.1	65.4	56.9
G0559196	Drill Core	1.85	587	0.3	458.5	139.6	13	1.7	15.0	21.5	125	5.72	>10000	1.4	0.6	5.5	47	0.2	39.5	40.6
G0559197	Drill Core	2.09	593	0.3	245.7	164.2	16	2.4	14.7	18.4	44	5.55	>10000	0.8	0.6	4.3	15	<0.1	15.5	34.7
G0559198	Drill Core	2.68	748	0.3	202.9	19.2	7	0.6	8.1	4.7	54	7.29	>10000	1.8	0.6	6.9	38	0.1	13.5	38.2
G0559199	Drill Core	2.55	541	0.2	116.4	20.1	5	0.4	16.9	8.0	36	7.96	5733	0.8	0.9	4.9	21	<0.1	12.9	37.2
G0559200	Drill Core	3.35	155	0.4	138.1	41.4	15	1.6	9.8	2.7	77	3.41	2687	1.1	0.1	6.1	18	<0.1	22.9	10.9



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 6 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559171	Drill Core	0.03	0.006	34.7	22	0.36	54	0.088	1.81	0.097	0.51	1.9	35.3	66	15.4	3.5	2.5	<0.1	<1	3
G0559172	Drill Core	0.27	0.068	40.7	55	0.42	387	0.102	7.82	0.119	3.48	2.6	80.6	89	9.7	21.3	2.7	0.2	2	12
G0559173	Drill Core	0.06	0.021	25.0	26	0.21	153	0.073	2.80	0.042	1.40	1.1	39.4	55	5.0	6.7	2.3	0.1	<1	4
G0559174	Drill Core	0.07	0.023	21.8	19	0.16	103	0.041	2.23	0.020	0.99	0.8	26.2	49	2.7	8.9	1.1	<0.1	<1	4
G0559175	Drill Core	0.06	0.021	21.5	21	0.17	139	0.058	2.66	0.028	1.24	0.9	33.5	48	2.9	7.4	1.9	0.1	<1	4
G0559176	Drill Core	0.09	0.042	31.4	32	0.24	238	0.086	4.77	0.083	2.53	2.6	51.8	70	3.5	10.2	3.0	0.2	2	7
G0559177	Drill Core	0.02	0.012	21.0	16	0.15	150	0.091	2.10	0.033	1.22	1.1	36.3	45	1.6	2.7	3.1	0.2	<1	3
G0559178	Drill Core	0.07	0.034	24.0	24	0.16	190	0.096	2.94	0.081	1.80	2.6	59.7	52	2.5	3.2	3.3	0.2	<1	4
G0559179	Drill Core	0.30	0.041	8.9	19	1.41	103	0.028	2.21	0.041	0.91	1.5	23.8	19	1.7	5.4	1.1	<0.1	<1	4
G0559180	Drill Core	0.39	0.031	4.1	9	2.15	59	0.021	1.20	0.023	0.48	1.3	14.9	10	1.9	5.1	1.1	<0.1	<1	2
G0559181	Drill Core	0.72	0.038	2.2	11	1.73	52	0.017	1.57	0.020	0.41	1.0	14.3	7	1.3	5.2	0.8	<0.1	<1	3
G0559182	Drill Core	3.31	0.028	10.5	23	1.26	129	0.022	3.20	0.039	1.11	14.6	24.3	24	2.3	8.6	0.5	<0.1	<1	5
G0559183	Drill Core	7.51	0.022	8.6	14	2.85	97	0.032	2.03	0.030	0.85	1.1	23.4	23	1.6	7.8	1.1	<0.1	<1	3
G0559184	Drill Core	8.75	0.040	17.4	20	3.09	128	0.044	2.69	0.028	1.27	0.9	29.7	35	1.3	8.4	1.3	<0.1	<1	5
G0559185	Drill Core	0.09	0.037	31.6	57	0.85	435	0.173	8.62	0.101	4.70	1.8	80.4	65	3.6	5.6	5.9	0.4	3	14
G0559186	Drill Core	0.12	0.060	39.9	59	0.96	457	0.215	9.53	0.103	5.04	2.1	86.1	79	9.5	7.6	8.2	0.5	3	16
G0559187	Drill Core	0.06	0.034	25.4	59	0.86	436	0.227	8.89	0.099	4.08	2.2	84.4	56	8.6	5.8	9.3	0.6	3	14
G0559188	Drill Core	0.14	0.067	31.9	56	1.03	424	0.277	8.50	0.102	3.79	2.0	84.0	65	2.8	6.9	10.9	0.7	3	13
G0559189	Rock Chip	20.04	0.022	1.8	3	12.90	39	0.015	0.28	0.032	0.11	0.1	1.4	2	0.1	1.4	0.7	0.1	<1	<1
G0559190	Drill Core	0.15	0.063	36.8	58	1.00	501	0.191	10.27	0.128	3.16	1.7	78.6	74	16.2	7.5	7.9	0.5	3	16
G0559191	Drill Core	0.23	0.083	40.3	62	1.39	563	0.183	9.84	0.092	3.13	1.0	68.9	80	2.8	7.0	6.1	0.4	2	16
G0559192	Drill Core	0.19	0.105	38.1	61	1.26	578	0.171	10.06	0.097	3.63	1.1	73.9	74	2.9	7.7	5.1	0.3	2	16
G0559193	Drill Core	0.15	0.091	39.6	48	1.00	478	0.146	8.25	0.075	3.00	1.3	76.7	78	21.7	7.7	6.4	0.3	3	12
G0559194	Drill Core	0.05	0.025	38.7	43	0.54	61	0.112	6.42	0.097	3.23	3.5	79.4	79	27.7	8.8	2.8	0.1	2	11
G0559195	Drill Core	0.03	0.015	15.1	16	0.25	10	0.017	0.96	0.076	0.06	0.7	20.3	25	10.6	2.2	0.3	<0.1	<1	3
G0559196	Drill Core	0.11	0.051	15.1	36	0.31	21	0.026	1.64	0.099	0.24	1.1	26.2	29	3.7	3.7	0.6	<0.1	<1	4
G0559197	Drill Core	0.03	0.009	19.8	18	0.20	37	0.031	1.75	0.055	0.61	1.3	25.3	39	6.5	4.0	0.6	<0.1	<1	3
G0559198	Drill Core	0.05	0.020	64.7	23	0.28	34	0.028	2.02	0.083	0.54	1.8	34.1	112	8.4	8.1	0.6	<0.1	<1	4
G0559199	Drill Core	0.02	0.008	25.9	20	0.19	18	0.022	1.76	0.040	0.66	1.2	24.5	48	8.0	5.3	0.5	<0.1	<1	3
G0559200	Drill Core	0.03	0.010	17.3	18	0.27	65	0.047	2.26	0.060	1.06	1.8	32.1	35	9.6	4.6	1.1	<0.1	<1	4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland  
**Report Date:** September 04, 2010

**Page:** 6 of 11 **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559171	Drill Core	<0.1	20.1	1.0
G0559172	Drill Core	<0.1	136.8	2.4
G0559173	Drill Core	0.1	46.5	1.0
G0559174	Drill Core	<0.1	38.6	0.8
G0559175	Drill Core	<0.1	46.9	1.0
G0559176	Drill Core	0.4	93.3	1.5
G0559177	Drill Core	<0.1	39.6	1.1
G0559178	Drill Core	0.4	61.5	1.4
G0559179	Drill Core	0.6	34.3	0.6
G0559180	Drill Core	0.7	16.8	0.4
G0559181	Drill Core	0.5	15.8	0.4
G0559182	Drill Core	1.4	45.1	0.7
G0559183	Drill Core	0.8	34.2	0.7
G0559184	Drill Core	0.3	49.4	0.7
G0559185	Drill Core	0.6	159.6	2.3
G0559186	Drill Core	0.2	169.9	2.5
G0559187	Drill Core	<0.1	141.2	2.3
G0559188	Drill Core	<0.1	120.8	2.3
G0559189	Rock Chip	0.1	7.2	<0.1
G0559190	Drill Core	<0.1	109.6	2.2
G0559191	Drill Core	<0.1	112.2	1.8
G0559192	Drill Core	0.2	129.3	1.9
G0559193	Drill Core	0.8	112.4	2.0
G0559194	Drill Core	3.8	123.8	2.0
G0559195	Drill Core	>10	6.5	0.5
G0559196	Drill Core	4.6	11.6	0.7
G0559197	Drill Core	5.0	26.4	0.7
G0559198	Drill Core	7.1	23.8	0.9
G0559199	Drill Core	8.2	28.6	0.6
G0559200	Drill Core	3.0	44.9	0.9





Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 7 of 11 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559201	Drill Core	2.60	339	0.3	328.1	169.8	19	7.9	2.5	1.2	36	4.76	3859	0.8	0.4	3.4	21	0.2	56.2	22.8
G0559202	Drill Core	2.47	672	0.2	276.3	60.9	11	2.8	5.5	1.4	34	4.88	8751	1.2	0.8	4.3	51	<0.1	28.7	19.2
G0559203	Drill Core	1.23	887	0.3	1882	152.9	60	9.2	11.2	5.1	224	6.25	1850	2.1	0.9	7.9	47	0.9	30.2	65.0
G0559204	Drill Core	3.56	300	0.4	50.6	13.3	11	0.4	9.4	2.4	92	3.59	1505	1.1	0.1	4.9	13	<0.1	8.6	16.6
G0559205	Drill Core	4.70	4114	0.3	153.2	169.2	64	4.5	24.7	13.9	466	13.68	>10000	1.1	3.2	2.5	13	0.4	99.7	288.5
G0559206	Drill Core	4.32	2355	0.3	463.4	41.0	13	2.0	12.2	9.1	66	9.79	>10000	2.3	1.9	5.5	34	0.1	40.2	54.2
G0559207	Drill Core	3.81	555	0.6	277.3	44.9	24	1.4	22.9	6.0	37	5.82	3076	1.7	0.4	7.0	25	0.2	20.5	33.8
G0559208	Drill Core	3.59	463	1.2	408.4	32.0	11	1.2	21.2	8.3	40	6.15	2725	1.3	0.4	5.9	21	<0.1	28.5	25.5
G0559209	Drill Core	2.86	508	0.4	642.7	375.3	184	2.4	16.9	12.3	2818	7.12	5850	2.7	0.6	8.4	125	1.9	28.9	44.9
G0559210	Drill Core	3.90	16	0.6	105.2	1067	375	2.0	11.8	9.3	>10000	8.54	59	1.6	<0.1	6.3	313	1.6	5.1	5.3
G0559211	Drill Core	2.64	3230	<0.1	3774	147.1	363	11.0	29.2	13.5	332	4.48	819	1.3	2.8	10.3	102	2.1	61.2	250.2
G0559212	Drill Core	4.88	1616	0.1	3875	77.1	133	7.3	37.8	16.6	395	3.86	1687	1.2	1.8	10.2	22	1.0	64.1	237.5
G0559213	Drill Core	2.03	4326	0.1	6621	119.7	106	2.8	41.7	15.2	149	4.36	1522	1.2	4.2	8.8	20	0.6	27.8	641.3
G0559214	Drill Core	4.69	2086	0.2	7070	84.9	228	3.9	24.2	11.9	118	21.89	3642	1.1	2.0	3.9	22	1.4	94.1	1122
G0559215	Drill Core	1.27	18	0.2	145.5	3.4	39	0.1	20.5	10.5	859	2.31	77	1.2	<0.1	10.9	296	<0.1	3.9	4.0
G0559216	Drill Core	1.12	4	<0.1	68.3	2.6	36	0.2	18.5	11.7	1090	2.71	67	1.2	<0.1	10.2	431	0.1	3.3	4.6
G0559217	Drill Core	2.33	745	0.2	958.3	28.5	30	2.1	19.7	12.5	746	8.95	5559	1.4	1.1	8.3	287	0.2	24.1	193.6
G0559218	Drill Core	3.22	806	0.1	6950	40.2	37	5.1	21.9	9.5	282	5.09	4831	1.3	0.8	9.7	44	0.1	23.8	422.3
G0559219	Drill Core	2.41	239	0.1	4889	26.1	16	2.5	13.2	4.6	201	2.50	313	1.2	0.2	11.0	21	0.1	10.4	251.1
G0559220	Drill Core	4.53	26	0.2	1799	56.1	40	0.7	21.0	8.8	933	3.55	65	1.4	<0.1	13.6	80	<0.1	9.9	113.1
G0559221	Drill Core	4.23	60	0.7	772.4	27.3	40	0.5	28.1	18.8	516	2.89	100	2.5	<0.1	11.4	58	<0.1	6.4	72.6
G0559222	Drill Core	4.64	3	0.9	50.1	4.1	44	0.2	35.1	19.7	483	3.83	59	4.0	<0.1	10.8	62	<0.1	6.1	1.4
G0559223	Drill Core	3.83	49	0.7	310.1	20.8	43	22.7	20.7	13.6	241	2.92	561	2.2	<0.1	9.9	20	0.4	72.6	41.3
G0559224	Drill Core	3.09	39	0.4	257.4	6.0	33	17.8	15.3	10.0	289	1.76	151	2.5	<0.1	10.2	20	0.4	151.7	12.2
G0559225	Drill Core	4.70	351	0.2	37.1	55.2	92	1.2	7.4	4.0	136	4.26	>10000	0.6	0.5	2.6	9	0.4	8.0	10.1
G0559226	Drill Core	4.35	630	0.2	137.2	302.4	30	4.1	15.3	13.9	458	7.81	>10000	1.2	0.6	6.1	15	0.3	62.0	332.5
G0559227	Drill Core	3.74	629	0.3	25.9	30.1	10	0.9	10.4	4.2	133	8.57	>10000	1.1	0.9	6.0	15	0.1	15.0	44.9
G0559228	Drill Core	3.94	125	0.4	107.5	10.4	20	1.5	23.1	6.9	59	2.58	780	2.0	0.1	10.6	31	0.2	13.9	20.5
G0559229	Drill Core	3.94	308	0.4	864.3	39.3	163	22.0	22.3	8.9	170	4.81	2756	1.8	0.4	7.8	34	1.4	45.5	27.9
G0559230	Rock Chip	0.46	<2	0.1	2.1	1.9	18	0.2	2.4	1.4	252	0.52	5	0.6	<0.1	0.3	53	0.1	0.1	0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 7 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559201	Drill Core	0.02	0.009	9.0	29	0.20	16	0.022	1.05	0.063	0.17	1.0	23.5	17	11.6	3.0	0.5	<0.1	<1	2
G0559202	Drill Core	0.04	0.020	10.2	14	0.24	32	0.028	1.74	0.069	0.43	1.5	27.5	20	11.9	2.9	0.6	<0.1	<1	3
G0559203	Drill Core	0.18	0.027	23.8	32	0.48	20	0.075	3.59	0.058	1.91	2.9	47.2	49	21.9	7.1	1.7	0.1	<1	6
G0559204	Drill Core	0.05	0.022	25.8	28	0.21	45	0.031	1.50	0.050	0.51	1.1	28.7	50	3.7	4.6	0.8	<0.1	<1	2
G0559205	Drill Core	0.14	0.018	10.2	14	0.19	8	0.015	0.95	0.059	0.08	0.4	12.9	20	3.6	3.4	0.3	<0.1	<1	2
G0559206	Drill Core	0.07	0.028	6.0	29	0.50	20	0.037	2.20	0.144	0.21	1.3	34.9	12	5.2	5.4	0.6	<0.1	<1	3
G0559207	Drill Core	0.06	0.031	26.4	20	0.30	15	0.040	2.42	0.086	0.77	1.9	36.7	51	8.1	4.7	0.9	<0.1	<1	4
G0559208	Drill Core	0.05	0.036	21.9	30	0.25	33	0.026	1.56	0.078	0.34	1.1	28.1	42	6.2	4.1	0.7	<0.1	<1	2
G0559209	Drill Core	2.79	0.064	26.1	20	1.87	29	0.063	4.31	0.173	0.90	3.1	51.4	50	16.7	9.2	1.0	<0.1	1	6
G0559210	Drill Core	6.39	0.095	21.6	26	3.60	254	0.061	3.62	0.016	1.95	1.6	47.8	42	12.1	12.6	1.3	<0.1	<1	5
G0559211	Drill Core	1.41	0.038	31.3	30	1.13	41	0.106	5.71	0.036	2.83	2.5	57.0	68	36.5	8.2	1.8	<0.1	2	8
G0559212	Drill Core	0.19	0.041	32.1	39	0.58	48	0.126	5.99	0.040	3.79	4.2	58.1	68	45.2	8.3	2.4	0.2	2	9
G0559213	Drill Core	0.13	0.039	29.1	39	0.57	43	0.123	5.88	0.034	3.48	4.2	55.7	64	63.5	6.7	2.4	0.1	2	9
G0559214	Drill Core	0.27	0.047	14.0	21	0.30	9	0.047	2.69	0.023	1.47	1.8	36.9	33	105.1	4.6	0.7	<0.1	<1	4
G0559215	Drill Core	4.42	0.038	36.4	33	2.78	727	0.164	6.30	0.032	2.87	1.5	60.5	71	6.8	12.3	3.9	0.2	1	9
G0559216	Drill Core	6.61	0.032	33.1	28	3.74	653	0.153	5.52	0.029	2.51	1.4	55.7	64	5.8	12.9	4.0	0.2	2	8
G0559217	Drill Core	4.35	0.039	25.2	22	2.75	26	0.095	4.90	0.029	2.79	1.6	55.3	56	33.0	10.4	1.6	0.1	1	7
G0559218	Drill Core	0.52	0.037	33.2	37	0.72	34	0.123	5.79	0.035	3.51	4.2	55.0	71	67.3	7.9	2.1	0.1	2	9
G0559219	Drill Core	0.10	0.038	31.0	43	0.62	106	0.167	6.41	0.046	3.49	4.3	58.6	69	51.9	6.6	3.8	0.2	2	10
G0559220	Drill Core	1.20	0.037	42.1	45	1.66	628	0.146	8.29	0.056	3.80	2.4	63.1	85	24.2	8.9	2.9	0.2	2	11
G0559221	Drill Core	0.62	0.041	31.7	49	1.39	655	0.191	7.15	0.059	3.87	1.8	82.1	70	15.1	8.8	4.0	0.3	2	11
G0559222	Drill Core	0.64	0.063	32.7	51	1.61	184	0.177	7.22	0.051	3.51	1.1	112.9	74	4.2	11.9	3.9	0.3	2	12
G0559223	Drill Core	0.11	0.045	33.5	48	0.56	89	0.162	6.52	0.050	3.76	5.5	75.9	74	33.2	9.2	3.6	0.2	2	11
G0559224	Drill Core	0.08	0.037	25.6	44	0.68	421	0.301	7.02	0.061	3.71	4.7	101.4	66	63.4	7.2	9.6	0.7	3	12
G0559225	Drill Core	0.10	0.012	7.0	28	0.32	10	0.027	1.03	0.089	0.09	0.8	21.3	16	2.5	2.3	0.8	<0.1	<1	2
G0559226	Drill Core	0.14	0.018	17.5	31	0.62	10	0.045	2.11	0.180	0.13	1.8	39.9	38	6.5	4.6	1.2	<0.1	<1	4
G0559227	Drill Core	0.18	0.022	18.6	28	0.56	14	0.047	1.99	0.160	0.22	1.9	39.4	41	5.8	5.2	1.4	<0.1	<1	3
G0559228	Drill Core	0.18	0.054	33.0	51	0.64	115	0.209	5.28	0.092	3.11	6.2	89.7	81	90.5	8.5	6.7	0.5	2	10
G0559229	Drill Core	0.27	0.040	27.5	33	0.63	26	0.096	4.26	0.122	2.02	6.2	67.3	64	30.6	6.8	2.9	0.2	2	8
G0559230	Rock Chip	20.49	0.021	1.6	2	13.05	40	0.015	0.34	0.033	0.12	0.2	1.7	3	0.3	1.3	0.7	<0.1	<1	<1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 7 of 11 Part 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559201	Drill Core	4.8	8.6	0.6
G0559202	Drill Core	4.6	21.2	0.7
G0559203	Drill Core	6.2	80.6	1.3
G0559204	Drill Core	3.4	20.8	0.7
G0559205	Drill Core	>10	4.6	0.4
G0559206	Drill Core	8.5	8.7	1.0
G0559207	Drill Core	6.0	32.3	1.1
G0559208	Drill Core	6.3	15.5	0.8
G0559209	Drill Core	5.3	42.6	1.4
G0559210	Drill Core	0.4	87.3	1.3
G0559211	Drill Core	4.0	129.9	1.6
G0559212	Drill Core	3.4	137.9	1.6
G0559213	Drill Core	4.0	136.1	1.6
G0559214	Drill Core	>10	64.9	1.0
G0559215	Drill Core	0.2	134.4	1.7
G0559216	Drill Core	0.2	106.9	1.5
G0559217	Drill Core	7.8	116.8	1.6
G0559218	Drill Core	4.3	131.6	1.6
G0559219	Drill Core	1.8	135.4	1.6
G0559220	Drill Core	0.6	166.7	1.7
G0559221	Drill Core	0.5	125.1	2.2
G0559222	Drill Core	1.2	122.8	3.1
G0559223	Drill Core	2.3	143.6	2.2
G0559224	Drill Core	0.9	138.6	3.1
G0559225	Drill Core	3.6	2.6	0.7
G0559226	Drill Core	6.9	4.8	1.2
G0559227	Drill Core	8.2	7.8	1.1
G0559228	Drill Core	2.4	125.2	2.6
G0559229	Drill Core	4.7	78.4	1.8
G0559230	Rock Chip	0.1	5.4	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

8 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559231	Drill Core	3.90	418	0.5	300.0	12.2	39	6.0	28.2	9.0	51	3.43	1232	2.5	0.5	10.4	48	0.3	111.1	7.1
G0559232	Drill Core	3.84	183	0.4	175.3	19.0	29	3.8	23.2	7.7	72	4.19	1365	1.8	0.2	9.1	35	0.3	58.1	11.8
G0559233	Drill Core	3.40	115	0.5	76.6	15.6	14	1.1	16.5	5.2	73	4.28	600	1.5	<0.1	8.0	19	0.2	7.2	22.4
G0559234	Drill Core	1.74	211	0.4	88.0	24.7	15	1.5	20.3	8.4	87	4.62	3282	1.4	0.3	7.2	18	0.1	8.7	20.4
G0559235	Drill Core	1.68	215	0.4	86.0	43.4	29	1.4	16.7	6.8	121	4.60	3865	1.2	0.2	6.4	19	0.2	7.6	14.9
G0559236	Drill Core	3.91	792	0.3	311.1	1042	138	8.7	15.8	18.8	856	8.48	>10000	0.9	0.9	3.8	41	0.8	19.1	35.7
G0559237	Drill Core	3.08	210	0.2	13.8	9.1	9	0.2	10.2	4.2	152	4.01	>10000	1.1	0.2	6.1	19	<0.1	5.4	3.7
G0559238	Drill Core	3.73	107	0.5	73.6	17.9	14	1.0	22.7	11.5	44	4.03	1993	2.2	0.2	9.6	20	0.1	8.3	8.6
G0559239	Drill Core	3.47	108	0.2	14.2	14.0	6	0.4	9.1	3.2	102	3.91	2547	0.6	0.1	3.1	12	<0.1	2.6	7.5
G0559240	Drill Core	3.77	125	0.2	13.8	17.2	9	0.4	14.2	4.3	112	4.48	1732	0.6	0.1	3.4	11	<0.1	3.2	8.6
G0559241	Drill Core	2.95	84	0.5	38.5	67.2	12	0.7	12.6	3.3	58	4.04	443	1.7	<0.1	7.9	15	<0.1	3.7	12.3
G0559242	Drill Core	3.83	131	0.2	6.9	45.9	5	0.6	9.1	2.2	133	4.48	1313	0.6	0.2	3.2	37	<0.1	5.1	28.0
G0559243	Drill Core	3.19	864	0.2	19.6	83.3	16	1.1	8.2	2.6	403	6.04	1610	0.6	0.5	2.9	118	0.1	6.7	29.9
G0559244	Rock Chip	0.40	<2	0.1	1.8	1.5	17	0.2	3.1	1.4	233	0.52	2	0.5	<0.1	0.2	47	0.2	0.3	<0.1
G0559245	Drill Core	3.11	170	0.2	7.4	45.9	5	0.5	8.2	2.4	110	4.28	1264	0.7	0.2	3.9	17	<0.1	2.4	9.0
G0559246	Drill Core	3.81	125	0.3	39.3	14.7	12	0.3	16.6	7.1	289	4.38	1278	1.3	0.2	7.2	32	0.1	3.6	6.8
G0559247	Drill Core	3.36	98	0.3	81.1	62.7	24	0.5	16.6	5.5	255	4.00	1099	1.1	<0.1	6.0	24	0.1	3.8	12.9
G0559248	Drill Core	1.73	468	0.3	20.4	147.5	9	0.7	16.0	9.6	107	7.29	4981	1.3	0.4	5.5	13	0.1	5.0	15.6
G0559249	Drill Core	1.91	375	0.3	27.8	139.6	15	0.6	16.7	12.0	149	7.45	7259	1.1	0.5	5.1	13	<0.1	6.8	17.9
G0559250	Drill Core	3.30	12	0.3	32.0	54.7	30	0.2	22.7	8.7	690	2.57	96	1.8	<0.1	8.6	33	0.2	3.2	2.1
G0559251	Drill Core	3.34	106	0.5	131.9	21.2	27	0.9	18.3	6.9	119	2.99	837	1.5	0.1	7.8	17	0.3	17.3	8.3
G0559252	Drill Core	3.58	86	0.3	25.8	114.8	6	0.9	9.7	3.1	62	3.70	777	0.8	<0.1	4.5	11	<0.1	6.9	6.2
G0559253	Drill Core	3.31	64	0.4	18.3	19.2	7	0.3	12.1	4.4	37	4.12	1647	1.5	<0.1	7.3	11	<0.1	5.8	8.4
G0559254	Drill Core	3.43	382	0.3	44.6	71.9	12	0.6	7.5	2.3	105	7.57	5215	1.0	0.5	5.4	17	0.1	7.6	20.8
G0559255	Drill Core	3.52	475	0.2	30.7	330.0	10	2.4	13.8	6.3	201	9.07	7676	1.4	0.6	7.3	26	<0.1	9.0	25.0
G0559256	Drill Core	2.89	220	0.5	193.8	278.7	33	3.8	12.1	4.1	161	5.82	536	2.4	0.3	12.9	38	0.2	79.5	43.9
G0559257	Drill Core	3.60	244	0.2	561.3	593.7	86	7.8	8.2	3.0	381	5.72	1130	1.4	0.3	6.8	16	0.7	284.2	89.4
G0559258	Rock Chip	0.42	12	0.4	2.4	0.7	18	0.3	2.5	1.2	242	0.52	<1	0.7	<0.1	0.3	46	0.1	0.3	0.5
G0559259	Drill Core	3.42	110	0.4	35.3	60.6	9	0.7	10.6	4.6	129	5.98	975	1.0	0.1	4.7	15	<0.1	16.7	10.5
G0559260	Drill Core	3.18	81	0.2	22.2	13.1	8	0.2	13.0	5.5	124	3.23	823	1.1	<0.1	5.5	14	0.1	3.6	4.9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

8 of 11

Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559231	Drill Core	0.46	0.217	32.6	47	0.59	64	0.169	5.65	0.080	3.29	6.6	95.2	84	41.5	11.8	5.5	0.4	2	11
G0559232	Drill Core	0.39	0.128	30.3	40	0.69	44	0.134	4.46	0.123	2.37	4.2	73.4	70	35.3	8.7	4.2	0.3	2	8
G0559233	Drill Core	0.14	0.024	26.4	38	0.70	29	0.094	3.59	0.173	1.35	3.2	59.6	63	16.4	6.4	3.1	0.2	1	6
G0559234	Drill Core	0.15	0.025	24.1	32	0.61	23	0.104	3.75	0.116	1.85	3.5	55.7	58	13.8	5.9	3.1	0.2	1	6
G0559235	Drill Core	0.19	0.023	23.4	35	0.58	31	0.086	3.08	0.122	1.38	2.9	51.7	56	11.2	5.7	2.6	0.2	1	6
G0559236	Drill Core	0.58	0.019	9.7	26	0.71	9	0.035	1.79	0.154	0.11	1.8	30.6	21	7.8	3.2	0.8	<0.1	<1	3
G0559237	Drill Core	0.21	0.020	24.4	31	0.57	42	0.063	2.38	0.142	0.53	2.0	42.5	55	5.7	5.1	1.9	0.1	<1	4
G0559238	Drill Core	0.11	0.039	30.8	39	0.67	49	0.156	4.90	0.116	2.94	4.1	84.1	79	25.2	8.2	4.4	0.3	2	9
G0559239	Drill Core	0.15	0.018	12.6	16	0.37	9	0.032	1.10	0.093	0.13	1.3	21.5	30	3.4	3.3	1.0	<0.1	<1	2
G0559240	Drill Core	0.20	0.015	13.5	35	0.38	11	0.033	1.24	0.094	0.19	1.3	22.1	31	4.2	3.0	1.1	<0.1	<1	2
G0559241	Drill Core	0.10	0.023	34.0	38	0.63	21	0.091	2.55	0.193	0.37	2.7	75.7	78	6.0	7.1	4.0	0.2	<1	4
G0559242	Drill Core	0.66	0.015	13.2	38	0.40	3	0.032	1.15	0.116	0.04	0.9	22.4	31	2.0	3.2	0.9	<0.1	<1	2
G0559243	Drill Core	2.21	0.013	12.1	28	0.37	2	0.024	0.95	0.092	0.03	0.7	19.4	28	2.1	2.8	0.7	<0.1	<1	2
G0559244	Rock Chip	20.22	0.020	1.7	2	12.92	39	0.015	0.31	0.035	0.12	0.1	1.5	3	0.2	1.2	0.8	<0.1	<1	<1
G0559245	Drill Core	0.35	0.017	16.4	36	0.41	8	0.043	1.36	0.125	0.11	1.4	28.5	38	4.3	3.7	1.2	<0.1	<1	2
G0559246	Drill Core	0.77	0.020	26.5	33	0.68	35	0.094	3.37	0.114	1.46	2.1	54.0	64	8.5	6.2	2.7	0.2	1	6
G0559247	Drill Core	0.27	0.018	22.1	38	0.55	97	0.093	2.71	0.093	1.31	1.6	47.3	52	6.0	5.5	3.2	0.2	<1	5
G0559248	Drill Core	0.10	0.020	19.3	26	0.54	14	0.063	2.77	0.088	1.22	1.4	51.0	48	8.8	5.5	1.9	0.1	<1	5
G0559249	Drill Core	0.10	0.018	18.6	30	0.53	13	0.060	2.53	0.091	1.05	1.3	44.2	45	8.3	5.7	1.8	0.1	<1	4
G0559250	Drill Core	0.37	0.036	25.1	36	1.22	201	0.179	4.68	0.047	2.67	2.2	74.6	61	12.7	7.4	6.0	0.4	2	9
G0559251	Drill Core	0.09	0.024	24.4	37	0.49	125	0.119	3.34	0.093	1.92	2.7	59.2	58	53.6	6.2	3.6	0.3	1	6
G0559252	Drill Core	0.11	0.027	19.4	40	0.37	24	0.044	1.61	0.097	0.41	1.4	35.1	46	5.9	3.9	1.4	<0.1	<1	3
G0559253	Drill Core	0.07	0.021	28.6	29	0.47	62	0.083	2.84	0.119	1.14	2.9	62.5	66	14.5	5.7	2.6	0.2	<1	5
G0559254	Drill Core	0.28	0.020	25.7	37	0.52	13	0.049	1.96	0.156	0.24	1.5	40.0	59	7.4	5.5	1.4	<0.1	<1	3
G0559255	Drill Core	0.37	0.032	31.8	36	0.87	4	0.057	2.58	0.241	0.04	1.6	46.6	70	4.5	5.8	1.7	0.1	<1	4
G0559256	Drill Core	0.31	0.056	46.0	55	1.37	25	0.344	4.84	0.408	0.37	2.9	99.0	117	11.1	9.2	4.3	0.3	2	8
G0559257	Drill Core	0.09	0.021	27.8	34	0.58	51	0.091	2.99	0.159	0.85	2.3	55.8	62	11.7	5.7	2.8	0.2	1	5
G0559258	Rock Chip	21.02	0.019	1.6	2	13.34	37	0.016	0.26	0.035	0.12	0.1	1.4	3	0.2	1.3	0.6	<0.1	<1	<1
G0559259	Drill Core	0.16	0.019	21.5	24	0.48	13	0.049	1.85	0.124	0.22	1.5	34.7	45	8.4	4.2	1.2	<0.1	<1	3
G0559260	Drill Core	0.10	0.020	20.9	21	0.47	25	0.060	2.18	0.135	0.43	1.7	38.3	44	9.4	5.2	1.8	0.1	<1	4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 8 of 11      **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559231	Drill Core	3.3	125.5	2.7
G0559232	Drill Core	4.3	89.3	2.0
G0559233	Drill Core	4.3	46.6	1.8
G0559234	Drill Core	4.7	65.5	1.7
G0559235	Drill Core	4.5	52.2	1.5
G0559236	Drill Core	7.2	5.0	0.8
G0559237	Drill Core	3.2	21.1	1.3
G0559238	Drill Core	4.0	111.8	2.5
G0559239	Drill Core	3.8	4.7	0.6
G0559240	Drill Core	4.5	8.4	0.6
G0559241	Drill Core	4.1	13.3	2.0
G0559242	Drill Core	4.5	2.0	0.7
G0559243	Drill Core	6.4	0.6	0.6
G0559244	Rock Chip	0.1	6.8	<0.1
G0559245	Drill Core	4.4	3.8	0.8
G0559246	Drill Core	4.3	54.9	1.8
G0559247	Drill Core	3.8	50.9	1.4
G0559248	Drill Core	7.4	47.9	1.4
G0559249	Drill Core	7.3	39.9	1.3
G0559250	Drill Core	1.1	95.9	2.1
G0559251	Drill Core	2.9	71.9	1.7
G0559252	Drill Core	3.7	15.3	1.1
G0559253	Drill Core	4.2	40.0	1.8
G0559254	Drill Core	7.7	9.1	1.2
G0559255	Drill Core	9.2	1.0	1.4
G0559256	Drill Core	5.7	12.8	2.8
G0559257	Drill Core	5.7	29.9	1.7
G0559258	Rock Chip	0.1	5.4	<0.1
G0559259	Drill Core	6.2	6.8	0.9
G0559260	Drill Core	3.0	16.3	1.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

9 of 11

Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559261	Drill Core	3.57	30	0.3	88.2	28.6	286	0.3	12.8	6.9	644	2.45	225	1.5	0.2	8.6	24	1.2	5.2	9.0
G0559262	Drill Core	3.34	87	0.4	241.6	2.8	3	0.2	22.6	9.7	70	2.21	421	1.9	<0.1	8.9	28	<0.1	4.1	44.5
G0559263	Drill Core	3.12	122	0.3	568.1	5.3	10	0.4	19.6	9.6	111	2.68	387	1.7	<0.1	8.8	28	0.1	6.0	40.4
G0559264	Drill Core	1.70	351	0.2	201.3	4.6	22	1.2	15.3	7.9	53	3.40	1354	1.4	0.4	7.9	17	0.3	37.5	17.1
G0559265	Drill Core	1.66	465	0.3	228.3	6.3	23	1.8	13.3	6.2	41	2.98	1060	1.2	0.5	6.4	14	0.3	52.8	23.2
G0559266	Drill Core	4.02	130	0.3	195.3	13.9	21	1.4	17.0	5.9	63	4.50	423	1.6	0.3	8.9	19	<0.1	35.8	33.7
G0559267	Drill Core	3.25	89	0.3	67.0	10.1	15	0.4	9.9	7.7	372	2.63	1503	1.1	<0.1	6.1	16	0.1	4.7	6.6
G0559268	Drill Core	3.55	62	0.2	170.4	11.0	31	1.1	8.7	3.2	79	3.68	1200	0.9	<0.1	5.3	13	0.4	3.7	12.5
G0559269	Drill Core	3.24	92	0.3	160.1	9.9	19	0.6	9.8	4.2	63	3.86	1746	0.9	0.1	5.0	12	0.1	6.8	5.4
G0559270	Drill Core	3.57	71	0.2	43.2	217.3	39	0.8	10.0	5.2	212	2.82	475	1.0	<0.1	5.4	12	0.2	2.6	4.6
G0559271	Drill Core	3.02	23	0.4	164.6	5.2	32	0.5	9.5	3.3	146	1.56	205	1.1	<0.1	5.7	13	0.3	7.7	2.2
G0559272	Drill Core	3.11	63	0.7	34.7	22.6	19	<0.1	15.0	4.8	443	2.99	70	1.4	<0.1	6.6	24	0.1	3.0	11.2
G0559273	Drill Core	3.53	146	0.6	116.1	5.8	7	0.2	36.5	9.3	397	7.34	347	1.9	<0.1	9.9	49	<0.1	6.0	22.6
G0559274	Drill Core	3.76	6	0.2	12.3	5.6	9	<0.1	10.2	4.1	560	1.81	57	1.2	<0.1	6.0	72	<0.1	2.5	2.1
G0559275	Rock Chip	0.30	<2	0.1	1.9	0.9	15	0.1	1.4	1.3	215	0.49	<1	0.7	<0.1	0.1	44	<0.1	<0.1	0.1
G0559276	Drill Core	2.74	17	0.3	9.8	9.7	8	<0.1	14.0	6.2	1017	2.65	147	1.3	<0.1	6.5	16	<0.1	2.7	5.2
G0559277	Drill Core	3.43	119	0.4	40.2	5.5	12	<0.1	14.5	8.3	445	2.88	2638	1.6	0.1	7.9	19	<0.1	3.7	9.3
G0559278	Drill Core	3.19	133	0.4	12.4	2.5	5	<0.1	12.2	5.8	126	2.27	3145	1.4	0.1	6.3	18	<0.1	2.8	3.8
G0559279	Drill Core	3.15	94	0.3	9.1	3.2	7	<0.1	13.1	5.9	285	2.06	1370	1.5	0.1	6.9	16	<0.1	2.4	4.9
G0559280	Drill Core	3.27	32	0.2	7.5	1.4	8	<0.1	8.6	3.9	324	1.97	342	1.0	<0.1	5.1	11	<0.1	1.4	1.7
G0559281	Drill Core	3.20	28	0.3	29.4	121.8	263	0.3	16.7	7.8	920	3.07	470	1.4	<0.1	6.2	13	1.1	4.7	8.3
G0559282	Drill Core	3.79	7	0.4	20.3	3.6	8	<0.1	18.5	9.7	875	3.01	35	2.0	<0.1	9.5	34	<0.1	3.7	3.0
G0559283	Drill Core	3.52	<2	0.3	36.6	1.1	30	<0.1	28.4	12.2	386	3.57	22	2.5	<0.1	11.5	47	<0.1	5.0	0.5
G0559284	Drill Core	1.58	59	0.2	16.1	1.9	10	<0.1	21.5	8.3	555	2.78	32	1.8	<0.1	8.6	49	<0.1	5.2	1.0
G0559285	Drill Core	1.74	13	0.3	15.7	2.4	10	<0.1	20.4	9.6	719	2.89	36	1.7	<0.1	8.4	63	<0.1	5.2	1.0
G0559286	Drill Core	3.87	3	0.1	7.9	2.1	10	<0.1	8.3	4.0	1037	2.80	14	0.9	<0.1	4.5	20	<0.1	2.5	1.1
G0559287	Drill Core	3.24	7	0.3	14.2	2.4	8	<0.1	17.9	8.0	1178	3.58	31	2.2	<0.1	10.5	33	<0.1	3.3	2.1
G0559288	Drill Core	3.45	33	0.3	13.3	4.4	15	<0.1	15.8	6.7	1026	3.09	91	1.1	<0.1	6.0	16	<0.1	4.1	8.7
G0559289	Drill Core	3.40	2	0.2	5.7	4.3	5	<0.1	8.7	4.0	788	2.33	14	1.3	<0.1	5.2	15	<0.1	2.4	1.9
G0559290	Drill Core	4.22	7	0.2	24.8	4.2	11	<0.1	9.7	4.9	884	3.05	50	1.0	<0.1	4.2	9	<0.1	2.0	4.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 9 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559261	Drill Core	0.28	0.026	29.7	34	0.68	145	0.147	3.95	0.057	2.02	3.2	59.9	64	14.7	6.7	4.3	0.3	1	7
G0559262	Drill Core	0.20	0.046	29.9	30	0.41	128	0.153	4.56	0.040	2.50	3.7	66.7	65	8.6	7.5	4.5	0.3	1	8
G0559263	Drill Core	0.19	0.048	28.3	36	0.58	89	0.162	4.38	0.040	2.49	2.8	64.8	64	10.8	7.4	4.6	0.3	1	8
G0559264	Drill Core	0.07	0.030	25.4	25	0.41	97	0.110	3.50	0.073	1.71	2.7	54.7	55	59.2	6.8	3.1	0.2	1	6
G0559265	Drill Core	0.06	0.028	23.0	24	0.36	75	0.097	2.98	0.067	1.34	2.4	47.4	50	52.5	5.6	2.8	0.2	<1	5
G0559266	Drill Core	0.09	0.028	30.0	30	0.61	66	0.118	3.72	0.153	1.39	2.6	65.6	68	22.2	7.2	3.2	0.2	1	7
G0559267	Drill Core	0.16	0.024	22.4	36	0.43	79	0.085	2.69	0.072	1.13	1.8	46.2	50	15.8	5.8	2.5	0.1	<1	5
G0559268	Drill Core	0.10	0.018	20.7	21	0.33	61	0.057	2.21	0.067	0.82	1.5	37.8	47	31.4	5.0	1.5	<0.1	<1	4
G0559269	Drill Core	0.07	0.021	18.7	24	0.31	57	0.057	2.19	0.058	0.88	1.7	36.4	43	45.9	5.0	1.5	0.1	<1	4
G0559270	Drill Core	0.08	0.019	20.4	22	0.30	80	0.074	2.40	0.050	1.15	2.3	39.2	44	33.2	4.8	2.3	0.1	<1	4
G0559271	Drill Core	0.13	0.021	21.6	24	0.27	98	0.095	2.42	0.021	1.50	2.0	42.7	48	78.4	4.9	2.5	0.2	<1	4
G0559272	Drill Core	0.32	0.024	24.5	28	0.65	101	0.107	3.20	0.022	1.93	1.6	48.3	56	4.1	5.8	3.4	0.2	<1	6
G0559273	Drill Core	0.52	0.029	34.5	32	1.10	40	0.101	5.56	0.055	3.07	2.6	72.0	81	3.6	8.2	2.7	0.2	2	10
G0559274	Drill Core	0.63	0.021	21.5	20	0.68	130	0.106	2.96	0.022	1.67	1.5	43.6	48	3.7	5.4	3.3	0.2	<1	5
G0559275	Rock Chip	22.22	0.019	1.3	2	12.37	32	0.013	0.09	0.026	0.10	0.1	0.9	2	0.2	1.1	0.6	<0.1	<1	<1
G0559276	Drill Core	0.20	0.023	23.6	29	0.80	140	0.116	3.53	0.024	1.94	1.5	48.4	53	4.4	5.7	3.7	0.3	1	6
G0559277	Drill Core	0.27	0.040	27.1	29	0.49	97	0.134	3.79	0.034	2.35	2.6	59.0	61	33.3	7.1	3.9	0.3	2	7
G0559278	Drill Core	0.27	0.023	23.6	27	0.35	117	0.115	3.08	0.021	1.98	1.7	50.2	53	16.5	6.0	3.4	0.3	1	5
G0559279	Drill Core	0.33	0.023	24.9	24	0.42	112	0.120	3.20	0.026	2.01	2.2	51.9	56	11.7	5.8	3.7	0.2	<1	5
G0559280	Drill Core	0.33	0.021	19.8	25	0.39	97	0.089	2.40	0.020	1.43	1.6	36.4	43	8.2	4.7	3.1	0.3	<1	4
G0559281	Drill Core	0.25	0.023	21.8	29	0.50	71	0.101	3.07	0.032	1.85	1.9	49.2	50	6.9	5.8	3.1	0.2	1	5
G0559282	Drill Core	0.27	0.029	30.9	37	1.31	228	0.174	4.99	0.036	2.97	1.2	68.0	71	3.2	7.2	5.4	0.3	2	8
G0559283	Drill Core	0.30	0.063	35.7	52	1.99	343	0.204	7.74	0.057	4.54	1.0	82.9	81	2.9	7.6	6.6	0.5	2	12
G0559284	Drill Core	0.38	0.029	26.8	34	1.30	221	0.160	4.61	0.037	2.82	0.9	62.0	62	1.8	6.9	4.7	0.3	2	8
G0559285	Drill Core	0.47	0.029	28.9	30	1.28	207	0.148	4.51	0.035	2.70	1.0	58.9	65	2.0	7.0	4.5	0.3	2	8
G0559286	Drill Core	0.31	0.019	17.7	29	1.03	89	0.073	2.30	0.018	1.22	0.6	34.0	40	2.1	4.8	2.0	<0.1	<1	4
G0559287	Drill Core	0.16	0.030	35.1	42	1.22	266	0.156	5.64	0.046	3.29	1.2	70.3	78	3.4	7.6	4.3	0.3	2	10
G0559288	Drill Core	0.15	0.021	22.3	29	0.71	135	0.087	3.14	0.024	1.62	1.4	44.0	50	2.8	5.3	2.7	0.2	<1	5
G0559289	Drill Core	0.17	0.022	20.0	20	0.70	118	0.102	2.73	0.017	1.49	1.2	42.3	45	2.3	4.9	2.5	0.2	<1	5
G0559290	Drill Core	0.15	0.019	17.1	26	0.53	84	0.062	1.94	0.018	1.10	1.1	36.9	38	2.4	4.4	2.0	0.1	<1	4





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 9 of 11 Part 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
G0559261	Drill Core	1.3	75.5	1.6
G0559262	Drill Core	2.0	90.7	1.7
G0559263	Drill Core	2.2	88.3	1.8
G0559264	Drill Core	3.4	58.0	1.6
G0559265	Drill Core	2.9	46.1	1.3
G0559266	Drill Core	4.6	45.5	1.8
G0559267	Drill Core	2.2	39.8	1.2
G0559268	Drill Core	3.7	28.0	1.1
G0559269	Drill Core	3.8	33.5	1.1
G0559270	Drill Core	2.7	46.1	1.0
G0559271	Drill Core	1.2	56.7	1.2
G0559272	Drill Core	1.7	77.6	1.3
G0559273	Drill Core	5.5	118.7	2.0
G0559274	Drill Core	0.7	67.7	1.2
G0559275	Rock Chip	<0.1	6.4	<0.1
G0559276	Drill Core	0.6	79.0	1.4
G0559277	Drill Core	2.1	93.5	1.6
G0559278	Drill Core	2.1	75.4	1.4
G0559279	Drill Core	1.7	76.3	1.5
G0559280	Drill Core	1.7	55.2	1.1
G0559281	Drill Core	2.3	68.8	1.4
G0559282	Drill Core	0.4	114.0	1.9
G0559283	Drill Core	0.3	161.2	2.3
G0559284	Drill Core	0.6	108.0	1.9
G0559285	Drill Core	0.6	104.0	1.8
G0559286	Drill Core	0.1	50.0	1.1
G0559287	Drill Core	0.3	119.6	1.9
G0559288	Drill Core	0.6	61.9	1.5
G0559289	Drill Core	0.2	62.5	1.5
G0559290	Drill Core	1.4	43.5	1.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

10 of 11 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559291	Drill Core	1.39	44	0.3	33.5	10.4	22	0.2	23.9	12.0	698	3.86	1050	1.2	<0.1	5.0	9	<0.1	3.7	7.3
G0559292	Drill Core	2.73	36	0.6	20.8	4.2	24	<0.1	15.2	8.7	980	4.09	88	1.4	<0.1	6.8	11	<0.1	3.4	8.2
G0559293	Drill Core	3.49	45	0.3	47.2	3.7	11	0.1	22.9	18.0	1040	8.02	2004	0.9	<0.1	3.9	7	<0.1	6.6	6.3
G0559294	Rock Chip	0.31	<2	0.2	1.9	1.4	18	0.2	0.4	1.3	248	0.50	<1	0.6	<0.1	0.7	51	<0.1	0.1	0.1
G0559295	Drill Core	3.58	32	0.7	41.3	3.2	13	<0.1	33.9	18.0	1904	5.92	86	2.5	<0.1	11.3	23	<0.1	3.9	12.1
G0559296	Drill Core	3.15	28	0.7	12.4	1.4	8	<0.1	22.2	12.4	2591	6.01	46	3.0	<0.1	12.2	31	<0.1	5.2	4.1
G0559297	Drill Core	2.95	34	0.6	13.7	1.2	4	<0.1	23.5	6.5	1255	5.30	42	2.6	<0.1	12.4	26	<0.1	5.6	0.9
G0559298	Drill Core	3.86	22	0.4	38.4	1.5	6	<0.1	18.8	5.2	1521	4.42	32	2.2	<0.1	12.1	42	<0.1	4.7	7.0
G0559299	Drill Core	8.08	3	0.3	24.4	1.6	7	<0.1	9.2	4.4	422	1.77	20	1.2	<0.1	5.4	7	<0.1	5.4	1.6
G0559300	Drill Core	8.66	4	0.2	25.1	1.8	6	<0.1	5.2	2.2	87	1.44	43	1.1	<0.1	5.5	5	<0.1	7.2	1.4
G0559301	Drill Core	6.92	5	0.2	39.7	2.2	4	<0.1	5.5	1.8	144	1.28	37	0.8	<0.1	4.2	9	<0.1	4.8	1.2
G0559302	Drill Core	1.81	<2	0.2	42.5	1.6	6	<0.1	9.1	3.9	807	1.41	35	0.8	<0.1	4.0	7	<0.1	3.1	0.8
G0559303	Drill Core	4.52	3	0.5	41.5	0.9	58	<0.1	14.7	4.4	572	2.14	20	1.6	<0.1	5.5	35	<0.1	7.1	0.4
G0559304	Drill Core	5.78	10	0.3	25.3	1.8	13	<0.1	22.4	7.7	929	3.58	33	3.4	<0.1	13.3	93	<0.1	7.6	1.3
G0559305	Drill Core	6.16	11	0.8	55.4	2.8	6	<0.1	25.6	15.1	2332	4.17	64	2.5	<0.1	12.9	30	<0.1	10.3	5.3
G0559306	Drill Core	9.93	21	0.4	23.1	2.1	6	<0.1	28.4	18.2	1719	4.19	83	2.3	<0.1	11.4	20	<0.1	14.0	9.8
G0559307	Drill Core	11.36	25	0.3	23.8	1.8	6	<0.1	17.7	8.2	656	4.05	375	1.1	<0.1	4.5	12	<0.1	9.0	4.2
G0559308	Drill Core	5.51	3	0.4	51.0	1.6	7	<0.1	13.0	8.2	160	2.49	17	1.1	<0.1	5.7	10	<0.1	8.9	1.3
G0559309	Drill Core	3.62	4	0.2	46.4	1.7	5	<0.1	11.2	5.0	292	2.49	9	1.0	<0.1	5.0	16	0.1	3.3	1.2
G0559310	Drill Core	3.47	4	0.2	46.2	2.0	6	<0.1	14.3	7.2	325	3.00	8	0.8	<0.1	4.5	18	<0.1	2.3	0.7
G0559311	Drill Core	6.79	11	0.4	120.3	2.1	6	0.1	14.8	5.4	258	2.29	43	1.3	<0.1	5.3	14	<0.1	7.9	1.0
G0559312	Drill Core	6.85	6	0.2	171.2	2.1	9	<0.1	14.6	7.1	466	2.84	57	1.1	<0.1	4.3	16	<0.1	3.1	0.7
G0559313	Drill Core	8.68	8	0.2	114.0	1.8	12	<0.1	39.1	16.4	1502	4.11	153	2.6	<0.1	12.8	32	<0.1	10.1	0.7
G0559314	Drill Core	6.35	<2	0.2	53.7	1.5	15	<0.1	44.9	16.8	1443	4.77	53	2.6	<0.1	12.6	34	<0.1	9.4	0.4
G0559315	Drill Core	11.08	<2	0.2	63.0	1.2	19	<0.1	46.6	14.0	1606	5.25	45	2.0	<0.1	12.4	40	<0.1	5.8	0.2
G0559316	Drill Core	11.69	<2	0.2	52.2	2.1	25	<0.1	44.4	17.7	964	4.87	36	2.2	<0.1	12.3	36	<0.1	9.4	0.3
G0559317	Rock Chip	0.35	35	0.2	1.7	1.4	20	<0.1	3.6	1.5	252	0.54	<1	0.8	<0.1	0.3	49	0.1	<0.1	<0.1
G0559318	Drill Core	6.32	<2	0.1	60.6	2.1	51	<0.1	51.5	18.7	1077	5.58	18	2.4	<0.1	11.1	38	<0.1	7.0	0.3
G0559319	Drill Core	6.15	<2	0.6	58.3	1.9	58	<0.1	53.9	23.5	919	5.48	13	2.9	<0.1	13.2	44	<0.1	4.2	0.6
G0559320	Drill Core	6.93	8	0.3	88.1	2.6	31	<0.1	57.7	26.6	318	5.63	15	2.5	<0.1	14.3	28	0.1	7.6	0.7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 10 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559291	Drill Core	0.11	0.021	25.9	21	0.43	69	0.064	2.47	0.031	1.35	1.9	38.0	52	2.5	5.6	1.9	<0.1	<1	4
G0559292	Drill Core	0.11	0.027	27.7	35	0.60	67	0.084	3.58	0.029	2.06	2.2	51.5	61	4.7	6.2	2.9	0.2	1	6
G0559293	Drill Core	0.08	0.017	17.7	15	0.74	26	0.038	1.80	0.046	0.79	1.0	29.6	38	3.3	4.8	1.4	<0.1	<1	4
G0559294	Rock Chip	21.97	0.020	1.9	3	12.04	42	0.013	0.46	0.031	0.11	<0.1	1.5	4	0.2	1.8	0.5	<0.1	<1	1
G0559295	Drill Core	0.13	0.039	35.8	45	0.87	69	0.118	6.14	0.057	3.44	2.3	80.2	85	7.6	8.8	4.5	0.2	2	11
G0559296	Drill Core	0.35	0.035	39.9	50	1.30	339	0.145	6.56	0.044	4.01	2.5	87.1	92	5.0	8.8	6.0	0.4	2	12
G0559297	Drill Core	0.30	0.039	38.9	50	1.23	181	0.172	7.09	0.051	4.04	2.0	87.4	88	5.6	8.8	7.8	0.5	2	12
G0559298	Drill Core	1.23	0.041	35.5	46	1.51	415	0.162	7.50	0.057	4.04	3.0	80.8	77	8.2	8.4	6.1	0.4	2	12
G0559299	Drill Core	0.01	0.023	20.4	22	0.25	141	0.098	2.36	0.020	1.52	1.0	40.7	45	2.3	4.3	2.8	0.2	<1	4
G0559300	Drill Core	<0.01	0.016	22.8	20	0.22	138	0.095	2.55	0.022	1.54	0.8	43.0	51	3.5	3.7	2.9	0.1	<1	4
G0559301	Drill Core	0.04	0.017	17.6	19	0.23	104	0.069	1.88	0.022	1.15	0.7	32.0	39	2.8	3.4	1.9	0.1	<1	3
G0559302	Drill Core	0.03	0.017	19.1	17	0.44	107	0.073	2.13	0.022	1.23	0.6	29.7	40	4.4	3.4	2.1	0.1	<1	3
G0559303	Drill Core	0.33	0.089	21.8	23	0.56	144	0.102	2.90	0.021	1.55	0.7	43.4	48	2.2	6.8	2.6	0.1	<1	5
G0559304	Drill Core	0.65	0.324	44.4	50	1.13	456	0.247	8.21	0.066	4.89	1.3	111.7	104	5.0	12.5	8.1	0.5	3	15
G0559305	Drill Core	0.07	0.045	38.7	51	1.12	425	0.213	8.01	0.063	4.59	2.1	87.1	89	9.1	7.9	6.8	0.5	3	14
G0559306	Drill Core	0.07	0.036	37.8	46	0.89	162	0.186	6.34	0.049	3.68	2.3	77.4	84	8.1	8.5	5.8	0.4	1	11
G0559307	Drill Core	0.12	0.014	16.6	29	0.52	92	0.074	2.00	0.015	0.93	0.8	31.1	37	2.1	4.4	2.0	<0.1	<1	4
G0559308	Drill Core	0.09	0.018	18.9	24	0.42	118	0.097	2.31	0.017	1.20	1.0	35.6	41	2.4	4.7	2.7	0.2	<1	4
G0559309	Drill Core	0.50	0.015	19.5	26	0.56	107	0.087	2.13	0.021	1.07	0.8	32.6	43	2.3	5.2	2.1	0.1	<1	4
G0559310	Drill Core	0.65	0.015	17.5	24	0.63	94	0.075	2.01	0.024	0.93	0.8	28.5	37	2.6	5.0	1.8	<0.1	<1	4
G0559311	Drill Core	0.43	0.019	19.4	38	0.50	99	0.090	2.23	0.037	0.99	1.4	29.4	43	2.7	5.0	2.0	0.1	1	4
G0559312	Drill Core	0.71	0.019	15.7	25	0.61	88	0.061	1.86	0.026	0.82	1.2	26.4	33	3.0	4.8	1.3	<0.1	<1	4
G0559313	Drill Core	0.12	0.060	31.1	56	1.11	415	0.293	8.91	0.058	4.61	2.4	84.0	65	6.5	6.6	10.3	0.7	3	13
G0559314	Drill Core	0.13	0.048	35.5	68	1.31	438	0.298	9.11	0.064	3.75	2.2	85.4	74	4.6	7.2	10.7	0.7	2	14
G0559315	Drill Core	0.17	0.074	33.0	68	1.44	428	0.291	8.71	0.066	3.52	1.8	73.3	69	3.4	6.9	10.1	0.7	2	14
G0559316	Drill Core	0.13	0.056	32.7	68	1.43	430	0.332	8.86	0.070	4.07	1.4	76.8	68	3.1	6.3	11.6	0.8	2	14
G0559317	Rock Chip	21.53	0.021	1.4	4	13.04	38	0.020	0.32	0.030	0.13	<0.1	1.9	3	0.1	1.5	0.7	<0.1	<1	<1
G0559318	Drill Core	0.15	0.070	29.1	70	1.47	424	0.280	8.54	0.068	3.45	0.8	72.8	63	2.5	6.1	8.2	0.6	3	15
G0559319	Drill Core	0.22	0.088	37.6	65	1.41	440	0.298	8.89	0.066	3.46	1.1	86.4	76	2.8	7.8	9.0	0.6	2	15
G0559320	Drill Core	0.14	0.047	40.2	70	1.16	185	0.238	9.65	0.075	4.59	1.7	75.0	77	3.8	6.7	6.6	0.4	3	14



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

10 of 11

Part 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559291	Drill Core	2.4	49.6	1.2
G0559292	Drill Core	2.0	77.9	1.4
G0559293	Drill Core	5.7	29.6	1.1
G0559294	Rock Chip	<0.1	6.2	<0.1
G0559295	Drill Core	2.3	123.6	2.3
G0559296	Drill Core	0.7	144.6	2.5
G0559297	Drill Core	1.2	156.1	2.4
G0559298	Drill Core	0.6	140.4	2.4
G0559299	Drill Core	<0.1	56.6	1.1
G0559300	Drill Core	<0.1	58.4	1.1
G0559301	Drill Core	0.1	44.2	0.9
G0559302	Drill Core	<0.1	46.3	0.8
G0559303	Drill Core	0.1	56.7	1.2
G0559304	Drill Core	0.1	163.7	3.1
G0559305	Drill Core	0.4	160.9	2.4
G0559306	Drill Core	1.4	135.5	2.3
G0559307	Drill Core	2.0	32.6	1.0
G0559308	Drill Core	1.3	39.4	1.1
G0559309	Drill Core	1.2	36.3	1.1
G0559310	Drill Core	1.6	32.5	0.7
G0559311	Drill Core	1.2	32.6	0.8
G0559312	Drill Core	1.6	28.3	0.8
G0559313	Drill Core	0.5	132.7	2.3
G0559314	Drill Core	<0.1	123.8	2.3
G0559315	Drill Core	<0.1	106.3	1.9
G0559316	Drill Core	<0.1	119.8	2.2
G0559317	Rock Chip	<0.1	6.1	<0.1
G0559318	Drill Core	<0.1	99.8	1.9
G0559319	Drill Core	0.1	114.6	2.2
G0559320	Drill Core	2.2	146.6	2.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

11 of 11 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559321	Drill Core	6.70	2	0.2	59.9	1.6	20	<0.1	52.7	23.3	1155	5.00	54	2.3	<0.1	14.3	29	<0.1	6.6	0.5
G0559322	Drill Core	3.09	5	0.1	29.9	1.1	23	<0.1	44.0	18.3	1366	4.71	50	2.6	<0.1	14.5	35	<0.1	4.4	0.2
G0559323	Drill Core	3.57	3	0.2	40.7	1.1	24	<0.1	49.9	21.7	1558	4.81	59	2.8	<0.1	16.3	40	<0.1	5.4	0.3
G0559324	Drill Core	6.66	9	0.3	52.8	1.1	19	<0.1	46.3	19.3	1730	4.79	47	2.4	<0.1	14.6	35	<0.1	4.5	0.3
G0559325	Drill Core	5.64	2	0.3	27.2	1.1	37	<0.1	38.4	20.5	844	3.90	42	2.3	<0.1	14.1	49	<0.1	8.7	0.3
G0559326	Drill Core	6.57	21	0.9	45.9	4.4	51	<0.1	53.9	26.0	1718	5.75	64	3.5	<0.1	15.7	72	<0.1	6.8	0.5
G0559327	Drill Core	7.06	<2	0.2	51.8	7.3	107	<0.1	48.7	19.1	585	4.73	26	2.5	<0.1	12.9	40	<0.1	2.8	0.3
G0559328	Drill Core	6.86	<2	0.5	51.5	3.9	77	<0.1	44.9	19.5	811	4.88	10	2.4	<0.1	11.8	40	<0.1	3.2	0.4
G0559329	Drill Core	6.38	<2	0.2	12.9	5.5	27	0.1	15.7	8.1	297	1.91	9	2.2	<0.1	7.4	1177	<0.1	4.0	0.3
G0559330	Drill Core	7.17	9	0.1	3.7	4.0	19	<0.1	2.4	1.8	364	0.66	3	2.1	<0.1	1.7	1498	<0.1	2.9	0.2
G0559331	Drill Core	6.39	18	0.1	6.2	4.1	21	0.1	3.8	2.9	183	0.76	5	2.4	<0.1	2.7	1609	<0.1	4.0	0.3
G0559332	Drill Core	6.64	5	0.1	4.4	3.2	13	<0.1	1.8	1.9	105	0.43	<1	3.1	<0.1	1.7	1934	0.1	2.6	<0.1
G0559333	Rock Chip	0.50	2	0.2	1.4	1.4	18	0.1	1.4	1.5	228	0.54	<1	0.6	<0.1	0.2	57	0.1	0.1	0.4
G0559334	Drill Core	6.19	33	<0.1	3.4	3.4	10	<0.1	1.5	1.8	1284	2.09	32	2.7	<0.1	1.8	1391	<0.1	3.4	1.3
G0559335	Drill Core	5.80	144	0.4	12.2	3.9	23	<0.1	6.9	3.5	>10000	35.52	107	1.5	0.2	1.6	45	<0.1	3.9	5.5
G0559336	Drill Core	6.50	141	0.3	35.2	4.0	26	<0.1	5.2	3.6	>10000	34.08	100	1.7	0.2	1.2	116	<0.1	3.4	2.8
G0559337	Drill Core	3.49	8	0.1	2.5	2.7	5	<0.1	2.2	2.0	1030	1.45	10	2.0	<0.1	1.8	1353	<0.1	3.1	2.3
G0559338	Drill Core	6.77	6	0.2	9.6	5.7	12	0.1	4.9	4.1	302	1.05	10	3.2	<0.1	4.2	1503	<0.1	6.8	0.4
G0559339	Drill Core	2.45	8	0.2	13.3	6.0	10	<0.1	1.1	1.3	505	0.73	10	2.4	<0.1	1.7	1726	<0.1	2.4	0.2
G0559340	Drill Core	3.95	<2	0.5	50.5	30.1	99	0.1	49.6	25.6	1024	4.96	31	3.1	<0.1	16.1	82	<0.1	5.5	0.8
G0559341	Drill Core	3.27	2	0.8	56.8	45.6	117	<0.1	51.3	27.2	1012	5.47	20	3.1	<0.1	15.6	75	<0.1	2.6	0.8
G0559342	Drill Core	2.60	2	0.3	48.0	35.0	110	<0.1	48.6	20.4	890	5.19	15	2.6	<0.1	14.3	59	<0.1	2.1	0.5
G0559343	Drill Core	4.54	<2	0.2	44.1	13.3	90	<0.1	37.3	15.4	557	4.32	11	2.2	<0.1	12.9	81	<0.1	4.6	0.4
G0559344	Drill Core	6.48	3	0.3	20.2	7.0	44	<0.1	16.0	7.4	548	2.43	16	2.0	<0.1	8.7	89	<0.1	9.2	0.3
G0559345	Drill Core	5.38	9	0.3	22.1	3.1	15	<0.1	14.8	7.1	379	1.95	55	1.7	<0.1	7.9	64	<0.1	6.4	0.4
G0559346	Drill Core	3.14	3	0.6	60.7	3.4	59	<0.1	25.2	10.9	691	3.26	16	3.3	<0.1	14.7	144	<0.1	11.5	0.4
G0559347	Drill Core	5.81	<2	0.8	58.8	3.8	58	<0.1	30.2	23.3	738	3.69	29	3.8	<0.1	14.5	171	<0.1	14.8	0.7
G0559348	Drill Core	4.34	<2	2.3	66.2	5.8	51	<0.1	51.0	26.6	759	5.09	18	3.3	<0.1	15.9	61	<0.1	15.1	0.6
G0559349	Drill Core	3.79	<2	0.7	53.1	6.8	75	<0.1	49.7	25.0	605	4.91	17	2.7	<0.1	15.0	49	<0.1	5.8	0.6
G0559350	Drill Core	4.15	<2	0.2	58.0	2.3	39	<0.1	45.4	20.0	421	4.68	9	2.3	<0.1	15.9	43	<0.1	5.0	0.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland  
Report Date: September 04, 2010

Page: 11 of 11 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559321	Drill Core	0.13	0.043	38.2	66	1.12	511	0.237	10.03	0.082	4.23	2.2	77.0	74	4.0	6.3	6.6	0.4	2	15
G0559322	Drill Core	0.24	0.068	41.2	60	1.14	449	0.279	8.93	0.076	3.45	2.4	84.2	81	5.1	8.0	8.9	0.6	2	14
G0559323	Drill Core	0.34	0.097	47.6	71	1.23	523	0.311	11.65	0.088	4.32	2.6	96.5	91	5.6	9.0	9.1	0.6	3	18
G0559324	Drill Core	0.22	0.076	43.3	61	1.18	479	0.243	9.08	0.077	3.82	1.8	78.9	84	3.6	7.6	6.4	0.4	3	15
G0559325	Drill Core	0.77	0.041	44.7	53	1.11	458	0.260	8.44	0.077	4.06	2.4	72.1	83	3.7	7.5	7.8	0.5	3	14
G0559326	Drill Core	0.63	0.173	47.7	65	1.49	515	0.305	11.13	0.100	4.51	5.4	94.6	92	3.1	12.5	9.4	0.6	3	17
G0559327	Drill Core	0.11	0.035	35.1	61	1.25	487	0.344	9.86	0.122	4.04	2.1	84.0	70	2.8	6.9	11.0	0.7	3	14
G0559328	Drill Core	0.17	0.047	30.6	62	1.16	440	0.265	8.99	0.124	3.90	1.2	80.8	63	2.8	6.7	8.9	0.6	3	14
G0559329	Drill Core	22.65	0.025	29.1	18	0.81	251	0.116	4.30	0.067	1.70	0.7	39.4	47	1.4	8.4	4.0	0.3	1	6
G0559330	Drill Core	34.56	0.020	7.3	6	0.53	89	0.029	0.97	0.019	0.42	0.2	13.1	11	0.3	4.3	1.0	<0.1	<1	1
G0559331	Drill Core	32.03	0.022	9.9	8	0.56	121	0.046	1.60	0.035	0.67	0.3	17.7	16	0.5	5.3	1.8	<0.1	<1	2
G0559332	Drill Core	35.21	0.024	7.3	11	0.40	68	0.044	0.90	0.025	0.34	0.2	12.5	12	0.3	4.3	0.9	<0.1	<1	1
G0559333	Rock Chip	21.34	0.022	1.4	7	12.16	40	0.019	0.32	0.031	0.11	0.1	1.4	3	0.2	1.4	0.7	<0.1	<1	<1
G0559334	Drill Core	32.56	0.015	7.8	13	0.43	82	0.035	1.02	0.020	0.44	0.6	11.9	13	0.7	4.7	1.4	<0.1	<1	1
G0559335	Drill Core	1.96	0.013	2.2	17	2.15	55	0.021	0.78	0.024	0.33	0.9	10.7	6	1.9	5.3	0.7	<0.1	<1	1
G0559336	Drill Core	3.69	0.049	1.8	9	2.04	39	0.019	0.61	0.017	0.25	1.0	9.8	5	1.7	5.0	0.6	<0.1	<1	<1
G0559337	Drill Core	35.36	0.020	7.9	6	0.40	65	0.038	0.86	0.019	0.34	0.6	11.2	14	0.5	5.2	1.1	<0.1	<1	1
G0559338	Drill Core	31.76	0.023	14.4	12	0.59	137	0.078	2.12	0.067	0.74	0.8	25.3	23	0.7	7.8	2.2	0.2	<1	3
G0559339	Drill Core	36.04	0.032	6.5	6	0.60	56	0.024	0.63	0.013	0.28	0.5	11.5	11	0.4	4.0	0.8	<0.1	<1	<1
G0559340	Drill Core	0.75	0.046	51.3	60	1.44	491	0.269	9.43	0.116	4.36	3.0	80.4	90	3.1	8.9	8.6	0.6	2	16
G0559341	Drill Core	0.68	0.070	46.5	68	1.54	480	0.328	9.84	0.113	4.20	1.7	90.3	86	3.0	10.4	11.0	0.7	3	17
G0559342	Drill Core	0.37	0.059	41.2	64	1.43	485	0.307	9.58	0.113	4.31	1.6	81.9	78	2.8	9.1	9.8	0.6	3	16
G0559343	Drill Core	0.68	0.060	40.9	51	1.88	390	0.237	8.06	0.088	3.44	1.1	86.2	79	2.3	9.6	6.8	0.4	3	13
G0559344	Drill Core	0.88	0.030	30.9	27	1.30	209	0.167	4.36	0.036	1.76	0.6	63.8	63	1.7	8.5	4.3	0.3	1	7
G0559345	Drill Core	0.81	0.032	31.8	21	0.94	186	0.153	3.76	0.024	1.76	1.1	59.7	60	4.0	7.7	4.1	0.2	1	6
G0559346	Drill Core	1.44	0.040	48.6	41	1.72	368	0.252	7.10	0.058	3.00	1.4	103.8	94	2.4	13.3	6.7	0.4	2	12
G0559347	Drill Core	1.79	0.046	46.3	43	1.81	341	0.205	7.28	0.060	2.76	1.5	105.7	88	2.1	13.0	4.8	0.3	2	13
G0559348	Drill Core	0.40	0.073	52.6	60	1.35	491	0.243	9.24	0.100	4.13	1.8	89.5	91	3.1	10.2	8.1	0.5	2	16
G0559349	Drill Core	0.19	0.055	45.3	57	1.25	480	0.317	9.46	0.109	4.22	1.6	83.8	83	3.2	9.3	10.1	0.6	3	15
G0559350	Drill Core	0.21	0.043	47.5	59	1.37	510	0.261	9.35	0.105	4.23	1.4	81.6	87	3.7	9.8	8.1	0.5	2	16



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 11 of 11 Part 3

## CERTIFICATE OF ANALYSIS

WHI10000309.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559321	Drill Core	0.6	150.5	2.1
G0559322	Drill Core	<0.1	120.6	2.2
G0559323	Drill Core	<0.1	151.7	2.6
G0559324	Drill Core	<0.1	136.3	2.1
G0559325	Drill Core	0.1	133.4	1.9
G0559326	Drill Core	0.1	159.2	2.2
G0559327	Drill Core	<0.1	136.3	2.3
G0559328	Drill Core	<0.1	118.5	2.1
G0559329	Drill Core	0.5	72.0	1.0
G0559330	Drill Core	0.4	16.6	0.3
G0559331	Drill Core	0.6	30.1	0.5
G0559332	Drill Core	0.4	15.9	0.3
G0559333	Rock Chip	<0.1	6.6	<0.1
G0559334	Drill Core	0.6	20.0	0.3
G0559335	Drill Core	0.8	14.8	0.3
G0559336	Drill Core	0.7	11.4	0.3
G0559337	Drill Core	0.4	16.6	0.3
G0559338	Drill Core	0.7	33.5	0.8
G0559339	Drill Core	0.3	12.0	0.3
G0559340	Drill Core	0.2	136.3	2.2
G0559341	Drill Core	<0.1	126.6	2.3
G0559342	Drill Core	<0.1	115.5	2.3
G0559343	Drill Core	0.2	96.1	2.4
G0559344	Drill Core	0.5	74.3	2.0
G0559345	Drill Core	0.6	75.9	1.6
G0559346	Drill Core	0.3	125.1	3.2
G0559347	Drill Core	0.4	111.9	2.8
G0559348	Drill Core	0.5	138.3	2.4
G0559349	Drill Core	<0.1	128.8	2.3
G0559350	Drill Core	0.5	132.3	2.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 1 of 5 Part 1

## QUALITY CONTROL REPORT

WHI10000309.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
G0559062	Drill Core	2.73	32	0.3	30.1	20.8	22	0.6	4.1	2.5	784	1.55	511	0.8	<0.1	4.6	18	0.2	9.2	4.3	18
REP G0559062	QC			0.3	30.4	20.0	21	0.6	3.3	2.3	804	1.56	505	0.8	<0.1	4.4	18	<0.1	9.0	4.2	18
G0559063	Drill Core	2.52	33	0.2	24.0	18.6	23	0.6	3.6	2.4	771	1.62	601	0.8	<0.1	4.2	18	0.1	10.6	3.8	18
REP G0559063	QC		34																		
G0559079	Drill Core	1.25	67	0.5	74.2	6.8	75	<0.1	17.6	11.3	>10000	32.94	1062	2.3	<0.1	8.7	79	0.7	16.5	4.5	46
REP G0559079	QC		63																		
REP G0559111	QC		47																		
REP G0559111	QC			0.5	143.7	3.0	98	<0.1	11.7	10.2	>10000	27.75	828	1.6	<0.1	1.5	46	0.6	15.7	2.0	8
G0559166	Drill Core	5.88	3	0.2	58.0	1.9	9	0.2	3.9	1.9	701	1.34	282	0.5	<0.1	2.3	33	<0.1	10.9	1.0	6
REP G0559166	QC			0.2	58.5	1.7	9	0.2	3.4	1.8	695	1.29	273	0.5	<0.1	2.3	32	<0.1	10.1	1.0	6
G0559168	Drill Core	2.43	1534	0.4	31.5	169.5	10	14.6	4.7	1.8	262	14.62	>10000	3.0	1.8	19.0	449	<0.1	164.9	331.2	54
REP G0559168	QC		1504																		
G0559191	Drill Core	3.37	<2	0.2	58.3	2.0	61	0.3	47.4	19.8	1015	5.53	77	2.0	<0.1	13.0	52	<0.1	4.3	0.6	106
REP G0559191	QC			0.3	58.0	1.8	62	<0.1	50.1	20.2	1028	5.51	77	2.1	<0.1	12.3	54	<0.1	4.0	0.6	105
G0559205	Drill Core	4.70	4114	0.3	153.2	169.2	64	4.5	24.7	13.9	466	13.68	>10000	1.1	3.2	2.5	13	0.4	99.7	288.5	12
REP G0559205	QC		3996																		
G0559229	Drill Core	3.94	308	0.4	864.3	39.3	163	22.0	22.3	8.9	170	4.81	2756	1.8	0.4	7.8	34	1.4	45.5	27.9	58
REP G0559229	QC		327																		
G0559239	Drill Core	3.47	108	0.2	14.2	14.0	6	0.4	9.1	3.2	102	3.91	2547	0.6	0.1	3.1	12	<0.1	2.6	7.5	13
REP G0559239	QC			0.2	13.3	14.1	7	0.4	9.5	3.2	104	3.88	2766	0.6	0.2	3.2	13	<0.1	3.2	7.7	14
G0559262	Drill Core	3.34	87	0.4	241.6	2.8	3	0.2	22.6	9.7	70	2.21	421	1.9	<0.1	8.9	28	<0.1	4.1	44.5	54
REP G0559262	QC		91																		
G0559263	Drill Core	3.12	122	0.3	568.1	5.3	10	0.4	19.6	9.6	111	2.68	387	1.7	<0.1	8.8	28	0.1	6.0	40.4	58
REP G0559263	QC			0.4	589.0	5.7	10	0.4	21.8	9.6	116	2.72	388	1.8	0.1	9.5	29	0.1	6.0	42.5	59
G0559280	Drill Core	3.27	32	0.2	7.5	1.4	8	<0.1	8.6	3.9	324	1.97	342	1.0	<0.1	5.1	11	<0.1	1.4	1.7	37
REP G0559280	QC		27																		
G0559290	Drill Core	4.22	7	0.2	24.8	4.2	11	<0.1	9.7	4.9	884	3.05	50	1.0	<0.1	4.2	9	<0.1	2.0	4.1	30
REP G0559290	QC			0.2	26.6	4.0	10	<0.1	10.0	5.1	862	3.03	47	1.0	<0.1	4.1	9	<0.1	1.8	4.2	29





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 1 of 5 Part 2

## QUALITY CONTROL REPORT

WHI10000309.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
Pulp Duplicates																				
G0559062	Drill Core	0.04	0.006	18.2	22	0.07	96	0.080	1.91	0.022	1.00	1.6	37.1	40	6.6	3.8	2.8	0.1	<1	2
REP G0559062	QC	0.04	0.007	19.0	22	0.08	101	0.081	1.91	0.022	1.00	1.5	35.3	42	7.1	3.7	2.6	0.1	<1	2
G0559063	Drill Core	0.05	0.006	19.4	20	0.07	89	0.074	1.87	0.020	0.92	1.4	32.8	43	5.3	3.6	2.3	0.1	<1	2
REP G0559063	QC																			
G0559079	Drill Core	0.22	0.062	18.6	33	0.29	241	0.047	4.79	0.067	2.05	2.1	50.1	43	3.4	10.0	1.0	<0.1	1	7
REP G0559079	QC																			
REP G0559111	QC																			
REP G0559111	QC	4.94	0.046	2.3	6	4.11	41	0.016	0.75	0.011	0.27	1.0	15.2	6	0.7	9.7	0.4	<0.1	<1	1
G0559166	Drill Core	1.17	0.007	11.4	18	0.09	37	0.025	0.62	0.011	0.33	0.5	19.9	25	1.2	3.6	0.8	<0.1	<1	<1
REP G0559166	QC	1.11	0.007	11.0	21	0.08	33	0.027	0.61	0.010	0.32	0.3	19.0	25	1.1	3.3	0.7	<0.1	<1	<1
G0559168	Drill Core	0.35	0.013	67.1	36	0.43	223	0.072	4.68	0.096	2.75	3.4	64.0	121	258.0	5.6	2.1	0.1	1	10
REP G0559168	QC																			
G0559191	Drill Core	0.23	0.083	40.3	62	1.39	563	0.183	9.84	0.092	3.13	1.0	68.9	80	2.8	7.0	6.1	0.4	2	16
REP G0559191	QC	0.21	0.081	38.6	61	1.37	545	0.177	9.22	0.090	3.17	0.9	72.4	76	2.8	7.6	6.2	0.3	3	15
G0559205	Drill Core	0.14	0.018	10.2	14	0.19	8	0.015	0.95	0.059	0.08	0.4	12.9	20	3.6	3.4	0.3	<0.1	<1	2
REP G0559205	QC																			
G0559229	Drill Core	0.27	0.040	27.5	33	0.63	26	0.096	4.26	0.122	2.02	6.2	67.3	64	30.6	6.8	2.9	0.2	2	8
REP G0559229	QC																			
G0559239	Drill Core	0.15	0.018	12.6	16	0.37	9	0.032	1.10	0.093	0.13	1.3	21.5	30	3.4	3.3	1.0	<0.1	<1	2
REP G0559239	QC	0.16	0.018	13.5	17	0.39	8	0.035	1.16	0.100	0.13	1.4	22.0	32	3.3	3.2	1.0	<0.1	<1	2
G0559262	Drill Core	0.20	0.046	29.9	30	0.41	128	0.153	4.56	0.040	2.50	3.7	66.7	65	8.6	7.5	4.5	0.3	1	8
REP G0559262	QC																			
G0559263	Drill Core	0.19	0.048	28.3	36	0.58	89	0.162	4.38	0.040	2.49	2.8	64.8	64	10.8	7.4	4.6	0.3	1	8
REP G0559263	QC	0.20	0.048	32.5	36	0.60	85	0.175	4.46	0.042	2.56	2.9	66.8	73	13.3	8.4	5.0	0.4	2	8
G0559280	Drill Core	0.33	0.021	19.8	25	0.39	97	0.089	2.40	0.020	1.43	1.6	36.4	43	8.2	4.7	3.1	0.3	<1	4
REP G0559280	QC																			
G0559290	Drill Core	0.15	0.019	17.1	26	0.53	84	0.062	1.94	0.018	1.10	1.1	36.9	38	2.4	4.4	2.0	0.1	<1	4
REP G0559290	QC	0.15	0.020	17.0	30	0.50	84	0.059	1.91	0.019	1.06	1.2	31.3	36	2.2	4.4	1.6	<0.1	<1	4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Argus Metals Corp.

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 1 of 5 **Part** 3

## QUALITY CONTROL REPORT

WHI10000309.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
Pulp Duplicates				
G0559062	Drill Core	<0.1	36.5	1.2
REP G0559062	QC	<0.1	34.5	1.1
G0559063	Drill Core	<0.1	31.1	1.0
REP G0559063	QC			
G0559079	Drill Core	<0.1	83.0	1.4
REP G0559079	QC			
REP G0559111	QC			
REP G0559111	QC	1.7	10.6	0.4
G0559166	Drill Core	<0.1	11.4	0.6
REP G0559166	QC	<0.1	11.3	0.7
G0559168	Drill Core	1.9	89.9	1.8
REP G0559168	QC			
G0559191	Drill Core	<0.1	112.2	1.8
REP G0559191	QC	<0.1	116.1	1.8
G0559205	Drill Core	>10	4.6	0.4
REP G0559205	QC			
G0559229	Drill Core	4.7	78.4	1.8
REP G0559229	QC			
G0559239	Drill Core	3.8	4.7	0.6
REP G0559239	QC	3.8	4.8	0.7
G0559262	Drill Core	2.0	90.7	1.7
REP G0559262	QC			
G0559263	Drill Core	2.2	88.3	1.8
REP G0559263	QC	2.2	90.2	1.8
G0559280	Drill Core	1.7	55.2	1.1
REP G0559280	QC			
G0559290	Drill Core	1.4	43.5	1.1
REP G0559290	QC	1.4	40.8	0.9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 5 Part 1

## QUALITY CONTROL REPORT

WHI10000309.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
G0559310	Drill Core	3.47	4	0.2	46.2	2.0	6	<0.1	14.3	7.2	325	3.00	8	0.8	<0.1	4.5	18	<0.1	2.3	0.7	26
REP G0559310	QC			0.3	46.1	1.9	4	<0.1	12.9	7.2	334	2.99	8	0.8	<0.1	4.6	17	<0.1	2.5	0.7	26
G0559342	Drill Core	2.60	2	0.3	48.0	35.0	110	<0.1	48.6	20.4	890	5.19	15	2.6	<0.1	14.3	59	<0.1	2.1	0.5	114
REP G0559342	QC		<2																		
Core Reject Duplicates																					
G0559076	Drill Core	2.07	24	0.3	226.9	6.8	105	<0.1	13.7	7.1	1503	13.07	3224	1.8	<0.1	8.0	50	0.4	39.5	1.1	43
DUP G0559076	QC		22	0.2	202.8	6.4	102	<0.1	13.4	7.1	1400	12.15	3007	1.9	<0.1	7.6	48	0.4	36.6	1.0	41
G0559111	Drill Core	4.10	59	0.4	142.1	2.6	99	<0.1	13.8	9.9	>10000	27.36	814	1.5	<0.1	1.4	45	0.5	17.1	1.9	9
DUP G0559111	QC		77	0.4	172.4	2.8	110	0.1	12.1	11.1	>10000	27.41	933	1.5	<0.1	1.5	50	0.6	18.6	2.0	9
G0559146	Drill Core	2.94	260	4.1	76.1	17.1	25	0.1	40.5	27.0	511	12.80	724	2.3	0.2	10.1	29	<0.1	6.9	83.9	107
DUP G0559146	QC		267	4.1	72.9	17.0	21	0.1	37.6	26.7	455	12.77	729	2.5	0.3	11.0	27	<0.1	7.2	84.2	117
G0559181	Drill Core	10.32	51	0.3	958.3	9.5	72	0.2	9.7	5.1	>10000	38.91	2259	3.0	<0.1	2.5	16	0.3	14.9	6.4	18
DUP G0559181	QC		48	0.2	948.0	9.5	72	0.2	11.0	5.4	>10000	39.46	2259	3.0	<0.1	2.4	16	0.4	15.0	6.7	18
G0559216	Drill Core	1.12	4	<0.1	68.3	2.6	36	0.2	18.5	11.7	1090	2.71	67	1.2	<0.1	10.2	431	0.1	3.3	4.6	42
DUP G0559216	QC		<2	0.1	33.7	2.4	34	0.2	18.1	9.9	1052	2.60	64	1.1	<0.1	10.3	397	0.2	3.3	1.7	42
G0559251	Drill Core	3.34	106	0.5	131.9	21.2	27	0.9	18.3	6.9	119	2.99	837	1.5	0.1	7.8	17	0.3	17.3	8.3	48
DUP G0559251	QC		106	0.5	127.6	22.3	28	0.9	18.0	6.7	110	2.99	832	1.4	<0.1	7.5	17	0.2	15.8	8.2	48
G0559286	Drill Core	3.87	3	0.1	7.9	2.1	10	<0.1	8.3	4.0	1037	2.80	14	0.9	<0.1	4.5	20	<0.1	2.5	1.1	30
DUP G0559286	QC		11	0.2	7.0	2.3	9	<0.1	10.1	4.0	1056	2.80	16	0.9	<0.1	4.4	21	<0.1	2.5	1.3	30
G0559321	Drill Core	6.70	2	0.2	59.9	1.6	20	<0.1	52.7	23.3	1155	5.00	54	2.3	<0.1	14.3	29	<0.1	6.6	0.5	106
DUP G0559321	QC		2	0.1	56.3	1.6	19	<0.1	53.7	21.6	1136	4.92	48	2.4	<0.1	14.8	29	<0.1	7.1	0.4	105
Reference Materials																					
STD OREAS24P	Standard			1.3	50.5	3.0	108	<0.1	146.8	45.9	1131	7.38	3	0.7	<0.1	2.9	384	0.2	<0.1	<0.1	166
STD OREAS24P	Standard			1.4	51.1	2.8	116	<0.1	141.0	45.8	1110	7.53	<1	0.6	<0.1	2.6	372	0.1	<0.1	<0.1	163
STD OREAS24P	Standard			1.4	47.0	2.3	104	<0.1	135.3	43.5	1098	7.35	6	0.6	<0.1	2.7	354	0.3	<0.1	0.3	162
STD OREAS24P	Standard			1.4	45.1	2.7	105	<0.1	137.1	45.4	1098	7.35	2	0.6	<0.1	2.5	364	<0.1	<0.1	<0.1	161
STD OREAS24P	Standard			1.3	45.0	2.1	110	<0.1	142.0	45.2	1083	7.36	<1	0.6	<0.1	2.6	392	<0.1	<0.1	<0.1	162
STD OREAS24P	Standard			1.4	55.5	3.0	124	<0.1	156.4	50.1	1163	7.63	2	0.7	<0.1	3.0	377	0.2	0.1	<0.1	170
STD OREAS24P	Standard			2.3	58.7	2.7	122	<0.1	155.4	48.5	1132	7.61	1	0.8	<0.1	2.9	384	0.2	<0.1	<0.1	163



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 5 Part 2

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX Ca %	1EX P %	1EX La ppm	1EX Cr ppm	1EX Mg %	1EX Ba ppm	1EX Ti %	1EX Al %	1EX Na %	1EX K %	1EX W ppm	1EX Zr ppm	1EX Ce ppm	1EX Sn ppm	1EX Y ppm	1EX Nb ppm	1EX Ta ppm	1EX Be ppm	1EX Sc ppm	1EX Li ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
G0559310	Drill Core	0.65	0.015	17.5	24	0.63	94	0.075	2.01	0.024	0.93	0.8	28.5	37	2.6	5.0	1.8	<0.1	<1	4	5.1
REP G0559310	QC	0.63	0.014	17.7	23	0.63	91	0.075	2.00	0.024	0.91	0.8	28.7	39	2.0	5.1	1.7	<0.1	<1	4	5.5
G0559342	Drill Core	0.37	0.059	41.2	64	1.43	485	0.307	9.58	0.113	4.31	1.6	81.9	78	2.8	9.1	9.8	0.6	3	16	50.1
REP G0559342	QC																				
Core Reject Duplicates																					
G0559076	Drill Core	0.17	0.071	23.7	30	0.12	230	0.037	4.29	0.071	1.79	0.8	36.8	52	1.2	9.3	0.9	<0.1	1	7	6.3
DUP G0559076	QC	0.18	0.070	25.1	30	0.12	221	0.046	4.10	0.065	1.70	1.1	35.8	55	0.8	9.4	2.4	<0.1	<1	6	6.2
G0559111	Drill Core	4.84	0.046	2.2	9	4.09	41	0.028	0.73	0.011	0.27	1.1	13.5	7	0.6	9.8	0.4	<0.1	<1	1	3.1
DUP G0559111	QC	5.13	0.044	2.6	6	4.05	43	0.015	0.76	0.008	0.26	1.1	13.5	7	0.9	10.0	0.6	<0.1	<1	1	3.5
G0559146	Drill Core	2.07	0.038	31.2	33	1.28	145	0.127	6.15	0.063	2.67	7.2	70.8	63	5.6	8.7	3.2	0.2	2	13	14.4
DUP G0559146	QC	1.83	0.038	36.3	35	1.18	282	0.137	6.66	0.068	2.85	7.8	74.0	73	6.2	9.4	4.7	0.2	2	13	14.3
G0559181	Drill Core	0.72	0.038	2.2	11	1.73	52	0.017	1.57	0.020	0.41	1.0	14.3	7	1.3	5.2	0.8	<0.1	<1	3	3.4
DUP G0559181	QC	0.74	0.038	2.2	13	1.81	52	0.017	1.54	0.018	0.43	1.3	14.7	6	1.3	5.2	0.9	<0.1	<1	3	3.6
G0559216	Drill Core	6.61	0.032	33.1	28	3.74	653	0.153	5.52	0.029	2.51	1.4	55.7	64	5.8	12.9	4.0	0.2	2	8	23.2
DUP G0559216	QC	6.31	0.032	32.5	33	3.59	656	0.150	5.51	0.028	2.65	1.5	54.2	62	5.8	12.4	3.4	0.2	1	8	22.4
G0559251	Drill Core	0.09	0.024	24.4	37	0.49	125	0.119	3.34	0.093	1.92	2.7	59.2	58	53.6	6.2	3.6	0.3	1	6	8.7
DUP G0559251	QC	0.09	0.024	24.9	41	0.50	129	0.118	3.28	0.095	1.92	2.6	57.6	59	55.6	6.1	3.6	0.3	1	6	8.4
G0559286	Drill Core	0.31	0.019	17.7	29	1.03	89	0.073	2.30	0.018	1.22	0.6	34.0	40	2.1	4.8	2.0	<0.1	<1	4	3.6
DUP G0559286	QC	0.34	0.018	17.7	27	1.04	91	0.065	2.27	0.017	1.27	0.6	32.0	40	2.1	4.7	2.0	0.1	<1	4	3.6
G0559321	Drill Core	0.13	0.043	38.2	66	1.12	511	0.237	10.03	0.082	4.23	2.2	77.0	74	4.0	6.3	6.6	0.4	2	15	10.7
DUP G0559321	QC	0.11	0.042	41.0	65	1.13	501	0.283	10.05	0.081	4.02	2.5	79.2	80	3.2	7.1	8.3	0.5	2	15	9.8
Reference Materials																					
STD OREAS24P	Standard	6.10	0.137	17.3	196	4.16	286	1.086	7.85	2.409	0.67	0.5	136.4	37	1.7	20.4	19.9	1.1	<1	20	8.5
STD OREAS24P	Standard	6.05	0.144	19.6	194	4.15	280	1.050	7.74	2.352	0.73	0.4	130.5	38	1.8	20.6	19.6	1.0	<1	20	8.3
STD OREAS24P	Standard	5.72	0.134	16.5	177	3.89	254	1.077	7.89	2.388	0.69	0.4	128.0	35	1.4	18.5	17.3	1.0	<1	21	9.5
STD OREAS24P	Standard	5.54	0.132	17.1	182	3.96	272	1.044	7.94	2.382	0.71	0.4	133.2	37	1.7	19.3	17.9	1.0	1	20	8.3
STD OREAS24P	Standard	5.86	0.133	18.3	196	4.14	281	1.155	8.03	2.509	0.69	0.4	145.1	39	1.2	20.8	19.1	1.1	1	21	8.7
STD OREAS24P	Standard	6.26	0.145	19.3	191	4.30	286	1.111	8.01	2.362	0.70	0.5	143.7	38	2.2	22.2	21.0	1.2	1	20	9.6
STD OREAS24P	Standard	6.14	0.137	21.3	202	4.19	292	1.088	7.96	2.285	0.71	0.4	138.1	39	1.9	24.8	20.4	1.1	1	20	8.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Argus Metals Corp.

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 2 of 5 **Part** 3

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
G0559310	Drill Core	1.6	32.5	0.7
REP G0559310	QC	1.5	31.4	0.8
G0559342	Drill Core	<0.1	115.5	2.3
REP G0559342	QC			
Core Reject Duplicates				
G0559076	Drill Core	<0.1	75.3	0.9
DUP G0559076	QC	<0.1	70.9	1.1
G0559111	Drill Core	1.7	10.4	0.4
DUP G0559111	QC	1.9	10.4	0.4
G0559146	Drill Core	>10	82.8	2.0
DUP G0559146	QC	>10	90.4	2.0
G0559181	Drill Core	0.5	15.8	0.4
DUP G0559181	QC	0.5	16.3	0.4
G0559216	Drill Core	0.2	106.9	1.5
DUP G0559216	QC	0.1	125.1	1.4
G0559251	Drill Core	2.9	71.9	1.7
DUP G0559251	QC	2.9	68.2	1.6
G0559286	Drill Core	0.1	50.0	1.1
DUP G0559286	QC	0.1	50.0	0.9
G0559321	Drill Core	0.6	150.5	2.1
DUP G0559321	QC	0.6	136.5	2.3
Reference Materials				
STD OREAS24P	Standard	<0.1	20.3	3.5
STD OREAS24P	Standard	<0.1	21.9	3.1
STD OREAS24P	Standard	<0.1	17.3	3.3
STD OREAS24P	Standard	<0.1	20.5	3.4
STD OREAS24P	Standard	<0.1	22.0	3.6
STD OREAS24P	Standard	<0.1	21.0	3.9
STD OREAS24P	Standard	<0.1	22.6	3.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 3 of 5 Part 1

## QUALITY CONTROL REPORT

WHI10000309.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
STD OREAS24P	Standard			1.6	56.8	3.1	124	0.1	151.1	48.5	1168	7.38	1	0.7	<0.1	3.0	365	0.2	0.1	<0.1
STD OREAS24P	Standard			1.7	49.5	2.8	105	<0.1	143.4	44.6	1093	7.38	<1	0.7	<0.1	2.8	353	<0.1	<0.1	<0.1
STD OREAS24P	Standard			1.6	55.7	2.1	120	<0.1	155.8	47.1	1129	8.00	3	0.5	<0.1	2.8	394	<0.1	<0.1	<0.1
STD OREAS24P	Standard			1.5	45.8	2.6	105	<0.1	147.2	41.1	1069	7.48	7	0.6	<0.1	2.4	385	0.2	<0.1	<0.1
STD OREAS24P	Standard			1.5	47.2	3.1	115	<0.1	139.0	45.4	1053	7.18	3	0.6	<0.1	2.8	387	0.2	<0.1	<0.1
STD OREAS24P	Standard			1.4	47.7	2.4	119	<0.1	142.3	45.2	1184	7.89	2	0.6	<0.1	2.6	397	0.1	0.1	<0.1
STD OREAS24P	Standard			1.7	51.7	2.1	113	<0.1	155.9	47.3	1167	7.56	<1	0.7	<0.1	2.9	370	<0.1	0.1	<0.1
STD OREAS45P	Standard			2.1	707.9	22.6	138	0.3	396.4	123.8	1334	19.82	13	2.3	<0.1	10.8	32	0.2	0.7	0.3
STD OREAS45P	Standard			2.1	719.0	23.3	151	0.4	393.4	120.6	1318	18.95	12	2.2	<0.1	10.2	36	0.2	0.9	0.2
STD OREAS45P	Standard			2.2	734.5	21.9	145	0.4	393.7	123.4	1338	19.25	12	2.1	<0.1	10.1	33	0.2	0.8	0.4
STD OREAS45P	Standard			2.2	724.3	21.8	145	0.3	394.3	127.0	1336	20.31	11	2.0	<0.1	10.0	31	0.1	0.8	0.2
STD OREAS45P	Standard			1.9	755.5	21.1	144	0.4	404.9	122.8	1360	19.15	13	2.0	<0.1	9.4	29	0.2	0.8	0.2
STD OREAS45P	Standard			2.0	732.4	22.6	143	0.3	394.6	128.6	1326	18.52	11	2.3	<0.1	10.6	33	<0.1	0.9	0.2
STD OREAS45P	Standard			2.5	787.3	22.2	140	0.4	394.3	127.5	1326	19.05	13	2.4	<0.1	10.7	32	0.2	1.6	0.3
STD OREAS45P	Standard			2.1	729.4	21.2	145	0.3	396.9	128.7	1385	17.58	11	2.3	<0.1	9.9	31	0.1	0.8	0.2
STD OREAS45P	Standard			2.2	749.2	22.9	142	0.3	389.2	129.7	1342	19.69	11	2.2	<0.1	10.5	31	<0.1	0.8	0.2
STD OREAS45P	Standard			2.2	714.4	19.7	149	0.3	369.1	119.1	1325	19.35	13	1.9	<0.1	9.5	33	0.1	0.9	0.3
STD OREAS45P	Standard			2.1	739.1	21.3	138	0.4	391.5	116.1	1279	20.55	11	1.9	<0.1	9.0	28	0.2	0.8	0.3
STD OREAS45P	Standard			2.2	727.6	22.4	155	0.4	387.4	123.2	1284	20.13	17	2.1	<0.1	9.5	34	0.1	0.8	0.3
STD OREAS45P	Standard			2.1	742.0	20.0	151	0.3	407.8	124.1	1383	19.43	12	1.9	<0.1	9.6	33	0.2	0.8	0.2
STD OREAS45P	Standard			2.0	730.3	20.7	138	0.3	406.4	124.9	1368	18.76	11	2.0	<0.1	9.9	29	0.1	0.7	0.2
STD OXC72	Standard		192																	
STD OXC72	Standard		199																	
STD OXC72	Standard		186																	
STD OXC72	Standard		190																	
STD OXC72	Standard		187																	
STD OXC72	Standard		190																	
STD OXC72	Standard		193																	
STD OXC72	Standard		202																	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 3 of 5 Part 2

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX Ca % 0.01	1EX P % 0.001	1EX La ppm 0.1	1EX Cr ppm 1	1EX Mg % 0.01	1EX Ba ppm 1	1EX Ti % 0.001	1EX Al % 0.01	1EX Na % 0.001	1EX K % 0.01	1EX W ppm 0.1	1EX Zr ppm 0.1	1EX Ce ppm 1	1EX Sn ppm 0.1	1EX Y ppm 0.1	1EX Nb ppm 0.1	1EX Ta ppm 0.1	1EX Be ppm 1	1EX Sc ppm 1	1EX Li ppm 0.1
STD OREAS24P	Standard	5.92	0.131	20.7	200	4.43	261	1.106	7.93	2.581	0.66	0.4	139.7	38	1.7	23.3	20.1	1.1	1	22	6.8
STD OREAS24P	Standard	5.63	0.124	18.7	197	3.91	261	1.024	7.79	2.430	0.65	0.4	130.9	38	1.4	20.6	19.9	1.1	1	20	7.4
STD OREAS24P	Standard	5.92	0.140	20.3	203	4.06	281	1.063	7.92	2.402	0.67	0.4	133.6	37	1.9	22.4	19.3	1.2	<1	21	9.7
STD OREAS24P	Standard	5.53	0.120	15.9	197	4.00	256	1.031	8.22	2.445	0.70	0.5	141.1	37	1.3	18.9	19.8	1.1	1	20	7.1
STD OREAS24P	Standard	5.42	0.150	18.1	195	3.93	272	0.992	8.00	2.354	0.67	0.5	135.8	37	1.4	22.2	20.1	1.1	<1	19	9.5
STD OREAS24P	Standard	6.01	0.141	18.7	204	4.12	279	1.039	8.09	2.374	0.74	0.3	141.4	37	1.9	21.2	19.3	1.1	1	21	7.1
STD OREAS24P	Standard	5.94	0.130	18.6	211	4.34	272	1.088	8.16	2.420	0.67	0.5	141.0	41	1.2	21.9	20.0	1.2	<1	22	7.7
STD OREAS45P	Standard	0.29	0.045	24.7	1073	0.20	296	1.088	6.75	0.068	0.36	1.2	159.7	53	2.4	13.2	20.3	1.4	<1	70	14.0
STD OREAS45P	Standard	0.27	0.047	26.4	1058	0.22	289	1.055	6.83	0.080	0.36	1.1	154.9	52	2.6	13.6	20.0	1.3	<1	68	11.9
STD OREAS45P	Standard	0.31	0.049	26.1	1098	0.21	285	1.062	7.34	0.077	0.39	1.2	176.9	53	2.2	12.8	19.1	1.2	<1	73	15.2
STD OREAS45P	Standard	0.27	0.047	25.1	1064	0.26	291	1.041	7.16	0.085	0.39	1.2	157.5	53	2.6	12.5	19.6	1.3	<1	69	15.5
STD OREAS45P	Standard	0.27	0.046	24.4	1151	0.21	281	1.095	7.00	0.085	0.37	1.0	152.5	52	2.3	13.2	19.7	1.3	<1	74	15.0
STD OREAS45P	Standard	0.29	0.047	27.4	1054	0.19	287	1.017	6.72	0.070	0.37	1.1	155.5	53	2.6	13.2	20.0	1.2	1	67	15.2
STD OREAS45P	Standard	0.27	0.046	29.4	1037	0.21	310	1.054	6.69	0.078	0.35	1.0	154.6	51	2.4	15.0	20.6	1.3	<1	68	17.2
STD OREAS45P	Standard	0.26	0.044	27.0	1075	0.20	271	1.074	7.10	0.080	0.35	1.1	152.0	52	2.6	14.0	19.6	1.2	1	73	16.0
STD OREAS45P	Standard	0.29	0.043	25.8	1126	0.21	277	1.025	7.35	0.070	0.36	1.0	150.6	52	2.7	14.7	20.7	1.3	<1	70	15.2
STD OREAS45P	Standard	0.27	0.046	25.2	1040	0.20	275	1.063	6.59	0.088	0.36	1.0	153.2	46	2.6	13.0	19.9	1.3	<1	66	15.8
STD OREAS45P	Standard	0.29	0.043	22.9	1081	0.20	277	1.041	7.10	0.083	0.38	1.1	160.5	51	2.5	12.4	20.1	1.2	<1	69	14.9
STD OREAS45P	Standard	0.29	0.049	25.4	1042	0.19	304	0.994	7.16	0.084	0.37	0.9	146.4	52	2.7	13.4	19.0	1.2	1	67	15.5
STD OREAS45P	Standard	0.28	0.046	25.1	1110	0.19	291	1.069	7.09	0.076	0.35	1.1	170.0	51	2.8	13.4	21.4	1.3	1	70	14.2
STD OREAS45P	Standard	0.29	0.042	25.0	1103	0.20	278	1.038	7.14	0.066	0.35	1.0	155.9	53	2.2	12.9	19.6	1.3	1	71	12.6
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 3 of 5 **Part** 3

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OREAS24P	Standard	<0.1	21.3	3.5
STD OREAS24P	Standard	<0.1	17.5	3.4
STD OREAS24P	Standard	<0.1	20.9	3.4
STD OREAS24P	Standard	<0.1	19.9	3.5
STD OREAS24P	Standard	<0.1	22.5	3.2
STD OREAS24P	Standard	<0.1	22.3	3.3
STD OREAS24P	Standard	<0.1	18.3	3.6
STD OREAS45P	Standard	<0.1	23.4	4.5
STD OREAS45P	Standard	<0.1	23.0	3.9
STD OREAS45P	Standard	<0.1	20.5	4.2
STD OREAS45P	Standard	<0.1	21.0	4.1
STD OREAS45P	Standard	<0.1	24.1	3.9
STD OREAS45P	Standard	<0.1	23.5	4.1
STD OREAS45P	Standard	<0.1	23.8	3.9
STD OREAS45P	Standard	<0.1	22.5	3.9
STD OREAS45P	Standard	<0.1	19.8	4.0
STD OREAS45P	Standard	<0.1	21.6	3.9
STD OREAS45P	Standard	<0.1	21.9	4.3
STD OREAS45P	Standard	<0.1	25.9	3.8
STD OREAS45P	Standard	<0.1	22.9	4.0
STD OREAS45P	Standard	<0.1	18.8	3.8
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 4 of 5 Part 1

## QUALITY CONTROL REPORT

WHI10000309.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
STD OXC72	Standard		187																	
STD OXC72	Standard		196																	
STD OXH66	Standard		1259																	
STD OXH66	Standard		1269																	
STD OXH66	Standard		1255																	
STD OXH66	Standard		1282																	
STD OXH66	Standard		1252																	
STD OXH66	Standard		1290																	
STD OXH66	Standard		1283																	
STD OXH66	Standard		1275																	
STD OXH66	Standard		1254																	
STD OXH66	Standard		1254																	
STD OXH66	Standard		1276																	
STD OXH66	Standard		1241																	
STD OXC72 Expected			205																	
STD OXH66 Expected			1285																	
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09	158
STD OREAS45P Expected				2.1	749	22	141	0.32	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 4 of 5 Part 2

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1
STD OXC72	Standard																		
STD OXC72	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXH66	Standard																		
STD OXC72 Expected																			
STD OXH66 Expected																			
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04	20
STD OREAS45P Expected		0.3	0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	48.9	2.5	13	21.6	1.2	67
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 4 of 5 **Part** 3

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXC72	Standard			
STD OXC72	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXC72 Expected				
STD OXH66 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45P Expected		0.03	24.6	4.12
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Argus Metals Corp.

350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 5 of 5 Part 1

## QUALITY CONTROL REPORT

WHI10000309.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	20	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
Prep Wash																				
G1	Prep Blank	<0.01	<2	0.2	2.6	19.4	51	<0.1	3.9	4.8	798	2.28	<1	3.1	<0.1	7.6	673	<0.1	<0.1	<0.1
G1	Prep Blank	<0.01	<2	0.2	2.0	20.1	61	<0.1	7.3	5.0	826	2.34	<1	2.9	<0.1	8.4	691	<0.1	<0.1	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**  
350-580 Hornby St.  
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 5 of 5 Part 2

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX Ca %	1EX P %	1EX La ppm	1EX Cr ppm	1EX Mg %	1EX Ba ppm	1EX Ti %	1EX Al %	1EX Na %	1EX K %	1EX W ppm	1EX Zr ppm	1EX Ce ppm	1EX Sn ppm	1EX Y ppm	1EX Nb ppm	1EX Ta ppm	1EX Be ppm	1EX Sc ppm	1EX Li ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.002	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					
G1	Prep Blank	2.34	0.079	23.2	13	0.61	891	0.265	7.75	2.677	2.87	0.1	13.4	54	1.3	13.4	25.3	1.6	2	5	30.8
G1	Prep Blank	2.39	0.078	25.1	21	0.63	948	0.292	7.94	2.773	2.45	0.2	14.1	58	1.7	14.4	27.0	1.6	3	6	31.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Argus Metals Corp.**

350-580 Hornby St.  
Vancouver BC Canada

**Project:** Hyland

**Report Date:** September 04, 2010

**Page:** 5 of 5 **Part** 3

## QUALITY CONTROL REPORT

WHI10000309.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				
G1	Prep Blank	<0.1	98.9	0.7
G1	Prep Blank	<0.1	90.2	0.8