



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Submitted By: Paul Gray
Receiving Lab: Canada-Whitehorse
Received: August 19, 2010
Report Date: September 04, 2010
Page: 1 of 7

CERTIFICATE OF ANALYSIS

WHI10000310.1

CLIENT JOB INFORMATION

Project: Hyland
Shipment ID:
P.O. Number ARG10-01
Number of Samples: 172

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Equity Exploration Consultants Ltd.
200 - 900 W. Hastings St.
Vancouver BC V6C 1E5
Canada

CC: Mike Collins
Henry Awmack

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	163	Crush split and pulverize 250g drill core to 200 mesh			VAN
P200	8	Pulverize to 85% - 200 mesh			VAN
3B01	172	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1EX	172	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

2 of 7

Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559351	Drill Core	5.14	<2	0.8	44.0	7.7	52	<0.1	38.0	13.7	712	3.98	9	2.4	<0.1	12.6	47	<0.1	4.4	0.3
G0559352	Drill Core	3.70	<2	1.1	48.2	37.7	137	<0.1	57.6	33.0	1484	5.70	32	3.6	<0.1	12.5	55	<0.1	9.6	1.2
G0559353	Drill Core	3.30	<2	0.3	49.5	5.5	65	<0.1	55.5	22.3	729	5.27	15	2.9	<0.1	16.4	67	<0.1	5.8	0.5
G0559354	Drill Core	4.43	<2	0.2	56.2	2.7	45	<0.1	55.5	24.7	620	5.04	19	2.7	<0.1	15.5	53	<0.1	7.4	0.8
G0559355	Drill Core	3.00	3	0.6	80.4	1.5	12	<0.1	50.4	16.9	795	4.21	624	2.3	<0.1	14.7	74	<0.1	8.1	0.9
G0559356	Drill Core	2.20	3	0.2	23.5	1.6	5	<0.1	35.6	11.1	618	2.97	240	2.1	<0.1	11.2	42	<0.1	5.6	0.5
G0559357	Drill Core	2.80	29	0.3	7.4	9.7	10	0.1	14.2	3.5	125	3.48	951	0.9	<0.1	5.0	50	<0.1	1.8	3.9
G0559358	Drill Core	2.53	14	0.3	18.8	1.7	7	<0.1	18.8	5.2	327	1.73	223	2.3	<0.1	8.7	67	<0.1	3.1	1.3
G0559359	Drill Core	2.63	<2	0.2	11.9	1.8	7	<0.1	6.2	2.2	398	0.91	73	1.0	<0.1	4.7	93	<0.1	1.9	0.3
G0559360	Drill Core	3.59	43	0.2	14.9	4.9	8	<0.1	10.8	4.3	251	1.98	645	1.3	<0.1	5.7	49	<0.1	3.1	2.9
G0559361	Rock Chip	0.40	<2	0.2	1.2	0.9	18	<0.1	2.8	1.3	246	0.53	<1	0.4	<0.1	0.3	50	<0.1	<0.1	<0.1
G0559362	Drill Core	2.38	<2	0.2	18.0	2.0	28	<0.1	8.8	5.1	380	1.10	42	1.3	<0.1	5.2	136	0.2	2.3	0.4
G0559363	Drill Core	2.09	<2	0.3	24.5	1.8	8	<0.1	11.0	3.9	247	1.05	13	1.3	<0.1	5.9	75	<0.1	3.0	0.3
G0559364	Drill Core	2.20	<2	0.2	18.3	1.7	5	<0.1	8.7	3.1	309	0.97	29	1.2	<0.1	4.8	75	<0.1	2.1	0.3
G0559365	Drill Core	2.66	<2	0.3	18.6	2.0	6	<0.1	10.1	4.1	253	1.11	14	1.2	<0.1	5.4	38	<0.1	4.4	0.2
G0559366	Drill Core	2.04	<2	0.2	10.5	1.3	3	<0.1	6.9	2.0	258	0.76	21	1.1	<0.1	5.3	43	<0.1	1.9	0.2
G0559367	Drill Core	1.85	<2	0.2	23.8	1.2	4	<0.1	8.2	4.3	324	0.83	33	1.1	<0.1	4.9	60	<0.1	1.8	0.5
G0559368	Drill Core	2.42	4	0.3	67.7	2.2	6	0.2	12.5	4.7	284	1.20	268	1.2	<0.1	4.9	90	<0.1	4.4	1.1
G0559369	Drill Core	2.45	7	0.6	50.4	6.3	63	<0.1	36.8	17.8	454	3.59	133	3.0	<0.1	14.2	124	<0.1	11.5	1.1
G0559370	Drill Core	2.27	11	0.5	52.9	6.8	54	<0.1	38.1	17.5	419	3.75	101	3.0	<0.1	14.9	134	<0.1	10.5	1.8
G0559371	Drill Core	3.37	4	0.3	47.6	4.7	12	<0.1	14.2	7.7	488	1.93	27	1.1	<0.1	5.8	169	<0.1	7.9	0.6
G0559372	Drill Core	3.16	<2	0.4	35.4	2.9	31	<0.1	24.1	13.8	589	3.04	24	2.0	<0.1	9.9	113	<0.1	10.5	0.9
G0559373	Drill Core	3.48	10	0.2	49.5	2.2	7	<0.1	16.5	5.6	466	1.51	222	1.4	<0.1	6.5	169	<0.1	3.1	0.9
G0559374	Drill Core	3.47	6	0.5	51.5	2.4	30	<0.1	22.9	10.4	692	2.77	54	3.0	<0.1	12.1	132	<0.1	5.7	0.7
G0559375	Drill Core	4.70	3	0.1	26.8	1.8	30	<0.1	16.2	7.4	604	2.17	47	2.0	<0.1	9.9	167	<0.1	3.1	0.4
G0559376	Drill Core	2.06	2	0.3	38.7	1.7	17	<0.1	18.2	8.4	538	2.44	113	2.0	<0.1	10.2	128	<0.1	3.1	0.3
G0559377	Rock Chip	0.43	<2	0.2	2.8	1.2	19	0.2	2.5	1.5	250	0.59	<1	0.7	<0.1	0.3	64	0.2	0.2	<0.1
G0559378	Drill Core	3.04	8	0.3	17.5	17.4	14	<0.1	11.8	8.5	553	1.91	201	2.1	<0.1	7.5	143	<0.1	2.2	0.5
G0559379	Drill Core	3.25	<2	0.3	42.6	3.0	22	0.1	19.9	6.5	685	2.14	64	1.7	<0.1	9.1	153	<0.1	6.1	0.7
G0559380	Drill Core	2.90	13	0.2	51.3	4.4	8	0.2	7.4	4.4	796	1.34	308	1.1	<0.1	5.2	132	<0.1	2.7	0.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 2 of 7 Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559351	Drill Core	0.29	0.076	43.7	51	1.18	403	0.281	7.69	0.089	2.63	2.3	71.6	84	2.6	9.5	9.5	0.6	2	13
G0559352	Drill Core	0.22	0.079	38.3	78	1.63	575	0.597	13.90	0.134	4.37	3.1	101.4	82	3.6	11.0	15.1	1.0	4	22
G0559353	Drill Core	0.40	0.121	53.8	79	1.60	619	0.681	14.61	0.147	4.35	3.1	98.1	110	4.3	11.5	13.3	0.9	2	23
G0559354	Drill Core	0.30	0.066	51.4	77	1.59	593	0.694	13.09	0.123	3.97	1.9	98.6	105	3.9	10.1	13.3	0.8	2	22
G0559355	Drill Core	1.25	0.066	50.1	61	1.80	480	0.575	10.54	0.078	3.79	2.5	88.8	101	10.2	11.2	10.3	0.7	2	17
G0559356	Drill Core	1.42	0.051	35.5	46	1.71	382	0.313	7.12	0.071	3.51	3.2	82.3	77	19.2	10.4	11.0	0.7	2	12
G0559357	Drill Core	0.68	0.029	21.7	20	0.59	44	0.065	1.85	0.095	0.43	1.9	35.5	42	9.6	5.1	1.6	<0.1	<1	3
G0559358	Drill Core	1.43	0.024	32.9	23	0.91	157	0.182	4.17	0.031	2.14	3.1	66.3	69	13.3	10.1	5.3	0.4	1	7
G0559359	Drill Core	1.91	0.017	18.1	18	0.96	112	0.101	2.19	0.022	1.01	1.7	35.6	38	10.9	6.9	2.8	0.2	<1	4
G0559360	Drill Core	0.84	0.018	24.3	20	0.50	113	0.111	2.60	0.022	1.24	1.8	45.9	50	11.2	6.5	3.1	0.2	<1	4
G0559361	Rock Chip	20.84	0.020	1.5	4	12.16	42	0.016	0.31	0.036	0.11	0.1	1.6	3	0.4	1.5	0.7	<0.1	<1	<1
G0559362	Drill Core	1.92	0.015	20.2	16	0.88	112	0.109	2.53	0.017	1.27	2.0	37.0	43	5.7	7.7	3.0	0.1	<1	4
G0559363	Drill Core	1.30	0.019	21.8	20	0.73	170	0.123	2.85	0.026	1.60	1.6	46.0	47	1.9	8.0	3.5	0.2	<1	4
G0559364	Drill Core	1.38	0.018	20.7	14	0.72	135	0.101	2.21	0.018	1.07	1.4	35.2	44	2.5	5.9	3.0	0.2	<1	4
G0559365	Drill Core	0.74	0.018	21.8	16	0.64	145	0.115	2.52	0.017	1.18	1.1	38.4	48	1.6	5.8	3.6	0.2	<1	4
G0559366	Drill Core	1.11	0.017	22.6	14	0.75	161	0.129	2.54	0.024	1.25	1.6	42.0	48	4.1	6.7	3.7	0.2	<1	4
G0559367	Drill Core	1.15	0.017	19.0	17	0.68	107	0.106	2.28	0.014	1.12	1.2	45.4	39	7.8	5.8	2.9	0.2	<1	4
G0559368	Drill Core	1.43	0.023	20.0	17	0.87	120	0.106	2.38	0.026	1.10	1.6	39.3	41	6.2	6.5	2.9	0.2	<1	4
G0559369	Drill Core	0.90	0.069	40.7	67	2.19	438	0.610	10.73	0.079	3.67	2.7	135.5	97	8.7	13.2	11.5	0.8	3	18
G0559370	Drill Core	1.02	0.104	45.6	61	2.16	394	0.602	10.34	0.076	3.61	2.4	127.4	107	8.3	14.6	10.6	0.7	2	17
G0559371	Drill Core	2.11	0.025	20.4	24	1.33	169	0.129	2.91	0.029	1.30	1.6	45.4	44	2.5	8.0	3.7	0.2	<1	5
G0559372	Drill Core	1.31	0.030	34.8	36	1.72	252	0.206	4.90	0.034	2.44	1.2	77.6	77	2.2	10.3	5.9	0.4	1	9
G0559373	Drill Core	2.59	0.019	23.8	23	1.41	132	0.131	2.89	0.049	1.27	2.2	45.2	50	9.0	8.3	3.5	0.2	1	5
G0559374	Drill Core	1.89	0.033	41.0	36	1.79	305	0.229	6.05	0.039	2.92	2.1	94.4	87	6.0	12.2	6.6	0.4	2	10
G0559375	Drill Core	2.10	0.028	33.0	32	1.56	252	0.191	5.16	0.029	2.49	1.6	73.3	71	6.2	11.4	5.6	0.4	1	8
G0559376	Drill Core	1.28	0.031	33.5	32	1.33	250	0.216	5.47	0.030	2.84	1.2	78.4	73	5.5	11.1	5.2	0.4	<1	9
G0559377	Rock Chip	17.69	0.023	1.4	4	13.51	50	0.018	0.62	0.034	0.13	0.1	1.9	3	0.3	1.7	0.7	<0.1	<1	1
G0559378	Drill Core	1.79	0.024	29.0	25	1.05	144	0.157	3.51	0.029	1.74	2.1	66.1	60	10.2	9.1	5.3	0.2	1	6
G0559379	Drill Core	2.23	0.030	33.4	27	1.54	207	0.168	4.39	0.047	1.91	2.2	69.4	69	8.1	9.7	4.7	0.3	<1	7
G0559380	Drill Core	2.51	0.016	19.0	23	1.24	103	0.089	2.32	0.022	1.19	1.9	35.8	41	14.2	7.9	2.4	0.1	<1	4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 7 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559351	Drill Core	0.1	135.3	1.9
G0559352	Drill Core	<0.1	161.4	2.9
G0559353	Drill Core	0.3	192.2	2.6
G0559354	Drill Core	0.3	175.6	2.8
G0559355	Drill Core	0.9	158.2	2.4
G0559356	Drill Core	0.6	106.2	2.2
G0559357	Drill Core	3.7	18.6	1.0
G0559358	Drill Core	1.4	89.7	1.9
G0559359	Drill Core	0.3	47.2	1.3
G0559360	Drill Core	1.7	54.7	1.3
G0559361	Rock Chip	<0.1	7.0	<0.1
G0559362	Drill Core	0.2	53.8	1.4
G0559363	Drill Core	0.3	67.5	1.4
G0559364	Drill Core	0.3	44.2	1.1
G0559365	Drill Core	0.2	55.5	1.2
G0559366	Drill Core	0.1	52.3	1.3
G0559367	Drill Core	0.1	49.1	1.1
G0559368	Drill Core	0.6	46.5	1.1
G0559369	Drill Core	0.9	138.5	4.0
G0559370	Drill Core	1.1	142.2	3.7
G0559371	Drill Core	0.6	58.1	1.3
G0559372	Drill Core	0.8	94.6	2.1
G0559373	Drill Core	0.7	52.9	1.3
G0559374	Drill Core	0.7	125.9	2.8
G0559375	Drill Core	0.4	103.4	2.3
G0559376	Drill Core	0.4	121.2	2.5
G0559377	Rock Chip	0.2	7.9	<0.1
G0559378	Drill Core	0.9	75.2	2.0
G0559379	Drill Core	0.6	81.2	1.9
G0559380	Drill Core	0.6	55.9	1.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

3 of 7

Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559381	Drill Core	1.73	84	0.5	290.1	21.0	50	1.3	35.0	14.7	439	4.55	742	2.5	0.1	12.6	106	0.2	8.0	6.3
G0559382	Drill Core	1.88	103	0.4	270.3	29.2	52	1.5	30.6	11.1	577	4.52	1033	2.7	0.1	12.8	93	0.3	9.2	6.9
G0559383	Drill Core	4.25	22	0.3	33.1	4.0	25	<0.1	25.3	12.7	439	3.30	320	2.7	<0.1	13.9	112	<0.1	6.4	1.6
G0559384	Drill Core	2.81	3	0.3	22.9	5.5	8	<0.1	11.5	4.0	306	1.57	48	1.8	<0.1	6.8	100	<0.1	6.6	0.5
G0559385	Drill Core	3.35	2	0.2	11.8	2.8	12	<0.1	9.6	2.4	425	1.26	11	1.1	<0.1	5.6	112	<0.1	5.0	0.3
G0559386	Drill Core	3.12	4	0.4	29.3	2.1	28	<0.1	24.9	9.5	443	2.77	17	2.1	<0.1	10.6	79	<0.1	5.6	1.2
G0559387	Drill Core	3.40	<2	0.3	19.1	1.9	10	<0.1	10.9	3.0	707	1.60	14	1.8	<0.1	6.8	119	<0.1	3.5	0.3
G0559388	Drill Core	2.83	<2	0.4	42.2	2.1	60	<0.1	25.5	10.1	657	3.38	22	2.6	<0.1	12.4	148	<0.1	6.7	0.4
G0559389	Drill Core	3.30	3	0.3	42.0	2.0	20	<0.1	17.2	7.6	610	1.90	74	1.8	<0.1	8.3	159	<0.1	4.4	2.3
G0559390	Drill Core	2.88	<2	0.3	23.1	1.6	18	<0.1	17.7	6.9	490	2.03	42	2.6	<0.1	9.7	87	<0.1	4.1	0.3
G0559391	Drill Core	2.55	3	0.4	40.2	2.0	42	<0.1	16.6	10.8	617	2.41	101	2.3	<0.1	10.5	102	<0.1	4.3	0.5
G0559392	Rock Chip	0.37	<2	0.2	1.6	1.4	20	0.2	4.2	1.8	251	0.57	<1	0.6	<0.1	0.7	53	<0.1	<0.1	0.3
G0559393	Drill Core	2.42	25	0.1	13.5	3.1	7	<0.1	7.0	3.3	610	1.67	424	0.9	<0.1	4.1	69	<0.1	2.1	0.6
G0559394	Drill Core	2.68	150	0.4	11.3	932.6	57	1.5	6.9	3.5	720	3.37	1386	1.2	0.2	5.8	63	0.2	4.0	4.9
G0559395	Drill Core	3.81	34	0.3	30.8	2.9	32	<0.1	18.0	8.8	584	2.82	34	2.6	<0.1	11.0	133	<0.1	4.9	0.4
G0559396	Drill Core	3.19	201	0.4	27.0	11.5	14	0.1	9.0	5.4	1076	1.85	91	1.2	<0.1	5.6	50	<0.1	2.1	0.4
G0559397	Drill Core	3.35	23	0.7	174.7	3.9	9	0.2	22.2	12.4	343	2.34	461	2.1	<0.1	9.2	79	<0.1	5.0	2.5
G0559398	Drill Core	1.16	5	1.1	191.3	6.6	15	0.4	28.2	14.5	645	3.12	480	2.2	<0.1	9.3	112	<0.1	5.8	4.2
G0559399	Drill Core	2.29	4	0.3	896.5	768.7	906	5.5	13.6	5.2	195	7.43	2650	0.9	0.2	4.2	69	3.7	12.7	30.0
G0559400	Drill Core	2.82	163	0.2	37.1	1227	1271	4.2	12.3	4.2	228	8.85	1922	1.1	0.2	5.6	49	4.6	6.3	23.3
G0559401	Drill Core	4.75	7	1.8	196.0	43.6	75	0.7	34.8	12.6	388	3.32	53	3.1	<0.1	12.4	53	0.1	11.8	19.7
G0559402	Drill Core	3.36	<2	0.2	25.1	7.3	82	<0.1	27.7	15.2	206	4.09	13	2.3	<0.1	12.0	85	<0.1	7.3	0.5
G0559403	Drill Core	3.96	<2	1.0	55.9	4.5	34	<0.1	32.1	15.2	295	3.04	39	2.7	<0.1	13.2	75	<0.1	12.2	0.5
G0559404	Drill Core	3.59	3	0.3	32.9	2.6	13	<0.1	30.9	12.7	458	2.90	117	2.3	<0.1	13.0	66	<0.1	11.5	0.5
G0559405	Drill Core	3.97	3	0.2	38.0	2.7	27	<0.1	31.7	15.2	378	3.40	29	2.1	<0.1	12.6	81	<0.1	7.8	0.4
G0559406	Drill Core	2.66	<2	<0.1	38.1	3.2	64	<0.1	32.0	11.2	192	4.26	13	1.8	<0.1	11.9	45	<0.1	2.5	0.1
G0559407	Drill Core	6.95	<2	0.2	31.6	5.0	59	<0.1	29.7	12.6	349	4.12	14	2.0	<0.1	12.9	86	<0.1	3.1	0.4
G0559408	Drill Core	6.33	<2	0.2	36.5	8.8	70	<0.1	31.3	12.5	173	4.45	13	2.0	<0.1	12.7	46	<0.1	2.7	0.3
G0559409	Drill Core	7.06	<2	<0.1	27.7	11.3	68	<0.1	29.1	12.3	241	3.87	171	1.9	<0.1	11.5	72	<0.1	4.1	0.3
G0559410	Drill Core	3.06	14	0.2	28.4	12.6	62	<0.1	30.1	15.8	383	3.84	461	2.1	<0.1	13.0	61	0.2	4.1	0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 3 of 7 Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559381	Drill Core	0.95	0.043	36.3	46	1.66	90	0.199	6.63	0.070	3.21	3.5	92.6	81	25.4	11.1	5.8	0.4	2	11
G0559382	Drill Core	0.84	0.043	38.0	48	1.72	88	0.200	6.83	0.075	3.22	3.6	94.1	84	28.1	10.6	5.6	0.4	2	11
G0559383	Drill Core	1.22	0.071	44.6	47	1.94	296	0.275	7.55	0.071	3.77	2.0	99.0	96	9.7	12.6	9.1	0.6	2	13
G0559384	Drill Core	1.54	0.174	26.3	20	1.09	213	0.157	3.28	0.025	1.69	1.9	51.7	55	3.3	10.5	4.2	0.2	1	5
G0559385	Drill Core	1.68	0.028	20.7	21	1.11	162	0.112	2.54	0.023	1.09	1.8	37.7	43	2.2	6.7	2.8	0.1	<1	4
G0559386	Drill Core	0.88	0.037	33.6	40	1.67	300	0.207	5.66	0.043	2.75	1.4	81.9	74	2.9	9.2	5.5	0.4	1	10
G0559387	Drill Core	2.50	0.019	24.6	23	1.45	180	0.141	3.28	0.028	1.66	2.0	55.3	52	4.6	10.1	4.4	0.2	<1	6
G0559388	Drill Core	1.56	0.040	38.2	48	1.97	336	0.240	6.85	0.047	3.34	2.0	94.4	83	3.0	11.2	7.2	0.4	2	11
G0559389	Drill Core	2.08	0.028	29.5	27	1.39	194	0.160	4.03	0.037	2.01	1.9	63.5	60	7.0	9.2	6.6	0.3	2	6
G0559390	Drill Core	1.33	0.035	32.1	29	1.08	242	0.205	4.92	0.028	2.63	1.8	79.3	68	3.2	10.4	8.3	0.4	1	8
G0559391	Drill Core	1.61	0.037	34.5	34	0.98	262	0.204	5.26	0.028	2.77	1.5	75.6	72	4.4	12.4	7.2	0.4	1	8
G0559392	Rock Chip	17.24	0.021	2.2	3	13.13	48	0.018	0.60	0.027	0.13	0.2	1.7	4	<0.1	2.2	0.7	<0.1	<1	1
G0559393	Drill Core	1.48	0.017	16.4	21	0.73	80	0.070	1.71	0.012	0.95	1.5	28.9	34	8.1	5.1	3.0	0.1	<1	3
G0559394	Drill Core	0.97	0.019	23.0	20	0.59	89	0.087	2.47	0.039	1.15	1.8	41.1	46	14.1	6.7	2.4	0.2	1	4
G0559395	Drill Core	1.27	0.029	35.8	35	1.39	266	0.195	5.58	0.031	2.82	1.3	87.8	76	3.8	13.1	5.9	0.3	2	9
G0559396	Drill Core	1.20	0.020	20.6	19	0.95	108	0.111	2.67	0.024	1.29	1.1	47.2	43	6.5	6.5	2.6	0.2	<1	4
G0559397	Drill Core	1.10	0.028	31.3	30	0.89	198	0.185	4.66	0.028	2.39	2.7	101.3	67	9.9	9.3	5.0	0.4	1	8
G0559398	Drill Core	2.14	0.025	35.5	26	1.22	95	0.173	4.61	0.028	2.12	5.3	75.4	73	13.9	10.9	4.4	0.3	2	8
G0559399	Drill Core	1.07	0.017	16.9	17	0.68	29	0.047	1.72	0.079	0.44	2.0	30.0	33	32.2	5.2	1.1	<0.1	<1	3
G0559400	Drill Core	0.76	0.015	21.7	18	0.65	21	0.051	2.15	0.116	0.47	2.1	108.2	40	13.1	6.2	1.9	<0.1	<1	4
G0559401	Drill Core	0.67	0.038	41.6	45	1.34	415	0.247	6.94	0.033	3.89	2.7	80.5	81	6.8	10.1	7.1	0.4	2	12
G0559402	Drill Core	0.75	0.058	40.1	50	1.78	525	0.244	7.23	0.038	3.71	1.7	69.3	79	2.3	8.9	6.7	0.4	3	11
G0559403	Drill Core	1.11	0.045	41.4	47	1.51	563	0.278	7.49	0.038	3.94	2.4	94.8	83	2.8	11.7	8.3	0.6	2	12
G0559404	Drill Core	1.16	0.042	43.1	45	1.63	545	0.275	7.49	0.043	4.14	3.2	88.4	86	5.9	10.3	8.6	0.6	3	12
G0559405	Drill Core	1.20	0.043	42.0	46	1.92	562	0.263	7.34	0.041	3.96	1.9	79.7	84	4.3	9.5	8.3	0.5	2	12
G0559406	Drill Core	0.45	0.040	40.0	49	1.99	554	0.268	7.64	0.047	3.97	1.3	76.4	82	3.5	8.7	7.7	0.5	2	12
G0559407	Drill Core	1.02	0.044	43.3	46	1.95	515	0.248	7.27	0.044	3.48	1.2	68.2	84	2.1	9.3	7.1	0.5	2	12
G0559408	Drill Core	0.52	0.041	43.3	46	1.94	550	0.264	7.59	0.048	3.77	1.3	73.0	88	2.6	9.6	8.3	0.5	2	13
G0559409	Drill Core	0.74	0.139	38.4	49	1.63	532	0.266	6.91	0.047	3.73	2.4	72.5	76	5.6	9.3	8.1	0.5	2	12
G0559410	Drill Core	0.94	0.045	41.1	54	1.74	568	0.252	7.22	0.050	3.81	1.7	77.8	82	7.7	8.8	7.3	0.5	3	12



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 3 of 7 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	1EX	1EX	1EX
	Analyte	S	Rb	Hf
	Unit	%	ppm	ppm
	MDL	0.1	0.1	0.1
G0559381	Drill Core	2.4	137.6	2.8
G0559382	Drill Core	2.3	132.8	2.9
G0559383	Drill Core	1.0	153.7	3.1
G0559384	Drill Core	0.4	66.5	1.6
G0559385	Drill Core	0.2	47.4	1.8
G0559386	Drill Core	0.6	106.8	2.2
G0559387	Drill Core	0.2	72.3	1.7
G0559388	Drill Core	0.5	118.7	2.8
G0559389	Drill Core	0.4	90.7	2.3
G0559390	Drill Core	0.3	111.3	2.3
G0559391	Drill Core	0.5	116.9	2.4
G0559392	Rock Chip	0.2	6.9	<0.1
G0559393	Drill Core	1.1	40.1	0.9
G0559394	Drill Core	2.7	49.1	1.3
G0559395	Drill Core	0.6	120.5	2.7
G0559396	Drill Core	0.5	55.6	1.4
G0559397	Drill Core	1.3	93.9	2.7
G0559398	Drill Core	2.5	87.8	2.5
G0559399	Drill Core	8.3	17.5	0.9
G0559400	Drill Core	9.9	19.3	1.2
G0559401	Drill Core	0.8	138.9	2.2
G0559402	Drill Core	0.2	124.8	2.0
G0559403	Drill Core	0.5	145.7	2.6
G0559404	Drill Core	0.6	139.7	2.4
G0559405	Drill Core	0.4	130.7	2.2
G0559406	Drill Core	<0.1	122.6	2.0
G0559407	Drill Core	0.4	110.5	2.0
G0559408	Drill Core	<0.1	122.9	2.0
G0559409	Drill Core	0.2	120.8	1.9
G0559410	Drill Core	0.6	137.0	2.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

4 of 7

Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559411	Drill Core	3.21	14	0.1	30.4	11.6	56	<0.1	31.0	16.1	384	3.78	595	2.3	<0.1	12.9	56	<0.1	4.3	0.5
G0559412	Drill Core	6.34	<2	0.3	30.0	15.0	64	<0.1	27.9	20.1	248	3.40	25	2.2	<0.1	13.6	67	<0.1	3.3	0.5
G0559413	Drill Core	6.94	<2	<0.1	25.0	543.6	71	0.3	26.8	13.0	2002	3.91	22	2.0	<0.1	13.9	117	0.1	5.0	0.3
G0559414	Drill Core	2.24	<2	0.1	9.1	349.6	61	0.3	17.6	10.1	2721	3.44	14	1.1	<0.1	7.4	652	0.1	3.8	0.3
G0559415	Drill Core	3.74	3	0.5	13.8	20.7	44	0.1	11.6	6.1	1018	1.94	6	2.1	<0.1	5.2	1415	0.1	2.6	0.1
G0559416	Drill Core	0.74	2	0.3	6.7	11.0	18	0.1	6.0	3.1	1001	1.09	2	2.1	<0.1	2.5	2275	<0.1	2.1	<0.1
G0559417	Drill Core	3.30	178	0.3	480.1	3.8	15	0.6	13.3	12.8	3401	18.97	2070	1.9	0.2	4.0	374	<0.1	29.3	122.7
G0559418	Drill Core	0.94	80	0.2	403.9	3.1	11	0.2	13.4	11.9	1449	8.96	4029	1.7	<0.1	5.2	47	<0.1	15.4	11.6
G0559419	Rock Chip	0.47	<2	0.2	2.8	1.3	17	0.1	2.8	1.4	243	0.53	3	0.7	<0.1	0.4	53	0.1	<0.1	<0.1
G0559420	Drill Core	3.30	150	0.2	359.4	3.8	6	0.2	19.1	10.7	226	12.67	2442	1.2	0.2	4.3	5	<0.1	14.3	58.2
G0559421	Drill Core	6.40	468	0.3	564.7	2.3	6	0.3	13.8	10.7	467	15.33	2535	1.5	0.4	5.2	20	<0.1	10.8	134.3
G0559422	Drill Core	3.63	77	0.3	404.1	2.9	4	0.3	7.8	5.6	>10000	18.19	1306	2.9	<0.1	3.2	414	<0.1	14.1	14.6
G0559423	Drill Core	3.08	60	0.2	467.1	1.8	6	<0.1	6.7	4.7	3053	13.01	961	2.1	<0.1	4.6	188	<0.1	9.7	40.2
G0559424	Drill Core	2.35	249	0.2	504.1	1.9	3	0.2	9.4	11.2	6252	20.98	1371	3.2	0.1	4.2	326	<0.1	10.1	264.7
G0559425	Drill Core	2.41	224	0.2	658.1	1.8	4	0.2	9.8	11.8	5614	19.85	2120	2.9	0.2	4.1	354	<0.1	11.1	181.4
G0559426	Drill Core	3.86	113	0.2	705.6	106.0	15	0.7	21.6	9.1	1458	27.06	595	3.1	<0.1	9.2	32	<0.1	7.1	43.9
G0559427	Drill Core	5.79	96	0.3	500.7	2.7	6	0.2	21.0	8.0	788	17.79	1763	2.4	0.1	9.6	35	<0.1	10.1	21.3
G0559428	Drill Core	5.98	58	0.2	188.2	3.3	10	0.2	21.9	9.5	958	12.29	1728	1.7	0.1	6.4	61	<0.1	8.6	22.9
G0559429	Drill Core	9.45	331	0.3	194.3	4.9	9	0.5	21.7	7.5	2119	35.03	6871	2.3	<0.1	3.6	136	<0.1	21.0	72.1
G0559430	Drill Core	4.52	94	0.3	229.5	2.1	8	0.1	15.7	6.7	799	10.74	897	2.8	0.2	8.1	35	<0.1	8.4	37.0
G0559431	Rock Chip	0.53	<2	0.3	2.1	1.3	21	<0.1	2.2	1.6	275	0.58	2	0.6	<0.1	0.4	53	0.2	<0.1	0.2
G0559432	Drill Core	3.41	151	0.3	740.2	1.5	4	0.1	39.8	6.0	4346	33.35	1264	2.8	<0.1	3.9	28	<0.1	9.0	33.1
G0559433	Drill Core	3.14	164	0.8	692.0	1.7	9	0.2	23.5	5.5	5109	15.31	671	3.2	0.2	11.2	38	<0.1	6.0	68.4
G0559434	Drill Core	7.33	171	0.9	643.4	1.8	11	0.2	23.6	5.9	4519	14.80	806	3.3	0.2	10.6	41	<0.1	6.1	65.8
G0559435	Drill Core	7.19	291	1.0	564.6	3.7	10	0.6	34.0	27.3	404	21.20	3218	3.4	0.3	9.1	37	<0.1	9.5	109.0
G0559436	Drill Core	6.49	114	0.2	295.4	2.0	7	0.2	18.7	9.4	153	10.11	1347	1.8	0.1	6.8	23	<0.1	2.2	30.9
G0559437	Drill Core	6.57	99	0.3	166.6	1.8	10	0.1	21.4	8.8	2187	14.44	1438	2.7	<0.1	8.1	22	<0.1	5.5	29.6
G0559438	Drill Core	8.31	241	0.3	244.0	2.2	7	0.3	28.9	6.9	6424	28.10	2122	3.1	0.1	4.9	41	<0.1	11.3	54.9
G0559439	Drill Core	6.80	150	0.3	140.9	2.1	8	0.2	21.4	9.3	5984	17.69	1782	2.6	0.2	7.6	43	<0.1	8.4	22.2
G0559440	Drill Core	7.12	50	0.3	88.8	1.1	7	<0.1	13.9	4.7	8945	18.19	1559	2.1	<0.1	4.0	39	<0.1	4.2	12.9



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 4 of 7 Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559411	Drill Core	0.96	0.044	41.1	52	1.72	583	0.261	7.17	0.050	3.80	1.8	82.4	82	7.8	9.3	7.1	0.5	2	12
G0559412	Drill Core	0.76	0.038	41.6	52	1.50	613	0.259	6.79	0.053	3.71	1.4	77.2	85	3.9	9.9	7.6	0.5	2	11
G0559413	Drill Core	1.65	0.032	42.8	48	1.74	588	0.232	7.99	0.051	3.71	1.4	72.2	84	4.4	10.2	6.9	0.4	2	12
G0559414	Drill Core	9.99	0.031	27.2	24	5.74	393	0.148	4.34	0.029	2.32	1.3	40.3	49	4.2	12.9	3.5	0.2	1	7
G0559415	Drill Core	17.47	0.046	17.5	23	2.96	257	0.083	2.96	0.019	1.54	1.0	35.9	33	1.5	9.8	2.2	0.2	<1	5
G0559416	Drill Core	27.57	0.034	10.6	10	1.29	109	0.045	1.23	0.008	0.57	0.3	19.5	20	0.2	8.2	1.4	0.1	<1	2
G0559417	Drill Core	8.37	0.029	16.2	14	1.55	36	0.041	2.29	0.070	0.46	2.0	29.5	30	3.6	6.1	1.0	<0.1	1	3
G0559418	Drill Core	2.34	0.022	17.7	18	0.53	47	0.035	2.40	0.047	0.97	8.5	36.0	33	4.9	4.6	0.9	<0.1	<1	4
G0559419	Rock Chip	16.72	0.021	1.7	5	12.63	42	0.016	0.27	0.027	0.11	<0.1	1.7	3	0.2	1.4	0.6	<0.1	<1	<1
G0559420	Drill Core	0.12	0.012	15.2	28	0.35	43	0.040	1.48	0.056	0.46	2.1	31.2	26	2.4	3.9	0.9	<0.1	<1	2
G0559421	Drill Core	0.39	0.017	21.4	23	0.55	52	0.046	2.18	0.057	0.73	2.6	39.9	37	3.5	5.1	1.2	<0.1	<1	3
G0559422	Drill Core	14.39	0.024	10.2	11	2.93	121	0.042	1.65	0.020	0.68	1.0	20.0	19	3.4	6.6	1.0	<0.1	<1	2
G0559423	Drill Core	5.62	0.017	11.8	23	0.80	62	0.041	1.78	0.045	0.61	2.0	34.9	20	2.8	4.7	1.8	0.1	<1	3
G0559424	Drill Core	13.05	0.032	25.5	14	1.58	65	0.053	1.81	0.067	0.45	2.1	28.7	38	2.9	6.6	1.3	0.1	<1	3
G0559425	Drill Core	12.39	0.031	26.0	23	1.57	61	0.053	1.86	0.066	0.46	2.3	28.9	39	2.8	7.1	1.4	0.1	<1	3
G0559426	Drill Core	1.00	0.029	24.3	33	1.17	7	0.073	4.49	0.046	1.79	2.7	64.2	49	5.8	9.2	1.4	<0.1	1	7
G0559427	Drill Core	0.55	0.019	31.5	31	1.00	25	0.085	4.66	0.066	1.73	3.7	76.2	58	6.1	7.8	2.1	0.2	<1	7
G0559428	Drill Core	1.37	0.016	26.3	25	1.04	48	0.064	2.47	0.060	0.92	2.6	46.6	46	3.4	6.6	1.8	0.1	<1	4
G0559429	Drill Core	3.03	0.038	9.3	17	2.05	33	0.033	1.52	0.054	0.27	2.0	26.1	17	1.7	6.7	1.0	<0.1	<1	3
G0559430	Drill Core	0.84	0.011	28.3	26	0.80	55	0.076	3.28	0.038	1.37	4.4	61.9	54	5.6	6.7	1.8	0.1	<1	4
G0559431	Rock Chip	21.98	0.023	1.6	3	12.30	45	0.020	0.30	0.034	0.11	0.1	1.6	3	0.3	1.6	0.7	<0.1	<1	<1
G0559432	Drill Core	2.00	0.030	12.9	20	2.16	29	0.021	2.06	0.025	0.71	1.2	29.4	24	2.7	6.5	0.5	<0.1	<1	4
G0559433	Drill Core	0.74	0.039	41.4	37	1.83	42	0.098	5.35	0.210	1.21	4.0	62.4	71	5.7	9.2	2.0	0.1	2	9
G0559434	Drill Core	0.83	0.035	39.3	46	1.79	50	0.097	5.29	0.230	1.07	3.5	60.2	65	5.7	9.2	2.6	0.1	2	8
G0559435	Drill Core	0.37	0.029	81.6	32	1.20	13	0.085	4.12	0.270	0.07	3.0	58.9	110	2.6	12.4	1.8	0.1	1	6
G0559436	Drill Core	0.20	0.013	23.1	31	0.35	17	0.068	3.39	0.067	1.33	2.6	43.4	42	6.3	7.2	1.6	0.1	<1	5
G0559437	Drill Core	0.41	0.017	24.2	28	0.96	25	0.069	3.95	0.056	1.75	2.8	55.5	48	5.6	8.3	1.6	0.1	<1	6
G0559438	Drill Core	1.40	0.018	15.5	19	1.77	23	0.034	2.69	0.037	1.01	1.9	34.4	29	5.1	7.1	1.0	<0.1	<1	4
G0559439	Drill Core	0.95	0.014	22.7	24	1.44	34	0.058	3.48	0.044	1.56	2.3	51.8	45	7.0	7.7	1.5	<0.1	<1	5
G0559440	Drill Core	0.60	0.015	16.7	14	1.56	58	0.025	1.45	0.042	0.50	0.9	28.2	31	2.7	4.4	0.7	<0.1	<1	2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 4 of 7 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559411	Drill Core	0.6	129.1	2.3
G0559412	Drill Core	0.1	124.9	2.2
G0559413	Drill Core	<0.1	145.0	2.0
G0559414	Drill Core	0.2	97.2	1.1
G0559415	Drill Core	0.5	60.5	1.0
G0559416	Drill Core	0.7	23.2	0.6
G0559417	Drill Core	>10	19.7	0.9
G0559418	Drill Core	6.3	38.0	1.0
G0559419	Rock Chip	0.2	7.8	<0.1
G0559420	Drill Core	>10	17.0	0.9
G0559421	Drill Core	>10	27.8	1.2
G0559422	Drill Core	>10	27.8	0.6
G0559423	Drill Core	9.1	24.8	1.2
G0559424	Drill Core	>10	17.3	0.8
G0559425	Drill Core	>10	17.8	0.9
G0559426	Drill Core	>10	76.0	1.8
G0559427	Drill Core	9.8	78.1	1.9
G0559428	Drill Core	>10	38.7	1.5
G0559429	Drill Core	>10	12.8	0.7
G0559430	Drill Core	6.8	59.5	1.8
G0559431	Rock Chip	<0.1	6.1	<0.1
G0559432	Drill Core	>10	33.8	0.9
G0559433	Drill Core	7.0	49.3	1.7
G0559434	Drill Core	7.2	43.5	1.5
G0559435	Drill Core	>10	3.8	1.5
G0559436	Drill Core	>10	52.3	1.2
G0559437	Drill Core	>10	73.7	1.5
G0559438	Drill Core	>10	49.0	0.9
G0559439	Drill Core	>10	66.0	1.4
G0559440	Drill Core	>10	23.1	0.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

5 of 7

Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559441	Drill Core	7.32	161	0.3	214.8	1.2	9	0.3	11.1	3.8	>10000	35.13	668	2.5	0.1	2.2	18	<0.1	11.5	6.9
G0559442	Drill Core	5.13	178	0.3	244.4	2.0	5	0.2	12.7	13.7	4023	22.00	2810	3.3	0.2	8.3	52	<0.1	13.0	22.0
G0559443	Drill Core	10.54	113	0.1	486.6	0.9	5	0.2	13.1	4.3	1836	36.82	1652	3.2	<0.1	2.1	31	<0.1	10.1	36.1
G0559444	Drill Core	3.26	51	0.2	723.1	1.4	3	0.2	11.3	4.9	5803	37.13	200	3.3	<0.1	2.5	99	<0.1	2.8	14.9
G0559445	Drill Core	7.29	364	0.3	299.5	5.3	5	0.4	22.1	11.1	1620	28.79	4183	3.5	0.4	5.4	62	<0.1	11.8	115.0
G0559446	Drill Core	3.71	279	0.6	613.6	6.1	8	0.6	47.0	7.0	2205	22.39	574	3.9	0.2	9.7	38	<0.1	10.9	15.0
G0559447	Drill Core	5.62	14	0.5	88.9	0.7	8	<0.1	46.7	21.1	1202	5.04	200	3.5	<0.1	20.0	37	<0.1	7.1	1.6
G0559448	Drill Core	7.39	3	0.2	49.7	0.6	8	<0.1	46.1	16.8	1377	4.77	46	3.1	<0.1	20.7	36	<0.1	9.6	0.6
G0559449	Drill Core	5.76	9	0.3	71.1	1.3	19	<0.1	51.0	20.4	608	4.86	22	3.0	<0.1	19.7	43	<0.1	10.1	1.0
G0559450	Drill Core	2.76	<2	0.7	45.8	1.4	49	<0.1	38.1	17.6	638	4.76	29	2.5	<0.1	14.9	52	<0.1	6.3	0.5
G0559451	Drill Core	3.02	3	0.7	29.9	1.3	44	<0.1	28.3	15.6	488	3.52	22	2.9	<0.1	15.9	68	0.1	8.5	1.0
G0559452	Drill Core	3.53	150	0.6	19.2	7.2	7	<0.1	14.7	5.9	371	3.76	3884	2.3	0.2	9.5	71	<0.1	5.7	2.6
G0559453	Drill Core	3.09	279	0.3	15.3	31.2	5	0.2	7.4	4.2	97	5.10	5472	1.1	0.3	5.2	61	<0.1	11.3	8.3
G0559454	Drill Core	3.39	53	0.6	30.6	4.9	11	<0.1	19.9	13.4	255	2.79	742	2.6	<0.1	10.5	106	<0.1	6.2	3.7
G0559455	Drill Core	3.17	49	1.0	99.7	10.5	18	0.1	22.6	15.0	218	2.87	503	2.7	<0.1	11.1	84	0.1	6.4	4.7
G0559456	Drill Core	3.12	152	0.3	154.1	17.6	55	0.3	15.7	8.3	53	3.17	2414	1.7	0.2	7.3	30	0.3	24.6	4.4
G0559457	Drill Core	2.62	65	0.3	13.2	9.6	71	<0.1	8.5	4.6	45	2.51	285	1.3	<0.1	6.2	15	0.3	2.5	3.3
G0559458	Rock Chip	0.55	<2	0.2	1.2	0.8	15	0.1	2.5	1.4	229	0.52	<1	0.7	<0.1	0.3	50	0.1	<0.1	<0.1
G0559459	Drill Core	3.39	21	0.3	10.6	20.2	19	0.1	5.0	1.3	51	2.76	163	0.8	<0.1	3.9	19	0.1	2.0	4.2
G0559460	Drill Core	3.67	10	0.5	18.2	24.2	27	<0.1	5.5	1.4	41	1.86	92	0.8	<0.1	4.6	15	<0.1	2.0	5.8
G0559461	Drill Core	3.70	27	0.5	8.7	56.7	15	0.3	9.7	5.3	50	2.82	181	1.5	<0.1	7.5	21	0.1	2.8	4.3
G0559462	Drill Core	3.44	41	0.5	3.6	12.2	80	0.1	4.2	2.1	46	3.40	381	0.7	<0.1	3.7	12	0.3	1.2	2.2
G0559463	Drill Core	3.22	115	0.3	8.0	14.6	6	<0.1	16.5	9.3	46	4.28	575	1.7	0.1	8.8	21	<0.1	3.4	4.7
G0559464	Drill Core	2.86	116	0.4	119.7	23.5	23	0.5	24.9	8.9	249	3.08	601	2.2	0.1	13.3	31	0.1	31.6	4.3
G0559465	Drill Core	3.43	167	0.3	46.1	82.1	28	0.7	20.8	7.5	131	5.63	443	1.6	0.2	8.5	62	0.2	8.2	13.2
G0559466	Drill Core	1.70	63	0.4	47.0	60.3	19	0.3	14.9	4.2	47	3.11	247	1.5	<0.1	7.8	28	0.1	11.8	22.2
G0559467	Drill Core	1.69	64	0.3	72.6	98.5	21	0.6	15.6	4.7	56	3.40	231	1.7	0.1	8.5	33	0.2	18.3	39.9
G0559468	Drill Core	3.79	21	0.4	39.7	3.7	8	0.2	15.0	7.1	381	1.87	218	1.7	<0.1	7.8	68	<0.1	6.0	2.2
G0559469	Drill Core	2.79	<2	0.4	35.8	3.9	34	<0.1	23.1	13.0	273	2.92	30	2.4	<0.1	10.8	84	<0.1	5.8	1.2
G0559470	Drill Core	3.54	5	0.4	45.6	3.1	47	<0.1	42.4	17.2	555	4.14	27	2.8	<0.1	16.4	67	<0.1	7.6	0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 5 of 7 Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559441	Drill Core	0.69	0.014	3.2	8	2.54	82	0.015	1.17	0.014	0.45	0.9	14.5	7	3.7	4.3	0.5	<0.1	<1	2
G0559442	Drill Core	0.32	0.022	21.8	30	1.28	22	0.074	5.37	0.054	2.42	3.0	59.9	44	9.3	7.4	2.0	0.1	1	7
G0559443	Drill Core	3.26	0.023	6.0	7	2.60	32	0.019	0.99	0.028	0.22	0.8	14.5	11	1.8	5.6	0.6	<0.1	<1	2
G0559444	Drill Core	4.96	0.028	5.0	10	2.11	76	0.019	1.36	0.014	0.51	0.5	19.4	10	3.0	6.2	0.4	<0.1	<1	3
G0559445	Drill Core	3.26	0.023	16.3	16	1.88	18	0.064	2.76	0.089	0.78	2.7	35.2	28	5.7	7.6	1.7	0.1	<1	5
G0559446	Drill Core	1.50	0.035	32.7	31	2.05	49	0.075	5.41	0.067	2.16	3.9	51.4	52	11.7	9.0	1.3	0.1	1	9
G0559447	Drill Core	0.41	0.054	64.0	60	1.30	533	0.258	9.74	0.069	4.89	3.3	87.4	95	8.6	10.6	7.9	0.5	3	16
G0559448	Drill Core	0.27	0.052	62.8	64	1.30	588	0.298	10.05	0.080	4.89	2.0	79.7	95	5.3	9.2	9.4	0.6	3	15
G0559449	Drill Core	0.53	0.059	60.2	65	1.54	555	0.306	9.57	0.080	4.44	1.9	81.5	93	5.3	9.3	9.0	0.6	3	15
G0559450	Drill Core	0.42	0.047	44.2	50	1.80	472	0.263	7.95	0.079	3.84	1.0	86.2	77	3.5	9.3	10.2	0.6	2	12
G0559451	Drill Core	0.51	0.037	50.4	41	1.61	459	0.260	7.65	0.079	4.17	1.0	114.7	82	2.7	10.9	24.1	1.1	3	10
G0559452	Drill Core	0.83	0.034	34.0	25	0.95	159	0.125	3.70	0.103	1.52	1.6	63.2	61	22.1	8.5	7.5	0.2	2	6
G0559453	Drill Core	0.59	0.017	20.0	20	0.63	16	0.051	1.57	0.122	0.12	1.3	32.9	38	20.5	5.9	1.2	<0.1	<1	3
G0559454	Drill Core	0.91	0.055	35.1	39	0.88	242	0.182	4.51	0.059	2.32	1.9	74.8	67	25.1	10.7	5.3	0.3	1	8
G0559455	Drill Core	0.77	0.034	37.0	41	0.77	207	0.211	4.62	0.097	2.17	2.7	76.4	70	87.7	10.4	6.0	0.4	1	8
G0559456	Drill Core	0.29	0.073	30.5	25	0.46	84	0.101	2.64	0.110	0.87	1.9	44.6	59	64.5	7.9	2.8	0.1	<1	4
G0559457	Drill Core	0.08	0.019	23.3	33	0.39	60	0.094	2.08	0.099	0.62	1.9	39.2	44	18.6	5.2	2.4	0.2	<1	3
G0559458	Rock Chip	19.20	0.020	1.7	3	11.81	40	0.018	0.29	0.033	0.11	0.1	1.6	3	0.4	1.4	0.6	<0.1	<1	<1
G0559459	Drill Core	0.13	0.027	14.3	25	0.30	15	0.048	0.99	0.085	0.11	1.2	25.2	26	5.5	3.4	1.2	<0.1	<1	2
G0559460	Drill Core	0.07	0.016	18.5	23	0.38	19	0.071	1.40	0.115	0.18	1.1	29.4	34	5.3	3.6	2.0	0.1	<1	2
G0559461	Drill Core	0.12	0.020	29.7	37	0.41	82	0.125	2.33	0.105	0.80	2.5	50.6	55	15.1	6.3	3.5	0.2	<1	4
G0559462	Drill Core	0.07	0.015	17.9	25	0.28	9	0.048	0.98	0.080	0.09	1.0	25.4	32	5.6	3.3	1.3	<0.1	<1	2
G0559463	Drill Core	0.12	0.025	32.2	39	0.52	73	0.152	3.41	0.111	1.67	2.8	57.7	61	21.3	6.8	4.1	0.2	<1	6
G0559464	Drill Core	0.47	0.035	41.8	55	0.72	133	0.232	5.46	0.077	3.29	3.9	66.7	76	46.1	8.7	6.2	0.4	3	9
G0559465	Drill Core	0.38	0.022	30.4	29	0.73	54	0.105	3.75	0.154	1.14	2.3	46.9	56	39.9	6.1	2.3	0.1	1	6
G0559466	Drill Core	0.13	0.023	28.6	31	0.54	89	0.125	3.08	0.129	0.99	3.0	46.8	55	49.0	6.1	3.4	0.2	<1	5
G0559467	Drill Core	0.16	0.025	30.9	33	0.58	87	0.139	2.92	0.148	0.97	3.6	45.5	61	37.7	6.3	3.8	0.3	<1	5
G0559468	Drill Core	0.93	0.034	29.3	23	0.88	161	0.163	3.24	0.031	1.64	2.2	51.0	59	9.4	7.7	4.9	0.3	<1	5
G0559469	Drill Core	0.51	0.049	33.5	36	1.39	274	0.258	4.73	0.056	2.41	1.3	68.3	69	2.5	9.3	7.7	0.5	1	8
G0559470	Drill Core	0.51	0.046	50.0	56	1.35	502	0.297	8.85	0.099	4.08	2.1	74.4	85	4.0	8.3	10.0	0.7	2	15



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 5 of 7 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559441	Drill Core	>10	23.4	0.4
G0559442	Drill Core	>10	95.8	1.6
G0559443	Drill Core	>10	11.8	0.4
G0559444	Drill Core	>10	24.0	0.5
G0559445	Drill Core	>10	35.8	0.9
G0559446	Drill Core	>10	94.8	1.3
G0559447	Drill Core	1.2	200.7	2.5
G0559448	Drill Core	0.3	198.6	2.4
G0559449	Drill Core	0.8	177.5	2.3
G0559450	Drill Core	0.2	141.4	2.2
G0559451	Drill Core	0.4	149.0	2.5
G0559452	Drill Core	2.8	70.5	1.7
G0559453	Drill Core	5.1	5.5	1.0
G0559454	Drill Core	1.9	97.1	2.0
G0559455	Drill Core	2.4	90.2	2.1
G0559456	Drill Core	3.1	39.0	1.2
G0559457	Drill Core	2.4	27.8	1.1
G0559458	Rock Chip	<0.1	7.3	<0.1
G0559459	Drill Core	2.7	5.0	0.7
G0559460	Drill Core	1.7	8.0	0.8
G0559461	Drill Core	2.8	32.4	1.4
G0559462	Drill Core	3.4	4.2	0.7
G0559463	Drill Core	4.5	64.9	1.6
G0559464	Drill Core	2.6	125.8	1.8
G0559465	Drill Core	6.1	47.9	1.3
G0559466	Drill Core	3.2	39.3	1.3
G0559467	Drill Core	3.4	37.6	1.4
G0559468	Drill Core	0.9	76.5	1.6
G0559469	Drill Core	0.7	95.9	2.0
G0559470	Drill Core	0.4	149.6	2.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

6 of 7

Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0559471	Drill Core	3.78	2	0.2	4.3	6.1	8	<0.1	2.0	1.9	234	0.51	2	3.7	<0.1	1.9	1938	<0.1	2.7	0.2
G0559472	Drill Core	6.09	3	0.3	12.4	13.6	20	0.2	8.4	4.9	251	1.22	14	3.0	<0.1	5.9	1287	<0.1	4.7	0.2
G0559473	Drill Core	5.77	<2	0.3	12.0	8.8	19	0.2	10.1	5.3	321	1.73	7	2.2	<0.1	7.3	344	<0.1	4.9	0.2
G0559474	Drill Core	5.93	2	0.3	36.7	9.4	20	0.2	12.8	6.4	249	1.79	10	2.0	<0.1	7.0	215	<0.1	5.4	0.3
G0559475	Rock Chip	0.50	5	0.1	1.5	1.5	16	<0.1	3.8	1.4	243	0.54	<1	0.9	<0.1	0.3	52	0.1	<0.1	<0.1
G0559476	Drill Core	6.46	<2	0.4	38.7	15.3	78	<0.1	29.8	14.4	355	3.58	8	4.0	<0.1	18.0	399	0.1	3.7	0.4
G0559477	Drill Core	5.63	4	0.8	53.3	20.8	62	11.2	25.0	12.4	371	2.89	6	4.0	<0.1	11.9	759	0.1	3.3	0.3
G0559478	Drill Core	6.50	42	0.2	2.9	263.5	431	0.8	4.4	1.4	177	0.35	6	3.5	<0.1	1.1	1215	2.2	2.3	<0.1
G0559479	Drill Core	6.92	266	0.1	4.3	461.4	442	1.1	2.2	1.7	329	0.78	13	3.8	<0.1	1.7	1107	2.2	3.7	<0.1
G0559480	Drill Core	4.93	7	0.2	3.0	24.7	11	0.2	3.3	1.7	204	0.57	3	4.4	<0.1	1.6	1400	<0.1	2.7	<0.1
G0559481	Drill Core	1.97	20	0.3	9.8	49.4	17	0.2	10.0	5.3	550	2.55	28	3.0	<0.1	5.3	178	<0.1	4.3	0.1
G0559482	Drill Core	2.91	58	0.3	60.2	671.0	958	2.8	12.0	8.6	450	2.29	41	5.0	<0.1	7.8	150	2.7	8.8	0.2
G0559483	Drill Core	2.77	71	0.3	87.5	618.9	1129	3.0	12.6	8.6	467	2.40	83	3.5	<0.1	6.7	150	3.1	7.0	0.2
G0559484	Drill Core	2.24	26	0.5	11.7	38.9	24	0.2	12.1	7.6	465	2.43	28	2.0	<0.1	6.3	84	<0.1	5.8	0.2
G0559485	Drill Core	2.91	37	0.2	12.6	31.5	14	0.3	10.5	8.2	543	2.07	27	2.0	<0.1	6.1	170	<0.1	4.5	0.3
G0559486	Drill Core	2.80	10	0.2	12.9	45.1	41	0.1	6.3	4.1	409	1.21	10	2.9	<0.1	4.1	719	0.2	3.7	0.2
G0559487	Drill Core	2.87	6	0.3	23.7	8.5	15	<0.1	20.6	9.1	635	2.76	26	3.4	<0.1	9.0	480	0.1	10.3	0.3
G0559488	Drill Core	3.05	37	0.4	17.2	101.3	38	0.5	12.1	6.9	1024	3.02	173	3.4	<0.1	8.3	623	0.2	6.2	2.3
G0559489	Drill Core	3.05	9	0.1	8.6	5.8	8	<0.1	16.5	8.6	931	3.64	107	2.1	<0.1	8.2	61	<0.1	3.7	1.3
G0559490	Drill Core	3.24	<2	0.1	3.9	2.3	17	<0.1	8.2	4.3	661	2.17	5	1.4	<0.1	7.5	68	<0.1	3.0	1.0
G0559491	Drill Core	3.23	<2	0.2	5.9	2.6	15	<0.1	10.6	6.3	651	2.41	15	1.9	<0.1	9.2	69	<0.1	4.4	2.1
G0559492	Rock Chip	0.47	<2	0.1	1.2	1.7	18	<0.1	3.9	1.4	226	0.51	<1	0.6	<0.1	0.3	48	0.2	<0.1	<0.1
G0559493	Drill Core	2.85	<2	0.1	3.1	2.8	5	<0.1	2.8	2.0	746	1.58	33	1.0	<0.1	3.5	58	<0.1	3.0	2.3
G0559494	Drill Core	1.50	<2	0.2	2.1	2.0	5	<0.1	2.3	1.3	951	1.73	33	0.8	<0.1	2.8	51	<0.1	2.4	1.7
G0559495	Drill Core	3.79	8	0.6	23.9	5.5	21	0.3	19.8	14.2	768	3.23	44	2.7	<0.1	15.0	79	0.1	13.0	3.0
G0559496	Drill Core	3.21	7	0.6	6.7	3.6	191	0.1	10.2	6.1	1548	3.77	53	1.6	<0.1	8.8	102	0.1	5.2	4.1
G0559497	Drill Core	5.94	8	0.6	27.8	6.8	26	0.2	21.2	14.0	651	3.95	78	2.3	<0.1	14.2	71	<0.1	12.4	9.2
G0559498	Drill Core	2.16	25	0.2	57.1	4.4	9	0.2	17.5	7.1	524	9.84	1322	1.4	<0.1	7.9	20	<0.1	11.4	21.2
G0559499	Drill Core	2.69	25	0.6	23.2	5.9	14	0.2	19.1	7.9	766	8.60	902	2.1	<0.1	10.6	48	0.1	8.9	25.6
G0559500	Drill Core	4.79	15	0.5	25.6	13.0	51	<0.1	31.4	11.6	537	3.49	101	3.1	<0.1	15.6	150	<0.1	10.6	2.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland
Report Date: September 04, 2010

Page: 6 of 7 Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0559471	Drill Core	35.19	0.025	7.7	9	0.42	72	0.033	0.92	0.018	0.39	0.5	13.0	13	1.5	4.7	1.1	<0.1	<1	1
G0559472	Drill Core	22.96	0.023	19.7	15	0.57	166	0.101	2.60	0.070	1.14	0.6	39.0	36	0.8	10.2	3.4	0.2	<1	4
G0559473	Drill Core	7.22	0.015	24.1	16	0.76	165	0.098	2.39	0.070	1.08	0.4	46.2	47	0.7	9.8	3.1	0.2	<1	4
G0559474	Drill Core	4.33	0.016	26.0	19	0.61	175	0.107	2.85	0.077	1.18	0.5	41.7	54	0.9	8.4	3.4	0.2	<1	4
G0559475	Rock Chip	21.02	0.019	1.3	3	12.14	40	0.018	0.29	0.033	0.12	0.2	1.3	3	0.2	1.5	0.8	<0.1	<1	<1
G0559476	Drill Core	6.39	0.036	52.2	55	1.19	462	0.314	7.96	0.238	2.99	1.3	99.0	99	2.1	16.2	10.4	0.7	2	11
G0559477	Drill Core	17.56	0.075	36.6	42	0.87	349	0.202	6.06	0.191	2.18	42.5	62.5	68	1.4	12.2	6.2	0.4	1	8
G0559478	Drill Core	36.26	0.018	5.3	5	0.30	45	0.020	0.53	0.020	0.22	0.1	7.2	10	0.2	4.0	0.8	<0.1	<1	<1
G0559479	Drill Core	35.05	0.019	7.5	7	0.41	70	0.032	0.80	0.023	0.33	0.6	12.2	13	0.4	4.9	1.4	<0.1	<1	1
G0559480	Drill Core	36.51	0.015	7.1	7	0.36	61	0.029	0.71	0.032	0.28	0.2	10.9	12	<0.1	4.8	1.0	<0.1	<1	1
G0559481	Drill Core	4.46	0.013	22.2	34	1.23	117	0.050	2.07	0.048	0.95	0.4	26.5	45	0.7	8.0	1.5	<0.1	<1	3
G0559482	Drill Core	4.96	0.014	26.1	23	0.81	189	0.102	3.05	0.067	1.41	0.7	43.6	54	0.9	9.1	3.0	0.2	<1	5
G0559483	Drill Core	5.09	0.014	23.9	21	0.87	152	0.081	2.58	0.065	1.19	0.5	37.3	50	0.8	8.1	2.1	<0.1	<1	4
G0559484	Drill Core	2.92	0.012	20.8	27	0.83	153	0.075	2.60	0.056	1.16	0.5	31.8	42	0.7	6.9	3.2	0.1	<1	4
G0559485	Drill Core	5.72	0.012	22.7	18	0.86	139	0.064	2.46	0.051	1.09	0.7	33.2	46	1.1	8.6	1.9	0.1	<1	4
G0559486	Drill Core	22.31	0.014	15.2	12	0.64	99	0.061	1.80	0.049	0.62	0.6	24.6	29	0.6	11.6	1.9	0.1	<1	3
G0559487	Drill Core	16.41	0.025	28.5	29	1.07	246	0.126	4.48	0.165	1.59	1.0	49.8	53	1.2	20.7	3.5	0.2	1	7
G0559488	Drill Core	15.80	0.026	25.4	29	0.70	222	0.097	3.88	0.080	1.64	1.0	41.2	45	1.9	9.6	2.8	0.2	1	5
G0559489	Drill Core	2.48	0.024	24.4	25	1.17	129	0.088	4.36	0.053	2.10	1.1	36.5	43	3.4	6.2	2.5	0.2	<1	5
G0559490	Drill Core	4.74	0.016	19.4	18	2.61	98	0.061	3.18	0.018	1.51	0.7	42.8	37	4.9	5.7	1.5	0.1	<1	3
G0559491	Drill Core	4.24	0.037	25.0	20	2.47	165	0.095	4.10	0.023	2.30	0.8	55.2	49	4.9	8.5	2.4	0.2	<1	5
G0559492	Rock Chip	19.48	0.019	1.2	3	11.76	38	0.016	0.27	0.031	0.10	0.2	1.3	3	0.3	1.4	0.6	<0.1	<1	<1
G0559493	Drill Core	3.92	0.012	10.7	9	1.95	130	0.039	2.02	0.013	1.01	0.4	29.2	20	2.6	4.3	1.1	<0.1	<1	1
G0559494	Drill Core	3.83	0.007	9.1	11	1.82	113	0.033	1.71	0.013	0.90	0.4	18.1	18	2.9	4.5	0.8	<0.1	<1	1
G0559495	Drill Core	4.33	0.020	41.1	38	2.38	108	0.200	6.37	0.041	3.35	1.7	77.3	79	4.5	12.2	7.9	0.5	1	8
G0559496	Drill Core	7.06	0.045	28.5	21	3.37	222	0.086	3.61	0.025	1.90	1.2	55.4	54	4.3	11.4	3.3	0.2	<1	4
G0559497	Drill Core	3.91	0.027	41.8	39	2.25	85	0.173	6.28	0.041	3.27	1.3	72.4	79	7.2	11.6	5.7	0.3	2	8
G0559498	Drill Core	1.57	0.017	23.7	24	0.79	44	0.072	4.51	0.036	2.26	1.3	41.7	48	8.9	6.5	1.7	0.1	<1	6
G0559499	Drill Core	2.79	0.043	31.1	29	1.39	54	0.101	5.38	0.054	2.63	1.8	61.5	62	9.7	9.0	2.9	0.2	1	7
G0559500	Drill Core	3.74	0.061	51.2	50	0.88	248	0.229	7.50	0.124	2.88	2.7	71.3	91	3.3	11.9	9.1	0.6	2	9



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 6 of 7 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
G0559471	Drill Core	0.3	17.9	0.4
G0559472	Drill Core	0.6	48.8	1.1
G0559473	Drill Core	0.3	43.7	1.4
G0559474	Drill Core	0.5	49.5	1.2
G0559475	Rock Chip	<0.1	7.4	<0.1
G0559476	Drill Core	0.4	119.7	3.1
G0559477	Drill Core	0.7	95.3	1.9
G0559478	Drill Core	0.3	11.0	0.2
G0559479	Drill Core	0.6	16.1	0.4
G0559480	Drill Core	0.4	13.6	0.3
G0559481	Drill Core	0.5	39.4	0.8
G0559482	Drill Core	0.8	57.3	1.5
G0559483	Drill Core	0.8	47.2	1.2
G0559484	Drill Core	0.6	47.2	1.0
G0559485	Drill Core	0.5	42.0	1.1
G0559486	Drill Core	0.5	27.9	0.7
G0559487	Drill Core	0.6	69.9	1.4
G0559488	Drill Core	1.8	66.2	1.4
G0559489	Drill Core	3.1	79.7	1.2
G0559490	Drill Core	1.8	54.6	1.5
G0559491	Drill Core	2.0	67.7	1.7
G0559492	Rock Chip	<0.1	6.2	<0.1
G0559493	Drill Core	0.8	37.4	0.9
G0559494	Drill Core	0.7	30.2	0.6
G0559495	Drill Core	2.6	114.1	2.4
G0559496	Drill Core	2.4	68.9	1.3
G0559497	Drill Core	3.5	118.5	2.1
G0559498	Drill Core	>10	79.4	1.2
G0559499	Drill Core	9.2	97.1	1.7
G0559500	Drill Core	1.7	113.9	2.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 7 of 7 Part 1

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G0560507	Drill Core	7.02	3	0.4	29.3	24.6	76	0.1	32.4	14.2	605	3.44	7	3.2	<0.1	15.4	290	0.1	3.2	0.5
G0560508	Drill Core	5.65	2	0.2	36.1	28.5	100	<0.1	36.9	16.7	704	4.49	6	2.9	<0.1	17.6	130	<0.1	1.0	0.5
G0560509	Drill Core	6.48	2	0.3	31.4	25.9	96	<0.1	37.0	16.1	703	4.32	5	3.0	<0.1	17.2	162	<0.1	1.4	0.5
G0560510	Drill Core	6.36	3	0.5	30.3	28.9	83	<0.1	35.5	15.8	635	4.16	6	2.6	<0.1	15.9	204	<0.1	0.8	0.5
G0560511	Drill Core	6.72	<2	0.4	28.8	13.1	78	<0.1	36.8	15.3	352	3.91	8	2.2	<0.1	15.2	143	<0.1	0.6	0.4
G0560512	Rock Chip	0.39	<2	0.2	1.5	1.7	18	<0.1	3.9	1.2	241	0.54	<1	0.7	<0.1	0.3	55	<0.1	<0.1	<0.1
G0560513	Drill Core	6.47	3	0.4	25.4	20.7	47	<0.1	31.2	15.3	486	3.42	7	2.9	<0.1	13.7	310	<0.1	0.9	0.4
G0560514	Drill Core	6.68	2	0.5	12.9	21.6	64	0.1	16.7	6.8	320	1.75	8	4.7	<0.1	8.1	1006	0.2	3.2	0.2
G0560515	Drill Core	5.76	2	0.2	12.8	40.5	78	<0.1	13.3	6.0	218	1.34	8	3.1	<0.1	6.1	1079	0.1	2.5	0.1
G0560516	Drill Core	2.84	2	0.2	9.2	18.4	27	<0.1	5.9	2.5	190	0.77	4	3.1	<0.1	2.3	1562	0.1	1.3	0.1
G0560517	Drill Core	4.36	14	0.5	22.7	7.5	22	<0.1	21.3	10.8	474	2.38	14	2.6	<0.1	7.9	875	<0.1	4.0	0.4
G0560518	Drill Core	5.88	<2	0.2	20.9	1.7	11	<0.1	13.3	8.5	365	1.45	15	1.2	<0.1	9.0	44	<0.1	1.4	<0.1
G0560519	Drill Core	3.62	<2	0.1	23.2	1.4	8	<0.1	17.8	6.9	462	1.55	18	1.2	<0.1	11.3	39	<0.1	1.3	0.7
G0560520	Drill Core	3.88	5	0.2	29.3	3.3	7	<0.1	12.7	7.5	411	1.24	22	1.1	<0.1	9.6	38	<0.1	2.2	3.7
G0560521	Drill Core	3.04	139	1.0	128.8	9.1	10	0.2	101.7	177.0	1618	12.67	1181	2.2	0.1	8.3	117	<0.1	8.2	56.9
G0560522	Drill Core	3.00	10	<0.1	13.6	2.9	6	<0.1	12.5	8.5	503	2.76	179	1.4	<0.1	9.2	53	<0.1	2.2	3.7
G0560523	Drill Core	6.58	19	0.3	25.4	3.7	17	<0.1	18.4	8.8	576	2.17	22	1.6	<0.1	8.9	322	<0.1	2.8	0.9
G0560524	Drill Core	6.46	3	0.4	17.2	2.3	9	<0.1	14.4	6.2	440	1.71	12	1.4	<0.1	7.8	140	<0.1	3.6	0.2
G0560525	Drill Core	5.43	45	0.3	16.5	2.9	10	<0.1	16.1	5.8	839	1.97	15	1.6	<0.1	9.1	95	<0.1	3.5	0.3
G0560526	Drill Core	6.71	4	0.1	19.1	3.2	10	<0.1	16.1	5.6	611	1.86	14	1.4	<0.1	9.6	47	<0.1	3.2	0.5
G0560527	Drill Core	7.33	4	0.3	29.9	2.9	33	<0.1	36.4	11.9	599	3.78	14	2.5	<0.1	12.1	64	<0.1	3.1	0.4
G0560528	Drill Core	7.14	4	0.5	22.3	2.8	13	<0.1	27.2	10.0	587	2.50	16	2.1	<0.1	11.1	56	<0.1	4.0	0.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project:

Hyland

Report Date:

September 04, 2010

Page:

7 of 7

Part 2

CERTIFICATE OF ANALYSIS

WHI10000310.1

	Method Analyte Unit MDL	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc
		%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1
G0560507	Drill Core	6.66	0.078	52.9	50	0.93	469	0.235	7.55	0.168	2.67	1.5	69.2	90	2.1	12.6	9.8	0.7	1	10
G0560508	Drill Core	1.75	0.036	52.8	51	1.14	481	0.215	8.64	0.223	2.73	0.8	78.2	100	2.5	8.8	9.8	0.8	2	12
G0560509	Drill Core	2.25	0.041	48.1	58	1.16	519	0.221	9.02	0.276	2.63	0.7	65.0	96	2.6	8.8	9.5	0.6	3	13
G0560510	Drill Core	3.08	0.053	45.7	53	1.18	470	0.207	8.66	0.595	2.60	0.8	66.8	90	2.2	9.5	8.8	0.7	3	12
G0560511	Drill Core	2.22	0.047	46.3	50	1.06	510	0.200	8.55	0.644	2.51	0.6	61.5	90	2.7	8.2	8.3	0.6	2	12
G0560512	Rock Chip	20.26	0.021	1.3	2	12.10	41	0.019	0.33	0.031	0.12	0.2	1.8	2	0.5	1.5	0.7	<0.1	<1	<1
G0560513	Drill Core	8.29	0.096	44.4	40	0.84	386	0.183	7.17	0.467	2.33	0.8	64.9	84	1.8	11.6	6.7	0.5	2	10
G0560514	Drill Core	19.57	0.043	23.7	27	0.66	259	0.110	4.17	0.174	1.60	0.5	61.0	47	1.0	12.1	3.8	0.3	1	6
G0560515	Drill Core	22.38	0.028	19.2	17	0.64	200	0.100	3.40	0.221	1.21	0.4	40.8	36	1.2	8.2	3.2	0.2	1	4
G0560516	Drill Core	32.87	0.021	8.2	11	0.45	91	0.046	1.23	0.052	0.47	0.1	19.9	15	0.4	5.6	1.6	<0.1	<1	2
G0560517	Drill Core	20.46	0.040	29.0	29	0.79	405	0.120	4.91	0.114	1.94	0.6	48.9	55	1.2	12.6	3.7	0.3	2	7
G0560518	Drill Core	1.31	0.012	18.6	24	0.40	205	0.086	3.54	0.138	1.26	0.7	49.3	39	1.3	5.3	2.4	0.2	<1	4
G0560519	Drill Core	1.40	0.012	22.4	28	0.52	255	0.101	3.93	0.071	1.68	1.3	39.5	46	4.3	5.5	2.6	0.2	<1	5
G0560520	Drill Core	1.50	0.015	19.3	23	0.41	206	0.090	3.24	0.059	1.45	1.1	34.2	39	4.9	4.7	2.3	0.2	<1	4
G0560521	Drill Core	6.68	0.031	32.4	26	1.55	139	0.095	5.07	0.078	2.22	2.9	42.7	61	6.0	12.6	2.3	0.2	<1	8
G0560522	Drill Core	2.11	0.016	20.4	33	0.58	260	0.080	3.75	0.069	1.67	2.2	47.9	41	4.6	5.9	1.8	0.1	<1	4
G0560523	Drill Core	7.92	0.025	24.3	26	0.62	323	0.088	4.25	0.080	1.70	0.9	41.7	48	2.0	8.1	2.2	0.2	<1	6
G0560524	Drill Core	4.03	0.017	19.2	24	0.46	228	0.093	3.49	0.064	1.32	1.0	40.4	39	1.4	6.5	2.2	0.2	<1	5
G0560525	Drill Core	4.51	0.021	26.8	35	0.74	371	0.143	4.92	0.078	2.25	2.3	61.5	52	4.6	8.5	4.6	0.2	<1	7
G0560526	Drill Core	1.60	0.017	26.7	32	0.62	316	0.122	4.46	0.072	2.01	1.2	42.7	52	3.3	6.7	3.4	0.2	<1	6
G0560527	Drill Core	1.06	0.034	41.2	51	1.00	480	0.180	7.31	0.445	2.34	0.8	59.6	82	1.9	7.5	4.7	0.3	2	11
G0560528	Drill Core	1.56	0.022	30.5	40	0.76	402	0.151	5.69	0.293	2.12	1.4	60.0	63	3.6	7.5	4.1	0.2	1	8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 7 of 7 Part 3

CERTIFICATE OF ANALYSIS

WHI10000310.1

		Method	1EX	1EX	1EX
		Analyte	S	Rb	Hf
		Unit	%	ppm	ppm
		MDL	0.1	0.1	0.1
G0560507	Drill Core		1.2	113.2	1.8
G0560508	Drill Core		0.7	115.7	1.7
G0560509	Drill Core		0.5	107.0	1.8
G0560510	Drill Core		1.1	100.5	2.0
G0560511	Drill Core		0.6	109.2	1.8
G0560512	Rock Chip		<0.1	7.2	<0.1
G0560513	Drill Core		1.0	100.9	1.8
G0560514	Drill Core		0.9	72.5	1.6
G0560515	Drill Core		0.9	50.8	1.2
G0560516	Drill Core		0.4	21.2	0.5
G0560517	Drill Core		1.0	87.8	1.2
G0560518	Drill Core		<0.1	48.3	1.0
G0560519	Drill Core		<0.1	61.1	1.2
G0560520	Drill Core		0.1	53.2	1.0
G0560521	Drill Core		>10	83.9	1.3
G0560522	Drill Core		1.5	61.2	1.2
G0560523	Drill Core		0.5	65.1	1.2
G0560524	Drill Core		0.2	50.8	1.2
G0560525	Drill Core		0.2	82.4	1.4
G0560526	Drill Core		<0.1	70.3	1.3
G0560527	Drill Core		0.2	93.5	1.9
G0560528	Drill Core		0.2	80.7	1.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Argus Metals Corp.

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 1 of 4 Part 1

QUALITY CONTROL REPORT

WHI10000310.1

	Method Analyte Unit MDL	WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
G0559372	Drill Core	3.16	<2	0.4	35.4	2.9	31	<0.1	24.1	13.8	589	3.04	24	2.0	<0.1	9.9	113	<0.1	10.5	0.9	60
REP G0559372	QC			0.5	36.0	4.6	33	<0.1	24.2	13.2	584	2.95	24	2.0	<0.1	9.6	114	<0.1	11.3	1.2	59
G0559386	Drill Core	3.12	4	0.4	29.3	2.1	28	<0.1	24.9	9.5	443	2.77	17	2.1	<0.1	10.6	79	<0.1	5.6	1.2	69
REP G0559386	QC			0.4	32.2	2.1	27	<0.1	24.0	10.1	454	2.78	18	2.3	<0.1	11.1	78	<0.1	5.4	1.1	70
G0559388	Drill Core	2.83	<2	0.4	42.2	2.1	60	<0.1	25.5	10.1	657	3.38	22	2.6	<0.1	12.4	148	<0.1	6.7	0.4	82
REP G0559388	QC		<2																		
G0559418	Drill Core	0.94	80	0.2	403.9	3.1	11	0.2	13.4	11.9	1449	8.96	4029	1.7	<0.1	5.2	47	<0.1	15.4	11.6	22
REP G0559418	QC			0.2	415.6	3.0	7	0.1	12.4	11.9	1485	9.15	3900	1.8	<0.1	5.4	48	<0.1	15.9	11.3	23
G0559443	Drill Core	10.54	113	0.1	486.6	0.9	5	0.2	13.1	4.3	1836	36.82	1652	3.2	<0.1	2.1	31	<0.1	10.1	36.1	12
REP G0559443	QC		130																		
G0559463	Drill Core	3.22	115	0.3	8.0	14.6	6	<0.1	16.5	9.3	46	4.28	575	1.7	0.1	8.8	21	<0.1	3.4	4.7	47
REP G0559463	QC			0.6	7.8	15.7	6	0.1	15.9	9.3	46	4.30	545	1.8	0.1	9.0	21	<0.1	3.4	5.0	46
G0559470	Drill Core	3.54	5	0.4	45.6	3.1	47	<0.1	42.4	17.2	555	4.14	27	2.8	<0.1	16.4	67	<0.1	7.6	0.5	103
REP G0559470	QC			0.4	46.2	3.1	48	<0.1	43.4	16.8	566	4.09	27	3.0	<0.1	17.0	67	0.1	8.2	0.5	103
G0559483	Drill Core	2.77	71	0.3	87.5	618.9	1129	3.0	12.6	8.6	467	2.40	83	3.5	<0.1	6.7	150	3.1	7.0	0.2	26
REP G0559483	QC		72																		
G0560510	Drill Core	6.36	3	0.5	30.3	28.9	83	<0.1	35.5	15.8	635	4.16	6	2.6	<0.1	15.9	204	<0.1	0.8	0.5	67
REP G0560510	QC			0.4	31.5	28.3	87	<0.1	34.2	16.2	630	4.21	6	2.7	<0.1	16.2	205	<0.1	0.8	0.4	68
G0560518	Drill Core	5.88	<2	0.2	20.9	1.7	11	<0.1	13.3	8.5	365	1.45	15	1.2	<0.1	9.0	44	<0.1	1.4	<0.1	29
REP G0560518	QC		<2																		
Core Reject Duplicates																					
G0559396	Drill Core	3.19	201	0.4	27.0	11.5	14	0.1	9.0	5.4	1076	1.85	91	1.2	<0.1	5.6	50	<0.1	2.1	0.4	33
DUP G0559396	QC		129	0.3	33.8	12.6	13	<0.1	10.8	5.1	1007	1.87	104	1.1	<0.1	5.4	50	<0.1	1.8	0.4	33
G0559466	Drill Core	1.70	63	0.4	47.0	60.3	19	0.3	14.9	4.2	47	3.11	247	1.5	<0.1	7.8	28	0.1	11.8	22.2	40
DUP G0559466	QC		64	0.5	55.3	69.0	18	0.3	15.2	4.4	54	3.25	247	1.5	<0.1	8.3	28	0.1	13.7	34.4	39
G0560507	Drill Core	7.02	3	0.4	29.3	24.6	76	0.1	32.4	14.2	605	3.44	7	3.2	<0.1	15.4	290	0.1	3.2	0.5	64
DUP G0560507	QC		<2	0.4	25.2	21.4	70	<0.1	28.3	12.7	531	3.30	8	3.1	<0.1	15.4	289	<0.1	3.5	0.4	62
Reference Materials																					



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 1 of 4 Part 2

QUALITY CONTROL REPORT

WHI10000310.1

		Method	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be
		Unit	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1
Pulp Duplicates																				
G0559372	Drill Core		1.31	0.030	34.8	36	1.72	252	0.206	4.90	0.034	2.44	1.2	77.6	77	2.2	10.3	5.9	0.4	1
REP G0559372	QC		1.30	0.031	34.1	39	1.69	246	0.205	4.87	0.033	2.12	1.2	75.1	76	2.3	10.7	6.1	0.4	1
G0559386	Drill Core		0.88	0.037	33.6	40	1.67	300	0.207	5.66	0.043	2.75	1.4	81.9	74	2.9	9.2	5.5	0.4	1
REP G0559386	QC		0.89	0.038	35.1	39	1.69	297	0.228	5.70	0.042	2.81	1.4	80.5	76	3.1	8.8	6.1	0.5	2
G0559388	Drill Core		1.56	0.040	38.2	48	1.97	336	0.240	6.85	0.047	3.34	2.0	94.4	83	3.0	11.2	7.2	0.4	2
REP G0559388	QC																			
G0559418	Drill Core		2.34	0.022	17.7	18	0.53	47	0.035	2.40	0.047	0.97	8.5	36.0	33	4.9	4.6	0.9	<0.1	<1
REP G0559418	QC		2.39	0.021	17.8	18	0.55	43	0.054	2.47	0.049	0.93	2.7	38.1	36	5.6	5.1	1.1	<0.1	1
G0559443	Drill Core		3.26	0.023	6.0	7	2.60	32	0.019	0.99	0.028	0.22	0.8	14.5	11	1.8	5.6	0.6	<0.1	<1
REP G0559443	QC																			
G0559463	Drill Core		0.12	0.025	32.2	39	0.52	73	0.152	3.41	0.111	1.67	2.8	57.7	61	21.3	6.8	4.1	0.2	<1
REP G0559463	QC		0.11	0.024	31.4	39	0.53	57	0.142	3.41	0.109	1.66	2.7	56.8	62	20.7	7.1	3.8	0.2	<1
G0559470	Drill Core		0.51	0.046	50.0	56	1.35	502	0.297	8.85	0.099	4.08	2.1	74.4	85	4.0	8.3	10.0	0.7	2
REP G0559470	QC		0.50	0.045	53.4	56	1.33	528	0.328	8.64	0.102	4.25	2.0	79.5	91	4.3	8.9	11.0	0.7	3
G0559483	Drill Core		5.09	0.014	23.9	21	0.87	152	0.081	2.58	0.065	1.19	0.5	37.3	50	0.8	8.1	2.1	<0.1	<1
REP G0559483	QC																			
G0560510	Drill Core		3.08	0.053	45.7	53	1.18	470	0.207	8.66	0.595	2.60	0.8	66.8	90	2.2	9.5	8.8	0.7	3
REP G0560510	QC		3.10	0.051	46.4	52	1.19	481	0.192	8.76	0.591	2.53	0.8	66.1	92	2.5	9.0	7.9	0.5	2
G0560518	Drill Core		1.31	0.012	18.6	24	0.40	205	0.086	3.54	0.138	1.26	0.7	49.3	39	1.3	5.3	2.4	0.2	<1
REP G0560518	QC																			
Core Reject Duplicates																				
G0559396	Drill Core		1.20	0.020	20.6	19	0.95	108	0.111	2.67	0.024	1.29	1.1	47.2	43	6.5	6.5	2.6	0.2	<1
DUP G0559396	QC		1.29	0.019	20.7	19	1.00	103	0.109	2.56	0.025	1.27	1.4	38.3	45	6.2	6.9	3.3	0.1	1
G0559466	Drill Core		0.13	0.023	28.6	31	0.54	89	0.125	3.08	0.129	0.99	3.0	46.8	55	49.0	6.1	3.4	0.2	<1
DUP G0559466	QC		0.13	0.024	30.4	30	0.53	87	0.114	3.03	0.133	1.01	2.8	44.8	58	46.7	6.1	3.2	0.2	1
G0560507	Drill Core		6.66	0.078	52.9	50	0.93	469	0.235	7.55	0.168	2.67	1.5	69.2	90	2.1	12.6	9.8	0.7	1
DUP G0560507	QC		6.40	0.074	52.4	46	0.90	465	0.230	7.38	0.163	2.63	1.4	71.7	92	1.9	11.6	9.3	0.6	2
Reference Materials																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Argus Metals Corp.

350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 1 of 4 **Part** 3

QUALITY CONTROL REPORT

WHI10000310.1

Method		1EX	1EX	1EX
Analyte		S	Rb	Hf
Unit		%	ppm	ppm
MDL		0.1	0.1	0.1
Pulp Duplicates				
G0559372	Drill Core	0.8	94.6	2.1
REP G0559372	QC	0.7	87.7	2.2
G0559386	Drill Core	0.6	106.8	2.2
REP G0559386	QC	0.6	109.6	2.5
G0559388	Drill Core	0.5	118.7	2.8
REP G0559388	QC			
G0559418	Drill Core	6.3	38.0	1.0
REP G0559418	QC	6.4	38.2	1.1
G0559443	Drill Core	>10	11.8	0.4
REP G0559443	QC			
G0559463	Drill Core	4.5	64.9	1.6
REP G0559463	QC	4.5	64.5	1.6
G0559470	Drill Core	0.4	149.6	2.2
REP G0559470	QC	0.3	168.6	2.2
G0559483	Drill Core	0.8	47.2	1.2
REP G0559483	QC			
G0560510	Drill Core	1.1	100.5	2.0
REP G0560510	QC	1.2	108.3	1.9
G0560518	Drill Core	<0.1	48.3	1.0
REP G0560518	QC			
Core Reject Duplicates				
G0559396	Drill Core	0.5	55.6	1.4
DUP G0559396	QC	0.5	55.7	1.2
G0559466	Drill Core	3.2	39.3	1.3
DUP G0559466	QC	3.3	37.4	1.3
G0560507	Drill Core	1.2	113.2	1.8
DUP G0560507	QC	1.1	111.0	2.3
Reference Materials				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 4 Part 1

QUALITY CONTROL REPORT

WHI10000310.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1
STD OREAS24P	Standard			1.5	57.9	2.6	119	<0.1	150.8	46.7	1104	7.34	<1	0.8	<0.1	3.2	367	0.2	0.1	0.1	163
STD OREAS24P	Standard			1.5	56.0	2.8	122	<0.1	158.3	47.3	1123	7.55	<1	0.8	<0.1	2.7	376	<0.1	0.1	<0.1	170
STD OREAS24P	Standard			1.6	49.0	2.6	116	<0.1	149.0	45.9	1122	7.49	2	0.6	<0.1	2.8	392	0.1	0.1	<0.1	164
STD OREAS24P	Standard			1.6	49.6	2.7	129	<0.1	150.6	48.0	1100	7.30	2	0.7	<0.1	2.8	398	0.1	0.2	<0.1	163
STD OREAS24P	Standard			1.6	51.0	3.2	108	<0.1	146.2	45.7	1097	7.42	<1	0.7	<0.1	2.8	376	<0.1	<0.1	<0.1	162
STD OREAS24P	Standard			1.6	55.7	2.1	120	<0.1	155.8	47.1	1129	8.00	3	0.5	<0.1	2.8	394	<0.1	<0.1	<0.1	164
STD OREAS24P	Standard			1.4	49.7	2.7	110	<0.1	154.2	47.6	1176	7.40	<1	0.7	<0.1	2.9	381	<0.1	<0.1	<0.1	163
STD OREAS45P	Standard			2.2	724.2	22.1	147	0.4	386.7	124.9	1333	17.47	11	2.3	<0.1	10.3	35	0.2	0.9	0.2	274
STD OREAS45P	Standard			2.1	752.6	21.4	145	0.3	404.8	122.3	1383	17.76	12	2.3	<0.1	9.9	33	0.2	0.9	0.2	290
STD OREAS45P	Standard			2.3	757.2	21.6	150	0.4	399.9	129.8	1303	20.21	14	2.2	<0.1	10.2	32	0.2	0.8	0.2	271
STD OREAS45P	Standard			2.4	763.6	23.0	155	0.4	399.1	131.9	1333	20.00	16	2.2	<0.1	10.1	38	<0.1	1.0	0.3	272
STD OREAS45P	Standard			2.4	734.8	25.9	141	0.4	390.1	122.8	1308	19.08	12	2.1	<0.1	9.6	31	<0.1	0.9	0.3	278
STD OREAS45P	Standard			2.2	714.4	19.7	149	0.3	369.1	119.1	1325	19.35	13	1.9	<0.1	9.5	33	0.1	0.9	0.3	269
STD OREAS45P	Standard			2.3	698.2	19.8	140	0.3	390.7	120.3	1354	18.16	12	2.0	<0.1	9.6	33	<0.1	0.8	0.2	268
STD OXC72	Standard		188																		
STD OXC72	Standard		192																		
STD OXC72	Standard		205																		
STD OXC72	Standard		192																		
STD OXC72	Standard		190																		
STD OXC72	Standard		204																		
STD OXC72	Standard		193																		
STD OXC72	Standard		196																		
STD OXH66	Standard		1240																		
STD OXH66	Standard		1242																		
STD OXH66	Standard		1369																		
STD OXH66	Standard		1241																		
STD OXH66	Standard		1246																		
STD OXH66	Standard		1296																		
STD OXH66	Standard		1263																		



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 4 Part 2

QUALITY CONTROL REPORT

WHI10000310.1

		1EX Ca %	1EX P %	1EX La ppm	1EX Cr ppm	1EX Mg %	1EX Ba ppm	1EX Ti %	1EX Al %	1EX Na %	1EX K %	1EX W ppm	1EX Zr ppm	1EX Ce ppm	1EX Sn ppm	1EX Y ppm	1EX Nb ppm	1EX Ta ppm	1EX Be ppm	1EX Sc ppm	1EX Li ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
STD OREAS24P	Standard	5.79	0.129	20.7	208	4.03	314	1.054	7.66	2.342	0.66	0.4	135.5	39	1.9	25.9	19.2	1.1	2	20	8.6
STD OREAS24P	Standard	6.18	0.140	20.0	201	4.06	283	1.094	7.73	2.346	0.70	0.4	138.4	38	1.8	23.1	20.7	1.1	<1	20	7.2
STD OREAS24P	Standard	5.66	0.145	19.5	203	4.28	291	1.110	8.72	2.474	0.68	0.4	141.0	39	1.7	23.2	20.6	1.2	1	21	7.8
STD OREAS24P	Standard	5.56	0.143	19.2	211	4.20	287	1.051	8.14	2.448	0.70	0.5	139.5	37	1.9	21.8	19.5	1.1	1	21	7.6
STD OREAS24P	Standard	5.96	0.128	19.5	203	4.07	295	1.030	7.58	2.331	0.65	0.4	144.4	41	1.9	24.5	21.1	1.2	<1	19	7.7
STD OREAS24P	Standard	5.92	0.140	20.3	203	4.06	281	1.063	7.92	2.402	0.67	0.4	133.6	37	1.9	22.4	19.3	1.2	<1	21	9.7
STD OREAS24P	Standard	5.83	0.131	18.6	212	4.31	279	1.055	7.95	2.420	0.66	0.6	142.7	38	1.5	21.4	19.3	1.1	<1	21	8.1
STD OREAS45P	Standard	0.28	0.043	29.1	1085	0.21	310	1.027	7.18	0.078	0.34	1.0	150.8	51	3.0	15.6	19.8	1.1	<1	67	16.2
STD OREAS45P	Standard	0.29	0.044	26.9	1121	0.21	285	1.061	7.33	0.079	0.35	1.0	145.0	52	2.7	13.6	20.2	1.3	<1	68	14.1
STD OREAS45P	Standard	0.29	0.052	24.7	1076	0.20	287	1.055	7.25	0.072	0.37	1.0	159.7	52	2.2	14.5	20.2	1.3	<1	70	16.8
STD OREAS45P	Standard	0.27	0.045	26.6	1087	0.20	303	1.046	7.34	0.077	0.39	1.0	154.4	53	3.0	14.0	19.7	1.2	1	70	16.0
STD OREAS45P	Standard	0.28	0.042	27.4	1068	0.21	305	1.078	6.75	0.076	0.33	1.2	163.1	57	2.8	14.6	22.5	1.4	<1	68	12.5
STD OREAS45P	Standard	0.27	0.046	25.2	1040	0.20	275	1.063	6.59	0.088	0.36	1.0	153.2	46	2.6	13.0	19.9	1.3	<1	66	15.8
STD OREAS45P	Standard	0.27	0.040	25.4	1071	0.19	274	1.034	6.98	0.070	0.33	0.9	153.5	50	2.5	12.6	18.8	1.2	<1	69	13.4
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXC72	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				
STD OXH66	Standard																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 2 of 4 **Part** 3

QUALITY CONTROL REPORT

WHI10000310.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OREAS24P	Standard	<0.1	23.9	3.4
STD OREAS24P	Standard	<0.1	21.9	3.4
STD OREAS24P	Standard	<0.1	20.5	3.7
STD OREAS24P	Standard	<0.1	23.4	3.6
STD OREAS24P	Standard	<0.1	21.9	3.3
STD OREAS24P	Standard	<0.1	20.9	3.4
STD OREAS24P	Standard	<0.1	19.6	3.4
STD OREAS45P	Standard	<0.1	24.7	3.6
STD OREAS45P	Standard	<0.1	22.5	3.9
STD OREAS45P	Standard	<0.1	22.8	4.3
STD OREAS45P	Standard	<0.1	26.1	4.3
STD OREAS45P	Standard	<0.1	24.4	4.2
STD OREAS45P	Standard	<0.1	21.6	3.9
STD OREAS45P	Standard	<0.1	22.1	3.8
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXC72	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			
STD OXH66	Standard			



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 3 of 4 Part 1

QUALITY CONTROL REPORT

WHI10000310.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
STD OXH66	Standard		1276																	
STD OXH66 Expected			1285																	
STD OXC72 Expected			205																	
STD OREAS24P Expected				1.5	52	2.9	119	0.06	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09	158
STD OREAS45P Expected				2.1	749	22	141	0.32	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	267
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank		10																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank		<2																	
BLK	Blank		<2																	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	20	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<1
Prep Wash																				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Argus Metals Corp.

350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 3 of 4 Part 2

QUALITY CONTROL REPORT

WHI10000310.1

		1EX Ca %	1EX P %	1EX La ppm	1EX Cr ppm	1EX Mg %	1EX Ba ppm	1EX Ti %	1EX Al %	1EX Na %	1EX K %	1EX W ppm	1EX Zr ppm	1EX Ce ppm	1EX Sn ppm	1EX Y ppm	1EX Nb ppm	1EX Ta ppm	1EX Be ppm	1EX Sc ppm	1EX Li ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
STD OXH66	Standard																				
STD OXH66 Expected																					
STD OXC72 Expected																					
STD OREAS24P Expected		5.83	0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	37.6	1.6	21.3	21	1.04		20	8.7
STD OREAS45P Expected		0.3	0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	48.9	2.5	13	21.6	1.2		67	14.7
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
BLK	Blank	<0.01	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1
Prep Wash																					



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**
350-580 Hornby St.
Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 3 of 4 **Part** 3

QUALITY CONTROL REPORT

WHI10000310.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
STD OXH66	Standard			
STD OXH66 Expected				
STD OXC72 Expected				
STD OREAS24P Expected			22.4	3.6
STD OREAS45P Expected		0.03	24.6	4.12
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank			
BLK	Blank			
BLK	Blank	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<0.1	<0.1
Prep Wash				



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 4 of 4 Part 1

QUALITY CONTROL REPORT

WHI10000310.1

		WGHT	3B	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX	1EX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	1	0.1	0.1	0.1
G1	Prep Blank	<0.01	<2	1.5	2.5	20.8	49	<0.1	4.2	4.7	749	2.29	3	2.5	<0.1	7.3	700	<0.1	<0.1	0.1
G1	Prep Blank	<0.01	<2	1.0	2.6	22.5	51	<0.1	3.8	5.0	742	2.16	5	2.7	<0.1	6.9	713	<0.1	<0.1	0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 4 of 4 Part 2

QUALITY CONTROL REPORT

WHI10000310.1

		1EX Ca %	1EX P %	1EX La ppm	1EX Cr ppm	1EX Mg %	1EX Ba ppm	1EX Ti %	1EX Al %	1EX Na %	1EX K %	1EX W ppm	1EX Zr ppm	1EX Ce ppm	1EX Sn ppm	1EX Y ppm	1EX Nb ppm	1EX Ta ppm	1EX Be ppm	1EX Sc ppm	1EX Li ppm
		0.01	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1
G1	Prep Blank	2.40	0.078	23.9	10	0.66	978	0.262	7.48	2.731	2.52	0.2	12.8	54	1.4	16.2	25.0	1.4	3	5	34.9
G1	Prep Blank	2.46	0.079	22.3	10	0.65	990	0.262	7.82	2.640	2.49	0.2	14.4	52	1.5	16.5	25.7	1.4	3	5	37.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Argus Metals Corp.**

350-580 Hornby St.

Vancouver BC Canada

Project: Hyland

Report Date: September 04, 2010

Page: 4 of 4 **Part** 3

QUALITY CONTROL REPORT

WHI10000310.1

		1EX S % 0.1	1EX Rb ppm 0.1	1EX Hf ppm 0.1
G1	Prep Blank	<0.1	118.4	0.7
G1	Prep Blank	<0.1	116.1	0.8