



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 1
Finalized Date: 22-JUN-2009
This copy reported on 15-OCT-2009
Account: UNWORE

CERTIFICATE VA09056224

Project: White Gold Project

P.O. No.: UW09-08

This report is for 205 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 26-MAY-2009.

The following have access to data associated with this certificate:

MARTHA CLANCY
ROB MCLEOD

ADRIAN FLEMING
HANNE-KRISTIN PAULSEN

JODIE GIBSON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-ICP22 | Au 50g FA ICP-AES finish | ICP-AES |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |

To: UNDERWORLD RESOURCES INC.
ATTN: JODIE GIBSON
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| H276001 | | 3.82 | 0.007 | <0.2 | 0.52 | 19 | <10 | 400 | 0.7 | 2 | 0.54 | <0.5 | 1 | 8 | 3 | 1.48 |
| H276002 | | 3.94 | 0.024 | <0.2 | 0.57 | 32 | <10 | 410 | 0.7 | <2 | 0.83 | <0.5 | 3 | 7 | 2 | 1.55 |
| H276003 | | 2.72 | <0.001 | <0.2 | 0.59 | 12 | <10 | 200 | <0.5 | <2 | 0.69 | <0.5 | 1 | 8 | 2 | 1.27 |
| H276004 | | 2.52 | <0.001 | <0.2 | 0.73 | 9 | <10 | 210 | <0.5 | <2 | 0.77 | <0.5 | 1 | 6 | 2 | 1.38 |
| H276005 | | 2.44 | 0.015 | <0.2 | 0.54 | 12 | <10 | 180 | 0.5 | 2 | 0.68 | <0.5 | 1 | 8 | 1 | 1.09 |
| H276006 | | 2.78 | 0.001 | <0.2 | 0.69 | <2 | <10 | 180 | 0.5 | 2 | 0.51 | <0.5 | 1 | 10 | 2 | 1.30 |
| H276007 | | 3.56 | 0.004 | <0.2 | 0.59 | 3 | <10 | 190 | <0.5 | <2 | 1.09 | <0.5 | 1 | 8 | 1 | 1.09 |
| H276008 | | 3.52 | <0.001 | <0.2 | 0.77 | <2 | <10 | 300 | <0.5 | 2 | 0.92 | <0.5 | 2 | 7 | 2 | 1.28 |
| H276009 | | 2.36 | <0.001 | <0.2 | 0.51 | 2 | <10 | 340 | 0.5 | <2 | 1.30 | <0.5 | 2 | 7 | 1 | 1.02 |
| H276010 | | 0.30 | 0.593 | 2.6 | 1.22 | 66 | <10 | 80 | <0.5 | 3 | 4.02 | 1.9 | 17 | 23 | 4410 | 4.85 |
| H276011 | | 0.28 | 0.001 | <0.2 | 1.56 | 4 | <10 | 90 | <0.5 | 2 | 0.85 | <0.5 | 7 | 28 | 36 | 2.22 |
| H276012 | | 2.52 | 0.001 | <0.2 | 0.75 | <2 | <10 | 210 | <0.5 | <2 | 0.77 | <0.5 | 2 | 6 | 3 | 1.28 |
| H276013 | | 2.32 | 0.007 | <0.2 | 0.66 | 7 | <10 | 370 | 0.5 | 2 | 0.56 | <0.5 | 2 | 6 | 4 | 1.58 |
| H276014 | | 2.26 | 0.015 | <0.2 | 0.50 | 25 | <10 | 350 | 0.7 | 3 | 0.62 | <0.5 | 3 | 6 | 4 | 1.49 |
| H276015 | | 2.44 | 0.009 | <0.2 | 0.57 | 13 | <10 | 490 | 0.5 | <2 | 0.60 | <0.5 | 2 | 6 | 5 | 1.59 |
| H276016 | | 1.96 | <0.001 | <0.2 | 0.84 | 3 | <10 | 160 | 0.6 | 2 | 0.18 | <0.5 | 2 | 7 | 4 | 2.05 |
| H276017 | | 3.34 | <0.001 | <0.2 | 0.70 | <2 | <10 | 340 | <0.5 | <2 | 0.96 | <0.5 | 2 | 6 | 1 | 1.33 |
| H276018 | | 3.44 | <0.001 | <0.2 | 0.55 | <2 | <10 | 280 | <0.5 | 2 | 1.03 | <0.5 | 2 | 7 | 4 | 1.00 |
| H276019 | | 3.52 | 0.001 | <0.2 | 0.72 | <2 | <10 | 240 | <0.5 | <2 | 0.71 | <0.5 | 2 | 8 | 7 | 1.42 |
| H276020 | | 0.30 | 0.001 | 0.3 | 1.57 | 4 | <10 | 90 | <0.5 | <2 | 0.87 | <0.5 | 7 | 28 | 20 | 2.19 |
| H276021 | | 3.40 | 0.002 | <0.2 | 0.57 | 5 | <10 | 280 | 0.7 | 2 | 0.64 | <0.5 | 3 | 15 | 5 | 1.33 |
| H276022 | | 3.10 | 0.001 | <0.2 | 0.62 | <2 | <10 | 90 | 0.5 | <2 | 0.16 | <0.5 | 2 | 12 | 2 | 1.12 |
| H276023 | | 3.34 | 0.001 | <0.2 | 0.65 | <2 | <10 | 160 | <0.5 | <2 | 0.35 | <0.5 | 2 | 10 | 5 | 1.32 |
| H276024 | | 3.20 | 0.001 | <0.2 | 0.73 | <2 | <10 | 260 | <0.5 | <2 | 0.33 | <0.5 | 2 | 9 | 5 | 1.45 |
| H276025 | | 3.38 | <0.001 | <0.2 | 0.61 | 5 | <10 | 140 | <0.5 | <2 | 0.55 | <0.5 | 2 | 7 | 3 | 1.23 |
| H276026 | | 3.42 | 0.004 | <0.2 | 0.62 | 5 | <10 | 630 | <0.5 | <2 | 0.61 | <0.5 | 2 | 9 | 3 | 1.38 |
| H276027 | | 3.38 | 0.002 | <0.2 | 0.67 | <2 | <10 | 400 | <0.5 | 2 | 0.39 | <0.5 | 2 | 8 | 4 | 1.45 |
| H276028 | | 3.32 | 0.047 | <0.2 | 0.53 | 3 | <10 | 240 | 0.5 | <2 | 0.40 | <0.5 | 1 | 8 | 3 | 1.27 |
| H276029 | | 3.42 | 0.002 | <0.2 | 0.58 | <2 | <10 | 140 | <0.5 | <2 | 0.25 | <0.5 | 1 | 6 | 8 | 1.29 |
| H276030 | | 0.30 | 0.743 | 9.9 | 1.75 | 68 | <10 | 190 | <0.5 | 4 | 1.06 | 4.2 | 18 | 75 | 1330 | 4.14 |
| H276031 | | 3.68 | 0.001 | <0.2 | 0.54 | 2 | <10 | 150 | <0.5 | <2 | 0.70 | <0.5 | 1 | 5 | 9 | 1.50 |
| H276032 | | 3.38 | 0.012 | <0.2 | 0.31 | 17 | <10 | 250 | 0.5 | <2 | 0.93 | <0.5 | 1 | 7 | 33 | 1.46 |
| H276033 | | 3.12 | <0.001 | <0.2 | 0.58 | <2 | <10 | 170 | <0.5 | <2 | 0.50 | <0.5 | 2 | 10 | 3 | 1.46 |
| H276034 | | 3.76 | 0.001 | <0.2 | 0.53 | <2 | <10 | 200 | <0.5 | <2 | 0.65 | <0.5 | 1 | 6 | 24 | 1.22 |
| H276035 | | 3.80 | 0.015 | <0.2 | 0.46 | 10 | <10 | 170 | <0.5 | 2 | 0.26 | <0.5 | 1 | 6 | 127 | 1.03 |
| H276036 | | 3.04 | 0.100 | 0.2 | 0.77 | <2 | <10 | 150 | 0.6 | <2 | 0.19 | <0.5 | 2 | 7 | 6 | 1.62 |
| H276037 | | 3.20 | 0.641 | 0.4 | 0.47 | 6 | <10 | 290 | 0.5 | <2 | 0.15 | <0.5 | 2 | 7 | 16 | 1.56 |
| H276038 | | 3.06 | 0.013 | 0.5 | 0.53 | 5 | <10 | 110 | 0.8 | <2 | 0.15 | <0.5 | 1 | 6 | 5 | 1.40 |
| H276039 | | 3.14 | 0.018 | 0.2 | 0.67 | 16 | <10 | 1570 | 0.7 | <2 | 0.17 | <0.5 | 2 | 5 | 3 | 2.01 |
| H276040 | | 0.28 | 0.763 | 9.3 | 1.72 | 74 | <10 | 200 | <0.5 | <2 | 1.10 | 4.2 | 18 | 77 | 1325 | 4.36 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| H276001 | <10 | 1 | 0.31 | 30 | 0.05 | 293 | <1 | 0.02 | 1 | 120 | 7 | <0.01 | <2 | 2 | 31 |
| H276002 | <10 | 2 | 0.35 | 20 | 0.09 | 304 | <1 | <0.01 | 1 | 300 | 12 | 0.09 | <2 | 1 | 52 |
| H276003 | <10 | <1 | 0.39 | 40 | 0.08 | 230 | 1 | 0.04 | 1 | 200 | 4 | 0.02 | <2 | 1 | 16 |
| H276004 | <10 | <1 | 0.45 | 40 | 0.11 | 282 | <1 | 0.05 | 1 | 210 | 4 | 0.03 | <2 | 1 | 26 |
| H276005 | <10 | 1 | 0.36 | 30 | 0.05 | 203 | <1 | 0.02 | <1 | 170 | 6 | <0.01 | <2 | 2 | 23 |
| H276006 | <10 | 1 | 0.40 | 40 | 0.12 | 263 | <1 | 0.05 | <1 | 200 | 4 | <0.01 | <2 | 2 | 26 |
| H276007 | <10 | 1 | 0.25 | 40 | 0.14 | 232 | <1 | 0.06 | 1 | 200 | 3 | <0.01 | <2 | 1 | 33 |
| H276008 | <10 | 1 | 0.41 | 30 | 0.21 | 277 | <1 | 0.05 | 1 | 300 | 3 | 0.01 | <2 | 1 | 38 |
| H276009 | <10 | 1 | 0.29 | 40 | 0.11 | 224 | <1 | 0.04 | 1 | 290 | 7 | 0.09 | <2 | 2 | 36 |
| H276010 | <10 | 1 | 0.20 | 10 | 1.17 | 691 | 33 | 0.06 | 17 | 1090 | 30 | 2.06 | 11 | 8 | 133 |
| H276011 | <10 | <1 | 0.13 | <10 | 0.69 | 358 | <1 | 0.07 | 17 | 540 | 3 | 0.03 | <2 | 5 | 41 |
| H276012 | <10 | <1 | 0.41 | 40 | 0.16 | 300 | <1 | 0.05 | 1 | 280 | 5 | <0.01 | <2 | 1 | 28 |
| H276013 | <10 | 1 | 0.32 | 30 | 0.18 | 253 | <1 | 0.02 | 1 | 270 | 17 | <0.01 | <2 | 1 | 26 |
| H276014 | <10 | 1 | 0.26 | 30 | 0.06 | 221 | <1 | 0.01 | 1 | 290 | 8 | <0.01 | 2 | 2 | 26 |
| H276015 | <10 | 1 | 0.19 | 30 | 0.08 | 207 | <1 | 0.01 | 1 | 280 | 7 | <0.01 | <2 | 2 | 27 |
| H276016 | <10 | <1 | 0.50 | 30 | 0.22 | 315 | <1 | 0.03 | <1 | 320 | 3 | <0.01 | <2 | 2 | 17 |
| H276017 | <10 | <1 | 0.35 | 40 | 0.19 | 299 | <1 | 0.04 | <1 | 310 | 3 | <0.01 | <2 | 1 | 29 |
| H276018 | <10 | <1 | 0.29 | 40 | 0.12 | 302 | <1 | 0.03 | 1 | 290 | 5 | <0.01 | <2 | 1 | 27 |
| H276019 | <10 | <1 | 0.37 | 40 | 0.22 | 346 | <1 | 0.04 | 1 | 320 | 4 | 0.01 | <2 | 1 | 37 |
| H276020 | <10 | <1 | 0.13 | <10 | 0.69 | 356 | <1 | 0.08 | 17 | 540 | 3 | 0.03 | <2 | 5 | 43 |
| H276021 | <10 | 1 | 0.26 | 20 | 0.15 | 320 | <1 | 0.02 | 3 | 240 | 7 | <0.01 | <2 | 2 | 30 |
| H276022 | <10 | <1 | 0.28 | 30 | 0.25 | 263 | <1 | 0.06 | 2 | 220 | 5 | <0.01 | <2 | 2 | 29 |
| H276023 | <10 | 1 | 0.23 | 30 | 0.24 | 280 | <1 | 0.05 | 2 | 320 | 3 | <0.01 | <2 | 2 | 36 |
| H276024 | <10 | 1 | 0.38 | 40 | 0.22 | 311 | <1 | 0.05 | 1 | 280 | 3 | <0.01 | <2 | 1 | 32 |
| H276025 | <10 | <1 | 0.28 | 30 | 0.16 | 293 | 1 | 0.04 | 1 | 230 | 4 | <0.01 | <2 | 1 | 20 |
| H276026 | <10 | <1 | 0.35 | 40 | 0.18 | 311 | 2 | 0.03 | 1 | 260 | 5 | 0.02 | <2 | 2 | 38 |
| H276027 | <10 | <1 | 0.36 | 40 | 0.18 | 322 | <1 | 0.04 | 1 | 250 | 5 | <0.01 | <2 | 2 | 38 |
| H276028 | <10 | 1 | 0.24 | 30 | 0.12 | 246 | <1 | 0.03 | 1 | 180 | 5 | <0.01 | <2 | 2 | 21 |
| H276029 | <10 | 1 | 0.25 | 40 | 0.15 | 309 | <1 | 0.04 | 1 | 190 | 3 | <0.01 | <2 | 1 | 18 |
| H276030 | 10 | 1 | 0.22 | 10 | 0.95 | 482 | 41 | 0.08 | 173 | 590 | 242 | 1.05 | 14 | 5 | 48 |
| H276031 | <10 | <1 | 0.25 | 40 | 0.19 | 281 | <1 | 0.04 | 1 | 200 | 4 | 0.06 | 2 | 2 | 20 |
| H276032 | <10 | 3 | 0.21 | 30 | 0.19 | 323 | <1 | 0.02 | <1 | 180 | 5 | 0.13 | 12 | 2 | 25 |
| H276033 | <10 | <1 | 0.34 | 40 | 0.15 | 321 | <1 | 0.03 | 1 | 210 | 4 | 0.03 | <2 | 2 | 28 |
| H276034 | <10 | 1 | 0.27 | 40 | 0.14 | 273 | <1 | 0.03 | 1 | 210 | 4 | 0.01 | 3 | 2 | 24 |
| H276035 | <10 | 2 | 0.20 | 30 | 0.09 | 242 | <1 | 0.03 | <1 | 260 | 3 | <0.01 | 7 | 2 | 13 |
| H276036 | <10 | 1 | 0.36 | 30 | 0.21 | 238 | <1 | 0.02 | <1 | 310 | 4 | <0.01 | 2 | 2 | 15 |
| H276037 | <10 | <1 | 0.20 | 30 | 0.10 | 255 | 1 | 0.04 | 8 | 260 | 8 | <0.01 | <2 | 2 | 13 |
| H276038 | <10 | 1 | 0.27 | 30 | 0.10 | 286 | <1 | 0.02 | 2 | 250 | 6 | <0.01 | <2 | 1 | 12 |
| H276039 | <10 | 1 | 0.43 | 30 | 0.18 | 477 | <1 | 0.03 | 1 | 360 | 7 | 0.02 | 2 | 2 | 23 |
| H276040 | 10 | <1 | 0.22 | 10 | 0.97 | 493 | 44 | 0.09 | 176 | 610 | 244 | 1.07 | 13 | 5 | 48 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - C
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276001 | | <20 | 0.01 | <10 | <10 | 2 | <10 | 27 |
| H276002 | | <20 | <0.01 | <10 | 10 | 3 | <10 | 30 |
| H276003 | | 20 | 0.03 | <10 | <10 | 2 | <10 | 25 |
| H276004 | | 20 | 0.04 | <10 | <10 | 4 | <10 | 28 |
| H276005 | | 20 | 0.01 | <10 | <10 | 2 | <10 | 20 |
| H276006 | | 20 | 0.04 | <10 | <10 | 4 | <10 | 26 |
| H276007 | | 20 | 0.03 | <10 | <10 | 4 | <10 | 15 |
| H276008 | | <20 | 0.05 | <10 | <10 | 8 | <10 | 23 |
| H276009 | | 20 | 0.02 | <10 | <10 | 3 | <10 | 14 |
| H276010 | | <20 | 0.01 | <10 | <10 | 79 | <10 | 165 |
| H276011 | | <20 | 0.14 | <10 | <10 | 58 | 10 | 42 |
| H276012 | | <20 | 0.04 | <10 | <10 | 4 | <10 | 22 |
| H276013 | | 20 | 0.03 | <10 | <10 | 5 | <10 | 27 |
| H276014 | | <20 | 0.01 | <10 | <10 | 3 | <10 | 29 |
| H276015 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 26 |
| H276016 | | 20 | 0.06 | <10 | <10 | 10 | <10 | 36 |
| H276017 | | <20 | 0.05 | <10 | <10 | 5 | <10 | 26 |
| H276018 | | 20 | 0.03 | <10 | <10 | 3 | <10 | 19 |
| H276019 | | 20 | 0.06 | <10 | <10 | 7 | <10 | 34 |
| H276020 | | <20 | 0.14 | <10 | <10 | 58 | 10 | 41 |
| H276021 | | 20 | 0.02 | <10 | <10 | 11 | <10 | 26 |
| H276022 | | 20 | 0.04 | <10 | <10 | 13 | <10 | 23 |
| H276023 | | 20 | 0.04 | <10 | <10 | 11 | <10 | 26 |
| H276024 | | <20 | 0.07 | <10 | <10 | 9 | <10 | 29 |
| H276025 | | 20 | 0.04 | <10 | <10 | 4 | <10 | 24 |
| H276026 | | 20 | 0.04 | <10 | <10 | 7 | <10 | 28 |
| H276027 | | 20 | 0.05 | <10 | <10 | 6 | <10 | 26 |
| H276028 | | 20 | 0.02 | <10 | <10 | 5 | <10 | 23 |
| H276029 | | 20 | 0.03 | <10 | <10 | 6 | <10 | 25 |
| H276030 | | <20 | 0.12 | <10 | <10 | 65 | 10 | 635 |
| H276031 | | 20 | 0.02 | <10 | <10 | 5 | <10 | 31 |
| H276032 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 27 |
| H276033 | | 20 | 0.04 | <10 | <10 | 6 | <10 | 32 |
| H276034 | | 20 | 0.03 | <10 | <10 | 4 | <10 | 26 |
| H276035 | | <20 | 0.01 | <10 | <10 | 6 | <10 | 18 |
| H276036 | | <20 | 0.04 | <10 | <10 | 8 | <10 | 30 |
| H276037 | | 20 | 0.01 | <10 | <10 | 10 | <10 | 43 |
| H276038 | | 20 | 0.01 | <10 | <10 | 8 | <10 | 22 |
| H276039 | | 20 | 0.04 | <10 | <10 | 8 | <10 | 30 |
| H276040 | | <20 | 0.12 | <10 | <10 | 66 | 10 | 657 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| H276041 | | 3.54 | 0.004 | 0.2 | 0.75 | 5 | <10 | 210 | 0.6 | <2 | 0.20 | <0.5 | 1 | 6 | 6 | 1.49 |
| H276042 | | 3.50 | 0.004 | 0.3 | 0.83 | <2 | <10 | 160 | 0.8 | <2 | 0.20 | <0.5 | 2 | 5 | 2 | 1.63 |
| H276043 | | 3.30 | 0.009 | 0.3 | 0.55 | 4 | <10 | 560 | 0.8 | <2 | 0.15 | <0.5 | 1 | 5 | 3 | 1.04 |
| H276044 | | 2.02 | 0.022 | 0.2 | 0.55 | 10 | <10 | 580 | 1.0 | <2 | 0.14 | <0.5 | 2 | 5 | 28 | 1.64 |
| H276045 | | 2.36 | 0.177 | 0.8 | 0.56 | 19 | <10 | 120 | 1.6 | <2 | 0.16 | <0.5 | 2 | 6 | 28 | 2.05 |
| H276046 | | 2.24 | 2.83 | 0.6 | 0.42 | 9 | <10 | 80 | 0.9 | <2 | 0.13 | <0.5 | 2 | 7 | 6 | 1.22 |
| H276047 | | 2.32 | 0.312 | 0.6 | 0.69 | 14 | <10 | 540 | 1.1 | <2 | 0.21 | <0.5 | 2 | 5 | 4 | 1.62 |
| H276048 | | 1.82 | 0.551 | 0.2 | 0.55 | 5 | <10 | 1220 | 0.9 | <2 | 0.16 | <0.5 | 1 | 5 | 4 | 1.53 |
| H276049 | | 2.48 | 0.023 | <0.2 | 0.56 | 5 | <10 | 1300 | 1.0 | <2 | 0.16 | <0.5 | 2 | 6 | 5 | 1.63 |
| H276050 | | 0.30 | 1.845 | 3.8 | 1.14 | 34 | <10 | 80 | <0.5 | 6 | 0.97 | 1.5 | 18 | 63 | 8270 | 4.04 |
| H276051 | | 2.10 | 0.019 | 0.8 | 0.55 | 4 | <10 | 1580 | 0.9 | <2 | 0.19 | <0.5 | 2 | 5 | 19 | 1.45 |
| H276052 | | 2.28 | 0.013 | 0.3 | 0.65 | 6 | <10 | 80 | 1.3 | <2 | 0.21 | <0.5 | 1 | 28 | 1 | 1.28 |
| H276053 | | 2.20 | 0.039 | 0.4 | 0.56 | 7 | <10 | 170 | 1.3 | <2 | 0.19 | <0.5 | 1 | 4 | 3 | 0.96 |
| H276054 | | 2.38 | 0.079 | 0.4 | 0.38 | 13 | <10 | 430 | 1.3 | <2 | 0.58 | <0.5 | 1 | 4 | 1 | 1.21 |
| H276055 | | 2.86 | 0.588 | 1.9 | 0.38 | 13 | <10 | 650 | 1.6 | <2 | 0.11 | <0.5 | 1 | 25 | 4 | 1.46 |
| H276056 | | 2.70 | 0.025 | <0.2 | 0.29 | 13 | <10 | 230 | 1.0 | <2 | 0.90 | <0.5 | 1 | 4 | 2 | 1.77 |
| H276057 | | 2.78 | 0.037 | <0.2 | 0.28 | 5 | <10 | 670 | 1.0 | <2 | 0.96 | <0.5 | 1 | 4 | 1 | 1.61 |
| H276058 | | 2.82 | 0.005 | <0.2 | 0.35 | 4 | <10 | 360 | 1.0 | <2 | 0.80 | <0.5 | 2 | 20 | 1 | 1.70 |
| H276059 | | 2.74 | 0.016 | <0.2 | 0.27 | 15 | <10 | 280 | 0.7 | <2 | 0.72 | <0.5 | 2 | 5 | 2 | 1.63 |
| H276060 | | 0.30 | 1.645 | 4.2 | 1.13 | 36 | <10 | 80 | <0.5 | 2 | 0.98 | 1.5 | 18 | 62 | 8390 | 4.07 |
| H276061 | | 2.82 | 0.013 | <0.2 | 0.36 | 27 | <10 | 210 | 0.9 | <2 | 0.62 | <0.5 | 1 | 5 | 20 | 1.72 |
| H276062 | | 2.62 | 0.013 | <0.2 | 0.41 | 17 | <10 | 160 | 1.0 | <2 | 0.30 | <0.5 | 2 | 16 | 2 | 1.63 |
| H276063 | | 2.48 | 0.041 | 0.2 | 0.34 | 48 | <10 | 300 | 0.9 | <2 | 0.18 | <0.5 | 1 | 4 | 2 | 1.45 |
| H276064 | | 2.54 | 0.198 | 0.4 | 0.31 | 73 | <10 | 1160 | 0.9 | <2 | 0.10 | <0.5 | 2 | 4 | 4 | 1.79 |
| H276065 | | 2.58 | 0.952 | 0.8 | 0.31 | 105 | <10 | 2490 | 1.2 | <2 | 0.06 | <0.5 | 3 | 23 | 16 | 1.85 |
| H276066 | | 2.52 | 3.20 | 1.0 | 0.29 | 45 | <10 | 600 | 1.2 | <2 | 0.06 | <0.5 | 2 | 7 | 27 | 1.15 |
| H276067 | | 2.54 | 2.82 | 3.4 | 0.14 | 8 | <10 | 1250 | <0.5 | <2 | 0.05 | <0.5 | 1 | 13 | 20 | 0.77 |
| H276068 | | 2.80 | 1.715 | 2.1 | 0.24 | 10 | <10 | 1150 | <0.5 | <2 | 0.04 | <0.5 | 1 | 27 | 11 | 1.46 |
| H276069 | | 2.70 | 2.31 | 1.8 | 0.25 | 24 | <10 | 420 | <0.5 | <2 | 0.03 | <0.5 | 4 | 9 | 27 | 1.86 |
| H276070 | | 0.30 | 0.002 | 0.2 | 1.60 | 7 | <10 | 100 | <0.5 | <2 | 0.94 | <0.5 | 7 | 30 | 21 | 2.30 |
| H276071 | | 2.46 | 4.17 | 2.1 | 0.28 | 7 | <10 | 1680 | 0.5 | <2 | 0.10 | <0.5 | 4 | 6 | 20 | 1.98 |
| H276072 | | 2.26 | 3.09 | 1.7 | 0.36 | 5 | <10 | 1470 | 0.7 | <2 | 0.30 | <0.5 | 3 | 19 | 20 | 2.03 |
| H276073 | | 2.62 | 3.80 | 1.3 | 0.32 | 3 | <10 | 410 | 0.6 | <2 | 0.82 | <0.5 | 2 | 5 | 18 | 1.73 |
| H276074 | | 2.74 | 3.11 | 0.7 | 0.32 | <2 | <10 | 440 | <0.5 | <2 | 0.95 | <0.5 | 3 | 5 | 12 | 1.85 |
| H276075 | | 2.84 | 2.85 | 0.9 | 0.25 | 8 | <10 | 410 | <0.5 | <2 | 0.50 | <0.5 | 3 | 21 | 28 | 1.86 |
| H276076 | | 2.76 | 2.66 | 0.8 | 0.27 | 10 | <10 | 500 | 0.6 | <2 | 0.80 | <0.5 | 3 | 7 | 21 | 1.98 |
| H276077 | | 2.68 | 1.690 | 0.6 | 0.29 | 8 | <10 | 640 | 0.6 | <2 | 1.02 | <0.5 | 2 | 6 | 56 | 2.09 |
| H276078 | | 2.66 | 0.042 | <0.2 | 0.70 | 4 | <10 | 250 | 0.6 | <2 | 1.69 | <0.5 | 2 | 15 | 30 | 2.40 |
| H276079 | | 2.90 | 0.011 | <0.2 | 0.93 | 4 | <10 | 270 | 0.5 | <2 | 1.41 | <0.5 | 2 | 3 | 8 | 2.55 |
| H276080 | | 0.30 | 0.749 | 10.0 | 1.92 | 78 | <10 | 230 | <0.5 | 4 | 1.23 | 4.6 | 19 | 83 | 1390 | 4.63 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc |
| | Units | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm |
| LOR | | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| H276041 | | <10 | <1 | 0.41 | 30 | 0.20 | 274 | <1 | 0.04 | 2 | 310 | 5 | <0.01 | <2 | 2 |
| H276042 | | <10 | <1 | 0.41 | 20 | 0.22 | 306 | <1 | 0.03 | 1 | 330 | 5 | <0.01 | <2 | 2 |
| H276043 | | <10 | <1 | 0.23 | 20 | 0.09 | 178 | <1 | 0.02 | 1 | 230 | 6 | <0.01 | <2 | 1 |
| H276044 | | <10 | <1 | 0.24 | 20 | 0.08 | 607 | 1 | 0.01 | 1 | 180 | 7 | <0.01 | 5 | 1 |
| H276045 | | <10 | <1 | 0.22 | 10 | 0.08 | 378 | 2 | 0.01 | <1 | 240 | 12 | <0.01 | 19 | 1 |
| H276046 | | <10 | <1 | 0.20 | 10 | 0.06 | 232 | 1 | 0.01 | 1 | 230 | 12 | <0.01 | 3 | 2 |
| H276047 | | <10 | 1 | 0.26 | 20 | 0.11 | 237 | 1 | 0.01 | 1 | 330 | 8 | <0.01 | 3 | 2 |
| H276048 | | <10 | <1 | 0.22 | 20 | 0.09 | 224 | 2 | 0.02 | 1 | 220 | 9 | 0.02 | 2 | 2 |
| H276049 | | <10 | <1 | 0.24 | 30 | 0.10 | 222 | <1 | 0.03 | <1 | 230 | 4 | 0.02 | <2 | 2 |
| H276050 | | <10 | <1 | 0.45 | 20 | 0.62 | 208 | 573 | 0.04 | 64 | 520 | 45 | 2.71 | 19 | 5 |
| H276051 | | <10 | <1 | 0.22 | 30 | 0.10 | 260 | 1 | 0.02 | 1 | 250 | 6 | 0.03 | 3 | 1 |
| H276052 | | <10 | <1 | 0.22 | 20 | 0.11 | 174 | 1 | 0.02 | 1 | 250 | 6 | <0.01 | 2 | 2 |
| H276053 | | <10 | <1 | 0.20 | 20 | 0.11 | 224 | <1 | <0.01 | 1 | 230 | 6 | <0.01 | 2 | 2 |
| H276054 | | <10 | <1 | 0.18 | 20 | 0.04 | 242 | <1 | 0.02 | 1 | 190 | 6 | <0.01 | 3 | 2 |
| H276055 | | <10 | <1 | 0.23 | 20 | 0.03 | 401 | 2 | 0.01 | 2 | 170 | 14 | 0.02 | 5 | 2 |
| H276056 | | <10 | 1 | 0.20 | 30 | 0.17 | 393 | 1 | 0.01 | 1 | 260 | 8 | 0.16 | 3 | 3 |
| H276057 | | <10 | <1 | 0.20 | 20 | 0.19 | 397 | 1 | 0.01 | <1 | 220 | 7 | 0.14 | 3 | 3 |
| H276058 | | <10 | 1 | 0.26 | 20 | 0.18 | 403 | 5 | 0.01 | 1 | 240 | 7 | 0.08 | 2 | 3 |
| H276059 | | <10 | 1 | 0.20 | 30 | 0.12 | 344 | <1 | 0.02 | 1 | 260 | 6 | 0.13 | 3 | 2 |
| H276060 | | <10 | <1 | 0.45 | 20 | 0.63 | 210 | 573 | 0.04 | 63 | 520 | 44 | 2.73 | 18 | 4 |
| H276061 | | <10 | 1 | 0.23 | 20 | 0.09 | 496 | 2 | 0.01 | 2 | 260 | 7 | 0.06 | 2 | 2 |
| H276062 | | <10 | 1 | 0.25 | 20 | 0.04 | 625 | 2 | 0.01 | 2 | 260 | 6 | <0.01 | <2 | 2 |
| H276063 | | <10 | 1 | 0.22 | 20 | 0.03 | 385 | 1 | 0.01 | 1 | 260 | 7 | <0.01 | 4 | 3 |
| H276064 | | <10 | 1 | 0.19 | 20 | 0.04 | 524 | 2 | 0.01 | 2 | 260 | 7 | 0.02 | 4 | 3 |
| H276065 | | <10 | 2 | 0.23 | 10 | 0.03 | 827 | 5 | <0.01 | 3 | 210 | 8 | 0.05 | 4 | 2 |
| H276066 | | <10 | 1 | 0.19 | 10 | 0.03 | 278 | 4 | <0.01 | 2 | 160 | 9 | <0.01 | 10 | 1 |
| H276067 | | <10 | 1 | 0.08 | <10 | 0.03 | 118 | 169 | <0.01 | 1 | 70 | 69 | 0.04 | 6 | 1 |
| H276068 | | <10 | 1 | 0.22 | 20 | 0.02 | 50 | 17 | 0.01 | 1 | 200 | 13 | 0.22 | 6 | 1 |
| H276069 | | <10 | 1 | 0.14 | 20 | 0.02 | 430 | 29 | 0.03 | 3 | 320 | 13 | 0.07 | 14 | 2 |
| H276070 | | <10 | <1 | 0.13 | <10 | 0.72 | 375 | 1 | 0.10 | 18 | 560 | 5 | 0.04 | 2 | 5 |
| H276071 | | <10 | <1 | 0.12 | 30 | 0.04 | 393 | 33 | 0.05 | 2 | 330 | 29 | 0.05 | 12 | 3 |
| H276072 | | <10 | <1 | 0.20 | 20 | 0.04 | 378 | 20 | 0.08 | 1 | 350 | 11 | 0.14 | 10 | 2 |
| H276073 | | <10 | <1 | 0.21 | 30 | 0.10 | 267 | 4 | 0.03 | 2 | 330 | 8 | 0.36 | 8 | 2 |
| H276074 | | <10 | <1 | 0.22 | 30 | 0.19 | 266 | 2 | 0.05 | <1 | 320 | 9 | 0.55 | <2 | 1 |
| H276075 | | <10 | 3 | 0.14 | 20 | 0.08 | 150 | 11 | 0.05 | 1 | 280 | 9 | 0.64 | 13 | 1 |
| H276076 | | <10 | 1 | 0.18 | 20 | 0.12 | 245 | 13 | 0.04 | 1 | 310 | 10 | 0.57 | 8 | 2 |
| H276077 | | <10 | 1 | 0.19 | 20 | 0.26 | 299 | 3 | 0.04 | <1 | 400 | 8 | 0.44 | 12 | 2 |
| H276078 | | <10 | <1 | 0.40 | 40 | 0.37 | 507 | <1 | 0.06 | 1 | 610 | 6 | 0.11 | <2 | 2 |
| H276079 | | <10 | <1 | 0.49 | 40 | 0.37 | 592 | 1 | 0.04 | <1 | 650 | 5 | 0.08 | <2 | 2 |
| H276080 | | 10 | 1 | 0.25 | 10 | 1.04 | 530 | 46 | 0.10 | 184 | 640 | 255 | 1.13 | 13 | 6 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 3 - C
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276041 | | 20 | 0.05 | <10 | <10 | 7 | <10 | 25 |
| H276042 | | 20 | 0.05 | <10 | <10 | 8 | <10 | 33 |
| H276043 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 19 |
| H276044 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 18 |
| H276045 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 24 |
| H276046 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 17 |
| H276047 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 26 |
| H276048 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 22 |
| H276049 | | <20 | 0.01 | <10 | <10 | 4 | <10 | 25 |
| H276050 | | <20 | 0.04 | <10 | <10 | 39 | 10 | 73 |
| H276051 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 24 |
| H276052 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 19 |
| H276053 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 18 |
| H276054 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 14 |
| H276055 | | <20 | <0.01 | <10 | <10 | 2 | <10 | 14 |
| H276056 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 26 |
| H276057 | | <20 | <0.01 | <10 | <10 | 2 | <10 | 23 |
| H276058 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 24 |
| H276059 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 23 |
| H276060 | | <20 | 0.04 | <10 | <10 | 38 | 10 | 74 |
| H276061 | | <20 | <0.01 | <10 | <10 | 2 | <10 | 25 |
| H276062 | | <20 | <0.01 | <10 | <10 | 2 | <10 | 26 |
| H276063 | | <20 | <0.01 | <10 | <10 | 3 | <10 | 25 |
| H276064 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 21 |
| H276065 | | <20 | <0.01 | <10 | <10 | 3 | 30 | 20 |
| H276066 | | <20 | <0.01 | <10 | <10 | 6 | 10 | 14 |
| H276067 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 10 |
| H276068 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 5 |
| H276069 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 19 |
| H276070 | | <20 | 0.16 | <10 | <10 | 62 | 10 | 43 |
| H276071 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 21 |
| H276072 | | <20 | <0.01 | <10 | <10 | 6 | <10 | 23 |
| H276073 | | <20 | 0.01 | <10 | <10 | 8 | <10 | 25 |
| H276074 | | 20 | 0.01 | <10 | <10 | 8 | <10 | 24 |
| H276075 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 13 |
| H276076 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 24 |
| H276077 | | <20 | <0.01 | <10 | <10 | 8 | <10 | 28 |
| H276078 | | <20 | 0.05 | <10 | <10 | 11 | <10 | 33 |
| H276079 | | <20 | 0.08 | <10 | <10 | 8 | <10 | 43 |
| H276080 | | <20 | 0.15 | <10 | <10 | 73 | 10 | 691 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 4 - A
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| H276081 | | 2.76 | 0.009 | 0.2 | 0.80 | <2 | <10 | 240 | <0.5 | <2 | 0.92 | <0.5 | 2 | 5 | 16 | 2.27 |
| H276082 | | 2.72 | 0.634 | 0.3 | 0.70 | <2 | <10 | 520 | <0.5 | <2 | 0.83 | <0.5 | 3 | 16 | 17 | 2.67 |
| H276083 | | 2.84 | 0.006 | <0.2 | 1.14 | 2 | <10 | 340 | 0.5 | <2 | 1.43 | <0.5 | 3 | 8 | 19 | 2.84 |
| H276084 | | 2.74 | 0.045 | <0.2 | 0.92 | 6 | <10 | 630 | <0.5 | <2 | 1.09 | <0.5 | 3 | 6 | 11 | 2.46 |
| H276085 | | 2.84 | 0.007 | <0.2 | 0.95 | 3 | <10 | 260 | 0.5 | <2 | 0.91 | <0.5 | 2 | 16 | 5 | 2.08 |
| H276086 | | 2.96 | 0.058 | 0.2 | 0.84 | 4 | <10 | 370 | 0.5 | <2 | 1.34 | <0.5 | 2 | 5 | 5 | 1.80 |
| H276087 | | 2.62 | 4.56 | 0.9 | 0.36 | <2 | <10 | 160 | 0.5 | <2 | 2.02 | <0.5 | 2 | 6 | 160 | 1.91 |
| H276088 | | 2.94 | 0.728 | 0.3 | 0.70 | 2 | <10 | 760 | 0.6 | <2 | 1.30 | <0.5 | 3 | 16 | 26 | 1.69 |
| H276089 | | 2.72 | 0.012 | <0.2 | 0.76 | 2 | <10 | 220 | <0.5 | <2 | 1.08 | <0.5 | 3 | 8 | 13 | 1.65 |
| H276090 | | 0.28 | 0.523 | 2.6 | 1.39 | 70 | <10 | 90 | <0.5 | <2 | 4.32 | 2.0 | 16 | 26 | 4690 | 5.26 |
| H276091 | | 2.80 | 0.029 | <0.2 | 0.98 | 3 | <10 | 110 | 0.5 | <2 | 0.77 | <0.5 | 2 | 20 | 18 | 1.84 |
| H276092 | | 2.82 | 0.070 | <0.2 | 0.66 | <2 | <10 | 650 | <0.5 | <2 | 1.44 | <0.5 | 3 | 8 | 8 | 1.82 |
| H276093 | | 4.36 | 0.028 | <0.2 | 0.89 | <2 | <10 | 260 | 0.5 | <2 | 0.97 | <0.5 | 3 | 9 | 9 | 1.94 |
| H276094 | | 4.16 | 0.524 | 0.5 | 0.72 | 32 | <10 | 530 | 0.7 | <2 | 1.18 | <0.5 | 3 | 7 | 62 | 2.16 |
| H276095 | | 3.66 | 1.970 | 0.5 | 0.72 | <2 | <10 | 540 | 0.5 | <2 | 1.31 | <0.5 | 2 | 19 | 16 | 2.11 |
| H276096 | | 4.30 | 0.008 | <0.2 | 0.81 | 5 | <10 | 300 | 0.5 | <2 | 1.35 | <0.5 | 3 | 8 | 23 | 2.01 |
| H276097 | | 4.22 | 0.013 | 0.2 | 0.72 | 6 | <10 | 180 | 0.5 | <2 | 1.01 | <0.5 | 2 | 7 | 11 | 1.92 |
| H276098 | | 4.08 | 0.004 | <0.2 | 0.86 | 2 | <10 | 170 | 0.5 | <2 | 0.83 | <0.5 | 3 | 20 | 7 | 1.98 |
| H276099 | | 2.76 | 0.001 | <0.2 | 0.83 | <2 | <10 | 140 | <0.5 | <2 | 0.71 | <0.5 | 3 | 7 | 7 | 1.86 |
| H276100 | | 0.30 | 0.533 | 2.7 | 1.42 | 74 | <10 | 100 | <0.5 | <2 | 4.41 | 2.1 | 17 | 26 | 4780 | 5.38 |
| H276101 | | 2.90 | 0.002 | <0.2 | 0.72 | <2 | <10 | 370 | <0.5 | <2 | 0.67 | <0.5 | 2 | 7 | 13 | 1.92 |
| H276102 | | 2.80 | 0.002 | <0.2 | 0.57 | 7 | <10 | 220 | 0.6 | <2 | 0.93 | <0.5 | 2 | 7 | 7 | 1.92 |
| H276103 | | 2.98 | 0.002 | <0.2 | 0.53 | 2 | <10 | 300 | 0.7 | <2 | 1.40 | <0.5 | 3 | 7 | 12 | 1.72 |
| H276104 | | 2.90 | 0.012 | <0.2 | 0.60 | 7 | <10 | 250 | 0.8 | <2 | 2.43 | <0.5 | 7 | 25 | 7 | 2.72 |
| H276105 | | 2.88 | 0.048 | <0.2 | 0.75 | 3 | <10 | 140 | 0.5 | <2 | 0.84 | <0.5 | 3 | 10 | 14 | 1.91 |
| H276106 | | 2.12 | 0.011 | <0.2 | 0.59 | 4 | <10 | 230 | 0.7 | <2 | 1.31 | <0.5 | 3 | 8 | 8 | 2.18 |
| H276107 | | 1.96 | <0.001 | <0.2 | 2.46 | <2 | <10 | 1290 | 0.5 | <2 | 0.50 | <0.5 | 17 | 270 | 41 | 3.27 |
| H276108 | | 2.02 | <0.001 | 0.4 | 3.12 | 3 | <10 | 1080 | 0.7 | <2 | 0.41 | <0.5 | 27 | 686 | 45 | 3.79 |
| H276109 | | 3.12 | 0.001 | 0.2 | 1.87 | 5 | <10 | 520 | 0.7 | <2 | 0.53 | <0.5 | 20 | 441 | 11 | 2.55 |
| H276110 | | 0.30 | 1.890 | 4.1 | 1.23 | 35 | <10 | 190 | <0.5 | 7 | 1.03 | 1.6 | 17 | 70 | 8600 | 4.19 |
| H276111 | | 2.96 | 0.002 | 0.3 | 2.08 | 2 | <10 | 1130 | 0.5 | <2 | 0.53 | <0.5 | 12 | 122 | 90 | 3.81 |
| H276112 | | 2.86 | 0.002 | 0.5 | 1.59 | 18 | <10 | 680 | 0.5 | 2 | 0.28 | <0.5 | 12 | 53 | 49 | 3.15 |
| H276113 | | 2.12 | 0.002 | 0.2 | 1.51 | 18 | <10 | 1030 | 0.5 | <2 | 0.31 | <0.5 | 11 | 54 | 52 | 3.20 |
| H276114 | | 3.04 | 0.005 | 0.2 | 2.69 | 154 | <10 | 1540 | 0.9 | <2 | 1.08 | <0.5 | 20 | 250 | 36 | 4.47 |
| H276115 | | 2.24 | <0.001 | <0.2 | 2.61 | 3 | <10 | 1110 | 0.7 | <2 | 0.36 | <0.5 | 16 | 270 | 8 | 3.28 |
| H276116 | | 3.62 | <0.001 | 0.3 | 1.77 | 3 | <10 | 680 | 1.2 | <2 | 0.30 | <0.5 | 12 | 152 | 26 | 2.75 |
| H276117 | | 4.64 | <0.001 | <0.2 | 1.92 | 3 | <10 | 1120 | 0.5 | <2 | 0.34 | <0.5 | 11 | 107 | 55 | 2.95 |
| H276118 | | 4.22 | 0.001 | <0.2 | 3.14 | <2 | <10 | 960 | 0.9 | <2 | 0.77 | <0.5 | 32 | 880 | 15 | 3.44 |
| H276119 | | 3.40 | <0.001 | 0.3 | 3.42 | 2 | <10 | 530 | 1.0 | <2 | 1.16 | <0.5 | 38 | 1065 | 1 | 3.41 |
| H276120 | | 0.30 | 0.548 | 2.6 | 1.28 | 72 | <10 | 140 | <0.5 | <2 | 4.05 | 1.9 | 15 | 27 | 4390 | 4.90 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Ga | Hg | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc |
| | Units | ppm | ppm | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm |
| LOR | | 10 | 1 | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 2 | 1 |
| H276081 | | <10 | <1 | 0.37 | 40 | 0.36 | 458 | 1 | 0.05 | <1 | 490 | 6 | 0.03 | <2 | 1 |
| H276082 | | <10 | <1 | 0.33 | 40 | 0.35 | 393 | 2 | 0.06 | <1 | 590 | 6 | 0.30 | <2 | 2 |
| H276083 | | 10 | <1 | 0.56 | 40 | 0.45 | 623 | 1 | 0.05 | 1 | 640 | 5 | 0.09 | <2 | 2 |
| H276084 | | 10 | <1 | 0.41 | 40 | 0.33 | 458 | 3 | 0.05 | <1 | 560 | 4 | 0.09 | <2 | 2 |
| H276085 | | <10 | <1 | 0.45 | 40 | 0.36 | 462 | 1 | 0.08 | 1 | 450 | 5 | 0.08 | <2 | 2 |
| H276086 | | <10 | <1 | 0.46 | 40 | 0.30 | 523 | 19 | 0.05 | <1 | 480 | 10 | 0.07 | <2 | 2 |
| H276087 | | <10 | <1 | 0.21 | 30 | 0.35 | 472 | 5 | 0.04 | 1 | 490 | 8 | 0.63 | 2 | 2 |
| H276088 | | <10 | <1 | 0.30 | 40 | 0.34 | 459 | 2 | 0.05 | <1 | 450 | 5 | 0.27 | <2 | 1 |
| H276089 | | <10 | <1 | 0.38 | 40 | 0.34 | 473 | 1 | 0.05 | 2 | 410 | 6 | 0.07 | <2 | 1 |
| H276090 | | <10 | <1 | 0.26 | 10 | 1.26 | 737 | 42 | 0.08 | 18 | 1170 | 29 | 2.20 | 13 | 8 |
| H276091 | | <10 | <1 | 0.44 | 40 | 0.38 | 489 | 1 | 0.06 | 2 | 380 | 5 | 0.06 | <2 | 1 |
| H276092 | | <10 | <1 | 0.35 | 40 | 0.31 | 535 | 1 | 0.05 | 1 | 380 | 7 | 0.15 | <2 | 1 |
| H276093 | | <10 | <1 | 0.43 | 40 | 0.35 | 508 | 1 | 0.05 | 2 | 390 | 6 | 0.09 | <2 | 1 |
| H276094 | | <10 | 1 | 0.42 | 40 | 0.37 | 592 | 3 | 0.04 | 2 | 370 | 11 | 0.28 | 25 | 1 |
| H276095 | | <10 | <1 | 0.38 | 40 | 0.34 | 599 | 2 | 0.05 | 2 | 400 | 8 | 0.29 | <2 | 1 |
| H276096 | | <10 | <1 | 0.31 | 40 | 0.32 | 670 | 1 | 0.05 | 2 | 340 | 9 | 0.19 | <2 | 1 |
| H276097 | | <10 | <1 | 0.34 | 40 | 0.29 | 541 | 2 | 0.05 | 1 | 360 | 42 | 0.17 | <2 | 1 |
| H276098 | | <10 | <1 | 0.38 | 40 | 0.32 | 536 | 1 | 0.06 | 2 | 370 | 6 | 0.05 | <2 | 1 |
| H276099 | | <10 | <1 | 0.35 | 40 | 0.33 | 468 | 1 | 0.04 | 1 | 380 | 4 | 0.02 | <2 | 1 |
| H276100 | | <10 | 1 | 0.27 | 10 | 1.29 | 753 | 41 | 0.08 | 19 | 1190 | 30 | 2.24 | 11 | 8 |
| H276101 | | <10 | <1 | 0.38 | 40 | 0.30 | 479 | <1 | 0.05 | 1 | 370 | 4 | 0.03 | <2 | 1 |
| H276102 | | <10 | <1 | 0.32 | 40 | 0.37 | 503 | <1 | 0.05 | 1 | 390 | 5 | 0.08 | <2 | 1 |
| H276103 | | <10 | 1 | 0.31 | 30 | 0.48 | 514 | <1 | 0.05 | 2 | 350 | 4 | 0.06 | 4 | 1 |
| H276104 | | <10 | 1 | 0.27 | 20 | 0.98 | 653 | 1 | 0.03 | 14 | 640 | 10 | 0.10 | 4 | 4 |
| H276105 | | <10 | <1 | 0.35 | 40 | 0.40 | 470 | 1 | 0.06 | 3 | 370 | 5 | 0.13 | <2 | 1 |
| H276106 | | <10 | 1 | 0.31 | 40 | 0.46 | 544 | 1 | 0.05 | 3 | 360 | 5 | 0.11 | 2 | 1 |
| H276107 | | 10 | <1 | 1.67 | 20 | 2.70 | 406 | <1 | 0.04 | 153 | 1000 | 3 | 0.02 | <2 | 6 |
| H276108 | | 10 | <1 | 2.37 | 10 | 3.79 | 445 | <1 | 0.03 | 281 | 670 | 2 | <0.01 | <2 | 6 |
| H276109 | | 10 | <1 | 1.32 | 10 | 2.78 | 381 | <1 | 0.05 | 214 | 740 | <2 | 0.02 | <2 | 4 |
| H276110 | | <10 | <1 | 0.49 | 20 | 0.65 | 216 | 613 | 0.05 | 65 | 540 | 48 | 2.82 | 20 | 5 |
| H276111 | | 10 | <1 | 1.20 | 10 | 1.60 | 650 | 3 | 0.03 | 90 | 1580 | 8 | 0.04 | <2 | 6 |
| H276112 | | 10 | <1 | 0.80 | 30 | 0.97 | 491 | 1 | 0.03 | 42 | 870 | 9 | 0.02 | <2 | 4 |
| H276113 | | 10 | <1 | 0.75 | 20 | 0.88 | 474 | 1 | 0.02 | 45 | 1120 | 8 | 0.02 | <2 | 4 |
| H276114 | | 10 | <1 | 1.81 | 40 | 2.26 | 646 | <1 | 0.03 | 207 | 1150 | 6 | 0.03 | 5 | 6 |
| H276115 | | 10 | <1 | 2.05 | 20 | 2.67 | 507 | <1 | 0.04 | 157 | 340 | 4 | 0.02 | <2 | 4 |
| H276116 | | 10 | <1 | 1.26 | 40 | 1.81 | 368 | <1 | 0.08 | 104 | 590 | 8 | 0.02 | <2 | 7 |
| H276117 | | 10 | <1 | 1.30 | 20 | 1.40 | 415 | 1 | 0.04 | 62 | 930 | 5 | 0.10 | <2 | 4 |
| H276118 | | 10 | 1 | 2.41 | 10 | 6.74 | 501 | <1 | 0.02 | 536 | 290 | 3 | 0.09 | <2 | 5 |
| H276119 | | 10 | <1 | 2.56 | 10 | 8.23 | 538 | <1 | 0.02 | 683 | 90 | <2 | 0.03 | <2 | 3 |
| H276120 | | <10 | 1 | 0.24 | 10 | 1.19 | 690 | 38 | 0.08 | 20 | 1100 | 29 | 2.07 | 11 | 8 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 4 - C
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276081 | | 20 | 0.06 | <10 | <10 | 14 | <10 | 41 |
| H276082 | | <20 | 0.06 | <10 | <10 | 16 | <10 | 42 |
| H276083 | | <20 | 0.10 | <10 | <10 | 12 | <10 | 58 |
| H276084 | | 20 | 0.08 | <10 | <10 | 12 | <10 | 43 |
| H276085 | | 20 | 0.08 | <10 | <10 | 10 | <10 | 38 |
| H276086 | | 20 | 0.06 | <10 | <10 | 7 | <10 | 39 |
| H276087 | | 20 | 0.01 | <10 | <10 | 11 | <10 | 27 |
| H276088 | | 20 | 0.02 | <10 | <10 | 10 | <10 | 31 |
| H276089 | | 20 | 0.05 | <10 | <10 | 11 | <10 | 33 |
| H276090 | | <20 | 0.01 | <10 | <10 | 90 | <10 | 182 |
| H276091 | | 20 | 0.06 | <10 | <10 | 11 | <10 | 39 |
| H276092 | | 20 | 0.05 | <10 | <10 | 18 | <10 | 31 |
| H276093 | | 20 | 0.06 | <10 | <10 | 13 | <10 | 39 |
| H276094 | | 20 | 0.03 | <10 | <10 | 12 | <10 | 51 |
| H276095 | | 20 | 0.05 | <10 | <10 | 14 | <10 | 42 |
| H276096 | | 20 | 0.03 | <10 | <10 | 9 | <10 | 50 |
| H276097 | | 20 | 0.04 | <10 | <10 | 8 | <10 | 51 |
| H276098 | | 20 | 0.05 | <10 | <10 | 9 | <10 | 53 |
| H276099 | | 20 | 0.05 | <10 | <10 | 8 | <10 | 43 |
| H276100 | | <20 | 0.01 | <10 | <10 | 92 | <10 | 187 |
| H276101 | | 20 | 0.04 | <10 | <10 | 9 | <10 | 43 |
| H276102 | | 20 | 0.02 | <10 | <10 | 7 | <10 | 39 |
| H276103 | | 20 | 0.01 | <10 | <10 | 7 | <10 | 40 |
| H276104 | | <20 | 0.01 | <10 | 10 | 25 | <10 | 74 |
| H276105 | | 20 | 0.04 | <10 | <10 | 10 | <10 | 42 |
| H276106 | | 20 | 0.01 | <10 | <10 | 10 | <10 | 36 |
| H276107 | | <20 | 0.24 | <10 | <10 | 110 | <10 | 77 |
| H276108 | | <20 | 0.25 | <10 | <10 | 128 | <10 | 80 |
| H276109 | | <20 | 0.17 | <10 | <10 | 76 | <10 | 78 |
| H276110 | | <20 | 0.05 | <10 | <10 | 41 | 10 | 77 |
| H276111 | | <20 | 0.19 | <10 | <10 | 142 | <10 | 136 |
| H276112 | | <20 | 0.10 | <10 | <10 | 60 | <10 | 74 |
| H276113 | | <20 | 0.08 | <10 | <10 | 73 | <10 | 95 |
| H276114 | | 20 | 0.13 | <10 | <10 | 77 | <10 | 128 |
| H276115 | | <20 | 0.20 | <10 | <10 | 62 | <10 | 77 |
| H276116 | | <20 | 0.19 | <10 | <10 | 59 | <10 | 61 |
| H276117 | | <20 | 0.20 | <10 | <10 | 69 | <10 | 64 |
| H276118 | | <20 | 0.15 | <10 | <10 | 74 | <10 | 104 |
| H276119 | | <20 | 0.13 | <10 | <10 | 82 | <10 | 131 |
| H276120 | | <20 | 0.01 | <10 | <10 | 84 | <10 | 171 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| H276121 | | 3.20 | <0.001 | 0.9 | 3.60 | 2 | <10 | 790 | 1.2 | <2 | 0.68 | <0.5 | 33 | 962 | 32 | 3.90 |
| H276122 | | 2.88 | 0.001 | <0.2 | 3.20 | 36 | <10 | 1250 | 1.2 | <2 | 1.23 | <0.5 | 24 | 433 | 43 | 4.16 |
| H276123 | | 3.22 | <0.001 | 0.2 | 1.67 | 10 | <10 | 360 | 0.7 | <2 | 0.52 | <0.5 | 11 | 39 | 25 | 2.89 |
| H276124 | | 3.46 | 0.002 | <0.2 | 1.72 | 5 | <10 | 220 | 0.6 | <2 | 0.60 | <0.5 | 10 | 45 | 21 | 3.13 |
| H276125 | | 3.42 | 0.002 | 0.2 | 1.45 | 16 | <10 | 210 | 1.0 | <2 | 1.47 | <0.5 | 11 | 29 | 34 | 3.60 |
| H276126 | | 3.42 | <0.001 | <0.2 | 0.72 | 12 | <10 | 140 | 0.8 | <2 | 0.85 | <0.5 | 7 | 9 | 14 | 2.63 |
| H276127 | | 3.52 | 0.001 | 0.5 | 0.70 | 10 | <10 | 140 | 1.0 | <2 | 1.04 | <0.5 | 9 | 10 | 16 | 2.99 |
| H276128 | | 3.96 | 0.001 | <0.2 | 0.62 | 20 | <10 | 200 | 0.9 | <2 | 0.94 | <0.5 | 9 | 7 | 15 | 3.09 |
| H276129 | | 3.80 | 0.001 | 0.2 | 0.74 | 26 | <10 | 290 | 0.9 | <2 | 1.31 | <0.5 | 10 | 7 | 17 | 2.96 |
| H276130 | | 0.30 | 0.001 | 0.4 | 1.61 | 6 | <10 | 90 | <0.5 | <2 | 0.97 | <0.5 | 6 | 30 | 21 | 2.27 |
| H276131 | | 3.02 | 0.013 | 0.2 | 0.67 | 41 | <10 | 1770 | 1.8 | <2 | 1.79 | 0.8 | 13 | 16 | 46 | 3.61 |
| H276132 | | 3.20 | 0.006 | 0.3 | 0.97 | 68 | <10 | 550 | 1.1 | <2 | 0.46 | 0.5 | 10 | 25 | 68 | 2.89 |
| H276133 | | 3.10 | 0.002 | 0.2 | 1.43 | 25 | <10 | 320 | 0.7 | <2 | 0.32 | <0.5 | 13 | 37 | 39 | 2.94 |
| H276134 | | 4.04 | 0.002 | <0.2 | 1.68 | 21 | <10 | 470 | 0.5 | <2 | 0.51 | <0.5 | 14 | 40 | 37 | 3.30 |
| H276135 | | 2.96 | 0.001 | 0.3 | 2.56 | 110 | <10 | 830 | 0.8 | <2 | 0.75 | <0.5 | 16 | 78 | 54 | 4.30 |
| H276136 | | 3.84 | 0.001 | 0.2 | 1.93 | 7 | <10 | 570 | 0.6 | <2 | 1.70 | <0.5 | 11 | 46 | 49 | 3.11 |
| H276137 | | 4.26 | <0.001 | <0.2 | 1.35 | 4 | <10 | 190 | <0.5 | <2 | 0.23 | <0.5 | 9 | 29 | 30 | 2.52 |
| H276138 | | 3.84 | 0.002 | <0.2 | 1.17 | 13 | <10 | 280 | <0.5 | <2 | 0.15 | <0.5 | 10 | 24 | 45 | 3.29 |
| H276139 | | 4.22 | 0.001 | 0.3 | 1.20 | 5 | <10 | 510 | <0.5 | <2 | 0.15 | <0.5 | 7 | 18 | 22 | 2.23 |
| H276140 | | 0.30 | 0.002 | 0.2 | 1.64 | 6 | <10 | 100 | <0.5 | <2 | 0.99 | <0.5 | 7 | 30 | 21 | 2.29 |
| H276141 | | 3.92 | 0.001 | 0.2 | 1.35 | 4 | <10 | 220 | <0.5 | <2 | 0.19 | <0.5 | 9 | 21 | 18 | 2.54 |
| H276142 | | 3.70 | <0.001 | 0.2 | 0.89 | 23 | <10 | 290 | 0.5 | <2 | 0.18 | <0.5 | 8 | 16 | 14 | 3.27 |
| H276143 | | 3.72 | <0.001 | <0.2 | 1.09 | 16 | <10 | 270 | <0.5 | <2 | 0.15 | <0.5 | 9 | 20 | 19 | 3.35 |
| H276144 | | 4.44 | 0.001 | <0.2 | 1.53 | 3 | <10 | 360 | <0.5 | <2 | 0.32 | <0.5 | 9 | 33 | 15 | 3.11 |
| H276145 | | 3.58 | 0.011 | <0.2 | 1.02 | 2 | <10 | 250 | <0.5 | <2 | 0.53 | <0.5 | 9 | 22 | 18 | 2.60 |
| H276146 | | 3.72 | 0.001 | <0.2 | 0.57 | 4 | <10 | 180 | 0.5 | <2 | 0.76 | <0.5 | 9 | 11 | 15 | 2.64 |
| H276147 | | 3.96 | <0.001 | <0.2 | 0.83 | <2 | <10 | 200 | <0.5 | <2 | 0.83 | <0.5 | 9 | 15 | 13 | 2.70 |
| H276148 | | 4.02 | 0.001 | <0.2 | 1.26 | <2 | <10 | 240 | <0.5 | <2 | 0.45 | <0.5 | 8 | 23 | 11 | 2.67 |
| H276149 | | 3.84 | 0.002 | <0.2 | 2.33 | <2 | <10 | 510 | <0.5 | <2 | 1.33 | <0.5 | 15 | 42 | 93 | 4.41 |
| H276150 | | 0.30 | 0.730 | 9.7 | 1.84 | 73 | <10 | 200 | <0.5 | 2 | 1.14 | 4.5 | 18 | 79 | 1345 | 4.39 |
| H276151 | | 2.60 | 0.003 | <0.2 | 2.45 | 2 | <10 | 330 | <0.5 | <2 | 1.36 | <0.5 | 14 | 13 | 122 | 4.67 |
| H276152 | | 4.46 | 0.001 | <0.2 | 2.59 | 2 | <10 | 620 | <0.5 | <2 | 1.05 | <0.5 | 14 | 25 | 50 | 4.20 |
| H276153 | | 3.94 | 0.001 | <0.2 | 1.97 | <2 | <10 | 320 | <0.5 | <2 | 1.02 | <0.5 | 23 | 42 | 54 | 3.08 |
| H276154 | | 4.72 | 0.001 | <0.2 | 2.39 | <2 | <10 | 500 | <0.5 | <2 | 1.78 | <0.5 | 15 | 59 | 73 | 4.19 |
| H276155 | | 3.82 | 0.002 | <0.2 | 2.15 | <2 | <10 | 1270 | <0.5 | <2 | 1.38 | <0.5 | 17 | 33 | 142 | 4.10 |
| H276156 | | 4.18 | 0.001 | <0.2 | 3.27 | 2 | <10 | 1000 | 1.4 | <2 | 1.78 | <0.5 | 20 | 52 | 46 | 4.93 |
| H276157 | | 4.26 | 0.018 | 0.2 | 1.83 | 2 | <10 | 700 | 1.3 | <2 | 1.28 | <0.5 | 10 | 19 | 16 | 3.10 |
| H276158 | | 4.00 | 0.002 | <0.2 | 1.98 | 2 | <10 | 630 | 0.5 | <2 | 1.61 | <0.5 | 11 | 46 | 19 | 3.62 |
| H276159 | | 4.18 | 0.007 | <0.2 | 2.27 | 2 | <10 | 480 | 0.7 | <2 | 2.48 | <0.5 | 16 | 88 | 22 | 4.29 |
| H276160 | | 0.30 | 1.705 | 3.6 | 1.29 | 32 | <10 | 70 | <0.5 | 5 | 1.02 | 1.6 | 18 | 67 | 8750 | 4.24 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| H276121 | 10 | <1 | 2.85 | 10 | 7.62 | 495 | 2 | 0.02 | 585 | 210 | 3 | 0.11 | <2 | 5 | 23 |
| H276122 | 10 | <1 | 2.35 | 20 | 3.89 | 681 | 1 | 0.03 | 283 | 910 | 2 | 0.02 | 2 | 8 | 33 |
| H276123 | 10 | <1 | 0.87 | 40 | 0.92 | 389 | <1 | 0.03 | 28 | 710 | 6 | 0.02 | <2 | 3 | 17 |
| H276124 | 10 | <1 | 0.85 | 40 | 0.82 | 360 | <1 | 0.03 | 31 | 640 | 9 | 0.02 | 3 | 4 | 17 |
| H276125 | <10 | <1 | 0.60 | 40 | 0.47 | 327 | <1 | 0.02 | 32 | 550 | 16 | 0.02 | 6 | 4 | 20 |
| H276126 | <10 | <1 | 0.29 | 40 | 0.13 | 262 | <1 | 0.02 | 17 | 360 | 9 | 0.02 | 3 | 3 | 35 |
| H276127 | <10 | <1 | 0.30 | 50 | 0.17 | 389 | <1 | 0.02 | 18 | 400 | 12 | 0.02 | 3 | 3 | 58 |
| H276128 | <10 | <1 | 0.29 | 50 | 0.12 | 376 | <1 | 0.02 | 17 | 460 | 14 | 0.02 | 7 | 3 | 22 |
| H276129 | <10 | <1 | 0.29 | 40 | 0.18 | 425 | <1 | 0.02 | 20 | 450 | 13 | 0.02 | 6 | 3 | 45 |
| H276130 | <10 | <1 | 0.14 | <10 | 0.71 | 374 | 1 | 0.11 | 18 | 540 | 4 | 0.06 | 3 | 5 | 48 |
| H276131 | <10 | <1 | 0.33 | 20 | 0.12 | 947 | 3 | 0.01 | 46 | 1170 | 14 | 0.06 | 13 | 6 | 42 |
| H276132 | <10 | <1 | 0.32 | 30 | 0.19 | 308 | 1 | 0.01 | 49 | 1710 | 7 | 0.03 | 8 | 4 | 25 |
| H276133 | <10 | <1 | 0.67 | 40 | 0.59 | 386 | 1 | 0.03 | 41 | 900 | 11 | 0.01 | 5 | 4 | 16 |
| H276134 | <10 | <1 | 0.81 | 40 | 0.90 | 751 | 1 | 0.03 | 38 | 810 | 8 | 0.03 | 4 | 4 | 28 |
| H276135 | 10 | <1 | 1.48 | 30 | 1.91 | 766 | <1 | 0.02 | 43 | 1310 | 6 | 0.03 | 5 | 6 | 35 |
| H276136 | 10 | 1 | 1.22 | 20 | 1.53 | 639 | 1 | 0.02 | 26 | 850 | 3 | 0.15 | <2 | 4 | 39 |
| H276137 | 10 | <1 | 0.77 | 30 | 0.65 | 304 | <1 | 0.04 | 21 | 340 | 4 | 0.05 | 2 | 3 | 12 |
| H276138 | 10 | <1 | 0.75 | 30 | 0.51 | 434 | <1 | 0.05 | 20 | 350 | 6 | 0.12 | <2 | 4 | 14 |
| H276139 | <10 | <1 | 0.73 | 40 | 0.43 | 317 | <1 | 0.05 | 15 | 380 | 5 | 0.03 | 2 | 3 | 15 |
| H276140 | <10 | <1 | 0.14 | <10 | 0.72 | 380 | 1 | 0.11 | 18 | 550 | 3 | 0.07 | <2 | 5 | 47 |
| H276141 | <10 | <1 | 0.86 | 40 | 0.54 | 310 | <1 | 0.03 | 18 | 460 | 4 | 0.02 | <2 | 3 | 19 |
| H276142 | <10 | <1 | 0.50 | 30 | 0.27 | 906 | <1 | 0.03 | 18 | 390 | 8 | 0.01 | 2 | 3 | 18 |
| H276143 | <10 | <1 | 0.67 | 30 | 0.39 | 813 | <1 | 0.03 | 19 | 390 | 11 | 0.01 | <2 | 3 | 12 |
| H276144 | 10 | <1 | 0.88 | 30 | 0.70 | 654 | <1 | 0.06 | 20 | 400 | 26 | 0.02 | <2 | 3 | 15 |
| H276145 | <10 | <1 | 0.66 | 40 | 0.43 | 334 | <1 | 0.04 | 20 | 460 | 32 | 0.02 | <2 | 3 | 21 |
| H276146 | <10 | 1 | 0.36 | 20 | 0.24 | 371 | <1 | 0.02 | 18 | 440 | 73 | 0.02 | <2 | 3 | 26 |
| H276147 | <10 | <1 | 0.55 | 30 | 0.53 | 538 | <1 | 0.02 | 18 | 440 | 49 | 0.03 | <2 | 3 | 37 |
| H276148 | <10 | <1 | 0.90 | 40 | 0.63 | 372 | <1 | 0.03 | 17 | 480 | 34 | 0.06 | <2 | 3 | 23 |
| H276149 | 10 | 1 | 1.18 | <10 | 1.90 | 646 | <1 | 0.16 | 15 | 600 | 2 | 0.07 | <2 | 11 | 25 |
| H276150 | 10 | <1 | 0.23 | 10 | 0.98 | 503 | 44 | 0.09 | 182 | 610 | 250 | 1.07 | 12 | 5 | 52 |
| H276151 | 10 | <1 | 1.06 | <10 | 1.80 | 634 | <1 | 0.25 | 5 | 690 | 3 | 0.08 | <2 | 13 | 24 |
| H276152 | 10 | <1 | 1.50 | 10 | 1.99 | 631 | <1 | 0.18 | 8 | 500 | 2 | 0.01 | <2 | 9 | 46 |
| H276153 | <10 | <1 | 1.46 | <10 | 1.73 | 562 | <1 | 0.12 | 12 | 450 | 2 | 0.02 | <2 | 9 | 23 |
| H276154 | 10 | 1 | 0.97 | 10 | 1.78 | 657 | <1 | 0.24 | 23 | 610 | 3 | 0.06 | <2 | 12 | 46 |
| H276155 | 10 | <1 | 0.80 | 10 | 1.47 | 727 | <1 | 0.25 | 13 | 550 | 2 | 0.29 | <2 | 12 | 40 |
| H276156 | 10 | <1 | 2.01 | 10 | 2.87 | 1050 | <1 | 0.16 | 22 | 580 | 3 | 0.02 | <2 | 14 | 48 |
| H276157 | 10 | 1 | 1.02 | 30 | 1.50 | 590 | <1 | 0.19 | 8 | 460 | 4 | 0.01 | <2 | 7 | 57 |
| H276158 | 10 | 1 | 0.78 | 20 | 1.49 | 728 | <1 | 0.18 | 6 | 600 | 2 | <0.01 | <2 | 9 | 56 |
| H276159 | 10 | 1 | 0.91 | 10 | 1.98 | 806 | <1 | 0.16 | 13 | 660 | 2 | 0.02 | <2 | 13 | 48 |
| H276160 | <10 | <1 | 0.48 | 20 | 0.66 | 219 | 598 | 0.04 | 66 | 540 | 48 | 2.83 | 18 | 5 | 54 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 5 - C
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276121 | | <20 | 0.18 | <10 | <10 | 82 | <10 | 105 |
| H276122 | | <20 | 0.20 | <10 | <10 | 108 | <10 | 110 |
| H276123 | | <20 | 0.11 | <10 | <10 | 33 | <10 | 50 |
| H276124 | | <20 | 0.11 | <10 | <10 | 35 | <10 | 75 |
| H276125 | | 20 | 0.04 | <10 | <10 | 26 | <10 | 79 |
| H276126 | | 20 | <0.01 | <10 | <10 | 8 | <10 | 44 |
| H276127 | | 20 | <0.01 | <10 | <10 | 7 | <10 | 52 |
| H276128 | | 20 | <0.01 | <10 | <10 | 5 | <10 | 49 |
| H276129 | | 20 | <0.01 | <10 | <10 | 5 | <10 | 47 |
| H276130 | | <20 | 0.17 | <10 | <10 | 62 | <10 | 42 |
| H276131 | | <20 | <0.01 | <10 | <10 | 29 | <10 | 121 |
| H276132 | | <20 | <0.01 | <10 | <10 | 51 | <10 | 122 |
| H276133 | | <20 | 0.08 | <10 | <10 | 38 | <10 | 89 |
| H276134 | | <20 | 0.09 | <10 | <10 | 39 | <10 | 89 |
| H276135 | | <20 | 0.26 | <10 | <10 | 85 | <10 | 83 |
| H276136 | | <20 | 0.20 | <10 | <10 | 63 | <10 | 44 |
| H276137 | | <20 | 0.12 | <10 | <10 | 27 | <10 | 33 |
| H276138 | | 20 | 0.10 | <10 | <10 | 23 | <10 | 32 |
| H276139 | | 20 | 0.08 | <10 | <10 | 14 | <10 | 25 |
| H276140 | | <20 | 0.17 | <10 | <10 | 63 | 10 | 43 |
| H276141 | | 20 | 0.12 | <10 | <10 | 18 | <10 | 28 |
| H276142 | | <20 | 0.04 | <10 | <10 | 15 | <10 | 22 |
| H276143 | | <20 | 0.08 | <10 | <10 | 18 | <10 | 22 |
| H276144 | | <20 | 0.14 | <10 | <10 | 26 | <10 | 55 |
| H276145 | | 20 | 0.08 | <10 | <10 | 19 | <10 | 77 |
| H276146 | | <20 | 0.01 | <10 | <10 | 9 | <10 | 126 |
| H276147 | | <20 | 0.04 | <10 | <10 | 13 | <10 | 76 |
| H276148 | | <20 | 0.13 | <10 | <10 | 20 | <10 | 69 |
| H276149 | | <20 | 0.26 | <10 | <10 | 158 | <10 | 68 |
| H276150 | | <20 | 0.13 | <10 | <10 | 69 | 20 | 660 |
| H276151 | | <20 | 0.28 | <10 | <10 | 173 | <10 | 78 |
| H276152 | | <20 | 0.28 | <10 | <10 | 132 | <10 | 69 |
| H276153 | | <20 | 0.34 | <10 | <10 | 126 | <10 | 80 |
| H276154 | | <20 | 0.25 | <10 | <10 | 147 | <10 | 72 |
| H276155 | | <20 | 0.23 | <10 | <10 | 147 | <10 | 90 |
| H276156 | | <20 | 0.31 | <10 | <10 | 170 | <10 | 102 |
| H276157 | | <20 | 0.18 | <10 | <10 | 92 | <10 | 60 |
| H276158 | | <20 | 0.25 | <10 | <10 | 95 | <10 | 48 |
| H276159 | | <20 | 0.30 | <10 | <10 | 121 | <10 | 61 |
| H276160 | | <20 | 0.05 | <10 | <10 | 42 | 10 | 75 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm | ME-ICP41 Cu ppm | ME-ICP41 Fe % |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.02 | 0.001 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 |
| H276161 | | 4.34 | 0.001 | <0.2 | 2.38 | <2 | <10 | 650 | <0.5 | <2 | 2.06 | <0.5 | 13 | 130 | 40 | 3.40 |
| H276162 | | 4.36 | 0.001 | <0.2 | 1.95 | <2 | <10 | 410 | 0.6 | <2 | 1.89 | <0.5 | 12 | 10 | 10 | 3.76 |
| H276163 | | 4.18 | 0.001 | <0.2 | 2.46 | 2 | <10 | 470 | <0.5 | <2 | 1.47 | <0.5 | 14 | 21 | 21 | 4.11 |
| H276164 | | 4.54 | 0.001 | <0.2 | 2.34 | <2 | <10 | 170 | <0.5 | <2 | 1.71 | <0.5 | 17 | 17 | 43 | 4.79 |
| H276165 | | 1.22 | 0.041 | <0.2 | 2.11 | 2 | <10 | 510 | 0.9 | <2 | 2.96 | <0.5 | 16 | 5 | 20 | 5.13 |
| H276166 | | 4.10 | 0.004 | <0.2 | 0.59 | 2 | <10 | 380 | 0.7 | <2 | 0.96 | <0.5 | 1 | 6 | 2 | 0.80 |
| H276167 | | 3.90 | 0.018 | <0.2 | 0.64 | <2 | <10 | 370 | 0.8 | <2 | 0.99 | <0.5 | 1 | 6 | 3 | 1.46 |
| H276168 | | 3.92 | 0.173 | <0.2 | 0.84 | 2 | <10 | 330 | 0.6 | <2 | 0.95 | <0.5 | 1 | 6 | 3 | 1.57 |
| H276169 | | 4.32 | 0.043 | <0.2 | 0.64 | <2 | <10 | 330 | 0.8 | <2 | 1.13 | <0.5 | 2 | 9 | 5 | 1.70 |
| H276170 | | 0.30 | 0.001 | <0.2 | 1.83 | 6 | <10 | 100 | <0.5 | <2 | 1.05 | <0.5 | 7 | 32 | 22 | 2.49 |
| H276171 | | 3.76 | 0.085 | <0.2 | 0.59 | <2 | <10 | 350 | 0.5 | <2 | 0.99 | <0.5 | 1 | 6 | 5 | 1.25 |
| H276172 | | 3.80 | 0.164 | <0.2 | 0.59 | 6 | <10 | 1010 | 0.6 | <2 | 0.80 | <0.5 | 1 | 6 | 7 | 1.43 |
| H276173 | | 3.94 | 0.046 | <0.2 | 0.59 | 6 | <10 | 460 | 0.5 | <2 | 0.27 | <0.5 | 1 | 6 | 10 | 1.05 |
| H276174 | | 4.26 | 0.051 | <0.2 | 0.67 | 5 | <10 | 340 | 0.6 | <2 | 0.73 | <0.5 | 2 | 7 | 12 | 1.40 |
| H276175 | | 3.76 | 0.013 | <0.2 | 0.64 | 3 | <10 | 340 | 0.8 | <2 | 1.86 | <0.5 | 2 | 5 | 2 | 2.02 |
| H276176 | | 3.82 | 0.031 | <0.2 | 0.62 | 5 | <10 | 420 | 0.7 | <2 | 0.87 | <0.5 | 2 | 7 | 3 | 1.49 |
| H276177 | | 3.96 | 0.040 | <0.2 | 0.86 | 5 | <10 | 330 | 1.1 | <2 | 1.44 | <0.5 | 4 | 8 | 3 | 2.19 |
| H276178 | | 2.40 | 0.031 | <0.2 | 0.76 | 2 | <10 | 350 | 0.8 | <2 | 1.09 | <0.5 | 2 | 6 | 2 | 1.88 |
| H276179 | | 2.62 | 0.034 | <0.2 | 0.79 | 30 | <10 | 460 | 1.0 | <2 | 0.83 | <0.5 | 4 | 4 | 14 | 1.32 |
| H276180 | | 0.30 | 0.798 | 10.0 | 1.93 | 75 | <10 | 210 | <0.5 | 2 | 1.18 | 4.5 | 19 | 83 | 1385 | 4.44 |
| H276181 | | 2.54 | 0.022 | <0.2 | 0.66 | 12 | <10 | 420 | 0.8 | <2 | 1.54 | <0.5 | 1 | 5 | 2 | 1.20 |
| H276182 | | 2.50 | 0.113 | <0.2 | 0.54 | 23 | <10 | 460 | 0.7 | <2 | 1.00 | <0.5 | 1 | 7 | 3 | 1.25 |
| H276183 | | 2.60 | 0.026 | <0.2 | 0.50 | 6 | <10 | 470 | 0.7 | <2 | 0.59 | <0.5 | 1 | 5 | 6 | 1.18 |
| H276184 | | 2.76 | 0.033 | <0.2 | 0.52 | <2 | <10 | 810 | 0.6 | <2 | 0.51 | <0.5 | <1 | 6 | 3 | 1.48 |
| H276185 | | 3.66 | 0.002 | <0.2 | 0.63 | 3 | <10 | 220 | 0.5 | <2 | 0.49 | <0.5 | 1 | 6 | 2 | 1.24 |
| H276186 | | 3.92 | 0.003 | <0.2 | 0.77 | <2 | <10 | 220 | 0.5 | <2 | 0.76 | <0.5 | 1 | 6 | 1 | 1.36 |
| H276187 | | 3.86 | 0.002 | <0.2 | 0.82 | <2 | <10 | 270 | 0.5 | <2 | 0.71 | <0.5 | 1 | 6 | 1 | 1.41 |
| H276188 | | 4.10 | <0.001 | <0.2 | 0.88 | <2 | <10 | 230 | 0.5 | <2 | 0.55 | <0.5 | 1 | 6 | 1 | 1.44 |
| H276189 | | 3.90 | <0.001 | <0.2 | 0.98 | <2 | <10 | 270 | 0.5 | <2 | 0.59 | <0.5 | 1 | 8 | 3 | 1.50 |
| H276190 | | 0.30 | 0.729 | 10.3 | 1.93 | 74 | <10 | 210 | <0.5 | 4 | 1.18 | 4.5 | 19 | 81 | 1395 | 4.45 |
| H276191 | | 4.42 | 0.001 | <0.2 | 1.26 | <2 | <10 | 290 | <0.5 | <2 | 0.83 | <0.5 | 3 | 14 | 12 | 2.03 |
| H276192 | | 4.14 | <0.001 | <0.2 | 1.21 | <2 | <10 | 260 | <0.5 | <2 | 1.07 | <0.5 | 3 | 15 | 5 | 1.88 |
| H276193 | | 4.12 | <0.001 | <0.2 | 1.50 | 2 | <10 | 240 | 0.6 | <2 | 1.40 | <0.5 | 7 | 36 | 9 | 2.36 |
| H276194 | | 4.22 | <0.001 | <0.2 | 0.97 | <2 | <10 | 200 | 0.5 | <2 | 1.14 | <0.5 | 2 | 6 | 3 | 1.76 |
| H276195 | | 3.76 | <0.001 | <0.2 | 1.50 | <2 | <10 | 300 | 0.5 | <2 | 1.82 | <0.5 | 6 | 32 | 4 | 2.22 |
| H276196 | | 3.94 | <0.001 | <0.2 | 1.13 | <2 | <10 | 510 | 0.5 | <2 | 1.19 | <0.5 | 2 | 12 | 4 | 1.75 |
| H276197 | | 4.38 | 0.002 | <0.2 | 1.03 | 4 | <10 | 310 | 0.6 | <2 | 1.05 | <0.5 | 2 | 12 | 7 | 1.86 |
| H276198 | | 3.58 | 0.004 | <0.2 | 1.29 | 2 | <10 | 290 | 0.5 | <2 | 0.95 | <0.5 | 3 | 11 | 3 | 1.76 |
| H276199 | | 3.70 | <0.001 | <0.2 | 0.99 | <2 | <10 | 310 | 0.5 | <2 | 0.91 | <0.5 | 2 | 6 | 2 | 1.60 |
| H276200 | | 0.30 | 0.559 | 2.7 | 1.40 | 71 | <10 | 80 | <0.5 | <2 | 4.36 | 2.1 | 17 | 25 | 4770 | 5.32 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Method Analyte Units LOR | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 |
|-----------------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Sample Description | | | | | | | | | | | | | | | |
| H276161 | 10 | 1 | 1.23 | 10 | 2.21 | 706 | 1 | 0.16 | 16 | 570 | 2 | <0.01 | <2 | 9 | 35 |
| H276162 | 10 | <1 | 0.59 | 10 | 1.24 | 629 | 1 | 0.19 | 3 | 730 | 2 | 0.03 | <2 | 10 | 51 |
| H276163 | 10 | 1 | 1.05 | 10 | 1.89 | 624 | <1 | 0.20 | 3 | 650 | <2 | 0.04 | <2 | 11 | 36 |
| H276164 | 10 | <1 | 0.48 | <10 | 1.59 | 618 | <1 | 0.17 | 13 | 780 | <2 | <0.01 | <2 | 12 | 54 |
| H276165 | 10 | <1 | 0.63 | 10 | 1.31 | 1060 | <1 | 0.07 | 7 | 540 | 6 | 0.26 | <2 | 15 | 90 |
| H276166 | <10 | 1 | 0.29 | 30 | 0.07 | 194 | 1 | 0.12 | <1 | 100 | 4 | 0.01 | <2 | 1 | 23 |
| H276167 | <10 | 1 | 0.29 | 40 | 0.08 | 255 | 1 | 0.14 | <1 | 210 | 8 | 0.01 | <2 | 2 | 31 |
| H276168 | <10 | <1 | 0.46 | 40 | 0.12 | 409 | 1 | 0.10 | <1 | 300 | 7 | <0.01 | <2 | 2 | 35 |
| H276169 | <10 | 1 | 0.33 | 40 | 0.08 | 302 | 1 | 0.10 | 1 | 250 | 10 | 0.03 | <2 | 3 | 30 |
| H276170 | 10 | <1 | 0.14 | <10 | 0.79 | 408 | 2 | 0.10 | 19 | 600 | 4 | 0.04 | <2 | 6 | 52 |
| H276171 | <10 | <1 | 0.31 | 40 | 0.09 | 233 | 1 | 0.11 | <1 | 190 | 6 | 0.09 | <2 | 2 | 26 |
| H276172 | <10 | 1 | 0.29 | 30 | 0.03 | 195 | 1 | 0.09 | <1 | 150 | 7 | 0.03 | <2 | 2 | 33 |
| H276173 | <10 | 1 | 0.37 | 30 | 0.03 | 180 | 1 | 0.09 | <1 | 160 | 6 | <0.01 | 2 | 2 | 21 |
| H276174 | <10 | <1 | 0.40 | 40 | 0.08 | 242 | 1 | 0.11 | <1 | 260 | 8 | 0.11 | <2 | 2 | 35 |
| H276175 | <10 | <1 | 0.40 | 40 | 0.14 | 412 | 1 | 0.07 | 1 | 520 | 10 | 0.07 | <2 | 2 | 43 |
| H276176 | <10 | 1 | 0.40 | 30 | 0.06 | 353 | 1 | 0.07 | <1 | 210 | 8 | 0.06 | <2 | 2 | 29 |
| H276177 | <10 | 1 | 0.47 | 30 | 0.12 | 630 | 1 | 0.09 | 2 | 340 | 7 | <0.01 | <2 | 4 | 30 |
| H276178 | <10 | 1 | 0.45 | 40 | 0.08 | 376 | 1 | 0.11 | <1 | 290 | 8 | 0.04 | <2 | 2 | 34 |
| H276179 | <10 | 1 | 0.46 | 20 | 0.04 | 414 | 1 | 0.04 | 2 | 280 | 8 | 0.06 | 3 | 2 | 31 |
| H276180 | 10 | 1 | 0.24 | 10 | 1.02 | 519 | 47 | 0.10 | 188 | 630 | 255 | 1.11 | 11 | 6 | 53 |
| H276181 | <10 | 1 | 0.38 | 20 | 0.10 | 376 | 1 | 0.07 | 1 | 220 | 9 | 0.11 | <2 | 2 | 37 |
| H276182 | <10 | 1 | 0.28 | 20 | 0.04 | 293 | <1 | 0.09 | 1 | 120 | 8 | 0.12 | <2 | 2 | 29 |
| H276183 | <10 | 1 | 0.30 | 30 | 0.04 | 144 | 1 | 0.08 | <1 | 160 | 7 | 0.15 | <2 | 2 | 30 |
| H276184 | <10 | 1 | 0.32 | 30 | 0.04 | 170 | 2 | 0.11 | <1 | 180 | 7 | 0.07 | <2 | 2 | 30 |
| H276185 | <10 | <1 | 0.35 | 30 | 0.11 | 227 | 2 | 0.10 | <1 | 140 | 7 | 0.08 | <2 | 1 | 28 |
| H276186 | <10 | <1 | 0.36 | 40 | 0.14 | 290 | 2 | 0.11 | <1 | 190 | 5 | 0.08 | <2 | 2 | 42 |
| H276187 | <10 | 1 | 0.41 | 40 | 0.13 | 264 | 1 | 0.14 | <1 | 190 | 6 | 0.08 | <2 | 2 | 37 |
| H276188 | <10 | <1 | 0.46 | 40 | 0.18 | 307 | 1 | 0.10 | <1 | 200 | 6 | 0.07 | <2 | 2 | 35 |
| H276189 | 10 | 1 | 0.53 | 40 | 0.23 | 320 | 1 | 0.15 | <1 | 220 | 5 | 0.06 | <2 | 2 | 53 |
| H276190 | 10 | 1 | 0.24 | 10 | 1.02 | 519 | 48 | 0.10 | 190 | 630 | 255 | 1.12 | 11 | 6 | 54 |
| H276191 | 10 | <1 | 0.72 | 40 | 0.49 | 468 | <1 | 0.12 | 4 | 480 | 4 | 0.03 | <2 | 2 | 97 |
| H276192 | <10 | 1 | 0.63 | 50 | 0.43 | 414 | 1 | 0.11 | 3 | 410 | 5 | 0.04 | <2 | 3 | 52 |
| H276193 | <10 | 1 | 0.81 | 40 | 0.87 | 513 | 1 | 0.11 | 13 | 560 | 5 | 0.04 | <2 | 3 | 65 |
| H276194 | <10 | <1 | 0.31 | 40 | 0.26 | 399 | 1 | 0.13 | <1 | 330 | 6 | 0.02 | <2 | 2 | 52 |
| H276195 | 10 | 1 | 0.84 | 40 | 0.73 | 494 | 1 | 0.09 | 11 | 590 | 5 | 0.04 | <2 | 3 | 49 |
| H276196 | <10 | 1 | 0.61 | 40 | 0.33 | 359 | 1 | 0.12 | 2 | 370 | 5 | 0.10 | <2 | 2 | 55 |
| H276197 | <10 | 1 | 0.56 | 40 | 0.30 | 369 | 2 | 0.09 | 3 | 290 | 7 | 0.07 | <2 | 2 | 35 |
| H276198 | <10 | <1 | 0.68 | 40 | 0.40 | 418 | <1 | 0.09 | 1 | 460 | 6 | 0.03 | <2 | 2 | 38 |
| H276199 | <10 | 1 | 0.58 | 40 | 0.20 | 350 | 1 | 0.08 | <1 | 330 | 5 | 0.04 | <2 | 2 | 31 |
| H276200 | <10 | 1 | 0.25 | 10 | 1.28 | 747 | 39 | 0.08 | 19 | 1180 | 33 | 2.25 | 12 | 8 | 145 |



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com


To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2


Page: 6 - C
Total # Pages: 7 (A - C)
Finalized Date: 22-JUN-2009
Account: UNWORE


Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09056224

| Sample Description | Method Analyte Units LOR | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|
| | | Th | Ti | Ti | U | V | W | Zn |
| | | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276161 | | <20 | 0.29 | <10 | <10 | 102 | <10 | 54 |
| H276162 | | <20 | 0.22 | <10 | <10 | 125 | <10 | 43 |
| H276163 | | <20 | 0.28 | <10 | <10 | 143 | <10 | 50 |
| H276164 | | <20 | 0.23 | <10 | <10 | 161 | <10 | 59 |
| H276165 | | <20 | 0.10 | <10 | <10 | 187 | <10 | 89 |
| H276166 | | 20 | 0.01 | <10 | <10 | 5 | <10 | 10 |
| H276167 | | 20 | 0.02 | <10 | <10 | 8 | <10 | 21 |
| H276168 | | 20 | 0.03 | <10 | <10 | 7 | <10 | 24 |
| H276169 | | 20 | 0.01 | <10 | <10 | 10 | <10 | 29 |
| H276170 | | <20 | 0.17 | <10 | <10 | 67 | 10 | 47 |
| H276171 | | 20 | 0.02 | <10 | <10 | 6 | <10 | 17 |
| H276172 | | <20 | <0.01 | <10 | <10 | 7 | <10 | 18 |
| H276173 | | <20 | <0.01 | <10 | <10 | 4 | <10 | 14 |
| H276174 | | 20 | 0.01 | <10 | <10 | 8 | <10 | 21 |
| H276175 | | 20 | 0.01 | <10 | <10 | 13 | <10 | 36 |
| H276176 | | 20 | 0.01 | <10 | <10 | 5 | <10 | 21 |
| H276177 | | 20 | 0.02 | <10 | <10 | 19 | <10 | 27 |
| H276178 | | 20 | 0.02 | <10 | <10 | 8 | <10 | 25 |
| H276179 | | <20 | <0.01 | <10 | <10 | 3 | 10 | 17 |
| H276180 | | <20 | 0.14 | <10 | <10 | 70 | 20 | 679 |
| H276181 | | <20 | <0.01 | <10 | <10 | 5 | <10 | 17 |
| H276182 | | 20 | <0.01 | <10 | <10 | 7 | <10 | 14 |
| H276183 | | 20 | <0.01 | <10 | <10 | 5 | <10 | 19 |
| H276184 | | 20 | 0.01 | <10 | <10 | 10 | <10 | 19 |
| H276185 | | 20 | 0.02 | <10 | <10 | 4 | <10 | 22 |
| H276186 | | 20 | 0.04 | <10 | <10 | 6 | <10 | 26 |
| H276187 | | 20 | 0.04 | <10 | <10 | 7 | <10 | 26 |
| H276188 | | 20 | 0.05 | <10 | <10 | 5 | <10 | 34 |
| H276189 | | 20 | 0.07 | <10 | <10 | 9 | <10 | 34 |
| H276190 | | <20 | 0.14 | <10 | <10 | 71 | 20 | 690 |
| H276191 | | <20 | 0.14 | <10 | <10 | 20 | <10 | 47 |
| H276192 | | 20 | 0.10 | <10 | <10 | 16 | <10 | 37 |
| H276193 | | 20 | 0.16 | <10 | <10 | 34 | <10 | 49 |
| H276194 | | 20 | 0.04 | <10 | <10 | 10 | <10 | 30 |
| H276195 | | 20 | 0.11 | <10 | <10 | 25 | <10 | 36 |
| H276196 | | 20 | 0.07 | <10 | <10 | 9 | <10 | 27 |
| H276197 | | 20 | 0.06 | <10 | <10 | 9 | <10 | 28 |
| H276198 | | 20 | 0.08 | <10 | <10 | 12 | <10 | 34 |
| H276199 | | 20 | 0.07 | <10 | <10 | 6 | <10 | 28 |
| H276200 | | <20 | 0.01 | <10 | <10 | 89 | <10 | 181 |

[illegible]

[illegible]



| Sample Description | Method | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|
| | Analyte | Th | Ti | Ti | U | V | W | Zn |
| | Units | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | LOR | 20 | 0.01 | 10 | 10 | 1 | 10 | 2 |
| H276201 | | 20 | 0.04 | <10 | <10 | 12 | <10 | 40 |
| H276202 | | 20 | 0.06 | <10 | <10 | 9 | 10 | 29 |
| H276203 | | 20 | 0.09 | <10 | <10 | 11 | <10 | 31 |
| H276204 | | 20 | 0.03 | <10 | <10 | 5 | <10 | 21 |
| H276205 | | 20 | 0.10 | <10 | 10 | 8 | <10 | 28 |
| | | | | | | | | |