

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **UNDERWORLD RESOURCES INC.**
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 1
Finalized Date: 27-JUL-2009
Account: UNWORE

CERTIFICATE VA09073354

Project: White Gold Project

P.O. No.: UW09-39

This report is for 60 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-JUL-2009.

The following have access to data associated with this certificate:

MARTHA CLANCY
ROB MCLEODADRIAN FLEMING
HANNE-KRISTIN PAULSEN

JODIE GIBSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **UNDERWORLD RESOURCES INC.**
ATTN: MARTHA CLANCY
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09073354

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	Au-GRA22 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
H130546		3.98	0.096		<0.2	1.79	3	<10	100	<0.5	<2	1.46	<0.5	12	6	12
H130547		3.22	0.006		<0.2	1.27	2	<10	100	<0.5	<2	1.40	<0.5	11	11	37
H130548		2.22	0.075		0.5	0.65	<2	<10	80	<0.5	<2	0.75	<0.5	9	17	30
H130549		1.20	0.003		<0.2	1.35	2	<10	210	<0.5	<2	0.68	<0.5	9	20	34
H130550		0.16	0.001		<0.2	2.23	5	<10	80	<0.5	<2	0.77	<0.5	9	27	38
H130551		4.64	<0.001		<0.2	2.27	<2	<10	380	<0.5	<2	0.62	<0.5	12	14	39
H130552		4.06	0.001		<0.2	1.62	2	<10	70	<0.5	<2	1.57	<0.5	28	8	35
H130553		3.80	0.217		<0.2	1.98	3	<10	200	<0.5	<2	1.66	<0.5	23	11	79
H130554		3.86	0.317		<0.2	1.03	7	<10	170	0.7	<2	3.03	<0.5	19	48	54
H130555		4.60	2.35		2.3	0.70	6	<10	460	1.4	<2	3.82	<0.5	20	238	70
H130556		0.64	1.025		2.6	0.52	16	<10	440	1.2	<2	0.21	0.6	17	248	110
H130557		2.52	1.810		8.8	0.24	2	<10	320	1.2	<2	5.60	0.5	12	275	7
H130558		2.46	5.51		34.2	0.10	4	<10	540	0.6	2	2.94	<0.5	6	124	2
H130559		1.76	1.605		3.0	0.32	6	<10	1040	1.1	<2	4.37	<0.5	15	166	38
H130560		0.14	1.755		3.9	1.36	32	<10	70	<0.5	4	1.00	1.5	18	69	8560
H130561		3.74	1.880		0.8	1.47	7	<10	250	0.7	<2	2.54	<0.5	21	11	115
H130562		3.98	2.35		0.8	2.65	3	<10	330	0.5	<2	2.26	<0.5	20	8	95
H130563		3.90	0.709		<0.2	2.22	2	<10	280	0.5	<2	2.00	<0.5	14	51	70
H130564		3.72	1.180		0.5	1.97	8	<10	270	0.8	<2	3.65	<0.5	17	126	56
H130565		3.88	0.444		<0.2	1.99	3	<10	370	0.7	<2	2.56	<0.5	19	48	90
H130566		3.78	2.13		1.1	1.43	3	<10	340	0.5	<2	2.63	<0.5	15	65	262
H130567		3.80	0.216		<0.2	1.10	3	<10	500	0.5	<2	1.89	<0.5	8	54	94
H130568		3.92	0.194		1.1	2.60	2	<10	870	0.6	<2	1.84	<0.5	19	72	92
H130569		4.26	0.011		<0.2	2.97	<2	<10	790	0.5	<2	2.13	<0.5	21	67	60
H130570		0.14	0.001		<0.2	2.27	8	<10	90	<0.5	<2	0.79	<0.5	9	28	39
H130571		4.00	0.013		<0.2	3.25	<2	<10	660	0.5	<2	1.60	<0.5	20	67	64
H130572		2.52	0.243		0.2	2.50	3	<10	360	0.6	<2	3.30	<0.5	21	82	37
H130573		3.56	0.074		<0.2	2.08	<2	<10	370	0.8	<2	2.18	<0.5	16	29	27
H130574		4.10	1.450		0.4	0.74	2	<10	1360	0.6	<2	1.96	<0.5	7	10	10
H130575		3.34	1.550		1.0	1.55	5	<10	720	1.5	<2	3.46	<0.5	21	18	83
H130576		2.16	>10.0	18.40	12.1	0.27	10	<10	730	0.7	<2	0.08	<0.5	11	19	17
H130577		2.46	0.999		2.2	0.14	4	<10	370	<0.5	<2	0.06	<0.5	1	14	6
H130578		3.72	0.512		1.8	0.29	8	<10	1850	<0.5	<2	0.16	<0.5	1	7	4
H130579		3.74	0.344		1.3	0.29	5	<10	770	<0.5	<2	1.20	<0.5	1	6	5
H130580		0.14	3.00		<0.2	1.61	1225	<10	80	<0.5	<2	0.84	<0.5	9	40	37
H130581		3.78	0.041		<0.2	0.38	17	<10	260	0.5	<2	0.50	<0.5	1	8	1
H130582		3.66	0.035		<0.2	0.41	5	<10	300	0.5	<2	0.69	<0.5	1	6	4
H130583		3.86	0.047		<0.2	0.33	7	<10	280	0.5	<2	0.79	<0.5	1	7	3
H130584		3.94	0.398		0.7	0.34	6	<10	650	0.5	<2	0.85	<0.5	1	6	4
H130585		3.92	0.944		0.4	0.27	4	<10	470	<0.5	<2	0.91	<0.5	1	7	4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09073354

Sample Description	Method Analyte Units LOR	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
H130546		4.61	10	<1	0.17	<10	1.13	489	<1	0.26	6	690	<2	0.04	<2	12
H130547		4.09	10	1	0.26	<10	1.03	555	<1	0.15	7	1000	<2	0.02	<2	11
H130548		2.80	<10	1	0.07	10	0.41	581	7	0.11	6	570	3	0.01	<2	10
H130549		2.43	<10	1	0.35	<10	0.96	444	<1	0.12	8	610	<2	0.01	<2	8
H130550		3.72	10	1	0.14	10	0.98	711	2	0.08	22	710	19	0.04	<2	6
H130551		3.21	10	1	0.99	<10	1.58	507	<1	0.09	7	510	<2	0.04	<2	5
H130552		4.88	10	1	0.26	<10	1.13	1355	<1	0.25	21	1030	<2	0.02	<2	11
H130553		6.00	10	1	0.86	<10	1.64	678	<1	0.17	6	530	<2	0.03	<2	18
H130554		5.22	<10	1	0.49	<10	1.76	853	<1	0.10	24	550	<2	0.04	<2	25
H130555		3.17	<10	1	0.44	<10	2.05	1045	2	0.07	60	320	16	0.05	6	14
H130556		2.23	<10	2	0.21	<10	0.52	1035	5	0.02	62	110	16	0.02	17	12
H130557		1.85	<10	<1	0.14	<10	3.56	898	<1	0.05	44	120	214	0.02	4	10
H130558		1.23	<10	2	0.05	<10	1.46	623	<1	0.02	23	50	1170	0.04	6	8
H130559		2.82	<10	3	0.13	<10	1.81	942	1	0.04	47	190	44	0.05	18	20
H130560		4.23	<10	1	0.49	20	0.66	220	609	0.05	68	540	47	2.88	20	5
H130561		5.68	10	2	0.64	<10	1.90	920	1	0.14	5	590	5	0.39	6	22
H130562		5.69	10	1	1.45	<10	1.76	1190	<1	0.09	13	530	2	0.10	<2	12
H130563		3.63	10	1	1.01	<10	1.80	874	<1	0.05	21	540	2	0.04	<2	9
H130564		4.15	10	1	1.03	<10	2.26	1155	<1	0.05	48	680	2	0.18	<2	16
H130565		4.49	10	1	0.75	10	2.11	833	<1	0.08	21	570	3	0.12	<2	16
H130566		4.03	10	1	0.46	10	1.73	828	<1	0.11	24	780	3	0.11	<2	15
H130567		2.46	<10	1	0.50	20	1.20	634	1	0.07	24	470	4	0.10	<2	8
H130568		4.22	10	1	1.47	10	2.83	954	<1	0.12	28	500	2	0.12	<2	13
H130569		5.03	10	1	1.63	10	2.89	1205	<1	0.10	22	590	<2	0.38	<2	16
H130570		3.77	10	1	0.15	10	1.00	725	2	0.09	23	720	19	0.04	<2	6
H130571		4.55	10	1	1.62	<10	3.43	777	<1	0.15	25	470	<2	0.09	<2	14
H130572		4.48	10	2	1.29	10	2.52	1190	1	0.11	31	420	2	0.03	<2	16
H130573		4.44	10	<1	1.02	10	1.70	752	1	0.11	8	710	2	0.09	<2	14
H130574		2.84	<10	1	0.39	20	0.79	659	<1	0.09	3	450	4	0.17	<2	9
H130575		5.12	10	2	0.92	<10	1.18	1105	4	0.06	12	430	4	0.26	12	27
H130576		1.98	<10	3	0.12	<10	0.05	657	37	0.01	6	130	46	0.04	9	5
H130577		0.62	<10	1	0.03	<10	0.03	121	7	0.03	3	30	11	0.02	2	1
H130578		1.37	<10	2	0.11	20	0.03	173	4	0.09	1	150	7	0.10	<2	2
H130579		1.32	<10	1	0.13	30	0.09	223	1	0.09	<1	150	7	0.43	<2	2
H130580		3.14	<10	<1	0.13	10	0.82	471	3	0.08	31	550	2	0.31	11	5
H130581		1.21	<10	1	0.22	30	0.08	186	<1	0.05	<1	140	3	0.07	<2	2
H130582		1.21	<10	1	0.22	40	0.09	191	<1	0.08	<1	160	3	0.10	<2	2
H130583		1.24	<10	1	0.22	40	0.11	167	<1	0.06	1	160	4	0.13	<2	2
H130584		1.08	<10	1	0.21	30	0.08	180	1	0.07	1	140	5	0.37	<2	2
H130585		1.07	<10	1	0.19	30	0.10	196	3	0.07	<1	130	4	0.43	<2	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com


To: UNDERWORLD RESOURCES INC.
409 GRANVILLE STREET, SUITE 1500
VANCOUVER BC V6C 1T2

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 27-JUL-2009
Account: UNWORE

Project: White Gold Project

CERTIFICATE OF ANALYSIS VA09073354

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Ti	U	V	W
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
H130546		44	<20	0.19	<10	<10	159	<10
H130547		30	<20	0.10	<10	<10	125	<10
H130548		14	<20	0.04	<10	<10	82	<10
H130549		46	<20	0.08	<10	<10	67	<10
H130550		38	<20	0.17	<10	<10	62	<10
H130551		34	<20	0.17	<10	<10	68	<10
H130552		40	<20	0.15	<10	<10	192	<10
H130553		29	<20	0.18	<10	<10	228	<10
H130554		94	<20	0.10	<10	<10	224	<10
H130555		137	<20	0.04	<10	<10	101	<10
H130556		11	<20	0.01	<10	<10	54	<10
H130557		365	<20	0.01	<10	<10	83	<10
H130558		182	<20	<0.01	<10	<10	68	<10
H130559		190	<20	0.01	<10	<10	125	10
H130560		54	<20	0.05	<10	<10	43	10
H130561		64	<20	0.09	<10	<10	225	<10
H130562		37	<20	0.23	<10	<10	192	<10
H130563		33	<20	0.13	<10	<10	98	<10
H130564		69	<20	0.12	<10	<10	118	<10
H130565		64	<20	0.11	<10	<10	164	<10
H130566		59	<20	0.09	<10	<10	123	<10
H130567		37	<20	0.05	<10	<10	55	<10
H130568		39	<20	0.19	<10	<10	145	<10
H130569		41	<20	0.22	<10	<10	180	<10
H130570		40	<20	0.18	<10	<10	64	<10
H130571		39	<20	0.20	<10	<10	175	<10
H130572		38	<20	0.17	<10	<10	144	<10
H130573		49	<20	0.13	<10	<10	114	<10
H130574		63	<20	0.05	<10	<10	63	<10
H130575		52	<20	0.07	<10	<10	165	<10
H130576		10	<20	<0.01	<10	<10	26	<10
H130577		8	<20	<0.01	<10	<10	11	<10
H130578		40	<20	<0.01	<10	<10	6	<10
H130579		45	20	<0.01	<10	<10	9	<10
H130580		41	<20	0.12	<10	<10	55	10
H130581		24	20	0.01	<10	<10	4	<10
H130582		36	20	0.02	<10	<10	6	<10
H130583		24	20	0.01	<10	<10	4	<10
H130584		36	20	<0.01	<10	<10	3	<10
H130585		30	20	<0.01	<10	<10	3	<10

[illegible]