



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 1  
Finalized Date: 3-OCT-2009  
Account: UNWORE

## CERTIFICATE VA09104190

Project: White Gold Project

P.O. No.: UW09-110

This report is for 139 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 17-SEP-2009.

The following have access to data associated with this certificate:

MARTHA CLANCY  
ROB MCLEOD

ADRIAN FLEMING  
HANNE-KRISTIN PAULSEN

JODIE GIBSON

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-21   | Sample logging - ClientBarCode |
| LOG-23   | Pulp Login - Rcvd with Barcode |
| CRU-QC   | Crushing QC Test               |
| PUL-QC   | Pulverizing QC Test            |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                   | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-ICP22 | Au 50g FA ICP-AES finish      | ICP-AES    |
| Au-GRA22 | Au 50 g FA-GRAV finish        | WST-SIM    |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES    |

To: UNDERWORLD RESOURCES INC.  
ATTN: MARTHA CLANCY  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 2 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-ICP22<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                    |                                   | 0.02                      | 0.001                 | 0.05                  | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     |
| G290183            |                                   | 2.44                      | 0.509                 |                       | 0.7                   | 0.58                | 2                     | <10                  | 600                   | 0.5                   | <2                    | 0.32                | <0.5                  | 3                     | 4                     | 4                     |
| G290184            |                                   | 3.66                      | 0.112                 |                       | <0.2                  | 0.84                | <2                    | <10                  | 290                   | 0.5                   | <2                    | 0.36                | <0.5                  | 2                     | 5                     | 5                     |
| G290185            |                                   | 3.84                      | 0.003                 |                       | <0.2                  | 0.96                | 3                     | <10                  | 250                   | 0.5                   | <2                    | 0.49                | <0.5                  | 2                     | 7                     | 7                     |
| G290186            |                                   | 3.44                      | 0.002                 |                       | <0.2                  | 0.64                | 2                     | <10                  | 620                   | 0.6                   | <2                    | 1.13                | <0.5                  | 1                     | 6                     | 6                     |
| G290187            |                                   | 4.06                      | 0.008                 |                       | <0.2                  | 0.73                | <2                    | <10                  | 230                   | 0.7                   | <2                    | 0.67                | <0.5                  | 2                     | 8                     | 1                     |
| G290188            |                                   | 3.58                      | 0.052                 |                       | 0.3                   | 0.62                | 7                     | <10                  | 140                   | 0.8                   | <2                    | 0.49                | <0.5                  | 1                     | 5                     | <1                    |
| G290189            |                                   | 3.40                      | 0.009                 |                       | <0.2                  | 0.77                | 8                     | <10                  | 140                   | 1.0                   | 2                     | 0.29                | <0.5                  | 1                     | 15                    | 2                     |
| G290190            |                                   | 0.18                      | 9.80                  |                       | 0.5                   | 1.47                | 3900                  | <10                  | 60                    | <0.5                  | 2                     | 0.74                | <0.5                  | 13                    | 68                    | 66                    |
| G290191            |                                   | 3.06                      | 0.029                 |                       | <0.2                  | 0.52                | 9                     | <10                  | 1130                  | 0.6                   | <2                    | 0.16                | <0.5                  | 1                     | 4                     | 6                     |
| G290192            |                                   | 2.88                      | 1.015                 |                       | 3.0                   | 0.41                | 11                    | <10                  | 1900                  | <0.5                  | <2                    | 0.10                | <0.5                  | 1                     | 6                     | 8                     |
| G290193            |                                   | 2.02                      | 2.50                  |                       | 6.0                   | 0.25                | 12                    | <10                  | 1200                  | 0.9                   | 2                     | 0.07                | <0.5                  | 1                     | 12                    | 30                    |
| G290194            |                                   | 2.32                      | 3.47                  |                       | 3.0                   | 0.54                | 9                     | <10                  | 2630                  | 1.2                   | <2                    | 0.08                | <0.5                  | 3                     | 6                     | 15                    |
| G290195            |                                   | 3.60                      | 6.10                  |                       | 2.9                   | 0.43                | 10                    | <10                  | 940                   | 0.5                   | <2                    | 0.06                | <0.5                  | <1                    | 4                     | 11                    |
| G490196            |                                   | 2.86                      | 4.25                  |                       | 1.4                   | 0.62                | 7                     | <10                  | 3090                  | 1.1                   | <2                    | 0.11                | <0.5                  | 3                     | 5                     | 26                    |
| G290197            |                                   | 2.06                      | 5.78                  |                       | 0.5                   | 0.46                | 7                     | <10                  | 870                   | 0.9                   | <2                    | 0.12                | <0.5                  | 3                     | 5                     | 18                    |
| G290198            |                                   | 2.96                      | 0.453                 |                       | <0.2                  | 0.73                | 4                     | <10                  | 880                   | 0.9                   | <2                    | 0.65                | <0.5                  | 2                     | 3                     | 5                     |
| G290199            |                                   | 3.48                      | 1.150                 |                       | 0.3                   | 0.54                | 4                     | <10                  | 1940                  | 1.1                   | <2                    | 0.19                | <0.5                  | 3                     | 3                     | 9                     |
| G290200            |                                   | 0.16                      | 7.10                  |                       | 0.8                   | 1.52                | 7950                  | <10                  | 150                   | <0.5                  | 4                     | 2.01                | <0.5                  | 6                     | 27                    | 65                    |
| G290201            |                                   | 3.24                      | 0.074                 |                       | <0.2                  | 0.33                | 13                    | <10                  | 1030                  | 0.6                   | <2                    | 0.04                | <0.5                  | 1                     | 5                     | 4                     |
| G290202            |                                   | 3.64                      | 0.070                 |                       | 0.2                   | 0.43                | 12                    | <10                  | 470                   | 0.6                   | <2                    | 0.03                | <0.5                  | 1                     | 6                     | 6                     |
| G290203            |                                   | 3.46                      | 0.032                 |                       | <0.2                  | 0.34                | 10                    | <10                  | 140                   | <0.5                  | <2                    | 0.05                | <0.5                  | <1                    | 6                     | 8                     |
| G290204            |                                   | 3.84                      | 0.063                 |                       | 0.2                   | 0.30                | 18                    | <10                  | 1380                  | 0.5                   | <2                    | 0.13                | <0.5                  | <1                    | 6                     | 14                    |
| G290205            |                                   | 3.60                      | 0.243                 |                       | <0.2                  | 0.35                | 17                    | <10                  | 200                   | <0.5                  | <2                    | 0.07                | <0.5                  | <1                    | 6                     | 11                    |
| G290206            |                                   | 3.54                      | 0.057                 |                       | <0.2                  | 0.33                | 18                    | <10                  | 1020                  | 0.5                   | <2                    | 0.06                | <0.5                  | <1                    | 5                     | 17                    |
| G290207            |                                   | 3.64                      | 0.030                 |                       | <0.2                  | 0.28                | 11                    | <10                  | 50                    | 0.7                   | <2                    | 0.12                | <0.5                  | <1                    | 6                     | 17                    |
| G290208            |                                   | 3.82                      | 0.031                 |                       | <0.2                  | 0.47                | 19                    | <10                  | 790                   | 1.2                   | <2                    | 0.50                | <0.5                  | 1                     | 6                     | 11                    |
| G290209            |                                   | 3.68                      | 0.007                 |                       | <0.2                  | 0.41                | 13                    | <10                  | 160                   | 1.4                   | <2                    | 1.48                | <0.5                  | 2                     | 5                     | 10                    |
| G290210            |                                   | 0.18                      | 0.288                 |                       | 2.0                   | 1.47                | 49                    | <10                  | 80                    | <0.5                  | 2                     | 4.34                | 1.2                   | 16                    | 25                    | 3460                  |
| G290211            |                                   | 3.66                      | 0.012                 |                       | <0.2                  | 0.29                | 15                    | <10                  | 40                    | 1.0                   | <2                    | 0.34                | 1.3                   | <1                    | 6                     | 30                    |
| G290212            |                                   | 3.64                      | 0.062                 |                       | <0.2                  | 0.38                | 17                    | <10                  | 60                    | 1.1                   | <2                    | 0.26                | <0.5                  | <1                    | 5                     | 16                    |
| G290213            |                                   | 3.94                      | 0.032                 |                       | <0.2                  | 0.31                | 21                    | <10                  | 240                   | 0.9                   | <2                    | 0.48                | <0.5                  | 2                     | 6                     | 24                    |
| G290214            |                                   | 4.06                      | 0.032                 |                       | <0.2                  | 0.36                | 34                    | <10                  | 240                   | 1.4                   | <2                    | 0.81                | <0.5                  | 3                     | 5                     | 9                     |
| G290215            |                                   | 3.88                      | 0.038                 |                       | <0.2                  | 0.32                | 25                    | <10                  | 120                   | 1.2                   | <2                    | 0.64                | <0.5                  | 3                     | 5                     | 8                     |
| G290216            |                                   | 3.60                      | 0.022                 |                       | <0.2                  | 0.35                | 22                    | <10                  | 380                   | 1.6                   | <2                    | 0.63                | <0.5                  | 2                     | 4                     | 19                    |
| G290217            |                                   | 3.76                      | 0.014                 |                       | <0.2                  | 0.30                | 7                     | <10                  | 90                    | 1.4                   | <2                    | 0.51                | <0.5                  | 2                     | 5                     | 9                     |
| G290218            |                                   | 3.76                      | 0.026                 |                       | <0.2                  | 0.26                | 21                    | <10                  | 290                   | 0.8                   | <2                    | 0.13                | <0.5                  | 1                     | 6                     | 13                    |
| G290219            |                                   | 2.44                      | 0.036                 |                       | <0.2                  | 0.21                | 33                    | <10                  | 1420                  | 0.6                   | <2                    | 0.09                | <0.5                  | 1                     | 5                     | 13                    |
| G290220            |                                   | 0.16                      | 0.747                 |                       | 9.5                   | 1.79                | 72                    | <10                  | 210                   | <0.5                  | <2                    | 1.10                | 4.2                   | 18                    | 80                    | 1370                  |
| G290221            |                                   | 2.24                      | 0.075                 |                       | 0.3                   | 0.22                | 28                    | <10                  | 1000                  | <0.5                  | <2                    | 0.12                | <0.5                  | <1                    | 4                     | 11                    |
| G290051            |                                   | 3.56                      | 2.76                  |                       | 0.5                   | 0.35                | 3                     | <10                  | 780                   | 0.6                   | <2                    | 1.31                | <0.5                  | 2                     | 4                     | 9                     |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com


To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 2 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Fe<br>% | ME-ICP41<br>Ga<br>ppm | ME-ICP41<br>Hg<br>ppm | ME-ICP41<br>K<br>% | ME-ICP41<br>La<br>ppm | ME-ICP41<br>Mg<br>% | ME-ICP41<br>Mn<br>ppm | ME-ICP41<br>Mo<br>ppm | ME-ICP41<br>Na<br>% | ME-ICP41<br>Ni<br>ppm | ME-ICP41<br>P<br>ppm | ME-ICP41<br>Pb<br>ppm | ME-ICP41<br>S<br>% | ME-ICP41<br>Sb<br>ppm | ME-ICP41<br>Sc<br>ppm |
|--------------------|-----------------------------------|---------------------|-----------------------|-----------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|
|                    |                                   | 0.01                | 10                    | 1                     | 0.01               | 10                    | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 2                     | 1                     |
| G290183            |                                   | 1.68                | <10                   | <1                    | 0.29               | 40                    | 0.10                | 348                   | 1                     | 0.08                | 1                     | 300                  | 8                     | 0.02               | <2                    | 2                     |
| G290184            |                                   | 1.72                | <10                   | <1                    | 0.44               | 40                    | 0.22                | 363                   | 1                     | 0.07                | 1                     | 380                  | 7                     | 0.01               | <2                    | 2                     |
| G290185            |                                   | 1.80                | 10                    | <1                    | 0.48               | 40                    | 0.26                | 393                   | 1                     | 0.09                | 1                     | 340                  | 6                     | 0.02               | <2                    | 2                     |
| G290186            |                                   | 1.13                | <10                   | 1                     | 0.31               | 30                    | 0.13                | 297                   | 1                     | 0.10                | <1                    | 290                  | 6                     | 0.03               | <2                    | 2                     |
| G290187            |                                   | 1.20                | <10                   | <1                    | 0.36               | 30                    | 0.19                | 329                   | 1                     | 0.06                | 1                     | 300                  | 5                     | 0.01               | <2                    | 2                     |
| G290188            |                                   | 0.92                | <10                   | 1                     | 0.27               | 30                    | 0.05                | 214                   | 2                     | 0.12                | 1                     | 150                  | 3                     | 0.01               | 2                     | 2                     |
| G290189            |                                   | 1.31                | <10                   | <1                    | 0.37               | 40                    | 0.19                | 240                   | 1                     | 0.09                | 3                     | 250                  | 7                     | 0.01               | 3                     | 3                     |
| G290190            |                                   | 3.56                | 10                    | <1                    | 0.16               | 10                    | 0.85                | 380                   | 7                     | 0.05                | 64                    | 490                  | 8                     | 0.90               | 34                    | 4                     |
| G290191            |                                   | 1.42                | <10                   | 1                     | 0.29               | 30                    | 0.07                | 253                   | 1                     | 0.08                | <1                    | 230                  | 7                     | 0.04               | 2                     | 2                     |
| G290192            |                                   | 1.57                | <10                   | 1                     | 0.11               | 20                    | 0.03                | 422                   | 14                    | 0.13                | 1                     | 250                  | 12                    | 0.06               | 6                     | 2                     |
| G290193            |                                   | 1.15                | <10                   | 1                     | 0.11               | 10                    | 0.01                | 254                   | 113                   | 0.02                | 2                     | 180                  | 91                    | 0.06               | 17                    | 1                     |
| G290194            |                                   | 1.73                | <10                   | 1                     | 0.27               | 10                    | 0.02                | 214                   | 9                     | 0.05                | 2                     | 230                  | 6                     | 0.09               | 5                     | 2                     |
| G290195            |                                   | 1.67                | <10                   | 1                     | 0.30               | 20                    | 0.01                | 32                    | 2                     | 0.07                | <1                    | 270                  | 7                     | 0.29               | 14                    | 1                     |
| G490196            |                                   | 2.01                | <10                   | 1                     | 0.27               | 20                    | 0.04                | 485                   | 6                     | 0.08                | 2                     | 260                  | 11                    | 0.09               | 8                     | 3                     |
| G290197            |                                   | 2.09                | <10                   | <1                    | 0.19               | 20                    | 0.04                | 600                   | 4                     | 0.05                | 2                     | 310                  | 10                    | 0.03               | 8                     | 2                     |
| G290198            |                                   | 1.82                | <10                   | <1                    | 0.40               | 20                    | 0.08                | 434                   | 2                     | 0.08                | 2                     | 270                  | 10                    | 0.10               | 2                     | 2                     |
| G290199            |                                   | 2.09                | <10                   | 1                     | 0.30               | 20                    | 0.03                | 642                   | 3                     | 0.07                | 1                     | 430                  | 9                     | 0.06               | 5                     | 3                     |
| G290200            |                                   | 13.35               | 10                    | <1                    | 0.26               | 10                    | 0.70                | 350                   | 9                     | 0.01                | 22                    | 700                  | 127                   | 1.83               | 3                     | 2                     |
| G290201            |                                   | 1.38                | <10                   | 3                     | 0.26               | 50                    | 0.04                | 280                   | 2                     | 0.05                | 1                     | 20                   | 7                     | 0.12               | 4                     | <1                    |
| G290202            |                                   | 1.53                | <10                   | 2                     | 0.35               | 50                    | 0.04                | 254                   | 2                     | 0.04                | 1                     | 20                   | 7                     | 0.19               | 5                     | <1                    |
| G290203            |                                   | 1.45                | <10                   | 2                     | 0.22               | 60                    | 0.05                | 249                   | 2                     | 0.06                | <1                    | 10                   | 9                     | 0.17               | 6                     | <1                    |
| G290204            |                                   | 1.93                | <10                   | 4                     | 0.20               | 50                    | 0.04                | 195                   | 2                     | 0.05                | <1                    | 10                   | 13                    | 0.21               | 7                     | 1                     |
| G290205            |                                   | 1.93                | <10                   | 4                     | 0.25               | 80                    | 0.03                | 140                   | 2                     | 0.07                | <1                    | 10                   | 15                    | 0.22               | 8                     | <1                    |
| G290206            |                                   | 1.56                | <10                   | 3                     | 0.24               | 60                    | 0.04                | 129                   | 2                     | 0.05                | <1                    | 10                   | 12                    | 0.19               | 9                     | <1                    |
| G290207            |                                   | 1.42                | <10                   | 2                     | 0.19               | 60                    | 0.05                | 133                   | 5                     | 0.06                | <1                    | 10                   | 13                    | 0.15               | 11                    | <1                    |
| G290208            |                                   | 1.74                | <10                   | 2                     | 0.31               | 50                    | 0.13                | 244                   | 6                     | 0.06                | 1                     | 70                   | 6                     | 0.31               | 6                     | <1                    |
| G290209            |                                   | 1.82                | <10                   | 1                     | 0.25               | 40                    | 0.26                | 377                   | 6                     | 0.06                | 1                     | 270                  | 6                     | 0.21               | 5                     | 1                     |
| G290210            |                                   | 4.73                | 10                    | <1                    | 0.21               | 10                    | 1.32                | 644                   | 430                   | 0.08                | 21                    | 1200                 | 11                    | 1.98               | 8                     | 8                     |
| G290211            |                                   | 1.78                | <10                   | 1                     | 0.20               | 70                    | 0.07                | 271                   | 5                     | 0.06                | <1                    | 10                   | 14                    | 0.26               | 16                    | <1                    |
| G290212            |                                   | 1.52                | <10                   | 1                     | 0.25               | 50                    | 0.06                | 190                   | 6                     | 0.06                | <1                    | 10                   | 58                    | 0.21               | 9                     | <1                    |
| G290213            |                                   | 1.67                | <10                   | 2                     | 0.19               | 50                    | 0.12                | 227                   | 8                     | 0.06                | <1                    | 80                   | 10                    | 0.32               | 15                    | 1                     |
| G290214            |                                   | 1.96                | <10                   | 3                     | 0.25               | 30                    | 0.19                | 372                   | 15                    | 0.04                | 1                     | 340                  | 8                     | 0.23               | 6                     | 1                     |
| G290215            |                                   | 1.97                | <10                   | 3                     | 0.22               | 40                    | 0.14                | 281                   | 14                    | 0.05                | <1                    | 320                  | 6                     | 0.31               | 8                     | 1                     |
| G290216            |                                   | 1.55                | <10                   | 2                     | 0.19               | 30                    | 0.19                | 247                   | 8                     | 0.03                | 1                     | 180                  | 6                     | 0.43               | 9                     | 1                     |
| G290217            |                                   | 1.49                | <10                   | 1                     | 0.16               | 40                    | 0.16                | 262                   | 15                    | 0.04                | 1                     | 280                  | 6                     | 0.22               | 7                     | 1                     |
| G290218            |                                   | 1.55                | <10                   | 5                     | 0.18               | 50                    | 0.07                | 185                   | 6                     | 0.03                | 1                     | 20                   | 8                     | 0.42               | 8                     | <1                    |
| G290219            |                                   | 1.39                | <10                   | 6                     | 0.16               | 40                    | 0.04                | 142                   | 1                     | 0.01                | 1                     | 10                   | 6                     | 0.21               | 10                    | <1                    |
| G290220            |                                   | 4.42                | <10                   | 1                     | 0.22               | 10                    | 0.97                | 496                   | 47                    | 0.10                | 178                   | 610                  | 250                   | 1.11               | 12                    | 5                     |
| G290221            |                                   | 1.47                | <10                   | 3                     | 0.16               | 10                    | 0.03                | 85                    | 2                     | 0.02                | <1                    | 30                   | 9                     | 0.20               | 6                     | <1                    |
| G290051            |                                   | 1.63                | <10                   | 1                     | 0.21               | 20                    | 0.12                | 328                   | 4                     | 0.05                | 1                     | 280                  | 9                     | 0.37               | 5                     | 2                     |



| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41 | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
|                    |                                   | Sr       | Th        | Ti        | Ti        | U         | V        | W         | Zn       |
|                    |                                   | ppm<br>1 | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| G290183            |                                   | 31       | 20        | 0.04      | <10       | <10       | 10       | <10       | 27       |
| G290184            |                                   | 33       | 20        | 0.06      | <10       | <10       | 10       | <10       | 37       |
| G290185            |                                   | 45       | 20        | 0.08      | <10       | <10       | 11       | <10       | 36       |
| G290186            |                                   | 43       | 20        | 0.03      | <10       | <10       | 7        | <10       | 20       |
| G290187            |                                   | 22       | 20        | 0.03      | <10       | <10       | 7        | <10       | 18       |
| G290188            |                                   | 22       | 20        | 0.01      | <10       | <10       | 3        | <10       | 8        |
| G290189            |                                   | 28       | 20        | 0.03      | <10       | <10       | 10       | 100       | 18       |
| G290190            |                                   | 38       | <20       | 0.10      | <10       | <10       | 49       | 40        | 49       |
| G290191            |                                   | 28       | 20        | 0.02      | <10       | <10       | 8        | 20        | 22       |
| G290192            |                                   | 42       | <20       | <0.01     | <10       | <10       | 7        | 220       | 9        |
| G290193            |                                   | 29       | <20       | <0.01     | <10       | <10       | 7        | 30        | 17       |
| G290194            |                                   | 35       | <20       | <0.01     | <10       | <10       | 5        | <10       | 14       |
| G290195            |                                   | 62       | <20       | <0.01     | <10       | <10       | 3        | <10       | 7        |
| G490196            |                                   | 37       | <20       | <0.01     | <10       | <10       | 8        | <10       | 24       |
| G290197            |                                   | 32       | <20       | <0.01     | <10       | <10       | 7        | <10       | 28       |
| G290198            |                                   | 40       | <20       | <0.01     | <10       | <10       | 8        | <10       | 26       |
| G290199            |                                   | 53       | <20       | <0.01     | <10       | <10       | 7        | <10       | 23       |
| G290200            |                                   | 262      | <20       | 0.03      | <10       | <10       | 18       | <10       | 54       |
| G290201            |                                   | 17       | 60        | <0.01     | <10       | <10       | 5        | <10       | 30       |
| G290202            |                                   | 12       | 70        | <0.01     | <10       | <10       | 7        | <10       | 27       |
| G290203            |                                   | 5        | 70        | <0.01     | <10       | <10       | 1        | <10       | 44       |
| G290204            |                                   | 25       | 50        | <0.01     | <10       | <10       | 7        | <10       | 30       |
| G290205            |                                   | 6        | 50        | <0.01     | <10       | <10       | 4        | <10       | 28       |
| G290206            |                                   | 24       | 60        | <0.01     | <10       | <10       | 3        | <10       | 22       |
| G290207            |                                   | 6        | 80        | <0.01     | <10       | <10       | 1        | <10       | 24       |
| G290208            |                                   | 27       | 40        | <0.01     | <10       | <10       | 3        | <10       | 18       |
| G290209            |                                   | 37       | 40        | <0.01     | <10       | <10       | 4        | 40        | 29       |
| G290210            |                                   | 150      | <20       | 0.01      | <10       | <10       | 88       | <10       | 63       |
| G290211            |                                   | 15       | 60        | <0.01     | <10       | <10       | 1        | <10       | 109      |
| G290212            |                                   | 11       | 60        | <0.01     | <10       | <10       | 2        | <10       | 46       |
| G290213            |                                   | 23       | 60        | <0.01     | <10       | <10       | 5        | <10       | 26       |
| G290214            |                                   | 38       | 50        | <0.01     | <10       | 10        | 8        | <10       | 27       |
| G290215            |                                   | 28       | 50        | <0.01     | <10       | <10       | 8        | <10       | 22       |
| G290216            |                                   | 48       | 40        | <0.01     | <10       | <10       | 4        | <10       | 19       |
| G290217            |                                   | 30       | 50        | <0.01     | <10       | <10       | 5        | <10       | 26       |
| G290218            |                                   | 41       | 60        | <0.01     | <10       | <10       | 4        | <10       | 13       |
| G290219            |                                   | 46       | 50        | <0.01     | <10       | <10       | 6        | <10       | 10       |
| G290220            |                                   | 49       | <20       | 0.13      | <10       | <10       | 67       | 20        | 653      |
| G290221            |                                   | 20       | 40        | <0.01     | <10       | <10       | 3        | <10       | 12       |
| G290051            |                                   | 49       | <20       | <0.01     | <10       | <10       | 9        | <10       | 21       |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 3 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-ICP22<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                    |                                   | 0.02                      | 0.001                 | 0.05                  | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     |
| G290052            |                                   | 4.10                      | 0.693                 |                       | 0.3                   | 0.34                | 2                     | <10                  | 980                   | 0.8                   | <2                    | 0.71                | <0.5                  | 3                     | 4                     | 6                     |
| G290053            |                                   | 3.70                      | 2.37                  |                       | 1.0                   | 0.40                | 5                     | <10                  | 620                   | 0.9                   | <2                    | 0.14                | <0.5                  | 2                     | 5                     | 9                     |
| G290054            |                                   | 3.52                      | 5.85                  |                       | 1.4                   | 0.38                | 8                     | <10                  | 720                   | 0.7                   | <2                    | 0.17                | <0.5                  | 3                     | 4                     | 8                     |
| G290055            |                                   | 3.68                      | 2.35                  |                       | 0.8                   | 0.41                | 10                    | <10                  | 760                   | 0.7                   | <2                    | 0.20                | <0.5                  | 3                     | 4                     | 6                     |
| G290056            |                                   | 2.50                      | 3.92                  |                       | 0.9                   | 0.31                | 5                     | <10                  | 90                    | <0.5                  | <2                    | 0.09                | <0.5                  | 2                     | 7                     | 6                     |
| G290057            |                                   | 5.30                      | 7.47                  |                       | 1.6                   | 0.41                | 5                     | <10                  | 460                   | 0.5                   | <2                    | 0.13                | <0.5                  | 2                     | 5                     | 4                     |
| G290058            |                                   | 3.54                      | 2.89                  |                       | 0.5                   | 0.36                | 3                     | <10                  | 720                   | 0.6                   | <2                    | 0.11                | <0.5                  | 3                     | 3                     | 19                    |
| G290059            |                                   | 3.36                      | 0.666                 |                       | 0.2                   | 0.35                | 5                     | <10                  | 1380                  | 0.6                   | <2                    | 0.13                | <0.5                  | 3                     | 3                     | 7                     |
| G290060            |                                   | 0.18                      | 0.714                 |                       | 10.2                  | 1.82                | 72                    | <10                  | 210                   | <0.5                  | <2                    | 1.12                | 4.3                   | 18                    | 81                    | 1385                  |
| G290061            |                                   | 3.38                      | 2.60                  |                       | 0.5                   | 0.48                | <2                    | <10                  | 630                   | 0.8                   | <2                    | 0.16                | <0.5                  | 3                     | 4                     | 7                     |
| G290062            |                                   | 3.90                      | 0.445                 |                       | <0.2                  | 0.61                | 3                     | <10                  | 160                   | 0.9                   | <2                    | 0.20                | <0.5                  | 3                     | 4                     | 1                     |
| G290063            |                                   | 3.36                      | 2.21                  |                       | 0.5                   | 0.43                | 2                     | <10                  | 100                   | 0.5                   | <2                    | 0.18                | <0.5                  | 2                     | 5                     | 2                     |
| G290064            |                                   | 3.74                      | 0.480                 |                       | 0.4                   | 0.56                | <2                    | <10                  | 3050                  | 0.5                   | <2                    | 0.30                | <0.5                  | 3                     | 3                     | 4                     |
| G290065            |                                   | 3.40                      | 0.313                 |                       | <0.2                  | 0.79                | <2                    | <10                  | 240                   | 0.6                   | <2                    | 0.28                | <0.5                  | 3                     | 7                     | 7                     |
| G290066            |                                   | 3.82                      | 0.062                 |                       | <0.2                  | 0.72                | <2                    | <10                  | 170                   | 0.7                   | <2                    | 0.25                | <0.5                  | 2                     | 6                     | 8                     |
| G290067            |                                   | 3.28                      | 3.83                  |                       | 1.3                   | 0.52                | <2                    | <10                  | 110                   | <0.5                  | <2                    | 0.20                | <0.5                  | 3                     | 9                     | 13                    |
| G290068            |                                   | 2.40                      | 2.42                  |                       | 0.6                   | 0.32                | <2                    | <10                  | 2390                  | <0.5                  | <2                    | 0.16                | <0.5                  | 5                     | 7                     | 20                    |
| G290069            |                                   | 3.12                      | 1.840                 |                       | 0.9                   | 0.40                | <2                    | <10                  | 800                   | 0.5                   | <2                    | 0.18                | <0.5                  | 4                     | 7                     | 7                     |
| G290070            |                                   | 0.18                      | 0.004                 |                       | <0.2                  | 2.14                | 6                     | <10                  | 80                    | <0.5                  | <2                    | 0.75                | <0.5                  | 9                     | 27                    | 37                    |
| G290071            |                                   | 3.00                      | 0.393                 |                       | 0.5                   | 1.01                | 2                     | <10                  | 220                   | 0.7                   | <2                    | 0.32                | <0.5                  | 7                     | 12                    | 13                    |
| G290072            |                                   | 3.14                      | 0.362                 |                       | 1.1                   | 0.50                | <2                    | <10                  | 170                   | 0.5                   | <2                    | 0.19                | <0.5                  | 3                     | 5                     | 6                     |
| G290073            |                                   | 1.94                      | 2.67                  |                       | 1.2                   | 0.58                | 3                     | <10                  | 230                   | 0.6                   | <2                    | 0.25                | <0.5                  | 7                     | 9                     | 9                     |
| G290074            |                                   | 2.46                      | 5.55                  |                       | 2.8                   | 0.48                | 3                     | <10                  | 230                   | 0.5                   | <2                    | 0.16                | <0.5                  | 4                     | 10                    | 14                    |
| G290075            |                                   | 3.70                      | 0.121                 |                       | 0.2                   | 0.49                | 2                     | <10                  | 560                   | 0.6                   | <2                    | 0.20                | <0.5                  | 4                     | 4                     | 8                     |
| G290076            |                                   | 3.34                      | 0.028                 |                       | <0.2                  | 0.84                | <2                    | <10                  | 470                   | 0.5                   | <2                    | 0.78                | <0.5                  | 4                     | 3                     | 2                     |
| G290077            |                                   | 3.94                      | 0.072                 |                       | <0.2                  | 0.59                | <2                    | <10                  | 260                   | 0.5                   | <2                    | 0.55                | <0.5                  | 3                     | 3                     | 1                     |
| G290078            |                                   | 3.74                      | 0.009                 |                       | <0.2                  | 0.62                | <2                    | <10                  | 530                   | 0.5                   | <2                    | 1.03                | <0.5                  | 3                     | 9                     | 3                     |
| G290079            |                                   | 4.00                      | 0.033                 |                       | <0.2                  | 0.52                | <2                    | <10                  | 440                   | <0.5                  | <2                    | 1.68                | <0.5                  | 3                     | 4                     | 9                     |
| G290080            |                                   | 0.18                      | 4.17                  |                       | 0.5                   | 1.53                | 4200                  | <10                  | 160                   | <0.5                  | <2                    | 1.40                | <0.5                  | 6                     | 29                    | 63                    |
| G290081            |                                   | 3.78                      | 0.231                 |                       | 0.5                   | 0.37                | 2                     | <10                  | 870                   | <0.5                  | <2                    | 4.79                | <0.5                  | 2                     | 4                     | 4                     |
| G290082            |                                   | 3.80                      | 0.005                 |                       | <0.2                  | 0.57                | <2                    | <10                  | 320                   | 0.5                   | <2                    | 1.25                | <0.5                  | 2                     | 4                     | 1                     |
| G290083            |                                   | 3.88                      | 0.002                 |                       | <0.2                  | 0.55                | <2                    | <10                  | 310                   | 0.5                   | <2                    | 1.07                | <0.5                  | 2                     | 4                     | 1                     |
| G290084            |                                   | 3.72                      | 0.003                 |                       | <0.2                  | 0.63                | 3                     | <10                  | 320                   | 0.5                   | <2                    | 0.76                | <0.5                  | 2                     | 5                     | 1                     |
| G290085            |                                   | 3.66                      | 0.005                 |                       | <0.2                  | 0.60                | <2                    | <10                  | 350                   | 0.5                   | <2                    | 0.70                | <0.5                  | 2                     | 4                     | 2                     |
| G290086            |                                   | 3.92                      | 0.049                 |                       | <0.2                  | 0.43                | <2                    | <10                  | 540                   | <0.5                  | <2                    | 1.38                | <0.5                  | 2                     | 5                     | 3                     |
| G290087            |                                   | 3.74                      | 0.068                 |                       | <0.2                  | 0.44                | 2                     | <10                  | 790                   | 0.5                   | <2                    | 1.31                | <0.5                  | 3                     | 4                     | 7                     |
| G290088            |                                   | 3.86                      | 0.026                 |                       | <0.2                  | 0.46                | <2                    | <10                  | 550                   | 0.5                   | <2                    | 1.48                | <0.5                  | 4                     | 8                     | 5                     |
| G290089            |                                   | 3.62                      | 0.003                 |                       | <0.2                  | 0.61                | <2                    | <10                  | 630                   | 0.5                   | <2                    | 0.24                | <0.5                  | 3                     | 4                     | 19                    |
| G290090            |                                   | 0.16                      | 0.002                 |                       | <0.2                  | 2.09                | 6                     | <10                  | 70                    | <0.5                  | <2                    | 0.72                | <0.5                  | 9                     | 26                    | 37                    |
| G290091            |                                   | 3.62                      | 0.275                 |                       | 0.9                   | 0.71                | <2                    | <10                  | 740                   | 0.5                   | <2                    | 0.39                | <0.5                  | 3                     | 5                     | 12                    |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com


To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 3 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Fe<br>% | ME-ICP41<br>Ga<br>ppm | ME-ICP41<br>Hg<br>ppm | ME-ICP41<br>K<br>% | ME-ICP41<br>La<br>ppm | ME-ICP41<br>Mg<br>% | ME-ICP41<br>Mn<br>ppm | ME-ICP41<br>Mo<br>ppm | ME-ICP41<br>Na<br>% | ME-ICP41<br>Ni<br>ppm | ME-ICP41<br>P<br>ppm | ME-ICP41<br>Pb<br>ppm | ME-ICP41<br>S<br>% | ME-ICP41<br>Sb<br>ppm | ME-ICP41<br>Sc<br>ppm |
|--------------------|-----------------------------------|---------------------|-----------------------|-----------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|
|                    |                                   | 0.01                | 10                    | 1                     | 0.01               | 10                    | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 2                     | 1                     |
| G290052            |                                   | 1.76                | <10                   | <1                    | 0.19               | 20                    | 0.14                | 415                   | 2                     | 0.03                | <1                    | 280                  | 7                     | 0.25               | 4                     | 2                     |
| G290053            |                                   | 1.51                | <10                   | <1                    | 0.19               | 20                    | 0.05                | 743                   | 4                     | 0.02                | 1                     | 320                  | 11                    | 0.02               | 5                     | 2                     |
| G290054            |                                   | 1.89                | <10                   | 1                     | 0.20               | 30                    | 0.02                | 390                   | 3                     | 0.05                | 2                     | 390                  | 7                     | 0.03               | 4                     | 2                     |
| G290055            |                                   | 2.12                | <10                   | <1                    | 0.18               | 20                    | 0.04                | 268                   | 2                     | 0.04                | 1                     | 310                  | 6                     | 0.02               | 3                     | 2                     |
| G290056            |                                   | 1.59                | <10                   | <1                    | 0.12               | 20                    | 0.04                | 142                   | 2                     | 0.03                | <1                    | 170                  | 5                     | 0.01               | 2                     | 1                     |
| G290057            |                                   | 1.93                | <10                   | 1                     | 0.17               | 30                    | 0.04                | 531                   | 3                     | 0.06                | 2                     | 310                  | 9                     | 0.02               | 3                     | 2                     |
| G290058            |                                   | 1.58                | <10                   | <1                    | 0.16               | 20                    | 0.03                | 283                   | 2                     | 0.05                | <1                    | 280                  | 7                     | 0.02               | 4                     | 2                     |
| G290059            |                                   | 1.61                | <10                   | <1                    | 0.15               | 20                    | 0.03                | 300                   | 2                     | 0.05                | 1                     | 310                  | 7                     | 0.04               | 2                     | 2                     |
| G290060            |                                   | 4.48                | 10                    | 1                     | 0.23               | 10                    | 0.98                | 504                   | 49                    | 0.11                | 177                   | 620                  | 251                   | 1.12               | 12                    | 5                     |
| G290061            |                                   | 1.64                | <10                   | <1                    | 0.23               | 30                    | 0.04                | 367                   | 4                     | 0.06                | 1                     | 370                  | 10                    | 0.02               | 2                     | 2                     |
| G290062            |                                   | 1.80                | <10                   | <1                    | 0.29               | 30                    | 0.15                | 460                   | 2                     | 0.04                | <1                    | 380                  | 5                     | 0.01               | <2                    | 2                     |
| G290063            |                                   | 1.76                | <10                   | <1                    | 0.15               | 40                    | 0.08                | 270                   | 2                     | 0.06                | 1                     | 410                  | 6                     | 0.01               | <2                    | 2                     |
| G290064            |                                   | 2.02                | <10                   | <1                    | 0.21               | 30                    | 0.18                | 461                   | 2                     | 0.09                | <1                    | 830                  | 9                     | 0.08               | <2                    | 3                     |
| G290065            |                                   | 2.03                | <10                   | <1                    | 0.29               | 40                    | 0.23                | 303                   | 2                     | 0.06                | 1                     | 570                  | 5                     | 0.01               | <2                    | 2                     |
| G290066            |                                   | 1.91                | <10                   | <1                    | 0.27               | 30                    | 0.20                | 368                   | 2                     | 0.04                | <1                    | 480                  | 4                     | 0.01               | <2                    | 2                     |
| G290067            |                                   | 1.82                | <10                   | 1                     | 0.13               | 30                    | 0.09                | 341                   | 6                     | 0.08                | 1                     | 420                  | 20                    | 0.01               | 2                     | 4                     |
| G290068            |                                   | 1.75                | <10                   | <1                    | 0.13               | 30                    | 0.04                | 191                   | 3                     | 0.06                | 1                     | 520                  | 14                    | 0.06               | <2                    | 5                     |
| G290069            |                                   | 2.09                | <10                   | <1                    | 0.15               | 30                    | 0.07                | 484                   | 3                     | 0.06                | 1                     | 390                  | 12                    | 0.02               | <2                    | 3                     |
| G290070            |                                   | 3.76                | 10                    | <1                    | 0.13               | 10                    | 0.98                | 713                   | 3                     | 0.07                | 21                    | 710                  | 19                    | 0.04               | <2                    | 5                     |
| G290071            |                                   | 2.86                | <10                   | <1                    | 0.48               | 30                    | 0.39                | 708                   | 3                     | 0.07                | 1                     | 810                  | 10                    | 0.01               | 2                     | 6                     |
| G290072            |                                   | 1.87                | <10                   | <1                    | 0.14               | 40                    | 0.08                | 390                   | 2                     | 0.07                | 1                     | 390                  | 7                     | 0.01               | 2                     | 3                     |
| G290073            |                                   | 2.33                | <10                   | 1                     | 0.08               | 30                    | 0.10                | 769                   | 7                     | 0.06                | 2                     | 470                  | 24                    | 0.01               | 3                     | 4                     |
| G290074            |                                   | 1.68                | <10                   | 1                     | 0.11               | 20                    | 0.07                | 420                   | 23                    | 0.05                | 1                     | 380                  | 27                    | 0.01               | 2                     | 3                     |
| G290075            |                                   | 2.10                | <10                   | 1                     | 0.26               | 30                    | 0.07                | 484                   | 3                     | 0.05                | <1                    | 560                  | 6                     | 0.01               | <2                    | 3                     |
| G290076            |                                   | 2.49                | <10                   | <1                    | 0.50               | 40                    | 0.32                | 619                   | 2                     | 0.03                | 1                     | 740                  | 6                     | 0.01               | <2                    | 3                     |
| G290077            |                                   | 1.45                | <10                   | 1                     | 0.33               | 30                    | 0.14                | 340                   | 1                     | 0.05                | <1                    | 350                  | 4                     | 0.01               | <2                    | 2                     |
| G290078            |                                   | 1.46                | <10                   | <1                    | 0.35               | 30                    | 0.22                | 317                   | 1                     | 0.04                | 3                     | 340                  | 5                     | 0.03               | <2                    | 2                     |
| G290079            |                                   | 1.90                | <10                   | <1                    | 0.19               | 40                    | 0.30                | 378                   | 1                     | 0.04                | <1                    | 430                  | 5                     | 0.14               | <2                    | 2                     |
| G290080            |                                   | 7.90                | <10                   | <1                    | 0.21               | 10                    | 0.75                | 394                   | 6                     | 0.05                | 22                    | 630                  | 71                    | 1.00               | 2                     | 3                     |
| G290081            |                                   | 1.24                | <10                   | <1                    | 0.20               | 30                    | 0.26                | 595                   | 1                     | 0.07                | 1                     | 340                  | 12                    | 0.10               | <2                    | 2                     |
| G290082            |                                   | 1.43                | <10                   | <1                    | 0.37               | 40                    | 0.18                | 335                   | 1                     | 0.04                | <1                    | 310                  | 3                     | 0.06               | <2                    | 1                     |
| G290083            |                                   | 1.57                | <10                   | <1                    | 0.34               | 40                    | 0.17                | 334                   | 1                     | 0.03                | <1                    | 320                  | 5                     | 0.06               | <2                    | 1                     |
| G290084            |                                   | 1.32                | <10                   | <1                    | 0.35               | 30                    | 0.18                | 279                   | 1                     | 0.06                | <1                    | 300                  | 4                     | 0.02               | <2                    | 1                     |
| G290085            |                                   | 1.48                | <10                   | <1                    | 0.29               | 40                    | 0.20                | 325                   | 1                     | 0.05                | <1                    | 350                  | 4                     | 0.04               | <2                    | 1                     |
| G290086            |                                   | 1.67                | <10                   | <1                    | 0.21               | 30                    | 0.18                | 371                   | 2                     | 0.04                | <1                    | 360                  | 5                     | 0.09               | <2                    | 2                     |
| G290087            |                                   | 1.82                | <10                   | <1                    | 0.24               | 30                    | 0.17                | 499                   | 2                     | 0.05                | <1                    | 370                  | 8                     | 0.10               | 2                     | 2                     |
| G290088            |                                   | 1.78                | <10                   | <1                    | 0.32               | 30                    | 0.32                | 444                   | 2                     | 0.05                | 1                     | 440                  | 7                     | 0.09               | 2                     | 2                     |
| G290089            |                                   | 1.71                | <10                   | <1                    | 0.38               | 30                    | 0.14                | 468                   | 2                     | 0.03                | <1                    | 400                  | 4                     | 0.02               | 4                     | 2                     |
| G290090            |                                   | 3.69                | 10                    | <1                    | 0.12               | 10                    | 0.97                | 702                   | 3                     | 0.07                | 20                    | 700                  | 20                    | 0.04               | <2                    | 5                     |
| G290091            |                                   | 2.02                | <10                   | <1                    | 0.41               | 40                    | 0.18                | 379                   | 2                     | 0.06                | <1                    | 420                  | 5                     | 0.07               | <2                    | 2                     |



| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41 | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41  | ME-ICP41 | ME-ICP41  | ME-ICP41 |
|--------------------|-----------------------------------|----------|-----------|-----------|-----------|-----------|----------|-----------|----------|
|                    |                                   | Sr       | Th        | Ti        | Ti        | U         | V        | W         | Zn       |
|                    |                                   | ppm<br>1 | ppm<br>20 | %<br>0.01 | ppm<br>10 | ppm<br>10 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| G290052            |                                   | 49       | <20       | <0.01     | <10       | <10       | 8        | <10       | 25       |
| G290053            |                                   | 33       | <20       | <0.01     | <10       | <10       | 8        | 10        | 20       |
| G290054            |                                   | 30       | <20       | <0.01     | <10       | <10       | 8        | <10       | 20       |
| G290055            |                                   | 30       | <20       | <0.01     | <10       | <10       | 9        | <10       | 22       |
| G290056            |                                   | 24       | <20       | <0.01     | <10       | <10       | 5        | <10       | 10       |
| G290057            |                                   | 24       | <20       | <0.01     | <10       | <10       | 7        | <10       | 14       |
| G290058            |                                   | 25       | 20        | <0.01     | <10       | <10       | 7        | <10       | 17       |
| G290059            |                                   | 34       | 20        | <0.01     | <10       | <10       | 7        | <10       | 19       |
| G290060            |                                   | 50       | <20       | 0.13      | <10       | <10       | 68       | 20        | 664      |
| G290061            |                                   | 27       | 20        | <0.01     | <10       | <10       | 7        | <10       | 19       |
| G290062            |                                   | 21       | 20        | 0.01      | <10       | <10       | 10       | <10       | 30       |
| G290063            |                                   | 16       | 20        | 0.01      | <10       | <10       | 17       | <10       | 21       |
| G290064            |                                   | 46       | 20        | 0.03      | <10       | <10       | 24       | <10       | 29       |
| G290065            |                                   | 22       | 20        | 0.04      | <10       | <10       | 14       | <10       | 25       |
| G290066            |                                   | 15       | 20        | 0.03      | <10       | <10       | 15       | <10       | 26       |
| G290067            |                                   | 18       | 20        | 0.01      | <10       | <10       | 21       | <10       | 21       |
| G290068            |                                   | 34       | 20        | 0.01      | <10       | <10       | 20       | <10       | 28       |
| G290069            |                                   | 23       | 20        | 0.01      | <10       | <10       | 14       | <10       | 27       |
| G290070            |                                   | 36       | <20       | 0.16      | <10       | <10       | 60       | <10       | 80       |
| G290071            |                                   | 27       | <20       | 0.06      | <10       | <10       | 53       | <10       | 57       |
| G290072            |                                   | 18       | 20        | 0.01      | <10       | <10       | 23       | <10       | 20       |
| G290073            |                                   | 20       | <20       | <0.01     | <10       | <10       | 14       | <10       | 19       |
| G290074            |                                   | 20       | <20       | <0.01     | <10       | <10       | 15       | <10       | 12       |
| G290075            |                                   | 19       | 20        | 0.01      | <10       | <10       | 18       | <10       | 36       |
| G290076            |                                   | 33       | <20       | 0.08      | <10       | <10       | 13       | <10       | 49       |
| G290077            |                                   | 20       | 20        | 0.02      | <10       | <10       | 7        | <10       | 26       |
| G290078            |                                   | 28       | 20        | 0.03      | <10       | <10       | 10       | <10       | 25       |
| G290079            |                                   | 47       | 20        | 0.01      | <10       | <10       | 10       | <10       | 33       |
| G290080            |                                   | 138      | <20       | 0.06      | <10       | <10       | 38       | <10       | 56       |
| G290081            |                                   | 327      | 20        | 0.02      | <10       | <10       | 27       | <10       | 18       |
| G290082            |                                   | 32       | 20        | 0.04      | <10       | <10       | 6        | <10       | 24       |
| G290083            |                                   | 27       | 20        | 0.04      | <10       | <10       | 4        | <10       | 27       |
| G290084            |                                   | 31       | 20        | 0.04      | <10       | <10       | 5        | <10       | 23       |
| G290085            |                                   | 34       | 20        | 0.04      | <10       | <10       | 6        | <10       | 25       |
| G290086            |                                   | 46       | 20        | 0.02      | <10       | <10       | 8        | <10       | 26       |
| G290087            |                                   | 44       | 20        | 0.01      | <10       | <10       | 7        | <10       | 31       |
| G290088            |                                   | 52       | 20        | 0.03      | <10       | <10       | 12       | <10       | 35       |
| G290089            |                                   | 23       | 20        | 0.04      | <10       | <10       | 6        | <10       | 29       |
| G290090            |                                   | 34       | <20       | 0.15      | <10       | <10       | 58       | <10       | 79       |
| G290091            |                                   | 30       | 20        | 0.06      | <10       | <10       | 10       | <10       | 30       |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 4 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-ICP22<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                    |                                   | 0.02                      | 0.001                 | 0.05                  | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     |
| G290092            |                                   | 3.74                      | 0.026                 |                       | <0.2                  | 0.55                | <2                    | <10                  | 370                   | <0.5                  | <2                    | 0.97                | <0.5                  | 3                     | 5                     | 10                    |
| G290093            |                                   | 3.76                      | 0.010                 |                       | <0.2                  | 0.48                | 2                     | <10                  | 410                   | 0.5                   | <2                    | 1.15                | <0.5                  | 2                     | 5                     | 8                     |
| G290094            |                                   | 3.70                      | 0.007                 |                       | <0.2                  | 0.80                | <2                    | <10                  | 300                   | <0.5                  | <2                    | 0.92                | <0.5                  | 3                     | 4                     | 6                     |
| G290095            |                                   | 3.80                      | 0.043                 |                       | <0.2                  | 0.67                | <2                    | <10                  | 550                   | 0.5                   | <2                    | 0.68                | <0.5                  | 3                     | 5                     | 7                     |
| G290096            |                                   | 3.86                      | 0.042                 |                       | <0.2                  | 0.83                | <2                    | <10                  | 210                   | <0.5                  | <2                    | 0.21                | <0.5                  | 3                     | 6                     | 21                    |
| G290097            |                                   | 3.78                      | 0.028                 |                       | <0.2                  | 0.52                | <2                    | <10                  | 440                   | 0.5                   | <2                    | 0.90                | <0.5                  | 2                     | 4                     | 10                    |
| G290098            |                                   | 3.76                      | 0.008                 |                       | <0.2                  | 0.66                | <2                    | <10                  | 390                   | 0.5                   | <2                    | 1.09                | <0.5                  | 3                     | 4                     | 8                     |
| G290099            |                                   | 3.80                      | 0.408                 |                       | <0.2                  | 0.44                | 6                     | <10                  | 760                   | 1.2                   | <2                    | 1.82                | <0.5                  | 3                     | 3                     | 8                     |
| G290100            |                                   | 0.16                      | >10.0                 | 10.75                 | 2.2                   | 0.37                | >10000                | <10                  | 60                    | <0.5                  | 3                     | 2.00                | 1.0                   | 15                    | 35                    | 94                    |
| G290101            |                                   | 3.76                      | 0.729                 |                       | <0.2                  | 0.77                | 10                    | <10                  | 830                   | 0.9                   | <2                    | 2.02                | <0.5                  | 3                     | 3                     | 6                     |
| G290102            |                                   | 3.74                      | 0.244                 |                       | <0.2                  | 0.58                | 4                     | <10                  | 710                   | 0.6                   | <2                    | 1.44                | <0.5                  | 4                     | 3                     | 2                     |
| G290103            |                                   | 3.58                      | 0.032                 |                       | <0.2                  | 0.62                | 3                     | <10                  | 740                   | 0.6                   | <2                    | 1.42                | <0.5                  | 3                     | 4                     | 11                    |
| G290104            |                                   | 3.90                      | 0.012                 |                       | <0.2                  | 0.71                | 2                     | <10                  | 910                   | 0.9                   | <2                    | 1.70                | <0.5                  | 3                     | 3                     | 21                    |
| G290105            |                                   | 4.00                      | 0.004                 |                       | <0.2                  | 0.65                | <2                    | <10                  | 330                   | 0.5                   | <2                    | 1.28                | <0.5                  | 3                     | 5                     | 2                     |
| G290106            |                                   | 3.74                      | 0.006                 |                       | <0.2                  | 0.46                | 2                     | <10                  | 790                   | 0.6                   | <2                    | 1.64                | <0.5                  | 3                     | 4                     | 5                     |
| G290107            |                                   | 3.96                      | 0.064                 |                       | 0.2                   | 0.42                | <2                    | <10                  | 280                   | 0.5                   | <2                    | 1.35                | <0.5                  | 3                     | 6                     | 18                    |
| G290108            |                                   | 3.94                      | 0.011                 |                       | <0.2                  | 0.72                | <2                    | <10                  | 120                   | <0.5                  | <2                    | 0.71                | <0.5                  | 3                     | 7                     | 5                     |
| G290109            |                                   | 3.88                      | 0.025                 |                       | <0.2                  | 0.54                | 3                     | <10                  | 190                   | 0.5                   | <2                    | 1.50                | <0.5                  | 3                     | 6                     | 11                    |
| G290110            |                                   | 0.18                      | >10.0                 | 11.35                 | 2.5                   | 0.36                | >10000                | <10                  | 60                    | <0.5                  | 3                     | 1.92                | 1.1                   | 14                    | 34                    | 89                    |
| G290111            |                                   | 3.84                      | 0.051                 |                       | <0.2                  | 0.51                | 9                     | <10                  | 370                   | 0.7                   | <2                    | 1.01                | <0.5                  | 3                     | 7                     | 9                     |
| G290112            |                                   | 2.74                      | 0.096                 |                       | 0.2                   | 0.39                | 3                     | <10                  | 700                   | 0.6                   | <2                    | 0.43                | <0.5                  | 3                     | 5                     | 18                    |
| G290113            |                                   | 3.02                      | 1.740                 |                       | 0.5                   | 0.30                | 10                    | <10                  | 1580                  | 0.9                   | <2                    | 0.17                | <0.5                  | 4                     | 9                     | 29                    |
| G290114            |                                   | 2.72                      | 0.289                 |                       | 0.2                   | 0.36                | 7                     | <10                  | 470                   | 0.8                   | <2                    | 1.12                | <0.5                  | 3                     | 4                     | 9                     |
| G290115            |                                   | 4.06                      | 0.014                 |                       | <0.2                  | 0.33                | 4                     | <10                  | 360                   | 0.9                   | <2                    | 1.14                | <0.5                  | 2                     | 5                     | 12                    |
| G290116            |                                   | 3.90                      | 0.054                 |                       | <0.2                  | 0.42                | 5                     | <10                  | 290                   | 0.5                   | <2                    | 0.81                | <0.5                  | 3                     | 5                     | 1                     |
| G290117            |                                   | 4.02                      | 0.020                 |                       | <0.2                  | 0.48                | 2                     | <10                  | 150                   | 0.6                   | <2                    | 0.83                | <0.5                  | 2                     | 6                     | 2                     |
| G290118            |                                   | 3.88                      | 0.018                 |                       | <0.2                  | 0.60                | 2                     | <10                  | 250                   | 0.6                   | <2                    | 0.79                | <0.5                  | 2                     | 6                     | 1                     |
| G290119            |                                   | 3.92                      | 0.120                 |                       | <0.2                  | 0.56                | <2                    | <10                  | 150                   | <0.5                  | <2                    | 0.82                | <0.5                  | 2                     | 7                     | 1                     |
| G290120            |                                   | 0.18                      | 0.002                 |                       | 0.2                   | 2.04                | 4                     | <10                  | 70                    | <0.5                  | <2                    | 0.68                | <0.5                  | 8                     | 26                    | 35                    |
| G290121            |                                   | 3.98                      | 0.004                 |                       | <0.2                  | 0.37                | <2                    | <10                  | 150                   | 0.6                   | <2                    | 0.94                | <0.5                  | 1                     | 6                     | 2                     |
| G290122            |                                   | 3.68                      | 0.016                 |                       | <0.2                  | 0.45                | <2                    | <10                  | 150                   | 0.5                   | <2                    | 0.87                | <0.5                  | 2                     | 6                     | 1                     |
| G290123            |                                   | 3.74                      | 0.002                 |                       | <0.2                  | 0.58                | <2                    | <10                  | 170                   | 0.5                   | <2                    | 0.93                | <0.5                  | 2                     | 7                     | 2                     |
| G290124            |                                   | 3.52                      | 0.009                 |                       | <0.2                  | 0.71                | 3                     | <10                  | 200                   | 0.8                   | <2                    | 0.38                | <0.5                  | 2                     | 6                     | 2                     |
| G290125            |                                   | 3.72                      | 0.009                 |                       | <0.2                  | 0.61                | <2                    | <10                  | 180                   | 0.7                   | <2                    | 0.71                | <0.5                  | 2                     | 6                     | 30                    |
| G290126            |                                   | 3.54                      | 0.017                 |                       | 0.3                   | 0.69                | 2                     | <10                  | 230                   | 1.0                   | <2                    | 0.71                | <0.5                  | 2                     | 6                     | 4                     |
| G290127            |                                   | 3.74                      | 0.006                 |                       | <0.2                  | 0.79                | <2                    | <10                  | 160                   | 1.1                   | <2                    | 0.23                | <0.5                  | 3                     | 6                     | 1                     |
| G290128            |                                   | 3.64                      | 0.003                 |                       | <0.2                  | 0.80                | 3                     | <10                  | 280                   | 1.7                   | <2                    | 0.20                | <0.5                  | 3                     | 7                     | 7                     |
| G290129            |                                   | 3.58                      | 0.031                 |                       | 0.4                   | 0.17                | 11                    | <10                  | 40                    | 1.2                   | <2                    | 0.08                | <0.5                  | <1                    | 5                     | 20                    |
| G290130            |                                   | 0.18                      | >10.0                 | 9.68                  | 0.7                   | 1.42                | 3850                  | <10                  | 60                    | <0.5                  | 2                     | 0.74                | <0.5                  | 14                    | 66                    | 61                    |
| G290131            |                                   | 3.52                      | 0.272                 |                       | 0.4                   | 0.20                | 23                    | <10                  | 50                    | 0.6                   | <2                    | 0.01                | <0.5                  | 1                     | 7                     | 32                    |





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 4 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Fe<br>% | ME-ICP41<br>Ga<br>ppm | ME-ICP41<br>Hg<br>ppm | ME-ICP41<br>K<br>% | ME-ICP41<br>La<br>ppm | ME-ICP41<br>Mg<br>% | ME-ICP41<br>Mn<br>ppm | ME-ICP41<br>Mo<br>ppm | ME-ICP41<br>Na<br>% | ME-ICP41<br>Ni<br>ppm | ME-ICP41<br>P<br>ppm | ME-ICP41<br>Pb<br>ppm | ME-ICP41<br>S<br>% | ME-ICP41<br>Sb<br>ppm | ME-ICP41<br>Sc<br>ppm |
|--------------------|-----------------------------------|---------------------|-----------------------|-----------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|
|                    |                                   | 0.01                | 10                    | 1                     | 0.01               | 10                    | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 2                     | 1                     |
| G290092            |                                   | 1.56                | <10                   | 1                     | 0.33               | 40                    | 0.20                | 331                   | 2                     | 0.06                | <1                    | 310                  | 2                     | 0.17               | <2                    | 2                     |
| G290093            |                                   | 1.74                | <10                   | 1                     | 0.28               | 40                    | 0.19                | 388                   | 1                     | 0.05                | <1                    | 330                  | 5                     | 0.12               | <2                    | 2                     |
| G290094            |                                   | 1.98                | <10                   | <1                    | 0.43               | 40                    | 0.24                | 385                   | <1                    | 0.07                | <1                    | 330                  | 2                     | 0.08               | <2                    | 1                     |
| G290095            |                                   | 2.05                | <10                   | <1                    | 0.37               | 40                    | 0.22                | 427                   | 2                     | 0.04                | <1                    | 370                  | 4                     | 0.06               | 2                     | 2                     |
| G290096            |                                   | 2.11                | 10                    | <1                    | 0.45               | 40                    | 0.27                | 440                   | 2                     | 0.04                | <1                    | 370                  | <2                    | 0.03               | <2                    | 1                     |
| G290097            |                                   | 1.89                | <10                   | 1                     | 0.30               | 40                    | 0.11                | 434                   | 3                     | 0.05                | <1                    | 350                  | 4                     | 0.03               | <2                    | 2                     |
| G290098            |                                   | 2.19                | <10                   | <1                    | 0.43               | 40                    | 0.23                | 528                   | 3                     | 0.04                | <1                    | 410                  | 4                     | 0.11               | 3                     | 2                     |
| G290099            |                                   | 2.73                | <10                   | 1                     | 0.29               | 30                    | 0.26                | 567                   | 2                     | 0.03                | <1                    | 530                  | 8                     | 0.18               | 4                     | 2                     |
| G290100            |                                   | 3.95                | <10                   | <1                    | 0.10               | 10                    | 0.74                | 494                   | 18                    | 0.02                | 47                    | 350                  | 646                   | 1.01               | 3                     | 1                     |
| G290101            |                                   | 2.77                | <10                   | <1                    | 0.44               | 40                    | 0.30                | 638                   | 1                     | 0.06                | <1                    | 650                  | 7                     | 0.14               | 4                     | 2                     |
| G290102            |                                   | 2.57                | <10                   | 1                     | 0.36               | 40                    | 0.28                | 573                   | 1                     | 0.06                | <1                    | 470                  | 9                     | 0.14               | <2                    | 2                     |
| G290103            |                                   | 2.56                | <10                   | 1                     | 0.44               | 40                    | 0.32                | 564                   | 1                     | 0.03                | <1                    | 550                  | 4                     | 0.08               | 3                     | 2                     |
| G290104            |                                   | 2.86                | <10                   | 1                     | 0.45               | 30                    | 0.30                | 602                   | 3                     | 0.04                | <1                    | 620                  | 8                     | 0.17               | 5                     | 3                     |
| G290105            |                                   | 1.85                | <10                   | <1                    | 0.34               | 40                    | 0.27                | 488                   | 1                     | 0.04                | <1                    | 440                  | 5                     | 0.09               | <2                    | 2                     |
| G290106            |                                   | 1.78                | <10                   | 1                     | 0.28               | 40                    | 0.27                | 507                   | 1                     | 0.03                | <1                    | 500                  | 7                     | 0.12               | <2                    | 1                     |
| G290107            |                                   | 1.71                | <10                   | 1                     | 0.23               | 40                    | 0.11                | 571                   | 2                     | 0.04                | 1                     | 360                  | 7                     | 0.06               | <2                    | 1                     |
| G290108            |                                   | 1.69                | <10                   | <1                    | 0.30               | 40                    | 0.26                | 488                   | 1                     | 0.04                | 2                     | 380                  | 3                     | 0.01               | <2                    | 1                     |
| G290109            |                                   | 1.72                | <10                   | <1                    | 0.24               | 40                    | 0.32                | 569                   | 2                     | 0.04                | 2                     | 370                  | 5                     | 0.11               | <2                    | 1                     |
| G290110            |                                   | 3.79                | <10                   | 1                     | 0.09               | 10                    | 0.71                | 475                   | 17                    | 0.02                | 44                    | 330                  | 647                   | 0.96               | 4                     | 1                     |
| G290111            |                                   | 2.06                | <10                   | 1                     | 0.31               | 30                    | 0.25                | 540                   | 2                     | 0.05                | 1                     | 390                  | 6                     | 0.10               | 2                     | 1                     |
| G290112            |                                   | 1.86                | <10                   | 1                     | 0.20               | 30                    | 0.06                | 411                   | 3                     | 0.05                | <1                    | 350                  | 4                     | 0.02               | <2                    | 1                     |
| G290113            |                                   | 2.11                | <10                   | 1                     | 0.15               | 20                    | 0.03                | 789                   | 11                    | 0.05                | 1                     | 240                  | 12                    | 0.05               | 9                     | 1                     |
| G290114            |                                   | 1.84                | <10                   | <1                    | 0.21               | 30                    | 0.16                | 447                   | 1                     | 0.05                | <1                    | 370                  | 5                     | 0.13               | <2                    | 1                     |
| G290115            |                                   | 1.86                | <10                   | <1                    | 0.20               | 30                    | 0.21                | 430                   | 1                     | 0.04                | <1                    | 320                  | 4                     | 0.15               | 2                     | 1                     |
| G290116            |                                   | 1.35                | <10                   | <1                    | 0.22               | 30                    | 0.18                | 283                   | 1                     | 0.04                | <1                    | 250                  | <2                    | 0.09               | <2                    | 1                     |
| G290117            |                                   | 1.03                | <10                   | 1                     | 0.19               | 20                    | 0.21                | 214                   | <1                    | 0.07                | <1                    | 230                  | <2                    | 0.02               | <2                    | 1                     |
| G290118            |                                   | 1.47                | <10                   | <1                    | 0.24               | 40                    | 0.22                | 329                   | <1                    | 0.05                | <1                    | 350                  | <2                    | 0.03               | <2                    | 1                     |
| G290119            |                                   | 1.13                | <10                   | <1                    | 0.20               | 30                    | 0.28                | 240                   | 1                     | 0.05                | <1                    | 320                  | <2                    | 0.04               | <2                    | 1                     |
| G290120            |                                   | 3.58                | 10                    | <1                    | 0.11               | 10                    | 0.92                | 691                   | 2                     | 0.07                | 21                    | 690                  | 16                    | 0.04               | <2                    | 5                     |
| G290121            |                                   | 0.75                | <10                   | <1                    | 0.13               | 30                    | 0.10                | 142                   | <1                    | 0.09                | <1                    | 150                  | <2                    | 0.05               | <2                    | 1                     |
| G290122            |                                   | 1.20                | <10                   | <1                    | 0.21               | 30                    | 0.22                | 278                   | <1                    | 0.05                | <1                    | 280                  | <2                    | 0.05               | <2                    | 1                     |
| G290123            |                                   | 1.35                | <10                   | <1                    | 0.21               | 40                    | 0.33                | 290                   | <1                    | 0.05                | <1                    | 400                  | <2                    | 0.02               | <2                    | 1                     |
| G290124            |                                   | 1.57                | <10                   | <1                    | 0.31               | 30                    | 0.26                | 304                   | 1                     | 0.05                | <1                    | 400                  | <2                    | 0.03               | <2                    | 1                     |
| G290125            |                                   | 1.65                | <10                   | 1                     | 0.31               | 40                    | 0.28                | 333                   | 2                     | 0.06                | <1                    | 320                  | <2                    | 0.06               | 3                     | 1                     |
| G290126            |                                   | 1.63                | <10                   | <1                    | 0.32               | 40                    | 0.32                | 318                   | 2                     | 0.07                | <1                    | 370                  | <2                    | 0.04               | <2                    | 1                     |
| G290127            |                                   | 1.67                | <10                   | <1                    | 0.37               | 30                    | 0.29                | 313                   | 1                     | 0.05                | <1                    | 400                  | <2                    | 0.01               | <2                    | 1                     |
| G290128            |                                   | 1.66                | <10                   | <1                    | 0.38               | 40                    | 0.28                | 411                   | 1                     | 0.05                | <1                    | 330                  | <2                    | 0.01               | <2                    | 1                     |
| G290129            |                                   | 1.21                | <10                   | 1                     | 0.08               | 50                    | 0.01                | 86                    | 3                     | 0.04                | <1                    | 130                  | 11                    | 0.02               | 4                     | <1                    |
| G290130            |                                   | 3.47                | 10                    | <1                    | 0.15               | 10                    | 0.83                | 368                   | 6                     | 0.06                | 60                    | 470                  | 3                     | 0.87               | 34                    | 4                     |
| G290131            |                                   | 2.08                | <10                   | 2                     | 0.11               | 30                    | 0.01                | 85                    | 7                     | 0.04                | <1                    | 30                   | 14                    | 0.02               | 6                     | <1                    |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 4 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method  | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|
|                    | Analyte | Sr       | Th       | Ti       | Ti       | U        | V        | W        |
|                    | Units   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    | LOR     | 1        | 20       | 0.01     | 10       | 10       | 1        | 10       |
| G290092            |         | 34       | 20       | 0.04     | <10      | <10      | 7        | <10      |
| G290093            |         | 31       | 20       | 0.02     | <10      | <10      | 6        | <10      |
| G290094            |         | 35       | 20       | 0.07     | <10      | <10      | 9        | <10      |
| G290095            |         | 32       | 20       | 0.05     | <10      | <10      | 8        | <10      |
| G290096            |         | 25       | 20       | 0.08     | <10      | <10      | 9        | <10      |
| G290097            |         | 28       | 20       | 0.03     | <10      | <10      | 6        | <10      |
| G290098            |         | 36       | 20       | 0.06     | <10      | <10      | 8        | <10      |
| G290099            |         | 56       | <20      | 0.01     | <10      | <10      | 6        | <10      |
| G290100            |         | 53       | <20      | <0.01    | <10      | <10      | 10       | <10      |
| G290101            |         | 74       | 20       | 0.03     | <10      | <10      | 4        | <10      |
| G290102            |         | 45       | 20       | 0.03     | <10      | <10      | 7        | <10      |
| G290103            |         | 55       | 20       | 0.05     | <10      | <10      | 5        | <10      |
| G290104            |         | 60       | 20       | 0.04     | <10      | <10      | 5        | <10      |
| G290105            |         | 37       | 20       | 0.04     | <10      | <10      | 5        | <10      |
| G290106            |         | 49       | 20       | 0.02     | <10      | <10      | 5        | <10      |
| G290107            |         | 35       | 20       | 0.02     | <10      | <10      | 7        | <10      |
| G290108            |         | 35       | 20       | 0.05     | <10      | <10      | 7        | <10      |
| G290109            |         | 42       | 20       | 0.02     | <10      | <10      | 6        | <10      |
| G290110            |         | 51       | <20      | <0.01    | <10      | <10      | 9        | <10      |
| G290111            |         | 35       | 20       | 0.02     | <10      | <10      | 9        | <10      |
| G290112            |         | 27       | 20       | 0.01     | <10      | <10      | 6        | <10      |
| G290113            |         | 43       | <20      | <0.01    | <10      | <10      | 6        | <10      |
| G290114            |         | 39       | 20       | <0.01    | <10      | <10      | 6        | <10      |
| G290115            |         | 36       | 20       | <0.01    | <10      | <10      | 6        | <10      |
| G290116            |         | 35       | 20       | 0.02     | <10      | <10      | 6        | <10      |
| G290117            |         | 34       | 20       | 0.02     | <10      | <10      | 5        | <10      |
| G290118            |         | 35       | 20       | 0.03     | <10      | <10      | 7        | <10      |
| G290119            |         | 33       | 20       | 0.03     | <10      | <10      | 7        | <10      |
| G290120            |         | 34       | <20      | 0.14     | <10      | <10      | 58       | <10      |
| G290121            |         | 33       | 20       | 0.01     | <10      | <10      | 2        | <10      |
| G290122            |         | 28       | 20       | 0.02     | <10      | <10      | 5        | <10      |
| G290123            |         | 30       | 30       | 0.03     | <10      | <10      | 9        | <10      |
| G290124            |         | 19       | 20       | 0.03     | <10      | <10      | 8        | <10      |
| G290125            |         | 28       | 20       | 0.03     | <10      | <10      | 8        | <10      |
| G290126            |         | 32       | 20       | 0.03     | <10      | <10      | 8        | <10      |
| G290127            |         | 20       | 20       | 0.05     | <10      | <10      | 9        | <10      |
| G290128            |         | 22       | 30       | 0.05     | <10      | <10      | 10       | 10       |
| G290129            |         | 5        | 70       | 0.01     | <10      | <10      | 4        | <10      |
| G290130            |         | 36       | <20      | 0.10     | <10      | <10      | 48       | 40       |
| G290131            |         | 4        | 60       | <0.01    | <10      | <10      | 5        | <10      |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 5 - A  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-ICP22<br>Au<br>ppm | Au-GRA22<br>Au<br>ppm | ME-ICP41<br>Ag<br>ppm | ME-ICP41<br>Al<br>% | ME-ICP41<br>As<br>ppm | ME-ICP41<br>B<br>ppm | ME-ICP41<br>Ba<br>ppm | ME-ICP41<br>Be<br>ppm | ME-ICP41<br>Bi<br>ppm | ME-ICP41<br>Ca<br>% | ME-ICP41<br>Cd<br>ppm | ME-ICP41<br>Co<br>ppm | ME-ICP41<br>Cr<br>ppm | ME-ICP41<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                    |                                   | 0.02                      | 0.001                 | 0.05                  | 0.2                   | 0.01                | 2                     | 10                   | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     |
| G290132            |                                   | 3.68                      | 0.041                 |                       | 0.2                   | 0.18                | 10                    | <10                  | 20                    | 0.5                   | <2                    | 0.01                | <0.5                  | <1                    | 6                     | 17                    |
| G290133            |                                   | 3.72                      | 0.043                 |                       | <0.2                  | 0.17                | 6                     | <10                  | 20                    | 0.5                   | <2                    | 0.06                | <0.5                  | <1                    | 7                     | 8                     |
| G290134            |                                   | 3.90                      | 0.078                 |                       | <0.2                  | 0.27                | 4                     | <10                  | 20                    | 0.9                   | <2                    | 0.27                | <0.5                  | 1                     | 8                     | 6                     |
| G290135            |                                   | 1.64                      | 0.013                 |                       | <0.2                  | 0.31                | 5                     | <10                  | 30                    | 0.9                   | <2                    | 0.05                | <0.5                  | 1                     | 5                     | 4                     |
| G290136            |                                   | 2.56                      | 0.018                 |                       | <0.2                  | 0.22                | 6                     | <10                  | 40                    | 0.9                   | <2                    | 0.05                | <0.5                  | 1                     | 4                     | 1                     |
| G290137            |                                   | 2.92                      | 0.010                 |                       | 1.2                   | 0.34                | 16                    | <10                  | 40                    | 1.0                   | <2                    | 0.07                | <0.5                  | 2                     | 5                     | 6                     |
| G290138            |                                   | 2.18                      | 0.008                 |                       | <0.2                  | 0.26                | 10                    | <10                  | 60                    | 0.9                   | <2                    | 0.06                | <0.5                  | 1                     | 3                     | 2                     |
| G290139            |                                   | 1.76                      | 0.024                 |                       | <0.2                  | 0.23                | 9                     | <10                  | 90                    | 0.8                   | <2                    | 0.05                | <0.5                  | 1                     | 4                     | 2                     |
| G290140            |                                   | 0.18                      | 0.002                 |                       | 0.2                   | 2.06                | 6                     | <10                  | 70                    | <0.5                  | <2                    | 0.69                | <0.5                  | 9                     | 26                    | 35                    |
| G290141            |                                   | 2.78                      | 0.018                 |                       | <0.2                  | 0.27                | 13                    | <10                  | 310                   | 0.7                   | <2                    | 0.04                | <0.5                  | 1                     | 5                     | 4                     |
| G290142            |                                   | 3.84                      | 0.010                 |                       | <0.2                  | 0.23                | 9                     | <10                  | 40                    | 0.7                   | <2                    | 0.30                | <0.5                  | 1                     | 6                     | 5                     |
| G290143            |                                   | 3.84                      | 0.015                 |                       | <0.2                  | 0.21                | 10                    | <10                  | 40                    | 0.7                   | <2                    | 0.21                | <0.5                  | 2                     | 7                     | 8                     |
| G290144            |                                   | 3.84                      | 0.008                 |                       | <0.2                  | 0.26                | 8                     | <10                  | 40                    | 0.7                   | <2                    | 0.11                | <0.5                  | 1                     | 5                     | 1                     |
| G290145            |                                   | 3.60                      | 0.012                 |                       | <0.2                  | 0.22                | 6                     | <10                  | 50                    | 0.6                   | <2                    | 0.09                | <0.5                  | 1                     | 6                     | 1                     |
| G290146            |                                   | 3.42                      | 0.025                 |                       | 0.2                   | 0.20                | 12                    | <10                  | 130                   | 0.5                   | <2                    | 0.16                | <0.5                  | 1                     | 6                     | 3                     |
| G290147            |                                   | 3.70                      | 0.019                 |                       | <0.2                  | 0.23                | 10                    | <10                  | 170                   | 0.6                   | <2                    | 0.22                | <0.5                  | 1                     | 6                     | 1                     |
| G290148            |                                   | 4.02                      | 0.015                 |                       | <0.2                  | 0.20                | 7                     | <10                  | 80                    | 0.7                   | <2                    | 0.61                | <0.5                  | 1                     | 7                     | 2                     |
| G290149            |                                   | 3.60                      | 0.029                 |                       | <0.2                  | 0.24                | 7                     | <10                  | 140                   | 0.9                   | <2                    | 0.05                | <0.5                  | 1                     | 7                     | 2                     |
| G290150            |                                   | 0.18                      | 7.69                  |                       | 0.3                   | 1.42                | 7530                  | <10                  | 150                   | <0.5                  | <2                    | 1.96                | <0.5                  | 5                     | 25                    | 63                    |

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 5 - B  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

**CERTIFICATE OF ANALYSIS VA09104190**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP41<br>Fe<br>% | ME-ICP41<br>Ga<br>ppm | ME-ICP41<br>Hg<br>ppm | ME-ICP41<br>K<br>% | ME-ICP41<br>La<br>ppm | ME-ICP41<br>Mg<br>% | ME-ICP41<br>Mn<br>ppm | ME-ICP41<br>Mo<br>ppm | ME-ICP41<br>Na<br>% | ME-ICP41<br>Ni<br>ppm | ME-ICP41<br>P<br>ppm | ME-ICP41<br>Pb<br>ppm | ME-ICP41<br>S<br>% | ME-ICP41<br>Sb<br>ppm | ME-ICP41<br>Sc<br>ppm |
|--------------------|-----------------------------------|---------------------|-----------------------|-----------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|
|                    |                                   | 0.01                | 10                    | 1                     | 0.01               | 10                    | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 2                     | 1                     |
| G290132            |                                   | 1.43                | <10                   | 1                     | 0.13               | 20                    | 0.01                | 38                    | 1                     | 0.05                | <1                    | 10                   | 13                    | 0.09               | 5                     | <1                    |
| G290133            |                                   | 1.39                | <10                   | 1                     | 0.10               | 50                    | 0.01                | 78                    | 1                     | 0.05                | <1                    | 10                   | 2                     | 0.04               | 3                     | <1                    |
| G290134            |                                   | 1.34                | <10                   | 1                     | 0.16               | 60                    | 0.04                | 135                   | 2                     | 0.07                | <1                    | 70                   | <2                    | 0.18               | <2                    | 1                     |
| G290135            |                                   | 1.36                | <10                   | <1                    | 0.18               | 60                    | 0.02                | 114                   | 2                     | 0.06                | <1                    | 120                  | 3                     | 0.01               | 2                     | 1                     |
| G290136            |                                   | 1.11                | <10                   | <1                    | 0.08               | 40                    | 0.03                | 172                   | 3                     | 0.02                | <1                    | 120                  | 2                     | 0.01               | 2                     | 1                     |
| G290137            |                                   | 1.41                | <10                   | 1                     | 0.21               | 40                    | 0.03                | 122                   | 4                     | 0.03                | <1                    | 190                  | <2                    | <0.01              | 3                     | 1                     |
| G290138            |                                   | 1.05                | <10                   | 1                     | 0.14               | 50                    | 0.03                | 201                   | 3                     | 0.02                | <1                    | 150                  | <2                    | <0.01              | <2                    | 1                     |
| G290139            |                                   | 1.19                | <10                   | 1                     | 0.12               | 50                    | 0.02                | 171                   | 3                     | 0.03                | <1                    | 100                  | 3                     | <0.01              | 2                     | 1                     |
| G290140            |                                   | 3.62                | 10                    | <1                    | 0.11               | <10                   | 0.92                | 697                   | 2                     | 0.07                | 21                    | 700                  | 17                    | 0.04               | <2                    | 5                     |
| G290141            |                                   | 1.18                | <10                   | 1                     | 0.18               | 80                    | 0.02                | 152                   | 4                     | 0.04                | <1                    | 70                   | 2                     | 0.06               | 2                     | 1                     |
| G290142            |                                   | 1.12                | <10                   | 1                     | 0.14               | 60                    | 0.05                | 154                   | 3                     | 0.04                | <1                    | 80                   | <2                    | 0.11               | 2                     | 1                     |
| G290143            |                                   | 1.08                | <10                   | <1                    | 0.15               | 60                    | 0.04                | 165                   | 5                     | 0.04                | <1                    | 60                   | 2                     | 0.18               | 3                     | <1                    |
| G290144            |                                   | 1.04                | <10                   | 1                     | 0.15               | 60                    | 0.04                | 96                    | 1                     | 0.05                | <1                    | 80                   | 4                     | 0.13               | <2                    | 1                     |
| G290145            |                                   | 1.12                | <10                   | 1                     | 0.15               | 60                    | 0.03                | 88                    | 2                     | 0.04                | <1                    | 70                   | 5                     | 0.14               | 2                     | 1                     |
| G290146            |                                   | 1.24                | <10                   | 2                     | 0.15               | 60                    | 0.04                | 191                   | 2                     | 0.02                | <1                    | 40                   | 2                     | 0.20               | 4                     | 1                     |
| G290147            |                                   | 1.13                | <10                   | 1                     | 0.16               | 60                    | 0.05                | 173                   | 2                     | 0.04                | <1                    | 60                   | <2                    | 0.12               | 2                     | 1                     |
| G290148            |                                   | 0.76                | <10                   | 1                     | 0.17               | 60                    | 0.03                | 120                   | 1                     | 0.04                | <1                    | 40                   | 3                     | 0.11               | 2                     | <1                    |
| G290149            |                                   | 0.86                | <10                   | 2                     | 0.25               | 60                    | 0.02                | 147                   | 1                     | 0.02                | <1                    | 20                   | 2                     | 0.06               | 2                     | <1                    |
| G290150            |                                   | 12.75               | 10                    | <1                    | 0.25               | 10                    | 0.68                | 329                   | 8                     | 0.02                | 20                    | 650                  | 116                   | 1.73               | 3                     | 2                     |



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: UNDERWORLD RESOURCES INC.  
409 GRANVILLE STREET, SUITE 1500  
VANCOUVER BC V6C 1T2

Page: 5 - C  
Total # Pages: 5 (A - C)  
Finalized Date: 3-OCT-2009  
Account: UNWORE

Project: White Gold Project

## CERTIFICATE OF ANALYSIS VA09104190

| Sample Description | Method  | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|---------|----------|----------|----------|----------|----------|----------|----------|
|                    | Analyte | Sr       | Th       | Ti       | Ti       | U        | V        | W        |
|                    | Units   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
| LOR                |         | 1        | 20       | 0.01     | 10       | 10       | 1        | 10       |
| G290132            |         | 4        | 40       | <0.01    | <10      | 10       | 3        | <10      |
| G290133            |         | 4        | 70       | <0.01    | <10      | <10      | 3        | <10      |
| G290134            |         | 11       | 60       | <0.01    | <10      | <10      | 4        | <10      |
| G290135            |         | 11       | 60       | <0.01    | <10      | <10      | 4        | <10      |
| G290136            |         | 8        | 40       | <0.01    | <10      | <10      | 4        | <10      |
| G290137            |         | 11       | 40       | <0.01    | <10      | <10      | 4        | <10      |
| G290138            |         | 7        | 50       | <0.01    | <10      | <10      | 3        | <10      |
| G290139            |         | 8        | 50       | <0.01    | <10      | <10      | 3        | <10      |
| G290140            |         | 34       | <20      | 0.14     | <10      | <10      | 58       | <10      |
| G290141            |         | 9        | 60       | <0.01    | <10      | <10      | 2        | <10      |
| G290142            |         | 10       | 60       | <0.01    | <10      | <10      | 3        | <10      |
| G290143            |         | 8        | 60       | <0.01    | <10      | <10      | 2        | <10      |
| G290144            |         | 8        | 70       | <0.01    | <10      | <10      | 2        | <10      |
| G290145            |         | 6        | 60       | <0.01    | <10      | <10      | 2        | <10      |
| G290146            |         | 10       | 60       | <0.01    | <10      | <10      | 3        | <10      |
| G290147            |         | 12       | 60       | <0.01    | <10      | <10      | 3        | <10      |
| G290148            |         | 11       | 60       | <0.01    | <10      | <10      | 1        | <10      |
| G290149            |         | 8        | 60       | <0.01    | <10      | <10      | 2        | <10      |
| G290150            |         | 239      | <20      | 0.03     | <10      | <10      | 17       | <10      |