



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Underworld Resources, Inc.**
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Submitted By: Jodie Gibson
Receiving Lab: Canada-Vancouver
Received: July 30, 2009
Report Date: August 07, 2009
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09003255.1

CLIENT JOB INFORMATION

Project: WHITE
Shipment ID: UW09-04
P.O. Number
Number of Samples: 41

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2
Canada

CC: Adrian Fleming
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	41	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	41	Dry at 60C			VAN
1DX15	41	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Underworld Resources, Inc.

1500 - 409 Granville Street

Vancouver BC V6C 1T2 Canada

Project:

WHITE

Report Date:

August 07, 2009

Page:

2 of 3

Part 1

CERTIFICATE OF ANALYSIS

VAN09003255.1

		Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
BC101	Soil		0.8	6.7	11.8	73	<0.1	13.0	11.5	990	4.05	3.5	4.2	2.8	16.5	22	0.1	0.9	0.3	42	0.27	0.024
BC102	Soil		0.6	8.3	14.0	85	<0.1	6.3	10.5	733	3.60	3.6	2.1	<0.5	21.8	23	0.1	0.5	<0.1	58	0.32	0.045
BC103	Soil		1.5	11.7	14.5	50	<0.1	13.5	7.1	226	3.17	8.6	0.6	2.2	4.1	21	0.1	0.6	0.2	79	0.23	0.027
BC104	Soil		0.9	22.3	12.8	67	<0.1	20.8	10.9	537	3.15	7.8	1.3	3.1	7.8	23	0.1	0.6	0.2	73	0.28	0.022
BC105	Soil		1.2	8.1	11.8	50	<0.1	6.8	3.5	353	1.69	3.4	0.7	1.7	3.3	25	0.4	0.4	0.2	49	0.41	0.032
BC106	Soil		0.9	15.0	14.7	63	<0.1	18.6	10.4	421	3.06	6.1	1.3	<0.5	4.5	20	0.3	0.4	0.2	61	0.23	0.033
BC107	Soil		0.7	10.2	17.1	66	<0.1	13.7	10.8	455	2.95	5.5	3.0	1.2	8.6	27	0.1	0.4	0.2	60	0.42	0.057
BC108	Soil		1.2	10.9	13.2	59	<0.1	13.8	9.5	197	2.79	5.8	4.9	2.0	10.2	33	<0.1	0.4	0.2	64	0.46	0.056
BC109	Soil		1.4	18.1	12.1	60	0.2	12.4	7.1	647	2.29	3.8	11.8	2.7	4.9	97	0.3	0.6	0.2	31	1.73	0.092
BC110	Soil		1.1	10.4	21.1	52	0.2	9.5	6.2	372	2.13	4.9	1.5	0.8	4.9	13	0.5	0.4	0.2	47	0.09	0.026
BC111	Soil		1.1	7.2	45.6	64	0.1	10.3	6.9	452	1.93	3.9	2.7	1.2	6.8	29	0.5	0.4	0.3	41	0.36	0.031
BC112	Soil		1.1	8.8	8.5	74	<0.1	7.9	7.6	662	3.84	5.8	0.5	1.0	5.6	13	<0.1	0.3	0.1	77	0.16	0.077
BC113	Soil		1.2	9.9	12.2	118	<0.1	10.8	11.5	826	5.36	5.9	1.2	1.8	17.9	12	0.2	0.8	0.1	56	0.20	0.132
BC114	Soil		0.8	18.9	27.1	58	0.5	7.9	6.7	3220	3.58	3.6	2.5	2.6	20.7	17	0.3	4.4	0.1	26	0.26	0.097
BC115	Soil		0.6	6.4	21.0	61	<0.1	5.7	6.9	767	2.55	4.8	1.5	0.9	8.4	17	0.3	1.3	0.1	45	0.15	0.039
BC116	Soil		1.8	12.3	38.8	135	<0.1	14.4	7.5	1205	2.47	8.3	0.8	1.4	1.9	40	1.2	1.4	0.3	45	0.46	0.034
BC117	Soil		3.2	9.3	30.1	99	<0.1	10.3	5.6	387	2.19	10.6	1.2	<0.5	3.0	23	0.5	3.5	0.3	42	0.18	0.013
BC118	Soil		1.2	7.8	17.2	66	<0.1	8.6	4.2	261	1.85	4.0	0.7	<0.5	1.8	17	0.7	1.1	0.1	42	0.13	0.011
BC119	Soil		0.9	15.6	11.8	88	<0.1	17.3	14.5	1272	4.12	6.1	2.1	1.5	17.6	27	0.2	0.8	0.2	85	0.36	0.035
BC120	Soil		0.7	11.9	10.5	83	<0.1	13.5	13.1	979	3.96	5.3	1.9	2.2	18.2	27	0.1	0.7	0.2	76	0.32	0.038
BC121	Soil		1.7	8.0	12.5	55	<0.1	8.4	6.3	320	3.43	11.1	0.8	1.7	7.5	15	0.2	1.1	0.2	75	0.15	0.032
BC122	Soil		1.5	8.6	14.3	54	<0.1	11.2	6.9	348	3.66	12.1	0.8	2.5	8.4	16	0.1	1.3	0.2	71	0.16	0.034
BC123	Soil		1.3	13.4	16.3	57	0.2	13.4	11.5	631	3.37	8.5	2.1	2.3	10.9	29	0.2	1.0	0.2	61	0.32	0.040
BC124	Soil		0.9	23.5	16.6	63	0.1	22.2	11.1	384	3.56	9.3	3.6	2.4	18.4	25	<0.1	0.7	0.2	66	0.26	0.032
BC125	Soil		1.1	17.2	9.9	75	<0.1	18.5	10.1	461	3.65	8.7	1.2	4.2	9.4	22	0.2	0.6	0.2	68	0.26	0.063
BC126	Soil		1.1	8.1	10.2	50	<0.1	11.1	7.1	324	2.94	5.1	0.5	1.3	3.6	16	0.2	0.7	0.2	77	0.19	0.019
BC127	Soil		0.8	9.7	15.9	63	<0.1	12.9	9.1	345	3.58	6.8	2.1	2.5	14.0	15	0.2	0.8	0.2	53	0.16	0.035
BH101	Soil		0.7	11.1	16.2	40	0.2	13.6	6.4	238	2.59	6.4	1.1	2.8	8.8	17	0.3	0.5	0.2	49	0.16	0.030
BH102	Soil		0.8	10.8	18.3	73	<0.1	7.1	8.4	476	3.59	4.7	1.6	<0.5	12.4	12	0.3	1.3	0.2	55	0.14	0.037
BH103	Soil		1.1	6.4	86.0	82	<0.1	8.5	4.8	332	2.07	4.4	0.5	1.6	2.3	32	1.3	1.2	0.3	43	0.76	0.010



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHITE
Report Date: August 07, 2009

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09003255.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BC101	Soil	25	16	0.21	484	0.007	1	1.02	0.010	0.18	0.3	<0.01	8.9	0.1	<0.05	3	<0.5
BC102	Soil	19	9	0.50	212	0.074	<1	1.48	0.009	0.19	0.1	0.01	9.3	0.2	<0.05	6	0.6
BC103	Soil	11	25	0.37	193	0.048	<1	1.70	0.009	0.08	0.2	<0.01	3.0	0.1	<0.05	8	<0.5
BC104	Soil	16	36	0.64	372	0.069	<1	2.26	0.017	0.08	0.1	0.02	5.9	0.1	<0.05	7	<0.5
BC105	Soil	15	13	0.24	230	0.039	1	1.03	0.011	0.08	0.2	0.03	2.8	0.1	<0.05	6	<0.5
BC106	Soil	18	27	0.59	224	0.048	1	2.01	0.014	0.08	0.2	0.03	3.9	0.1	<0.05	6	<0.5
BC107	Soil	16	23	0.61	228	0.043	<1	1.65	0.015	0.08	0.5	0.03	4.5	0.1	<0.05	6	<0.5
BC108	Soil	21	22	0.57	203	0.031	<1	1.67	0.014	0.08	0.2	0.03	4.9	0.1	<0.05	5	<0.5
BC109	Soil	20	18	0.42	572	0.009	1	1.39	0.010	0.12	0.3	0.06	6.7	0.1	0.08	3	<0.5
BC110	Soil	16	18	0.30	191	0.025	<1	1.44	0.009	0.08	0.1	0.02	2.2	0.2	<0.05	5	<0.5
BC111	Soil	14	20	0.35	211	0.026	<1	1.34	0.013	0.07	0.2	0.05	3.0	0.1	<0.05	4	<0.5
BC112	Soil	15	15	0.67	592	0.201	<1	2.02	0.018	0.48	<0.1	<0.01	4.8	0.4	<0.05	13	<0.5
BC113	Soil	41	17	0.60	487	0.064	2	2.85	0.013	0.37	<0.1	0.02	7.0	0.4	<0.05	10	<0.5
BC114	Soil	64	12	0.18	500	0.009	2	0.99	0.011	0.13	0.4	0.03	3.7	0.2	<0.05	2	<0.5
BC115	Soil	12	12	0.16	340	0.004	3	0.99	0.008	0.10	0.3	0.02	5.3	0.1	<0.05	3	<0.5
BC116	Soil	7	20	0.31	1422	0.012	1	1.66	0.014	0.07	0.2	0.03	3.0	0.1	<0.05	5	<0.5
BC117	Soil	9	19	0.32	613	0.019	1	1.23	0.010	0.06	0.2	0.01	2.7	<0.1	<0.05	4	<0.5
BC118	Soil	7	17	0.27	257	0.011	<1	1.29	0.014	0.06	0.1	<0.01	1.9	<0.1	<0.05	4	<0.5
BC119	Soil	28	27	0.76	348	0.113	3	2.24	0.017	0.25	0.2	<0.01	10.2	0.3	<0.05	8	<0.5
BC120	Soil	25	23	0.83	286	0.139	3	1.95	0.017	0.61	0.1	0.01	10.7	0.4	<0.05	7	<0.5
BC121	Soil	24	22	0.48	286	0.079	2	2.08	0.011	0.14	0.2	0.02	3.6	0.2	<0.05	10	<0.5
BC122	Soil	27	25	0.50	325	0.080	1	2.01	0.017	0.12	0.2	0.02	3.8	0.2	<0.05	9	<0.5
BC123	Soil	57	27	0.45	417	0.032	<1	2.20	0.013	0.09	0.2	0.03	4.0	0.2	<0.05	7	<0.5
BC124	Soil	129	37	0.60	670	0.036	2	2.77	0.013	0.10	<0.1	0.03	6.9	0.2	<0.05	7	0.7
BC125	Soil	27	30	0.64	407	0.088	3	2.46	0.016	0.14	0.2	0.01	4.7	0.2	<0.05	8	<0.5
BC126	Soil	11	21	0.46	180	0.045	<1	1.81	0.013	0.07	0.1	<0.01	3.1	0.1	<0.05	8	<0.5
BC127	Soil	28	20	0.37	243	0.011	<1	1.92	0.008	0.10	0.7	0.03	3.6	0.1	<0.05	5	<0.5
BH101	Soil	19	29	0.36	353	0.036	2	2.36	0.011	0.08	0.1	0.04	3.8	0.2	<0.05	6	<0.5
BH102	Soil	24	13	0.23	371	0.005	<1	1.62	0.007	0.08	0.4	0.02	4.2	0.1	<0.05	4	<0.5
BH103	Soil	7	15	0.18	636	0.007	3	1.17	0.010	0.09	0.1	0.01	2.0	0.1	<0.05	3	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHITE
Report Date: August 07, 2009

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN09003255.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BH104	Soil	3.3	14.4	25.1	128	<0.1	15.3	8.0	749	2.89	9.1	0.6	3.3	1.9	17	2.2	1.6	0.3	66	0.17	0.030
BH105	Soil	2.8	11.9	112.9	463	<0.1	13.3	8.4	1101	2.53	5.3	0.8	2.2	2.0	41	5.1	3.0	0.3	49	0.55	0.029
BH106	Soil	3.0	10.5	59.1	347	0.2	5.7	5.5	890	2.45	6.6	0.5	2.5	1.4	16	3.5	2.3	0.6	56	0.15	0.041
BH107	Soil	0.7	9.3	14.9	122	<0.1	8.2	12.1	1109	4.02	3.0	1.8	1.2	14.0	38	0.5	0.6	0.2	68	0.63	0.050
BH108	Soil	0.6	7.6	17.3	77	<0.1	6.8	11.0	1229	3.46	2.7	1.5	1.5	20.5	32	0.3	0.6	0.3	51	0.60	0.040
BH109	Soil	0.7	13.0	11.3	103	<0.1	12.0	13.8	1260	4.24	3.8	2.8	3.3	22.8	31	0.2	0.5	0.2	75	0.50	0.047
BH110	Soil	0.8	14.9	13.2	59	<0.1	20.3	9.4	475	3.24	13.2	1.3	3.3	10.7	26	<0.1	0.8	0.2	55	0.28	0.038
BH111	Soil	1.0	12.6	18.8	61	<0.1	15.8	10.1	528	3.43	10.8	1.8	3.3	19.2	22	<0.1	0.8	0.2	55	0.24	0.033
BH112	Soil	1.0	8.6	11.8	100	<0.1	7.4	10.0	734	4.65	4.9	2.0	1.0	13.9	12	0.1	1.1	0.2	53	0.19	0.088
BH113	Soil	1.0	7.4	10.3	75	<0.1	6.4	8.2	664	3.83	2.4	1.4	0.6	11.4	25	<0.1	0.9	0.1	40	0.35	0.075
BH114	Soil	0.8	9.7	20.0	78	0.1	5.6	14.2	980	4.04	5.8	4.3	<0.5	20.9	71	0.2	2.1	0.3	51	1.18	0.121



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHITE
Report Date: August 07, 2009

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09003255.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BH104	Soil	9	27	0.42	465	0.016	1	1.80	0.008	0.10	0.1	<0.01	2.7	0.1	<0.05	6	<0.5
BH105	Soil	7	22	0.38	2006	0.016	2	1.66	0.013	0.08	0.2	0.03	3.0	0.2	0.07	5	<0.5
BH106	Soil	9	14	0.14	358	0.009	<1	1.27	0.007	0.07	0.2	0.02	1.8	0.2	0.06	6	<0.5
BH107	Soil	19	13	0.60	476	0.033	3	1.83	0.016	0.29	0.2	0.02	8.1	0.3	0.07	7	<0.5
BH108	Soil	32	11	0.53	316	0.026	1	1.90	0.012	0.30	0.5	0.01	8.7	0.2	<0.05	6	<0.5
BH109	Soil	25	17	0.79	291	0.130	2	2.01	0.016	0.42	0.2	0.02	11.3	0.4	<0.05	8	<0.5
BH110	Soil	29	25	0.58	484	0.052	<1	2.11	0.013	0.10	0.2	0.01	4.3	0.1	<0.05	6	<0.5
BH111	Soil	60	27	0.54	548	0.024	3	2.51	0.012	0.13	0.1	0.01	5.1	0.3	<0.05	7	<0.5
BH112	Soil	40	13	0.58	603	0.070	2	2.07	0.011	0.39	0.3	<0.01	5.3	0.5	<0.05	8	<0.5
BH113	Soil	16	10	0.44	536	0.018	1	2.08	0.011	0.17	0.2	0.01	3.9	0.2	0.06	8	<0.5
BH114	Soil	37	7	0.48	283	0.005	4	0.81	0.011	0.12	0.6	0.02	11.4	0.1	0.07	3	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Underworld Resources, Inc.

1500 - 409 Granville Street

Vancouver BC V6C 1T2 Canada

Project: WHITE

Report Date: August 07, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003255.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
BC109	Soil	1.4	18.1	12.1	60	0.2	12.4	7.1	647	2.29	3.8	11.8	2.7	4.9	97	0.3	0.6	0.2	31	1.73	0.092
REP BC109	QC	1.2	17.7	12.0	61	0.2	11.9	7.5	649	2.33	3.4	11.8	1.4	4.9	100	0.3	0.6	0.2	32	1.75	0.095
BH110	Soil	0.8	14.9	13.2	59	<0.1	20.3	9.4	475	3.24	13.2	1.3	3.3	10.7	26	<0.1	0.8	0.2	55	0.28	0.038
REP BH110	QC	0.9	14.6	13.5	57	<0.1	17.9	9.7	466	3.24	13.3	1.3	12.7	10.8	26	0.2	0.8	0.2	54	0.28	0.036
Reference Materials																					
STD DS7	Standard	22.4	115.7	79.9	401	0.9	59.5	9.8	668	2.57	53.7	5.6	68.8	5.2	86	6.7	6.9	5.3	89	0.97	0.087
STD DS7	Standard	18.7	106.5	69.5	379	0.8	52.6	9.4	588	2.26	49.1	4.9	56.0	4.5	74	5.8	6.0	4.8	78	0.88	0.077
STD DS7	Standard	20.1	103.5	65.4	403	0.8	54.8	9.0	626	2.39	50.7	4.8	74.9	4.3	83	5.9	5.9	4.5	81	0.98	0.078
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Underworld Resources, Inc.

1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHITE

Report Date: August 07, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003255.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
BC109	Soil	20	18	0.42	572	0.009	1	1.39	0.010	0.12	0.3	0.06	6.7	0.1	0.08	3	<0.5
REP BC109	QC	20	18	0.44	590	0.009	1	1.43	0.010	0.12	0.3	0.06	7.1	0.1	0.08	3	<0.5
BH110	Soil	29	25	0.58	484	0.052	<1	2.11	0.013	0.10	0.2	0.01	4.3	0.1	<0.05	6	<0.5
REP BH110	QC	29	26	0.59	473	0.052	1	2.11	0.014	0.10	0.2	0.02	4.6	0.1	<0.05	6	<0.5
Reference Materials																	
STD DS7	Standard	14	212	1.11	433	0.132	41	1.15	0.112	0.47	4.3	0.19	2.7	4.4	0.20	5	4.1
STD DS7	Standard	12	184	0.97	391	0.114	33	0.99	0.100	0.42	3.7	0.17	2.4	4.3	0.19	4	3.2
STD DS7	Standard	14	204	1.07	417	0.123	41	1.07	0.104	0.46	3.9	0.18	2.6	4.2	0.25	5	3.7
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5