



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Underworld Resources, Inc.**  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

Submitted By: Jodie Gibson  
Receiving Lab: Canada-Vancouver  
Received: August 10, 2009  
Report Date: August 25, 2009  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

VAN09003565.1

### CLIENT JOB INFORMATION

Project: TSL  
Shipment ID:  
P.O. Number  
Number of Samples: 45

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Underworld Resources, Inc.  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2  
Canada

CC: Adrian Fleming  
Rob McLeod

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	45	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	45	Dry at 60C			VAN
1DX15	45	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Underworld Resources, Inc.**  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

Project: TSL  
Report Date: August 25, 2009

Page: 2 of 3 Part 1

## CERTIFICATE OF ANALYSIS

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
TSL-38074	Soil	0.9	27.2	5.6	51	<0.1	9.1	5.6	129	1.89	4.0	0.5	0.6	0.8	16	<0.1	0.2	0.1	42	0.26
TSL-38075	Soil	0.5	18.3	6.0	62	<0.1	11.4	6.9	160	2.15	5.4	0.4	1.8	1.4	16	0.1	0.2	0.1	55	0.25
TSL-38077	Soil	0.9	36.3	20.0	56	0.2	17.6	6.9	434	2.44	6.8	1.0	3.4	2.1	53	0.3	0.5	0.1	48	1.31
TSL-38089	Soil	0.5	24.9	9.3	57	<0.1	15.0	7.7	274	2.13	4.3	0.5	2.1	0.3	25	0.5	0.3	<0.1	53	0.38
TSL-38092	Soil	0.8	19.1	7.1	60	<0.1	17.5	9.1	272	2.29	7.4	0.6	1.1	2.0	26	0.2	0.4	0.1	54	0.44
TSL-38093	Soil	0.8	19.4	5.7	63	<0.1	19.1	8.3	395	2.04	7.0	0.5	1.3	1.5	35	0.3	0.5	0.2	48	0.56
TSL-38098	Soil	0.8	17.2	11.6	46	<0.1	15.4	7.6	198	2.40	5.8	0.6	2.2	1.7	20	0.1	0.3	0.1	57	0.26
TSL-38405	Soil	0.4	12.9	4.7	21	<0.1	6.3	2.4	59	1.34	3.3	0.3	1.8	0.3	16	0.1	0.1	<0.1	19	0.17
TSL-39099	Soil	1.7	20.6	7.3	56	<0.1	23.8	7.7	199	2.85	5.4	0.8	1.3	4.1	13	0.1	0.2	0.1	45	0.16
TSL-40097	Soil	2.2	19.6	16.2	95	0.2	10.7	5.4	229	2.30	6.3	0.9	6.4	1.5	23	0.3	0.3	0.2	36	0.35
TSL-40258	Soil	0.5	16.2	16.5	60	<0.1	14.8	7.5	300	2.52	5.1	0.9	1.5	3.3	16	0.1	0.3	0.2	53	0.21
TSL-40691	Soil	0.9	33.4	6.8	54	0.2	19.0	10.9	533	2.56	6.2	0.9	2.7	1.2	66	0.3	0.3	0.1	56	1.54
TSL-40758	Soil	0.6	34.5	6.1	50	<0.1	15.5	12.0	254	2.87	6.8	0.4	1.9	1.7	17	<0.1	0.3	<0.1	81	0.26
TSL-40769	Soil	0.6	38.1	7.4	58	0.1	12.0	7.0	160	1.98	4.2	0.4	1.5	1.1	13	0.2	0.2	<0.1	59	0.18
TSL-40804	Soil	0.6	40.2	5.4	78	<0.1	20.6	14.6	352	4.05	4.9	0.3	2.8	2.1	20	<0.1	0.3	<0.1	111	0.37
TSL-40865	Soil	1.0	27.7	17.4	75	<0.1	14.5	7.5	342	3.16	12.3	0.9	2.1	3.2	17	<0.1	0.3	0.1	64	0.17
TSL-40866	Soil	0.9	22.7	11.9	37	<0.1	7.5	4.5	198	1.99	4.5	0.8	2.2	0.5	12	0.2	0.2	0.1	31	0.10
TSL-40867	Soil	1.2	20.8	14.1	59	<0.1	10.6	6.4	353	2.63	6.8	0.6	0.8	1.8	16	0.1	0.3	0.2	51	0.18
TSL-40868	Soil	0.6	20.6	8.5	37	<0.1	6.6	3.6	149	1.44	3.0	0.5	1.4	0.7	19	0.2	0.2	0.1	27	0.21
TSL-40869	Soil	0.9	25.8	12.9	78	<0.1	12.9	11.0	574	2.88	7.4	0.6	1.2	2.5	14	0.1	0.3	0.1	53	0.17
TSL-40870	Soil	1.5	32.7	16.6	65	<0.1	16.7	11.9	327	3.43	5.8	0.5	5.4	3.2	14	0.1	0.2	0.1	75	0.31
TSL-40871	Soil	1.6	34.1	16.2	71	<0.1	17.1	13.2	385	3.35	5.4	0.5	1.6	3.3	15	<0.1	0.2	0.1	74	0.32
TSL-40872	Soil	0.9	28.5	10.5	68	<0.1	16.0	9.6	273	2.83	5.3	0.7	2.2	2.4	18	0.1	0.2	0.1	69	0.27
TSL-40873	Soil	0.7	23.0	8.4	61	<0.1	17.3	12.8	587	2.69	6.7	0.7	1.2	2.4	22	0.2	0.4	0.1	64	0.35
TSL-40874	Soil	0.6	19.5	6.3	55	<0.1	17.5	8.6	300	2.20	6.6	0.6	1.4	2.5	30	0.1	0.3	0.1	59	0.43
TSL-40875	Soil	1.1	17.9	5.5	46	0.1	12.8	6.2	205	1.87	5.4	0.5	1.6	1.2	26	0.1	0.3	0.1	47	0.42
TSL-40876	Soil	0.6	20.0	6.1	59	<0.1	16.4	9.7	352	2.22	7.2	0.6	2.5	1.8	27	0.2	0.4	0.1	58	0.46
TSL-40877	Soil	0.6	21.0	6.2	56	<0.1	20.1	8.3	224	2.25	6.1	0.7	2.9	2.2	30	0.1	0.3	0.1	60	0.44
TSL-40878	Soil	1.1	15.2	8.5	52	<0.1	15.0	9.9	390	2.73	6.2	0.4	0.8	2.2	24	<0.1	0.3	0.1	65	0.30
TSL-40891	Soil	1.0	28.1	7.6	49	<0.1	18.6	11.4	402	2.39	6.3	1.2	3.4	0.8	39	0.3	0.3	0.1	50	0.45



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Underworld Resources, Inc.**  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

Project: TSL  
Report Date: August 25, 2009

Page: 2 of 3 Part 2

## CERTIFICATE OF ANALYSIS

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
TSL-38074	Soil	6	19	0.42	158	0.065	3	1.23	0.031	0.06	0.2	0.05	2.4	<0.1	0.05	4	<0.5
TSL-38075	Soil	7	21	0.51	136	0.070	2	1.36	0.023	0.06	0.1	0.03	2.6	<0.1	<0.05	4	<0.5
TSL-38077	Soil	26	16	0.47	665	0.046	6	1.29	0.036	0.14	<0.1	0.06	5.5	0.1	0.11	4	0.8
TSL-38089	Soil	8	22	0.51	286	0.047	2	1.00	0.027	0.12	<0.1	0.04	2.6	<0.1	<0.05	4	<0.5
TSL-38092	Soil	9	26	0.49	185	0.059	2	1.53	0.034	0.05	0.1	0.03	3.1	<0.1	<0.05	4	<0.5
TSL-38093	Soil	9	21	0.50	188	0.064	4	1.12	0.035	0.07	0.2	0.04	2.6	<0.1	<0.05	3	0.6
TSL-38098	Soil	9	27	0.52	168	0.073	<1	1.72	0.022	0.06	0.1	0.03	2.8	<0.1	<0.05	5	<0.5
TSL-38405	Soil	4	13	0.19	101	0.034	2	0.71	0.020	0.04	0.1	0.04	1.3	<0.1	0.08	3	<0.5
TSL-39099	Soil	17	28	0.53	166	0.051	1	1.52	0.014	0.15	<0.1	0.01	2.4	0.1	<0.05	5	<0.5
TSL-40097	Soil	14	19	0.34	220	0.046	2	1.70	0.027	0.08	0.1	0.05	5.6	<0.1	<0.05	5	0.5
TSL-40258	Soil	12	38	0.52	279	0.091	1	1.35	0.015	0.12	<0.1	0.01	3.7	<0.1	<0.05	5	<0.5
TSL-40691	Soil	13	29	0.49	866	0.060	3	1.99	0.033	0.08	0.1	0.08	4.8	<0.1	0.07	5	<0.5
TSL-40758	Soil	7	27	0.86	244	0.116	<1	1.86	0.024	0.18	<0.1	0.01	4.1	<0.1	<0.05	5	<0.5
TSL-40769	Soil	6	31	0.53	127	0.096	<1	1.51	0.025	0.11	<0.1	0.02	2.0	<0.1	<0.05	5	<0.5
TSL-40804	Soil	6	49	0.76	214	0.067	2	1.88	0.023	0.14	<0.1	<0.01	6.4	<0.1	<0.05	6	<0.5
TSL-40865	Soil	15	21	0.44	327	0.074	2	1.62	0.020	0.14	<0.1	0.02	5.8	0.2	0.05	5	<0.5
TSL-40866	Soil	13	14	0.15	201	0.034	<1	1.26	0.027	0.07	<0.1	0.05	3.3	<0.1	<0.05	4	<0.5
TSL-40867	Soil	10	16	0.29	260	0.052	3	1.30	0.020	0.15	<0.1	0.09	4.9	0.2	<0.05	6	<0.5
TSL-40868	Soil	9	16	0.20	238	0.050	2	0.88	0.025	0.08	<0.1	0.06	2.8	<0.1	0.08	4	<0.5
TSL-40869	Soil	10	24	0.46	156	0.085	<1	1.68	0.021	0.12	0.1	0.04	3.9	0.2	<0.05	6	<0.5
TSL-40870	Soil	10	39	0.73	190	0.099	<1	1.81	0.027	0.23	0.1	0.03	5.2	0.2	<0.05	6	<0.5
TSL-40871	Soil	11	40	0.75	200	0.100	<1	1.90	0.029	0.23	<0.1	0.03	5.3	0.3	<0.05	6	<0.5
TSL-40872	Soil	12	32	0.67	274	0.075	1	1.55	0.024	0.14	0.1	0.04	4.9	0.2	<0.05	6	<0.5
TSL-40873	Soil	11	28	0.55	264	0.070	<1	1.42	0.024	0.07	0.1	0.03	4.3	<0.1	<0.05	5	<0.5
TSL-40874	Soil	9	26	0.57	195	0.081	2	1.55	0.034	0.05	0.1	0.03	3.2	<0.1	<0.05	4	<0.5
TSL-40875	Soil	7	24	0.37	142	0.067	2	1.28	0.032	0.05	0.1	0.05	2.7	<0.1	<0.05	4	<0.5
TSL-40876	Soil	9	30	0.48	148	0.074	<1	1.48	0.034	0.06	0.1	0.02	3.2	<0.1	<0.05	4	<0.5
TSL-40877	Soil	11	27	0.58	179	0.074	2	1.54	0.027	0.06	0.2	0.02	3.2	<0.1	<0.05	4	<0.5
TSL-40878	Soil	7	33	0.52	320	0.102	<1	2.06	0.023	0.09	<0.1	0.03	2.8	<0.1	<0.05	6	<0.5
TSL-40891	Soil	14	24	0.39	317	0.046	<1	1.40	0.026	0.05	0.1	0.06	3.8	<0.1	<0.05	4	0.6



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Underworld Resources, Inc.  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

**Project:** TSL  
**Report Date:** August 25, 2009

**Page:** 3 of 3 **Part** 1

## CERTIFICATE OF ANALYSIS

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
TSL-40894	Soil	0.8	16.3	7.1	54	<0.1	16.0	8.2	412	2.16	7.1	0.8	3.9	1.8	28	0.2	0.3	0.1	56	0.38
TSL-40953	Soil	0.6	33.5	6.3	50	<0.1	9.3	5.1	136	1.94	4.5	0.4	1.8	0.8	14	0.2	0.1	0.1	45	0.23
TSL-40975	Soil	0.9	33.8	6.9	72	<0.1	14.0	9.8	320	2.40	5.3	0.5	1.8	1.6	16	0.1	0.2	0.1	64	0.30
TSL-42401	Soil	0.7	47.5	9.6	65	0.3	7.1	5.2	171	1.99	3.2	0.5	4.4	0.9	26	0.1	0.1	0.2	44	0.39
TSL-42413	Soil	1.2	55.4	15.0	45	0.8	5.2	2.2	78	2.29	4.9	0.6	12.8	0.8	14	0.1	0.1	0.3	26	0.12
TSL-42626	Soil	0.5	28.2	9.1	54	0.1	7.6	6.8	197	1.77	2.9	0.5	1.3	0.8	16	<0.1	0.2	<0.1	40	0.27
TSL-42760	Soil	0.4	26.1	7.7	41	0.3	5.3	2.3	64	1.13	3.1	0.4	4.8	0.4	12	0.2	0.1	0.1	16	0.13
TSL-43081	Soil	0.9	27.1	10.3	142	0.2	10.2	8.7	851	2.26	4.6	1.2	2.6	2.8	22	0.6	0.2	0.2	33	0.36
TSL-43209	Soil	0.7	15.9	9.9	74	0.2	8.7	4.8	152	1.63	4.2	0.5	2.0	1.4	18	0.4	0.2	0.1	37	0.23
TSL-43210	Soil	0.8	45.6	9.8	161	0.3	15.6	10.4	1445	3.40	3.5	2.7	3.8	3.1	32	0.7	0.3	0.1	44	0.87
TSL-43478	Soil	1.1	14.0	9.9	59	0.1	6.8	3.6	253	1.91	4.7	1.1	5.3	3.6	11	0.2	0.3	0.1	36	0.11
TSL-43484	Soil	0.8	14.8	7.8	36	<0.1	9.0	5.3	165	1.84	4.4	1.2	<0.5	3.9	13	0.1	0.3	0.1	38	0.14
TSL-43968	Soil	1.4	18.1	18.0	71	<0.1	15.1	8.9	453	2.81	5.9	1.2	2.4	5.8	31	0.2	0.4	0.2	54	0.44
TSL-45265	Soil	0.4	12.9	5.6	74	<0.1	6.2	3.8	177	1.52	3.0	0.5	20.6	0.6	16	0.1	0.2	<0.1	25	0.22
TSL-45267	Soil	1.4	82.9	7.9	79	0.4	11.5	28.1	1497	2.27	3.7	1.5	5.8	0.7	41	0.7	0.3	<0.1	37	0.48



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Underworld Resources, Inc.  
1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

**Project:** TSL  
**Report Date:** August 25, 2009

**Page:** 3 of 3 **Part** 2

## CERTIFICATE OF ANALYSIS

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
TSL-40894	Soil	10	23	0.43	201	0.058	1	1.32	0.025	0.05	0.1	0.03	2.7	<0.1	<0.05	4	<0.5
TSL-40953	Soil	6	22	0.46	216	0.079	<1	1.33	0.025	0.11	0.1	0.02	2.7	0.1	0.08	5	<0.5
TSL-40975	Soil	9	37	0.52	251	0.085	<1	1.56	0.025	0.13	0.1	0.05	3.7	0.1	0.06	5	0.6
TSL-42401	Soil	7	18	0.31	209	0.057	<1	1.27	0.026	0.05	<0.1	0.05	2.7	<0.1	<0.05	5	<0.5
TSL-42413	Soil	8	15	0.17	133	0.029	2	0.97	0.018	0.04	<0.1	0.07	1.8	<0.1	0.15	3	0.6
TSL-42626	Soil	8	16	0.32	122	0.046	<1	1.31	0.027	0.04	<0.1	0.06	2.8	<0.1	0.07	4	<0.5
TSL-42760	Soil	5	15	0.19	93	0.033	2	0.76	0.020	0.05	<0.1	0.04	1.3	<0.1	0.09	3	<0.5
TSL-43081	Soil	33	17	0.37	415	0.048	2	1.30	0.017	0.13	0.1	0.07	4.1	<0.1	<0.05	5	0.7
TSL-43209	Soil	11	18	0.30	191	0.057	<1	1.23	0.023	0.07	<0.1	0.04	2.5	<0.1	<0.05	5	<0.5
TSL-43210	Soil	60	24	0.47	936	0.038	2	1.89	0.019	0.16	0.1	0.09	10.6	<0.1	0.05	6	1.3
TSL-43478	Soil	23	17	0.20	149	0.043	2	1.21	0.012	0.09	<0.1	0.02	2.3	<0.1	<0.05	4	<0.5
TSL-43484	Soil	21	26	0.25	148	0.063	3	1.40	0.016	0.07	0.2	0.02	2.9	<0.1	<0.05	5	<0.5
TSL-43968	Soil	15	27	0.52	309	0.090	1	1.82	0.020	0.12	0.2	0.02	4.3	<0.1	<0.05	7	<0.5
TSL-45265	Soil	6	17	0.30	161	0.048	6	1.12	0.036	0.07	0.1	0.03	2.4	0.1	0.07	4	0.5
TSL-45267	Soil	26	22	0.28	460	0.054	4	1.85	0.032	0.05	0.1	0.07	4.4	0.1	0.13	4	1.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Underworld Resources, Inc.

1500 - 409 Granville Street

Vancouver BC V6C 1T2 Canada

Project: TSL

Report Date: August 25, 2009

Page: 1 of 1 Part 1

## QUALITY CONTROL REPORT

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
TSL-38093	Soil	0.8	19.4	5.7	63	<0.1	19.1	8.3	395	2.04	7.0	0.5	1.3	1.5	35	0.3	0.5	0.2	48	0.56	0.063
REP TSL-38093	QC	0.7	21.0	5.8	67	<0.1	17.7	8.6	431	2.08	7.0	0.5	1.8	1.5	38	0.4	0.5	0.2	49	0.60	0.068
TSL-40869	Soil	0.9	25.8	12.9	78	<0.1	12.9	11.0	574	2.88	7.4	0.6	1.2	2.5	14	0.1	0.3	0.1	53	0.17	0.047
REP TSL-40869	QC	0.9	23.8	12.8	80	<0.1	13.1	10.6	581	2.96	7.3	0.6	2.0	2.6	14	0.1	0.3	0.1	57	0.17	0.047
Reference Materials																					
STD DS7	Standard	18.7	87.3	61.7	366	0.7	52.5	8.1	576	2.22	48.3	4.4	62.8	4.1	71	6.2	5.5	4.3	82	0.84	0.078
STD DS7	Standard	18.6	105.3	62.5	372	0.8	52.2	9.6	594	2.23	48.9	4.5	63.1	4.2	66	6.2	5.6	4.4	77	0.94	0.070
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

Client: **Underworld Resources, Inc.**

1500 - 409 Granville Street  
Vancouver BC V6C 1T2 Canada

Project: TSL

Report Date: August 25, 2009

Page: 1 of 1 Part 2

## QUALITY CONTROL REPORT

VAN09003565.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
TSL-38093	Soil	9	21	0.50	188	0.064	4	1.12	0.035	0.07	0.2	0.04	2.6	<0.1	<0.05	3	0.6
REP TSL-38093	QC	9	25	0.49	195	0.071	3	1.22	0.039	0.08	0.1	0.04	3.0	<0.1	<0.05	3	0.7
TSL-40869	Soil	10	24	0.46	156	0.085	<1	1.68	0.021	0.12	0.1	0.04	3.9	0.2	<0.05	6	<0.5
REP TSL-40869	QC	9	22	0.51	157	0.081	1	1.52	0.018	0.14	0.1	0.05	4.0	0.1	<0.05	5	<0.5
Reference Materials																	
STD DS7	Standard	12	161	1.05	363	0.096	41	0.94	0.092	0.41	3.6	0.18	2.1	3.8	0.20	4	3.0
STD DS7	Standard	13	197	0.92	366	0.108	37	1.04	0.097	0.38	3.9	0.17	2.4	4.0	0.17	5	3.4
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5