



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Submitted By: Jodie Gibson
Receiving Lab: Canada-Vancouver
Received: August 28, 2009
Report Date: September 16, 2009
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN09003955.1

CLIENT JOB INFORMATION

Project: WHS
Shipment ID:
P.O. Number
Number of Samples: 37

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2
Canada

CC: Rob McLeod
Adrian Fleming

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	37	Dry at 60C sieve 100g to -80 mesh			VAN
Dry at 60C	37	Dry at 60C			VAN
1DX2	37	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Underworld Resources, Inc.**
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHS
Report Date: September 16, 2009

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	% 0.01	ppm 0.5	ppm 0.1	ppb 0.5	ppm 0.1	ppm 1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 2	% 0.01
WHS 59915	Soil	0.7	26.1	12.2	51	<0.1	32.4	11.3	282	2.89	8.8	0.6	1.0	6.1	27	<0.1	0.5	0.2	62	0.31
WHS 59916	Soil	1.3	28.6	11.6	51	0.1	22.8	9.9	228	3.18	6.2	1.5	1.0	7.3	29	<0.1	0.4	0.3	52	0.21
WHS 59917	Soil	1.0	31.2	9.0	44	<0.1	22.2	8.8	186	2.60	4.9	1.6	<0.5	8.7	22	<0.1	0.4	0.2	40	0.25
WHS 59918	Soil	1.1	31.1	8.6	46	<0.1	22.1	8.3	186	2.52	4.5	1.8	2.9	8.9	23	<0.1	0.3	0.2	39	0.24
WHS 59919	Soil	0.9	18.4	11.5	49	0.3	27.0	19.0	836	2.87	5.8	0.5	1.3	3.1	28	0.1	0.4	0.2	62	0.31
WHS 59920	Soil	1.1	32.7	12.2	59	0.1	35.3	12.8	219	3.41	10.7	1.3	3.2	11.0	19	<0.1	0.6	0.2	61	0.11
WHS 59921	Soil	0.8	26.0	9.1	50	<0.1	29.0	10.6	265	2.96	9.1	0.8	2.9	6.7	22	<0.1	0.6	0.1	59	0.21
WHS 59922	Soil	0.6	37.5	23.1	81	0.2	34.1	15.6	483	3.38	3.1	0.8	<0.5	5.9	33	0.1	0.2	0.1	40	3.22
WHS 59923	Soil	0.5	32.0	9.2	95	<0.1	37.7	16.7	230	3.19	3.8	0.6	<0.5	7.7	15	<0.1	0.2	0.2	46	0.20
WHS 59924	Soil	0.6	17.2	7.7	63	<0.1	28.0	13.7	278	2.60	4.4	0.5	<0.5	6.0	16	<0.1	0.3	0.2	53	0.22
WHS 59925	Soil	1.0	38.5	17.0	81	0.2	39.5	15.0	201	3.51	5.7	1.6	1.7	11.5	30	<0.1	0.4	0.3	50	0.23
WHS 59926	Soil	1.0	35.9	11.0	73	<0.1	26.4	10.8	277	3.31	5.4	2.5	2.3	11.1	20	<0.1	0.4	0.3	45	0.20
WHS 59927	Soil	0.7	41.7	20.2	105	<0.1	42.7	15.8	274	3.83	3.8	2.6	0.8	18.4	12	<0.1	0.2	0.4	41	0.20
WHS 59928	Soil	0.8	27.0	8.4	47	<0.1	26.3	10.7	333	2.69	7.9	1.2	1.1	7.0	23	<0.1	0.4	0.2	46	0.30
WHS 59929	Soil	0.7	37.2	9.1	62	<0.1	31.6	12.0	280	2.92	7.1	1.5	4.5	9.2	22	<0.1	0.5	0.2	50	0.26
WHS 59930	Soil	0.8	23.9	8.6	76	<0.1	23.5	12.5	494	3.16	4.7	1.2	0.7	8.2	23	<0.1	0.3	0.2	48	0.27
WHS 59931	Soil	0.7	21.2	13.5	65	<0.1	32.5	11.8	478	2.87	7.5	0.7	0.8	7.0	20	<0.1	0.5	0.2	44	0.27
WHS 59932	Soil	0.9	23.4	9.3	44	0.1	23.5	9.5	309	2.54	6.4	1.2	0.8	5.8	25	<0.1	0.4	0.2	49	0.30
WHS 59933	Soil	0.6	46.4	5.8	48	0.1	24.4	13.2	510	2.33	5.0	0.3	0.6	2.7	20	<0.1	0.4	0.1	53	0.37
WHS 59934	Soil	1.3	36.0	11.0	79	0.1	39.9	13.7	450	3.07	12.7	0.8	0.7	8.2	21	<0.1	0.4	0.2	56	0.27
WHS 59935	Soil	0.8	29.0	8.1	54	<0.1	29.5	12.4	323	2.77	12.6	0.7	0.5	5.8	21	<0.1	0.4	0.2	55	0.28
WHS 59936	Soil	0.7	10.7	6.0	39	<0.1	15.5	10.5	325	2.88	6.8	0.4	1.3	5.3	23	<0.1	0.3	0.1	60	0.40
WHS 59937	Soil	0.7	14.1	7.5	48	<0.1	16.9	9.1	449	2.60	6.1	0.8	2.1	7.1	21	<0.1	0.4	0.2	53	0.26
WHS 59938	Soil	0.7	15.2	7.2	54	<0.1	21.1	10.3	467	2.79	7.5	0.6	0.6	3.8	21	0.1	0.5	0.1	61	0.27
WHS 59939	Soil	0.8	17.7	7.1	47	<0.1	19.9	8.5	263	2.90	8.3	0.5	<0.5	3.2	22	<0.1	0.5	0.1	66	0.25
WHS 59940	Soil	0.8	22.7	6.9	48	<0.1	18.0	11.4	317	2.86	6.0	0.3	<0.5	1.9	18	<0.1	0.4	0.1	72	0.27
WHS 59941	Soil	0.6	19.4	6.3	45	<0.1	17.9	14.3	726	2.69	5.7	0.3	1.6	2.6	20	<0.1	0.3	0.1	59	0.31
WHS 59942	Soil	0.6	24.0	4.7	99	<0.1	16.4	12.2	655	2.70	3.7	0.3	<0.5	1.6	22	<0.1	0.3	0.1	55	0.33
WHS 59943	Soil	0.6	40.6	4.4	66	<0.1	21.2	14.2	1129	2.21	3.0	0.2	<0.5	1.2	24	<0.1	0.2	<0.1	54	0.42
WHS 59944	Soil	0.6	104.5	5.4	60	0.1	27.8	15.3	502	2.93	4.2	0.4	2.4	2.8	20	0.1	0.2	0.1	83	0.39



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHS
Report Date: September 16, 2009

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
WHS 59915	Soil	11	39	0.63	182	0.083	2	2.00	0.010	0.08	0.1	0.02	3.2	<0.1	<0.05	5	<0.5
WHS 59916	Soil	19	33	0.60	160	0.082	1	1.87	0.018	0.15	0.1	0.02	2.8	0.2	0.18	5	0.5
WHS 59917	Soil	23	29	0.54	118	0.069	<1	1.44	0.016	0.09	<0.1	0.01	3.2	<0.1	0.14	4	<0.5
WHS 59918	Soil	23	28	0.54	122	0.065	1	1.41	0.016	0.09	<0.1	0.01	3.2	0.1	0.13	4	<0.5
WHS 59919	Soil	9	40	0.59	193	0.068	1	1.80	0.012	0.14	0.1	0.02	2.6	0.1	<0.05	5	<0.5
WHS 59920	Soil	18	40	0.63	85	0.094	<1	2.33	0.011	0.11	0.1	0.02	3.0	0.2	0.07	6	<0.5
WHS 59921	Soil	15	38	0.57	138	0.098	1	1.89	0.011	0.09	0.1	0.02	3.3	<0.1	<0.05	5	<0.5
WHS 59922	Soil	12	32	0.70	146	0.118	1	1.87	0.012	0.46	<0.1	0.02	3.3	0.3	<0.05	5	<0.5
WHS 59923	Soil	11	36	0.87	181	0.130	<1	2.27	0.009	0.55	<0.1	<0.01	2.6	0.3	<0.05	7	<0.5
WHS 59924	Soil	15	35	0.57	176	0.095	<1	1.93	0.011	0.14	<0.1	0.01	3.0	0.2	<0.05	6	<0.5
WHS 59925	Soil	33	36	0.71	121	0.088	1	2.16	0.015	0.31	<0.1	0.02	4.2	0.3	0.15	6	0.6
WHS 59926	Soil	37	32	0.69	140	0.104	1	1.81	0.015	0.40	<0.1	0.01	3.6	0.3	0.16	6	<0.5
WHS 59927	Soil	69	41	0.92	132	0.111	1	1.79	0.010	0.56	<0.1	0.02	4.8	0.4	<0.05	6	<0.5
WHS 59928	Soil	18	29	0.47	174	0.066	1	1.44	0.015	0.12	0.1	0.02	3.8	<0.1	<0.05	4	<0.5
WHS 59929	Soil	31	37	0.65	175	0.088	1	1.81	0.014	0.10	0.2	0.03	6.1	0.1	<0.05	5	<0.5
WHS 59930	Soil	22	29	0.72	217	0.086	1	1.89	0.012	0.30	<0.1	0.02	2.2	0.3	<0.05	6	<0.5
WHS 59931	Soil	18	28	0.38	161	0.047	1	1.41	0.010	0.17	<0.1	0.01	4.0	0.1	<0.05	4	<0.5
WHS 59932	Soil	19	32	0.39	157	0.058	<1	1.42	0.016	0.14	<0.1	0.01	4.4	<0.1	0.06	4	<0.5
WHS 59933	Soil	7	48	0.58	355	0.089	2	1.64	0.013	0.21	0.1	<0.01	3.9	<0.1	<0.05	4	<0.5
WHS 59934	Soil	33	36	0.87	288	0.090	1	1.86	0.012	0.26	<0.1	0.01	4.0	0.2	<0.05	6	<0.5
WHS 59935	Soil	15	39	0.58	225	0.093	<1	1.68	0.013	0.20	<0.1	0.02	4.9	0.1	<0.05	5	<0.5
WHS 59936	Soil	11	27	0.68	425	0.114	<1	1.81	0.012	0.27	0.2	<0.01	3.7	0.1	<0.05	6	<0.5
WHS 59937	Soil	22	32	0.49	339	0.074	<1	1.77	0.010	0.15	0.1	0.01	4.0	<0.1	<0.05	5	<0.5
WHS 59938	Soil	11	35	0.56	416	0.090	2	1.80	0.012	0.21	0.1	<0.01	3.9	<0.1	<0.05	5	<0.5
WHS 59939	Soil	9	32	0.58	318	0.094	<1	1.65	0.012	0.16	0.1	0.01	3.0	<0.1	<0.05	5	<0.5
WHS 59940	Soil	7	37	0.66	278	0.084	<1	1.94	0.016	0.07	0.1	0.04	3.1	<0.1	<0.05	6	<0.5
WHS 59941	Soil	7	41	0.73	313	0.084	2	1.89	0.015	0.20	<0.1	0.01	3.5	<0.1	<0.05	5	<0.5
WHS 59942	Soil	7	20	0.89	416	0.084	1	2.01	0.016	0.11	<0.1	<0.01	6.0	<0.1	<0.05	7	<0.5
WHS 59943	Soil	5	40	0.64	574	0.075	1	1.55	0.023	0.08	<0.1	<0.01	2.5	<0.1	<0.05	5	<0.5
WHS 59944	Soil	8	32	0.98	804	0.160	1	1.98	0.022	0.37	<0.1	<0.01	3.3	0.2	<0.05	6	<0.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHS
Report Date: September 16, 2009

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
WHS 59945	Soil	0.7	52.8	5.6	38	0.1	36.7	13.8	266	2.28	6.3	0.3	0.8	1.9	16	<0.1	0.4	<0.1	53	0.29	0.029
WHS 59946	Soil	0.8	30.7	4.5	57	<0.1	14.2	9.7	300	2.44	3.6	0.2	<0.5	1.1	17	<0.1	0.4	<0.1	69	0.38	0.046
WHS 59947	Soil	0.5	44.2	4.6	53	<0.1	21.6	13.3	368	2.81	4.3	0.3	0.7	1.9	25	<0.1	0.3	<0.1	85	0.33	0.028
WHS 59948	Soil	0.6	25.5	4.6	44	<0.1	17.6	10.9	546	2.07	3.7	0.2	0.7	1.7	21	<0.1	0.2	<0.1	53	0.32	0.040
WHS 60000	Soil	0.7	74.7	4.2	46	<0.1	26.4	13.7	528	2.41	3.3	0.2	1.3	1.4	24	<0.1	0.2	<0.1	71	0.45	0.028
WHS 60002	Soil	0.7	25.5	10.6	80	<0.1	33.5	15.4	202	3.04	6.2	0.9	<0.5	9.0	9	0.1	0.3	0.3	45	0.10	0.040
WHS 60003	Soil	0.8	24.7	10.3	103	<0.1	33.3	19.0	350	3.66	5.0	0.8	<0.5	7.0	17	0.1	0.3	0.3	61	0.23	0.040



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Underworld Resources, Inc.
1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHS
Report Date: September 16, 2009

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
WHS 59945	Soil	6	72	0.72	269	0.079	1	1.53	0.014	0.16	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5
WHS 59946	Soil	6	33	0.53	157	0.077	<1	1.47	0.032	0.05	<0.1	<0.01	4.2	<0.1	<0.05	5	<0.5
WHS 59947	Soil	8	40	0.74	280	0.089	<1	1.78	0.023	0.08	0.1	<0.01	5.7	<0.1	<0.05	6	<0.5
WHS 59948	Soil	6	27	0.47	497	0.064	<1	1.40	0.016	0.14	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5
WHS 60000	Soil	5	34	0.67	446	0.090	<1	1.72	0.022	0.11	<0.1	<0.01	3.3	<0.1	<0.05	5	<0.5
WHS 60002	Soil	11	29	0.60	110	0.072	<1	2.09	0.008	0.13	0.1	<0.01	2.1	0.2	<0.05	6	<0.5
WHS 60003	Soil	10	33	0.79	186	0.113	1	2.33	0.010	0.27	0.1	0.01	2.4	0.2	<0.05	8	<0.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Underworld Resources, Inc.

1500 - 409 Granville Street

Vancouver BC V6C 1T2 Canada

Project: WHS

Report Date: September 16, 2009

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
WHS 59929	Soil	0.7	37.2	9.1	62	<0.1	31.6	12.0	280	2.92	7.1	1.5	4.5	9.2	22	<0.1	0.5	0.2	50	0.26	0.024
REP WHS 59929	QC	0.7	34.6	8.8	59	<0.1	31.0	11.9	264	2.77	6.9	1.5	2.0	9.2	21	<0.1	0.4	0.2	49	0.26	0.025
WHS 59942	Soil	0.6	24.0	4.7	99	<0.1	16.4	12.2	655	2.70	3.7	0.3	<0.5	1.6	22	<0.1	0.3	0.1	55	0.33	0.057
REP WHS 59942	QC	0.5	23.9	5.0	100	<0.1	17.3	13.0	683	2.85	3.9	0.3	<0.5	1.7	22	<0.1	0.3	0.1	56	0.35	0.057
Reference Materials																					
STD DS7	Standard	19.2	105.1	67.9	386	0.8	52.4	9.2	577	2.25	51.9	5.1	57.9	4.6	71	6.4	6.0	4.6	77	0.92	0.075
STD DS7	Standard	18.7	103.5	66.0	386	0.9	52.0	9.2	600	2.33	50.6	4.8	116.6	4.4	68	6.6	5.8	4.8	82	0.92	0.081
STD DS7 Expected		20.5	109	70.6	411	0.9	56	9.7	627	2.39	48.2	4.9	70	4.4	69	6.4	4.6	4.5	84	0.93	0.08
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Underworld Resources, Inc.**

1500 - 409 Granville Street
Vancouver BC V6C 1T2 Canada

Project: WHS

Report Date: September 16, 2009

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

VAN09003955.1

	Method Analyte Unit MDL	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
Pulp Duplicates																	
WHS 59929	Soil	31	37	0.65	175	0.088	1	1.81	0.014	0.10	0.2	0.03	6.1	0.1	<0.05	5	<0.5
REP WHS 59929	QC	30	36	0.66	168	0.088	1	1.78	0.015	0.11	<0.1	0.03	5.9	0.1	<0.05	5	<0.5
WHS 59942	Soil	7	20	0.89	416	0.084	1	2.01	0.016	0.11	<0.1	<0.01	6.0	<0.1	<0.05	7	<0.5
REP WHS 59942	QC	6	21	0.91	404	0.089	1	2.06	0.016	0.11	<0.1	<0.01	6.2	<0.1	<0.05	8	<0.5
Reference Materials																	
STD DS7	Standard	14	166	0.99	399	0.114	33	0.97	0.088	0.40	3.9	0.19	2.5	4.0	0.40	5	3.4
STD DS7	Standard	12	173	1.01	382	0.117	41	0.97	0.091	0.41	3.8	0.19	2.2	4.1	0.18	4	3.9
STD DS7 Expected		12	179	1.05	370	0.124	39	0.959	0.089	0.44	3.4	0.2	2.5	4.2	0.19	5	3.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5