



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson

Receiving Lab: Canada-Whitehorse

Received: July 05, 2010

Report Date: July 23, 2010

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI10000056.1

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-003
P.O. Number
Number of Samples: 24

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	24	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	24	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: July 23, 2010

Page: 2 of 2 Part 1

CERTIFICATE OF ANALYSIS

WHI10000056.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
025702	Rock	0.26	7.69	19.47	8.57	104.9	<20	1.0	3.3	2624	5.45	1.9	1.1	<0.1	7.3	65	0.25	0.98	0.18	2	0.81
025703	Rock	0.83	0.11	1.39	7.52	80.6	258	4.1	3.9	1002	1.80	5.6	2.4	<0.1	6.6	13	0.57	1.99	2.90	6	14.40
025704	Rock	0.76	0.12	1.05	15.59	160.8	<20	3.3	5.3	1136	4.57	1.7	322.6	<0.1	741.9	26	1.53	3.51	0.22	52	15.57
025705	Rock	0.35	0.08	0.51	12.54	215.5	<20	3.4	6.8	1414	5.51	9.4	28.9	*	85.6	10	1.06	2.56	0.44	4	4.13
025706	Rock	0.55	0.06	7.07	9.35	126.6	<20	2.2	8.3	725	2.70	11.6	138.4	<0.1	371.5	18	1.18	2.17	2.33	9	11.04
025707	Rock	0.58	0.08	7.07	8.27	104.1	<20	6.5	9.6	1188	6.46	11.0	174.5	*	275.2	12	1.19	4.51	2.21	4	1.32
025708	Rock	0.62	0.40	328.4	58.63	97.0	1489	14.5	11.3	527	16.61	66.5	14.9	<0.1	74.8	38	0.15	6.80	9.91	13	6.15
025709	Rock	0.61	0.06	1.85	14.20	3813	123	9.7	12.9	1831	5.22	8.9	0.8	<0.1	6.6	122	3.15	1.36	0.52	64	6.57
025710	Rock	0.49	0.23	6.47	9.90	52.7	<20	1.2	6.5	1499	4.15	2.8	137.0	<0.1	443.5	14	0.61	1.54	2.92	7	11.70
025711	Rock	0.35	0.10	1.57	9.38	51.2	<20	2.0	2.7	947	1.82	2.4	141.4	<0.1	380.9	22	0.75	2.76	0.72	20	15.86
025712	Rock	0.56	0.06	1.29	9.72	90.6	<20	5.5	7.1	1669	5.17	3.3	76.3	<0.1	264.1	13	0.85	2.06	10.19	7	8.38
025812	Rock	0.80	1.33	2.02	17.34	36.8	<20	1.2	1.8	493	2.16	14.2	4.5	<0.1	23.9	745	0.25	4.32	0.19	<1	3.93
025813	Rock	0.77	1.63	2.26	22.93	55.2	<20	1.6	1.6	548	2.16	3.8	2.8	<0.1	33.9	313	0.35	1.40	0.11	2	1.44
025814	Rock	0.79	1.81	2.75	10.16	45.4	<20	1.3	1.8	457	2.43	8.0	3.5	<0.1	26.0	462	0.37	2.59	0.15	<1	2.23
025815	Rock	0.85	2.96	7.24	3.58	40.7	<20	1.3	2.8	325	2.74	2.5	4.9	<0.1	29.8	268	0.21	1.04	0.15	<1	2.22
025816	Rock	0.91	2.84	1.53	3.45	31.5	<20	0.7	1.3	345	2.54	1.6	4.3	<0.1	29.0	177	0.14	1.20	0.07	<1	1.40
025817	Rock	0.91	3.51	7.28	4.47	30.3	<20	1.0	2.2	274	2.48	5.4	4.1	<0.1	28.8	198	0.20	1.84	0.20	<1	0.96
025818	Rock	1.09	3.27	4.66	6.72	36.6	<20	1.8	2.4	534	2.73	4.3	4.4	<0.1	27.8	228	0.20	1.66	0.11	<1	1.21
025819	Rock	0.78	0.97	2.34	6.14	31.8	<20	0.8	2.7	376	2.22	9.2	2.4	<0.1	18.5	515	0.20	1.58	0.14	<1	3.48
025820	Rock	1.07	0.44	1.34	11.48	47.1	<20	1.4	3.9	989	3.22	5.9	2.5	<0.1	29.5	637	0.21	3.30	0.23	1	5.97
025821	Rock	1.10	0.61	2.69	7.56	49.3	<20	1.1	2.6	722	2.94	13.6	1.7	<0.1	21.7	662	0.25	2.13	0.07	<1	5.25
025822	Rock	1.28	3.87	2.67	13.48	65.2	<20	1.4	2.7	1069	3.25	9.5	14.1	<0.1	33.8	442	0.35	2.18	0.20	<1	4.06
025823	Rock	1.75	0.27	1.73	5.09	28.9	<20	1.1	5.6	2311	5.82	3.0	2.0	<0.1	17.8	272	0.27	2.33	0.04	<1	15.74
025824	Rock	1.20	2.24	1.32	5.46	30.4	<20	1.3	1.9	350	2.42	5.4	1.3	<0.1	17.3	407	0.10	2.05	0.07	1	2.67



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: July 23, 2010

Page: 2 of 2 Part 2

CERTIFICATE OF ANALYSIS

WHI10000056.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
025702	Rock	0.060	74.7	2	0.53	1091	0.393	8.10	3.548	5.33	11.2	45.8	6.5	2	1.7	<0.04	26.3	164.8	16.5	68.0	10.6
025703	Rock	0.004	5.9	3	14.22	296	0.020	0.40	0.013	0.05	0.3	41.3	3.9	14	0.5	<0.04	13.0	15.06	2.2	10.8	2.4
025704	Rock	0.003	42.9	23	9.20	222	0.253	2.33	0.170	0.33	0.5	>2000	27.5	25	5.2	<0.04	67.8	137.0	16.6	76.1	13.6
025705	Rock	0.011	31.9	2	20.14	699	0.057	1.19	0.024	0.17	2.3	655.4	5.0	8	1.2	<0.04	70.1	77.82	12.0	63.0	14.1
025706	Rock	0.013	59.1	3	14.18	2444	0.084	1.14	0.031	0.46	2.2	1063	6.5	38	0.7	0.06	82.0	208.0	26.2	118.8	20.0
025707	Rock	0.019	38.9	2	22.35	716	0.059	0.76	0.021	0.17	2.4	1513	3.8	4	1.3	<0.04	70.2	149.9	19.0	86.7	14.8
025708	Rock	3.284	163.2	5	11.50	530	0.026	3.75	0.006	0.17	9.1	75.1	3.2	1	0.5	0.23	46.1	283.2	27.3	106.9	14.0
025709	Rock	<0.001	12.3	17	11.88	4002	0.196	9.01	0.023	1.65	0.6	136.1	20.5	4	1.3	0.09	16.6	32.22	4.4	19.6	3.5
025710	Rock	0.022	905.9	1	13.38	1354	0.134	1.31	0.032	0.35	0.8	977.2	10.7	56	0.5	0.06	273.2	1537	137.9	479.2	65.0
025711	Rock	0.022	38.6	2	12.34	2076	0.124	1.36	0.022	0.45	3.0	1156	10.1	66	0.6	<0.04	92.0	152.2	22.9	113.4	21.0
025712	Rock	0.016	26.5	2	16.94	1639	0.069	1.00	0.013	0.26	1.6	866.3	3.9	17	0.9	<0.04	55.8	111.6	17.3	87.2	16.9
025812	Rock	0.016	91.7	2	0.21	1938	0.098	9.75	5.297	2.03	0.9	52.8	9.7	6	0.5	<0.04	42.1	175.2	17.5	67.8	10.6
025813	Rock	0.015	96.1	<1	0.38	2416	0.099	10.48	4.912	3.35	2.0	30.6	6.0	11	0.4	<0.04	36.2	158.0	14.1	50.5	7.5
025814	Rock	0.018	85.6	2	0.47	1136	0.104	10.68	4.836	2.62	1.6	32.0	6.5	9	0.6	<0.04	45.3	157.2	14.4	52.8	8.8
025815	Rock	0.016	106.0	<1	0.81	906	0.097	10.72	4.902	3.17	4.2	32.8	5.0	10	0.5	<0.04	54.5	184.9	17.4	62.1	10.5
025816	Rock	0.013	85.8	1	0.84	963	0.084	10.58	4.708	4.02	3.5	33.9	5.5	8	0.3	<0.04	47.6	158.2	14.4	54.1	9.0
025817	Rock	0.015	115.2	<1	0.76	1151	0.099	10.49	4.075	4.52	2.4	47.4	5.6	7	0.5	<0.04	38.2	201.5	17.5	62.5	9.1
025818	Rock	0.024	100.8	1	0.33	2030	0.124	10.44	4.310	4.54	6.0	61.5	6.4	6	0.8	<0.04	31.9	183.5	17.8	68.7	10.4
025819	Rock	0.029	56.0	2	0.26	1378	0.108	10.59	5.166	2.48	1.8	40.4	4.2	6	0.5	<0.04	23.3	109.9	11.2	42.7	6.5
025820	Rock	0.013	430.1	3	0.24	1683	0.112	9.52	4.361	1.85	1.0	32.4	6.4	6	0.7	<0.04	57.8	631.2	45.5	138.8	15.4
025821	Rock	0.023	21.0	1	0.18	2668	0.138	9.40	4.500	2.44	0.4	35.5	5.3	7	0.7	<0.04	27.5	45.97	6.1	26.2	5.0
025822	Rock	0.023	42.3	2	0.20	1173	0.130	9.39	5.615	1.49	2.4	41.7	8.5	12	0.6	<0.04	44.7	90.45	9.9	39.1	7.7
025823	Rock	0.003	39.0	1	0.83	501	0.125	9.63	1.746	1.18	1.0	223.4	8.4	3	1.0	<0.04	112.6	60.23	6.6	35.4	14.0
025824	Rock	0.009	45.8	1	0.96	656	0.122	10.70	4.642	2.39	1.6	30.8	3.8	7	0.5	<0.04	22.5	70.84	7.2	25.6	4.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: July 23, 2010

Page: 2 of 2 Part 3

CERTIFICATE OF ANALYSIS

WHI10000056.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu ppm 0.1	Gd ppm 0.1	Tb ppm 0.1	Dy ppm 0.1	Ho ppm 0.1	Er ppm 0.1	Tm ppm 0.1	Yb ppm 0.1	Lu ppm 0.1	Hf ppm 0.02	Li ppm 0.1	Rb ppm 0.1	Ta ppm 0.1	Nb ppm 0.04	Cs ppm 0.1	Ga ppm 0.02
025702	Rock	1.2	8.1	1.0	6.5	1.1	2.6	0.3	1.9	0.3	1.35	10.7	201.5	6.8	131.0	5.0	30.42
025703	Rock	0.2	2.2	0.3	2.0	0.3	0.9	0.1	1.1	0.1	1.47	3.4	3.9	0.8	30.72	0.2	1.38
025704	Rock	1.9	12.6	1.7	12.4	2.2	5.9	0.7	5.2	0.7	55.23	28.3	24.6	14.6	518.0	0.8	12.33
025705	Rock	1.5	14.2	2.2	15.2	2.8	7.7	1.0	6.5	0.7	13.17	2.9	13.6	34.8	508.9	0.3	7.07
025706	Rock	1.7	16.5	2.3	15.1	2.7	6.6	0.9	6.7	0.8	19.91	6.0	35.0	28.5	656.7	0.5	5.38
025707	Rock	2.0	12.7	1.7	12.2	2.3	6.4	0.9	8.2	1.2	24.99	1.5	13.2	39.6	915.0	0.2	2.82
025708	Rock	1.3	11.9	1.4	7.6	1.3	3.5	0.4	3.5	0.4	1.47	1.2	16.1	1.2	56.60	0.2	22.29
025709	Rock	<0.1	3.8	0.5	3.0	0.5	1.3	0.1	1.0	0.1	1.87	185.9	74.2	3.0	15.89	1.0	36.43
025710	Rock	5.8	51.2	7.8	48.6	8.7	21.8	2.7	17.2	2.1	17.89	4.4	27.0	8.9	491.7	0.6	11.06
025711	Rock	1.6	18.9	2.8	17.4	3.1	7.6	1.0	7.3	0.9	22.32	8.6	39.9	37.5	870.4	0.6	7.02
025712	Rock	1.6	14.6	2.2	13.3	2.3	5.8	0.7	5.0	0.6	15.84	2.8	19.8	21.8	597.9	0.3	3.36
025812	Rock	0.9	9.4	1.3	8.7	1.7	4.4	0.6	4.1	0.5	1.73	3.9	47.8	15.2	277.2	0.6	39.43
025813	Rock	0.3	6.6	1.0	7.1	1.4	3.8	0.5	3.3	0.4	0.98	11.0	106.3	14.0	313.9	2.1	42.23
025814	Rock	0.7	7.8	1.4	8.9	1.8	4.8	0.6	4.4	0.5	1.12	13.5	75.2	15.0	316.3	1.7	40.53
025815	Rock	0.9	10.3	1.6	10.8	2.2	5.5	0.7	4.8	0.6	1.04	14.6	77.9	17.5	331.8	1.9	41.97
025816	Rock	0.7	8.3	1.4	10.1	2.1	5.2	0.6	4.3	0.5	1.08	16.3	103.2	16.3	317.7	2.0	41.43
025817	Rock	0.5	7.1	1.2	7.9	1.4	3.8	0.5	3.1	0.4	1.41	14.5	86.2	15.2	326.3	1.8	41.54
025818	Rock	0.5	9.0	1.2	7.3	1.3	3.4	0.4	2.8	0.3	1.74	17.2	157.0	13.3	282.8	1.4	43.82
025819	Rock	0.3	5.4	0.8	4.8	0.9	2.3	0.3	2.3	0.3	1.31	9.8	59.3	11.7	290.1	1.0	36.01
025820	Rock	1.0	10.8	1.5	10.0	2.0	5.3	0.7	5.6	0.8	1.47	6.0	53.3	13.6	306.5	1.5	38.25
025821	Rock	<0.1	5.1	0.7	4.9	1.0	2.7	0.4	2.9	0.5	1.58	4.5	42.4	13.4	346.5	0.7	37.67
025822	Rock	0.4	7.9	1.2	8.2	1.6	4.5	0.6	4.7	0.6	1.71	5.1	40.5	32.8	630.9	2.4	41.42
025823	Rock	3.2	18.1	2.8	20.5	4.3	13.1	1.8	13.6	1.7	6.26	3.8	28.5	12.8	299.6	0.6	35.91
025824	Rock	0.4	4.2	0.7	4.3	0.9	2.3	0.3	2.1	0.3	1.16	12.0	77.8	13.1	300.1	2.4	39.04



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: July 23, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000056.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
Pulp Duplicates																				
025707	Rock	0.58	0.08	7.07	8.27	104.1	<20	6.5	9.6	1188	6.46	11.0	174.5	*	275.2	12	1.19	4.51	2.21	4
REP 025707	QC		0.08	6.42	8.31	100.8	<20	6.2	9.5	1209	6.52	12.8	171.3	*	268.3	11	1.14	4.29	2.23	4
Reference Materials																				
STD OREAS24P	Standard		1.54	48.18	2.84	126.6	22	153.8	49.4	1171	7.83	0.5	0.7	<0.1	2.9	400	0.10	0.09	<0.04	165
STD OREAS45P	Standard		2.33	766.9	23.55	143.8	294	411.3	130.4	1392	20.16	10.8	2.2	<0.1	10.5	31	0.13	0.80	0.23	286
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1
Prep Wash																				
G1	Prep Blank		0.25	4.13	19.94	51.1	<20	3.5	5.4	768	2.50	1.9	3.0	<0.1	9.8	711	0.09	0.25	0.12	53
G1	Prep Blank		0.57	3.46	32.55	49.8	306	4.7	5.5	790	2.50	7.9	3.3	<0.1	10.7	733	0.10	5.22	0.16	55



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: July 23, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000056.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
025707	Rock	0.019	38.9	2	22.35	716	0.059	0.76	0.021	0.17	2.4	1513	3.8	4	1.3	<0.04	70.2	149.9	19.0	86.7	14.8
REP 025707	QC	0.018	39.5	2	22.48	722	0.061	0.76	0.017	0.17	2.6	1555	3.7	4	1.4	<0.04	68.7	152.9	19.6	87.3	15.1
Reference Materials																					
STD OREAS24P	Standard	0.140	17.3	227	4.19	274	1.085	8.22	2.455	0.69	0.4	143.4	1.5	1	20.8	<0.04	20.7	36.22	4.4	21.2	4.7
STD OREAS45P	Standard	0.047	23.8	1155	0.18	302	1.077	7.34	0.086	0.36	1.1	158.7	2.2	<1	67.4	<0.04	12.5	47.27	5.5	22.6	4.3
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.11	<0.1	<0.1	<0.1
Prep Wash																					
G1	Prep Blank	0.078	30.5	5	0.67	1099	0.228	7.94	2.905	2.98	0.2	10.8	1.4	3	5.6	<0.04	14.7	62.26	6.9	28.9	4.4
G1	Prep Blank	0.087	31.4	8	0.66	1026	0.235	8.12	2.963	3.11	0.2	10.6	1.6	3	5.6	<0.04	15.8	61.59	6.7	29.3	4.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: July 23, 2010

Page: 1 of 1 Part 3

QUALITY CONTROL REPORT

WHI10000056.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02
Pulp Duplicates																	
025707	Rock	2.0	12.7	1.7	12.2	2.3	6.4	0.9	8.2	1.2	24.99	1.5	13.2	39.6	915.0	0.2	2.82
REP 025707	QC	2.1	12.9	1.9	12.8	2.3	6.4	1.0	8.6	1.2	25.55	1.6	13.1	38.7	882.7	0.2	2.53
Reference Materials																	
STD OREAS24P	Standard	1.5	5.5	0.7	4.6	0.8	2.0	0.2	1.7	0.2	3.74	8.4	20.6	1.2	20.93	0.9	21.18
STD OREAS45P	Standard	1.0	3.9	0.6	3.4	0.6	1.4	0.2	1.5	0.2	4.32	13.0	23.0	1.2	20.98	2.3	24.71
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
Prep Wash																	
G1	Prep Blank	0.8	3.3	0.4	2.6	0.5	1.5	0.2	1.6	0.2	0.63	37.9	120.7	1.5	25.07	5.0	19.26
G1	Prep Blank	0.9	3.9	0.5	2.8	0.5	1.5	0.2	1.7	0.3	0.55	36.7	125.8	1.7	27.83	5.2	19.85