



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson

Receiving Lab: Canada-Whitehorse

Received: August 06, 2010

Report Date: November 01, 2010

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000244.2

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-013
P.O. Number
Number of Samples: 33

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	32	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	32	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
4B03	1	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 4B03 analysis included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.

“*” asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
333129	Rock	0.80	2.10	26.13	3.15	26.9	<20	48.8	12.7	80	1.21	4.5	2.1	<0.1	11.4	11	0.29	0.89	0.23	287
333130	Rock	0.76	1.43	15.62	9.15	244.9	<20	33.3	6.0	135	1.03	5.9	1.6	<0.1	7.0	16	1.76	0.77	0.16	276
333131	Rock	1.07	2.08	11.58	3.81	78.5	<20	31.8	3.1	169	1.06	12.4	1.9	<0.1	9.4	27	0.41	0.90	0.28	274
333132	Rock	0.84	2.29	19.87	4.97	68.3	<20	23.0	4.3	89	1.22	8.0	2.5	<0.1	8.8	19	0.27	1.03	0.28	282
333133	Rock	0.74	2.27	14.19	7.75	48.3	<20	16.3	1.6	25	1.24	7.1	2.6	<0.1	10.4	18	0.08	2.07	0.32	338
333134	Rock	0.78	11.04	38.66	5.60	53.8	145	13.4	1.0	39	1.36	22.1	2.4	<0.1	4.8	77	0.26	2.21	0.06	506
333135	Rock	0.64	0.30	11.00	17.99	71.3	159	14.9	8.4	679	3.57	3.9	1.2	<0.1	6.2	82	0.25	1.02	0.84	55
333136	Rock	0.74	8.42	27.06	10.41	140.5	85	54.1	11.1	210	4.21	19.2	4.7	<0.1	10.1	115	0.18	2.32	0.21	276
333137	Rock	0.82	0.21	2.48	4.38	26.3	152	11.6	1.8	335	0.42	6.7	1.0	<0.1	1.1	152	0.26	3.33	0.05	28
333138	Rock	0.58	11.37	36.20	10.44	79.7	64	62.6	1.1	60	2.11	7.7	3.6	<0.1	8.4	133	0.17	1.28	0.06	651
333139	Rock	0.68	0.54	8.86	7.13	42.5	82	16.3	6.9	293	1.69	5.4	1.5	<0.1	6.6	303	0.22	0.85	0.09	43
333140	Rock	1.36	13.67	3.24	2.34	13.9	<20	1.0	7.2	415	4.45	1.1	6.4	<0.1	44.3	40	0.20	0.51	0.14	2
333141	Rock	1.36	3.22	2.00	1.88	33.6	<20	31.0	4.9	387	2.60	3.7	1.3	<0.1	9.7	69	0.12	0.65	0.06	173
333142	Rock	1.16	2.76	1.14	1.64	13.6	<20	13.3	2.5	242	2.04	1.6	1.7	<0.1	11.4	41	0.09	0.39	<0.04	137
333143	Rock	1.16	2.55	0.93	1.92	33.6	<20	20.4	3.4	343	3.39	4.7	3.2	<0.1	18.5	39	0.16	0.55	0.23	215
333144	Rock	1.44	2.33	1.33	1.03	13.3	<20	20.4	2.6	194	0.93	3.0	0.6	<0.1	4.1	30	0.04	0.39	0.06	342
333145	Rock	1.30	10.80	1.78	2.25	14.5	<20	0.6	10.8	174	5.37	0.7	4.4	<0.1	37.1	23	0.31	0.62	<0.04	3
333146	Rock	1.26	8.08	2.31	2.92	51.9	<20	3.8	4.8	596	5.08	0.9	7.4	<0.1	40.8	41	0.30	0.44	<0.04	4
333147	Rock	1.33	1.87	0.88	1.76	77.7	<20	17.7	8.9	453	5.48	<0.2	0.7	<0.1	7.5	47	0.20	0.43	<0.04	20
333148	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
333149	Rock	1.67	9.34	0.97	1.03	35.9	<20	49.7	3.4	153	1.39	<0.2	1.5	<0.1	9.6	53	0.12	0.35	<0.04	339
333150	Rock	1.78	5.59	0.69	0.92	24.1	<20	51.0	3.2	101	0.59	<0.2	1.1	<0.1	6.8	38	0.07	0.28	<0.04	285
333151	Rock	1.77	5.23	0.77	1.22	21.6	<20	39.4	2.0	102	0.72	<0.2	1.4	<0.1	8.7	26	0.05	0.23	<0.04	234
333152	Rock	1.37	5.53	0.77	1.87	129.6	<20	32.2	0.9	97	0.48	<0.2	3.0	<0.1	21.8	44	0.39	0.46	<0.04	173
333153	Rock	1.64	0.33	0.56	0.80	65.5	<20	31.9	3.2	175	1.83	0.2	1.2	<0.1	6.1	36	0.61	0.41	<0.04	229
333154	Rock	1.40	0.99	2.24	0.88	45.8	<20	37.7	9.5	252	2.93	1.6	2.2	<0.1	7.4	35	0.16	0.59	0.19	301
333155	Rock	1.41	0.65	1.91	0.99	45.2	<20	65.4	7.7	130	2.02	3.1	1.5	<0.1	7.7	29	0.07	0.50	0.24	464
333156	Rock	1.74	0.43	6.60	7.14	88.3	21	65.7	11.6	689	3.09	6.9	0.9	<0.1	7.7	211	0.28	1.68	0.58	271
333157	Rock	1.53	0.69	5.09	2.38	64.9	<20	30.7	12.5	477	2.40	2.2	0.7	<0.1	6.5	122	0.15	0.95	0.32	211
333158	Rock	1.43	0.32	6.66	2.82	73.4	<20	100.1	7.3	517	3.66	1.8	1.3	<0.1	4.2	100	0.26	0.97	0.19	313



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
333129	Rock	0.097	8.3	49	0.53	729	0.198	5.90	0.891	2.09	2.9	66.2	2.1	3	9.4	<0.04	12.2	22.48	3.3	13.6	2.3
333130	Rock	0.081	8.2	48	0.57	1632	0.177	5.45	0.752	2.77	2.7	56.7	2.1	4	6.9	<0.04	10.3	24.89	4.2	19.0	3.7
333131	Rock	0.079	10.2	48	0.66	4557	0.184	5.46	0.112	4.07	3.9	72.3	2.2	2	7.8	0.07	8.7	25.08	3.8	15.2	2.8
333132	Rock	0.077	11.5	47	0.52	5751	0.178	5.26	0.146	4.28	4.4	67.2	1.4	7	7.4	<0.04	8.7	27.78	3.7	14.7	2.7
333133	Rock	0.082	10.7	55	0.87	4822	0.278	6.51	0.033	3.57	5.6	81.5	1.6	4	9.6	<0.04	7.9	23.58	3.3	13.7	2.5
333134	Rock	0.060	21.2	42	0.16	380	0.164	4.68	0.334	1.43	0.9	30.2	1.0	1	6.5	<0.04	3.4	38.57	4.8	17.1	2.2
333135	Rock	0.067	21.6	29	8.39	578	0.102	3.71	0.154	1.00	1.0	32.9	2.6	2	6.0	<0.04	7.4	41.72	4.9	19.0	3.0
333136	Rock	0.029	30.6	84	0.75	627	0.340	8.21	0.559	2.64	0.7	81.8	2.3	2	12.9	<0.04	6.3	65.14	8.4	30.5	4.9
333137	Rock	0.040	10.5	35	8.39	321	0.205	1.32	0.012	0.54	2.5	35.1	0.8	<1	2.9	<0.04	8.4	16.29	2.2	7.8	1.4
333138	Rock	0.113	26.0	70	0.47	436	0.266	6.89	0.582	2.08	1.0	38.6	1.4	2	8.8	<0.04	4.8	45.62	6.2	21.2	2.8
333139	Rock	0.028	24.4	28	2.17	246	0.146	4.46	0.134	1.24	0.4	30.4	1.1	<1	7.2	<0.04	10.9	46.86	5.7	21.5	3.2
333140	Rock	0.021	191.2	<1	1.16	446	0.089	7.65	5.044	1.14	3.4	255.9	13.7	3	0.6	0.42	42.6	364.8	37.5	126.9	19.0
333141	Rock	0.116	36.4	30	1.18	184	0.300	5.36	3.507	0.29	1.6	55.3	2.7	2	5.3	<0.04	17.2	67.13	7.9	28.3	4.8
333142	Rock	0.051	47.7	26	0.83	168	0.142	5.28	4.576	0.54	1.5	106.2	4.4	2	3.4	<0.04	19.3	89.00	10.0	33.3	5.6
333143	Rock	0.105	102.3	50	1.27	416	0.112	5.77	3.974	1.04	2.7	110.7	2.6	2	11.7	<0.04	31.6	195.2	21.4	79.1	12.8
333144	Rock	0.077	2.9	41	0.56	112	0.126	3.68	3.633	0.36	1.0	48.7	0.6	1	7.4	<0.04	5.5	6.64	1.0	4.1	0.7
333145	Rock	0.026	199.0	1	0.19	330	0.099	5.66	5.993	0.82	5.4	391.4	7.6	3	0.6	0.08	49.8	384.0	40.0	136.0	19.5
333146	Rock	0.020	204.6	2	1.14	443	0.072	7.44	4.140	2.15	5.4	157.9	7.6	4	0.8	0.19	49.4	391.2	41.5	139.6	19.1
333147	Rock	0.057	72.8	38	0.89	184	0.172	6.32	5.747	0.53	1.0	59.4	9.3	2	2.6	0.06	10.0	151.8	18.4	65.1	10.0
333148	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
333149	Rock	0.086	23.0	49	1.95	209	0.195	4.97	3.265	0.78	3.3	46.0	3.3	2	10.1	<0.04	8.8	42.97	5.1	18.0	2.8
333150	Rock	0.085	7.8	37	1.11	199	0.215	4.89	3.436	1.11	3.9	57.5	2.9	2	5.9	<0.04	5.7	14.88	1.7	6.3	1.1
333151	Rock	0.080	14.9	27	1.15	259	0.131	5.17	2.393	1.61	2.0	47.9	3.5	3	6.2	<0.04	6.5	29.64	3.3	12.4	1.9
333152	Rock	0.152	15.3	28	1.22	249	0.326	6.80	3.900	1.71	3.3	133.0	3.3	2	12.8	<0.04	13.4	32.39	3.8	14.2	2.1
333153	Rock	0.116	8.4	31	2.92	150	0.364	7.02	4.271	0.36	3.5	58.8	3.0	1	11.4	0.04	7.2	20.84	3.1	13.9	2.9
333154	Rock	0.236	34.1	32	3.20	331	0.454	7.72	3.855	0.78	2.9	102.2	2.6	2	13.2	0.10	14.5	75.78	9.8	40.5	7.4
333155	Rock	0.171	19.1	44	2.51	303	0.376	7.26	4.570	0.56	7.0	60.5	2.3	1	10.4	0.07	8.1	48.78	7.1	31.8	6.6
333156	Rock	0.202	23.7	59	4.19	474	1.649	8.30	3.634	0.42	1.1	40.9	2.1	2	21.9	<0.04	20.5	61.75	8.3	36.4	6.5
333157	Rock	0.171	15.0	24	2.08	1739	1.258	6.42	3.492	0.60	1.1	32.6	2.1	3	14.9	0.06	14.0	36.70	4.7	20.3	4.3
333158	Rock	0.245	26.8	143	5.74	160	1.756	8.71	3.428	0.34	1.1	61.1	2.4	3	31.1	<0.04	33.7	78.11	11.2	51.0	9.6



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 3

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1	ppm 0.02	ppm 1	ppm 1	ppm 0.2
333129	Rock	0.1	2.0	0.3	1.8	0.4	1.2	0.2	1.3	0.2	1.86	58.3	74.4	0.4	23.83	1.6	16.59	N.A.	N.A.	N.A.
333130	Rock	<0.1	2.8	0.3	2.0	0.4	0.9	0.1	1.2	0.2	1.60	42.4	89.3	0.3	8.19	1.1	15.92	N.A.	N.A.	N.A.
333131	Rock	<0.1	2.8	0.3	1.5	0.3	0.7	0.1	1.1	0.2	1.83	17.0	131.7	0.4	10.45	0.6	16.83	N.A.	N.A.	N.A.
333132	Rock	<0.1	1.9	0.3	1.4	0.3	0.9	0.1	1.2	0.2	1.88	20.3	136.5	0.3	5.96	0.7	13.35	N.A.	N.A.	N.A.
333133	Rock	<0.1	2.0	0.2	1.5	0.3	0.9	0.1	1.2	0.2	2.03	17.3	127.6	1.2	28.63	1.0	15.63	N.A.	N.A.	N.A.
333134	Rock	0.4	1.5	0.2	0.8	0.1	0.3	<0.1	0.4	<0.1	0.84	20.5	80.1	0.3	4.68	3.3	13.36	N.A.	N.A.	N.A.
333135	Rock	0.5	2.1	0.3	1.4	0.2	0.7	0.1	0.9	0.2	0.89	21.3	54.7	0.3	8.30	1.4	8.60	N.A.	N.A.	N.A.
333136	Rock	0.8	2.8	0.4	1.8	0.3	0.7	0.1	1.0	0.2	2.60	45.8	117.3	0.7	15.16	4.6	27.33	N.A.	N.A.	N.A.
333137	Rock	0.3	1.2	0.2	1.1	0.3	0.6	<0.1	0.5	<0.1	0.99	11.9	29.7	0.3	6.36	1.0	3.13	N.A.	N.A.	N.A.
333138	Rock	0.5	1.6	0.2	1.0	0.2	0.4	<0.1	0.6	<0.1	1.10	34.1	98.9	0.5	7.84	3.8	20.00	N.A.	N.A.	N.A.
333139	Rock	0.6	2.3	0.3	1.9	0.3	1.0	0.1	1.0	0.2	0.87	15.2	65.2	0.3	4.75	2.0	10.28	N.A.	N.A.	N.A.
333140	Rock	2.4	13.4	2.1	11.1	1.8	4.7	0.6	4.1	0.5	5.59	15.8	42.1	13.2	305.5	0.7	45.11	N.A.	N.A.	N.A.
333141	Rock	1.0	4.2	0.6	3.3	0.6	1.7	0.2	1.4	0.2	1.44	6.5	10.7	1.7	35.38	0.2	19.59	N.A.	N.A.	N.A.
333142	Rock	0.8	4.4	0.8	4.6	0.8	2.2	0.3	1.9	0.2	2.26	5.9	8.3	3.7	93.28	0.2	24.31	N.A.	N.A.	N.A.
333143	Rock	1.7	10.5	1.5	7.6	1.3	3.4	0.4	2.9	0.4	2.55	13.7	35.3	10.9	150.7	0.6	25.49	N.A.	N.A.	N.A.
333144	Rock	<0.1	0.7	0.1	0.8	0.2	0.6	<0.1	0.6	<0.1	1.25	2.9	5.3	0.2	5.23	0.2	12.37	N.A.	N.A.	N.A.
333145	Rock	2.9	13.4	2.3	12.4	2.1	6.0	0.8	5.1	0.7	8.31	3.8	18.8	25.7	461.8	0.4	44.55	N.A.	N.A.	N.A.
333146	Rock	3.5	13.0	2.2	12.6	2.2	5.8	0.7	4.3	0.5	3.81	12.8	67.3	13.2	277.2	0.7	47.27	N.A.	N.A.	N.A.
333147	Rock	2.0	6.4	0.8	3.4	0.4	1.0	0.1	0.9	0.1	1.23	7.8	7.1	2.5	52.28	0.3	33.23	N.A.	N.A.	N.A.
333148	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
333149	Rock	0.3	2.1	0.3	1.6	0.3	0.9	0.1	0.9	0.1	1.31	18.9	38.2	0.4	7.98	0.7	18.31	N.A.	N.A.	N.A.
333150	Rock	0.2	1.0	0.2	0.9	0.2	0.6	<0.1	0.7	0.1	1.58	13.8	40.7	0.4	7.93	0.5	15.76	N.A.	N.A.	N.A.
333151	Rock	0.2	1.7	0.2	1.3	0.2	0.6	<0.1	0.7	0.1	1.24	12.9	62.6	0.3	4.89	0.6	19.13	N.A.	N.A.	N.A.
333152	Rock	0.2	2.2	0.4	2.5	0.5	1.4	0.2	1.4	0.2	3.11	12.1	56.3	6.9	105.1	0.6	25.06	N.A.	N.A.	N.A.
333153	Rock	0.3	2.3	0.3	1.6	0.3	0.8	0.1	0.8	0.1	1.50	27.5	7.7	0.5	9.85	0.3	21.15	N.A.	N.A.	N.A.
333154	Rock	1.2	5.9	0.7	3.3	0.5	1.4	0.2	1.5	0.2	2.48	25.1	30.4	1.0	16.91	0.4	23.80	N.A.	N.A.	N.A.
333155	Rock	0.6	4.6	0.5	2.2	0.3	0.8	<0.1	0.9	0.1	1.53	30.2	19.7	0.6	10.89	0.3	22.35	N.A.	N.A.	N.A.
333156	Rock	1.6	6.6	0.8	4.7	0.8	1.7	0.2	1.4	0.2	1.44	14.6	11.8	1.5	26.03	0.3	19.88	N.A.	N.A.	N.A.
333157	Rock	1.0	4.3	0.6	3.4	0.5	1.3	0.1	1.0	0.1	1.03	9.8	17.1	1.1	19.56	0.3	16.36	N.A.	N.A.	N.A.
333158	Rock	2.0	9.8	1.3	7.6	1.2	3.1	0.3	2.2	0.2	1.85	30.5	14.8	1.5	27.90	0.7	25.11	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

2 of 3

Part 4

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
333129	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333130	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333131	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333132	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333133	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333134	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333135	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333136	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333137	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333138	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333139	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333140	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333141	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333142	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333143	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333144	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333145	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333146	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333147	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333148	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
333149	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333150	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333151	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333152	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333153	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333154	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333155	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333156	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333157	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333158	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 **Part** 5

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte	Unit MDL	4B	4B	4B	4B	4B	4B	4B
			Tb	Dy	Ho	Er	Tm	Yb	Lu
			ppm	ppm	ppm	ppm	ppm	ppm	ppm
			0.01	0.05	0.02	0.03	0.01	0.05	0.01
333129	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333130	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333131	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333132	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333133	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333134	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333135	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333136	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333137	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333138	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333139	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333140	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333141	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333142	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333143	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333144	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333145	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333146	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333147	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333148	Rock		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
333149	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333150	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333151	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333152	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333153	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333154	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333155	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333156	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333157	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333158	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
333159	Rock	1.59	0.43	5.25	2.23	53.0	<20	113.8	15.3	674	5.73	2.6	1.0	<0.1	2.8	98	0.29	1.26	0.12	316
333160	Rock	1.19	0.69	5.35	2.25	186.5	<20	112.8	12.2	1167	5.68	2.0	0.6	<0.1	2.9	107	0.19	1.29	0.84	518
25887	Rock	2.96	12.94	6.09	28.18	83.9	<20	13.6	4.4	585	2.29	2.8	80.6	<0.1	1162	171	0.86	1.19	0.23	435



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
333159	Rock	0.243	29.6	206	6.09	83	1.172	7.68	2.187	0.11	1.4	40.7	4.3	3	33.1	<0.04	26.6	72.31	9.9	45.9	8.6
333160	Rock	0.289	10.1	70	7.17	882	1.691	10.45	2.829	0.69	1.9	36.5	4.0	6	35.2	<0.04	19.6	37.98	6.6	34.1	6.7
25887	Rock	0.021	284.1	86	1.97	478	0.403	5.41	2.528	1.80	11.4	658.7	23.3	20	54.0	<0.04	223.8	653.7	68.6	262.7	48.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
333159	Rock	2.6	7.4	1.1	6.1	1.0	2.3	0.3	1.6	0.2	1.17	26.4	6.9	1.2	21.90	0.6	24.37	N.A.	N.A.	N.A.
333160	Rock	1.7	6.6	0.9	4.7	0.7	1.7	0.2	1.2	0.1	1.17	30.5	20.7	1.1	20.17	0.8	30.16	N.A.	N.A.	N.A.
25887	Rock	3.4	43.1	7.0	45.5	7.9	19.7	2.4	15.2	1.8	12.72	36.4	96.7	59.2	1126	2.4	43.06	467	18	3.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 4

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
333159	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333160	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
25887	Rock	38.8	134.1	1272	91.0	25	174.6	84.0	1146	96.1	396	13.4	6501	307.2	263.4	578.5	64.24	265.6	48.56	3.68



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 5

CERTIFICATE OF ANALYSIS

WHI10000244.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B
		Tb	Dy	Ho	Er	Tm	Yb	Lu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.03	0.01	0.05	0.01
333159	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333160	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
25887	Rock	8.04	45.33	8.89	26.50	4.11	25.83	3.62



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000244.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
Pulp Duplicates																					
333137	Rock	0.82	0.21	2.48	4.38	26.3	152	11.6	1.8	335	0.42	6.7	1.0	<0.1	1.1	152	0.26	3.33	0.05	28	20.40
REP 333137	QC		0.24	2.72	4.91	26.6	257	11.4	1.5	361	0.45	11.4	1.0	<0.1	1.3	155	0.26	3.31	0.06	29	21.05
Reference Materials																					
STD OREAS24P	Standard		1.51	52.63	3.12	122.5	45	147.6	47.2	1129	7.24	0.6	0.7	<0.1	2.7	375	0.11	0.09	<0.04	154	5.85
STD OREAS24P	Standard		1.58	55.65	2.66	125.3	29	148.3	47.3	1143	7.63	2.1	0.6	<0.1	2.8	397	0.17	0.08	<0.04	170	6.02
STD OREAS45P	Standard		1.99	699.6	21.30	135.4	348	369.4	121.8	1267	16.92	11.8	2.0	<0.1	8.9	32	0.18	0.79	0.20	248	0.28
STD OREAS45P	Standard		2.36	759.9	23.25	160.4	378	411.0	131.2	1397	19.62	13.5	2.3	<0.1	11.3	38	0.20	0.91	0.20	286	0.36
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267	0.3
STD SO-18 Expected																					
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.18	3.53	20.24	58.3	<20	3.7	5.2	715	2.24	0.5	2.6	<0.1	8.0	667	0.07	0.07	0.14	48	2.28
G1	Prep Blank		0.19	2.81	20.27	57.4	<20	3.8	5.3	738	2.26	1.1	2.4	<0.1	6.4	662	0.04	0.06	0.13	50	2.45



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
333137	Rock	0.040	10.5	35	8.39	321	0.205	1.32	0.012	0.54	2.5	35.1	0.8	<1	2.9	<0.04	8.4	16.29	2.2	7.8	1.4
REP 333137	QC	0.043	10.0	37	8.88	327	0.216	1.42	0.014	0.57	2.4	36.5	0.9	<1	3.5	0.07	8.9	16.38	2.2	8.1	1.2
Reference Materials																					
STD OREAS24P	Standard	0.135	18.9	194	4.01	281	1.070	7.62	2.455	0.68	0.5	137.7	1.6	<1	20.0	<0.04	23.5	38.84	5.1	22.0	4.8
STD OREAS24P	Standard	0.143	18.0	211	4.12	289	1.099	8.35	2.421	0.69	0.5	138.2	1.5	<1	20.5	<0.04	23.1	37.34	4.8	21.0	4.5
STD OREAS45P	Standard	0.044	25.0	1045	0.19	280	1.019	6.87	0.072	0.34	1.0	148.2	2.4	<1	61.3	<0.04	13.1	50.63	5.8	21.5	4.2
STD OREAS45P	Standard	0.047	28.1	1147	0.24	324	1.125	7.59	0.094	0.38	1.3	166.5	2.6	1	71.2	<0.04	15.8	57.00	6.6	25.8	4.8
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
STD SO-18 Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.084	24.9	5	0.60	900	0.259	6.75	2.777	3.04	0.2	14.4	1.7	2	4.6	<0.04	14.8	51.31	5.9	21.9	3.6
G1	Prep Blank	0.083	19.5	6	0.66	868	0.262	6.59	2.754	3.08	0.3	12.3	1.6	3	4.9	<0.04	14.2	44.03	5.2	19.1	3.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 3

QUALITY CONTROL REPORT

WHI10000244.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co	Cs
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
Pulp Duplicates																					
333137	Rock	0.3	1.2	0.2	1.1	0.3	0.6	<0.1	0.5	<0.1	0.99	11.9	29.7	0.3	6.36	1.0	3.13	N.A.	N.A.	N.A.	N.A.
REP 333137	QC	0.3	1.2	0.2	1.1	0.2	0.6	<0.1	0.5	<0.1	0.92	13.0	30.8	0.3	6.38	1.0	3.31				
Reference Materials																					
STD OREAS24P	Standard	1.6	5.1	0.8	4.9	0.9	2.2	0.3	1.9	0.3	3.58	8.1	23.1	1.1	20.05	0.8	20.01				
STD OREAS24P	Standard	1.5	5.0	0.8	4.7	0.8	2.0	0.2	1.8	0.3	3.30	8.1	24.5	1.1	20.35	0.8	21.15				
STD OREAS45P	Standard	1.0	3.7	0.6	3.5	0.6	1.7	0.2	1.7	0.2	3.63	13.6	23.3	1.2	19.52	2.1	21.77				
STD OREAS45P	Standard	1.2	4.6	0.7	4.1	0.8	2.0	0.3	1.9	0.3	4.27	16.6	26.9	1.5	25.70	2.3	25.37				
STD SO-18	Standard																	482	<1	25.0	6.9
STD SO-18	Standard																	482	<1	25.2	6.8
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43				
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5				
STD SO-18 Expected																		514	1	26.2	7.1
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02				
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02				
BLK	Blank																	<1	<1	<0.2	<0.1
Prep Wash																					
G1	Prep Blank	0.8	2.9	0.5	2.7	0.5	1.5	0.2	1.7	0.2	0.66	42.5	116.1	1.5	28.75	4.4	19.60	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	0.8	2.4	0.4	2.5	0.5	1.6	0.2	1.6	0.2	0.69	43.9	110.6	1.4	27.13	4.7	19.62	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 4

QUALITY CONTROL REPORT

WHI10000244.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05
Pulp Duplicates																					
333137	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 333137	QC																				
Reference Materials																					
STD OREAS24P	Standard																				
STD OREAS24P	Standard																				
STD OREAS45P	Standard																				
STD OREAS45P	Standard																				
STD SO-18	Standard	16.8	9.3	22.8	26.9	13	388.9	7.0	9.5	15.6	178	14.4	287.0	31.0	11.6	25.9	3.17	13.9	2.72	0.80	2.78
STD SO-18	Standard	16.6	9.0	18.7	26.9	13	386.4	7.4	9.4	15.5	180	14.5	286.8	30.8	11.6	25.6	3.19	14.2	2.81	0.80	2.75
STD OREAS24P Expected																					
STD OREAS45P Expected																					
STD SO-18 Expected		17.6	9.8	21.3	28.7	15	407.4	7.4	9.9	16.4	200	14.8	280	31	12.3	27.1	3.45	14	3	0.89	2.93
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 **Part** 5

QUALITY CONTROL REPORT

WHI10000244.2

		Method	4B	4B	4B	4B	4B	4B	4B
		Analyte	Tb	Dy	Ho	Er	Tm	Yb	Lu
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.05	0.02	0.03	0.01	0.05	0.01
Pulp Duplicates									
333137	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333137	QC								
Reference Materials									
STD OREAS24P	Standard								
STD OREAS24P	Standard								
STD OREAS45P	Standard								
STD OREAS45P	Standard								
STD SO-18	Standard		0.48	2.74	0.56	1.66	0.27	1.66	0.25
STD SO-18	Standard		0.49	2.70	0.56	1.65	0.27	1.69	0.25
STD OREAS24P Expected									
STD OREAS45P Expected									
STD SO-18 Expected			0.53	3	0.62	1.84	0.27	1.79	0.27
BLK	Blank								
BLK	Blank								
BLK	Blank		<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01
Prep Wash									
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.