



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson  
Receiving Lab: Canada-Whitehorse  
Received: August 06, 2010  
Report Date: November 01, 2010  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI10000245.2

### CLIENT JOB INFORMATION

Project: True Blue  
Shipment ID: TB-016  
P.O. Number  
Number of Samples: 7

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8  
Canada

CC: Stew Fumerton  
Kim Halpin

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	7	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	7	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
4B03	5	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed	VAN

### ADDITIONAL COMMENTS

Version 2: 4B03 analysis included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 01, 2010

**Page:** 2 of 2 **Part** 1

## CERTIFICATE OF ANALYSIS

WHI10000245.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
333161	Rock	0.71	8.91	0.95	1.43	9.3	<20	45.7	1.6	253	0.81	2.9	2.2	<0.1	11.1	19	0.06	0.55	0.07	283
333162	Rock	0.81	18.12	4.00	11.42	20.1	<20	24.4	2.8	847	1.67	<0.2	146.5	<0.1	576.8	24	0.67	1.94	0.21	85
333163	Rock	0.84	5.29	1.80	9.51	100.8	<20	40.9	6.0	1557	4.38	6.9	34.8	<0.1	223.7	51	0.68	0.80	0.26	286
333164	Rock	0.84	26.82	2.09	20.85	36.9	<20	103.4	4.1	704	2.71	5.4	123.6	<0.1	1123	45	1.24	1.13	0.86	161
333165	Rock	0.71	1.16	0.93	1.38	9.0	<20	21.6	1.0	213	0.65	1.7	1.8	<0.1	12.0	19	0.07	0.28	<0.04	268
333166	Rock	0.71	34.41	4.94	34.89	198.5	<20	72.8	15.9	1184	5.12	9.8	152.1	*	1920	57	1.33	0.97	0.76	114
333167	Rock	0.91	9.79	3.37	114.7	260.1	*	8.1	2.4	6052	11.07	<0.2	83.2	<0.1	528.9	90	1.23	0.63	1.28	27



Acme Analytical Laboratories (Vancouver) Ltd.  
1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 01, 2010

Page: 2 of 2 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000245.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
333161	Rock	0.095	32.2	32	0.82	803	0.139	6.46	0.276	3.28	3.1	59.9	4.4	7	7.4	<0.04	14.4	80.36	11.0	44.3
333162	Rock	0.041	276.5	12	1.04	611	0.199	4.67	0.106	2.32	24.8	309.0	9.6	11	4.8	<0.04	1026	798.0	111.4	633.5
333163	Rock	0.172	728.2	50	1.40	290	0.264	5.81	2.229	1.28	8.4	335.8	24.9	15	7.0	0.09	261.3	1227	111.4	396.0
333164	Rock	0.196	>2000	23	1.36	392	0.250	6.01	0.700	2.20	36.2	594.8	17.3	8	3.7	<0.04	959.2	>2000	424.4	1715
333165	Rock	0.090	27.6	31	0.49	305	0.181	6.06	1.872	2.20	2.0	54.3	2.3	4	5.8	<0.04	14.4	72.10	10.6	46.9
333166	Rock	0.154	1114	18	2.23	202	0.303	4.28	1.003	0.68	43.7	476.4	21.7	20	4.7	0.15	1074	>2000	225.8	1019
333167	Rock	0.006	383.5	3	0.27	62	0.102	4.57	3.781	0.03	1.6	232.1	43.1	15	0.5	<0.04	400.6	1003	102.5	388.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** Great Western Minerals Group Ltd.  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 01, 2010

**Page:** 2 of 2 **Part** 3

## CERTIFICATE OF ANALYSIS

WHI10000245.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
333161	Rock	0.2	4.1	0.5	2.5	0.4	1.1	0.2	1.5	0.2	1.69	15.9	133.6	0.4	21.77	1.3	20.63	N.A.	N.A.	N.A.
333162	Rock	12.1	198.2	31.1	187.9	32.3	79.1	9.7	61.8	7.0	5.91	15.7	101.1	17.6	1872	1.0	38.10	590	17	2.3
333163	Rock	5.4	55.6	8.7	53.4	9.8	24.2	3.0	19.6	2.2	6.59	18.0	63.8	48.1	1155	0.7	49.98	263	16	5.2
333164	Rock	13.6	175.5	26.1	164.4	27.9	73.1	9.0	58.5	6.7	11.07	17.7	101.8	53.7	>2000	1.1	71.21	360	9	3.6
333165	Rock	0.3	5.5	0.6	3.4	0.5	1.3	0.2	1.6	0.2	1.50	10.0	91.5	0.8	49.56	0.9	16.32	N.A.	N.A.	N.A.
333166	Rock	13.4	196.1	30.4	191.2	33.7	86.6	10.6	66.0	7.5	10.13	28.0	34.2	70.9	>2000	0.5	56.72	192	21	13.6
333167	Rock	7.9	82.9	14.6	93.0	16.7	44.7	5.4	33.8	3.7	3.91	2.3	3.8	17.0	404.8	<0.1	76.19	61	13	1.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 01, 2010

**Page:** 2 of 2 **Part** 4

## CERTIFICATE OF ANALYSIS

WHI10000245.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
333161	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333162	Rock	34.3	44.2	4850	94.2	10	23.0	89.6	541.5	156.8	87	65.0	2527	1005	250.5	653.9	100.4	582.8	173.1	12.08
333163	Rock	44.5	46.8	1263	56.7	27	49.1	56.5	220.7	42.3	257	9.8	2435	314.7	540.7	1037	101.4	394.7	58.77	5.27
333164	Rock	54.9	55.0	3838	91.3	17	41.2	76.9	1109	133.1	153	39.0	2854	925.8	1836	3837	378.1	1500	206.9	12.21
333165	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333166	Rock	46.4	53.2	3463	30.6	22	54.5	82.1	1833	155.3	112	46.3	2978	1014	797.4	1814	202.3	913.6	177.4	12.40
333167	Rock	68.9	65.7	2922	3.3	81	84.6	104.8	478.4	94.0	29	15.2	3751	467.7	340.2	793.6	92.16	388.7	73.04	7.47



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 01, 2010

**Page:** 2 of 2      **Part** 5

## CERTIFICATE OF ANALYSIS

WHI10000245.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B
		Tb	Dy	Ho	Er	Tm	Yb	Lu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.03	0.01	0.05	0.01
333161	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333162	Rock	31.68	161.8	29.09	76.33	10.69	60.20	7.25
333163	Rock	8.83	48.19	9.30	26.68	4.11	25.77	3.59
333164	Rock	25.75	133.3	24.23	67.29	9.83	57.02	7.09
333165	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333166	Rock	29.59	156.6	28.75	78.56	11.47	65.40	8.09
333167	Rock	14.08	78.37	15.20	44.62	6.75	41.46	5.48



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

WHI10000245.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
Pulp Duplicates																				
333161	Rock	0.71	8.91	0.95	1.43	9.3	<20	45.7	1.6	253	0.81	2.9	2.2	<0.1	11.1	19	0.06	0.55	0.07	283
REP 333161	QC		8.27	0.91	1.41	8.2	<20	45.4	1.6	248	0.75	3.2	2.2	<0.1	11.3	20	0.06	0.56	0.07	282
Reference Materials																				
STD OREAS24P	Standard		1.58	55.65	2.66	125.3	29	148.3	47.3	1143	7.63	2.1	0.6	<0.1	2.8	397	0.17	0.08	<0.04	170
STD OREAS45P	Standard		2.36	759.9	23.25	160.4	378	411.0	131.2	1397	19.62	13.5	2.3	<0.1	11.3	38	0.20	0.91	0.20	286
STD SO-18	Standard																			
STD SO-18	Standard																			
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267
STD SO-18 Expected																				
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1
BLK	Blank																			
Prep Wash																				
G1	Prep Blank		0.19	2.73	18.00	54.7	<20	3.6	5.3	732	2.27	1.1	3.3	<0.1	9.1	673	0.04	0.05	0.11	52
G1	Prep Blank		0.21	2.98	17.70	51.8	<20	3.1	5.2	750	2.39	0.8	2.9	<0.1	11.4	692	0.03	0.04	0.07	54



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 2

## QUALITY CONTROL REPORT

WHI10000245.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
333161	Rock	0.095	32.2	32	0.82	803	0.139	6.46	0.276	3.28	3.1	59.9	4.4	7	7.4	<0.04	14.4	80.36	11.0	44.3	6.7
REP 333161	QC	0.094	33.7	32	0.83	826	0.147	6.66	0.276	3.36	3.0	61.1	4.3	7	7.7	<0.04	14.2	81.71	11.5	45.9	6.8
Reference Materials																					
STD OREAS24P	Standard	0.143	18.0	211	4.12	289	1.099	8.35	2.421	0.69	0.5	138.2	1.5	<1	20.5	<0.04	23.1	37.34	4.8	21.0	4.5
STD OREAS45P	Standard	0.047	28.1	1147	0.24	324	1.125	7.59	0.094	0.38	1.3	166.5	2.6	1	71.2	<0.04	15.8	57.00	6.6	25.8	4.8
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
STD SO-18 Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.075	26.4	5	0.64	895	0.264	7.27	2.761	3.14	0.3	10.8	1.6	3	5.2	<0.04	15.5	54.11	6.2	23.5	3.7
G1	Prep Blank	0.080	27.9	5	0.62	1093	0.267	7.11	2.825	3.24	0.2	11.9	1.6	3	5.5	<0.04	15.6	59.13	6.6	25.3	3.9





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 3

## QUALITY CONTROL REPORT

WHI10000245.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
Pulp Duplicates																				
333161	Rock	0.2	4.1	0.5	2.5	0.4	1.1	0.2	1.5	0.2	1.69	15.9	133.6	0.4	21.77	1.3	20.63	N.A.	N.A.	N.A.
REP 333161	QC	0.2	4.7	0.4	2.5	0.4	1.1	0.2	1.4	0.2	1.61	15.9	139.5	0.4	22.41	1.4	20.65			
Reference Materials																				
STD OREAS24P	Standard	1.5	5.0	0.8	4.7	0.8	2.0	0.2	1.8	0.3	3.30	8.1	24.5	1.1	20.35	0.8	21.15			
STD OREAS45P	Standard	1.2	4.6	0.7	4.1	0.8	2.0	0.3	1.9	0.3	4.27	16.6	26.9	1.5	25.70	2.3	25.37			
STD SO-18	Standard																	482	<1	25.0
STD SO-18	Standard																	482	<1	25.2
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43			
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5			
STD SO-18 Expected																		514	1	26.2
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02			
BLK	Blank																	<1	<1	<0.2
Prep Wash																				
G1	Prep Blank	0.8	3.8	0.4	2.9	0.5	1.5	0.2	1.6	0.2	0.59	40.8	134.9	1.5	26.75	4.8	19.34	N.A.	N.A.	N.A.
G1	Prep Blank	0.8	3.5	0.4	2.7	0.5	1.5	0.2	1.7	0.2	0.63	38.5	128.6	1.5	28.36	4.7	18.86	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 4

## QUALITY CONTROL REPORT

WHI10000245.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05
Pulp Duplicates																					
333161	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
REP 333161	QC																				
Reference Materials																					
STD OREAS24P	Standard																				
STD OREAS45P	Standard																				
STD SO-18	Standard	16.8	9.3	22.8	26.9	13	388.9	7.0	9.5	15.6	178	14.4	287.0	31.0	11.6	25.9	3.17	13.9	2.72	0.80	2.78
STD SO-18	Standard	16.6	9.0	18.7	26.9	13	386.4	7.4	9.4	15.5	180	14.5	286.8	30.8	11.6	25.6	3.19	14.2	2.81	0.80	2.75
STD OREAS24P Expected																					
STD OREAS45P Expected																					
STD SO-18 Expected		17.6	9.8	21.3	28.7	15	407.4	7.4	9.9	16.4	200	14.8	280	31	12.3	27.1	3.45	14	3	0.89	2.93
BLK	Blank																				
BLK	Blank	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue

**Report Date:** November 01, 2010

**Page:** 1 of 1 **Part** 5

## QUALITY CONTROL REPORT

WHI10000245.2

		Method	4B	4B	4B	4B	4B	4B	4B
		Analyte	Tb	Dy	Ho	Er	Tm	Yb	Lu
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.05	0.02	0.03	0.01	0.05	0.01
Pulp Duplicates									
333161	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333161	QC								
Reference Materials									
STD OREAS24P	Standard								
STD OREAS45P	Standard								
STD SO-18	Standard		0.48	2.74	0.56	1.66	0.27	1.66	0.25
STD SO-18	Standard		0.49	2.70	0.56	1.65	0.27	1.69	0.25
STD OREAS24P Expected									
STD OREAS45P Expected									
STD SO-18 Expected			0.53	3	0.62	1.84	0.27	1.79	0.27
BLK	Blank								
BLK	Blank		<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01
Prep Wash									
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.