



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson  
Receiving Lab: Canada-Whitehorse  
Received: August 06, 2010  
Report Date: November 02, 2010  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI10000247.2

### CLIENT JOB INFORMATION

Project: True Blue  
Shipment ID: TB-019  
P.O. Number  
Number of Samples: 29

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8  
Canada

CC: Stew Fumerton  
Kim Halpin

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	29	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	29	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
4B03	2	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed	VAN

### ADDITIONAL COMMENTS

Version 2: 4B03 analysis included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 02, 2010

Page: 2 of 2 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000247.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
333168	Rock	0.68	7.32	5.09	6.53	57.7	<20	1.1	3.3	802	5.77	3.7	2.0	<0.1	12.1	40	0.21	0.80	0.08	5	0.51
333169	Rock	0.70	9.96	11.75	6.32	67.3	<20	0.7	3.0	1235	5.45	2.9	1.9	<0.1	10.8	34	0.14	1.15	0.10	<1	0.51
333170	Rock	0.99	13.70	9.16	5.94	96.8	<20	0.5	5.1	1443	5.59	4.0	1.7	<0.1	12.3	29	0.26	0.90	0.35	1	0.55
333171	Rock	0.76	10.00	5.29	18.60	204.9	<20	2.0	2.9	2313	6.46	3.3	3.7	<0.1	20.0	36	0.51	1.20	0.22	<1	0.52
333172	Rock	0.80	10.46	5.03	8.43	90.0	*	0.3	1.9	2000	5.39	2.0	1.7	<0.1	10.3	28	0.23	1.00	0.15	<1	0.31
333173	Rock	0.81	10.79	7.45	169.9	578.4	<20	0.6	2.3	3406	6.68	2.6	3.2	<0.1	16.2	24	2.94	1.72	0.11	2	0.39
333174	Rock	0.91	11.34	6.96	10.70	134.0	<20	1.4	2.6	1937	6.52	3.1	3.4	<0.1	16.0	33	0.21	1.23	0.31	3	0.74
333175	Rock	0.80	8.47	9.80	7.80	92.9	<20	1.0	3.0	1460	6.49	4.9	3.3	<0.1	18.0	32	0.19	1.00	0.19	5	0.44
333176	Rock	0.94	5.95	10.56	25.38	191.7	<20	0.8	2.5	2057	5.31	2.3	3.8	<0.1	23.5	34	0.42	1.03	0.12	3	0.46
333177	Rock	1.05	6.52	10.35	11.06	113.9	<20	0.6	2.4	1464	6.02	4.2	4.4	<0.1	22.6	32	0.15	1.07	0.33	3	0.35
333178	Rock	0.86	4.72	7.68	6.26	90.9	<20	0.8	2.3	1898	5.20	3.2	4.4	<0.1	26.0	35	0.18	0.65	0.49	4	0.72
333179	Rock	0.78	7.20	5.68	5.43	16.5	<20	0.7	3.8	462	7.11	1.9	3.6	<0.1	20.4	29	0.06	0.61	0.20	3	0.76
333180	Rock	0.92	9.85	2.11	2.35	12.6	<20	1.2	4.7	575	6.03	1.7	7.9	<0.1	29.3	26	0.29	0.62	0.09	3	0.72
333181	Rock	0.98	9.59	1.52	1.46	11.5	<20	1.0	3.1	420	5.44	1.8	6.7	<0.1	33.3	28	0.09	0.39	0.06	1	1.43
333182	Rock	0.96	7.21	2.26	15.20	52.7	<20	23.6	5.3	658	7.65	2.0	5.4	<0.1	29.4	53	0.13	0.72	0.25	70	1.30
333183	Rock	0.87	10.95	2.09	2.25	26.3	<20	1.3	4.8	271	7.65	2.1	6.1	<0.1	29.9	23	0.11	0.82	0.17	2	0.27
333184	Rock	0.82	9.33	4.16	2.14	21.1	<20	3.4	6.9	545	6.41	2.7	6.7	<0.1	28.0	28	0.14	0.77	0.19	6	0.99
333185	Rock	0.86	5.70	9.90	1.48	5.7	<20	6.5	11.1	395	4.44	2.7	3.3	<0.1	17.6	24	0.07	0.57	0.20	6	0.96
333186	Rock	0.86	10.03	2.31	1.67	14.2	<20	27.2	17.8	265	4.09	2.4	3.9	<0.1	22.4	47	0.08	0.54	0.35	165	1.01
333187	Rock	0.85	9.43	1.82	1.75	12.2	<20	18.2	10.2	307	5.84	2.0	5.2	<0.1	24.1	24	0.13	0.55	0.12	63	0.56
333188	Rock	0.76	7.76	1.96	1.71	9.6	<20	8.1	13.6	299	3.97	1.9	3.0	<0.1	17.6	21	0.11	0.37	0.09	36	0.34
333189	Rock	0.86	4.43	120.7	1.64	37.9	<20	25.0	2.7	186	3.55	1.5	3.6	<0.1	16.0	29	0.13	0.40	0.07	83	0.52
333190	Rock	0.63	7.51	5.28	2.69	30.3	<20	1.3	1.4	215	6.95	2.6	4.6	<0.1	23.5	26	0.13	1.01	<0.04	3	0.33
333191	Rock	0.71	5.26	5.56	1.31	14.8	<20	9.6	5.3	208	4.11	2.0	2.9	<0.1	15.8	31	0.10	0.46	0.09	53	0.51
333192	Rock	0.80	0.73	0.19	0.04	0.9	<20	1.5	0.5	27	0.46	<0.2	0.3	<0.1	2.2	4	<0.02	0.06	<0.04	4	0.11
333201	Rock	1.15	1.79	12.96	17.26	67.9	<20	33.2	4.0	180	1.50	8.7	54.1	<0.1	312.6	36	0.69	1.89	0.20	201	0.52
333202	Rock	1.01	2.72	59.34	6.63	60.5	<20	41.7	7.7	97	1.85	9.6	27.0	<0.1	97.3	34	0.44	1.30	0.34	276	0.37
333203	Rock	1.13	2.47	30.46	9.18	50.4	<20	36.3	4.3	87	2.43	18.6	34.5	<0.1	206.3	34	0.38	1.77	1.22	272	0.28
333204	Rock	1.13	2.32	20.74	7.01	86.7	<20	46.4	5.9	153	1.41	4.8	7.8	<0.1	31.9	39	0.63	1.67	0.12	311	0.57



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 02, 2010

Page: 2 of 2 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000247.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
333168	Rock	0.059	86.5	2	0.62	1307	0.386	8.10	3.432	5.21	5.1	49.5	11.0	2	1.6	0.08	24.6	173.3	19.0	76.3	11.2
333169	Rock	0.050	77.3	4	0.44	801	0.355	8.17	3.465	4.96	5.7	31.9	5.5	3	1.8	0.05	24.8	162.5	17.4	67.7	9.9
333170	Rock	0.054	75.4	<1	0.64	677	0.438	8.31	3.860	5.31	9.3	47.0	6.8	5	1.9	0.05	29.7	156.1	17.1	68.2	10.3
333171	Rock	0.063	109.9	5	0.67	558	0.487	8.57	4.235	5.13	4.4	73.4	7.4	6	2.6	<0.04	39.8	207.5	22.5	85.5	12.4
333172	Rock	0.054	64.6	<1	0.18	553	0.301	8.60	4.135	5.24	7.3	28.0	3.3	2	2.2	0.04	17.5	131.2	14.4	58.1	8.7
333173	Rock	0.063	99.5	7	0.52	319	0.397	8.44	3.836	5.09	3.9	66.0	4.3	5	3.1	<0.04	35.0	191.6	21.1	81.4	12.4
333174	Rock	0.033	84.8	<1	0.71	731	0.277	8.77	3.285	5.10	5.5	50.0	5.3	5	2.2	0.19	28.0	156.3	16.6	64.3	9.3
333175	Rock	0.054	95.7	6	0.52	567	0.355	7.85	4.157	3.72	16.5	79.2	6.7	6	1.6	0.08	36.7	191.9	21.5	76.0	11.1
333176	Rock	0.043	116.3	3	0.72	433	0.300	8.21	4.343	4.09	7.0	61.4	7.5	8	1.3	<0.04	45.8	232.9	24.9	86.4	13.2
333177	Rock	0.048	107.9	6	0.78	524	0.346	8.11	4.251	3.38	3.9	60.2	6.7	6	1.2	<0.04	39.2	227.4	23.7	81.5	12.5
333178	Rock	0.045	129.0	3	0.67	509	0.320	8.02	4.282	3.90	2.8	42.2	5.7	7	1.5	<0.04	44.8	264.0	28.8	98.1	14.2
333179	Rock	0.045	109.7	5	0.76	877	0.249	8.14	4.195	2.65	10.4	84.4	12.9	6	1.2	0.15	41.7	215.9	23.5	82.7	12.6
333180	Rock	0.036	156.3	3	1.39	631	0.092	8.27	4.197	2.12	5.5	425.9	21.1	4	1.1	0.34	59.2	306.2	33.1	113.9	17.5
333181	Rock	0.026	230.7	5	1.74	257	0.069	8.05	4.888	1.18	10.4	214.0	14.2	3	0.7	0.15	52.9	431.6	44.2	146.8	21.5
333182	Rock	0.054	156.8	16	1.07	516	0.190	7.82	4.132	2.63	9.2	96.4	15.8	6	3.0	0.06	46.8	300.9	31.0	109.1	15.2
333183	Rock	0.030	145.5	6	1.01	425	0.218	8.15	4.524	2.28	20.8	82.0	19.3	7	0.5	0.16	54.6	292.2	31.3	107.4	15.9
333184	Rock	0.045	211.4	3	0.76	984	0.310	8.42	3.773	2.85	20.8	79.0	20.2	5	1.5	0.21	69.4	400.6	41.9	147.3	22.6
333185	Rock	0.038	99.1	6	1.02	380	0.128	7.79	4.576	2.09	30.9	89.3	12.5	3	1.6	0.24	25.2	200.7	21.8	79.3	12.4
333186	Rock	0.075	112.6	33	1.99	254	0.122	7.06	3.529	1.33	8.7	79.5	9.2	3	5.8	0.33	23.0	218.3	23.2	80.8	11.5
333187	Rock	0.062	165.6	11	1.59	232	0.134	7.85	4.387	1.31	11.8	100.7	22.7	3	4.0	0.39	42.0	335.2	34.3	121.7	18.1
333188	Rock	0.033	94.2	10	0.65	175	0.116	6.62	4.639	1.51	18.5	87.5	20.8	3	1.4	0.46	19.9	188.9	21.5	75.8	11.3
333189	Rock	0.066	59.4	24	1.44	728	0.163	7.40	3.761	2.24	8.0	49.8	6.8	3	3.8	0.08	19.3	115.6	12.6	46.3	6.2
333190	Rock	0.041	127.6	3	0.65	911	0.263	8.70	4.055	2.76	7.9	66.1	18.5	8	1.8	<0.04	32.0	258.4	27.0	95.7	13.0
333191	Rock	0.051	74.8	17	0.96	484	0.197	7.19	4.343	2.04	5.4	62.2	11.9	4	2.4	0.14	22.5	161.7	17.3	63.5	9.4
333192	Rock	0.004	14.7	3	0.10	42	0.020	0.70	0.528	0.16	0.4	7.1	1.5	<1	0.4	<0.04	2.9	26.74	2.7	9.5	1.2
333201	Rock	0.099	>2000	47	0.69	4791	0.230	4.60	0.091	3.36	8.4	303.4	6.3	20	5.8	<0.04	378.7	>2000	300.4	1020	109.7
333202	Rock	0.088	622.8	55	0.53	2392	0.188	5.44	0.358	3.92	4.6	145.8	2.9	11	7.6	0.16	159.5	1123	91.8	313.9	40.9
333203	Rock	0.087	171.7	56	0.64	1356	0.187	5.03	0.123	4.13	6.0	126.7	3.0	9	8.3	0.15	184.8	350.7	39.8	159.2	30.4
333204	Rock	0.103	54.0	44	0.80	6192	0.172	5.59	0.127	3.92	4.5	95.0	2.3	11	7.7	<0.04	54.9	109.1	13.7	56.8	11.2



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 02, 2010

Page:

2 of 2

Part 3

## CERTIFICATE OF ANALYSIS

WHI10000247.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
333168	Rock	1.3	8.7	1.2	6.4	1.1	2.8	0.3	2.2	0.3	1.14	26.8	122.8	7.0	162.3	1.9	36.68	N.A.	N.A.	N.A.
333169	Rock	1.3	8.0	1.2	6.5	1.2	2.7	0.3	2.0	0.3	0.71	20.6	127.4	7.1	166.8	2.4	33.10	N.A.	N.A.	N.A.
333170	Rock	1.3	8.5	1.3	6.5	1.2	3.1	0.4	2.3	0.3	1.09	22.0	164.3	6.8	149.8	2.9	32.09	N.A.	N.A.	N.A.
333171	Rock	1.5	10.0	1.5	9.2	1.6	4.1	0.5	3.1	0.4	1.75	29.7	161.8	8.5	205.6	3.6	34.89	N.A.	N.A.	N.A.
333172	Rock	1.2	6.4	0.8	4.3	0.7	1.9	0.2	1.7	0.2	0.66	12.4	115.6	5.3	103.6	1.9	30.69	N.A.	N.A.	N.A.
333173	Rock	1.7	10.7	1.5	8.8	1.6	3.8	0.5	3.0	0.3	1.76	29.3	131.1	8.4	179.7	3.7	33.72	N.A.	N.A.	N.A.
333174	Rock	1.2	7.7	1.1	6.5	1.1	2.9	0.4	2.2	0.3	1.11	33.0	180.5	6.2	160.7	3.6	36.44	N.A.	N.A.	N.A.
333175	Rock	1.5	8.4	1.3	8.3	1.4	3.8	0.5	2.8	0.4	1.96	23.3	136.7	8.6	177.0	4.9	34.28	N.A.	N.A.	N.A.
333176	Rock	1.7	9.4	1.6	10.0	1.8	4.7	0.6	3.4	0.4	1.50	29.9	183.9	10.0	211.2	2.8	37.11	N.A.	N.A.	N.A.
333177	Rock	1.6	9.5	1.5	8.9	1.7	4.3	0.4	2.7	0.3	1.44	39.9	145.0	11.2	243.9	3.2	38.30	N.A.	N.A.	N.A.
333178	Rock	1.9	10.8	1.7	11.1	2.0	4.9	0.5	3.5	0.5	0.99	30.8	131.9	9.6	217.3	2.6	34.12	N.A.	N.A.	N.A.
333179	Rock	2.2	10.6	1.6	9.5	1.7	4.4	0.5	3.2	0.4	1.77	16.1	95.2	8.2	175.6	1.6	35.91	N.A.	N.A.	N.A.
333180	Rock	3.3	14.8	2.5	14.8	2.7	7.6	0.9	5.6	0.7	8.55	12.6	71.0	18.2	246.8	1.2	40.56	N.A.	N.A.	N.A.
333181	Rock	3.1	15.6	2.2	12.7	2.2	5.8	0.7	4.1	0.5	4.87	19.2	53.4	9.9	201.3	0.9	43.35	N.A.	N.A.	N.A.
333182	Rock	2.3	13.5	1.9	11.4	2.1	4.8	0.6	3.8	0.4	2.13	16.8	119.7	10.3	212.7	1.5	39.02	N.A.	N.A.	N.A.
333183	Rock	2.6	12.4	2.0	12.7	2.6	6.5	0.7	4.6	0.5	1.81	17.0	91.0	18.0	367.2	1.8	48.86	N.A.	N.A.	N.A.
333184	Rock	3.4	17.6	2.7	16.5	3.1	7.6	0.9	5.3	0.6	1.68	15.2	124.3	12.7	261.3	1.6	42.65	N.A.	N.A.	N.A.
333185	Rock	2.1	8.2	1.3	6.8	1.2	3.0	0.4	2.6	0.3	1.95	6.6	79.9	4.9	90.93	0.8	35.29	N.A.	N.A.	N.A.
333186	Rock	1.9	7.2	1.1	5.7	1.0	2.5	0.3	2.1	0.2	1.66	13.0	62.2	4.6	93.69	0.8	31.78	N.A.	N.A.	N.A.
333187	Rock	3.5	14.3	2.1	11.7	2.2	5.5	0.7	3.9	0.5	2.04	9.8	46.4	10.6	202.0	0.8	47.64	N.A.	N.A.	N.A.
333188	Rock	2.3	7.0	1.1	6.1	1.0	2.7	0.3	2.0	0.3	1.73	6.4	30.8	8.9	213.0	0.6	45.43	N.A.	N.A.	N.A.
333189	Rock	1.1	5.0	0.8	4.7	0.9	2.2	0.3	1.9	0.3	1.16	11.2	80.1	4.2	96.44	1.1	32.40	N.A.	N.A.	N.A.
333190	Rock	2.3	10.0	1.4	7.7	1.4	3.4	0.4	2.7	0.4	1.38	18.7	103.0	8.5	190.2	1.9	40.66	N.A.	N.A.	N.A.
333191	Rock	1.7	6.3	1.1	5.5	1.1	2.7	0.3	2.1	0.3	1.35	18.2	71.8	5.8	123.2	1.1	36.41	N.A.	N.A.	N.A.
333192	Rock	0.3	0.9	0.1	0.7	0.1	0.3	<0.1	0.3	<0.1	0.13	1.9	5.9	0.6	16.33	0.1	4.04	N.A.	N.A.	N.A.
333201	Rock	6.8	84.1	13.5	77.4	14.8	37.2	4.6	26.7	2.8	6.03	11.6	114.0	51.0	1409	0.8	40.95	4637	19	4.3
333202	Rock	2.9	32.7	6.0	32.9	6.5	14.9	1.9	10.9	1.2	3.26	12.1	118.8	20.3	592.6	0.8	22.15	7601	14	7.3
333203	Rock	2.6	32.7	5.7	36.4	7.2	17.9	2.2	12.6	1.4	2.70	14.6	126.1	22.3	722.6	0.9	21.06	N.A.	N.A.	N.A.
333204	Rock	0.2	13.0	1.9	11.7	2.1	5.3	0.6	4.4	0.5	2.31	15.6	120.8	6.1	162.7	1.0	19.21	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 02, 2010

Page:

2 of 2

Part 4

## CERTIFICATE OF ANALYSIS

WHI10000247.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
333168	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333169	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333170	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333171	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333172	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333173	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333174	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333175	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333176	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333177	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333178	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333179	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333180	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333181	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333182	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333183	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333184	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333185	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333186	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333187	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333188	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333189	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333190	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333191	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333192	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333201	Rock	27.1	93.5	1720	124.7	8	37.2	63.7	404.5	71.8	237	10.0	4554	455.2	1844	3190	295.3	965.1	114.1	7.52
333202	Rock	17.5	36.3	762.4	150.8	4	41.6	26.0	142.6	37.3	317	6.5	1623	210.2	663.8	1121	109.3	354.2	47.15	3.39
333203	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333204	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 02, 2010

**Page:** 2 of 2 **Part** 5

## CERTIFICATE OF ANALYSIS

WHI10000247.2

	Method Analyte	Unit MDL	4B	4B	4B	4B	4B	4B	4B
			Tb	Dy	Ho	Er	Tm	Yb	Lu
			ppm	ppm	ppm	ppm	ppm	ppm	ppm
			0.01	0.05	0.02	0.03	0.01	0.05	0.01
333168	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333169	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333170	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333171	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333172	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333173	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333174	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333175	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333176	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333177	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333178	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333179	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333180	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333181	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333182	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333183	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333184	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333185	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333186	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333187	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333188	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333189	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333190	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333191	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333192	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333201	Rock		13.38	78.47	14.89	41.99	6.12	38.94	4.85
333202	Rock		6.56	37.38	7.01	18.54	2.66	16.37	2.09
333203	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
333204	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 02, 2010

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

WHI10000247.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ct
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
Pulp Duplicates																					
333174	Rock	0.91	11.34	6.96	10.70	134.0	<20	1.4	2.6	1937	6.52	3.1	3.4	<0.1	16.0	33	0.21	1.23	0.31	3	0.74
REP 333174	QC		11.38	7.22	10.56	139.0	<20	1.5	2.4	1908	6.41	3.2	3.4	<0.1	16.4	33	0.23	1.20	0.30	3	0.77
333203	Rock	1.13	2.47	30.46	9.18	50.4	<20	36.3	4.3	87	2.43	18.6	34.5	<0.1	206.3	34	0.38	1.77	1.22	272	0.28
REP 333203	QC		2.54	31.27	10.14	54.3	<20	37.2	4.4	95	2.46	18.1	36.4	<0.1	224.0	35	0.49	1.87	1.27	274	0.30
Reference Materials																					
STD OREAS24P	Standard		1.51	47.79	3.01	115.9	44	147.0	47.2	1155	7.66	1.4	0.7	<0.1	4.0	405	0.21	0.09	<0.04	171	6.10
STD OREAS24P	Standard		1.56	54.23	2.88	121.4	39	160.8	51.0	1211	7.95	0.9	0.7	<0.1	2.9	415	0.15	0.11	<0.04	178	6.30
STD OREAS45P	Standard		2.11	752.9	22.93	146.9	345	407.8	120.7	1377	19.17	11.9	2.1	<0.1	11.4	33	0.22	0.82	0.24	287	0.28
STD OREAS45P	Standard		2.36	735.0	22.12	152.1	294	396.8	123.9	1354	19.10	13.5	2.1	<0.1	9.2	35	0.17	0.93	0.21	278	0.33
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267	0.3
STD SO-18 Expected																					
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank																				
Prep Wash																					
G1	Prep Blank		0.21	2.68	19.81	51.3	<20	3.2	5.0	790	2.51	1.6	2.8	<0.1	9.5	701	0.03	0.05	0.14	53	2.35
G1	Prep Blank		0.21	2.91	20.04	50.0	<20	3.8	5.2	773	2.42	1.9	3.0	<0.1	7.8	677	<0.02	0.07	0.11	53	2.35



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 02, 2010

Page:

1 of 1

Part 2

## QUALITY CONTROL REPORT

WHI10000247.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
333174	Rock	0.033	84.8	<1	0.71	731	0.277	8.77	3.285	5.10	5.5	50.0	5.3	5	2.2	0.19	28.0	156.3	16.6	64.3	9.3
REP 333174	QC	0.033	82.0	<1	0.70	700	0.264	8.85	3.246	5.29	5.4	45.8	5.2	5	2.1	0.18	29.5	160.2	16.9	62.3	9.5
333203	Rock	0.087	171.7	56	0.64	1356	0.187	5.03	0.123	4.13	6.0	126.7	3.0	9	8.3	0.15	184.8	350.7	39.8	159.2	30.4
REP 333203	QC	0.083	186.1	57	0.66	1905	0.197	5.33	0.120	4.02	6.1	126.7	3.1	11	8.6	0.17	187.9	387.7	43.1	178.3	34.6
Reference Materials																					
STD OREAS24P	Standard	0.136	17.6	204	4.12	274	1.075	8.29	2.438	0.68	0.4	140.7	1.7	1	18.6	<0.04	21.7	34.71	4.6	21.6	4.5
STD OREAS24P	Standard	0.145	20.4	202	4.33	299	1.135	8.51	2.582	0.74	0.3	148.9	1.9	<1	21.3	<0.04	24.0	41.31	5.4	24.1	5.2
STD OREAS45P	Standard	0.046	23.7	1118	0.19	275	1.067	7.45	0.082	0.36	1.1	151.5	2.7	<1	64.0	<0.04	12.6	46.41	5.5	22.4	4.2
STD OREAS45P	Standard	0.052	26.5	1090	0.22	296	1.055	7.28	0.076	0.37	1.0	159.3	2.9	<1	68.3	<0.04	13.9	53.85	6.2	23.7	4.4
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
STD SO-18 Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.16	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.078	25.4	5	0.62	1017	0.237	7.46	2.916	3.15	0.2	12.0	1.6	3	5.0	<0.04	13.7	52.97	6.2	24.6	3.9
G1	Prep Blank	0.082	22.8	20	0.63	1070	0.242	7.46	2.869	3.18	0.2	12.1	1.5	3	5.2	<0.04	12.8	47.80	5.5	22.6	3.7





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 02, 2010

Page: 1 of 1 Part 3

## QUALITY CONTROL REPORT

WHI10000247.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
Pulp Duplicates																				
333174	Rock	1.2	7.7	1.1	6.5	1.1	2.9	0.4	2.2	0.3	1.11	33.0	180.5	6.2	160.7	3.6	36.44	N.A.	N.A.	N.A.
REP 333174	QC	1.3	7.7	1.1	6.5	1.2	3.1	0.4	2.5	0.3	1.04	32.5	180.4	6.3	160.0	3.7	36.11			
333203	Rock	2.6	32.7	5.7	36.4	7.2	17.9	2.2	12.6	1.4	2.70	14.6	126.1	22.3	722.6	0.9	21.06	N.A.	N.A.	N.A.
REP 333203	QC	3.1	36.6	6.6	38.9	8.0	19.1	2.4	13.0	1.7	2.64	14.5	126.1	22.8	735.7	0.9	21.12			
Reference Materials																				
STD OREAS24P	Standard	1.4	4.9	0.7	4.5	0.8	2.1	0.3	1.7	0.3	3.48	8.5	20.5	1.1	22.67	0.8	19.72			
STD OREAS24P	Standard	1.7	5.6	0.9	5.0	1.0	2.3	0.3	2.0	0.3	3.62	7.8	24.1	1.2	22.56	0.9	21.47			
STD OREAS45P	Standard	0.9	3.7	0.5	3.3	0.6	1.5	0.2	1.6	0.2	3.87	15.8	22.9	1.4	25.51	2.1	22.74			
STD OREAS45P	Standard	1.2	3.9	0.7	3.6	0.7	1.8	0.2	1.6	0.2	4.16	13.3	25.6	1.4	23.35	2.4	24.50			
STD SO-18	Standard																	552	<1	27.6
STD SO-18	Standard																	571	<1	28.6
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43			
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5			
STD SO-18 Expected																		514	1	26.2
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	0.36	<0.1	<0.02			
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02			
BLK	Blank																	<1	<1	<0.2
Prep Wash																				
G1	Prep Blank	0.9	3.3	0.5	2.8	0.6	1.6	0.2	1.7	0.3	0.65	36.3	104.3	1.5	26.85	4.4	19.38	N.A.	N.A.	N.A.
G1	Prep Blank	0.8	3.3	0.4	2.5	0.5	1.6	0.2	1.6	0.2	0.65	35.8	96.5	1.5	27.16	4.6	19.10	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 02, 2010

Page:

1 of 1

Part 4

## QUALITY CONTROL REPORT

WHI10000247.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
Pulp Duplicates																				
333174	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333174	QC																			
333203	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333203	QC																			
Reference Materials																				
STD OREAS24P	Standard																			
STD OREAS24P	Standard																			
STD OREAS45P	Standard																			
STD OREAS45P	Standard																			
STD SO-18	Standard	18.3	10.1	23.8	29.0	15	416.0	7.4	10.6	17.0	213	15.1	309.2	32.2	12.7	28.1	3.45	14.7	2.98	0.87
STD SO-18	Standard	19.0	10.1	24.8	29.7	17	422.6	7.9	11.5	17.5	222	16.1	314.8	32.9	13.0	29.2	3.53	15.3	3.06	0.91
STD OREAS24P Expected																				
STD OREAS45P Expected																				
STD SO-18 Expected		17.6	9.8	21.3	28.7	15	407.4	7.4	9.9	16.4	200	14.8	280	31	12.3	27.1	3.45	14	3	0.89
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02
Prep Wash																				
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

**Project:** True Blue

**Report Date:** November 02, 2010

**Page:** 1 of 1 **Part** 5

## QUALITY CONTROL REPORT

WHI10000247.2

		Method	4B	4B	4B	4B	4B	4B
		Analyte	Tb	Dy	Ho	Er	Tm	Yb
		Unit	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.05	0.02	0.03	0.01	0.05
Pulp Duplicates								
333174	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333174	QC							
333203	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 333203	QC							
Reference Materials								
STD OREAS24P	Standard							
STD OREAS24P	Standard							
STD OREAS45P	Standard							
STD OREAS45P	Standard							
STD SO-18	Standard		0.50	2.98	0.62	1.84	0.28	1.85
STD SO-18	Standard		0.52	3.12	0.65	1.92	0.29	1.92
STD OREAS24P Expected								
STD OREAS45P Expected								
STD SO-18 Expected			0.53	3	0.62	1.84	0.27	1.79
BLK	Blank							
BLK	Blank							
BLK	Blank		<0.01	<0.05	<0.02	<0.03	<0.01	<0.05
Prep Wash								
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.