



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 1
Finalized Date: 3-SEP-2010
This copy reported on
7-SEP-2010
Account: GRWEST

CERTIFICATE VA10116302

Project: True Blue

P.O. No.:

This report is for 84 Pulp samples submitted to our lab in Vancouver, BC, Canada on 19-AUG-2010.

The following have access to data associated with this certificate:

STEW FUMERTON

JOHN PEARSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-QC	QC Test on Received Samples
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	38 element fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES
C-IR07	Total Carbon (Leco)	LECO

To: GREAT WESTERN MINERALS GROUP
ATTN: STEW FUMERTON
226 CARDINAL CR.
SASKATOON SK S7L 6H8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 2 - A
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01
25701		0.26	<1	187.0	433	4.8	40	3.39	6	30.1	23.5	1.69	62.6	27.3	144.5	7.09
25751		0.24	<1	69.0	393	2.4	20	0.40	<5	36.5	26.5	1.41	35.6	30.3	63.0	8.36
25752		0.24	<1	112.5	413	1.8	10	0.38	<5	35.0	22.3	2.85	41.5	33.7	49.4	7.50
25753		0.26	<1	375	1020	1.5	<10	1.27	<5	70.2	39.3	6.24	42.5	80.7	41.7	14.35
25754		0.30	<1	601	615	2.5	20	0.52	<5	36.8	29.5	1.49	37.8	35.1	84.5	8.87
25755		0.12	<1	826	1320	2.3	<10	1.26	<5	81.3	68.9	4.92	36.3	81.3	363	20.4
25756		0.28	<1	229	511	1.5	<10	0.66	<5	32.4	22.5	1.31	34.2	32.9	64.1	7.16
25757		0.22	<1	199.0	557	2.0	10	0.67	<5	32.3	23.0	1.31	33.1	33.3	71.2	7.23
25758		0.32	<1	2400	59.4	<0.5	<10	0.51	<5	20.7	12.85	2.42	28.1	16.80	40.4	4.39
25759		0.06	<1	60.0	206	3.1	10	0.40	5	38.5	38.3	1.81	21.1	21.8	96.6	10.75
25760		0.12	<1	82.1	308	2.5	30	0.92	<5	36.5	26.6	1.91	32.4	27.7	87.8	8.47
25762		0.14	<1	157.0	457	0.8	<10	0.57	8	26.0	20.2	2.33	33.6	25.1	89.6	6.14
25763		0.22	<1	3230	713	1.6	10	2.67	<5	33.1	22.1	2.72	37.2	39.8	75.4	7.26
25764		0.24	<1	1655	695	5.6	<10	11.00	12	36.2	23.3	4.34	42.5	46.7	7.8	7.96
25765		0.22	<1	1480	138.5	7.4	10	8.36	<5	7.15	4.33	1.38	31.6	10.25	7.0	1.47
25766		0.30	<1	400	2630	2.2	<10	1.53	6	124.5	80.2	6.65	84.6	155.0	276	26.1
25767		0.30	<1	234	212	0.9	20	0.12	<5	22.8	14.35	2.48	37.2	24.0	29.8	4.84
25768		0.24	<1	1305	137.0	3.0	20	0.27	<5	17.50	10.55	1.99	35.8	18.05	23.6	3.70
25769		0.20	<1	943	219	0.8	<10	0.59	<5	19.95	12.15	2.74	45.6	20.6	25.2	4.02
25770		0.24	<1	444	96.5	0.5	<10	0.48	<5	16.90	10.60	1.42	41.9	15.30	30.2	3.48
25771		0.26	<1	1450	190.5	1.9	<10	0.65	19	19.45	11.25	2.58	53.2	20.0	22.9	3.79
25772		0.20	<1	597	113.5	2.2	<10	1.08	<5	17.90	11.35	2.20	43.0	15.65	26.5	3.78
25773		0.22	<1	496	415	1.4	<10	0.89	6	17.75	10.95	3.82	43.3	21.0	26.0	3.56
25774		0.20	<1	132.5	8.5	<0.5	90	0.25	<5	1.66	1.15	0.14	14.5	1.34	4.4	0.36
25775		0.24	<1	92.7	8.3	3.9	90	0.19	<5	1.34	0.86	0.20	13.6	1.27	4.9	0.29
25776		0.20	<1	93.1	455	1.1	<10	1.59	<5	44.7	27.3	5.41	49.0	42.3	71.7	9.03
25777		0.20	<1	146.5	135.5	3.6	<10	0.34	<5	2.72	1.68	1.28	34.7	5.56	7.0	0.52
25778		0.24	<1	170.5	6.0	0.6	60	0.37	<5	1.70	1.15	0.18	14.7	1.26	4.5	0.37
25779		0.22	<1	307	18.8	<0.5	90	0.58	<5	2.57	1.73	0.27	17.3	2.16	4.0	0.58
25780		0.22	<1	243	439	6.3	<10	2.22	33	19.20	10.95	4.10	49.3	23.6	26.7	3.68
25781		0.26	<1	727	573	1.6	<10	1.10	6	23.1	13.75	4.85	41.9	29.9	49.7	4.50
25782		0.18	<1	616	518	2.4	10	2.35	<5	26.4	15.85	5.36	62.9	29.6	45.5	5.27
25783		0.20	<1	565	256	3.5	<10	0.60	<5	16.10	9.75	3.58	42.8	17.60	27.1	3.22
25784		0.22	<1	495	316	1.9	<10	1.24	5	20.0	12.30	3.70	42.6	20.4	32.6	4.05
25801		0.22	<1	1630	201	11.3	<10	3.04	10	11.50	5.98	3.78	24.6	14.85	6.3	2.21
25802		0.22	<1	112.5	1110	2.6	<10	0.55	<5	32.2	16.90	2.49	38.9	50.0	37.1	5.87
25803		0.24	<1	1850	174.5	2.2	<10	3.10	<5	21.2	11.90	2.34	33.9	20.8	19.1	4.14
25804		0.22	<1	276	121.5	2.2	<10	0.66	24	7.17	4.35	0.92	31.2	7.96	18.2	1.44
25805		0.28	<1	233	1040	0.6	30	0.34	<5	6.44	3.95	3.29	12.9	25.6	7.2	1.12
25806		0.24	<1	704	2860	4.3	<10	1.87	10	98.4	51.9	6.56	101.0	139.5	195.5	17.90

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 2 - B
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
25701		225	3.83	4	2160	145.0	57	59	46.8	40.2	26.1	51	108.0	141.0	4.40
25751		210	3.42	29	541	133.5	24	<5	41.7	19.1	26.7	36	45.0	40.3	5.33
25752		218	2.86	5	477	157.0	<5	<5	46.9	26.4	31.1	33	47.9	34.7	5.44
25753		496	2.92	10	289	417	<5	<5	121.0	52.6	77.1	7	73.5	24.5	11.75
25754		351	4.49	3	901	195.5	6	<5	64.8	68.4	32.7	25	34.2	65.6	5.41
25755		709	8.20	3	649	471	<5	<5	146.0	102.5	81.5	15	119.0	68.1	12.00
25756		281	3.40	<2	671	172.0	<5	<5	55.4	71.3	30.4	25	36.1	50.7	5.06
25757		302	3.33	4	751	181.0	<5	<5	59.0	50.6	31.9	38	38.6	53.9	5.07
25758		24.7	1.92	<2	247	35.1	<5	<5	8.23	212	12.70	20	189.5	29.0	3.13
25759		115.0	6.36	<2	869	76.7	<5	60	22.8	34.0	17.50	15	67.1	91.5	4.57
25760		165.5	3.41	<2	813	110.5	10	<5	34.1	65.0	22.9	10	90.3	70.1	5.12
25762		260	2.90	<2	549	141.5	<5	33	46.6	27.9	22.3	16	125.0	59.7	3.83
25763		355	2.55	<2	498	246	<5	7	79.4	265	38.4	12	137.5	55.1	5.47
25764		394	2.62	101	98.3	240	32	17	73.8	451	39.1	6	225	5.3	6.22
25765		73.8	0.57	6	110.5	55.2	10	<5	15.80	435	10.25	5	52.5	5.3	1.29
25766		1465	11.10	2	2410	904	<5	10	273	133.0	163.0	32	52.1	151.0	21.5
25767		69.4	1.84	<2	388	118.0	11	<5	31.3	10.3	23.9	9	70.8	20.2	3.68
25768		41.1	1.37	2	326	82.9	39	<5	20.9	62.4	17.50	7	154.0	18.4	2.81
25769		115.5	1.56	<2	329	101.0	5	<5	25.8	45.7	21.3	8	109.0	18.9	3.45
25770		27.6	1.42	<2	364	67.0	<5	9	15.50	21.4	15.45	6	257	17.1	2.79
25771		92.0	1.45	4	369	96.3	16	17	24.2	76.3	21.5	7	123.5	17.4	3.31
25772		51.0	1.59	2	342	65.6	57	84	15.95	58.7	16.80	8	147.5	19.2	2.81
25773		251	1.52	<2	311	141.5	<5	5	44.6	52.7	23.5	11	58.2	16.8	2.97
25774		4.5	0.22	<2	15.3	4.7	30	<5	1.15	27.9	1.11	1	42.0	1.0	0.26
25775		4.2	0.17	9	16.8	4.3	18	<5	1.06	18.5	1.06	1	73.4	1.1	0.21
25776		229	3.36	6	674	234	60	<5	60.2	32.2	47.3	4	40.0	49.0	7.13
25777		80.5	0.34	<2	89.0	45.1	6	<5	14.00	22.8	6.86	10	50.7	5.3	0.59
25778		3.0	0.20	2	14.8	3.4	30	<5	0.83	32.5	0.96	1	34.0	0.9	0.24
25779		9.7	0.28	3	15.2	9.3	36	<5	2.38	60.5	1.96	2	24.8	1.0	0.38
25780		252	1.57	7	327	157.0	14	<5	48.4	137.0	24.9	4	46.6	16.8	3.31
25781		317	1.79	5	309	197.5	<5	<5	63.3	98.4	32.3	22	63.1	24.1	4.09
25782		292	2.19	17	814	185.5	5	<5	57.0	135.5	32.9	9	50.3	41.4	4.47
25783		142.5	1.43	5	301	97.6	10	<5	28.6	54.3	19.40	40	60.1	17.3	2.66
25784		180.5	1.69	6	350	111.5	<5	<5	34.1	58.0	21.0	15	42.3	20.4	3.25
25801		109.5	0.64	<2	86.5	84.7	<5	6	23.3	87.3	16.15	4	570	4.8	2.12
25802		762	2.23	2	438	362	<5	<5	126.5	25.5	51.0	25	52.4	27.8	6.20
25803		79.1	1.44	3	257	96.9	5	<5	24.2	79.8	21.5	5	204	12.9	3.50
25804		64.9	0.65	<2	155.0	45.8	5	<5	13.55	30.3	8.50	8	128.0	7.8	1.21
25805		634	0.36	<2	72.8	317	<5	<5	104.0	23.2	38.3	2	39.9	4.6	1.89
25806		1530	7.54	8	2100	994	11	<5	298	175.0	161.0	46	28.3	118.5	18.55

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 2 - C
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%
		0.5	0.01	0.05	5	1	0.5	0.03	5	2	0.01	0.01	0.01	0.01	0.01	0.01
25701		<0.5	3.90	84.3	<5	12	197.0	25.7	231	6870	57.7	16.90	7.23	3.02	0.39	8.26
25751		<0.5	4.12	26.5	<5	6	214	25.3	15	2500	66.5	14.55	3.83	1.38	0.16	7.91
25752		<0.5	3.40	19.00	<5	4	200.0	20.3	21	1480	63.0	12.30	10.50	1.75	0.26	6.35
25753		<0.5	4.89	13.55	5	5	333	24.0	28	1735	65.9	12.50	7.19	1.48	0.53	5.19
25754		<0.5	4.88	64.6	<5	4	224	30.8	20	3330	64.9	13.05	7.07	1.54	0.12	5.32
25755		<0.5	10.90	103.0	6	11	520	62.8	32	>10000	64.0	9.73	8.35	4.01	0.69	1.92
25756		<0.5	3.57	40.6	5	5	183.0	22.8	27	2410	70.1	12.35	5.14	0.85	0.27	5.88
25757		<0.5	3.60	39.3	<5	6	195.0	22.9	34	2450	70.9	10.90	6.44	0.91	0.19	5.43
25758		<0.5	1.98	13.25	7	3	114.5	12.45	9	1135	68.9	12.30	3.12	3.63	0.08	1.33
25759		<0.5	6.63	68.2	16	25	275	43.4	98	3050	75.1	11.10	1.32	0.62	0.31	6.19
25760		<0.5	4.08	64.0	<5	6	206	25.0	29	2510	74.2	10.80	2.16	1.12	0.45	5.83
25762		<0.5	3.21	81.7	6	12	141.5	20.3	21	2200	74.7	10.90	1.76	1.27	0.16	5.51
25763		<0.5	3.26	65.1	<5	3	184.5	18.80	47	2200	68.0	12.80	3.91	1.16	0.60	1.58
25764		<0.5	3.14	23.3	68	6	235	18.25	126	354	39.0	10.40	12.60	12.30	4.54	1.03
25765		<0.5	0.60	2.66	229	3	43.9	3.80	156	310	44.4	14.65	20.0	2.31	4.23	2.65
25766		<0.5	12.15	129.5	5	12	665	76.2	35	>10000	59.5	20.1	2.00	0.98	1.16	6.61
25767		<0.5	2.12	7.91	28	3	129.0	12.90	21	1250	65.7	17.15	1.78	2.81	2.37	8.91
25768		<0.5	1.56	4.56	31	3	97.2	9.52	65	994	58.4	15.45	2.79	5.16	5.50	4.45
25769		<0.5	1.73	10.50	20	3	103.0	10.85	17	1070	58.4	17.15	1.98	3.01	2.31	7.71
25770		<0.5	1.55	7.26	24	3	86.9	9.73	25	1375	59.9	17.10	1.26	2.66	2.88	8.06
25771		<0.5	1.60	12.25	12	4	102.0	10.00	171	1050	55.9	15.95	3.95	2.73	3.01	4.81
25772		<0.5	1.79	11.65	33	4	100.5	11.05	193	1020	58.8	16.50	3.26	2.02	3.76	5.94
25773		<0.5	1.63	8.05	8	7	95.3	10.30	35	1000	58.5	15.95	3.81	1.94	3.07	6.57
25774		<0.5	0.19	1.44	329	10	13.2	1.32	11	156	75.3	12.50	0.59	0.74	1.26	5.50
25775		<0.5	0.13	1.74	201	25	10.1	0.98	10	172	54.2	15.50	1.42	5.99	3.61	7.78
25776		<0.5	4.19	21.7	12	9	237	24.7	27	3020	50.2	16.75	3.77	1.96	8.49	6.57
25777		<0.5	0.28	1.39	14	4	15.7	2.03	7	280	61.7	17.50	2.12	1.99	1.07	9.15
25778		<0.5	0.19	2.17	263	7	11.7	1.27	17	160	73.7	11.65	1.02	0.78	2.16	4.42
25779		<0.5	0.27	1.77	355	9	20.0	1.78	12	145	73.4	12.55	1.06	0.54	2.03	3.67
25780		<0.5	1.63	10.75	11	8	94.6	10.85	34	1090	57.8	17.00	5.28	2.45	3.52	6.97
25781		<0.5	2.08	8.45	10	10	121.5	12.75	28	2030	57.9	16.60	7.48	1.87	1.50	6.57
25782		<0.5	2.45	21.8	12	16	135.0	15.65	29	1890	53.8	17.30	8.13	0.81	3.73	5.93
25783		<0.5	1.53	9.10	13	7	98.1	10.00	14	1130	55.8	16.00	6.01	4.63	1.59	6.98
25784		<0.5	1.88	10.30	7	10	108.0	11.90	27	1320	58.5	16.50	8.01	1.68	1.00	7.38
25801		<0.5	0.80	1.88	146	3	57.6	5.02	158	255	50.6	15.00	11.95	6.78	3.02	4.67
25802		<0.5	2.41	15.90	7	8	182.5	15.45	14	1380	71.2	14.80	1.64	0.47	0.19	7.32
25803		<0.5	1.72	6.02	20	3	111.5	10.00	56	759	61.5	14.80	6.19	2.47	1.32	6.16
25804		<0.5	0.72	3.89	16	17	38.2	4.67	33	797	64.6	17.20	2.17	0.37	0.51	8.65
25805		<0.5	0.46	2.76	11	3	30.6	2.80	13	321	85.6	5.93	1.44	0.29	0.20	2.63
25806		<0.5	7.82	74.5	13	16	391	50.7	39	8250	56.7	24.1	1.84	0.28	1.52	3.60

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 2 - D
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	C-IR07
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	C %
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
25701		0.53	0.01	0.11	0.15	<0.01	0.01	0.02	3.49	97.8	0.72
25751		0.39	<0.01	0.42	0.08	0.02	0.01	0.01	2.89	98.2	0.25
25752		0.58	<0.01	0.45	0.14	0.03	0.01	0.01	2.69	98.1	0.43
25753		1.33	<0.01	0.38	0.07	0.05	0.01	0.04	3.07	97.7	0.45
25754		3.26	<0.01	0.41	0.10	0.04	<0.01	0.07	2.30	98.2	0.10
25755		2.89	<0.01	0.29	0.10	0.05	0.01	0.10	3.88	96.0	0.79
25756		1.02	<0.01	0.32	0.10	0.02	<0.01	0.03	2.20	98.3	0.16
25757		0.72	<0.01	0.47	0.13	0.01	<0.01	0.02	1.69	97.8	0.08
25758		8.17	<0.01	0.25	0.04	0.01	0.02	0.29	1.10	99.2	0.09
25759		0.27	<0.01	0.63	0.01	<0.01	0.01	0.01	1.59	97.2	0.29
25760		0.44	<0.01	0.22	0.03	<0.01	0.01	0.01	1.20	96.5	0.18
25762		0.92	<0.01	0.14	0.03	0.01	0.01	0.02	1.48	96.9	0.31
25763		8.13	<0.01	0.28	0.05	0.01	0.02	0.38	0.99	97.9	0.03
25764		6.01	<0.01	0.39	0.13	2.56	0.03	0.17	8.46	97.6	1.96
25765		6.69	<0.01	2.95	0.07	0.80	0.01	0.18	1.28	100.0	0.05
25766		3.56	<0.01	0.72	0.03	0.02	<0.01	0.04	2.95	97.7	0.32
25767		0.74	<0.01	0.63	0.02	0.37	0.01	0.03	0.49	101.0	0.06
25768		4.06	<0.01	0.47	0.03	0.25	0.02	0.15	2.16	98.9	0.20
25769		1.65	<0.01	0.23	0.05	0.10	0.01	0.11	5.07	97.8	1.22
25770		1.35	<0.01	0.32	0.01	0.13	0.03	0.05	2.38	96.1	0.40
25771		3.18	<0.01	0.27	0.03	0.05	0.01	0.17	6.90	97.0	1.49
25772		2.58	<0.01	0.33	0.02	0.06	0.02	0.07	4.27	97.6	0.60
25773		1.55	<0.01	0.33	0.03	0.06	0.01	0.06	4.75	96.6	0.83
25774		0.75	0.01	0.57	0.01	0.19	<0.01	0.01	1.39	98.8	0.22
25775		0.54	0.01	0.63	0.05	0.22	0.01	0.01	10.10	100.0	2.49
25776		0.57	<0.01	0.60	0.03	0.09	<0.01	0.01	6.78	95.8	0.91
25777		0.59	<0.01	0.23	0.02	0.07	0.01	0.02	3.16	97.6	0.83
25778		0.78	0.01	0.54	0.01	0.20	<0.01	0.02	2.58	97.9	0.26
25779		1.58	0.01	0.57	0.01	0.17	<0.01	0.03	2.50	98.1	0.18
25780		2.35	<0.01	0.35	0.03	0.05	0.01	0.03	5.14	101.0	1.02
25781		3.04	<0.01	0.39	0.04	0.03	0.01	0.09	2.83	98.4	0.60
25782		3.13	<0.01	0.33	0.01	0.07	0.01	0.07	3.48	96.8	0.46
25783		1.72	<0.01	0.34	0.10	0.04	0.01	0.06	6.20	99.5	1.57
25784		1.76	<0.01	0.37	0.06	0.06	<0.01	0.06	2.89	98.3	0.62
25801		1.83	<0.01	2.98	0.19	1.20	0.07	0.20	2.10	100.5	0.28
25802		0.59	<0.01	0.40	0.07	0.04	0.01	0.01	1.10	97.8	0.26
25803		3.00	<0.01	0.68	0.11	0.18	0.02	0.20	1.90	98.5	0.15
25804		0.64	<0.01	0.59	0.04	0.09	0.01	0.03	0.79	95.7	0.05
25805		0.56	0.01	0.19	0.02	0.03	0.01	0.03	-0.20	96.7	0.12
25806		6.52	<0.01	1.37	0.01	0.22	<0.01	0.09	3.05	99.3	0.10

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 3 - A
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01
25807		0.28	<1	664	5280	0.9	<10	2.44	136	126.0	92.1	10.05	125.0	229	338	26.4
25809		0.28	<1	832	50.3	1.5	<10	0.67	<5	5.73	3.53	0.60	34.8	5.29	28.2	1.14
25810		0.28	<1	562	138.0	0.5	10	0.10	<5	8.26	5.68	0.91	37.2	8.00	31.0	1.73
25811		0.32	<1	234	4630	3.2	<10	0.36	8	113.5	56.0	20.3	54.4	142.5	12.3	21.3
25825		0.26	<1	428	1075	3.1	10	0.18	<5	43.5	25.9	7.26	25.0	55.2	291	8.42
25826		0.26	<1	2400	88.4	13.0	60	0.83	<5	5.99	3.45	1.04	13.2	6.29	4.9	1.21
25827		0.26	<1	784	1045	6.3	<10	0.95	5	362	239	20.8	10.4	242	611	77.3
25828		0.24	<1	447	500	6.1	40	1.32	<5	11.65	6.43	5.05	9.8	17.50	6.9	2.27
25829		0.26	<1	384	68.2	1.8	10	0.19	8	5.38	3.29	0.84	4.2	5.67	13.7	1.08
25830		0.24	<1	2820	71.3	3.1	80	0.46	13	3.89	2.17	0.69	16.1	5.42	5.7	0.75
25831		0.32	<1	851	421	3.9	20	0.43	11	65.4	30.0	5.14	8.1	64.3	5.0	11.95
25832		0.24	<1	252	50.1	3.9	30	0.42	<5	3.58	1.94	0.75	14.3	3.72	4.5	0.68
25888		0.26	<1	412	159.0	0.6	130	0.44	<5	33.0	20.2	1.69	37.0	25.3	73.8	6.68
25889		0.22	<1	319	1020	3.8	100	3.47	5	99.6	55.2	8.49	43.9	94.8	73.0	19.25
25890		0.24	<1	385	507	3.9	160	3.84	<5	43.3	26.1	3.85	49.1	40.7	87.2	8.97
25891		0.28	<1	407	1010	3.2	10	1.80	6	65.4	38.2	7.81	49.7	69.5	81.4	12.80
333101		0.28	<1	2740	90.8	10.6	10	1.25	8	4.48	2.53	1.06	20.2	6.38	7.0	0.90
333102		0.20	<1	118.0	34.3	12.0	60	0.03	31	2.00	1.13	0.34	18.0	2.32	1.0	0.39
333103		0.24	1	98.5	4800	13.3	20	0.05	56	379	241	36.9	49.8	356	99.1	82.2
333104		0.22	<1	699	1750	6.1	20	0.68	<5	260	199.5	20.9	16.4	189.0	551	61.8
333105		0.18	<1	1195	732	10.5	20	0.42	46	99.4	103.0	17.60	20.0	70.5	611	26.7
333106		0.28	<1	909	1080	13.9	290	0.21	28	123.5	82.2	12.95	26.7	110.5	65.3	27.5
333107		0.26	<1	970	422	2.5	10	1.94	<5	15.80	9.38	2.60	53.6	22.9	16.0	3.16
333108		0.32	<1	548	495	6.0	10	0.06	18	30.7	18.25	6.68	20.5	36.2	98.1	6.22
333109		0.22	<1	29.1	46.2	1.8	<10	0.02	<5	1.03	0.72	0.26	0.6	1.70	0.2	0.23
333110		0.24	<1	478	421	2.3	10	1.26	9	10.90	6.66	4.66	24.1	19.55	25.9	2.25
333111		0.24	1	180.0	4220	7.7	10	0.64	50	738	437	79.6	35.9	669	253	157.5
333112		0.26	<1	302	29.6	37.9	60	0.47	10	5.64	2.90	0.93	9.2	5.14	4.1	1.07
333113		0.26	<1	286	566	2.3	30	1.46	<5	17.60	9.35	2.70	34.3	30.6	96.9	3.36
333114		0.26	<1	534	1515	0.8	<10	0.67	<5	55.4	29.5	8.83	58.3	84.7	50.9	10.70
333115		0.20	1	338	3900	5.9	30	0.61	<5	87.1	47.3	15.70	38.7	196.0	163.0	16.45
333116		0.30	<1	690	631	2.3	40	0.76	<5	174.0	110.0	7.09	20.6	123.5	161.5	38.2
333117		0.28	<1	976	2890	10.6	20	0.96	5	479	278	21.2	38.6	474	144.5	99.3
333118		0.24	<1	1160	148.0	2.4	20	4.13	<5	60.7	29.6	9.02	7.3	62.6	52.9	11.55
333119		0.24	<1	1910	157.5	3.2	10	3.34	<5	8.44	4.94	2.02	32.0	11.45	9.5	1.72
333120		0.26	<1	469	1390	0.6	<10	1.43	5	169.5	117.0	5.06	83.1	156.5	795	37.8
333121		0.30	<1	214	454	0.6	<10	0.76	<5	17.45	12.30	1.07	45.0	24.7	46.3	3.80
333122		0.20	<1	156.0	360	2.3	<10	0.81	6	12.55	7.09	1.29	33.2	22.8	26.3	2.37
333123		0.26	<1	483	1965	7.4	50	0.20	<5	29.7	16.35	19.95	14.1	70.1	5.5	5.63
333124		0.24	<1	659	1010	7.9	30	0.66	16	60.8	52.7	14.40	12.5	67.4	277	14.70

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 3 - B
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01
25807		2910	14.70	<2	2770	1880	<5	5	559	214	297	48	53.5	204	25.1
25809		24.3	0.73	<2	253	24.3	<5	18	6.36	31.8	5.53	4	724	14.0	0.90
25810		77.1	1.01	<2	291	45.0	<5	<5	14.20	15.4	8.55	7	849	17.5	1.36
25811		4400	4.18	<2	507	964	<5	5	364	9.2	118.5	21	263	10.3	19.20
25825		594	3.46	<2	1790	372	8	9	120.0	16.3	60.8	42	47.4	77.6	7.67
25826		46.8	0.36	<2	58.5	35.0	22	<5	10.20	51.8	6.48	26	64.2	2.8	1.00
25827		318	32.1	<2	>10000	778	<5	26	173.0	21.5	235	39	63.7	2070	51.5
25828		337	0.71	<2	35.9	129.5	6	<5	48.2	78.8	16.20	31	56.6	3.2	2.18
25829		40.0	0.40	<2	51.9	28.7	<5	13	7.89	23.8	5.78	13	188.5	5.9	0.90
25830		36.9	0.27	6	51.5	33.1	25	7	9.19	98.4	6.02	1	28.6	3.1	0.73
25831		166.0	2.18	<2	93.8	249	9	20	57.7	31.7	67.2	36	57.3	2.9	10.95
25832		29.0	0.23	<2	14.2	21.4	<5	7	6.13	21.8	4.02	26	96.4	1.5	0.58
25888		69.2	2.48	6	567	93.4	5	<5	22.6	55.7	24.8	3	55.7	88.0	4.88
25889		520	5.90	8	2930	418	16	15	121.0	96.8	92.3	20	243	77.6	16.00
25890		246	3.45	4	1745	206	13	24	59.6	114.5	42.0	17	271	76.2	6.84
25891		516	4.51	15	1065	391	8	12	119.0	77.6	73.5	32	232	54.8	10.85
333101		40.8	0.27	<2	315	37.4	13	33	11.05	136.0	6.15	27	49.4	10.5	0.90
333102		12.7	0.28	<2	421	12.7	31	<5	3.69	1.6	2.33	<1	22.3	11.3	0.37
333103		2950	28.4	2	3260	1560	11	<5	496	1.3	305	51	72.9	363	64.4
333104		696	33.7	<2	5030	787	7	7	231	32.7	168.0	26	41.6	513	39.5
333105		307	27.9	<2	3060	322	20	18	97.6	19.8	61.8	25	112.5	526	14.10
333106		564	10.20	<2	860	458	25	17	134.0	27.0	96.3	33	99.9	183.0	20.8
333107		256	1.39	3	648	145.0	<5	7	47.6	319	22.2	26	82.9	11.3	3.12
333108		309	2.77	<2	884	179.5	8	<5	56.7	5.9	33.1	69	56.7	39.5	5.71
333109		39.8	0.10	<2	2.0	11.5	<5	<5	4.16	1.3	1.45	<1	45.8	0.1	0.22
333110		244	0.98	<2	109.0	145.0	<5	<5	48.2	62.8	18.30	17	47.1	8.0	2.32
333111		1810	46.8	<2	8890	2290	<5	7	572	30.6	578	228	158.5	887	127.0
333112		21.7	0.41	39	20.9	15.0	24	<5	3.78	28.2	4.40	5	35.7	1.1	1.02
333113		347	1.17	<2	253	194.0	<5	<5	62.6	171.5	29.4	82	64.3	16.7	3.84
333114		908	3.00	2	2600	529	<5	27	172.0	243	82.9	95	84.5	54.3	11.45
333115		2450	5.88	<2	2090	1420	<5	24	422	133.5	201	67	59.5	178.5	21.3
333116		317	13.60	<2	2510	323	8	<5	85.5	69.2	93.2	7	40.0	125.5	27.2
333117		1225	28.7	5	6640	1790	6	11	417	55.8	467	11	55.9	181.0	85.0
333118		32.7	3.07	<2	4040	216	<5	7	36.9	160.0	71.3	33	58.4	74.9	11.25
333119		83.2	0.79	5	163.0	65.2	<5	<5	19.15	207	11.40	15	37.3	8.1	1.70
333120		635	18.60	<2	6210	885	<5	<5	214	183.5	191.5	45	28.5	382	28.3
333121		257	1.89	7	460	165.5	<5	<5	53.3	111.0	26.3	18	35.1	29.6	3.44
333122		204	1.12	7	296	141.5	<5	<5	43.4	64.4	24.2	8	23.0	15.0	2.91
333123		1045	1.31	<2	63.0	626	13	6	224	12.4	66.6	21	85.3	7.8	7.16
333124		466	11.75	<2	3600	411	5	5	130.0	31.1	65.0	24	56.6	236	10.50

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 3 - C
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm 0.5	ppm 0.01	ppm 0.05	ppm 5	ppm 1	ppm 0.5	ppm 0.03	ppm 5	ppm 2	% 0.01	% 0.01	% 0.01	% 0.01	% 0.01	% 0.01
25807		<0.5	15.40	79.9	11	20	681	101.5	144	>10000	47.3	21.9	4.91	1.52	1.65	2.66
25809		<0.5	0.59	3.81	10	2	31.6	4.27	60	1160	55.9	19.80	2.98	7.60	0.37	6.59
25810		<0.5	0.93	3.71	9	2	50.4	6.49	20	1380	57.1	20.7	3.34	7.24	0.16	6.74
25811		<0.5	7.02	10.50	13	4	553	36.4	47	497	41.5	14.15	12.10	24.8	1.41	0.65
25825		<0.5	3.85	193.5	53	4	301	24.8	107	>10000	57.9	3.87	8.39	14.50	7.43	1.08
25826		<0.5	0.48	0.62	93	2	33.4	2.68	414	200	45.1	7.02	7.11	21.1	13.05	0.12
25827		<0.5	38.4	>1000	57	87	2190	237	86	>10000	39.6	1.81	5.40	21.2	11.45	0.10
25828		<0.5	0.89	8.95	75	2	65.6	5.34	171	267	49.0	4.24	6.92	20.4	15.25	0.09
25829		<0.5	0.46	4.61	32	2	32.8	2.91	45	514	17.45	1.76	2.22	43.9	4.87	0.11
25830		<0.5	0.31	3.56	305	7	22.6	1.83	44	207	72.9	11.70	1.60	0.43	1.09	2.83
25831		<0.5	3.54	895	55	3	492	17.95	52	275	41.2	2.85	4.87	27.3	12.00	0.10
25832		<0.5	0.26	1.01	58	2	20.6	1.70	155	165	39.9	5.82	4.98	25.7	13.45	0.09
25888		<0.5	2.93	23.3	264	12	206	18.40	29	2970	74.0	11.75	1.00	1.42	0.94	4.22
25889		<0.5	7.81	168.0	356	35	513	45.6	128	3280	65.2	10.30	4.71	4.39	3.84	4.27
25890		<0.5	3.97	246	566	14	269	24.5	123	3630	64.8	11.75	3.78	2.90	4.02	4.55
25891		<0.5	5.72	43.2	45	16	357	34.0	120	3790	62.0	10.15	7.36	5.77	1.45	4.29
333101		<0.5	0.34	197.0	115	3	25.6	1.88	859	284	38.1	11.20	7.08	17.25	16.10	0.06
333102		<0.5	0.19	201	37	3	11.4	1.40	608	37	25.4	9.06	11.35	6.99	27.6	0.01
333103		<0.5	35.8	146.0	6	21	1870	211	125	5560	68.1	3.00	8.99	6.86	4.47	0.76
333104		<0.5	33.2	590	49	35	1330	221	199	>10000	45.2	2.79	6.70	18.50	12.10	0.11
333105		<0.5	21.1	487	57	11	822	161.5	153	>10000	45.5	6.20	8.71	17.55	10.85	0.13
333106		<0.5	12.30	164.0	117	5	667	73.0	1050	3630	44.5	10.30	8.36	19.95	8.86	0.11
333107		<0.5	1.38	34.1	23	3	99.6	9.07	358	692	59.0	9.35	10.50	8.11	4.26	2.74
333108		<0.5	2.74	85.1	33	6	190.0	18.10	104	3950	53.8	4.29	10.80	16.35	11.00	1.32
333109		<0.5	0.10	0.86	<5	1	8.1	0.72	10	10	0.25	0.07	5.65	30.7	17.40	0.04
333110		<0.5	1.00	16.95	30	2	65.4	6.23	77	1040	55.0	4.79	8.84	17.50	5.69	1.09
333111		<0.5	63.3	548	19	113	4980	361	53	>10000	45.7	2.43	12.75	17.20	7.32	0.10
333112		<0.5	0.42	1.12	61	2	33.3	2.68	95	158	49.4	7.52	14.70	14.90	6.41	1.74
333113		<0.5	1.25	12.80	28	3	116.0	7.65	136	3750	60.2	5.35	11.70	9.06	2.99	2.83
333114		<0.5	3.86	122.5	14	3	363	22.4	818	2360	64.5	6.82	10.95	4.69	0.62	2.47
333115		<0.5	6.18	94.4	23	6	441	39.9	237	7300	54.3	3.53	14.55	14.05	2.68	0.40
333116		<0.5	16.55	196.0	220	16	769	99.8	23	7170	69.5	6.49	2.16	5.70	3.29	0.03
333117		<0.5	39.4	321	18	66	2520	223	69	6890	59.8	3.76	10.05	13.20	2.75	0.16
333118		<0.5	3.95	217	29	24	328	22.7	101	2910	47.7	2.25	4.93	13.30	17.40	0.10
333119		<0.5	0.73	3.02	<5	7	43.0	4.79	61	384	60.7	16.00	9.20	0.49	0.73	3.96
333120		<0.5	18.50	135.5	<5	42	941	119.5	46	>10000	53.8	21.0	1.80	0.77	1.20	5.00
333121		<0.5	1.94	14.10	<5	5	98.0	13.05	20	1720	52.8	18.20	1.72	4.47	2.55	3.83
333122		<0.5	1.06	10.30	<5	5	62.6	7.40	28	1160	65.2	16.30	3.37	1.42	0.30	7.02
333123		<0.5	1.87	41.0	93	2	149.5	10.15	158	213	48.6	4.88	7.81	22.2	12.55	0.13
333124		<0.5	9.59	380	54	13	440	70.0	140	>10000	47.8	3.92	7.44	20.2	12.40	0.15

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
226 CARDINAL CR.
SASKATOON SK S7L 6H8

Page: 3 - D
Total # Pages: 4 (A - D)
Finalized Date: 3-SEP-2010
Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	C-IR07
		K2O %	Cr2O3 %	TiO2 %	MnO %	P2O5 %	SrO %	BaO %	LOI %	Total %	C %
25807		6.59	<0.01	1.80	0.06	0.01	<0.01	0.07	5.05	93.5	0.68
25809		1.42	<0.01	0.24	0.08	0.06	0.08	0.10	2.29	97.5	0.59
25810		1.02	<0.01	0.18	0.10	0.01	0.10	0.06	0.00	96.8	0.04
25811		0.36	<0.01	0.22	0.36	0.02	0.03	0.03	0.10	95.7	0.10
25825		0.55	<0.01	0.33	0.20	0.04	<0.01	0.05	1.69	96.0	0.49
25826		1.09	0.01	0.51	0.24	0.23	0.01	0.28	4.08	100.0	0.78
25827		0.21	<0.01	0.36	0.10	0.48	<0.01	0.08	5.59	86.4	1.19
25828		0.88	0.01	0.34	0.11	0.29	0.01	0.05	3.00	100.5	0.41
25829		0.38	<0.01	0.17	0.08	0.02	0.02	0.04	30.5	101.5	8.38
25830		3.52	0.01	0.54	0.02	0.21	<0.01	0.35	2.30	97.5	0.30
25831		0.51	<0.01	0.32	0.08	1.68	0.01	0.10	7.49	98.5	1.83
25832		0.33	0.01	0.28	0.13	0.23	0.01	0.03	10.30	101.5	2.35
25888		1.68	0.02	1.03	0.06	0.10	0.01	0.05	3.10	99.4	0.47
25889		1.72	0.01	0.52	0.09	0.07	0.02	0.04	3.30	98.5	0.54
25890		2.03	0.02	0.84	0.09	0.02	0.03	0.04	3.40	98.3	0.62
25891		1.34	<0.01	0.52	0.14	0.04	0.02	0.05	6.81	99.9	1.26
333101		1.56	<0.01	1.25	0.19	0.56	<0.01	0.34	6.89	100.5	0.69
333102		0.02	0.01	0.06	0.13	<0.01	<0.01	0.01	17.10	97.7	2.02
333103		0.05	<0.01	0.40	0.12	0.29	0.02	0.01	3.00	96.1	0.09
333104		0.39	<0.01	0.83	0.12	0.20	0.01	0.07	1.90	88.9	0.24
333105		0.28	<0.01	0.70	0.11	0.08	0.02	0.14	2.76	93.0	0.33
333106		1.15	0.04	1.34	0.20	0.29	0.01	0.11	5.90	101.0	0.96
333107		4.04	<0.01	0.40	0.40	0.04	0.01	0.12	2.10	101.0	0.49
333108		0.19	<0.01	0.47	0.19	0.07	<0.01	0.07	1.00	99.6	0.26
333109		0.02	<0.01	<0.01	0.31	0.02	<0.01	<0.01	45.7	100.0	12.90
333110		1.31	<0.01	0.24	0.17	0.02	<0.01	0.06	6.39	101.0	1.63
333111		0.32	<0.01	0.17	0.08	0.19	0.02	0.02	4.90	91.2	0.92
333112		0.63	0.01	0.44	0.30	0.16	<0.01	0.04	1.20	97.5	0.17
333113		2.07	<0.01	0.33	0.20	0.48	0.01	0.03	5.40	100.5	1.34
333114		3.94	<0.01	0.36	0.16	0.04	0.01	0.07	3.29	97.9	0.54
333115		1.43	<0.01	0.40	0.24	0.12	0.02	0.03	4.20	96.0	1.07
333116		2.27	0.01	0.50	0.07	0.14	<0.01	0.09	9.50	99.8	2.27
333117		1.02	<0.01	0.39	0.17	0.20	<0.01	0.12	5.69	97.3	1.32
333118		1.55	<0.01	0.30	0.05	<0.01	<0.01	0.14	10.80	98.5	2.25
333119		6.62	<0.01	0.63	0.09	0.10	<0.01	0.24	1.50	100.5	0.11
333120		4.59	<0.01	1.06	0.02	0.09	<0.01	0.05	2.70	92.1	0.27
333121		3.47	<0.01	0.44	0.06	0.04	<0.01	0.03	8.78	96.4	1.90
333122		1.62	<0.01	0.46	0.10	0.05	<0.01	0.02	2.80	98.7	0.33
333123		0.19	0.01	0.42	0.16	0.18	0.01	0.05	2.70	99.9	0.49
333124		0.41	<0.01	0.73	0.13	0.14	<0.01	0.08	3.10	96.5	0.55

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
 226 CARDINAL CR.
 SASKATOON SK S7L 6H8

Page: 4 - A
 Total # Pages: 4 (A - D)
 Finalized Date: 3-SEP-2010
 Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS81 Ag ppm 1	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01
333125		0.26	<1	148.5	124.0	6.7	50	0.24	<5	5.21	3.02	1.78	6.9	7.48	6.8	1.05
333126		0.22	<1	484	4900	2.5	<10	0.27	42	305	157.0	42.7	52.6	393	176.5	57.6
333127		0.26	<1	1230	77.9	11.0	400	0.24	5	6.52	3.55	1.57	21.1	6.49	4.7	1.31
333128		0.30	<1	4390	113.0	9.1	70	0.17	20	5.40	3.46	1.49	13.1	7.07	15.1	1.15

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
 226 CARDINAL CR.
 SASKATOON SK S7L 6H8

Page: 4 - B
 Total # Pages: 4 (A - D)
 Finalized Date: 3-SEP-2010
 Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		La	Lu	Mo	Nb	Nd	Ni	Pb	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.01	2	0.2	0.1	5	5	0.03	0.2	0.03	1	0.1	0.1	0.01	0.05
333125		61.9	0.39	<2	41.6	49.5	7	<5	15.35	9.8	7.95	27	17.1	4.0	1.10	31.8
333126		2550	17.90	<2	1775	2060	<5	<5	579	13.2	394	116	126.5	382	60.5	>1000
333127		39.2	0.35	<2	213	32.3	20	13	9.55	17.9	6.01	29	117.5	6.6	1.11	31.8
333128		55.2	0.55	3	40.0	44.9	23	12	13.00	80.0	7.92	11	47.4	2.6	1.05	17.55

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
 226 CARDINAL CR.
 SASKATOON SK S7L 6H8

Page: 4 - C
 Total # Pages: 4 (A - D)
 Finalized Date: 3-SEP-2010
 Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tl	Tm	U	V	W	Y	Yb	Zn	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O
		ppm 0.5	ppm 0.01	ppm 0.05	ppm 5	ppm 1	ppm 0.5	ppm 0.03	ppm 5	ppm 2	% 0.01	% 0.01	% 0.01	% 0.01	% 0.01	% 0.01
333125		<0.5	0.44	3.53	78	3	32.2	2.54	151	287	49.3	4.90	7.94	21.0	14.45	0.11
333126		<0.5	21.7	67.4	52	22	1425	130.5	52	9140	71.2	3.92	7.93	5.89	2.01	0.21
333127		<0.5	0.46	85.7	138	3	39.3	2.59	1050	201	42.0	10.10	5.97	19.10	10.75	0.40
333128		<0.5	0.53	3.18	135	3	31.2	3.44	104	609	63.6	7.80	5.75	12.00	4.94	0.86

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: GREAT WESTERN MINERALS GROUP
 226 CARDINAL CR.
 SASKATOON SK S7L 6H8

Page: 4 - D
 Total # Pages: 4 (A - D)
 Finalized Date: 3-SEP-2010
 Account: GRWEST

Project: True Blue

CERTIFICATE OF ANALYSIS VA10116302

Sample Description	Method Analyte Units LOR	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	OA-GRA05	TOT-ICP06	C-IR07
		K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total	C
		%	%	%	%	%	%	%	%	%	%
		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
333125		0.14	0.01	0.39	0.15	0.18	<0.01	0.02	2.40	101.0	0.36
333126		0.21	<0.01	0.22	0.07	0.20	0.03	0.05	3.10	95.0	0.16
333127		0.42	0.05	1.41	0.14	0.31	0.02	0.13	4.30	95.1	0.50
333128		3.11	0.01	0.53	0.18	0.11	<0.01	0.55	1.98	101.5	0.30

Comments: Samples with high rare earth metals and/or Zr content will have low whole rock totals.