



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson  
Receiving Lab: Canada-Whitehorse  
Received: July 05, 2010  
Report Date: November 01, 2010  
Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI10000056.2

### CLIENT JOB INFORMATION

Project: True Blue  
Shipment ID: TB-003  
P.O. Number  
Number of Samples: 24

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8  
Canada

CC: Stew Fumerton  
Kim Halpin

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Method Code | Number of Samples | Code Description                                  | Test Wgt (g) | Report Status | Lab |
|-------------|-------------------|---|--------------|---------------|-----|
| R200-250    | 24                | Crush, split and pulverize 250 g rock to 200 mesh |              |               | WHI |
| Group 1T    | 24                | 4 Acid digestion Ultratrace ICP-MS analysis       | 0.25         | Completed     | VAN |
| 4B03        | 7                 | LiBO2/Li2B4O7 fusion ICP-MS analysis              | 0.2          | Completed     | VAN |

### ADDITIONAL COMMENTS

Version 2: 4B03 analysis included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.  
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.  
\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 01, 2010

Page: 2 of 2 Part 1

## CERTIFICATE OF ANALYSIS

WHI10000056.2

|        | Method<br>Analyte<br>Unit<br>MDL | WGHT | 1T   | 1T    | 1T    | 1T    | 1T   | 1T   | 1T   | 1T   | 1T    | 1T   | 1T    | 1T   | 1T    | 1T  | 1T   | 1T   | 1T    | 1T  | 1T    |
|--------|----------------------------------|------|------|-------|-------|-------|------|------|------|------|-------|------|-------|------|-------|-----|------|------|-------|-----|-------|
|        |                                  | Wgt  | Mo   | Cu    | Pb    | Zn    | Ag   | Ni   | Co   | Mn   | Fe    | As   | U     | Au   | Th    | Sr  | Cd   | Sb   | Bi    | V   | Ca    |
|        |                                  | kg   | ppm  | ppm   | ppm   | ppm   | ppb  | ppm  | ppm  | ppm  | %     | ppm  | ppm   | ppm  | ppm   | ppm | ppm  | ppm  | ppm   | ppm | %     |
|        |                                  | 0.01 | 0.05 | 0.02  | 0.02  | 0.2   | 20   | 0.1  | 0.2  | 2    | 0.02  | 0.2  | 0.1   | 0.1  | 0.1   | 1   | 0.02 | 0.02 | 0.04  | 1   | 0.02  |
| 025702 | Rock                             | 0.26 | 7.69 | 19.47 | 8.57  | 104.9 | <20  | 1.0  | 3.3  | 2624 | 5.45  | 1.9  | 1.1   | <0.1 | 7.3   | 65  | 0.25 | 0.98 | 0.18  | 2   | 0.81  |
| 025703 | Rock                             | 0.83 | 0.11 | 1.39  | 7.52  | 80.6  | 258  | 4.1  | 3.9  | 1002 | 1.80  | 5.6  | 2.4   | <0.1 | 6.6   | 13  | 0.57 | 1.99 | 2.90  | 6   | 14.40 |
| 025704 | Rock                             | 0.76 | 0.12 | 1.05  | 15.59 | 160.8 | <20  | 3.3  | 5.3  | 1136 | 4.57  | 1.7  | 322.6 | <0.1 | 741.9 | 26  | 1.53 | 3.51 | 0.22  | 52  | 15.57 |
| 025705 | Rock                             | 0.35 | 0.08 | 0.51  | 12.54 | 215.5 | <20  | 3.4  | 6.8  | 1414 | 5.51  | 9.4  | 28.9  | *    | 85.6  | 10  | 1.06 | 2.56 | 0.44  | 4   | 4.13  |
| 025706 | Rock                             | 0.55 | 0.06 | 7.07  | 9.35  | 126.6 | <20  | 2.2  | 8.3  | 725  | 2.70  | 11.6 | 138.4 | <0.1 | 371.5 | 18  | 1.18 | 2.17 | 2.33  | 9   | 11.04 |
| 025707 | Rock                             | 0.58 | 0.08 | 7.07  | 8.27  | 104.1 | <20  | 6.5  | 9.6  | 1188 | 6.46  | 11.0 | 174.5 | *    | 275.2 | 12  | 1.19 | 4.51 | 2.21  | 4   | 1.32  |
| 025708 | Rock                             | 0.62 | 0.40 | 328.4 | 58.63 | 97.0  | 1489 | 14.5 | 11.3 | 527  | 16.61 | 66.5 | 14.9  | <0.1 | 74.8  | 38  | 0.15 | 6.80 | 9.91  | 13  | 6.15  |
| 025709 | Rock                             | 0.61 | 0.06 | 1.85  | 14.20 | 3813  | 123  | 9.7  | 12.9 | 1831 | 5.22  | 8.9  | 0.8   | <0.1 | 6.6   | 122 | 3.15 | 1.36 | 0.52  | 64  | 6.57  |
| 025710 | Rock                             | 0.49 | 0.23 | 6.47  | 9.90  | 52.7  | <20  | 1.2  | 6.5  | 1499 | 4.15  | 2.8  | 137.0 | <0.1 | 443.5 | 14  | 0.61 | 1.54 | 2.92  | 7   | 11.70 |
| 025711 | Rock                             | 0.35 | 0.10 | 1.57  | 9.38  | 51.2  | <20  | 2.0  | 2.7  | 947  | 1.82  | 2.4  | 141.4 | <0.1 | 380.9 | 22  | 0.75 | 2.76 | 0.72  | 20  | 15.86 |
| 025712 | Rock                             | 0.56 | 0.06 | 1.29  | 9.72  | 90.6  | <20  | 5.5  | 7.1  | 1669 | 5.17  | 3.3  | 76.3  | <0.1 | 264.1 | 13  | 0.85 | 2.06 | 10.19 | 7   | 8.38  |
| 025812 | Rock                             | 0.80 | 1.33 | 2.02  | 17.34 | 36.8  | <20  | 1.2  | 1.8  | 493  | 2.16  | 14.2 | 4.5   | <0.1 | 23.9  | 745 | 0.25 | 4.32 | 0.19  | <1  | 3.93  |
| 025813 | Rock                             | 0.77 | 1.63 | 2.26  | 22.93 | 55.2  | <20  | 1.6  | 1.6  | 548  | 2.16  | 3.8  | 2.8   | <0.1 | 33.9  | 313 | 0.35 | 1.40 | 0.11  | 2   | 1.44  |
| 025814 | Rock                             | 0.79 | 1.81 | 2.75  | 10.16 | 45.4  | <20  | 1.3  | 1.8  | 457  | 2.43  | 8.0  | 3.5   | <0.1 | 26.0  | 462 | 0.37 | 2.59 | 0.15  | <1  | 2.23  |
| 025815 | Rock                             | 0.85 | 2.96 | 7.24  | 3.58  | 40.7  | <20  | 1.3  | 2.8  | 325  | 2.74  | 2.5  | 4.9   | <0.1 | 29.8  | 268 | 0.21 | 1.04 | 0.15  | <1  | 2.22  |
| 025816 | Rock                             | 0.91 | 2.84 | 1.53  | 3.45  | 31.5  | <20  | 0.7  | 1.3  | 345  | 2.54  | 1.6  | 4.3   | <0.1 | 29.0  | 177 | 0.14 | 1.20 | 0.07  | <1  | 1.40  |
| 025817 | Rock                             | 0.91 | 3.51 | 7.28  | 4.47  | 30.3  | <20  | 1.0  | 2.2  | 274  | 2.48  | 5.4  | 4.1   | <0.1 | 28.8  | 198 | 0.20 | 1.84 | 0.20  | <1  | 0.96  |
| 025818 | Rock                             | 1.09 | 3.27 | 4.66  | 6.72  | 36.6  | <20  | 1.8  | 2.4  | 534  | 2.73  | 4.3  | 4.4   | <0.1 | 27.8  | 228 | 0.20 | 1.66 | 0.11  | <1  | 1.21  |
| 025819 | Rock                             | 0.78 | 0.97 | 2.34  | 6.14  | 31.8  | <20  | 0.8  | 2.7  | 376  | 2.22  | 9.2  | 2.4   | <0.1 | 18.5  | 515 | 0.20 | 1.58 | 0.14  | <1  | 3.48  |
| 025820 | Rock                             | 1.07 | 0.44 | 1.34  | 11.48 | 47.1  | <20  | 1.4  | 3.9  | 989  | 3.22  | 5.9  | 2.5   | <0.1 | 29.5  | 637 | 0.21 | 3.30 | 0.23  | 1   | 5.97  |
| 025821 | Rock                             | 1.10 | 0.61 | 2.69  | 7.56  | 49.3  | <20  | 1.1  | 2.6  | 722  | 2.94  | 13.6 | 1.7   | <0.1 | 21.7  | 662 | 0.25 | 2.13 | 0.07  | <1  | 5.25  |
| 025822 | Rock                             | 1.28 | 3.87 | 2.67  | 13.48 | 65.2  | <20  | 1.4  | 2.7  | 1069 | 3.25  | 9.5  | 14.1  | <0.1 | 33.8  | 442 | 0.35 | 2.18 | 0.20  | <1  | 4.06  |
| 025823 | Rock                             | 1.75 | 0.27 | 1.73  | 5.09  | 28.9  | <20  | 1.1  | 5.6  | 2311 | 5.82  | 3.0  | 2.0   | <0.1 | 17.8  | 272 | 0.27 | 2.33 | 0.04  | <1  | 15.74 |
| 025824 | Rock                             | 1.20 | 2.24 | 1.32  | 5.46  | 30.4  | <20  | 1.3  | 1.9  | 350  | 2.42  | 5.4  | 1.3   | <0.1 | 17.3  | 407 | 0.10 | 2.05 | 0.07  | 1   | 2.67  |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 01, 2010

Page: 2 of 2 Part 2

## CERTIFICATE OF ANALYSIS

WHI10000056.2

|        | Method<br>Analyte<br>Unit<br>MDL | 1T     | 1T    | 1T  | 1T    | 1T   | 1T    | 1T    | 1T    | 1T   | 1T   | 1T    | 1T   | 1T  | 1T  | 1T    | 1T    | 1T    | 1T    | 1T    |
|--------|----------------------------------|--------|-------|-----|-------|------|-------|-------|-------|------|------|-------|------|-----|-----|-------|-------|-------|-------|-------|
|        |                                  | P      | La    | Cr  | Mg    | Ba   | Ti    | Al    | Na    | K    | W    | Zr    | Sn   | Be  | Sc  | S     | Y     | Ce    | Pr    | Nd    |
|        |                                  | %      | ppm   | ppm | %     | ppm  | %     | %     | %     | %    | ppm  | ppm   | ppm  | ppm | ppm | %     | ppm   | ppm   | ppm   | ppm   |
|        |                                  | 0.001  | 0.1   | 1   | 0.02  | 1    | 0.001 | 0.02  | 0.002 | 0.02 | 0.1  | 0.2   | 0.1  | 1   | 0.1 | 0.04  | 0.1   | 0.02  | 0.1   | 0.1   |
| 025702 | Rock                             | 0.060  | 74.7  | 2   | 0.53  | 1091 | 0.393 | 8.10  | 3.548 | 5.33 | 11.2 | 45.8  | 6.5  | 2   | 1.7 | <0.04 | 26.3  | 164.8 | 16.5  | 68.0  |
| 025703 | Rock                             | 0.004  | 5.9   | 3   | 14.22 | 296  | 0.020 | 0.40  | 0.013 | 0.05 | 0.3  | 41.3  | 3.9  | 14  | 0.5 | <0.04 | 13.0  | 15.06 | 2.2   | 10.8  |
| 025704 | Rock                             | 0.003  | 42.9  | 23  | 9.20  | 222  | 0.253 | 2.33  | 0.170 | 0.33 | 0.5  | >2000 | 27.5 | 25  | 5.2 | <0.04 | 67.8  | 137.0 | 16.6  | 76.1  |
| 025705 | Rock                             | 0.011  | 31.9  | 2   | 20.14 | 699  | 0.057 | 1.19  | 0.024 | 0.17 | 2.3  | 655.4 | 5.0  | 8   | 1.2 | <0.04 | 70.1  | 77.82 | 12.0  | 63.0  |
| 025706 | Rock                             | 0.013  | 59.1  | 3   | 14.18 | 2444 | 0.084 | 1.14  | 0.031 | 0.46 | 2.2  | 1063  | 6.5  | 38  | 0.7 | 0.06  | 82.0  | 208.0 | 26.2  | 118.8 |
| 025707 | Rock                             | 0.019  | 38.9  | 2   | 22.35 | 716  | 0.059 | 0.76  | 0.021 | 0.17 | 2.4  | 1513  | 3.8  | 4   | 1.3 | <0.04 | 70.2  | 149.9 | 19.0  | 86.7  |
| 025708 | Rock                             | 3.284  | 163.2 | 5   | 11.50 | 530  | 0.026 | 3.75  | 0.006 | 0.17 | 9.1  | 75.1  | 3.2  | 1   | 0.5 | 0.23  | 46.1  | 283.2 | 27.3  | 106.9 |
| 025709 | Rock                             | <0.001 | 12.3  | 17  | 11.88 | 4002 | 0.196 | 9.01  | 0.023 | 1.65 | 0.6  | 136.1 | 20.5 | 4   | 1.3 | 0.09  | 16.6  | 32.22 | 4.4   | 19.6  |
| 025710 | Rock                             | 0.022  | 905.9 | 1   | 13.38 | 1354 | 0.134 | 1.31  | 0.032 | 0.35 | 0.8  | 977.2 | 10.7 | 56  | 0.5 | 0.06  | 273.2 | 1537  | 137.9 | 479.2 |
| 025711 | Rock                             | 0.022  | 38.6  | 2   | 12.34 | 2076 | 0.124 | 1.36  | 0.022 | 0.45 | 3.0  | 1156  | 10.1 | 66  | 0.6 | <0.04 | 92.0  | 152.2 | 22.9  | 113.4 |
| 025712 | Rock                             | 0.016  | 26.5  | 2   | 16.94 | 1639 | 0.069 | 1.00  | 0.013 | 0.26 | 1.6  | 866.3 | 3.9  | 17  | 0.9 | <0.04 | 55.8  | 111.6 | 17.3  | 87.2  |
| 025812 | Rock                             | 0.016  | 91.7  | 2   | 0.21  | 1938 | 0.098 | 9.75  | 5.297 | 2.03 | 0.9  | 52.8  | 9.7  | 6   | 0.5 | <0.04 | 42.1  | 175.2 | 17.5  | 67.8  |
| 025813 | Rock                             | 0.015  | 96.1  | <1  | 0.38  | 2416 | 0.099 | 10.48 | 4.912 | 3.35 | 2.0  | 30.6  | 6.0  | 11  | 0.4 | <0.04 | 36.2  | 158.0 | 14.1  | 50.5  |
| 025814 | Rock                             | 0.018  | 85.6  | 2   | 0.47  | 1136 | 0.104 | 10.68 | 4.836 | 2.62 | 1.6  | 32.0  | 6.5  | 9   | 0.6 | <0.04 | 45.3  | 157.2 | 14.4  | 52.8  |
| 025815 | Rock                             | 0.016  | 106.0 | <1  | 0.81  | 906  | 0.097 | 10.72 | 4.902 | 3.17 | 4.2  | 32.8  | 5.0  | 10  | 0.5 | <0.04 | 54.5  | 184.9 | 17.4  | 62.1  |
| 025816 | Rock                             | 0.013  | 85.8  | 1   | 0.84  | 963  | 0.084 | 10.58 | 4.708 | 4.02 | 3.5  | 33.9  | 5.5  | 8   | 0.3 | <0.04 | 47.6  | 158.2 | 14.4  | 54.1  |
| 025817 | Rock                             | 0.015  | 115.2 | <1  | 0.76  | 1151 | 0.099 | 10.49 | 4.075 | 4.52 | 2.4  | 47.4  | 5.6  | 7   | 0.5 | <0.04 | 38.2  | 201.5 | 17.5  | 62.5  |
| 025818 | Rock                             | 0.024  | 100.8 | 1   | 0.33  | 2030 | 0.124 | 10.44 | 4.310 | 4.54 | 6.0  | 61.5  | 6.4  | 6   | 0.8 | <0.04 | 31.9  | 183.5 | 17.8  | 68.7  |
| 025819 | Rock                             | 0.029  | 56.0  | 2   | 0.26  | 1378 | 0.108 | 10.59 | 5.166 | 2.48 | 1.8  | 40.4  | 4.2  | 6   | 0.5 | <0.04 | 23.3  | 109.9 | 11.2  | 42.7  |
| 025820 | Rock                             | 0.013  | 430.1 | 3   | 0.24  | 1683 | 0.112 | 9.52  | 4.361 | 1.85 | 1.0  | 32.4  | 6.4  | 6   | 0.7 | <0.04 | 57.8  | 631.2 | 45.5  | 138.8 |
| 025821 | Rock                             | 0.023  | 21.0  | 1   | 0.18  | 2668 | 0.138 | 9.40  | 4.500 | 2.44 | 0.4  | 35.5  | 5.3  | 7   | 0.7 | <0.04 | 27.5  | 45.97 | 6.1   | 26.2  |
| 025822 | Rock                             | 0.023  | 42.3  | 2   | 0.20  | 1173 | 0.130 | 9.39  | 5.615 | 1.49 | 2.4  | 41.7  | 8.5  | 12  | 0.6 | <0.04 | 44.7  | 90.45 | 9.9   | 39.1  |
| 025823 | Rock                             | 0.003  | 39.0  | 1   | 0.83  | 501  | 0.125 | 9.63  | 1.746 | 1.18 | 1.0  | 223.4 | 8.4  | 3   | 1.0 | <0.04 | 112.6 | 60.23 | 6.6   | 35.4  |
| 025824 | Rock                             | 0.009  | 45.8  | 1   | 0.96  | 656  | 0.122 | 10.70 | 4.642 | 2.39 | 1.6  | 30.8  | 3.8  | 7   | 0.5 | <0.04 | 22.5  | 70.84 | 7.2   | 25.6  |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

2 of 2

Part 3

## CERTIFICATE OF ANALYSIS

WHI10000056.2

|        | Method<br>Analyte<br>Unit<br>MDL | 1T   | 1T   | 1T  | 1T   | 1T  | 1T   | 1T  | 1T   | 1T  | 1T    | 1T    | 1T    | 1T   | 1T    | 1T  | 1T    | 4B   | 4B   | 4B   | 4B   |
|--------|----------------------------------|------|------|-----|------|-----|------|-----|------|-----|-------|-------|-------|------|-------|-----|-------|------|------|------|------|
|        |                                  | Eu   | Gd   | Tb  | Dy   | Ho  | Er   | Tm  | Yb   | Lu  | Hf    | Li    | Rb    | Ta   | Nb    | Cs  | Ga    | Ba   | Be   | Co   | Cs   |
|        |                                  | ppm  | ppm  | ppm | ppm  | ppm | ppm  | ppm | ppm  | ppm | ppm   | ppm   | ppm   | ppm  | ppm   | ppm | ppm   | ppm  | ppm  | ppm  | ppm  |
|        |                                  | 0.1  | 0.1  | 0.1 | 0.1  | 0.1 | 0.1  | 0.1 | 0.1  | 0.1 | 0.02  | 0.1   | 0.1   | 0.1  | 0.04  | 0.1 | 0.02  | 1    | 1    | 0.2  | 0.1  |
| 025702 | Rock                             | 1.2  | 8.1  | 1.0 | 6.5  | 1.1 | 2.6  | 0.3 | 1.9  | 0.3 | 1.35  | 10.7  | 201.5 | 6.8  | 131.0 | 5.0 | 30.42 | N.A. | N.A. | N.A. | N.A. |
| 025703 | Rock                             | 0.2  | 2.2  | 0.3 | 2.0  | 0.3 | 0.9  | 0.1 | 1.1  | 0.1 | 1.47  | 3.4   | 3.9   | 0.8  | 30.72 | 0.2 | 1.38  | N.A. | N.A. | N.A. | N.A. |
| 025704 | Rock                             | 1.9  | 12.6 | 1.7 | 12.4 | 2.2 | 5.9  | 0.7 | 5.2  | 0.7 | 55.23 | 28.3  | 24.6  | 14.6 | 518.0 | 0.8 | 12.33 | 212  | 23   | 3.9  | 0.6  |
| 025705 | Rock                             | 1.5  | 14.2 | 2.2 | 15.2 | 2.8 | 7.7  | 1.0 | 6.5  | 0.7 | 13.17 | 2.9   | 13.6  | 34.8 | 508.9 | 0.3 | 7.07  | 686  | 7    | 5.6  | 0.3  |
| 025706 | Rock                             | 1.7  | 16.5 | 2.3 | 15.1 | 2.7 | 6.6  | 0.9 | 6.7  | 0.8 | 19.91 | 6.0   | 35.0  | 28.5 | 656.7 | 0.5 | 5.38  | 2157 | 32   | 5.2  | 0.4  |
| 025707 | Rock                             | 2.0  | 12.7 | 1.7 | 12.2 | 2.3 | 6.4  | 0.9 | 8.2  | 1.2 | 24.99 | 1.5   | 13.2  | 39.6 | 915.0 | 0.2 | 2.82  | 697  | 3    | 7.9  | 0.2  |
| 025708 | Rock                             | 1.3  | 11.9 | 1.4 | 7.6  | 1.3 | 3.5  | 0.4 | 3.5  | 0.4 | 1.47  | 1.2   | 16.1  | 1.2  | 56.60 | 0.2 | 22.29 | N.A. | N.A. | N.A. | N.A. |
| 025709 | Rock                             | <0.1 | 3.8  | 0.5 | 3.0  | 0.5 | 1.3  | 0.1 | 1.0  | 0.1 | 1.87  | 185.9 | 74.2  | 3.0  | 15.89 | 1.0 | 36.43 | N.A. | N.A. | N.A. | N.A. |
| 025710 | Rock                             | 5.8  | 51.2 | 7.8 | 48.6 | 8.7 | 21.8 | 2.7 | 17.2 | 2.1 | 17.89 | 4.4   | 27.0  | 8.9  | 491.7 | 0.6 | 11.06 | 1206 | 51   | 4.9  | 0.6  |
| 025711 | Rock                             | 1.6  | 18.9 | 2.8 | 17.4 | 3.1 | 7.6  | 1.0 | 7.3  | 0.9 | 22.32 | 8.6   | 39.9  | 37.5 | 870.4 | 0.6 | 7.02  | 1790 | 51   | 2.7  | 0.5  |
| 025712 | Rock                             | 1.6  | 14.6 | 2.2 | 13.3 | 2.3 | 5.8  | 0.7 | 5.0  | 0.6 | 15.84 | 2.8   | 19.8  | 21.8 | 597.9 | 0.3 | 3.36  | 1378 | 14   | 5.3  | 0.2  |
| 025812 | Rock                             | 0.9  | 9.4  | 1.3 | 8.7  | 1.7 | 4.4  | 0.6 | 4.1  | 0.5 | 1.73  | 3.9   | 47.8  | 15.2 | 277.2 | 0.6 | 39.43 | N.A. | N.A. | N.A. | N.A. |
| 025813 | Rock                             | 0.3  | 6.6  | 1.0 | 7.1  | 1.4 | 3.8  | 0.5 | 3.3  | 0.4 | 0.98  | 11.0  | 106.3 | 14.0 | 313.9 | 2.1 | 42.23 | N.A. | N.A. | N.A. | N.A. |
| 025814 | Rock                             | 0.7  | 7.8  | 1.4 | 8.9  | 1.8 | 4.8  | 0.6 | 4.4  | 0.5 | 1.12  | 13.5  | 75.2  | 15.0 | 316.3 | 1.7 | 40.53 | N.A. | N.A. | N.A. | N.A. |
| 025815 | Rock                             | 0.9  | 10.3 | 1.6 | 10.8 | 2.2 | 5.5  | 0.7 | 4.8  | 0.6 | 1.04  | 14.6  | 77.9  | 17.5 | 331.8 | 1.9 | 41.97 | N.A. | N.A. | N.A. | N.A. |
| 025816 | Rock                             | 0.7  | 8.3  | 1.4 | 10.1 | 2.1 | 5.2  | 0.6 | 4.3  | 0.5 | 1.08  | 16.3  | 103.2 | 16.3 | 317.7 | 2.0 | 41.43 | N.A. | N.A. | N.A. | N.A. |
| 025817 | Rock                             | 0.5  | 7.1  | 1.2 | 7.9  | 1.4 | 3.8  | 0.5 | 3.1  | 0.4 | 1.41  | 14.5  | 86.2  | 15.2 | 326.3 | 1.8 | 41.54 | N.A. | N.A. | N.A. | N.A. |
| 025818 | Rock                             | 0.5  | 9.0  | 1.2 | 7.3  | 1.3 | 3.4  | 0.4 | 2.8  | 0.3 | 1.74  | 17.2  | 157.0 | 13.3 | 282.8 | 1.4 | 43.82 | N.A. | N.A. | N.A. | N.A. |
| 025819 | Rock                             | 0.3  | 5.4  | 0.8 | 4.8  | 0.9 | 2.3  | 0.3 | 2.3  | 0.3 | 1.31  | 9.8   | 59.3  | 11.7 | 290.1 | 1.0 | 36.01 | N.A. | N.A. | N.A. | N.A. |
| 025820 | Rock                             | 1.0  | 10.8 | 1.5 | 10.0 | 2.0 | 5.3  | 0.7 | 5.6  | 0.8 | 1.47  | 6.0   | 53.3  | 13.6 | 306.5 | 1.5 | 38.25 | N.A. | N.A. | N.A. | N.A. |
| 025821 | Rock                             | <0.1 | 5.1  | 0.7 | 4.9  | 1.0 | 2.7  | 0.4 | 2.9  | 0.5 | 1.58  | 4.5   | 42.4  | 13.4 | 346.5 | 0.7 | 37.67 | N.A. | N.A. | N.A. | N.A. |
| 025822 | Rock                             | 0.4  | 7.9  | 1.2 | 8.2  | 1.6 | 4.5  | 0.6 | 4.7  | 0.6 | 1.71  | 5.1   | 40.5  | 32.8 | 630.9 | 2.4 | 41.42 | N.A. | N.A. | N.A. | N.A. |
| 025823 | Rock                             | 3.2  | 18.1 | 2.8 | 20.5 | 4.3 | 13.1 | 1.8 | 13.6 | 1.7 | 6.26  | 3.8   | 28.5  | 12.8 | 299.6 | 0.6 | 35.91 | N.A. | N.A. | N.A. | N.A. |
| 025824 | Rock                             | 0.4  | 4.2  | 0.7 | 4.3  | 0.9 | 2.3  | 0.3 | 2.1  | 0.3 | 1.16  | 12.0  | 77.8  | 13.1 | 300.1 | 2.4 | 39.04 | N.A. | N.A. | N.A. | N.A. |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

Client: **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue  
Report Date: November 01, 2010

Page: 2 of 2 Part 4

## CERTIFICATE OF ANALYSIS

WHI10000056.2

|        | Method<br>Analyte<br>Unit<br>MDL | 4B   | 4B   | 4B    | 4B   | 4B   | 4B   | 4B   | 4B    | 4B    | 4B   | 4B   | 4B   | 4B    | 4B    | 4B    | 4B    | 4B    | 4B    | 4B   |
|--------|----------------------------------|------|------|-------|------|------|------|------|-------|-------|------|------|------|-------|-------|-------|-------|-------|-------|------|
|        |                                  | Ga   | Hf   | Nb    | Rb   | Sn   | Sr   | Ta   | Th    | U     | V    | W    | Zr   | Y     | La    | Ce    | Pr    | Nd    | Sm    | Eu   |
|        |                                  | ppm  | ppm  | ppm   | ppm  | ppm  | ppm  | ppm  | ppm   | ppm   | ppm  | ppm  | ppm  | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm  |
|        |                                  | 0.5  | 0.1  | 0.1   | 0.1  | 1    | 0.5  | 0.1  | 0.2   | 0.1   | 8    | 0.5  | 0.1  | 0.1   | 0.1   | 0.1   | 0.02  | 0.3   | 0.05  | 0.02 |
| 025702 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025703 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025704 | Rock                             | 11.0 | 75.8 | 1272  | 24.4 | 27   | 28.4 | 75.9 | 651.6 | 293.3 | 53   | 2.9  | 4056 | 78.2  | 43.0  | 127.1 | 16.10 | 71.4  | 12.64 | 1.98 |
| 025705 | Rock                             | 5.6  | 53.8 | 430.3 | 13.0 | 5    | 10.3 | 32.0 | 82.4  | 30.1  | <8   | 2.7  | 2208 | 93.6  | 29.3  | 76.8  | 11.28 | 56.9  | 13.01 | 1.56 |
| 025706 | Rock                             | 4.9  | 52.0 | 666.4 | 33.0 | 6    | 18.6 | 36.7 | 316.5 | 124.6 | 10   | 2.4  | 2529 | 101.6 | 54.7  | 177.3 | 23.29 | 101.7 | 17.76 | 1.94 |
| 025707 | Rock                             | 2.4  | 38.2 | 767.8 | 12.1 | 4    | 11.8 | 37.0 | 232.0 | 156.2 | <8   | 2.4  | 1807 | 79.3  | 36.7  | 133.6 | 18.01 | 79.3  | 13.96 | 2.04 |
| 025708 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025709 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025710 | Rock                             | 9.7  | 80.8 | 1814  | 27.0 | 11   | 15.3 | 64.1 | 393.3 | 130.0 | 10   | 4.3  | 4035 | 295.1 | 601.9 | 1215  | 114.1 | 426.1 | 58.01 | 5.53 |
| 025711 | Rock                             | 6.2  | 68.2 | 815.5 | 34.5 | 9    | 21.0 | 45.0 | 319.0 | 128.9 | 21   | 2.9  | 3390 | 116.1 | 37.0  | 140.6 | 21.69 | 104.5 | 20.15 | 2.17 |
| 025712 | Rock                             | 3.1  | 37.4 | 592.1 | 18.7 | 4    | 13.2 | 25.8 | 234.6 | 69.1  | 9    | 1.8  | 1815 | 71.2  | 25.0  | 100.6 | 15.90 | 77.6  | 15.24 | 1.89 |
| 025812 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025813 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025814 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025815 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025816 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025817 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025818 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025819 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025820 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025821 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025822 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025823 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |
| 025824 | Rock                             | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A. | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A. |



1020 Cordova St. East Vancouver BC V6A 4A3 Canada  
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

[www.acmelab.com](http://www.acmelab.com)

**Client:** **Great Western Minerals Group Ltd.**  
226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue  
**Report Date:** November 01, 2010

**Page:** 2 of 2 **Part** 5

## CERTIFICATE OF ANALYSIS

WHI10000056.2

|        | Method<br>Analyte | 4B   |       |      |       |      |       |      |
|--------|-------------------|------|-------|------|-------|------|-------|------|
|        |                   | Tb   | Dy    | Ho   | Er    | Tm   | Yb    | Lu   |
|        |                   | ppm  | ppm   | ppm  | ppm   | ppm  | ppm   | ppm  |
|        |                   | MDL  | MDL   | MDL  | MDL   | MDL  | MDL   | MDL  |
| 025702 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025703 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025704 | Rock              | 1.88 | 10.31 | 1.99 | 5.85  | 0.94 | 5.92  | 0.84 |
| 025705 | Rock              | 2.39 | 13.76 | 2.86 | 9.34  | 1.69 | 10.90 | 1.67 |
| 025706 | Rock              | 2.46 | 13.68 | 2.52 | 7.73  | 1.34 | 8.79  | 1.32 |
| 025707 | Rock              | 2.01 | 11.23 | 2.18 | 6.79  | 1.25 | 8.83  | 1.40 |
| 025708 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025709 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025710 | Rock              | 7.93 | 41.64 | 7.78 | 22.47 | 3.48 | 20.72 | 2.67 |
| 025711 | Rock              | 3.00 | 16.27 | 3.15 | 9.35  | 1.61 | 10.43 | 1.52 |
| 025712 | Rock              | 2.18 | 11.41 | 2.11 | 6.46  | 1.09 | 7.40  | 1.07 |
| 025812 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025813 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025814 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025815 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025816 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025817 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025818 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025819 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025820 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025821 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025822 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025823 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |
| 025824 | Rock              | N.A. | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A. |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 1

## QUALITY CONTROL REPORT

WHI10000056.2

|                       | Method<br>Analyte<br>Unit<br>MDL | WGHT | 1T    | 1T    | 1T    | 1T    | 1T  | 1T    | 1T    | 1T   | 1T    | 1T   | 1T    | 1T    | 1T    | 1T   | 1T    | 1T    | 1T    | 1T  | 1T    |
|-----------------------|----------------------------------|------|-------|-------|-------|-------|-----|-------|-------|------|-------|------|-------|-------|-------|------|-------|-------|-------|-----|-------|
|                       |                                  | Wgt  | Mo    | Cu    | Pb    | Zn    | Ag  | Ni    | Co    | Mn   | Fe    | As   | U     | Au    | Th    | Sr   | Cd    | Sb    | Bi    | V   | Ca    |
|                       |                                  | kg   | ppm   | ppm   | ppm   | ppm   | ppb | ppm   | ppm   | ppm  | %     | ppm  | ppm   | ppm   | ppm   | ppm  | ppm   | ppm   | ppm   | ppm | %     |
|                       |                                  | 0.01 | 0.05  | 0.02  | 0.02  | 0.2   | 20  | 0.1   | 0.2   | 2    | 0.02  | 0.2  | 0.1   | 0.1   | 0.1   | 1    | 0.02  | 0.02  | 0.04  | 1   | 0.02  |
| Pulp Duplicates       |                                  |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| 025704                | Rock                             | 0.76 | 0.12  | 1.05  | 15.59 | 160.8 | <20 | 3.3   | 5.3   | 1136 | 4.57  | 1.7  | 322.6 | <0.1  | 741.9 | 26   | 1.53  | 3.51  | 0.22  | 52  | 15.57 |
| REP 025704            | QC                               |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| 025707                | Rock                             | 0.58 | 0.08  | 7.07  | 8.27  | 104.1 | <20 | 6.5   | 9.6   | 1188 | 6.46  | 11.0 | 174.5 | *     | 275.2 | 12   | 1.19  | 4.51  | 2.21  | 4   | 1.32  |
| REP 025707            | QC                               |      | 0.08  | 6.42  | 8.31  | 100.8 | <20 | 6.2   | 9.5   | 1209 | 6.52  | 12.8 | 171.3 | *     | 268.3 | 11   | 1.14  | 4.29  | 2.23  | 4   | 1.34  |
| Reference Materials   |                                  |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| STD OREAS24P          | Standard                         |      | 1.54  | 48.18 | 2.84  | 126.6 | 22  | 153.8 | 49.4  | 1171 | 7.83  | 0.5  | 0.7   | <0.1  | 2.9   | 400  | 0.10  | 0.09  | <0.04 | 165 | 6.08  |
| STD OREAS45P          | Standard                         |      | 2.33  | 766.9 | 23.55 | 143.8 | 294 | 411.3 | 130.4 | 1392 | 20.16 | 10.8 | 2.2   | <0.1  | 10.5  | 31   | 0.13  | 0.80  | 0.23  | 286 | 0.31  |
| STD SO-18             | Standard                         |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| STD SO-18             | Standard                         |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| STD OREAS24P Expected |                                  |      | 1.5   | 52    | 2.9   | 119   | 60  | 141   | 44    | 1100 | 7.53  | 1.2  | 0.75  |       | 2.85  | 403  | 0.15  | 0.09  |       | 158 | 5.83  |
| STD OREAS45P Expected |                                  |      | 2.1   | 749   | 22    | 141   | 320 | 385   | 120   | 1338 | 19.22 | 12   | 2.2   | 0.055 | 9.8   | 32.6 | 0.2   | 0.82  | 0.21  | 267 | 0.3   |
| STD SO-18 Expected    |                                  |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| BLK                   | Blank                            |      | <0.05 | <0.02 | <0.02 | <0.2  | <20 | <0.1  | <0.2  | <2   | <0.02 | <0.2 | <0.1  | <0.1  | <0.1  | <1   | <0.02 | <0.02 | <0.04 | <1  | <0.02 |
| BLK                   | Blank                            |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| Prep Wash             |                                  |      |       |       |       |       |     |       |       |      |       |      |       |       |       |      |       |       |       |     |       |
| G1                    | Prep Blank                       |      | 0.25  | 4.13  | 19.94 | 51.1  | <20 | 3.5   | 5.4   | 768  | 2.50  | 1.9  | 3.0   | <0.1  | 9.8   | 711  | 0.09  | 0.25  | 0.12  | 53  | 2.54  |
| G1                    | Prep Blank                       |      | 0.57  | 3.46  | 32.55 | 49.8  | 306 | 4.7   | 5.5   | 790  | 2.50  | 7.9  | 3.3   | <0.1  | 10.7  | 733  | 0.10  | 5.22  | 0.16  | 55  | 2.52  |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 2

## QUALITY CONTROL REPORT

WHI10000056.2

|                       | Method<br>Analyte<br>Unit<br>MDL | 1T     | 1T   | 1T   | 1T     | 1T   | 1T     | 1T    | 1T     | 1T    | 1T   | 1T    | 1T   | 1T  | 1T   | 1T    | 1T   | 1T    | 1T   | 1T   | 1T   |
|-----------------------|----------------------------------|--------|------|------|--------|------|--------|-------|--------|-------|------|-------|------|-----|------|-------|------|-------|------|------|------|
|                       |                                  | P      | La   | Cr   | Mg     | Ba   | Ti     | Al    | Na     | K     | W    | Zr    | Sn   | Be  | Sc   | S     | Y    | Ce    | Pr   | Nd   | Sm   |
|                       |                                  | %      | ppm  | ppm  | %      | ppm  | %      | %     | %      | %     | ppm  | ppm   | ppm  | ppm | ppm  | %     | ppm  | ppm   | ppm  | ppm  | ppm  |
|                       |                                  | 0.001  | 0.1  | 1    | 0.02   | 1    | 0.001  | 0.02  | 0.002  | 0.02  | 0.1  | 0.2   | 0.1  | 1   | 0.1  | 0.04  | 0.1  | 0.02  | 0.1  | 0.1  | 0.1  |
| Pulp Duplicates       |                                  |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| 025704                | Rock                             | 0.003  | 42.9 | 23   | 9.20   | 222  | 0.253  | 2.33  | 0.170  | 0.33  | 0.5  | >2000 | 27.5 | 25  | 5.2  | <0.04 | 67.8 | 137.0 | 16.6 | 76.1 | 13.6 |
| REP 025704            | QC                               |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| 025707                | Rock                             | 0.019  | 38.9 | 2    | 22.35  | 716  | 0.059  | 0.76  | 0.021  | 0.17  | 2.4  | 1513  | 3.8  | 4   | 1.3  | <0.04 | 70.2 | 149.9 | 19.0 | 86.7 | 14.8 |
| REP 025707            | QC                               | 0.018  | 39.5 | 2    | 22.48  | 722  | 0.061  | 0.76  | 0.017  | 0.17  | 2.6  | 1555  | 3.7  | 4   | 1.4  | <0.04 | 68.7 | 152.9 | 19.6 | 87.3 | 15.1 |
| Reference Materials   |                                  |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| STD OREAS24P          | Standard                         | 0.140  | 17.3 | 227  | 4.19   | 274  | 1.085  | 8.22  | 2.455  | 0.69  | 0.4  | 143.4 | 1.5  | 1   | 20.8 | <0.04 | 20.7 | 36.22 | 4.4  | 21.2 | 4.7  |
| STD OREAS45P          | Standard                         | 0.047  | 23.8 | 1155 | 0.18   | 302  | 1.077  | 7.34  | 0.086  | 0.36  | 1.1  | 158.7 | 2.2  | <1  | 67.4 | <0.04 | 12.5 | 47.27 | 5.5  | 22.6 | 4.3  |
| STD SO-18             | Standard                         |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| STD SO-18             | Standard                         |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| STD OREAS24P Expected |                                  | 0.136  | 17.4 | 196  | 4.13   | 285  | 1.1    | 7.66  | 2.34   | 0.7   | 0.5  | 141   | 1.6  |     | 20   |       | 21.3 | 37.6  | 4.7  | 22   | 4.7  |
| STD OREAS45P Expected |                                  | 0.047  | 24.8 | 1089 | 0.1962 | 296  | 1.037  | 6.82  | 0.081  | 0.35  | 1.1  | 154   | 2.5  |     | 67.1 | 0.03  | 13   | 48.9  | 6    | 23.2 | 4.24 |
| STD SO-18 Expected    |                                  |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| BLK                   | Blank                            | <0.001 | <0.1 | <1   | <0.02  | <1   | <0.001 | <0.02 | <0.002 | <0.02 | <0.1 | <0.2  | <0.1 | <1  | <0.1 | <0.04 | <0.1 | 0.11  | <0.1 | <0.1 | <0.1 |
| BLK                   | Blank                            |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| Prep Wash             |                                  |        |      |      |        |      |        |       |        |       |      |       |      |     |      |       |      |       |      |      |      |
| G1                    | Prep Blank                       | 0.078  | 30.5 | 5    | 0.67   | 1099 | 0.228  | 7.94  | 2.905  | 2.98  | 0.2  | 10.8  | 1.4  | 3   | 5.6  | <0.04 | 14.7 | 62.26 | 6.9  | 28.9 | 4.4  |
| G1                    | Prep Blank                       | 0.087  | 31.4 | 8    | 0.66   | 1026 | 0.235  | 8.12  | 2.963  | 3.11  | 0.2  | 10.6  | 1.6  | 3   | 5.6  | <0.04 | 15.8 | 61.59 | 6.7  | 29.3 | 4.4  |





Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 3

## QUALITY CONTROL REPORT

WHI10000056.2

|                       | Method<br>Analyte<br>Unit<br>MDL | 1T   | 1T   | 1T   | 1T   | 1T   | 1T   | 1T   | 1T   | 1T   | 1T    | 1T   | 1T    | 1T   | 1T    | 1T   | 4B    | 4B   | 4B   | 4B   |
|-----------------------|----------------------------------|------|------|------|------|------|------|------|------|------|-------|------|-------|------|-------|------|-------|------|------|------|
|                       |                                  | Eu   | Gd   | Tb   | Dy   | Ho   | Er   | Tm   | Yb   | Lu   | Hf    | Li   | Rb    | Ta   | Nb    | Cs   | Ga    | Ba   | Be   | Co   |
|                       |                                  | ppm  | ppm  | ppm  | ppm  | ppm  | ppm  | ppm  | ppm  | ppm  | ppm   | ppm  | ppm   | ppm  | ppm   | ppm  | ppm   | ppm  | ppm  | ppm  |
|                       |                                  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.1  | 0.02  | 0.1  | 0.1   | 0.1  | 0.04  | 0.1  | 0.02  | 1    | 1    | 0.2  |
| Pulp Duplicates       |                                  |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       |      |      |      |
| 025704                | Rock                             | 1.9  | 12.6 | 1.7  | 12.4 | 2.2  | 5.9  | 0.7  | 5.2  | 0.7  | 55.23 | 28.3 | 24.6  | 14.6 | 518.0 | 0.8  | 12.33 | 212  | 23   | 3.9  |
| REP 025704            | QC                               |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       | 210  | 22   | 4.1  |
| 025707                | Rock                             | 2.0  | 12.7 | 1.7  | 12.2 | 2.3  | 6.4  | 0.9  | 8.2  | 1.2  | 24.99 | 1.5  | 13.2  | 39.6 | 915.0 | 0.2  | 2.82  | 697  | 3    | 7.9  |
| REP 025707            | QC                               | 2.1  | 12.9 | 1.9  | 12.8 | 2.3  | 6.4  | 1.0  | 8.6  | 1.2  | 25.55 | 1.6  | 13.1  | 38.7 | 882.7 | 0.2  | 2.53  |      |      |      |
| Reference Materials   |                                  |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       |      |      |      |
| STD OREAS24P          | Standard                         | 1.5  | 5.5  | 0.7  | 4.6  | 0.8  | 2.0  | 0.2  | 1.7  | 0.2  | 3.74  | 8.4  | 20.6  | 1.2  | 20.93 | 0.9  | 21.18 |      |      |      |
| STD OREAS45P          | Standard                         | 1.0  | 3.9  | 0.6  | 3.4  | 0.6  | 1.4  | 0.2  | 1.5  | 0.2  | 4.32  | 13.0 | 23.0  | 1.2  | 20.98 | 2.3  | 24.71 |      |      |      |
| STD SO-18             | Standard                         |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       | 488  | 1    | 25.1 |
| STD SO-18             | Standard                         |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       | 479  | <1   | 26.4 |
| STD OREAS24P Expected |                                  | 1.6  | 5.3  | 0.81 | 4.6  | 0.8  | 2.2  | 0.3  | 1.83 | 0.25 | 3.6   | 8.7  | 22.4  | 1.04 | 21    | 0.8  | 19.43 |      |      |      |
| STD OREAS45P Expected |                                  | 1.1  | 3.8  | 0.59 | 3.6  | 0.65 | 1.7  | 0.24 | 1.6  | 0.24 | 4.12  | 14.7 | 24.6  | 1.2  | 21.6  | 2    | 22.5  |      |      |      |
| STD SO-18 Expected    |                                  |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       | 514  | 1    | 26.2 |
| BLK                   | Blank                            | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.02 | <0.1 | <0.1  | <0.1 | <0.04 | <0.1 | <0.02 |      |      |      |
| BLK                   | Blank                            |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       | <1   | <1   | <0.2 |
| Prep Wash             |                                  |      |      |      |      |      |      |      |      |      |       |      |       |      |       |      |       |      |      |      |
| G1                    | Prep Blank                       | 0.8  | 3.3  | 0.4  | 2.6  | 0.5  | 1.5  | 0.2  | 1.6  | 0.2  | 0.63  | 37.9 | 120.7 | 1.5  | 25.07 | 5.0  | 19.26 | 1050 | 3    | 4.6  |
| G1                    | Prep Blank                       | 0.9  | 3.9  | 0.5  | 2.8  | 0.5  | 1.5  | 0.2  | 1.7  | 0.3  | 0.55  | 36.7 | 125.8 | 1.7  | 27.83 | 5.2  | 19.85 | N.A. | N.A. | N.A. |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

**Great Western Minerals Group Ltd.**

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 4

## QUALITY CONTROL REPORT

WHI10000056.2

|                       | Method<br>Analyte<br>Unit<br>MDL | 4B   | 4B   | 4B    | 4B    | 4B   | 4B    | 4B   | 4B    | 4B    | 4B   | 4B   | 4B    | 4B   | 4B   | 4B    | 4B    | 4B   | 4B    | 4B    | 4B    |
|-----------------------|----------------------------------|------|------|-------|-------|------|-------|------|-------|-------|------|------|-------|------|------|-------|-------|------|-------|-------|-------|
|                       |                                  | Ga   | Hf   | Nb    | Rb    | Sn   | Sr    | Ta   | Th    | U     | V    | W    | Zr    | Y    | La   | Ce    | Pr    | Nd   | Sm    | Eu    | Gd    |
|                       |                                  | ppm  | ppm  | ppm   | ppm   | ppm  | ppm   | ppm  | ppm   | ppm   | ppm  | ppm  | ppm   | ppm  | ppm  | ppm   | ppm   | ppm  | ppm   | ppm   | ppm   |
|                       |                                  | 0.5  | 0.1  | 0.1   | 0.1   | 1    | 0.5   | 0.1  | 0.2   | 0.1   | 8    | 0.5  | 0.1   | 0.1  | 0.1  | 0.1   | 0.02  | 0.3  | 0.05  | 0.02  | 0.05  |
| Pulp Duplicates       |                                  |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| 025704                | Rock                             | 11.0 | 75.8 | 1272  | 24.4  | 27   | 28.4  | 75.9 | 651.6 | 293.3 | 53   | 2.9  | 4056  | 78.2 | 43.0 | 127.1 | 16.10 | 71.4 | 12.64 | 1.98  | 10.89 |
| REP 025704            | QC                               | 11.0 | 75.2 | 1245  | 24.4  | 27   | 27.1  | 75.2 | 585.6 | 288.7 | 51   | 3.0  | 4057  | 77.3 | 42.9 | 126.9 | 16.02 | 68.7 | 12.33 | 1.94  | 10.43 |
| 025707                | Rock                             | 2.4  | 38.2 | 767.8 | 12.1  | 4    | 11.8  | 37.0 | 232.0 | 156.2 | <8   | 2.4  | 1807  | 79.3 | 36.7 | 133.6 | 18.01 | 79.3 | 13.96 | 2.04  | 11.09 |
| REP 025707            | QC                               |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| Reference Materials   |                                  |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| STD OREAS24P          | Standard                         |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| STD OREAS45P          | Standard                         |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| STD SO-18             | Standard                         | 16.9 | 9.6  | 26.7  | 27.1  | 14   | 396.5 | 7.2  | 10.1  | 15.6  | 184  | 14.6 | 294.1 | 31.5 | 11.7 | 25.6  | 3.25  | 14.1 | 2.78  | 0.82  | 2.75  |
| STD SO-18             | Standard                         | 16.7 | 9.5  | 22.5  | 26.6  | 13   | 384.4 | 7.5  | 9.6   | 15.4  | 179  | 14.4 | 283.9 | 30.9 | 11.0 | 24.6  | 3.18  | 14.2 | 2.75  | 0.80  | 2.80  |
| STD OREAS24P Expected |                                  |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| STD OREAS45P Expected |                                  |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| STD SO-18 Expected    |                                  | 17.6 | 9.8  | 21.3  | 28.7  | 15   | 407.4 | 7.4  | 9.9   | 16.4  | 200  | 14.8 | 280   | 31   | 12.3 | 27.1  | 3.45  | 14   | 3     | 0.89  | 2.93  |
| BLK                   | Blank                            |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| BLK                   | Blank                            | <0.5 | <0.1 | <0.1  | <0.1  | <1   | <0.5  | <0.1 | <0.2  | <0.1  | <8   | <0.5 | <0.1  | <0.1 | <0.1 | <0.1  | <0.02 | <0.3 | <0.05 | <0.02 | <0.05 |
| Prep Wash             |                                  |      |      |       |       |      |       |      |       |       |      |      |       |      |      |       |       |      |       |       |       |
| G1                    | Prep Blank                       | 17.9 | 4.7  | 33.9  | 123.8 | 1    | 713.3 | 2.4  | 10.0  | 3.5   | 45   | <0.5 | 158.3 | 17.1 | 31.6 | 63.2  | 6.82  | 26.3 | 4.22  | 1.07  | 3.20  |
| G1                    | Prep Blank                       | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A.  | N.A. | N.A.  | N.A.  | N.A. | N.A. | N.A.  | N.A. | N.A. | N.A.  | N.A.  | N.A. | N.A.  | N.A.  | N.A.  |



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

[www.acmelab.com](http://www.acmelab.com)

**Client:** Great Western Minerals Group Ltd.

226 Cardinal Crescent  
Saskatoon SK S7L 6H8 Canada

**Project:** True Blue

**Report Date:** November 01, 2010

**Page:** 1 of 1 **Part** 5

## QUALITY CONTROL REPORT

WHI10000056.2

|                       |            | Method  | 4B    | 4B    | 4B    | 4B    | 4B    | 4B    | 4B    |
|-----------------------|------------|---------|-------|-------|-------|-------|-------|-------|-------|
|                       |            | Analyte | Tb    | Dy    | Ho    | Er    | Tm    | Yb    | Lu    |
|                       |            | Unit    | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   |
|                       |            | MDL     | 0.01  | 0.05  | 0.02  | 0.03  | 0.01  | 0.05  | 0.01  |
| Pulp Duplicates       |            |         |       |       |       |       |       |       |       |
| 025704                | Rock       |         | 1.88  | 10.31 | 1.99  | 5.85  | 0.94  | 5.92  | 0.84  |
| REP 025704            | QC         |         | 1.83  | 10.05 | 1.94  | 5.87  | 0.93  | 5.81  | 0.83  |
| 025707                | Rock       |         | 2.01  | 11.23 | 2.18  | 6.79  | 1.25  | 8.83  | 1.40  |
| REP 025707            | QC         |         |       |       |       |       |       |       |       |
| Reference Materials   |            |         |       |       |       |       |       |       |       |
| STD OREAS24P          | Standard   |         |       |       |       |       |       |       |       |
| STD OREAS45P          | Standard   |         |       |       |       |       |       |       |       |
| STD SO-18             | Standard   |         | 0.51  | 2.76  | 0.58  | 1.74  | 0.27  | 1.67  | 0.25  |
| STD SO-18             | Standard   |         | 0.49  | 2.74  | 0.57  | 1.68  | 0.26  | 1.68  | 0.25  |
| STD OREAS24P Expected |            |         |       |       |       |       |       |       |       |
| STD OREAS45P Expected |            |         |       |       |       |       |       |       |       |
| STD SO-18 Expected    |            |         | 0.53  | 3     | 0.62  | 1.84  | 0.27  | 1.79  | 0.27  |
| BLK                   | Blank      |         |       |       |       |       |       |       |       |
| BLK                   | Blank      |         | <0.01 | <0.05 | <0.02 | <0.03 | <0.01 | <0.05 | <0.01 |
| Prep Wash             |            |         |       |       |       |       |       |       |       |
| G1                    | Prep Blank |         | 0.53  | 2.66  | 0.55  | 1.57  | 0.27  | 1.77  | 0.29  |
| G1                    | Prep Blank |         | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  | N.A.  |