



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson
Receiving Lab: Canada-Whitehorse
Received: July 05, 2010
Report Date: August 03, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000057.1

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-004
P.O. Number
Number of Samples: 40

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	40	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	40	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
025801	Rock	0.86	1.44	14.82	7.10	129.9	<20	2.8	13.8	1521	8.20	3.8	1.6	<0.1	6.5	637	0.63	1.61	0.10	135
025802	Rock	0.97	1.96	3.42	4.51	8.0	<20	2.4	2.7	561	1.15	4.0	12.1	<0.1	152.1	50	0.21	0.53	0.06	<1
025803	Rock	0.72	2.76	2.86	3.17	43.3	<20	1.0	2.3	940	4.44	1.0	3.1	<0.1	22.9	193	0.21	0.82	0.07	7
025804	Rock	0.67	0.43	26.21	3.96	21.6	<20	3.1	2.1	263	1.46	7.4	1.3	<0.1	7.6	79	0.14	0.58	0.07	7
025805	Rock	1.60	0.65	0.97	3.79	9.9	<20	1.0	0.5	169	1.04	0.5	2.0	<0.1	41.5	37	0.10	0.23	<0.04	1
025806	Rock	1.03	7.41	11.23	9.73	21.6	<20	3.6	4.3	59	1.25	0.3	53.8	<0.1	436.7	24	0.56	2.42	0.11	<1
025807	Rock	1.20	0.30	134.8	9.16	114.5	<20	0.7	0.9	478	3.52	12.3	49.1	<0.1	300.0	47	1.23	1.51	0.11	<1
025809	Rock	1.12	1.29	1.32	20.15	53.0	<20	0.9	3.2	616	2.12	3.4	1.6	<0.1	25.4	704	0.28	2.86	0.07	<1
025810	Rock	0.30	0.52	1.51	5.04	14.5	<20	0.2	2.7	807	2.27	2.0	2.0	<0.1	49.9	824	0.17	2.28	0.07	<1
025811	Rock	0.41	0.18	8.23	6.07	42.9	<20	1.0	5.7	3154	8.41	3.1	10.0	<0.1	17.0	273	0.38	6.33	0.08	<1
025701	Rock	0.70	3.05	5.95	65.66	234.8	<20	0.4	1.8	1223	4.73	19.4	73.3	<0.1	72.6	100	1.52	1.74	0.32	<1
025751	Rock	1.10	30.49	1.65	2.87	9.7	<20	0.8	1.0	609	2.49	<0.2	19.5	<0.1	106.3	42	0.20	0.41	0.06	<1
025752	Rock	1.07	5.41	2.73	2.60	16.0	<20	1.2	1.8	1156	7.27	<0.2	14.3	<0.1	102.2	48	0.17	0.49	<0.04	<1
025753	Rock	0.41	10.43	3.10	5.76	27.3	<20	0.9	1.6	580	5.18	1.0	10.6	<0.1	170.8	71	0.13	1.11	0.17	<1
025754	Rock	1.24	2.56	1.37	4.72	13.4	<20	0.5	2.3	838	4.99	0.9	46.3	<0.1	128.9	31	0.39	0.71	0.07	<1
025756	Rock	1.67	0.71	1.48	4.31	24.0	<20	1.2	1.4	825	3.68	<0.2	31.3	<0.1	109.4	34	0.23	0.49	<0.04	<1
025757	Rock	2.26	3.95	1.43	5.30	31.6	<20	0.7	2.0	1063	4.72	<0.2	33.9	<0.1	176.5	38	0.16	0.51	<0.04	<1
025758	Rock	1.70	0.25	1.02	4.43	6.3	<20	0.5	0.5	268	2.18	0.7	9.5	<0.1	79.8	178	0.09	0.47	<0.04	4
025763	Rock	0.91	0.29	3.06	9.20	40.9	<20	2.1	1.5	403	2.86	0.9	49.3	<0.1	160.7	111	0.15	0.41	0.05	2
025764	Rock	1.31	90.39	9.12	19.88	91.7	<20	24.7	5.6	1186	8.50	3.6	14.9	<0.1	407.8	170	0.15	0.59	0.20	53
025765	Rock	0.97	5.19	6.65	0.75	121.0	<20	8.6	7.9	539	14.33	1.3	1.5	<0.1	6.6	50	0.08	0.41	0.97	227
025766	Rock	1.83	2.12	7.09	17.76	28.7	<20	1.2	2.2	194	1.33	1.1	93.4	<0.1	575.4	43	0.75	1.41	0.18	<1
025767	Rock	1.25	0.35	1.48	1.04	10.4	<20	4.9	0.8	113	1.14	<0.2	4.2	<0.1	35.0	63	0.11	0.59	<0.04	23
025768	Rock	0.98	1.91	0.74	3.79	59.7	<20	7.2	1.3	285	1.97	2.0	2.6	<0.1	36.6	144	0.82	0.59	<0.04	26
025769	Rock	0.83	0.32	2.01	1.53	15.0	<20	5.5	1.3	379	1.35	1.2	6.9	<0.1	37.9	102	0.16	0.68	<0.04	16
025770	Rock	0.94	0.32	1.64	10.56	19.9	<20	4.3	0.9	115	0.83	1.0	4.2	<0.1	30.5	244	0.16	0.65	0.05	22
025771	Rock	1.09	4.87	20.67	19.41	169.1	<20	15.5	2.3	258	2.79	20.2	7.9	<0.1	44.8	114	1.09	1.27	0.09	9
025772	Rock	0.93	2.45	2.92	100.8	186.0	<20	58.9	2.4	144	2.34	3.8	8.0	<0.1	29.1	133	0.49	1.01	0.32	26
025773	Rock	0.24	1.22	6.39	5.52	29.7	<20	0.6	1.8	180	2.74	0.5	4.6	<0.1	28.4	53	0.12	0.37	<0.04	<1
025774	Rock	1.69	0.91	0.91	0.15	4.0	<20	31.4	0.2	57	0.40	<0.2	0.8	<0.1	8.5	38	0.03	0.20	<0.04	295



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 2 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
025801	Rock	0.557	108.8	5	1.87	1707	1.941	8.45	3.740	1.67	1.8	95.4	3.9	2	11.8	0.10	61.0	209.0	23.7	92.4	14.8
025802	Rock	0.010	900.0	2	0.12	115	0.120	7.37	6.054	0.55	5.6	105.1	21.2	5	0.5	<0.04	115.0	1270	116.6	366.1	45.8
025803	Rock	0.096	64.9	4	0.82	1837	0.433	8.01	4.878	2.57	1.9	120.3	5.4	9	2.8	<0.04	95.5	158.2	21.3	93.0	18.0
025804	Rock	0.047	26.2	2	0.29	212	0.350	6.94	7.157	0.56	14.0	58.1	6.8	6	1.2	<0.04	16.9	59.06	6.6	25.3	4.4
025805	Rock	0.016	752.0	17	0.14	229	0.104	3.07	2.251	0.51	1.5	14.6	1.9	2	0.3	<0.04	26.5	1229	99.9	326.3	35.5
025806	Rock	0.103	1563	1	0.91	652	0.675	10.45	2.862	4.70	13.6	327.3	48.2	21	1.4	0.11	274.9	>2000	268.7	1021	133.2
025807	Rock	0.002	>2000	2	0.98	627	0.380	11.02	1.983	5.29	9.7	232.8	42.6	21	1.2	0.07	455.7	>2000	548.9	>2000	250.4
025809	Rock	0.030	9.6	2	0.21	827	0.163	9.63	5.292	1.30	0.8	42.0	4.0	7	0.4	<0.04	21.1	27.39	3.7	16.8	3.6
025810	Rock	0.005	46.5	6	0.09	575	0.117	9.28	5.400	0.94	0.5	33.0	7.4	12	<0.1	<0.04	34.8	95.67	10.0	35.3	5.9
025811	Rock	0.010	>2000	3	0.86	268	0.154	8.54	0.486	0.34	2.5	128.2	24.0	6	0.3	<0.04	648.0	>2000	408.1	1197	120.1
025701	Rock	0.005	197.3	6	0.22	180	0.066	8.94	6.596	0.48	2.6	69.3	44.6	19	0.2	<0.04	160.4	415.1	42.0	144.7	23.5
025751	Rock	0.005	215.4	3	0.09	70	0.120	7.75	6.305	0.37	3.2	119.7	23.5	6	0.7	<0.04	75.2	434.4	41.1	145.8	25.2
025752	Rock	0.011	227.6	10	0.17	116	0.145	6.77	5.152	0.52	1.8	207.5	24.9	20	0.3	<0.04	84.9	460.4	49.0	177.9	30.8
025753	Rock	0.022	577.4	3	0.34	395	0.184	6.78	4.138	1.18	3.4	25.4	7.7	13	0.2	<0.04	246.9	1265	122.5	470.5	74.7
025754	Rock	0.019	355.9	11	0.07	604	0.199	7.31	4.317	2.70	2.1	491.7	22.3	22	0.8	<0.04	156.4	718.4	61.1	203.5	30.1
025756	Rock	0.007	295.4	3	0.17	238	0.128	6.60	4.665	0.92	1.8	277.7	22.5	11	0.9	<0.04	139.5	596.4	55.9	191.3	29.9
025757	Rock	0.008	322.1	13	0.13	208	0.153	6.09	4.540	0.67	2.6	63.6	32.4	14	0.4	<0.04	173.3	675.7	61.6	209.5	32.0
025758	Rock	0.009	21.4	2	0.05	2455	0.157	6.02	1.025	5.47	0.9	38.3	21.5	3	0.3	<0.04	101.5	55.70	7.6	35.5	11.2
025763	Rock	0.008	296.7	8	0.32	3157	0.156	6.63	1.231	6.85	0.8	59.9	10.5	9	0.1	<0.04	150.0	699.2	64.7	224.7	32.0
025764	Rock	1.082	324.0	3	2.87	1371	0.225	6.16	0.663	5.33	3.4	111.0	4.4	9	3.2	<0.04	187.1	666.0	57.9	209.1	30.0
025765	Rock	0.350	65.5	5	2.55	1560	1.976	7.96	2.028	5.08	1.4	87.0	5.2	5	12.9	0.10	39.8	137.0	15.3	59.4	9.4
025766	Rock	0.015	1567	2	0.68	371	0.301	10.17	5.371	3.01	8.7	787.3	27.6	18	1.4	<0.04	500.0	>2000	255.9	978.6	140.0
025767	Rock	0.174	54.2	7	1.37	226	0.398	8.51	6.991	0.60	1.7	53.3	9.3	8	1.6	<0.04	107.7	192.1	27.2	113.4	20.1
025768	Rock	0.127	34.0	3	3.53	1353	0.334	8.67	3.542	3.51	2.1	21.0	7.3	8	1.3	<0.04	81.0	122.9	18.2	78.7	15.3
025769	Rock	0.022	89.4	2	1.44	919	0.079	8.90	6.112	1.53	1.5	27.3	5.1	7	<0.1	<0.04	82.9	184.9	21.9	91.5	17.1
025770	Rock	0.049	19.3	2	1.89	445	0.216	9.07	6.640	1.29	1.5	39.8	6.3	7	0.2	<0.04	68.7	75.50	12.5	58.5	12.0
025771	Rock	0.018	81.8	2	1.98	1432	0.132	8.74	3.901	2.66	3.0	26.9	6.8	7	0.4	<0.04	51.1	182.5	22.8	98.4	16.6
025772	Rock	0.032	43.6	3	2.46	580	0.148	8.23	4.817	2.29	2.2	35.7	6.0	7	0.3	<0.04	80.8	104.1	14.4	64.9	14.1
025773	Rock	0.033	207.0	2	1.96	486	0.114	8.01	5.396	1.46	4.2	39.7	7.7	5	0.6	<0.04	71.8	383.8	38.4	128.8	18.9
025774	Rock	0.101	2.8	31	0.82	126	0.114	6.26	4.636	0.68	2.5	29.4	0.6	2	7.8	<0.04	4.8	6.85	0.7	4.1	0.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 2 of 3 Part 3

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
025801	Rock	3.7	14.0	2.0	11.8	2.2	5.7	0.7	4.7	0.6	2.67	32.3	93.5	4.6	93.71	3.3
025802	Rock	1.7	33.3	4.7	24.1	3.8	9.5	1.1	7.5	1.0	2.76	9.1	26.4	19.0	365.9	0.6
025803	Rock	1.8	18.9	3.1	19.1	3.5	9.5	1.1	7.8	1.1	3.01	9.4	79.0	10.8	253.1	3.1
025804	Rock	0.5	4.2	0.6	3.8	0.8	2.2	0.3	2.3	0.3	1.75	11.7	13.3	6.3	136.0	0.6
025805	Rock	3.4	9.4	1.3	5.8	0.8	2.4	0.3	2.1	0.2	0.30	7.3	24.8	1.4	51.13	0.4
025806	Rock	5.1	93.3	14.8	82.5	13.9	34.9	4.2	27.1	3.2	7.01	72.1	149.3	98.3	>2000	1.8
025807	Rock	9.5	156.1	20.0	106.2	20.5	58.0	7.6	45.8	4.6	5.28	56.9	177.9	92.2	1694	2.3
025809	Rock	0.4	3.7	0.7	4.2	0.8	2.4	0.3	2.5	0.4	1.56	3.7	23.9	12.1	252.6	0.7
025810	Rock	0.6	6.3	1.0	6.6	1.4	4.1	0.6	4.0	0.5	1.54	0.7	11.9	15.8	292.3	<0.1
025811	Rock	19.1	115.2	20.1	125.8	22.9	58.0	6.6	39.8	4.4	3.31	2.1	11.2	10.2	564.4	0.4
025701	Rock	1.3	21.1	4.1	26.5	5.4	15.5	2.0	12.8	1.6	2.74	16.4	36.4	51.8	789.5	3.5
025751	Rock	0.8	20.0	3.3	18.8	3.5	9.7	1.3	8.5	1.0	3.85	4.5	19.0	25.7	407.2	0.4
025752	Rock	2.3	24.7	4.0	21.5	3.7	9.5	1.2	8.0	1.0	6.51	9.4	27.0	19.0	333.7	0.4
025753	Rock	5.4	69.1	10.4	60.0	10.7	25.9	2.8	15.9	1.8	0.56	12.7	55.1	21.6	308.4	1.4
025754	Rock	0.9	27.3	4.8	30.3	6.1	17.4	2.3	14.9	1.8	11.40	7.6	63.9	50.4	848.2	0.5
025756	Rock	0.9	26.7	4.5	27.8	5.5	15.4	2.0	12.8	1.6	6.46	20.6	69.4	30.9	543.2	0.7
025757	Rock	0.9	27.9	5.0	33.2	6.6	19.0	2.6	15.9	1.9	1.42	13.2	52.3	33.6	615.5	0.8
025758	Rock	1.8	16.1	3.1	20.6	4.0	11.4	1.5	10.5	1.6	1.76	1.3	180.1	20.8	232.5	0.6
025763	Rock	1.7	26.7	4.8	29.4	5.9	16.5	2.1	12.8	1.6	1.93	7.3	222.6	22.7	283.8	2.4
025764	Rock	2.8	31.0	4.6	28.8	6.0	16.4	2.1	13.4	1.8	2.42	60.1	406.1	3.4	77.28	9.3
025765	Rock	1.1	9.2	1.3	6.8	1.3	3.5	0.4	3.0	0.4	2.03	73.2	409.0	5.1	120.2	9.0
025766	Rock	4.9	112.0	18.9	118.0	21.4	55.1	7.0	40.6	4.5	14.42	57.9	111.2	113.2	>2000	1.4
025767	Rock	1.9	18.5	3.2	20.6	4.0	11.2	1.4	9.2	1.2	1.54	3.5	8.4	16.2	402.0	0.1
025768	Rock	1.5	14.9	2.5	15.7	3.0	8.4	1.1	7.2	0.9	0.81	32.6	51.0	16.2	340.1	0.3
025769	Rock	2.2	16.9	2.9	18.8	3.7	9.8	1.2	7.8	1.0	0.58	9.6	41.9	11.7	271.7	0.6
025770	Rock	1.1	12.7	2.3	15.2	3.0	8.1	1.1	6.6	0.9	1.14	10.1	18.4	16.2	383.8	0.5
025771	Rock	1.6	12.2	1.8	11.1	2.0	5.3	0.7	4.8	0.6	0.61	32.6	74.5	12.2	313.5	0.7
025772	Rock	1.7	15.1	2.4	17.0	3.3	9.3	1.2	7.5	1.0	0.87	25.0	56.5	13.0	285.6	1.1
025773	Rock	2.9	14.7	2.4	15.0	2.8	8.0	1.1	6.8	0.9	0.93	21.3	46.9	8.6	207.1	0.9
025774	Rock	<0.1	0.7	<0.1	0.6	<0.1	0.4	<0.1	0.4	<0.1	0.85	8.0	28.6	0.2	4.21	0.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
025775	Rock	1.46	9.03	1.29	0.43	0.9	21	12.7	4.8	337	0.96	7.1	0.8	<0.1	12.2	66	0.05	0.25	0.09	148
025776	Rock	0.86	9.73	1.03	1.44	21.1	<20	60.9	1.6	235	2.71	<0.2	16.1	<0.1	74.9	36	0.11	0.52	<0.04	<1
025777	Rock	1.01	1.40	1.47	1.12	4.1	<20	4.8	3.8	155	1.44	1.0	0.4	<0.1	7.7	46	0.04	0.28	<0.04	3
025778	Rock	0.95	3.88	1.27	0.16	9.6	<20	32.4	0.6	58	0.70	<0.2	1.3	<0.1	10.6	29	<0.02	0.27	<0.04	223
025779	Rock	0.93	2.70	1.64	0.20	3.1	<20	35.8	0.4	46	0.73	0.2	0.8	<0.1	9.7	19	0.03	0.32	<0.04	294
025780	Rock	0.69	7.02	34.60	4.45	23.6	<20	14.0	6.1	184	3.63	4.5	6.7	<0.1	43.0	40	0.14	1.20	0.41	<1
025781	Rock	1.12	5.25	7.08	3.24	23.1	<20	0.7	2.1	321	5.38	1.1	3.6	<0.1	30.1	60	0.10	0.48	0.13	1
025782	Rock	0.21	13.32	6.95	3.80	23.2	<20	2.9	2.7	94	5.70	5.4	15.4	<0.1	70.2	44	0.20	0.87	0.17	<1
025783	Rock	1.75	5.17	4.77	1.50	7.6	<20	9.8	4.3	832	4.27	1.3	3.4	<0.1	26.4	54	0.14	0.36	0.06	1
025784	Rock	1.71	5.95	5.18	1.48	19.6	<20	2.8	2.1	456	5.67	2.8	5.8	<0.1	41.1	38	0.17	0.46	<0.04	2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
025775	Rock	0.106	3.7	27	2.29	87	0.082	8.59	6.440	0.48	7.7	31.2	0.9	1	6.1	0.05	8.1	8.48	1.0	4.3
025776	Rock	0.046	217.8	4	5.61	86	0.104	9.52	5.262	0.52	4.4	36.3	1.3	2	0.3	<0.04	195.7	471.5	55.7	231.8
025777	Rock	0.033	67.5	2	0.65	140	0.051	8.63	7.272	0.48	1.1	18.3	5.1	3	0.7	0.16	9.3	122.8	12.6	43.0
025778	Rock	0.106	2.3	25	1.38	166	0.090	5.81	3.746	0.71	2.0	32.9	0.7	2	7.4	<0.04	4.5	5.78	0.6	3.6
025779	Rock	0.090	7.8	34	1.27	293	0.104	5.53	2.977	1.41	2.4	18.1	1.8	3	5.9	<0.04	4.3	16.69	2.0	8.7
025780	Rock	0.027	209.9	3	2.15	228	0.130	8.54	5.410	2.05	4.5	77.2	3.1	5	0.8	0.44	67.6	399.2	41.1	141.5
025781	Rock	0.020	329.2	3	0.97	764	0.263	9.06	5.233	2.76	8.9	41.0	23.7	7	0.4	0.05	100.9	662.3	63.5	216.0
025782	Rock	0.037	248.1	3	2.42	582	0.154	8.22	4.738	2.81	13.2	151.6	7.8	8	0.4	0.22	93.3	483.9	49.3	171.5
025783	Rock	0.021	69.5	3	0.96	538	0.199	7.60	5.722	1.53	5.8	122.7	37.9	7	0.6	<0.04	63.0	145.7	16.5	62.6
025784	Rock	0.027	156.5	6	0.62	482	0.210	8.61	5.869	1.60	8.3	65.9	13.1	10	0.8	0.07	83.9	302.4	31.2	108.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 03, 2010

Page: 3 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
025775	Rock	0.1	1.2	0.2	1.1	0.2	0.5	<0.1	0.5	<0.1	0.79	3.2	18.2	0.2	3.23	0.2
025776	Rock	4.9	39.1	6.5	42.7	8.0	22.2	2.8	16.8	1.9	1.08	33.2	27.4	24.2	484.2	1.6
025777	Rock	1.0	2.7	0.3	1.7	0.3	0.8	<0.1	0.8	0.1	0.38	12.0	21.3	1.6	30.65	0.3
025778	Rock	<0.1	0.9	0.1	0.6	0.1	0.4	<0.1	0.4	<0.1	0.89	16.1	33.9	0.2	3.53	0.4
025779	Rock	0.1	1.4	0.2	0.8	0.2	0.4	<0.1	0.4	<0.1	0.56	17.4	58.0	0.2	3.18	0.6
025780	Rock	3.3	16.8	2.6	16.5	2.8	8.1	1.0	6.2	0.8	1.75	37.6	129.5	11.3	243.2	2.2
025781	Rock	4.6	23.1	3.8	22.7	4.0	10.1	1.2	7.3	0.8	0.82	9.9	107.2	22.2	318.8	1.2
025782	Rock	4.3	21.8	3.5	21.8	4.1	10.3	1.3	7.9	1.0	3.22	40.5	132.5	32.8	796.2	2.3
025783	Rock	2.1	12.1	1.9	12.3	2.4	6.4	0.8	5.6	0.7	2.64	4.5	41.5	14.0	268.0	0.6
025784	Rock	3.1	16.0	2.6	17.5	3.2	9.3	1.2	7.4	0.8	1.46	15.1	59.2	15.9	308.5	1.3



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

August 03, 2010

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

WHI10000057.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
Pulp Duplicates																					
025802	Rock	0.97	1.96	3.42	4.51	8.0	<20	2.4	2.7	561	1.15	4.0	12.1	<0.1	152.1	50	0.21	0.53	0.06	<1	0.32
REP 025802	QC		1.75	3.23	4.43	7.2	<20	2.2	2.7	555	1.13	4.6	12.1	<0.1	152.2	49	0.20	0.52	0.05	<1	0.33
025781	Rock	1.12	5.25	7.08	3.24	23.1	<20	0.7	2.1	321	5.38	1.1	3.6	<0.1	30.1	60	0.10	0.48	0.13	1	1.41
REP 025781	QC		5.69	7.02	3.39	23.8	<20	0.8	2.1	323	5.40	1.1	3.8	<0.1	29.8	60	0.10	0.49	0.14	1	1.40
Reference Materials																					
STD OREAS24P	Standard		1.62	53.21	2.34	113.7	81	155.0	48.9	1171	7.64	1.7	0.7	<0.1	2.5	384	0.13	0.08	<0.04	162	5.93
STD OREAS24P	Standard		1.52	50.99	2.69	116.0	47	153.3	51.4	1189	7.64	1.4	0.7	<0.1	2.9	401	0.14	0.09	<0.04	164	6.01
STD OREAS45P	Standard		2.36	754.7	24.32	152.0	418	413.9	135.6	1369	19.33	11.5	2.3	<0.1	11.8	33	0.23	0.81	0.24	287	0.24
STD OREAS45P	Standard		2.21	744.6	22.87	151.1	398	390.1	128.4	1367	18.88	12.4	2.2	<0.1	9.7	32	0.19	0.85	0.18	277	0.30
STD OREAS45P	Standard		2.27	752.0	22.45	145.0	335	396.4	130.2	1347	19.58	12.8	2.1	<0.1	9.5	33	0.18	0.83	0.22	275	0.31
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267	0.3
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	21	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
Prep Wash																					
G1	Prep Blank		0.25	3.39	19.77	53.0	<20	3.3	5.1	776	2.43	1.0	3.1	<0.1	7.5	716	0.06	0.07	0.16	50	2.45
G1	Prep Blank		0.43	2.86	19.90	52.3	<20	3.2	5.4	770	2.48	0.8	3.6	<0.1	8.8	711	0.03	0.06	0.14	50	2.46



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 03, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
025802	Rock	0.010	900.0	2	0.12	115	0.120	7.37	6.054	0.55	5.6	105.1	21.2	5	0.5	<0.04	115.0	1270	116.6	366.1	45.8
REP 025802	QC	0.010	884.7	2	0.12	112	0.129	7.39	6.106	0.55	5.7	104.2	21.3	4	0.3	<0.04	114.6	1240	113.7	357.7	44.8
025781	Rock	0.020	329.2	3	0.97	764	0.263	9.06	5.233	2.76	8.9	41.0	23.7	7	0.4	0.05	100.9	662.3	63.5	216.0	31.3
REP 025781	QC	0.020	335.9	3	0.97	751	0.259	8.92	5.156	2.77	9.1	43.9	23.5	7	0.4	0.05	101.8	686.4	64.3	217.3	31.0
Reference Materials																					
STD OREAS24P	Standard	0.145	18.5	216	4.21	284	1.124	8.40	2.454	0.70	0.4	142.9	1.6	<1	19.4	<0.04	22.3	38.65	4.8	21.7	4.5
STD OREAS24P	Standard	0.143	19.9	202	4.32	293	1.118	8.31	2.465	0.74	0.4	142.8	1.8	<1	20.3	<0.04	23.8	40.80	5.2	23.2	4.7
STD OREAS45P	Standard	0.048	27.0	1148	0.21	292	1.125	7.18	0.084	0.35	1.2	163.3	2.5	<1	65.6	<0.04	13.9	53.49	6.1	24.6	4.3
STD OREAS45P	Standard	0.049	25.9	1119	0.20	295	1.074	7.15	0.079	0.35	1.1	156.2	2.7	<1	64.5	<0.04	13.7	53.21	6.2	23.8	4.1
STD OREAS45P	Standard	0.049	26.0	1121	0.21	293	1.081	7.12	0.085	0.37	1.0	160.1	2.6	<1	67.7	<0.04	14.4	53.95	6.2	24.0	4.1
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.41	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	0.5	0.97	<0.1	0.5	<0.1
Prep Wash																					
G1	Prep Blank	0.086	20.5	13	0.61	1032	0.252	7.66	2.862	2.95	0.2	12.1	1.6	3	4.6	<0.04	14.2	46.61	5.3	20.9	3.4
G1	Prep Blank	0.087	25.3	5	0.61	993	0.252	7.85	2.893	3.01	0.2	11.1	1.8	3	4.7	<0.04	14.5	56.38	5.9	23.3	3.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 03, 2010

Page: 1 of 1 Part 3

QUALITY CONTROL REPORT

WHI10000057.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02
Pulp Duplicates																	
025802	Rock	1.7	33.3	4.7	24.1	3.8	9.5	1.1	7.5	1.0	2.76	9.1	26.4	19.0	365.9	0.6	40.59
REP 025802	QC	1.8	33.7	4.5	22.4	3.7	9.1	1.1	7.4	0.9	2.84	8.5	26.1	19.7	370.7	0.6	38.86
025781	Rock	4.6	23.1	3.8	22.7	4.0	10.1	1.2	7.3	0.8	0.82	9.9	107.2	22.2	318.8	1.2	46.21
REP 025781	QC	4.6	24.2	3.8	22.6	4.0	10.4	1.2	7.6	0.8	0.94	10.5	102.7	22.2	319.1	1.2	46.01
Reference Materials																	
STD OREAS24P	Standard	1.6	5.4	0.8	4.7	0.9	2.2	0.3	1.8	0.3	3.69	8.3	22.1	1.2	20.13	0.9	19.94
STD OREAS24P	Standard	1.6	5.5	0.8	4.8	0.8	2.2	0.3	1.8	0.3	3.44	8.7	23.4	1.2	21.55	0.8	20.62
STD OREAS45P	Standard	1.1	4.0	0.6	3.4	0.7	1.7	0.2	1.7	0.3	4.11	15.4	26.5	1.3	20.84	2.3	23.34
STD OREAS45P	Standard	1.1	3.9	0.6	3.8	0.6	1.6	0.2	1.6	0.2	4.02	15.4	24.1	1.4	21.95	2.2	23.23
STD OREAS45P	Standard	1.1	3.8	0.6	3.6	0.6	1.7	0.2	1.5	0.2	4.31	15.2	26.4	1.4	21.02	2.3	23.82
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	0.6	<0.1	<0.04	<0.1	0.10
Prep Wash																	
G1	Prep Blank	0.8	3.1	0.4	2.4	0.5	1.6	0.2	1.7	0.2	0.67	42.8	116.0	1.5	27.35	4.9	20.03
G1	Prep Blank	0.9	3.2	0.4	2.5	0.5	1.5	0.2	1.7	0.2	0.63	42.6	116.2	1.8	31.14	4.7	19.99