



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson

Receiving Lab: Canada-Whitehorse

Received: August 18, 2010

Report Date: September 07, 2010

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000271.1

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-022
P.O. Number
Number of Samples: 51

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	51	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	51	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

ADDITIONAL COMMENTS

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
"" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
334148	Rock	0.84	0.07	5.01	0.74	83.3	<20	64.6	14.7	901	4.22	9.4	0.4	<0.1	0.6	76	0.10	3.70	<0.04	227
334149	Rock	0.53	18.35	11.98	2.34	14.9	<20	13.5	3.9	313	2.65	19.5	4.3	<0.1	2.9	13	0.05	1.21	0.45	179
334150	Rock	0.76	0.80	19.10	3.99	51.1	<20	18.9	10.5	2194	9.44	6.9	20.9	<0.1	29.8	149	0.14	8.09	0.45	149
334151	Rock	0.54	0.71	5.33	1.29	66.9	20	13.0	8.7	1867	7.83	4.0	14.6	<0.1	4.9	59	0.26	2.84	0.11	154
334152	Rock	0.55	0.17	1.11	0.49	518.4	<20	3.1	3.2	>10000	5.54	1.5	<0.1	<0.1	<0.1	15	0.54	0.54	<0.04	90
334153	Rock	0.49	0.23	3.46	2.99	32.9	<20	34.2	10.3	485	2.72	5.9	0.9	<0.1	3.6	212	0.07	5.83	0.07	180
334154	Rock	0.54	0.07	0.93	11.93	76.5	<20	8.2	6.8	2127	6.57	6.2	9.9	<0.1	7.5	84	0.30	3.87	0.16	113
334155	Rock	0.44	31.19	20.43	2.20	11.6	<20	17.5	6.8	680	1.72	87.5	7.3	<0.1	5.7	18	0.07	2.14	2.99	253
334156	Rock	0.64	0.31	23.42	2.41	71.8	<20	14.5	11.2	1309	8.16	6.0	14.6	<0.1	23.9	80	0.17	2.47	1.29	194
334157	Rock	1.07	0.46	75.56	4.03	29.9	<20	37.8	23.8	1515	9.04	2.2	195.9	<0.1	94.5	143	0.15	3.38	0.36	217
334158	Rock	0.36	0.21	4.62	3.05	108.8	<20	10.5	15.5	1325	5.90	1.1	1.0	<0.1	2.5	47	0.15	2.29	0.09	15
334159	Rock	0.28	1.69	25.31	3.99	78.9	<20	7.2	24.5	1786	9.71	1.6	22.8	<0.1	54.9	61	0.24	4.28	0.07	15
334160	Rock	0.20	0.25	2.27	17.90	14.1	*	0.7	2.9	230	2.19	<0.2	276.0	*	716.0	88	0.33	1.98	0.11	<1
334161	Rock	0.35	0.66	12.11	8.60	70.7	*	2.9	7.4	1009	5.27	0.5	76.2	<0.1	171.9	176	0.41	3.29	0.54	4
334162	Rock	0.88	3.00	2.82	4.18	38.7	<20	0.6	1.1	263	4.00	0.5	3.8	<0.1	21.7	168	0.39	0.45	<0.04	1
334163	Rock	0.57	3.35	3.63	3.00	14.5	<20	1.0	5.0	334	1.97	2.2	2.9	<0.1	14.9	48	0.17	0.82	0.48	<1
334164	Rock	0.54	4.60	3.52	4.11	13.4	<20	0.4	3.3	662	3.01	1.1	12.7	<0.1	85.0	87	0.33	1.32	0.46	<1
334165	Rock	1.07	3.60	0.81	4.27	50.8	<20	3.6	2.1	214	3.68	1.1	10.4	<0.1	18.1	129	0.20	1.85	0.11	<1
334166	Rock	0.46	1.86	35.64	13.36	158.6	<20	122.9	29.6	941	4.96	1.4	5.3	<0.1	21.0	480	0.67	0.94	0.05	167
334167	Rock	0.76	3.34	409.4	>10000	>10000	26026	1.3	2.7	9997	7.55	10.3	1.2	<0.1	5.1	18	84.22	18.02	2.72	<1
334168	Rock	0.57	1.09	2.01	4.12	33.2	<20	0.9	0.3	641	1.53	0.5	5.2	<0.1	44.1	84	0.35	0.90	<0.04	10
334169	Rock	1.56	4.32	22.48	39.02	257.3	<20	5.0	3.8	1779	5.56	<0.2	84.0	<0.1	510.2	250	2.24	1.18	0.83	29
334201	Rock	0.78	5.35	2.95	7.38	32.3	<20	52.4	8.0	655	3.68	3.5	53.7	<0.1	409.3	49	0.47	1.54	0.29	84
334202	Rock	0.86	29.02	1.60	6.93	50.4	<20	43.9	8.2	494	5.56	6.9	62.6	<0.1	225.2	18	0.27	1.26	0.37	196
334203	Rock	0.18	4.40	1.70	8.84	264.3	<20	66.5	5.7	324	7.80	<0.2	118.9	<0.1	459.8	17	0.56	1.81	0.16	140
334204	Rock	0.44	4.84	3.33	3.27	56.9	<20	6.7	1.5	2964	10.35	0.5	24.1	<0.1	23.7	62	0.53	0.96	0.09	8
334205	Rock	0.49	7.73	4.04	19.79	234.9	<20	5.0	2.6	7105	8.58	<0.2	87.5	<0.1	572.9	134	1.25	1.52	0.51	7
334206	Rock	0.61	7.53	3.16	8.01	237.5	<20	79.0	16.0	226	6.95	10.0	49.8	<0.1	299.6	18	0.50	0.79	1.29	159
334207	Rock	0.70	2.12	13.08	5.54	50.5	<20	59.5	2.1	510	0.97	1.1	56.0	<0.1	221.2	53	0.54	0.71	0.09	235
334208	Rock	0.78	5.27	1.02	29.32	158.4	<20	28.1	4.8	5082	7.48	<0.2	108.9	<0.1	1300	139	0.56	1.78	1.09	91



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
334148	Rock	0.075	11.6	187	5.32	3111	0.845	5.66	0.077	3.83	3.1	37.2	5.6	<1	28.0	<0.04	12.1	23.16	2.8	11.7	2.5
334149	Rock	0.035	10.0	24	1.22	1920	0.148	2.90	0.034	2.30	3.7	30.3	1.0	2	4.8	0.08	11.8	18.46	2.1	9.1	1.8
334150	Rock	0.150	232.8	32	3.85	4012	0.635	4.89	0.209	1.90	1.4	132.4	7.4	2	10.6	0.07	36.9	383.5	36.3	109.2	12.1
334151	Rock	0.066	136.3	25	3.61	2223	0.292	3.12	0.216	1.84	0.9	72.8	3.8	2	5.1	<0.04	26.0	238.9	23.4	72.2	8.4
334152	Rock	0.001	0.5	6	1.22	10	0.005	8.88	0.008	<0.02	<0.1	4.7	0.3	24	10.1	<0.04	3.1	0.83	<0.1	0.3	<0.1
334153	Rock	0.126	34.8	78	3.34	4157	1.000	8.18	1.703	2.92	1.2	59.7	1.5	1	22.8	<0.04	21.6	70.95	8.3	31.3	5.5
334154	Rock	0.947	206.0	16	6.13	476	0.159	1.24	0.095	0.21	1.9	30.2	9.0	2	2.4	<0.04	25.7	339.4	34.2	113.0	12.1
334155	Rock	0.057	7.8	36	0.44	2811	0.221	4.00	0.089	3.28	3.0	44.1	1.0	2	6.4	0.09	16.8	13.85	1.7	7.4	1.5
334156	Rock	0.139	196.8	64	3.81	4062	0.922	6.01	0.274	3.09	3.6	149.4	10.2	4	16.2	<0.04	49.9	344.6	35.7	117.6	14.1
334157	Rock	0.127	1934	41	3.41	3483	0.299	4.81	0.662	2.58	1.7	76.3	4.1	7	5.7	0.14	167.9	>2000	306.7	1122	103.5
334158	Rock	0.002	6.6	7	7.25	239	0.036	0.33	0.102	0.10	0.3	18.3	1.6	14	1.3	<0.04	43.5	16.82	3.3	17.6	5.5
334159	Rock	0.041	>2000	14	2.20	362	0.098	1.36	0.142	0.18	5.5	52.0	7.0	16	1.8	<0.04	210.8	>2000	748.2	>2000	231.0
334160	Rock	0.012	>2000	2	0.10	65	0.121	1.61	0.013	<0.02	1.9	199.6	6.3	54	<0.1	0.08	>2000	>2000	905.8	>2000	441.4
334161	Rock	0.013	886.6	2	2.22	566	0.200	2.25	0.569	0.63	1.4	270.3	25.9	33	<0.1	<0.04	483.4	1668	170.2	673.2	111.3
334162	Rock	0.014	57.1	1	0.89	1547	0.187	8.69	4.472	3.98	6.4	20.4	7.0	8	0.5	<0.04	49.8	133.5	15.1	55.4	9.3
334163	Rock	0.017	63.9	2	0.56	1571	0.125	8.56	4.114	4.81	11.2	23.2	8.1	5	0.3	0.30	18.2	131.7	13.9	45.5	6.7
334164	Rock	0.034	249.8	2	1.14	544	0.109	8.44	3.603	3.49	20.8	157.5	17.7	8	0.1	0.14	81.1	464.7	44.9	147.9	21.5
334165	Rock	0.018	21.1	4	1.55	424	0.208	9.29	2.662	2.49	3.3	90.8	12.6	14	0.7	0.09	84.4	50.02	5.6	23.2	8.8
334166	Rock	0.200	37.5	322	4.38	1493	0.552	7.86	2.212	2.21	1.7	177.9	1.8	3	21.0	0.10	21.7	77.58	9.6	39.7	6.3
334167	Rock	0.004	29.1	2	0.41	102	0.025	1.90	0.061	0.75	0.7	52.6	1.9	2	0.1	1.26	11.9	53.09	5.5	18.6	2.7
334168	Rock	0.064	263.2	3	0.28	182	0.328	8.21	6.716	1.02	12.2	63.9	2.4	5	2.2	<0.04	45.3	618.0	55.8	195.5	23.7
334169	Rock	0.051	1899	3	1.34	450	0.286	5.03	2.528	1.85	16.9	>2000	79.6	62	1.2	0.12	780.5	>2000	311.2	1272	187.5
334201	Rock	0.125	1138	9	1.17	144	0.227	5.21	2.828	0.62	21.3	164.3	4.7	4	5.1	0.15	569.8	1873	178.6	721.6	117.8
334202	Rock	0.162	408.2	47	2.03	217	0.267	5.36	0.093	1.58	18.6	43.3	5.3	3	6.4	0.23	124.5	860.1	82.1	289.3	44.3
334203	Rock	0.248	>2000	21	2.65	346	0.247	7.35	0.116	1.87	18.6	73.6	6.6	4	8.0	<0.04	841.0	>2000	380.3	1503	224.7
334204	Rock	0.017	286.3	3	0.23	30	0.116	5.32	4.361	0.02	5.5	244.1	16.4	3	0.5	<0.04	89.1	581.3	53.1	179.8	26.9
334205	Rock	0.026	740.2	3	0.69	64	0.139	4.56	3.746	0.02	2.4	199.4	34.3	11	0.5	<0.04	395.2	1551	150.7	574.4	99.8
334206	Rock	0.086	742.9	29	2.52	182	0.276	5.51	0.290	1.00	9.1	76.2	19.9	3	3.2	0.63	513.8	1257	103.1	367.8	67.3
334207	Rock	0.085	116.2	33	0.74	236	0.254	6.23	3.019	1.26	15.9	171.0	2.3	3	6.3	<0.04	253.5	337.7	51.0	239.5	52.4
334208	Rock	0.014	468.6	16	0.52	93	0.154	5.11	4.314	0.06	1.3	219.2	45.8	19	1.1	<0.04	342.4	1180	119.3	460.7	83.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 2 of 3 Part 3

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1	ppm 0.02
334148	Rock	0.7	3.2	0.4	2.8	0.5	1.3	0.2	1.2	0.1	1.14	36.0	55.5	0.9	13.60	1.3	13.73
334149	Rock	<0.1	2.2	0.3	1.9	0.4	1.0	0.1	1.0	0.1	0.78	12.5	52.8	0.4	8.10	0.6	7.55
334150	Rock	4.3	8.7	1.1	6.8	1.2	3.1	0.4	2.9	0.3	3.04	7.7	29.5	2.0	83.78	0.4	11.32
334151	Rock	1.8	6.1	0.7	4.1	0.8	2.3	0.3	2.0	0.3	1.57	6.2	41.6	0.9	27.68	0.7	8.63
334152	Rock	<0.1	<0.1	<0.1	0.2	0.1	0.5	0.1	1.4	0.2	0.31	2.1	0.4	<0.1	0.36	<0.1	7.40
334153	Rock	1.5	5.7	0.8	4.6	0.8	2.1	0.3	2.0	0.3	1.88	33.0	68.2	2.0	36.80	0.9	17.67
334154	Rock	2.7	7.2	0.8	4.5	0.7	1.8	0.2	1.4	0.2	0.70	2.6	7.0	0.8	17.44	1.1	5.47
334155	Rock	<0.1	1.9	0.3	2.5	0.5	1.3	0.2	1.4	0.2	1.22	9.0	70.5	0.6	7.31	0.5	8.46
334156	Rock	3.1	10.8	1.4	9.2	1.6	4.5	0.6	3.9	0.4	3.51	21.6	93.0	2.4	74.65	1.1	16.42
334157	Rock	18.7	62.0	6.5	35.8	5.6	12.8	1.5	9.7	1.2	1.78	11.0	57.1	0.9	27.17	7.8	24.47
334158	Rock	<0.1	6.8	1.0	7.4	1.4	3.9	0.6	4.6	0.8	0.70	4.9	2.5	3.3	32.77	<0.1	7.33
334159	Rock	6.4	91.4	9.9	47.3	6.9	15.5	2.2	16.6	1.9	1.41	4.7	4.5	12.2	317.4	0.2	28.63
334160	Rock	32.2	427.0	74.4	535.6	106.1	297.6	36.9	244.0	27.1	3.95	1.9	2.2	29.9	451.0	0.2	43.97
334161	Rock	7.1	101.7	15.3	103.2	19.0	48.6	5.6	36.3	3.9	6.24	7.4	15.1	14.1	251.8	0.2	33.80
334162	Rock	0.5	9.4	1.6	10.7	2.1	6.2	0.8	5.7	0.7	0.45	35.0	134.9	13.6	206.6	3.9	39.51
334163	Rock	0.2	5.5	0.8	4.9	0.8	2.0	0.2	1.5	0.2	0.47	15.4	150.9	10.7	207.0	0.9	40.80
334164	Rock	1.3	17.6	2.8	18.8	3.3	8.2	0.9	5.6	0.6	2.87	24.6	127.8	29.8	707.8	0.9	48.62
334165	Rock	1.0	16.0	3.4	23.0	4.4	11.0	1.3	7.0	0.7	1.71	43.0	38.7	22.4	425.5	0.8	54.65
334166	Rock	1.1	5.7	0.7	4.1	0.8	2.0	0.3	2.3	0.3	4.73	38.3	112.7	1.2	23.14	3.9	16.87
334167	Rock	0.2	2.5	0.4	2.2	0.5	1.1	0.1	1.1	0.1	0.97	8.4	42.6	1.7	40.79	1.3	8.58
334168	Rock	1.2	15.6	2.0	11.2	1.9	5.2	0.7	4.7	0.6	1.56	14.3	31.8	13.7	236.8	0.4	34.80
334169	Rock	18.6	175.7	26.0	156.5	28.0	69.0	7.8	46.1	4.6	38.24	31.0	151.9	100.4	>2000	3.6	78.48
334201	Rock	12.5	113.4	17.7	111.3	19.6	51.3	6.1	39.0	4.2	3.35	12.8	23.3	50.6	1286	0.3	24.88
334202	Rock	5.4	34.4	5.0	29.2	4.8	11.9	1.5	9.6	1.0	1.09	21.9	54.0	33.3	1006	0.7	21.68
334203	Rock	25.3	185.2	28.6	181.3	30.1	78.3	9.5	64.1	7.0	1.54	40.5	70.8	94.3	>2000	0.8	42.72
334204	Rock	2.5	21.3	3.2	20.8	3.5	9.0	1.0	6.2	0.7	4.90	0.9	1.1	28.8	864.5	<0.1	61.59
334205	Rock	9.0	95.8	16.3	98.7	17.1	36.0	3.5	19.1	2.1	3.37	0.8	1.5	13.8	804.8	<0.1	59.42
334206	Rock	10.9	77.6	13.7	88.9	16.2	42.1	4.9	29.9	3.1	1.63	43.3	40.4	46.7	1493	0.8	33.25
334207	Rock	3.8	55.7	8.2	54.7	9.9	26.0	3.1	21.0	2.4	3.17	9.8	46.7	20.1	1118	0.6	17.66
334208	Rock	7.5	80.4	13.1	83.0	14.3	35.3	3.8	23.4	2.5	3.43	14.8	11.7	18.1	423.2	0.2	75.51



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
334209	Rock	0.86	67.54	26.10	45.33	41.3	<20	90.7	14.2	2325	3.74	52.5	116.7	<0.1	1954	56	0.55	1.70	2.16	97
334210	Rock	0.91	13.88	2.34	8.40	16.0	<20	16.0	3.3	730	1.41	2.4	5.8	<0.1	431.4	30	0.11	0.64	0.12	405
334211	Rock	0.98	4.55	14.18	138.1	114.6	<20	102.5	15.8	889	1.52	149.6	39.2	<0.1	>2000	68	0.51	4.03	0.76	348
334212	Rock	0.53	1.61	2.86	2.90	38.0	<20	1.9	0.7	921	1.66	2.3	8.2	<0.1	75.6	100	0.50	0.58	0.06	14
334213	Rock	0.79	3.44	3.39	20.92	66.4	<20	5.7	1.0	780	3.69	<0.2	115.8	<0.1	913.5	65	0.45	3.93	0.40	26
334214	Rock	0.61	22.00	1.95	2.79	35.6	<20	7.6	1.2	86	1.50	0.8	2.4	<0.1	20.7	38	0.06	0.34	0.16	12
334215	Rock	0.64	26.96	2.40	84.43	75.7	<20	7.7	0.8	1039	2.07	1.6	71.8	<0.1	1107	40	0.32	1.52	0.15	22
334216	Rock	0.74	7.98	0.73	5.41	100.1	<20	19.2	1.3	450	4.86	<0.2	27.2	<0.1	240.2	17	0.24	1.35	0.12	108
334217	Rock	0.76	37.09	1.12	11.41	113.2	<20	32.0	1.3	688	4.46	<0.2	79.9	<0.1	811.4	13	0.17	1.90	0.20	77
334218	Rock	0.88	7.10	2.46	14.22	38.4	<20	6.6	0.5	274	1.39	<0.2	52.8	<0.1	1005	60	0.35	1.16	0.11	24
334219	Rock	0.59	25.36	1.15	14.72	60.4	<20	24.0	0.9	577	2.90	<0.2	83.7	<0.1	1020	59	0.33	1.85	0.13	36
334220	Rock	0.53	5.57	0.68	6.19	76.6	<20	15.0	0.7	414	2.37	<0.2	45.4	<0.1	322.6	39	0.28	1.30	0.07	8
334221	Rock	0.71	24.97	2.02	4.80	52.3	<20	6.8	1.0	113	2.04	1.2	16.5	<0.1	264.5	30	0.08	0.65	0.16	17
334222	Rock	1.02	16.22	2.86	63.83	49.7	<20	4.1	0.6	230	1.58	14.3	80.0	<0.1	>2000	33	0.16	1.12	0.16	23
334223	Rock	0.67	4.59	1.18	31.51	94.2	<20	14.2	1.7	1859	4.06	<0.2	138.7	<0.1	1439	140	0.43	2.36	0.28	87
334224	Rock	0.70	28.54	0.38	5.65	240.3	<20	71.6	1.8	355	6.87	<0.2	96.8	<0.1	365.4	7	0.21	2.22	0.18	46
334225	Rock	0.92	2.11	1.24	11.80	188.1	<20	16.6	1.1	233	4.99	<0.2	103.7	<0.1	842.7	5	0.15	1.68	0.16	32
334226	Rock	0.67	0.65	2.83	8.80	14.4	32	3.9	2.3	276	1.97	1.5	80.4	<0.1	360.7	32	0.33	1.19	0.41	8
334227	Rock	0.81	1.99	6.57	37.02	71.1	32	3.4	11.8	1096	8.74	<0.2	1109	<0.1	1859	53	0.17	2.34	0.69	6
334228	Rock	0.94	2.93	2.85	32.66	47.3	<20	3.4	10.7	1099	11.14	1.1	212.0	<0.1	1898	48	0.33	2.71	0.43	<1
334229	Rock	0.63	0.29	5.58	28.20	36.0	<20	1.9	3.7	366	2.22	2.5	621.8	<0.1	1399	35	0.14	1.67	0.84	<1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
334209	Rock	0.290	1420	14	1.15	588	0.203	3.43	0.252	1.65	7.1	384.6	3.2	11	3.9	<0.04	938.7	>2000	269.4	1204
334210	Rock	0.211	139.3	46	1.77	287	0.134	3.87	0.078	2.06	1.6	40.5	1.7	6	16.8	0.09	70.7	289.0	35.9	149.1
334211	Rock	0.185	930.8	43	0.31	411	0.431	6.49	3.930	1.22	9.3	60.0	3.4	26	12.5	<0.04	241.4	1730	170.2	651.9
334212	Rock	0.012	325.6	3	0.76	111	0.142	7.88	6.948	0.34	1.1	40.3	1.0	5	0.4	<0.04	80.7	662.5	61.5	213.3
334213	Rock	0.006	296.6	6	2.82	199	0.216	6.10	3.419	0.13	1.1	153.8	2.5	34	3.3	0.05	963.6	910.2	120.8	691.0
334214	Rock	0.017	12.8	4	1.34	100	0.050	5.45	6.681	0.56	0.5	22.4	0.4	3	0.9	<0.04	19.1	39.21	5.1	24.7
334215	Rock	0.022	122.9	4	0.97	377	0.085	5.71	3.776	0.83	3.6	202.4	0.6	4	1.1	<0.04	412.8	326.2	38.5	183.6
334216	Rock	0.005	96.9	24	8.25	168	0.433	6.47	1.254	1.75	5.4	60.9	1.7	10	21.9	<0.04	335.2	308.9	41.7	197.8
334217	Rock	0.036	67.5	18	7.50	306	0.326	3.85	0.035	2.80	1.2	23.3	1.2	2	6.1	<0.04	626.0	261.2	40.5	234.8
334218	Rock	0.131	100.2	14	2.65	151	0.227	5.55	4.029	1.21	4.4	287.1	0.7	3	1.8	<0.04	398.4	258.5	34.3	190.4
334219	Rock	0.039	341.7	5	2.27	265	0.249	4.69	1.319	1.28	4.5	120.9	1.1	5	2.6	<0.04	559.8	1079	129.6	627.7
334220	Rock	0.034	280.2	4	2.26	516	0.291	7.52	2.812	2.66	5.5	32.7	1.3	10	1.1	<0.04	269.6	653.6	73.9	321.6
334221	Rock	0.012	43.0	3	1.69	50	0.106	5.43	4.319	0.17	2.6	31.8	0.9	3	0.6	<0.04	120.5	146.7	17.7	86.9
334222	Rock	0.003	44.3	14	1.01	64	0.279	4.87	4.267	0.08	1.0	117.2	1.1	2	0.6	<0.04	376.9	172.7	25.4	140.6
334223	Rock	0.005	307.3	12	4.66	113	0.403	4.56	2.188	0.28	0.9	60.9	1.3	19	14.3	<0.04	1119	1322	192.8	1161
334224	Rock	0.018	145.0	5	5.87	151	0.192	5.73	0.020	0.62	3.1	24.5	1.1	3	2.0	<0.04	498.6	478.2	62.2	319.8
334225	Rock	0.008	277.8	6	5.36	73	0.181	5.03	0.589	0.25	1.7	63.5	1.0	1	4.1	<0.04	712.8	864.0	102.3	495.2
334226	Rock	<0.001	40.7	13	0.63	4413	0.292	3.72	0.107	3.04	<0.1	569.4	5.3	62	0.2	<0.04	747.3	215.5	44.6	313.0
334227	Rock	<0.001	527.9	3	1.51	114	0.151	1.65	0.154	0.46	0.9	128.1	8.9	33	0.3	<0.04	>2000	>2000	377.8	>2000
334228	Rock	0.040	>2000	14	1.15	219	0.230	2.77	0.217	0.78	0.7	478.6	24.6	144	<0.1	<0.04	1677	>2000	766.5	>2000
334229	Rock	0.006	>2000	1	0.22	40	0.106	1.06	0.018	<0.02	<0.1	175.6	7.2	439	<0.1	<0.04	>2000	>2000	1308	>2000



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: September 07, 2010

Page: 3 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000271.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02
334209	Rock	13.8	160.5	23.3	144.5	26.1	66.8	8.6	58.5	6.7	4.37	18.8	89.9	5.6	348.4	1.8	35.49
334210	Rock	1.3	21.4	2.4	12.2	1.8	4.4	0.5	3.5	0.5	0.87	9.9	84.3	0.6	59.63	1.1	12.86
334211	Rock	8.8	72.2	9.1	52.0	8.6	21.8	2.8	20.5	2.4	0.77	13.0	52.8	3.9	334.4	2.0	16.70
334212	Rock	2.0	20.8	3.0	18.9	3.4	9.4	1.2	8.9	1.1	0.81	3.6	8.7	19.5	345.5	0.1	53.57
334213	Rock	7.2	169.5	28.1	191.0	36.6	100.4	11.7	73.4	8.1	1.96	10.4	7.5	84.9	1406	0.4	54.18
334214	Rock	0.2	4.6	0.7	4.7	1.0	2.6	0.3	2.2	0.3	0.44	27.7	14.8	9.0	128.3	0.9	34.76
334215	Rock	1.6	49.3	8.7	66.1	13.7	39.6	4.6	28.5	3.4	3.05	12.4	41.9	46.0	671.7	3.5	42.98
334216	Rock	1.3	47.9	8.2	54.4	10.6	28.3	3.4	21.6	2.6	1.13	138.8	175.7	83.5	1052	4.5	45.97
334217	Rock	2.5	93.8	15.9	111.6	21.1	58.7	6.9	42.9	5.0	0.20	211.6	271.1	19.6	667.5	5.4	33.72
334218	Rock	2.6	72.6	12.7	84.1	15.4	41.9	5.0	31.6	3.7	4.00	91.5	98.0	109.6	1405	2.3	31.06
334219	Rock	3.8	110.4	16.9	106.9	19.7	49.4	5.7	37.1	4.2	1.59	18.7	61.6	53.7	1516	0.8	32.60
334220	Rock	2.6	63.4	10.5	67.8	11.8	31.1	3.7	22.2	2.3	0.56	38.2	123.2	18.9	1207	1.1	44.28
334221	Rock	0.7	20.5	3.3	21.0	4.2	11.7	1.4	9.1	1.1	0.61	10.9	12.0	44.5	520.8	0.4	33.21
334222	Rock	1.7	44.6	7.7	53.1	10.7	30.4	3.7	22.5	2.6	1.70	5.4	3.7	35.6	420.2	0.6	40.95
334223	Rock	7.0	191.5	29.7	183.8	33.8	86.4	10.1	61.3	7.3	0.71	28.4	25.5	60.1	1390	0.8	45.87
334224	Rock	2.7	90.4	15.0	104.2	20.0	55.5	6.8	42.7	4.7	0.38	32.7	32.8	39.6	1010	0.4	47.93
334225	Rock	3.2	108.2	18.0	123.4	24.2	65.4	7.7	48.2	5.5	0.85	37.6	21.4	27.9	838.2	0.9	49.32
334226	Rock	0.9	125.4	18.5	134.6	23.8	63.5	8.0	54.9	6.1	13.27	1.2	63.8	4.7	86.71	0.3	29.56
334227	Rock	34.1	599.1	84.8	668.2	123.9	306.9	34.4	220.9	20.5	1.15	26.0	6.1	2.8	98.41	0.2	10.02
334228	Rock	31.5	248.9	37.6	266.2	44.9	111.6	14.0	91.2	8.6	9.21	37.4	6.0	3.0	159.8	0.1	28.83
334229	Rock	27.6	201.7	33.8	266.2	50.4	147.4	20.5	150.2	16.1	2.68	2.7	1.5	0.8	138.8	0.2	17.68



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

September 07, 2010

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

WHI10000271.1

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
Pulp Duplicates																					
334166	Rock	0.46	1.86	35.64	13.36	158.6	<20	122.9	29.6	941	4.96	1.4	5.3	<0.1	21.0	480	0.67	0.94	0.05	167	4.26
REP 334166	QC		1.86	33.36	14.16	159.0	<20	118.7	29.6	917	4.90	1.6	5.3	<0.1	20.3	455	0.64	0.95	0.04	165	4.20
334229	Rock	0.63	0.29	5.58	28.20	36.0	<20	1.9	3.7	366	2.22	2.5	621.8	<0.1	1399	35	0.14	1.67	0.84	<1	3.78
REP 334229	QC		0.43	5.46	28.55	37.3	<20	2.1	3.4	370	2.30	3.2	645.3	<0.1	1434	36	0.18	1.75	0.92	<1	3.81
Reference Materials																					
STD OREAS24P	Standard		1.49	53.07	2.68	123.7	<20	151.5	50.6	1124	7.72	1.5	0.6	<0.1	2.3	388	0.13	0.17	<0.04	170	6.31
STD OREAS24P	Standard		1.42	44.55	2.43	108.3	58	141.1	41.8	1075	7.39	1.2	0.6	<0.1	2.5	395	0.13	0.07	<0.04	162	5.49
STD OREAS24P	Standard		1.46	53.20	2.71	114.4	<20	149.8	47.0	1105	7.54	0.9	0.8	<0.1	3.0	387	0.12	0.07	<0.04	165	5.94
STD OREAS45P	Standard		2.20	747.1	21.24	149.2	315	408.3	126.1	1315	18.89	12.5	2.0	<0.1	9.5	35	0.18	0.83	0.20	289	0.28
STD OREAS45P	Standard		2.13	776.6	21.13	140.0	443	409.3	117.4	1314	20.43	10.7	1.9	<0.1	9.0	28	0.23	0.77	0.23	286	0.30
STD OREAS45P	Standard		2.29	759.5	21.52	145.5	333	405.1	124.1	1359	18.07	12.3	2.1	<0.1	9.6	33	0.10	0.85	0.23	285	0.30
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267	0.3
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02
Prep Wash																					
G1	Prep Blank		0.21	4.38	18.61	50.5	47	3.6	5.0	748	2.30	1.9	2.5	<0.1	6.7	652	0.08	0.94	0.85	51	2.48
G1	Prep Blank		0.17	3.28	18.28	51.7	<20	3.5	4.9	746	2.32	1.6	2.8	<0.1	8.4	660	0.05	0.54	0.12	52	2.46



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: September 07, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000271.1

Method Analyte Unit MDL		1T P % 0.001	1T La ppm 0.1	1T Cr ppm 1	1T Mg % 0.02	1T Ba ppm 1	1T Ti % 0.001	1T Al % 0.02	1T Na % 0.002	1T K % 0.02	1T W ppm 0.1	1T Zr ppm 0.2	1T Sn ppm 0.1	1T Be ppm 1	1T Sc ppm 0.1	1T S % 0.04	1T Y ppm 0.1	1T Ce ppm 0.02	1T Pr ppm 0.1	1T Nd ppm 0.1	1T Sm ppm 0.1
Pulp Duplicates																					
334166	Rock	0.200	37.5	322	4.38	1493	0.552	7.86	2.212	2.21	1.7	177.9	1.8	3	21.0	0.10	21.7	77.58	9.6	39.7	6.3
REP 334166	QC	0.198	38.0	313	4.31	1499	0.558	7.76	2.196	2.21	1.6	174.7	1.9	3	22.6	0.09	21.0	77.90	9.6	39.5	6.6
334229	Rock	0.006	>2000	1	0.22	40	0.106	1.06	0.018	<0.02	<0.1	175.6	7.2	439	<0.1	<0.04	>2000	>2000	1308	>2000	380.6
REP 334229	QC	0.007	>2000	1	0.23	43	0.106	1.09	0.019	<0.02	0.2	178.8	7.8	457	<0.1	<0.04	>2000	>2000	1323	>2000	393.2
Reference Materials																					
STD OREAS24P	Standard	0.149	17.3	196	4.20	284	1.091	7.86	2.423	0.72	0.5	140.0	1.6	1	20.4	<0.04	20.9	35.74	4.5	20.8	4.5
STD OREAS24P	Standard	0.128	15.5	188	4.00	250	1.036	8.13	2.433	0.68	0.5	137.9	1.5	1	18.9	0.05	20.0	33.76	4.2	20.0	4.6
STD OREAS24P	Standard	0.133	17.6	200	3.97	290	1.075	8.15	2.378	0.68	0.5	141.5	1.6	1	20.0	<0.04	22.2	35.82	4.4	21.6	4.8
STD OREAS45P	Standard	0.046	25.2	1078	0.24	296	1.050	6.84	0.089	0.36	1.1	163.6	2.5	1	68.9	<0.04	14.1	49.87	5.7	22.7	4.4
STD OREAS45P	Standard	0.043	22.7	1106	0.21	266	1.110	7.38	0.083	0.37	1.2	159.0	2.4	<1	68.0	<0.04	10.5	47.60	5.2	22.4	4.3
STD OREAS45P	Standard	0.042	25.9	1126	0.22	305	1.066	7.10	0.081	0.35	1.2	158.2	2.4	<1	67.3	<0.04	14.0	51.53	5.8	23.5	4.3
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.16	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.15	<0.1	<0.1	<0.1
Prep Wash																					
G1	Prep Blank	0.083	18.2	6	0.62	907	0.254	6.84	2.804	2.95	0.3	11.0	1.7	3	4.8	<0.04	12.4	40.89	4.7	18.1	3.0
G1	Prep Blank	0.082	16.8	6	0.59	923	0.258	6.84	2.822	3.07	0.2	9.8	1.6	3	4.5	<0.04	11.6	37.93	4.3	16.9	2.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: September 07, 2010

Page: 1 of 1 Part 3

QUALITY CONTROL REPORT

WHI10000271.1

Method Analyte Unit MDL		1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
Pulp Duplicates																	
334166	Rock	1.1	5.7	0.7	4.1	0.8	2.0	0.3	2.3	0.3	4.73	38.3	112.7	1.2	23.14	3.9	16.87
REP 334166	QC	1.2	5.2	0.6	4.2	0.8	2.0	0.3	2.1	0.3	4.79	37.1	112.1	1.1	22.62	3.9	16.62
334229	Rock	27.6	201.7	33.8	266.2	50.4	147.4	20.5	150.2	16.1	2.68	2.7	1.5	0.8	138.8	0.2	17.68
REP 334229	QC	27.5	188.3	35.6	267.4	52.0	147.4	21.3	152.4	16.4	2.70	2.5	1.3	2.4	187.3	0.2	17.96
Reference Materials																	
STD OREAS24P	Standard	1.5	5.1	0.7	4.4	0.8	2.1	0.3	1.7	0.2	3.43	8.5	15.5	1.2	19.45	0.8	20.29
STD OREAS24P	Standard	1.4	4.7	0.6	4.1	0.7	2.0	0.2	1.6	0.2	3.41	7.6	22.7	1.1	19.13	0.7	20.26
STD OREAS24P	Standard	1.4	4.7	0.7	4.6	0.8	2.1	0.2	1.9	0.2	3.64	8.1	23.6	1.2	22.98	0.8	19.54
STD OREAS45P	Standard	1.0	4.2	0.6	3.5	0.6	1.7	0.2	1.7	0.2	4.02	15.3	24.2	1.4	22.22	2.2	24.22
STD OREAS45P	Standard	0.9	3.3	0.5	3.0	0.5	1.4	0.2	1.5	0.2	4.18	15.0	23.2	1.4	19.62	2.1	23.97
STD OREAS45P	Standard	1.0	3.8	0.5	3.6	0.5	1.7	0.2	1.7	0.2	3.97	15.7	25.1	1.3	22.62	2.2	23.10
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
Prep Wash																	
G1	Prep Blank	0.7	3.1	0.4	2.5	0.5	1.5	0.2	1.7	0.2	0.60	38.7	87.8	1.6	26.04	4.4	17.94
G1	Prep Blank	0.6	2.8	0.4	2.5	0.5	1.3	0.2	1.5	0.2	0.59	38.2	83.1	1.7	26.79	4.1	19.24