



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson
Receiving Lab: Canada-Whitehorse
Received: August 18, 2010
Report Date: November 01, 2010
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI10000271.2

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-022
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	51	Crush, split and pulverize 250 g rock to 200 mesh			WHI
Group 1T	51	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN
4B03	39	LiBO2/Li2B4O7 fusion ICP-MS analysis	0.2	Completed	VAN

ADDITIONAL COMMENTS

Version 2: 4B03 analysis included



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 1

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
334148	Rock	0.84	0.07	5.01	0.74	83.3	<20	64.6	14.7	901	4.22	9.4	0.4	<0.1	0.6	76	0.10	3.70	<0.04	227
334149	Rock	0.53	18.35	11.98	2.34	14.9	<20	13.5	3.9	313	2.65	19.5	4.3	<0.1	2.9	13	0.05	1.21	0.45	179
334150	Rock	0.76	0.80	19.10	3.99	51.1	<20	18.9	10.5	2194	9.44	6.9	20.9	<0.1	29.8	149	0.14	8.09	0.45	149
334151	Rock	0.54	0.71	5.33	1.29	66.9	20	13.0	8.7	1867	7.83	4.0	14.6	<0.1	4.9	59	0.26	2.84	0.11	154
334152	Rock	0.55	0.17	1.11	0.49	518.4	<20	3.1	3.2	>10000	5.54	1.5	<0.1	<0.1	<0.1	15	0.54	0.54	<0.04	90
334153	Rock	0.49	0.23	3.46	2.99	32.9	<20	34.2	10.3	485	2.72	5.9	0.9	<0.1	3.6	212	0.07	5.83	0.07	180
334154	Rock	0.54	0.07	0.93	11.93	76.5	<20	8.2	6.8	2127	6.57	6.2	9.9	<0.1	7.5	84	0.30	3.87	0.16	113
334155	Rock	0.44	31.19	20.43	2.20	11.6	<20	17.5	6.8	680	1.72	87.5	7.3	<0.1	5.7	18	0.07	2.14	2.99	253
334156	Rock	0.64	0.31	23.42	2.41	71.8	<20	14.5	11.2	1309	8.16	6.0	14.6	<0.1	23.9	80	0.17	2.47	1.29	194
334157	Rock	1.07	0.46	75.56	4.03	29.9	<20	37.8	23.8	1515	9.04	2.2	195.9	<0.1	94.5	143	0.15	3.38	0.36	217
334158	Rock	0.36	0.21	4.62	3.05	108.8	<20	10.5	15.5	1325	5.90	1.1	1.0	<0.1	2.5	47	0.15	2.29	0.09	15
334159	Rock	0.28	1.69	25.31	3.99	78.9	<20	7.2	24.5	1786	9.71	1.6	22.8	<0.1	54.9	61	0.24	4.28	0.07	15
334160	Rock	0.20	0.25	2.27	17.90	14.1	*	0.7	2.9	230	2.19	<0.2	276.0	*	716.0	88	0.33	1.98	0.11	<1
334161	Rock	0.35	0.66	12.11	8.60	70.7	*	2.9	7.4	1009	5.27	0.5	76.2	<0.1	171.9	176	0.41	3.29	0.54	4
334162	Rock	0.88	3.00	2.82	4.18	38.7	<20	0.6	1.1	263	4.00	0.5	3.8	<0.1	21.7	168	0.39	0.45	<0.04	1
334163	Rock	0.57	3.35	3.63	3.00	14.5	<20	1.0	5.0	334	1.97	2.2	2.9	<0.1	14.9	48	0.17	0.82	0.48	<1
334164	Rock	0.54	4.60	3.52	4.11	13.4	<20	0.4	3.3	662	3.01	1.1	12.7	<0.1	85.0	87	0.33	1.32	0.46	<1
334165	Rock	1.07	3.60	0.81	4.27	50.8	<20	3.6	2.1	214	3.68	1.1	10.4	<0.1	18.1	129	0.20	1.85	0.11	<1
334166	Rock	0.46	1.86	35.64	13.36	158.6	<20	122.9	29.6	941	4.96	1.4	5.3	<0.1	21.0	480	0.67	0.94	0.05	167
334167	Rock	0.76	3.34	409.4	>10000	>10000	26026	1.3	2.7	9997	7.55	10.3	1.2	<0.1	5.1	18	84.22	18.02	2.72	<1
334168	Rock	0.57	1.09	2.01	4.12	33.2	<20	0.9	0.3	641	1.53	0.5	5.2	<0.1	44.1	84	0.35	0.90	<0.04	10
334169	Rock	1.56	4.32	22.48	39.02	257.3	<20	5.0	3.8	1779	5.56	<0.2	84.0	<0.1	510.2	250	2.24	1.18	0.83	29
334201	Rock	0.78	5.35	2.95	7.38	32.3	<20	52.4	8.0	655	3.68	3.5	53.7	<0.1	409.3	49	0.47	1.54	0.29	84
334202	Rock	0.86	29.02	1.60	6.93	50.4	<20	43.9	8.2	494	5.56	6.9	62.6	<0.1	225.2	18	0.27	1.26	0.37	196
334203	Rock	0.18	4.40	1.70	8.84	264.3	<20	66.5	5.7	324	7.80	<0.2	118.9	<0.1	459.8	17	0.56	1.81	0.16	140
334204	Rock	0.44	4.84	3.33	3.27	56.9	<20	6.7	1.5	2964	10.35	0.5	24.1	<0.1	23.7	62	0.53	0.96	0.09	8
334205	Rock	0.49	7.73	4.04	19.79	234.9	<20	5.0	2.6	7105	8.58	<0.2	87.5	<0.1	572.9	134	1.25	1.52	0.51	7
334206	Rock	0.61	7.53	3.16	8.01	237.5	<20	79.0	16.0	226	6.95	10.0	49.8	<0.1	299.6	18	0.50	0.79	1.29	159
334207	Rock	0.70	2.12	13.08	5.54	50.5	<20	59.5	2.1	510	0.97	1.1	56.0	<0.1	221.2	53	0.54	0.71	0.09	235
334208	Rock	0.78	5.27	1.02	29.32	158.4	<20	28.1	4.8	5082	7.48	<0.2	108.9	<0.1	1300	139	0.56	1.78	1.09	91



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 2

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
334148	Rock	0.075	11.6	187	5.32	3111	0.845	5.66	0.077	3.83	3.1	37.2	5.6	<1	28.0	<0.04	12.1	23.16	2.8	11.7	2.5
334149	Rock	0.035	10.0	24	1.22	1920	0.148	2.90	0.034	2.30	3.7	30.3	1.0	2	4.8	0.08	11.8	18.46	2.1	9.1	1.8
334150	Rock	0.150	232.8	32	3.85	4012	0.635	4.89	0.209	1.90	1.4	132.4	7.4	2	10.6	0.07	36.9	383.5	36.3	109.2	12.1
334151	Rock	0.066	136.3	25	3.61	2223	0.292	3.12	0.216	1.84	0.9	72.8	3.8	2	5.1	<0.04	26.0	238.9	23.4	72.2	8.4
334152	Rock	0.001	0.5	6	1.22	10	0.005	8.88	0.008	<0.02	<0.1	4.7	0.3	24	10.1	<0.04	3.1	0.83	<0.1	0.3	<0.1
334153	Rock	0.126	34.8	78	3.34	4157	1.000	8.18	1.703	2.92	1.2	59.7	1.5	1	22.8	<0.04	21.6	70.95	8.3	31.3	5.5
334154	Rock	0.947	206.0	16	6.13	476	0.159	1.24	0.095	0.21	1.9	30.2	9.0	2	2.4	<0.04	25.7	339.4	34.2	113.0	12.1
334155	Rock	0.057	7.8	36	0.44	2811	0.221	4.00	0.089	3.28	3.0	44.1	1.0	2	6.4	0.09	16.8	13.85	1.7	7.4	1.5
334156	Rock	0.139	196.8	64	3.81	4062	0.922	6.01	0.274	3.09	3.6	149.4	10.2	4	16.2	<0.04	49.9	344.6	35.7	117.6	14.1
334157	Rock	0.127	1934	41	3.41	3483	0.299	4.81	0.662	2.58	1.7	76.3	4.1	7	5.7	0.14	167.9	>2000	306.7	1122	103.5
334158	Rock	0.002	6.6	7	7.25	239	0.036	0.33	0.102	0.10	0.3	18.3	1.6	14	1.3	<0.04	43.5	16.82	3.3	17.6	5.5
334159	Rock	0.041	>2000	14	2.20	362	0.098	1.36	0.142	0.18	5.5	52.0	7.0	16	1.8	<0.04	210.8	>2000	748.2	>2000	231.0
334160	Rock	0.012	>2000	2	0.10	65	0.121	1.61	0.013	<0.02	1.9	199.6	6.3	54	<0.1	0.08	>2000	>2000	905.8	>2000	441.4
334161	Rock	0.013	886.6	2	2.22	566	0.200	2.25	0.569	0.63	1.4	270.3	25.9	33	<0.1	<0.04	483.4	1668	170.2	673.2	111.3
334162	Rock	0.014	57.1	1	0.89	1547	0.187	8.69	4.472	3.98	6.4	20.4	7.0	8	0.5	<0.04	49.8	133.5	15.1	55.4	9.3
334163	Rock	0.017	63.9	2	0.56	1571	0.125	8.56	4.114	4.81	11.2	23.2	8.1	5	0.3	0.30	18.2	131.7	13.9	45.5	6.7
334164	Rock	0.034	249.8	2	1.14	544	0.109	8.44	3.603	3.49	20.8	157.5	17.7	8	0.1	0.14	81.1	464.7	44.9	147.9	21.5
334165	Rock	0.018	21.1	4	1.55	424	0.208	9.29	2.662	2.49	3.3	90.8	12.6	14	0.7	0.09	84.4	50.02	5.6	23.2	8.8
334166	Rock	0.200	37.5	322	4.38	1493	0.552	7.86	2.212	2.21	1.7	177.9	1.8	3	21.0	0.10	21.7	77.58	9.6	39.7	6.3
334167	Rock	0.004	29.1	2	0.41	102	0.025	1.90	0.061	0.75	0.7	52.6	1.9	2	0.1	1.26	11.9	53.09	5.5	18.6	2.7
334168	Rock	0.064	263.2	3	0.28	182	0.328	8.21	6.716	1.02	12.2	63.9	2.4	5	2.2	<0.04	45.3	618.0	55.8	195.5	23.7
334169	Rock	0.051	1899	3	1.34	450	0.286	5.03	2.528	1.85	16.9	>2000	79.6	62	1.2	0.12	780.5	>2000	311.2	1272	187.5
334201	Rock	0.125	1138	9	1.17	144	0.227	5.21	2.828	0.62	21.3	164.3	4.7	4	5.1	0.15	569.8	1873	178.6	721.6	117.8
334202	Rock	0.162	408.2	47	2.03	217	0.267	5.36	0.093	1.58	18.6	43.3	5.3	3	6.4	0.23	124.5	860.1	82.1	289.3	44.3
334203	Rock	0.248	>2000	21	2.65	346	0.247	7.35	0.116	1.87	18.6	73.6	6.6	4	8.0	<0.04	841.0	>2000	380.3	1503	224.7
334204	Rock	0.017	286.3	3	0.23	30	0.116	5.32	4.361	0.02	5.5	244.1	16.4	3	0.5	<0.04	89.1	581.3	53.1	179.8	26.9
334205	Rock	0.026	740.2	3	0.69	64	0.139	4.56	3.746	0.02	2.4	199.4	34.3	11	0.5	<0.04	395.2	1551	150.7	574.4	99.8
334206	Rock	0.086	742.9	29	2.52	182	0.276	5.51	0.290	1.00	9.1	76.2	19.9	3	3.2	0.63	513.8	1257	103.1	367.8	67.3
334207	Rock	0.085	116.2	33	0.74	236	0.254	6.23	3.019	1.26	15.9	171.0	2.3	3	6.3	<0.04	253.5	337.7	51.0	239.5	52.4
334208	Rock	0.014	468.6	16	0.52	93	0.154	5.11	4.314	0.06	1.3	219.2	45.8	19	1.1	<0.04	342.4	1180	119.3	460.7	83.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 3

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1	ppm 0.02	ppm 1	ppm 1	ppm 0.2
334148	Rock	0.7	3.2	0.4	2.8	0.5	1.3	0.2	1.2	0.1	1.14	36.0	55.5	0.9	13.60	1.3	13.73	3442	<1	13.7
334149	Rock	<0.1	2.2	0.3	1.9	0.4	1.0	0.1	1.0	0.1	0.78	12.5	52.8	0.4	8.10	0.6	7.55	2161	<1	3.4
334150	Rock	4.3	8.7	1.1	6.8	1.2	3.1	0.4	2.9	0.3	3.04	7.7	29.5	2.0	83.78	0.4	11.32	3691	2	7.9
334151	Rock	1.8	6.1	0.7	4.1	0.8	2.3	0.3	2.0	0.3	1.57	6.2	41.6	0.9	27.68	0.7	8.63	2528	2	7.1
334152	Rock	<0.1	<0.1	<0.1	0.2	0.1	0.5	0.1	1.4	0.2	0.31	2.1	0.4	<0.1	0.36	<0.1	7.40	12	23	1.2
334153	Rock	1.5	5.7	0.8	4.6	0.8	2.1	0.3	2.0	0.3	1.88	33.0	68.2	2.0	36.80	0.9	17.67	3776	1	9.4
334154	Rock	2.7	7.2	0.8	4.5	0.7	1.8	0.2	1.4	0.2	0.70	2.6	7.0	0.8	17.44	1.1	5.47	548	2	6.1
334155	Rock	<0.1	1.9	0.3	2.5	0.5	1.3	0.2	1.4	0.2	1.22	9.0	70.5	0.6	7.31	0.5	8.46	3570	2	5.6
334156	Rock	3.1	10.8	1.4	9.2	1.6	4.5	0.6	3.9	0.4	3.51	21.6	93.0	2.4	74.65	1.1	16.42	4203	3	10.4
334157	Rock	18.7	62.0	6.5	35.8	5.6	12.8	1.5	9.7	1.2	1.78	11.0	57.1	0.9	27.17	7.8	24.47	N.A.	N.A.	N.A.
334158	Rock	<0.1	6.8	1.0	7.4	1.4	3.9	0.6	4.6	0.8	0.70	4.9	2.5	3.3	32.77	<0.1	7.33	N.A.	N.A.	N.A.
334159	Rock	6.4	91.4	9.9	47.3	6.9	15.5	2.2	16.6	1.9	1.41	4.7	4.5	12.2	317.4	0.2	28.63	N.A.	N.A.	N.A.
334160	Rock	32.2	427.0	74.4	535.6	106.1	297.6	36.9	244.0	27.1	3.95	1.9	2.2	29.9	451.0	0.2	43.97	N.A.	N.A.	N.A.
334161	Rock	7.1	101.7	15.3	103.2	19.0	48.6	5.6	36.3	3.9	6.24	7.4	15.1	14.1	251.8	0.2	33.80	N.A.	N.A.	N.A.
334162	Rock	0.5	9.4	1.6	10.7	2.1	6.2	0.8	5.7	0.7	0.45	35.0	134.9	13.6	206.6	3.9	39.51	1820	6	1.2
334163	Rock	0.2	5.5	0.8	4.9	0.8	2.0	0.2	1.5	0.2	0.47	15.4	150.9	10.7	207.0	0.9	40.80	1957	3	4.4
334164	Rock	1.3	17.6	2.8	18.8	3.3	8.2	0.9	5.6	0.6	2.87	24.6	127.8	29.8	707.8	0.9	48.62	644	10	2.2
334165	Rock	1.0	16.0	3.4	23.0	4.4	11.0	1.3	7.0	0.7	1.71	43.0	38.7	22.4	425.5	0.8	54.65	557	15	2.0
334166	Rock	1.1	5.7	0.7	4.1	0.8	2.0	0.3	2.3	0.3	4.73	38.3	112.7	1.2	23.14	3.9	16.87	1791	2	30.7
334167	Rock	0.2	2.5	0.4	2.2	0.5	1.1	0.1	1.1	0.1	0.97	8.4	42.6	1.7	40.79	1.3	8.58	109	<1	2.5
334168	Rock	1.2	15.6	2.0	11.2	1.9	5.2	0.7	4.7	0.6	1.56	14.3	31.8	13.7	236.8	0.4	34.80	203	4	0.4
334169	Rock	18.6	175.7	26.0	156.5	28.0	69.0	7.8	46.1	4.6	38.24	31.0	151.9	100.4	>2000	3.6	78.48	N.A.	N.A.	N.A.
334201	Rock	12.5	113.4	17.7	111.3	19.6	51.3	6.1	39.0	4.2	3.35	12.8	23.3	50.6	1286	0.3	24.88	N.A.	N.A.	N.A.
334202	Rock	5.4	34.4	5.0	29.2	4.8	11.9	1.5	9.6	1.0	1.09	21.9	54.0	33.3	1006	0.7	21.68	206	2	7.3
334203	Rock	25.3	185.2	28.6	181.3	30.1	78.3	9.5	64.1	7.0	1.54	40.5	70.8	94.3	>2000	0.8	42.72	N.A.	N.A.	N.A.
334204	Rock	2.5	21.3	3.2	20.8	3.5	9.0	1.0	6.2	0.7	4.90	0.9	1.1	28.8	864.5	<0.1	61.59	29	3	1.7
334205	Rock	9.0	95.8	16.3	98.7	17.1	36.0	3.5	19.1	2.1	3.37	0.8	1.5	13.8	804.8	<0.1	59.42	59	11	1.7
334206	Rock	10.9	77.6	13.7	88.9	16.2	42.1	4.9	29.9	3.1	1.63	43.3	40.4	46.7	1493	0.8	33.25	175	2	14.8
334207	Rock	3.8	55.7	8.2	54.7	9.9	26.0	3.1	21.0	2.4	3.17	9.8	46.7	20.1	1118	0.6	17.66	223	3	2.0
334208	Rock	7.5	80.4	13.1	83.0	14.3	35.3	3.8	23.4	2.5	3.43	14.8	11.7	18.1	423.2	0.2	75.51	94	19	4.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 Part 4

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02
334148	Rock	14.6	2.6	17.6	138.5	6	83.3	1.2	1.4	0.6	248	3.5	88.7	16.4	17.2	32.0	3.73	16.2	3.16	1.69
334149	Rock	7.7	1.0	10.5	58.7	1	12.9	0.6	3.9	5.0	185	3.8	39.7	13.4	10.6	19.6	2.29	9.8	1.87	0.30
334150	Rock	10.1	3.5	90.5	28.1	7	149.4	2.1	33.6	22.9	148	1.2	154.7	36.8	242.5	408.1	38.38	114.1	12.62	5.25
334151	Rock	7.5	1.9	31.7	44.3	4	59.7	0.9	5.2	17.2	161	0.9	82.7	27.5	149.7	261.4	25.50	83.8	8.69	2.25
334152	Rock	9.1	0.4	0.6	<0.1	<1	14.9	<0.1	<0.2	<0.1	92	<0.5	5.7	3.2	0.7	1.1	<0.02	0.4	0.07	0.02
334153	Rock	17.5	4.4	39.3	70.8	2	214.9	2.0	4.3	1.1	178	1.4	163.9	22.1	32.9	70.6	8.03	31.3	5.40	2.30
334154	Rock	5.3	1.1	19.1	6.6	10	88.1	0.9	7.9	11.7	118	2.0	35.7	26.6	227.6	385.3	38.00	122.4	13.11	3.07
334155	Rock	8.9	1.7	8.2	73.9	<1	17.7	0.6	5.8	8.1	266	3.0	57.7	17.7	9.2	15.1	1.78	7.7	1.73	0.25
334156	Rock	16.1	5.2	87.6	107.6	12	83.3	2.9	30.0	18.0	210	4.1	194.9	56.5	234.9	407.8	41.31	142.1	17.54	5.02
334157	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334158	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334159	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334160	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334161	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334162	Rock	39.0	31.4	269.5	182.6	8	198.2	16.2	35.0	7.2	<8	7.3	1397	76.3	93.8	207.4	21.22	73.9	13.47	1.06
334163	Rock	41.4	20.0	260.3	202.3	9	55.3	13.3	23.1	5.5	<8	12.0	863.3	36.8	106.0	199.6	19.56	65.9	9.34	0.75
334164	Rock	48.1	31.7	912.7	186.4	19	93.9	36.3	145.6	28.5	<8	22.0	1524	143.1	396.4	697.7	64.31	202.6	29.55	1.97
334165	Rock	59.6	51.5	587.6	120.0	14	174.8	32.8	59.0	20.5	<8	4.0	2142	215.1	66.6	137.0	14.06	54.1	19.66	2.47
334166	Rock	17.4	5.2	25.4	131.1	3	504.6	1.4	24.8	6.2	176	1.9	193.5	23.1	41.8	90.0	10.60	42.3	7.19	1.53
334167	Rock	8.7	5.0	56.8	44.4	1	18.4	3.4	6.0	1.8	<8	0.9	220.4	18.4	28.0	53.7	5.32	18.4	2.95	0.20
334168	Rock	32.2	33.2	314.6	38.8	2	88.7	17.0	57.5	8.8	9	14.8	1441	67.8	355.9	761.3	73.97	242.3	29.21	1.42
334169	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334201	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334202	Rock	18.3	23.7	1188	53.6	5	18.1	41.9	225.1	69.9	183	20.7	1189	221.8	375.0	714.4	76.22	302.8	45.39	5.65
334203	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334204	Rock	57.4	48.4	993.6	0.6	54	59.6	37.4	27.8	32.3	10	6.4	2322	168.9	255.8	495.3	49.92	185.9	26.79	2.67
334205	Rock	51.0	44.5	2322	1.0	69	122.5	46.4	556.1	101.1	8	9.8	2258	643.4	536.9	1289	136.2	556.3	95.60	8.96
334206	Rock	28.2	33.0	1600	40.0	19	17.4	52.8	314.7	58.4	140	11.4	1848	542.7	558.0	1103	98.17	370.2	64.11	10.40
334207	Rock	16.3	20.2	1279	50.3	3	54.4	23.9	224.5	68.4	217	16.9	1066	314.6	114.6	336.3	49.04	247.7	51.05	3.81
334208	Rock	65.7	44.5	3472	11.4	50	134.9	119.0	1357	117.5	85	14.1	2742	493.7	422.9	1045	110.6	464.8	80.81	7.54



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 2 of 3 **Part** 5

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte	Unit MDL	4B	4B	4B	4B	4B	4B	4B
			Tb	Dy	Ho	Er	Tm	Yb	Lu
			ppm	ppm	ppm	ppm	ppm	ppm	ppm
			0.01	0.05	0.02	0.03	0.01	0.05	0.01
334148	Rock		0.58	3.19	0.61	1.68	0.24	1.51	0.22
334149	Rock		0.29	1.73	0.38	1.08	0.14	1.00	0.14
334150	Rock		1.25	6.06	1.17	3.38	0.48	3.05	0.41
334151	Rock		0.77	4.36	0.83	2.37	0.34	2.29	0.34
334152	Rock		0.02	0.23	0.10	0.57	0.14	1.39	0.30
334153	Rock		0.83	4.28	0.83	2.23	0.30	2.05	0.29
334154	Rock		1.04	4.97	0.79	1.87	0.26	1.46	0.19
334155	Rock		0.37	2.24	0.50	1.49	0.21	1.42	0.21
334156	Rock		1.83	10.10	1.94	5.17	0.71	4.50	0.53
334157	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334158	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334159	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334160	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334161	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334162	Rock		2.27	13.74	2.86	8.68	1.33	9.33	1.37
334163	Rock		1.16	6.93	1.40	4.44	0.74	5.55	0.86
334164	Rock		4.03	23.85	4.93	13.49	1.92	12.40	1.78
334165	Rock		7.01	41.32	8.64	24.53	3.21	21.38	2.82
334166	Rock		0.80	4.35	0.81	2.44	0.33	2.18	0.33
334167	Rock		0.46	2.77	0.58	1.82	0.29	1.89	0.27
334168	Rock		2.58	13.11	2.49	7.31	1.13	7.85	1.18
334169	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334201	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334202	Rock		6.86	36.33	6.39	17.33	2.59	15.05	1.88
334203	Rock		N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334204	Rock		4.35	25.26	5.12	15.06	2.29	13.79	1.97
334205	Rock		21.75	124.7	23.16	55.18	6.44	33.37	4.45
334206	Rock		14.20	78.30	14.87	41.71	6.16	35.35	4.48
334207	Rock		9.04	48.67	9.27	25.67	3.79	21.87	2.81
334208	Rock		15.45	85.66	16.43	45.52	6.66	38.67	5.01



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
334209	Rock	0.86	67.54	26.10	45.33	41.3	<20	90.7	14.2	2325	3.74	52.5	116.7	<0.1	1954	56	0.55	1.70	2.16	97
334210	Rock	0.91	13.88	2.34	8.40	16.0	<20	16.0	3.3	730	1.41	2.4	5.8	<0.1	431.4	30	0.11	0.64	0.12	405
334211	Rock	0.98	4.55	14.18	138.1	114.6	<20	102.5	15.8	889	1.52	149.6	39.2	<0.1	>2000	68	0.51	4.03	0.76	348
334212	Rock	0.53	1.61	2.86	2.90	38.0	<20	1.9	0.7	921	1.66	2.3	8.2	<0.1	75.6	100	0.50	0.58	0.06	14
334213	Rock	0.79	3.44	3.39	20.92	66.4	<20	5.7	1.0	780	3.69	<0.2	115.8	<0.1	913.5	65	0.45	3.93	0.40	26
334214	Rock	0.61	22.00	1.95	2.79	35.6	<20	7.6	1.2	86	1.50	0.8	2.4	<0.1	20.7	38	0.06	0.34	0.16	12
334215	Rock	0.64	26.96	2.40	84.43	75.7	<20	7.7	0.8	1039	2.07	1.6	71.8	<0.1	1107	40	0.32	1.52	0.15	22
334216	Rock	0.74	7.98	0.73	5.41	100.1	<20	19.2	1.3	450	4.86	<0.2	27.2	<0.1	240.2	17	0.24	1.35	0.12	108
334217	Rock	0.76	37.09	1.12	11.41	113.2	<20	32.0	1.3	688	4.46	<0.2	79.9	<0.1	811.4	13	0.17	1.90	0.20	77
334218	Rock	0.88	7.10	2.46	14.22	38.4	<20	6.6	0.5	274	1.39	<0.2	52.8	<0.1	1005	60	0.35	1.16	0.11	24
334219	Rock	0.59	25.36	1.15	14.72	60.4	<20	24.0	0.9	577	2.90	<0.2	83.7	<0.1	1020	59	0.33	1.85	0.13	36
334220	Rock	0.53	5.57	0.68	6.19	76.6	<20	15.0	0.7	414	2.37	<0.2	45.4	<0.1	322.6	39	0.28	1.30	0.07	8
334221	Rock	0.71	24.97	2.02	4.80	52.3	<20	6.8	1.0	113	2.04	1.2	16.5	<0.1	264.5	30	0.08	0.65	0.16	17
334222	Rock	1.02	16.22	2.86	63.83	49.7	<20	4.1	0.6	230	1.58	14.3	80.0	<0.1	>2000	33	0.16	1.12	0.16	23
334223	Rock	0.67	4.59	1.18	31.51	94.2	<20	14.2	1.7	1859	4.06	<0.2	138.7	<0.1	1439	140	0.43	2.36	0.28	87
334224	Rock	0.70	28.54	0.38	5.65	240.3	<20	71.6	1.8	355	6.87	<0.2	96.8	<0.1	365.4	7	0.21	2.22	0.18	46
334225	Rock	0.92	2.11	1.24	11.80	188.1	<20	16.6	1.1	233	4.99	<0.2	103.7	<0.1	842.7	5	0.15	1.68	0.16	32
334226	Rock	0.67	0.65	2.83	8.80	14.4	32	3.9	2.3	276	1.97	1.5	80.4	<0.1	360.7	32	0.33	1.19	0.41	8
334227	Rock	0.81	1.99	6.57	37.02	71.1	32	3.4	11.8	1096	8.74	<0.2	1109	<0.1	1859	53	0.17	2.34	0.69	6
334228	Rock	0.94	2.93	2.85	32.66	47.3	<20	3.4	10.7	1099	11.14	1.1	212.0	<0.1	1898	48	0.33	2.71	0.43	<1
334229	Rock	0.63	0.29	5.58	28.20	36.0	<20	1.9	3.7	366	2.22	2.5	621.8	<0.1	1399	35	0.14	1.67	0.84	<1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1
334209	Rock	0.290	1420	14	1.15	588	0.203	3.43	0.252	1.65	7.1	384.6	3.2	11	3.9	<0.04	938.7	>2000	269.4	1204
334210	Rock	0.211	139.3	46	1.77	287	0.134	3.87	0.078	2.06	1.6	40.5	1.7	6	16.8	0.09	70.7	289.0	35.9	149.1
334211	Rock	0.185	930.8	43	0.31	411	0.431	6.49	3.930	1.22	9.3	60.0	3.4	26	12.5	<0.04	241.4	1730	170.2	651.9
334212	Rock	0.012	325.6	3	0.76	111	0.142	7.88	6.948	0.34	1.1	40.3	1.0	5	0.4	<0.04	80.7	662.5	61.5	213.3
334213	Rock	0.006	296.6	6	2.82	199	0.216	6.10	3.419	0.13	1.1	153.8	2.5	34	3.3	0.05	963.6	910.2	120.8	691.0
334214	Rock	0.017	12.8	4	1.34	100	0.050	5.45	6.681	0.56	0.5	22.4	0.4	3	0.9	<0.04	19.1	39.21	5.1	24.7
334215	Rock	0.022	122.9	4	0.97	377	0.085	5.71	3.776	0.83	3.6	202.4	0.6	4	1.1	<0.04	412.8	326.2	38.5	183.6
334216	Rock	0.005	96.9	24	8.25	168	0.433	6.47	1.254	1.75	5.4	60.9	1.7	10	21.9	<0.04	335.2	308.9	41.7	197.8
334217	Rock	0.036	67.5	18	7.50	306	0.326	3.85	0.035	2.80	1.2	23.3	1.2	2	6.1	<0.04	626.0	261.2	40.5	234.8
334218	Rock	0.131	100.2	14	2.65	151	0.227	5.55	4.029	1.21	4.4	287.1	0.7	3	1.8	<0.04	398.4	258.5	34.3	190.4
334219	Rock	0.039	341.7	5	2.27	265	0.249	4.69	1.319	1.28	4.5	120.9	1.1	5	2.6	<0.04	559.8	1079	129.6	627.7
334220	Rock	0.034	280.2	4	2.26	516	0.291	7.52	2.812	2.66	5.5	32.7	1.3	10	1.1	<0.04	269.6	653.6	73.9	321.6
334221	Rock	0.012	43.0	3	1.69	50	0.106	5.43	4.319	0.17	2.6	31.8	0.9	3	0.6	<0.04	120.5	146.7	17.7	86.9
334222	Rock	0.003	44.3	14	1.01	64	0.279	4.87	4.267	0.08	1.0	117.2	1.1	2	0.6	<0.04	376.9	172.7	25.4	140.6
334223	Rock	0.005	307.3	12	4.66	113	0.403	4.56	2.188	0.28	0.9	60.9	1.3	19	14.3	<0.04	1119	1322	192.8	1161
334224	Rock	0.018	145.0	5	5.87	151	0.192	5.73	0.020	0.62	3.1	24.5	1.1	3	2.0	<0.04	498.6	478.2	62.2	319.8
334225	Rock	0.008	277.8	6	5.36	73	0.181	5.03	0.589	0.25	1.7	63.5	1.0	1	4.1	<0.04	712.8	864.0	102.3	495.2
334226	Rock	<0.001	40.7	13	0.63	4413	0.292	3.72	0.107	3.04	<0.1	569.4	5.3	62	0.2	<0.04	747.3	215.5	44.6	313.0
334227	Rock	<0.001	527.9	3	1.51	114	0.151	1.65	0.154	0.46	0.9	128.1	8.9	33	0.3	<0.04	>2000	>2000	377.8	>2000
334228	Rock	0.040	>2000	14	1.15	219	0.230	2.77	0.217	0.78	0.7	478.6	24.6	144	<0.1	<0.04	1677	>2000	766.5	>2000
334229	Rock	0.006	>2000	1	0.22	40	0.106	1.06	0.018	<0.02	<0.1	175.6	7.2	439	<0.1	<0.04	>2000	>2000	1308	>2000



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
334209	Rock	13.8	160.5	23.3	144.5	26.1	66.8	8.6	58.5	6.7	4.37	18.8	89.9	5.6	348.4	1.8	35.49	N.A.	N.A.	N.A.
334210	Rock	1.3	21.4	2.4	12.2	1.8	4.4	0.5	3.5	0.5	0.87	9.9	84.3	0.6	59.63	1.1	12.86	268	6	3.2
334211	Rock	8.8	72.2	9.1	52.0	8.6	21.8	2.8	20.5	2.4	0.77	13.0	52.8	3.9	334.4	2.0	16.70	395	21	13.6
334212	Rock	2.0	20.8	3.0	18.9	3.4	9.4	1.2	8.9	1.1	0.81	3.6	8.7	19.5	345.5	0.1	53.57	107	5	1.1
334213	Rock	7.2	169.5	28.1	191.0	36.6	100.4	11.7	73.4	8.1	1.96	10.4	7.5	84.9	1406	0.4	54.18	200	33	0.9
334214	Rock	0.2	4.6	0.7	4.7	1.0	2.6	0.3	2.2	0.3	0.44	27.7	14.8	9.0	128.3	0.9	34.76	149	3	1.5
334215	Rock	1.6	49.3	8.7	66.1	13.7	39.6	4.6	28.5	3.4	3.05	12.4	41.9	46.0	671.7	3.5	42.98	423	4	0.7
334216	Rock	1.3	47.9	8.2	54.4	10.6	28.3	3.4	21.6	2.6	1.13	138.8	175.7	83.5	1052	4.5	45.97	174	7	1.3
334217	Rock	2.5	93.8	15.9	111.6	21.1	58.7	6.9	42.9	5.0	0.20	211.6	271.1	19.6	667.5	5.4	33.72	319	2	1.6
334218	Rock	2.6	72.6	12.7	84.1	15.4	41.9	5.0	31.6	3.7	4.00	91.5	98.0	109.6	1405	2.3	31.06	154	3	0.5
334219	Rock	3.8	110.4	16.9	106.9	19.7	49.4	5.7	37.1	4.2	1.59	18.7	61.6	53.7	1516	0.8	32.60	278	5	0.6
334220	Rock	2.6	63.4	10.5	67.8	11.8	31.1	3.7	22.2	2.3	0.56	38.2	123.2	18.9	1207	1.1	44.28	580	8	1.6
334221	Rock	0.7	20.5	3.3	21.0	4.2	11.7	1.4	9.1	1.1	0.61	10.9	12.0	44.5	520.8	0.4	33.21	58	2	1.0
334222	Rock	1.7	44.6	7.7	53.1	10.7	30.4	3.7	22.5	2.6	1.70	5.4	3.7	35.6	420.2	0.6	40.95	71	2	0.7
334223	Rock	7.0	191.5	29.7	183.8	33.8	86.4	10.1	61.3	7.3	0.71	28.4	25.5	60.1	1390	0.8	45.87	121	16	0.7
334224	Rock	2.7	90.4	15.0	104.2	20.0	55.5	6.8	42.7	4.7	0.38	32.7	32.8	39.6	1010	0.4	47.93	159	2	1.6
334225	Rock	3.2	108.2	18.0	123.4	24.2	65.4	7.7	48.2	5.5	0.85	37.6	21.4	27.9	838.2	0.9	49.32	75	1	0.9
334226	Rock	0.9	125.4	18.5	134.6	23.8	63.5	8.0	54.9	6.1	13.27	1.2	63.8	4.7	86.71	0.3	29.56	3565	58	2.7
334227	Rock	34.1	599.1	84.8	668.2	123.9	306.9	34.4	220.9	20.5	1.15	26.0	6.1	2.8	98.41	0.2	10.02	N.A.	N.A.	N.A.
334228	Rock	31.5	248.9	37.6	266.2	44.9	111.6	14.0	91.2	8.6	9.21	37.4	6.0	3.0	159.8	0.1	28.83	N.A.	N.A.	N.A.
334229	Rock	27.6	201.7	33.8	266.2	50.4	147.4	20.5	150.2	16.1	2.68	2.7	1.5	0.8	138.8	0.2	17.68	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 4

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu
		ppm 0.5	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.5	ppm 0.1	ppm 0.2	ppm 0.1	ppm 8	ppm 0.5	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.3	ppm 0.05	ppm 0.02
334209	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334210	Rock	11.1	5.4	94.0	80.2	2	27.3	1.3	412.4	6.7	358	2.1	205.7	122.4	128.2	283.1	33.77	148.1	24.78	1.43
334211	Rock	11.8	4.3	493.2	52.4	4	64.4	5.4	7412	40.8	322	10.2	308.2	387.2	673.4	1506	154.5	637.6	88.66	8.30
334212	Rock	48.7	59.7	405.9	13.0	1	97.7	21.6	96.5	12.8	14	1.3	2796	138.4	348.3	646.8	65.37	245.0	31.68	2.26
334213	Rock	50.4	138.6	3843	6.5	3	71.2	139.2	1443	124.7	29	7.9	9069	948.4	261.1	723.2	106.7	577.9	144.3	7.02
334214	Rock	38.4	40.0	167.5	47.4	<1	61.1	12.2	45.8	8.7	14	0.6	1796	54.5	32.8	85.5	10.53	47.3	8.96	0.33
334215	Rock	41.1	139.2	695.7	38.0	<1	44.7	51.2	7136	79.0	22	4.1	8614	526.5	126.3	332.3	41.85	192.1	40.46	1.79
334216	Rock	40.8	61.4	1058	147.6	2	18.5	74.6	234.9	34.4	105	5.2	3405	346.8	95.0	307.6	42.68	210.1	44.80	1.46
334217	Rock	30.4	29.1	1717	235.6	2	15.1	92.4	793.3	83.3	77	6.3	1561	606.5	68.5	248.8	40.10	230.3	69.53	2.68
334218	Rock	28.2	117.4	1363	102.0	1	64.1	109.4	1033	76.1	28	5.2	7175	494.3	105.4	269.3	37.02	196.5	61.02	2.86
334219	Rock	29.3	90.0	2343	57.0	1	62.3	117.0	1044	93.7	39	8.9	5276	570.9	313.7	861.8	117.3	584.8	114.5	3.97
334220	Rock	43.1	26.2	1264	122.2	2	43.9	25.3	308.8	55.2	10	7.0	1125	414.0	268.7	573.7	71.07	344.5	72.88	3.10
334221	Rock	31.6	66.8	579.7	12.4	2	33.6	51.8	267.1	21.9	21	3.9	3774	153.4	53.1	164.1	21.36	100.1	22.09	0.84
334222	Rock	39.3	71.6	1335	3.4	2	39.9	172.9	5336	85.6	38	7.6	4402	433.6	50.1	174.1	27.40	150.9	40.93	1.98
334223	Rock	38.7	22.0	5036	23.0	1	136.3	117.7	2488	136.9	83	15.6	1142	981.3	280.1	1159	177.3	976.0	213.2	7.34
334224	Rock	42.1	81.5	2574	28.4	1	9.7	103.2	335.7	98.5	48	12.8	4988	509.1	132.6	421.1	60.99	317.6	79.16	2.95
334225	Rock	45.8	79.1	3127	20.7	2	6.6	116.4	831.7	110.6	35	10.8	4800	673.4	243.2	669.9	89.58	447.1	101.4	3.36
334226	Rock	28.3	272.0	2207	75.0	5	30.5	112.6	353.8	102.0	9	7.3	11257	746.1	41.2	222.7	44.77	313.1	97.38	2.04
334227	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334228	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334229	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: November 01, 2010

Page: 3 of 3 **Part** 5

CERTIFICATE OF ANALYSIS

WHI10000271.2

	Method Analyte	4B						
		Tb	Dy	Ho	Er	Tm	Yb	Lu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL
334209	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334210	Rock	3.34	16.61	2.90	7.38	1.11	6.21	0.81
334211	Rock	11.24	58.11	10.67	30.58	4.86	30.34	4.26
334212	Rock	4.18	22.99	4.56	13.48	2.17	13.26	1.94
334213	Rock	30.70	171.0	33.68	95.34	14.17	79.35	9.46
334214	Rock	1.52	8.34	1.69	5.20	0.85	5.53	0.84
334215	Rock	10.49	64.36	14.27	44.18	6.94	42.17	5.94
334216	Rock	9.00	50.05	9.67	27.22	4.11	24.23	3.22
334217	Rock	18.25	102.0	19.95	54.89	7.90	44.03	5.37
334218	Rock	15.00	83.78	16.30	46.35	7.10	42.24	5.57
334219	Rock	19.09	98.44	18.40	49.96	7.21	40.94	5.28
334220	Rock	14.59	80.22	14.86	40.41	5.77	31.63	3.82
334221	Rock	4.36	25.03	4.99	14.83	2.39	14.51	1.99
334222	Rock	9.13	53.29	11.11	32.83	5.00	29.05	3.93
334223	Rock	34.04	173.8	31.87	83.83	11.45	61.09	7.48
334224	Rock	17.26	96.58	18.88	54.30	8.21	46.88	5.82
334225	Rock	21.07	116.7	22.75	63.83	9.33	52.21	6.42
334226	Rock	21.51	121.2	24.46	72.68	11.30	67.15	9.04
334227	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334228	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
334229	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 1

QUALITY CONTROL REPORT

WHI10000271.2

	Method Analyte Unit MDL	WGHT	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1
Pulp Duplicates																				
334162	Rock	0.88	3.00	2.82	4.18	38.7	<20	0.6	1.1	263	4.00	0.5	3.8	<0.1	21.7	168	0.39	0.45	<0.04	1
REP 334162	QC																			
334166	Rock	0.46	1.86	35.64	13.36	158.6	<20	122.9	29.6	941	4.96	1.4	5.3	<0.1	21.0	480	0.67	0.94	0.05	167
REP 334166	QC		1.86	33.36	14.16	159.0	<20	118.7	29.6	917	4.90	1.6	5.3	<0.1	20.3	455	0.64	0.95	0.04	165
334229	Rock	0.63	0.29	5.58	28.20	36.0	<20	1.9	3.7	366	2.22	2.5	621.8	<0.1	1399	35	0.14	1.67	0.84	<1
REP 334229	QC		0.43	5.46	28.55	37.3	<20	2.1	3.4	370	2.30	3.2	645.3	<0.1	1434	36	0.18	1.75	0.92	<1
Reference Materials																				
STD OREAS24P	Standard		1.49	53.07	2.68	123.7	<20	151.5	50.6	1124	7.72	1.5	0.6	<0.1	2.3	388	0.13	0.17	<0.04	170
STD OREAS24P	Standard		1.42	44.55	2.43	108.3	58	141.1	41.8	1075	7.39	1.2	0.6	<0.1	2.5	395	0.13	0.07	<0.04	162
STD OREAS24P	Standard		1.46	53.20	2.71	114.4	<20	149.8	47.0	1105	7.54	0.9	0.8	<0.1	3.0	387	0.12	0.07	<0.04	165
STD OREAS45P	Standard		2.20	747.1	21.24	149.2	315	408.3	126.1	1315	18.89	12.5	2.0	<0.1	9.5	35	0.18	0.83	0.20	289
STD OREAS45P	Standard		2.13	776.6	21.13	140.0	443	409.3	117.4	1314	20.43	10.7	1.9	<0.1	9.0	28	0.23	0.77	0.23	286
STD OREAS45P	Standard		2.29	759.5	21.52	145.5	333	405.1	124.1	1359	18.07	12.3	2.1	<0.1	9.6	33	0.10	0.85	0.23	285
STD SO-18	Standard																			
STD SO-18	Standard																			
STD SO-18	Standard																			
STD SO-18	Standard																			
STD OREAS24P Expected			1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158
STD OREAS45P Expected			2.1	749	22	141	320	385	120	1338	19.22	12	2.2	0.055	9.8	32.6	0.2	0.82	0.21	267
STD SO-18 Expected																				
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1
BLK	Blank		<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1	Prep Blank		0.21	4.38	18.61	50.5	47	3.6	5.0	748	2.30	1.9	2.5	<0.1	6.7	652	0.08	0.94	0.85	51
G1	Prep Blank		0.17	3.28	18.28	51.7	<20	3.5	4.9	746	2.32	1.6	2.8	<0.1	8.4	660	0.05	0.54	0.12	52



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
Pulp Duplicates																					
334162	Rock	0.014	57.1	1	0.89	1547	0.187	8.69	4.472	3.98	6.4	20.4	7.0	8	0.5	<0.04	49.8	133.5	15.1	55.4	9.3
REP 334162	QC																				
334166	Rock	0.200	37.5	322	4.38	1493	0.552	7.86	2.212	2.21	1.7	177.9	1.8	3	21.0	0.10	21.7	77.58	9.6	39.7	6.3
REP 334166	QC	0.198	38.0	313	4.31	1499	0.558	7.76	2.196	2.21	1.6	174.7	1.9	3	22.6	0.09	21.0	77.90	9.6	39.5	6.6
334229	Rock	0.006	>2000	1	0.22	40	0.106	1.06	0.018	<0.02	<0.1	175.6	7.2	439	<0.1	<0.04	>2000	>2000	1308	>2000	380.6
REP 334229	QC	0.007	>2000	1	0.23	43	0.106	1.09	0.019	<0.02	0.2	178.8	7.8	457	<0.1	<0.04	>2000	>2000	1323	>2000	393.2
Reference Materials																					
STD OREAS24P	Standard	0.149	17.3	196	4.20	284	1.091	7.86	2.423	0.72	0.5	140.0	1.6	1	20.4	<0.04	20.9	35.74	4.5	20.8	4.5
STD OREAS24P	Standard	0.128	15.5	188	4.00	250	1.036	8.13	2.433	0.68	0.5	137.9	1.5	1	18.9	0.05	20.0	33.76	4.2	20.0	4.6
STD OREAS24P	Standard	0.133	17.6	200	3.97	290	1.075	8.15	2.378	0.68	0.5	141.5	1.6	1	20.0	<0.04	22.2	35.82	4.4	21.6	4.8
STD OREAS45P	Standard	0.046	25.2	1078	0.24	296	1.050	6.84	0.089	0.36	1.1	163.6	2.5	1	68.9	<0.04	14.1	49.87	5.7	22.7	4.4
STD OREAS45P	Standard	0.043	22.7	1106	0.21	266	1.110	7.38	0.083	0.37	1.2	159.0	2.4	<1	68.0	<0.04	10.5	47.60	5.2	22.4	4.3
STD OREAS45P	Standard	0.042	25.9	1126	0.22	305	1.066	7.10	0.081	0.35	1.2	158.2	2.4	<1	67.3	<0.04	14.0	51.53	5.8	23.5	4.3
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD SO-18	Standard																				
STD OREAS24P Expected		0.136	17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7
STD OREAS45P Expected		0.047	24.8	1089	0.1962	296	1.037	6.82	0.081	0.35	1.1	154	2.5		67.1	0.03	13	48.9	6	23.2	4.24
STD SO-18 Expected																					
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.16	<0.1	<0.1	<0.1
BLK	Blank	<0.001	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.15	<0.1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1	Prep Blank	0.083	18.2	6	0.62	907	0.254	6.84	2.804	2.95	0.3	11.0	1.7	3	4.8	<0.04	12.4	40.89	4.7	18.1	3.0
G1	Prep Blank	0.082	16.8	6	0.59	923	0.258	6.84	2.822	3.07	0.2	9.8	1.6	3	4.5	<0.04	11.6	37.93	4.3	16.9	2.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 3

QUALITY CONTROL REPORT

WHI10000271.2

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	4B	4B	4B	4B
		Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga	Ba	Be	Co
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02	1	1	0.2
Pulp Duplicates																				
334162	Rock	0.5	9.4	1.6	10.7	2.1	6.2	0.8	5.7	0.7	0.45	35.0	134.9	13.6	206.6	3.9	39.51	1820	6	1.2
REP 334162	QC																	1672	9	1.1
334166	Rock	1.1	5.7	0.7	4.1	0.8	2.0	0.3	2.3	0.3	4.73	38.3	112.7	1.2	23.14	3.9	16.87	1791	2	30.7
REP 334166	QC	1.2	5.2	0.6	4.2	0.8	2.0	0.3	2.1	0.3	4.79	37.1	112.1	1.1	22.62	3.9	16.62			
334229	Rock	27.6	201.7	33.8	266.2	50.4	147.4	20.5	150.2	16.1	2.68	2.7	1.5	0.8	138.8	0.2	17.68	N.A.	N.A.	N.A.
REP 334229	QC	27.5	188.3	35.6	267.4	52.0	147.4	21.3	152.4	16.4	2.70	2.5	1.3	2.4	187.3	0.2	17.96			
Reference Materials																				
STD OREAS24P	Standard	1.5	5.1	0.7	4.4	0.8	2.1	0.3	1.7	0.2	3.43	8.5	15.5	1.2	19.45	0.8	20.29			
STD OREAS24P	Standard	1.4	4.7	0.6	4.1	0.7	2.0	0.2	1.6	0.2	3.41	7.6	22.7	1.1	19.13	0.7	20.26			
STD OREAS24P	Standard	1.4	4.7	0.7	4.6	0.8	2.1	0.2	1.9	0.2	3.64	8.1	23.6	1.2	22.98	0.8	19.54			
STD OREAS45P	Standard	1.0	4.2	0.6	3.5	0.6	1.7	0.2	1.7	0.2	4.02	15.3	24.2	1.4	22.22	2.2	24.22			
STD OREAS45P	Standard	0.9	3.3	0.5	3.0	0.5	1.4	0.2	1.5	0.2	4.18	15.0	23.2	1.4	19.62	2.1	23.97			
STD OREAS45P	Standard	1.0	3.8	0.5	3.6	0.5	1.7	0.2	1.7	0.2	3.97	15.7	25.1	1.3	22.62	2.2	23.10			
STD SO-18	Standard																	488	1	25.1
STD SO-18	Standard																	479	<1	26.4
STD SO-18	Standard																	552	<1	27.6
STD SO-18	Standard																	571	<1	28.6
STD OREAS24P Expected		1.6	5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43			
STD OREAS45P Expected		1.1	3.8	0.59	3.6	0.65	1.7	0.24	1.6	0.24	4.12	14.7	24.6	1.2	21.6	2	22.5			
STD SO-18 Expected																		514	1	26.2
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02			
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02			
BLK	Blank																	<1	<1	<0.2
BLK	Blank																	<1	<1	<0.2
Prep Wash																				
G1	Prep Blank	0.7	3.1	0.4	2.5	0.5	1.5	0.2	1.7	0.2	0.60	38.7	87.8	1.6	26.04	4.4	17.94	N.A.	N.A.	N.A.
G1	Prep Blank	0.6	2.8	0.4	2.5	0.5	1.3	0.2	1.5	0.2	0.59	38.2	83.1	1.7	26.79	4.1	19.24	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

November 01, 2010

Page:

1 of 1

Part 4

QUALITY CONTROL REPORT

WHI10000271.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B	4B
		Ga	Hf	Nb	Rb	Sn	Sr	Ta	Th	U	V	W	Zr	Y	La	Ce	Pr	Nd	Sm	Eu	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	0.1	0.1	0.1	1	0.5	0.1	0.2	0.1	8	0.5	0.1	0.1	0.1	0.1	0.02	0.3	0.05	0.02	0.05
Pulp Duplicates																					
334162	Rock	39.0	31.4	269.5	182.6	8	198.2	16.2	35.0	7.2	<8	7.3	1397	76.3	93.8	207.4	21.22	73.9	13.47	1.06	12.13
REP 334162	QC	37.6	32.6	250.2	174.3	7	182.8	15.5	31.7	6.6	<8	6.3	1371	70.7	87.9	189.5	20.03	73.0	12.13	0.98	11.55
334166	Rock	17.4	5.2	25.4	131.1	3	504.6	1.4	24.8	6.2	176	1.9	193.5	23.1	41.8	90.0	10.60	42.3	7.19	1.53	5.27
REP 334166	QC																				
334229	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 334229	QC																				
Reference Materials																					
STD OREAS24P	Standard																				
STD OREAS24P	Standard																				
STD OREAS24P	Standard																				
STD OREAS45P	Standard																				
STD OREAS45P	Standard																				
STD OREAS45P	Standard																				
STD SO-18	Standard	16.9	9.6	26.7	27.1	14	396.5	7.2	10.1	15.6	184	14.6	294.1	31.5	11.7	25.6	3.25	14.1	2.78	0.82	2.75
STD SO-18	Standard	16.7	9.5	22.5	26.6	13	384.4	7.5	9.6	15.4	179	14.4	283.9	30.9	11.0	24.6	3.18	14.2	2.75	0.80	2.80
STD SO-18	Standard	18.3	10.1	23.8	29.0	15	416.0	7.4	10.6	17.0	213	15.1	309.2	32.2	12.7	28.1	3.45	14.7	2.98	0.87	3.03
STD SO-18	Standard	19.0	10.1	24.8	29.7	17	422.6	7.9	11.5	17.5	222	16.1	314.8	32.9	13.0	29.2	3.53	15.3	3.06	0.91	3.24
STD OREAS24P Expected																					
STD OREAS45P Expected																					
STD SO-18 Expected		17.6	9.8	21.3	28.7	15	407.4	7.4	9.9	16.4	200	14.8	280	31	12.3	27.1	3.45	14	3	0.89	2.93
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05
BLK	Blank	<0.5	<0.1	<0.1	<0.1	<1	<0.5	<0.1	<0.2	<0.1	<8	<0.5	<0.1	<0.1	<0.1	<0.1	<0.02	<0.3	<0.05	<0.02	<0.05
Prep Wash																					
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: November 01, 2010

Page: 1 of 1 **Part** 5

QUALITY CONTROL REPORT

WHI10000271.2

	Method Analyte Unit MDL	4B	4B	4B	4B	4B	4B	4B
		Tb	Dy	Ho	Er	Tm	Yb	Lu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.02	0.03	0.01	0.05	0.01
Pulp Duplicates								
334162	Rock	2.27	13.74	2.86	8.68	1.33	9.33	1.37
REP 334162	QC	2.06	12.30	2.61	7.89	1.23	8.71	1.28
334166	Rock	0.80	4.35	0.81	2.44	0.33	2.18	0.33
REP 334166	QC							
334229	Rock	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
REP 334229	QC							
Reference Materials								
STD OREAS24P	Standard							
STD OREAS24P	Standard							
STD OREAS24P	Standard							
STD OREAS45P	Standard							
STD OREAS45P	Standard							
STD OREAS45P	Standard							
STD SO-18	Standard	0.51	2.76	0.58	1.74	0.27	1.67	0.25
STD SO-18	Standard	0.49	2.74	0.57	1.68	0.26	1.68	0.25
STD SO-18	Standard	0.50	2.98	0.62	1.84	0.28	1.85	0.27
STD SO-18	Standard	0.52	3.12	0.65	1.92	0.29	1.92	0.30
STD OREAS24P Expected								
STD OREAS45P Expected								
STD SO-18 Expected		0.53	3	0.62	1.84	0.27	1.79	0.27
BLK	Blank							
BLK	Blank							
BLK	Blank	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01
BLK	Blank	<0.01	<0.05	<0.02	<0.03	<0.01	<0.05	<0.01
Prep Wash								
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
G1	Prep Blank	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.