



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson
Receiving Lab: Canada-Whitehorse
Received: August 06, 2010
Report Date: August 30, 2010
Page: 1 of 11

CERTIFICATE OF ANALYSIS

WHI10000225.1

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-014
P.O. Number
Number of Samples: 286

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	286	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	286	Dry at 60C			WHI
1T	286	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26551	Soil	8.10	46.47	23.15	99.0	101	88.5	24.2	526	3.59	31.5	2.8	<0.1	15.4	20	0.47	3.08	1.42	296	0.30
26552	Soil	4.65	68.69	25.67	207.5	<20	67.8	18.8	222	2.96	33.6	3.1	<0.1	18.1	27	0.52	2.98	1.63	287	0.21
26553	Soil	6.54	68.04	28.16	160.1	219	61.0	14.9	141	2.50	26.7	3.1	<0.1	14.4	55	0.30	2.88	1.85	242	0.34
26554	Soil	6.31	50.51	26.13	145.3	163	45.7	11.7	207	2.76	34.5	3.4	<0.1	15.4	83	0.27	3.00	5.02	195	0.44
26555	Soil	27.47	103.0	34.03	161.4	628	41.4	12.8	128	2.66	169.8	9.1	<0.1	13.3	121	1.42	11.73	0.72	1142	0.19
26556	Soil	4.65	62.61	22.79	152.4	674	36.0	7.0	473	2.37	28.5	5.0	<0.1	6.1	370	0.60	1.67	0.37	121	1.59
26557	Soil	6.36	32.03	23.08	103.9	907	18.3	9.1	382	2.64	21.3	2.9	<0.1	5.9	462	0.81	2.05	0.31	127	1.65
26558	Soil	3.04	21.76	46.11	115.5	131	18.6	8.5	898	3.82	35.7	8.7	<0.1	9.8	258	0.64	1.80	1.18	127	1.36
26559	Soil	2.47	87.06	114.5	255.1	495	62.1	24.6	1105	6.62	67.7	5.6	<0.1	14.6	103	0.73	3.62	3.32	151	3.49
26560	Soil	4.36	69.48	179.5	223.5	845	58.4	18.2	1049	4.74	96.7	3.5	<0.1	12.1	151	1.24	5.31	0.89	265	1.89
26561	Soil	2.39	31.16	44.24	286.7	471	56.6	16.3	952	3.33	36.0	3.5	<0.1	7.5	91	1.33	7.66	0.90	139	8.27
26562	Soil	2.61	42.48	57.72	139.2	99	54.3	20.7	720	4.54	32.7	2.6	<0.1	12.6	123	0.44	2.95	0.48	152	0.52
26563	Soil	3.59	17.77	78.49	95.5	200	31.7	19.0	623	3.97	51.8	4.4	<0.1	14.4	49	0.44	2.10	0.96	80	0.32
26564	Soil	4.86	10.18	55.72	78.6	<20	23.9	15.6	378	3.68	55.2	3.7	<0.1	15.3	77	0.31	1.85	0.79	94	0.34
26565	Soil	6.24	15.10	38.25	132.9	227	25.7	9.1	573	3.68	159.9	3.1	<0.1	13.1	214	0.89	3.02	1.47	135	0.85
26566	Soil	6.22	10.73	36.74	48.2	32	30.5	6.8	711	3.17	19.0	3.2	<0.1	18.7	130	0.20	1.52	0.33	266	0.56
26567	Soil	10.21	4.17	38.79	50.9	79	34.4	4.7	1014	3.10	23.4	2.9	<0.1	17.8	61	0.26	1.49	0.26	298	0.61
26568	Soil	11.65	7.95	74.70	67.3	93	24.8	5.1	416	2.43	34.8	2.8	<0.1	21.1	70	0.58	1.38	0.31	285	0.62
26569	Soil	11.37	18.64	73.81	68.2	<20	16.1	9.8	661	3.97	30.9	2.9	<0.1	20.2	100	0.62	1.30	0.39	90	0.62
26570	Soil	7.60	37.08	37.45	36.7	<20	14.9	7.5	535	3.98	19.5	4.0	<0.1	27.9	83	0.19	1.71	0.50	63	0.54
26571	Soil	8.15	43.74	19.78	34.2	<20	14.3	9.3	536	4.39	21.3	3.9	<0.1	28.2	74	0.14	1.49	0.56	34	0.66
26572	Soil	7.57	11.08	47.48	79.2	<20	37.0	8.6	794	3.46	26.8	3.3	<0.1	25.1	156	0.21	3.23	0.25	109	1.03
26573	Soil	49.09	14.43	89.97	103.8	296	173.1	18.2	5677	5.09	126.0	7.8	<0.1	27.3	101	0.59	12.67	0.42	265	1.21
26574	Soil	7.11	7.01	28.41	50.1	45	34.3	3.7	356	1.97	24.7	2.1	<0.1	11.5	59	0.30	3.22	0.26	275	0.30
26575	Soil	2.61	22.20	30.65	60.3	81	24.6	8.0	325	2.95	11.3	2.3	<0.1	10.6	154	0.31	1.33	0.40	109	0.72
26576	Soil	5.00	41.12	72.09	169.1	<20	30.6	12.3	544	3.80	23.2	3.4	<0.1	22.3	135	0.46	2.23	0.42	92	0.65
26577	Soil	2.29	18.55	55.05	94.8	21	24.1	10.0	490	3.32	14.4	2.9	<0.1	15.2	174	0.32	1.32	0.34	101	1.08
26578	Soil	2.44	17.37	101.5	239.7	<20	22.2	8.6	747	4.84	13.3	4.4	<0.1	30.4	92	0.77	2.87	0.29	81	0.45
26579	Soil	2.87	16.20	37.81	72.6	<20	17.1	8.5	362	3.26	13.6	3.0	<0.1	16.9	130	0.70	1.28	0.40	96	0.60
26580	Soil	3.46	30.15	109.9	191.7	*	11.0	13.1	835	2.80	61.6	3.8	<0.1	28.6	71	0.97	1.87	0.19	37	0.37



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
26551	Soil	22.4	69	0.68	879	0.143	5.23	0.714	2.43	6.5	83.0	8.3	3	9.0	0.07	16.1	49.53	6.6	27.4	4.2	0.6
26552	Soil	21.2	77	0.66	842	0.160	5.21	0.594	2.45	3.2	89.9	2.9	4	8.5	0.05	15.0	56.58	8.2	40.2	7.4	0.4
26553	Soil	19.9	66	0.69	1744	0.195	5.40	0.363	2.58	3.2	87.4	2.2	2	9.8	0.09	9.4	44.22	5.9	22.3	4.1	0.2
26554	Soil	44.9	75	0.51	1504	0.320	4.69	0.569	2.53	5.5	90.5	6.8	2	9.2	0.10	11.0	89.39	10.9	39.2	5.8	0.4
26555	Soil	48.1	87	0.19	683	0.260	7.89	0.441	2.57	2.1	74.5	5.6	2	10.7	<0.04	7.8	83.44	10.2	34.9	5.3	0.9
26556	Soil	35.2	27	0.67	740	0.247	5.46	2.146	1.83	0.8	105.7	2.2	2	5.7	0.10	23.0	35.94	8.3	34.1	5.6	1.4
26557	Soil	16.1	24	0.70	806	0.281	6.04	2.532	2.05	0.7	106.8	1.5	2	5.8	0.05	7.2	31.60	4.0	15.7	2.5	0.6
26558	Soil	28.9	46	1.80	882	0.278	5.70	1.435	1.98	1.2	114.1	4.3	2	6.9	0.07	7.6	59.04	6.5	24.7	3.6	0.7
26559	Soil	67.6	60	6.12	1436	0.237	5.68	0.563	1.56	2.6	114.8	5.3	3	8.9	<0.04	27.0	112.2	12.2	44.9	6.1	1.2
26560	Soil	46.9	86	3.63	1291	0.315	7.42	0.811	2.15	2.1	88.3	4.6	2	11.6	<0.04	20.4	93.63	9.7	40.6	5.7	1.2
26561	Soil	49.2	67	8.17	982	0.337	3.97	0.297	1.14	4.7	70.7	3.2	2	8.8	0.05	22.1	76.82	9.4	37.9	5.6	1.2
26562	Soil	43.7	96	1.15	803	0.326	6.81	0.975	2.57	1.1	67.5	2.7	2	12.2	<0.04	14.6	94.38	10.9	43.8	6.3	1.3
26563	Soil	50.3	32	1.28	394	0.120	6.14	1.419	1.11	0.8	70.2	7.1	2	4.7	0.11	12.8	104.7	12.0	46.2	7.0	0.7
26564	Soil	64.7	45	1.59	493	0.224	6.34	1.951	1.02	1.6	102.4	5.9	2	5.9	0.08	16.0	128.6	14.3	53.1	7.4	0.9
26565	Soil	56.7	38	1.49	630	0.201	7.06	2.101	1.28	1.4	104.3	9.1	2	7.6	0.08	19.8	107.5	12.1	46.2	7.1	1.1
26566	Soil	69.4	62	1.33	812	0.254	6.42	1.627	1.44	2.0	96.2	5.7	3	10.6	<0.04	13.2	126.4	13.8	51.2	7.1	0.8
26567	Soil	47.1	51	1.77	775	0.181	6.65	0.875	0.95	2.7	101.2	3.5	2	13.5	0.05	14.9	89.03	9.7	36.1	5.5	0.7
26568	Soil	77.9	58	0.98	491	0.181	6.57	1.374	0.88	1.8	68.1	4.9	2	9.5	<0.04	11.8	140.2	13.8	47.4	6.1	0.8
26569	Soil	123.8	44	0.60	772	0.273	5.74	2.281	1.33	1.5	70.6	7.2	3	6.4	0.10	15.0	214.5	19.9	68.5	8.3	1.2
26570	Soil	95.9	45	0.59	725	0.266	7.02	2.847	1.18	2.7	88.1	8.2	3	6.1	0.10	22.1	186.2	19.5	71.5	10.3	1.3
26571	Soil	95.6	29	0.70	597	0.183	7.33	2.881	0.96	2.0	53.5	4.5	4	5.4	0.13	25.1	182.1	19.1	70.9	9.8	1.3
26572	Soil	56.7	67	0.83	1003	0.332	6.49	2.263	1.56	2.1	88.9	4.6	2	9.7	0.05	23.7	125.1	13.8	54.6	8.5	1.2
26573	Soil	61.7	216	1.49	1518	0.357	9.42	0.418	2.17	5.6	223.5	3.7	4	20.3	0.07	54.1	128.0	15.9	64.0	10.3	1.7
26574	Soil	37.7	68	0.53	745	0.219	4.53	1.018	1.19	2.0	58.5	2.4	2	6.5	0.06	7.7	70.92	7.7	31.0	4.1	0.5
26575	Soil	36.6	64	0.67	786	0.386	4.82	1.679	1.50	1.5	67.5	2.3	2	7.4	0.04	12.7	72.97	8.0	30.8	4.4	0.7
26576	Soil	72.8	59	0.83	796	0.352	6.46	2.517	1.49	1.9	78.7	3.8	2	7.6	0.07	20.4	153.4	15.9	58.4	8.1	1.2
26577	Soil	68.4	77	0.75	778	0.435	5.22	2.079	1.50	1.6	69.3	3.4	2	9.3	0.05	18.6	129.7	14.1	55.3	7.9	1.1
26578	Soil	112.1	40	0.87	791	0.324	7.06	2.921	1.49	3.9	169.6	9.2	5	8.6	0.04	28.0	273.4	28.7	109.0	15.8	2.6
26579	Soil	61.6	64	0.46	697	0.386	5.10	2.358	1.36	1.8	86.3	3.5	2	6.7	0.08	15.0	123.4	13.2	51.4	7.0	1.0
26580	Soil	96.1	28	0.46	569	0.211	7.25	3.526	1.53	1.7	90.8	6.3	3	4.5	<0.04	30.5	191.5	20.7	79.2	11.1	1.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
26551	Soil	3.4	0.5	3.2	0.6	1.6	0.3	1.9	0.3	2.13	25.7	64.8	1.3	33.32	3.0
26552	Soil	4.8	0.6	3.6	0.6	1.6	0.3	2.0	0.3	2.38	26.6	75.8	1.7	34.09	3.0
26553	Soil	2.6	0.3	1.7	0.4	1.1	0.2	1.3	0.2	2.26	30.2	94.5	0.6	10.56	10.8
26554	Soil	3.4	0.4	2.2	0.4	1.2	0.2	1.2	0.2	2.56	13.9	106.6	1.2	27.06	2.5
26555	Soil	2.6	0.3	1.7	0.3	0.7	0.1	0.9	0.2	2.05	16.8	141.0	0.5	8.00	13.8
26556	Soil	5.7	0.7	4.1	0.7	1.9	0.2	1.8	0.3	2.75	24.5	53.9	0.7	10.04	4.4
26557	Soil	2.1	0.3	1.6	0.3	0.8	0.1	0.9	0.1	2.89	23.3	46.1	0.5	7.45	4.4
26558	Soil	2.4	0.3	1.8	0.3	0.8	<0.1	0.9	0.1	2.94	25.8	68.4	1.5	31.72	3.0
26559	Soil	5.1	0.7	4.6	0.8	2.4	0.4	2.7	0.4	2.60	37.5	81.9	1.8	42.87	3.2
26560	Soil	4.6	0.6	3.5	0.7	1.7	0.2	1.8	0.3	2.43	40.6	99.2	0.8	15.64	4.4
26561	Soil	5.0	0.6	4.1	0.6	1.7	0.2	1.6	0.2	2.10	36.1	56.5	0.9	18.82	3.5
26562	Soil	5.0	0.6	3.7	0.6	1.6	0.2	1.6	0.2	1.81	40.6	85.0	0.8	12.59	3.3
26563	Soil	4.1	0.6	3.4	0.5	1.4	0.2	1.3	0.2	1.67	33.0	34.3	1.0	25.36	8.3
26564	Soil	4.8	0.7	4.0	0.7	1.9	0.3	1.9	0.3	2.49	35.1	29.4	2.5	56.05	4.9
26565	Soil	5.5	0.9	5.2	0.8	2.2	0.3	1.8	0.2	2.44	32.9	37.1	2.5	65.97	4.6
26566	Soil	4.8	0.6	3.2	0.5	1.5	0.2	1.4	0.2	2.54	27.7	55.5	1.7	30.26	5.3
26567	Soil	3.8	0.5	3.2	0.5	1.5	0.2	1.6	0.2	2.39	31.7	43.1	0.9	17.42	5.4
26568	Soil	3.3	0.6	2.8	0.4	1.2	0.2	1.4	0.2	1.84	27.0	36.8	1.4	28.27	7.4
26569	Soil	5.0	0.7	3.7	0.6	1.5	0.2	1.6	0.2	1.84	18.4	50.3	2.8	60.25	4.2
26570	Soil	7.3	1.0	5.7	0.9	2.4	0.3	2.0	0.3	2.03	22.6	46.7	4.8	103.0	5.3
26571	Soil	7.1	1.1	6.3	1.0	2.7	0.3	2.1	0.3	1.41	23.1	30.6	3.5	79.46	5.4
26572	Soil	6.5	0.9	5.7	1.0	2.7	0.3	2.4	0.3	2.41	24.8	58.8	2.1	49.53	7.1
26573	Soil	9.6	1.5	10.1	1.9	5.5	0.7	5.3	0.8	5.05	40.5	78.6	2.6	62.79	25.7
26574	Soil	2.7	0.3	1.6	0.3	0.9	0.1	0.9	0.1	1.48	21.7	47.5	1.1	19.80	8.8
26575	Soil	3.1	0.4	2.7	0.5	1.2	0.2	1.4	0.2	1.92	21.0	53.9	1.4	25.09	4.8
26576	Soil	5.1	0.8	5.0	0.9	2.2	0.3	2.2	0.3	2.08	27.3	53.3	2.9	62.44	4.3
26577	Soil	5.8	0.7	4.4	0.8	1.9	0.3	2.0	0.3	1.98	19.3	50.9	2.4	45.07	3.2
26578	Soil	10.5	1.4	7.7	1.2	3.3	0.4	3.2	0.4	4.06	38.8	51.1	3.6	78.58	8.5
26579	Soil	4.5	0.6	3.6	0.6	1.6	0.2	1.5	0.2	2.34	13.7	56.3	2.4	47.93	3.2
26580	Soil	8.4	1.2	7.7	1.3	3.6	0.4	2.8	0.4	2.29	26.0	59.6	4.9	114.7	15.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26581	Soil	2.10	10.36	32.41	62.9	<20	12.7	5.4	290	2.83	47.1	2.4	<0.1	13.5	122	0.36	1.18	0.19	81	0.61
26582	Soil	2.96	11.19	114.5	86.0	<20	15.0	5.9	291	3.02	67.8	3.2	<0.1	18.2	142	0.33	1.69	0.22	89	0.69
26583	Soil	1.85	13.26	40.52	77.0	<20	22.4	8.3	420	3.30	40.3	2.6	<0.1	13.9	192	0.38	1.28	0.20	100	1.08
26584	Soil	3.09	13.03	71.58	124.9	<20	23.9	14.6	552	3.86	164.9	3.0	<0.1	19.1	177	0.41	1.64	0.25	88	0.85
26585	Soil	7.37	31.19	58.29	232.1	1061	16.6	8.3	998	5.85	1364	5.5	<0.1	23.5	100	0.93	8.72	0.18	54	0.42
26586	Soil	2.46	14.72	36.75	88.5	70	19.9	7.4	316	3.02	46.4	2.3	<0.1	11.5	145	0.34	1.59	0.24	95	0.71
26587	Soil	2.05	16.85	32.10	99.1	23	18.9	7.0	350	2.82	24.4	2.5	<0.1	12.6	148	0.34	1.36	0.30	85	0.76
26588	Soil	2.20	20.91	42.26	140.5	83	18.0	10.2	396	2.79	31.6	3.0	<0.1	15.3	139	0.48	1.55	0.38	80	0.68
26589	Soil	2.11	22.01	42.46	111.7	139	23.3	8.7	473	3.12	21.3	3.1	<0.1	16.0	162	0.27	1.45	0.39	89	0.87
26590	Soil	2.45	22.10	21.43	78.2	<20	27.3	10.6	462	3.90	15.0	3.5	<0.1	14.7	159	0.23	1.49	0.35	95	0.85
26591	Soil	2.73	22.19	183.0	221.4	297	25.9	11.1	817	4.14	73.6	3.9	<0.1	14.8	178	0.48	3.12	0.35	102	1.00
26592	Soil	3.49	19.77	102.2	160.4	<20	16.5	8.5	552	3.58	48.2	3.3	<0.1	16.4	126	0.38	2.07	0.37	76	0.62
26593	Soil	2.93	15.73	40.67	100.5	<20	12.9	8.7	498	2.93	54.2	3.6	<0.1	28.1	86	0.27	1.26	0.27	57	0.48
26594	Soil	3.32	14.49	49.33	92.7	31	22.1	10.0	595	4.12	65.9	3.9	<0.1	23.0	152	0.28	1.60	0.46	91	0.84
26595	Soil	2.81	19.91	25.54	68.9	35	18.7	9.3	479	3.20	17.7	3.7	<0.1	22.0	253	0.21	1.35	0.44	76	1.07
26596	Soil	7.63	90.39	84.91	173.8	140	95.7	22.3	423	3.07	63.2	3.2	<0.1	13.9	52	0.45	12.58	0.82	279	0.33
26597	Soil	3.26	110.2	31.27	118.8	81	99.9	30.3	372	5.80	20.6	16.3	<0.1	39.4	75	0.23	2.97	0.50	251	0.77
26598	Soil	2.37	124.1	53.07	150.6	571	93.2	32.1	383	5.95	25.4	15.0	<0.1	42.8	89	0.25	2.70	0.55	245	0.90
26599	Soil	3.38	234.0	3320	753.3	9485	109.6	37.3	915	7.40	497.2	18.5	<0.1	55.3	94	4.08	30.59	2.42	239	0.88
26600	Soil	2.14	101.1	591.2	197.3	2360	41.5	18.3	498	3.61	125.1	8.9	<0.1	22.6	421	0.96	10.11	0.58	91	1.53
26601	Soil	1.08	16.10	34.65	72.1	74	32.7	6.2	312	1.64	8.9	2.6	<0.1	10.1	98	0.27	1.29	0.30	194	0.58
26602	Soil	1.59	42.94	663.2	1079	1249	34.0	7.7	430	2.32	153.6	2.4	<0.1	9.7	85	5.64	99.13	0.25	227	0.47
26603	Soil	10.08	190.8	154.1	266.7	1140	183.9	50.7	342	12.47	151.9	48.4	<0.1	18.7	113	0.93	5.91	5.57	298	1.31
26604	Soil	17.21	112.0	289.0	1419	1338	235.0	47.5	2663	4.67	189.6	8.4	<0.1	17.2	58	9.46	20.93	2.07	414	1.60
26605	Soil	7.95	214.1	231.3	505.3	777	304.6	66.1	692	6.86	248.4	25.1	<0.1	17.2	65	1.40	143.0	1.28	367	1.03
26606	Soil	2.65	47.18	67.34	169.8	286	62.0	13.2	378	2.24	20.6	2.9	<0.1	13.1	61	0.46	4.91	0.56	297	0.42
26607	Soil	2.61	42.48	176.1	209.6	339	50.8	12.1	271	2.45	23.3	3.1	<0.1	12.8	83	0.48	2.99	0.71	277	0.47
26608	Soil	2.36	40.19	1029	68.4	3070	38.6	9.5	280	2.82	44.1	2.6	<0.1	10.7	144	0.23	3.78	0.46	170	0.80
26609	Soil	3.68	54.66	401.0	184.1	694	54.0	12.5	228	2.68	44.1	3.0	<0.1	13.0	134	0.37	4.24	0.56	262	0.55
26610	Soil	4.34	62.94	89.56	54.6	246	62.9	16.4	211	2.87	18.7	3.7	<0.1	17.3	69	0.22	2.28	0.44	320	0.38



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
26581	Soil	53.4	54	0.44	605	0.356	5.11	2.424	1.32	1.3	80.1	3.1	1	6.4	<0.04	12.5	100.6	10.6	39.3	5.6
26582	Soil	72.0	54	0.55	668	0.360	5.67	2.396	1.44	1.6	89.6	4.0	2	7.6	<0.04	14.6	132.6	14.2	53.8	7.1
26583	Soil	48.0	66	0.77	829	0.405	5.80	2.121	1.63	2.0	74.7	2.7	2	8.8	<0.04	14.6	98.04	10.1	39.5	5.9
26584	Soil	88.3	55	0.76	788	0.356	6.40	2.654	1.66	1.7	86.4	3.9	2	8.9	<0.04	18.9	173.9	17.7	67.7	9.3
26585	Soil	85.8	34	0.51	754	0.231	6.77	2.529	1.61	1.5	83.1	4.6	3	6.7	<0.04	26.9	160.2	16.6	63.3	9.0
26586	Soil	53.0	52	0.63	766	0.345	5.48	2.019	1.72	2.0	76.5	3.8	2	7.9	0.06	13.1	97.88	10.4	40.0	5.5
26587	Soil	53.3	52	0.64	771	0.355	5.74	2.328	1.52	1.6	74.1	3.1	2	6.6	<0.04	14.3	109.9	11.8	43.0	6.6
26588	Soil	68.5	48	0.58	729	0.376	5.64	2.426	1.56	1.7	92.4	3.7	2	6.4	<0.04	15.1	142.4	15.1	56.9	8.5
26589	Soil	61.7	60	0.77	834	0.368	5.80	2.161	1.58	2.0	76.7	2.9	2	7.5	<0.04	17.2	128.2	13.7	49.9	7.8
26590	Soil	57.4	75	0.85	1099	0.453	6.02	2.017	1.75	2.1	75.4	3.2	2	8.4	<0.04	20.0	117.5	12.9	48.0	7.4
26591	Soil	64.7	64	0.90	1047	0.454	5.75	1.951	1.78	1.7	75.3	3.0	2	8.4	<0.04	22.7	132.5	13.8	53.6	8.1
26592	Soil	69.4	47	0.69	789	0.393	6.61	2.379	1.46	2.6	73.0	4.9	3	6.3	<0.04	18.4	143.6	15.6	58.1	8.4
26593	Soil	101.1	18	0.69	758	0.277	6.92	2.581	1.41	1.7	123.5	7.0	4	5.9	<0.04	22.2	204.2	21.2	77.1	11.9
26594	Soil	85.7	53	0.77	857	0.385	5.66	2.288	1.60	1.9	101.2	4.3	3	8.6	<0.04	25.5	199.5	18.6	70.0	10.7
26595	Soil	74.0	41	0.77	852	0.372	6.06	2.636	1.72	2.0	113.9	3.7	2	6.8	<0.04	20.8	161.3	16.5	59.9	8.9
26596	Soil	34.7	85	0.59	1756	0.285	5.72	1.063	2.14	4.1	89.8	2.2	2	9.7	<0.04	10.7	78.18	9.3	36.9	5.8
26597	Soil	205.5	76	2.33	2517	0.591	5.94	1.027	2.07	3.2	94.5	2.5	3	13.3	0.17	25.2	421.9	37.9	129.1	13.4
26598	Soil	180.6	75	2.60	2060	0.748	6.23	1.059	1.93	4.8	103.3	3.5	3	14.5	0.16	23.8	332.1	32.1	102.5	10.8
26599	Soil	274.6	69	1.96	1948	0.609	5.84	0.934	1.88	7.6	99.5	8.4	3	13.9	0.22	30.5	440.0	44.8	151.9	15.4
26600	Soil	107.6	22	0.77	926	0.315	5.24	2.226	1.84	1.5	109.5	4.0	1	5.7	0.08	16.0	204.2	21.1	75.6	8.5
26601	Soil	34.6	59	0.52	1355	0.258	4.77	1.186	1.72	1.2	71.6	1.3	1	8.3	<0.04	9.9	68.17	8.5	33.1	5.3
26602	Soil	26.4	66	0.51	1229	0.316	5.04	1.237	2.02	2.0	76.9	19.2	1	10.6	0.05	10.8	54.02	6.7	27.9	4.5
26603	Soil	1748	66	1.06	376	0.162	5.00	1.417	1.19	1.5	78.6	1.7	2	10.1	0.47	44.5	>2000	192.6	561.9	46.3
26604	Soil	363.4	84	1.00	881	0.222	6.41	0.905	1.44	1.2	114.9	13.2	2	15.0	0.08	34.9	678.6	61.0	202.0	21.8
26605	Soil	523.7	77	1.55	1442	0.210	5.68	1.804	1.47	1.2	94.5	3.2	3	12.9	0.28	31.2	926.3	74.1	231.6	23.2
26606	Soil	44.1	66	0.56	2651	0.271	5.89	0.571	2.71	1.5	87.6	2.4	2	10.7	<0.04	13.0	86.40	10.8	43.7	6.9
26607	Soil	50.3	64	0.65	2608	0.318	5.78	0.863	2.60	1.5	84.3	2.3	2	10.2	<0.04	11.2	94.70	12.1	47.1	7.1
26608	Soil	36.9	62	0.63	1430	0.327	5.07	1.407	1.79	1.2	60.0	3.0	2	8.5	0.05	11.1	74.06	8.7	35.5	5.5
26609	Soil	53.5	64	0.69	4349	0.275	6.00	0.955	2.84	1.1	95.6	3.1	2	9.6	<0.04	9.7	104.1	12.9	49.9	7.5
26610	Soil	61.6	62	0.69	2533	0.246	6.08	0.628	2.74	0.9	104.0	3.3	2	10.5	<0.04	13.0	120.5	14.8	58.1	9.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 11 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1	ppm 0.02
26581	Soil	3.6	0.5	2.9	0.5	1.3	0.2	1.4	0.2	2.10	12.5	48.9	2.4	46.05	2.2	18.60
26582	Soil	4.7	0.6	3.4	0.6	1.5	0.2	1.6	0.2	2.40	17.6	52.2	2.6	52.64	2.6	19.04
26583	Soil	4.0	0.5	3.3	0.5	1.5	0.2	1.6	0.2	2.02	21.9	57.1	1.8	31.61	2.4	15.64
26584	Soil	6.3	0.8	4.4	0.7	2.0	0.3	1.9	0.3	2.36	23.4	59.5	2.7	53.27	3.1	19.18
26585	Soil	7.2	1.1	6.5	1.2	3.1	0.4	2.7	0.3	2.33	25.3	62.8	3.2	61.75	5.5	21.70
26586	Soil	4.0	0.6	2.8	0.5	1.4	0.2	1.3	0.2	2.05	19.5	58.6	1.9	36.85	2.4	16.64
26587	Soil	4.7	0.6	3.4	0.6	1.7	0.2	1.6	0.2	2.06	21.2	50.2	2.4	42.37	2.6	17.69
26588	Soil	5.1	0.7	3.7	0.6	1.7	0.2	1.8	0.2	2.52	18.7	51.0	2.7	51.61	2.7	18.43
26589	Soil	5.0	0.8	4.1	0.7	1.9	0.3	1.8	0.3	2.42	21.9	54.3	2.2	38.50	3.4	17.46
26590	Soil	5.3	0.8	4.5	0.8	2.2	0.3	2.0	0.3	2.18	27.2	61.7	3.0	54.57	4.7	17.47
26591	Soil	6.3	0.9	5.0	0.9	2.4	0.3	2.2	0.3	2.15	27.9	64.8	2.5	45.15	4.5	17.73
26592	Soil	5.5	0.8	4.6	0.8	1.9	0.3	1.9	0.3	2.01	26.0	49.2	4.2	82.18	7.4	21.43
26593	Soil	8.5	1.2	6.2	1.0	2.4	0.3	2.5	0.3	3.69	39.7	43.3	3.1	57.04	8.1	25.10
26594	Soil	7.7	1.1	6.1	1.0	2.8	0.4	2.7	0.4	2.82	30.0	55.0	2.9	48.90	5.8	18.74
26595	Soil	6.0	0.9	5.2	0.8	2.3	0.3	2.3	0.3	3.18	26.7	53.8	2.5	43.42	3.9	19.09
26596	Soil	4.0	0.5	2.4	0.4	1.3	0.2	1.7	0.3	2.37	22.2	68.2	0.8	12.81	3.9	17.60
26597	Soil	6.8	1.0	5.6	0.9	2.4	0.3	2.4	0.3	2.40	24.0	51.1	1.1	23.90	3.7	16.14
26598	Soil	6.9	0.9	5.1	0.9	2.5	0.3	2.3	0.3	2.69	25.0	46.9	1.2	26.47	3.5	16.46
26599	Soil	9.1	1.2	6.6	1.1	2.9	0.4	2.8	0.4	2.53	23.5	51.6	1.1	25.18	3.9	16.52
26600	Soil	4.8	0.6	3.5	0.6	1.5	0.2	1.4	0.2	2.77	20.2	41.1	0.5	9.24	1.8	17.19
26601	Soil	3.7	0.4	2.3	0.4	1.0	0.2	1.3	0.2	1.91	11.9	55.8	0.6	8.49	1.9	13.56
26602	Soil	3.3	0.4	2.4	0.4	1.2	0.2	1.3	0.2	1.94	16.4	73.1	0.7	11.26	4.3	16.32
26603	Soil	18.9	2.6	11.0	1.5	3.6	0.4	3.3	0.5	1.99	14.3	42.8	0.4	10.01	3.2	20.92
26604	Soil	11.7	1.7	8.1	1.3	3.6	0.5	3.5	0.5	2.86	20.1	52.1	0.6	15.75	7.3	22.74
26605	Soil	10.6	1.4	6.9	1.1	2.6	0.3	2.8	0.4	2.33	22.2	46.1	0.3	7.89	3.7	19.55
26606	Soil	4.7	0.6	2.9	0.5	1.4	0.2	1.7	0.2	2.39	16.3	84.5	0.5	8.40	4.1	17.93
26607	Soil	4.6	0.6	2.8	0.4	1.1	0.2	1.4	0.2	2.38	16.2	83.7	0.6	10.32	3.1	17.75
26608	Soil	3.5	0.5	2.6	0.4	1.2	0.2	1.3	0.2	1.75	16.4	61.5	0.8	10.91	2.3	14.37
26609	Soil	4.6	0.5	2.4	0.4	1.0	0.2	1.5	0.2	2.46	19.3	86.3	0.5	8.27	3.1	17.65
26610	Soil	6.1	0.6	3.2	0.5	1.5	0.2	1.8	0.3	2.79	16.2	92.7	0.5	7.76	3.2	17.99



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 4 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26611	Soil	4.35	45.44	222.5	76.4	170	46.4	11.2	273	2.61	11.4	3.8	<0.1	11.1	111	0.19	2.19	0.32	349	0.47
26612	Soil	3.00	39.60	220.1	80.1	157	41.8	9.5	276	2.23	9.0	3.1	<0.1	11.9	118	0.24	1.68	0.38	333	0.50
26613	Soil	1.76	12.29	35.30	45.6	55	26.3	3.4	133	1.39	9.9	2.6	<0.1	11.3	44	0.13	1.75	0.25	290	0.17
26614	Soil	1.67	19.89	15.68	53.6	90	5.5	6.6	397	2.12	2.7	1.7	<0.1	4.2	496	0.19	0.49	0.15	58	1.76
26615	Soil	4.14	42.41	120.2	164.0	279	34.2	15.0	485	3.36	14.1	3.3	<0.1	9.3	295	0.32	2.48	0.73	212	1.25
26616	Soil	3.90	55.46	90.56	144.3	120	48.1	20.5	717	4.34	30.5	3.6	<0.1	12.9	84	0.44	4.26	27.06	266	0.50
26617	Soil	3.21	41.21	167.0	137.5	327	22.9	9.8	385	2.91	86.8	4.7	<0.1	17.0	288	0.33	7.59	0.85	157	0.94
26618	Soil	1.69	20.07	23.46	53.7	129	4.9	5.9	390	1.90	3.2	1.7	<0.1	4.1	485	0.14	0.56	0.17	48	1.70
26619	Soil	3.64	46.51	218.4	102.6	169	50.3	10.1	244	2.57	13.0	3.1	<0.1	11.8	64	0.55	2.20	0.41	355	0.28
26620	Soil	3.26	41.85	208.4	117.1	343	27.7	8.6	263	3.32	85.7	5.0	<0.1	15.5	135	0.29	4.82	0.85	198	0.55
26621	Soil	1.54	19.34	20.21	47.8	208	4.1	5.4	373	1.74	3.0	1.8	<0.1	4.1	488	0.11	0.46	0.15	43	1.67
26622	Soil	4.80	22.12	70.01	93.1	159	34.0	7.3	668	2.23	52.6	3.3	<0.1	11.1	215	0.31	3.62	0.39	222	0.64
26623	Soil	4.00	90.32	79.99	79.7	294	53.1	40.0	600	4.33	25.5	3.3	<0.1	7.1	368	0.22	1.26	0.35	136	1.80
26624	Soil	2.15	21.57	12.84	62.4	140	9.6	7.8	361	2.21	2.3	1.7	<0.1	4.2	456	0.15	0.67	0.16	82	1.67
26625	Soil	4.65	41.83	22.80	112.8	416	30.6	6.6	173	2.36	8.7	4.0	<0.1	9.0	109	0.35	2.18	0.28	359	0.47
26626	Soil	7.72	60.50	37.06	286.2	494	57.0	13.8	353	4.41	16.1	5.1	<0.1	10.4	68	0.47	4.39	0.37	582	0.29
26627	Soil	7.02	42.43	20.67	136.0	323	29.8	5.5	144	2.58	37.9	4.5	<0.1	11.1	87	0.29	2.72	0.28	431	0.35
26628	Soil	1.59	20.21	8.73	53.1	72	7.5	9.9	419	2.48	1.6	1.3	<0.1	3.3	548	0.07	0.37	0.13	78	2.22
26629	Soil	1.82	20.69	8.78	50.2	88	4.7	6.9	392	1.92	1.8	1.4	<0.1	3.6	504	0.10	0.43	0.13	45	1.84
26630	Soil	1.85	20.39	9.23	50.8	79	3.3	5.4	382	1.65	1.5	1.5	<0.1	4.1	501	0.08	0.41	0.15	32	1.80
26631	Soil	10.74	6.62	11.52	87.5	<20	29.0	7.7	883	5.35	6.6	3.4	<0.1	18.2	64	0.13	0.74	0.36	171	0.58
26632	Soil	5.95	4.92	6.16	32.8	<20	35.6	8.1	317	3.10	10.6	1.8	<0.1	9.9	66	0.13	1.00	0.28	284	0.53
26633	Soil	5.33	3.67	7.37	24.0	<20	20.4	4.4	168	2.44	4.3	1.7	<0.1	7.3	56	0.07	0.72	0.21	262	0.35
26634	Soil	11.57	4.23	6.68	27.8	<20	20.4	7.4	437	4.54	6.3	3.6	<0.1	22.4	52	0.10	0.94	0.29	174	0.36
26635	Soil	6.09	3.74	9.69	18.0	<20	17.1	3.6	132	1.97	7.0	2.0	<0.1	9.8	46	0.05	0.86	0.19	288	0.25
26636	Soil	7.84	3.85	5.64	22.8	<20	15.4	4.4	223	3.43	3.5	2.4	<0.1	13.4	48	0.10	0.76	0.17	217	0.26
26637	Soil	4.74	2.97	5.94	48.1	<20	29.9	4.8	272	4.87	2.7	1.4	<0.1	10.1	47	0.08	0.75	0.14	167	0.24
26638	Soil	9.17	5.00	7.46	50.7	<20	40.3	6.1	294	3.23	3.3	1.8	<0.1	11.9	51	0.10	1.05	0.36	325	0.35
26639	Soil	23.43	0.96	2.20	32.7	<20	47.2	3.1	77	1.64	0.5	1.3	<0.1	5.0	21	0.02	1.04	0.34	262	0.43
26640	Soil	3.56	1.48	3.43	39.1	<20	76.3	8.3	103	2.00	2.1	1.7	<0.1	7.6	24	0.06	1.15	0.17	365	0.39



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

August 30, 2010

Page:

4 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
26611	Soil	31.2	77	0.65	2396	0.255	6.70	0.809	2.99	1.1	108.6	2.3	2	10.7	<0.04	8.4	61.45	7.7	30.5	4.7
26612	Soil	37.6	72	0.60	2177	0.270	6.66	0.852	3.22	1.0	104.2	2.8	3	10.5	<0.04	9.7	72.32	9.1	35.7	5.0
26613	Soil	47.3	70	0.38	1477	0.338	5.27	1.108	2.17	1.4	83.1	3.1	2	9.0	<0.04	7.3	87.69	11.1	41.0	6.1
26614	Soil	13.0	8	0.61	799	0.284	5.99	2.802	2.22	0.5	115.3	0.8	<1	4.2	<0.04	6.2	26.80	3.1	12.4	2.2
26615	Soil	33.8	57	0.89	1465	0.317	6.26	1.474	2.43	0.8	98.8	2.0	2	9.5	<0.04	9.0	65.37	7.9	30.6	4.6
26616	Soil	47.0	63	0.89	1682	0.356	5.62	0.910	2.12	1.5	86.3	2.3	2	11.4	<0.04	13.4	96.53	10.8	41.3	6.4
26617	Soil	59.6	36	0.62	1256	0.358	5.47	1.997	2.11	1.8	112.0	3.0	2	6.3	0.06	10.0	116.4	11.6	39.5	5.1
26618	Soil	12.5	6	0.58	825	0.254	5.75	2.809	2.27	0.5	120.0	0.7	1	3.7	<0.04	6.0	25.87	2.9	11.3	2.0
26619	Soil	39.9	80	0.56	2328	0.264	5.75	0.423	2.88	1.1	95.7	2.6	2	10.6	<0.04	9.4	74.05	9.2	34.7	5.4
26620	Soil	70.8	50	0.59	1313	0.303	4.54	1.125	1.86	1.5	89.2	2.6	1	6.8	0.06	10.4	132.8	13.8	48.4	5.8
26621	Soil	12.7	6	0.55	807	0.236	5.82	2.829	2.10	0.6	115.7	0.7	1	3.5	<0.04	6.0	25.84	3.0	11.0	1.9
26622	Soil	65.9	39	0.41	1016	0.335	4.84	1.855	1.75	3.6	106.5	2.9	1	5.1	<0.04	7.8	111.9	10.7	35.6	4.1
26623	Soil	37.5	29	0.78	890	0.262	5.78	2.254	1.70	1.3	96.0	1.9	2	5.2	0.07	12.9	54.58	6.7	29.2	3.8
26624	Soil	13.1	13	0.66	857	0.262	6.08	2.560	2.20	0.6	116.3	0.8	1	4.4	<0.04	6.2	25.51	3.0	13.9	2.1
26625	Soil	26.7	74	0.43	2256	0.241	6.35	0.756	2.87	0.9	97.4	2.3	2	9.2	0.08	9.1	49.80	6.2	29.2	4.2
26626	Soil	28.4	111	0.89	4350	0.321	12.06	0.495	3.72	1.1	123.4	2.6	4	13.6	0.09	10.6	57.06	7.4	35.1	5.5
26627	Soil	33.7	74	0.42	2889	0.258	7.19	0.595	2.99	0.9	107.1	2.0	4	9.8	0.05	9.8	63.63	8.5	38.6	5.2
26628	Soil	11.2	9	0.84	716	0.318	6.46	2.973	2.05	0.5	106.0	0.7	1	5.2	<0.04	6.3	22.75	2.7	12.6	2.0
26629	Soil	11.3	6	0.57	791	0.230	6.75	2.918	2.29	0.6	123.0	0.6	1	3.4	<0.04	5.5	23.28	2.7	12.5	1.8
26630	Soil	12.3	4	0.42	891	0.202	8.11	2.884	2.44	0.6	134.3	0.6	1	2.8	<0.04	5.5	25.27	2.9	12.9	1.7
26631	Soil	69.2	57	1.18	597	0.374	6.27	2.154	1.70	2.6	87.4	4.9	5	7.4	<0.04	33.4	159.5	15.3	71.1	10.3
26632	Soil	28.6	72	1.05	409	0.276	5.24	1.873	1.23	1.7	60.6	1.9	3	8.6	<0.04	12.3	62.49	7.0	33.2	5.0
26633	Soil	17.1	57	0.70	282	0.304	4.95	2.498	0.89	1.8	62.1	1.9	2	6.4	<0.04	12.3	34.87	4.4	20.6	3.4
26634	Soil	105.6	50	1.13	471	0.210	6.39	2.233	1.59	3.0	108.7	5.9	4	6.1	<0.04	24.0	230.2	19.2	81.7	11.2
26635	Soil	33.1	49	0.42	359	0.264	5.53	2.462	1.31	2.3	76.6	2.4	2	7.7	<0.04	8.0	63.40	7.3	32.7	4.7
26636	Soil	59.7	48	0.62	486	0.231	6.37	2.649	1.80	2.2	74.9	5.7	3	5.9	<0.04	11.3	127.5	12.1	52.4	7.4
26637	Soil	73.2	60	1.24	354	0.242	7.02	3.283	1.10	1.5	55.3	6.9	3	6.5	<0.04	12.0	176.0	17.8	79.7	10.9
26638	Soil	33.4	77	1.69	360	0.270	5.69	2.138	1.06	2.8	58.6	2.7	2	10.3	<0.04	9.8	69.81	8.3	38.3	5.5
26639	Soil	16.6	47	2.17	152	0.175	6.66	0.795	0.28	2.5	43.3	5.1	2	8.7	<0.04	6.6	31.87	3.3	14.3	2.1
26640	Soil	21.3	66	2.40	233	0.198	6.84	0.982	1.07	2.7	58.0	2.5	3	12.1	<0.04	6.9	46.57	5.8	26.9	4.2



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 4 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1	ppm 0.02
26611	Soil	3.1	0.4	2.1	0.3	1.0	0.1	1.2	0.2	2.83	16.4	99.5	0.5	8.01	4.8	21.42
26612	Soil	3.1	0.4	2.0	0.4	1.1	0.2	1.4	0.2	2.83	14.2	104.8	0.5	8.71	3.5	20.86
26613	Soil	3.3	0.4	1.8	0.3	0.9	0.1	1.1	0.2	2.28	11.4	75.8	0.8	13.19	2.7	17.01
26614	Soil	1.6	0.2	1.3	0.2	0.6	<0.1	0.7	0.1	3.07	19.2	38.2	0.4	5.87	1.2	17.79
26615	Soil	3.4	0.4	2.0	0.4	1.0	0.1	1.2	0.2	2.71	16.4	72.7	0.5	8.07	2.6	19.04
26616	Soil	4.4	0.6	3.3	0.5	1.4	0.2	1.6	0.2	2.21	15.5	73.8	0.8	12.97	7.3	17.17
26617	Soil	2.8	0.4	2.3	0.4	1.1	0.1	1.1	0.2	3.09	16.8	55.4	0.9	16.46	2.6	17.33
26618	Soil	1.3	0.2	1.2	0.2	0.6	<0.1	0.6	<0.1	3.04	19.8	38.5	0.4	5.95	1.2	16.93
26619	Soil	3.9	0.4	2.2	0.4	1.0	0.2	1.2	0.2	2.62	12.0	110.5	0.5	8.30	3.9	18.95
26620	Soil	3.6	0.5	2.4	0.4	1.0	0.1	1.1	0.2	2.28	12.7	60.8	0.8	13.89	3.0	15.23
26621	Soil	1.6	0.2	1.1	0.3	0.7	<0.1	0.7	0.1	3.05	19.4	37.8	0.4	5.71	1.2	16.87
26622	Soil	2.7	0.3	1.7	0.3	0.8	0.1	0.9	0.1	2.89	16.2	47.8	0.9	17.55	3.4	17.02
26623	Soil	2.7	0.4	2.3	0.4	1.2	0.2	1.2	0.2	2.51	20.4	34.6	0.5	11.39	5.1	17.13
26624	Soil	1.6	0.2	1.2	0.3	0.7	<0.1	0.6	<0.1	3.00	18.0	38.4	0.4	6.67	1.5	17.39
26625	Soil	2.8	0.4	2.0	0.3	0.9	0.1	1.1	0.2	2.57	12.5	98.9	0.6	9.11	4.4	18.89
26626	Soil	3.8	0.5	2.7	0.4	1.2	0.2	1.5	0.2	3.40	17.7	139.6	0.8	12.39	6.9	28.26
26627	Soil	3.5	0.4	2.2	0.4	0.9	0.1	1.2	0.2	2.91	11.6	105.7	0.6	9.42	4.4	20.13
26628	Soil	1.5	0.2	1.3	0.2	0.7	<0.1	0.7	<0.1	2.85	18.2	29.1	0.4	6.05	1.1	18.86
26629	Soil	1.4	0.2	1.2	0.2	0.6	<0.1	0.7	<0.1	3.21	20.5	33.3	0.4	6.15	1.2	18.11
26630	Soil	1.2	0.2	1.1	0.2	0.6	<0.1	0.6	<0.1	3.60	21.3	38.0	0.4	6.36	1.3	18.88
26631	Soil	7.8	1.2	7.8	1.3	3.6	0.4	2.9	0.4	2.25	22.7	74.1	4.8	102.1	3.3	26.79
26632	Soil	3.3	0.4	2.7	0.5	1.2	0.2	1.2	0.2	1.64	20.8	34.4	1.0	19.42	1.9	17.26
26633	Soil	2.7	0.4	2.5	0.5	1.3	0.2	1.3	0.2	1.79	9.6	25.0	1.2	23.82	1.3	18.84
26634	Soil	7.2	1.1	6.8	1.2	2.9	0.4	2.6	0.3	2.49	21.9	48.5	4.5	104.5	4.4	32.41
26635	Soil	2.7	0.3	1.6	0.3	0.8	0.1	1.0	0.2	2.07	8.6	40.4	1.4	28.46	1.8	20.10
26636	Soil	4.1	0.5	2.7	0.5	1.3	0.2	1.2	0.2	1.91	9.8	53.8	2.2	54.14	2.4	26.20
26637	Soil	6.6	0.7	3.5	0.5	1.0	0.2	1.1	0.2	1.39	25.3	41.7	1.9	40.86	3.2	29.23
26638	Soil	3.2	0.4	2.2	0.4	1.0	0.1	1.0	0.2	1.63	29.6	39.2	1.4	26.56	4.6	21.40
26639	Soil	1.3	0.2	1.4	0.3	0.8	0.1	0.7	0.1	1.29	22.6	4.3	0.5	10.53	4.4	20.85
26640	Soil	2.6	0.3	1.7	0.3	0.7	0.1	0.9	0.1	1.60	26.6	18.3	0.6	11.04	6.7	23.37



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 5 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26641	Soil	5.42	3.34	4.39	20.8	<20	30.2	4.9	88	1.42	2.5	2.0	<0.1	8.8	39	0.08	0.57	0.29	281	0.20
26642	Soil	8.32	5.82	6.79	33.3	<20	10.2	3.5	262	3.74	5.4	3.0	<0.1	17.6	48	0.24	0.84	1.42	94	0.26
26643	Soil	8.73	6.89	7.64	45.3	<20	10.4	4.0	710	5.07	4.3	3.6	<0.1	20.4	58	0.20	0.89	0.60	59	0.29
26644	Soil	5.26	5.23	6.57	22.7	<20	14.4	3.3	149	1.56	3.0	2.6	<0.1	12.8	55	0.12	0.81	0.27	184	0.35
26645	Soil	2.67	5.97	8.98	41.8	<20	50.3	8.2	331	2.52	4.7	2.0	<0.1	13.7	72	0.22	1.04	0.29	277	1.19
26646	Soil	2.61	13.51	7.32	36.0	<20	11.3	5.2	256	1.78	2.0	1.9	<0.1	7.2	255	0.11	0.49	0.24	140	0.90
26647	Soil	2.67	15.03	9.48	49.5	<20	38.9	9.3	407	3.08	3.0	1.6	<0.1	6.4	263	0.10	0.74	0.34	170	1.39
26648	Soil	2.27	16.42	8.70	51.9	77	18.0	9.1	388	2.57	2.5	1.5	<0.1	4.7	395	0.13	0.54	0.25	101	1.56
26649	Soil	4.23	8.74	9.06	45.0	61	67.7	30.7	586	3.43	5.5	1.5	<0.1	14.5	133	0.15	0.97	0.95	154	0.99
26650	Soil	6.11	5.68	6.08	28.4	<20	85.8	81.2	239	3.32	10.1	1.8	<0.1	23.7	61	0.10	1.46	1.33	143	0.54
26651	Soil	2.36	45.41	26.94	61.4	42	46.1	14.8	286	2.72	8.9	2.9	<0.1	14.2	98	0.17	1.91	0.67	207	0.53
26652	Soil	1.86	20.89	23.90	44.5	109	15.5	7.1	288	1.95	2.7	2.3	<0.1	7.6	300	0.13	0.83	0.27	135	1.16
26653	Soil	1.63	19.03	11.35	43.9	84	5.0	4.8	356	1.70	2.2	2.0	<0.1	5.4	482	0.09	0.47	0.15	44	1.54
26654	Soil	0.77	10.50	18.22	60.2	53	29.1	3.5	198	1.53	5.2	2.2	<0.1	10.6	76	0.16	0.99	0.18	223	0.44
26655	Soil	0.95	23.43	12.30	45.7	29	44.1	8.2	239	2.14	8.0	2.6	<0.1	12.3	131	0.12	0.95	0.20	180	0.70
26656	Soil	0.85	17.29	12.18	37.2	23	45.2	9.2	243	1.92	8.7	2.3	<0.1	10.4	135	0.09	0.82	0.14	199	0.76
26657	Soil	1.30	14.19	15.51	38.0	136	49.4	8.8	198	1.96	8.9	2.2	<0.1	9.4	87	0.13	0.88	0.17	229	0.55
26658	Soil	1.88	41.88	35.74	32.8	125	69.2	13.3	125	1.64	20.6	2.3	<0.1	11.5	49	0.09	1.59	0.24	315	0.35
26659	Soil	2.52	16.66	8.13	33.4	243	24.8	9.4	94	1.15	56.7	2.2	<0.1	8.4	61	0.65	0.84	0.15	176	0.53
26660	Soil	2.29	24.49	25.42	55.5	219	31.9	6.9	171	1.46	37.3	2.4	<0.1	10.6	43	0.39	2.40	0.32	248	0.17
26661	Soil	4.71	52.68	17.29	64.0	394	54.3	7.1	82	2.28	28.1	2.9	<0.1	10.5	40	0.26	2.44	0.40	243	0.16
26662	Soil	4.02	61.58	1393	831.3	3986	29.8	6.0	439	2.47	175.0	2.7	<0.1	9.4	22	1.20	141.6	1.54	304	0.17
26663	Soil	1.59	10.15	15.64	35.5	299	20.4	2.7	73	0.88	10.3	2.3	<0.1	9.2	47	0.61	1.50	0.29	270	0.20
26664	Soil	2.17	108.6	27.58	166.7	71	67.9	23.1	744	5.80	38.1	3.1	<0.1	4.5	41	0.24	4.56	0.48	255	1.92
26665	Soil	4.74	128.7	23.87	142.4	219	72.9	22.0	502	6.41	25.1	9.3	<0.1	38.4	35	0.32	5.94	0.93	306	1.03
26666	Soil	1.10	266.9	988.6	1175	2495	130.4	60.2	1141	12.59	104.1	45.7	<0.1	61.6	29	3.94	4.38	4.82	225	0.69
26667	Soil	1.58	102.2	79.56	79.0	<20	75.1	32.1	952	9.31	34.6	20.3	<0.1	29.2	62	0.22	3.25	0.79	193	2.61
26668	Soil	8.47	266.4	160.5	101.0	727	138.3	101.9	894	10.37	44.3	28.1	<0.1	60.5	165	2.31	2.18	2.76	148	2.18
26669	Soil	1.05	67.14	39.97	17.9	1313	36.7	4.8	163	0.72	13.0	11.5	<0.1	4.0	51	0.14	4.15	0.23	16	4.08
26670	Soil	3.85	47.22	1601	142.4	20331	41.0	14.8	548	2.96	212.4	4.7	<0.1	16.9	83	1.66	40.54	1.47	211	0.56



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 5 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm 0.1	ppm 1	% 0.02	ppm 1	% 0.001	% 0.02	% 0.002	% 0.02	ppm 0.1	ppm 0.2	ppm 0.1	ppm 1	ppm 0.1	% 0.04	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1
26641	Soil	14.9	57	0.63	382	0.295	5.97	1.536	2.13	4.6	82.0	4.2	3	10.9	0.04	7.8	31.08	3.8	17.1	2.5	0.2
26642	Soil	108.3	35	0.44	498	0.229	6.01	1.426	1.76	2.2	241.6	5.4	3	4.5	0.05	25.9	211.2	20.4	89.6	12.6	1.2
26643	Soil	131.6	31	0.42	476	0.214	6.44	1.699	1.63	1.6	342.3	5.6	3	4.1	0.06	30.1	258.3	25.2	110.4	15.1	1.5
26644	Soil	50.7	52	0.35	426	0.398	4.90	1.929	1.37	3.9	135.0	2.9	3	6.5	<0.04	13.4	111.3	11.0	48.2	6.9	0.8
26645	Soil	37.1	81	1.70	447	0.703	5.91	1.924	1.23	5.2	85.9	2.7	2	11.7	<0.04	16.4	88.80	9.4	46.0	7.0	1.0
26646	Soil	27.6	35	0.60	490	0.301	5.54	2.702	1.48	2.4	122.2	1.7	2	5.6	<0.04	9.0	53.93	6.2	27.7	4.1	0.6
26647	Soil	26.0	81	1.70	548	0.728	6.02	2.320	1.42	1.6	99.1	2.3	2	11.5	0.05	12.0	54.49	6.8	33.2	5.2	0.8
26648	Soil	17.5	30	1.04	684	0.393	5.62	2.537	1.74	1.0	104.7	1.2	2	6.6	<0.04	7.8	35.21	4.2	20.0	3.0	0.5
26649	Soil	18.1	32	1.45	829	0.351	7.65	2.800	1.39	1.5	58.7	2.1	2	10.3	<0.04	14.6	38.42	4.8	23.9	4.4	0.6
26650	Soil	12.1	41	0.98	919	0.328	7.01	3.153	1.54	2.5	45.7	2.3	2	10.2	0.05	8.7	30.88	3.7	19.1	3.5	0.3
26651	Soil	50.4	53	0.63	1624	0.308	5.42	1.070	2.02	1.2	75.1	1.7	2	9.8	<0.04	13.7	89.40	10.7	42.3	6.2	1.0
26652	Soil	28.7	41	0.60	1218	0.275	5.84	1.731	1.89	0.8	87.3	1.2	1	7.4	0.06	7.8	51.86	6.0	23.9	3.6	0.5
26653	Soil	16.3	6	0.47	839	0.207	6.64	2.671	2.27	0.8	122.1	0.7	1	3.4	<0.04	6.2	30.94	3.3	12.5	1.9	0.3
26654	Soil	25.4	58	0.58	1389	0.284	6.48	1.041	2.87	1.8	95.6	2.0	2	12.4	<0.04	11.5	63.50	9.0	41.4	7.2	0.6
26655	Soil	34.0	62	0.62	989	0.292	5.69	1.607	1.74	1.3	67.7	1.4	2	9.7	<0.04	12.2	71.08	8.1	30.9	4.8	0.7
26656	Soil	33.9	65	0.70	861	0.284	5.71	1.903	1.79	1.4	72.0	1.2	2	8.9	<0.04	11.5	65.64	8.3	37.8	5.8	0.7
26657	Soil	21.6	70	0.59	912	0.272	5.45	1.802	1.66	1.3	72.7	1.5	2	9.1	<0.04	9.2	45.75	5.9	30.1	4.8	0.4
26658	Soil	24.3	70	0.60	1693	0.252	6.00	1.499	1.88	1.8	81.4	0.9	2	9.8	<0.04	8.7	53.10	7.2	35.5	5.5	0.5
26659	Soil	12.9	61	0.37	590	0.219	3.90	0.853	1.10	1.6	58.9	0.9	1	7.7	0.11	6.5	27.67	3.5	14.0	2.3	0.4
26660	Soil	14.2	63	0.41	1117	0.291	4.86	1.105	1.81	2.7	87.2	1.9	2	8.2	<0.04	6.1	31.28	4.1	18.0	2.9	0.2
26661	Soil	15.9	60	0.56	1152	0.240	5.04	1.133	1.26	2.5	82.4	0.9	1	7.5	0.05	7.2	36.17	5.3	22.0	3.7	0.2
26662	Soil	11.3	72	0.76	2739	0.358	5.66	0.177	2.72	9.6	84.4	19.5	2	9.4	<0.04	5.3	25.43	3.1	14.0	2.4	0.2
26663	Soil	22.2	51	0.35	924	0.277	5.91	1.569	2.00	2.1	74.7	1.5	2	9.8	<0.04	6.3	45.48	5.4	20.4	2.8	0.4
26664	Soil	84.6	78	3.66	2811	1.104	6.44	0.524	2.28	6.1	89.5	12.5	1	24.7	0.09	25.9	125.6	12.4	44.1	7.2	4.4
26665	Soil	281.1	61	3.14	3950	1.083	7.09	0.704	2.23	7.0	122.7	9.5	4	20.9	0.07	32.0	474.2	43.3	139.0	15.4	5.8
26666	Soil	336.7	56	3.40	769	0.321	5.51	0.902	0.86	1.0	93.3	8.7	4	8.6	0.17	51.3	592.3	61.3	221.2	23.0	5.1
26667	Soil	235.0	43	3.14	4492	0.775	5.95	0.774	1.89	3.3	191.8	7.2	4	11.3	<0.04	48.8	433.0	37.0	123.8	13.0	3.7
26668	Soil	489.0	44	1.07	870	0.231	4.59	1.545	0.97	1.7	72.9	1.8	2	7.9	0.11	43.7	961.2	72.5	230.3	23.9	4.0
26669	Soil	103.8	8	0.19	340	0.054	0.81	0.109	0.16	0.3	12.3	0.8	<1	1.9	0.27	15.6	73.79	14.4	49.4	4.5	1.1
26670	Soil	61.2	67	0.62	1481	0.374	5.47	0.969	2.17	4.1	103.4	12.4	2	9.9	0.08	14.5	122.2	12.6	45.6	6.4	0.7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 5 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
26641	Soil	1.7	0.2	1.4	0.3	0.8	0.1	1.0	0.1	2.14	16.9	68.3	1.8	41.03	4.7
26642	Soil	8.1	1.1	5.7	1.0	2.8	0.4	2.7	0.4	5.71	10.2	59.7	3.2	62.27	2.4
26643	Soil	9.4	1.3	6.9	1.2	3.1	0.4	3.1	0.4	6.80	12.9	53.7	3.5	71.36	2.4
26644	Soil	4.0	0.5	2.7	0.5	1.3	0.2	1.4	0.2	3.31	14.1	48.2	2.5	50.39	2.7
26645	Soil	4.9	0.6	3.5	0.6	1.5	0.2	1.4	0.2	2.32	27.8	32.4	2.0	34.98	3.3
26646	Soil	2.5	0.3	2.1	0.4	0.9	0.1	0.9	0.1	3.20	13.7	33.1	1.2	22.07	1.7
26647	Soil	3.5	0.4	2.6	0.5	1.2	0.1	1.2	0.2	2.65	18.9	31.1	1.2	20.91	2.1
26648	Soil	2.3	0.3	1.7	0.3	0.9	0.1	0.9	0.1	2.88	17.9	30.4	0.7	12.30	1.5
26649	Soil	3.7	0.5	3.3	0.6	1.4	0.2	1.3	0.2	1.68	20.6	30.9	0.8	12.66	4.5
26650	Soil	2.8	0.4	2.0	0.4	0.9	0.1	0.8	0.1	1.28	18.7	35.8	0.7	12.65	8.6
26651	Soil	4.0	0.6	2.9	0.5	1.5	0.2	1.3	0.2	2.11	11.9	73.5	0.7	10.67	2.0
26652	Soil	2.2	0.3	1.6	0.3	1.0	0.1	0.8	0.1	2.41	12.0	56.7	0.5	7.85	1.7
26653	Soil	1.6	0.2	1.2	0.3	0.7	0.1	0.6	0.1	2.98	18.7	46.2	0.4	5.36	1.2
26654	Soil	4.1	0.5	2.4	0.4	1.2	0.2	1.3	0.3	2.49	14.5	101.1	0.7	10.29	2.4
26655	Soil	3.9	0.5	3.2	0.5	1.4	0.2	1.6	0.2	1.89	14.5	66.5	0.7	10.08	2.0
26656	Soil	3.6	0.5	2.3	0.4	1.2	0.2	1.2	0.2	2.10	15.8	55.1	0.7	10.84	1.8
26657	Soil	3.2	0.3	2.1	0.3	0.9	0.1	1.1	0.2	1.99	15.9	49.3	0.7	11.19	2.1
26658	Soil	3.5	0.4	1.9	0.3	0.9	0.1	1.2	0.2	2.31	17.1	52.2	0.6	9.48	3.0
26659	Soil	1.5	0.3	1.2	0.3	0.8	<0.1	0.8	0.1	1.63	10.0	44.4	0.6	8.88	2.5
26660	Soil	2.1	0.2	1.2	0.2	0.7	0.1	1.0	0.2	2.44	25.1	66.2	0.8	14.06	8.3
26661	Soil	3.1	0.3	1.6	0.3	0.8	0.1	1.1	0.1	2.16	24.7	57.5	0.6	9.59	11.2
26662	Soil	2.5	0.2	1.2	0.2	0.7	0.1	1.1	0.1	2.36	33.1	86.7	0.8	14.44	4.2
26663	Soil	1.8	0.2	1.2	0.2	0.7	0.1	1.0	0.2	1.93	11.3	77.0	0.7	11.46	2.5
26664	Soil	7.5	0.9	5.6	1.0	2.5	0.3	2.6	0.3	2.78	37.2	74.1	1.5	39.18	8.6
26665	Soil	12.7	1.4	7.0	1.2	3.1	0.4	3.1	0.4	3.25	36.5	60.1	1.9	39.96	7.5
26666	Soil	17.7	1.9	10.9	1.8	4.8	0.6	4.2	0.6	2.30	23.6	38.6	1.0	28.87	7.2
26667	Soil	11.1	1.3	9.4	1.8	5.3	0.7	5.2	0.6	4.58	31.6	55.1	2.9	71.43	6.8
26668	Soil	16.0	1.9	9.9	1.6	3.9	0.5	3.9	0.6	1.87	12.7	33.9	0.6	16.30	2.4
26669	Soil	2.5	0.4	2.6	0.5	1.1	0.2	1.2	0.2	0.31	1.8	5.5	<0.1	2.63	0.5
26670	Soil	4.6	0.6	3.1	0.5	1.5	0.2	1.7	0.2	2.56	16.9	81.3	1.5	27.48	5.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 6 of 11 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26671	Soil	1.49	20.17	8.58	54.3	203	7.7	7.7	414	2.00	9.0	1.5	<0.1	3.4	512	0.18	0.59	0.13	52	2.25
26672	Soil	7.41	31.30	44.45	108.2	232	26.8	7.3	247	2.71	41.8	3.3	<0.1	11.7	156	0.96	4.55	2.26	176	0.85
26673	Soil	23.98	57.20	31.40	68.0	344	39.6	15.7	384	5.47	20.6	4.2	<0.1	5.3	54	0.90	2.13	1.10	211	1.25
26674	Soil	6.25	24.82	41.43	63.2	156	13.3	14.6	979	2.53	16.2	2.1	<0.1	4.8	432	0.32	1.45	0.65	79	1.62
26675	Soil	2.13	20.21	12.62	57.2	130	7.7	12.3	745	2.74	2.5	1.6	<0.1	3.6	534	0.20	0.48	0.34	74	2.13
26676	Soil	1.81	20.59	9.26	54.3	96	5.5	7.8	422	2.03	2.1	1.7	<0.1	4.0	570	0.21	0.50	0.28	49	1.99
26677	Soil	1.83	24.13	8.90	55.8	127	8.0	9.9	420	2.15	3.9	1.7	<0.1	3.6	482	0.20	0.61	0.96	48	2.03
26678	Soil	2.45	58.03	24.41	78.7	153	28.3	34.5	824	3.74	36.9	3.2	<0.1	6.2	263	0.80	1.91	5.82	96	2.23
26679	Soil	1.88	138.0	31.72	72.1	404	46.8	59.3	1155	5.86	47.8	9.7	<0.1	6.6	236	0.76	5.10	24.93	114	4.01
26680	Soil	1.48	21.71	8.39	64.0	92	6.1	8.5	436	1.90	1.5	1.5	<0.1	3.3	502	0.34	0.47	0.76	44	2.28
26681	Soil	1.84	39.67	27.13	105.6	73	20.6	16.6	541	3.34	19.0	2.5	<0.1	5.3	392	0.35	1.82	6.46	78	2.65
26682	Soil	1.29	26.80	83.25	187.4	264	40.7	20.4	459	5.01	21.9	2.3	<0.1	15.7	175	0.29	2.45	1.45	93	2.76
26683	Soil	2.70	26.55	44.40	120.3	254	34.2	18.8	919	4.84	85.8	2.1	<0.1	14.0	183	0.26	3.37	0.96	96	1.80
26684	Soil	0.97	29.90	18.03	76.0	58	31.0	19.1	421	4.75	19.2	1.3	<0.1	9.4	120	0.26	1.59	0.59	78	1.77
26685	Soil	1.54	19.59	12.48	60.7	159	4.8	6.8	416	1.93	2.9	1.4	<0.1	4.0	525	0.25	0.55	0.15	44	2.12
26686	Soil	1.49	17.01	9.64	61.6	111	5.4	7.3	422	2.15	1.7	1.5	<0.1	3.9	563	0.31	0.51	0.14	54	2.17
26687	Soil	1.79	18.18	17.32	67.6	164	8.2	5.8	339	2.06	10.6	1.8	<0.1	5.3	400	0.18	0.93	0.45	72	1.45
26688	Soil	1.63	19.20	12.53	58.6	154	5.3	6.8	485	1.97	3.1	1.5	<0.1	4.5	529	0.16	0.57	0.20	43	2.04
26689	Soil	1.65	22.46	12.74	59.8	143	7.4	6.7	424	1.93	4.5	1.6	<0.1	4.8	494	0.20	0.74	0.33	47	2.15
26690	Soil	1.59	20.94	35.87	112.8	43	22.5	12.9	469	3.16	15.1	2.0	<0.1	8.8	264	0.40	1.38	0.71	100	1.09
26691	Soil	1.35	24.58	15.60	74.8	161	11.0	8.4	546	2.17	5.5	1.6	<0.1	5.5	398	0.24	0.83	0.29	55	2.62
26692	Soil	1.08	19.07	24.37	96.8	87	18.5	11.3	392	2.83	10.8	1.2	<0.1	7.6	294	0.21	0.70	0.31	65	1.85
26693	Soil	1.09	17.91	13.52	128.0	66	15.1	8.8	319	2.43	10.9	1.1	<0.1	6.2	277	0.83	0.63	0.19	53	2.11
26694	Soil	1.21	22.67	11.06	70.4	92	8.2	7.4	378	1.85	6.4	1.6	<0.1	5.2	397	0.30	0.54	0.15	39	2.59
26695	Soil	1.52	18.94	12.38	74.9	90	8.7	8.8	421	2.18	7.0	1.6	<0.1	4.4	472	0.20	0.54	0.22	55	1.85
26696	Soil	1.34	18.54	52.56	164.9	76	36.7	18.3	302	4.10	21.5	1.4	<0.1	10.2	82	0.46	1.18	0.51	112	1.23
26697	Soil	1.61	18.00	9.99	52.2	121	4.8	6.4	469	1.98	1.4	1.6	<0.1	4.2	642	0.19	0.45	0.17	47	2.21
26698	Soil	2.59	16.12	75.68	58.0	458	30.9	6.0	154	2.20	36.6	2.7	<0.1	10.6	64	0.27	1.87	0.56	239	0.35
26699	Soil	1.99	8.60	71.36	66.4	1169	23.8	2.1	52	0.88	16.3	2.7	<0.1	9.9	39	0.32	2.32	0.24	304	0.12
26700	Soil	12.39	30.22	45.40	169.3	335	62.7	6.8	118	2.73	121.0	2.7	<0.1	10.0	32	0.47	3.56	0.50	298	0.20



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 6 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
26671	Soil	12.4	6	0.67	780	0.257	5.61	2.608	1.85	0.4	114.7	0.7	1	4.8	<0.04	6.7	24.96	2.8	11.9	2.0	0.4
26672	Soil	54.9	51	0.60	1220	0.406	5.02	1.389	1.73	5.6	106.8	3.3	2	7.4	0.05	10.3	96.71	9.7	35.8	4.6	0.6
26673	Soil	26.9	38	1.09	996	0.248	3.10	0.437	1.21	2.3	54.0	3.9	<1	5.6	0.07	7.8	42.47	4.4	15.3	2.1	0.3
26674	Soil	31.8	16	0.69	908	0.276	5.26	2.348	1.91	1.5	115.8	1.6	1	4.2	<0.04	6.9	53.22	5.2	18.4	2.4	0.5
26675	Soil	13.3	9	0.84	734	0.328	5.76	2.724	1.91	0.6	109.9	0.9	1	5.2	<0.04	6.7	25.69	2.8	11.6	1.8	0.4
26676	Soil	14.9	5	0.67	898	0.268	6.36	3.103	2.33	0.6	128.9	1.0	1	4.2	<0.04	6.5	29.01	3.2	12.2	1.9	0.4
26677	Soil	12.5	9	0.69	727	0.232	5.35	2.551	1.75	0.6	112.1	1.0	1	3.7	0.05	6.0	25.32	2.8	11.0	1.7	0.4
26678	Soil	38.4	43	1.27	825	0.346	4.90	1.535	1.45	1.9	85.4	3.0	2	8.0	0.06	10.8	65.46	6.6	24.1	3.2	0.7
26679	Soil	104.0	37	1.23	537	0.458	4.56	0.761	0.91	2.5	68.2	6.3	1	9.1	0.12	11.8	161.2	13.9	42.5	4.3	2.0
26680	Soil	12.1	6	0.62	739	0.231	5.72	2.692	2.03	0.5	110.3	0.8	1	3.7	<0.04	6.0	23.14	2.7	10.8	1.7	0.4
26681	Soil	37.7	26	1.14	872	0.339	5.74	2.156	1.77	1.4	97.7	2.8	1	5.9	<0.04	9.3	62.48	6.1	22.0	2.8	0.8
26682	Soil	57.5	62	1.91	1016	0.344	6.24	1.129	1.62	2.3	71.5	2.3	2	14.9	<0.04	21.0	112.5	12.2	45.7	7.0	1.3
26683	Soil	56.3	58	1.27	1034	0.433	6.72	1.144	1.90	2.0	78.6	2.7	2	11.8	<0.04	25.3	111.0	12.9	50.0	8.0	1.6
26684	Soil	31.0	65	1.89	2114	0.381	6.72	1.687	1.89	2.4	66.6	1.9	2	10.0	<0.04	11.2	70.13	6.8	25.7	3.7	0.7
26685	Soil	14.5	6	0.65	896	0.246	6.45	3.015	2.34	0.5	113.0	0.7	1	3.9	<0.04	6.9	29.29	3.4	13.1	2.2	0.4
26686	Soil	14.1	8	0.68	846	0.274	6.50	2.915	2.23	0.5	116.3	0.7	2	4.7	<0.04	7.0	25.88	3.2	12.4	2.0	0.5
26687	Soil	21.5	24	0.70	998	0.265	6.40	2.518	2.34	1.5	112.1	1.6	1	4.8	<0.04	6.8	42.93	4.6	16.9	2.7	0.4
26688	Soil	17.0	8	0.63	887	0.235	6.77	2.952	2.29	0.6	122.5	0.8	1	4.0	<0.04	7.6	31.88	3.9	16.2	2.2	0.4
26689	Soil	16.6	11	0.61	907	0.233	6.44	2.851	2.25	0.7	121.6	1.2	1	4.0	<0.04	7.7	31.83	3.7	15.1	2.4	0.4
26690	Soil	32.9	49	1.14	1045	0.301	6.80	1.758	2.16	1.5	94.3	2.2	1	7.2	<0.04	9.4	62.92	6.9	25.2	3.8	0.6
26691	Soil	17.8	22	0.75	782	0.218	5.70	2.109	2.06	0.9	101.6	1.1	1	5.6	0.04	10.5	30.58	4.0	15.6	2.4	0.6
26692	Soil	23.7	39	1.33	752	0.247	6.87	1.671	2.34	0.8	89.5	1.6	1	8.2	<0.04	9.5	45.43	5.4	19.9	3.2	0.6
26693	Soil	18.6	38	1.06	620	0.202	5.42	1.349	2.09	0.7	77.6	1.3	2	7.5	0.05	8.8	34.81	3.9	15.3	2.5	0.6
26694	Soil	16.1	20	0.64	704	0.190	5.64	1.973	2.03	0.6	95.1	0.9	1	4.9	0.04	7.8	31.52	3.6	13.8	2.1	0.5
26695	Soil	14.3	12	0.76	796	0.229	6.61	2.551	2.11	0.6	110.5	1.0	1	5.1	<0.04	6.7	28.83	3.1	12.3	2.0	0.5
26696	Soil	34.3	58	1.85	969	0.267	7.41	0.767	2.21	1.1	73.7	3.1	2	11.0	<0.04	13.3	69.07	7.5	29.0	4.5	0.8
26697	Soil	13.1	5	0.68	893	0.252	8.25	2.840	2.23	0.6	126.8	0.8	1	4.5	<0.04	6.3	26.80	3.0	12.0	1.8	0.5
26698	Soil	33.2	58	0.52	1039	0.308	5.88	1.377	2.03	2.4	82.5	3.3	2	9.8	<0.04	9.3	64.69	7.3	28.8	4.5	0.6
26699	Soil	21.6	53	0.42	1009	0.287	6.69	1.422	2.48	2.4	94.7	2.5	2	11.4	<0.04	6.6	46.49	6.0	25.4	4.1	0.4
26700	Soil	24.6	64	0.67	1955	0.533	6.54	0.500	2.73	5.4	90.2	2.6	2	19.6	<0.04	8.2	55.09	7.5	33.9	6.0	0.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 6 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
26671	Soil	1.8	0.2	1.4	0.3	0.8	<0.1	0.8	0.1	2.93	17.3	31.7	0.3	5.69	1.1
26672	Soil	3.3	0.4	2.2	0.4	1.1	0.2	1.3	0.2	2.57	15.1	54.4	1.5	27.53	6.9
26673	Soil	1.9	0.2	1.5	0.3	0.7	0.1	0.9	0.1	1.23	8.1	42.3	0.7	15.30	3.8
26674	Soil	2.3	0.3	1.4	0.3	0.7	<0.1	0.7	0.1	2.90	17.3	43.3	0.6	10.12	2.2
26675	Soil	2.1	0.2	1.5	0.3	0.7	0.1	0.8	0.1	2.73	16.7	30.3	0.4	6.20	1.2
26676	Soil	1.7	0.2	1.3	0.3	0.6	<0.1	0.8	<0.1	3.12	20.1	40.7	0.4	6.48	1.5
26677	Soil	1.5	0.2	1.3	0.2	0.6	<0.1	0.7	<0.1	2.81	18.5	33.0	0.4	6.36	1.7
26678	Soil	2.9	0.3	2.2	0.4	1.0	0.1	1.1	0.1	2.19	14.4	67.8	0.8	15.65	5.6
26679	Soil	3.5	0.4	2.5	0.4	1.1	0.1	1.2	0.1	1.78	12.7	40.0	1.0	18.69	5.7
26680	Soil	1.5	0.2	1.3	0.2	0.6	<0.1	0.7	<0.1	2.87	18.7	31.2	0.4	5.57	1.2
26681	Soil	2.9	0.3	2.0	0.3	1.0	0.1	1.0	0.1	2.64	21.6	47.3	0.8	13.61	1.7
26682	Soil	6.0	0.7	4.5	0.8	2.1	0.3	2.0	0.3	1.90	35.5	69.5	0.9	14.77	7.1
26683	Soil	7.3	1.0	5.5	0.9	2.5	0.3	2.2	0.3	1.98	35.0	67.0	1.5	27.64	8.3
26684	Soil	3.6	0.4	2.6	0.4	1.1	0.2	1.3	0.2	1.75	46.1	72.7	0.8	13.88	10.1
26685	Soil	2.1	0.2	1.3	0.3	0.7	<0.1	0.8	0.1	2.98	20.2	37.2	0.4	5.99	1.4
26686	Soil	1.8	0.2	1.4	0.3	0.7	<0.1	0.8	0.1	2.97	20.6	37.3	0.4	6.08	1.3
26687	Soil	2.0	0.2	1.4	0.3	0.7	<0.1	0.8	0.1	2.84	23.9	54.4	0.6	10.27	3.3
26688	Soil	2.3	0.3	1.6	0.3	0.8	0.1	0.8	0.1	2.87	20.6	39.8	0.4	6.37	1.5
26689	Soil	2.1	0.2	1.6	0.3	0.8	0.1	0.8	0.1	3.03	21.7	43.5	0.4	6.88	1.7
26690	Soil	3.0	0.4	2.2	0.3	0.9	0.1	1.0	0.1	2.24	31.1	67.0	0.9	16.52	3.9
26691	Soil	2.4	0.3	1.9	0.4	1.0	0.1	1.2	0.2	2.44	22.5	46.6	0.4	7.42	2.6
26692	Soil	2.4	0.4	2.2	0.4	1.1	0.1	1.0	0.1	2.34	30.5	63.3	0.5	9.46	3.6
26693	Soil	2.2	0.3	1.9	0.3	0.9	0.1	0.9	0.1	1.96	24.7	60.6	0.4	7.21	3.5
26694	Soil	1.8	0.2	1.5	0.3	0.8	0.1	0.9	0.1	2.36	22.0	48.9	0.4	5.93	2.1
26695	Soil	2.2	0.2	1.5	0.3	0.8	0.1	0.9	0.1	2.75	25.6	44.3	0.5	7.25	1.6
26696	Soil	4.0	0.6	3.1	0.6	1.4	0.2	1.5	0.2	1.93	45.8	68.9	0.9	15.61	3.9
26697	Soil	1.6	0.2	1.3	0.3	0.7	<0.1	0.7	0.1	3.13	21.7	42.1	0.4	5.78	1.3
26698	Soil	3.4	0.4	2.2	0.4	1.0	0.2	1.3	0.2	2.13	15.1	87.7	1.0	17.81	3.4
26699	Soil	2.4	0.3	1.3	0.2	0.7	0.1	1.1	0.2	2.46	13.8	103.6	0.8	12.41	3.5
26700	Soil	4.1	0.5	2.2	0.3	1.0	0.1	1.1	0.2	2.14	37.3	100.4	0.9	16.11	6.7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 7 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26701	Soil	3.91	21.19	14.18	56.0	35	36.1	5.5	280	1.75	45.5	2.7	<0.1	11.7	55	0.24	2.38	0.34	248	0.24
26702	Soil	1.86	18.36	12.99	160.6	256	27.5	13.6	1360	1.83	31.3	1.1	<0.1	5.1	147	2.19	0.74	0.20	66	2.21
26703	Soil	1.86	20.89	9.46	51.2	199	10.0	8.3	715	2.13	4.2	1.8	<0.1	5.0	470	0.25	0.51	0.15	89	1.68
26704	Soil	1.59	18.09	9.28	55.5	117	5.8	5.8	410	1.90	3.8	1.8	<0.1	4.7	580	0.25	0.48	0.16	57	1.88
26705	Soil	3.28	32.25	68.40	119.4	1064	11.4	7.2	682	1.92	15.9	2.0	<0.1	4.7	480	0.27	6.82	2.00	75	1.72
26706	Soil	2.35	19.77	11.59	68.1	204	8.2	13.0	776	2.22	6.0	1.8	<0.1	4.4	529	0.53	0.55	0.23	64	1.79
26707	Soil	3.24	24.24	22.17	67.9	138	16.6	9.7	618	2.07	18.9	2.0	<0.1	5.9	383	0.29	1.16	0.42	94	1.30
26708	Soil	5.16	24.95	18.08	94.2	<20	26.8	13.6	504	3.36	70.6	5.5	<0.1	7.3	83	0.54	1.68	4.14	250	0.80
26709	Soil	2.07	16.10	12.23	54.7	203	4.6	6.7	582	1.84	2.4	1.7	<0.1	4.3	529	0.35	0.49	0.16	50	1.69
26710	Soil	1.88	15.36	9.89	53.5	83	4.9	6.7	462	1.76	2.9	1.6	<0.1	4.2	533	0.23	0.48	0.16	41	1.73
26711	Soil	2.33	19.99	11.49	66.9	120	8.9	7.8	497	2.15	4.2	1.5	<0.1	4.0	536	0.37	0.58	0.18	61	1.94
26712	Soil	4.20	19.11	10.51	47.2	139	8.2	5.0	347	1.93	8.7	1.7	<0.1	4.4	431	0.11	0.53	0.22	73	1.49
26713	Soil	4.20	21.66	14.59	44.5	85	6.9	4.5	334	1.89	8.7	1.9	<0.1	4.8	466	0.15	0.59	0.25	73	1.47
26714	Soil	6.04	17.95	13.89	58.7	150	15.1	7.9	389	1.31	22.6	4.1	<0.1	3.7	336	0.27	2.84	0.26	41	2.63
26715	Soil	4.81	23.29	3.56	152.2	98	14.9	5.6	223	0.62	2.4	1.8	<0.1	1.5	195	0.58	0.39	0.07	14	3.35
26716	Soil	0.95	24.40	3.03	479.8	124	16.4	3.7	200	0.27	2.2	0.8	<0.1	0.9	54	2.63	0.61	0.09	8	4.04
26717	Soil	2.72	17.26	3.40	170.7	168	6.9	2.4	136	0.57	0.5	9.5	<0.1	1.5	183	3.42	0.47	0.06	17	3.72
26718	Soil	1.86	23.35	6.80	136.2	182	8.3	5.2	341	1.09	1.7	1.8	<0.1	2.9	305	1.39	0.39	0.26	24	2.81
26719	Soil	1.35	30.59	67.59	159.1	329	21.4	10.1	433	2.66	22.5	4.2	<0.1	6.1	251	0.53	1.38	1.27	68	3.34
26720	Soil	12.05	68.27	226.4	238.8	951	82.6	29.2	937	4.77	163.9	6.1	<0.1	12.9	96	0.61	5.59	12.95	218	1.58
26721	Soil	7.59	54.01	84.42	122.9	122	43.8	20.8	1735	7.42	83.5	11.4	<0.1	21.5	184	0.41	5.73	6.49	166	1.65
26722	Soil	23.85	149.5	205.9	452.9	6892	146.7	72.8	3951	10.07	866.2	13.2	0.7	20.3	175	1.18	30.79	39.26	262	1.23
26723	Soil	3.52	18.97	17.93	53.8	130	8.0	17.6	1048	2.06	5.4	1.7	<0.1	4.0	495	0.39	0.60	0.64	53	1.88
26724	Soil	3.38	22.95	18.95	58.0	144	10.2	11.8	1206	3.27	11.8	2.4	<0.1	5.1	537	0.15	0.74	1.12	83	2.13
26725	Soil	4.50	25.39	22.02	55.9	135	13.7	19.0	1763	2.53	16.3	2.6	<0.1	5.9	415	0.50	0.83	1.64	67	1.78
26726	Soil	2.18	17.91	25.17	49.8	311	12.7	10.3	1040	1.54	10.1	1.5	<0.1	3.8	348	0.91	0.66	0.29	40	1.89
26727	Soil	3.58	32.36	193.5	130.4	249	36.8	12.4	725	3.62	110.3	4.0	<0.1	11.6	188	1.56	3.85	1.11	144	1.70
26728	Soil	29.16	147.3	19.17	49.5	109	75.8	30.4	737	10.31	41.3	7.0	<0.1	9.8	31	0.19	1.79	2.18	175	1.13
26729	Soil	1.98	15.82	17.57	49.6	95	6.2	6.7	447	2.29	8.9	1.8	<0.1	4.1	537	0.26	0.44	0.21	61	2.04
26730	Soil	1.60	14.87	10.18	43.9	85	4.8	5.6	399	1.90	2.5	2.1	<0.1	4.1	555	0.12	0.41	0.16	47	1.96



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 7 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm 0.1	ppm 1	% 0.02	ppm 1	% 0.001	% 0.02	% 0.002	% 0.02	ppm 0.1	ppm 0.2	ppm 0.1	ppm 1	ppm 0.1	% 0.04	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1
26701	Soil	26.2	51	0.61	1204	0.335	5.60	0.565	2.98	3.8	97.6	3.4	2	8.5	0.05	7.8	51.15	5.5	21.4	3.2
26702	Soil	11.2	19	0.53	548	0.162	3.05	0.495	1.02	1.3	41.1	1.0	<1	8.3	0.21	8.1	23.03	2.8	13.0	2.4
26703	Soil	13.6	16	0.67	818	0.273	6.25	2.312	2.02	0.7	105.0	1.4	1	5.7	0.06	7.9	29.55	3.4	15.1	2.6
26704	Soil	14.7	8	0.64	938	0.241	7.01	2.834	2.34	0.7	127.3	0.9	1	4.6	<0.04	6.3	29.56	3.3	13.2	2.1
26705	Soil	32.7	14	0.60	930	0.238	6.47	2.476	2.15	2.5	111.0	8.0	1	4.9	0.04	6.0	54.53	5.0	17.3	2.1
26706	Soil	17.4	10	0.68	865	0.245	6.58	2.580	2.04	1.1	114.9	0.8	1	5.0	<0.04	6.4	31.95	3.4	13.0	1.9
26707	Soil	19.1	22	0.55	970	0.254	6.21	2.247	2.12	3.8	106.7	1.5	<1	5.5	<0.04	6.7	37.05	4.1	15.8	2.5
26708	Soil	218.8	55	1.79	2382	0.775	5.84	0.915	2.47	5.2	105.7	2.1	2	13.4	0.06	17.7	319.0	24.0	71.1	6.7
26709	Soil	14.9	7	0.55	837	0.222	6.76	2.811	2.19	0.8	117.0	1.2	1	3.9	<0.04	5.8	28.94	3.0	12.0	1.8
26710	Soil	13.9	5	0.53	857	0.208	6.93	2.891	2.26	0.6	115.9	0.9	1	3.7	<0.04	5.3	27.87	3.0	11.4	1.7
26711	Soil	13.1	9	0.68	847	0.238	6.82	2.791	2.17	1.7	116.7	1.0	<1	4.9	<0.04	6.0	26.43	2.8	11.1	1.8
26712	Soil	13.3	14	0.53	970	0.252	6.09	2.432	2.13	6.1	108.5	1.7	<1	5.7	<0.04	6.0	26.02	2.8	10.9	1.7
26713	Soil	15.9	12	0.51	1003	0.241	6.52	2.565	2.29	2.1	105.8	1.1	<1	4.4	<0.04	5.8	29.96	3.3	12.4	1.9
26714	Soil	12.5	12	0.46	636	0.135	4.26	1.665	1.52	1.3	70.1	1.0	<1	3.4	0.14	4.7	23.34	2.6	9.6	1.4
26715	Soil	11.0	4	0.26	287	0.067	2.11	0.683	0.53	0.2	31.8	0.5	<1	1.3	0.23	3.0	13.69	1.8	6.5	0.8
26716	Soil	4.8	4	0.24	139	0.023	0.60	0.141	0.14	<0.1	9.9	0.3	<1	0.8	0.29	1.7	7.10	0.9	3.2	0.4
26717	Soil	5.0	5	0.52	293	0.069	1.74	0.655	0.48	0.2	27.5	0.6	<1	1.5	0.21	2.3	9.25	1.0	4.1	0.6
26718	Soil	12.0	5	0.46	511	0.120	3.87	1.602	1.30	0.3	66.4	0.8	<1	2.2	0.15	4.1	20.93	2.3	8.6	1.3
26719	Soil	28.0	22	5.30	659	0.214	5.21	1.281	1.23	1.1	88.2	1.6	<1	4.7	0.06	10.1	43.18	4.8	17.8	2.6
26720	Soil	122.9	53	2.71	992	0.379	5.51	0.638	1.54	5.1	86.4	4.7	2	12.3	<0.04	27.4	189.8	19.2	66.2	8.3
26721	Soil	284.4	64	1.70	1898	0.634	7.17	0.958	1.99	9.6	112.7	4.6	4	19.0	<0.04	39.0	448.7	38.4	115.5	11.7
26722	Soil	321.1	59	0.84	1010	0.454	6.18	0.842	1.81	5.8	98.1	20.9	2	13.8	<0.04	40.7	631.9	43.9	138.4	14.7
26723	Soil	14.3	10	0.61	853	0.230	5.95	2.461	2.01	0.7	102.3	1.3	1	4.6	0.05	5.8	28.97	2.9	11.4	1.7
26724	Soil	19.0	12	0.84	830	0.323	6.62	2.659	2.01	0.8	104.8	1.3	1	6.2	<0.04	7.9	36.85	3.8	15.1	2.2
26725	Soil	26.2	18	0.65	894	0.262	5.60	2.069	1.76	1.4	93.0	1.2	1	5.1	0.08	7.9	48.05	4.7	18.2	2.5
26726	Soil	17.4	12	0.49	768	0.178	4.33	1.603	1.31	0.8	72.9	1.1	1	4.1	0.12	5.4	34.25	3.2	12.1	1.8
26727	Soil	64.7	73	0.88	1350	0.590	5.82	1.269	1.89	7.9	68.0	3.9	2	14.0	0.06	14.8	130.0	11.3	39.6	5.1
26728	Soil	56.1	35	1.30	809	0.206	2.71	0.188	1.12	2.2	39.3	2.7	<1	4.6	0.22	8.6	80.55	6.3	19.9	2.4
26729	Soil	15.2	13	0.72	802	0.281	6.68	2.745	2.06	0.9	110.0	0.9	1	5.4	<0.04	6.9	30.50	3.4	13.4	2.1
26730	Soil	14.0	6	0.65	765	0.230	6.71	2.847	2.16	0.5	116.4	0.8	1	4.4	<0.04	6.3	27.77	3.1	11.7	1.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 7 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
26701	Soil	2.5	0.3	1.6	0.3	1.0	0.1	1.1	0.2	2.48	21.0	95.8	1.3	22.30	3.2
26702	Soil	2.1	0.3	1.8	0.3	0.8	0.1	0.9	0.1	1.08	7.2	36.0	0.3	4.85	2.4
26703	Soil	2.2	0.3	1.8	0.3	0.9	0.1	0.9	0.1	2.72	15.9	46.4	0.4	6.69	1.9
26704	Soil	1.7	0.2	1.2	0.2	0.7	<0.1	0.7	0.1	3.21	20.7	45.5	0.4	5.96	1.3
26705	Soil	1.8	0.2	1.3	0.2	0.7	<0.1	0.7	0.1	2.90	20.2	50.3	0.4	6.64	2.7
26706	Soil	1.6	0.2	1.3	0.2	0.7	<0.1	0.7	0.1	2.70	19.6	49.9	0.4	6.49	1.8
26707	Soil	2.0	0.2	1.4	0.2	0.7	<0.1	0.8	0.1	2.60	16.8	52.2	0.6	9.21	1.8
26708	Soil	4.0	0.5	3.1	0.6	1.6	0.2	1.7	0.2	2.46	25.3	84.4	1.3	36.45	3.7
26709	Soil	1.6	0.2	1.2	0.2	0.6	<0.1	0.7	0.1	3.04	20.4	45.5	0.4	6.45	1.3
26710	Soil	1.4	0.2	1.1	0.2	0.6	<0.1	0.6	<0.1	2.85	20.5	44.8	0.4	5.40	1.3
26711	Soil	1.6	0.2	1.3	0.2	0.6	<0.1	0.7	0.1	2.82	19.6	45.2	0.4	6.01	1.4
26712	Soil	1.3	0.2	1.2	0.2	0.6	<0.1	0.6	<0.1	2.55	17.8	48.4	0.5	7.23	1.6
26713	Soil	1.6	0.2	1.1	0.2	0.6	<0.1	0.7	0.1	2.67	18.8	55.1	0.5	7.56	1.9
26714	Soil	1.1	0.2	0.9	0.2	0.4	<0.1	0.5	<0.1	1.74	13.3	41.1	0.3	5.14	1.6
26715	Soil	0.6	<0.1	0.5	<0.1	0.3	<0.1	0.2	<0.1	0.79	4.9	14.0	0.1	1.86	0.8
26716	Soil	0.4	<0.1	0.3	<0.1	0.1	<0.1	0.2	<0.1	0.23	1.5	5.6	<0.1	0.96	0.5
26717	Soil	0.5	<0.1	0.4	<0.1	0.2	<0.1	0.2	<0.1	0.76	4.5	13.1	0.1	1.70	0.5
26718	Soil	1.0	0.1	0.7	0.1	0.4	<0.1	0.4	<0.1	1.59	10.8	28.3	0.2	3.28	1.1
26719	Soil	2.2	0.3	2.0	0.4	1.0	0.1	1.0	0.1	2.21	38.6	49.0	0.4	7.67	4.4
26720	Soil	5.8	0.9	5.2	1.0	2.6	0.3	2.4	0.4	2.18	29.6	63.1	0.8	19.68	5.9
26721	Soil	8.1	1.2	7.6	1.5	3.9	0.5	3.4	0.5	3.15	30.1	61.4	2.3	43.19	8.6
26722	Soil	9.9	1.4	8.1	1.5	3.7	0.5	3.5	0.5	2.54	20.4	75.9	1.1	23.95	7.5
26723	Soil	1.7	0.2	1.2	0.2	0.6	<0.1	0.7	<0.1	2.55	16.8	41.4	0.4	6.23	1.9
26724	Soil	1.8	0.3	1.6	0.3	0.8	0.1	0.8	0.1	2.76	17.6	41.2	0.4	6.36	2.1
26725	Soil	2.1	0.3	1.7	0.3	0.8	<0.1	0.8	0.1	2.40	16.8	49.6	0.5	7.87	2.3
26726	Soil	1.5	0.2	1.2	0.2	0.5	<0.1	0.6	<0.1	1.81	11.8	37.0	0.3	5.46	3.0
26727	Soil	4.2	0.6	3.1	0.6	1.5	0.2	1.4	0.2	2.01	20.2	76.6	1.2	22.57	3.8
26728	Soil	1.8	0.2	1.5	0.3	0.8	0.1	1.0	0.2	0.96	7.6	77.8	0.4	13.40	5.3
26729	Soil	1.7	0.2	1.5	0.3	0.7	<0.1	0.7	0.1	2.94	18.4	41.3	0.4	5.99	1.3
26730	Soil	1.7	0.2	1.2	0.2	0.7	<0.1	0.7	<0.1	2.94	18.0	41.9	0.4	5.35	1.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 8 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26731	Soil	1.24	42.33	10.09	69.3	197	15.5	10.7	487	2.56	2.8	2.6	<0.1	5.2	391	0.22	0.52	0.53	51	1.71
26732	Soil	1.21	118.0	16.99	163.8	202	68.4	39.3	1069	8.26	13.8	3.5	<0.1	7.9	113	0.29	1.43	5.29	75	2.67
26733	Soil	1.44	22.93	10.32	70.5	114	9.1	8.6	722	2.94	3.5	2.1	<0.1	5.3	372	0.28	0.54	2.86	60	2.22
26734	Soil	0.62	17.14	9.73	141.1	<20	15.5	14.6	1839	5.56	54.7	7.8	<0.1	17.9	254	0.24	7.95	2.90	61	9.86
26735	Soil	0.89	13.90	157.7	116.4	253	14.4	9.2	2038	3.27	7.0	5.0	<0.1	5.5	40	0.64	1.89	0.54	69	3.33
26736	Soil	1.57	24.62	26.79	136.8	67	21.5	13.7	977	4.47	17.9	4.2	<0.1	8.8	77	0.53	1.86	1.46	75	4.64
26737	Soil	2.59	23.18	25.82	156.6	95	22.3	12.1	1832	3.72	11.6	6.1	<0.1	8.0	55	0.73	2.40	1.44	74	3.92
26738	Soil	1.87	19.57	35.37	143.8	248	19.6	15.4	1041	4.34	20.2	3.4	<0.1	8.9	96	0.54	1.97	11.52	92	3.92
26739	Soil	1.27	32.93	31.82	120.9	298	29.9	15.4	1237	4.63	28.0	3.1	<0.1	9.5	149	0.40	1.90	19.40	89	2.46
26740	Soil	1.32	21.69	14.63	72.2	112	16.6	13.7	705	3.54	23.4	2.4	<0.1	7.0	350	0.22	1.27	6.51	66	2.54
26741	Soil	1.53	22.69	12.00	60.9	139	7.6	8.7	475	2.72	8.7	1.7	<0.1	4.5	531	0.18	0.55	1.77	72	2.71
26742	Soil	1.44	34.52	28.54	160.7	496	24.8	26.3	1029	4.57	65.7	2.9	<0.1	9.8	136	0.45	1.74	18.75	87	3.40
26743	Soil	1.75	29.14	106.3	181.6	99	29.2	34.1	953	5.46	91.1	2.6	<0.1	9.3	121	0.40	2.64	27.76	105	3.83
26744	Soil	2.89	58.95	235.8	329.0	858	48.4	36.2	1053	6.12	88.2	4.5	<0.1	10.1	132	0.96	3.89	13.94	174	3.64
26745	Soil	1.12	58.77	32.45	202.6	269	42.7	26.7	1244	5.83	80.2	3.3	<0.1	7.5	114	0.38	1.43	6.60	91	7.21
26746	Soil	4.71	24.46	11.48	72.2	119	11.4	8.1	391	2.86	24.9	2.0	<0.1	5.9	429	0.28	0.70	0.34	63	2.01
26747	Soil	6.73	20.86	104.8	264.5	*	24.9	11.2	799	4.45	28.3	6.8	<0.1	20.6	168	0.63	3.81	0.94	214	2.10
26748	Soil	3.10	15.08	30.69	137.9	<20	16.3	6.9	454	2.83	20.4	12.6	<0.1	24.5	210	0.49	1.69	0.97	143	2.52
26749	Soil	1.57	9.95	42.32	252.5	123	9.4	7.0	625	3.36	6.5	5.2	<0.1	12.8	129	0.40	1.57	2.10	129	7.24
26750	Soil	2.80	12.80	38.90	224.7	<20	18.5	8.0	656	4.19	12.9	15.0	<0.1	43.7	73	0.31	2.35	0.85	153	4.09
26751	Soil	4.56	162.0	98.55	127.0	364	83.8	30.6	346	7.08	78.2	19.9	<0.1	83.6	88	0.60	7.72	1.01	235	0.66
26752	Soil	4.73	137.1	58.72	88.8	342	73.0	23.4	235	6.99	60.0	18.7	<0.1	81.8	54	0.38	5.92	0.88	261	0.38
26753	Soil	4.44	93.82	21.55	63.4	207	63.4	18.8	205	5.95	43.4	10.1	<0.1	52.6	75	0.33	6.08	0.93	248	0.47
26754	Soil	1.82	22.40	49.26	75.3	259	6.1	20.1	1125	2.37	6.8	2.0	<0.1	4.5	513	1.10	0.65	2.37	59	1.92
26755	Soil	1.43	341.6	51.06	899.0	567	89.5	62.3	615	2.98	28.1	10.9	<0.1	6.8	287	0.82	1.98	16.96	61	3.64
26756	Soil	3.37	38.02	71.14	172.5	182	18.1	20.0	841	2.96	23.1	2.8	<0.1	7.1	361	0.54	2.22	3.25	57	1.43
26757	Soil	3.56	97.58	79.98	112.7	226	10.7	19.2	548	3.47	16.7	2.9	<0.1	6.1	419	0.57	1.42	0.65	72	1.68
26758	Soil	3.39	38.85	144.5	164.9	143	20.9	21.9	1732	3.45	45.4	3.9	<0.1	10.3	183	1.70	3.19	2.53	177	2.05
26759	Soil	2.45	111.8	101.0	117.7	497	48.0	37.3	1175	7.09	87.7	7.1	<0.1	14.0	41	0.41	5.96	31.10	237	3.00
26760	Soil	2.63	153.7	107.7	216.1	744	69.9	55.0	1894	8.06	93.4	9.7	<0.1	12.6	43	0.96	9.64	40.11	248	2.12



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 8 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm 0.1	ppm 1	% 0.02	ppm 1	% 0.001	% 0.02	% 0.002	% 0.02	ppm 0.1	ppm 0.2	ppm 0.1	ppm 1	ppm 0.1	% 0.04	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1
26731	Soil	18.5	12	1.34	891	0.220	5.03	2.224	1.81	0.7	102.5	1.4	1	4.4	0.07	8.1	32.22	3.8	15.4	2.2	0.4
26732	Soil	31.0	50	6.21	770	0.253	4.15	0.826	0.86	2.4	126.7	5.7	1	7.0	0.04	14.3	57.33	6.3	23.9	3.7	0.6
26733	Soil	15.6	16	2.05	774	0.255	5.51	2.072	1.74	1.2	121.1	2.8	1	4.4	0.05	7.1	30.86	3.3	13.6	2.0	0.4
26734	Soil	257.0	24	5.06	942	0.270	6.79	0.399	0.55	1.6	137.4	12.1	4	4.4	<0.04	49.1	414.2	34.0	117.4	14.7	6.2
26735	Soil	35.1	37	8.44	601	0.170	3.01	0.245	0.44	3.6	109.5	2.9	1	5.8	0.17	26.1	61.34	6.4	28.1	5.1	0.9
26736	Soil	33.2	43	7.13	593	0.241	3.51	0.564	0.70	2.7	110.5	5.0	2	5.7	0.06	14.2	75.69	6.8	25.6	3.8	0.7
26737	Soil	44.0	40	6.89	777	0.197	3.47	0.347	0.49	3.4	116.4	3.9	2	5.9	0.15	28.8	98.94	9.2	35.4	6.0	1.1
26738	Soil	32.7	51	6.19	695	0.278	3.98	0.760	0.91	2.4	111.2	3.5	2	6.4	<0.04	14.8	72.53	6.9	26.5	3.9	0.8
26739	Soil	35.5	55	5.25	1242	0.293	5.10	1.116	1.21	2.6	81.3	3.6	2	7.9	<0.04	16.2	64.20	7.1	28.6	4.2	0.7
26740	Soil	30.9	29	3.13	900	0.259	6.10	1.913	1.67	1.1	109.8	2.3	1	5.4	<0.04	10.6	60.30	6.0	22.2	3.5	0.6
26741	Soil	15.6	9	1.52	746	0.276	6.22	2.558	1.89	0.5	107.8	1.5	1	5.4	<0.04	7.4	31.67	3.5	14.8	2.3	0.6
26742	Soil	42.5	47	6.00	884	0.248	4.85	1.042	1.08	1.7	83.8	4.2	2	7.5	<0.04	20.0	80.41	8.9	33.9	5.2	0.9
26743	Soil	31.4	42	5.82	793	0.230	4.47	0.831	0.95	1.7	86.6	3.2	1	5.8	<0.04	11.9	61.58	6.2	23.6	3.5	0.6
26744	Soil	56.6	45	5.21	1193	0.258	4.60	0.875	1.15	2.5	97.9	3.9	2	7.2	<0.04	21.0	99.37	11.2	41.3	6.1	1.0
26745	Soil	41.0	31	7.54	1923	0.228	3.79	0.603	0.90	1.4	72.6	5.9	2	5.9	<0.04	20.1	71.43	8.0	31.2	5.0	0.8
26746	Soil	14.8	10	1.00	741	0.235	4.91	2.154	1.76	0.7	103.1	2.1	2	4.0	0.08	8.3	29.31	3.2	13.1	2.3	0.4
26747	Soil	73.7	37	2.35	1489	0.266	6.05	1.123	1.79	2.1	263.5	7.4	4	6.1	0.04	26.0	151.1	15.6	57.9	9.3	1.1
26748	Soil	74.9	23	2.69	1038	0.269	4.90	1.388	1.33	2.1	180.1	6.6	3	5.1	0.04	33.2	155.2	16.9	66.9	9.8	0.8
26749	Soil	49.9	34	6.33	953	0.357	4.39	0.765	0.96	1.6	278.9	16.8	4	6.4	<0.04	24.3	93.67	10.8	40.8	6.6	0.8
26750	Soil	66.6	39	5.18	1377	0.279	5.21	0.734	1.17	2.3	305.6	13.9	9	6.0	0.04	29.8	123.2	14.0	51.4	8.4	1.2
26751	Soil	231.2	54	1.58	1609	0.383	5.35	1.285	2.13	4.0	102.7	2.5	3	9.5	0.20	22.3	433.4	34.4	114.1	11.1	1.6
26752	Soil	192.1	60	1.65	1945	0.356	5.03	1.287	2.02	3.2	92.8	2.2	3	9.6	0.19	16.8	337.4	27.2	88.0	9.3	1.0
26753	Soil	149.4	56	1.51	2355	0.344	5.03	1.318	1.98	2.6	88.0	1.3	3	8.8	0.11	15.8	269.0	24.0	77.8	8.6	0.8
26754	Soil	14.9	7	0.78	890	0.244	5.87	2.615	2.06	0.8	114.3	1.0	1	4.7	<0.04	6.5	31.32	3.3	12.9	2.1	0.4
26755	Soil	144.8	23	3.57	649	0.185	5.14	1.452	1.27	0.9	98.1	1.3	1	5.7	0.10	23.5	83.59	17.2	59.5	6.5	1.4
26756	Soil	41.6	15	4.72	713	0.210	5.91	1.932	1.63	3.1	118.4	1.3	1	4.4	<0.04	11.9	85.46	7.1	25.7	3.4	0.6
26757	Soil	26.6	10	3.53	685	0.331	6.37	2.119	1.68	1.1	103.6	1.3	1	5.8	<0.04	11.6	54.39	5.6	22.3	3.3	0.7
26758	Soil	62.9	31	2.61	2691	0.728	6.57	1.395	2.14	4.9	91.6	3.3	2	12.1	0.06	17.8	112.4	12.6	46.3	6.9	1.3
26759	Soil	145.9	46	5.15	3502	1.260	7.10	0.397	1.83	23.9	112.2	5.1	2	15.9	0.07	39.3	238.3	25.2	91.7	12.3	2.9
26760	Soil	212.0	57	4.66	1590	1.094	7.41	0.354	1.09	30.9	103.8	5.7	2	16.6	0.04	49.0	365.3	36.4	122.2	15.5	4.3



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 8 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method	Analyte	Unit	MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T			
					Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
					0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02		
26731	Soil				1.7	0.2	1.6	0.3	0.8	0.1	1.0	0.2	2.61	18.1	39.8	0.5	9.02	1.4	15.28
26732	Soil				3.1	0.4	2.7	0.5	1.7	0.2	1.9	0.3	2.77	18.9	42.1	1.5	29.71	1.7	10.93
26733	Soil				1.7	0.2	1.5	0.3	0.7	0.1	0.8	0.1	3.00	17.8	35.1	0.9	18.96	2.1	15.65
26734	Soil				11.3	1.7	10.1	1.9	4.9	0.7	4.7	0.6	4.17	24.3	26.8	9.7	160.4	1.4	21.35
26735	Soil				4.5	0.6	3.6	0.7	1.9	0.2	2.1	0.3	2.72	148.1	33.4	0.5	17.33	3.3	7.73
26736	Soil				3.1	0.4	2.6	0.5	1.4	0.2	1.4	0.2	3.05	57.7	35.2	1.5	53.89	1.8	10.17
26737	Soil				5.8	0.7	5.1	0.9	2.4	0.3	2.3	0.3	2.96	43.5	24.7	0.9	75.67	1.8	8.30
26738	Soil				3.2	0.5	3.0	0.6	1.4	0.2	1.5	0.2	2.64	44.9	43.0	1.5	57.75	2.7	11.58
26739	Soil				3.7	0.5	3.2	0.6	1.8	0.3	2.6	0.4	2.26	21.8	57.1	1.4	30.14	2.5	11.94
26740	Soil				2.5	0.3	2.0	0.4	1.1	0.2	1.3	0.2	2.95	20.4	44.9	1.1	19.42	1.7	14.83
26741	Soil				2.3	0.3	1.6	0.3	0.7	0.1	0.9	0.1	2.76	19.8	34.1	0.4	7.06	1.2	17.07
26742	Soil				4.7	0.6	4.0	0.7	2.1	0.3	3.2	0.6	2.31	19.5	49.7	1.1	25.26	2.6	11.39
26743	Soil				2.4	0.3	2.2	0.4	1.2	0.2	1.6	0.3	2.27	20.4	41.1	1.1	32.45	2.5	10.73
26744	Soil				4.8	0.6	3.7	0.7	2.1	0.3	3.0	0.5	2.75	20.6	50.6	1.3	28.07	2.5	12.01
26745	Soil				4.6	0.5	3.8	0.7	1.7	0.3	2.2	0.3	1.89	22.8	70.8	1.1	26.91	2.3	9.90
26746	Soil				1.8	0.3	1.6	0.3	0.9	0.1	0.8	0.1	2.87	17.8	40.4	0.9	14.80	1.2	16.31
26747	Soil				7.2	0.9	6.0	1.1	2.9	0.4	2.9	0.4	6.49	37.1	86.7	6.0	108.3	2.8	19.92
26748	Soil				7.6	1.1	7.5	1.4	3.5	0.5	3.1	0.4	4.56	37.9	46.4	17.0	281.5	2.1	15.41
26749	Soil				5.2	0.8	5.1	0.9	2.3	0.3	2.1	0.3	7.26	34.4	46.4	6.2	75.64	2.1	14.12
26750	Soil				6.5	1.0	6.1	1.1	3.0	0.4	2.9	0.4	7.64	39.7	63.4	7.0	127.3	2.7	17.45
26751	Soil				6.5	0.8	4.6	0.8	2.2	0.3	2.4	0.3	2.65	19.5	55.6	1.1	23.14	3.2	15.01
26752	Soil				4.4	0.6	3.5	0.6	1.6	0.2	1.8	0.3	2.44	19.1	55.0	1.0	19.83	3.4	15.21
26753	Soil				4.5	0.6	3.4	0.6	1.5	0.2	1.7	0.2	2.27	18.5	51.7	0.8	16.85	3.2	14.73
26754	Soil				1.7	0.2	1.2	0.3	0.7	<0.1	0.7	0.1	3.16	19.9	39.7	0.4	6.40	1.7	17.16
26755	Soil				4.8	0.6	3.3	0.7	1.7	0.2	1.7	0.2	2.80	36.0	33.9	0.4	6.36	4.4	11.98
26756	Soil				2.7	0.3	2.1	0.4	1.1	0.1	1.1	0.2	3.06	22.0	40.9	0.5	7.43	2.0	14.69
26757	Soil				2.7	0.4	2.5	0.4	1.1	0.1	1.0	0.2	2.64	27.6	27.9	0.7	10.75	1.9	16.78
26758	Soil				5.6	0.6	3.8	0.8	1.7	0.2	1.7	0.2	2.69	44.6	68.0	1.6	25.75	5.4	17.89
26759	Soil				9.4	1.3	8.4	1.5	3.7	0.5	3.2	0.4	3.33	72.6	66.2	2.2	38.98	5.9	19.03
26760	Soil				12.6	1.6	9.9	1.8	4.7	0.6	3.8	0.5	3.26	59.1	39.2	1.7	32.89	3.2	19.14



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 9 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26761	Soil	1.55	28.60	108.6	98.6	382	13.5	11.6	445	3.14	21.7	1.7	<0.1	5.6	89	0.60	1.74	1.88	59	2.17
26762	Soil	7.36	34.14	108.4	348.0	165	31.7	15.7	1900	3.16	25.6	3.2	<0.1	7.6	324	3.70	4.50	1.67	152	1.83
26763	Soil	3.25	22.60	60.18	96.8	373	28.1	10.3	512	2.77	12.7	2.8	<0.1	6.8	295	0.54	1.49	1.04	288	1.90
26764	Soil	10.42	31.54	67.37	117.9	322	47.1	9.2	476	3.55	28.0	6.5	<0.1	9.3	130	0.71	2.89	3.68	638	1.07
26765	Soil	7.09	29.16	81.11	189.4	288	52.2	10.8	509	4.07	36.1	8.5	<0.1	10.6	69	1.27	1.94	1.75	565	0.86
26766	Soil	1.68	17.98	10.63	56.6	160	5.4	5.6	413	1.71	3.9	2.3	<0.1	4.5	516	0.17	0.71	0.23	43	2.39
26767	Soil	1.83	20.27	15.56	69.7	190	4.5	5.1	379	1.62	4.4	1.9	<0.1	4.7	462	0.32	0.86	0.45	43	1.58
26768	Soil	2.44	32.07	70.72	186.5	365	37.1	15.7	546	3.92	38.0	2.7	<0.1	12.8	138	0.61	3.59	5.36	174	1.48
26769	Soil	2.26	45.84	93.86	198.7	289	40.0	18.4	564	4.65	52.1	3.4	<0.1	13.6	124	0.47	5.24	3.18	141	1.73
26770	Soil	1.27	49.66	65.31	150.0	350	12.6	8.7	513	1.96	49.4	3.6	<0.1	5.5	300	0.67	8.90	1.31	60	2.74
26771	Soil	1.33	41.33	86.55	364.1	331	26.9	15.0	538	3.24	71.6	2.8	<0.1	8.8	254	0.69	8.55	1.26	89	1.69
26772	Soil	1.12	36.68	67.10	192.6	265	31.6	18.9	409	3.53	42.6	2.5	<0.1	12.1	157	0.51	3.15	0.95	90	1.91
26773	Soil	0.58	18.47	60.12	375.9	150	28.7	16.0	332	3.33	39.8	1.3	<0.1	14.0	177	0.53	2.73	0.45	65	4.70
26774	Soil	0.69	44.89	131.4	209.7	751	29.6	16.7	737	3.29	93.7	2.8	<0.1	12.0	129	0.77	15.53	0.95	72	2.77
26775	Soil	1.58	33.53	197.1	128.7	744	34.2	15.1	655	3.81	62.7	3.3	<0.1	12.3	197	0.38	3.35	2.18	93	2.05
26776	Soil	1.77	24.29	88.05	64.9	325	13.4	8.3	454	2.50	28.5	2.3	<0.1	5.9	367	0.18	1.32	2.16	64	1.99
26777	Soil	3.58	33.01	88.39	116.3	175	25.2	15.7	1105	4.42	54.5	5.2	<0.1	12.0	212	0.57	2.57	10.50	107	2.18
26778	Soil	4.70	54.77	69.94	370.0	213	73.9	21.5	901	4.44	63.5	8.3	<0.1	12.4	88	0.71	2.17	8.83	284	1.84
26779	Soil	2.29	41.49	40.83	136.6	181	38.1	14.6	1177	4.53	65.2	7.8	<0.1	15.5	218	0.39	2.40	4.15	110	2.29
26780	Soil	2.30	28.18	26.82	73.7	76	12.9	8.6	577	2.86	59.2	3.0	<0.1	6.3	364	0.21	1.32	2.85	71	1.88
26781	Soil	4.16	45.49	53.88	221.8	97	29.6	43.6	3478	4.38	89.6	4.1	<0.1	8.1	225	1.48	2.19	6.58	109	1.79
26782	Soil	2.76	26.59	33.09	94.1	115	9.9	18.2	1208	2.43	36.7	2.2	<0.1	4.7	426	0.37	1.03	2.64	64	1.64
26783	Soil	62.87	11.91	13.42	129.7	<20	20.9	7.7	1788	6.26	10.3	4.7	<0.1	17.9	119	0.59	1.38	0.33	137	0.60
26784	Soil	11.10	6.33	16.23	127.6	<20	17.7	6.6	1051	4.59	6.1	2.5	<0.1	14.6	104	0.14	0.84	0.25	184	0.64
26785	Soil	10.42	5.75	8.44	97.7	<20	10.3	5.2	1260	5.14	10.7	2.8	<0.1	13.7	88	0.15	1.24	0.22	66	0.51
26786	Soil	7.52	13.72	9.47	87.4	36	13.0	6.4	1190	5.14	15.8	2.5	<0.1	10.8	89	0.22	1.47	0.70	49	0.63
26787	Soil	5.59	13.28	11.67	83.3	<20	24.7	6.3	598	4.01	10.7	2.5	<0.1	12.5	118	0.27	1.13	0.43	104	0.63
26788	Soil	5.53	11.15	14.45	71.2	<20	33.8	6.7	684	3.88	11.8	2.4	<0.1	12.3	87	0.19	1.14	0.57	183	0.52
26789	Soil	4.96	10.65	12.18	94.6	<20	23.9	5.5	832	4.27	9.3	2.2	<0.1	11.9	75	0.29	0.95	0.38	171	0.41
26790	Soil	6.44	10.53	13.94	107.3	<20	31.9	7.4	710	4.30	12.8	2.5	<0.1	15.5	104	0.24	1.13	0.50	161	0.68



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 9 of 11 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
26761	Soil	31.1	19	9.86	309	0.253	3.67	0.445	0.47	2.3	65.6	1.6	<1	4.6	0.06	14.8	55.34	6.5	24.7	3.9
26762	Soil	27.5	41	0.81	911	0.269	5.42	1.733	1.73	3.0	114.7	6.4	1	5.5	0.06	8.8	53.85	5.9	21.8	3.0
26763	Soil	25.5	45	1.84	2003	0.315	6.00	1.479	2.14	4.1	94.9	1.3	<1	8.8	0.05	13.2	45.63	5.3	20.7	3.4
26764	Soil	44.1	61	2.06	2344	0.346	5.11	1.057	1.81	4.3	103.6	2.5	2	7.9	0.05	12.0	78.67	9.1	32.4	4.4
26765	Soil	36.1	67	2.65	3541	0.302	5.97	1.967	1.54	3.1	90.2	1.8	2	9.0	0.04	12.8	65.76	7.8	28.5	4.4
26766	Soil	14.6	6	0.60	843	0.194	5.76	2.612	2.05	0.6	109.7	0.9	1	3.6	<0.04	6.8	27.08	3.4	12.9	2.0
26767	Soil	16.0	5	0.55	889	0.202	5.33	2.742	2.26	0.7	118.0	0.9	1	3.5	<0.04	6.4	33.07	3.6	13.0	1.9
26768	Soil	58.7	53	2.14	1442	0.283	5.97	1.202	2.09	2.3	74.2	2.4	1	11.8	<0.04	18.7	104.7	12.2	43.7	6.1
26769	Soil	73.0	69	1.75	1266	0.372	6.27	0.927	2.33	2.1	69.9	3.6	1	13.0	<0.04	20.2	119.5	14.7	52.1	7.5
26770	Soil	25.7	20	0.71	721	0.175	3.79	1.306	1.21	0.9	69.3	1.0	<1	6.2	0.15	11.9	37.84	5.0	18.4	2.6
26771	Soil	35.9	47	1.38	1022	0.255	5.35	1.467	2.12	1.4	85.8	1.9	2	10.0	0.05	15.1	67.92	7.7	27.4	4.3
26772	Soil	55.8	63	1.96	1152	0.265	5.59	1.016	2.00	1.2	65.5	2.2	1	11.9	0.05	17.1	95.17	11.5	43.2	5.8
26773	Soil	44.8	69	2.52	1059	0.260	7.22	0.433	3.19	0.8	71.7	2.8	2	12.7	<0.04	14.3	81.19	9.5	33.9	4.9
26774	Soil	39.1	61	1.65	936	0.180	5.06	0.590	1.78	1.0	44.1	2.0	<1	12.6	0.10	19.4	63.61	8.3	31.9	4.7
26775	Soil	46.9	68	1.96	1601	0.324	5.85	1.015	2.03	2.8	76.7	2.8	2	12.1	0.05	18.2	85.22	10.1	35.3	5.0
26776	Soil	24.5	18	1.07	927	0.251	4.79	2.200	1.92	1.4	98.4	1.9	<1	6.0	<0.04	9.3	44.86	5.1	18.4	2.6
26777	Soil	60.8	43	3.73	824	0.275	4.74	1.134	1.26	2.2	100.9	3.6	1	8.2	0.07	18.3	113.6	11.8	41.9	5.4
26778	Soil	60.4	62	4.18	1465	0.328	5.10	0.595	1.35	2.0	110.3	2.5	1	10.9	0.05	24.5	94.01	10.9	39.1	5.1
26779	Soil	82.3	66	2.51	994	0.359	5.37	1.435	1.43	2.9	89.7	3.5	2	10.3	<0.04	21.3	192.3	16.2	54.4	7.0
26780	Soil	28.3	27	0.95	800	0.268	4.46	1.987	1.69	1.9	96.3	2.1	<1	5.7	0.05	9.2	52.79	5.6	19.7	2.8
26781	Soil	43.7	46	0.97	947	0.321	4.40	1.283	1.36	2.7	79.1	4.8	<1	8.6	0.13	11.6	88.29	7.7	26.9	3.6
26782	Soil	17.9	14	0.67	818	0.245	4.88	2.313	1.91	1.2	106.9	2.2	<1	4.7	0.06	6.7	35.88	3.7	13.7	1.9
26783	Soil	56.8	69	0.77	704	0.334	5.26	2.033	1.64	3.2	52.9	3.6	2	11.7	0.04	36.3	169.1	13.7	49.8	8.9
26784	Soil	57.0	57	1.30	583	0.324	5.40	2.247	1.45	3.3	53.0	3.4	4	9.0	<0.04	32.2	151.7	13.0	50.0	8.2
26785	Soil	89.5	33	0.87	579	0.284	6.36	1.695	1.65	3.8	39.5	3.4	4	5.7	<0.04	25.5	203.0	18.7	66.9	9.0
26786	Soil	71.6	31	0.89	527	0.260	6.82	2.366	1.28	3.3	34.4	3.1	3	5.9	<0.04	23.0	155.9	16.1	59.6	8.5
26787	Soil	50.1	52	0.72	586	0.371	5.87	2.208	1.57	2.3	48.1	3.9	3	6.8	0.07	17.3	99.79	10.4	40.5	5.5
26788	Soil	42.7	61	0.92	558	0.345	5.95	2.153	1.49	2.3	56.9	3.1	3	8.3	<0.04	19.3	95.98	9.6	37.6	6.2
26789	Soil	46.9	58	0.89	606	0.419	5.62	2.007	1.62	2.1	57.3	3.5	3	7.5	<0.04	16.7	95.24	9.8	38.0	6.2
26790	Soil	53.4	66	1.01	580	0.452	5.78	2.161	1.44	1.7	58.9	2.7	3	8.0	0.04	22.1	109.7	11.6	43.9	6.7



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 9 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
26761	Soil	3.4	0.5	2.8	0.5	1.3	0.2	1.2	0.2	1.73	48.1	19.8	0.6	9.92	4.5
26762	Soil	2.3	0.3	1.6	0.3	0.9	0.1	1.0	0.2	3.17	23.9	74.6	0.7	10.41	4.8
26763	Soil	2.8	0.4	2.3	0.4	1.2	0.2	1.3	0.2	2.62	35.2	60.1	0.6	9.90	4.3
26764	Soil	3.3	0.4	2.1	0.4	1.1	0.2	1.5	0.2	2.69	27.3	100.1	0.9	13.23	6.1
26765	Soil	3.2	0.4	2.4	0.5	1.2	0.2	1.2	0.2	2.43	45.5	66.6	0.7	10.56	6.4
26766	Soil	1.9	0.2	1.3	0.3	0.7	<0.1	0.7	0.1	2.94	18.1	39.4	0.4	5.08	1.2
26767	Soil	1.3	0.2	1.1	0.2	0.7	<0.1	0.7	<0.1	2.96	20.4	43.6	0.4	6.21	1.4
26768	Soil	4.7	0.6	3.8	0.7	1.8	0.2	1.8	0.3	2.11	36.7	70.1	0.7	10.63	3.9
26769	Soil	5.6	0.7	4.1	0.7	2.1	0.2	2.0	0.3	2.01	31.2	75.4	0.9	14.71	4.6
26770	Soil	2.3	0.3	2.1	0.4	1.1	0.1	1.0	0.2	1.67	14.7	32.1	0.3	5.48	2.6
26771	Soil	3.1	0.4	2.8	0.5	1.5	0.2	1.5	0.2	2.33	28.8	63.2	0.5	8.98	4.0
26772	Soil	4.3	0.6	3.3	0.6	1.6	0.2	1.7	0.2	1.81	32.7	59.7	0.6	9.71	4.2
26773	Soil	3.3	0.5	3.0	0.5	1.3	0.2	1.5	0.2	1.98	38.4	108.3	0.6	8.89	5.8
26774	Soil	4.2	0.5	3.7	0.7	1.9	0.3	2.0	0.3	1.09	28.6	66.7	0.4	7.01	5.9
26775	Soil	4.2	0.5	3.7	0.6	1.8	0.2	1.8	0.2	2.01	29.2	64.5	0.8	12.94	11.9
26776	Soil	2.2	0.3	1.9	0.3	0.9	0.1	1.0	0.1	2.60	19.5	42.1	0.5	7.97	2.3
26777	Soil	3.9	0.6	3.7	0.6	1.6	0.2	1.7	0.2	2.80	29.0	53.9	0.7	11.80	3.1
26778	Soil	4.4	0.6	3.7	0.8	2.1	0.3	1.8	0.3	2.85	39.3	64.6	1.1	19.73	9.8
26779	Soil	4.9	0.7	4.2	0.7	2.1	0.2	2.1	0.3	2.67	20.3	47.6	1.0	16.90	3.2
26780	Soil	1.9	0.3	1.7	0.3	0.9	0.1	0.9	0.1	2.30	16.8	44.4	0.7	10.99	4.2
26781	Soil	3.0	0.4	2.2	0.4	1.1	0.1	1.1	0.1	2.17	14.4	53.7	0.8	17.23	4.7
26782	Soil	1.8	0.2	1.4	0.2	0.6	<0.1	0.7	<0.1	2.65	16.6	44.0	0.5	9.14	3.8
26783	Soil	7.1	1.2	7.8	1.4	3.7	0.5	3.3	0.4	1.40	20.3	78.5	3.7	83.12	3.9
26784	Soil	7.1	1.0	6.7	1.3	3.2	0.4	2.9	0.3	1.45	32.9	81.8	3.9	77.98	3.8
26785	Soil	6.7	0.9	5.8	0.9	2.6	0.3	2.2	0.3	1.02	29.5	81.0	3.9	76.02	4.6
26786	Soil	6.5	0.8	4.9	0.9	2.1	0.2	2.0	0.3	0.90	22.3	55.2	3.2	60.21	2.8
26787	Soil	4.1	0.6	3.8	0.7	1.7	0.2	1.6	0.2	1.35	18.8	80.7	3.6	67.77	2.4
26788	Soil	4.7	0.8	4.1	0.8	1.9	0.3	1.9	0.3	1.54	18.4	64.1	3.9	67.84	3.0
26789	Soil	4.5	0.7	3.9	0.7	1.7	0.2	1.7	0.2	1.52	18.6	91.3	3.6	70.91	2.4
26790	Soil	5.0	0.8	4.8	0.9	2.5	0.3	2.1	0.3	1.56	19.5	71.1	3.8	68.09	2.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 10 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
26791	Soil	4.12	7.02	14.56	56.8	<20	32.9	6.4	418	3.26	12.5	2.2	<0.1	10.8	76	0.20	1.20	0.36	221	0.49
26792	Soil	2.29	5.74	7.34	36.1	34	28.5	4.9	249	2.73	5.6	1.9	<0.1	10.4	74	0.18	0.89	0.31	193	0.44
26793	Soil	2.65	7.12	7.16	36.1	98	19.5	3.5	258	2.27	3.8	1.8	<0.1	7.1	79	0.18	0.78	0.29	157	0.42
26794	Soil	1.08	0.86	1.97	22.9	<20	18.3	2.8	100	1.51	2.8	1.8	<0.1	9.4	26	0.08	0.81	0.13	440	0.26
26795	Soil	5.30	5.16	7.19	39.1	<20	17.3	4.5	226	3.42	4.3	2.4	<0.1	11.0	50	0.19	1.33	0.37	201	0.28
26796	Soil	2.02	5.03	7.97	34.7	<20	20.0	4.7	226	2.77	4.9	1.8	<0.1	9.9	75	0.15	1.16	0.26	253	0.46
26797	Soil	3.73	1.92	5.71	40.7	<20	6.2	5.3	392	3.40	4.0	3.7	<0.1	14.9	23	0.11	1.04	0.93	61	0.14
26798	Soil	4.66	1.43	3.86	26.9	99	9.3	2.2	427	1.92	8.2	4.1	<0.1	20.3	24	0.15	2.32	0.93	69	1.00
26799	Soil	4.63	6.88	7.95	35.8	<20	11.5	4.6	441	4.30	4.9	2.4	<0.1	13.3	77	0.21	0.85	0.34	60	0.39
26800	Soil	11.47	2.28	4.51	12.5	<20	4.0	2.5	720	4.70	2.1	2.7	<0.1	12.4	21	0.15	0.80	0.29	9	0.16
26801	Soil	15.09	4.27	2.65	13.9	<20	2.3	2.3	1048	5.29	2.5	2.8	<0.1	12.7	18	0.16	0.64	0.13	3	0.23
26802	Soil	12.32	3.55	5.01	28.6	<20	9.7	3.1	1168	4.15	2.9	5.5	<0.1	25.8	68	0.17	0.91	0.63	56	0.49
26803	Soil	11.80	3.41	5.64	27.6	<20	7.1	3.8	950	5.01	1.5	3.0	<0.1	11.6	51	0.18	0.76	0.21	30	0.41
26804	Soil	5.54	9.09	11.17	39.6	<20	15.9	5.9	533	4.00	4.5	2.6	<0.1	12.9	119	0.21	0.88	0.35	76	0.80
26805	Soil	7.03	7.75	9.28	41.3	<20	11.4	6.0	813	4.39	4.7	2.1	<0.1	9.7	103	0.21	0.87	0.41	64	0.52
26806	Soil	8.96	7.50	8.21	40.5	<20	11.5	5.4	998	5.00	3.1	2.9	<0.1	12.2	99	0.22	0.79	0.38	57	0.62
26807	Soil	8.76	7.47	7.42	30.6	34	10.8	4.6	963	5.02	4.2	3.6	<0.1	14.9	80	0.21	0.86	0.35	45	0.48
26808	Soil	5.02	9.53	9.00	46.5	<20	15.6	6.7	844	4.39	4.9	2.7	<0.1	11.4	119	0.29	0.95	0.26	69	0.72
26809	Soil	8.62	8.20	7.48	43.6	<20	12.0	6.8	737	4.72	6.2	2.7	<0.1	12.0	100	0.27	0.90	0.41	54	0.51
26810	Soil	10.70	6.04	6.07	46.8	<20	10.5	5.3	590	5.32	4.2	2.5	<0.1	13.5	90	0.24	0.74	0.40	41	0.51
26811	Soil	9.68	7.17	7.15	44.8	<20	10.7	4.8	653	4.84	4.0	2.7	<0.1	11.6	88	0.22	0.92	0.67	56	0.54
26812	Soil	5.77	9.21	13.80	52.3	<20	14.4	5.7	510	3.53	4.2	2.8	<0.1	13.7	125	0.25	0.87	0.40	74	0.56
26813	Soil	5.60	4.32	13.92	70.2	<20	10.0	2.8	919	3.64	9.8	5.4	<0.1	24.6	28	0.46	2.06	0.77	33	0.34
26814	Soil	5.46	4.65	10.91	410.0	94	11.5	5.0	455	3.86	8.9	4.4	<0.1	18.8	38	2.63	1.74	1.03	81	0.35
26815	Soil	7.26	3.80	12.45	122.2	<20	12.7	4.5	572	4.31	9.3	4.1	<0.1	20.0	30	0.73	2.07	0.88	90	0.37
26816	Soil	6.39	4.23	12.52	77.7	<20	10.3	3.5	524	4.30	5.7	4.1	<0.1	17.7	43	0.29	1.28	1.04	93	0.30
26817	Soil	8.91	6.03	20.37	101.9	<20	9.7	4.7	730	4.96	5.9	4.8	<0.1	23.4	49	0.85	1.36	0.77	38	0.35
26818	Soil	6.37	5.70	12.91	66.5	52	10.0	4.9	604	3.93	3.6	3.7	<0.1	14.7	85	0.23	1.03	0.71	85	0.43
26819	Soil	2.96	7.26	8.98	50.2	<20	17.1	6.1	435	3.17	4.3	2.5	<0.1	10.6	146	0.30	0.94	0.40	147	0.73
26861	Soil	2.22	87.21	10.96	168.4	128	38.6	22.8	641	4.48	16.1	35.7	<0.1	8.8	311	0.37	1.01	0.62	45	3.32



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 10 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
26791	Soil	33.6	68	1.16	538	0.297	5.42	1.650	1.55	1.8	61.6	2.1	3	8.7	<0.04	13.2	66.19	7.3	28.4	4.3	0.6
26792	Soil	31.4	67	1.13	491	0.261	5.11	1.897	1.18	1.5	62.3	2.1	2	8.0	0.06	9.9	61.40	6.4	25.4	4.0	0.7
26793	Soil	22.5	56	0.76	426	0.244	4.31	1.808	1.01	1.2	58.3	2.2	2	7.9	0.13	7.6	43.50	4.7	18.8	2.9	0.5
26794	Soil	8.2	56	1.16	488	0.168	6.15	1.351	2.18	3.5	70.4	5.8	3	10.6	<0.04	5.4	17.05	1.9	7.9	1.4	<0.1
26795	Soil	39.1	53	1.21	574	0.325	5.11	1.382	1.85	3.8	111.9	4.3	2	7.8	0.07	11.8	76.22	8.2	30.7	5.4	0.8
26796	Soil	32.1	58	1.10	660	0.292	4.93	1.597	1.66	2.3	76.5	2.3	2	10.1	0.04	9.9	66.00	7.5	28.8	4.0	0.6
26797	Soil	49.4	11	1.00	1300	0.140	6.41	0.684	2.81	2.1	140.1	7.5	4	5.0	<0.04	13.5	106.7	11.8	44.2	7.5	0.7
26798	Soil	46.3	8	0.56	2075	0.093	7.55	0.416	3.17	1.6	115.4	7.9	5	4.6	<0.04	15.6	99.45	11.4	44.2	7.5	0.6
26799	Soil	71.1	36	1.20	630	0.256	5.15	1.655	1.44	1.4	127.9	4.3	3	5.3	0.05	14.8	146.3	15.4	60.0	9.0	1.5
26800	Soil	72.5	5	0.71	701	0.113	6.95	1.020	2.99	1.3	176.8	4.7	6	2.9	<0.04	20.1	156.5	16.6	64.1	9.3	1.6
26801	Soil	77.7	3	0.91	582	0.091	7.09	1.317	2.84	1.4	173.7	4.4	4	2.8	<0.04	22.4	164.7	18.4	69.7	11.9	2.0
26802	Soil	169.0	23	1.43	676	0.195	6.31	1.465	2.34	2.1	190.0	5.3	5	5.2	<0.04	43.0	334.4	35.3	129.3	20.6	2.8
26803	Soil	64.2	16	1.07	574	0.148	6.80	1.507	2.19	1.2	159.5	4.8	4	3.1	<0.04	23.6	136.8	15.8	61.5	10.6	2.2
26804	Soil	66.3	55	0.93	614	0.307	5.71	1.681	1.60	1.2	92.7	2.5	3	6.1	<0.04	15.9	134.6	14.8	54.1	8.3	1.3
26805	Soil	48.6	41	1.15	605	0.271	5.32	1.568	1.47	1.1	84.4	2.7	3	4.7	0.04	12.0	96.21	10.8	41.1	6.7	1.3
26806	Soil	58.0	40	0.94	589	0.251	6.38	1.612	1.66	1.1	106.3	3.5	5	5.3	0.04	19.2	119.8	14.0	52.9	8.5	1.7
26807	Soil	74.9	31	0.67	633	0.227	6.37	1.199	2.62	1.3	166.9	4.3	4	4.4	<0.04	23.6	153.1	17.9	67.4	11.2	1.8
26808	Soil	56.8	56	1.00	625	0.366	5.54	1.689	1.61	1.7	84.9	2.6	3	6.3	0.04	16.6	115.5	13.3	49.5	8.1	1.6
26809	Soil	59.7	39	1.29	525	0.285	5.59	1.631	1.59	1.6	123.2	3.7	4	4.5	0.04	16.5	125.1	14.2	52.0	8.1	1.4
26810	Soil	68.1	32	1.57	459	0.235	5.98	1.741	1.34	1.3	106.7	3.5	2	4.4	0.05	16.1	139.0	15.1	55.4	8.2	1.6
26811	Soil	59.1	43	1.51	551	0.284	5.39	1.402	1.54	1.6	126.5	3.4	4	4.7	0.05	16.9	120.7	13.7	49.2	8.1	1.3
26812	Soil	63.9	48	1.42	535	0.324	4.92	1.635	1.34	1.5	92.1	2.3	2	5.3	0.05	15.8	123.7	13.1	49.1	7.5	1.0
26813	Soil	91.3	8	0.78	1041	0.143	5.69	0.456	2.25	1.8	171.9	7.5	4	2.7	0.05	23.9	191.7	21.4	79.4	12.9	1.2
26814	Soil	70.3	14	1.11	1171	0.156	5.95	0.884	2.36	1.8	160.4	6.5	5	4.0	0.04	20.4	149.4	17.3	63.8	10.4	1.2
26815	Soil	99.9	15	1.32	994	0.173	5.62	0.762	2.16	1.9	181.8	7.8	5	4.3	<0.04	22.4	204.4	23.1	87.4	13.4	1.5
26816	Soil	86.9	27	1.25	1125	0.173	6.55	0.766	2.64	1.8	212.5	7.9	4	4.5	<0.04	22.0	181.9	20.3	74.8	11.6	1.3
26817	Soil	140.8	11	1.01	1002	0.175	5.58	1.062	2.14	1.9	234.4	6.5	4	2.9	0.10	26.5	284.0	31.6	113.7	17.4	1.9
26818	Soil	62.9	28	1.21	1126	0.219	6.09	1.162	2.13	1.6	163.4	5.3	5	4.8	0.04	16.7	131.0	14.8	56.5	8.7	1.1
26819	Soil	39.2	48	1.20	711	0.319	5.66	1.602	1.67	2.0	98.7	2.7	3	6.6	0.05	13.6	79.77	8.7	34.0	5.4	0.8
26861	Soil	26.4	18	4.24	2587	0.225	5.55	1.510	1.62	0.9	128.7	3.7	2	4.0	0.13	17.6	47.42	5.5	20.9	3.4	0.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 10 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
26791	Soil	3.2	0.5	2.8	0.5	1.4	0.2	1.4	0.2	1.70	15.2	56.4	1.6	27.72	1.7
26792	Soil	2.8	0.4	2.2	0.4	1.2	0.1	1.0	0.2	1.68	11.5	43.1	0.8	13.61	1.6
26793	Soil	2.5	0.3	1.6	0.3	0.8	<0.1	0.8	0.1	1.51	7.4	37.6	0.7	12.06	1.6
26794	Soil	1.1	0.1	0.9	0.2	0.6	<0.1	0.8	0.1	1.83	16.9	55.1	0.5	7.87	2.0
26795	Soil	3.5	0.5	2.4	0.4	1.2	0.2	1.4	0.2	2.73	13.0	56.7	2.4	43.35	1.7
26796	Soil	3.0	0.4	2.1	0.4	1.0	0.1	1.1	0.2	1.87	13.0	52.0	1.0	16.94	1.6
26797	Soil	5.6	0.7	3.2	0.5	1.3	0.2	1.6	0.2	3.68	12.0	89.6	1.6	31.30	4.8
26798	Soil	6.2	0.7	3.6	0.6	1.7	0.2	1.8	0.3	3.28	8.2	99.8	1.0	17.55	6.6
26799	Soil	6.4	0.7	3.6	0.6	1.7	0.2	1.7	0.2	3.09	14.6	45.3	2.2	41.09	2.4
26800	Soil	6.8	0.9	4.7	0.8	2.1	0.3	2.2	0.3	3.72	8.3	65.6	2.4	44.90	3.5
26801	Soil	8.7	1.0	5.7	0.9	2.3	0.3	2.3	0.3	3.73	9.1	60.2	1.9	35.20	3.4
26802	Soil	15.2	2.0	10.7	1.8	4.5	0.6	4.1	0.5	4.18	15.6	59.1	7.3	150.7	3.6
26803	Soil	9.5	1.2	6.2	1.0	2.5	0.3	2.2	0.3	3.78	14.6	45.2	1.5	28.12	2.2
26804	Soil	6.5	0.8	3.9	0.6	1.7	0.2	1.8	0.2	2.31	16.2	47.1	1.7	30.81	1.6
26805	Soil	5.4	0.6	3.0	0.5	1.3	0.2	1.4	0.2	2.19	17.1	45.6	1.2	20.44	2.0
26806	Soil	7.1	0.9	4.8	0.7	1.9	0.3	1.8	0.2	2.51	13.6	45.9	1.2	22.57	2.0
26807	Soil	9.6	1.1	6.1	0.9	2.4	0.3	2.5	0.4	3.89	11.4	63.4	1.5	28.07	1.8
26808	Soil	6.1	0.8	3.9	0.6	1.6	0.2	1.7	0.2	2.23	14.7	52.7	1.7	27.92	1.7
26809	Soil	6.3	0.8	4.2	0.7	1.7	0.2	1.7	0.2	2.69	18.3	51.2	2.0	38.07	2.1
26810	Soil	6.3	0.8	4.2	0.6	1.6	0.2	1.6	0.2	2.62	18.3	42.2	1.5	28.42	2.8
26811	Soil	6.2	0.8	4.2	0.7	1.7	0.2	1.7	0.2	3.01	18.8	51.1	1.7	31.51	2.7
26812	Soil	5.7	0.7	3.7	0.6	1.5	0.2	1.6	0.2	2.20	21.6	47.8	2.0	38.90	2.3
26813	Soil	10.1	1.2	6.0	1.0	2.5	0.3	2.5	0.3	4.26	12.7	80.5	3.6	80.07	3.6
26814	Soil	8.4	1.0	5.0	0.9	2.3	0.3	2.3	0.3	3.96	14.4	76.3	2.3	48.41	3.4
26815	Soil	10.1	1.1	5.7	0.8	2.2	0.3	2.1	0.3	4.41	15.1	65.8	3.0	67.23	3.1
26816	Soil	9.0	1.1	5.5	0.8	2.5	0.3	2.4	0.3	4.86	16.6	75.4	3.0	67.14	3.7
26817	Soil	13.2	1.4	7.3	1.0	2.7	0.4	2.8	0.4	5.59	11.7	63.9	4.4	96.48	1.9
26818	Soil	7.1	0.8	4.4	0.7	1.9	0.3	2.0	0.2	4.05	15.9	70.1	2.0	44.63	2.9
26819	Soil	3.9	0.6	3.0	0.5	1.3	0.2	1.4	0.2	2.56	16.7	54.2	1.3	23.47	1.6
26861	Soil	3.9	0.5	2.7	0.5	1.6	0.2	1.8	0.2	3.43	36.1	91.3	1.7	34.09	2.1



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 11 of 11 Part 1

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02	0.001
26862	Soil	1.80	141.5	15.98	649.5	<20	65.4	40.0	708	7.42	30.0	9.2	<0.1	12.6	194	0.42	2.31	2.57	60	4.09	0.099
26901	Soil	1.76	2.72	3.55	36.1	<20	68.5	13.6	298	3.21	10.1	1.0	<0.1	8.7	33	0.10	1.98	0.45	255	0.65	0.187
26902	Soil	3.00	7.01	10.16	60.0	<20	75.1	27.9	484	4.16	6.3	2.1	<0.1	11.5	104	0.14	1.58	1.98	215	1.70	0.306
26903	Soil	1.57	6.01	7.04	72.6	<20	125.7	12.1	602	5.05	3.8	1.6	<0.1	6.8	85	0.17	1.27	0.73	301	1.83	0.322
26904	Soil	2.14	14.18	12.89	70.6	35	39.6	6.3	481	2.75	2.3	1.2	<0.1	4.5	321	0.19	0.78	0.53	165	1.60	0.165
26905	Soil	5.56	4.08	11.35	51.7	94	623.1	6.9	714	4.91	5.3	1.8	<0.1	7.7	51	0.15	3.48	0.66	445	1.18	0.406
26851	Soil	2.94	18.19	15.65	271.2	<20	18.0	9.6	673	4.43	11.4	10.2	<0.1	29.2	114	0.38	1.72	1.36	90	3.56	0.130
26852	Soil	1.55	16.02	16.84	416.2	*	18.7	11.3	730	4.70	10.2	9.9	<0.1	26.9	153	0.46	2.02	1.19	86	5.88	0.074
26853	Soil	1.69	22.61	14.21	217.1	<20	14.3	9.3	575	3.70	11.8	7.0	<0.1	18.0	321	0.26	1.31	1.21	71	3.57	0.097
26854	Soil	1.68	16.85	10.34	74.6	149	6.1	5.9	443	2.13	2.4	3.6	<0.1	7.6	418	0.20	0.66	0.42	48	1.83	0.126
26855	Soil	2.22	20.84	11.66	104.5	<20	8.1	5.9	487	2.42	4.6	3.3	<0.1	9.1	343	0.20	0.82	0.62	49	1.98	0.122
26856	Soil	1.83	18.61	12.92	147.1	<20	8.7	6.4	570	3.13	5.3	7.9	<0.1	12.8	306	0.24	0.95	0.76	57	2.71	0.120
26857	Soil	1.76	34.84	10.63	100.3	132	7.6	6.2	384	2.03	5.4	9.0	<0.1	6.4	502	0.20	0.66	0.25	43	2.17	0.094
26858	Soil	6.30	59.86	8.95	207.6	<20	96.1	14.7	1538	9.91	27.9	22.9	<0.1	46.9	119	0.64	1.73	0.51	76	2.04	0.056
26859	Soil	4.36	55.20	11.59	211.0	104	19.9	15.1	518	3.57	8.4	19.5	<0.1	7.7	389	0.19	1.06	0.85	55	2.25	0.098
26860	Soil	4.27	79.92	14.41	378.9	22	38.5	22.3	554	4.90	19.2	18.0	<0.1	10.6	389	0.29	1.27	1.53	61	2.69	0.097



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 11 of 11 Part 2

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method	Analyte	Unit	MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
					La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce
					ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
					0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02
26862	Soil				47.9	38	6.85	5136	0.269	5.99	0.973	2.18	1.8	138.9	9.0	3	5.1	0.14	21.7	85.78
26901	Soil				8.6	44	2.84	688	0.411	7.23	1.893	1.37	3.0	67.7	4.7	4	11.9	<0.04	8.1	30.85
26902	Soil				60.0	85	3.70	599	0.890	8.21	2.430	1.15	2.5	89.0	3.8	4	19.8	<0.04	25.8	153.3
26903	Soil				58.3	192	5.78	493	1.114	7.60	1.969	0.95	2.5	63.8	2.6	5	31.0	<0.04	34.5	150.6
26904	Soil				17.4	54	2.28	682	0.703	6.53	2.595	1.58	1.1	98.7	2.5	2	11.4	0.05	10.0	40.88
26905	Soil				26.4	177	6.42	1194	0.814	8.58	1.402	2.15	2.8	71.7	6.1	5	33.4	0.04	40.4	102.4
26851	Soil				97.6	46	4.35	1160	0.383	5.83	0.993	1.24	2.4	343.8	15.2	6	6.6	0.04	42.8	190.2
26852	Soil				72.6	41	5.92	1100	0.405	6.03	0.886	0.94	1.7	296.8	22.5	9	6.9	<0.04	38.6	145.5
26853	Soil				47.9	25	3.32	980	0.365	6.84	1.803	1.57	1.3	234.2	11.1	4	5.6	<0.04	23.9	92.06
26854	Soil				20.3	13	1.14	894	0.273	5.64	2.461	1.86	0.9	144.8	3.2	2	4.1	0.04	10.3	41.94
26855	Soil				25.2	17	1.49	918	0.269	5.61	2.164	1.83	1.1	172.2	6.2	3	3.6	0.05	14.3	49.70
26856	Soil				44.8	18	2.67	1016	0.291	6.38	1.862	1.62	1.3	212.8	7.8	3	4.4	0.04	21.3	85.08
26857	Soil				16.7	8	0.81	942	0.274	7.77	2.538	1.99	0.7	136.2	1.4	2	4.0	0.06	20.8	31.78
26858	Soil				140.5	23	2.47	1426	0.435	5.79	1.758	2.10	1.8	88.6	7.3	12	3.8	<0.04	110.3	322.7
26859	Soil				25.0	20	1.90	1283	0.273	6.09	2.234	1.72	1.1	114.4	3.1	3	4.0	0.06	29.4	44.83
26860	Soil				33.5	24	3.63	2059	0.263	6.89	1.881	1.72	1.3	119.5	4.3	3	5.3	0.07	31.7	60.26



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 11 of 11 Part 3

CERTIFICATE OF ANALYSIS

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
26862	Soil	4.7	0.6	3.8	0.6	1.8	0.2	1.8	0.2	3.37	57.4	151.7	3.2	86.73	3.3
26901	Soil	3.8	0.4	2.3	0.4	1.1	0.1	1.0	0.1	1.65	43.0	21.3	0.7	11.67	15.4
26902	Soil	9.4	1.2	6.5	1.0	2.4	0.3	2.0	0.3	2.36	38.9	49.3	1.4	24.21	6.9
26903	Soil	11.3	1.5	7.8	1.3	3.2	0.4	2.5	0.3	1.78	47.4	46.5	0.8	17.23	4.5
26904	Soil	3.1	0.4	2.5	0.4	0.9	0.1	1.0	0.1	2.59	26.4	29.7	0.9	15.56	2.3
26905	Soil	13.8	1.7	9.9	1.5	4.7	0.5	3.3	0.4	2.23	82.4	96.1	0.9	13.61	19.8
26851	Soil	8.4	1.8	8.9	1.5	4.1	0.6	3.7	0.5	7.95	38.2	66.9	9.1	155.9	3.4
26852	Soil	8.0	1.2	7.9	1.4	3.8	0.5	3.2	0.4	8.18	51.7	47.7	8.7	126.9	1.9
26853	Soil	5.1	0.7	4.5	0.8	2.3	0.3	2.0	0.2	5.49	35.8	54.3	5.4	94.15	2.3
26854	Soil	2.3	0.4	2.2	0.4	1.1	0.2	1.0	0.1	3.74	20.7	46.8	2.0	34.64	2.1
26855	Soil	3.2	0.5	2.9	0.6	1.5	0.2	1.4	0.2	4.11	25.5	44.9	3.5	59.04	1.9
26856	Soil	4.5	0.7	3.9	0.7	1.9	0.3	1.7	0.2	5.77	32.5	49.2	4.8	78.25	2.2
26857	Soil	3.1	0.5	3.1	0.7	1.9	0.2	1.5	0.2	3.36	23.2	40.1	0.8	13.79	1.5
26858	Soil	23.1	3.5	22.1	4.1	11.6	1.5	10.5	1.3	2.05	35.9	315.7	15.9	386.1	8.6
26859	Soil	4.5	0.7	4.3	0.8	2.3	0.3	2.0	0.3	2.97	32.5	46.9	1.6	36.70	1.8
26860	Soil	5.3	0.7	4.6	0.9	2.3	0.3	2.3	0.3	2.96	46.7	81.1	1.9	45.17	2.8



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 1 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
Pulp Duplicates																				
26567	Soil	10.21	4.17	38.79	50.9	79	34.4	4.7	1014	3.10	23.4	2.9	<0.1	17.8	61	0.26	1.49	0.26	298	0.61
REP 26567	QC	9.88	3.87	35.48	42.5	75	33.9	4.1	1026	3.00	22.2	2.8	<0.1	17.6	56	0.26	1.45	0.26	292	0.58
26606	Soil	2.65	47.18	67.34	169.8	286	62.0	13.2	378	2.24	20.6	2.9	<0.1	13.1	61	0.46	4.91	0.56	297	0.42
REP 26606	QC	2.73	47.04	66.43	173.2	175	63.6	13.6	380	2.26	20.3	3.0	<0.1	13.4	62	0.43	5.11	0.56	306	0.42
26693	Soil	1.09	17.91	13.52	128.0	66	15.1	8.8	319	2.43	10.9	1.1	<0.1	6.2	277	0.83	0.63	0.19	53	2.11
REP 26693	QC	1.12	18.43	14.07	131.9	66	14.7	9.2	321	2.39	11.6	1.1	<0.1	6.4	277	0.78	0.66	0.20	52	2.13
26728	Soil	29.16	147.3	19.17	49.5	109	75.8	30.4	737	10.31	41.3	7.0	<0.1	9.8	31	0.19	1.79	2.18	175	1.13
REP 26728	QC	30.92	148.2	20.39	50.4	99	75.4	31.1	733	10.13	42.3	8.5	<0.1	9.8	35	0.17	1.67	2.18	171	1.12
26743	Soil	1.75	29.14	106.3	181.6	99	29.2	34.1	953	5.46	91.1	2.6	<0.1	9.3	121	0.40	2.64	27.76	105	3.83
REP 26743	QC	1.69	29.10	106.1	187.3	38	27.8	32.9	946	5.50	91.7	2.6	<0.1	9.2	122	0.42	2.66	27.64	105	3.81
Reference Materials																				
STD OREAS24P	Standard	1.44	50.01	2.72	109.9	45	151.3	44.1	1091	7.27	0.6	0.6	<0.1	2.6	363	0.13	0.10	<0.04	162	6.02
STD OREAS24P	Standard	1.50	52.18	2.44	106.4	27	159.0	48.2	1121	7.53	0.4	0.6	<0.1	2.7	385	0.13	0.10	<0.04	167	6.10
STD OREAS24P	Standard	1.56	46.41	2.76	112.1	62	139.0	44.1	1116	7.49	1.7	0.7	<0.1	2.7	385	0.12	0.08	0.08	165	6.03
STD OREAS24P	Standard	1.52	45.40	2.68	115.9	45	140.6	45.3	1136	7.47	1.3	0.7	<0.1	2.8	391	0.10	0.08	<0.04	166	6.12
STD OREAS24P	Standard	1.46	52.07	2.42	119.6	62	152.9	48.7	1162	7.56	0.6	0.6	<0.1	2.7	396	0.14	0.09	<0.04	162	6.11
STD OREAS24P	Standard	1.56	50.57	2.25	116.2	29	148.5	47.8	1166	7.38	1.5	0.6	<0.1	2.7	385	0.13	0.09	<0.04	163	5.91
STD OREAS24P	Standard	1.44	51.77	2.54	116.8	34	149.1	45.7	1097	7.48	1.5	0.7	<0.1	2.7	355	0.18	0.08	<0.04	162	5.91
STD OREAS24P	Standard	1.43	52.80	2.56	115.5	20	149.0	46.7	1109	7.40	1.5	0.7	<0.1	2.7	367	0.16	0.13	<0.04	164	5.95
STD OREAS24P	Standard	1.42	49.10	2.64	111.3	54	145.2	47.8	1124	7.48	0.9	0.6	<0.1	2.4	388	0.15	0.07	<0.04	166	5.81
STD OREAS24P	Standard	1.53	49.72	2.71	122.8	86	149.0	43.1	1146	7.59	0.7	0.7	<0.1	2.5	395	0.13	0.09	<0.04	172	6.00
STD OREAS24P	Standard	1.68	49.60	2.74	112.8	<20	166.5	52.2	1190	7.77	0.5	0.6	<0.1	2.6	374	0.10	0.08	<0.04	173	6.10
STD OREAS24P	Standard	1.60	48.56	2.83	111.2	<20	163.5	51.6	1169	7.68	0.5	0.6	<0.1	2.7	369	0.11	0.09	<0.04	169	5.95
STD OREAS24P	Standard	1.41	48.69	2.44	114.3	78	139.0	46.9	1125	7.51	2.0	0.6	<0.1	2.5	371	0.15	0.11	<0.04	166	6.09
STD OREAS24P	Standard	1.31	48.21	2.77	118.2	127	135.6	45.4	1096	7.56	1.8	0.6	<0.1	2.5	367	0.19	0.11	<0.04	162	5.99
STD OREAS24P	Standard	1.50	51.64	2.80	116.5	31	143.3	45.4	1111	7.60	0.9	0.6	<0.1	2.6	383	0.18	0.09	<0.04	164	6.04
STD OREAS24P	Standard	1.51	53.15	2.54	120.2	<20	149.5	47.5	1122	7.62	2.3	0.6	<0.1	2.5	387	0.16	0.08	<0.04	164	6.07
STD OREAS24P	Standard	1.55	46.62	2.58	117.0	<20	156.1	51.0	1175	7.41	1.8	0.6	<0.1	2.6	378	0.10	0.08	<0.04	164	5.81



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

August 30, 2010

Page:

1 of 2

Part 2

QUALITY CONTROL REPORT

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
Pulp Duplicates																					
26567	Soil	47.1	51	1.77	775	0.181	6.65	0.875	0.95	2.7	101.2	3.5	2	13.5	0.05	14.9	89.03	9.7	36.1	5.5	0.7
REP 26567	QC	50.1	52	1.74	783	0.177	6.38	0.814	0.92	2.9	98.3	3.5	2	13.3	0.04	14.8	91.76	9.8	34.9	5.2	0.5
26606	Soil	44.1	66	0.56	2651	0.271	5.89	0.571	2.71	1.5	87.6	2.4	2	10.7	<0.04	13.0	86.40	10.8	43.7	6.9	1.0
REP 26606	QC	45.2	66	0.58	2789	0.288	5.97	0.577	2.60	1.7	90.8	2.5	2	10.8	<0.04	13.1	88.40	10.9	42.9	6.5	1.0
26693	Soil	18.6	38	1.06	620	0.202	5.42	1.349	2.09	0.7	77.6	1.3	2	7.5	0.05	8.8	34.81	3.9	15.3	2.5	0.6
REP 26693	QC	18.0	38	1.06	607	0.204	5.94	1.320	2.10	0.8	77.9	1.4	2	7.0	0.05	8.8	33.04	3.9	15.1	2.4	0.5
26728	Soil	56.1	35	1.30	809	0.206	2.71	0.188	1.12	2.2	39.3	2.7	<1	4.6	0.22	8.6	80.55	6.3	19.9	2.4	0.4
REP 26728	QC	57.9	34	1.28	553	0.206	2.70	0.197	1.21	2.3	44.5	2.5	1	5.1	0.22	9.0	82.53	6.5	20.8	2.4	0.4
26743	Soil	31.4	42	5.82	793	0.230	4.47	0.831	0.95	1.7	86.6	3.2	1	5.8	<0.04	11.9	61.58	6.2	23.6	3.5	0.6
REP 26743	QC	31.3	42	5.73	817	0.233	4.50	0.846	0.97	1.8	84.5	3.0	1	6.2	<0.04	12.4	62.10	6.7	24.4	3.3	0.7
Reference Materials																					
STD OREAS24P	Standard	18.3	189	4.15	271	1.066	7.58	2.420	0.72	0.4	134.8	1.5	<1	19.5	<0.04	21.0	37.11	4.8	21.9	4.8	1.6
STD OREAS24P	Standard	19.1	205	4.25	271	1.126	7.79	2.487	0.69	0.4	136.2	1.6	<1	20.7	<0.04	22.2	38.95	4.7	23.3	4.5	1.5
STD OREAS24P	Standard	16.9	188	4.16	273	1.045	7.60	2.293	0.70	0.4	133.9	1.6	<1	19.1	<0.04	20.0	33.41	4.2	20.1	4.2	1.5
STD OREAS24P	Standard	17.6	195	4.24	288	1.050	7.76	2.347	0.70	0.5	138.7	1.6	1	19.0	<0.04	20.3	35.14	4.6	20.8	4.6	1.5
STD OREAS24P	Standard	19.3	209	4.22	293	1.084	7.97	2.485	0.71	0.4	142.4	1.6	1	20.3	<0.04	21.6	37.92	4.9	22.0	4.6	1.7
STD OREAS24P	Standard	18.5	197	4.28	289	1.059	7.86	2.421	0.69	0.5	143.7	1.7	1	19.5	<0.04	22.0	37.94	4.9	22.6	4.6	1.5
STD OREAS24P	Standard	18.0	196	4.08	281	1.072	7.52	2.275	0.66	0.4	133.2	1.6	1	19.0	<0.04	21.1	37.46	4.8	22.3	4.6	1.5
STD OREAS24P	Standard	17.1	213	4.11	271	1.073	7.69	2.310	0.68	0.4	128.8	1.5	1	19.2	<0.04	20.6	36.11	4.6	21.6	4.7	1.5
STD OREAS24P	Standard	17.5	177	4.06	284	1.051	7.91	2.395	0.69	0.4	135.9	1.6	1	19.7	<0.04	20.1	35.89	4.5	21.2	4.5	1.5
STD OREAS24P	Standard	18.6	190	4.16	296	1.101	7.95	2.439	0.74	0.4	142.7	1.8	<1	20.5	<0.04	20.5	37.26	4.5	21.4	4.5	1.5
STD OREAS24P	Standard	18.2	220	4.26	249	1.204	8.22	2.498	0.69	0.4	139.4	1.4	<1	18.6	<0.04	20.7	35.70	4.6	24.4	4.7	1.4
STD OREAS24P	Standard	18.0	221	4.18	250	1.191	8.02	2.473	0.68	0.4	138.3	1.4	<1	18.3	<0.04	20.4	35.40	4.6	24.3	4.9	1.4
STD OREAS24P	Standard	17.5	198	4.22	281	1.039	7.53	2.362	0.72	0.5	138.3	1.7	<1	21.0	<0.04	21.3	36.33	4.7	20.2	4.7	1.4
STD OREAS24P	Standard	17.3	199	4.12	289	1.022	7.34	2.310	0.70	0.4	138.4	1.7	1	20.1	<0.04	20.9	35.89	4.5	19.5	4.5	1.2
STD OREAS24P	Standard	17.7	196	4.10	267	1.077	7.83	2.352	0.66	0.5	137.4	1.6	<1	19.3	<0.04	22.8	37.39	4.8	20.7	4.6	1.5
STD OREAS24P	Standard	18.1	198	4.14	274	1.075	7.87	2.376	0.67	0.5	138.1	1.6	1	18.8	<0.04	22.6	37.01	4.9	21.5	4.5	1.4
STD OREAS24P	Standard	16.6	213	4.30	226	1.118	8.18	2.509	0.70	0.4	142.4	1.4	1	19.4	<0.04	20.1	33.58	4.2	23.5	4.7	1.4



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 1 of 2 Part 3

QUALITY CONTROL REPORT

WHI10000225.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1	0.02
Pulp Duplicates																
26567	Soil	3.8	0.5	3.2	0.5	1.5	0.2	1.6	0.2	2.39	31.7	43.1	0.9	17.42	5.4	18.92
REP 26567	QC	3.6	0.6	3.1	0.6	1.5	0.2	1.4	0.2	2.31	30.8	40.7	0.9	17.43	5.4	17.47
26606	Soil	4.7	0.6	2.9	0.5	1.4	0.2	1.7	0.2	2.39	16.3	84.5	0.5	8.40	4.1	17.93
REP 26606	QC	4.9	0.6	2.9	0.5	1.4	0.2	1.8	0.2	2.57	16.3	85.1	0.6	9.33	4.1	18.29
26693	Soil	2.2	0.3	1.9	0.3	0.9	0.1	0.9	0.1	1.96	24.7	60.6	0.4	7.21	3.5	15.81
REP 26693	QC	2.3	0.3	1.7	0.4	0.9	0.1	1.0	0.1	2.01	27.7	61.3	0.5	7.31	3.5	16.62
26728	Soil	1.8	0.2	1.5	0.3	0.8	0.1	1.0	0.2	0.96	7.6	77.8	0.4	13.40	5.3	8.58
REP 26728	QC	1.8	0.2	1.6	0.3	0.9	0.1	1.0	0.2	1.04	7.9	82.1	0.5	13.67	5.5	8.70
26743	Soil	2.4	0.3	2.2	0.4	1.2	0.2	1.6	0.3	2.27	20.4	41.1	1.1	32.45	2.5	10.73
REP 26743	QC	2.8	0.4	2.3	0.4	1.3	0.2	2.0	0.3	2.23	19.6	41.0	1.2	32.99	2.6	10.73
Reference Materials																
STD OREAS24P	Standard	4.9	0.8	4.5	0.8	2.1	0.3	1.8	0.2	3.24	8.5	20.2	1.1	18.72	0.8	19.16
STD OREAS24P	Standard	5.0	0.7	4.5	0.8	2.0	0.3	1.7	0.2	3.37	8.0	21.1	1.1	19.39	0.8	18.43
STD OREAS24P	Standard	5.6	0.7	4.6	0.8	1.9	0.3	1.7	0.2	3.47	9.0	19.5	1.1	18.70	0.8	19.84
STD OREAS24P	Standard	5.2	0.7	4.5	0.9	2.0	0.2	1.9	0.2	3.60	9.0	20.6	1.1	19.38	0.8	21.03
STD OREAS24P	Standard	5.2	0.8	4.9	0.9	2.0	0.3	1.8	0.2	3.45	7.7	20.2	1.1	20.91	0.9	20.41
STD OREAS24P	Standard	5.5	0.8	4.8	0.9	2.1	0.2	1.9	0.3	3.63	8.1	20.3	1.2	20.85	0.9	20.43
STD OREAS24P	Standard	5.1	0.7	4.6	0.8	2.0	0.3	1.7	0.2	3.38	7.7	19.8	1.1	18.73	0.8	19.28
STD OREAS24P	Standard	5.2	0.7	4.6	0.8	2.0	0.2	1.8	0.2	3.14	8.5	20.1	1.0	18.68	0.8	19.15
STD OREAS24P	Standard	5.0	0.7	4.6	0.8	2.1	0.3	1.7	0.2	3.28	7.5	19.8	1.1	18.77	0.8	18.32
STD OREAS24P	Standard	5.3	0.8	4.7	0.9	2.2	0.3	1.7	0.2	3.49	8.0	21.4	1.1	19.63	0.8	18.94
STD OREAS24P	Standard	4.9	0.7	4.4	0.8	2.0	0.2	1.7	0.2	3.58	8.3	17.8	1.2	20.93	0.9	19.98
STD OREAS24P	Standard	4.9	0.7	4.2	0.8	1.9	0.2	1.7	0.3	3.59	7.5	17.8	1.2	20.84	0.8	19.93
STD OREAS24P	Standard	4.9	0.7	5.0	0.8	2.2	0.2	1.8	0.2	3.44	7.5	20.3	1.2	19.46	0.8	19.53
STD OREAS24P	Standard	4.7	0.7	4.6	0.8	2.0	0.2	1.7	0.2	3.34	7.8	19.7	1.1	18.47	0.7	19.12
STD OREAS24P	Standard	5.2	0.7	4.6	0.8	1.9	0.2	1.7	0.2	3.32	8.1	22.6	1.1	19.94	0.8	19.34
STD OREAS24P	Standard	4.9	0.8	4.6	0.8	2.0	0.3	1.7	0.2	3.32	9.1	21.9	1.0	20.35	0.8	20.11
STD OREAS24P	Standard	5.3	0.7	4.9	0.8	1.8	0.2	2.0	0.2	3.51	8.1	19.2	1.1	20.60	0.9	20.30



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 2 of 2 Part 1

QUALITY CONTROL REPORT

WHI10000225.1

		1T Mo ppm 0.05	1T Cu ppm 0.02	1T Pb ppm 0.02	1T Zn ppm 0.2	1T Ag ppb 20	1T Ni ppm 0.1	1T Co ppm 0.2	1T Mn ppm 2	1T Fe % 0.02	1T As ppm 0.2	1T U ppm 0.1	1T Au ppm 0.1	1T Th ppm 0.1	1T Sr ppm 1	1T Cd ppm 0.02	1T Sb ppm 0.02	1T Bi ppm 0.04	1T V ppm 1	1T Ca % 0.02	1T P % 0.001
STD OREAS24P	Standard	1.54	46.31	2.42	153.5	44	156.5	49.8	1119	7.87	1.6	0.6	<0.1	2.5	365	0.13	0.08	<0.04	170	6.24	0.137
STD OREAS24P	Standard	1.45	50.36	2.69	111.5	35	144.2	45.3	1060	7.12	0.6	0.7	<0.1	2.8	363	0.12	0.08	<0.04	158	5.44	0.128
STD OREAS24P	Standard	1.51	50.04	2.88	113.5	29	148.5	45.9	1087	7.31	0.4	0.7	<0.1	2.9	363	0.10	0.10	<0.04	164	5.58	0.127
STD OREAS24P	Standard	1.56	52.02	2.90	109.9	30	149.5	46.5	1161	7.74	0.8	0.7	<0.1	3.0	395	0.13	0.11	<0.04	168	6.01	0.134
STD OREAS24P	Standard	1.49	52.25	2.93	106.4	<20	150.9	46.9	1166	7.68	1.3	0.7	<0.1	2.9	395	0.12	0.09	<0.04	170	5.90	0.129
STD OREAS24P	Standard	1.54	54.03	2.77	120.5	<20	146.1	47.3	1137	7.41	<0.2	0.7	<0.1	2.7	376	0.15	0.10	<0.04	175	5.70	0.143
STD OREAS24P	Standard	1.51	54.20	2.70	122.4	<20	147.0	50.0	1112	7.37	0.8	0.6	<0.1	2.7	372	0.14	0.08	<0.04	174	5.64	0.139
STD OREAS24P Expected		1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83	0.136
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	21	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	2.5	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client:

Great Western Minerals Group Ltd.

226 Cardinal Crescent

Saskatoon SK S7L 6H8 Canada

Project:

True Blue

Report Date:

August 30, 2010

Page:

2 of 2

Part 2

QUALITY CONTROL REPORT

WHI10000225.1

		1T La ppm 0.1	1T Cr ppm 1	1T Mg % 0.02	1T Ba ppm 1	1T Ti % 0.001	1T Al % 0.02	1T Na % 0.002	1T K % 0.02	1T W ppm 0.1	1T Zr ppm 0.2	1T Sn ppm 0.1	1T Be ppm 1	1T Sc ppm 0.1	1T S % 0.04	1T Y ppm 0.1	1T Ce ppm 0.02	1T Pr ppm 0.1	1T Nd ppm 0.1	1T Sm ppm 0.1	1T Eu ppm 0.1
STD OREAS24P	Standard	16.2	211	4.09	211	1.148	7.91	2.469	0.69	0.4	140.3	1.3	1	19.0	<0.04	19.4	32.19	4.3	23.3	4.9	1.4
STD OREAS24P	Standard	17.0	195	3.94	256	1.043	7.88	2.376	0.64	0.4	133.1	1.5	<1	18.0	0.05	20.2	35.01	4.3	19.2	4.2	1.4
STD OREAS24P	Standard	17.4	203	4.02	258	1.043	8.02	2.437	0.66	0.4	134.4	1.6	1	18.6	0.05	20.2	34.60	4.4	19.5	3.9	1.4
STD OREAS24P	Standard	18.9	203	4.11	283	1.094	8.04	2.432	0.69	0.4	144.2	1.8	<1	20.1	<0.04	21.7	36.48	4.8	20.2	4.7	1.5
STD OREAS24P	Standard	17.8	204	4.13	280	1.103	8.04	2.454	0.67	0.4	139.6	1.7	1	19.8	<0.04	21.2	36.50	4.7	21.8	4.3	1.5
STD OREAS24P	Standard	18.0	206	4.18	270	1.052	8.14	2.388	0.69	0.4	134.0	1.6	1	18.8	<0.04	22.7	36.59	4.8	22.0	4.5	1.4
STD OREAS24P	Standard	17.9	200	4.08	270	1.064	7.99	2.422	0.67	0.5	130.9	1.5	1	18.2	<0.04	22.1	35.64	4.7	20.6	4.7	1.4
STD OREAS24P Expected		17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7	1.6
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	1.8	<0.1	<1	<0.1	<0.04	<0.1	0.26	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.10	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.33	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	15	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.18	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	0.10	<0.1	<0.1	<0.1	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 2 of 2 Part 3

QUALITY CONTROL REPORT

WHI10000225.1

		1T Gd ppm 0.1	1T Tb ppm 0.1	1T Dy ppm 0.1	1T Ho ppm 0.1	1T Er ppm 0.1	1T Tm ppm 0.1	1T Yb ppm 0.1	1T Lu ppm 0.1	1T Hf ppm 0.02	1T Li ppm 0.1	1T Rb ppm 0.1	1T Ta ppm 0.1	1T Nb ppm 0.04	1T Cs ppm 0.1	1T Ga ppm 0.02
STD OREAS24P	Standard	5.4	0.7	4.8	0.7	1.9	0.2	1.9	0.2	3.29	8.3	17.9	1.1	20.13	0.8	20.23
STD OREAS24P	Standard	4.1	0.7	4.1	0.9	2.1	0.2	1.6	0.2	3.39	7.5	19.7	1.1	18.49	0.8	19.45
STD OREAS24P	Standard	4.7	0.7	4.3	0.8	2.0	0.2	1.7	0.2	3.40	7.8	19.9	1.1	18.48	0.8	19.46
STD OREAS24P	Standard	4.8	0.8	4.9	0.8	2.3	0.3	1.8	0.2	3.61	8.4	21.7	1.2	19.85	0.8	20.51
STD OREAS24P	Standard	4.2	0.7	4.9	0.9	2.2	0.3	1.8	0.3	3.68	7.7	21.4	1.1	19.81	0.8	21.01
STD OREAS24P	Standard	5.2	0.8	4.5	0.8	2.1	0.3	1.7	0.3	3.35	8.1	21.1	1.1	19.96	0.8	20.16
STD OREAS24P	Standard	5.5	0.7	4.6	0.8	2.0	0.2	1.8	0.2	3.23	8.1	20.6	1.0	19.04	0.8	20.05
STD OREAS24P Expected		5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	0.6	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	0.6	<0.1	<0.04	<0.1	<0.02