



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Submitted By: John Pearson
Receiving Lab: Canada-Whitehorse
Received: August 18, 2010
Report Date: August 30, 2010
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI10000270.1

CLIENT JOB INFORMATION

Project: True Blue
Shipment ID: TB-021
P.O. Number
Number of Samples: 63

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8
Canada

CC: Stew Fumerton
Kim Halpin

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	63	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	63	Dry at 60C			WHI
1T	63	4 Acid digestion Ultratrace ICP-MS analysis	0.25	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only.
** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
27601	Soil	5.51	42.48	23.87	128.6	72	43.6	13.6	256	3.04	35.3	2.7	<0.1	12.9	62	0.32	2.88	2.06	221	0.37
27602	Soil	10.72	192.4	43.03	216.3	306	94.8	46.0	375	5.99	130.8	3.6	<0.1	17.0	44	0.62	5.30	5.55	239	0.40
27603	Soil	3.87	35.25	18.48	88.2	78	31.4	10.3	571	2.29	13.6	2.0	<0.1	8.2	211	0.21	1.60	1.03	197	0.83
27604	Soil	5.63	51.07	23.16	111.2	<20	44.9	8.8	282	2.10	22.6	2.9	<0.1	13.3	41	0.27	2.09	1.26	253	0.19
27605	Soil	8.70	94.09	136.3	276.2	*	82.2	34.2	1381	6.35	104.0	6.2	<0.1	57.3	38	0.87	5.67	6.76	263	0.56
27606	Soil	16.20	152.2	101.3	690.9	380	120.5	23.2	486	4.79	90.2	3.9	<0.1	15.7	111	1.17	7.42	4.80	194	0.68
27607	Soil	36.38	74.34	144.9	284.3	618	100.1	19.1	727	3.43	68.6	6.3	<0.1	10.2	85	0.98	6.79	1.32	326	0.51
27551	Soil	1.73	19.03	9.95	52.5	<20	5.5	6.7	385	2.12	2.4	1.7	<0.1	5.0	531	0.19	0.47	0.11	67	1.89
27552	Soil	1.94	18.11	11.08	60.1	44	8.6	7.1	662	1.99	2.4	1.5	<0.1	5.3	491	0.28	0.56	0.13	57	1.73
27553	Soil	1.81	16.71	9.79	48.8	56	5.1	5.8	567	1.79	1.5	1.5	<0.1	5.7	496	0.19	0.46	0.12	46	1.78
27554	Soil	2.51	17.13	11.32	54.0	59	6.1	5.1	452	1.70	1.3	1.5	<0.1	5.3	457	0.51	0.45	0.11	54	1.57
27555	Soil	1.66	16.80	9.40	63.9	66	5.4	6.5	397	2.05	1.6	1.4	<0.1	3.7	525	0.36	0.38	0.09	55	1.99
27556	Soil	3.00	17.13	12.53	59.4	66	7.1	8.2	731	2.14	1.4	1.4	<0.1	4.2	514	0.30	0.38	0.10	64	1.95
27557	Soil	3.84	20.19	11.46	60.9	71	8.3	7.7	795	2.90	1.8	1.9	<0.1	5.7	470	0.26	0.50	0.18	61	1.71
27558	Soil	2.61	17.58	9.31	48.1	94	5.4	6.2	482	1.84	1.1	1.6	<0.1	4.2	496	0.17	0.46	0.18	44	1.76
27559	Soil	9.31	21.16	14.69	72.9	104	13.5	9.3	1150	2.55	1.7	2.1	<0.1	9.9	393	0.39	0.55	0.22	68	1.75
27560	Soil	3.15	18.48	9.33	55.7	27	5.2	6.0	484	1.86	1.2	1.7	<0.1	6.1	492	0.24	0.44	0.11	49	1.82
27561	Soil	1.77	16.52	9.09	50.8	70	3.8	5.6	380	1.79	1.7	1.6	<0.1	4.0	540	0.12	0.42	0.09	41	1.83
27562	Soil	5.92	16.04	12.24	56.3	<20	10.5	5.9	359	2.57	4.9	1.9	<0.1	6.8	376	0.18	0.68	0.19	68	1.26
27563	Soil	1.68	17.58	8.86	50.6	70	4.1	6.2	389	1.87	1.5	1.6	<0.1	3.7	518	0.14	0.42	0.08	43	1.90
27564	Soil	3.45	18.71	8.68	49.5	68	6.0	6.3	414	1.97	1.8	1.7	<0.1	3.8	527	0.20	0.43	0.09	49	1.89
27565	Soil	2.59	19.32	8.73	52.1	139	4.9	6.3	399	1.91	1.4	1.5	<0.1	3.8	552	0.16	0.43	0.09	45	1.92
27566	Soil	30.10	25.64	39.05	79.6	170	23.7	12.0	3549	4.04	7.6	2.1	<0.1	12.0	249	0.63	0.91	0.48	98	1.38
27481	Soil	10.20	17.72	7.11	41.2	23	34.4	8.4	710	3.11	13.5	3.3	<0.1	12.0	304	0.28	0.62	0.35	122	1.81
27482	Soil	73.65	62.08	15.48	49.7	<20	263.5	51.4	565	7.03	146.1	14.4	<0.1	42.2	102	0.60	1.62	6.86	166	0.73
27483	Soil	70.94	47.96	10.18	37.1	162	285.0	49.1	9045	1.45	2.9	15.9	<0.1	19.6	107	0.74	0.56	0.39	54	1.64
27484	Soil	3.80	18.36	8.85	58.4	30	9.1	9.9	683	2.77	1.8	1.7	<0.1	5.8	547	0.13	0.43	0.16	88	2.20
27485	Soil	78.59	8.90	13.69	47.8	<20	20.7	7.8	649	3.58	12.7	3.9	<0.1	34.8	125	0.17	1.27	0.60	176	0.53
27486	Soil	43.98	12.42	16.93	169.3	<20	24.3	26.0	1629	7.16	8.9	8.2	<0.1	15.5	33	0.96	1.56	0.87	28	0.21
27487	Soil	3.54	19.38	8.89	55.8	<20	12.1	7.4	438	2.08	1.1	2.0	<0.1	4.8	490	1.03	0.36	0.13	56	1.77



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
27601	Soil	36.6	80	0.52	1361	0.294	4.29	0.558	2.25	7.6	89.8	5.8	2	8.4	0.09	9.2	71.89	8.3	31.1	4.3
27602	Soil	44.9	58	0.61	1160	0.178	5.07	0.296	2.20	6.8	128.7	4.9	3	10.5	0.11	19.8	98.44	13.3	52.8	8.7
27603	Soil	26.9	62	0.82	1675	0.311	5.17	0.954	2.65	4.2	88.7	2.9	2	8.3	0.09	8.3	60.86	7.6	30.0	4.3
27604	Soil	31.1	68	0.63	2312	0.295	4.94	0.260	3.19	8.9	92.3	9.0	3	8.5	0.11	10.5	60.05	7.1	27.0	4.0
27605	Soil	35.4	80	0.87	2372	0.201	5.44	0.130	3.20	16.5	132.7	11.5	5	10.0	0.09	54.2	62.14	8.3	37.4	9.0
27606	Soil	30.5	67	0.72	1775	0.268	4.94	0.722	2.23	37.2	119.0	2.7	2	9.5	0.10	17.5	60.34	6.6	25.3	4.2
27607	Soil	31.1	69	0.57	1609	0.267	4.17	0.527	1.91	6.2	76.3	2.3	3	9.5	0.06	17.4	62.49	6.5	24.2	4.0
27551	Soil	16.8	12	0.64	788	0.337	6.56	2.977	2.21	0.7	112.2	1.3	2	4.8	<0.04	7.0	33.30	3.5	13.2	2.2
27552	Soil	15.3	14	0.62	804	0.277	6.11	2.837	2.20	0.7	116.0	1.4	2	4.4	<0.04	6.8	32.73	3.4	13.8	2.2
27553	Soil	14.2	10	0.59	778	0.252	5.90	2.945	2.21	0.6	115.0	1.0	1	3.8	<0.04	6.4	28.78	3.1	11.6	1.9
27554	Soil	13.5	13	0.57	761	0.254	5.80	2.708	2.09	0.6	109.5	1.2	1	4.0	<0.04	6.0	27.73	3.0	11.4	1.8
27555	Soil	12.4	7	0.71	782	0.299	6.16	2.949	2.20	0.5	115.8	0.8	1	4.7	<0.04	6.3	25.80	2.8	10.8	1.7
27556	Soil	13.2	11	0.72	739	0.305	5.92	2.805	2.06	0.6	103.7	0.9	2	4.8	<0.04	6.7	28.05	3.0	12.3	2.3
27557	Soil	25.9	15	0.69	742	0.322	6.19	2.658	2.10	0.9	108.1	1.9	2	4.9	<0.04	9.5	46.01	5.5	20.6	3.3
27558	Soil	20.8	8	0.60	815	0.252	5.85	2.931	2.15	0.6	115.3	0.9	1	3.6	<0.04	10.5	31.78	4.7	17.8	2.9
27559	Soil	45.6	28	0.69	766	0.322	5.59	2.234	1.72	1.0	89.0	1.6	2	5.5	<0.04	23.4	66.34	12.0	48.0	8.7
27560	Soil	24.3	10	0.62	746	0.257	6.00	2.862	2.17	0.9	112.8	1.1	2	4.1	<0.04	13.6	36.68	5.9	22.0	3.9
27561	Soil	16.0	6	0.58	803	0.254	6.18	2.913	2.21	0.5	105.3	0.8	1	3.5	<0.04	7.9	28.67	3.3	13.2	2.0
27562	Soil	26.6	25	0.67	810	0.288	5.95	2.348	2.22	1.4	106.9	2.1	2	4.6	<0.04	9.7	52.38	5.7	21.7	3.4
27563	Soil	12.4	7	0.62	778	0.261	6.11	3.053	2.26	0.5	120.4	0.7	<1	3.6	<0.04	6.4	24.58	2.8	10.4	1.7
27564	Soil	13.9	7	0.63	818	0.271	6.24	3.033	2.16	0.5	119.6	0.7	1	4.0	<0.04	7.2	28.04	3.1	11.5	1.8
27565	Soil	13.4	7	0.64	808	0.268	6.23	3.072	2.31	0.6	120.5	0.8	1	4.0	<0.04	6.9	26.49	2.9	11.5	2.0
27566	Soil	37.0	53	0.77	857	0.306	5.48	1.507	1.81	1.8	69.2	2.9	3	8.9	0.09	24.1	77.01	8.5	31.4	5.3
27481	Soil	45.7	28	0.80	489	0.255	4.66	1.368	1.30	1.1	77.1	1.7	2	6.9	0.15	20.7	100.5	17.1	76.0	14.8
27482	Soil	56.5	40	1.12	354	0.282	4.55	1.888	0.76	6.0	135.3	3.2	9	5.9	0.18	104.2	131.5	15.4	67.2	15.2
27483	Soil	135.3	18	0.45	446	0.100	1.75	0.501	0.31	1.6	25.5	1.5	5	3.7	0.22	115.2	322.1	31.5	131.7	25.4
27484	Soil	13.8	14	0.90	692	0.387	6.28	2.780	1.90	0.8	109.3	1.0	1	5.8	0.04	8.7	29.27	3.1	12.6	2.0
27485	Soil	43.0	56	0.57	653	0.300	5.09	1.139	2.02	2.9	96.8	3.7	4	8.0	0.05	22.8	109.9	10.6	42.2	7.9
27486	Soil	102.6	13	0.67	1201	0.144	6.82	0.457	2.88	5.8	44.5	11.5	6	2.5	<0.04	79.6	286.9	26.5	98.9	19.6
27487	Soil	15.3	10	0.68	670	0.270	5.54	2.620	1.87	0.6	102.7	1.1	1	4.3	<0.04	9.7	33.07	3.6	13.8	2.4



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 2 of 4 Part 3

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.02	ppm 0.1	ppm 0.1	ppm 0.1	ppm 0.04	ppm 0.1
27601	Soil	3.3	0.4	1.9	0.3	1.0	0.1	1.2	0.2	2.56	11.5	92.8	1.0	21.09	2.1
27602	Soil	6.3	0.7	4.0	0.7	1.9	0.2	2.2	0.3	3.12	13.0	85.4	0.5	11.76	3.0
27603	Soil	2.9	0.3	1.6	0.3	0.8	0.1	0.9	0.2	2.33	16.8	98.8	0.7	17.59	2.4
27604	Soil	2.6	0.3	2.1	0.4	1.0	0.2	1.2	0.2	2.33	14.3	127.0	1.2	37.19	2.4
27605	Soil	10.1	1.5	9.5	1.7	4.5	0.5	3.9	0.5	3.19	16.6	119.5	4.1	136.0	2.1
27606	Soil	3.8	0.6	3.3	0.6	1.8	0.2	1.9	0.3	2.59	14.9	91.0	0.6	13.22	3.4
27607	Soil	3.6	0.5	3.1	0.5	1.5	0.2	1.7	0.2	2.12	14.3	82.6	0.6	15.65	6.4
27551	Soil	2.1	0.2	1.4	0.2	0.8	<0.1	0.7	0.1	3.07	19.6	46.8	0.9	18.17	1.3
27552	Soil	1.6	0.2	1.3	0.3	0.6	0.1	0.7	0.1	3.04	23.1	50.3	0.6	10.33	1.5
27553	Soil	1.6	0.2	1.2	0.2	0.6	<0.1	0.7	<0.1	2.92	19.4	44.9	0.4	7.73	1.4
27554	Soil	1.4	0.2	1.1	0.2	0.6	<0.1	0.6	<0.1	2.77	18.8	46.9	0.5	8.67	1.4
27555	Soil	1.5	0.2	1.4	0.2	0.6	<0.1	0.7	<0.1	2.99	19.7	42.5	0.4	6.02	1.1
27556	Soil	1.7	0.2	1.4	0.2	0.6	<0.1	0.7	0.1	2.81	20.1	47.5	0.5	8.37	1.5
27557	Soil	2.7	0.4	2.2	0.4	0.9	0.1	0.9	0.1	2.85	22.5	59.5	1.2	24.92	1.4
27558	Soil	2.5	0.4	2.1	0.4	1.0	0.1	0.9	0.1	2.96	20.8	49.0	0.6	8.67	1.3
27559	Soil	6.8	0.9	4.8	0.8	1.9	0.2	1.5	0.2	2.36	23.9	59.3	1.0	20.55	2.1
27560	Soil	3.0	0.5	2.7	0.5	1.3	0.2	1.1	0.2	3.08	19.5	52.1	1.5	19.43	1.4
27561	Soil	2.0	0.3	1.5	0.3	0.8	<0.1	0.7	0.1	2.84	19.8	46.2	0.4	6.28	1.2
27562	Soil	3.0	0.3	2.0	0.4	0.9	0.1	1.0	0.1	2.70	27.8	80.3	1.3	28.88	2.0
27563	Soil	1.5	0.2	1.3	0.2	0.7	<0.1	0.6	<0.1	3.10	19.7	43.8	0.3	5.61	1.1
27564	Soil	1.5	0.2	1.5	0.2	0.7	<0.1	0.6	0.1	3.08	19.2	46.1	0.4	6.34	1.2
27565	Soil	1.6	0.2	1.3	0.2	0.7	<0.1	0.6	<0.1	3.12	20.0	45.9	0.4	6.25	1.2
27566	Soil	5.2	0.7	4.3	0.8	2.0	0.3	1.9	0.3	1.81	25.6	108.1	1.2	27.28	2.7
27481	Soil	10.4	1.1	5.3	0.8	1.8	0.2	1.8	0.2	2.05	13.7	44.5	0.7	19.90	1.3
27482	Soil	17.7	2.9	20.5	3.9	11.1	1.4	9.2	1.2	3.23	15.1	70.1	7.3	213.8	2.9
27483	Soil	23.8	3.6	22.8	4.1	10.8	1.4	9.0	1.1	0.68	5.2	27.4	1.6	43.69	2.9
27484	Soil	2.3	0.3	1.7	0.3	0.9	0.1	0.8	0.1	2.88	18.0	39.9	0.6	13.26	1.2
27485	Soil	6.5	0.8	5.0	0.8	2.4	0.3	2.1	0.3	2.40	13.9	84.1	3.4	93.01	3.2
27486	Soil	19.4	3.3	21.2	3.9	9.7	1.2	7.0	0.7	1.11	41.7	116.4	6.7	167.0	7.6
27487	Soil	2.3	0.3	2.0	0.4	1.0	0.1	1.0	0.1	2.83	16.7	40.9	1.1	19.65	1.0



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm 0.05	ppm 0.02	ppm 0.02	ppm 0.2	ppb 20	ppm 0.1	ppm 0.2	ppm 2	% 0.02	ppm 0.2	ppm 0.1	ppm 0.1	ppm 0.1	ppm 1	ppm 0.02	ppm 0.02	ppm 0.04	ppm 1	% 0.02
27488	Soil	4.01	15.25	9.14	53.9	48	11.7	8.0	396	2.36	2.2	1.8	<0.1	4.9	488	0.18	0.44	0.15	76	1.84
27489	Soil	2.48	17.27	11.15	57.3	94	6.3	6.4	411	1.99	1.8	1.7	<0.1	4.4	444	0.33	0.43	0.12	62	1.59
27490	Soil	1.63	16.41	8.73	52.9	98	6.0	8.0	406	2.08	1.1	1.4	<0.1	3.4	534	0.40	0.38	0.09	55	1.94
27491	Soil	4.83	16.08	12.23	45.9	32	6.4	5.7	634	1.96	2.1	1.5	<0.1	5.0	453	0.14	0.54	0.13	67	1.56
27492	Soil	6.47	23.21	11.20	46.0	87	17.2	8.3	960	2.05	3.8	1.6	<0.1	6.6	305	0.54	0.58	0.43	85	1.21
27493	Soil	8.78	16.48	10.29	77.6	95	8.3	6.6	617	2.55	3.6	1.7	<0.1	5.3	392	0.38	0.62	0.25	78	1.32
27494	Soil	2.26	16.89	11.75	70.5	<20	7.9	6.1	347	2.01	4.6	1.9	<0.1	6.2	392	0.22	0.84	0.55	77	1.35
27495	Soil	2.24	17.76	13.93	104.3	<20	10.3	7.1	408	2.25	5.3	1.9	<0.1	18.3	419	0.24	1.04	0.48	80	1.51
27496	Soil	2.26	18.32	10.97	52.2	34	10.5	5.0	292	1.71	4.9	1.8	<0.1	6.5	339	0.25	0.86	0.28	87	1.11
27497	Soil	2.37	28.03	20.19	64.6	182	22.0	7.6	707	2.06	5.5	2.7	<0.1	11.2	302	0.31	0.86	0.35	76	1.64
27498	Soil	2.51	24.93	26.62	107.6	100	46.0	16.1	707	3.50	15.2	2.0	<0.1	12.0	204	0.40	1.83	0.42	104	3.73
27499	Soil	1.50	20.26	12.35	37.8	65	10.8	4.8	414	1.16	2.1	1.7	<0.1	4.4	287	0.42	0.50	0.14	28	2.98
27500	Soil	1.80	18.26	9.76	52.6	57	7.0	7.6	391	2.14	2.9	1.7	<0.1	4.6	509	0.15	0.54	0.15	68	1.87
27731	Soil	3.71	13.88	122.3	320.4	565	30.5	9.1	1344	2.25	11.6	2.4	<0.1	5.5	141	3.29	4.22	0.17	56	20.25
27732	Soil	2.07	24.87	64.07	264.7	301	53.9	18.0	721	3.32	8.9	2.1	<0.1	12.3	112	0.92	1.95	0.23	136	13.59
27735	Soil	3.57	18.42	7.63	54.3	73	10.9	9.9	420	2.58	1.5	1.6	<0.1	4.5	507	0.23	0.42	0.20	92	2.03
27736	Soil	87.18	16.34	10.55	53.0	124	181.2	30.8	584	4.01	431.6	2.8	<0.1	8.8	83	0.48	2.28	3.22	171	0.65
27737	Soil	14.71	21.80	11.16	44.0	66	52.3	18.4	658	2.87	68.3	2.5	<0.1	12.6	91	0.47	1.30	1.40	212	0.65
27738	Soil	26.91	17.95	8.86	102.4	83	31.5	12.8	1421	2.42	14.5	2.4	<0.1	12.2	89	1.10	0.85	0.53	176	0.64
27739	Soil	15.44	18.68	12.71	69.1	111	34.9	22.0	2882	2.00	3.7	3.7	<0.1	17.2	72	0.93	0.64	0.32	164	1.10
27740	Soil	18.16	20.98	7.76	50.5	112	38.5	11.6	2308	1.77	4.7	2.1	<0.1	11.8	71	0.39	0.63	0.46	173	0.67
27741	Soil	46.60	11.35	8.94	49.8	<20	29.7	8.7	720	2.81	11.5	3.2	<0.1	17.3	73	0.35	0.94	0.71	224	0.47
27742	Soil	16.89	15.23	10.25	43.3	<20	41.7	22.0	2106	2.81	10.4	3.2	<0.1	12.9	143	0.58	0.69	0.66	155	0.89
27743	Soil	19.59	13.51	12.19	53.0	<20	33.3	11.5	1561	2.64	14.1	3.5	<0.1	16.4	78	0.84	1.23	0.97	138	0.55
27744	Soil	1.99	19.74	8.89	50.0	67	5.3	7.1	479	1.94	1.2	1.6	<0.1	4.4	528	0.20	0.57	0.14	52	1.82
27745	Soil	22.40	12.85	11.08	37.8	<20	25.4	7.9	353	3.18	23.3	3.1	<0.1	20.3	103	0.22	1.49	0.87	169	0.52
27746	Soil	1.97	20.67	8.63	50.0	69	4.9	6.5	381	1.86	1.7	1.6	<0.1	4.1	518	0.26	0.47	0.14	49	1.80
27747	Soil	14.51	13.42	17.31	54.0	<20	25.0	8.8	417	4.10	11.6	3.0	<0.1	17.9	156	0.16	1.39	0.63	115	0.85
27748	Soil	7.16	17.00	15.97	49.2	<20	18.0	7.6	524	3.07	6.0	7.9	<0.1	13.5	249	0.21	0.86	0.44	78	1.99
27749	Soil	12.58	19.51	23.13	56.7	<20	22.9	10.6	1383	4.87	18.1	4.4	<0.1	18.9	168	0.31	1.18	0.83	90	1.10



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
27488	Soil	15.5	15	0.71	682	0.363	5.54	2.673	1.86	0.7	101.9	1.8	2	5.1	<0.04	9.7	31.24	3.8	14.7	2.8
27489	Soil	13.2	10	0.60	732	0.304	5.42	2.569	1.96	0.7	108.4	0.9	2	4.0	<0.04	7.5	26.44	2.9	11.9	2.1
27490	Soil	11.2	8	0.74	726	0.299	5.87	2.764	1.96	0.5	106.6	0.7	<1	4.4	<0.04	6.1	23.90	2.6	10.1	1.7
27491	Soil	16.6	15	0.57	762	0.283	5.83	2.656	2.18	0.8	108.3	1.7	1	3.9	<0.04	6.5	33.28	3.6	13.4	2.1
27492	Soil	29.6	29	0.48	611	0.228	5.01	1.929	1.91	0.8	89.3	1.8	1	4.6	<0.04	7.8	65.69	6.1	20.4	3.1
27493	Soil	17.8	17	0.58	727	0.271	5.79	2.254	2.24	0.8	103.7	2.9	1	4.0	<0.04	6.8	36.01	3.7	14.0	2.2
27494	Soil	19.2	24	0.56	819	0.347	5.71	2.379	2.12	1.0	103.6	1.8	1	4.3	<0.04	7.7	38.44	4.5	16.3	2.5
27495	Soil	19.1	19	0.63	864	0.344	5.75	2.525	2.15	0.9	102.4	1.8	1	4.9	<0.04	8.1	39.38	4.5	16.5	2.5
27496	Soil	19.3	28	0.52	821	0.326	5.70	2.307	2.07	1.1	99.1	2.0	1	4.4	<0.04	7.0	38.81	4.6	17.5	2.7
27497	Soil	37.5	39	0.61	750	0.252	5.01	1.908	1.79	1.0	89.9	3.2	2	5.6	0.06	16.3	60.83	9.1	35.5	5.7
27498	Soil	39.7	61	2.27	761	0.313	6.39	1.455	1.66	1.2	63.0	2.8	2	8.6	<0.04	17.5	87.73	9.5	35.3	5.9
27499	Soil	16.9	11	0.48	464	0.158	3.75	1.494	1.13	0.3	63.7	2.1	<1	2.6	0.12	8.7	29.66	3.7	13.9	2.2
27500	Soil	14.7	20	0.71	740	0.343	6.05	2.823	2.15	0.7	109.1	1.2	2	4.9	<0.04	7.4	29.95	3.2	13.0	2.2
27731	Soil	22.2	48	2.40	1766	0.182	3.09	0.201	1.03	1.8	43.3	1.8	2	5.6	0.05	18.3	42.91	5.0	18.7	3.2
27732	Soil	44.3	82	2.98	1719	0.248	4.73	0.310	1.33	1.3	61.2	1.6	2	8.1	0.05	24.5	115.2	12.1	46.7	7.1
27735	Soil	13.6	22	0.92	634	0.364	5.76	2.476	1.71	0.6	101.2	1.0	1	5.9	0.04	7.7	31.30	4.0	16.6	3.2
27736	Soil	34.2	50	1.42	424	0.301	4.37	0.788	1.55	1.9	70.5	3.6	3	7.0	0.13	11.1	84.96	12.8	57.7	10.3
27737	Soil	35.4	76	0.78	527	0.363	4.34	1.346	1.46	2.1	67.5	2.9	2	8.9	0.07	9.9	74.19	8.7	32.2	4.9
27738	Soil	23.7	76	0.49	575	0.215	3.44	0.941	1.40	1.6	54.2	3.7	3	7.5	0.15	7.4	46.45	4.8	17.9	2.9
27739	Soil	31.7	64	0.64	571	0.155	3.42	0.743	1.21	1.5	41.0	5.8	2	7.0	0.18	15.2	64.38	7.0	26.5	4.8
27740	Soil	29.4	62	0.47	462	0.173	3.58	1.323	1.08	1.3	41.2	2.3	2	5.9	0.15	10.2	60.44	6.3	23.3	3.5
27741	Soil	33.5	78	0.51	515	0.282	4.71	1.338	1.61	2.9	74.6	4.7	3	8.2	0.08	14.3	67.10	7.7	27.7	4.9
27742	Soil	35.2	49	0.67	502	0.239	4.20	1.374	1.25	1.7	58.4	3.2	2	6.8	0.10	16.9	69.35	8.1	29.4	4.7
27743	Soil	42.5	52	0.44	570	0.276	3.59	1.273	1.31	2.4	62.9	3.9	3	5.6	0.13	18.0	84.96	9.5	35.5	5.4
27744	Soil	12.1	6	0.61	795	0.286	6.35	2.896	2.18	0.5	117.8	0.9	<1	3.9	<0.04	6.5	25.73	2.9	11.2	1.9
27745	Soil	58.8	59	0.52	646	0.318	5.40	1.610	1.84	3.5	78.9	5.4	3	7.1	<0.04	23.4	121.3	12.5	45.6	7.0
27746	Soil	12.3	22	0.59	796	0.279	6.42	2.848	2.20	0.5	118.5	0.9	<1	3.7	<0.04	6.3	25.44	3.0	10.7	1.9
27747	Soil	75.4	66	0.79	738	0.362	6.09	1.592	2.01	2.8	67.7	4.9	3	6.6	<0.04	17.9	148.4	15.3	54.1	8.3
27748	Soil	50.0	56	0.83	692	0.287	5.46	1.720	1.78	2.0	74.6	3.4	2	5.8	0.06	21.0	90.38	10.5	38.4	6.2
27749	Soil	86.0	47	0.77	782	0.310	5.73	1.530	1.89	3.1	68.2	6.3	3	6.1	0.06	38.5	149.6	17.3	61.3	9.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Great Western Minerals Group Ltd.
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 3 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method	Analyte	Unit	MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
					Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta
					ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
					0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.04
27488	Soil				2.2	0.3	2.0	0.3	1.0	0.1	0.9	0.1	2.72	17.0	41.0	0.8
27489	Soil				2.0	0.2	1.6	0.3	0.7	0.1	0.8	<0.1	2.87	17.3	43.6	0.7
27490	Soil				1.4	0.2	1.4	0.2	0.7	<0.1	0.7	<0.1	2.97	17.0	38.8	0.4
27491	Soil				1.6	0.2	1.3	0.2	0.7	<0.1	0.6	<0.1	2.76	19.4	48.5	0.6
27492	Soil				2.2	0.3	1.5	0.2	0.7	<0.1	0.7	0.1	2.34	15.9	53.1	0.4
27493	Soil				1.9	0.2	1.4	0.2	0.7	<0.1	0.8	0.1	2.72	17.7	58.7	0.7
27494	Soil				2.1	0.3	1.6	0.3	0.8	0.1	0.9	0.1	2.81	18.4	55.8	1.1
27495	Soil				2.2	0.3	1.7	0.3	0.9	0.1	0.9	0.2	2.75	19.2	54.1	0.9
27496	Soil				2.3	0.2	1.5	0.3	0.7	0.1	0.7	0.1	2.73	17.8	55.8	0.9
27497	Soil				5.1	0.6	3.4	0.6	1.5	0.2	1.5	0.2	2.38	30.1	52.5	0.6
27498	Soil				5.3	0.6	3.8	0.6	1.6	0.2	1.7	0.2	1.80	31.0	71.0	0.8
27499	Soil				2.1	0.3	1.6	0.3	0.7	<0.1	0.7	0.1	1.67	11.1	27.7	0.3
27500	Soil				2.1	0.2	1.4	0.3	0.7	<0.1	0.8	0.1	2.95	19.2	47.5	0.6
27731	Soil				3.3	0.4	2.8	0.5	1.5	0.2	1.5	0.2	1.11	11.1	45.5	0.4
27732	Soil				6.0	0.7	4.8	0.8	2.3	0.2	2.2	0.3	1.67	26.4	53.8	0.5
27735	Soil				2.6	0.3	1.8	0.3	0.8	0.1	0.8	0.1	2.92	16.8	39.8	0.4
27736	Soil				7.2	0.7	3.2	0.4	1.1	0.2	1.2	0.2	1.89	23.8	73.8	0.7
27737	Soil				3.8	0.4	2.5	0.4	1.0	0.1	1.1	0.2	1.84	16.1	69.1	0.9
27738	Soil				2.0	0.3	1.4	0.3	0.7	0.1	0.8	0.1	1.38	9.5	71.2	0.7
27739	Soil				3.8	0.5	3.3	0.5	1.4	0.2	1.2	0.2	1.07	9.3	68.4	0.8
27740	Soil				3.1	0.4	2.4	0.4	1.0	0.1	0.8	0.1	1.17	7.8	59.9	0.7
27741	Soil				3.7	0.5	2.9	0.6	1.5	0.2	1.5	0.2	1.95	11.3	86.3	2.3
27742	Soil				4.0	0.6	3.4	0.6	1.6	0.2	1.3	0.2	1.56	14.1	55.0	1.3
27743	Soil				4.5	0.6	3.9	0.7	1.8	0.2	1.7	0.2	1.64	10.0	72.1	2.7
27744	Soil				1.5	0.2	1.3	0.3	0.6	<0.1	0.7	0.1	3.22	19.7	47.1	0.4
27745	Soil				6.4	0.9	5.2	0.9	2.5	0.3	2.2	0.3	1.84	15.2	100.7	4.6
27746	Soil				2.0	0.2	1.2	0.3	0.7	<0.1	0.7	0.1	3.12	18.8	48.6	0.4
27747	Soil				6.8	0.8	4.7	0.7	1.8	0.2	1.6	0.2	1.80	21.6	103.5	3.4
27748	Soil				5.3	0.7	4.5	0.7	1.9	0.2	1.6	0.2	1.94	21.3	76.1	2.2
27749	Soil				9.7	1.4	8.3	1.4	3.8	0.4	2.9	0.3	1.74	21.9	133.4	3.8



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 4 of 4 **Part** 1

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02
27750	Soil	3.07	24.20	8.76	48.7	85	6.7	6.6	577	1.83	1.2	2.7	<0.1	4.3	424	0.34	0.43	0.15	47	1.89
27751	Soil	9.06	30.31	22.59	73.0	190	26.8	10.6	1652	2.77	7.4	3.3	<0.1	9.5	323	0.58	0.82	0.63	70	1.30
27752	Soil	9.48	22.74	11.06	72.0	56	11.1	6.9	867	2.40	2.0	1.8	<0.1	4.8	483	0.48	0.50	0.18	53	1.79



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 4 of 4 **Part** 2

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1
27750	Soil	16.3	20	0.63	676	0.273	5.17	2.451	1.86	0.6	99.1	1.0	1	3.7	<0.04	8.1	31.17	3.8	14.1	2.3
27751	Soil	40.8	29	0.61	754	0.283	5.47	1.951	1.78	1.3	89.1	2.0	2	5.4	<0.04	19.1	75.33	9.4	35.2	6.3
27752	Soil	17.5	16	0.62	752	0.280	6.33	2.739	2.18	0.7	108.7	1.3	1	4.0	<0.04	8.7	33.39	4.1	14.9	2.5



1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**
226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue
Report Date: August 30, 2010

Page: 4 of 4 **Part** 3

CERTIFICATE OF ANALYSIS

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
27750	Soil	2.0	0.3	1.5	0.3	0.8	<0.1	0.8	0.1	2.55	16.8	43.7	0.5	8.28	1.1
27751	Soil	5.4	0.8	4.5	0.7	1.7	0.2	1.7	0.2	2.37	20.0	67.6	1.0	21.51	1.9
27752	Soil	2.3	0.3	1.8	0.3	0.8	0.1	0.9	0.1	2.71	20.3	57.5	0.7	15.18	1.6



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.05	0.02	0.02	0.2	20	0.1	0.2	2	0.02	0.2	0.1	0.1	0.1	1	0.02	0.02	0.04	1	0.02	0.001
Pulp Duplicates																					
27555	Soil	1.66	16.80	9.40	63.9	66	5.4	6.5	397	2.05	1.6	1.4	<0.1	3.7	525	0.36	0.38	0.09	55	1.99	0.047
REP 27555	QC	1.68	16.18	9.40	59.7	76	5.4	6.6	397	1.98	1.0	1.4	<0.1	3.6	519	0.35	0.38	0.09	52	1.90	0.046
27736	Soil	87.18	16.34	10.55	53.0	124	181.2	30.8	584	4.01	431.6	2.8	<0.1	8.8	83	0.48	2.28	3.22	171	0.65	0.250
REP 27736	QC	83.28	16.07	11.10	52.7	61	185.8	32.2	591	4.10	441.5	3.0	<0.1	8.9	86	0.46	2.22	3.21	175	0.68	0.250
Reference Materials																					
STD OREAS24P	Standard	1.59	57.19	2.64	119.1	27	152.6	49.7	1158	7.67	2.0	0.7	<0.1	2.7	378	0.16	0.09	<0.04	178	6.02	0.140
STD OREAS24P	Standard	1.62	55.34	2.69	123.7	<20	157.9	50.4	1152	7.77	1.1	0.7	<0.1	2.8	378	0.19	0.11	<0.04	182	6.26	0.137
STD OREAS24P	Standard	1.55	55.27	2.27	126.0	34	148.4	47.4	1097	7.80	1.2	0.6	<0.1	2.7	412	0.18	0.09	<0.04	169	6.23	0.148
STD OREAS24P	Standard	1.46	52.17	2.41	116.7	<20	145.6	46.4	1141	7.59	0.7	0.6	<0.1	2.5	382	0.13	0.08	<0.04	165	6.11	0.138
STD OREAS24P Expected		1.5	52	2.9	119	60	141	44	1100	7.53	1.2	0.75		2.85	403	0.15	0.09		158	5.83	0.136
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	<1	<0.02	<0.02	<0.04	<1	<0.02	<0.001
BLK	Blank	<0.05	<0.02	<0.02	<0.2	<20	<0.1	<0.2	<2	<0.02	<0.2	<0.1	<0.1	<0.1	7	<0.02	<0.02	<0.04	<1	<0.02	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Great Western Minerals Group Ltd.

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Sn	Be	Sc	S	Y	Ce	Pr	Nd	Sm	Eu
		ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	1	0.02	1	0.001	0.02	0.002	0.02	0.1	0.2	0.1	1	0.1	0.04	0.1	0.02	0.1	0.1	0.1	0.1
Pulp Duplicates																					
27555	Soil	12.4	7	0.71	782	0.299	6.16	2.949	2.20	0.5	115.8	0.8	1	4.7	<0.04	6.3	25.80	2.8	10.8	1.7	0.4
REP 27555	QC	12.7	7	0.69	768	0.290	6.10	2.856	2.10	0.5	111.6	0.8	1	4.3	<0.04	6.1	26.13	2.8	11.0	1.9	0.4
27736	Soil	34.2	50	1.42	424	0.301	4.37	0.788	1.55	1.9	70.5	3.6	3	7.0	0.13	11.1	84.96	12.8	57.7	10.3	0.6
REP 27736	QC	31.1	55	1.46	420	0.325	4.59	0.814	1.52	2.4	72.1	4.3	2	7.0	0.13	11.8	75.52	11.1	48.1	8.8	0.6
Reference Materials																					
STD OREAS24P	Standard	18.7	205	4.22	282	1.148	8.33	2.472	0.69	0.4	138.4	1.6	<1	19.2	<0.04	23.5	38.63	5.0	21.9	4.5	1.6
STD OREAS24P	Standard	18.7	206	4.08	275	1.169	8.05	2.531	0.69	0.5	136.6	1.6	1	19.0	<0.04	23.1	38.76	5.0	21.5	4.7	1.6
STD OREAS24P	Standard	18.9	208	4.32	296	1.096	8.13	2.507	0.72	0.3	147.4	1.6	1	20.9	<0.04	23.5	39.43	4.9	21.6	4.4	1.6
STD OREAS24P	Standard	18.2	209	4.23	286	1.072	7.80	2.423	0.68	0.4	137.7	1.6	1	19.5	<0.04	22.4	38.04	4.7	21.1	4.3	1.5
STD OREAS24P Expected		17.4	196	4.13	285	1.1	7.66	2.34	0.7	0.5	141	1.6		20		21.3	37.6	4.7	22	4.7	1.6
BLK	Blank	<0.1	<1	<0.02	<1	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	<0.02	<0.1	<0.1	<0.1	<0.1
BLK	Blank	0.7	<1	<0.02	12	<0.001	<0.02	<0.002	<0.02	<0.1	<0.2	<0.1	<1	<0.1	<0.04	<0.1	1.31	<0.1	<0.1	<0.1	<0.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Great Western Minerals Group Ltd.**

226 Cardinal Crescent
Saskatoon SK S7L 6H8 Canada

Project: True Blue

Report Date: August 30, 2010

Page: 1 of 1 Part 3

QUALITY CONTROL REPORT

WHI10000270.1

	Method Analyte Unit MDL	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T	1T
		Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Li	Rb	Ta	Nb	Cs	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.02	0.1	0.1	0.1	0.04	0.1
Pulp Duplicates																
27555	Soil	1.5	0.2	1.4	0.2	0.6	<0.1	0.7	<0.1	2.99	19.7	42.5	0.4	6.02	1.1	17.06
REP 27555	QC	1.7	0.2	1.4	0.2	0.6	<0.1	0.6	0.1	2.84	19.1	40.8	0.4	5.82	1.1	17.08
27736	Soil	7.2	0.7	3.2	0.4	1.1	0.2	1.2	0.2	1.89	23.8	73.8	0.7	17.17	3.4	21.00
REP 27736	QC	6.5	0.6	3.1	0.4	1.2	0.2	1.4	0.2	1.92	23.5	74.6	0.9	20.26	3.2	20.25
Reference Materials																
STD OREAS24P	Standard	5.5	0.8	5.1	0.9	2.3	0.3	1.9	0.3	3.50	8.9	23.8	1.1	20.40	0.8	20.00
STD OREAS24P	Standard	5.6	0.8	4.8	0.9	2.0	0.3	1.9	0.3	3.41	8.3	23.8	1.1	20.07	0.8	19.86
STD OREAS24P	Standard	5.4	0.7	4.9	0.8	2.1	0.2	1.7	0.2	3.44	8.8	25.0	1.1	21.00	0.8	20.60
STD OREAS24P	Standard	5.4	0.7	4.8	0.8	2.1	0.2	1.7	0.3	3.53	8.4	23.3	1.1	19.77	0.8	19.21
STD OREAS24P Expected		5.3	0.81	4.6	0.8	2.2	0.3	1.83	0.25	3.6	8.7	22.4	1.04	21	0.8	19.43
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	<0.1	<0.1	<0.04	<0.1	<0.02
BLK	Blank	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.02	<0.1	1.5	<0.1	<0.04	<0.1	<0.02