



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: 1
Finalized Date: 7-NOV-2010
Account: ARCVE

CERTIFICATE WH10159067

Project: First Base

P.O. No.:

This report is for 34 Rock samples submitted to our lab in Whitehorse, YT, Canada on 28-OCT-2010.

The following have access to data associated with this certificate:

B. MACDONALD

ROBERT STROSHEIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-TL42	Trace Level Au - 15 g AR	ICP-MS
ME-MS41	51 anal. aqua regia ICPMS	

To: ARCTURUS VENTURES INC.
ATTN: ROBERT STROSHEIN
BOX 10559
WHITEHORSE YT Y1A 7A1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-NOV-2010
Account: ARCVE

Project: First Base

CERTIFICATE OF ANALYSIS WH10159067

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-TL42 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
B666672		1.37	0.002	0.62	0.16	158.5	<0.2	<10	180	0.13	1.07	0.03	0.03	30.5	0.3	20
B666673		0.75	0.001	0.02	0.27	1.5	<0.2	<10	50	0.25	0.06	0.29	0.05	78.8	2.0	8
B666674		1.16	0.002	2.25	0.19	4.5	<0.2	<10	310	0.10	0.68	0.01	0.03	38.7	0.2	15
B666675		1.11	<0.001	0.04	0.31	0.5	<0.2	<10	70	0.20	0.10	0.22	0.02	53.6	2.4	20
B666676		1.81	<0.001	0.03	0.08	1.0	<0.2	<10	60	<0.05	0.05	0.24	0.01	15.90	2.0	46
B666677		1.19	0.001	0.13	0.46	76.9	<0.2	<10	90	0.27	0.37	0.11	2.39	36.7	3.1	8
B666678		0.87	0.001	0.04	0.65	1.5	<0.2	<10	70	0.15	0.88	0.01	0.01	5.59	0.1	7
B666679		1.39	0.001	0.04	0.65	1.3	<0.2	<10	80	0.15	0.37	0.01	0.01	5.57	0.1	7
B666680		1.01	0.001	0.13	0.44	0.7	<0.2	<10	130	0.17	0.42	0.01	<0.01	12.90	0.1	8
B666681		1.26	0.001	0.02	0.28	0.2	<0.2	<10	50	0.11	0.28	2.69	0.04	100.0	1.1	9
B666682		1.19	0.001	0.02	0.34	0.4	<0.2	<10	50	0.17	0.14	0.04	0.07	67.6	3.0	11
B666683		1.86	<0.001	0.10	0.81	1.6	<0.2	<10	60	0.17	0.37	0.31	0.06	69.8	8.5	14
B666684		0.85	0.002	0.24	0.19	6.2	<0.2	<10	50	<0.05	0.80	0.11	0.03	53.2	4.7	12
B666685		1.35	<0.001	0.09	0.19	9.9	<0.2	<10	120	0.08	0.14	0.02	0.31	55.3	0.4	15
B666686		1.35	0.001	0.15	0.23	9.0	<0.2	<10	120	0.07	0.16	0.02	0.08	31.8	1.2	12
B666687		1.21	0.001	0.02	0.92	1.7	<0.2	<10	90	0.21	0.65	0.01	<0.01	7.55	1.5	7
B666688		1.36	0.002	0.08	2.31	18.0	<0.2	<10	250	0.66	0.23	6.18	1.08	33.3	31.7	29
B666689		1.16	0.002	0.21	1.72	15.6	<0.2	<10	150	0.47	0.76	2.22	0.52	30.8	28.6	36
B666690		1.43	0.001	0.17	0.57	5.4	<0.2	<10	110	0.22	0.35	1.35	0.81	88.6	5.9	4
B666691		1.06	0.002	0.12	3.39	3.9	<0.2	<10	310	1.08	0.49	3.65	0.44	42.1	23.0	149
B666692		1.00	0.001	0.17	0.20	8.0	<0.2	<10	140	0.11	0.75	0.03	0.24	54.7	0.2	9
B666693		1.09	0.001	0.03	0.82	0.8	<0.2	<10	60	0.42	0.15	1.42	0.27	119.5	2.0	5
B666694		1.65	0.001	0.18	1.66	180.5	<0.2	<10	80	0.46	0.39	6.65	0.22	53.8	20.7	18
B666695		1.45	<0.001	0.24	1.47	268	<0.2	<10	60	0.46	0.49	8.16	0.24	54.7	12.4	16
B666696		1.77	<0.001	0.05	1.45	8.1	<0.2	<10	260	0.51	0.30	1.47	0.07	73.1	7.3	11
B666697		0.92	0.003	6.36	0.19	5.7	<0.2	<10	80	0.08	5.56	0.04	0.66	48.6	0.7	12
B666698		0.70	0.001	0.06	0.88	1.1	<0.2	<10	50	0.50	0.08	3.60	0.02	95.3	4.1	6
B666699		0.77	0.001	0.10	5.12	1.3	<0.2	<10	970	1.08	0.15	2.73	0.04	16.95	39.2	175
B666700		0.86	<0.001	0.03	1.51	0.4	<0.2	<10	220	0.32	0.17	2.96	0.03	112.0	9.5	11
B665795		0.69	0.002	0.09	4.77	0.5	<0.2	<10	1490	0.92	0.06	1.79	0.04	5.12	46.0	90
B665796		0.43	<0.001	0.05	1.51	0.6	<0.2	<10	310	0.25	0.16	0.29	0.02	95.4	6.5	9
B665797		0.75	0.002	0.05	4.23	0.5	<0.2	<10	1180	0.88	0.15	1.14	0.15	19.90	21.6	66
B665798		0.94	0.003	0.04	3.25	4.3	<0.2	<10	90	0.55	0.05	1.22	0.40	67.8	25.9	27
B665799		0.58	0.002	0.20	3.93	1.1	<0.2	<10	190	0.55	0.57	0.78	0.43	60.4	23.3	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-NOV-2010
Account: ARCVE

Project: First Base

CERTIFICATE OF ANALYSIS WH10159067

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
B666672		0.15	4.9	1.31	0.78	<0.05	0.20	0.01	0.012	0.32	16.7	2.0	0.01	24	1.55	<0.01
B666673		1.02	7.3	1.41	1.88	0.10	0.07	<0.01	0.022	0.23	39.3	4.1	0.03	207	1.63	<0.01
B666674		0.25	36.4	1.38	0.89	0.05	0.37	0.16	0.122	0.31	22.3	2.4	0.01	17	25.5	<0.01
B666675		1.09	23.2	0.93	1.86	0.06	0.08	<0.01	0.009	0.13	29.3	4.9	0.09	160	0.75	0.04
B666676		0.15	8.6	0.57	0.26	<0.05	0.04	<0.01	<0.005	0.08	8.1	0.4	<0.01	162	0.73	<0.01
B666677		1.08	63.8	1.64	1.45	0.06	0.10	<0.01	0.085	0.33	20.5	8.1	0.08	173	3.60	<0.01
B666678		0.41	143.5	2.64	3.38	<0.05	0.21	<0.01	0.072	0.17	4.2	3.1	0.44	153	3.96	0.01
B666679		0.39	85.7	1.88	3.09	<0.05	0.13	<0.01	0.035	0.18	4.0	2.4	0.43	152	1.97	0.01
B666680		0.75	50.7	1.66	2.22	<0.05	0.41	<0.01	0.031	0.21	11.7	2.9	0.19	76	2.65	0.03
B666681		0.69	7.1	0.51	1.04	0.10	0.19	<0.01	<0.005	0.19	52.4	2.1	0.04	745	2.11	0.02
B666682		1.37	37.4	1.05	2.04	0.07	0.40	<0.01	0.008	0.13	30.0	5.0	0.10	156	1.97	0.05
B666683		0.59	55.3	2.85	5.98	0.12	0.09	<0.01	0.021	0.08	36.2	18.7	0.52	317	0.34	0.05
B666684		0.10	4.9	1.12	0.68	0.07	0.19	0.01	<0.005	0.23	28.7	0.4	<0.01	18	3.02	<0.01
B666685		1.07	14.1	1.14	0.97	0.07	0.15	0.01	0.041	0.09	28.8	2.3	0.01	26	1.51	0.06
B666686		0.31	15.5	1.10	0.81	<0.05	0.37	<0.01	0.005	0.21	17.4	1.3	0.01	22	2.06	<0.01
B666687		0.27	16.4	2.91	3.72	0.05	0.19	<0.01	0.020	0.20	4.9	3.6	0.43	101	2.87	<0.01
B666688		1.91	116.0	5.41	7.73	0.14	0.07	0.01	0.039	2.02	17.4	20.3	1.25	1820	0.06	0.01
B666689		1.26	145.5	4.64	5.79	0.12	0.07	0.01	0.026	1.45	15.2	14.4	1.08	1100	0.05	<0.01
B666690		0.26	141.5	1.71	2.24	0.10	0.10	0.02	0.027	0.43	48.8	5.1	0.24	844	0.22	<0.01
B666691		2.89	231	5.84	10.90	0.18	0.07	<0.01	0.041	2.93	22.0	19.3	2.42	1290	0.48	0.01
B666692		0.21	14.6	1.21	1.04	0.05	0.28	1.03	0.071	0.20	33.2	1.0	0.03	31	21.5	0.06
B666693		4.41	16.5	1.44	3.55	0.12	0.21	<0.01	0.018	0.40	65.4	16.5	0.28	318	1.06	0.03
B666694		1.56	26.7	3.43	7.94	0.11	0.04	0.01	0.041	0.10	29.9	25.4	0.70	1060	2.10	0.04
B666695		1.59	50.1	2.92	7.22	0.11	0.04	<0.01	0.052	0.06	30.9	26.9	0.60	979	1.17	0.04
B666696		2.37	49.4	3.13	7.49	0.12	0.06	<0.01	0.060	0.44	37.4	35.6	0.77	876	0.70	0.05
B666697		0.20	311	1.30	0.61	0.07	0.21	1.68	0.252	0.19	35.3	1.5	0.01	59	6.78	<0.01
B666698		1.61	22.9	1.52	4.99	0.10	0.15	0.01	0.012	0.12	53.8	25.8	0.52	867	1.62	0.03
B666699		12.90	174.5	6.59	19.20	0.17	0.04	0.02	0.031	3.10	7.8	86.9	3.80	1320	0.59	0.04
B666700		3.33	58.8	2.75	11.80	0.15	0.08	<0.01	0.052	0.55	49.3	33.5	0.97	949	2.90	0.06
B665795		8.93	323	7.25	15.40	0.26	0.04	0.01	0.018	3.70	2.1	76.9	4.07	1160	0.43	0.08
B665796		4.00	100.5	2.81	11.35	0.15	0.08	<0.01	0.045	0.67	41.4	23.0	0.95	343	1.54	0.07
B665797		6.43	90.7	6.52	15.25	0.21	0.03	0.01	0.042	3.30	9.1	103.5	3.07	1230	0.19	0.06
B665798		3.27	124.5	5.70	13.85	0.19	0.08	0.01	0.061	2.44	29.8	47.6	2.39	1040	3.84	0.05
B665799		8.76	416	6.64	17.75	0.22	0.06	0.01	0.088	2.64	24.9	80.2	3.10	990	0.84	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-NOV-2010
Account: ARCVE

Project: First Base

CERTIFICATE OF ANALYSIS WH10159067

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
B666672		0.23	0.9	80	294	8.9	<0.001	0.37	0.93	0.4	0.3	0.4	8.0	<0.01	0.01	8.5
B666673		1.34	2.0	280	4.2	8.1	<0.001	0.01	0.06	1.3	0.4	0.4	4.9	0.01	0.01	16.7
B666674		0.44	0.7	130	39.2	9.9	<0.001	0.26	0.61	0.3	1.4	1.4	6.2	<0.01	0.01	12.6
B666675		0.33	1.9	110	2.5	6.7	<0.001	0.09	<0.05	0.8	0.3	0.3	5.6	<0.01	<0.01	20.9
B666676		0.23	1.9	10	1.9	2.1	<0.001	0.02	<0.05	0.3	0.2	<0.2	6.2	<0.01	<0.01	3.7
B666677		0.20	2.2	350	8.9	13.9	<0.001	0.08	<0.05	0.7	0.5	0.6	9.2	<0.01	0.01	20.8
B666678		1.53	0.4	90	3.8	7.6	<0.001	0.07	<0.05	0.6	1.7	0.6	1.7	0.02	0.01	24.3
B666679		1.02	0.4	90	2.0	7.9	<0.001	0.04	<0.05	0.7	0.9	0.5	1.4	0.01	<0.01	18.1
B666680		2.71	0.4	100	3.0	11.0	<0.001	0.11	0.06	0.9	1.5	1.3	2.4	0.02	<0.01	28.7
B666681		0.17	0.9	590	4.5	6.0	<0.001	0.01	<0.05	0.9	0.5	0.2	63.9	<0.01	<0.01	21.1
B666682		0.35	2.1	120	2.3	5.7	<0.001	0.02	0.05	0.9	0.4	0.5	3.9	<0.01	<0.01	23.9
B666683		0.17	3.3	420	6.9	3.6	0.001	0.61	0.09	4.7	0.9	0.8	9.9	<0.01	<0.01	18.6
B666684		0.13	2.5	670	10.7	4.7	<0.001	0.61	0.26	0.6	0.5	<0.2	5.8	<0.01	<0.01	14.3
B666685		1.15	1.2	270	5.4	4.7	<0.001	0.13	0.06	0.7	0.6	0.2	6.1	<0.01	<0.01	13.7
B666686		0.11	1.6	150	17.9	5.6	<0.001	0.08	0.18	0.4	0.2	<0.2	5.0	<0.01	<0.01	15.1
B666687		0.49	0.4	90	2.5	8.9	<0.001	0.06	0.07	0.6	1.9	0.5	3.5	0.01	0.06	30.7
B666688		0.50	23.8	1770	24.2	95.3	0.001	1.66	0.06	9.8	1.4	0.7	242	0.01	<0.01	3.3
B666689		0.26	28.4	950	16.1	69.0	<0.001	2.28	0.29	6.0	1.5	0.6	92.0	<0.01	0.01	4.2
B666690		0.49	3.1	320	7.7	15.9	<0.001	1.01	0.36	0.7	0.7	0.5	49.6	<0.01	<0.01	24.8
B666691		0.35	96.4	1130	21.6	140.0	<0.001	0.77	0.08	10.4	1.5	1.0	114.0	0.01	0.01	5.4
B666692		0.23	0.8	190	59.0	5.6	<0.001	0.22	0.28	0.5	0.2	0.4	21.0	<0.01	0.01	14.6
B666693		2.06	1.3	200	7.3	33.9	<0.001	0.01	<0.05	1.1	1.1	0.9	45.3	0.02	<0.01	29.5
B666694		0.26	22.0	1230	19.1	8.0	<0.001	0.22	0.11	9.6	0.7	0.4	247	0.01	<0.01	10.2
B666695		0.18	14.2	1160	19.8	5.1	<0.001	0.03	0.15	9.3	0.7	0.3	368	0.01	0.01	8.8
B666696		0.59	3.9	490	3.9	15.7	<0.001	0.25	0.35	4.2	0.8	1.4	40.0	0.01	0.01	14.9
B666697		0.41	0.7	300	7350	5.5	<0.001	0.28	4.41	0.4	2.0	0.5	12.8	<0.01	0.10	18.8
B666698		0.11	3.4	160	20.4	5.6	<0.001	0.02	0.09	2.3	0.5	0.4	166.0	0.01	<0.01	24.6
B666699		0.25	72.6	1720	39.8	95.1	0.001	0.04	0.05	11.2	0.7	1.3	45.5	0.01	0.01	1.0
B666700		0.56	4.6	230	5.2	18.1	0.001	0.10	<0.05	3.8	1.2	2.0	63.5	0.01	<0.01	15.0
B665795		0.28	42.2	1560	4.3	111.0	0.001	0.31	<0.05	14.2	1.1	0.8	16.9	0.01	0.02	0.3
B665796		1.04	4.4	230	3.0	22.4	0.001	0.19	<0.05	3.8	1.3	2.7	16.9	0.02	0.01	15.4
B665797		0.49	22.9	2660	4.1	99.5	0.001	0.22	<0.05	10.8	0.8	2.5	25.6	0.01	0.01	2.4
B665798		0.83	13.9	1830	10.8	86.1	0.001	1.79	<0.05	13.1	1.1	1.7	33.9	0.02	0.01	6.8
B665799		0.68	8.8	2080	9.0	85.1	0.001	1.12	<0.05	12.3	1.7	2.1	28.9	0.01	0.01	8.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-NOV-2010
Account: ARCVE

Project: First Base

CERTIFICATE OF ANALYSIS WH10159067

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
B666672		<0.005	0.23	0.23	1	0.10	2.23	9	9.3
B666673		0.005	0.06	1.47	1	0.07	9.60	9	2.8
B666674		<0.005	0.14	0.38	1	0.09	1.85	71	17.0
B666675		<0.005	0.04	2.62	4	0.05	7.31	6	2.6
B666676		<0.005	0.02	0.93	<1	<0.05	2.37	<2	1.6
B666677		0.006	0.15	2.21	3	0.10	5.92	436	5.4
B666678		0.018	0.05	0.98	2	0.05	2.21	18	9.3
B666679		0.005	0.03	0.53	1	0.07	3.64	23	5.9
B666680		0.044	0.12	2.79	1	0.05	2.77	15	17.9
B666681		<0.005	0.03	0.52	2	0.05	14.15	4	8.5
B666682		0.007	0.04	2.27	5	0.05	9.63	18	13.8
B666683		<0.005	0.04	3.13	24	0.12	13.25	41	3.0
B666684		<0.005	0.15	1.29	2	0.07	7.06	4	7.5
B666685		<0.005	0.09	1.39	2	0.09	4.61	133	6.1
B666686		<0.005	0.10	1.11	<1	<0.05	1.80	40	14.8
B666687		<0.005	0.03	0.85	1	0.10	2.97	8	6.6
B666688		0.422	1.12	0.17	104	0.14	26.7	354	1.6
B666689		0.273	0.87	0.20	52	0.11	11.10	258	2.1
B666690		0.036	0.23	1.73	7	0.12	8.00	221	3.9
B666691		0.545	1.53	0.14	92	0.12	17.05	227	1.7
B666692		0.006	0.81	1.00	2	0.07	2.40	88	12.7
B666693		0.035	0.17	2.93	3	0.14	36.2	63	7.4
B666694		0.008	0.09	2.78	70	0.16	18.85	56	0.9
B666695		0.007	0.04	2.47	63	0.16	23.3	49	1.3
B666696		0.082	0.07	1.20	46	0.06	25.1	42	1.3
B666697		<0.005	0.07	1.42	<1	0.06	6.05	374	9.0
B666698		<0.005	0.03	1.18	15	<0.05	18.05	12	5.0
B666699		0.405	0.37	0.73	154	0.20	15.85	73	0.5
B666700		0.075	0.07	1.40	24	0.10	35.8	30	1.2
B665795		0.609	0.39	0.12	216	0.20	9.92	104	0.8
B665796		0.110	0.10	1.96	20	0.10	37.6	29	1.4
B665797		0.518	0.37	0.40	134	0.18	12.50	201	0.5
B665798		0.389	0.51	1.00	70	0.14	28.8	266	2.0
B665799		0.415	0.35	1.28	105	0.15	18.65	178	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ARCTURUS VENTURES INC.
1012 - 470 GRANVILLE ST.
VANCOUVER BC V6C 1V5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-NOV-2010
Account: ARCVE

Project: First Base

CERTIFICATE OF ANALYSIS WH10159067

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).