

Silver Quest Resources Ltd.

**2010 GEOCHEMICAL REPORT ON THE
YCS PROPERTY**

Located in the North Dawson Range Area
Whitehorse Mining District
NTS 115J/13

62.95° N Latitude; 139.55° W Longitude

Grant Numbers			Claim Names		
YD61559	to	YD61560	VIP 59	to	VIP 60
YD61571	to	YD61574	VIP 71	to	VIP 74
YD61587	to	YD61588	VIP 87	to	VIP 88
YD62350	to	YD62351	VIP 280	to	VIP 281
YD62364	to	YD62371	VIP 294	to	VIP 301
YD61660	to	YD61667	VIP 320	to	VIP 327
YD62172	to	YD62195	VIP 332	to	VIP 355
YD62198	to	YD62200	VIP 358	to	VIP 360
YD62301	to	YD62309	VIP 361	to	VIP 369
YD61672	to	YD61676	VIP 372	to	VIP 376
YD61647	to	YD62097	VIP 377	to	VIP 397
YD62223	to	YD62244	VIP 423	to	VIP 444
YD62247	to	YD62300	VIP 447	to	VIP 500
YD12511	to	YD12516	VIP 501	to	VIP 506
YD61559	to	YD61560	VIP 59	to	VIP 60

Work Conducted between July 20 and August 29, 2010

-prepared for-

SILVER QUEST RESOURCES LTD.

Suite 1410, 650 West Georgia Street
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.

Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

April 25, 2011

TABLE OF CONTENTS

	2
TABLE OF CONTENTS	1
LIST OF APPENDICES	2
LIST OF TABLES	2
LIST OF FIGURES	2
1.0 SUMMARY	3
2.0 INTRODUCTION.....	3
3.0 PROPERTY DESCRIPTION AND LOCATION	3
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	10
5.0 HISTORY	10
5.1 Previous Work	10
5.2 2010 Exploration Program	10
6.0 REGIONAL GEOLOGY AND MINERALIZATION	11
6.1 Geology	11
6.2 Mineralization.....	11
7.0 GEOCHEMISTRY	11
7.1 Rock Geochemistry	11
7.2 Soil Geochemistry.....	13
7.3 Silt Geochemistry.....	13
8.0 PROPERTY GEOLOGY AND MINERALIZATION.....	13
9.0 DISCUSSION AND CONCLUSIONS.....	13

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Laboratory Certificates
Appendix D: Rock Sample Descriptions
Appendix E: Data Disc
Appendix F: Geologist's Certificates

LIST OF TABLES

Table 1: YCS property Claims	3

LIST OF FIGURES

Figure 1: Location Map.....	8
Figure 2: Tenure information	9
Figure 3: Regional Geology surrounding the Ycs property.....	12
Figure 4: Soil, Silt and Rock sample locations	Back Pocket
Figure 5a: Surface geochemistry (Au).....	Back Pocket
Figure 5b: Surface geochemistry (As)	Back Pocket
Figure 5c: Surface geochemistry (Sb).....	Back Pocket
Figure 5d: Surface geochemistry (Mo)	Back Pocket

1.0 SUMMARY

On behalf of Silver Quest Resources Ltd. ("Silver Quest"), Equity Exploration Consultants Ltd. ("Equity") completed geochemical sampling at the YCS property between July 20 and August 29, 2010. The YCS property is comprised of 160 claims located east of Independence Creek within the White Gold district of the Yukon Territory.

Work in 2010 consisted of four days of surface geochemical sampling by crews of up to six people, which resulted in the collection of seven rock, three silt and 242 soil samples.

Soil geochemistry data defines a previously unknown and coincident Au-As-Sb-Mo anomaly in the south eastern corner of the YCS property. This is the most prominent target for follow-up work. There are several other isolated Au-in-soil anomalies within the central part of the property which also deserve further evaluation.

2.0 INTRODUCTION

During the 2010 field season, Equity was contracted by Silver Quest to carry out the sampling work on the YCS property as part of a larger exploration program focused at the Boulevard property located 13 km to the southeast. This report describes the work completed and summarizes the results.

3.0 PROPERTY DESCRIPTION AND LOCATION

The YCS property is located in the Dawson Range of the west-central Yukon Territory, straddling Independence Creek (Figure 1). It comprises 160 contiguous quartz claims that are centered on 62.93° N latitude and 139.74° W longitude (Figure 2). The claims were staked in May and June 2010 and are listed in Table 1.

Table 1: YCS property Claims

Grant No.	Name	Owner	Staking Date	Recording Date	Expiry Date*
YD61559	VIP 59	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61560	VIP 60	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61571	VIP 71	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61572	VIP 72	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61573	VIP 73	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61574	VIP 74	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61587	VIP 87	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD61588	VIP 88	Goldspike Exploration Inc. - 100%	20100522	20100607	20110607
YD62350	VIP 280	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62351	VIP 281	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62364	VIP 294	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62365	VIP 295	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62366	VIP 296	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62367	VIP 297	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62368	VIP 298	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62369	VIP 299	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62370	VIP 300	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD62371	VIP 301	Goldspike Exploration Inc. - 100%	20100529	20100607	20110607
YD61660	VIP 320	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61661	VIP 321	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607

Grant No.	Name	Owner	Staking Date	Recording Date	Expiry Date*
YD61662	VIP 322	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61663	VIP 323	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61664	VIP 324	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61665	VIP 325	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61666	VIP 326	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61667	VIP 327	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62172	VIP 332	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62173	VIP 333	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62174	VIP 334	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62175	VIP 335	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62176	VIP 336	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62177	VIP 337	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62178	VIP 338	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62179	VIP 339	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62180	VIP 340	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62181	VIP 341	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62182	VIP 342	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62183	VIP 343	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62184	VIP 344	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62185	VIP 345	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62186	VIP 346	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62187	VIP 347	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62188	VIP 348	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62189	VIP 349	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62190	VIP 350	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62191	VIP 351	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62192	VIP 352	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62193	VIP 353	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62194	VIP 354	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62195	VIP 355	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62198	VIP 358	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62199	VIP 359	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62200	VIP 360	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62301	VIP 361	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD62302	VIP 362	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD62303	VIP 363	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62304	VIP 364	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62305	VIP 365	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62306	VIP 366	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62307	VIP 367	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62308	VIP 368	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD62309	VIP 369	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61672	VIP 372	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607
YD61673	VIP 373	Goldspike Exploration Inc. - 100%	20100530	20100607	20110607

[illegible]

[illegible]

Grant No.	Name	Owner	Staking Date	Recording Date	Expiry Date*
YD62299	VIP 499	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD62300	VIP 500	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12511	VIP 501	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12512	VIP 502	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12513	VIP 503	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12514	VIP 504	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12515	VIP 505	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607
YD12516	VIP 506	Goldspike Exploration Inc. - 100%	20100601	20100607	20110607

*N.B. expiry date does not include credit for 2010 work



0 150 300
kilometers



Silver Quest Resources Ltd.

**YCS Project
LOCATION
MAP**



Date:	APR 2011	Scale:	1:7,000,000	Figure
U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	1
N.T.S.	115J/13	State/Province	YUKON	

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The YCS property is located 120 km to south of Dawson City. The topography of the area is characterized by rolling hills typical of the Dawson Ranges. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out on the property from June until October.

Direct access to the property is via helicopter and several helicopter bases are located in Dawson City. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon River where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel were mobilized from the Boulevard camp via Hughes 500D helicopter. The nearest airstrip is Independence Strip, located about 11 km south of the property on a saddle above the headwaters of Independence Creek. Other nearby airstrips include Ballarat airstrip near the mouth of Ballarat Creek, Thistle airstrip and Casino airstrip. Fixed wing operators from Dawson City and Whitehorse run Otter, Beaver and Cessna 206 aircraft capable of servicing these airstrips.

5.0 HISTORY

5.1 Previous Work

The MINFILE database indicates that there are no historical mineral occurrences within the YCS property but there is evidence that Independence Creek has been the focus of limited placer mining.

A Rimfire/Northgate Joint Venture carried out a regional silt sampling program in selected areas of the Dawson Range in June 2006, directed at locating Pogo-style intrusion-related gold targets that resulted in staking of the Boulevard property (Roberts and Baker, 2007). During the course of this program a total of four silt samples were collected from areas now encompassed by the YCS property. None of these samples contained anomalous values of either precious or base metals. No ground was staked in the area at the time and thus the work was never filed.

The YCS property was staked in May and June 2010 and work was completed later in the field season.

The bedrock geology of the region just to the north of the YCS property was most recently compiled by Gordey and Ryan (2005). The map sheet to the south which includes the area of the YCS property was last mapped by Gordey and Makepeace (1999) and the section of this map that illustrates the geology surrounding the YCS property is shown in Figure 3.

5.2 2010 Exploration Program

Between late July and late August, 2010, crews of up to six samplers were dispatched to the YCS property. Soil sampling was completed along “ridge and spur” type traverse lines as well as along some grid lines extending from the Boulevard soil grid located to the south. Samples were collected at 50 m or 100 m intervals along the ridge and spur lines and 50 m intervals along the contour soil lines. A few silt samples were collected from tributary creeks underlying the YCS property and seven grab and float rock samples were also collected. In total, seven rock samples, three silt sample and 242 soil samples were collected during the 2010 program.

Samples were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay

certificates of analysis are presented in an Appendix at the end of this report. Rock and silt sample sites are marked with blue and pink flagging tape, and a metal tag inscribed with the sample number. Soil sample sites are marked with blue and orange flagging and a Tyvek tag. All sample locations for silt, soil and rock samples were recorded by hand-held GPS.

A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

6.0 REGIONAL GEOLOGY AND MINERALIZATION

6.1 Geology

The YCS property is located within the Yukon-Tanana Terrane in west-central Yukon, a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes (Colpron, 2006). The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the Early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest-to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974), which lies south of the YCS property.

Regional-scale geological compilation maps (Gordey and Makepeace, 1999) show that the YCS property is entirely underlain by the Devonian-Mississippian Nasina assemblage (DMN3 in Figure 3). This assemblage comprises a mixture of orthogneiss, augen orthogneiss, schist and marble (Gordey and Ryan, 2005).

6.2 Mineralization


The nearest significant example of gold mineralization to the YCS property is the Coffee property of Kaminak Gold, located just 15 km to the southeast, where significant gold discoveries were announced in spring 2010 (Carpenter, 2011). No resource has been calculated for the Coffee but early drill results include intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. At Coffee, gold is hosted in both N-S and E-W trending structures (Carpenter, 2011) that overprint regional gneissic and schistose deformation fabrics, indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment, and the dominant sulphide phase is arsenic-rich pyrite. Gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

The regional geological map suggest that the YCS property is underlain by similar orthogneiss and schist (i.e. Nasina assemblage) that comprise one of the better host rocks for Au mineralization at Coffee. However, detailed mapping is needed to confirm the geology on the YCS property.

7.0 GEOCHEMISTRY

7.1 Rock Geochemistry

During the course of soil sampling and prospecting, seven rock samples were taken from the YCS property in 2010. Descriptions of these samples are attached in Appendix D and geochemical certificates are in Appendix C. Surface rock samples collected from the YCS property in the summer of 2010 did not return significant concentrations of precious or base metals but all rocks returned between 5 to 9 ppb Au.



7.2 Soil Geochemistry

Soil results for the 242 samples collected during the 2010 YCS program have been compared with the larger (14,000+) database of soil analyses from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset the most compelling follow-up target is a coincident Au-As-Sb-Mo-in-soil anomaly within the south-eastern part of the property (Figures 5a – 5d). There are also a few scattered Au-in-soil anomalies including a single point anomaly that returned 52 ppb Au within the central part of the property. These areas warrant more detailed soil sampling and follow-up mapping or prospecting.

7.3 Silt Geochemistry

Only three silt samples were collected from the YCS property in 2010 (Figures 4, 5a – d) and were compared with results from Silver Quest's proprietary database of 577 silt samples from across the region. The most significant result is sample I034313 which returned 28 ppb Au. This sample was collected from Independence Creek downstream of the anomaly in the south-eastern corner of the property.

8.0 PROPERTY GEOLOGY AND MINERALIZATION


No mapping was conducted on the YCS property in 2010.

9.0 DISCUSSION AND CONCLUSIONS

Geochemical analysis of soils clearly shows a coincident Au-As-Sb-Mo anomaly in the south-eastern-most part of the YCS property. Bedrock in this area consists of orthogneisses and schists comprising part of the Nasina assemblage. The in-soil geochemical anomaly in itself is of interest for follow-up work, as similar enrichments are found overtop bedrock mineralization in other parts of the White Gold district (e.g. Coffee property).

The other Au-only soil anomalies are also worthy of follow-up work. Soil and silt geochemical sampling should be expanded across the property.

Respectfully submitted,





Darcy Baker Ph.D., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

April 25, 2011





Soil Geochemistry
Gold (ppb)

- > 26 ppb
- 15 to 26
- 10 to 15
- 5 to 10
- < 5 ppb

Rock Geochemistry
Gold (ppm)


- > 6.4 ppm
- 1.3 to 6.4
- 0.1 to 1.3
- 0.005 to 0.1
- < 0.005 ppm

Silt Geochemistry
Gold (ppb)

- > 57 ppb
- 31 to 57
- 21 to 31
- 13 to 21
- < 13 ppb

Soil Anomaly

- Au > 10 ppb
- Arsenic > 11 ppm
- Antimony > 0.8 ppm
- Molybdenum > 2 ppm



Soil Anomaly

- Au > 10 ppb
- Arsenic > 11 ppm
- Antimony > 0.8 ppm
- Molybdenum > 2 ppm

Soil Geochemistry

Arsenic (ppm)

- > 96 ppm
- 58 to 96
- 11 to 58
- 6 to 11
- < 6 ppm

Silt Geochemistry

Arsenic (ppm)

- > 13 ppm
- 9 to 13
- 7.3 to 9
- 6.7 to 7.3
- < 6.7 ppm

Rock Geochemistry


Arsenic (ppm)

- > 5,370 ppm
- 1,000 to 5,370
- 300 to 1,000
- 50 to 300
- < 50 ppm



Silver Quest Resources Ltd.
YCS Project
Geochemistry (Arsenic)





Soil Anomaly

- Au > 10 ppb
- Arsenic > 11 ppm
- Antimony > 0.8 ppm
- Molybdenum > 2 ppm

Soil Geochemistry Antimony (ppm)

- > 4 ppm
- 1.9 to 4
- 0.8 to 1.9
- 0.4 to 0.8
- < 0.4 ppm


Silt Geochemistry Antimony (ppm)

- > 3 ppm
- 2.25 to 3
- 2 to 2.25
- 0.44 to 2
- < 0.44 ppm

Rock Geochemistry Antimony (ppm)

- > 2,000 ppm
- 200 to 2,000
- 50 to 200
- 10 to 50
- < 10 ppm

1 km



Appendix A: Bibliography

REFERENCES

- Carpenter, R., 2011, Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M., 2006, Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey.
- Gordey, S. P., and Makepeace, A. J., 1999, Yukon digital geology, Geological Survey of Canada.
- Gordey, S. P., and Ryan, J. J., 2005, Geology, Stewart River Area (115N, 115O and part of 115J, Yukon Territory, Geological Survey of Canada Open File 4970.
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L., 2004, The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- Templeman-Kluit, D. J., 1974, Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, p. 97.

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES
YCS PROPERTY

	number	rate	cost
rock samples	7	\$28.00	\$196.00
silt samples	3	\$28.00	\$84.00
soil samples	242	\$28.00	\$6,776.00
Prospector days	1	\$475.00	\$475.00
Sampler days	9	\$275.00	\$2,475.00
camp/shared costs per man day	10	\$0.00	\$0.00
Heli hours (wet)	5.20	\$1,324.00	\$6,884.80
			<u>\$16,890.80</u>
Project Supervision		12.00%	<u>\$2,026.90</u>
			\$18,917.70

Dates worked: July 20 to August 29, 2010

160 claims \$118.24 per claim

Appendix C: Laboratory Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 2-OCT-2010
Account: EIASQI

CERTIFICATE WH10130303

Project: SQI10-06

P.O. No.: SQI10-06_27

This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318674		0.62	<0.005	0.09	2.89	12.8	<0.2	<10	230	0.92	0.17	0.32	0.11	26.8	11.4	42
I318675		0.40	<0.005	0.19	1.78	3.6	<0.2	<10	360	0.72	0.14	0.49	0.15	30.6	11.4	24
I318676		0.56	<0.005	0.04	1.68	8.2	<0.2	<10	190	1.01	0.18	0.36	0.06	35.0	10.3	29
I318677		0.44	<0.005	0.09	1.23	11.1	<0.2	<10	110	0.78	0.71	0.45	0.12	42.6	7.5	23
I318678		0.68	0.018	0.19	2.81	4.6	<0.2	<10	240	0.25	0.27	0.60	0.35	13.90	19.7	61
I318679		0.44	<0.005	0.24	2.35	4.4	<0.2	<10	220	0.31	0.18	0.54	0.71	12.60	13.1	47
I318680		0.30	<0.005	0.28	0.76	2.0	<0.2	<10	160	0.15	0.08	0.34	0.50	7.99	3.9	18
I318681		0.72	0.007	0.35	3.27	7.7	<0.2	<10	250	0.44	0.21	0.51	0.28	17.00	21.3	75
I318682		0.56	<0.005	0.23	2.89	8.0	<0.2	<10	270	0.30	0.15	0.49	0.24	14.10	21.9	72
I318683		0.40	<0.005	0.59	2.02	9.8	<0.2	<10	230	0.24	0.13	0.34	0.45	9.37	22.7	37
I318684		0.60	<0.005	0.18	3.14	7.3	<0.2	<10	290	0.32	0.16	0.41	0.20	13.55	20.4	62
I318685		0.66	0.005	0.49	3.32	8.7	<0.2	<10	420	0.47	0.24	0.62	0.22	23.1	22.2	79
I318686		0.62	0.008	0.42	2.61	9.7	<0.2	<10	380	0.44	0.24	0.46	0.50	25.6	16.1	74
I318687		0.54	0.005	0.30	1.63	8.6	<0.2	<10	160	0.28	0.19	0.25	0.44	15.55	10.1	42
I318688		0.38	0.013	0.48	1.31	3.9	<0.2	<10	140	0.35	0.16	0.29	0.44	15.10	11.5	27
I318689		0.64	<0.005	0.15	2.35	5.9	<0.2	<10	180	0.20	0.21	0.58	0.23	11.25	16.9	80
I318690		0.76	0.005	0.15	2.93	14.9	<0.2	<10	220	0.29	0.25	0.47	0.15	15.35	22.5	130
I318691		0.76	<0.005	0.15	2.10	11.0	<0.2	<10	210	0.27	0.54	0.32	0.22	14.25	13.2	39
I318692		0.70	0.006	0.19	3.16	16.1	<0.2	<10	300	0.56	0.35	0.51	0.21	31.1	18.8	76
I318693		0.66	0.008	0.27	2.96	46.1	<0.2	<10	330	0.61	0.59	0.53	0.50	32.2	21.8	69
I318694		0.70	0.025	0.54	2.67	112.0	<0.2	<10	390	0.53	1.42	0.40	0.86	34.0	16.8	62
I318695		0.70	0.006	0.15	2.75	11.3	<0.2	<10	310	0.55	0.23	0.37	0.22	29.4	18.9	46
I318696		0.64	<0.005	0.13	3.74	30.4	<0.2	<10	310	0.64	0.57	0.37	0.56	39.9	21.5	61
I318697		0.60	<0.005	0.15	3.17	6.8	<0.2	<10	530	0.51	0.91	0.25	1.37	36.6	22.6	35
I318698		0.60	0.008	0.19	1.94	24.2	<0.2	<10	470	0.56	1.45	0.24	2.01	30.0	13.2	59
I318699		0.54	0.005	0.24	2.64	16.3	<0.2	<10	220	0.56	1.56	0.33	0.93	26.5	11.7	46
I318700		0.72	0.009	0.27	2.67	15.5	<0.2	<10	290	0.70	3.97	0.42	0.61	45.8	17.2	54
I318701		0.70	0.005	0.46	2.71	6.6	<0.2	<10	340	0.71	1.16	0.45	0.48	65.2	17.9	75
I318702		0.46	<0.005	0.30	2.33	6.3	<0.2	<10	420	0.51	0.99	0.45	0.49	28.6	16.3	97
I318703		0.34	<0.005	0.21	1.84	6.5	<0.2	<10	320	0.36	0.58	0.50	0.35	28.3	17.0	48
I318704		0.46	0.006	0.29	1.86	79.1	<0.2	<10	390	0.38	0.64	0.62	0.71	32.3	34.9	49
I318705		0.50	<0.005	0.17	1.39	17.7	<0.2	<10	260	0.22	0.49	0.41	0.22	15.15	5.8	38
I318706		0.44	<0.005	0.23	1.89	83.1	<0.2	<10	460	0.34	0.95	0.52	0.81	32.7	15.6	52
I318707		0.42	<0.005	0.28	1.65	34.0	<0.2	<10	280	0.26	0.73	0.31	0.36	20.5	16.3	42
I318708		0.54	<0.005	0.20	1.97	10.0	<0.2	<10	270	0.27	0.71	0.29	0.28	18.60	10.7	50
I318709		0.28	<0.005	0.20	1.79	13.3	<0.2	<10	240	0.46	0.16	2.64	0.27	37.3	16.1	51
I318710		0.32	0.007	0.18	1.99	12.1	<0.2	<10	210	0.45	0.17	1.86	0.27	39.4	14.8	55
I318711		0.28	0.013	0.21	1.96	14.3	<0.2	<10	260	0.43	0.12	1.80	0.31	27.7	13.8	54
I318712		0.40	0.022	0.17	2.25	14.4	<0.2	<10	250	0.44	0.12	0.96	0.26	27.9	14.0	61
I318713		0.38	<0.005	0.32	2.34	15.8	<0.2	<10	330	0.63	0.22	1.13	0.28	46.6	16.3	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318674		1.41	23.7	3.89	8.90	0.07	0.12	0.03	0.038	0.09	16.6	14.1	0.54	265	1.46
I318675		0.61	16.3	2.45	5.96	0.05	0.03	0.02	0.024	0.16	16.9	9.4	0.35	1140	0.86
I318676		1.24	12.9	2.58	5.29	0.06	0.06	0.02	0.026	0.11	22.2	7.3	0.39	615	1.05
I318677		1.99	18.7	2.24	4.68	0.12	0.18	0.03	0.027	0.16	49.1	7.2	0.32	427	1.11
I318678		1.32	70.3	4.09	9.26	0.09	0.04	0.03	0.032	0.15	7.0	13.0	1.97	693	1.22
I318679		1.00	41.9	3.27	9.08	0.06	0.03	0.02	0.021	0.13	6.7	9.4	1.26	379	0.94
I318680		0.53	23.9	1.20	3.51	<0.05	0.02	0.03	0.009	0.05	4.5	3.0	0.31	111	0.50
I318681		1.06	48.3	3.79	8.91	0.09	0.04	0.04	0.023	0.23	8.8	15.0	1.83	688	1.27
I318682		1.16	39.2	3.77	9.16	0.10	0.03	0.02	0.019	0.40	6.7	13.0	2.07	703	1.10
I318683		0.78	44.2	3.01	7.53	0.06	0.03	0.04	0.019	0.18	4.9	8.1	1.12	723	1.42
I318684		0.99	56.8	4.15	9.16	0.09	0.06	0.02	0.025	0.24	6.8	14.2	1.81	717	1.51
I318685		1.29	44.1	4.17	10.00	0.09	0.06	0.04	0.039	0.13	13.2	16.6	1.57	1020	2.66
I318686		1.49	37.7	3.66	9.69	0.09	0.07	0.03	0.038	0.13	14.3	14.0	1.24	666	5.00
I318687		0.92	23.9	2.62	6.58	0.06	0.04	0.03	0.024	0.07	8.0	10.7	0.57	378	1.73
I318688		0.59	62.7	1.63	4.00	0.05	0.02	0.07	0.016	0.04	7.5	3.7	0.25	502	1.12
I318689		0.89	40.7	3.05	6.88	0.07	0.03	0.04	0.019	0.10	5.6	10.9	1.33	421	0.85
I318690		1.08	48.3	3.53	7.85	0.08	0.04	0.03	0.022	0.16	7.3	14.7	1.94	607	0.75
I318691		1.07	26.5	2.72	6.89	0.07	0.02	0.03	0.018	0.09	7.0	10.0	1.15	446	0.79
I318692		1.36	53.0	3.99	9.67	0.13	0.07	0.04	0.035	0.09	15.5	16.0	1.72	541	1.08
I318693		1.37	55.2	4.44	10.55	0.12	0.04	0.04	0.052	0.06	15.9	15.7	1.18	947	1.91
I318694		1.29	46.5	3.86	8.84	0.11	0.06	0.04	0.045	0.10	17.3	14.7	1.10	539	1.41
I318695		1.30	73.6	3.86	7.87	0.12	0.10	0.03	0.027	0.10	15.1	14.3	1.38	623	0.89
I318696		2.73	45.5	4.56	12.20	0.14	0.07	0.02	0.039	0.33	17.8	15.3	1.97	739	1.16
I318697		1.36	55.6	5.34	11.05	0.14	0.04	0.02	0.054	0.10	13.7	12.1	1.66	818	2.80
I318698		2.51	38.0	2.96	8.94	0.10	0.02	0.03	0.058	0.43	15.0	6.6	0.85	407	1.73
I318699		1.66	29.8	3.78	9.14	0.11	0.05	0.05	0.045	0.14	14.0	14.8	0.87	278	1.40
I318700		2.00	55.0	3.92	8.64	0.16	0.06	0.03	0.045	0.18	28.6	12.5	0.94	603	1.83
I318701		3.95	63.3	4.34	8.70	0.22	0.09	0.08	0.037	0.26	42.6	13.6	1.06	326	2.14
I318702		3.95	46.7	4.21	8.35	0.13	0.04	0.04	0.038	0.22	16.0	11.2	1.19	410	3.44
I318703		2.05	25.1	3.13	6.90	0.11	0.03	0.04	0.025	0.09	15.1	10.6	0.73	647	1.50
I318704		1.86	28.7	3.96	6.89	0.12	0.04	0.10	0.029	0.13	14.1	11.1	0.76	2980	2.03
I318705		1.29	17.4	2.46	5.89	0.08	0.03	0.04	0.020	0.05	8.7	8.9	0.58	191	1.33
I318706		2.23	27.1	4.41	6.70	0.13	0.03	0.10	0.032	0.07	15.6	8.9	0.81	1700	2.46
I318707		2.20	23.3	2.70	6.91	0.08	0.02	0.06	0.025	0.08	9.9	8.5	0.66	814	1.45
I318708		2.58	21.7	2.69	8.48	0.09	0.03	0.06	0.026	0.11	9.7	9.4	0.81	324	1.21
I318709		2.39	53.1	2.83	5.83	0.13	0.06	0.08	0.022	0.24	20.4	15.6	0.94	642	0.85
I318710		2.76	39.0	3.06	6.68	0.14	0.06	0.08	0.024	0.30	19.4	17.7	1.26	497	0.78
I318711		2.43	38.5	2.89	6.80	0.14	0.05	0.10	0.025	0.24	14.7	16.3	1.04	559	1.12
I318712		3.01	33.3	3.28	8.09	0.15	0.05	0.05	0.030	0.36	13.9	19.8	1.30	483	1.09
I318713		1.81	39.8	3.56	7.83	0.14	0.09	0.10	0.036	0.19	22.7	16.7	1.20	816	1.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318674		2.17	30.7	330	12.8	15.4	<0.001	0.01	0.44	4.9	0.4	0.8	28.6	<0.01	0.02
I318675		2.28	20.4	430	15.2	13.9	<0.001	0.02	0.18	3.5	0.3	0.6	41.1	<0.01	0.02
I318676		1.35	21.1	260	12.8	12.5	<0.001	0.02	0.39	4.7	0.4	0.7	32.9	<0.01	0.01
I318677		1.78	13.8	190	21.5	24.4	<0.001	0.02	0.48	4.1	0.8	1.0	36.4	0.01	0.01
I318678		1.18	30.5	450	6.5	17.9	<0.001	0.04	0.26	10.2	0.6	0.5	21.8	<0.01	0.05
I318679		1.58	26.2	320	9.1	20.4	<0.001	0.03	0.26	5.2	0.4	1.4	26.3	<0.01	0.04
I318680		0.78	11.1	260	5.4	14.7	<0.001	0.04	0.16	1.8	0.4	0.4	18.4	<0.01	0.02
I318681		1.64	39.5	510	33.0	24.1	<0.001	0.03	0.30	6.3	0.7	0.5	24.1	<0.01	0.04
I318682		1.59	35.3	520	8.3	29.4	<0.001	0.02	0.32	6.3	0.5	0.5	21.1	<0.01	0.03
I318683		1.29	16.4	470	8.8	17.7	<0.001	0.02	0.29	3.9	0.5	0.5	20.7	<0.01	0.03
I318684		1.67	30.9	420	8.7	18.2	<0.001	0.02	0.33	5.8	0.5	0.5	21.4	<0.01	0.05
I318685		1.45	45.4	640	16.3	17.2	0.001	0.02	0.31	9.7	0.8	0.7	27.3	<0.01	0.04
I318686		1.69	43.7	770	18.0	19.5	0.001	0.04	0.40	7.0	1.2	0.8	31.2	<0.01	0.06
I318687		1.63	30.5	540	8.1	11.5	<0.001	0.03	0.38	4.1	0.5	0.6	20.8	<0.01	0.04
I318688		0.72	18.6	780	4.3	5.7	<0.001	0.06	0.35	1.9	0.9	0.5	19.7	<0.01	0.05
I318689		1.09	41.2	460	6.1	14.6	<0.001	0.04	0.27	3.9	0.5	0.4	21.2	<0.01	0.06
I318690		1.19	65.5	420	6.3	19.6	<0.001	0.02	0.27	5.8	0.5	0.4	20.4	<0.01	0.05
I318691		1.36	24.9	420	5.0	14.8	<0.001	0.02	0.21	4.2	0.4	0.4	20.8	<0.01	0.02
I318692		1.65	48.4	600	8.8	19.7	<0.001	0.02	0.35	9.5	0.9	0.6	29.7	<0.01	0.04
I318693		2.10	52.0	850	12.8	13.4	<0.001	0.03	0.48	8.5	0.8	0.7	31.6	0.01	0.06
I318694		1.85	47.0	640	10.5	17.0	<0.001	0.02	1.35	9.1	0.8	0.7	27.9	<0.01	0.05
I318695		1.59	34.2	620	8.9	17.7	<0.001	0.01	0.36	7.0	0.6	0.5	25.8	<0.01	0.04
I318696		1.79	38.8	580	9.3	34.4	<0.001	0.02	0.68	10.9	0.7	1.0	23.4	0.01	0.05
I318697		1.24	44.7	680	9.6	14.3	0.001	0.03	0.37	12.7	1.4	0.7	21.2	0.01	0.08
I318698		1.22	31.6	640	51.5	35.6	<0.001	0.05	0.53	6.3	0.8	1.2	18.6	<0.01	0.11
I318699		2.89	33.0	820	9.4	20.9	<0.001	0.02	0.36	6.6	0.7	1.0	22.4	<0.01	0.06
I318700		2.23	45.3	940	9.3	27.9	<0.001	0.02	0.31	7.9	1.3	0.8	26.5	0.01	0.07
I318701		2.20	44.9	950	9.2	36.5	<0.001	0.03	0.35	10.4	2.3	0.9	26.6	0.01	0.07
I318702		1.61	44.8	1120	8.5	25.1	0.001	0.03	0.48	10.1	1.8	0.9	26.3	<0.01	0.06
I318703		1.62	29.0	1020	7.5	20.1	<0.001	0.05	0.31	6.0	1.1	0.9	31.4	<0.01	0.04
I318704		1.75	32.2	1130	8.5	24.3	<0.001	0.07	2.86	6.5	1.4	0.6	36.6	<0.01	0.06
I318705		1.47	19.8	780	6.3	10.1	<0.001	0.06	0.62	4.0	1.1	0.6	25.3	<0.01	0.03
I318706		1.50	27.8	820	8.7	16.7	0.001	0.08	2.72	6.9	1.3	0.9	29.2	<0.01	0.06
I318707		1.46	23.7	790	7.2	17.4	<0.001	0.07	0.43	4.8	1.0	0.8	23.4	<0.01	0.04
I318708		1.91	27.9	680	8.0	19.7	<0.001	0.05	0.24	5.3	0.8	0.9	22.5	<0.01	0.04
I318709		1.79	48.8	790	7.5	36.8	0.001	0.15	0.37	4.2	1.4	0.5	73.7	0.01	0.04
I318710		1.96	44.3	890	8.2	43.1	<0.001	0.08	0.28	5.5	1.2	0.5	50.8	0.01	0.04
I318711		1.77	38.3	740	6.5	38.8	0.001	0.10	0.38	6.1	1.3	0.6	47.4	0.01	0.04
I318712		1.87	41.5	1130	6.7	45.6	0.001	0.04	0.31	7.5	1.0	0.6	32.1	<0.01	0.04
I318713		2.14	52.4	790	10.4	29.6	0.001	0.05	0.48	8.0	1.5	0.7	34.5	0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318674		0.118	0.10	0.71	92	0.11	5.16	122	5.7
I318675		0.068	0.10	0.58	53	0.15	3.76	117	1.0
I318676		0.052	0.10	0.79	62	0.12	6.95	93	2.3
I318677		0.084	0.08	1.35	49	0.18	33.1	126	6.4
I318678		0.125	0.11	0.49	125	0.14	7.28	180	1.5
I318679		0.142	0.10	0.46	91	0.22	5.58	136	1.4
I318680		0.056	0.04	0.49	30	0.13	4.03	89	0.5
I318681		0.143	0.17	0.68	91	0.19	7.26	242	1.9
I318682		0.157	0.18	0.46	98	0.16	5.15	89	1.5
I318683		0.121	0.12	0.53	81	0.14	3.76	81	1.0
I318684		0.161	0.13	0.48	103	0.16	5.16	88	2.6
I318685		0.131	0.17	1.04	118	0.15	10.70	97	2.2
I318686		0.119	0.16	0.96	114	0.20	9.93	114	3.5
I318687		0.099	0.10	0.52	68	0.10	3.75	71	1.7
I318688		0.043	0.07	0.63	32	0.13	6.32	40	0.6
I318689		0.105	0.10	0.41	75	0.11	3.62	60	1.2
I318690		0.131	0.14	0.44	90	0.13	5.56	67	1.7
I318691		0.102	0.09	0.44	63	0.12	4.50	59	1.0
I318692		0.128	0.16	1.07	98	0.15	13.55	89	2.4
I318693		0.116	0.14	0.96	105	0.21	11.95	103	1.5
I318694		0.129	0.14	0.97	88	0.19	13.30	120	2.5
I318695		0.145	0.15	0.72	86	0.14	9.74	136	4.2
I318696		0.165	0.32	0.93	101	0.15	10.70	111	3.2
I318697		0.084	0.15	1.00	137	0.16	9.56	168	1.3
I318698		0.091	0.27	1.11	94	0.13	11.85	137	<0.5
I318699		0.126	0.21	0.82	90	0.26	8.55	126	2.3
I318700		0.122	0.24	2.00	93	0.21	20.5	120	2.3
I318701		0.116	0.39	3.12	100	0.18	33.2	89	2.0
I318702		0.102	0.35	1.43	138	0.21	11.40	132	1.9
I318703		0.084	0.14	1.11	75	0.17	12.45	87	1.1
I318704		0.090	0.22	1.24	86	0.21	11.60	106	1.4
I318705		0.076	0.13	0.97	65	0.14	6.33	61	1.1
I318706		0.077	0.34	1.45	90	2.03	11.60	88	1.1
I318707		0.081	0.22	1.20	77	0.14	5.97	70	0.9
I318708		0.105	0.21	1.01	78	0.19	5.74	79	1.0
I318709		0.067	0.23	0.91	58	0.13	15.15	67	2.2
I318710		0.086	0.25	1.15	64	0.16	14.25	76	1.8
I318711		0.085	0.22	1.15	76	0.12	12.90	72	2.2
I318712		0.112	0.27	1.03	88	0.15	12.45	85	1.7
I318713		0.108	0.22	1.52	81	0.18	20.6	87	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318714		0.32	0.005	0.45	1.79	13.9	<0.2	<10	320	0.49	0.26	1.21	0.34	35.4	12.1	42
I318715		0.26	<0.005	0.61	2.38	15.2	<0.2	<10	440	0.54	0.26	0.51	0.63	47.4	17.8	70
I318716		0.32	<0.005	0.23	1.53	9.6	<0.2	<10	220	0.78	0.21	0.11	0.82	111.0	6.4	24
I318717		0.32	<0.005	0.08	1.26	3.5	<0.2	<10	90	0.18	0.12	0.29	0.10	15.90	5.3	33
I318718		0.38	<0.005	0.08	1.50	4.4	<0.2	<10	100	0.22	0.15	0.29	0.10	20.9	7.6	38
I318719		0.28	<0.005	0.06	1.22	3.9	<0.2	<10	80	0.17	0.11	0.29	0.09	17.55	5.0	33
I318720		0.26	<0.005	0.07	1.08	3.7	<0.2	<10	70	0.12	0.11	0.25	0.08	14.80	4.3	37
I318721		0.32	<0.005	0.07	1.16	3.8	<0.2	<10	80	0.15	0.10	0.26	0.08	16.35	4.6	41
I318722		0.28	<0.005	0.07	1.28	4.2	<0.2	<10	70	0.15	0.11	0.26	0.08	17.65	5.6	49
I318723		0.30	<0.005	0.11	2.02	8.0	<0.2	<10	190	0.36	0.21	1.02	0.47	33.1	16.1	70
I318724		0.32	<0.005	0.17	1.06	6.5	<0.2	<10	210	0.21	0.13	1.80	0.37	19.25	6.9	67
I318725		0.38	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.01	0.09	0.04	10.20	2.1	23
I318726		0.30	<0.005	0.12	1.45	3.1	<0.2	<10	130	0.27	0.19	0.47	0.20	18.40	7.3	59
I318727		0.42	<0.005	0.14	2.81	6.3	<0.2	<10	290	0.51	0.27	0.70	0.15	43.4	17.8	97
I318728		0.40	<0.005	0.26	2.53	9.6	<0.2	<10	300	0.59	0.44	0.66	0.21	53.0	18.5	80
I318729		0.32	0.007	0.06	2.54	8.8	<0.2	<10	270	0.51	0.40	0.54	0.13	40.3	15.2	89
I318730		0.42	<0.005	0.18	2.95	7.6	<0.2	<10	260	0.71	0.46	0.65	0.13	73.2	13.4	92
I318731		0.36	<0.005	0.20	2.77	9.8	<0.2	<10	220	0.50	0.55	0.61	0.23	46.0	14.6	102
I318732		0.34	<0.005	0.04	1.39	4.3	<0.2	<10	180	0.33	0.40	0.22	0.27	35.5	6.8	31
I318733		0.40	<0.005	0.14	1.71	8.8	<0.2	<10	160	0.30	1.98	0.28	0.32	28.2	9.2	36
I318734		0.36	<0.005	0.07	2.11	3.9	<0.2	<10	170	0.17	0.73	0.38	0.17	10.55	15.3	49
I318735		0.30	<0.005	0.11	2.38	3.5	<0.2	<10	110	0.18	0.15	0.37	0.15	9.99	13.2	64
I318736		0.48	<0.005	0.14	2.85	3.6	<0.2	<10	180	0.18	0.14	0.45	0.21	10.50	16.8	58
I318737		0.28	<0.005	0.18	1.46	2.6	<0.2	<10	110	0.14	0.11	0.17	0.20	7.95	7.6	28
I318738		0.30	<0.005	0.05	1.63	2.9	<0.2	<10	110	0.12	0.11	0.15	0.14	7.44	9.7	24
I318739		0.26	<0.005	0.23	2.41	2.9	<0.2	<10	220	0.21	0.14	0.50	0.16	14.45	12.0	45
I318740		0.28	<0.005	0.13	2.70	5.4	<0.2	<10	430	0.26	0.16	1.06	0.23	16.75	19.7	41
I318741		0.30	<0.005	0.15	2.70	5.7	<0.2	<10	310	0.28	0.17	0.88	0.25	18.35	24.4	44
I318742		0.36	<0.005	0.12	2.69	5.1	<0.2	<10	570	0.25	0.12	0.91	0.14	15.65	21.2	54
I318743		0.34	<0.005	0.16	2.62	4.8	<0.2	<10	460	0.23	0.12	1.04	0.10	15.70	18.8	55
I318744		0.40	<0.005	0.09	1.72	8.8	<0.2	<10	220	0.30	0.56	0.67	0.21	24.9	13.0	44
I318745		0.34	<0.005	0.21	3.13	8.3	<0.2	<10	250	0.39	0.18	0.99	0.17	27.0	22.5	80
I318746		0.26	<0.005	0.13	2.91	6.4	<0.2	<10	210	0.38	0.15	0.88	0.18	25.5	21.1	64
I318747		0.36	<0.005	0.18	3.01	9.6	<0.2	<10	270	0.43	0.15	1.03	0.22	28.6	22.2	60
I318748		0.40	<0.005	0.17	2.90	5.6	<0.2	<10	170	0.36	0.13	1.23	0.20	22.2	18.9	57
I318749		0.30	<0.005	0.14	2.84	6.3	<0.2	<10	160	0.39	0.18	1.17	0.28	22.3	22.5	52
I318750		0.30	<0.005	0.16	3.03	4.6	<0.2	<10	180	0.44	0.20	1.10	0.28	28.0	22.2	56
I318801		0.36	0.009	0.18	3.04	95.8	<0.2	<10	270	0.83	0.58	0.36	0.25	38.7	13.3	58
I318802		0.44	0.008	0.28	2.80	54.5	<0.2	<10	200	0.47	0.33	0.27	0.26	20.5	16.5	58
I318803		0.48	<0.005	0.15	2.56	23.5	<0.2	<10	140	0.23	0.27	0.32	0.16	13.95	20.7	127



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318714		1.23	39.5	2.74	5.54	0.10	0.07	0.18	0.036	0.08	16.9	12.5	0.68	618	1.60
I318715		2.53	50.1	3.98	8.76	0.14	0.05	0.13	0.039	0.21	24.2	15.5	0.89	735	4.16
I318716		0.93	64.1	2.11	6.21	0.21	0.05	0.08	0.031	0.07	87.5	5.5	0.24	344	1.46
I318717		1.21	13.7	1.70	6.20	0.08	0.03	0.04	0.018	0.09	8.2	6.7	0.58	170	0.37
I318718		1.23	18.3	2.13	7.27	0.11	0.04	0.04	0.020	0.18	10.9	9.3	0.74	223	0.81
I318719		0.92	10.8	1.70	5.84	0.07	0.03	0.04	0.017	0.05	9.1	6.9	0.47	139	0.49
I318720		0.90	10.2	1.79	5.39	0.07	0.03	0.06	0.016	0.05	7.8	5.3	0.40	113	0.55
I318721		1.13	11.4	1.82	5.55	0.07	0.03	0.06	0.015	0.05	8.6	5.5	0.44	118	0.53
I318722		1.34	12.5	1.93	6.23	0.08	0.03	0.05	0.016	0.06	9.2	6.5	0.52	134	0.59
I318723		1.79	24.4	2.90	7.33	0.12	0.06	0.05	0.024	0.21	16.4	16.5	1.10	580	5.95
I318724		1.39	29.9	1.53	4.70	0.09	0.05	0.07	0.017	0.20	16.6	5.4	0.61	273	1.07
I318725		0.09	2.0	0.58	0.56	<0.05	0.05	<0.01	<0.005	0.03	5.2	1.1	0.04	144	1.03
I318726		2.15	23.2	2.09	7.56	0.09	0.06	0.02	0.019	0.28	12.6	7.5	0.72	203	1.30
I318727		2.49	54.3	4.00	10.15	0.12	0.12	0.02	0.050	0.60	27.5	13.1	1.58	844	2.01
I318728		2.07	41.6	3.34	9.04	0.10	0.21	0.04	0.038	0.33	33.2	12.1	1.02	750	2.72
I318729		2.33	28.3	3.37	9.49	0.10	0.19	0.02	0.035	0.59	20.7	12.8	1.28	576	1.78
I318730		1.99	36.6	3.60	11.20	0.12	0.23	0.04	0.033	0.32	51.0	13.3	1.43	594	1.86
I318731		2.39	29.1	3.59	10.40	0.10	0.20	0.02	0.033	0.43	25.8	13.4	1.55	779	2.08
I318732		1.03	20.5	2.10	6.19	0.06	0.07	0.02	0.015	0.12	22.7	6.7	0.47	336	1.29
I318733		1.89	24.3	2.92	9.77	0.06	0.09	0.02	0.026	0.18	16.6	8.0	0.71	412	3.29
I318734		2.61	47.4	3.23	7.78	0.05	0.04	0.02	0.018	0.14	5.5	10.6	1.18	449	0.75
I318735		1.85	42.0	3.03	8.47	0.05	0.06	0.02	0.022	0.07	5.0	11.4	1.28	320	0.70
I318736		0.95	51.4	3.62	9.34	0.06	0.03	0.02	0.030	0.13	5.4	13.1	1.76	579	0.85
I318737		0.62	26.3	2.11	6.90	<0.05	<0.02	0.02	0.016	0.05	3.9	6.7	0.68	257	0.83
I318738		0.69	19.9	3.24	8.49	<0.05	<0.02	0.02	0.016	0.06	3.6	8.5	0.87	361	0.88
I318739		0.98	35.0	2.72	8.96	0.05	0.02	0.08	0.029	0.08	7.2	10.2	1.05	376	0.65
I318740		1.46	55.6	3.74	10.35	0.06	0.04	0.04	0.027	0.22	9.4	14.7	1.32	690	0.91
I318741		1.29	47.7	3.89	10.75	0.07	0.05	0.04	0.028	0.35	9.3	15.0	1.52	1090	1.19
I318742		1.45	36.7	4.15	9.96	0.08	0.04	0.03	0.024	0.57	8.0	14.2	1.67	795	1.18
I318743		1.40	39.4	3.67	9.39	0.08	0.05	0.05	0.022	0.46	8.5	13.4	1.50	666	1.38
I318744		1.70	25.9	2.92	5.79	0.07	0.02	0.03	0.014	0.21	12.6	10.0	0.90	527	2.57
I318745		4.32	53.5	4.11	10.25	0.09	0.05	0.10	0.023	0.41	13.8	14.8	1.57	460	1.39
I318746		2.51	38.5	3.81	9.33	0.08	0.04	0.04	0.020	0.35	12.8	12.6	1.48	706	1.14
I318747		2.36	50.9	3.78	9.38	0.09	0.05	0.10	0.019	0.39	14.2	12.8	1.49	661	1.11
I318748		2.40	38.6	3.34	9.31	0.07	0.04	0.07	0.015	0.30	11.4	10.9	1.37	641	1.07
I318749		1.79	36.4	3.45	9.62	0.07	0.04	0.08	0.017	0.26	11.3	11.5	1.33	1220	1.23
I318750		1.82	38.7	3.55	10.30	0.08	0.03	0.08	0.019	0.24	13.9	11.2	1.40	1140	1.26
I318801		2.67	49.9	3.97	9.22	0.07	0.05	0.04	0.033	0.08	20.7	23.7	0.75	404	2.65
I318802		1.91	35.3	3.92	9.54	0.06	0.04	0.02	0.026	0.08	11.3	17.3	0.73	619	2.68
I318803		3.25	85.2	2.99	7.41	0.05	0.02	0.02	0.015	0.05	7.3	20.6	1.41	306	1.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318714		1.57	34.0	810	19.1	17.3	0.001	0.08	0.92	5.2	1.8	0.6	42.1	0.01	0.05
I318715		2.20	46.7	940	11.0	28.7	0.001	0.07	0.55	7.5	2.0	0.8	37.6	<0.01	0.06
I318716		1.17	23.3	580	8.0	10.9	<0.001	0.03	0.32	3.1	1.1	0.4	16.2	0.01	0.04
I318717		1.54	13.9	540	5.7	20.8	<0.001	0.04	0.18	3.8	0.5	0.5	22.4	<0.01	0.02
I318718		2.24	20.0	620	6.3	23.0	<0.001	0.04	0.18	4.8	0.6	0.6	23.7	<0.01	0.02
I318719		1.75	14.7	400	5.8	13.7	<0.001	0.04	0.18	3.2	0.5	0.6	24.2	<0.01	0.01
I318720		1.58	13.5	460	5.2	11.6	<0.001	0.05	0.17	2.6	0.5	0.5	21.3	<0.01	0.02
I318721		1.66	14.3	480	5.4	14.6	<0.001	0.06	0.19	2.7	0.6	0.5	22.7	<0.01	0.02
I318722		1.82	17.5	460	6.3	16.9	<0.001	0.06	0.18	3.0	0.6	0.6	23.2	<0.01	0.02
I318723		2.97	38.2	620	6.3	28.0	0.001	0.07	0.29	6.0	0.8	0.6	64.9	<0.01	0.04
I318724		1.97	26.9	540	5.3	25.3	0.001	0.12	0.37	3.2	0.9	0.6	75.9	0.01	0.02
I318725		0.26	4.2	130	1.6	2.2	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.3	<0.01	<0.01
I318726		2.43	22.9	180	8.1	46.5	<0.001	0.02	0.22	4.4	0.4	0.9	29.8	<0.01	0.03
I318727		2.09	41.6	410	7.4	52.9	<0.001	0.02	0.23	11.5	0.7	1.0	34.4	<0.01	0.03
I318728		2.58	31.8	310	14.6	49.3	<0.001	0.02	0.27	8.4	0.7	1.3	31.1	<0.01	0.05
I318729		2.88	33.4	370	10.2	67.9	<0.001	0.01	0.26	7.3	0.5	1.5	32.2	<0.01	0.04
I318730		3.14	33.5	340	13.2	53.3	<0.001	0.01	0.29	7.7	0.7	1.6	31.9	<0.01	0.05
I318731		3.54	35.6	440	10.4	66.0	<0.001	0.02	0.28	7.9	0.5	1.8	29.6	<0.01	0.06
I318732		1.90	12.1	240	4.6	21.4	<0.001	0.01	0.20	3.8	0.4	1.0	16.8	<0.01	0.09
I318733		1.97	15.9	400	10.5	33.1	<0.001	0.02	0.30	4.7	0.5	1.4	19.5	<0.01	0.15
I318734		1.00	22.2	300	3.7	24.1	<0.001	0.01	0.23	8.7	0.4	0.4	20.0	<0.01	0.05
I318735		1.07	25.0	230	3.8	11.1	<0.001	0.01	0.19	9.3	0.3	0.5	20.1	<0.01	0.03
I318736		0.88	23.6	450	4.0	13.7	<0.001	0.01	0.16	11.2	0.4	0.5	21.0	<0.01	0.03
I318737		0.79	13.0	290	3.5	8.4	<0.001	0.02	0.19	4.8	0.3	0.5	13.9	<0.01	0.02
I318738		0.80	12.1	320	3.4	5.9	<0.001	0.01	0.27	6.4	0.2	0.6	10.8	<0.01	0.02
I318739		0.99	21.7	600	4.7	15.9	<0.001	0.05	0.18	7.6	0.6	0.6	28.0	<0.01	0.02
I318740		1.41	23.4	510	5.1	25.1	<0.001	0.04	0.27	9.5	0.6	0.5	34.0	<0.01	0.03
I318741		1.63	24.8	540	6.0	34.7	<0.001	0.04	0.28	9.1	0.7	0.6	36.9	<0.01	0.03
I318742		1.56	25.7	620	4.5	45.1	<0.001	0.05	0.22	10.1	0.7	0.5	34.4	<0.01	0.03
I318743		1.59	25.8	660	4.6	41.0	<0.001	0.07	0.24	9.1	0.7	0.5	36.9	<0.01	0.03
I318744		1.27	22.6	1130	5.9	24.3	<0.001	0.03	0.34	4.5	0.7	0.5	29.7	<0.01	0.04
I318745		1.96	41.5	530	7.8	42.5	<0.001	0.07	0.30	8.9	0.9	0.6	38.7	<0.01	0.05
I318746		1.97	31.5	520	8.6	38.8	<0.001	0.04	0.25	7.0	0.6	0.6	34.8	<0.01	0.04
I318747		2.01	33.1	580	8.3	39.7	<0.001	0.05	0.28	7.4	0.8	0.5	38.8	<0.01	0.04
I318748		1.79	31.5	600	8.0	40.5	<0.001	0.07	0.27	5.8	0.8	0.5	38.8	<0.01	0.03
I318749		1.94	29.6	710	11.6	45.0	<0.001	0.08	0.29	5.9	0.8	0.5	38.8	<0.01	0.04
I318750		2.09	33.0	610	12.9	36.8	<0.001	0.09	0.26	6.8	0.8	0.6	42.3	<0.01	0.05
I318801		1.59	59.3	570	9.9	19.8	<0.001	0.02	0.90	6.6	1.0	0.9	30.3	<0.01	0.07
I318802		1.87	33.5	480	8.6	19.4	<0.001	0.01	0.52	5.4	0.6	0.7	23.9	<0.01	0.05
I318803		1.12	108.0	370	6.7	20.8	<0.001	0.01	0.28	4.5	0.4	0.4	22.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318714		0.067	0.14	2.00	59	0.15	19.40	72
I318715		0.114	0.24	2.26	87	0.18	14.55	103
I318716		0.051	0.07	2.72	37	0.13	30.8	39
I318717		0.101	0.12	0.58	38	0.19	3.65	46
I318718		0.121	0.17	0.63	54	0.45	4.74	50
I318719		0.095	0.11	0.51	38	0.24	3.88	44
I318720		0.083	0.10	0.49	37	0.20	3.13	39
I318721		0.090	0.11	0.51	36	0.14	3.48	41
I318722		0.098	0.12	0.55	44	0.18	3.53	47
I318723		0.133	0.18	1.66	74	0.69	8.89	70
I318724		0.082	0.14	3.74	38	0.26	7.22	34
I318725		0.006	0.03	0.32	4	<0.05	2.24	5
I318726		0.133	0.24	0.65	55	0.23	5.28	42
I318727		0.186	0.38	1.66	91	0.35	12.30	98
I318728		0.149	0.32	2.39	74	0.31	11.90	76
I318729		0.183	0.37	1.41	79	0.27	7.08	85
I318730		0.197	0.34	1.97	84	0.37	14.45	89
I318731		0.201	0.39	1.40	79	0.37	7.25	103
I318732		0.109	0.13	0.86	49	0.19	5.23	50
I318733		0.149	0.20	1.14	73	0.54	4.32	52
I318734		0.120	0.15	0.36	110	0.14	3.98	58
I318735		0.112	0.09	0.41	96	0.09	3.38	71
I318736		0.121	0.07	0.44	119	0.13	3.85	132
I318737		0.084	0.06	0.23	64	0.10	1.85	55
I318738		0.116	0.06	0.18	108	0.09	2.47	54
I318739		0.101	0.08	0.70	66	0.14	5.57	74
I318740		0.152	0.13	0.56	107	0.17	10.55	79
I318741		0.182	0.17	0.70	116	0.19	7.40	92
I318742		0.191	0.22	0.63	125	0.16	6.87	89
I318743		0.169	0.21	0.76	106	0.15	7.36	79
I318744		0.101	0.17	1.15	69	1.36	7.35	73
I318745		0.165	0.26	0.95	103	0.17	10.70	84
I318746		0.171	0.23	0.83	99	0.20	7.56	80
I318747		0.166	0.26	0.90	97	0.22	9.85	83
I318748		0.150	0.21	0.97	80	0.15	7.57	85
I318749		0.142	0.22	1.02	85	0.20	7.44	94
I318750		0.146	0.22	1.00	86	0.18	8.16	102
I318801		0.124	0.24	1.82	99	0.34	14.60	93
I318802		0.137	0.18	0.68	100	0.30	5.19	67
I318803		0.101	0.16	0.53	68	0.15	3.06	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318804		0.36	0.015	0.27	2.72	26.4	<0.2	<10	170	0.34	0.27	0.30	0.31	15.80	20.6	77
I318805		0.52	0.006	0.29	2.87	27.3	<0.2	<10	220	0.39	0.36	0.46	0.21	22.7	14.1	71
I318806		0.52	<0.005	0.42	2.39	11.5	<0.2	<10	220	0.31	0.68	0.61	0.22	18.30	13.1	57
I318807		0.48	0.013	0.23	2.15	41.1	<0.2	<10	220	0.25	0.33	0.62	0.19	16.65	17.7	40
I318808		0.48	<0.005	0.07	1.53	4.4	<0.2	<10	90	0.21	0.57	0.34	0.19	18.20	7.1	33
I318809		0.42	<0.005	0.01	0.14	1.9	<0.2	<10	10	0.09	0.02	0.09	0.04	10.45	2.3	4
I318810		0.54	<0.005	0.08	2.98	34.6	<0.2	<10	240	0.46	0.68	0.55	0.12	25.2	13.1	28
I318811		0.46	<0.005	0.20	2.20	147.5	<0.2	<10	290	0.40	0.27	0.82	0.28	20.7	11.7	21
I318812		0.70	0.005	0.13	2.11	66.5	<0.2	<10	340	0.46	0.14	1.11	0.31	31.2	15.2	22
I318813		0.58	<0.005	0.19	2.52	60.7	<0.2	<10	360	0.34	0.14	0.88	0.25	33.8	17.8	24
I318814		0.62	<0.005	0.22	2.59	47.7	<0.2	<10	410	0.33	0.21	0.80	0.19	31.1	16.1	20
I318815		0.50	0.006	0.19	2.10	25.1	<0.2	<10	320	0.30	0.11	0.86	0.14	24.0	13.9	21
I318816		0.42	0.005	0.19	2.30	10.8	<0.2	<10	330	0.33	0.16	0.81	0.16	28.4	13.1	24
I318817		0.50	<0.005	0.14	2.12	5.3	<0.2	<10	220	0.26	0.21	0.47	0.08	20.4	12.4	22
I318818		0.46	<0.005	0.22	2.09	19.3	<0.2	<10	260	0.36	0.12	0.62	0.16	36.8	10.3	22
I318819		0.52	<0.005	0.14	2.36	18.4	<0.2	<10	280	0.34	0.12	0.52	0.08	26.7	12.9	22
I318820		0.66	<0.005	0.09	2.41	13.7	<0.2	<10	350	0.38	0.11	0.50	0.06	27.3	13.5	24
I318821		0.56	0.008	0.09	2.25	9.0	<0.2	<10	250	0.36	0.12	0.37	0.06	23.0	13.2	21
I318822		0.56	<0.005	0.09	2.43	7.9	<0.2	<10	340	0.35	0.10	0.56	0.05	23.2	13.4	17
I318823		0.60	<0.005	0.11	2.45	8.3	<0.2	<10	290	0.40	0.13	0.53	0.08	29.0	12.4	23
I318824		0.40	<0.005	0.08	0.86	2.5	<0.2	<10	80	0.14	0.09	0.21	0.09	10.65	4.9	15
I318825		0.32	0.006	0.10	1.33	4.2	<0.2	<10	100	0.16	0.12	0.29	0.07	13.45	6.9	19
I318826		0.44	<0.005	0.11	1.40	4.0	<0.2	<10	110	0.18	0.17	0.25	0.09	16.05	6.6	21
I318827		0.30	<0.005	0.11	1.57	5.1	<0.2	<10	160	0.19	0.20	0.30	0.10	17.70	8.1	20
I318828		0.40	0.005	0.12	1.47	5.6	<0.2	<10	150	0.20	0.16	0.29	0.13	17.55	7.9	19
I318829		0.40	<0.005	0.13	1.37	3.6	<0.2	<10	120	0.17	0.14	0.26	0.08	15.25	6.4	19
I318830		0.56	<0.005	0.03	0.22	1.1	<0.2	<10	10	<0.05	0.04	0.05	0.03	2.15	1.6	5
I318831		0.48	<0.005	0.22	2.57	8.9	<0.2	<10	310	0.35	0.66	0.53	0.13	28.7	14.0	26
I318832		0.58	<0.005	0.07	1.72	9.1	<0.2	<10	120	0.27	0.25	0.19	0.16	17.45	8.9	22
I318833		0.60	<0.005	0.08	1.90	14.6	<0.2	<10	140	0.48	0.54	0.22	0.13	24.3	9.8	21
I318834		0.60	<0.005	0.18	2.00	7.6	<0.2	<10	270	0.47	0.27	0.78	0.17	28.3	11.8	24
I318835		0.44	<0.005	0.02	0.11	1.8	<0.2	<10	30	0.10	0.01	0.08	0.04	10.20	2.2	19
I318836		0.56	<0.005	0.20	1.79	5.3	<0.2	<10	320	0.38	0.12	1.10	0.13	30.8	10.9	22
I318837		0.38	<0.005	0.16	1.33	5.5	<0.2	<10	100	0.21	0.54	0.33	0.22	17.65	6.1	31
I318838		0.44	<0.005	0.12	1.29	5.1	<0.2	<10	80	0.16	0.46	0.29	0.14	14.45	5.5	30
I318839		0.46	<0.005	0.15	1.32	7.8	<0.2	<10	100	0.18	0.47	0.30	0.19	15.45	5.6	33
I318840		0.56	<0.005	0.26	1.81	5.1	<0.2	<10	150	0.26	0.95	0.32	0.16	23.2	11.0	66
I318841		0.48	<0.005	0.22	1.74	5.1	<0.2	<10	160	0.24	1.05	0.37	0.16	24.2	9.3	65
I318842		0.56	<0.005	0.26	2.10	7.6	<0.2	<10	200	0.40	1.79	0.44	0.20	34.5	12.7	73
I318843		0.50	0.006	0.47	1.87	8.3	<0.2	<10	180	0.33	1.94	0.46	0.26	39.2	9.4	72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318804		2.40	60.8	3.40	8.28	0.05	0.03	0.03	0.021	0.07	8.1	17.8	0.89	625	1.53
I318805		2.56	48.5	3.19	8.19	0.06	0.04	0.03	0.022	0.07	12.1	20.0	0.87	305	1.16
I318806		1.56	44.6	2.70	6.70	0.06	0.05	0.04	0.018	0.07	9.7	16.3	0.75	331	1.05
I318807		1.90	26.7	2.82	6.74	0.05	0.03	0.05	0.014	0.06	8.5	15.3	0.80	736	1.37
I318808		1.60	14.3	2.11	5.92	<0.05	0.02	0.03	0.013	0.05	9.2	7.5	0.53	177	0.49
I318809		0.08	2.9	0.76	0.70	<0.05	0.07	<0.01	<0.005	0.04	5.3	1.1	0.04	163	0.33
I318810		2.98	21.8	3.93	10.50	0.06	0.06	0.04	0.029	0.21	12.5	16.1	0.86	495	1.32
I318811		3.52	17.3	3.45	7.41	0.09	0.06	0.43	0.027	0.23	12.4	15.6	0.77	468	1.11
I318812		4.66	24.0	3.43	6.58	0.12	0.10	0.22	0.031	0.32	16.7	15.4	0.87	630	0.83
I318813		2.74	23.4	3.84	8.82	0.12	0.08	0.17	0.031	0.25	20.8	14.3	0.91	817	1.31
I318814		4.22	23.4	4.26	8.96	0.15	0.08	0.10	0.031	0.47	18.0	14.5	1.06	754	0.81
I318815		3.15	20.1	3.47	7.59	0.12	0.06	0.08	0.026	0.26	13.5	11.3	0.84	624	0.91
I318816		2.46	22.4	3.39	7.91	0.11	0.07	0.08	0.027	0.23	16.7	13.5	0.83	456	0.72
I318817		1.98	15.2	3.28	7.66	0.11	0.06	0.04	0.023	0.18	10.8	11.3	0.80	415	0.82
I318818		2.32	18.0	3.08	7.63	0.11	0.06	0.10	0.026	0.22	20.5	12.2	0.73	346	0.68
I318819		3.48	16.2	3.51	8.74	0.13	0.06	0.05	0.026	0.34	14.9	13.9	0.86	479	0.63
I318820		2.85	19.3	3.61	8.31	0.13	0.10	0.04	0.026	0.34	15.8	15.2	0.91	494	0.61
I318821		1.87	17.0	2.85	8.96	0.11	0.08	0.02	0.025	0.28	12.1	14.6	0.71	386	0.58
I318822		1.87	20.6	3.59	8.82	0.12	0.07	0.02	0.023	0.37	12.4	13.4	0.87	461	0.48
I318823		1.75	19.2	3.39	8.78	0.11	0.09	0.02	0.026	0.26	15.6	14.3	0.80	434	0.56
I318824		0.62	9.5	1.26	4.08	<0.05	<0.02	0.02	0.011	0.04	5.3	4.2	0.25	115	0.51
I318825		0.84	10.1	2.07	5.38	0.06	0.03	0.03	0.016	0.06	6.7	6.7	0.42	192	0.62
I318826		0.97	13.5	1.96	5.45	0.06	0.03	0.04	0.016	0.05	8.0	6.7	0.40	151	0.56
I318827		0.96	13.5	2.14	6.36	0.07	0.03	0.03	0.016	0.06	9.5	7.7	0.45	215	0.71
I318828		1.11	12.0	2.12	6.09	0.07	0.03	0.04	0.016	0.08	8.8	7.9	0.46	220	0.66
I318829		0.92	12.3	2.01	5.72	0.07	0.03	0.04	0.016	0.06	7.9	6.2	0.41	166	0.75
I318830		0.31	5.6	0.71	1.99	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.6	0.04	41	0.37
I318831		3.47	24.2	3.62	8.61	0.11	0.07	0.04	0.027	0.19	15.6	14.8	0.84	432	1.39
I318832		1.72	12.7	2.81	9.82	0.07	0.07	0.02	0.022	0.07	8.6	10.4	0.37	238	1.43
I318833		4.69	12.5	3.11	8.68	0.09	0.04	0.03	0.032	0.16	11.2	9.4	0.63	321	1.50
I318834		2.74	17.0	2.97	6.85	0.11	0.09	0.05	0.030	0.22	14.3	13.1	0.72	506	0.72
I318835		0.08	1.9	0.52	0.53	<0.05	0.06	<0.01	<0.005	0.03	5.1	1.0	0.04	141	0.59
I318836		1.61	21.8	2.80	6.82	0.10	0.05	0.05	0.024	0.17	20.1	11.3	0.65	477	0.93
I318837		1.61	14.8	1.93	5.84	0.07	0.02	0.05	0.017	0.06	8.8	6.6	0.46	136	0.62
I318838		1.65	12.5	1.87	5.74	0.06	0.02	0.05	0.016	0.06	7.4	5.9	0.47	142	0.58
I318839		1.79	14.0	1.97	6.10	0.07	0.02	0.07	0.018	0.06	7.9	5.7	0.49	142	0.66
I318840		3.12	22.1	2.49	7.50	0.09	0.02	0.04	0.020	0.19	14.0	8.4	0.81	300	1.36
I318841		3.05	19.7	2.35	7.14	0.09	0.02	0.05	0.017	0.18	14.8	8.0	0.78	256	1.17
I318842		3.58	32.3	3.08	8.05	0.11	0.03	0.04	0.023	0.28	20.5	12.3	0.91	378	1.40
I318843		4.05	29.7	2.56	7.88	0.10	0.03	0.06	0.022	0.19	25.4	9.4	0.80	277	1.37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318804		1.50	52.3	510	8.7	21.4	<0.001	0.02	0.40	4.9	0.4	0.5	23.2	<0.01	0.03
I318805		1.49	44.5	450	13.7	20.8	<0.001	0.02	0.32	6.2	0.5	0.5	33.6	<0.01	0.03
I318806		1.20	33.1	490	24.1	16.1	<0.001	0.03	0.23	6.1	0.5	0.4	38.7	<0.01	0.02
I318807		1.06	18.5	650	12.0	17.3	<0.001	0.05	0.35	5.4	0.5	0.5	40.3	<0.01	0.02
I318808		1.43	18.3	470	6.5	16.4	<0.001	0.04	0.19	3.6	0.5	0.6	22.5	<0.01	0.02
I318809		0.21	4.1	130	1.4	2.2	<0.001	0.01	0.09	0.7	<0.2	<0.2	8.2	<0.01	<0.01
I318810		2.66	18.4	490	10.6	27.7	<0.001	0.02	0.71	6.7	0.5	0.8	33.9	<0.01	0.04
I318811		2.04	14.0	500	19.1	26.3	<0.001	0.02	1.45	7.5	0.5	0.6	44.3	<0.01	0.04
I318812		1.96	15.6	820	11.3	38.6	0.001	0.03	0.99	10.0	0.7	0.5	49.1	0.01	0.03
I318813		2.31	16.7	720	12.2	33.6	<0.001	0.04	0.96	8.8	0.9	0.7	46.3	<0.01	0.02
I318814		2.40	13.7	900	14.4	49.5	<0.001	0.03	0.59	10.0	0.8	0.6	42.1	<0.01	0.03
I318815		2.11	14.0	780	5.3	37.6	<0.001	0.05	0.56	7.5	0.8	0.6	46.7	<0.01	0.02
I318816		2.10	16.6	660	6.4	32.0	<0.001	0.04	0.43	7.4	0.7	0.6	43.8	<0.01	0.02
I318817		2.32	13.3	610	5.2	25.5	<0.001	0.02	0.31	5.9	0.6	0.6	29.7	<0.01	0.02
I318818		2.34	15.0	640	7.5	26.6	<0.001	0.04	0.33	6.1	0.7	0.7	43.0	<0.01	0.02
I318819		2.37	13.7	660	6.3	34.6	<0.001	0.02	0.33	7.0	0.5	0.8	34.6	<0.01	0.01
I318820		1.54	17.1	590	5.8	33.0	<0.001	0.01	0.31	7.7	0.6	0.7	36.6	<0.01	0.01
I318821		2.20	13.7	490	5.9	27.8	<0.001	0.01	0.30	6.0	0.5	0.8	32.0	<0.01	0.02
I318822		1.89	12.3	750	4.8	32.1	<0.001	0.01	0.27	6.2	0.4	0.7	38.8	<0.01	0.02
I318823		2.08	15.2	540	5.6	27.1	<0.001	0.01	0.29	7.0	0.4	0.7	40.6	<0.01	0.02
I318824		0.78	9.0	370	4.0	9.0	<0.001	0.02	0.14	2.0	0.4	0.4	17.9	<0.01	0.01
I318825		1.27	12.4	530	4.7	11.5	<0.001	0.03	0.19	3.0	0.5	0.4	21.7	<0.01	0.01
I318826		1.25	13.2	590	5.0	11.7	<0.001	0.05	0.21	2.9	0.6	0.5	21.1	<0.01	0.02
I318827		1.52	13.5	500	5.2	12.2	<0.001	0.04	0.23	3.2	0.5	0.5	26.6	<0.01	0.02
I318828		1.40	12.7	530	5.9	15.0	<0.001	0.04	0.21	3.3	0.5	0.5	24.0	<0.01	0.02
I318829		1.36	11.6	560	4.8	12.1	<0.001	0.04	0.20	3.0	0.6	0.5	21.7	<0.01	0.02
I318830		0.38	2.5	130	1.3	2.7	<0.001	0.01	0.12	0.7	0.2	0.2	5.7	<0.01	0.01
I318831		2.04	18.9	660	5.6	29.9	<0.001	0.04	0.42	7.3	0.7	0.6	37.1	<0.01	0.12
I318832		1.95	12.9	270	11.2	18.5	<0.001	0.02	0.46	3.8	0.3	0.8	19.7	<0.01	0.04
I318833		2.13	12.9	390	10.1	26.4	<0.001	0.02	0.69	5.8	0.4	1.1	16.3	<0.01	0.03
I318834		2.06	15.7	720	10.4	29.5	<0.001	0.03	0.60	7.2	0.6	0.8	41.2	<0.01	0.02
I318835		0.14	4.4	130	1.4	2.1	<0.001	0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	<0.01
I318836		1.97	15.4	710	5.1	26.5	<0.001	0.06	0.53	6.0	0.9	0.6	68.9	<0.01	0.03
I318837		1.19	19.6	510	6.8	15.1	<0.001	0.06	0.24	3.2	0.8	0.5	23.7	<0.01	0.03
I318838		1.15	16.5	400	6.2	16.1	<0.001	0.04	0.22	3.0	0.6	0.6	20.6	<0.01	0.02
I318839		1.29	16.8	490	6.7	16.8	<0.001	0.06	0.23	3.0	0.8	0.6	22.7	<0.01	0.02
I318840		1.67	30.4	510	7.6	34.1	<0.001	0.04	0.19	4.4	0.6	0.8	29.0	<0.01	0.04
I318841		1.64	26.8	420	5.8	32.3	<0.001	0.03	0.19	4.3	0.6	0.7	30.2	<0.01	0.02
I318842		1.79	33.1	610	7.8	45.2	<0.001	0.04	0.27	5.1	0.8	0.8	33.4	<0.01	0.03
I318843		1.63	28.2	600	8.0	44.6	<0.001	0.05	0.31	4.5	0.9	0.8	34.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318804		0.125	0.16	0.58	81	0.20	3.62	53	1.2
I318805		0.125	0.17	1.01	77	0.28	5.94	52	1.7
I318806		0.122	0.12	1.13	68	0.25	6.25	51	1.9
I318807		0.126	0.17	0.83	74	0.43	5.04	56	1.3
I318808		0.102	0.13	0.57	46	0.39	4.70	57	0.8
I318809		0.008	0.03	0.30	4	<0.05	2.20	4	2.7
I318810		0.183	0.19	0.86	101	0.32	6.42	73	2.6
I318811		0.156	0.22	1.30	84	0.91	9.33	121	2.1
I318812		0.161	0.31	2.36	82	0.63	17.20	93	3.6
I318813		0.185	0.26	1.68	99	1.33	14.35	99	2.7
I318814		0.210	0.36	1.84	106	1.78	16.05	84	2.6
I318815		0.167	0.25	1.44	90	2.04	10.90	70	2.1
I318816		0.171	0.22	1.45	85	0.74	13.40	75	2.4
I318817		0.188	0.22	1.13	89	3.31	6.34	59	2.4
I318818		0.163	0.20	1.82	74	0.42	8.86	62	1.9
I318819		0.207	0.31	1.35	86	0.31	8.24	64	2.2
I318820		0.198	0.28	1.44	88	0.28	11.85	62	3.5
I318821		0.220	0.22	0.90	91	0.35	7.03	60	2.8
I318822		0.230	0.25	0.88	90	0.36	7.58	61	2.6
I318823		0.228	0.21	1.13	91	0.17	9.29	63	3.3
I318824		0.082	0.07	0.43	36	0.11	2.49	28	<0.5
I318825		0.110	0.09	0.63	53	0.20	3.44	42	0.9
I318826		0.100	0.10	0.96	45	0.23	3.82	42	1.0
I318827		0.118	0.11	1.03	52	0.30	3.75	50	1.2
I318828		0.120	0.12	0.89	51	0.32	3.85	47	1.1
I318829		0.113	0.11	0.99	48	0.20	3.32	43	1.0
I318830		0.039	0.02	0.14	20	0.05	0.48	14	<0.5
I318831		0.169	0.27	1.36	93	1.00	9.09	58	2.4
I318832		0.130	0.15	0.43	87	0.18	3.55	40	2.5
I318833		0.138	0.22	0.59	82	0.23	5.92	62	1.5
I318834		0.143	0.22	1.28	74	0.28	11.35	63	3.5
I318835		0.011	0.03	0.30	6	<0.05	2.06	6	2.3
I318836		0.119	0.19	1.64	71	0.20	14.25	48	1.7
I318837		0.086	0.15	0.66	42	0.34	4.28	55	0.7
I318838		0.089	0.14	0.55	39	0.18	3.46	50	0.6
I318839		0.088	0.14	0.70	40	0.12	3.47	50	0.7
I318840		0.117	0.29	1.54	62	0.26	4.76	60	0.7
I318841		0.120	0.29	1.36	59	0.50	5.43	57	0.8
I318842		0.130	0.37	2.24	70	0.34	7.85	76	1.1
I318843		0.118	0.37	2.52	63	0.35	8.58	64	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318844		0.58	<0.005	0.59	2.03	12.3	<0.2	<10	160	0.36	2.11	0.47	0.24	40.4	13.5	80
I318845		0.36	0.011	0.90	2.02	23.7	<0.2	<10	210	0.49	2.62	0.67	0.30	80.1	15.0	81
I318846		0.56	0.011	0.75	1.99	39.5	<0.2	<10	170	0.44	3.46	0.82	0.48	53.8	19.2	76
I318847		0.40	0.007	0.79	2.05	26.6	<0.2	<10	200	0.33	3.47	0.79	0.55	42.5	19.5	63
I318848		0.48	0.006	0.47	1.83	12.9	<0.2	<10	160	0.21	2.52	0.43	0.27	20.5	10.8	54
I318849		0.42	<0.005	0.01	0.11	1.5	<0.2	<10	30	0.09	0.03	0.08	0.04	10.05	2.1	24
I318850		0.54	0.005	0.31	1.94	10.0	<0.2	<10	160	0.27	3.34	0.34	0.30	20.0	12.5	55
I319251		0.52	0.005	0.34	2.68	6.0	<0.2	<10	330	0.39	0.19	1.02	0.44	18.85	17.0	59
I319252		0.54	0.006	0.45	2.15	4.8	<0.2	<10	270	0.41	0.16	1.07	0.57	19.70	13.5	38
I319253		0.48	0.006	0.45	2.44	3.8	<0.2	<10	260	0.32	0.12	0.83	0.30	16.45	13.7	43
I319254		0.44	<0.005	0.26	2.66	5.3	<0.2	<10	250	0.33	0.17	0.87	0.39	14.30	12.7	49
I319255		0.48	<0.005	0.25	2.59	4.6	<0.2	<10	320	0.45	0.12	1.38	0.59	19.70	13.5	53
I319256		0.58	0.005	0.13	2.72	4.0	<0.2	<10	240	0.29	0.11	0.75	0.48	11.95	17.0	41
I319257		0.52	<0.005	0.34	1.98	5.5	<0.2	<10	320	0.33	0.16	1.02	1.88	18.80	11.0	50
I319258		0.38	<0.005	0.37	2.05	6.9	<0.2	<10	340	0.35	0.17	1.17	1.84	22.3	12.2	48
I319259		0.50	<0.005	0.72	2.23	14.1	<0.2	<10	390	0.58	0.21	1.05	1.50	30.9	12.6	66
I319260		0.52	0.005	1.12	1.37	6.3	<0.2	<10	410	0.43	0.14	1.28	1.74	34.4	10.7	39
I319261		0.56	<0.005	0.73	2.91	7.3	<0.2	<10	540	0.53	0.21	0.99	0.75	23.5	15.8	89
I319262		0.40	0.006	0.38	1.94	8.2	<0.2	<10	250	0.27	0.30	1.48	0.75	21.2	18.1	52
I319263		0.46	<0.005	0.31	1.26	6.0	<0.2	<10	220	0.28	0.19	1.78	0.56	19.20	14.2	29
I319264		0.46	<0.005	0.21	2.05	7.2	<0.2	<10	220	0.38	0.15	1.45	0.16	25.5	15.4	46
I319265		0.64	0.009	0.22	2.59	6.5	<0.2	<10	250	0.41	0.22	1.18	0.34	28.1	20.3	62
I319266		0.62	0.007	0.25	2.45	7.7	<0.2	<10	210	0.40	0.30	0.89	0.24	27.8	20.0	49
I319267		0.80	0.007	0.19	2.54	6.8	<0.2	<10	200	0.42	0.24	0.65	0.27	27.2	15.6	50
I319268		0.74	<0.005	0.21	2.96	10.0	<0.2	<10	260	0.46	0.24	0.57	0.24	23.8	21.9	54
I319269		0.72	0.007	0.23	3.03	9.4	<0.2	<10	320	0.50	0.26	0.63	0.32	35.2	20.9	55
I319270		0.54	<0.005	0.31	0.72	2.8	<0.2	<10	90	0.17	0.11	0.14	0.22	11.80	3.3	13
I319271		0.66	<0.005	0.26	2.08	8.7	<0.2	<10	220	0.38	0.23	0.30	0.38	25.1	10.4	31
I319272		0.44	<0.005	0.19	1.22	6.9	<0.2	<10	80	0.21	0.21	0.10	0.37	10.70	5.4	23
I319273		0.52	<0.005	0.08	0.97	7.7	<0.2	<10	50	0.12	0.28	0.08	0.14	12.95	3.2	16
I319274		0.64	0.006	0.22	3.19	7.0	<0.2	<10	520	0.71	0.25	0.62	0.33	49.5	21.1	81
I319275		0.66	<0.005	0.11	2.13	10.7	<0.2	<10	100	0.35	0.62	0.15	0.41	20.8	12.0	51
I319276		0.46	<0.005	1.13	1.67	6.5	<0.2	<10	310	0.43	0.68	1.06	1.49	47.3	12.2	36
I319277		0.62	<0.005	0.14	1.67	6.8	<0.2	<10	130	0.43	0.81	0.42	0.93	36.0	8.8	29
I319278		0.58	<0.005	0.20	2.37	7.0	<0.2	<10	210	0.39	2.12	0.51	1.28	37.2	15.2	46
I319279		0.50	<0.005	0.08	1.71	4.4	<0.2	<10	120	0.15	0.49	0.19	0.36	9.45	15.3	43
I319280		0.50	<0.005	0.07	1.73	3.6	<0.2	<10	170	0.13	0.10	0.68	0.15	7.72	16.7	88
I319281		0.44	<0.005	0.08	0.32	1.5	<0.2	<10	20	0.06	0.13	0.04	0.05	5.04	1.8	8
I319282		0.58	<0.005	0.41	1.78	6.8	<0.2	<10	240	0.43	1.27	0.58	1.32	41.7	13.2	36
I319283		0.52	<0.005	0.38	2.30	7.7	<0.2	<10	190	0.43	1.09	0.45	0.92	35.5	10.5	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318844		4.75	31.8	2.80	8.07	0.10	0.03	0.07	0.026	0.20	26.9	11.1	0.84	422	1.61
I318845		5.85	45.5	2.85	7.57	0.13	0.04	0.12	0.029	0.15	48.2	10.9	0.77	765	1.67
I318846		7.11	43.6	3.05	7.65	0.11	0.04	0.09	0.030	0.18	28.7	12.5	0.85	1140	2.04
I318847		8.33	50.3	2.82	7.60	0.11	0.03	0.10	0.030	0.11	23.2	12.9	0.90	884	1.23
I318848		7.12	39.7	2.45	7.10	0.08	0.02	0.08	0.022	0.09	11.1	10.7	0.87	322	0.74
I318849		0.09	3.8	0.56	0.58	<0.05	0.08	0.01	<0.005	0.04	4.9	1.1	0.03	143	0.61
I318850		7.32	49.6	2.80	7.08	0.07	0.04	0.08	0.024	0.09	10.6	12.2	0.87	314	0.83
I319251		0.99	65.1	3.28	8.19	0.09	0.04	0.05	0.020	0.23	9.6	9.6	1.38	495	1.51
I319252		0.77	57.2	2.97	6.84	0.08	0.05	0.07	0.023	0.16	10.3	8.7	0.86	403	1.88
I319253		0.86	55.8	2.96	7.42	0.07	0.03	0.06	0.019	0.15	8.6	9.1	1.11	394	1.77
I319254		0.98	40.1	3.16	8.10	0.06	0.05	0.04	0.023	0.12	7.5	12.5	1.05	390	1.81
I319255		0.98	68.3	2.68	6.90	0.08	0.06	0.07	0.020	0.16	10.9	12.0	1.05	376	1.27
I319256		1.12	45.6	2.92	6.43	0.07	0.06	0.02	0.016	0.20	6.0	13.1	1.33	425	1.55
I319257		1.29	35.3	2.54	6.65	0.07	0.05	0.06	0.023	0.13	9.8	10.6	0.79	400	2.48
I319258		1.30	37.6	2.50	7.01	0.08	0.05	0.07	0.023	0.13	11.5	13.6	0.81	436	2.50
I319259		2.13	55.1	3.17	7.48	0.10	0.08	0.08	0.030	0.22	16.0	17.4	1.02	401	4.22
I319260		1.17	58.5	2.06	5.07	0.09	0.06	0.10	0.022	0.08	17.4	8.8	0.57	853	4.78
I319261		2.95	46.9	3.44	10.15	0.11	0.07	0.05	0.036	0.37	12.7	23.5	1.64	728	3.73
I319262		0.81	44.4	2.81	5.84	0.07	0.05	0.07	0.024	0.09	9.2	9.8	1.00	1220	2.09
I319263		0.48	39.3	1.90	4.14	0.05	0.04	0.05	0.015	0.06	7.9	6.6	0.54	1760	1.28
I319264		0.70	41.9	2.85	6.04	0.07	0.06	0.05	0.021	0.07	12.0	10.6	0.89	553	1.18
I319265		0.86	44.8	3.36	7.30	0.08	0.09	0.04	0.025	0.13	13.6	13.8	1.37	724	1.57
I319266		1.07	42.6	3.66	7.44	0.09	0.06	0.04	0.025	0.09	12.9	14.2	1.24	694	1.81
I319267		1.00	39.0	3.36	7.62	0.09	0.06	0.04	0.041	0.10	13.4	14.9	1.32	427	0.90
I319268		0.99	48.0	4.25	8.80	0.09	0.05	0.02	0.026	0.11	12.3	17.1	1.65	724	2.13
I319269		1.18	65.1	4.58	9.15	0.12	0.11	0.03	0.028	0.22	17.7	16.6	1.71	507	2.59
I319270		0.56	11.9	1.18	3.60	<0.05	<0.02	0.03	0.010	0.03	8.6	3.6	0.16	123	0.94
I319271		0.94	25.5	3.09	7.65	0.07	0.04	0.02	0.030	0.05	15.9	14.4	0.60	388	1.57
I319272		0.77	13.3	2.62	7.26	<0.05	0.05	0.02	0.018	0.04	5.2	8.2	0.26	158	1.43
I319273		0.73	10.8	1.97	8.44	<0.05	0.03	0.02	0.012	0.03	6.7	4.1	0.14	105	1.64
I319274		3.32	45.6	4.60	11.25	0.11	0.05	0.02	0.041	0.55	21.9	17.5	1.54	609	1.35
I319275		1.32	29.2	4.99	10.90	0.08	0.07	0.02	0.039	0.13	8.4	15.2	0.76	385	2.19
I319276		1.33	31.2	2.71	6.37	0.16	0.04	0.09	0.037	0.10	61.4	9.4	0.53	826	1.86
I319277		0.86	21.7	2.77	6.22	0.06	0.04	0.02	0.029	0.09	15.4	11.1	0.53	337	1.34
I319278		1.13	35.7	3.85	8.44	0.07	0.05	0.05	0.046	0.13	13.7	14.6	0.93	496	1.77
I319279		0.89	29.2	2.54	5.73	0.05	0.02	0.02	0.016	0.07	4.6	9.8	0.83	297	0.78
I319280		0.74	46.9	2.53	4.87	0.05	0.02	0.02	0.012	0.07	3.9	11.7	1.11	313	0.58
I319281		0.34	6.6	0.76	3.00	<0.05	<0.02	0.02	0.005	0.02	2.7	1.1	0.05	40	0.61
I319282		0.90	27.1	2.74	5.72	0.08	0.04	0.17	0.044	0.08	22.3	10.5	0.66	706	1.35
I319283		0.99	29.9	2.86	7.02	0.08	0.04	0.16	0.037	0.08	19.4	14.1	0.82	222	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318844		1.65	29.7	700	11.0	46.1	<0.001	0.05	0.43	4.7	0.9	1.0	34.5	<0.01	0.04
I318845		1.49	33.3	780	14.7	39.8	<0.001	0.08	1.02	5.1	1.3	1.0	45.2	<0.01	0.05
I318846		1.51	33.7	690	17.4	48.4	<0.001	0.05	0.93	5.4	0.9	1.1	45.7	<0.01	0.04
I318847		1.27	30.6	610	13.6	42.0	<0.001	0.06	1.09	5.9	0.9	1.1	50.2	<0.01	0.04
I318848		1.07	22.8	600	10.6	30.9	<0.001	0.05	0.66	4.5	0.7	0.9	32.4	<0.01	0.02
I318849		0.15	4.1	120	1.5	2.1	<0.001	<0.01	0.12	0.7	<0.2	<0.2	9.9	<0.01	0.02
I318850		1.25	22.9	720	11.3	31.9	<0.001	0.05	0.66	4.4	0.7	0.9	29.8	<0.01	0.02
I319251		1.29	31.0	700	6.5	28.7	0.001	0.08	0.34	5.3	1.1	0.4	42.4	<0.01	0.05
I319252		1.29	25.0	760	7.1	20.0	0.001	0.10	0.29	4.3	1.2	0.4	44.3	<0.01	0.05
I319253		1.34	26.2	660	4.9	19.7	0.001	0.07	0.29	4.8	1.1	0.4	38.0	<0.01	0.04
I319254		1.54	32.1	610	6.5	23.3	<0.001	0.07	0.29	5.1	0.9	0.5	40.4	<0.01	0.05
I319255		1.43	37.9	680	5.1	26.4	0.001	0.11	0.37	4.9	1.5	0.4	47.8	<0.01	0.04
I319256		1.04	31.0	390	4.8	27.4	<0.001	0.03	0.27	4.7	0.7	0.3	33.2	<0.01	0.04
I319257		1.33	34.4	780	6.7	25.4	0.001	0.08	0.34	4.2	1.2	0.5	48.0	<0.01	0.05
I319258		1.16	39.1	840	7.0	24.5	<0.001	0.10	0.39	4.4	1.3	0.5	48.4	<0.01	0.04
I319259		1.12	48.5	1160	9.5	28.3	0.002	0.12	0.53	4.8	2.6	0.6	44.3	<0.01	0.06
I319260		0.73	39.1	1350	6.1	12.9	0.002	0.15	0.52	2.6	2.8	0.4	51.8	<0.01	0.04
I319261		1.22	51.6	1200	12.4	31.9	<0.001	0.07	0.35	8.1	1.6	0.8	43.6	<0.01	0.06
I319262		0.77	32.7	1070	10.4	14.3	<0.001	0.13	0.47	4.5	1.2	0.4	47.5	<0.01	0.09
I319263		0.62	20.9	1160	8.0	8.2	0.001	0.17	0.27	2.2	1.3	0.2	45.1	<0.01	0.05
I319264		0.98	29.7	1150	7.0	11.0	<0.001	0.16	0.34	4.1	1.2	0.3	43.4	<0.01	0.03
I319265		1.12	43.7	770	11.6	19.0	<0.001	0.09	0.37	6.4	1.1	0.4	43.6	<0.01	0.04
I319266		1.10	35.7	730	16.8	13.8	<0.001	0.08	0.32	5.7	1.1	0.4	34.5	<0.01	0.03
I319267		1.28	34.2	590	12.1	15.4	<0.001	0.06	0.30	6.3	0.9	0.5	28.2	<0.01	0.03
I319268		1.19	43.3	700	12.5	15.1	<0.001	0.04	0.25	6.3	0.8	0.4	26.6	<0.01	0.03
I319269		1.42	45.7	890	10.0	26.9	0.001	0.04	0.34	8.8	1.4	0.5	31.2	<0.01	0.05
I319270		0.50	7.8	320	4.1	4.5	<0.001	0.04	0.19	1.4	0.4	0.3	11.9	<0.01	0.01
I319271		1.39	23.1	450	8.7	8.8	<0.001	0.03	0.34	4.3	0.6	0.5	20.8	<0.01	0.03
I319272		1.69	12.9	210	8.0	7.6	<0.001	0.02	0.42	2.5	0.3	0.6	10.5	<0.01	0.02
I319273		1.24	8.0	220	9.9	5.8	<0.001	0.03	0.46	1.8	0.3	0.8	9.9	<0.01	0.02
I319274		1.71	55.7	1110	14.9	53.3	<0.001	0.02	0.23	10.7	1.0	1.1	23.6	<0.01	0.04
I319275		2.82	32.2	400	16.6	19.2	<0.001	0.02	0.39	5.2	0.5	0.8	12.6	<0.01	0.05
I319276		1.28	25.8	950	14.1	17.7	<0.001	0.11	0.27	3.8	1.6	0.5	37.1	0.01	0.04
I319277		1.53	23.8	620	22.7	12.4	<0.001	0.02	0.27	3.5	0.6	0.6	17.9	<0.01	0.04
I319278		1.89	40.0	640	17.7	17.7	<0.001	0.03	0.28	5.7	0.7	0.7	21.0	<0.01	0.04
I319279		0.87	25.8	410	6.0	8.9	<0.001	0.03	0.21	3.7	0.4	0.3	10.7	<0.01	0.03
I319280		0.75	39.4	350	3.3	10.0	<0.001	0.05	0.21	3.9	0.3	0.3	18.8	<0.01	0.01
I319281		0.37	3.6	140	3.9	2.5	<0.001	0.02	0.19	0.9	0.2	0.3	5.5	<0.01	0.01
I319282		1.09	29.5	900	27.4	11.0	<0.001	0.05	0.28	4.4	1.0	0.6	23.9	<0.01	0.03
I319283		1.44	30.8	830	16.7	11.4	<0.001	0.03	0.31	5.8	1.4	0.6	22.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318844		0.118	0.42	3.04	65	0.35	7.62	72	1.1
I318845		0.096	0.44	5.36	59	0.32	17.35	71	1.2
I318846		0.106	0.53	4.03	69	1.19	11.30	86	1.2
I318847		0.105	0.50	3.24	67	0.41	11.70	90	1.0
I318848		0.111	0.32	1.57	63	0.41	5.50	74	0.7
I318849		0.006	0.03	0.34	4	<0.05	2.09	4	2.7
I318850		0.105	0.32	2.07	77	0.35	6.20	70	1.2
I319251		0.113	0.16	0.86	87	0.19	10.25	88	1.7
I319252		0.083	0.12	1.36	71	0.15	10.05	70	2.0
I319253		0.102	0.12	0.95	75	0.14	7.41	77	1.5
I319254		0.100	0.13	0.75	81	0.15	7.25	84	2.0
I319255		0.082	0.14	1.01	68	0.12	14.35	75	2.7
I319256		0.091	0.16	0.53	70	0.12	5.68	88	1.9
I319257		0.073	0.17	0.95	69	0.15	9.75	109	2.3
I319258		0.071	0.17	1.14	68	0.22	11.05	111	0.8
I319259		0.066	0.26	2.05	99	0.12	15.55	133	2.2
I319260		0.041	0.15	1.89	63	0.15	20.5	79	1.2
I319261		0.088	0.30	0.86	128	0.13	9.89	148	1.9
I319262		0.057	0.12	1.03	65	0.09	8.68	93	0.5
I319263		0.043	0.10	0.82	43	0.07	7.26	50	<0.5
I319264		0.070	0.10	0.87	68	0.10	9.74	51	0.9
I319265		0.094	0.14	0.89	75	0.12	10.10	84	2.2
I319266		0.095	0.12	1.00	71	0.10	9.19	86	1.3
I319267		0.114	0.12	1.00	72	0.26	8.75	97	1.4
I319268		0.120	0.12	0.90	93	0.11	7.26	116	1.0
I319269		0.145	0.17	1.31	101	0.13	14.45	122	4.0
I319270		0.046	0.04	0.53	29	0.08	4.27	20	<0.5
I319271		0.095	0.09	0.77	70	0.13	9.42	52	<0.5
I319272		0.105	0.07	0.35	73	0.11	2.08	34	1.0
I319273		0.092	0.11	0.36	73	0.10	1.60	26	<0.5
I319274		0.185	0.33	1.05	132	0.11	13.10	97	0.6
I319275		0.165	0.14	0.68	116	0.17	5.39	84	1.5
I319276		0.064	0.14	1.84	58	0.15	29.3	89	<0.5
I319277		0.087	0.14	1.40	64	0.12	7.04	109	0.6
I319278		0.113	0.15	1.17	90	0.15	8.50	138	0.8
I319279		0.104	0.07	0.28	70	0.10	2.56	49	<0.5
I319280		0.090	0.06	0.25	64	0.09	2.17	52	<0.5
I319281		0.045	0.05	0.19	26	0.05	0.76	15	<0.5
I319282		0.065	0.17	2.53	56	0.13	10.10	131	<0.5
I319283		0.104	0.18	2.50	70	0.13	8.56	125	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319284		0.64	<0.005	0.40	2.36	9.3	<0.2	<10	190	0.44	1.12	0.44	0.93	41.6	11.2	45
I319285		0.66	0.005	0.21	1.90	11.1	<0.2	<10	140	0.24	0.84	0.36	0.57	21.2	11.8	39
I319286		0.58	<0.005	0.06	1.98	7.4	<0.2	<10	150	0.22	0.15	0.43	0.10	17.05	10.0	26
I319287		0.44	0.005	0.12	1.46	12.3	<0.2	<10	240	0.25	0.13	0.78	0.18	23.1	9.3	23
I319288		0.50	<0.005	0.10	1.73	10.5	<0.2	<10	210	0.22	0.14	0.48	0.13	26.0	12.1	25
I319289		0.50	<0.005	0.12	1.41	20.4	<0.2	<10	340	0.29	0.14	0.69	0.15	25.8	8.1	20
I319290		0.54	<0.005	0.10	1.80	17.2	<0.2	<10	270	0.32	0.19	0.51	0.15	25.8	11.1	25
I319291		0.50	<0.005	0.11	1.82	13.5	<0.2	<10	340	0.33	0.20	0.71	0.15	28.3	12.2	25
I319292		0.52	<0.005	0.12	1.56	104.5	<0.2	<10	300	0.32	0.20	0.50	0.22	25.3	9.5	22
I319293		0.68	<0.005	0.10	1.84	18.1	<0.2	<10	300	0.28	0.44	0.60	0.09	15.15	9.5	23
I319294		0.60	<0.005	0.07	1.08	61.6	<0.2	<10	170	0.14	0.16	0.32	0.14	11.80	8.9	19
I319295		0.46	<0.005	0.12	1.64	175.0	<0.2	<10	130	0.27	0.18	0.23	0.06	20.7	8.6	23
I319296		0.38	<0.005	0.14	1.41	137.0	<0.2	<10	50	0.15	0.17	0.10	0.10	9.78	6.6	18
I319297		0.56	<0.005	0.56	0.84	94.3	<0.2	<10	110	0.13	0.13	0.23	0.16	10.65	4.2	14
I319298		0.48	0.005	0.58	0.93	92.4	<0.2	<10	120	0.17	0.12	0.23	0.18	11.40	4.5	14
I319299		0.62	<0.005	0.09	2.49	28.5	<0.2	<10	230	0.36	0.15	0.42	0.10	24.3	13.0	29
I319300		0.64	<0.005	0.10	2.09	15.2	<0.2	<10	260	0.30	0.13	0.71	0.14	23.6	14.0	28
I319301		0.36	<0.005	0.06	1.88	7.1	<0.2	<10	290	0.27	0.12	0.91	0.16	29.1	11.4	23
I319302		0.40	<0.005	0.14	1.55	3.8	<0.2	<10	270	0.39	0.12	0.61	0.28	33.5	7.6	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319284		1.02	35.6	2.98	7.13	0.09	0.06	0.16	0.042	0.09	23.4	14.1	0.82	214	1.02
I319285		0.99	20.2	2.87	6.40	0.06	0.05	0.09	0.031	0.07	10.8	11.4	0.66	287	0.91
I319286		1.33	12.9	3.05	7.50	0.06	0.07	0.02	0.025	0.07	9.2	13.8	0.62	321	0.79
I319287		1.07	17.1	2.29	5.26	0.05	0.04	0.08	0.023	0.05	12.1	9.6	0.50	395	0.83
I319288		1.87	13.7	2.75	6.64	0.06	0.06	0.05	0.024	0.07	13.2	13.2	0.57	573	0.65
I319289		3.29	13.4	2.17	5.05	0.07	0.04	0.17	0.022	0.08	14.1	9.5	0.43	481	0.62
I319290		3.33	16.0	2.93	6.73	0.07	0.06	0.10	0.033	0.11	13.6	12.2	0.56	677	0.75
I319291		3.58	16.0	2.82	6.18	0.07	0.06	0.12	0.031	0.12	14.5	11.7	0.56	607	0.70
I319292		4.04	14.1	2.27	5.63	0.06	0.04	0.33	0.029	0.11	13.3	10.0	0.49	470	0.49
I319293		4.54	9.8	2.73	6.37	0.06	0.04	0.10	0.031	0.16	7.9	14.1	0.66	330	0.61
I319294		1.61	9.7	2.12	4.98	<0.05	0.02	0.05	0.017	0.06	5.9	6.3	0.36	625	0.76
I319295		1.22	11.6	3.87	6.01	0.06	0.05	0.10	0.029	0.05	10.7	9.4	0.41	510	1.08
I319296		2.07	9.8	3.09	7.09	<0.05	0.03	0.05	0.022	0.07	5.2	6.7	0.36	224	0.92
I319297		2.44	8.8	1.47	3.77	<0.05	0.02	0.12	0.014	0.05	5.7	4.5	0.26	193	0.49
I319298		2.63	8.5	1.58	4.26	<0.05	0.02	0.15	0.018	0.06	6.1	5.0	0.28	186	0.51
I319299		2.13	13.6	3.91	8.73	0.07	0.08	0.07	0.036	0.12	12.3	19.2	0.87	405	0.43
I319300		2.26	15.6	3.43	7.36	0.09	0.09	0.06	0.030	0.23	11.6	15.3	0.80	737	0.54
I319301		2.10	16.2	2.94	6.45	0.08	0.07	0.05	0.027	0.28	16.7	13.9	0.69	585	0.65
I319302		1.01	25.7	2.25	5.51	0.06	0.05	0.06	0.023	0.05	18.3	8.8	0.44	204	0.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I319284		1.49	32.5	880	17.8	11.7	<0.001	0.03	0.33	6.3	1.4	0.6	22.2	<0.01	0.04	4.9
I319285		1.88	28.1	620	13.2	11.4	<0.001	0.02	0.32	4.8	0.6	0.5	19.9	<0.01	0.03	3.2
I319286		2.71	17.3	350	6.2	11.6	<0.001	0.02	0.23	5.3	0.3	0.8	27.0	<0.01	0.01	3.0
I319287		1.62	14.3	740	4.8	6.7	<0.001	0.07	0.35	4.5	0.6	0.5	49.3	<0.01	0.02	1.1
I319288		2.32	15.4	590	5.8	16.1	<0.001	0.03	0.26	5.2	0.4	0.8	30.8	<0.01	0.01	2.3
I319289		1.82	12.7	730	6.5	18.9	<0.001	0.07	0.37	5.8	0.7	0.7	43.6	<0.01	0.01	1.4
I319290		2.46	15.1	720	6.8	23.7	<0.001	0.03	0.38	7.4	0.4	0.9	32.6	<0.01	0.02	2.9
I319291		2.16	16.3	750	8.3	21.0	<0.001	0.05	0.46	7.6	0.6	0.7	42.1	<0.01	0.02	2.8
I319292		1.76	12.9	780	11.4	21.2	<0.001	0.05	0.57	6.4	0.5	0.6	31.6	<0.01	0.01	1.8
I319293		2.07	13.1	630	9.9	26.2	<0.001	0.03	0.65	6.6	0.3	0.7	32.7	<0.01	0.01	3.2
I319294		1.32	10.0	520	11.7	13.6	<0.001	0.02	0.38	3.3	0.2	0.5	20.6	<0.01	0.02	0.9
I319295		2.12	10.8	470	8.7	7.7	<0.001	0.03	0.62	5.3	0.5	0.5	19.0	<0.01	0.02	3.3
I319296		2.33	9.7	480	15.1	9.5	<0.001	0.03	1.21	3.2	0.4	0.6	10.4	<0.01	0.03	0.8
I319297		0.96	7.3	460	18.7	9.7	<0.001	0.03	0.61	3.0	0.2	0.4	15.5	<0.01	0.01	0.6
I319298		1.05	7.1	430	22.2	10.9	<0.001	0.03	0.67	3.3	0.2	0.4	16.2	<0.01	0.01	0.7
I319299		3.14	15.6	590	8.3	19.8	<0.001	0.03	0.41	7.7	0.5	0.9	25.4	<0.01	0.01	3.8
I319300		2.61	15.7	880	6.3	33.4	<0.001	0.03	0.38	7.8	0.5	0.7	36.5	<0.01	0.01	3.4
I319301		2.46	15.4	860	5.1	28.5	<0.001	0.05	0.42	7.2	0.7	0.7	43.0	<0.01	0.01	1.7
I319302		1.96	16.8	410	4.9	11.1	<0.001	0.04	0.30	5.5	0.6	0.6	39.2	<0.01	0.02	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319284		0.105	0.18	3.13	72	0.13	9.78	127	1.1
I319285		0.110	0.13	0.97	67	0.15	5.60	107	1.9
I319286		0.181	0.14	1.02	85	0.12	4.18	62	3.0
I319287		0.094	0.14	2.56	56	0.06	6.15	47	1.9
I319288		0.147	0.19	1.77	74	0.08	6.51	56	2.0
I319289		0.086	0.26	3.40	51	0.06	10.20	48	1.7
I319290		0.144	0.24	3.50	75	0.17	8.64	56	2.4
I319291		0.123	0.24	4.93	68	0.16	9.68	58	2.6
I319292		0.111	0.27	2.13	50	0.12	8.13	60	1.8
I319293		0.136	0.30	1.01	71	0.41	5.01	67	1.8
I319294		0.098	0.15	1.05	67	0.11	3.29	44	1.0
I319295		0.111	0.18	2.77	87	0.10	5.16	50	2.3
I319296		0.122	0.13	0.48	76	0.16	2.17	49	1.3
I319297		0.076	0.16	0.94	41	0.11	3.02	39	0.5
I319298		0.079	0.18	0.99	41	0.10	3.12	44	0.7
I319299		0.196	0.24	1.62	99	0.21	7.04	73	3.0
I319300		0.181	0.22	1.42	91	0.12	8.55	71	3.8
I319301		0.158	0.18	2.19	75	0.18	12.90	61	2.6
I319302		0.118	0.10	2.33	53	0.09	11.05	39	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10126926

Project: SQI10-06

P.O. No.: SQI10-06_26

This report is for 249 Soil samples submitted to our lab in Whitehorse, YT, Canada on 7-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316801		0.64	0.005	0.07	2.53	3.8	<0.2	<10	290	0.36	0.16	0.43	0.11	27.2	15.6	67
I316802		0.38	<0.005	0.13	2.18	3.9	<0.2	<10	310	0.35	0.18	0.48	0.33	37.9	13.7	32
I316803		0.40	<0.005	0.28	2.24	5.2	<0.2	<10	230	0.48	0.25	1.17	0.24	30.3	17.5	81
I316804		0.44	<0.005	0.11	2.57	6.4	<0.2	<10	180	0.28	0.38	0.63	0.11	15.40	18.3	102
I316805		0.18	<0.005	0.02	0.22	1.7	<0.2	<10	50	0.13	0.02	0.10	0.03	10.90	2.3	6
I316806		0.44	0.006	0.11	2.15	6.8	<0.2	<10	240	0.53	0.22	0.47	0.12	31.9	15.9	46
I316807		0.52	0.005	0.15	2.42	2.2	<0.2	<10	130	0.55	0.11	0.69	0.08	29.1	15.4	284
I316808		0.46	<0.005	0.20	2.78	5.4	<0.2	<10	370	0.36	0.14	0.43	0.13	25.5	17.7	199
I316809		0.34	<0.005	0.13	2.31	4.8	<0.2	<10	180	0.46	0.15	0.33	0.13	29.5	27.2	70
I316810		0.58	0.005	0.15	2.18	5.1	<0.2	<10	160	0.39	0.15	0.36	0.13	24.2	12.9	46
I316811		0.42	0.006	0.25	1.83	4.6	<0.2	<10	140	0.29	0.16	0.34	0.18	19.40	14.8	37
I316812		0.38	0.007	0.14	2.18	6.6	<0.2	<10	180	0.45	0.15	0.36	0.15	20.7	11.5	41
I316813		0.38	0.007	0.13	2.16	6.3	<0.2	<10	160	0.53	0.16	0.35	0.16	25.5	12.4	39
I316814		0.30	<0.005	0.20	1.60	4.2	<0.2	<10	120	0.32	0.15	0.36	0.13	17.55	7.2	31
I316815		0.30	0.010	0.13	1.85	7.1	<0.2	<10	110	0.38	0.18	0.37	0.20	21.9	14.1	38
I316816		0.38	<0.005	0.14	1.86	5.6	<0.2	<10	130	0.41	0.19	0.86	0.21	29.0	12.3	38
I316817		0.36	<0.005	0.18	2.43	6.7	<0.2	<10	150	0.53	0.23	0.84	0.14	27.1	13.6	50
I316818		0.48	<0.005	0.16	2.63	6.8	<0.2	<10	160	0.56	0.27	0.76	0.13	32.2	14.7	54
I316819		0.36	<0.005	0.13	2.25	6.2	<0.2	<10	160	0.43	0.17	0.95	0.20	26.0	13.8	46
I316820		0.32	<0.005	0.14	2.13	5.9	<0.2	<10	160	0.40	0.19	0.69	0.08	22.0	13.2	44
I316821		0.42	<0.005	0.14	3.01	6.5	<0.2	<10	240	0.71	0.18	0.70	0.13	34.2	15.5	62
I316822		0.28	0.005	0.24	1.80	5.3	<0.2	<10	140	0.62	0.17	0.44	0.28	35.5	11.5	24
I316823		0.44	<0.005	0.09	1.90	5.8	<0.2	<10	150	0.38	0.20	0.80	0.13	23.4	13.0	44
I316824		0.46	<0.005	0.27	2.24	7.1	<0.2	<10	160	0.31	0.35	0.36	0.20	21.5	11.9	50
I316825		0.44	<0.005	0.26	2.01	6.9	<0.2	<10	150	0.36	0.29	0.38	0.22	23.3	7.5	37
I316826		0.36	<0.005	0.14	2.09	6.8	<0.2	<10	160	0.35	0.28	0.50	0.25	21.1	11.5	42
I316827		0.38	0.006	0.08	2.44	10.2	<0.2	<10	190	0.51	0.37	0.53	0.25	31.2	12.8	48
I316828		0.30	<0.005	0.06	0.31	1.6	<0.2	<10	50	0.08	0.07	0.09	0.36	4.35	1.4	11
I316829		0.42	<0.005	0.02	0.20	1.8	<0.2	<10	40	0.12	0.02	0.10	0.04	11.85	2.3	5
I316830		0.34	0.005	0.13	1.41	3.7	<0.2	<10	120	0.21	0.15	0.30	0.18	18.50	5.3	29
I316831		0.42	<0.005	0.09	1.59	3.7	<0.2	<10	120	0.20	0.18	0.30	0.14	17.35	7.7	34
I316832		0.42	<0.005	0.19	1.62	5.2	<0.2	<10	140	0.30	0.17	0.27	0.17	21.0	9.0	37
I316833		0.36	<0.005	0.10	1.65	4.7	<0.2	<10	130	0.23	0.17	0.29	0.18	22.1	6.9	34
I316834		0.38	0.006	0.15	1.78	6.4	<0.2	<10	140	0.34	0.26	0.31	0.18	21.6	8.4	32
I316835		0.40	<0.005	0.13	1.80	5.7	<0.2	<10	130	0.31	0.24	0.27	0.15	17.30	7.3	30
I316837		Not Recvd														
I316838		0.38	0.005	0.18	2.13	7.4	<0.2	<10	130	0.49	0.28	0.17	0.28	45.5	6.4	28
I316839		0.68	<0.005	0.16	1.96	5.8	<0.2	<10	170	0.39	0.18	0.26	0.20	39.3	7.8	31
I316840		0.30	0.007	0.25	1.29	2.4	<0.2	<10	150	0.25	0.13	0.31	0.14	34.4	5.5	23
I316841		0.56	<0.005	0.13	1.95	5.1	<0.2	<10	180	0.31	0.20	0.33	0.16	35.0	9.3	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316801		2.46	25.6	3.52	8.59	0.10	0.04	0.03	0.026	0.35	14.2	18.6	1.01	532	0.66
I316802		2.67	20.4	3.04	7.57	0.10	0.04	0.06	0.029	0.24	20.3	16.6	0.79	635	0.77
I316803		2.95	37.8	2.94	6.17	0.09	0.04	0.07	0.030	0.11	16.0	16.7	0.98	1300	1.08
I316804		4.65	40.4	3.78	9.56	0.09	0.04	0.03	0.025	0.20	7.2	27.9	1.47	402	0.87
I316805		0.11	2.9	0.88	0.88	<0.05	0.11	<0.01	<0.005	0.08	5.2	1.8	0.05	177	0.42
I316806		3.75	46.6	3.52	8.96	0.11	0.04	0.03	0.032	0.15	15.8	19.0	0.88	713	1.65
I316807		1.81	36.3	2.15	6.37	0.13	0.07	0.08	0.027	0.04	23.3	18.2	2.11	146	0.29
I316808		0.95	65.9	3.37	8.46	0.11	0.08	0.04	0.027	0.31	12.6	22.6	1.48	243	0.27
I316809		1.21	18.5	3.26	7.73	0.09	0.03	0.04	0.025	0.16	13.2	14.7	1.17	1440	0.96
I316810		0.94	20.2	3.03	6.93	0.08	0.02	0.03	0.030	0.07	11.8	14.3	0.90	343	0.75
I316811		0.83	19.0	2.67	6.55	0.07	0.02	0.10	0.023	0.06	8.7	11.2	0.74	685	1.06
I316812		0.98	18.7	2.91	7.04	0.07	0.02	0.08	0.025	0.08	9.7	13.1	0.71	347	0.93
I316813		1.03	26.7	2.83	6.94	0.08	0.05	0.03	0.025	0.08	12.1	13.4	0.66	280	0.73
I316814		0.98	15.9	2.07	6.16	0.06	0.03	0.04	0.018	0.06	8.9	10.1	0.46	154	0.91
I316815		1.02	18.5	2.96	6.89	0.08	0.04	0.03	0.023	0.07	10.4	11.8	0.59	507	0.95
I316816		1.40	21.3	2.40	6.49	0.10	0.04	0.04	0.024	0.10	13.6	14.8	0.57	537	0.92
I316817		1.86	29.1	3.03	8.92	0.11	0.05	0.04	0.029	0.12	13.1	18.9	0.72	383	1.24
I316818		2.02	28.5	3.18	9.18	0.12	0.05	0.03	0.031	0.14	15.3	20.7	0.79	370	1.06
I316819		1.75	23.9	2.80	7.75	0.10	0.04	0.04	0.029	0.13	12.1	16.1	0.67	551	1.27
I316820		1.73	22.4	2.77	7.97	0.09	0.03	0.07	0.025	0.10	10.5	15.2	0.60	460	1.20
I316821		2.45	32.2	3.45	10.20	0.12	0.05	0.04	0.035	0.20	16.4	22.4	0.92	338	1.11
I316822		1.23	28.1	2.13	5.95	0.08	0.03	0.07	0.022	0.05	21.1	8.4	0.25	506	1.11
I316823		1.29	17.8	2.68	7.23	0.08	0.04	0.04	0.026	0.08	11.2	14.5	0.59	626	0.94
I316824		1.54	16.0	2.97	8.98	0.09	0.03	0.05	0.032	0.11	10.6	12.8	0.68	418	1.53
I316825		1.40	21.6	2.51	8.02	0.07	0.03	0.05	0.033	0.08	11.3	11.6	0.55	234	1.21
I316826		1.50	20.4	2.72	8.12	0.09	0.03	0.04	0.037	0.13	10.2	12.5	0.66	404	1.33
I316827		1.95	27.4	3.32	8.89	0.11	0.06	0.03	0.040	0.17	15.6	17.0	0.78	444	1.46
I316828		0.49	11.2	0.67	1.84	<0.05	<0.02	0.05	0.008	0.02	2.2	0.7	0.03	32	0.82
I316829		0.10	2.5	0.87	0.80	<0.05	0.10	<0.01	<0.005	0.08	5.9	1.5	0.04	187	0.40
I316830		1.09	16.7	1.80	5.81	0.06	0.03	0.05	0.019	0.05	9.9	8.0	0.37	122	1.13
I316831		1.20	12.1	1.90	6.62	0.06	0.02	0.03	0.018	0.05	9.3	9.5	0.50	217	1.03
I316832		1.13	24.2	2.48	6.14	0.06	0.03	0.10	0.023	0.05	10.8	10.0	0.48	296	1.41
I316833		1.25	16.8	2.17	6.23	0.06	0.04	0.08	0.021	0.05	11.4	10.2	0.49	149	1.05
I316834		1.68	15.6	2.47	6.31	0.06	0.04	0.07	0.030	0.06	10.8	13.2	0.45	343	0.89
I316835		1.36	13.3	2.30	6.58	0.05	0.04	0.06	0.028	0.05	8.8	12.7	0.44	256	0.84
I316837															
I316838		1.95	20.6	3.15	9.23	0.08	0.12	0.05	0.033	0.09	29.4	12.6	0.38	310	1.73
I316839		1.62	17.5	2.73	7.61	0.08	0.06	0.05	0.032	0.08	26.3	10.3	0.39	488	1.20
I316840		1.47	12.5	1.83	5.27	0.06	0.04	0.10	0.022	0.05	19.6	7.5	0.30	235	0.82
I316841		1.89	13.6	2.59	7.54	0.07	0.05	0.07	0.028	0.06	18.7	14.0	0.47	524	1.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316801		1.69	37.1	830	5.5	28.1	<0.001	0.02	0.21	7.5	0.3	0.6	25.8	<0.01	0.02
I316802		1.69	18.8	740	6.7	27.1	<0.001	0.05	0.25	6.7	0.5	0.6	30.8	<0.01	0.02
I316803		1.01	43.9	790	6.4	17.6	<0.001	0.08	0.37	8.3	0.9	0.4	49.7	<0.01	0.03
I316804		1.79	46.4	510	4.8	20.9	<0.001	0.03	0.21	7.9	0.4	0.5	32.0	<0.01	0.02
I316805		0.18	4.5	130	1.7	4.0	<0.001	<0.01	0.11	0.7	<0.2	<0.2	11.9	<0.01	0.01
I316806		1.54	32.9	580	8.2	18.7	<0.001	0.03	0.34	6.2	0.5	0.7	26.8	<0.01	0.03
I316807		1.00	419	620	6.5	10.9	<0.001	0.06	0.33	7.8	0.8	0.4	41.8	<0.01	0.01
I316808		1.70	82.4	490	6.8	32.8	<0.001	0.02	0.40	7.2	0.6	0.4	24.9	<0.01	0.03
I316809		1.43	30.0	680	10.4	24.5	<0.001	0.04	0.21	5.1	0.5	0.6	23.9	<0.01	0.03
I316810		1.16	24.4	600	9.7	14.7	<0.001	0.03	0.23	5.8	0.5	0.5	21.6	<0.01	0.03
I316811		0.91	20.5	670	8.5	11.5	<0.001	0.05	0.22	4.3	0.5	0.5	22.0	<0.01	0.02
I316812		1.54	22.0	710	8.0	12.3	<0.001	0.03	0.26	4.6	0.5	0.5	25.6	<0.01	0.03
I316813		1.90	25.5	650	7.9	15.3	<0.001	0.03	0.31	4.8	0.7	0.5	23.1	<0.01	0.03
I316814		1.44	19.6	650	8.1	10.8	<0.001	0.07	0.24	3.0	0.6	0.5	22.4	<0.01	0.03
I316815		1.77	23.2	670	8.5	13.5	<0.001	0.05	0.35	4.0	0.7	0.5	23.6	<0.01	0.05
I316816		2.08	24.2	810	7.3	23.6	<0.001	0.06	0.27	4.6	0.8	0.4	40.6	<0.01	0.03
I316817		2.75	32.5	670	9.5	28.8	0.001	0.06	0.28	5.9	0.8	0.6	38.9	<0.01	0.05
I316818		2.99	34.3	700	9.9	28.9	<0.001	0.04	0.27	6.8	0.8	0.6	36.7	<0.01	0.05
I316819		2.68	28.4	660	8.9	27.7	0.001	0.07	0.29	5.2	0.7	0.6	44.1	<0.01	0.04
I316820		2.35	27.7	670	9.2	25.5	<0.001	0.06	0.26	4.5	0.8	0.6	43.8	<0.01	0.04
I316821		3.71	42.0	630	10.1	32.0	0.001	0.04	0.41	7.7	0.9	0.8	40.4	<0.01	0.04
I316822		1.31	22.4	800	7.8	11.8	<0.001	0.07	0.26	2.5	1.0	0.3	34.2	<0.01	0.04
I316823		2.19	23.7	580	8.6	15.9	<0.001	0.06	0.26	4.7	0.7	0.5	40.7	<0.01	0.03
I316824		2.25	23.3	540	8.8	21.5	<0.001	0.04	0.22	4.9	0.5	1.1	28.1	<0.01	0.04
I316825		1.99	21.7	550	8.4	18.7	<0.001	0.05	0.24	4.3	0.8	1.0	29.3	<0.01	0.04
I316826		2.24	25.1	520	8.1	24.7	<0.001	0.04	0.29	5.0	0.6	1.0	37.9	<0.01	0.04
I316827		2.64	32.5	460	7.7	26.6	<0.001	0.03	0.36	6.1	0.6	1.2	38.1	<0.01	0.04
I316828		0.13	4.8	530	2.2	2.5	<0.001	0.04	0.16	0.3	0.3	0.3	11.6	<0.01	0.03
I316829		0.17	4.5	130	2.2	3.4	<0.001	0.01	0.11	0.7	<0.2	<0.2	11.3	<0.01	<0.01
I316830		1.44	19.4	660	6.2	10.7	<0.001	0.07	0.20	3.1	0.6	0.5	25.9	<0.01	0.02
I316831		1.50	18.8	460	6.8	11.1	<0.001	0.05	0.22	3.6	0.5	0.5	25.1	<0.01	0.02
I316832		1.47	19.4	830	7.6	11.4	<0.001	0.07	0.26	3.1	0.6	0.5	23.1	<0.01	0.03
I316833		1.62	19.7	660	7.7	14.3	<0.001	0.05	0.25	3.6	0.5	0.5	23.5	<0.01	0.02
I316834		2.89	17.5	620	12.3	14.5	<0.001	0.04	0.32	4.8	0.7	0.9	26.0	<0.01	0.03
I316835		2.95	17.1	500	14.0	12.0	<0.001	0.04	0.25	4.1	0.4	0.9	23.9	<0.01	0.01
I316837															
I316838		4.16	15.0	370	17.4	25.6	<0.001	0.02	0.47	4.8	0.5	1.1	19.9	<0.01	0.04
I316839		2.58	15.3	700	14.2	19.7	<0.001	0.05	0.41	4.3	0.5	0.9	26.4	<0.01	0.03
I316840		2.03	11.5	1070	8.3	11.9	<0.001	0.09	0.27	3.3	0.6	0.6	29.9	<0.01	0.02
I316841		2.97	16.8	720	11.3	20.8	<0.001	0.05	0.28	4.7	0.5	0.9	28.4	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I316801		0.171	0.21	1.59	90	0.41	8.25	65	1.7
I316802		0.138	0.20	1.47	79	0.70	13.20	73	1.4
I316803		0.072	0.15	1.94	72	0.35	18.50	55	1.2
I316804		0.185	0.12	0.61	113	0.39	5.17	64	1.6
I316805		0.012	0.04	0.32	7	0.05	2.36	6	3.8
I316806		0.117	0.12	0.67	91	0.25	10.10	72	1.5
I316807		0.061	0.09	1.66	36	0.11	20.2	36	2.2
I316808		0.175	0.16	1.22	99	0.21	7.52	59	4.1
I316809		0.133	0.20	0.80	83	0.13	5.61	69	1.2
I316810		0.084	0.11	0.90	72	0.29	6.71	69	0.8
I316811		0.076	0.10	0.83	62	0.16	5.26	63	0.5
I316812		0.105	0.12	0.82	74	0.33	5.34	63	1.0
I316813		0.120	0.12	1.01	72	0.15	6.36	65	1.9
I316814		0.090	0.09	0.91	48	0.17	4.45	54	1.0
I316815		0.110	0.12	0.84	74	0.17	5.11	61	1.5
I316816		0.111	0.15	1.05	63	4.69	7.28	61	1.4
I316817		0.142	0.18	1.35	80	0.56	6.63	71	1.8
I316818		0.154	0.21	1.42	82	0.86	7.34	77	2.3
I316819		0.130	0.18	1.06	74	0.43	6.42	70	1.6
I316820		0.121	0.15	0.93	75	0.27	5.15	59	1.3
I316821		0.181	0.26	1.43	96	0.40	9.07	85	2.2
I316822		0.068	0.13	1.17	46	0.17	10.70	35	0.9
I316823		0.124	0.14	1.00	68	0.26	5.88	61	1.7
I316824		0.144	0.16	0.93	89	0.42	4.94	73	1.1
I316825		0.109	0.14	1.41	66	0.25	5.60	62	1.0
I316826		0.135	0.15	1.00	78	0.67	5.21	73	1.4
I316827		0.156	0.20	1.22	88	0.43	9.10	76	2.2
I316828		0.018	0.05	0.29	19	<0.05	0.85	16	<0.5
I316829		0.009	0.04	0.34	5	0.06	2.34	6	3.7
I316830		0.086	0.11	0.87	37	0.18	4.43	47	0.9
I316831		0.102	0.13	0.79	54	0.37	4.11	53	0.7
I316832		0.092	0.14	1.60	63	0.24	4.30	52	1.0
I316833		0.095	0.13	1.58	50	0.25	5.04	54	1.1
I316834		0.093	0.14	3.27	64	0.46	10.35	56	1.4
I316835		0.089	0.13	2.93	60	0.19	7.79	54	1.4
I316837									
I316838		0.126	0.19	2.04	75	0.39	10.85	62	4.3
I316839		0.097	0.19	2.99	63	0.45	12.10	67	2.0
I316840		0.061	0.14	3.17	29	0.18	9.22	40	1.3
I316841		0.108	0.18	2.86	58	0.51	9.24	60	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I316842		0.46	0.005	0.30	1.99	7.2	<0.2	<10	270	0.53	0.84	0.39	0.31	62.3	37.6	36
I316843		0.36	<0.005	0.33	1.83	6.4	<0.2	<10	310	0.75	0.39	0.92	0.58	99.4	59.0	36
I316844		0.50	0.006	0.24	2.34	4.6	<0.2	<10	270	0.57	0.63	0.63	0.42	63.7	30.8	47
I316845		0.62	<0.005	0.16	2.24	4.9	<0.2	<10	200	0.43	0.51	0.55	0.23	34.8	12.0	46
I316846		0.60	0.005	0.17	2.13	6.5	<0.2	<10	170	0.43	0.46	0.46	0.25	28.5	12.3	39
I316847		0.40	<0.005	0.15	1.93	4.9	<0.2	<10	180	0.45	0.40	0.40	0.23	32.4	10.1	33
I316848		0.46	<0.005	0.38	2.00	6.5	<0.2	<10	220	0.45	0.26	0.59	0.60	38.6	9.2	43
I316849		0.46	<0.005	0.27	1.85	4.8	<0.2	<10	200	0.33	0.18	0.43	0.30	26.3	8.4	38
I316850		0.50	<0.005	0.19	3.19	8.3	<0.2	<10	290	0.51	0.34	0.37	0.39	33.1	12.4	52
I319001		0.34	<0.005	0.33	1.04	4.4	<0.2	<10	180	0.16	0.13	0.18	0.28	19.40	4.4	28
I319002		0.36	<0.005	0.18	1.57	4.1	<0.2	<10	130	0.22	0.20	0.24	0.25	28.0	8.0	30
I319003		0.52	<0.005	0.58	1.91	7.1	<0.2	<10	520	0.55	0.20	0.80	0.67	57.8	13.4	43
I319004		0.58	<0.005	0.29	2.19	3.8	<0.2	<10	280	0.55	0.24	0.54	0.59	79.1	19.4	46
I319005		0.38	0.007	0.94	1.68	5.7	<0.2	<10	150	0.56	0.21	0.42	1.15	32.2	11.5	33
I319006		0.30	0.005	0.38	1.89	4.0	<0.2	<10	220	0.33	0.15	0.27	0.47	18.35	11.1	30
I319007		0.32	0.008	0.13	2.14	6.3	<0.2	<10	110	0.18	0.22	0.24	0.26	9.94	10.6	39
I319008		0.56	0.007	0.28	3.09	5.7	<0.2	<10	300	0.44	0.20	0.79	0.35	16.55	22.7	111
I319009		0.28	0.005	0.37	2.83	6.5	<0.2	<10	370	0.43	0.14	1.30	0.41	20.9	18.5	73
I319010		0.38	0.007	0.21	2.49	7.2	<0.2	<10	350	0.30	0.11	0.74	0.28	17.40	17.2	84
I319011		0.42	0.005	0.24	2.89	6.3	<0.2	<10	320	0.30	0.13	0.57	0.30	15.45	18.6	58
I319012		0.36	0.006	0.41	2.26	5.9	<0.2	<10	320	0.35	0.15	0.59	0.93	18.05	12.8	51
I319013		0.64	<0.005	0.02	0.17	1.7	<0.2	<10	40	0.11	0.02	0.10	0.05	11.15	2.4	4
I319014		0.36	0.008	1.03	2.12	4.7	<0.2	<10	450	0.47	0.16	0.87	0.79	40.1	11.9	43
I319015		0.42	0.007	0.81	2.25	7.4	<0.2	<10	540	0.41	0.22	0.96	0.92	35.4	16.0	63
I319016		0.38	0.007	0.65	2.46	11.3	<0.2	<10	340	0.36	0.31	0.87	0.57	26.5	17.0	78
I319017		0.48	0.010	0.39	2.66	13.5	<0.2	<10	230	0.27	0.35	1.02	0.57	13.80	18.9	156
I319018		0.48	0.008	0.21	2.55	16.1	<0.2	<10	230	0.24	0.26	0.96	0.25	12.25	20.3	147
I319019		0.38	0.013	0.23	3.19	19.8	<0.2	<10	310	0.42	0.64	0.73	0.36	26.0	18.4	67
I319020		0.40	0.010	0.25	2.08	17.2	<0.2	<10	270	0.40	0.29	1.26	0.58	18.35	12.0	49
I319021		0.50	0.011	0.28	2.29	22.0	<0.2	<10	300	0.42	0.40	1.35	0.49	23.1	14.1	55
I319022		0.34	0.007	0.28	1.91	15.7	<0.2	<10	330	0.38	0.38	1.88	0.68	23.5	13.9	38
I319023		0.34	0.015	0.44	1.04	5.2	<0.2	<10	570	0.37	0.13	2.32	2.42	23.0	15.9	19
I319024		0.52	0.007	0.17	2.86	6.5	<0.2	<10	240	0.40	0.51	0.55	0.37	29.6	21.5	64
I319025		0.48	0.005	0.26	3.02	9.3	<0.2	<10	310	0.52	1.15	0.59	0.85	35.3	22.4	66
I319026		0.46	0.007	0.25	2.71	12.0	<0.2	<10	360	0.55	0.76	0.37	0.34	36.7	16.4	53
I319027		0.62	0.006	0.12	2.68	6.0	<0.2	<10	300	0.67	0.97	0.47	0.53	52.4	9.3	23
I319028		0.38	0.006	0.11	0.68	3.9	<0.2	<10	100	0.17	0.45	0.12	0.66	12.45	4.3	15
I319029		0.28	<0.005	0.17	0.43	0.9	<0.2	<10	110	0.16	0.13	0.08	0.35	11.20	1.3	8
I319030		0.34	0.005	0.28	0.51	1.1	<0.2	<10	120	0.11	0.11	0.14	0.28	13.35	2.5	10
I319031		0.28	<0.005	0.54	0.61	1.2	<0.2	<10	170	0.20	0.12	0.19	0.29	21.3	2.0	11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I316842		1.94	20.9	3.35	7.76	0.10	0.05	0.06	0.032	0.07	29.0	12.9	0.47	2950	2.62
I316843		1.34	35.8	3.30	6.47	0.12	0.05	0.10	0.032	0.05	35.8	10.0	0.48	4870	3.40
I316844		2.10	24.9	2.87	8.59	0.11	0.05	0.08	0.031	0.10	25.3	14.8	0.66	4040	1.55
I316845		1.96	18.7	2.72	8.32	0.09	0.06	0.04	0.029	0.08	17.8	15.7	0.69	550	0.75
I316846		1.40	20.5	2.66	7.63	0.08	0.06	0.05	0.027	0.07	14.4	14.2	0.58	686	0.82
I316847		1.48	16.3	2.42	6.45	0.07	0.05	0.04	0.026	0.06	15.9	12.2	0.50	456	0.71
I316848		1.41	42.3	2.85	7.80	0.09	0.04	0.06	0.048	0.11	20.8	12.1	0.62	270	1.99
I316849		1.12	25.1	2.32	7.20	0.08	0.03	0.04	0.026	0.08	14.3	10.8	0.57	238	1.55
I316850		1.64	33.5	3.67	10.70	0.08	0.04	0.04	0.039	0.10	18.2	16.0	0.71	368	2.29
I319001		2.54	21.5	1.71	5.42	0.07	0.02	0.05	0.016	0.08	10.6	6.8	0.33	102	1.19
I319002		2.36	19.0	2.36	5.99	0.07	0.03	0.05	0.019	0.10	15.6	11.3	0.52	190	0.88
I319003		2.88	56.2	3.17	6.90	0.12	0.04	0.04	0.029	0.27	33.0	21.6	0.70	638	1.97
I319004		6.15	60.3	3.75	8.15	0.16	0.05	0.03	0.027	0.58	48.6	27.5	0.92	675	1.83
I319005		1.76	63.3	2.86	7.42	0.09	0.03	0.04	0.026	0.11	21.6	11.5	0.53	292	1.41
I319006		0.80	46.8	2.61	6.62	0.06	0.02	0.02	0.025	0.06	8.8	9.7	0.75	484	0.86
I319007		0.71	29.8	3.47	10.20	0.07	0.05	0.02	0.019	0.11	5.1	10.1	1.19	361	1.54
I319008		1.05	43.2	3.82	8.66	0.10	0.04	0.04	0.020	0.29	8.8	14.9	1.94	634	1.13
I319009		0.98	41.9	3.45	8.44	0.09	0.04	0.05	0.022	0.17	11.1	14.4	1.49	575	1.19
I319010		0.90	37.0	3.25	7.90	0.09	0.04	0.03	0.018	0.28	9.0	12.4	1.61	597	1.03
I319011		0.77	51.4	4.10	8.76	0.09	0.03	0.02	0.020	0.36	8.0	14.6	2.05	703	1.19
I319012		0.84	49.9	3.21	7.36	0.08	0.04	0.06	0.023	0.22	9.8	10.4	1.23	510	1.58
I319013		0.09	2.8	0.77	0.79	<0.05	0.09	<0.01	<0.005	0.06	5.6	1.5	0.05	175	0.31
I319014		0.79	53.4	2.50	6.96	0.10	0.04	0.08	0.026	0.11	20.8	10.7	0.84	508	1.92
I319015		1.02	63.3	3.08	7.14	0.11	0.05	0.15	0.032	0.14	19.0	12.5	1.03	661	2.85
I319016		0.99	65.1	3.43	7.96	0.11	0.04	0.06	0.028	0.16	13.7	14.2	1.41	638	1.77
I319017		0.81	58.7	3.35	6.89	0.08	0.03	0.05	0.019	0.20	7.2	12.1	2.04	557	0.86
I319018		0.73	51.8	3.02	6.24	0.08	0.03	0.04	0.016	0.15	6.2	10.7	1.96	543	0.65
I319019		1.36	54.4	3.97	9.15	0.10	0.07	0.04	0.028	0.28	12.7	14.6	1.88	555	0.79
I319020		0.86	37.5	2.74	5.62	0.08	0.06	0.07	0.032	0.12	10.3	9.3	1.05	670	1.61
I319021		0.91	41.0	3.18	6.47	0.10	0.06	0.05	0.027	0.11	13.3	12.2	1.09	530	1.61
I319022		0.85	39.8	2.52	5.87	0.09	0.06	0.09	0.024	0.07	13.1	10.4	0.71	728	1.31
I319023		0.48	64.7	1.47	2.93	0.06	0.06	0.11	0.014	0.03	10.5	3.1	0.29	4750	2.19
I319024		1.18	43.2	3.97	8.69	0.10	0.06	0.03	0.027	0.14	14.5	14.0	1.88	653	1.12
I319025		1.83	57.7	4.44	9.16	0.11	0.04	0.03	0.034	0.27	17.0	16.1	1.88	954	2.33
I319026		1.26	42.7	3.85	8.18	0.10	0.04	0.04	0.039	0.06	19.4	15.5	1.05	605	2.36
I319027		2.61	29.8	3.32	8.89	0.10	0.05	0.02	0.049	0.11	23.2	11.3	1.32	675	1.13
I319028		0.63	19.1	1.33	3.22	0.05	<0.02	0.02	0.014	0.04	7.2	3.1	0.19	125	0.74
I319029		0.42	11.0	0.67	2.11	<0.05	<0.02	0.04	0.009	0.02	7.4	1.0	0.07	30	0.48
I319030		0.40	13.7	0.84	2.54	<0.05	<0.02	0.04	0.008	0.03	7.7	1.5	0.13	76	0.52
I319031		0.46	22.1	0.83	2.27	0.05	<0.02	0.07	0.011	0.02	12.6	1.5	0.09	53	0.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I316842		2.36	21.2	970	15.1	17.4	0.001	0.08	0.34	5.0	0.7	0.8	39.8	<0.01	0.05
I316843		1.50	27.2	1360	12.4	12.7	0.001	0.13	0.48	4.6	1.3	0.5	67.6	<0.01	0.07
I316844		2.37	29.1	960	10.0	23.6	<0.001	0.08	0.36	7.0	1.0	0.7	61.5	<0.01	0.06
I316845		2.80	27.7	670	9.7	23.8	<0.001	0.04	0.30	6.2	0.5	0.7	54.5	<0.01	0.04
I316846		2.34	23.2	740	9.1	21.1	<0.001	0.05	0.35	5.4	0.6	0.7	40.0	<0.01	0.04
I316847		2.31	19.0	650	8.7	21.5	<0.001	0.05	0.32	5.1	0.5	0.7	34.9	<0.01	0.02
I316848		2.13	34.4	620	11.8	19.4	<0.001	0.07	0.32	4.7	0.7	0.6	51.8	<0.01	0.04
I316849		1.76	24.6	510	7.5	14.7	<0.001	0.05	0.22	4.3	0.4	0.6	36.3	<0.01	0.02
I316850		2.19	36.0	450	12.2	17.2	<0.001	0.04	0.31	5.8	0.5	0.8	38.8	<0.01	0.04
I319001		1.37	16.6	550	8.8	16.1	<0.001	0.07	0.25	2.1	1.2	0.4	18.8	<0.01	0.04
I319002		1.86	20.2	460	13.2	19.8	<0.001	0.05	0.21	3.1	0.6	0.5	21.1	<0.01	0.03
I319003		1.83	44.7	780	13.9	29.4	0.002	0.06	0.29	4.8	1.4	0.6	48.2	<0.01	0.04
I319004		2.85	50.0	650	9.4	63.6	<0.001	0.04	0.22	5.2	0.9	0.6	32.7	<0.01	0.04
I319005		1.49	32.1	530	12.3	17.8	<0.001	0.03	0.28	3.1	0.4	0.6	26.7	<0.01	0.03
I319006		1.03	18.1	340	6.0	9.3	<0.001	0.03	0.24	5.3	0.3	0.4	17.0	<0.01	0.03
I319007		1.72	20.0	200	8.1	21.7	<0.001	0.02	0.32	4.9	0.2	0.5	15.8	<0.01	0.05
I319008		1.64	57.2	510	40.1	31.0	0.001	0.03	0.28	5.9	0.5	0.4	22.0	<0.01	0.07
I319009		1.57	41.3	710	7.1	24.8	0.001	0.07	0.34	5.5	0.8	0.4	34.5	<0.01	0.04
I319010		1.35	39.1	630	5.6	26.6	<0.001	0.05	0.30	4.9	0.6	0.4	29.8	<0.01	0.03
I319011		1.32	28.7	530	5.8	24.2	<0.001	0.03	0.35	5.5	0.4	0.4	26.5	<0.01	0.03
I319012		1.19	28.3	620	9.4	22.3	<0.001	0.05	0.38	5.0	0.7	0.4	32.1	<0.01	0.04
I319013		0.19	4.4	120	1.8	2.8	<0.001	0.01	0.12	0.7	<0.2	<0.2	9.8	<0.01	<0.01
I319014		1.06	33.1	880	12.1	15.9	0.001	0.08	0.36	4.3	1.4	0.4	40.5	<0.01	0.03
I319015		1.16	46.6	960	11.1	18.5	0.001	0.07	0.40	6.1	1.2	0.5	39.6	<0.01	0.07
I319016		1.16	47.9	720	7.9	20.4	<0.001	0.06	0.34	6.3	1.0	0.5	32.3	<0.01	0.10
I319017		0.75	73.8	670	8.7	20.8	<0.001	0.08	0.38	5.3	0.5	0.3	30.7	<0.01	0.12
I319018		0.75	77.9	660	6.3	18.4	<0.001	0.07	0.50	4.7	0.4	0.3	31.1	<0.01	0.08
I319019		1.43	35.3	600	10.8	27.8	<0.001	0.06	0.50	8.2	0.5	0.5	28.4	<0.01	0.06
I319020		1.04	30.1	920	5.3	15.5	0.001	0.15	0.49	3.9	1.9	0.3	42.5	<0.01	0.04
I319021		1.27	38.7	820	7.6	17.8	0.001	0.11	0.43	5.4	1.4	0.4	36.9	<0.01	0.05
I319022		1.11	26.7	1080	7.0	13.1	<0.001	0.15	0.49	3.3	1.1	0.4	48.8	<0.01	0.05
I319023		0.49	24.1	1630	3.3	5.3	0.001	0.25	0.56	1.5	2.5	0.2	63.0	<0.01	0.07
I319024		1.16	37.1	600	7.8	21.1	<0.001	0.05	0.27	6.8	0.5	0.5	22.1	<0.01	0.04
I319025		1.15	40.2	680	8.7	30.3	<0.001	0.04	0.32	8.0	0.6	0.6	24.6	<0.01	0.06
I319026		1.25	39.2	630	13.0	12.4	<0.001	0.02	0.37	7.7	0.4	0.6	26.1	<0.01	0.05
I319027		0.63	17.2	550	8.4	17.3	<0.001	0.02	0.26	7.0	0.4	1.0	26.5	<0.01	0.03
I319028		0.41	9.6	300	4.8	6.0	<0.001	0.03	0.23	1.1	<0.2	0.3	11.0	<0.01	0.02
I319029		0.16	4.5	470	2.8	3.9	<0.001	0.04	0.12	0.3	<0.2	0.2	10.2	<0.01	0.01
I319030		0.27	7.8	390	3.0	4.3	<0.001	0.03	0.17	0.8	<0.2	0.2	12.6	<0.01	0.02
I319031		0.21	11.0	680	3.3	3.5	<0.001	0.06	0.14	0.6	0.3	0.2	17.1	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I316842		0.096	0.24	5.42	78	0.78	15.10	60
I316843		0.068	0.30	9.72	71	0.40	24.2	54
I316844		0.117	0.24	5.97	65	0.96	16.85	74
I316845		0.130	0.18	2.29	69	1.21	10.25	82
I316846		0.114	0.15	2.22	69	0.62	9.48	68
I316847		0.104	0.16	2.67	57	0.55	10.40	62
I316848		0.107	0.13	1.76	78	0.27	8.64	72
I316849		0.109	0.10	1.30	63	0.16	6.14	55
I316850		0.117	0.15	1.28	87	0.24	6.96	72
I319001		0.078	0.23	0.98	37	0.09	4.70	65
I319002		0.101	0.20	0.99	51	0.10	5.34	72
I319003		0.108	0.22	2.17	81	0.14	17.35	117
I319004		0.161	0.39	2.59	66	0.14	22.6	126
I319005		0.097	0.11	1.95	65	0.12	8.70	72
I319006		0.076	0.08	0.55	66	0.13	7.37	58
I319007		0.159	0.09	0.29	112	0.17	2.61	83
I319008		0.146	0.17	0.66	87	0.17	7.10	143
I319009		0.116	0.15	0.83	80	0.18	11.65	73
I319010		0.128	0.13	0.56	85	0.15	9.45	64
I319011		0.166	0.12	0.51	107	0.17	6.25	123
I319012		0.116	0.11	0.97	85	0.19	9.46	94
I319013		0.010	0.03	0.33	6	<0.05	2.31	7
I319014		0.065	0.11	1.99	62	0.14	22.9	68
I319015		0.082	0.14	1.61	81	0.17	15.55	111
I319016		0.091	0.13	0.99	90	0.14	12.40	109
I319017		0.091	0.14	0.64	83	0.10	8.65	105
I319018		0.086	0.14	0.57	72	0.10	6.51	68
I319019		0.148	0.19	1.25	104	0.13	10.35	95
I319020		0.078	0.13	1.75	66	0.09	10.15	61
I319021		0.088	0.11	1.54	72	0.24	11.60	86
I319022		0.062	0.10	1.25	58	0.10	11.40	88
I319023		0.027	0.20	1.15	29	0.09	12.55	62
I319024		0.116	0.17	1.17	89	0.09	10.20	99
I319025		0.130	0.24	1.15	92	0.12	15.30	126
I319026		0.105	0.14	1.35	84	0.15	13.00	107
I319027		0.044	0.23	1.04	44	0.07	15.80	80
I319028		0.042	0.06	0.53	30	0.08	3.99	32
I319029		0.021	0.05	0.54	14	0.06	3.73	10
I319030		0.033	0.05	0.53	19	0.06	5.67	17
I319031		0.022	0.05	0.99	16	0.05	9.91	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319032		0.44	0.008	0.25	2.47	6.4	<0.2	<10	280	0.55	0.32	0.48	0.32	49.7	14.2	48
I319033		0.34	0.008	0.29	1.86	4.1	<0.2	<10	170	0.46	0.83	0.25	0.48	32.1	12.7	38
I319034		0.32	<0.005	0.21	0.69	1.9	<0.2	<10	60	0.18	0.40	0.14	0.15	9.54	3.1	13
I319035		0.44	0.009	0.45	2.71	11.5	<0.2	<10	810	0.64	0.93	0.66	1.44	47.3	21.7	101
I319036		0.42	0.009	0.15	2.59	30.0	<0.2	<10	430	0.34	0.68	0.58	0.53	22.1	24.1	65
I319037		0.38	0.011	0.17	2.24	49.6	<0.2	<10	430	0.48	0.75	0.70	0.37	27.1	20.8	65
I319038		0.42	0.019	0.25	1.98	66.4	<0.2	<10	340	0.50	4.60	0.28	0.30	35.1	15.3	63
I319039		0.44	0.014	0.21	2.36	49.5	<0.2	<10	350	0.72	2.69	0.41	0.30	40.8	17.0	64
I319040		0.40	0.008	0.13	1.70	9.0	<0.2	<10	160	0.27	0.84	0.48	0.19	18.65	7.2	41
I319041		0.34	0.009	0.18	0.62	3.3	<0.2	<10	90	0.11	0.43	0.30	0.22	15.55	2.4	17
I319042		0.36	0.009	0.18	1.41	17.2	<0.2	<10	140	0.19	1.43	0.41	0.15	23.1	6.4	33
I319043		0.60	<0.005	0.01	0.07	2.4	<0.2	<10	20	0.12	0.02	0.11	0.05	17.30	2.4	3
I319044		0.34	0.009	0.12	1.93	6.7	<0.2	<10	140	0.31	1.26	0.33	0.22	23.9	8.0	38
I319045		0.54	0.007	0.14	1.83	10.7	<0.2	<10	170	0.30	1.00	0.34	0.21	25.9	12.2	36
I319046		0.38	0.008	0.13	2.10	6.5	<0.2	<10	200	0.43	0.95	0.58	0.46	30.4	30.0	46
I319047		0.48	<0.005	0.08	1.49	12.6	<0.2	<10	110	0.31	0.87	0.27	0.17	16.40	8.1	36
I319048		0.34	0.005	0.16	2.01	5.7	<0.2	<10	170	0.38	0.98	0.40	0.22	20.8	17.9	46
I319049		0.54	<0.005	0.12	2.04	6.2	<0.2	<10	140	0.35	1.25	0.38	0.21	20.9	12.5	47
I319050		0.34	0.016	0.12	1.69	4.2	<0.2	<10	140	0.37	0.85	0.41	0.22	20.4	10.4	37
I319101		0.70	0.008	0.19	2.84	4.0	<0.2	<10	180	0.28	0.22	0.51	0.18	14.45	18.4	73
I319102		0.68	0.007	0.18	2.54	3.3	<0.2	<10	180	0.29	0.12	0.80	0.19	19.05	16.9	63
I319103		0.56	0.005	0.21	2.50	5.0	<0.2	<10	230	0.25	0.13	0.84	0.26	14.95	14.9	55
I319104		0.58	0.006	0.19	2.79	5.0	<0.2	<10	210	0.29	0.12	0.61	0.21	17.65	16.2	57
I319105		0.74	0.006	0.21	2.74	4.7	<0.2	<10	230	0.27	0.13	0.58	0.25	14.85	15.4	60
I319106		0.70	0.013	0.31	3.21	10.1	<0.2	<10	280	0.34	0.12	0.66	0.33	21.1	17.1	67
I319107		0.54	0.006	0.28	2.78	5.9	<0.2	<10	250	0.27	0.11	0.87	0.33	11.35	17.6	61
I319108		0.64	0.008	0.26	2.83	6.7	<0.2	<10	240	0.36	0.14	0.62	0.27	21.9	13.1	51
I319109		0.46	0.016	0.27	2.00	6.4	<0.2	<10	210	0.31	0.14	0.51	0.26	25.1	11.3	39
I319110		0.66	0.007	0.43	2.44	8.3	<0.2	<10	550	0.45	0.14	0.79	0.79	32.1	11.3	65
I319111		0.74	0.008	0.52	1.82	8.2	<0.2	<10	360	0.40	0.21	0.62	0.87	32.1	15.2	59
I319112		0.46	0.009	0.67	2.31	4.4	<0.2	<10	320	0.40	0.23	0.89	1.26	33.8	24.7	79
I319113		0.74	0.008	0.32	3.00	6.7	<0.2	<10	270	0.33	0.36	0.61	0.40	21.0	19.3	66
I319114		0.70	0.007	0.31	3.08	6.9	<0.2	<10	270	0.33	0.38	0.60	0.38	21.1	19.7	66
I319115		0.54	0.005	0.28	2.26	6.9	<0.2	<10	280	0.31	0.34	1.03	0.64	19.35	14.8	67
I319116		0.60	0.008	0.35	2.89	6.2	<0.2	<10	310	0.32	0.54	0.82	0.44	20.8	15.8	53
I319117		0.78	0.010	0.43	3.70	5.3	<0.2	<10	330	0.39	0.52	0.58	0.44	23.5	20.2	70
I319118		0.96	0.009	0.34	3.15	13.7	<0.2	<10	310	0.41	0.37	0.61	0.25	29.2	17.5	76
I319119		0.74	0.009	0.47	2.60	16.8	<0.2	<10	280	0.44	0.39	0.93	0.42	36.0	15.6	62
I319120		0.56	0.009	0.32	3.10	13.3	<0.2	<10	300	0.41	0.45	0.62	0.38	27.4	18.4	81
I319121		0.72	0.009	0.33	2.62	8.7	<0.2	<10	280	0.41	0.51	0.58	0.37	35.4	14.3	66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319032		1.27	51.3	3.55	7.64	0.12	0.08	0.04	0.031	0.11	25.8	14.3	0.87	315	1.16
I319033		1.31	40.9	3.04	6.56	0.09	0.02	0.04	0.027	0.14	15.1	8.4	0.75	389	1.76
I319034		0.83	12.0	1.25	3.68	<0.05	<0.02	0.02	0.013	0.04	7.1	2.5	0.15	74	0.76
I319035		2.35	70.8	4.28	9.43	0.17	0.06	0.07	0.049	0.29	30.2	12.4	1.45	729	3.30
I319036		3.35	34.1	4.35	7.96	0.12	0.02	0.03	0.035	0.19	9.4	13.6	1.64	754	1.01
I319037		2.52	37.2	3.89	7.41	0.11	0.04	0.04	0.031	0.22	13.0	10.9	1.24	879	1.57
I319038		3.23	50.8	3.57	8.02	0.11	0.02	0.04	0.028	0.38	18.0	8.8	0.91	516	2.07
I319039		3.77	49.2	4.06	9.51	0.13	0.02	0.06	0.039	0.47	20.6	10.4	1.11	598	2.08
I319040		1.29	19.3	2.28	6.75	0.08	0.02	0.06	0.024	0.08	10.7	10.4	0.62	173	0.94
I319041		0.81	20.2	1.02	2.63	0.05	<0.02	0.10	0.009	0.04	8.2	1.9	0.13	61	0.61
I319042		1.31	20.2	2.64	5.51	0.09	0.02	0.08	0.018	0.11	13.1	8.0	0.53	148	1.62
I319043		0.08	1.8	0.61	0.58	<0.05	0.02	0.01	<0.005	0.01	8.3	0.9	0.04	179	0.38
I319044		1.46	21.9	2.37	6.67	0.09	0.03	0.08	0.024	0.09	12.6	12.4	0.64	169	0.89
I319045		1.22	24.4	3.42	5.90	0.09	0.03	0.06	0.023	0.08	13.3	10.4	0.59	382	1.15
I319046		1.91	26.3	3.28	6.96	0.10	0.03	0.06	0.024	0.10	14.5	12.3	0.74	1540	1.16
I319047		1.36	16.0	2.56	5.90	0.08	0.02	0.04	0.017	0.12	8.2	8.3	0.53	281	0.85
I319048		2.11	22.9	3.15	7.48	0.08	0.02	0.06	0.023	0.14	10.9	12.0	0.71	817	1.09
I319049		2.08	18.9	2.85	7.60	0.09	0.03	0.04	0.022	0.16	10.8	13.4	0.77	430	0.85
I319050		1.43	22.1	2.46	6.02	0.08	0.02	0.05	0.019	0.09	10.6	8.5	0.56	307	0.86
I319101		0.91	55.9	3.71	9.18	0.10	0.03	0.03	0.045	0.13	7.3	14.3	1.85	597	1.63
I319102		0.88	42.6	3.19	8.32	0.10	0.04	0.04	0.025	0.16	9.3	13.1	1.59	491	1.05
I319103		0.97	29.4	3.20	7.33	<0.05	0.03	0.04	0.021	0.19	7.1	9.3	1.29	610	1.60
I319104		1.04	40.2	3.87	7.81	<0.05	0.04	0.03	0.024	0.26	7.9	10.6	1.51	576	1.41
I319105		0.93	33.5	3.25	7.59	<0.05	0.04	0.04	0.019	0.15	7.1	10.1	1.37	458	1.44
I319106		1.14	47.7	3.80	8.32	0.06	0.05	0.04	0.021	0.37	10.0	11.7	1.73	462	1.55
I319107		1.12	35.7	3.56	7.97	<0.05	0.03	0.03	0.019	0.28	5.3	9.0	1.61	625	1.49
I319108		1.02	33.4	3.49	7.91	0.05	0.05	0.05	0.024	0.22	10.5	11.7	1.27	344	1.88
I319109		0.96	19.5	2.88	6.17	<0.05	0.05	0.05	0.027	0.08	12.2	9.9	0.72	542	2.52
I319110		1.87	44.6	3.28	6.85	0.07	0.07	0.06	0.029	0.18	15.7	13.6	1.10	371	3.87
I319111		2.00	44.5	3.51	6.00	0.06	0.06	0.07	0.037	0.15	15.6	9.6	0.80	336	3.74
I319112		1.07	52.1	3.19	6.75	0.05	0.07	0.06	0.030	0.20	15.9	12.4	1.27	1380	1.62
I319113		0.89	59.1	4.06	7.60	0.05	0.06	0.04	0.022	0.33	9.6	11.1	1.77	473	1.07
I319114		0.89	59.7	4.04	7.89	0.06	0.06	0.03	0.022	0.34	9.5	11.8	1.82	430	1.02
I319115		0.88	51.7	3.10	6.73	<0.05	0.04	0.04	0.024	0.21	9.2	8.2	1.27	671	1.32
I319116		1.07	84.2	3.64	7.77	0.05	0.06	0.06	0.024	0.33	9.4	11.6	1.59	564	0.88
I319117		1.37	153.0	4.48	9.72	0.07	0.07	0.06	0.025	0.55	10.7	13.6	2.33	578	0.79
I319118		1.18	37.9	3.99	8.14	0.05	0.07	0.05	0.029	0.31	13.9	13.4	1.75	622	0.93
I319119		1.07	43.1	3.45	7.40	0.06	0.08	0.06	0.031	0.14	18.8	12.1	1.21	568	1.23
I319120		1.36	38.5	4.21	8.89	0.08	0.07	0.03	0.034	0.24	13.6	15.1	1.68	665	1.17
I319121		1.06	36.3	3.63	7.29	0.06	0.07	0.05	0.032	0.16	18.2	12.9	1.26	488	1.18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319032		2.01	38.7	750	9.9	18.5	0.001	0.03	0.36	7.9	1.1	0.6	29.9	<0.01	0.04
I319033		1.29	34.9	670	8.1	19.1	<0.001	0.04	0.24	4.0	0.4	0.6	16.9	<0.01	0.05
I319034		0.57	7.9	250	3.5	6.6	<0.001	0.03	0.18	1.2	<0.2	0.3	12.2	<0.01	0.04
I319035		1.73	64.6	1430	6.8	31.5	0.001	0.06	0.39	10.2	1.6	0.8	28.9	<0.01	0.06
I319036		0.92	32.0	660	4.5	19.8	<0.001	0.05	0.88	10.1	0.4	0.5	21.8	<0.01	0.03
I319037		1.27	35.2	660	5.8	25.5	<0.001	0.06	0.59	7.3	1.0	0.7	21.3	<0.01	0.05
I319038		1.58	39.9	910	8.6	30.9	0.001	0.14	0.73	6.0	0.8	1.2	18.9	<0.01	0.09
I319039		1.78	48.2	860	8.9	44.9	0.001	0.13	0.68	7.3	0.9	1.3	23.4	<0.01	0.07
I319040		1.40	21.9	720	8.0	13.5	<0.001	0.06	0.36	4.0	0.5	0.6	24.0	<0.01	0.03
I319041		0.48	10.8	730	2.9	5.6	<0.001	0.10	0.22	1.1	0.6	0.3	19.1	<0.01	0.03
I319042		1.35	19.2	800	8.4	14.1	<0.001	0.08	0.38	3.0	0.6	0.6	20.0	<0.01	0.05
I319043		0.18	4.2	260	2.0	1.1	<0.001	0.01	0.13	0.5	<0.2	<0.2	6.1	<0.01	0.01
I319044		1.49	22.7	710	7.8	14.3	<0.001	0.06	0.41	4.3	0.5	0.6	23.7	<0.01	0.03
I319045		1.57	23.1	740	7.2	14.1	<0.001	0.05	0.42	4.7	0.4	0.5	23.9	<0.01	0.04
I319046		1.66	32.7	560	6.8	21.1	<0.001	0.06	0.26	5.1	0.4	0.6	39.6	<0.01	0.03
I319047		1.47	18.2	480	6.2	21.0	<0.001	0.05	0.23	3.4	0.2	0.5	20.2	<0.01	0.03
I319048		1.62	25.6	790	8.2	25.8	<0.001	0.08	0.24	4.1	0.3	0.7	29.2	<0.01	0.04
I319049		1.87	25.0	680	8.0	26.7	<0.001	0.06	0.25	4.7	0.3	0.7	27.9	<0.01	0.03
I319050		1.53	21.6	760	6.1	18.1	<0.001	0.10	0.24	3.4	0.4	0.6	29.9	<0.01	0.03
I319101		1.18	32.4	360	6.2	17.4	<0.001	0.02	0.19	8.5	0.2	0.5	22.9	<0.01	0.07
I319102		1.14	30.4	430	5.3	20.0	0.001	0.05	0.25	7.6	0.5	0.5	26.0	<0.01	0.03
I319103		1.17	26.8	680	7.4	21.5	0.001	0.06	0.26	4.8	0.8	0.4	30.6	<0.01	0.04
I319104		1.17	28.2	600	7.0	22.9	<0.001	0.04	0.27	6.8	0.7	0.5	23.3	<0.01	0.03
I319105		1.30	26.5	530	6.4	18.1	<0.001	0.05	0.21	4.7	0.7	0.4	25.1	<0.01	0.03
I319106		1.27	32.3	590	6.2	28.4	0.001	0.06	0.29	6.8	1.1	0.4	23.8	<0.01	0.03
I319107		1.09	28.5	630	5.0	21.7	<0.001	0.06	0.31	5.8	0.8	0.4	32.1	<0.01	0.02
I319108		1.25	27.6	630	7.3	20.0	0.001	0.06	0.32	6.0	1.1	0.5	26.5	<0.01	0.04
I319109		1.17	20.7	660	7.0	12.4	0.001	0.06	0.34	4.8	1.2	0.5	26.5	<0.01	0.03
I319110		0.99	36.8	820	9.3	22.8	0.003	0.12	0.47	6.6	1.9	0.5	35.2	0.01	0.05
I319111		1.02	35.3	770	11.8	17.2	0.001	0.07	0.57	7.2	1.6	0.5	41.7	<0.01	0.07
I319112		0.91	50.3	830	10.9	23.4	0.001	0.10	0.33	7.7	1.7	0.5	38.1	0.01	0.08
I319113		1.20	34.7	550	11.3	26.4	0.001	0.05	0.27	6.4	0.8	0.4	24.0	<0.01	0.12
I319114		1.23	34.9	550	11.8	27.2	0.001	0.06	0.27	6.5	0.8	0.4	24.1	<0.01	0.13
I319115		0.95	39.4	800	9.1	25.1	<0.001	0.07	0.27	5.3	0.9	0.4	40.0	<0.01	0.10
I319116		1.28	28.1	730	10.9	28.7	<0.001	0.09	0.28	6.3	0.9	0.4	32.5	<0.01	0.15
I319117		1.21	35.0	600	11.5	39.9	0.001	0.04	0.23	9.1	0.9	0.4	23.7	<0.01	0.15
I319118		1.21	39.9	660	14.2	28.8	<0.001	0.04	0.26	7.8	0.8	0.5	26.3	<0.01	0.04
I319119		1.26	37.2	820	11.8	21.7	0.001	0.07	0.34	7.0	1.2	0.6	39.4	0.01	0.05
I319120		1.35	44.7	760	9.6	30.1	<0.001	0.04	0.23	9.1	0.8	0.7	25.7	<0.01	0.05
I319121		1.20	36.7	800	10.8	20.6	0.001	0.04	0.25	7.3	0.9	0.5	26.3	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319032		0.126	0.17	1.76	79	0.22	20.1	76	3.1
I319033		0.087	0.15	1.11	73	0.13	10.30	77	0.6
I319034		0.050	0.09	0.52	31	0.09	4.39	25	<0.5
I319035		0.129	0.26	3.27	131	0.21	22.5	195	1.8
I319036		0.124	0.23	0.84	118	0.13	8.14	105	0.8
I319037		0.101	0.28	1.10	101	0.14	9.45	97	1.4
I319038		0.102	0.43	1.54	103	0.53	9.62	93	0.5
I319039		0.123	0.52	1.59	105	0.18	11.90	112	0.7
I319040		0.095	0.14	0.99	61	0.13	6.42	68	0.9
I319041		0.030	0.13	0.88	16	0.06	5.83	23	<0.5
I319042		0.085	0.20	1.00	61	0.16	5.92	58	0.8
I319043		0.007	0.06	0.35	8	<0.05	3.22	16	1.0
I319044		0.103	0.21	0.89	56	0.17	6.80	68	0.9
I319045		0.101	0.16	0.92	69	0.17	7.59	66	1.1
I319046		0.115	0.25	0.89	72	0.21	9.32	101	1.0
I319047		0.104	0.15	0.66	68	0.17	4.66	53	0.9
I319048		0.118	0.21	0.88	67	0.17	6.24	83	0.9
I319049		0.131	0.24	0.83	68	0.15	5.49	79	1.3
I319050		0.091	0.17	0.96	48	0.15	5.68	63	0.8
I319101		0.126	0.11	0.55	100	0.15	5.61	120	1.4
I319102		0.109	0.12	0.82	87	0.13	9.98	86	1.6
I319103		0.115	0.12	0.61	83	0.18	5.95	73	1.3
I319104		0.125	0.13	0.61	94	0.21	6.60	81	1.4
I319105		0.127	0.12	0.74	85	0.15	5.26	75	1.4
I319106		0.139	0.17	1.14	96	0.19	9.35	92	1.8
I319107		0.115	0.12	0.58	94	0.12	4.42	79	0.8
I319108		0.100	0.15	0.99	83	0.13	9.84	84	2.0
I319109		0.080	0.11	0.99	66	0.15	11.50	68	1.4
I319110		0.063	0.24	1.85	102	0.11	13.85	111	2.6
I319111		0.061	0.26	1.51	96	0.20	11.60	136	2.2
I319112		0.074	0.17	1.73	83	0.12	19.55	116	2.1
I319113		0.124	0.21	0.87	89	0.21	8.29	96	2.1
I319114		0.128	0.23	0.86	90	0.13	7.87	97	2.2
I319115		0.078	0.14	0.79	78	0.16	8.98	102	1.4
I319116		0.119	0.21	1.04	85	0.24	7.68	100	2.1
I319117		0.154	0.29	0.99	111	0.14	9.71	113	2.3
I319118		0.119	0.18	1.05	92	0.12	10.05	105	2.4
I319119		0.087	0.13	1.33	81	0.12	17.10	95	2.6
I319120		0.111	0.15	0.86	98	0.13	10.40	121	2.3
I319121		0.098	0.13	1.33	83	0.12	13.20	109	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319122		0.58	0.007	0.33	2.44	6.1	<0.2	<10	300	0.46	0.59	0.73	0.58	47.5	14.9	50
I319123		0.74	0.008	0.23	2.68	6.4	<0.2	<10	280	0.40	0.47	0.51	0.40	37.7	15.7	54
I319124		0.58	0.005	0.26	2.59	6.8	<0.2	<10	400	0.42	0.51	0.46	0.42	40.6	14.5	47
I319125		0.90	0.009	0.30	2.68	10.1	<0.2	<10	330	0.53	0.76	0.42	0.49	52.1	17.9	49
I319126		0.42	<0.005	0.01	0.12	2.2	<0.2	<10	30	0.08	0.02	0.09	0.04	8.77	1.9	31
I319127		0.82	0.005	0.25	2.51	8.1	<0.2	<10	180	0.39	0.52	0.38	0.35	24.6	11.1	42
I319128		0.76	0.007	0.29	2.53	9.1	<0.2	<10	210	0.42	0.87	0.35	0.52	36.8	12.7	47
I319129		0.56	0.005	0.67	3.04	10.2	<0.2	<10	270	0.56	1.12	0.46	1.30	57.8	15.5	50
I319130		0.38	<0.005	0.21	0.95	7.0	<0.2	<10	60	0.14	0.47	0.06	0.23	13.15	3.3	18
I319131		0.42	0.007	0.66	2.75	8.9	<0.2	<10	5030	0.38	1.67	0.29	5.31	60.1	30.0	103
I319132		0.50	0.005	0.25	2.52	7.9	<0.2	<10	240	0.41	0.50	0.20	1.43	46.4	19.4	59
I319133		0.40	<0.005	0.06	0.21	1.0	<0.2	<10	20	<0.05	0.08	0.04	0.04	2.15	1.6	6
I319134		0.46	0.019	0.81	1.56	7.1	<0.2	<10	240	0.44	0.65	0.96	1.30	51.7	12.0	38
I319135		0.54	0.005	0.23	1.71	4.5	<0.2	<10	220	0.23	0.69	0.49	0.54	14.45	15.3	46
I319136		0.54	<0.005	0.28	2.41	6.2	<0.2	<10	230	0.37	0.88	0.34	0.89	35.1	24.5	55
I319137		0.56	0.007	0.50	1.47	8.6	<0.2	<10	140	0.41	1.10	0.23	0.68	27.9	14.9	32
I319138		0.60	0.007	0.34	2.28	7.0	<0.2	<10	250	0.38	2.69	0.42	1.49	34.4	17.3	57
I319139		0.54	0.006	0.24	2.20	7.1	<0.2	<10	240	0.36	2.97	0.38	1.32	29.7	19.4	56
I319140		0.92	0.009	0.32	2.03	18.0	<0.2	<10	280	0.39	1.35	0.47	1.22	46.4	15.1	48
I319141		0.38	0.008	0.23	1.70	8.8	<0.2	<10	260	0.27	0.71	0.57	0.69	29.7	20.6	37
I319142		0.38	<0.005	0.19	1.64	8.8	<0.2	<10	210	0.24	0.70	0.48	0.53	25.1	17.8	37
I319143		0.40	0.005	0.18	1.52	6.0	<0.2	<10	190	0.20	0.81	0.42	0.50	21.9	13.3	32
I319144		0.48	0.006	0.16	1.53	7.4	<0.2	<10	160	0.21	1.32	0.38	0.35	21.5	8.8	32
I319145		0.44	0.007	0.11	1.46	9.3	<0.2	<10	110	0.16	0.68	0.24	0.19	16.35	6.4	30
I319146		0.50	0.006	0.10	1.56	9.9	<0.2	<10	110	0.20	0.69	0.26	0.20	17.45	8.2	31
I319147		0.48	<0.005	0.09	1.54	8.2	<0.2	<10	100	0.16	0.60	0.25	0.17	15.10	7.6	32
I319148		0.52	0.016	0.09	1.44	5.8	<0.2	<10	90	0.17	0.56	0.24	0.18	16.65	5.8	30
I319149		0.46	0.005	0.10	1.36	5.6	<0.2	<10	90	0.17	0.59	0.29	0.19	15.95	6.0	28
I319150		0.38	0.005	0.13	1.41	6.7	<0.2	<10	90	0.18	0.64	0.26	0.15	15.75	5.6	32
I319151		0.54	0.008	0.12	1.58	5.9	<0.2	<10	170	0.31	0.21	0.56	0.41	25.5	7.2	32
I319152		0.26	0.006	0.26	1.21	3.5	<0.2	<10	170	0.23	0.22	0.29	2.70	9.89	8.0	24
I319153		0.46	<0.005	0.21	0.58	2.3	<0.2	<10	70	0.14	0.15	0.14	0.18	9.47	2.1	12
I319154		0.48	<0.005	0.21	0.76	2.7	<0.2	<10	60	0.31	0.12	0.09	0.07	16.85	2.6	12
I319155		0.46	0.005	0.10	1.44	6.2	<0.2	<10	130	0.36	0.15	0.15	0.14	18.30	6.1	37
I319156		0.88	0.005	0.12	2.57	4.7	<0.2	<10	330	0.43	0.11	0.32	0.11	23.7	14.0	97
I319157		0.32	0.008	0.22	2.33	7.0	<0.2	<10	330	0.39	0.18	0.64	0.30	49.4	20.7	47
I319158		0.42	<0.005	0.16	0.57	1.9	<0.2	<10	80	0.11	0.06	0.21	0.11	8.29	3.5	13
I319159		0.38	0.021	0.25	1.75	4.4	<0.2	<10	280	0.38	0.11	1.50	0.89	38.0	21.3	97
I319160		0.32	0.005	0.19	1.30	2.8	<0.2	<10	230	0.29	0.12	1.34	1.35	35.2	9.8	27
I319161		0.60	0.007	0.21	2.40	4.9	<0.2	<10	140	0.25	0.18	0.30	0.24	18.55	13.6	53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319122		0.89	41.3	3.22	6.55	0.05	0.07	0.18	0.031	0.09	21.1	11.7	1.00	552	1.11
I319123		1.03	38.5	3.77	7.13	0.05	0.08	0.05	0.030	0.12	16.7	12.3	1.17	517	1.39
I319124		0.96	32.3	3.40	6.59	<0.05	0.06	0.06	0.033	0.07	20.1	13.1	0.99	375	1.55
I319125		1.17	38.3	3.59	7.77	0.06	0.08	0.06	0.043	0.08	23.6	15.1	0.83	272	1.82
I319126		0.08	2.0	0.68	0.56	<0.05	0.06	<0.01	<0.005	0.03	3.8	0.9	0.04	157	2.58
I319127		1.09	26.2	3.23	6.88	<0.05	0.04	0.03	0.032	0.09	12.3	12.2	0.79	292	1.01
I319128		1.10	33.5	3.58	7.66	0.05	0.05	0.03	0.038	0.09	18.8	12.5	0.83	432	1.73
I319129		1.28	43.1	4.29	8.90	0.12	0.09	0.06	0.050	0.12	40.0	17.3	0.85	523	2.30
I319130		0.69	14.7	2.31	8.60	<0.05	0.03	0.03	0.016	0.04	5.8	2.8	0.16	113	2.01
I319131		1.23	96.5	5.54	7.86	0.13	0.06	0.04	0.049	0.18	27.1	10.2	1.48	1060	7.57
I319132		0.77	61.3	4.23	6.88	0.05	0.04	0.03	0.041	0.08	18.2	10.8	1.08	716	3.50
I319133		0.23	5.3	0.73	1.79	<0.05	<0.02	0.02	<0.005	0.02	1.0	0.4	0.04	42	0.43
I319134		0.78	40.2	2.71	4.57	0.10	0.07	0.09	0.031	0.09	43.7	5.8	0.54	700	2.22
I319135		1.00	22.0	2.64	5.29	<0.05	0.02	0.04	0.024	0.06	7.6	8.8	0.83	484	1.28
I319136		1.31	32.9	3.52	7.18	<0.05	0.03	0.06	0.038	0.08	14.5	12.1	0.95	1220	1.65
I319137		0.97	24.9	2.54	5.20	<0.05	0.02	0.06	0.037	0.06	11.6	7.4	0.50	1160	1.29
I319138		1.85	32.0	3.73	7.69	0.06	0.04	0.04	0.048	0.18	15.0	10.6	1.06	830	1.67
I319139		1.73	30.5	3.72	7.60	0.12	0.03	0.03	0.048	0.18	12.5	9.7	1.05	1200	1.45
I319140		1.08	36.8	3.15	5.91	0.14	0.06	0.05	0.032	0.09	23.9	10.1	0.86	491	1.40
I319141		0.84	22.4	2.70	5.46	0.10	0.04	0.05	0.025	0.04	14.8	8.9	0.64	1100	1.43
I319142		0.91	19.0	2.69	5.80	0.10	0.04	0.04	0.023	0.05	12.6	9.1	0.65	996	1.80
I319143		0.82	15.0	2.32	5.50	0.08	0.03	0.04	0.022	0.04	11.1	8.0	0.57	435	1.38
I319144		0.93	15.9	2.33	5.65	0.09	0.02	0.07	0.021	0.05	11.0	8.3	0.57	236	1.00
I319145		0.85	15.1	2.14	5.68	0.07	0.02	0.04	0.020	0.04	8.1	7.2	0.46	197	0.92
I319146		1.12	17.1	2.39	5.91	0.08	0.03	0.03	0.020	0.06	8.5	7.9	0.53	239	0.89
I319147		1.05	13.8	2.28	5.69	0.08	0.03	0.04	0.018	0.06	7.4	7.9	0.53	221	0.80
I319148		1.13	14.2	1.97	5.48	0.07	0.02	0.04	0.018	0.05	8.2	6.5	0.46	146	0.58
I319149		1.22	13.8	1.99	5.27	0.07	0.02	0.04	0.017	0.06	7.9	6.4	0.45	145	0.59
I319150		1.30	15.8	2.37	5.36	0.08	0.03	0.04	0.018	0.06	7.8	6.0	0.42	142	0.79
I319151		0.86	21.2	2.30	5.81	0.10	0.04	0.03	0.020	0.08	18.5	10.3	0.43	269	3.10
I319152		0.95	20.4	2.12	6.18	0.05	0.02	0.05	0.019	0.08	4.8	5.2	0.24	372	1.27
I319153		0.64	10.5	0.87	3.96	<0.05	<0.02	0.02	0.009	0.04	5.0	2.3	0.10	52	0.95
I319154		1.03	9.7	1.09	3.65	0.06	<0.02	0.04	0.011	0.02	12.2	2.9	0.09	59	0.69
I319155		1.98	21.3	2.20	5.88	0.06	0.02	0.05	0.022	0.04	9.2	8.0	0.29	145	1.22
I319156		3.14	31.2	3.13	8.70	0.13	0.06	0.02	0.021	0.34	11.8	21.5	1.39	341	0.63
I319157		2.16	67.1	3.26	8.05	0.15	0.07	0.05	0.032	0.33	24.1	22.8	0.96	755	1.14
I319158		0.55	14.3	1.08	2.13	0.05	<0.02	0.04	0.009	0.07	4.2	3.4	0.18	102	0.62
I319159		0.90	44.3	2.07	4.66	0.13	0.07	0.07	0.019	0.08	23.0	12.0	1.04	990	1.29
I319160		0.63	25.0	1.56	4.20	0.11	0.06	0.07	0.019	0.08	19.8	7.4	0.43	662	1.53
I319161		0.80	23.1	3.12	7.86	0.09	0.03	0.03	0.025	0.08	9.7	14.5	1.09	515	1.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319122		1.21	32.3	740	10.8	14.1	0.001	0.07	0.32	5.8	1.4	0.5	33.8	0.01	0.04
I319123		1.40	33.4	620	10.3	17.6	0.001	0.03	0.26	6.6	0.9	0.5	26.2	<0.01	0.04
I319124		1.32	32.4	710	11.1	13.6	0.001	0.04	0.29	6.1	1.3	0.5	25.2	<0.01	0.03
I319125		1.56	37.4	630	14.3	12.5	0.001	0.03	0.32	7.6	1.7	0.7	25.1	<0.01	0.04
I319126		0.15	4.2	120	2.0	1.7	<0.001	<0.01	0.28	0.5	<0.2	<0.2	5.9	<0.01	<0.01
I319127		1.51	28.1	720	10.0	12.9	<0.001	0.02	0.26	4.8	0.7	0.6	22.7	<0.01	0.03
I319128		1.52	33.7	830	12.4	14.2	<0.001	0.03	0.27	5.0	0.9	0.6	23.8	<0.01	0.04
I319129		1.98	47.0	670	18.2	15.0	0.001	0.03	0.35	6.5	1.4	0.6	26.5	0.01	0.05
I319130		1.72	9.4	290	9.0	6.9	<0.001	0.02	0.49	1.8	0.4	0.8	8.7	<0.01	0.03
I319131		0.61	114.0	1430	14.4	15.2	0.004	0.07	0.34	7.7	3.3	0.4	33.9	0.01	0.07
I319132		0.76	62.4	980	8.6	9.7	<0.001	0.05	0.29	6.0	1.9	0.4	14.8	0.01	0.05
I319133		0.21	2.8	200	1.6	1.4	<0.001	0.02	0.16	0.4	0.2	0.2	5.9	<0.01	0.01
I319134		0.86	30.1	1120	11.9	10.3	0.001	0.10	0.34	4.7	1.9	0.4	32.4	0.01	0.04
I319135		0.86	22.4	740	6.0	11.2	<0.001	0.05	0.24	3.6	0.7	0.4	23.0	<0.01	0.02
I319136		1.18	29.8	800	14.2	13.2	<0.001	0.05	0.25	5.2	1.0	0.5	21.2	<0.01	0.03
I319137		0.89	20.3	690	12.2	11.4	<0.001	0.04	0.26	3.2	0.9	0.4	16.5	<0.01	0.04
I319138		1.51	37.0	1040	10.7	24.0	<0.001	0.05	0.24	6.2	1.0	0.8	23.4	<0.01	0.05
I319139		1.38	35.5	940	11.0	22.5	0.001	0.05	0.24	6.1	0.8	0.7	20.6	<0.01	0.05
I319140		1.40	33.4	830	9.5	14.0	0.001	0.03	0.44	6.1	1.5	0.5	21.2	0.01	0.04
I319141		1.12	24.3	780	7.3	8.7	0.001	0.08	0.33	4.2	1.3	0.5	29.5	<0.01	0.03
I319142		1.31	24.1	750	7.9	11.4	0.001	0.05	0.32	4.3	1.1	0.5	27.4	<0.01	0.03
I319143		1.16	20.4	690	7.8	11.8	<0.001	0.05	0.24	3.6	0.9	0.5	25.1	<0.01	0.02
I319144		1.21	21.2	630	7.0	13.5	<0.001	0.04	0.26	3.6	0.8	0.6	23.3	<0.01	0.03
I319145		1.22	17.0	580	6.9	10.4	<0.001	0.04	0.29	3.0	0.7	0.5	19.3	<0.01	0.03
I319146		1.34	19.3	560	6.6	12.8	<0.001	0.04	0.31	3.5	0.6	0.5	20.1	<0.01	0.03
I319147		1.33	18.0	530	6.5	12.4	<0.001	0.03	0.30	3.2	0.5	0.5	19.0	<0.01	0.02
I319148		1.26	16.2	490	6.2	11.4	<0.001	0.04	0.24	3.0	0.6	0.5	18.2	<0.01	0.02
I319149		1.22	16.3	520	5.9	11.9	<0.001	0.05	0.23	2.7	0.6	0.6	20.4	<0.01	0.02
I319150		1.36	15.8	590	6.4	11.9	<0.001	0.06	0.22	2.7	0.7	0.5	18.6	<0.01	0.03
I319151		1.42	20.4	420	8.7	12.5	0.001	0.04	0.31	3.6	0.6	0.6	41.0	<0.01	0.03
I319152		1.07	15.0	650	10.6	10.1	<0.001	0.04	0.34	2.0	0.4	0.6	26.2	<0.01	0.03
I319153		0.68	6.8	170	6.5	10.4	<0.001	0.02	0.20	1.3	0.2	0.5	15.5	<0.01	0.02
I319154		0.46	5.8	250	5.5	5.7	<0.001	0.02	0.19	1.3	0.5	0.3	11.0	<0.01	0.02
I319155		1.05	17.0	430	7.6	11.4	<0.001	0.03	0.35	2.3	0.6	0.5	16.1	0.01	0.03
I319156		2.25	43.7	680	6.6	46.9	<0.001	0.01	0.21	5.0	0.5	0.7	22.1	<0.01	0.02
I319157		2.13	31.4	870	6.8	29.5	0.001	0.07	0.34	8.0	1.0	0.6	43.9	0.01	0.03
I319158		0.39	7.1	660	1.8	6.7	<0.001	0.06	0.15	1.0	0.5	0.2	15.6	<0.01	0.02
I319159		1.02	194.5	980	5.4	12.7	0.001	0.15	0.61	3.8	1.5	0.3	102.5	0.01	0.03
I319160		0.92	22.4	860	5.6	14.2	0.001	0.13	0.38	3.2	1.3	0.3	75.9	0.01	0.03
I319161		1.12	32.7	610	10.6	12.6	<0.001	0.02	0.26	4.9	0.6	0.5	21.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319122		0.089	0.12	1.43	71	0.14	16.95	99
I319123		0.110	0.14	1.06	79	0.15	11.15	95
I319124		0.097	0.12	1.31	75	0.14	12.80	95
I319125		0.118	0.15	1.67	83	0.14	15.10	100
I319126		0.006	0.03	0.27	4	<0.05	1.82	5
I319127		0.117	0.12	0.78	73	0.13	7.30	79
I319128		0.111	0.12	1.14	79	0.15	10.10	93
I319129		0.118	0.14	1.48	89	0.17	25.6	129
I319130		0.112	0.10	0.36	83	0.12	2.33	32
I319131		0.065	0.18	1.79	111	0.11	18.40	470
I319132		0.060	0.10	1.29	88	0.16	11.60	182
I319133		0.033	0.02	0.15	20	0.05	0.53	14
I319134		0.051	0.15	2.07	56	0.14	25.0	107
I319135		0.083	0.10	0.68	66	0.12	5.15	83
I319136		0.097	0.20	1.25	86	0.19	7.73	124
I319137		0.067	0.14	1.33	54	0.14	6.48	92
I319138		0.110	0.22	1.19	88	0.30	9.44	185
I319139		0.112	0.22	1.02	91	0.24	7.92	190
I319140		0.094	0.16	2.10	73	0.13	17.65	119
I319141		0.068	0.12	1.47	55	0.13	10.85	79
I319142		0.078	0.11	1.57	65	0.30	7.50	82
I319143		0.072	0.11	1.26	60	0.18	6.66	72
I319144		0.075	0.12	0.87	53	0.14	6.56	68
I319145		0.081	0.11	0.60	56	0.13	4.46	50
I319146		0.093	0.13	0.60	60	1.04	4.61	57
I319147		0.097	0.11	0.50	61	0.18	3.98	56
I319148		0.088	0.12	0.57	41	0.32	4.13	50
I319149		0.083	0.11	0.55	40	0.15	3.84	48
I319150		0.084	0.10	0.63	56	0.15	3.70	46
I319151		0.091	0.08	1.23	55	0.18	7.84	48
I319152		0.073	0.10	0.35	51	0.15	1.91	87
I319153		0.061	0.06	0.31	28	0.11	1.89	21
I319154		0.040	0.06	0.77	22	0.11	4.85	14
I319155		0.070	0.09	0.62	51	0.15	3.26	26
I319156		0.195	0.30	0.63	71	0.14	5.83	64
I319157		0.164	0.25	1.97	85	0.30	15.00	81
I319158		0.038	0.06	0.82	27	0.18	2.40	20
I319159		0.060	0.10	2.28	48	0.16	22.4	61
I319160		0.054	0.09	2.55	34	0.14	16.80	54
I319161		0.098	0.10	0.56	73	0.16	5.84	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319162		0.40	0.005	0.18	1.61	3.8	<0.2	<10	190	0.28	0.12	0.56	0.39	36.1	15.7	30
I319163		0.54	<0.005	0.17	2.06	5.2	<0.2	<10	190	0.25	0.15	0.46	0.14	22.8	11.6	35
I319164		0.80	<0.005	0.21	2.13	5.2	<0.2	<10	190	0.25	0.18	0.45	0.16	23.1	10.2	36
I319165		0.46	0.007	0.34	1.91	7.4	<0.2	<10	240	0.40	0.26	1.16	0.42	30.7	16.6	36
I319166		0.36	0.005	0.24	1.73	4.8	<0.2	<10	240	0.34	0.19	0.96	0.38	30.0	13.5	32
I319167		0.34	0.008	0.19	0.59	1.8	<0.2	<10	90	0.11	0.10	0.31	2.47	10.25	2.2	13
I319168		0.36	0.005	0.24	1.71	5.6	<0.2	<10	210	0.30	0.18	0.51	0.35	24.3	11.5	39
I319169		0.60	<0.005	0.11	2.07	7.8	<0.2	<10	230	0.35	0.17	0.37	0.32	24.3	10.4	41
I319170		0.50	0.008	0.20	2.26	33.6	<0.2	<10	170	0.40	0.22	0.31	0.57	27.4	18.4	49
I319171		0.20	0.009	0.22	0.47	4.6	<0.2	<10	100	0.10	0.10	0.46	0.22	6.54	2.4	14
I319172		0.50	0.006	0.27	2.21	7.2	<0.2	<10	260	0.38	0.20	0.43	0.23	26.8	12.8	46
I319173		0.38	0.011	0.19	1.61	8.4	<0.2	<10	260	0.28	0.18	0.57	0.42	21.7	11.8	33
I319174		0.26	0.005	0.11	1.88	6.4	<0.2	<10	220	0.32	0.16	0.56	0.45	25.6	11.0	33
I319175		0.44	0.007	0.18	1.66	6.1	<0.2	<10	160	0.38	0.24	0.46	0.48	23.4	7.7	31
I319176		0.26	<0.005	0.13	0.35	1.4	<0.2	<10	60	0.08	0.11	0.07	0.51	4.21	2.3	9
I319177		0.22	<0.005	0.15	0.79	2.9	<0.2	<10	130	0.16	0.16	0.24	1.17	8.93	7.0	16
I319178		0.36	0.009	0.18	1.73	7.3	<0.2	<10	110	0.50	0.23	0.20	0.38	18.45	9.9	25
I319179		0.38	0.006	0.11	1.34	6.9	<0.2	<10	120	0.28	0.22	0.14	0.38	14.45	7.7	23
I319180		0.34	<0.005	0.41	0.96	5.2	<0.2	<10	370	0.58	0.12	0.95	1.00	130.0	15.7	16
I319181		0.48	<0.005	0.09	1.76	14.2	<0.2	<10	390	0.24	0.74	0.32	0.81	14.30	23.0	46
I319182		0.38	0.011	0.13	0.99	45.8	<0.2	<10	250	0.12	0.19	1.61	0.39	6.93	9.6	21
I319183		0.48	0.006	0.17	1.80	13.7	<0.2	<10	230	0.50	3.54	0.28	0.42	53.9	15.7	48
I319184		0.34	<0.005	0.38	0.77	7.2	<0.2	<10	140	0.24	0.70	0.36	0.46	25.5	6.8	24
I319185		0.46	0.006	0.21	2.26	11.3	<0.2	<10	300	0.65	2.96	0.42	0.35	45.8	17.5	55
I319186		0.18	<0.005	0.19	0.94	3.1	<0.2	<10	220	0.24	1.00	1.25	1.54	17.15	5.3	22
I319187		0.34	0.009	0.20	0.44	6.5	<0.2	<10	60	0.10	0.51	0.19	0.28	10.40	2.3	11
I319188		0.48	<0.005	0.14	1.95	13.5	<0.2	<10	150	0.30	1.57	0.31	0.27	25.2	10.2	37
I319189		0.54	0.009	0.16	1.82	9.1	<0.2	<10	150	0.21	1.20	0.32	0.24	19.90	9.1	36
I319190		0.52	<0.005	0.13	2.27	6.7	<0.2	<10	180	0.34	0.92	0.45	0.24	22.7	26.1	48
I319191		0.36	<0.005	0.14	0.71	3.2	<0.2	<10	80	0.14	0.56	0.22	0.24	9.52	10.4	18
I319192		0.38	0.006	0.19	2.18	9.1	<0.2	<10	160	0.39	1.21	0.39	0.24	19.80	13.4	49
I319193		0.42	<0.005	0.14	2.05	8.0	<0.2	<10	150	0.30	2.03	0.43	0.23	18.65	13.5	48
I319194		0.54	<0.005	0.16	1.79	8.9	<0.2	<10	150	0.32	1.35	0.39	0.29	21.1	12.7	40
I319195		0.46	<0.005	0.22	0.96	3.4	<0.2	<10	160	0.27	0.65	0.42	0.86	28.4	8.2	21
I319196		0.40	<0.005	0.15	1.78	5.3	<0.2	<10	140	0.34	1.23	0.28	0.23	17.25	12.1	39
I319197		0.40	<0.005	0.11	1.64	6.1	<0.2	<10	110	0.21	0.78	0.26	0.17	15.10	9.9	39
I319198		0.32	0.005	0.13	1.41	5.6	<0.2	<10	100	0.20	0.76	0.20	0.15	17.85	7.7	32
I319199		0.30	<0.005	0.13	1.39	5.8	<0.2	<10	100	0.21	0.81	0.19	0.14	18.85	7.6	33
I319200		0.28	<0.005	0.38	1.27	4.2	<0.2	<10	90	0.19	3.85	0.14	0.30	14.30	6.4	41
I319201		0.52	<0.005	0.30	2.54	6.6	<0.2	<10	330	0.43	0.32	0.32	0.32	40.2	29.8	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319162		0.63	21.4	2.11	4.85	0.10	0.03	0.11	0.022	0.04	15.5	7.5	0.48	960	1.29
I319163		0.76	21.0	2.46	6.14	0.08	0.03	0.05	0.024	0.04	11.2	11.5	0.63	385	0.71
I319164		0.70	22.9	2.70	6.24	0.09	0.03	0.03	0.024	0.05	11.3	12.4	0.67	355	0.90
I319165		0.92	44.2	2.33	5.76	0.10	0.06	0.06	0.024	0.04	15.0	10.6	0.59	1360	1.41
I319166		0.74	29.8	2.11	5.36	0.10	0.05	0.06	0.021	0.04	14.0	9.1	0.51	758	0.92
I319167		0.74	13.5	0.87	2.99	0.06	<0.02	0.04	0.010	0.04	5.3	2.1	0.10	72	0.95
I319168		0.64	30.9	2.33	5.66	0.09	0.04	0.03	0.023	0.05	11.6	11.6	0.63	320	1.48
I319169		0.88	28.9	3.00	7.07	0.10	0.05	0.04	0.025	0.08	11.4	14.6	0.75	277	1.15
I319170		1.19	50.0	3.51	7.24	0.12	0.04	0.03	0.027	0.08	11.4	15.6	0.95	682	2.00
I319171		0.71	14.3	0.96	1.83	0.05	<0.02	0.10	0.011	0.04	3.6	1.6	0.10	51	1.29
I319172		1.08	28.6	2.48	7.21	0.10	0.04	0.05	0.027	0.07	14.9	13.1	0.78	370	1.20
I319173		0.70	22.8	2.20	5.16	0.10	0.04	0.04	0.019	0.05	11.1	10.0	0.60	609	1.17
I319174		0.71	18.6	2.24	5.73	0.09	0.04	0.03	0.023	0.05	12.1	12.2	0.60	542	0.83
I319175		1.39	18.7	2.29	5.87	0.09	0.09	0.05	0.025	0.07	13.5	10.4	0.42	488	1.18
I319176		0.34	10.3	0.74	2.75	<0.05	<0.02	0.02	0.007	0.03	2.1	1.0	0.06	233	0.62
I319177		0.65	15.7	1.47	4.53	0.05	<0.02	0.05	0.015	0.03	4.6	4.3	0.19	357	1.20
I319178		1.88	19.2	2.81	8.69	0.07	0.05	0.07	0.028	0.05	8.7	12.6	0.27	819	1.42
I319179		1.15	20.4	2.45	7.39	0.06	0.02	0.05	0.023	0.03	6.7	8.1	0.25	392	1.46
I319180		0.68	26.2	1.71	3.35	0.16	0.06	0.14	0.019	0.03	56.7	2.2	0.15	6490	2.69
I319181		1.51	34.4	3.29	5.13	0.11	<0.02	0.03	0.037	0.13	5.8	8.9	0.95	607	0.94
I319182		0.79	20.3	1.61	2.99	0.06	0.03	0.09	0.011	0.08	3.8	3.3	0.49	218	1.12
I319183		2.42	50.1	3.65	6.42	0.13	0.02	0.02	0.025	0.26	21.1	10.1	0.80	519	1.68
I319184		0.89	24.6	1.70	3.74	0.08	0.02	0.05	0.017	0.08	15.6	2.6	0.22	199	1.99
I319185		3.75	52.2	3.83	8.19	0.17	0.05	0.04	0.031	0.42	24.1	11.1	1.03	479	1.79
I319186		1.30	33.2	1.28	3.48	0.09	0.03	0.08	0.013	0.11	9.5	3.7	0.32	187	1.05
I319187		0.54	16.8	0.91	1.86	0.05	<0.02	0.07	0.006	0.04	4.9	1.6	0.12	48	0.52
I319188		1.68	24.7	3.19	6.94	0.10	0.03	0.07	0.024	0.09	12.6	12.2	0.66	215	1.55
I319189		1.31	19.6	2.59	7.17	0.07	0.03	0.05	0.023	0.08	9.9	10.9	0.61	237	1.31
I319190		1.95	17.4	2.98	7.90	0.10	0.04	0.03	0.023	0.17	10.9	13.1	0.88	837	1.11
I319191		0.89	11.1	1.18	3.23	0.05	<0.02	0.05	0.009	0.05	4.5	3.7	0.25	380	0.70
I319192		2.47	24.3	2.94	7.80	0.11	0.04	0.05	0.024	0.18	9.7	12.8	0.79	452	1.12
I319193		2.68	19.7	3.07	7.52	0.12	0.04	0.03	0.021	0.23	9.2	12.3	0.84	382	1.05
I319194		2.01	18.6	3.10	6.58	0.11	0.04	0.04	0.020	0.16	10.1	10.2	0.65	622	1.02
I319195		1.05	26.0	1.49	3.29	0.09	0.02	0.14	0.014	0.07	14.0	3.7	0.23	284	0.96
I319196		2.02	19.6	2.58	7.24	0.09	0.03	0.05	0.020	0.13	8.5	10.0	0.61	400	1.12
I319197		1.89	13.1	2.21	6.79	0.08	0.02	0.04	0.017	0.10	7.5	10.1	0.61	223	0.87
I319198		1.50	17.0	2.15	6.26	0.08	0.02	0.08	0.018	0.07	8.8	8.3	0.46	162	0.97
I319199		1.59	17.5	2.20	6.22	0.08	0.02	0.07	0.017	0.07	9.2	8.0	0.45	157	1.14
I319200		3.25	32.9	2.06	7.52	0.07	0.02	0.05	0.019	0.11	7.6	6.6	0.39	280	1.66
I319201		1.83	23.1	3.31	9.04	0.10	0.03	0.07	0.030	0.06	15.3	11.3	0.68	3850	2.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319162		0.77	22.8	960	5.6	10.2	<0.001	0.11	0.39	3.5	1.3	0.3	53.0	<0.01	0.03
I319163		1.09	25.5	710	8.6	9.5	<0.001	0.05	0.30	4.4	0.6	0.5	35.9	<0.01	0.03
I319164		1.02	26.4	640	7.8	9.2	<0.001	0.03	0.27	4.2	0.6	0.4	30.1	<0.01	0.03
I319165		1.05	33.2	950	12.2	9.7	0.001	0.10	0.48	3.5	1.5	0.4	40.1	0.01	0.05
I319166		0.97	25.5	910	9.0	14.0	<0.001	0.09	0.36	3.6	1.0	0.4	52.9	<0.01	0.03
I319167		0.62	9.5	510	4.5	11.9	<0.001	0.07	0.22	1.5	0.7	0.3	22.4	<0.01	0.03
I319168		1.03	31.1	790	11.1	9.5	<0.001	0.05	0.31	3.5	1.0	0.4	28.6	<0.01	0.04
I319169		1.61	34.9	700	9.2	12.5	<0.001	0.02	0.34	4.4	0.7	0.5	26.1	<0.01	0.03
I319170		1.24	49.4	850	12.1	12.3	<0.001	0.05	0.39	4.3	0.9	0.4	21.9	<0.01	0.05
I319171		0.45	9.2	1030	3.9	6.8	<0.001	0.13	0.31	1.2	0.8	0.2	25.0	<0.01	0.03
I319172		1.28	31.1	750	11.2	14.2	0.001	0.05	0.26	4.8	0.9	0.6	26.8	<0.01	0.03
I319173		1.00	25.0	730	7.2	12.6	<0.001	0.05	0.28	3.8	0.9	0.4	31.2	<0.01	0.03
I319174		1.12	24.0	740	7.3	10.2	<0.001	0.05	0.29	3.7	0.7	0.4	33.6	<0.01	0.02
I319175		2.30	19.9	610	23.6	14.3	<0.001	0.04	0.52	4.5	0.7	0.6	39.1	<0.01	0.02
I319176		0.09	5.9	500	4.5	2.9	<0.001	0.03	0.16	0.2	0.3	0.3	9.8	<0.01	0.01
I319177		0.76	12.2	300	6.6	7.6	<0.001	0.03	0.40	1.7	0.4	0.5	27.6	<0.01	0.04
I319178		2.44	17.0	360	22.5	13.0	<0.001	0.03	0.52	3.1	0.6	0.9	18.9	0.01	0.04
I319179		1.46	16.4	420	10.2	7.0	<0.001	0.03	0.53	2.3	0.5	0.7	16.0	<0.01	0.04
I319180		0.41	14.9	1830	5.3	4.8	0.001	0.22	0.80	2.1	1.9	0.2	68.5	0.01	0.06
I319181		0.71	32.5	630	3.3	12.1	<0.001	0.04	0.42	4.9	0.6	0.4	15.3	<0.01	0.04
I319182		0.52	12.0	860	1.9	8.1	0.003	0.24	0.60	2.4	1.2	0.2	32.4	<0.01	0.03
I319183		1.18	45.5	970	7.6	23.6	0.001	0.14	0.41	5.0	1.2	1.0	17.8	<0.01	0.07
I319184		0.61	21.3	680	4.3	10.3	<0.001	0.09	0.46	1.3	0.9	0.5	19.2	<0.01	0.05
I319185		1.55	45.5	970	8.8	43.3	<0.001	0.08	0.49	7.5	1.3	1.1	27.4	0.01	0.07
I319186		0.95	23.1	920	4.7	13.8	<0.001	0.18	0.40	2.5	1.3	0.4	46.6	<0.01	0.03
I319187		0.43	7.7	550	1.8	5.5	<0.001	0.07	0.28	1.1	0.8	0.2	13.5	<0.01	0.03
I319188		1.73	26.5	730	7.7	13.9	<0.001	0.05	0.48	4.2	1.1	0.7	23.5	<0.01	0.05
I319189		1.50	22.2	710	8.4	11.3	<0.001	0.05	0.38	3.8	0.8	0.7	23.9	<0.01	0.04
I319190		2.01	28.0	770	7.7	22.6	<0.001	0.04	0.34	5.5	0.7	0.8	32.2	<0.01	0.04
I319191		0.63	10.9	490	3.5	9.8	<0.001	0.05	0.18	1.6	0.5	0.4	17.1	<0.01	0.02
I319192		1.99	29.4	740	7.9	30.1	<0.001	0.08	0.35	5.1	0.9	0.8	30.1	<0.01	0.04
I319193		2.05	28.3	710	7.6	35.8	<0.001	0.06	0.30	5.2	0.7	0.9	30.1	<0.01	0.04
I319194		1.73	21.4	810	6.5	24.5	<0.001	0.07	0.29	4.3	0.9	0.7	28.1	<0.01	0.05
I319195		0.95	18.6	1250	4.4	13.3	<0.001	0.16	0.37	2.2	1.2	0.4	34.0	<0.01	0.04
I319196		1.78	21.6	610	7.1	20.4	<0.001	0.07	0.24	3.7	0.7	0.7	25.1	<0.01	0.05
I319197		1.53	21.9	550	6.6	17.0	<0.001	0.06	0.21	3.6	0.6	0.7	22.9	<0.01	0.03
I319198		1.49	18.1	560	6.3	13.0	<0.001	0.07	0.36	2.9	0.8	0.6	19.8	<0.01	0.04
I319199		1.52	18.2	570	6.4	12.1	<0.001	0.07	0.42	2.9	0.8	0.6	19.7	<0.01	0.04
I319200		1.47	19.8	460	8.1	29.3	<0.001	0.05	0.32	3.1	0.6	0.9	16.3	<0.01	0.06
I319201		1.29	25.5	1170	13.1	15.3	<0.001	0.11	0.37	5.7	1.0	0.7	33.4	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319162		0.046	0.09	1.52	45	0.11	10.80	49
I319163		0.082	0.08	0.68	57	0.23	6.20	57
I319164		0.085	0.07	0.91	61	0.14	6.12	62
I319165		0.060	0.11	0.91	54	0.13	10.85	53
I319166		0.062	0.08	0.84	47	0.30	10.45	59
I319167		0.038	0.06	0.53	19	0.10	3.16	24
I319168		0.073	0.07	0.86	58	0.15	7.11	85
I319169		0.118	0.09	0.71	73	0.16	6.84	71
I319170		0.101	0.09	1.02	84	0.22	7.48	97
I319171		0.030	0.04	0.59	20	0.08	1.89	19
I319172		0.085	0.11	1.39	62	0.17	8.58	71
I319173		0.078	0.08	0.98	55	0.29	8.46	61
I319174		0.081	0.08	1.00	54	0.15	8.82	72
I319175		0.100	0.10	2.64	58	0.43	12.95	67
I319176		0.012	0.05	0.25	22	0.06	1.05	32
I319177		0.052	0.08	0.39	41	0.12	2.16	46
I319178		0.102	0.13	1.04	74	0.18	4.85	79
I319179		0.081	0.12	0.55	68	0.16	3.29	54
I319180		0.023	0.19	5.84	31	0.16	36.8	44
I319181		0.087	0.19	0.40	72	0.17	4.41	118
I319182		0.053	0.07	0.27	36	3.37	3.58	35
I319183		0.081	0.42	1.41	81	0.20	13.00	88
I319184		0.042	0.12	0.81	45	0.15	9.68	35
I319185		0.127	0.49	1.65	88	0.37	14.30	91
I319186		0.048	0.14	1.19	28	0.26	13.15	54
I319187		0.030	0.10	0.78	18	0.08	5.10	17
I319188		0.104	0.21	0.88	77	0.28	7.50	69
I319189		0.106	0.16	0.71	67	0.35	5.81	66
I319190		0.140	0.20	0.65	74	0.19	6.46	81
I319191		0.051	0.09	0.50	32	0.11	3.11	29
I319192		0.126	0.27	0.91	76	2.86	5.86	79
I319193		0.134	0.27	0.72	75	0.23	5.25	83
I319194		0.109	0.19	0.96	67	0.16	6.02	69
I319195		0.048	0.14	1.43	25	0.13	8.13	33
I319196		0.106	0.21	0.86	67	0.17	4.23	61
I319197		0.105	0.16	0.70	49	0.38	3.61	61
I319198		0.086	0.18	0.76	52	0.18	3.75	51
I319199		0.088	0.20	0.78	53	0.27	3.82	50
I319200		0.105	0.21	0.63	59	1.53	3.32	39
I319201		0.111	0.27	1.87	78	0.21	8.03	78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319202		0.48	<0.005	0.13	1.59	4.3	<0.2	<10	150	0.26	0.21	0.25	0.13	22.1	26.1	27
I319203		0.54	0.005	0.05	1.61	1.9	<0.2	<10	130	0.25	0.28	0.18	0.16	17.05	4.6	26
I319204		0.44	<0.005	0.06	1.74	2.3	<0.2	<10	140	0.31	0.30	0.19	0.18	20.1	4.7	29
I319205		0.70	0.006	0.09	2.14	11.3	<0.2	<10	260	0.54	0.33	0.43	0.23	46.9	15.5	38
I319206		1.00	0.007	0.10	2.00	5.3	<0.2	<10	200	0.55	0.48	0.45	0.30	47.7	12.7	39
I319207		0.54	<0.005	0.10	0.72	4.3	<0.2	<10	30	0.13	0.25	0.06	0.13	8.12	3.3	13
I319208		0.48	<0.005	0.18	2.40	13.4	<0.2	<10	420	0.35	0.22	0.49	0.63	31.6	26.0	44
I319209		0.46	<0.005	0.09	1.26	6.6	<0.2	<10	60	0.25	0.24	0.15	0.19	12.30	5.9	20
I319210		0.44	0.005	0.14	2.24	9.7	<0.2	<10	120	0.40	0.27	0.28	0.47	16.60	10.0	33
I319211		0.48	<0.005	0.10	2.47	9.6	<0.2	<10	160	0.52	0.46	0.32	0.33	20.1	12.4	34
I319212		0.42	<0.005	0.14	1.58	7.5	<0.2	<10	140	0.30	0.19	0.18	0.33	12.70	8.6	25
I319213		0.46	0.007	0.37	2.08	8.2	<0.2	<10	200	0.72	0.44	0.79	0.47	38.6	10.6	37
I319214		0.56	0.006	0.18	1.74	4.5	<0.2	<10	140	0.33	0.50	0.43	0.36	23.3	8.6	35
I319215		0.54	0.005	0.17	1.81	4.2	<0.2	<10	150	0.37	0.52	0.44	0.31	25.2	8.0	36
I319216		0.56	<0.005	0.04	0.40	2.1	<0.2	<10	20	0.06	0.10	0.06	0.06	3.51	2.0	8
I319217		0.52	<0.005	0.50	1.73	33.5	<0.2	<10	290	0.47	0.19	1.14	0.49	36.6	23.7	32
I319218		0.46	0.005	0.36	1.31	8.1	<0.2	<10	210	0.31	0.15	0.32	0.47	21.0	7.1	53
I319219		0.52	0.006	0.42	2.78	96.7	<0.2	<10	420	0.51	0.53	0.55	0.25	24.2	20.6	79
I319220		0.64	0.007	0.24	3.95	11.4	<0.2	<10	320	0.55	0.18	0.71	0.33	25.8	24.7	65
I319221		0.44	<0.005	0.27	2.33	18.0	<0.2	<10	310	0.49	0.18	0.41	0.31	31.0	13.8	72
I319222		0.54	<0.005	0.10	2.18	8.0	<0.2	<10	140	0.43	0.18	0.38	0.24	47.6	16.7	40
I319223		0.46	0.005	0.19	1.84	6.7	<0.2	<10	130	0.39	0.21	0.24	0.36	31.0	14.2	31
I319224		0.72	<0.005	0.08	2.14	6.8	<0.2	<10	170	0.42	0.19	0.39	0.19	42.6	13.4	38
I319225		0.56	0.005	0.16	1.98	5.5	<0.2	<10	180	0.30	0.15	0.49	0.21	23.0	12.7	35
I319226		0.74	0.005	0.17	1.94	5.6	<0.2	<10	160	0.27	0.17	0.36	0.16	18.50	11.6	36
I319227		0.52	0.005	0.27	2.06	8.8	<0.2	<10	200	0.32	0.17	0.49	0.27	24.6	28.6	37
I319228		0.52	0.005	0.24	2.07	6.5	<0.2	<10	180	0.31	0.16	0.48	0.24	21.2	14.0	37
I319229		0.50	0.010	0.53	2.74	10.4	<0.2	<10	320	0.51	0.22	0.78	0.43	40.4	17.0	47
I319230		0.64	0.009	0.38	2.79	8.9	<0.2	<10	440	0.58	0.24	0.38	0.75	62.1	16.7	60
I319231		0.60	0.010	0.21	2.27	11.1	<0.2	<10	160	0.48	0.25	0.27	0.41	31.4	15.6	62
I319232		0.44	0.007	1.01	1.75	8.6	<0.2	<10	490	0.55	0.17	0.41	0.98	66.0	47.1	43
I319233		0.46	0.014	0.54	1.43	4.3	<0.2	<10	400	0.48	0.16	0.56	1.11	35.6	14.6	31
I319234		0.44	0.005	0.13	1.87	7.0	<0.2	<10	220	0.35	0.17	0.54	0.25	19.30	10.6	38
I319236		0.56	0.005	0.11	1.52	4.1	<0.2	<10	190	0.25	0.13	0.54	0.25	11.20	7.3	29
I319237		0.44	<0.005	0.23	2.30	5.6	<0.2	<10	260	0.41	0.18	0.91	0.49	20.0	13.4	41
I319238		0.40	0.010	0.34	1.12	13.0	<0.2	<10	170	0.38	0.09	1.80	0.83	37.9	10.5	14
I319239		0.56	<0.005	0.29	2.07	23.4	<0.2	<10	160	0.37	0.20	0.52	0.54	28.3	15.0	52
I319240		0.54	0.011	0.90	2.96	17.5	<0.2	<10	340	0.72	0.21	0.79	0.39	34.9	16.1	61
I319241		0.52	0.013	0.55	1.31	5.6	<0.2	<10	140	0.28	0.19	0.20	0.54	11.30	5.8	21
I319242		0.64	0.005	0.08	2.45	8.0	<0.2	<10	90	0.46	0.38	0.22	0.25	19.65	9.9	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319202		1.73	14.2	2.29	6.50	0.08	0.03	0.03	0.021	0.04	9.6	7.8	0.47	1580	1.24
I319203		1.15	13.5	1.32	6.32	0.05	0.03	0.04	0.022	0.03	7.7	9.6	0.31	127	0.32
I319204		1.39	14.7	1.41	6.39	0.06	0.03	0.05	0.023	0.04	8.9	10.6	0.32	127	0.39
I319205		1.96	27.5	4.05	6.92	0.13	0.11	0.03	0.029	0.05	18.0	15.1	0.57	471	0.65
I319206		1.74	30.1	2.77	6.51	0.12	0.23	0.04	0.029	0.07	17.2	15.1	0.57	427	0.61
I319207		1.02	9.5	1.49	5.34	<0.05	0.02	0.03	0.012	0.03	4.2	3.6	0.10	102	1.27
I319208		0.98	26.0	3.46	7.15	0.11	0.04	0.03	0.026	0.06	12.9	12.9	0.72	2440	1.96
I319209		1.10	20.3	1.97	5.33	0.06	0.02	0.08	0.018	0.04	5.7	6.9	0.26	298	1.34
I319210		1.34	20.5	3.25	8.42	0.08	0.04	0.04	0.031	0.04	7.2	15.2	0.41	345	1.47
I319211		1.13	24.6	3.23	7.45	0.06	0.08	0.03	0.029	0.05	7.3	11.1	0.48	478	1.41
I319212		0.94	18.4	2.73	6.70	0.05	0.02	0.03	0.024	0.03	5.7	9.0	0.28	461	1.25
I319213		1.62	35.0	3.00	6.04	0.13	0.14	0.07	0.032	0.10	28.4	12.5	0.65	588	1.00
I319214		0.88	18.5	2.49	5.51	0.07	0.09	0.04	0.024	0.06	11.7	10.5	0.53	330	0.69
I319215		0.90	20.9	2.46	5.67	0.07	0.10	0.02	0.024	0.05	12.8	11.1	0.55	316	0.67
I319216		0.57	6.5	1.03	3.87	<0.05	<0.02	0.02	0.006	0.02	1.7	1.3	0.07	78	0.66
I319217		0.73	44.3	2.75	5.05	0.10	0.03	0.06	0.023	0.04	16.8	7.4	0.44	1610	2.19
I319218		0.90	34.1	1.84	4.68	0.06	<0.02	0.04	0.014	0.06	9.0	6.6	0.44	165	1.19
I319219		1.73	52.4	3.84	10.10	0.09	0.03	0.04	0.031	0.13	11.2	15.8	1.26	500	1.66
I319220		2.67	38.3	4.58	11.15	0.10	0.04	0.02	0.030	0.27	9.7	20.0	1.85	895	1.19
I319221		1.56	38.0	3.28	7.82	0.08	0.02	0.04	0.024	0.12	13.7	13.2	1.00	360	1.41
I319222		0.75	39.9	3.79	6.66	0.10	0.06	0.03	0.028	0.07	20.1	13.3	0.73	496	0.91
I319223		0.87	37.7	2.90	6.52	0.08	0.03	0.06	0.025	0.06	13.2	11.0	0.50	497	1.20
I319224		0.74	38.0	3.42	6.70	0.10	0.04	0.02	0.026	0.06	20.5	12.8	0.77	315	0.89
I319225		0.72	24.1	2.77	6.25	0.07	0.03	0.03	0.023	0.05	10.7	10.8	0.64	465	0.92
I319226		0.73	24.2	2.82	6.75	0.06	0.03	0.02	0.025	0.05	9.0	10.9	0.64	445	0.99
I319227		0.82	23.2	3.19	6.88	0.06	0.03	0.04	0.028	0.05	9.4	10.5	0.58	1920	1.45
I319228		0.81	22.1	2.81	6.78	0.07	0.03	0.04	0.026	0.05	9.2	11.0	0.61	849	1.00
I319229		1.05	36.7	3.47	8.28	0.09	0.05	0.06	0.037	0.07	22.0	13.1	0.70	1000	2.31
I319230		1.12	71.1	3.78	8.22	0.13	0.07	0.04	0.035	0.09	30.7	17.8	0.96	351	2.22
I319231		1.53	39.6	3.92	8.54	0.09	0.04	0.04	0.030	0.09	11.8	16.3	1.00	433	1.62
I319232		0.77	70.2	2.78	5.17	0.11	0.04	0.11	0.031	0.06	24.1	7.3	0.44	3160	2.38
I319233		0.74	41.9	1.88	4.60	0.08	0.02	0.08	0.020	0.05	17.8	6.0	0.40	1500	1.34
I319234		0.87	23.4	2.83	6.71	0.06	0.03	0.04	0.024	0.05	9.4	11.2	0.62	611	1.26
I319236		0.79	17.7	2.15	5.41	0.05	0.02	0.02	0.016	0.04	5.5	7.4	0.46	352	1.05
I319237		0.84	24.2	2.71	6.71	0.07	0.04	0.04	0.024	0.06	9.9	13.9	0.69	633	0.94
I319238		0.42	40.9	1.24	2.47	0.07	0.03	0.09	0.015	0.04	18.7	3.1	0.19	1780	1.60
I319239		1.47	34.3	3.92	8.89	0.08	0.03	0.02	0.029	0.16	9.7	15.4	0.86	681	1.32
I319240		1.95	56.9	3.39	7.92	0.10	0.04	0.06	0.036	0.08	20.9	13.5	0.75	918	1.34
I319241		0.77	21.2	2.21	6.15	<0.05	0.02	0.03	0.019	0.02	5.4	6.3	0.19	211	1.42
I319242		1.29	22.4	3.35	7.68	0.06	0.05	0.03	0.030	0.05	8.8	14.9	0.56	398	1.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319202		1.36	14.1	770	7.4	10.9	<0.001	0.05	0.28	4.3	0.7	0.7	24.2	<0.01	0.03
I319203		1.30	12.8	500	7.9	7.8	<0.001	0.04	0.29	3.1	0.5	0.7	18.1	<0.01	0.02
I319204		1.37	14.1	540	8.3	9.6	<0.001	0.05	0.33	3.2	0.7	0.7	18.9	<0.01	0.02
I319205		2.08	24.4	760	10.1	12.5	<0.001	0.02	0.49	7.6	0.9	0.8	36.6	<0.01	0.03
I319206		1.62	26.4	680	14.7	14.4	<0.001	0.02	0.57	7.8	0.8	0.8	33.7	<0.01	0.03
I319207		1.29	6.8	270	8.2	6.4	<0.001	0.03	0.39	1.6	0.4	0.6	9.3	<0.01	0.03
I319208		1.14	30.2	930	8.8	11.5	<0.001	0.06	0.39	5.1	1.0	0.5	35.0	<0.01	0.04
I319209		0.91	13.2	560	7.6	7.7	<0.001	0.06	0.53	1.8	0.8	0.4	17.2	<0.01	0.04
I319210		1.87	22.4	480	11.9	10.9	<0.001	0.05	0.52	3.6	0.6	0.7	28.4	<0.01	0.05
I319211		2.33	24.2	320	17.1	8.9	<0.001	0.03	0.52	4.6	0.6	0.6	26.4	0.01	0.04
I319212		1.09	16.4	380	8.5	6.2	<0.001	0.05	0.44	2.3	0.3	0.6	19.5	0.01	0.03
I319213		2.17	29.5	820	43.8	13.7	<0.001	0.04	0.57	7.4	1.1	0.6	53.8	0.01	0.03
I319214		1.76	22.4	650	21.8	9.1	<0.001	0.03	0.39	5.2	0.4	0.5	29.0	<0.01	0.02
I319215		1.75	23.4	660	22.2	8.7	<0.001	0.03	0.37	5.7	0.4	0.5	27.5	<0.01	0.02
I319216		0.37	4.2	260	3.4	3.5	<0.001	0.03	0.17	0.7	0.2	0.3	7.4	<0.01	0.01
I319217		0.56	24.2	1570	7.7	7.9	0.001	0.17	0.41	2.8	1.6	0.3	41.1	<0.01	0.06
I319218		0.54	24.6	810	5.6	9.9	<0.001	0.08	0.34	1.8	0.7	0.4	22.4	<0.01	0.04
I319219		1.61	55.4	840	11.2	18.5	<0.001	0.09	0.37	6.2	1.0	0.5	34.2	<0.01	0.08
I319220		1.07	40.0	640	9.9	31.9	<0.001	0.07	0.34	10.6	0.8	0.5	33.5	<0.01	0.03
I319221		1.11	55.6	750	8.7	17.6	<0.001	0.07	0.41	4.4	0.8	0.4	29.9	<0.01	0.04
I319222		1.35	45.7	770	9.2	7.4	<0.001	0.05	0.41	4.6	0.6	0.5	26.1	<0.01	0.03
I319223		1.14	28.7	720	13.2	10.5	<0.001	0.04	0.32	3.6	0.6	0.5	19.0	<0.01	0.04
I319224		1.13	33.3	720	9.3	8.9	<0.001	0.03	0.30	5.3	0.6	0.5	25.9	<0.01	0.03
I319225		0.96	25.6	810	6.7	8.7	<0.001	0.06	0.29	4.3	0.5	0.5	37.3	<0.01	0.03
I319226		0.84	25.2	680	7.8	8.7	<0.001	0.04	0.26	3.2	0.4	0.5	27.8	<0.01	0.03
I319227		0.78	24.1	930	9.5	9.0	<0.001	0.08	0.29	3.6	0.5	0.4	38.0	<0.01	0.03
I319228		0.86	24.3	850	8.1	9.2	<0.001	0.07	0.31	3.4	0.4	0.5	35.9	<0.01	0.03
I319229		1.07	39.3	1130	10.6	13.4	<0.001	0.10	0.39	5.0	1.1	0.5	52.1	<0.01	0.04
I319230		1.28	71.5	1040	11.6	14.9	0.001	0.04	0.37	7.8	1.4	0.6	24.4	<0.01	0.06
I319231		1.20	50.7	710	11.9	14.6	<0.001	0.06	0.46	4.8	0.7	0.5	24.5	<0.01	0.04
I319232		0.54	38.9	1800	11.7	8.9	<0.001	0.21	0.44	4.1	3.1	0.4	34.4	0.01	0.07
I319233		0.47	22.8	1730	7.0	8.5	0.001	0.21	0.39	1.9	1.5	0.3	44.1	<0.01	0.06
I319234		0.93	23.4	710	7.5	11.5	<0.001	0.07	0.34	2.8	0.5	0.5	32.5	<0.01	0.03
I319236		0.67	17.1	780	5.0	10.8	<0.001	0.08	0.27	2.0	0.4	0.4	30.2	<0.01	0.03
I319237		1.04	27.6	1030	9.2	12.8	<0.001	0.09	0.27	3.9	0.6	0.5	43.0	<0.01	0.03
I319238		0.39	15.9	1690	10.0	4.8	0.001	0.19	2.81	1.2	1.9	0.2	59.3	0.01	0.05
I319239		1.36	35.1	500	33.8	30.3	<0.001	0.04	0.89	5.2	0.4	0.6	27.2	<0.01	0.05
I319240		0.88	41.7	1390	15.9	15.1	<0.001	0.13	0.58	5.5	1.2	0.5	35.9	<0.01	0.05
I319241		0.63	14.6	360	14.7	4.4	<0.001	0.04	0.49	1.6	0.3	0.5	19.4	<0.01	0.03
I319242		1.50	26.0	460	12.3	10.1	<0.001	0.04	0.45	4.2	0.4	0.6	17.4	0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319202		0.092	0.15	1.21	51	0.23	5.73	46
I319203		0.084	0.13	1.87	35	0.19	5.16	36
I319204		0.083	0.14	2.43	40	0.24	6.17	37
I319205		0.144	0.15	3.31	80	0.70	16.65	62
I319206		0.156	0.14	3.82	77	0.36	16.35	63
I319207		0.082	0.09	0.47	48	0.23	1.95	19
I319208		0.095	0.13	0.93	78	0.19	9.06	78
I319209		0.068	0.10	0.96	47	0.16	4.05	36
I319210		0.105	0.09	0.73	81	0.19	4.30	56
I319211		0.109	0.11	0.93	73	0.28	5.52	57
I319212		0.084	0.09	0.47	64	0.14	2.95	57
I319213		0.117	0.11	4.16	66	0.40	39.2	88
I319214		0.135	0.09	1.31	68	0.47	8.71	59
I319215		0.135	0.08	1.64	65	0.35	9.65	59
I319216		0.052	0.05	0.23	27	0.07	0.85	15
I319217		0.042	0.11	1.42	60	0.10	15.25	49
I319218		0.052	0.08	0.98	49	0.13	5.25	49
I319219		0.110	0.13	1.04	105	0.17	7.49	92
I319220		0.130	0.21	0.76	132	0.42	8.02	95
I319221		0.092	0.13	0.85	75	0.16	7.24	74
I319222		0.135	0.08	0.98	87	0.23	8.77	70
I319223		0.095	0.08	0.77	62	0.15	7.15	64
I319224		0.122	0.07	1.05	73	0.33	9.70	64
I319225		0.105	0.07	0.76	65	0.13	6.98	63
I319226		0.098	0.08	0.66	66	0.13	4.73	68
I319227		0.086	0.11	0.87	82	0.14	5.52	59
I319228		0.090	0.09	0.78	68	0.14	5.23	61
I319229		0.077	0.12	1.28	77	0.17	13.95	79
I319230		0.123	0.13	1.93	99	0.17	19.95	148
I319231		0.120	0.11	0.92	94	0.16	6.98	87
I319232		0.053	0.19	3.22	67	0.14	19.75	80
I319233		0.041	0.13	1.72	42	0.13	14.30	52
I319234		0.089	0.09	0.66	70	0.63	5.34	65
I319236		0.065	0.07	0.50	54	0.12	3.05	51
I319237		0.078	0.08	0.87	67	0.10	6.69	76
I319238		0.016	0.10	1.45	25	0.08	17.10	33
I319239		0.112	0.16	0.63	95	0.15	4.44	110
I319240		0.060	0.14	1.28	75	0.18	22.3	77
I319241		0.058	0.09	0.46	60	0.12	2.69	55
I319242		0.123	0.10	0.61	78	0.16	4.89	54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319243		0.56	0.006	0.09	2.49	7.5	<0.2	<10	110	0.49	0.32	0.25	0.20	23.2	10.6	39
I319244		0.48	0.020	0.11	1.70	8.4	<0.2	<10	90	0.39	0.17	0.20	0.26	16.30	7.4	28
I319245		0.42	0.005	0.09	0.54	2.7	<0.2	<10	40	0.09	0.09	0.13	0.13	5.67	2.5	10
I319246		0.56	<0.005	0.27	2.47	4.3	<0.2	<10	200	0.27	0.18	1.00	0.56	12.85	14.5	52
I319247		0.58	<0.005	0.37	2.89	5.1	<0.2	<10	310	0.37	0.16	1.45	0.55	19.95	21.9	48
I319248		0.50	0.005	0.72	2.66	5.2	<0.2	<10	350	0.46	0.16	1.20	1.16	24.2	30.5	47
I319249		0.40	0.006	0.36	2.38	5.1	<0.2	<10	270	0.31	0.15	0.89	0.96	16.20	14.5	49
I319250		0.56	0.005	0.42	2.64	5.7	<0.2	<10	340	0.43	0.15	0.99	0.43	22.5	18.3	51
I316836		0.32	0.009	0.09	1.63	5.6	<0.2	<10	110	0.23	0.19	0.26	0.15	18.35	6.8	27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319243		1.35	21.9	3.26	6.75	0.06	0.05	0.04	0.027	0.06	9.6	13.7	0.59	473	1.24
I319244		1.33	20.0	2.86	6.26	0.05	0.03	0.06	0.027	0.04	8.2	11.8	0.35	407	1.39
I319245		0.43	8.6	1.01	2.85	<0.05	<0.02	0.02	0.008	0.02	2.6	2.0	0.12	60	0.64
I319246		0.77	51.7	3.41	8.89	0.08	0.03	0.07	0.021	0.14	6.4	9.9	1.37	500	1.38
I319247		0.94	51.5	3.61	8.61	0.10	0.04	0.07	0.019	0.28	9.2	11.0	1.34	884	1.42
I319248		0.94	76.4	3.44	8.54	0.09	0.04	0.06	0.023	0.20	11.1	10.6	1.21	1080	1.50
I319249		0.96	53.3	2.97	8.00	0.09	0.04	0.06	0.021	0.19	8.0	10.6	1.13	460	1.46
I319250		0.97	62.9	3.21	8.09	0.09	0.04	0.06	0.023	0.19	10.8	10.8	1.14	600	1.61
I316836		1.49	12.6	2.20	5.99	0.06	0.04	0.05	0.025	0.05	8.5	12.3	0.39	258	0.70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319243		1.40	28.8	510	11.4	10.2	<0.001	0.04	0.44	4.3	0.4	0.5	18.7	0.01	0.03	2.2
I319244		1.02	17.7	690	8.1	9.1	<0.001	0.08	0.48	1.9	0.6	0.5	20.4	<0.01	0.04	0.4
I319245		0.29	5.2	470	3.0	2.2	<0.001	0.04	0.19	0.7	0.3	0.2	12.4	<0.01	0.02	<0.2
I319246		1.08	28.4	410	7.8	18.8	<0.001	0.05	0.34	6.3	0.5	0.4	31.5	<0.01	0.04	0.7
I319247		1.05	29.3	770	9.7	32.5	<0.001	0.10	0.44	6.0	0.9	0.4	44.8	<0.01	0.05	0.6
I319248		1.30	34.1	830	11.9	29.5	0.001	0.11	0.36	5.4	0.9	0.4	44.9	<0.01	0.04	0.5
I319249		1.51	31.5	700	8.2	25.1	<0.001	0.09	0.36	4.9	0.7	0.5	37.8	<0.01	0.04	0.6
I319250		1.40	34.2	830	7.7	23.8	<0.001	0.11	0.40	5.2	0.8	0.5	41.5	<0.01	0.04	0.6
I316836		2.83	15.9	540	10.3	10.8	<0.001	0.05	0.23	4.1	0.5	1.0	22.3	<0.01	0.02	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126926

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319243		0.121	0.11	0.71	76	0.17	5.46	57	1.9
I319244		0.072	0.09	0.55	61	0.14	3.85	62	1.1
I319245		0.041	0.05	0.26	25	0.05	1.45	19	<0.5
I319246		0.124	0.09	0.45	92	0.13	5.59	91	1.2
I319247		0.114	0.17	0.73	91	0.12	9.84	95	1.7
I319248		0.106	0.14	0.90	85	2.16	11.65	100	1.4
I319249		0.110	0.14	0.65	78	0.92	7.82	94	1.6
I319250		0.102	0.14	0.95	79	0.75	10.75	80	1.5
I316836		0.092	0.15	2.82	50	0.51	7.09	49	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126926

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 26-SEP-2010
Account: EIASQI

CERTIFICATE WH10124630

Project: SQI10-06
P.O. No.: SQI10-06_25
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318201		0.32	<0.005	0.17	2.19	5.9	<0.2	<10	280	0.24	0.14	0.60	0.13	18.00	12.1	34
I318202		0.50	<0.005	0.16	2.50	6.8	<0.2	<10	280	0.28	0.18	0.48	0.16	26.1	12.2	33
I318203		0.44	<0.005	0.14	2.68	4.9	<0.2	<10	380	0.32	0.13	0.87	0.18	28.8	15.3	48
I318204		0.46	<0.005	0.12	2.64	4.7	<0.2	<10	370	0.32	0.13	0.83	0.16	28.3	15.5	48
I318205		0.36	<0.005	0.11	2.79	4.5	<0.2	<10	180	0.30	0.25	0.55	0.14	17.70	18.3	98
I318206		0.34	<0.005	0.07	2.45	10.1	<0.2	<10	130	0.34	0.28	0.26	0.24	23.8	17.0	78
I318207		0.36	0.006	0.14	2.60	5.7	<0.2	<10	210	0.96	0.45	0.29	0.31	75.3	15.5	52
I318208		0.38	<0.005	0.18	1.58	4.6	<0.2	<10	220	0.21	0.19	0.43	0.16	26.7	5.7	35
I318209		0.36	<0.005	0.13	1.79	2.9	<0.2	<10	120	0.17	0.07	0.87	0.16	9.43	16.8	248
I318210		0.40	<0.005	0.09	1.98	4.5	<0.2	<10	310	0.38	0.15	0.53	0.10	46.6	8.4	29
I318211		0.52	<0.005	0.12	2.58	5.2	<0.2	<10	190	0.63	0.17	0.54	0.15	54.8	12.8	72
I318212		0.42	<0.005	0.21	1.61	6.0	<0.2	<10	180	0.31	0.15	1.36	0.37	39.6	11.7	49
I318213		0.46	<0.005	0.03	0.17	2.9	<0.2	<10	30	0.11	0.04	0.15	0.10	11.30	2.6	7
I318214		0.68	0.005	0.37	2.20	8.9	<0.2	<10	250	0.32	0.19	0.74	0.36	31.3	15.0	48
I318215		0.56	0.011	0.31	2.34	9.5	<0.2	<10	210	0.33	0.24	0.61	0.28	44.3	15.4	64
I318216		0.62	0.005	0.29	2.91	8.9	<0.2	<10	480	0.49	0.19	0.69	0.23	37.4	13.8	73
I318217		0.40	<0.005	0.15	2.41	9.6	<0.2	<10	230	0.36	0.40	0.63	0.28	20.4	12.8	50
I318218		0.46	0.011	0.11	2.33	7.9	<0.2	<10	210	0.39	0.22	0.37	0.26	24.1	13.0	46
I318219		0.50	0.008	0.14	3.28	6.2	<0.2	<10	260	0.40	0.16	0.49	0.29	22.4	14.5	65
I318220		0.64	0.006	0.17	2.80	4.3	<0.2	<10	190	0.42	0.14	0.45	0.14	25.6	14.5	80
I318221		0.56	0.005	0.12	2.39	9.4	<0.2	<10	130	0.42	0.28	0.62	0.18	29.9	9.8	52
I318222		0.52	0.008	0.21	2.65	7.5	<0.2	<10	150	0.58	0.60	0.93	0.25	37.6	15.4	56
I318223		0.48	<0.005	0.15	1.94	5.3	<0.2	<10	120	0.38	0.21	0.47	0.10	21.9	9.5	38
I318224		0.38	<0.005	0.17	1.76	4.9	<0.2	<10	90	0.32	0.23	0.29	0.19	19.40	7.4	37
I318225		0.40	<0.005	0.11	1.87	5.0	<0.2	<10	90	0.23	0.20	0.38	0.12	15.80	10.1	45
I318226		0.30	0.011	0.09	1.39	3.7	<0.2	<10	80	0.20	0.18	0.31	0.13	15.35	5.5	29
I318227		0.44	<0.005	0.08	1.64	3.7	<0.2	<10	90	0.24	0.17	0.28	0.11	15.50	5.8	37
I318228		0.36	0.007	0.13	2.25	5.5	<0.2	<10	150	0.52	0.15	0.48	0.09	27.6	14.7	40
I318229		0.64	<0.005	0.19	2.36	10.1	<0.2	<10	230	0.47	0.25	0.36	0.22	29.3	13.8	46
I318230		0.58	0.005	0.20	2.37	10.0	<0.2	<10	250	0.51	0.27	0.36	0.24	31.2	14.2	46
I318231		0.52	0.005	0.21	2.50	12.8	<0.2	<10	220	0.46	0.27	0.28	0.16	27.9	11.8	49
I318232		0.38	<0.005	0.35	2.18	8.9	<0.2	<10	200	0.36	0.25	0.29	0.22	21.7	9.2	49
I318233		0.38	<0.005	0.17	1.94	8.2	<0.2	<10	160	0.30	0.39	0.26	0.20	21.0	11.1	44
I318234		0.36	0.006	0.14	1.67	4.5	<0.2	<10	130	0.31	0.21	0.32	0.15	26.6	7.0	30
I318235		0.34	0.011	0.12	1.32	3.2	<0.2	<10	100	0.19	0.16	0.35	0.13	14.75	5.2	29
I318236		0.38	0.011	0.11	1.24	3.4	<0.2	<10	90	0.19	0.11	0.31	0.11	12.10	5.2	32
I318237		0.34	<0.005	0.11	1.10	3.1	<0.2	<10	80	0.14	0.14	0.21	0.08	11.35	3.9	29
I318238		0.40	0.008	0.10	1.64	4.7	<0.2	<10	100	0.19	0.16	0.24	0.14	13.70	7.5	32
I318239		0.38	0.005	0.10	1.56	4.6	<0.2	<10	110	0.20	0.21	0.24	0.10	12.90	5.6	26
I318240		0.34	0.008	0.11	1.47	4.4	<0.2	<10	110	0.24	0.27	0.23	0.11	14.20	6.5	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318201		1.53	30.7	3.29	7.94	0.07	0.03	0.05	0.026	0.11	8.3	13.4	0.74	483	0.99
I318202		1.83	25.5	3.65	8.22	0.07	0.04	0.04	0.029	0.17	11.9	15.4	0.81	538	1.26
I318203		3.34	30.8	3.52	7.70	0.08	0.05	0.04	0.028	0.23	12.9	17.6	1.06	591	0.76
I318204		3.45	29.7	3.52	7.67	0.08	0.04	0.04	0.027	0.24	12.6	17.9	1.09	607	0.74
I318205		2.77	38.8	3.74	8.03	0.07	0.04	0.03	0.028	0.21	8.8	23.6	1.52	560	0.99
I318206		2.00	31.9	3.72	7.89	0.07	0.03	0.03	0.032	0.13	8.9	17.6	0.88	836	1.29
I318207		5.10	33.5	3.81	8.09	0.10	0.06	0.05	0.044	0.11	31.7	19.4	0.84	1060	1.40
I318208		0.98	19.3	2.23	6.38	0.07	0.03	0.05	0.024	0.09	20.3	9.4	0.62	261	0.96
I318209		0.97	69.6	2.06	4.27	0.05	0.05	0.06	0.014	0.03	4.8	12.9	1.88	494	0.83
I318210		0.89	19.9	2.60	6.79	0.08	0.05	0.03	0.022	0.17	27.2	14.2	1.02	565	1.38
I318211		1.56	23.2	3.82	9.19	0.10	0.05	0.03	0.031	0.39	30.3	15.6	1.42	567	0.75
I318212		0.74	35.0	2.70	4.79	0.07	0.06	0.05	0.021	0.09	22.3	9.2	0.87	696	0.97
I318213		0.10	4.9	1.09	0.71	<0.05	0.06	<0.01	<0.005	0.03	5.7	1.5	0.09	266	1.08
I318214		1.13	35.5	3.82	6.46	0.07	0.07	0.07	0.032	0.06	12.7	13.2	0.95	681	1.46
I318215		0.95	37.8	3.63	6.39	0.07	0.05	0.05	0.029	0.05	24.3	13.5	0.98	819	1.02
I318216		1.09	36.7	3.84	8.45	0.08	0.04	0.04	0.029	0.12	20.5	14.7	1.28	651	0.92
I318217		0.95	38.4	3.58	7.41	0.06	0.03	0.03	0.027	0.09	8.7	11.8	0.87	525	1.15
I318218		0.89	23.2	3.26	7.07	0.06	0.03	0.02	0.022	0.10	10.4	15.0	0.85	464	1.00
I318219		1.43	30.1	4.04	9.86	0.08	0.02	0.03	0.022	0.30	9.3	14.8	1.27	552	1.06
I318220		1.04	40.5	3.47	7.90	0.07	0.04	0.02	0.024	0.13	10.6	13.3	1.20	282	0.58
I318221		1.58	22.2	4.24	7.32	0.09	0.04	0.04	0.030	0.09	12.7	14.9	0.67	331	0.92
I318222		2.07	32.1	3.69	8.17	0.09	0.05	0.03	0.030	0.13	18.3	18.8	0.77	506	1.11
I318223		1.74	20.2	2.83	6.13	0.06	0.02	0.05	0.023	0.07	9.9	12.4	0.54	612	1.24
I318224		2.03	16.7	2.18	7.00	0.05	0.02	0.06	0.020	0.07	8.9	11.5	0.49	209	0.86
I318225		1.77	14.2	2.53	7.94	0.06	0.02	0.05	0.021	0.09	8.1	12.2	0.63	280	0.93
I318226		1.10	12.5	1.82	5.73	<0.05	0.02	0.05	0.017	0.05	7.8	8.6	0.39	143	0.89
I318227		1.28	13.1	2.09	6.83	<0.05	0.02	0.04	0.021	0.05	7.9	9.4	0.45	143	0.80
I318228		1.04	22.7	2.90	6.85	0.06	0.03	0.04	0.023	0.06	12.1	12.5	0.51	929	1.08
I318229		1.70	28.1	3.42	7.76	0.09	0.05	0.04	0.033	0.13	12.4	13.8	0.68	390	1.41
I318230		1.79	30.1	3.46	7.68	0.09	0.05	0.04	0.033	0.12	13.0	13.9	0.68	384	1.42
I318231		1.88	23.9	3.23	8.17	0.08	0.03	0.04	0.035	0.13	12.4	13.3	0.68	329	1.55
I318232		1.65	23.0	2.65	8.20	0.07	0.03	0.05	0.032	0.13	10.1	11.4	0.61	245	1.80
I318233		1.58	18.4	2.59	8.12	0.06	0.02	0.05	0.033	0.12	10.3	9.7	0.56	427	1.67
I318234		1.15	19.1	2.08	6.13	0.06	0.02	0.06	0.028	0.07	12.0	7.3	0.39	177	0.85
I318235		1.26	16.1	1.85	5.61	0.05	0.02	0.05	0.019	0.06	7.8	6.0	0.37	134	2.10
I318236		1.03	16.9	1.88	5.23	0.05	<0.02	0.04	0.015	0.06	6.6	5.6	0.37	134	1.15
I318237		1.13	13.0	1.58	5.60	<0.05	<0.02	0.04	0.013	0.05	6.1	5.1	0.31	99	0.78
I318238		0.90	13.4	2.31	5.88	<0.05	0.02	0.04	0.019	0.04	7.3	9.4	0.47	191	0.96
I318239		1.48	13.2	2.10	5.28	<0.05	0.02	0.05	0.021	0.04	6.8	9.2	0.40	177	0.79
I318240		1.78	13.9	2.21	5.08	<0.05	0.03	0.07	0.022	0.04	7.6	9.0	0.35	230	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318201		1.38	21.0	620	5.7	14.1	<0.001	0.03	0.28	5.2	0.5	0.5	39.7	<0.01	0.03
I318202		1.54	20.4	700	6.3	19.8	<0.001	0.03	0.28	6.5	0.5	0.6	32.6	<0.01	0.04
I318203		1.59	29.7	710	5.0	24.3	<0.001	0.03	0.32	7.2	0.6	0.5	49.3	<0.01	0.03
I318204		1.56	29.7	690	5.0	26.6	<0.001	0.03	0.31	7.3	0.6	0.5	47.9	<0.01	0.03
I318205		1.18	48.2	570	7.6	22.3	<0.001	0.01	0.27	7.2	0.4	0.5	30.4	<0.01	0.03
I318206		1.35	48.8	620	8.6	15.9	<0.001	0.01	0.43	5.4	0.5	0.6	17.5	<0.01	0.04
I318207		1.29	27.9	890	22.5	17.4	<0.001	0.03	0.44	6.8	0.7	0.7	16.9	0.01	0.04
I318208		0.97	33.9	490	7.2	15.0	<0.001	0.03	0.24	3.6	0.5	0.5	31.2	<0.01	0.04
I318209		0.52	251	750	3.2	5.0	<0.001	0.08	0.31	4.0	0.7	0.2	49.8	<0.01	0.03
I318210		0.97	23.6	730	9.3	17.6	<0.001	0.03	0.23	3.3	0.5	0.5	34.8	<0.01	0.04
I318211		2.15	30.3	850	13.6	35.6	<0.001	0.02	0.24	5.4	0.5	0.8	32.9	<0.01	0.03
I318212		0.74	36.0	740	10.3	13.3	<0.001	0.06	0.34	5.1	0.9	0.4	40.9	0.01	0.05
I318213		0.43	6.6	200	3.6	1.9	<0.001	<0.01	0.21	0.9	<0.2	0.2	7.2	<0.01	0.01
I318214		0.81	35.2	690	22.1	8.0	<0.001	0.03	0.40	7.0	0.9	0.4	26.6	<0.01	0.10
I318215		0.87	36.2	720	17.2	7.3	<0.001	0.03	0.34	6.1	0.7	0.4	29.0	<0.01	0.05
I318216		0.98	41.2	830	9.9	17.2	<0.001	0.02	0.30	7.3	0.6	0.6	32.9	0.01	0.05
I318217		1.09	35.3	730	7.5	15.2	<0.001	0.04	0.31	4.7	0.6	0.6	34.9	<0.01	0.06
I318218		1.23	29.2	480	8.5	13.7	<0.001	0.01	0.24	4.7	0.4	0.5	26.3	<0.01	0.05
I318219		1.49	36.2	620	7.3	27.1	<0.001	<0.01	0.23	6.1	0.4	0.6	54.5	<0.01	0.04
I318220		1.11	35.2	600	6.2	13.7	<0.001	0.01	0.27	6.6	0.6	0.4	44.5	<0.01	0.03
I318221		2.24	25.7	630	9.6	19.0	<0.001	0.07	0.37	5.5	0.9	0.6	34.7	<0.01	0.05
I318222		2.50	33.9	850	11.9	22.1	<0.001	0.05	0.40	5.8	1.1	0.6	50.4	<0.01	0.06
I318223		1.63	21.4	670	7.9	15.1	<0.001	0.05	0.21	3.4	0.8	0.5	27.9	<0.01	0.05
I318224		1.55	21.7	640	9.3	15.4	<0.001	0.05	0.23	3.1	0.7	0.6	19.9	<0.01	0.04
I318225		1.94	23.3	530	8.4	17.9	<0.001	0.04	0.17	3.9	0.5	0.6	28.4	<0.01	0.03
I318226		1.27	15.8	590	7.3	12.0	<0.001	0.05	0.17	2.6	0.5	0.5	24.9	<0.01	0.03
I318227		1.54	17.8	550	8.0	9.3	<0.001	0.05	0.17	2.8	0.4	0.6	22.9	<0.01	0.03
I318228		1.74	22.6	680	6.9	9.7	<0.001	0.06	0.27	4.5	0.7	0.5	37.3	<0.01	0.04
I318229		2.23	26.0	610	7.8	17.8	<0.001	0.02	0.48	6.3	1.2	1.0	29.8	<0.01	0.05
I318230		2.22	27.1	610	8.4	17.8	<0.001	0.02	0.51	6.6	1.4	1.0	29.7	<0.01	0.05
I318231		2.30	27.2	570	10.5	19.0	<0.001	0.03	0.34	5.8	1.1	1.3	25.6	<0.01	0.05
I318232		2.10	26.0	600	8.6	17.0	<0.001	0.06	0.26	4.5	1.0	1.3	26.9	<0.01	0.05
I318233		1.99	22.6	600	7.5	16.0	<0.001	0.06	0.23	4.0	0.9	1.6	22.2	<0.01	0.06
I318234		1.63	17.8	630	6.5	11.4	<0.001	0.08	0.22	3.2	0.9	0.9	26.5	<0.01	0.04
I318235		1.37	15.0	600	6.0	10.0	<0.001	0.09	0.18	2.6	0.8	0.8	25.6	<0.01	0.04
I318236		1.15	16.1	550	4.8	8.2	<0.001	0.07	0.16	2.5	0.8	0.4	22.2	<0.01	0.04
I318237		1.04	12.7	410	6.1	8.1	<0.001	0.06	0.18	2.3	0.6	0.5	17.0	<0.01	0.04
I318238		1.30	15.5	500	7.2	7.5	<0.001	0.04	0.25	3.0	0.5	0.5	16.2	<0.01	0.03
I318239		2.00	13.3	490	9.0	10.6	<0.001	0.04	0.25	3.4	0.5	0.8	20.3	<0.01	0.02
I318240		2.27	12.4	600	9.5	11.4	<0.001	0.06	0.28	3.0	0.6	0.9	17.8	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318201		0.129	0.14	0.68	84	0.22	5.57	60	1.0
I318202		0.145	0.18	1.17	90	0.17	7.42	66	1.2
I318203		0.149	0.25	1.10	84	0.26	11.85	66	1.8
I318204		0.153	0.24	1.09	85	0.25	11.00	66	1.6
I318205		0.171	0.21	0.92	99	0.21	6.29	64	1.4
I318206		0.128	0.17	0.85	89	0.25	6.13	65	1.2
I318207		0.091	0.18	1.65	91	0.19	18.55	84	1.1
I318208		0.091	0.12	0.70	51	0.14	8.39	50	1.2
I318209		0.046	0.08	0.37	40	0.09	4.74	32	1.6
I318210		0.103	0.15	0.88	52	0.13	8.91	59	1.9
I318211		0.145	0.24	0.85	82	0.17	10.30	77	1.5
I318212		0.058	0.13	0.99	53	0.13	13.25	77	1.8
I318213		0.010	0.05	0.36	7	0.06	2.78	19	2.3
I318214		0.062	0.13	0.87	70	0.11	9.90	103	2.3
I318215		0.072	0.08	0.86	68	0.14	11.80	82	1.4
I318216		0.089	0.15	1.14	91	0.15	14.10	83	1.3
I318217		0.089	0.11	0.87	74	0.40	5.58	70	1.3
I318218		0.106	0.11	0.62	87	0.25	5.33	63	1.0
I318219		0.137	0.19	0.63	101	0.50	4.94	94	0.9
I318220		0.125	0.13	0.90	94	0.46	7.19	67	1.3
I318221		0.136	0.19	1.67	84	1.14	6.52	64	1.9
I318222		0.145	0.22	1.67	84	0.35	8.42	79	1.9
I318223		0.109	0.21	1.28	76	0.33	4.66	58	0.8
I318224		0.104	0.15	0.96	53	0.33	3.76	62	0.6
I318225		0.139	0.16	0.73	61	0.34	3.50	67	1.0
I318226		0.089	0.13	0.77	37	0.36	3.59	49	0.7
I318227		0.110	0.12	0.78	46	0.30	3.38	52	0.8
I318228		0.112	0.14	1.12	65	0.20	7.32	52	1.1
I318229		0.148	0.20	1.40	88	0.92	8.17	79	2.1
I318230		0.146	0.20	1.61	89	0.30	8.97	80	2.1
I318231		0.149	0.21	1.58	86	0.73	7.20	80	1.3
I318232		0.132	0.18	1.30	76	0.56	5.60	85	0.9
I318233		0.128	0.16	1.17	79	0.41	4.81	64	0.8
I318234		0.087	0.11	1.53	41	0.41	6.30	46	0.8
I318235		0.085	0.11	1.08	40	0.20	3.89	44	0.7
I318236		0.089	0.10	0.63	49	0.24	3.33	41	0.6
I318237		0.083	0.10	0.61	36	0.14	2.37	33	0.5
I318238		0.093	0.11	1.18	59	0.28	3.48	50	0.7
I318239		0.083	0.13	1.99	47	0.47	5.55	48	0.8
I318240		0.077	0.14	2.74	47	0.34	5.57	48	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318241		0.38	0.005	0.08	1.55	6.0	<0.2	<10	90	0.19	0.23	0.22	0.10	13.85	6.0	26
I318242		0.42	<0.005	0.09	1.55	4.3	<0.2	<10	90	0.19	0.18	0.24	0.13	14.15	5.1	29
I318243		0.30	<0.005	0.08	0.80	2.2	<0.2	<10	80	0.16	0.15	0.19	0.11	12.80	3.0	21
I318244		0.38	0.005	0.08	1.23	3.0	<0.2	<10	80	0.17	0.16	0.23	0.10	13.60	4.7	30
I318245		0.38	<0.005	0.07	1.26	3.3	<0.2	<10	70	0.14	0.15	0.21	0.10	12.25	3.4	26
I318246		0.34	<0.005	0.08	1.27	4.4	<0.2	<10	80	0.19	0.19	0.20	0.09	12.60	4.1	22
I318247		0.32	<0.005	0.18	1.36	4.0	<0.2	<10	100	0.26	0.24	0.24	0.12	12.35	4.7	20
I318248		0.38	0.005	0.19	2.42	5.2	<0.2	<10	260	0.77	0.52	0.83	0.36	28.5	13.5	52
I318249		0.46	<0.005	0.05	1.56	4.7	<0.2	<10	140	0.47	0.25	0.49	0.19	18.50	8.3	33
I318250		0.34	0.009	0.20	2.02	5.1	<0.2	<10	180	0.41	0.22	0.42	0.15	20.9	7.6	32
I318251		0.40	0.007	0.13	1.95	5.8	<0.2	<10	170	0.32	0.12	0.57	0.17	30.8	17.2	30
I318252		0.24	<0.005	0.13	2.13	5.7	<0.2	<10	170	0.27	0.25	0.45	0.25	28.2	12.7	28
I318253		0.34	0.006	0.10	1.91	5.0	<0.2	<10	180	0.23	0.11	0.48	0.15	25.3	12.5	29
I318254		0.30	<0.005	0.14	2.40	4.0	<0.2	<10	280	0.48	0.20	0.96	0.15	71.5	11.4	34
I318255		0.36	<0.005	0.27	2.04	3.8	<0.2	<10	210	0.51	0.20	0.43	0.32	38.0	10.9	20
I318256		0.40	0.023	0.16	1.77	3.4	<0.2	<10	140	0.27	0.18	0.23	0.20	28.8	6.7	18
I318257		0.30	0.007	0.19	1.93	4.8	<0.2	<10	170	0.25	0.20	0.32	0.13	16.35	7.0	24
I318258		0.26	0.009	0.12	1.93	7.4	<0.2	<10	130	0.25	0.22	0.23	0.14	14.60	8.3	27
I318259		0.38	0.006	0.17	2.80	6.1	<0.2	<10	300	0.34	0.16	0.51	0.15	24.3	18.8	30
I318260		0.40	<0.005	0.02	0.20	1.6	<0.2	<10	40	0.10	0.03	0.11	0.04	9.37	2.3	53
I318261		0.30	<0.005	0.15	0.44	1.2	<0.2	<10	50	0.11	0.05	0.14	0.08	6.02	2.2	8
I318262		0.48	0.005	0.09	2.84	6.9	<0.2	<10	180	0.35	0.14	0.28	0.16	19.25	12.7	25
I318263		0.32	<0.005	0.02	0.47	1.4	<0.2	<10	40	0.06	0.10	0.08	0.02	4.40	1.2	8
I318264		0.40	<0.005	0.09	2.04	4.6	<0.2	<10	170	0.28	0.35	0.23	0.09	18.90	9.2	21
I318265		0.40	<0.005	0.12	2.54	2.3	<0.2	<10	300	0.40	0.13	0.68	0.09	30.0	17.7	62
I318266		0.50	<0.005	0.07	3.12	1.2	<0.2	<10	250	0.46	0.10	0.71	0.13	31.6	24.5	203
I318267		0.56	<0.005	0.12	2.47	3.4	<0.2	<10	280	0.69	0.16	0.59	0.11	40.3	11.0	32
I318268		0.42	<0.005	0.22	2.11	2.6	<0.2	<10	250	0.52	0.19	0.91	0.27	40.9	13.1	78
I318269		0.34	<0.005	0.19	2.00	4.5	<0.2	<10	150	0.32	0.16	0.71	0.48	21.9	12.7	42
I318270		0.34	<0.005	0.19	1.84	4.0	<0.2	<10	140	0.32	0.17	0.77	0.47	21.8	11.4	39
I318271		0.42	<0.005	0.18	1.93	7.8	<0.2	<10	210	0.30	0.20	0.31	0.61	27.0	14.6	41
I318272		0.36	<0.005	0.17	1.80	11.9	<0.2	<10	140	0.31	0.18	0.33	0.32	14.55	14.8	89
I318273		0.50	0.008	0.14	2.51	14.8	<0.2	<10	150	0.43	0.22	0.25	0.34	30.9	15.1	54
I318274		0.40	<0.005	0.10	0.63	4.1	<0.2	<10	50	0.11	0.10	0.07	0.09	7.78	4.4	15
I318275		0.34	<0.005	0.14	1.44	7.8	<0.2	<10	90	0.23	0.30	0.08	0.09	20.7	9.1	28
I318276		0.52	0.009	0.11	2.77	5.3	<0.2	<10	180	0.50	0.21	0.32	0.11	34.4	17.6	46
I318277		0.38	<0.005	0.19	2.44	5.8	<0.2	<10	180	0.43	0.17	0.23	0.08	18.45	11.6	48
I318278		0.66	0.007	0.14	2.62	4.5	<0.2	<10	200	0.47	0.17	0.55	0.16	25.9	17.4	47
I318279		0.60	0.005	0.15	2.46	3.8	<0.2	<10	180	0.40	0.25	0.46	0.19	27.5	16.7	39
I318280		0.40	<0.005	0.01	0.14	1.7	<0.2	<10	30	0.09	0.02	0.07	0.03	10.20	2.3	4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318241		1.42	10.3	2.30	5.65	<0.05	0.02	0.04	0.020	0.04	7.3	9.1	0.38	265	0.81
I318242		1.06	12.7	2.25	5.45	<0.05	0.02	0.03	0.017	0.05	7.6	7.7	0.41	146	0.89
I318243		0.99	12.5	1.13	3.99	<0.05	<0.02	0.06	0.010	0.04	7.1	3.2	0.18	81	1.36
I318244		1.23	13.0	1.82	5.30	<0.05	0.02	0.04	0.016	0.05	7.6	6.7	0.38	125	0.81
I318245		0.88	10.6	1.57	5.73	<0.05	<0.02	0.04	0.016	0.04	6.7	5.7	0.30	101	0.56
I318246		1.56	8.8	1.84	4.91	<0.05	0.02	0.05	0.018	0.05	6.6	7.3	0.30	197	0.55
I318247		0.60	16.4	1.92	5.63	<0.05	0.02	0.03	0.016	0.06	6.9	5.6	0.28	146	1.07
I318248		2.16	32.8	3.12	7.23	0.08	0.05	0.06	0.032	0.07	13.1	16.1	0.61	814	1.40
I318249		1.35	17.5	2.44	4.86	0.06	0.05	0.02	0.023	0.07	8.8	10.8	0.49	408	0.99
I318250		0.98	25.3	2.45	6.67	0.05	0.04	0.04	0.020	0.06	10.5	11.5	0.46	287	2.23
I318251		1.26	15.3	3.46	6.85	0.06	0.03	0.04	0.021	0.08	12.9	14.7	0.70	1680	1.00
I318252		1.58	16.7	3.19	7.55	0.06	0.04	0.04	0.023	0.10	13.6	16.8	0.71	461	1.06
I318253		1.10	15.9	3.11	6.45	0.06	0.03	0.03	0.019	0.08	11.9	12.9	0.71	788	0.81
I318254		1.65	18.7	3.13	7.66	0.09	0.06	0.04	0.030	0.12	46.4	18.7	0.78	527	0.83
I318255		1.92	18.7	3.28	8.16	0.07	0.03	0.03	0.022	0.25	24.5	13.2	0.69	681	0.85
I318256		1.52	13.9	2.54	7.99	0.05	0.03	0.02	0.017	0.16	19.6	11.9	0.54	284	0.73
I318257		2.19	15.7	2.77	8.04	0.05	0.02	0.02	0.017	0.07	10.7	10.2	0.56	297	1.00
I318258		1.25	16.2	3.09	7.69	<0.05	0.03	0.03	0.022	0.07	8.7	12.8	0.57	319	1.05
I318259		2.06	16.3	3.97	8.57	0.07	0.04	0.04	0.025	0.27	10.3	17.2	0.90	1060	0.82
I318260		0.09	2.9	0.86	0.70	<0.05	0.08	<0.01	<0.005	0.07	4.8	1.4	0.05	180	0.64
I318261		0.44	8.5	0.81	1.93	<0.05	<0.02	0.03	0.006	0.03	3.5	1.2	0.12	57	0.49
I318262		1.96	16.6	4.41	11.85	0.07	0.03	0.03	0.032	0.22	9.0	18.0	0.87	561	1.26
I318263		0.46	4.5	0.83	2.69	<0.05	<0.02	0.02	0.007	0.02	2.3	1.2	0.07	35	0.60
I318264		2.73	14.0	3.03	7.20	0.08	0.03	0.04	0.027	0.17	10.3	11.0	0.62	326	0.94
I318265		1.40	34.5	2.95	7.58	0.11	0.05	0.04	0.023	0.21	13.5	11.7	1.28	799	0.60
I318266		1.52	27.3	3.24	7.71	0.13	0.07	0.02	0.024	0.15	14.6	21.2	2.47	506	0.35
I318267		0.94	24.7	2.56	6.44	0.12	0.06	0.03	0.025	0.10	25.0	16.8	1.14	494	0.49
I318268		1.15	28.0	2.50	6.04	0.10	0.08	0.04	0.017	0.17	23.6	8.8	1.46	551	0.70
I318269		0.76	32.4	2.63	5.97	0.08	0.05	0.06	0.024	0.03	13.0	9.1	0.93	581	1.24
I318270		0.76	32.0	2.33	5.56	0.08	0.05	0.05	0.024	0.03	13.6	8.1	0.81	439	1.18
I318271		0.95	31.5	3.32	6.62	0.08	0.04	0.03	0.028	0.04	12.7	11.3	0.70	559	2.13
I318272		1.13	23.9	3.12	6.39	0.07	0.02	0.04	0.028	0.02	7.5	9.7	0.68	501	1.93
I318273		0.96	37.1	3.55	7.10	0.09	0.06	0.07	0.028	0.05	14.5	11.8	0.85	411	1.33
I318274		0.53	11.7	1.36	3.16	0.05	<0.02	0.02	0.009	0.02	4.0	2.7	0.23	150	0.93
I318275		1.18	24.3	3.16	8.07	0.08	0.03	0.02	0.018	0.07	11.1	7.1	0.63	289	2.68
I318276		0.87	47.7	3.49	7.28	0.11	0.07	0.02	0.032	0.04	16.2	12.6	0.94	498	0.79
I318277		1.09	33.6	3.01	7.23	0.08	0.03	0.04	0.025	0.04	10.2	10.8	0.75	233	1.16
I318278		0.95	45.4	3.39	7.22	0.10	0.08	0.03	0.025	0.13	13.4	12.6	1.23	530	0.92
I318279		0.87	41.4	3.03	6.78	0.12	0.09	0.02	0.024	0.10	13.1	11.4	1.20	331	0.60
I318280		0.09	2.2	0.76	0.64	<0.05	0.07	<0.01	<0.005	0.04	5.4	1.3	0.04	155	0.41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318241		2.34	12.5	510	11.0	11.6	<0.001	0.04	0.26	3.0	0.5	0.9	16.4	<0.01	0.03
I318242		1.24	13.1	530	7.4	9.5	<0.001	0.04	0.19	2.8	0.5	0.5	15.8	<0.01	0.03
I318243		0.62	8.5	570	5.1	7.5	<0.001	0.06	0.14	1.3	0.4	0.4	15.4	<0.01	0.02
I318244		1.14	13.5	510	6.7	9.2	<0.001	0.05	0.19	2.4	0.5	0.5	16.8	<0.01	0.03
I318245		0.98	10.3	440	6.8	8.1	<0.001	0.05	0.15	2.2	0.4	0.5	15.1	<0.01	0.03
I318246		2.12	9.8	450	10.7	12.8	<0.001	0.04	0.19	2.4	0.4	0.9	14.2	<0.01	0.02
I318247		1.56	10.7	290	7.5	5.5	<0.001	0.03	0.25	2.8	0.3	0.6	15.9	<0.01	0.04
I318248		1.64	24.7	670	11.1	18.8	<0.001	0.07	0.34	7.2	0.7	1.3	42.9	0.01	0.04
I318249		2.05	15.2	530	8.1	13.1	<0.001	0.03	0.23	4.5	0.4	1.2	30.9	<0.01	0.03
I318250		1.77	16.7	400	9.6	10.9	<0.001	0.05	0.26	4.1	0.5	0.7	39.5	<0.01	0.04
I318251		1.31	15.0	1050	7.8	12.8	<0.001	0.08	0.33	5.4	0.6	0.6	29.1	<0.01	0.04
I318252		1.89	18.3	880	7.9	17.4	<0.001	0.07	0.30	4.7	0.5	0.6	29.6	<0.01	0.03
I318253		1.48	15.4	740	6.1	12.0	<0.001	0.07	0.24	4.6	0.5	0.5	28.9	<0.01	0.03
I318254		1.55	20.7	840	8.6	19.6	<0.001	0.10	0.28	5.9	0.7	0.7	62.4	0.01	0.03
I318255		1.74	12.5	490	8.6	29.9	<0.001	0.02	0.29	4.9	0.4	0.7	29.3	<0.01	0.03
I318256		1.54	9.9	300	7.1	18.5	<0.001	0.01	0.24	4.0	0.3	0.7	22.0	<0.01	0.03
I318257		1.15	12.4	410	6.6	13.1	<0.001	0.02	0.27	3.1	0.4	0.6	28.8	<0.01	0.04
I318258		1.44	14.7	420	6.8	13.6	<0.001	0.02	0.30	3.4	0.4	0.6	18.4	<0.01	0.03
I318259		1.72	18.0	700	6.5	24.7	<0.001	0.02	0.32	5.6	0.4	0.6	37.3	<0.01	0.02
I318260		0.16	4.9	130	1.9	2.6	<0.001	<0.01	0.12	0.7	<0.2	0.2	10.0	<0.01	0.01
I318261		0.15	4.4	390	1.8	4.8	<0.001	0.05	0.15	0.4	0.3	0.2	12.7	<0.01	0.02
I318262		2.00	13.4	690	7.9	22.6	<0.001	0.04	0.33	5.9	0.4	0.8	17.0	<0.01	0.04
I318263		0.35	2.6	190	3.4	3.4	<0.001	0.03	0.13	0.8	0.3	0.6	9.1	<0.01	0.02
I318264		1.30	13.7	570	6.6	22.9	<0.001	0.01	0.27	4.6	0.4	0.6	16.8	<0.01	0.03
I318265		1.08	31.2	970	4.9	23.4	<0.001	0.04	0.21	6.3	0.8	0.5	57.1	<0.01	0.03
I318266		1.02	118.5	990	5.2	19.6	<0.001	0.01	0.18	7.7	0.6	0.4	42.1	<0.01	0.02
I318267		1.13	19.7	910	10.6	18.5	<0.001	0.02	0.21	4.4	0.6	0.4	39.7	<0.01	0.05
I318268		1.42	39.6	720	20.6	27.4	<0.001	0.07	0.21	3.5	0.9	0.4	41.8	0.01	0.04
I318269		0.95	27.8	780	11.5	10.5	<0.001	0.07	0.25	4.6	0.9	0.5	32.3	<0.01	0.04
I318270		0.88	24.8	800	11.7	8.7	<0.001	0.08	0.26	4.0	1.0	0.5	34.4	<0.01	0.05
I318271		1.13	37.2	810	13.9	12.3	<0.001	0.02	0.36	3.7	0.7	0.6	21.7	<0.01	0.05
I318272		0.87	74.5	670	11.7	7.8	<0.001	0.03	0.36	3.0	0.6	0.4	26.3	<0.01	0.07
I318273		1.56	34.8	630	18.6	11.6	<0.001	0.01	0.49	5.3	0.7	0.5	20.0	<0.01	0.04
I318274		0.35	10.7	360	4.1	4.6	<0.001	0.01	0.23	1.0	0.4	0.2	9.5	<0.01	0.02
I318275		1.29	19.2	370	17.6	13.2	<0.001	0.09	0.56	3.2	0.5	0.7	20.3	<0.01	0.05
I318276		1.36	37.6	630	9.2	9.5	<0.001	<0.01	0.36	7.1	0.6	0.5	22.2	<0.01	0.05
I318277		1.09	33.2	620	7.1	11.0	<0.001	0.02	0.32	3.5	0.7	0.5	19.8	<0.01	0.04
I318278		1.27	32.9	770	7.4	20.0	<0.001	0.01	0.33	7.3	0.6	0.5	26.9	<0.01	0.05
I318279		1.13	28.6	770	7.8	17.8	<0.001	<0.01	0.34	8.2	0.6	0.5	23.5	<0.01	0.08
I318280		0.21	4.2	120	1.5	2.6	<0.001	<0.01	0.12	0.6	<0.2	<0.2	7.7	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318241		0.085	0.13	1.96	65	0.24	5.03	49
I318242		0.097	0.12	0.90	54	0.27	3.53	44
I318243		0.055	0.09	0.90	25	0.59	2.62	26
I318244		0.088	0.12	1.08	43	0.39	2.84	41
I318245		0.088	0.10	0.94	42	0.59	2.54	35
I318246		0.080	0.14	2.03	43	0.15	4.78	40
I318247		0.082	0.07	2.28	47	0.39	4.33	36
I318248		0.104	0.20	6.09	75	1.42	14.30	84
I318249		0.116	0.14	1.78	61	1.40	7.45	55
I318250		0.105	0.13	2.11	61	0.40	9.62	54
I318251		0.126	0.16	1.77	89	0.18	6.57	66
I318252		0.152	0.17	2.14	83	0.28	6.24	87
I318253		0.146	0.12	1.48	83	0.17	4.44	68
I318254		0.107	0.18	5.79	70	0.26	16.60	67
I318255		0.133	0.18	2.12	79	0.14	8.40	65
I318256		0.117	0.16	0.87	67	0.16	6.67	45
I318257		0.111	0.11	0.62	75	0.20	4.67	49
I318258		0.121	0.12	0.55	83	0.15	3.93	50
I318259		0.179	0.23	0.62	93	0.16	6.10	73
I318260		0.008	0.04	0.32	4	0.05	2.17	6
I318261		0.023	0.04	0.37	19	<0.05	1.60	16
I318262		0.167	0.19	0.54	106	0.13	5.10	67
I318263		0.048	0.06	0.27	22	0.06	0.82	9
I318264		0.102	0.17	0.65	72	0.16	4.96	53
I318265		0.113	0.15	2.04	76	0.12	9.54	58
I318266		0.106	0.13	1.26	60	0.20	10.40	60
I318267		0.096	0.10	1.23	55	0.24	9.72	68
I318268		0.094	0.17	1.02	52	0.12	12.75	76
I318269		0.058	0.09	1.11	62	0.10	9.36	78
I318270		0.052	0.09	1.13	56	0.11	9.35	74
I318271		0.088	0.08	0.78	71	0.13	5.42	92
I318272		0.068	0.09	0.55	66	0.12	4.18	71
I318273		0.111	0.12	0.96	72	0.16	7.15	101
I318274		0.037	0.04	0.33	32	0.07	1.69	20
I318275		0.086	0.14	0.78	79	0.13	3.19	49
I318276		0.120	0.09	1.12	74	0.16	10.10	79
I318277		0.084	0.11	0.75	67	0.14	6.01	53
I318278		0.130	0.14	0.76	82	0.14	9.88	69
I318279		0.128	0.20	0.58	75	0.21	10.75	55
I318280		0.008	0.03	0.32	5	<0.05	2.11	5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318281		0.58	<0.005	0.16	2.16	6.5	<0.2	<10	170	0.50	0.18	0.72	0.32	37.2	15.4	42
I318282		0.42	<0.005	0.13	2.56	16.1	<0.2	<10	230	0.66	0.16	0.95	0.39	35.2	20.9	48
I318283		0.38	<0.005	0.10	2.31	4.5	<0.2	<10	160	0.60	0.12	1.15	0.20	30.9	12.9	48
I318284		0.48	<0.005	0.12	2.54	6.4	<0.2	<10	180	1.06	0.15	1.16	0.27	40.0	27.8	48
I318285		0.30	<0.005	0.14	2.07	4.3	<0.2	<10	140	0.54	0.14	1.88	0.14	24.7	11.7	49
I318286		0.44	0.016	0.15	2.55	9.5	<0.2	<10	170	0.57	0.19	1.51	0.25	33.1	20.8	48
I318287		0.32	<0.005	0.17	2.55	3.7	<0.2	<10	190	0.63	0.13	1.29	0.19	33.8	12.4	50
I318288		0.36	0.011	0.23	2.22	5.7	<0.2	<10	190	0.62	0.18	1.34	0.31	33.2	12.1	41
I318289		0.34	0.005	0.14	2.27	5.0	<0.2	<10	140	0.55	0.14	0.77	0.12	43.4	14.0	43
I318290		0.42	<0.005	0.14	2.36	5.3	<0.2	<10	150	0.58	0.16	0.70	0.09	41.5	14.5	45
I318291		0.34	<0.005	0.11	2.25	4.4	<0.2	<10	180	0.69	0.19	1.44	0.24	45.7	11.3	38
I318292		0.56	<0.005	0.10	2.74	5.7	<0.2	<10	190	0.71	0.18	0.96	0.20	39.4	27.8	54
I318293		0.38	<0.005	0.12	2.35	4.2	<0.2	<10	130	0.55	0.14	1.03	0.13	31.1	12.5	44
I318294		0.48	<0.005	0.16	2.79	4.3	<0.2	<10	450	0.51	0.16	0.71	0.27	18.60	13.0	77
I318295		0.26	<0.005	0.35	1.68	4.8	<0.2	<10	440	0.45	0.19	0.89	0.54	29.9	10.4	32
I318296		0.44	<0.005	0.19	2.58	8.9	<0.2	<10	170	0.48	0.36	0.46	0.23	22.4	12.9	50
I318297		0.34	<0.005	0.25	1.67	6.2	<0.2	<10	190	0.57	0.24	0.81	0.22	51.1	8.4	31
I318298		0.30	<0.005	0.18	1.75	5.9	<0.2	<10	150	0.73	0.29	0.31	0.19	62.1	9.1	28
I318299		0.40	<0.005	0.16	1.77	5.6	<0.2	<10	130	0.26	0.24	0.39	0.14	17.60	12.9	35
I318300		0.40	<0.005	0.02	0.15	2.3	<0.2	<10	40	0.12	0.02	0.10	0.04	10.45	2.7	4
I318301		0.38	0.006	0.91	3.65	6.9	<0.2	<10	740	0.79	0.46	1.14	0.28	114.5	12.6	30
I318302		0.48	<0.005	0.23	1.20	4.6	<0.2	<10	90	0.19	0.23	0.14	0.12	14.20	4.9	17
I318303		0.42	<0.005	0.13	1.16	3.6	<0.2	<10	130	0.23	0.13	0.20	0.08	14.65	4.5	16
I318304		0.46	<0.005	0.16	2.32	3.6	<0.2	<10	310	0.40	0.25	0.61	0.16	35.7	11.8	19
I318305		0.66	<0.005	0.14	2.56	4.4	<0.2	<10	300	0.38	0.18	1.02	0.22	27.6	11.7	23
I318306		0.48	<0.005	0.08	2.22	6.0	<0.2	<10	180	0.32	0.20	0.39	0.20	25.1	15.2	26
I318307		0.36	<0.005	0.14	2.11	5.9	<0.2	<10	250	0.28	0.14	0.60	0.23	24.0	11.3	29
I318308		0.46	<0.005	0.15	2.22	6.0	<0.2	<10	330	0.37	0.13	0.94	0.19	32.9	14.1	26
I318309		0.52	<0.005	0.12	2.31	5.1	<0.2	<10	320	0.32	0.12	0.68	0.17	21.9	12.2	29
I318310		0.72	<0.005	0.08	1.94	7.5	<0.2	<10	130	0.30	0.15	0.26	0.13	17.20	8.0	25
I318311		0.80	<0.005	0.03	2.61	6.3	<0.2	<10	260	0.38	0.17	0.44	0.08	37.9	12.1	38
I318312		0.70	<0.005	0.03	2.86	8.2	<0.2	<10	150	0.47	0.14	0.19	0.15	22.6	12.4	26
I318313		0.88	<0.005	0.06	3.09	6.3	<0.2	<10	260	0.49	0.23	0.40	0.12	37.1	13.2	35
I318314		0.66	0.005	0.09	2.64	5.5	<0.2	<10	220	0.33	0.17	0.52	0.13	24.6	12.9	32
I318315		0.50	<0.005	0.21	1.33	3.4	<0.2	<10	140	0.30	0.10	0.45	0.09	19.90	6.8	15
I318316		0.60	<0.005	0.13	2.52	6.4	<0.2	<10	280	0.32	0.20	0.52	0.16	23.2	12.6	30
I318317		0.56	<0.005	0.12	2.57	6.3	<0.2	<10	280	0.35	0.20	0.52	0.14	21.8	12.8	30
I318318		0.46	<0.005	0.06	2.35	6.8	<0.2	<10	150	0.40	0.16	0.44	0.20	47.7	15.4	33
I318319		0.60	<0.005	0.06	2.54	9.1	<0.2	<10	210	0.32	0.13	0.66	0.11	21.8	14.3	49
I318320		0.50	<0.005	0.05	2.34	6.2	<0.2	<10	210	0.31	0.11	0.61	0.14	18.70	13.4	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318281		0.75	27.4	3.73	6.09	0.12	0.10	0.03	0.029	0.07	18.7	13.5	0.75	299	1.12
I318282		1.54	27.5	3.27	7.91	0.12	0.06	0.03	0.031	0.13	15.5	13.8	0.85	1640	1.33
I318283		1.60	16.0	2.75	6.98	0.11	0.06	0.02	0.024	0.17	15.3	15.4	0.83	379	0.61
I318284		1.14	30.9	3.59	7.29	0.12	0.07	0.03	0.024	0.18	19.5	12.0	0.68	1320	1.28
I318285		1.90	25.0	2.53	6.41	0.09	0.06	0.04	0.024	0.18	14.1	13.1	0.69	388	0.89
I318286		2.01	26.3	3.70	7.76	0.10	0.07	0.03	0.030	0.16	14.0	16.1	0.76	1380	1.38
I318287		2.16	28.3	2.70	7.95	0.12	0.06	0.03	0.027	0.24	17.6	17.7	0.77	249	0.75
I318288		1.59	29.9	2.56	6.60	0.12	0.06	0.04	0.024	0.15	17.4	13.0	0.60	397	1.08
I318289		1.12	22.4	2.80	7.09	0.13	0.06	0.04	0.028	0.14	21.4	13.1	0.60	500	0.77
I318290		1.15	21.7	2.89	7.50	0.13	0.06	0.04	0.028	0.15	20.7	14.0	0.64	497	0.72
I318291		1.05	27.3	2.51	6.35	0.12	0.08	0.06	0.026	0.13	20.9	11.3	0.52	357	0.75
I318292		1.49	25.1	3.91	8.41	0.13	0.07	0.03	0.028	0.18	18.6	15.5	0.75	1100	0.80
I318293		1.40	20.3	2.67	7.15	0.13	0.07	0.03	0.025	0.19	17.5	14.3	0.62	462	0.62
I318294		1.98	19.5	3.09	9.25	0.10	0.05	0.03	0.027	0.17	10.6	13.0	0.87	506	0.81
I318295		1.11	26.3	2.12	5.56	0.10	0.04	0.06	0.027	0.07	14.4	8.2	0.46	615	1.24
I318296		1.81	22.8	3.44	9.27	0.10	0.04	0.03	0.037	0.10	13.3	14.6	0.74	446	1.52
I318297		1.33	21.5	2.33	5.27	0.11	0.05	0.09	0.022	0.04	35.5	8.4	0.42	533	1.93
I318298		2.30	20.5	2.47	6.28	0.10	0.03	0.06	0.026	0.04	40.9	8.5	0.35	382	2.47
I318299		1.41	16.8	2.55	6.12	0.06	0.03	0.04	0.023	0.04	10.3	9.2	0.52	653	1.70
I318300		0.09	2.9	0.83	0.73	<0.05	0.08	<0.01	<0.005	0.05	5.5	1.6	0.04	174	0.52
I318301		6.18	44.0	3.30	8.92	0.28	0.20	0.26	0.057	0.14	103.0	20.5	0.43	511	1.51
I318302		2.10	12.9	1.88	6.90	<0.05	0.02	0.03	0.018	0.06	8.3	7.4	0.31	172	1.32
I318303		1.78	11.9	1.74	5.64	<0.05	0.02	0.03	0.016	0.05	9.1	7.9	0.28	134	1.04
I318304		2.72	17.9	3.31	8.38	0.12	0.05	0.04	0.026	0.29	26.7	17.9	0.79	690	0.79
I318305		2.01	19.0	3.45	9.38	0.10	0.05	0.05	0.028	0.27	19.6	20.2	0.82	606	1.11
I318306		1.65	16.6	3.25	8.76	0.08	0.03	0.03	0.028	0.12	16.0	16.9	0.69	564	1.54
I318307		2.09	18.9	3.15	8.13	0.07	0.04	0.07	0.031	0.12	16.2	15.8	0.69	545	1.21
I318308		3.02	21.0	3.33	8.16	0.09	0.04	0.05	0.033	0.15	20.7	16.3	0.73	961	1.17
I318309		2.21	18.9	3.33	8.07	0.08	0.04	0.03	0.033	0.14	11.7	17.4	0.81	661	0.87
I318310		1.66	15.1	2.99	9.62	0.06	0.03	0.03	0.027	0.07	8.4	13.8	0.56	287	1.29
I318311		1.69	24.1	3.43	8.04	0.11	0.09	0.03	0.033	0.12	18.6	18.0	0.86	390	0.60
I318312		2.25	17.5	3.89	9.47	0.07	0.02	0.07	0.044	0.09	10.7	13.8	0.47	444	1.38
I318313		4.45	24.4	3.84	9.10	0.11	0.09	0.03	0.041	0.19	16.6	19.5	0.90	600	0.59
I318314		3.36	19.3	3.60	8.96	0.09	0.05	0.04	0.034	0.17	12.7	20.6	0.90	518	0.77
I318315		1.09	13.1	1.84	4.86	0.08	0.04	0.06	0.020	0.05	16.5	7.5	0.30	436	0.72
I318316		2.02	18.1	3.70	9.04	0.08	0.04	0.04	0.036	0.14	13.7	15.7	0.83	691	1.10
I318317		2.03	18.1	3.71	9.04	0.08	0.04	0.05	0.036	0.14	12.9	15.5	0.85	727	1.05
I318318		2.44	25.3	3.90	8.67	0.09	0.09	0.03	0.034	0.19	11.6	19.4	0.86	646	1.02
I318319		1.96	18.3	4.39	8.85	0.12	0.09	0.04	0.038	0.14	11.0	16.2	1.12	499	1.22
I318320		1.31	19.7	3.54	8.04	0.09	0.05	0.03	0.030	0.09	9.3	15.6	0.85	453	0.69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318281		1.72	36.8	800	10.5	13.9	0.001	0.04	0.34	6.3	1.4	0.5	40.4	<0.01	0.05
I318282		2.46	40.1	910	10.4	25.9	<0.001	0.05	0.27	6.0	0.8	0.6	39.4	<0.01	0.04
I318283		2.07	34.7	1440	8.0	25.2	0.001	0.05	0.17	5.5	0.8	0.6	41.4	<0.01	0.02
I318284		1.96	35.7	1050	8.2	25.9	<0.001	0.06	0.25	5.3	1.1	0.5	39.4	0.01	0.04
I318285		2.42	36.8	620	7.5	30.3	0.001	0.09	0.28	4.4	1.1	0.6	49.6	0.01	0.05
I318286		2.40	36.5	690	8.8	29.2	<0.001	0.09	0.25	5.5	1.0	0.6	51.0	<0.01	0.05
I318287		3.10	37.9	710	7.7	34.1	<0.001	0.12	0.23	5.7	1.2	0.7	53.4	0.01	0.04
I318288		2.42	34.0	850	6.9	26.5	<0.001	0.09	0.30	4.4	1.1	0.5	55.0	0.01	0.04
I318289		2.23	27.6	570	7.6	22.4	<0.001	0.06	0.24	5.6	0.9	0.6	50.9	0.01	0.03
I318290		2.33	29.2	520	7.8	22.9	<0.001	0.05	0.22	6.0	0.9	0.6	47.3	0.01	0.04
I318291		2.16	27.3	800	6.6	25.2	<0.001	0.11	0.28	4.3	1.1	0.6	82.7	0.01	0.04
I318292		2.98	32.7	690	7.8	28.9	<0.001	0.04	0.23	6.7	0.8	0.7	57.8	0.01	0.04
I318293		2.26	27.2	600	6.3	24.6	<0.001	0.06	0.23	5.3	0.7	0.6	60.9	<0.01	0.03
I318294		2.30	29.3	770	8.6	24.5	<0.001	0.04	0.21	6.6	0.8	0.5	48.2	<0.01	0.03
I318295		1.44	23.6	980	6.0	17.5	0.001	0.10	0.41	3.7	1.3	0.8	65.5	0.01	0.04
I318296		2.30	32.1	570	9.3	23.7	<0.001	0.02	0.24	5.6	0.6	0.9	35.1	<0.01	0.04
I318297		1.28	21.0	770	8.5	14.5	<0.001	0.07	0.36	4.1	1.0	0.6	56.9	0.01	0.04
I318298		1.27	18.0	800	9.4	15.4	<0.001	0.06	0.31	2.8	0.8	0.6	32.0	<0.01	0.04
I318299		1.29	18.2	630	8.7	12.2	<0.001	0.03	0.21	3.8	0.6	0.6	27.3	<0.01	0.03
I318300		0.20	4.7	130	1.9	2.3	<0.001	<0.01	0.13	0.6	<0.2	<0.2	8.2	<0.01	0.01
I318301		1.38	20.4	1300	9.0	24.7	0.001	0.13	0.59	15.8	3.3	0.7	89.0	0.04	0.04
I318302		1.45	9.2	200	7.3	13.9	<0.001	<0.01	0.24	3.5	0.3	0.6	13.9	<0.01	0.02
I318303		1.29	8.4	210	6.1	12.1	<0.001	<0.01	0.21	2.7	0.3	0.5	18.2	<0.01	0.02
I318304		2.16	12.3	750	5.5	30.4	<0.001	0.04	0.26	6.6	0.7	0.7	43.5	0.01	0.02
I318305		2.53	13.9	850	6.8	30.0	<0.001	0.05	0.27	6.1	0.7	0.8	62.5	0.01	0.02
I318306		2.14	15.8	560	8.1	18.6	<0.001	0.02	0.29	4.7	0.5	0.7	30.8	0.01	0.03
I318307		1.78	17.0	640	7.3	22.1	<0.001	0.04	0.28	5.5	0.5	0.7	44.0	<0.01	0.03
I318308		1.62	16.5	840	7.7	24.3	<0.001	0.05	0.35	5.8	0.7	0.7	63.1	0.01	0.03
I318309		1.66	18.0	830	6.5	25.9	<0.001	0.03	0.26	6.0	0.5	0.7	46.3	<0.01	0.02
I318310		1.91	14.8	400	8.4	11.9	<0.001	0.01	0.33	4.1	0.4	0.8	19.4	<0.01	0.03
I318311		1.79	24.6	740	7.6	18.6	<0.001	<0.01	0.30	7.5	0.5	0.7	29.3	0.01	0.02
I318312		1.68	15.6	570	10.6	15.6	<0.001	0.02	0.40	5.1	0.6	0.9	17.4	0.01	0.03
I318313		1.89	22.8	830	8.1	24.3	<0.001	0.01	0.32	8.0	0.5	0.8	26.1	0.01	0.02
I318314		1.99	20.3	850	8.0	23.3	<0.001	0.02	0.30	6.7	0.5	0.8	33.0	<0.01	0.02
I318315		0.91	9.2	760	4.7	8.5	<0.001	0.05	0.20	3.8	0.7	0.4	29.4	0.01	0.02
I318316		1.63	17.9	890	8.0	19.5	<0.001	0.04	0.30	5.9	0.5	0.8	34.7	<0.01	0.03
I318317		1.68	17.8	930	7.9	19.7	<0.001	0.04	0.30	6.0	0.5	0.8	34.4	<0.01	0.03
I318318		2.38	22.0	740	9.4	21.8	<0.001	0.01	0.36	6.4	0.5	0.7	28.2	0.01	0.03
I318319		2.35	22.3	820	8.0	17.1	<0.001	0.01	0.35	7.2	0.5	0.7	34.1	<0.01	0.02
I318320		2.10	18.4	870	7.2	11.8	<0.001	0.02	0.35	5.8	0.5	0.6	34.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318281		0.113	0.10	2.24	68	0.14	11.15	84
I318282		0.127	0.21	1.04	74	0.15	9.43	90
I318283		0.110	0.19	1.31	71	0.29	10.05	94
I318284		0.098	0.17	1.16	74	0.15	12.45	75
I318285		0.102	0.18	1.30	64	0.15	8.31	69
I318286		0.113	0.21	1.48	80	0.14	8.42	78
I318287		0.142	0.23	1.46	72	0.17	10.50	75
I318288		0.101	0.16	1.29	64	0.14	11.40	74
I318289		0.123	0.14	1.23	63	0.17	12.15	52
I318290		0.129	0.15	1.15	65	0.20	11.85	54
I318291		0.090	0.13	1.20	51	0.14	13.15	52
I318292		0.147	0.22	1.12	74	0.39	10.45	68
I318293		0.129	0.16	1.13	61	0.27	9.68	57
I318294		0.167	0.15	1.09	88	0.26	6.69	131
I318295		0.078	0.11	1.34	54	0.22	10.90	70
I318296		0.148	0.15	1.33	96	0.39	5.51	75
I318297		0.072	0.10	6.00	57	0.25	14.70	51
I318298		0.074	0.12	3.61	55	0.29	11.00	48
I318299		0.093	0.12	1.20	75	0.32	4.01	54
I318300		0.007	0.04	0.34	4	0.05	2.27	5
I318301		0.042	0.27	11.50	71	0.54	126.5	46
I318302		0.098	0.11	0.85	63	0.17	3.15	28
I318303		0.084	0.11	0.70	47	0.13	3.38	25
I318304		0.162	0.19	2.68	79	0.23	14.50	64
I318305		0.175	0.18	2.69	87	0.23	11.35	79
I318306		0.145	0.14	1.62	85	0.28	6.60	60
I318307		0.115	0.13	1.71	81	0.22	7.70	68
I318308		0.107	0.17	2.35	82	0.18	11.05	62
I318309		0.127	0.15	1.50	79	0.15	8.08	74
I318310		0.123	0.13	0.75	81	0.15	3.81	47
I318311		0.177	0.18	1.57	84	0.18	9.14	62
I318312		0.061	0.17	0.80	83	0.15	4.89	43
I318313		0.157	0.22	1.24	88	0.17	9.10	69
I318314		0.167	0.18	1.13	88	0.18	8.32	78
I318315		0.061	0.08	2.27	38	0.10	12.80	38
I318316		0.127	0.17	1.56	89	0.18	7.61	82
I318317		0.129	0.17	1.68	88	0.19	7.63	80
I318318		0.181	0.15	1.31	97	0.51	6.44	73
I318319		0.196	0.19	1.13	104	0.25	7.31	68
I318320		0.176	0.13	0.95	92	0.17	6.92	69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318321		0.62	<0.005	0.08	2.54	7.1	<0.2	<10	260	0.38	0.17	0.54	0.18	30.4	14.3	33
I318322		0.54	<0.005	0.35	2.41	18.7	<0.2	<10	270	0.57	0.21	0.70	0.25	43.3	14.8	34
I318323		0.64	0.005	0.13	2.62	9.6	<0.2	<10	270	0.46	0.27	0.63	0.16	32.6	16.7	39
I318324		0.52	0.005	0.23	1.90	10.8	<0.2	<10	200	0.48	0.16	0.36	0.21	34.2	35.8	37
I318325		0.56	<0.005	0.14	2.23	6.0	<0.2	<10	160	0.37	0.14	0.38	0.17	20.0	11.4	40
I318326		0.42	<0.005	0.13	1.85	4.4	<0.2	<10	180	0.34	0.13	0.35	0.21	18.10	9.7	35
I318327		0.50	0.005	0.17	1.85	5.8	<0.2	<10	140	0.30	0.14	0.32	0.12	16.20	8.8	37
I318328		0.56	0.005	0.13	2.06	6.5	<0.2	<10	150	0.37	0.15	0.32	0.14	16.60	9.5	40
I318329		0.54	<0.005	0.25	1.81	5.2	<0.2	<10	170	0.33	0.14	0.48	0.17	16.55	15.9	38
I318330		0.52	0.026	0.07	1.14	5.3	<0.2	<10	90	0.21	0.12	0.26	0.25	11.25	7.1	26
I318331		0.48	<0.005	0.11	3.23	15.5	<0.2	<10	140	0.54	0.21	0.24	0.41	18.60	14.3	55
I318332		0.44	<0.005	0.11	3.19	14.9	<0.2	<10	140	0.59	0.20	0.26	0.44	18.55	15.1	52
I318333		0.48	0.006	0.20	1.95	10.9	<0.2	<10	100	0.49	0.22	0.34	0.51	30.0	16.3	43
I318334		0.46	<0.005	0.10	1.78	4.6	<0.2	<10	100	0.23	0.14	0.47	0.16	17.70	11.8	36
I318335		0.50	<0.005	0.10	1.61	3.7	<0.2	<10	100	0.24	0.13	0.38	0.16	15.55	6.4	31
I318336		0.44	<0.005	0.14	2.56	7.7	<0.2	<10	170	0.55	0.22	0.74	0.16	28.3	17.2	50
I318337		0.42	<0.005	0.08	2.63	9.5	<0.2	<10	150	0.53	0.24	0.75	0.22	27.8	18.7	51
I318338		0.54	<0.005	0.11	2.43	11.5	<0.2	<10	150	0.50	0.19	0.93	0.12	26.2	16.3	47
I318339		0.48	<0.005	0.05	2.58	8.6	<0.2	<10	140	0.62	0.15	0.36	0.13	29.0	15.2	47
I318340		0.44	<0.005	0.10	2.89	8.4	<0.2	<10	210	0.74	0.18	0.41	0.19	38.8	18.1	60
I318341		0.52	0.008	0.09	1.47	4.7	<0.2	<10	70	0.36	0.17	0.21	0.14	13.65	8.8	28
I318342		0.46	0.005	0.15	1.88	6.7	<0.2	<10	120	0.46	0.22	0.72	0.15	25.8	16.4	39
I318343		0.50	0.008	0.12	2.06	7.4	<0.2	<10	140	0.48	0.27	1.03	0.21	26.9	15.4	42
I318344		0.52	<0.005	0.20	2.02	7.1	<0.2	<10	160	0.30	0.25	0.35	0.18	19.80	11.5	43
I318345		0.58	0.005	0.15	2.09	6.4	<0.2	<10	190	0.35	0.27	0.48	0.15	22.6	12.1	44
I318346		0.50	0.010	0.18	2.20	6.0	<0.2	<10	200	0.35	0.37	0.64	0.21	23.5	13.8	42
I318347		0.48	<0.005	0.12	2.05	6.3	<0.2	<10	180	0.42	0.38	0.66	0.29	26.0	11.0	40
I318348		0.58	<0.005	0.17	2.09	8.0	<0.2	<10	130	0.56	0.49	0.37	0.30	30.5	12.6	45
I318349		0.46	<0.005	0.14	1.20	8.6	<0.2	<10	60	0.26	0.30	0.10	0.35	12.15	6.5	23
I318350		0.48	0.005	0.05	2.01	7.6	<0.2	<10	90	0.49	0.17	0.20	0.30	21.3	13.1	35
I318351		0.32	<0.005	0.12	0.86	2.8	<0.2	<10	110	0.28	0.14	0.35	0.12	12.00	7.2	18
I318352		0.44	<0.005	0.09	3.03	6.7	<0.2	<10	220	0.69	0.20	0.53	0.18	25.8	16.0	54
I318353		0.40	<0.005	0.10	2.89	4.7	<0.2	<10	200	0.75	0.21	0.59	0.10	27.6	14.2	51
I318354		0.46	<0.005	0.14	3.18	8.4	<0.2	<10	230	0.72	0.24	0.61	0.19	29.7	17.0	59
I318355		0.40	0.006	0.10	2.66	5.9	<0.2	<10	200	0.63	0.20	0.84	0.26	21.9	15.8	47
I318356		0.40	0.005	0.09	2.99	7.7	<0.2	<10	200	0.66	0.20	0.64	0.16	28.4	18.0	66
I318357		0.38	<0.005	0.10	2.64	5.6	<0.2	<10	130	0.63	0.17	2.00	0.27	30.8	18.2	50
I318358		0.38	<0.005	0.11	1.99	5.9	<0.2	<10	150	0.68	0.19	1.46	0.23	23.5	15.9	37
I318359		0.36	<0.005	0.17	2.40	11.8	<0.2	<10	220	0.61	0.38	1.31	0.29	23.9	15.2	71
I318360		0.44	<0.005	0.17	2.20	10.5	<0.2	<10	300	0.57	0.31	1.15	0.22	27.7	14.2	55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318321		2.50	19.2	3.68	9.01	0.09	0.05	0.05	0.037	0.16	16.7	17.3	0.84	691	1.28
I318322		4.68	30.2	4.34	8.15	0.14	0.07	0.09	0.050	0.11	32.2	12.0	0.59	800	2.21
I318323		4.30	39.4	4.15	9.25	0.12	0.07	0.08	0.046	0.23	18.4	18.3	0.92	428	1.22
I318324		0.99	23.6	4.25	6.43	0.09	0.03	0.05	0.029	0.04	14.8	8.3	0.48	2960	1.55
I318325		0.98	20.1	2.70	7.36	0.07	0.03	0.04	0.028	0.06	9.7	12.7	0.69	311	0.83
I318326		0.71	21.1	2.24	6.30	0.06	0.03	0.05	0.023	0.05	8.8	9.2	0.55	270	0.90
I318327		0.85	17.8	2.36	6.32	0.07	0.02	0.03	0.024	0.06	8.1	10.4	0.60	196	1.01
I318328		1.05	17.7	2.61	6.84	0.06	0.03	0.03	0.026	0.08	8.2	12.0	0.67	197	0.95
I318329		1.10	20.5	2.34	6.67	0.06	0.03	0.05	0.026	0.07	8.6	10.4	0.54	534	1.60
I318330		0.63	14.8	2.15	5.40	0.05	0.03	0.03	0.018	0.05	5.8	7.7	0.39	187	0.72
I318331		1.65	26.1	4.43	10.60	0.08	0.07	0.04	0.042	0.07	9.0	18.9	0.67	331	1.75
I318332		1.59	26.1	4.19	9.99	0.07	0.07	0.04	0.042	0.08	9.0	18.4	0.63	325	1.73
I318333		1.11	46.6	3.31	6.31	0.09	0.05	0.02	0.029	0.09	15.1	13.7	0.66	331	0.90
I318334		1.20	15.6	2.40	6.93	0.07	0.03	0.03	0.025	0.05	9.1	11.0	0.61	263	0.92
I318335		1.03	14.5	1.92	6.33	0.06	0.02	0.07	0.020	0.05	7.9	9.4	0.50	143	0.58
I318336		1.72	26.1	2.95	8.89	0.09	0.04	0.04	0.032	0.11	14.0	21.0	0.73	606	0.97
I318337		1.67	28.8	3.22	9.26	0.09	0.05	0.05	0.035	0.10	13.3	21.2	0.78	554	1.26
I318338		1.94	29.1	2.98	8.50	0.09	0.05	0.04	0.031	0.09	13.5	20.1	0.73	432	1.01
I318339		1.82	29.4	3.12	8.74	0.10	0.08	0.04	0.029	0.13	13.6	21.7	0.73	337	0.93
I318340		3.40	40.6	3.77	10.40	0.12	0.06	0.04	0.038	0.28	18.8	22.4	0.92	416	1.31
I318341		1.38	19.7	2.09	5.79	0.06	0.04	0.02	0.017	0.06	6.9	13.0	0.40	169	0.84
I318342		1.56	24.5	2.49	7.04	0.07	0.04	0.05	0.028	0.06	12.7	16.4	0.55	578	1.12
I318343		1.43	25.2	2.77	7.10	0.09	0.06	0.04	0.025	0.09	13.5	18.5	0.64	500	0.97
I318344		1.52	17.7	2.63	7.77	0.09	0.02	0.05	0.029	0.09	10.0	13.2	0.61	362	1.29
I318345		1.84	19.1	2.64	7.83	0.09	0.03	0.04	0.030	0.10	10.9	14.1	0.65	361	1.21
I318346		1.67	22.0	2.70	8.00	0.08	0.04	0.05	0.034	0.11	11.5	14.2	0.70	506	1.41
I318347		1.61	25.4	2.61	8.22	0.08	0.04	0.04	0.037	0.12	14.2	13.5	0.59	333	1.70
I318348		2.32	32.7	2.97	8.75	0.10	0.04	0.10	0.039	0.15	17.7	14.0	0.65	364	1.77
I318349		1.11	18.0	2.84	10.00	0.06	0.03	0.04	0.027	0.04	6.2	8.7	0.22	234	1.87
I318350		1.42	26.9	2.91	7.84	0.07	0.04	0.04	0.027	0.09	9.2	16.0	0.47	311	1.08
I318351		0.88	16.8	1.26	3.72	0.05	<0.02	0.03	0.013	0.04	5.9	4.4	0.22	447	1.10
I318352		2.09	26.5	3.77	10.30	0.09	0.03	0.03	0.034	0.17	12.9	19.8	0.92	428	0.77
I318353		2.21	38.2	2.93	9.11	0.11	0.05	0.03	0.028	0.16	14.1	22.6	0.89	243	0.62
I318354		2.69	37.2	3.50	10.40	0.11	0.04	0.03	0.028	0.22	14.7	24.9	1.03	469	0.94
I318355		2.36	29.0	3.02	9.17	0.11	0.04	0.04	0.025	0.19	10.6	20.5	0.81	318	0.74
I318356		2.70	35.3	3.59	10.25	0.12	0.04	0.01	0.029	0.33	12.1	23.7	1.01	411	0.83
I318357		3.98	31.5	3.39	8.69	0.12	0.05	0.03	0.027	0.32	17.2	20.3	0.87	468	0.51
I318358		1.53	30.3	2.82	6.47	0.10	0.05	0.05	0.025	0.14	11.9	17.8	0.59	482	0.73
I318359		2.98	30.9	3.07	8.89	0.12	0.04	0.03	0.028	0.27	11.9	22.1	0.90	650	1.28
I318360		2.68	29.5	3.45	8.21	0.12	0.05	0.04	0.028	0.31	13.7	20.3	0.85	330	1.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318321		1.93	20.0	930	8.7	21.4	<0.001	0.04	0.30	6.2	0.6	0.7	34.3	<0.01	0.03
I318322		1.39	20.0	1070	9.6	17.9	<0.001	0.08	0.60	10.8	1.1	0.7	44.3	0.01	0.04
I318323		1.91	22.5	800	7.9	27.1	<0.001	0.01	0.49	10.8	0.6	0.8	33.7	0.01	0.03
I318324		1.16	18.3	990	8.1	8.6	<0.001	0.08	0.41	3.8	0.9	0.5	26.1	<0.01	0.06
I318325		1.68	24.0	600	8.6	10.6	<0.001	0.02	0.25	4.6	0.6	0.6	23.4	<0.01	0.03
I318326		1.34	21.6	520	6.8	8.1	<0.001	0.06	0.25	3.7	0.8	0.5	24.6	<0.01	0.04
I318327		1.44	22.2	590	7.4	9.3	<0.001	0.04	0.24	3.5	0.7	0.5	20.3	<0.01	0.03
I318328		1.79	22.7	560	8.7	11.8	<0.001	0.02	0.25	4.1	0.7	0.6	19.7	<0.01	0.03
I318329		1.55	21.1	700	11.1	12.5	<0.001	0.05	0.26	3.9	0.8	0.6	26.8	<0.01	0.03
I318330		1.34	17.7	520	7.4	6.7	<0.001	0.01	0.25	2.5	0.4	0.5	14.6	<0.01	0.03
I318331		2.88	34.8	450	14.1	13.3	<0.001	0.02	0.49	5.2	0.6	0.9	20.4	0.01	0.05
I318332		2.80	34.9	520	13.5	13.4	<0.001	0.02	0.49	5.1	0.6	0.8	21.4	0.02	0.05
I318333		1.77	52.5	820	12.9	10.4	<0.001	0.05	0.43	4.0	0.8	0.5	23.3	<0.01	0.07
I318334		1.92	24.8	590	8.6	10.9	<0.001	0.05	0.21	3.9	0.7	0.6	25.1	<0.01	0.02
I318335		1.50	20.1	560	8.9	10.2	<0.001	0.04	0.20	3.1	0.6	0.5	22.3	<0.01	0.03
I318336		2.25	32.0	650	11.0	23.7	<0.001	0.05	0.21	5.7	0.7	0.6	43.0	<0.01	0.03
I318337		2.56	34.4	550	13.3	19.5	<0.001	0.04	0.25	6.5	0.7	0.7	39.6	<0.01	0.04
I318338		2.45	35.2	580	13.9	21.4	<0.001	0.04	0.26	5.9	0.7	0.6	46.8	<0.01	0.03
I318339		2.73	33.9	730	8.3	21.7	<0.001	0.01	0.28	6.0	0.6	0.6	22.8	<0.01	0.03
I318340		3.30	48.3	690	10.0	43.7	<0.001	0.01	0.67	7.7	0.9	0.9	29.9	0.01	0.05
I318341		1.71	21.8	290	7.0	11.8	<0.001	<0.01	0.23	3.3	0.3	0.5	15.5	<0.01	0.03
I318342		1.68	28.1	710	9.6	14.6	<0.001	0.05	0.30	4.4	0.7	0.5	38.4	<0.01	0.03
I318343		2.05	28.8	680	9.3	21.8	<0.001	0.06	0.26	5.2	0.8	0.5	54.5	0.01	0.03
I318344		1.84	21.7	580	8.1	15.2	<0.001	0.04	0.25	4.7	0.7	0.8	26.3	<0.01	0.03
I318345		2.04	24.0	560	9.2	18.7	<0.001	0.03	0.22	5.2	0.6	0.9	36.0	<0.01	0.03
I318346		2.07	25.0	640	10.1	19.7	<0.001	0.05	0.23	5.4	0.8	1.2	44.4	<0.01	0.03
I318347		2.12	26.2	550	10.2	23.5	<0.001	0.05	0.25	5.3	0.8	1.3	46.1	<0.01	0.03
I318348		2.42	28.5	660	8.4	26.6	<0.001	0.04	0.30	5.5	0.8	1.3	30.9	<0.01	0.05
I318349		1.99	13.1	300	9.7	7.6	<0.001	0.01	0.49	2.7	0.5	1.0	12.6	<0.01	0.04
I318350		2.25	29.3	470	8.7	13.3	<0.001	0.01	0.33	3.9	0.6	0.7	15.7	0.01	0.04
I318351		0.39	11.1	660	4.9	9.1	<0.001	0.05	0.25	1.1	0.4	0.5	27.4	<0.01	0.03
I318352		2.31	35.5	730	12.4	23.1	<0.001	0.03	0.46	5.6	0.5	0.8	32.8	<0.01	0.03
I318353		2.17	38.2	770	9.1	26.2	<0.001	0.01	0.20	6.0	0.6	0.6	44.6	<0.01	0.03
I318354		2.51	41.4	790	10.2	32.7	<0.001	0.02	0.25	5.9	0.7	0.7	43.5	<0.01	0.04
I318355		2.57	34.7	680	9.8	29.9	<0.001	0.04	0.27	5.4	0.6	0.7	47.3	<0.01	0.03
I318356		2.36	43.1	740	20.8	45.2	<0.001	0.01	0.29	5.9	0.5	0.7	56.0	<0.01	0.03
I318357		2.90	36.6	610	13.7	56.2	<0.001	0.07	0.21	5.7	0.8	0.7	137.5	0.01	0.03
I318358		2.23	25.8	830	7.9	21.4	<0.001	0.09	0.37	4.7	0.9	0.6	75.9	0.01	0.03
I318359		2.42	41.5	660	7.0	41.0	0.001	0.06	0.37	6.9	2.2	0.8	74.7	0.01	0.03
I318360		2.58	29.7	770	11.5	44.1	0.001	0.06	0.39	6.2	1.2	0.7	57.7	0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318321		0.154	0.17	1.27	93	0.28	7.72	83	2.0
I318322		0.068	0.17	3.05	90	0.73	22.9	84	1.5
I318323		0.157	0.26	2.63	103	0.37	13.40	77	2.6
I318324		0.070	0.12	1.39	87	0.17	7.76	50	0.7
I318325		0.108	0.11	0.87	71	0.17	5.17	65	1.2
I318326		0.080	0.09	1.11	55	0.12	4.68	55	1.0
I318327		0.088	0.09	0.89	64	0.16	4.13	56	0.8
I318328		0.113	0.12	0.78	67	0.20	4.32	64	1.2
I318329		0.102	0.11	0.99	66	0.21	4.77	61	1.1
I318330		0.102	0.05	0.51	65	0.12	3.18	44	1.0
I318331		0.164	0.12	0.65	109	0.21	4.38	79	3.2
I318332		0.151	0.12	0.65	103	0.21	4.53	77	3.1
I318333		0.116	0.11	1.14	74	0.25	7.95	115	1.8
I318334		0.115	0.12	0.83	58	0.15	4.10	78	1.3
I318335		0.098	0.10	0.78	42	0.14	3.66	58	0.9
I318336		0.128	0.17	1.16	75	0.24	7.41	74	1.7
I318337		0.143	0.17	1.13	86	0.45	7.55	78	2.3
I318338		0.134	0.16	1.04	76	0.25	7.01	71	2.2
I318339		0.159	0.17	1.11	79	0.29	7.41	68	3.2
I318340		0.174	0.29	1.21	93	0.21	9.67	100	2.0
I318341		0.106	0.11	0.49	54	0.15	3.12	47	2.0
I318342		0.098	0.14	1.43	64	0.21	6.97	71	1.6
I318343		0.121	0.15	1.59	72	0.35	8.97	77	2.4
I318344		0.117	0.14	0.91	78	0.32	4.83	63	1.1
I318345		0.127	0.16	0.89	76	0.42	6.49	65	1.4
I318346		0.121	0.17	1.47	70	0.38	6.82	70	1.5
I318347		0.120	0.15	1.68	72	0.36	7.90	66	1.7
I318348		0.141	0.21	1.90	82	0.55	9.37	64	1.7
I318349		0.119	0.09	0.60	91	0.27	2.62	44	1.4
I318350		0.128	0.11	0.78	76	0.20	4.45	51	1.9
I318351		0.036	0.09	0.55	33	0.10	3.77	30	<0.5
I318352		0.125	0.20	0.83	75	0.15	5.98	86	1.3
I318353		0.144	0.26	1.18	79	0.19	8.15	73	2.1
I318354		0.151	0.29	1.10	86	0.21	8.34	84	1.7
I318355		0.124	0.22	0.75	67	0.17	6.56	69	1.9
I318356		0.165	0.32	0.91	84	0.21	7.16	93	1.6
I318357		0.119	0.38	0.93	60	0.16	11.55	91	2.0
I318358		0.097	0.18	1.12	56	0.11	8.81	79	1.9
I318359		0.149	0.31	2.97	80	0.22	9.70	121	1.7
I318360		0.123	0.31	1.46	83	0.23	9.06	117	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318361		0.30	0.010	0.07	0.78	4.3	<0.2	<10	40	0.15	0.18	0.07	0.22	10.75	4.0	26
I318362		0.56	<0.005	0.02	0.13	1.7	<0.2	<10	30	0.11	0.02	0.09	0.03	10.10	2.2	3
I318363		0.44	0.005	0.11	1.98	7.3	<0.2	<10	210	0.46	0.32	0.42	0.22	22.7	19.4	52
I318364		0.38	0.005	0.22	1.90	3.9	<0.2	<10	410	0.32	0.18	0.76	0.22	28.0	13.2	116
I318365		0.26	0.030	0.37	1.43	4.8	<0.2	<10	370	0.59	0.17	0.93	0.68	59.5	12.2	52
I318366		0.38	0.005	0.07	2.88	9.4	<0.2	<10	140	0.38	0.35	0.25	0.18	23.2	16.5	47
I318367		0.32	<0.005	0.23	0.75	1.9	<0.2	<10	230	0.17	0.09	0.30	0.21	15.00	7.5	17
I318368		0.34	0.006	0.12	1.38	2.7	<0.2	<10	120	0.14	0.27	0.33	0.25	11.55	5.6	27
I318369		0.36	<0.005	0.10	1.36	3.1	<0.2	<10	110	0.13	0.20	0.32	0.18	11.25	5.6	28
I318370		0.36	<0.005	0.09	1.18	4.8	<0.2	<10	130	0.28	0.32	2.27	0.30	15.45	9.6	27
I318371		0.36	0.010	0.12	1.28	1.7	<0.2	<10	130	0.16	0.31	0.29	0.11	9.77	5.5	27
I318372		0.42	0.006	0.13	1.89	4.5	<0.2	<10	160	0.17	0.19	0.40	0.12	14.35	7.6	28
I318373		0.38	<0.005	0.13	2.01	5.3	<0.2	<10	200	0.24	0.20	0.56	0.13	19.50	11.8	30
I318374		0.50	<0.005	0.15	2.05	6.3	<0.2	<10	190	0.25	0.28	0.49	0.11	18.30	14.6	33
I318375		0.44	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.09	0.02	0.08	0.04	11.35	2.0	3
I318376		0.58	<0.005	0.07	1.90	7.0	<0.2	<10	150	0.21	0.61	0.44	0.16	17.30	13.2	32
I318377		0.64	0.005	0.08	1.89	7.4	<0.2	<10	140	0.33	0.28	0.41	0.14	27.5	11.8	30
I318378		0.48	<0.005	0.06	2.18	6.2	<0.2	<10	150	0.31	0.35	0.30	0.17	24.3	11.5	33
I318379		0.34	<0.005	0.07	1.82	4.2	<0.2	<10	180	0.28	0.45	0.36	0.14	19.40	10.1	34
I318380		0.62	0.005	0.11	2.19	7.0	<0.2	<10	190	0.30	0.64	0.42	0.09	20.1	13.2	37
I318381		0.40	0.006	0.15	1.72	5.1	<0.2	<10	210	0.30	0.19	0.49	0.13	16.90	11.1	31
I318382		0.58	0.010	0.14	2.36	5.6	<0.2	<10	220	0.33	0.49	0.51	0.09	23.8	14.4	44
I318383		0.64	<0.005	0.14	2.12	4.8	<0.2	<10	160	0.32	1.44	0.43	0.09	19.00	14.2	50
I318384		0.42	<0.005	0.04	2.55	7.3	<0.2	<10	150	0.45	0.51	0.31	0.12	17.65	14.1	55
I318385		0.44	<0.005	0.04	2.30	6.4	<0.2	<10	130	0.31	0.53	0.29	0.13	14.10	11.5	47
I318386		0.58	0.006	0.09	2.39	5.2	<0.2	<10	220	0.27	0.39	0.49	0.10	17.35	12.8	37
I318387		0.46	<0.005	0.07	2.20	5.7	<0.2	<10	150	0.25	0.18	0.37	0.10	17.40	9.4	33
I318388		0.28	<0.005	0.32	1.12	7.5	<0.2	<10	240	0.20	0.17	0.50	0.23	18.10	13.1	19
I318389		0.50	0.008	0.08	1.74	10.1	<0.2	<10	170	0.17	0.34	0.43	0.10	12.95	9.1	28
I318390		0.54	<0.005	0.11	1.96	5.6	<0.2	<10	170	0.16	0.20	0.38	0.11	12.95	9.3	30
I318391		0.50	0.005	0.09	1.39	4.4	<0.2	<10	130	0.14	0.56	0.39	0.10	11.70	6.1	29
I318392		0.42	0.006	0.06	1.18	5.1	<0.2	<10	100	0.13	0.20	0.30	0.13	12.25	4.6	24
I318393		0.30	0.005	0.11	1.32	15.5	<0.2	<10	120	0.22	0.34	0.27	0.32	21.5	4.4	30
I318394		0.40	0.006	0.17	1.45	43.2	<0.2	<10	120	0.22	1.01	0.27	0.34	18.20	5.6	34
I318395		0.38	0.011	0.13	1.32	41.2	<0.2	<10	130	0.20	0.24	0.25	0.24	19.50	4.5	30
I318396		0.44	0.008	0.07	1.07	24.4	<0.2	<10	100	0.15	0.11	0.26	0.34	15.65	3.8	24
I318397		0.34	0.020	1.19	1.37	43.0	<0.2	<10	1260	1.10	0.30	1.37	13.35	108.0	6.0	29
I318398		0.58	0.019	0.38	1.91	87.4	<0.2	<10	330	0.31	0.30	0.33	0.64	27.7	12.1	42
I318399		0.42	0.005	0.30	1.34	21.4	<0.2	<10	230	0.24	0.17	0.35	0.58	25.2	4.2	32
I318400		0.52	<0.005	0.03	0.14	1.9	<0.2	<10	30	0.09	0.02	0.08	0.04	10.35	2.0	4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318361		1.65	10.6	1.70	6.25	<0.05	0.02	0.04	0.012	0.05	3.3	4.8	0.20	127	1.01
I318362		0.09	2.6	0.64	0.56	<0.05	0.06	0.01	<0.005	0.04	5.2	1.8	0.04	151	0.30
I318363		3.26	27.8	3.96	7.58	0.08	0.03	0.03	0.031	0.16	10.8	15.6	0.87	640	1.02
I318364		3.46	31.4	2.40	7.75	0.09	0.03	0.06	0.018	0.14	15.1	14.1	1.09	379	1.10
I318365		4.90	43.3	1.87	4.44	0.10	0.04	0.09	0.016	0.17	31.6	10.8	0.62	462	1.09
I318366		2.40	34.0	3.97	8.72	0.09	0.08	0.03	0.030	0.09	9.9	20.2	0.87	408	1.33
I318367		0.85	40.4	1.08	2.70	0.05	0.02	0.04	0.012	0.05	6.8	2.9	0.22	222	0.61
I318368		1.21	17.5	1.74	5.77	0.06	0.02	0.04	0.015	0.05	5.9	7.4	0.49	137	0.48
I318369		1.19	19.0	1.73	5.85	0.06	0.03	0.03	0.015	0.05	5.6	7.8	0.46	143	0.41
I318370		0.92	28.3	1.80	3.57	0.07	0.07	0.04	0.017	0.04	7.6	9.7	0.53	411	0.50
I318371		2.10	24.3	1.49	5.22	0.06	<0.02	0.05	0.013	0.08	4.9	7.0	0.40	119	1.85
I318372		1.36	17.3	2.35	6.98	0.06	0.02	0.03	0.026	0.07	7.2	11.5	0.58	226	2.10
I318373		1.14	23.6	2.77	6.97	0.06	0.03	0.03	0.029	0.06	9.0	13.3	0.63	458	5.25
I318374		1.22	21.3	2.97	6.99	0.06	0.03	0.05	0.031	0.05	8.4	13.2	0.61	1040	21.4
I318375		0.08	2.1	0.64	0.55	<0.05	0.05	<0.01	<0.005	0.03	5.8	1.3	0.04	149	0.40
I318376		1.10	22.0	3.00	7.18	0.06	0.03	0.02	0.028	0.08	8.2	13.7	0.64	605	10.45
I318377		1.22	27.4	3.12	6.35	0.08	0.05	0.02	0.030	0.13	14.5	14.7	0.64	478	7.62
I318378		2.04	25.8	3.22	7.20	0.08	0.05	0.02	0.030	0.19	12.3	15.6	0.74	419	2.67
I318379		1.70	23.8	2.67	6.47	0.07	0.04	0.02	0.025	0.19	10.2	13.6	0.66	312	2.96
I318380		1.38	27.1	3.13	7.19	0.08	0.04	0.03	0.025	0.08	9.7	15.4	0.82	336	4.05
I318381		0.82	33.9	2.40	5.55	0.06	0.02	0.04	0.022	0.07	8.5	11.6	0.56	423	1.26
I318382		1.58	44.7	3.08	6.90	0.08	0.05	0.02	0.027	0.13	11.1	17.1	0.92	353	1.28
I318383		1.92	52.6	2.76	5.93	0.07	0.04	0.02	0.021	0.08	9.3	16.3	0.93	239	1.10
I318384		1.98	25.5	3.26	7.11	0.07	0.12	0.01	0.028	0.08	8.5	16.0	0.81	334	1.12
I318385		1.67	19.1	3.03	7.32	0.06	0.07	0.02	0.026	0.08	7.0	13.6	0.71	269	1.22
I318386		1.68	44.6	3.14	6.72	0.09	0.05	0.02	0.022	0.17	8.5	17.0	1.02	351	0.90
I318387		1.08	24.9	2.54	6.45	0.06	0.05	0.04	0.023	0.06	8.5	14.9	0.77	194	0.61
I318388		0.78	29.5	2.92	3.23	0.06	<0.02	0.06	0.017	0.04	9.0	4.2	0.31	643	4.85
I318389		1.52	19.6	2.82	5.71	0.08	0.02	0.02	0.017	0.09	6.7	10.7	0.83	259	2.33
I318390		1.50	18.6	2.62	6.32	0.06	0.03	0.03	0.019	0.07	6.8	13.9	0.85	215	2.54
I318391		1.31	16.2	1.75	4.96	0.05	<0.02	0.02	0.015	0.05	6.0	8.9	0.55	160	1.22
I318392		0.83	16.2	1.52	4.53	0.05	<0.02	0.03	0.016	0.04	6.2	6.4	0.35	107	0.47
I318393		2.06	17.1	1.59	5.14	0.06	0.02	0.04	0.019	0.05	10.6	6.5	0.36	117	0.65
I318394		2.28	17.7	2.18	5.90	0.07	0.02	0.04	0.021	0.06	9.1	8.9	0.47	154	1.24
I318395		1.92	13.9	1.87	5.20	0.05	0.02	0.05	0.019	0.05	9.4	7.2	0.40	131	0.83
I318396		2.04	10.0	1.41	4.58	0.05	<0.02	0.03	0.015	0.05	7.8	6.6	0.38	128	0.70
I318397		7.71	239	1.67	4.19	0.22	0.11	0.15	0.031	0.07	97.3	11.2	0.41	417	2.69
I318398		4.12	32.5	3.08	6.75	0.07	0.03	0.05	0.042	0.14	14.8	15.1	0.67	458	2.27
I318399		3.43	24.1	1.53	5.32	0.06	0.02	0.07	0.022	0.08	13.9	9.3	0.45	135	0.58
I318400		0.08	2.3	0.70	0.58	<0.05	0.07	<0.01	<0.005	0.04	5.3	1.4	0.04	149	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318361		1.23	12.9	190	7.0	11.5	<0.001	<0.01	0.25	1.8	0.3	0.8	8.2	<0.01	0.02
I318362		0.15	3.9	110	1.8	2.2	<0.001	<0.01	0.10	0.5	<0.2	<0.2	7.9	<0.01	<0.01
I318363		1.40	23.9	660	17.1	25.4	<0.001	0.01	0.28	6.2	0.4	0.8	30.3	<0.01	0.02
I318364		1.23	43.2	780	10.2	34.3	<0.001	0.06	0.20	4.1	0.7	0.7	52.0	<0.01	0.02
I318365		0.93	27.7	960	10.8	28.9	<0.001	0.12	0.54	4.0	1.0	0.4	61.6	0.01	0.02
I318366		2.13	28.8	350	14.9	13.8	<0.001	0.01	0.41	5.9	0.5	0.7	19.8	<0.01	0.05
I318367		0.39	9.3	750	3.2	8.0	<0.001	0.09	0.21	1.6	1.1	0.2	30.3	<0.01	0.03
I318368		0.92	13.7	530	11.1	7.5	<0.001	0.05	0.24	2.8	0.6	0.4	27.5	<0.01	0.02
I318369		0.95	14.1	520	9.4	8.3	<0.001	0.05	0.24	2.7	0.6	0.4	25.7	<0.01	0.02
I318370		1.02	18.0	580	10.2	8.4	<0.001	0.07	0.24	3.0	0.7	0.3	46.3	0.01	0.02
I318371		0.72	11.9	460	5.0	11.1	<0.001	0.06	0.12	2.8	0.5	0.6	25.6	<0.01	0.02
I318372		1.46	14.5	490	7.4	13.0	<0.001	0.05	0.23	4.3	0.4	0.6	27.6	<0.01	0.02
I318373		1.52	17.3	510	7.1	11.7	<0.001	0.05	0.25	5.3	0.5	0.6	34.7	<0.01	0.03
I318374		1.45	17.7	660	8.4	10.7	<0.001	0.06	0.27	4.9	0.5	0.7	32.3	<0.01	0.03
I318375		0.18	3.9	120	1.7	1.7	<0.001	0.01	0.11	0.5	<0.2	<0.2	6.2	<0.01	0.01
I318376		1.73	18.0	510	8.4	14.9	<0.001	0.03	0.26	4.3	0.3	0.8	25.9	<0.01	0.03
I318377		1.82	16.8	530	7.1	16.8	<0.001	0.02	0.24	5.7	0.4	0.7	22.4	<0.01	0.02
I318378		2.12	18.4	470	7.9	23.4	<0.001	0.02	0.26	5.1	0.4	0.8	18.7	<0.01	0.02
I318379		1.93	16.0	490	6.8	23.7	<0.001	0.03	0.21	4.3	0.3	0.7	23.6	<0.01	0.02
I318380		1.96	20.1	630	7.1	13.8	<0.001	0.04	0.33	5.1	0.5	0.7	26.9	<0.01	0.02
I318381		1.05	18.9	820	5.8	9.8	<0.001	0.06	0.30	3.8	0.5	0.4	33.3	<0.01	0.02
I318382		1.66	23.5	720	6.8	19.5	<0.001	0.02	0.28	5.9	0.5	0.6	29.3	<0.01	0.02
I318383		1.23	25.5	630	7.0	14.9	<0.001	0.02	0.23	4.7	0.4	0.5	23.9	<0.01	0.02
I318384		1.97	26.4	410	11.3	14.0	<0.001	0.02	0.31	4.8	0.3	0.6	20.9	<0.01	0.03
I318385		1.96	21.9	390	11.4	13.0	<0.001	0.02	0.30	4.1	0.3	0.6	19.7	<0.01	0.03
I318386		1.62	21.0	690	6.0	22.4	<0.001	0.02	0.27	4.6	0.4	0.5	28.3	<0.01	0.02
I318387		1.61	19.1	580	7.2	10.3	<0.001	0.02	0.31	4.3	0.4	0.5	23.3	<0.01	0.02
I318388		0.74	10.7	1410	4.6	8.0	<0.001	0.18	0.39	2.2	0.9	0.3	36.2	<0.01	0.03
I318389		1.26	13.9	910	5.7	10.8	<0.001	0.06	0.23	3.0	0.4	0.4	23.6	<0.01	0.02
I318390		1.29	15.0	680	6.1	12.5	<0.001	0.05	0.25	3.4	0.4	0.4	25.8	<0.01	0.02
I318391		0.88	13.7	690	5.0	10.0	<0.001	0.05	0.19	2.8	0.4	0.4	22.8	<0.01	0.01
I318392		1.03	12.8	420	5.7	6.8	<0.001	0.06	0.20	2.4	0.4	0.4	19.2	<0.01	0.01
I318393		1.05	18.0	570	14.0	10.0	<0.001	0.08	0.28	2.5	0.8	0.6	20.4	<0.01	0.03
I318394		1.08	18.1	750	20.3	11.2	<0.001	0.06	0.41	2.5	0.9	0.8	20.7	<0.01	0.09
I318395		1.11	14.2	580	19.3	9.3	<0.001	0.07	0.45	2.2	0.9	0.5	18.8	<0.01	0.03
I318396		0.99	11.9	420	14.5	10.4	<0.001	0.05	0.34	2.2	0.5	0.5	16.1	<0.01	0.01
I318397		1.01	73.3	790	35.1	14.9	0.004	0.13	1.13	4.4	5.4	0.6	72.6	0.03	0.03
I318398		1.54	26.7	630	21.3	24.5	0.001	0.05	1.80	4.1	1.1	0.8	25.6	<0.01	0.04
I318399		1.12	18.6	610	14.9	17.3	<0.001	0.08	0.42	3.0	1.2	0.5	22.2	<0.01	0.02
I318400		0.17	3.9	120	1.8	2.0	<0.001	0.01	0.12	0.5	<0.2	<0.2	6.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124630

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318361		0.087	0.12	0.38	44	0.18	1.79	29	0.7
I318362		0.006	0.03	0.35	3	<0.05	2.06	5	2.5
I318363		0.125	0.23	1.11	95	0.22	5.41	85	1.5
I318364		0.125	0.22	1.42	60	0.12	8.01	68	1.0
I318365		0.064	0.28	2.50	37	0.12	14.25	49	0.8
I318366		0.158	0.22	0.83	91	0.13	5.37	70	3.2
I318367		0.037	0.11	0.70	26	<0.05	6.58	21	0.5
I318368		0.081	0.12	0.47	33	0.16	3.07	47	0.8
I318369		0.086	0.10	0.44	35	0.33	3.03	49	0.9
I318370		0.075	0.08	0.77	42	0.24	8.25	57	2.9
I318371		0.085	0.15	0.47	27	1.91	2.96	40	0.5
I318372		0.111	0.11	0.63	58	0.87	4.00	60	1.0
I318373		0.114	0.10	0.68	74	0.80	6.47	62	1.4
I318374		0.104	0.12	0.87	77	0.64	5.43	62	1.1
I318375		0.006	0.03	0.34	4	<0.05	1.95	4	2.5
I318376		0.126	0.10	0.56	78	1.08	5.07	64	1.4
I318377		0.137	0.13	1.04	68	1.47	7.85	63	2.1
I318378		0.164	0.19	0.80	74	1.46	6.32	73	2.6
I318379		0.143	0.17	0.65	64	2.40	6.00	58	1.5
I318380		0.147	0.15	0.78	74	0.82	5.86	59	1.9
I318381		0.094	0.08	0.67	57	0.36	5.74	45	1.0
I318382		0.161	0.15	0.84	74	0.62	7.69	56	2.5
I318383		0.139	0.17	0.77	65	0.81	6.11	47	1.7
I318384		0.152	0.14	0.65	76	0.32	4.00	52	5.8
I318385		0.143	0.12	0.49	75	0.26	3.05	47	3.6
I318386		0.172	0.16	0.68	76	0.24	4.58	64	2.6
I318387		0.134	0.10	0.68	67	0.20	4.61	55	2.1
I318388		0.046	0.13	1.46	79	0.18	5.04	36	0.6
I318389		0.129	0.13	0.63	78	1.67	3.12	60	1.2
I318390		0.121	0.12	0.75	63	0.26	2.94	67	1.1
I318391		0.085	0.11	0.49	36	2.46	2.99	46	0.5
I318392		0.078	0.07	0.43	30	0.17	3.11	35	0.5
I318393		0.075	0.15	1.44	28	0.11	5.77	62	0.5
I318394		0.081	0.29	1.30	50	0.32	5.51	89	0.7
I318395		0.077	0.25	1.49	35	0.19	6.03	87	0.7
I318396		0.079	0.28	0.84	33	0.37	3.86	83	0.5
I318397		0.043	0.54	7.11	44	0.22	90.7	888	1.2
I318398		0.111	0.31	1.35	75	0.14	6.16	157	1.1
I318399		0.075	0.26	1.19	35	0.08	6.51	84	0.6
I318400		0.007	0.03	0.37	4	<0.05	2.02	4	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10124630

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

CERTIFICATE WH10124019

Project: SQI10-06
P.O. No.: SQI10-06_25
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318851		0.74	<0.005	0.06	3.94	3.5	<0.2	<10	190	0.28	0.09	0.47	0.18	12.95	37.4	261
I318852		0.66	<0.005	0.04	1.95	4.9	<0.2	<10	200	0.33	0.14	0.42	0.14	18.00	12.9	71
I318853		0.72	<0.005	0.05	2.03	3.4	<0.2	<10	200	0.40	0.12	0.49	0.19	27.3	20.9	84
I318854		0.50	0.005	0.07	1.71	3.9	<0.2	<10	190	0.26	0.12	0.47	0.21	17.95	17.4	79
I318855		0.50	<0.005	0.08	1.67	4.3	<0.2	<10	240	0.31	0.12	0.44	0.26	19.95	22.1	73
I318856		0.50	<0.005	0.01	0.16	2.2	<0.2	<10	30	0.12	0.02	0.10	0.04	9.56	2.4	4
I318857		0.76	0.006	0.06	1.97	5.4	<0.2	<10	200	0.39	0.13	0.42	0.27	26.5	14.9	78
I318858		0.62	0.007	0.10	1.82	5.4	<0.2	<10	190	0.34	0.12	0.62	0.26	24.5	30.6	85
I318859		0.52	0.006	0.08	1.73	5.5	<0.2	<10	150	0.29	0.11	0.57	0.16	18.70	16.8	60
I318860		0.56	<0.005	0.14	1.90	5.9	<0.2	<10	140	0.30	0.11	0.72	0.28	17.50	19.8	72
I318861		0.88	0.011	0.07	2.10	6.5	<0.2	<10	190	0.40	0.14	0.43	0.13	19.55	13.4	26
I318862		0.48	0.009	0.48	2.48	4.9	<0.2	<10	240	0.43	0.21	0.61	0.17	17.60	10.8	27
I318863		0.48	0.009	0.21	2.74	6.7	<0.2	<10	270	0.53	0.20	0.79	0.19	29.3	12.8	28
I318864		0.54	0.006	0.25	2.67	8.1	<0.2	<10	290	0.49	0.23	0.45	0.17	26.3	10.9	30
I318865		0.52	0.006	0.21	2.88	9.3	<0.2	<10	280	0.63	0.23	0.35	0.17	45.7	11.0	40
I318866		0.42	0.006	0.42	2.48	5.4	<0.2	<10	250	0.45	0.24	0.50	0.66	40.9	9.0	37
I318867		0.42	0.006	0.27	2.36	6.4	<0.2	<10	230	0.65	0.13	0.44	0.35	71.8	12.7	39
I318868		0.52	0.007	0.36	3.77	6.3	<0.2	<10	370	1.18	0.14	0.56	0.29	81.9	18.2	63
I318869		0.54	<0.005	0.30	2.35	10.4	<0.2	<10	180	0.72	0.27	0.20	0.26	34.0	8.2	33
I318870		0.52	<0.005	0.15	1.67	6.4	<0.2	<10	130	0.36	0.22	0.23	0.22	22.1	6.3	24
I318871		0.72	0.006	0.10	4.14	4.3	<0.2	<10	360	0.49	0.18	0.47	0.12	20.4	17.3	50
I318872		0.64	<0.005	0.28	2.75	28.6	<0.2	<10	440	1.10	0.30	0.50	0.23	42.5	21.8	59
I318873		0.82	0.006	0.30	1.37	4.8	<0.2	<10	120	0.62	1.28	0.29	0.22	34.6	6.0	19
I318874		0.78	<0.005	0.16	1.94	6.0	<0.2	<10	150	0.49	0.55	0.39	0.19	33.4	6.9	27
I318875		0.76	<0.005	0.18	1.91	5.9	<0.2	<10	160	0.49	0.58	0.38	0.20	38.4	6.8	28
I318876		0.70	0.006	0.12	1.96	8.1	<0.2	<10	200	0.58	0.28	0.55	0.27	37.8	11.3	34
I318877		0.62	<0.005	0.13	2.03	9.5	<0.2	<10	170	0.74	0.22	0.88	0.38	42.3	16.5	41
I318878		0.46	<0.005	0.09	2.02	6.7	<0.2	<10	160	0.59	0.18	0.60	0.20	27.3	15.7	37
I318879		0.52	<0.005	0.07	1.70	4.9	<0.2	<10	120	0.31	0.15	0.33	0.11	15.45	7.1	34
I318880		0.52	0.014	0.09	1.78	2.7	<0.2	<10	150	0.32	0.26	0.43	0.15	24.5	9.3	32
I318881		0.82	0.007	0.23	2.49	6.1	<0.2	<10	290	0.51	0.28	0.35	0.14	26.2	11.2	51
I318882		0.78	0.005	0.09	2.41	4.6	<0.2	<10	310	0.52	0.27	0.33	0.14	27.2	12.0	57
I318883		0.74	<0.005	0.07	2.28	5.2	<0.2	<10	260	0.48	0.35	0.36	0.10	29.3	12.0	49
I318884		0.48	<0.005	0.35	2.06	5.5	<0.2	<10	190	0.38	0.34	0.47	0.10	26.3	8.4	46
I318885		0.52	<0.005	0.17	1.36	5.0	<0.2	<10	140	0.26	0.20	0.29	0.09	18.20	7.7	38
I318886		0.40	0.005	0.40	2.32	6.2	<0.2	<10	210	0.50	0.47	0.28	0.16	18.05	9.9	65
I318887		0.58	<0.005	0.32	2.20	4.2	<0.2	<10	500	0.26	0.24	0.36	0.12	24.7	14.2	187
I318888		0.50	0.008	0.47	2.94	6.3	<0.2	<10	300	0.44	0.43	0.37	0.21	22.7	17.1	79
I318889		0.44	<0.005	0.12	0.91	2.6	<0.2	<10	90	0.19	0.17	0.23	0.45	15.05	3.9	19
I318890		0.36	<0.005	0.14	0.78	4.5	<0.2	<10	110	0.24	0.29	0.18	0.50	12.85	6.1	14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318851		4.01	85.8	4.62	8.59	0.15	0.06	0.02	0.035	0.11	6.9	40.0	4.16	625	0.33
I318852		1.14	27.7	2.46	6.42	0.09	0.08	0.03	0.026	0.06	9.1	14.0	0.92	249	0.26
I318853		0.90	31.5	2.77	6.85	0.14	0.13	0.02	0.027	0.12	12.7	13.5	1.17	484	0.35
I318854		0.76	19.9	2.28	5.99	0.08	0.07	0.04	0.025	0.05	8.5	10.8	0.87	984	0.50
I318855		0.82	21.6	2.46	6.07	0.09	0.05	0.05	0.026	0.04	8.7	10.3	0.79	1310	0.84
I318856		0.09	2.9	0.72	0.71	<0.05	0.08	<0.01	<0.005	0.05	5.0	1.3	0.04	168	0.33
I318857		0.81	31.7	2.48	6.25	0.09	0.12	0.04	0.028	0.04	11.9	11.5	0.79	210	0.30
I318858		0.68	32.8	2.70	5.97	0.10	0.07	0.05	0.024	0.04	10.5	11.0	0.91	1110	0.58
I318859		0.64	23.4	2.51	5.44	0.08	0.05	0.03	0.024	0.05	9.2	10.6	0.94	717	0.58
I318860		0.61	30.9	2.77	5.70	0.10	0.05	0.04	0.021	0.05	8.7	10.9	1.19	819	0.65
I318861		1.19	15.8	2.98	6.66	0.10	0.06	0.02	0.030	0.06	9.8	10.5	0.66	478	0.94
I318862		1.13	26.9	2.70	8.04	0.10	0.03	0.05	0.031	0.07	9.2	10.0	0.70	476	1.25
I318863		1.18	23.6	2.80	9.18	0.10	0.06	0.06	0.041	0.06	14.4	12.3	0.58	466	1.98
I318864		1.61	22.4	3.24	8.93	0.11	0.05	0.04	0.041	0.11	12.9	12.5	0.71	426	1.65
I318865		2.35	33.0	2.92	9.69	0.11	0.04	0.06	0.038	0.08	26.5	11.1	0.58	332	1.82
I318866		1.46	27.0	2.62	9.17	0.11	0.04	0.05	0.030	0.09	25.9	13.3	0.66	355	1.52
I318867		1.34	31.8	2.71	7.35	0.14	0.06	0.06	0.032	0.11	50.1	11.2	0.58	764	1.34
I318868		2.24	67.0	3.59	11.50	0.22	0.11	0.06	0.039	0.24	74.4	17.3	1.03	736	1.30
I318869		1.13	17.3	3.21	8.40	0.10	0.19	0.06	0.031	0.06	19.5	16.3	0.50	256	1.47
I318870		1.05	19.8	2.23	6.60	0.07	0.03	0.03	0.020	0.05	11.8	8.8	0.40	233	0.88
I318871		3.30	30.4	3.99	12.75	0.14	0.05	0.02	0.034	0.49	10.9	19.8	1.97	519	0.63
I318872		2.64	36.8	3.79	9.84	0.15	0.05	0.03	0.044	0.26	21.8	20.2	1.03	900	4.38
I318873		1.67	18.9	2.06	5.47	0.10	0.10	0.02	0.025	0.08	19.1	10.6	0.38	289	2.54
I318874		1.61	17.5	2.52	6.86	0.10	0.07	0.05	0.037	0.07	18.7	12.8	0.46	248	0.97
I318875		1.41	19.8	2.57	6.79	0.08	0.06	0.04	0.028	0.07	19.8	12.3	0.46	244	1.02
I318876		1.27	32.1	2.96	6.59	0.10	0.13	0.05	0.029	0.07	18.5	11.7	0.53	354	0.65
I318877		1.14	34.5	3.24	6.85	0.12	0.07	0.05	0.028	0.05	19.4	11.9	0.61	1160	0.64
I318878		1.01	23.3	3.59	6.95	0.10	0.06	0.04	0.026	0.10	13.4	15.0	0.54	424	0.65
I318879		1.09	12.2	2.21	6.42	0.06	0.02	0.03	0.020	0.06	8.1	11.2	0.49	158	0.44
I318880		1.15	13.5	1.97	6.63	0.07	0.04	0.04	0.023	0.06	12.7	15.0	0.51	357	0.30
I318881		1.57	34.9	2.95	9.38	0.10	0.04	0.04	0.027	0.18	15.1	11.4	0.66	278	1.48
I318882		2.21	35.5	3.02	9.80	0.13	0.04	0.02	0.026	0.36	16.0	12.3	0.79	331	1.34
I318883		1.82	28.1	2.96	9.02	0.12	0.05	0.02	0.024	0.32	16.0	12.0	0.71	395	1.24
I318884		1.53	32.4	2.43	8.29	0.08	0.03	0.06	0.023	0.08	15.1	11.1	0.52	211	1.28
I318885		1.12	23.4	1.98	5.76	0.06	0.02	0.04	0.014	0.07	11.3	9.8	0.44	231	1.10
I318886		1.55	87.4	2.50	8.20	0.08	0.03	0.05	0.020	0.11	10.4	12.3	0.63	200	1.25
I318887		2.36	40.1	2.91	9.54	0.10	0.02	0.09	0.018	0.40	13.4	15.0	1.48	262	1.24
I318888		3.25	86.1	3.71	11.00	0.13	0.04	0.04	0.026	0.27	12.8	21.9	1.34	387	3.04
I318889		0.54	17.5	1.11	4.26	0.05	<0.02	0.03	0.010	0.05	10.8	3.5	0.17	114	1.20
I318890		0.51	19.4	1.51	5.00	0.05	<0.02	0.03	0.013	0.05	6.6	4.0	0.17	551	2.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318851		0.68	352	460	5.5	12.9	<0.001	0.03	0.25	21.8	0.5	0.4	27.4	<0.01	0.02
I318852		1.53	97.3	560	6.5	9.0	<0.001	0.02	0.37	6.7	0.5	0.5	27.1	<0.01	0.03
I318853		1.69	125.0	780	6.4	13.6	<0.001	0.02	0.38	7.2	0.6	0.5	31.3	<0.01	0.03
I318854		1.25	116.5	740	6.6	8.3	<0.001	0.04	0.33	5.9	0.8	0.5	33.7	<0.01	0.03
I318855		1.17	131.0	780	6.6	8.2	<0.001	0.05	0.35	5.7	0.9	0.5	34.1	<0.01	0.03
I318856		0.16	4.2	120	1.6	2.6	<0.001	0.01	0.12	0.7	<0.2	<0.2	9.6	<0.01	0.01
I318857		1.61	99.5	510	7.1	7.8	<0.001	0.03	0.45	7.4	0.7	0.5	26.5	<0.01	0.03
I318858		1.21	123.5	700	6.8	8.2	<0.001	0.05	0.39	6.7	1.0	0.5	34.3	<0.01	0.05
I318859		1.06	63.9	690	6.4	10.0	<0.001	0.05	0.32	5.5	0.9	0.4	30.3	<0.01	0.03
I318860		0.86	78.0	620	8.5	10.7	<0.001	0.06	0.29	5.8	1.0	0.4	33.5	<0.01	0.04
I318861		1.36	15.5	520	6.1	8.6	<0.001	0.03	0.88	7.8	0.6	0.5	24.9	<0.01	0.04
I318862		1.23	17.4	670	10.5	11.1	<0.001	0.05	0.75	6.5	1.0	1.1	43.5	<0.01	0.06
I318863		1.81	19.2	680	6.9	9.6	<0.001	0.07	0.72	7.9	1.2	0.7	52.1	<0.01	0.08
I318864		1.79	18.4	550	7.2	14.7	<0.001	0.03	0.50	8.3	0.7	0.8	29.8	<0.01	0.08
I318865		1.67	23.8	770	8.9	16.5	<0.001	0.05	0.51	6.4	1.2	0.8	31.8	0.01	0.08
I318866		1.59	22.4	760	19.6	17.2	<0.001	0.06	0.27	4.7	1.1	0.7	44.1	<0.01	0.08
I318867		2.21	21.3	760	11.4	17.3	<0.001	0.05	0.36	5.4	1.3	0.7	39.9	0.01	0.05
I318868		4.52	38.5	630	9.9	30.7	0.001	0.03	0.29	9.6	1.5	0.9	47.2	0.01	0.07
I318869		2.75	19.9	270	11.5	11.2	<0.001	0.02	0.43	4.6	0.7	0.8	18.7	0.01	0.05
I318870		1.52	13.1	530	10.0	10.6	<0.001	0.03	0.28	2.5	0.7	0.6	19.6	0.01	0.06
I318871		1.74	30.2	560	6.6	42.7	<0.001	0.01	0.21	13.6	0.5	0.9	103.5	<0.01	0.04
I318872		2.14	36.0	880	24.5	28.4	0.001	0.03	1.81	8.4	2.8	0.9	27.0	<0.01	0.08
I318873		2.82	11.2	520	19.1	17.1	<0.001	0.01	0.44	4.6	0.6	0.8	18.4	<0.01	0.12
I318874		3.16	14.8	590	14.6	16.4	<0.001	0.02	0.45	5.3	0.7	0.9	30.0	<0.01	0.05
I318875		2.84	15.7	610	16.0	15.9	<0.001	0.01	0.41	5.0	0.7	0.9	29.3	<0.01	0.03
I318876		2.42	25.1	870	10.5	15.2	<0.001	<0.01	0.49	6.9	0.7	0.8	37.8	<0.01	0.04
I318877		1.61	32.8	820	12.3	11.4	<0.001	0.02	0.55	6.9	1.0	0.6	45.3	<0.01	0.04
I318878		2.28	24.8	680	6.6	20.8	<0.001	0.04	0.33	5.9	0.9	0.6	32.2	<0.01	0.03
I318879		1.56	18.0	520	6.3	11.7	<0.001	0.03	0.26	3.9	0.8	0.5	23.1	<0.01	0.03
I318880		2.16	17.5	680	10.2	13.2	<0.001	0.03	0.30	4.6	0.7	0.7	29.7	<0.01	0.02
I318881		2.29	32.9	520	6.7	28.2	<0.001	0.01	0.25	5.7	0.7	0.8	29.7	<0.01	0.06
I318882		2.74	33.2	600	5.5	44.6	<0.001	0.01	0.19	6.6	0.6	0.9	27.7	<0.01	0.06
I318883		2.45	27.3	660	5.2	38.9	<0.001	0.01	0.19	5.8	0.5	0.8	28.6	<0.01	0.04
I318884		1.51	21.3	510	7.5	15.3	<0.001	0.03	0.27	4.5	0.8	0.7	42.5	<0.01	0.05
I318885		1.43	20.8	320	4.7	14.1	<0.001	0.01	0.21	3.4	0.6	0.5	20.7	<0.01	0.04
I318886		1.28	33.2	510	7.4	18.9	<0.001	0.03	0.21	4.3	0.9	0.6	27.2	<0.01	0.05
I318887		1.96	63.7	520	7.8	49.1	<0.001	0.02	0.18	4.6	0.6	0.8	27.5	<0.01	0.03
I318888		2.10	34.0	600	7.7	50.8	<0.001	0.02	0.24	7.1	0.8	0.8	32.6	<0.01	0.06
I318889		0.76	14.8	320	4.7	8.9	<0.001	0.02	0.18	1.6	0.6	0.4	21.2	<0.01	0.04
I318890		0.74	9.8	360	7.1	9.6	<0.001	0.02	0.29	1.8	0.6	0.4	20.6	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318851		0.109	0.15	0.40	178	0.09	5.78	58	2.1
I318852		0.121	0.10	0.51	65	0.31	5.91	58	3.6
I318853		0.142	0.11	0.66	72	0.20	8.66	61	5.4
I318854		0.095	0.09	0.64	56	0.17	5.99	56	2.4
I318855		0.090	0.10	0.66	55	0.14	6.27	57	1.9
I318856		0.009	0.03	0.33	5	<0.05	2.18	4	3.1
I318857		0.110	0.09	0.75	69	0.16	9.09	61	4.9
I318858		0.085	0.08	0.74	63	0.20	8.46	57	2.6
I318859		0.080	0.07	0.60	60	0.11	6.79	55	1.9
I318860		0.070	0.07	0.54	61	0.10	7.46	70	1.8
I318861		0.111	0.09	1.42	73	0.22	7.59	49	2.7
I318862		0.100	0.09	1.79	67	0.18	7.31	58	1.0
I318863		0.100	0.12	1.69	65	0.26	11.75	53	2.4
I318864		0.133	0.12	1.20	79	0.26	9.08	62	1.8
I318865		0.095	0.14	2.90	70	0.26	13.80	50	1.3
I318866		0.100	0.12	2.92	68	0.32	12.30	72	1.2
I318867		0.106	0.16	4.37	62	0.50	18.80	57	1.9
I318868		0.189	0.20	5.65	91	0.29	27.1	55	4.2
I318869		0.117	0.12	1.68	76	0.18	10.25	48	8.3
I318870		0.083	0.11	0.97	56	0.41	7.27	36	0.9
I318871		0.245	0.54	0.81	122	0.54	6.42	76	2.1
I318872		0.129	0.43	2.76	86	0.28	14.75	106	1.5
I318873		0.080	0.25	3.21	38	0.18	14.10	50	4.3
I318874		0.112	0.20	3.49	55	0.21	11.45	55	3.1
I318875		0.107	0.21	3.48	56	0.27	11.70	59	2.5
I318876		0.123	0.19	1.67	66	0.27	13.20	62	6.0
I318877		0.093	0.15	1.05	68	0.21	12.55	76	3.2
I318878		0.103	0.15	1.03	65	0.17	7.26	63	2.4
I318879		0.094	0.13	0.56	49	0.16	3.74	54	1.0
I318880		0.100	0.18	1.83	41	0.21	6.95	60	1.6
I318881		0.137	0.20	1.25	83	0.42	6.05	61	1.5
I318882		0.160	0.29	1.24	89	0.58	6.06	66	1.6
I318883		0.151	0.26	1.28	76	0.78	6.79	56	2.0
I318884		0.101	0.14	1.26	58	0.31	6.56	43	1.2
I318885		0.094	0.11	0.70	50	0.20	4.67	34	0.9
I318886		0.102	0.17	1.00	64	0.25	5.04	41	1.1
I318887		0.223	0.30	1.11	82	0.26	4.44	51	1.2
I318888		0.192	0.28	1.30	106	0.32	4.94	69	1.7
I318889		0.054	0.07	0.55	27	0.09	3.81	21	<0.5
I318890		0.065	0.06	0.35	43	0.57	3.21	28	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318891		0.58	0.019	0.28	2.71	6.2	<0.2	<10	190	0.40	0.47	0.54	0.13	16.50	15.8	30
I318892		0.74	0.006	0.37	3.14	2.4	<0.2	<10	440	0.36	0.37	0.40	0.21	17.50	19.0	58
I318893		0.42	<0.005	0.32	2.33	2.4	<0.2	<10	340	0.58	0.65	0.51	0.26	26.6	10.3	65
I318894		0.52	<0.005	0.02	0.21	2.2	<0.2	<10	40	0.14	0.03	0.10	0.03	10.50	2.4	5
I318895		0.42	0.007	0.16	2.27	8.7	<0.2	<10	120	0.54	0.39	0.28	0.31	18.70	9.8	37
I318896		0.42	<0.005	0.18	0.45	2.5	<0.2	<10	50	0.09	0.11	0.06	0.12	3.93	2.2	8
I318897		0.62	0.007	0.06	1.82	6.3	<0.2	<10	140	0.46	0.36	0.46	0.25	29.6	11.1	36
I318898		0.58	0.005	0.21	2.35	9.3	<0.2	<10	210	0.59	0.61	0.31	0.20	40.0	12.1	38
I318899		0.72	0.008	0.09	2.35	9.5	<0.2	<10	210	0.55	0.36	0.38	0.20	33.3	13.1	38
I318900		0.72	0.005	0.09	2.20	6.0	<0.2	<10	190	0.48	0.30	0.31	0.20	33.1	9.0	36
I318901		0.52	0.008	0.09	1.84	7.4	<0.2	<10	140	0.51	0.15	0.41	0.21	30.3	14.4	44
I318902		0.50	<0.005	0.10	1.77	6.7	<0.2	<10	130	0.45	0.22	0.23	0.21	23.9	11.6	40
I318903		0.58	0.006	0.31	2.13	6.6	<0.2	<10	780	0.50	0.15	0.28	0.39	16.50	13.3	35
I318904		0.70	0.005	0.08	2.94	6.0	<0.2	<10	340	0.51	0.18	0.33	0.16	25.8	15.4	64
I318905		0.48	0.005	0.24	2.75	6.7	<0.2	<10	400	0.42	0.15	0.46	0.19	21.1	18.0	63
I318906		0.74	0.007	0.17	2.73	5.6	<0.2	<10	280	0.43	0.13	0.43	0.15	35.4	16.5	64
I318907		0.70	0.007	0.16	2.77	5.5	<0.2	<10	290	0.47	0.14	0.44	0.15	34.9	16.5	65
I318908		0.60	<0.005	0.15	2.28	5.0	<0.2	<10	240	0.35	0.17	0.41	0.16	22.1	13.2	44
I318909		0.46	0.006	0.11	0.38	1.8	<0.2	<10	30	0.07	0.10	0.09	0.06	3.77	2.5	10
I318910		0.36	<0.005	0.14	1.64	5.1	<0.2	<10	140	0.24	0.17	0.29	0.16	17.00	8.9	40
I318911		0.44	<0.005	0.07	1.95	6.2	<0.2	<10	100	0.32	0.17	0.37	0.12	18.85	13.5	56
I318912		0.50	<0.005	0.19	2.41	7.6	<0.2	<10	220	0.39	0.21	0.33	0.15	27.3	16.9	45
I318913		0.54	0.006	0.14	1.92	4.5	<0.2	<10	150	0.24	0.18	0.46	0.17	15.75	9.7	38
I318914		0.46	0.005	0.24	1.97	5.8	<0.2	<10	160	0.25	0.19	0.40	0.31	19.50	8.1	40
I318915		0.54	0.006	0.21	2.04	6.0	<0.2	<10	200	0.33	0.22	0.86	0.18	21.1	11.3	44
I318916		0.48	<0.005	0.15	1.80	5.8	<0.2	<10	190	0.32	0.23	1.03	0.21	25.5	13.0	37
I318917		0.46	<0.005	0.23	1.88	7.1	<0.2	<10	220	0.20	0.25	0.54	0.63	20.4	9.4	38
I318918		0.46	<0.005	0.31	1.86	6.0	<0.2	<10	210	0.24	0.41	0.53	0.58	19.90	8.2	37
I318919		0.46	0.005	0.24	1.83	7.1	<0.2	<10	220	0.28	0.19	1.10	0.33	22.2	10.6	40
I318920		0.50	<0.005	0.13	2.07	14.1	<0.2	<10	200	0.36	0.60	1.07	0.15	20.1	14.4	46
I318921		0.44	0.009	0.19	2.94	37.6	<0.2	<10	250	0.48	0.41	0.59	0.27	30.2	22.6	65
I318922		0.58	0.010	0.32	2.38	21.6	<0.2	<10	250	0.48	0.30	0.69	0.21	48.7	22.3	47
I318923		0.52	0.009	0.27	2.22	13.9	<0.2	<10	220	0.31	0.39	0.73	0.12	18.65	17.4	50
I318924		0.48	<0.005	0.18	1.98	11.0	<0.2	<10	220	0.23	0.27	0.38	0.18	17.15	23.2	50
I318925		0.48	<0.005	0.16	2.06	18.4	<0.2	<10	270	0.31	0.20	0.60	0.42	24.8	11.5	36
I318926		0.48	0.005	0.51	1.94	8.3	<0.2	<10	270	0.55	0.29	0.48	0.40	44.8	16.7	34
I318927		0.46	0.005	0.16	1.81	5.2	<0.2	<10	200	0.43	0.24	0.34	0.40	27.6	8.1	31
I318928		0.54	0.008	0.15	1.92	10.3	<0.2	<10	100	0.42	0.28	0.24	0.35	18.15	10.0	30
I318929		0.42	<0.005	0.10	1.27	6.2	<0.2	<10	100	0.23	0.20	0.17	0.24	9.15	8.0	18
I318930		0.42	0.010	0.08	0.90	3.5	<0.2	<10	50	0.16	0.13	0.09	0.10	6.15	3.2	11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318891		1.19	69.0	2.98	8.20	0.09	0.03	0.04	0.022	0.11	8.3	16.5	0.70	358	1.51
I318892		3.86	85.6	3.45	10.20	0.11	0.03	0.03	0.028	0.40	8.8	16.8	1.24	352	1.04
I318893		1.34	55.6	2.81	8.20	0.11	0.03	0.08	0.028	0.06	13.0	12.6	0.63	394	0.97
I318894		0.09	2.8	1.12	0.89	<0.05	0.08	<0.01	0.008	0.08	5.3	1.4	0.04	215	0.41
I318895		1.18	20.3	3.24	8.35	0.09	0.06	0.04	0.029	0.05	11.2	12.7	0.47	404	1.39
I318896		0.41	9.3	1.00	3.09	<0.05	<0.02	0.03	0.007	0.02	2.0	1.8	0.05	52	0.82
I318897		0.87	25.7	2.82	5.54	0.10	0.15	0.16	0.022	0.06	12.9	11.5	0.56	421	0.69
I318898		1.73	21.7	3.13	7.42	0.10	0.06	0.06	0.030	0.05	16.4	13.3	0.56	269	1.40
I318899		1.68	21.8	3.11	7.63	0.10	0.09	0.05	0.029	0.06	14.7	14.7	0.59	337	0.76
I318900		1.76	21.4	2.48	7.33	0.09	0.10	0.04	0.030	0.05	15.0	14.1	0.54	231	0.62
I318901		1.64	36.6	2.83	6.61	0.12	0.05	0.03	0.023	0.11	14.7	15.1	0.67	447	1.09
I318902		0.89	23.1	2.53	6.60	0.07	0.03	0.04	0.023	0.05	13.5	10.8	0.51	257	1.19
I318903		1.25	32.2	2.60	6.47	0.08	0.07	0.04	0.024	0.05	7.9	17.7	0.61	331	1.10
I318904		2.32	49.6	3.28	9.25	0.11	0.08	0.02	0.031	0.29	13.1	21.9	1.08	343	0.76
I318905		3.87	56.2	4.19	10.60	0.15	0.05	0.03	0.035	0.58	11.1	29.9	1.57	629	1.61
I318906		2.01	54.2	3.63	9.09	0.16	0.06	0.03	0.032	0.40	18.9	22.5	1.10	356	0.94
I318907		2.06	53.6	3.66	9.13	0.15	0.06	0.04	0.031	0.40	18.7	23.0	1.12	356	0.94
I318908		1.49	32.2	2.63	8.96	0.12	0.04	0.05	0.030	0.16	11.7	20.5	0.80	323	0.81
I318909		0.48	7.1	0.68	2.84	<0.05	<0.02	0.04	0.007	0.03	2.0	1.1	0.07	36	0.66
I318910		1.43	18.0	2.34	7.01	0.08	0.03	0.05	0.021	0.08	9.0	12.2	0.62	222	1.03
I318911		0.62	21.1	2.63	6.26	<0.05	0.05	0.02	0.022	0.08	9.7	15.3	0.74	258	1.73
I318912		0.85	23.6	3.18	7.04	<0.05	0.03	0.06	0.028	0.04	13.4	14.2	0.75	961	1.18
I318913		0.62	19.6	2.37	5.65	<0.05	0.04	0.03	0.018	0.04	8.4	11.3	0.75	296	0.75
I318914		0.66	23.4	2.54	5.99	<0.05	0.04	0.18	0.021	0.04	10.4	11.1	0.73	286	1.00
I318915		0.64	27.2	2.63	5.82	<0.05	0.06	0.05	0.022	0.04	10.6	11.4	0.77	443	0.78
I318916		0.55	30.6	2.41	5.16	<0.05	0.07	0.05	0.021	0.04	12.2	10.9	0.60	872	0.94
I318917		0.64	30.2	2.59	6.17	<0.05	0.04	0.04	0.024	0.05	10.8	10.9	0.63	355	1.53
I318918		0.65	29.1	2.41	6.15	<0.05	0.04	0.05	0.025	0.05	10.4	10.9	0.60	287	1.30
I318919		0.68	31.1	2.28	5.40	<0.05	0.08	0.05	0.022	0.05	11.4	11.3	0.63	453	1.02
I318920		0.77	25.0	2.60	5.70	<0.05	0.07	0.03	0.023	0.07	9.6	12.8	0.86	586	0.94
I318921		1.36	39.8	3.71	7.85	0.05	0.06	0.05	0.030	0.06	15.6	17.5	1.02	477	1.77
I318922		0.88	57.0	4.19	6.70	0.10	0.10	0.05	0.029	0.06	23.1	13.1	0.83	471	2.27
I318923		0.84	27.3	3.40	6.39	<0.05	0.06	0.03	0.023	0.05	9.9	13.6	0.97	618	1.82
I318924		0.78	16.0	2.80	6.40	<0.05	0.03	0.03	0.020	0.04	9.0	11.6	0.81	1040	2.09
I318925		0.75	20.4	2.54	5.56	<0.05	0.05	0.04	0.021	0.05	12.6	13.7	0.67	488	0.90
I318926		1.47	70.3	3.17	6.16	0.06	0.07	0.06	0.032	0.04	21.2	9.9	0.52	796	1.23
I318927		1.24	23.7	2.45	6.49	<0.05	0.07	0.03	0.027	0.05	16.3	11.1	0.44	281	0.71
I318928		1.17	17.8	3.57	8.65	<0.05	0.06	0.03	0.030	0.05	9.3	14.4	0.42	586	2.05
I318929		0.78	16.7	2.45	6.65	<0.05	0.02	0.03	0.019	0.03	4.6	7.8	0.18	408	1.48
I318930		0.53	12.2	1.38	4.27	<0.05	0.02	0.04	0.011	0.02	3.1	3.4	0.11	95	0.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318891		1.21	21.2	1030	7.6	14.7	<0.001	0.02	0.25	5.0	0.8	0.5	44.7	<0.01	0.04
I318892		1.02	31.1	930	7.3	32.3	<0.001	0.02	0.14	9.9	0.9	0.6	45.1	<0.01	0.14
I318893		0.65	33.1	800	6.2	8.6	0.001	0.08	0.20	9.0	1.5	0.8	43.3	<0.01	0.04
I318894		0.15	4.4	130	1.7	3.8	<0.001	<0.01	0.13	0.7	<0.2	0.2	11.7	<0.01	0.01
I318895		2.23	24.5	520	15.1	9.3	<0.001	0.02	0.50	4.6	0.8	0.7	20.7	0.01	0.05
I318896		0.46	4.7	210	3.0	2.5	<0.001	0.01	0.25	0.8	0.4	0.3	8.2	<0.01	0.03
I318897		1.69	24.7	850	8.7	9.4	<0.001	0.01	0.40	5.0	0.6	0.6	27.8	<0.01	0.03
I318898		2.01	22.9	770	14.7	11.3	<0.001	0.02	0.51	6.7	0.8	0.7	23.8	<0.01	0.04
I318899		2.42	24.0	740	11.9	12.5	<0.001	0.01	0.49	6.7	0.7	0.8	27.9	<0.01	0.04
I318900		2.37	21.2	480	11.0	12.1	<0.001	0.01	0.46	6.8	0.6	0.9	23.5	<0.01	0.03
I318901		1.77	37.6	730	6.7	17.2	<0.001	0.02	0.41	5.5	0.8	0.6	26.6	<0.01	0.04
I318902		1.62	23.6	560	13.2	7.4	<0.001	0.04	0.33	4.4	1.0	0.7	19.9	<0.01	0.05
I318903		1.57	32.6	440	6.7	8.8	<0.001	0.02	0.28	5.0	0.8	0.5	21.5	0.01	0.04
I318904		2.37	40.8	580	7.3	31.6	<0.001	0.01	0.28	8.4	0.7	0.7	21.6	0.01	0.04
I318905		2.99	44.1	890	9.4	52.5	<0.001	0.06	0.25	10.5	0.8	0.9	26.1	<0.01	0.06
I318906		2.17	37.0	980	6.8	34.7	<0.001	0.02	0.26	10.2	0.9	0.6	21.6	<0.01	0.03
I318907		2.18	37.3	990	8.0	35.5	<0.001	0.01	0.27	10.2	0.8	0.6	22.2	<0.01	0.03
I318908		2.00	29.2	730	9.7	23.7	<0.001	0.04	0.27	7.0	0.8	0.7	29.6	<0.01	0.03
I318909		0.36	4.0	400	3.9	3.4	<0.001	0.03	0.17	0.8	0.6	0.3	11.6	<0.01	0.03
I318910		1.47	22.4	640	8.8	12.2	<0.001	0.05	0.20	4.3	1.0	0.6	22.1	<0.01	0.03
I318911		1.45	104.5	570	7.0	7.9	<0.001	0.04	0.29	4.3	0.5	0.5	24.9	<0.01	0.03
I318912		1.05	27.0	820	10.0	7.1	<0.001	0.06	0.32	5.2	0.8	0.5	28.1	<0.01	0.05
I318913		1.05	23.9	660	7.8	7.2	<0.001	0.04	0.23	4.2	0.4	0.4	27.8	<0.01	0.03
I318914		1.07	27.1	690	9.9	8.4	<0.001	0.06	0.28	4.3	0.5	0.4	29.8	<0.01	0.05
I318915		1.20	28.7	790	11.4	8.4	<0.001	0.05	0.29	5.3	0.6	0.4	40.6	<0.01	0.03
I318916		1.17	26.5	850	10.8	8.4	<0.001	0.08	0.31	4.3	0.9	0.4	38.3	0.01	0.04
I318917		1.15	28.0	770	12.8	12.6	<0.001	0.06	0.28	4.0	0.6	0.4	32.4	<0.01	0.04
I318918		1.13	27.4	730	12.0	12.1	<0.001	0.06	0.24	4.0	0.5	0.4	32.4	<0.01	0.04
I318919		1.28	29.9	790	8.7	10.8	<0.001	0.10	0.28	4.0	0.8	0.4	43.5	0.01	0.04
I318920		1.34	30.0	510	7.5	12.5	<0.001	0.08	0.27	5.1	0.7	0.7	35.2	0.01	0.08
I318921		1.54	45.6	570	14.1	10.7	<0.001	0.08	0.40	6.2	1.0	0.5	28.4	<0.01	0.07
I318922		1.47	36.7	870	12.0	9.5	<0.001	0.07	0.46	7.1	2.1	0.5	29.0	0.01	0.06
I318923		1.22	36.2	750	10.9	8.6	<0.001	0.06	0.34	5.2	0.8	0.4	32.8	<0.01	0.05
I318924		1.22	26.0	700	10.6	7.5	<0.001	0.05	0.27	4.4	0.6	0.5	24.0	<0.01	0.04
I318925		1.25	26.6	770	8.3	9.4	<0.001	0.05	0.26	4.5	0.8	0.4	30.9	<0.01	0.03
I318926		2.11	29.3	760	14.4	8.7	<0.001	0.06	0.48	5.4	0.9	0.6	38.9	0.01	0.04
I318927		2.43	21.7	390	11.7	11.1	<0.001	0.02	0.25	4.1	0.5	0.7	27.1	0.01	0.03
I318928		2.80	19.3	420	16.5	9.3	<0.001	0.05	0.52	3.6	0.4	0.7	20.6	<0.01	0.05
I318929		1.79	10.9	240	8.9	6.7	<0.001	0.04	0.46	2.0	0.2	0.6	18.1	0.01	0.04
I318930		1.29	6.5	200	4.7	3.6	<0.001	0.05	0.32	1.4	<0.2	0.4	10.5	0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318891		0.125	0.15	0.61	81	0.55	5.25	51	1.5
I318892		0.170	0.33	0.86	112	0.42	7.04	63	1.2
I318893		0.083	0.21	1.20	70	0.71	16.85	62	0.7
I318894		0.009	0.04	0.33	5	0.05	2.41	5	3.8
I318895		0.133	0.10	1.55	86	0.36	6.54	56	2.9
I318896		0.044	0.05	0.28	30	0.08	0.90	15	<0.5
I318897		0.144	0.10	1.46	79	0.55	9.57	56	6.7
I318898		0.110	0.19	3.43	79	0.59	14.60	60	2.4
I318899		0.131	0.18	2.18	78	0.43	10.50	63	4.3
I318900		0.126	0.19	2.42	66	0.32	10.95	57	4.3
I318901		0.133	0.14	0.96	81	0.28	8.13	64	2.4
I318902		0.097	0.15	1.96	66	0.64	5.81	51	1.7
I318903		0.109	0.09	0.59	65	0.22	4.77	55	3.0
I318904		0.186	0.21	0.69	93	0.22	7.83	61	3.4
I318905		0.249	0.37	0.75	127	0.24	6.46	99	2.0
I318906		0.210	0.22	1.19	104	0.20	11.40	66	2.8
I318907		0.213	0.23	1.16	102	0.24	11.25	66	2.8
I318908		0.155	0.15	1.06	71	0.20	6.09	70	1.9
I318909		0.040	0.05	0.35	19	0.05	0.88	10	<0.5
I318910		0.120	0.13	0.89	64	0.17	3.86	54	1.2
I318911		0.101	0.07	2.72	61	0.17	5.09	45	1.6
I318912		0.073	0.11	1.21	70	0.13	7.67	64	0.9
I318913		0.075	0.07	0.76	55	0.12	4.57	58	1.1
I318914		0.075	0.08	0.72	59	0.17	5.61	63	1.3
I318915		0.084	0.09	0.83	62	0.12	6.57	60	1.9
I318916		0.075	0.07	0.88	58	0.13	8.85	53	2.1
I318917		0.077	0.08	0.76	65	0.15	6.38	90	1.2
I318918		0.074	0.07	0.79	60	0.17	6.21	85	1.2
I318919		0.073	0.08	0.93	56	0.28	7.88	70	3.1
I318920		0.084	0.10	0.93	65	0.21	6.34	52	2.2
I318921		0.093	0.16	1.01	93	0.17	9.42	78	1.9
I318922		0.100	0.11	2.07	83	0.17	15.70	69	2.8
I318923		0.088	0.09	0.88	78	0.21	6.28	66	1.9
I318924		0.085	0.11	0.96	78	0.19	4.54	66	0.8
I318925		0.086	0.08	1.46	61	0.27	9.59	88	1.3
I318926		0.097	0.15	3.29	88	0.29	17.40	51	1.6
I318927		0.107	0.10	1.88	69	0.19	10.65	52	2.1
I318928		0.122	0.09	1.16	90	0.21	5.64	59	2.0
I318929		0.079	0.09	0.48	66	0.13	2.04	40	1.1
I318930		0.057	0.07	0.38	37	0.09	1.62	21	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318931		0.50	<0.005	0.18	1.45	5.0	<0.2	<10	100	0.27	0.14	0.20	0.33	19.70	7.3	23
I318932		0.52	<0.005	0.12	1.53	5.2	<0.2	<10	140	0.41	0.30	0.29	0.21	31.0	6.7	23
I318933		0.56	0.007	0.40	3.58	8.0	<0.2	<10	320	0.85	0.29	0.38	0.17	58.7	12.3	51
I318934		0.66	<0.005	0.09	2.00	6.2	<0.2	<10	200	0.51	0.20	0.39	0.18	35.7	11.7	35
I318935		0.44	<0.005	0.09	1.77	4.8	<0.2	<10	110	0.33	0.22	0.17	0.07	17.90	9.8	28
I318936		0.48	0.005	0.09	1.87	5.5	<0.2	<10	150	0.26	0.28	0.34	0.15	17.25	7.3	31
I318937		0.54	<0.005	0.06	1.69	3.9	<0.2	<10	80	0.19	0.32	0.16	0.12	20.6	5.3	26
I318938		0.66	0.007	0.06	1.88	6.0	<0.2	<10	170	0.41	0.33	0.39	0.17	24.8	14.8	30
I318939		0.64	0.005	0.09	2.18	5.2	<0.2	<10	190	0.42	0.36	0.36	0.17	26.0	10.7	34
I318940		0.58	0.005	0.13	2.43	5.6	<0.2	<10	230	0.41	0.30	0.31	0.24	25.5	16.0	40
I318941		0.52	<0.005	0.09	2.01	6.3	<0.2	<10	190	0.37	0.24	0.36	0.26	24.3	11.9	36
I318942		0.48	0.005	0.19	2.02	6.2	<0.2	<10	220	0.42	0.33	0.33	0.35	34.3	13.6	40
I318943		0.64	0.005	0.18	2.20	6.5	<0.2	<10	180	0.44	0.77	0.37	0.25	21.6	13.7	38
I318944		0.70	<0.005	0.11	2.04	6.3	<0.2	<10	200	0.38	0.42	0.39	0.19	25.5	10.3	35
I318945		0.60	0.005	0.12	1.70	4.5	<0.2	<10	150	0.28	0.40	0.34	0.23	21.2	6.9	31
I318946		0.56	<0.005	0.24	2.01	4.6	<0.2	<10	220	0.45	0.22	0.55	0.31	36.1	13.0	45
I318947		0.48	<0.005	0.11	1.78	5.2	<0.2	<10	150	0.25	0.15	0.42	0.16	19.50	11.6	35
I318948		0.66	<0.005	0.10	2.03	5.4	<0.2	<10	140	0.39	0.17	0.48	0.17	22.7	11.0	38
I318949		0.46	0.005	0.12	2.41	5.5	<0.2	<10	210	0.53	0.30	0.51	0.26	28.8	10.8	48
I318950		0.66	<0.005	0.22	3.05	5.2	<0.2	<10	220	0.81	0.36	0.55	0.19	41.2	14.3	57
I318951		0.84	<0.005	0.07	2.45	6.8	<0.2	<10	200	0.40	0.22	0.32	0.13	22.2	11.5	38
I318952		0.64	<0.005	0.20	2.76	6.6	<0.2	<10	280	0.73	0.35	0.35	0.27	36.4	12.7	49
I318953		0.48	<0.005	0.63	3.12	3.9	<0.2	<10	270	0.67	1.42	0.37	0.26	33.4	10.8	75
I318954		0.48	<0.005	0.59	2.99	4.9	<0.2	<10	260	0.69	2.19	0.36	0.27	35.5	12.4	71
I318955		0.72	0.005	0.22	2.57	7.6	<0.2	<10	200	0.78	0.44	0.33	0.29	44.5	13.6	54
I318956		0.82	<0.005	0.16	2.78	6.6	<0.2	<10	230	0.64	0.42	0.40	0.27	33.7	12.9	52
I318957		0.66	<0.005	0.16	2.76	9.4	<0.2	<10	240	0.96	0.28	0.77	0.51	43.2	16.5	51
I318958		0.64	<0.005	0.07	3.59	4.0	<0.2	<10	280	1.30	0.21	0.39	0.15	47.6	18.4	92
I318959		0.74	<0.005	0.12	3.30	5.1	<0.2	<10	230	1.18	0.28	0.67	0.18	55.5	26.1	63
I318960		0.78	<0.005	0.11	3.11	5.9	<0.2	<10	210	1.19	0.26	0.34	0.07	50.2	17.0	51
I318961		0.60	<0.005	0.27	2.42	8.7	<0.2	<10	210	0.74	0.19	0.33	0.25	45.0	11.6	40
I318962		0.66	<0.005	0.08	1.83	9.0	<0.2	<10	120	0.30	0.19	0.27	0.23	19.65	10.6	50
I318963		0.88	0.009	0.16	2.56	7.3	<0.2	<10	220	0.65	0.25	0.41	0.12	48.9	14.2	42
I318964		0.62	<0.005	0.16	2.17	7.5	<0.2	<10	200	0.74	0.26	0.49	0.27	49.0	12.1	38
I318965		0.50	<0.005	0.21	2.22	6.0	<0.2	<10	200	0.68	0.25	0.45	0.19	42.5	15.2	45
I318966		0.54	<0.005	0.03	0.14	1.8	<0.2	<10	30	0.09	0.02	0.09	0.03	10.25	2.3	4
I318967		0.62	<0.005	0.10	1.60	4.7	<0.2	<10	100	0.31	0.27	0.34	0.46	14.75	10.1	47
I318968		0.66	<0.005	0.10	2.24	6.2	<0.2	<10	190	0.44	0.18	0.45	0.23	27.0	12.5	46
I318969		1.00	<0.005	0.14	2.67	6.1	<0.2	<10	180	0.48	0.20	0.43	0.16	24.5	17.2	49
I318970		0.74	<0.005	0.25	3.03	5.1	<0.2	<10	440	0.52	0.23	0.37	0.13	22.1	15.2	55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318931		1.45	17.8	2.19	5.36	<0.05	0.04	0.08	0.021	0.05	11.1	9.4	0.36	254	0.94
I318932		2.54	15.9	2.29	5.84	0.05	0.06	0.03	0.022	0.06	20.4	9.4	0.37	445	2.10
I318933		3.14	32.4	3.89	9.70	0.11	0.13	0.17	0.056	0.09	41.6	19.6	0.55	542	1.16
I318934		1.51	21.8	2.88	6.15	0.06	0.07	0.07	0.027	0.05	17.4	13.7	0.54	881	0.68
I318935		1.00	13.0	2.35	5.77	<0.05	0.03	0.08	0.023	0.04	9.8	9.2	0.36	559	1.09
I318936		0.93	13.4	2.30	5.65	<0.05	0.04	0.04	0.020	0.04	8.9	10.8	0.51	396	0.67
I318937		1.18	12.7	1.97	5.72	<0.05	0.04	0.04	0.022	0.04	10.4	10.1	0.36	170	0.63
I318938		1.40	15.3	2.90	5.64	<0.05	0.06	0.06	0.024	0.05	12.5	12.5	0.59	751	0.95
I318939		1.76	18.0	2.79	6.66	<0.05	0.06	0.04	0.028	0.05	13.4	14.5	0.63	371	0.85
I318940		1.69	16.9	2.86	7.36	<0.05	0.04	0.04	0.027	0.05	12.5	15.0	0.68	1020	0.89
I318941		1.35	16.0	2.69	6.08	<0.05	0.06	0.07	0.023	0.05	12.0	11.9	0.58	720	0.75
I318942		1.40	21.0	2.79	6.50	<0.05	0.05	0.08	0.025	0.05	15.5	10.9	0.48	1540	1.14
I318943		1.58	17.5	2.74	6.96	<0.05	0.04	0.03	0.026	0.05	10.8	13.6	0.55	754	0.81
I318944		1.73	17.6	2.65	6.36	<0.05	0.07	0.04	0.028	0.05	12.6	13.0	0.53	603	0.73
I318945		1.49	12.9	2.25	5.52	<0.05	0.05	0.04	0.020	0.05	11.8	10.2	0.45	389	0.68
I318946		1.46	32.4	2.82	7.23	0.05	0.03	0.05	0.025	0.13	21.3	13.0	0.67	463	1.27
I318947		1.03	17.8	2.49	7.25	0.07	0.03	0.03	0.022	0.07	10.9	11.6	0.55	391	1.07
I318948		1.22	21.5	2.71	7.55	0.08	0.04	0.03	0.026	0.09	12.3	14.3	0.63	328	1.04
I318949		2.39	25.4	2.61	9.32	0.12	0.06	0.04	0.036	0.10	15.8	13.8	0.72	222	0.53
I318950		2.22	34.2	3.29	10.30	0.15	0.09	0.04	0.036	0.20	21.3	17.3	0.90	332	0.68
I318951		2.33	17.7	2.97	8.40	0.09	0.04	0.04	0.031	0.07	11.9	13.8	0.74	372	0.85
I318952		2.64	25.5	2.73	9.73	0.10	0.04	0.04	0.037	0.11	17.2	15.3	0.75	318	0.64
I318953		5.27	25.6	2.71	11.85	0.11	0.03	0.07	0.038	0.18	18.8	17.6	0.95	414	0.48
I318954		5.16	25.7	2.85	11.55	0.12	0.03	0.06	0.036	0.18	19.6	17.4	0.90	559	0.59
I318955		2.77	29.0	3.60	8.76	0.13	0.07	0.04	0.032	0.10	21.1	14.1	0.64	400	0.61
I318956		3.08	25.3	3.26	9.22	0.11	0.07	0.04	0.034	0.10	17.8	15.3	0.70	503	0.64
I318957		3.30	32.2	3.39	9.53	0.14	0.06	0.05	0.034	0.29	21.8	18.8	0.89	821	0.46
I318958		5.52	31.4	4.20	14.10	0.20	0.05	0.02	0.043	1.28	26.8	29.8	1.29	493	0.36
I318959		3.00	30.6	4.22	11.60	0.18	0.04	0.04	0.034	0.45	24.9	19.9	0.92	1710	0.75
I318960		2.60	30.8	4.12	11.30	0.15	0.04	0.03	0.036	0.40	28.0	26.2	0.84	333	0.63
I318961		1.54	40.2	3.13	9.44	0.11	0.04	0.03	0.031	0.10	21.4	15.0	0.63	316	1.36
I318962		1.59	26.1	3.34	10.55	0.10	0.04	0.02	0.026	0.10	8.8	11.7	0.72	354	1.59
I318963		1.69	30.8	3.21	9.27	0.12	0.06	0.03	0.033	0.09	25.1	17.0	0.71	416	1.20
I318964		1.36	32.7	3.12	7.47	0.11	0.07	0.04	0.029	0.06	25.1	14.1	0.60	314	0.93
I318965		1.78	50.5	3.05	7.71	0.12	0.06	0.05	0.030	0.10	22.5	19.0	0.76	393	1.31
I318966		0.09	2.9	0.66	0.67	<0.05	0.06	<0.01	<0.005	0.04	5.2	1.4	0.04	155	0.34
I318967		1.32	28.8	2.31	5.56	0.07	0.04	0.02	0.018	0.08	7.3	12.4	0.55	279	0.71
I318968		1.40	35.8	2.81	7.86	0.09	0.07	0.05	0.030	0.07	13.9	16.1	0.72	250	0.88
I318969		1.75	52.7	3.06	8.82	0.12	0.06	0.03	0.026	0.19	12.8	20.4	0.95	306	0.72
I318970		2.66	91.9	4.15	10.30	0.14	0.05	0.04	0.039	0.54	11.9	26.3	1.33	340	2.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318931		1.46	15.0	400	9.6	10.2	<0.001	0.05	0.29	2.9	0.3	0.5	16.9	<0.01	0.02
I318932		2.25	14.8	480	11.8	15.4	<0.001	0.06	0.35	3.7	0.5	0.7	24.4	<0.01	0.02
I318933		2.82	27.8	940	21.0	17.8	<0.001	0.09	0.51	11.9	1.3	1.0	32.6	0.01	0.04
I318934		2.00	22.5	720	11.0	11.8	<0.001	0.06	0.38	6.5	0.6	0.7	29.0	0.01	0.02
I318935		1.13	14.1	720	8.4	7.4	<0.001	0.09	0.33	3.1	0.5	0.5	15.9	<0.01	0.03
I318936		1.43	17.4	660	11.3	6.2	<0.001	0.07	0.31	4.0	0.3	0.5	24.5	<0.01	0.02
I318937		1.74	12.9	490	8.5	7.0	<0.001	0.07	0.28	3.2	0.4	0.6	13.2	<0.01	0.02
I318938		2.29	17.8	680	8.1	11.3	<0.001	0.02	0.31	4.9	0.4	0.7	25.5	<0.01	0.03
I318939		2.27	20.0	650	9.6	12.6	<0.001	0.03	0.34	5.8	0.5	0.8	27.0	<0.01	0.02
I318940		2.10	21.8	640	10.0	11.8	<0.001	0.03	0.34	6.1	0.5	0.7	26.7	<0.01	0.02
I318941		2.15	19.9	610	8.0	10.2	<0.001	0.02	0.36	5.3	0.4	0.7	26.8	<0.01	0.03
I318942		1.74	21.1	1060	8.1	10.8	<0.001	0.09	0.37	5.0	0.8	0.6	28.4	<0.01	0.05
I318943		2.06	21.5	700	11.4	14.9	<0.001	0.06	0.31	5.2	0.4	0.7	30.4	<0.01	0.03
I318944		2.25	19.7	610	8.8	16.0	<0.001	0.07	0.31	5.4	0.5	0.8	30.2	<0.01	0.03
I318945		2.11	16.2	640	9.5	14.1	<0.001	0.08	0.25	4.1	0.3	0.7	25.0	<0.01	0.03
I318946		2.00	31.4	670	8.8	21.0	<0.001	0.11	0.27	5.2	0.6	0.6	42.6	0.01	0.04
I318947		2.00	21.7	480	9.6	15.5	<0.001	0.04	0.24	4.2	0.6	0.6	34.2	<0.01	0.03
I318948		2.14	23.1	590	9.7	19.0	<0.001	0.03	0.27	4.9	0.6	0.6	36.3	<0.01	0.03
I318949		3.23	34.8	730	9.9	22.7	<0.001	0.05	0.37	6.6	0.9	0.7	42.8	<0.01	0.05
I318950		3.13	39.7	860	14.9	36.3	<0.001	0.03	0.39	9.3	0.9	0.8	37.7	<0.01	0.07
I318951		2.03	24.5	720	11.5	16.3	<0.001	0.03	0.31	6.3	0.7	0.7	23.9	<0.01	0.03
I318952		2.25	33.2	670	17.5	23.5	<0.001	0.04	0.82	7.8	0.8	0.8	28.7	<0.01	0.04
I318953		2.85	45.2	800	41.6	28.6	<0.001	0.06	0.91	8.2	0.9	0.8	32.8	<0.01	0.07
I318954		2.77	43.5	840	35.9	28.5	<0.001	0.05	0.89	8.1	0.9	0.8	30.7	<0.01	0.07
I318955		2.71	29.2	660	18.2	18.1	<0.001	0.03	0.64	8.2	0.9	0.6	24.2	<0.01	0.06
I318956		2.63	29.6	670	17.1	19.2	<0.001	0.03	0.54	7.7	0.6	0.8	30.8	<0.01	0.04
I318957		3.28	35.3	760	12.5	41.9	<0.001	0.05	0.49	8.6	1.1	0.6	39.1	<0.01	0.06
I318958		2.81	45.7	630	15.2	94.3	<0.001	0.02	0.15	11.6	0.6	1.5	45.3	<0.01	0.04
I318959		2.55	40.1	870	12.0	57.3	<0.001	0.04	0.26	8.0	0.9	0.8	72.0	<0.01	0.04
I318960		2.56	39.0	470	10.4	45.4	<0.001	0.02	0.34	8.4	0.6	0.8	33.9	<0.01	0.03
I318961		1.69	36.0	500	8.7	19.0	<0.001	0.03	0.39	5.9	0.9	0.6	30.3	<0.01	0.05
I318962		2.13	32.8	330	8.8	16.0	<0.001	0.02	0.30	5.1	0.5	0.7	21.6	<0.01	0.04
I318963		2.01	30.9	640	13.3	17.2	<0.001	0.03	0.33	6.9	0.8	0.6	33.5	<0.01	0.05
I318964		2.08	25.8	770	14.7	13.1	<0.001	0.03	0.45	6.7	0.9	0.6	36.9	<0.01	0.03
I318965		1.66	29.9	690	15.6	23.5	<0.001	0.04	0.34	6.6	1.0	0.5	32.6	0.01	0.04
I318966		0.19	4.3	120	2.2	2.5	<0.001	0.01	0.12	0.7	<0.2	<0.2	8.2	<0.01	<0.01
I318967		1.45	26.9	410	17.7	13.0	<0.001	0.02	0.26	4.0	0.5	0.4	25.2	<0.01	0.03
I318968		2.14	27.9	860	9.3	15.9	<0.001	0.02	0.47	6.3	0.7	0.6	32.5	<0.01	0.03
I318969		1.86	33.5	800	12.0	27.9	<0.001	0.02	0.36	6.3	0.6	0.5	28.6	<0.01	0.04
I318970		1.55	29.0	770	9.6	49.9	<0.001	0.08	0.30	8.7	2.4	0.6	45.0	<0.01	0.07



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318931		0.091	0.10	0.77	54	0.16	5.86	37	1.0
I318932		0.106	0.13	1.12	53	0.23	9.85	49	2.1
I318933		0.115	0.29	4.82	78	0.31	21.6	75	4.2
I318934		0.125	0.17	2.68	68	0.25	13.30	56	2.4
I318935		0.078	0.11	1.67	55	0.19	6.10	37	0.8
I318936		0.099	0.13	1.59	61	0.31	5.78	49	1.2
I318937		0.089	0.12	1.68	55	0.33	5.98	38	1.3
I318938		0.121	0.15	1.78	69	0.57	8.74	53	1.9
I318939		0.121	0.17	2.48	68	0.44	8.86	60	1.7
I318940		0.122	0.19	1.72	74	0.45	7.75	66	1.4
I318941		0.119	0.14	1.59	70	0.23	8.44	59	2.0
I318942		0.091	0.18	4.16	66	0.27	11.80	59	1.1
I318943		0.108	0.17	1.73	68	0.44	6.84	61	1.6
I318944		0.116	0.17	2.09	68	0.56	9.03	59	2.1
I318945		0.104	0.16	1.53	55	0.27	7.08	52	1.6
I318946		0.106	0.15	1.49	77	0.24	8.10	69	1.0
I318947		0.115	0.11	0.95	67	0.22	4.77	58	1.4
I318948		0.127	0.14	1.43	65	0.15	5.50	59	1.7
I318949		0.138	0.24	1.18	70	0.33	9.02	75	2.5
I318950		0.171	0.26	2.04	87	0.29	14.10	87	4.4
I318951		0.133	0.19	1.07	74	0.16	6.66	72	2.1
I318952		0.134	0.23	1.51	81	0.23	10.40	89	1.9
I318953		0.146	0.36	1.32	76	0.27	8.66	100	1.6
I318954		0.141	0.33	1.32	74	0.26	9.12	99	1.5
I318955		0.138	0.24	1.62	82	0.23	12.10	80	3.3
I318956		0.148	0.24	1.30	79	0.25	9.43	83	3.4
I318957		0.131	0.31	1.64	81	0.21	14.00	82	2.4
I318958		0.257	0.65	1.42	86	0.21	12.15	99	2.2
I318959		0.149	0.41	1.23	67	0.19	12.65	77	1.1
I318960		0.135	0.32	1.38	72	0.17	8.65	81	1.7
I318961		0.112	0.16	1.12	82	0.17	11.70	67	1.4
I318962		0.156	0.11	0.49	108	0.50	4.24	72	1.7
I318963		0.125	0.18	1.24	77	0.20	13.90	64	2.4
I318964		0.114	0.16	2.38	72	0.30	13.15	58	3.2
I318965		0.132	0.19	1.79	75	0.25	15.60	61	2.3
I318966		0.009	0.03	0.35	5	0.06	2.29	5	2.8
I318967		0.106	0.11	0.46	58	0.20	4.47	47	2.2
I318968		0.143	0.16	1.40	71	0.14	7.64	65	3.7
I318969		0.166	0.22	0.72	78	0.19	6.45	68	2.9
I318970		0.205	0.43	0.95	109	0.15	6.46	77	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318971		0.46	<0.005	0.13	1.26	4.7	<0.2	<10	80	0.19	0.23	0.19	0.08	9.72	6.6	24
I318972		0.44	<0.005	0.11	0.76	1.6	<0.2	<10	70	0.09	0.09	0.13	0.07	4.52	3.5	11
I318973		0.80	<0.005	0.06	2.51	8.7	<0.2	<10	270	0.40	0.17	0.43	0.06	18.85	16.6	30
I318974		0.74	0.089	0.06	2.75	350	<0.2	<10	200	0.37	0.61	0.35	0.14	12.50	20.0	36
I318975		0.78	<0.005	0.11	2.62	31.7	<0.2	<10	200	0.54	0.30	0.27	0.12	20.6	13.9	35
I318976		0.64	<0.005	0.06	0.77	5.1	<0.2	<10	60	0.13	0.12	0.11	0.22	8.02	4.4	14
I318977		0.90	<0.005	0.21	2.22	10.7	<0.2	<10	140	0.42	0.62	0.42	0.23	20.1	16.0	121
I318978		0.70	<0.005	0.26	3.00	12.2	<0.2	<10	230	0.75	0.28	0.30	0.27	26.5	15.5	52
I318979		0.38	<0.005	0.25	2.08	145.5	<0.2	<10	160	1.80	0.52	0.40	0.47	72.7	16.7	45
I318980		0.36	<0.005	0.35	1.31	11.9	<0.2	<10	140	0.37	0.24	0.36	0.25	26.5	60.6	31
I318981		0.46	<0.005	0.02	0.16	2.0	<0.2	<10	30	0.13	0.03	0.09	0.04	10.85	2.6	4
I318982		0.70	<0.005	0.07	1.58	8.5	<0.2	<10	110	0.31	0.23	0.38	0.16	18.80	7.1	34
I318983		0.58	0.006	0.18	1.78	15.5	<0.2	<10	170	0.30	0.20	0.40	0.43	21.0	8.2	36
I318984		0.56	<0.005	0.20	1.80	35.5	<0.2	<10	170	0.34	0.33	0.34	0.25	25.1	10.8	39
I318985		0.48	0.008	0.58	1.99	132.0	<0.2	<10	290	0.74	0.30	0.30	0.46	70.4	24.4	46
I318986		0.64	0.008	0.36	1.76	71.5	<0.2	<10	300	0.59	0.40	0.27	0.31	49.0	18.3	51
I318987		0.56	<0.005	0.54	2.44	80.1	<0.2	<10	440	0.81	0.30	0.26	0.44	51.3	14.2	63
I318988		0.48	<0.005	0.50	1.90	21.4	<0.2	<10	520	0.49	0.29	0.17	0.67	51.3	11.8	56
I318989		0.70	<0.005	1.14	2.22	9.0	<0.2	<10	760	0.62	0.31	0.32	0.97	54.3	12.2	57
I318990		0.84	<0.005	0.36	2.12	9.9	<0.2	<10	210	0.74	0.24	0.22	0.70	61.5	16.3	40
I318991		0.52	<0.005	0.20	1.36	5.8	<0.2	<10	100	0.36	0.18	0.14	0.19	34.6	8.9	24
I318992		0.44	<0.005	0.21	1.73	7.4	<0.2	<10	130	0.42	0.22	0.17	0.24	45.2	12.0	31
I318993		0.50	<0.005	0.16	2.38	7.0	<0.2	<10	210	0.56	0.17	0.37	0.25	37.9	13.1	38
I318994		0.74	<0.005	0.18	2.38	6.0	<0.2	<10	160	0.56	0.21	0.29	0.18	36.8	13.2	42
I318995		0.42	<0.005	0.19	1.36	5.1	<0.2	<10	100	0.28	0.19	0.13	0.28	20.2	6.4	27
I318996		0.56	<0.005	0.22	2.46	9.6	<0.2	<10	130	0.58	0.22	0.19	0.23	28.7	14.5	40
I318997		0.66	<0.005	0.22	1.91	7.5	<0.2	<10	150	0.39	0.15	0.16	0.40	21.7	9.6	33
I318998		0.48	<0.005	0.38	1.96	6.2	<0.2	<10	180	0.43	0.22	0.28	0.25	29.3	10.0	36
I318999		0.64	<0.005	0.33	1.65	3.2	<0.2	<10	130	0.45	0.16	0.36	0.33	38.4	8.9	34
I319000		0.44	<0.005	0.02	0.20	2.2	<0.2	<10	40	0.14	0.02	0.11	0.05	10.90	2.5	4
I319801		0.42	<0.005	0.18	1.28	4.3	<0.2	<10	140	0.37	0.21	0.37	0.18	18.20	6.3	23
I319802		0.40	<0.005	0.28	2.30	9.9	<0.2	<10	240	0.60	0.30	0.44	0.17	35.6	10.1	39
I319803		0.34	<0.005	0.40	2.04	5.2	<0.2	<10	200	0.48	0.27	0.50	0.18	26.1	14.5	32
I319804		0.48	<0.005	0.16	2.10	5.8	<0.2	<10	200	0.36	0.28	0.56	0.11	31.3	13.1	55
I319805		0.44	<0.005	0.14	1.81	4.4	<0.2	<10	180	0.27	0.25	0.36	0.12	22.7	10.2	81
I319806		0.78	<0.005	0.10	2.27	5.5	<0.2	<10	210	0.40	0.26	0.46	0.13	24.7	14.2	59
I319807		0.36	<0.005	0.40	2.01	5.3	<0.2	<10	250	0.52	0.82	0.36	0.22	40.1	7.1	47
I319808		0.48	0.005	0.11	1.91	13.9	<0.2	<10	170	0.40	0.13	0.49	0.15	25.4	11.4	33
I319809		0.42	<0.005	0.02	0.14	1.9	<0.2	<10	30	0.12	0.19	0.08	0.04	10.55	2.2	3
I319810		0.32	<0.005	0.19	1.27	4.4	<0.2	<10	100	0.34	0.13	0.21	0.17	14.65	6.7	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318971		1.17	17.0	1.92	6.14	0.06	0.02	0.02	0.015	0.05	5.1	8.7	0.38	158	1.58
I318972		0.86	14.1	0.96	4.17	<0.05	<0.02	0.02	0.008	0.05	2.5	3.2	0.19	68	0.93
I318973		2.07	35.2	3.33	8.00	0.11	0.04	0.02	0.019	0.23	10.5	21.9	1.22	410	0.92
I318974		2.48	30.1	3.87	9.72	0.12	0.06	0.03	0.021	0.24	6.3	23.0	1.27	452	1.11
I318975		3.44	29.5	3.38	8.57	0.08	0.04	0.04	0.027	0.07	11.2	16.9	0.68	334	1.34
I318976		0.74	10.4	1.51	5.01	<0.05	<0.02	0.02	0.011	0.03	4.2	4.2	0.16	216	0.80
I318977		5.45	80.9	2.48	5.82	0.09	0.05	0.02	0.018	0.07	11.4	25.1	1.36	210	0.80
I318978		2.46	36.2	3.25	8.54	0.10	0.09	0.03	0.028	0.13	13.3	15.8	0.72	366	1.47
I318979		5.31	38.6	3.73	8.24	0.17	0.07	0.05	0.046	0.18	46.6	18.6	0.67	698	2.45
I318980		1.48	14.9	2.62	5.85	0.09	0.02	0.06	0.024	0.06	10.7	10.7	0.39	1460	2.22
I318981		0.10	2.4	0.84	0.76	<0.05	0.06	<0.01	<0.005	0.05	5.7	1.5	0.04	181	0.36
I318982		1.97	12.0	1.83	6.43	0.07	0.04	0.05	0.024	0.06	9.7	14.8	0.52	187	0.45
I318983		1.60	22.3	2.27	6.66	0.07	0.04	0.05	0.026	0.06	10.6	15.1	0.61	259	2.34
I318984		3.22	19.2	3.14	7.42	0.08	0.04	0.04	0.023	0.09	12.5	17.3	0.72	357	4.59
I318985		6.96	47.4	4.41	6.58	0.19	0.06	0.09	0.034	0.17	38.9	15.5	0.66	509	2.73
I318986		8.25	37.8	3.55	7.64	0.11	0.04	0.07	0.028	0.37	25.8	12.5	0.78	520	1.74
I318987		6.19	51.0	4.02	9.76	0.11	0.03	0.04	0.033	0.22	26.1	17.2	0.83	544	3.15
I318988		6.04	57.4	3.59	9.74	0.12	0.03	0.02	0.029	0.54	26.7	16.1	0.89	513	3.66
I318989		7.63	85.9	4.04	9.04	0.14	0.03	0.04	0.033	0.48	28.2	23.9	0.94	397	5.18
I318990		4.77	55.1	3.65	8.13	0.13	0.04	0.03	0.033	0.40	31.5	21.2	0.84	489	2.47
I318991		2.52	17.7	2.46	5.98	0.07	0.03	0.02	0.017	0.18	15.9	13.0	0.41	307	0.92
I318992		3.45	22.4	3.21	7.07	0.09	0.03	0.02	0.021	0.25	20.4	17.1	0.55	446	1.15
I318993		2.57	37.1	3.46	7.32	0.10	0.05	0.03	0.029	0.17	17.9	20.7	0.73	328	1.23
I318994		2.40	46.4	3.16	7.43	0.08	0.05	0.03	0.031	0.10	17.3	17.6	0.74	207	1.15
I318995		1.87	24.2	2.43	6.88	0.05	0.02	0.02	0.019	0.10	9.5	10.2	0.41	134	1.46
I318996		2.22	37.3	3.58	8.59	0.08	0.05	0.03	0.031	0.12	13.7	19.7	0.64	309	1.66
I318997		2.77	21.1	2.73	6.41	0.06	0.03	0.02	0.020	0.11	10.7	15.5	0.70	274	0.95
I318998		2.47	32.2	3.06	7.69	0.07	0.04	0.03	0.025	0.12	14.0	17.9	0.63	278	1.30
I318999		4.11	34.5	2.68	5.61	0.10	0.03	0.01	0.020	0.33	21.2	39.1	0.75	225	0.84
I319000		0.12	2.6	0.93	0.86	<0.05	0.10	<0.01	<0.005	0.07	5.3	2.0	0.05	199	0.35
I319801		1.25	23.8	1.83	5.35	0.06	0.03	0.03	0.017	0.06	9.4	10.9	0.35	251	1.51
I319802		1.42	32.5	2.64	7.73	0.08	0.04	0.07	0.028	0.07	18.2	17.1	0.53	308	1.58
I319803		1.29	37.4	2.71	6.66	0.09	0.03	0.08	0.023	0.07	12.3	14.0	0.50	506	2.45
I319804		2.29	20.6	2.76	8.53	0.11	0.04	0.04	0.024	0.23	16.7	15.7	0.77	385	1.49
I319805		1.45	23.4	2.40	7.30	0.09	0.04	0.04	0.021	0.17	12.7	15.6	0.78	202	0.72
I319806		1.39	43.3	3.13	7.54	0.08	0.06	0.03	0.027	0.13	13.0	20.8	0.77	336	0.76
I319807		1.85	30.8	2.52	7.50	0.10	0.04	0.08	0.026	0.11	22.4	15.1	0.48	149	1.30
I319808		0.78	24.5	3.47	6.07	0.07	0.06	0.03	0.023	0.05	11.8	13.0	0.60	280	1.05
I319809		0.08	2.1	0.71	0.69	<0.05	0.07	<0.01	<0.005	0.05	4.9	1.5	0.04	160	0.31
I319810		1.02	20.1	1.79	5.57	0.05	0.02	0.04	0.017	0.07	7.1	7.7	0.33	171	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318971		1.25	13.5	300	5.5	14.3	<0.001	0.02	0.23	2.6	0.5	0.4	17.7	<0.01	0.03
I318972		0.67	6.9	210	2.8	11.9	<0.001	0.02	0.12	1.7	0.4	0.3	14.0	<0.01	0.02
I318973		1.35	18.9	520	4.5	25.0	<0.001	0.02	0.24	5.2	0.5	0.4	34.2	<0.01	0.02
I318974		1.65	21.2	660	5.1	29.5	<0.001	0.02	1.21	5.9	0.5	0.5	23.0	<0.01	0.02
I318975		1.65	21.7	380	12.3	14.0	<0.001	0.02	0.54	5.9	0.6	0.5	21.9	<0.01	0.04
I318976		0.73	7.8	230	6.0	7.0	<0.001	0.02	0.30	1.5	0.4	0.4	11.9	<0.01	0.02
I318977		1.02	109.0	330	16.6	25.9	<0.001	0.01	0.21	5.8	0.5	0.4	25.4	<0.01	0.02
I318978		2.62	45.4	410	30.4	20.7	<0.001	0.02	0.44	6.6	0.8	0.6	27.8	0.01	0.04
I318979		1.66	40.1	840	39.3	37.3	<0.001	0.05	1.21	6.9	1.7	1.2	30.0	0.01	0.07
I318980		1.07	18.1	1060	12.2	16.4	<0.001	0.08	0.35	3.4	1.2	0.5	27.6	<0.01	0.04
I318981		0.23	4.3	120	2.0	3.0	<0.001	0.01	0.10	0.7	<0.2	<0.2	10.0	<0.01	0.01
I318982		1.47	19.9	580	9.7	13.3	<0.001	0.04	0.39	4.3	0.9	0.6	24.3	<0.01	0.03
I318983		1.51	22.1	790	10.6	10.8	0.001	0.04	0.54	4.6	0.8	0.6	28.0	<0.01	0.03
I318984		1.95	29.2	680	15.2	17.6	0.001	0.04	0.56	4.0	0.9	0.7	25.1	<0.01	0.06
I318985		1.74	44.7	1040	11.1	34.3	0.001	0.06	0.69	7.8	2.0	0.6	26.2	0.01	0.06
I318986		1.75	49.2	740	10.1	51.2	<0.001	0.04	0.67	5.3	0.8	0.8	23.2	<0.01	0.06
I318987		1.86	49.8	640	15.0	33.5	<0.001	0.06	32.4	5.8	1.1	0.8	28.7	<0.01	0.06
I318988		1.73	34.1	780	16.4	53.6	0.001	0.19	1.09	4.6	1.5	0.8	24.6	<0.01	0.09
I318989		1.41	43.7	1180	14.4	55.5	0.001	0.23	0.57	4.4	3.2	0.7	34.2	<0.01	0.10
I318990		2.15	49.5	560	15.3	46.8	0.001	0.04	0.32	4.7	1.0	0.7	19.9	<0.01	0.04
I318991		1.76	19.0	330	14.2	25.6	<0.001	0.02	0.22	3.1	0.3	0.5	13.5	<0.01	0.03
I318992		2.11	24.9	370	18.2	35.4	<0.001	0.03	0.26	3.8	0.7	0.6	15.3	<0.01	0.03
I318993		1.95	32.3	560	7.2	25.2	<0.001	0.05	0.33	5.4	0.8	0.6	27.8	<0.01	0.04
I318994		1.38	35.3	730	8.1	17.3	<0.001	0.04	0.34	6.2	0.8	0.6	24.6	<0.01	0.03
I318995		1.27	18.8	310	6.9	22.8	<0.001	0.06	0.29	3.1	0.4	0.6	18.0	<0.01	0.04
I318996		1.94	29.6	410	9.2	23.7	<0.001	0.05	0.42	5.1	0.5	0.7	22.4	<0.01	0.04
I318997		1.61	23.7	250	16.0	20.6	<0.001	0.04	0.33	3.3	0.3	0.5	16.2	<0.01	0.03
I318998		1.96	29.4	340	12.4	27.1	<0.001	0.03	0.28	4.5	0.4	0.6	27.7	<0.01	0.03
I318999		1.85	34.5	440	7.1	40.7	<0.001	0.03	0.17	4.0	0.5	0.4	21.1	<0.01	0.03
I319000		0.23	4.8	140	1.9	3.5	<0.001	0.01	0.12	0.8	<0.2	<0.2	10.8	<0.01	<0.01
I319801		1.90	13.7	410	6.3	17.5	<0.001	0.03	0.21	3.4	0.3	0.8	33.4	<0.01	0.02
I319802		1.81	21.1	640	11.0	16.1	<0.001	0.05	0.30	5.5	0.7	0.9	43.2	<0.01	0.03
I319803		1.30	19.2	890	8.2	13.4	<0.001	0.08	0.21	5.0	0.7	0.6	40.7	<0.01	0.03
I319804		3.12	26.6	550	7.6	36.2	0.001	0.05	0.20	6.0	0.6	0.9	36.9	<0.01	0.02
I319805		2.25	28.8	540	7.2	24.6	<0.001	0.03	0.16	4.6	0.3	0.7	24.8	<0.01	0.02
I319806		1.71	27.1	550	7.2	17.8	<0.001	0.02	0.21	6.3	0.3	0.6	29.1	<0.01	0.03
I319807		2.27	21.9	710	16.6	22.2	<0.001	0.06	0.26	5.9	0.8	0.9	30.8	<0.01	0.03
I319808		1.75	24.3	760	6.7	8.9	<0.001	0.03	0.40	5.5	0.5	0.5	34.3	<0.01	0.02
I319809		0.20	3.9	120	1.8	2.5	<0.001	<0.01	0.11	0.6	<0.2	<0.2	8.7	<0.01	<0.01
I319810		1.43	17.9	440	5.3	13.0	<0.001	0.04	0.18	2.9	0.5	0.5	18.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318971		0.099	0.10	0.40	51	0.69	2.32	30	0.8
I318972		0.056	0.06	0.24	24	0.20	1.25	19	<0.5
I318973		0.164	0.19	0.50	82	0.63	4.36	58	1.8
I318974		0.180	0.28	0.58	99	1.09	3.31	64	2.7
I318975		0.109	0.13	0.62	78	0.26	5.10	46	1.7
I318976		0.064	0.07	0.28	43	0.12	1.50	25	0.5
I318977		0.115	0.27	0.59	55	0.23	7.13	40	2.2
I318978		0.143	0.18	1.09	75	0.21	6.86	58	4.0
I318979		0.111	0.47	6.28	83	0.74	35.5	136	1.9
I318980		0.081	0.23	1.84	57	0.28	6.94	52	0.9
I318981		0.007	0.04	0.32	4	0.05	2.34	7	3.2
I318982		0.108	0.14	1.09	45	0.17	5.22	55	1.4
I318983		0.112	0.18	1.34	69	0.21	6.73	91	1.5
I318984		0.134	0.25	1.01	83	0.33	6.02	103	1.5
I318985		0.094	0.38	3.71	77	0.18	29.1	105	1.7
I318986		0.132	0.60	1.78	76	0.11	11.60	113	1.7
I318987		0.111	0.46	1.63	99	0.13	13.30	124	1.1
I318988		0.154	0.56	1.90	98	0.09	9.19	127	0.8
I318989		0.133	0.58	2.66	116	0.12	14.35	184	1.1
I318990		0.141	0.52	1.63	69	0.11	11.60	244	1.3
I318991		0.102	0.20	0.83	44	0.12	6.12	55	1.0
I318992		0.129	0.27	0.98	57	0.11	7.54	69	1.3
I318993		0.139	0.21	1.03	70	0.25	8.66	74	1.8
I318994		0.115	0.21	1.50	67	0.19	9.40	72	2.0
I318995		0.100	0.15	0.66	59	0.11	2.96	46	1.0
I318996		0.126	0.17	1.09	80	0.15	5.35	61	2.0
I318997		0.105	0.15	0.56	61	0.12	3.55	89	1.2
I318998		0.121	0.14	1.04	70	0.13	7.23	68	1.7
I318999		0.116	0.24	1.64	53	0.09	8.68	132	1.3
I319000		0.012	0.04	0.36	6	<0.05	2.55	8	3.5
I319801		0.087	0.11	1.09	47	0.51	7.59	40	1.0
I319802		0.103	0.14	2.32	59	1.00	14.35	57	1.5
I319803		0.093	0.14	1.35	66	0.77	9.42	45	1.1
I319804		0.168	0.24	1.65	69	0.44	5.65	62	1.4
I319805		0.166	0.15	0.94	60	0.43	4.75	49	1.4
I319806		0.164	0.16	1.11	82	0.66	6.71	58	2.3
I319807		0.106	0.20	2.64	58	2.09	9.84	46	1.7
I319808		0.125	0.08	0.73	76	0.20	9.35	59	2.2
I319809		0.008	0.03	0.31	5	<0.05	2.19	7	2.8
I319810		0.087	0.11	0.75	45	0.23	3.29	38	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319811		0.38	<0.005	0.10	2.15	4.7	<0.2	<10	130	0.52	0.16	0.70	0.09	26.6	15.5	43
I319812		0.32	0.005	0.07	1.98	5.1	<0.2	<10	110	0.41	0.20	0.78	0.14	24.4	11.4	40
I319813		0.58	<0.005	0.08	2.32	7.0	<0.2	<10	180	0.68	0.16	0.43	0.11	28.4	10.5	35
I319814		0.34	<0.005	0.42	1.34	6.8	<0.2	<10	480	0.63	0.19	0.36	0.60	19.80	6.8	22
I319815		0.34	<0.005	0.35	0.64	3.0	<0.2	<10	580	0.23	0.14	0.16	0.51	9.19	2.7	13
I319816		0.50	0.006	0.25	2.59	8.7	<0.2	<10	450	0.57	0.20	0.40	0.16	22.0	13.0	45
I319817		0.48	0.008	0.13	2.08	9.9	<0.2	<10	120	0.43	0.21	0.17	0.28	18.10	8.1	29
I319818		0.62	<0.005	0.08	2.60	9.4	<0.2	<10	160	0.54	0.16	0.35	0.14	24.3	13.8	66
I319819		0.50	<0.005	0.10	2.41	7.6	<0.2	<10	170	0.41	0.15	0.38	0.18	16.90	15.1	94
I319820		0.58	<0.005	0.11	2.54	6.2	<0.2	<10	230	0.47	0.15	0.40	0.11	25.3	13.4	53
I319821		0.56	<0.005	0.08	2.48	4.5	<0.2	<10	330	0.41	0.17	0.57	0.11	28.3	15.2	57
I319822		0.46	<0.005	0.09	2.30	4.8	<0.2	<10	180	0.29	0.23	0.49	0.08	18.85	14.6	61
I319823		0.32	<0.005	0.12	0.46	1.4	<0.2	<10	80	0.12	0.08	0.21	0.06	6.13	2.6	13
I319824		0.34	0.014	0.06	1.73	12.9	<0.2	<10	230	0.51	0.26	0.32	0.21	28.3	12.5	43
I319825		0.58	0.016	0.12	2.23	5.9	<0.2	<10	210	0.39	0.16	0.50	0.21	26.6	13.5	70
I319826		0.50	<0.005	0.14	2.14	6.0	<0.2	<10	150	0.33	0.20	0.34	0.16	21.4	11.6	46
I319827		0.56	0.007	0.16	2.16	5.6	<0.2	<10	200	0.34	0.18	0.62	0.22	23.3	14.1	45
I319828		0.36	<0.005	0.40	1.86	10.3	<0.2	<10	210	0.39	0.22	0.86	0.47	36.1	15.3	38
I319829		0.42	<0.005	0.42	2.19	12.1	<0.2	<10	200	0.36	0.26	0.83	0.39	31.9	13.4	44
I319830		0.50	<0.005	0.29	2.01	10.2	<0.2	<10	180	0.40	0.22	0.68	0.15	28.6	12.5	40
I319831		0.62	0.005	0.30	2.17	9.6	<0.2	<10	180	0.36	0.24	0.52	0.19	26.7	14.7	43
I319832		0.36	<0.005	0.23	1.72	19.3	<0.2	<10	190	0.29	0.51	1.13	0.26	18.50	10.0	37
I319833		0.58	<0.005	0.16	1.95	9.3	<0.2	<10	190	0.35	0.21	0.47	0.17	26.6	13.8	38
I319834		0.40	<0.005	0.18	1.85	9.4	<0.2	<10	180	0.33	0.21	0.59	0.21	24.2	16.6	38
I319835		0.46	<0.005	0.14	1.68	6.6	<0.2	<10	140	0.31	0.18	0.40	0.13	20.2	13.6	32
I319836		0.48	<0.005	0.14	1.72	5.2	<0.2	<10	210	0.40	0.18	0.47	0.23	42.5	10.2	29
I319837		0.48	<0.005	0.19	1.97	4.4	<0.2	<10	190	0.48	0.23	0.46	0.24	53.0	8.3	30
I319838		0.28	0.011	0.72	1.49	4.1	<0.2	<10	250	0.79	0.26	2.30	0.35	186.0	9.5	19
I319839		0.30	<0.005	1.15	2.15	7.0	<0.2	<10	170	1.05	0.41	0.37	0.85	100.5	7.8	31
I319840		0.40	<0.005	0.16	1.56	7.3	<0.2	<10	210	0.33	0.26	0.60	0.35	18.10	7.2	22
I319841		0.54	<0.005	0.11	2.51	10.7	<0.2	<10	140	0.51	0.19	0.21	0.39	28.6	11.7	36
I319842		0.54	<0.005	0.13	2.40	10.5	<0.2	<10	130	0.54	0.19	0.19	0.39	27.2	11.1	34
I319843		0.38	<0.005	0.13	0.35	1.5	<0.2	<10	50	0.10	0.08	0.08	0.19	8.96	1.6	8
I319844		0.42	<0.005	0.18	1.26	3.4	<0.2	<10	120	0.22	0.17	0.15	0.17	17.30	4.3	17
I319845		0.52	<0.005	0.04	1.43	4.4	<0.2	<10	100	0.29	0.11	0.31	0.17	25.5	7.1	23
I319846		0.38	<0.005	0.15	1.09	3.9	<0.2	<10	100	0.23	0.12	0.20	0.12	22.1	4.1	19
I319847		0.42	<0.005	0.24	0.88	2.7	<0.2	<10	90	0.24	0.10	0.16	0.06	22.0	3.3	15
I319848		0.44	0.010	0.08	2.02	5.4	<0.2	<10	180	0.49	0.15	0.40	0.20	41.6	8.3	31
I319849		0.52	<0.005	0.14	2.26	6.8	<0.2	<10	240	0.51	0.21	0.38	0.24	40.2	18.8	33
I319850		0.32	<0.005	0.11	1.29	3.6	<0.2	<10	90	0.20	0.30	0.12	0.14	21.7	4.4	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319811		1.36	21.5	2.67	8.31	0.08	0.05	0.04	0.026	0.09	13.0	15.9	0.59	367	0.84
I319812		1.40	22.6	2.50	7.71	0.09	0.07	0.04	0.027	0.08	12.9	15.1	0.51	211	0.75
I319813		1.11	24.5	2.78	7.46	0.07	0.07	0.03	0.032	0.09	13.8	14.7	0.68	257	0.59
I319814		1.16	19.5	1.94	5.98	0.05	0.02	0.03	0.020	0.04	10.8	8.1	0.33	290	1.50
I319815		0.64	14.7	1.03	4.03	<0.05	<0.02	0.02	0.013	0.03	4.4	3.5	0.15	73	0.91
I319816		1.56	26.2	3.26	8.38	0.08	0.05	0.03	0.034	0.06	11.1	21.8	0.71	382	1.16
I319817		1.19	14.4	3.19	9.56	0.05	0.04	0.03	0.029	0.04	8.5	14.8	0.35	224	1.68
I319818		1.41	22.6	3.18	8.40	0.08	0.07	0.02	0.031	0.08	11.6	21.8	0.94	307	0.78
I319819		2.30	35.7	3.17	8.35	0.09	0.06	0.03	0.023	0.11	8.3	28.2	1.24	267	0.96
I319820		1.84	27.9	3.33	8.70	0.10	0.06	0.02	0.031	0.20	12.7	22.3	0.92	390	0.84
I319821		2.44	34.8	3.50	9.68	0.13	0.07	0.02	0.037	0.34	14.2	27.7	1.12	382	0.90
I319822		2.15	25.7	3.29	8.55	0.10	0.05	0.04	0.027	0.19	9.4	22.4	1.02	329	0.76
I319823		0.53	12.7	0.85	2.43	<0.05	<0.02	0.03	0.007	0.04	3.2	2.5	0.13	88	0.49
I319824		1.43	32.6	3.43	6.91	0.09	0.05	0.02	0.032	0.14	12.3	15.1	0.63	633	1.41
I319825		0.67	39.2	3.18	6.74	0.10	0.10	0.02	0.023	0.06	13.4	13.3	1.10	411	0.75
I319826		0.73	24.2	2.76	7.01	0.07	0.03	0.04	0.023	0.04	10.7	13.5	0.85	322	0.67
I319827		0.62	27.9	2.86	7.04	0.08	0.04	0.03	0.023	0.04	11.0	14.3	0.94	489	0.78
I319828		0.71	39.6	2.79	6.45	0.09	0.05	0.07	0.045	0.06	16.4	11.9	0.63	611	1.69
I319829		0.91	37.3	3.14	7.29	0.08	0.04	0.07	0.031	0.07	18.0	13.9	0.75	506	1.29
I319830		0.85	29.0	2.97	7.16	0.08	0.04	0.05	0.027	0.06	16.4	13.2	0.66	459	1.26
I319831		0.95	34.9	3.40	7.40	0.08	0.03	0.03	0.024	0.08	12.9	14.3	1.10	551	1.23
I319832		0.78	23.9	2.10	5.94	0.06	0.04	0.05	0.020	0.06	9.2	11.0	0.60	328	0.83
I319833		0.80	26.5	2.55	6.56	0.08	0.03	0.04	0.023	0.05	12.3	12.5	0.64	454	0.83
I319834		0.79	26.1	2.72	6.66	0.07	0.03	0.04	0.024	0.05	11.2	11.8	0.68	714	1.27
I319835		0.77	19.5	2.63	6.14	0.06	0.03	0.04	0.023	0.04	9.3	10.2	0.50	570	1.30
I319836		2.53	19.1	2.66	6.72	0.09	0.06	0.06	0.030	0.06	22.2	12.8	0.44	680	0.97
I319837		3.43	20.4	2.80	7.85	0.09	0.09	0.08	0.037	0.08	34.7	13.9	0.44	514	1.07
I319838		1.29	25.4	1.65	5.26	0.34	0.11	0.14	0.024	0.05	185.0	7.1	0.24	1910	2.40
I319839		1.96	45.9	3.10	9.18	0.16	0.06	0.05	0.036	0.09	95.3	11.8	0.41	330	2.48
I319840		1.20	18.7	2.63	7.76	0.05	0.04	0.03	0.025	0.06	9.8	11.5	0.30	547	4.79
I319841		2.15	23.2	3.58	9.22	0.07	0.12	0.04	0.033	0.06	11.1	18.1	0.54	356	3.08
I319842		2.00	22.7	3.38	8.80	0.07	0.09	0.05	0.031	0.06	10.6	17.0	0.49	326	2.76
I319843		0.65	8.8	0.67	2.51	<0.05	<0.02	0.04	0.006	0.03	5.5	1.4	0.06	43	1.41
I319844		1.71	15.0	1.67	6.02	0.05	0.02	0.03	0.018	0.04	10.9	4.9	0.20	177	2.51
I319845		1.41	13.7	2.28	6.01	0.08	0.05	0.02	0.023	0.07	15.1	13.1	0.44	350	1.00
I319846		1.48	12.0	1.71	5.03	0.06	0.03	0.04	0.018	0.05	14.7	7.1	0.24	177	1.14
I319847		0.93	11.3	1.20	4.13	0.05	<0.02	0.04	0.013	0.03	12.4	4.2	0.18	118	0.82
I319848		2.25	18.1	2.88	7.34	0.09	0.10	0.04	0.033	0.08	24.8	16.3	0.51	479	1.01
I319849		2.07	15.7	3.10	8.38	0.07	0.06	0.06	0.035	0.06	18.4	15.6	0.48	1790	1.42
I319850		1.05	11.2	1.71	6.11	<0.05	0.03	0.05	0.018	0.04	11.3	7.1	0.22	147	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319811		2.63	28.1	590	7.5	21.0	<0.001	0.07	0.22	5.2	0.6	0.6	46.9	<0.01	0.02
I319812		2.74	28.2	390	8.0	16.7	0.001	0.07	0.22	5.3	0.7	0.6	46.1	<0.01	0.03
I319813		1.86	24.7	600	11.5	12.6	<0.001	0.02	0.26	5.8	0.4	0.6	27.3	<0.01	0.02
I319814		1.13	15.6	330	9.1	11.2	<0.001	0.03	0.31	2.7	0.4	0.5	24.2	<0.01	0.02
I319815		0.85	7.2	200	7.1	9.7	<0.001	0.02	0.18	1.7	<0.2	0.4	15.8	<0.01	0.01
I319816		1.90	34.1	530	8.5	12.6	<0.001	0.02	0.30	6.1	0.4	0.6	27.9	<0.01	0.03
I319817		1.97	17.0	340	11.3	12.2	<0.001	0.02	0.43	3.6	0.3	0.7	19.1	0.01	0.03
I319818		2.45	66.0	570	7.2	15.2	0.001	0.02	0.36	6.1	0.4	0.7	24.7	0.01	0.03
I319819		2.01	66.6	610	7.3	19.1	<0.001	<0.01	0.28	5.8	0.5	0.5	23.0	<0.01	0.02
I319820		2.45	34.2	720	8.5	30.5	<0.001	<0.01	0.26	7.2	0.5	0.7	26.3	<0.01	0.02
I319821		3.05	38.6	870	6.4	39.9	<0.001	0.01	0.24	10.2	0.6	0.7	32.0	<0.01	0.02
I319822		2.18	34.4	750	6.7	27.0	<0.001	0.01	0.22	7.2	0.5	0.6	29.5	<0.01	0.02
I319823		0.43	6.4	500	2.2	6.2	<0.001	0.03	0.12	1.1	0.4	0.2	18.0	<0.01	0.01
I319824		1.92	38.4	650	14.8	19.0	<0.001	0.01	0.32	5.4	0.6	0.6	24.2	<0.01	0.04
I319825		1.01	50.3	790	6.9	10.2	<0.001	<0.01	0.30	7.8	0.6	0.4	33.4	<0.01	0.03
I319826		1.12	28.0	690	9.2	9.0	<0.001	0.01	0.24	4.9	0.5	0.4	23.7	<0.01	0.04
I319827		1.15	30.0	670	10.1	9.0	<0.001	0.02	0.24	5.9	0.6	0.4	32.7	<0.01	0.03
I319828		1.12	37.4	880	13.6	10.5	<0.001	0.08	0.42	4.4	1.1	0.4	50.6	<0.01	0.05
I319829		1.15	35.8	820	15.0	13.3	<0.001	0.06	0.39	5.9	0.9	0.5	43.4	<0.01	0.05
I319830		1.27	28.2	770	10.6	12.6	<0.001	0.05	0.29	4.8	0.8	0.5	35.1	<0.01	0.04
I319831		1.15	31.7	650	17.8	13.1	<0.001	0.03	0.32	5.7	0.6	0.4	25.7	<0.01	0.04
I319832		1.13	23.9	740	7.3	14.2	<0.001	0.13	0.23	4.2	1.0	0.4	44.2	<0.01	0.05
I319833		1.27	26.8	670	8.6	11.4	<0.001	0.28	0.29	5.2	0.8	0.4	30.9	<0.01	0.04
I319834		1.22	28.2	640	9.0	11.9	<0.001	0.39	0.30	4.8	0.9	0.5	32.5	<0.01	0.04
I319835		1.23	20.7	560	7.8	10.0	<0.001	0.41	0.25	4.1	0.7	0.4	25.9	<0.01	0.02
I319836		2.79	16.5	670	11.0	21.7	<0.001	0.02	0.37	5.5	0.7	0.9	38.8	<0.01	0.02
I319837		4.00	15.7	650	23.0	30.7	<0.001	0.04	0.42	7.0	0.8	1.1	37.1	<0.01	0.02
I319838		1.46	14.5	1180	14.0	13.7	<0.001	0.12	0.86	4.1	2.6	0.4	110.5	0.02	0.04
I319839		2.22	23.5	530	20.6	19.7	<0.001	0.03	0.47	4.7	1.1	0.9	34.8	0.01	0.04
I319840		2.13	14.4	440	13.5	15.4	<0.001	0.01	0.44	3.3	0.4	0.8	43.6	<0.01	0.03
I319841		2.56	25.4	260	16.4	18.7	<0.001	<0.01	0.66	5.6	0.5	0.8	23.6	0.01	0.04
I319842		2.62	23.8	260	15.8	17.1	<0.001	<0.01	0.62	5.3	0.4	0.8	21.5	0.01	0.03
I319843		0.30	4.4	200	3.3	7.8	<0.001	0.01	0.15	0.6	0.2	0.3	11.6	<0.01	0.02
I319844		1.03	10.5	320	7.0	13.5	<0.001	0.01	0.25	2.0	0.6	0.6	18.2	<0.01	0.02
I319845		2.49	14.6	570	7.7	17.9	<0.001	<0.01	0.25	3.7	0.5	0.7	23.1	<0.01	0.02
I319846		1.46	10.0	570	5.9	16.1	<0.001	0.03	0.28	2.6	0.5	0.6	19.7	<0.01	0.02
I319847		0.81	7.5	490	5.3	7.3	<0.001	0.02	0.17	1.7	0.6	0.4	19.3	<0.01	0.02
I319848		3.54	17.8	610	12.7	29.9	<0.001	0.01	0.33	6.4	0.7	1.0	33.3	<0.01	0.03
I319849		2.65	18.7	790	14.1	19.2	<0.001	0.04	0.34	5.9	0.7	0.9	36.1	<0.01	0.03
I319850		1.75	9.9	520	8.3	10.6	<0.001	0.04	0.25	2.8	0.6	0.7	16.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124019

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319811		0.131	0.14	1.24	58	0.21	7.15	57
I319812		0.132	0.12	0.97	57	0.21	6.38	51
I319813		0.138	0.10	0.85	67	0.20	9.02	58
I319814		0.072	0.12	0.85	51	0.21	6.42	40
I319815		0.053	0.07	0.52	29	0.14	1.98	21
								<0.5
I319816		0.131	0.13	0.76	82	0.17	7.63	57
I319817		0.112	0.12	0.50	79	0.15	3.84	42
I319818		0.142	0.15	0.65	73	0.16	6.28	54
I319819		0.177	0.19	0.62	84	0.29	5.74	65
I319820		0.169	0.21	0.93	82	0.22	8.18	63
								2.4
I319821		0.201	0.30	1.00	96	0.22	9.35	77
I319822		0.174	0.23	0.72	89	0.29	5.42	69
I319823		0.037	0.06	0.56	22	0.13	1.95	16
I319824		0.121	0.13	1.00	78	2.73	8.92	85
I319825		0.107	0.08	0.88	70	0.16	11.05	71
								4.9
I319826		0.081	0.08	0.72	62	0.15	5.62	62
I319827		0.083	0.07	0.76	63	0.12	7.61	68
I319828		0.066	0.10	1.13	60	0.12	11.15	83
I319829		0.073	0.10	0.94	68	0.16	12.75	87
I319830		0.081	0.09	0.95	68	0.13	9.72	58
								1.6
I319831		0.088	0.09	0.77	72	0.12	7.65	78
I319832		0.067	0.08	0.92	49	0.09	7.51	54
I319833		0.090	0.08	0.95	61	0.14	8.38	56
I319834		0.085	0.08	0.96	67	0.18	7.48	59
I319835		0.081	0.09	0.89	61	0.14	5.11	48
								1.1
I319836		0.111	0.19	2.12	57	0.27	13.90	54
I319837		0.128	0.25	2.85	54	0.38	18.30	64
I319838		0.042	0.16	6.17	31	0.28	95.8	34
I319839		0.079	0.13	4.24	65	0.26	33.2	61
I319840		0.096	0.13	0.72	65	0.14	4.07	90
								1.6
I319841		0.132	0.17	0.81	84	0.18	5.76	60
I319842		0.123	0.15	0.76	78	0.20	5.61	54
I319843		0.034	0.06	0.39	20	0.06	2.37	14
I319844		0.067	0.11	0.79	39	0.20	5.37	34
I319845		0.120	0.13	0.96	54	0.20	8.21	51
								2.4
I319846		0.070	0.12	1.19	40	0.20	6.70	36
I319847		0.051	0.11	1.56	30	0.09	5.54	22
I319848		0.138	0.23	3.63	61	0.24	15.00	70
I319849		0.111	0.22	3.65	68	0.31	12.10	67
I319850		0.074	0.13	1.91	43	0.49	5.93	33
								1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10124019

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

CERTIFICATE WH10124018

Project: SQI10-06
P.O. No.: SQI10-06_25
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318401		0.76	<0.005	0.10	2.38	5.5	<0.2	<10	190	0.50	0.18	0.67	0.20	30.0	12.9	47
I318402		0.50	<0.005	0.13	1.67	6.0	<0.2	<10	130	0.27	0.25	0.34	0.17	21.8	7.8	29
I318403		0.66	<0.005	0.04	3.49	4.9	<0.2	<10	220	1.28	0.21	0.28	0.15	40.6	19.4	52
I318404		0.56	<0.005	0.08	3.35	6.4	<0.2	<10	430	0.65	0.17	0.66	0.07	32.7	13.8	83
I318405		0.60	<0.005	0.43	2.00	8.3	<0.2	<10	150	0.33	0.17	0.15	0.22	16.55	8.5	33
I318406		0.48	<0.005	1.26	2.05	14.7	<0.2	<10	290	0.61	0.56	0.25	0.67	23.0	12.2	48
I318407		0.44	<0.005	0.15	1.20	4.9	<0.2	<10	90	0.17	0.15	0.21	0.18	13.60	4.6	27
I318408		0.92	<0.005	0.29	2.99	7.2	<0.2	<10	290	0.58	0.32	0.45	0.15	41.0	12.8	61
I318409		0.40	<0.005	0.02	0.14	1.7	<0.2	<10	30	0.05	0.06	0.09	0.03	10.10	2.1	3
I318410		0.66	<0.005	0.12	2.28	6.3	<0.2	<10	200	0.32	0.22	0.51	0.11	30.8	12.6	50
I318411		0.66	<0.005	0.17	2.60	6.5	<0.2	<10	270	0.36	0.32	0.50	0.11	32.2	12.7	56
I318412		0.68	<0.005	0.06	2.03	3.8	<0.2	<10	180	0.24	0.23	0.42	0.10	23.7	12.1	57
I318413		0.88	<0.005	0.10	2.22	7.2	<0.2	<10	170	0.30	0.19	0.34	0.15	28.4	13.4	37
I318414		0.74	<0.005	0.10	1.92	6.7	<0.2	<10	150	0.29	0.16	0.42	0.29	28.4	11.4	35
I318415		0.66	0.006	0.12	1.69	8.1	<0.2	<10	130	0.25	0.20	0.32	0.30	36.6	14.1	33
I318416		0.64	<0.005	0.12	2.08	8.5	<0.2	<10	150	0.38	0.19	0.25	0.22	27.6	14.3	31
I318417		0.46	<0.005	0.54	1.93	6.7	<0.2	<10	500	0.32	0.25	0.40	1.18	49.5	77.8	60
I318418		0.70	<0.005	0.22	3.27	8.3	<0.2	<10	430	0.44	0.16	0.45	0.43	25.8	22.0	61
I318419		0.64	<0.005	0.31	3.11	7.9	<0.2	<10	350	0.35	0.18	0.85	0.38	27.6	23.1	76
I318420		0.68	0.005	0.21	2.20	6.9	<0.2	<10	250	0.32	0.21	0.33	0.31	31.4	12.7	42
I318421		0.80	0.005	0.18	2.25	8.2	<0.2	<10	300	0.35	0.22	0.37	0.35	34.1	12.6	39
I318422		0.46	<0.005	0.23	2.28	5.3	<0.2	<10	520	0.19	0.21	0.41	0.49	22.2	16.5	38
I318423		0.66	0.008	0.40	2.16	6.7	<0.2	<10	180	0.35	0.23	0.98	0.47	31.7	13.9	40
I318424		0.68	<0.005	0.23	2.23	6.3	<0.2	<10	240	0.43	0.28	0.41	0.13	34.6	9.1	34
I318425		0.38	<0.005	0.11	1.15	5.5	<0.2	<10	100	0.20	0.27	0.27	0.44	11.80	7.3	21
I318426		0.28	<0.005	0.01	0.15	1.9	<0.2	<10	30	0.07	0.04	0.08	0.03	9.36	2.1	3
I318427		0.64	0.007	0.23	2.68	10.5	<0.2	<10	160	0.42	0.40	0.24	0.27	28.4	12.6	37
I318428		0.52	<0.005	0.09	1.33	3.8	<0.2	<10	90	0.19	0.34	0.20	0.12	18.80	5.4	21
I318429		0.48	<0.005	0.25	1.01	4.4	<0.2	<10	150	0.12	0.30	0.23	0.29	11.30	7.6	21
I318430		0.48	0.005	0.08	2.62	8.9	<0.2	<10	190	0.57	0.68	0.26	0.24	27.7	12.1	40
I318431		0.54	<0.005	0.07	0.29	1.3	<0.2	<10	20	<0.05	0.13	0.06	0.03	4.69	1.3	5
I318432		0.74	<0.005	0.13	2.17	6.2	<0.2	<10	200	0.31	0.52	0.34	0.12	32.7	9.0	33
I318433		0.66	<0.005	0.13	1.96	5.6	<0.2	<10	190	0.24	0.40	0.31	0.14	27.6	10.3	30
I318434		0.44	0.005	0.14	1.99	4.2	<0.2	<10	230	0.26	0.35	0.34	0.11	23.8	14.3	30
I318435		0.62	0.007	0.11	2.08	5.9	<0.2	<10	180	0.31	0.29	0.24	0.13	30.0	10.3	32
I318436		0.58	<0.005	0.05	2.14	3.8	<0.2	<10	160	0.27	0.15	0.37	0.15	11.30	12.6	36
I318437		0.80	0.005	0.11	2.35	3.5	<0.2	<10	210	0.32	0.16	0.70	0.15	14.85	14.9	48
I318438		0.72	<0.005	0.06	2.84	4.3	<0.2	<10	240	0.26	0.12	0.60	0.09	20.2	19.7	46
I318439		0.54	0.005	0.14	1.80	9.7	<0.2	<10	200	0.36	0.15	1.69	0.26	22.7	14.0	43
I318440		0.62	<0.005	0.03	2.63	7.3	<0.2	<10	160	0.27	0.14	0.46	0.08	14.45	16.7	53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318401		1.46	26.3	2.89	7.82	0.08	0.08	0.04	0.030	0.10	15.1	18.2	0.71	332	0.45
I318402		1.04	14.6	2.38	6.00	0.05	0.03	0.05	0.023	0.04	11.5	11.6	0.50	195	1.30
I318403		2.00	34.9	4.33	10.30	0.10	0.05	0.02	0.036	0.53	20.7	24.3	0.82	456	0.66
I318404		2.51	33.1	3.69	10.65	0.10	0.09	0.03	0.032	0.27	16.7	17.1	1.08	398	0.90
I318405		1.23	29.8	3.12	7.89	0.05	0.07	0.03	0.023	0.07	8.7	12.3	0.46	197	1.97
I318406		3.13	62.5	3.08	7.74	0.07	0.04	0.08	0.036	0.13	12.5	14.9	0.62	392	4.56
I318407		1.11	15.4	1.67	5.40	0.05	0.02	0.05	0.017	0.05	7.2	6.2	0.37	107	0.69
I318408		1.72	42.8	3.37	9.19	0.09	0.05	0.05	0.031	0.16	22.9	15.3	0.75	288	1.13
I318409		0.09	2.3	0.66	0.63	<0.05	0.04	<0.01	<0.005	0.05	5.1	1.1	0.04	150	0.33
I318410		1.24	32.6	2.96	8.10	0.12	0.02	0.02	0.026	0.10	17.7	16.0	0.74	367	1.13
I318411		1.73	35.5	3.10	8.54	0.14	0.02	0.04	0.029	0.18	18.8	14.5	0.72	378	1.17
I318412		1.88	32.4	2.94	7.96	0.15	0.03	0.06	0.023	0.24	13.7	14.6	0.79	380	0.76
I318413		0.84	30.8	3.08	7.24	0.10	<0.02	0.04	0.026	0.05	13.9	11.7	0.70	411	1.05
I318414		0.64	32.8	3.09	6.25	0.12	0.03	0.03	0.026	0.06	13.8	10.6	0.69	360	0.96
I318415		0.69	37.2	3.67	6.65	0.11	0.02	0.08	0.029	0.06	18.1	10.7	0.66	426	1.40
I318416		0.95	28.6	3.11	6.95	0.10	<0.02	0.09	0.027	0.05	12.1	11.5	0.56	404	1.26
I318417		0.98	55.7	3.51	6.83	0.17	<0.02	0.07	0.032	0.05	22.0	8.7	0.74	1240	3.62
I318418		2.13	40.7	3.79	9.00	0.12	<0.02	0.05	0.021	0.28	12.7	15.4	1.43	744	1.23
I318419		1.96	47.3	3.56	8.03	0.13	<0.02	0.06	0.024	0.15	14.0	15.2	1.33	763	1.11
I318420		0.98	40.4	2.78	6.67	0.11	<0.02	0.05	0.025	0.06	14.6	10.8	0.75	514	1.18
I318421		0.87	36.3	2.78	7.16	0.12	<0.02	0.04	0.029	0.05	17.1	11.2	0.71	314	1.47
I318422		0.93	25.2	2.73	6.99	0.10	<0.02	0.04	0.023	0.05	11.7	9.8	0.61	593	1.50
I318423		0.95	30.2	2.70	6.00	0.12	0.05	0.05	0.026	0.08	17.8	12.9	0.71	344	1.41
I318424		1.74	22.4	2.85	6.45	0.12	0.04	0.05	0.029	0.07	24.6	11.0	0.54	539	0.95
I318425		0.90	15.8	2.30	5.90	0.05	<0.02	0.05	0.021	0.05	5.7	7.2	0.28	420	1.44
I318426		0.09	1.9	0.70	0.67	<0.05	0.04	0.01	<0.005	0.05	4.8	1.1	0.04	155	0.29
I318427		1.33	24.2	3.61	8.41	0.10	0.02	0.04	0.032	0.06	10.9	14.9	0.59	421	1.45
I318428		0.79	15.3	1.95	5.65	0.07	<0.02	0.03	0.016	0.03	10.1	5.5	0.29	183	0.94
I318429		1.28	16.1	1.90	5.73	0.05	<0.02	0.05	0.018	0.04	5.5	3.4	0.20	824	1.90
I318430		1.81	24.5	3.42	7.76	0.11	0.03	0.06	0.033	0.06	17.7	13.6	0.59	880	1.36
I318431		0.40	3.6	0.62	2.31	<0.05	<0.02	0.02	0.005	0.02	2.4	0.7	0.06	43	0.45
I318432		3.42	17.3	2.85	7.46	0.11	0.02	0.05	0.036	0.07	19.7	12.8	0.58	563	0.95
I318433		2.61	14.2	2.86	6.70	0.10	0.02	0.05	0.029	0.05	15.7	11.1	0.52	456	0.94
I318434		4.31	11.8	2.87	7.55	0.10	<0.02	0.05	0.030	0.07	11.9	13.0	0.63	2070	1.10
I318435		2.25	17.5	3.11	6.79	0.11	<0.02	0.05	0.029	0.05	14.9	10.1	0.56	425	1.12
I318436		1.60	46.0	2.78	6.12	0.08	<0.02	0.02	0.019	0.06	5.5	14.6	0.79	519	0.60
I318437		2.17	75.7	3.18	7.05	0.11	0.02	0.02	0.020	0.16	7.6	20.8	1.11	354	0.49
I318438		3.25	51.5	3.81	8.39	0.14	0.07	0.01	0.025	0.20	9.7	21.9	1.29	406	0.58
I318439		1.07	45.4	3.13	5.39	0.11	0.09	0.04	0.023	0.05	11.6	11.5	0.64	437	0.85
I318440		2.98	26.7	3.61	8.43	0.11	0.08	0.02	0.028	0.19	7.4	19.4	1.19	550	0.80



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318401		2.09	27.9	670	8.4	20.7	<0.001	0.04	0.40	7.2	0.6	0.6	51.5	<0.01	0.04
I318402		1.28	15.6	750	9.7	10.6	<0.001	0.04	0.31	4.0	0.5	0.5	27.3	<0.01	0.03
I318403		3.41	39.9	360	7.8	51.7	<0.001	0.02	0.18	8.0	0.5	1.1	32.6	<0.01	0.03
I318404		1.75	27.8	730	8.5	33.6	<0.001	0.01	0.24	9.0	0.6	0.7	57.3	<0.01	0.03
I318405		1.85	21.8	350	10.2	10.1	<0.001	0.05	0.38	3.7	0.7	0.6	19.8	0.01	0.06
I318406		1.54	35.4	960	18.0	22.6	0.001	0.07	0.49	4.4	3.1	0.6	25.9	<0.01	0.08
I318407		1.00	14.9	480	6.7	11.9	<0.001	0.06	0.18	2.5	0.9	0.6	19.7	<0.01	0.02
I318408		1.91	33.3	620	8.4	26.9	0.001	0.02	0.25	7.7	0.8	0.8	37.2	<0.01	0.04
I318409		0.16	4.2	120	3.0	2.4	<0.001	<0.01	0.09	0.5	<0.2	<0.2	8.2	<0.01	0.01
I318410		1.96	28.5	490	7.7	17.2	<0.001	<0.01	0.25	5.6	0.4	0.7	36.5	<0.01	0.04
I318411		2.08	33.8	600	7.1	25.5	<0.001	0.01	0.27	6.8	0.5	0.7	37.2	<0.01	0.05
I318412		1.93	25.8	620	5.9	30.0	<0.001	<0.01	0.15	5.8	0.3	0.8	30.9	<0.01	0.03
I318413		1.27	28.5	720	8.5	9.2	<0.001	<0.01	0.31	4.6	0.5	0.5	25.4	<0.01	0.04
I318414		1.37	33.7	840	7.4	7.7	<0.001	0.01	0.31	4.4	0.5	0.4	27.8	<0.01	0.04
I318415		1.38	39.8	810	10.6	7.7	<0.001	0.02	0.34	3.7	0.6	0.5	24.2	0.01	0.05
I318416		1.33	33.2	630	8.4	8.2	<0.001	0.02	0.43	3.5	0.5	0.5	20.9	0.01	0.04
I318417		0.97	52.9	1110	11.8	8.5	<0.001	0.07	0.37	4.4	2.6	0.5	31.6	0.01	0.08
I318418		1.17	43.3	860	6.8	30.3	<0.001	0.05	0.25	6.0	0.7	0.4	32.8	<0.01	0.04
I318419		1.07	43.9	900	10.0	23.6	<0.001	0.07	0.30	5.7	1.0	0.4	36.9	0.01	0.04
I318420		0.93	34.5	820	8.5	10.5	<0.001	0.04	0.28	3.9	1.1	0.4	23.9	<0.01	0.05
I318421		1.22	32.9	790	9.4	9.3	<0.001	0.01	0.37	5.0	0.9	0.5	25.4	<0.01	0.04
I318422		0.96	31.0	960	8.6	8.8	<0.001	0.05	0.26	3.8	0.6	0.5	32.3	<0.01	0.05
I318423		1.35	28.5	740	17.2	13.9	0.002	0.06	0.39	5.8	2.1	0.4	35.4	<0.01	0.03
I318424		1.73	23.2	590	11.0	14.1	<0.001	0.02	0.42	5.6	0.7	0.7	30.2	<0.01	0.03
I318425		1.32	13.9	430	10.5	8.4	<0.001	0.02	0.37	1.9	0.2	0.5	21.6	<0.01	0.04
I318426		0.17	3.7	120	1.7	2.4	<0.001	<0.01	0.09	0.6	<0.2	<0.2	8.3	<0.01	0.01
I318427		1.98	29.5	330	17.0	10.6	<0.001	<0.01	0.52	5.2	0.4	0.7	20.7	0.01	0.05
I318428		1.19	12.8	420	8.2	5.8	<0.001	<0.01	0.28	2.6	0.3	0.5	17.1	<0.01	0.03
I318429		1.03	11.7	510	8.5	11.1	<0.001	0.02	0.42	1.8	<0.2	0.7	26.4	<0.01	0.04
I318430		1.74	26.7	790	14.1	13.5	0.001	0.02	0.44	4.4	0.7	0.7	22.8	0.01	0.05
I318431		0.31	2.4	210	2.9	2.5	<0.001	<0.01	0.08	0.5	<0.2	0.2	6.4	<0.01	0.01
I318432		2.38	18.5	810	12.9	15.9	<0.001	0.01	0.36	5.3	0.5	1.0	24.9	<0.01	0.03
I318433		2.34	16.6	760	12.6	12.8	<0.001	0.01	0.31	4.8	0.4	0.8	22.6	<0.01	0.02
I318434		2.41	17.3	920	10.5	17.4	<0.001	0.03	0.23	5.3	0.3	0.9	24.4	<0.01	0.04
I318435		1.67	17.7	760	10.1	11.9	<0.001	0.02	0.29	5.0	0.5	0.7	19.2	<0.01	0.05
I318436		1.16	21.8	570	6.6	8.4	<0.001	<0.01	0.20	4.2	<0.2	0.4	26.1	<0.01	0.04
I318437		1.00	27.7	680	8.3	20.5	<0.001	<0.01	0.20	7.0	0.2	0.4	37.8	<0.01	0.03
I318438		1.11	28.9	540	7.7	29.6	<0.001	<0.01	0.19	10.9	0.3	0.5	35.7	<0.01	0.03
I318439		1.75	31.6	760	9.1	8.4	<0.001	0.04	0.38	5.5	0.8	0.4	48.3	<0.01	0.04
I318440		1.86	31.1	610	6.1	25.0	<0.001	<0.01	0.23	6.7	0.2	0.6	25.4	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318401		0.142	0.17	1.03	74	0.18	9.23	73
I318402		0.095	0.13	1.22	64	0.22	6.42	52
I318403		0.182	0.33	0.89	73	0.13	7.68	75
I318404		0.229	0.29	1.19	100	0.20	11.00	79
I318405		0.135	0.16	0.53	83	0.16	2.99	56
I318406		0.114	0.30	2.19	100	0.27	6.81	134
I318407		0.082	0.12	0.73	36	0.27	3.34	46
I318408		0.149	0.19	2.52	93	0.31	10.35	67
I318409		0.007	0.03	0.30	4	0.05	2.02	5
I318410		0.137	0.15	1.59	73	0.43	7.47	56
I318411		0.134	0.18	1.94	83	0.61	8.92	62
I318412		0.168	0.26	0.97	69	1.31	6.07	59
I318413		0.110	0.10	1.19	74	0.21	8.23	59
I318414		0.122	0.07	0.82	76	0.20	8.00	67
I318415		0.116	0.06	0.89	77	0.18	8.22	73
I318416		0.094	0.09	0.81	71	0.22	7.21	54
I318417		0.069	0.12	2.53	82	0.23	23.6	103
I318418		0.112	0.20	0.92	104	0.17	8.63	96
I318419		0.096	0.16	1.11	98	0.17	11.85	85
I318420		0.084	0.12	1.27	67	0.18	10.05	72
I318421		0.103	0.10	1.38	74	0.21	10.70	77
I318422		0.081	0.10	0.90	66	0.16	7.14	87
I318423		0.082	0.11	4.44	64	0.13	14.20	78
I318424		0.098	0.14	2.07	62	0.22	14.45	55
I318425		0.079	0.08	0.60	59	0.17	3.07	45
I318426		0.007	0.03	0.29	4	<0.05	2.03	4
I318427		0.121	0.13	0.89	85	0.23	6.48	55
I318428		0.085	0.08	0.91	52	0.21	5.17	29
I318429		0.081	0.10	0.64	66	0.13	2.34	35
I318430		0.111	0.15	3.39	80	0.41	11.00	71
I318431		0.036	0.04	0.31	17	0.08	1.49	9
I318432		0.120	0.25	2.23	66	0.55	10.35	64
I318433		0.111	0.21	1.37	58	0.17	8.42	59
I318434		0.118	0.30	1.51	60	0.28	7.25	69
I318435		0.101	0.20	1.75	65	0.17	7.95	53
I318436		0.115	0.13	0.32	71	0.17	3.16	51
I318437		0.141	0.19	0.46	87	0.17	7.03	63
I318438		0.179	0.30	0.52	109	0.21	7.96	57
I318439		0.102	0.10	0.59	67	0.15	11.15	53
I318440		0.202	0.22	0.41	91	0.20	4.97	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318441		0.56	<0.005	0.13	2.17	4.9	<0.2	<10	140	0.20	0.34	0.29	0.35	12.25	10.9	30
I318442		0.58	0.006	0.11	2.70	6.6	<0.2	<10	300	0.26	0.78	0.30	0.09	23.0	12.5	36
I318443		0.56	<0.005	0.15	3.01	7.5	<0.2	<10	230	0.43	0.24	0.31	0.14	23.7	15.2	40
I318444		0.38	<0.005	0.01	0.15	1.7	<0.2	<10	30	<0.05	0.05	0.09	0.03	9.98	2.1	3
I318445		0.64	<0.005	0.08	2.08	6.4	<0.2	<10	130	0.27	0.18	0.26	0.15	14.35	9.9	31
I318446		0.82	<0.005	0.09	2.85	8.1	<0.2	<10	170	0.46	0.39	0.32	0.10	26.5	14.0	43
I318447		0.64	<0.005	0.10	1.49	8.2	<0.2	<10	80	0.29	0.46	0.17	0.15	20.2	6.6	21
I318448		0.46	<0.005	0.13	0.51	1.7	<0.2	<10	90	0.12	0.10	0.14	0.14	8.41	2.3	10
I318449		0.42	<0.005	0.09	0.67	2.5	<0.2	<10	60	0.17	0.10	0.10	0.09	7.65	2.3	11
I318450		0.40	<0.005	0.07	2.35	8.7	<0.2	<10	130	0.37	0.28	0.23	0.12	13.50	12.3	33
I318451		0.16	0.006	0.08	2.72	6.0	<0.2	<10	110	0.54	0.19	0.53	0.17	29.5	17.1	59
I318452		0.18	<0.005	0.08	1.18	2.9	<0.2	<10	80	0.14	0.14	0.48	0.09	12.60	4.8	28
I318453		0.28	<0.005	0.18	1.38	4.1	<0.2	<10	90	0.20	0.26	0.29	0.22	15.80	6.0	27
I318454		0.20	<0.005	0.11	1.71	5.8	<0.2	<10	150	0.34	0.22	0.30	0.12	17.55	9.6	29
I318455		0.18	<0.005	0.08	0.29	1.9	<0.2	<10	40	<0.05	0.07	0.07	0.05	3.78	1.8	8
I318456		0.18	<0.005	0.33	2.18	7.7	<0.2	<10	170	0.40	0.36	0.35	0.21	26.4	10.5	42
I318457		0.26	<0.005	0.07	0.71	8.0	<0.2	<10	40	0.12	0.15	0.08	0.08	6.79	3.1	11
I318458		0.26	0.005	0.07	1.51	4.7	<0.2	<10	110	0.22	0.19	0.27	0.12	15.15	7.7	25
I318459		0.26	<0.005	0.09	1.38	5.0	<0.2	<10	110	0.22	0.19	0.28	0.16	14.70	6.6	24
I318460		0.26	<0.005	0.05	1.55	8.4	<0.2	<10	90	0.22	0.25	0.22	0.14	15.10	6.3	27
I318461		0.26	<0.005	0.08	2.17	9.5	<0.2	<10	140	0.42	0.28	0.25	0.19	18.20	11.7	38
I318462		0.20	<0.005	0.14	1.74	6.3	<0.2	<10	170	0.35	0.23	0.26	0.22	25.2	22.5	30
I318463		0.20	<0.005	0.15	1.64	6.6	<0.2	<10	110	0.46	0.38	0.18	0.10	17.75	6.2	23
I318464		0.24	<0.005	0.13	1.29	10.0	<0.2	<10	120	0.25	0.60	0.12	0.20	13.20	7.1	19
I318465		0.22	<0.005	0.17	1.21	5.5	<0.2	<10	100	0.17	0.23	0.16	0.15	13.05	5.8	16
I318466		0.24	<0.005	0.22	2.63	19.4	<0.2	<10	220	1.14	0.26	0.39	0.25	31.2	11.7	37
I318467		0.24	<0.005	0.16	1.88	6.7	<0.2	<10	230	0.34	0.18	0.37	0.15	17.40	8.1	30
I318468		0.32	<0.005	0.30	1.83	7.4	<0.2	<10	400	0.37	0.24	0.31	0.17	18.65	8.5	31
I318469		0.22	<0.005	0.24	2.20	9.3	<0.2	<10	680	0.96	0.23	0.70	0.33	43.1	12.6	38
I318470		0.28	<0.005	0.29	1.80	12.9	<0.2	<10	150	0.41	0.25	0.32	0.63	23.6	12.4	55
I318471		0.24	<0.005	0.11	2.33	14.4	<0.2	<10	170	0.53	0.18	0.36	0.23	27.0	15.8	69
I318472		0.38	0.007	0.07	1.70	8.2	<0.2	<10	150	0.78	0.19	0.37	0.18	29.4	9.2	40
I318473		0.26	<0.005	0.13	2.38	9.6	<0.2	<10	180	0.41	0.16	0.25	0.26	17.35	14.2	94
I318474		0.26	<0.005	0.07	1.41	5.9	<0.2	<10	90	0.37	0.12	0.14	0.11	15.70	7.2	26
I318475		0.24	<0.005	0.06	2.41	5.1	<0.2	<10	230	0.42	0.14	0.30	0.18	24.6	21.2	46
I318476		0.18	0.024	0.44	1.08	3.9	<0.2	<10	180	0.27	0.11	0.36	0.19	17.65	10.2	20
I318477		0.26	<0.005	0.11	2.46	5.4	<0.2	<10	240	0.30	0.17	0.42	0.15	20.7	16.2	56
I318478		0.30	0.006	0.14	2.06	6.7	<0.2	<10	210	0.35	0.18	0.37	0.14	21.7	11.5	38
I318479		0.28	<0.005	0.11	2.15	7.2	<0.2	<10	190	0.58	0.17	0.21	0.18	29.7	9.7	37
I318480		0.26	0.005	0.17	2.08	6.0	<0.2	<10	280	0.40	0.16	0.39	0.15	25.9	18.8	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318441		1.56	35.9	2.97	7.43	0.08	<0.02	0.02	0.023	0.11	6.2	15.0	0.65	326	9.12
I318442		2.53	47.4	4.18	8.24	0.12	0.04	0.02	0.030	0.27	12.1	15.0	1.15	395	8.57
I318443		1.54	34.6	3.77	8.96	0.10	0.04	0.03	0.035	0.11	11.7	15.3	0.90	505	1.95
I318444		0.09	1.8	0.67	0.66	<0.05	0.03	0.01	<0.005	0.04	5.1	1.1	0.04	159	0.31
I318445		1.16	22.6	2.89	6.93	<0.05	0.04	0.02	0.022	0.07	7.2	11.6	0.52	260	1.87
I318446		1.39	35.0	3.80	8.34	<0.05	0.09	0.03	0.031	0.06	12.8	15.9	0.75	329	2.75
I318447		1.37	24.5	2.89	7.56	<0.05	0.02	0.03	0.039	0.11	6.0	8.0	0.40	211	9.58
I318448		0.52	10.2	0.82	2.86	<0.05	<0.02	0.03	0.008	0.03	4.7	1.5	0.10	48	0.94
I318449		0.69	13.5	1.14	3.47	<0.05	<0.02	0.04	0.011	0.03	4.1	1.8	0.10	43	1.16
I318450		1.11	19.0	3.57	7.76	<0.05	0.05	0.03	0.023	0.06	6.9	14.5	0.64	303	1.55
I318451		2.62	29.3	3.54	8.41	<0.05	0.07	0.05	0.026	0.21	13.3	17.7	0.94	376	0.67
I318452		0.97	8.4	1.53	6.10	<0.05	0.02	0.04	0.015	0.05	6.5	7.2	0.41	111	0.41
I318453		1.13	14.3	1.90	5.97	<0.05	0.03	0.04	0.017	0.05	8.7	7.8	0.44	141	0.83
I318454		2.23	18.0	2.55	6.29	<0.05	0.05	0.07	0.027	0.06	9.1	12.3	0.52	258	0.93
I318455		0.36	5.9	0.83	2.23	<0.05	<0.02	0.03	0.005	0.02	2.0	0.8	0.05	42	0.93
I318456		1.62	21.3	2.77	8.60	<0.05	0.03	0.06	0.033	0.11	13.0	11.9	0.60	318	1.53
I318457		0.71	8.0	1.21	4.15	<0.05	0.02	0.02	0.010	0.03	3.8	3.4	0.13	77	0.86
I318458		1.15	10.0	2.09	5.57	<0.05	0.04	0.03	0.021	0.05	7.7	9.8	0.41	283	0.66
I318459		1.57	10.4	1.95	5.72	<0.05	0.03	0.05	0.020	0.05	7.6	10.1	0.39	203	0.74
I318460		1.59	12.7	2.72	8.73	<0.05	0.07	0.02	0.024	0.05	8.1	9.1	0.38	277	1.31
I318461		1.41	17.6	3.51	7.68	<0.05	0.08	0.04	0.033	0.05	9.5	16.9	0.52	667	1.00
I318462		1.01	13.1	2.75	6.09	<0.05	0.03	0.07	0.025	0.05	9.5	9.8	0.42	2870	1.30
I318463		0.96	17.9	2.34	6.54	<0.05	0.07	0.04	0.021	0.04	9.0	11.1	0.31	143	1.04
I318464		0.87	13.2	2.71	7.23	<0.05	0.02	0.03	0.021	0.05	7.4	9.2	0.31	284	1.65
I318465		1.14	10.5	1.84	6.70	<0.05	0.02	0.02	0.015	0.07	6.8	6.1	0.34	207	1.10
I318466		1.67	23.6	4.26	10.50	<0.05	0.06	0.07	0.042	0.10	18.2	13.4	0.51	697	3.01
I318467		1.28	15.5	2.41	6.93	<0.05	0.04	0.08	0.021	0.07	9.3	12.4	0.59	223	0.92
I318468		0.95	23.1	2.55	7.36	<0.05	0.04	0.03	0.027	0.06	9.2	11.5	0.46	241	1.08
I318469		1.98	34.1	3.18	8.19	<0.05	0.07	0.05	0.037	0.27	21.8	15.4	0.70	542	1.15
I318470		1.65	27.8	3.25	8.84	<0.05	0.04	0.03	0.029	0.08	12.7	10.7	0.64	546	1.90
I318471		2.47	25.3	3.52	8.13	<0.05	0.07	0.02	0.034	0.15	14.3	22.2	1.02	502	0.91
I318472		2.09	20.4	2.71	6.16	<0.05	0.06	0.03	0.031	0.14	15.9	15.7	0.66	368	0.71
I318473		1.87	27.9	3.01	7.88	<0.05	0.03	0.03	0.023	0.09	8.8	17.7	0.99	269	1.45
I318474		1.42	13.6	1.91	5.30	<0.05	0.03	0.03	0.018	0.07	7.5	7.3	0.34	253	0.77
I318475		1.90	39.9	3.87	8.49	<0.05	0.07	0.03	0.033	0.21	12.9	21.5	0.96	416	1.16
I318476		0.72	33.8	1.65	3.06	<0.05	0.02	0.08	0.017	0.06	10.2	3.8	0.22	357	1.21
I318477		2.14	39.4	4.02	8.33	<0.05	0.04	0.03	0.025	0.35	11.1	19.3	1.08	551	1.04
I318478		1.53	27.6	3.11	7.02	<0.05	0.04	0.06	0.023	0.17	12.5	15.4	0.74	349	0.94
I318479		1.25	34.0	3.00	6.83	<0.05	0.04	0.05	0.029	0.07	14.0	12.5	0.48	302	1.02
I318480		1.20	38.6	3.06	6.36	<0.05	0.05	0.05	0.027	0.17	11.5	14.3	0.78	1230	1.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318441		1.62	17.7	500	6.8	18.0	<0.001	<0.01	0.24	4.3	0.2	0.7	25.6	<0.01	0.04
I318442		1.49	21.9	380	8.7	25.1	0.001	0.10	0.26	10.0	1.0	0.8	32.7	<0.01	0.16
I318443		2.12	23.9	490	8.3	16.9	<0.001	<0.01	0.29	7.8	0.5	0.7	25.1	<0.01	0.04
I318444		0.17	3.8	120	1.9	2.3	<0.001	<0.01	0.09	0.6	<0.2	<0.2	7.7	<0.01	<0.01
I318445		1.61	17.9	350	6.5	11.3	<0.001	<0.01	0.27	4.7	0.4	0.6	20.0	<0.01	0.03
I318446		1.77	26.2	360	8.5	12.2	<0.001	<0.01	0.32	7.7	0.5	0.7	24.3	<0.01	0.04
I318447		1.74	9.6	330	9.3	17.6	<0.001	<0.01	0.25	5.0	0.5	1.6	14.8	<0.01	0.06
I318448		0.33	5.3	270	3.9	7.2	<0.001	<0.01	0.15	0.8	0.3	0.3	15.3	<0.01	0.02
I318449		0.30	5.5	410	4.5	5.3	<0.001	<0.01	0.20	0.7	0.5	0.3	13.3	<0.01	0.02
I318450		1.88	20.6	390	6.9	11.5	<0.001	<0.01	0.34	4.5	0.5	0.6	17.9	<0.01	0.04
I318451		3.05	40.6	620	8.5	34.0	<0.001	0.01	0.25	6.4	0.7	0.6	36.6	<0.01	0.04
I318452		1.36	14.8	500	7.4	8.5	<0.001	0.04	0.17	3.2	0.6	0.5	30.1	<0.01	0.02
I318453		1.26	16.7	500	14.4	10.3	<0.001	0.03	0.18	3.2	0.7	0.6	21.5	<0.01	0.02
I318454		2.65	18.3	530	10.4	12.1	<0.001	0.01	0.32	5.6	0.7	0.9	24.5	<0.01	0.02
I318455		0.38	3.7	140	2.2	2.3	<0.001	<0.01	0.25	0.9	<0.2	0.3	7.6	<0.01	0.02
I318456		2.21	26.6	630	9.0	19.8	<0.001	0.03	0.26	5.6	1.2	1.2	29.8	<0.01	0.04
I318457		1.00	8.1	130	4.1	5.7	<0.001	<0.01	0.18	1.8	0.3	0.4	8.9	<0.01	0.03
I318458		2.62	14.5	420	9.8	10.3	<0.001	0.01	0.23	3.7	0.5	0.9	20.9	<0.01	0.02
I318459		2.17	14.9	520	9.9	12.6	<0.001	0.02	0.22	3.4	0.6	0.8	23.0	<0.01	0.02
I318460		3.49	15.5	330	13.8	11.8	<0.001	<0.01	0.33	3.9	0.5	1.1	19.9	<0.01	0.04
I318461		3.85	22.5	390	15.4	10.3	<0.001	0.01	0.38	5.2	0.6	1.1	21.6	<0.01	0.04
I318462		1.94	15.6	600	11.5	8.6	<0.001	0.03	0.34	4.6	0.8	0.7	24.6	<0.01	0.03
I318463		1.83	14.4	260	7.9	7.9	<0.001	<0.01	0.32	3.5	0.5	0.7	19.5	<0.01	0.04
I318464		1.40	11.3	310	9.4	8.4	<0.001	<0.01	0.38	2.8	0.3	0.6	14.3	<0.01	0.05
I318465		1.52	10.0	270	6.7	17.5	<0.001	<0.01	0.22	3.4	0.3	0.6	16.8	<0.01	0.02
I318466		2.36	21.6	610	20.7	20.5	<0.001	0.01	0.41	6.1	1.0	0.8	34.5	<0.01	0.06
I318467		1.53	20.8	450	7.9	13.1	<0.001	<0.01	0.23	4.5	0.4	0.6	26.4	<0.01	0.02
I318468		1.61	21.7	350	10.6	12.3	<0.001	<0.01	0.31	4.1	0.4	0.8	23.2	<0.01	0.03
I318469		2.51	27.8	690	13.7	24.1	<0.001	0.02	0.35	7.4	1.1	0.8	37.3	<0.01	0.03
I318470		1.85	42.0	430	11.1	20.1	<0.001	0.01	0.36	4.6	0.5	0.8	24.4	<0.01	0.04
I318471		2.33	62.0	520	9.4	19.0	<0.001	<0.01	0.30	7.5	0.5	0.7	21.4	<0.01	0.03
I318472		1.74	27.5	540	13.5	21.4	<0.001	<0.01	0.27	5.5	0.5	0.6	21.5	<0.01	0.02
I318473		1.74	60.7	490	8.2	15.2	<0.001	0.01	0.30	4.6	0.8	0.6	18.7	<0.01	0.03
I318474		1.37	16.5	350	6.4	10.0	<0.001	<0.01	0.24	3.2	0.4	0.5	12.2	0.01	0.02
I318475		2.25	31.0	660	6.7	21.6	<0.001	<0.01	0.28	8.2	0.6	0.6	20.8	<0.01	0.03
I318476		0.53	13.1	820	3.8	8.1	<0.001	0.07	0.32	1.9	0.9	0.3	28.0	<0.01	0.04
I318477		1.71	28.6	800	5.9	28.1	<0.001	0.01	0.27	6.9	0.7	0.5	26.6	<0.01	0.03
I318478		1.60	24.1	750	6.0	18.1	<0.001	0.03	0.26	5.7	0.8	0.5	26.1	<0.01	0.04
I318479		1.68	24.5	580	12.7	9.6	<0.001	0.01	0.30	4.8	0.7	0.6	17.8	0.01	0.04
I318480		1.53	34.2	890	6.2	16.9	<0.001	0.04	0.31	5.8	1.0	0.4	24.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318441		0.145	0.16	0.44	76	2.12	3.27	62
I318442		0.160	0.33	0.97	107	2.15	5.87	69
I318443		0.162	0.18	0.80	89	0.77	7.13	79
I318444		0.008	0.03	0.33	5	<0.05	2.11	4
I318445		0.122	0.11	0.45	69	1.38	3.90	46
I318446		0.155	0.14	0.66	90	0.56	7.98	55
I318447		0.106	0.18	0.76	58	4.79	5.44	60
I318448		0.041	0.06	0.35	22	0.17	2.05	15
I318449		0.034	0.06	0.45	24	0.16	1.72	13
I318450		0.144	0.12	0.45	81	0.65	3.28	48
I318451		0.184	0.26	0.77	81	0.44	6.62	74
I318452		0.093	0.07	0.50	32	0.12	2.71	49
I318453		0.093	0.10	0.99	44	0.45	3.57	47
I318454		0.104	0.16	2.85	62	0.29	7.82	54
I318455		0.046	0.05	0.17	29	0.07	0.70	14
I318456		0.119	0.16	1.48	70	0.44	6.10	72
I318457		0.065	0.06	0.36	31	0.12	1.64	19
I318458		0.092	0.15	2.42	53	0.16	6.43	50
I318459		0.083	0.12	1.95	48	0.14	6.34	48
I318460		0.143	0.13	1.41	91	0.22	5.39	49
I318461		0.124	0.17	2.62	87	0.22	8.49	70
I318462		0.082	0.17	4.02	64	0.22	8.57	54
I318463		0.086	0.09	0.70	52	0.70	3.51	32
I318464		0.076	0.11	0.44	68	0.36	2.49	41
I318465		0.106	0.10	0.44	50	0.23	2.90	37
I318466		0.108	0.13	1.41	100	0.32	11.75	65
I318467		0.103	0.11	0.65	57	0.18	4.90	51
I318468		0.105	0.10	0.75	64	0.18	4.66	49
I318469		0.126	0.15	1.40	78	0.24	15.55	71
I318470		0.120	0.12	0.94	88	0.18	6.41	67
I318471		0.152	0.18	0.67	83	0.22	6.88	71
I318472		0.128	0.13	0.90	64	0.21	8.01	64
I318473		0.133	0.26	0.72	86	0.17	4.37	57
I318474		0.082	0.11	0.42	45	0.11	3.40	29
I318475		0.176	0.20	0.84	95	0.17	7.31	63
I318476		0.044	0.09	0.98	36	0.21	7.46	27
I318477		0.184	0.21	0.71	104	0.26	6.48	73
I318478		0.137	0.14	0.83	77	0.23	7.29	60
I318479		0.094	0.10	1.05	66	0.26	6.93	50
I318480		0.118	0.14	0.90	77	0.15	7.47	57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318481		0.32	0.010	0.08	2.08	6.3	<0.2	<10	230	0.44	0.16	0.31	0.16	29.3	20.8	60
I318482		0.34	0.005	0.09	1.92	6.0	<0.2	<10	330	0.31	0.16	0.50	0.20	25.5	22.7	80
I318483		0.36	0.006	0.08	2.22	3.5	<0.2	<10	250	0.32	0.17	0.49	0.19	27.8	14.6	89
I318484		0.38	0.006	0.12	2.08	4.8	<0.2	<10	270	0.32	0.14	0.58	0.34	31.0	23.1	57
I318485		0.24	0.007	0.41	1.79	4.1	<0.2	<10	170	0.36	0.12	1.22	0.29	21.5	8.0	40
I318486		0.24	0.023	0.33	1.74	8.3	<0.2	<10	180	0.33	0.19	1.06	0.32	28.3	13.2	34
I318487		0.30	0.015	0.43	1.86	8.8	<0.2	<10	160	0.29	0.25	0.82	0.23	20.0	12.4	36
I318488		0.32	<0.005	0.34	1.88	7.1	<0.2	<10	180	0.33	0.20	0.46	0.17	20.1	10.5	40
I318489		0.26	<0.005	0.20	1.85	4.4	<0.2	<10	150	0.24	0.17	0.37	0.15	18.35	12.7	33
I318490		0.26	<0.005	0.16	2.06	9.4	<0.2	<10	280	0.43	0.19	0.65	0.33	42.1	10.1	35
I318491		0.40	0.006	0.10	2.66	6.5	<0.2	<10	200	0.39	0.24	0.46	0.13	17.45	13.0	36
I318492		0.20	0.038	0.13	1.24	3.4	<0.2	<10	180	0.28	0.12	1.14	0.38	12.30	5.7	19
I318493		0.60	<0.005	0.11	2.47	8.3	<0.2	<10	260	0.33	0.18	0.31	0.19	16.90	12.9	28
I318494		0.32	0.016	0.26	0.85	2.7	<0.2	<10	90	0.21	0.09	0.23	0.13	9.45	3.3	12
I318495		0.42	0.006	0.27	1.50	3.8	<0.2	<10	140	0.32	0.18	0.23	0.23	12.40	8.0	22
I318496		0.36	<0.005	0.87	2.50	4.6	<0.2	<10	240	0.61	0.29	0.78	0.23	62.9	8.2	29
I318497		0.56	0.008	0.23	2.61	7.9	<0.2	<10	270	0.61	0.36	0.41	0.14	50.5	9.4	38
I318498		0.52	<0.005	0.05	1.73	7.1	<0.2	<10	120	0.28	0.21	0.19	0.21	15.95	6.4	26
I318499		0.48	<0.005	0.14	0.68	2.0	<0.2	<10	60	0.13	0.09	0.11	0.11	10.10	2.5	11
I318500		0.56	<0.005	0.05	2.05	8.0	<0.2	<10	120	0.40	0.14	0.32	0.16	26.0	10.5	32
I318551		0.32	0.008	0.27	1.11	3.8	<0.2	<10	140	0.31	0.16	0.36	0.30	19.05	6.7	22
I318552		0.52	<0.005	0.11	1.74	5.6	<0.2	<10	100	0.25	0.15	0.23	0.16	13.20	8.6	32
I318553		0.50	0.008	0.18	2.04	8.3	<0.2	<10	160	0.38	0.37	0.31	0.78	29.9	11.4	35
I318554		0.44	<0.005	0.21	0.58	2.1	<0.2	<10	60	0.15	0.12	0.10	0.12	12.65	2.1	9
I318555		0.62	0.006	0.11	2.90	12.2	<0.2	<10	200	0.71	0.23	0.31	0.19	49.2	16.1	42
I318556		0.52	0.005	0.19	1.54	6.4	<0.2	<10	150	0.50	0.15	0.31	0.21	45.4	6.4	25
I318557		0.56	<0.005	0.09	1.90	6.4	<0.2	<10	140	0.40	0.15	0.23	0.12	26.6	8.8	28
I318558		0.42	<0.005	0.12	0.31	1.3	<0.2	<10	60	0.11	0.11	0.07	0.16	10.30	1.6	7
I318559		0.58	0.006	0.06	1.15	6.0	<0.2	<10	80	0.28	1.33	0.13	0.13	42.3	5.9	19
I318560		0.66	<0.005	0.12	1.12	1.5	<0.2	<10	120	0.35	0.80	0.25	0.15	33.2	3.6	6
I318561		0.58	<0.005	0.13	2.25	5.3	<0.2	<10	200	0.52	0.26	0.34	0.17	33.8	8.1	37
I318562		0.66	0.006	0.13	2.62	5.4	<0.2	<10	240	0.65	0.36	0.54	0.16	42.6	16.1	46
I318563		0.60	<0.005	0.16	2.34	4.6	<0.2	<10	230	0.49	0.85	0.53	0.16	34.6	13.2	43
I318564		0.60	<0.005	0.12	2.34	6.4	<0.2	<10	180	0.58	0.40	0.44	0.18	31.3	9.6	43
I318565		0.54	0.008	0.46	2.20	7.9	<0.2	<10	280	0.54	0.26	0.41	0.19	39.5	11.0	50
I318566		0.54	<0.005	0.09	3.25	10.1	<0.2	<10	370	0.62	0.42	0.46	0.16	33.0	14.5	64
I318567		0.44	<0.005	0.59	2.65	8.3	<0.2	<10	360	0.73	0.30	0.54	0.27	51.5	17.2	50
I318568		0.54	<0.005	0.27	2.99	9.4	<0.2	<10	360	0.62	0.46	0.40	0.30	35.1	11.4	50
I318569		0.32	0.031	0.62	3.05	9.0	<0.2	<10	290	0.84	0.29	0.43	0.20	53.0	10.2	45
I318570		0.38	<0.005	0.17	0.73	2.4	<0.2	<10	60	0.19	0.14	0.15	0.10	5.84	3.6	18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318481		1.12	36.1	2.91	6.98	0.06	0.04	0.04	0.026	0.07	13.9	13.9	0.71	1160	0.99
I318482		1.02	31.1	2.90	6.57	0.07	0.03	0.04	0.025	0.07	10.7	14.0	0.88	1620	0.83
I318483		1.24	24.7	2.62	7.65	0.07	0.05	0.04	0.025	0.12	15.0	16.9	1.19	566	0.46
I318484		0.82	21.6	2.91	6.46	0.08	0.03	0.04	0.024	0.07	13.4	13.6	0.90	1940	0.86
I318485		0.63	36.2	1.86	5.54	0.07	0.04	0.11	0.020	0.05	13.6	8.9	0.68	398	0.69
I318486		0.90	32.7	2.42	5.96	0.07	0.03	0.06	0.022	0.07	16.6	8.9	0.65	617	1.07
I318487		0.76	23.4	2.50	6.51	0.05	0.03	0.05	0.022	0.06	10.3	9.6	0.72	583	1.02
I318488		0.85	24.6	2.58	6.93	0.05	0.02	0.06	0.020	0.06	10.3	8.7	0.70	434	1.04
I318489		0.76	20.4	2.41	6.44	0.05	0.02	0.04	0.034	0.05	9.6	9.1	0.60	469	0.87
I318490		1.40	21.9	2.51	6.47	0.09	0.05	0.06	0.027	0.06	22.2	12.3	0.57	321	0.81
I318491		1.16	25.8	3.33	8.61	0.07	0.06	0.03	0.034	0.07	8.7	13.8	0.84	301	0.85
I318492		0.73	24.6	1.61	4.30	0.05	0.03	0.06	0.020	0.04	6.5	5.0	0.33	135	1.00
I318493		1.56	23.8	3.59	9.78	0.06	0.04	0.05	0.033	0.08	7.6	13.6	0.71	379	1.85
I318494		0.89	18.7	1.18	3.97	<0.05	<0.02	0.02	0.012	0.03	5.8	3.9	0.18	100	0.80
I318495		1.10	22.7	2.05	7.01	<0.05	0.03	0.03	0.020	0.05	6.5	6.9	0.34	328	1.17
I318496		1.68	32.7	2.64	7.47	0.15	0.06	0.10	0.035	0.06	66.4	10.1	0.36	442	6.77
I318497		2.46	27.9	3.45	8.92	0.10	0.08	0.04	0.037	0.07	40.5	15.1	0.53	462	3.03
I318498		1.34	15.3	3.06	9.71	0.05	0.05	0.03	0.028	0.06	9.0	11.1	0.38	253	1.67
I318499		0.72	9.6	0.92	3.67	<0.05	<0.02	0.03	0.010	0.03	7.4	2.2	0.14	81	0.63
I318500		1.34	18.4	3.13	7.35	0.07	0.07	0.03	0.028	0.07	15.4	15.7	0.61	361	0.86
I318551		0.83	27.4	1.68	4.75	0.05	0.02	0.04	0.020	0.05	10.1	5.0	0.25	244	1.42
I318552		1.53	21.6	2.61	7.65	0.05	0.03	0.02	0.020	0.06	7.2	9.8	0.53	238	1.41
I318553		1.55	17.6	3.70	9.04	0.07	0.07	0.02	0.037	0.10	15.8	13.1	0.62	793	3.16
I318554		0.50	7.3	0.92	4.09	<0.05	<0.02	0.02	0.008	0.03	7.2	2.5	0.11	60	0.65
I318555		1.54	25.0	4.20	10.35	0.09	0.10	0.03	0.041	0.09	31.2	19.4	0.63	972	1.88
I318556		0.96	23.2	2.29	6.77	0.08	0.03	0.04	0.024	0.05	30.8	9.1	0.34	260	1.05
I318557		1.14	16.5	2.80	7.12	0.06	0.07	0.03	0.025	0.06	15.3	11.0	0.45	298	0.91
I318558		0.43	11.2	0.69	2.43	<0.05	<0.02	0.01	0.007	0.02	5.2	0.9	0.05	54	0.49
I318559		1.98	20.7	2.69	7.41	0.08	0.05	0.02	0.031	0.13	26.9	6.4	0.33	547	1.30
I318560		1.94	7.0	1.83	5.14	0.06	0.02	0.02	0.025	0.10	18.3	6.7	0.29	388	0.40
I318561		1.76	14.4	2.88	8.26	0.07	0.04	0.05	0.029	0.14	17.9	15.9	0.55	253	0.85
I318562		1.86	19.8	3.28	8.94	0.08	0.05	0.04	0.033	0.13	19.8	17.1	0.69	607	0.88
I318563		2.50	15.6	2.98	8.40	0.08	0.04	0.05	0.031	0.11	17.6	14.6	0.63	748	1.17
I318564		1.61	19.3	2.86	8.32	0.07	0.05	0.05	0.033	0.08	15.6	14.2	0.55	245	0.84
I318565		1.95	34.5	3.06	8.71	0.09	0.03	0.05	0.028	0.11	21.7	10.9	0.60	313	1.23
I318566		1.98	39.6	4.13	12.85	0.09	0.04	0.04	0.035	0.19	17.6	14.4	0.81	425	1.97
I318567		1.64	43.1	3.35	10.00	0.08	0.04	0.07	0.032	0.14	28.0	12.0	0.61	614	2.61
I318568		1.40	37.7	3.57	11.85	0.06	0.04	0.05	0.033	0.12	19.7	12.9	0.63	343	2.16
I318569		1.20	53.0	3.28	9.00	0.07	0.04	0.10	0.035	0.09	32.0	10.3	0.43	246	1.88
I318570		0.68	20.7	1.12	3.50	<0.05	<0.02	0.04	0.011	0.03	2.9	3.5	0.15	81	0.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318481		1.63	81.7	650	7.5	10.7	<0.001	0.02	0.31	7.2	0.6	0.5	23.9	<0.01	0.03
I318482		1.40	90.5	710	6.6	11.7	<0.001	0.03	0.28	6.5	0.4	0.5	32.4	<0.01	0.03
I318483		1.49	66.8	690	8.5	21.0	<0.001	0.03	0.24	6.5	0.4	0.5	36.1	<0.01	0.03
I318484		1.18	58.8	810	6.7	14.0	<0.001	0.04	0.23	5.8	0.6	0.4	38.3	<0.01	0.02
I318485		0.88	26.5	940	6.5	8.6	0.001	0.14	0.34	4.8	1.0	0.3	48.2	<0.01	0.02
I318486		0.97	21.5	800	10.5	12.8	<0.001	0.09	0.33	4.4	0.8	0.4	38.5	<0.01	0.04
I318487		0.96	21.9	700	13.2	13.0	<0.001	0.06	0.22	4.5	0.6	0.4	31.8	<0.01	0.03
I318488		0.89	22.2	690	7.2	11.4	<0.001	0.05	0.23	4.2	0.5	0.5	28.6	<0.01	0.04
I318489		0.96	20.6	640	6.4	9.2	<0.001	0.05	0.21	4.6	0.6	0.4	33.5	<0.01	0.02
I318490		2.01	23.3	760	10.0	16.2	0.001	0.07	0.31	5.5	0.9	0.6	39.0	<0.01	0.03
I318491		1.95	22.8	420	12.3	12.4	<0.001	0.02	0.32	8.4	0.3	0.6	28.9	<0.01	0.03
I318492		1.01	15.2	650	4.4	6.7	<0.001	0.11	0.31	3.9	0.8	0.3	52.2	<0.01	0.03
I318493		1.97	21.9	340	8.0	13.7	<0.001	0.02	0.34	8.2	0.4	0.7	25.5	<0.01	0.05
I318494		0.69	8.7	250	4.1	5.4	<0.001	0.02	0.15	2.2	0.3	0.3	15.3	<0.01	0.02
I318495		1.52	14.0	370	6.6	11.6	<0.001	0.01	0.25	4.3	0.3	0.5	20.6	<0.01	0.03
I318496		1.53	18.0	970	9.3	10.8	0.001	0.10	0.47	6.3	1.4	0.6	55.2	0.01	0.04
I318497		3.05	21.3	510	15.3	19.9	<0.001	0.02	0.52	6.7	0.6	0.9	38.3	<0.01	0.04
I318498		2.69	12.7	210	15.7	17.7	<0.001	<0.01	0.36	4.1	0.2	0.9	20.3	<0.01	0.04
I318499		0.48	6.2	240	4.4	6.6	<0.001	0.01	0.13	1.0	0.2	0.3	12.6	<0.01	0.01
I318500		2.62	21.6	580	10.2	13.9	<0.001	0.01	0.34	4.7	0.4	0.7	23.7	<0.01	0.03
I318551		1.22	12.5	470	7.7	8.4	<0.001	0.04	0.26	3.3	0.4	0.5	30.2	<0.01	0.04
I318552		2.03	16.0	290	7.5	9.6	<0.001	0.01	0.30	4.4	0.4	0.6	18.2	<0.01	0.03
I318553		2.65	20.2	370	36.3	20.1	<0.001	0.01	0.45	5.6	0.4	0.8	26.7	<0.01	0.03
I318554		0.82	4.4	120	7.7	6.5	<0.001	0.01	0.15	1.4	0.2	0.4	12.2	<0.01	0.02
I318555		3.24	25.0	620	16.1	19.9	<0.001	0.01	0.46	6.3	0.6	0.9	27.7	<0.01	0.04
I318556		1.36	14.5	600	9.2	10.6	<0.001	0.03	0.30	3.1	0.6	0.5	31.5	<0.01	0.03
I318557		2.38	16.7	410	9.3	12.6	<0.001	<0.01	0.31	4.6	0.3	0.7	20.6	<0.01	0.02
I318558		0.53	4.5	180	3.6	4.6	<0.001	0.01	0.13	0.7	<0.2	0.3	8.4	<0.01	0.01
I318559		2.89	9.0	390	14.7	31.3	<0.001	0.01	0.37	3.4	0.3	1.0	14.0	<0.01	0.10
I318560		4.34	2.6	560	12.3	22.7	<0.001	0.02	0.21	3.5	0.3	1.4	18.2	<0.01	0.04
I318561		3.18	19.2	660	13.7	23.6	<0.001	0.02	0.30	5.0	0.4	0.9	34.9	<0.01	0.02
I318562		3.07	25.5	730	12.9	26.5	<0.001	0.03	0.27	7.0	0.6	0.9	42.8	<0.01	0.05
I318563		2.87	24.0	650	14.2	27.6	<0.001	0.03	0.26	6.5	0.5	0.9	50.3	<0.01	0.04
I318564		2.73	22.6	750	11.6	20.7	<0.001	0.04	0.32	6.1	0.6	0.7	40.7	<0.01	0.04
I318565		1.90	28.7	710	10.0	19.9	<0.001	0.05	0.33	6.5	0.8	0.7	34.7	<0.01	0.04
I318566		2.78	38.5	410	11.2	29.2	<0.001	0.02	0.31	7.1	0.5	0.9	45.0	<0.01	0.06
I318567		1.93	34.0	850	10.1	23.4	<0.001	0.07	0.33	5.4	0.7	0.7	48.0	<0.01	0.05
I318568		2.29	32.8	420	10.7	21.4	<0.001	0.02	0.33	5.5	0.3	0.8	42.0	<0.01	0.05
I318569		1.87	26.4	1100	8.0	12.5	0.001	0.10	0.37	4.6	1.0	0.6	43.7	<0.01	0.06
I318570		0.39	9.6	350	4.2	4.7	<0.001	0.02	0.17	1.3	0.2	0.3	15.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318481		0.116	0.11	1.12	77	0.16	8.98	64	1.7
I318482		0.114	0.12	0.73	80	0.17	8.29	62	1.3
I318483		0.135	0.14	0.78	68	0.20	8.51	73	2.1
I318484		0.101	0.11	1.12	60	0.13	9.70	81	1.3
I318485		0.053	0.08	1.02	38	0.12	13.85	54	1.4
I318486		0.063	0.09	0.84	58	0.11	14.10	57	1.1
I318487		0.078	0.10	1.00	60	0.13	7.70	62	1.0
I318488		0.075	0.10	0.85	66	0.15	6.47	59	0.7
I318489		0.074	0.09	0.79	55	0.25	6.20	52	0.7
I318490		0.101	0.13	1.96	60	0.25	17.15	82	2.0
I318491		0.149	0.13	1.04	88	0.25	5.91	72	2.6
I318492		0.058	0.06	0.75	36	0.12	7.09	29	1.5
I318493		0.137	0.11	0.58	93	0.33	5.34	57	1.7
I318494		0.050	0.06	0.93	28	0.10	4.80	19	<0.5
I318495		0.100	0.09	0.70	51	0.13	4.20	43	1.4
I318496		0.067	0.10	4.80	55	0.30	48.3	47	1.5
I318497		0.130	0.19	2.77	76	0.43	18.50	71	3.0
I318498		0.134	0.15	0.56	78	0.20	3.70	54	2.6
I318499		0.044	0.07	0.90	22	0.08	3.41	21	<0.5
I318500		0.133	0.15	1.06	69	0.24	8.08	58	2.8
I318551		0.069	0.07	1.93	40	0.32	6.71	39	0.8
I318552		0.131	0.11	0.55	70	0.21	3.38	44	1.5
I318553		0.146	0.14	1.40	91	0.48	6.98	112	3.1
I318554		0.058	0.06	0.59	26	0.09	3.05	18	<0.5
I318555		0.140	0.19	1.98	95	0.24	13.15	81	4.7
I318556		0.072	0.10	1.82	54	0.18	14.85	43	1.0
I318557		0.115	0.14	1.33	62	0.21	7.38	51	3.0
I318558		0.034	0.05	0.71	20	0.12	2.33	15	<0.5
I318559		0.110	0.25	1.65	59	1.22	6.94	61	1.9
I318560		0.046	0.30	2.54	22	0.18	12.75	43	0.8
I318561		0.127	0.22	3.32	58	0.64	9.86	68	1.7
I318562		0.133	0.24	4.83	69	1.01	12.25	87	2.1
I318563		0.126	0.22	3.37	63	1.02	9.57	80	1.7
I318564		0.123	0.19	4.45	65	4.70	10.20	65	2.6
I318565		0.110	0.17	1.64	81	0.31	9.78	70	1.1
I318566		0.164	0.21	1.12	116	0.31	7.15	86	2.0
I318567		0.105	0.17	2.20	89	0.39	11.35	73	1.1
I318568		0.131	0.15	1.40	90	0.41	7.06	75	1.4
I318569		0.080	0.11	3.17	65	0.46	9.88	51	1.4
I318570		0.044	0.07	0.34	29	0.10	1.52	21	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318571		0.40	0.028	0.10	0.98	3.8	<0.2	<10	180	0.42	0.24	3.03	0.36	11.30	7.7	29
I318572		0.60	<0.005	0.10	2.50	4.6	<0.2	<10	230	0.55	0.21	0.97	0.11	25.4	15.6	56
I318573		0.58	<0.005	0.07	2.66	5.0	<0.2	<10	170	0.48	0.17	0.41	0.14	21.1	16.4	46
I318574		0.66	0.005	0.21	1.39	3.1	<0.2	<10	120	0.25	0.13	0.24	0.12	10.80	7.5	25
I318575		0.36	<0.005	0.09	2.13	3.9	<0.2	<10	190	0.37	0.14	0.42	0.11	14.75	17.4	36
I318576		0.34	0.030	0.17	1.12	4.0	<0.2	<10	110	0.26	0.11	0.26	0.15	14.05	5.7	21
I318577		0.36	0.008	0.09	1.40	3.1	<0.2	<10	130	0.25	0.14	0.22	0.10	13.85	6.6	25
I318578		0.40	<0.005	0.09	1.21	3.4	<0.2	<10	110	0.22	0.21	0.22	0.10	13.90	5.0	22
I318579		0.40	<0.005	0.21	1.53	3.7	<0.2	<10	170	0.36	0.12	0.29	0.31	13.75	9.6	21
I318580		0.58	<0.005	0.10	2.61	5.5	<0.2	<10	170	0.65	0.14	0.37	0.11	19.90	12.5	39
I318581		0.48	0.005	0.11	2.90	6.3	<0.2	<10	230	0.63	0.16	0.40	0.16	19.20	16.1	50
I318582		0.68	<0.005	0.06	3.15	4.8	<0.2	<10	330	0.79	0.19	0.75	0.09	24.5	18.4	83
I318583		0.44	<0.005	0.18	0.90	3.6	<0.2	<10	150	0.74	0.57	3.35	0.95	11.10	6.5	24
I318584		0.56	<0.005	0.11	2.35	7.8	<0.2	<10	250	0.27	0.19	0.42	0.10	16.40	12.9	29
I318585		0.48	0.006	0.19	2.27	4.2	<0.2	<10	290	0.36	0.29	0.62	0.12	21.8	18.8	33
I318586		0.78	<0.005	0.13	2.31	6.5	<0.2	<10	150	0.48	0.30	0.33	0.15	20.0	13.6	68
I318587		0.46	<0.005	0.17	0.31	0.8	<0.2	<10	60	0.11	0.09	0.13	0.13	6.34	1.4	9
I318588		0.50	<0.005	0.19	2.01	4.2	<0.2	<10	330	0.55	0.26	0.47	0.17	30.9	14.5	43
I318589		0.64	0.005	0.17	2.23	4.8	<0.2	<10	210	0.44	0.37	0.43	0.13	27.2	11.4	37
I318590		0.54	<0.005	0.19	2.15	3.4	<0.2	<10	220	0.40	0.44	0.50	0.15	26.9	10.3	36
I318591		0.60	0.005	0.11	2.26	5.6	<0.2	<10	250	0.39	0.23	0.52	0.15	33.2	20.2	37
I318592		0.78	<0.005	0.11	2.56	5.7	<0.2	<10	250	0.39	0.39	0.36	0.14	25.8	12.5	32
I318593		0.72	<0.005	0.20	2.78	3.9	<0.2	<10	600	0.33	0.19	0.50	0.09	16.85	15.7	28
I318594		0.60	<0.005	0.24	2.43	3.9	<0.2	<10	320	0.43	0.38	0.41	0.08	21.0	14.3	35
I318595		0.42	0.012	0.20	2.15	2.9	<0.2	<10	170	0.36	0.24	0.18	0.19	17.70	7.1	22
I318596		0.40	<0.005	0.10	1.06	4.4	<0.2	<10	220	0.30	0.15	3.25	0.60	12.30	7.9	24
I318597		0.48	<0.005	0.13	1.82	4.1	<0.2	<10	230	0.48	0.16	1.66	0.38	21.4	13.6	38
I318598		0.56	<0.005	0.11	1.96	5.6	<0.2	<10	180	0.41	0.25	1.07	0.23	16.65	12.0	40
I318599		0.52	<0.005	0.12	2.04	4.2	<0.2	<10	170	0.24	0.15	0.32	0.12	16.45	7.7	42
I318600		0.62	<0.005	0.13	2.04	4.7	<0.2	<10	180	0.21	0.20	0.42	0.15	16.35	13.8	44
I318751		0.42	0.008	0.23	2.24	6.1	<0.2	<10	250	0.47	0.54	0.33	0.29	44.9	17.8	41
I318752		0.40	<0.005	0.25	2.25	7.9	<0.2	<10	230	0.46	0.84	0.34	0.32	37.0	29.3	41
I318753		0.30	<0.005	0.14	2.21	6.5	<0.2	<10	220	0.44	0.36	0.46	0.26	28.0	17.2	40
I318754		0.48	0.006	0.09	2.08	6.3	<0.2	<10	210	0.38	0.31	0.45	0.17	25.5	12.6	37
I318755		0.58	<0.005	0.10	2.22	6.6	<0.2	<10	200	0.43	0.26	0.41	0.21	28.5	13.9	40
I318756		0.44	<0.005	0.11	2.09	6.4	<0.2	<10	200	0.42	0.27	0.45	0.17	24.1	13.4	38
I318757		0.28	<0.005	0.25	1.59	5.7	<0.2	<10	220	0.49	0.18	0.27	0.56	32.9	8.1	35
I318758		0.46	<0.005	0.33	2.31	8.2	<0.2	<10	250	0.54	0.22	0.34	0.50	28.7	11.0	44
I318759		0.52	<0.005	0.13	2.15	7.4	<0.2	<10	230	0.45	0.18	0.45	0.24	24.7	12.3	51
I318760		0.70	<0.005	0.21	2.32	6.1	<0.2	<10	320	0.57	0.21	0.56	0.20	36.9	12.9	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318571		0.87	23.8	1.39	3.02	0.05	0.05	0.20	0.015	0.02	5.5	6.3	0.24	433	0.43
I318572		3.88	39.5	3.31	8.48	0.07	0.08	0.08	0.034	0.07	11.5	20.8	1.03	555	0.37
I318573		2.67	52.0	3.71	8.44	0.08	0.11	0.03	0.027	0.13	9.2	21.5	0.95	533	3.23
I318574		2.98	18.1	2.02	6.75	<0.05	0.02	0.04	0.024	0.10	5.2	11.2	0.47	294	3.13
I318575		4.25	45.7	4.25	9.50	0.09	0.04	0.02	0.031	0.23	6.9	23.1	1.17	571	5.19
I318576		1.22	20.6	1.94	4.99	<0.05	0.02	0.08	0.017	0.06	7.0	6.6	0.27	135	6.60
I318577		2.10	16.5	2.23	7.36	0.05	0.03	0.04	0.022	0.11	6.9	9.6	0.56	216	3.15
I318578		1.45	12.7	1.95	6.16	0.05	0.02	0.04	0.019	0.07	6.9	8.4	0.37	149	2.42
I318579		2.17	36.2	2.31	6.23	0.05	0.02	0.04	0.023	0.19	7.0	14.3	0.52	408	3.22
I318580		3.67	45.1	3.19	8.20	0.06	0.07	0.04	0.028	0.10	9.6	22.2	0.74	292	1.70
I318581		4.62	56.6	4.03	9.46	0.09	0.08	0.03	0.029	0.24	9.1	36.8	1.07	573	1.09
I318582		7.00	39.4	4.19	10.50	0.10	0.06	0.03	0.041	0.28	10.9	28.1	1.25	663	0.37
I318583		0.74	29.6	1.11	2.83	0.05	0.08	0.06	0.014	0.02	5.8	5.8	0.27	1180	0.52
I318584		1.26	22.1	2.97	7.77	0.07	0.04	0.05	0.017	0.12	8.2	17.2	0.90	280	0.76
I318585		1.36	33.1	3.15	7.57	0.06	0.04	0.05	0.018	0.14	10.4	17.6	0.86	658	3.53
I318586		1.32	40.8	3.31	8.07	0.05	0.08	0.02	0.039	0.06	10.0	19.4	0.82	301	2.33
I318587		0.59	9.0	0.49	1.85	<0.05	<0.02	0.03	0.007	0.03	3.3	1.5	0.06	34	1.45
I318588		1.23	23.9	2.82	7.89	0.06	0.03	0.06	0.023	0.07	14.0	14.7	0.61	804	8.42
I318589		1.60	20.1	3.17	7.94	0.06	0.03	0.08	0.027	0.07	13.7	15.8	0.65	322	3.66
I318590		1.37	25.9	2.51	7.96	0.06	0.04	0.05	0.031	0.06	13.8	15.1	0.56	307	2.76
I318591		1.60	20.8	3.26	8.09	0.06	0.05	0.03	0.028	0.15	16.5	14.2	0.60	983	2.73
I318592		2.14	24.0	3.48	9.23	0.08	0.05	0.03	0.033	0.18	13.3	16.7	0.71	420	2.54
I318593		2.26	45.0	3.85	9.50	0.09	0.04	0.03	0.027	0.29	8.5	18.2	1.09	565	5.98
I318594		2.60	45.7	3.51	8.45	0.09	0.04	0.03	0.031	0.24	10.1	20.0	0.92	462	15.00
I318595		1.60	33.0	2.15	7.74	0.05	0.03	0.05	0.018	0.07	8.9	8.9	0.41	162	5.85
I318596		0.81	30.6	1.58	3.30	0.06	0.07	0.05	0.014	0.04	6.1	8.6	0.38	308	1.03
I318597		0.78	52.3	2.47	5.39	0.06	0.12	0.04	0.021	0.04	10.4	13.6	0.58	410	0.32
I318598		0.97	49.6	2.79	6.06	0.06	0.08	0.04	0.019	0.05	7.7	15.3	0.66	247	0.32
I318599		1.23	18.4	2.25	7.46	<0.05	0.02	0.05	0.018	0.06	8.2	11.9	0.59	224	0.55
I318600		1.56	24.9	3.13	7.97	0.05	0.03	0.03	0.022	0.08	8.2	13.3	0.82	490	1.60
I318751		1.49	22.0	3.22	7.82	0.07	0.04	0.08	0.030	0.05	19.8	11.1	0.54	1720	1.60
I318752		1.53	25.5	3.19	7.89	0.06	0.04	0.06	0.029	0.05	16.6	11.6	0.60	1760	1.33
I318753		1.78	17.7	2.88	7.61	0.06	0.03	0.03	0.025	0.07	13.6	12.7	0.62	1650	0.93
I318754		1.64	15.2	2.78	7.10	0.06	0.04	0.03	0.024	0.07	13.1	12.0	0.58	798	0.81
I318755		1.52	17.7	2.86	7.32	0.06	0.04	0.03	0.026	0.06	14.1	12.1	0.60	848	0.77
I318756		1.51	16.5	2.73	6.93	0.06	0.04	0.04	0.023	0.05	12.5	11.1	0.54	775	0.76
I318757		1.53	29.1	2.36	7.38	0.06	0.02	0.04	0.021	0.12	18.8	8.4	0.42	257	1.50
I318758		1.37	31.8	3.08	8.47	0.07	0.03	0.05	0.037	0.12	15.9	11.1	0.59	372	1.77
I318759		1.59	28.2	3.23	7.56	0.08	0.04	0.02	0.027	0.14	13.2	13.9	0.74	462	1.30
I318760		1.73	34.5	3.11	7.81	0.10	0.05	0.04	0.027	0.15	20.7	13.8	0.75	400	1.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318571		0.72	18.6	780	6.6	4.4	<0.001	0.13	0.66	2.6	0.8	0.3	63.2	<0.01	0.04
I318572		1.53	28.8	790	6.1	13.3	<0.001	0.03	0.27	9.3	0.5	0.9	45.9	<0.01	0.03
I318573		1.50	26.1	560	6.5	22.7	<0.001	0.01	0.20	7.6	0.2	0.9	33.5	<0.01	0.04
I318574		1.15	12.3	600	6.5	19.3	<0.001	0.05	0.17	4.1	0.3	0.7	20.0	<0.01	0.03
I318575		1.55	19.9	560	4.8	32.2	<0.001	0.03	0.16	7.9	0.3	1.4	28.5	<0.01	0.04
I318576		1.79	11.2	850	5.0	9.0	<0.001	0.10	0.18	2.7	0.7	0.5	22.3	<0.01	0.04
I318577		2.43	11.6	450	5.3	19.5	<0.001	0.06	0.16	4.8	0.4	0.7	20.4	<0.01	0.03
I318578		1.70	10.9	460	6.5	13.9	<0.001	0.04	0.16	3.3	0.4	0.7	18.8	<0.01	0.03
I318579		1.37	12.6	530	13.1	25.6	<0.001	0.05	0.23	5.3	0.4	0.9	23.6	<0.01	0.04
I318580		1.66	23.9	530	6.7	21.0	<0.001	0.02	0.26	6.4	0.3	1.1	26.6	<0.01	0.03
I318581		1.70	27.3	570	7.7	36.1	<0.001	0.02	0.25	9.8	0.3	1.2	28.0	<0.01	0.03
I318582		1.39	36.7	660	6.7	39.2	<0.001	0.02	0.17	12.4	0.3	1.5	31.3	<0.01	0.02
I318583		0.65	19.6	940	7.0	3.2	0.001	0.15	0.31	1.7	0.9	0.4	66.4	<0.01	0.06
I318584		1.41	16.0	600	5.9	17.7	<0.001	0.03	0.21	4.7	0.2	0.5	31.4	<0.01	0.03
I318585		1.29	18.9	800	5.8	19.5	<0.001	0.06	0.20	6.0	0.4	0.6	45.2	<0.01	0.03
I318586		1.70	27.0	410	7.1	16.2	<0.001	0.01	0.26	5.1	0.2	1.0	23.8	<0.01	0.02
I318587		0.40	4.0	200	2.0	8.0	<0.001	0.02	0.10	1.3	<0.2	0.3	13.7	<0.01	0.01
I318588		1.32	21.0	750	6.1	15.4	<0.001	0.06	0.22	5.5	0.5	1.0	41.4	<0.01	0.02
I318589		1.41	19.3	870	6.4	15.0	<0.001	0.04	0.24	6.0	0.3	1.0	33.3	<0.01	0.02
I318590		1.34	19.2	680	6.9	12.4	<0.001	0.05	0.21	6.5	0.4	1.0	37.5	<0.01	0.02
I318591		2.40	22.9	660	7.0	23.8	<0.001	0.04	0.21	6.0	0.4	0.7	37.8	<0.01	0.03
I318592		2.37	18.4	580	7.4	26.7	<0.001	0.02	0.24	8.1	0.3	0.8	26.8	<0.01	0.03
I318593		1.32	15.6	540	5.9	30.7	<0.001	0.04	0.17	9.8	0.5	0.9	40.4	<0.01	0.08
I318594		1.36	17.5	620	5.9	28.3	<0.001	0.02	0.19	8.6	0.4	1.1	30.0	<0.01	0.03
I318595		1.09	13.2	320	5.2	12.6	<0.001	0.03	0.18	4.2	0.3	0.5	23.8	<0.01	0.05
I318596		0.98	19.2	700	6.5	11.3	<0.001	0.13	0.26	2.4	0.8	0.3	54.0	<0.01	0.03
I318597		1.33	27.4	770	9.2	6.3	<0.001	0.06	0.34	6.0	0.7	0.4	39.2	<0.01	0.03
I318598		1.08	23.3	800	18.2	8.2	<0.001	0.04	0.25	6.8	0.4	0.4	36.9	<0.01	0.03
I318599		1.32	21.5	550	7.8	11.4	<0.001	0.03	0.22	4.0	0.3	0.5	23.6	<0.01	0.01
I318600		1.38	24.5	760	9.4	11.5	<0.001	0.04	0.22	4.5	0.3	0.5	32.9	<0.01	0.03
I318751		1.89	21.3	770	10.2	12.4	<0.001	0.06	0.38	6.4	0.6	0.8	31.8	<0.01	0.03
I318752		1.96	24.9	780	11.6	13.8	<0.001	0.04	0.39	5.7	0.4	0.7	30.7	<0.01	0.04
I318753		2.24	24.9	700	11.3	18.9	<0.001	0.04	0.31	6.1	0.6	0.7	38.9	<0.01	0.03
I318754		2.40	21.7	710	7.8	18.2	<0.001	0.03	0.34	5.5	0.5	0.7	38.5	<0.01	0.02
I318755		2.34	23.1	620	8.2	17.4	<0.001	0.03	0.37	6.1	0.5	0.7	33.5	<0.01	0.03
I318756		2.19	20.0	620	8.0	17.7	<0.001	0.04	0.35	5.5	0.5	0.7	35.7	<0.01	0.03
I318757		1.75	24.0	550	8.6	26.1	<0.001	0.05	0.24	3.6	0.7	0.6	32.1	<0.01	0.04
I318758		1.81	32.2	550	11.7	17.1	<0.001	0.03	0.30	5.2	0.7	0.6	36.3	<0.01	0.04
I318759		2.10	33.3	500	11.4	21.5	<0.001	0.02	0.27	5.8	0.5	0.6	37.0	<0.01	0.03
I318760		1.87	35.2	680	11.7	23.8	0.001	0.03	0.28	7.2	0.8	0.6	44.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318571		0.036	0.07	1.35	27	0.20	6.38	51
I318572		0.177	0.29	0.81	87	1.14	9.93	71
I318573		0.185	0.26	0.56	99	3.12	5.57	76
I318574		0.099	0.20	0.55	50	0.84	2.74	54
I318575		0.212	0.40	0.78	131	2.22	4.21	82
I318576		0.070	0.12	1.09	38	0.69	3.82	38
I318577		0.128	0.20	0.95	55	0.48	3.40	51
I318578		0.100	0.15	1.21	45	1.30	3.38	41
I318579		0.109	0.23	0.82	66	2.19	4.44	100
I318580		0.162	0.25	0.66	83	2.34	5.73	63
I318581		0.215	0.38	0.53	117	1.61	5.60	84
I318582		0.215	0.44	0.69	112	2.51	10.05	85
I318583		0.032	0.10	0.69	25	1.00	6.97	46
I318584		0.156	0.16	0.71	76	0.67	3.98	61
I318585		0.130	0.17	1.06	84	4.08	6.78	60
I318586		0.159	0.22	0.71	87	2.84	4.29	53
I318587		0.033	0.03	0.35	14	0.36	1.95	13
I318588		0.103	0.15	1.28	64	6.12	9.22	56
I318589		0.116	0.17	1.14	74	5.84	8.33	62
I318590		0.113	0.15	1.10	67	6.89	9.87	57
I318591		0.141	0.21	1.12	75	1.80	8.23	74
I318592		0.165	0.27	0.97	79	2.71	7.28	81
I318593		0.163	0.28	1.12	110	4.20	6.44	80
I318594		0.163	0.29	0.96	93	9.87	8.15	70
I318595		0.107	0.15	0.53	53	1.72	5.17	42
I318596		0.056	0.09	1.42	37	0.35	6.87	62
I318597		0.094	0.07	1.22	67	0.29	12.60	60
I318598		0.103	0.12	0.58	75	0.19	7.61	65
I318599		0.114	0.13	0.63	51	0.23	3.74	59
I318600		0.141	0.13	0.52	84	0.36	3.69	70
I318751		0.102	0.18	4.27	68	1.32	11.35	72
I318752		0.117	0.16	3.32	81	0.44	10.65	75
I318753		0.135	0.18	2.02	73	0.38	9.09	83
I318754		0.133	0.16	1.63	70	0.60	8.59	66
I318755		0.133	0.16	1.47	73	0.32	9.49	69
I318756		0.121	0.15	1.55	71	0.39	8.77	67
I318757		0.096	0.14	1.00	63	0.20	7.73	55
I318758		0.117	0.12	1.19	78	0.18	6.92	73
I318759		0.147	0.16	0.95	82	0.20	6.32	76
I318760		0.133	0.17	1.61	80	0.18	11.35	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318761		0.42	<0.005	0.37	1.23	3.8	<0.2	<10	240	0.47	0.16	0.43	0.35	46.6	6.2	24
I318762		0.42	<0.005	0.30	1.12	5.4	<0.2	<10	70	0.29	0.18	0.20	0.40	8.84	4.9	18
I318763		0.58	<0.005	0.10	2.38	6.0	<0.2	<10	240	0.64	0.22	0.46	0.18	40.4	12.1	65
I318764		0.70	<0.005	0.76	0.24	13.5	<0.2	<10	30	0.16	0.03	0.14	0.30	13.45	4.2	4
I318765		0.48	0.015	0.26	2.59	7.1	<0.2	<10	250	0.61	0.24	0.57	0.29	38.9	16.0	63
I318766		0.64	<0.005	0.20	2.15	7.5	<0.2	<10	190	0.46	0.18	0.34	0.18	26.3	14.4	43
I318767		0.56	<0.005	0.11	2.14	5.7	<0.2	<10	190	0.27	0.15	0.39	0.15	18.35	14.6	69
I318768		0.46	<0.005	0.09	1.89	5.1	<0.2	<10	150	0.22	0.14	0.33	0.15	15.05	10.8	56
I318769		0.36	<0.005	0.34	1.60	3.3	<0.2	<10	140	0.33	1.57	0.36	0.26	11.10	11.5	57
I318770		0.36	<0.005	0.11	1.56	3.4	<0.2	<10	160	0.29	0.40	1.75	0.35	11.70	12.8	75
I318771		0.46	0.007	0.14	1.31	5.3	<0.2	<10	130	0.37	0.85	1.81	0.50	14.95	11.5	38
I318772		0.48	0.007	0.14	1.38	4.8	<0.2	<10	150	0.42	0.54	1.59	0.38	17.00	9.4	31
I318773		0.56	0.008	0.11	1.73	3.9	<0.2	<10	160	0.80	0.79	1.20	0.22	21.3	9.5	37
I318774		0.54	<0.005	0.09	1.51	9.2	<0.2	<10	150	0.50	0.45	1.06	0.14	17.85	8.2	30
I318775		0.56	0.007	0.16	2.39	4.1	<0.2	<10	420	0.32	0.22	0.37	0.16	21.5	14.8	33
I318776		0.40	0.012	0.12	1.92	5.0	<0.2	<10	150	0.23	0.18	0.46	0.18	16.05	11.2	31
I318777		0.60	<0.005	0.11	2.49	4.8	<0.2	<10	310	0.37	0.19	0.29	0.25	19.60	11.2	34
I318778		0.42	0.009	0.10	2.15	4.8	<0.2	<10	190	0.38	0.29	0.41	0.16	25.0	13.2	29
I318779		0.34	0.008	0.23	2.02	4.8	<0.2	<10	140	0.45	0.16	0.27	0.20	27.2	10.8	36
I318780		0.38	0.006	0.20	2.31	6.6	<0.2	<10	180	0.59	0.16	0.47	0.17	25.5	12.6	38
I318781		0.62	0.007	0.09	2.51	6.1	<0.2	<10	210	0.50	0.13	0.64	0.09	40.4	13.5	44
I318782		0.46	0.005	0.06	2.33	7.2	<0.2	<10	170	0.51	0.15	0.43	0.11	26.4	12.4	36
I318783		0.60	0.005	0.07	2.19	4.2	<0.2	<10	190	0.36	0.13	0.57	0.11	19.10	13.0	36
I318784		0.54	0.006	0.11	2.02	5.6	<0.2	<10	200	0.33	0.19	0.51	0.10	15.80	12.9	37
I318785		0.36	0.006	0.08	1.47	4.4	<0.2	<10	220	0.26	0.11	0.27	0.20	17.40	9.0	30
I318786		0.36	0.005	0.55	2.43	5.5	<0.2	<10	270	0.44	0.14	0.29	0.15	25.8	11.7	28
I318787		0.40	<0.005	0.21	2.29	5.7	<0.2	<10	350	0.30	0.12	0.63	0.11	18.65	17.8	31
I318788		0.48	<0.005	0.08	2.31	8.6	<0.2	<10	210	0.25	0.16	0.34	0.10	14.45	13.8	33
I318789		0.40	0.006	0.09	1.36	7.5	<0.2	<10	90	0.17	0.75	0.24	0.21	8.50	7.5	26
I318790		0.58	0.015	0.40	2.17	10.7	<0.2	<10	200	0.33	0.31	0.42	0.22	18.20	14.2	62
I318791		0.52	0.017	0.19	2.29	23.7	<0.2	<10	240	0.31	0.30	0.49	0.14	25.1	16.4	79
I318792		0.46	0.013	0.34	2.32	43.5	<0.2	<10	280	0.50	0.52	0.43	0.36	29.9	18.2	48
I318793		0.70	0.007	0.49	0.13	11.3	<0.2	<10	20	0.11	0.03	0.08	0.26	9.26	2.6	3
I318794		0.40	0.015	0.73	2.16	26.9	<0.2	<10	270	0.50	0.19	0.34	0.33	42.6	12.0	40
I318795		0.44	0.015	0.25	2.65	44.2	<0.2	<10	210	0.55	0.20	0.36	0.36	23.1	12.7	44
I318796		0.38	0.009	0.20	2.69	12.5	<0.2	<10	180	0.48	0.19	0.23	0.27	22.5	13.8	48
I318797		0.38	0.007	0.23	2.10	10.1	<0.2	<10	160	0.43	0.14	0.27	0.76	24.5	12.2	40
I318798		0.32	0.005	0.18	0.96	9.9	<0.2	<10	50	0.19	0.16	0.09	0.23	9.31	3.7	19
I318799		0.44	0.007	0.20	2.16	14.5	<0.2	<10	110	0.42	0.20	0.14	0.21	16.05	8.0	35
I318800		0.38	0.049	0.23	1.58	138.0	<0.2	<10	200	0.46	0.16	0.19	0.42	18.25	6.4	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318761		1.03	28.9	1.72	4.89	0.10	0.02	0.05	0.018	0.06	40.7	6.4	0.28	203	1.21
I318762		0.85	12.5	1.93	5.56	<0.05	<0.02	0.03	0.013	0.04	4.8	5.8	0.22	151	1.29
I318763		2.04	39.8	3.55	8.31	0.10	0.07	0.02	0.026	0.16	23.9	16.9	0.89	375	0.86
I318764		0.12	8.3	0.98	1.05	<0.05	0.06	<0.01	0.147	0.03	6.9	1.6	0.06	360	0.51
I318765		1.86	54.5	3.73	8.29	0.10	0.09	0.04	0.031	0.10	22.2	16.6	0.80	537	1.31
I318766		1.30	30.9	3.75	7.53	0.08	0.03	0.04	0.027	0.06	14.1	11.9	0.57	445	1.54
I318767		1.45	21.0	2.97	7.86	0.05	0.03	0.04	0.022	0.05	9.8	12.6	0.75	653	0.83
I318768		1.21	17.5	2.57	7.25	0.05	0.03	0.03	0.020	0.05	8.1	11.4	0.65	296	0.72
I318769		2.79	53.0	2.28	6.66	0.05	0.02	0.06	0.017	0.09	5.7	18.4	0.66	203	1.43
I318770		2.19	43.0	2.12	5.10	0.09	0.05	0.04	0.014	0.06	6.0	20.3	0.81	340	1.18
I318771		0.80	43.0	2.10	4.29	0.08	0.07	0.03	0.016	0.04	7.6	11.9	0.51	511	1.31
I318772		0.84	32.7	1.99	4.51	0.06	0.07	0.03	0.019	0.04	8.7	10.0	0.47	646	0.99
I318773		1.75	29.2	2.18	6.11	0.09	0.08	0.05	0.029	0.06	10.6	15.4	0.61	369	4.16
I318774		1.63	20.8	2.66	5.74	0.06	0.05	0.03	0.024	0.04	9.0	14.1	0.50	248	2.44
I318775		1.76	32.9	3.30	8.58	0.08	0.03	0.04	0.030	0.14	10.7	16.0	0.91	425	3.92
I318776		1.60	32.3	2.62	7.50	0.06	0.02	0.03	0.019	0.09	8.9	13.1	0.75	235	0.73
I318777		1.22	26.7	3.80	10.25	0.08	0.03	0.02	0.048	0.17	10.4	16.3	0.86	449	2.24
I318778		1.48	19.1	3.14	8.55	0.07	0.04	0.04	0.034	0.11	12.9	11.7	0.55	533	3.13
I318779		1.26	18.0	2.80	8.79	0.07	0.03	0.05	0.025	0.09	15.1	15.2	0.55	282	4.89
I318780		1.41	24.2	3.39	8.94	0.08	0.03	0.04	0.026	0.10	14.0	18.3	0.65	497	6.10
I318781		1.02	32.7	3.24	8.48	0.08	0.06	0.04	0.025	0.11	23.2	17.6	0.81	323	5.35
I318782		1.07	22.4	3.34	8.41	0.07	0.06	0.03	0.026	0.07	14.1	18.1	0.65	390	9.91
I318783		1.54	18.2	3.17	8.09	0.08	0.03	0.02	0.023	0.15	10.0	16.3	0.77	460	4.53
I318784		1.26	24.4	2.60	6.94	0.07	0.03	0.03	0.018	0.11	8.3	14.4	0.77	295	1.96
I318785		1.14	31.2	2.15	6.98	0.05	0.03	0.04	0.015	0.08	9.7	7.4	0.51	338	3.14
I318786		1.58	45.4	2.69	8.33	0.06	0.03	0.08	0.020	0.08	15.0	12.0	0.70	218	2.30
I318787		1.61	38.2	3.34	8.25	0.08	0.03	0.04	0.018	0.23	10.4	15.8	1.09	509	3.25
I318788		1.12	29.4	3.46	9.44	0.06	0.08	0.02	0.019	0.15	7.6	15.5	0.96	314	1.84
I318789		1.22	20.1	2.23	6.20	0.06	0.02	0.02	0.015	0.06	4.5	9.4	0.45	216	1.36
I318790		2.07	46.3	2.63	7.28	0.09	0.02	0.03	0.022	0.07	9.4	17.7	0.81	311	1.02
I318791		2.00	41.7	2.67	7.18	0.09	0.03	0.04	0.025	0.10	13.5	17.4	0.94	383	0.99
I318792		2.61	30.3	2.95	7.97	0.11	0.04	0.06	0.031	0.09	16.2	19.3	0.67	807	2.93
I318793		0.09	3.8	0.63	0.61	<0.05	0.05	<0.01	0.144	0.03	4.8	1.2	0.04	231	0.33
I318794		2.43	39.0	2.56	7.57	0.13	0.04	0.13	0.030	0.07	22.2	16.6	0.52	221	3.59
I318795		1.98	35.7	3.38	8.80	0.10	0.04	0.04	0.031	0.09	12.8	15.4	0.66	360	2.60
I318796		2.87	33.3	3.55	9.27	0.11	0.10	0.02	0.030	0.12	11.5	23.2	0.83	330	1.56
I318797		2.70	33.9	2.74	7.22	0.09	0.03	0.03	0.023	0.10	13.5	16.9	0.72	362	1.49
I318798		1.26	18.7	1.90	6.65	0.05	0.02	0.03	0.017	0.03	4.8	5.3	0.16	135	2.41
I318799		1.88	21.6	3.81	9.69	0.09	0.08	0.03	0.030	0.05	8.6	14.7	0.43	223	3.14
I318800		2.14	32.6	2.54	6.15	0.09	0.02	0.05	0.025	0.09	9.7	13.0	0.46	210	2.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318761		1.01	19.0	410	6.8	12.8	<0.001	0.03	0.21	3.3	0.8	0.4	39.9	<0.01	0.02
I318762		1.17	10.4	210	7.7	9.2	<0.001	0.02	0.29	2.0	0.3	0.4	19.5	<0.01	0.03
I318763		1.83	27.3	510	14.3	27.3	<0.001	0.01	0.26	7.8	0.6	0.6	35.7	<0.01	0.02
I318764		0.23	7.0	230	34.6	2.4	<0.001	<0.01	0.42	1.5	<0.2	0.9	7.2	<0.01	0.01
I318765		1.85	30.3	730	17.1	19.2	<0.001	0.02	0.35	8.6	0.8	0.6	40.4	<0.01	0.03
I318766		1.63	20.3	760	9.8	10.7	<0.001	0.03	0.33	5.6	0.7	0.5	26.3	<0.01	0.02
I318767		1.48	29.6	750	8.2	11.2	<0.001	0.03	0.24	4.8	0.4	0.6	28.4	<0.01	0.02
I318768		1.46	25.5	620	7.9	11.5	<0.001	0.03	0.19	4.0	0.4	0.5	25.2	<0.01	0.02
I318769		1.14	26.7	750	18.5	19.1	<0.001	0.07	0.16	3.8	0.7	0.5	30.7	<0.01	0.05
I318770		1.22	39.2	640	6.5	14.8	<0.001	0.07	0.17	4.0	0.8	0.3	52.2	<0.01	0.02
I318771		1.19	22.0	690	7.4	7.3	<0.001	0.06	0.24	3.9	0.8	0.4	44.0	<0.01	0.03
I318772		1.31	21.5	600	8.6	7.3	<0.001	0.06	0.26	3.9	0.8	0.5	43.0	<0.01	0.05
I318773		1.72	19.6	710	8.8	11.8	<0.001	0.05	0.30	6.5	0.7	1.5	44.2	<0.01	0.03
I318774		1.52	15.5	790	7.2	8.8	<0.001	0.05	0.24	5.2	0.8	1.0	41.2	<0.01	0.03
I318775		1.52	16.7	570	7.4	20.0	<0.001	0.03	0.17	9.3	0.7	0.8	29.4	<0.01	0.04
I318776		1.30	20.3	1060	8.8	14.7	<0.001	0.04	0.18	4.3	0.5	0.4	27.7	<0.01	0.03
I318777		2.47	15.7	390	7.3	17.2	<0.001	0.02	0.18	8.7	0.4	0.9	23.9	<0.01	0.03
I318778		1.88	15.5	530	6.2	20.1	<0.001	0.03	0.18	7.6	0.4	0.8	27.4	<0.01	0.03
I318779		1.74	16.3	590	5.1	15.4	<0.001	0.04	0.20	6.0	0.6	1.2	31.0	<0.01	0.03
I318780		1.66	18.8	820	5.8	18.7	<0.001	0.03	0.27	5.4	0.5	1.1	46.5	<0.01	0.03
I318781		1.74	23.8	780	7.1	15.8	<0.001	0.01	0.23	5.6	0.4	0.9	61.6	<0.01	0.02
I318782		2.08	19.2	490	6.7	14.1	<0.001	0.01	0.24	5.7	0.4	1.0	37.5	<0.01	0.02
I318783		1.77	16.6	760	4.9	23.2	<0.001	0.02	0.17	6.0	0.4	1.2	42.4	<0.01	0.02
I318784		1.12	17.9	720	5.0	17.2	<0.001	0.03	0.31	5.6	0.3	0.8	33.2	<0.01	0.01
I318785		1.49	16.9	290	3.8	13.7	<0.001	0.02	0.28	3.5	0.4	0.5	29.0	<0.01	0.02
I318786		1.58	17.2	520	4.7	15.0	<0.001	0.04	0.38	5.0	0.8	0.5	36.0	<0.01	0.03
I318787		1.47	18.4	650	4.3	30.8	<0.001	0.03	0.74	5.2	0.5	0.5	47.0	<0.01	0.02
I318788		1.83	19.6	330	6.2	17.9	<0.001	0.01	0.32	4.9	0.3	0.5	28.2	<0.01	0.03
I318789		1.13	14.2	270	4.8	11.7	<0.001	0.02	0.35	2.8	0.3	0.6	18.9	<0.01	0.03
I318790		1.14	36.7	510	10.9	16.9	<0.001	0.02	0.28	4.9	0.7	0.5	28.6	<0.01	0.04
I318791		1.12	59.6	540	7.8	21.2	0.001	0.04	0.58	5.7	1.0	0.5	33.1	<0.01	0.05
I318792		1.35	29.7	690	12.2	19.2	0.002	0.04	0.50	6.0	1.7	0.8	32.0	<0.01	0.07
I318793		0.17	4.0	140	22.2	2.0	<0.001	0.01	0.35	0.7	<0.2	0.9	6.3	<0.01	0.01
I318794		1.25	30.7	780	9.7	15.0	0.004	0.07	0.40	5.8	3.3	0.6	28.6	<0.01	0.05
I318795		1.73	34.9	480	9.3	20.1	<0.001	0.03	0.56	5.1	0.9	0.7	31.7	<0.01	0.05
I318796		2.30	41.0	340	11.2	26.5	<0.001	0.02	0.45	5.2	0.6	0.8	22.8	<0.01	0.06
I318797		1.63	33.5	460	6.5	20.1	<0.001	0.03	0.35	4.0	0.8	0.6	22.5	<0.01	0.05
I318798		1.01	9.1	430	7.4	6.1	<0.001	0.04	0.49	1.8	0.9	0.5	11.4	<0.01	0.05
I318799		2.15	18.1	380	9.9	13.7	<0.001	0.05	0.71	3.7	0.8	0.8	17.4	0.01	0.06
I318800		0.66	32.4	620	6.7	14.6	<0.001	0.04	0.97	2.0	1.1	0.5	17.2	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10124018

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318761		0.070	0.08	1.40	39	0.31	18.95	34	0.8
I318762		0.077	0.07	0.42	48	0.14	1.84	29	0.7
I318763		0.188	0.22	1.05	79	0.19	13.95	72	3.5
I318764		0.013	0.05	0.44	11	<0.05	3.33	49	2.6
I318765		0.171	0.21	1.49	88	0.25	13.55	78	4.2
I318766		0.124	0.16	1.17	87	0.59	6.83	57	1.5
I318767		0.135	0.13	0.69	78	0.20	4.57	64	1.2
I318768		0.124	0.13	0.59	70	0.20	3.94	61	1.2
I318769		0.113	0.31	0.49	55	0.57	3.57	51	1.0
I318770		0.108	0.20	1.10	62	0.23	6.16	59	2.4
I318771		0.085	0.09	2.06	54	5.05	8.09	60	2.7
I318772		0.087	0.09	2.30	50	1.45	8.34	56	2.9
I318773		0.130	0.16	2.46	62	27.1	8.78	61	3.7
I318774		0.105	0.16	1.59	83	9.17	6.94	49	2.3
I318775		0.154	0.19	0.86	91	1.52	6.98	89	1.2
I318776		0.134	0.13	0.66	71	0.34	4.42	67	1.0
I318777		0.190	0.15	0.67	99	1.66	5.39	101	1.7
I318778		0.147	0.17	0.93	81	3.79	7.44	69	1.8
I318779		0.119	0.16	1.07	64	10.25	7.73	59	1.0
I318780		0.138	0.18	0.88	83	8.86	7.04	54	1.2
I318781		0.164	0.19	1.15	78	8.12	7.99	66	3.0
I318782		0.158	0.14	0.89	82	12.25	7.33	59	2.7
I318783		0.163	0.21	0.76	79	13.25	5.60	64	1.5
I318784		0.129	0.15	0.72	68	4.04	4.84	54	1.1
I318785		0.125	0.11	0.57	59	0.60	3.72	40	1.3
I318786		0.130	0.16	1.74	63	0.61	5.87	45	1.7
I318787		0.174	0.19	1.02	89	0.65	4.98	61	1.3
I318788		0.193	0.15	0.47	96	0.27	3.55	59	3.5
I318789		0.109	0.12	0.28	67	1.20	2.02	34	0.9
I318790		0.110	0.15	0.88	67	0.55	5.29	49	1.0
I318791		0.101	0.15	1.41	59	0.33	7.26	51	0.8
I318792		0.108	0.18	1.90	82	0.30	10.55	82	1.3
I318793		0.007	0.03	0.31	5	<0.05	2.13	40	2.3
I318794		0.086	0.17	3.42	56	0.21	13.70	68	0.9
I318795		0.121	0.15	1.16	80	0.17	6.08	75	1.4
I318796		0.152	0.23	0.78	84	0.18	4.82	67	4.6
I318797		0.114	0.14	0.77	65	0.15	6.35	56	1.1
I318798		0.078	0.10	0.66	59	0.16	1.90	31	0.7
I318799		0.119	0.16	0.66	95	0.21	3.01	45	4.2
I318800		0.062	0.12	0.96	61	0.13	5.29	58	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10124018

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122485

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 233 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033901		0.08	0.011	0.08	1.02	2.7	<0.2	<10	80	0.17	0.08	0.34	0.10	18.45	5.3	26
I033902		0.06	0.012	0.03	0.32	1.1	<0.2	<10	80	0.08	0.02	0.52	0.14	5.22	3.3	3
I033903		0.06	NSS	0.06	0.36	1.5	<0.2	<10	140	<0.05	0.02	0.80	0.15	8.96	2.8	4
I033904		0.20	<0.005	0.16	0.70	3.8	<0.2	<10	110	0.09	0.10	0.15	0.06	12.10	3.3	12
I033905		0.28	<0.005	0.17	2.87	6.1	<0.2	<10	310	0.40	0.10	0.30	0.13	40.3	18.7	33
I033906		0.10	0.008	0.28	1.42	3.5	<0.2	<10	280	0.19	0.13	0.37	0.14	17.60	6.9	18
I033907		0.14	0.012	0.16	1.63	3.0	<0.2	<10	110	0.14	0.12	0.20	0.10	9.62	10.2	35
I033908		0.18	0.005	0.13	2.24	2.9	<0.2	<10	260	0.38	0.10	1.83	0.32	15.25	17.2	65
I033909		0.40	0.005	0.07	2.14	6.3	<0.2	<10	250	0.39	0.14	0.77	0.21	26.8	19.9	130
I033910		0.28	<0.005	0.11	1.92	4.2	<0.2	<10	160	0.32	0.13	0.31	0.17	14.60	14.6	46
I033911		0.38	<0.005	0.07	2.40	4.2	<0.2	<10	210	0.38	0.09	0.45	0.18	16.70	19.8	62
I033912		0.24	0.005	0.11	2.22	3.3	<0.2	<10	260	0.29	0.09	1.23	0.33	14.35	15.9	63
I033913		0.28	<0.005	0.11	2.17	4.1	<0.2	<10	200	0.39	0.11	1.72	0.52	17.40	16.2	56
I033914		0.24	<0.005	0.13	1.45	3.8	<0.2	<10	220	0.28	0.08	2.23	0.18	16.70	11.3	41
I033915		0.16	<0.005	0.10	0.99	3.0	<0.2	<10	240	0.25	0.07	3.58	0.44	11.70	8.4	26
I033916		0.18	<0.005	0.11	0.71	2.7	<0.2	<10	210	0.20	0.06	3.86	1.07	10.55	6.9	19
I033917		0.38	0.016	0.12	1.81	3.4	<0.2	<10	170	0.33	0.10	1.50	0.29	18.30	12.5	52
I033918		0.22	0.006	0.16	1.79	3.3	<0.2	<10	240	0.34	0.09	2.18	0.41	16.95	15.7	45
I033919		0.22	<0.005	0.17	2.32	4.6	<0.2	<10	370	0.47	0.14	1.79	0.97	24.0	31.1	66
I033920		0.14	0.006	0.13	1.20	2.5	<0.2	<10	100	0.11	0.12	0.24	0.10	10.20	6.2	17
I033921		0.14	<0.005	0.18	1.43	2.7	<0.2	<10	140	0.13	0.13	0.27	0.11	13.40	5.7	18
I033922		0.22	<0.005	0.18	2.03	2.9	<0.2	<10	230	0.15	0.14	0.34	0.10	12.80	9.9	24
I033923		0.30	<0.005	0.22	1.54	1.9	<0.2	<10	170	0.13	0.11	0.45	0.12	9.31	10.1	29
I033924		0.16	<0.005	0.30	2.06	3.0	<0.2	<10	330	0.23	0.11	0.35	0.13	19.30	18.3	32
I033925		0.18	<0.005	0.29	2.04	3.5	<0.2	<10	470	0.26	0.10	0.69	0.12	26.8	15.4	33
I033926		0.26	<0.005	0.07	3.55	6.8	<0.2	<10	270	0.46	0.09	0.29	0.17	14.35	19.8	23
I033927		0.12	NSS	0.15	0.45	3.1	<0.2	<10	390	0.08	0.05	0.45	0.13	12.70	2.9	7
I033928		0.32	<0.005	0.10	1.35	3.7	<0.2	<10	100	0.33	0.08	1.32	0.23	24.7	16.9	28
I033929		0.28	<0.005	0.08	1.05	3.3	<0.2	<10	50	0.19	0.12	0.34	0.15	17.95	6.4	22
I033930		0.28	<0.005	0.09	1.49	3.1	<0.2	<10	80	0.36	0.10	0.60	0.13	42.6	10.7	31
I033931		0.44	<0.005	0.10	1.87	4.1	<0.2	<10	100	0.45	0.11	0.69	0.15	58.3	15.4	41
I033932		0.30	<0.005	0.10	1.54	2.6	<0.2	<10	80	0.28	0.10	0.66	0.09	36.5	9.0	34
I033933		0.42	<0.005	0.07	1.67	3.0	<0.2	<10	100	0.36	0.15	0.68	0.10	38.1	14.2	37
I033934		0.26	<0.005	0.08	1.03	2.2	<0.2	<10	60	0.17	0.09	0.29	0.07	25.8	5.1	23
I033935		0.32	<0.005	0.16	1.51	3.3	<0.2	<10	140	0.40	0.14	0.91	0.25	52.4	14.6	31
I033936		0.42	<0.005	0.11	1.79	2.7	<0.2	<10	120	0.46	0.19	0.72	0.16	50.0	15.8	41
I033937		0.30	<0.005	0.10	1.44	4.9	<0.2	<10	130	0.39	0.17	0.82	0.15	40.4	12.9	31
I033938		0.28	<0.005	0.16	1.46	4.6	<0.2	<10	140	0.40	0.15	1.00	0.15	49.1	14.0	30
I033939		0.38	<0.005	0.10	1.87	4.6	<0.2	<10	110	0.44	0.15	0.27	0.07	44.4	11.1	41
I033940		0.36	<0.005	0.14	1.67	12.8	<0.2	<10	140	0.47	0.16	0.56	0.09	43.4	12.2	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033901		0.79	13.7	1.69	4.07	0.05	0.03	0.10	0.014	0.05	9.5	4.1	0.38	137	0.54
I033902		0.13	8.7	0.56	0.51	<0.05	<0.02	0.13	<0.005	0.03	2.5	0.3	0.09	140	0.64
I033903		0.05	8.1	0.82	0.45	<0.05	<0.02	0.10	<0.005	0.03	4.8	0.3	0.11	101	0.62
I033904		0.75	7.6	1.18	4.18	<0.05	0.02	0.02	0.010	0.09	6.5	3.2	0.27	82	0.51
I033905		1.51	40.2	4.54	9.55	0.09	0.07	0.04	0.038	0.29	14.3	18.9	1.48	569	1.24
I033906		0.88	41.6	2.83	5.61	0.08	0.02	0.11	0.021	0.13	9.4	4.8	0.57	171	1.16
I033907		1.56	32.3	2.64	7.69	0.05	0.03	0.04	0.016	0.16	4.9	6.3	0.87	235	1.06
I033908		1.39	73.1	3.15	6.65	0.08	0.06	0.04	0.021	0.15	8.2	16.1	1.24	509	0.98
I033909		1.84	33.2	3.60	8.45	0.09	0.05	0.02	0.028	0.24	14.2	16.0	1.40	560	0.75
I033910		0.81	33.9	3.02	7.32	0.05	0.03	0.02	0.045	0.08	8.3	12.3	0.84	427	1.21
I033911		1.00	51.2	3.71	8.07	0.07	0.03	0.02	0.021	0.13	9.2	15.0	1.24	537	1.26
I033912		0.91	42.7	3.22	7.17	0.06	0.07	0.03	0.021	0.06	8.7	12.1	1.17	390	0.62
I033913		1.17	68.4	3.42	7.35	0.07	0.05	0.03	0.029	0.10	10.3	11.6	1.14	566	0.70
I033914		0.63	40.3	2.14	4.70	0.06	0.07	0.05	0.018	0.07	8.3	8.3	0.73	505	0.93
I033915		0.54	47.6	1.61	3.16	0.05	0.06	0.06	0.014	0.07	6.3	5.6	0.53	412	0.70
I033916		0.39	44.2	1.10	2.19	0.05	0.05	0.07	0.010	0.06	5.6	4.0	0.37	398	0.67
I033917		0.92	47.7	2.44	5.98	0.07	0.08	0.05	0.022	0.15	9.0	11.5	1.01	277	0.61
I033918		1.23	71.2	2.58	5.45	0.08	0.06	0.04	0.018	0.14	8.8	11.8	0.91	644	0.68
I033919		1.56	65.7	3.37	6.82	0.08	0.05	0.05	0.026	0.18	11.1	19.6	1.09	1860	1.25
I033920		0.69	32.6	2.19	5.17	0.06	<0.02	0.06	0.016	0.09	5.2	4.2	0.47	162	1.04
I033921		0.86	34.4	2.30	6.04	0.06	0.02	0.06	0.018	0.11	7.3	5.4	0.62	153	0.91
I033922		1.50	38.7	2.88	9.25	0.07	0.03	0.02	0.023	0.28	6.7	8.4	1.03	247	1.17
I033923		2.03	29.0	2.71	8.51	0.06	<0.02	0.02	0.017	0.37	5.0	7.9	1.01	274	1.23
I033924		1.66	40.3	3.61	8.11	0.08	0.03	0.06	0.024	0.35	12.5	10.9	1.12	730	1.13
I033925		1.60	36.3	3.18	7.95	0.09	0.04	0.04	0.022	0.24	17.7	13.3	1.15	344	0.69
I033926		1.27	27.6	4.99	11.00	0.09	0.06	0.02	0.031	0.71	6.9	21.1	1.90	555	1.01
I033927		0.13	13.3	1.52	0.89	<0.05	<0.02	0.10	0.009	0.03	7.1	0.5	0.07	143	0.81
I033928		0.81	18.3	2.49	4.18	0.06	0.05	0.04	0.018	0.08	11.6	7.7	0.50	1180	0.81
I033929		0.71	13.4	2.15	5.48	<0.05	0.02	0.07	0.017	0.06	10.6	7.7	0.32	275	1.00
I033930		1.52	23.9	2.58	5.75	0.08	0.03	0.04	0.022	0.10	27.2	9.5	0.53	309	0.61
I033931		1.55	30.4	3.35	6.44	0.10	0.04	0.03	0.025	0.14	37.0	12.7	0.75	469	0.66
I033932		1.39	21.6	2.52	5.78	0.07	0.03	0.03	0.020	0.08	22.0	9.5	0.57	214	0.68
I033933		1.54	19.9	3.01	5.87	0.07	0.03	0.03	0.023	0.13	20.5	10.4	0.68	458	0.64
I033934		1.33	12.6	1.77	4.48	0.05	<0.02	0.05	0.014	0.05	12.6	4.5	0.32	110	0.58
I033935		2.15	25.8	2.56	5.35	0.08	0.04	0.06	0.023	0.07	28.5	9.1	0.52	798	0.96
I033936		3.69	29.0	3.14	6.07	0.09	0.03	0.04	0.028	0.19	25.4	13.5	0.75	780	0.87
I033937		3.42	26.0	2.80	5.12	0.08	0.05	0.04	0.026	0.11	21.1	12.1	0.49	569	0.78
I033938		3.69	24.9	2.66	4.84	0.10	0.05	0.07	0.026	0.11	31.2	13.5	0.51	762	0.92
I033939		3.32	21.6	3.05	6.97	0.09	0.04	0.02	0.026	0.29	24.9	16.2	0.74	263	0.70
I033940		5.26	26.1	3.05	5.16	0.11	0.05	0.04	0.030	0.10	32.2	15.8	0.54	298	0.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033901		0.91	13.3	650	4.8	13.1	<0.001	0.09	0.24	2.2	0.6	0.3	20.7	0.01	0.02	0.3
I033902		0.12	5.6	720	1.2	1.3	<0.001	0.11	0.25	1.2	0.5	<0.2	30.1	<0.01	0.01	0.2
I033903		0.28	3.6	660	3.0	0.8	0.001	0.07	0.22	1.2	1.3	<0.2	30.7	0.01	0.01	0.3
I033904		0.97	5.5	210	7.8	14.6	<0.001	0.02	0.10	2.2	0.2	0.3	12.3	<0.01	0.01	1.1
I033905		1.75	19.4	400	6.8	26.9	<0.001	0.02	0.18	9.6	0.5	0.5	18.0	<0.01	0.02	3.1
I033906		0.95	10.7	620	4.1	15.6	<0.001	0.18	0.19	4.8	1.9	0.4	30.8	<0.01	0.16	0.5
I033907		1.03	17.3	490	4.8	16.6	<0.001	0.06	0.15	4.0	0.7	0.4	17.4	<0.01	0.08	0.3
I033908		1.15	35.6	570	8.1	24.3	<0.001	0.06	0.21	6.7	0.7	0.3	42.9	<0.01	0.03	0.8
I033909		1.49	56.8	620	9.4	48.5	<0.001	0.01	0.31	6.5	0.4	0.6	36.5	<0.01	0.02	4.7
I033910		1.24	23.5	370	7.6	11.3	<0.001	0.01	0.26	4.3	0.3	0.5	20.6	<0.01	0.03	1.1
I033911		1.32	33.6	530	8.7	17.4	<0.001	0.01	0.26	5.6	0.3	0.5	27.1	<0.01	0.03	1.6
I033912		1.25	33.1	470	4.8	10.6	<0.001	0.03	0.28	6.6	0.6	0.4	41.5	<0.01	0.03	1.2
I033913		1.13	31.9	670	5.7	14.2	<0.001	0.04	0.31	7.9	0.9	0.4	53.6	<0.01	0.03	1.0
I033914		1.06	22.8	730	5.3	11.3	<0.001	0.10	0.34	3.7	1.0	0.3	54.2	<0.01	0.04	0.6
I033915		0.67	18.6	740	4.1	8.8	<0.001	0.16	0.47	2.7	1.3	0.2	71.2	<0.01	0.04	0.3
I033916		0.52	15.0	830	6.1	6.2	0.001	0.18	0.37	1.6	1.1	0.2	74.3	<0.01	0.03	0.2
I033917		1.30	28.0	650	10.4	17.8	<0.001	0.06	0.40	5.5	0.8	0.4	46.7	<0.01	0.04	1.5
I033918		0.99	27.0	750	6.8	22.0	<0.001	0.07	0.23	5.3	0.9	0.3	43.4	<0.01	0.03	0.6
I033919		1.16	41.4	630	11.1	32.9	0.001	0.07	0.23	6.2	0.9	0.4	43.4	<0.01	0.04	0.8
I033920		0.70	9.2	490	4.4	8.4	<0.001	0.11	0.19	3.7	1.6	0.4	20.4	<0.01	0.12	0.2
I033921		0.88	9.5	470	4.3	12.4	0.001	0.15	0.15	4.1	1.6	0.4	24.2	<0.01	0.14	0.4
I033922		1.36	12.7	400	4.9	26.1	<0.001	0.15	0.14	6.8	1.1	0.5	30.4	<0.01	0.13	0.8
I033923		0.89	11.6	550	4.6	22.8	0.001	0.13	0.12	4.4	0.6	0.4	23.5	<0.01	0.05	0.5
I033924		1.28	13.3	610	4.3	27.5	<0.001	0.18	0.17	7.2	1.0	0.4	25.1	<0.01	0.06	1.1
I033925		1.65	18.1	330	4.1	30.2	<0.001	0.04	0.18	6.9	0.6	0.4	32.7	<0.01	0.03	1.7
I033926		1.97	18.9	490	4.7	36.1	<0.001	0.02	0.25	10.4	0.4	0.5	18.9	<0.01	0.02	2.3
I033927		0.30	4.7	1110	3.7	1.4	<0.001	0.16	0.21	1.2	0.7	0.2	22.4	<0.01	0.03	<0.2
I033928		1.07	21.6	660	5.3	14.1	<0.001	0.09	0.29	3.7	0.7	0.3	61.7	<0.01	0.02	1.4
I033929		0.87	15.9	500	5.7	9.8	<0.001	0.04	0.27	2.0	0.3	0.4	20.7	<0.01	0.02	0.5
I033930		0.95	29.6	560	8.0	19.8	<0.001	0.03	0.20	4.0	0.5	0.4	38.8	<0.01	0.02	3.0
I033931		1.12	41.3	690	10.2	22.1	<0.001	0.03	0.22	5.1	0.5	0.4	43.9	<0.01	0.02	4.7
I033932		0.96	28.7	510	6.1	13.7	<0.001	0.05	0.21	4.2	0.5	0.4	38.6	<0.01	0.03	2.5
I033933		1.12	30.8	590	16.1	22.0	<0.001	0.04	0.18	4.5	0.5	0.4	48.6	<0.01	0.01	3.5
I033934		0.72	15.5	590	6.8	11.6	<0.001	0.06	0.18	2.2	0.5	0.4	31.4	<0.01	0.01	0.4
I033935		0.89	27.6	920	10.7	16.1	<0.001	0.08	0.26	3.7	0.8	0.4	58.4	<0.01	0.02	1.3
I033936		1.13	40.6	790	20.0	31.1	<0.001	0.03	0.23	5.6	0.7	0.5	47.2	<0.01	0.04	5.6
I033937		1.01	27.2	760	15.0	24.1	<0.001	0.05	0.19	4.4	0.9	0.5	61.7	0.01	0.03	3.1
I033938		0.93	30.1	760	17.8	21.2	0.001	0.06	0.25	4.7	1.1	0.4	65.9	0.01	0.03	3.1
I033939		1.35	34.1	580	11.4	32.7	<0.001	0.01	0.16	4.1	0.5	0.6	25.5	<0.01	0.03	4.7
I033940		1.11	33.5	500	12.4	20.6	0.001	0.02	0.49	5.5	0.8	0.4	38.8	0.01	0.03	6.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033901		0.067	0.09	0.52	26	0.11	4.69	36	0.8
I033902		0.011	0.04	0.09	12	<0.05	2.27	29	0.5
I033903		0.014	<0.02	0.22	6	<0.05	3.05	29	<0.5
I033904		0.077	0.09	0.32	32	0.06	1.77	28	0.6
I033905		0.193	0.17	0.72	102	0.13	11.85	98	2.3
I033906		0.080	0.12	0.75	58	0.07	7.44	44	0.8
I033907		0.138	0.12	0.39	64	0.08	3.66	61	0.8
I033908		0.129	0.14	0.55	70	0.09	11.55	97	2.1
I033909		0.127	0.23	0.67	81	0.17	7.70	73	2.0
I033910		0.123	0.09	0.45	80	0.13	3.81	61	1.0
I033911		0.154	0.09	0.46	90	0.15	4.82	87	1.4
I033912		0.131	0.07	0.71	84	0.12	8.44	60	2.7
I033913		0.104	0.07	0.46	82	0.10	13.70	82	1.8
I033914		0.074	0.08	0.70	49	0.06	7.59	49	2.8
I033915		0.049	0.07	0.79	36	0.08	7.34	42	2.3
I033916		0.031	0.05	0.49	24	0.06	6.59	56	2.1
I033917		0.120	0.09	0.67	64	0.10	7.65	71	3.4
I033918		0.101	0.13	0.93	61	0.07	12.90	85	2.1
I033919		0.134	0.14	0.75	76	0.09	16.90	182	1.8
I033920		0.069	0.08	0.43	45	0.19	4.38	41	0.5
I033921		0.083	0.10	0.51	47	0.07	4.68	45	0.6
I033922		0.147	0.18	0.46	75	0.07	4.75	68	1.0
I033923		0.151	0.12	0.45	82	0.08	2.83	78	0.6
I033924		0.135	0.15	0.93	97	0.09	8.10	67	1.0
I033925		0.157	0.14	0.76	84	0.08	9.17	54	1.5
I033926		0.203	0.16	0.59	127	0.09	3.17	80	2.3
I033927		0.025	0.02	0.65	13	<0.05	4.06	17	<0.5
I033928		0.080	0.11	0.87	45	0.16	7.19	61	2.0
I033929		0.066	0.07	0.36	50	0.09	3.27	45	0.6
I033930		0.068	0.12	0.67	45	0.12	9.36	56	0.9
I033931		0.084	0.14	0.88	52	0.11	13.40	72	1.2
I033932		0.066	0.11	0.65	43	0.10	7.43	52	0.9
I033933		0.084	0.13	0.72	49	0.12	7.89	62	1.2
I033934		0.049	0.09	0.66	23	0.07	4.10	32	<0.5
I033935		0.067	0.15	1.31	45	0.10	13.25	60	1.0
I033936		0.087	0.20	1.38	54	0.36	10.50	80	1.3
I033937		0.066	0.16	1.60	49	0.17	9.35	59	1.3
I033938		0.060	0.19	2.44	44	0.15	14.40	63	1.3
I033939		0.091	0.26	0.83	50	0.13	9.11	48	1.3
I033940		0.058	0.16	1.51	45	0.17	15.20	49	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033941		0.24	<0.005	0.07	1.41	4.3	<0.2	<10	90	0.38	0.14	1.17	0.24	36.5	12.3	31
I033942		0.24	<0.005	0.06	1.76	4.6	<0.2	<10	140	0.35	0.14	0.94	0.12	34.6	15.2	32
I033943		0.18	<0.005	0.12	1.84	5.0	<0.2	<10	170	0.57	0.14	1.29	0.18	61.6	12.6	32
I033944		0.26	<0.005	0.08	1.54	4.5	<0.2	<10	130	0.33	0.14	0.89	0.18	29.4	10.4	33
I033945		0.26	<0.005	0.13	1.38	4.9	<0.2	<10	100	0.27	0.15	0.52	0.26	24.2	8.6	29
I033946		0.24	<0.005	0.18	1.57	6.5	<0.2	<10	130	0.40	0.15	0.74	0.12	45.4	8.1	30
I033947		0.16	<0.005	0.19	1.59	7.5	<0.2	<10	120	0.61	0.13	1.38	0.22	47.0	11.6	33
I033948		0.20	<0.005	0.10	1.15	14.0	<0.2	<10	80	0.38	0.07	1.93	0.32	18.95	9.0	26
I033949		0.26	0.005	0.22	1.81	63.0	<0.2	<10	110	0.45	0.14	1.32	0.34	23.7	15.8	34
I033950		0.24	<0.005	0.20	1.12	14.1	<0.2	<10	60	0.21	0.31	0.29	0.15	18.50	5.1	24
I033951		0.26	<0.005	0.08	1.20	3.9	<0.2	<10	120	0.26	0.25	0.58	0.10	37.0	6.7	25
I033952		0.18	<0.005	0.12	0.63	3.2	<0.2	<10	70	0.23	0.13	0.18	0.16	30.1	3.9	13
I033953		0.14	<0.005	0.04	0.40	4.0	<0.2	<10	20	0.05	0.22	0.07	0.13	17.70	2.4	11
I033954		0.38	<0.005	0.01	1.84	5.3	<0.2	<10	60	0.35	0.23	0.09	0.08	36.7	8.1	29
I033955		0.36	<0.005	0.02	1.63	6.6	<0.2	<10	110	0.29	0.23	0.12	0.09	44.0	9.1	31
I033956		0.72	<0.005	0.11	1.88	6.0	<0.2	<10	200	0.35	0.21	0.52	0.10	50.0	10.6	36
I033957		0.30	<0.005	0.17	1.02	3.3	<0.2	<10	110	0.27	0.20	0.66	0.11	43.7	5.6	17
I033958		0.48	<0.005	0.06	1.99	1.2	<0.2	<10	50	0.56	0.58	0.14	0.05	147.0	14.8	28
I033959		0.32	0.100	0.07	2.11	12.9	<0.2	<10	120	0.31	0.30	0.11	0.09	30.1	8.0	36
I033960		0.32	<0.005	0.05	1.42	9.5	<0.2	<10	80	0.23	0.25	0.12	0.08	23.4	5.8	26
I033961		0.44	0.005	0.08	1.85	5.8	<0.2	<10	190	0.37	0.19	0.42	0.06	42.4	9.4	32
I033962		0.48	<0.005	0.08	2.00	5.0	<0.2	<10	210	0.36	0.19	0.55	0.09	30.5	13.1	30
I033963		0.34	<0.005	0.07	0.83	5.9	<0.2	<10	60	0.13	0.30	0.07	0.08	25.1	4.1	16
I033964		0.42	<0.005	0.16	1.67	4.8	<0.2	<10	120	0.35	0.28	0.42	0.17	43.1	8.9	30
I033965		0.58	<0.005	0.04	1.97	6.9	<0.2	<10	140	0.41	0.22	0.22	0.08	46.1	8.8	30
I033966		0.44	<0.005	0.06	1.82	5.2	<0.2	<10	140	0.49	0.25	0.26	0.11	49.7	13.3	36
I033967		0.30	0.006	0.29	1.40	9.8	<0.2	<10	160	0.26	0.18	0.25	1.10	22.0	4.7	47
I033968		0.32	<0.005	0.17	1.66	8.1	<0.2	<10	160	0.26	0.17	0.39	0.32	24.8	9.5	33
I033969		0.26	0.005	0.13	1.47	5.2	<0.2	<10	300	0.32	0.18	0.46	0.29	31.1	7.5	26
I033970		0.26	0.006	0.38	1.67	9.7	<0.2	<10	570	0.47	0.19	1.25	0.43	62.0	14.2	33
I033971		0.18	0.006	0.33	1.66	10.3	<0.2	<10	380	0.79	0.19	0.84	0.42	112.5	13.0	26
I033972		0.56	0.007	0.16	2.24	10.1	<0.2	<10	350	0.66	0.16	0.66	0.25	39.7	21.1	35
I033973		0.20	0.007	0.20	1.41	5.1	<0.2	<10	340	0.42	0.54	1.22	0.31	46.5	11.9	24
I033974		0.40	0.006	0.15	1.76	5.4	<0.2	<10	260	0.28	0.20	0.21	0.12	15.90	13.4	24
I033975		0.36	0.006	0.12	2.26	4.5	<0.2	<10	320	0.40	0.18	0.40	0.17	33.1	25.3	21
I033976		0.62	0.005	0.29	2.82	2.4	<0.2	<10	720	0.56	0.13	0.74	0.15	45.0	30.9	35
I033977		0.58	0.006	0.11	1.95	6.0	<0.2	<10	260	0.29	0.13	0.51	0.12	19.15	23.0	27
I033978		0.62	0.005	0.06	1.63	4.1	<0.2	<10	350	0.13	0.12	0.40	0.11	15.05	17.6	21
I033979		0.42	0.006	0.22	1.67	3.5	<0.2	<10	310	0.36	0.72	0.36	0.24	32.0	10.2	19
I033980		0.62	0.005	0.21	1.66	4.0	<0.2	<10	220	0.31	0.46	0.36	0.31	32.6	9.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033941		1.86	32.8	2.35	4.60	0.08	0.04	0.04	0.024	0.06	22.0	11.7	0.47	457	0.89
I033942		1.50	26.2	2.76	5.16	0.08	0.06	0.03	0.023	0.05	19.2	14.5	0.53	416	0.73
I033943		1.45	34.4	2.57	4.96	0.14	0.09	0.05	0.025	0.06	50.5	17.5	0.46	509	0.80
I033944		1.39	27.0	2.42	4.81	0.07	0.05	0.04	0.021	0.06	18.9	13.1	0.50	349	0.77
I033945		0.90	27.0	2.42	4.97	0.07	0.03	0.05	0.020	0.08	16.1	12.2	0.44	245	0.97
I033946		1.36	34.4	2.42	5.50	0.09	0.04	0.04	0.023	0.07	33.4	12.0	0.47	187	0.93
I033947		1.97	39.5	2.66	4.68	0.10	0.06	0.06	0.023	0.09	32.9	12.2	0.45	557	1.05
I033948		2.75	24.9	2.05	3.53	0.06	0.06	0.04	0.017	0.11	11.4	11.7	0.46	311	0.54
I033949		3.95	34.9	2.71	5.59	0.07	0.04	0.05	0.028	0.08	15.8	17.5	0.63	457	1.32
I033950		3.57	12.7	1.70	4.95	0.05	0.02	0.04	0.017	0.06	10.1	8.2	0.37	227	0.60
I033951		1.84	22.2	2.35	6.30	0.08	0.03	0.03	0.020	0.09	20.3	9.8	0.39	176	0.68
I033952		0.78	21.8	1.26	2.66	0.05	<0.02	0.08	0.014	0.05	18.4	2.8	0.12	147	0.89
I033953		0.94	13.7	1.19	4.12	<0.05	<0.02	0.03	0.010	0.04	8.6	1.3	0.07	77	1.22
I033954		2.24	19.0	3.76	5.63	0.07	0.04	0.02	0.029	0.30	10.9	16.7	0.51	279	0.68
I033955		1.30	24.1	3.36	6.19	0.07	0.04	0.02	0.027	0.14	15.2	12.9	0.44	385	0.94
I033956		1.23	29.9	3.09	5.86	0.11	0.09	0.03	0.030	0.09	29.6	16.7	0.61	651	0.55
I033957		1.15	19.2	1.83	4.57	0.13	0.05	0.03	0.017	0.07	53.7	6.8	0.21	298	0.65
I033958		3.62	43.2	4.51	5.42	0.14	0.12	0.01	0.027	0.62	31.6	18.6	0.85	739	0.43
I033959		1.58	18.1	4.52	9.55	0.08	0.08	0.01	0.032	0.07	13.6	17.2	0.48	387	1.75
I033960		1.11	16.3	3.00	7.62	0.06	0.03	0.03	0.023	0.07	10.7	11.8	0.36	168	1.32
I033961		1.14	23.5	2.74	5.59	0.09	0.06	0.04	0.024	0.08	23.3	15.1	0.61	359	0.48
I033962		1.58	20.4	3.18	6.52	0.09	0.07	0.04	0.026	0.15	17.4	24.4	0.80	435	0.51
I033963		0.87	19.1	2.37	7.55	0.05	0.03	0.02	0.015	0.04	11.0	3.1	0.11	148	1.63
I033964		1.80	19.2	2.58	5.52	0.10	0.04	0.02	0.024	0.10	24.4	16.0	0.62	198	0.41
I033965		1.56	24.7	2.90	5.76	0.09	0.04	0.03	0.026	0.11	20.8	13.4	0.56	153	0.51
I033966		2.73	24.8	3.43	5.75	0.10	0.03	0.02	0.032	0.11	23.2	11.3	0.58	432	0.81
I033967		1.02	33.8	2.77	7.01	0.08	0.03	0.02	0.024	0.20	13.7	7.0	0.65	214	6.96
I033968		1.30	22.5	3.10	6.61	0.08	0.04	0.02	0.029	0.14	12.8	11.7	0.67	384	2.73
I033969		1.15	22.8	2.73	7.00	0.08	0.05	0.03	0.028	0.09	18.7	9.0	0.50	742	1.65
I033970		2.10	84.1	3.41	6.29	0.16	0.10	0.04	0.046	0.13	36.5	12.7	0.92	1380	2.21
I033971		1.48	46.5	2.80	5.82	0.19	0.07	0.08	0.031	0.09	69.7	12.0	0.49	399	1.23
I033972		4.12	30.6	4.67	7.83	0.13	0.07	0.02	0.040	0.22	19.6	19.7	1.35	866	1.20
I033973		1.97	28.8	2.85	4.72	0.10	0.06	0.05	0.024	0.18	29.3	10.5	0.60	681	1.41
I033974		0.62	18.1	3.11	6.21	0.05	0.02	0.01	0.021	0.14	6.7	9.8	0.54	453	1.47
I033975		2.08	81.2	4.59	7.80	0.10	0.04	0.03	0.025	0.50	17.6	19.0	1.14	453	1.45
I033976		5.43	102.0	5.30	8.94	0.18	0.06	0.03	0.029	0.82	38.9	15.6	1.67	587	1.78
I033977		2.25	54.0	3.93	7.23	0.09	0.03	0.02	0.022	0.26	9.2	18.0	0.97	452	0.90
I033978		1.76	52.0	3.02	7.82	0.07	0.02	0.01	0.015	0.22	7.6	9.9	0.91	243	0.69
I033979		2.33	41.9	3.24	5.70	0.09	0.03	0.03	0.020	0.33	20.3	12.0	0.76	408	1.73
I033980		1.89	22.0	2.69	6.08	0.08	0.03	0.05	0.019	0.23	20.3	12.2	0.81	464	1.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033941		0.93	25.4	600	8.3	11.7	0.001	0.05	0.30	3.7	0.8	0.4	68.8	0.01	0.03
I033942		1.32	28.9	390	9.2	11.6	<0.001	0.04	0.20	4.5	0.7	0.4	67.1	<0.01	0.03
I033943		1.17	32.2	490	9.4	11.5	0.001	0.06	0.30	5.3	1.2	0.4	88.3	0.01	0.03
I033944		1.16	26.6	460	9.2	13.0	<0.001	0.04	0.23	4.2	0.8	0.4	62.8	0.01	0.02
I033945		1.05	26.4	380	8.0	12.3	<0.001	0.03	0.23	3.5	0.6	0.4	38.1	<0.01	0.03
I033946		1.10	28.9	520	11.0	10.6	0.001	0.05	0.30	4.2	0.8	0.4	47.3	0.01	0.02
I033947		1.18	38.5	560	10.7	14.0	0.001	0.05	0.52	4.6	1.0	0.3	83.7	0.01	0.03
I033948		1.01	25.6	500	8.2	19.3	0.001	0.07	0.96	3.5	0.8	0.3	95.5	0.01	0.03
I033949		1.05	25.2	690	12.2	13.9	0.002	0.09	7.12	4.8	1.0	0.4	67.5	<0.01	0.03
I033950		0.85	13.8	630	22.0	12.3	<0.001	0.05	0.86	2.4	0.6	0.5	23.2	<0.01	0.02
I033951		1.67	18.1	550	12.7	21.3	<0.001	0.03	0.21	2.5	0.7	0.6	24.1	0.01	0.02
I033952		0.37	9.3	590	7.0	8.1	<0.001	0.04	0.23	0.9	0.6	0.3	15.4	<0.01	0.02
I033953		0.79	8.1	340	6.5	6.3	<0.001	0.02	0.39	0.8	0.4	0.5	9.4	<0.01	0.03
I033954		3.05	21.7	360	12.5	36.1	<0.001	0.01	0.23	3.2	0.7	0.5	8.9	0.01	0.03
I033955		1.91	25.6	290	13.9	20.2	<0.001	0.01	0.32	3.5	0.5	0.5	12.4	<0.01	0.03
I033956		1.79	26.7	800	10.3	17.7	<0.001	0.01	0.56	6.6	0.7	0.5	31.2	0.01	0.02
I033957		0.98	12.1	590	10.6	17.7	<0.001	0.04	0.21	1.8	0.9	0.4	27.9	0.01	0.02
I033958		2.30	41.0	520	22.3	95.5	0.001	<0.01	0.06	3.3	0.9	0.4	7.6	0.01	0.04
I033959		2.41	19.4	300	14.7	18.8	<0.001	<0.01	0.58	4.0	0.4	0.8	14.1	<0.01	0.04
I033960		1.76	17.1	290	12.6	15.0	<0.001	0.01	0.40	2.5	0.5	0.6	13.3	<0.01	0.03
I033961		1.59	24.1	760	9.7	16.0	<0.001	0.01	0.30	5.5	0.6	0.5	27.2	0.01	0.02
I033962		1.65	24.8	990	11.5	25.9	<0.001	0.01	0.30	5.7	0.6	0.5	28.6	<0.01	0.02
I033963		1.78	13.3	310	11.8	9.5	<0.001	0.01	0.49	1.7	0.5	0.7	10.1	<0.01	0.03
I033964		2.05	22.2	940	18.5	21.6	<0.001	0.02	0.24	3.7	0.5	0.5	26.0	<0.01	0.02
I033965		1.70	23.5	590	11.1	19.4	<0.001	0.01	0.32	4.0	0.7	0.5	18.2	0.01	0.02
I033966		1.81	30.7	640	16.1	21.8	<0.001	0.01	0.24	4.8	0.6	0.5	19.4	0.01	0.03
I033967		1.65	21.4	440	16.5	22.6	0.001	0.13	0.27	3.8	1.8	0.5	34.4	<0.01	0.06
I033968		1.72	19.3	440	10.1	20.1	<0.001	0.02	0.33	4.9	1.0	0.5	23.0	<0.01	0.04
I033969		1.46	15.9	330	8.5	12.0	<0.001	0.01	0.25	5.2	0.6	0.5	28.5	0.01	0.03
I033970		1.55	22.6	890	9.5	20.3	0.001	0.05	0.39	10.1	2.0	0.6	50.8	0.02	0.04
I033971		1.11	27.0	680	12.4	13.8	0.001	0.05	0.33	5.2	1.6	0.4	45.9	0.01	0.04
I033972		1.10	24.2	710	12.7	25.3	<0.001	0.01	0.22	15.6	0.7	0.4	27.5	0.01	0.04
I033973		1.53	17.4	620	19.2	20.2	<0.001	0.07	0.28	5.3	1.0	0.4	39.7	0.01	0.07
I033974		2.12	15.4	250	13.2	8.6	<0.001	0.02	0.34	2.9	0.3	0.6	21.1	<0.01	0.04
I033975		2.59	16.8	1280	12.8	36.0	<0.001	0.08	0.18	4.7	0.8	0.6	40.0	0.01	0.09
I033976		1.69	17.3	1960	10.9	48.2	<0.001	0.05	0.13	9.1	1.1	0.6	40.7	0.01	0.06
I033977		1.42	22.2	1190	8.3	20.5	<0.001	0.02	0.18	5.8	0.5	0.6	27.5	<0.01	0.03
I033978		0.85	16.8	700	6.9	19.1	<0.001	0.03	0.14	3.4	0.5	0.5	22.7	<0.01	0.02
I033979		1.88	13.1	750	25.7	26.4	<0.001	0.04	0.19	3.5	0.6	0.5	22.0	<0.01	0.06
I033980		2.04	16.9	520	19.6	24.8	<0.001	0.05	0.17	3.4	0.6	0.5	25.0	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033941		0.054	0.10	1.83	39	0.18	9.17	37
I033942		0.066	0.11	1.30	47	0.17	7.02	42
I033943		0.053	0.10	2.66	41	0.15	22.4	38
I033944		0.062	0.09	1.36	43	0.14	7.74	38
I033945		0.065	0.07	0.95	48	0.24	5.64	38
I033946		0.057	0.08	1.64	41	0.16	9.72	36
I033947		0.063	0.10	2.22	43	0.21	15.20	43
I033948		0.055	0.11	0.89	32	0.09	6.78	52
I033949		0.057	0.13	3.78	45	0.13	7.25	87
I033950		0.070	0.14	1.66	36	0.19	3.99	40
I033951		0.092	0.18	1.74	43	0.15	8.12	38
I033952		0.030	0.07	0.88	22	0.11	5.17	22
I033953		0.053	0.09	0.64	41	0.11	2.42	25
I033954		0.119	0.29	1.07	41	0.13	6.98	58
I033955		0.106	0.19	1.02	54	0.15	6.27	54
I033956		0.112	0.17	1.89	49	0.15	13.70	64
I033957		0.062	0.12	1.32	34	0.19	18.80	26
I033958		0.190	0.80	2.15	23	0.07	18.20	76
I033959		0.106	0.16	0.64	88	0.18	3.83	54
I033960		0.098	0.13	0.73	68	0.17	3.71	37
I033961		0.103	0.16	1.03	49	0.17	10.70	47
I033962		0.131	0.23	1.05	61	0.16	8.35	62
I033963		0.093	0.10	0.69	71	0.12	3.07	37
I033964		0.102	0.19	1.23	46	0.18	8.27	63
I033965		0.088	0.19	1.25	49	0.27	9.02	47
I033966		0.084	0.23	1.34	53	0.12	8.60	60
I033967		0.089	0.21	1.28	110	0.18	5.72	113
I033968		0.087	0.10	0.74	64	0.18	6.90	83
I033969		0.073	0.07	0.88	59	0.20	10.10	59
I033970		0.097	0.11	4.06	72	0.18	30.3	89
I033971		0.060	0.09	3.01	50	0.18	28.8	57
I033972		0.099	0.15	1.36	86	0.21	11.65	96
I033973		0.068	0.13	1.82	45	0.17	16.20	95
I033974		0.099	0.09	0.46	66	0.15	2.33	57
I033975		0.214	0.23	1.38	103	0.14	6.73	110
I033976		0.232	0.32	1.60	134	0.12	15.45	135
I033977		0.157	0.14	0.72	112	0.16	4.68	80
I033978		0.158	0.13	0.56	102	0.24	3.80	52
I033979		0.101	0.21	1.09	49	0.14	8.02	118
I033980		0.095	0.17	1.20	43	0.40	8.97	134



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033981		0.38	0.006	0.20	1.66	6.6	<0.2	<10	290	0.32	0.32	0.78	0.60	30.8	13.3	26
I033982		0.56	0.006	0.25	1.73	4.5	<0.2	<10	290	0.40	0.40	0.77	0.73	45.7	13.3	32
I033983		0.54	0.008	0.06	2.59	7.0	<0.2	<10	260	0.78	0.14	0.33	0.09	65.0	24.5	57
I033984		0.64	0.010	0.06	2.01	5.1	<0.2	<10	200	0.40	0.11	0.35	0.06	27.9	13.7	46
I033985		0.48	0.007	0.09	2.07	8.9	<0.2	<10	130	0.39	0.16	0.29	0.10	25.8	11.6	36
I033986		0.66	0.018	0.45	1.94	107.0	<0.2	<10	160	0.56	1.52	0.32	0.25	24.5	17.2	30
I033987		0.60	0.022	0.52	2.95	37.9	<0.2	<10	160	0.63	0.34	0.45	0.30	24.8	21.0	65
I033988		0.42	<0.005	0.10	1.80	10.8	<0.2	<10	100	0.22	0.18	0.32	0.13	14.45	9.8	30
I033989		0.56	0.012	0.39	2.06	96.9	<0.2	<10	110	0.72	0.16	0.41	0.40	30.5	14.6	35
I033990		0.40	0.006	0.07	1.61	6.4	<0.2	<10	420	0.49	0.14	0.73	0.34	27.4	13.7	23
I033991		0.52	0.006	0.13	1.99	21.4	<0.2	<10	90	0.65	0.18	0.29	0.17	26.1	16.7	33
I033992		1.00	0.005	0.05	2.15	4.6	<0.2	<10	100	0.88	0.06	0.61	0.06	21.2	23.3	21
I033993		0.54	0.007	0.06	1.19	11.5	<0.2	<10	50	0.20	0.22	0.24	0.10	19.15	8.9	28
I033994		0.68	0.005	0.09	2.25	8.8	<0.2	<10	150	0.53	0.17	0.33	0.07	39.0	13.4	38
I033995		0.56	0.008	0.03	2.45	8.8	<0.2	<10	90	0.41	0.12	0.22	0.11	26.7	17.3	81
I033996		0.16	NSS	0.03	0.27	12.8	<0.2	<10	70	0.28	0.04	0.51	0.20	23.7	10.8	10
I033997		0.52	0.007	0.07	3.13	12.8	<0.2	<10	210	0.52	0.14	0.25	0.08	19.05	18.8	43
I033998		0.50	0.014	0.07	2.26	11.7	<0.2	<10	130	0.67	0.14	0.40	0.07	24.4	17.0	36
I033999		0.64	0.007	0.10	1.85	4.9	<0.2	<10	130	0.56	0.13	0.35	0.07	29.8	17.3	38
I034000		0.68	0.008	0.08	2.05	5.9	<0.2	<10	90	0.65	0.18	0.40	0.12	27.8	20.8	52
I314851		0.40	0.005	0.08	1.99	8.5	<0.2	<10	180	0.45	0.19	0.14	0.06	19.70	8.9	30
I314852		0.40	<0.005	0.06	1.99	5.5	<0.2	<10	70	0.30	0.08	0.09	0.05	11.70	9.5	15
I314853		0.44	<0.005	0.11	1.82	7.0	<0.2	<10	100	0.24	0.12	0.09	0.04	13.15	9.1	20
I314854		0.32	0.007	0.19	1.65	13.7	<0.2	<10	100	0.30	0.26	0.09	0.08	17.75	5.8	32
I314855		0.34	<0.005	0.10	1.71	4.0	<0.2	<10	100	0.17	0.13	0.23	0.06	14.35	6.3	16
I314856		0.38	0.008	0.13	1.64	6.3	<0.2	<10	230	0.84	0.18	0.13	0.05	34.5	8.1	23
I314857		0.44	0.007	0.14	1.93	12.0	<0.2	<10	90	0.30	0.23	0.09	0.06	21.2	5.5	28
I314858		0.34	<0.005	0.09	1.64	6.0	<0.2	<10	200	0.30	0.18	0.23	0.15	16.60	7.8	25
I314859		0.44	<0.005	0.06	1.79	6.3	<0.2	<10	150	0.30	0.17	0.17	0.07	15.70	7.3	23
I314860		0.32	0.005	0.22	1.77	8.5	<0.2	<10	160	0.39	0.19	0.12	0.08	17.55	6.6	27
I314861		0.32	0.006	0.21	1.64	7.3	<0.2	<10	160	0.36	0.18	0.11	0.10	18.20	6.3	23
I314862		0.40	0.005	0.15	1.73	4.5	<0.2	<10	180	0.39	0.17	0.22	0.06	17.55	10.2	23
I314863		0.40	0.006	0.11	1.84	5.8	<0.2	<10	140	0.28	0.18	0.20	0.05	17.65	5.9	27
I314864		0.40	<0.005	0.04	1.07	2.6	<0.2	<10	60	0.15	0.12	0.17	0.05	10.55	3.0	16
I314865		0.40	0.006	0.06	1.71	4.7	<0.2	<10	140	0.28	0.18	0.21	0.07	15.45	5.4	24
I314866		0.38	0.008	0.06	2.31	3.4	<0.2	<10	210	0.43	0.11	0.61	0.03	17.30	17.4	51
I314867		0.38	<0.005	0.04	2.42	2.2	<0.2	<10	240	0.44	0.09	0.63	0.05	15.15	19.4	63
I314868		0.28	<0.005	0.04	2.08	3.5	<0.2	<10	190	0.47	0.11	0.81	0.07	17.90	14.3	64
I314869		0.36	<0.005	0.02	2.78	2.6	<0.2	<10	240	0.44	0.07	0.51	0.04	7.76	20.7	140
I314870		0.30	NSS	0.01	0.12	2.1	<0.2	<10	30	0.09	0.01	0.10	0.04	9.59	2.1	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033981		1.86	38.9	3.08	6.00	0.09	0.04	0.07	0.028	0.11	17.4	12.1	0.74	652	0.93
I033982		3.82	47.3	3.36	5.65	0.11	0.05	0.05	0.027	0.29	26.6	12.9	0.82	767	1.57
I033983		4.23	52.1	4.41	8.67	0.14	0.07	0.01	0.034	0.24	25.7	20.8	1.01	761	0.81
I033984		2.45	28.3	3.14	6.27	0.08	0.05	0.01	0.021	0.12	14.8	15.4	0.80	296	0.71
I033985		1.58	22.9	3.22	7.25	0.08	0.03	0.03	0.030	0.05	14.4	15.9	0.56	244	0.98
I033986		9.69	22.4	4.47	4.94	0.08	0.04	0.03	0.057	0.06	12.2	15.1	0.55	661	1.08
I033987		4.38	49.1	3.44	8.46	0.08	0.06	0.04	0.037	0.06	12.5	16.5	0.80	434	1.30
I033988		2.94	19.9	3.00	7.12	0.06	0.03	0.02	0.025	0.04	7.1	13.1	0.46	350	1.14
I033989		4.91	37.2	2.81	5.81	0.07	0.06	0.04	0.030	0.05	16.5	15.5	0.70	437	0.82
I033990		0.51	27.1	2.36	5.22	0.07	0.07	0.02	0.023	0.09	12.0	13.8	0.88	882	0.87
I033991		8.00	34.1	3.19	6.03	0.06	0.06	0.03	0.030	0.05	11.0	16.2	0.60	537	0.89
I033992		8.20	39.5	3.78	5.20	0.11	0.09	0.01	0.013	0.25	11.9	14.3	1.40	540	0.49
I033993		2.47	22.7	2.77	8.31	0.06	0.05	0.02	0.019	0.06	9.1	8.6	0.47	235	1.21
I033994		3.03	34.9	3.14	6.49	0.09	0.06	0.03	0.029	0.09	19.4	17.0	0.73	265	0.71
I033995		3.66	31.3	4.03	6.50	0.08	0.09	0.02	0.027	0.12	12.2	19.7	0.83	376	0.92
I033996		0.30	8.8	2.28	1.40	0.08	0.07	0.02	0.007	0.04	12.4	3.5	0.22	811	1.31
I033997		2.91	34.7	3.86	7.47	0.07	0.09	0.03	0.031	0.05	8.1	16.9	0.75	285	1.05
I033998		3.18	36.2	2.96	6.14	0.07	0.05	0.03	0.025	0.05	12.0	19.7	0.92	221	0.67
I033999		3.05	44.6	3.20	5.39	0.08	0.03	0.03	0.017	0.22	16.6	15.4	0.74	216	0.63
I034000		4.96	38.7	3.90	6.67	0.10	0.04	0.02	0.024	0.17	14.1	22.6	0.97	549	0.76
I314851		1.17	19.9	2.83	6.61	0.06	0.02	0.02	0.031	0.04	9.8	12.8	0.36	220	0.71
I314852		2.75	29.4	3.05	7.49	0.06	0.04	0.01	0.017	0.05	5.5	33.6	0.89	377	0.62
I314853		1.06	17.2	3.01	8.71	0.06	0.03	0.01	0.017	0.03	6.4	22.0	0.76	188	0.68
I314854		1.18	13.2	3.52	8.38	0.06	0.09	0.04	0.026	0.04	9.0	11.5	0.25	200	1.39
I314855		1.85	14.0	2.37	8.39	0.06	0.02	0.02	0.016	0.04	7.1	19.6	1.25	253	0.71
I314856		1.82	14.8	2.54	5.84	0.08	0.06	0.02	0.021	0.06	16.6	14.1	0.35	550	1.10
I314857		1.03	12.8	3.65	7.42	0.06	0.04	0.03	0.026	0.04	10.7	16.6	0.30	145	1.22
I314858		1.62	11.0	2.66	7.10	0.05	0.02	0.02	0.020	0.04	8.1	14.3	0.38	324	0.92
I314859		0.67	9.9	3.05	9.72	0.05	0.02	0.01	0.019	0.08	8.0	15.0	0.68	390	0.88
I314860		0.82	11.2	2.95	6.99	<0.05	0.03	0.02	0.022	0.07	8.9	11.3	0.36	260	0.97
I314861		0.76	10.1	2.72	6.42	<0.05	0.02	0.01	0.021	0.06	9.1	11.0	0.32	460	0.90
I314862		0.87	12.6	2.57	6.95	<0.05	0.04	0.01	0.020	0.04	8.6	11.1	0.46	684	0.86
I314863		1.11	11.1	2.43	7.34	<0.05	0.09	0.01	0.020	0.03	9.1	11.6	0.48	129	0.77
I314864		0.75	8.6	1.26	5.22	<0.05	0.02	0.02	0.014	0.03	5.2	9.2	0.69	157	0.70
I314865		0.81	8.6	2.18	7.04	<0.05	0.07	0.01	0.019	0.03	7.9	13.2	0.60	214	0.88
I314866		0.43	20.3	2.96	6.54	0.05	0.11	0.01	0.021	0.04	6.5	9.8	0.91	770	0.74
I314867		0.26	22.9	3.36	6.93	0.06	0.13	0.01	0.021	0.08	6.2	13.7	1.30	864	0.50
I314868		0.30	27.1	2.95	5.91	0.05	0.14	0.01	0.023	0.10	7.7	9.7	0.77	608	0.67
I314869		0.43	20.7	3.06	7.40	<0.05	0.05	0.01	0.014	0.03	3.6	15.5	1.51	450	0.71
I314870		0.08	2.6	0.71	0.52	<0.05	0.07	0.01	<0.005	0.04	5.0	1.1	0.06	158	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033981		1.67	20.2	650	39.6	18.0	<0.001	0.05	0.33	5.9	0.7	0.4	34.1	0.01	0.04
I033982		1.64	18.8	890	54.9	28.6	0.001	0.05	0.28	6.1	1.0	0.5	33.7	0.01	0.04
I033983		1.95	66.8	560	11.4	26.9	<0.001	0.03	0.33	7.0	0.7	2.3	32.4	0.01	0.04
I033984		1.75	38.7	420	11.0	18.7	<0.001	0.03	0.24	4.6	0.4	0.8	34.5	<0.01	0.03
I033985		1.80	30.9	390	11.2	9.4	<0.001	0.03	0.34	4.5	0.6	0.5	29.2	0.01	0.04
I033986		1.19	30.5	770	32.7	10.4	<0.001	0.03	1.89	5.6	0.8	0.3	23.1	<0.01	0.15
I033987		2.17	43.3	620	39.3	11.1	<0.001	0.04	0.64	6.4	1.1	0.5	44.7	0.01	0.09
I033988		1.69	18.8	440	14.7	7.9	<0.001	0.04	0.36	3.3	0.5	0.5	42.6	0.01	0.04
I033989		1.48	26.0	570	70.4	8.8	<0.001	0.04	0.89	5.1	0.7	0.5	30.3	0.01	0.03
I033990		1.39	23.4	530	8.0	12.1	<0.001	0.03	0.36	5.7	0.5	0.4	42.8	<0.01	0.03
I033991		1.88	28.5	310	50.8	8.3	<0.001	0.04	0.83	4.5	0.5	0.5	23.5	<0.01	0.03
I033992		0.66	22.3	1040	4.1	33.6	<0.001	0.03	0.47	4.7	0.5	0.3	31.9	<0.01	0.01
I033993		2.14	19.5	370	18.9	10.0	<0.001	0.04	0.38	3.3	0.4	0.7	20.1	<0.01	0.03
I033994		1.79	35.2	520	16.5	15.5	<0.001	0.03	0.47	5.8	0.6	0.5	25.7	0.01	0.03
I033995		1.97	48.8	480	11.1	19.5	<0.001	0.03	0.44	5.7	0.5	0.4	19.6	0.01	0.04
I033996		0.57	20.6	590	5.1	4.8	<0.001	0.03	0.53	2.0	0.4	0.2	12.6	<0.01	0.01
I033997		2.15	42.6	220	8.1	11.7	<0.001	0.03	0.53	5.3	0.4	0.5	26.2	<0.01	0.04
I033998		1.44	38.2	720	13.9	8.1	<0.001	0.04	0.54	5.3	0.6	0.4	28.3	<0.01	0.02
I033999		1.63	47.1	560	12.7	37.8	<0.001	0.05	0.35	3.8	0.5	0.4	31.8	<0.01	0.03
I034000		1.57	49.9	820	26.7	22.4	<0.001	0.03	0.26	5.3	0.6	0.4	30.2	<0.01	0.04
I314851		1.82	20.9	230	11.0	9.6	<0.001	0.03	0.47	3.3	0.5	0.6	16.7	0.01	0.03
I314852		3.52	9.8	210	4.1	13.2	<0.001	0.02	0.22	3.3	0.3	0.5	11.9	<0.01	0.03
I314853		2.68	11.7	180	6.4	9.4	<0.001	0.02	0.32	3.3	0.3	0.5	11.1	<0.01	0.03
I314854		2.58	13.5	390	12.0	9.8	<0.001	0.03	0.52	2.8	0.4	0.8	10.0	0.01	0.05
I314855		1.99	8.8	200	8.4	12.6	<0.001	0.02	0.18	3.5	0.3	0.5	17.6	<0.01	0.03
I314856		1.49	14.4	300	11.6	14.7	<0.001	0.02	0.29	3.5	0.4	0.5	14.0	<0.01	0.03
I314857		1.94	13.7	350	11.9	9.8	<0.001	0.03	0.44	3.2	0.4	0.6	10.8	<0.01	0.04
I314858		1.84	17.2	440	9.6	14.3	<0.001	0.03	0.41	2.5	0.3	0.6	25.5	<0.01	0.03
I314859		1.22	12.7	380	9.0	16.3	<0.001	0.01	0.29	2.8	<0.2	0.6	19.9	<0.01	0.02
I314860		1.64	17.1	370	9.0	12.7	<0.001	0.01	0.41	2.8	<0.2	0.6	11.4	<0.01	0.03
I314861		1.49	14.5	350	8.4	11.9	<0.001	0.01	0.37	2.6	<0.2	0.6	10.8	<0.01	0.02
I314862		1.52	15.4	220	8.1	10.9	<0.001	0.01	0.32	3.2	<0.2	0.7	15.5	<0.01	0.02
I314863		1.53	14.5	110	8.6	10.1	<0.001	0.01	0.30	3.4	<0.2	0.7	14.2	<0.01	0.02
I314864		1.07	10.1	140	5.3	6.3	<0.001	0.01	0.16	2.1	<0.2	0.5	9.3	<0.01	0.02
I314865		1.55	12.9	160	9.0	5.5	<0.001	0.01	0.25	2.9	<0.2	0.6	13.2	<0.01	0.02
I314866		1.49	26.7	220	5.0	4.1	<0.001	0.02	0.24	5.7	0.2	0.5	32.9	<0.01	0.02
I314867		1.41	40.2	540	4.4	9.5	<0.001	0.01	0.17	6.0	0.2	0.4	30.8	<0.01	0.01
I314868		1.80	35.9	370	5.2	8.7	<0.001	0.02	0.27	6.0	0.2	0.5	39.8	<0.01	0.02
I314869		2.09	69.4	330	3.5	3.6	<0.001	0.01	0.20	3.7	<0.2	0.4	26.1	<0.01	0.01
I314870		0.15	3.8	120	1.5	1.8	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033981		0.098	0.14	1.22	61	0.16	10.10	188
I033982		0.108	0.22	1.45	59	0.30	14.00	223
I033983		0.140	0.19	0.81	93	0.15	10.55	74
I033984		0.124	0.16	0.82	63	0.16	6.28	51
I033985		0.097	0.09	0.72	66	0.15	5.89	46
I033986		0.049	0.27	0.88	53	0.31	8.11	78
I033987		0.104	0.33	1.02	72	0.23	8.93	85
I033988		0.105	0.08	0.52	74	0.20	3.57	37
I033989		0.087	0.12	1.12	58	0.15	8.18	98
I033990		0.085	0.05	0.62	52	0.14	7.33	57
I033991		0.104	0.10	0.85	65	0.14	4.70	61
I033992		0.151	0.28	0.79	64	0.13	6.16	57
I033993		0.150	0.08	0.58	90	0.17	3.20	37
I033994		0.116	0.16	0.99	60	0.13	10.65	54
I033995		0.127	0.18	0.63	69	0.15	5.37	51
I033996		0.021	0.15	0.66	17	0.10	7.51	20
I033997		0.135	0.13	0.50	80	0.18	3.85	49
I033998		0.099	0.13	0.66	57	0.16	6.96	56
I033999		0.109	0.30	1.38	46	0.13	5.43	54
I034000		0.115	0.19	0.75	64	0.15	6.51	83
I314851		0.074	0.09	0.66	61	0.21	3.21	37
I314852		0.189	0.08	0.28	72	0.18	2.43	32
I314853		0.170	0.10	0.42	83	0.16	2.06	41
I314854		0.094	0.11	0.42	85	0.26	2.10	31
I314855		0.123	0.08	0.37	66	0.16	2.73	42
I314856		0.043	0.11	0.69	56	0.15	7.91	36
I314857		0.066	0.10	0.44	73	0.19	2.79	31
I314858		0.074	0.11	0.33	62	0.19	1.98	62
I314859		0.063	0.09	0.33	73	0.14	2.04	66
I314860		0.069	0.09	0.29	64	0.18	2.12	39
I314861		0.061	0.08	0.28	59	0.17	2.21	37
I314862		0.072	0.11	0.30	63	0.21	2.47	46
I314863		0.078	0.12	0.36	67	0.15	2.39	33
I314864		0.054	0.07	0.46	37	0.15	1.91	27
I314865		0.069	0.10	0.32	61	0.20	2.07	34
I314866		0.128	0.08	0.27	69	0.11	4.10	43
I314867		0.107	0.05	0.20	68	0.09	4.41	47
I314868		0.117	0.05	0.27	64	0.12	5.10	39
I314869		0.152	0.10	0.16	81	0.16	2.37	50
I314870		0.006	0.05	0.30	4	0.05	1.99	5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314871		0.38	0.007	0.03	2.66	5.3	<0.2	<10	130	0.42	0.12	0.48	0.07	13.00	18.2	128
I314872		0.54	0.006	0.36	2.56	42.0	<0.2	<10	120	0.44	0.19	1.40	1.86	44.3	27.6	301
I314873		0.20	0.005	0.16	1.49	9.9	<0.2	<10	130	0.29	0.12	0.87	0.50	25.0	9.9	55
I314874		0.34	0.006	0.37	1.14	21.9	<0.2	<10	150	0.37	0.14	1.25	0.93	25.0	8.4	22
I314875		0.32	0.006	0.32	1.83	18.2	<0.2	<10	240	0.46	0.17	0.70	1.41	38.2	9.2	32
I314876		0.22	0.009	0.29	0.91	3.7	<0.2	<10	220	0.32	0.11	3.47	0.27	23.9	6.1	31
I314877		0.30	0.007	0.05	2.17	5.7	<0.2	<10	260	0.37	0.11	0.95	0.15	13.85	15.0	34
I314878		0.28	0.007	0.07	2.13	6.8	<0.2	<10	260	0.56	0.14	0.68	0.10	33.7	14.6	36
I314879		0.54	0.006	0.20	1.60	67.9	<0.2	<10	180	0.45	0.17	0.98	1.05	46.5	17.6	57
I314880		0.42	0.007	0.19	1.59	72.2	<0.2	<10	200	0.52	0.17	1.03	1.28	48.3	18.2	57
I314881		0.42	<0.005	0.06	1.66	5.9	<0.2	<10	180	0.51	0.14	0.52	0.08	22.9	9.2	31
I314882		0.32	0.005	0.17	2.00	7.4	<0.2	<10	270	1.36	0.15	0.60	0.08	94.3	11.9	34
I314883		0.30	0.012	0.07	1.62	5.9	<0.2	<10	180	0.98	0.12	0.83	0.07	39.2	9.7	31
I314884		0.52	0.006	0.08	1.31	3.7	<0.2	<10	140	0.64	0.11	0.67	0.16	38.8	8.1	27
I314885		0.32	0.005	0.21	1.61	4.5	<0.2	<10	160	0.79	0.25	0.93	0.21	43.7	7.1	25
I314886		0.34	0.005	0.22	1.90	6.4	<0.2	<10	450	0.52	0.15	1.46	0.37	24.8	14.2	59
I314887		0.52	0.005	0.08	1.86	5.2	<0.2	<10	330	0.60	0.18	0.52	0.10	48.9	10.3	35
I314888		0.50	<0.005	0.06	2.37	5.4	<0.2	<10	140	0.38	0.14	0.57	0.05	15.15	11.3	48
I314889		0.52	0.006	0.11	2.27	8.8	<0.2	<10	200	0.59	0.17	0.32	0.09	20.4	12.6	37
I314890		0.42	NSS	0.02	0.14	1.9	<0.2	<10	30	0.11	0.02	0.07	0.04	9.45	2.2	3
I314891		0.44	0.006	0.07	1.53	18.2	<0.2	<10	180	0.68	0.14	0.37	0.07	38.0	8.2	25
I314892		0.36	0.005	0.11	2.29	8.2	<0.2	<10	190	1.02	0.42	0.55	0.13	52.7	8.1	32
I314893		0.38	0.006	0.06	1.29	4.3	<0.2	<10	70	0.46	0.29	0.34	0.12	31.4	5.6	23
I314894		0.32	0.007	0.17	1.33	4.3	<0.2	<10	200	1.09	0.23	1.04	0.21	220	16.4	20
I314895		0.50	0.006	0.08	1.40	8.0	<0.2	<10	160	0.33	0.13	0.66	0.09	23.3	8.5	29
I314896		0.48	0.019	0.07	1.18	6.5	<0.2	<10	150	0.28	0.12	0.66	0.14	23.0	9.4	25
I314897		0.38	<0.005	0.08	1.49	8.0	<0.2	<10	280	0.34	0.16	0.63	0.17	25.3	9.9	30
I314898		0.54	0.007	0.12	1.41	7.7	<0.2	<10	310	0.44	0.15	0.75	0.24	24.6	8.8	27
I314899		0.50	0.006	0.09	1.35	8.6	<0.2	<10	220	0.41	0.15	0.51	0.06	27.6	8.6	27
I314900		0.40	0.008	0.10	1.36	8.4	<0.2	<10	240	0.41	0.16	0.54	0.09	28.8	9.2	26
I314901		0.58	<0.005	0.07	1.42	4.7	<0.2	<10	160	0.73	0.15	0.71	0.08	41.5	7.4	28
I314902		0.30	<0.005	0.07	1.31	4.5	<0.2	<10	150	0.59	0.14	1.26	0.12	32.1	9.1	29
I314903		0.16	0.005	0.09	1.68	3.6	<0.2	<10	220	0.51	0.12	1.17	0.24	21.0	12.4	43
I314904		0.36	0.005	0.06	1.60	4.8	<0.2	<10	230	0.59	0.18	0.41	0.09	28.6	10.8	28
I314905		0.32	0.006	0.05	1.70	8.0	<0.2	<10	110	0.45	0.13	0.28	0.07	21.9	8.1	29
I314906		0.26	<0.005	0.07	1.13	5.0	<0.2	<10	190	0.22	0.14	0.23	0.05	20.5	4.9	19
I314907		0.28	0.007	0.12	1.15	4.4	<0.2	<10	180	0.17	0.13	0.22	0.09	18.80	5.2	20
I314908		0.28	0.005	0.06	1.42	5.7	<0.2	<10	250	0.25	0.13	0.33	0.05	15.75	7.4	22
I314909		0.32	0.006	0.07	1.49	8.6	<0.2	<10	180	0.25	0.18	0.48	0.07	19.65	7.0	26
I314910		0.26	<0.005	0.07	1.56	6.6	<0.2	<10	270	0.33	0.15	0.53	0.07	21.3	7.1	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314871		0.56	26.0	3.38	7.84	0.05	0.07	0.01	0.023	0.03	6.0	12.5	1.03	396	1.01
I314872		0.39	53.6	3.63	7.22	0.11	0.21	0.06	0.031	0.04	23.6	20.9	2.40	879	17.00
I314873		0.20	28.1	2.51	4.38	0.07	0.21	0.02	0.021	0.09	13.0	9.5	0.77	299	4.25
I314874		0.20	37.9	2.58	3.31	0.07	0.16	0.04	0.024	0.04	13.6	7.1	0.51	222	5.83
I314875		0.26	45.6	3.07	5.36	0.08	0.15	0.03	0.026	0.06	20.3	14.1	0.89	393	8.74
I314876		0.18	41.6	1.29	2.53	0.06	0.13	0.05	0.012	0.03	13.2	4.7	0.49	313	1.09
I314877		0.68	43.2	2.99	6.75	0.06	0.08	0.03	0.021	0.05	6.9	11.2	1.08	639	0.64
I314878		0.47	33.3	2.92	6.39	0.08	0.23	0.02	0.023	0.07	17.3	13.2	0.96	511	0.53
I314879		0.98	55.8	3.70	4.92	0.10	0.23	0.05	0.033	0.08	24.7	10.7	0.92	438	5.10
I314880		0.88	63.5	3.70	4.80	0.10	0.22	0.05	0.032	0.08	25.2	10.2	0.90	408	5.48
I314881		0.29	14.6	2.55	5.42	0.05	0.10	0.01	0.024	0.13	10.4	10.1	0.47	282	0.95
I314882		0.86	26.4	2.91	6.64	0.12	0.12	0.04	0.032	0.11	61.4	12.6	0.43	1010	1.26
I314883		0.46	18.7	2.58	5.27	0.06	0.12	0.02	0.024	0.16	20.1	12.9	0.48	402	0.87
I314884		1.06	16.7	2.10	4.63	0.06	0.07	0.03	0.021	0.12	21.6	10.0	0.44	295	0.66
I314885		0.79	28.8	2.12	5.40	0.07	0.06	0.05	0.026	0.11	28.1	9.3	0.38	213	1.22
I314886		0.31	49.7	2.62	5.57	0.06	0.07	0.05	0.026	0.08	14.5	9.8	0.93	486	2.04
I314887		0.39	28.4	2.61	6.00	0.08	0.08	0.03	0.024	0.11	31.4	10.0	0.70	324	1.40
I314888		0.28	27.7	3.01	6.79	0.05	0.19	0.02	0.050	0.08	7.8	11.2	0.78	264	0.61
I314889		0.91	23.7	3.11	7.59	0.05	0.03	0.02	0.026	0.07	10.5	13.0	0.52	257	0.97
I314890		0.08	2.4	0.77	0.55	<0.05	0.08	0.01	<0.005	0.05	4.8	1.2	0.04	168	0.31
I314891		1.70	15.8	2.58	5.52	0.05	0.05	0.02	0.024	0.12	28.8	10.9	0.37	261	1.52
I314892		2.68	22.4	2.88	7.22	0.09	0.12	0.04	0.031	0.11	39.0	9.7	0.44	281	1.61
I314893		1.37	14.4	1.93	5.52	0.05	0.06	0.04	0.018	0.11	20.8	7.2	0.30	191	1.81
I314894		3.75	19.0	2.62	5.19	0.21	0.06	0.09	0.030	0.15	129.5	8.2	0.36	1540	1.33
I314895		0.62	18.8	2.40	4.62	0.06	0.10	0.02	0.022	0.07	11.8	9.3	0.55	242	0.75
I314896		0.42	15.2	2.18	3.96	0.05	0.05	0.02	0.018	0.05	11.3	7.9	0.43	523	1.20
I314897		0.53	17.9	2.53	4.86	0.05	0.05	0.04	0.021	0.06	12.5	11.2	0.50	488	1.60
I314898		0.51	24.4	2.44	4.60	0.06	0.06	0.03	0.021	0.06	12.6	11.1	0.51	327	1.04
I314899		0.47	20.2	2.36	4.47	0.06	0.08	0.03	0.020	0.05	13.8	10.7	0.48	249	1.14
I314900		0.51	22.5	2.40	4.49	0.07	0.09	0.03	0.021	0.05	14.6	10.2	0.48	317	1.06
I314901		1.03	17.6	2.22	4.82	0.06	0.11	0.04	0.020	0.12	23.7	11.2	0.46	193	0.71
I314902		0.77	17.8	2.03	4.39	0.06	0.08	0.04	0.020	0.09	19.0	9.0	0.51	285	0.67
I314903		0.56	42.3	2.49	5.63	0.06	0.07	0.05	0.022	0.07	13.7	8.2	0.69	481	0.83
I314904		0.30	14.4	2.81	5.32	0.05	0.06	0.01	0.022	0.19	14.1	7.5	0.49	548	1.25
I314905		1.20	12.2	2.82	5.91	0.05	0.09	0.01	0.025	0.12	13.1	10.2	0.43	182	1.50
I314906		0.66	9.5	1.89	4.50	<0.05	0.02	0.01	0.014	0.10	10.2	6.5	0.28	231	1.25
I314907		0.33	9.6	1.89	4.44	<0.05	0.03	0.01	0.016	0.06	8.9	6.7	0.29	268	1.18
I314908		0.64	13.9	2.39	5.38	<0.05	0.04	0.02	0.021	0.14	8.0	9.3	0.49	760	1.00
I314909		0.38	12.5	2.56	5.25	0.05	0.06	0.01	0.019	0.12	10.2	11.4	0.50	207	1.06
I314910		0.46	13.7	2.40	5.12	0.05	0.08	0.01	0.021	0.06	10.8	10.6	0.50	248	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314871		2.35	60.5	310	5.7	3.3	<0.001	0.01	0.36	4.9	0.2	0.5	25.8	<0.01	0.02
I314872		0.93	181.5	1130	20.2	5.0	0.001	0.05	0.71	6.9	2.3	0.3	67.7	<0.01	0.06
I314873		1.24	41.7	760	11.4	6.5	<0.001	0.03	0.41	4.1	1.3	0.4	54.7	<0.01	0.03
I314874		0.84	41.5	850	12.7	4.2	0.001	0.04	1.20	3.1	4.8	0.3	61.7	<0.01	0.05
I314875		0.96	39.0	660	13.3	5.1	0.001	0.03	1.13	3.9	2.6	0.3	58.9	<0.01	0.05
I314876		0.48	42.2	720	5.6	3.5	0.001	0.14	0.52	1.6	2.1	0.3	188.0	<0.01	0.04
I314877		1.35	26.7	300	4.3	7.7	<0.001	0.02	0.31	6.7	0.5	0.4	45.0	<0.01	0.02
I314878		1.64	26.8	290	7.9	10.1	<0.001	0.01	0.31	6.7	0.5	0.5	35.3	<0.01	0.02
I314879		0.84	61.5	940	15.7	6.5	<0.001	0.03	0.91	7.9	1.6	0.3	39.4	<0.01	0.05
I314880		0.80	66.4	930	16.1	6.1	<0.001	0.03	0.97	8.0	1.7	0.4	39.8	<0.01	0.06
I314881		1.94	17.6	230	9.0	11.0	<0.001	0.02	0.31	4.7	0.3	0.5	39.1	<0.01	0.02
I314882		1.64	25.8	300	12.6	13.5	<0.001	0.02	0.49	7.7	0.9	0.7	46.1	<0.01	0.02
I314883		1.96	18.9	300	11.2	17.9	<0.001	0.04	0.33	5.7	0.4	0.5	85.1	<0.01	0.02
I314884		1.60	17.3	650	14.5	15.2	<0.001	0.03	0.28	4.8	0.4	0.5	54.3	<0.01	0.01
I314885		1.43	17.3	560	15.8	15.5	<0.001	0.06	0.32	5.0	0.7	0.5	78.2	<0.01	0.02
I314886		0.89	38.8	630	10.2	9.1	<0.001	0.06	0.47	6.2	1.2	0.4	90.6	<0.01	0.02
I314887		1.52	25.0	410	12.2	11.7	<0.001	0.02	0.30	5.1	0.6	0.5	33.0	<0.01	0.02
I314888		2.40	28.5	340	6.1	6.9	<0.001	0.02	0.27	5.2	0.3	0.6	30.5	<0.01	0.02
I314889		1.81	25.4	460	10.3	13.1	<0.001	0.02	0.32	4.1	0.3	0.6	31.9	<0.01	0.03
I314890		0.14	4.0	120	1.7	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.6	<0.01	<0.01
I314891		1.49	20.0	350	24.3	17.8	<0.001	0.01	0.26	5.0	0.3	0.5	32.6	<0.01	0.02
I314892		1.76	19.4	360	28.9	18.8	<0.001	0.02	0.51	6.1	0.6	0.9	49.3	<0.01	0.02
I314893		1.53	13.7	410	12.0	17.7	<0.001	0.02	0.30	3.4	0.4	0.7	31.8	<0.01	0.02
I314894		0.81	16.3	890	20.7	20.4	<0.001	0.08	0.53	6.7	1.4	0.5	71.7	0.01	0.02
I314895		1.47	21.1	800	9.7	7.1	<0.001	0.03	0.53	4.6	0.4	0.5	40.5	<0.01	0.02
I314896		1.28	15.7	810	6.2	6.5	<0.001	0.03	0.44	3.5	0.6	0.4	38.9	<0.01	0.02
I314897		1.33	20.0	770	7.8	9.6	0.001	0.04	0.55	4.3	0.7	0.5	42.3	<0.01	0.02
I314898		1.35	24.0	770	8.0	7.7	<0.001	0.03	0.72	4.2	0.7	0.4	44.5	<0.01	0.03
I314899		1.31	19.4	660	7.6	6.7	<0.001	0.02	0.59	4.3	0.7	0.4	35.5	<0.01	0.02
I314900		1.34	20.6	680	7.7	7.3	<0.001	0.02	0.57	4.6	0.6	0.4	36.7	<0.01	0.02
I314901		1.85	17.4	540	10.1	15.3	<0.001	0.03	0.32	5.2	0.5	0.6	54.7	<0.01	0.01
I314902		1.10	16.7	710	10.5	14.1	<0.001	0.06	0.36	4.6	0.7	0.5	95.7	<0.01	0.01
I314903		1.35	27.4	560	5.9	8.4	<0.001	0.05	0.37	6.5	0.9	0.4	72.4	<0.01	0.02
I314904		1.22	17.7	210	12.1	15.8	<0.001	0.02	0.35	4.2	0.3	0.5	52.5	<0.01	0.01
I314905		1.67	17.9	310	12.4	16.7	<0.001	0.02	0.44	4.3	0.3	0.6	27.5	<0.01	0.01
I314906		1.29	10.9	280	6.3	20.5	<0.001	0.02	0.39	2.4	0.3	0.5	14.7	<0.01	0.02
I314907		1.37	11.5	180	6.3	6.6	<0.001	0.02	0.35	2.4	0.2	0.5	14.7	<0.01	0.02
I314908		1.45	14.8	300	6.0	16.7	<0.001	0.02	0.44	3.2	0.3	0.5	22.9	<0.01	0.02
I314909		1.67	16.5	420	7.9	9.7	<0.001	0.02	0.57	3.3	0.5	0.5	29.5	<0.01	0.03
I314910		1.51	17.6	450	6.9	7.7	<0.001	0.02	0.44	3.6	0.5	0.5	35.0	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314871		0.145	0.09	0.29	88	0.12	3.31	49	2.8
I314872		0.052	0.06	1.22	76	0.14	14.50	245	10.0
I314873		0.088	0.04	1.19	50	0.13	7.64	80	8.0
I314874		0.052	0.04	1.79	39	0.17	8.87	132	7.6
I314875		0.063	0.09	0.95	55	0.13	10.05	123	7.2
I314876		0.024	0.04	7.83	21	<0.05	8.28	25	5.5
I314877		0.100	0.06	0.53	68	0.14	6.19	54	3.1
I314878		0.110	0.07	0.63	65	0.10	10.30	47	8.3
I314879		0.052	0.07	0.67	59	0.12	14.80	141	10.6
I314880		0.047	0.07	0.68	60	0.16	15.65	143	10.5
I314881		0.105	0.07	0.53	59	0.16	4.38	37	3.8
I314882		0.082	0.09	2.34	62	0.19	35.5	38	4.0
I314883		0.089	0.08	3.98	52	0.20	8.98	30	3.8
I314884		0.089	0.08	2.41	44	0.16	9.28	44	2.6
I314885		0.068	0.08	3.93	41	0.19	8.33	33	2.0
I314886		0.038	0.08	1.05	54	0.11	13.40	62	2.4
I314887		0.090	0.08	0.66	55	0.14	11.70	44	3.1
I314888		0.168	0.05	0.41	76	0.13	4.32	42	7.7
I314889		0.103	0.09	0.57	73	0.17	4.34	41	1.4
I314890		0.006	0.04	0.42	3	0.05	2.09	5	2.8
I314891		0.061	0.14	1.04	51	0.15	6.75	40	1.9
I314892		0.097	0.10	1.64	60	0.20	15.10	58	4.7
I314893		0.079	0.09	0.86	44	0.25	6.11	36	1.9
I314894		0.041	0.14	3.93	38	0.20	34.0	50	1.3
I314895		0.099	0.07	0.57	58	0.31	7.10	55	4.2
I314896		0.084	0.04	0.87	56	0.61	6.47	40	2.1
I314897		0.066	0.07	1.26	50	0.14	6.54	54	1.7
I314898		0.070	0.06	1.10	50	0.16	8.32	58	2.3
I314899		0.069	0.06	0.92	48	0.16	7.73	42	3.1
I314900		0.074	0.06	0.99	48	0.22	8.77	42	3.4
I314901		0.089	0.09	2.79	44	0.42	9.72	41	4.3
I314902		0.057	0.07	2.18	41	0.14	7.95	39	2.9
I314903		0.077	0.05	0.67	60	0.11	12.85	42	2.9
I314904		0.078	0.09	0.62	59	0.11	3.85	41	2.4
I314905		0.084	0.09	0.56	60	0.14	3.84	41	3.2
I314906		0.065	0.06	0.30	46	0.15	2.13	26	0.9
I314907		0.062	0.07	0.25	47	0.15	1.88	30	1.2
I314908		0.082	0.07	0.39	51	0.16	2.37	43	1.3
I314909		0.091	0.06	0.37	57	0.24	3.14	50	2.3
I314910		0.081	0.06	0.59	52	0.18	4.39	44	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314911		0.24	<0.005	0.07	1.56	7.0	<0.2	<10	310	0.29	0.16	0.51	0.17	19.10	8.6	26
I314912		0.22	0.007	0.10	1.47	7.6	<0.2	<10	270	0.34	0.20	0.51	0.16	21.1	9.8	25
I314913		0.24	NSS	0.13	0.30	9.6	<0.2	<10	60	0.39	10.35	0.49	0.21	25.5	9.6	12
I314914		0.30	<0.005	0.06	1.56	7.3	<0.2	<10	260	0.40	0.23	0.56	0.09	22.9	7.8	27
I314915		0.30	0.007	0.10	1.47	6.5	<0.2	<10	260	0.43	0.15	0.65	0.12	23.6	9.1	27
I314916		0.28	0.006	0.09	1.40	5.9	<0.2	<10	240	0.33	0.16	0.54	0.09	22.0	6.4	25
I314917		0.38	0.007	0.18	1.73	8.6	<0.2	<10	380	0.59	0.16	1.18	0.25	31.7	12.1	30
I314918		0.32	0.006	0.06	1.60	7.1	<0.2	<10	250	0.46	0.15	0.53	0.07	24.6	8.2	28
I314919		0.36	0.008	0.14	1.77	8.8	<0.2	<10	350	0.66	0.17	0.86	0.15	32.2	11.0	30
I314920		0.24	0.006	0.08	1.64	6.0	<0.2	<10	290	0.35	0.16	1.01	0.12	21.6	8.0	28
I314921		0.30	<0.005	0.09	1.75	6.1	<0.2	<10	280	0.48	0.15	0.62	0.17	25.6	10.1	29
I314922		0.42	0.014	0.12	1.68	8.7	<0.2	<10	290	0.54	0.17	0.73	0.11	31.4	11.3	29
I314923		0.28	0.007	0.09	1.60	8.6	<0.2	<10	250	0.44	0.15	0.93	0.17	28.0	11.4	28
I314924		0.26	0.005	0.08	1.42	7.0	<0.2	<10	280	0.41	0.16	0.66	0.14	22.9	9.3	26
I314925		0.28	0.006	0.10	1.40	6.0	<0.2	<10	220	0.39	0.15	0.70	0.18	24.2	9.6	28
I314926		0.34	0.006	0.12	1.49	8.2	<0.2	<10	290	0.50	0.15	0.84	0.12	24.2	9.5	26
I314927		0.32	0.008	0.13	1.47	6.7	<0.2	<10	300	0.42	0.15	0.89	0.16	21.8	8.6	25
I314928		0.26	0.005	0.10	1.37	9.2	<0.2	<10	240	0.43	0.14	1.13	0.16	23.3	11.0	26
I314929		0.40	0.009	0.11	1.24	8.3	<0.2	<10	190	0.40	0.14	0.96	0.14	23.1	8.5	26
I314930		0.34	0.008	0.07	1.10	6.9	<0.2	<10	150	0.32	0.11	0.75	0.09	24.3	9.2	26
I314931		0.46	0.008	0.09	1.41	7.0	<0.2	<10	200	0.43	0.13	0.68	0.15	24.6	10.5	32
I314932		0.42	0.005	0.09	1.26	9.4	<0.2	<10	200	0.35	0.13	0.70	0.10	24.0	10.2	28
I314933		0.34	0.007	0.10	1.48	10.6	<0.2	<10	310	0.38	0.16	1.01	0.21	23.5	11.1	31
I314934		0.26	0.007	0.11	1.40	7.9	<0.2	<10	320	0.41	0.15	1.09	0.20	21.6	9.2	26
I314935		0.32	0.006	0.09	1.31	7.9	<0.2	<10	220	0.29	0.14	0.87	0.14	21.8	8.9	27
I314936		0.44	0.008	0.10	1.57	10.0	<0.2	<10	230	0.43	0.16	0.68	0.10	27.6	9.4	31
I314937		0.46	0.008	0.10	1.33	8.0	<0.2	<10	240	0.39	0.14	0.92	0.16	23.0	9.6	27
I314938		0.34	0.007	0.09	1.27	8.5	<0.2	<10	340	0.36	0.14	0.88	0.17	20.0	8.8	25
I314939		0.40	<0.005	0.09	1.56	7.3	<0.2	<10	330	0.38	0.15	0.44	0.09	21.3	10.4	30
I314940		0.28	0.009	0.26	2.29	9.0	<0.2	<10	380	0.31	0.75	0.97	0.49	24.7	18.0	55
I314941		0.28	NSS	0.03	0.31	10.1	<0.2	<10	100	0.31	0.06	0.62	0.26	42.5	10.2	14
I314942		0.30	0.009	0.35	2.43	11.5	<0.2	<10	370	0.50	1.02	0.82	0.50	28.6	28.0	61
I314943		0.50	0.013	0.34	2.43	10.3	<0.2	<10	290	0.43	1.10	0.51	0.53	20.8	16.2	62
I314944		0.28	0.010	0.28	2.43	10.5	<0.2	<10	240	0.31	0.94	0.76	0.21	20.9	15.3	59
I314945		0.30	0.008	0.28	2.02	5.5	<0.2	<10	250	0.69	0.80	0.70	0.44	19.20	13.3	58
I314946		0.32	0.009	0.21	2.07	7.7	<0.2	<10	250	0.35	0.80	0.74	0.17	20.7	12.8	46
I314947		0.34	0.011	0.21	2.37	7.4	<0.2	<10	250	0.43	0.73	0.84	0.16	22.4	16.0	52
I314948		0.32	0.009	0.15	2.47	6.2	<0.2	<10	240	0.45	0.71	0.64	0.13	20.1	14.4	54
I314949		0.32	0.007	0.24	2.70	5.9	<0.2	<10	290	0.46	0.67	0.79	0.10	28.6	21.3	77
I314950		0.32	0.010	0.24	2.47	10.8	<0.2	<10	250	0.44	0.62	0.53	0.11	22.5	17.2	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314911		0.44	13.2	2.36	5.08	<0.05	0.12	0.02	0.019	0.06	9.8	10.0	0.46	425	1.07
I314912		0.59	23.5	2.32	4.97	0.05	0.12	0.01	0.021	0.06	10.1	9.3	0.45	530	1.76
I314913		0.26	21.6	2.37	1.64	0.06	0.08	0.01	0.006	0.05	12.9	3.9	0.21	847	1.42
I314914		0.59	16.7	2.35	5.05	0.05	0.10	0.01	0.020	0.05	11.5	10.1	0.49	255	1.06
I314915		0.50	19.4	2.25	5.06	0.05	0.04	0.01	0.018	0.05	11.5	9.7	0.43	414	0.99
I314916		0.48	16.4	2.11	4.85	<0.05	0.09	0.01	0.019	0.07	11.5	9.4	0.41	182	0.95
I314917		0.40	34.8	2.50	5.30	0.07	0.09	0.04	0.023	0.06	15.7	9.6	0.46	469	1.08
I314918		0.42	21.1	2.38	5.14	0.06	0.16	0.02	0.021	0.05	12.8	10.1	0.46	231	0.70
I314919		0.56	31.0	2.60	5.47	0.07	0.09	0.04	0.025	0.05	16.5	11.2	0.52	398	0.71
I314920		0.46	17.3	2.31	5.20	0.05	0.13	0.02	0.023	0.05	10.9	9.4	0.41	249	0.79
I314921		0.45	20.8	2.51	5.48	0.06	0.23	0.02	0.024	0.07	12.4	10.5	0.51	474	0.58
I314922		0.53	27.6	2.68	5.25	0.08	0.15	0.03	0.024	0.06	15.5	11.7	0.54	430	0.79
I314923		0.59	18.9	2.53	5.07	0.08	0.12	0.03	0.023	0.05	13.5	10.5	0.51	646	0.88
I314924		0.52	15.0	2.41	4.56	0.05	0.08	0.01	0.022	0.07	10.5	10.4	0.47	374	1.00
I314925		0.51	20.9	2.26	4.72	0.05	0.04	0.01	0.020	0.07	12.1	9.4	0.49	442	0.79
I314926		0.56	19.3	2.49	4.93	0.06	0.05	0.02	0.022	0.04	12.2	10.0	0.48	385	1.27
I314927		0.58	20.1	2.19	4.87	0.05	0.03	0.02	0.022	0.04	11.3	9.4	0.45	426	1.09
I314928		0.50	24.3	2.42	4.54	0.06	0.07	0.02	0.021	0.05	11.6	10.2	0.55	546	1.14
I314929		0.52	23.4	2.24	4.19	0.05	0.06	0.02	0.018	0.05	11.5	10.0	0.50	367	1.30
I314930		0.56	14.5	2.20	3.76	0.06	0.07	0.02	0.016	0.05	12.1	8.6	0.48	447	0.77
I314931		0.52	30.0	2.49	4.05	<0.05	0.11	0.02	0.021	0.06	12.5	9.7	0.52	319	0.72
I314932		0.53	21.9	2.33	3.87	<0.05	0.08	0.02	0.019	0.06	11.9	10.0	0.52	392	1.12
I314933		0.63	24.7	2.54	4.29	<0.05	0.10	0.04	0.022	0.06	11.4	10.2	0.54	679	1.19
I314934		0.48	24.9	2.21	4.13	<0.05	0.07	0.03	0.020	0.05	11.1	8.7	0.45	396	1.25
I314935		0.45	22.4	2.27	3.76	<0.05	0.10	0.03	0.018	0.04	10.9	9.0	0.45	294	0.55
I314936		0.55	27.4	2.63	4.56	<0.05	0.17	0.03	0.025	0.05	13.3	10.9	0.50	242	0.58
I314937		0.45	25.4	2.32	3.94	<0.05	0.09	0.03	0.021	0.04	11.8	9.0	0.45	389	0.74
I314938		0.53	22.5	2.18	3.80	<0.05	0.03	0.02	0.019	0.03	9.5	8.8	0.40	384	0.96
I314939		0.46	13.2	2.56	4.41	<0.05	0.09	0.02	0.022	0.04	9.1	7.6	0.38	621	0.96
I314940		2.10	58.6	2.84	6.01	0.06	0.04	0.05	0.019	0.18	12.8	8.6	1.09	501	1.25
I314941		0.30	9.1	2.31	1.66	0.06	0.04	0.02	0.007	0.05	22.1	3.6	0.24	877	1.28
I314942		2.32	80.0	3.10	6.93	0.07	0.03	0.05	0.025	0.16	14.5	9.7	1.00	683	2.11
I314943		2.43	63.0	3.09	7.03	0.09	0.03	0.02	0.024	0.22	9.9	10.7	1.12	367	1.58
I314944		2.83	55.2	3.02	7.12	0.07	0.04	0.04	0.022	0.17	10.5	11.7	1.01	369	7.07
I314945		2.69	94.8	2.96	7.95	0.05	0.03	0.03	0.023	0.17	9.1	6.6	0.75	304	4.69
I314946		2.26	56.9	2.61	6.24	0.07	0.03	0.03	0.019	0.19	10.1	11.3	0.81	411	0.98
I314947		2.33	70.2	2.96	7.30	0.07	0.04	0.04	0.021	0.19	11.2	12.3	0.87	460	1.14
I314948		2.46	67.7	3.12	7.55	0.08	0.04	0.04	0.022	0.19	10.2	12.1	0.91	400	1.15
I314949		3.06	75.0	3.39	7.82	0.09	0.04	0.05	0.021	0.32	13.6	13.5	1.23	617	1.29
I314950		2.19	67.4	3.29	7.58	0.08	0.05	0.03	0.022	0.18	11.0	13.2	0.84	481	1.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314911		1.55	17.1	460	7.5	10.5	<0.001	0.02	0.44	3.4	0.4	0.5	33.7	<0.01	0.03
I314912		1.40	21.9	460	11.1	10.9	<0.001	0.03	0.50	3.7	0.5	0.5	34.9	<0.01	0.03
I314913		0.64	20.4	610	4.4	5.7	<0.001	0.03	0.61	2.0	0.4	0.3	13.5	<0.01	0.04
I314914		1.40	20.3	500	7.3	7.3	<0.001	0.02	0.46	4.1	0.4	0.5	37.3	<0.01	0.02
I314915		1.29	19.1	560	7.3	7.3	<0.001	0.03	0.43	3.7	0.6	0.5	44.2	<0.01	0.02
I314916		1.41	17.8	540	7.6	7.8	<0.001	0.02	0.39	3.8	0.5	0.5	39.0	<0.01	0.02
I314917		1.39	27.9	650	8.3	8.7	<0.001	0.07	0.79	5.2	1.0	0.5	74.8	<0.01	0.02
I314918		1.25	20.1	400	7.3	6.6	<0.001	0.02	0.49	5.0	0.5	0.5	34.1	<0.01	0.03
I314919		1.39	26.9	580	8.2	8.0	<0.001	0.03	0.63	5.2	1.0	0.5	59.3	<0.01	0.05
I314920		1.61	18.9	440	7.1	9.7	<0.001	0.03	0.47	4.8	0.9	0.5	65.0	<0.01	0.02
I314921		1.50	20.5	590	7.6	11.1	<0.001	0.02	0.47	5.5	0.6	0.5	42.9	<0.01	0.02
I314922		1.56	25.1	580	8.6	8.8	<0.001	0.02	0.61	5.3	0.9	0.5	48.1	<0.01	0.03
I314923		1.59	18.6	770	8.0	8.0	<0.001	0.04	0.61	5.0	1.0	0.5	62.0	<0.01	0.03
I314924		1.40	20.1	530	7.9	10.0	<0.001	0.02	0.52	4.1	0.4	0.5	43.3	<0.01	0.02
I314925		1.23	21.6	620	6.8	10.5	<0.001	0.03	0.41	3.9	0.5	0.4	43.0	<0.01	0.02
I314926		1.32	19.7	690	7.7	6.3	0.001	0.04	0.50	3.8	0.8	0.5	50.6	<0.01	0.02
I314927		1.16	19.6	700	7.6	6.2	<0.001	0.04	0.50	3.4	0.8	0.5	53.4	<0.01	0.02
I314928		1.27	21.1	770	6.9	5.3	<0.001	0.06	0.57	4.0	0.8	0.4	61.4	<0.01	0.03
I314929		1.13	20.9	850	6.8	6.2	<0.001	0.05	0.51	3.7	0.9	0.4	52.1	<0.01	0.02
I314930		1.18	17.8	860	5.3	5.6	<0.001	0.03	0.48	3.7	0.5	0.4	41.7	<0.01	0.01
I314931		1.42	25.5	630	6.7	6.7	<0.001	0.02	0.49	4.8	0.6	0.4	37.5	<0.01	0.01
I314932		1.28	21.6	710	6.9	6.5	<0.001	0.02	0.45	4.2	0.4	0.4	40.0	<0.01	0.02
I314933		1.39	21.7	820	7.8	6.5	<0.001	0.05	0.60	4.7	1.1	0.4	55.6	<0.01	0.02
I314934		1.24	22.0	790	6.9	6.4	<0.001	0.05	0.46	3.5	1.0	0.4	60.2	<0.01	0.03
I314935		1.30	18.8	720	6.7	5.6	<0.001	0.04	0.47	4.3	0.7	0.4	47.7	<0.01	0.02
I314936		1.56	21.2	610	7.9	7.0	<0.001	0.02	0.54	5.9	0.6	0.5	39.5	<0.01	0.02
I314937		1.28	20.4	780	6.8	5.9	<0.001	0.04	0.51	4.1	0.8	0.4	51.2	<0.01	0.01
I314938		0.82	21.2	690	6.8	6.2	<0.001	0.04	0.35	2.3	0.9	0.4	52.8	<0.01	0.03
I314939		1.33	18.0	450	7.8	6.4	<0.001	0.01	0.34	4.8	0.2	0.5	28.0	<0.01	0.01
I314940		1.16	32.6	790	4.2	30.5	<0.001	0.10	0.45	4.7	1.3	0.5	50.2	<0.01	0.13
I314941		0.78	18.6	680	4.5	5.9	<0.001	0.02	0.45	2.0	<0.2	0.3	14.8	<0.01	0.01
I314942		1.19	38.0	790	6.4	26.9	0.001	0.11	0.40	5.3	1.5	0.6	46.9	<0.01	0.18
I314943		1.24	33.6	560	5.1	27.5	<0.001	0.07	0.26	6.2	0.9	0.6	31.6	<0.01	0.18
I314944		1.43	34.2	540	5.5	29.6	0.001	0.07	0.35	6.1	0.9	0.6	39.0	<0.01	0.18
I314945		1.60	44.1	580	6.2	34.4	0.001	0.07	0.33	4.5	0.8	0.8	36.3	<0.01	0.09
I314946		1.37	28.0	590	5.1	29.9	<0.001	0.07	0.34	5.5	0.9	0.6	32.4	<0.01	0.15
I314947		1.64	32.3	630	4.8	32.0	<0.001	0.08	0.22	5.8	1.1	0.7	36.2	<0.01	0.18
I314948		1.68	31.8	570	4.7	32.6	<0.001	0.07	0.19	6.1	1.1	0.6	33.7	<0.01	0.16
I314949		1.66	40.7	700	4.6	37.5	<0.001	0.10	0.22	6.5	1.4	0.6	42.3	<0.01	0.16
I314950		1.91	28.6	620	5.5	29.1	<0.001	0.05	0.23	6.7	0.8	0.7	30.3	<0.01	0.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314911		0.079	0.07	0.51	53	0.17	4.05	50	3.9
I314912		0.075	0.07	0.83	50	0.28	4.41	59	4.2
I314913		0.023	0.23	0.75	18	0.10	7.09	24	4.0
I314914		0.072	0.07	0.90	53	0.21	5.66	43	4.0
I314915		0.066	0.06	1.67	50	0.20	6.49	40	1.5
I314916		0.067	0.06	0.93	46	0.47	5.57	38	3.5
I314917		0.072	0.05	1.00	55	0.18	11.45	41	3.8
I314918		0.077	0.05	1.20	51	0.13	7.10	39	6.0
I314919		0.080	0.06	1.82	59	0.19	11.80	46	3.7
I314920		0.081	0.06	0.77	49	0.16	5.49	42	4.6
I314921		0.100	0.06	1.01	54	0.15	7.08	46	9.5
I314922		0.101	0.07	2.51	60	0.17	10.50	52	6.9
I314923		0.098	0.07	0.88	58	0.28	7.98	54	5.1
I314924		0.071	0.07	0.88	51	0.16	4.99	49	2.8
I314925		0.070	0.06	0.82	50	0.20	7.26	49	1.2
I314926		0.064	0.06	1.57	55	0.18	6.76	39	1.5
I314927		0.060	0.05	1.39	51	0.15	6.89	36	1.2
I314928		0.064	0.05	1.05	50	0.14	8.26	47	2.2
I314929		0.067	0.06	1.16	49	0.16	7.78	41	2.0
I314930		0.075	0.06	0.60	51	0.19	7.16	41	2.4
I314931		0.085	0.05	1.25	60	0.14	9.43	49	4.2
I314932		0.076	0.06	0.91	53	0.16	8.03	45	2.6
I314933		0.069	0.07	0.99	56	0.14	8.76	52	3.8
I314934		0.064	0.05	1.24	48	0.15	8.49	44	2.3
I314935		0.069	0.05	0.91	50	0.90	7.66	47	3.5
I314936		0.087	0.06	1.06	59	0.26	10.00	53	7.3
I314937		0.068	0.05	0.92	52	0.20	8.22	46	3.6
I314938		0.038	0.04	1.52	47	0.14	6.57	44	0.7
I314939		0.061	0.07	0.52	56	0.24	3.77	48	3.3
I314940		0.091	0.21	1.09	72	0.39	12.95	70	1.2
I314941		0.026	0.14	0.78	24	0.12	8.80	24	1.7
I314942		0.091	0.19	1.37	84	0.48	12.10	77	1.1
I314943		0.108	0.22	1.06	84	0.77	7.60	70	1.2
I314944		0.113	0.23	0.94	81	0.77	8.05	66	1.3
I314945		0.113	0.18	0.82	70	1.03	7.26	61	1.2
I314946		0.103	0.24	0.83	70	3.25	8.43	59	1.2
I314947		0.120	0.25	0.92	80	2.10	8.61	67	1.5
I314948		0.129	0.26	0.84	85	1.33	7.48	70	1.5
I314949		0.135	0.32	1.27	88	1.42	11.00	70	1.7
I314950		0.142	0.26	0.86	89	1.22	7.21	62	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314951		0.44	0.007	0.08	1.38	9.7	<0.2	<10	270	0.36	0.16	0.51	0.08	28.5	8.6	27
I314952		0.60	0.006	0.11	1.40	8.1	<0.2	<10	220	0.38	0.14	0.38	0.06	23.0	7.6	28
I314953		0.56	0.008	0.11	1.46	10.7	<0.2	<10	280	0.40	0.16	0.63	0.11	30.4	10.9	29
I314954		0.40	0.006	0.08	1.35	8.7	<0.2	<10	230	0.35	0.16	0.75	0.11	24.1	9.6	28
I314955		0.40	0.008	0.13	1.64	8.6	<0.2	<10	350	0.47	0.17	0.58	0.15	27.5	9.6	28
I314956		0.52	0.008	0.09	1.22	9.8	<0.2	<10	240	0.44	0.15	0.60	0.14	26.3	11.4	27
I314957		0.40	0.007	0.07	1.32	7.8	<0.2	<10	350	0.37	0.15	0.54	0.12	24.8	8.3	26
I314958		0.46	0.005	0.05	1.36	6.0	<0.2	<10	220	0.32	0.14	0.31	0.07	19.80	6.8	23
I314959		0.38	0.005	0.05	1.64	7.8	<0.2	<10	230	0.30	0.13	0.43	0.07	15.80	10.2	23
I314960		0.34	NSS	0.02	0.37	10.9	<0.2	<10	90	0.22	0.04	0.56	0.19	31.5	11.0	15
I314961		0.46	0.009	0.07	1.90	5.9	<0.2	<10	180	0.34	0.13	0.31	0.06	19.35	12.6	24
I314962		0.42	<0.005	0.09	1.64	7.4	<0.2	<10	170	0.35	0.14	0.22	0.04	17.10	10.0	27
I314963		0.34	0.005	0.08	1.93	7.1	<0.2	<10	290	0.39	0.15	0.30	0.04	19.50	8.6	30
I314964		0.30	0.005	0.07	1.04	3.8	<0.2	<10	100	0.13	0.09	0.21	0.03	9.04	5.7	11
I314965		0.42	0.007	0.06	1.87	2.4	<0.2	<10	350	0.43	0.10	0.81	0.17	16.20	17.7	17
I314966		0.44	0.008	0.17	1.57	7.1	<0.2	<10	830	0.51	0.16	0.78	0.30	31.8	11.5	27
I314967		0.44	0.008	0.12	1.73	7.5	<0.2	<10	440	0.47	0.16	0.76	0.16	28.0	11.8	30
I314968		0.44	0.008	0.07	1.28	5.2	<0.2	<10	210	0.24	0.11	0.62	0.08	17.25	6.8	22
I314969		0.42	0.010	0.13	1.83	9.8	<0.2	<10	340	0.49	0.20	0.82	0.13	31.2	11.9	33
I314970		0.38	0.009	0.15	1.95	10.8	<0.2	<10	360	0.55	0.22	0.85	0.12	34.1	12.7	36
I314971		0.40	0.007	0.16	1.90	8.8	<0.2	<10	320	0.51	0.19	0.67	0.24	24.8	12.3	36
I314972		0.36	0.009	0.14	1.90	9.9	<0.2	<10	260	0.44	0.20	0.64	0.12	28.4	12.7	32
I314973		0.36	0.010	0.11	1.62	9.0	<0.2	<10	280	0.41	0.18	0.64	0.20	28.1	11.3	29
I314974		0.32	<0.005	0.06	1.45	7.1	<0.2	<10	290	0.35	0.17	0.60	0.09	23.3	8.6	27
I314975		0.30	0.007	0.08	1.60	6.1	<0.2	<10	240	0.36	0.16	0.67	0.15	21.8	8.0	27
I314976		0.30	0.009	0.11	1.51	7.1	<0.2	<10	360	0.36	0.16	0.56	0.33	20.9	8.7	33
I314977		0.32	0.006	0.13	1.82	6.6	<0.2	<10	370	0.47	0.19	1.07	0.36	23.0	9.6	30
I314978		0.34	0.007	0.09	1.82	9.5	<0.2	<10	320	0.50	0.19	0.81	0.13	26.5	11.2	31
I314979		0.50	0.009	0.09	1.49	7.8	<0.2	<10	260	0.45	0.15	0.65	0.08	25.2	8.2	30
I314980		0.28	NSS	0.01	0.12	1.9	<0.2	<10	30	0.09	0.02	0.09	0.03	10.80	2.0	3
I314981		0.36	0.009	0.13	1.65	9.1	<0.2	<10	330	0.40	0.17	0.82	0.20	28.1	11.3	29
I314982		0.30	0.007	0.09	1.83	7.5	<0.2	<10	270	0.43	0.19	0.52	0.08	28.3	12.8	30
I314983		0.34	0.008	0.12	1.80	8.8	<0.2	<10	270	0.49	0.17	0.68	0.19	26.7	11.0	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314951		0.60	23.8	2.38	4.35	<0.05	0.08	0.03	0.022	0.04	14.3	11.3	0.46	204	0.98
I314952		0.47	15.8	2.21	4.55	<0.05	0.07	0.02	0.019	0.05	11.7	10.0	0.40	191	0.88
I314953		0.53	27.5	2.57	4.54	0.05	0.09	0.03	0.023	0.05	15.2	11.6	0.51	325	0.74
I314954		0.52	24.7	2.33	4.46	<0.05	0.07	0.02	0.022	0.05	12.3	10.5	0.49	374	0.73
I314955		0.61	23.8	2.49	5.18	<0.05	0.14	0.02	0.024	0.04	14.1	10.9	0.44	290	0.92
I314956		0.63	27.1	2.45	4.00	0.05	0.11	0.02	0.020	0.05	12.8	11.3	0.58	431	0.88
I314957		0.50	18.6	2.20	4.15	<0.05	0.19	0.02	0.021	0.04	12.5	9.7	0.45	244	0.63
I314958		0.46	13.1	1.97	4.57	<0.05	0.05	0.01	0.018	0.04	10.0	9.7	0.37	146	0.80
I314959		0.54	17.9	2.68	6.38	<0.05	0.09	0.01	0.026	0.04	7.8	11.5	0.62	315	0.83
I314960		0.26	7.7	2.33	1.98	<0.05	0.07	0.02	0.008	0.04	15.2	4.3	0.27	721	1.19
I314961		0.70	25.4	2.99	7.88	<0.05	0.06	0.01	0.035	0.03	9.5	14.2	0.84	317	0.68
I314962		0.77	16.8	2.61	5.85	<0.05	0.04	0.02	0.041	0.04	8.0	11.2	0.56	305	0.90
I314963		0.64	23.3	2.61	5.90	<0.05	0.10	0.02	0.027	0.04	9.8	14.3	0.53	154	0.57
I314964		0.49	10.1	1.60	5.91	<0.05	0.02	0.01	0.009	0.03	4.7	6.0	0.41	121	0.39
I314965		1.73	15.7	2.73	8.00	0.08	0.06	0.01	0.039	0.08	8.0	17.9	1.28	853	0.47
I314966		0.63	32.8	2.43	4.99	<0.05	0.06	0.04	0.025	0.04	16.6	11.4	0.46	885	0.92
I314967		0.38	30.3	2.53	5.11	0.08	0.18	0.04	0.025	0.06	13.7	11.1	0.47	523	0.92
I314968		0.38	16.8	1.87	3.73	0.06	0.05	0.02	0.019	0.04	8.4	8.1	0.36	219	0.71
I314969		0.61	29.7	2.77	5.19	0.08	0.08	0.03	0.026	0.08	15.0	13.4	0.55	510	1.17
I314970		0.74	33.3	2.92	5.85	0.09	0.08	0.04	0.029	0.08	16.4	14.8	0.59	554	1.31
I314971		0.56	34.5	2.97	5.64	0.08	0.17	0.02	0.031	0.08	12.8	12.6	0.59	551	1.38
I314972		0.46	23.5	2.85	5.18	0.08	0.20	0.03	0.027	0.11	13.7	12.7	0.50	518	1.23
I314973		0.65	33.2	2.66	4.92	0.08	0.24	0.03	0.026	0.09	14.2	13.1	0.58	467	0.87
I314974		0.51	23.1	2.26	4.32	0.06	0.06	0.01	0.020	0.04	11.9	10.9	0.44	314	1.05
I314975		0.49	23.7	2.38	4.57	0.07	0.15	0.02	0.021	0.08	11.2	10.9	0.49	246	0.74
I314976		0.47	21.8	2.34	4.60	0.07	0.08	0.02	0.022	0.07	10.5	11.3	0.46	321	1.14
I314977		0.47	33.2	2.56	5.27	0.07	0.15	0.03	0.026	0.08	11.7	10.7	0.51	450	0.96
I314978		0.49	35.8	2.71	5.53	0.08	0.17	0.03	0.026	0.06	13.4	11.2	0.50	420	1.37
I314979		0.58	32.5	2.40	4.56	0.07	0.07	0.01	0.020	0.05	12.9	10.6	0.49	241	1.07
I314980		0.08	2.6	0.68	0.59	<0.05	0.07	<0.01	<0.005	0.04	5.7	0.9	0.04	151	0.34
I314981		0.53	35.3	2.55	4.93	0.07	0.11	0.06	0.024	0.06	13.9	11.6	0.51	746	1.20
I314982		0.57	28.6	2.72	5.45	0.08	0.15	0.02	0.026	0.06	13.6	11.9	0.45	438	1.35
I314983		0.53	36.2	2.73	5.31	0.09	0.23	0.03	0.027	0.08	13.6	12.6	0.54	445	0.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314951		1.48	20.3	620	8.0	6.8	<0.001	0.01	0.47	4.7	0.6	0.4	37.6	<0.01	0.02	3.5
I314952		1.21	17.4	500	8.0	6.8	<0.001	0.01	0.36	4.1	<0.2	0.5	28.0	<0.01	0.01	3.1
I314953		1.35	25.1	660	8.2	6.6	<0.001	0.02	0.48	5.0	0.6	0.4	41.3	<0.01	0.01	2.9
I314954		1.41	22.7	640	7.3	6.1	<0.001	0.02	0.39	4.6	0.9	0.4	48.0	<0.01	0.02	2.3
I314955		1.58	19.9	500	8.4	7.8	<0.001	0.01	0.38	5.5	1.3	0.5	41.7	<0.01	0.01	3.4
I314956		1.28	27.3	780	7.8	6.3	<0.001	0.01	0.61	4.6	0.5	0.4	38.9	<0.01	0.01	3.4
I314957		1.56	18.6	400	8.2	7.4	<0.001	<0.01	0.44	4.7	0.5	0.4	39.5	<0.01	0.02	3.9
I314958		1.26	15.4	320	6.8	5.1	<0.001	0.01	0.28	3.6	0.3	0.5	23.9	<0.01	0.01	2.3
I314959		1.50	15.3	510	6.8	8.9	<0.001	<0.01	0.31	6.3	<0.2	0.6	27.4	<0.01	0.01	2.5
I314960		0.65	22.5	670	4.9	5.2	<0.001	0.01	0.45	2.3	0.2	0.2	14.2	<0.01	0.01	5.6
I314961		1.50	15.4	310	6.8	6.9	<0.001	0.01	0.32	7.9	0.2	0.7	20.1	<0.01	0.02	2.1
I314962		1.29	17.4	260	7.1	7.9	<0.001	0.01	0.35	6.9	0.2	0.6	16.2	<0.01	0.02	2.2
I314963		1.27	17.3	300	7.8	8.6	<0.001	0.01	0.39	6.2	<0.2	0.5	21.7	<0.01	0.02	2.7
I314964		0.92	6.1	410	4.7	3.6	<0.001	0.01	0.15	2.7	<0.2	0.4	18.5	<0.01	<0.01	0.3
I314965		1.59	13.3	840	4.4	14.3	<0.001	0.02	0.21	14.4	0.9	0.5	35.5	<0.01	0.01	1.4
I314966		1.32	22.1	750	7.7	8.1	<0.001	0.03	0.48	5.2	1.3	0.4	49.8	<0.01	0.02	1.6
I314967		1.57	22.9	500	9.6	7.3	0.001	0.01	0.47	6.4	0.9	0.5	46.9	0.01	0.03	3.8
I314968		1.06	13.8	440	6.6	5.1	<0.001	0.01	0.35	3.9	0.6	0.4	35.1	<0.01	0.03	1.6
I314969		1.43	27.0	620	10.3	9.5	<0.001	0.01	0.59	5.4	0.8	0.5	51.0	0.01	0.03	3.2
I314970		1.56	26.6	640	11.4	10.8	<0.001	0.01	0.69	6.1	0.9	0.6	56.3	0.01	0.04	3.3
I314971		1.90	31.2	610	10.1	11.4	<0.001	<0.01	0.49	6.0	0.9	0.5	45.0	<0.01	0.03	3.9
I314972		1.63	22.9	530	10.6	9.0	<0.001	<0.01	0.53	6.2	0.7	0.5	42.5	<0.01	0.03	4.6
I314973		1.41	29.5	600	9.6	9.0	<0.001	<0.01	0.54	5.8	0.6	0.5	38.6	<0.01	0.03	4.7
I314974		1.28	22.4	540	8.7	6.3	<0.001	<0.01	0.41	4.3	0.7	0.5	37.6	<0.01	0.02	3.0
I314975		1.62	20.8	490	8.2	8.3	<0.001	<0.01	0.44	5.0	0.6	0.4	41.1	<0.01	0.03	3.3
I314976		1.41	26.6	650	8.9	7.9	<0.001	<0.01	0.50	4.3	0.6	0.5	37.2	<0.01	0.02	3.1
I314977		1.75	27.4	620	9.8	9.5	<0.001	0.02	0.62	5.9	1.2	0.5	72.2	<0.01	0.03	2.9
I314978		1.85	24.9	490	10.0	7.6	<0.001	0.01	0.53	6.1	1.1	0.5	52.3	<0.01	0.03	3.6
I314979		1.52	23.3	590	8.2	6.2	<0.001	0.01	0.39	4.9	0.8	0.4	41.2	<0.01	0.02	3.0
I314980		0.14	4.0	120	1.5	2.2	<0.001	<0.01	0.14	0.6	<0.2	<0.2	7.0	<0.01	0.01	1.9
I314981		1.63	28.7	730	9.2	8.0	<0.001	0.01	0.50	5.4	0.9	0.5	52.8	0.01	0.03	3.2
I314982		1.78	23.0	450	10.0	7.8	<0.001	<0.01	0.44	5.7	0.9	0.5	38.1	<0.01	0.03	3.6
I314983		1.69	24.7	650	9.1	8.4	<0.001	<0.01	0.50	6.4	0.7	0.5	42.9	<0.01	0.03	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314951		0.071	0.07	1.95	48	0.29	8.30	44	3.5
I314952		0.075	0.06	0.51	52	0.17	5.35	39	3.0
I314953		0.073	0.06	1.11	55	0.26	10.25	46	3.6
I314954		0.077	0.05	1.01	53	0.24	8.52	44	2.4
I314955		0.077	0.06	1.73	58	0.14	9.13	43	5.7
I314956		0.081	0.06	0.91	53	0.26	9.61	56	4.4
I314957		0.072	0.05	0.78	44	0.19	6.50	45	6.7
I314958		0.059	0.06	0.55	46	0.27	4.34	34	2.0
I314959		0.089	0.07	0.31	63	0.18	3.72	57	3.2
I314960		0.030	0.17	0.71	26	0.09	7.52	25	3.5
I314961		0.131	0.07	0.38	73	0.13	5.97	68	2.3
I314962		0.082	0.08	0.33	59	0.15	2.92	55	1.7
I314963		0.086	0.07	0.51	64	0.13	5.35	41	4.4
I314964		0.103	0.05	0.19	45	0.12	2.09	30	0.6
I314965		0.154	0.09	1.02	58	0.11	12.50	91	2.1
I314966		0.074	0.05	1.90	52	0.18	15.00	50	2.2
I314967		0.094	0.05	1.67	57	0.30	10.65	46	8.1
I314968		0.067	0.04	0.86	41	0.13	4.80	33	2.2
I314969		0.070	0.07	1.29	55	0.20	10.35	57	2.9
I314970		0.072	0.08	1.39	56	0.23	11.70	60	3.1
I314971		0.101	0.06	1.87	64	0.18	8.53	61	7.8
I314972		0.095	0.06	1.18	59	0.18	7.66	49	8.8
I314973		0.101	0.09	0.69	54	0.22	10.60	52	12.3
I314974		0.063	0.06	0.85	46	0.24	7.09	41	2.6
I314975		0.093	0.06	0.89	47	0.19	7.40	45	7.0
I314976		0.071	0.06	0.81	49	0.16	5.94	47	3.5
I314977		0.088	0.05	2.57	48	0.19	8.96	54	6.7
I314978		0.102	0.05	1.95	60	0.23	9.94	44	8.5
I314979		0.078	0.05	1.20	54	0.40	9.01	39	3.0
I314980		0.006	0.03	0.30	4	0.05	2.15	5	2.8
I314981		0.091	0.05	2.38	54	0.21	10.25	48	4.9
I314982		0.103	0.06	1.53	59	0.23	9.08	41	6.8
I314983		0.113	0.06	0.86	58	0.17	10.95	50	11.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **22-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122484

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033701		0.36	0.013	0.07	1.15	5.8	<0.2	<10	70	0.32	0.11	0.55	0.12	28.5	11.0	27
I033702		0.46	<0.005	0.07	1.68	5.3	<0.2	<10	90	0.43	0.12	1.04	0.12	36.4	16.2	41
I033703		0.30	<0.005	0.10	1.46	11.0	<0.2	<10	100	0.46	0.10	1.39	0.22	48.6	13.0	32
I033704		0.34	<0.005	0.11	1.93	7.4	<0.2	<10	110	0.58	0.18	0.76	0.09	39.3	13.9	43
I033705		0.42	<0.005	0.15	1.73	9.8	<0.2	<10	120	0.56	0.19	0.96	0.10	35.9	20.8	39
I033706		0.32	<0.005	0.08	1.36	14.7	<0.2	<10	140	0.37	0.11	0.82	0.08	29.9	12.5	27
I033707		0.36	<0.005	0.05	1.49	14.3	<0.2	<10	120	0.30	0.14	0.58	0.10	37.6	9.1	27
I033708		0.32	<0.005	0.05	1.57	6.7	<0.2	<10	70	0.73	0.14	1.38	0.09	26.4	23.9	45
I033709		0.40	<0.005	0.07	1.61	6.5	<0.2	<10	140	0.26	0.12	0.47	0.14	17.25	8.8	29
I033710		0.38	<0.005	0.05	1.66	4.2	<0.2	<10	100	0.24	0.12	0.37	0.15	15.55	7.6	32
I033711		0.42	<0.005	0.21	1.96	8.8	<0.2	<10	290	0.53	0.17	0.79	0.10	42.8	15.3	43
I033712		0.38	0.007	0.19	1.57	5.6	<0.2	<10	190	0.38	0.15	0.78	0.14	29.9	10.1	34
I033713		0.30	<0.005	0.10	1.29	9.2	<0.2	<10	160	0.33	0.15	1.08	0.17	24.4	9.3	26
I033714		0.24	<0.005	0.11	1.25	6.0	<0.2	<10	150	0.34	0.14	1.26	0.13	24.8	10.4	25
I033715		0.30	<0.005	0.16	2.27	4.3	<0.2	<10	340	0.36	0.11	0.64	0.18	14.60	16.7	35
I033716		0.28	<0.005	0.08	1.76	4.9	<0.2	<10	720	0.41	0.13	0.51	0.21	21.7	11.0	27
I033717		0.30	<0.005	0.23	2.27	3.4	<0.2	<10	450	0.36	0.11	0.64	0.22	15.05	17.9	27
I033718		0.40	<0.005	0.23	2.36	4.7	<0.2	<10	500	0.44	0.21	0.78	0.56	20.5	18.5	28
I033719		0.42	<0.005	0.14	2.53	7.2	<0.2	<10	390	0.47	0.13	0.56	0.20	25.9	15.9	26
I033720		0.26	<0.005	0.39	1.82	4.8	<0.2	<10	650	0.36	0.13	0.73	1.05	19.90	13.4	27
I033721		0.38	<0.005	0.39	1.83	7.2	<0.2	<10	300	0.33	0.15	0.39	0.47	18.20	11.7	24
I033722		0.42	<0.005	0.13	1.69	7.7	<0.2	<10	310	0.43	0.14	0.50	0.25	27.0	12.1	29
I033723		0.36	<0.005	0.19	1.65	5.8	<0.2	<10	200	0.29	0.11	0.39	0.52	13.05	10.5	22
I033724		0.30	<0.005	0.23	1.77	6.2	<0.2	<10	270	0.25	0.13	0.46	1.07	14.35	9.4	19
I033725		0.38	<0.005	0.23	1.99	25.2	<0.2	<10	290	0.47	0.21	0.47	0.53	28.2	12.8	31
I033726		0.36	<0.005	0.31	2.50	11.9	<0.2	<10	410	0.54	0.17	0.70	1.22	29.0	14.0	30
I033727		0.42	<0.005	0.28	2.36	8.0	<0.2	<10	300	0.51	0.14	0.44	0.88	30.1	14.8	31
I033728		0.34	<0.005	0.40	2.39	8.4	<0.2	<10	300	0.57	0.14	0.44	0.86	32.0	16.1	32
I033729		0.32	<0.005	0.25	1.90	4.1	<0.2	<10	440	0.43	0.16	0.44	0.50	20.5	12.4	27
I033730		0.28	<0.005	0.56	1.69	3.5	<0.2	<10	480	0.32	0.13	0.42	0.92	17.75	11.8	28
I033731		0.34	<0.005	0.12	1.79	6.4	<0.2	<10	380	0.37	0.13	0.53	0.23	20.7	13.6	28
I033732		0.32	<0.005	0.13	1.62	7.8	<0.2	<10	300	0.35	0.12	0.52	0.13	19.55	10.9	27
I033733		0.30	<0.005	0.71	1.38	4.0	<0.2	<10	380	0.42	0.25	0.33	0.82	24.3	10.9	23
I033734		0.32	<0.005	0.24	1.72	4.1	<0.2	<10	400	0.37	0.13	0.35	0.20	16.55	14.9	26
I033735		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.01	<0.01	0.02	1.20	0.3	<1
I033736		0.32	<0.005	0.19	1.66	6.9	<0.2	<10	400	0.38	0.14	0.39	0.12	19.70	12.1	30
I033737		0.30	0.011	0.37	1.69	4.8	<0.2	<10	260	0.45	0.16	1.00	0.24	23.4	11.4	28
I033738		0.32	<0.005	0.13	1.97	4.8	<0.2	<10	300	0.47	0.11	0.53	0.13	18.95	13.1	31
I033739		0.46	0.005	0.07	3.37	3.2	<0.2	<10	600	0.69	0.06	0.77	0.14	13.55	24.6	77
I033740		0.48	<0.005	0.09	2.73	5.0	<0.2	<10	360	0.63	0.08	0.70	0.11	26.1	22.2	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033701		1.90	15.9	2.29	4.18	0.09	0.02	0.03	0.018	0.10	14.3	9.8	0.47	325	0.50
I033702		5.02	27.8	3.18	5.41	0.13	0.04	0.03	0.021	0.30	16.6	15.4	0.78	461	0.64
I033703		3.14	27.3	2.52	4.42	0.13	0.04	0.04	0.019	0.19	23.4	12.2	0.54	493	0.51
I033704		3.82	28.0	3.15	5.80	0.13	0.04	0.04	0.023	0.26	20.7	15.2	0.78	298	0.60
I033705		3.94	25.4	3.31	5.44	0.12	0.04	0.04	0.022	0.25	17.6	15.2	0.69	823	0.98
I033706		1.73	15.6	2.62	3.92	0.07	0.02	0.04	0.024	0.07	15.7	9.9	0.43	524	0.87
I033707		2.06	14.4	2.89	4.46	0.07	0.02	0.04	0.030	0.05	19.5	11.1	0.49	171	0.85
I033708		6.17	23.9	3.90	4.69	0.07	<0.02	0.03	0.032	0.07	11.1	19.3	0.69	625	0.44
I033709		0.77	14.3	2.52	5.11	0.07	0.02	0.03	0.024	0.03	8.5	10.2	0.50	217	0.58
I033710		0.93	13.6	2.13	5.65	0.05	<0.02	0.02	0.025	0.02	7.9	12.1	0.52	209	0.51
I033711		3.23	49.0	3.18	6.14	0.07	0.05	0.07	0.028	0.05	21.3	12.9	0.58	267	1.36
I033712		2.32	34.7	2.49	5.17	0.07	0.07	0.04	0.022	0.06	15.5	10.6	0.54	225	0.99
I033713		1.75	25.7	2.41	4.38	0.06	0.06	0.03	0.021	0.05	13.2	10.8	0.48	260	0.79
I033714		1.78	27.3	2.27	4.23	0.06	0.05	0.03	0.019	0.06	13.8	10.4	0.49	336	0.76
I033715		0.56	48.5	3.25	6.76	0.06	0.09	0.07	0.024	0.15	6.4	11.6	0.90	685	0.75
I033716		0.41	17.6	2.92	6.23	0.05	0.06	0.01	0.028	0.17	10.1	8.2	0.50	625	0.89
I033717		1.74	24.1	3.39	6.94	0.05	0.02	0.02	0.019	0.27	6.1	14.8	1.02	898	1.68
I033718		0.80	44.4	3.94	7.34	0.07	0.09	0.02	0.044	0.30	8.7	11.2	0.81	1200	1.03
I033719		1.70	24.9	3.72	6.74	0.08	0.06	0.01	0.019	0.36	12.7	15.4	1.13	789	0.90
I033720		0.82	18.9	2.85	5.60	0.05	0.07	0.01	0.021	0.32	8.3	9.2	0.57	1540	0.84
I033721		0.40	14.0	2.70	5.41	<0.05	0.03	0.01	0.019	0.13	8.1	10.4	0.63	791	1.47
I033722		0.37	19.3	2.76	5.29	0.06	0.17	0.02	0.023	0.15	11.9	10.1	0.51	716	0.68
I033723		1.04	17.4	2.84	5.84	0.06	0.04	0.01	0.017	0.16	6.5	10.9	0.66	518	1.21
I033724		1.57	22.4	3.05	7.34	0.05	0.03	0.02	0.014	0.16	6.0	9.0	0.61	738	1.76
I033725		0.70	25.4	3.18	6.03	0.07	0.10	0.03	0.030	0.27	12.8	11.9	0.70	714	1.15
I033726		1.55	32.9	3.33	6.80	0.06	0.09	0.02	0.018	0.39	14.8	14.6	1.20	993	1.21
I033727		1.42	25.0	3.43	6.64	0.07	0.07	0.01	0.018	0.36	15.3	13.1	1.02	747	1.69
I033728		1.40	26.2	3.51	6.77	0.08	0.08	0.01	0.019	0.35	16.4	13.5	1.01	759	1.79
I033729		0.64	18.2	2.73	5.58	0.05	0.05	0.02	0.023	0.13	8.8	10.5	0.72	940	0.82
I033730		0.46	16.1	2.54	5.40	0.05	0.03	0.02	0.020	0.12	8.1	8.3	0.58	1290	0.99
I033731		0.44	20.6	2.79	5.60	0.05	0.10	0.01	0.023	0.13	8.2	9.0	0.55	687	0.71
I033732		0.23	17.4	2.62	5.15	0.05	0.09	0.01	0.023	0.10	8.4	8.9	0.52	451	0.80
I033733		0.40	18.1	2.36	4.61	<0.05	0.04	0.02	0.023	0.19	11.2	7.3	0.40	1080	1.06
I033734		1.13	14.6	2.95	5.44	<0.05	0.07	0.01	0.018	0.29	6.9	9.6	0.67	927	0.98
I033735		<0.05	1.2	0.02	0.15	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.2	<0.01	<5	0.06
I033736		0.58	20.4	2.69	5.17	0.05	0.05	0.05	0.049	0.06	8.8	8.7	0.54	852	0.86
I033737		1.09	49.9	2.69	5.55	0.06	0.09	0.07	0.022	0.13	13.7	12.1	0.76	386	0.73
I033738		0.40	23.8	3.12	6.59	0.05	0.09	0.01	0.024	0.13	8.7	9.1	0.72	610	0.92
I033739		4.08	46.6	4.96	9.46	0.12	0.08	0.02	0.016	0.93	6.6	19.9	1.99	1060	0.61
I033740		1.38	65.0	4.21	8.94	0.09	0.10	0.02	0.025	0.36	14.2	14.5	1.42	815	0.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033701		0.82	24.6	500	13.9	17.4	<0.001	0.04	0.23	3.3	0.6	0.5	39.4	<0.01	0.03
I033702		1.16	38.4	700	14.3	36.5	0.001	0.05	0.31	4.5	0.8	0.4	72.9	<0.01	0.04
I033703		1.00	33.2	690	10.9	29.4	<0.001	0.06	0.92	4.0	1.1	0.4	93.9	<0.01	0.04
I033704		1.34	34.0	570	17.2	30.8	<0.001	0.04	0.43	5.2	0.9	0.5	55.1	<0.01	0.04
I033705		1.15	34.1	620	20.2	30.8	<0.001	0.05	0.44	4.8	0.8	0.5	70.7	<0.01	0.05
I033706		0.94	21.2	790	9.5	13.5	<0.001	0.04	0.34	3.5	0.7	0.4	56.8	<0.01	0.02
I033707		1.13	21.5	690	10.3	10.4	<0.001	0.02	0.38	4.3	0.5	0.5	37.3	<0.01	0.02
I033708		1.01	45.4	940	12.1	18.2	<0.001	0.05	1.90	5.0	0.6	0.6	109.5	<0.01	0.02
I033709		1.32	18.8	720	6.3	7.5	<0.001	0.02	0.34	3.9	0.5	0.5	32.6	<0.01	0.01
I033710		1.33	17.9	630	7.2	6.0	<0.001	0.03	0.31	3.7	0.5	0.6	25.4	<0.01	0.01
I033711		1.19	41.7	740	9.0	11.1	<0.001	0.05	0.93	6.2	1.0	0.5	50.1	<0.01	0.04
I033712		1.19	30.2	760	7.5	11.1	<0.001	0.04	0.49	4.8	0.8	0.4	46.7	<0.01	0.04
I033713		1.17	26.5	560	7.6	11.5	<0.001	0.05	0.33	3.6	0.7	0.4	55.8	<0.01	0.02
I033714		1.02	25.5	690	8.3	12.4	<0.001	0.06	0.32	3.1	0.8	0.4	63.1	<0.01	0.03
I033715		1.08	22.9	380	5.9	7.6	<0.001	0.02	0.26	6.8	0.4	0.5	46.6	<0.01	0.04
I033716		1.31	16.8	310	8.4	8.9	<0.001	0.02	0.32	5.0	0.3	0.6	35.7	<0.01	0.02
I033717		1.50	19.8	840	7.3	20.3	<0.001	0.02	0.22	3.6	0.3	0.4	38.6	<0.01	0.01
I033718		1.22	19.2	650	13.2	12.4	<0.001	0.03	0.31	8.8	0.4	0.5	43.7	<0.01	0.04
I033719		1.50	17.5	430	37.3	22.7	<0.001	0.01	0.21	4.7	0.3	0.3	33.4	<0.01	0.02
I033720		2.04	19.2	370	21.6	24.1	<0.001	0.02	0.28	4.1	0.3	0.5	41.6	<0.01	0.02
I033721		1.33	15.8	230	56.9	7.4	<0.001	0.01	0.28	3.2	0.3	0.4	28.6	<0.01	0.02
I033722		1.44	20.2	420	10.7	11.0	<0.001	0.01	0.38	5.5	0.4	0.5	37.0	<0.01	0.02
I033723		1.89	13.9	280	11.0	16.1	<0.001	0.01	0.25	3.0	0.3	0.4	34.0	<0.01	0.02
I033724		3.60	12.3	280	31.2	18.2	<0.001	0.01	0.24	2.8	0.3	0.5	54.1	<0.01	0.02
I033725		1.75	20.2	360	40.7	14.4	<0.001	0.02	0.46	5.6	0.5	0.5	32.6	<0.01	0.03
I033726		2.71	18.3	570	132.5	27.3	<0.001	0.03	0.27	3.9	0.5	0.4	44.2	<0.01	0.02
I033727		1.70	21.5	300	42.5	26.3	<0.001	0.01	0.25	5.5	0.5	0.4	34.3	<0.01	0.03
I033728		1.67	23.5	290	41.9	26.2	<0.001	0.01	0.26	6.0	0.6	0.4	34.3	<0.01	0.02
I033729		1.68	16.4	450	34.1	9.4	<0.001	0.01	0.20	4.1	0.2	0.5	30.5	<0.01	0.02
I033730		1.61	18.4	530	16.0	7.1	<0.001	0.01	0.29	3.4	0.3	0.5	33.9	<0.01	0.02
I033731		1.46	19.7	400	9.7	10.7	<0.001	0.01	0.30	5.6	0.3	0.4	37.5	<0.01	0.02
I033732		1.45	18.1	440	8.9	5.3	<0.001	0.01	0.29	4.6	0.3	0.4	36.0	<0.01	0.02
I033733		1.21	15.5	360	19.3	11.9	<0.001	0.01	0.30	3.8	0.3	0.4	27.8	<0.01	0.02
I033734		1.81	16.2	410	22.5	18.5	<0.001	0.01	0.31	3.7	0.2	0.4	30.0	<0.01	0.02
I033735		0.06	0.8	10	0.9	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.0	<0.01	<0.01
I033736		1.45	21.4	340	9.4	5.1	<0.001	0.01	0.33	4.4	0.3	0.4	30.5	<0.01	0.02
I033737		1.48	20.1	750	8.8	11.8	<0.001	0.05	0.35	5.6	0.7	0.5	49.8	<0.01	0.02
I033738		1.45	18.4	370	9.4	5.5	<0.001	0.01	0.28	5.6	0.3	0.5	35.3	<0.01	0.02
I033739		2.47	34.3	900	8.2	50.9	<0.001	0.03	0.26	5.8	0.4	0.4	51.1	<0.01	0.01
I033740		1.40	32.6	560	7.4	20.9	<0.001	0.02	0.35	8.7	0.4	0.6	49.0	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033701		0.066	0.13	0.74	40	<0.05	5.72	61
I033702		0.094	0.28	0.97	47	<0.05	7.16	71
I033703		0.074	0.22	1.57	39	<0.05	12.75	67
I033704		0.109	0.24	1.54	55	0.05	8.19	66
I033705		0.091	0.23	1.44	55	<0.05	7.19	63
I033706		0.058	0.10	0.87	44	0.09	8.62	47
I033707		0.068	0.10	0.76	45	0.09	7.02	58
I033708		0.042	0.19	0.50	45	0.14	7.01	69
I033709		0.099	0.07	0.51	59	0.14	5.73	51
I033710		0.099	0.08	0.54	53	0.29	4.58	54
I033711		0.071	0.13	1.92	65	0.15	13.60	60
I033712		0.069	0.10	1.01	49	0.13	9.56	59
I033713		0.066	0.10	0.86	45	0.14	7.30	51
I033714		0.061	0.10	0.87	45	0.09	8.12	48
I033715		0.107	0.06	0.52	75	0.12	4.51	65
I033716		0.073	0.06	0.33	58	0.13	4.75	58
I033717		0.142	0.09	0.30	73	0.19	3.01	85
I033718		0.071	0.07	0.34	80	0.13	7.08	145
I033719		0.135	0.16	0.53	69	0.13	6.45	122
I033720		0.113	0.11	0.23	59	0.13	3.42	175
I033721		0.074	0.13	0.42	60	0.22	3.18	207
I033722		0.091	0.05	0.36	58	0.19	7.12	73
I033723		0.135	0.09	0.33	60	0.15	2.63	115
I033724		0.183	0.12	0.61	63	0.25	4.02	135
I033725		0.109	0.09	0.51	63	0.17	7.49	171
I033726		0.158	0.22	0.90	64	0.18	8.20	481
I033727		0.168	0.21	1.09	96	0.11	7.62	280
I033728		0.170	0.21	1.15	98	0.12	8.34	280
I033729		0.100	0.11	0.39	59	0.13	3.75	214
I033730		0.094	0.11	0.32	53	0.16	2.93	218
I033731		0.104	0.08	0.35	65	0.14	4.14	64
I033732		0.087	0.07	0.31	61	0.13	3.54	52
I033733		0.059	0.08	0.33	47	0.11	3.99	199
I033734		0.131	0.11	0.32	63	0.12	2.56	78
I033735		<0.005	<0.02	0.12	1	<0.05	0.63	4
I033736		0.092	0.08	0.43	61	0.15	3.58	54
I033737		0.096	0.07	0.90	62	0.17	12.70	65
I033738		0.084	0.07	0.41	68	0.14	4.43	82
I033739		0.274	0.33	0.48	101	0.10	4.45	158
I033740		0.158	0.12	0.64	95	0.09	9.44	102



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033741		0.40	<0.005	0.17	2.93	3.4	<0.2	<10	330	0.57	0.11	0.65	0.11	22.5	19.1	25
I033742		0.40	<0.005	0.07	2.31	5.2	<0.2	<10	360	0.37	0.11	0.50	0.10	18.15	19.8	49
I033743		0.32	<0.005	0.05	2.22	7.5	<0.2	<10	230	0.42	0.13	0.22	0.10	13.35	12.2	30
I033744		0.30	0.005	0.06	1.32	5.7	<0.2	<10	130	0.20	0.13	0.20	0.13	19.00	7.8	30
I033745		0.28	<0.005	0.32	2.13	5.9	<0.2	<10	260	0.40	0.11	0.66	0.11	15.90	15.0	34
I033746		0.48	<0.005	0.09	3.05	6.5	<0.2	<10	400	0.50	0.06	1.09	0.09	18.00	25.7	115
I033747		0.36	<0.005	0.05	1.91	13.2	<0.2	<10	160	0.48	0.14	0.32	0.13	26.0	16.0	22
I033748		0.34	<0.005	0.26	1.84	7.0	<0.2	<10	290	3.04	2.49	1.39	0.36	50.7	11.3	27
I033749		0.28	<0.005	0.09	1.63	4.8	<0.2	<10	180	0.25	0.28	0.26	0.30	21.1	7.3	29
I033750		0.24	<0.005	0.07	1.28	3.4	<0.2	<10	260	0.25	0.19	0.44	0.11	25.0	6.9	25
I033751		0.32	0.009	0.03	1.27	3.9	<0.2	<10	230	0.23	0.18	0.20	0.17	17.10	6.4	23
I033752		0.22	<0.005	0.03	1.27	6.0	<0.2	<10	110	0.16	0.21	0.14	0.13	16.15	4.6	23
I033753		0.34	<0.005	0.04	1.80	4.8	<0.2	<10	300	0.35	0.16	0.23	0.21	21.0	10.2	31
I033754		0.42	0.005	0.04	1.73	4.8	<0.2	<10	340	0.38	0.15	0.22	0.27	21.7	9.5	31
I033755		0.30	<0.005	0.10	1.53	5.1	<0.2	<10	760	0.24	0.15	0.76	0.14	28.3	5.9	23
I033756		0.28	<0.005	0.07	1.72	3.8	<0.2	<10	210	0.24	0.15	0.18	0.12	22.0	6.9	31
I033757		0.28	0.006	0.16	2.04	3.6	<0.2	<10	460	0.32	0.12	0.83	0.29	28.2	13.0	27
I033758		0.32	<0.005	0.11	1.92	4.7	<0.2	<10	220	0.36	0.19	0.44	0.24	24.5	9.3	33
I033759		0.24	0.005	0.08	1.61	3.5	<0.2	<10	190	0.37	0.18	0.36	0.15	27.2	10.9	26
I033760		0.36	<0.005	0.03	2.35	7.2	<0.2	<10	140	0.32	0.15	0.28	0.21	17.35	13.4	50
I033761		0.20	<0.005	0.11	2.09	4.2	<0.2	<10	300	0.49	0.15	0.45	0.20	48.7	10.1	27
I033762		0.24	0.006	0.05	1.27	3.3	<0.2	<10	100	0.15	0.13	0.23	0.11	13.25	5.7	21
I033763		0.32	<0.005	0.09	2.13	3.6	<0.2	<10	160	0.57	0.13	0.56	0.13	21.2	13.2	45
I033764		0.24	<0.005	0.10	2.27	5.9	<0.2	<10	130	0.29	0.17	0.24	0.10	14.70	9.7	43
I033765		0.48	<0.005	0.07	2.11	5.5	<0.2	<10	160	0.34	0.12	0.34	0.12	19.90	11.9	29
I033766		0.34	<0.005	0.12	2.22	4.2	<0.2	<10	240	0.31	0.11	0.38	0.15	21.5	11.9	31
I033767		0.30	0.005	0.13	2.01	3.4	<0.2	<10	230	0.30	0.10	0.56	0.14	18.10	19.2	37
I033768		0.24	<0.005	0.09	1.80	2.3	<0.2	<10	170	0.16	0.09	0.23	0.12	15.10	5.3	18
I033769		0.10	<0.005	0.13	1.47	1.3	<0.2	<10	130	0.14	0.06	0.21	0.16	11.85	6.1	12
I033770		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.96	0.1	1
I033771		0.36	0.008	0.10	1.74	5.8	<0.2	<10	90	0.30	0.16	0.17	0.16	14.45	14.9	24
I033772		0.34	0.005	0.12	2.03	3.2	<0.2	<10	160	0.20	0.13	0.20	0.15	16.60	8.4	22
I033773		0.44	0.008	0.14	2.50	6.1	<0.2	<10	240	0.32	0.13	0.37	0.24	19.85	22.3	25
I033774		0.26	<0.005	0.11	2.12	3.6	<0.2	<10	170	0.21	0.12	0.29	0.12	16.40	9.7	23
I033775		0.26	0.006	0.09	0.96	1.7	<0.2	<10	110	0.10	0.06	0.15	0.08	12.35	3.5	12
I033776		0.30	0.005	0.17	1.70	4.2	<0.2	<10	140	0.20	0.15	0.15	0.13	13.50	6.4	17
I033777		0.46	<0.005	0.17	2.26	3.7	<0.2	<10	210	0.29	0.11	0.37	0.17	15.65	13.0	24
I033778		0.32	0.005	0.18	1.91	2.6	<0.2	<10	140	0.27	0.11	0.23	0.19	14.45	8.1	21
I033779		0.28	0.006	0.37	2.05	3.3	<0.2	<10	290	0.32	0.12	0.41	0.25	18.20	10.8	21
I033780		0.36	0.006	0.08	2.55	7.1	<0.2	<10	100	0.23	0.16	0.14	0.12	12.85	10.7	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033741		1.48	32.3	4.29	8.65	0.08	0.06	0.01	0.015	0.33	13.2	17.5	1.71	1180	1.06
I033742		0.69	42.2	3.46	7.41	0.06	0.15	0.01	0.023	0.13	7.5	13.9	1.01	560	0.82
I033743		0.86	18.3	3.42	7.68	0.05	0.03	0.01	0.021	0.06	6.6	14.0	0.77	300	1.01
I033744		0.49	28.5	2.42	6.22	<0.05	0.02	0.01	0.017	0.09	6.2	6.9	0.49	189	0.94
I033745		1.37	25.6	3.36	6.89	0.06	0.04	0.02	0.017	0.09	7.8	16.4	1.14	348	0.90
I033746		3.88	43.5	3.66	8.05	0.10	0.03	0.02	0.016	0.45	8.5	32.6	2.45	510	0.85
I033747		1.74	30.6	3.73	6.28	<0.05	0.02	0.01	0.029	0.08	13.1	14.9	0.74	628	2.05
I033748		10.45	44.9	2.62	6.04	0.10	0.36	0.03	0.053	0.14	28.6	54.1	0.48	813	0.78
I033749		0.45	18.9	2.65	6.35	<0.05	0.05	0.01	0.026	0.08	12.9	9.8	0.41	178	1.20
I033750		0.64	17.4	2.25	5.96	<0.05	0.06	0.01	0.019	0.08	18.4	6.8	0.34	246	0.99
I033751		0.51	13.3	2.23	6.49	<0.05	0.03	<0.01	0.019	0.06	9.1	6.8	0.30	383	0.96
I033752		0.68	11.7	3.07	8.80	<0.05	0.03	<0.01	0.019	0.05	9.0	4.6	0.23	169	1.21
I033753		0.73	14.4	3.50	6.49	<0.05	0.03	0.01	0.037	0.06	9.7	13.3	0.53	362	1.18
I033754		0.72	13.7	3.41	6.37	<0.05	0.03	<0.01	0.036	0.06	10.1	12.9	0.50	346	1.12
I033755		0.68	19.2	2.70	7.63	0.05	0.05	0.01	0.023	0.07	26.9	7.5	0.42	201	1.25
I033756		0.71	20.7	2.55	8.00	<0.05	0.03	<0.01	0.023	0.06	16.6	9.4	0.45	229	0.78
I033757		0.83	31.0	2.69	6.50	<0.05	0.09	0.03	0.029	0.08	17.1	14.8	0.88	475	0.79
I033758		0.59	20.9	2.95	7.44	<0.05	0.04	0.01	0.026	0.10	14.4	10.4	0.56	536	1.54
I033759		0.52	21.2	2.44	7.46	<0.05	0.03	0.01	0.024	0.07	15.9	8.1	0.41	480	1.19
I033760		0.50	19.3	3.92	8.56	<0.05	0.03	0.02	0.034	0.06	8.2	15.0	0.78	636	1.73
I033761		0.65	26.3	2.83	7.00	0.06	0.05	0.02	0.039	0.06	33.3	12.3	0.47	303	1.09
I033762		0.76	19.4	1.75	6.35	<0.05	0.02	0.01	0.015	0.05	6.9	6.7	0.36	147	0.76
I033763		1.23	43.0	3.29	7.43	<0.05	0.03	0.01	0.034	0.04	11.7	12.7	0.73	383	0.84
I033764		0.67	34.4	3.04	8.72	<0.05	0.03	0.01	0.024	0.06	8.1	10.3	0.66	243	0.94
I033765		0.67	22.3	3.09	7.32	<0.05	0.04	0.01	0.030	0.07	10.3	14.6	0.79	336	0.81
I033766		0.89	33.3	3.21	8.60	<0.05	0.04	0.01	0.033	0.24	11.2	14.0	1.06	355	0.62
I033767		0.58	32.7	2.91	7.09	<0.05	0.03	0.02	0.027	0.11	9.0	11.8	1.09	591	1.00
I033768		1.21	17.9	2.73	9.02	<0.05	0.02	<0.01	0.043	0.12	7.5	7.3	0.99	252	0.70
I033769		0.83	22.2	2.14	6.94	<0.05	<0.02	0.03	0.046	0.08	5.6	5.2	0.70	238	0.44
I033770		<0.05	0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05
I033771		0.73	28.9	4.23	10.05	<0.05	0.04	0.03	0.041	0.05	7.0	8.2	0.62	700	1.82
I033772		1.03	39.1	3.17	9.33	<0.05	0.02	0.01	0.045	0.07	8.3	9.1	0.98	353	0.86
I033773		0.98	38.2	4.40	10.40	0.06	0.03	<0.01	0.095	0.18	9.7	13.5	1.43	959	1.04
I033774		1.00	24.4	3.12	9.09	<0.05	0.03	0.03	0.041	0.13	8.6	11.2	1.10	272	0.75
I033775		0.71	12.1	1.55	5.40	<0.05	<0.02	0.02	0.020	0.04	6.3	3.9	0.38	138	0.37
I033776		1.04	20.7	2.38	9.12	<0.05	0.03	0.01	0.018	0.06	7.1	8.0	0.57	159	0.70
I033777		1.02	30.5	3.19	8.18	<0.05	0.04	0.01	0.022	0.18	8.5	14.5	0.98	397	0.79
I033778		0.78	37.0	2.72	6.83	<0.05	0.02	0.02	0.023	0.06	7.7	10.4	0.65	230	0.59
I033779		0.87	30.3	2.84	6.51	<0.05	0.03	0.05	0.025	0.08	9.6	12.7	0.77	321	0.71
I033780		0.82	26.0	4.30	11.20	<0.05	0.04	0.01	0.029	0.08	6.8	14.1	0.91	319	1.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033741		2.14	15.8	600	10.2	24.4	<0.001	0.01	0.30	3.6	0.4	0.4	43.9	<0.01	0.03
I033742		1.38	27.7	520	6.4	9.4	<0.001	0.01	0.31	7.2	0.3	0.5	29.6	<0.01	0.02
I033743		1.90	19.2	350	7.7	6.7	<0.001	0.01	0.36	3.1	0.2	0.6	28.9	<0.01	0.02
I033744		1.24	15.2	490	5.6	7.2	<0.001	0.01	0.30	2.9	0.3	0.6	18.3	<0.01	0.02
I033745		2.52	30.3	1260	6.0	19.3	<0.001	0.03	0.25	3.1	0.3	0.5	40.6	<0.01	0.03
I033746		1.69	83.8	2730	8.5	30.9	<0.001	0.02	0.16	4.6	0.4	0.4	44.0	<0.01	0.02
I033747		0.85	12.6	630	11.1	12.7	<0.001	0.01	0.19	5.4	0.4	0.6	20.2	<0.01	0.03
I033748		7.24	14.6	510	42.3	43.0	<0.001	0.04	0.54	8.6	4.0	3.7	48.6	0.04	0.03
I033749		1.35	13.8	190	16.1	7.1	<0.001	<0.01	0.26	4.2	0.2	0.6	19.5	<0.01	0.02
I033750		1.21	11.9	200	9.2	10.1	<0.001	<0.01	0.27	4.2	0.4	0.6	24.9	<0.01	0.02
I033751		1.23	10.9	240	8.6	7.9	<0.001	<0.01	0.23	3.3	<0.2	0.6	16.0	<0.01	0.02
I033752		1.76	10.2	280	10.6	8.1	<0.001	<0.01	0.32	2.9	<0.2	0.9	11.8	<0.01	0.03
I033753		1.00	16.1	440	15.6	11.0	<0.001	0.01	0.25	4.3	0.4	0.6	18.5	<0.01	0.03
I033754		0.92	15.5	410	14.4	10.6	<0.001	<0.01	0.26	4.0	0.4	0.6	18.7	<0.01	0.02
I033755		1.38	11.3	340	9.9	12.5	<0.001	0.02	0.27	3.5	0.8	0.6	34.0	0.01	0.02
I033756		1.28	12.5	280	7.7	10.2	<0.001	<0.01	0.19	3.7	0.3	0.7	14.8	<0.01	0.02
I033757		1.23	16.1	590	11.1	10.2	<0.001	0.09	0.20	6.4	1.2	0.4	44.8	0.01	0.04
I033758		1.49	17.7	380	11.4	17.0	<0.001	0.01	0.24	4.3	0.3	0.6	24.7	<0.01	0.03
I033759		1.27	13.1	270	8.8	12.0	<0.001	<0.01	0.20	3.8	0.3	0.7	22.2	<0.01	0.02
I033760		1.30	22.7	610	6.2	9.4	<0.001	<0.01	0.21	4.3	0.3	0.6	18.3	<0.01	0.04
I033761		1.20	16.2	440	5.9	11.2	<0.001	0.01	0.20	5.5	1.1	0.8	28.6	0.01	0.03
I033762		0.99	10.0	240	5.3	13.0	<0.001	<0.01	0.14	2.9	<0.2	0.5	16.5	<0.01	0.03
I033763		0.94	23.2	610	4.5	7.4	<0.001	<0.01	0.19	9.2	0.4	0.6	23.3	<0.01	0.02
I033764		1.40	20.8	370	5.9	8.1	<0.001	0.01	0.20	4.4	0.3	0.6	18.6	<0.01	0.03
I033765		1.34	15.4	720	5.7	11.7	<0.001	<0.01	0.19	5.0	0.4	0.6	20.6	<0.01	0.03
I033766		1.78	14.8	700	5.0	22.1	<0.001	0.01	0.16	6.5	0.4	0.7	22.2	<0.01	0.03
I033767		0.89	17.8	790	5.1	11.4	<0.001	0.02	0.16	6.2	0.8	0.4	27.1	<0.01	0.07
I033768		0.65	6.5	500	4.0	10.0	<0.001	0.10	0.11	4.0	0.6	0.6	21.2	<0.01	0.04
I033769		0.40	5.5	800	2.4	6.3	<0.001	0.09	0.10	2.7	0.8	0.4	18.6	<0.01	0.04
I033770		<0.05	0.3	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01
I033771		1.27	11.8	690	7.9	8.8	<0.001	0.01	0.30	6.7	0.3	0.7	13.5	<0.01	0.04
I033772		0.74	9.9	680	5.3	8.6	<0.001	0.06	0.13	4.0	0.5	0.7	20.5	<0.01	0.06
I033773		0.82	13.6	1010	4.9	13.4	<0.001	0.06	0.14	9.2	0.6	0.7	26.0	<0.01	0.08
I033774		1.10	11.9	540	5.2	12.4	<0.001	0.04	0.17	6.2	0.7	0.6	20.4	<0.01	0.06
I033775		0.57	5.1	390	3.2	6.4	<0.001	0.05	0.10	2.4	0.5	0.4	19.1	<0.01	0.02
I033776		1.37	9.0	200	7.2	11.1	<0.001	0.02	0.19	3.8	0.2	0.6	24.0	<0.01	0.04
I033777		1.26	12.5	620	6.9	16.7	<0.001	0.03	0.17	5.1	0.4	0.5	35.4	<0.01	0.04
I033778		0.97	10.4	480	8.6	9.9	<0.001	0.05	0.19	4.4	0.5	0.5	25.3	<0.01	0.04
I033779		0.86	12.7	610	9.9	11.3	<0.001	0.04	0.35	5.4	0.8	0.4	32.7	<0.01	0.05
I033780		2.02	12.3	380	10.3	12.1	<0.001	0.05	0.24	4.8	0.4	0.7	23.4	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033741		0.210	0.15	0.68	88	0.13	6.13	147
I033742		0.171	0.09	0.36	91	0.12	3.86	73
I033743		0.135	0.11	0.39	84	0.15	2.19	64
I033744		0.094	0.07	0.39	62	0.16	2.67	40
I033745		0.179	0.21	0.41	83	0.19	2.59	57
I033746		0.208	0.22	0.45	91	0.24	4.04	76
I033747		0.080	0.08	0.80	79	0.20	7.04	89
I033748		0.033	0.30	5.45	60	1.25	78.6	76
I033749		0.087	0.06	0.49	67	0.17	5.71	47
I033750		0.093	0.06	0.66	61	0.19	8.85	34
I033751		0.095	0.06	0.35	63	0.12	4.09	55
I033752		0.135	0.08	0.30	93	0.18	3.28	39
I033753		0.077	0.06	0.56	77	0.18	6.39	83
I033754		0.076	0.05	0.55	76	0.14	6.68	75
I033755		0.095	0.06	0.61	75	0.17	16.35	40
I033756		0.083	0.08	0.69	69	0.18	6.98	53
I033757		0.103	0.07	1.06	65	0.11	13.65	99
I033758		0.094	0.07	0.64	77	0.22	6.68	60
I033759		0.089	0.07	0.64	74	0.12	6.24	47
I033760		0.112	0.07	0.41	105	0.14	4.22	85
I033761		0.067	0.07	1.16	61	0.17	18.50	65
I033762		0.096	0.07	0.41	53	0.11	2.43	36
I033763		0.071	0.07	0.73	86	0.14	8.42	58
I033764		0.124	0.08	0.54	86	0.20	3.48	56
I033765		0.127	0.07	0.56	78	0.21	5.57	65
I033766		0.171	0.11	0.69	90	0.13	6.29	73
I033767		0.105	0.06	0.60	88	0.09	6.24	65
I033768		0.081	0.06	0.38	60	0.17	4.27	104
I033769		0.035	0.05	0.55	26	0.05	5.24	85
I033770		<0.005	<0.02	0.08	1	<0.05	0.55	2
I033771		0.117	0.06	0.36	116	0.12	4.98	87
I033772		0.087	0.07	0.60	71	0.09	4.70	108
I033773		0.102	0.09	0.52	83	0.20	8.48	165
I033774		0.126	0.09	0.48	75	0.12	5.11	134
I033775		0.049	0.05	0.35	25	0.10	3.50	41
I033776		0.148	0.10	0.31	77	0.09	2.56	61
I033777		0.159	0.10	0.51	85	0.23	4.47	96
I033778		0.097	0.06	0.66	68	0.08	4.69	80
I033779		0.082	0.06	0.67	64	0.10	6.37	95
I033780		0.195	0.09	0.40	120	0.09	2.35	97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033781		0.38	<0.005	0.07	2.14	3.9	<0.2	<10	140	0.30	0.11	0.21	0.12	13.10	13.7	22
I033782		0.30	<0.005	0.10	2.22	5.2	<0.2	<10	100	0.26	0.16	0.17	0.14	15.75	8.4	27
I033783		0.08	<0.005	0.01	0.01	0.2	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.95	0.1	1
I033784		0.22	0.007	0.07	0.35	0.6	<0.2	<10	60	0.08	0.05	0.07	0.11	5.97	1.5	8
I033785		0.32	0.006	0.09	1.91	4.7	<0.2	<10	130	0.29	0.14	0.16	0.13	19.70	10.9	23
I033786		0.18	<0.005	0.31	1.75	3.6	<0.2	<10	470	0.48	0.11	0.35	0.26	50.9	7.0	21
I033787		0.34	0.006	0.23	2.67	3.5	<0.2	<10	330	0.40	0.08	1.29	0.22	25.7	16.7	30
I033788		0.30	0.011	0.21	2.69	3.3	<0.2	<10	320	0.36	0.07	1.15	0.20	24.4	16.1	30
I033789		0.28	0.005	0.05	1.50	5.5	<0.2	<10	120	0.16	0.13	0.28	0.09	14.10	5.8	22
I033790		0.50	0.006	0.09	2.14	3.7	<0.2	<10	110	0.16	0.09	0.34	0.10	11.85	14.1	28
I033791		0.46	<0.005	0.05	2.37	6.7	<0.2	<10	220	0.27	0.11	0.22	0.11	14.85	10.4	27
I033792		0.50	<0.005	0.12	2.53	2.8	<0.2	<10	340	0.18	0.19	0.20	0.07	22.1	7.3	36
I033793		0.26	<0.005	0.22	1.47	1.5	<0.2	<10	120	0.17	0.07	0.21	0.05	9.01	6.4	19
I033794		0.38	0.007	0.21	2.33	4.0	<0.2	<10	300	0.32	0.10	0.88	0.15	20.2	14.5	33
I033795		0.40	0.007	0.12	2.22	3.0	<0.2	<10	330	0.36	0.07	1.38	0.15	16.45	16.4	27
I033796		0.30	<0.005	0.04	2.77	9.3	<0.2	<10	120	0.69	0.20	0.22	0.12	36.3	14.2	37
I033797		0.30	<0.005	0.03	2.81	4.0	<0.2	<10	160	0.58	0.35	0.12	0.12	62.8	30.1	47
I033798		0.36	<0.005	0.04	1.56	8.3	<0.2	<10	70	0.30	0.26	0.10	0.07	23.6	6.7	26
I033799		0.36	<0.005	0.17	3.10	3.9	<0.2	<10	100	1.63	0.31	0.51	0.26	43.2	17.1	50
I033800		0.28	<0.005	0.03	1.63	4.1	<0.2	<10	100	0.22	0.13	0.17	0.11	27.9	11.3	49
I033801		0.38	0.005	0.07	1.51	6.5	<0.2	<10	90	0.41	0.35	0.10	0.13	13.10	5.4	26
I033802		0.60	0.008	0.10	2.16	5.1	<0.2	<10	210	0.44	0.28	0.49	0.19	23.5	13.8	64
I033803		0.38	<0.005	0.15	2.56	4.6	<0.2	<10	230	0.63	0.44	0.32	0.21	53.4	10.8	56
I033804		0.48	<0.005	0.11	1.76	2.5	<0.2	<10	120	0.32	0.33	0.26	0.12	17.25	6.1	46
I033805		0.58	0.017	0.13	1.78	20.0	<0.2	<10	120	0.27	0.36	0.34	0.12	23.7	8.2	59
I033806		0.56	0.011	0.12	1.85	25.0	<0.2	<10	110	0.35	0.30	0.31	0.11	20.8	10.0	59
I033807		0.52	0.007	0.12	2.02	21.9	<0.2	<10	130	0.33	0.28	0.30	0.13	23.4	12.1	56
I033808		0.46	0.008	0.11	1.82	18.4	<0.2	<10	100	0.29	0.27	0.26	0.11	20.4	8.5	45
I033809		0.66	<0.005	0.22	2.65	10.0	<0.2	<10	200	0.39	0.41	0.60	0.12	10.30	14.6	19
I033810		0.70	0.007	0.17	2.69	16.7	<0.2	<10	200	0.45	0.39	0.56	0.15	12.25	18.1	31
I033811		0.60	0.005	0.17	2.32	8.8	<0.2	<10	240	0.61	0.48	0.46	0.30	63.8	7.5	25
I033812		0.58	<0.005	0.17	2.33	8.9	<0.2	<10	250	0.64	0.48	0.47	0.31	64.8	7.4	25
I033813		0.72	<0.005	0.11	2.51	6.4	<0.2	<10	220	0.27	0.23	0.42	0.13	14.90	13.3	45
I033814		0.62	<0.005	0.08	1.78	10.3	<0.2	<10	120	0.25	0.36	0.32	0.10	15.55	9.4	39
I033815		0.82	0.008	0.16	2.14	9.7	<0.2	<10	150	0.34	0.76	0.31	0.20	25.5	10.3	35
I033816		0.70	0.027	0.54	2.00	13.2	<0.2	<10	180	0.40	1.33	0.32	0.21	24.3	6.6	34
I033817		0.94	0.008	0.32	2.35	20.9	<0.2	<10	170	0.40	1.67	0.33	0.21	27.3	8.4	39
I033818		0.60	0.006	0.30	1.74	7.9	<0.2	<10	160	0.28	1.18	0.29	0.18	24.7	6.5	28
I033819		0.48	0.008	0.33	2.56	16.3	<0.2	<10	200	0.73	0.85	0.29	0.24	40.6	6.8	33
I033820		0.52	0.006	0.27	2.46	11.1	<0.2	<10	250	0.66	0.41	0.44	0.23	73.0	7.7	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033781		1.21	29.6	3.20	8.67	<0.05	0.03	<0.01	0.016	0.18	6.8	12.8	1.02	523	0.80
I033782		0.85	21.9	2.95	8.78	<0.05	0.02	<0.01	0.025	0.07	8.8	14.7	0.73	291	0.76
I033783		<0.05	1.0	0.02	0.08	<0.05	0.02	<0.01	<0.005	0.01	0.5	0.1	<0.01	<5	<0.05
I033784		0.42	22.2	0.63	1.77	<0.05	<0.02	0.03	0.008	0.04	3.1	0.9	0.07	38	0.33
I033785		0.83	22.4	3.00	8.03	<0.05	0.03	0.04	0.025	0.10	10.1	10.2	0.61	487	1.08
I033786		0.67	29.0	2.31	5.83	0.06	0.05	0.08	0.025	0.10	27.7	8.2	0.45	271	0.93
I033787		0.96	66.0	3.68	8.52	0.07	0.07	0.05	0.047	0.14	13.5	13.8	1.43	709	0.75
I033788		1.03	64.0	3.75	8.97	0.06	0.07	0.03	0.051	0.14	12.9	14.5	1.48	638	0.74
I033789		0.52	14.2	2.19	6.39	<0.05	0.03	0.02	0.020	0.06	7.4	8.6	0.43	157	0.86
I033790		0.62	41.7	3.01	7.41	<0.05	0.02	0.01	0.022	0.06	6.2	10.4	0.96	307	0.67
I033791		0.63	26.3	3.48	7.54	<0.05	0.08	0.01	0.029	0.09	7.7	13.2	0.91	278	0.81
I033792		0.57	58.3	4.25	9.53	0.06	0.02	<0.01	0.046	0.41	11.8	7.4	1.11	266	2.55
I033793		0.77	35.3	2.08	5.54	<0.05	0.02	0.02	0.013	0.15	4.6	5.2	0.57	129	0.69
I033794		0.99	62.3	3.07	7.18	<0.05	0.07	0.03	0.023	0.14	11.8	14.9	1.09	453	0.50
I033795		1.18	65.9	2.88	6.29	<0.05	0.08	0.05	0.020	0.13	9.7	12.4	1.00	491	0.42
I033796		1.62	25.4	3.21	6.68	<0.05	0.07	0.03	0.034	0.08	14.7	15.8	0.53	336	1.02
I033797		3.04	52.9	5.41	8.09	0.13	0.20	0.02	0.039	0.53	24.5	23.7	1.05	568	1.23
I033798		1.21	19.0	3.60	9.02	<0.05	0.05	0.03	0.027	0.09	9.1	13.1	0.29	208	1.43
I033799		5.04	41.8	6.00	10.90	0.08	0.07	0.03	0.061	0.33	13.0	21.7	0.78	405	0.78
I033800		1.85	24.8	3.05	7.67	<0.05	0.03	0.01	0.015	0.26	14.7	13.6	0.83	264	0.82
I033801		1.45	24.1	2.53	9.66	<0.05	0.04	0.03	0.022	0.07	6.5	9.0	0.27	213	4.58
I033802		2.52	55.7	2.85	7.73	0.05	0.05	0.04	0.026	0.15	12.5	12.5	0.75	442	23.4
I033803		2.85	93.6	2.86	8.93	0.08	0.08	0.07	0.034	0.09	30.1	14.5	0.63	203	22.6
I033804		2.17	39.8	1.62	7.77	<0.05	0.03	0.06	0.022	0.07	9.1	9.5	0.51	165	16.60
I033805		2.58	40.4	2.32	7.44	<0.05	0.04	0.05	0.022	0.08	12.6	9.0	0.60	191	17.40
I033806		2.32	39.2	2.62	7.34	<0.05	0.04	0.04	0.023	0.09	10.9	10.2	0.61	215	27.8
I033807		2.46	37.9	2.38	7.15	<0.05	0.04	0.03	0.024	0.09	11.9	11.4	0.62	315	11.95
I033808		2.07	36.1	2.26	6.62	<0.05	0.04	0.04	0.022	0.07	10.7	9.4	0.53	190	8.89
I033809		4.25	122.5	3.15	7.90	<0.05	0.02	0.03	0.021	0.20	5.4	12.9	0.65	273	1.20
I033810		4.82	106.5	3.33	8.05	0.05	0.03	0.03	0.024	0.19	6.3	14.6	0.83	389	1.61
I033811		2.43	34.4	2.53	7.34	0.10	0.08	0.16	0.030	0.09	38.9	11.1	0.36	840	1.44
I033812		2.41	35.4	2.55	7.39	0.10	0.08	0.17	0.032	0.09	39.4	11.1	0.35	842	1.41
I033813		3.82	75.5	2.85	8.20	0.05	0.03	0.01	0.019	0.38	8.1	18.5	0.91	460	0.80
I033814		2.56	57.6	2.67	7.92	<0.05	0.06	0.02	0.020	0.13	8.5	11.9	0.66	354	1.40
I033815		2.16	53.3	2.94	7.27	<0.05	0.05	0.05	0.031	0.14	14.2	13.3	0.62	409	1.23
I033816		1.57	57.4	2.44	6.95	<0.05	0.05	0.12	0.030	0.07	14.0	8.0	0.41	290	1.48
I033817		2.00	60.9	2.96	7.75	<0.05	0.05	0.07	0.035	0.10	16.2	12.0	0.57	284	1.11
I033818		1.83	41.7	2.30	6.15	<0.05	0.04	0.09	0.028	0.06	15.3	8.7	0.41	292	0.86
I033819		2.25	80.5	3.13	7.99	0.07	0.04	0.19	0.038	0.10	25.2	11.0	0.39	496	2.60
I033820		2.26	34.5	2.68	7.17	0.09	0.05	0.23	0.033	0.08	44.8	11.7	0.37	673	1.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033781		1.68	11.9	430	7.5	20.3	<0.001	0.02	0.14	3.6	0.3	0.5	24.3	<0.01	0.03
I033782		1.34	12.2	380	9.5	10.4	<0.001	0.02	0.17	4.0	0.4	0.6	19.7	<0.01	0.05
I033783		<0.05	0.8	10	1.2	0.2	0.002	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I033784		0.20	3.1	410	2.5	3.5	<0.001	0.02	0.10	0.4	0.2	0.2	9.1	<0.01	0.02
I033785		1.43	11.0	400	7.4	13.5	<0.001	0.02	0.20	4.1	0.4	0.5	17.7	<0.01	0.04
I033786		0.99	12.9	980	5.8	11.5	<0.001	0.08	0.22	4.1	1.4	0.4	34.0	0.01	0.03
I033787		1.14	17.7	960	4.4	9.9	<0.001	0.07	0.27	9.9	1.7	0.4	59.0	0.01	0.05
I033788		1.15	17.7	960	4.8	10.9	<0.001	0.06	0.25	10.2	1.4	0.5	55.1	0.01	0.05
I033789		1.18	11.6	350	5.8	8.7	<0.001	<0.01	0.22	3.0	<0.2	0.5	22.2	<0.01	0.03
I033790		0.78	17.1	530	4.0	7.3	<0.001	0.01	0.17	4.9	0.3	0.4	26.2	<0.01	0.04
I033791		0.98	15.7	510	5.4	8.6	<0.001	0.11	0.27	5.4	0.3	0.5	29.5	<0.01	0.05
I033792		0.68	11.9	640	7.0	16.8	0.003	0.92	0.14	8.1	2.0	0.6	65.3	<0.01	0.24
I033793		0.57	7.4	430	3.4	8.6	<0.001	0.15	0.11	3.4	0.4	0.3	24.4	<0.01	0.05
I033794		1.26	22.2	670	5.2	16.9	<0.001	0.01	0.20	6.5	0.8	0.4	34.2	0.01	0.04
I033795		1.19	19.3	840	3.8	15.5	<0.001	0.03	0.22	6.7	1.0	0.3	59.2	0.01	0.04
I033796		1.47	28.7	340	12.6	15.5	<0.001	0.01	0.47	5.0	0.5	0.5	18.3	0.01	0.03
I033797		2.58	71.2	320	12.8	61.7	<0.001	0.05	0.19	5.3	1.1	0.7	16.4	0.01	0.04
I033798		2.61	16.3	310	10.7	18.0	<0.001	<0.01	0.50	2.8	0.3	0.8	10.5	<0.01	0.04
I033799		1.50	51.4	530	34.0	39.9	<0.001	0.02	0.55	5.5	1.0	1.3	22.4	0.01	0.03
I033800		2.32	31.6	450	7.5	28.8	<0.001	0.05	0.24	2.8	0.4	0.5	17.0	<0.01	0.03
I033801		1.97	11.8	360	6.8	10.2	<0.001	0.01	0.40	3.2	0.5	0.8	11.4	0.01	0.07
I033802		1.79	38.3	750	5.7	29.5	<0.001	0.04	0.21	5.3	0.8	0.7	35.7	<0.01	0.07
I033803		2.23	33.9	600	6.4	25.1	<0.001	0.05	0.33	6.9	1.6	0.7	30.3	0.01	0.08
I033804		1.45	22.8	550	6.2	16.5	<0.001	0.06	0.19	3.8	0.7	0.7	23.8	<0.01	0.03
I033805		1.69	25.6	600	5.9	21.5	<0.001	0.05	0.43	4.2	1.0	0.7	27.9	<0.01	0.06
I033806		1.59	24.7	650	6.6	20.7	<0.001	0.04	1.02	3.8	0.8	0.6	25.6	<0.01	0.04
I033807		1.44	24.7	670	6.2	22.7	<0.001	0.03	1.69	4.2	0.7	0.6	28.4	<0.01	0.04
I033808		1.41	20.7	620	5.6	19.0	<0.001	0.04	1.64	3.5	0.8	0.5	25.3	<0.01	0.04
I033809		0.71	12.7	970	4.2	25.1	<0.001	0.01	0.63	4.3	0.6	0.5	62.8	<0.01	0.06
I033810		1.12	19.7	1010	5.9	30.8	<0.001	0.01	1.12	5.4	0.5	0.7	40.8	<0.01	0.05
I033811		2.27	13.9	700	10.6	34.0	<0.001	0.05	0.40	5.3	1.6	1.0	41.9	0.01	0.04
I033812		2.31	13.9	710	10.5	34.1	<0.001	0.05	0.38	5.4	1.5	1.0	42.0	0.01	0.04
I033813		1.12	20.7	740	4.0	32.6	<0.001	<0.01	0.27	4.0	0.3	0.5	41.9	<0.01	0.02
I033814		1.63	19.1	470	5.1	21.9	<0.001	<0.01	0.39	4.2	<0.2	0.7	25.2	<0.01	0.04
I033815		1.89	17.5	700	7.3	24.4	<0.001	0.01	0.40	5.1	0.4	0.8	27.4	<0.01	0.04
I033816		1.26	16.5	1010	8.4	14.9	<0.001	0.09	0.49	4.1	0.9	0.7	31.1	<0.01	0.07
I033817		1.72	18.9	710	9.9	21.0	<0.001	0.02	0.56	5.9	0.7	0.8	28.0	<0.01	0.05
I033818		1.43	13.4	690	8.8	15.3	<0.001	0.04	0.54	4.5	0.6	0.7	27.4	<0.01	0.03
I033819		2.12	17.8	910	9.4	22.8	<0.001	0.07	0.52	5.4	0.9	1.1	30.1	<0.01	0.11
I033820		2.03	15.3	750	11.2	24.1	0.001	0.07	0.45	5.5	1.0	1.0	39.5	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033781		0.172	0.10	0.44	79	0.12	3.03	83
I033782		0.103	0.11	0.52	78	0.11	2.86	81
I033783		0.005	<0.02	0.10	1	<0.05	0.69	10
I033784		0.018	0.02	0.37	15	<0.05	1.74	11
I033785		0.104	0.09	0.60	70	0.11	4.71	67
I033786		0.058	0.06	1.25	41	0.11	16.60	60
I033787		0.134	0.06	1.06	97	0.13	18.60	138
I033788		0.145	0.06	1.03	98	0.14	17.10	143
I033789		0.099	0.07	0.32	62	0.14	2.70	46
I033790		0.113	0.05	0.33	81	0.11	4.78	77
I033791		0.108	0.07	0.36	89	0.11	3.53	91
I033792		0.128	0.13	0.65	107	0.06	5.11	96
I033793		0.104	0.05	0.40	63	0.05	2.44	36
I033794		0.151	0.11	1.05	79	0.13	14.55	73
I033795		0.129	0.09	0.96	68	0.10	13.70	74
I033796		0.078	0.12	0.82	64	0.15	6.48	65
I033797		0.179	0.51	1.59	49	0.09	17.60	109
I033798		0.132	0.16	0.67	80	0.13	4.13	46
I033799		0.040	0.31	0.89	59	0.12	15.70	158
I033800		0.198	0.18	0.72	70	0.12	4.11	53
I033801		0.127	0.11	0.49	84	1.30	2.71	48
I033802		0.148	0.19	1.23	87	4.36	6.83	76
I033803		0.148	0.25	2.98	90	0.95	16.70	70
I033804		0.122	0.22	1.36	48	0.67	3.94	55
I033805		0.129	0.19	1.30	56	0.98	5.22	59
I033806		0.125	0.18	1.08	70	0.75	4.74	59
I033807		0.122	0.21	1.25	61	0.99	4.97	62
I033808		0.108	0.19	1.27	55	0.91	4.19	51
I033809		0.126	0.26	0.86	90	1.13	4.64	44
I033810		0.141	0.29	1.22	106	2.89	4.91	63
I033811		0.083	0.27	9.96	52	1.48	24.5	70
I033812		0.083	0.25	10.00	51	1.45	24.7	70
I033813		0.166	0.30	1.57	79	1.21	4.68	61
I033814		0.176	0.18	1.09	85	1.77	4.69	54
I033815		0.148	0.20	3.13	74	2.80	6.94	68
I033816		0.080	0.16	6.11	56	2.64	8.60	55
I033817		0.123	0.20	4.21	71	2.55	8.53	68
I033818		0.096	0.17	3.68	52	1.96	7.89	53
I033819		0.091	0.21	9.16	61	4.40	13.55	65
I033820		0.081	0.26	10.30	49	1.01	26.6	63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033821		0.68	<0.005	0.32	2.28	7.0	<0.2	<10	220	0.62	0.58	0.43	0.32	54.9	5.6	23
I033822		0.86	0.006	0.14	2.23	5.0	<0.2	<10	260	0.32	0.26	0.62	0.25	24.7	9.9	31
I033823		0.46	NSS	0.42	1.68	7.3	<0.2	<10	330	0.90	0.20	1.56	0.80	69.4	10.9	22
I033824		0.42	NSS	0.34	1.55	6.2	<0.2	<10	340	0.87	0.18	1.65	0.93	68.2	10.5	21
I033825		0.58	NSS	0.20	1.76	15.0	<0.2	<10	200	0.28	0.19	0.52	0.26	21.9	8.5	45
I033826		0.52	0.032	0.36	2.24	23.9	<0.2	<10	200	0.32	0.19	0.67	0.29	24.1	14.5	71
I033827		0.50	0.023	0.37	2.12	78.8	<0.2	<10	190	0.40	0.35	0.49	0.14	41.0	11.6	46
I033828		0.52	0.013	0.18	1.94	12.1	<0.2	<10	160	0.35	0.61	0.39	0.17	43.0	12.0	33
I033829		0.50	0.009	0.26	2.74	29.1	<0.2	<10	230	0.58	0.73	0.50	0.18	66.9	13.5	47
I033830		0.46	NSS	0.27	2.61	27.6	<0.2	<10	220	0.61	0.71	0.53	0.18	80.9	14.2	46
I033831		0.48	0.009	0.15	2.08	11.7	<0.2	<10	190	0.31	0.47	0.39	0.24	27.5	13.3	45
I033832		0.56	0.013	0.20	2.33	43.2	<0.2	<10	220	0.51	0.42	0.61	0.15	50.6	14.6	48
I033833		0.44	0.027	0.24	2.52	130.5	<0.2	<10	220	0.62	0.57	0.44	0.22	38.7	14.3	55
I033834		0.46	0.021	0.26	3.18	39.9	<0.2	<10	310	1.18	0.49	0.64	0.33	56.7	15.8	60
I033835		0.74	0.013	0.09	2.01	26.1	<0.2	<10	190	0.70	0.28	0.48	0.16	36.2	13.6	49
I033836		0.48	0.006	0.18	1.07	9.9	<0.2	<10	90	0.34	0.23	0.23	0.17	13.50	5.6	24
I033837		0.64	0.013	0.10	2.85	10.3	<0.2	<10	220	1.00	0.38	0.34	0.34	27.6	19.5	61
I033838		0.64	0.007	0.06	2.53	8.6	<0.2	<10	450	1.14	0.21	0.51	0.21	56.6	14.9	70
I033839		0.58	0.007	0.09	2.39	10.3	<0.2	<10	190	0.76	0.24	0.52	0.10	28.5	14.5	51
I033840		0.80	0.009	0.08	2.32	8.3	<0.2	<10	160	0.37	0.16	0.45	0.09	25.9	9.7	40
I033841		0.62	0.027	0.20	2.24	26.1	<0.2	<10	160	0.81	0.27	0.57	0.17	44.2	16.3	53
I033842		0.60	0.011	0.09	2.62	5.4	<0.2	<10	150	0.73	0.18	0.39	0.08	38.3	13.6	52
I033843		0.46	0.005	0.10	3.43	6.7	<0.2	<10	110	0.76	0.18	0.30	0.42	24.8	14.2	57
I033844		0.60	0.024	0.18	2.53	25.1	<0.2	<10	180	0.73	0.21	0.44	0.08	41.8	15.4	65
I033845		0.58	0.016	0.09	2.38	21.0	<0.2	<10	180	0.58	0.15	0.44	0.07	37.5	11.5	56
I033846		0.42	0.009	0.10	2.45	17.5	<0.2	<10	190	0.59	0.14	0.46	0.04	30.5	12.4	55
I033847		0.32	0.009	0.32	3.74	29.3	<0.2	<10	290	1.05	0.33	0.49	<0.01	40.3	43.8	66
I033848		0.66	0.010	0.16	2.61	37.9	<0.2	<10	160	0.65	0.19	0.33	0.13	25.7	14.1	56
I033849		0.60	0.011	0.17	2.55	37.2	<0.2	<10	150	0.69	0.20	0.32	0.13	25.1	14.7	53
I033850		0.20	0.017	0.21	1.65	35.9	<0.2	<10	170	0.51	0.15	0.61	0.58	24.1	15.0	37
I033851		0.16	0.005	0.10	2.01	4.9	<0.2	<10	130	0.28	0.14	0.23	0.15	24.7	10.3	33
I033852		0.16	0.005	0.16	2.01	8.1	<0.2	<10	250	0.39	0.16	0.29	0.24	37.5	13.0	55
I033853		0.14	0.005	0.03	1.38	5.6	<0.2	<10	70	0.18	0.21	0.08	0.07	17.65	3.1	20
I033854		0.10	0.006	0.10	0.88	3.8	<0.2	<10	70	0.21	0.09	0.09	0.06	25.1	3.4	13
I033855		0.12	0.007	0.14	1.81	6.9	<0.2	<10	140	0.39	0.21	0.19	0.20	38.7	11.4	46
I033856		0.12	0.011	0.26	2.23	13.3	<0.2	<10	270	0.56	0.19	0.75	0.21	94.9	18.1	49
I033857		0.12	0.009	0.16	2.01	8.2	<0.2	<10	270	0.46	0.17	0.78	0.22	48.8	19.4	62
I033858		0.06	0.009	0.15	1.80	5.2	<0.2	<10	340	0.42	0.12	1.07	0.28	50.5	22.4	56
I033859		0.10	0.008	0.11	1.90	7.0	<0.2	<10	200	0.37	0.15	0.45	0.16	36.5	21.0	84
I033860		0.12	0.006	0.09	1.65	5.0	<0.2	<10	170	0.25	0.17	0.48	0.15	26.7	15.3	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033821		2.22	42.5	2.69	6.36	0.08	0.04	0.16	0.030	0.08	33.5	8.4	0.29	706	2.36
I033822		3.27	45.6	2.64	6.61	0.07	0.04	0.05	0.022	0.17	14.7	11.2	0.59	638	1.79
I033823		2.32	157.5	2.12	3.96	0.10	0.07	0.19	0.028	0.07	38.1	6.2	0.34	911	2.84
I033824		2.14	152.5	1.92	3.56	0.10	0.07	0.17	0.024	0.07	37.4	5.6	0.33	1020	2.57
I033825		1.76	55.1	2.02	5.75	0.06	0.03	0.07	0.019	0.07	12.1	9.2	0.53	411	2.11
I033826		2.66	87.4	2.39	5.88	0.08	0.03	0.06	0.024	0.12	11.7	13.4	0.74	818	6.57
I033827		2.40	63.9	2.48	7.27	0.08	0.03	0.09	0.028	0.11	25.9	12.2	0.58	493	13.30
I033828		1.81	49.7	2.31	6.89	0.07	0.03	0.08	0.026	0.08	27.8	11.5	0.47	568	13.20
I033829		2.60	98.4	3.12	9.07	0.10	0.04	0.06	0.035	0.13	45.6	15.6	0.60	674	26.5
I033830		2.46	106.0	2.91	8.95	0.10	0.05	0.11	0.033	0.12	54.8	15.3	0.56	761	28.4
I033831		2.34	47.6	2.64	8.46	0.07	0.03	0.04	0.030	0.11	14.9	13.3	0.55	710	35.1
I033832		3.03	97.6	2.77	8.20	0.10	0.05	0.07	0.033	0.14	30.3	15.1	0.67	512	76.5
I033833		4.03	96.5	3.46	9.28	0.10	0.04	0.05	0.041	0.25	20.4	15.8	0.71	639	66.7
I033834		6.33	195.0	3.76	9.72	0.12	0.05	0.11	0.051	0.18	33.9	18.2	0.77	825	109.0
I033835		3.60	124.5	3.24	6.71	0.12	0.05	0.05	0.028	0.20	19.2	13.1	0.72	700	82.7
I033836		2.58	61.9	1.53	4.87	0.05	<0.02	0.05	0.018	0.06	7.6	5.0	0.26	198	32.9
I033837		4.22	149.0	3.33	7.94	0.11	0.12	0.05	0.037	0.20	13.1	16.3	0.82	504	54.6
I033838		6.20	146.0	3.78	9.18	0.19	0.12	0.05	0.036	0.57	26.5	14.7	1.14	434	84.3
I033839		2.39	99.3	3.30	7.72	0.11	0.07	0.08	0.037	0.18	13.8	15.5	0.79	406	123.5
I033840		1.37	45.8	2.68	7.05	0.07	0.07	0.17	0.030	0.05	13.0	14.4	0.62	189	78.6
I033841		3.25	246	3.81	7.35	0.14	0.12	0.46	0.051	0.21	22.1	12.8	0.75	508	76.7
I033842		2.85	134.0	2.96	8.75	0.11	0.05	0.03	0.033	0.16	18.8	15.6	0.84	258	25.0
I033843		3.22	84.3	3.55	9.27	0.09	0.07	0.05	0.040	0.18	10.3	20.7	0.58	303	24.5
I033844		5.03	201	3.66	8.49	0.12	0.07	0.11	0.047	0.37	22.8	13.6	0.86	413	103.5
I033845		3.13	121.5	3.24	7.75	0.12	0.09	0.03	0.037	0.27	20.0	12.9	0.81	333	57.9
I033846		2.90	96.5	3.21	7.51	0.10	0.05	0.03	0.035	0.19	14.7	13.0	0.87	302	77.0
I033847		3.39	207	4.60	11.65	0.09	0.04	0.10	0.063	0.10	18.2	16.2	0.81	2140	231
I033848		3.43	159.0	3.61	10.30	0.09	0.05	0.04	0.041	0.18	12.5	18.1	0.90	403	74.9
I033849		3.42	156.5	3.52	10.40	0.09	0.07	0.02	0.042	0.18	12.0	18.1	0.89	395	73.5
I033850		3.29	186.5	2.35	6.24	0.08	0.02	0.09	0.026	0.17	14.5	8.8	0.56	674	95.1
I033851		1.97	19.8	3.52	8.01	0.06	0.05	0.02	0.022	0.26	11.2	15.3	0.68	254	1.69
I033852		2.75	47.1	3.68	7.58	0.08	0.03	0.02	0.026	0.35	19.2	12.9	0.73	333	1.86
I033853		0.63	14.0	2.20	8.58	<0.05	0.03	0.03	0.016	0.05	7.7	5.0	0.16	109	1.27
I033854		0.87	10.3	1.41	4.23	<0.05	0.03	0.03	0.013	0.03	18.8	4.8	0.14	80	0.76
I033855		1.40	28.7	3.36	8.42	0.05	0.05	0.03	0.035	0.12	22.8	10.4	0.57	291	1.95
I033856		1.84	37.1	3.57	8.68	0.16	0.09	0.05	0.035	0.24	66.5	16.2	0.75	648	1.35
I033857		2.26	30.5	3.27	9.04	0.10	0.06	0.04	0.030	0.17	28.8	16.7	0.94	585	1.13
I033858		1.62	39.8	2.95	6.97	0.08	0.05	0.06	0.025	0.11	26.5	12.6	0.83	1040	1.16
I033859		2.14	26.7	3.20	7.94	0.06	0.03	0.03	0.022	0.21	21.1	13.7	1.02	722	1.03
I033860		1.53	27.5	2.65	7.29	0.05	0.03	0.03	0.018	0.13	14.6	10.8	0.84	533	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033821		1.85	12.6	1020	10.0	25.4	<0.001	0.11	0.34	5.5	1.0	1.0	40.9	<0.01	0.07	3.7
I033822		1.49	16.0	1080	5.7	26.9	<0.001	0.07	0.30	4.8	0.7	0.8	53.5	<0.01	0.04	2.1
I033823		1.05	24.0	1240	4.7	13.6	0.001	0.19	0.88	5.2	2.0	0.6	114.5	0.01	0.06	0.7
I033824		0.93	23.5	1240	4.4	13.0	0.001	0.20	0.95	4.6	1.9	0.6	118.0	0.01	0.06	0.6
I033825		1.15	22.7	650	5.8	16.0	<0.001	0.07	1.54	4.9	0.7	0.6	38.3	<0.01	0.03	0.7
I033826		0.89	30.8	790	5.2	19.0	0.001	0.07	3.22	6.4	0.8	0.5	44.0	<0.01	0.04	0.7
I033827		1.35	24.6	710	8.6	22.0	<0.001	0.06	2.67	5.3	0.7	0.8	40.0	<0.01	0.05	1.8
I033828		1.63	21.0	670	7.1	17.9	<0.001	0.06	0.68	3.9	0.7	0.8	33.7	<0.01	0.06	1.9
I033829		2.05	29.0	780	7.8	25.2	<0.001	0.07	0.90	5.3	1.0	1.0	44.9	<0.01	0.10	3.5
I033830		1.97	28.5	790	7.6	24.6	0.001	0.08	0.92	5.2	1.1	1.0	47.6	<0.01	0.09	3.4
I033831		1.79	24.9	680	8.8	25.3	<0.001	0.05	0.60	4.6	0.7	0.9	35.7	<0.01	0.06	2.0
I033832		1.90	33.5	750	6.4	30.4	0.001	0.06	0.89	6.6	1.1	0.8	45.2	<0.01	0.05	2.8
I033833		1.92	31.1	860	13.1	39.0	<0.001	0.04	2.52	6.6	0.8	0.9	35.5	<0.01	0.09	3.7
I033834		1.96	53.9	890	6.7	33.1	0.002	0.07	0.85	8.6	1.6	1.1	48.6	<0.01	0.10	2.9
I033835		1.54	31.4	960	4.2	28.9	0.001	0.07	0.53	5.8	1.0	0.7	28.3	<0.01	0.07	5.0
I033836		0.67	17.3	530	3.6	15.9	<0.001	0.05	0.33	1.9	0.6	0.5	19.0	<0.01	0.06	0.4
I033837		2.07	48.2	780	5.3	28.4	<0.001	0.02	0.28	6.9	1.0	1.0	20.9	<0.01	0.08	4.6
I033838		2.03	42.8	1080	5.3	62.0	<0.001	0.01	0.21	10.5	1.2	0.9	25.0	<0.01	0.07	6.8
I033839		1.64	29.6	780	5.6	27.7	0.001	0.01	0.33	6.8	0.8	0.7	31.1	<0.01	0.05	4.1
I033840		1.81	23.2	810	6.9	9.4	0.001	0.03	0.46	5.7	0.6	0.6	27.9	<0.01	0.03	3.5
I033841		1.27	31.8	860	4.8	33.0	0.001	0.01	0.54	8.2	0.9	0.9	36.8	<0.01	0.06	6.1
I033842		1.92	34.4	690	5.5	28.1	<0.001	0.02	0.30	7.5	0.8	0.7	29.0	<0.01	0.05	2.8
I033843		2.96	35.4	670	5.0	29.2	<0.001	0.06	0.28	5.7	0.8	0.6	23.2	0.01	0.08	2.9
I033844		1.97	41.2	670	4.2	45.2	0.001	0.02	0.79	10.1	0.8	0.9	28.3	<0.01	0.06	4.6
I033845		1.98	32.6	640	4.7	34.8	<0.001	0.01	0.66	8.2	0.7	0.7	28.6	<0.01	0.04	4.7
I033846		1.98	28.2	610	4.8	30.0	0.001	0.02	0.69	6.8	0.6	0.6	26.8	<0.01	0.04	3.3
I033847		2.09	41.6	750	9.7	21.0	0.001	0.07	0.72	8.0	1.3	0.8	37.3	<0.01	0.08	2.5
I033848		2.71	35.7	470	6.0	33.2	0.001	0.02	0.60	6.6	0.6	0.9	22.6	<0.01	0.07	2.8
I033849		2.69	36.0	470	6.1	33.7	0.001	0.02	0.57	6.8	0.6	0.9	22.6	<0.01	0.06	2.9
I033850		1.50	29.7	880	4.1	29.9	0.001	0.09	0.63	3.5	0.8	0.6	39.5	<0.01	0.06	0.4
I033851		2.20	24.5	370	10.3	38.6	<0.001	0.01	0.24	3.1	0.4	0.7	22.3	<0.01	0.04	4.3
I033852		1.67	44.1	1030	7.5	34.2	0.001	0.07	0.27	4.8	1.1	0.7	28.4	<0.01	0.06	5.6
I033853		1.44	7.7	320	9.2	8.3	<0.001	0.01	0.33	2.0	0.5	0.8	11.3	<0.01	0.03	1.2
I033854		1.00	8.8	170	4.1	7.1	<0.001	0.01	0.21	2.0	0.4	0.4	12.3	<0.01	0.03	1.9
I033855		1.81	37.2	350	10.9	22.1	0.001	0.03	0.47	5.8	0.5	0.9	18.8	<0.01	0.05	5.0
I033856		1.87	39.5	720	10.8	41.2	0.001	0.04	0.48	9.2	1.3	0.7	49.7	0.01	0.04	8.6
I033857		2.00	35.8	760	9.5	42.6	<0.001	0.04	0.35	7.1	0.9	0.8	47.4	0.01	0.04	5.3
I033858		1.41	31.2	830	7.6	31.6	0.001	0.06	0.27	5.4	0.8	0.5	48.6	0.01	0.03	2.0
I033859		1.48	40.0	850	9.4	39.1	<0.001	0.02	0.29	5.2	0.4	0.7	29.9	<0.01	0.03	3.9
I033860		1.33	30.9	620	8.3	30.2	<0.001	0.03	0.21	4.1	0.3	0.7	33.6	<0.01	0.03	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033821		0.059	0.21	12.50	47	1.26	24.1	63	1.2
I033822		0.104	0.23	3.97	64	2.45	11.25	71	1.2
I033823		0.040	0.16	15.95	39	2.61	54.3	60	1.4
I033824		0.038	0.15	14.50	36	2.11	54.8	60	1.2
I033825		0.088	0.11	2.50	50	1.82	9.72	55	1.0
I033826		0.086	0.18	1.10	62	1.93	10.10	62	1.0
I033827		0.098	0.19	3.53	61	2.25	13.70	62	1.1
I033828		0.102	0.18	3.80	51	2.33	9.24	61	1.0
I033829		0.118	0.22	5.46	68	2.61	14.15	77	1.5
I033830		0.110	0.23	6.29	64	2.78	16.15	73	1.5
I033831		0.127	0.20	1.63	68	1.68	5.89	83	1.2
I033832		0.137	0.23	3.20	70	3.72	16.60	72	1.8
I033833		0.154	0.31	2.44	74	2.71	10.65	90	1.7
I033834		0.133	0.31	3.77	90	2.91	18.20	132	1.8
I033835		0.142	0.27	1.90	79	16.90	10.15	75	1.9
I033836		0.061	0.12	0.90	39	0.84	3.85	42	<0.5
I033837		0.158	0.34	1.11	97	11.75	7.41	92	4.5
I033838		0.207	0.59	1.40	113	3.18	12.95	109	5.5
I033839		0.173	0.29	0.85	86	12.55	7.30	66	3.5
I033840		0.140	0.15	0.89	71	1.63	7.49	54	3.2
I033841		0.171	0.31	0.91	85	3.98	12.45	71	5.6
I033842		0.175	0.27	0.83	84	3.22	9.90	58	2.1
I033843		0.168	0.18	0.51	79	1.52	4.86	63	2.5
I033844		0.216	0.37	0.94	98	2.38	12.80	71	3.0
I033845		0.194	0.31	0.80	84	1.52	9.65	57	3.7
I033846		0.182	0.26	0.79	84	1.93	7.56	57	2.1
I033847		0.140	0.44	1.63	101	1.14	8.43	68	1.8
I033848		0.189	0.21	0.72	101	3.77	5.75	65	2.4
I033849		0.180	0.21	0.70	96	3.57	5.71	64	2.8
I033850		0.093	0.17	0.88	63	3.31	7.97	65	0.8
I033851		0.158	0.27	0.69	63	0.11	4.82	59	2.2
I033852		0.131	0.38	1.05	88	0.17	7.59	98	1.4
I033853		0.104	0.12	0.47	61	0.12	2.38	23	1.2
I033854		0.063	0.06	0.48	32	0.10	5.25	20	1.4
I033855		0.113	0.17	1.06	75	0.21	7.34	72	2.1
I033856		0.116	0.27	2.39	67	0.28	28.7	92	2.7
I033857		0.124	0.26	1.44	71	0.31	12.60	82	2.2
I033858		0.099	0.18	1.39	65	0.24	13.90	73	1.5
I033859		0.127	0.25	0.88	70	0.27	7.37	77	1.1
I033860		0.110	0.20	0.65	62	0.32	5.54	78	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033861		0.18	0.010	0.07	1.74	19.5	<0.2	<10	110	0.31	0.23	0.27	0.11	23.3	15.2	42
I033862		0.10	0.009	0.14	0.92	3.1	<0.2	<10	100	0.19	0.16	0.23	0.08	25.2	6.9	23
I033863		0.04	0.015	0.15	1.04	3.6	<0.2	<10	120	0.22	0.10	0.22	0.13	28.5	8.6	40
I033864		0.04	0.017	0.12	0.77	2.5	<0.2	<10	70	0.14	0.10	0.20	0.08	34.0	3.9	18
I033865		0.20	0.006	0.11	2.06	6.7	<0.2	<10	250	0.58	0.16	0.30	0.12	47.6	16.0	54
I033866		0.14	0.012	0.05	2.14	4.9	<0.2	<10	140	0.50	0.16	0.33	0.11	37.2	16.0	43
I033867		0.08	0.016	0.15	0.69	2.0	<0.2	<10	110	0.16	0.08	0.30	0.12	17.50	3.5	32
I033868		0.06	0.015	0.24	1.12	2.6	<0.2	<10	120	0.21	0.13	0.22	0.12	23.3	9.2	37
I033869		0.06	0.015	0.15	0.97	2.0	<0.2	<10	100	0.21	0.11	0.41	0.17	24.7	6.2	31
I033870		0.12	0.016	0.12	1.38	5.1	<0.2	<10	140	0.30	0.21	0.54	0.28	30.8	22.3	34
I033871		0.20	0.010	0.12	1.99	14.0	<0.2	<10	200	0.58	0.20	0.28	0.12	40.2	16.9	40
I033872		0.14	0.006	0.09	1.41	6.2	<0.2	<10	270	0.51	0.12	0.98	0.20	29.6	10.6	29
I033873		0.18	0.012	0.09	1.65	4.9	<0.2	<10	320	0.66	0.26	0.59	0.14	52.8	11.0	29
I033874		0.14	<0.005	0.09	1.10	6.4	<0.2	<10	120	0.18	0.15	0.14	0.18	10.00	8.6	27
I033875		0.16	0.005	0.16	2.03	5.4	<0.2	<10	230	0.42	0.17	0.21	0.21	15.30	12.9	44
I033876		0.14	0.005	0.06	1.59	5.2	<0.2	<10	150	0.25	0.15	0.30	0.13	16.85	8.6	29
I033877		0.26	<0.005	0.08	2.28	8.0	<0.2	<10	250	0.57	0.15	0.52	0.11	47.4	19.3	61
I033878		0.18	0.005	0.09	2.45	5.9	<0.2	<10	420	0.65	0.20	0.55	0.14	24.3	21.2	119
I033879		0.14	0.007	0.14	1.78	4.7	<0.2	<10	200	0.46	0.11	2.27	0.25	16.45	14.4	49
I033880		0.10	0.006	0.17	1.32	4.2	<0.2	<10	240	0.28	0.13	3.17	0.35	11.20	10.1	40
I033881		0.18	0.005	0.07	1.81	2.9	<0.2	<10	190	0.28	0.09	0.22	0.06	7.27	11.4	24
I033882		0.14	<0.005	0.08	2.06	7.4	<0.2	<10	310	0.44	0.14	0.39	0.15	14.75	14.4	37
I033883		0.16	<0.005	0.07	1.76	4.9	<0.2	<10	200	0.29	0.15	0.45	0.13	10.15	11.2	26
I033884		0.20	0.008	0.12	2.17	8.6	<0.2	<10	440	0.36	0.12	0.38	0.13	16.65	18.1	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033861		2.16	18.6	3.39	8.26	0.06	0.02	0.01	0.021	0.22	11.8	10.4	0.81	517	1.56
I033862		1.32	10.2	1.50	5.77	<0.05	0.02	0.04	0.016	0.06	13.2	4.9	0.28	349	0.98
I033863		1.10	23.3	1.90	5.36	<0.05	0.02	0.06	0.016	0.07	14.2	5.2	0.42	196	1.16
I033864		0.86	14.3	1.52	3.67	<0.05	0.02	0.06	0.011	0.10	20.3	2.8	0.24	103	0.86
I033865		1.15	45.4	3.70	7.34	0.08	0.13	0.01	0.029	0.30	28.9	14.3	0.84	362	1.81
I033866		1.41	22.7	3.28	7.20	0.05	0.13	0.01	0.028	0.08	15.6	15.5	0.70	345	1.27
I033867		0.89	16.2	1.26	3.26	<0.05	<0.02	0.06	0.011	0.07	9.0	2.9	0.24	89	0.93
I033868		1.90	27.7	2.07	6.08	<0.05	0.02	0.04	0.013	0.15	12.3	6.3	0.48	229	1.60
I033869		1.74	23.7	1.73	5.35	<0.05	0.02	0.05	0.015	0.08	12.6	4.9	0.37	141	1.18
I033870		1.42	21.7	2.83	6.71	<0.05	0.03	0.03	0.027	0.05	14.8	9.4	0.58	1090	2.02
I033871		0.83	33.3	3.60	7.12	0.05	0.05	0.02	0.030	0.11	19.4	13.5	0.60	385	1.61
I033872		0.60	27.5	2.32	5.08	<0.05	0.07	0.03	0.022	0.09	14.7	9.9	0.45	339	0.73
I033873		1.17	17.3	2.81	7.02	<0.05	0.10	0.02	0.031	0.17	16.2	10.5	0.44	945	1.19
I033874		0.45	11.7	2.25	5.55	<0.05	0.02	0.01	0.016	0.12	5.2	6.7	0.31	175	1.46
I033875		0.92	20.4	3.33	7.77	<0.05	0.03	0.02	0.025	0.16	6.6	11.6	0.64	309	2.40
I033876		0.67	16.9	2.49	6.62	<0.05	0.02	0.02	0.019	0.10	6.7	9.0	0.43	263	1.26
I033877		0.92	48.8	3.67	7.55	0.08	0.15	0.03	0.026	0.15	18.9	14.7	0.93	592	0.85
I033878		1.67	45.2	3.69	8.80	0.05	0.15	0.02	0.027	0.30	11.6	19.1	1.30	499	0.97
I033879		0.52	70.4	2.68	6.08	<0.05	0.07	0.02	0.022	0.06	8.7	10.4	0.83	400	0.73
I033880		0.75	120.0	1.95	4.26	<0.05	0.07	0.06	0.018	0.11	6.3	8.1	0.64	413	1.04
I033881		0.86	19.2	2.56	6.62	<0.05	0.03	0.01	0.014	0.06	3.2	10.8	0.57	245	0.92
I033882		0.58	21.7	3.21	7.12	<0.05	0.11	0.02	0.026	0.14	6.4	11.8	0.62	493	1.12
I033883		0.62	15.7	2.69	6.58	<0.05	0.06	0.02	0.022	0.13	4.7	10.1	0.53	268	1.12
I033884		1.02	27.0	3.56	7.29	0.05	0.11	0.01	0.023	0.36	7.7	15.8	0.96	419	1.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I033861		1.86	28.5	590	11.6	40.1	<0.001	0.02	0.23	4.2	0.3	0.7	21.7	<0.01	0.05	3.0
I033862		0.72	10.8	680	6.9	14.0	<0.001	0.05	0.21	2.6	0.5	0.6	21.4	<0.01	0.03	0.5
I033863		0.85	25.1	630	5.4	14.6	<0.001	0.07	0.19	2.8	0.9	0.5	19.5	<0.01	0.04	0.6
I033864		0.83	10.3	580	4.1	14.7	<0.001	0.09	0.14	1.5	0.7	0.3	16.5	<0.01	0.03	0.4
I033865		1.53	42.4	400	10.4	26.8	<0.001	0.03	0.34	6.6	0.6	0.6	31.2	<0.01	0.05	6.7
I033866		1.81	30.4	510	7.1	18.7	<0.001	0.01	0.24	4.6	0.2	0.6	27.8	<0.01	0.03	4.3
I033867		0.70	15.6	570	4.0	10.4	<0.001	0.08	0.16	1.7	0.6	0.3	26.2	<0.01	0.04	0.5
I033868		1.39	23.5	540	5.5	28.2	<0.001	0.07	0.15	2.5	0.8	0.5	21.2	<0.01	0.04	1.0
I033869		1.07	16.9	610	6.2	19.3	<0.001	0.07	0.14	2.4	1.0	0.5	31.8	<0.01	0.04	0.7
I033870		1.26	22.7	630	12.4	13.3	<0.001	0.04	0.29	3.8	0.6	0.7	49.8	<0.01	0.04	2.0
I033871		1.69	34.8	310	7.8	12.9	<0.001	0.01	0.71	5.9	0.5	0.6	25.6	<0.01	0.05	5.3
I033872		1.38	25.1	410	6.0	12.3	<0.001	0.03	0.34	4.8	0.7	0.5	59.0	<0.01	0.04	2.1
I033873		1.38	19.4	220	8.8	35.5	<0.001	0.01	0.35	5.9	0.3	1.2	68.4	<0.01	0.03	12.0
I033874		1.32	20.0	210	7.0	10.2	<0.001	0.01	0.38	2.7	<0.2	0.5	12.4	<0.01	0.03	1.3
I033875		1.53	30.7	250	10.4	21.1	<0.001	0.01	0.37	4.2	<0.2	0.7	19.0	<0.01	0.04	2.0
I033876		1.55	18.4	260	6.6	12.7	<0.001	0.01	0.29	3.4	<0.2	0.7	25.4	<0.01	0.02	1.5
I033877		1.29	39.1	240	7.7	23.9	0.001	0.01	0.35	8.9	0.4	0.6	33.8	<0.01	0.03	5.6
I033878		1.71	59.2	370	8.8	40.2	0.001	0.01	0.36	6.1	<0.2	0.7	33.1	<0.01	0.03	3.8
I033879		0.94	31.9	570	5.1	6.2	0.001	0.06	0.38	5.6	1.3	0.4	64.5	0.01	0.05	0.8
I033880		0.94	23.2	700	5.2	11.7	0.001	0.11	0.48	3.3	1.4	0.3	75.0	0.01	0.05	0.3
I033881		1.13	14.4	200	4.6	5.3	<0.001	<0.01	0.23	3.2	<0.2	0.4	16.8	<0.01	0.03	0.7
I033882		1.56	23.9	290	6.5	12.7	<0.001	0.01	0.42	5.3	<0.2	0.6	29.6	<0.01	0.03	2.1
I033883		1.61	16.7	140	5.6	12.4	<0.001	0.01	0.34	4.4	<0.2	0.5	23.5	<0.01	0.03	1.4
I033884		1.39	22.7	270	7.2	22.9	<0.001	0.01	0.32	7.3	<0.2	0.5	21.5	<0.01	0.02	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033861		0.128	0.29	0.76	64	0.48	5.21	86	0.8
I033862		0.051	0.11	0.91	29	0.17	4.64	34	0.5
I033863		0.058	0.13	1.08	41	0.15	5.66	44	0.5
I033864		0.052	0.12	1.04	21	0.10	5.94	27	<0.5
I033865		0.134	0.17	1.17	86	0.15	8.85	79	6.0
I033866		0.130	0.13	0.84	72	0.17	6.10	60	6.1
I033867		0.044	0.08	0.73	22	0.10	3.37	25	<0.5
I033868		0.087	0.20	0.93	51	0.13	3.96	48	0.6
I033869		0.064	0.14	1.03	31	0.12	4.14	42	0.5
I033870		0.078	0.14	1.31	66	0.34	5.82	74	0.7
I033871		0.092	0.13	0.88	75	0.23	6.44	65	2.2
I033872		0.082	0.07	1.20	51	0.17	10.35	37	2.6
I033873		0.060	0.12	2.53	48	0.15	7.36	41	4.2
I033874		0.085	0.09	0.25	55	0.14	1.62	39	1.2
I033875		0.114	0.14	0.50	79	0.15	3.09	60	1.2
I033876		0.087	0.09	0.55	60	0.15	2.64	41	0.9
I033877		0.136	0.13	0.75	82	0.19	13.05	61	7.1
I033878		0.186	0.21	0.69	83	0.16	5.10	59	6.6
I033879		0.054	0.05	0.51	61	0.11	11.35	45	3.0
I033880		0.059	0.07	1.70	47	0.12	9.84	42	3.4
I033881		0.120	0.09	0.18	52	0.12	1.59	39	1.4
I033882		0.128	0.09	0.31	75	0.19	3.06	59	5.2
I033883		0.113	0.10	0.23	65	0.16	2.10	39	2.6
I033884		0.146	0.15	0.39	85	0.12	4.26	60	4.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **21-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122483

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033151		0.24	0.007	0.12	1.99	7.1	<0.2	<10	270	0.40	0.12	0.49	0.14	38.7	13.2	98
I033152		0.30	<0.005	0.11	1.88	5.2	<0.2	<10	270	0.50	0.11	1.23	0.20	38.4	13.5	60
I033153		0.38	0.005	0.06	1.72	5.3	<0.2	<10	150	0.24	0.11	0.45	0.10	24.2	11.7	51
I033154		0.32	0.006	0.08	1.93	5.4	<0.2	<10	230	0.33	0.10	0.59	0.12	28.1	16.4	63
I033155		0.26	<0.005	0.06	1.52	3.7	<0.2	<10	160	0.25	0.08	1.19	0.16	12.25	13.1	47
I033156		0.30	<0.005	0.06	1.29	4.0	<0.2	<10	140	0.27	0.09	1.22	0.14	12.20	9.1	33
I033157		0.26	<0.005	0.06	1.30	3.3	<0.2	<10	140	0.21	0.07	1.36	0.15	10.10	10.2	35
I033158		0.38	<0.005	0.11	1.52	3.0	<0.2	<10	170	0.06	0.05	0.65	0.10	10.30	10.8	46
I033159		0.34	0.006	0.08	1.38	5.5	<0.2	<10	140	0.25	0.08	1.57	0.20	18.80	11.3	38
I033160		0.26	0.014	0.14	1.88	4.6	<0.2	<10	230	0.26	0.08	1.10	0.16	13.85	13.5	29
I033161		0.40	<0.005	0.09	1.89	4.2	<0.2	<10	240	0.27	0.09	1.12	0.14	15.20	13.7	44
I033162		0.36	0.005	0.09	1.96	4.3	<0.2	<10	250	0.32	0.17	1.14	0.13	15.90	14.6	49
I033163		0.24	0.005	0.11	1.61	3.0	<0.2	<10	180	0.23	0.09	2.61	0.25	13.70	11.5	47
I033164		0.36	<0.005	0.04	1.31	3.4	<0.2	<10	60	0.20	0.12	0.45	0.10	19.50	9.8	37
I033165		0.36	<0.005	0.04	1.77	3.4	<0.2	<10	70	0.29	0.11	0.31	0.07	16.15	14.6	54
I033166		0.28	<0.005	0.06	1.19	2.9	<0.2	<10	80	0.33	0.12	0.81	0.13	65.1	10.6	27
I033167		0.22	0.005	0.08	0.80	3.1	<0.2	<10	60	0.22	0.11	0.31	0.08	16.05	3.8	19
I033168		0.38	0.005	0.10	1.49	3.2	<0.2	<10	90	0.37	0.11	0.81	0.12	65.4	18.9	32
I033169		0.34	<0.005	0.04	1.05	2.3	<0.2	<10	60	0.28	0.06	1.02	0.09	25.2	10.6	21
I033170		0.34	<0.005	0.06	1.53	2.4	<0.2	<10	90	0.40	0.09	0.94	0.14	40.6	14.4	28
I033171		0.54	<0.005	0.05	1.45	3.1	<0.2	<10	70	0.37	0.09	0.62	0.07	32.8	13.8	34
I033172		0.42	0.013	0.10	1.68	3.4	<0.2	<10	100	0.27	0.13	0.42	0.10	32.5	14.4	37
I033173		0.48	0.014	0.06	1.44	3.6	<0.2	<10	90	0.33	0.13	0.47	0.09	38.8	14.1	31
I033174		0.34	<0.005	0.07	1.40	3.4	<0.2	<10	90	0.23	0.13	0.63	0.13	30.0	14.7	31
I033175		0.32	0.007	0.11	1.64	3.1	<0.2	<10	100	0.36	0.16	0.50	0.11	38.7	23.0	38
I033176		0.26	0.007	0.07	1.27	2.9	<0.2	<10	70	0.64	0.21	0.25	0.13	80.0	20.6	34
I033177		0.40	<0.005	0.04	1.39	5.9	<0.2	<10	90	0.29	0.20	0.79	0.08	24.5	14.1	27
I033178		0.40	<0.005	0.06	1.55	4.2	<0.2	<10	90	0.48	0.10	1.20	0.09	43.0	14.2	32
I033179		0.36	0.005	0.05	1.29	2.7	<0.2	<10	70	0.41	0.13	0.89	0.09	31.4	11.9	26
I033180		0.26	<0.005	0.10	1.52	5.0	<0.2	<10	120	0.46	0.14	0.56	0.08	35.7	15.6	33
I033185		0.32	<0.005	0.05	1.29	5.6	<0.2	<10	50	0.15	0.33	0.09	0.10	25.1	7.5	23
I033186		0.36	<0.005	0.03	3.83	3.1	<0.2	<10	180	0.69	0.20	0.17	0.04	41.6	24.7	77
I033187		0.32	<0.005	0.02	2.58	9.4	<0.2	<10	100	0.33	0.22	0.09	0.08	31.9	11.6	41
I033188		0.28	<0.005	0.08	2.23	11.7	<0.2	<10	130	0.32	0.27	0.15	0.14	17.40	9.0	37
I033189		0.28	<0.005	0.12	2.05	9.3	<0.2	<10	150	0.36	0.28	0.16	0.16	24.5	10.9	33
I033190		0.22	<0.005	0.06	1.72	6.1	<0.2	<10	200	0.33	0.11	0.27	0.18	20.8	12.1	41
I033191		0.34	<0.005	0.09	2.55	10.9	<0.2	<10	240	0.29	0.16	0.30	0.19	16.60	12.7	43
I033192		0.18	<0.005	0.11	1.34	4.2	<0.2	<10	260	0.26	0.14	0.36	0.20	13.55	10.5	27
I033193		0.26	0.005	0.22	2.30	5.5	<0.2	<10	240	0.60	0.13	0.74	0.24	61.5	13.6	52
I033194		0.14	<0.005	0.11	0.83	2.0	<0.2	<10	220	0.20	0.07	3.41	0.21	18.00	6.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033151		2.05	24.2	3.11	7.74	<0.05	0.04	0.05	0.018	0.10	20.5	13.7	1.09	500	0.95
I033152		1.44	42.3	2.94	6.68	0.06	0.04	0.05	0.022	0.12	19.4	15.4	0.83	489	0.73
I033153		1.25	28.9	2.93	6.60	<0.05	0.03	0.03	0.016	0.07	11.9	11.1	0.83	412	0.89
I033154		1.54	34.1	3.23	7.63	0.05	0.03	0.05	0.021	0.10	13.5	14.2	1.02	716	0.97
I033155		0.79	29.2	2.49	5.55	<0.05	0.05	0.05	0.016	0.07	5.6	11.1	0.82	580	0.88
I033156		0.65	20.7	2.01	5.22	<0.05	0.05	0.04	0.016	0.04	5.7	8.6	0.52	469	0.86
I033157		0.62	29.7	2.08	5.07	<0.05	0.04	0.09	0.014	0.05	4.8	8.6	0.64	284	0.67
I033158		1.21	34.9	2.73	5.98	0.09	0.02	0.02	0.016	0.13	5.6	7.9	0.87	348	0.74
I033159		0.71	38.2	2.60	4.50	0.11	0.09	0.01	0.019	0.08	9.7	9.0	0.63	326	0.70
I033160		2.05	66.0	2.93	5.42	0.08	0.05	0.03	0.019	0.17	6.2	13.8	0.85	440	1.26
I033161		1.26	49.2	2.91	5.33	0.07	0.06	0.03	0.019	0.19	7.2	13.5	0.94	417	0.70
I033162		1.44	51.9	2.97	5.49	0.08	0.06	0.03	0.021	0.22	7.3	14.2	1.02	443	0.75
I033163		1.36	54.6	2.35	4.41	0.07	0.06	0.05	0.016	0.14	6.5	11.3	0.75	407	0.74
I033164		1.26	25.1	2.44	6.52	0.05	0.02	0.02	0.016	0.10	10.2	10.8	0.53	237	0.91
I033165		1.49	20.4	3.16	7.79	0.05	<0.02	0.02	0.019	0.06	8.4	13.0	0.82	320	0.86
I033166		0.89	28.8	2.35	5.46	0.07	0.02	0.05	0.022	0.08	34.9	8.0	0.34	275	0.69
I033167		0.92	15.6	1.51	4.37	<0.05	<0.02	0.05	0.014	0.04	8.0	3.8	0.20	85	0.47
I033168		1.15	26.3	2.97	5.41	0.08	0.03	0.05	0.022	0.06	32.1	13.8	0.51	642	0.78
I033169		0.93	15.3	1.98	3.94	0.06	0.03	0.02	0.013	0.07	12.0	9.7	0.45	357	0.30
I033170		2.30	22.0	2.99	5.63	0.08	0.03	0.03	0.017	0.20	20.8	13.8	0.67	461	0.77
I033171		2.16	18.0	3.17	5.35	0.08	0.03	0.02	0.018	0.18	16.1	13.5	0.67	382	0.83
I033172		1.86	20.1	2.99	6.57	0.06	0.02	0.04	0.021	0.08	15.9	12.7	0.62	583	0.77
I033173		2.25	18.5	3.16	5.52	0.07	0.02	0.03	0.022	0.09	18.8	10.8	0.56	457	0.68
I033174		1.61	16.5	2.63	5.37	0.06	0.02	0.07	0.019	0.08	14.4	10.2	0.53	692	0.78
I033175		3.62	22.8	3.34	6.58	0.08	0.02	0.02	0.022	0.25	22.0	14.8	0.71	835	0.77
I033176		4.12	35.0	4.37	4.43	0.10	0.03	0.02	0.034	0.16	36.8	12.0	0.43	395	0.96
I033177		1.63	11.9	2.92	5.53	0.07	0.04	0.02	0.023	0.08	11.4	17.2	0.54	455	0.53
I033178		2.28	22.8	3.04	5.47	0.09	0.04	0.03	0.023	0.15	18.9	18.2	0.61	377	0.45
I033179		2.07	16.3	2.53	4.67	0.08	0.03	0.02	0.016	0.12	15.5	13.9	0.52	318	0.33
I033180		2.81	20.3	3.04	6.24	0.07	0.02	0.03	0.022	0.08	17.6	14.7	0.56	669	0.71
I033185		1.22	19.1	2.66	9.91	0.05	0.02	0.02	0.015	0.16	7.3	5.4	0.44	154	1.23
I033186		2.09	20.1	4.58	16.40	0.12	0.04	0.02	0.045	0.50	7.7	22.7	1.74	190	0.86
I033187		1.51	24.2	4.85	13.10	0.08	0.04	0.01	0.026	0.27	16.6	18.2	0.86	231	1.46
I033188		1.34	15.5	4.62	12.50	0.07	0.03	0.02	0.029	0.05	8.4	18.5	0.43	277	1.97
I033189		1.29	19.9	3.64	8.97	<0.05	0.05	0.01	0.021	0.17	7.6	14.6	0.59	274	1.38
I033190		0.93	24.5	2.78	6.90	<0.05	0.04	0.02	0.022	0.10	10.4	14.1	0.63	254	0.94
I033191		0.69	19.1	3.59	8.15	<0.05	0.10	0.02	0.030	0.07	7.7	17.0	0.67	426	1.49
I033192		0.50	12.9	2.26	5.78	<0.05	0.03	0.02	0.017	0.17	6.0	9.4	0.38	591	0.91
I033193		1.38	39.8	3.53	7.57	0.10	0.08	0.04	0.025	0.28	41.5	16.1	0.95	396	0.78
I033194		0.76	50.2	1.32	2.74	0.05	0.05	0.07	0.036	0.14	12.0	6.0	0.44	312	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033151		1.51	41.3	710	7.9	32.2	<0.001	0.04	0.27	4.4	0.9	0.6	32.6	<0.01	0.03
I033152		1.38	34.2	720	6.2	25.2	<0.001	0.05	0.24	5.2	1.2	0.4	41.1	<0.01	0.04
I033153		1.27	25.9	740	5.8	17.7	<0.001	0.03	0.17	4.1	0.7	0.4	25.4	<0.01	0.03
I033154		1.46	32.6	810	5.8	25.7	<0.001	0.04	0.18	4.9	0.9	0.5	31.7	<0.01	0.03
I033155		1.02	24.9	710	4.1	12.1	<0.001	0.05	0.17	4.5	1.0	0.3	35.2	<0.01	0.03
I033156		1.04	16.4	680	5.1	5.6	<0.001	0.07	0.23	3.6	1.1	0.4	38.1	<0.01	0.04
I033157		0.93	19.8	610	4.0	7.8	<0.001	0.09	0.22	4.1	1.1	0.3	41.5	<0.01	0.03
I033158		0.99	22.8	630	4.4	14.0	0.001	0.03	0.16	4.3	0.8	0.4	28.7	<0.01	0.03
I033159		1.41	25.9	590	5.1	11.7	0.001	0.04	0.28	4.2	1.3	0.4	39.2	<0.01	0.03
I033160		1.10	19.5	580	6.3	20.1	0.001	0.11	0.18	4.7	0.9	0.3	34.3	<0.01	0.04
I033161		1.30	26.1	610	5.6	22.2	<0.001	0.05	0.19	4.8	0.6	0.4	32.5	<0.01	0.03
I033162		1.33	29.0	660	5.6	24.7	<0.001	0.05	0.18	5.0	0.6	0.7	32.9	<0.01	0.03
I033163		1.16	25.4	590	5.4	17.5	<0.001	0.09	0.19	3.9	0.9	0.3	49.5	0.01	0.04
I033164		1.02	28.2	320	8.0	14.6	<0.001	0.03	0.15	2.7	0.3	0.4	30.0	<0.01	0.03
I033165		0.98	34.7	450	6.7	14.6	<0.001	0.04	0.15	4.3	0.4	0.4	22.6	<0.01	0.03
I033166		0.71	29.0	440	7.3	9.6	<0.001	0.04	0.25	3.5	0.7	0.4	57.5	<0.01	0.03
I033167		0.69	10.4	620	7.0	8.4	<0.001	0.07	0.13	1.3	0.7	0.4	24.8	<0.01	0.03
I033168		1.11	30.8	580	8.9	14.9	<0.001	0.06	0.15	4.0	0.8	0.3	55.6	<0.01	0.04
I033169		1.10	20.3	540	5.1	15.9	<0.001	0.05	0.12	2.9	0.6	0.3	64.0	<0.01	0.03
I033170		1.45	27.0	750	8.4	41.4	<0.001	0.05	0.13	3.6	0.7	0.3	63.7	<0.01	0.03
I033171		1.20	29.5	540	8.0	26.0	<0.001	0.04	0.16	4.3	0.5	0.4	45.3	<0.01	0.03
I033172		1.07	28.2	710	9.2	19.5	<0.001	0.04	0.17	4.3	0.5	0.5	31.4	<0.01	0.04
I033173		0.98	27.9	690	10.9	19.0	<0.001	0.03	0.16	4.8	0.5	0.4	33.7	<0.01	0.03
I033174		1.01	22.5	630	10.8	19.4	<0.001	0.05	0.20	3.9	0.7	0.4	52.2	<0.01	0.03
I033175		1.05	34.1	660	16.4	39.8	<0.001	0.04	0.14	4.6	0.6	0.5	43.5	<0.01	0.04
I033176		0.72	50.0	480	13.8	24.8	<0.001	0.02	0.20	5.8	0.5	0.4	22.3	<0.01	0.04
I033177		1.16	21.4	610	12.0	12.9	<0.001	0.03	0.17	3.7	0.5	0.5	55.2	<0.01	0.03
I033178		1.20	30.5	580	9.7	27.3	<0.001	0.05	0.18	4.4	0.8	0.4	85.1	<0.01	0.03
I033179		1.10	25.0	750	9.4	22.7	<0.001	0.03	0.13	3.7	0.5	0.4	65.1	<0.01	0.02
I033180		1.14	28.3	600	9.0	21.6	<0.001	0.03	0.20	4.5	0.6	0.5	47.5	<0.01	0.04
I033185		2.02	16.4	350	8.4	30.3	<0.001	0.02	0.26	2.8	0.4	0.7	10.1	<0.01	0.04
I033186		0.99	82.3	610	5.7	66.1	<0.001	0.01	0.10	8.4	0.4	1.9	8.8	<0.01	0.03
I033187		4.04	24.1	510	10.6	30.2	<0.001	0.08	0.36	4.7	0.4	0.9	14.2	<0.01	0.05
I033188		2.41	16.6	460	11.9	15.8	<0.001	0.02	0.65	3.7	0.4	0.8	15.7	<0.01	0.07
I033189		2.04	26.5	350	21.3	25.5	0.001	0.02	0.40	3.1	0.2	0.7	17.5	<0.01	0.04
I033190		1.49	34.9	650	5.4	13.7	<0.001	0.02	0.24	3.4	0.4	0.5	21.9	<0.01	0.03
I033191		1.40	28.4	370	9.2	11.0	<0.001	0.02	0.43	4.2	0.2	0.7	28.9	<0.01	0.04
I033192		1.13	19.8	380	6.4	17.6	0.001	0.02	0.25	2.6	0.2	0.5	27.1	<0.01	0.03
I033193		1.78	41.3	560	9.1	37.3	<0.001	0.03	0.19	6.3	0.7	0.6	40.5	<0.01	0.04
I033194		0.74	19.0	690	4.0	17.1	0.001	0.17	0.22	1.8	1.3	0.2	151.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033151		0.138	0.22	0.96	70	0.49	7.32	70	1.1
I033152		0.112	0.15	0.93	63	0.47	11.85	71	1.8
I033153		0.118	0.13	0.71	67	0.37	5.25	62	0.9
I033154		0.127	0.15	0.83	71	0.29	6.96	66	1.4
I033155		0.098	0.09	0.49	64	0.26	4.86	63	1.8
I033156		0.075	0.06	0.54	53	0.26	4.63	46	2.0
I033157		0.077	0.05	0.42	52	0.26	3.94	53	1.6
I033158		0.105	0.07	0.38	59	0.08	3.66	65	0.9
I033159		0.096	0.06	0.83	53	0.12	8.70	50	3.9
I033160		0.144	0.14	0.76	70	0.12	7.66	55	2.1
I033161		0.153	0.11	0.63	71	0.09	7.98	66	2.7
I033162		0.155	0.13	0.68	73	0.26	8.59	67	2.8
I033163		0.101	0.11	0.80	57	0.08	8.24	60	2.7
I033164		0.089	0.11	0.56	52	0.10	4.54	56	0.5
I033165		0.075	0.11	0.37	59	0.12	3.86	71	0.5
I033166		0.042	0.08	0.66	39	0.09	13.80	48	<0.5
I033167		0.042	0.10	0.60	23	0.08	3.09	26	<0.5
I033168		0.060	0.11	1.21	44	0.12	11.05	63	0.7
I033169		0.059	0.10	0.69	29	0.06	6.26	52	1.1
I033170		0.090	0.26	0.80	38	0.12	9.15	63	1.1
I033171		0.085	0.22	0.72	42	0.16	6.45	74	1.2
I033172		0.074	0.15	0.62	51	0.16	6.14	68	0.6
I033173		0.063	0.15	0.69	46	0.51	7.69	64	0.6
I033174		0.062	0.13	0.64	44	0.14	5.94	65	0.8
I033175		0.081	0.27	0.70	51	0.16	8.68	77	0.7
I033176		0.024	0.15	1.34	36	0.07	11.05	67	0.7
I033177		0.075	0.11	0.80	49	0.09	4.98	61	1.4
I033178		0.076	0.19	0.93	41	0.08	9.48	59	1.6
I033179		0.072	0.15	0.69	38	0.07	7.71	58	1.2
I033180		0.072	0.16	0.88	50	0.10	8.27	63	0.6
I033185		0.140	0.23	1.08	67	0.12	4.05	44	0.8
I033186		0.204	0.39	1.24	69	0.06	7.58	67	1.7
I033187		0.205	0.21	1.54	82	0.13	5.39	60	1.7
I033188		0.134	0.14	0.44	106	0.18	2.84	72	1.4
I033189		0.142	0.20	0.43	75	0.16	3.52	58	1.9
I033190		0.122	0.10	0.49	71	0.13	4.32	57	1.5
I033191		0.105	0.10	0.42	85	0.15	2.83	65	4.0
I033192		0.088	0.07	0.29	56	0.13	2.42	50	1.2
I033193		0.135	0.21	1.53	70	0.16	23.7	77	2.4
I033194		0.047	0.10	1.86	28	0.06	9.18	52	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033195		0.22	<0.005	0.13	2.05	3.8	<0.2	<10	420	0.49	0.11	1.69	0.23	35.5	16.5	115
I033196		0.28	<0.005	0.03	1.23	5.4	<0.2	<10	70	0.16	0.12	0.20	0.09	12.15	9.2	29
I033197		0.22	<0.005	0.15	0.89	2.9	<0.2	<10	150	0.19	0.09	0.32	0.13	15.65	7.0	39
I033198		0.30	<0.005	0.09	1.78	6.7	<0.2	<10	210	0.32	0.13	0.43	0.12	22.8	13.0	71
I033199		0.22	<0.005	0.14	1.85	3.5	<0.2	<10	230	0.29	0.10	0.51	0.10	24.4	16.4	119
I033200		0.24	<0.005	0.07	1.70	3.6	<0.2	<10	160	0.24	0.12	0.45	0.13	29.3	13.4	71
I033307		0.24	0.005	0.10	1.61	8.1	<0.2	<10	150	0.37	0.10	0.90	0.14	23.7	14.6	32
I033308		0.24	0.009	0.10	1.58	7.6	<0.2	<10	140	0.41	0.10	0.79	0.19	21.2	13.8	30
I033309		0.46	<0.005	0.06	2.06	5.6	<0.2	<10	280	0.51	0.16	0.82	0.08	28.8	10.8	35
I033310		0.58	<0.005	0.06	2.02	4.1	<0.2	<10	290	0.45	0.14	0.89	0.07	27.9	9.5	26
I033311		0.50	<0.005	0.08	2.43	5.0	<0.2	<10	160	0.56	0.11	0.37	0.08	34.8	17.3	51
I033312		0.54	<0.005	0.07	2.29	5.7	<0.2	<10	160	0.50	0.11	0.37	0.07	34.2	15.7	51
I033313		0.64	<0.005	0.05	1.96	2.2	<0.2	<10	240	0.68	0.13	0.52	0.11	53.1	11.6	19
I033314		0.22	<0.005	0.20	2.09	7.5	<0.2	<10	290	0.42	0.18	0.25	0.06	31.6	7.9	28
I033315		0.32	0.006	0.04	1.66	26.6	<0.2	<10	120	0.43	0.13	0.23	0.08	33.0	9.3	32
I033316		0.30	<0.005	0.05	2.66	11.1	<0.2	<10	110	0.43	0.15	0.26	0.10	19.40	10.8	35
I033317		0.38	<0.005	0.08	2.09	7.7	<0.2	<10	130	0.29	0.16	0.22	0.06	18.30	8.1	27
I033318		0.38	<0.005	0.29	2.41	8.4	<0.2	<10	190	0.37	0.33	0.51	0.21	18.40	15.3	29
I033319		0.30	0.006	0.20	1.34	5.5	<0.2	<10	160	0.21	0.30	0.11	0.16	17.05	3.7	21
I033320		0.08	0.006	<0.01	0.02	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.01	1.14	0.1	1
I033321		0.24	<0.005	0.29	1.80	5.5	<0.2	<10	260	0.31	0.28	0.32	0.30	17.50	9.3	23
I033322		0.30	<0.005	0.20	1.64	8.1	<0.2	<10	140	0.33	0.18	0.28	0.17	15.00	7.1	28
I033323		0.40	<0.005	0.18	2.16	8.9	<0.2	<10	180	0.32	0.22	0.19	0.43	15.15	12.4	39
I033324		0.34	<0.005	0.06	2.25	5.4	<0.2	<10	230	0.38	0.09	0.28	0.09	14.00	12.3	31
I033325		0.34	<0.005	0.18	1.67	5.5	<0.2	<10	160	0.26	0.17	0.26	0.10	13.90	11.0	31
I033326		0.30	<0.005	0.19	2.54	5.1	<0.2	<10	260	0.86	0.14	0.46	0.10	30.0	16.3	37
I033327		0.38	<0.005	0.29	1.76	6.3	<0.2	<10	160	1.86	0.68	0.47	0.22	34.3	7.9	23
I033328		0.40	0.009	0.57	3.03	24.1	<0.2	<10	380	1.50	0.37	0.74	0.19	59.2	14.1	27
I033329		0.40	<0.005	0.12	1.58	19.5	<0.2	<10	140	0.50	0.38	0.24	0.08	18.40	8.2	23
I033330		0.36	0.012	0.12	1.37	21.4	<0.2	<10	150	0.42	0.49	0.22	0.09	16.25	8.1	21
I033331		0.46	<0.005	0.14	1.59	10.9	<0.2	<10	190	0.37	0.16	0.31	0.06	17.45	7.0	21
I033332		0.36	<0.005	0.12	2.15	13.9	<0.2	<10	180	0.40	0.19	0.19	0.08	19.10	8.3	20
I033333		0.44	<0.005	0.19	1.49	9.0	<0.2	<10	230	0.50	0.17	0.34	0.06	21.5	8.3	24
I033334		0.32	<0.005	0.16	1.34	6.0	<0.2	<10	140	0.69	0.71	0.26	0.09	13.40	6.7	18
I033335		0.30	<0.005	0.10	1.53	5.7	<0.2	<10	260	0.31	0.18	0.45	0.12	15.85	8.8	21
I033336		0.36	0.011	0.10	1.71	5.1	<0.2	<10	270	0.61	0.17	0.44	0.11	17.25	10.2	19
I033337		0.28	0.017	0.16	1.76	7.3	<0.2	<10	450	0.42	0.18	0.27	0.08	19.60	13.0	29
I033338		0.30	<0.005	0.10	1.70	6.8	<0.2	<10	280	0.43	0.17	0.35	0.11	17.40	10.1	25
I033339		0.36	<0.005	0.12	1.73	6.5	<0.2	<10	250	0.37	0.14	0.33	0.08	15.10	12.1	24
I033340		0.10	<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033195		1.94	63.3	3.16	7.33	0.08	0.07	0.03	0.024	0.14	20.2	14.2	1.19	526	0.53
I033196		1.15	10.6	2.32	5.66	<0.05	0.03	0.02	0.016	0.05	6.2	12.6	0.40	321	1.97
I033197		0.99	19.1	1.76	3.92	0.05	0.02	0.06	0.013	0.06	8.0	5.4	0.37	173	1.34
I033198		2.09	20.3	2.96	6.60	0.06	0.04	0.04	0.021	0.17	11.3	14.5	0.90	308	0.83
I033199		2.43	20.4	2.89	7.62	0.05	0.03	0.04	0.018	0.11	12.7	12.3	1.11	720	1.03
I033200		1.60	18.7	2.58	6.79	0.05	0.03	0.04	0.022	0.08	16.2	11.8	0.85	479	0.73
I033307		0.48	26.1	3.04	5.06	0.06	0.13	0.02	0.026	0.05	10.7	10.3	0.59	472	0.58
I033308		0.54	26.8	2.93	5.31	0.06	0.13	0.03	0.025	0.05	9.7	9.8	0.56	415	0.57
I033309		0.70	18.7	3.04	5.82	0.05	0.10	0.02	0.029	0.04	13.4	11.1	0.60	538	0.50
I033310		0.98	13.9	2.96	5.98	0.05	0.08	0.02	0.028	0.03	12.1	10.0	0.51	555	0.84
I033311		2.50	28.8	3.58	7.12	0.07	0.05	0.03	0.026	0.20	17.6	16.8	0.84	462	0.68
I033312		2.00	28.2	3.34	6.73	0.07	0.08	0.02	0.027	0.14	18.4	16.2	0.80	433	0.63
I033313		0.91	10.2	5.07	6.91	0.07	0.12	0.01	0.060	0.04	18.6	9.3	0.30	402	1.95
I033314		3.49	19.8	2.81	7.43	<0.05	0.03	0.03	0.024	0.07	17.9	13.1	0.40	210	1.03
I033315		2.76	18.8	2.80	5.27	0.05	0.05	0.01	0.022	0.12	17.3	16.8	0.62	283	1.17
I033316		2.51	14.7	4.18	8.93	0.05	0.07	0.03	0.028	0.10	9.2	27.5	0.90	371	1.42
I033317		3.40	25.7	3.22	7.07	<0.05	0.06	0.02	0.022	0.08	9.1	20.4	0.68	265	1.03
I033318		5.60	121.5	3.75	8.62	0.05	0.02	0.02	0.031	0.13	9.4	23.5	0.98	702	4.17
I033319		1.35	47.4	1.75	7.71	<0.05	<0.02	0.04	0.018	0.06	8.5	8.8	0.29	108	1.20
I033320		<0.05	1.5	0.03	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
I033321		1.06	17.6	3.22	8.63	<0.05	0.03	0.02	0.035	0.11	8.6	11.4	0.53	497	1.19
I033322		1.29	12.2	3.23	8.12	<0.05	0.05	0.02	0.021	0.05	7.5	14.8	0.47	386	1.24
I033323		1.56	45.9	3.56	8.05	0.05	0.04	0.03	0.031	0.10	7.2	21.0	0.68	967	1.13
I033324		1.47	19.9	3.40	7.71	0.06	0.03	0.01	0.017	0.12	6.9	21.1	0.95	505	0.78
I033325		1.74	11.9	3.27	8.24	<0.05	0.04	0.02	0.021	0.13	6.9	11.3	0.60	711	1.28
I033326		4.44	28.4	3.87	9.14	0.07	0.08	0.02	0.025	0.29	17.1	28.3	1.00	1000	0.94
I033327		9.11	29.2	2.70	6.53	0.07	0.07	0.04	0.033	0.14	26.6	19.5	0.48	442	1.22
I033328		12.40	39.9	4.32	10.40	0.10	0.08	0.04	0.049	0.21	45.6	44.8	0.69	832	1.52
I033329		3.48	13.2	2.92	6.40	<0.05	0.08	0.01	0.023	0.08	9.4	23.1	0.51	346	1.38
I033330		3.73	11.3	2.84	6.47	<0.05	0.04	0.01	0.021	0.09	7.9	16.4	0.44	519	1.87
I033331		3.21	16.5	2.56	5.96	<0.05	0.07	0.01	0.019	0.07	9.9	17.8	0.50	207	0.93
I033332		3.52	12.8	3.45	8.05	0.05	0.05	0.01	0.023	0.21	9.0	29.5	0.65	259	1.23
I033333		7.18	20.8	2.81	5.39	0.05	0.05	0.02	0.020	0.14	16.5	19.8	0.60	407	0.81
I033334		2.58	10.4	2.49	5.67	<0.05	0.06	0.01	0.018	0.11	7.0	13.7	0.43	258	0.95
I033335		1.45	12.3	2.86	6.37	<0.05	0.05	0.01	0.021	0.12	8.3	14.7	0.50	445	1.39
I033336		2.57	13.6	3.02	5.89	<0.05	0.03	0.01	0.021	0.12	8.2	17.9	0.52	561	0.79
I033337		1.18	15.3	2.95	5.93	<0.05	0.06	0.03	0.024	0.10	9.3	13.3	0.47	998	1.02
I033338		1.22	13.1	3.07	5.98	<0.05	0.05	0.01	0.026	0.12	8.3	15.0	0.50	369	0.96
I033339		1.14	17.3	3.10	5.95	<0.05	0.03	0.01	0.023	0.12	7.5	17.4	0.58	411	0.75
I033340		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033195		1.41	56.8	580	7.5	24.7	0.001	0.07	0.20	6.2	0.7	0.5	76.8	<0.01	0.02
I033196		1.27	17.2	380	7.4	12.6	<0.001	0.02	0.18	2.5	0.2	0.4	15.3	<0.01	0.03
I033197		0.68	16.8	990	4.3	10.5	<0.001	0.09	0.22	1.5	0.6	0.3	25.9	<0.01	0.04
I033198		1.40	31.1	870	9.3	33.3	0.001	0.05	0.24	3.8	0.5	0.5	28.9	<0.01	0.03
I033199		1.14	44.2	710	8.3	32.2	0.001	0.06	0.15	3.3	0.5	0.5	35.1	<0.01	0.04
I033200		1.21	31.8	620	8.0	24.1	<0.001	0.05	0.18	3.7	0.4	0.5	32.7	<0.01	0.02
I033307		1.60	25.6	600	5.4	6.0	0.001	0.04	0.32	5.3	0.5	0.5	48.7	<0.01	0.03
I033308		1.60	25.1	560	5.5	6.2	<0.001	0.04	0.30	4.9	0.5	0.5	44.7	<0.01	0.01
I033309		1.16	20.7	380	7.9	5.3	<0.001	0.03	0.31	6.9	0.3	0.6	46.9	<0.01	0.02
I033310		1.15	15.2	750	6.6	5.2	0.001	0.03	0.26	6.4	0.4	0.6	53.4	<0.01	0.03
I033311		1.33	43.0	520	9.0	23.8	<0.001	0.02	0.22	5.3	0.2	0.5	31.1	<0.01	0.02
I033312		1.21	40.8	450	8.7	17.0	<0.001	0.02	0.22	5.8	0.4	0.6	31.7	<0.01	0.03
I033313		1.08	8.6	1200	6.9	5.2	<0.001	0.02	0.22	11.0	0.2	1.1	30.9	<0.01	0.02
I033314		1.85	16.4	300	9.0	14.5	0.001	0.02	0.31	4.6	0.3	0.7	19.3	<0.01	0.03
I033315		1.48	19.3	430	9.4	15.3	<0.001	0.02	0.60	3.6	0.2	0.5	16.9	<0.01	0.02
I033316		3.17	19.0	550	8.4	18.8	<0.001	0.02	0.47	3.8	0.3	0.6	19.6	<0.01	0.05
I033317		1.79	15.2	280	7.9	15.4	<0.001	0.02	0.32	3.2	0.3	0.6	17.0	<0.01	0.05
I033318		2.53	17.2	790	18.3	23.1	<0.001	0.03	0.34	3.9	0.4	1.3	30.9	<0.01	0.17
I033319		1.21	8.0	330	13.3	12.5	<0.001	0.03	0.26	1.6	0.3	0.9	13.6	<0.01	0.10
I033320		0.06	0.4	10	0.6	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01
I033321		1.83	11.0	830	10.5	17.1	<0.001	0.03	0.29	3.3	0.2	1.7	25.5	<0.01	0.04
I033322		1.56	11.2	340	10.4	13.9	<0.001	0.01	0.42	4.1	0.2	0.7	18.4	<0.01	0.03
I033323		1.44	16.8	340	21.2	12.6	0.001	0.01	0.46	5.7	0.3	0.7	14.0	<0.01	0.04
I033324		1.41	14.7	350	9.0	15.6	<0.001	0.01	0.30	4.0	<0.2	0.5	17.5	<0.01	0.02
I033325		1.61	12.5	320	10.3	24.3	0.001	0.02	0.33	3.6	0.2	0.7	17.7	<0.01	0.03
I033326		1.88	17.2	480	10.6	36.3	<0.001	0.01	0.26	7.9	0.5	0.7	23.9	<0.01	0.02
I033327		5.12	12.0	490	18.4	33.2	0.001	0.02	0.35	7.2	0.7	1.3	26.5	0.01	0.02
I033328		3.99	16.8	640	29.1	31.3	0.001	0.03	0.57	10.8	0.9	1.0	41.9	0.01	0.05
I033329		2.57	12.0	320	11.3	17.4	<0.001	0.01	0.38	4.1	0.2	0.9	17.7	<0.01	0.03
I033330		3.16	10.0	290	13.4	21.7	<0.001	0.01	0.35	3.4	0.2	1.0	16.9	<0.01	0.04
I033331		1.14	12.0	320	8.8	11.8	<0.001	0.01	0.36	4.5	0.2	0.5	19.4	<0.01	0.02
I033332		2.57	11.5	340	10.3	29.5	<0.001	0.01	0.42	4.6	0.2	0.7	15.1	<0.01	0.02
I033333		1.56	13.8	280	6.8	18.0	<0.001	0.01	0.39	5.8	0.3	0.4	22.1	<0.01	0.02
I033334		2.61	10.4	180	11.5	20.1	<0.001	0.01	0.38	3.6	0.2	0.9	17.7	<0.01	0.02
I033335		1.33	12.7	370	8.3	13.7	<0.001	0.02	0.33	4.0	0.2	0.5	25.0	<0.01	0.02
I033336		1.31	11.8	310	7.9	19.2	<0.001	0.01	0.34	4.1	0.3	0.5	22.7	<0.01	0.03
I033337		1.32	17.3	230	8.6	11.2	<0.001	0.01	0.41	5.2	0.3	0.6	21.8	<0.01	0.02
I033338		1.18	15.8	240	8.0	10.8	<0.001	0.01	0.46	4.3	0.2	0.5	20.6	<0.01	0.02
I033339		1.05	14.3	290	7.0	13.1	<0.001	0.01	0.45	4.8	0.2	0.5	22.1	<0.01	0.02
I033340		<0.05	0.4	10	0.5	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033195		0.118	0.12	0.91	66	0.10	12.20	47
I033196		0.085	0.09	0.51	48	0.14	3.32	50
I033197		0.054	0.07	0.89	37	0.17	4.46	31
I033198		0.128	0.17	0.84	71	0.31	5.17	60
I033199		0.138	0.17	0.89	69	0.21	5.04	60
I033200		0.115	0.13	0.79	58	0.25	6.14	68
I033307		0.121	0.04	0.66	70	0.10	9.62	54
I033308		0.120	0.06	0.61	70	0.11	8.60	49
I033309		0.075	0.05	0.34	60	0.12	9.69	52
I033310		0.071	0.06	0.59	60	0.17	8.19	47
I033311		0.120	0.18	0.70	64	0.09	7.46	65
I033312		0.124	0.15	0.78	65	0.11	7.64	59
I033313		0.124	0.06	0.47	101	0.06	9.83	89
I033314		0.066	0.13	0.91	65	0.20	6.01	43
I033315		0.097	0.13	1.10	55	0.20	6.13	54
I033316		0.141	0.14	0.52	83	0.28	2.91	68
I033317		0.086	0.12	0.42	60	0.17	3.38	46
I033318		0.142	0.15	0.54	81	0.30	3.83	133
I033319		0.088	0.17	0.46	58	0.16	2.30	37
I033320		<0.005	<0.02	0.10	1	<0.05	0.69	3
I033321		0.113	0.11	0.42	69	0.14	2.12	87
I033322		0.094	0.09	0.32	86	0.26	3.14	67
I033323		0.097	0.09	0.37	86	0.19	2.75	137
I033324		0.194	0.11	0.31	82	0.28	2.95	93
I033325		0.171	0.10	0.32	85	0.19	2.66	70
I033326		0.206	0.18	1.02	98	0.22	15.25	89
I033327		0.063	0.19	3.58	58	0.40	45.5	72
I033328		0.054	0.16	2.22	87	0.30	54.7	83
I033329		0.069	0.11	0.55	68	0.17	5.40	50
I033330		0.075	0.12	0.51	74	0.26	4.03	48
I033331		0.075	0.11	0.48	62	0.34	4.54	49
I033332		0.108	0.17	0.41	67	0.25	3.93	63
I033333		0.097	0.10	0.78	59	0.25	10.35	49
I033334		0.051	0.15	0.52	57	0.34	7.13	55
I033335		0.066	0.09	0.38	62	0.24	3.28	63
I033336		0.044	0.13	0.53	58	0.24	4.19	62
I033337		0.068	0.09	0.47	62	0.18	3.50	55
I033338		0.055	0.09	0.35	63	0.28	2.63	58
I033339		0.058	0.08	0.31	70	0.18	2.36	56
I033340		<0.005	<0.02	0.08	<1	<0.05	0.63	2
								0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033341		0.36	<0.005	0.09	1.54	5.1	<0.2	<10	220	0.25	0.13	0.35	0.07	22.4	8.6	21
I033342		0.34	<0.005	0.07	1.98	7.6	<0.2	<10	170	0.40	0.16	0.24	0.08	25.5	8.4	28
I033343		0.40	<0.005	0.06	1.89	7.3	<0.2	<10	220	0.42	0.14	0.41	0.09	16.85	11.5	28
I033344		0.28	<0.005	0.13	1.79	6.5	<0.2	<10	300	0.43	0.17	0.59	0.31	20.1	10.8	28
I033345		0.46	<0.005	0.05	0.97	2.6	<0.2	<10	230	0.62	0.49	0.27	0.06	36.4	3.7	8
I033346		0.40	<0.005	0.10	2.37	4.3	<0.2	<10	600	0.54	0.13	0.59	0.12	17.75	10.0	20
I033347		0.34	<0.005	0.12	2.16	7.2	<0.2	<10	490	0.56	0.13	0.68	0.12	22.1	14.8	44
I033348		0.32	<0.005	0.07	2.03	5.4	<0.2	<10	1020	0.75	0.14	0.53	0.15	24.6	10.7	24
I033349		0.28	0.006	0.22	1.87	6.7	<0.2	<10	670	0.85	0.71	0.54	0.13	23.7	10.1	31
I033350		0.30	<0.005	0.18	1.93	8.3	<0.2	<10	650	0.85	0.70	0.55	0.12	26.5	10.0	33
I033531		0.16	<0.005	0.06	1.92	5.2	<0.2	<10	170	0.33	0.14	0.29	0.14	15.35	16.9	52
I033532		0.14	<0.005	0.11	1.35	3.2	<0.2	<10	130	0.21	0.16	0.16	0.09	5.73	9.5	32
I033533		0.14	<0.005	0.03	2.77	8.6	<0.2	<10	150	0.50	0.17	0.20	0.09	22.6	13.2	34
I033534		0.12	0.016	0.11	1.96	6.7	<0.2	<10	160	0.35	0.13	0.28	0.14	25.6	11.4	29
I033535		0.10	<0.005	0.11	1.83	11.6	<0.2	<10	70	0.32	0.23	0.11	0.21	18.20	7.0	28
I033536		0.12	<0.005	0.11	1.68	3.9	<0.2	<10	250	0.30	0.14	0.20	0.35	10.30	13.2	31
I033537		0.12	<0.005	0.17	1.54	3.2	<0.2	<10	450	0.24	0.20	0.31	0.28	16.15	14.5	24
I033538		0.12	<0.005	0.37	1.83	2.3	<0.2	<10	360	0.27	0.11	0.45	0.26	9.39	19.4	31
I033539		0.18	<0.005	0.20	2.64	7.5	<0.2	<10	510	0.56	0.15	0.25	0.18	23.3	15.9	42
I033540		0.16	<0.005	0.13	1.91	5.1	<0.2	<10	270	0.35	0.18	0.26	0.23	17.15	15.4	33
I033541		0.12	<0.005	0.19	2.00	4.1	<0.2	<10	340	0.36	0.20	0.26	0.23	19.90	13.2	26
I033542		0.18	<0.005	0.06	2.31	6.5	<0.2	<10	200	0.52	0.13	0.38	0.08	31.0	18.7	41
I033543		0.16	<0.005	0.20	2.15	11.8	<0.2	<10	640	0.56	0.15	0.51	0.23	35.4	15.2	28
I033544		0.18	<0.005	0.09	3.01	6.0	<0.2	<10	350	0.48	0.10	0.38	0.10	20.6	24.8	28
I033545		0.24	<0.005	0.10	2.32	3.7	<0.2	<10	230	0.28	0.18	0.51	0.05	17.95	12.8	21
I033546		0.14	0.010	0.42	2.47	3.7	<0.2	<10	240	0.34	0.23	0.21	0.12	23.5	12.5	26
I033547		0.14	<0.005	0.08	1.91	2.8	<0.2	<10	250	0.24	0.04	0.40	0.12	8.04	13.5	22
I033548		0.18	<0.005	0.14	2.01	3.5	<0.2	<10	220	0.33	0.13	1.89	0.08	11.20	15.8	74
I033549		0.12	<0.005	0.07	1.84	3.9	<0.2	<10	190	0.30	0.07	0.94	0.06	11.10	12.8	53
I033550		0.16	<0.005	0.09	1.66	3.9	<0.2	<10	210	0.34	0.09	0.24	0.08	16.15	10.7	26
I033601		0.10	0.052	0.14	1.54	3.4	<0.2	<10	250	0.31	0.09	2.52	0.23	12.65	11.9	51
I033602		0.14	<0.005	0.08	1.30	3.3	<0.2	<10	130	0.29	0.06	2.15	0.15	13.30	10.9	40
I033603		0.12	<0.005	0.08	1.26	3.1	<0.2	<10	140	0.28	0.07	2.32	0.14	13.10	10.7	39
I033604		0.14	<0.005	0.10	2.20	4.2	<0.2	<10	480	0.55	0.11	1.44	0.20	32.2	18.1	140
I033605		0.16	<0.005	0.07	1.56	3.2	<0.2	<10	140	0.41	0.09	0.78	0.14	28.5	13.8	38
I033606		0.12	<0.005	0.10	1.52	1.6	<0.2	<10	190	0.32	0.08	1.56	0.16	21.1	9.2	73
I033607		0.36	0.005	0.08	1.10	4.9	<0.2	<10	60	0.22	0.16	0.27	0.14	15.80	5.8	29
I033608		0.32	<0.005	0.07	1.25	10.4	<0.2	<10	60	0.28	0.13	0.28	0.12	17.65	8.4	30
I033609		0.18	0.016	0.14	0.40	4.7	<0.2	<10	120	0.32	0.04	1.96	0.64	13.05	2.6	5
I033610		0.32	<0.005	0.11	1.01	3.7	<0.2	<10	120	0.32	0.13	1.39	0.26	24.7	10.4	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033341		1.06	9.7	2.93	6.24	<0.05	0.02	<0.01	0.024	0.17	10.8	12.5	0.52	325	0.83
I033342		1.17	14.2	3.13	6.67	<0.05	0.05	0.01	0.034	0.09	12.7	14.7	0.53	265	0.98
I033343		0.70	14.2	2.79	6.32	<0.05	0.03	0.01	0.023	0.08	8.1	15.7	0.70	252	0.75
I033344		0.53	15.2	2.99	6.14	<0.05	0.03	0.02	0.028	0.10	9.1	12.8	0.52	761	0.92
I033345		1.34	6.5	1.36	3.11	<0.05	0.03	<0.01	0.011	0.16	18.5	9.2	0.21	145	0.98
I033346		0.28	12.1	3.46	8.82	<0.05	0.02	0.01	0.030	0.10	6.8	12.0	0.68	672	1.10
I033347		0.46	35.8	3.19	6.76	<0.05	0.05	0.01	0.030	0.12	9.3	11.4	0.72	657	0.82
I033348		0.57	10.2	3.21	6.98	<0.05	0.04	0.01	0.029	0.12	10.7	10.5	0.56	696	0.86
I033349		0.54	13.4	2.71	5.83	<0.05	0.06	0.02	0.026	0.08	10.3	8.1	0.39	998	0.99
I033350		0.55	14.2	2.81	5.90	<0.05	0.06	0.02	0.028	0.09	11.8	8.9	0.42	795	0.91
I033531		0.79	52.1	3.76	8.85	<0.05	0.03	0.01	0.016	0.05	6.3	19.9	1.00	290	1.02
I033532		0.48	12.7	2.33	6.03	<0.05	0.02	0.01	0.044	0.05	2.8	8.4	0.48	183	0.78
I033533		1.31	15.5	4.06	8.95	0.06	0.06	0.01	0.027	0.07	11.6	20.7	0.77	316	1.24
I033534		0.76	23.9	3.14	6.07	0.05	0.04	0.04	0.026	0.05	13.0	13.1	0.57	252	1.00
I033535		1.07	21.2	4.25	10.15	0.05	0.05	0.01	0.025	0.07	9.2	14.4	0.48	173	1.91
I033536		0.67	17.9	2.87	6.68	<0.05	0.03	0.01	0.020	0.06	5.1	11.3	0.48	532	0.86
I033537		0.49	14.7	2.71	6.51	<0.05	0.02	0.01	0.019	0.09	6.5	9.7	0.42	1140	1.14
I033538		0.69	26.8	2.74	6.32	<0.05	0.03	0.02	0.016	0.19	4.8	13.4	0.89	1120	0.69
I033539		0.73	16.4	3.78	7.91	<0.05	0.17	0.01	0.030	0.20	9.8	13.9	0.76	510	1.15
I033540		0.34	18.5	3.40	6.39	<0.05	0.10	0.01	0.028	0.20	7.3	10.9	0.59	671	1.08
I033541		1.58	19.6	3.45	7.40	0.05	0.10	0.01	0.023	0.51	10.8	12.6	0.78	357	1.11
I033542		0.85	41.1	3.68	7.63	0.07	0.14	0.01	0.028	0.30	13.9	18.8	0.96	416	0.91
I033543		1.23	34.3	3.42	7.09	0.05	0.08	0.01	0.028	0.25	15.9	13.6	0.73	541	0.97
I033544		0.63	33.9	4.06	10.20	<0.05	0.09	0.01	0.026	0.12	7.7	22.0	1.36	446	1.18
I033545		1.34	75.7	4.30	7.40	0.10	0.05	0.01	0.033	0.44	8.3	15.4	1.04	388	2.43
I033546		0.71	125.5	4.08	7.86	0.06	0.04	0.03	0.041	0.28	11.4	13.6	0.92	311	4.42
I033547		3.11	67.5	3.42	6.30	0.08	0.04	0.01	0.013	0.72	3.3	16.8	1.16	434	1.49
I033548		2.50	108.0	3.42	6.32	0.09	0.07	0.03	0.016	0.40	6.1	16.7	1.41	354	1.01
I033549		2.39	60.4	3.13	6.17	0.09	0.05	0.03	0.016	0.44	5.4	14.9	1.15	438	0.85
I033550		0.71	25.6	2.74	6.19	0.06	0.04	0.01	0.016	0.24	6.3	10.6	0.72	254	1.27
I033601		1.15	72.7	2.40	5.03	0.08	0.05	0.04	0.014	0.23	7.2	11.8	0.88	460	1.16
I033602		0.61	45.4	2.42	4.64	0.08	0.04	0.02	0.015	0.10	7.2	9.2	0.80	353	0.71
I033603		0.63	46.3	2.32	4.43	0.08	0.03	0.03	0.015	0.10	7.2	9.0	0.78	371	0.69
I033604		3.50	55.9	3.29	8.28	0.13	0.06	0.02	0.019	0.70	16.5	22.1	1.61	514	0.48
I033605		1.49	35.0	3.08	5.16	0.12	0.06	0.01	0.013	0.50	17.4	12.4	0.92	382	0.56
I033606		1.46	48.2	2.10	5.83	0.09	0.06	0.05	0.018	0.23	14.0	12.2	0.95	208	0.44
I033607		1.89	11.6	1.59	5.12	<0.05	<0.02	0.02	0.014	0.05	8.6	9.0	0.45	134	0.51
I033608		2.69	13.8	1.94	5.04	0.05	0.02	0.02	0.013	0.06	9.5	12.8	0.54	171	0.58
I033609		1.13	20.6	0.53	0.88	<0.05	0.03	0.09	0.007	0.03	7.8	0.9	0.13	233	0.60
I033610		3.36	21.4	1.79	3.84	0.06	0.03	0.08	0.016	0.06	12.4	9.4	0.38	873	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033341		1.56	13.0	260	6.5	12.4	<0.001	0.01	0.36	3.4	<0.2	0.6	26.6	<0.01	0.01
I033342		1.27	17.3	240	7.7	10.4	<0.001	0.01	0.43	4.7	0.2	0.6	20.1	<0.01	0.02
I033343		1.13	18.7	310	7.7	10.3	<0.001	0.01	0.45	4.7	0.2	0.5	25.7	<0.01	0.02
I033344		1.23	17.6	480	11.7	7.5	<0.001	0.02	0.45	5.2	0.3	0.5	35.1	<0.01	0.03
I033345		0.98	5.5	250	14.2	15.3	<0.001	0.01	0.10	1.7	0.2	0.6	27.7	<0.01	0.01
I033346		0.81	12.7	690	7.1	8.3	<0.001	0.02	0.27	4.9	0.2	0.6	67.5	<0.01	0.03
I033347		1.02	22.8	440	7.1	10.9	<0.001	0.02	0.33	8.3	0.2	0.5	54.5	<0.01	0.07
I033348		1.03	15.0	370	8.3	14.5	0.001	0.02	0.32	5.8	0.3	0.5	35.5	<0.01	0.03
I033349		1.77	18.2	290	15.7	6.4	<0.001	0.02	0.38	5.7	0.3	0.5	31.0	<0.01	0.03
I033350		1.79	20.1	290	15.8	7.9	<0.001	0.02	0.43	6.1	0.4	0.6	31.1	<0.01	0.03
I033531		1.17	24.5	1010	5.5	13.5	<0.001	0.02	0.40	3.6	0.3	0.6	18.7	<0.01	0.04
I033532		1.22	17.6	220	4.5	10.9	<0.001	0.02	0.32	2.0	0.2	0.4	15.7	<0.01	0.03
I033533		2.11	18.3	450	7.4	14.4	<0.001	0.02	0.41	4.5	0.4	0.6	19.5	0.01	0.04
I033534		1.54	17.4	610	7.0	8.9	<0.001	0.04	0.34	5.0	0.5	0.5	19.8	<0.01	0.03
I033535		2.48	14.9	440	13.4	13.4	<0.001	0.03	0.59	3.3	0.4	0.7	11.7	0.01	0.09
I033536		1.40	18.2	300	6.0	9.2	<0.001	0.02	0.41	3.4	0.2	0.5	17.2	<0.01	0.04
I033537		1.22	16.9	390	8.0	13.9	<0.001	0.02	0.32	2.8	0.2	0.6	24.0	<0.01	0.03
I033538		1.27	21.1	340	4.0	11.7	<0.001	0.02	0.19	3.5	0.3	0.4	28.0	<0.01	0.02
I033539		1.17	27.1	190	8.3	21.6	<0.001	0.01	0.49	8.7	0.2	0.6	21.3	<0.01	0.02
I033540		1.11	22.1	190	9.2	9.5	<0.001	0.02	0.39	6.0	0.2	0.5	17.1	<0.01	0.03
I033541		2.04	18.5	160	12.7	51.9	<0.001	0.01	0.30	5.4	0.2	0.7	20.2	<0.01	0.03
I033542		1.16	25.6	180	8.3	25.5	<0.001	0.02	0.31	8.8	0.4	0.6	32.1	<0.01	0.03
I033543		1.64	26.1	280	8.0	27.2	<0.001	0.02	0.37	8.2	0.3	0.5	32.5	<0.01	0.04
I033544		1.48	22.0	200	5.6	7.5	<0.001	0.02	0.27	9.3	0.2	0.5	23.3	<0.01	0.03
I033545		1.02	12.0	370	5.4	29.0	0.001	0.31	0.18	10.9	2.1	0.5	46.7	<0.01	0.24
I033546		0.95	15.3	410	5.3	15.3	0.002	0.24	0.22	10.8	1.9	0.8	34.7	<0.01	0.20
I033547		1.05	14.8	370	3.2	35.9	<0.001	0.03	0.13	4.1	0.3	0.3	26.2	<0.01	0.03
I033548		0.87	36.0	630	5.7	27.6	<0.001	0.08	0.20	5.8	0.6	0.3	50.1	<0.01	0.03
I033549		0.91	26.9	470	4.0	28.3	<0.001	0.06	0.17	5.5	0.6	0.4	28.2	<0.01	0.02
I033550		1.12	15.0	220	6.4	21.5	<0.001	0.03	0.26	3.0	0.2	0.4	21.0	<0.01	0.02
I033601		0.83	28.3	620	5.7	20.8	<0.001	0.11	0.22	4.0	1.0	0.3	63.2	<0.01	0.04
I033602		0.62	24.3	590	4.0	10.3	0.001	0.12	0.23	3.7	0.9	0.3	64.8	<0.01	0.06
I033603		0.59	23.6	590	3.9	10.0	0.001	0.12	0.22	3.4	1.0	0.2	66.6	<0.01	0.06
I033604		1.58	60.1	810	8.9	68.6	0.001	0.05	0.24	5.3	0.7	0.6	60.2	<0.01	0.01
I033605		1.65	31.3	580	8.1	49.7	<0.001	0.02	0.14	3.2	0.8	0.4	41.7	<0.01	0.03
I033606		1.09	35.9	650	6.1	28.8	0.001	0.10	0.20	5.3	0.9	0.4	70.8	<0.01	0.01
I033607		0.70	17.4	490	13.1	10.5	<0.001	0.01	0.50	2.6	0.3	0.4	21.1	<0.01	0.01
I033608		0.80	21.1	320	9.2	9.8	<0.001	0.01	1.08	3.0	0.4	0.4	21.1	<0.01	0.01
I033609		0.16	12.6	770	5.2	2.2	<0.001	0.16	1.61	1.1	0.8	0.2	104.0	<0.01	0.01
I033610		0.61	19.0	880	11.7	10.6	<0.001	0.10	0.47	2.5	0.8	0.3	82.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033341		0.081	0.09	0.31	56	0.16	2.86	52	0.8
I033342		0.059	0.09	0.36	63	0.19	2.95	63	2.1
I033343		0.108	0.09	0.35	75	0.16	2.47	55	1.1
I033344		0.074	0.08	0.80	68	0.32	3.45	73	1.1
I033345		0.012	0.13	1.09	17	0.11	5.25	35	1.0
I033346		0.024	0.09	0.34	76	0.15	3.38	63	0.7
I033347		0.067	0.08	0.40	77	0.17	4.80	62	1.8
I033348		0.042	0.09	0.28	61	0.16	5.51	53	1.4
I033349		0.055	0.10	0.39	59	0.18	4.55	48	1.9
I033350		0.060	0.10	0.43	61	0.18	5.69	48	2.1
I033531		0.160	0.08	0.41	88	0.12	2.94	64	1.3
I033532		0.138	0.07	0.19	60	0.08	1.09	39	1.2
I033533		0.155	0.13	0.55	79	0.16	4.49	51	3.1
I033534		0.112	0.10	0.88	65	0.14	6.60	55	1.8
I033535		0.156	0.14	0.52	91	0.16	2.94	65	2.2
I033536		0.113	0.08	0.22	67	0.12	2.14	62	1.3
I033537		0.087	0.10	0.33	59	0.09	2.34	63	0.8
I033538		0.151	0.11	0.23	64	0.07	2.90	69	1.2
I033539		0.136	0.12	0.44	85	0.10	3.81	60	8.0
I033540		0.108	0.08	0.28	77	0.09	3.11	63	4.2
I033541		0.185	0.27	0.47	69	0.14	4.35	75	3.9
I033542		0.156	0.15	0.86	91	0.09	8.32	68	6.2
I033543		0.139	0.15	0.97	79	0.16	9.39	54	3.2
I033544		0.176	0.13	0.46	98	0.09	3.96	75	3.5
I033545		0.131	0.20	0.94	96	<0.05	5.13	72	2.4
I033546		0.114	0.12	1.03	87	0.06	10.90	60	1.5
I033547		0.212	0.24	0.22	61	0.08	3.27	72	1.3
I033548		0.158	0.19	0.48	73	0.10	7.56	69	2.8
I033549		0.150	0.15	0.47	63	0.13	6.89	63	1.9
I033550		0.102	0.10	0.34	53	0.08	2.66	65	1.4
I033601		0.091	0.12	0.86	54	0.06	10.85	60	2.2
I033602		0.057	0.07	0.60	53	<0.05	6.38	43	1.3
I033603		0.054	0.06	0.57	49	0.07	6.41	41	1.3
I033604		0.158	0.31	1.17	75	0.12	7.10	63	2.2
I033605		0.129	0.33	0.71	43	0.09	8.05	85	2.3
I033606		0.092	0.16	1.23	44	0.08	9.21	61	2.4
I033607		0.073	0.10	0.65	31	0.12	3.52	40	0.5
I033608		0.074	0.13	0.69	36	0.18	3.52	50	0.6
I033609		0.014	0.05	0.66	7	<0.05	6.65	24	0.8
I033610		0.040	0.10	0.92	35	0.08	8.02	50	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033611		0.46	0.008	0.10	1.12	3.9	<0.2	<10	80	0.20	0.21	0.33	0.10	21.1	6.1	27
I033612		0.34	0.006	0.10	0.95	4.0	<0.2	<10	90	0.27	0.17	0.28	0.19	15.85	6.8	20
I033613		0.34	<0.005	0.08	1.48	4.8	<0.2	<10	90	0.35	0.16	0.36	0.13	33.3	17.0	34
I033614		0.28	<0.005	0.11	1.96	7.8	<0.2	<10	140	0.40	0.25	0.11	0.10	21.0	7.8	31
I033615		0.44	<0.005	0.06	2.37	4.2	<0.2	<10	90	0.65	0.25	0.14	0.09	82.7	12.7	34
I033616		0.40	<0.005	0.08	2.40	94.9	<0.2	<10	120	0.49	0.28	0.26	0.16	30.4	13.6	49
I033617		0.40	<0.005	0.06	2.56	226	<0.2	<10	130	0.86	0.46	0.15	0.13	71.6	20.3	35
I033618		0.34	<0.005	0.08	2.31	16.6	<0.2	<10	120	0.48	0.26	0.16	0.14	36.9	12.0	37
I033619		0.36	<0.005	0.08	2.57	6.5	<0.2	<10	80	0.62	0.48	0.11	0.06	127.5	14.6	37
I033620		0.38	<0.005	0.10	1.94	26.7	<0.2	<10	140	0.48	0.20	0.27	0.13	53.0	12.9	33
I033621		0.36	<0.005	0.10	1.96	25.1	<0.2	<10	140	0.45	0.20	0.27	0.12	52.1	12.8	31
I033622		0.36	<0.005	0.04	1.73	85.8	<0.2	<10	100	0.39	0.22	0.19	0.18	34.8	10.9	31
I033623		0.34	<0.005	0.04	2.11	11.5	<0.2	<10	150	0.39	0.21	0.15	0.13	29.9	11.8	34
I033624		0.24	<0.005	0.14	1.04	7.9	<0.2	<10	90	0.19	0.20	0.17	0.21	16.35	5.3	23
I033625		0.34	<0.005	0.12	2.78	10.5	<0.2	<10	160	0.56	0.22	0.17	0.15	32.3	11.2	39
I033626		0.32	<0.005	0.11	2.23	9.7	<0.2	<10	170	0.38	0.25	0.11	0.13	19.80	9.8	34
I033627		0.48	<0.005	0.06	2.69	6.9	<0.2	<10	200	0.50	0.96	0.15	0.29	54.4	14.3	39
I033628		0.34	<0.005	0.05	1.68	9.9	<0.2	<10	110	0.32	0.23	0.12	0.17	19.45	8.2	28
I033629		0.38	<0.005	0.03	1.85	10.6	<0.2	<10	130	0.32	0.20	0.16	0.12	23.6	9.6	32
I033630		0.42	<0.005	0.05	1.65	7.6	<0.2	<10	130	0.31	0.18	0.20	0.11	18.95	8.9	28
I033631		0.42	<0.005	0.06	2.39	5.1	<0.2	<10	80	0.52	0.24	0.08	0.08	89.1	14.9	33
I033632		0.36	<0.005	0.04	1.86	8.3	<0.2	<10	150	0.38	0.17	0.18	0.14	27.9	13.5	30
I033633		0.44	<0.005	0.04	2.25	7.6	<0.2	<10	130	0.49	0.29	0.17	0.11	77.6	17.1	32
I033634		0.42	<0.005	0.11	2.99	9.4	<0.2	<10	100	0.58	0.23	0.13	0.13	38.4	15.6	43
I033635		0.40	<0.005	0.04	2.16	6.0	<0.2	<10	110	0.35	0.22	0.14	0.12	50.7	12.7	32
I033636		0.36	0.005	0.10	1.62	5.9	<0.2	<10	80	0.28	0.37	0.11	0.12	36.2	7.4	24
I033637		0.42	<0.005	0.09	1.89	7.8	<0.2	<10	110	0.35	0.23	0.14	0.15	40.9	9.8	30
I033638		0.38	<0.005	0.04	1.49	7.2	<0.2	<10	80	0.22	0.24	0.10	0.07	18.80	7.0	44
I033639		0.50	<0.005	0.10	2.33	8.2	<0.2	<10	130	0.39	0.37	0.12	0.18	48.3	13.3	37
I033640		0.40	<0.005	0.04	1.94	6.3	<0.2	<10	200	0.31	0.42	0.20	0.07	73.4	10.7	28
I033641		0.40	<0.005	0.04	2.03	6.3	<0.2	<10	160	0.32	0.44	0.19	0.07	67.8	10.6	29
I033642		0.44	<0.005	0.09	4.51	4.6	<0.2	<10	190	0.72	0.21	0.31	0.06	29.4	28.0	485
I033643		0.44	<0.005	0.05	2.00	8.4	<0.2	<10	90	0.35	0.22	0.10	0.07	46.6	9.9	40
I033644		0.44	<0.005	0.06	2.80	8.2	<0.2	<10	150	0.51	0.21	0.17	0.13	56.0	15.9	40
I033645		0.34	<0.005	0.23	3.04	12.7	<0.2	<10	140	0.50	0.22	0.15	0.12	34.5	14.7	45
I033646		0.32	<0.005	0.10	2.59	10.6	<0.2	<10	430	0.72	0.09	0.74	0.16	29.0	19.8	44
I033647		0.36	<0.005	0.09	1.65	5.6	<0.2	<10	330	0.41	0.13	0.55	0.06	23.3	11.3	34
I033648		0.44	0.009	0.09	2.29	4.1	<0.2	<10	420	0.33	0.08	0.58	0.07	19.40	18.4	81
I033649		0.38	<0.005	0.10	2.52	4.2	<0.2	<10	500	0.37	0.08	0.62	0.06	19.85	18.1	50
I033650		0.34	<0.005	0.08	1.82	9.2	<0.2	<10	320	0.39	0.09	0.70	0.10	17.95	15.6	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033611		4.53	10.7	1.80	5.90	0.06	<0.02	0.04	0.018	0.06	11.4	9.4	0.41	148	0.74
I033612		1.90	23.3	1.90	5.03	<0.05	<0.02	0.17	0.018	0.05	8.5	4.7	0.21	943	0.98
I033613		4.33	18.6	2.83	6.37	0.08	0.02	0.04	0.022	0.10	17.3	13.6	0.68	732	0.78
I033614		1.03	16.1	3.58	9.51	0.06	0.05	0.02	0.025	0.04	9.4	17.0	0.33	216	1.47
I033615		2.69	30.4	4.18	9.44	0.08	0.05	0.03	0.027	0.31	15.1	26.3	0.76	250	0.85
I033616		1.75	32.0	4.70	11.10	0.08	0.06	0.02	0.034	0.14	12.5	31.1	0.85	519	1.46
I033617		3.69	35.2	4.56	8.53	0.10	0.09	0.02	0.042	0.43	17.4	33.0	0.87	489	0.79
I033618		1.61	20.8	4.27	9.32	0.09	0.05	0.03	0.030	0.20	13.7	22.6	0.62	364	1.32
I033619		5.07	44.0	5.74	9.08	0.19	0.06	0.02	0.025	0.81	62.4	33.8	1.05	306	1.02
I033620		1.36	35.8	3.09	6.05	0.09	0.04	0.04	0.023	0.17	26.5	18.9	0.61	325	0.83
I033621		1.36	33.9	3.01	5.90	0.09	0.05	0.04	0.023	0.16	26.3	18.3	0.61	321	0.77
I033622		1.19	20.4	3.68	8.57	0.07	0.06	0.02	0.041	0.09	12.3	19.0	0.55	314	1.07
I033623		1.01	17.3	3.80	7.88	0.07	0.11	0.02	0.029	0.07	14.4	24.0	0.48	270	1.38
I033624		0.75	16.4	2.58	6.74	<0.05	0.02	0.05	0.018	0.06	8.1	7.8	0.29	153	1.19
I033625		1.36	24.5	3.58	7.38	0.05	0.05	0.06	0.031	0.12	17.5	18.3	0.59	267	1.38
I033626		1.12	16.1	3.68	9.25	0.06	0.03	0.02	0.029	0.04	9.3	15.0	0.42	380	1.77
I033627		2.33	30.1	4.19	7.78	0.10	0.15	0.02	0.031	0.57	20.7	20.7	0.84	420	0.66
I033628		1.12	15.5	3.17	7.96	0.06	0.03	0.04	0.025	0.06	8.3	15.5	0.41	394	1.46
I033629		1.11	15.5	3.67	8.23	0.07	0.07	0.02	0.027	0.06	11.0	17.0	0.54	262	1.33
I033630		1.12	14.0	2.95	7.32	0.06	0.03	0.01	0.024	0.06	9.8	14.5	0.47	249	1.09
I033631		3.36	24.4	3.87	7.79	0.11	0.08	0.02	0.028	0.22	31.9	25.7	0.66	194	1.14
I033632		1.09	18.1	3.23	6.92	0.07	0.07	0.03	0.027	0.07	12.9	15.9	0.50	349	1.05
I033633		1.32	30.2	3.88	6.44	0.07	0.06	0.03	0.031	0.14	17.6	15.9	0.53	446	1.10
I033634		1.87	26.8	4.02	8.81	0.07	0.10	0.03	0.033	0.14	16.5	25.3	0.71	262	1.16
I033635		2.04	24.1	3.60	7.12	0.06	0.07	0.02	0.022	0.27	16.3	21.6	0.65	273	0.90
I033636		1.44	21.0	3.93	8.81	0.05	0.06	0.02	0.020	0.10	13.0	11.3	0.30	194	1.63
I033637		1.38	22.0	3.60	7.56	0.06	0.08	0.03	0.029	0.11	15.4	17.7	0.43	302	1.17
I033638		1.09	14.5	3.18	7.90	0.05	0.03	0.02	0.024	0.06	7.8	12.8	0.43	206	1.29
I033639		1.79	24.8	4.90	9.51	0.06	0.07	0.01	0.031	0.20	11.4	25.7	0.59	380	1.43
I033640		2.06	16.9	4.32	7.57	0.09	0.07	0.02	0.029	0.36	34.5	23.7	0.55	324	0.84
I033641		2.28	18.8	4.31	7.76	0.08	0.07	0.01	0.044	0.35	29.9	26.3	0.57	311	0.86
I033642		5.72	14.1	5.62	16.45	0.09	0.04	0.02	0.042	0.36	11.4	60.4	3.15	574	1.42
I033643		2.04	22.1	4.50	9.40	0.06	0.09	0.02	0.030	0.16	9.8	29.1	0.62	195	1.07
I033644		2.20	34.4	3.79	7.68	0.06	0.06	0.03	0.029	0.11	14.5	25.5	0.73	233	0.93
I033645		1.58	26.8	3.71	7.38	0.07	0.13	0.07	0.033	0.07	12.9	20.2	0.61	349	1.30
I033646		5.38	52.8	5.20	9.18	0.11	0.07	0.02	0.036	0.44	12.6	16.5	1.32	1120	1.59
I033647		0.70	16.7	2.85	5.03	0.06	0.10	0.01	0.024	0.26	8.7	8.4	0.51	645	1.00
I033648		1.80	43.6	3.83	7.59	0.10	0.07	0.01	0.019	0.67	9.7	14.1	1.46	709	0.92
I033649		1.71	41.3	4.17	8.52	0.10	0.07	0.01	0.022	0.59	8.5	15.9	1.50	836	0.99
I033650		1.09	46.5	3.49	5.97	0.06	0.07	0.02	0.028	0.23	7.5	9.5	0.82	706	1.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033611		0.69	16.6	690	17.6	11.4	<0.001	0.04	0.30	2.5	0.4	0.5	25.6	<0.01	0.02
I033612		0.42	14.9	800	7.0	8.4	<0.001	0.08	0.44	1.1	0.5	0.5	25.3	<0.01	0.03
I033613		0.70	27.4	690	9.6	18.7	<0.001	0.04	0.25	3.8	0.5	0.5	27.3	<0.01	0.03
I033614		1.84	18.7	210	12.5	10.5	<0.001	0.01	0.55	3.3	0.2	0.8	11.2	<0.01	0.03
I033615		4.39	34.5	360	13.0	36.3	<0.001	0.01	0.26	3.4	0.5	0.7	12.6	<0.01	0.02
I033616		1.48	28.5	380	17.9	22.5	<0.001	0.01	0.97	5.8	0.4	0.8	15.3	<0.01	0.03
I033617		2.39	36.2	450	22.3	55.0	<0.001	0.01	2.51	4.3	0.5	0.6	9.7	<0.01	0.04
I033618		2.47	24.8	380	13.6	31.2	<0.001	0.01	0.67	4.3	0.5	0.7	14.3	0.01	0.04
I033619		3.21	33.8	360	9.8	97.8	<0.001	0.02	0.49	3.7	0.7	0.6	13.2	<0.01	0.04
I033620		2.15	29.1	690	8.9	22.4	<0.001	0.03	0.65	3.8	0.6	0.5	18.7	<0.01	0.02
I033621		2.16	28.3	660	8.6	21.7	<0.001	0.02	0.62	3.9	0.6	0.5	18.9	0.01	0.02
I033622		2.22	24.7	380	13.4	14.5	<0.001	<0.01	1.18	3.7	0.4	0.6	14.1	<0.01	0.04
I033623		2.33	27.4	230	11.2	13.9	<0.001	<0.01	0.58	3.6	0.4	0.6	14.7	0.02	0.03
I033624		1.43	14.4	410	7.4	8.6	<0.001	0.02	0.47	1.8	0.3	0.6	16.2	<0.01	0.03
I033625		2.01	25.0	410	9.9	19.8	<0.001	0.03	0.58	4.6	0.8	0.6	19.2	0.02	0.03
I033626		1.85	18.7	320	11.6	12.6	<0.001	<0.01	0.65	3.6	0.4	0.8	13.2	0.01	0.04
I033627		3.60	32.6	260	49.6	71.0	<0.001	<0.01	0.30	4.8	0.6	0.7	13.3	0.01	0.05
I033628		1.62	17.4	350	10.1	14.0	<0.001	0.01	0.52	2.9	0.3	0.6	13.0	<0.01	0.04
I033629		2.14	20.7	290	10.7	13.8	<0.001	<0.01	0.52	3.6	0.4	0.6	17.0	<0.01	0.03
I033630		1.93	18.6	340	9.0	13.6	<0.001	<0.01	0.37	3.3	0.3	0.6	17.1	<0.01	0.02
I033631		2.77	36.1	280	10.3	33.5	<0.001	<0.01	0.31	3.6	0.4	0.6	8.6	<0.01	0.02
I033632		1.97	23.2	430	8.5	14.5	<0.001	<0.01	0.48	3.9	0.4	0.5	15.8	0.01	0.03
I033633		2.32	40.5	480	16.7	25.6	<0.001	0.03	0.34	4.2	0.7	0.6	14.1	0.02	0.04
I033634		5.01	34.9	260	11.1	29.8	<0.001	0.02	0.49	4.5	0.5	0.8	12.4	0.02	0.04
I033635		3.93	30.1	420	10.2	37.7	<0.001	0.03	0.30	3.7	0.5	0.6	12.3	0.01	0.03
I033636		3.45	18.5	250	15.5	30.2	<0.001	0.01	0.48	2.5	0.3	0.8	10.2	<0.01	0.04
I033637		2.51	23.0	270	15.1	21.9	<0.001	0.02	0.43	3.9	0.4	0.7	11.2	<0.01	0.05
I033638		2.08	15.7	260	10.3	13.2	<0.001	0.01	0.43	2.8	0.3	0.7	10.8	<0.01	0.03
I033639		3.26	27.7	370	18.9	37.3	<0.001	0.02	0.51	3.8	0.5	0.8	10.4	0.01	0.05
I033640		3.31	25.0	250	10.7	53.1	<0.001	0.01	0.27	3.6	0.4	0.7	17.3	<0.01	0.04
I033641		3.31	23.8	260	11.8	54.9	<0.001	0.01	0.26	3.7	0.5	0.7	17.5	<0.01	0.04
I033642		4.67	48.6	470	11.1	76.7	<0.001	0.03	0.20	10.6	0.4	1.6	22.5	<0.01	0.04
I033643		4.35	25.1	320	9.5	31.7	<0.001	0.02	0.42	4.0	0.4	0.8	9.0	<0.01	0.04
I033644		3.26	41.2	220	8.7	27.6	<0.001	0.02	0.41	4.3	0.5	0.7	14.9	0.01	0.03
I033645		2.62	31.7	310	10.6	16.2	<0.001	0.02	0.60	5.7	0.6	0.6	14.5	0.02	0.03
I033646		0.84	22.9	940	6.9	26.8	<0.001	0.01	0.84	10.7	0.5	0.6	31.3	<0.01	0.03
I033647		1.16	18.0	280	6.8	16.7	<0.001	0.01	0.38	5.5	0.4	0.5	30.1	<0.01	0.03
I033648		1.34	42.2	660	4.8	39.1	<0.001	0.02	0.24	5.7	0.4	0.4	30.0	<0.01	0.02
I033649		1.79	28.0	610	4.9	33.8	<0.001	0.02	0.22	6.0	0.4	0.5	31.8	<0.01	0.02
I033650		1.01	17.6	520	5.0	8.8	<0.001	0.02	0.55	7.7	0.4	0.4	30.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033611		0.067	0.11	0.73	35	0.11	3.41	50	0.5
I033612		0.043	0.09	0.59	49	0.08	3.18	56	<0.5
I033613		0.069	0.18	1.08	45	0.07	6.21	67	0.6
I033614		0.081	0.14	0.57	86	0.16	3.04	57	2.3
I033615		0.157	0.27	1.53	47	0.08	7.87	76	2.1
I033616		0.109	0.21	1.27	92	0.14	5.91	76	3.0
I033617		0.147	0.38	2.39	36	0.08	11.85	90	4.3
I033618		0.137	0.24	1.07	72	0.19	6.43	67	2.1
I033619		0.218	0.72	3.19	39	0.07	14.40	105	3.4
I033620		0.111	0.17	0.99	51	0.16	8.35	74	1.7
I033621		0.111	0.17	0.96	50	0.15	8.39	54	1.7
I033622		0.128	0.12	0.71	78	0.25	4.99	54	2.2
I033623		0.110	0.12	0.60	69	0.18	3.82	47	4.5
I033624		0.082	0.09	0.51	64	0.16	1.98	34	0.7
I033625		0.095	0.19	1.17	66	0.20	4.64	59	2.0
I033626		0.092	0.16	0.51	84	0.20	3.02	57	1.5
I033627		0.231	0.58	1.04	49	0.14	11.30	121	6.8
I033628		0.095	0.11	0.46	68	0.18	2.72	46	1.1
I033629		0.111	0.12	0.62	72	0.20	3.51	49	2.9
I033630		0.098	0.12	0.53	65	0.16	3.34	42	1.1
I033631		0.117	0.31	1.17	50	0.11	7.95	70	4.1
I033632		0.109	0.13	0.57	64	0.17	5.20	48	2.9
I033633		0.100	0.21	1.20	51	0.14	11.35	67	2.6
I033634		0.149	0.25	0.98	68	0.14	6.04	75	4.9
I033635		0.169	0.32	1.20	53	0.11	8.59	60	3.2
I033636		0.122	0.24	1.16	69	0.10	5.74	48	3.1
I033637		0.116	0.18	0.97	63	0.14	6.72	66	3.7
I033638		0.109	0.15	0.61	68	0.14	3.81	40	1.2
I033639		0.165	0.29	1.10	73	0.14	8.94	80	4.1
I033640		0.173	0.39	1.09	51	0.10	11.50	66	3.2
I033641		0.179	0.43	1.23	53	0.10	10.75	67	3.6
I033642		0.314	0.45	0.77	127	0.10	7.81	112	2.2
I033643		0.168	0.21	1.24	72	0.13	6.96	61	4.7
I033644		0.140	0.28	1.09	68	0.15	6.06	75	3.2
I033645		0.116	0.19	0.92	73	0.21	5.28	60	6.0
I033646		0.124	0.13	0.52	116	0.09	11.75	116	2.0
I033647		0.099	0.08	0.25	60	0.14	4.28	39	3.3
I033648		0.200	0.22	0.45	85	0.10	7.52	80	2.9
I033649		0.207	0.14	0.43	90	0.10	6.07	84	2.5
I033650		0.081	0.07	0.25	74	0.08	6.61	57	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **23-AUG-2010**
Account: **EIASQI**

CERTIFICATE WH10105245

Project: SQI10-06
P.O. No.: SQI10-06_15
This report is for 256 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033351		0.18	0.007	0.55	3.12	14.0	<0.2	<10	450	0.94	0.36	0.40	0.65	30.3	19.8	78
I033352		0.20	<0.005	0.12	0.62	3.9	<0.2	<10	50	0.13	0.18	0.07	0.14	6.61	2.7	14
I033353		0.12	NSS	0.28	1.20	4.6	<0.2	<10	160	0.39	0.16	0.82	0.59	32.3	6.4	30
I033354		0.18	0.005	0.23	2.15	5.0	<0.2	<10	310	0.41	0.19	0.32	0.19	25.5	11.7	74
I033355		0.26	<0.005	0.26	1.80	6.9	<0.2	<10	200	0.75	0.29	0.27	0.21	37.0	8.1	46
I033356		0.26	<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033357		0.22	<0.005	0.07	1.14	5.5	<0.2	<10	110	0.20	0.18	0.14	0.12	10.95	5.9	71
I033358		0.32	<0.005	0.29	2.70	26.9	<0.2	<10	410	0.87	0.20	0.34	0.38	35.2	30.1	98
I033359		0.22	0.014	0.15	0.85	0.9	<0.2	<10	130	0.37	0.08	0.23	0.16	25.4	4.5	30
I033360		0.18	0.020	0.28	0.64	9.6	<0.2	<10	60	0.18	0.22	0.14	0.31	10.10	3.3	19
I033361		0.20	<0.005	0.27	2.37	5.3	<0.2	<10	230	0.71	0.43	0.56	0.38	56.4	16.8	54
I033362		0.18	<0.005	0.31	1.89	12.4	<0.2	<10	170	0.44	0.50	0.36	0.32	23.9	10.9	55
I033363		0.30	<0.005	0.31	2.86	32.9	<0.2	<10	340	0.78	0.50	0.38	0.25	29.0	13.5	69
I033364		0.16	0.008	0.08	1.78	4.9	<0.2	<10	120	0.31	0.16	0.40	0.13	16.05	9.9	36
I033365		0.24	<0.005	0.11	1.63	4.9	<0.2	<10	120	0.27	0.17	0.47	0.17	17.95	7.9	34
I033366		0.24	<0.005	0.15	3.04	10.0	<0.2	<10	160	0.59	0.24	0.19	0.11	20.2	19.4	54
I033367		0.18	<0.005	0.18	2.33	7.4	<0.2	<10	110	0.33	0.20	0.16	0.20	13.65	12.8	50
I033368		0.18	<0.005	0.11	1.50	3.6	<0.2	<10	110	0.28	0.17	0.15	0.26	19.90	8.8	31
I033369		0.28	<0.005	0.07	3.05	6.4	<0.2	<10	100	0.42	0.18	0.41	0.17	26.3	19.3	93
I033370		0.26	<0.005	0.16	2.57	4.6	<0.2	<10	310	0.65	0.23	0.48	0.22	27.0	12.3	60
I033371		0.20	<0.005	0.26	2.77	7.4	<0.2	<10	240	0.77	0.26	0.43	0.18	36.4	10.1	45
I033372		0.24	<0.005	0.13	2.97	8.5	<0.2	<10	110	0.65	0.21	0.19	0.17	17.15	11.4	50
I033373		0.24	<0.005	0.09	2.04	6.3	<0.2	<10	200	0.43	0.14	0.37	0.15	26.9	9.6	39
I033374		0.24	<0.005	0.25	2.57	9.8	<0.2	<10	90	0.46	0.25	0.11	0.14	22.0	7.0	35
I033375		0.30	<0.005	0.13	2.59	12.5	<0.2	<10	100	0.38	0.22	0.11	0.15	22.0	8.6	41
I033376		0.24	<0.005	0.12	1.82	6.0	<0.2	<10	180	0.40	0.14	0.38	0.16	27.6	9.5	32
I033377		0.24	<0.005	0.24	0.68	3.5	<0.2	<10	60	0.18	0.12	0.14	0.24	15.45	4.0	18
I033378		0.18	<0.005	0.44	1.94	10.0	<0.2	<10	170	0.40	0.20	0.26	0.63	25.7	10.5	44
I033379		0.20	0.006	0.15	0.85	9.3	<0.2	<10	60	0.18	0.17	0.15	0.61	15.95	5.0	28
I033380		0.34	<0.005	0.19	1.61	16.7	<0.2	<10	130	0.44	0.21	0.27	0.70	33.2	12.8	48
I033381		0.30	<0.005	0.03	2.18	8.2	<0.2	<10	150	0.34	0.18	0.16	0.22	23.9	7.2	34
I033382		0.20	<0.005	0.15	0.65	1.9	<0.2	<10	90	0.46	0.09	0.10	0.25	16.70	3.0	14
I033383		0.26	<0.005	0.04	3.08	8.4	<0.2	<10	270	0.59	0.28	0.21	0.44	21.3	16.6	45
I033384		0.26	<0.005	0.06	3.05	7.3	<0.2	<10	80	0.53	0.24	0.14	0.16	75.8	13.4	66
I033385		0.22	0.010	0.02	2.23	8.4	<0.2	<10	110	0.29	0.19	0.13	0.15	21.9	9.1	37
I033386		0.26	0.009	0.03	2.69	7.0	<0.2	<10	220	0.53	0.15	0.23	0.18	46.0	15.4	52
I033387		0.28	0.006	0.05	1.96	5.7	<0.2	<10	130	0.42	0.16	0.17	0.19	28.2	9.7	50
I033388		0.24	0.008	0.07	1.27	4.6	<0.2	<10	90	0.15	0.12	0.17	0.12	10.30	6.9	28
I033389		0.30	0.008	0.08	2.33	4.0	<0.2	<10	310	0.46	0.11	0.39	0.05	25.6	23.3	196
I033390		0.28	0.006	0.09	1.00	1.9	<0.2	<10	110	0.20	0.10	0.16	0.07	9.61	5.8	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033351		2.94	63.1	3.91	9.77	0.12	0.04	0.08	0.039	0.28	16.3	17.3	1.00	515	3.94
I033352		0.83	12.7	1.39	4.98	<0.05	<0.02	0.03	0.012	0.03	3.4	2.9	0.10	82	0.90
I033353		1.22	29.3	1.66	4.70	0.08	0.03	0.07	0.022	0.09	18.4	6.3	0.34	243	1.66
I033354		2.52	29.8	2.68	9.38	0.10	0.02	0.03	0.026	0.22	14.3	11.0	0.85	335	1.88
I033355		1.91	39.0	2.48	5.80	0.08	0.03	0.04	0.033	0.10	20.1	12.6	0.52	176	1.11
I033356		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033357		0.92	16.4	2.17	8.03	0.06	0.03	0.03	0.014	0.06	5.6	5.1	0.41	117	1.11
I033358		5.01	46.8	3.89	11.25	0.13	0.03	0.04	0.042	0.38	18.6	18.2	1.05	839	2.93
I033359		0.96	20.0	0.98	3.56	0.06	<0.02	0.06	0.011	0.16	12.0	2.6	0.26	133	0.82
I033360		1.13	18.6	1.29	4.15	<0.05	<0.02	0.05	0.011	0.07	5.1	2.9	0.14	109	1.10
I033361		3.48	45.5	2.86	8.70	0.12	0.04	0.05	0.027	0.25	30.9	14.4	0.72	329	1.71
I033362		2.52	18.1	2.36	7.75	0.08	0.03	0.05	0.032	0.08	14.4	10.8	0.63	286	2.27
I033363		3.52	36.5	3.79	9.50	0.13	0.05	0.10	0.040	0.22	15.3	17.6	0.89	328	2.21
I033364		0.95	15.8	2.45	6.34	0.07	0.03	0.03	0.020	0.06	8.2	12.5	0.53	249	0.80
I033365		1.17	13.0	2.18	6.00	0.07	0.03	0.05	0.019	0.05	9.4	11.7	0.53	226	0.68
I033366		1.56	23.4	4.55	10.75	0.09	0.09	0.02	0.034	0.06	9.7	18.4	0.68	317	1.93
I033367		1.76	23.6	3.61	8.98	0.05	0.04	0.04	0.025	0.11	6.9	17.1	0.72	288	1.68
I033368		1.51	25.7	2.66	6.57	0.05	0.02	0.02	0.018	0.14	9.0	10.3	0.46	312	1.06
I033369		2.54	35.7	4.93	11.35	0.11	0.06	0.01	0.038	0.11	9.6	30.1	1.40	393	1.53
I033370		2.66	24.0	3.74	8.91	0.08	0.03	0.02	0.026	0.17	15.5	25.6	1.18	461	1.58
I033371		2.87	30.8	3.37	9.59	0.08	0.05	0.06	0.035	0.11	25.8	23.7	0.56	278	1.92
I033372		3.31	19.1	3.87	8.91	0.07	0.13	0.03	0.029	0.11	9.2	36.4	0.81	371	1.31
I033373		2.13	22.1	2.79	6.71	0.07	0.04	0.04	0.023	0.07	14.1	23.7	0.68	216	1.06
I033374		1.92	27.6	3.46	10.40	0.07	0.12	0.04	0.034	0.05	11.6	13.6	0.26	250	2.69
I033375		1.44	21.1	4.10	10.60	0.08	0.14	0.02	0.036	0.04	11.3	16.5	0.42	258	1.89
I033376		1.01	28.4	2.39	5.80	0.06	0.03	0.04	0.026	0.05	14.1	13.6	0.50	200	0.66
I033377		0.84	18.5	1.34	3.68	<0.05	<0.02	0.03	0.012	0.05	8.2	3.5	0.16	97	1.09
I033378		1.26	45.9	3.16	7.30	0.07	0.03	0.04	0.031	0.07	13.9	12.1	0.49	438	2.97
I033379		1.01	28.1	1.85	5.25	0.05	0.02	0.03	0.018	0.06	8.4	5.1	0.21	218	2.27
I033380		1.12	40.8	3.08	6.47	0.08	0.02	0.03	0.031	0.07	17.6	11.6	0.46	554	3.94
I033381		0.86	15.5	2.98	9.21	0.07	0.06	0.02	0.026	0.05	12.4	14.0	0.41	176	1.33
I033382		0.50	20.9	1.04	3.22	<0.05	<0.02	0.05	0.014	0.02	8.1	2.8	0.10	61	0.74
I033383		1.62	39.1	3.92	6.94	0.08	0.08	0.03	0.031	0.13	10.6	21.5	0.77	390	1.35
I033384		1.79	39.7	4.80	11.20	0.09	0.03	0.02	0.033	0.11	12.1	26.5	1.07	316	1.61
I033385		1.04	17.4	3.04	9.26	0.07	0.05	0.02	0.026	0.08	9.6	15.4	0.50	205	1.17
I033386		1.62	40.4	3.67	7.86	0.10	0.07	0.02	0.030	0.25	27.1	17.4	0.85	383	1.24
I033387		1.19	21.9	3.15	7.93	0.07	0.03	0.02	0.033	0.12	9.7	14.3	0.57	272	1.21
I033388		0.78	41.5	2.28	8.18	0.05	0.02	0.02	0.015	0.07	5.3	7.0	0.50	170	0.91
I033389		1.68	35.6	3.52	8.45	0.08	0.07	0.08	0.027	0.06	13.7	17.7	1.22	597	0.87
I033390		1.23	18.3	1.68	5.48	<0.05	0.02	0.03	0.012	0.05	5.2	7.0	0.35	163	1.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033351		2.11	57.8	890	9.5	29.8	0.001	0.09	1.07	6.8	2.0	0.8	47.9	<0.01	0.08
I033352		0.96	7.1	170	4.6	5.6	<0.001	0.02	0.27	1.4	0.3	0.8	8.1	<0.01	0.03
I033353		1.66	21.0	960	5.5	10.2	0.001	0.16	0.51	3.3	2.5	0.8	67.2	0.01	0.05
I033354		2.40	40.8	610	5.3	27.3	<0.001	0.07	0.43	5.7	1.2	0.9	50.5	<0.01	0.06
I033355		1.79	26.8	560	6.9	18.9	0.001	0.05	0.37	4.9	1.2	0.6	22.2	<0.01	0.05
I033356		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033357		1.33	21.6	350	7.7	11.0	<0.001	0.03	0.31	2.1	0.6	0.7	13.9	<0.01	0.04
I033358		3.19	65.6	930	18.4	44.8	0.001	0.06	1.06	8.0	1.8	1.1	46.0	<0.01	0.07
I033359		1.39	14.9	590	2.9	13.7	<0.001	0.08	0.12	1.5	1.4	0.6	23.9	<0.01	0.03
I033360		0.86	10.4	530	4.5	7.9	<0.001	0.06	0.55	1.3	1.0	0.6	13.2	<0.01	0.03
I033361		3.22	41.7	680	15.4	37.2	<0.001	0.07	0.37	5.6	1.7	1.1	51.2	<0.01	0.06
I033362		2.12	24.9	490	16.9	15.9	<0.001	0.05	0.43	4.7	1.7	1.8	36.1	<0.01	0.05
I033363		2.68	32.9	740	15.8	30.5	0.001	0.04	1.43	8.6	2.2	1.1	27.7	<0.01	0.06
I033364		1.69	19.9	730	6.2	10.0	<0.001	0.06	0.35	3.8	1.0	0.7	26.3	<0.01	0.04
I033365		1.56	18.6	670	7.1	10.0	<0.001	0.06	0.49	3.6	0.9	0.5	27.2	<0.01	0.03
I033366		2.25	36.7	190	11.1	18.5	<0.001	0.02	0.71	4.2	0.5	1.0	19.8	<0.01	0.05
I033367		1.85	30.6	340	8.9	24.1	<0.001	0.03	0.48	3.8	0.5	0.9	20.4	<0.01	0.04
I033368		1.10	24.4	420	7.2	24.6	<0.001	0.04	0.33	2.0	0.4	0.7	20.5	<0.01	0.04
I033369		1.98	62.8	380	10.1	22.3	<0.001	0.02	0.24	6.5	0.5	0.9	26.6	<0.01	0.05
I033370		1.82	26.9	420	12.1	24.8	<0.001	0.02	0.21	5.6	0.5	0.6	34.0	<0.01	0.04
I033371		1.62	30.8	370	18.7	24.2	<0.001	0.03	0.33	5.3	0.7	0.8	34.6	<0.01	0.03
I033372		2.43	26.2	400	20.5	23.1	<0.001	0.02	0.31	4.5	0.5	0.7	17.2	<0.01	0.04
I033373		1.55	22.0	770	9.8	15.5	<0.001	0.03	0.31	4.1	0.7	0.6	26.0	<0.01	0.03
I033374		1.88	20.1	350	12.1	9.5	<0.001	0.02	0.52	4.6	0.6	0.9	17.4	0.01	0.05
I033375		1.96	21.4	390	11.9	10.7	<0.001	0.02	0.63	5.0	0.4	0.9	14.1	0.01	0.04
I033376		1.16	26.1	620	7.9	10.0	<0.001	0.02	0.37	4.7	0.7	0.5	33.1	<0.01	0.02
I033377		0.35	12.9	430	4.8	8.7	<0.001	0.03	0.23	1.2	0.5	0.4	15.9	<0.01	0.02
I033378		1.22	44.0	610	9.1	12.3	<0.001	0.04	0.44	4.6	0.9	0.6	28.6	<0.01	0.06
I033379		0.62	24.3	420	6.6	12.2	<0.001	0.03	0.34	1.9	0.8	0.5	19.2	<0.01	0.05
I033380		0.84	48.9	850	9.1	13.5	0.001	0.04	0.54	4.0	1.5	0.7	29.3	<0.01	0.06
I033381		1.71	20.3	340	10.3	12.5	<0.001	0.01	0.38	4.0	0.4	0.8	17.5	0.01	0.03
I033382		0.33	10.1	260	8.5	3.8	<0.001	0.02	0.15	1.3	0.4	0.7	13.6	<0.01	0.02
I033383		2.09	44.3	350	8.3	20.2	<0.001	0.02	0.41	4.6	0.7	0.7	22.2	0.01	0.05
I033384		2.87	50.7	440	10.5	18.8	<0.001	0.02	0.32	3.8	0.7	1.0	13.4	<0.01	0.05
I033385		1.98	20.9	270	9.3	14.1	<0.001	0.01	0.41	3.8	0.4	0.8	14.9	<0.01	0.03
I033386		1.94	44.7	370	8.6	28.3	<0.001	0.01	0.35	5.0	0.6	0.7	22.2	<0.01	0.03
I033387		1.68	25.7	410	7.8	16.6	<0.001	0.02	0.28	3.8	0.5	0.7	17.1	<0.01	0.03
I033388		0.99	14.0	250	5.0	8.8	<0.001	0.02	0.22	3.3	0.4	0.6	15.5	<0.01	0.02
I033389		1.00	81.1	710	7.6	22.8	<0.001	0.01	0.28	5.8	0.4	0.6	27.5	<0.01	0.02
I033390		0.87	13.7	250	4.4	9.5	<0.001	0.02	0.16	2.5	0.3	0.4	24.6	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033351		0.154	0.29	2.12	146	0.28	8.72	190	1.5
I033352		0.076	0.07	0.24	50	0.11	1.09	24	0.5
I033353		0.059	0.11	1.63	40	0.17	7.85	57	1.1
I033354		0.130	0.21	1.04	87	0.22	4.53	80	0.8
I033355		0.080	0.19	2.13	60	0.19	7.28	51	0.9
I033356		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033357		0.132	0.08	0.37	69	0.14	1.85	25	1.2
I033358		0.153	0.35	1.32	123	0.30	8.07	181	0.7
I033359		0.043	0.11	1.05	20	0.08	4.75	25	<0.5
I033360		0.051	0.07	0.45	33	0.11	1.64	30	<0.5
I033361		0.129	0.27	2.24	70	0.24	9.78	109	1.1
I033362		0.107	0.20	1.43	77	0.19	6.40	116	1.1
I033363		0.150	0.37	1.77	98	0.22	8.01	179	2.0
I033364		0.103	0.12	0.65	55	0.17	3.91	56	1.3
I033365		0.100	0.12	0.65	48	0.19	4.42	66	1.2
I033366		0.137	0.17	0.47	106	0.14	3.23	65	4.2
I033367		0.133	0.13	0.41	87	0.14	2.78	60	1.5
I033368		0.092	0.15	0.50	52	0.07	3.80	52	0.6
I033369		0.197	0.13	0.55	117	0.14	5.60	72	2.4
I033370		0.149	0.14	0.83	87	0.11	6.33	81	1.6
I033371		0.102	0.16	0.97	77	0.21	9.71	66	1.8
I033372		0.162	0.18	0.61	82	0.17	3.46	69	5.3
I033373		0.127	0.15	1.19	62	1.14	7.31	70	1.7
I033374		0.101	0.15	0.75	87	0.14	3.91	42	5.5
I033375		0.124	0.13	0.62	102	0.10	4.08	55	6.8
I033376		0.097	0.10	0.92	58	0.16	9.36	56	1.3
I033377		0.040	0.06	0.67	34	0.09	4.16	28	<0.5
I033378		0.086	0.09	1.20	81	0.19	7.85	98	1.2
I033379		0.064	0.07	0.73	58	0.10	4.11	61	0.6
I033380		0.074	0.10	1.23	74	0.14	7.78	125	0.7
I033381		0.110	0.09	0.51	78	0.12	3.63	43	2.8
I033382		0.036	0.05	1.10	26	<0.05	4.26	18	<0.5
I033383		0.134	0.15	1.02	71	0.14	4.57	92	3.5
I033384		0.176	0.12	1.61	70	0.16	7.58	81	1.4
I033385		0.123	0.12	0.61	77	0.13	3.08	49	2.4
I033386		0.149	0.23	1.05	80	0.14	8.05	76	3.3
I033387		0.114	0.14	0.74	71	0.10	4.53	50	1.2
I033388		0.132	0.08	0.31	87	0.08	2.99	31	1.0
I033389		0.116	0.15	0.66	82	0.10	5.00	50	3.1
I033390		0.092	0.08	0.38	46	0.08	2.63	29	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033391		0.20	0.013	0.12	0.66	5.8	<0.2	<10	230	0.19	0.06	3.32	0.54	8.46	6.4	20
I033392		0.20	<0.005	0.07	1.69	5.2	<0.2	<10	140	0.45	0.14	1.97	0.27	15.20	9.0	36
I033393		0.24	0.007	0.08	2.08	5.7	<0.2	<10	210	0.32	0.14	0.40	0.13	14.45	10.0	32
I033394		0.22	0.007	0.08	1.38	4.1	<0.2	<10	190	0.45	0.19	0.16	0.14	30.2	14.2	75
I033395		0.34	0.005	0.09	2.19	2.9	<0.2	<10	350	0.40	0.09	0.56	0.06	23.1	15.7	186
I033396		0.24	0.005	0.03	3.20	1.5	<0.2	<10	270	0.60	0.06	0.63	0.06	16.95	22.7	231
I033397		0.28	0.005	0.10	2.25	3.9	<0.2	<10	150	0.30	0.11	0.66	0.10	16.25	12.8	63
I033398		0.34	0.005	0.14	1.83	5.1	<0.2	<10	160	0.64	0.12	0.73	0.21	42.1	24.3	90
I033399		0.26	<0.005	0.12	1.36	2.6	<0.2	<10	110	0.27	0.09	0.22	0.06	14.30	7.3	26
I033400		0.20	<0.005	0.03	2.84	5.5	<0.2	<10	150	0.47	0.13	0.96	0.17	32.2	15.7	44
I033401		0.28	0.005	0.07	1.10	3.7	<0.2	<10	90	0.36	0.16	0.14	0.07	11.40	4.2	16
I033402		0.26	0.007	0.11	2.10	4.6	<0.2	<10	190	0.48	0.31	0.40	0.11	21.3	9.7	27
I033403		0.24	0.006	0.04	2.00	4.3	<0.2	<10	190	0.45	0.15	0.38	0.08	20.2	10.1	28
I033404		0.24	0.008	0.07	2.11	6.6	<0.2	<10	170	0.47	0.19	0.27	0.15	16.60	9.1	28
I033405		0.26	0.007	0.10	2.59	7.7	<0.2	<10	170	0.59	0.25	0.23	0.20	16.50	12.3	32
I033406		0.26	0.007	0.05	2.21	6.0	<0.2	<10	180	0.52	0.18	0.33	0.13	23.3	10.1	31
I033407		0.20	0.011	0.05	1.45	6.4	<0.2	<10	110	0.29	0.25	0.23	0.11	13.80	7.4	23
I033408		0.26	0.006	0.08	2.33	7.1	<0.2	<10	140	0.43	0.29	0.23	0.12	17.65	9.9	29
I033409		0.26	0.009	0.13	3.08	7.9	<0.2	<10	170	1.05	0.23	0.18	0.28	20.7	13.3	38
I033410		0.24	0.006	0.10	2.08	5.7	<0.2	<10	170	0.46	0.15	0.34	0.13	16.60	8.1	27
I033411		0.18	0.015	0.08	2.36	7.4	<0.2	<10	170	0.38	0.24	0.26	0.17	15.40	10.2	32
I033412		0.22	0.006	0.07	2.38	6.9	<0.2	<10	190	0.42	0.19	0.42	0.16	17.95	8.9	33
I033413		0.22	0.009	0.12	2.48	6.7	<0.2	<10	150	0.50	0.26	0.39	0.14	13.40	8.3	34
I033414		0.10	0.005	0.08	2.32	6.3	<0.2	<10	150	0.43	0.49	0.29	0.18	17.85	9.1	32
I033415		0.12	0.006	0.10	1.46	4.6	<0.2	<10	110	0.23	0.26	0.31	0.14	10.40	6.1	21
I033416		0.20	0.008	0.15	2.31	7.1	<0.2	<10	190	0.43	0.37	0.46	0.20	18.25	10.6	34
I033417		0.24	0.010	0.12	2.53	8.3	<0.2	<10	200	0.56	0.20	0.61	0.24	25.6	12.5	34
I033418		0.24	<0.005	0.08	2.11	10.3	<0.2	<10	160	0.26	0.22	0.24	0.27	13.50	9.8	35
I033419		0.14	0.014	0.18	2.57	7.4	<0.2	<10	140	0.63	0.32	0.28	0.44	16.60	10.9	42
I033420		0.24	0.005	0.08	1.48	5.8	<0.2	<10	220	0.25	0.19	0.31	0.21	11.55	5.6	23
I033421		0.16	0.005	0.08	2.59	7.4	<0.2	<10	110	0.46	0.21	0.36	0.09	22.0	12.5	34
I033422		0.30	0.016	0.12	2.35	6.6	<0.2	<10	160	0.49	0.26	0.58	0.10	25.3	14.3	34
I033423		0.26	0.006	0.09	2.28	6.4	<0.2	<10	130	0.34	0.17	0.67	0.11	18.45	11.4	38
I033424		0.24	0.006	0.16	2.98	21.5	<0.2	<10	200	0.62	0.22	0.53	0.13	31.5	19.2	49
I033425		0.18	0.013	0.32	1.71	3.3	<0.2	<10	180	0.49	0.16	0.97	0.36	18.10	9.2	26
I033426		0.18	0.029	0.26	2.17	3.7	<0.2	<10	150	0.34	0.24	0.20	0.15	12.65	10.7	31
I033427		0.20	0.007	0.18	1.95	5.6	<0.2	<10	170	0.33	0.28	0.45	0.46	27.3	13.1	29
I033428		0.24	0.009	0.08	1.29	3.7	<0.2	<10	220	0.33	0.12	0.35	0.22	76.0	8.3	17
I033429		0.24	0.005	0.07	1.55	5.1	<0.2	<10	190	0.36	0.16	0.35	0.15	41.6	9.0	23
I033430		0.20	0.010	0.08	1.65	4.4	<0.2	<10	160	0.32	0.18	0.28	0.17	41.4	7.9	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033391		0.31	26.7	1.14	2.34	<0.05	0.04	0.08	0.016	0.03	4.7	3.6	0.30	607	1.19
I033392		0.33	43.2	2.15	5.51	0.06	0.06	0.05	0.022	0.04	8.7	9.8	0.55	359	0.88
I033393		0.58	19.5	2.82	6.96	0.06	0.07	0.02	0.024	0.06	7.3	13.5	0.62	282	1.09
I033394		1.56	22.9	3.17	6.65	0.08	0.03	0.03	0.029	0.11	16.2	8.7	0.45	520	1.39
I033395		1.81	35.6	2.90	8.31	0.08	0.04	0.02	0.019	0.14	13.9	21.1	1.50	268	0.67
I033396		1.60	81.6	3.47	8.37	0.11	0.02	0.01	0.015	0.25	8.0	22.6	2.30	513	0.63
I033397		0.72	43.6	3.23	7.75	0.08	0.05	0.02	0.026	0.07	8.8	15.0	0.91	340	1.17
I033398		1.11	73.6	4.51	6.00	0.14	0.07	0.05	0.045	0.09	37.8	12.7	0.74	852	0.68
I033399		0.95	28.2	1.91	5.30	<0.05	0.02	0.03	0.018	0.04	8.2	11.6	0.42	285	0.63
I033400		1.22	20.2	4.04	8.69	0.08	0.05	0.02	0.039	0.15	16.7	24.4	1.27	747	0.91
I033401		0.82	10.7	1.71	5.21	0.05	<0.02	0.02	0.015	0.04	6.0	5.5	0.22	172	0.97
I033402		1.24	14.9	2.66	7.12	0.09	0.03	0.03	0.024	0.08	11.2	11.4	0.57	488	0.81
I033403		1.00	14.9	2.57	6.42	0.09	0.04	0.02	0.022	0.07	10.0	11.4	0.64	354	0.58
I033404		1.08	14.0	2.71	8.22	0.08	0.02	0.02	0.024	0.08	8.5	11.9	0.55	456	0.99
I033405		1.05	17.1	3.14	8.80	0.08	0.03	0.04	0.027	0.09	8.3	13.7	0.55	495	1.28
I033406		0.94	20.1	2.87	7.17	0.10	0.07	0.02	0.024	0.08	11.5	12.7	0.64	364	0.78
I033407		0.91	11.5	2.51	7.84	0.07	0.03	0.02	0.017	0.08	7.0	7.9	0.42	328	1.22
I033408		0.96	17.1	3.09	8.22	0.09	0.05	0.02	0.025	0.07	8.9	12.8	0.57	309	3.42
I033409		1.46	28.3	3.34	10.45	0.09	0.02	0.03	0.035	0.10	10.8	14.1	0.59	563	1.53
I033410		0.96	14.5	2.57	7.58	0.08	0.02	0.04	0.021	0.07	8.4	11.0	0.55	275	0.82
I033411		1.19	21.2	3.00	8.96	<0.05	0.02	0.02	0.024	0.07	7.8	10.7	0.55	399	1.32
I033412		0.81	22.2	2.96	8.37	<0.05	0.08	0.03	0.024	0.07	9.5	11.3	0.61	272	1.15
I033413		1.18	18.6	2.99	9.01	<0.05	0.04	0.03	0.027	0.07	7.1	11.9	0.50	235	1.37
I033414		1.14	20.9	2.79	7.85	<0.05	0.04	0.04	0.025	0.07	9.6	10.8	0.50	269	1.22
I033415		0.61	14.5	2.04	7.38	<0.05	<0.02	0.02	0.016	0.05	5.4	8.3	0.33	166	1.16
I033416		1.03	22.0	2.93	7.91	<0.05	0.03	0.04	0.026	0.07	9.3	11.2	0.54	392	1.38
I033417		1.05	20.9	3.16	8.28	0.05	0.03	0.05	0.028	0.09	11.1	13.0	0.62	484	1.21
I033418		0.94	16.7	3.57	10.75	<0.05	0.02	0.03	0.027	0.06	6.7	12.3	0.50	556	2.52
I033419		1.19	28.3	3.32	9.40	<0.05	0.03	0.03	0.032	0.08	8.7	5.7	0.52	312	0.69
I033420		0.70	13.6	2.53	8.20	<0.05	<0.02	0.02	0.017	0.04	5.9	7.5	0.36	187	1.26
I033421		1.58	21.3	3.52	9.09	<0.05	0.03	0.04	0.029	0.06	10.4	12.9	0.91	306	1.50
I033422		0.96	23.6	3.17	7.73	0.06	0.02	0.02	0.026	0.12	11.1	10.6	0.92	456	1.00
I033423		0.84	16.0	2.94	8.65	<0.05	0.02	0.03	0.023	0.13	8.2	12.4	0.85	335	1.11
I033424		1.34	32.1	3.50	9.89	0.07	0.04	0.02	0.037	0.12	12.8	12.6	1.24	491	1.00
I033425		0.65	38.2	2.13	5.73	<0.05	<0.02	0.05	0.023	0.05	10.2	5.4	0.54	211	1.16
I033426		1.28	25.3	2.55	7.54	<0.05	<0.02	0.05	0.026	0.07	6.4	8.4	0.69	169	0.96
I033427		1.30	27.2	2.77	6.52	<0.05	0.03	0.03	0.025	0.10	14.9	10.8	0.58	559	1.01
I033428		2.73	10.9	2.66	6.19	0.06	0.08	0.03	0.035	0.19	32.0	11.9	0.40	849	1.05
I033429		1.86	11.9	2.65	6.87	0.05	0.05	0.02	0.028	0.10	24.9	11.8	0.42	575	0.99
I033430		1.61	12.3	2.52	6.80	0.05	0.05	0.03	0.027	0.09	24.4	11.3	0.44	461	0.89



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033391		0.39	15.2	840	4.0	3.5	0.001	0.14	0.34	2.5	1.6	0.2	163.5	<0.01	0.03
I033392		0.97	22.3	460	8.7	2.8	<0.001	0.05	0.35	3.8	0.8	0.4	55.7	<0.01	0.03
I033393		1.13	18.8	280	6.5	7.0	<0.001	0.01	0.32	4.8	0.3	0.6	27.2	<0.01	0.03
I033394		1.05	59.8	550	15.4	26.0	<0.001	0.02	0.25	5.1	0.5	0.7	17.3	<0.01	0.03
I033395		1.03	70.9	690	5.8	21.4	<0.001	0.01	0.17	5.2	0.4	0.6	30.9	<0.01	0.01
I033396		0.53	94.7	1220	5.0	30.2	<0.001	0.01	0.09	5.5	0.3	0.6	35.5	<0.01	0.02
I033397		1.21	34.1	310	5.2	9.9	<0.001	0.02	0.25	7.1	0.5	0.5	36.5	<0.01	0.03
I033398		0.54	73.8	560	8.1	11.3	0.001	0.02	0.25	20.6	1.0	0.5	38.4	0.01	0.03
I033399		0.70	14.9	280	4.3	7.1	<0.001	0.02	0.14	4.1	0.3	0.4	16.8	<0.01	0.02
I033400		1.17	25.7	390	7.3	15.3	<0.001	0.02	0.23	8.9	0.4	0.7	33.8	<0.01	0.02
I033401		0.90	8.7	360	4.2	7.0	<0.001	0.04	0.39	1.8	0.6	0.4	16.2	<0.01	0.04
I033402		1.40	17.1	600	7.4	12.9	<0.001	0.03	0.28	4.1	0.7	0.6	29.8	0.01	0.03
I033403		1.59	17.7	550	6.0	10.6	<0.001	0.02	0.24	4.2	0.6	0.6	30.4	<0.01	0.02
I033404		1.77	17.2	440	7.2	14.5	<0.001	0.02	0.30	3.6	0.6	0.7	28.6	<0.01	0.03
I033405		2.09	18.6	590	7.7	11.6	<0.001	0.03	0.37	3.9	0.7	0.8	24.6	<0.01	0.05
I033406		2.03	19.9	540	6.6	10.9	<0.001	0.02	0.28	4.8	0.6	0.6	26.0	<0.01	0.04
I033407		2.06	13.2	400	6.4	14.2	<0.001	0.03	0.27	3.0	0.6	0.7	20.6	<0.01	0.08
I033408		2.17	19.6	450	6.7	12.4	<0.001	0.02	0.30	4.1	0.6	0.7	19.8	<0.01	0.04
I033409		2.02	20.4	490	9.1	15.2	<0.001	0.03	0.28	4.7	0.7	0.8	17.5	<0.01	0.03
I033410		1.62	17.3	410	6.0	12.1	<0.001	0.03	0.25	3.5	0.6	0.6	31.6	<0.01	0.03
I033411		1.72	24.0	400	12.3	10.8	<0.001	0.02	0.29	3.9	0.5	0.7	23.6	<0.01	0.03
I033412		1.86	23.8	240	6.6	9.2	<0.001	0.01	0.28	4.8	0.5	0.6	31.2	<0.01	0.03
I033413		1.83	21.1	370	7.5	9.9	<0.001	0.03	0.27	4.0	0.6	0.7	25.7	<0.01	0.04
I033414		1.66	21.7	490	6.4	11.2	<0.001	0.03	0.30	5.0	0.8	0.6	27.0	<0.01	0.04
I033415		1.38	13.4	260	5.5	8.1	<0.001	0.02	0.23	2.8	0.5	0.6	24.1	<0.01	0.03
I033416		1.49	22.3	570	6.3	10.6	<0.001	0.03	0.29	4.4	0.7	0.6	30.6	<0.01	0.04
I033417		1.54	25.6	730	6.3	10.9	<0.001	0.03	0.34	4.6	0.6	0.6	41.5	<0.01	0.04
I033418		1.94	21.9	510	7.5	10.6	<0.001	0.02	0.35	3.8	0.5	0.7	19.2	<0.01	0.05
I033419		1.87	30.5	510	13.5	13.4	<0.001	0.04	0.35	3.6	0.6	0.8	18.7	0.01	0.03
I033420		1.48	13.8	310	6.7	6.2	<0.001	0.02	0.38	2.3	0.5	0.6	52.6	<0.01	0.03
I033421		2.04	22.4	670	6.2	9.8	<0.001	0.03	0.36	5.8	0.9	0.7	31.7	0.01	0.05
I033422		1.60	24.8	700	5.4	11.2	<0.001	0.02	0.26	5.1	0.6	0.6	39.1	<0.01	0.06
I033423		1.89	25.6	480	5.7	20.8	<0.001	0.03	0.27	4.2	0.6	0.6	39.2	<0.01	0.05
I033424		2.17	33.7	590	8.3	11.7	<0.001	0.02	0.36	6.7	0.7	0.8	38.3	0.01	0.06
I033425		0.78	18.6	920	4.6	9.1	<0.001	0.12	0.35	1.9	1.2	0.4	44.9	0.01	0.06
I033426		1.00	17.6	610	5.0	9.1	<0.001	0.10	0.27	4.3	1.0	0.6	18.6	<0.01	0.08
I033427		1.82	18.8	540	8.7	14.4	0.001	0.06	0.29	5.4	0.9	0.7	22.2	0.01	0.04
I033428		4.54	11.5	640	8.1	34.8	<0.001	0.02	0.19	4.8	0.8	1.4	21.7	0.01	0.02
I033429		3.59	14.6	590	8.0	21.5	0.001	0.03	0.23	4.3	0.7	1.3	25.6	0.01	0.02
I033430		3.02	15.2	590	12.2	20.1	<0.001	0.03	0.22	4.3	0.6	1.1	19.6	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033391		0.024	0.04	0.77	30	0.05	5.37	50
I033392		0.051	0.04	0.47	52	0.07	8.63	44
I033393		0.063	0.08	0.38	73	0.09	3.51	47
I033394		0.088	0.13	0.76	71	0.09	4.25	55
I033395		0.135	0.13	0.54	73	0.07	5.00	51
I033396		0.186	0.19	0.41	83	0.10	4.02	61
I033397		0.114	0.08	0.45	87	0.10	5.26	63
I033398		0.028	0.07	0.86	98	0.07	42.6	85
I033399		0.053	0.06	0.48	47	0.09	3.75	38
I033400		0.076	0.11	0.53	86	0.17	7.59	75
I033401		0.067	0.08	0.77	41	0.25	3.16	29
I033402		0.094	0.12	1.14	56	0.23	7.95	56
I033403		0.115	0.10	0.85	56	0.17	5.63	53
I033404		0.110	0.10	0.64	63	0.19	4.25	61
I033405		0.116	0.11	0.71	70	0.22	3.84	58
I033406		0.135	0.10	0.80	67	0.22	6.83	52
I033407		0.135	0.09	0.63	73	0.55	3.31	46
I033408		0.131	0.11	0.78	74	0.29	4.81	50
I033409		0.104	0.14	1.31	76	0.19	5.37	59
I033410		0.105	0.09	0.66	62	0.16	4.62	46
I033411		0.111	0.10	0.55	76	0.19	3.93	58
I033412		0.117	0.09	0.67	75	0.18	5.29	52
I033413		0.102	0.09	0.71	75	0.21	3.90	46
I033414		0.103	0.08	0.99	73	0.24	6.84	45
I033415		0.089	0.07	0.38	63	0.19	2.89	33
I033416		0.098	0.08	0.68	74	0.20	5.65	49
I033417		0.106	0.08	0.74	75	0.18	7.02	57
I033418		0.119	0.10	0.40	100	0.21	2.69	55
I033419		0.122	0.11	0.59	69	0.18	4.50	84
I033420		0.091	0.07	0.38	73	0.18	2.81	41
I033421		0.134	0.11	0.84	85	0.26	5.57	46
I033422		0.118	0.09	0.80	79	0.32	6.43	46
I033423		0.127	0.08	0.45	77	0.21	3.70	47
I033424		0.133	0.11	0.78	87	0.22	7.79	55
I033425		0.051	0.06	0.94	54	0.15	8.39	41
I033426		0.087	0.08	0.66	73	0.15	3.57	45
I033427		0.102	0.14	1.31	73	0.25	9.06	58
I033428		0.127	0.32	2.06	50	0.30	13.10	59
I033429		0.127	0.21	1.70	61	0.22	9.89	55
I033430		0.129	0.21	1.96	59	0.69	8.94	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033431		0.30	0.009	0.10	1.90	4.9	<0.2	<10	150	0.34	0.23	0.22	0.19	41.3	7.8	28
I033432		0.22	<0.005	0.05	1.24	5.9	<0.2	<10	50	0.13	0.35	0.09	0.10	13.15	7.2	35
I033433		0.14	<0.005	0.17	2.29	4.6	<0.2	<10	250	0.32	0.30	0.47	0.37	31.1	20.6	71
I033434		0.32	0.005	0.09	2.03	6.4	<0.2	<10	190	0.41	0.20	0.36	0.22	31.4	17.5	35
I033435		0.20	0.024	0.15	1.57	5.2	<0.2	<10	220	0.34	0.26	0.59	0.30	47.4	10.6	26
I033436		0.18	0.006	0.30	1.60	16.3	<0.2	<10	170	0.32	0.31	0.38	0.17	26.3	25.5	35
I033437		0.12	0.009	0.07	1.16	2.5	<0.2	<10	80	0.13	0.14	0.24	0.09	9.61	5.2	23
I033438		0.14	0.013	0.06	1.70	5.5	<0.2	<10	120	0.36	0.19	0.39	0.16	19.05	10.9	30
I033439		0.14	0.021	0.06	1.66	4.5	<0.2	<10	170	0.29	0.12	0.32	0.17	13.05	9.5	25
I033440		0.20	0.011	0.09	1.67	4.9	<0.2	<10	150	0.28	0.18	0.42	0.11	14.95	9.6	27
I033441		0.22	0.006	0.09	1.59	4.2	<0.2	<10	150	0.25	0.15	0.44	0.15	16.15	13.0	26
I033442		0.10	0.019	0.10	1.30	4.3	<0.2	<10	120	0.19	0.18	0.33	0.19	13.70	7.5	22
I033443		0.18	<0.005	0.09	1.78	3.9	<0.2	<10	160	0.29	0.52	0.34	0.17	16.85	8.0	27
I033444		0.18	0.006	0.07	1.51	2.6	<0.2	<10	130	0.15	0.32	0.31	0.12	11.60	5.8	22
I033445		0.16	0.006	0.09	1.40	3.2	<0.2	<10	110	0.16	1.37	0.28	0.11	11.40	7.1	22
I033446		0.20	<0.005	0.02	0.17	0.3	<0.2	<10	10	<0.05	0.06	0.03	0.01	1.87	0.8	4
I033447		0.22	0.005	0.11	1.52	4.3	<0.2	<10	150	0.27	0.51	0.45	0.17	21.3	10.7	26
I033448		0.10	0.005	0.11	1.33	3.4	<0.2	<10	110	0.17	1.44	0.28	0.13	16.60	5.7	22
I033449		0.26	0.006	0.05	1.29	6.0	<0.2	<10	50	0.21	0.27	0.09	0.21	9.73	6.5	20
I033450		0.26	0.008	0.09	1.56	3.6	<0.2	<10	160	0.31	0.48	0.45	0.19	43.2	8.6	26
I033451		0.12	0.007	0.16	1.07	6.2	<0.2	<10	80	0.18	0.29	0.09	0.08	20.4	3.9	22
I033452		0.16	<0.005	0.18	1.47	7.0	<0.2	<10	100	0.25	0.17	0.17	0.23	32.5	10.7	38
I033453		0.20	<0.005	0.08	1.62	13.8	<0.2	<10	90	0.21	0.25	0.11	0.24	20.1	7.2	35
I033454		0.08	0.014	0.33	2.05	16.9	<0.2	<10	140	0.49	0.30	0.16	0.89	39.6	10.5	43
I033455		0.14	0.006	0.17	1.57	12.9	<0.2	<10	100	0.28	0.25	0.10	0.30	38.7	7.9	39
I033456		0.20	0.010	0.18	1.70	10.3	<0.2	<10	180	0.41	0.22	0.16	0.32	38.1	9.4	38
I033457		0.16	0.009	0.12	1.80	20.0	<0.2	<10	140	0.39	0.41	0.08	0.17	34.1	6.0	48
I033458		0.16	0.005	0.05	2.46	19.4	<0.2	<10	170	0.50	0.18	0.17	0.89	25.2	14.1	43
I033459		0.28	<0.005	0.14	1.39	19.1	<0.2	<10	80	0.35	0.29	0.05	0.14	33.1	5.4	36
I033460		0.18	0.008	0.06	3.18	12.2	<0.2	<10	430	0.90	0.19	0.26	0.05	59.5	16.6	65
I033461		0.20	<0.005	0.23	2.99	11.2	<0.2	<10	780	0.88	0.28	0.14	0.23	63.1	10.5	77
I033462		0.24	<0.005	0.21	1.39	64.8	<0.2	<10	130	0.59	0.29	0.04	0.19	30.9	8.8	29
I033463		0.18	<0.005	0.37	2.46	25.3	<0.2	<10	230	0.51	0.27	0.13	0.51	28.2	18.0	42
I033464		0.24	<0.005	0.10	2.30	34.4	<0.2	<10	270	0.53	0.18	0.29	0.19	27.8	11.8	39
I033465		0.14	<0.005	0.15	2.52	31.4	<0.2	<10	130	0.41	0.20	0.18	0.42	19.50	9.0	40
I033466		0.10	0.008	0.59	2.12	23.5	<0.2	<10	490	0.56	0.20	0.28	0.49	25.8	6.9	36
I033467		0.26	<0.005	0.25	2.72	15.5	<0.2	<10	390	0.41	0.22	0.20	0.26	28.2	14.5	71
I033468		0.22	<0.005	0.25	1.32	21.2	<0.2	<10	330	0.27	0.25	0.15	0.35	23.8	6.2	30
I033469		0.18	<0.005	0.41	1.61	107.0	<0.2	<10	380	0.43	0.22	0.20	0.45	33.8	6.5	36
I033470		0.20	<0.005	0.28	1.34	33.6	<0.2	<10	410	0.53	0.20	0.24	0.37	37.4	7.9	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033431		1.87	12.7	2.66	7.59	<0.05	0.04	0.03	0.029	0.08	21.3	12.7	0.42	379	1.09
I033432		1.89	13.9	2.80	12.45	<0.05	0.04	0.03	0.023	0.03	6.7	4.4	0.42	268	1.74
I033433		1.95	18.3	3.24	8.19	0.06	0.04	0.08	0.030	0.12	18.2	15.1	1.08	846	1.15
I033434		2.56	13.0	3.56	7.76	0.06	0.06	0.03	0.040	0.08	15.8	18.8	0.68	1420	1.00
I033435		1.66	15.7	2.55	6.48	0.05	0.05	0.05	0.028	0.06	28.0	12.1	0.46	741	1.43
I033436		1.23	13.9	4.58	6.62	0.06	0.03	0.05	0.030	0.05	12.7	7.3	0.43	2490	3.21
I033437		0.84	6.9	1.47	5.75	<0.05	<0.02	0.04	0.017	0.03	5.0	6.9	0.32	143	0.65
I033438		0.68	20.2	2.61	5.39	<0.05	0.06	0.03	0.023	0.06	9.0	10.4	0.57	311	0.50
I033439		0.89	10.5	2.40	6.01	<0.05	<0.02	0.04	0.020	0.05	6.6	9.5	0.53	336	1.08
I033440		0.95	13.0	2.33	6.40	<0.05	0.02	0.05	0.022	0.04	7.7	10.0	0.51	274	1.00
I033441		0.97	12.5	2.26	6.07	<0.05	0.02	0.04	0.021	0.05	7.8	9.3	0.52	786	1.01
I033442		0.84	12.3	1.96	5.44	<0.05	<0.02	0.08	0.019	0.04	7.1	7.4	0.37	249	1.18
I033443		1.10	14.1	2.14	6.52	<0.05	0.02	0.05	0.024	0.04	8.6	10.2	0.52	240	0.86
I033444		1.13	7.8	1.88	6.39	<0.05	<0.02	0.08	0.019	0.04	6.0	8.4	0.51	168	0.59
I033445		1.21	9.5	2.05	6.22	<0.05	<0.02	0.05	0.021	0.05	5.9	9.0	0.51	206	1.72
I033446		0.46	3.1	0.48	1.37	<0.05	<0.02	0.02	<0.005	0.02	1.0	0.4	0.02	20	0.42
I033447		1.11	12.8	2.15	5.96	0.07	0.02	0.06	0.024	0.04	11.0	9.4	0.42	670	2.46
I033448		1.22	10.6	1.87	5.79	0.06	<0.02	0.05	0.020	0.04	9.0	8.6	0.39	169	2.37
I033449		1.30	10.6	2.85	7.41	0.06	<0.02	0.04	0.022	0.03	4.8	8.6	0.22	638	1.42
I033450		1.89	11.7	2.43	5.74	0.12	0.08	0.08	0.026	0.07	34.1	10.7	0.49	678	1.68
I033451		1.57	19.2	2.40	9.34	0.07	0.03	0.01	0.016	0.08	10.5	4.1	0.21	160	1.30
I033452		3.24	31.2	2.96	6.14	0.12	0.03	0.02	0.020	0.25	17.5	9.6	0.63	217	1.01
I033453		1.53	16.9	3.78	9.28	0.09	0.04	0.02	0.027	0.10	10.7	10.3	0.45	270	1.75
I033454		3.64	45.7	3.63	7.64	0.12	0.03	0.06	0.033	0.24	20.6	13.8	0.62	288	1.56
I033455		2.44	23.1	3.44	7.19	0.12	0.03	0.03	0.023	0.19	20.5	8.8	0.57	271	1.48
I033456		4.19	33.3	3.20	6.29	0.11	0.03	0.02	0.024	0.23	19.2	16.0	0.59	262	1.19
I033457		3.55	34.0	4.06	7.98	0.12	0.03	0.01	0.026	0.25	18.4	10.5	0.56	197	1.55
I033458		1.61	25.3	3.57	7.14	0.09	0.07	0.04	0.040	0.05	12.5	15.6	0.56	311	1.14
I033459		3.06	23.5	3.59	7.87	0.12	0.03	0.01	0.021	0.19	16.9	8.3	0.47	213	1.68
I033460		0.95	54.5	4.29	9.45	0.19	0.66	0.04	0.044	0.06	31.0	14.7	0.78	446	1.43
I033461		4.67	85.2	5.18	11.25	0.27	0.02	0.01	0.033	0.79	36.1	20.5	1.62	722	4.78
I033462		3.48	32.2	4.34	5.58	0.12	<0.02	0.02	0.036	0.09	17.5	5.8	0.26	494	3.52
I033463		1.40	34.3	4.05	9.04	0.11	0.03	0.03	0.038	0.05	13.7	18.1	0.45	998	2.63
I033464		1.03	35.7	3.27	6.79	0.10	0.07	0.03	0.032	0.04	13.9	13.5	0.58	328	1.25
I033465		1.01	19.4	4.18	8.68	0.11	0.03	0.03	0.036	0.05	10.0	15.9	0.43	240	2.54
I033466		1.17	52.3	2.72	6.81	0.09	0.03	0.07	0.033	0.06	13.1	6.9	0.26	189	1.92
I033467		2.22	47.3	4.38	9.91	0.13	0.05	0.02	0.034	0.25	15.6	21.9	1.08	498	3.02
I033468		0.92	23.4	2.47	8.32	0.08	0.02	0.02	0.022	0.06	12.6	5.9	0.28	209	2.72
I033469		1.28	55.0	3.06	5.91	0.11	<0.02	0.03	0.038	0.09	17.7	8.2	0.35	231	4.36
I033470		1.27	53.5	2.95	4.85	0.11	0.07	0.03	0.031	0.14	19.3	7.3	0.40	240	3.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033431		2.85	16.5	650	12.7	20.7	<0.001	0.03	0.24	4.0	0.7	1.0	18.5	<0.01	0.02
I033432		2.24	9.8	240	12.6	8.2	<0.001	0.02	0.56	3.7	0.5	1.3	11.2	<0.01	0.05
I033433		2.02	20.9	810	13.2	22.5	<0.001	0.09	0.25	6.1	1.0	0.7	35.1	<0.01	0.09
I033434		3.67	20.6	720	15.5	27.6	<0.001	0.03	0.27	5.3	0.7	1.2	23.8	<0.01	0.04
I033435		2.65	16.9	700	11.6	20.3	<0.001	0.05	0.29	4.5	1.0	0.9	38.3	0.01	0.03
I033436		1.66	16.3	1020	11.8	9.9	<0.001	0.10	0.34	3.7	1.0	0.6	27.7	<0.01	0.07
I033437		0.87	11.4	510	5.9	5.8	<0.001	0.04	0.18	2.1	0.6	0.5	18.9	<0.01	0.01
I033438		1.46	22.4	670	5.2	8.2	<0.001	0.02	0.30	4.3	0.6	0.5	24.9	<0.01	0.02
I033439		1.03	16.4	660	4.6	7.6	<0.001	0.03	0.22	3.3	0.7	0.5	32.0	<0.01	0.02
I033440		1.14	17.7	680	6.0	6.8	<0.001	0.05	0.28	3.6	0.8	0.5	29.1	<0.01	0.02
I033441		1.08	16.4	670	5.6	8.2	<0.001	0.06	0.28	3.7	0.7	0.5	29.1	<0.01	0.02
I033442		0.91	13.5	850	5.1	7.4	<0.001	0.10	0.30	2.6	0.9	0.4	27.5	<0.01	0.03
I033443		1.18	17.7	680	6.1	8.5	<0.001	0.06	0.26	4.1	0.8	0.5	26.8	<0.01	0.02
I033444		0.99	13.0	530	5.7	7.8	<0.001	0.05	0.18	3.4	0.6	0.5	23.2	<0.01	0.02
I033445		1.05	13.1	520	5.0	8.6	<0.001	0.04	0.21	3.6	0.6	0.6	21.6	<0.01	0.02
I033446		0.20	1.2	160	1.3	1.5	<0.001	0.01	0.07	0.4	0.2	0.4	5.2	<0.01	0.01
I033447		1.32	14.6	700	6.8	8.6	<0.001	0.07	0.26	3.4	1.0	0.5	26.6	0.01	0.02
I033448		1.28	12.9	640	7.5	7.8	<0.001	0.05	0.22	2.7	0.9	0.6	19.8	<0.01	0.02
I033449		1.51	9.6	430	6.7	6.7	<0.001	0.02	0.37	1.6	0.7	0.6	9.0	<0.01	0.04
I033450		2.14	16.8	760	9.1	14.7	<0.001	0.03	0.23	4.1	0.9	0.8	27.7	0.01	0.02
I033451		2.10	11.6	300	10.5	16.2	<0.001	0.03	0.33	2.0	0.5	0.9	10.2	<0.01	0.04
I033452		2.07	36.2	340	6.3	31.3	<0.001	0.07	0.22	3.1	0.8	0.4	14.9	<0.01	0.04
I033453		3.16	17.4	350	9.7	13.7	<0.001	0.02	0.40	3.0	0.6	0.7	12.5	<0.01	0.06
I033454		2.44	28.5	740	10.0	34.9	<0.001	0.07	0.33	3.4	1.2	0.6	17.4	<0.01	0.08
I033455		2.51	18.3	390	9.3	21.6	<0.001	0.12	0.32	2.9	0.9	0.6	18.7	<0.01	0.05
I033456		1.98	29.4	500	7.2	29.6	<0.001	0.08	0.44	3.4	1.0	0.5	17.7	<0.01	0.05
I033457		2.32	28.5	330	29.9	30.6	<0.001	0.08	0.49	3.4	0.8	0.6	13.8	<0.01	0.06
I033458		1.88	36.5	260	10.7	10.4	<0.001	<0.01	0.50	4.1	0.6	0.6	18.6	<0.01	0.04
I033459		2.59	16.0	670	12.7	31.9	<0.001	0.07	0.25	2.4	0.7	0.5	10.2	<0.01	0.07
I033460		0.62	42.4	240	9.3	9.3	<0.001	<0.01	0.50	16.8	1.5	0.8	30.2	0.02	0.04
I033461		2.47	24.0	1180	16.7	49.3	0.002	0.42	0.13	4.6	2.6	0.7	38.2	0.01	0.16
I033462		0.94	27.7	820	18.2	12.0	<0.001	0.01	0.72	3.5	1.6	0.5	19.2	<0.01	0.10
I033463		2.01	38.7	620	12.4	14.4	<0.001	0.01	0.46	3.9	0.7	0.7	14.6	<0.01	0.06
I033464		1.57	27.7	400	9.4	7.5	<0.001	<0.01	0.61	5.2	0.9	0.6	27.2	<0.01	0.05
I033465		2.13	20.8	940	9.9	9.7	<0.001	0.02	0.59	3.5	1.4	0.6	19.2	0.01	0.06
I033466		1.03	27.1	800	8.1	8.8	<0.001	0.05	0.49	3.9	1.8	0.6	32.0	0.01	0.07
I033467		2.09	30.1	650	8.8	20.1	0.001	0.11	0.37	4.8	1.5	0.8	23.7	<0.01	0.08
I033468		1.61	17.2	410	10.0	9.3	<0.001	0.01	0.35	3.0	1.0	0.7	19.0	<0.01	0.05
I033469		0.89	21.0	1100	10.2	9.7	<0.001	0.07	0.86	2.7	2.4	0.5	37.7	<0.01	0.07
I033470		1.39	24.1	700	9.9	11.5	<0.001	0.06	0.67	4.8	1.8	0.5	43.0	<0.01	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033431		0.124	0.23	2.26	63	0.28	6.95	58	2.1
I033432		0.171	0.11	0.45	129	0.12	2.28	40	2.3
I033433		0.139	0.18	3.38	95	0.30	7.97	77	2.0
I033434		0.155	0.28	3.40	74	0.17	8.46	90	2.9
I033435		0.107	0.20	4.63	61	0.30	12.10	64	2.3
I033436		0.080	0.15	2.65	106	0.35	6.40	54	1.9
I033437		0.072	0.08	0.48	36	0.14	2.37	35	0.8
I033438		0.121	0.07	0.58	69	0.18	5.93	57	3.0
I033439		0.088	0.07	0.44	62	0.21	3.88	47	0.9
I033440		0.087	0.09	0.54	57	0.34	5.03	50	1.4
I033441		0.087	0.10	0.57	59	0.16	5.10	54	1.3
I033442		0.068	0.10	0.55	52	0.19	4.26	44	0.9
I033443		0.085	0.09	0.69	54	0.25	6.00	63	1.4
I033444		0.082	0.10	0.43	44	0.37	3.42	52	0.9
I033445		0.097	0.09	0.49	57	1.51	3.31	48	1.1
I033446		0.026	0.02	0.14	15	0.05	0.37	5	<0.5
I033447		0.086	0.10	1.10	56	1.03	9.33	50	1.4
I033448		0.085	0.11	0.85	41	1.57	4.71	49	1.0
I033449		0.091	0.09	0.35	64	0.35	2.10	40	1.4
I033450		0.122	0.14	1.39	60	0.90	13.60	74	3.2
I033451		0.142	0.13	0.46	77	0.10	2.37	38	1.9
I033452		0.132	0.24	0.72	63	0.12	7.70	83	1.6
I033453		0.151	0.16	0.53	94	0.16	2.90	74	2.5
I033454		0.115	0.26	1.53	68	0.15	6.70	185	1.7
I033455		0.143	0.21	0.93	70	0.09	3.61	96	2.1
I033456		0.116	0.20	1.01	64	0.12	5.62	106	1.8
I033457		0.143	0.24	1.02	82	0.10	5.56	108	1.8
I033458		0.100	0.12	0.65	79	0.15	4.11	403	3.7
I033459		0.122	0.21	0.73	88	0.11	4.40	64	1.9
I033460		0.183	0.09	1.35	112	0.17	34.3	61	28.3
I033461		0.205	0.33	2.42	138	0.13	8.11	144	0.8
I033462		0.043	0.12	1.11	93	0.09	10.65	117	0.6
I033463		0.107	0.12	0.80	95	0.14	5.13	117	2.1
I033464		0.107	0.10	1.07	77	0.17	6.86	71	3.8
I033465		0.107	0.09	0.65	99	0.21	4.08	63	2.1
I033466		0.059	0.07	2.26	65	0.19	13.70	53	1.0
I033467		0.175	0.19	1.12	129	0.14	4.70	122	3.0
I033468		0.106	0.11	0.76	81	0.20	4.76	52	1.2
I033469		0.066	0.15	2.52	82	0.16	6.41	79	0.8
I033470		0.099	1.09	1.97	79	0.12	8.35	104	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I033471		0.26	<0.005	0.16	2.15	9.9	<0.2	<10	280	0.47	0.17	0.24	0.14	30.5	11.4	43
I033472		0.26	<0.005	0.06	1.80	6.9	<0.2	<10	100	0.43	0.21	0.12	0.08	19.00	11.7	48
I033473		0.20	<0.005	0.03	2.39	4.0	<0.2	<10	100	0.32	0.19	0.11	0.09	27.5	15.3	67
I033474		0.24	0.010	0.04	2.19	7.9	<0.2	<10	200	0.49	0.26	0.16	0.07	24.5	11.4	64
I033475		0.16	<0.005	0.20	1.59	18.2	<0.2	<10	160	0.69	0.23	0.13	0.40	38.3	10.2	32
I033476		0.22	<0.005	0.11	0.56	13.3	<0.2	<10	100	0.32	0.27	0.07	0.26	55.8	5.5	23
I033477		0.16	<0.005	0.09	2.04	21.7	<0.2	<10	190	0.40	0.27	0.09	0.49	27.5	9.6	36
I033478		0.16	<0.005	0.21	1.64	18.9	<0.2	<10	200	0.31	0.18	0.12	0.25	26.2	4.8	27
I033479		0.18	<0.005	0.27	1.66	16.0	<0.2	<10	190	0.45	0.19	0.12	0.91	30.8	7.2	34
I033480		0.18	<0.005	0.19	1.71	9.2	<0.2	<10	180	0.35	0.22	0.18	0.58	26.0	7.4	50
I033481		0.22	<0.005	0.24	1.45	31.4	<0.2	<10	190	0.40	0.22	0.12	0.42	37.5	10.1	34
I033482		0.20	<0.005	0.13	1.49	24.7	<0.2	<10	120	0.51	0.23	0.13	0.44	39.7	9.3	43
I033483		0.20	<0.005	0.32	1.71	23.3	<0.2	<10	180	0.46	0.24	0.10	0.50	34.9	11.4	40
I033484		0.24	<0.005	0.35	1.75	22.2	<0.2	<10	160	0.43	0.25	0.12	0.30	36.0	8.4	38
I033485		0.24	<0.005	0.37	1.69	21.8	<0.2	<10	150	0.44	0.24	0.11	0.29	35.0	7.8	36
I033486		0.22	0.005	0.47	1.81	24.9	<0.2	<10	170	0.44	0.25	0.13	0.44	38.8	11.7	39
I033487		0.18	<0.005	0.06	2.38	7.1	<0.2	<10	100	0.47	0.20	0.20	0.17	15.40	13.1	46
I033488		0.18	<0.005	0.12	0.47	7.1	<0.2	<10	90	0.30	0.21	0.06	0.25	30.5	3.9	15
I033489		0.22	<0.005	0.08	1.61	6.8	<0.2	<10	100	0.22	0.25	0.19	0.15	18.60	8.4	31
I033490		0.14	<0.005	0.09	0.73	3.8	<0.2	<10	40	0.13	0.12	0.05	0.21	6.98	2.6	10
I033491		0.16	<0.005	0.14	0.90	9.6	<0.2	<10	100	0.17	0.20	0.09	0.17	16.20	5.0	20
I033492		0.18	0.005	0.20	1.96	24.0	<0.2	<10	100	0.22	0.23	0.18	0.30	14.60	10.6	44
I033493		0.18	<0.005	0.14	1.69	13.8	<0.2	<10	190	0.27	0.22	0.41	0.38	19.60	13.0	30
I033494		0.18	<0.005	0.30	1.92	13.1	<0.2	<10	220	0.27	0.21	0.14	0.19	19.40	9.3	32
I033495		0.20	<0.005	0.10	2.71	16.7	<0.2	<10	190	0.35	0.23	0.21	0.15	20.4	13.4	41
I033496		0.12	<0.005	0.23	2.13	10.0	<0.2	<10	190	0.32	0.27	0.22	0.36	22.7	11.4	37
I033497		0.18	<0.005	0.23	2.17	15.9	<0.2	<10	200	0.35	0.27	0.20	0.36	27.0	17.2	39
I033498		0.22	<0.005	0.25	2.59	20.2	<0.2	<10	230	0.37	0.33	0.22	0.38	26.9	19.7	44
I033499		0.16	<0.005	0.47	1.36	7.5	<0.2	<10	130	0.28	0.18	0.13	0.40	13.35	11.4	21
I033500		0.14	<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033501		0.16	<0.005	0.99	1.56	11.3	<0.2	<10	210	0.31	0.26	0.32	0.46	32.0	8.3	47
I033502		0.14	<0.005	0.22	1.54	5.4	<0.2	<10	120	0.21	0.18	0.24	0.18	20.8	7.2	30
I033503		0.22	0.009	0.43	1.39	38.8	<0.2	<10	140	0.20	0.25	0.25	0.28	28.4	9.6	28
I033504		0.14	0.006	0.42	1.59	15.2	<0.2	<10	160	0.23	0.23	0.25	0.39	27.6	13.9	29
I033505		0.10	<0.005	0.22	1.60	9.6	<0.2	<10	120	0.22	0.19	0.20	0.26	20.9	6.0	28
I033506		0.14	0.006	0.35	1.52	9.0	<0.2	<10	140	0.20	0.19	0.23	0.22	18.55	9.1	30
I033507		0.10	<0.005	0.32	1.05	8.0	<0.2	<10	160	0.20	0.17	0.22	0.25	22.0	5.1	22
I033508		0.12	<0.005	0.42	1.52	9.7	<0.2	<10	190	0.24	0.24	0.21	0.50	27.3	7.4	29
I033509		0.10	<0.005	0.45	1.90	7.4	<0.2	<10	250	0.57	0.22	0.27	0.83	42.8	9.4	30
I033510		0.26	0.005	0.17	2.31	9.4	<0.2	<10	250	0.40	0.19	0.29	0.23	32.4	10.9	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033471		1.60	36.8	3.19	6.63	0.10	0.19	0.03	0.031	0.07	16.1	15.6	0.60	221	1.52
I033472		3.64	21.9	3.75	8.32	0.10	0.04	0.01	0.029	0.21	7.7	12.6	0.68	237	1.55
I033473		5.05	27.4	4.06	9.79	0.14	<0.02	0.01	0.029	0.64	9.7	21.8	1.15	228	1.10
I033474		4.88	26.2	3.95	10.45	0.14	0.06	0.01	0.034	0.51	13.0	21.8	0.88	222	1.42
I033475		2.65	23.5	3.09	6.17	0.11	0.02	0.03	0.029	0.12	21.8	13.2	0.37	370	1.34
I033476		1.40	22.0	2.21	4.50	0.11	<0.02	0.01	0.022	0.06	29.9	2.3	0.10	152	1.94
I033477		1.36	18.2	4.62	10.10	0.12	0.09	0.01	0.037	0.06	13.9	14.5	0.38	421	2.07
I033478		2.01	14.7	2.50	6.56	0.08	0.02	0.03	0.023	0.06	14.0	10.1	0.32	108	1.23
I033479		4.17	22.7	2.75	6.19	0.09	0.02	0.03	0.027	0.22	14.1	17.0	0.57	231	1.06
I033480		4.20	24.6	3.10	6.80	0.09	0.03	0.02	0.020	0.28	11.4	15.3	0.67	181	1.17
I033481		3.36	23.0	2.75	6.73	0.10	0.03	0.02	0.025	0.20	18.7	10.5	0.55	248	1.23
I033482		2.70	30.9	3.38	5.66	0.12	0.03	0.01	0.031	0.17	22.2	11.9	0.53	227	1.34
I033483		2.88	35.6	3.24	6.45	0.07	0.04	0.03	0.029	0.20	21.4	14.4	0.54	360	1.46
I033484		3.01	31.5	3.10	6.84	0.07	0.03	0.03	0.025	0.17	21.6	12.6	0.55	185	1.22
I033485		3.07	30.8	3.06	6.63	0.07	0.03	0.03	0.025	0.17	21.1	12.1	0.54	177	1.19
I033486		3.29	36.1	3.38	7.15	0.08	0.03	0.03	0.028	0.24	21.6	13.1	0.60	342	1.47
I033487		3.11	20.5	3.67	8.77	0.07	0.06	0.03	0.030	0.15	8.1	25.4	0.82	364	0.99
I033488		2.17	27.8	1.79	3.53	<0.05	<0.02	0.02	0.018	0.05	17.1	1.4	0.06	50	4.27
I033489		1.19	14.5	2.63	8.08	0.05	0.04	0.02	0.023	0.06	9.6	8.4	0.51	211	1.29
I033490		0.52	13.0	1.27	4.64	<0.05	0.02	0.02	0.015	0.02	3.7	2.3	0.07	54	1.03
I033491		0.90	26.4	2.20	7.17	<0.05	0.02	0.02	0.018	0.08	8.4	3.7	0.22	196	1.93
I033492		1.21	22.1	4.94	12.50	0.05	0.08	0.02	0.031	0.06	7.6	12.2	0.56	428	2.52
I033493		0.89	25.8	2.97	7.98	0.05	0.03	0.02	0.029	0.10	10.1	11.6	0.41	481	2.12
I033494		1.13	29.6	3.20	8.71	0.05	0.05	0.03	0.031	0.06	9.9	11.6	0.36	277	2.64
I033495		1.04	33.3	3.85	9.26	0.06	0.10	0.02	0.035	0.06	10.2	15.0	0.59	402	1.73
I033496		1.30	45.3	3.26	8.63	0.06	0.04	0.03	0.032	0.08	11.6	9.8	0.44	576	2.47
I033497		1.44	46.7	3.83	8.54	0.07	0.04	0.02	0.032	0.09	13.5	12.6	0.55	784	3.58
I033498		1.52	46.8	4.29	10.95	0.08	0.06	0.02	0.039	0.10	13.2	13.1	0.61	1040	4.35
I033499		0.89	19.3	2.79	6.98	0.05	0.04	0.02	0.024	0.05	6.8	8.1	0.19	538	1.67
I033500		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033501		2.48	35.8	2.64	6.16	0.06	0.02	0.09	0.031	0.08	18.5	10.4	0.44	208	2.29
I033502		1.76	18.7	2.21	6.36	<0.05	0.02	0.05	0.021	0.05	11.2	10.2	0.51	146	1.10
I033503		1.39	30.5	2.92	5.29	0.06	0.02	0.04	0.026	0.06	14.5	9.2	0.42	369	1.77
I033504		1.88	30.2	2.70	5.72	0.06	0.02	0.05	0.026	0.06	13.9	10.1	0.42	549	1.89
I033505		1.14	28.9	2.26	6.19	0.05	0.02	0.06	0.025	0.04	11.0	8.7	0.40	129	0.88
I033506		1.59	26.6	2.37	6.02	0.05	0.02	0.05	0.022	0.05	9.9	9.1	0.43	251	1.68
I033507		1.23	25.8	1.48	4.67	0.05	<0.02	0.07	0.021	0.04	11.1	5.2	0.24	108	1.30
I033508		2.31	36.6	2.26	5.84	0.05	<0.02	0.07	0.026	0.06	13.8	8.7	0.35	160	1.87
I033509		1.66	53.4	2.49	6.61	0.07	0.03	0.06	0.029	0.07	21.8	11.8	0.39	179	1.39
I033510		1.37	40.9	3.28	7.57	0.07	0.08	0.03	0.033	0.06	15.9	14.6	0.57	288	1.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033471		1.58	32.5	290	9.2	11.5	<0.001	<0.01	0.36	4.7	0.8	0.7	22.5	<0.01	0.04
I033472		1.69	30.8	340	10.4	28.3	<0.001	<0.01	0.26	4.6	0.5	0.8	10.7	<0.01	0.04
I033473		2.84	41.0	340	8.5	61.2	<0.001	0.01	0.16	4.8	0.6	0.9	9.4	<0.01	0.04
I033474		2.25	37.2	410	11.6	56.7	<0.001	0.01	0.21	4.8	0.7	0.9	15.0	<0.01	0.05
I033475		1.31	26.7	540	11.3	19.0	<0.001	0.01	0.56	3.0	0.8	0.6	13.6	<0.01	0.04
I033476		0.41	25.0	430	9.0	17.5	<0.001	0.01	0.76	1.4	0.6	0.4	12.7	<0.01	0.04
I033477		2.30	25.4	650	16.1	12.7	<0.001	0.01	0.64	3.6	0.7	0.7	12.0	<0.01	0.06
I033478		1.64	15.9	200	10.6	12.5	<0.001	<0.01	0.38	2.9	0.6	0.5	13.8	<0.01	0.04
I033479		2.31	25.2	270	8.2	35.9	<0.001	<0.01	0.39	2.8	0.6	0.5	10.8	<0.01	0.04
I033480		2.71	28.4	260	8.5	43.9	<0.001	0.01	0.34	3.3	0.7	0.5	13.8	<0.01	0.05
I033481		2.27	25.6	240	10.1	31.0	<0.001	0.01	0.55	3.4	0.8	0.5	12.2	<0.01	0.05
I033482		1.92	34.9	280	9.7	24.7	<0.001	<0.01	0.65	3.7	0.9	0.5	13.2	<0.01	0.05
I033483		1.87	38.2	310	12.5	27.9	<0.001	0.02	0.68	4.3	0.7	0.5	12.5	<0.01	0.05
I033484		1.89	33.8	310	16.7	25.8	0.001	0.02	0.48	4.4	0.6	0.5	14.5	<0.01	0.04
I033485		1.89	33.1	290	15.6	25.8	<0.001	0.01	0.48	4.3	0.6	0.5	13.7	<0.01	0.04
I033486		2.06	34.1	400	15.5	36.2	<0.001	0.02	0.44	4.5	0.7	0.5	15.1	<0.01	0.05
I033487		2.15	28.0	340	16.7	24.5	<0.001	0.01	0.28	5.5	0.4	0.6	15.8	<0.01	0.03
I033488		0.24	19.7	510	9.1	12.5	<0.001	0.01	0.35	1.5	1.4	0.5	21.3	<0.01	0.06
I033489		1.57	19.4	220	14.9	12.2	<0.001	<0.01	0.28	4.6	0.3	0.6	16.7	<0.01	0.02
I033490		0.91	6.0	170	5.1	3.8	<0.001	0.01	0.29	1.8	0.3	0.4	8.1	<0.01	0.02
I033491		1.42	15.8	330	8.3	11.4	<0.001	0.02	0.49	2.8	0.5	0.6	11.6	<0.01	0.04
I033492		2.85	23.3	680	9.5	17.6	<0.001	0.01	0.56	4.4	0.4	0.7	16.9	<0.01	0.07
I033493		1.68	24.2	800	9.3	13.3	<0.001	0.02	0.35	3.8	0.5	0.6	38.4	<0.01	0.05
I033494		1.80	20.0	350	10.6	10.8	<0.001	0.01	0.51	4.7	0.8	0.7	15.9	<0.01	0.05
I033495		2.01	30.3	410	10.1	11.1	<0.001	0.01	0.45	5.6	0.6	0.7	19.9	<0.01	0.05
I033496		1.71	28.0	500	10.1	12.1	<0.001	0.02	0.35	4.8	0.6	0.7	22.9	<0.01	0.06
I033497		1.91	37.0	730	10.8	15.6	0.001	0.01	0.39	5.4	0.9	0.6	22.2	<0.01	0.07
I033498		2.17	36.5	860	12.9	19.1	<0.001	0.01	0.41	6.0	0.7	0.8	25.0	<0.01	0.07
I033499		1.55	13.8	480	8.7	9.5	<0.001	0.01	0.32	3.0	0.5	0.5	15.1	<0.01	0.03
I033500		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033501		0.76	37.8	1070	9.8	12.8	<0.001	0.04	0.27	5.2	0.9	0.5	31.0	<0.01	0.06
I033502		1.08	20.9	480	9.7	13.3	<0.001	0.03	0.22	3.8	0.7	0.5	21.2	<0.01	0.03
I033503		1.06	23.0	870	10.4	10.5	0.001	0.04	0.47	3.8	1.3	0.4	22.9	<0.01	0.07
I033504		1.00	23.7	630	9.7	11.2	0.001	0.04	0.39	4.2	1.0	0.4	24.3	<0.01	0.05
I033505		1.19	18.1	530	9.0	8.2	<0.001	0.04	0.34	3.6	1.1	0.5	19.1	<0.01	0.04
I033506		1.12	21.7	550	8.4	9.1	<0.001	0.03	0.39	3.8	0.9	0.5	22.5	<0.01	0.05
I033507		0.66	15.2	590	7.6	8.5	<0.001	0.05	0.29	2.7	1.2	0.5	24.1	<0.01	0.06
I033508		0.74	23.1	550	10.9	12.2	<0.001	0.03	0.37	3.3	1.1	0.5	27.1	<0.01	0.06
I033509		1.06	34.4	690	9.3	13.8	0.001	0.06	0.34	4.3	1.0	0.5	28.9	0.01	0.06
I033510		1.52	31.0	430	9.4	11.9	<0.001	0.01	0.38	6.1	0.7	0.6	27.2	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033471		0.125	0.14	1.32	75	0.15	6.61	62	9.1
I033472		0.147	0.18	0.61	75	0.09	5.49	63	2.4
I033473		0.221	0.36	0.57	87	0.10	5.54	78	1.1
I033474		0.194	0.36	0.80	98	0.10	6.62	89	2.9
I033475		0.084	0.16	0.95	58	0.12	6.79	92	1.2
I033476		0.034	0.09	0.69	46	0.10	5.98	95	<0.5
I033477		0.125	0.12	0.58	103	0.14	3.75	171	4.9
I033478		0.083	0.13	0.56	53	0.11	5.03	125	1.6
I033479		0.107	0.22	0.62	53	0.09	4.65	373	1.6
I033480		0.134	0.24	0.63	70	0.11	4.35	196	2.0
I033481		0.114	0.22	0.79	61	0.08	7.17	149	1.8
I033482		0.098	0.20	0.89	64	0.11	7.49	180	1.8
I033483		0.089	0.23	0.96	61	0.10	7.69	178	1.9
I033484		0.095	0.24	1.00	61	0.09	7.65	121	1.2
I033485		0.092	0.23	0.97	59	0.09	7.54	118	1.2
I033486		0.108	0.28	1.12	62	0.12	7.41	147	1.6
I033487		0.143	0.19	0.51	78	0.14	3.72	70	2.6
I033488		0.023	0.10	1.48	54	0.12	5.39	54	<0.5
I033489		0.112	0.10	0.45	71	0.11	3.29	51	1.5
I033490		0.057	0.05	0.27	38	0.07	1.28	19	0.9
I033491		0.104	0.08	0.54	67	0.09	2.47	46	1.2
I033492		0.168	0.11	0.49	133	0.18	2.51	54	3.9
I033493		0.102	0.10	0.78	71	0.15	3.98	51	1.6
I033494		0.099	0.10	0.75	85	0.16	4.72	46	2.4
I033495		0.114	0.11	0.90	93	0.20	3.94	65	4.9
I033496		0.105	0.11	1.26	74	0.15	5.54	63	1.7
I033497		0.108	0.12	1.49	84	0.16	5.93	88	2.2
I033498		0.131	0.13	1.55	108	0.19	5.92	90	2.7
I033499		0.066	0.08	0.49	58	0.12	2.68	50	1.8
I033500		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033501		0.051	0.11	2.17	66	0.17	9.70	93	0.5
I033502		0.068	0.14	1.02	42	0.13	5.23	55	0.6
I033503		0.068	0.11	1.30	69	0.13	5.60	61	0.8
I033504		0.065	0.11	1.34	62	0.14	6.75	70	0.7
I033505		0.065	0.11	1.27	51	0.11	5.15	51	0.8
I033506		0.072	0.12	0.97	57	0.14	4.53	55	0.8
I033507		0.040	0.11	1.44	28	0.11	5.88	33	<0.5
I033508		0.047	0.13	1.40	46	0.17	6.87	64	<0.5
I033509		0.064	0.14	2.78	50	0.14	14.55	77	0.8
I033510		0.108	0.13	1.22	76	0.14	10.05	72	3.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033511		0.14	<0.005	0.22	1.51	10.1	<0.2	<10	190	0.22	0.25	0.14	0.41	20.7	6.8	27
I033512		0.20	0.005	0.29	2.01	15.0	<0.2	<10	230	0.26	0.25	0.21	0.51	22.4	13.0	35
I033513		0.10	<0.005	0.25	1.58	5.6	<0.2	<10	190	0.24	0.23	0.11	0.26	19.10	5.3	23
I033514		0.18	<0.005	0.34	2.12	13.7	<0.2	<10	260	0.34	0.26	0.20	0.24	32.6	8.4	33
I033515		0.12	<0.005	0.25	1.50	5.8	<0.2	<10	210	0.25	0.23	0.27	0.33	26.4	5.7	27
I033516		0.16	0.008	0.23	1.91	10.6	<0.2	<10	130	0.32	0.26	0.15	0.27	29.8	10.9	34
I033517		0.18	<0.005	0.43	1.56	7.6	<0.2	<10	110	0.25	0.21	0.13	0.30	23.5	7.6	25
I033518		0.14	<0.005	0.60	1.93	7.0	<0.2	<10	200	0.33	0.24	0.32	0.26	31.1	8.7	37
I033519		0.22	<0.005	0.21	1.68	7.2	<0.2	<10	150	0.24	0.28	0.33	0.19	27.6	11.6	34
I033520		0.24	<0.005	0.24	1.67	7.6	<0.2	<10	150	0.25	0.25	0.35	0.18	27.8	11.0	33
I033521		0.18	<0.005	0.19	1.42	3.6	<0.2	<10	110	0.21	0.16	0.23	0.13	20.2	6.7	29
I033522		0.16	<0.005	0.18	0.95	3.2	<0.2	<10	100	0.10	0.13	0.19	0.14	22.1	3.3	18
I033523		0.18	<0.005	0.10	1.35	4.5	<0.2	<10	90	0.15	0.13	0.25	0.17	19.35	4.9	23
I033524		0.18	<0.005	0.22	1.49	12.7	<0.2	<10	110	0.33	0.18	0.24	0.15	39.1	8.3	34
I033525		0.18	<0.005	0.17	1.85	8.3	<0.2	<10	120	0.34	0.18	0.20	0.32	36.4	13.1	41
I033526		0.32	<0.005	0.31	1.89	7.4	<0.2	<10	160	0.40	0.18	0.27	0.41	39.4	11.8	47
I033527		0.20	0.009	0.18	1.61	10.4	<0.2	<10	110	0.43	0.18	0.20	0.39	43.1	10.0	42
I033528		0.18	<0.005	0.21	1.99	10.4	<0.2	<10	120	0.34	0.21	0.21	0.46	28.6	16.0	44
I033529		0.22	<0.005	0.13	1.76	13.7	<0.2	<10	120	0.35	0.21	0.18	0.87	28.6	14.6	45
I033530		0.22	0.006	0.22	2.09	21.1	<0.2	<10	180	0.36	0.23	0.26	0.58	29.6	21.7	42
I033551		0.26	<0.005	0.10	1.89	4.6	<0.2	<10	180	0.32	0.12	0.64	0.17	22.3	18.5	59
I033552		0.32	0.005	0.17	1.68	6.5	<0.2	<10	190	0.48	0.19	1.05	0.39	52.0	17.9	76
I033553		0.26	<0.005	0.11	1.34	2.8	<0.2	<10	200	0.34	0.15	0.46	0.21	37.2	7.3	35
I033554		0.28	<0.005	0.08	1.61	6.9	<0.2	<10	130	0.43	0.18	0.27	0.20	49.7	22.7	41
I033555		0.26	<0.005	0.20	1.50	4.2	<0.2	<10	120	0.43	0.17	0.28	0.15	42.4	21.4	34
I033556		0.32	<0.005	0.12	1.90	3.1	<0.2	<10	210	0.30	0.19	0.30	0.20	33.0	14.4	56
I033557		0.30	<0.005	0.11	1.67	4.2	<0.2	<10	110	0.43	0.20	0.30	0.09	73.8	20.4	54
I033558		0.16	NSS	0.13	1.49	3.0	<0.2	<10	130	0.27	0.15	0.31	0.13	89.6	8.4	34
I033559		0.22	<0.005	0.14	2.05	4.7	<0.2	<10	170	0.42	0.17	0.64	0.22	54.5	18.2	87
I033560		0.18	<0.005	0.21	1.56	3.9	<0.2	<10	400	0.35	0.24	0.67	0.96	48.8	18.4	33
I033561		0.18	NSS	0.36	1.44	4.2	<0.2	<10	170	0.33	0.15	0.31	0.23	33.6	9.6	37
I033562		0.36	<0.005	0.21	2.08	4.3	<0.2	<10	190	0.57	0.12	0.70	0.28	47.1	17.8	75
I033563		0.18	<0.005	0.18	1.22	4.3	<0.2	<10	190	0.30	0.15	0.16	0.29	33.2	9.5	26
I033564		0.22	0.007	0.06	1.50	11.9	<0.2	<10	90	0.32	0.22	0.18	0.22	27.7	8.9	33
I033565		0.16	NSS	0.14	1.00	1.5	<0.2	<10	430	0.86	0.06	0.65	0.81	91.4	3.1	11
I033566		0.16	<0.005	0.15	1.00	1.5	<0.2	<10	450	0.90	0.07	0.70	0.75	88.1	2.6	9
I033567		0.28	<0.005	0.29	1.61	26.2	<0.2	<10	120	0.33	0.23	0.24	0.48	30.2	17.5	36
I033568		0.22	<0.005	0.24	1.87	77.9	<0.2	<10	110	0.51	0.19	0.20	0.80	39.3	23.0	72
I033569		0.22	0.010	0.58	1.46	29.9	<0.2	<10	120	0.19	0.19	0.19	0.33	23.3	5.7	35
I033570		0.14	0.005	0.52	0.78	4.9	<0.2	<10	100	0.22	0.11	0.22	0.64	15.10	4.8	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033511		0.91	27.1	2.64	8.09	0.06	0.03	0.02	0.024	0.06	10.8	6.3	0.31	214	2.06
I033512		0.97	33.0	3.37	9.07	0.05	0.05	0.02	0.033	0.06	11.3	10.6	0.51	391	2.84
I033513		1.28	23.7	1.88	7.27	<0.05	0.02	0.02	0.023	0.05	10.2	7.0	0.28	112	1.20
I033514		1.47	37.6	2.87	8.19	0.06	0.03	0.03	0.034	0.08	16.2	11.6	0.46	215	2.41
I033515		1.14	31.3	1.97	6.69	<0.05	0.02	0.03	0.023	0.07	13.6	7.4	0.38	141	1.39
I033516		1.41	31.9	3.31	8.04	0.06	0.03	0.03	0.028	0.10	15.0	11.7	0.48	463	1.96
I033517		1.03	25.8	2.43	6.85	0.05	0.02	0.03	0.023	0.06	12.1	9.6	0.39	237	2.05
I033518		1.84	30.0	2.58	7.46	0.06	0.02	0.06	0.026	0.08	18.2	14.3	0.53	263	1.90
I033519		2.49	15.7	2.59	6.75	<0.05	0.03	0.03	0.012	0.09	14.0	15.0	0.54	597	1.72
I033520		2.48	15.9	2.58	6.71	<0.05	0.03	0.03	0.015	0.09	14.4	14.6	0.53	565	1.76
I033521		1.86	15.0	1.96	6.12	<0.05	0.02	0.03	0.010	0.07	10.3	11.2	0.44	205	0.89
I033522		1.26	12.6	1.31	4.37	<0.05	<0.02	0.12	0.007	0.05	10.7	5.6	0.26	108	0.49
I033523		1.06	13.8	1.89	4.64	<0.05	0.02	0.04	0.011	0.05	9.7	9.5	0.41	127	0.62
I033524		2.87	28.4	2.95	5.92	0.08	0.03	0.02	0.016	0.19	20.0	11.2	0.65	220	2.28
I033525		2.25	31.9	3.54	6.90	0.07	0.03	0.02	0.020	0.14	18.8	20.0	0.68	532	1.81
I033526		1.84	42.0	3.44	6.51	0.07	0.03	0.03	0.024	0.16	20.0	15.6	0.73	431	2.04
I033527		1.72	39.1	3.69	6.25	0.06	0.03	<0.01	0.021	0.11	21.9	13.7	0.59	375	2.43
I033528		1.79	34.3	3.38	8.02	0.05	0.02	0.02	0.024	0.08	15.1	17.2	0.60	528	2.90
I033529		1.41	41.0	3.27	7.17	0.05	0.03	0.01	0.021	0.08	14.5	14.6	0.53	611	2.49
I033530		1.74	45.3	3.71	7.31	0.06	0.04	0.01	0.023	0.09	14.9	15.5	0.64	824	2.75
I033551		1.02	78.9	3.23	7.14	<0.05	0.03	0.03	0.021	0.07	12.7	21.6	0.81	482	0.83
I033552		0.95	32.0	3.22	5.73	0.09	0.07	0.05	0.022	0.07	31.8	15.9	0.66	705	0.97
I033553		1.02	25.3	2.34	6.64	<0.05	0.02	0.02	0.017	0.10	21.3	8.6	0.46	213	1.31
I033554		1.17	28.1	3.70	7.31	0.07	0.03	0.01	0.026	0.08	25.2	14.7	0.58	853	1.55
I033555		1.94	25.7	3.18	6.17	0.07	0.02	0.02	0.017	0.18	22.8	11.3	0.60	842	1.94
I033556		1.79	25.7	2.86	7.68	0.07	0.02	0.01	0.015	0.21	19.7	12.0	0.86	453	1.83
I033557		1.73	28.7	3.74	6.13	0.12	0.03	0.04	0.032	0.25	39.1	11.1	0.68	526	1.98
I033558		1.24	25.7	2.39	6.28	0.16	0.04	0.07	0.011	0.19	56.9	8.7	0.57	169	0.88
I033559		1.86	30.4	3.56	8.66	0.10	0.05	0.04	0.025	0.21	28.0	15.5	1.12	586	2.05
I033560		1.03	19.6	2.21	6.19	0.06	0.05	0.06	0.023	0.05	25.4	10.8	0.51	2070	2.05
I033561		1.87	26.4	2.30	5.14	0.05	0.03	0.06	0.013	0.21	22.3	10.4	0.57	300	1.36
I033562		1.95	35.7	3.62	6.92	0.09	0.05	0.03	0.015	0.21	23.8	18.4	1.05	552	0.95
I033563		1.05	22.1	2.35	4.90	<0.05	<0.02	0.03	0.018	0.08	17.8	6.7	0.35	294	1.15
I033564		0.87	29.8	3.08	7.19	<0.05	0.02	0.04	0.022	0.06	14.8	10.9	0.52	348	1.39
I033565		0.26	27.1	0.94	2.18	0.08	0.04	0.08	0.010	0.03	31.8	1.2	0.10	69	0.45
I033566		0.19	34.1	1.03	1.93	0.07	0.04	0.08	0.010	0.02	30.9	0.9	0.09	79	0.42
I033567		1.32	23.6	3.27	6.19	<0.05	0.02	0.04	0.019	0.05	15.3	10.2	0.52	1170	2.14
I033568		2.04	84.9	4.95	7.68	0.08	0.02	0.02	0.037	0.12	19.2	13.5	0.88	1010	5.17
I033569		1.40	28.9	2.15	7.11	<0.05	0.02	0.08	0.016	0.06	12.2	9.7	0.40	160	1.86
I033570		0.90	32.8	1.55	3.62	<0.05	<0.02	0.07	0.008	0.06	7.4	3.8	0.20	144	1.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033511		1.46	19.8	450	8.9	14.3	<0.001	0.02	0.39	3.8	0.6	0.7	17.8	<0.01	0.05
I033512		1.81	27.6	400	11.0	11.3	<0.001	0.01	0.47	4.7	0.6	0.7	23.0	<0.01	0.05
I033513		1.26	18.8	200	11.4	10.1	<0.001	0.01	0.25	3.6	0.3	0.6	14.3	<0.01	0.04
I033514		1.44	22.2	580	11.5	17.5	<0.001	0.03	0.37	5.1	0.8	0.7	25.4	<0.01	0.08
I033515		0.99	20.7	320	9.2	12.1	<0.001	0.02	0.24	3.3	0.5	0.6	28.4	<0.01	0.04
I033516		1.69	26.5	540	11.5	14.9	<0.001	0.02	0.32	4.2	0.6	0.6	18.1	<0.01	0.06
I033517		1.30	20.8	400	8.9	10.6	<0.001	0.01	0.23	3.7	0.4	0.5	15.6	<0.01	0.04
I033518		1.09	25.2	580	11.4	17.0	<0.001	0.03	0.20	4.7	0.8	0.6	28.4	<0.01	0.05
I033519		1.24	19.4	550	14.6	19.7	<0.001	0.04	0.20	3.6	0.3	0.5	25.4	<0.01	0.04
I033520		1.29	19.3	560	15.0	19.9	<0.001	0.04	0.21	3.8	0.4	0.5	27.4	<0.01	0.04
I033521		0.95	17.9	420	9.2	14.5	<0.001	0.03	0.18	3.1	<0.2	0.5	21.6	<0.01	0.02
I033522		0.60	11.3	440	6.6	9.4	<0.001	0.04	0.15	2.2	0.2	0.4	18.0	<0.01	0.02
I033523		0.94	16.5	450	7.2	9.1	<0.001	0.04	0.22	3.1	0.3	0.4	21.1	<0.01	0.02
I033524		1.22	26.3	760	9.3	22.5	<0.001	0.05	0.27	3.7	0.5	0.4	20.2	<0.01	0.05
I033525		1.28	29.8	640	10.8	20.1	<0.001	0.05	0.27	4.0	0.3	0.5	21.7	<0.01	0.05
I033526		1.08	36.0	840	10.3	18.0	0.001	0.04	0.25	5.0	0.6	0.5	23.1	<0.01	0.04
I033527		0.99	42.5	610	11.5	14.1	<0.001	0.02	0.29	4.5	0.4	0.5	20.0	<0.01	0.04
I033528		1.09	36.7	690	12.0	15.1	<0.001	0.02	0.30	3.9	0.5	0.6	24.0	<0.01	0.06
I033529		1.05	40.4	660	11.1	13.8	0.001	0.02	0.41	4.0	0.3	0.5	20.5	<0.01	0.06
I033530		1.28	38.7	730	10.2	15.0	0.001	0.04	0.53	4.6	0.8	0.6	32.5	<0.01	0.07
I033551		0.86	34.5	630	5.4	10.1	<0.001	0.02	0.20	6.9	0.3	0.5	38.6	<0.01	0.02
I033552		0.83	45.3	810	13.1	9.9	0.001	0.04	0.34	7.8	1.1	0.5	55.4	0.01	0.04
I033553		0.79	27.8	400	7.6	14.5	<0.001	0.02	0.22	4.4	0.3	0.6	33.1	<0.01	0.03
I033554		0.78	35.5	490	17.4	11.0	<0.001	0.01	0.62	5.4	0.3	0.5	20.2	<0.01	0.05
I033555		0.90	27.1	710	12.8	28.5	0.001	0.03	0.33	3.9	0.6	0.5	22.1	<0.01	0.04
I033556		1.22	36.4	760	10.9	28.5	<0.001	0.02	0.16	4.3	0.3	0.6	20.2	<0.01	0.05
I033557		1.22	39.1	1100	17.2	32.1	0.001	0.01	0.86	4.2	0.4	0.6	27.2	<0.01	0.04
I033558		1.43	25.3	660	7.7	27.3	<0.001	0.07	0.21	3.7	1.1	0.7	26.5	0.01	0.02
I033559		1.70	42.1	1490	12.5	29.4	<0.001	0.04	0.30	5.8	1.0	0.6	37.7	<0.01	0.06
I033560		0.78	25.1	930	10.8	11.9	0.001	0.07	0.30	3.6	0.8	0.9	42.0	<0.01	0.03
I033561		0.85	26.6	1010	8.0	24.2	0.001	0.09	0.21	2.9	1.0	0.8	27.5	<0.01	0.05
I033562		1.33	61.5	850	8.7	31.1	<0.001	0.02	0.24	4.7	0.4	0.5	49.8	<0.01	0.04
I033563		0.40	23.5	640	10.9	10.9	<0.001	0.03	0.27	1.7	0.3	0.5	15.7	<0.01	0.03
I033564		0.93	28.1	550	9.8	11.5	<0.001	0.03	0.68	3.6	0.3	1.1	18.4	<0.01	0.04
I033565		0.31	28.3	910	6.4	3.0	0.001	0.15	0.25	3.0	1.3	0.5	65.0	0.01	0.02
I033566		0.26	26.9	940	7.4	2.3	0.001	0.15	0.28	3.1	1.2	0.8	69.0	0.01	0.03
I033567		0.81	26.7	710	19.2	9.8	0.001	0.03	0.47	4.0	0.7	0.6	19.3	<0.01	0.07
I033568		0.69	85.8	730	16.9	12.4	0.001	0.10	1.61	5.0	3.0	0.6	34.1	<0.01	0.13
I033569		0.62	20.6	570	12.7	10.6	<0.001	0.06	0.33	2.1	1.3	0.6	24.6	<0.01	0.06
I033570		0.34	16.5	640	5.2	8.4	0.001	0.06	0.26	0.9	0.9	0.5	20.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033511		0.102	0.10	0.82	74	0.16	4.93	56	1.3
I033512		0.129	0.12	0.94	100	0.16	5.33	73	2.2
I033513		0.079	0.12	0.63	47	0.12	4.47	48	0.8
I033514		0.091	0.15	1.29	73	0.21	7.39	59	0.8
I033515		0.072	0.12	0.88	48	0.14	6.61	56	0.6
I033516		0.096	0.14	0.99	79	0.17	5.38	70	1.1
I033517		0.084	0.10	0.80	59	0.17	4.47	57	0.8
I033518		0.073	0.14	1.69	53	0.14	7.92	76	0.6
I033519		0.097	0.16	1.10	61	0.13	4.75	73	0.8
I033520		0.094	0.15	1.15	62	0.11	4.90	70	0.9
I033521		0.088	0.12	0.71	44	0.18	3.64	53	0.7
I033522		0.052	0.10	0.68	20	0.09	4.04	36	<0.5
I033523		0.076	0.11	0.63	35	0.11	4.44	55	0.6
I033524		0.092	0.18	1.04	70	0.13	6.58	86	0.6
I033525		0.108	0.15	1.02	75	0.13	5.97	100	1.0
I033526		0.096	0.13	1.36	78	0.15	8.28	106	0.6
I033527		0.092	0.11	1.18	78	0.19	8.57	118	0.6
I033528		0.091	0.13	1.08	87	0.15	6.47	118	0.5
I033529		0.094	0.11	1.29	85	0.19	7.31	127	0.9
I033530		0.115	0.15	1.29	87	0.21	7.42	120	1.6
I033551		0.074	0.07	0.64	78	0.15	7.66	76	0.6
I033552		0.054	0.10	1.60	59	0.12	18.50	93	1.8
I033553		0.052	0.11	0.77	50	0.10	9.99	68	<0.5
I033554		0.060	0.09	1.01	77	0.13	8.69	97	<0.5
I033555		0.074	0.22	1.23	52	0.12	7.39	78	0.5
I033556		0.112	0.20	1.08	71	0.18	6.72	82	0.6
I033557		0.070	0.22	1.30	56	0.09	7.98	82	<0.5
I033558		0.086	0.18	2.04	31	0.08	14.40	51	0.8
I033559		0.120	0.23	1.48	90	0.17	9.63	86	1.5
I033560		0.051	0.12	1.52	49	0.14	10.60	88	1.1
I033561		0.073	0.17	1.46	42	0.13	8.40	68	0.6
I033562		0.111	0.19	1.48	68	0.12	8.00	116	1.1
I033563		0.041	0.11	1.30	46	0.10	6.79	78	<0.5
I033564		0.073	0.08	0.93	76	0.24	6.60	71	0.5
I033565		0.021	0.03	3.10	9	<0.05	23.0	20	0.5
I033566		0.019	0.02	3.15	7	0.05	22.3	20	0.7
I033567		0.076	0.11	0.94	96	0.13	6.04	94	0.5
I033568		0.062	0.11	1.39	112	0.16	7.72	233	<0.5
I033569		0.055	0.14	1.01	49	0.10	4.41	76	<0.5
I033570		0.034	0.07	0.75	35	0.08	4.01	43	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033571		0.28	0.005	0.42	1.57	6.9	<0.2	<10	120	0.25	0.16	0.22	0.36	30.8	8.4	42
I033572		0.28	0.005	0.51	1.69	8.4	<0.2	<10	120	0.29	0.17	0.20	0.43	29.7	10.8	47
I033573		0.18	<0.005	0.46	1.26	6.3	<0.2	<10	120	0.28	0.14	0.23	0.45	27.7	7.7	51
I033574		0.14	<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033575		0.18	<0.005	0.10	2.30	5.7	<0.2	<10	190	0.47	0.14	0.33	0.11	61.2	25.5	43
I033576		0.18	<0.005	0.05	2.22	5.6	<0.2	<10	100	0.35	0.19	0.24	0.12	19.00	13.1	44
I033651		0.24	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033652		0.16	<0.005	0.12	0.87	3.3	<0.2	<10	100	0.12	0.12	0.27	0.13	15.45	3.6	24
I033653		0.22	<0.005	0.16	0.45	2.2	<0.2	<10	40	0.08	0.14	0.06	0.08	7.89	2.1	11
I033654		0.42	<0.005	0.57	1.19	8.9	<0.2	<10	290	0.35	0.21	0.21	1.69	24.5	11.9	28
I033655		0.24	<0.005	0.61	1.36	5.3	<0.2	<10	220	0.37	0.16	0.26	0.41	26.1	9.5	24
I033656		0.26	<0.005	0.29	0.42	1.7	<0.2	<10	70	0.09	0.10	0.12	0.22	8.97	2.1	11
I033657		0.24	<0.005	0.79	1.57	6.3	<0.2	<10	260	0.29	0.19	0.27	0.28	22.1	5.8	26
I033658		0.30	<0.005	0.75	1.86	8.0	<0.2	<10	210	0.22	0.19	0.18	0.42	17.10	7.0	31
I033659		0.40	<0.005	0.35	2.08	11.1	<0.2	<10	230	0.30	0.23	0.22	0.58	23.5	9.1	39
I033660		0.34	<0.005	1.01	1.43	5.1	<0.2	<10	210	0.33	0.17	0.21	1.10	19.00	6.5	23
I033661		0.34	<0.005	0.16	2.17	9.4	<0.2	<10	150	0.24	0.18	0.20	0.35	18.90	9.4	34
I033662		0.38	<0.005	0.34	2.23	10.3	<0.2	<10	250	0.44	0.23	0.27	0.47	36.7	11.3	36
I033663		0.34	<0.005	0.12	1.74	8.3	<0.2	<10	130	0.26	0.19	0.23	0.40	22.4	11.7	39
I033664		0.18	<0.005	0.50	0.56	3.1	<0.2	<10	150	0.20	0.12	0.19	0.47	15.60	3.8	13
I033665		0.22	<0.005	0.30	0.53	5.6	<0.2	<10	230	0.14	0.08	0.35	0.47	13.65	3.7	11
I033666		0.26	<0.005	0.61	0.70	2.0	<0.2	<10	180	0.27	0.06	0.36	0.58	24.5	6.2	13
I033667		0.22	<0.005	0.32	0.44	2.5	<0.2	<10	130	0.16	0.07	0.24	0.46	13.75	5.4	12
I033668		0.30	0.068	1.04	0.97	17.2	<0.2	<10	300	0.15	0.20	0.15	0.63	17.40	2.8	26
I033669		0.44	<0.005	0.34	1.83	11.7	<0.2	<10	350	0.33	0.22	0.32	0.95	21.7	9.2	38
I033670		0.40	<0.005	0.35	1.82	10.9	<0.2	<10	340	0.33	0.20	0.30	1.06	22.2	9.7	36
I033671		0.28	0.008	1.05	2.29	13.1	<0.2	<10	420	0.52	0.23	0.41	0.80	38.0	16.0	42
I033672		0.30	0.009	2.77	3.25	16.4	<0.2	<10	580	0.60	0.29	0.38	0.77	42.2	15.0	50
I033673		0.32	<0.005	0.33	2.09	10.0	<0.2	<10	230	0.30	0.19	0.24	0.43	21.0	10.5	36
I033674		0.34	<0.005	0.30	2.14	9.0	<0.2	<10	250	0.33	0.21	0.17	0.82	28.2	14.1	38
I033675		0.36	<0.005	0.35	1.70	10.6	<0.2	<10	220	0.28	0.21	0.22	0.28	25.8	8.6	31
I033676		0.24	<0.005	0.47	1.95	8.2	<0.2	<10	190	0.43	0.23	0.30	0.61	29.1	8.9	36
I033677		0.30	<0.005	0.47	2.11	10.1	<0.2	<10	150	0.35	0.18	0.20	0.81	23.2	10.5	49
I033678		0.30	<0.005	0.56	2.47	7.8	<0.2	<10	220	0.54	0.15	0.39	0.85	32.9	15.9	40
I033679		0.30	<0.005	0.09	2.34	10.5	<0.2	<10	230	0.40	0.21	0.58	0.30	22.8	13.3	49
I033680		0.32	<0.005	0.09	1.53	5.4	<0.2	<10	170	0.26	0.19	0.27	0.27	20.0	7.5	26
I033681		0.36	<0.005	0.31	1.91	6.9	<0.2	<10	140	0.24	0.24	0.22	0.64	23.3	9.0	33
I033682		0.26	<0.005	0.54	1.68	7.0	<0.2	<10	230	0.33	0.20	0.19	1.92	18.80	15.6	36
I033683		0.30	<0.005	0.34	1.69	4.9	<0.2	<10	290	0.37	0.19	0.31	0.65	22.7	8.7	40
I033684		0.34	<0.005	0.32	2.09	7.4	<0.2	<10	350	0.37	0.20	0.28	1.22	15.80	16.5	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033571		1.96	28.0	2.56	6.50	<0.05	0.02	0.02	0.017	0.12	15.5	11.4	0.58	246	2.04
I033572		1.72	28.7	2.74	6.90	<0.05	0.02	0.03	0.015	0.08	15.2	14.5	0.64	287	2.31
I033573		1.56	28.8	2.11	5.32	<0.05	0.02	0.06	0.013	0.07	13.6	8.9	0.41	231	3.70
I033574		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033575		1.91	37.6	3.44	7.89	0.11	0.05	0.03	0.028	0.10	36.7	17.9	0.71	896	0.99
I033576		2.32	21.2	3.27	9.06	0.06	0.06	0.01	0.026	0.13	10.2	19.8	0.74	236	1.33
I033651		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033652		1.36	12.5	1.34	4.26	<0.05	<0.02	0.06	0.011	0.07	8.1	5.0	0.24	107	1.42
I033653		0.59	15.3	0.93	4.29	<0.05	<0.02	0.02	0.009	0.02	4.0	1.3	0.06	58	0.76
I033654		0.54	46.9	2.82	5.56	0.06	<0.02	0.03	0.027	0.10	12.1	6.4	0.30	963	2.89
I033655		1.12	38.4	2.10	5.50	<0.05	0.03	0.04	0.023	0.22	12.7	7.2	0.26	452	1.35
I033656		0.32	9.8	0.82	2.93	<0.05	<0.02	0.02	0.007	0.08	4.6	1.6	0.09	82	0.89
I033657		0.97	42.3	1.92	6.37	0.05	0.02	0.06	0.023	0.06	11.2	6.5	0.32	115	1.42
I033658		0.71	29.0	2.38	8.00	<0.05	0.03	0.04	0.023	0.05	8.8	7.0	0.33	139	1.90
I033659		0.94	36.8	3.28	8.97	0.07	0.04	0.02	0.029	0.06	11.9	9.9	0.51	250	2.21
I033660		0.81	49.7	1.77	5.47	<0.05	0.02	0.04	0.023	0.04	9.3	5.4	0.23	148	1.09
I033661		0.91	25.8	3.10	7.67	0.06	0.05	0.02	0.028	0.04	9.8	13.0	0.50	255	1.46
I033662		1.36	43.5	2.86	7.03	0.08	0.03	0.05	0.034	0.07	18.9	12.9	0.48	245	1.51
I033663		1.17	29.1	3.02	7.46	0.06	0.03	0.03	0.027	0.07	11.5	11.2	0.50	410	2.24
I033664		1.16	33.1	0.85	2.24	<0.05	<0.02	0.09	0.014	0.03	7.8	1.5	0.07	131	0.96
I033665		0.41	30.2	1.47	1.02	<0.05	0.02	0.11	0.015	0.03	6.5	0.9	0.07	114	2.69
I033666		0.77	36.1	1.23	1.66	0.05	0.02	0.10	0.017	0.04	11.8	2.3	0.13	107	1.01
I033667		0.66	26.9	0.91	1.25	<0.05	<0.02	0.09	0.013	0.04	6.5	1.0	0.07	193	1.32
I033668		2.03	51.3	1.70	4.92	0.06	0.02	0.19	0.027	0.05	9.0	4.9	0.18	77	2.99
I033669		0.89	33.6	2.94	7.37	0.06	0.05	0.02	0.029	0.09	11.5	11.6	0.45	462	2.35
I033670		0.95	32.7	2.87	7.08	0.06	0.05	0.03	0.027	0.09	11.8	12.0	0.45	458	2.35
I033671		1.91	53.9	3.79	6.89	0.10	0.05	0.09	0.039	0.10	20.4	13.4	0.50	682	3.51
I033672		1.91	68.5	4.06	9.56	0.12	0.05	0.13	0.053	0.09	25.8	14.5	0.47	636	3.50
I033673		0.68	30.3	3.10	7.35	0.07	0.09	0.02	0.031	0.07	11.0	11.5	0.51	274	1.73
I033674		0.84	37.3	3.29	7.37	0.08	0.06	0.02	0.031	0.07	13.8	11.5	0.50	668	1.85
I033675		0.64	26.8	3.06	7.11	0.07	0.07	0.02	0.026	0.09	13.0	9.2	0.46	261	1.94
I033676		1.01	33.3	2.53	7.20	0.07	0.03	0.05	0.029	0.10	14.7	8.1	0.34	175	2.00
I033677		1.01	39.6	3.27	7.81	0.07	0.03	0.02	0.033	0.06	12.4	14.0	0.59	352	2.67
I033678		0.97	41.5	3.82	9.24	0.09	0.06	0.03	0.036	0.09	16.6	15.5	0.64	537	3.30
I033679		0.48	30.4	3.62	8.61	0.08	0.02	0.02	0.036	0.08	11.4	17.1	0.67	462	1.48
I033680		0.56	20.5	2.29	5.98	0.05	0.05	0.01	0.021	0.06	10.1	8.4	0.36	331	1.00
I033681		0.57	20.5	3.17	9.28	0.06	0.02	0.01	0.024	0.10	11.3	11.9	0.48	253	2.11
I033682		0.59	24.0	3.17	6.83	0.06	0.02	0.02	0.026	0.10	9.3	10.4	0.42	934	2.17
I033683		0.80	44.1	2.85	7.48	0.05	0.04	0.02	0.027	0.11	12.0	7.8	0.48	327	1.72
I033684		0.75	20.0	3.27	7.42	0.06	0.04	0.01	0.028	0.08	7.5	11.9	0.53	415	1.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033571		0.99	28.6	570	8.8	15.2	0.001	0.04	0.26	3.5	0.8	0.5	25.7	<0.01	0.06
I033572		0.81	32.4	610	9.1	14.0	<0.001	0.04	0.25	3.4	0.6	0.5	21.3	<0.01	0.05
I033573		0.68	34.9	770	7.2	11.8	0.001	0.07	0.26	2.6	0.7	0.5	23.3	<0.01	0.04
I033574		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033575		1.68	38.1	770	9.6	18.6	<0.001	0.03	0.28	5.7	0.8	0.6	25.6	0.01	0.03
I033576		2.29	31.9	330	10.1	22.7	<0.001	<0.01	0.25	4.9	0.3	0.7	19.7	<0.01	0.02
I033651		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033652		0.74	14.5	420	6.7	10.1	<0.001	0.04	0.26	2.4	0.6	0.4	21.9	<0.01	0.02
I033653		0.30	7.1	240	6.5	3.7	<0.001	<0.01	0.20	1.1	0.2	0.4	9.4	<0.01	0.02
I033654		0.68	34.3	1060	10.6	8.9	<0.001	0.01	0.38	3.0	0.8	0.5	24.1	<0.01	0.05
I033655		1.16	21.8	470	8.0	14.0	<0.001	<0.01	0.25	3.4	0.4	0.5	23.6	<0.01	0.03
I033656		0.52	8.0	290	3.5	6.6	<0.001	<0.01	0.14	1.6	0.2	0.3	12.9	<0.01	0.01
I033657		0.60	23.6	540	8.8	11.2	<0.001	0.02	0.27	2.1	0.6	0.5	31.4	<0.01	0.05
I033658		1.43	24.9	380	8.3	8.1	<0.001	0.02	0.33	4.4	0.6	0.6	21.9	<0.01	0.05
I033659		1.57	29.8	450	10.2	10.3	<0.001	0.01	0.43	4.5	0.6	0.7	23.2	<0.01	0.05
I033660		0.44	25.5	480	7.8	6.9	<0.001	0.01	0.25	2.0	0.5	0.5	23.7	<0.01	0.03
I033661		1.77	24.8	350	9.0	7.8	<0.001	<0.01	0.39	4.4	0.4	0.6	19.4	<0.01	0.04
I033662		1.19	33.3	560	11.0	13.2	<0.001	0.02	0.36	5.6	0.8	0.6	28.7	<0.01	0.04
I033663		1.46	32.9	450	9.7	11.9	<0.001	0.01	0.34	4.0	0.5	0.6	20.9	<0.01	0.04
I033664		0.35	10.6	770	5.8	5.2	<0.001	0.06	0.28	1.2	1.3	0.5	23.1	<0.01	0.04
I033665		0.30	13.8	1080	3.2	2.6	<0.001	0.10	0.39	1.9	1.3	0.2	32.6	<0.01	0.04
I033666		0.44	22.4	1330	3.3	4.6	0.001	0.12	0.30	2.4	1.3	0.2	33.2	<0.01	0.03
I033667		0.32	14.5	880	3.9	3.9	<0.001	0.09	0.28	1.3	1.1	0.3	23.0	<0.01	0.03
I033668		0.74	12.7	680	11.4	11.2	0.002	0.09	0.77	3.5	5.3	0.5	28.2	<0.01	0.09
I033669		1.52	33.1	520	11.4	12.5	<0.001	0.01	0.40	5.1	0.6	0.6	34.5	<0.01	0.05
I033670		1.45	33.7	520	11.1	12.7	<0.001	<0.01	0.37	5.0	0.6	0.6	33.4	<0.01	0.05
I033671		1.35	56.3	900	14.7	14.5	0.002	0.03	0.56	8.1	1.9	0.6	43.2	<0.01	0.06
I033672		1.28	60.5	1000	13.1	14.9	0.002	0.06	0.66	10.2	1.9	0.7	45.5	0.01	0.06
I033673		1.57	27.7	330	9.3	11.8	<0.001	<0.01	0.47	4.8	0.6	0.5	27.9	<0.01	0.04
I033674		1.52	30.6	680	11.0	10.7	<0.001	<0.01	0.45	5.2	0.6	0.6	21.7	<0.01	0.04
I033675		1.50	29.3	430	11.1	10.3	<0.001	<0.01	0.49	4.3	0.5	0.6	26.3	<0.01	0.04
I033676		1.15	33.0	680	11.8	15.2	<0.001	0.02	0.45	4.6	0.6	0.5	31.4	<0.01	0.05
I033677		1.29	40.0	700	9.5	10.4	<0.001	<0.01	0.48	5.1	0.7	0.6	19.6	<0.01	0.06
I033678		2.07	43.8	1090	8.9	13.6	<0.001	0.01	0.39	5.3	0.7	0.6	32.0	<0.01	0.06
I033679		1.51	34.9	650	9.9	8.8	<0.001	<0.01	0.47	4.6	0.4	0.8	42.5	<0.01	0.05
I033680		1.21	19.3	420	7.5	8.1	<0.001	<0.01	0.26	3.7	0.3	0.5	24.4	<0.01	0.03
I033681		1.72	22.2	410	11.8	10.7	<0.001	<0.01	0.36	3.7	0.3	0.7	20.9	<0.01	0.04
I033682		0.97	29.2	1070	9.6	11.3	<0.001	0.01	0.40	3.4	0.5	0.6	22.4	<0.01	0.05
I033683		1.26	38.7	830	8.8	15.2	<0.001	<0.01	0.46	4.9	0.5	0.6	27.9	<0.01	0.04
I033684		1.58	29.5	640	9.4	11.0	<0.001	<0.01	0.50	3.7	0.2	0.6	25.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033571		0.097	0.13	1.00	59	0.15	5.50	102
I033572		0.079	0.12	1.02	73	0.12	5.58	109
I033573		0.053	0.11	1.25	51	0.12	6.34	77
I033574		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033575		0.114	0.20	1.75	60	0.18	22.2	71
								1.4
I033576		0.146	0.17	0.69	72	0.14	4.12	57
I033651		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033652		0.050	0.10	0.66	24	0.13	3.29	33
I033653		0.040	0.07	0.39	31	0.07	1.21	19
I033654		0.055	0.08	1.20	59	0.16	4.88	112
								<0.5
I033655		0.065	0.08	1.06	46	0.13	7.69	54
I033656		0.045	0.04	0.31	22	0.06	1.80	26
I033657		0.045	0.10	1.58	42	0.14	8.37	45
I033658		0.093	0.12	0.76	62	0.17	4.90	59
I033659		0.118	0.11	0.93	86	0.16	5.73	75
								1.5
I033660		0.039	0.07	1.45	41	0.09	8.90	36
I033661		0.113	0.10	0.55	76	0.15	3.96	59
I033662		0.074	0.14	1.92	58	0.14	11.35	72
I033663		0.097	0.10	0.75	74	0.15	5.21	68
I033664		0.018	0.08	1.31	15	0.06	5.81	21
								<0.5
I033665		0.019	0.04	2.36	12	0.08	8.51	21
I033666		0.018	0.06	2.37	14	0.07	12.10	26
I033667		0.018	0.05	1.28	14	0.05	5.92	26
I033668		0.041	0.19	2.94	33	0.27	5.78	27
I033669		0.094	0.11	1.06	77	0.18	6.65	98
								2.2
I033670		0.085	0.11	1.09	71	0.16	7.23	98
I033671		0.079	0.14	2.76	72	0.21	17.40	153
I033672		0.068	0.12	3.34	80	0.23	20.9	122
I033673		0.104	0.08	0.72	73	0.13	4.94	76
I033674		0.102	0.12	0.99	73	0.15	6.31	91
								2.4
I033675		0.101	0.09	0.86	73	0.14	6.28	84
I033676		0.073	0.10	1.43	48	0.18	8.11	66
I033677		0.086	0.11	0.86	88	0.15	6.32	104
I033678		0.114	0.09	1.52	83	0.14	8.84	133
I033679		0.096	0.10	0.58	95	0.17	4.00	73
								0.8
I033680		0.079	0.08	0.64	55	0.11	3.71	46
I033681		0.094	0.11	0.48	84	0.19	3.00	68
I033682		0.074	0.11	0.66	73	0.12	3.35	88
I033683		0.091	0.11	1.13	74	0.11	6.85	89
I033684		0.105	0.11	0.46	82	0.13	2.71	81
								1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I033685		0.32	<0.005	0.16	1.56	3.6	<0.2	<10	300	0.19	0.13	0.32	0.56	30.5	13.5	31
I033686		0.32	<0.005	0.12	1.98	8.5	<0.2	<10	100	0.20	0.15	0.18	0.34	12.80	10.0	45
I033687		0.40	<0.005	0.05	1.54	7.7	<0.2	<10	100	0.36	0.26	0.11	0.38	21.5	7.4	31
I033688		0.26	<0.005	0.04	1.57	9.5	<0.2	<10	70	0.20	0.27	0.10	0.16	16.00	5.3	25
I033689		0.24	<0.005	0.07	1.22	6.9	<0.2	<10	100	0.19	0.26	0.14	0.50	15.35	4.3	21
I033690		0.30	<0.005	0.14	0.95	7.6	<0.2	<10	60	0.09	0.17	0.08	0.25	12.45	3.9	22
I033691		0.20	<0.005	0.14	1.20	11.0	<0.2	<10	80	0.13	0.22	0.10	0.31	15.65	4.9	29
I033692		0.32	<0.005	0.07	1.38	17.7	<0.2	<10	90	0.34	0.20	0.10	0.55	28.8	8.8	42
I033693		0.32	<0.005	0.06	1.12	6.0	<0.2	<10	70	0.16	0.20	0.09	0.20	19.35	4.4	18
I033694		0.32	0.006	0.11	2.27	8.4	<0.2	<10	140	0.33	0.14	0.31	0.29	17.45	13.2	39
I033695		0.26	<0.005	0.63	1.47	9.7	<0.2	<10	80	0.18	0.23	0.10	0.49	17.05	4.8	27
I033696		0.30	<0.005	0.06	1.54	11.9	<0.2	<10	80	0.24	0.17	0.09	0.27	19.50	6.9	26
I033697		0.30	<0.005	0.29	1.86	12.7	<0.2	<10	110	0.32	0.22	0.11	0.26	32.6	8.4	33
I033698		0.30	<0.005	0.25	2.05	11.4	<0.2	<10	180	0.30	0.18	0.15	0.53	22.1	10.7	45
I033699		0.32	<0.005	0.74	2.67	12.6	<0.2	<10	150	0.38	0.21	0.16	0.14	19.40	9.5	39
I033700		0.24	<0.005	0.11	0.45	1.7	<0.2	<10	60	0.09	0.09	0.09	0.20	7.70	1.4	9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033685		0.92	14.7	2.56	8.40	0.09	0.04	0.01	0.018	0.45	16.7	7.6	0.60	208	0.96
I033686		0.88	32.8	3.40	10.10	0.09	0.03	<0.01	0.024	0.08	5.6	13.6	0.64	272	1.40
I033687		1.46	27.5	3.27	9.89	0.10	0.02	0.01	0.027	0.15	11.5	13.7	0.43	260	1.13
I033688		0.69	14.3	2.90	10.25	0.07	0.05	0.02	0.019	0.04	7.7	9.4	0.28	152	1.43
I033689		0.58	14.6	2.44	9.25	0.07	0.03	<0.01	0.024	0.06	7.5	7.3	0.20	173	1.32
I033690		0.89	11.1	2.08	6.68	0.07	0.02	0.01	0.015	0.04	6.2	5.6	0.24	119	1.39
I033691		1.08	13.6	2.77	8.96	0.09	0.03	0.01	0.019	0.05	7.8	7.1	0.32	157	1.89
I033692		0.71	38.0	4.49	6.83	0.13	<0.02	0.01	0.030	0.06	15.2	7.0	0.30	316	4.01
I033693		0.67	11.5	2.17	7.90	0.06	0.03	0.01	0.018	0.04	9.9	5.4	0.16	186	1.31
I033694		0.99	31.7	3.33	8.17	0.08	0.03	0.01	0.028	0.08	8.5	14.0	0.69	439	1.11
I033695		0.76	14.9	2.94	9.69	0.08	0.04	0.02	0.024	0.04	8.6	8.6	0.23	238	2.15
I033696		0.78	18.3	3.31	7.12	0.08	0.03	0.01	0.025	0.05	9.8	10.5	0.30	170	1.22
I033697		1.25	28.5	3.45	8.74	0.11	0.02	0.01	0.030	0.07	16.2	11.6	0.43	250	1.77
I033698		1.15	37.8	3.32	6.97	0.09	0.03	0.02	0.031	0.07	10.8	12.1	0.54	280	1.64
I033699		1.10	24.1	3.60	7.85	0.10	0.08	0.05	0.037	0.05	9.5	14.5	0.42	272	2.63
I033700		0.46	12.4	0.74	2.36	0.05	<0.02	0.01	0.010	0.03	3.9	0.9	0.05	41	0.48



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-AUG-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I033685		3.34	24.0	740	6.4	35.3	<0.001	<0.01	0.24	3.2	0.4	0.8	25.3	<0.01	0.03	5.2
I033686		1.88	26.3	630	8.2	11.9	<0.001	<0.01	0.42	4.9	0.3	0.6	13.7	<0.01	0.06	1.4
I033687		1.13	23.1	910	11.5	22.7	<0.001	<0.01	0.25	2.5	0.5	0.7	10.6	<0.01	0.05	1.0
I033688		2.12	12.4	250	11.1	7.4	<0.001	<0.01	0.48	2.8	0.3	0.8	11.0	<0.01	0.04	2.1
I033689		1.58	9.7	700	15.4	7.4	<0.001	<0.01	0.47	2.6	0.3	0.9	13.4	<0.01	0.03	1.3
I033690		1.03	10.0	430	7.4	7.2	<0.001	<0.01	0.37	1.7	0.3	0.5	10.5	<0.01	0.03	0.3
I033691		1.34	12.8	570	9.1	9.0	<0.001	<0.01	0.48	2.0	0.5	0.6	13.0	<0.01	0.04	0.3
I033692		0.57	51.1	660	14.8	11.2	0.001	<0.01	2.51	3.1	1.2	0.5	20.5	<0.01	0.10	0.6
I033693		1.38	8.8	280	10.2	7.0	<0.001	0.01	0.34	2.3	0.2	0.7	11.0	<0.01	0.03	1.6
I033694		1.69	31.4	680	8.6	9.9	<0.001	<0.01	0.40	3.4	0.3	0.6	21.3	<0.01	0.04	1.0
I033695		1.66	11.1	420	10.5	8.1	<0.001	<0.01	0.41	2.7	0.4	0.8	13.6	<0.01	0.05	1.0
I033696		1.66	20.1	360	11.2	7.4	<0.001	<0.01	0.52	2.8	0.4	0.5	12.1	<0.01	0.05	2.0
I033697		1.64	23.8	400	11.1	12.4	<0.001	<0.01	0.40	4.5	0.4	0.7	13.8	<0.01	0.05	3.4
I033698		1.20	37.4	450	12.1	9.9	<0.001	<0.01	0.43	3.7	0.8	0.5	18.3	<0.01	0.06	1.5
I033699		1.99	20.5	480	12.5	7.2	<0.001	<0.01	0.78	4.8	0.8	0.7	16.2	0.02	0.05	2.8
I033700		0.17	4.6	260	6.1	3.2	<0.001	<0.01	0.11	0.6	0.3	0.3	12.1	<0.01	0.02	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-AUG-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105245

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033685		0.136	0.17	0.85	48	0.13	4.74	58	1.3
I033686		0.145	0.09	0.32	104	0.33	2.75	59	1.2
I033687		0.072	0.10	1.25	76	0.12	5.71	68	0.5
I033688		0.110	0.09	0.46	88	0.14	2.09	35	2.0
I033689		0.088	0.07	0.36	73	0.15	2.07	43	1.5
I033690		0.078	0.06	0.37	62	0.14	2.05	34	0.9
I033691		0.095	0.08	0.42	86	0.18	2.58	45	1.2
I033692		0.037	0.10	1.17	74	0.12	6.02	124	<0.5
I033693		0.088	0.09	0.40	63	0.11	2.38	34	1.2
I033694		0.118	0.08	0.49	81	0.37	3.72	68	1.1
I033695		0.096	0.09	0.48	83	0.15	2.54	46	1.6
I033696		0.087	0.08	0.50	68	0.13	2.82	47	1.4
I033697		0.078	0.09	0.84	82	0.13	4.58	63	1.0
I033698		0.096	0.09	0.67	75	0.12	4.24	87	1.2
I033699		0.088	0.10	0.75	81	0.24	3.75	53	3.5
I033700		0.022	0.04	0.66	16	0.06	2.12	9	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23 -AUG-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105245

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: **23-AUG-2010**
Account: **EIASQI**

CERTIFICATE WH10105244

Project: SQI10-06
P.O. No.: SQI10-06_15
This report is for 263 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034309		0.38	<0.005	0.05	1.51	3.7	<0.2	<10	100	0.27	0.11	0.54	0.15	21.8	9.0	30
I034310		0.40	0.007	0.06	2.02	3.5	<0.2	<10	260	0.28	0.15	0.60	0.15	29.7	11.1	28
I034311		0.32	<0.005	0.06	1.50	3.1	<0.2	<10	150	0.25	0.11	0.49	0.17	22.3	8.8	35
I034312		0.36	<0.005	0.06	1.46	4.0	<0.2	<10	170	0.27	0.10	0.57	0.29	27.4	12.0	29
I034313		0.52	0.028	0.10	1.52	9.7	<0.2	<10	200	0.25	0.24	0.52	0.35	23.6	11.9	32
I034314		0.44	0.006	0.16	1.32	13.1	<0.2	<10	180	0.25	0.22	0.33	0.39	28.9	11.2	30
I034315		0.34	0.007	0.09	1.39	57.9	<0.2	<10	160	0.26	0.14	0.44	0.25	24.0	11.1	32
I032696		0.42	<0.005	0.06	1.61	6.6	<0.2	<10	150	0.30	0.31	0.26	0.14	14.20	7.1	29
I032697		0.34	<0.005	0.08	0.55	1.8	<0.2	<10	50	0.09	0.14	0.09	0.12	5.88	2.1	11
I032698		0.22	<0.005	0.07	0.33	1.2	<0.2	<10	40	0.08	0.17	0.07	0.12	5.13	1.8	12
I032699		0.30	<0.005	0.14	2.51	3.7	<0.2	<10	230	1.02	0.51	0.68	0.35	20.1	19.2	54
I032700		0.22	<0.005	0.18	0.79	2.4	<0.2	<10	90	0.21	0.16	0.25	0.19	10.10	4.1	23
I032701		0.22	<0.005	0.13	1.75	3.8	<0.2	<10	120	0.22	0.22	0.30	0.14	13.45	7.9	61
I032702		0.30	0.007	0.34	1.87	5.5	<0.2	<10	150	0.33	0.34	0.28	0.19	19.35	7.4	27
I032703		0.12	0.007	0.09	2.14	4.2	<0.2	<10	160	0.26	0.24	0.36	0.21	24.7	9.3	49
I032704		0.20	0.005	0.19	2.02	4.2	<0.2	<10	290	0.33	0.24	0.39	0.19	31.2	10.8	48
I032705		0.22	<0.005	0.14	2.21	4.0	<0.2	<10	270	0.32	0.47	0.34	0.15	31.7	12.8	131
I032706		0.24	0.008	0.31	1.88	3.5	<0.2	<10	260	0.28	0.33	0.35	0.15	22.2	9.4	82
I032707		0.20	<0.005	0.27	2.14	4.1	<0.2	<10	260	0.38	0.41	0.35	0.15	27.8	9.9	54
I032708		0.48	0.008	0.21	2.47	3.0	<0.2	<10	220	0.36	0.72	0.42	0.14	22.4	12.7	104
I032709		0.14	0.010	0.11	1.34	4.5	<0.2	<10	90	0.27	0.16	0.22	0.22	19.75	7.3	38
I032710		0.26	0.006	0.08	1.69	6.5	<0.2	<10	140	0.31	0.18	0.27	0.16	19.60	10.1	39
I032711		0.20	0.005	0.09	1.84	5.3	<0.2	<10	160	0.32	0.16	0.34	0.15	19.55	9.6	46
I032712		0.20	<0.005	0.10	1.59	8.0	<0.2	<10	90	0.31	0.26	0.10	0.17	16.05	6.5	37
I032713		0.16	<0.005	0.23	2.36	8.3	<0.2	<10	210	0.50	0.38	0.34	0.34	26.4	12.0	48
I032714		0.16	0.008	0.20	2.60	16.7	<0.2	<10	280	0.47	0.55	0.33	0.49	26.9	13.3	90
I032715		0.18	<0.005	0.17	2.66	26.9	<0.2	<10	250	0.59	0.31	0.23	0.55	33.5	12.1	63
I032716		0.36	<0.005	0.40	2.20	12.4	<0.2	<10	290	0.45	0.25	0.36	0.35	25.0	10.8	46
I032717		0.36	<0.005	0.14	2.04	9.3	<0.2	<10	170	0.18	0.22	0.20	0.29	15.20	15.5	54
I032718		0.42	0.006	0.04	2.26	5.8	<0.2	<10	130	0.26	0.15	0.49	0.08	24.6	14.1	44
I032719		0.50	<0.005	0.04	2.53	5.5	<0.2	<10	130	0.33	0.21	0.49	0.10	27.1	17.4	51
I032720		0.32	<0.005	0.08	2.54	4.8	<0.2	<10	160	0.38	0.17	0.80	0.09	34.8	16.6	52
I032721		0.32	<0.005	0.06	2.32	6.3	<0.2	<10	120	0.30	0.18	0.73	0.16	28.4	18.9	47
I032722		0.58	<0.005	0.15	2.66	12.5	<0.2	<10	130	0.48	0.31	0.72	0.26	36.9	15.3	56
I032723		0.36	0.005	0.11	2.48	11.8	<0.2	<10	130	0.44	0.17	0.43	0.11	30.6	14.6	57
I032724		0.18	<0.005	0.02	0.28	1.5	<0.2	<10	40	0.08	0.04	2.92	0.19	3.32	2.5	6
I032725		0.26	0.008	0.09	2.19	4.8	<0.2	<10	160	0.50	0.14	0.40	0.26	22.8	14.7	63
I032726		0.24	<0.005	0.21	3.34	4.7	<0.2	<10	110	0.55	0.14	0.67	0.18	29.0	15.4	54
I032727		0.18	0.009	0.07	1.66	5.8	<0.2	<10	130	0.29	0.12	0.68	0.15	21.2	10.3	33
I032728		0.22	<0.005	0.26	3.00	4.9	<0.2	<10	340	0.40	1.00	0.73	0.18	19.50	19.3	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034309		0.83	11.7	1.96	5.20	0.05	<0.02	0.02	0.019	0.07	10.3	12.4	0.51	332	0.45
I034310		2.31	17.4	2.79	6.72	0.08	0.02	0.06	0.027	0.24	15.4	16.5	0.76	433	0.55
I034311		0.75	14.7	2.03	4.68	0.05	0.02	0.03	0.018	0.09	11.4	10.7	0.66	261	0.36
I034312		0.97	20.9	2.38	4.71	0.06	<0.02	0.03	0.021	0.11	13.3	11.6	0.61	523	1.06
I034313		2.22	25.0	2.32	5.20	0.06	<0.02	0.04	0.019	0.18	12.1	13.5	0.70	430	1.01
I034314		2.72	23.7	2.14	4.80	0.07	<0.02	0.03	0.018	0.18	15.5	13.8	0.56	426	1.12
I034315		1.08	26.0	2.61	5.17	0.05	<0.02	0.03	0.021	0.08	11.7	11.3	0.62	359	1.04
I032696		1.18	17.1	2.51	6.70	<0.05	0.05	0.03	0.026	0.07	6.9	13.7	0.39	308	1.44
I032697		0.47	6.6	0.83	3.82	<0.05	<0.02	0.03	0.008	0.03	2.9	3.3	0.10	67	0.74
I032698		0.46	12.9	0.80	3.12	<0.05	<0.02	0.03	0.008	0.03	2.6	1.3	0.05	45	1.37
I032699		2.11	45.7	3.03	7.68	0.08	0.03	0.06	0.037	0.07	9.1	19.6	0.68	909	0.83
I032700		2.42	31.6	1.31	4.60	<0.05	<0.02	0.05	0.012	0.06	5.0	6.4	0.19	97	2.06
I032701		1.62	32.7	2.22	7.76	<0.05	<0.02	0.05	0.022	0.07	6.5	15.8	0.68	219	1.17
I032702		1.43	29.7	2.32	8.00	<0.05	<0.02	0.06	0.025	0.06	9.9	12.9	0.44	156	1.80
I032703		1.76	29.7	2.60	9.60	0.06	0.02	0.03	0.027	0.22	12.5	13.3	0.63	224	3.04
I032704		2.07	47.2	2.75	8.49	0.07	<0.02	0.05	0.037	0.18	16.8	16.0	0.86	265	1.59
I032705		2.50	38.0	2.86	9.44	0.08	0.03	0.03	0.024	0.36	15.5	20.7	1.21	275	0.94
I032706		1.56	44.4	2.27	7.16	0.06	0.02	0.06	0.022	0.14	11.1	15.2	0.77	183	0.87
I032707		1.63	47.4	2.63	8.17	0.06	0.02	0.05	0.026	0.17	17.3	14.4	0.68	246	1.02
I032708		2.45	58.4	2.81	8.45	0.09	<0.02	0.06	0.031	0.26	13.6	21.5	0.76	238	0.71
I032709		1.44	20.8	1.82	6.02	0.06	<0.02	0.05	0.023	0.05	10.4	10.0	0.44	129	0.85
I032710		1.36	19.3	2.59	7.35	0.05	0.03	0.02	0.026	0.08	9.7	12.2	0.53	306	1.15
I032711		1.42	21.6	2.49	7.33	0.06	0.03	0.04	0.030	0.11	9.5	13.9	0.65	219	1.02
I032712		1.34	21.7	2.81	10.15	0.05	0.02	0.04	0.024	0.08	7.7	10.2	0.38	192	1.49
I032713		1.79	27.9	2.72	9.84	0.05	0.02	0.05	0.040	0.12	14.1	14.6	0.62	322	1.86
I032714		2.40	37.2	3.42	11.10	0.08	0.06	0.03	0.042	0.26	13.6	16.6	1.00	394	3.74
I032715		2.44	42.0	3.28	10.25	0.07	0.05	0.06	0.039	0.13	16.5	18.7	0.77	275	2.82
I032716		1.60	28.7	2.90	7.14	0.05	0.05	0.09	0.032	0.12	12.8	14.4	0.61	410	1.91
I032717		2.08	22.3	3.04	10.60	0.06	0.02	0.03	0.030	0.15	7.4	7.9	0.60	755	1.86
I032718		1.29	17.6	3.07	8.31	0.07	0.04	0.02	0.029	0.10	12.6	12.8	0.69	361	0.82
I032719		1.71	20.7	3.32	9.64	0.07	0.03	0.03	0.032	0.14	13.8	16.8	0.71	389	0.88
I032720		1.86	29.4	3.08	8.58	0.09	0.04	0.03	0.031	0.24	17.8	13.7	0.74	524	0.76
I032721		1.49	22.5	3.12	8.26	0.07	0.03	0.03	0.033	0.14	14.6	12.7	0.65	644	1.07
I032722		2.76	36.7	3.37	8.50	0.10	0.07	0.03	0.030	0.16	18.2	16.8	0.79	388	1.00
I032723		2.39	29.5	3.38	8.11	0.09	0.03	0.02	0.031	0.17	16.5	19.3	0.70	313	1.09
I032724		0.21	21.5	0.39	0.77	<0.05	<0.02	0.06	0.006	0.02	2.0	1.0	0.11	294	0.74
I032725		3.99	37.7	2.86	7.46	0.07	0.04	0.03	0.019	0.18	16.5	15.0	0.94	256	1.64
I032726		7.11	47.9	4.37	17.40	0.16	0.04	0.06	0.030	0.54	14.8	19.8	1.89	486	2.09
I032727		0.65	22.5	2.61	5.71	0.07	0.11	0.02	0.024	0.07	10.3	12.2	0.69	293	0.57
I032728		1.00	64.1	3.50	10.40	0.09	0.04	0.03	0.029	0.24	9.0	12.0	1.62	660	0.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034309		1.45	21.2	750	6.0	12.4	<0.001	0.03	0.24	3.6	0.5	0.4	27.5	<0.01	0.01
I034310		1.62	18.5	810	6.7	24.2	0.001	0.04	0.27	6.4	0.5	0.6	33.3	<0.01	0.02
I034311		1.06	22.6	750	7.9	11.4	<0.001	0.03	0.22	4.2	0.5	1.2	26.7	<0.01	0.02
I034312		0.91	22.9	730	6.3	12.6	0.001	0.06	0.26	3.8	0.8	0.4	35.8	<0.01	0.03
I034313		1.20	24.2	560	8.6	22.5	<0.001	0.03	0.40	3.8	0.6	0.4	31.1	<0.01	0.03
I034314		1.18	27.3	480	9.6	25.8	0.001	0.03	0.30	3.2	0.7	0.4	23.5	<0.01	0.02
I034315		1.45	26.4	720	7.4	10.4	0.001	0.03	0.77	3.5	0.6	0.4	30.2	<0.01	0.04
I032696		2.11	16.8	230	14.0	15.2	<0.001	0.01	0.32	4.1	0.4	0.9	21.3	<0.01	0.03
I032697		0.64	6.1	200	6.4	4.4	<0.001	0.01	0.18	1.6	0.3	0.5	9.7	<0.01	0.01
I032698		0.37	7.5	300	5.9	2.7	<0.001	0.02	0.23	1.2	0.3	0.6	7.9	<0.01	0.02
I032699		1.24	29.8	640	12.4	18.7	0.001	0.04	0.25	7.7	0.6	1.3	38.6	<0.01	0.02
I032700		0.81	13.5	390	6.4	15.9	<0.001	0.04	0.33	2.1	0.5	0.8	27.7	<0.01	0.02
I032701		1.17	30.9	360	6.5	14.3	<0.001	0.02	0.26	3.9	0.4	1.0	30.6	<0.01	0.02
I032702		1.43	17.3	340	8.8	11.0	<0.001	0.03	0.27	3.9	0.5	0.9	26.6	<0.01	0.03
I032703		3.16	32.3	310	7.1	48.4	0.001	0.03	0.33	5.1	0.4	1.4	30.3	<0.01	0.04
I032704		1.91	26.7	540	8.5	30.0	0.001	0.04	0.24	5.1	0.6	1.0	31.7	<0.01	0.04
I032705		2.58	47.9	550	8.4	44.8	0.001	0.02	0.17	5.2	0.4	1.0	25.7	<0.01	0.03
I032706		1.30	33.8	510	7.5	24.1	0.001	0.05	0.20	3.8	0.5	0.7	29.4	<0.01	0.03
I032707		1.55	27.9	610	6.9	23.8	0.001	0.05	0.22	4.4	0.6	0.9	32.6	<0.01	0.03
I032708		1.18	37.9	570	7.4	27.4	0.001	0.02	0.16	6.4	0.5	1.1	29.5	<0.01	0.03
I032709		1.36	27.1	490	7.2	9.4	<0.001	0.06	0.30	3.0	0.8	0.6	22.8	<0.01	0.03
I032710		1.86	24.1	530	8.4	12.1	0.001	0.04	0.32	3.9	0.7	0.8	24.5	<0.01	0.03
I032711		2.05	32.1	570	7.4	17.2	<0.001	0.03	0.26	4.4	0.6	0.8	27.9	<0.01	0.02
I032712		2.48	23.1	310	15.4	12.9	<0.001	0.02	0.41	3.6	0.5	1.4	11.7	<0.01	0.04
I032713		2.49	34.2	660	9.0	22.1	0.001	0.05	0.26	4.9	1.0	1.5	33.8	<0.01	0.06
I032714		3.63	51.3	590	11.3	29.9	0.001	0.06	0.44	6.4	1.2	1.6	35.2	<0.01	0.10
I032715		3.10	43.4	470	11.0	24.1	0.001	0.04	0.42	6.2	1.2	1.0	24.4	<0.01	0.07
I032716		1.97	27.3	520	10.8	17.1	<0.001	0.04	0.33	5.3	0.7	0.8	32.0	<0.01	0.03
I032717		2.94	28.9	400	13.5	36.6	<0.001	0.02	0.34	5.7	0.5	1.0	22.1	<0.01	0.05
I032718		2.67	29.1	590	8.4	19.8	0.001	0.03	0.21	5.0	0.4	0.7	37.9	<0.01	0.02
I032719		3.19	36.6	470	10.1	27.1	<0.001	0.03	0.18	5.1	0.5	0.7	38.9	<0.01	0.04
I032720		3.04	36.9	540	8.2	37.9	0.001	0.05	0.21	6.4	0.8	0.7	53.9	<0.01	0.03
I032721		2.44	34.2	580	9.8	30.5	<0.001	0.05	0.29	5.4	0.7	0.7	44.7	<0.01	0.03
I032722		3.08	43.0	610	13.5	32.3	0.001	0.04	0.44	6.9	0.8	0.6	42.8	<0.01	0.05
I032723		2.89	47.9	700	9.7	29.9	<0.001	0.02	0.55	5.6	0.7	0.7	26.7	<0.01	0.04
I032724		0.26	13.7	590	1.6	1.8	0.001	0.14	0.25	0.7	0.9	0.6	82.9	<0.01	0.02
I032725		1.33	57.3	500	7.7	13.8	0.001	0.08	0.30	6.1	0.7	0.4	73.6	<0.01	0.03
I032726		3.59	28.6	540	13.3	34.2	<0.001	0.02	0.37	10.2	0.6	1.2	126.0	0.01	0.07
I032727		1.88	25.2	810	6.3	8.2	<0.001	0.01	0.36	5.3	0.5	0.4	40.1	<0.01	0.02
I032728		1.40	24.1	760	7.7	21.4	<0.001	0.04	0.23	9.5	1.6	0.5	69.5	<0.01	0.36



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034309		0.088	0.10	0.76	47	0.30	6.14	54
I034310		0.132	0.18	1.58	68	0.28	11.00	63
I034311		0.079	0.09	1.18	46	0.10	7.67	55
I034312		0.080	0.12	1.92	50	0.26	9.82	70
I034313		0.100	0.20	1.11	52	0.44	7.13	85
I034314		0.089	0.20	1.06	46	0.18	7.81	89
I034315		0.096	0.09	0.73	62	0.13	6.58	66
I032696		0.114	0.13	1.36	70	0.82	4.71	46
I032697		0.049	0.07	0.40	25	0.47	1.22	16
I032698		0.034	0.05	0.63	26	0.40	1.21	14
I032699		0.100	0.18	1.28	76	3.43	14.65	77
I032700		0.066	0.13	0.59	40	0.30	3.27	24
I032701		0.113	0.12	0.48	58	0.64	4.09	56
I032702		0.096	0.12	0.90	55	0.70	6.09	40
I032703		0.153	0.22	0.99	63	0.27	3.99	59
I032704		0.144	0.19	1.91	70	0.26	6.27	57
I032705		0.201	0.27	1.29	73	0.34	5.13	60
I032706		0.122	0.16	1.35	57	0.31	5.18	46
I032707		0.115	0.18	1.65	64	1.08	6.42	54
I032708		0.139	0.25	1.37	74	1.84	5.83	58
I032709		0.088	0.11	0.96	41	0.28	4.71	50
I032710		0.128	0.12	0.83	79	0.26	4.69	54
I032711		0.138	0.13	0.79	69	0.31	4.95	58
I032712		0.144	0.11	0.67	94	0.30	2.90	40
I032713		0.133	0.15	1.63	77	0.47	6.05	73
I032714		0.211	0.21	1.27	131	0.88	6.73	121
I032715		0.164	0.22	1.88	105	0.31	7.95	104
I032716		0.126	0.14	1.31	81	0.32	6.97	90
I032717		0.178	0.16	0.58	101	0.35	3.73	70
I032718		0.149	0.13	0.82	74	0.25	6.28	62
I032719		0.165	0.16	0.88	74	3.04	6.38	64
I032720		0.160	0.22	1.61	70	0.31	11.25	65
I032721		0.137	0.17	1.25	71	0.27	7.45	68
I032722		0.148	0.24	1.79	78	0.41	11.00	84
I032723		0.149	0.21	1.08	79	0.23	8.79	80
I032724		0.012	0.03	0.17	8	<0.05	2.00	35
I032725		0.104	0.12	4.44	81	0.88	17.45	60
I032726		0.196	0.31	3.13	97	0.72	6.36	66
I032727		0.125	0.07	0.88	64	0.18	7.62	57
I032728		0.117	0.16	0.87	103	0.41	7.97	69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032729		0.28	0.005	0.22	3.49	3.3	<0.2	<10	410	0.37	1.53	0.77	0.15	16.20	18.8	43
I032730		0.20	<0.005	0.20	1.84	29.5	<0.2	<10	110	0.53	0.27	0.23	0.49	31.4	17.3	39
I032731		0.22	<0.005	0.15	2.49	46.0	<0.2	<10	150	0.63	0.79	0.25	0.53	27.7	14.9	48
I032732		0.22	<0.005	0.10	1.64	17.7	<0.2	<10	90	0.41	0.28	0.21	0.21	17.50	10.3	35
I032733		0.16	<0.005	0.23	1.70	25.0	<0.2	<10	150	0.51	0.52	0.37	0.29	22.8	12.1	29
I032734		0.22	0.008	0.58	1.96	22.9	<0.2	<10	140	0.76	1.63	0.40	0.60	85.1	13.1	34
I032735		0.28	0.008	0.13	1.53	15.7	<0.2	<10	180	0.55	1.70	0.39	0.49	64.4	11.6	28
I032736		0.16	<0.005	0.19	2.76	40.2	<0.2	<10	180	0.53	0.59	0.57	0.18	24.7	19.3	75
I032737		0.26	<0.005	0.05	1.71	6.8	<0.2	<10	180	0.33	0.20	0.39	0.16	36.3	9.3	31
I032738		0.28	<0.005	0.06	1.86	5.6	<0.2	<10	140	0.40	0.13	0.36	0.23	45.4	10.1	30
I032739		0.16	0.005	0.12	1.84	6.3	<0.2	<10	150	0.44	0.20	0.36	0.28	78.3	9.0	29
I032740		0.20	<0.005	0.08	1.74	9.4	<0.2	<10	170	0.37	0.23	0.35	0.22	65.0	8.8	29
I032741		0.24	<0.005	0.05	2.04	8.5	<0.2	<10	130	0.42	0.17	0.25	0.22	50.8	10.9	29
I032742		0.14	<0.005	0.09	1.81	7.7	<0.2	<10	240	0.47	0.29	0.50	0.53	108.5	12.8	27
I032743		0.24	<0.005	0.04	1.11	5.9	<0.2	<10	80	0.22	0.19	0.21	0.18	31.1	5.6	24
I032744		0.18	0.009	0.05	0.82	6.0	<0.2	<10	50	0.17	0.23	0.11	0.13	13.15	4.6	17
I032745		0.20	<0.005	0.08	1.86	11.4	<0.2	<10	140	0.41	0.21	0.39	0.26	51.1	10.2	37
I032746		0.22	<0.005	0.16	2.04	20.2	<0.2	<10	220	0.42	0.22	0.32	0.36	20.7	12.6	47
I032747		0.20	<0.005	0.16	2.34	8.5	<0.2	<10	130	0.51	0.19	0.30	0.21	24.6	12.8	40
I032748		0.24	<0.005	0.11	1.47	10.1	<0.2	<10	110	0.36	0.23	0.25	0.18	17.35	8.0	32
I032749		0.22	0.006	0.38	2.44	13.2	<0.2	<10	170	0.65	0.27	0.28	0.31	21.5	11.4	46
I032750		0.22	<0.005	0.09	2.62	10.3	<0.2	<10	110	0.40	0.41	0.17	0.16	17.65	9.7	39
I032751		0.58	<0.005	0.13	3.05	5.8	<0.2	<10	210	0.42	0.16	0.45	0.17	20.8	15.9	47
I032752		0.40	0.006	0.18	3.60	5.6	<0.2	<10	260	0.76	0.27	0.61	0.18	34.5	17.0	57
I032753		0.38	<0.005	0.31	2.36	5.9	<0.2	<10	250	0.45	0.16	0.53	0.12	32.7	11.6	42
I032754		0.38	0.013	0.38	2.55	9.3	<0.2	<10	710	0.44	0.54	0.71	0.35	31.5	16.9	53
I032755		0.40	0.008	0.28	2.26	15.4	<0.2	<10	170	0.39	0.30	0.72	0.25	30.0	16.1	60
I032756		0.26	<0.005	0.24	1.66	5.8	<0.2	<10	150	0.25	0.14	1.25	0.21	25.4	11.0	29
I032757		0.36	<0.005	0.23	3.06	3.8	<0.2	<10	120	0.25	0.15	0.59	0.24	28.0	20.3	47
I032758		0.24	0.005	0.16	1.15	4.3	<0.2	<10	360	0.37	0.07	2.19	0.81	37.3	19.5	37
I032759		0.36	<0.005	0.09	2.38	3.8	<0.2	<10	220	0.51	0.20	0.48	0.09	44.5	11.0	47
I032760		<0.02	<0.005	0.10	1.98	2.6	<0.2	<10	160	0.43	0.17	0.48	0.11	31.7	12.8	167
I032761		0.36	<0.005	0.04	1.81	3.8	<0.2	<10	130	0.28	0.11	0.45	0.12	21.2	16.2	218
I032762		0.38	<0.005	0.08	2.20	4.7	<0.2	<10	150	0.45	0.15	0.34	0.15	25.1	12.3	31
I032763		0.48	<0.005	0.03	2.47	4.9	<0.2	<10	290	0.46	0.28	0.50	0.19	39.1	13.9	34
I032764		0.38	<0.005	0.09	1.91	5.4	<0.2	<10	180	0.38	0.21	0.35	0.10	27.2	14.1	33
I032765		0.50	<0.005	0.08	1.94	4.5	<0.2	<10	160	0.30	0.13	0.35	0.10	18.80	9.5	34
I032766		0.32	<0.005	0.09	2.07	6.5	<0.2	<10	150	0.31	0.20	0.33	0.17	20.4	14.6	48
I032767		0.22	<0.005	0.16	2.11	4.6	<0.2	<10	160	0.36	0.23	0.48	0.15	25.8	15.4	56
I032768		0.38	<0.005	0.24	1.84	5.8	<0.2	<10	140	0.31	0.16	0.42	0.21	22.1	12.4	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032729		1.10	71.2	3.61	11.75	0.11	0.03	0.02	0.032	0.33	7.3	12.5	2.19	449	0.77
I032730		1.92	70.6	3.73	8.53	0.07	0.03	0.07	0.053	0.09	11.7	15.0	0.70	625	2.90
I032731		2.31	43.8	3.44	8.13	0.07	0.04	0.06	0.033	0.07	10.5	15.6	0.70	502	2.52
I032732		1.76	29.1	3.56	8.53	0.07	0.03	0.05	0.034	0.07	7.7	14.3	0.51	503	1.65
I032733		2.60	43.8	2.72	5.83	0.07	0.02	0.08	0.030	0.08	11.1	9.2	0.62	496	1.70
I032734		2.13	37.1	3.70	7.70	0.11	0.05	0.07	0.040	0.07	44.6	13.0	0.66	773	1.63
I032735		3.19	24.4	3.84	7.41	0.09	0.07	0.05	0.045	0.10	27.5	11.4	0.51	1130	2.08
I032736		3.08	55.4	3.67	8.80	0.08	0.05	0.05	0.037	0.11	13.5	12.9	1.22	678	1.46
I032737		1.72	17.2	2.84	7.01	0.07	0.07	0.03	0.029	0.07	25.0	12.9	0.55	416	1.06
I032738		1.60	17.6	2.79	5.96	0.08	0.08	0.03	0.028	0.07	23.7	14.1	0.56	444	0.75
I032739		1.61	18.9	2.91	7.10	0.11	0.07	0.05	0.030	0.05	70.6	12.4	0.49	478	1.28
I032740		2.07	18.8	3.28	8.46	0.09	0.08	0.03	0.032	0.08	40.0	13.6	0.51	484	1.85
I032741		1.76	23.4	3.08	7.24	0.07	0.05	0.04	0.032	0.06	19.5	14.7	0.58	521	1.20
I032742		2.83	21.9	2.86	6.83	0.11	0.06	0.05	0.032	0.07	58.7	12.5	0.50	1450	1.38
I032743		1.81	15.1	2.66	7.64	0.05	0.07	0.03	0.024	0.06	15.6	6.2	0.30	235	1.52
I032744		1.03	14.7	2.43	7.50	<0.05	0.03	0.04	0.020	0.03	6.5	5.0	0.18	245	1.67
I032745		2.16	23.7	3.43	6.98	0.11	0.07	0.03	0.037	0.17	26.9	12.9	0.65	528	0.99
I032746		1.74	33.1	3.76	9.36	0.08	0.05	0.06	0.037	0.16	9.1	15.0	0.76	533	1.84
I032747		1.83	34.7	3.20	7.64	0.08	0.06	0.06	0.032	0.10	11.7	14.5	0.76	530	1.00
I032748		1.40	30.6	3.29	9.23	0.05	0.04	0.07	0.031	0.07	8.6	10.6	0.36	329	2.23
I032749		1.65	41.6	3.27	8.15	0.08	0.04	0.05	0.033	0.09	10.7	13.8	0.75	301	2.24
I032750		1.35	25.1	3.60	9.61	0.08	0.04	0.04	0.033	0.07	8.5	14.4	0.66	372	1.75
I032751		1.23	29.5	3.48	9.07	0.08	0.05	0.03	0.029	0.18	10.1	15.3	1.18	496	0.67
I032752		2.04	42.6	3.86	11.85	0.12	0.06	0.02	0.031	0.42	17.9	16.1	1.71	498	0.84
I032753		1.26	28.2	2.82	7.73	0.07	0.03	0.04	0.026	0.15	16.6	14.6	0.86	354	0.84
I032754		0.98	55.0	3.53	7.80	0.09	0.07	0.06	0.030	0.09	17.2	11.7	1.12	561	1.07
I032755		0.86	40.1	3.61	7.06	0.08	0.06	0.03	0.032	0.06	17.0	13.3	1.14	675	0.95
I032756		0.71	42.8	2.54	4.98	0.06	0.06	0.06	0.024	0.04	14.9	8.8	0.57	554	0.83
I032757		0.69	47.0	3.95	9.53	0.09	0.07	0.09	0.033	0.08	15.0	14.9	2.15	572	0.48
I032758		0.45	46.0	1.79	2.78	0.07	0.05	0.10	0.018	0.05	22.3	4.7	0.44	2320	1.95
I032759		0.98	28.7	2.78	7.41	0.09	0.08	0.05	0.034	0.11	25.7	16.7	1.08	557	1.09
I032760		2.19	31.1	2.24	6.16	0.05	0.06	0.05	0.028	0.05	17.7	16.4	1.33	232	0.49
I032761		0.81	32.2	2.54	5.61	0.06	0.14	0.05	0.023	0.05	10.4	14.5	1.45	195	0.16
I032762		2.01	18.6	4.21	7.40	0.06	0.05	0.10	0.029	0.14	14.0	14.4	0.63	260	0.88
I032763		6.48	27.3	4.24	9.01	0.10	0.10	0.01	0.034	0.47	20.1	13.9	0.84	524	1.30
I032764		0.90	17.8	2.50	6.20	<0.05	0.03	0.03	0.025	0.06	12.9	9.8	0.56	492	0.67
I032765		0.87	18.7	2.40	6.33	0.05	0.03	0.03	0.023	0.06	9.3	9.5	0.59	308	0.72
I032766		1.15	16.1	2.77	7.24	0.05	0.02	0.04	0.025	0.08	9.6	11.8	0.79	487	1.14
I032767		1.05	17.3	2.92	7.50	0.05	0.04	0.04	0.024	0.16	13.1	10.5	1.08	615	0.95
I032768		0.90	20.6	2.86	6.51	0.05	0.02	0.06	0.029	0.07	10.8	10.1	0.72	875	0.97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032729		1.30	22.4	730	7.2	26.0	<0.001	0.02	0.17	12.4	1.7	0.7	82.7	<0.01	0.55
I032730		1.23	50.1	760	25.7	12.7	<0.001	0.07	0.59	3.8	1.2	0.6	20.6	<0.01	0.06
I032731		1.75	43.1	670	19.5	13.2	<0.001	0.05	0.52	4.5	0.9	0.8	23.6	0.01	0.09
I032732		1.50	27.5	600	13.3	14.2	<0.001	0.06	0.61	2.9	0.7	0.6	19.9	<0.01	0.04
I032733		0.96	32.1	860	9.4	13.9	0.001	0.13	0.47	3.6	1.2	0.6	25.4	<0.01	0.08
I032734		1.49	29.8	850	40.5	14.9	<0.001	0.10	0.45	5.5	1.0	0.8	26.0	0.01	0.08
I032735		2.73	23.2	780	36.3	28.2	<0.001	0.16	0.38	5.0	0.7	1.2	25.9	<0.01	0.06
I032736		1.81	45.4	770	10.3	18.0	0.001	0.26	0.70	8.4	1.1	0.9	31.8	0.01	0.05
I032737		2.91	21.3	490	7.9	16.6	<0.001	0.14	0.31	4.4	0.5	0.9	31.0	<0.01	0.02
I032738		2.95	22.3	670	8.4	15.0	<0.001	0.02	0.26	4.5	0.5	0.7	22.8	<0.01	0.02
I032739		2.21	19.3	690	13.2	12.4	0.001	0.06	0.31	3.8	0.8	0.7	29.9	0.01	0.02
I032740		3.01	21.8	460	13.2	18.5	<0.001	0.04	0.44	4.1	0.6	0.9	29.0	<0.01	0.03
I032741		2.29	25.1	660	9.0	11.5	<0.001	0.05	0.46	3.8	0.7	0.7	22.4	0.01	0.03
I032742		1.64	20.5	900	17.4	16.0	<0.001	0.08	0.44	3.3	0.9	0.6	38.6	0.01	0.03
I032743		2.75	14.0	350	12.1	12.6	<0.001	0.04	0.42	3.4	0.5	0.8	20.0	<0.01	0.03
I032744		1.55	9.7	340	8.1	7.1	<0.001	0.04	0.50	1.8	0.4	0.6	12.9	<0.01	0.03
I032745		3.09	21.7	600	13.7	24.2	<0.001	0.04	0.35	6.2	0.4	0.8	28.5	<0.01	0.02
I032746		2.36	33.6	840	14.1	22.4	<0.001	0.10	0.46	3.9	0.9	0.6	27.5	<0.01	0.04
I032747		2.21	38.2	570	8.5	16.6	<0.001	0.05	0.40	4.6	0.7	0.6	24.4	<0.01	0.03
I032748		1.46	21.1	630	11.0	16.3	<0.001	0.07	0.74	2.2	0.6	0.7	26.7	<0.01	0.04
I032749		1.95	39.2	710	8.4	13.7	0.001	0.11	0.53	4.0	1.3	0.5	28.2	<0.01	0.06
I032750		1.66	21.5	530	9.5	14.8	<0.001	0.08	0.65	3.7	0.7	0.6	21.0	0.01	0.05
I032751		1.81	29.9	550	8.6	19.7	<0.001	0.04	0.21	6.3	0.4	0.5	41.8	<0.01	0.02
I032752		1.85	40.2	660	10.9	42.6	<0.001	0.02	0.28	7.5	0.7	0.7	126.0	<0.01	0.08
I032753		1.79	32.9	750	13.2	21.9	<0.001	0.04	0.21	4.1	0.8	0.6	41.1	<0.01	0.03
I032754		1.30	45.3	760	9.6	16.9	0.001	0.06	0.34	5.9	1.2	0.5	36.1	<0.01	0.05
I032755		1.16	39.8	680	13.3	9.3	<0.001	0.04	0.39	6.2	0.8	0.4	32.9	<0.01	0.04
I032756		1.05	20.2	730	8.4	7.4	<0.001	0.10	0.37	4.6	0.9	0.4	35.8	<0.01	0.03
I032757		0.96	33.4	490	11.0	11.2	<0.001	0.05	0.26	9.6	0.7	0.4	23.4	<0.01	0.03
I032758		0.56	44.4	1250	2.8	5.8	0.001	0.21	0.57	2.6	1.3	0.3	77.2	0.01	0.03
I032759		1.36	25.8	850	11.5	16.4	<0.001	0.06	0.28	5.5	0.8	0.6	36.2	<0.01	0.04
I032760		1.54	97.1	470	11.1	9.8	<0.001	0.06	0.28	5.6	0.5	0.6	28.8	<0.01	0.02
I032761		1.41	139.0	440	6.6	6.3	<0.001	0.03	0.38	6.1	0.4	0.4	26.7	<0.01	0.02
I032762		2.03	17.0	800	6.7	17.6	<0.001	0.05	0.29	6.0	0.6	0.7	22.5	<0.01	0.01
I032763		1.98	21.3	1200	7.2	46.0	<0.001	0.02	0.28	8.5	0.4	0.7	26.7	<0.01	0.01
I032764		1.53	20.3	610	6.9	9.5	<0.001	0.04	0.25	4.4	0.4	0.5	23.5	<0.01	0.02
I032765		1.48	20.2	560	6.2	9.2	<0.001	0.05	0.22	4.0	0.6	0.5	22.4	<0.01	0.03
I032766		1.35	26.2	600	8.0	12.4	<0.001	0.05	0.25	4.2	0.7	0.6	23.8	<0.01	0.03
I032767		1.51	29.6	700	18.2	22.6	<0.001	0.07	0.21	4.2	0.6	0.6	28.4	<0.01	0.02
I032768		1.10	22.9	810	9.1	10.4	0.001	0.07	0.28	4.8	0.7	0.6	25.4	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032729		0.138	0.18	0.66	123	0.36	6.63	70
I032730		0.084	0.12	1.11	76	0.22	7.02	124
I032731		0.101	0.18	1.07	69	0.22	6.15	103
I032732		0.105	0.10	0.67	79	0.18	4.09	93
I032733		0.055	0.15	1.07	56	0.16	6.66	54
I032734		0.082	0.21	3.70	80	0.24	18.00	117
I032735		0.097	0.32	3.24	72	0.74	13.70	119
I032736		0.124	0.19	1.43	92	0.30	10.50	72
I032737		0.133	0.14	1.38	74	0.23	8.58	53
I032738		0.132	0.14	1.52	66	0.19	10.35	56
I032739		0.091	0.14	3.21	68	0.20	18.55	59
I032740		0.126	0.16	1.85	79	0.21	12.00	65
I032741		0.107	0.15	1.68	70	0.18	8.63	66
I032742		0.075	0.20	2.89	60	0.18	19.00	75
I032743		0.131	0.14	1.01	80	0.19	5.49	45
I032744		0.099	0.08	0.51	68	0.12	2.24	37
I032745		0.145	0.21	1.28	76	0.18	11.75	83
I032746		0.130	0.13	1.04	97	0.41	4.27	93
I032747		0.129	0.14	0.79	83	0.19	6.73	81
I032748		0.091	0.09	0.67	90	0.23	3.40	59
I032749		0.102	0.13	1.28	91	0.31	5.51	84
I032750		0.105	0.11	0.59	94	0.21	3.72	58
I032751		0.131	0.14	0.64	85	0.45	5.45	73
I032752		0.123	0.28	1.19	90	2.05	8.57	88
I032753		0.077	0.15	1.20	63	0.34	8.39	71
I032754		0.073	0.12	1.31	70	0.75	14.35	95
I032755		0.074	0.08	1.00	69	0.19	11.15	75
I032756		0.052	0.07	0.93	47	0.13	14.05	55
I032757		0.069	0.10	0.80	83	0.11	16.60	84
I032758		0.035	0.11	0.99	39	0.10	21.8	50
I032759		0.111	0.12	3.72	63	0.16	11.75	63
I032760		0.084	0.11	1.15	54	0.28	10.80	49
I032761		0.115	0.07	0.94	62	0.18	7.52	50
I032762		0.133	0.17	5.00	71	0.33	7.49	61
I032763		0.186	0.34	2.27	91	0.19	10.50	79
I032764		0.092	0.09	0.98	61	0.14	7.43	52
I032765		0.096	0.08	0.83	64	0.11	5.12	52
I032766		0.101	0.10	0.80	71	0.26	4.72	64
I032767		0.109	0.15	0.75	70	0.14	6.11	68
I032768		0.078	0.08	0.87	66	0.22	6.87	66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032769		0.22	0.011	0.12	2.25	6.4	<0.2	<10	150	0.40	0.15	0.36	0.16	24.0	12.8	38
I032770		0.36	<0.005	0.13	1.47	4.8	<0.2	<10	130	0.23	0.15	0.37	0.15	15.05	10.4	32
I032771		0.36	<0.005	0.15	2.18	6.5	<0.2	<10	140	0.43	0.14	0.36	0.15	22.9	14.2	37
I032772		0.28	0.005	0.10	1.92	6.2	<0.2	<10	130	0.32	0.13	0.42	0.17	26.0	10.8	35
I032773		0.68	0.007	0.08	2.37	5.7	<0.2	<10	230	0.40	0.18	0.63	0.14	23.9	14.8	52
I032774		0.30	0.005	0.14	2.76	7.1	<0.2	<10	170	0.61	0.35	0.54	0.11	37.9	13.5	49
I032775		0.36	<0.005	0.15	2.36	7.0	<0.2	<10	150	0.67	0.36	0.42	0.09	40.8	15.4	41
I032776		0.30	<0.005	0.12	2.52	5.2	<0.2	<10	160	0.48	0.28	1.09	0.15	33.6	13.5	54
I032777		0.52	0.005	0.15	2.61	8.8	<0.2	<10	130	0.51	0.37	0.45	0.13	28.6	14.3	54
I032778		0.28	<0.005	0.17	2.19	8.1	<0.2	<10	160	0.57	0.28	1.61	0.40	32.5	16.4	45
I032779		0.50	<0.005	0.18	2.31	12.1	<0.2	<10	120	0.46	0.27	0.32	0.20	26.2	54.4	50
I032780		0.28	<0.005	0.42	2.38	21.5	<0.2	<10	260	0.53	0.22	0.45	0.95	32.9	12.9	51
I032781		0.18	0.014	0.05	1.92	6.4	<0.2	<10	130	0.33	0.15	0.19	0.20	28.8	9.2	30
I032782		0.24	<0.005	0.06	2.36	11.2	<0.2	<10	120	0.34	0.22	0.20	0.19	25.4	9.8	44
I032783		0.20	<0.005	0.18	2.71	26.6	<0.2	<10	160	0.42	0.24	0.21	0.38	21.9	11.9	41
I032784		0.26	<0.005	0.11	1.98	24.1	<0.2	<10	240	0.43	0.31	0.17	0.51	31.3	8.2	48
I032785		0.16	<0.005	0.06	2.29	6.4	<0.2	<10	170	0.43	0.18	0.15	0.18	41.0	11.3	44
I032786		0.30	<0.005	0.23	1.52	7.2	<0.2	<10	330	0.31	0.20	0.16	0.13	34.7	8.0	26
I032787		0.22	0.051	0.07	1.68	306	<0.2	<10	160	0.32	0.25	0.16	0.20	27.0	8.1	47
I032788		0.34	0.028	0.20	2.64	225	<0.2	<10	170	0.74	0.80	0.29	0.47	38.2	13.9	55
I032789		0.22	0.007	0.24	1.54	149.0	<0.2	<10	160	0.38	7.84	0.25	0.65	23.8	10.7	44
I032790		0.28	<0.005	0.05	2.29	12.5	<0.2	<10	160	0.28	0.14	0.27	0.18	44.3	15.5	72
I032791		0.40	<0.005	0.11	2.45	10.9	<0.2	<10	160	0.31	0.85	0.38	0.21	25.6	17.4	98
I032792		0.28	0.010	0.09	2.48	6.8	<0.2	<10	250	0.42	0.30	0.33	0.19	24.2	23.7	60
I032793		0.22	<0.005	0.06	2.23	2.9	<0.2	<10	220	0.27	0.20	0.53	0.07	10.25	19.8	41
I032794		0.36	<0.005	0.04	2.29	3.4	<0.2	<10	230	0.33	0.13	0.52	0.07	27.6	16.3	33
I032795		0.46	<0.005	0.04	2.64	3.2	<0.2	<10	330	0.35	0.34	0.56	0.06	26.4	17.7	36
I032796		0.34	<0.005	0.11	2.20	5.1	<0.2	<10	210	0.34	0.19	0.51	0.11	26.1	14.1	40
I032797		0.32	<0.005	0.11	2.36	5.4	<0.2	<10	160	0.36	0.14	0.36	0.08	24.9	16.1	44
I032798		0.34	<0.005	0.08	2.06	4.0	<0.2	<10	210	0.46	0.63	0.47	0.09	39.6	14.3	36
I032799		0.14	<0.005	0.06	0.27	0.4	<0.2	<10	40	0.07	0.06	0.10	0.02	3.50	1.4	6
I032800		0.48	<0.005	0.06	2.82	4.2	<0.2	<10	310	0.73	0.36	0.84	0.09	17.80	26.5	118
I032801		0.46	<0.005	0.06	2.75	3.9	<0.2	<10	310	0.76	0.41	0.83	0.08	18.95	28.5	122
I032802		0.22	<0.005	0.03	0.28	0.6	<0.2	<10	20	0.06	0.05	0.06	0.01	3.16	1.7	6
I032851		0.16	<0.005	0.13	1.11	2.5	<0.2	<10	110	0.24	0.10	0.34	0.14	14.95	5.5	35
I032852		0.26	<0.005	0.15	1.24	4.5	<0.2	<10	130	0.32	0.15	0.90	0.31	26.3	11.4	27
I032853		0.42	<0.005	0.11	1.93	10.1	<0.2	<10	150	0.35	0.26	0.29	0.14	22.4	12.9	41
I032854		0.34	<0.005	0.19	1.42	6.0	<0.2	<10	140	0.24	0.36	0.37	0.26	22.3	7.1	42
I032855		0.32	<0.005	0.23	1.85	7.4	<0.2	<10	150	0.32	0.28	0.35	0.22	19.80	10.1	42
I032856		0.32	<0.005	0.13	1.91	9.9	<0.2	<10	120	0.30	0.32	0.25	0.25	17.40	14.3	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032769		0.95	23.9	2.97	7.06	0.05	0.04	0.04	0.028	0.07	11.5	12.0	0.74	334	0.79
I032770		0.85	15.3	2.29	5.82	<0.05	0.02	0.06	0.022	0.05	7.5	8.8	0.48	714	1.02
I032771		0.92	23.5	2.93	6.80	0.05	0.04	0.04	0.026	0.07	11.0	11.8	0.70	445	0.79
I032772		0.84	24.5	2.86	6.17	0.05	0.05	0.03	0.026	0.06	12.9	11.2	0.59	264	0.69
I032773		1.13	28.1	3.18	7.56	0.05	0.10	0.02	0.023	0.19	11.5	12.8	0.97	417	0.74
I032774		1.78	31.8	3.31	8.97	0.08	0.08	0.05	0.036	0.08	18.6	17.0	0.70	317	1.74
I032775		1.51	33.3	3.37	7.55	0.07	0.05	0.05	0.031	0.07	20.1	13.4	0.55	680	2.28
I032776		1.79	28.8	2.72	8.79	0.07	0.06	0.04	0.033	0.08	17.6	17.3	0.74	191	1.18
I032777		2.27	28.0	3.17	9.19	0.07	0.05	0.05	0.033	0.12	14.5	18.5	0.73	255	0.89
I032778		1.77	43.1	2.77	7.21	0.07	0.06	0.05	0.028	0.09	18.2	15.5	0.62	1820	1.28
I032779		2.93	20.9	4.16	10.80	0.08	0.04	0.04	0.036	0.14	12.9	17.1	0.72	2180	2.23
I032780		2.69	78.2	3.49	7.68	0.07	0.10	0.05	0.037	0.16	17.5	15.1	0.83	397	1.61
I032781		2.75	22.1	2.80	7.48	<0.05	0.04	0.02	0.023	0.19	13.2	14.8	0.60	282	0.78
I032782		3.16	28.4	4.72	10.25	0.06	0.06	0.04	0.035	0.14	13.3	18.9	0.68	247	1.48
I032783		1.62	38.3	4.10	10.10	0.06	0.07	0.03	0.036	0.08	12.1	16.5	0.61	325	2.23
I032784		2.39	43.0	4.64	12.50	0.08	0.07	0.02	0.037	0.13	17.3	14.8	0.60	284	4.02
I032785		6.93	40.7	3.73	9.77	0.08	0.03	0.03	0.021	0.53	12.9	25.1	0.98	506	1.84
I032786		2.74	28.5	2.72	6.68	0.06	0.04	0.02	0.024	0.20	19.6	13.2	0.44	242	2.10
I032787		3.48	28.5	4.00	10.15	0.06	0.05	0.04	0.030	0.12	12.7	12.1	0.62	262	3.02
I032788		5.89	68.5	3.94	9.47	0.09	0.06	0.04	0.044	0.24	18.8	18.7	0.75	496	2.63
I032789		2.14	33.8	2.84	7.13	0.06	0.03	0.04	0.027	0.22	12.1	11.0	0.52	451	4.04
I032790		3.58	26.4	2.98	7.59	0.09	0.04	0.02	0.027	0.37	19.3	16.7	1.06	321	1.33
I032791		6.26	61.5	2.79	6.09	0.06	0.08	0.02	0.021	0.10	13.7	25.1	1.38	273	0.66
I032792		2.97	94.6	3.58	7.78	0.08	0.10	0.03	0.027	0.25	11.9	19.8	1.21	417	0.78
I032793		2.10	40.7	3.18	6.32	0.07	0.03	0.02	0.013	0.36	5.1	24.2	1.35	359	1.09
I032794		2.13	30.5	3.21	7.26	0.09	0.12	0.01	0.019	0.25	13.2	19.4	1.21	362	1.11
I032795		2.25	45.6	3.71	8.20	0.10	0.12	0.02	0.020	0.53	13.9	17.5	1.51	429	0.80
I032796		2.23	53.9	3.15	6.85	0.06	0.06	0.03	0.024	0.16	13.0	17.4	0.96	337	1.71
I032797		1.67	25.9	3.21	7.16	0.10	0.08	0.01	0.026	0.14	12.7	16.4	0.88	386	0.78
I032798		3.72	38.0	3.37	7.21	0.16	0.13	0.01	0.033	0.40	27.1	14.5	0.95	423	1.16
I032799		0.45	6.0	0.45	1.81	<0.05	<0.02	0.01	<0.005	0.02	2.2	1.1	0.06	33	0.37
I032800		17.35	52.5	5.40	9.04	0.14	0.09	<0.01	0.034	0.53	9.0	13.3	1.55	487	3.74
I032801		16.60	50.2	5.01	8.80	0.12	0.09	<0.01	0.059	0.49	9.1	14.5	1.55	539	3.26
I032802		0.59	3.4	0.54	2.05	<0.05	<0.02	0.01	0.005	0.02	1.6	1.1	0.06	32	0.23
I032851		1.26	22.7	1.42	4.72	0.07	0.02	0.05	0.015	0.06	8.0	5.8	0.32	113	1.08
I032852		1.13	27.8	1.71	4.67	0.09	0.03	0.04	0.020	0.08	16.4	7.5	0.36	406	4.50
I032853		1.76	19.8	2.78	8.55	0.11	0.04	0.01	0.032	0.18	11.8	12.1	0.62	470	1.57
I032854		2.05	24.6	2.00	7.13	0.07	0.04	0.02	0.028	0.11	12.5	7.7	0.38	195	1.73
I032855		1.64	22.6	2.37	7.74	0.09	0.03	0.03	0.033	0.13	10.3	11.4	0.55	259	1.65
I032856		1.33	20.3	2.94	9.17	0.09	0.04	0.03	0.035	0.14	8.9	13.1	0.59	557	1.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032769		1.73	23.7	740	8.3	11.7	0.001	0.04	0.29	5.2	0.6	0.6	24.7	<0.01	0.02
I032770		1.04	15.7	750	6.9	8.2	<0.001	0.07	0.29	3.4	0.5	0.6	24.5	<0.01	0.03
I032771		1.64	23.0	770	7.8	10.7	<0.001	0.04	0.30	5.1	0.6	0.5	24.0	<0.01	0.02
I032772		1.73	22.0	760	7.0	9.4	<0.001	0.04	0.33	4.9	0.6	0.6	26.7	<0.01	0.01
I032773		1.78	34.9	780	6.5	22.1	<0.001	0.03	0.26	6.2	0.5	0.5	71.0	<0.01	0.04
I032774		2.99	33.1	560	13.1	16.9	0.001	0.04	0.38	7.2	0.8	0.8	34.5	<0.01	0.04
I032775		2.31	26.6	670	12.3	14.8	<0.001	0.06	0.35	6.1	1.0	0.5	29.1	<0.01	0.05
I032776		2.90	39.7	640	11.1	17.9	0.001	0.14	0.29	5.8	1.0	0.6	59.0	<0.01	0.02
I032777		3.10	35.9	530	11.1	26.0	<0.001	0.06	0.43	6.1	0.9	0.6	30.1	<0.01	0.05
I032778		2.61	39.8	860	8.9	17.9	<0.001	0.13	0.55	5.1	1.6	0.5	69.8	0.01	0.06
I032779		2.76	35.0	700	13.9	25.4	<0.001	0.06	0.42	5.0	0.7	0.7	24.3	<0.01	0.06
I032780		1.50	41.5	730	19.5	20.9	0.001	0.05	1.17	8.0	1.1	0.6	42.2	<0.01	0.04
I032781		2.11	23.9	310	6.2	25.8	<0.001	0.03	0.29	3.7	0.4	0.6	17.7	<0.01	0.03
I032782		3.06	29.4	360	9.4	23.3	<0.001	0.05	0.39	4.8	0.6	0.7	18.1	<0.01	0.07
I032783		2.46	32.0	480	11.9	13.6	<0.001	0.04	0.50	5.0	0.6	0.7	22.8	<0.01	0.05
I032784		2.60	30.2	430	24.8	19.3	<0.001	0.09	0.50	5.0	1.0	0.9	27.2	<0.01	0.08
I032785		3.96	32.9	420	7.9	58.9	0.001	0.06	0.22	3.7	0.9	0.7	14.8	<0.01	0.05
I032786		2.21	22.0	410	8.3	25.5	<0.001	0.04	0.36	3.2	0.7	0.6	15.3	<0.01	0.04
I032787		2.15	28.0	350	11.2	18.7	<0.001	0.04	1.63	4.4	0.9	0.8	16.3	<0.01	0.07
I032788		2.23	36.8	690	22.8	38.9	0.001	0.04	1.04	6.0	1.0	1.5	22.8	<0.01	0.08
I032789		1.02	24.5	990	10.6	21.1	<0.001	0.10	0.93	3.1	1.7	0.9	18.2	<0.01	0.84
I032790		1.51	41.8	570	8.9	27.9	<0.001	0.04	0.19	5.1	0.6	0.4	18.6	<0.01	0.04
I032791		1.19	86.9	290	21.1	28.7	<0.001	0.02	0.24	5.2	0.3	0.5	24.5	<0.01	0.02
I032792		1.51	32.2	330	9.8	27.6	<0.001	0.03	0.27	6.3	0.4	0.6	22.7	<0.01	0.02
I032793		1.00	19.4	830	2.8	31.5	<0.001	0.03	0.14	4.1	0.3	0.3	30.8	<0.01	0.01
I032794		1.13	19.7	610	4.9	26.8	0.001	0.02	0.20	5.4	0.3	0.5	36.8	<0.01	0.02
I032795		1.11	19.8	570	4.8	47.2	0.001	0.02	0.19	6.0	0.4	0.5	46.5	<0.01	0.01
I032796		1.56	24.0	760	5.9	20.1	<0.001	0.03	0.31	5.6	0.4	0.5	34.2	<0.01	0.03
I032797		1.90	23.1	700	7.4	20.1	<0.001	0.02	0.27	6.4	0.5	0.6	24.4	<0.01	0.02
I032798		1.58	18.9	780	6.8	46.5	<0.001	0.02	0.31	12.9	0.8	0.7	25.9	0.01	0.01
I032799		0.37	2.6	210	2.4	4.7	<0.001	0.02	0.07	1.0	0.2	0.4	9.9	<0.01	0.01
I032800		0.32	40.7	1590	4.3	45.1	<0.001	<0.01	0.19	15.0	0.6	0.5	46.7	<0.01	0.02
I032801		0.28	40.3	1530	4.0	41.5	<0.001	<0.01	0.19	15.2	0.6	0.5	45.4	<0.01	0.02
I032802		0.20	2.2	120	2.0	2.3	<0.001	<0.01	0.05	0.8	0.2	0.2	7.6	<0.01	0.01
I032851		1.22	23.1	610	4.8	11.6	<0.001	0.08	0.19	2.3	1.1	0.4	26.8	<0.01	0.02
I032852		1.34	20.2	650	5.7	13.8	<0.001	0.10	0.26	3.3	1.5	0.5	56.3	<0.01	0.03
I032853		2.77	25.3	540	8.2	22.9	<0.001	0.03	0.23	4.9	0.7	1.3	24.3	<0.01	0.03
I032854		2.13	23.4	420	5.9	19.3	<0.001	0.07	0.26	4.1	1.0	1.6	31.8	<0.01	0.05
I032855		2.17	25.5	520	7.4	19.0	<0.001	0.06	0.24	4.7	1.0	1.3	29.7	<0.01	0.04
I032856		2.62	25.4	350	10.2	21.2	<0.001	0.03	0.32	5.2	0.7	1.3	22.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032769		0.114	0.09	0.84	67	0.18	6.73	66
I032770		0.078	0.08	0.66	61	0.14	3.71	51
I032771		0.109	0.10	0.84	67	0.12	6.58	61
I032772		0.121	0.08	0.87	66	0.20	7.50	57
I032773		0.133	0.13	0.77	79	0.14	7.46	69
I032774		0.143	0.18	2.70	78	1.94	11.80	73
I032775		0.112	0.15	3.76	68	0.60	13.75	57
I032776		0.133	0.18	1.21	76	0.42	9.56	74
I032777		0.145	0.19	1.43	81	0.37	6.10	74
I032778		0.103	0.20	1.90	67	0.54	12.75	68
I032779		0.152	0.19	0.89	129	0.32	5.35	94
I032780		0.147	0.20	2.31	89	0.17	16.45	110
I032781		0.137	0.16	0.59	57	0.11	5.24	45
I032782		0.170	0.19	0.74	92	0.14	4.24	58
I032783		0.141	0.14	0.80	96	0.18	5.54	64
I032784		0.155	0.17	1.09	133	0.19	6.24	115
I032785		0.195	0.40	0.91	72	0.26	5.40	61
I032786		0.117	0.16	1.04	56	0.12	6.65	48
I032787		0.137	0.19	0.89	111	0.16	5.62	77
I032788		0.145	0.40	2.19	97	0.47	12.55	91
I032789		0.084	0.19	1.43	92	0.23	7.14	63
I032790		0.139	0.22	0.71	63	0.17	6.43	54
I032791		0.137	0.31	0.64	61	0.22	5.21	47
I032792		0.194	0.24	0.76	94	0.19	6.03	60
I032793		0.172	0.19	0.30	78	0.73	2.47	55
I032794		0.210	0.19	0.55	79	0.18	6.34	61
I032795		0.247	0.26	0.61	94	0.40	6.18	69
I032796		0.154	0.18	0.73	73	0.25	7.95	61
I032797		0.163	0.15	0.81	75	0.27	6.42	65
I032798		0.170	0.32	1.88	82	1.07	21.0	66
I032799		0.030	0.02	0.32	11	0.07	1.41	8
I032800		0.061	0.46	1.05	114	0.38	7.31	100
I032801		0.056	0.43	1.00	109	0.36	7.18	98
I032802		0.030	0.03	0.24	13	<0.05	0.83	9
I032851		0.064	0.09	0.78	30	0.16	4.22	37
I032852		0.074	0.11	2.02	46	0.26	10.60	49
I032853		0.146	0.17	1.03	84	1.67	5.21	67
I032854		0.104	0.14	1.43	57	0.79	5.40	53
I032855		0.117	0.16	1.36	68	0.45	5.45	62
I032856		0.149	0.16	0.79	91	0.30	4.03	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032857		0.32	<0.005	0.27	2.07	7.9	<0.2	<10	140	0.35	0.29	0.23	0.23	20.5	10.9	40
I032858		0.32	<0.005	0.28	2.33	7.6	<0.2	<10	200	0.49	0.29	0.28	0.14	32.8	12.8	43
I032859		0.32	<0.005	0.22	1.98	5.4	<0.2	<10	160	0.35	0.27	0.35	0.13	22.4	9.7	38
I032860		0.22	0.021	0.08	1.20	3.3	<0.2	<10	110	0.20	0.12	0.87	0.18	17.15	8.5	25
I032861		0.40	0.006	0.11	1.12	3.9	<0.2	<10	100	0.19	0.23	0.64	0.07	13.65	13.2	26
I032862		0.32	0.005	0.07	1.35	3.4	<0.2	<10	90	0.13	0.17	0.33	0.08	13.00	6.4	29
I032863		0.36	0.007	0.12	1.76	4.8	<0.2	<10	120	0.29	0.24	0.49	0.15	19.30	12.1	36
I032864		0.36	<0.005	0.10	1.57	4.0	<0.2	<10	110	0.27	0.23	0.53	0.11	18.40	9.0	38
I032865		0.34	<0.005	0.15	2.11	5.6	<0.2	<10	130	0.44	0.24	0.71	0.15	28.2	16.2	46
I032866		0.28	<0.005	0.34	1.31	3.6	<0.2	<10	100	0.35	0.38	0.91	0.19	19.85	7.1	29
I032867		0.28	<0.005	0.24	1.96	4.2	<0.2	<10	140	0.41	0.20	0.54	0.10	26.2	12.2	38
I032868		0.32	<0.005	0.19	2.13	5.1	0.2	<10	130	0.34	0.34	0.49	0.10	20.5	13.2	46
I032869		0.44	<0.005	0.15	2.29	6.3	<0.2	<10	150	0.43	0.30	0.77	0.16	24.2	15.9	48
I032870		0.30	<0.005	0.16	1.93	4.9	<0.2	<10	150	0.39	0.17	0.83	0.09	27.1	14.0	40
I032871		0.34	<0.005	0.16	2.22	6.4	<0.2	<10	150	0.50	0.25	0.98	0.18	27.6	13.7	47
I032872		0.38	<0.005	0.12	2.48	6.2	<0.2	<10	160	0.54	0.20	0.69	0.14	33.9	14.9	49
I032873		0.30	<0.005	0.09	1.91	4.2	<0.2	<10	120	0.30	0.15	0.65	0.12	20.4	8.8	39
I032874		0.26	<0.005	0.08	1.41	3.1	<0.2	<10	80	0.19	0.15	0.27	0.11	14.70	7.5	29
I032875		0.28	<0.005	0.24	1.50	6.3	<0.2	<10	100	0.24	0.23	0.32	0.14	15.90	9.2	32
I032876		0.40	0.007	0.12	2.23	8.1	<0.2	<10	100	0.55	0.18	0.24	0.27	20.0	13.0	38
I032877		0.32	0.008	0.35	1.75	7.0	<0.2	<10	190	0.61	0.17	0.67	0.24	35.6	19.4	31
I032878		0.30	<0.005	0.24	1.79	4.8	<0.2	<10	170	0.48	0.16	0.83	0.27	28.0	12.1	32
I032879		0.34	<0.005	0.07	2.85	9.8	<0.2	<10	120	0.41	0.45	0.21	0.11	15.90	14.2	56
I032880		0.28	<0.005	0.14	2.39	11.8	<0.2	<10	130	0.23	0.81	0.35	0.11	12.90	10.5	36
I032881		0.28	<0.005	0.19	0.90	2.7	<0.2	<10	80	0.15	0.19	0.15	0.13	9.39	4.0	17
I032882		0.30	<0.005	0.09	1.79	6.7	<0.2	<10	110	0.18	0.19	0.22	0.11	12.70	8.2	31
I032883		0.26	<0.005	0.05	0.56	2.1	<0.2	<10	40	0.06	0.14	0.07	0.03	6.08	1.4	9
I032884		0.34	<0.005	0.22	2.45	8.1	<0.2	<10	120	0.26	0.33	0.30	0.20	16.10	12.9	46
I032885		0.36	<0.005	0.19	1.00	2.5	<0.2	<10	70	0.14	0.14	0.11	0.07	9.91	2.7	13
I032886		0.38	<0.005	0.09	2.11	8.8	<0.2	<10	110	0.21	0.26	0.22	0.15	13.15	10.3	29
I032887		0.38	<0.005	0.09	1.55	6.2	<0.2	<10	110	0.18	0.19	0.17	0.13	13.60	6.6	23
I032888		0.38	<0.005	0.13	3.01	3.8	<0.2	<10	400	0.24	0.36	0.21	0.05	17.35	7.8	32
I032889		0.36	<0.005	0.03	2.15	4.0	<0.2	<10	160	0.28	1.24	0.32	0.12	15.05	11.9	55
I032890		0.40	<0.005	0.19	2.19	5.3	<0.2	<10	150	0.37	0.64	1.06	0.22	24.0	13.7	53
I032891		0.34	<0.005	0.09	2.01	7.5	<0.2	<10	160	0.40	0.33	1.44	0.34	25.4	14.0	81
I032892		0.32	<0.005	0.17	1.39	4.7	<0.2	<10	200	0.29	0.12	1.86	0.42	14.75	6.8	17
I032893		0.38	<0.005	0.07	0.33	1.2	<0.2	<10	30	<0.05	0.12	0.07	0.11	4.42	1.4	7
I032894		0.38	<0.005	0.08	0.29	0.8	<0.2	<10	20	0.06	0.07	0.06	0.06	2.94	1.6	21
I032895		0.58	<0.005	0.16	2.89	5.2	<0.2	<10	220	0.34	0.24	0.43	0.17	17.35	13.0	44
I032896		0.42	<0.005	0.15	2.46	8.0	<0.2	<10	220	0.39	0.25	0.41	0.20	33.0	15.3	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032857		1.38	25.5	2.62	8.33	0.08	0.04	0.03	0.033	0.11	10.8	13.2	0.53	335	1.71
I032858		1.73	25.5	2.96	8.47	0.10	0.04	0.03	0.038	0.12	16.7	14.0	0.59	481	1.46
I032859		1.44	17.6	2.34	7.55	0.09	0.03	0.02	0.029	0.10	11.6	11.7	0.53	240	1.15
I032860		0.87	19.4	1.64	4.54	0.07	0.03	0.02	0.016	0.05	8.6	8.3	0.36	300	0.59
I032861		0.79	11.7	1.83	5.14	0.06	0.03	0.02	0.016	0.04	6.9	7.2	0.34	437	1.43
I032862		0.87	9.7	1.90	6.02	0.06	0.03	0.02	0.016	0.05	6.7	9.4	0.44	171	0.64
I032863		1.13	17.2	2.34	6.67	0.08	0.03	0.04	0.022	0.06	9.7	13.1	0.53	281	0.82
I032864		1.31	18.8	2.11	6.68	0.08	0.02	0.03	0.021	0.07	9.8	12.4	0.47	209	0.79
I032865		1.62	26.9	2.59	7.75	0.10	0.04	0.03	0.024	0.10	13.7	15.4	0.58	399	0.83
I032866		1.48	27.0	1.61	4.71	0.08	0.02	0.06	0.017	0.05	10.3	8.0	0.33	144	1.00
I032867		1.84	28.9	2.29	7.17	0.09	0.03	0.03	0.022	0.09	13.5	14.5	0.53	247	1.00
I032868		1.34	18.9	2.69	7.96	0.09	0.04	0.02	0.027	0.08	10.5	16.9	0.62	301	0.96
I032869		1.67	23.1	2.95	8.03	0.10	0.04	0.02	0.029	0.12	11.9	17.3	0.65	861	1.13
I032870		1.54	23.3	2.52	6.92	0.10	0.04	0.03	0.024	0.09	13.4	13.9	0.55	522	1.32
I032871		1.82	28.3	2.73	7.68	0.11	0.05	0.02	0.025	0.14	14.4	17.0	0.67	477	1.01
I032872		1.78	28.0	2.74	8.33	0.13	0.07	0.01	0.030	0.15	16.5	19.1	0.70	411	0.81
I032873		1.11	16.9	2.17	6.99	0.09	0.04	0.02	0.022	0.08	10.7	13.8	0.57	179	0.63
I032874		0.93	12.0	1.89	6.00	0.07	0.02	0.01	0.017	0.04	7.6	9.3	0.46	190	0.61
I032875		1.03	15.4	2.32	6.46	0.07	0.03	0.02	0.020	0.07	8.2	10.5	0.47	282	0.96
I032876		1.10	23.6	3.04	7.54	0.09	0.07	0.03	0.027	0.07	9.8	14.3	0.51	333	0.99
I032877		0.97	36.3	2.15	5.44	0.09	0.04	0.04	0.022	0.06	21.6	9.2	0.38	546	1.31
I032878		0.95	27.6	2.15	5.84	0.09	0.04	0.03	0.022	0.08	15.0	10.6	0.48	530	0.98
I032879		2.34	28.5	3.06	7.50	0.08	0.08	0.02	0.028	0.05	7.0	18.2	0.62	256	1.59
I032880		1.27	26.4	3.35	7.68	0.05	0.05	0.03	0.027	0.10	5.9	14.9	0.75	263	3.19
I032881		0.65	14.2	1.48	4.28	<0.05	0.02	0.04	0.012	0.05	5.0	3.4	0.21	80	1.67
I032882		0.84	17.0	2.78	8.20	<0.05	0.05	0.03	0.020	0.09	6.5	8.6	0.64	229	1.37
I032883		0.69	5.7	0.93	4.02	<0.05	0.02	0.02	0.009	0.04	3.1	2.2	0.10	43	0.67
I032884		1.76	31.8	3.65	8.81	0.08	0.07	0.05	0.035	0.14	7.6	18.6	0.84	337	6.94
I032885		0.67	11.1	1.22	4.48	<0.05	0.02	0.02	0.013	0.03	4.8	3.4	0.12	53	1.06
I032886		1.46	21.8	3.57	9.75	0.07	0.05	0.03	0.026	0.06	6.4	12.8	0.63	303	2.04
I032887		0.95	16.8	2.54	6.35	0.05	0.04	0.01	0.022	0.06	6.7	8.9	0.41	180	1.12
I032888		4.70	51.7	4.83	9.66	0.13	0.08	0.02	0.031	0.69	8.4	14.3	1.49	329	4.49
I032889		3.29	54.0	3.06	6.96	0.07	0.07	0.02	0.024	0.27	7.2	17.1	1.01	355	1.53
I032890		2.51	80.0	3.31	6.70	0.09	0.17	0.03	0.031	0.07	12.3	14.4	1.00	389	0.42
I032891		1.16	42.3	2.84	5.75	0.07	0.15	0.04	0.028	0.04	12.9	12.0	0.82	325	0.38
I032892		0.56	28.9	1.42	2.97	<0.05	0.07	0.07	0.016	0.02	8.4	3.6	0.22	957	0.68
I032893		0.53	8.2	0.71	2.45	<0.05	<0.02	0.02	0.007	0.03	2.2	1.0	0.06	42	0.64
I032894		0.37	9.6	0.64	1.50	<0.05	<0.02	0.02	0.005	0.02	1.5	0.8	0.06	35	0.54
I032895		1.85	62.9	3.50	8.45	0.09	0.05	0.04	0.025	0.16	8.9	16.8	1.02	218	0.76
I032896		1.45	30.5	3.60	7.74	0.07	0.08	0.05	0.031	0.08	16.5	14.1	0.73	339	0.89



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032857		2.17	24.5	450	10.1	20.0	<0.001	0.04	0.24	4.7	0.7	1.0	21.9	<0.01	0.04	1.9
I032858		2.28	25.5	440	9.3	21.6	<0.001	0.03	0.25	6.4	0.9	1.4	25.0	<0.01	0.03	2.8
I032859		1.99	21.8	460	8.0	19.1	<0.001	0.04	0.21	4.9	0.8	1.0	28.5	<0.01	0.03	1.5
I032860		1.25	17.8	580	5.6	11.1	<0.001	0.08	0.24	3.1	0.9	0.4	48.2	<0.01	0.02	0.7
I032861		1.22	13.6	560	7.3	8.0	<0.001	0.07	0.22	2.8	0.7	0.4	33.8	<0.01	0.01	0.5
I032862		1.35	15.7	420	7.5	8.2	<0.001	0.04	0.18	3.2	0.6	0.5	23.6	<0.01	0.01	0.7
I032863		1.70	24.0	570	10.7	14.5	<0.001	0.05	0.24	4.3	0.7	0.5	34.8	<0.01	0.02	1.3
I032864		1.51	25.7	640	6.7	15.2	<0.001	0.07	0.21	3.5	0.8	0.5	37.6	<0.01	0.02	0.9
I032865		2.21	32.2	580	10.8	22.0	<0.001	0.07	0.24	4.7	1.0	0.5	46.6	<0.01	0.03	1.5
I032866		1.34	21.4	940	8.6	12.6	<0.001	0.15	0.24	2.3	1.3	0.7	42.1	0.01	0.04	0.4
I032867		1.95	29.4	600	7.9	19.9	<0.001	0.06	0.25	4.0	0.9	0.5	32.2	<0.01	0.03	1.0
I032868		2.53	28.9	410	11.8	14.6	<0.001	0.03	0.21	5.1	0.7	0.6	29.2	<0.01	0.03	2.3
I032869		2.47	29.8	630	12.2	21.8	<0.001	0.04	0.26	5.5	0.9	0.6	36.7	<0.01	0.04	2.3
I032870		2.27	25.4	630	7.4	21.3	<0.001	0.06	0.25	5.0	1.0	0.5	42.1	<0.01	0.04	1.7
I032871		2.60	32.1	710	9.1	24.7	<0.001	0.06	0.29	5.5	1.0	0.6	45.5	<0.01	0.03	2.2
I032872		2.91	31.7	530	8.5	24.7	<0.001	0.03	0.26	6.6	0.9	0.7	36.2	<0.01	0.05	3.9
I032873		2.08	23.8	470	8.3	14.8	<0.001	0.05	0.19	4.7	0.7	0.5	36.1	<0.01	0.02	1.7
I032874		1.44	18.3	390	7.8	9.7	<0.001	0.04	0.17	3.2	0.7	0.5	19.2	<0.01	0.03	0.8
I032875		1.56	21.1	620	13.2	12.6	<0.001	0.05	0.28	3.4	0.7	0.5	21.0	<0.01	0.04	0.9
I032876		2.18	27.9	610	9.5	11.1	<0.001	0.02	0.35	4.6	0.7	0.6	18.0	0.01	0.04	3.0
I032877		1.30	27.2	760	9.0	11.0	<0.001	0.08	0.34	3.7	1.3	0.5	40.9	0.01	0.04	0.6
I032878		1.50	25.9	670	10.3	13.8	0.001	0.07	0.29	3.9	1.2	0.5	38.9	<0.01	0.03	1.1
I032879		1.56	33.3	370	7.6	14.3	<0.001	0.02	0.49	4.4	0.6	0.6	16.1	0.01	0.03	1.7
I032880		1.66	21.5	420	7.0	15.8	<0.001	<0.01	0.37	4.3	0.3	0.7	20.5	<0.01	0.03	1.4
I032881		0.92	8.6	290	4.7	14.2	<0.001	0.03	0.24	1.8	0.5	0.4	17.2	<0.01	0.03	0.3
I032882		2.13	17.0	380	7.6	15.5	<0.001	0.01	0.29	3.6	0.3	0.6	18.8	<0.01	0.03	0.7
I032883		0.94	3.0	160	5.5	9.4	<0.001	0.01	0.22	1.4	0.2	0.4	9.2	<0.01	0.02	0.3
I032884		2.24	25.1	480	8.3	19.9	0.001	0.02	0.34	5.1	0.5	0.8	21.7	<0.01	0.03	2.1
I032885		0.89	6.3	210	5.3	7.3	<0.001	0.01	0.18	1.9	0.3	0.4	13.9	<0.01	0.02	0.2
I032886		1.98	16.3	390	7.8	15.1	<0.001	0.01	0.30	4.2	0.3	0.6	19.3	<0.01	0.03	0.9
I032887		1.80	14.4	260	6.3	9.8	<0.001	0.01	0.31	3.6	0.3	0.5	17.1	<0.01	0.04	0.7
I032888		1.23	17.1	430	4.7	46.6	0.001	0.25	0.17	13.7	2.6	0.9	35.8	<0.01	0.22	2.7
I032889		1.67	25.4	590	5.3	29.3	<0.001	0.01	0.20	5.1	0.3	0.6	21.8	<0.01	0.02	1.5
I032890		1.71	32.1	760	13.8	12.9	<0.001	0.02	0.26	8.2	0.4	0.5	46.0	<0.01	0.03	2.6
I032891		1.72	59.8	610	9.9	8.0	<0.001	0.05	0.41	6.0	0.8	0.4	39.2	<0.01	0.05	1.6
I032892		0.71	14.1	1270	4.8	2.8	0.001	0.12	0.36	1.7	1.2	0.2	42.7	0.01	0.04	0.2
I032893		0.39	3.4	160	3.5	4.9	<0.001	0.01	0.16	1.0	0.2	0.3	9.2	<0.01	0.01	<0.2
I032894		0.15	9.3	270	2.9	3.1	<0.001	0.02	0.12	0.6	0.2	0.2	7.8	<0.01	0.02	<0.2
I032895		1.33	24.5	810	11.8	18.3	<0.001	0.01	0.29	6.2	0.6	0.4	30.6	<0.01	0.04	1.9
I032896		2.18	28.3	710	13.4	18.6	<0.001	0.01	0.39	6.7	0.5	0.6	32.0	<0.01	0.02	4.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032857		0.120	0.14	1.14	71	0.40	4.85	68	1.4
I032858		0.131	0.18	1.51	77	0.32	7.47	71	1.4
I032859		0.117	0.13	1.12	57	0.41	5.22	59	1.0
I032860		0.075	0.07	0.70	38	0.12	5.06	53	1.2
I032861		0.081	0.08	0.65	51	0.19	3.31	42	1.2
I032862		0.091	0.09	0.51	48	0.16	2.60	52	1.0
I032863		0.104	0.11	0.94	57	0.24	5.04	67	1.5
I032864		0.098	0.10	0.81	50	0.24	4.66	60	1.2
I032865		0.120	0.17	1.07	59	0.48	6.71	64	1.6
I032866		0.058	0.12	1.35	34	0.32	4.84	41	0.9
I032867		0.101	0.15	1.05	56	0.34	6.13	57	1.1
I032868		0.133	0.14	0.77	71	0.62	4.35	59	1.7
I032869		0.128	0.16	1.02	75	0.39	5.56	70	1.8
I032870		0.112	0.17	1.13	62	0.48	6.67	51	1.6
I032871		0.126	0.17	1.18	69	1.11	7.59	69	1.9
I032872		0.147	0.19	1.24	74	1.91	8.27	62	2.5
I032873		0.111	0.13	0.83	55	0.27	4.96	53	1.6
I032874		0.093	0.10	0.64	44	0.15	3.01	54	0.8
I032875		0.097	0.10	0.67	62	0.18	3.60	56	1.2
I032876		0.135	0.09	0.75	79	0.22	5.04	58	3.2
I032877		0.073	0.11	1.82	51	0.21	14.00	56	1.4
I032878		0.083	0.10	1.66	53	0.15	9.06	60	1.4
I032879		0.114	0.19	0.46	72	3.17	3.86	48	2.8
I032880		0.140	0.16	0.38	81	1.54	3.06	45	1.9
I032881		0.077	0.09	0.40	38	0.22	2.22	31	0.8
I032882		0.157	0.12	0.42	75	0.28	2.96	44	1.9
I032883		0.062	0.06	0.25	30	0.14	1.10	10	0.6
I032884		0.165	0.20	0.49	90	2.24	4.38	59	2.9
I032885		0.061	0.06	0.35	32	0.17	2.37	15	0.7
I032886		0.144	0.12	0.43	101	0.41	3.04	50	1.8
I032887		0.104	0.10	0.40	61	0.34	3.36	38	1.4
I032888		0.175	0.55	0.62	131	2.23	4.34	62	3.6
I032889		0.199	0.29	0.35	85	3.02	4.79	74	2.8
I032890		0.151	0.17	0.45	77	0.48	14.35	72	7.3
I032891		0.102	0.10	0.73	69	0.15	14.90	58	5.8
I032892		0.030	0.08	0.61	29	0.06	12.30	23	2.2
I032893		0.040	0.05	0.18	22	0.06	0.81	12	<0.5
I032894		0.024	0.03	0.24	16	<0.05	0.75	10	<0.5
I032895		0.149	0.20	0.97	90	0.17	5.23	61	2.1
I032896		0.133	0.16	1.00	76	0.16	10.40	66	3.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032897		0.34	<0.005	0.24	1.46	4.7	<0.2	<10	170	0.17	0.20	0.49	0.13	17.65	6.4	39
I032898		0.28	<0.005	0.05	0.26	1.2	<0.2	<10	20	<0.05	0.08	0.08	0.10	3.92	1.8	9
I032899		0.34	<0.005	0.05	2.36	5.6	<0.2	<10	160	0.27	0.15	0.38	0.12	21.1	11.7	34
I032900		0.38	<0.005	0.04	2.14	6.8	<0.2	<10	110	0.29	0.16	0.33	0.17	19.70	13.9	40
I032901		0.32	<0.005	0.25	0.50	2.3	<0.2	<10	40	0.10	0.31	0.12	0.34	5.05	2.6	14
I032902		0.38	<0.005	0.47	1.83	7.0	<0.2	<10	80	0.36	0.86	0.28	0.38	11.55	10.6	64
I032903		0.42	<0.005	0.08	2.75	5.3	<0.2	<10	200	0.39	0.14	0.36	0.12	22.7	16.2	77
I032904		0.40	<0.005	0.12	3.24	10.5	<0.2	<10	130	0.45	0.20	0.20	0.18	25.3	12.2	47
I032905		0.50	<0.005	0.07	2.64	7.7	<0.2	<10	180	0.38	0.20	0.34	0.18	20.5	15.3	52
I032906		0.32	<0.005	0.10	1.27	3.7	<0.2	<10	90	0.13	0.18	0.21	0.14	11.40	6.5	36
I032907		0.42	<0.005	0.08	2.29	5.8	<0.2	<10	160	0.38	0.17	0.38	0.18	29.9	11.3	45
I032908		0.50	<0.005	0.06	2.43	6.3	<0.2	<10	120	0.38	0.29	0.30	0.19	21.6	11.8	53
I032909		0.38	<0.005	0.07	2.75	8.9	<0.2	<10	140	0.40	0.22	0.24	0.13	24.8	13.7	48
I032910		0.42	<0.005	0.06	2.53	5.5	<0.2	<10	130	0.35	0.19	0.30	0.14	20.2	17.9	55
I032911		0.40	<0.005	0.05	2.13	8.3	<0.2	<10	140	0.25	0.32	0.24	0.19	22.5	13.4	72
I032912		0.36	<0.005	0.10	1.49	4.0	<0.2	<10	100	0.21	0.21	0.15	0.10	15.65	7.0	26
I032913		0.42	<0.005	0.05	2.62	3.4	<0.2	<10	300	0.24	0.16	0.60	0.09	20.1	16.0	123
I032914		0.38	<0.005	0.05	3.49	2.3	<0.2	<10	360	0.38	0.40	0.60	0.28	25.2	27.1	268
I032915		0.34	0.007	0.07	2.56	4.5	<0.2	<10	180	0.32	0.51	0.55	0.11	17.55	15.7	65
I032916		0.26	<0.005	0.05	0.53	2.9	<0.2	<10	80	0.15	0.07	4.06	0.38	6.15	2.6	11
I032917		0.32	<0.005	0.07	0.64	3.6	<0.2	<10	210	0.19	0.08	3.38	0.39	9.31	4.7	13
I032918		0.30	<0.005	0.14	2.23	6.1	<0.2	<10	110	0.25	0.23	0.25	0.25	14.40	11.2	38
I032919		0.36	<0.005	0.24	1.96	5.4	<0.2	<10	220	0.41	0.16	1.26	0.19	24.4	11.1	29
I032920		0.30	<0.005	0.11	3.45	12.9	<0.2	<10	110	0.72	0.24	0.24	0.18	22.9	11.5	40
I032921		0.38	<0.005	0.51	1.49	10.4	<0.2	<10	110	0.36	0.39	0.25	0.50	17.60	6.5	30
I032922		0.36	<0.005	0.24	2.20	10.3	<0.2	<10	120	0.47	0.20	0.29	0.63	31.9	11.5	35
I032923		0.44	<0.005	0.17	3.10	10.4	<0.2	<10	290	0.59	0.26	0.59	0.25	35.0	20.0	86
I032924		0.40	<0.005	0.26	2.85	10.7	<0.2	<10	310	0.66	0.36	0.52	0.12	40.7	18.4	52
I032925		0.32	<0.005	0.12	1.71	15.8	<0.2	<10	180	0.40	0.23	1.56	0.28	19.90	8.9	25
I032926		0.34	<0.005	0.10	1.53	8.7	<0.2	<10	150	0.34	0.22	0.26	0.38	24.5	8.5	33
I032927		0.34	<0.005	0.06	1.80	5.3	<0.2	<10	130	0.23	0.15	0.37	0.16	14.20	9.5	27
I032928		0.40	<0.005	0.05	2.79	6.4	<0.2	<10	110	0.49	0.10	0.29	0.09	18.05	11.6	40
I032929		0.42	<0.005	0.13	1.65	4.7	<0.2	<10	110	0.24	0.13	0.40	0.24	14.80	9.8	42
I032930		0.30	0.026	0.21	1.52	4.5	<0.2	<10	110	0.19	0.15	0.32	0.23	11.70	7.3	35
I032931		0.34	<0.005	0.07	2.40	3.1	<0.2	<10	180	0.33	0.16	0.46	0.17	24.4	12.6	43
I032932		0.62	<0.005	0.08	2.65	4.2	<0.2	<10	170	0.42	0.26	0.41	0.16	26.2	10.1	44
I032933		0.44	<0.005	0.10	2.48	7.0	<0.2	<10	220	0.43	0.20	0.44	0.16	28.5	13.7	42
I032934		0.52	<0.005	0.07	2.01	5.7	<0.2	<10	190	0.41	0.14	0.60	0.19	28.7	11.8	38
I032935		0.50	<0.005	0.09	2.29	5.1	<0.2	<10	230	0.45	0.17	0.54	0.17	32.5	10.4	38
I032936		0.58	<0.005	0.06	2.47	4.3	<0.2	<10	200	0.36	0.19	0.49	0.19	20.8	10.8	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032897		1.06	21.4	2.45	6.03	0.05	0.04	0.04	0.018	0.09	9.3	7.6	0.57	179	1.47
I032898		0.23	8.8	0.80	1.95	<0.05	<0.02	0.03	0.005	0.03	2.2	0.8	0.06	40	0.49
I032899		1.24	22.4	3.27	7.27	0.08	0.08	0.02	0.027	0.12	10.6	14.0	0.86	338	0.72
I032900		1.29	27.4	3.22	6.91	0.07	0.10	0.02	0.027	0.11	9.4	14.4	0.75	562	0.86
I032901		0.91	8.2	1.32	3.83	<0.05	0.02	0.05	0.012	0.03	2.6	2.5	0.11	89	0.75
I032902		3.07	17.8	4.19	11.40	0.08	0.06	0.04	0.031	0.08	5.5	19.7	0.70	327	1.45
I032903		2.57	62.6	3.51	8.19	0.08	0.07	0.02	0.024	0.23	10.9	18.7	1.17	368	0.81
I032904		1.64	34.0	3.59	8.82	0.06	0.06	0.05	0.034	0.06	11.8	14.9	0.57	233	1.64
I032905		1.69	46.2	3.66	8.08	0.07	0.08	0.02	0.030	0.14	9.3	17.2	0.89	406	0.97
I032906		1.02	24.8	2.03	5.81	<0.05	0.03	0.04	0.015	0.06	5.9	7.0	0.45	162	0.97
I032907		1.72	32.4	3.21	7.32	0.08	0.08	0.02	0.024	0.15	16.3	15.9	0.83	345	0.80
I032908		1.92	24.3	3.30	7.97	0.07	0.08	0.03	0.025	0.13	10.9	15.4	0.84	343	1.34
I032909		1.70	25.0	3.67	8.68	0.07	0.15	0.03	0.033	0.10	9.4	15.7	0.70	362	1.18
I032910		2.78	90.3	3.52	7.28	0.08	0.03	0.02	0.034	0.07	8.7	13.6	0.86	327	0.78
I032911		3.69	25.4	3.63	9.74	0.08	0.06	0.08	0.028	0.23	10.3	17.4	1.04	536	1.39
I032912		1.26	24.2	2.12	6.04	0.05	0.03	0.02	0.018	0.10	8.2	8.5	0.43	208	0.98
I032913		5.88	72.3	3.35	7.91	0.11	0.10	0.02	0.021	0.47	9.8	15.8	1.73	376	0.56
I032914		7.81	98.3	4.73	11.30	0.17	0.07	0.01	0.035	1.11	14.5	35.6	2.93	869	0.95
I032915		2.34	53.9	3.11	7.38	0.08	0.06	0.03	0.026	0.12	8.2	24.2	1.06	290	0.78
I032916		0.16	19.2	0.71	1.34	<0.05	0.07	0.06	0.014	0.02	3.0	1.7	0.14	162	0.80
I032917		0.65	23.6	0.91	1.96	<0.05	0.06	0.08	0.012	0.03	4.5	2.5	0.22	1320	1.11
I032918		3.22	24.9	3.19	9.71	<0.05	0.11	0.02	0.033	0.05	6.8	17.9	0.70	377	2.45
I032919		1.61	69.7	2.35	5.73	0.05	0.04	0.08	0.026	0.06	12.9	10.1	0.43	452	3.67
I032920		1.18	21.3	3.75	6.83	0.05	0.06	0.07	0.041	0.05	10.2	21.6	0.52	425	1.35
I032921		1.01	22.6	3.17	7.93	<0.05	0.03	0.05	0.031	0.07	8.4	11.9	0.44	319	2.29
I032922		1.13	31.2	3.40	7.16	0.05	0.04	0.06	0.036	0.07	9.0	14.3	0.69	601	1.46
I032923		1.91	43.0	4.28	8.98	0.09	0.08	0.03	0.041	0.23	17.1	19.2	1.28	549	0.37
I032924		1.40	43.1	4.11	8.18	0.07	0.07	0.02	0.038	0.08	18.7	15.2	0.90	568	0.82
I032925		1.27	22.2	2.06	5.25	0.05	0.04	0.04	0.020	0.07	8.8	9.5	0.58	586	0.68
I032926		0.93	30.3	3.06	6.50	<0.05	0.03	0.04	0.029	0.07	10.4	10.1	0.54	279	1.34
I032927		1.50	23.3	2.76	6.93	<0.05	0.03	0.10	0.024	0.05	6.4	10.9	0.72	277	0.96
I032928		1.15	29.8	3.01	6.37	0.06	0.06	0.05	0.025	0.10	8.2	13.8	0.80	284	0.56
I032929		1.35	29.7	2.43	5.38	<0.05	0.02	0.08	0.021	0.07	6.9	9.5	0.63	455	1.06
I032930		1.08	26.7	2.16	5.02	<0.05	0.02	0.05	0.022	0.05	5.5	6.6	0.45	246	1.07
I032931		1.16	31.4	2.50	7.17	0.06	0.06	0.03	0.028	0.08	11.0	15.0	0.93	282	0.49
I032932		1.16	28.3	2.60	7.01	<0.05	0.10	0.04	0.033	0.06	12.0	15.6	0.81	216	0.43
I032933		1.46	29.0	3.59	7.04	0.06	0.12	0.04	0.037	0.08	12.6	13.7	0.75	314	0.59
I032934		1.13	30.2	3.20	6.18	0.07	0.13	0.03	0.035	0.10	13.7	11.7	0.66	722	0.62
I032935		1.34	31.2	3.16	7.03	0.06	0.13	0.03	0.036	0.09	14.8	12.6	0.68	376	0.63
I032936		1.20	31.3	2.89	7.62	0.05	0.07	0.02	0.025	0.14	9.8	13.8	0.97	251	0.56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032897		1.42	20.3	1040	7.5	13.2	<0.001	0.08	0.32	2.8	0.6	0.5	34.2	<0.01	0.03
I032898		0.35	4.4	290	2.1	2.0	<0.001	0.02	0.20	0.9	0.4	0.2	8.6	<0.01	0.01
I032899		2.51	22.0	640	6.9	19.1	<0.001	0.01	0.26	5.6	0.4	0.7	25.4	<0.01	0.02
I032900		2.18	24.9	610	8.5	17.1	<0.001	0.01	0.33	4.5	0.4	0.5	21.8	<0.01	0.03
I032901		0.70	5.8	260	19.3	7.2	<0.001	0.02	0.25	1.3	0.3	0.5	12.0	<0.01	0.03
I032902		2.63	25.6	360	54.5	23.6	<0.001	0.02	0.50	3.9	0.5	1.4	23.6	<0.01	0.04
I032903		2.17	37.6	410	7.0	31.2	0.001	0.01	0.26	5.7	0.4	0.6	26.8	<0.01	0.03
I032904		2.31	26.6	360	10.2	12.0	0.001	0.02	0.54	6.1	0.7	0.7	20.2	0.01	0.03
I032905		2.16	31.6	410	9.8	21.9	0.001	0.02	0.35	5.2	0.5	0.5	25.4	<0.01	0.04
I032906		1.16	16.3	280	7.8	11.3	<0.001	0.02	0.26	2.8	0.4	0.5	19.1	<0.01	0.03
I032907		2.06	25.0	460	12.3	24.3	<0.001	0.01	0.25	5.5	0.4	0.6	29.1	<0.01	0.01
I032908		2.25	24.5	480	12.8	20.8	0.001	0.02	0.26	4.6	0.3	0.6	23.2	<0.01	0.03
I032909		2.79	28.4	290	9.9	17.0	<0.001	0.01	0.34	5.2	0.5	0.7	20.4	<0.01	0.04
I032910		1.25	31.0	580	7.2	10.3	<0.001	0.02	0.28	5.8	0.5	0.5	19.1	<0.01	0.02
I032911		3.19	35.5	510	12.2	35.9	<0.001	0.02	0.33	5.1	0.5	0.8	18.8	<0.01	0.03
I032912		1.53	13.2	320	6.0	15.0	<0.001	0.02	0.29	3.2	0.4	0.5	15.9	<0.01	0.05
I032913		1.21	58.7	720	5.2	44.3	<0.001	0.01	0.19	6.4	0.3	0.4	54.9	<0.01	0.03
I032914		1.07	149.0	1200	4.6	108.0	0.001	0.02	0.10	9.2	0.5	0.8	37.5	<0.01	0.03
I032915		1.60	32.6	710	7.2	19.7	0.001	0.01	0.20	5.7	0.4	0.5	33.6	<0.01	0.02
I032916		0.48	8.4	770	1.9	1.4	<0.001	0.20	0.40	1.2	1.2	<0.2	69.0	0.01	0.03
I032917		0.59	10.7	970	2.5	3.4	<0.001	0.20	0.73	1.4	1.2	0.2	61.4	0.01	0.04
I032918		2.11	19.0	200	9.3	14.3	<0.001	0.02	0.29	5.8	0.4	0.8	23.3	<0.01	0.04
I032919		1.15	16.5	840	5.6	16.4	<0.001	0.12	0.40	3.8	1.2	0.5	61.1	0.01	0.05
I032920		2.04	23.9	820	10.6	7.8	<0.001	0.06	0.63	4.4	0.8	0.5	21.6	0.02	0.04
I032921		1.49	16.2	500	31.6	11.6	<0.001	0.04	0.57	2.6	0.5	0.7	23.8	<0.01	0.04
I032922		1.42	28.1	540	28.3	9.4	<0.001	0.06	0.63	3.1	0.6	0.5	23.7	0.01	0.03
I032923		1.59	48.3	640	17.7	28.2	0.001	0.02	0.39	9.9	0.6	0.6	32.6	<0.01	0.04
I032924		1.95	38.6	1070	12.5	13.5	<0.001	0.04	0.41	7.1	0.6	0.6	30.8	<0.01	0.05
I032925		1.75	17.3	800	7.6	10.2	<0.001	0.09	0.32	3.0	0.8	0.6	39.8	0.01	0.04
I032926		1.18	27.7	630	9.5	8.9	<0.001	0.05	0.46	2.7	0.6	0.5	20.9	<0.01	0.05
I032927		1.01	17.3	710	5.7	11.1	<0.001	0.06	0.46	3.1	0.6	0.4	31.9	<0.01	0.03
I032928		1.64	27.5	620	5.5	11.9	<0.001	0.05	0.40	4.7	0.6	0.4	24.3	0.01	0.03
I032929		0.68	21.7	870	5.2	10.5	<0.001	0.10	0.48	2.3	0.6	0.4	31.0	<0.01	0.03
I032930		0.69	17.3	880	5.7	7.1	0.001	0.11	0.48	2.3	0.6	0.3	31.3	<0.01	0.04
I032931		1.84	24.3	650	8.3	12.2	<0.001	0.03	0.44	6.8	0.4	0.5	29.3	<0.01	0.01
I032932		1.73	24.3	440	23.0	7.5	<0.001	0.02	0.47	7.1	0.3	0.5	28.3	<0.01	0.03
I032933		1.59	21.1	470	12.0	11.8	<0.001	0.02	0.49	8.4	0.3	0.6	29.2	<0.01	0.02
I032934		1.53	23.1	590	7.5	11.9	<0.001	0.02	0.40	8.3	0.3	0.6	39.9	<0.01	0.03
I032935		1.37	19.0	560	7.1	12.7	<0.001	0.01	0.41	8.9	0.5	0.6	35.7	<0.01	0.03
I032936		1.96	24.8	600	5.8	14.9	<0.001	0.02	0.29	5.5	0.4	0.6	34.6	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032897		0.083	0.11	0.88	57	0.15	5.34	48
I032898		0.037	0.03	0.21	24	0.05	0.88	16
I032899		0.167	0.18	0.60	77	0.71	6.26	65
I032900		0.150	0.14	0.60	78	0.17	5.12	58
I032901		0.070	0.09	0.27	39	0.08	1.28	19
I032902		0.220	0.26	0.42	105	0.22	4.01	77
I032903		0.178	0.32	0.68	91	0.18	7.14	65
I032904		0.117	0.15	0.88	86	0.17	6.32	47
I032905		0.163	0.16	0.54	92	0.16	5.36	66
I032906		0.105	0.10	0.36	63	0.11	2.92	39
I032907		0.153	0.20	0.89	73	0.16	7.94	59
I032908		0.156	0.19	0.69	78	0.25	5.02	61
I032909		0.151	0.13	0.60	89	0.22	4.49	54
I032910		0.085	0.11	0.53	83	0.11	5.98	66
I032911		0.187	0.24	0.68	91	0.24	4.33	64
I032912		0.106	0.12	0.49	53	0.15	3.87	37
I032913		0.219	0.40	0.53	94	0.16	7.25	69
I032914		0.301	0.84	0.43	131	0.54	8.82	132
I032915		0.162	0.20	0.49	82	0.61	5.31	61
I032916		0.025	0.03	0.38	16	0.05	3.39	24
I032917		0.031	0.16	0.38	20	0.08	4.26	31
I032918		0.152	0.25	0.39	88	0.48	2.95	61
I032919		0.076	0.22	0.88	57	2.20	10.35	42
I032920		0.091	0.10	0.99	68	0.21	6.33	62
I032921		0.094	0.10	0.86	81	0.16	3.01	72
I032922		0.097	0.10	0.88	74	0.14	4.40	81
I032923		0.135	0.20	1.00	93	0.16	11.65	71
I032924		0.109	0.15	1.31	83	0.23	13.45	53
I032925		0.065	0.13	0.64	43	0.13	6.14	37
I032926		0.084	0.09	0.89	72	0.12	4.96	60
I032927		0.087	0.11	0.50	73	0.15	3.30	52
I032928		0.114	0.11	0.46	71	0.17	4.77	47
I032929		0.063	0.09	0.46	65	0.12	4.08	43
I032930		0.056	0.09	0.49	60	0.19	3.20	36
I032931		0.136	0.12	0.70	72	0.20	6.90	52
I032932		0.129	0.12	1.85	78	0.13	7.97	60
I032933		0.127	0.11	0.92	79	0.16	11.55	56
I032934		0.130	0.11	0.66	70	0.16	13.90	60
I032935		0.128	0.12	0.94	73	0.17	16.35	58
I032936		0.143	0.13	0.55	72	0.18	5.92	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032937		0.44	<0.005	0.07	2.70	6.6	<0.2	<10	230	0.49	0.20	0.48	0.15	30.0	15.4	45
I032938		0.46	<0.005	0.12	2.65	6.0	<0.2	<10	240	0.62	0.31	0.38	0.15	29.9	16.3	54
I032939		0.52	<0.005	0.08	2.91	9.9	<0.2	<10	230	0.58	0.28	0.72	0.24	28.3	11.1	57
I032940		0.42	<0.005	0.07	2.52	6.9	<0.2	<10	210	0.47	0.19	0.66	0.16	22.7	13.4	53
I032941		0.40	<0.005	0.12	1.99	4.9	<0.2	<10	180	0.46	0.28	0.64	0.19	19.70	11.7	39
I032942		0.54	<0.005	0.11	3.48	13.9	<0.2	<10	260	0.79	0.29	0.77	0.23	32.3	18.3	68
I032943		0.42	<0.005	0.08	2.94	6.5	<0.2	<10	200	0.68	0.31	0.68	0.16	29.0	15.2	57
I032944		0.28	<0.005	0.11	1.05	8.1	<0.2	<10	120	0.41	0.12	2.63	0.52	22.2	6.8	19
I032945		0.38	<0.005	0.08	1.78	4.7	<0.2	<10	110	0.47	0.17	1.18	0.30	26.2	12.2	31
I032946		0.42	<0.005	0.03	2.33	3.0	<0.2	<10	160	0.57	0.20	1.22	0.17	30.5	14.4	44
I032947		0.42	<0.005	0.19	2.59	11.7	<0.2	<10	120	0.60	0.37	0.20	0.47	25.1	12.9	47
I032948		0.34	<0.005	0.18	2.62	11.0	<0.2	<10	110	0.62	0.35	0.19	0.41	24.9	12.8	45
I032949		0.44	<0.005	0.17	1.69	9.5	<0.2	<10	130	0.32	0.20	0.30	0.29	22.0	7.4	43
I032950		0.36	<0.005	0.14	2.37	5.3	<0.2	<10	190	0.46	0.23	0.46	0.12	32.9	10.7	39
I032951		0.38	0.008	0.28	1.83	36.4	<0.2	<10	300	0.57	0.20	1.44	0.58	42.5	12.5	57
I032952		0.48	<0.005	0.12	1.92	5.3	<0.2	<10	130	0.41	0.19	0.57	0.30	26.4	12.2	41
I032953		0.48	<0.005	0.53	1.94	6.8	<0.2	<10	280	0.58	0.22	1.04	0.89	34.8	13.7	53
I032954		0.42	<0.005	0.52	1.64	16.4	<0.2	<10	310	0.44	0.16	1.88	0.42	35.1	12.4	44
I032955		0.46	<0.005	0.17	1.81	15.5	<0.2	<10	260	0.26	0.18	0.31	0.16	18.05	8.9	36
I032956		0.52	<0.005	0.09	1.59	12.7	<0.2	<10	170	0.20	0.15	0.30	0.16	16.55	6.5	31
I032957		0.44	<0.005	0.10	1.61	19.2	<0.2	<10	150	0.23	0.16	0.25	0.14	17.75	9.7	33
I032958		0.34	<0.005	0.12	1.24	9.0	<0.2	<10	120	0.20	0.13	0.24	0.15	16.65	6.2	28
I032959		0.42	<0.005	0.13	1.36	23.4	<0.2	<10	140	0.18	0.15	0.25	0.16	21.1	4.8	32
I032960		0.36	<0.005	0.17	1.48	10.4	<0.2	<10	140	0.19	0.14	0.26	0.20	21.5	6.0	34
I032961		0.40	0.007	0.19	1.59	14.9	<0.2	<10	130	0.25	0.18	0.25	0.17	22.2	6.6	36
I032962		0.44	0.007	0.24	1.93	17.0	<0.2	<10	200	0.33	0.19	0.31	0.24	28.1	11.2	48
I032963		0.26	<0.005	0.22	2.21	12.0	<0.2	<10	250	0.35	0.15	0.42	0.19	32.1	13.3	62
I032964		0.30	<0.005	0.24	2.63	6.9	<0.2	<10	270	0.47	0.23	0.35	0.16	36.1	13.6	64
I032965		0.44	<0.005	0.15	2.09	8.4	<0.2	<10	220	0.29	0.21	0.19	0.48	18.40	12.7	54
I032966		0.38	<0.005	0.13	2.59	5.6	<0.2	<10	240	0.43	0.18	0.44	0.19	28.9	12.4	54
I032967		0.36	<0.005	0.60	1.83	4.0	<0.2	<10	180	0.47	0.18	0.26	0.73	30.2	9.2	40
I032968		0.34	<0.005	0.39	2.62	9.1	<0.2	<10	280	0.52	0.25	0.32	0.55	42.4	11.9	50
I032969		0.42	<0.005	0.31	2.23	13.1	<0.2	<10	290	0.49	0.24	0.26	0.81	44.1	14.5	111
I032970		0.32	<0.005	0.53	2.09	16.4	<0.2	<10	340	0.77	0.27	0.40	1.85	29.8	12.9	57
I032971		0.32	<0.005	1.43	2.33	18.6	<0.2	<10	500	0.54	0.19	0.79	1.76	31.1	16.2	42
I032972		0.32	<0.005	0.38	2.52	16.3	<0.2	<10	600	0.50	0.30	0.67	0.37	27.9	13.1	73
I032973		0.40	0.006	0.34	2.51	17.7	<0.2	<10	590	0.51	0.30	0.67	0.35	30.8	14.1	74
I032974		0.32	<0.005	0.18	1.80	11.4	<0.2	<10	290	0.38	0.15	1.45	0.37	51.9	18.5	41
I032975		0.32	0.005	0.10	1.57	4.5	<0.2	<10	100	0.21	0.16	0.38	0.12	16.75	6.9	33
I032976		0.34	<0.005	0.09	2.38	4.3	<0.2	<10	210	0.37	0.17	0.49	0.18	25.7	14.0	54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032937		1.31	33.2	3.50	8.08	0.07	0.10	0.03	0.037	0.13	13.5	13.6	0.92	354	0.51
I032938		1.89	37.1	3.62	7.87	0.07	0.07	0.02	0.036	0.16	13.3	14.9	0.94	474	0.86
I032939		3.17	26.5	3.24	8.83	0.06	0.05	0.04	0.033	0.11	14.5	17.5	0.92	380	0.69
I032940		2.14	23.0	3.33	8.61	0.05	0.05	0.02	0.032	0.10	10.9	18.3	0.82	393	0.84
I032941		1.95	22.8	2.57	7.35	0.05	0.04	0.02	0.024	0.08	9.3	13.4	0.62	376	0.85
I032942		3.73	36.7	4.38	10.50	0.08	0.06	0.04	0.043	0.27	15.2	26.3	1.15	399	0.81
I032943		3.24	28.0	3.81	9.59	0.08	0.05	0.03	0.037	0.30	13.2	23.3	0.96	460	0.86
I032944		0.98	34.1	1.30	2.93	0.05	0.06	0.07	0.017	0.06	11.2	5.9	0.27	549	0.89
I032945		2.74	18.4	2.49	5.82	0.07	0.07	0.03	0.025	0.20	13.1	12.1	0.57	351	0.42
I032946		2.87	25.1	3.57	8.46	0.09	0.05	0.02	0.036	0.35	13.8	21.7	0.80	395	0.61
I032947		2.50	32.8	4.94	9.17	0.06	0.07	0.03	0.047	0.06	9.7	24.1	0.60	362	2.64
I032948		2.31	32.6	4.69	8.92	<0.05	0.06	0.03	0.041	0.06	9.6	21.5	0.58	332	2.63
I032949		1.79	25.9	3.22	8.44	0.05	0.03	0.02	0.032	0.08	11.4	11.6	0.57	223	1.73
I032950		1.45	26.6	2.97	7.21	0.05	0.07	0.04	0.032	0.07	16.8	15.6	0.71	262	0.87
I032951		2.44	43.9	2.74	6.15	0.07	0.05	0.05	0.026	0.24	28.8	11.1	0.84	684	1.44
I032952		1.32	19.4	3.04	7.13	<0.05	0.06	0.02	0.022	0.12	11.0	13.6	0.90	615	1.68
I032953		4.27	43.8	3.20	9.51	0.14	0.04	0.04	0.030	0.26	25.4	10.7	0.77	478	2.18
I032954		3.08	33.6	2.41	6.67	0.16	0.05	0.07	0.027	0.22	22.1	12.1	0.60	568	2.81
I032955		1.37	19.5	2.65	6.54	0.05	0.03	0.06	0.027	0.07	9.6	12.0	0.56	247	1.20
I032956		1.43	14.1	2.11	6.20	0.07	0.02	0.06	0.022	0.06	8.9	10.2	0.48	154	0.78
I032957		1.45	17.9	2.62	6.99	0.08	0.02	0.04	0.019	0.07	9.6	10.1	0.52	347	1.77
I032958		1.34	19.4	1.90	6.09	0.07	<0.02	0.05	0.016	0.05	9.4	6.9	0.38	171	1.20
I032959		1.93	18.2	1.95	6.49	0.09	0.02	0.05	0.019	0.09	11.4	6.8	0.41	126	0.90
I032960		2.02	21.4	2.01	6.46	0.09	0.02	0.05	0.019	0.09	11.8	8.1	0.45	162	0.91
I032961		2.24	21.3	2.04	7.87	0.09	0.02	0.06	0.018	0.08	12.3	9.7	0.51	150	0.93
I032962		2.90	27.3	2.93	9.17	0.13	0.03	0.04	0.026	0.15	17.1	13.5	0.70	270	1.62
I032963		3.27	28.4	3.31	9.54	0.13	0.04	0.02	0.030	0.15	19.4	14.5	0.84	338	1.44
I032964		3.42	34.0	3.49	10.10	0.13	0.04	0.04	0.033	0.21	21.9	15.6	0.85	306	1.44
I032965		2.45	30.1	3.29	10.30	0.10	0.02	0.02	0.028	0.25	9.7	11.4	0.65	455	2.08
I032966		3.12	33.3	3.43	10.15	0.14	0.06	0.02	0.035	0.29	16.9	17.1	0.87	316	1.48
I032967		1.59	52.4	2.36	8.35	0.12	0.03	0.03	0.038	0.11	18.4	9.8	0.53	192	1.61
I032968		2.42	36.2	3.31	10.60	0.14	0.05	0.03	0.036	0.17	26.5	13.2	0.72	364	2.01
I032969		2.56	39.9	3.34	9.36	0.15	0.04	0.02	0.039	0.14	31.8	13.8	0.81	497	2.20
I032970		3.89	52.7	3.12	9.16	0.14	0.04	0.05	0.038	0.15	18.2	12.4	0.68	437	3.01
I032971		3.80	72.2	2.80	8.31	0.16	0.06	0.13	0.032	0.16	17.3	30.6	0.59	701	3.34
I032972		4.92	44.8	3.40	9.99	0.16	0.05	0.04	0.034	0.47	17.2	17.9	0.94	443	1.41
I032973		4.98	45.7	3.46	9.61	0.18	0.05	0.06	0.035	0.48	19.6	16.5	0.97	503	1.61
I032974		2.20	28.3	3.02	6.73	0.13	0.05	0.07	0.029	0.17	31.2	11.1	0.63	2240	1.09
I032975		1.65	12.7	2.06	6.39	0.07	<0.02	0.03	0.019	0.05	8.6	10.2	0.52	181	0.58
I032976		2.28	22.6	3.16	10.20	0.12	0.02	0.02	0.028	0.29	13.5	15.1	0.80	367	1.24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032937		1.89	23.2	530	7.3	18.2	<0.001	0.02	0.38	7.6	0.5	0.7	30.9	<0.01	0.03
I032938		2.02	32.6	700	12.2	20.8	<0.001	0.02	0.35	6.2	0.6	0.6	27.8	<0.01	0.08
I032939		2.44	41.5	550	22.9	17.0	0.001	0.05	0.45	5.5	0.6	0.7	37.9	<0.01	0.04
I032940		2.39	35.0	690	9.9	15.3	<0.001	0.04	0.27	4.7	0.5	0.6	44.5	<0.01	0.04
I032941		2.01	25.2	770	10.7	13.8	<0.001	0.05	0.32	3.5	0.6	0.5	43.0	<0.01	0.04
I032942		3.85	44.4	710	11.7	45.1	<0.001	0.03	0.35	7.3	0.6	0.9	45.4	<0.01	0.04
I032943		3.25	36.6	580	11.4	40.4	<0.001	0.04	0.31	6.1	0.5	1.0	45.8	<0.01	0.04
I032944		1.02	17.2	1080	6.5	9.8	0.001	0.17	0.63	1.8	1.3	0.3	110.0	0.01	0.05
I032945		2.36	21.0	680	14.9	31.3	<0.001	0.06	0.36	4.2	0.8	0.5	63.2	<0.01	0.02
I032946		4.08	30.4	680	6.6	42.3	<0.001	0.07	0.22	6.4	0.7	0.8	59.8	0.01	0.03
I032947		2.53	31.5	440	25.4	13.3	<0.001	0.02	0.59	5.0	0.7	0.9	21.4	0.01	0.07
I032948		2.43	30.8	430	24.1	12.0	<0.001	0.02	0.57	4.8	0.8	0.9	20.7	0.01	0.06
I032949		1.84	25.3	390	14.1	13.5	<0.001	0.03	0.48	4.1	0.5	0.7	25.9	<0.01	0.04
I032950		2.02	23.8	660	12.7	13.5	<0.001	0.02	0.31	5.3	0.4	0.6	33.8	<0.01	0.02
I032951		1.51	43.4	790	6.8	33.0	0.001	0.08	2.24	5.3	1.1	0.7	68.6	0.01	0.05
I032952		2.16	24.8	260	10.0	22.4	<0.001	0.02	0.46	3.3	0.4	0.8	39.3	<0.01	0.03
I032953		2.12	37.3	520	9.3	36.5	<0.001	0.05	0.95	5.9	1.1	0.9	50.3	0.01	0.04
I032954		1.73	30.8	680	10.1	26.3	0.004	0.13	1.34	5.1	3.1	1.0	79.2	0.01	0.05
I032955		1.43	22.2	550	10.3	12.0	0.001	0.05	2.08	4.2	0.8	0.6	23.3	<0.01	0.03
I032956		1.41	19.1	560	7.7	12.9	<0.001	0.03	1.68	3.5	0.7	0.6	21.3	<0.01	0.03
I032957		1.42	19.9	540	6.7	13.0	<0.001	0.04	1.70	3.4	0.6	0.6	19.7	<0.01	0.05
I032958		1.00	15.7	520	5.6	10.6	<0.001	0.05	0.94	2.2	0.5	0.7	19.6	<0.01	0.04
I032959		1.35	17.6	610	7.1	14.6	<0.001	0.06	4.77	2.8	1.0	0.6	19.5	<0.01	0.04
I032960		1.32	19.9	630	7.5	18.5	<0.001	0.06	0.67	2.9	0.9	0.7	19.3	<0.01	0.04
I032961		1.43	21.5	510	10.8	18.6	<0.001	0.05	0.53	3.5	0.7	0.7	20.2	<0.01	0.04
I032962		2.02	30.3	600	11.0	28.3	<0.001	0.04	0.73	5.4	0.7	0.8	23.9	<0.01	0.05
I032963		2.37	43.6	460	6.7	26.2	<0.001	0.03	0.55	7.1	0.7	1.0	29.8	<0.01	0.05
I032964		2.66	43.8	570	6.6	31.8	0.001	0.02	0.34	7.3	0.7	0.9	25.8	<0.01	0.05
I032965		2.43	35.6	590	7.6	33.9	<0.001	0.03	0.42	4.9	0.6	0.9	16.9	<0.01	0.05
I032966		2.93	36.1	720	7.6	40.3	0.001	0.01	0.36	6.6	0.6	0.9	30.1	<0.01	0.05
I032967		2.05	32.8	430	12.6	18.1	<0.001	0.03	0.28	4.6	0.7	0.7	24.2	<0.01	0.04
I032968		2.85	32.9	490	11.5	29.9	0.001	0.03	0.38	5.7	0.9	1.1	30.2	<0.01	0.06
I032969		2.04	34.8	430	10.2	22.9	0.001	0.03	0.76	5.8	0.8	1.3	25.6	0.01	0.05
I032970		1.90	37.2	590	13.4	27.7	<0.001	0.05	0.89	5.8	1.1	1.3	31.7	<0.01	0.05
I032971		2.05	50.4	940	9.8	28.3	0.004	0.10	1.82	6.0	7.1	0.7	45.8	0.01	0.05
I032972		2.65	34.1	590	7.3	47.3	0.001	0.05	0.94	9.7	1.4	0.8	46.2	0.01	0.05
I032973		2.53	34.4	660	7.3	51.8	0.001	0.05	1.05	10.3	1.5	1.0	43.6	0.01	0.06
I032974		1.92	31.8	670	8.0	27.8	0.001	0.10	1.72	4.5	1.6	0.6	62.1	0.01	0.03
I032975		1.58	19.6	660	6.9	13.1	<0.001	0.06	0.19	2.7	0.9	0.6	26.3	<0.01	0.02
I032976		3.74	31.4	580	9.0	32.3	0.001	0.06	0.32	5.5	0.9	1.0	34.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032937		0.158	0.17	0.86	87	0.16	9.24	49
I032938		0.147	0.22	0.89	83	0.20	7.00	71
I032939		0.119	0.24	0.75	71	0.22	8.28	104
I032940		0.129	0.20	0.65	73	0.17	4.92	71
I032941		0.102	0.18	0.75	62	0.19	4.42	57
I032942		0.169	0.39	1.18	103	0.32	7.34	90
I032943		0.166	0.32	0.98	80	0.23	6.44	84
I032944		0.042	0.13	0.74	28	0.08	8.55	54
I032945		0.092	0.29	0.86	40	0.14	7.31	69
I032946		0.122	0.29	0.93	57	0.11	5.53	88
I032947		0.114	0.20	0.86	102	0.20	4.50	97
I032948		0.107	0.19	0.88	98	0.19	4.43	94
I032949		0.124	0.13	0.63	96	0.16	5.12	61
I032950		0.127	0.17	1.64	66	0.18	6.87	60
I032951		0.081	0.25	1.85	66	0.15	16.40	82
I032952		0.121	0.13	1.04	62	0.25	4.32	53
I032953		0.121	0.35	1.43	83	0.14	12.75	77
I032954		0.080	0.28	2.39	68	0.12	15.70	67
I032955		0.101	0.15	0.83	71	0.17	5.20	72
I032956		0.095	0.15	0.66	46	0.14	4.47	55
I032957		0.104	0.16	0.65	70	0.16	4.13	57
I032958		0.073	0.14	0.80	47	0.17	3.72	43
I032959		0.083	0.17	0.86	39	0.11	4.38	44
I032960		0.090	0.19	0.96	43	0.12	5.00	51
I032961		0.094	0.18	0.95	45	0.21	4.68	54
I032962		0.136	0.25	1.10	79	0.19	6.54	77
I032963		0.151	0.25	0.89	98	0.25	7.26	85
I032964		0.158	0.25	1.08	96	0.25	8.23	80
I032965		0.144	0.22	0.67	105	0.21	4.06	70
I032966		0.175	0.29	0.89	88	0.22	8.13	76
I032967		0.118	0.14	1.55	61	0.17	7.24	58
I032968		0.148	0.20	1.43	83	0.18	10.70	85
I032969		0.120	0.20	1.20	91	0.15	11.40	81
I032970		0.104	0.28	1.57	95	0.20	11.35	138
I032971		0.089	0.38	2.60	92	0.19	18.50	144
I032972		0.144	0.31	2.09	91	0.16	15.40	78
I032973		0.148	0.35	2.19	94	0.18	17.65	80
I032974		0.076	0.23	1.23	58	0.11	15.75	69
I032975		0.090	0.13	0.77	41	0.25	3.83	56
I032976		0.154	0.22	0.94	84	0.26	5.99	90



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I032977		0.32	<0.005	0.12	1.56	5.1	<0.2	<10	120	0.23	0.21	0.42	0.15	15.80	9.2	36
I032978		0.30	<0.005	0.12	1.91	6.7	<0.2	<10	150	0.34	0.18	0.69	0.24	25.2	15.2	38
I032979		0.42	0.005	0.07	2.01	5.1	<0.2	<10	140	0.36	0.17	0.37	0.17	19.15	10.0	38
I032981		0.34	<0.005	0.09	2.35	10.1	<0.2	<10	180	0.38	0.27	0.46	0.19	24.4	13.7	45
I032982		0.24	<0.005	0.15	2.34	7.8	<0.2	<10	220	0.46	0.26	0.62	0.29	33.4	13.4	54
I032983		0.38	<0.005	0.14	1.49	4.0	<0.2	<10	110	0.30	0.20	0.39	0.31	14.00	9.0	37
I032984		0.40	<0.005	0.09	1.88	4.4	<0.2	<10	130	0.34	0.14	2.15	0.24	21.5	11.6	39
I032985		0.38	<0.005	0.12	1.91	7.6	<0.2	<10	150	0.38	0.24	1.61	0.23	31.1	14.0	39
I032986		0.34	0.007	0.12	2.09	11.3	<0.2	<10	150	0.32	0.24	0.22	0.31	32.5	11.4	55
I032987		0.32	<0.005	0.05	2.48	5.6	<0.2	<10	250	0.34	0.09	0.47	0.22	24.7	19.5	18
I032988		0.28	<0.005	0.28	1.30	11.1	<0.2	<10	90	0.16	0.21	0.11	0.57	13.00	4.6	27
I032989		0.36	<0.005	0.36	2.05	29.9	<0.2	<10	380	0.25	0.29	0.12	0.66	19.15	6.7	39
I032990		0.38	<0.005	0.41	1.40	9.7	<0.2	<10	130	0.25	0.30	0.10	0.53	17.90	5.1	24
I032991		0.34	<0.005	0.26	1.05	9.8	<0.2	<10	90	0.10	0.24	0.07	0.27	17.75	3.1	25
I032992		0.36	<0.005	0.13	2.43	21.9	<0.2	<10	200	0.52	0.17	0.15	1.08	33.6	19.4	40
I032993		0.44	<0.005	0.09	2.10	29.1	<0.2	<10	240	0.29	0.19	0.15	0.17	19.10	12.7	33
I032994		0.42	<0.005	0.15	2.03	66.1	<0.2	<10	170	0.53	0.28	0.15	0.28	44.2	21.8	42
I032995		0.40	<0.005	0.12	2.28	22.7	<0.2	<10	180	0.44	0.18	0.21	0.16	26.0	13.6	52
I032996		0.44	<0.005	0.04	2.55	27.2	<0.2	<10	190	0.55	0.20	0.20	0.10	32.1	14.0	53
I032997		0.30	<0.005	0.10	2.50	13.0	<0.2	<10	270	0.42	0.12	0.28	0.26	22.0	18.5	47
I032998		0.54	<0.005	0.04	1.63	33.3	<0.2	<10	90	0.20	0.19	0.07	0.10	16.50	8.7	81
I032999		0.36	<0.005	0.17	1.43	429	<0.2	<10	210	0.42	0.33	0.20	0.32	36.0	11.8	51
I033000		0.40	<0.005	0.13	2.35	92.8	<0.2	<10	200	0.49	0.17	0.18	0.11	31.1	15.0	54



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032977		1.90	15.1	2.18	7.02	0.07	<0.02	0.04	0.019	0.06	8.3	10.1	0.51	257	1.18
I032978		1.70	20.7	2.66	7.13	0.10	0.03	0.04	0.024	0.08	13.0	12.0	0.58	759	1.19
I032979		1.16	17.9	2.57	7.28	0.08	0.03	0.03	0.024	0.06	9.7	13.8	0.60	220	0.69
I032981		1.91	22.2	3.14	8.28	0.12	0.05	0.02	0.027	0.14	12.6	14.3	0.75	410	0.97
I032982		1.61	31.5	3.16	9.14	0.12	0.04	0.08	0.032	0.06	17.3	15.5	0.76	282	1.04
I032983		1.35	22.6	2.71	8.06	0.08	0.02	0.02	0.021	0.08	7.4	10.1	0.46	200	1.06
I032984		2.07	26.5	2.41	6.30	0.11	0.03	0.03	0.018	0.17	11.5	13.3	0.68	452	0.56
I032985		1.78	27.9	2.77	6.54	0.12	0.07	0.04	0.024	0.15	15.5	11.6	0.70	372	0.87
I032986		2.70	34.3	3.83	8.35	0.12	0.04	0.02	0.030	0.20	17.1	15.5	0.79	326	1.83
I032987		2.11	20.1	4.44	11.20	0.15	0.02	0.01	0.032	0.58	12.9	32.2	1.45	313	1.55
I032988		0.70	15.9	3.31	9.45	0.08	<0.02	0.06	0.023	0.03	7.1	6.3	0.28	143	2.16
I032989		1.07	26.2	5.53	14.45	0.13	0.04	0.03	0.043	0.08	11.2	10.7	0.31	195	4.91
I032990		1.12	15.5	3.14	10.35	0.08	0.03	0.01	0.023	0.04	9.1	8.9	0.19	233	1.97
I032991		0.76	16.5	2.96	9.66	0.08	0.02	0.01	0.018	0.07	9.5	4.3	0.33	139	2.25
I032992		1.88	57.8	3.89	7.98	0.13	0.03	0.02	0.038	0.12	17.1	19.2	0.81	622	1.67
I032993		1.08	30.0	3.19	8.57	0.09	0.03	0.02	0.029	0.09	9.5	12.0	0.54	389	1.37
I032994		1.25	91.4	5.90	8.39	0.17	0.02	0.03	0.042	0.16	22.9	14.1	0.69	658	3.67
I032995		1.49	29.2	3.97	7.49	0.10	0.02	0.03	0.033	0.07	12.1	16.5	0.70	363	1.28
I032996		3.38	32.1	4.35	8.83	0.13	0.03	0.01	0.029	0.33	16.5	18.1	0.81	264	1.39
I032997		1.64	41.4	3.99	8.90	0.12	0.04	0.02	0.029	0.41	11.7	16.0	0.94	344	1.01
I032998		1.41	30.6	3.57	11.95	0.09	0.04	0.01	0.025	0.07	8.0	9.6	0.50	173	1.32
I032999		3.16	38.1	3.40	7.30	0.12	<0.02	0.02	0.035	0.23	18.8	10.9	0.59	441	2.04
I033000		1.86	39.5	3.80	8.19	0.12	0.03	0.03	0.033	0.14	15.1	16.9	0.74	367	1.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I032977		1.78	19.5	680	10.2	14.0	<0.001	0.07	0.28	3.0	1.1	0.7	28.2	<0.01	0.02	0.6
I032978		2.18	24.3	760	7.9	20.1	<0.001	0.08	0.44	3.9	1.2	0.6	43.2	<0.01	0.03	1.2
I032979		2.12	22.3	600	7.4	13.4	<0.001	0.03	0.34	4.1	0.8	0.7	25.5	<0.01	0.02	1.6
I032981		2.61	26.9	700	9.1	24.1	<0.001	0.03	0.36	5.1	0.7	0.8	34.0	<0.01	0.03	3.3
I032982		2.97	33.1	710	8.9	11.2	0.001	0.05	1.01	5.6	1.3	0.9	41.0	0.01	0.04	2.3
I032983		1.97	20.1	250	8.0	13.1	<0.001	0.03	0.31	3.4	0.7	0.7	39.7	<0.01	0.03	1.6
I032984		2.42	29.0	710	6.8	38.6	0.001	0.09	0.27	3.2	1.4	0.6	68.9	0.01	0.03	1.3
I032985		2.51	27.0	810	8.2	25.5	0.001	0.11	0.32	4.6	1.5	0.6	60.1	0.01	0.03	2.2
I032986		2.74	34.6	470	7.8	29.9	<0.001	0.07	0.44	4.0	1.0	0.6	21.3	<0.01	0.05	3.5
I032987		3.41	34.1	1740	5.2	25.1	<0.001	0.05	0.24	3.3	0.8	0.5	23.4	<0.01	0.03	1.2
I032988		1.79	11.3	380	9.3	4.7	<0.001	0.04	0.59	2.2	1.0	0.7	12.9	<0.01	0.04	0.4
I032989		3.09	18.3	940	12.2	9.2	0.001	0.09	1.03	3.6	2.0	1.0	21.9	<0.01	0.07	1.8
I032990		2.16	8.3	510	14.9	11.7	<0.001	0.02	0.39	2.5	0.6	1.0	10.9	<0.01	0.04	1.7
I032991		2.13	9.4	330	9.6	7.6	<0.001	0.10	0.67	2.2	1.1	0.7	13.3	<0.01	0.05	1.4
I032992		1.61	64.9	480	8.5	15.0	<0.001	0.05	1.02	4.8	1.1	0.5	19.8	<0.01	0.07	3.2
I032993		1.99	23.1	290	8.3	13.0	<0.001	0.04	0.58	3.7	0.7	0.7	17.1	<0.01	0.05	1.8
I032994		1.52	88.9	730	10.9	16.4	0.001	0.12	1.75	4.6	1.6	0.5	24.5	0.01	0.11	4.5
I032995		1.91	36.0	380	9.1	11.4	<0.001	0.02	0.85	4.4	0.8	0.6	18.5	<0.01	0.04	2.5
I032996		3.02	39.0	410	10.6	45.6	<0.001	0.02	0.67	4.4	0.8	0.6	15.2	<0.01	0.05	4.2
I032997		4.43	38.5	710	7.0	21.8	0.001	0.03	0.35	5.0	0.8	0.7	22.1	<0.01	0.03	1.9
I032998		4.42	25.6	370	7.9	9.7	<0.001	0.02	0.74	3.7	0.5	0.9	6.9	<0.01	0.04	1.8
I032999		1.80	35.7	500	18.1	19.8	<0.001	0.03	4.19	4.7	0.9	0.6	27.8	<0.01	0.04	1.6
I033000		2.18	35.1	350	8.1	13.7	<0.001	0.02	1.10	6.0	0.8	0.6	17.6	<0.01	0.04	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105244

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032977		0.095	0.16	0.77	57	0.17	3.63	87	1.0
I032978		0.107	0.19	0.93	65	0.23	6.65	76	1.7
I032979		0.125	0.13	0.71	66	0.43	4.88	61	1.7
I032981		0.146	0.20	0.80	74	0.26	6.34	75	3.0
I032982		0.140	0.24	1.39	82	0.22	9.32	86	2.2
I032983		0.127	0.14	0.50	65	0.19	3.69	42	1.5
I032984		0.104	0.20	1.05	53	0.24	6.91	69	1.9
I032985		0.106	0.17	1.48	64	0.45	9.97	69	3.2
I032986		0.150	0.23	0.89	90	0.18	5.87	92	2.2
I032987		0.235	0.12	0.46	90	0.14	4.57	77	1.1
I032988		0.118	0.11	0.60	93	0.17	2.37	36	1.4
I032989		0.158	0.17	0.83	149	0.31	3.74	65	2.7
I032990		0.108	0.12	0.51	99	0.12	2.32	63	2.2
I032991		0.140	0.13	0.74	102	0.10	2.42	45	1.7
I032992		0.112	0.12	1.00	79	0.12	5.92	237	1.6
I032993		0.131	0.13	0.47	80	0.11	2.89	57	2.2
I032994		0.103	0.13	2.01	94	0.14	9.10	216	1.1
I032995		0.112	0.13	0.65	86	0.14	4.13	80	1.4
I032996		0.153	0.29	0.79	94	0.13	5.50	84	2.0
I032997		0.188	0.10	0.67	79	0.12	5.41	66	2.3
I032998		0.199	0.09	0.35	110	0.12	2.17	38	2.4
I032999		0.089	0.13	0.97	77	0.19	6.10	114	0.7
I033000		0.123	0.12	0.84	79	0.13	6.18	64	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105244

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: **23-AUG-2010**
Account: **EIASQI**

CERTIFICATE WH10105243

Project: SQI10-06
P.O. No.: SQI10-06_15
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033051		0.40	<0.005	0.25	2.42	9.1	<0.2	<10	180	0.66	1.01	0.32	0.31	26.3	12.5	44
I033052		0.42	<0.005	0.10	2.82	9.6	<0.2	<10	120	0.52	0.20	0.32	0.37	17.40	14.6	54
I033053		0.42	<0.005	0.09	2.18	5.6	<0.2	<10	190	0.33	0.14	0.37	0.12	21.3	11.6	48
I033054		0.52	<0.005	0.15	2.58	6.2	<0.2	<10	230	0.52	0.24	0.40	0.11	39.0	13.6	57
I033055		0.42	<0.005	0.08	2.07	54.1	<0.2	<10	120	0.30	0.26	0.10	0.18	25.3	10.9	32
I033056		0.40	<0.005	0.14	1.89	394	<0.2	<10	110	0.30	0.28	0.11	0.34	20.9	12.3	36
I033057		0.40	0.007	0.05	2.11	442	<0.2	<10	160	0.41	0.21	0.18	0.26	25.9	13.8	38
I033058		0.34	<0.005	0.10	2.09	69.9	<0.2	<10	250	0.35	0.29	0.18	0.40	27.8	13.5	56
I033059		0.34	<0.005	0.09	2.01	65.4	<0.2	<10	230	0.31	0.27	0.18	0.40	29.2	13.0	50
I033060		0.54	<0.005	0.06	1.98	23.9	<0.2	<10	150	0.29	0.21	0.18	0.50	20.9	10.3	36
I033061		0.44	<0.005	0.12	2.62	27.7	<0.2	<10	140	0.24	0.22	0.14	0.43	22.7	9.8	49
I033062		0.44	<0.005	0.13	1.91	80.3	<0.2	<10	410	0.30	0.24	0.18	0.69	33.5	12.3	46
I033063		0.32	0.045	0.27	1.90	827	<0.2	<10	340	0.48	0.24	0.29	0.53	36.1	14.8	54
I033064		0.26	<0.005	0.83	0.88	310	<0.2	<10	200	0.43	0.14	0.31	0.35	23.8	7.6	23
I033065		0.40	0.047	0.42	1.22	1320	<0.2	<10	250	0.34	0.22	0.15	0.49	30.5	16.8	30
I033066		0.24	0.006	0.54	1.93	161.5	<0.2	<10	200	0.41	0.25	0.24	0.52	26.6	14.2	38
I033067		0.36	<0.005	0.27	2.42	129.5	<0.2	<10	130	0.38	0.24	0.13	0.28	23.7	15.8	55
I033068		0.26	<0.005	0.10	1.40	39.9	<0.2	<10	120	0.17	0.13	0.21	0.17	22.4	7.4	36
I033069		0.32	0.009	0.08	1.67	43.1	<0.2	<10	110	0.15	0.14	0.23	0.10	16.95	9.2	31
I033070		0.42	0.006	0.09	2.06	45.0	<0.2	<10	120	0.18	0.24	0.16	0.14	15.75	10.0	42
I033071		0.30	<0.005	0.10	1.94	49.4	<0.2	<10	340	0.24	0.14	0.29	0.20	19.90	12.1	47
I033072		0.32	0.009	0.27	1.44	53.4	<0.2	<10	240	0.20	0.17	0.23	0.26	19.50	7.7	32
I033073		0.32	0.006	0.28	2.21	82.2	<0.2	<10	240	0.48	0.20	0.26	0.60	31.7	23.5	44
I033074		0.34	<0.005	0.30	1.13	36.9	<0.2	<10	200	0.25	0.17	0.17	0.36	18.70	9.0	26
I033075		0.20	<0.005	0.21	1.88	88.2	<0.2	<10	150	0.24	0.21	0.15	0.21	25.2	10.8	47
I033076		0.30	<0.005	0.20	1.67	83.5	<0.2	<10	140	0.22	0.20	0.15	0.22	22.3	10.0	43
I033077		0.44	<0.005	0.09	2.48	18.5	<0.2	<10	190	0.40	0.15	0.34	0.15	31.8	16.9	45
I033078		0.30	<0.005	0.18	1.43	14.3	<0.2	<10	120	0.19	0.17	0.16	0.15	20.4	7.8	27
I033079		0.42	<0.005	0.14	2.65	20.2	<0.2	<10	230	0.35	0.17	0.33	0.17	32.8	22.6	51
I033080		0.44	<0.005	0.42	2.40	103.0	<0.2	<10	360	0.40	0.12	0.40	0.14	33.1	16.1	47
I033081		0.36	<0.005	0.36	2.31	52.1	<0.2	<10	340	0.31	0.14	0.37	0.16	27.6	17.2	78
I033082		0.30	<0.005	0.19	2.01	37.2	<0.2	<10	200	0.23	0.18	0.23	0.24	22.3	10.6	71
I033083		0.36	<0.005	0.12	2.70	41.0	<0.2	<10	360	0.38	0.12	0.41	0.26	32.5	18.1	70
I033084		0.32	0.008	0.35	1.95	26.6	<0.2	<10	270	0.33	0.17	0.26	0.42	30.2	9.1	43
I033085		0.24	<0.005	0.16	1.41	22.7	<0.2	<10	120	0.17	0.19	0.18	0.18	18.20	7.7	31
I033086		0.34	<0.005	0.12	1.70	71.3	<0.2	<10	90	0.21	0.19	0.11	0.21	15.80	7.2	41
I033087		0.34	<0.005	0.09	2.46	155.0	<0.2	<10	230	0.33	0.12	0.30	0.12	28.4	20.8	109
I033088		0.48	<0.005	0.08	2.50	59.5	<0.2	<10	250	0.28	0.07	0.40	0.12	31.6	28.5	268
I033089		0.34	<0.005	0.38	1.28	65.0	<0.2	<10	180	0.19	0.19	0.16	0.29	20.9	8.5	29
I033090		0.26	<0.005	0.19	0.84	22.7	<0.2	<10	160	0.19	0.15	0.10	0.24	10.30	3.8	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033051		2.01	26.1	3.62	8.90	0.05	0.06	0.03	0.033	0.08	12.0	16.1	0.58	552	1.44
I033052		2.48	20.1	4.00	9.38	0.05	0.09	0.04	0.025	0.07	8.7	26.2	1.09	376	1.41
I033053		1.71	52.9	2.78	6.69	0.05	0.03	0.03	0.025	0.09	10.9	14.7	0.81	226	0.63
I033054		1.91	59.3	3.39	8.02	0.08	0.06	0.03	0.029	0.18	22.8	17.6	0.94	295	1.29
I033055		1.73	28.2	3.73	8.57	0.06	0.03	0.02	0.034	0.11	12.7	14.2	0.51	461	2.24
I033056		1.71	28.2	4.36	10.15	0.06	0.03	0.02	0.035	0.06	11.3	13.1	0.39	594	3.61
I033057		1.60	25.8	3.69	6.89	0.05	0.03	0.02	0.035	0.09	13.0	12.1	0.49	498	1.40
I033058		1.42	45.3	4.18	8.23	0.07	0.04	0.01	0.036	0.09	14.9	12.8	0.62	451	2.48
I033059		1.31	42.7	4.07	7.79	0.07	0.04	0.02	0.043	0.08	15.4	11.8	0.57	420	2.49
I033060		0.95	24.1	3.45	7.81	<0.05	0.04	0.01	0.032	0.06	10.8	14.2	0.52	400	2.02
I033061		1.45	30.6	4.06	10.10	0.06	0.05	0.01	0.038	0.09	11.9	15.8	0.65	300	2.93
I033062		1.39	41.5	3.72	9.10	0.07	0.03	0.01	0.036	0.13	17.7	10.9	0.61	691	4.21
I033063		1.71	47.3	3.61	6.99	0.07	0.03	0.04	0.040	0.17	19.4	12.8	0.60	555	3.16
I033064		2.82	36.3	1.32	3.66	<0.05	<0.02	0.11	0.024	0.06	12.1	3.5	0.12	481	1.30
I033065		2.58	42.1	3.00	5.06	0.06	<0.02	0.05	0.036	0.12	16.4	6.2	0.27	820	3.58
I033066		1.93	40.8	3.03	7.48	0.06	0.02	0.07	0.041	0.08	13.6	11.3	0.37	950	2.73
I033067		2.57	47.1	4.01	9.75	0.06	0.06	0.02	0.038	0.10	12.8	16.8	0.68	441	3.30
I033068		1.47	19.0	2.08	6.60	<0.05	0.02	0.03	0.018	0.08	12.1	7.9	0.54	179	1.45
I033069		1.44	20.7	2.55	7.37	<0.05	0.03	0.03	0.021	0.07	9.0	9.9	0.67	199	1.23
I033070		1.39	24.4	3.46	9.83	<0.05	0.08	0.02	0.024	0.08	8.3	12.9	0.73	223	1.81
I033071		1.82	34.0	3.19	8.69	0.07	0.03	0.02	0.022	0.26	10.5	11.3	0.94	353	1.85
I033072		1.47	29.4	2.38	6.48	<0.05	0.03	0.04	0.024	0.10	10.1	8.5	0.48	165	1.68
I033073		2.11	48.6	3.86	6.81	0.07	0.05	0.03	0.034	0.15	16.3	17.3	0.64	566	2.38
I033074		1.00	29.0	2.07	5.67	<0.05	0.02	0.03	0.019	0.07	9.2	5.6	0.29	267	1.92
I033075		1.40	30.4	3.29	7.85	0.06	0.09	0.02	0.023	0.10	13.3	10.1	0.64	218	2.85
I033076		1.42	26.7	3.48	7.19	0.06	0.06	0.02	0.025	0.12	11.8	9.6	0.56	259	2.92
I033077		2.43	42.4	4.22	9.41	0.09	0.06	0.01	0.035	0.22	16.7	20.5	1.01	481	1.35
I033078		1.06	20.9	2.27	7.04	<0.05	0.05	0.01	0.019	0.09	12.3	8.0	0.44	239	1.18
I033079		3.81	49.0	4.66	12.45	0.09	0.05	0.01	0.036	0.40	18.7	21.4	1.30	716	1.60
I033080		2.64	49.9	4.36	9.48	0.09	0.03	0.05	0.036	0.19	18.8	13.4	1.09	331	1.31
I033081		2.87	52.5	3.88	10.50	0.08	0.04	0.03	0.035	0.36	14.8	16.9	1.09	327	1.35
I033082		2.43	34.9	2.84	9.36	0.05	0.03	0.03	0.026	0.13	12.2	10.4	0.86	193	1.07
I033083		3.26	54.1	4.51	11.15	0.10	0.05	0.01	0.037	0.46	17.9	16.1	1.40	483	1.22
I033084		1.16	41.8	2.58	7.82	0.05	0.04	0.06	0.031	0.10	16.5	9.7	0.45	218	0.76
I033085		1.52	29.1	3.01	9.29	0.06	0.04	0.03	0.023	0.21	9.4	6.0	0.51	315	2.03
I033086		1.18	26.3	3.41	9.47	0.05	0.04	0.02	0.025	0.07	8.0	10.0	0.43	208	1.61
I033087		3.30	52.6	4.17	9.38	0.11	0.05	0.02	0.035	0.39	14.9	20.6	1.23	424	1.18
I033088		6.88	80.7	4.40	10.90	0.14	0.04	0.02	0.025	0.78	15.4	17.0	1.78	364	0.80
I033089		1.53	27.5	2.68	6.33	0.06	0.03	0.04	0.020	0.10	11.3	7.3	0.37	230	1.81
I033090		0.95	22.4	1.67	4.89	<0.05	<0.02	0.02	0.032	0.06	5.3	3.5	0.09	110	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033051		2.18	29.1	390	51.3	17.3	<0.001	0.02	0.43	4.9	0.4	0.8	29.4	<0.01	0.05
I033052		2.99	37.0	300	12.0	19.4	<0.001	0.02	0.40	4.2	0.5	0.6	27.4	<0.01	0.04
I033053		1.34	27.7	800	8.5	15.1	<0.001	0.02	0.30	4.4	0.5	0.5	26.0	<0.01	0.03
I033054		1.66	42.6	560	10.3	28.2	0.001	0.01	0.26	7.4	0.5	0.6	28.4	<0.01	0.03
I033055		2.25	23.0	500	10.9	17.3	<0.001	0.01	0.89	3.9	0.5	0.7	14.0	<0.01	0.05
I033056		1.91	26.0	1040	10.2	12.0	<0.001	0.01	1.43	4.0	0.7	0.7	18.5	<0.01	0.07
I033057		1.50	30.4	500	15.2	13.8	<0.001	0.03	3.08	4.5	0.5	0.6	23.4	<0.01	0.05
I033058		2.11	50.8	610	11.6	11.1	0.001	0.02	2.09	5.0	1.2	0.7	20.9	<0.01	0.07
I033059		1.86	46.9	570	10.8	9.7	<0.001	0.02	2.03	4.8	1.1	0.6	20.3	<0.01	0.07
I033060		1.62	28.7	480	10.1	10.4	<0.001	0.01	0.81	3.8	0.6	0.6	17.8	<0.01	0.05
I033061		2.40	34.2	550	9.9	10.9	<0.001	0.03	1.65	4.2	0.7	0.7	17.0	<0.01	0.06
I033062		1.43	41.7	580	11.5	17.4	0.001	0.04	3.75	4.8	1.1	0.7	26.7	<0.01	0.07
I033063		1.14	50.2	1090	12.1	19.6	<0.001	0.06	11.45	5.3	1.3	0.6	37.9	<0.01	0.06
I033064		0.43	24.3	940	7.6	12.4	<0.001	0.05	4.13	2.1	1.1	0.4	32.7	<0.01	0.04
I033065		0.82	27.3	730	17.2	14.4	<0.001	0.12	8.17	3.5	2.0	0.5	72.7	<0.01	0.08
I033066		1.30	30.3	740	13.1	11.9	<0.001	0.03	2.90	5.5	0.8	0.6	31.5	<0.01	0.05
I033067		2.71	34.6	380	12.9	16.7	<0.001	0.02	1.64	5.1	0.6	0.9	19.1	<0.01	0.07
I033068		1.86	20.2	400	7.4	10.1	<0.001	0.02	0.65	3.4	0.5	0.9	19.3	<0.01	0.02
I033069		2.19	19.8	570	7.1	11.0	<0.001	0.02	0.60	3.4	0.5	0.5	18.9	<0.01	0.03
I033070		3.07	24.9	290	15.5	13.0	<0.001	0.02	0.60	4.1	0.4	0.6	17.2	<0.01	0.06
I033071		2.29	30.6	700	9.3	17.7	<0.001	0.03	0.68	4.5	0.7	0.5	25.3	<0.01	0.04
I033072		1.61	22.2	590	10.4	13.1	<0.001	0.04	0.70	3.5	1.0	0.5	24.2	<0.01	0.05
I033073		1.74	51.6	890	11.0	19.4	<0.001	0.04	0.84	4.9	0.9	0.5	28.5	<0.01	0.07
I033074		1.25	18.8	330	8.4	10.4	<0.001	0.02	0.50	3.0	0.6	0.5	21.0	<0.01	0.04
I033075		1.96	31.3	320	10.5	12.9	<0.001	0.02	0.74	4.5	0.6	0.6	20.0	<0.01	0.06
I033076		2.05	29.4	410	9.8	15.0	<0.001	0.02	0.81	3.8	0.6	0.5	19.6	<0.01	0.06
I033077		3.19	35.2	830	9.5	22.8	<0.001	0.01	0.59	5.8	0.5	0.7	23.4	<0.01	0.04
I033078		2.12	18.0	310	8.8	14.3	<0.001	0.01	0.36	3.5	0.4	0.6	16.1	<0.01	0.03
I033079		4.26	42.2	1010	8.7	38.7	<0.001	0.01	0.42	7.5	0.4	0.9	21.7	<0.01	0.04
I033080		3.67	37.8	600	6.1	15.6	<0.001	0.04	0.78	7.2	0.7	0.6	32.0	<0.01	0.04
I033081		4.01	44.1	910	8.1	23.3	<0.001	0.03	0.61	6.8	0.7	0.7	28.1	<0.01	0.05
I033082		3.06	33.5	440	6.9	16.3	<0.001	0.02	0.43	4.5	0.4	0.6	20.5	<0.01	0.04
I033083		3.98	40.4	750	6.6	32.7	<0.001	0.02	0.59	7.1	0.6	0.7	30.4	<0.01	0.03
I033084		2.75	21.8	480	7.4	9.8	<0.001	0.04	0.35	5.3	0.7	0.7	27.4	<0.01	0.04
I033085		3.26	18.6	670	8.6	27.3	<0.001	0.02	0.50	3.6	0.4	0.7	16.7	<0.01	0.05
I033086		2.71	17.7	430	10.1	10.5	<0.001	0.01	1.00	3.4	0.4	0.7	12.6	<0.01	0.05
I033087		4.29	48.9	810	6.1	24.7	<0.001	0.01	1.50	5.1	0.5	0.6	20.7	<0.01	0.03
I033088		2.95	95.2	1150	3.0	49.6	<0.001	<0.01	0.50	4.4	0.4	0.5	23.3	<0.01	0.02
I033089		1.49	22.8	580	7.9	14.8	<0.001	0.02	0.69	2.6	0.7	0.6	19.5	<0.01	0.05
I033090		0.69	10.6	540	5.1	5.9	<0.001	<0.01	0.33	1.5	0.5	0.6	10.3	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033051		0.142	0.18	1.19	87	0.26	5.25	70
I033052		0.173	0.22	0.66	78	0.25	3.32	65
I033053		0.115	0.19	0.88	67	0.16	7.01	56
I033054		0.161	0.22	3.19	83	0.19	15.75	66
I033055		0.105	0.15	0.74	72	0.15	4.31	66
I033056		0.100	0.14	0.70	104	0.23	3.66	89
I033057		0.088	0.14	0.66	75	0.19	4.67	83
I033058		0.120	0.14	1.02	105	0.18	5.76	119
I033059		0.114	0.14	0.99	101	0.15	5.63	112
I033060		0.100	0.11	0.64	86	0.25	4.20	79
I033061		0.135	0.13	0.71	109	0.18	4.43	95
I033062		0.113	0.16	1.11	108	0.15	7.60	127
I033063		0.084	0.21	1.52	85	0.14	9.37	127
I033064		0.026	0.14	1.82	29	0.10	12.05	41
I033065		0.052	0.29	1.58	58	0.33	6.29	77
I033066		0.073	0.11	1.80	66	0.21	8.62	83
I033067		0.131	0.14	0.93	95	0.18	4.30	85
I033068		0.096	0.10	0.58	47	0.14	3.92	59
I033069		0.120	0.10	0.49	55	0.15	3.42	57
I033070		0.181	0.10	0.46	100	0.25	2.80	65
I033071		0.166	0.12	0.67	79	0.15	4.51	80
I033072		0.098	0.11	0.96	51	0.14	4.79	67
I033073		0.128	0.17	1.39	85	0.19	8.02	121
I033074		0.092	0.11	0.92	54	0.12	3.97	49
I033075		0.134	0.12	0.86	86	0.22	4.89	78
I033076		0.128	0.13	0.64	89	0.16	3.86	76
I033077		0.172	0.15	0.75	95	0.14	7.49	77
I033078		0.119	0.11	0.64	56	0.19	3.85	42
I033079		0.185	0.17	0.66	121	0.16	8.93	90
I033080		0.165	0.11	1.49	91	0.11	11.85	60
I033081		0.171	0.14	0.94	100	0.13	8.76	74
I033082		0.139	0.12	0.68	77	0.19	4.51	75
I033083		0.209	0.19	0.88	114	0.11	8.29	99
I033084		0.102	0.08	1.66	57	0.12	6.90	48
I033085		0.166	0.13	0.57	86	0.18	3.13	54
I033086		0.138	0.11	0.44	86	0.12	2.59	47
I033087		0.204	0.12	0.60	105	0.15	5.06	71
I033088		0.249	0.18	0.44	117	0.11	5.28	66
I033089		0.104	0.13	0.62	69	0.16	3.61	81
I033090		0.064	0.06	0.48	35	0.09	1.95	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033091		0.32	<0.005	0.28	0.90	25.0	<0.2	<10	140	0.19	0.14	0.13	0.27	8.84	5.1	18
I033092		0.36	<0.005	0.52	2.29	73.4	<0.2	<10	260	0.38	0.21	0.22	0.51	25.5	13.3	44
I033093		0.32	<0.005	0.78	1.96	73.8	<0.2	<10	150	0.32	0.20	0.13	0.26	18.70	10.2	42
I033094		0.32	<0.005	0.41	2.17	89.1	<0.2	<10	280	0.31	0.19	0.22	0.36	34.0	11.5	42
I033095		0.42	<0.005	0.44	2.23	165.0	<0.2	<10	650	0.46	0.22	0.41	0.43	34.0	25.0	60
I033096		0.36	0.005	0.30	1.37	51.5	<0.2	<10	190	0.11	0.22	0.12	0.12	19.00	7.4	36
I033097		0.34	<0.005	0.54	1.59	71.0	<0.2	<10	350	0.28	0.20	0.19	0.31	20.5	11.2	33
I033098		0.32	<0.005	0.36	1.76	38.6	<0.2	<10	150	0.19	0.25	0.17	0.24	21.0	9.2	43
I033099		0.28	<0.005	0.20	1.71	25.1	<0.2	<10	110	0.26	0.15	0.19	0.12	29.7	10.8	48
I033100		0.18	<0.005	0.79	1.12	13.9	<0.2	<10	190	0.44	0.23	0.32	0.50	38.1	8.8	26
I033101		0.24	<0.005	0.30	3.72	16.3	<0.2	<10	900	0.82	0.25	0.28	0.44	77.0	19.9	65
I033102		0.26	<0.005	0.28	2.25	20.9	<0.2	<10	280	0.37	0.24	0.23	0.29	36.5	12.7	41
I033103		0.16	<0.005	0.43	2.02	18.4	<0.2	<10	250	0.26	0.27	0.19	0.26	41.7	8.2	37
I033104		0.16	<0.005	0.32	1.64	23.8	<0.2	<10	250	0.25	0.25	0.19	0.21	35.9	8.4	37
I033105		0.20	<0.005	0.75	1.87	19.2	<0.2	<10	590	0.34	0.26	0.18	1.30	39.6	6.3	38
I033106		0.12	<0.005	0.10	1.19	7.3	<0.2	<10	90	0.21	0.33	0.17	0.21	32.4	4.5	28
I033107		0.14	<0.005	0.12	1.59	11.0	<0.2	<10	100	0.26	0.29	0.13	0.28	37.3	7.4	35
I033108		0.08	<0.005	0.25	1.75	17.3	<0.2	<10	160	0.26	0.25	0.16	0.61	30.7	6.9	40
I033109		0.12	<0.005	0.22	1.88	19.1	<0.2	<10	180	0.38	0.23	0.09	0.27	31.6	7.4	48
I033110		0.12	<0.005	0.23	2.03	108.5	<0.2	<10	160	0.45	0.30	0.08	0.28	56.4	10.4	73
I033111		0.08	<0.005	0.24	1.33	7.6	<0.2	<10	100	0.24	0.26	0.12	0.42	22.0	5.2	28
I033112		0.18	<0.005	0.30	1.93	7.0	<0.2	<10	130	0.45	0.23	0.15	0.32	60.1	8.8	55
I033113		0.14	0.006	0.32	1.92	16.1	<0.2	<10	120	0.48	0.25	0.12	0.44	49.6	10.4	44
I033114		0.08	<0.005	0.10	1.43	16.4	<0.2	<10	120	0.26	0.19	0.30	0.18	45.2	13.6	32
I033115		0.10	<0.005	0.32	1.77	217	<0.2	<10	90	0.30	0.26	0.09	0.18	28.5	8.4	36
I033116		0.08	<0.005	0.19	1.33	26.4	<0.2	<10	90	0.21	0.31	0.11	0.30	24.9	5.8	30
I033117		0.08	<0.005	0.19	1.39	7.8	<0.2	<10	70	0.21	0.20	0.10	0.23	31.8	8.2	31
I033118		0.10	<0.005	0.08	1.67	8.4	<0.2	<10	70	0.23	0.30	0.08	0.13	30.1	7.0	30
I033119		0.12	<0.005	0.06	1.91	5.9	<0.2	<10	160	0.36	0.25	0.12	0.23	50.3	11.6	42
I033120		0.08	0.036	0.27	1.58	15.3	<0.2	<10	270	0.33	0.26	0.22	0.35	63.0	10.0	42
I033121		0.08	<0.005	0.83	1.05	4.7	<0.2	<10	270	0.24	0.17	0.28	0.58	58.1	4.3	28
I033122		0.12	<0.005	0.15	1.28	6.5	<0.2	<10	180	0.17	0.18	0.16	0.18	23.5	6.0	28
I033123		0.14	0.015	0.19	1.21	5.7	<0.2	<10	120	0.15	0.16	0.16	0.11	23.7	4.9	31
I033124		0.12	<0.005	0.22	1.39	6.4	<0.2	<10	100	0.15	0.18	0.16	0.10	19.70	6.7	46
I033125		0.04	<0.005	0.11	1.24	4.9	<0.2	<10	90	0.14	0.16	0.18	0.10	20.7	4.8	30
I033126		0.10	<0.005	0.14	1.36	9.6	<0.2	<10	90	0.14	0.17	0.18	0.10	21.5	4.8	36
I033127		0.08	<0.005	0.14	0.84	7.7	<0.2	<10	90	0.11	0.13	0.21	0.14	13.35	3.0	21
I033128		0.08	<0.005	0.20	0.74	11.5	<0.2	<10	130	0.12	0.09	0.22	0.46	11.25	2.8	17
I033129		0.14	<0.005	0.11	1.80	14.3	<0.2	<10	150	0.18	0.12	0.22	0.33	19.65	9.2	51
I033130		0.16	<0.005	0.17	1.35	5.7	<0.2	<10	230	0.16	0.12	0.15	0.40	13.15	7.7	74



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033091		0.75	17.5	1.82	5.14	<0.05	<0.02	0.02	0.012	0.07	4.7	4.9	0.19	198	1.13
I033092		1.34	50.1	3.63	9.01	0.09	0.11	0.03	0.031	0.12	13.4	11.7	0.57	311	2.49
I033093		2.08	35.1	3.27	8.05	0.07	0.04	0.02	0.026	0.09	10.4	9.9	0.50	187	1.94
I033094		1.70	41.1	3.60	7.53	0.09	0.04	0.03	0.033	0.20	18.2	9.0	0.64	416	1.58
I033095		4.29	47.3	4.17	7.55	0.10	0.03	0.06	0.034	0.15	18.3	16.0	0.78	901	2.13
I033096		1.70	24.6	2.99	7.01	0.06	0.03	0.03	0.019	0.08	10.5	6.7	0.41	187	2.10
I033097		2.50	27.6	3.12	7.13	0.07	0.03	0.04	0.024	0.08	10.8	10.5	0.39	444	2.07
I033098		2.34	28.9	3.83	8.95	0.08	0.04	0.03	0.024	0.11	11.3	11.0	0.53	292	2.79
I033099		3.91	23.6	2.88	6.18	0.09	0.03	0.03	0.017	0.27	15.8	18.8	0.77	229	1.03
I033100		2.78	38.4	2.51	6.46	0.07	0.03	0.03	0.020	0.24	23.0	4.7	0.32	235	0.87
I033101		6.23	91.8	5.29	14.00	0.25	0.05	0.01	0.056	1.21	38.3	20.9	1.99	824	3.93
I033102		1.68	44.0	3.49	7.69	0.10	0.04	0.04	0.035	0.11	19.6	16.7	0.76	295	2.84
I033103		2.27	32.8	2.70	8.01	0.11	0.03	0.04	0.028	0.25	22.0	13.5	0.80	221	2.25
I033104		1.97	31.4	2.63	6.47	0.08	0.02	0.04	0.023	0.12	19.0	10.7	0.53	191	2.03
I033105		3.29	49.5	2.89	6.30	0.09	0.03	0.22	0.027	0.14	21.1	10.8	0.47	125	6.38
I033106		2.44	19.1	2.57	6.75	0.06	0.04	0.02	0.016	0.18	21.4	9.5	0.41	163	1.47
I033107		2.56	28.1	3.40	7.63	0.09	0.06	0.01	0.022	0.16	19.4	12.1	0.48	160	1.57
I033108		2.85	26.5	3.32	7.80	0.08	0.05	0.03	0.027	0.17	15.9	11.7	0.54	198	2.01
I033109		3.21	28.2	3.50	7.95	0.09	0.08	0.01	0.026	0.27	17.4	13.5	0.66	164	1.87
I033110		7.11	47.9	4.22	6.76	0.12	0.07	0.01	0.033	0.45	29.3	11.7	0.86	252	2.02
I033111		2.06	24.1	2.61	7.00	0.05	0.03	0.01	0.020	0.16	14.7	8.9	0.38	120	1.44
I033112		7.87	36.8	3.28	6.60	0.12	0.05	0.01	0.024	0.58	37.1	22.4	0.95	227	1.27
I033113		4.21	37.1	3.45	6.10	0.10	0.05	0.02	0.044	0.24	26.4	16.3	0.65	290	1.17
I033114		3.74	16.6	2.68	5.58	0.08	0.03	0.03	0.020	0.22	23.5	13.4	0.54	478	1.17
I033115		3.39	25.8	3.45	8.19	0.07	0.04	0.02	0.025	0.07	14.6	13.4	0.36	266	1.81
I033116		1.47	22.5	3.87	9.98	0.07	0.05	0.02	0.024	0.07	13.2	5.3	0.23	225	1.98
I033117		2.75	24.3	2.37	6.37	0.06	0.03	0.04	0.019	0.13	16.5	12.1	0.46	143	1.17
I033118		2.73	18.3	2.85	9.37	0.07	0.06	0.02	0.017	0.19	16.7	12.3	0.43	183	1.25
I033119		4.26	25.0	3.53	7.95	0.13	0.07	0.01	0.022	0.51	39.9	21.7	0.75	343	1.20
I033120		3.88	29.1	3.08	6.75	0.10	0.04	0.03	0.018	0.40	29.4	16.2	0.60	294	1.66
I033121		2.04	51.2	1.61	3.84	0.10	0.03	0.11	0.015	0.13	32.0	6.0	0.27	103	1.56
I033122		2.94	21.3	2.04	5.76	0.07	0.02	0.03	0.015	0.16	13.3	9.3	0.50	168	1.17
I033123		2.65	22.2	1.92	5.37	<0.05	0.03	0.03	0.016	0.15	12.8	6.3	0.42	122	0.71
I033124		1.44	29.9	2.36	6.39	<0.05	0.02	0.04	0.016	0.07	10.7	6.9	0.50	135	0.88
I033125		1.90	18.3	1.97	4.87	<0.05	0.03	0.04	0.015	0.07	11.3	6.7	0.42	101	0.76
I033126		2.01	22.1	2.18	5.36	<0.05	0.03	0.04	0.019	0.07	11.5	6.6	0.44	100	0.68
I033127		1.26	17.7	1.31	4.39	0.05	0.02	0.05	0.015	0.08	7.1	3.4	0.24	95	0.63
I033128		0.58	21.1	1.27	2.76	<0.05	<0.02	0.06	0.015	0.02	5.7	1.5	0.09	47	0.90
I033129		2.92	27.6	2.92	8.86	0.08	0.02	0.02	0.027	0.24	10.3	8.5	0.84	198	1.46
I033130		2.62	30.6	2.14	6.02	0.06	0.02	0.03	0.019	0.23	6.8	6.9	0.72	157	1.00



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033091		1.09	12.7	250	5.3	10.6	<0.001	0.01	0.39	1.6	0.4	0.5	14.7	<0.01	0.03
I033092		2.45	29.4	390	9.3	15.3	<0.001	0.01	0.71	4.2	0.7	0.8	21.6	<0.01	0.04
I033093		2.10	26.0	330	9.7	17.8	<0.001	0.01	0.94	3.2	0.7	0.7	13.4	<0.01	0.04
I033094		2.00	32.6	640	8.4	23.7	<0.001	0.01	1.03	4.8	0.8	0.7	25.7	<0.01	0.04
I033095		1.82	51.5	900	11.1	22.0	<0.001	0.02	1.96	5.2	1.0	0.6	29.5	<0.01	0.05
I033096		1.94	24.2	390	10.2	10.8	<0.001	0.04	0.69	3.0	0.7	0.6	15.7	<0.01	0.06
I033097		1.88	22.1	530	9.5	15.5	<0.001	0.03	1.16	2.9	0.7	0.6	19.5	<0.01	0.04
I033098		2.57	27.3	430	11.7	22.5	<0.001	0.03	0.92	3.3	0.6	0.7	18.8	<0.01	0.06
I033099		2.06	34.9	510	9.4	45.8	<0.001	0.03	0.45	2.9	0.7	0.4	18.5	<0.01	0.03
I033100		1.65	24.6	440	36.3	39.5	<0.001	0.03	0.40	2.6	0.7	0.6	24.5	<0.01	0.03
I033101		1.23	42.9	1350	14.1	77.3	0.002	0.12	0.17	7.4	1.8	1.1	33.8	<0.01	0.08
I033102		1.46	27.7	590	9.4	16.6	<0.001	0.03	0.33	4.0	1.4	0.7	26.9	<0.01	0.06
I033103		1.45	23.4	470	10.4	27.7	0.001	0.03	0.25	3.7	1.2	0.8	22.7	<0.01	0.05
I033104		1.25	23.5	470	11.4	19.3	<0.001	0.03	0.33	3.3	0.9	0.7	21.8	<0.01	0.05
I033105		1.35	26.2	860	14.2	23.3	0.001	0.05	0.25	3.1	4.4	0.7	25.9	<0.01	0.05
I033106		1.60	13.7	390	7.9	22.1	<0.001	0.05	0.27	2.3	0.5	0.7	14.5	<0.01	0.06
I033107		1.92	24.9	370	9.4	22.1	<0.001	0.06	0.36	3.1	0.6	0.7	17.2	<0.01	0.04
I033108		1.79	23.0	410	10.8	25.4	<0.001	0.09	0.36	3.1	0.5	0.6	20.2	<0.01	0.05
I033109		1.61	26.0	350	12.1	32.7	<0.001	0.08	0.38	3.5	0.6	0.7	16.1	<0.01	0.05
I033110		1.11	41.1	450	15.2	52.2	<0.001	0.17	0.49	4.3	0.8	0.6	19.5	<0.01	0.05
I033111		2.13	18.5	220	8.9	22.8	<0.001	0.03	0.32	2.4	0.4	0.7	13.7	<0.01	0.04
I033112		2.33	35.3	450	8.9	73.1	<0.001	0.04	0.29	3.6	0.8	0.6	13.6	<0.01	0.04
I033113		1.99	34.2	330	12.3	34.9	<0.001	0.02	0.43	4.0	0.8	0.5	14.0	<0.01	0.05
I033114		1.62	21.7	390	9.9	35.7	<0.001	0.02	0.35	2.8	0.6	0.5	21.2	<0.01	0.02
I033115		1.68	23.3	300	9.3	16.7	<0.001	0.02	1.43	3.0	0.4	0.8	14.0	<0.01	0.05
I033116		2.20	19.2	490	10.9	16.3	<0.001	0.03	0.57	2.4	0.5	0.9	15.1	<0.01	0.06
I033117		2.71	24.0	300	7.5	21.4	<0.001	0.03	0.21	2.6	0.6	0.6	13.4	<0.01	0.04
I033118		3.32	25.5	230	18.2	35.9	<0.001	0.01	0.29	2.8	0.4	0.9	10.8	<0.01	0.03
I033119		3.34	47.9	350	19.6	66.3	<0.001	0.02	0.19	3.1	0.6	0.6	13.2	<0.01	0.02
I033120		2.49	37.1	420	18.4	62.0	<0.001	0.04	0.25	2.6	0.8	0.6	20.9	<0.01	0.03
I033121		1.22	27.3	820	6.0	21.7	0.001	0.14	0.22	2.0	2.3	0.5	27.2	0.01	0.07
I033122		1.61	19.6	290	8.3	28.2	<0.001	0.03	0.13	2.3	0.7	0.5	17.0	<0.01	0.03
I033123		1.52	18.3	410	8.5	25.3	<0.001	0.05	0.16	2.3	0.6	0.5	15.0	<0.01	0.04
I033124		1.86	30.2	390	7.6	12.1	<0.001	0.04	0.22	2.7	0.6	0.6	14.6	<0.01	0.05
I033125		1.54	17.7	370	6.4	15.4	<0.001	0.06	0.20	2.5	0.6	0.6	16.1	<0.01	0.03
I033126		1.63	23.0	430	7.0	16.8	<0.001	0.05	0.29	2.7	0.7	0.5	16.0	<0.01	0.03
I033127		0.98	11.1	570	9.0	11.8	<0.001	0.07	0.27	2.0	0.8	0.6	17.5	0.01	0.04
I033128		0.74	13.6	750	5.1	4.7	<0.001	0.12	0.30	1.6	1.7	0.5	19.2	0.01	0.03
I033129		4.07	25.5	770	7.5	19.3	0.001	0.04	0.38	4.6	1.2	0.7	16.2	<0.01	0.03
I033130		2.03	33.5	510	10.7	16.1	0.001	0.05	0.29	3.1	1.4	0.6	13.2	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033091		0.080	0.06	0.29	48	0.10	1.50	48	0.5
I033092		0.130	0.11	0.96	82	0.12	4.98	81	4.3
I033093		0.114	0.13	0.63	76	0.25	3.09	56	1.4
I033094		0.120	0.13	1.36	75	0.16	6.49	101	1.4
I033095		0.112	0.15	1.30	85	0.14	7.67	106	1.1
I033096		0.115	0.14	0.58	93	0.14	3.13	64	1.1
I033097		0.103	0.11	0.75	77	0.18	4.40	69	1.3
I033098		0.142	0.15	0.60	106	0.23	3.57	74	1.8
I033099		0.134	0.33	0.81	50	0.10	5.52	90	1.1
I033100		0.095	0.15	1.29	43	0.11	7.30	64	1.0
I033101		0.245	0.56	2.97	146	0.09	19.20	279	1.6
I033102		0.123	0.15	1.75	85	0.15	7.82	92	1.3
I033103		0.133	0.21	1.43	64	0.15	8.07	94	1.1
I033104		0.094	0.15	0.94	55	0.12	6.86	82	0.9
I033105		0.085	0.24	2.16	78	0.18	8.86	145	1.0
I033106		0.115	0.19	0.79	63	0.07	3.42	60	1.8
I033107		0.126	0.20	0.75	76	0.10	5.17	85	2.5
I033108		0.134	0.18	0.74	84	0.12	5.23	144	2.0
I033109		0.144	0.23	0.95	83	0.09	5.70	118	3.4
I033110		0.127	0.41	1.21	73	0.06	8.08	221	3.2
I033111		0.112	0.16	0.66	63	0.09	3.43	65	1.5
I033112		0.138	0.42	1.19	61	0.09	13.80	218	2.0
I033113		0.104	0.27	1.38	62	0.06	10.25	273	2.2
I033114		0.102	0.24	0.90	44	0.10	6.73	98	0.9
I033115		0.076	0.17	0.58	79	0.11	3.39	71	1.8
I033116		0.142	0.12	0.51	102	0.13	3.13	89	2.0
I033117		0.105	0.19	0.77	47	0.10	5.74	74	1.0
I033118		0.167	0.28	0.65	65	0.11	4.84	65	2.6
I033119		0.180	0.44	1.13	51	0.10	12.65	154	2.6
I033120		0.135	0.37	1.23	48	0.13	11.30	104	1.6
I033121		0.051	0.14	2.29	22	0.09	14.00	47	0.7
I033122		0.106	0.21	0.81	40	0.07	5.05	61	0.7
I033123		0.088	0.18	0.97	28	0.07	5.07	46	0.8
I033124		0.103	0.17	0.81	51	0.12	4.64	44	0.8
I033125		0.080	0.13	0.78	37	0.10	4.63	43	0.9
I033126		0.084	0.14	0.76	39	0.10	4.59	48	1.0
I033127		0.061	0.08	0.76	19	0.09	3.19	28	0.6
I033128		0.045	0.05	0.82	12	0.07	4.67	23	0.5
I033129		0.160	0.13	0.67	70	0.12	4.65	65	0.8
I033130		0.117	0.09	0.66	44	0.08	2.93	50	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I033131		0.22	<0.005	0.15	2.06	21.8	<0.2	<10	320	0.23	0.17	0.28	0.41	20.2	13.2	108
I033132		0.10	<0.005	0.33	1.26	18.5	<0.2	<10	220	0.15	0.14	0.26	0.37	16.75	5.2	30
I033133		0.14	<0.005	0.25	2.09	95.0	<0.2	<10	260	0.28	0.17	0.26	0.26	24.4	15.8	50
I033134		0.10	<0.005	0.18	1.62	100.0	<0.2	<10	170	0.21	0.20	0.20	0.14	23.1	9.7	44
I033135		0.12	<0.005	0.26	2.24	54.1	<0.2	<10	360	0.29	0.13	0.41	0.15	29.0	18.4	88
I033136		0.12	<0.005	0.31	2.32	57.8	<0.2	<10	250	0.29	0.14	0.26	0.11	22.3	14.7	50
I033137		0.18	<0.005	0.16	1.68	20.8	<0.2	<10	140	0.22	0.19	0.16	0.15	23.8	9.9	37
I033138		0.18	<0.005	0.26	1.13	19.8	<0.2	<10	210	0.25	0.25	0.27	0.20	27.0	6.8	25
I033139		0.12	<0.005	0.35	2.03	29.3	<0.2	<10	180	0.36	0.25	0.16	0.32	24.1	10.3	41
I033140		0.22	<0.005	0.14	2.29	57.6	<0.2	<10	290	0.40	0.22	0.37	0.34	35.1	22.4	53
I033181		0.28	<0.005	0.62	1.66	17.8	<0.2	<10	430	0.60	0.23	0.69	0.56	88.3	11.4	35
I033182		0.30	<0.005	0.57	1.56	12.2	<0.2	<10	140	0.31	0.24	0.16	0.28	40.7	7.0	35
I033183		0.44	<0.005	0.43	1.84	23.0	<0.2	<10	190	0.43	0.24	0.21	0.52	48.0	10.8	40
I033184		0.38	<0.005	0.59	1.79	15.5	<0.2	<10	170	0.36	0.29	0.15	0.41	34.3	7.0	43
I033201		0.20	<0.005	0.13	1.63	6.5	<0.2	<10	120	0.22	0.69	0.27	0.15	15.20	5.8	29
I033202		0.20	<0.005	0.31	2.67	10.2	<0.2	<10	100	0.45	0.68	0.25	0.32	15.40	8.7	38
I033203		0.20	<0.005	0.06	1.71	7.4	<0.2	<10	170	0.25	0.38	0.36	0.21	13.25	7.5	33
I033204		0.22	0.006	0.08	1.87	5.7	<0.2	<10	140	0.39	0.92	0.30	0.49	20.6	9.0	37
I033205		0.22	<0.005	0.09	2.36	13.0	<0.2	<10	140	0.38	0.41	0.19	0.29	19.50	9.2	38
I033206		0.24	<0.005	0.16	1.45	7.4	<0.2	<10	110	0.29	0.34	0.27	0.29	12.35	6.3	27
I033207		0.22	<0.005	0.10	2.10	5.8	<0.2	<10	230	0.47	0.18	0.40	0.16	35.8	9.6	39
I033208		0.34	<0.005	0.03	2.10	6.1	<0.2	<10	130	0.39	0.15	0.30	0.28	31.4	11.3	34
I033209		0.26	<0.005	0.07	1.85	5.0	<0.2	<10	210	0.50	0.14	0.44	0.12	43.3	7.8	35
I033210		0.18	<0.005	0.14	1.56	4.9	<0.2	<10	150	0.31	0.20	0.30	0.20	29.5	5.9	26
I033211		0.14	0.012	0.19	0.99	4.0	<0.2	<10	80	0.17	0.19	0.13	0.34	11.00	3.1	18
I033212		0.22	<0.005	0.06	2.41	7.2	<0.2	<10	90	0.47	0.14	0.23	0.24	25.0	12.7	34
I033213		0.18	<0.005	0.04	1.73	6.5	<0.2	<10	100	0.22	0.17	0.24	0.14	20.8	6.9	28
I033214		0.24	<0.005	0.06	2.27	9.5	<0.2	<10	140	0.40	0.22	0.19	0.16	28.0	8.9	33
I033215		0.22	<0.005	0.05	1.28	5.4	<0.2	<10	70	0.16	0.16	0.13	0.10	16.35	4.8	20
I033216		0.26	<0.005	0.05	1.31	5.6	<0.2	<10	150	0.27	0.30	0.23	0.17	39.1	6.9	19
I033217		0.28	0.009	0.11	1.95	7.1	<0.2	<10	190	0.54	0.49	0.32	0.38	60.5	9.1	25
I033218		0.28	<0.005	0.20	1.01	3.0	<0.2	<10	120	0.22	0.23	0.18	0.22	27.9	3.9	15
I033219		0.30	<0.005	0.28	1.56	2.7	<0.2	<10	140	0.56	1.30	0.29	0.14	65.7	4.9	16
I033220		0.26	<0.005	0.24	1.90	4.6	<0.2	<10	180	0.50	0.82	0.37	0.22	42.9	9.2	29
I033221		0.34	<0.005	0.09	1.78	6.0	<0.2	<10	140	0.19	0.18	0.38	0.16	22.7	7.5	29
I033222		0.36	<0.005	0.08	1.78	5.9	<0.2	<10	150	0.26	0.18	0.36	0.18	25.8	7.8	30
I033223		0.32	0.007	0.10	1.97	3.6	<0.2	<10	140	0.16	0.24	0.34	0.15	19.65	7.3	32
I033224		0.24	<0.005	0.08	1.69	5.3	<0.2	<10	140	0.15	0.16	0.52	0.12	18.25	12.5	30
I033225		0.32	<0.005	0.10	2.38	11.7	<0.2	<10	170	0.51	0.16	0.62	0.10	27.7	14.9	46
I033226		0.28	<0.005	0.07	2.10	7.2	<0.2	<10	130	0.26	0.17	0.59	0.11	20.2	11.3	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033131		3.52	28.2	3.00	9.03	0.09	0.03	0.04	0.021	0.31	10.3	12.2	1.22	276	1.42
I033132		0.76	20.1	2.17	4.67	<0.05	0.03	0.05	0.023	0.04	8.9	8.4	0.39	119	1.63
I033133		2.21	44.1	3.36	8.06	0.07	0.03	0.04	0.031	0.29	13.0	14.9	0.88	501	1.51
I033134		2.24	37.5	3.11	8.31	0.05	0.03	0.02	0.026	0.21	12.6	9.3	0.61	308	2.06
I033135		3.10	54.0	4.00	9.73	0.09	0.03	0.03	0.037	0.38	14.7	17.8	1.12	398	1.35
I033136		2.43	32.6	4.08	9.52	0.07	0.05	0.03	0.030	0.19	11.9	12.6	1.03	372	1.55
I033137		1.14	24.9	2.85	8.27	0.06	0.07	0.01	0.023	0.09	14.3	9.5	0.53	306	1.50
I033138		0.72	28.4	1.97	6.13	<0.05	0.03	0.02	0.020	0.15	17.3	6.7	0.37	305	1.22
I033139		1.50	32.3	3.46	9.04	0.05	0.04	0.03	0.033	0.11	14.5	9.9	0.46	387	2.05
I033140		2.49	48.1	4.01	8.51	0.09	0.06	0.02	0.040	0.24	20.1	16.1	0.84	950	1.99
I033181		2.42	42.0	2.91	5.97	0.11	0.06	0.07	0.027	0.17	62.4	10.9	0.44	420	1.16
I033182		3.96	28.5	2.40	6.30	0.05	0.03	0.05	0.023	0.26	22.7	10.3	0.52	198	1.09
I033183		3.47	35.7	3.45	6.54	0.07	0.04	0.03	0.028	0.32	25.4	13.7	0.67	297	1.28
I033184		2.74	30.4	3.19	7.49	0.06	0.08	0.03	0.029	0.19	21.3	9.9	0.55	177	1.39
I033201		1.12	14.7	2.68	9.03	<0.05	0.07	0.04	0.027	0.04	8.8	7.9	0.36	245	1.44
I033202		1.24	20.9	3.48	7.39	<0.05	0.08	0.08	0.035	0.05	7.8	19.7	0.51	363	1.28
I033203		0.93	17.3	3.17	8.31	<0.05	0.08	0.04	0.028	0.04	6.8	9.8	0.38	449	1.80
I033204		1.05	20.2	2.75	5.45	0.05	0.10	0.07	0.029	0.04	10.4	12.1	0.46	518	1.02
I033205		1.42	19.4	4.04	10.65	0.06	0.05	0.03	0.036	0.05	9.5	16.5	0.41	488	2.38
I033206		1.20	12.6	3.30	8.29	<0.05	0.06	0.03	0.027	0.03	6.4	10.3	0.27	400	1.26
I033207		1.27	28.8	2.88	6.20	0.06	0.09	0.04	0.030	0.05	20.5	13.1	0.54	420	0.62
I033208		2.40	18.1	3.08	6.26	0.06	0.15	0.02	0.034	0.07	14.0	14.8	0.56	719	0.81
I033209		2.81	23.2	2.89	5.89	0.07	0.16	0.04	0.033	0.07	29.3	13.9	0.52	496	0.77
I033210		1.53	16.3	2.44	6.15	<0.05	0.06	0.05	0.031	0.05	21.0	8.5	0.29	290	1.40
I033211		1.12	13.0	1.96	6.86	<0.05	0.03	0.06	0.019	0.04	6.4	4.4	0.16	99	1.05
I033212		2.65	15.4	3.28	7.06	0.06	0.20	0.03	0.040	0.08	15.5	19.4	0.52	662	1.12
I033213		2.41	10.8	2.94	8.11	0.06	0.11	0.03	0.030	0.08	13.9	14.8	0.52	388	1.01
I033214		1.63	15.1	3.76	9.84	0.05	0.16	0.02	0.037	0.06	17.7	16.2	0.50	460	1.92
I033215		0.91	10.6	2.03	5.44	0.05	0.03	0.02	0.021	0.05	9.2	9.6	0.25	220	1.39
I033216		3.03	11.4	2.62	7.25	0.07	0.09	0.03	0.033	0.24	23.6	14.3	0.39	734	1.05
I033217		2.05	19.9	3.01	7.16	0.06	0.07	0.03	0.036	0.12	32.4	16.8	0.46	659	0.97
I033218		0.94	15.3	1.37	4.51	<0.05	0.02	0.04	0.017	0.05	14.6	5.0	0.18	124	0.79
I033219		2.59	18.0	2.11	6.08	0.06	0.11	0.04	0.036	0.17	32.2	14.7	0.35	349	0.78
I033220		1.21	28.1	2.46	6.08	0.08	0.10	0.03	0.031	0.07	26.4	13.1	0.49	362	1.98
I033221		0.73	18.5	2.42	5.44	0.05	0.04	0.03	0.022	0.05	11.7	12.4	0.52	171	0.68
I033222		0.73	21.8	2.33	5.53	0.06	0.04	0.02	0.025	0.05	12.8	12.9	0.52	165	0.58
I033223		1.04	13.9	2.22	6.50	0.05	0.03	0.04	0.027	0.05	10.3	14.1	0.54	169	0.67
I033224		0.80	12.4	2.29	5.60	<0.05	0.03	0.03	0.020	0.04	8.7	12.3	0.47	832	0.71
I033225		1.33	18.0	3.68	7.69	0.08	0.05	0.04	0.028	0.14	13.4	19.1	0.65	392	0.86
I033226		1.22	15.0	2.90	7.63	0.05	0.05	0.02	0.026	0.11	10.2	16.5	0.61	317	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033131		3.07	51.3	700	8.3	24.5	<0.001	0.03	0.59	4.2	0.9	0.5	18.1	<0.01	0.04
I033132		1.17	21.4	570	7.8	7.1	0.001	0.07	0.90	2.9	2.0	0.5	23.9	<0.01	0.04
I033133		2.67	37.4	770	8.3	21.2	0.001	0.04	1.01	5.1	0.8	0.6	22.3	<0.01	0.05
I033134		2.33	30.7	370	8.5	21.8	0.001	0.05	1.07	4.5	0.6	0.7	23.9	<0.01	0.07
I033135		3.97	48.6	1020	7.8	27.2	0.001	0.04	0.66	6.4	0.6	0.7	28.5	<0.01	0.04
I033136		3.96	33.1	600	7.9	19.3	0.001	0.03	0.58	4.9	0.4	0.6	21.4	<0.01	0.05
I033137		2.49	23.9	310	9.6	16.7	<0.001	0.02	0.49	3.9	0.3	0.7	15.8	<0.01	0.04
I033138		1.88	17.9	510	7.0	11.4	<0.001	0.02	0.39	3.6	0.3	0.5	24.1	<0.01	0.04
I033139		2.35	25.2	720	11.2	14.7	<0.001	0.02	0.59	4.3	0.5	0.7	16.0	<0.01	0.05
I033140		2.24	36.6	840	14.3	23.5	<0.001	0.02	0.88	6.0	0.5	0.6	28.7	<0.01	0.06
I033181		1.37	35.7	560	15.0	26.6	0.001	0.06	0.49	5.0	1.0	0.5	43.4	0.01	0.04
I033182		1.68	23.9	450	18.0	41.6	<0.001	0.05	0.32	3.3	0.6	0.5	17.7	<0.01	0.04
I033183		1.98	33.5	430	37.3	43.6	<0.001	0.03	0.46	4.1	0.6	0.5	19.9	<0.01	0.04
I033184		2.06	29.3	280	14.5	30.4	<0.001	0.03	0.39	4.0	0.5	0.6	16.0	<0.01	0.05
I033201		1.88	15.2	390	15.0	7.2	<0.001	0.03	0.42	3.5	0.4	0.8	23.1	<0.01	0.04
I033202		2.16	23.5	630	23.3	8.2	0.001	0.06	0.55	4.2	0.7	0.5	20.4	0.01	0.04
I033203		2.21	17.8	440	22.0	9.5	<0.001	0.04	0.51	3.5	0.4	0.7	30.0	<0.01	0.04
I033204		1.88	20.9	610	25.9	7.8	<0.001	0.03	0.45	4.5	0.3	0.5	22.9	<0.01	0.03
I033205		2.15	19.1	430	15.5	10.5	<0.001	0.03	0.60	4.2	0.4	0.8	18.0	0.01	0.05
I033206		2.09	13.0	400	24.6	6.7	<0.001	0.02	0.48	2.7	0.4	0.7	22.1	<0.01	0.04
I033207		1.54	24.9	640	14.5	9.8	0.001	0.01	0.40	6.8	0.4	0.6	31.1	<0.01	0.02
I033208		2.45	20.4	580	14.5	16.8	0.001	0.01	0.42	4.7	0.3	0.7	22.0	<0.01	0.02
I033209		2.15	18.6	680	12.0	19.2	<0.001	<0.01	0.37	6.9	0.4	0.8	32.5	<0.01	0.03
I033210		1.87	13.6	480	10.8	11.6	<0.001	0.03	0.30	3.8	0.6	0.7	28.4	<0.01	0.04
I033211		1.45	8.2	340	10.1	9.1	<0.001	0.03	0.30	2.2	0.3	0.7	13.3	<0.01	0.03
I033212		3.71	16.9	580	11.1	18.7	<0.001	0.03	0.38	4.9	0.5	0.9	16.3	0.01	0.03
I033213		4.09	15.2	330	11.5	21.4	<0.001	0.02	0.35	4.3	0.3	1.1	20.7	<0.01	0.02
I033214		3.94	17.1	370	15.5	17.2	<0.001	0.03	0.46	4.9	0.4	1.2	18.9	<0.01	0.05
I033215		1.31	9.7	320	9.0	8.4	<0.001	<0.01	0.30	2.3	0.4	0.6	13.1	<0.01	0.04
I033216		5.32	10.6	380	19.6	59.6	<0.001	<0.01	0.31	3.8	0.3	1.5	21.5	<0.01	0.03
I033217		3.26	15.9	710	24.2	24.6	<0.001	<0.01	0.38	4.2	0.5	1.0	27.9	<0.01	0.05
I033218		1.05	8.4	370	9.0	10.2	<0.001	0.01	0.23	2.1	0.5	0.6	20.4	<0.01	0.03
I033219		4.52	8.8	450	20.1	31.7	<0.001	<0.01	0.29	4.9	0.3	1.1	22.4	<0.01	0.07
I033220		2.28	19.0	560	16.0	12.7	<0.001	<0.01	0.39	6.6	0.5	0.6	30.3	<0.01	0.05
I033221		1.53	18.3	680	7.7	7.7	<0.001	<0.01	0.36	4.3	0.4	0.5	27.3	<0.01	0.03
I033222		1.59	18.7	650	7.7	7.7	<0.001	<0.01	0.38	4.7	0.4	0.5	27.3	<0.01	0.03
I033223		1.51	17.9	590	9.8	9.4	<0.001	<0.01	0.30	4.1	0.4	0.6	28.7	<0.01	0.03
I033224		1.26	16.7	640	6.4	7.6	<0.001	0.01	0.25	4.0	0.3	0.5	36.5	<0.01	0.03
I033225		2.83	26.8	800	6.9	19.9	<0.001	<0.01	0.30	5.7	0.5	0.6	43.2	<0.01	0.05
I033226		2.17	24.4	600	7.4	19.5	<0.001	0.02	0.25	4.6	0.4	0.6	43.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033131		0.197	0.14	0.50	81	0.15	4.15	98
I033132		0.073	0.09	0.92	42	0.14	4.15	74
I033133		0.138	0.13	0.90	76	0.15	5.77	90
I033134		0.138	0.14	0.71	82	0.14	4.74	64
I033135		0.169	0.14	0.85	103	0.13	8.45	75
I033136		0.183	0.14	0.67	96	0.11	5.45	62
I033137		0.143	0.12	0.68	74	0.16	4.56	51
I033138		0.099	0.06	0.75	51	0.15	6.41	45
I033139		0.119	0.11	0.89	82	0.15	4.79	56
I033140		0.144	0.19	1.15	94	0.16	10.65	117
I033181		0.070	0.18	2.70	50	0.14	35.6	84
I033182		0.095	0.29	1.27	42	0.12	9.20	89
I033183		0.124	0.28	1.40	61	0.10	11.50	131
I033184		0.110	0.22	0.93	66	0.11	7.32	119
I033201		0.123	0.12	0.66	80	0.34	4.29	38
I033202		0.112	0.10	0.83	71	0.30	4.87	72
I033203		0.134	0.09	0.80	85	0.23	3.92	49
I033204		0.116	0.08	2.99	65	0.54	8.81	68
I033205		0.109	0.14	0.78	101	0.19	4.38	61
I033206		0.120	0.07	0.71	84	0.25	3.71	56
I033207		0.114	0.11	3.18	66	0.21	16.75	53
I033208		0.141	0.14	0.89	65	0.19	7.89	59
I033209		0.139	0.19	2.45	62	0.21	19.20	61
I033210		0.090	0.12	1.69	53	0.17	8.01	39
I033211		0.077	0.10	0.45	49	0.12	2.39	26
I033212		0.138	0.18	1.23	69	0.26	9.40	58
I033213		0.159	0.22	0.83	72	0.19	6.31	59
I033214		0.149	0.19	1.18	91	0.44	7.69	58
I033215		0.082	0.08	0.87	49	2.25	4.25	31
I033216		0.147	0.40	1.95	60	0.31	10.55	66
I033217		0.111	0.20	4.09	62	1.66	17.25	72
I033218		0.056	0.10	2.77	31	0.19	7.29	28
I033219		0.104	0.37	4.90	36	0.20	18.40	52
I033220		0.108	0.13	4.45	53	0.27	18.45	55
I033221		0.105	0.08	0.94	58	0.26	6.15	53
I033222		0.106	0.06	1.04	59	0.40	7.46	54
I033223		0.109	0.09	0.80	54	0.17	5.02	61
I033224		0.097	0.06	0.59	60	0.20	4.97	50
I033225		0.141	0.12	0.81	80	0.18	7.04	68
I033226		0.132	0.08	0.56	69	0.19	5.05	66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033227		0.20	<0.005	0.08	2.80	11.8	<0.2	<10	110	0.35	0.36	0.18	0.12	17.20	10.2	38
I033228		0.30	0.007	0.45	3.45	21.6	<0.2	<10	200	0.31	1.77	0.27	0.17	14.55	17.6	37
I033229		0.28	<0.005	0.79	3.12	9.4	<0.2	<10	660	0.45	0.41	0.45	0.20	13.35	20.4	42
I033230		0.18	<0.005	0.36	1.78	7.8	<0.2	<10	110	0.19	0.29	0.27	0.17	12.90	11.5	26
I033231		0.30	<0.005	0.33	3.32	6.5	<0.2	<10	300	0.30	0.54	0.33	0.12	19.05	21.5	47
I033232		0.26	<0.005	0.35	3.25	5.7	<0.2	<10	300	0.36	0.35	0.43	0.17	20.7	20.7	45
I033233		0.30	<0.005	0.08	2.87	5.3	<0.2	<10	200	0.35	0.14	0.76	0.07	17.25	16.5	79
I033234		0.26	<0.005	0.08	2.31	6.9	<0.2	<10	140	0.36	0.13	0.27	0.08	16.50	9.8	31
I033235		0.24	0.014	0.04	2.61	6.7	<0.2	<10	160	0.36	0.12	0.37	0.07	13.90	12.0	32
I033236		0.22	<0.005	0.09	2.36	8.7	<0.2	<10	100	0.34	0.14	0.31	0.17	14.40	9.3	32
I033237		0.24	<0.005	0.07	2.45	6.9	<0.2	<10	190	0.37	0.18	0.48	0.09	26.1	13.3	42
I033238		0.20	<0.005	0.05	1.52	5.6	<0.2	<10	120	0.11	0.18	0.23	0.17	13.35	6.6	26
I033239		0.22	<0.005	0.04	1.55	6.4	<0.2	<10	120	0.14	0.17	0.29	0.13	11.55	6.2	26
I033240		0.18	<0.005	0.07	1.67	13.4	<0.2	<10	120	0.20	0.28	0.19	0.11	13.25	7.3	25
I033241		0.20	0.010	0.07	1.75	6.5	<0.2	<10	130	0.32	0.17	0.50	0.16	24.2	10.3	32
I033242		0.30	0.008	0.07	1.98	5.7	<0.2	<10	210	0.43	0.14	0.37	0.12	28.2	8.9	30
I033243		0.14	0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033244		0.26	<0.005	0.19	3.18	5.4	<0.2	<10	180	0.60	1.11	0.65	0.20	29.0	16.1	58
I033245		0.16	<0.005	0.06	0.39	1.1	<0.2	<10	30	0.05	0.05	0.55	0.34	10.10	1.7	8
I033246		0.14	0.017	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033247		0.22	<0.005	0.07	2.29	3.2	<0.2	<10	140	0.28	0.21	0.88	0.15	22.3	10.9	43
I033248		0.26	<0.005	0.09	2.58	8.7	<0.2	<10	540	0.57	0.38	0.66	0.15	32.1	18.9	51
I033249		0.32	<0.005	0.13	2.51	11.2	<0.2	<10	270	0.42	0.32	0.58	0.14	21.0	13.4	54
I033250		0.30	<0.005	0.18	2.02	34.4	<0.2	<10	250	0.55	0.38	0.24	0.59	26.6	12.6	42
I033251		0.16	<0.005	0.28	1.33	14.0	<0.2	<10	100	0.32	0.28	0.22	0.29	16.15	9.9	31
I033252		0.28	<0.005	0.23	2.22	88.8	<0.2	<10	110	0.93	0.83	0.30	0.30	58.2	22.7	34
I033253		0.26	<0.005	0.09	1.75	20.2	<0.2	<10	80	0.42	0.41	0.21	0.24	20.2	11.4	30
I033254		0.16	0.005	0.20	1.82	70.2	<0.2	<10	100	0.69	1.45	0.24	0.33	27.4	11.3	41
I033255		0.16	<0.005	0.07	0.28	1.2	<0.2	<10	30	0.08	0.10	0.11	0.28	18.70	1.2	7
I033256		0.24	<0.005	0.10	2.35	9.2	<0.2	<10	210	0.59	0.65	0.39	0.23	46.0	11.3	37
I033257		0.38	<0.005	0.19	2.25	10.1	<0.2	<10	240	0.63	0.60	0.36	0.30	42.8	10.6	33
I033258		0.42	<0.005	0.14	2.21	6.9	<0.2	<10	230	0.60	0.38	0.37	0.27	62.9	12.6	32
I033259		0.26	<0.005	0.12	2.12	5.8	<0.2	<10	230	0.66	0.34	0.47	0.24	79.9	9.1	36
I033260		0.44	<0.005	0.05	2.15	6.9	<0.2	<10	120	0.64	0.15	0.36	0.21	43.8	10.6	29
I033261		0.34	<0.005	0.09	0.43	1.3	<0.2	<10	30	0.11	0.06	0.08	0.05	5.95	1.7	7
I033262		0.24	<0.005	0.53	2.08	9.0	<0.2	<10	120	0.52	2.61	0.25	0.58	42.9	10.8	33
I033263		0.22	0.006	0.04	2.28	5.0	<0.2	<10	250	0.42	0.16	0.48	0.12	22.7	12.2	49
I033264		0.48	0.007	0.05	2.03	4.1	<0.2	<10	190	0.37	0.14	0.47	0.11	20.8	10.0	31
I033265		0.46	<0.005	0.08	2.69	6.3	<0.2	<10	240	0.52	0.33	0.46	0.10	27.2	14.0	36
I033266		0.22	0.005	0.17	2.90	8.5	<0.2	<10	240	0.57	0.50	0.33	0.26	19.30	28.3	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033227		1.08	25.3	3.47	8.29	0.05	0.03	0.08	0.032	0.08	8.1	16.0	0.61	343	1.69
I033228		1.34	77.2	4.73	8.88	0.10	0.07	0.04	0.059	0.28	7.1	12.9	1.07	410	1.44
I033229		1.30	42.2	3.82	9.02	0.06	0.03	0.06	0.039	0.25	6.3	12.4	1.10	605	1.25
I033230		0.76	37.5	2.44	5.27	<0.05	0.02	0.05	0.024	0.07	6.2	7.3	0.52	284	1.32
I033231		1.03	59.2	4.18	8.41	0.09	0.03	0.03	0.031	0.15	8.5	11.9	1.23	239	0.91
I033232		0.92	75.8	3.78	8.26	0.08	0.05	0.04	0.031	0.10	9.3	13.8	1.27	365	0.53
I033233		1.30	21.3	3.24	8.12	0.09	0.05	0.02	0.025	0.24	8.2	12.7	1.49	360	0.58
I033234		0.78	23.4	2.75	6.06	<0.05	0.05	0.05	0.022	0.07	7.7	12.5	0.67	332	0.78
I033235		0.97	15.9	3.12	7.63	0.06	0.03	0.03	0.024	0.07	6.5	14.8	0.93	245	0.73
I033236		0.74	16.8	2.88	5.34	<0.05	0.06	0.07	0.025	0.05	6.8	15.2	0.52	289	0.89
I033237		0.84	25.4	3.01	6.98	0.06	0.06	0.03	0.027	0.07	12.6	12.8	0.73	327	0.66
I033238		0.86	14.0	2.43	7.12	0.05	0.05	0.03	0.025	0.05	6.6	8.7	0.37	204	1.08
I033239		0.71	17.0	2.65	7.71	<0.05	0.05	0.66	0.021	0.05	5.6	8.0	0.36	276	1.43
I033240		1.16	14.4	3.67	13.20	0.05	0.04	0.03	0.025	0.05	6.5	10.7	0.28	334	2.31
I033241		0.75	24.8	2.79	5.40	0.07	0.06	0.04	0.025	0.06	11.5	10.6	0.52	263	0.62
I033242		0.76	21.4	2.28	5.70	0.06	0.08	0.04	0.025	0.05	13.8	12.2	0.55	170	0.28
I033243		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033244		2.77	42.0	3.56	9.92	0.10	0.07	0.02	0.029	0.21	14.2	23.5	1.00	300	0.38
I033245		0.19	18.5	0.37	1.82	<0.05	0.04	0.03	0.006	0.02	4.2	1.8	0.14	61	0.20
I033246		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033247		1.51	19.0	2.60	7.51	0.07	0.07	0.04	0.028	0.13	11.3	19.4	0.70	286	0.51
I033248		2.52	30.8	3.64	8.54	0.10	0.06	0.03	0.031	0.23	15.3	21.7	0.78	345	0.75
I033249		2.02	25.6	3.12	8.38	0.08	0.05	0.04	0.031	0.21	10.2	17.9	0.81	249	0.69
I033250		2.67	36.4	3.55	8.54	0.07	0.03	0.03	0.038	0.24	13.1	17.4	0.67	501	3.31
I033251		1.26	29.3	3.36	8.42	0.07	0.02	0.08	0.029	0.06	7.8	9.5	0.38	557	2.42
I033252		2.02	81.3	3.32	8.02	0.10	0.03	0.08	0.035	0.06	24.8	14.4	0.54	570	1.58
I033253		1.18	32.9	3.03	7.30	0.07	0.03	0.07	0.031	0.05	8.1	12.2	0.37	423	1.42
I033254		2.57	33.5	3.87	9.83	0.08	0.03	0.06	0.034	0.07	12.2	15.5	0.45	482	1.94
I033255		0.57	5.6	0.61	1.73	<0.05	<0.02	0.04	0.008	0.02	19.8	0.7	0.04	33	0.43
I033256		2.28	22.9	3.09	7.63	0.10	0.13	0.03	0.038	0.07	26.0	16.0	0.64	259	1.09
I033257		1.89	21.5	3.20	7.21	0.09	0.09	0.03	0.037	0.08	18.8	13.2	0.57	217	1.23
I033258		2.83	19.9	3.46	8.09	0.12	0.26	0.04	0.041	0.10	33.2	16.2	0.60	455	1.59
I033259		2.14	21.9	3.09	6.82	0.11	0.22	0.04	0.038	0.13	39.2	14.1	0.60	484	0.68
I033260		1.96	17.4	3.19	6.81	0.09	0.13	0.02	0.034	0.09	18.1	14.9	0.56	434	1.11
I033261		0.30	3.7	0.75	2.40	<0.05	<0.02	0.02	0.006	0.01	3.9	1.5	0.10	45	0.41
I033262		1.10	23.0	3.30	8.01	0.07	0.05	0.05	0.029	0.05	21.0	12.2	0.41	676	1.77
I033263		1.91	23.7	3.06	7.58	0.10	0.07	0.02	0.034	0.07	10.8	12.8	0.79	369	0.67
I033264		1.11	18.0	2.71	6.28	0.09	0.07	0.03	0.025	0.06	10.4	10.4	0.68	280	0.51
I033265		1.72	27.5	3.18	9.06	0.09	0.09	0.03	0.038	0.07	13.3	16.0	0.79	337	1.06
I033266		2.16	25.9	3.99	10.65	0.09	0.03	0.04	0.051	0.06	8.9	14.7	0.60	1480	2.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033227		1.49	22.1	570	9.5	13.5	<0.001	0.03	0.59	4.7	0.9	0.6	21.0	0.01	0.06
I033228		1.12	27.8	440	10.6	21.4	<0.001	0.11	1.09	11.7	4.1	0.5	30.2	<0.01	0.18
I033229		1.02	27.3	630	11.2	22.3	<0.001	0.05	0.87	7.9	0.8	0.6	32.2	<0.01	0.06
I033230		0.69	18.6	690	6.8	8.7	<0.001	0.09	0.58	2.8	1.1	0.4	26.9	<0.01	0.05
I033231		1.13	27.4	740	9.0	16.8	<0.001	0.03	0.87	8.6	1.0	0.5	26.6	<0.01	0.07
I033232		1.36	27.2	500	13.1	13.9	<0.001	<0.01	0.65	8.5	0.6	0.5	27.6	<0.01	0.06
I033233		1.19	39.4	580	4.9	21.5	<0.001	<0.01	0.44	7.0	0.4	0.6	46.2	<0.01	0.04
I033234		1.29	23.8	610	5.3	7.5	<0.001	0.03	0.37	3.5	0.6	0.5	27.6	<0.01	0.03
I033235		1.61	21.1	560	5.3	10.3	<0.001	0.01	0.36	4.7	0.4	0.6	33.3	<0.01	0.03
I033236		1.60	21.7	580	6.3	7.4	<0.001	0.03	0.37	3.4	0.7	0.4	31.5	<0.01	0.03
I033237		1.55	28.1	710	6.4	10.4	<0.001	<0.01	0.38	6.0	0.4	0.5	36.5	<0.01	0.05
I033238		1.66	14.7	350	7.2	8.3	<0.001	<0.01	0.36	3.5	0.3	0.6	21.7	<0.01	0.04
I033239		1.56	15.0	360	7.3	6.7	<0.001	<0.01	0.38	3.3	0.3	0.6	34.3	<0.01	0.05
I033240		2.15	13.1	360	10.5	8.9	<0.001	<0.01	0.59	3.0	0.4	0.9	23.6	<0.01	0.06
I033241		1.35	22.7	870	5.9	7.0	<0.001	<0.01	0.36	4.6	0.4	0.5	33.7	<0.01	0.03
I033242		1.31	21.1	430	7.5	6.2	<0.001	<0.01	0.41	5.5	0.4	0.5	30.6	<0.01	0.02
I033243		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033244		2.89	46.2	660	26.4	31.8	<0.001	<0.01	0.22	6.4	0.5	0.7	45.5	<0.01	0.10
I033245		0.46	5.9	710	2.6	1.2	<0.001	0.04	0.20	0.8	0.6	0.2	25.5	<0.01	0.01
I033246		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033247		2.37	30.5	610	10.4	20.3	<0.001	0.05	0.31	5.6	0.6	0.6	51.0	<0.01	0.02
I033248		2.90	33.7	680	12.3	29.6	<0.001	0.03	0.29	6.2	0.7	0.7	43.5	<0.01	0.06
I033249		2.23	29.7	660	13.0	28.0	<0.001	<0.01	0.48	5.9	0.5	0.7	40.8	<0.01	0.04
I033250		2.49	31.8	540	13.9	31.0	0.001	0.02	2.24	4.5	0.9	0.9	29.1	<0.01	0.06
I033251		1.02	21.7	830	13.5	10.9	<0.001	0.08	0.83	2.1	1.0	0.8	24.0	<0.01	0.08
I033252		1.19	51.2	900	12.4	13.3	<0.001	0.08	0.55	4.2	1.7	0.9	26.0	0.01	0.11
I033253		1.51	26.5	500	9.2	8.5	<0.001	0.05	0.50	3.2	1.0	0.7	18.1	0.01	0.07
I033254		1.72	28.7	710	21.7	16.6	<0.001	0.06	1.14	3.7	1.0	1.1	20.8	<0.01	0.17
I033255		0.50	2.8	380	2.8	4.3	<0.001	0.05	0.12	1.0	0.8	0.4	11.6	<0.01	0.02
I033256		3.06	23.2	630	14.9	17.2	<0.001	0.02	0.42	7.6	0.9	1.1	24.9	<0.01	0.03
I033257		2.32	21.9	690	60.3	16.5	<0.001	0.02	0.43	5.9	0.7	0.8	25.7	<0.01	0.04
I033258		2.88	19.3	570	19.0	31.5	<0.001	0.02	0.40	8.5	0.8	1.2	27.3	<0.01	0.03
I033259		2.07	20.3	690	21.6	27.0	<0.001	0.01	0.38	8.8	0.8	1.0	30.5	<0.01	0.02
I033260		3.21	20.0	730	14.1	19.1	<0.001	0.02	0.34	5.5	0.6	1.0	21.7	<0.01	0.02
I033261		0.23	3.1	260	7.3	1.6	<0.001	0.03	0.11	0.6	0.4	0.3	8.2	<0.01	0.02
I033262		1.55	21.8	420	42.2	10.5	<0.001	0.03	0.52	3.8	0.8	0.7	20.3	0.01	0.10
I033263		1.66	26.8	540	5.4	10.6	<0.001	0.02	0.32	8.5	0.5	0.7	39.1	<0.01	0.03
I033264		1.46	19.1	620	5.2	8.7	<0.001	0.02	0.29	6.5	0.5	0.7	30.8	<0.01	0.02
I033265		1.74	25.6	570	8.2	12.1	<0.001	0.02	0.36	9.6	0.6	0.9	36.7	<0.01	0.03
I033266		1.43	20.3	590	8.3	13.5	<0.001	0.04	0.38	6.5	1.0	1.1	30.7	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033227		0.102	0.07	0.52	83	0.19	3.76	53	1.5
I033228		0.098	0.23	0.64	111	0.13	5.10	67	2.7
I033229		0.094	0.14	0.44	92	0.16	4.60	76	1.2
I033230		0.056	0.08	0.44	56	0.16	4.01	46	1.0
I033231		0.106	0.12	0.67	103	0.22	7.22	68	1.4
I033232		0.123	0.12	0.50	97	0.17	8.11	72	2.8
I033233		0.122	0.10	0.37	84	0.17	7.43	44	2.3
I033234		0.094	0.04	0.41	63	0.20	4.51	45	1.6
I033235		0.124	0.05	0.32	74	0.18	3.92	41	1.5
I033236		0.091	0.04	0.49	56	0.20	3.58	39	2.3
I033237		0.133	0.07	0.76	75	0.25	8.14	44	3.1
I033238		0.130	0.03	0.26	69	0.15	3.02	36	1.9
I033239		0.128	0.03	0.27	75	0.15	2.94	40	2.0
I033240		0.140	0.06	0.36	110	0.21	2.40	40	2.0
I033241		0.130	0.03	0.92	78	0.68	8.23	55	2.5
I033242		0.105	0.06	1.01	60	0.16	10.55	43	3.3
I033243		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033244		0.169	0.32	0.88	77	0.27	7.00	90	2.9
I033245		0.032	0.09	1.03	8	0.05	2.68	16	1.4
I033246		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I033247		0.122	0.16	0.90	55	0.17	6.23	73	2.8
I033248		0.131	0.22	1.23	78	0.31	8.25	81	2.4
I033249		0.139	0.19	0.83	80	0.21	5.86	81	2.5
I033250		0.134	0.25	0.83	90	0.95	4.60	123	1.4
I033251		0.080	0.11	0.91	85	0.16	3.08	79	1.0
I033252		0.085	0.14	1.99	65	0.21	14.85	73	0.9
I033253		0.107	0.09	0.71	72	0.40	3.51	62	1.3
I033254		0.105	0.15	1.17	86	0.21	5.21	76	1.2
I033255		0.030	0.04	0.87	14	0.06	4.26	19	<0.5
I033256		0.164	0.25	6.58	75	1.01	15.55	70	6.3
I033257		0.131	0.20	1.83	72	0.20	10.80	97	3.6
I033258		0.171	0.28	4.08	73	0.20	19.85	76	11.1
I033259		0.166	0.24	4.51	71	0.23	20.6	79	9.7
I033260		0.138	0.24	1.52	64	0.19	10.85	72	5.8
I033261		0.032	0.06	0.80	17	0.22	2.47	12	<0.5
I033262		0.113	0.10	1.64	79	0.16	8.06	81	1.9
I033263		0.149	0.10	0.59	76	0.16	8.45	50	3.0
I033264		0.142	0.09	0.58	76	0.25	7.38	49	3.1
I033265		0.148	0.14	0.83	85	0.34	10.65	55	4.3
I033266		0.100	0.15	0.81	94	0.72	8.16	61	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I033267		0.24	0.012	0.05	1.57	3.7	<0.2	<10	120	0.28	0.67	0.38	0.10	18.60	9.8	25
I033268		0.16	0.005	0.10	0.67	2.0	<0.2	<10	80	0.24	0.53	0.25	0.14	22.8	2.6	12
I033269		0.22	0.006	0.09	1.04	2.3	<0.2	<10	110	0.22	0.79	0.34	0.10	24.7	4.5	18
I033270		0.20	<0.005	0.21	1.63	4.8	<0.2	<10	160	0.28	0.55	0.38	0.14	29.9	15.2	27
I033271		0.24	<0.005	0.13	2.16	4.6	<0.2	<10	180	0.35	0.35	0.46	0.15	28.8	8.5	33
I033272		0.36	0.006	0.12	2.20	4.5	<0.2	<10	170	0.35	0.34	0.45	0.14	28.7	7.9	33
I033273		0.14	<0.005	0.16	2.16	4.1	<0.2	<10	130	0.25	0.28	0.31	0.18	20.1	8.2	38
I033274		0.10	0.011	0.15	1.55	6.4	<0.2	<10	90	0.49	0.19	2.84	0.36	25.6	12.9	30
I033275		0.18	<0.005	0.12	2.02	5.8	<0.2	<10	120	0.51	0.16	2.76	0.26	28.8	12.7	40
I033276		0.18	<0.005	0.09	0.84	3.5	<0.2	<10	40	0.30	0.15	0.27	0.34	14.65	4.8	18
I033277		0.18	<0.005	0.15	2.10	2.1	<0.2	<10	530	0.18	0.14	0.23	0.13	13.55	11.2	27
I033278		0.24	<0.005	0.16	2.39	4.4	<0.2	<10	330	0.25	0.19	0.19	0.20	12.60	12.4	25
I033279		0.12	<0.005	0.20	1.80	3.8	<0.2	<10	300	0.19	0.24	0.22	0.15	13.50	10.5	44
I033280		0.22	<0.005	0.17	2.27	3.3	<0.2	<10	330	0.23	0.17	0.19	0.12	12.35	11.8	35
I033281		0.14	0.005	0.20	2.10	3.7	<0.2	<10	430	0.25	0.20	0.29	0.17	19.00	11.5	30
I033282		0.10	<0.005	0.09	2.02	5.2	<0.2	<10	210	0.19	0.19	0.19	0.16	12.85	11.7	35
I033283		0.14	<0.005	0.19	1.91	4.0	<0.2	<10	450	0.31	0.18	0.28	0.30	24.5	27.2	28
I033284		0.14	<0.005	0.09	2.34	4.0	<0.2	<10	480	0.27	0.24	0.25	0.14	5.56	17.2	29
I033285		0.14	0.009	0.16	1.57	6.7	<0.2	<10	110	0.28	0.75	0.26	0.22	15.70	6.4	23
I033286		0.10	<0.005	0.11	1.47	3.3	<0.2	<10	100	0.21	0.26	0.31	0.13	12.80	6.4	20
I033287		0.12	<0.005	0.17	2.03	6.7	<0.2	<10	180	0.33	3.20	0.43	0.30	15.95	18.1	40
I033288		0.06	0.024	0.19	1.89	5.6	<0.2	<10	260	0.45	0.56	2.56	0.79	20.5	14.6	39
I033289		0.08	0.008	0.11	1.58	4.1	<0.2	<10	400	0.33	0.74	2.40	0.78	17.00	15.5	36
I033290		0.10	<0.005	0.09	2.13	3.7	<0.2	<10	260	0.18	0.17	0.46	0.18	11.65	17.5	49
I033291		0.06	<0.005	0.03	1.00	2.4	<0.2	<10	90	0.14	0.12	0.16	0.15	9.42	6.9	28
I033292		0.10	<0.005	0.73	2.03	8.0	<0.2	<10	290	0.37	20.9	2.14	1.21	16.80	17.5	48
I033293		0.08	0.008	0.14	1.85	14.4	<0.2	<10	150	0.15	0.46	0.40	0.10	11.35	9.2	40
I033294		0.10	<0.005	0.19	1.96	16.1	<0.2	<10	200	0.30	0.22	0.40	0.11	23.8	12.4	70
I033295		0.10	0.010	0.27	2.12	87.2	<0.2	<10	260	0.48	0.31	0.65	0.57	45.2	17.6	95
I033296		0.10	<0.005	0.19	1.76	2.3	<0.2	<10	350	0.39	0.17	0.41	0.37	21.1	14.2	173
I033297		0.10	NSS	0.10	1.26	36.3	<0.2	<10	280	0.24	0.90	0.41	0.20	23.4	11.7	73
I033298		0.08	0.015	0.14	1.98	6.7	<0.2	<10	140	0.41	0.18	0.24	0.14	16.10	14.3	50
I033299		0.12	<0.005	0.09	0.98	1.6	<0.2	<10	270	0.18	0.07	0.23	0.09	15.00	8.9	86
I033300		0.04	<0.005	0.13	1.27	2.9	<0.2	<10	110	0.42	0.16	0.20	0.21	12.85	9.8	61
I033301		0.16	<0.005	0.17	2.29	2.1	<0.2	<10	330	0.28	0.32	0.33	0.11	14.95	16.8	237
I033302		0.10	<0.005	0.12	0.34	1.0	<0.2	<10	70	0.06	0.08	0.07	0.20	4.25	2.3	16
I033303		0.04	NSS	0.14	1.84	12.0	<0.2	<10	240	0.42	0.18	0.42	0.30	26.5	9.8	70
I033304		0.28	<0.005	0.10	1.72	5.8	<0.2	<10	150	0.59	0.37	0.40	0.20	52.3	12.0	29
I033305		0.22	<0.005	0.09	2.14	6.9	<0.2	<10	140	0.44	0.39	0.27	0.16	35.8	11.2	35
I033306		0.14	<0.005	0.10	2.07	5.1	<0.2	<10	160	0.46	0.19	1.22	0.24	23.9	14.4	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033267		1.11	13.8	2.92	5.72	0.10	0.06	0.07	0.027	0.05	9.3	11.7	0.61	366	0.76
I033268		0.66	15.7	1.01	2.97	0.05	<0.02	0.05	0.013	0.02	17.4	2.8	0.11	115	0.81
I033269		1.10	11.8	1.31	4.23	0.06	0.02	0.04	0.018	0.03	17.6	6.3	0.24	184	0.75
I033270		1.76	14.1	2.39	6.29	0.07	0.04	0.06	0.025	0.05	17.4	9.2	0.41	1480	1.50
I033271		1.52	17.2	2.64	7.17	0.08	0.05	0.05	0.031	0.06	16.9	12.9	0.57	313	0.72
I033272		1.55	17.0	2.54	7.20	0.06	0.06	0.05	0.030	0.06	16.9	14.0	0.58	266	0.56
I033273		1.14	17.5	2.60	8.56	0.07	0.04	0.04	0.023	0.07	10.9	11.2	0.64	249	0.77
I033274		1.53	31.7	1.89	4.73	0.08	0.05	0.07	0.018	0.11	14.7	11.3	0.52	413	0.49
I033275		2.04	32.8	2.36	6.34	0.10	0.06	0.04	0.022	0.20	15.4	16.4	0.78	506	0.60
I033276		0.81	15.7	1.65	5.70	<0.05	<0.02	0.03	0.014	0.06	7.5	5.1	0.14	125	0.80
I033277		1.90	42.9	3.86	8.58	0.15	0.02	0.05	0.023	0.51	7.3	10.4	1.15	353	1.16
I033278		1.73	50.4	3.57	9.81	0.12	0.05	0.02	0.030	0.41	6.7	15.6	1.13	453	3.86
I033279		1.58	40.6	2.67	7.92	0.09	0.03	0.03	0.022	0.14	7.0	10.5	0.79	324	1.53
I033280		3.22	42.1	3.42	9.07	0.11	0.03	0.03	0.025	0.33	6.7	12.2	1.08	381	1.45
I033281		4.47	31.2	3.10	8.07	0.11	0.03	0.05	0.025	0.25	11.1	11.8	0.93	344	1.43
I033282		2.32	36.9	3.04	9.66	0.08	0.04	0.01	0.023	0.09	6.7	11.8	0.91	349	1.47
I033283		2.72	34.5	3.24	8.33	0.08	0.03	0.03	0.028	0.15	9.6	9.2	0.76	2600	1.60
I033284		9.61	102.5	3.89	8.90	0.12	0.02	0.03	0.020	0.74	2.8	16.7	1.34	646	2.35
I033285		1.54	18.3	2.19	6.31	0.06	0.03	0.06	0.021	0.07	8.5	8.0	0.45	171	1.44
I033286		1.11	16.2	1.99	5.78	0.07	0.02	0.03	0.018	0.10	6.8	8.2	0.54	210	1.72
I033287		2.37	38.1	3.02	7.47	0.07	0.03	0.06	0.025	0.09	7.8	14.8	0.85	618	3.09
I033288		2.24	52.1	2.49	5.22	0.07	0.06	0.07	0.023	0.08	9.9	14.8	0.75	733	2.54
I033289		3.02	33.1	2.06	4.38	0.07	0.05	0.10	0.019	0.11	8.3	13.6	0.58	749	1.86
I033290		2.55	22.8	3.09	7.15	0.06	0.02	0.04	0.018	0.10	5.9	12.6	0.94	682	1.25
I033291		1.13	17.6	1.91	5.35	0.05	0.02	0.07	0.013	0.07	5.0	5.1	0.38	119	0.80
I033292		1.73	66.4	2.95	5.72	0.14	0.07	0.07	0.026	0.16	8.3	13.8	1.02	870	3.60
I033293		1.82	24.6	2.63	8.30	0.07	0.03	0.04	0.028	0.08	5.8	9.1	0.84	229	1.19
I033294		3.40	24.5	2.77	8.35	0.07	0.02	0.05	0.019	0.15	14.0	15.4	0.90	236	2.21
I033295		3.08	40.2	3.54	7.88	0.10	0.05	0.06	0.032	0.31	26.1	17.7	1.01	474	1.90
I033296		1.65	34.0	2.34	8.63	0.06	0.02	0.03	0.016	0.11	12.9	9.1	1.21	237	0.85
I033297		2.58	36.7	2.80	7.05	0.09	0.03	0.04	0.020	0.28	11.0	6.1	0.62	315	3.62
I033298		2.10	27.9	3.38	8.19	0.07	0.03	0.09	0.022	0.13	8.0	14.0	0.80	431	2.24
I033299		1.18	16.6	1.43	3.97	<0.05	<0.02	0.03	0.010	0.18	8.5	6.1	0.54	280	0.62
I033300		2.49	28.2	2.53	7.93	0.06	0.02	0.05	0.017	0.13	6.1	10.9	0.55	311	1.67
I033301		3.36	34.7	2.99	11.10	0.09	0.02	0.02	0.011	0.65	7.6	16.9	1.95	329	0.81
I033302		0.44	16.2	0.83	2.45	<0.05	<0.02	0.02	0.006	0.03	2.3	0.9	0.06	41	0.80
I033303		3.59	22.0	2.51	7.24	0.11	0.02	0.04	0.024	0.21	14.1	10.4	0.77	231	2.17
I033304		2.45	18.5	3.15	6.46	0.10	0.08	0.04	0.034	0.08	31.1	15.3	0.52	978	1.61
I033305		2.44	17.6	3.47	7.15	0.08	0.11	0.08	0.036	0.07	18.8	17.3	0.57	542	1.62
I033306		1.65	20.4	2.74	6.93	0.09	0.04	0.03	0.022	0.13	11.7	16.7	0.68	720	1.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 23-AUG-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033267		1.35	16.2	500	3.8	7.5	<0.001	0.02	0.22	5.8	0.4	0.8	25.3	<0.01	0.02
I033268		0.27	8.5	460	3.6	3.4	<0.001	0.04	0.18	0.6	0.8	0.5	17.2	<0.01	0.02
I033269		0.90	10.2	480	4.7	7.3	<0.001	0.05	0.18	2.5	0.8	0.6	23.9	<0.01	0.02
I033270		1.20	14.9	830	7.5	11.0	<0.001	0.07	0.27	4.3	1.0	0.9	27.3	<0.01	0.04
I033271		1.76	19.2	580	8.3	13.8	<0.001	0.04	0.30	5.3	0.7	0.9	31.3	<0.01	0.03
I033272		1.87	19.2	550	8.5	13.4	<0.001	0.03	0.30	5.4	0.7	0.9	29.8	<0.01	0.03
I033273		1.97	22.6	320	7.1	16.2	<0.001	0.04	0.27	5.0	0.6	1.0	24.9	<0.01	0.03
I033274		1.70	31.5	690	6.8	20.2	<0.001	0.13	0.26	3.2	1.7	0.6	87.0	0.01	0.04
I033275		2.33	35.2	670	6.5	34.6	<0.001	0.12	0.26	3.9	1.7	0.7	87.2	0.01	0.04
I033276		1.06	10.9	340	5.3	9.2	<0.001	0.04	0.30	1.5	0.6	0.7	18.6	<0.01	0.03
I033277		1.09	10.8	450	4.1	27.3	0.001	0.35	0.11	9.4	1.5	0.5	28.1	<0.01	0.12
I033278		1.78	13.3	300	18.7	32.5	0.001	0.12	0.18	8.1	1.0	0.9	27.9	<0.01	0.12
I033279		1.32	20.8	420	6.6	16.6	<0.001	0.03	0.20	5.8	0.6	0.6	19.8	<0.01	0.06
I033280		1.57	16.3	290	6.0	29.9	<0.001	0.04	0.15	7.6	0.6	0.7	18.3	<0.01	0.07
I033281		1.43	13.5	440	9.1	24.9	<0.001	0.04	0.15	8.0	0.9	0.7	23.3	<0.01	0.08
I033282		1.49	19.1	290	7.3	13.0	<0.001	0.02	0.21	6.2	0.4	0.7	16.7	<0.01	0.04
I033283		1.38	15.0	310	10.0	31.8	<0.001	0.03	0.23	7.4	0.5	1.5	26.8	<0.01	0.06
I033284		0.55	15.6	360	6.1	42.7	<0.001	0.02	1.38	8.6	0.5	0.6	22.1	<0.01	0.03
I033285		1.35	11.5	520	20.5	11.9	<0.001	0.05	0.35	3.5	1.0	0.7	19.7	<0.01	0.04
I033286		1.09	10.1	470	8.8	11.5	<0.001	0.03	0.14	4.5	0.7	0.7	19.4	<0.01	0.03
I033287		1.16	23.6	570	8.1	16.3	<0.001	0.05	0.35	6.2	0.8	0.7	26.2	<0.01	0.04
I033288		1.21	26.0	650	8.2	15.9	0.001	0.12	0.48	5.1	1.4	0.5	57.4	<0.01	0.05
I033289		1.11	23.8	540	8.2	38.5	0.001	0.12	0.42	4.3	1.5	0.4	79.3	<0.01	0.06
I033290		1.07	22.9	720	5.6	13.2	<0.001	0.05	0.23	5.2	0.6	0.5	32.2	<0.01	0.03
I033291		1.01	12.3	420	3.8	8.3	<0.001	0.05	0.22	2.9	0.9	0.4	15.5	<0.01	0.03
I033292		1.12	28.4	750	39.3	22.0	0.001	0.09	0.29	6.3	1.6	0.5	50.6	<0.01	0.11
I033293		1.11	18.0	490	7.2	14.9	0.001	0.08	0.30	5.8	1.4	0.7	30.1	<0.01	0.05
I033294		1.88	32.8	590	8.1	28.4	0.001	0.08	0.60	4.5	1.1	0.7	27.7	<0.01	0.04
I033295		2.46	56.6	750	24.7	42.0	<0.001	0.09	6.06	5.7	1.2	0.8	39.2	<0.01	0.04
I033296		1.30	59.2	320	7.4	21.8	<0.001	0.03	0.19	3.7	0.5	0.7	28.0	<0.01	0.03
I033297		1.72	40.0	520	7.6	26.6	<0.001	0.07	1.04	4.7	1.0	0.7	24.4	<0.01	0.14
I033298		1.82	25.8	660	6.2	18.7	<0.001	0.07	0.45	4.0	0.9	0.6	18.9	<0.01	0.05
I033299		0.49	26.2	530	3.4	17.2	<0.001	0.04	0.12	1.4	0.5	0.4	15.3	<0.01	0.02
I033300		1.82	27.6	550	8.8	21.1	<0.001	0.05	0.43	2.5	0.6	0.7	18.8	<0.01	0.03
I033301		1.74	80.1	390	8.0	51.5	0.001	0.04	0.10	3.5	0.5	0.8	20.9	<0.01	0.03
I033302		0.47	5.9	140	2.5	3.0	<0.001	0.02	0.17	1.5	0.3	0.3	8.6	<0.01	0.01
I033303		2.22	38.5	870	9.3	27.0	<0.001	0.08	0.64	4.8	1.5	0.8	36.5	<0.01	0.04
I033304		2.09	20.3	800	11.3	18.3	0.001	0.03	0.37	5.0	0.7	1.1	25.5	0.01	0.04
I033305		2.72	22.1	530	10.2	12.4	<0.001	0.04	0.36	5.1	0.7	1.2	18.5	<0.01	0.04
I033306		2.29	26.7	820	8.3	22.5	<0.001	0.07	0.36	4.6	1.0	0.5	49.1	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 23 - AUG - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10105243

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033267		0.127	0.07	0.52	83	4.27	7.31	43	2.3
I033268		0.024	0.06	0.94	27	0.19	8.02	15	<0.5
I033269		0.056	0.09	1.27	31	0.39	7.04	25	0.8
I033270		0.080	0.17	1.54	59	0.43	6.77	48	1.2
I033271		0.115	0.14	1.11	62	0.31	9.25	64	2.0
I033272		0.121	0.15	1.09	61	0.50	8.78	63	2.2
I033273		0.125	0.14	0.64	71	0.24	4.57	62	1.4
I033274		0.062	0.15	1.67	38	0.12	9.89	65	2.1
I033275		0.091	0.23	1.62	48	0.16	9.79	64	2.3
I033276		0.074	0.07	0.50	45	0.14	2.99	30	0.5
I033277		0.156	0.20	0.56	122	0.10	4.02	73	0.5
I033278		0.189	0.31	0.49	98	0.12	3.74	123	2.1
I033279		0.144	0.14	0.44	75	0.18	4.27	64	1.0
I033280		0.190	0.24	0.46	93	0.12	4.44	90	1.1
I033281		0.145	0.21	0.66	81	0.13	5.85	83	0.9
I033282		0.191	0.14	0.33	95	0.20	3.52	81	1.5
I033283		0.140	0.20	0.53	84	0.20	6.75	108	1.4
I033284		0.194	0.31	0.23	130	1.97	3.74	135	0.5
I033285		0.096	0.13	0.76	47	1.62	4.42	74	1.0
I033286		0.103	0.11	0.49	51	1.52	3.99	52	0.7
I033287		0.128	0.32	0.58	83	2.86	4.85	79	1.0
I033288		0.086	0.21	1.26	63	1.49	10.05	84	2.5
I033289		0.081	0.28	0.64	54	1.44	7.69	81	2.2
I033290		0.127	0.16	0.37	85	0.27	3.30	74	1.0
I033291		0.082	0.09	0.32	53	0.15	1.75	28	0.6
I033292		0.113	0.22	0.68	79	14.50	9.62	100	2.4
I033293		0.116	0.17	0.36	78	0.31	2.73	65	0.9
I033294		0.138	0.24	1.14	63	5.74	3.89	69	1.0
I033295		0.121	0.26	1.40	74	0.38	8.61	114	1.6
I033296		0.144	0.17	0.70	59	0.12	4.32	41	0.8
I033297		0.096	0.17	0.79	67	0.43	4.90	63	0.8
I033298		0.131	0.15	0.53	82	0.19	3.37	63	0.9
I033299		0.074	0.12	0.45	38	0.08	3.15	25	<0.5
I033300		0.125	0.14	0.47	58	0.14	2.62	43	0.8
I033301		0.217	0.27	0.54	86	0.18	2.38	55	0.7
I033302		0.046	0.04	0.18	26	0.08	0.74	13	<0.5
I033303		0.107	0.24	1.12	71	0.19	5.61	99	0.7
I033304		0.116	0.16	2.40	72	6.27	13.65	77	3.5
I033305		0.131	0.21	2.46	84	4.42	7.75	69	4.6
I033306		0.116	0.15	0.80	62	0.35	6.23	73	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23 - AUG - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10105243

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 28-AUG-2010
Account: EIASQI

CERTIFICATE TR10103478

Project: SQI10-03

P.O. No.:

This report is for 23 GRAB samples submitted to our lab in Terrace, BC, Canada on 10-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28 - AUG - 2010
Account: EIASQI

Project: SQ110-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034351		0.66	0.008	0.01	0.26	0.5	<0.2	<10	110	0.06	<0.01	0.13	0.02	0.86	0.6	7
I034352		0.58	0.008	0.03	1.36	0.3	<0.2	<10	320	0.20	0.03	0.86	0.06	6.64	10.2	120
I034353		0.60	0.006	0.02	0.40	1.7	<0.2	<10	110	0.18	0.02	0.46	0.03	20.7	3.4	3
I034354		0.46	0.006	0.09	2.45	0.9	<0.2	<10	50	0.16	0.04	1.57	0.08	2.11	27.1	64
I034355		0.48	0.007	0.05	1.38	12.9	<0.2	<10	100	0.41	0.37	2.01	0.18	26.8	10.2	45
I034356		0.44	0.005	0.03	0.15	0.9	<0.2	<10	20	<0.05	0.02	0.13	0.01	1.26	1.0	13
I034357		0.71	0.009	0.16	2.17	1.0	<0.2	<10	100	0.46	0.36	2.44	0.26	68.6	19.1	70
I034358		0.52	0.008	5.90	0.06	0.7	<0.2	<10	10	0.14	175.5	0.02	0.16	1.23	6.4	11
I034359		0.53	<0.005	0.02	0.62	<0.1	<0.2	<10	130	0.30	0.38	0.30	0.04	19.45	3.8	6
I034360		0.49	0.024	0.22	4.09	0.4	<0.2	<10	340	0.22	0.59	1.56	0.08	5.17	17.3	56
I034361		0.45	0.013	0.32	3.82	1.8	<0.2	<10	160	0.28	0.38	1.45	0.03	5.35	29.8	26
I034362		0.48	0.006	0.06	0.17	0.5	<0.2	<10	40	0.06	0.20	0.04	0.10	3.80	2.5	10
I034363		0.57	0.007	0.23	0.25	0.5	<0.2	<10	270	0.07	0.15	0.06	0.09	3.75	1.7	11
I034364		0.63	0.008	0.09	1.25	1.6	<0.2	<10	140	0.57	0.25	0.09	0.05	55.1	3.8	30
I034365		0.62	0.008	0.48	5.46	0.1	<0.2	<10	210	0.42	0.39	1.67	0.18	5.63	28.0	28
I034366		0.89	0.006	0.14	0.43	11.5	<0.2	<10	60	0.15	0.30	0.13	0.04	13.15	2.3	10
I034367		0.82	0.011	0.03	0.12	<2	<0.2	<10	60	<0.05	0.41	10.50	0.19	5.18	2.0	2
I034368		0.65	<0.005	0.19	0.61	5.8	<0.2	<10	150	0.21	0.07	0.10	0.04	10.95	5.3	20
I034369		0.60	<0.005	0.25	3.60	1.1	<0.2	<10	110	0.17	0.62	1.10	0.08	4.48	32.2	41
I034370		0.47	<0.005	0.04	0.74	0.3	<0.2	<10	180	0.28	0.04	0.38	0.02	25.4	0.9	5
I034371		0.58	<0.005	0.02	1.75	0.4	<0.2	<10	60	0.27	0.27	1.49	0.04	11.05	0.5	10
I034372		0.43	<0.005	0.09	0.34	3.7	<0.2	<10	80	0.11	0.09	0.07	0.02	6.76	0.8	11
I034373		0.57	<0.005	0.24	0.08	8.8	<0.2	<10	140	0.05	0.05	0.01	0.01	6.08	0.3	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28 - AUG - 2010
Account: EIASQI

Project: SQ110-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034351		<0.05	3.8	0.38	1.11	<0.05	0.02	<0.01	<0.005	0.06	0.4	0.8	0.07	61	0.11
I034352		0.69	21.0	1.92	3.88	0.07	0.07	<0.01	0.035	0.54	3.4	7.9	1.23	315	0.36
I034353		0.16	1.2	0.84	1.76	<0.05	0.17	0.06	0.007	0.17	10.6	1.2	0.07	101	0.22
I034354		0.68	85.2	3.83	8.17	0.14	0.07	<0.01	0.021	0.07	0.8	8.8	1.50	342	0.61
I034355		2.18	14.5	1.54	4.25	0.16	0.10	<0.01	0.054	0.06	14.7	8.8	0.40	495	2.72
I034356		0.12	11.0	0.46	0.55	<0.05	<0.02	<0.01	<0.005	0.02	0.7	1.1	0.05	56	0.20
I034357		8.93	63.6	3.51	10.30	0.17	0.06	<0.01	0.030	1.01	34.6	16.4	1.06	302	1.31
I034358		0.14	57.4	4.04	0.85	0.12	<0.02	0.12	<0.005	0.01	0.6	0.7	0.03	59	17.25
I034359		0.19	1.3	0.60	2.78	<0.05	0.14	<0.01	<0.005	0.07	10.0	3.9	0.31	186	0.13
I034360		2.65	118.0	3.08	9.00	0.10	0.02	<0.01	0.016	1.08	2.4	30.3	1.79	345	0.13
I034361		1.75	191.5	3.81	6.72	0.09	0.02	<0.01	0.018	0.66	3.1	23.0	0.81	226	2.06
I034362		0.16	16.4	0.51	0.70	<0.05	<0.02	<0.01	<0.005	0.05	1.5	1.5	0.10	154	0.31
I034363		0.10	21.8	0.74	0.94	<0.05	0.02	<0.01	<0.005	0.04	1.6	1.2	0.09	75	0.19
I034364		1.32	53.5	2.25	3.96	0.09	0.13	<0.01	0.012	0.48	29.0	10.5	0.65	167	0.72
I034365		2.45	50.9	5.19	13.45	0.20	0.02	<0.01	0.020	1.19	2.4	21.8	2.97	380	0.18
I034366		0.52	24.3	0.98	2.09	<0.05	0.12	<0.01	0.012	0.09	6.6	3.1	0.13	122	0.81
I034367		0.20	3.3	0.83	0.58	0.06	0.02	<0.01	0.020	0.01	3.3	5.7	3.94	1180	0.09
I034368		0.69	43.1	1.26	2.30	<0.05	<0.02	<0.01	0.009	0.20	5.3	7.4	0.35	275	2.58
I034369		0.59	86.6	5.10	9.02	0.12	0.02	<0.01	0.025	0.08	1.8	9.4	2.06	231	0.62
I034370		0.27	1.2	0.48	2.53	<0.05	0.05	<0.01	0.005	0.09	13.6	3.2	0.28	115	0.15
I034371		0.31	1.2	0.76	4.62	0.08	0.07	<0.01	0.064	0.04	5.4	1.1	0.09	152	0.90
I034372		0.66	4.1	0.59	1.08	<0.05	0.06	<0.01	<0.005	0.15	1.9	2.5	0.11	66	0.38
I034373		0.13	4.9	0.44	0.30	<0.05	0.02	<0.01	<0.005	0.05	3.4	0.5	0.01	33	2.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28 - AUG - 2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034351		0.16	0.8	60	0.7	2.2	<0.001	<0.01	0.21	0.4	<0.2	<0.2	36.4	<0.01	<0.01	<0.2
I034352		0.14	25.1	700	0.7	24.4	0.001	0.06	0.18	5.3	0.3	0.2	910	<0.01	0.02	2.3
I034353		0.43	1.2	210	1.3	8.0	<0.001	0.03	0.34	2.1	0.2	0.3	15.9	<0.01	<0.01	5.5
I034354		0.08	26.0	1680	1.2	4.6	0.003	0.28	0.17	9.0	0.4	0.3	39.2	<0.01	0.01	<0.2
I034355		1.12	43.2	1380	2.8	6.1	0.004	0.09	0.26	3.3	0.3	3.7	99.3	0.01	0.02	7.3
I034356		0.22	2.4	280	0.7	1.6	<0.001	<0.01	0.09	0.6	<0.2	<0.2	8.9	<0.01	0.01	0.3
I034357		0.64	42.6	1030	17.3	110.0	0.004	1.15	0.19	9.3	2.0	1.4	41.9	0.01	0.07	12.4
I034358		0.08	7.2	10	56.1	1.5	0.001	<0.01	0.13	0.3	1.0	0.5	1.9	<0.01	0.33	0.2
I034359		0.43	1.7	240	2.0	2.8	<0.001	<0.01	0.08	1.7	<0.2	0.3	18.3	<0.01	<0.01	4.7
I034360		0.11	31.7	800	2.5	40.5	<0.001	<0.01	0.16	8.3	0.2	0.3	42.2	<0.01	0.02	1.0
I034361		0.18	12.5	690	2.1	26.9	0.003	0.62	0.92	15.1	0.6	0.2	47.9	<0.01	0.06	0.4
I034362		0.06	5.7	30	1.4	3.6	<0.001	<0.01	0.10	1.1	0.2	<0.2	5.1	<0.01	0.02	0.4
I034363		0.12	6.5	70	1.5	3.3	0.001	0.05	0.10	0.9	0.8	<0.2	6.6	<0.01	0.03	0.5
I034364		0.09	22.1	520	9.7	30.6	<0.001	<0.01	0.09	2.3	1.2	0.3	6.3	<0.01	0.08	9.0
I034365		0.10	16.2	610	19.5	54.9	0.001	1.55	0.10	20.4	2.8	0.7	52.9	<0.01	0.09	0.7
I034366		0.50	5.8	120	7.6	8.6	0.001	0.01	0.09	2.8	0.6	0.3	8.7	<0.01	0.04	6.0
I034367		0.10	2.6	280	2.4	0.9	<0.001	0.06	0.05	1.0	0.3	0.3	180.0	<0.01	0.02	0.4
I034368		0.28	7.8	90	0.7	13.9	0.003	0.13	0.11	2.2	0.5	<0.2	5.5	<0.01	0.06	1.6
I034369		0.05	18.5	390	5.3	4.5	0.001	2.59	0.12	9.2	2.9	<0.2	51.8	<0.01	0.31	0.7
I034370		0.49	1.1	190	0.9	3.6	<0.001	0.01	0.14	1.9	0.2	0.7	44.0	<0.01	<0.01	4.3
I034371		0.69	0.9	120	1.2	1.5	0.001	0.01	0.39	3.6	0.2	2.3	57.6	0.01	0.01	2.4
I034372		0.19	1.4	280	9.0	9.3	<0.001	0.05	0.08	0.8	0.3	0.2	14.5	<0.01	0.02	2.1
I034373		0.06	0.9	70	3.5	2.0	<0.001	0.02	0.17	0.3	0.8	<0.2	14.8	<0.01	0.08	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28 - AUG - 2010
 Account: EIASQI

Project: SQ110-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034351		0.006	<0.02	<0.05	2	<0.05	0.38	8	<0.5
I034352		0.126	0.11	0.30	55	0.05	2.28	37	1.1
I034353		0.038	0.05	0.56	8	0.10	7.82	15	4.1
I034354		0.118	0.06	0.06	128	0.06	11.15	42	0.8
I034355		0.151	0.08	1.72	31	0.69	7.65	46	2.3
I034356		0.027	<0.02	0.08	4	0.06	0.87	3	<0.5
I034357		0.240	0.81	2.78	89	0.41	17.00	98	0.9
I034358		<0.005	0.03	0.12	38	145.0	0.66	6	<0.5
I034359		0.036	0.02	1.13	4	0.44	5.10	11	3.6
I034360		0.124	0.27	0.17	132	0.38	2.70	44	<0.5
I034361		0.100	0.26	0.07	123	0.10	5.65	7	<0.5
I034362		0.006	0.03	0.07	6	0.11	0.95	7	<0.5
I034363		0.006	0.02	0.15	5	0.07	0.88	10	0.6
I034364		0.052	0.22	1.20	38	0.07	6.03	69	4.7
I034365		0.125	0.53	0.14	207	0.40	4.71	64	0.5
I034366		0.023	0.07	1.01	8	1.08	3.57	13	2.4
I034367		<0.005	<0.02	0.25	2	0.70	4.64	21	0.9
I034368		0.046	0.08	0.65	39	0.15	2.18	17	<0.5
I034369		0.043	0.04	0.33	110	0.06	3.30	38	<0.5
I034370		0.036	0.02	0.48	6	0.07	8.31	9	1.0
I034371		0.056	<0.02	0.43	17	0.15	8.27	3	1.2
I034372		0.012	0.07	1.27	6	0.07	2.59	11	1.6
I034373		<0.005	0.02	0.21	6	0.10	0.60	<2	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28 - AUG - 2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix D: Rock Sample Descriptions

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I034351 YCS	Grid North: UTM 6978293 Elevation	N	Grid East: UTM 564007 Sample Width:	E	Type: Float Strike Length Exp: True Width: Host : Qtz	Alteration: Metallics: Secondaries:	<u>Au (ppm)</u> 0.008 <u>Zn (ppm)</u> 8	<u>Ag (ppm)</u> 0.01 <u>As (ppm)</u> 0.5	<u>Cu (ppm)</u> 3.8 <u>Sb (ppm)</u> 0.21	<u>Pb (ppm)</u> 0.7 <u>Mo (ppm)</u> 0.11
Sampled By: TB 20-Jul-10	Sampled glassy banded Qtz in creek float									
I034352 YCS	Grid North: UTM 6978191 Elevation	N	Grid East: UTM 563881 Sample Width:	E	Type: Grab Strike Length Exp: True Width: Host : Bt Schist	Alteration: Bi Metallics: Py Secondaries:	<u>Au (ppm)</u> 0.008 <u>Zn (ppm)</u> 37	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 0.3	<u>Cu (ppm)</u> 21 <u>Sb (ppm)</u> 0.18	<u>Pb (ppm)</u> 0.7 <u>Mo (ppm)</u> 0.36
Sampled By: TB 20-Jul-10	Sampled outcrop in creek bank									
I034353 YCS	Grid North: UTM 6978189 Elevation	N	Grid East: UTM 563875 Sample Width:	E	Type: Float Strike Length Exp: True Width: Host : Intrusive	Alteration: Ms Metallics: Hs Secondaries: Ja, He,	<u>Au (ppm)</u> 0.006 <u>Zn (ppm)</u> 15	<u>Ag (ppm)</u> 0.02 <u>As (ppm)</u> 1.7	<u>Cu (ppm)</u> 1.2 <u>Sb (ppm)</u> 0.34	<u>Pb (ppm)</u> 1.3 <u>Mo (ppm)</u> 0.22
Sampled By: TB 20-Jul-10	Sampled granite float. Qtz stringers with Mz									
I034354 YCS	Grid North: UTM 6978275 Elevation	N	Grid East: UTM 564291 Sample Width:	E	Type: Float Strike Length Exp: True Width: Host : Schist	Alteration: Bi, Cl, Metallics: Mg, Py, Secondaries: Ja	<u>Au (ppm)</u> 0.006 <u>Zn (ppm)</u> 42	<u>Ag (ppm)</u> 0.09 <u>As (ppm)</u> 0.9	<u>Cu (ppm)</u> 85.2 <u>Sb (ppm)</u> 0.17	<u>Pb (ppm)</u> 1.2 <u>Mo (ppm)</u> 0.61
Sampled By: TB 20-Jul-10	Sampled Mg in Bi-Cl schist float in creek									
I034355 YCS	Grid North: UTM 6977863 Elevation	N	Grid East: UTM 564255 Sample Width:	E	Type: Float Strike Length Exp: True Width: Host : Qtz	Alteration: Metallics: Hs, Py, Secondaries: Ja, He,	<u>Au (ppm)</u> 0.007 <u>Zn (ppm)</u> 46	<u>Ag (ppm)</u> 0.05 <u>As (ppm)</u> 12.9	<u>Cu (ppm)</u> 14.5 <u>Sb (ppm)</u> 0.26	<u>Pb (ppm)</u> 2.8 <u>Mo (ppm)</u> 2.72
Sampled By: TB 20-Jul-10	Sampled banded Qtz with disseminated Hs and some Py									
I034356 YCS	Grid North: UTM 6976738 Elevation	N	Grid East: UTM 564182 Sample Width:	E	Type: Float Strike Length Exp: True Width: Host : Qtz	Alteration: Metallics: Stibnite Secondaries:	<u>Au (ppm)</u> 0.005 <u>Zn (ppm)</u> 3	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 0.9	<u>Cu (ppm)</u> 11 <u>Sb (ppm)</u> 0.09	<u>Pb (ppm)</u> 0.7 <u>Mo (ppm)</u> 0.2
Sampled By: TB 20-Jul-10	Sampled small float stone of glassy Qtz with stibnite on fractures									

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I034357 YCS	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM 6975651	N	UTM 563868	E	Strike Length Exp:	Metallics: Py	0.009	0.16	63.6	17.3
	Elevation		Sample Width:		True Width:	Secondaries: Ja	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	<u>Mo (ppm)</u>
					Host : ?Gneiss		98	1	0.19	1.31
Sampled By: TB 21-Jul-10	Sampled gneiss float with milky Qtz stringers and disseminated Py									

Appendix E: Data Disc

Report text, geochemical databases, drafting and plot files

Appendix F: Geologist's Certificates

GEOLOGIST'S CERTIFICATE

Darcy E.L. Baker
Suite 114 – 2635 Prince Edward Street,
Vancouver, BC, Canada

I, Darcy Baker, P.Geo. do hereby certify that:

- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 25th day of April, 2011.



Darcy Baker, Ph.D., P.Geo.