



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 28-AUG-2010
Account: EIASQI

CERTIFICATE TR10103478

Project: SQI10-03

P.O. No.:

This report is for 23 GRAB samples submitted to our lab in Terrace, BC, Canada on 10-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-AUG-2010
 Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034351		0.66	0.008	0.01	0.26	0.5	<0.2	<10	110	0.06	<0.01	0.13	0.02	0.86	0.6	7
I034352		0.58	0.008	0.03	1.36	0.3	<0.2	<10	320	0.20	0.03	0.86	0.06	6.64	10.2	120
I034353		0.60	0.006	0.02	0.40	1.7	<0.2	<10	110	0.18	0.02	0.46	0.03	20.7	3.4	3
I034354		0.46	0.006	0.09	2.45	0.9	<0.2	<10	50	0.16	0.04	1.57	0.08	2.11	27.1	64
I034355		0.48	0.007	0.05	1.38	12.9	<0.2	<10	100	0.41	0.37	2.01	0.18	26.8	10.2	45
I034356		0.44	0.005	0.03	0.15	0.9	<0.2	<10	20	<0.05	0.02	0.13	0.01	1.26	1.0	13
I034357		0.71	0.009	0.16	2.17	1.0	<0.2	<10	100	0.46	0.36	2.44	0.26	68.6	19.1	70
I034358		0.52	0.008	5.90	0.06	0.7	<0.2	<10	10	0.14	175.5	0.02	0.16	1.23	6.4	11
I034359		0.53	<0.005	0.02	0.62	<0.1	<0.2	<10	130	0.30	0.38	0.30	0.04	19.45	3.8	6
I034360		0.49	0.024	0.22	4.09	0.4	<0.2	<10	340	0.22	0.59	1.56	0.08	5.17	17.3	56
I034361		0.45	0.013	0.32	3.82	1.8	<0.2	<10	160	0.28	0.38	1.45	0.03	5.35	29.8	26
I034362		0.48	0.006	0.06	0.17	0.5	<0.2	<10	40	0.06	0.20	0.04	0.10	3.80	2.5	10
I034363		0.57	0.007	0.23	0.25	0.5	<0.2	<10	270	0.07	0.15	0.06	0.09	3.75	1.7	11
I034364		0.63	0.008	0.09	1.25	1.6	<0.2	<10	140	0.57	0.25	0.09	0.05	55.1	3.8	30
I034365		0.62	0.008	0.48	5.46	0.1	<0.2	<10	210	0.42	0.39	1.67	0.18	5.63	28.0	28
I034366		0.89	0.006	0.14	0.43	11.5	<0.2	<10	60	0.15	0.30	0.13	0.04	13.15	2.3	10
I034367		0.82	0.011	0.03	0.12	<2	<0.2	<10	60	<0.05	0.41	10.50	0.19	5.18	2.0	2
I034368		0.65	<0.005	0.19	0.61	5.8	<0.2	<10	150	0.21	0.07	0.10	0.04	10.95	5.3	20
I034369		0.60	<0.005	0.25	3.60	1.1	<0.2	<10	110	0.17	0.62	1.10	0.08	4.48	32.2	41
I034370		0.47	<0.005	0.04	0.74	0.3	<0.2	<10	180	0.28	0.04	0.38	0.02	25.4	0.9	5
I034371		0.58	<0.005	0.02	1.75	0.4	<0.2	<10	60	0.27	0.27	1.49	0.04	11.05	0.5	10
I034372		0.43	<0.005	0.09	0.34	3.7	<0.2	<10	80	0.11	0.09	0.07	0.02	6.76	0.8	11
I034373		0.57	<0.005	0.24	0.08	8.8	<0.2	<10	140	0.05	0.05	0.01	0.01	6.08	0.3	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2010
Account: EIASQI

Project: SQ110-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I034351		<0.05	3.8	0.38	1.11	<0.05	0.02	<0.01	<0.005	0.06	0.4	0.8	0.07	61	0.11	0.10
I034352		0.69	21.0	1.92	3.88	0.07	0.07	<0.01	0.035	0.54	3.4	7.9	1.23	315	0.36	0.10
I034353		0.16	1.2	0.84	1.76	<0.05	0.17	0.06	0.007	0.17	10.6	1.2	0.07	101	0.22	0.04
I034354		0.68	85.2	3.83	8.17	0.14	0.07	<0.01	0.021	0.07	0.8	8.8	1.50	342	0.61	0.25
I034355		2.18	14.5	1.54	4.25	0.16	0.10	<0.01	0.054	0.06	14.7	8.8	0.40	495	2.72	0.20
I034356		0.12	11.0	0.46	0.55	<0.05	<0.02	<0.01	<0.005	0.02	0.7	1.1	0.05	56	0.20	0.02
I034357		8.93	63.6	3.51	10.30	0.17	0.06	<0.01	0.030	1.01	34.6	16.4	1.06	302	1.31	0.18
I034358		0.14	57.4	4.04	0.85	0.12	<0.02	0.12	<0.005	0.01	0.6	0.7	0.03	59	17.25	0.01
I034359		0.19	1.3	0.60	2.78	<0.05	0.14	<0.01	<0.005	0.07	10.0	3.9	0.31	186	0.13	0.07
I034360		2.65	118.0	3.08	9.00	0.10	0.02	<0.01	0.016	1.08	2.4	30.3	1.79	345	0.13	0.19
I034361		1.75	191.5	3.81	6.72	0.09	0.02	<0.01	0.018	0.66	3.1	23.0	0.81	226	2.06	0.27
I034362		0.16	16.4	0.51	0.70	<0.05	<0.02	<0.01	<0.005	0.05	1.5	1.5	0.10	154	0.31	0.01
I034363		0.10	21.8	0.74	0.94	<0.05	0.02	<0.01	<0.005	0.04	1.6	1.2	0.09	75	0.19	0.02
I034364		1.32	53.5	2.25	3.96	0.09	0.13	<0.01	0.012	0.48	29.0	10.5	0.65	167	0.72	0.02
I034365		2.45	50.9	5.19	13.45	0.20	0.02	<0.01	0.020	1.19	2.4	21.8	2.97	380	0.18	0.21
I034366		0.52	24.3	0.98	2.09	<0.05	0.12	<0.01	0.012	0.09	6.6	3.1	0.13	122	0.81	0.04
I034367		0.20	3.3	0.83	0.58	0.06	0.02	<0.01	0.020	0.01	3.3	5.7	3.94	1180	0.09	0.02
I034368		0.69	43.1	1.26	2.30	<0.05	<0.02	<0.01	0.009	0.20	5.3	7.4	0.35	275	2.58	0.02
I034369		0.59	86.6	5.10	9.02	0.12	0.02	<0.01	0.025	0.08	1.8	9.4	2.06	231	0.62	0.29
I034370		0.27	1.2	0.48	2.53	<0.05	0.05	<0.01	0.005	0.09	13.6	3.2	0.28	115	0.15	0.07
I034371		0.31	1.2	0.76	4.62	0.08	0.07	<0.01	0.064	0.04	5.4	1.1	0.09	152	0.90	0.10
I034372		0.66	4.1	0.59	1.08	<0.05	0.06	<0.01	<0.005	0.15	1.9	2.5	0.11	66	0.38	0.03
I034373		0.13	4.9	0.44	0.30	<0.05	0.02	<0.01	<0.005	0.05	3.4	0.5	0.01	33	2.94	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034351		0.16	0.8	60	0.7	2.2	<0.001	<0.01	0.21	0.4	<0.2	<0.2	36.4	<0.01	<0.01	<0.2
I034352		0.14	25.1	700	0.7	24.4	0.001	0.06	0.18	5.3	0.3	0.2	910	<0.01	0.02	2.3
I034353		0.43	1.2	210	1.3	8.0	<0.001	0.03	0.34	2.1	0.2	0.3	15.9	<0.01	<0.01	5.5
I034354		0.08	26.0	1680	1.2	4.6	0.003	0.28	0.17	9.0	0.4	0.3	39.2	<0.01	0.01	<0.2
I034355		1.12	43.2	1380	2.8	6.1	0.004	0.09	0.26	3.3	0.3	3.7	99.3	0.01	0.02	7.3
I034356		0.22	2.4	280	0.7	1.6	<0.001	<0.01	0.09	0.6	<0.2	<0.2	8.9	<0.01	0.01	0.3
I034357		0.64	42.6	1030	17.3	110.0	0.004	1.15	0.19	9.3	2.0	1.4	41.9	0.01	0.07	12.4
I034358		0.08	7.2	10	56.1	1.5	0.001	<0.01	0.13	0.3	1.0	0.5	1.9	<0.01	0.33	0.2
I034359		0.43	1.7	240	2.0	2.8	<0.001	<0.01	0.08	1.7	<0.2	0.3	18.3	<0.01	<0.01	4.7
I034360		0.11	31.7	800	2.5	40.5	<0.001	<0.01	0.16	8.3	0.2	0.3	42.2	<0.01	0.02	1.0
I034361		0.18	12.5	690	2.1	26.9	0.003	0.62	0.92	15.1	0.6	0.2	47.9	<0.01	0.06	0.4
I034362		0.06	5.7	30	1.4	3.6	<0.001	<0.01	0.10	1.1	0.2	<0.2	5.1	<0.01	0.02	0.4
I034363		0.12	6.5	70	1.5	3.3	0.001	0.05	0.10	0.9	0.8	<0.2	6.6	<0.01	0.03	0.5
I034364		0.09	22.1	520	9.7	30.6	<0.001	<0.01	0.09	2.3	1.2	0.3	6.3	<0.01	0.08	9.0
I034365		0.10	16.2	610	19.5	54.9	0.001	1.55	0.10	20.4	2.8	0.7	52.9	<0.01	0.09	0.7
I034366		0.50	5.8	120	7.6	8.6	0.001	0.01	0.09	2.8	0.6	0.3	8.7	<0.01	0.04	6.0
I034367		0.10	2.6	280	2.4	0.9	<0.001	0.06	0.05	1.0	0.3	0.3	180.0	<0.01	0.02	0.4
I034368		0.28	7.8	90	0.7	13.9	0.003	0.13	0.11	2.2	0.5	<0.2	5.5	<0.01	0.06	1.6
I034369		0.05	18.5	390	5.3	4.5	0.001	2.59	0.12	9.2	2.9	<0.2	51.8	<0.01	0.31	0.7
I034370		0.49	1.1	190	0.9	3.6	<0.001	0.01	0.14	1.9	0.2	0.7	44.0	<0.01	<0.01	4.3
I034371		0.69	0.9	120	1.2	1.5	0.001	0.01	0.39	3.6	0.2	2.3	57.6	0.01	0.01	2.4
I034372		0.19	1.4	280	9.0	9.3	<0.001	0.05	0.08	0.8	0.3	0.2	14.5	<0.01	0.02	2.1
I034373		0.06	0.9	70	3.5	2.0	<0.001	0.02	0.17	0.3	0.8	<0.2	14.8	<0.01	0.08	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-AUG-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034351		0.006	<0.02	<0.05	2	<0.05	0.38	8	<0.5
I034352		0.126	0.11	0.30	55	0.05	2.28	37	1.1
I034353		0.038	0.05	0.56	8	0.10	7.82	15	4.1
I034354		0.118	0.06	0.06	128	0.06	11.15	42	0.8
I034355		0.151	0.08	1.72	31	0.69	7.65	46	2.3
I034356		0.027	<0.02	0.08	4	0.06	0.87	3	<0.5
I034357		0.240	0.81	2.78	89	0.41	17.00	98	0.9
I034358		<0.005	0.03	0.12	38	145.0	0.66	6	<0.5
I034359		0.036	0.02	1.13	4	0.44	5.10	11	3.6
I034360		0.124	0.27	0.17	132	0.38	2.70	44	<0.5
I034361		0.100	0.26	0.07	123	0.10	5.65	7	<0.5
I034362		0.006	0.03	0.07	6	0.11	0.95	7	<0.5
I034363		0.006	0.02	0.15	5	0.07	0.88	10	0.6
I034364		0.052	0.22	1.20	38	0.07	6.03	69	4.7
I034365		0.125	0.53	0.14	207	0.40	4.71	64	0.5
I034366		0.023	0.07	1.01	8	1.08	3.57	13	2.4
I034367		<0.005	<0.02	0.25	2	0.70	4.64	21	0.9
I034368		0.046	0.08	0.65	39	0.15	2.18	17	<0.5
I034369		0.043	0.04	0.33	110	0.06	3.30	38	<0.5
I034370		0.036	0.02	0.48	6	0.07	8.31	9	1.0
I034371		0.056	<0.02	0.43	17	0.15	8.27	3	1.2
I034372		0.012	0.07	1.27	6	0.07	2.59	11	1.6
I034373		<0.005	0.02	0.21	6	0.10	0.60	<2	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-AUG-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS TR10103478

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).