



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 12-OCT-2010
Account: EIASQI

CERTIFICATE WH10127718

Project: SQI10-01

P.O. No.: SQI10-01_11

This report is for 88 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 17-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23 Au Check ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm
		0.02	0.005	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
I102121		1.84	<0.005			0.10	1.03	3.1	<0.2	<10	90	1.11	2.20	0.52	0.20	48.5
I102122		1.70	<0.005			0.23	1.02	3.7	<0.2	<10	80	1.08	2.09	0.51	0.76	48.0
I102123		2.59	0.020			1.38	1.61	3.5	<0.2	<10	70	1.32	5.47	0.45	0.61	56.6
I102124		1.56	<0.005			3.85	0.91	12.4	<0.2	<10	60	0.98	11.70	0.35	0.54	62.2
I102125		2.47	0.016			1.02	2.47	3.8	<0.2	<10	80	2.31	2.63	0.61	0.32	63.4
I102126		2.86	0.037			2.06	1.29	5.8	<0.2	<10	90	1.74	20.1	0.47	0.37	53.6
I102127		2.60	<0.005			3.21	0.98	19.0	<0.2	10	60	1.05	4.02	0.26	0.19	46.0
I102128		5.38	<0.005			0.16	0.81	3.1	<0.2	<10	50	1.02	0.80	0.35	0.13	42.8
I102129		4.87	<0.005			0.19	1.18	4.4	<0.2	<10	90	1.15	1.28	0.54	0.18	52.2
I102130		0.04	3.05		3.15	0.09	0.89	3.9	<0.2	<10	70	0.74	0.80	0.42	0.20	43.4
I102131		3.12	<0.005			2.04	1.78	517	2.6	20	120	0.26	235	9.20	0.68	27.9
I102132		4.98	<0.005			0.16	1.35	5.2	<0.2	<10	80	1.19	3.94	0.51	0.25	61.4
I102133		4.68	<0.005			0.09	2.20	3.9	<0.2	<10	20	1.08	7.80	0.65	0.10	42.5
I102134		2.12	<0.005			0.09	1.27	2.9	<0.2	<10	40	1.41	3.72	0.43	0.41	53.5
I102135		1.10	<0.005			0.12	1.75	6.0	<0.2	<10	60	1.70	5.95	0.56	0.28	53.8
I102136		4.86	0.006			0.21	1.76	6.9	<0.2	<10	40	0.97	4.89	0.90	0.26	33.9
I102137		2.41	<0.005			0.02	1.83	6.5	<0.2	<10	20	0.82	2.19	1.01	0.11	34.3
I102138		3.06	<0.005			0.05	1.21	4.6	<0.2	<10	40	1.00	1.15	0.96	0.13	37.4
I102139		2.09	<0.005			0.16	1.90	5.0	<0.2	<10	70	1.38	3.06	0.72	0.29	33.7
I102140		1.34	<0.005			0.08	0.68	5.5	<0.2	<10	90	0.63	0.35	0.28	0.25	32.3
I102141		2.70	<0.005			0.12	1.70	3.7	<0.2	<10	80	1.26	1.13	0.81	0.34	47.7
I102142		6.34	<0.005			0.08	1.08	4.9	<0.2	<10	80	0.70	1.12	0.82	0.16	44.1
I102143		3.36	<0.005			0.07	2.02	5.6	<0.2	<10	80	1.15	6.98	1.19	0.19	48.7
I102144		5.49	<0.005			0.07	1.20	7.1	<0.2	<10	130	0.48	0.27	0.90	0.20	49.8
I102145		5.46	<0.005			0.11	1.17	8.2	<0.2	<10	140	0.39	0.23	0.79	0.18	48.7
I102146		5.81	<0.005			0.07	1.08	7.6	<0.2	<10	110	0.55	0.77	0.87	0.19	52.0
I102147		4.12	<0.005			0.09	1.54	7.5	<0.2	<10	140	0.87	1.42	1.05	0.19	49.7
I102148		4.91	<0.005			0.07	1.32	7.1	<0.2	<10	140	0.68	0.27	1.24	0.15	44.5
I102149		0.81	<0.005			0.18	2.87	5.7	<0.2	<10	150	2.05	0.15	3.08	0.18	42.0
I102150		1.03	<0.005			0.23	2.90	6.1	<0.2	<10	170	2.21	0.13	2.75	0.18	43.3
I102151		3.25	<0.005			0.08	2.30	6.7	<0.2	<10	170	1.86	0.28	1.63	0.20	44.3
I102152		2.66	<0.005			0.07	1.31	6.5	<0.2	<10	130	0.91	0.41	0.98	0.17	37.9
I102153		4.26	<0.005			0.07	1.46	7.5	<0.2	<10	150	1.08	0.36	0.95	0.15	50.9
I102154		2.09	<0.005			0.05	1.52	7.1	<0.2	<10	110	1.27	0.31	0.87	0.17	64.2
I102155		3.69	<0.005			0.06	1.61	6.4	<0.2	<10	190	1.04	0.14	1.36	0.13	43.0
I102156		4.00	<0.005			0.06	1.66	6.4	<0.2	<10	90	1.59	0.18	1.40	0.13	40.6
I102157		6.48	<0.005			0.06	1.73	6.7	<0.2	<10	90	1.48	0.39	0.91	0.15	47.7
I102158		1.22	<0.005			0.05	1.89	6.2	<0.2	<10	80	2.89	0.80	0.98	0.26	43.4
I102159		3.18	<0.005			0.07	2.12	4.9	<0.2	<10	130	2.92	1.44	1.92	0.26	43.1
I102160		<0.02	<0.005			0.05	1.78	4.5	<0.2	<10	120	2.79	1.23	1.87	0.25	41.3

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%
		0.1	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01
I102121		5.5	18	4.60	16.5	2.38	5.01	0.08	0.13	<0.01	0.036	0.33	26.7	17.7	0.63
I102122		4.9	15	4.98	17.2	2.34	4.72	0.08	0.14	<0.01	0.055	0.31	25.3	17.6	0.61
I102123		5.4	17	4.91	18.1	3.38	7.03	0.08	0.11	0.01	0.058	0.27	28.5	23.3	0.78
I102124		7.2	11	10.55	191.5	3.66	4.32	0.08	0.09	0.02	0.052	0.31	30.4	8.9	0.28
I102125		6.4	16	5.46	17.1	3.09	9.53	0.09	0.09	0.03	0.068	0.33	37.6	21.5	0.96
I102126		3.2	7	5.55	136.5	1.88	4.63	0.06	0.08	0.01	0.064	0.17	27.5	9.4	0.45
I102127		5.8	9	4.84	156.5	4.28	4.94	0.09	0.12	0.03	0.040	0.25	23.3	7.8	0.23
I102128		3.6	13	3.96	11.7	1.96	3.94	0.07	0.22	<0.01	0.030	0.23	21.6	12.9	0.44
I102129		4.8	18	4.76	13.6	2.52	5.41	0.10	0.30	<0.01	0.040	0.40	25.6	18.4	0.58
I102130		4.4	15	4.09	9.3	2.11	4.37	0.10	0.23	<0.01	0.037	0.32	21.1	19.6	0.53
I102131		25.8	48	1.51	292	5.11	6.04	0.20	0.41	5.00	1.495	0.16	13.4	7.0	0.25
I102132		5.9	19	5.11	9.7	3.00	6.38	0.09	0.24	0.03	0.065	0.40	29.2	18.8	0.70
I102133		4.3	36	3.73	21.4	3.69	9.73	0.08	0.09	0.01	0.081	0.09	20.2	37.7	1.35
I102134		3.3	9	3.47	10.7	2.12	5.38	0.07	0.07	0.01	0.094	0.15	21.9	17.9	0.65
I102135		4.5	14	5.44	29.1	2.76	7.96	0.09	0.10	0.01	0.137	0.20	26.1	23.7	0.86
I102136		8.7	35	7.53	43.3	3.29	9.17	0.12	0.21	<0.01	0.063	0.10	17.0	43.4	1.23
I102137		5.1	34	1.50	2.9	3.31	9.40	0.12	0.22	<0.01	0.034	0.06	16.9	37.5	1.25
I102138		3.8	10	3.35	2.2	2.74	6.65	0.11	0.11	<0.01	0.037	0.12	18.3	26.1	0.80
I102139		7.0	12	5.89	63.1	2.81	8.44	0.10	0.11	<0.01	0.036	0.22	18.3	29.3	0.96
I102140		3.5	14	6.42	4.4	1.96	3.73	0.10	0.22	0.01	0.022	0.33	15.3	36.6	0.41
I102141		4.5	12	5.08	28.8	2.46	6.85	0.08	0.13	<0.01	0.047	0.25	23.6	16.7	0.69
I102142		4.6	11	5.96	9.4	2.59	5.42	0.10	0.11	<0.01	0.059	0.24	20.9	24.7	0.73
I102143		5.7	9	4.85	28.8	2.66	6.87	0.09	0.08	<0.01	0.133	0.19	22.7	25.5	0.90
I102144		5.8	9	7.58	6.7	2.52	5.59	0.12	0.13	<0.01	0.057	0.26	23.3	32.4	0.75
I102145		5.3	9	6.76	6.8	2.62	5.29	0.12	0.17	<0.01	0.048	0.27	23.6	25.7	0.65
I102146		5.2	10	9.35	9.4	2.60	5.08	0.11	0.12	<0.01	0.056	0.23	24.6	25.7	0.62
I102147		5.4	9	7.19	7.1	2.90	6.56	0.11	0.11	<0.01	0.073	0.30	24.6	26.6	0.83
I102148		5.0	9	7.00	5.4	2.67	5.42	0.09	0.10	<0.01	0.046	0.31	21.3	26.5	0.77
I102149		4.7	7	6.61	3.9	2.27	7.14	0.07	0.07	<0.01	0.043	0.27	21.2	23.5	0.88
I102150		4.7	7	7.30	3.6	2.24	6.67	0.07	0.07	0.01	0.042	0.27	21.6	22.9	0.84
I102151		5.1	9	6.06	3.9	2.43	7.15	0.08	0.11	<0.01	0.064	0.30	20.6	22.2	0.81
I102152		4.7	9	6.11	3.9	2.40	5.27	0.10	0.11	<0.01	0.057	0.31	18.3	21.0	0.73
I102153		5.0	9	7.31	9.0	2.56	6.14	0.10	0.16	<0.01	0.056	0.33	23.4	19.9	0.62
I102154		4.2	8	9.17	4.6	2.54	5.83	0.08	0.08	<0.01	0.061	0.22	35.9	14.5	0.57
I102155		4.3	9	5.95	4.4	2.23	5.50	0.08	0.16	<0.01	0.054	0.30	20.9	19.3	0.64
I102156		4.1	9	5.94	3.5	2.10	5.71	0.07	0.12	<0.01	0.048	0.24	20.8	21.0	0.71
I102157		4.1	10	6.00	3.4	2.24	6.22	0.08	0.16	<0.01	0.062	0.26	24.6	18.9	0.74
I102158		4.3	9	5.03	5.0	1.86	6.20	0.07	0.07	0.01	0.045	0.22	24.1	17.7	0.77
I102159		3.5	9	4.13	4.9	1.95	6.48	0.07	0.10	0.01	0.042	0.23	22.4	15.0	0.63
I102160		3.2	9	3.70	4.0	1.89	5.30	0.06	0.08	0.01	0.039	0.22	21.3	13.7	0.59

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm
		0.05	0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
I102121		1.57	0.03	0.90	4.3	830	28.1	39.9	<0.001	0.06	0.74	2.7	0.2	1.7	41.9	<0.01
I102122		1.43	0.04	0.93	4.0	770	70.8	38.3	0.001	0.03	0.72	2.6	0.2	1.7	42.6	<0.01
I102123		0.81	0.04	0.20	4.8	850	96.6	30.0	<0.001	0.01	0.47	3.6	0.2	1.3	65.6	<0.01
I102124		1.10	0.01	0.18	3.3	960	181.5	40.3	<0.001	0.01	1.44	2.0	0.2	2.7	24.7	<0.01
I102125		0.48	0.02	0.14	5.2	950	34.6	41.1	<0.001	0.01	0.45	4.3	0.2	1.7	71.4	<0.01
I102126		0.55	0.01	0.10	2.7	650	129.5	22.0	<0.001	0.01	0.70	1.7	0.2	1.2	162.0	<0.01
I102127		2.71	0.01	0.24	2.6	810	19.8	31.0	<0.001	0.01	1.31	1.3	0.2	16.3	27.3	<0.01
I102128		2.45	0.03	1.23	3.1	630	26.8	26.2	<0.001	0.01	0.65	2.1	0.2	1.4	37.6	0.01
I102129		1.75	0.09	1.60	4.2	800	37.8	40.3	<0.001	0.01	0.76	3.4	0.3	2.2	53.9	0.02
I102130		2.07	0.05	1.59	3.8	730	30.4	36.5	<0.001	0.01	0.49	2.4	0.2	1.8	32.2	0.01
I102131		72.6	0.04	1.14	55.0	720	38.3	10.3	0.002	1.03	7.61	4.8	1.2	112.0	78.3	0.02
I102132		1.78	0.06	0.92	5.1	920	41.4	44.3	<0.001	0.01	0.74	4.1	0.3	2.8	46.4	0.01
I102133		0.20	0.03	0.09	9.7	1200	24.9	10.1	<0.001	0.01	0.33	3.3	<0.2	1.2	29.3	<0.01
I102134		0.31	0.03	0.13	3.6	550	34.6	16.2	<0.001	0.01	0.49	2.8	0.2	1.3	31.6	<0.01
I102135		0.39	0.03	0.17	4.5	850	35.2	19.7	<0.001	<0.01	0.75	4.0	0.2	2.4	71.6	<0.01
I102136		2.36	0.05	0.26	9.0	1090	50.8	15.6	<0.001	<0.01	0.76	3.2	0.2	2.7	42.4	<0.01
I102137		0.15	0.05	0.20	8.7	1090	9.7	5.7	<0.001	<0.01	0.88	2.7	0.2	1.7	36.7	<0.01
I102138		0.41	0.04	0.61	3.7	930	17.5	13.0	<0.001	<0.01	0.77	2.6	0.2	1.9	33.7	<0.01
I102139		0.59	0.04	0.33	4.3	970	39.7	22.2	<0.001	<0.01	0.67	3.6	0.2	2.5	38.7	<0.01
I102140		1.07	0.05	2.51	4.0	670	22.4	48.9	<0.001	<0.01	0.51	3.2	0.2	1.8	13.1	0.01
I102141		0.94	0.03	0.25	3.7	780	29.2	27.7	<0.001	0.01	0.50	3.3	0.2	1.9	55.0	<0.01
I102142		1.70	0.04	0.72	3.5	970	21.3	26.1	<0.001	<0.01	0.62	2.4	0.2	2.1	30.1	0.01
I102143		0.44	0.04	0.17	3.3	1100	21.0	19.5	<0.001	<0.01	0.58	2.3	<0.2	2.0	48.4	<0.01
I102144		1.33	0.05	0.82	3.6	1130	22.6	29.7	<0.001	0.01	0.60	2.2	0.2	2.5	42.5	<0.01
I102145		1.48	0.09	1.05	3.4	1180	22.9	27.2	<0.001	<0.01	0.75	2.1	0.3	2.9	64.3	0.01
I102146		1.16	0.05	0.77	3.3	1180	21.9	25.6	<0.001	0.01	0.70	2.4	0.2	2.7	48.8	<0.01
I102147		0.85	0.07	0.48	3.5	1160	21.4	34.5	<0.001	<0.01	0.75	2.6	0.2	3.0	66.5	<0.01
I102148		0.36	0.05	0.61	3.3	1160	22.3	35.0	<0.001	<0.01	0.59	2.1	0.2	2.2	58.8	<0.01
I102149		0.20	0.06	0.17	2.9	1040	21.8	26.8	<0.001	0.01	0.43	2.2	0.2	1.9	173.0	<0.01
I102150		0.18	0.08	0.18	3.0	1070	21.4	27.3	<0.001	0.01	0.45	2.0	0.2	1.8	214	<0.01
I102151		0.33	0.05	0.25	3.5	990	25.0	32.7	<0.001	0.01	0.54	2.9	0.2	2.2	187.0	<0.01
I102152		0.41	0.04	0.55	3.3	980	24.8	34.7	<0.001	0.01	0.57	2.5	0.2	2.1	62.8	<0.01
I102153		0.73	0.07	0.64	3.5	980	23.6	37.8	<0.001	<0.01	0.78	2.9	0.2	2.5	87.0	<0.01
I102154		0.36	0.03	0.17	2.8	950	22.8	25.4	<0.001	<0.01	0.92	3.0	0.2	2.5	130.0	<0.01
I102155		0.54	0.05	0.48	3.0	880	25.5	30.5	<0.001	<0.01	0.60	2.7	0.2	2.3	278	<0.01
I102156		0.57	0.03	0.29	2.9	800	24.3	25.2	<0.001	<0.01	0.48	2.2	0.2	1.9	50.2	<0.01
I102157		0.48	0.04	0.36	3.1	760	26.0	29.1	<0.001	<0.01	0.60	2.9	0.2	2.2	58.6	<0.01
I102158		0.35	0.02	0.21	3.1	690	33.3	27.7	<0.001	0.01	0.54	2.6	0.2	1.8	82.2	<0.01
I102159		0.39	0.02	0.30	3.1	630	32.7	26.3	<0.001	<0.01	0.45	2.8	0.2	2.0	228	<0.01
I102160		0.34	0.02	0.24	2.9	620	30.1	23.9	<0.001	<0.01	0.38	2.3	<0.2	1.7	217	0.01

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2
I102121		0.44	34.6	0.117	0.29	9.97	54	0.60	12.80	78
I102122		0.43	31.8	0.115	0.29	9.84	52	0.60	11.95	261
I102123		0.65	26.9	0.034	0.37	9.04	52	0.85	15.90	135
I102124		2.93	34.2	0.021	0.48	12.20	33	3.68	12.35	98
I102125		0.25	30.8	0.034	0.45	7.24	58	0.49	18.95	96
I102126		8.71	34.5	0.011	0.25	8.10	27	1.80	11.75	73
I102127		0.43	31.7	0.017	0.41	14.35	28	13.60	10.30	66
I102128		0.04	35.3	0.097	0.17	15.15	44	0.95	11.70	50
I102129		0.28	40.4	0.157	0.27	15.05	56	1.08	15.55	66
I102130		0.02	34.3	0.140	0.23	12.00	48	0.86	13.05	57
I102131		40.6	3.7	0.152	0.12	1.88	30	56.2	8.13	80
I102132		0.16	43.0	0.126	0.34	13.90	64	1.28	17.60	87
I102133		0.23	7.7	0.014	0.12	1.25	56	0.18	7.06	148
I102134		0.08	36.4	0.018	0.14	5.55	31	0.56	12.20	83
I102135		0.13	28.9	0.034	0.18	5.23	48	0.44	13.55	79
I102136		0.22	6.4	0.098	0.18	1.44	58	0.37	6.46	115
I102137		0.02	6.6	0.088	0.06	1.29	54	0.58	5.87	89
I102138		0.04	17.9	0.093	0.11	5.47	46	0.56	8.61	64
I102139		0.24	19.9	0.088	0.22	6.89	51	0.46	10.60	75
I102140		<0.01	32.1	0.139	0.30	10.45	49	0.63	13.85	35
I102141		0.05	26.3	0.051	0.24	7.80	46	0.62	12.95	58
I102142		0.04	18.4	0.097	0.24	6.70	47	0.56	9.84	62
I102143		0.18	14.0	0.050	0.20	3.36	44	0.54	9.50	71
I102144		0.01	15.5	0.143	0.25	4.54	48	0.96	9.41	56
I102145		<0.01	13.8	0.167	0.24	4.11	50	3.03	9.02	52
I102146		0.01	15.0	0.123	0.22	4.82	50	1.61	8.92	52
I102147		0.01	14.1	0.123	0.36	3.99	52	0.56	9.76	65
I102148		<0.01	13.7	0.130	0.33	3.43	51	0.41	8.13	55
I102149		<0.01	12.9	0.063	0.26	3.35	43	0.75	8.19	48
I102150		<0.01	13.5	0.054	0.25	3.23	44	0.90	8.22	47
I102151		<0.01	17.0	0.079	0.32	4.26	46	0.34	9.93	50
I102152		<0.01	17.5	0.109	0.32	5.70	47	0.31	9.21	53
I102153		<0.01	20.2	0.120	0.32	6.88	49	0.45	11.40	45
I102154		<0.01	20.5	0.031	0.24	6.48	40	0.96	13.30	47
I102155		<0.01	18.8	0.119	0.24	5.80	47	0.38	9.92	44
I102156		<0.01	19.5	0.075	0.20	5.17	43	0.32	9.45	44
I102157		<0.01	23.3	0.095	0.24	6.90	44	0.38	11.45	48
I102158		0.01	26.8	0.038	0.23	7.04	36	0.33	11.00	48
I102159		0.01	27.6	0.048	0.22	6.17	39	0.27	11.05	48
I102160		<0.01	27.0	0.040	0.21	6.03	37	0.21	9.93	45

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23 Au Check ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm
		0.02	0.005	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
I102161		0.84	<0.005			0.10	2.05	4.8	<0.2	<10	110	2.55	6.68	1.37	0.22	44.1
I102162		1.80	<0.005			0.20	1.52	8.9	<0.2	<10	220	1.54	1.91	0.68	0.19	47.9
I102163		3.64	<0.005			0.11	1.21	8.4	<0.2	<10	110	0.90	1.23	0.60	0.26	47.3
I102164		2.05	<0.005			0.06	1.16	7.0	<0.2	<10	100	1.00	1.36	0.58	0.23	52.1
I102165		4.71	<0.005			0.08	1.07	9.6	<0.2	<10	110	0.62	0.69	0.53	0.27	52.0
I102166		3.33	<0.005			0.07	1.04	7.8	<0.2	<10	90	0.67	0.35	0.46	0.22	52.8
I102167		4.54	<0.005			0.10	1.00	6.8	<0.2	<10	100	0.68	0.46	0.45	0.18	53.6
I102168		3.45	<0.005			0.07	1.19	6.9	<0.2	<10	90	1.07	0.53	0.48	0.28	53.1
I102169		3.63	0.005			0.12	0.99	6.0	<0.2	<10	90	0.90	6.11	0.43	0.33	65.8
I102170		0.04	0.285			9.32	0.52	8.1	0.3	<10	180	0.21	1.64	2.48	0.14	12.05
I102171		4.32	0.005			0.11	0.90	5.7	<0.2	<10	70	0.81	7.40	0.75	0.33	42.6
I102172		3.90	1.225	0.150	0.25	0.20	1.10	5.9	<0.2	<10	100	0.84	8.10	0.50	0.35	51.5
I102173		3.20	<0.005			0.09	0.85	4.0	<0.2	<10	80	0.78	0.42	0.45	0.14	51.7
I102174		4.45	<0.005			0.12	1.00	4.7	<0.2	<10	100	0.66	0.38	0.49	0.17	50.2
I102175		3.81	<0.005			0.09	1.69	4.0	<0.2	<10	200	1.56	0.96	1.10	0.20	53.3
I102176		3.89	<0.005			0.17	1.59	4.6	<0.2	<10	200	1.36	0.84	1.02	0.29	55.2
I102177		4.15	<0.005			0.12	1.29	4.2	<0.2	<10	130	1.23	0.36	1.17	0.21	52.5
I102178		4.42	<0.005			0.17	1.38	4.5	<0.2	<10	120	1.28	0.71	1.19	0.22	49.3
I102179		4.39	0.007			0.15	1.16	4.3	<0.2	<10	90	0.93	0.52	0.62	0.20	52.1
I102180		1.09	<0.005			0.08	0.80	4.9	<0.2	<10	110	0.67	0.32	0.34	0.13	36.9
I102181		1.00	<0.005			0.16	1.45	4.2	<0.2	<10	100	1.31	0.46	0.89	0.27	50.5
I102182		4.65	<0.005			0.27	2.11	3.9	<0.2	<10	90	2.07	3.88	1.04	0.77	53.8
I102183		1.72	0.009			0.25	0.89	3.7	<0.2	10	30	1.03	5.01	0.57	0.74	83.3
I102184		2.25	0.021			0.82	1.18	7.9	<0.2	10	90	1.06	13.95	0.43	0.68	53.3
I102185		1.44	0.010			0.34	1.66	85.6	<0.2	<10	90	3.20	24.5	0.67	1.43	59.6
I102186		1.70	<0.005			0.39	2.10	26.7	<0.2	<10	120	2.16	4.22	0.62	0.54	52.7
I102187		2.15	0.022			0.91	1.33	19.1	<0.2	<10	80	1.81	131.0	0.53	0.56	52.6
I102188		2.10	0.005			0.47	1.54	5.3	<0.2	<10	60	1.64	2.34	0.53	0.45	61.9
I102189		1.26	0.005			0.29	1.20	5.6	<0.2	<10	50	1.75	2.41	0.43	1.01	65.6
I102190		1.19	0.007			0.35	1.32	5.7	<0.2	10	50	1.81	3.46	0.40	1.17	69.7
I102191		2.98	<0.005			0.21	1.19	3.9	<0.2	<10	100	0.97	1.72	0.40	1.97	56.9
I102192		4.67	<0.005			0.21	2.14	4.5	<0.2	<10	60	2.27	2.22	0.77	1.04	54.6
I102193		4.61	<0.005			0.24	1.87	4.7	<0.2	<10	70	2.09	2.75	0.71	0.47	53.7
I102194		5.25	<0.005			0.25	2.02	7.2	<0.2	<10	80	1.94	2.28	0.67	0.65	53.2
I102195		4.87	<0.005			0.14	1.28	4.4	<0.2	<10	90	0.98	0.89	0.52	0.41	47.7
I102196		1.72	0.018			0.22	1.14	12.0	<0.2	<10	60	1.08	1.01	0.35	0.48	58.9
I102197		1.79	0.006			0.24	1.98	8.9	<0.2	<10	180	2.29	2.26	0.65	0.50	77.2
I102198		2.55	0.005			0.55	1.80	21.4	<0.2	<10	250	2.81	1.39	0.45	0.70	77.6
I102199		1.88	0.006			0.11	0.89	11.3	<0.2	20	30	1.11	1.03	0.38	0.14	56.8
I102200		<0.02	0.006			0.11	0.74	11.9	<0.2	10	20	1.22	1.03	0.39	0.15	55.6

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5
I102161		3.9	8	5.36	11.1	3.34	6.44	0.07	0.07	0.01	0.037	0.23	22.4	12.9	0.64	567
I102162		6.2	8	9.78	36.3	2.03	4.96	0.07	0.09	0.01	0.043	0.26	25.1	14.7	0.52	372
I102163		5.3	12	5.89	4.4	2.27	5.55	0.11	0.16	<0.01	0.048	0.33	23.9	20.2	0.63	368
I102164		3.8	13	4.50	3.1	2.11	4.97	0.09	0.13	<0.01	0.043	0.30	26.2	16.9	0.55	310
I102165		6.0	15	4.54	4.8	2.28	5.36	0.13	0.15	<0.01	0.053	0.34	26.4	21.2	0.60	350
I102166		3.6	14	5.09	2.2	2.32	4.84	0.11	0.14	<0.01	0.043	0.34	26.4	21.9	0.58	421
I102167		3.7	15	5.53	3.2	2.29	4.89	0.11	0.15	<0.01	0.042	0.37	26.7	20.9	0.55	446
I102168		4.2	14	5.19	2.8	2.37	5.41	0.10	0.15	<0.01	0.039	0.34	27.3	21.3	0.65	470
I102169		4.4	13	4.10	45.1	2.36	4.65	0.10	0.32	<0.01	0.053	0.35	33.7	17.2	0.49	551
I102170		3.9	7	0.90	6270	1.51	1.69	<0.05	0.04	0.79	0.022	0.26	5.8	1.9	0.11	425
I102171		7.3	14	4.98	29.4	2.72	4.97	0.10	0.20	<0.01	0.037	0.31	21.2	19.2	0.55	540
I102172		5.1	14	5.39	16.5	2.55	5.54	0.10	0.14	<0.01	0.067	0.38	25.5	19.0	0.57	525
I102173		3.8	15	4.28	4.2	2.07	4.43	0.09	0.18	<0.01	0.018	0.33	25.1	15.7	0.45	448
I102174		3.8	16	4.51	3.1	2.10	4.79	0.10	0.17	<0.01	0.016	0.36	24.6	18.2	0.48	533
I102175		4.2	13	6.79	3.0	2.03	5.80	0.08	0.13	0.01	0.023	0.33	25.9	18.4	0.57	515
I102176		4.6	13	6.25	8.5	2.13	6.07	0.08	0.18	<0.01	0.025	0.37	27.6	19.6	0.56	521
I102177		4.3	13	5.36	3.3	1.98	5.30	0.08	0.14	<0.01	0.024	0.30	26.2	19.4	0.52	576
I102178		5.0	14	5.07	4.7	2.19	5.92	0.10	0.15	<0.01	0.043	0.35	24.0	22.5	0.57	522
I102179		3.9	14	6.38	3.1	2.13	5.07	0.10	0.16	<0.01	0.022	0.34	25.6	20.5	0.52	396
I102180		3.7	15	6.04	3.3	2.15	4.35	0.10	0.21	<0.01	0.019	0.40	16.3	34.2	0.42	275
I102181		3.8	14	6.78	3.1	2.18	5.73	0.08	0.14	<0.01	0.025	0.36	24.5	20.6	0.60	454
I102182		4.7	14	5.82	33.0	2.57	7.36	0.07	0.12	<0.01	0.122	0.33	26.5	18.7	0.73	626
I102183		1.9	4	3.42	17.1	1.64	2.12	0.09	0.06	<0.01	0.038	0.14	44.5	3.4	0.17	326
I102184		5.3	12	7.89	91.1	2.76	5.50	0.10	0.15	<0.01	0.408	0.46	25.3	18.3	0.58	454
I102185		8.0	6	8.64	153.0	3.87	5.18	0.09	0.10	<0.01	0.137	0.25	33.5	9.5	0.45	443
I102186		4.9	8	6.87	30.2	2.31	6.07	0.06	0.10	<0.01	0.064	0.35	23.4	13.8	0.57	362
I102187		4.2	5	7.05	56.7	2.74	3.98	0.08	0.08	<0.01	0.036	0.24	24.5	7.4	0.39	463
I102188		3.4	7	10.00	24.7	2.57	4.53	0.09	0.12	<0.01	0.063	0.32	35.0	8.7	0.37	408
I102189		4.8	8	5.92	20.4	2.45	4.21	0.08	0.10	<0.01	0.062	0.22	31.6	9.3	0.45	676
I102190		4.5	10	5.23	26.5	2.60	4.95	0.09	0.12	<0.01	0.083	0.28	32.1	11.1	0.47	785
I102191		4.2	16	8.48	15.0	2.86	6.29	0.11	0.15	<0.01	0.467	0.47	28.0	20.9	0.75	602
I102192		4.5	12	6.31	15.2	2.70	6.98	0.08	0.10	<0.01	0.108	0.27	28.7	15.5	0.76	962
I102193		5.9	11	5.39	37.1	2.65	6.48	0.07	0.08	<0.01	0.063	0.27	26.2	16.5	0.70	711
I102194		4.6	13	4.84	29.0	2.49	6.70	0.08	0.14	<0.01	0.057	0.31	27.8	15.6	0.67	837
I102195		4.0	14	5.60	8.9	2.13	5.60	0.09	0.13	<0.01	0.033	0.32	23.1	15.2	0.57	931
I102196		9.7	7	9.85	6.4	3.27	4.60	0.07	0.07	0.01	0.076	0.33	31.4	7.6	0.17	2920
I102197		5.4	11	10.65	11.5	2.39	7.00	0.10	0.11	<0.01	0.056	0.23	47.3	14.5	0.49	4380
I102198		9.1	9	18.25	20.5	4.60	6.93	0.10	0.15	<0.01	0.045	0.24	32.5	23.6	0.25	9700
I102199		4.9	3	13.60	13.0	2.33	2.83	0.06	0.07	<0.01	0.026	0.18	26.2	2.4	0.14	577
I102200		5.2	2	12.10	16.4	2.33	2.46	0.06	0.06	<0.01	0.026	0.14	25.3	2.1	0.13	584

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01
I102161		0.32	0.02	0.19	2.9	690	26.5	27.2	<0.001	<0.01	0.45	2.2	0.2	2.3	244	<0.01
I102162		1.68	0.02	0.41	3.5	740	32.9	33.6	<0.001	0.11	0.77	2.5	0.2	3.2	46.0	<0.01
I102163		1.99	0.07	0.93	3.4	710	32.8	39.7	<0.001	0.06	0.76	2.4	0.2	2.6	51.0	0.01
I102164		0.90	0.04	0.90	3.2	710	28.2	35.5	<0.001	0.01	0.57	2.3	0.2	2.2	75.2	0.01
I102165		0.49	0.08	1.20	3.7	730	35.0	38.5	<0.001	<0.01	0.74	2.7	0.2	2.8	58.8	0.01
I102166		0.44	0.06	1.20	3.6	740	31.2	41.3	<0.001	<0.01	0.63	2.4	0.2	2.5	43.2	0.01
I102167		0.66	0.07	1.43	3.5	720	35.6	43.3	<0.001	<0.01	0.72	2.5	0.2	2.4	32.1	0.01
I102168		1.54	0.05	0.88	3.7	740	33.5	42.9	<0.001	<0.01	0.56	2.6	0.2	2.3	36.5	0.01
I102169		2.48	0.06	0.82	4.0	710	38.0	36.8	<0.001	<0.01	0.80	2.8	0.2	1.6	29.2	0.01
I102170		150.5	0.03	<0.05	4.3	400	18.2	6.6	0.035	1.50	14.00	0.7	0.5	0.3	361	<0.01
I102171		1.14	0.05	1.01	4.3	760	49.8	38.8	<0.001	0.01	0.74	2.5	0.2	1.6	25.5	0.01
I102172		1.28	0.07	0.98	3.9	760	58.8	43.7	<0.001	0.01	0.71	2.9	0.2	2.8	44.9	0.01
I102173		1.41	0.05	1.41	3.5	780	40.3	38.3	<0.001	0.01	0.63	2.2	0.3	1.6	26.6	<0.01
I102174		1.20	0.08	1.16	3.5	840	44.6	37.0	<0.001	0.01	0.53	1.9	0.3	1.6	48.5	<0.01
I102175		0.93	0.06	0.57	3.5	780	49.1	38.2	<0.001	0.01	0.47	2.6	0.2	1.6	403	<0.01
I102176		1.05	0.08	0.76	3.7	760	65.8	42.3	<0.001	0.01	0.63	2.8	0.3	1.7	377	0.01
I102177		0.73	0.05	0.74	3.3	750	51.8	37.3	<0.001	0.01	0.59	2.3	0.3	1.7	260	0.01
I102178		0.99	0.07	0.78	3.7	780	62.8	42.1	<0.001	0.01	0.64	2.7	0.3	1.9	177.5	0.01
I102179		1.35	0.05	1.03	3.6	800	54.5	42.7	<0.001	<0.01	0.49	2.0	0.3	1.8	73.0	<0.01
I102180		2.18	0.10	2.90	4.5	770	21.2	50.7	<0.001	0.01	0.39	2.7	0.3	2.4	19.5	0.01
I102181		1.18	0.05	0.74	3.7	810	59.6	41.6	<0.001	0.01	0.55	2.3	0.3	1.7	139.5	0.01
I102182		0.67	0.04	0.35	4.1	790	70.3	39.4	<0.001	0.01	0.50	4.1	0.2	1.8	124.5	<0.01
I102183		0.59	0.03	0.07	1.8	830	40.9	18.0	<0.001	0.01	0.51	0.7	0.2	0.5	41.0	<0.01
I102184		1.64	0.07	0.84	3.8	750	98.5	62.2	<0.001	0.01	1.07	4.0	0.4	1.8	42.2	<0.01
I102185		1.67	0.02	0.17	3.2	780	52.8	34.8	<0.001	0.01	2.09	1.9	0.6	1.3	185.5	<0.01
I102186		1.93	0.02	0.14	2.9	810	38.0	43.4	<0.001	0.01	0.57	2.5	0.4	1.1	218	<0.01
I102187		1.73	0.02	0.10	2.9	780	175.5	30.4	<0.001	0.01	0.77	1.4	0.5	1.4	111.0	<0.01
I102188		0.65	0.02	0.13	2.6	840	74.6	41.2	<0.001	0.01	1.11	1.9	0.3	3.1	59.3	<0.01
I102189		1.10	0.02	0.11	3.1	780	69.5	29.1	<0.001	0.01	0.56	1.9	0.4	2.0	43.4	<0.01
I102190		1.45	0.04	0.11	3.2	810	93.3	36.2	<0.001	0.01	0.63	2.1	0.3	1.8	37.1	<0.01
I102191		1.77	0.05	0.86	4.3	830	50.7	59.3	<0.001	0.01	0.71	4.8	0.3	2.3	68.6	<0.01
I102192		0.47	0.03	0.19	3.4	870	69.9	34.6	<0.001	0.01	0.60	3.4	0.3	1.7	71.0	<0.01
I102193		0.63	0.02	0.19	3.5	1220	48.6	35.7	<0.001	0.01	0.51	3.1	0.2	1.6	83.9	<0.01
I102194		0.66	0.04	0.27	3.7	820	49.3	35.4	<0.001	0.01	0.64	3.2	0.3	1.5	102.5	0.01
I102195		1.20	0.05	0.77	3.5	780	49.3	40.3	<0.001	0.01	0.61	2.2	0.3	1.8	89.8	0.01
I102196		3.83	0.01	0.11	2.7	800	21.7	46.2	<0.001	<0.01	2.20	2.2	0.3	7.2	89.3	<0.01
I102197		1.24	0.01	0.13	3.5	880	49.7	30.4	<0.001	0.01	2.36	5.4	0.4	2.0	223	0.01
I102198		3.31	0.01	0.12	4.5	910	86.9	35.9	<0.001	0.01	1.55	4.2	0.3	1.8	246	<0.01
I102199		1.53	0.01	<0.05	1.8	830	16.4	26.0	<0.001	<0.01	1.35	0.6	0.2	1.4	26.3	<0.01
I102200		1.54	0.01	<0.05	4.2	850	18.0	21.3	<0.001	0.01	1.22	0.5	0.2	1.1	24.5	<0.01

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.01	ppm 0.2	% 0.005	ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2
I102161		0.01	24.2	0.026	0.31	5.35	34	0.23	11.00	46
I102162		0.03	27.2	0.063	0.31	8.50	30	0.34	10.35	47
I102163		<0.01	26.2	0.134	0.33	9.94	46	0.68	11.60	54
I102164		<0.01	27.8	0.119	0.26	9.77	47	0.45	11.30	46
I102165		0.01	25.8	0.153	0.29	10.95	50	0.59	11.95	55
I102166		<0.01	27.4	0.147	0.32	11.00	52	0.59	11.95	59
I102167		<0.01	27.4	0.149	0.34	10.65	51	0.61	12.40	64
I102168		<0.01	30.5	0.123	0.34	10.45	51	0.47	12.70	65
I102169		0.01	32.1	0.096	0.33	10.85	38	0.51	12.85	78
I102170		1.94	1.1	<0.005	0.04	0.88	12	4.49	4.35	40
I102171		0.02	29.8	0.114	0.32	11.85	45	1.03	12.50	82
I102172		0.06	28.4	0.134	0.42	10.85	49	1.39	12.75	119
I102173		0.01	32.5	0.133	0.28	14.00	52	0.60	13.30	57
I102174		0.01	30.2	0.151	0.27	13.30	54	0.51	13.15	64
I102175		0.02	28.3	0.111	0.26	8.30	52	0.34	12.45	62
I102176		0.01	32.7	0.131	0.31	11.55	51	0.48	14.25	62
I102177		<0.01	29.0	0.120	0.27	10.55	52	0.41	12.85	65
I102178		0.01	26.8	0.140	0.31	10.40	54	0.52	12.85	69
I102179		<0.01	28.7	0.144	0.31	11.55	53	0.53	12.70	67
I102180		<0.01	28.1	0.170	0.33	10.15	54	0.79	15.35	36
I102181		0.01	28.4	0.134	0.30	12.55	57	0.41	12.90	68
I102182		0.05	26.8	0.096	0.36	7.70	53	0.34	13.15	104
I102183		0.08	27.7	0.006	0.17	5.07	7	0.65	10.60	43
I102184		0.12	29.9	0.107	0.58	10.45	44	0.90	13.05	381
I102185		0.22	28.2	0.028	0.32	11.00	24	0.87	14.10	233
I102186		0.08	29.7	0.044	0.45	11.15	28	0.17	9.81	59
I102187		0.38	27.6	0.022	0.28	9.16	16	0.49	10.35	93
I102188		0.08	27.3	0.027	0.40	6.06	23	2.51	12.00	62
I102189		0.13	31.2	0.025	0.28	7.63	26	1.85	13.70	79
I102190		0.13	31.8	0.025	0.37	7.63	30	1.49	14.50	101
I102191		0.03	31.0	0.131	0.59	9.75	58	0.60	15.75	644
I102192		0.06	27.6	0.044	0.32	5.98	43	1.19	14.85	221
I102193		0.04	28.5	0.037	0.31	10.05	40	0.60	13.00	97
I102194		0.04	30.3	0.073	0.32	7.94	46	0.40	14.15	122
I102195		0.01	29.6	0.129	0.30	9.77	51	0.58	12.45	89
I102196		0.04	23.0	0.012	0.57	14.95	28	2.94	11.45	86
I102197		0.04	29.8	0.039	0.32	9.25	44	1.05	17.60	91
I102198		0.04	30.4	0.030	0.65	16.20	40	0.52	14.70	101
I102199		0.04	26.3	<0.005	0.27	12.55	7	0.64	10.05	24
I102200		0.04	25.9	<0.005	0.21	12.30	6	0.70	10.15	31

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-OCT-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23 Au Check ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm
I102201		2.25	<0.005			0.10	0.93	5.5	<0.2	10	30	1.34	0.53	0.50	0.22	77.1
I102202		2.20	0.006			0.41	1.17	8.3	<0.2	10	80	1.04	2.98	0.34	0.39	59.7
I102203		1.60	0.010			0.28	1.30	10.1	<0.2	<10	60	1.10	3.34	0.43	0.34	41.8
I102204		4.07	0.005			0.36	1.23	8.8	<0.2	<10	90	0.78	2.84	0.63	0.56	48.8
I102205		2.07	<0.005			0.47	0.90	11.4	<0.2	<10	80	0.72	2.74	0.55	0.41	48.1
I102206		4.72	<0.005			0.21	0.85	4.5	<0.2	<10	100	0.63	1.04	0.44	0.42	50.2
I102207		2.35	0.005			0.32	0.60	13.4	<0.2	<10	80	0.73	3.43	0.33	2.55	38.7
I102208		2.52	<0.005			0.18	0.85	7.7	<0.2	<10	110	0.50	1.22	0.41	0.43	46.5

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5
I102201		2.1	4	2.90	10.8	1.62	2.79	0.07	0.10	<0.01	0.017	0.14	36.3	6.0	0.28	690
I102202		8.3	11	8.04	109.5	2.85	5.31	0.09	0.13	<0.01	0.068	0.43	28.6	17.1	0.55	681
I102203		7.4	14	7.28	199.0	3.18	6.58	0.08	0.11	<0.01	0.065	0.34	20.8	22.0	0.74	592
I102204		10.1	15	9.98	117.0	2.82	5.98	0.11	0.14	<0.01	0.058	0.52	24.6	26.6	0.77	517
I102205		12.8	12	8.96	79.8	2.83	4.51	0.11	0.17	0.01	0.049	0.36	23.7	16.6	0.50	485
I102206		5.3	15	6.47	18.5	2.14	4.61	0.11	0.21	<0.01	0.027	0.42	25.1	15.0	0.46	369
I102207		8.3	12	5.50	162.5	2.05	4.16	0.11	0.17	<0.01	0.054	0.25	20.0	14.7	0.39	288
I102208		4.8	14	6.35	20.1	2.00	4.99	0.13	0.19	<0.01	0.030	0.37	23.7	20.4	0.49	347

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-OCT-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01
I102201		2.63	0.02	0.07	1.8	850	25.2	16.9	<0.001	0.01	0.45	0.8	0.2	0.8	31.1	<0.01
I102202		2.37	0.06	0.54	4.0	790	45.2	54.9	<0.001	0.04	0.94	3.2	0.4	1.7	43.6	<0.01
I102203		1.12	0.04	0.57	4.4	820	49.7	42.1	<0.001	0.01	0.61	4.0	0.3	2.1	35.3	<0.01
I102204		3.68	0.08	1.48	4.2	780	63.1	69.2	<0.001	0.05	0.93	4.9	0.8	3.3	32.8	0.01
I102205		8.78	0.05	1.23	3.7	770	55.4	48.2	<0.001	0.03	0.87	2.6	0.4	11.9	25.5	0.01
I102206		3.45	0.12	1.91	3.4	770	55.5	49.5	<0.001	0.01	0.54	2.3	0.3	2.2	25.2	0.01
I102207		1.78	0.05	1.82	3.1	750	95.3	37.7	<0.001	0.01	0.72	1.7	0.3	1.9	17.8	0.01
I102208		1.63	0.09	1.60	3.3	750	47.6	48.2	<0.001	<0.01	0.65	2.2	0.4	2.3	36.8	0.01

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-OCT-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm 0.01	ppm 0.2	% 0.005	ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
I102201		0.01	30.0	0.009	0.18	5.59	10	0.27	12.45	26	2.5
I102202		0.05	30.0	0.079	0.57	10.80	39	1.61	13.35	95	2.7
I102203		0.06	28.5	0.099	0.48	8.99	49	0.67	11.70	88	2.1
I102204		0.07	28.4	0.171	0.67	11.90	53	0.83	13.60	99	2.4
I102205		0.07	27.5	0.131	0.43	10.70	44	5.43	12.55	78	3.0
I102206		0.01	31.6	0.154	0.38	16.65	53	0.98	13.95	70	3.4
I102207		0.06	27.0	0.113	0.24	13.05	39	0.89	11.20	186	3.1
I102208		0.02	30.7	0.146	0.29	12.40	50	1.00	13.60	63	3.1

Comments: Additional Au-AA23 check results for sample I102172 report 3.79ppm and 2.11ppm.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10127718

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).