



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 13-OCT-2010
Account: EIASQI

CERTIFICATE WH10137461

Project: SQI10-01

P.O. No.: SQI10-01_13

This report is for 37 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10137461

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	Au-GRA21 Au Check ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm
		0.02	0.005	0.05	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02
I102286		2.10	<0.005			0.18	0.81	5.9	<0.2	<10	60	0.79	0.84	0.58	0.93	59.3
I102287		1.19	<0.005			3.19	1.46	9.9	<0.2	<10	60	1.63	10.15	0.40	3.19	70.9
I102288		1.70	<0.005			0.57	1.71	8.4	<0.2	<10	80	2.35	1.91	0.65	3.67	56.1
I102289		1.40	<0.005			0.19	2.08	2.5	<0.2	<10	80	3.34	0.64	0.78	2.50	42.4
I102290		0.06	2.97	2.89		2.08	1.91	569	2.5	20	130	0.30	257	9.94	1.13	30.6
I102291		2.87	0.043			2.59	1.17	47.7	<0.2	<10	70	1.87	4.90	0.47	1.98	54.2
I102292		1.26	0.131			7.08	1.32	50.2	<0.2	<10	60	1.21	7.43	0.46	34.6	78.7
I102293		1.75	<0.005			0.35	1.09	5.6	<0.2	<10	80	0.80	1.06	0.58	6.71	40.9
I102294		2.20	<0.005			0.27	0.91	5.2	<0.2	<10	80	0.90	1.02	0.56	0.63	50.2
I102295		3.31	0.152			2.12	1.50	8.6	0.2	<10	350	3.10	8.05	0.55	0.92	75.2
I102296		2.85	1.070	0.81		1.93	0.92	24.6	1.0	<10	70	1.10	110.5	0.18	1.17	75.2
I102297		1.42	6.49	4.98	5.09	69.7	0.55	229	2.8	<10	30	1.37	500	0.11	1.05	25.3
I102298		1.43	0.095			8.83	1.19	14.7	<0.2	<10	70	1.48	12.00	0.26	0.68	58.7
I102299		3.74	0.006			0.75	0.77	3.9	<0.2	<10	60	0.93	3.12	0.41	0.38	44.0
I102300		0.99	<0.005			0.19	0.85	5.9	<0.2	<10	110	0.67	0.72	0.32	0.16	34.6
I102301		0.03	<0.005			0.12	0.67	4.9	<0.2	<10	90	0.53	0.64	0.26	0.14	28.2
I102302		4.13	0.121			0.51	0.89	3.4	<0.2	<10	80	1.10	3.04	0.35	0.16	48.0
I102303		1.48	1.495	1.28	2.13	1.50	1.31	15.1	0.3	<10	150	2.04	75.2	0.44	0.25	48.8
I102304		1.95	0.014			1.21	2.17	3.6	<0.2	<10	450	3.24	21.5	0.79	0.41	57.1
I102305		1.91	0.050			0.69	1.28	3.7	<0.2	<10	110	1.68	5.07	0.61	0.15	43.8
I102306		3.72	<0.005			0.34	1.59	3.1	<0.2	<10	190	1.88	3.90	1.02	0.22	53.6
I102307		2.54	<0.005			0.11	2.02	2.6	<0.2	<10	220	2.74	0.45	1.91	0.16	42.7
I102308		2.39	<0.005			0.21	1.97	3.4	<0.2	<10	120	2.55	0.53	1.27	0.23	44.6
I102309		1.80	<0.005			0.13	1.16	3.4	<0.2	<10	90	1.41	0.42	0.66	0.14	39.5
I102310		1.90	<0.005			0.13	1.13	3.8	<0.2	<10	90	1.14	0.25	0.46	0.13	39.8
I102311		2.16	<0.005			0.09	0.89	4.3	<0.2	<10	80	0.78	0.20	0.41	0.17	37.7
I102312		2.14	<0.005			0.10	0.98	4.8	<0.2	<10	80	0.90	2.61	0.55	0.16	46.4
I102313		1.74	<0.005			0.95	1.81	4.0	<0.2	<10	100	2.12	2.04	0.70	0.39	47.8
I102314		2.63	0.010			0.67	1.85	9.4	<0.2	<10	60	2.29	3.15	0.70	0.63	49.7
I102315		3.48	<0.005			0.07	1.15	1.6	<0.2	<10	20	1.21	4.16	0.65	0.11	58.4
I102316		2.03	<0.005			0.26	1.13	1.2	<0.2	<10	20	1.26	4.25	0.50	0.12	55.5
I102317		2.25	<0.005			0.17	1.25	1.6	<0.2	<10	20	1.44	7.30	0.32	0.10	51.8
I102318		1.34	<0.005			0.55	1.93	15.2	<0.2	<10	20	2.92	1.90	0.75	0.16	53.7
I102319		3.30	<0.005			0.32	1.93	4.1	<0.2	<10	110	2.09	1.17	0.75	0.22	34.2
I102320		0.02	<0.005			0.38	1.94	4.6	<0.2	<10	110	2.57	1.52	0.76	0.26	42.6
I102321		4.09	<0.005			0.32	1.16	4.3	<0.2	<10	90	1.12	3.10	0.59	0.20	46.4
I102322		2.22	<0.005			0.12	1.16	4.9	<0.2	<10	80	0.90	4.68	0.66	0.24	40.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10137461

Sample Description	Method Analyte Units LOR	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5
I102286		3.7	15	5.53	55.3	2.06	4.33	0.11	0.24	0.01	0.026	0.30	33.3	13.4	0.48	506
I102287		7.1	11	27.3	234	3.16	6.57	0.10	0.12	0.02	0.139	0.31	40.5	16.6	0.41	3750
I102288		5.9	13	14.30	45.8	2.72	5.68	0.10	0.14	0.01	0.055	0.27	29.8	16.1	0.45	3580
I102289		5.3	14	6.27	11.0	2.41	6.43	0.08	0.15	0.01	0.066	0.28	28.7	14.5	0.57	3160
I102290		26.5	53	1.61	312	5.51	6.46	0.20	0.42	4.64	1.655	0.18	15.2	6.9	0.27	953
I102291		13.2	10	14.60	122.5	3.59	4.67	0.10	0.15	0.05	0.084	0.25	30.8	7.8	0.30	4560
I102292		10.5	7	25.8	1180	2.31	4.99	0.10	0.12	0.09	0.119	0.35	41.6	8.2	0.22	3350
I102293		6.5	17	6.73	15.1	2.65	4.84	0.08	0.15	0.01	0.035	0.33	20.6	12.6	0.57	1600
I102294		5.9	24	5.72	17.7	2.88	5.76	0.14	0.26	<0.01	0.025	0.41	25.8	14.6	0.58	721
I102295		5.6	13	19.20	39.3	3.31	7.28	0.11	0.16	0.01	0.042	0.24	36.3	12.2	0.52	8090
I102296		19.8	10	18.75	338	4.39	4.82	0.13	0.12	0.01	0.046	0.35	38.5	10.7	0.14	1770
I102297		11.9	5	8.42	1240	8.48	5.93	0.17	0.07	0.19	0.308	0.17	16.4	2.1	0.06	417
I102298		9.7	10	12.55	936	3.43	5.90	0.10	0.14	0.01	0.048	0.32	34.2	11.8	0.25	2350
I102299		4.0	14	5.45	44.9	1.93	4.46	0.10	0.23	<0.01	0.014	0.27	23.7	15.1	0.39	490
I102300		3.7	14	7.15	14.5	2.29	4.53	0.11	0.24	<0.01	0.019	0.43	17.7	36.9	0.43	346
I102301		3.2	15	6.29	5.3	1.90	3.74	0.10	0.22	<0.01	0.017	0.34	14.2	33.6	0.39	273
I102302		3.9	16	5.63	174.0	2.39	5.45	0.10	0.23	<0.01	0.024	0.34	25.2	18.4	0.40	597
I102303		9.8	13	10.85	134.5	3.54	6.27	0.11	0.13	0.01	0.040	0.26	26.2	16.6	0.41	1400
I102304		5.1	12	14.30	85.2	2.64	7.55	0.09	0.12	0.01	0.034	0.26	31.8	14.5	0.60	2030
I102305		4.9	14	7.26	21.2	2.27	5.40	0.08	0.16	<0.01	0.015	0.30	22.6	18.3	0.53	498
I102306		4.8	15	7.76	185.5	2.77	6.48	0.09	0.20	<0.01	0.036	0.35	28.3	21.1	0.55	1020
I102307		4.9	12	10.75	10.3	1.95	6.34	0.08	0.14	<0.01	0.010	0.30	23.0	16.5	0.64	861
I102308		5.2	14	6.26	7.3	2.32	6.60	0.09	0.21	<0.01	0.016	0.33	23.6	17.5	0.69	687
I102309		4.3	11	5.30	9.4	1.89	4.98	0.09	0.28	<0.01	0.011	0.31	20.9	19.2	0.55	442
I102310		4.1	12	4.64	6.9	2.04	4.96	0.11	0.37	<0.01	0.012	0.35	21.0	18.9	0.52	398
I102311		5.0	11	4.68	8.8	1.82	4.54	0.11	0.34	<0.01	0.009	0.34	19.5	20.1	0.53	372
I102312		7.1	16	4.93	10.0	2.51	5.66	0.15	0.22	<0.01	0.047	0.34	23.9	21.9	0.64	443
I102313		5.7	16	6.30	10.7	2.71	7.06	0.13	0.18	<0.01	0.063	0.37	23.9	20.7	0.85	1130
I102314		6.1	16	5.50	11.4	3.23	8.37	0.11	0.17	0.01	0.067	0.24	31.5	21.3	0.91	1280
I102315		4.2	14	2.67	5.9	2.66	6.91	0.09	0.39	<0.01	0.054	0.18	28.4	18.2	0.67	766
I102316		3.5	9	2.82	9.7	2.49	6.40	0.09	0.39	<0.01	0.066	0.16	25.9	16.5	0.66	705
I102317		4.4	12	2.52	19.8	2.59	6.57	0.07	0.37	<0.01	0.114	0.17	17.3	18.7	0.70	677
I102318		6.5	14	2.23	10.2	3.04	8.55	0.08	0.10	0.01	0.068	0.12	27.3	22.5	1.11	817
I102319		5.8	18	4.38	5.8	3.03	6.25	0.12	0.12	0.02	0.072	0.36	20.2	23.5	1.03	811
I102320		7.0	17	5.48	6.7	3.07	7.68	0.14	0.15	0.02	0.088	0.36	24.5	28.9	1.07	818
I102321		6.8	17	5.55	10.1	2.79	6.13	0.17	0.25	<0.01	0.051	0.37	24.7	21.4	0.68	770
I102322		6.7	17	4.62	14.9	2.82	6.34	0.18	0.25	0.01	0.052	0.34	21.5	24.3	0.73	543



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10137461

Sample Description	Method Analyte Units LOR	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01
I102286		4.16	0.03	1.56	3.9	740	84.8	34.6	<0.001	<0.01	1.96	2.7	0.3	1.3	28.3	<0.01
I102287		7.79	0.01	0.19	4.2	760	982	42.3	<0.001	0.01	19.55	3.6	0.4	1.1	62.3	<0.01
I102288		2.32	0.01	0.26	5.0	900	49.0	35.4	<0.001	<0.01	33.6	4.7	0.4	1.1	99.0	<0.01
I102289		0.70	0.01	0.29	4.7	840	24.1	37.2	<0.001	<0.01	7.69	3.1	0.4	1.2	79.0	<0.01
I102290		79.1	0.05	1.06	53.9	860	39.6	11.2	0.003	1.17	7.56	4.6	1.5	115.5	90.7	0.03
I102291		5.36	0.01	0.27	4.0	810	619	33.5	<0.001	0.08	31.6	2.6	0.5	1.2	81.0	<0.01
I102292		8.91	<0.01	0.14	7.2	1010	787	51.2	<0.001	0.59	57.1	2.3	0.6	0.9	76.0	<0.01
I102293		3.67	0.04	0.81	4.8	830	59.4	41.5	<0.001	0.01	1.34	2.8	0.2	1.4	64.3	0.01
I102294		3.71	0.08	2.00	4.8	990	38.8	48.8	<0.001	0.01	1.78	3.1	0.4	1.8	40.5	0.01
I102295		2.80	0.02	0.30	4.7	770	60.7	33.0	<0.001	<0.01	1.49	3.5	0.4	1.6	378	<0.01
I102296		6.63	0.01	0.23	3.3	530	51.8	48.4	<0.001	0.01	4.40	2.0	0.4	4.0	39.1	<0.01
I102297		30.3	0.01	0.26	2.2	1040	654	23.4	<0.001	0.12	215	0.7	1.5	8.5	104.0	<0.01
I102298		3.20	0.01	0.30	3.5	550	217	41.5	<0.001	<0.01	12.60	2.6	0.3	11.6	62.5	<0.01
I102299		3.07	0.04	1.63	3.1	690	59.3	35.7	<0.001	<0.01	2.20	1.9	0.2	1.4	34.0	0.01
I102300		2.11	0.09	2.77	4.2	680	25.3	54.5	<0.001	<0.01	0.68	3.2	0.3	1.8	21.6	0.01
I102301		1.91	0.05	2.96	3.7	630	20.6	47.2	<0.001	0.01	0.57	2.8	0.3	1.5	13.1	0.01
I102302		3.27	0.07	1.32	3.3	680	44.1	39.6	<0.001	<0.01	0.82	2.4	0.3	1.6	35.5	<0.01
I102303		0.80	0.01	0.42	3.5	710	125.0	35.0	<0.001	0.01	1.30	3.3	0.3	1.4	109.5	<0.01
I102304		0.61	0.01	0.19	3.7	880	101.5	31.2	<0.001	0.01	1.05	3.6	0.3	1.4	517	<0.01
I102305		0.62	0.02	0.64	3.5	760	41.0	37.4	<0.001	<0.01	0.57	2.8	0.2	1.4	112.5	<0.01
I102306		0.78	0.03	0.58	3.8	770	60.1	42.2	<0.001	<0.01	0.90	2.8	0.3	1.7	175.0	<0.01
I102307		0.37	0.02	0.36	3.3	730	28.2	36.3	<0.001	<0.01	0.56	2.6	0.3	1.2	452	<0.01
I102308		0.71	0.02	0.45	4.3	790	25.2	36.9	<0.001	<0.01	0.76	2.8	0.3	1.5	162.5	<0.01
I102309		1.05	0.03	0.93	3.4	640	26.0	34.7	<0.001	<0.01	0.64	2.2	0.3	1.2	67.1	0.01
I102310		1.31	0.06	1.40	3.5	600	26.4	37.2	<0.001	0.01	0.74	2.2	0.3	1.4	41.6	0.01
I102311		3.85	0.04	1.67	3.3	600	32.1	36.8	<0.001	0.01	0.69	2.0	0.3	1.2	22.1	0.01
I102312		2.11	0.04	1.51	4.4	860	44.1	36.9	<0.001	0.01	0.91	2.6	0.4	2.2	29.1	0.01
I102313		1.94	0.03	0.58	4.6	900	33.8	42.0	<0.001	0.01	0.68	3.0	0.3	2.0	63.9	<0.01
I102314		1.22	0.01	0.22	5.2	1260	112.0	29.2	<0.001	<0.01	0.61	3.0	0.3	1.4	49.2	<0.01
I102315		0.63	0.02	0.07	3.7	680	18.8	18.8	<0.001	<0.01	0.48	2.3	0.3	0.3	29.1	<0.01
I102316		0.43	0.02	0.06	3.0	750	24.9	15.3	<0.001	<0.01	0.43	2.0	0.3	0.2	26.8	<0.01
I102317		2.70	0.02	0.06	3.3	660	30.8	16.6	<0.001	<0.01	0.51	1.7	0.3	0.2	21.2	<0.01
I102318		0.58	0.01	0.06	5.4	1010	15.4	13.3	<0.001	<0.01	0.32	1.9	0.3	0.5	37.6	<0.01
I102319		0.93	0.03	0.29	4.0	1200	35.8	38.8	<0.001	0.02	0.80	3.0	0.2	1.5	36.8	<0.01
I102320		1.05	0.02	0.32	4.9	1210	44.5	47.0	0.001	0.02	0.83	3.7	0.4	1.9	43.6	0.01
I102321		1.00	0.05	1.03	4.7	910	73.9	49.0	<0.001	0.02	0.74	3.6	0.5	1.8	36.7	0.01
I102322		1.12	0.04	1.14	4.4	950	42.2	43.0	0.001	0.02	0.67	2.8	0.5	1.9	96.3	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10137461

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	0.005	0.02	0.05	1	0.05	0.05	2
I102286		0.03	59.1	0.131	0.22	14.85	47	1.04	12.65	78
I102287		0.30	54.1	0.025	0.47	12.35	36	0.38	15.70	182
I102288		0.09	39.7	0.056	0.29	5.33	47	0.37	15.95	168
I102289		0.02	31.7	0.060	0.25	6.27	57	0.30	15.65	174
I102290		42.3	4.4	0.165	0.13	2.07	35	60.9	10.35	88
I102291		0.50	34.5	0.034	0.37	14.80	38	0.54	12.65	158
I102292		1.72	27.3	0.017	0.53	14.15	29	0.38	17.75	511
I102293		0.05	27.5	0.128	0.28	14.80	56	0.78	14.05	281
I102294		0.03	37.2	0.189	0.28	13.60	76	0.90	14.75	89
I102295		0.05	37.3	0.043	0.37	12.20	52	1.03	16.60	99
I102296		0.40	35.8	0.021	0.52	22.2	37	8.01	10.45	83
I102297		1.06	27.8	0.006	0.21	47.0	40	166.5	5.28	110
I102298		0.06	38.7	0.035	0.41	17.80	38	15.80	11.20	129
I102299		0.01	39.3	0.110	0.21	13.35	47	2.18	10.60	68
I102300		<0.01	35.2	0.163	0.34	11.25	51	1.08	13.90	40
I102301		<0.01	30.8	0.143	0.29	9.64	46	0.86	12.05	33
I102302		0.02	38.3	0.102	0.26	14.90	49	1.32	11.95	56
I102303		0.19	33.5	0.052	0.28	9.39	50	2.33	11.55	73
I102304		0.02	34.8	0.034	0.35	8.13	47	1.12	13.85	93
I102305		0.01	35.4	0.101	0.24	9.25	52	1.01	11.45	58
I102306		0.01	36.2	0.091	0.32	10.40	53	0.68	12.35	70
I102307		0.01	33.4	0.076	0.23	9.61	49	0.28	12.50	62
I102308		0.01	35.2	0.113	0.24	8.40	51	0.39	12.95	58
I102309		<0.01	33.9	0.113	0.19	9.47	42	0.56	12.85	56
I102310		<0.01	34.6	0.142	0.22	9.73	41	0.70	13.40	55
I102311		<0.01	35.1	0.150	0.21	12.55	40	1.20	12.85	60
I102312		0.01	30.0	0.166	0.25	9.95	56	1.73	13.75	79
I102313		0.01	31.2	0.136	0.32	7.49	60	1.17	13.95	67
I102314		0.03	27.2	0.049	0.26	6.94	51	0.77	15.15	143
I102315		0.02	26.4	0.006	0.19	6.80	35	0.12	12.70	90
I102316		0.01	24.7	0.006	0.15	6.66	33	0.40	12.65	89
I102317		0.08	26.0	0.006	0.16	5.54	34	0.34	11.10	91
I102318		0.14	25.3	0.007	0.14	4.32	44	0.77	12.50	117
I102319		0.02	22.3	0.100	0.30	5.78	61	1.18	10.70	96
I102320		0.02	28.1	0.095	0.37	7.68	63	1.38	13.05	100
I102321		<0.01	29.7	0.152	0.29	9.98	61	0.79	14.70	86
I102322		<0.01	28.9	0.160	0.25	10.50	62	1.64	13.40	81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10137461

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).