



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 10-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10137462**

Project: SQI10-01

P.O. No.: SQI10-01\_12

This report is for 77 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 24-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I102209		1.68	0.005		0.22	0.93	5.4	<0.2	<10	100	0.60	0.26	0.47	0.16	49.0	5.2
I102210		0.02	3.02	2.82	2.20	1.75	546	2.8	20	130	0.41	263	9.51	0.69	34.2	33.0
I102211		1.21	0.093		1.11	1.32	6.1	<0.2	<10	80	1.25	4.82	0.45	0.26	57.1	5.3
I102212		4.04	<0.005		0.11	0.99	4.3	<0.2	<10	90	0.96	0.73	0.45	0.13	49.3	5.4
I102213		5.61	<0.005		0.20	0.95	4.1	<0.2	<10	80	0.96	0.59	0.50	0.13	44.1	4.8
I102214		3.68	<0.005		0.16	1.09	4.1	<0.2	<10	80	1.24	0.60	0.55	0.26	50.6	5.1
I102215		4.56	<0.005		0.10	1.38	3.7	<0.2	<10	90	1.61	0.78	0.67	0.23	51.5	5.5
I102216		4.56	<0.005		0.13	1.84	3.1	<0.2	<10	130	2.41	0.54	1.18	0.25	52.4	6.0
I102217		5.70	<0.005		0.09	1.17	4.0	<0.2	<10	90	1.56	0.63	1.11	0.30	47.8	4.6
I102218		5.61	<0.005		0.09	0.94	4.9	<0.2	<10	80	1.03	0.78	0.82	0.18	43.7	4.5
I102219		0.90	<0.005		0.15	2.07	12.7	<0.2	<10	40	2.59	1.75	1.11	0.28	56.9	6.6
I102220		0.44	<0.005		0.07	0.74	6.7	<0.2	<10	100	0.86	0.37	0.33	0.18	36.3	4.4
I102221		2.66	0.005		0.12	1.06	4.0	<0.2	<10	80	1.38	1.04	0.41	0.16	42.6	4.8
I102222		4.75	0.017		0.08	1.01	3.8	<0.2	<10	60	1.53	1.02	0.40	0.16	40.7	4.5
I102223		4.52	<0.005		0.16	1.68	3.6	<0.2	<10	130	3.22	0.53	0.72	0.26	38.4	5.0
I102224		5.09	<0.005		0.10	1.05	5.2	<0.2	<10	80	1.23	0.54	0.59	0.14	40.1	5.4
I102225		4.09	0.005		0.08	1.16	5.6	<0.2	<10	90	1.36	0.46	0.63	0.23	44.4	5.6
I102226		4.17	0.005		0.07	0.81	2.9	<0.2	<10	60	1.46	0.29	0.41	0.11	39.4	4.3
I102227		4.17	<0.005		0.07	1.53	4.0	<0.2	<10	100	2.72	0.43	1.46	0.24	45.3	5.6
I102228		5.20	<0.005		0.06	1.13	6.4	<0.2	<10	70	1.56	1.09	0.70	0.18	44.9	5.2
I102229		2.23	<0.005		0.06	1.14	7.9	<0.2	<10	80	1.63	1.48	0.53	0.11	49.4	4.1
I102230		2.11	<0.005		0.07	1.20	6.7	<0.2	<10	90	1.70	0.90	0.60	0.10	47.4	4.0
I102231		3.88	<0.005		0.07	1.45	8.5	<0.2	<10	70	2.35	0.24	0.78	0.14	49.8	4.7
I102232		0.50	<0.005		0.05	2.04	6.6	<0.2	<10	60	3.70	0.15	0.95	0.18	44.0	4.3
I102233		3.83	<0.005		0.04	1.47	6.5	<0.2	<10	70	2.45	0.19	0.69	0.13	47.1	4.6
I102234		4.48	<0.005		0.06	2.07	8.1	<0.2	<10	70	2.85	0.66	1.13	0.16	44.2	7.7
I102235		4.59	<0.005		0.07	2.11	8.9	<0.2	<10	110	2.78	0.20	1.27	0.16	45.3	2.9
I102236		4.24	<0.005		0.06	1.72	8.2	<0.2	<10	130	2.23	0.27	0.83	0.13	43.9	2.9
I102237		3.72	<0.005		0.33	1.83	8.3	<0.2	<10	130	2.15	0.48	0.90	0.18	44.7	4.7
I102238		3.63	<0.005		0.07	2.01	8.2	<0.2	<10	190	2.04	0.50	0.86	0.19	48.6	6.4
I102239		3.74	<0.005		0.08	2.29	4.7	<0.2	<10	170	2.81	0.42	1.06	0.18	44.5	5.0
I102240		<0.02	<0.005		0.11	2.28	4.6	<0.2	<10	170	2.77	0.40	1.01	0.18	47.1	5.2
I102241		4.93	<0.005		0.16	2.53	5.0	<0.2	<10	120	2.67	0.95	1.21	0.16	51.7	5.0
I102242		5.00	<0.005		0.10	1.35	6.6	<0.2	<10	100	1.75	0.95	0.54	0.17	51.4	5.0
I102243		1.62	<0.005		0.11	1.26	6.7	<0.2	<10	110	1.41	0.50	0.49	0.11	51.4	5.2
I102244		2.65	0.012		0.41	2.70	9.2	<0.2	<10	100	5.38	3.70	0.91	0.37	59.2	11.5
I102245		4.70	<0.005		0.12	1.11	10.2	<0.2	<10	150	0.91	0.89	0.47	0.29	52.1	6.4
I102246		1.86	<0.005		0.04	0.90	9.1	<0.2	<10	90	0.66	0.52	0.42	0.18	46.5	3.4
I102247		1.30	<0.005		0.07	0.94	8.7	<0.2	<10	100	0.94	2.72	0.41	0.21	52.5	3.5
I102248		2.04	<0.005		0.10	1.17	7.7	<0.2	10	20	1.34	0.56	0.56	0.18	59.0	3.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I102209		20	7.03	9.6	2.56	4.69	0.10	0.17	<0.01	0.031	0.44	25.1	16.1	0.59	508	3.94
I102210		55	1.74	307	5.26	7.44	0.26	0.44	4.99	1.400	0.17	16.5	8.6	0.27	895	85.1
I102211		16	11.45	9.1	3.03	5.83	0.08	0.12	0.01	0.055	0.33	27.9	16.3	0.56	959	0.97
I102212		19	5.51	8.8	2.54	5.24	0.09	0.16	<0.01	0.031	0.38	24.3	17.5	0.61	462	2.84
I102213		19	5.27	8.2	2.47	4.92	0.08	0.15	<0.01	0.036	0.34	22.2	14.7	0.56	413	2.75
I102214		19	5.83	7.8	2.36	4.99	0.07	0.13	0.02	0.042	0.28	23.5	12.0	0.53	405	1.77
I102215		18	5.63	10.9	2.32	5.44	0.07	0.12	0.02	0.042	0.33	26.8	14.8	0.67	441	1.80
I102216		17	6.48	12.0	2.28	6.20	0.07	0.13	0.01	0.041	0.29	27.5	16.2	0.66	509	0.87
I102217		17	10.60	6.8	2.12	5.11	0.07	0.15	0.01	0.023	0.29	24.6	15.5	0.53	474	1.48
I102218		16	5.05	10.7	2.10	4.68	0.08	0.15	<0.01	0.019	0.29	22.1	15.6	0.46	420	1.33
I102219		13	14.45	13.0	2.22	6.57	0.06	0.08	0.01	0.054	0.24	36.1	7.4	0.46	346	0.61
I102220		16	6.09	3.5	2.25	4.14	0.09	0.22	0.01	0.023	0.35	17.1	36.6	0.40	319	3.06
I102221		10	6.93	8.6	2.00	4.75	0.06	0.19	<0.01	0.035	0.33	21.8	13.8	0.52	365	3.02
I102222		11	5.49	6.5	1.93	4.60	0.05	0.17	0.01	0.025	0.30	20.9	13.8	0.47	356	1.22
I102223		12	5.33	5.9	1.85	5.84	<0.05	0.13	0.01	0.024	0.27	21.5	14.9	0.58	536	0.64
I102224		14	5.43	4.8	2.15	4.62	0.06	0.18	<0.01	0.028	0.38	20.2	17.7	0.55	408	1.73
I102225		15	6.45	7.0	2.19	4.78	0.07	0.17	<0.01	0.034	0.35	21.9	16.1	0.51	404	1.64
I102226		14	4.62	11.1	1.78	3.99	0.05	0.17	<0.01	0.018	0.28	20.8	12.6	0.40	299	2.77
I102227		13	7.60	7.2	2.18	5.85	0.06	0.14	0.01	0.037	0.31	23.7	16.3	0.54	547	2.91
I102228		14	4.47	6.1	2.41	5.60	0.07	0.16	0.01	0.038	0.27	23.2	18.3	0.56	428	1.43
I102229		18	6.00	5.6	2.32	5.29	0.08	0.19	<0.01	0.030	0.30	26.2	17.3	0.55	340	1.18
I102230		19	5.69	5.3	2.25	5.19	0.07	0.18	0.01	0.028	0.29	26.3	16.5	0.55	322	1.10
I102231		16	5.14	11.3	2.29	5.79	0.08	0.19	<0.01	0.030	0.34	25.5	15.6	0.56	349	0.74
I102232		15	5.87	8.7	2.16	6.45	<0.05	0.13	<0.01	0.021	0.31	22.0	15.6	0.65	328	0.66
I102233		17	5.13	6.0	2.17	5.50	0.07	0.17	0.01	0.019	0.33	24.9	15.8	0.55	330	0.82
I102234		12	3.86	41.6	2.33	7.04	0.07	0.10	0.01	0.025	0.26	23.3	23.0	0.78	367	0.49
I102235		11	3.61	7.0	2.23	7.02	0.06	0.09	0.01	0.027	0.23	22.4	23.0	0.76	330	0.32
I102236		8	4.14	8.2	2.33	6.51	0.06	0.11	0.01	0.027	0.21	22.1	20.6	0.72	329	0.48
I102237		8	5.25	12.3	2.42	6.86	0.07	0.11	0.01	0.029	0.28	23.6	24.4	0.95	384	0.43
I102238		8	7.62	9.3	2.51	7.43	0.07	0.12	0.01	0.042	0.34	23.0	23.2	0.81	421	0.42
I102239		8	5.14	4.8	2.31	6.93	0.06	0.11	0.01	0.039	0.32	23.0	21.6	0.77	408	0.31
I102240		9	5.37	5.3	2.33	7.35	0.07	0.14	0.01	0.042	0.32	24.1	22.1	0.76	414	0.36
I102241		7	4.90	5.9	2.16	7.60	0.07	0.11	0.01	0.039	0.31	27.1	18.7	0.70	364	0.66
I102242		10	4.71	6.0	2.10	5.84	0.08	0.16	<0.01	0.034	0.34	27.2	24.4	0.65	316	0.91
I102243		11	5.73	7.3	2.29	5.83	0.11	0.19	<0.01	0.033	0.39	27.3	24.8	0.65	335	1.22
I102244		7	6.72	37.7	2.31	8.80	0.07	0.09	0.01	0.039	0.28	29.8	22.0	0.94	469	0.64
I102245		10	7.13	12.7	2.12	5.35	0.12	0.16	<0.01	0.040	0.36	26.9	25.0	0.60	369	1.76
I102246		12	4.70	2.7	2.16	4.09	0.11	0.16	<0.01	0.029	0.37	24.3	19.5	0.52	267	0.78
I102247		13	5.17	31.8	2.27	4.35	0.12	0.18	<0.01	0.039	0.34	27.4	18.9	0.45	354	2.31
I102248		4	4.89	59.7	2.01	2.45	0.05	0.11	<0.01	0.026	0.12	22.7	6.0	0.27	507	1.54



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I102209		0.08	1.57	4.4	900	28.3	58.9	<0.001	0.01	1.22	2.5	0.2	2.2	29.8	0.01	0.02
I102210		0.04	1.33	66.5	810	45.4	11.0	0.003	1.14	9.50	7.1	1.6	109.5	88.8	0.03	43.4
I102211		0.02	0.39	5.2	950	139.5	48.0	<0.001	<0.01	1.00	4.0	0.2	2.5	44.1	<0.01	0.06
I102212		0.06	1.25	4.6	930	26.3	50.7	<0.001	<0.01	0.98	2.5	0.2	1.9	26.9	0.01	0.03
I102213		0.06	1.06	4.2	870	28.1	43.7	<0.001	<0.01	0.96	2.5	0.2	2.1	35.2	0.01	0.02
I102214		0.04	0.53	4.1	880	41.4	35.7	<0.001	<0.01	0.61	3.5	0.2	1.8	58.3	<0.01	0.04
I102215		0.04	0.44	4.3	880	31.3	45.1	<0.001	<0.01	0.64	3.3	0.2	2.0	51.6	<0.01	0.04
I102216		0.04	0.38	4.1	800	29.5	37.5	<0.001	<0.01	0.53	3.4	0.2	1.9	165.0	<0.01	0.02
I102217		0.05	0.62	3.7	800	28.3	39.2	<0.001	0.01	0.62	2.6	0.2	1.6	81.7	0.01	0.02
I102218		0.06	1.05	3.7	800	30.4	38.5	<0.001	0.02	0.77	2.1	0.2	1.5	35.9	<0.01	0.02
I102219		0.02	0.08	2.8	1730	40.7	32.3	<0.001	0.01	0.85	3.9	0.3	3.1	46.9	0.01	0.06
I102220		0.06	3.27	4.7	850	23.1	43.2	<0.001	0.01	0.51	3.0	0.5	2.9	13.9	0.01	0.01
I102221		0.05	1.12	3.1	610	29.0	36.5	0.001	0.01	0.65	3.2	0.3	2.1	61.8	0.01	0.02
I102222		0.06	0.94	2.9	590	25.1	36.2	<0.001	0.01	0.50	2.9	0.2	1.9	39.8	0.01	0.02
I102223		0.03	0.41	3.1	790	29.8	31.1	<0.001	0.01	0.40	3.2	0.3	1.9	199.5	0.01	0.02
I102224		0.06	1.23	3.8	810	28.0	40.2	<0.001	<0.01	0.67	3.1	0.3	2.0	41.3	0.01	0.01
I102225		0.05	0.84	3.8	790	31.5	38.3	<0.001	<0.01	0.71	3.9	0.3	2.1	87.9	0.01	0.01
I102226		0.04	1.45	2.9	650	23.6	33.0	<0.001	<0.01	0.56	2.4	0.2	1.5	37.5	0.01	0.01
I102227		0.04	0.61	3.5	750	28.9	37.4	<0.001	<0.01	0.47	4.1	0.3	2.0	161.5	0.01	0.01
I102228		0.06	0.84	3.7	820	33.0	32.0	<0.001	<0.01	0.82	3.0	0.2	2.4	102.0	0.01	0.01
I102229		0.05	0.85	4.2	860	26.6	34.8	<0.001	<0.01	0.73	2.7	0.3	1.9	119.5	0.01	0.02
I102230		0.04	0.80	4.0	890	25.4	32.3	<0.001	0.01	0.67	2.8	0.3	1.8	163.5	0.01	0.01
I102231		0.05	0.76	3.9	850	24.7	37.7	<0.001	0.01	0.68	3.5	0.3	2.3	71.4	0.01	0.01
I102232		0.05	0.35	3.6	840	26.8	37.5	<0.001	0.01	0.63	3.1	0.3	1.6	86.3	0.01	0.01
I102233		0.05	0.64	3.8	870	25.1	35.5	<0.001	<0.01	0.61	3.1	0.3	1.5	60.9	0.01	0.01
I102234		0.03	0.27	3.5	1180	19.1	29.2	<0.001	<0.01	0.54	3.0	0.3	1.9	65.9	0.01	0.03
I102235		0.03	0.20	2.9	1190	23.7	24.1	<0.001	<0.01	0.49	2.5	0.2	1.6	79.2	<0.01	0.01
I102236		0.04	0.28	3.0	1200	21.0	21.4	<0.001	<0.01	0.60	2.3	0.2	1.6	177.0	0.01	0.01
I102237		0.04	0.30	3.3	1240	23.0	30.6	<0.001	<0.01	0.68	2.6	0.2	1.8	131.0	0.01	0.01
I102238		0.05	0.27	3.6	1140	22.8	37.5	<0.001	<0.01	0.71	3.7	0.2	1.8	265	0.01	0.01
I102239		0.05	0.23	3.3	1000	23.8	32.7	<0.001	<0.01	0.45	3.6	0.3	1.6	285	0.01	0.01
I102240		0.05	0.30	3.6	970	23.9	34.9	<0.001	<0.01	0.52	4.0	0.3	1.8	262	0.01	0.01
I102241		0.05	0.24	3.0	870	24.8	34.8	<0.001	<0.01	0.46	3.2	0.2	1.8	167.0	0.01	0.01
I102242		0.04	0.82	3.6	740	30.6	39.2	<0.001	<0.01	0.55	3.2	0.3	2.3	49.2	0.01	0.01
I102243		0.06	1.16	4.0	770	34.3	45.8	<0.001	<0.01	0.72	3.7	0.4	2.7	28.4	0.01	0.01
I102244		0.02	0.16	3.9	820	41.7	39.0	<0.001	<0.01	0.71	4.5	0.3	2.5	97.2	0.03	0.04
I102245		0.05	1.13	3.9	780	39.2	39.7	<0.001	0.10	0.81	3.3	0.4	3.2	42.3	0.01	0.02
I102246		0.07	1.37	3.2	740	28.3	34.3	<0.001	<0.01	0.78	2.4	0.3	2.1	22.7	0.01	0.01
I102247		0.07	1.31	3.8	760	32.9	34.2	<0.001	<0.01	1.20	2.3	0.4	2.2	32.4	0.01	0.02
I102248		0.03	0.05	3.0	1140	21.0	14.4	<0.001	<0.01	0.63	1.2	0.3	0.4	26.8	0.01	0.02



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-OCT-2010  
 Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
I102209		31.4	0.178	0.35	9.31	62	2.45	12.35	51
I102210		4.6	0.156	0.14	2.32	31	67.8	9.25	85
I102211		28.4	0.077	0.42	7.59	51	1.57	12.30	87
I102212		29.2	0.154	0.34	11.50	63	0.95	12.40	53
I102213		32.8	0.133	0.29	14.00	58	1.14	12.10	56
I102214		33.7	0.085	0.26	12.25	56	0.72	12.90	57
I102215		33.4	0.095	0.33	9.47	57	0.64	13.45	58
I102216		34.1	0.076	0.26	9.44	55	0.58	14.30	51
I102217		35.9	0.091	0.25	14.80	53	0.54	13.65	47
I102218		34.4	0.117	0.26	12.55	54	0.57	10.35	44
I102219		32.1	0.012	0.32	10.00	38	0.96	14.95	42
I102220		31.9	0.156	0.28	11.20	60	1.04	16.40	40
I102221		38.4	0.100	0.29	16.55	44	1.02	11.80	48
I102222		34.1	0.085	0.25	14.30	42	0.64	11.45	43
I102223		33.8	0.070	0.22	9.51	47	0.59	12.45	40
I102224		30.8	0.136	0.27	11.00	55	0.87	11.80	49
I102225		29.8	0.112	0.26	10.70	54	0.84	13.10	52
I102226		35.3	0.104	0.21	15.60	46	0.85	10.65	44
I102227		34.2	0.087	0.27	11.10	52	0.68	13.25	50
I102228		31.2	0.110	0.21	11.35	54	0.64	12.75	56
I102229		33.0	0.111	0.24	11.40	55	0.60	12.35	55
I102230		31.9	0.107	0.23	11.15	55	0.51	12.30	54
I102231		36.5	0.121	0.23	10.75	58	0.67	14.00	41
I102232		30.4	0.090	0.22	7.43	58	0.31	12.65	41
I102233		32.7	0.112	0.22	10.75	60	0.36	13.20	41
I102234		21.2	0.083	0.20	5.53	56	0.42	10.95	42
I102235		16.3	0.068	0.20	4.10	51	0.30	8.54	41
I102236		14.7	0.088	0.18	3.86	52	0.40	8.41	43
I102237		16.7	0.105	0.25	4.97	53	1.06	9.78	44
I102238		18.6	0.097	0.32	5.76	52	0.44	10.50	45
I102239		19.3	0.085	0.28	4.83	55	0.33	10.40	50
I102240		19.9	0.096	0.28	5.11	54	0.40	11.10	51
I102241		23.2	0.063	0.30	5.87	48	0.69	11.25	45
I102242		28.9	0.124	0.32	9.21	49	0.57	11.80	43
I102243		28.8	0.149	0.36	9.70	48	0.81	12.80	47
I102244		27.3	0.045	0.34	7.25	36	0.62	13.15	46
I102245		27.3	0.150	0.33	10.05	47	1.18	11.90	52
I102246		24.3	0.148	0.28	8.69	51	0.61	10.90	42
I102247		26.8	0.138	0.30	8.90	50	0.58	12.15	41
I102248		24.7	0.007	0.14	6.45	18	0.19	13.15	39



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I102249		1.22	<0.005		0.10	1.30	9.0	<0.2	<10	70	1.69	1.14	0.51	0.20	50.7	8.8
I102250		0.04	0.302		9.42	0.53	8.1	0.3	<10	240	0.23	1.70	2.41	0.15	12.35	4.4
I102251		3.81	<0.005		0.10	1.29	8.1	<0.2	<10	100	1.09	0.62	0.64	0.19	49.9	4.9
I102252		3.90	<0.005		0.07	1.07	6.3	<0.2	<10	100	0.92	1.60	0.48	0.16	48.7	3.9
I102253		3.01	<0.005		0.17	1.05	20.4	<0.2	<10	100	0.74	1.35	0.48	0.35	47.2	9.3
I102254		4.10	<0.005		0.10	1.65	8.3	<0.2	<10	90	2.40	1.17	0.61	0.20	54.1	5.7
I102255		4.21	<0.005		0.18	0.88	28.2	<0.2	<10	90	0.74	1.44	0.42	0.22	45.3	5.9
I102256		3.70	<0.005		0.22	0.80	21.7	<0.2	<10	100	0.47	1.51	0.36	0.38	48.8	7.9
I102257		3.88	<0.005		0.24	1.00	48.4	<0.2	<10	100	0.80	1.69	0.41	0.33	50.4	8.3
I102258		4.18	<0.005		0.21	0.68	8.7	<0.2	<10	90	0.41	0.82	0.37	0.23	50.2	4.4
I102259		4.17	<0.005		0.19	0.65	7.3	<0.2	<10	100	0.41	0.79	0.38	0.25	49.5	4.1
I102260		0.69	<0.005		0.08	0.70	5.0	<0.2	<10	100	0.70	0.30	0.29	0.20	31.2	3.4
I102261		4.58	<0.005		0.16	0.61	7.5	<0.2	<10	90	0.37	2.80	0.35	0.21	46.8	3.6
I102262		4.17	<0.005		0.35	0.79	17.5	<0.2	<10	100	0.53	5.61	0.42	0.38	43.2	6.6
I102263		3.36	0.007		0.26	0.98	9.2	<0.2	<10	100	0.84	12.05	0.52	0.24	44.0	7.2
I102264		4.31	<0.005		0.23	0.85	8.8	<0.2	<10	90	0.54	2.22	0.47	0.23	44.7	6.0
I102265		2.64	<0.005		0.23	1.03	12.8	<0.2	<10	100	0.89	0.96	0.44	0.25	47.0	8.0
I102266		3.16	<0.005		0.25	1.44	20.5	<0.2	<10	100	1.44	4.23	0.53	0.46	46.4	8.4
I102267		2.37	<0.005		0.14	1.42	15.3	<0.2	<10	90	1.44	4.96	0.51	0.25	47.0	7.5
I102268		1.99	<0.005		0.16	1.36	7.4	<0.2	<10	90	2.04	3.21	0.48	0.30	47.3	3.8
I102269		1.15	<0.005		0.23	2.25	9.6	<0.2	<10	110	1.99	1.96	0.75	0.16	53.1	6.0
I102270		1.37	NSS		0.20	2.05	10.0	<0.2	<10	110	1.98	2.01	0.77	0.18	49.8	6.1
I102271		3.75	<0.005		0.18	1.37	13.6	<0.2	<10	130	1.05	1.52	0.54	0.09	40.7	4.7
I102272		4.35	<0.005		0.22	1.02	25.6	<0.2	<10	90	0.81	8.33	0.48	0.33	44.1	4.9
I102273		3.98	<0.005		0.23	0.92	16.1	<0.2	<10	90	0.80	2.52	0.47	0.34	42.1	5.5
I102274		5.10	<0.005		0.13	1.42	9.8	<0.2	<10	120	1.61	1.25	0.51	0.21	45.6	4.7
I102275		4.11	<0.005		0.13	1.30	5.9	<0.2	10	90	1.56	1.02	0.44	0.17	51.5	4.2
I102276		3.20	0.016		0.35	1.14	10.1	<0.2	10	50	1.39	4.57	0.54	0.15	51.3	4.3
I102277		2.79	0.006		0.25	0.68	11.4	<0.2	20	100	1.39	0.99	0.25	0.15	59.2	6.0
I102278		2.82	<0.005		0.15	0.62	7.3	<0.2	30	40	0.73	1.21	0.26	0.11	41.2	3.1
I102279		4.27	<0.005		0.08	1.15	6.9	<0.2	<10	110	0.87	1.06	0.43	0.22	49.5	4.5
I102280		<0.02	<0.005		0.09	1.18	7.8	<0.2	<10	110	0.94	1.05	0.44	0.26	50.4	4.9
I102281		1.64	<0.005		0.13	1.51	5.5	<0.2	<10	90	1.36	1.06	0.55	0.20	60.2	3.9
I102282		4.90	<0.005		0.18	1.79	8.9	<0.2	<10	90	2.11	1.76	0.69	0.23	55.5	7.9
I102283		4.92	<0.005		0.10	2.03	7.9	<0.2	<10	110	2.22	1.06	0.75	0.24	53.0	6.7
I102284		3.19	0.018		0.13	1.98	6.0	<0.2	<10	130	1.94	1.08	0.77	0.25	49.8	5.3
I102285		2.17	0.032		0.14	0.98	20.7	<0.2	<10	80	1.91	0.79	0.54	0.17	57.3	16.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I102249		8	4.86	53.5	2.28	4.57	0.07	0.15	0.01	0.047	0.30	27.2	13.3	0.50	379	0.81
I102250		3	0.88	6460	1.39	1.71	<0.05	0.04	0.89	0.021	0.28	6.0	1.9	0.11	414	148.5
I102251		12	4.50	29.9	2.11	5.04	0.09	0.18	<0.01	0.033	0.37	26.3	20.8	0.53	297	2.70
I102252		13	4.62	15.7	2.20	4.89	0.11	0.19	<0.01	0.025	0.37	25.0	20.4	0.53	246	1.76
I102253		13	5.31	43.8	2.42	4.98	0.12	0.19	<0.01	0.044	0.38	24.1	20.4	0.54	300	3.14
I102254		11	5.12	18.7	2.12	6.24	0.09	0.18	<0.01	0.038	0.34	29.5	21.2	0.66	340	0.94
I102255		12	4.97	23.6	2.05	4.65	<0.05	0.14	<0.01	0.037	0.35	23.8	21.2	0.49	274	2.59
I102256		12	5.64	11.8	2.47	4.51	0.05	0.17	<0.01	0.033	0.39	26.1	23.1	0.50	296	2.95
I102257		11	7.48	38.9	2.34	4.88	0.05	0.16	<0.01	0.048	0.38	26.5	21.5	0.48	358	3.09
I102258		15	5.73	7.8	2.06	4.26	0.05	0.20	<0.01	0.028	0.35	26.3	17.3	0.40	308	1.74
I102259		16	6.93	4.5	2.13	4.15	<0.05	0.24	<0.01	0.024	0.37	25.8	16.3	0.39	334	3.18
I102260		13	5.76	3.7	2.07	3.88	<0.05	0.20	<0.01	0.016	0.36	16.0	34.5	0.38	260	3.23
I102261		15	5.55	9.0	1.96	3.86	<0.05	0.21	<0.01	0.024	0.34	24.7	17.1	0.38	322	1.63
I102262		12	4.37	55.6	2.17	4.45	0.06	0.15	<0.01	0.044	0.37	23.2	20.5	0.48	289	3.59
I102263		13	5.65	58.9	2.18	5.07	<0.05	0.15	<0.01	0.072	0.35	23.7	22.8	0.52	343	3.71
I102264		15	4.87	11.7	1.99	4.44	<0.05	0.16	0.01	0.038	0.35	23.6	23.8	0.49	306	3.29
I102265		14	7.29	46.5	2.26	5.27	<0.05	0.15	<0.01	0.049	0.37	25.6	22.9	0.53	422	4.01
I102266		11	7.84	61.6	2.38	5.78	<0.05	0.14	<0.01	0.067	0.32	26.5	19.9	0.59	612	4.36
I102267		12	7.69	79.4	2.05	5.83	<0.05	0.18	<0.01	0.047	0.33	25.6	22.9	0.64	385	1.49
I102268		13	9.37	52.1	2.27	6.16	<0.05	0.15	<0.01	0.036	0.36	26.0	23.5	0.65	437	1.59
I102269		12	7.29	22.3	2.20	7.91	<0.05	0.12	<0.01	0.039	0.33	27.9	24.6	0.78	516	0.75
I102270		11	7.62	23.3	2.06	7.27	<0.05	0.11	<0.01	0.037	0.33	27.1	25.4	0.75	506	0.67
I102271		13	6.63	20.1	2.29	5.71	<0.05	0.14	<0.01	0.038	0.36	20.3	22.2	0.60	379	2.26
I102272		12	6.51	37.8	2.29	4.90	0.05	0.14	0.01	0.049	0.39	23.2	21.8	0.53	201	4.14
I102273		12	5.81	42.6	1.99	4.62	<0.05	0.13	<0.01	0.057	0.36	22.5	19.8	0.49	278	3.83
I102274		13	8.65	13.9	2.41	5.98	<0.05	0.13	<0.01	0.038	0.40	24.9	23.7	0.68	666	1.75
I102275		11	7.30	11.4	2.25	4.96	<0.05	0.11	<0.01	0.033	0.37	27.0	17.6	0.52	642	2.27
I102276		8	10.95	56.5	3.00	4.36	<0.05	0.13	0.01	0.061	0.30	27.2	8.7	0.30	821	2.76
I102277		7	32.2	25.5	4.80	3.23	<0.05	0.12	0.01	0.043	0.24	30.8	5.1	0.07	1240	3.35
I102278		8	7.57	26.3	2.52	2.37	<0.05	0.08	<0.01	0.035	0.20	19.5	3.9	0.10	265	3.63
I102279		15	10.05	3.5	2.50	5.73	<0.05	0.13	<0.01	0.036	0.44	25.5	22.9	0.66	498	4.27
I102280		15	10.05	6.8	2.58	5.89	<0.05	0.13	<0.01	0.039	0.45	25.5	24.1	0.65	507	4.32
I102281		12	11.70	4.6	2.07	5.82	<0.05	0.14	0.01	0.054	0.28	33.1	16.9	0.47	647	1.49
I102282		12	8.74	14.2	2.38	6.02	<0.05	0.15	<0.01	0.047	0.34	29.0	18.3	0.65	692	1.51
I102283		13	8.89	18.5	2.47	6.80	<0.05	0.14	<0.01	0.052	0.34	29.4	19.7	0.69	816	0.88
I102284		14	9.55	5.8	2.56	6.87	<0.05	0.13	<0.01	0.048	0.34	26.6	17.7	0.63	880	1.40
I102285		7	33.7	2.0	2.81	4.30	<0.05	0.11	0.01	0.075	0.30	32.0	6.4	0.15	2200	0.68



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I102249		0.05	0.53	3.8	830	36.7	31.2	<0.001	<0.01	0.72	3.1	0.3	2.2	37.4	0.01	0.03
I102250		0.03	0.05	4.1	400	15.4	6.3	0.042	1.46	14.05	0.9	0.3	0.3	370	<0.01	2.06
I102251		0.08	1.13	3.6	940	33.1	35.4	<0.001	<0.01	0.84	2.5	0.3	2.0	36.3	0.01	0.02
I102252		0.07	1.28	3.6	830	31.7	36.9	<0.001	<0.01	0.61	2.3	0.3	1.8	37.6	0.01	0.04
I102253		0.08	1.61	3.7	810	35.9	36.0	<0.001	0.39	0.86	3.0	0.6	2.3	40.7	0.01	0.05
I102254		0.04	0.59	3.7	860	37.1	36.9	<0.001	<0.01	0.67	3.7	0.3	2.3	59.9	0.01	0.04
I102255		0.06	1.58	4.1	770	43.2	39.1	<0.001	0.59	0.71	2.5	0.6	1.6	29.2	0.01	0.05
I102256		0.06	2.78	4.6	740	53.4	49.7	<0.001	1.67	0.82	3.7	1.0	2.3	64.9	0.01	0.07
I102257		0.07	1.79	4.0	790	56.8	44.3	0.001	0.94	0.87	3.6	0.7	2.7	41.6	0.01	0.10
I102258		0.07	2.03	3.1	780	62.7	39.1	<0.001	0.03	0.68	1.9	0.3	2.1	64.4	0.01	0.02
I102259		0.09	2.19	3.3	760	57.6	40.6	<0.001	0.07	0.61	2.0	0.3	2.0	69.8	0.01	0.01
I102260		0.08	2.64	3.7	690	20.6	44.2	<0.001	<0.01	0.39	2.7	0.3	1.6	17.2	0.01	<0.01
I102261		0.07	2.27	3.2	750	55.6	37.5	<0.001	0.06	0.57	2.0	0.3	1.8	45.9	0.01	0.02
I102262		0.06	2.06	3.5	730	52.7	43.1	<0.001	1.01	0.71	3.3	1.0	6.7	46.6	0.01	0.14
I102263		0.07	1.28	3.4	740	46.4	41.5	<0.001	0.17	0.73	3.1	0.8	7.4	35.8	0.01	0.13
I102264		0.06	1.56	3.0	770	46.4	39.7	<0.001	0.20	0.71	2.1	0.5	2.4	47.5	0.01	0.10
I102265		0.06	1.30	3.6	800	49.2	45.4	<0.001	0.06	1.10	3.1	0.4	3.5	39.0	0.01	0.04
I102266		0.04	0.73	3.7	760	46.9	40.1	<0.001	0.08	0.94	3.5	0.4	3.6	48.6	0.01	0.07
I102267		0.04	0.57	3.6	770	48.6	42.1	<0.001	0.01	0.75	3.1	0.3	3.4	45.0	<0.01	0.08
I102268		0.04	0.66	4.2	790	42.1	45.4	<0.001	<0.01	0.53	3.5	0.4	3.9	44.3	0.01	0.11
I102269		0.03	0.30	3.1	820	44.8	42.6	<0.001	<0.01	0.74	4.9	0.4	3.9	71.6	<0.01	0.12
I102270		0.02	0.33	3.2	830	43.2	43.3	<0.001	<0.01	0.81	4.9	0.4	4.0	94.2	<0.01	0.15
I102271		0.04	0.90	2.9	850	51.7	46.1	<0.001	0.56	0.90	4.5	1.1	4.1	119.5	0.01	0.10
I102272		0.06	1.80	3.4	790	47.5	50.3	<0.001	0.90	0.85	3.7	1.1	3.8	45.2	0.01	0.11
I102273		0.05	1.71	3.3	780	48.9	44.7	0.001	0.45	0.77	3.2	0.6	3.5	32.7	0.01	0.07
I102274		0.04	0.84	3.8	850	41.5	53.7	<0.001	0.13	0.63	4.0	0.5	3.3	69.0	<0.01	0.03
I102275		0.03	0.46	3.0	850	33.4	49.0	<0.001	0.01	0.88	2.8	0.3	2.7	53.1	<0.01	0.01
I102276		0.01	0.22	2.2	1600	29.2	43.7	0.001	<0.01	2.37	2.0	0.3	2.6	50.3	<0.01	0.10
I102277		0.01	0.17	2.4	940	21.5	39.3	<0.001	<0.01	2.78	1.0	0.2	2.8	48.7	<0.01	0.01
I102278		0.01	0.12	1.5	770	18.1	25.5	0.001	<0.01	1.59	0.9	0.2	1.1	18.8	<0.01	0.01
I102279		0.05	1.15	3.7	820	39.6	60.3	<0.001	<0.01	0.72	3.6	0.3	2.9	73.0	<0.01	<0.01
I102280		0.06	1.19	6.4	800	41.2	60.7	<0.001	<0.01	0.77	3.7	0.3	3.0	72.0	0.01	0.01
I102281		0.02	0.27	4.5	840	33.0	35.0	<0.001	<0.01	0.66	3.6	0.3	1.6	71.9	<0.01	<0.01
I102282		0.04	0.37	4.3	810	41.0	42.7	<0.001	<0.01	0.78	3.5	0.3	2.1	135.0	0.01	0.01
I102283		0.03	0.30	4.1	840	43.3	42.8	<0.001	<0.01	0.60	4.0	0.3	2.4	96.4	<0.01	0.01
I102284		0.05	0.39	3.7	850	35.3	41.4	<0.001	<0.01	0.84	3.5	0.3	2.2	297	<0.01	<0.01
I102285		0.01	0.08	2.5	1220	11.5	44.9	<0.001	<0.01	2.69	3.2	0.2	1.2	169.0	<0.01	0.03





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 10-OCT-2010  
 Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
I102249		27.8	0.097	0.24	7.24	39	0.53	12.05	42
I102250		0.9	<0.005	0.04	0.79	12	4.67	3.93	41
I102251		27.3	0.147	0.27	9.29	52	0.60	12.10	48
I102252		28.3	0.145	0.27	10.05	56	0.83	12.80	45
I102253		27.5	0.165	0.28	10.80	50	0.90	12.30	48
I102254		29.9	0.111	0.31	7.93	50	0.53	13.65	50
I102255		26.7	0.147	0.31	10.65	42	0.66	12.45	59
I102256		27.6	0.158	0.42	13.65	35	0.76	12.75	63
I102257		27.6	0.161	0.37	12.55	37	1.01	12.55	65
I102258		28.5	0.158	0.29	11.20	51	0.89	13.00	62
I102259		30.2	0.156	0.29	15.05	50	1.16	14.35	60
I102260		29.0	0.151	0.29	9.89	49	0.82	14.25	31
I102261		28.1	0.153	0.28	12.25	49	0.68	13.35	57
I102262		26.2	0.150	0.34	10.95	38	0.67	12.00	59
I102263		27.2	0.141	0.33	10.60	46	0.68	12.30	54
I102264		26.5	0.153	0.33	11.00	50	0.61	12.35	63
I102265		26.5	0.153	0.38	9.03	51	0.69	14.05	62
I102266		28.1	0.125	0.37	10.45	44	0.66	13.25	66
I102267		27.1	0.122	0.36	7.27	46	0.59	13.10	58
I102268		27.3	0.127	0.43	8.03	51	0.66	14.45	57
I102269		31.3	0.090	0.41	10.55	49	0.69	13.40	60
I102270		29.7	0.083	0.42	10.50	48	0.55	13.15	69
I102271		31.6	0.142	0.43	14.25	44	0.54	11.20	43
I102272		29.0	0.161	0.43	11.10	43	0.71	13.15	48
I102273		27.7	0.158	0.36	10.05	46	0.67	12.30	51
I102274		30.2	0.127	0.49	9.34	51	0.51	14.35	58
I102275		28.1	0.076	0.46	7.15	39	1.56	13.55	49
I102276		33.5	0.023	0.48	18.75	26	1.84	11.35	59
I102277		27.1	0.009	0.50	12.80	18	2.42	11.60	73
I102278		24.5	0.010	0.28	6.39	15	0.78	10.10	29
I102279		27.7	0.154	0.50	8.44	55	0.69	14.20	62
I102280		26.3	0.155	0.51	7.81	54	0.70	14.30	64
I102281		28.1	0.049	0.32	5.10	45	0.82	15.70	54
I102282		33.7	0.089	0.38	7.84	44	0.36	15.20	55
I102283		29.9	0.082	0.38	6.11	49	0.35	14.65	58
I102284		25.3	0.108	0.30	5.16	56	0.62	14.75	61
I102285		27.4	0.007	0.56	9.72	23	1.29	13.90	54



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 10-OCT-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10137462**

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).