



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 13-JUL-2010  
Account: EIASQI

## CERTIFICATE WH10089644

Project: SQI10-01

P.O. No.: SQI10-01-07

This report is for 50 Soil samples submitted to our lab in Whitehorse, YT, Canada on 5-JUL-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUL-2010

Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I030801		0.26	0.016	1.23	2.09	14.9	<0.2	<10	70	1.29	4.55	0.23	0.45	35.7	10.2	33
I030802		0.32	0.012	0.80	2.14	17.1	<0.2	<10	80	2.74	2.43	0.74	0.41	47.6	14.0	46
I030803		0.40	0.065	0.31	2.70	8.0	<0.2	<10	80	2.48	2.51	1.20	0.90	53.1	18.7	23
I030804		0.40	0.005	1.13	2.34	15.5	<0.2	<10	10	2.45	1.70	1.36	0.28	50.6	6.5	4
I030805		0.40	0.007	0.42	2.23	7.9	<0.2	<10	70	2.35	1.64	0.86	0.44	45.2	9.0	16
I030806		0.36	<0.005	0.09	2.12	10.2	<0.2	<10	80	0.88	0.38	0.21	0.12	33.2	9.5	31
I030807		0.34	0.006	0.15	2.62	8.5	<0.2	<10	150	1.21	0.53	0.42	0.25	40.4	9.3	26
I030808		0.46	<0.005	0.47	2.66	4.9	<0.2	<10	210	3.19	2.16	1.11	0.82	79.6	10.1	18
I030809		0.40	<0.005	0.27	2.57	7.1	<0.2	<10	100	2.45	1.39	0.69	0.34	60.8	8.8	22
I030810		0.32	0.009	0.22	2.56	7.7	<0.2	<10	140	1.99	1.56	0.62	0.35	53.1	10.2	25
I030811		0.40	0.005	0.21	1.56	9.0	<0.2	<10	80	0.82	1.61	0.37	0.35	35.2	10.7	31
I030812		0.38	<0.005	0.33	1.49	9.8	<0.2	<10	110	1.56	2.29	0.35	0.31	51.7	8.8	17
I030813		0.38	<0.005	0.10	1.45	6.4	<0.2	<10	80	1.12	0.78	0.41	0.34	43.7	8.9	26
I030814		0.32	<0.005	0.11	1.82	9.9	<0.2	<10	60	0.69	0.45	0.12	0.10	30.9	9.5	33
I030815		0.32	0.044	0.51	1.37	9.9	<0.2	<10	70	0.72	5.27	0.31	0.34	22.9	8.3	34
I030816		0.40	0.018	0.35	2.09	12.7	<0.2	<10	90	1.71	4.52	0.36	0.26	56.4	11.5	29
I030817		0.28	0.011	1.45	2.48	12.0	<0.2	<10	100	2.34	7.39	0.56	0.41	55.0	16.8	26
I030818		0.34	0.028	0.39	1.75	8.8	<0.2	<10	80	1.47	5.21	0.49	0.48	42.4	10.3	31
I030819		0.30	0.036	0.61	1.65	7.8	0.6	<10	90	1.20	3.94	0.54	0.43	39.3	9.9	39
I030820		0.32	<0.005	0.16	1.74	7.6	<0.2	<10	70	2.02	0.29	0.53	0.63	32.7	10.3	40
I030821		0.34	<0.005	0.77	1.62	8.3	<0.2	<10	60	1.08	0.26	0.30	0.22	25.3	7.8	36
I030822		0.30	<0.005	0.13	1.66	10.1	<0.2	<10	60	1.34	0.60	0.52	0.28	38.5	9.8	47
I030823		0.24	<0.005	0.16	1.74	8.9	<0.2	<10	70	1.23	0.63	0.36	0.23	26.0	9.2	46
I030824		0.26	<0.005	0.17	1.97	11.3	<0.2	<10	80	1.57	0.68	0.49	0.47	35.7	10.2	54
I030825		0.24	0.006	0.24	2.25	8.7	<0.2	<10	100	2.24	0.69	0.68	0.43	41.6	10.1	41
I030826		0.22	0.010	0.25	2.04	9.7	<0.2	<10	100	1.70	3.22	0.54	0.46	40.9	10.6	46
I030827		0.24	0.011	0.17	2.54	10.4	<0.2	<10	130	2.32	7.26	0.82	0.41	48.7	14.6	66
I030828		0.24	0.032	0.44	2.07	7.1	0.3	<10	90	2.01	5.96	0.24	0.15	31.2	8.7	36
I030829		0.24	0.336	1.18	2.66	11.2	<0.2	<10	100	1.92	41.2	0.39	0.32	33.2	13.4	52
I030830		0.26	0.108	2.51	1.93	10.3	<0.2	<10	80	1.71	43.7	0.28	0.23	26.0	8.5	32
I030831		0.26	0.139	0.94	1.86	16.6	0.4	<10	80	1.59	23.6	0.42	0.33	40.2	10.9	39
I030832		0.32	0.030	0.38	2.00	10.7	<0.2	<10	80	1.67	10.40	0.34	0.31	40.5	9.8	40
I030833		0.36	0.087	0.58	2.25	11.8	<0.2	<10	100	2.15	14.85	0.49	0.39	45.7	12.0	38
I030834		0.28	0.021	0.59	2.25	20.4	<0.2	<10	100	2.04	14.05	0.44	0.69	42.5	11.2	32
I030835		0.28	0.049	0.35	1.67	27.6	<0.2	<10	100	1.40	6.78	0.43	0.65	35.6	8.3	32
I030836		0.30	0.011	0.79	1.68	74.7	<0.2	<10	140	1.50	5.13	0.44	1.47	45.4	9.2	30
I030837		0.28	0.005	1.51	0.82	38.4	<0.2	<10	70	0.56	2.38	0.12	0.54	17.55	3.0	17
I030838		0.30	0.005	1.64	2.19	84.5	<0.2	<10	150	2.41	5.89	0.50	1.15	44.5	10.7	22
I030839		0.30	<0.005	1.24	2.15	81.6	<0.2	<10	150	2.05	6.09	0.45	0.57	36.2	9.5	24
I030840		0.32	0.009	0.73	1.78	54.0	<0.2	<10	130	1.41	4.74	0.46	1.00	43.1	10.1	36



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUL-2010

Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I030801		8.08	80.8	3.26	7.37	0.07	0.03	0.14	0.060	0.05	16.0	19.4	0.55	1060	2.88
I030802		11.40	157.0	3.55	7.97	0.11	0.03	0.04	0.043	0.11	22.3	25.3	0.95	1440	1.09
I030803		22.6	40.6	2.58	7.11	0.09	0.04	0.06	0.021	0.12	22.4	20.4	0.61	1200	3.30
I030804		37.0	15.3	3.15	16.50	0.10	0.03	0.04	0.584	0.12	27.3	9.0	0.22	8410	6.77
I030805		20.8	41.0	2.54	8.70	0.09	0.03	0.07	0.140	0.12	24.4	17.3	0.47	2630	5.34
I030806		5.48	21.7	3.11	7.39	0.09	0.03	0.05	0.041	0.08	15.7	19.0	0.54	842	2.11
I030807		9.12	40.3	2.59	7.08	0.08	0.03	0.02	0.036	0.06	17.4	22.3	0.64	783	2.86
I030808		8.88	24.0	2.71	10.30	0.13	0.06	0.04	0.039	0.12	38.5	29.1	0.74	5090	6.64
I030809		12.90	24.9	2.91	9.47	0.10	0.03	0.04	0.058	0.08	31.7	21.4	0.63	2480	1.79
I030810		16.30	26.0	2.78	7.85	0.10	0.04	0.04	0.052	0.09	26.8	20.2	0.60	2060	1.82
I030811		5.37	25.7	2.78	5.45	<0.05	0.05	0.02	0.023	0.10	17.0	16.0	0.54	563	1.89
I030812		27.6	16.5	3.21	6.01	<0.05	0.03	0.03	0.028	0.11	27.6	14.5	0.35	2000	1.20
I030813		9.44	14.6	2.05	5.63	0.05	0.07	0.02	0.024	0.11	21.7	16.5	0.49	338	0.59
I030814		2.32	20.5	2.33	6.47	<0.05	0.04	0.05	0.037	0.07	14.6	15.4	0.47	387	1.08
I030815		5.91	36.4	3.08	6.80	<0.05	0.03	0.05	0.033	0.10	11.5	10.9	0.39	552	2.33
I030816		7.36	103.5	3.49	7.05	0.05	0.04	0.04	0.042	0.13	28.8	17.8	0.56	1040	1.94
I030817		12.50	436	3.83	7.24	0.05	0.04	0.04	0.072	0.13	25.2	18.3	0.56	1380	1.87
I030818		5.74	102.5	2.98	6.62	<0.05	0.03	0.05	0.046	0.14	22.2	15.9	0.54	1040	2.08
I030819		4.76	49.2	2.91	5.40	<0.05	0.04	0.08	0.031	0.10	19.1	13.8	0.56	743	0.90
I030820		6.64	34.2	2.32	5.78	<0.05	0.04	0.03	0.024	0.05	16.2	15.3	0.51	451	0.61
I030821		3.21	31.6	2.41	5.64	<0.05	0.03	0.05	0.021	0.05	13.0	14.4	0.44	303	1.33
I030822		5.16	46.1	2.76	6.18	<0.05	0.03	0.03	0.028	0.06	19.3	17.2	0.54	584	1.00
I030823		4.35	27.2	2.63	6.50	<0.05	0.03	0.04	0.027	0.04	14.1	17.7	0.53	361	0.68
I030824		4.38	44.0	3.00	6.67	<0.05	0.04	0.04	0.026	0.07	18.0	17.8	0.56	645	0.73
I030825		5.79	46.0	2.89	7.19	<0.05	0.03	0.04	0.027	0.10	21.2	19.1	0.62	505	0.63
I030826		5.72	53.8	2.98	6.98	0.05	0.03	0.03	0.037	0.09	20.2	17.8	0.65	523	1.73
I030827		7.40	50.9	3.69	7.83	0.05	0.04	0.02	0.043	0.16	23.9	20.9	1.01	1260	0.62
I030828		4.28	77.2	2.47	8.32	<0.05	0.02	0.05	0.044	0.06	17.5	20.3	0.66	355	0.81
I030829		11.10	248	4.03	9.28	<0.05	0.03	0.05	0.092	0.26	16.2	26.3	1.16	1210	1.15
I030830		6.56	375	2.83	6.66	<0.05	0.02	0.06	0.092	0.10	15.7	13.9	0.58	633	1.57
I030831		7.15	152.5	3.67	6.82	<0.05	0.03	0.04	0.074	0.13	20.0	18.1	0.64	1300	3.51
I030832		7.31	76.4	3.39	6.97	<0.05	0.02	0.05	0.048	0.10	20.2	18.9	0.67	956	2.20
I030833		7.79	107.5	3.38	7.54	<0.05	0.03	0.04	0.060	0.11	23.6	19.4	0.73	1340	2.08
I030834		7.03	94.0	3.13	7.45	<0.05	0.02	0.05	0.063	0.08	22.8	18.8	0.64	1140	2.24
I030835		8.26	42.6	3.04	5.65	<0.05	0.02	0.04	0.043	0.11	17.4	15.5	0.48	708	2.15
I030836		9.73	47.3	3.26	6.02	<0.05	0.03	0.03	0.064	0.17	21.2	17.3	0.54	881	3.51
I030837		3.41	24.4	1.64	3.12	<0.05	<0.02	0.07	0.030	0.04	9.2	3.5	0.13	129	2.10
I030838		10.85	60.7	2.67	6.81	<0.05	0.03	0.07	0.077	0.09	24.9	17.0	0.53	1140	3.88
I030839		9.26	51.9	2.90	6.87	<0.05	0.03	0.05	0.074	0.08	20.0	17.3	0.54	876	5.20
I030840		7.32	40.9	3.45	5.93	<0.05	0.04	0.03	0.056	0.13	21.3	16.6	0.56	842	2.79



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 13-JUL-2010

Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I030801		1.72	21.0	880	150.0	19.9	0.001	0.08	5.58	1.9	0.8	0.8	96.3	0.01	0.13
I030802		2.13	27.0	1520	47.0	27.9	<0.001	0.02	1.35	4.5	0.5	0.8	164.5	0.01	0.14
I030803		1.36	14.2	1420	103.0	19.8	0.001	0.01	0.78	3.4	0.5	0.8	566	0.01	0.14
I030804		0.16	6.5	700	68.6	29.4	0.001	0.01	2.04	3.5	0.4	0.4	180.0	0.01	0.04
I030805		1.27	13.6	1220	44.1	24.5	0.001	0.03	1.20	3.3	0.6	0.7	239	0.01	0.13
I030806		1.93	20.4	640	18.5	22.8	<0.001	0.03	0.73	3.3	0.6	0.7	38.7	0.01	0.04
I030807		2.06	21.3	950	40.3	14.9	<0.001	0.02	0.57	3.7	0.5	0.8	151.5	0.01	0.03
I030808		1.69	11.5	1750	106.5	21.0	0.001	0.01	0.52	6.6	0.6	1.1	398	0.01	0.09
I030809		1.22	12.3	1220	92.2	23.9	0.001	0.03	0.66	2.7	0.6	1.0	260	0.01	0.04
I030810		1.80	18.4	1000	66.2	21.1	0.001	0.02	0.64	4.3	0.5	0.8	151.0	0.01	0.06
I030811		2.06	19.6	1040	38.4	15.9	<0.001	0.02	0.52	3.6	0.2	0.8	33.5	<0.01	0.05
I030812		0.90	11.7	860	29.7	28.9	<0.001	0.01	1.45	2.7	<0.2	9.9	114.5	0.01	0.07
I030813		1.65	15.1	940	26.0	17.2	<0.001	0.01	0.43	4.3	0.3	0.7	45.5	0.01	0.09
I030814		1.26	24.2	410	20.8	12.4	<0.001	0.04	0.59	2.8	0.3	0.5	14.5	0.01	0.03
I030815		2.03	15.8	870	51.6	19.4	<0.001	0.08	1.44	2.3	<0.2	1.0	55.6	<0.01	0.07
I030816		2.07	15.4	1120	44.2	20.4	0.001	0.03	1.18	3.5	0.4	1.2	42.2	0.01	0.06
I030817		1.64	16.5	1260	69.4	18.6	<0.001	0.04	1.40	4.2	0.4	1.4	121.5	0.01	0.08
I030818		1.49	14.9	1140	61.8	22.9	<0.001	0.07	1.16	2.2	0.3	0.8	68.6	0.01	0.13
I030819		1.51	19.8	1480	41.3	17.4	<0.001	0.02	1.03	3.5	0.2	0.6	54.3	0.01	0.13
I030820		2.08	21.2	1770	59.6	9.9	<0.001	0.02	0.63	3.5	0.3	0.5	79.7	0.01	0.02
I030821		1.52	24.4	1180	24.5	10.1	<0.001	0.06	0.63	1.7	0.2	0.5	32.9	0.01	0.03
I030822		1.74	19.6	1920	28.2	12.0	<0.001	0.03	1.01	2.7	0.2	0.6	37.3	0.01	0.02
I030823		1.70	19.9	1420	27.3	10.9	<0.001	0.06	0.75	1.7	0.2	0.5	29.6	0.01	0.03
I030824		1.89	23.3	1900	47.7	14.4	<0.001	0.05	0.88	2.3	0.3	0.6	33.8	0.01	0.04
I030825		2.22	20.4	2150	28.7	20.3	<0.001	0.04	0.69	3.7	0.2	0.7	132.5	0.01	0.03
I030826		1.65	22.6	1890	66.5	18.7	<0.001	0.03	0.74	3.4	0.3	0.6	50.3	0.01	0.06
I030827		1.48	28.3	2340	36.8	33.4	<0.001	0.03	1.22	4.7	0.3	0.9	71.7	0.01	1.28
I030828		1.68	21.0	1000	44.6	14.7	<0.001	0.06	0.80	2.6	0.2	0.8	32.8	<0.01	0.08
I030829		2.72	30.4	1450	78.6	48.6	<0.001	0.10	1.06	3.9	0.2	1.3	38.6	<0.01	0.12
I030830		1.18	18.6	1350	65.1	24.9	<0.001	0.16	1.44	2.0	0.4	1.1	36.3	<0.01	0.12
I030831		1.60	18.6	1430	60.5	26.5	<0.001	0.06	3.52	2.7	0.2	0.9	41.1	<0.01	0.24
I030832		1.67	19.9	1320	60.9	19.2	<0.001	0.06	2.36	2.6	0.2	0.8	44.6	0.01	0.15
I030833		1.64	19.9	1410	73.9	24.6	<0.001	0.05	2.23	3.3	0.3	0.9	62.6	<0.01	0.16
I030834		1.42	18.3	1230	355	17.2	<0.001	0.06	2.43	2.8	0.3	0.8	82.5	0.01	0.19
I030835		1.60	14.8	1190	128.5	16.3	<0.001	0.06	1.43	2.4	0.3	0.8	96.9	<0.01	0.09
I030836		2.23	13.7	1250	407	22.7	<0.001	0.08	2.78	2.7	0.2	1.0	155.0	0.01	0.11
I030837		0.59	8.1	850	150.5	7.2	<0.001	0.12	1.12	0.8	0.2	0.7	44.2	<0.01	0.05
I030838		1.53	15.1	950	364	17.1	<0.001	0.10	2.12	2.8	0.5	1.0	127.0	<0.01	0.16
I030839		1.75	14.0	1000	338	13.8	<0.001	0.09	2.02	3.0	0.4	1.1	123.5	0.01	0.15
I030840		2.09	16.0	1280	242	20.5	<0.001	0.05	1.78	3.5	0.3	1.1	84.9	0.01	0.10



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUL-2010  
Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I030801		0.073	0.19	3.37	73	0.41	7.79	89
I030802		0.094	0.23	4.25	93	0.80	11.70	78
I030803		0.035	0.15	9.65	52	0.49	11.30	71
I030804		<0.005	0.34	30.0	53	1.88	13.25	55
I030805		0.046	0.22	25.9	46	0.87	13.05	83
I030806		0.104	0.18	3.36	64	0.33	6.97	61
I030807		0.052	0.18	5.78	52	0.48	10.25	62
I030808		0.068	0.28	11.45	47	1.25	22.3	136
I030809		0.044	0.25	9.25	55	0.55	16.80	132
I030810		0.077	0.24	7.64	52	1.28	12.05	95
I030811		0.116	0.15	4.33	66	0.98	8.57	77
I030812		0.040	0.37	5.50	39	10.45	9.37	72
I030813		0.116	0.13	6.33	55	0.53	11.40	81
I030814		0.090	0.12	1.21	64	0.24	5.39	58
I030815		0.094	0.14	2.66	82	0.79	4.25	79
I030816		0.094	0.19	8.72	73	0.60	10.50	86
I030817		0.050	0.21	10.15	61	0.95	11.05	100
I030818		0.057	0.17	5.12	67	0.99	8.61	100
I030819		0.089	0.15	4.24	75	0.49	9.57	81
I030820		0.108	0.11	2.39	63	0.51	8.29	83
I030821		0.079	0.09	1.22	63	0.37	6.16	63
I030822		0.097	0.13	2.78	77	0.58	9.24	84
I030823		0.075	0.12	1.91	70	0.50	6.54	79
I030824		0.098	0.13	2.30	85	0.77	8.67	112
I030825		0.094	0.13	4.41	84	0.91	9.89	93
I030826		0.088	0.20	3.70	81	0.61	10.10	145
I030827		0.081	0.32	2.86	102	0.72	10.65	117
I030828		0.061	0.26	3.50	71	0.60	7.16	98
I030829		0.128	0.51	3.01	101	0.72	6.85	172
I030830		0.047	0.26	6.47	63	0.52	7.39	89
I030831		0.071	0.24	6.22	77	0.79	8.30	138
I030832		0.070	0.21	5.96	77	0.60	7.89	118
I030833		0.071	0.25	8.43	77	0.68	10.70	130
I030834		0.061	0.26	8.37	68	0.57	10.25	192
I030835		0.069	0.16	5.46	71	0.64	7.71	187
I030836		0.088	0.22	5.90	74	0.80	9.78	290
I030837		0.030	0.13	4.58	40	0.46	3.90	72
I030838		0.039	0.22	12.30	46	0.48	12.10	288
I030839		0.049	0.23	10.45	55	0.49	9.76	247
I030840		0.098	0.19	6.45	81	0.85	9.53	202





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUL-2010  
Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I030841		9.44	33.5	2.79	6.96	0.05	0.03	0.03	0.197	0.09	42.0	16.3	0.76	1310	1.42	0.03
I030842		8.64	27.1	2.99	7.76	<0.05	0.02	0.07	0.090	0.10	32.3	22.1	0.81	1250	1.52	0.01
I030843		16.35	41.9	3.15	5.98	<0.05	0.04	0.02	0.060	0.13	26.1	19.0	0.59	742	1.46	0.03
I030844		10.40	23.4	2.00	5.93	<0.05	0.02	0.04	0.055	0.08	22.0	13.3	0.49	777	1.39	0.02
I030845		13.20	41.9	2.61	6.61	<0.05	0.02	0.03	0.058	0.12	24.7	19.2	0.58	711	1.69	0.03
I030846		14.90	55.4	3.11	5.67	<0.05	0.02	0.03	0.069	0.18	22.3	20.9	0.52	832	3.21	0.03
I030847		14.05	71.9	2.67	6.50	0.08	0.03	0.05	0.065	0.10	27.3	23.4	0.55	908	3.92	0.03
I030848		9.94	47.0	2.34	5.87	0.08	0.02	0.05	0.082	0.11	27.8	19.3	0.52	774	1.95	0.02
I030849		9.18	56.6	3.57	6.93	0.11	0.03	0.03	0.112	0.22	37.1	16.1	0.51	632	5.33	0.03
I030850		6.61	13.3	3.33	7.49	0.07	0.02	0.04	0.058	0.06	12.5	19.4	0.63	574	2.96	0.01



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5


Page: 3 - C  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUL-2010  
Account: EIASQI

Project: SQI10-01

## CERTIFICATE OF ANALYSIS WH10089644

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I030841		0.87	7.3	1860	80.8	11.9	<0.001	0.07	0.66	2.1	0.3	1.0	123.0	<0.01	0.37	15.4
I030842		1.02	11.0	1430	61.4	15.6	<0.001	0.06	0.62	2.0	0.2	1.3	110.0	0.01	0.20	5.2
I030843		1.14	10.5	1450	61.8	16.2	<0.001	0.03	0.65	3.0	0.3	1.5	289	0.01	0.16	21.3
I030844		0.92	7.6	1070	44.7	12.4	<0.001	0.06	0.50	1.4	<0.2	1.0	114.0	<0.01	0.12	2.7
I030845		1.50	11.5	1030	59.1	15.8	0.001	0.06	0.60	2.7	0.3	1.3	152.5	0.01	0.13	12.9
I030846		1.90	9.4	980	83.2	21.9	<0.001	0.12	1.13	2.5	0.5	1.7	330	<0.01	0.13	15.8
I030847		1.43	10.3	1050	97.9	17.7	<0.001	0.06	0.99	2.5	0.9	1.4	279	0.01	0.16	11.6
I030848		1.76	9.7	1190	56.4	18.2	<0.001	0.04	0.68	2.6	0.7	2.0	229	0.01	0.16	12.9
I030849		2.28	11.8	1150	62.2	31.2	<0.001	0.20	1.37	3.4	0.8	1.7	116.0	<0.01	0.14	16.2
I030850		0.95	12.6	750	65.9	11.0	<0.001	0.03	0.66	2.0	0.4	0.7	133.5	<0.01	0.18	2.8





Page: 3 - D  
Total # Pages: 3 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-JUL-2010  
Account: EIASQI

Project: SQL10-01

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



**ALS Chemex**

*EXCELLENCE IN ANALYTICAL CHEMISTRY*

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 13-JUL-2010  
Account: EIASQI

Project: SQI10-01

**CERTIFICATE OF ANALYSIS WH10089644**

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).