



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 16-JUL-2010
Account: EIASQI

CERTIFICATE WH10089648

Project: SQI10-01

P.O. No.: SQI10-01_8

This report is for 171 Soil samples submitted to our lab in Whitehorse, YT, Canada on 6-JUL-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I30851		0.52	0.010	0.40	2.22	10.7	<0.2	<10	140	2.29	2.10	0.49	0.54	46.6	19.7	32
I30852		0.54	0.009	0.10	1.97	8.8	<0.2	<10	130	2.02	1.31	0.62	0.19	46.1	9.6	29
I30853		0.62	0.008	0.07	2.20	10.2	<0.2	<10	160	2.04	0.94	0.48	0.26	48.8	9.2	28
I30854		0.64	0.013	0.35	2.09	8.3	<0.2	<10	100	1.75	2.03	0.52	0.38	43.8	9.0	33
I30855		0.28	0.031	0.76	1.53	7.7	<0.2	<10	110	1.25	1.66	0.21	0.26	23.3	6.2	27
I30856		0.70	0.024	0.25	1.96	7.7	<0.2	<10	130	1.51	2.30	0.46	0.67	46.6	12.2	34
I30857		0.52	0.043	0.24	1.89	7.0	<0.2	<10	130	1.98	13.75	0.47	0.30	76.6	9.4	29
I30858		0.42	0.020	0.12	2.16	7.7	<0.2	<10	210	2.15	3.65	0.53	0.60	44.4	10.4	33
I30859		0.44	0.017	0.13	2.27	8.2	<0.2	<10	170	3.09	4.84	0.61	0.31	85.7	11.7	23
I30860		0.32	0.017	0.45	2.99	9.8	<0.2	<10	120	3.69	12.85	0.39	0.57	44.3	12.1	32
I30861		0.38	0.019	0.45	3.16	9.9	<0.2	<10	120	3.90	9.93	0.43	0.58	46.1	12.4	33
I30862		0.52	0.011	0.49	2.30	8.8	<0.2	<10	110	2.64	6.23	0.56	1.67	45.7	12.9	30
I30863		0.46	0.015	0.16	2.11	10.9	<0.2	<10	90	1.71	1.25	0.26	0.26	43.6	13.0	39
I30864		0.72	0.020	0.17	1.29	7.0	<0.2	<10	90	1.31	3.04	0.51	0.39	55.9	10.5	30
I30865		0.44	0.014	0.28	1.55	9.4	<0.2	<10	80	1.65	4.00	0.35	0.26	38.7	9.9	32
I30866		0.44	0.018	0.16	1.67	8.7	<0.2	<10	120	1.72	2.27	0.55	0.30	51.5	12.1	41
I30867		0.40	0.023	0.13	2.26	8.8	<0.2	<10	130	2.76	2.53	0.49	0.24	51.8	12.2	31
I30868		0.46	0.037	0.10	1.25	11.6	<0.2	<10	130	0.89	0.64	0.55	0.32	45.3	10.5	46
I30869		0.54	0.009	0.13	1.25	9.4	<0.2	<10	80	0.79	0.45	0.34	0.16	33.7	9.2	43
I30870		0.48	0.006	0.08	1.86	9.6	<0.2	<10	120	1.62	1.03	0.44	0.24	40.3	11.9	49
I30871		0.46	0.015	0.17	1.94	7.7	<0.2	<10	100	1.88	2.59	0.39	0.12	38.8	9.5	25
I30872		0.54	0.011	0.18	2.32	8.2	<0.2	<10	130	1.91	3.17	0.55	0.29	47.2	9.4	24
I30873		0.50	0.011	0.11	1.80	8.1	<0.2	<10	100	1.47	2.79	0.34	0.20	47.3	10.0	29
I30874		0.44	0.009	0.16	1.94	7.6	<0.2	<10	110	1.74	2.56	0.43	0.58	35.4	11.3	31
I30875		0.52	0.015	0.48	2.61	10.3	<0.2	<10	120	2.98	4.79	0.53	0.83	47.0	13.2	33
I30876		0.56	0.021	0.17	2.33	6.6	<0.2	<10	130	1.65	3.49	0.52	0.33	44.6	8.9	31
I30877		0.52	0.291	0.08	1.42	7.2	<0.2	<10	110	0.59	0.57	0.33	0.28	26.6	7.8	28
I30878		0.72	0.038	0.46	2.17	10.0	<0.2	<10	130	1.72	4.12	0.45	0.51	52.1	10.1	30
I30879		0.56	0.006	0.15	2.18	17.9	<0.2	<10	100	1.41	2.20	0.23	0.27	37.1	11.0	32
I30880		0.52	<0.005	0.10	2.40	11.6	<0.2	<10	210	2.18	2.10	0.53	0.32	53.5	10.5	24
I30881		0.52	<0.005	0.32	2.46	14.2	<0.2	<10	100	1.66	2.14	0.54	0.23	48.7	10.2	31
I30882		0.58	<0.005	0.30	2.33	11.6	<0.2	<10	110	1.62	2.54	0.61	0.35	52.3	8.1	31
I30883		0.56	<0.005	0.33	2.43	13.3	<0.2	<10	110	1.75	2.56	0.60	0.39	53.3	8.9	33
I30884		0.58	<0.005	0.10	1.78	10.7	<0.2	<10	120	1.31	0.60	0.38	0.38	42.7	8.4	26
I30885		0.44	<0.005	0.09	2.17	11.7	<0.2	<10	100	1.49	0.74	0.55	0.29	46.8	8.4	28
I30886		0.58	0.006	0.23	1.86	30.8	<0.2	<10	90	1.78	1.98	0.57	0.91	57.3	8.1	24
I30887		0.46	0.005	0.09	1.81	10.9	<0.2	<10	100	0.86	0.40	0.53	0.39	37.2	10.7	31
I30888		0.46	<0.005	0.06	2.44	9.8	<0.2	<10	90	1.46	1.10	0.51	0.20	44.3	8.0	20
I30889		0.58	<0.005	0.10	2.49	15.8	<0.2	<10	110	3.04	7.40	1.47	0.62	62.5	8.8	19
I30890		0.50	0.009	1.48	3.31	12.0	<0.2	<10	200	3.39	0.68	0.98	0.83	53.5	17.1	60



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I30851		10.60	34.6	3.02	7.81	0.08	0.05	0.04	0.040	0.08	23.3	20.6	0.67	708	3.73
I30852		7.87	21.2	2.75	7.05	0.09	0.05	0.02	0.035	0.11	23.9	17.1	0.59	665	1.41
I30853		8.99	23.5	2.84	7.98	0.09	0.04	0.03	0.043	0.13	25.3	19.0	0.63	534	1.31
I30854		6.66	42.5	2.73	7.96	0.09	0.04	0.03	0.039	0.12	24.3	17.1	0.61	547	1.41
I30855		3.83	35.1	2.41	6.71	0.05	<0.02	0.15	0.029	0.07	12.3	7.0	0.27	524	2.37
I30856		4.16	50.8	2.91	6.86	0.07	0.05	0.04	0.038	0.09	23.0	14.8	0.57	551	1.04
I30857		5.45	338	2.86	6.15	0.08	0.04	0.03	0.046	0.08	37.5	13.1	0.54	669	0.76
I30858		6.60	77.9	3.26	7.90	0.08	0.03	0.04	0.036	0.10	21.2	16.8	0.63	742	0.91
I30859		7.32	50.3	3.35	8.85	0.10	0.02	0.04	0.046	0.09	44.3	19.4	0.68	1140	1.41
I30860		8.18	124.0	3.38	11.10	0.07	0.02	0.06	0.052	0.21	23.8	26.5	0.87	1460	1.34
I30861		8.12	131.5	3.55	11.35	0.08	0.02	0.05	0.055	0.22	24.9	27.4	0.92	1560	1.28
I30862		7.48	74.7	2.94	8.83	0.07	0.02	0.05	0.041	0.20	24.7	20.3	0.87	1180	1.34
I30863		5.00	53.0	3.02	7.82	0.07	0.03	0.09	0.030	0.09	19.7	17.0	0.62	698	1.65
I30864		10.25	27.3	2.88	5.36	0.10	0.05	0.02	0.024	0.10	28.5	13.3	0.46	705	1.16
I30865		10.25	28.0	2.82	6.67	0.07	0.02	0.06	0.029	0.08	18.3	14.7	0.52	732	1.60
I30866		7.44	37.9	3.00	6.71	0.09	0.03	0.03	0.024	0.13	24.4	16.6	0.68	700	1.04
I30867		9.15	50.1	2.75	8.32	0.07	0.02	0.06	0.033	0.16	28.2	18.4	0.89	865	1.27
I30868		7.89	31.5	2.91	5.48	0.10	0.05	0.02	0.023	0.09	21.8	14.8	0.53	533	0.85
I30869		5.78	27.0	2.61	5.79	0.08	0.03	0.05	0.019	0.07	16.5	15.9	0.53	320	1.11
I30870		7.84	37.3	3.02	7.52	0.07	0.02	0.03	0.025	0.11	17.4	23.4	0.77	563	1.19
I30871		8.45	34.9	2.41	7.24	0.06	0.02	0.05	0.029	0.08	20.6	17.0	0.65	636	1.32
I30872		8.72	26.1	2.74	7.79	0.06	<0.02	0.02	0.048	0.09	23.7	17.2	0.63	1050	1.21
I30873		5.01	26.2	2.74	6.45	0.06	0.02	0.03	0.034	0.08	20.5	15.3	0.53	891	1.18
I30874		5.69	48.9	2.78	7.83	0.07	0.02	0.05	0.034	0.08	18.9	16.1	0.71	712	1.31
I30875		7.48	99.1	3.21	9.57	0.07	0.02	0.06	0.047	0.14	24.3	19.5	0.79	1220	1.41
I30876		4.95	42.8	3.40	6.44	0.06	<0.02	0.03	0.044	0.11	21.0	12.5	0.65	1080	0.79
I30877		4.81	20.5	2.59	6.84	0.06	0.03	0.05	0.025	0.07	13.5	12.0	0.43	299	1.14
I30878		6.19	68.6	3.31	7.37	0.08	0.03	0.05	0.060	0.10	26.4	15.2	0.61	775	1.19
I30879		8.27	33.8	3.39	7.94	0.07	0.03	0.07	0.053	0.08	18.1	18.2	0.58	687	2.55
I30880		9.92	35.5	3.03	8.18	0.07	0.03	0.03	0.056	0.10	27.7	20.0	0.67	782	1.57
I30881		8.36	37.5	3.45	8.68	0.08	0.05	0.03	0.064	0.08	26.3	20.0	0.72	621	2.40
I30882		11.20	30.8	2.99	8.32	0.08	0.09	0.03	0.064	0.11	29.4	19.1	0.72	390	1.61
I30883		11.85	34.3	3.15	8.65	0.09	0.07	0.05	0.063	0.11	29.8	19.4	0.72	432	1.86
I30884		9.05	20.3	2.65	6.11	0.07	0.04	0.03	0.041	0.09	22.3	15.6	0.48	398	1.51
I30885		6.30	23.7	2.74	7.07	0.07	0.03	0.01	0.041	0.13	24.5	16.9	0.60	473	1.20
I30886		7.67	41.6	3.07	7.47	0.09	0.03	0.03	0.130	0.13	31.1	13.3	0.52	1140	3.09
I30887		9.43	27.5	2.69	5.97	0.08	0.04	0.02	0.032	0.10	18.7	15.7	0.57	359	1.37
I30888		6.72	26.0	2.44	7.44	0.05	0.02	0.01	0.048	0.10	23.0	15.3	0.57	641	1.05
I30889		9.19	30.4	2.66	8.56	0.07	0.02	0.03	0.120	0.10	36.2	24.4	0.89	1560	0.97
I30890		11.80	74.1	4.09	12.10	0.12	0.03	0.04	0.049	0.37	28.3	27.5	1.50	1760	1.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I30851		1.59	20.5	1220	52.0	14.6	<0.001	0.02	0.52	5.7	0.6	0.8	139.0	<0.01	0.43
I30852		1.12	16.8	1040	24.3	20.2	<0.001	0.02	0.50	5.4	0.5	1.0	87.2	<0.01	0.06
I30853		2.55	16.2	1220	37.3	22.5	<0.001	0.02	0.61	4.5	0.5	1.3	143.0	<0.01	0.07
I30854		1.97	19.7	1420	31.2	31.8	<0.001	0.02	0.75	5.6	0.5	0.9	65.4	<0.01	0.07
I30855		0.85	15.0	1820	46.5	22.1	<0.001	0.21	0.65	1.3	0.7	0.6	36.8	<0.01	0.06
I30856		1.70	19.4	1420	61.3	16.8	<0.001	0.02	0.47	5.4	0.7	0.8	65.4	<0.01	0.09
I30857		1.49	16.9	1220	69.1	13.7	<0.001	0.02	0.62	4.2	0.7	0.8	121.0	<0.01	0.08
I30858		1.61	21.2	1570	102.5	18.3	<0.001	0.03	0.65	3.7	0.6	0.8	159.0	<0.01	0.10
I30859		0.89	16.3	1530	49.9	18.5	<0.001	0.03	0.62	2.9	0.7	1.1	157.0	<0.01	0.21
I30860		2.17	24.1	1210	148.5	49.0	<0.001	0.07	1.06	4.0	0.5	1.7	57.1	<0.01	0.08
I30861		2.18	24.6	1270	156.0	50.9	<0.001	0.06	1.09	4.4	0.6	1.6	58.9	<0.01	0.09
I30862		1.87	23.5	1630	94.1	40.4	<0.001	0.06	0.90	4.3	0.7	1.0	71.1	<0.01	0.63
I30863		1.68	27.8	1390	26.6	23.7	<0.001	0.08	0.67	2.6	0.8	0.8	24.7	0.01	0.10
I30864		1.20	17.0	1480	31.4	17.6	<0.001	0.01	0.70	3.9	0.6	1.0	62.8	<0.01	0.18
I30865		1.18	21.5	1200	41.6	16.7	<0.001	0.07	0.81	1.9	0.6	0.6	41.0	<0.01	0.36
I30866		2.12	25.8	1670	28.4	25.6	<0.001	0.03	0.61	3.7	0.6	0.9	76.9	<0.01	0.18
I30867		2.05	23.4	1500	35.1	31.8	<0.001	0.07	0.70	3.7	0.7	0.9	91.0	<0.01	0.37
I30868		1.29	22.9	1660	27.2	15.4	<0.001	0.02	0.58	4.1	0.6	0.6	72.0	<0.01	0.08
I30869		2.04	22.2	1030	19.1	12.8	<0.001	0.05	0.48	2.6	0.6	0.6	46.9	<0.01	0.04
I30870		2.40	26.8	1260	28.5	22.5	<0.001	0.04	0.53	3.1	0.5	1.1	59.7	<0.01	0.13
I30871		1.34	19.0	1120	36.2	17.9	<0.001	0.06	0.64	2.4	0.6	0.8	72.7	<0.01	0.36
I30872		1.26	15.2	1030	78.4	17.9	<0.001	0.03	0.59	2.5	0.4	0.8	119.5	<0.01	0.23
I30873		1.38	18.3	1090	35.3	16.0	<0.001	0.04	0.69	2.6	0.5	0.7	62.8	<0.01	0.17
I30874		1.77	22.8	1140	46.7	20.8	<0.001	0.07	0.78	3.0	0.6	1.0	70.7	<0.01	0.15
I30875		1.55	22.6	1490	108.5	32.9	<0.001	0.05	0.75	3.8	0.6	1.3	75.5	<0.01	0.09
I30876		0.78	14.4	1520	53.4	17.4	<0.001	0.03	0.59	3.0	0.5	0.8	98.1	<0.01	0.08
I30877		1.42	17.4	1010	23.3	11.5	<0.001	0.05	0.44	1.8	0.5	0.7	51.6	<0.01	0.03
I30878		1.72	19.4	1190	60.8	22.7	<0.001	0.03	0.75	4.2	0.4	1.4	77.4	<0.01	0.24
I30879		1.97	21.5	880	31.8	18.7	0.001	0.07	0.66	3.2	0.5	1.3	40.3	<0.01	0.08
I30880		1.96	16.0	1030	48.2	18.4	0.001	0.03	0.54	3.8	0.4	1.5	230	<0.01	0.06
I30881		2.31	16.3	1270	36.2	17.3	<0.001	0.03	0.57	4.8	0.5	1.1	70.5	<0.01	0.09
I30882		2.26	13.3	1190	48.5	24.9	0.001	0.02	0.59	5.7	0.4	1.3	55.0	<0.01	0.07
I30883		2.58	14.7	1160	51.7	26.0	<0.001	0.03	0.62	5.9	0.5	1.1	53.5	<0.01	0.08
I30884		3.16	15.6	1030	41.4	19.3	0.001	0.03	0.50	3.4	0.3	1.0	48.5	<0.01	0.04
I30885		2.40	14.9	960	40.6	29.6	0.001	0.04	0.59	4.3	0.4	1.1	54.6	0.01	0.03
I30886		1.37	11.4	1190	55.8	29.0	0.001	0.01	1.49	4.6	0.4	1.4	60.4	<0.01	0.09
I30887		2.18	19.0	1300	46.1	21.0	<0.001	0.01	0.46	4.6	0.3	0.8	62.6	<0.01	0.02
I30888		1.70	10.8	960	41.9	18.9	0.001	0.04	0.44	2.7	0.4	0.8	72.2	<0.01	0.04
I30889		0.36	8.9	4020	59.5	18.1	<0.001	0.02	0.72	1.7	0.3	1.3	113.0	<0.01	0.90
I30890		3.22	35.0	2420	87.7	55.0	<0.001	0.03	1.31	7.8	0.4	1.2	159.0	<0.01	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I30851		0.090	0.12	12.75	68	0.33	13.30	131
I30852		0.082	0.13	12.65	64	0.33	14.60	65
I30853		0.105	0.16	7.82	68	0.49	14.00	80
I30854		0.105	0.20	7.75	68	0.61	13.35	97
I30855		0.035	0.14	4.27	66	0.41	6.26	55
I30856		0.100	0.17	6.65	78	0.41	13.25	106
I30857		0.078	0.16	9.41	75	0.38	18.60	101
I30858		0.078	0.17	3.89	89	0.53	10.70	119
I30859		0.031	0.22	6.51	75	0.72	19.50	120
I30860		0.078	0.37	5.66	78	0.83	9.95	220
I30861		0.078	0.39	6.05	82	0.72	10.80	231
I30862		0.084	0.33	5.90	71	0.60	11.35	252
I30863		0.090	0.20	4.28	86	0.52	9.68	82
I30864		0.089	0.12	18.50	73	1.35	15.30	81
I30865		0.066	0.15	6.50	69	0.71	7.62	78
I30866		0.110	0.14	9.30	87	0.55	11.60	75
I30867		0.075	0.21	11.90	69	0.54	12.75	86
I30868		0.104	0.13	7.33	85	0.42	13.45	68
I30869		0.109	0.11	3.35	81	1.51	7.28	50
I30870		0.120	0.13	4.55	88	0.59	8.62	75
I30871		0.057	0.15	7.85	56	0.53	8.73	80
I30872		0.035	0.18	7.42	60	0.35	9.12	103
I30873		0.060	0.15	6.12	66	0.57	10.50	88
I30874		0.082	0.21	4.34	74	0.55	8.90	118
I30875		0.070	0.25	5.33	80	0.72	11.70	177
I30876		0.058	0.17	5.91	77	0.45	10.95	125
I30877		0.089	0.11	3.73	63	0.64	6.62	64
I30878		0.062	0.20	6.77	67	0.94	13.70	120
I30879		0.076	0.17	7.29	71	0.44	8.31	72
I30880		0.059	0.21	10.90	57	0.45	14.60	89
I30881		0.072	0.15	11.80	71	0.40	14.65	85
I30882		0.082	0.15	17.90	69	0.43	16.50	120
I30883		0.079	0.16	20.2	71	0.69	16.75	127
I30884		0.112	0.15	9.14	61	1.98	10.45	100
I30885		0.107	0.21	14.80	62	0.50	13.95	91
I30886		0.071	0.25	19.80	59	0.54	15.90	192
I30887		0.138	0.15	12.15	64	0.62	10.90	95
I30888		0.035	0.16	8.12	53	0.52	11.50	88
I30889		0.017	0.28	27.5	38	0.57	13.60	110
I30890		0.138	0.21	7.32	119	0.63	15.90	140



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I30891		0.52	0.009	0.26	2.00	9.6	<0.2	<10	100	2.06	2.89	0.62	0.51	56.4	13.8	49
I30892		0.50	<0.005	0.22	1.96	10.7	<0.2	<10	80	1.09	0.48	0.38	0.25	33.9	10.6	42
I30893		0.52	0.007	0.42	1.62	8.9	<0.2	<10	90	1.17	0.69	0.50	1.72	34.9	10.3	39
I30894		0.34	0.024	0.11	1.94	9.8	<0.2	<10	120	1.30	1.08	0.52	0.62	41.4	10.7	42
I30895		0.56	0.022	0.39	2.78	12.5	<0.2	<10	120	3.01	1.57	0.94	1.53	47.6	13.7	41
I30896		0.42	<0.005	0.13	1.39	9.0	<0.2	<10	100	0.62	0.37	0.27	0.32	20.1	9.3	30
I30897		0.42	<0.005	0.07	0.57	1.8	<0.2	<10	30	0.25	0.22	0.11	0.11	7.48	2.8	7
I30898		0.58	0.012	0.31	2.22	12.7	<0.2	<10	150	1.88	2.83	0.51	0.68	53.1	13.9	37
I30899		0.60	0.028	0.24	1.94	9.9	<0.2	<10	120	1.80	2.57	0.66	0.69	44.0	10.0	35
I30900		0.74	0.009	0.27	2.24	10.6	<0.2	<10	120	1.73	5.01	0.64	0.69	44.2	10.7	44
I30901		0.56	0.016	0.38	2.79	11.2	<0.2	<10	180	2.41	3.78	0.73	1.05	50.5	14.0	48
I30902		0.54	<0.005	0.54	2.75	10.1	<0.2	<10	90	1.80	2.72	0.33	0.35	34.3	10.4	39
I30903		0.48	<0.005	0.41	2.60	10.3	<0.2	<10	100	1.81	2.67	0.34	0.43	35.9	10.7	40
I30904		0.88	0.005	0.17	1.77	12.9	<0.2	<10	110	1.27	2.19	0.48	0.31	49.2	9.2	32
I30905		0.52	0.005	0.14	1.82	15.8	<0.2	<10	110	1.27	1.41	0.41	0.30	42.3	10.5	30
I30906		0.62	0.006	0.24	1.60	17.4	<0.2	<10	110	1.51	2.18	0.54	0.29	52.8	12.4	25
I30907		0.58	<0.005	0.27	2.07	25.0	<0.2	<10	130	1.77	2.51	0.52	0.27	44.7	11.3	25
I30908		0.52	0.025	3.20	2.19	2500	<0.2	<10	190	2.12	10.25	0.51	2.34	63.1	11.5	19
I30909		0.58	0.018	2.39	2.00	1370	<0.2	<10	220	2.33	11.00	0.52	2.35	59.2	13.6	20
I30910		0.66	0.013	2.35	2.33	1315	<0.2	<10	220	2.29	9.35	0.59	2.04	61.2	14.1	23
I30911		0.34	0.005	0.14	1.93	19.7	<0.2	<10	60	1.64	0.93	0.52	0.32	35.3	12.2	44
I30912		0.34	0.006	0.21	2.09	12.9	<0.2	<10	70	1.71	0.72	0.44	0.36	33.3	11.5	43
I30913		0.36	0.005	0.19	2.17	16.8	<0.2	<10	80	1.47	1.82	0.32	0.43	27.2	11.4	61
I30914		0.30	<0.005	0.13	1.80	11.1	<0.2	<10	70	1.28	0.75	0.57	0.25	30.2	11.0	58
I30915		0.28	<0.005	0.13	1.56	10.0	<0.2	<10	70	1.01	0.85	0.26	0.14	22.2	8.2	39
I30916		0.38	<0.005	0.14	1.59	10.6	<0.2	<10	70	1.13	1.11	0.28	0.19	22.1	8.0	37
I30917		0.34	<0.005	0.20	1.80	8.6	<0.2	<10	100	1.75	1.31	0.48	0.58	27.8	10.4	38
I30918		0.30	<0.005	0.15	1.93	9.2	<0.2	<10	80	1.76	1.34	0.32	0.17	30.2	10.5	34
I30919		0.38	0.005	0.09	1.38	9.7	<0.2	<10	50	0.90	0.72	0.58	0.22	35.5	8.2	51
I30920		0.26	<0.005	0.30	2.22	9.3	<0.2	<10	100	1.72	1.92	0.37	0.20	29.4	10.2	40
I30921		0.32	0.008	0.19	2.33	9.9	<0.2	<10	110	1.87	2.59	0.84	0.29	49.8	13.2	64
I30922		0.38	0.046	0.22	2.23	10.8	<0.2	<10	110	1.58	3.21	0.67	0.31	44.2	12.9	59
I30923		0.32	0.014	0.12	1.70	9.3	<0.2	<10	80	1.09	3.43	0.32	0.30	28.9	8.8	45
I30924		0.30	0.014	0.16	1.85	9.8	<0.2	<10	80	1.29	2.64	0.35	0.29	31.5	9.9	49
I30925		0.38	0.045	0.34	1.90	10.1	<0.2	<10	80	1.18	3.67	0.25	0.24	29.4	8.6	44
I30926		0.40	0.081	0.35	1.93	11.0	<0.2	<10	100	1.74	6.68	0.48	0.45	50.9	11.7	45
I30927		0.30	0.027	0.49	2.00	12.8	<0.2	<10	100	1.38	5.83	0.44	0.57	50.2	12.4	43
I30928		0.30	0.124	0.41	1.88	10.6	<0.2	<10	90	1.46	5.35	0.46	0.49	49.8	12.1	43
I30929		0.32	0.011	1.12	2.36	10.3	<0.2	<10	100	2.07	14.45	0.56	0.49	47.3	12.4	29
I30930		0.30	0.018	0.69	2.03	17.5	<0.2	<10	80	1.40	9.79	0.49	0.25	41.3	9.5	24



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I30891		4.73	73.1	3.57	7.61	0.10	0.04	0.03	0.036	0.09	25.3	16.0	0.60	1040	1.69
I30892		4.07	40.4	3.11	6.45	0.08	0.04	0.04	0.031	0.08	16.1	16.3	0.63	504	0.98
I30893		3.66	54.7	2.91	5.95	0.09	0.04	0.01	0.033	0.09	17.0	14.8	0.57	598	0.81
I30894		4.82	52.6	3.05	6.78	0.09	0.03	0.03	0.033	0.10	20.9	17.6	0.64	388	1.09
I30895		8.07	115.0	3.79	10.55	0.11	0.02	0.02	0.049	0.28	24.4	24.8	1.03	1640	1.12
I30896		4.26	29.7	2.66	6.89	0.05	0.03	0.05	0.034	0.08	8.6	13.9	0.47	623	1.37
I30897		1.24	14.9	0.93	2.82	<0.05	<0.02	0.02	0.009	0.02	3.6	1.9	0.08	122	0.40
I30898		4.62	70.5	3.80	8.48	0.09	0.03	0.06	0.050	0.10	25.1	19.0	0.59	1460	2.25
I30899		5.37	64.3	3.29	7.85	0.09	0.03	0.01	0.042	0.11	22.3	18.4	0.62	767	1.03
I30900		7.60	49.2	3.51	8.55	0.10	0.03	0.02	0.040	0.19	22.0	20.9	0.77	866	0.70
I30901		8.94	99.5	3.91	10.65	0.11	0.04	0.03	0.057	0.28	24.7	25.2	1.04	1510	1.08
I30902		6.72	52.7	3.53	10.75	0.07	0.03	0.05	0.065	0.13	18.3	23.1	0.77	898	1.03
I30903		7.27	52.5	3.54	10.65	0.08	0.03	0.04	0.068	0.14	18.8	23.3	0.78	1100	1.12
I30904		6.29	40.8	2.99	6.23	0.08	0.03	0.01	0.044	0.10	23.9	14.4	0.52	536	1.61
I30905		5.89	29.7	3.13	6.42	0.09	0.03	0.01	0.042	0.10	21.2	15.9	0.58	593	2.60
I30906		7.08	31.0	3.44	6.23	0.09	0.02	0.02	0.039	0.10	23.9	16.7	0.64	754	2.40
I30907		8.09	34.9	3.25	7.27	0.08	0.02	0.02	0.047	0.09	22.7	17.3	0.66	785	2.74
I30908		13.90	79.2	4.85	7.67	0.10	0.03	0.04	0.240	0.21	33.4	16.3	0.57	1000	7.44
I30909		12.70	76.0	4.24	7.07	0.10	0.03	0.03	0.183	0.17	31.5	17.0	0.60	1120	5.25
I30910		13.10	74.3	4.96	8.15	0.11	0.03	0.03	0.221	0.18	33.0	19.1	0.71	1250	5.48
I30911		5.23	51.2	2.80	7.16	0.08	0.06	0.03	0.031	0.06	18.0	20.8	0.56	518	0.81
I30912		4.53	46.5	2.99	7.36	0.08	0.04	0.05	0.031	0.06	17.3	18.5	0.58	497	1.01
I30913		4.92	38.8	3.12	7.34	0.06	0.02	0.10	0.029	0.11	12.9	19.2	0.68	521	1.95
I30914		4.09	38.1	2.99	6.67	0.07	0.03	0.04	0.022	0.10	16.4	16.2	0.60	494	0.75
I30915		3.44	26.5	2.66	6.38	0.05	0.02	0.06	0.027	0.04	11.9	11.6	0.41	297	0.88
I30916		3.54	26.0	2.64	6.71	0.05	<0.02	0.05	0.026	0.05	12.0	12.3	0.50	348	0.75
I30917		4.58	43.8	2.37	6.21	0.06	0.02	0.08	0.025	0.06	14.7	13.6	0.54	689	0.86
I30918		4.49	41.6	2.56	6.94	0.06	0.02	0.07	0.026	0.05	16.3	14.9	0.55	589	0.74
I30919		2.99	29.4	2.93	5.52	0.08	0.03	0.02	0.024	0.06	19.1	12.3	0.46	362	0.57
I30920		5.26	46.9	2.94	8.12	0.07	0.02	0.06	0.035	0.06	16.4	17.7	0.66	476	0.81
I30921		7.11	54.8	3.50	8.48	0.10	0.04	0.02	0.039	0.22	25.9	21.5	0.89	727	0.69
I30922		5.57	53.4	3.29	7.71	0.08	0.03	0.04	0.039	0.14	23.0	19.7	0.72	782	0.77
I30923		4.64	38.9	3.16	7.00	0.05	0.02	0.05	0.034	0.09	14.8	18.1	0.55	453	0.91
I30924		4.69	49.1	3.20	7.34	0.07	0.02	0.07	0.039	0.08	16.8	18.6	0.58	502	0.84
I30925		4.75	52.8	3.16	7.86	0.06	<0.02	0.06	0.040	0.07	16.3	14.9	0.54	417	1.09
I30926		5.44	57.5	3.36	7.29	0.09	0.02	0.03	0.058	0.08	24.9	15.9	0.61	1500	1.18
I30927		7.90	80.0	3.43	7.06	0.09	0.03	0.04	0.046	0.10	24.5	15.7	0.63	856	1.65
I30928		7.54	71.6	3.36	6.77	0.09	0.03	0.03	0.049	0.10	25.4	15.1	0.60	1020	1.46
I30929		9.73	199.5	2.89	8.15	0.06	0.02	0.09	0.067	0.09	26.7	18.1	0.70	1290	2.89
I30930		9.70	107.5	2.64	7.11	0.06	0.02	0.05	0.054	0.08	23.5	15.1	0.56	997	3.66



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I30891		2.12	23.8	2050	44.5	21.8	0.001	0.03	0.72	5.1	0.6	1.2	69.4	<0.01	0.15
I30892		2.50	25.7	1280	23.4	18.7	<0.001	0.04	0.61	3.6	0.5	0.7	33.1	0.01	0.03
I30893		2.14	22.3	1670	52.1	19.9	0.001	0.02	0.53	3.5	0.3	0.6	38.7	<0.01	0.02
I30894		2.59	27.0	1730	32.8	25.4	<0.001	0.02	0.56	4.4	0.5	0.7	55.5	<0.01	0.04
I30895		2.00	24.6	2380	125.5	49.4	0.001	0.02	0.80	6.6	0.4	1.2	119.0	<0.01	0.04
I30896		1.83	19.7	800	25.0	22.2	0.001	0.08	0.54	2.1	0.5	0.5	34.0	<0.01	0.04
I30897		0.28	4.3	580	24.1	4.8	<0.001	0.03	0.15	0.4	0.3	0.2	15.0	<0.01	0.02
I30898		1.80	21.8	1860	115.5	21.4	<0.001	0.04	0.66	4.1	0.5	0.8	116.0	0.01	0.08
I30899		1.82	17.7	1960	71.2	24.8	<0.001	0.02	0.62	4.3	0.4	1.0	107.0	<0.01	0.06
I30900		2.81	19.9	1950	54.7	44.5	<0.001	0.02	0.70	5.2	0.4	1.4	74.8	<0.01	0.06
I30901		2.72	27.6	1970	80.2	47.2	<0.001	0.02	0.69	7.0	0.4	1.2	128.5	<0.01	0.11
I30902		2.78	18.6	1530	48.7	29.8	0.001	0.05	0.72	3.8	0.5	0.9	37.1	<0.01	0.05
I30903		2.72	18.6	1580	47.8	32.0	<0.001	0.05	0.74	3.7	0.4	1.0	39.9	<0.01	0.06
I30904		1.96	16.9	1330	32.3	23.4	<0.001	0.01	0.60	4.2	0.5	0.9	75.6	<0.01	0.21
I30905		2.31	16.0	1080	29.8	23.7	<0.001	0.02	0.58	3.9	0.4	1.0	70.9	<0.01	0.14
I30906		1.74	13.4	1300	32.4	19.0	<0.001	0.03	0.57	3.4	0.4	0.9	115.5	<0.01	0.28
I30907		1.75	15.3	1130	35.5	19.2	<0.001	0.04	0.57	3.5	0.6	1.0	131.5	0.01	0.22
I30908		1.28	9.9	1210	707	26.4	0.001	0.42	2.45	4.0	0.8	1.0	239	<0.01	0.61
I30909		1.46	10.8	1210	571	20.4	0.001	0.27	1.94	3.5	0.6	0.9	255	0.01	0.50
I30910		1.39	10.9	1380	518	24.0	<0.001	0.33	1.78	4.7	0.7	1.1	250	<0.01	0.63
I30911		2.88	23.5	1900	39.0	12.8	<0.001	0.02	0.62	3.1	0.3	0.6	33.1	<0.01	0.03
I30912		2.54	23.9	1830	33.9	15.0	<0.001	0.05	0.75	2.9	0.5	0.6	29.4	0.01	0.03
I30913		1.96	32.6	1770	26.1	24.0	<0.001	0.10	0.81	1.6	0.7	0.6	26.0	0.01	0.03
I30914		1.99	25.3	2040	30.8	19.0	<0.001	0.04	0.64	2.4	0.5	2.3	35.6	0.01	0.03
I30915		1.35	18.8	1140	25.4	11.3	<0.001	0.08	0.63	1.0	0.5	0.6	25.4	<0.01	0.03
I30916		1.40	17.5	1170	34.9	12.8	<0.001	0.07	0.75	1.1	0.5	0.6	29.6	<0.01	0.03
I30917		1.82	21.6	1530	34.5	15.0	<0.001	0.06	0.63	2.5	0.6	0.5	44.7	<0.01	0.03
I30918		1.72	20.3	1300	34.8	12.8	<0.001	0.07	0.67	1.9	0.6	0.6	33.5	<0.01	0.03
I30919		2.01	19.5	2150	20.1	12.5	<0.001	0.02	0.70	2.5	0.3	0.5	28.1	<0.01	0.02
I30920		2.08	21.8	1400	34.1	17.3	<0.001	0.07	0.71	2.3	0.5	0.7	36.3	<0.01	0.04
I30921		2.45	26.9	2280	34.1	40.4	<0.001	0.01	0.75	5.3	0.4	0.9	105.5	<0.01	0.11
I30922		2.00	26.9	2190	34.6	28.6	<0.001	0.02	0.71	4.1	0.4	0.8	79.4	<0.01	0.56
I30923		1.66	21.2	1150	34.6	21.8	<0.001	0.06	0.73	1.7	0.4	0.8	31.1	0.01	0.10
I30924		1.78	22.4	1470	28.7	20.4	<0.001	0.05	0.89	2.1	0.5	0.7	31.0	<0.01	0.10
I30925		1.29	21.8	1150	29.6	21.2	<0.001	0.08	1.13	1.3	0.5	0.9	28.0	<0.01	0.08
I30926		1.83	21.7	1720	43.2	20.4	<0.001	0.03	3.08	3.9	0.5	0.7	49.6	<0.01	0.09
I30927		2.01	25.9	1640	52.3	20.5	<0.001	0.03	1.16	3.7	0.6	0.7	36.3	0.01	0.12
I30928		2.13	21.7	1620	52.8	21.6	<0.001	0.03	1.37	3.6	0.4	0.7	44.0	<0.01	0.14
I30929		1.78	21.6	1360	71.8	22.3	<0.001	0.10	1.14	3.0	0.8	0.9	87.7	<0.01	0.11
I30930		1.66	15.2	1170	58.4	18.2	<0.001	0.06	1.06	3.0	0.5	0.9	132.0	<0.01	0.10



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I30891		0.110	0.18	5.57	102	1.61	14.20	91
I30892		0.119	0.17	1.77	84	0.52	8.70	64
I30893		0.107	0.15	2.24	82	1.07	9.20	142
I30894		0.117	0.16	3.16	84	0.53	11.35	107
I30895		0.134	0.38	6.48	107	0.72	13.35	213
I30896		0.082	0.10	0.87	62	0.29	3.48	75
I30897		0.031	0.05	0.50	27	0.12	1.59	19
I30898		0.084	0.21	5.61	98	0.59	13.25	143
I30899		0.094	0.20	4.70	89	0.69	12.30	134
I30900		0.130	0.35	3.74	91	0.97	12.05	139
I30901		0.155	0.42	5.74	107	0.76	14.45	169
I30902		0.089	0.32	4.25	87	0.75	8.95	131
I30903		0.091	0.33	3.87	89	0.71	8.95	132
I30904		0.093	0.19	7.51	69	0.51	12.95	77
I30905		0.104	0.19	8.90	67	0.52	10.80	84
I30906		0.062	0.16	9.24	68	0.41	11.60	73
I30907		0.058	0.18	12.15	63	0.36	12.00	91
I30908		0.021	0.46	21.8	55	0.31	13.30	480
I30909		0.030	0.30	25.5	60	0.38	15.35	527
I30910		0.034	0.37	23.0	74	0.38	15.25	529
I30911		0.115	0.10	3.90	73	0.80	9.00	92
I30912		0.108	0.14	3.29	75	0.72	9.66	91
I30913		0.070	0.17	1.71	77	0.48	6.73	80
I30914		0.094	0.11	2.24	81	0.60	8.51	83
I30915		0.051	0.13	1.87	70	0.46	5.36	63
I30916		0.044	0.11	2.17	66	0.50	5.39	83
I30917		0.074	0.15	3.75	61	0.48	8.81	80
I30918		0.064	0.17	3.24	62	0.47	8.59	80
I30919		0.094	0.09	1.99	80	0.63	9.00	80
I30920		0.074	0.16	3.02	72	0.51	7.98	100
I30921		0.114	0.29	5.33	101	0.75	13.15	107
I30922		0.099	0.26	3.57	94	0.72	10.90	100
I30923		0.073	0.18	2.29	83	0.56	6.43	89
I30924		0.073	0.21	2.62	85	0.61	7.85	91
I30925		0.049	0.23	2.92	84	0.49	6.79	78
I30926		0.079	0.22	5.48	83	0.61	12.55	142
I30927		0.097	0.21	6.21	82	0.85	11.35	113
I30928		0.084	0.20	6.49	80	0.76	11.40	143
I30929		0.049	0.28	10.65	60	0.55	12.90	128
I30930		0.045	0.22	10.50	52	0.60	11.45	148



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 4 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I30931		0.40	0.010	0.55	2.55	15.0	<0.2	<10	110	1.60	9.97	0.49	0.40	40.4	10.9	27
I30932		0.36	0.006	0.12	1.66	11.4	<0.2	<10	90	0.89	3.62	0.25	0.31	30.2	8.4	33
I30933		0.34	0.043	0.21	1.82	8.5	<0.2	<10	100	1.28	4.07	0.59	0.36	47.0	9.4	37
I30934		0.42	0.071	0.29	2.02	9.9	<0.2	<10	70	1.41	6.19	0.41	0.41	39.5	10.3	41
I30935		0.32	0.019	0.51	2.06	10.4	<0.2	<10	80	1.41	5.96	0.39	0.48	38.6	11.1	38
I30936		0.40	0.017	0.47	1.70	9.1	<0.2	<10	70	1.07	11.15	0.33	0.60	36.6	9.5	46
I30937		0.40	0.031	0.20	1.79	11.2	<0.2	<10	70	0.99	1.61	0.19	0.24	25.4	8.7	42
I30938		0.40	0.007	0.43	2.44	10.8	0.4	<10	100	1.97	2.59	0.54	0.45	49.0	13.5	53
I30939		0.44	<0.005	0.22	2.49	12.2	<0.2	<10	110	1.55	1.01	0.56	0.38	48.4	14.8	64
I30940		0.42	0.015	0.20	2.30	11.7	<0.2	<10	100	1.73	1.38	0.48	0.39	41.4	12.8	57
I30941		0.22	0.006	0.38	3.43	8.7	<0.2	<10	210	3.46	4.26	0.90	0.21	54.1	13.5	55
I30942		0.40	<0.005	0.23	2.40	13.0	<0.2	<10	90	1.73	2.01	0.33	0.24	31.4	13.1	45
I30943		0.38	<0.005	0.23	2.51	10.5	<0.2	<10	100	1.93	1.30	0.37	0.30	33.8	11.5	45
I30944		0.32	<0.005	0.18	1.61	8.6	<0.2	<10	90	1.25	0.95	0.21	0.30	23.8	6.8	29
I30945		0.36	<0.005	0.06	1.97	10.4	<0.2	<10	60	1.13	0.45	0.37	0.26	28.0	10.1	45
I30946		0.34	<0.005	0.17	1.55	6.7	<0.2	<10	100	0.93	0.55	0.16	0.17	20.5	6.1	30
I30947		0.28	0.005	0.20	2.12	23.4	<0.2	<10	90	2.00	1.52	0.53	0.27	69.5	12.2	29
I30948		0.30	0.005	0.27	1.86	17.7	<0.2	<10	100	1.67	0.86	0.56	0.23	60.4	12.6	42
I30949		0.30	0.035	0.23	2.61	12.8	<0.2	<10	300	2.25	0.84	0.64	0.29	78.1	13.2	38
I30950		0.24	<0.005	0.41	1.89	29.3	<0.2	<10	150	1.85	2.45	0.34	0.18	63.9	13.0	28
I33001		0.42	0.029	0.12	1.80	10.1	<0.2	<10	90	1.50	1.52	0.50	0.37	43.1	10.7	47
I33002		0.60	<0.005	0.16	1.90	9.5	<0.2	<10	100	1.63	1.35	0.52	0.37	41.3	11.8	48
I33003		0.48	<0.005	0.14	1.82	9.0	<0.2	<10	90	1.48	1.51	0.57	0.39	42.3	10.6	55
I33004		0.48	<0.005	0.26	2.11	8.8	<0.2	<10	100	1.86	1.77	0.47	0.54	39.2	11.0	47
I33005		0.34	<0.005	0.12	1.46	9.9	<0.2	<10	70	0.77	0.56	0.17	0.23	19.50	7.5	41
I33006		0.46	0.011	0.08	1.80	10.1	<0.2	<10	80	0.95	0.45	0.38	0.34	30.2	11.2	46
I33007		0.46	0.041	0.31	1.93	16.3	<0.2	<10	150	2.08	1.55	0.63	0.31	44.6	13.1	66
I33008		0.60	0.070	0.30	1.98	15.7	<0.2	<10	190	2.35	1.28	0.65	0.25	43.8	12.6	62
I33009		0.52	<0.005	0.20	1.96	11.3	<0.2	<10	120	1.70	0.86	0.52	0.42	43.5	12.1	57
I33010		0.56	0.012	0.17	2.62	15.4	<0.2	<10	110	2.16	1.21	0.49	0.48	48.4	16.6	65
I33011		0.26	NSS	0.54	1.04	43.3	<0.2	<10	100	0.70	0.80	0.23	0.33	13.80	6.3	36
I33012		0.44	0.014	0.07	1.72	9.5	<0.2	<10	70	0.92	0.63	0.42	0.27	34.0	9.0	39
I33013		0.42	0.375	0.30	2.58	34.1	<0.2	<10	110	2.00	1.24	0.26	0.19	33.2	12.1	41
I33014		0.32	0.025	0.45	1.74	12.0	<0.2	<10	100	1.24	12.30	0.30	0.45	32.2	11.2	43
I33015		0.54	0.055	0.36	2.12	10.2	<0.2	<10	120	1.74	6.83	0.55	0.39	48.8	11.3	37
I33016		0.46	0.007	0.40	2.00	9.7	<0.2	<10	110	1.96	3.08	0.49	0.42	63.2	11.4	34
I33017		0.44	0.010	0.12	1.88	9.2	<0.2	<10	150	1.64	3.36	0.43	0.29	48.4	9.6	26
I33018		0.62	0.005	0.34	2.12	15.4	<0.2	<10	130	2.51	3.33	0.49	0.43	58.7	12.5	22
I33019		0.54	<0.005	0.81	2.02	14.7	<0.2	<10	150	2.27	4.97	0.46	0.87	75.6	12.7	25
I33020		0.40	<0.005	0.29	1.32	19.3	<0.2	<10	70	0.73	2.12	0.20	0.53	30.6	8.4	27



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 4 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I30931		13.00	72.3	3.28	8.91	0.06	<0.02	0.06	0.061	0.16	19.7	20.4	0.58	1060	4.71
I30932		6.93	33.9	3.13	7.11	0.06	0.02	0.05	0.038	0.07	15.5	14.7	0.47	510	2.12
I30933		7.16	38.4	3.25	6.55	0.08	0.02	0.03	0.037	0.11	23.5	16.2	0.53	704	1.09
I30934		6.19	55.3	3.45	7.74	0.07	0.02	0.06	0.056	0.09	21.5	16.3	0.58	934	1.51
I30935		4.81	96.8	3.03	7.09	0.07	0.02	0.06	0.049	0.09	19.9	16.3	0.57	784	1.19
I30936		4.86	80.8	3.22	7.03	0.06	0.02	0.05	0.046	0.07	18.8	13.7	0.49	841	1.03
I30937		5.05	36.7	3.18	8.53	0.06	0.02	0.07	0.031	0.06	12.3	17.6	0.54	389	1.34
I30938		7.28	51.9	3.50	7.97	0.08	0.02	0.06	0.045	0.11	25.2	16.4	0.69	1070	0.98
I30939		4.84	54.7	3.64	8.33	0.09	0.03	0.08	0.036	0.10	24.5	19.0	0.67	773	1.01
I30940		5.11	42.5	3.28	8.05	0.08	0.03	0.05	0.035	0.10	21.5	19.9	0.61	928	0.91
I30941		11.20	37.1	3.90	10.70	0.08	0.03	0.03	0.059	0.27	29.4	19.2	1.31	3090	0.42
I30942		5.39	40.5	3.38	9.15	0.08	0.02	0.08	0.041	0.10	16.6	19.2	0.78	819	1.11
I30943		6.51	45.4	3.14	9.18	0.07	0.03	0.05	0.038	0.07	18.3	20.6	0.72	514	0.85
I30944		3.60	33.5	2.30	6.21	<0.05	0.02	0.08	0.024	0.04	12.2	10.8	0.38	260	0.96
I30945		3.91	26.6	2.92	7.62	0.06	0.02	0.03	0.029	0.04	15.3	16.8	0.53	388	0.72
I30946		3.20	32.9	2.25	6.49	0.05	0.02	0.07	0.027	0.03	10.7	9.1	0.35	197	1.07
I30947		12.10	36.3	3.53	8.18	0.06	0.02	0.03	0.078	0.11	31.4	19.6	0.72	722	5.96
I30948		14.05	50.7	3.35	6.97	0.09	0.02	0.03	0.052	0.13	28.2	18.0	0.73	722	3.87
I30949		19.50	50.4	3.54	8.39	0.09	0.03	0.03	0.053	0.15	38.7	19.2	0.82	1280	1.34
I30950		11.05	25.1	3.79	7.26	0.09	0.02	0.04	0.066	0.07	25.1	18.1	0.56	1870	5.08
I33001		5.05	34.6	3.00	6.27	0.10	0.03	0.03	0.035	0.07	20.3	15.7	0.54	927	0.85
I33002		6.10	39.3	2.95	6.99	0.10	0.03	0.04	0.033	0.08	19.6	17.4	0.59	689	0.78
I33003		4.65	36.9	3.13	6.75	0.11	0.04	0.03	0.031	0.08	20.7	16.7	0.59	442	0.75
I33004		5.71	59.2	2.95	7.51	0.10	0.04	0.05	0.033	0.08	18.2	19.5	0.68	388	0.79
I33005		3.40	27.5	2.69	7.14	0.07	0.03	0.06	0.031	0.05	9.3	13.6	0.39	284	1.19
I33006		3.65	42.1	2.82	6.08	0.10	0.04	0.03	0.024	0.07	14.0	20.0	0.61	565	0.76
I33007		8.14	61.1	3.34	7.74	0.14	0.03	0.02	0.029	0.17	22.2	20.9	0.63	1390	0.99
I33008		9.53	62.1	3.41	7.69	0.13	0.03	0.02	0.028	0.18	21.9	20.9	0.65	1450	0.98
I33009		5.45	51.4	3.12	7.14	0.11	0.04	0.03	0.028	0.14	20.8	21.0	0.64	885	0.81
I33010		5.84	53.7	3.48	9.61	0.12	0.04	0.05	0.040	0.13	21.6	27.3	0.82	1060	0.84
I33011		4.86	27.6	2.04	4.86	0.05	<0.02	0.08	0.019	0.10	7.3	9.6	0.32	289	1.22
I33012		2.78	33.3	2.62	5.26	0.09	0.05	0.02	0.023	0.06	16.2	14.3	0.50	389	0.65
I33013		5.58	58.7	3.05	9.20	0.08	0.04	0.06	0.033	0.07	16.1	24.6	0.74	425	1.21
I33014		5.71	74.2	3.16	7.32	0.09	0.02	0.10	0.032	0.10	15.0	17.8	0.55	942	1.38
I33015		7.90	114.5	3.17	7.99	0.12	0.04	0.02	0.039	0.17	24.0	24.3	0.79	638	1.16
I33016		6.34	80.0	3.12	7.07	0.12	0.03	0.04	0.037	0.10	29.2	19.0	0.67	935	2.24
I33017		7.27	35.0	2.87	6.39	0.08	<0.02	0.05	0.040	0.08	23.9	16.5	0.56	1470	1.61
I33018		8.66	33.7	3.09	6.70	0.10	0.03	0.03	0.050	0.08	29.7	17.1	0.60	2140	7.89
I33019		13.30	42.0	3.59	6.90	0.12	0.02	0.04	0.131	0.12	37.2	15.9	0.54	2170	5.51
I33020		6.06	23.0	2.99	6.86	0.07	0.02	0.11	0.035	0.05	13.7	9.7	0.31	589	3.23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 4 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I30931		2.26	14.5	1130	93.1	27.0	<0.001	0.06	1.11	2.8	0.5	1.2	235	<0.01	0.12
I30932		1.87	18.5	890	45.0	15.8	<0.001	0.06	1.22	1.9	0.5	1.0	43.5	<0.01	0.10
I30933		2.17	17.5	1620	50.2	22.0	<0.001	0.02	1.58	3.0	0.4	0.8	92.2	<0.01	0.13
I30934		2.11	18.8	1550	63.5	21.0	<0.001	0.03	1.92	2.7	0.4	1.0	37.6	<0.01	0.11
I30935		1.94	25.2	1480	65.5	22.3	<0.001	0.04	2.40	2.8	0.6	0.8	33.9	<0.01	0.18
I30936		1.26	18.9	1290	59.9	17.4	<0.001	0.05	3.43	1.7	0.4	0.9	35.9	<0.01	0.19
I30937		1.95	23.1	1010	30.1	19.9	<0.001	0.08	0.90	1.6	0.6	0.8	21.2	<0.01	0.06
I30938		2.12	25.9	1920	67.0	28.4	<0.001	0.04	2.19	3.3	0.5	0.8	44.6	0.01	0.17
I30939		2.53	29.1	2380	64.7	23.8	<0.001	0.04	1.12	3.2	0.6	0.8	42.5	0.01	0.04
I30940		2.55	29.9	2000	58.4	26.2	<0.001	0.04	1.26	2.6	0.5	0.8	37.4	<0.01	0.05
I30941		1.34	27.4	2030	36.8	47.3	<0.001	0.02	0.92	6.1	0.3	1.0	148.5	<0.01	0.19
I30942		1.98	27.0	1510	41.3	25.5	<0.001	0.09	0.83	2.3	0.6	0.7	32.0	<0.01	0.05
I30943		2.53	25.0	1530	42.3	18.8	<0.001	0.06	0.85	2.8	0.5	0.8	33.2	<0.01	0.03
I30944		1.37	18.0	1110	24.6	11.2	<0.001	0.10	0.72	1.1	0.6	0.6	29.6	<0.01	0.03
I30945		1.79	21.9	1360	26.2	10.3	<0.001	0.05	0.64	1.3	0.4	0.6	29.7	<0.01	0.04
I30946		1.26	16.7	1200	23.7	8.4	<0.001	0.12	0.60	1.1	0.6	0.6	24.3	<0.01	0.04
I30947		2.07	14.4	1260	44.1	25.7	<0.001	0.09	1.09	3.3	0.6	1.6	123.0	<0.01	0.11
I30948		2.13	22.6	1420	35.3	25.6	<0.001	0.06	1.19	4.2	0.6	1.0	77.6	<0.01	0.07
I30949		1.93	25.5	1400	38.5	29.1	<0.001	0.02	0.85	6.1	0.5	1.1	178.0	0.01	0.05
I30950		1.45	14.6	1140	53.6	15.8	<0.001	0.08	1.02	2.8	0.9	1.2	67.5	<0.01	0.25
I33001		1.76	21.0	2000	22.6	17.3	<0.001	0.03	0.78	3.0	0.5	0.5	41.2	<0.01	0.03
I33002		2.02	21.8	1930	33.5	19.6	<0.001	0.03	0.77	3.8	0.5	0.6	84.5	<0.01	0.02
I33003		2.25	21.7	2130	26.9	18.4	<0.001	0.02	0.79	3.8	0.5	0.6	51.7	<0.01	0.02
I33004		2.38	25.1	1760	70.5	19.1	<0.001	0.03	0.85	4.4	0.6	0.6	47.9	<0.01	0.03
I33005		1.47	20.5	1210	23.4	11.7	<0.001	0.09	0.80	1.3	0.6	0.6	19.4	<0.01	0.04
I33006		1.89	29.6	1420	24.8	14.4	<0.001	0.03	0.70	2.9	0.5	0.5	29.4	<0.01	0.02
I33007		1.71	28.9	2240	31.7	31.4	<0.001	0.02	1.21	4.4	0.5	0.7	101.5	<0.01	0.04
I33008		1.48	27.8	2160	27.6	32.2	<0.001	0.01	1.29	4.8	0.4	0.7	125.0	<0.01	0.04
I33009		2.20	29.6	1850	30.4	29.9	<0.001	0.02	0.75	4.8	0.5	0.7	49.6	<0.01	0.03
I33010		2.48	35.1	2130	59.3	26.6	<0.001	0.04	0.63	3.9	0.5	0.8	31.3	<0.01	0.10
I33011		1.19	23.7	1890	16.3	22.6	<0.001	0.21	0.70	0.7	0.6	0.6	27.9	<0.01	0.03
I33012		1.67	24.4	1540	20.5	12.3	<0.001	0.03	0.59	3.0	0.5	0.5	25.9	<0.01	0.02
I33013		2.56	27.0	1290	62.6	18.9	<0.001	0.11	0.75	3.1	0.7	0.8	29.7	<0.01	0.04
I33014		1.44	22.6	1540	65.6	25.5	<0.001	0.09	0.84	1.8	0.5	1.0	39.1	<0.01	0.05
I33015		2.09	21.1	1700	55.2	30.5	<0.001	0.02	0.92	4.6	0.5	1.2	84.2	<0.01	0.10
I33016		1.87	20.8	1480	55.9	22.9	<0.001	0.02	0.78	4.6	0.6	0.8	55.1	<0.01	0.07
I33017		1.17	13.5	1190	86.5	17.3	<0.001	0.04	1.12	2.1	0.4	0.7	142.0	<0.01	0.06
I33018		1.15	11.7	1130	82.0	16.6	<0.001	0.02	1.11	2.9	0.6	0.8	89.9	<0.01	0.12
I33019		1.25	15.9	1380	68.8	26.2	<0.001	0.02	1.06	4.1	0.7	0.9	130.5	<0.01	0.24
I33020		1.24	12.9	1310	45.9	11.0	<0.001	0.13	0.83	1.2	0.6	0.8	33.6	<0.01	0.30



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 4 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I30931		0.041	0.26	6.79	66	0.55	9.21	148
I30932		0.076	0.17	2.91	74	0.58	5.85	91
I30933		0.084	0.20	3.52	83	0.63	12.10	112
I30934		0.074	0.23	6.36	82	0.90	9.71	142
I30935		0.081	0.21	4.22	77	0.64	9.49	124
I30936		0.053	0.22	3.51	89	0.67	8.06	113
I30937		0.074	0.21	1.67	85	0.45	4.73	80
I30938		0.082	0.24	4.45	92	0.62	10.75	112
I30939		0.082	0.27	3.13	104	0.71	10.95	117
I30940		0.099	0.20	2.71	93	0.70	10.45	108
I30941		0.053	0.58	2.71	105	0.52	13.70	127
I30942		0.072	0.19	3.00	82	0.48	7.99	110
I30943		0.094	0.18	3.39	79	0.51	8.94	109
I30944		0.046	0.16	1.86	55	0.40	5.88	60
I30945		0.073	0.13	1.74	75	0.48	6.60	87
I30946		0.045	0.15	2.23	57	0.37	5.23	51
I30947		0.047	0.22	13.00	68	0.52	15.60	84
I30948		0.085	0.22	12.65	82	0.50	12.60	83
I30949		0.079	0.28	11.40	81	0.50	18.60	86
I30950		0.049	0.32	16.15	65	0.50	12.25	80
I33001		0.094	0.16	2.42	75	0.69	9.91	81
I33002		0.104	0.16	3.13	77	0.63	11.00	89
I33003		0.112	0.14	2.68	85	0.76	11.10	91
I33004		0.118	0.17	3.10	78	0.50	11.55	106
I33005		0.070	0.15	1.27	78	0.43	4.41	62
I33006		0.108	0.13	1.38	77	0.47	7.62	74
I33007		0.112	0.22	4.11	100	0.68	12.15	84
I33008		0.114	0.22	4.41	97	0.69	12.45	82
I33009		0.130	0.18	3.50	89	0.69	12.05	83
I33010		0.124	0.30	2.89	102	0.77	10.75	112
I33011		0.033	0.15	1.62	55	0.43	3.48	46
I33012		0.099	0.13	1.30	68	0.48	8.46	64
I33013		0.105	0.30	3.03	79	0.62	8.15	94
I33014		0.070	0.23	2.74	85	0.97	7.12	91
I33015		0.133	0.24	6.36	80	1.15	12.90	109
I33016		0.099	0.19	12.50	69	0.72	15.35	117
I33017		0.038	0.19	6.21	60	0.57	11.20	84
I33018		0.025	0.21	9.08	51	0.30	12.10	132
I33019		0.049	0.26	13.20	61	0.46	16.35	208
I33020		0.047	0.17	3.78	66	0.45	5.86	69



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 5 - A

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I33021		0.52	0.008	0.31	2.19	52.5	<0.2	<10	170	2.20	2.18	0.67	0.42	77.1	12.4	25
I34401		0.56	0.019	0.28	1.70	31.4	<0.2	<10	120	2.05	2.75	0.50	0.55	52.1	11.7	31
I34402		0.36	0.006	0.40	2.56	68.7	<0.2	<10	120	2.30	3.03	0.51	1.01	42.1	14.8	40
I34403		0.46	0.007	0.45	2.57	109.5	<0.2	<10	110	1.85	5.44	0.26	0.20	33.1	9.4	41
I34404		0.44	<0.005	0.20	1.70	12.1	<0.2	<10	120	1.61	3.61	0.35	0.46	52.9	10.7	33
I34405		0.42	<0.005	0.24	1.88	11.0	<0.2	<10	150	1.65	1.94	0.47	0.47	48.9	10.5	37
I34406		0.48	0.018	0.11	1.50	7.8	<0.2	<10	70	0.74	0.88	0.36	0.24	32.5	8.1	34
I34407		0.68	0.011	0.11	1.47	7.2	<0.2	<10	80	1.00	1.30	0.53	0.51	38.8	7.9	42
I34408		0.52	0.019	0.19	1.73	8.3	<0.2	<10	90	1.22	2.07	0.42	0.43	37.6	10.0	47
I34409		0.56	0.022	0.22	2.15	8.9	<0.2	<10	110	1.63	1.88	0.45	0.53	37.7	10.7	41
I34410		0.48	0.050	0.12	1.76	8.7	<0.2	<10	90	1.07	1.17	0.49	0.37	37.7	9.5	50
I34411		0.62	0.106	0.17	1.95	8.9	<0.2	<10	110	1.48	1.93	0.57	0.48	43.8	10.2	49
I34412		0.58	0.011	0.12	2.04	38.9	<0.2	<10	120	1.78	1.82	0.28	0.20	25.4	10.2	27
I34413		0.58	<0.005	0.12	2.16	10.8	<0.2	<10	120	1.37	0.98	0.43	0.30	32.7	9.9	46
I34414		0.40	<0.005	0.08	2.01	9.4	<0.2	<10	90	1.65	4.32	0.47	0.24	42.7	10.9	44
I34415		0.42	0.008	0.07	1.86	9.2	<0.2	<10	100	1.70	0.89	0.62	0.24	43.0	11.4	60
I34416		0.48	0.039	0.08	2.51	11.6	<0.2	<10	130	2.44	0.59	0.82	0.28	58.5	15.6	80
I34417		0.56	<0.005	0.07	3.46	12.0	<0.2	<10	140	4.57	0.35	0.98	0.25	63.5	19.7	64
I34418		0.46	0.009	0.13	1.99	8.8	<0.2	<10	110	1.44	0.68	0.41	0.43	35.0	10.3	39
I34419		0.44	<0.005	0.05	1.59	7.9	<0.2	<10	80	0.83	0.68	0.42	0.29	29.7	9.6	45
I34420		0.48	<0.005	0.11	1.80	7.6	<0.2	<10	110	1.30	1.26	0.51	0.23	36.2	10.5	58
I34421		0.44	<0.005	0.11	1.80	7.3	<0.2	<10	110	1.32	1.25	0.53	0.26	35.7	10.3	57
I34422		0.26	0.008	0.11	2.42	10.0	<0.2	<10	390	2.32	1.55	0.54	0.31	56.1	7.8	18
I34423		0.30	0.215	1.46	2.00	15.2	1.3	<10	210	1.93	61.4	0.42	0.26	49.4	10.2	18
I34424		0.34	0.007	0.10	1.68	8.0	<0.2	<10	160	1.78	1.16	0.66	0.40	48.9	9.9	27
I34425		0.38	0.011	0.12	2.60	7.5	<0.2	<10	390	2.60	4.00	1.03	0.34	67.3	9.1	13
I34426		0.26	0.012	0.10	1.45	8.1	<0.2	<10	110	1.10	1.93	0.48	0.18	40.2	8.6	39
I34427		0.28	0.005	0.26	1.30	7.7	<0.2	<10	80	0.80	7.03	0.44	0.13	33.4	6.7	33
I34428		0.44	<0.005	0.13	1.67	9.4	<0.2	<10	110	1.30	2.56	0.32	0.34	44.5	10.1	30
I34429		0.24	0.006	0.28	2.00	7.4	<0.2	<10	100	1.62	3.50	0.37	0.39	25.6	8.3	25
I34430		0.30	0.105	0.19	2.41	12.3	0.6	<10	110	2.31	2.93	0.40	0.18	50.1	10.9	24
I34431		0.36	0.006	0.30	2.27	8.4	<0.2	<10	130	1.85	2.21	0.48	0.26	40.7	8.3	25
I34432		0.40	0.005	0.12	1.82	7.2	<0.2	<10	110	1.21	1.60	0.57	0.34	37.6	6.9	23
I34433		0.38	<0.005	0.12	2.12	21.9	<0.2	<10	110	1.40	2.08	0.33	0.12	37.3	8.5	19
I34434		0.42	<0.005	0.21	2.15	30.7	<0.2	<10	110	1.55	2.40	0.47	0.24	46.3	11.5	21
I34435		0.42	0.006	0.16	1.97	23.9	<0.2	<10	100	1.28	2.12	0.32	0.24	42.7	11.8	23
I34436		0.38	0.005	0.20	1.80	23.9	<0.2	<10	110	1.43	1.94	0.37	0.26	43.4	11.5	21
I34437		0.32	0.010	0.37	2.55	25.9	<0.2	<10	130	1.96	3.18	0.27	0.33	43.2	17.5	26
I34438		0.34	0.005	0.15	2.32	50.2	<0.2	<10	70	1.26	1.85	0.24	0.25	49.6	12.3	24
I34439		0.26	<0.005	0.24	1.56	13.9	<0.2	<10	120	0.78	1.28	0.20	0.29	28.4	5.7	21



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 5 - B

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I33021		14.05	35.2	3.36	7.13	0.12	0.02	0.03	0.043	0.13	38.9	18.6	0.52	1740	4.57	0.02
I34401		9.34	36.4	3.35	6.30	0.11	0.03	0.02	0.042	0.12	25.2	18.3	0.56	830	3.07	0.01
I34402		8.85	54.6	3.18	9.14	0.10	0.03	0.06	0.042	0.12	20.6	23.2	0.77	1170	1.82	0.02
I34403		6.24	51.1	3.40	9.26	0.09	0.03	0.05	0.039	0.06	18.0	22.3	0.70	611	1.57	0.01
I34404		7.02	41.7	3.36	6.45	0.10	0.02	0.03	0.046	0.12	26.6	16.4	0.48	697	3.20	0.02
I34405		7.79	35.0	3.17	6.71	0.10	0.03	0.03	0.033	0.10	24.3	17.3	0.53	716	1.76	0.02
I34406		2.66	26.9	2.58	5.06	0.09	0.03	0.02	0.024	0.06	15.8	13.2	0.45	400	0.70	0.01
I34407		3.40	32.3	2.80	5.56	0.11	0.03	0.01	0.024	0.09	19.5	14.1	0.51	379	0.65	0.02
I34408		3.67	44.6	3.09	6.55	0.11	0.03	0.03	0.026	0.08	18.7	17.0	0.51	543	0.87	0.01
I34409		4.92	51.7	3.04	7.54	0.10	0.03	0.07	0.029	0.12	18.3	20.4	0.68	677	0.93	0.02
I34410		3.76	33.6	3.12	6.34	0.10	0.03	0.03	0.027	0.09	19.1	18.2	0.53	502	0.71	0.02
I34411		5.17	49.3	3.27	7.55	0.12	0.03	0.06	0.029	0.14	22.3	19.4	0.65	637	0.91	0.02
I34412		4.43	39.2	2.62	7.65	0.07	0.02	0.05	0.026	0.07	12.7	18.7	0.60	507	0.82	0.02
I34413		4.96	35.2	3.35	9.13	0.09	0.02	0.02	0.026	0.11	16.2	20.3	0.71	456	0.95	0.01
I34414		5.28	40.2	3.15	7.28	0.12	0.03	0.04	0.027	0.13	20.3	21.3	0.66	602	0.73	0.02
I34415		6.78	38.4	3.42	7.42	0.13	0.02	0.03	0.028	0.26	21.9	21.7	0.70	724	0.78	0.02
I34416		8.99	48.8	4.31	10.30	0.18	0.03	0.02	0.032	0.41	29.2	30.9	1.03	887	0.69	0.02
I34417		13.45	57.1	4.30	12.90	0.20	0.03	0.01	0.036	0.68	34.7	46.3	1.48	1080	0.53	0.02
I34418		3.47	42.9	3.08	6.50	0.10	0.05	0.07	0.028	0.09	17.8	16.5	0.59	307	0.87	0.02
I34419		3.12	24.9	2.87	5.73	0.09	0.04	0.04	0.024	0.06	15.6	16.4	0.49	418	0.72	0.02
I34420		4.96	39.5	3.06	6.62	0.10	0.05	0.03	0.025	0.08	19.4	16.8	0.57	451	1.01	0.02
I34421		4.82	37.6	2.99	6.64	0.10	0.04	0.02	0.026	0.08	19.3	16.7	0.57	450	0.87	0.02
I34422		18.80	16.3	3.20	7.13	0.09	0.02	0.03	0.079	0.12	27.0	17.2	0.56	2320	2.24	0.02
I34423		12.35	21.8	3.01	6.45	0.08	<0.02	0.04	0.052	0.10	26.2	16.9	0.51	1460	1.92	0.02
I34424		9.98	28.7	2.78	5.79	0.08	0.03	0.02	0.037	0.13	24.1	17.5	0.58	803	0.71	0.02
I34425		15.60	21.6	2.97	7.58	0.10	0.04	0.02	0.063	0.18	38.9	18.3	0.69	2050	0.69	0.02
I34426		7.19	24.0	2.89	5.60	0.09	0.02	0.02	0.026	0.09	19.9	17.5	0.57	583	0.89	0.02
I34427		6.51	18.3	2.80	5.28	0.08	<0.02	0.02	0.031	0.07	17.5	12.8	0.47	420	0.76	0.02
I34428		4.83	30.4	2.92	6.00	0.09	0.02	0.04	0.029	0.09	21.0	16.6	0.54	784	1.23	0.02
I34429		5.98	52.1	2.75	7.39	0.07	<0.02	0.05	0.039	0.10	14.1	16.1	0.59	779	1.34	0.02
I34430		8.03	47.4	3.33	8.26	0.10	<0.02	0.03	0.056	0.07	27.9	16.7	0.59	977	1.59	0.02
I34431		5.31	30.7	2.85	7.34	0.08	<0.02	0.04	0.042	0.08	22.6	16.8	0.60	745	1.27	0.02
I34432		4.49	19.7	2.85	6.27	0.10	<0.02	0.02	0.038	0.07	20.5	15.5	0.54	513	0.83	0.01
I34433		8.49	32.7	2.95	7.11	0.07	<0.02	0.02	0.055	0.06	20.0	17.1	0.51	635	2.22	0.02
I34434		10.20	34.8	3.35	7.00	0.10	<0.02	0.03	0.054	0.08	23.2	19.2	0.60	830	2.99	0.02
I34435		7.38	29.0	3.41	6.48	0.10	0.02	0.02	0.057	0.07	20.9	18.4	0.57	673	2.59	0.02
I34436		7.31	28.9	3.34	6.16	0.10	0.02	0.01	0.047	0.07	21.1	17.8	0.56	717	2.58	0.02
I34437		8.68	43.5	3.86	7.56	0.09	0.02	0.04	0.075	0.08	22.0	21.6	0.60	919	6.42	0.02
I34438		5.76	29.4	3.55	7.18	0.10	0.02	0.06	0.059	0.06	25.9	19.4	0.57	620	3.47	0.02
I34439		6.48	21.1	2.54	6.09	0.07	<0.02	0.07	0.054	0.04	15.1	10.6	0.38	307	1.47	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 5 - C

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units LOR	ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
I33021		1.44	11.3	1340	76.0	21.9	<0.001	0.04	0.70	3.4	0.6	1.0	442	<0.01	0.20	12.8
I34401		1.81	13.8	1370	66.5	21.5	<0.001	0.05	0.77	3.0	0.5	0.9	152.5	<0.01	0.27	15.6
I34402		2.73	21.1	1290	56.7	33.3	<0.001	0.11	0.80	4.3	0.6	1.1	68.6	<0.01	0.10	4.3
I34403		2.43	19.0	1190	46.5	19.6	<0.001	0.20	0.71	3.1	0.5	1.1	41.0	<0.01	0.09	1.9
I34404		1.93	14.6	1260	51.0	22.2	<0.001	0.08	0.86	2.7	0.5	1.0	89.8	<0.01	0.11	12.8
I34405		1.78	18.0	1490	45.9	22.0	<0.001	0.03	0.90	3.0	0.5	0.8	147.0	<0.01	0.08	8.8
I34406		1.69	17.9	1260	20.2	14.3	<0.001	0.02	0.84	2.5	0.4	0.6	30.6	<0.01	0.03	5.8
I34407		1.67	17.8	1740	24.2	23.0	<0.001	0.01	0.76	3.8	0.3	0.8	36.8	<0.01	0.03	4.9
I34408		2.11	19.6	1660	29.4	20.3	<0.001	0.02	2.73	3.0	0.4	0.8	32.8	<0.01	0.04	6.4
I34409		2.34	22.0	1560	34.9	29.1	<0.001	0.03	2.05	4.0	0.5	0.8	41.2	<0.01	0.04	3.7
I34410		2.06	20.6	1940	29.9	20.4	<0.001	0.02	1.34	2.8	0.4	0.7	38.6	<0.01	0.03	5.9
I34411		2.26	21.6	1930	36.4	29.1	<0.001	0.02	1.26	4.6	0.5	0.9	55.6	<0.01	0.04	9.9
I34412		1.81	17.9	970	33.6	17.8	<0.001	0.09	0.57	2.0	0.5	0.7	43.9	<0.01	0.04	0.6
I34413		2.33	20.9	1400	46.5	22.1	<0.001	0.04	0.78	2.3	0.4	1.0	48.3	<0.01	0.06	1.0
I34414		2.45	24.5	1630	23.2	29.8	<0.001	0.03	0.61	4.5	0.5	0.8	42.9	<0.01	0.03	4.0
I34415		2.79	23.3	2350	20.6	49.9	<0.001	0.02	0.93	4.8	0.4	0.9	53.0	<0.01	0.02	4.9
I34416		2.98	30.3	3200	23.5	77.6	<0.001	0.02	1.12	7.2	0.6	1.1	66.5	<0.01	0.02	10.1
I34417		1.80	35.9	3150	19.5	127.5	<0.001	0.01	0.54	10.6	0.6	1.5	97.0	<0.01	0.01	12.8
I34418		2.13	23.9	1650	25.8	22.0	<0.001	0.03	0.57	4.2	0.6	0.6	39.8	0.01	0.04	3.8
I34419		1.65	21.3	1530	13.8	14.2	<0.001	0.04	0.62	2.0	0.5	0.5	66.0	<0.01	0.02	1.3
I34420		2.38	21.6	1950	22.5	19.1	<0.001	0.02	0.78	3.2	0.4	0.6	100.0	<0.01	0.04	5.5
I34421		2.40	21.6	2010	22.1	19.5	<0.001	0.02	0.66	3.2	0.4	0.6	103.5	<0.01	0.04	5.9
I34422		1.67	8.4	950	90.9	20.8	<0.001	0.05	0.88	2.4	0.5	1.0	444	<0.01	0.07	9.7
I34423		1.30	8.8	980	50.7	19.3	<0.001	0.07	1.13	1.6	0.4	1.1	198.0	<0.01	0.15	5.8
I34424		1.08	15.4	1270	34.6	20.1	<0.001	0.02	0.53	3.8	0.5	0.8	112.5	<0.01	0.04	11.4
I34425		0.77	6.3	1220	60.2	29.3	<0.001	0.02	0.66	3.6	0.4	1.4	444	<0.01	0.03	18.6
I34426		1.95	15.7	1490	33.1	20.0	<0.001	0.03	0.68	2.5	0.4	0.7	65.2	<0.01	0.13	8.8
I34427		1.17	13.8	970	26.6	14.9	<0.001	0.03	0.68	1.8	0.4	0.7	52.0	<0.01	0.11	2.7
I34428		1.70	18.6	1090	33.0	20.4	<0.001	0.04	0.70	2.8	0.4	0.8	35.9	<0.01	0.30	7.3
I34429		1.41	15.5	1290	66.8	28.4	<0.001	0.09	0.68	1.7	0.4	1.0	62.6	<0.01	0.10	1.1
I34430		0.89	12.6	1020	54.5	19.1	<0.001	0.05	0.81	1.7	0.5	2.5	78.3	<0.01	0.09	2.3
I34431		1.34	12.3	1260	44.0	18.3	<0.001	0.06	0.52	2.1	0.5	1.0	96.4	<0.01	0.09	4.3
I34432		1.60	9.9	1410	33.3	13.8	<0.001	0.03	0.50	2.0	0.4	1.0	105.5	<0.01	0.07	8.9
I34433		0.90	10.9	840	40.6	13.7	<0.001	0.05	0.60	1.3	0.5	1.4	78.4	<0.01	0.09	1.4
I34434		1.34	13.7	1150	47.1	15.8	<0.001	0.04	0.61	2.4	0.7	1.3	83.8	<0.01	0.12	5.2
I34435		1.52	14.4	1060	48.9	13.3	<0.001	0.03	0.60	2.5	0.6	1.4	65.8	<0.01	0.11	4.8
I34436		1.58	14.2	1100	47.7	13.5	<0.001	0.03	0.60	2.7	0.6	1.4	69.9	<0.01	0.11	8.0
I34437		1.51	18.5	1170	69.9	13.8	<0.001	0.05	0.84	2.8	1.2	1.3	78.0	<0.01	0.17	5.8
I34438		1.53	13.6	1060	68.9	10.8	<0.001	0.06	0.85	2.1	1.2	1.2	49.1	<0.01	0.13	4.1
I34439		0.91	10.8	830	28.5	12.4	<0.001	0.08	0.62	0.8	0.6	1.2	86.2	<0.01	0.08	0.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 5 - D

Total # Pages: 6 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I33021		0.043	0.20	13.80	69	0.48	18.00	133
I34401		0.063	0.20	10.15	73	0.54	11.80	180
I34402		0.101	0.30	8.40	79	0.81	10.90	156
I34403		0.092	0.28	5.19	83	0.76	7.54	111
I34404		0.072	0.24	10.05	76	0.64	10.65	111
I34405		0.081	0.20	6.38	78	0.55	11.25	103
I34406		0.094	0.15	2.31	70	0.53	7.94	64
I34407		0.111	0.17	2.22	80	0.75	10.75	86
I34408		0.100	0.19	2.82	88	0.84	9.08	88
I34409		0.119	0.22	2.97	82	0.68	9.84	100
I34410		0.095	0.19	2.54	88	0.67	9.38	99
I34411		0.121	0.22	3.68	93	0.74	12.10	106
I34412		0.077	0.21	2.15	69	0.41	6.13	74
I34413		0.102	0.22	1.78	97	0.57	7.02	93
I34414		0.126	0.18	3.03	88	0.70	11.20	79
I34415		0.142	0.25	2.92	107	1.02	12.15	78
I34416		0.173	0.33	4.09	141	0.94	17.05	90
I34417		0.222	0.48	7.76	142	0.65	20.4	98
I34418		0.103	0.17	2.22	74	0.42	10.10	86
I34419		0.088	0.11	2.29	77	0.47	7.53	67
I34420		0.101	0.16	2.27	89	1.27	8.58	85
I34421		0.101	0.15	2.28	87	0.68	8.65	85
I34422		0.026	0.26	9.85	50	0.46	11.95	73
I34423		0.021	0.20	7.84	46	1.10	9.44	70
I34424		0.059	0.20	10.65	62	0.77	12.60	82
I34425		0.021	0.26	7.07	48	1.06	15.95	89
I34426		0.073	0.16	4.43	74	0.68	9.52	85
I34427		0.060	0.12	3.99	68	0.45	7.57	62
I34428		0.078	0.18	6.54	68	0.58	8.80	81
I34429		0.047	0.22	3.66	65	0.55	5.80	128
I34430		0.027	0.34	15.00	57	0.93	13.30	77
I34431		0.037	0.19	6.89	62	0.42	11.15	81
I34432		0.043	0.15	4.94	61	0.39	11.05	75
I34433		0.031	0.24	6.01	51	0.38	7.81	68
I34434		0.046	0.20	7.56	53	0.36	9.70	86
I34435		0.063	0.18	5.89	59	0.36	8.66	85
I34436		0.065	0.18	6.02	58	0.37	9.32	85
I34437		0.060	0.28	11.25	59	0.40	9.39	104
I34438		0.053	0.19	9.88	53	0.29	9.88	91
I34439		0.035	0.17	3.24	53	0.28	5.82	70



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I34440		0.36	<0.005	0.08	1.76	18.4	<0.2	<10	80	0.82	1.29	0.24	0.28	28.6	9.5	24
I34441		0.44	0.039	0.08	1.52	5.3	<0.2	<10	60	0.73	0.80	0.30	0.21	27.8	7.3	23
I34442		0.40	<0.005	0.04	1.83	8.3	<0.2	<10	80	0.59	0.44	0.28	0.20	24.1	6.7	27
I34443		0.34	0.021	0.13	1.72	8.7	<0.2	<10	120	1.12	0.80	0.35	0.16	19.85	5.3	16
I34444		0.40	<0.005	0.05	1.85	5.9	<0.2	<10	180	1.90	0.27	0.50	0.18	39.8	7.7	27
I34445		0.36	0.013	0.13	1.70	6.4	<0.2	<10	130	1.80	1.10	0.44	0.23	45.1	5.5	15
I34446		0.42	0.009	0.14	1.99	13.7	<0.2	<10	160	3.33	3.51	0.92	0.44	78.7	8.5	16
I34447		0.54	<0.005	0.13	2.01	22.1	<0.2	<10	210	3.21	4.73	0.74	0.28	68.8	7.6	14
I34448		0.42	0.008	0.34	2.01	18.3	<0.2	<10	130	2.04	1.64	0.43	0.51	44.9	11.0	23
I34449		0.48	0.015	0.82	2.02	24.0	<0.2	<10	160	2.57	7.40	0.68	0.82	76.3	12.8	15
I34450		0.48	0.010	0.36	1.96	18.3	<0.2	<10	180	3.33	2.77	0.48	0.48	39.4	8.6	15



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I34440		5.91	23.1	2.91	6.88	0.08	0.02	0.05	0.040	0.06	13.6	16.4	0.50	458	1.41	0.01
I34441		3.26	16.6	1.98	4.53	0.08	0.05	0.02	0.028	0.05	15.0	12.5	0.39	377	0.57	0.01
I34442		7.25	16.5	2.61	7.24	0.07	0.02	0.02	0.030	0.06	11.4	13.0	0.45	347	0.73	0.03
I34443		3.57	15.5	1.72	5.61	0.05	<0.02	0.06	0.028	0.04	10.8	6.5	0.30	366	0.79	0.02
I34444		9.50	17.7	2.27	5.62	0.09	0.02	0.03	0.028	0.06	24.0	16.2	0.58	499	0.60	0.02
I34445		8.22	44.8	1.82	5.27	0.07	0.02	0.04	0.067	0.06	25.8	9.6	0.39	1100	0.83	0.02
I34446		10.90	20.4	2.17	5.37	0.10	0.03	0.03	0.078	0.10	42.5	13.7	0.43	1100	0.83	0.02
I34447		8.84	32.1	2.05	6.35	0.09	0.02	0.05	0.113	0.08	37.2	14.6	0.50	580	0.84	0.02
I34448		10.30	99.1	2.56	6.04	0.09	0.02	0.10	0.088	0.08	24.2	16.4	0.51	748	2.83	0.03
I34449		13.05	109.5	3.53	5.73	0.12	0.03	0.06	0.190	0.23	43.1	14.5	0.39	1290	6.12	0.04
I34450		10.40	146.0	2.61	5.76	0.08	<0.02	0.05	0.068	0.10	22.1	16.8	0.42	642	4.90	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I34440		1.61	15.8	840	22.3	13.3	<0.001	0.05	0.73	2.0	0.5	1.4	30.8	<0.01	0.09	1.4
I34441		1.62	14.7	910	26.3	9.2	<0.001	0.02	0.42	2.4	0.3	0.6	34.1	<0.01	0.02	3.7
I34442		2.04	14.4	710	24.6	13.1	<0.001	0.04	0.57	1.8	0.3	1.1	30.0	<0.01	0.05	1.5
I34443		1.09	7.8	1050	25.1	9.7	<0.001	0.10	0.43	0.7	0.5	0.8	66.6	<0.01	0.08	0.3
I34444		1.16	16.5	950	26.0	10.4	<0.001	0.02	0.42	3.3	0.4	0.6	180.5	<0.01	0.03	7.1
I34445		0.93	8.9	900	32.1	15.4	<0.001	0.07	0.65	1.4	0.5	0.8	120.0	<0.01	0.16	6.8
I34446		1.15	9.4	940	65.7	14.4	<0.001	0.02	0.45	2.7	0.5	1.5	184.5	<0.01	0.29	21.6
I34447		1.27	7.1	1020	52.5	13.7	<0.001	0.04	0.56	1.8	0.5	2.2	232	<0.01	0.08	13.8
I34448		1.27	16.6	1040	145.0	12.8	<0.001	0.06	0.87	3.1	0.9	1.3	167.0	<0.01	0.07	7.4
I34449		1.08	6.8	1020	169.0	28.4	<0.001	0.32	1.24	3.1	1.2	2.1	221	<0.01	0.12	37.6
I34450		1.64	10.2	950	113.5	17.7	<0.001	0.05	0.92	2.1	0.8	1.1	173.5	0.01	0.15	15.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
I34440		0.080	0.15	2.91	64	0.34	5.33	71	0.9
I34441		0.084	0.09	2.42	45	0.21	6.09	54	1.8
I34442		0.093	0.10	1.63	59	0.31	4.40	56	1.0
I34443		0.021	0.17	3.43	38	0.24	3.79	42	<0.5
I34444		0.063	0.11	7.39	50	0.22	10.60	60	0.6
I34445		0.016	0.16	5.04	33	0.19	8.96	58	<0.5
I34446		0.021	0.20	12.50	39	0.32	18.30	63	0.6
I34447		0.014	0.22	13.90	33	0.23	15.70	69	<0.5
I34448		0.041	0.21	29.4	47	0.29	12.40	155	<0.5
I34449		0.021	0.42	36.1	43	0.30	22.1	217	<0.5
I34450		0.026	0.25	28.9	39	0.29	11.30	150	<0.5



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10089648

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).