

Silver Quest Resources Ltd.

**2010 GEOCHEMICAL REPORT ON THE
MICKEY PROPERTY**

Located in the North Dawson Range Area
Dawson Mining District
NTS 115K/16, 115J/13
62°54' N Latitude; 140°01' W Longitude

Grant Numbers	Claim Names
YD14601 – 636	TT 1 – TT 36
YD14645 – 763	TT 45 – TT 163
YD14767 – 781	TT 167 – TT 181
YD14783 – 793	TT 183 – TT 193
YD14795 – 819	TT 195 – TT 219
YD14821 – 830	TT 221 – TT 230
YD14839 – 854	TT 239 – TT 254
YD52001 – 016	XX 1 – XX 16
YD52017 – 032	BDW 17 – BDW 32
YD52033 – 064	XX 33 – XX 64

Work Conducted August 5 – September 10, 2010

-prepared for-

SILVER QUEST RESOURCES LTD.
Suite 1410, 650 West Georgia Street
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.
Ron Voordouw, Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

April 11, 2011

TABLE OF CONTENTS

TABLE OF CONTENTS	2
LIST OF APPENDICES	2
LIST OF TABLES	2
LIST OF FIGURES	2
1.0 SUMMARY	2
2.0 INTRODUCTION	2
3.0 PROPERTY DESCRIPTION AND LOCATION	2
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	5
5.0 HISTORY	5
5.1 Previous Work	5
5.2 2010 Exploration Program	5
6.0 REGIONAL GEOLOGY AND MINERALIZATION	6
6.1 Geology	6
6.2 Mineralization	6
7.0 GEOCHEMISTRY	8
7.1 Rock Geochemistry	8
7.2 Soil Geochemistry	8
7.3 Silt Geochemistry	8
8.0 PROPERTY GEOLOGY AND MINERALIZATION	8
9.0 DISCUSSION AND CONCLUSIONS	8

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Laboratory Certificates
Appendix D: Rock Sample Descriptions
Appendix E: Data Disc
Appendix F: Geologist's Certificates

LIST OF TABLES

Table 1: Mickey property Claims	2

LIST OF FIGURES

Figure 1: Location Map	3
Figure 2: Tenure information	4
Figure 3: Regional Geology surrounding the Mickey property	7
Figure 4: Soil, Silt and Rock sample locations	Back Pocket
Figure 5a: Surface geochemistry (Au)	Back Pocket
Figure 5b: Surface geochemistry (As)	Back Pocket
Figure 5c: Surface geochemistry (Sb)	Back Pocket
Figure 5d: Surface geochemistry (Mo)	Back Pocket

1.0 SUMMARY

On behalf of Silver Quest Resources Ltd. ("Silver Quest"), Equity Exploration Consultants Ltd. ("Equity") completed geochemical sampling and prospecting at the Mickey property in August and September, 2010. This property comprises 296 claims located just east of the White River, in the White Gold district of the Yukon Territory.

Work in 2010 consisted of six days of surface geochemical sampling by crews of between 1 – 6 people, for a total of 19 man days. Two days of prospecting were also done. Eight rock (plus 2 QAQC), four silt and 665 soil samples were collected and added to the pre-2010 database of just five silt samples.

Collectively these samples define a marked Au-As-Sb anomaly in the southern part of the property that straddles the contact between Devonian – Carboniferous (?) schists and Jurassic – Cretaceous granitoids. The geochemical and geological nature of this anomaly is similar to that of known gold mineralization elsewhere in the White Gold area (e.g. Coffee property). A point anomaly of 17 ppb Au-in-soil occurs near the northern boundary of the property. Follow-up work is recommended on both anomalies.

2.0 INTRODUCTION

During the 2010 field season, Equity was contracted by Silver Quest to carry out the sampling work on the Mickey property as part of a larger exploration program focused at the Boulevard property located 30 km to the east-southeast. This report describes the work completed and summarizes the results.


3.0 PROPERTY DESCRIPTION AND LOCATION

The Mickey property is located in the Dawson Range of the west-central Yukon Territory, just east of the White River (Figure 1). It is approximately centered on 62°54' N latitude and 140°01' W longitude. The property comprises 296 contiguous quartz claims that were staked in June and September of 2010 by contractors on behalf of Silver Quest. Some applications to transfer claims 100% to Silver Quest have been processed whereas others are still pending as of April 1/2011.

Table 1: Mickey property Claims

Grant Numbers	Claim Names	Recording Date	Staking Date	Expiry Date*	Owners
YD52001 – 016 YD52017 – 032 YD52033 – 064	XX 1 – XX 16 BDW 17 – BDW 32 XX 33 – XX 64	June 23, 2010	May 28 – June 4, 2010	June 23, 2011	<u>A mixture of:</u> Silver Quest Resources Ltd Tim Sullivan
YD14601 – 636 YD14645 – 763 YD14767 – 781 YD14783 – 793 YD14795 – 819 YD14821 – 830 YD14839 – 854	TT 1 – TT 36 TT 45 – TT 163 TT 167 – TT 181 TT 183 – TT 193 TT 195 – TT 219 TT 221 – TT 230 TT 239 – TT 254	September 29, 2010	September 2 – 6, 29, 2010	September 29, 2011	<u>A mixture of:</u> Brandon Duncan Mark Hockley Brad Magnuson Delmer Visser

*N.B. expiry date does not always include credit for 2010 work



0 150 300
kilometers




Silver Quest Resources Ltd.

**MICKEY Project
LOCATION
MAP**




Date:	APR 2011	Scale:	1:7,000,000	Figure
U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	1
N.T.S.	115J/13	State/Province	YUKON	



Quartz Claims

- ☒ Active
- ☐ Pending

2 km



Silver Quest Resources Ltd.

Mickey Project Tenure Map



Date:	APR 2011	Scale:	1:75,000	Figure
U.T.M. Zone:	UTM 7 - NAD83	Mining District:	Whitehorse	2
N.T.S. 115N/01, 115O/04		Province:	Yukon	

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Mickey property is located 145 km to south-southwest of Dawson City. The topography of the area is characterized by rolling hills typical of the Dawson Range. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out on the property from June until October.

Direct access to the property is via helicopter and several helicopter bases are located in Dawson City. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon (such as the Olgilvie) where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel were mobilized from the Boulevard camp via Hughes 500D helicopter.

5.0 HISTORY

5.1 Previous Work

MINFILE occurrence 115J 046 occurs within the Triassic Klotassin granodiorite near the centre of the Mickey property (latitude 62°53'10" longitude 139°56'49"). This occurrence is named "Label" and was staked in December 1969 by White, Hosford and Impey Ltd. No work was done on the property, however, and there is no indication as to what commodity or deposit type occurred there.

Work done as part of the Rimfire/Northgate JV on the nearby Boulevard property in 2008 (Lehtinen and Lui, 2009) included collection of five silt samples from the Mickey property. Three of these five silt samples contained above detection Au values (>8 ppb), with the highest measuring 36 ppb. Abundances of As are also anomalously high (>13 ppm) in 3/5 samples and measured up to 17 ppm. The coincidence of Au- and As-in-silt anomalies marked the Mickey area as a target for follow-up work.

In 2010 the Mickey property was staked in two parts. The core of the property, comprising the XX and BDW claims, was staked first in late May – early June 2010. The surrounding TT claims were staked in September 2010. Work on the XX and BDW claims was done in August whereas that for the TT claims was done in September.

The bedrock geology of the region was most recently compiled by Gordey and Ryan (2005); the section of this map which shows the geology underlying and surrounding the Mickey property is shown in Figure 3.

5.2 2010 Exploration Program

Nineteen man days of soil sampling were done on the Mickey property in 2010, as well as two man days of prospecting. Crews of between 1 – 6 samplers worked the property on August 4 and 31, as well as September 5 – 7 and 10. Soil sampling was completed along "ridge and spur" type traverse lines that followed the most prominent such topographic features on the property. Samples were collected at 100 m intervals along these lines. Silt samples were collected on tributary creeks and float rock samples of granitoids, aplite dykes and quartz-veined schists were also collected. In total, eight float rock samples, four silt samples and 665 soil samples were collected during the 2010 program.

Samples were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay certificates of analysis are presented in an Appendix at the end of this report. Rock and silt sample sites are marked with blue and pink flagging tape, and a metal tag inscribed with the sample number. Soil sample sites

are marked with blue and orange flagging and a Tyvek tag. All sample locations for silt, soil and rock samples were recorded by hand-held GPS.

A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

6.0 REGIONAL GEOLOGY AND MINERALIZATION

6.1 Geology

The Mickey property is located within the Yukon-Tanana Terrane of the west-central Yukon, a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes (Colpron, 2006). The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the Early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest- to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974). Granitoids of this suite underlie all but the most eastern margin of the Mickey property (Figure 3).


Regional-scale geological compilation maps (Gordey and Makepeace, 1999) show that the oldest unit underlying the Mickey property is the Devonian-Mississippian Nasina assemblage (DMN3), which is divided into sub-units of quartz-muscovite schist, quartzite, orthogneiss, augen orthogneiss and marble (Gordey and Ryan, 2005). Prospecting of the prominent east – west trending ridge in the northern part of the property, however, indicates that some of the rocks mapped as DMN3 are actually chlorite-bearing schists, which more likely comprise part of the Carboniferous – Permian Klondike schist unit (CPK1).

Most of the Mickey property is underlain by granitoids of Early Jurassic (EJgA) and Mid Cretaceous (mKgW) age, although the MINFILE description also alludes to the occurrence of a Triassic granodiorite that is not indicated on the regional map. Early Jurassic granitoids typically comprise granodiorite, diorite and/or monzodiorite whereas the Mid Cretaceous granitoids are more calc-alkaline, comprising mostly granodiorite and quartz diorite.

6.2 Mineralization

The nearest significant example of gold mineralization to the Mickey property is the Coffee property of Kaminak Gold, located 35 km due east, where significant gold discoveries were announced in spring 2010 (Carpenter, 2011). No resource has been calculated for the Coffee but early drill results include intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. At Coffee, gold is hosted in both N – S and E – W trending structures (Carpenter, 2011) that cross the contact between a Jurassic granitoid and Devonian – Carboniferous (?) country rocks. Gold-bearing structures overprint regional gneissic and schistose deformation fabrics indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment but the dominant sulphide phase is arsenic-rich pyrite. Gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

As at the Coffee property, the Au-As-Sb anomaly in the southern part of the Mickey property spans the contact between Jurassic – Cretaceous granitoids and Devonian – Carboniferous (?) country rocks. There are also numerous prominent E – W trending lineaments on the property, which possibly correlate with underlying geological structures.



Silver Quest Resources Ltd.

Mickey Project REGIONAL GEOLOGY

Geology from Colin & Makepeace

EQUITY	Date:	APR 2011	Scale:	1:100,000	Figure 3
	U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	
	N.T.S.	1153/13	State/Province	YUKON	

7.0 GEOCHEMISTRY

7.1 Rock Geochemistry

A total of eight rock samples were taken from the Mickey property during prospecting (N = 6) and soil sampling (N = 2) activities. Rock descriptions are attached in Appendix D and geochemical certificates are in Appendix C. None of these samples returned significant concentrations of precious or base metals, with all gold values running below detection.

7.2 Soil Geochemistry

Soil results for the 2010 Mickey program have been compared with the larger (14,000+) database of soil analyses from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset, a single anomalous area of coincident Au-As-Sb-in-soil anomalies occurs in the south-eastern part of the Mickey property (Figures 5a – 5d). In-soil abundances within this anomalous area are up to 22 ppb for Au, 631 ppm for As and 1.97 ppm for Sb. There is also a significant point anomaly (sample I098162) with 17 ppb Au that is located in the northern part of the property.

7.3 Silt Geochemistry

Four silt samples were collected from the Mickey property in 2010 (Figures 4, 5a – d) and all of them returned Au values below detection. Values of As, on the other hand, are anomalously high (12 – 29 ppm), falling into the 80th percentile of all silt samples collected in the Dawson region.

8.0 PROPERTY GEOLOGY AND MINERALIZATION


No mapping was conducted on the Mickey property in 2010. Reconnaissance prospecting suggests that some of the country rock may be Klondike rather than Nasina schist.

9.0 DISCUSSION AND CONCLUSIONS

Geochemical analysis of soils and silts clearly show a coincident As-Sb-Au anomaly in the southern part of the Mickey property that straddles a schist-granitoid contact zone. These features are similar to areas of known mineralization in the White Gold area, like the Coffee property of Kaminak Gold for example, and so follow-up work is recommended.

The second-highest Au-in-soil is a point anomaly in the northern part of the Mickey property. More detailed soil sampling that is centred on this point anomaly is recommended.

Respectfully submitted,



Darcy Baker Ph.D., P.Geo.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

March 29, 2011

Appendix A: Bibliography

REFERENCES

- Carpenter, R., 2011, Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M., 2006, Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey.
- Gordey, S. P., and Makepeace, A. J., 1999, Yukon digital geology, Geological Survey of Canada.
- Gordey, S. P., and Ryan, J. J., 2005, Geology, Stewart River Area (115N, 115O and part of 115J, Yukon Territory, Geological Survey of Canada Open File 4970.
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L., 2004, The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- Lehtinen, J., and Lui, D., 2009, 2008 Geological, Geochemical, Geophysical, Trenching and Diamond Drilling Report on the Boulevard Property, Equity Exploration Consultants Ltd., p. 45.
- Templeman-Kluit, D. J., 1974, Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, p. 97.

Appendix B: Statement of Expenditures

STATEMENT OF EXPENDITURES
MICKEY (TT, XX and BDW claims)

	number	rate	cost
rock samples	10	\$28.00	\$280.00
silt samples	4	\$28.00	\$112.00
soil samples	665	\$28.00	\$18,620.00
Prospector/mapping days	2	\$475.00	\$950.00
Sampler days	19	\$275.00	\$5,225.00
camp/shared costs per man day	21	\$441.48	\$9,271.06
Heli hours (wet)	5.50	\$1,324.00	\$7,282.00
			<u>\$41,740.06</u>
Project Supervision		12.00%	<u>\$5,008.81</u>
			\$46,748.87

296 claims

\$157.94 per claim

Work completed between Aug.4 & Sept. 11, 2010

Appendix C: Laboratory Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 1-OCT-2010
Account: EIASQI

CERTIFICATE VA10134525

Project: SQI10-06

P.O. No.: SQI10-06_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I098927		0.38	0.006	0.16	1.42	8.9	<0.2	<10	320	0.43	0.13	0.94	0.27	28.0	9.9	26
I098928		0.48	0.006	0.08	1.57	11.0	<0.2	<10	310	0.53	0.12	0.63	0.20	33.5	14.5	29
I098929		0.34	<0.005	0.13	1.44	8.7	<0.2	<10	310	0.43	0.10	1.10	0.21	30.5	9.4	26
I098930		0.46	<0.005	0.05	1.46	6.2	<0.2	<10	220	0.32	0.07	0.34	0.06	22.0	8.5	28
I098931		0.56	<0.005	0.09	1.83	6.9	<0.2	<10	210	0.26	0.11	0.17	0.07	22.5	10.2	23
I098932		0.52	<0.005	0.07	2.35	9.8	<0.2	<10	200	0.53	0.19	0.13	0.10	28.1	8.7	32
I098933		0.34	<0.005	0.01	0.14	2.1	<0.2	<10	20	<0.05	0.16	0.09	0.03	11.25	2.3	3
I098934		0.50	<0.005	0.22	1.85	6.3	<0.2	<10	210	0.77	0.50	0.48	0.08	169.5	6.4	19
I098935		0.46	<0.005	0.06	1.51	7.2	<0.2	<10	230	0.27	0.13	0.31	0.07	31.3	7.5	27
I098936		0.44	<0.005	0.06	1.78	9.5	<0.2	<10	120	0.35	0.56	0.13	0.25	33.3	7.6	22
I098937		0.50	<0.005	0.11	1.78	7.0	<0.2	<10	180	0.28	0.12	0.30	0.21	19.15	12.3	24
I098938		0.46	<0.005	0.14	1.73	6.0	<0.2	<10	180	0.19	0.08	0.19	0.10	19.75	15.4	23
I098939		0.48	<0.005	0.12	1.31	7.9	<0.2	<10	110	0.12	0.11	0.14	0.06	18.30	5.3	18
I098940		0.50	<0.005	0.07	2.18	6.4	<0.2	<10	130	0.21	0.05	0.20	0.08	25.2	9.9	24
I098941		0.42	<0.005	0.08	1.81	7.1	<0.2	<10	150	0.23	0.08	0.23	0.07	23.1	9.7	26
I098942		0.48	<0.005	0.07	3.58	8.9	<0.2	<10	310	0.52	0.03	0.14	0.05	12.75	17.6	26
I098943		0.50	<0.005	0.07	1.94	6.0	<0.2	<10	100	0.31	0.04	0.21	0.08	29.6	9.4	25
I098944		0.58	<0.005	0.12	1.57	8.3	<0.2	<10	260	0.40	0.72	0.50	0.15	29.6	9.0	29
I098945		0.50	0.007	0.09	1.40	6.7	<0.2	<10	230	0.21	0.14	0.40	0.16	23.5	8.1	24
I098946		0.42	<0.005	0.14	1.43	6.5	<0.2	<10	230	0.27	0.08	0.40	0.17	22.1	8.5	24
I098947		0.52	<0.005	0.04	3.47	1.5	<0.2	<10	150	0.53	<0.01	0.17	0.07	45.7	15.6	17
I098948		0.52	0.005	0.02	1.96	9.8	<0.2	<10	110	0.16	0.08	0.16	0.09	15.95	7.8	35
I098949		0.50	<0.005	0.04	1.57	7.5	<0.2	<10	120	0.25	0.08	0.27	0.08	32.0	6.7	30
I098950		0.68	<0.005	0.14	1.74	8.0	<0.2	<10	180	0.27	0.11	0.31	0.18	36.9	10.2	29
I099101		0.40	<0.005	0.21	2.58	8.8	<0.2	<10	320	0.27	0.15	0.68	0.59	16.50	19.4	51
I099102		0.28	0.013	0.48	3.03	51.0	<0.2	<10	420	0.43	0.18	1.07	0.82	18.20	19.8	57
I099103		0.36	0.024	0.42	2.87	75.6	<0.2	<10	320	0.32	0.20	0.89	0.45	14.45	19.4	58
I099104		0.34	0.045	0.43	3.06	160.5	<0.2	<10	340	0.36	0.22	0.99	0.22	14.50	23.2	65
I099105		0.50	0.018	0.27	2.51	73.9	<0.2	<10	280	0.25	0.20	0.57	0.14	13.05	15.2	54
I099106		0.38	0.005	0.54	2.05	4.2	<0.2	<10	400	0.32	0.12	1.61	1.31	21.8	20.6	39
I099107		0.48	0.011	0.43	2.68	39.2	<0.2	<10	400	0.40	0.19	0.90	1.23	20.5	24.8	51
I099108		0.32	0.018	0.45	3.19	61.2	<0.2	<10	410	0.40	0.19	1.09	0.48	20.0	18.3	59
I099109		0.38	0.014	0.41	2.82	84.4	<0.2	<10	320	0.31	0.19	1.23	0.46	14.65	19.4	60
I099110		0.34	0.030	0.51	2.89	85.7	<0.2	<10	340	0.32	0.20	1.00	0.25	15.15	18.2	60
I099111		0.30	0.013	0.19	1.96	39.2	<0.2	<10	280	0.21	0.14	1.34	0.37	13.40	16.4	41
I099112		0.30	0.009	0.30	2.16	9.2	<0.2	<10	260	0.20	0.10	0.90	0.20	12.35	8.5	39
I099113		0.34	0.006	0.10	2.03	20.1	<0.2	<10	220	0.23	0.11	0.97	0.20	12.90	15.7	47
I099114		0.34	<0.005	0.01	0.14	1.9	<0.2	<10	20	<0.05	<0.01	0.09	0.04	11.60	2.3	3
I099115		0.38	0.010	0.20	2.73	34.6	<0.2	<10	310	0.40	0.24	0.68	0.19	18.05	18.5	62
I099116		0.42	0.014	0.21	2.74	42.7	<0.2	<10	300	0.37	0.29	0.58	0.19	19.40	18.5	60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098927		0.40	27.9	2.48	4.79	0.07	0.10	0.04	0.023	0.06	14.9	12.0	0.55	375	0.84
I098928		0.53	26.4	2.88	5.46	0.08	0.07	0.03	0.027	0.07	17.2	13.5	0.55	672	1.06
I098929		0.52	29.6	2.47	4.88	0.08	0.08	0.04	0.023	0.07	16.1	12.5	0.55	393	0.86
I098930		0.50	14.9	2.39	5.01	0.05	0.14	0.01	0.019	0.08	11.9	12.5	0.53	375	0.73
I098931		0.79	12.8	3.01	7.33	0.05	0.04	0.02	0.020	0.13	10.8	14.7	0.46	753	1.15
I098932		0.98	16.1	3.30	7.96	0.06	0.09	0.20	0.027	0.07	19.0	14.3	0.44	416	1.35
I098933		0.09	1.9	0.74	0.65	<0.05	0.08	0.01	<0.005	0.04	5.7	1.3	0.04	165	0.31
I098934		1.00	21.8	2.49	7.19	0.14	0.06	0.04	0.030	0.09	104.0	16.8	0.35	515	1.45
I098935		0.48	18.4	2.44	5.14	0.06	0.13	0.03	0.023	0.05	17.0	13.0	0.51	248	0.74
I098936		0.98	19.7	3.06	7.11	0.06	0.03	0.01	0.041	0.12	13.6	14.0	0.40	265	1.97
I098937		0.53	11.6	3.09	6.61	0.05	0.05	0.02	0.021	0.22	9.3	13.1	0.60	554	0.99
I098938		0.74	14.9	3.21	6.90	0.05	0.03	0.03	0.016	0.26	9.2	11.8	0.61	846	1.46
I098939		0.56	11.7	2.24	8.19	<0.05	0.03	0.01	0.015	0.07	9.7	6.5	0.35	175	1.60
I098940		0.78	24.0	3.38	7.55	0.06	0.05	0.02	0.017	0.22	10.7	13.9	0.78	331	1.12
I098941		0.59	22.5	2.83	6.61	0.06	0.03	0.02	0.019	0.14	12.8	12.2	0.65	325	0.75
I098942		1.31	57.4	5.08	9.58	0.09	0.10	0.02	0.020	0.69	7.5	23.5	1.58	829	0.92
I098943		0.83	41.4	3.08	6.89	0.07	0.08	0.02	0.020	0.30	15.8	14.5	0.69	330	0.76
I098944		0.71	23.2	2.63	5.40	0.07	0.07	0.04	0.024	0.05	16.0	13.4	0.53	306	0.81
I098945		0.61	15.2	2.30	5.00	0.06	0.03	0.03	0.018	0.05	12.7	11.7	0.48	273	0.81
I098946		0.76	15.2	2.34	5.42	0.05	0.02	0.04	0.020	0.05	12.0	11.8	0.49	312	0.91
I098947		2.29	74.9	5.46	14.10	0.28	0.04	0.02	0.025	1.79	46.9	25.7	1.86	939	0.73
I098948		0.57	12.1	3.33	6.16	0.05	0.05	0.01	0.020	0.05	8.7	12.4	0.53	240	2.18
I098949		0.74	13.6	2.43	5.73	0.07	0.05	0.03	0.021	0.05	19.6	14.2	0.47	160	1.38
I098950		0.80	15.8	2.84	6.41	0.07	0.03	0.05	0.025	0.06	24.4	15.4	0.51	374	1.37
I099101		1.48	24.0	3.36	8.20	0.11	0.04	0.05	0.021	0.39	8.0	16.3	1.45	590	1.26
I099102		1.83	33.0	3.58	9.11	0.11	0.04	0.06	0.026	0.35	9.4	20.9	1.57	690	1.31
I099103		1.85	34.1	3.73	8.46	0.12	0.04	0.05	0.021	0.55	7.3	19.2	1.77	514	0.83
I099104		2.34	33.6	4.11	9.69	0.12	0.05	0.04	0.026	0.57	7.0	19.4	1.90	747	1.15
I099105		1.63	25.0	3.11	7.84	0.11	0.04	0.03	0.022	0.46	6.4	15.2	1.55	323	0.80
I099106		1.10	43.7	2.46	5.87	0.11	0.04	0.10	0.020	0.27	10.2	11.5	0.98	1120	1.31
I099107		1.64	33.9	3.40	8.83	0.12	0.04	0.06	0.025	0.29	10.1	17.7	1.35	962	2.03
I099108		1.91	35.9	3.66	9.19	0.12	0.04	0.06	0.026	0.33	10.3	21.4	1.62	563	1.39
I099109		1.93	37.0	3.54	8.69	0.12	0.04	0.04	0.022	0.46	7.5	18.3	1.72	569	1.02
I099110		1.99	35.0	3.57	8.92	0.11	0.05	0.06	0.024	0.45	8.0	18.4	1.68	521	1.03
I099111		1.18	27.2	2.48	6.33	0.09	0.04	0.05	0.018	0.32	6.4	10.5	1.18	810	1.10
I099112		1.33	31.7	2.09	7.57	0.09	0.05	0.06	0.019	0.32	6.1	9.5	1.34	250	0.41
I099113		1.02	19.5	2.43	7.67	0.08	0.03	0.03	0.015	0.24	6.4	9.5	1.38	546	0.97
I099114		0.08	2.0	0.76	0.67	<0.05	0.07	<0.01	<0.005	0.05	5.9	1.4	0.04	167	0.31
I099115		1.58	33.1	3.45	8.75	0.11	0.06	0.04	0.025	0.40	8.6	14.1	1.63	510	1.24
I099116		1.60	36.8	3.57	8.80	0.11	0.05	0.03	0.025	0.37	9.1	14.6	1.58	429	1.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098927		1.40	24.4	660	8.0	6.8	<0.001	0.03	0.61	4.6	0.9	0.4	51.3	<0.01	0.02
I098928		1.76	22.3	600	8.9	8.5	0.001	0.02	0.61	4.9	0.9	0.5	39.0	0.01	0.04
I098929		1.72	24.7	610	7.8	9.4	<0.001	0.04	0.65	4.7	1.3	0.5	56.0	0.01	0.03
I098930		1.95	16.8	180	6.9	11.6	<0.001	0.02	0.42	3.8	0.3	0.5	28.2	<0.01	0.02
I098931		2.70	13.8	250	8.1	26.4	<0.001	0.02	0.35	3.2	0.3	0.7	17.4	<0.01	0.02
I098932		2.20	20.8	280	10.5	14.9	<0.001	0.02	0.52	3.9	0.4	1.1	14.6	<0.01	0.03
I098933		0.16	3.9	120	1.6	2.3	<0.001	0.02	0.12	0.7	0.2	<0.2	8.1	<0.01	<0.01
I098934		2.30	14.8	320	13.2	20.4	0.001	0.03	0.40	4.7	1.0	1.2	34.4	0.01	0.03
I098935		1.33	17.7	310	8.6	7.7	<0.001	0.02	0.48	4.3	0.4	0.6	23.5	<0.01	0.03
I098936		3.92	16.6	410	12.7	27.0	<0.001	0.02	0.43	3.3	0.4	1.5	15.5	<0.01	0.05
I098937		2.31	15.6	240	9.8	21.8	<0.001	0.02	0.39	3.2	0.3	0.7	24.9	<0.01	0.03
I098938		2.64	12.9	250	7.7	36.2	<0.001	0.02	0.35	2.6	0.3	0.7	15.5	<0.01	0.02
I098939		2.15	9.5	270	7.7	13.6	<0.001	0.02	0.31	2.5	0.2	0.8	13.5	<0.01	0.03
I098940		3.67	14.5	430	5.9	29.2	<0.001	0.02	0.36	3.2	0.4	0.7	17.9	<0.01	0.03
I098941		1.95	17.3	460	7.1	17.0	<0.001	0.02	0.40	3.6	0.4	0.6	18.3	<0.01	0.02
I098942		1.68	18.5	170	6.0	52.0	<0.001	0.02	0.39	3.6	0.4	0.5	14.4	<0.01	0.06
I098943		3.15	14.6	400	6.4	38.0	<0.001	0.02	0.39	3.7	0.3	0.7	15.8	<0.01	0.02
I098944		1.71	20.1	640	8.2	10.3	<0.001	0.03	0.57	4.9	0.8	0.5	32.6	<0.01	0.03
I098945		1.44	15.2	610	6.9	8.5	<0.001	0.04	0.38	3.7	0.6	0.4	26.4	<0.01	0.02
I098946		1.52	15.2	570	6.9	9.6	<0.001	0.04	0.36	3.4	0.6	0.5	27.6	<0.01	0.03
I098947		4.17	5.8	740	3.1	133.5	<0.001	0.04	0.08	10.7	0.6	1.5	10.8	0.01	0.02
I098948		1.93	16.5	320	7.0	10.1	<0.001	0.03	0.39	2.8	0.3	0.5	13.0	<0.01	0.03
I098949		1.95	16.2	520	7.7	9.6	<0.001	0.03	0.37	3.8	0.5	0.5	19.3	<0.01	0.02
I098950		1.91	16.2	640	14.1	14.6	<0.001	0.04	0.35	4.2	0.6	0.7	24.2	<0.01	0.02
I099101		1.36	28.7	470	6.3	40.4	0.001	0.10	1.04	6.2	1.4	0.4	34.6	<0.01	0.07
I099102		1.37	34.9	630	8.6	41.9	0.002	0.15	7.00	7.4	2.1	0.5	49.1	<0.01	0.07
I099103		1.39	30.0	480	8.2	49.2	0.001	0.13	23.6	7.2	1.3	0.5	34.3	<0.01	0.08
I099104		1.52	33.4	470	9.8	48.2	0.001	0.11	23.1	7.9	1.3	0.6	39.0	<0.01	0.07
I099105		1.27	25.9	470	6.8	40.2	<0.001	0.04	18.20	6.8	0.8	0.6	23.2	<0.01	0.07
I099106		0.94	25.8	1110	4.6	26.5	0.002	0.20	0.69	4.4	2.3	0.4	58.6	0.01	0.09
I099107		1.28	34.0	790	8.1	36.9	0.002	0.11	4.71	6.5	2.6	0.5	49.8	<0.01	0.10
I099108		1.42	35.7	600	9.5	40.3	0.001	0.15	8.93	7.7	2.0	0.5	50.7	<0.01	0.09
I099109		1.50	32.4	550	8.1	45.6	<0.001	0.29	28.7	6.9	1.3	0.6	47.4	0.01	0.08
I099110		1.46	31.3	550	8.8	47.0	0.001	0.32	25.5	7.7	1.5	0.5	41.5	0.01	0.08
I099111		1.12	23.9	700	5.6	28.2	<0.001	0.24	16.65	4.1	1.1	0.4	52.1	<0.01	0.07
I099112		1.56	20.6	630	4.2	26.8	0.001	0.32	5.74	5.1	1.2	0.5	34.7	<0.01	0.02
I099113		1.47	24.4	540	4.3	18.3	0.001	0.09	4.22	4.8	0.9	0.5	37.3	0.01	0.06
I099114		0.20	3.9	120	1.7	2.4	<0.001	0.01	0.11	0.6	<0.2	<0.2	9.3	<0.01	0.01
I099115		1.42	29.9	640	7.3	34.8	0.001	0.04	5.55	7.9	0.9	0.6	28.8	<0.01	0.09
I099116		1.37	30.0	590	7.7	34.3	0.001	0.04	6.25	8.1	1.0	0.5	26.1	<0.01	0.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098927		0.072	0.05	1.38	49	0.22	9.28	56
I098928		0.089	0.07	1.05	62	0.33	8.72	56
I098929		0.078	0.07	4.79	50	0.27	10.35	51
I098930		0.102	0.08	0.64	55	0.16	3.39	46
I098931		0.099	0.14	0.64	64	0.19	2.24	50
I098932		0.081	0.14	0.78	73	0.24	3.12	54
I098933		0.007	0.03	0.35	4	0.05	2.36	5
I098934		0.042	0.15	4.48	44	0.45	18.25	39
I098935		0.077	0.07	0.85	49	0.17	5.53	50
I098936		0.076	0.16	2.38	56	0.20	4.01	55
I098937		0.103	0.12	0.39	67	0.17	2.18	61
I098938		0.128	0.17	0.41	72	0.19	1.95	57
I098939		0.110	0.10	0.37	66	0.19	2.01	32
I098940		0.164	0.18	0.48	76	0.20	2.53	58
I098941		0.125	0.12	0.47	63	0.22	3.70	55
I098942		0.243	0.32	0.35	116	0.18	2.00	149
I098943		0.144	0.21	0.67	64	0.21	4.25	60
I098944		0.088	0.09	0.81	54	0.28	7.86	60
I098945		0.072	0.09	0.69	53	0.21	5.20	52
I098946		0.072	0.10	0.75	52	0.23	4.98	51
I098947		0.263	0.78	1.28	116	0.22	12.55	109
I098948		0.104	0.08	0.49	74	0.30	2.42	53
I098949		0.086	0.09	1.05	54	0.39	6.01	48
I098950		0.082	0.11	1.30	59	0.19	7.10	68
I099101		0.134	0.25	0.90	90	0.16	7.06	93
I099102		0.131	0.27	1.03	97	0.12	10.40	104
I099103		0.149	0.29	0.71	93	0.30	7.88	111
I099104		0.148	0.32	0.68	103	0.88	6.89	92
I099105		0.136	0.23	0.54	85	0.15	5.20	65
I099106		0.072	0.23	1.77	61	0.10	13.85	68
I099107		0.106	0.24	1.28	89	0.14	10.80	107
I099108		0.134	0.27	1.06	98	0.21	11.45	113
I099109		0.141	0.27	0.69	92	0.16	8.33	98
I099110		0.141	0.29	0.85	96	0.13	8.85	88
I099111		0.090	0.21	0.54	62	0.11	6.01	60
I099112		0.113	0.18	0.62	55	0.09	6.38	59
I099113		0.104	0.13	0.48	70	0.13	4.22	62
I099114		0.007	0.03	0.34	4	0.05	2.22	5
I099115		0.148	0.25	0.63	101	0.19	5.78	75
I099116		0.144	0.25	0.71	102	0.18	7.17	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I099117		0.36	0.010	0.26	2.76	41.8	<0.2	<10	310	0.34	0.20	0.82	0.26	14.10	19.0	55
I099118		0.32	0.009	0.22	2.16	27.2	<0.2	<10	310	0.29	0.18	1.01	0.49	15.65	15.9	43
I099119		0.44	0.007	0.14	2.43	33.6	<0.2	<10	290	0.27	0.21	0.72	0.22	14.70	20.8	51
I099120		0.40	0.008	0.18	2.36	28.8	<0.2	<10	290	0.28	0.21	0.69	0.26	17.80	20.2	50
I099121		0.38	0.018	0.34	3.33	45.1	<0.2	<10	440	0.40	0.23	0.96	0.35	16.05	17.7	68
I099122		0.46	0.018	0.79	3.04	27.2	<0.2	<10	480	0.42	0.35	1.10	0.42	20.5	15.6	61
I099123		0.54	0.014	0.31	3.44	30.4	<0.2	<10	420	0.38	0.49	0.67	0.25	14.85	18.7	73
I099124		0.44	0.005	0.14	1.72	8.5	<0.2	<10	190	0.24	0.20	0.51	0.27	13.60	12.2	39
I099125		0.64	0.005	0.12	2.67	10.2	<0.2	<10	260	0.40	0.17	0.44	0.15	17.70	17.7	55
I099126		0.50	0.006	0.15	2.76	17.9	<0.2	<10	240	0.35	0.20	0.42	0.18	16.30	15.0	54
I099127		0.42	0.005	0.24	1.68	7.9	<0.2	<10	200	0.22	0.13	0.34	0.32	11.25	13.1	34
I099128		0.62	0.007	0.23	2.02	10.5	<0.2	<10	220	0.33	0.14	0.40	0.36	14.55	13.4	33
I099129		0.62	0.007	0.22	3.02	17.5	<0.2	<10	250	0.40	0.22	0.40	0.17	16.10	14.9	47
I099130		0.46	<0.005	0.01	0.13	1.9	<0.2	<10	20	<0.05	<0.01	0.09	0.04	10.75	2.2	3
I099131		0.64	0.021	0.33	3.53	9.7	<0.2	<10	360	0.39	0.23	0.62	0.65	12.65	23.9	59
I099132		0.66	0.010	0.26	3.21	13.7	<0.2	<10	340	0.45	0.35	0.45	0.45	18.80	16.8	53
I099133		0.52	0.009	0.44	2.02	9.3	<0.2	<10	350	0.38	0.19	0.62	0.87	17.80	16.7	31
I099134		0.42	<0.005	0.09	1.16	4.1	<0.2	<10	100	0.21	0.05	0.15	0.10	13.85	4.2	15
I099135		0.44	<0.005	0.20	1.94	4.0	<0.2	<10	200	0.19	0.07	0.35	0.10	19.50	6.8	27
I099136		0.56	<0.005	0.19	2.18	6.5	<0.2	<10	340	0.36	0.12	0.85	0.18	41.3	13.0	32
I099137		0.42	<0.005	0.10	2.07	6.6	<0.2	<10	220	0.23	0.28	0.46	0.15	23.0	9.2	33
I099138		0.52	<0.005	0.11	1.71	29.5	<0.2	<10	190	0.22	0.34	0.43	0.16	22.6	8.7	25
I099139		0.58	<0.005	0.06	2.50	10.1	<0.2	<10	310	0.19	0.10	0.50	0.11	19.50	20.3	16
I099140		0.34	<0.005	0.07	2.79	5.1	<0.2	<10	350	0.44	0.15	0.44	0.10	23.0	13.8	16
I099141		0.64	<0.005	0.06	2.02	5.2	<0.2	<10	200	0.23	0.07	0.52	0.10	19.65	11.7	26
I099142		0.50	<0.005	0.12	1.70	4.6	<0.2	<10	160	0.25	0.08	0.57	0.15	28.7	14.7	25
I099143		0.50	<0.005	0.08	2.07	5.5	<0.2	<10	210	0.25	0.46	0.67	0.12	25.0	13.5	27
I099144		0.68	<0.005	0.08	1.49	3.9	<0.2	<10	190	0.14	0.05	0.43	0.12	15.15	7.4	17
I099145		0.38	<0.005	0.04	2.46	7.3	<0.2	<10	190	0.30	0.12	0.38	0.12	22.4	14.6	27
I099146		0.44	0.012	0.05	2.62	7.6	<0.2	<10	230	0.30	0.15	0.45	0.11	20.7	15.8	28
I099147		0.42	<0.005	0.04	2.47	10.6	<0.2	<10	250	0.38	0.07	0.35	0.07	23.1	16.4	36
I099148		0.24	<0.005	0.03	0.17	0.7	<0.2	<10	20	<0.05	0.05	0.06	0.02	2.00	1.0	3
I099149		0.34	<0.005	0.37	1.56	4.8	<0.2	<10	120	0.20	0.14	0.32	0.10	12.75	6.2	21
I099150		0.58	<0.005	0.21	1.22	5.8	<0.2	<10	80	0.22	0.11	0.13	0.07	8.32	4.5	16
I099151		0.40	<0.005	0.14	1.24	3.5	<0.2	<10	110	0.20	0.11	0.17	0.08	9.59	4.8	15
I099152		0.50	<0.005	0.11	2.49	7.4	<0.2	<10	250	0.44	0.12	0.36	0.04	21.6	12.8	36
I099153		0.56	<0.005	0.14	2.80	14.8	<0.2	<10	200	0.36	0.14	0.32	0.13	16.95	15.6	35
I099154		0.40	<0.005	0.16	2.27	14.4	<0.2	<10	290	0.36	0.17	0.52	0.14	16.80	9.6	24
I099155		0.58	<0.005	0.16	1.34	9.4	<0.2	<10	140	0.16	0.11	0.36	0.07	10.60	6.5	20
I099156		0.54	<0.005	0.18	1.93	12.1	<0.2	<10	210	0.28	0.11	1.01	0.13	19.75	10.5	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099117		1.70	24.8	3.29	8.81	0.10	0.04	0.04	0.024	0.37	7.0	14.5	1.50	660	1.49
I099118		1.23	27.0	2.79	6.71	0.09	0.04	0.05	0.019	0.34	7.4	10.8	1.25	802	1.30
I099119		1.50	21.6	3.24	8.01	0.10	0.04	0.03	0.022	0.36	6.9	12.1	1.45	706	1.26
I099120		1.49	22.8	3.04	8.04	0.11	0.04	0.04	0.022	0.33	8.1	12.7	1.34	1070	1.13
I099121		2.46	29.9	3.89	10.25	0.14	0.05	0.05	0.024	0.80	8.5	18.1	1.97	507	0.89
I099122		1.89	41.5	3.23	8.71	0.11	0.05	0.07	0.024	0.46	10.8	13.7	1.52	455	1.19
I099123		2.41	26.8	4.26	10.60	0.13	0.04	0.03	0.027	0.62	7.3	14.7	2.02	330	1.15
I099124		1.00	23.1	2.28	6.49	0.07	0.02	0.04	0.017	0.11	6.9	8.8	0.79	468	1.29
I099125		1.69	36.8	3.39	8.28	0.10	0.04	0.03	0.021	0.32	8.8	15.8	1.41	488	0.72
I099126		1.63	27.3	3.21	8.80	0.10	0.04	0.08	0.021	0.31	8.3	16.0	1.45	435	0.67
I099127		1.02	22.7	2.26	6.45	0.06	0.02	0.05	0.015	0.16	5.7	8.2	0.79	549	1.03
I099128		1.00	28.9	2.67	7.08	0.07	0.02	0.05	0.018	0.20	7.2	10.5	0.91	629	1.24
I099129		1.33	31.4	3.52	9.52	0.08	0.03	0.04	0.026	0.29	8.0	15.3	1.34	365	1.14
I099130		0.08	1.6	0.68	0.62	<0.05	0.06	<0.01	<0.005	0.04	5.5	1.3	0.04	165	0.43
I099131		2.79	50.1	5.02	10.50	0.11	0.03	0.04	0.023	0.61	6.6	17.2	2.07	894	0.98
I099132		1.99	40.3	4.11	9.71	0.10	0.04	0.16	0.027	0.49	9.5	17.9	1.63	442	1.01
I099133		1.02	42.5	2.84	6.63	0.07	0.02	0.11	0.025	0.17	9.1	8.2	0.70	1020	1.69
I099134		0.94	13.6	1.42	4.75	<0.05	0.02	0.03	0.016	0.05	7.7	5.8	0.20	119	0.60
I099135		1.47	14.8	2.03	7.21	0.06	0.04	0.09	0.026	0.06	11.0	13.8	0.50	191	0.47
I099136		1.31	23.5	3.00	7.44	0.08	0.06	0.06	0.032	0.08	24.0	15.0	0.52	1040	1.03
I099137		1.56	17.3	2.88	7.92	0.07	0.05	0.04	0.031	0.08	12.5	13.9	0.67	366	0.85
I099138		1.99	14.6	2.69	7.63	0.06	0.03	0.05	0.024	0.11	11.9	10.9	0.59	389	0.94
I099139		3.48	7.7	3.58	9.35	0.12	0.05	0.04	0.024	0.43	9.7	13.4	0.98	1290	0.59
I099140		3.51	15.2	3.96	10.50	0.12	0.06	0.03	0.031	0.55	11.6	14.4	1.06	626	0.52
I099141		1.95	12.0	3.14	7.24	0.10	0.06	0.03	0.023	0.26	9.8	12.4	0.86	429	0.53
I099142		1.30	15.8	2.44	6.24	0.07	0.04	0.05	0.022	0.07	15.4	9.8	0.52	927	0.94
I099143		2.01	14.6	3.23	8.14	0.09	0.06	0.04	0.025	0.25	13.4	14.2	0.89	539	0.88
I099144		1.65	12.1	2.08	5.97	0.06	0.03	0.03	0.016	0.19	7.7	8.6	0.55	314	0.55
I099145		2.36	16.6	3.84	9.04	0.11	0.08	0.13	0.030	0.24	11.3	17.4	0.97	467	0.93
I099146		2.64	16.6	3.99	9.12	0.11	0.08	0.02	0.031	0.32	10.3	18.0	1.07	512	0.87
I099147		1.89	31.6	3.73	7.93	0.09	0.09	0.01	0.026	0.19	11.9	14.6	0.97	415	1.13
I099148		0.43	2.1	0.55	1.96	<0.05	<0.02	0.01	<0.005	0.03	0.9	0.6	0.05	34	0.22
I099149		0.95	14.9	2.21	7.64	0.06	0.04	0.04	0.018	0.10	7.3	6.6	0.43	186	1.18
I099150		1.16	9.2	1.95	5.91	<0.05	0.05	0.03	0.014	0.06	4.1	6.5	0.22	130	0.73
I099151		0.73	15.4	1.67	4.95	<0.05	0.02	0.03	0.014	0.05	4.8	4.8	0.23	177	0.54
I099152		1.25	25.8	3.22	6.47	0.09	0.30	0.02	0.027	0.08	9.5	13.3	0.75	336	0.57
I099153		2.77	20.8	4.07	9.80	0.11	0.16	0.02	0.034	0.13	7.2	17.4	0.83	440	1.03
I099154		1.89	16.3	2.96	7.21	0.08	0.06	0.05	0.029	0.10	8.5	10.4	0.42	473	1.25
I099155		1.04	11.4	1.97	5.52	0.06	0.05	0.02	0.016	0.11	5.2	7.4	0.46	190	0.48
I099156		1.40	17.0	2.96	6.01	0.09	0.09	0.04	0.026	0.15	9.4	11.3	0.73	393	0.82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099117		1.34	29.2	640	6.5	35.6	<0.001	0.08	3.12	6.1	0.8	0.6	33.5	<0.01	0.08
I099118		1.22	24.1	760	5.5	28.6	<0.001	0.08	3.59	5.0	1.0	0.4	37.7	<0.01	0.07
I099119		1.36	25.9	560	6.1	31.4	0.001	0.06	3.72	6.1	0.8	0.5	30.3	<0.01	0.08
I099120		1.35	26.0	600	7.1	32.0	0.001	0.06	4.53	6.6	0.9	0.6	30.5	<0.01	0.08
I099121		1.81	35.9	560	7.7	50.5	0.003	0.11	7.60	8.0	1.6	0.6	38.8	<0.01	0.09
I099122		1.35	35.7	840	9.4	39.9	0.003	0.18	4.67	6.8	2.6	0.5	48.6	<0.01	0.09
I099123		1.52	35.5	570	9.9	50.5	0.001	0.05	2.49	9.5	1.6	0.6	29.3	<0.01	0.15
I099124		1.00	21.0	730	5.4	14.8	<0.001	0.05	0.64	3.1	0.6	0.5	27.1	<0.01	0.05
I099125		1.58	30.5	610	6.1	28.6	0.001	0.02	0.98	5.5	0.5	0.6	24.1	<0.01	0.05
I099126		1.65	28.7	540	8.4	29.8	0.001	0.02	2.84	5.8	0.5	0.6	24.2	<0.01	0.05
I099127		1.00	18.2	570	5.4	17.4	<0.001	0.04	1.06	3.3	0.6	0.4	23.4	<0.01	0.05
I099128		1.08	20.8	690	7.5	21.0	<0.001	0.05	1.44	3.8	0.6	0.4	25.4	<0.01	0.05
I099129		1.49	26.2	520	8.7	29.3	<0.001	0.03	2.60	6.5	0.6	0.6	22.6	<0.01	0.06
I099130		0.16	3.7	120	1.5	2.1	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.3	<0.01	<0.01
I099131		1.04	29.0	490	18.5	45.4	<0.001	0.02	1.27	10.4	0.7	0.4	25.4	<0.01	0.08
I099132		1.36	27.3	470	15.3	40.6	<0.001	0.02	1.64	9.0	0.6	0.5	23.6	<0.01	0.06
I099133		0.78	20.1	810	16.0	18.3	<0.001	0.07	1.16	3.5	0.9	0.4	35.3	0.01	0.06
I099134		1.01	7.8	240	4.8	8.3	<0.001	0.01	0.16	2.6	0.3	0.4	14.0	<0.01	0.02
I099135		1.56	15.3	470	6.9	12.5	<0.001	0.03	0.23	5.1	0.4	0.7	26.5	<0.01	0.02
I099136		1.73	19.5	780	7.4	13.5	0.001	0.06	0.35	7.2	0.9	0.7	55.0	<0.01	0.04
I099137		1.85	19.0	600	7.1	13.8	0.001	0.03	0.25	6.0	0.5	0.7	33.7	<0.01	0.02
I099138		1.57	14.2	590	6.8	17.9	<0.001	0.04	0.32	4.3	0.5	0.7	29.5	<0.01	0.03
I099139		2.64	10.2	840	8.1	44.1	<0.001	0.03	0.30	6.4	0.5	0.9	29.4	<0.01	0.02
I099140		2.57	10.4	560	6.0	46.2	<0.001	0.03	0.37	8.0	0.4	1.1	29.8	<0.01	0.02
I099141		1.99	15.4	810	5.3	27.8	<0.001	0.02	0.22	5.7	0.5	0.7	31.6	0.01	0.02
I099142		1.51	14.7	780	5.9	13.4	<0.001	0.07	0.31	4.6	0.8	0.5	35.2	0.01	0.02
I099143		2.74	15.3	800	5.8	31.2	<0.001	0.06	0.31	6.5	0.6	0.8	37.4	<0.01	0.03
I099144		1.52	9.3	700	4.6	23.9	<0.001	0.11	0.24	3.7	0.5	0.5	30.0	<0.01	0.02
I099145		2.68	17.5	650	6.0	28.9	<0.001	0.07	0.48	6.7	0.5	0.8	24.1	<0.01	0.03
I099146		2.48	18.1	720	5.8	36.8	<0.001	0.03	0.50	7.1	0.5	0.8	26.7	<0.01	0.03
I099147		2.51	21.0	570	4.9	24.4	<0.001	0.02	0.55	6.0	0.5	0.7	22.7	<0.01	0.04
I099148		0.36	1.6	80	1.9	3.7	<0.001	<0.01	0.07	0.5	<0.2	0.2	7.3	<0.01	0.01
I099149		1.88	11.3	350	5.6	14.3	<0.001	0.02	0.30	3.6	0.4	0.6	22.3	<0.01	0.02
I099150		1.46	6.1	250	5.2	10.1	<0.001	0.01	0.23	2.6	0.3	0.5	13.3	<0.01	0.02
I099151		1.05	8.2	260	4.2	7.6	<0.001	0.01	0.24	2.5	0.3	0.4	15.9	<0.01	0.02
I099152		0.88	22.4	430	5.9	10.1	<0.001	<0.01	0.34	6.3	0.5	0.7	24.1	<0.01	0.02
I099153		2.29	19.8	620	6.9	17.5	<0.001	<0.01	0.63	7.3	0.5	0.8	19.4	<0.01	0.02
I099154		1.62	12.8	540	7.1	10.3	<0.001	0.02	0.51	6.6	0.5	0.5	30.4	<0.01	0.03
I099155		1.71	10.2	330	4.5	14.7	<0.001	0.01	0.47	4.3	0.3	0.5	21.0	<0.01	0.01
I099156		2.13	14.0	780	5.7	19.8	<0.001	0.03	0.63	6.1	0.6	0.7	44.9	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I099117		0.126	0.24	0.67	92	0.17	5.15	85	1.6
I099118		0.108	0.23	0.56	74	0.15	6.28	70	1.7
I099119		0.130	0.24	0.53	85	0.16	4.70	68	1.7
I099120		0.127	0.22	0.59	80	0.16	5.94	73	1.6
I099121		0.169	0.36	0.98	101	0.19	9.44	89	2.4
I099122		0.109	0.29	1.70	90	0.19	13.10	76	2.1
I099123		0.167	0.36	1.12	119	0.25	5.52	88	2.1
I099124		0.090	0.10	0.53	59	0.19	4.09	53	0.8
I099125		0.165	0.19	0.53	80	0.20	5.06	85	2.3
I099126		0.172	0.21	0.50	81	0.26	4.59	98	1.8
I099127		0.097	0.12	0.51	55	0.19	3.51	68	0.8
I099128		0.105	0.12	0.56	64	0.23	4.73	79	0.9
I099129		0.157	0.19	0.56	103	0.25	4.99	86	1.4
I099130		0.007	0.03	0.33	4	<0.05	2.14	4	2.4
I099131		0.174	0.29	0.42	123	0.34	5.80	197	1.5
I099132		0.158	0.27	0.58	101	0.34	7.59	174	1.9
I099133		0.068	0.10	0.77	63	0.47	7.60	77	0.7
I099134		0.072	0.08	0.92	34	0.12	2.91	21	0.8
I099135		0.115	0.15	1.68	47	0.13	5.34	43	1.5
I099136		0.111	0.17	3.51	71	0.18	12.85	48	2.5
I099137		0.137	0.15	1.57	71	0.18	5.59	57	2.2
I099138		0.116	0.17	1.21	70	0.22	4.87	55	1.3
I099139		0.239	0.35	0.97	86	0.17	6.22	79	2.2
I099140		0.222	0.35	1.02	98	0.26	6.82	75	2.7
I099141		0.187	0.23	0.87	80	0.18	6.13	65	2.4
I099142		0.101	0.14	2.13	52	0.17	7.81	53	1.6
I099143		0.196	0.23	1.43	84	0.36	6.62	70	2.6
I099144		0.117	0.17	1.12	51	0.37	4.46	45	1.2
I099145		0.243	0.23	1.00	104	0.58	6.75	70	3.3
I099146		0.252	0.28	1.07	105	0.41	7.41	74	3.3
I099147		0.215	0.25	0.84	102	0.41	5.92	58	3.8
I099148		0.040	0.03	0.06	15	0.05	0.39	10	<0.5
I099149		0.140	0.13	0.60	67	0.27	2.96	44	1.6
I099150		0.095	0.08	0.36	52	0.21	2.18	25	2.0
I099151		0.088	0.07	0.46	45	0.33	2.61	27	0.9
I099152		0.152	0.15	0.69	82	0.22	5.26	51	12.5
I099153		0.206	0.19	0.53	116	0.35	5.26	65	6.8
I099154		0.112	0.13	0.77	82	0.32	6.34	47	2.4
I099155		0.120	0.12	0.41	56	0.23	3.65	37	1.9
I099156		0.140	0.16	1.14	78	0.36	7.37	54	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099157		0.38	<0.005	0.09	1.61	9.2	<0.2	<10	170	0.19	0.12	0.55	0.14	16.70	8.0	27
I099158		0.44	<0.005	0.01	0.15	1.9	<0.2	<10	30	0.09	0.02	0.07	0.03	11.70	2.0	5
I099159		0.38	<0.005	0.34	1.59	8.3	<0.2	<10	140	0.36	0.11	0.88	0.15	20.3	11.7	32
I099160		0.52	<0.005	0.38	2.68	108.5	<0.2	<10	350	0.66	0.18	0.67	0.24	30.0	13.8	33
I099161		0.40	<0.005	0.26	2.27	30.5	<0.2	<10	240	0.62	0.68	0.46	0.25	24.1	10.5	30
I099162		0.36	<0.005	0.12	2.31	37.8	<0.2	<10	200	0.48	0.18	0.36	0.11	27.8	10.8	26
I099163		0.42	<0.005	0.12	2.95	6.1	<0.2	<10	290	0.67	0.10	0.20	0.07	30.1	22.0	75
I099164		0.40	<0.005	0.06	2.36	10.9	<0.2	<10	210	0.29	0.19	0.18	0.06	15.60	12.5	42
I099165		0.36	<0.005	0.08	0.17	1.9	<0.2	<10	30	0.09	0.02	0.07	0.04	9.96	2.1	5
I099166		0.42	<0.005	0.10	2.12	4.9	<0.2	<10	200	0.41	0.12	0.35	0.10	18.25	18.0	47
I099167		0.40	<0.005	0.25	2.34	9.6	<0.2	<10	100	1.27	0.11	1.45	0.07	44.0	15.9	93
I099168		0.56	<0.005	0.15	2.09	11.4	<0.2	<10	160	0.39	0.18	0.49	0.07	19.55	9.3	37
I099169		0.54	<0.005	0.07	2.51	11.3	<0.2	<10	180	0.33	0.19	0.24	0.08	17.95	9.6	50
I099170		0.32	<0.005	0.09	0.86	4.0	<0.2	<10	50	0.10	0.08	0.04	0.08	10.00	4.2	23
I099171		0.54	0.035	0.16	1.50	43.5	<0.2	<10	140	0.36	0.16	0.26	0.09	22.5	10.3	39
I099172		0.56	<0.005	0.10	2.65	12.3	<0.2	<10	100	0.34	0.15	0.11	0.09	15.05	10.8	43
I099173		0.56	<0.005	0.12	1.86	15.1	<0.2	<10	180	0.35	0.16	0.33	0.05	20.9	8.9	32
I099174		0.46	<0.005	0.10	2.37	16.3	<0.2	<10	200	0.35	0.23	0.15	0.11	15.95	14.9	47
I099175		0.58	<0.005	0.08	2.54	11.3	<0.2	<10	150	0.47	0.14	0.19	0.05	13.40	14.3	58
I099176		0.60	<0.005	0.11	1.70	32.4	<0.2	<10	180	0.54	0.17	0.57	0.07	28.1	12.9	45
I099177		0.46	<0.005	0.20	1.65	37.0	<0.2	<10	130	0.79	0.15	1.38	0.07	22.6	24.7	195
I099178		0.48	<0.005	0.13	1.82	159.0	<0.2	<10	160	0.66	0.12	1.42	0.11	26.4	16.9	51
I099179		0.56	<0.005	0.15	1.89	166.0	<0.2	<10	170	0.60	0.12	1.42	0.10	25.1	16.1	47
I099180		0.54	<0.005	0.20	1.79	71.8	<0.2	<10	180	0.58	0.15	1.96	0.21	24.3	15.1	44
I099181		0.42	<0.005	0.13	1.97	7.1	<0.2	<10	170	0.27	0.17	0.35	0.08	15.00	10.1	35
I099182		0.64	<0.005	0.13	1.92	7.3	<0.2	<10	160	0.34	0.13	0.24	0.08	25.4	14.6	39
I099183		0.40	<0.005	0.18	1.32	9.9	<0.2	<10	60	0.15	0.20	0.09	0.19	14.20	4.9	28
I099184		0.40	<0.005	0.19	2.17	11.3	<0.2	<10	190	0.33	0.17	0.20	0.11	17.40	10.6	40
I099185		0.42	<0.005	0.03	2.42	13.5	<0.2	<10	160	0.40	0.16	0.23	0.15	16.30	15.8	47
I099186		0.40	<0.005	0.03	3.24	11.5	<0.2	<10	210	0.57	0.17	0.20	0.11	21.4	20.9	45
I099187		0.40	<0.005	0.05	0.56	1.6	<0.2	<10	40	0.23	0.07	0.05	0.04	11.65	2.1	8
I099188		0.50	<0.005	0.03	1.82	13.0	<0.2	<10	90	0.31	0.14	0.12	0.10	25.8	9.1	32
I099189		0.52	<0.005	0.05	2.31	10.3	<0.2	<10	170	0.45	0.16	0.18	0.08	26.9	13.3	41
I099190		0.38	<0.005	0.03	0.69	5.0	<0.2	<10	60	0.19	0.10	0.09	0.10	12.45	2.5	16
I099191		0.48	<0.005	0.03	2.12	10.9	<0.2	<10	70	0.25	0.13	0.10	0.11	18.85	11.3	51
I099192		0.36	<0.005	0.03	0.86	5.6	<0.2	<10	40	0.20	0.16	0.06	0.09	19.45	4.3	17
I099193		0.58	<0.005	0.02	2.13	6.8	<0.2	<10	80	0.29	0.11	0.10	0.05	23.9	12.5	42
I099194		0.40	<0.005	0.02	1.46	5.3	<0.2	<10	50	0.25	0.12	0.08	0.05	22.7	8.0	30
I099195		0.38	<0.005	0.04	0.98	4.5	<0.2	<10	70	0.20	0.13	0.14	0.05	14.75	4.1	16
I099196		0.62	<0.005	0.04	2.13	8.0	<0.2	<10	210	0.45	0.19	0.34	0.06	20.4	9.7	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099157		1.24	14.3	2.25	6.48	0.06	0.05	0.04	0.021	0.08	8.4	11.7	0.58	229	0.73
I099158		0.08	1.9	0.75	0.59	<0.05	0.08	<0.01	<0.005	0.05	5.7	1.4	0.04	171	0.29
I099159		0.45	27.8	2.83	4.72	0.09	0.09	0.03	0.021	0.07	9.5	11.0	0.67	478	0.55
I099160		2.91	17.7	3.59	8.24	0.12	0.15	0.10	0.037	0.15	16.0	14.4	0.74	682	0.98
I099161		3.08	17.5	3.14	7.26	0.09	0.11	0.04	0.053	0.13	12.8	12.6	0.56	421	2.00
I099162		2.80	13.4	3.18	7.06	0.09	0.10	0.07	0.028	0.15	12.9	13.6	0.67	388	0.75
I099163		2.05	32.8	3.98	8.94	0.11	0.04	0.01	0.025	0.56	18.4	23.7	1.18	345	0.58
I099164		1.09	18.8	3.65	6.90	0.07	0.03	0.03	0.025	0.06	7.5	15.3	0.52	259	1.37
I099165		0.08	1.8	0.86	0.66	<0.05	0.08	<0.01	<0.005	0.06	5.0	1.1	0.04	190	0.27
I099166		0.90	13.7	3.11	6.39	0.06	0.03	0.01	0.019	0.17	7.5	13.7	0.69	356	0.79
I099167		0.56	41.1	4.60	8.76	0.15	0.15	0.02	0.051	0.05	24.6	16.7	1.03	411	0.44
I099168		0.70	15.1	2.83	7.38	0.07	0.11	0.02	0.026	0.03	9.5	11.0	0.48	228	0.97
I099169		1.19	12.7	3.58	7.94	0.07	0.09	0.01	0.028	0.03	8.9	18.0	0.56	199	1.24
I099170		0.57	11.8	1.42	3.82	<0.05	<0.02	0.02	0.010	0.08	4.0	5.9	0.25	66	0.52
I099171		0.98	17.6	3.44	6.47	0.08	0.06	0.01	0.023	0.11	11.3	10.0	0.43	277	1.63
I099172		1.05	20.2	4.42	8.15	0.07	0.06	0.02	0.024	0.13	7.0	21.5	0.56	277	1.48
I099173		1.03	15.4	2.68	5.96	0.07	0.08	0.01	0.026	0.03	10.3	10.5	0.35	436	1.17
I099174		1.18	17.2	3.97	8.44	0.07	0.08	0.03	0.032	0.06	7.8	15.4	0.56	482	1.55
I099175		1.08	39.1	3.96	7.07	0.08	0.05	0.02	0.029	0.08	7.2	17.8	0.66	243	1.04
I099176		1.65	29.3	2.85	5.80	0.09	0.05	0.03	0.025	0.04	16.9	14.1	0.59	464	1.08
I099177		1.37	45.8	3.04	4.58	0.10	0.07	0.04	0.022	0.03	11.4	10.7	1.12	473	0.31
I099178		0.82	45.1	2.85	4.93	0.08	0.08	0.04	0.024	0.04	13.4	11.2	0.62	362	0.59
I099179		0.81	44.0	3.04	4.81	0.08	0.08	0.03	0.025	0.04	13.0	10.7	0.65	374	0.55
I099180		0.56	51.7	2.81	4.66	0.08	0.07	0.05	0.023	0.04	13.0	12.7	0.80	571	0.49
I099181		0.84	23.8	2.70	6.26	0.06	0.08	0.01	0.022	0.03	7.3	11.3	0.61	153	0.83
I099182		1.14	26.3	2.87	6.09	0.08	0.02	0.02	0.019	0.10	13.9	16.7	0.56	306	0.91
I099183		0.75	12.4	2.62	7.63	0.05	0.03	0.02	0.014	0.06	7.1	6.4	0.35	205	1.36
I099184		0.91	19.4	3.67	8.43	0.07	0.03	0.01	0.023	0.06	8.6	14.0	0.56	265	1.52
I099185		1.07	25.3	3.44	6.46	0.07	<0.02	0.02	0.028	0.08	8.1	21.8	0.71	289	0.68
I099186		1.40	23.1	3.63	6.18	0.08	0.05	0.02	0.035	0.05	9.7	19.6	0.66	351	1.10
I099187		0.34	12.7	0.91	2.31	<0.05	<0.02	0.05	0.009	0.02	5.9	0.9	0.04	29	0.54
I099188		0.85	18.0	3.14	5.88	0.08	<0.02	0.03	0.024	0.06	13.5	15.9	0.48	209	0.99
I099189		1.09	23.7	3.40	6.10	0.09	0.06	0.03	0.028	0.10	13.8	17.5	0.66	282	1.01
I099190		0.69	14.1	1.08	3.71	<0.05	<0.02	0.02	0.008	0.06	6.6	3.6	0.14	38	0.58
I099191		1.47	20.8	4.13	7.33	0.08	<0.02	0.02	0.022	0.17	7.3	17.4	0.78	232	1.28
I099192		0.55	15.1	1.71	5.54	0.05	<0.02	0.02	0.014	0.06	8.6	3.7	0.22	95	0.96
I099193		1.29	21.2	3.87	7.73	0.08	<0.02	0.01	0.021	0.26	11.2	17.4	0.76	161	1.18
I099194		1.22	17.1	2.65	6.12	0.06	<0.02	0.02	0.020	0.19	10.5	11.1	0.54	118	1.01
I099195		0.57	10.8	1.62	4.84	<0.05	<0.02	0.02	0.013	0.03	9.1	5.6	0.21	81	0.79
I099196		0.84	13.7	2.99	6.60	0.07	0.10	0.02	0.025	0.03	10.0	13.2	0.41	193	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099157		1.71	13.1	480	5.8	13.5	<0.001	0.02	0.32	4.3	0.4	0.6	35.7	<0.01	0.02
I099158		0.17	3.4	130	1.6	2.3	<0.001	<0.01	0.11	0.6	<0.2	<0.2	8.8	<0.01	<0.01
I099159		1.51	21.9	750	5.1	6.2	<0.001	0.02	0.38	5.2	0.6	0.4	41.8	<0.01	0.02
I099160		2.18	16.1	520	13.6	19.5	<0.001	0.01	0.99	8.4	0.6	0.7	33.9	<0.01	0.02
I099161		2.08	16.4	430	18.6	20.3	<0.001	0.01	1.59	5.6	0.5	1.0	28.2	<0.01	0.03
I099162		2.15	13.6	550	10.7	22.7	<0.001	0.01	1.72	6.0	0.5	0.7	21.9	<0.01	0.02
I099163		1.46	45.2	420	5.4	50.1	<0.001	0.01	0.21	4.9	0.5	0.5	14.3	<0.01	0.02
I099164		1.88	26.8	260	8.8	10.0	<0.001	0.01	0.51	3.3	0.4	0.6	18.7	<0.01	0.03
I099165		0.15	3.4	120	1.5	2.4	<0.001	<0.01	0.12	0.6	<0.2	<0.2	8.1	<0.01	<0.01
I099166		1.76	26.2	720	6.7	17.6	<0.001	<0.01	0.28	3.3	0.3	0.5	27.6	<0.01	0.02
I099167		0.96	53.3	900	7.8	4.9	<0.001	0.02	0.54	12.9	0.9	1.2	83.3	0.01	0.02
I099168		1.64	16.5	220	9.7	4.6	<0.001	<0.01	0.38	4.3	0.3	0.7	28.5	<0.01	0.03
I099169		1.55	27.8	180	10.2	8.1	<0.001	<0.01	0.42	3.9	0.3	0.7	20.0	<0.01	0.03
I099170		0.52	11.9	330	3.3	10.1	<0.001	0.01	0.22	0.8	0.3	0.4	8.7	<0.01	0.02
I099171		1.63	21.8	190	10.2	32.1	<0.001	<0.01	1.34	3.2	0.3	0.6	17.0	<0.01	0.03
I099172		2.94	22.2	330	7.9	19.4	<0.001	0.01	0.46	3.4	0.4	0.7	10.8	0.01	0.04
I099173		1.37	15.9	190	8.0	7.5	<0.001	0.01	0.38	4.0	0.4	0.7	25.5	<0.01	0.02
I099174		1.78	22.5	260	10.1	19.9	<0.001	<0.01	0.59	3.6	0.3	0.7	14.8	<0.01	0.03
I099175		1.88	30.1	330	6.5	15.3	<0.001	<0.01	0.33	4.2	0.4	0.5	16.0	<0.01	0.03
I099176		1.15	32.5	490	8.3	10.3	<0.001	0.01	0.77	5.1	0.6	0.5	32.5	<0.01	0.03
I099177		1.10	215	540	8.7	4.6	<0.001	0.04	0.71	5.8	0.9	0.4	60.5	<0.01	0.03
I099178		1.32	47.0	480	9.2	4.9	<0.001	0.04	1.43	5.3	0.7	0.4	69.4	<0.01	0.03
I099179		1.24	44.8	540	9.2	4.9	<0.001	0.04	1.37	5.3	0.7	0.4	65.5	<0.01	0.03
I099180		1.15	46.0	680	10.2	5.0	<0.001	0.04	0.83	4.3	0.8	0.4	85.7	<0.01	0.04
I099181		1.61	26.5	210	8.0	5.5	<0.001	0.01	0.30	3.8	0.3	0.6	23.8	<0.01	0.03
I099182		1.30	29.1	420	6.4	15.0	<0.001	0.03	0.26	3.3	0.5	0.5	20.7	<0.01	0.03
I099183		1.66	12.1	270	8.1	11.2	<0.001	0.01	0.41	2.2	0.3	0.7	10.3	<0.01	0.03
I099184		1.69	23.1	320	9.1	10.2	<0.001	<0.01	0.47	3.4	0.4	0.6	19.5	<0.01	0.03
I099185		1.70	33.9	350	7.9	15.6	<0.001	<0.01	0.29	3.5	0.4	0.6	20.8	<0.01	0.03
I099186		2.16	38.3	360	8.8	10.8	<0.001	<0.01	0.57	4.6	0.6	0.5	19.0	0.01	0.04
I099187		0.22	4.8	270	2.8	2.1	<0.001	<0.01	0.13	0.6	0.5	<0.2	8.9	<0.01	0.02
I099188		1.58	22.0	250	7.5	9.5	<0.001	<0.01	0.90	3.3	0.6	0.4	14.0	0.01	0.03
I099189		1.77	27.8	230	10.6	14.6	<0.001	<0.01	0.36	4.6	0.6	0.4	17.5	<0.01	0.03
I099190		0.71	7.1	160	5.6	9.8	<0.001	<0.01	0.10	1.0	0.4	0.3	13.0	<0.01	0.02
I099191		1.94	34.4	300	5.9	21.2	<0.001	<0.01	0.36	3.1	0.6	0.4	11.1	<0.01	0.04
I099192		0.40	13.0	370	5.6	8.0	<0.001	<0.01	0.19	0.8	0.4	0.4	9.4	<0.01	0.03
I099193		2.50	32.8	310	5.7	30.6	<0.001	<0.01	0.24	3.2	0.4	0.5	12.5	<0.01	0.03
I099194		1.39	20.9	380	5.2	22.1	<0.001	0.01	0.17	2.0	0.5	0.4	12.3	<0.01	0.03
I099195		0.84	8.9	180	5.6	6.6	<0.001	<0.01	0.20	1.8	0.4	0.3	14.8	<0.01	0.02
I099196		1.47	22.4	180	10.1	7.0	<0.001	<0.01	0.35	4.1	0.4	0.5	30.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I099157		0.131	0.12	0.72	60	0.22	4.80	47	1.9
I099158		0.013	0.03	0.34	7	0.05	2.29	7	3.3
I099159		0.129	0.06	0.69	77	0.19	8.43	57	3.6
I099160		0.147	0.22	1.40	90	0.45	10.00	78	5.9
I099161		0.124	0.17	0.95	77	0.26	7.18	87	3.9
I099162		0.154	0.20	0.97	84	0.26	7.18	62	3.9
I099163		0.169	0.33	0.60	72	0.13	5.98	84	1.3
I099164		0.099	0.12	0.43	78	0.25	2.45	58	1.4
I099165		0.012	0.03	0.30	7	0.07	2.14	7	3.1
I099166		0.135	0.13	0.50	67	0.14	2.53	78	1.3
I099167		0.027	0.07	0.71	77	0.17	20.0	84	3.2
I099168		0.081	0.11	0.65	78	0.18	4.06	45	4.6
I099169		0.090	0.12	0.44	86	0.17	2.62	49	4.1
I099170		0.049	0.06	0.27	35	0.12	1.75	25	<0.5
I099171		0.068	0.10	0.35	71	0.21	2.74	54	2.4
I099172		0.156	0.14	0.36	83	0.18	2.66	63	2.3
I099173		0.079	0.12	0.60	67	0.16	4.64	41	3.4
I099174		0.112	0.14	0.38	92	0.18	2.27	72	3.6
I099175		0.108	0.11	0.42	80	0.19	2.72	57	1.8
I099176		0.059	0.12	1.10	60	0.19	9.30	51	1.7
I099177		0.062	0.12	1.16	55	0.19	9.05	54	2.6
I099178		0.068	0.07	0.59	59	0.20	8.65	57	3.2
I099179		0.074	0.07	0.58	62	0.25	8.47	59	3.1
I099180		0.070	0.05	0.64	56	0.20	10.05	55	2.6
I099181		0.086	0.11	0.58	68	0.18	2.56	42	3.1
I099182		0.101	0.12	0.78	58	0.12	5.22	58	0.8
I099183		0.112	0.09	0.36	75	0.14	1.90	41	1.1
I099184		0.124	0.12	0.44	90	0.18	2.95	54	1.2
I099185		0.103	0.14	0.38	65	0.22	3.12	75	1.0
I099186		0.092	0.10	0.56	65	0.20	3.81	65	4.1
I099187		0.024	0.03	0.35	17	<0.05	3.40	8	<0.5
I099188		0.066	0.10	0.59	56	0.15	4.83	49	1.1
I099189		0.110	0.14	0.78	65	0.14	6.20	61	4.3
I099190		0.062	0.09	0.42	25	0.05	2.71	16	<0.5
I099191		0.126	0.15	0.43	77	0.13	4.08	66	0.9
I099192		0.037	0.05	0.51	46	0.06	4.49	25	<0.5
I099193		0.151	0.16	0.50	72	0.09	4.49	64	1.2
I099194		0.094	0.13	0.63	50	0.08	4.51	46	0.5
I099195		0.058	0.06	0.42	44	0.12	2.77	23	<0.5
I099196		0.071	0.10	0.68	71	0.14	4.03	45	5.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099197		0.46	<0.005	0.07	1.57	6.8	<0.2	<10	120	0.29	0.17	0.12	0.09	21.1	12.2	25
I099198		0.50	<0.005	0.05	1.74	8.9	<0.2	<10	100	0.28	0.19	0.15	0.06	17.30	7.1	31
I099199		0.34	<0.005	0.02	0.17	1.9	<0.2	<10	40	0.15	0.02	0.09	0.04	10.25	2.3	3
I099200		0.48	<0.005	0.04	2.09	5.7	<0.2	<10	160	0.43	0.14	0.41	0.06	25.1	10.6	39
I099207		0.34	<0.005	0.04	2.19	4.4	<0.2	<10	220	0.38	0.13	0.64	0.25	24.7	14.0	69
I099208		0.34	<0.005	0.10	2.61	3.9	<0.2	<10	350	0.44	0.15	1.09	0.27	27.7	14.4	116
I099209		0.28	<0.005	0.10	2.36	3.6	<0.2	<10	230	0.40	0.12	0.51	0.11	23.0	16.0	94
I099210		0.32	<0.005	0.10	2.20	3.8	<0.2	<10	180	0.40	0.14	0.32	0.17	25.3	13.3	70
I099211		0.46	<0.005	0.09	2.77	4.5	<0.2	<10	210	0.56	0.20	0.33	0.14	44.5	15.1	82
I099212		0.38	<0.005	0.09	2.55	4.0	<0.2	<10	200	0.72	0.19	0.43	0.17	43.0	14.7	84
I099213		0.46	<0.005	0.15	2.66	12.7	<0.2	<10	290	1.06	0.53	0.63	0.22	77.8	11.0	83
I099214		0.30	0.007	0.17	2.16	21.9	<0.2	<10	280	1.49	0.35	0.84	0.53	119.5	12.6	56
I099215		0.34	<0.005	0.13	1.94	14.2	<0.2	<10	290	0.76	0.19	1.04	0.36	64.0	11.0	43
I099216		0.40	0.005	0.13	2.37	5.4	<0.2	<10	240	0.56	0.16	0.52	0.17	32.0	10.9	44
I099217		0.40	<0.005	0.12	2.58	9.4	<0.2	<10	290	0.47	0.16	0.47	0.15	27.3	9.9	49
I099218		0.46	0.006	0.11	2.55	3.7	<0.2	<10	190	0.39	0.19	0.41	0.23	20.2	9.6	40
I099219		0.52	<0.005	0.02	0.16	1.9	<0.2	<10	30	0.16	0.02	0.09	0.04	10.05	2.2	4
I099220		0.32	<0.005	0.16	2.31	8.1	<0.2	<10	190	0.34	0.14	0.43	0.20	17.25	12.2	46
I099221		0.24	0.007	0.24	2.60	6.7	<0.2	<10	220	0.30	0.16	0.48	0.33	15.05	15.3	58
I099222		0.38	0.006	0.15	3.16	4.7	<0.2	<10	340	0.32	0.12	0.43	0.24	14.30	19.5	59
I099223		0.32	0.009	0.31	2.39	32.0	<0.2	<10	760	0.37	0.26	1.07	1.08	18.55	30.4	41
I099224		0.34	0.008	0.17	2.31	33.8	<0.2	<10	270	0.39	0.33	0.65	0.23	16.10	14.9	39
I099225		0.40	<0.005	0.12	2.74	4.5	<0.2	<10	300	0.70	0.10	0.50	0.05	39.0	20.3	143
I099226		0.30	<0.005	0.03	2.64	7.0	<0.2	<10	160	0.56	0.11	0.28	0.10	25.4	17.1	124
I099227		0.24	<0.005	0.21	0.38	0.9	<0.2	<10	130	0.40	0.08	0.26	0.18	45.4	2.2	9
I099228		0.24	<0.005	0.44	1.44	5.2	<0.2	<10	120	0.43	0.24	0.17	0.29	34.2	5.1	27
I099229		0.40	<0.005	0.13	1.56	6.7	<0.2	<10	250	0.61	0.69	0.17	0.05	117.5	9.8	27
I099230		0.32	<0.005	0.12	0.98	5.8	<0.2	<10	170	0.32	0.75	0.11	0.18	46.9	5.1	17
I099231		0.28	<0.005	0.26	1.47	9.3	<0.2	<10	160	0.40	0.75	0.29	0.11	45.4	7.3	26
I099232		0.44	<0.005	0.12	2.23	7.5	<0.2	<10	250	0.57	0.44	0.33	0.12	38.6	11.5	43
I099233		0.30	<0.005	0.09	2.17	6.2	<0.2	<10	350	0.47	0.15	0.36	0.08	27.7	14.1	45
I099234		0.28	<0.005	0.17	1.43	3.1	<0.2	<10	300	0.41	0.13	0.71	0.13	41.4	9.3	30
I099235		0.28	<0.005	0.06	0.31	0.8	<0.2	<10	60	0.16	0.05	0.11	0.08	10.50	1.5	7
I099236		0.36	<0.005	0.03	3.21	6.0	<0.2	<10	200	0.71	0.08	0.34	0.05	24.1	21.9	95
I099237		0.44	<0.005	0.04	2.14	16.5	<0.2	<10	130	0.54	0.16	0.23	0.08	35.9	11.8	45
I099238		0.44	<0.005	0.01	0.16	1.9	<0.2	<10	30	0.17	0.01	0.09	0.04	11.10	2.3	3
I099239		0.22	<0.005	0.05	1.09	5.1	<0.2	<10	60	0.23	0.12	0.12	0.09	19.40	6.2	28
I099240		0.36	<0.005	0.03	2.37	18.2	<0.2	<10	130	0.33	0.11	0.22	0.04	33.7	12.5	46
I099241		0.32	0.010	0.04	1.19	6.4	<0.2	<10	90	0.30	0.21	0.14	0.11	20.0	5.7	22
I099242		0.36	<0.005	0.03	2.31	6.8	<0.2	<10	130	0.36	0.11	0.17	0.10	32.0	17.0	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099197		0.78	14.8	3.11	7.05	0.06	<0.02	0.02	0.022	0.05	8.3	11.7	0.33	426	1.39
I099198		0.72	13.5	3.08	7.26	0.07	<0.02	0.02	0.025	0.06	8.7	13.9	0.38	165	1.17
I099199		0.09	2.1	0.94	0.69	<0.05	0.06	0.01	<0.005	0.06	5.2	1.6	0.04	186	0.29
I099200		0.78	16.7	3.34	5.80	0.08	<0.02	0.02	0.030	0.05	14.7	13.2	0.53	253	0.78
I099207		1.07	14.8	2.68	6.56	0.10	0.02	0.14	0.021	0.25	12.0	15.5	1.04	491	1.00
I099208		1.36	26.3	2.94	7.25	0.12	0.04	0.04	0.023	0.32	13.9	16.8	1.48	585	0.99
I099209		1.26	17.1	2.85	6.98	0.10	0.02	0.04	0.019	0.26	11.4	12.8	1.27	701	1.07
I099210		1.45	14.5	2.74	7.40	0.11	0.02	0.05	0.021	0.22	12.4	12.5	1.07	570	1.07
I099211		1.69	19.0	3.25	8.05	0.15	0.04	0.04	0.023	0.32	22.3	15.8	1.32	459	0.95
I099212		2.03	18.2	2.89	7.42	0.14	0.05	0.02	0.022	0.45	23.2	13.9	1.27	615	0.82
I099213		1.68	22.2	2.74	8.56	0.16	0.13	0.05	0.028	0.53	38.9	14.0	1.36	367	0.78
I099214		1.69	24.3	2.39	6.77	0.18	0.16	0.05	0.024	0.46	51.9	9.5	0.93	750	1.03
I099215		1.33	20.0	2.36	5.80	0.13	0.07	0.06	0.021	0.23	29.8	9.9	0.64	807	0.92
I099216		1.27	19.0	2.55	6.80	0.11	0.05	0.04	0.023	0.24	15.9	12.2	0.73	347	0.32
I099217		1.41	19.4	3.16	7.20	0.10	0.05	0.05	0.023	0.25	14.2	12.5	0.81	246	0.41
I099218		0.87	28.2	2.55	7.43	0.09	0.02	0.05	0.028	0.12	9.8	13.9	1.31	578	0.38
I099219		0.08	2.0	0.84	0.61	<0.05	0.05	0.01	<0.005	0.05	5.1	1.6	0.04	177	0.32
I099220		0.79	24.0	3.33	6.58	0.08	<0.02	0.06	0.027	0.08	8.3	11.0	1.19	797	1.03
I099221		0.70	34.1	3.47	7.68	0.10	<0.02	0.07	0.028	0.10	7.5	11.8	1.50	916	0.85
I099222		0.89	38.9	4.22	8.40	0.11	<0.02	0.03	0.023	0.28	6.4	12.2	1.81	1060	0.41
I099223		1.17	39.0	3.81	6.59	0.11	<0.02	0.05	0.018	0.39	8.7	10.4	1.13	7580	3.00
I099224		1.49	27.1	2.90	6.52	0.12	<0.02	0.03	0.018	0.39	7.6	10.6	1.17	513	0.72
I099225		2.30	45.1	3.78	8.33	0.16	0.04	0.02	0.020	0.70	21.0	20.9	2.02	494	0.67
I099226		1.72	20.8	3.91	8.18	0.12	0.02	0.01	0.018	0.43	11.7	19.6	1.61	410	1.02
I099227		0.39	15.0	0.62	2.09	0.09	<0.02	0.06	0.010	0.03	37.1	1.1	0.06	106	0.38
I099228		1.23	34.9	1.95	5.43	0.08	<0.02	0.07	0.020	0.09	24.9	7.1	0.37	129	1.36
I099229		0.70	23.0	2.80	4.36	0.15	0.29	0.02	0.017	0.14	62.9	9.2	0.51	274	2.22
I099230		0.74	15.7	2.10	4.70	0.08	<0.02	0.03	0.014	0.08	25.8	5.3	0.29	253	2.15
I099231		1.22	24.5	2.37	5.15	0.09	<0.02	0.05	0.019	0.12	27.8	7.3	0.61	339	1.74
I099232		1.05	29.8	3.23	6.61	0.09	0.05	0.05	0.033	0.07	20.2	14.3	0.94	374	0.94
I099233		0.74	26.1	3.11	7.14	0.09	<0.02	0.03	0.023	0.12	14.6	14.4	0.89	354	0.97
I099234		0.95	15.8	1.96	5.39	0.11	0.02	0.06	0.021	0.12	30.0	9.4	0.61	518	0.83
I099235		0.31	7.9	0.54	1.95	<0.05	<0.02	0.03	0.005	0.03	7.3	1.3	0.06	47	0.43
I099236		2.17	23.6	4.14	8.17	0.12	0.06	0.01	0.016	0.88	15.5	25.0	2.04	517	0.66
I099237		1.44	21.5	3.50	7.32	0.09	<0.02	0.02	0.027	0.18	22.6	14.8	0.67	355	1.34
I099238		0.09	2.1	0.81	0.68	<0.05	0.06	<0.01	<0.005	0.05	5.6	1.9	0.04	172	0.31
I099239		1.14	14.5	2.00	5.91	0.06	<0.02	0.03	0.012	0.11	10.8	6.5	0.34	146	0.92
I099240		0.97	24.3	3.49	7.45	0.10	0.02	0.01	0.021	0.18	21.2	15.2	0.80	215	0.96
I099241		0.61	15.2	2.09	5.57	0.05	<0.02	0.02	0.017	0.07	7.6	7.7	0.26	194	1.45
I099242		1.52	23.3	3.75	6.06	0.09	<0.02	0.02	0.024	0.36	12.4	19.6	0.82	342	1.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I099197		1.75	15.2	300	7.3	10.7	<0.001	<0.01	0.40	2.4	0.4	0.5	15.5	<0.01	0.03	2.4
I099198		1.93	16.6	220	8.7	11.2	<0.001	<0.01	0.35	3.1	0.5	0.6	15.9	<0.01	0.04	3.1
I099199		0.17	3.9	120	1.7	2.8	<0.001	<0.01	0.12	0.7	<0.2	<0.2	9.2	<0.01	<0.01	2.2
I099200		1.42	24.8	280	8.2	8.6	<0.001	<0.01	0.26	4.4	0.5	0.6	28.2	<0.01	0.03	5.1
I099207		2.05	27.7	710	7.4	34.9	0.001	0.03	0.23	4.8	0.8	0.4	40.4	<0.01	0.02	2.1
I099208		1.83	46.5	880	7.1	35.0	0.001	0.07	0.25	6.0	1.1	0.4	51.8	0.01	0.03	2.3
I099209		1.92	34.0	680	7.9	31.0	<0.001	0.03	0.20	4.9	0.7	0.5	32.6	<0.01	0.02	2.1
I099210		2.35	28.1	650	9.6	30.5	<0.001	0.02	0.22	4.4	0.8	0.7	28.0	<0.01	0.02	2.4
I099211		2.76	33.2	730	11.8	39.1	<0.001	<0.01	0.22	6.1	0.7	0.7	25.0	<0.01	0.03	5.9
I099212		2.46	35.1	850	14.2	47.6	0.001	<0.01	0.20	5.6	0.7	0.9	30.0	<0.01	0.03	5.8
I099213		2.82	32.6	660	22.2	62.3	0.001	0.05	0.74	6.8	1.5	1.1	37.5	0.01	0.08	9.1
I099214		2.70	25.3	760	27.9	56.3	0.001	0.05	0.81	5.4	1.5	0.9	50.0	0.01	0.08	7.8
I099215		1.76	21.2	870	14.9	37.2	0.001	0.07	0.47	4.3	1.2	0.5	64.7	0.01	0.07	2.3
I099216		1.83	19.8	670	11.3	32.0	<0.001	0.02	0.33	6.5	0.8	0.5	33.7	<0.01	0.03	4.1
I099217		1.93	21.6	610	11.4	29.5	<0.001	0.02	0.35	6.3	0.8	0.5	33.2	<0.01	0.03	3.4
I099218		1.30	18.3	430	7.9	18.2	<0.001	0.02	0.32	7.2	0.6	0.4	28.0	<0.01	0.05	2.5
I099219		0.17	3.8	130	1.6	2.5	<0.001	<0.01	0.12	0.7	<0.2	<0.2	9.5	<0.01	0.01	1.8
I099220		1.16	19.2	710	6.5	13.2	<0.001	0.03	0.29	6.2	0.7	0.4	29.4	<0.01	0.06	1.5
I099221		1.03	24.0	750	7.4	11.9	0.001	0.02	0.32	7.0	0.7	0.4	32.4	<0.01	0.06	1.5
I099222		0.70	23.0	540	5.3	19.1	<0.001	<0.01	0.28	9.9	0.5	0.2	22.9	<0.01	0.05	2.1
I099223		1.08	27.0	670	18.1	30.7	0.002	0.11	3.41	5.8	1.5	0.3	47.4	<0.01	0.09	1.4
I099224		1.41	19.7	580	7.9	32.1	<0.001	0.03	3.96	5.7	0.8	0.3	28.4	<0.01	0.07	2.2
I099225		1.36	43.0	720	9.6	68.1	<0.001	<0.01	0.23	5.0	0.7	0.5	30.9	<0.01	0.02	5.1
I099226		1.87	35.6	600	8.2	46.1	<0.001	<0.01	0.24	3.5	0.4	0.5	24.0	<0.01	0.02	3.8
I099227		0.22	6.2	540	5.8	6.9	<0.001	0.01	0.11	0.6	0.9	<0.2	24.1	0.01	0.03	<0.2
I099228		0.87	16.6	780	17.5	22.3	<0.001	0.04	0.26	1.5	1.0	0.3	20.0	<0.01	0.04	0.3
I099229		1.06	19.5	370	20.6	16.5	<0.001	0.14	0.34	4.7	0.7	<0.2	31.8	<0.01	0.03	23.5
I099230		0.85	9.3	430	23.5	18.7	<0.001	0.02	0.24	1.5	0.8	<0.2	12.4	<0.01	0.04	1.8
I099231		1.20	14.4	640	20.2	27.6	<0.001	0.03	0.26	2.7	0.9	0.3	21.0	0.01	0.03	2.4
I099232		1.90	22.7	440	20.2	15.5	<0.001	<0.01	0.40	5.5	0.7	0.6	21.7	<0.01	0.03	7.1
I099233		1.22	25.2	570	6.7	16.5	<0.001	<0.01	0.24	4.1	0.6	0.3	21.8	<0.01	0.04	1.7
I099234		1.20	19.2	550	5.7	27.2	<0.001	0.02	0.20	4.5	1.0	0.4	37.7	0.01	0.03	2.9
I099235		0.31	3.6	210	2.9	4.2	<0.001	<0.01	0.10	1.0	0.3	<0.2	10.1	<0.01	0.02	0.4
I099236		1.53	47.5	800	7.5	80.1	<0.001	<0.01	0.25	3.0	0.4	1.0	21.8	<0.01	0.03	6.9
I099237		2.08	30.9	250	16.9	28.7	<0.001	<0.01	0.59	4.3	0.6	0.6	20.1	<0.01	0.05	6.2
I099238		0.16	4.1	120	1.7	2.9	<0.001	<0.01	0.12	0.8	<0.2	<0.2	9.2	<0.01	0.01	2.0
I099239		1.49	18.0	310	9.8	17.1	<0.001	0.01	0.23	1.8	0.4	0.2	13.4	<0.01	0.04	0.9
I099240		1.63	29.6	250	5.6	22.9	<0.001	<0.01	0.43	4.2	0.5	0.2	19.9	<0.01	0.04	5.7
I099241		0.70	13.6	370	6.5	10.5	<0.001	<0.01	0.27	1.6	0.4	0.2	15.7	<0.01	0.04	0.2
I099242		2.86	37.8	380	6.3	36.3	<0.001	<0.01	0.29	3.6	0.6	<0.2	15.6	<0.01	0.04	5.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099197		0.078	0.12	0.39	64	0.11	3.30	49
I099198		0.092	0.09	0.44	68	0.18	3.28	36
I099199		0.008	0.03	0.32	5	<0.05	2.31	3
I099200		0.073	0.08	0.59	62	0.13	6.09	54
I099207		0.135	0.16	0.96	72	0.13	6.45	67
I099208		0.135	0.17	1.33	82	0.20	9.59	76
I099209		0.146	0.17	1.24	79	0.17	5.33	61
I099210		0.145	0.20	1.70	69	0.18	4.81	59
I099211		0.174	0.28	2.55	76	0.22	7.60	69
I099212		0.161	0.32	1.87	69	0.37	8.46	63
I099213		0.147	0.39	7.03	64	0.19	14.75	83
I099214		0.114	0.31	7.10	52	0.27	21.1	69
I099215		0.088	0.20	4.27	57	0.17	15.05	69
I099216		0.125	0.17	2.64	65	0.14	8.78	57
I099217		0.123	0.19	2.09	81	0.14	7.43	70
I099218		0.107	0.12	0.86	83	0.13	6.49	114
I099219		0.007	0.03	0.31	4	<0.05	2.22	4
I099220		0.093	0.10	0.74	90	1.97	5.91	90
I099221		0.089	0.09	0.65	98	0.13	5.99	138
I099222		0.106	0.11	0.50	135	0.14	6.08	118
I099223		0.101	0.23	0.75	81	0.19	9.33	108
I099224		0.120	0.18	0.69	76	0.23	6.39	85
I099225		0.190	0.53	1.12	91	0.20	6.38	77
I099226		0.192	0.39	0.65	99	0.20	3.62	64
I099227		0.023	0.06	0.78	11	0.05	13.40	13
I099228		0.055	0.13	2.09	38	0.13	8.75	38
I099229		0.088	0.17	2.94	42	0.12	9.70	46
I099230		0.054	0.13	2.65	35	0.12	7.29	38
I099231		0.078	0.18	3.05	39	0.14	9.65	47
I099232		0.119	0.17	1.25	65	0.16	7.23	74
I099233		0.138	0.12	0.86	73	0.14	6.42	46
I099234		0.091	0.18	1.01	41	0.16	20.4	47
I099235		0.029	0.04	0.35	14	0.05	3.63	11
I099236		0.240	0.50	0.64	80	0.23	4.03	73
I099237		0.135	0.19	0.99	66	0.20	6.70	75
I099238		0.007	0.04	0.35	4	<0.05	2.47	4
I099239		0.109	0.11	0.64	50	0.15	3.28	46
I099240		0.131	0.16	0.68	69	0.12	6.63	63
I099241		0.055	0.07	0.45	46	0.12	2.83	27
I099242		0.142	0.23	0.77	60	0.14	6.01	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099243		0.32	<0.005	0.04	1.75	6.6	<0.2	<10	100	0.26	0.11	0.15	0.04	18.00	9.2	41
I099244		0.26	<0.005	0.04	0.87	2.6	<0.2	<10	90	0.22	0.07	0.10	0.11	9.81	4.2	11
I099245		0.34	<0.005	0.02	2.72	2.1	<0.2	<10	150	0.57	0.05	0.33	0.03	25.7	20.5	225
I099246		0.42	<0.005	0.02	3.92	3.4	<0.2	<10	490	0.60	0.03	0.39	0.04	15.15	30.5	7
I099247		0.38	<0.005	0.04	1.66	8.1	<0.2	<10	350	0.36	0.15	0.32	0.06	15.65	10.2	26
I099248		0.36	<0.005	0.01	0.74	7.2	<0.2	<10	50	0.20	0.13	0.10	0.08	10.40	3.7	16
I099249		0.40	<0.005	0.03	1.36	14.7	<0.2	<10	70	0.48	0.17	0.13	0.11	24.2	8.6	36
I099250		0.34	<0.005	0.07	1.98	3.2	<0.2	<10	290	0.55	0.06	0.42	0.08	39.3	14.1	116
I099301		0.26	<0.005	0.12	1.80	2.7	<0.2	<10	230	0.44	0.11	0.84	0.30	32.2	15.4	85
I099302		0.40	<0.005	0.13	1.56	7.9	<0.2	<10	230	0.42	0.13	0.85	0.20	31.0	21.8	65
I099303		0.60	<0.005	0.10	2.67	5.6	<0.2	<10	200	0.57	0.15	0.45	0.20	38.7	20.7	86
I099304		0.56	<0.005	0.15	2.65	6.6	<0.2	<10	160	0.61	0.25	0.39	0.19	39.1	19.2	71
I099305		0.42	<0.005	0.12	2.35	5.0	<0.2	<10	160	0.51	0.19	0.39	0.14	34.0	16.7	81
I099306		0.54	0.006	0.07	1.92	4.8	<0.2	<10	110	0.43	0.24	0.34	0.17	31.9	11.1	49
I099307		0.48	<0.005	0.10	2.42	3.7	<0.2	<10	200	0.56	0.28	0.38	0.17	38.3	10.3	93
I099308		0.64	<0.005	0.17	2.96	9.9	<0.2	<10	350	1.15	0.26	0.60	0.21	61.9	10.5	57
I099309		0.30	<0.005	0.25	1.83	8.0	<0.2	<10	330	0.74	0.16	1.15	0.58	82.7	12.9	32
I099310		0.56	0.005	0.15	2.92	5.4	<0.2	<10	360	0.65	0.17	0.40	0.10	31.6	14.5	55
I099311		0.48	<0.005	0.09	2.66	4.5	<0.2	<10	250	0.37	0.10	0.41	0.10	16.95	15.7	34
I099312		0.36	0.006	0.22	2.05	4.7	<0.2	<10	250	0.32	0.12	0.55	0.25	21.8	28.4	41
I099313		0.40	0.006	0.15	2.52	5.5	<0.2	<10	170	0.19	0.15	0.35	0.17	13.00	12.9	46
I099314		0.20	NSS	0.15	1.03	4.4	<0.2	<10	210	0.19	0.08	0.76	0.67	16.15	22.2	24
I099315		0.34	0.029	0.24	0.89	25.8	<0.2	<10	480	0.31	0.08	1.92	2.75	22.8	35.0	10
I099316		0.34	0.008	0.20	2.73	12.8	<0.2	<10	360	0.29	0.21	1.36	0.63	12.80	16.3	43
I099317		0.42	0.008	0.26	3.07	19.4	<0.2	<10	340	0.31	0.26	0.87	0.97	14.35	19.9	50
I099318		0.40	0.010	0.21	3.08	20.0	<0.2	<10	360	0.33	0.33	0.93	1.44	14.95	18.6	49
I099319		0.46	0.012	0.38	2.55	26.1	<0.2	<10	330	0.38	0.31	0.90	1.58	15.30	17.6	43
I099320		0.38	0.014	0.55	2.60	29.1	<0.2	<10	390	0.50	0.29	1.02	1.78	25.2	16.5	40
I099321		0.24	<0.005	0.39	1.86	21.2	<0.2	<10	410	0.46	0.23	1.02	1.90	27.4	20.5	28
I099322		0.32	0.013	0.38	2.58	49.8	<0.2	<10	300	0.36	0.33	0.60	0.54	15.55	14.9	43
I099323		0.28	0.021	0.73	1.64	40.2	<0.2	<10	410	0.49	0.18	0.96	1.89	27.7	17.0	23
I099324		0.28	0.014	0.46	1.75	39.4	<0.2	<10	500	0.60	0.23	0.76	2.25	33.9	42.1	28
I099325		0.58	0.014	0.29	2.93	42.2	<0.2	<10	330	0.43	0.34	0.46	0.22	19.05	16.5	54
I099326		0.42	0.018	0.31	2.30	51.9	<0.2	<10	280	0.32	0.33	0.40	0.38	14.35	11.7	42
I099327		0.28	0.014	0.57	1.37	34.5	<0.2	<10	270	0.31	0.28	0.44	0.93	15.30	13.5	28
I099328		0.28	<0.005	0.07	0.37	1.6	<0.2	<10	30	0.08	0.08	0.03	0.11	4.29	2.0	9
I099329		0.30	0.008	0.26	1.25	3.4	<0.2	<10	200	0.46	0.16	0.52	0.27	48.4	9.7	16
I099330		0.46	<0.005	0.03	2.46	10.9	<0.2	<10	130	0.31	0.22	0.29	0.09	16.75	11.7	33
I099331		0.14	0.007	0.15	0.97	3.2	<0.2	<10	100	0.21	0.18	0.15	0.43	14.20	3.7	15
I099332		0.32	<0.005	0.09	1.93	6.0	<0.2	<10	160	0.47	0.28	0.12	0.08	42.0	5.8	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099243		0.84	19.4	2.99	7.45	0.08	<0.02	0.02	0.018	0.16	9.2	15.7	0.63	160	1.07
I099244		0.73	8.5	1.40	4.27	<0.05	<0.02	0.03	0.008	0.15	5.2	4.0	0.34	124	0.53
I099245		2.75	9.6	3.90	7.98	0.12	<0.02	0.01	0.013	0.59	13.3	12.4	1.99	342	1.52
I099246		1.81	34.3	5.34	6.59	0.14	0.02	0.01	0.008	1.03	7.4	20.3	2.27	436	0.70
I099247		0.47	17.5	2.71	6.04	0.06	<0.02	0.02	0.021	0.07	7.9	11.0	0.45	251	1.24
I099248		0.49	8.2	1.56	5.54	<0.05	<0.02	0.01	0.009	0.05	5.3	4.2	0.15	241	0.83
I099249		0.72	20.8	3.74	7.04	0.07	<0.02	0.03	0.021	0.07	12.9	6.4	0.26	507	1.70
I099250		2.52	26.2	2.47	5.61	0.09	<0.02	0.06	0.012	0.42	27.0	13.6	1.12	261	0.76
I099301		1.47	23.3	2.19	5.69	0.10	0.05	0.07	0.017	0.35	16.5	12.2	1.15	957	0.86
I099302		0.98	25.5	3.26	4.95	0.11	0.03	0.04	0.018	0.13	17.2	10.2	0.79	1530	1.72
I099303		1.80	19.2	3.45	8.60	0.14	0.04	0.02	0.026	0.46	18.8	21.0	1.37	1020	1.22
I099304		1.67	20.5	3.41	8.34	0.15	0.07	0.03	0.029	0.28	19.8	20.1	1.19	716	1.32
I099305		2.14	16.8	3.06	7.87	0.12	0.03	0.03	0.025	0.39	17.6	15.1	1.21	732	1.22
I099306		1.54	14.5	2.72	7.69	0.09	0.06	0.01	0.019	0.26	15.3	11.9	0.97	488	1.20
I099307		1.49	14.9	2.56	7.72	0.13	0.05	0.03	0.021	0.55	23.3	12.7	1.50	445	0.86
I099308		2.66	25.4	2.99	9.50	0.15	0.08	0.05	0.035	0.55	35.9	15.7	0.91	274	0.53
I099309		1.10	26.0	2.26	5.53	0.13	0.04	0.07	0.021	0.17	39.7	8.7	0.49	1330	1.19
I099310		1.89	37.2	3.55	8.09	0.14	0.06	0.02	0.026	0.32	16.6	14.6	0.88	354	0.43
I099311		1.40	28.0	3.49	8.01	0.10	<0.02	0.02	0.021	0.25	8.0	15.9	1.20	629	0.53
I099312		0.80	24.5	3.04	6.60	0.09	<0.02	0.07	0.022	0.06	8.8	9.7	1.10	2790	1.53
I099313		0.80	21.4	3.13	8.40	0.07	0.02	0.04	0.024	0.06	6.4	10.2	1.24	713	0.68
I099314		0.37	20.1	1.91	3.23	0.05	<0.02	0.10	0.011	0.08	5.8	3.6	0.52	3370	1.37
I099315		0.19	58.9	3.87	1.37	0.07	0.05	0.10	0.008	0.04	9.8	1.4	0.16	9020	2.72
I099316		0.91	37.9	3.32	7.61	0.08	0.03	0.05	0.019	0.32	6.6	10.6	1.30	795	0.93
I099317		1.06	36.8	4.02	8.60	0.09	0.03	0.06	0.024	0.31	7.0	12.4	1.41	1100	1.14
I099318		1.06	45.7	3.95	9.08	0.09	0.03	0.05	0.023	0.32	7.5	13.2	1.50	833	1.04
I099319		1.07	41.3	3.25	7.21	0.08	0.02	0.06	0.048	0.19	7.6	10.4	1.06	1160	1.37
I099320		1.05	67.1	3.18	6.78	0.09	0.03	0.10	0.021	0.19	11.9	10.0	0.94	1340	1.51
I099321		0.78	60.0	2.37	4.89	0.07	0.02	0.08	0.020	0.14	12.6	6.6	0.65	1410	1.16
I099322		1.30	36.0	3.30	7.65	0.07	0.02	0.06	0.021	0.20	7.6	12.4	1.00	820	1.27
I099323		0.74	63.4	2.12	4.01	0.07	0.02	0.12	0.020	0.10	13.1	5.8	0.49	1030	1.36
I099324		0.82	68.2	2.94	4.84	0.08	0.02	0.11	0.027	0.10	14.1	6.2	0.55	3630	2.02
I099325		1.56	37.9	3.71	8.86	0.09	0.03	0.04	0.024	0.33	9.3	14.6	1.44	546	1.03
I099326		1.53	29.4	3.06	7.23	0.08	0.02	0.05	0.020	0.21	7.0	12.8	1.08	427	0.96
I099327		1.00	57.4	2.32	5.17	0.05	0.02	0.06	0.019	0.08	7.2	5.8	0.58	944	1.32
I099328		0.38	10.5	0.98	2.87	<0.05	<0.02	0.02	0.006	0.02	2.3	0.8	0.06	46	0.65
I099329		1.10	23.1	1.81	4.13	0.06	<0.02	0.07	0.022	0.04	28.7	4.7	0.22	800	1.29
I099330		1.77	14.9	4.11	9.87	0.07	0.10	0.01	0.029	0.09	8.6	21.8	0.67	500	1.04
I099331		0.79	27.2	1.79	4.47	<0.05	<0.02	0.06	0.018	0.06	8.2	3.6	0.18	135	0.91
I099332		1.03	19.1	2.52	6.56	0.06	0.06	0.07	0.025	0.05	27.1	9.4	0.28	205	0.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099243		2.14	25.8	180	7.0	20.5	<0.001	<0.01	0.23	3.6	0.4	0.3	14.6	<0.01	0.04
I099244		0.77	5.1	340	3.6	12.8	<0.001	0.01	0.12	0.8	0.4	<0.2	13.6	<0.01	0.02
I099245		1.36	94.5	380	4.2	53.8	<0.001	<0.01	0.17	4.7	0.3	0.3	22.9	<0.01	0.03
I099246		0.96	9.4	820	2.2	56.4	<0.001	<0.01	0.16	1.9	0.4	<0.2	26.3	<0.01	0.03
I099247		1.33	16.3	380	7.6	9.6	<0.001	<0.01	0.40	3.0	0.5	0.3	27.4	<0.01	0.04
I099248		0.53	6.6	380	5.1	10.2	<0.001	<0.01	0.33	1.1	0.3	0.4	9.2	<0.01	0.02
I099249		0.93	14.9	660	8.0	13.8	<0.001	<0.01	1.23	3.2	0.4	0.6	11.3	<0.01	0.06
I099250		1.25	53.8	810	3.7	44.0	<0.001	0.03	0.17	2.2	0.7	<0.2	32.2	<0.01	0.03
I099301		2.07	63.0	960	7.9	36.4	<0.001	0.08	0.27	4.9	1.0	0.3	47.0	<0.01	0.04
I099302		1.42	55.3	1150	6.2	19.8	<0.001	0.08	0.33	3.9	1.1	0.2	50.0	0.01	0.07
I099303		2.58	38.2	870	12.5	45.1	<0.001	<0.01	0.21	5.1	0.6	0.6	37.4	<0.01	0.04
I099304		2.91	36.4	680	14.0	42.7	<0.001	<0.01	0.26	5.6	0.7	0.6	32.2	<0.01	0.04
I099305		2.80	34.9	810	10.5	45.5	<0.001	0.01	0.23	4.9	0.7	0.7	31.9	<0.01	0.04
I099306		2.80	25.3	470	10.0	34.5	<0.001	<0.01	0.21	4.0	0.4	0.7	26.4	<0.01	0.04
I099307		2.51	35.0	770	12.8	50.7	<0.001	0.02	0.16	5.3	0.6	0.6	28.4	<0.01	0.06
I099308		3.13	29.1	680	25.6	62.0	<0.001	0.02	0.33	8.8	0.9	1.0	40.8	0.01	0.06
I099309		1.48	21.3	1010	14.7	28.9	<0.001	0.09	0.60	3.9	1.3	0.3	81.0	0.01	0.07
I099310		1.83	27.8	650	11.5	35.6	<0.001	<0.01	0.26	8.5	0.6	0.3	30.5	<0.01	0.05
I099311		1.11	21.5	610	6.0	23.2	<0.001	<0.01	0.23	6.3	0.5	<0.2	25.6	<0.01	0.03
I099312		0.82	19.5	1110	5.9	10.6	<0.001	0.07	0.32	4.9	0.9	<0.2	40.5	<0.01	0.06
I099313		0.92	21.1	700	7.4	12.0	<0.001	0.06	0.24	6.5	0.4	0.5	22.8	<0.01	0.03
I099314		0.42	13.6	1130	4.5	8.1	<0.001	0.12	0.34	2.3	0.6	8.7	44.4	<0.01	0.04
I099315		0.21	18.7	1150	2.4	3.7	0.005	0.30	3.08	1.6	1.4	0.3	56.4	<0.01	0.11
I099316		1.12	24.5	790	8.4	32.9	<0.001	0.12	1.70	5.8	0.6	0.4	41.3	<0.01	0.04
I099317		1.22	27.2	660	11.8	32.0	0.001	0.10	1.78	7.2	0.6	0.5	34.3	<0.01	0.05
I099318		1.19	28.1	620	10.0	34.3	0.001	0.09	2.10	7.4	0.7	0.4	38.9	<0.01	0.07
I099319		0.88	24.6	870	17.2	25.3	<0.001	0.11	2.68	4.5	0.7	0.4	42.7	<0.01	0.05
I099320		0.83	27.7	1110	17.6	25.6	0.001	0.15	3.55	3.9	1.1	0.4	48.7	<0.01	0.06
I099321		0.72	23.0	960	19.8	17.5	0.001	0.12	2.25	3.2	0.8	0.3	53.8	<0.01	0.05
I099322		1.01	24.8	820	15.1	25.4	<0.001	0.08	3.73	4.6	0.6	0.5	33.1	<0.01	0.05
I099323		0.62	21.0	1360	6.1	13.0	0.001	0.17	3.78	2.4	1.2	0.3	58.3	<0.01	0.05
I099324		0.50	26.2	1390	10.9	13.5	0.001	0.16	2.75	2.0	1.1	0.3	52.2	<0.01	0.07
I099325		1.30	31.0	650	10.6	33.0	<0.001	0.03	4.38	6.4	0.6	0.5	25.5	<0.01	0.05
I099326		1.04	23.8	670	9.9	25.5	<0.001	0.04	4.05	4.1	0.5	0.5	25.2	<0.01	0.07
I099327		0.79	20.4	650	9.3	14.1	<0.001	0.05	3.54	2.4	0.6	0.4	30.3	<0.01	0.07
I099328		0.29	4.8	250	2.9	2.5	<0.001	0.01	0.22	0.8	0.2	0.3	8.5	<0.01	0.01
I099329		0.55	13.0	790	7.1	8.4	<0.001	0.05	0.30	1.6	0.7	0.4	41.7	<0.01	0.02
I099330		2.84	19.3	460	11.5	17.8	<0.001	0.01	0.39	4.9	0.3	1.0	25.8	<0.01	0.05
I099331		0.50	11.6	710	7.7	6.9	<0.001	0.03	0.32	0.7	0.4	0.5	14.6	<0.01	0.03
I099332		1.56	13.1	300	8.1	7.9	<0.001	0.02	0.31	4.8	0.5	0.6	14.0	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134525

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099243		0.147	0.14	0.50	65	0.11	3.95	47
I099244		0.071	0.07	0.32	40	0.10	1.48	22
I099245		0.162	0.28	0.62	68	0.18	3.38	55
I099246		0.358	0.34	0.51	120	0.41	1.57	63
I099247		0.091	0.08	0.46	63	0.15	2.98	35
I099248		0.051	0.05	0.22	52	0.11	1.20	25
I099249		0.058	0.07	0.54	91	0.22	3.34	52
I099250		0.117	0.25	0.99	46	0.14	3.71	40
I099301		0.106	0.27	1.49	51	0.36	9.43	61
I099302		0.082	0.17	1.67	68	0.17	10.55	53
I099303		0.173	0.32	1.69	85	0.24	6.42	69
I099304		0.170	0.30	2.03	79	0.72	7.67	72
I099305		0.152	0.31	1.58	73	0.20	6.40	61
I099306		0.163	0.24	0.88	71	0.40	5.63	59
I099307		0.152	0.35	1.93	69	0.28	7.19	72
I099308		0.148	0.42	4.23	81	0.29	12.80	83
I099309		0.068	0.17	3.86	60	0.26	20.0	65
I099310		0.139	0.23	1.35	104	0.21	10.40	70
I099311		0.127	0.16	0.66	90	0.18	6.38	76
I099312		0.070	0.14	0.97	80	0.17	6.36	68
I099313		0.116	0.11	0.54	111	<0.05	3.85	90
I099314		0.036	0.11	0.56	49	<0.05	4.54	85
I099315		0.017	0.48	0.64	55	<0.05	13.85	68
I099316		0.115	0.20	0.59	95	0.09	6.27	141
I099317		0.137	0.21	0.73	111	0.18	6.27	177
I099318		0.146	0.19	0.64	113	0.10	7.58	186
I099319		0.099	0.17	0.66	87	<0.05	6.90	173
I099320		0.081	0.19	0.93	78	<0.05	11.95	163
I099321		0.064	0.12	0.89	54	<0.05	11.70	134
I099322		0.111	0.16	0.61	82	0.06	5.34	146
I099323		0.040	0.13	1.13	40	<0.05	11.95	82
I099324		0.040	0.17	1.23	55	<0.05	11.00	92
I099325		0.146	0.21	0.68	91	0.12	6.25	114
I099326		0.118	0.15	0.54	72	0.20	4.22	107
I099327		0.073	0.10	0.75	54	0.05	4.64	72
I099328		0.042	0.04	0.27	27	<0.05	0.74	16
I099329		0.044	0.08	3.42	39	<0.05	9.40	33
I099330		0.183	0.20	0.80	106	0.18	4.93	69
I099331		0.035	0.08	1.04	38	0.05	2.10	36
I099332		0.102	0.13	1.81	57	0.08	6.36	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134525

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE VA10134526

Project: SQI10-06

P.O. No.: SQI10-06_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098351		0.38	<0.005	0.11	1.89	12.7	<0.2	<10	270	0.32	0.12	0.66	0.20	25.5	18.4	91
I098352		0.36	0.005	0.10	2.27	16.1	<0.2	<10	400	0.32	0.11	0.76	0.30	33.6	28.3	103
I098353		0.38	<0.005	0.08	2.24	9.2	<0.2	<10	280	0.40	0.10	0.68	0.13	30.5	26.8	112
I098354		0.28	0.005	0.12	1.89	7.2	<0.2	<10	290	0.43	0.14	0.74	0.22	41.7	15.3	71
I098355		0.40	0.005	0.07	2.10	19.9	<0.2	<10	220	0.37	0.20	0.55	0.14	27.2	16.4	88
I098356		0.42	0.014	0.08	2.11	8.2	<0.2	<10	170	0.40	0.31	0.41	0.14	30.7	10.1	85
I098357		0.34	0.005	0.13	2.19	7.5	<0.2	<10	190	0.37	0.57	0.44	0.19	34.1	18.1	83
I098358		0.42	0.015	0.19	2.24	26.5	<0.2	<10	270	0.27	0.15	0.75	0.43	16.10	14.3	41
I098359		0.38	<0.005	0.17	0.93	5.3	<0.2	<10	100	0.16	0.19	0.21	0.78	8.55	5.2	18
I098360		0.44	<0.005	0.01	0.15	1.8	<0.2	<10	40	0.13	0.02	0.09	0.04	9.72	2.1	3
I098361		0.40	0.005	0.08	2.35	9.3	<0.2	<10	260	0.26	0.16	0.33	0.25	12.70	16.9	36
I098362		0.40	0.005	0.15	2.78	9.6	<0.2	<10	210	0.27	0.19	0.32	0.33	11.90	14.2	46
I098363		0.42	0.011	0.16	2.21	15.0	<0.2	<10	200	0.29	0.18	0.36	0.47	13.20	14.9	38
I098364		0.42	0.013	0.16	2.36	27.8	<0.2	<10	250	0.27	0.16	0.46	0.17	12.60	13.8	33
I098365		0.42	0.020	0.23	2.68	48.8	<0.2	<10	300	0.27	0.17	0.49	0.18	14.20	16.2	42
I098366		0.46	0.013	0.17	3.01	27.9	<0.2	<10	280	0.34	0.14	0.44	0.11	16.40	19.8	46
I098367		0.44	0.008	0.22	3.09	9.7	<0.2	<10	340	0.33	0.21	0.46	0.13	18.60	18.3	45
I098368		0.38	<0.005	0.13	3.64	6.0	<0.2	<10	260	0.35	0.24	0.46	0.11	17.85	19.8	65
I098369		0.46	<0.005	0.15	3.04	8.5	<0.2	<10	250	0.31	0.22	0.41	0.11	13.70	21.5	55
I098370		0.34	0.008	0.30	2.40	14.2	<0.2	<10	290	0.37	0.27	0.48	0.52	16.05	11.0	37
I098371		0.42	0.007	0.15	3.04	7.9	<0.2	<10	270	0.40	0.28	0.47	0.12	16.55	16.4	57
I098372		0.46	0.007	0.23	2.86	9.4	<0.2	<10	260	0.44	0.34	0.39	0.15	15.60	15.6	48
I098373		0.54	0.008	0.18	3.27	19.0	<0.2	<10	330	0.43	0.38	0.43	0.19	17.90	17.8	51
I098374		0.46	0.007	0.16	3.26	17.4	<0.2	<10	320	0.40	0.38	0.43	0.20	16.55	17.7	49
I098375		0.50	0.016	0.43	3.27	18.4	<0.2	<10	570	0.49	0.49	0.46	0.30	24.1	19.6	54
I098376		0.50	0.115	0.50	2.74	174.5	<0.2	<10	590	0.52	0.59	0.49	0.24	24.1	14.2	38
I098377		0.30	<0.005	0.06	1.61	9.9	<0.2	<10	90	0.76	0.22	0.23	0.19	39.4	10.1	26
I098378		0.36	<0.005	0.04	0.37	1.2	<0.2	<10	40	0.08	0.11	0.05	0.08	6.45	1.3	7
I098379		0.36	<0.005	0.11	1.87	6.3	<0.2	<10	220	0.76	0.23	0.46	0.21	75.6	11.6	31
I098380		0.30	<0.005	0.15	1.84	5.3	<0.2	<10	300	0.73	0.12	0.57	0.16	48.7	19.9	32
I098381		0.42	0.028	0.19	2.66	38.2	<0.2	<10	460	0.42	0.30	0.44	0.26	20.3	12.8	38
I098382		0.50	0.008	0.27	2.64	10.5	<0.2	<10	300	0.37	0.40	0.47	0.16	19.50	13.4	38
I098383		0.50	0.009	0.28	3.71	9.2	<0.2	<10	370	0.30	0.42	0.69	0.17	14.00	21.3	58
I098384		0.36	0.012	0.21	3.24	46.0	<0.2	<10	290	0.32	0.28	0.40	0.20	15.15	21.0	53
I098385		0.32	0.015	0.35	1.59	40.5	<0.2	<10	220	0.24	0.18	0.37	0.43	11.40	11.9	26
I098386		0.48	0.044	0.31	2.92	83.1	<0.2	<10	340	0.30	0.19	0.52	0.19	15.20	21.7	54
I098387		0.32	0.029	0.43	2.21	120.0	<0.2	<10	320	0.28	0.18	0.73	0.32	16.80	15.1	34
I098388		0.46	0.009	0.22	2.50	15.6	<0.2	<10	200	0.28	0.18	0.43	0.18	14.25	14.2	38
I098389		0.42	<0.005	0.16	2.62	4.0	<0.2	<10	710	0.37	0.14	0.56	0.14	16.15	15.1	61
I098390		0.38	0.008	0.40	1.95	6.2	<0.2	<10	350	0.81	0.27	0.50	0.20	71.0	18.3	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098351		1.41	19.2	2.95	6.52	0.10	0.04	0.04	0.020	0.18	12.9	11.6	1.04	643	0.81
I098352		1.37	19.3	3.56	7.05	0.12	0.04	0.04	0.020	0.33	14.1	12.4	1.39	3870	1.44
I098353		1.50	15.1	3.56	6.42	0.11	0.05	0.02	0.017	0.46	15.0	12.5	1.47	1460	0.97
I098354		1.31	23.0	2.67	6.38	0.10	0.05	0.05	0.021	0.15	22.2	11.2	0.88	678	0.87
I098355		1.69	14.5	3.11	7.93	0.12	0.05	0.03	0.021	0.34	14.1	12.2	1.31	845	1.18
I098356		1.36	17.8	2.48	7.91	0.12	0.05	0.03	0.024	0.22	16.4	15.5	1.11	317	0.70
I098357		1.43	16.0	3.11	7.79	0.13	0.08	0.04	0.028	0.29	18.7	15.8	1.22	788	1.24
I098358		0.93	30.5	2.97	6.61	0.11	0.04	0.04	0.020	0.28	7.8	13.1	1.23	784	0.56
I098359		0.41	16.8	1.81	5.89	<0.05	<0.02	0.03	0.014	0.07	4.5	4.7	0.27	197	1.17
I098360		0.08	1.9	0.75	0.63	<0.05	0.08	<0.01	<0.005	0.05	4.9	1.7	0.04	172	0.29
I098361		1.46	35.1	3.28	7.44	0.10	0.04	0.02	0.025	0.25	6.2	14.2	1.05	533	0.72
I098362		0.93	51.9	3.76	9.79	0.10	0.04	0.03	0.042	0.16	5.8	15.7	1.51	546	1.35
I098363		0.80	64.0	3.36	7.28	0.10	0.03	0.02	0.035	0.14	6.3	13.0	1.18	522	1.10
I098364		0.96	33.2	3.40	7.80	0.08	0.03	0.05	0.025	0.15	6.3	14.6	1.01	445	0.83
I098365		1.51	28.2	3.45	8.42	0.09	0.03	0.05	0.024	0.25	7.2	15.7	1.27	487	0.74
I098366		1.80	37.2	4.01	8.92	0.13	0.03	0.07	0.023	0.41	8.1	15.7	1.57	610	0.68
I098367		1.30	39.9	3.89	8.86	0.11	0.04	0.06	0.021	0.41	9.7	15.7	1.43	713	0.79
I098368		1.25	34.1	4.22	10.80	0.13	0.03	0.02	0.023	0.45	8.7	14.8	1.82	580	0.75
I098369		1.34	29.6	4.47	10.50	0.12	0.03	0.08	0.022	0.46	6.8	13.6	1.87	588	0.80
I098370		1.65	34.0	3.08	7.79	0.10	0.02	0.05	0.024	0.26	8.4	11.3	1.00	493	1.02
I098371		1.50	30.4	3.70	9.15	0.12	0.03	0.03	0.019	0.53	8.4	15.0	1.65	531	0.71
I098372		1.47	51.2	3.65	8.19	0.11	0.03	0.03	0.020	0.36	7.8	14.1	1.43	409	0.84
I098373		1.61	38.9	3.84	9.63	0.13	0.05	0.02	0.025	0.44	8.6	16.1	1.51	498	0.92
I098374		1.58	38.2	3.81	9.14	0.12	0.04	0.02	0.022	0.46	8.0	14.9	1.53	533	0.86
I098375		2.73	41.2	4.29	9.93	0.14	0.04	0.04	0.028	0.50	11.2	18.0	1.54	865	1.23
I098376		2.84	39.2	3.99	8.21	0.13	0.05	0.07	0.034	0.40	13.7	13.1	1.18	687	1.09
I098377		7.17	12.3	2.74	6.20	0.10	0.05	0.03	0.033	0.07	23.8	12.1	0.45	501	4.66
I098378		0.59	7.6	0.61	3.03	<0.05	<0.02	0.02	0.008	0.02	4.0	1.4	0.05	33	0.45
I098379		2.46	20.1	2.72	6.23	0.12	0.08	0.05	0.032	0.06	35.5	12.9	0.55	431	0.84
I098380		1.60	21.3	3.03	6.54	0.11	0.04	0.05	0.026	0.08	22.3	9.7	0.73	1400	1.18
I098381		2.51	31.5	3.60	8.49	0.12	0.03	0.03	0.028	0.29	10.0	13.5	1.16	477	0.85
I098382		1.95	32.8	3.79	8.31	0.12	0.04	0.04	0.027	0.30	9.9	15.3	1.23	440	0.83
I098383		2.41	49.2	4.90	10.80	0.15	0.06	0.02	0.021	0.76	7.8	16.8	2.27	652	0.75
I098384		2.38	35.0	4.20	10.55	0.14	0.04	0.03	0.024	0.54	7.5	17.6	1.68	713	0.97
I098385		1.00	27.1	2.28	5.93	0.07	0.02	0.06	0.019	0.12	5.7	10.0	0.69	384	0.70
I098386		1.44	57.9	3.82	8.62	0.11	0.04	0.09	0.026	0.31	7.7	15.1	1.51	653	0.74
I098387		1.23	43.3	3.04	7.00	0.06	0.03	0.07	0.024	0.14	8.8	10.6	0.91	676	0.99
I098388		0.88	44.5	3.50	8.20	0.06	0.03	0.05	0.028	0.12	7.0	12.4	1.08	381	1.06
I098389		1.57	48.8	3.44	7.72	0.09	0.03	0.04	0.019	0.56	8.0	15.1	1.74	452	0.73
I098390		1.56	56.6	2.75	6.63	0.16	0.08	0.09	0.027	0.27	67.3	12.3	1.06	641	1.00



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098351		1.75	45.5	880	8.2	26.2	<0.001	0.05	0.27	5.1	0.7	0.5	38.3	<0.01	0.03
I098352		1.68	47.3	1070	7.1	33.0	<0.001	0.04	0.23	4.5	0.6	0.4	39.6	<0.01	0.02
I098353		1.79	47.1	1100	7.0	39.1	<0.001	0.03	0.18	4.5	0.5	0.5	33.0	<0.01	0.02
I098354		1.62	41.0	800	7.9	27.6	<0.001	0.06	0.26	4.3	0.9	0.4	45.9	<0.01	0.03
I098355		2.02	39.4	760	8.3	43.3	<0.001	0.03	0.24	4.6	0.5	0.8	36.1	<0.01	0.04
I098356		2.03	38.8	700	10.8	35.8	<0.001	0.03	0.32	5.5	0.7	0.7	30.2	<0.01	0.06
I098357		2.36	37.8	700	14.2	38.1	0.001	0.03	0.54	5.7	1.0	1.0	32.1	<0.01	0.10
I098358		0.89	22.7	600	7.6	23.2	0.001	0.05	1.22	6.4	0.7	2.1	29.0	<0.01	0.04
I098359		0.77	10.4	240	11.0	8.4	<0.001	0.01	0.41	2.2	0.3	0.5	15.0	<0.01	0.04
I098360		0.15	4.1	120	1.6	2.7	<0.001	<0.01	0.10	0.7	<0.2	<0.2	7.9	<0.01	<0.01
I098361		1.06	22.4	440	5.4	23.2	<0.001	<0.01	0.82	7.3	0.4	0.4	20.7	<0.01	0.05
I098362		1.20	23.6	390	6.7	13.5	<0.001	<0.01	0.53	8.7	0.4	0.6	19.6	<0.01	0.07
I098363		1.03	22.4	430	5.5	13.7	<0.001	0.02	1.00	7.0	0.6	0.5	19.6	<0.01	0.09
I098364		1.10	22.6	510	6.2	15.3	<0.001	0.01	1.94	6.1	0.5	0.4	24.1	<0.01	0.04
I098365		1.08	25.5	520	6.3	23.7	<0.001	0.03	2.54	7.3	0.5	0.4	24.5	<0.01	0.04
I098366		1.07	27.1	510	5.8	34.0	<0.001	0.01	1.01	8.4	0.6	0.4	21.2	<0.01	0.04
I098367		1.04	27.7	590	8.3	37.5	<0.001	0.02	3.29	7.2	0.7	0.3	20.5	<0.01	0.04
I098368		1.22	31.4	470	13.0	42.9	<0.001	0.02	0.40	8.5	0.5	0.4	22.0	<0.01	0.05
I098369		1.20	24.4	600	7.0	33.5	<0.001	0.02	0.39	7.6	0.5	0.5	18.8	<0.01	0.04
I098370		0.98	21.9	630	12.0	26.7	<0.001	0.04	0.86	5.3	0.5	0.5	29.9	<0.01	0.04
I098371		1.43	32.0	720	6.6	40.9	<0.001	0.02	0.75	5.4	0.5	0.5	22.6	<0.01	0.05
I098372		1.35	28.8	630	8.0	32.1	0.001	0.02	0.75	5.0	0.6	0.4	21.9	<0.01	0.06
I098373		1.26	31.3	540	10.5	38.8	<0.001	0.01	0.86	6.9	0.5	0.4	23.0	<0.01	0.06
I098374		1.15	30.0	570	10.1	38.0	<0.001	0.01	0.82	6.5	0.5	0.4	21.8	<0.01	0.06
I098375		1.04	28.8	590	20.1	40.7	0.001	0.01	0.71	9.2	0.7	0.6	23.2	<0.01	0.07
I098376		0.92	23.7	640	21.6	35.6	0.001	0.02	3.27	9.4	0.8	0.5	26.3	<0.01	0.08
I098377		1.36	15.9	540	35.0	14.6	<0.001	0.02	0.34	3.2	0.6	0.7	18.3	<0.01	0.03
I098378		0.28	3.2	160	5.6	3.4	<0.001	<0.01	0.11	0.7	0.2	0.3	7.8	<0.01	0.02
I098379		1.45	21.6	570	14.7	11.3	0.001	<0.01	0.44	5.8	0.9	0.6	32.7	0.01	0.03
I098380		0.90	21.2	960	6.5	14.4	<0.001	0.04	0.38	5.4	1.1	0.5	41.9	0.01	0.03
I098381		1.13	24.6	620	12.8	27.9	<0.001	<0.01	1.12	7.5	0.6	0.5	25.9	<0.01	0.04
I098382		1.11	22.9	590	13.6	29.4	<0.001	0.05	0.77	7.4	0.6	0.4	23.3	<0.01	0.05
I098383		0.78	31.8	700	14.7	60.9	<0.001	0.12	0.79	9.3	0.6	0.3	25.4	<0.01	0.07
I098384		1.28	29.8	480	13.7	45.7	<0.001	0.10	4.33	7.9	0.5	0.4	20.5	<0.01	0.05
I098385		0.75	17.3	480	9.7	16.2	<0.001	0.11	8.57	3.4	0.5	0.4	22.1	<0.01	0.03
I098386		1.00	33.9	460	7.1	28.2	<0.001	0.09	21.4	9.0	0.6	0.3	24.4	<0.01	0.07
I098387		1.09	20.5	900	6.4	16.5	<0.001	0.08	21.8	4.9	0.6	0.4	36.5	<0.01	0.05
I098388		1.46	21.4	440	6.9	12.6	<0.001	0.02	2.45	6.3	0.4	0.5	22.9	<0.01	0.05
I098389		1.11	29.4	660	6.6	46.1	<0.001	0.05	0.27	5.4	0.5	0.5	27.0	<0.01	0.03
I098390		1.17	28.3	1270	31.2	41.3	<0.001	0.07	0.31	5.8	1.3	0.6	32.8	0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098351		0.121	0.19	1.22	68	0.15	7.32	59	1.8
I098352		0.147	0.28	1.04	80	0.16	7.62	77	1.7
I098353		0.145	0.28	0.99	81	0.15	6.21	65	2.1
I098354		0.112	0.20	2.35	61	0.16	12.10	59	2.1
I098355		0.152	0.25	1.37	78	0.15	5.90	75	1.8
I098356		0.146	0.23	2.52	68	0.16	6.31	67	2.2
I098357		0.147	0.27	3.11	60	0.19	6.97	81	3.4
I098358		0.109	0.15	0.83	80	0.23	7.22	103	1.2
I098359		0.076	0.07	0.35	60	0.12	1.93	42	<0.5
I098360		0.008	0.03	0.32	4	<0.05	2.08	5	2.8
I098361		0.120	0.18	0.42	88	0.22	5.18	91	1.6
I098362		0.145	0.10	0.42	113	0.15	3.86	141	1.5
I098363		0.119	0.09	0.46	91	0.15	4.89	120	1.1
I098364		0.126	0.10	0.46	94	0.15	4.09	73	1.1
I098365		0.129	0.14	0.45	98	0.13	4.92	83	1.1
I098366		0.157	0.20	0.47	112	0.19	5.87	82	1.2
I098367		0.153	0.24	0.63	107	0.15	9.59	89	1.3
I098368		0.172	0.24	0.52	123	0.20	5.87	111	1.2
I098369		0.180	0.20	0.40	126	0.17	4.97	93	1.3
I098370		0.112	0.14	0.65	75	0.20	6.70	114	0.6
I098371		0.172	0.24	0.47	91	0.26	4.53	95	1.2
I098372		0.148	0.20	0.55	77	0.27	4.60	109	1.2
I098373		0.177	0.24	0.53	101	0.66	5.72	114	2.0
I098374		0.173	0.23	0.50	100	0.35	5.11	116	1.7
I098375		0.152	0.26	0.67	106	0.44	10.20	142	1.2
I098376		0.117	0.23	0.76	86	0.31	13.55	115	1.2
I098377		0.099	0.14	1.54	59	0.17	10.40	58	1.5
I098378		0.035	0.05	0.32	20	0.05	1.10	14	<0.5
I098379		0.101	0.12	2.42	64	0.21	23.0	67	2.3
I098380		0.103	0.15	1.54	65	0.12	17.50	49	1.0
I098381		0.137	0.16	0.66	86	0.22	7.99	108	1.0
I098382		0.136	0.19	0.65	87	0.48	9.97	92	1.2
I098383		0.205	0.34	0.45	136	0.63	8.07	128	2.1
I098384		0.183	0.28	0.48	117	0.23	5.87	106	1.4
I098385		0.086	0.11	0.47	58	0.21	3.90	56	0.5
I098386		0.138	0.17	0.50	110	0.18	6.77	78	1.5
I098387		0.091	0.10	0.63	82	0.14	7.27	72	1.2
I098388		0.123	0.10	0.53	94	0.18	4.81	75	1.3
I098389		0.216	0.28	0.72	96	0.14	6.10	82	1.1
I098390		0.098	0.20	3.09	60	0.12	41.9	40	2.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098391		0.36	<0.005	0.07	3.80	6.0	<0.2	<10	160	1.69	0.90	0.10	0.09	40.3	21.5	23
I098392		0.40	<0.005	0.04	1.18	6.7	<0.2	<10	90	0.29	0.80	0.13	0.10	48.0	4.1	17
I098393		0.38	<0.005	0.12	1.80	5.9	<0.2	<10	190	0.39	0.33	0.39	0.18	35.1	8.6	31
I098394		0.38	<0.005	0.08	2.06	4.2	<0.2	<10	130	0.45	0.25	0.41	0.11	25.4	11.0	45
I098395		0.40	<0.005	0.10	2.72	4.5	<0.2	<10	320	0.73	0.17	0.70	0.14	76.2	22.0	68
I098396		0.36	<0.005	0.04	2.31	7.5	<0.2	<10	190	0.63	0.20	0.43	0.07	33.3	15.3	57
I098397		0.26	<0.005	0.11	2.20	6.6	<0.2	<10	280	0.70	0.19	0.63	0.06	42.1	16.7	83
I098398		0.32	<0.005	0.24	1.04	2.4	<0.2	<10	150	0.37	0.14	0.22	0.13	23.2	4.8	21
I098399		0.30	<0.005	0.11	1.91	12.5	<0.2	<10	140	0.31	0.26	0.31	0.20	19.75	9.3	34
I098400		0.30	<0.005	0.15	1.47	8.2	<0.2	<10	100	0.25	0.61	0.12	0.07	31.5	5.1	25
I098401		0.42	0.005	0.12	1.81	7.0	<0.2	<10	120	0.47	0.24	0.25	0.14	31.1	7.4	30
I098402		0.34	0.007	0.31	2.76	11.5	<0.2	<10	110	1.19	0.75	0.19	0.15	39.3	14.9	41
I098403		0.26	<0.005	0.12	0.83	2.7	<0.2	<10	130	0.14	0.20	0.16	0.08	13.65	3.0	19
I098404		0.32	<0.005	0.14	2.18	6.7	<0.2	<10	180	0.50	0.15	0.45	0.07	35.3	15.3	67
I098405		0.34	<0.005	0.03	2.45	6.2	<0.2	<10	180	0.36	0.14	0.66	0.07	17.90	19.0	119
I098406		0.34	<0.005	0.10	2.40	9.1	<0.2	<10	210	0.53	0.17	0.36	0.07	27.9	14.2	52
I098407		0.36	<0.005	0.01	0.14	1.8	<0.2	<10	30	0.10	0.02	0.09	0.04	11.20	2.2	4
I098408		0.36	<0.005	0.09	2.46	5.4	<0.2	<10	400	0.41	0.16	0.28	0.16	17.30	18.4	54
I098409		0.42	0.005	0.11	2.34	7.4	<0.2	<10	120	0.50	0.24	0.16	0.08	22.6	12.3	48
I098410		0.32	<0.005	0.15	1.49	11.7	<0.2	<10	110	0.32	0.31	0.19	0.58	33.9	7.8	29
I098411		0.30	0.005	0.31	2.01	16.1	<0.2	<10	190	0.87	0.46	0.23	0.34	112.5	15.4	34
I098412		0.30	0.010	0.16	1.53	6.4	<0.2	<10	170	0.51	0.22	0.23	0.18	29.8	13.3	26
I098413		0.32	<0.005	0.14	1.49	14.2	<0.2	<10	150	0.41	0.17	0.15	0.13	23.6	13.0	31
I098414		0.34	<0.005	0.09	1.86	31.8	<0.2	<10	140	0.27	0.17	0.24	0.27	19.45	14.2	33
I098415		0.26	<0.005	0.30	2.00	90.9	<0.2	<10	160	0.53	0.14	0.39	0.10	49.5	10.5	41
I098416		0.42	<0.005	0.09	2.36	96.4	<0.2	<10	180	0.38	0.15	0.24	0.13	19.85	18.4	44
I098417		0.32	<0.005	0.10	2.21	58.0	<0.2	<10	150	0.23	0.17	0.27	0.11	19.05	12.9	51
I098418		0.40	<0.005	0.08	2.42	11.5	<0.2	<10	210	0.36	0.18	0.34	0.08	14.75	17.3	46
I098419		0.38	<0.005	0.09	2.37	43.6	<0.2	<10	220	0.47	0.15	0.51	0.06	29.8	18.6	53
I098420		0.44	<0.005	0.04	3.17	74.1	<0.2	<10	320	0.43	0.10	0.35	0.07	12.95	19.5	79
I098421		0.36	<0.005	0.11	2.27	55.7	<0.2	<10	200	0.51	0.16	0.20	0.07	34.0	14.2	44
I098422		0.36	<0.005	0.20	2.14	38.2	<0.2	<10	210	0.75	0.19	0.25	0.28	31.8	15.2	45
I098423		0.42	<0.005	0.14	2.79	48.8	<0.2	<10	130	0.84	0.14	0.62	0.13	31.3	21.1	67
I098424		0.32	<0.005	0.09	2.74	8.6	<0.2	<10	320	0.63	0.22	0.43	0.08	18.85	23.5	61
I098425		0.30	<0.005	0.03	2.06	4.3	<0.2	<10	280	0.29	0.10	0.47	0.16	14.60	12.9	129
I098426		0.30	<0.005	0.05	3.00	5.8	<0.2	<10	390	0.68	0.11	0.41	0.09	47.4	21.2	94
I098427		0.38	<0.005	0.04	2.76	8.3	<0.2	<10	380	0.54	0.03	0.65	0.06	40.4	22.6	103
I098428		0.40	<0.005	0.46	1.89	11.7	<0.2	<10	490	0.48	0.15	0.33	0.59	24.7	12.5	33
I098429		0.38	<0.005	0.16	1.82	11.2	<0.2	<10	490	0.42	0.23	0.38	0.43	29.3	13.6	25
I098430		0.30	<0.005	0.25	2.11	6.9	<0.2	<10	580	0.38	0.12	0.27	0.11	17.35	10.8	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098391		4.92	25.4	5.93	13.15	0.11	0.21	0.02	0.052	0.88	23.4	18.5	2.37	775	1.01
I098392		1.05	11.6	2.19	7.50	0.06	0.08	0.02	0.019	0.13	28.7	5.4	0.50	199	2.12
I098393		1.08	16.5	2.65	5.96	0.06	0.05	0.05	0.024	0.06	18.7	10.2	0.63	208	0.80
I098394		1.16	17.6	2.78	7.27	0.06	0.03	0.04	0.080	0.07	13.0	14.7	1.03	223	0.62
I098395		1.48	33.5	3.88	9.55	0.14	0.08	0.04	0.030	0.44	44.4	20.4	1.64	519	0.93
I098396		1.25	18.4	3.65	8.14	0.07	0.09	0.01	0.029	0.20	20.9	18.0	1.22	409	0.96
I098397		1.16	23.9	3.22	7.42	0.09	0.05	0.03	0.027	0.19	32.2	15.6	1.15	420	0.97
I098398		0.78	21.2	1.24	4.55	<0.05	<0.02	0.03	0.016	0.08	15.7	4.9	0.21	88	0.55
I098399		0.99	15.4	4.10	9.39	0.06	0.06	0.01	0.026	0.07	10.2	12.6	0.50	334	2.30
I098400		0.67	13.3	2.65	7.50	<0.05	0.12	0.02	0.020	0.07	17.0	9.2	0.37	150	2.32
I098401		0.87	15.3	2.78	7.67	0.06	0.15	0.02	0.022	0.09	17.1	11.5	0.66	238	1.13
I098402		1.52	36.8	3.42	7.11	0.07	0.42	0.06	0.047	0.08	16.9	14.2	0.71	272	1.41
I098403		0.58	11.7	1.12	5.70	<0.05	0.02	0.01	0.014	0.07	7.9	3.5	0.20	73	0.69
I098404		0.88	28.0	3.27	7.51	0.07	0.09	0.02	0.020	0.15	25.4	14.7	1.10	413	1.18
I098405		2.54	16.4	4.15	13.05	0.13	0.04	0.01	0.016	0.60	9.0	13.0	2.16	443	1.49
I098406		1.05	27.1	3.36	7.61	0.06	0.09	0.02	0.027	0.09	14.7	15.5	0.83	372	0.88
I098407		0.08	2.0	0.73	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.7	1.2	0.04	164	0.27
I098408		1.24	14.6	3.74	10.40	0.06	0.03	0.02	0.022	0.10	6.3	17.1	1.34	994	0.96
I098409		1.01	21.1	3.56	8.90	0.05	0.12	0.01	0.029	0.08	11.2	13.7	0.83	363	1.49
I098410		0.69	86.9	2.87	6.78	0.05	0.06	0.02	0.024	0.11	16.3	10.9	0.50	278	1.52
I098411		0.81	112.5	3.62	7.81	0.11	0.16	0.03	0.032	0.14	47.0	9.9	0.59	1590	2.91
I098412		0.78	21.7	2.71	7.11	0.05	0.03	0.02	0.022	0.06	16.3	8.1	0.41	668	1.44
I098413		0.72	16.7	2.48	6.79	0.05	0.02	0.03	0.017	0.07	15.2	8.8	0.40	851	1.34
I098414		0.43	17.0	3.37	6.67	<0.05	0.02	0.02	0.025	0.13	6.9	11.4	0.53	606	1.31
I098415		0.82	26.4	2.73	7.39	0.07	0.03	0.04	0.020	0.10	28.7	18.8	0.62	404	1.11
I098416		0.81	18.7	3.42	7.65	0.05	0.02	0.01	0.028	0.05	9.0	14.4	0.64	855	1.13
I098417		0.76	24.2	3.92	8.39	0.06	0.05	0.01	0.028	0.07	8.9	19.8	0.81	343	1.52
I098418		0.66	21.5	3.94	8.32	0.05	0.07	0.01	0.024	0.12	7.8	21.2	0.85	537	1.39
I098419		0.68	25.7	3.71	7.64	0.06	0.16	0.02	0.029	0.05	14.9	19.3	0.80	542	0.87
I098420		2.54	31.2	4.92	9.10	0.08	0.08	0.01	0.019	0.77	6.5	34.2	1.71	543	1.07
I098421		0.53	20.2	3.50	7.07	0.05	0.09	0.01	0.032	0.10	14.6	14.2	0.66	316	1.09
I098422		0.68	17.4	3.52	7.35	0.05	0.04	0.01	0.033	0.10	13.3	10.9	0.53	594	1.14
I098423		1.22	26.9	4.51	9.20	0.07	0.08	0.02	0.027	0.20	12.0	19.1	0.94	456	1.47
I098424		1.90	22.5	4.15	7.86	0.08	0.06	0.01	0.018	0.60	7.2	20.3	1.68	604	1.66
I098425		0.92	9.8	2.75	6.57	0.06	0.02	0.02	0.013	0.17	8.0	14.8	1.09	396	1.01
I098426		1.62	17.7	4.39	8.78	0.10	0.11	0.02	0.022	0.45	20.4	18.9	1.80	740	1.16
I098427		2.10	12.0	3.85	7.43	0.13	0.06	0.01	0.009	0.69	19.2	17.7	2.11	503	0.55
I098428		2.40	33.6	3.36	6.59	0.05	0.03	0.02	0.024	0.20	11.8	16.3	0.78	333	2.19
I098429		2.18	37.9	4.01	7.21	0.07	0.02	0.02	0.023	0.44	16.3	11.7	0.64	375	4.01
I098430		2.28	22.1	3.32	7.80	0.06	0.03	0.03	0.021	0.33	8.0	17.4	0.90	345	1.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098391		0.88	11.4	300	54.1	113.0	<0.001	0.02	0.46	13.1	0.5	1.4	9.8	<0.01	0.02
I098392		1.74	7.7	270	39.2	27.2	<0.001	0.02	0.53	2.5	0.3	0.8	14.5	<0.01	0.03
I098393		1.61	19.2	620	16.9	13.3	<0.001	0.04	0.41	4.9	0.5	0.5	32.1	<0.01	0.02
I098394		1.21	22.5	660	11.0	13.5	<0.001	0.04	0.42	5.3	0.6	0.6	27.7	<0.01	0.01
I098395		1.77	33.8	860	8.8	59.4	<0.001	0.02	0.28	7.4	0.8	0.7	37.0	<0.01	0.01
I098396		1.49	24.4	450	12.1	32.4	<0.001	0.01	0.32	5.0	0.2	0.9	27.5	<0.01	0.01
I098397		1.47	33.2	700	11.4	30.7	<0.001	0.03	0.32	5.2	0.6	0.8	37.8	<0.01	0.02
I098398		0.79	11.7	240	5.8	15.3	<0.001	0.01	0.13	2.0	0.4	0.4	19.3	<0.01	0.02
I098399		2.35	16.2	540	14.6	21.5	<0.001	0.01	0.65	3.2	0.3	0.8	25.4	<0.01	0.05
I098400		2.12	10.4	200	52.8	17.6	<0.001	0.02	0.46	2.7	0.3	0.7	14.5	<0.01	0.02
I098401		2.34	15.9	180	25.6	31.7	<0.001	0.01	0.35	3.5	0.3	0.7	22.3	<0.01	0.02
I098402		2.36	27.8	270	265	22.6	<0.001	0.01	0.61	5.1	0.5	0.8	18.6	0.01	0.03
I098403		1.20	7.9	160	10.0	14.0	<0.001	0.01	0.15	1.9	0.3	0.5	17.1	<0.01	0.02
I098404		1.83	28.7	460	7.6	24.8	<0.001	0.01	0.29	4.4	0.3	0.6	31.2	<0.01	0.03
I098405		1.98	34.6	780	9.0	69.3	<0.001	0.01	0.20	4.4	0.2	0.8	39.7	<0.01	0.02
I098406		1.90	29.5	510	8.8	18.2	<0.001	0.01	0.40	4.9	0.4	0.6	28.9	<0.01	0.03
I098407		0.24	3.6	130	1.6	2.1	<0.001	<0.01	0.11	0.6	0.2	<0.2	7.8	<0.01	0.01
I098408		2.59	21.5	480	7.0	28.2	<0.001	0.01	0.28	3.6	0.3	0.9	25.5	<0.01	0.03
I098409		1.99	23.6	190	13.1	22.7	<0.001	0.01	0.50	4.5	0.3	0.8	17.0	<0.01	0.02
I098410		1.89	16.2	330	31.4	25.9	<0.001	0.02	0.90	3.6	0.3	0.6	20.7	<0.01	0.04
I098411		1.77	19.5	330	81.3	25.8	<0.001	0.02	0.53	6.9	0.9	0.8	22.5	<0.01	0.06
I098412		1.55	14.7	230	17.4	18.1	<0.001	0.01	0.47	3.9	0.3	0.7	21.2	<0.01	0.03
I098413		1.89	15.7	300	10.0	12.7	<0.001	0.01	0.39	2.8	0.3	0.5	15.0	<0.01	0.02
I098414		1.37	22.0	350	7.3	11.2	<0.001	0.01	0.69	2.9	0.2	0.4	23.5	<0.01	0.03
I098415		1.56	29.1	290	6.3	15.3	<0.001	0.01	0.90	4.4	0.5	0.5	32.3	<0.01	0.03
I098416		1.51	30.7	290	7.0	10.9	<0.001	0.01	0.82	3.9	0.2	0.5	23.0	<0.01	0.03
I098417		1.62	31.2	260	8.3	16.5	<0.001	0.01	1.02	4.3	0.2	0.5	20.8	<0.01	0.03
I098418		2.12	26.6	340	8.1	16.2	<0.001	0.03	0.43	3.5	0.3	0.6	31.1	<0.01	0.03
I098419		2.06	31.7	320	9.5	10.0	<0.001	0.01	0.93	5.6	0.4	0.6	41.9	<0.01	0.02
I098420		1.89	38.2	290	6.5	73.3	<0.001	0.01	0.68	4.1	0.4	0.6	31.4	<0.01	0.03
I098421		1.63	28.8	230	8.9	11.7	<0.001	0.01	0.84	4.4	0.3	0.5	20.8	<0.01	0.03
I098422		1.29	25.8	270	38.9	14.5	<0.001	0.01	0.81	4.9	0.3	0.7	23.2	<0.01	0.02
I098423		3.01	41.9	310	11.7	22.0	<0.001	0.01	1.42	4.9	0.3	0.7	32.7	<0.01	0.04
I098424		1.86	26.4	280	11.8	55.3	<0.001	<0.01	0.31	4.8	0.2	0.4	31.5	<0.01	0.04
I098425		1.92	14.4	440	4.4	23.8	<0.001	0.02	0.25	2.3	0.2	0.5	35.6	<0.01	0.02
I098426		1.98	34.8	450	5.8	45.8	<0.001	0.01	0.39	6.6	0.3	0.5	33.0	<0.01	0.02
I098427		1.55	35.6	840	3.0	61.2	<0.001	0.01	0.16	3.4	0.3	0.3	33.2	<0.01	0.01
I098428		1.42	29.3	540	8.3	20.3	<0.001	0.02	0.48	4.7	0.8	0.5	24.0	<0.01	0.06
I098429		1.17	47.2	1830	8.7	31.7	<0.001	0.06	0.67	1.9	1.1	0.5	39.9	<0.01	0.07
I098430		1.83	25.3	720	6.5	43.5	<0.001	0.01	0.23	5.0	0.4	0.4	18.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098391		0.273	0.97	0.96	157	0.15	8.53	94
I098392		0.114	0.21	1.57	53	0.12	6.70	50
I098393		0.102	0.15	1.64	55	0.48	8.77	61
I098394		0.103	0.12	1.45	62	0.13	6.42	61
I098395		0.203	0.35	1.91	84	0.15	25.1	75
I098396		0.156	0.22	0.96	83	0.15	7.29	57
I098397		0.117	0.19	1.38	68	0.29	17.05	48
I098398		0.062	0.09	0.72	27	0.08	8.32	22
I098399		0.115	0.13	0.42	91	0.19	2.51	63
I098400		0.097	0.12	0.76	66	0.14	2.93	44
I098401		0.130	0.19	0.96	68	0.13	5.56	54
I098402		0.118	0.21	1.32	72	0.20	8.79	80
I098403		0.086	0.11	0.50	34	0.10	2.45	21
I098404		0.160	0.20	0.75	79	0.13	6.03	49
I098405		0.279	0.37	0.53	150	0.17	3.16	66
I098406		0.136	0.22	0.83	75	0.16	5.25	53
I098407		0.009	0.03	0.35	5	<0.05	2.18	5
I098408		0.212	0.21	0.51	88	0.18	2.48	72
I098409		0.135	0.18	0.52	85	0.15	3.04	46
I098410		0.105	0.11	0.78	66	0.16	3.75	72
I098411		0.097	0.22	3.36	66	0.12	24.5	112
I098412		0.080	0.10	0.79	68	0.14	6.73	43
I098413		0.104	0.12	0.64	55	0.16	5.28	48
I098414		0.056	0.07	0.68	60	0.11	3.96	58
I098415		0.064	0.12	1.14	54	0.14	14.45	48
I098416		0.066	0.11	0.35	70	0.13	3.52	66
I098417		0.076	0.08	0.39	76	0.15	4.54	66
I098418		0.138	0.14	0.40	77	0.13	2.76	76
I098419		0.134	0.11	0.85	73	0.14	7.78	60
I098420		0.217	0.31	0.38	83	0.17	3.24	81
I098421		0.084	0.09	0.62	70	0.11	4.39	58
I098422		0.058	0.13	0.48	69	0.18	3.69	64
I098423		0.146	0.17	0.66	73	0.22	5.84	101
I098424		0.195	0.24	0.28	77	0.14	3.31	74
I098425		0.145	0.14	0.32	52	0.16	2.32	52
I098426		0.158	0.25	0.61	78	0.16	7.09	67
I098427		0.198	0.38	0.58	69	0.17	7.52	59
I098428		0.113	0.20	0.97	80	0.13	5.23	92
I098429		0.104	0.24	1.24	76	0.12	7.82	162
I098430		0.145	0.21	0.47	81	0.13	4.63	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098431		0.32	<0.005	0.39	1.44	2.1	<0.2	<10	600	0.30	0.09	0.31	0.08	13.65	6.6	59
I098432		0.36	0.005	0.13	1.08	14.4	<0.2	<10	110	0.20	0.22	0.15	0.38	25.8	5.1	29
I098433		0.34	<0.005	0.32	2.29	33.5	<0.2	<10	490	1.21	0.15	0.59	0.21	58.1	16.1	60
I098434		0.30	<0.005	0.21	1.40	8.8	<0.2	<10	200	0.23	0.15	0.31	0.38	26.1	6.1	36
I098435		0.36	<0.005	0.58	1.43	4.4	<0.2	<10	320	0.31	0.15	0.19	0.54	23.3	6.6	38
I098436		0.36	<0.005	0.28	1.48	7.2	<0.2	<10	270	0.28	0.21	0.21	0.62	25.7	7.9	32
I098437		0.40	0.007	0.51	1.51	9.6	<0.2	<10	390	0.31	0.24	0.24	0.49	32.5	6.5	38
I098438		0.42	<0.005	0.02	0.17	2.2	<0.2	<10	30	0.10	0.02	0.09	0.04	11.25	2.3	4
I098439		0.36	0.006	0.79	1.46	12.6	<0.2	<10	360	0.26	0.20	0.22	0.82	31.2	5.5	34
I098440		0.38	<0.005	0.22	1.79	15.9	<0.2	<10	510	0.86	0.22	0.47	0.31	49.4	16.7	55
I098441		0.32	<0.005	0.19	1.06	3.3	<0.2	<10	250	0.16	0.15	0.19	0.17	14.10	4.9	39
I098442		0.34	<0.005	0.18	1.67	7.5	<0.2	<10	300	0.37	0.13	0.47	0.15	14.85	11.9	56
I098443		0.34	<0.005	0.49	1.99	9.1	<0.2	<10	360	0.45	0.17	0.31	0.91	22.7	13.7	37
I098444		0.36	0.010	0.49	1.71	10.9	<0.2	<10	340	0.36	0.17	0.23	0.76	22.9	10.0	44
I098445		0.34	<0.005	0.26	2.33	8.1	<0.2	<10	440	0.67	0.13	0.35	0.28	25.6	17.2	68
I098446		0.34	<0.005	0.21	1.73	9.2	<0.2	<10	360	0.36	0.16	0.36	0.21	19.95	11.8	37
I098447		0.34	<0.005	0.77	1.60	4.2	<0.2	<10	1030	0.41	0.13	0.50	0.97	19.80	12.3	37
I098448		0.44	<0.005	0.31	1.97	4.6	<0.2	<10	470	0.53	0.17	0.41	0.34	30.6	16.3	39
I098449		0.38	0.005	1.08	2.09	5.9	<0.2	<10	320	0.66	0.18	0.15	0.24	75.4	7.7	55
I098450		0.30	<0.005	0.32	1.62	6.6	<0.2	<10	250	0.32	0.16	0.16	0.36	29.6	9.3	34
I098498		0.48	<0.005	0.12	2.31	10.6	<0.2	<10	160	0.44	0.18	0.36	0.18	29.7	10.4	27
I098499		0.38	<0.005	0.18	1.89	12.0	<0.2	<10	170	0.28	0.15	0.38	0.13	22.3	8.8	22
I098500		0.40	<0.005	0.33	2.28	41.8	<0.2	<10	280	0.43	0.40	0.95	0.21	33.3	11.3	22
I098560		0.26	0.027	0.87	4.26	61.4	<0.2	<10	520	0.55	0.74	1.15	0.61	25.0	29.3	86
I098561		0.20	0.036	0.74	2.88	40.9	<0.2	<10	440	0.61	0.51	2.29	0.80	24.8	17.5	58
I098562		0.30	0.023	0.45	3.29	43.1	<0.2	<10	340	0.42	0.55	0.74	0.34	18.50	18.9	61
I098563		0.24	0.011	0.28	2.91	25.8	<0.2	<10	360	0.39	0.44	0.87	0.31	16.40	15.8	57
I098564		0.20	0.013	0.30	1.33	14.1	<0.2	<10	450	0.48	0.19	2.26	2.71	27.7	10.4	22
I098565		0.26	0.013	0.39	2.96	31.2	<0.2	<10	390	0.39	0.41	1.13	0.83	17.05	16.4	61
I098566		0.30	0.017	0.50	3.30	35.2	<0.2	<10	450	0.42	0.45	1.24	0.55	18.10	19.8	65
I098567		0.34	0.018	0.38	2.98	16.1	<0.2	<10	420	0.40	0.30	0.89	0.20	18.75	12.8	57
I098568		0.16	0.016	0.45	2.20	39.4	<0.2	<10	700	0.47	0.33	2.01	2.01	24.8	31.4	37
I098569		0.36	0.021	0.40	2.82	44.7	<0.2	<10	390	0.45	0.46	1.02	0.31	14.90	14.7	51
I098570		0.26	0.021	0.54	2.44	49.5	<0.2	<10	480	0.56	0.39	1.84	0.85	24.0	18.5	44
I098571		0.42	0.029	0.53	2.63	51.8	<0.2	<10	350	0.42	0.43	0.70	0.46	18.80	17.4	51
I098572		0.40	0.045	0.53	2.51	43.6	<0.2	<10	340	0.43	0.42	0.73	0.39	17.15	15.1	48
I098573		0.30	0.025	0.83	2.16	60.3	<0.2	<10	490	0.68	0.34	1.52	0.69	33.7	18.0	34
I098574		0.36	0.029	0.49	2.84	46.5	<0.2	<10	330	0.41	0.38	0.73	0.60	20.7	22.4	54
I098575		0.38	0.015	0.29	3.21	36.4	<0.2	<10	330	0.45	0.31	0.63	0.20	15.70	16.4	64
I098576		0.26	0.018	0.36	2.80	31.7	<0.2	<10	290	0.30	0.43	0.67	0.25	14.20	15.3	58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098431		2.11	19.0	2.06	6.51	0.05	<0.02	0.02	0.012	0.24	7.2	7.6	0.68	165	0.96
I098432		1.38	22.6	2.53	6.07	0.05	<0.02	0.02	0.013	0.11	13.7	7.2	0.31	238	2.14
I098433		7.63	64.3	4.89	7.28	0.12	0.05	0.02	0.037	0.49	38.7	15.2	0.96	479	2.50
I098434		1.87	21.1	2.16	5.96	0.07	0.02	0.04	0.017	0.11	13.9	9.9	0.56	175	1.67
I098435		1.55	23.7	2.12	6.62	0.05	<0.02	0.03	0.020	0.09	12.6	10.7	0.43	198	2.33
I098436		1.05	29.2	2.46	6.97	0.06	<0.02	0.02	0.024	0.07	14.3	9.6	0.40	263	2.91
I098437		1.11	27.3	2.65	8.02	0.05	0.02	0.02	0.024	0.11	17.2	7.9	0.44	268	3.24
I098438		0.09	2.7	0.73	0.81	<0.05	0.10	<0.01	<0.005	0.05	5.6	1.5	0.04	160	0.33
I098439		1.61	40.7	2.77	5.51	0.07	0.02	0.08	0.024	0.10	16.5	7.2	0.41	119	3.18
I098440		2.06	57.7	4.37	6.39	0.09	0.05	0.05	0.043	0.19	27.0	11.5	0.59	789	2.27
I098441		1.03	20.4	1.52	5.84	<0.05	<0.02	0.01	0.056	0.11	7.8	6.2	0.40	131	0.75
I098442		1.23	19.7	2.89	6.04	0.05	0.09	0.02	0.024	0.06	7.0	10.3	0.52	425	1.41
I098443		0.83	26.2	2.92	6.16	<0.05	0.11	0.02	0.028	0.07	11.3	11.7	0.49	565	2.14
I098444		1.63	29.2	3.04	7.05	0.06	0.04	0.01	0.022	0.16	11.0	10.5	0.55	509	2.66
I098445		2.38	47.4	3.57	6.90	0.06	0.02	0.01	0.026	0.20	12.1	14.7	0.85	375	2.32
I098446		0.70	14.1	2.93	5.88	0.05	0.07	0.01	0.022	0.13	9.4	10.0	0.49	556	1.60
I098447		0.83	16.8	2.64	5.36	0.05	0.04	0.02	0.019	0.28	9.1	9.7	0.57	873	1.42
I098448		1.11	25.6	2.99	6.93	0.06	0.02	0.02	0.028	0.26	15.9	15.7	0.68	889	1.53
I098449		3.36	57.7	3.32	5.99	0.12	0.03	0.01	0.024	0.38	42.4	12.2	0.70	88	3.30
I098450		1.80	17.8	2.66	7.21	0.06	0.02	0.02	0.023	0.16	15.8	13.4	0.48	524	1.82
I098498		1.88	15.1	3.19	8.43	0.07	0.06	0.04	0.026	0.11	15.1	15.4	0.71	382	0.81
I098499		1.88	16.3	2.62	7.49	0.06	0.04	0.06	0.022	0.11	11.8	11.6	0.59	384	0.90
I098500		2.25	19.7	3.06	8.12	0.07	0.04	0.08	0.026	0.14	19.3	17.7	0.77	533	0.94
I098560		2.42	44.8	4.18	11.95	0.12	0.05	0.06	0.034	0.46	9.8	18.0	1.97	1500	1.08
I098561		1.57	63.0	2.73	7.77	0.11	0.06	0.09	0.025	0.30	13.8	11.8	1.18	1340	0.96
I098562		1.57	34.7	3.46	8.98	0.09	0.04	0.05	0.026	0.28	9.2	12.5	1.29	600	1.03
I098563		1.61	29.0	3.19	8.61	0.08	0.04	0.04	0.023	0.23	8.6	12.5	1.26	525	0.96
I098564		0.61	64.3	1.53	3.10	0.07	0.04	0.10	0.015	0.08	14.9	4.3	0.44	1300	1.18
I098565		1.64	28.9	3.19	8.22	0.09	0.05	0.05	0.023	0.31	8.7	13.0	1.37	826	1.04
I098566		1.98	36.1	3.60	9.40	0.11	0.04	0.06	0.027	0.50	8.9	17.1	1.69	755	0.99
I098567		1.89	33.1	2.97	8.82	0.11	0.05	0.05	0.022	0.55	9.1	17.6	1.61	258	0.54
I098568		1.24	47.9	2.61	6.14	0.08	0.03	0.08	0.020	0.32	10.1	9.3	0.96	6350	2.40
I098569		1.77	32.0	3.17	7.75	0.09	0.04	0.05	0.063	0.41	7.5	13.1	1.25	503	0.86
I098570		1.41	53.0	2.88	6.53	0.09	0.05	0.09	0.022	0.28	12.1	10.5	0.98	2050	1.32
I098571		1.72	29.3	3.25	7.50	0.09	0.04	0.04	0.023	0.41	8.6	12.9	1.25	870	0.93
I098572		1.63	28.4	2.99	7.01	0.10	0.04	0.20	0.022	0.39	8.1	12.1	1.17	720	0.83
I098573		1.02	61.2	2.88	5.64	0.08	0.04	0.09	0.022	0.13	15.6	9.1	0.66	1660	1.59
I098574		1.65	28.3	3.17	7.62	0.08	0.03	0.05	0.022	0.39	8.4	11.9	1.19	1250	1.24
I098575		2.29	22.9	3.56	9.18	0.11	0.06	0.04	0.020	0.73	7.8	15.2	1.85	360	0.69
I098576		1.71	26.5	3.14	8.43	0.08	0.03	0.04	0.022	0.24	7.1	11.3	1.34	509	0.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098431		1.27	13.3	390	3.8	39.9	<0.001	0.01	0.14	4.2	0.3	0.4	25.4	<0.01	0.03
I098432		0.99	21.0	610	9.0	14.6	<0.001	0.02	0.48	1.4	0.5	0.5	13.7	<0.01	0.05
I098433		1.21	58.2	1070	12.4	42.3	<0.001	0.01	0.61	8.9	1.0	0.5	23.4	<0.01	0.06
I098434		1.30	21.6	780	7.9	15.8	0.001	0.03	0.23	3.0	0.9	0.4	25.6	<0.01	0.04
I098435		0.84	22.4	610	6.8	16.5	<0.001	0.01	0.26	2.7	0.5	0.6	16.4	<0.01	0.04
I098436		0.64	23.5	780	8.6	13.5	<0.001	0.01	0.21	1.8	0.7	0.6	20.0	<0.01	0.05
I098437		1.39	22.2	1250	9.5	14.9	<0.001	0.05	0.27	3.9	0.9	0.6	26.2	<0.01	0.05
I098438		0.26	4.0	120	1.8	2.6	<0.001	<0.01	0.11	0.7	<0.2	<0.2	8.9	<0.01	0.01
I098439		1.02	23.4	1090	8.0	15.2	<0.001	0.04	0.30	2.7	3.1	0.4	25.1	<0.01	0.07
I098440		1.08	56.5	800	10.5	22.5	<0.001	0.01	0.66	8.5	1.1	0.6	31.7	<0.01	0.06
I098441		0.62	24.7	450	4.8	12.3	<0.001	0.01	0.13	1.0	0.4	0.4	15.8	<0.01	0.03
I098442		1.38	29.8	290	5.6	9.9	<0.001	<0.01	0.57	4.8	0.2	0.5	27.0	<0.01	0.02
I098443		1.66	30.3	680	8.1	12.8	<0.001	0.01	0.53	4.1	0.5	0.6	27.8	<0.01	0.03
I098444		1.52	38.5	890	8.1	21.1	<0.001	0.01	0.49	3.7	0.5	0.6	19.0	<0.01	0.06
I098445		1.28	48.4	800	6.3	20.6	<0.001	<0.01	0.57	4.7	0.8	0.5	22.4	<0.01	0.05
I098446		1.66	19.6	380	8.2	12.4	<0.001	0.01	0.46	3.7	0.3	0.5	24.8	<0.01	0.02
I098447		1.43	25.0	760	6.5	19.0	<0.001	0.01	0.35	3.4	0.3	0.4	30.2	<0.01	0.03
I098448		1.25	29.8	1470	7.8	21.3	<0.001	0.01	0.32	3.8	0.4	0.5	26.6	<0.01	0.04
I098449		1.04	30.2	950	7.8	42.9	0.001	0.03	0.26	3.4	1.4	0.4	28.8	<0.01	0.10
I098450		1.74	18.8	880	9.9	27.1	<0.001	0.01	0.26	3.1	0.4	0.6	18.0	<0.01	0.03
I098498		2.43	16.1	600	11.8	20.6	<0.001	0.03	0.40	5.4	0.5	0.7	24.9	<0.01	0.02
I098499		1.78	12.4	650	6.5	20.0	<0.001	0.04	0.40	4.6	0.5	0.6	26.1	<0.01	0.02
I098500		1.79	14.0	770	6.6	22.3	<0.001	0.05	0.52	5.9	0.7	0.6	50.3	<0.01	0.03
I098560		1.51	45.3	760	12.3	42.6	0.005	0.10	2.54	11.5	1.4	0.7	52.7	<0.01	0.17
I098561		1.27	37.4	1070	7.9	27.0	0.007	0.22	2.70	6.3	2.6	0.4	89.4	<0.01	0.17
I098562		1.31	33.2	650	11.7	28.7	0.001	0.06	1.98	7.7	0.8	0.5	37.3	<0.01	0.14
I098563		1.56	29.6	710	8.2	27.3	<0.001	0.07	1.19	6.2	0.8	0.5	45.0	<0.01	0.09
I098564		0.76	28.0	1420	4.7	11.4	0.002	0.21	1.72	1.9	1.8	0.2	106.5	<0.01	0.10
I098565		1.55	30.6	710	10.2	33.7	0.001	0.10	1.81	6.5	1.5	0.6	50.4	<0.01	0.08
I098566		1.71	35.0	690	9.7	46.6	0.004	0.13	4.58	7.5	1.9	0.5	53.5	<0.01	0.09
I098567		1.81	28.9	600	9.0	45.2	0.004	0.15	4.94	7.3	1.3	0.5	39.7	<0.01	0.04
I098568		1.11	31.3	1040	7.0	25.8	0.003	0.20	9.24	4.4	1.8	0.3	93.0	<0.01	0.11
I098569		1.55	25.4	800	9.5	35.2	0.002	0.10	7.98	6.2	1.0	0.5	48.6	<0.01	0.09
I098570		1.39	26.9	980	11.1	25.7	0.004	0.17	11.10	5.1	1.8	0.4	85.9	<0.01	0.12
I098571		1.51	26.0	650	16.2	33.7	<0.001	0.04	10.65	7.0	0.9	0.5	35.2	<0.01	0.08
I098572		1.45	24.4	700	16.9	31.2	0.002	0.05	10.65	6.5	0.9	0.4	34.1	<0.01	0.10
I098573		1.08	24.9	1150	10.0	15.2	0.001	0.16	8.68	4.0	1.9	0.3	77.7	<0.01	0.13
I098574		1.38	28.0	700	9.5	32.4	<0.001	0.05	6.58	6.4	0.8	0.4	35.1	<0.01	0.08
I098575		1.67	28.0	620	8.1	47.2	<0.001	0.02	6.46	7.5	0.6	0.5	29.4	<0.01	0.05
I098576		1.47	27.0	640	9.6	24.9	<0.001	0.05	3.43	6.6	0.7	0.5	38.0	<0.01	0.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098431		0.122	0.20	0.38	61	0.09	3.81	50	0.5
I098432		0.061	0.12	0.55	79	0.13	3.74	83	<0.5
I098433		0.098	0.35	2.31	80	0.07	18.65	121	2.3
I098434		0.092	0.17	1.03	56	0.29	6.99	93	0.7
I098435		0.065	0.13	0.76	67	0.10	4.68	75	<0.5
I098436		0.055	0.11	1.03	73	0.13	5.73	88	<0.5
I098437		0.083	0.13	1.07	69	0.16	6.11	98	0.8
I098438		0.009	0.03	0.36	5	<0.05	2.32	5	3.4
I098439		0.066	0.18	2.02	61	0.30	8.52	92	0.6
I098440		0.072	0.28	1.98	79	0.11	14.75	113	2.2
I098441		0.064	0.08	0.48	44	0.08	2.90	38	<0.5
I098442		0.081	0.14	0.38	72	0.13	2.92	41	3.0
I098443		0.086	0.14	0.65	71	0.15	4.64	90	4.6
I098444		0.107	0.19	0.68	77	0.17	4.91	100	1.8
I098445		0.101	0.18	0.77	91	0.15	5.82	91	0.5
I098446		0.099	0.10	0.40	64	0.15	3.11	64	2.8
I098447		0.098	0.10	0.41	60	0.14	3.67	131	1.4
I098448		0.096	0.11	0.79	61	0.10	7.06	101	0.7
I098449		0.108	0.45	1.88	123	0.10	11.95	108	1.0
I098450		0.101	0.16	1.02	67	0.17	6.05	88	0.7
I098498		0.156	0.16	1.63	81	0.20	7.76	68	2.2
I098499		0.122	0.15	1.32	66	0.21	6.29	53	1.1
I098500		0.109	0.16	2.65	71	0.32	13.05	65	1.1
I098560		0.126	0.40	0.96	124	0.23	9.48	136	2.2
I098561		0.072	0.29	1.43	80	0.19	18.55	105	2.5
I098562		0.106	0.22	0.95	93	1.40	7.10	89	1.7
I098563		0.118	0.18	0.76	88	0.33	7.07	79	1.5
I098564		0.032	0.13	1.26	33	0.19	20.1	76	1.3
I098565		0.111	0.22	1.14	91	0.16	8.13	104	1.9
I098566		0.132	0.29	1.17	95	0.18	9.26	101	1.9
I098567		0.150	0.28	0.93	83	0.18	9.60	75	2.4
I098568		0.082	0.36	1.23	63	0.21	11.20	102	1.5
I098569		0.121	0.25	1.00	82	0.35	6.65	87	1.8
I098570		0.085	0.22	1.43	70	0.23	14.15	74	1.9
I098571		0.132	0.24	1.02	87	0.56	7.09	71	2.0
I098572		0.123	0.23	0.96	81	0.29	7.09	68	1.8
I098573		0.061	0.16	2.02	71	0.17	17.95	50	1.6
I098574		0.120	0.25	1.14	85	0.24	6.94	71	1.5
I098575		0.189	0.35	0.76	99	0.30	4.83	69	2.7
I098576		0.130	0.19	0.77	87	0.25	5.10	74	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098577		0.42	<0.005	0.08	2.28	7.0	<0.2	<10	190	0.38	0.14	0.43	0.07	26.0	10.5	35
I098578		0.34	<0.005	0.11	2.08	7.4	<0.2	<10	150	0.24	0.16	0.29	0.06	13.60	7.3	23
I098579		0.46	<0.005	0.09	3.03	12.5	<0.2	<10	250	0.40	0.16	0.26	0.13	16.95	16.0	46
I098580		0.34	<0.005	0.15	3.07	10.6	<0.2	<10	200	0.39	0.19	0.40	0.07	18.55	11.5	31
I098581		0.36	<0.005	0.05	3.50	16.5	<0.2	<10	170	0.40	0.16	0.31	0.17	21.4	13.8	28
I098582		0.44	0.007	0.56	2.55	14.8	<0.2	<10	150	0.51	0.17	0.30	0.11	18.25	12.4	37
I098583		0.32	<0.005	0.02	0.16	2.2	<0.2	<10	30	0.11	0.03	0.09	0.04	10.55	2.4	4
I098584		0.46	<0.005	0.12	2.94	11.2	<0.2	<10	200	0.46	0.20	0.26	0.12	20.5	11.9	32
I098585		0.50	0.005	0.31	2.59	24.4	<0.2	<10	190	0.52	0.18	0.34	0.09	24.4	9.9	36
I098586		0.34	<0.005	0.20	2.14	3.5	<0.2	<10	170	0.31	0.12	0.39	0.11	15.15	8.8	13
I098587		0.46	<0.005	0.12	1.99	5.7	<0.2	<10	130	0.35	0.14	0.22	0.08	16.75	9.2	23
I098588		0.38	<0.005	0.56	1.98	7.5	<0.2	<10	120	0.33	0.28	0.25	0.22	16.75	7.3	23
I098589		0.42	<0.005	0.19	2.35	8.0	<0.2	<10	140	0.42	0.24	0.31	0.09	20.1	9.7	33
I098590		0.42	<0.005	0.14	2.89	10.4	<0.2	<10	170	0.51	0.19	0.20	0.13	19.50	15.8	36
I098591		0.46	<0.005	0.10	2.50	10.8	<0.2	<10	140	0.34	0.20	0.23	0.08	17.50	12.1	38
I098592		0.34	<0.005	0.13	2.46	8.7	<0.2	<10	200	0.41	0.20	0.31	0.35	17.30	13.7	37
I098593		0.34	<0.005	0.11	2.62	9.5	<0.2	<10	190	0.43	0.17	0.19	0.16	17.65	13.0	35
I098594		0.40	<0.005	0.16	1.92	7.1	<0.2	<10	140	0.27	0.22	0.22	0.07	17.60	6.7	28
I098595		0.34	<0.005	0.07	3.73	11.9	<0.2	<10	190	0.61	0.17	0.23	0.16	17.70	18.3	48
I098596		0.34	<0.005	0.05	3.47	12.7	<0.2	<10	200	0.51	0.18	0.21	0.19	16.50	17.7	48
I098597		0.42	0.006	0.08	2.44	10.6	<0.2	<10	180	0.36	0.19	0.24	0.25	16.40	12.0	31
I098598		0.32	<0.005	0.04	2.47	12.2	<0.2	<10	150	0.37	0.20	0.18	0.14	16.55	11.3	35
I098599		0.32	<0.005	0.05	2.00	6.3	<0.2	<10	150	0.37	0.14	0.22	0.07	17.40	8.3	24
I098600		0.28	<0.005	0.10	3.26	13.0	<0.2	<10	190	0.59	0.30	0.19	0.15	19.00	11.9	44
I098601		0.16	<0.005	0.34	1.25	3.9	<0.2	<10	120	0.26	0.14	0.15	0.07	15.80	4.9	14
I098602		0.32	<0.005	0.20	2.40	7.2	<0.2	<10	190	0.44	0.18	0.24	0.09	26.9	10.6	24
I098603		0.26	<0.005	0.11	2.03	7.3	<0.2	<10	140	0.25	0.15	0.21	0.10	14.80	10.1	22
I098604		0.40	<0.005	0.11	1.69	5.4	<0.2	<10	320	0.40	0.15	0.53	0.07	35.3	10.7	28
I098605		0.42	<0.005	0.12	1.77	5.4	<0.2	<10	390	0.42	0.15	0.40	0.07	30.3	12.1	29
I098606		0.34	<0.005	0.05	1.91	7.0	<0.2	<10	250	0.34	0.15	0.23	0.15	20.7	10.8	28
I098607		0.32	<0.005	0.07	2.04	9.3	<0.2	<10	190	0.37	0.14	0.12	0.08	21.1	8.3	31
I098608		0.32	<0.005	0.07	1.62	7.1	<0.2	<10	230	0.28	0.15	0.25	0.09	18.20	9.8	27
I098609		0.40	<0.005	0.09	1.18	5.8	<0.2	<10	210	0.26	0.19	0.17	0.16	18.55	9.3	20
I098610		0.34	<0.005	0.08	1.37	7.1	<0.2	<10	210	0.23	0.15	0.20	0.15	18.40	9.6	23
I098611		0.38	0.007	0.12	1.66	4.3	<0.2	<10	300	0.28	0.16	0.35	0.12	19.90	5.6	24
I098612		0.54	<0.005	0.12	1.70	8.3	<0.2	<10	300	0.41	0.19	0.43	0.19	31.6	8.4	28
I098613		0.48	<0.005	0.07	1.62	6.2	<0.2	<10	310	0.35	0.16	0.21	0.11	22.6	8.2	25
I098614		0.38	<0.005	0.12	1.71	7.8	<0.2	<10	270	0.28	0.17	0.13	0.08	18.30	7.8	25
I098615		0.42	<0.005	0.05	2.02	8.3	<0.2	<10	200	0.45	0.25	0.19	0.15	48.1	6.9	30
I098616		0.44	0.005	0.11	1.74	9.4	<0.2	<10	350	0.47	0.18	0.75	0.28	39.7	10.1	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098577		1.00	21.6	3.25	7.03	0.06	0.16	0.02	0.027	0.11	13.6	18.5	0.72	388	0.69
I098578		0.91	14.3	2.62	7.72	<0.05	0.07	0.02	0.022	0.07	6.8	11.4	0.41	229	1.29
I098579		1.74	23.7	4.00	8.13	0.06	0.24	0.02	0.035	0.07	8.0	17.4	0.73	353	1.04
I098580		2.22	21.3	4.59	12.25	0.06	0.13	0.01	0.029	0.11	8.9	27.3	0.83	409	1.31
I098581		4.12	22.4	5.50	13.10	0.08	0.10	0.01	0.027	0.31	10.1	35.3	1.06	564	1.18
I098582		2.14	20.1	4.14	8.64	0.05	0.09	0.05	0.035	0.06	9.3	20.1	0.60	363	2.06
I098583		0.10	2.4	0.80	0.82	<0.05	0.09	<0.01	<0.005	0.05	5.3	1.6	0.04	174	0.31
I098584		1.70	21.0	4.41	11.40	0.05	0.09	0.02	0.029	0.14	9.5	23.5	0.72	417	2.73
I098585		1.70	22.5	3.73	9.05	0.05	0.07	0.04	0.031	0.06	14.6	19.9	0.61	373	1.39
I098586		2.10	16.0	2.64	7.26	0.05	0.02	0.03	0.018	0.12	7.5	11.7	0.72	306	0.58
I098587		1.74	16.5	2.64	6.53	0.05	0.02	0.04	0.023	0.06	7.9	11.7	0.54	310	0.75
I098588		1.53	13.3	3.16	10.35	<0.05	0.05	0.03	0.028	0.06	8.6	12.6	0.48	298	1.92
I098589		1.74	18.4	3.51	8.58	0.05	0.07	0.02	0.027	0.06	10.1	14.4	0.62	330	1.45
I098590		1.62	19.5	4.26	9.46	0.06	0.17	0.02	0.036	0.07	9.4	16.5	0.64	616	1.68
I098591		1.36	16.3	4.19	9.09	0.06	0.05	0.01	0.030	0.05	8.9	17.6	0.61	360	1.71
I098592		1.05	17.8	3.83	8.73	0.06	0.10	0.01	0.032	0.05	8.5	12.4	0.52	629	1.64
I098593		1.39	18.9	3.73	8.40	0.05	0.06	0.03	0.031	0.07	8.5	15.9	0.57	644	1.43
I098594		0.86	13.6	3.06	9.40	<0.05	0.08	0.01	0.022	0.04	8.9	11.0	0.37	255	1.65
I098595		1.25	24.2	4.08	7.89	0.06	0.27	0.03	0.042	0.06	8.4	15.8	0.66	445	1.77
I098596		1.35	21.2	4.58	8.76	0.05	0.22	0.03	0.044	0.06	8.0	18.4	0.68	603	1.89
I098597		1.46	16.1	4.07	10.25	<0.05	0.09	0.01	0.030	0.10	8.2	17.8	0.64	385	1.71
I098598		1.05	17.6	4.24	10.20	0.05	0.07	0.02	0.032	0.05	8.4	18.1	0.49	302	1.68
I098599		0.94	17.6	2.56	6.63	<0.05	0.04	0.03	0.022	0.06	9.0	11.3	0.43	196	0.82
I098600		1.56	17.8	5.10	11.30	0.06	0.10	0.02	0.082	0.06	9.4	20.2	0.55	311	2.33
I098601		0.93	12.3	1.61	5.35	<0.05	0.04	0.03	0.014	0.05	9.2	6.4	0.21	147	0.88
I098602		2.21	21.8	3.67	9.86	0.05	0.10	0.02	0.030	0.13	16.7	16.5	0.57	407	1.81
I098603		1.62	13.7	3.27	8.94	<0.05	0.09	0.01	0.022	0.09	8.1	18.4	0.52	328	1.89
I098604		0.61	13.7	2.83	5.71	0.05	0.10	0.02	0.023	0.21	13.7	10.4	0.43	845	1.34
I098605		0.54	10.5	2.85	5.74	0.06	0.03	0.02	0.020	0.21	17.1	10.1	0.45	1240	0.90
I098606		0.83	10.7	2.91	6.61	0.05	0.02	0.02	0.022	0.09	10.8	13.1	0.45	643	1.32
I098607		0.76	13.4	2.93	6.43	0.05	0.03	0.01	0.023	0.06	11.8	15.7	0.48	279	1.19
I098608		0.48	10.8	2.61	5.54	0.05	0.03	0.02	0.020	0.12	9.4	11.0	0.40	607	1.04
I098609		0.51	10.6	2.13	5.48	<0.05	0.04	0.02	0.064	0.06	10.6	7.1	0.26	705	1.06
I098610		0.57	11.4	2.46	5.57	<0.05	0.04	0.01	0.017	0.07	10.1	8.8	0.33	707	1.11
I098611		0.50	13.7	2.12	6.38	0.05	0.03	0.02	0.019	0.06	11.8	8.3	0.38	193	0.77
I098612		0.57	23.1	2.60	5.52	0.06	0.08	0.03	0.022	0.07	17.9	14.5	0.55	301	0.78
I098613		0.69	9.8	2.44	5.65	0.05	0.07	0.02	0.018	0.10	12.8	11.1	0.39	392	0.77
I098614		0.90	12.8	2.50	6.98	0.05	0.04	0.02	0.019	0.05	10.8	10.7	0.35	320	1.44
I098615		0.70	20.4	2.74	7.29	0.06	0.04	0.04	0.025	0.08	28.7	12.8	0.44	196	1.27
I098616		0.61	27.9	2.75	5.55	0.08	0.09	0.05	0.023	0.08	22.5	15.0	0.56	376	0.78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098577		2.10	19.9	310	7.1	17.4	<0.001	<0.01	0.39	5.7	0.3	0.7	32.6	<0.01	0.02
I098578		2.31	14.2	290	7.3	16.1	<0.001	0.01	0.30	3.2	0.2	0.6	26.7	<0.01	0.02
I098579		1.97	34.1	250	8.1	13.6	<0.001	0.01	0.50	4.7	0.3	0.7	29.4	<0.01	0.02
I098580		3.38	15.8	300	12.9	22.3	<0.001	0.01	0.48	5.2	0.3	1.2	30.3	<0.01	0.03
I098581		4.77	13.8	400	15.4	48.0	<0.001	0.01	0.81	6.5	0.4	1.3	24.2	<0.01	0.02
I098582		2.27	21.0	430	10.0	10.5	<0.001	0.01	0.63	5.1	0.3	0.7	25.4	<0.01	0.03
I098583		0.27	4.0	130	1.8	2.4	<0.001	<0.01	0.12	0.7	<0.2	<0.2	8.8	<0.01	<0.01
I098584		3.56	19.1	360	11.8	27.6	<0.001	0.01	0.51	3.9	0.3	1.0	27.7	<0.01	0.03
I098585		2.05	19.2	300	14.6	11.6	<0.001	0.01	0.69	5.5	0.3	0.8	30.2	<0.01	0.03
I098586		1.55	8.7	530	4.8	13.4	<0.001	0.02	0.25	4.2	0.4	0.5	44.7	<0.01	0.01
I098587		1.67	14.7	340	5.4	9.7	<0.001	0.01	0.34	4.0	0.3	0.6	21.3	<0.01	0.01
I098588		2.74	10.9	250	22.3	15.5	<0.001	0.01	0.48	4.0	0.3	1.1	25.2	<0.01	0.04
I098589		2.14	19.1	250	9.8	14.6	<0.001	0.01	0.46	4.5	0.3	0.8	25.3	<0.01	0.02
I098590		2.15	21.7	290	8.6	13.9	<0.001	0.01	0.78	4.6	0.3	0.8	20.8	0.01	0.03
I098591		2.03	20.4	280	9.2	13.6	<0.001	0.01	0.55	3.8	0.3	0.7	23.8	<0.01	0.03
I098592		1.86	20.7	250	10.0	13.1	<0.001	0.01	0.58	3.7	0.2	0.8	29.9	<0.01	0.03
I098593		2.04	21.2	320	8.4	12.2	<0.001	0.01	0.65	4.1	0.3	0.7	21.4	<0.01	0.02
I098594		1.91	10.8	180	10.7	12.6	<0.001	<0.01	0.49	3.4	0.2	0.9	21.9	<0.01	0.02
I098595		2.14	32.7	470	8.5	12.0	<0.001	0.01	0.59	5.2	0.3	0.7	25.2	0.01	0.03
I098596		2.18	32.4	510	9.2	13.6	<0.001	0.01	0.61	4.8	0.3	0.7	22.0	0.01	0.04
I098597		2.13	18.1	420	10.8	15.1	<0.001	0.01	0.53	4.3	0.3	0.8	21.9	<0.01	0.03
I098598		2.44	18.0	370	9.9	9.2	<0.001	0.01	0.51	4.1	0.4	0.7	18.8	0.01	0.03
I098599		1.91	15.2	270	6.5	10.0	<0.001	0.01	0.41	3.6	0.3	0.6	23.0	0.01	0.02
I098600		2.45	20.2	530	11.5	13.3	<0.001	0.01	0.66	4.9	0.4	0.9	19.5	0.01	0.04
I098601		1.28	7.6	250	5.8	10.8	<0.001	0.01	0.23	2.5	0.3	0.4	18.7	0.01	0.03
I098602		2.46	13.9	270	9.6	25.3	<0.001	0.01	0.41	5.8	0.4	0.8	23.4	0.01	0.03
I098603		2.30	13.1	270	9.0	20.4	<0.001	0.01	0.39	4.1	0.3	0.7	18.8	<0.01	0.02
I098604		2.10	18.2	370	8.7	24.6	<0.001	0.01	0.30	5.3	0.3	0.5	30.2	<0.01	0.01
I098605		1.72	19.6	410	8.0	17.4	<0.001	0.01	0.32	4.9	0.3	0.5	36.2	<0.01	0.02
I098606		1.88	18.5	720	8.3	15.6	<0.001	0.01	0.40	3.3	<0.2	0.7	24.0	<0.01	0.01
I098607		1.97	19.4	330	8.0	14.8	<0.001	0.01	0.48	3.2	0.3	0.6	14.9	<0.01	0.02
I098608		1.50	17.3	320	8.1	13.3	<0.001	0.01	0.37	2.8	0.2	0.5	23.3	<0.01	0.02
I098609		1.36	11.9	470	7.6	10.5	<0.001	0.01	0.27	2.4	<0.2	0.5	16.4	<0.01	0.01
I098610		1.42	13.9	430	8.0	12.4	<0.001	<0.01	0.33	2.8	0.2	0.5	19.3	<0.01	0.01
I098611		1.37	15.9	250	7.1	8.0	<0.001	0.01	0.27	3.8	0.3	0.6	27.1	<0.01	0.01
I098612		1.65	21.3	490	8.7	10.7	<0.001	0.01	0.53	4.5	0.5	0.5	31.9	<0.01	0.03
I098613		2.16	17.6	190	8.3	19.1	<0.001	<0.01	0.31	3.2	<0.2	0.6	22.9	<0.01	0.02
I098614		1.86	16.5	200	9.1	12.4	<0.001	0.01	0.37	3.0	0.2	0.7	17.7	<0.01	0.01
I098615		1.81	17.5	370	11.1	14.4	<0.001	0.02	0.51	4.0	0.6	0.7	21.9	0.01	0.03
I098616		1.74	24.7	610	8.8	11.9	<0.001	0.02	0.61	5.2	0.8	0.5	44.2	0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098577		0.164	0.14	1.15	79	0.11	6.63	48
I098578		0.132	0.13	0.68	70	0.15	2.50	32
I098579		0.156	0.12	0.50	91	0.15	3.32	52
I098580		0.220	0.23	0.57	112	0.15	4.54	58
I098581		0.241	0.39	0.63	117	0.25	5.13	76
I098582		0.118	0.14	0.91	89	0.17	4.64	50
I098583		0.009	0.03	0.33	5	<0.05	2.39	4
I098584		0.180	0.21	0.58	104	0.16	3.72	60
I098585		0.129	0.17	1.65	92	0.12	7.41	60
I098586		0.138	0.12	0.61	73	0.14	6.12	36
I098587		0.104	0.13	0.78	64	0.15	5.49	36
I098588		0.155	0.16	0.80	97	0.20	4.64	45
I098589		0.135	0.16	0.67	91	0.19	4.74	51
I098590		0.139	0.14	0.55	98	0.15	4.64	61
I098591		0.131	0.12	0.39	96	0.16	2.98	53
I098592		0.124	0.13	0.41	95	0.12	3.03	68
I098593		0.118	0.12	0.43	85	0.13	3.45	54
I098594		0.126	0.14	0.38	98	0.09	3.11	36
I098595		0.137	0.11	0.63	87	0.15	3.69	76
I098596		0.135	0.13	0.50	95	0.16	3.37	83
I098597		0.148	0.14	0.40	103	0.14	3.23	60
I098598		0.157	0.11	0.42	104	0.16	3.23	61
I098599		0.122	0.10	0.46	62	0.17	3.77	37
I098600		0.135	0.14	0.55	115	0.16	3.76	80
I098601		0.078	0.09	0.68	39	0.14	2.79	20
I098602		0.159	0.17	1.50	89	0.27	6.60	44
I098603		0.144	0.14	0.51	82	0.13	2.91	45
I098604		0.096	0.11	0.46	54	0.27	4.08	45
I098605		0.083	0.12	0.46	57	0.13	3.72	54
I098606		0.076	0.14	0.39	63	0.15	2.18	75
I098607		0.078	0.13	0.37	66	0.17	2.13	65
I098608		0.069	0.09	0.30	57	0.12	1.84	45
I098609		0.067	0.08	0.34	52	0.12	1.73	33
I098610		0.072	0.08	0.33	57	0.12	1.88	40
I098611		0.063	0.09	0.44	48	0.17	3.34	37
I098612		0.086	0.08	0.99	51	0.21	7.30	55
I098613		0.064	0.12	0.68	56	0.10	3.64	47
I098614		0.072	0.12	0.40	63	0.17	2.22	34
I098615		0.078	0.12	1.98	57	0.19	10.65	49
I098616		0.078	0.08	1.35	52	0.25	11.45	59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098617		0.28	<0.005	0.10	1.65	8.5	<0.2	<10	330	0.39	0.15	0.67	0.22	35.5	9.8	27
I098618		0.24	<0.005	0.10	1.47	6.8	<0.2	<10	270	0.30	0.15	0.40	0.43	26.0	7.7	23
I098619		0.34	<0.005	0.27	1.74	7.6	<0.2	<10	370	0.66	0.19	0.45	0.47	54.6	10.8	27
I098620		0.30	<0.005	0.12	1.57	6.9	<0.2	<10	300	0.42	0.16	0.23	0.18	23.4	10.2	27
I098621		0.42	<0.005	0.10	1.68	9.9	<0.2	<10	360	0.43	0.15	0.40	0.11	31.3	10.0	31
I098622		0.36	0.006	0.08	2.03	9.5	<0.2	<10	230	0.37	0.15	0.15	0.05	21.7	15.2	32
I098623		0.32	<0.005	0.02	0.15	2.3	<0.2	<10	30	0.10	0.02	0.06	0.04	9.91	2.4	3
I098624		0.42	0.007	0.09	1.85	8.9	<0.2	<10	300	0.43	0.16	0.40	0.12	31.4	11.4	30
I098625		0.42	<0.005	0.10	1.73	9.0	<0.2	<10	260	0.36	0.18	0.39	0.14	33.0	8.1	29
I098626		0.42	<0.005	0.05	1.80	8.4	<0.2	<10	150	0.23	0.16	0.19	0.11	22.5	6.4	27
I098627		0.38	<0.005	0.13	1.61	7.3	<0.2	<10	190	0.27	0.27	0.23	0.10	29.1	8.3	22
I098628		0.56	<0.005	0.15	2.17	7.4	<0.2	<10	250	0.33	0.20	0.28	0.14	28.9	8.5	26
I098629		0.46	<0.005	0.10	1.87	6.3	<0.2	<10	220	0.27	0.17	0.33	0.13	29.7	7.3	25
I098651		0.48	<0.005	0.12	2.12	5.1	<0.2	<10	230	0.29	0.11	0.42	0.12	19.30	13.0	103
I098652		0.40	<0.005	0.10	2.11	5.5	<0.2	<10	200	0.27	0.11	0.41	0.13	17.85	13.1	96
I098653		0.60	<0.005	0.08	2.77	7.2	<0.2	<10	280	0.44	0.11	0.49	0.13	29.7	19.1	141
I098654		0.28	<0.005	0.09	2.06	5.8	<0.2	<10	190	0.33	0.10	0.52	0.13	26.5	15.0	93
I098655		0.28	<0.005	0.11	1.74	5.3	<0.2	<10	160	0.26	0.11	0.47	0.16	24.3	9.4	75
I098656		0.46	0.010	0.08	1.80	5.2	<0.2	<10	120	0.21	0.15	0.38	0.12	21.7	9.1	78
I098657		0.54	0.008	0.17	2.34	29.9	<0.2	<10	310	0.36	0.19	0.81	0.28	22.6	14.5	40
I098658		0.28	0.011	0.39	1.87	33.5	<0.2	<10	300	0.34	0.15	0.68	0.43	19.25	10.5	31
I098659		0.26	0.005	0.25	0.88	17.4	<0.2	<10	180	0.14	0.12	0.27	0.70	8.60	6.2	16
I098660		0.44	0.019	0.16	2.13	49.8	<0.2	<10	240	0.26	0.19	0.46	0.41	15.20	12.4	32
I098661		0.30	0.014	0.65	1.28	10.0	<0.2	<10	220	0.32	0.20	0.44	1.59	15.30	8.6	22
I098662		0.36	0.007	0.20	2.37	14.5	<0.2	<10	170	0.17	0.23	0.28	0.45	11.60	18.1	38
I098663		0.36	<0.005	0.08	0.54	2.3	<0.2	<10	40	0.08	0.09	0.02	0.13	4.32	2.6	8
I098664		0.54	0.009	0.23	2.29	10.5	<0.2	<10	270	0.23	0.15	0.34	0.24	12.40	18.1	31
I098665		0.44	0.023	0.33	2.28	28.3	<0.2	<10	240	0.21	0.24	0.36	0.17	12.95	16.4	38
I098666		0.56	0.009	0.34	2.37	12.1	<0.2	<10	210	0.30	0.29	0.37	0.16	15.10	16.9	38
I098667		0.40	0.008	0.42	2.00	6.7	<0.2	<10	320	0.25	0.29	0.57	0.53	14.10	20.5	37
I098668		0.40	0.016	0.45	2.77	10.6	<0.2	<10	370	0.27	0.40	0.97	0.31	16.60	20.2	48
I098669		0.48	0.027	0.46	2.85	46.1	<0.2	<10	470	0.46	0.75	0.55	0.86	22.1	17.4	43
I098670		0.48	0.009	0.24	2.63	17.1	<0.2	<10	270	0.38	0.40	0.47	0.22	20.8	14.7	44
I098671		0.38	0.007	0.28	2.95	8.4	<0.2	<10	270	0.30	0.47	0.39	0.13	16.50	20.1	61
I098672		0.66	0.057	0.29	2.66	132.0	<0.2	<10	300	0.34	0.17	0.40	0.15	17.05	18.6	39
I098673		0.40	0.020	0.22	2.48	60.5	<0.2	<10	240	0.29	0.17	0.37	0.11	16.05	15.7	40
I098674		0.34	0.018	0.37	2.30	65.0	<0.2	<10	260	0.28	0.20	0.54	0.23	15.95	17.7	33
I098675		0.52	0.008	0.02	0.16	3.1	<0.2	<10	40	0.10	0.02	0.06	0.04	11.25	2.5	4
I098676		0.42	<0.005	0.05	0.58	4.7	<0.2	<10	70	0.10	0.25	0.07	0.14	12.15	2.9	12
I098677		0.36	<0.005	0.03	0.23	0.9	<0.2	<10	30	<0.05	0.08	0.03	0.19	3.18	1.0	5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098617		0.65	26.3	2.67	5.22	0.08	0.07	0.04	0.021	0.08	18.3	13.5	0.57	423	0.94
I098618		0.59	22.6	2.27	5.32	0.06	0.03	0.04	0.020	0.07	14.6	11.2	0.45	392	1.19
I098619		0.53	40.5	2.55	5.68	0.08	0.05	0.06	0.025	0.10	26.0	10.2	0.44	864	1.02
I098620		0.60	16.7	2.62	5.63	0.05	0.07	0.02	0.021	0.11	12.3	10.2	0.38	609	1.21
I098621		0.65	23.7	2.74	5.27	0.06	0.11	0.02	0.024	0.06	15.9	12.8	0.52	389	0.65
I098622		0.70	19.4	2.73	6.02	0.05	0.06	0.01	0.025	0.05	11.2	15.4	0.44	566	0.84
I098623		0.09	2.3	0.77	0.76	<0.05	0.09	<0.01	<0.005	0.05	5.3	1.7	0.04	163	0.30
I098624		0.74	24.8	2.79	5.88	0.06	0.05	0.05	0.026	0.07	16.5	14.7	0.52	387	0.76
I098625		0.59	24.5	2.72	5.52	0.07	0.10	0.04	0.023	0.07	19.0	14.6	0.52	268	0.74
I098626		0.80	12.7	2.50	6.45	0.06	0.05	0.01	0.021	0.06	14.0	12.9	0.44	180	0.85
I098627		0.87	13.9	2.28	7.18	0.05	0.02	0.02	0.020	0.06	18.7	11.1	0.33	311	1.00
I098628		0.76	17.3	2.82	7.00	0.06	0.04	0.04	0.028	0.06	18.3	14.6	0.48	317	0.75
I098629		0.87	14.1	2.47	6.52	0.06	0.03	0.04	0.022	0.07	18.6	14.3	0.50	212	0.64
I098651		1.42	18.3	2.70	7.62	0.06	0.03	0.06	0.019	0.18	10.4	12.8	1.15	279	0.76
I098652		1.39	16.7	2.80	7.66	0.07	0.04	0.03	0.019	0.17	9.6	13.3	1.20	326	0.71
I098653		1.90	21.1	3.76	9.34	0.09	0.05	0.02	0.022	0.43	16.0	19.5	1.77	619	0.74
I098654		1.52	15.0	2.78	7.34	0.08	0.05	0.04	0.017	0.19	14.4	12.7	1.20	453	0.78
I098655		1.35	13.6	2.28	6.49	0.08	0.04	0.04	0.017	0.11	13.6	10.1	0.95	239	0.64
I098656		1.25	11.8	2.25	7.07	0.08	0.05	0.04	0.017	0.09	12.0	10.2	0.99	236	0.58
I098657		1.93	33.7	3.27	7.96	0.08	0.05	0.04	0.024	0.34	13.7	13.9	0.89	514	1.12
I098658		1.17	36.1	2.66	5.92	0.05	0.03	0.06	0.023	0.18	10.2	10.0	0.62	391	0.93
I098659		0.63	18.9	1.48	4.36	<0.05	<0.02	0.03	0.013	0.09	4.4	4.7	0.27	352	0.69
I098660		1.34	34.4	3.12	6.86	0.07	0.04	0.04	0.026	0.15	7.9	13.8	0.90	380	0.78
I098661		1.03	63.6	2.10	5.32	<0.05	0.02	0.08	0.024	0.10	7.8	5.1	0.51	404	0.78
I098662		0.76	42.9	4.00	9.45	0.07	0.03	0.02	0.029	0.10	5.7	15.0	1.40	673	1.64
I098663		0.50	11.1	1.02	3.70	<0.05	<0.02	0.01	0.007	0.04	2.1	2.4	0.17	57	0.57
I098664		0.93	49.2	3.82	7.71	0.08	0.03	0.02	0.024	0.26	5.9	13.8	1.39	567	0.76
I098665		1.00	40.0	3.54	7.70	0.07	0.03	0.02	0.022	0.21	6.4	14.0	1.28	444	0.83
I098666		1.03	40.3	3.57	7.63	0.08	0.03	0.04	0.022	0.23	7.3	13.5	1.14	404	0.76
I098667		0.99	59.6	3.02	6.38	0.07	0.03	0.04	0.020	0.23	6.7	10.5	1.04	973	0.98
I098668		1.66	44.6	3.88	8.22	0.09	0.04	0.06	0.016	0.48	8.4	14.7	1.57	663	0.80
I098669		2.36	70.5	3.82	8.37	0.11	0.05	0.07	0.027	0.46	10.9	16.7	1.39	397	0.96
I098670		1.41	38.4	3.23	7.89	0.09	0.04	0.04	0.024	0.36	10.2	15.6	1.21	370	0.80
I098671		1.87	40.9	4.30	9.35	0.08	0.04	0.02	0.020	0.48	8.2	17.7	1.67	517	0.96
I098672		1.38	44.1	3.70	8.12	0.08	0.04	0.07	0.023	0.26	8.5	16.3	1.30	517	0.72
I098673		1.17	42.3	3.57	8.02	0.08	0.04	0.04	0.024	0.19	7.9	16.0	1.21	328	0.63
I098674		1.00	47.6	3.56	8.06	0.07	0.03	0.04	0.028	0.17	7.9	14.2	1.03	709	1.05
I098675		0.10	4.1	0.83	0.87	<0.05	0.09	<0.01	<0.005	0.06	5.7	1.7	0.04	171	0.29
I098676		0.92	10.8	1.37	6.99	<0.05	0.02	0.01	0.011	0.04	6.1	1.6	0.09	259	1.43
I098677		0.37	6.2	0.49	1.91	<0.05	<0.02	0.02	0.005	0.03	1.8	0.5	0.03	31	0.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098617		1.72	22.7	650	7.5	12.3	0.001	0.02	0.58	4.9	0.6	0.5	43.0	<0.01	0.02
I098618		1.46	17.7	520	7.1	10.6	<0.001	0.02	0.42	4.0	0.4	0.5	28.9	<0.01	0.02
I098619		1.59	33.1	590	9.1	12.1	<0.001	0.02	0.42	5.2	0.9	0.5	34.9	0.01	0.02
I098620		1.51	20.1	490	8.5	13.9	<0.001	0.01	0.40	3.5	0.3	0.6	21.5	<0.01	0.02
I098621		1.38	23.9	680	8.0	8.8	<0.001	0.01	0.46	5.4	0.3	0.6	30.0	<0.01	0.01
I098622		1.62	19.7	200	8.7	9.9	<0.001	0.01	0.44	4.0	0.2	0.6	17.1	0.01	0.02
I098623		0.19	4.5	130	1.7	2.5	<0.001	<0.01	0.11	0.7	<0.2	<0.2	8.0	<0.01	0.01
I098624		1.60	23.2	530	8.5	10.5	<0.001	0.01	0.48	5.3	0.5	0.6	29.5	0.02	0.02
I098625		1.71	21.6	640	8.6	9.0	<0.001	0.01	0.53	4.9	0.4	0.6	29.9	<0.01	0.02
I098626		1.81	15.9	420	8.4	10.7	<0.001	<0.01	0.33	3.7	0.3	0.6	17.6	<0.01	0.01
I098627		1.58	12.3	350	7.8	13.3	<0.001	<0.01	0.28	3.5	0.2	0.7	20.9	<0.01	0.01
I098628		1.88	16.1	440	8.4	11.4	<0.001	0.01	0.34	4.9	0.4	0.7	23.2	<0.01	0.02
I098629		1.87	14.6	540	7.9	13.6	<0.001	0.02	0.32	3.9	0.4	0.6	28.1	<0.01	0.02
I098651		1.98	41.8	740	6.4	25.5	<0.001	0.05	0.22	4.3	0.5	0.5	26.8	<0.01	0.02
I098652		1.99	40.2	700	6.2	26.1	<0.001	0.05	0.21	4.4	0.4	0.6	26.1	<0.01	0.01
I098653		2.48	56.6	850	7.6	44.5	<0.001	0.03	0.21	5.4	0.4	0.7	31.4	<0.01	0.02
I098654		2.00	40.7	740	8.5	28.2	<0.001	0.04	0.21	4.5	0.4	0.6	31.0	<0.01	0.01
I098655		1.73	33.0	670	8.6	22.9	<0.001	0.05	0.21	3.8	0.5	0.5	27.9	<0.01	0.02
I098656		1.85	32.1	540	8.7	19.3	<0.001	0.04	0.18	3.9	0.4	0.6	24.9	<0.01	0.01
I098657		1.92	25.5	590	9.8	41.4	<0.001	0.05	2.17	6.8	0.5	0.6	32.8	<0.01	0.05
I098658		1.47	20.3	640	7.7	20.0	<0.001	0.06	2.01	4.8	0.5	0.4	33.3	<0.01	0.04
I098659		0.74	10.7	310	4.3	11.6	<0.001	0.01	0.68	2.0	0.2	0.3	20.8	<0.01	0.03
I098660		1.37	23.0	490	6.6	15.7	<0.001	0.02	2.00	5.2	0.3	0.4	24.6	<0.01	0.03
I098661		0.89	16.6	720	5.8	10.6	<0.001	0.04	0.74	3.2	0.4	0.4	25.7	<0.01	0.05
I098662		1.51	21.3	410	9.2	11.1	<0.001	<0.01	1.29	7.2	0.2	0.5	17.6	<0.01	0.08
I098663		0.59	4.0	160	3.2	2.8	<0.001	<0.01	0.20	1.5	<0.2	0.3	6.5	<0.01	0.02
I098664		1.01	19.8	560	7.4	15.9	<0.001	0.01	0.92	7.7	0.3	0.4	16.9	<0.01	0.03
I098665		1.19	21.7	520	7.3	18.2	<0.001	0.02	1.72	6.5	0.3	0.4	20.2	<0.01	0.05
I098666		1.32	23.0	560	7.0	21.7	0.001	0.01	1.09	5.7	0.3	0.4	19.8	<0.01	0.04
I098667		0.98	24.9	680	9.3	21.3	<0.001	0.05	2.30	4.0	0.5	0.3	27.9	0.01	0.05
I098668		1.29	26.0	700	9.2	43.2	<0.001	0.08	0.65	6.8	0.6	0.3	35.7	<0.01	0.07
I098669		1.45	25.2	560	49.8	41.9	0.001	0.03	1.49	8.0	0.5	0.5	23.6	<0.01	0.08
I098670		1.69	25.9	470	10.3	33.9	0.001	0.04	1.22	6.1	0.3	0.5	23.5	<0.01	0.06
I098671		1.58	31.6	460	16.4	41.0	<0.001	0.01	0.79	7.2	0.4	0.4	19.2	<0.01	0.06
I098672		1.16	25.4	530	6.6	25.0	<0.001	0.02	31.6	7.5	0.4	0.4	22.6	<0.01	0.04
I098673		1.36	25.9	440	6.7	19.3	<0.001	0.02	4.83	7.2	0.2	0.4	21.5	<0.01	0.03
I098674		1.17	20.3	760	6.4	17.4	<0.001	0.04	12.85	6.5	0.5	0.5	28.9	<0.01	0.05
I098675		0.20	4.3	120	1.8	3.0	<0.001	<0.01	0.38	0.8	<0.2	0.2	9.2	<0.01	0.01
I098676		0.90	5.4	240	9.4	12.1	<0.001	<0.01	0.33	0.9	<0.2	0.7	11.0	<0.01	0.01
I098677		0.14	2.4	220	2.6	3.3	<0.001	<0.01	0.10	0.2	<0.2	0.2	8.2	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134526

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098617		0.089	0.08	0.72	51	0.15	8.85	54
I098618		0.073	0.07	0.71	48	0.15	5.63	46
I098619		0.065	0.06	2.68	49	0.16	15.55	42
I098620		0.071	0.08	0.80	56	0.17	4.69	58
I098621		0.078	0.07	0.84	57	0.23	7.20	48
I098622		0.076	0.10	0.53	62	0.15	3.32	42
I098623		<0.005	0.03	0.31	4	<0.05	1.92	5
I098624		0.083	0.09	0.77	57	0.32	7.57	53
I098625		0.093	0.08	0.77	54	0.29	7.92	58
I098626		0.083	0.11	0.57	56	0.16	3.64	45
I098627		0.076	0.10	0.65	51	0.16	4.85	40
I098628		0.088	0.10	1.19	55	0.22	5.45	58
I098629		0.087	0.11	0.96	50	0.16	5.63	55
I098651		0.135	0.16	0.90	61	0.13	4.12	55
I098652		0.149	0.18	0.72	68	0.14	3.81	58
I098653		0.195	0.26	0.78	92	0.20	4.97	69
I098654		0.146	0.21	0.89	68	0.26	4.81	57
I098655		0.119	0.16	0.98	51	0.14	4.52	53
I098656		0.128	0.15	0.89	52	0.22	3.77	53
I098657		0.115	0.20	0.81	82	0.27	8.56	75
I098658		0.072	0.12	0.74	64	0.17	9.00	62
I098659		0.046	0.06	0.30	38	0.08	2.57	35
I098660		0.099	0.10	0.38	71	0.32	7.52	74
I098661		0.054	0.06	0.45	46	0.11	6.40	62
I098662		0.118	0.08	0.29	111	0.19	3.74	119
I098663		0.041	0.04	0.18	30	0.06	1.05	17
I098664		0.107	0.10	0.37	110	0.14	4.54	77
I098665		0.122	0.11	0.41	100	0.49	4.38	67
I098666		0.129	0.14	0.43	93	0.23	5.52	69
I098667		0.096	0.12	0.68	79	0.16	6.40	68
I098668		0.129	0.26	0.74	97	0.25	9.68	92
I098669		0.136	0.28	0.75	89	0.29	10.90	252
I098670		0.133	0.22	0.76	81	0.54	6.91	81
I098671		0.168	0.24	0.56	110	0.55	6.69	96
I098672		0.120	0.14	0.52	95	0.24	6.46	81
I098673		0.124	0.12	0.50	97	0.17	5.84	64
I098674		0.095	0.10	0.62	93	0.19	6.46	73
I098675		<0.005	0.04	0.32	5	<0.05	2.42	5
I098676		0.075	0.06	0.28	59	0.09	1.60	26
I098677		0.012	0.03	0.14	15	<0.05	0.63	11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134526

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 5-OCT-2010
Account: EIASQI

CERTIFICATE VA10134527

Project: SQI10-06

P.O. No.: SQI10-06_29

This report is for 200 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098678		0.36	<0.005	0.10	1.11	5.8	<0.2	<10	160	0.31	0.17	0.33	0.36	13.60	5.0	18
I098679		0.54	0.038	0.34	2.65	97.5	<0.2	<10	330	0.27	0.28	0.44	0.20	12.70	18.0	42
I098680		0.44	<0.005	0.12	1.02	6.7	<0.2	<10	100	0.26	0.19	0.13	0.38	10.15	3.2	16
I098681		0.48	<0.005	0.07	1.70	8.1	<0.2	<10	290	0.34	0.17	0.23	0.07	23.8	8.0	27
I098682		0.38	<0.005	0.03	3.60	6.5	<0.2	<10	590	0.88	0.06	0.88	0.07	26.3	21.2	16
I098683		0.44	<0.005	0.11	2.13	6.1	<0.2	<10	320	0.42	0.12	0.28	0.10	20.0	21.8	43
I098684		0.40	<0.005	0.03	2.78	5.9	<0.2	<10	420	0.49	0.06	0.50	0.04	24.1	16.6	149
I098685		0.44	<0.005	0.03	2.05	7.5	<0.2	<10	280	0.35	0.08	0.33	0.05	9.06	16.4	20
I098686		0.42	<0.005	0.05	1.95	8.8	<0.2	<10	220	0.45	0.18	0.18	0.07	20.0	9.0	33
I098687		0.28	0.007	0.31	1.58	8.3	<0.2	<10	960	0.71	0.11	1.53	1.26	50.7	12.5	40
I098688		0.48	<0.005	0.25	1.41	10.7	<0.2	<10	270	0.36	0.13	0.15	0.14	23.8	8.3	28
I098689		0.42	<0.005	0.76	1.34	4.2	<0.2	<10	420	0.36	0.17	0.25	0.81	27.0	8.0	25
I098690		0.42	<0.005	0.42	1.65	6.0	<0.2	<10	460	0.42	0.16	0.36	0.93	17.75	9.9	32
I098691		0.40	<0.005	0.40	1.47	5.9	<0.2	<10	370	0.40	0.18	0.27	0.46	22.9	14.4	24
I098692		0.48	<0.005	0.08	1.82	6.6	<0.2	<10	220	0.34	0.14	0.36	0.10	26.7	7.3	25
I098693		0.26	<0.005	0.09	1.57	6.8	<0.2	<10	220	0.38	0.14	0.43	0.13	33.2	8.8	25
I098694		0.40	<0.005	0.09	1.31	6.4	<0.2	<10	230	0.34	0.12	0.68	0.19	28.6	9.9	23
I098695		0.34	<0.005	0.09	1.54	10.5	<0.2	<10	380	0.54	0.16	0.77	0.22	29.5	12.0	29
I098696		0.66	<0.005	0.11	1.36	8.0	<0.2	<10	260	0.38	0.15	0.63	0.20	32.0	8.9	26
I098697		0.54	<0.005	0.09	1.38	6.7	<0.2	<10	220	0.29	0.13	0.56	0.11	26.0	6.7	25
I098698		0.32	<0.005	0.05	1.76	7.5	<0.2	<10	210	0.33	0.15	0.24	0.15	21.5	7.8	25
I098699		0.42	<0.005	0.07	1.37	8.1	<0.2	<10	240	0.38	0.13	0.59	0.11	25.3	8.3	25
I098700		0.52	0.008	0.14	1.49	9.7	<0.2	<10	330	0.49	0.15	0.79	0.21	30.0	10.3	27
I098701		0.46	<0.005	0.16	2.06	17.1	<0.2	<10	170	0.32	0.14	0.37	0.11	20.9	9.6	24
I098702		0.42	<0.005	0.11	1.59	11.2	<0.2	<10	110	0.22	0.11	0.25	0.07	13.50	6.5	19
I098703		0.54	<0.005	0.05	2.64	25.1	<0.2	<10	190	0.57	0.14	0.27	0.19	17.30	12.6	25
I098704		0.40	0.005	0.29	1.89	256	<0.2	<10	300	0.45	0.12	0.47	0.59	25.5	10.7	19
I098705		0.36	0.007	0.41	2.22	210	<0.2	<10	250	0.53	1.23	1.28	0.27	34.4	11.8	18
I098706		0.48	0.006	0.23	2.51	15.2	<0.2	<10	210	0.39	0.31	0.81	0.11	23.2	13.3	22
I098707		0.38	<0.005	0.20	2.55	17.7	<0.2	<10	210	0.35	0.19	0.82	0.16	20.1	10.6	28
I098708		0.30	<0.005	0.19	2.00	11.5	<0.2	<10	280	0.53	0.17	0.86	0.39	31.1	10.9	25
I098709		0.12	<0.005	0.02	0.22	1.8	<0.2	<10	50	0.11	0.02	0.11	0.03	11.35	2.3	4
I098710		0.48	<0.005	0.10	2.52	10.2	<0.2	<10	260	0.51	0.17	0.83	0.14	32.5	13.1	27
I098711		0.48	<0.005	0.14	2.06	8.5	<0.2	<10	240	0.38	0.19	0.64	0.13	19.45	10.1	23
I098712		0.50	<0.005	0.06	2.25	32.0	<0.2	<10	250	0.31	0.14	0.59	0.10	21.8	10.7	26
I098713		0.50	<0.005	0.07	2.15	11.6	<0.2	<10	180	0.52	0.24	0.36	0.13	23.2	12.4	26
I098714		0.48	<0.005	0.06	1.87	10.8	<0.2	<10	120	0.61	0.33	0.28	0.18	39.2	8.3	24
I098715		0.46	<0.005	0.12	1.70	8.0	<0.2	<10	120	0.83	0.25	0.38	0.16	51.2	6.5	21
I098716		0.46	<0.005	0.16	2.89	27.0	<0.2	<10	190	0.87	0.52	0.61	0.11	47.1	13.5	32
I098717		0.50	<0.005	0.07	2.31	8.2	<0.2	<10	180	0.83	0.25	0.47	0.20	63.0	10.4	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098678		1.37	14.4	2.29	6.64	<0.05	0.03	0.04	0.019	0.04	7.3	7.1	0.16	472	1.22
I098679		1.92	29.8	3.91	7.63	0.08	0.04	0.04	0.021	0.37	6.5	15.8	1.45	568	0.79
I098680		1.17	13.3	2.34	6.57	<0.05	0.03	0.02	0.018	0.03	5.6	4.3	0.12	163	1.21
I098681		0.78	10.9	3.03	6.11	<0.05	0.08	0.01	0.023	0.09	9.4	13.0	0.45	270	1.14
I098682		2.84	18.3	6.57	9.62	0.13	0.05	0.01	0.021	1.07	9.4	23.5	1.99	694	0.68
I098683		1.32	18.5	3.44	6.75	0.05	0.03	0.02	0.020	0.19	8.6	15.3	0.95	1250	0.91
I098684		2.22	16.7	3.45	6.54	0.08	0.06	0.01	0.014	0.38	14.7	20.9	1.86	292	0.59
I098685		0.64	19.0	2.97	5.54	0.05	0.06	0.01	0.013	0.11	5.0	20.7	1.06	278	0.66
I098686		0.91	15.4	3.02	6.74	<0.05	0.11	0.02	0.026	0.06	10.8	13.1	0.41	303	1.61
I098687		0.84	32.9	2.64	4.87	0.07	0.06	0.04	0.025	0.11	32.9	12.1	0.63	696	1.03
I098688		0.57	16.8	2.66	4.94	0.05	0.06	0.01	0.022	0.04	12.9	9.2	0.37	266	1.44
I098689		0.82	16.0	2.55	5.86	0.05	0.02	0.02	0.018	0.09	14.0	9.2	0.35	473	1.83
I098690		0.92	19.0	2.86	5.83	0.05	0.03	0.02	0.025	0.09	9.9	11.2	0.45	527	2.20
I098691		1.18	17.5	2.45	5.94	0.05	<0.02	0.02	0.020	0.07	13.1	11.2	0.32	870	1.48
I098692		0.77	15.2	2.78	6.17	0.06	0.04	0.03	0.021	0.09	16.5	14.2	0.53	233	0.76
I098693		0.79	18.1	2.65	5.37	0.07	0.06	0.03	0.021	0.09	18.8	14.9	0.51	284	0.75
I098694		0.65	18.0	2.43	4.36	0.07	0.05	0.03	0.019	0.10	16.1	13.9	0.54	491	0.73
I098695		0.54	31.6	2.85	4.93	0.07	0.10	0.03	0.024	0.09	15.4	15.8	0.63	476	0.97
I098696		0.67	25.2	2.58	4.39	0.07	0.11	0.03	0.021	0.08	16.8	13.8	0.56	302	0.71
I098697		0.59	18.1	2.37	4.29	0.06	0.08	0.03	0.018	0.06	14.1	12.8	0.52	218	0.70
I098698		0.69	12.5	2.93	6.34	0.06	0.05	0.01	0.019	0.07	10.7	13.3	0.44	231	1.38
I098699		0.57	15.4	2.41	4.28	0.05	0.05	0.02	0.019	0.05	14.0	11.6	0.45	339	1.07
I098700		0.55	29.1	2.74	4.62	0.07	0.11	0.03	0.023	0.07	16.0	13.2	0.55	454	0.75
I098701		1.92	16.0	3.27	8.49	0.06	0.07	0.03	0.024	0.10	12.6	16.8	0.74	335	1.02
I098702		1.64	10.8	2.38	7.01	0.05	0.04	0.02	0.018	0.05	7.6	13.4	0.49	199	0.88
I098703		1.96	16.4	3.87	9.44	0.07	0.07	0.04	0.034	0.07	9.4	26.1	0.71	405	1.46
I098704		3.01	16.8	2.93	6.06	0.05	0.02	0.78	0.027	0.09	15.7	17.1	0.53	735	0.92
I098705		3.35	18.9	3.29	6.57	0.08	0.06	0.50	0.024	0.15	25.5	20.3	0.75	699	1.03
I098706		2.24	16.9	4.01	8.52	0.09	0.07	0.03	0.024	0.20	14.7	18.4	1.03	585	0.78
I098707		2.02	17.0	3.72	8.58	0.08	0.08	0.11	0.032	0.19	12.1	18.5	0.82	462	0.90
I098708		1.66	23.1	3.10	6.94	0.08	0.06	0.06	0.027	0.17	25.7	15.1	0.65	696	0.90
I098709		0.10	2.9	1.04	0.82	<0.05	0.12	0.01	<0.005	0.09	5.8	1.5	0.05	203	0.36
I098710		2.04	15.3	3.85	7.11	0.08	0.13	0.04	0.027	0.19	17.5	18.8	0.85	775	0.75
I098711		1.08	15.4	3.19	6.43	0.06	0.08	0.04	0.022	0.13	9.4	14.5	0.67	397	0.83
I098712		1.41	14.8	3.58	6.57	0.06	0.12	0.08	0.021	0.18	10.1	17.3	0.82	451	0.94
I098713		1.95	13.8	3.39	6.77	0.06	0.19	0.02	0.026	0.10	12.0	15.9	0.59	679	1.22
I098714		0.93	16.4	2.95	7.53	0.07	0.14	0.02	0.045	0.09	28.8	13.2	0.48	375	1.18
I098715		1.44	17.9	2.28	7.12	0.09	0.10	0.03	0.028	0.09	34.2	12.3	0.34	395	1.04
I098716		2.06	19.4	3.94	9.57	0.09	0.26	0.03	0.045	0.10	33.0	24.0	0.69	576	1.16
I098717		1.36	17.1	3.07	7.29	0.09	0.29	0.02	0.032	0.09	37.1	18.1	0.48	527	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098678		1.60	11.6	330	10.3	7.2	<0.001	0.02	0.44	2.0	0.5	0.7	26.3	<0.01	0.03
I098679		1.26	23.4	480	11.8	28.4	<0.001	0.03	7.24	5.6	0.4	0.4	21.7	<0.01	0.05
I098680		1.66	7.7	290	11.2	5.3	<0.001	0.02	0.47	1.7	0.3	0.7	12.1	<0.01	0.03
I098681		1.83	15.0	290	10.9	19.4	<0.001	0.01	0.43	2.7	0.2	0.9	22.8	<0.01	0.02
I098682		1.27	11.5	1300	4.3	68.1	<0.001	0.01	0.26	4.8	0.4	0.5	58.2	<0.01	0.02
I098683		1.21	23.0	470	6.0	29.9	<0.001	0.01	0.30	4.2	0.3	0.7	24.3	<0.01	0.02
I098684		1.78	32.7	640	4.6	32.6	<0.001	0.01	0.25	3.9	0.3	0.4	34.7	<0.01	0.02
I098685		1.12	16.4	470	3.9	14.0	<0.001	0.01	0.27	3.0	0.2	0.4	21.3	<0.01	0.02
I098686		1.82	19.7	220	9.4	11.2	<0.001	0.01	0.50	3.4	0.3	0.8	19.9	<0.01	0.03
I098687		0.98	34.5	850	6.4	14.8	0.001	0.05	0.62	4.9	1.8	0.5	111.5	<0.01	0.04
I098688		1.07	19.5	240	7.2	6.8	<0.001	0.01	0.36	3.5	0.3	0.5	13.2	<0.01	0.03
I098689		1.26	21.0	970	7.3	9.9	<0.001	0.01	0.25	3.0	0.4	0.5	19.4	<0.01	0.03
I098690		1.53	24.5	600	8.7	14.0	<0.001	0.02	0.42	3.7	0.4	0.6	29.8	<0.01	0.03
I098691		1.27	16.4	590	8.8	16.4	<0.001	0.02	0.33	2.8	0.4	0.6	24.6	<0.01	0.03
I098692		2.19	14.7	510	7.0	16.2	<0.001	0.01	0.34	4.2	0.4	0.6	27.2	<0.01	0.02
I098693		2.24	15.6	670	7.2	15.5	<0.001	0.01	0.43	4.4	0.6	0.5	31.7	<0.01	0.03
I098694		1.90	18.0	750	6.4	13.9	0.001	0.03	0.48	3.9	0.6	0.4	40.6	<0.01	0.02
I098695		1.76	29.1	740	8.8	9.7	<0.001	0.02	0.81	5.2	0.7	0.5	43.9	<0.01	0.03
I098696		1.82	21.2	750	8.1	10.3	0.001	0.02	0.62	4.6	0.7	0.4	38.1	<0.01	0.03
I098697		1.70	17.9	670	7.1	8.7	0.001	0.02	0.48	3.8	0.5	0.4	37.1	<0.01	0.02
I098698		2.73	14.6	360	7.6	12.5	<0.001	0.01	0.35	3.5	0.3	0.6	21.2	<0.01	0.03
I098699		1.65	14.7	570	6.7	9.2	<0.001	0.01	0.38	3.6	0.5	0.5	36.1	<0.01	0.03
I098700		1.75	26.2	670	8.0	9.8	<0.001	0.02	0.57	5.0	0.7	0.5	48.2	<0.01	0.03
I098701		2.39	15.0	320	7.9	20.4	<0.001	0.01	0.50	5.6	0.4	0.7	26.5	<0.01	0.03
I098702		1.89	11.4	220	7.5	14.1	<0.001	0.01	0.32	3.8	0.3	0.6	20.5	<0.01	0.02
I098703		2.85	17.3	460	8.4	13.1	<0.001	0.02	0.64	5.9	0.5	0.9	20.9	<0.01	0.03
I098704		0.95	10.3	670	23.2	13.3	<0.001	0.04	0.84	5.8	0.5	0.5	29.8	<0.01	0.02
I098705		2.12	11.9	780	13.2	22.2	<0.001	0.07	1.03	7.6	0.8	0.5	63.9	0.01	0.07
I098706		3.49	14.2	750	7.7	23.7	<0.001	0.02	0.64	7.3	0.5	0.8	40.7	0.01	0.04
I098707		2.92	17.0	540	7.2	24.3	<0.001	0.02	0.68	7.8	0.6	0.8	47.7	<0.01	0.03
I098708		1.98	16.4	760	8.1	24.9	<0.001	0.02	0.47	5.8	0.6	0.6	48.6	<0.01	0.02
I098709		0.16	3.9	120	1.8	3.8	<0.001	<0.01	0.15	0.7	<0.2	0.2	11.3	<0.01	0.01
I098710		2.32	15.4	570	6.9	23.1	<0.001	0.01	0.58	6.8	0.5	0.6	43.5	<0.01	0.02
I098711		1.95	13.2	400	7.2	16.4	<0.001	0.01	0.46	4.7	0.3	0.5	39.2	<0.01	0.03
I098712		2.17	15.3	550	6.0	21.5	<0.001	0.01	0.44	4.9	0.4	0.5	33.3	<0.01	0.03
I098713		1.89	15.7	200	11.7	16.3	<0.001	0.02	0.53	4.1	0.3	0.6	24.1	<0.01	0.04
I098714		2.40	14.4	160	18.2	10.1	<0.001	0.01	0.59	4.1	0.5	0.7	23.2	<0.01	0.03
I098715		2.31	14.2	260	20.4	17.1	<0.001	0.01	0.42	3.5	0.7	0.7	29.1	<0.01	0.03
I098716		2.45	21.8	350	18.6	21.0	<0.001	0.01	0.54	6.3	0.6	0.9	38.1	<0.01	0.05
I098717		2.13	16.6	290	13.4	16.8	<0.001	0.01	0.43	5.1	0.6	0.7	29.8	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098678		0.081	0.09	0.48	57	0.13	2.45	56	1.2
I098679		0.176	0.20	0.44	99	0.21	4.43	83	1.4
I098680		0.091	0.08	0.50	66	0.13	2.07	36	1.0
I098681		0.086	0.11	0.57	62	0.14	2.53	52	3.0
I098682		0.255	0.34	0.53	121	0.14	4.64	97	1.9
I098683		0.112	0.12	0.37	67	0.14	2.89	71	0.8
I098684		0.178	0.21	0.34	54	0.11	2.48	50	2.1
I098685		0.152	0.09	0.25	59	0.15	1.59	48	1.8
I098686		0.091	0.11	0.46	66	0.15	2.51	47	4.3
I098687		0.051	0.08	7.32	46	0.15	13.50	55	1.8
I098688		0.056	0.08	0.52	58	0.10	3.10	57	2.3
I098689		0.053	0.09	0.58	51	0.10	3.28	79	0.5
I098690		0.083	0.10	0.50	63	0.19	3.11	92	1.2
I098691		0.065	0.11	0.49	53	0.22	3.74	72	<0.5
I098692		0.119	0.10	0.88	56	0.18	6.11	60	1.4
I098693		0.114	0.11	1.09	53	0.46	7.54	59	2.6
I098694		0.090	0.09	1.29	49	0.35	8.07	60	1.7
I098695		0.096	0.07	0.52	57	0.31	10.15	66	3.8
I098696		0.094	0.10	0.71	52	0.25	9.28	65	4.3
I098697		0.093	0.07	0.78	50	0.27	6.72	57	2.7
I098698		0.109	0.11	0.46	65	0.17	2.98	48	1.5
I098699		0.084	0.06	1.30	51	0.28	5.71	45	1.8
I098700		0.091	0.06	1.97	53	0.22	10.45	54	4.6
I098701		0.166	0.13	1.13	79	0.13	6.12	60	2.6
I098702		0.117	0.11	0.53	60	0.14	3.24	39	1.8
I098703		0.147	0.15	0.64	89	0.17	6.20	66	2.5
I098704		0.048	0.17	1.90	53	0.11	8.66	134	<0.5
I098705		0.122	0.20	2.76	69	0.61	22.5	97	1.9
I098706		0.223	0.18	1.02	94	0.39	10.35	71	2.5
I098707		0.184	0.20	1.18	91	0.30	9.18	70	2.9
I098708		0.136	0.12	1.71	68	0.21	15.05	67	1.9
I098709		0.010	0.04	0.33	5	<0.05	2.27	5	3.7
I098710		0.174	0.18	1.19	83	0.26	9.74	61	4.9
I098711		0.142	0.11	0.82	71	0.17	4.97	51	3.0
I098712		0.183	0.15	0.67	82	0.25	5.64	57	4.3
I098713		0.135	0.13	0.55	76	0.29	4.42	51	6.9
I098714		0.104	0.11	0.74	72	0.28	9.83	53	5.6
I098715		0.090	0.09	0.79	52	0.23	16.85	40	3.9
I098716		0.148	0.16	1.09	86	0.28	14.30	66	10.7
I098717		0.123	0.11	1.44	70	0.18	14.90	54	10.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098718		0.50	<0.005	0.10	2.33	10.0	<0.2	<10	170	0.72	0.18	0.53	0.11	47.9	10.6	29
I098719		0.56	<0.005	0.09	1.88	6.9	<0.2	<10	160	0.49	0.16	0.69	0.13	37.0	9.2	27
I098720		0.56	<0.005	0.07	1.61	7.0	<0.2	<10	140	0.31	0.11	0.66	0.12	17.05	8.8	27
I098721		0.42	<0.005	0.10	1.69	9.8	<0.2	<10	150	0.39	0.15	0.68	0.22	29.6	11.5	25
I098722		0.52	<0.005	0.11	1.68	8.9	<0.2	<10	150	0.39	0.13	0.67	0.22	30.2	11.1	26
I098723		0.64	<0.005	0.06	1.64	7.5	<0.2	<10	150	0.43	0.11	0.65	0.10	27.4	9.6	30
I098724		0.64	<0.005	0.05	2.45	107.0	<0.2	<10	180	0.41	0.16	0.40	0.14	25.8	11.5	32
I098725		0.62	0.006	0.02	3.06	10.5	<0.2	<10	240	0.77	0.16	0.32	0.07	42.7	14.1	52
I098726		0.52	<0.005	0.03	3.29	12.9	<0.2	<10	170	0.57	0.16	0.15	0.21	17.30	13.2	39
I098727		0.58	<0.005	0.02	1.83	13.7	<0.2	<10	120	0.85	0.17	0.29	0.35	87.2	12.8	28
I098728		0.58	<0.005	0.07	2.17	25.2	<0.2	<10	150	0.46	0.19	0.24	0.08	18.00	9.5	29
I098729		0.54	<0.005	0.08	0.79	3.9	<0.2	<10	70	0.28	0.18	0.13	0.27	16.65	2.7	11
I098730		0.44	<0.005	0.02	1.34	3.0	<0.2	<10	90	0.11	0.16	0.07	0.02	39.8	4.9	24
I098731		0.44	<0.005	0.06	2.15	23.6	<0.2	<10	140	0.38	0.10	0.22	0.37	20.7	15.1	58
I098732		0.48	<0.005	0.05	2.89	8.0	<0.2	<10	160	0.62	0.09	0.29	0.07	23.9	19.0	69
I098733		0.44	<0.005	0.17	0.99	7.3	<0.2	<10	280	0.30	0.09	2.51	0.29	20.1	38.3	16
I098734		0.52	<0.005	0.11	1.88	9.0	<0.2	<10	170	0.44	0.14	0.79	0.08	57.8	13.2	45
I098735		0.08	<0.005	0.01	0.11	2.0	<0.2	<10	30	0.09	0.02	0.09	0.04	8.64	2.2	3
I098736		0.44	<0.005	0.16	2.28	22.5	<0.2	<10	200	0.45	0.07	0.94	0.09	24.9	29.3	70
I098737		0.52	<0.005	0.07	1.85	13.4	<0.2	<10	160	0.49	0.13	0.58	0.13	32.0	8.5	43
I098738		0.50	<0.005	0.10	1.68	11.1	<0.2	<10	190	0.34	0.10	0.79	0.11	29.8	12.3	49
I098739		0.50	<0.005	0.89	1.69	11.5	<0.2	<10	180	0.65	0.11	1.21	0.20	29.8	16.4	52
I098740		0.68	<0.005	0.08	1.96	15.1	<0.2	<10	150	0.33	0.13	0.53	0.12	21.1	11.9	51
I098741		0.66	<0.005	0.03	1.28	15.7	<0.2	<10	100	0.16	0.12	0.21	0.06	29.1	7.0	22
I098742		0.60	<0.005	0.02	1.95	5.0	<0.2	<10	120	0.18	0.06	0.12	0.05	44.3	14.5	58
I098743		0.48	<0.005	0.20	1.55	32.8	<0.2	<10	200	0.29	0.17	0.26	0.07	21.5	6.6	26
I098744		0.52	<0.005	0.08	1.95	6.6	<0.2	<10	260	0.37	0.12	0.24	0.08	17.80	15.1	31
I098745		0.44	<0.005	0.02	2.20	10.1	<0.2	<10	150	0.43	0.15	0.18	0.07	22.7	11.3	33
I098746		0.46	<0.005	0.04	2.14	6.4	<0.2	<10	310	0.50	0.09	0.70	0.04	21.2	16.9	19
I098747		0.54	<0.005	0.04	1.64	9.8	<0.2	<10	130	0.34	0.15	0.20	0.05	38.9	7.5	25
I098748		0.48	<0.005	0.04	1.85	12.4	<0.2	<10	180	0.34	0.16	0.22	0.05	34.3	9.4	31
I098749		0.40	<0.005	0.09	1.38	8.7	<0.2	<10	110	0.16	0.18	0.11	0.08	23.7	4.6	23
I098750		0.52	<0.005	0.10	1.82	8.3	<0.2	<10	160	0.26	0.19	0.12	0.07	23.7	5.5	27
I098751		0.32	<0.005	0.04	0.31	1.2	<0.2	<10	50	0.10	0.08	0.08	0.15	4.20	1.4	7
I098752		0.46	<0.005	0.08	1.60	6.2	<0.2	<10	180	0.55	0.19	0.31	0.23	39.3	8.2	27
I098753		0.28	<0.005	0.06	1.35	5.6	<0.2	<10	80	0.24	0.19	0.13	0.13	12.10	3.9	31
I098754		0.34	0.008	0.42	3.48	30.5	<0.2	<10	380	3.23	0.28	0.36	0.28	>500	10.6	47
I098755		0.38	<0.005	0.08	1.74	24.3	<0.2	<10	140	0.46	0.19	0.45	0.11	41.9	10.1	33
I098756		0.44	<0.005	0.11	2.13	61.8	<0.2	<10	180	0.66	0.20	0.46	0.12	77.1	12.7	39
I098757		0.42	<0.005	0.02	2.49	114.5	<0.2	<10	110	0.67	0.18	0.16	0.08	54.6	19.7	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098718		1.65	16.3	3.45	8.18	0.10	0.17	0.02	0.028	0.14	35.0	19.5	0.68	391	0.66
I098719		1.16	16.1	2.95	6.09	0.07	0.11	0.04	0.026	0.12	23.8	15.9	0.63	383	0.51
I098720		0.59	16.8	2.60	5.60	0.05	0.05	0.03	0.020	0.05	8.6	11.9	0.56	272	0.73
I098721		1.11	21.2	2.70	5.63	0.06	0.05	0.05	0.023	0.06	15.3	15.0	0.55	619	0.87
I098722		1.01	21.4	2.71	5.51	0.05	0.05	0.07	0.024	0.06	15.7	14.3	0.56	662	0.84
I098723		0.68	28.2	2.78	5.35	0.07	0.14	0.02	0.022	0.06	14.0	13.2	0.61	335	0.51
I098724		1.18	21.2	3.49	7.37	0.06	0.24	0.02	0.030	0.08	10.3	16.3	0.65	324	0.68
I098725		0.84	31.7	3.84	7.68	0.07	0.56	0.02	0.039	0.04	23.1	15.7	0.64	366	1.16
I098726		1.09	20.1	4.12	9.21	0.06	0.26	0.01	0.039	0.04	8.4	18.1	0.48	270	1.38
I098727		1.29	21.3	2.88	6.04	0.08	0.34	0.02	0.045	0.06	36.9	12.9	0.39	615	0.67
I098728		1.29	17.7	3.52	8.68	0.05	0.17	0.01	0.029	0.04	9.0	13.9	0.37	277	1.77
I098729		0.81	13.4	1.08	4.20	<0.05	<0.02	0.02	0.014	0.03	9.1	3.7	0.12	133	0.54
I098730		1.81	18.2	2.50	7.76	0.06	0.02	0.01	0.015	0.37	22.6	7.7	0.52	153	1.49
I098731		2.34	29.3	3.87	8.23	0.09	0.03	0.02	0.015	0.43	9.3	18.4	1.00	257	1.31
I098732		1.91	30.9	4.48	9.13	0.09	0.05	0.01	0.018	0.35	14.0	28.4	1.21	274	1.14
I098733		0.30	27.7	2.77	2.27	0.06	0.05	0.05	0.009	0.02	14.5	3.9	0.17	3570	0.74
I098734		1.19	33.2	3.21	6.46	0.07	0.04	0.05	0.031	0.06	23.7	19.5	0.72	240	0.55
I098735		0.08	2.7	0.77	0.54	<0.05	0.04	0.01	<0.005	0.03	4.4	1.2	0.05	180	0.29
I098736		2.01	30.8	4.73	6.95	0.11	0.04	0.04	0.023	0.59	18.0	26.5	1.19	725	1.06
I098737		1.13	28.2	2.67	6.00	0.06	0.05	0.04	0.028	0.06	16.5	15.5	0.62	160	0.24
I098738		1.21	26.0	3.54	6.38	0.07	0.03	0.03	0.028	0.08	15.9	12.3	0.64	339	1.00
I098739		0.87	39.9	3.73	5.56	0.07	0.05	0.11	0.023	0.05	16.2	13.7	0.80	651	0.79
I098740		1.30	23.0	3.79	7.74	0.07	0.05	0.02	0.028	0.07	11.0	17.8	0.84	244	1.15
I098741		0.51	16.0	2.66	6.37	0.06	0.02	0.02	0.020	0.05	15.4	7.9	0.34	135	1.20
I098742		0.90	14.7	3.68	7.49	0.10	<0.02	0.01	0.031	0.25	30.3	13.8	0.74	206	0.57
I098743		0.83	11.0	2.54	7.01	0.05	0.05	0.01	0.021	0.05	11.1	12.0	0.37	195	1.13
I098744		0.98	13.9	3.65	7.25	0.07	0.07	0.01	0.018	0.38	8.1	17.1	0.94	425	1.11
I098745		1.20	15.8	3.69	8.54	0.07	0.11	0.01	0.025	0.09	16.5	18.5	0.65	227	0.97
I098746		1.65	19.7	3.75	7.71	0.08	0.03	0.02	0.016	0.40	10.7	19.4	1.25	338	1.06
I098747		1.00	11.5	2.94	9.13	0.06	0.05	0.01	0.026	0.11	20.0	11.2	0.45	228	1.75
I098748		0.74	12.0	3.48	7.56	0.06	0.07	0.01	0.024	0.05	20.6	14.4	0.49	264	1.43
I098749		0.87	11.1	2.53	8.16	<0.05	0.03	0.02	0.018	0.04	13.4	7.2	0.28	133	1.51
I098750		0.94	13.8	2.87	7.02	0.05	0.07	0.01	0.023	0.04	14.2	10.9	0.31	144	1.36
I098751		0.54	6.7	0.73	2.14	<0.05	<0.02	0.02	0.008	0.03	2.5	0.7	0.04	67	0.51
I098752		1.73	20.4	2.22	4.99	0.07	0.04	0.04	0.027	0.05	18.8	9.0	0.41	292	0.91
I098753		0.88	12.5	2.05	4.79	<0.05	0.03	0.03	0.019	0.04	6.4	5.0	0.23	133	1.14
I098754		3.56	59.9	3.73	12.35	1.11	0.31	0.12	0.060	0.07	560	12.4	0.40	439	1.75
I098755		1.92	16.2	3.14	5.73	0.08	0.04	0.03	0.034	0.06	24.3	11.2	0.48	355	2.31
I098756		2.06	29.5	3.31	6.28	0.14	0.08	0.06	0.037	0.09	47.4	14.3	0.66	299	0.96
I098757		3.11	35.3	4.33	6.20	0.10	0.03	0.02	0.028	0.21	24.6	24.9	1.19	467	1.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098718		2.42	15.9	450	10.4	19.3	<0.001	0.01	0.50	6.3	0.6	0.7	34.0	<0.01	0.02
I098719		1.79	16.4	590	8.2	15.4	<0.001	0.01	0.40	5.4	0.6	0.6	38.9	<0.01	0.02
I098720		1.69	17.5	470	5.4	6.2	<0.001	0.02	0.30	4.1	0.4	0.5	39.9	<0.01	0.02
I098721		1.50	19.1	630	7.9	11.2	<0.001	0.02	0.43	4.9	0.6	0.5	39.9	<0.01	0.02
I098722		1.43	17.9	610	6.8	10.3	<0.001	0.02	0.38	4.6	0.6	0.5	38.9	<0.01	0.02
I098723		1.54	23.1	660	6.1	8.1	<0.001	0.01	0.39	5.4	0.6	0.5	39.0	<0.01	0.02
I098724		1.50	21.6	450	8.5	13.4	<0.001	0.01	0.56	5.3	0.3	0.7	29.8	<0.01	0.02
I098725		0.61	31.5	140	9.7	7.9	<0.001	0.01	0.54	6.4	0.4	0.7	36.6	<0.01	0.03
I098726		2.02	30.9	220	11.6	9.7	<0.001	0.01	0.54	4.3	0.3	0.8	17.4	0.01	0.03
I098727		1.51	19.8	230	60.6	14.8	<0.001	0.01	0.74	4.3	0.5	0.7	23.2	<0.01	0.02
I098728		1.47	19.1	240	10.7	11.6	<0.001	0.01	0.68	4.0	0.3	0.9	23.1	<0.01	0.03
I098729		0.49	6.2	310	6.7	8.3	<0.001	0.02	0.20	0.9	0.4	0.5	12.2	<0.01	0.01
I098730		2.75	12.2	300	7.1	40.7	<0.001	0.17	0.15	1.8	0.4	0.7	23.5	<0.01	0.03
I098731		2.64	47.6	320	11.4	43.9	<0.001	0.05	0.21	2.9	0.5	0.5	22.0	<0.01	0.03
I098732		2.23	47.3	440	6.3	36.7	<0.001	0.03	0.23	3.6	0.5	0.5	23.0	<0.01	0.02
I098733		0.59	32.7	740	14.6	2.4	<0.001	0.11	0.22	1.8	1.4	0.2	134.5	0.01	0.05
I098734		1.50	35.8	590	7.8	12.5	<0.001	0.05	0.39	5.1	0.8	0.6	50.9	<0.01	0.04
I098735		0.20	3.9	110	1.4	1.7	<0.001	0.01	0.15	0.6	<0.2	<0.2	5.7	<0.01	0.01
I098736		2.16	47.2	700	5.2	53.7	0.001	0.05	0.40	5.9	0.8	0.6	44.5	<0.01	0.04
I098737		1.53	27.5	480	10.3	9.7	<0.001	0.03	0.60	5.4	0.6	0.6	37.0	<0.01	0.06
I098738		1.66	29.1	460	6.7	11.2	<0.001	0.03	0.41	5.5	0.6	0.6	39.9	<0.01	0.03
I098739		1.39	39.3	640	32.5	10.9	<0.001	0.04	1.89	5.8	0.8	0.5	63.2	<0.01	0.04
I098740		1.90	31.1	360	11.3	16.8	<0.001	0.01	0.41	4.9	0.4	0.7	31.4	<0.01	0.03
I098741		1.35	16.0	180	5.6	9.2	<0.001	<0.01	0.30	3.0	0.3	0.5	17.1	<0.01	0.03
I098742		1.10	52.4	300	3.3	22.5	<0.001	0.01	0.15	4.2	0.5	0.6	10.8	<0.01	0.02
I098743		1.48	15.3	180	10.9	11.4	<0.001	<0.01	0.61	3.0	0.3	0.7	21.9	<0.01	0.03
I098744		1.75	18.6	280	6.4	32.8	<0.001	0.01	0.43	3.0	0.3	0.6	21.9	<0.01	0.02
I098745		1.86	18.8	300	7.7	19.0	<0.001	0.01	0.42	3.8	0.4	0.7	18.4	<0.01	0.03
I098746		1.22	16.3	930	4.5	43.1	<0.001	0.01	0.20	3.5	0.4	0.6	38.9	<0.01	0.02
I098747		2.19	16.8	220	9.2	21.3	<0.001	0.01	0.35	4.0	0.4	1.0	19.6	<0.01	0.03
I098748		1.87	19.8	210	8.9	14.4	<0.001	0.01	0.46	3.5	0.3	0.7	20.7	<0.01	0.03
I098749		1.92	11.3	200	10.1	11.3	<0.001	0.02	0.41	2.6	0.4	0.8	12.7	<0.01	0.03
I098750		1.55	13.1	190	12.5	14.9	<0.001	<0.01	0.38	3.0	0.3	0.7	13.8	<0.01	0.03
I098751		0.24	3.6	190	3.6	3.2	<0.001	0.01	0.13	0.6	0.2	0.3	9.8	<0.01	0.01
I098752		1.14	19.6	360	12.2	8.2	<0.001	0.01	0.37	3.4	0.6	0.7	26.4	<0.01	0.02
I098753		1.12	17.0	220	9.9	4.4	0.001	0.01	0.33	1.8	0.3	0.6	11.1	<0.01	0.02
I098754		1.63	37.7	950	19.7	17.1	0.001	0.05	0.61	10.6	6.4	0.7	35.8	0.04	0.04
I098755		1.43	18.8	470	12.6	13.0	<0.001	0.02	0.51	4.0	0.6	0.6	28.8	<0.01	0.02
I098756		1.53	29.7	530	14.6	17.1	<0.001	0.01	1.24	6.1	1.0	0.6	29.8	<0.01	0.03
I098757		0.72	43.5	270	9.3	28.2	<0.001	<0.01	1.29	5.2	0.6	0.3	13.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098718		0.154	0.13	1.49	75	0.17	14.95	60	6.7
I098719		0.127	0.10	1.30	65	0.25	11.90	57	4.2
I098720		0.116	0.07	0.49	65	0.14	5.47	48	2.1
I098721		0.101	0.08	1.09	60	0.18	10.50	58	1.9
I098722		0.105	0.08	1.12	62	0.27	10.25	55	1.9
I098723		0.134	0.06	0.53	66	0.22	10.00	49	6.0
I098724		0.154	0.11	0.52	78	0.18	5.50	58	8.8
I098725		0.132	0.11	0.69	87	0.10	6.27	65	23.1
I098726		0.106	0.10	0.47	85	0.12	3.32	63	10.9
I098727		0.116	0.10	0.68	61	0.24	8.07	123	15.9
I098728		0.098	0.12	0.44	80	0.13	3.53	44	7.0
I098729		0.044	0.06	0.35	28	0.07	3.34	20	<0.5
I098730		0.171	0.24	1.01	50	0.05	3.30	44	0.5
I098731		0.195	0.52	0.47	70	0.13	3.94	133	1.0
I098732		0.199	0.27	0.62	74	0.11	5.03	84	1.8
I098733		0.032	0.08	0.79	24	0.08	15.50	19	1.6
I098734		0.079	0.13	0.99	53	0.12	10.35	57	1.3
I098735		0.007	0.03	0.26	4	<0.05	1.96	5	1.6
I098736		0.153	0.31	0.70	63	0.14	9.51	89	1.3
I098737		0.095	0.13	0.80	55	0.20	8.13	65	1.9
I098738		0.101	0.12	0.70	61	0.26	9.23	63	1.1
I098739		0.084	0.10	0.86	58	0.22	9.51	91	1.7
I098740		0.126	0.19	0.45	68	0.29	4.68	82	2.2
I098741		0.072	0.08	0.46	53	0.16	6.08	41	0.7
I098742		0.083	0.14	0.57	49	0.06	9.57	69	<0.5
I098743		0.083	0.11	0.37	63	0.14	2.68	29	2.0
I098744		0.168	0.13	0.30	74	0.14	2.30	61	2.9
I098745		0.147	0.14	0.44	77	0.16	3.23	44	4.7
I098746		0.181	0.25	0.47	73	0.11	3.58	59	1.0
I098747		0.108	0.15	0.62	66	0.21	4.14	48	2.1
I098748		0.099	0.09	0.41	77	0.16	4.91	42	3.0
I098749		0.100	0.11	0.33	69	0.16	2.35	32	1.3
I098750		0.093	0.11	0.41	70	0.15	2.90	35	2.7
I098751		0.036	0.03	0.20	22	0.62	0.89	15	<0.5
I098752		0.087	0.07	2.15	52	0.15	10.85	46	1.2
I098753		0.080	0.06	0.49	51	0.14	2.81	32	1.0
I098754		0.073	0.11	7.86	61	0.33	191.0	68	2.0
I098755		0.080	0.11	2.36	60	0.17	10.00	58	1.0
I098756		0.112	0.14	2.65	60	0.15	19.65	68	2.4
I098757		0.099	0.20	1.09	55	0.07	10.20	77	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098758		0.26	<0.005	0.14	0.29	1.9	<0.2	<10	60	0.09	0.07	0.05	0.40	5.84	1.0	7
I098759		0.62	<0.005	0.13	1.63	7.0	<0.2	<10	180	0.33	0.12	0.16	0.06	14.10	6.6	16
I098760		0.46	<0.005	0.04	2.38	10.8	<0.2	<10	150	0.51	0.22	0.16	0.15	29.9	12.6	36
I098761		0.36	<0.005	0.01	0.36	1.3	<0.2	<10	40	0.07	0.08	0.05	0.08	4.95	1.3	6
I098762		0.48	<0.005	0.03	1.78	8.6	<0.2	<10	130	0.27	0.31	0.13	0.23	17.50	6.2	24
I098763		0.24	<0.005	0.06	0.45	1.5	<0.2	<10	60	0.14	0.09	0.06	0.10	8.45	1.3	8
I098764		0.62	<0.005	0.04	2.57	8.0	<0.2	<10	180	0.59	0.18	0.30	0.08	52.7	11.6	40
I098765		0.36	<0.005	0.04	2.40	9.7	<0.2	<10	210	0.52	0.37	0.22	0.11	34.9	9.5	36
I098766		0.40	0.007	0.04	1.42	5.6	<0.2	<10	130	0.24	0.20	0.14	0.13	15.50	6.8	21
I098767		0.32	<0.005	0.14	2.04	9.1	<0.2	<10	180	0.66	0.18	0.27	0.13	61.3	5.1	25
I098768		0.66	<0.005	0.10	2.32	14.9	<0.2	<10	210	0.48	0.18	0.35	0.09	39.9	12.3	40
I098769		0.24	<0.005	0.04	0.56	4.2	<0.2	<10	130	0.09	0.20	0.17	0.18	9.82	2.0	10
I098770		0.58	<0.005	0.07	1.99	10.2	<0.2	<10	210	0.74	0.24	0.37	0.15	73.6	10.8	34
I098771		0.38	<0.005	0.06	1.58	6.4	<0.2	<10	140	0.25	0.17	0.31	0.11	29.0	6.6	25
I098772		0.52	<0.005	0.09	2.06	12.5	<0.2	<10	170	0.37	0.22	0.27	0.11	39.1	7.6	31
I098773		0.30	<0.005	0.13	1.74	6.8	<0.2	<10	260	0.58	0.20	0.31	0.19	59.5	9.5	26
I098774		0.48	0.005	0.06	1.69	7.1	<0.2	<10	160	0.39	0.19	0.32	0.11	38.1	9.8	27
I098775		0.36	<0.005	0.05	2.12	7.9	<0.2	<10	220	0.58	0.21	0.28	0.10	57.0	9.9	32
I098776		0.26	<0.005	0.03	1.78	9.3	<0.2	<10	130	0.47	0.19	0.18	0.15	34.6	9.7	30
I098777		0.38	<0.005	0.03	2.03	12.6	<0.2	<10	150	0.50	0.25	0.19	0.09	35.0	8.7	34
I098778		0.56	0.005	0.11	1.76	13.7	<0.2	<10	230	1.67	0.16	0.67	0.08	70.6	18.7	62
I098779		0.30	<0.005	0.05	1.03	5.2	<0.2	<10	80	0.17	0.17	0.12	0.18	16.45	3.9	18
I098780		0.32	<0.005	0.05	1.47	11.0	<0.2	<10	100	0.17	0.28	0.31	0.21	17.25	4.2	21
I098781		0.50	<0.005	0.04	2.10	8.0	<0.2	<10	190	0.54	0.18	0.41	0.08	68.3	8.5	37
I098782		0.32	<0.005	0.05	1.78	9.4	<0.2	<10	160	0.56	0.21	0.26	0.11	37.2	6.7	28
I098783		0.32	<0.005	0.03	1.64	7.4	<0.2	<10	100	0.34	0.19	0.19	0.13	21.2	6.9	25
I098784		0.38	0.006	0.05	1.91	7.7	<0.2	<10	250	0.84	0.19	0.40	0.07	107.5	9.8	33
I098785		0.40	<0.005	0.08	1.83	8.4	<0.2	<10	260	0.54	0.17	0.61	0.18	44.5	9.7	31
I098786		0.50	<0.005	0.09	1.70	7.5	<0.2	<10	220	0.36	0.15	0.49	0.14	29.6	9.1	29
I098787		0.46	<0.005	0.09	1.39	8.2	<0.2	<10	190	0.32	0.12	1.59	0.19	26.7	11.0	29
I098788		0.36	<0.005	0.06	1.42	5.8	<0.2	<10	170	0.27	0.11	0.83	0.20	19.95	9.0	26
I098789		0.46	<0.005	0.10	1.58	6.5	<0.2	<10	170	0.25	0.16	0.10	0.13	23.8	9.0	24
I098790		0.38	<0.005	0.04	2.46	8.1	<0.2	<10	250	0.47	0.12	0.25	0.05	23.4	12.7	27
I098791		0.34	<0.005	0.05	1.70	8.5	<0.2	<10	240	0.34	0.11	0.25	0.07	26.0	13.8	27
I098792		0.58	<0.005	0.06	2.12	6.6	<0.2	<10	460	0.41	0.12	0.41	0.06	31.1	14.3	35
I098793		0.48	<0.005	0.03	2.43	8.6	<0.2	<10	160	0.39	0.11	0.31	0.04	20.5	15.1	75
I098794		0.54	<0.005	0.04	2.15	8.8	<0.2	<10	150	0.55	0.15	0.33	0.07	33.0	17.0	181
I098795		0.38	<0.005	0.04	1.40	3.1	<0.2	<10	200	0.24	0.09	0.30	0.08	30.6	9.0	119
I098796		0.52	<0.005	0.05	1.54	6.7	<0.2	<10	170	0.28	0.17	0.20	0.07	15.05	6.8	27
I098797		0.58	<0.005	0.03	1.56	6.8	<0.2	<10	160	0.26	0.16	0.18	0.05	18.20	5.5	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098758		0.28	7.6	0.48	1.65	<0.05	<0.02	0.04	0.006	0.03	3.4	0.6	0.04	26	0.35
I098759		1.93	14.4	2.83	6.57	<0.05	0.10	0.02	0.024	0.03	7.5	9.1	0.35	217	1.26
I098760		0.96	18.8	3.40	7.65	0.06	0.08	0.02	0.033	0.07	17.5	11.6	0.50	647	1.61
I098761		0.37	4.0	0.57	2.85	<0.05	<0.02	0.02	0.006	0.03	2.9	1.1	0.05	212	0.32
I098762		1.09	13.6	3.06	6.39	<0.05	0.03	0.02	0.024	0.05	9.3	10.8	0.30	296	1.06
I098763		0.41	11.2	0.77	2.84	<0.05	<0.02	0.04	0.008	0.03	6.0	0.8	0.05	57	0.46
I098764		0.85	31.1	3.18	6.32	0.09	0.14	0.03	0.035	0.05	27.8	12.1	0.62	246	0.84
I098765		0.98	24.1	3.18	6.65	0.07	0.09	0.03	0.044	0.05	20.6	13.4	0.56	246	0.72
I098766		0.49	15.5	2.31	7.12	<0.05	0.04	0.02	0.021	0.04	8.5	4.6	0.18	448	1.18
I098767		0.81	20.8	2.32	6.46	0.11	0.04	0.05	0.035	0.05	48.4	6.3	0.22	179	0.92
I098768		0.86	29.7	3.04	6.61	0.08	0.06	0.03	0.032	0.05	20.5	13.9	0.62	280	0.85
I098769		0.38	10.1	1.05	5.25	<0.05	0.02	0.01	0.008	0.04	5.3	1.4	0.09	231	1.03
I098770		0.94	26.6	2.85	6.13	0.11	0.11	0.03	0.032	0.05	32.8	12.9	0.54	383	1.10
I098771		0.91	12.3	2.12	5.53	0.06	0.05	0.03	0.028	0.05	16.7	8.4	0.41	246	0.93
I098772		1.05	19.2	2.81	6.75	0.06	0.04	0.04	0.037	0.05	21.6	11.6	0.49	191	1.00
I098773		0.91	22.2	2.35	6.40	0.06	0.03	0.05	0.032	0.06	28.7	8.2	0.37	337	1.13
I098774		0.74	13.2	2.38	5.47	0.07	0.07	0.02	0.031	0.06	18.9	10.5	0.43	553	0.87
I098775		0.97	19.9	2.74	6.27	0.08	0.11	0.02	0.039	0.05	26.6	13.1	0.49	290	0.86
I098776		1.02	15.3	2.74	5.92	0.06	0.04	0.02	0.034	0.07	17.6	9.9	0.45	455	1.10
I098777		0.91	17.1	3.08	6.28	0.07	0.12	0.03	0.038	0.06	19.3	11.5	0.47	247	1.29
I098778		1.78	46.8	4.42	5.57	0.16	0.11	0.04	0.039	0.14	47.6	10.4	0.67	509	0.87
I098779		0.40	11.7	1.87	5.01	<0.05	0.02	0.02	0.019	0.04	9.3	4.5	0.18	163	0.94
I098780		0.47	11.1	2.79	7.76	0.05	0.03	0.01	0.025	0.09	9.6	5.6	0.23	493	1.39
I098781		0.68	25.6	2.89	6.26	0.12	0.21	0.03	0.030	0.06	47.2	13.0	0.56	240	0.66
I098782		0.77	15.9	2.86	7.23	0.07	0.07	0.03	0.030	0.06	23.0	9.3	0.31	251	1.21
I098783		0.70	12.9	2.64	5.65	<0.05	0.05	0.02	0.027	0.07	11.3	9.7	0.34	297	1.01
I098784		0.99	27.4	2.89	5.88	0.17	0.24	0.03	0.038	0.07	75.3	13.0	0.49	294	0.65
I098785		0.68	23.6	2.79	5.42	0.08	0.13	0.04	0.029	0.06	24.2	11.8	0.49	312	0.72
I098786		0.69	22.2	2.58	5.15	0.07	0.05	0.04	0.024	0.05	15.1	11.1	0.48	308	0.85
I098787		0.72	31.8	2.71	4.37	0.10	0.14	0.02	0.020	0.10	13.5	11.9	0.74	455	0.66
I098788		0.58	20.4	2.29	4.47	0.07	0.06	0.03	0.021	0.06	10.1	10.9	0.54	328	0.50
I098789		1.00	11.9	3.03	6.53	<0.05	0.02	0.02	0.019	0.08	7.9	10.5	0.35	386	1.06
I098790		1.61	17.2	3.90	7.68	0.07	0.04	0.01	0.021	0.26	11.4	18.6	0.95	323	1.36
I098791		0.95	16.3	2.94	6.98	0.08	0.02	0.02	0.020	0.20	12.7	14.0	0.76	333	0.92
I098792		1.07	21.1	3.24	6.70	0.09	0.06	0.07	0.022	0.20	19.1	18.7	0.93	417	0.66
I098793		2.22	16.4	3.67	7.44	0.09	0.07	0.01	0.018	0.28	13.4	24.1	1.19	338	0.90
I098794		1.33	21.6	3.70	6.89	0.09	0.16	0.02	0.034	0.08	18.9	15.3	0.94	362	1.14
I098795		1.13	16.2	1.89	5.19	0.06	<0.02	0.02	0.016	0.06	19.2	7.6	0.68	150	0.70
I098796		1.00	12.3	2.39	5.77	<0.05	0.02	0.01	0.020	0.04	7.9	11.1	0.35	216	1.09
I098797		0.72	10.8	2.53	6.10	0.05	0.04	0.02	0.020	0.04	10.1	10.7	0.36	146	0.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098758		0.13	3.3	270	12.0	2.8	<0.001	0.01	0.17	0.5	0.3	0.2	9.5	<0.01	0.02
I098759		0.78	8.8	280	8.4	8.1	<0.001	<0.01	0.49	4.0	0.3	0.6	17.7	<0.01	0.02
I098760		1.45	23.5	230	10.4	13.8	<0.001	<0.01	0.67	4.1	0.4	1.0	17.7	<0.01	0.03
I098761		0.25	1.6	250	3.7	3.4	<0.001	<0.01	0.08	0.5	0.2	0.3	7.1	<0.01	0.01
I098762		1.22	15.6	320	13.4	9.6	<0.001	<0.01	0.61	2.7	0.3	0.8	14.2	<0.01	0.03
I098763		0.33	2.7	290	4.7	4.9	<0.001	0.01	0.10	0.7	0.3	0.4	8.4	<0.01	0.01
I098764		1.33	28.3	260	8.7	9.5	<0.001	<0.01	0.41	6.8	0.6	0.7	23.4	<0.01	0.02
I098765		1.81	25.7	310	15.7	9.6	<0.001	<0.01	0.41	4.7	0.6	1.5	19.2	<0.01	0.02
I098766		1.36	7.7	300	9.9	8.4	<0.001	<0.01	0.32	2.6	0.3	0.8	16.5	<0.01	0.03
I098767		1.11	15.7	430	11.4	7.8	<0.001	0.02	0.30	3.5	0.9	0.6	27.8	<0.01	0.03
I098768		1.29	27.7	430	9.5	11.0	<0.001	0.01	0.44	5.8	0.7	0.6	29.2	<0.01	0.03
I098769		0.90	4.9	350	7.8	6.0	<0.001	<0.01	0.26	1.5	0.2	0.7	16.4	<0.01	0.02
I098770		1.68	23.7	440	11.7	11.0	<0.001	0.01	0.40	6.1	0.9	0.7	29.7	0.01	0.03
I098771		1.87	14.3	450	11.4	10.3	<0.001	0.02	0.23	3.0	0.5	0.7	22.9	<0.01	0.02
I098772		2.14	18.3	440	11.1	10.9	<0.001	0.02	0.28	4.0	0.6	0.9	20.6	<0.01	0.02
I098773		1.26	16.0	620	12.0	13.1	<0.001	0.04	0.26	2.8	0.8	0.7	27.0	<0.01	0.03
I098774		1.61	16.2	440	13.4	11.8	<0.001	<0.01	0.29	3.5	0.5	0.8	23.2	<0.01	0.02
I098775		1.54	19.3	300	12.4	12.2	<0.001	<0.01	0.32	5.0	0.6	0.9	22.5	<0.01	0.03
I098776		1.33	18.2	480	10.3	14.8	<0.001	0.01	0.27	3.0	0.4	0.9	15.0	<0.01	0.03
I098777		1.82	21.1	270	11.0	11.3	<0.001	<0.01	0.41	3.8	0.5	1.0	16.2	<0.01	0.03
I098778		0.71	59.7	580	11.4	21.8	<0.001	0.01	0.50	9.8	1.0	0.6	37.9	0.01	0.03
I098779		0.92	9.6	250	9.1	5.6	<0.001	0.01	0.28	1.9	0.3	0.6	10.6	<0.01	0.02
I098780		1.53	10.2	490	12.9	8.4	<0.001	<0.01	0.42	2.7	0.3	0.9	18.0	<0.01	0.04
I098781		1.54	22.0	400	11.1	11.4	<0.001	<0.01	0.40	5.8	0.7	0.7	30.8	<0.01	0.03
I098782		1.56	14.8	330	10.4	13.1	<0.001	0.01	0.39	4.4	0.4	0.9	23.8	<0.01	0.04
I098783		1.48	14.0	320	10.7	14.3	<0.001	0.01	0.31	3.1	0.3	0.8	15.7	<0.01	0.03
I098784		1.30	21.7	480	14.2	13.6	<0.001	<0.01	0.42	6.7	1.1	0.7	31.4	0.01	0.03
I098785		1.50	20.3	530	9.6	9.8	<0.001	0.01	0.43	5.2	0.7	0.6	40.5	<0.01	0.03
I098786		1.42	20.6	580	9.2	8.6	<0.001	0.03	0.39	4.7	0.7	0.4	36.0	<0.01	0.03
I098787		1.25	27.4	840	6.7	9.4	<0.001	0.02	0.48	5.1	0.5	0.4	61.3	<0.01	0.03
I098788		1.39	22.7	720	5.9	9.8	<0.001	0.03	0.36	4.5	0.6	0.4	47.7	<0.01	0.03
I098789		1.56	14.9	410	9.5	19.7	<0.001	0.02	0.45	2.5	0.3	0.7	9.6	<0.01	0.03
I098790		1.25	16.7	700	6.6	26.0	<0.001	0.01	0.36	3.2	0.3	0.5	22.3	<0.01	0.03
I098791		0.90	15.3	740	5.9	21.0	<0.001	0.01	0.25	3.9	0.4	0.5	21.0	<0.01	0.03
I098792		1.35	22.8	690	6.5	26.4	<0.001	0.02	0.24	4.9	0.5	0.4	30.3	<0.01	0.03
I098793		1.55	27.8	510	8.2	39.8	<0.001	0.02	0.24	3.4	0.4	0.5	22.8	<0.01	0.03
I098794		1.19	62.3	300	9.8	12.6	<0.001	0.03	0.62	7.3	0.5	0.6	26.1	<0.01	0.03
I098795		0.61	43.4	290	5.6	10.1	<0.001	0.03	0.15	1.7	0.4	0.4	24.7	<0.01	0.02
I098796		1.23	12.8	210	9.7	12.2	<0.001	0.02	0.30	2.8	0.3	0.5	21.6	<0.01	0.03
I098797		1.39	13.0	170	9.1	9.4	<0.001	0.03	0.31	3.4	0.4	0.6	19.9	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098758		0.022	0.02	0.34	11	<0.05	1.29	8	<0.5
I098759		0.048	0.08	0.46	60	0.09	2.89	35	4.8
I098760		0.088	0.11	0.58	81	0.15	3.51	57	3.2
I098761		0.038	0.04	0.16	17	<0.05	0.87	12	<0.5
I098762		0.081	0.07	0.59	59	0.18	2.77	53	0.9
I098763		0.039	0.02	0.31	19	0.05	1.37	12	<0.5
I098764		0.127	0.08	0.75	69	0.12	11.50	52	5.4
I098765		0.115	0.09	0.82	69	0.17	10.10	58	3.3
I098766		0.109	0.08	0.49	65	0.11	2.78	30	1.3
I098767		0.069	0.06	1.06	46	0.15	14.70	31	1.1
I098768		0.105	0.08	1.66	64	0.13	11.55	56	2.2
I098769		0.085	0.06	0.24	39	0.12	1.25	36	0.6
I098770		0.117	0.09	3.16	63	0.24	22.8	62	3.7
I098771		0.090	0.09	1.31	52	0.26	9.71	56	1.8
I098772		0.087	0.13	2.26	61	0.24	11.60	58	1.4
I098773		0.057	0.08	2.41	51	0.19	13.35	49	0.8
I098774		0.103	0.07	1.10	56	0.14	8.50	57	2.4
I098775		0.102	0.10	1.61	58	0.17	10.65	54	4.0
I098776		0.100	0.11	0.96	57	0.21	5.38	51	1.2
I098777		0.100	0.12	0.90	62	0.15	7.18	52	4.5
I098778		0.065	0.16	1.66	65	0.15	33.7	83	3.1
I098779		0.064	0.06	0.30	49	0.14	2.36	33	0.6
I098780		0.098	0.09	0.39	82	0.13	2.38	54	1.1
I098781		0.136	0.08	1.00	67	0.15	17.75	53	8.0
I098782		0.099	0.09	0.60	72	0.16	7.84	42	2.6
I098783		0.098	0.08	0.57	63	0.22	3.24	44	1.7
I098784		0.117	0.10	3.11	60	0.21	33.0	59	9.3
I098785		0.110	0.08	2.19	61	0.18	11.55	55	5.0
I098786		0.092	0.07	1.47	60	0.15	8.80	59	2.1
I098787		0.111	0.08	0.50	63	0.18	10.40	56	5.5
I098788		0.097	0.06	0.53	52	0.18	7.22	50	2.3
I098789		0.083	0.12	0.40	65	0.15	1.88	51	1.1
I098790		0.159	0.18	0.42	73	0.18	2.96	52	1.9
I098791		0.116	0.12	0.53	76	0.16	4.09	47	0.6
I098792		0.145	0.14	0.97	64	0.17	8.06	57	2.4
I098793		0.191	0.28	0.55	76	0.18	3.78	57	2.9
I098794		0.105	0.10	1.06	77	0.19	6.82	67	8.0
I098795		0.063	0.09	0.74	42	0.09	4.95	30	<0.5
I098796		0.078	0.09	0.36	55	0.12	2.27	34	0.9
I098797		0.093	0.09	0.39	67	0.13	2.94	30	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I098798		0.28	<0.005	0.02	3.05	6.8	<0.2	<10	480	0.57	0.05	0.36	0.05	18.70	20.5	38
I098799		0.38	<0.005	0.05	2.41	8.6	<0.2	<10	360	0.41	0.16	0.23	0.07	19.00	14.7	29
I098800		0.34	<0.005	0.04	0.80	3.1	<0.2	<10	180	0.16	0.08	0.14	0.03	8.83	3.7	14
I098801		0.34	0.006	0.12	0.09	11.2	<0.2	<10	20	0.08	0.11	0.07	0.10	9.35	2.0	2
I098802		0.72	0.019	0.44	2.80	38.9	<0.2	<10	380	0.34	0.41	0.64	0.30	15.30	16.2	45
I098803		0.64	0.024	0.68	2.68	32.7	<0.2	<10	480	0.44	0.38	0.94	0.99	20.0	16.7	36
I098804		0.66	0.014	0.40	2.86	39.9	<0.2	<10	400	0.38	0.44	0.74	0.63	17.35	16.8	43
I098805		0.58	0.011	0.28	1.89	21.8	<0.2	<10	220	0.28	0.36	0.55	0.81	13.80	8.3	32
I098806		0.64	0.040	0.52	2.31	23.1	<0.2	<10	230	0.28	0.39	0.48	0.25	11.65	7.4	40
I098807		0.78	0.015	0.58	3.15	51.6	<0.2	<10	320	0.41	0.50	0.55	0.44	14.15	14.5	52
I098808		0.58	0.011	0.68	2.38	10.2	<0.2	<10	290	0.38	0.31	0.60	0.39	19.20	19.5	37
I098809		0.54	0.017	0.38	2.28	34.0	<0.2	<10	300	0.28	0.43	0.46	1.15	16.20	17.8	39
I098810		0.80	0.047	0.29	2.52	138.5	<0.2	<10	250	0.25	0.13	0.40	0.19	11.60	13.9	38
I098811		0.70	0.026	0.23	2.29	117.0	<0.2	<10	280	0.25	0.20	0.46	0.21	14.25	18.7	37
I098812		0.82	0.017	0.29	1.74	60.3	<0.2	<10	220	0.20	0.14	0.46	0.31	9.64	11.5	23
I098851		0.50	<0.005	0.06	2.20	4.9	<0.2	<10	240	0.71	0.18	0.33	0.09	52.2	13.4	49
I098852		0.32	<0.005	0.03	1.30	5.0	<0.2	<10	100	0.19	0.16	0.11	0.07	13.00	5.8	28
I098853		0.22	<0.005	0.04	1.35	6.6	<0.2	<10	170	0.22	0.12	0.16	0.06	13.40	7.3	25
I098854		0.34	<0.005	0.08	1.26	5.8	<0.2	<10	70	0.26	0.21	0.09	0.10	17.85	5.2	25
I098855		0.38	<0.005	0.06	1.70	8.7	<0.2	<10	70	0.36	0.28	0.12	0.08	33.3	8.9	46
I098856		0.24	<0.005	0.10	0.41	1.8	<0.2	<10	40	0.08	0.13	0.04	0.17	6.24	1.7	9
I098857		0.64	<0.005	0.01	0.16	1.5	<0.2	<10	30	0.11	0.02	0.09	0.03	10.75	2.2	3
I098858		0.28	<0.005	0.82	1.82	7.4	<0.2	<10	290	1.55	0.32	0.65	0.59	308	8.2	28
I098859		0.44	0.009	0.05	1.72	7.5	<0.2	<10	160	0.51	0.38	0.15	0.10	42.5	9.0	31
I098860		0.46	<0.005	0.07	2.25	12.3	<0.2	<10	160	0.36	0.18	0.26	0.14	19.45	11.8	37
I098861		0.38	<0.005	0.11	1.02	7.2	<0.2	<10	120	0.16	0.16	0.10	0.24	20.8	9.2	20
I098862		0.38	<0.005	0.09	1.39	7.1	<0.2	<10	140	0.22	0.19	0.11	0.15	17.05	9.2	23
I098863		0.46	<0.005	0.14	1.97	9.2	<0.2	<10	120	0.30	0.17	0.10	0.13	20.6	10.1	32
I098864		0.46	<0.005	0.18	2.30	9.1	<0.2	<10	140	0.35	0.20	0.08	0.19	18.50	17.0	33
I098865		0.30	<0.005	0.04	1.50	5.0	<0.2	<10	370	0.21	0.16	0.22	0.45	11.55	13.8	32
I098866		0.44	<0.005	0.05	1.58	5.8	<0.2	<10	110	0.28	0.17	0.11	0.21	12.25	9.1	30
I098867		0.40	<0.005	0.05	2.66	5.7	<0.2	<10	90	0.48	0.09	0.09	0.16	11.20	12.8	59
I098868		0.58	<0.005	0.05	2.80	9.7	<0.2	<10	100	0.50	0.10	0.16	0.12	11.30	21.9	62
I098869		0.42	<0.005	0.05	2.35	4.1	<0.2	<10	260	0.37	0.10	0.15	0.13	14.25	23.0	54
I098870		0.46	<0.005	0.08	1.89	7.4	<0.2	<10	230	0.61	0.16	0.51	0.12	25.2	17.1	39
I098871		0.44	<0.005	0.07	2.23	17.9	<0.2	<10	230	0.48	0.10	0.48	0.18	15.70	21.6	89
I098872		0.32	0.005	0.06	1.87	8.8	<0.2	<10	230	0.51	0.14	0.70	0.13	22.9	14.7	45
I098873		0.34	<0.005	0.08	2.14	12.1	<0.2	<10	350	0.52	0.14	0.44	0.22	24.7	15.4	45
I098874		0.24	<0.005	0.08	1.39	7.5	<0.2	<10	180	0.19	0.12	0.54	0.28	10.70	7.5	30
I098875		0.34	<0.005	0.13	2.03	82.0	<0.2	<10	200	0.59	0.14	0.33	0.20	36.1	14.7	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098798		2.52	31.0	4.46	8.95	0.12	0.03	0.01	0.013	0.95	7.6	21.2	2.11	498	0.70
I098799		1.20	20.8	3.68	7.18	0.06	0.03	0.01	0.026	0.19	10.7	19.2	0.79	278	1.03
I098800		0.61	10.1	1.33	3.40	<0.05	<0.02	0.02	0.009	0.05	4.8	5.2	0.26	73	0.47
I098801		0.08	6.9	0.54	0.44	<0.05	0.04	<0.01	0.038	0.02	4.7	1.2	0.04	138	0.23
I098802		1.98	34.2	3.12	7.89	0.10	0.03	0.05	0.024	0.35	7.2	13.0	1.19	669	1.08
I098803		1.53	52.9	2.87	6.68	0.09	0.03	0.07	0.024	0.24	9.8	11.0	0.87	1180	1.39
I098804		1.92	43.1	3.42	8.22	0.09	0.03	0.05	0.027	0.29	8.5	12.8	1.11	992	1.48
I098805		1.32	28.2	2.15	6.55	0.06	0.02	0.04	0.021	0.09	7.0	8.1	0.64	345	1.12
I098806		1.71	24.3	2.24	7.27	0.07	0.02	0.06	0.021	0.13	6.1	10.5	0.87	209	0.80
I098807		2.18	33.1	3.39	9.13	0.09	0.03	0.06	0.029	0.28	7.5	14.5	1.27	473	1.34
I098808		1.26	41.4	3.36	6.96	0.07	0.03	0.10	0.027	0.17	9.7	11.2	0.81	1120	1.62
I098809		1.83	45.4	3.19	7.37	0.08	0.02	0.04	0.022	0.26	8.1	14.0	1.14	804	1.08
I098810		1.44	27.6	3.41	6.15	0.07	0.03	0.05	0.019	0.25	5.9	13.9	1.19	426	0.57
I098811		1.78	31.6	3.33	7.40	0.07	0.03	0.06	0.023	0.19	7.2	14.8	1.04	749	1.00
I098812		0.91	30.7	2.71	6.87	0.06	0.02	0.04	0.020	0.15	5.0	11.1	0.83	412	0.76
I098851		1.68	21.8	3.24	7.92	0.15	0.11	0.01	0.025	0.34	31.9	17.7	1.23	451	0.80
I098852		0.68	9.6	2.61	7.62	<0.05	0.02	0.01	0.013	0.11	6.9	6.9	0.56	199	0.99
I098853		2.32	12.8	2.14	7.14	0.06	<0.02	0.02	0.010	0.35	6.8	5.8	0.83	201	0.98
I098854		0.72	14.3	2.16	7.19	0.05	0.02	0.03	0.018	0.05	10.7	6.7	0.29	121	0.83
I098855		0.96	24.1	3.16	8.48	0.07	0.06	0.02	0.019	0.11	18.5	11.0	0.79	247	2.14
I098856		0.38	10.6	1.19	4.26	<0.05	<0.02	0.02	0.008	0.03	3.4	1.0	0.05	54	0.50
I098857		0.09	2.0	0.72	0.67	<0.05	0.06	<0.01	<0.005	0.05	5.6	1.4	0.05	168	0.26
I098858		1.65	66.6	2.38	6.83	0.59	0.23	0.14	0.033	0.10	213	7.0	0.33	322	1.55
I098859		1.05	22.9	2.73	5.84	0.08	0.03	0.04	0.026	0.05	24.9	12.1	0.46	283	1.12
I098860		0.67	20.8	3.48	7.52	<0.05	0.06	0.02	0.032	0.07	11.0	13.5	0.53	329	1.60
I098861		0.63	17.5	2.51	6.27	<0.05	0.02	0.02	0.019	0.09	12.3	7.1	0.32	270	1.40
I098862		0.74	12.0	2.61	6.89	<0.05	0.02	0.03	0.021	0.05	8.9	9.7	0.34	405	1.30
I098863		0.65	17.4	3.50	7.31	<0.05	0.02	0.02	0.022	0.04	11.6	12.4	0.46	273	1.38
I098864		1.00	18.2	3.82	9.35	<0.05	0.07	0.02	0.031	0.03	9.5	19.6	0.36	476	2.08
I098865		0.66	12.2	2.91	7.34	<0.05	0.02	0.03	0.018	0.06	5.6	10.9	0.44	1180	1.23
I098866		0.81	12.3	3.16	7.64	<0.05	0.02	0.01	0.016	0.04	6.1	11.0	0.39	185	1.29
I098867		0.98	17.2	3.91	8.01	<0.05	0.04	0.02	0.016	0.08	5.1	21.8	0.86	289	1.00
I098868		0.87	24.1	4.22	8.62	<0.05	0.03	0.02	0.015	0.11	5.5	31.3	1.16	310	1.17
I098869		1.00	19.1	3.52	7.74	<0.05	0.04	0.01	0.019	0.09	6.0	22.8	0.83	509	0.99
I098870		0.55	16.5	3.06	6.23	<0.05	0.10	0.01	0.030	0.07	10.8	9.6	0.42	702	1.01
I098871		1.23	27.4	4.05	7.09	<0.05	0.06	0.01	0.022	0.20	7.0	15.2	0.82	718	1.04
I098872		0.52	22.6	3.22	5.66	<0.05	0.21	0.03	0.026	0.25	10.7	12.4	0.59	540	0.92
I098873		0.78	27.5	3.32	6.59	<0.05	0.06	0.03	0.029	0.07	12.6	14.9	0.69	1060	1.17
I098874		0.49	17.1	2.47	5.15	<0.05	0.05	0.02	0.016	0.16	5.4	9.2	0.47	373	0.89
I098875		0.73	24.5	3.60	6.56	0.06	0.12	0.03	0.032	0.11	16.8	11.8	0.61	626	1.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098798		0.96	28.2	1220	3.7	63.8	<0.001	0.02	0.23	2.7	0.3	0.3	23.7	<0.01	0.02
I098799		1.57	18.6	680	8.0	26.9	<0.001	0.03	0.42	3.2	0.4	0.5	18.7	<0.01	0.04
I098800		0.53	6.6	290	3.9	11.6	<0.001	0.02	0.14	1.3	0.3	0.3	13.2	<0.01	0.02
I098801		0.14	3.6	120	30.3	1.6	<0.001	0.01	0.17	0.6	<0.2	0.2	5.5	<0.01	0.01
I098802		1.18	26.7	750	13.2	32.6	<0.001	0.09	4.91	6.6	0.8	0.4	34.3	<0.01	0.08
I098803		0.99	27.2	990	10.5	25.6	<0.001	0.13	4.83	4.9	1.1	0.4	52.9	<0.01	0.10
I098804		1.22	28.9	730	13.6	30.9	<0.001	0.34	4.92	6.3	0.8	0.5	44.4	<0.01	0.10
I098805		1.05	20.2	600	9.6	18.8	<0.001	0.14	2.45	4.2	0.6	0.4	36.7	<0.01	0.06
I098806		0.99	23.0	720	10.8	19.0	<0.001	0.32	2.54	5.2	0.6	0.4	31.8	<0.01	0.06
I098807		1.22	31.3	720	14.1	28.0	<0.001	0.18	5.40	8.1	0.7	0.5	35.7	<0.01	0.09
I098808		0.91	24.4	920	17.9	21.3	<0.001	0.14	0.94	5.6	0.9	0.4	33.2	<0.01	0.07
I098809		0.93	25.3	570	23.6	27.4	<0.001	0.10	13.65	4.6	0.6	0.4	29.4	<0.01	0.06
I098810		0.91	20.5	490	6.1	21.5	<0.001	0.09	28.1	5.7	0.4	0.3	18.8	<0.01	0.05
I098811		1.13	23.6	490	7.4	22.4	<0.001	0.09	17.00	6.7	0.5	0.4	24.7	<0.01	0.06
I098812		0.99	16.4	490	5.3	15.8	<0.001	0.09	14.95	5.5	0.4	0.4	25.0	<0.01	0.05
I098851		1.65	27.5	510	14.3	52.4	<0.001	0.03	0.29	5.9	0.5	0.7	27.6	<0.01	0.02
I098852		1.56	11.4	330	7.7	16.4	<0.001	0.03	0.24	2.1	0.2	0.7	12.8	<0.01	0.03
I098853		1.26	13.4	320	6.5	31.5	<0.001	0.04	0.18	1.8	0.3	0.7	19.6	<0.01	0.03
I098854		1.38	11.2	340	19.3	11.1	<0.001	0.05	0.30	2.3	0.5	0.6	13.5	<0.01	0.04
I098855		2.00	19.9	310	20.8	22.3	<0.001	0.08	0.35	3.6	0.4	0.7	21.3	<0.01	0.03
I098856		0.57	4.0	180	5.5	4.0	<0.001	0.08	0.19	0.8	0.2	0.5	6.0	<0.01	0.02
I098857		0.21	3.9	120	1.6	2.4	<0.001	0.07	0.10	0.8	<0.2	<0.2	8.7	<0.01	0.01
I098858		1.18	23.8	1170	60.5	29.1	<0.001	0.17	0.43	6.8	4.5	0.5	59.4	0.03	0.04
I098859		1.17	21.0	340	17.3	14.7	<0.001	0.08	0.44	4.2	0.7	0.6	17.1	<0.01	0.03
I098860		1.88	23.4	280	8.5	14.3	<0.001	0.02	0.57	3.6	0.3	0.6	27.2	<0.01	0.05
I098861		1.05	17.2	430	6.5	18.4	0.001	0.03	0.31	2.4	0.3	0.6	14.9	<0.01	0.04
I098862		1.40	12.7	440	8.1	13.5	<0.001	0.01	0.40	2.7	<0.2	0.7	15.0	<0.01	0.04
I098863		1.37	21.6	480	8.5	8.9	<0.001	0.02	0.57	3.2	<0.2	0.6	12.0	<0.01	0.04
I098864		1.95	18.3	420	9.7	10.8	<0.001	0.01	0.64	3.5	0.2	0.8	11.0	<0.01	0.06
I098865		1.83	17.9	410	7.6	20.5	<0.001	0.01	0.43	2.3	0.2	0.6	24.1	<0.01	0.05
I098866		1.72	17.5	270	8.3	11.0	<0.001	0.01	0.52	2.2	<0.2	0.7	12.8	<0.01	0.04
I098867		2.46	36.1	340	6.6	20.8	<0.001	0.01	0.37	2.7	0.2	0.5	10.1	<0.01	0.04
I098868		2.35	42.0	310	6.8	18.4	<0.001	0.01	0.65	3.0	<0.2	0.5	15.2	<0.01	0.04
I098869		1.68	32.5	240	6.3	19.5	<0.001	0.01	0.35	3.2	<0.2	0.5	15.6	<0.01	0.03
I098870		1.42	24.8	170	13.3	8.5	<0.001	0.01	0.46	6.9	0.3	0.7	32.6	<0.01	0.03
I098871		1.77	50.9	270	5.5	28.6	<0.001	0.01	0.65	5.7	0.2	0.5	28.1	<0.01	0.03
I098872		1.76	28.7	310	7.9	26.5	0.001	0.01	0.60	6.4	0.5	0.5	43.4	<0.01	0.04
I098873		1.82	36.9	270	7.3	13.0	0.001	0.02	0.51	5.0	0.7	0.6	38.6	<0.01	0.05
I098874		1.54	19.1	200	6.0	30.6	<0.001	0.02	0.46	3.2	0.3	0.5	35.8	<0.01	0.03
I098875		1.39	27.2	350	11.8	14.6	0.001	0.01	1.53	6.9	0.4	0.5	24.9	<0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 5 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098798		0.272	0.40	0.52	89	0.12	2.72	81
I098799		0.138	0.15	0.43	78	0.19	2.65	55
I098800		0.068	0.08	0.30	32	0.08	1.63	19
I098801		0.008	0.03	0.35	4	<0.05	2.00	17
I098802		0.121	0.23	0.77	84	0.29	5.64	92
I098803		0.085	0.20	1.05	68	0.24	11.30	100
I098804		0.113	0.21	0.86	90	0.27	7.59	108
I098805		0.086	0.11	0.68	59	0.23	5.31	69
I098806		0.094	0.14	0.77	63	0.25	4.21	69
I098807		0.123	0.21	0.72	97	0.26	5.10	96
I098808		0.087	0.16	0.92	77	0.23	9.12	75
I098809		0.117	0.14	0.58	88	0.17	6.00	98
I098810		0.135	0.13	0.36	91	0.15	4.17	78
I098811		0.117	0.14	0.43	90	0.79	5.43	69
I098812		0.096	0.07	0.37	78	0.17	3.81	65
I098851		0.155	0.38	1.10	60	0.13	8.41	68
I098852		0.158	0.11	0.40	72	0.09	2.01	37
I098853		0.164	0.22	0.47	62	0.10	2.58	42
I098854		0.102	0.12	0.52	58	0.13	2.36	24
I098855		0.152	0.18	1.07	74	0.15	4.42	54
I098856		0.057	0.05	0.22	33	0.06	0.81	19
I098857		0.009	0.03	0.35	5	<0.05	2.31	5
I098858		0.052	0.17	8.70	35	0.23	131.5	54
I098859		0.071	0.12	1.55	56	0.18	9.73	52
I098860		0.079	0.09	0.51	72	0.19	3.92	52
I098861		0.072	0.08	0.49	55	0.13	5.74	36
I098862		0.073	0.09	0.32	62	0.14	2.22	41
I098863		0.066	0.09	0.36	75	0.16	3.21	54
I098864		0.065	0.12	0.44	89	0.16	2.82	63
I098865		0.104	0.10	0.24	69	0.14	1.82	73
I098866		0.098	0.13	0.29	74	0.11	1.55	53
I098867		0.168	0.14	0.25	70	0.10	2.14	111
I098868		0.178	0.11	0.29	74	0.12	2.13	106
I098869		0.126	0.13	0.31	65	0.11	2.62	75
I098870		0.077	0.10	0.44	61	0.15	4.17	56
I098871		0.144	0.14	0.28	82	0.14	2.53	80
I098872		0.107	0.06	0.51	66	0.21	5.32	54
I098873		0.097	0.09	0.48	67	0.19	5.89	57
I098874		0.098	0.06	0.25	56	0.17	2.00	45
I098875		0.071	0.11	0.45	64	0.16	4.93	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098876		0.24	<0.005	0.05	1.25	5.4	<0.2	<10	270	0.24	0.12	0.85	0.45	13.45	9.5	24
I098877		0.24	<0.005	0.05	1.90	13.3	<0.2	<10	150	0.35	0.16	0.33	0.10	16.10	10.6	42
I098878		0.28	<0.005	0.09	2.04	16.2	<0.2	<10	200	1.04	0.21	0.56	0.19	78.9	13.2	34
I098879		0.24	<0.005	0.05	1.97	18.6	<0.2	<10	190	0.63	0.17	0.52	0.12	25.8	13.8	64
I098880		0.34	<0.005	0.04	1.69	13.3	<0.2	<10	180	0.62	0.19	0.54	0.12	27.6	20.5	147
I098881		0.50	<0.005	0.06	1.75	8.0	<0.2	<10	230	0.41	0.15	0.30	0.08	24.5	10.8	32
I098882		0.34	<0.005	0.04	1.70	6.6	<0.2	<10	260	0.45	0.15	0.16	0.12	23.3	12.6	29
I098883		0.36	<0.005	0.08	1.90	6.6	<0.2	<10	280	0.54	0.15	0.67	0.28	51.6	11.8	27
I098884		0.40	<0.005	0.07	1.58	6.5	<0.2	<10	280	0.29	0.13	0.29	0.11	19.20	9.4	24
I098885		0.24	0.005	0.18	1.05	6.0	<0.2	<10	420	0.53	0.13	1.39	3.01	24.1	9.8	20
I098886		0.44	<0.005	0.10	1.59	8.0	<0.2	<10	280	0.43	0.23	0.54	0.34	32.0	10.3	27
I098887		0.36	<0.005	0.12	1.40	8.1	<0.2	<10	250	0.44	0.16	0.66	0.62	29.7	9.9	25
I098888		0.46	<0.005	0.05	1.36	8.7	<0.2	<10	240	0.35	0.16	0.59	0.29	23.3	9.6	27
I098889		0.44	<0.005	0.10	1.82	10.1	<0.2	<10	340	0.58	0.20	0.46	0.26	36.0	13.1	32
I098901		0.46	<0.005	0.03	1.66	5.9	<0.2	<10	120	0.18	0.12	0.21	0.05	27.2	10.5	32
I098902		0.44	<0.005	0.12	1.19	5.8	<0.2	<10	160	0.28	0.12	0.37	0.16	31.1	11.9	28
I098903		0.44	<0.005	0.04	1.74	6.3	<0.2	<10	160	0.30	0.12	0.41	0.11	19.15	20.5	46
I098904		0.36	<0.005	0.04	1.62	6.6	<0.2	<10	150	0.32	0.12	0.43	0.12	19.55	20.3	46
I098905		0.42	<0.005	0.04	1.35	7.3	<0.2	<10	80	0.15	0.16	0.12	0.13	12.30	7.1	26
I098906		0.32	<0.005	0.03	2.25	9.1	<0.2	<10	260	0.48	0.15	0.26	0.07	17.45	12.6	38
I098907		0.38	<0.005	0.07	2.19	8.9	<0.2	<10	290	0.50	0.16	0.25	0.06	32.4	11.1	52
I098908		0.46	<0.005	0.03	1.62	6.1	<0.2	<10	160	0.23	0.15	0.14	0.08	18.90	6.2	25
I098909		0.38	<0.005	0.05	2.58	5.7	<0.2	<10	490	0.49	0.09	0.44	0.06	23.9	15.1	22
I098910		0.44	<0.005	0.09	2.33	9.7	<0.2	<10	300	0.34	0.18	0.24	0.10	17.35	14.1	36
I098911		0.40	<0.005	0.04	2.25	7.6	<0.2	<10	300	0.43	0.12	0.39	0.10	31.5	12.1	32
I098912		0.36	<0.005	0.04	0.31	0.9	<0.2	<10	90	0.06	0.06	0.06	0.06	6.15	1.0	6
I098913		0.38	<0.005	0.11	1.86	4.9	<0.2	<10	380	0.62	0.21	0.41	0.11	107.0	8.4	24
I098914		0.30	<0.005	0.08	1.87	10.3	<0.2	<10	280	0.55	0.15	0.51	0.09	30.2	11.1	36
I098915		0.52	<0.005	0.11	2.16	7.0	<0.2	<10	350	0.59	0.10	1.16	0.22	61.8	24.9	44
I098916		0.72	<0.005	0.07	2.82	5.7	<0.2	<10	360	0.63	0.09	0.60	0.07	33.7	24.8	75
I098917		0.38	<0.005	0.03	2.25	4.7	<0.2	<10	190	0.40	0.08	0.33	0.05	17.50	15.6	47
I098918		0.46	<0.005	0.04	1.19	3.0	<0.2	<10	160	0.24	0.07	0.19	0.05	16.80	6.0	22
I098919		0.62	<0.005	0.08	2.03	9.5	<0.2	<10	320	0.58	0.20	0.60	0.08	40.6	10.5	32
I098920		0.50	0.005	0.10	1.53	8.8	<0.2	<10	290	0.42	0.14	0.85	0.16	30.9	9.6	26
I098921		0.50	0.006	0.09	1.62	8.0	<0.2	<10	270	0.47	0.14	0.67	0.13	43.8	11.1	26
I098922		0.56	<0.005	0.09	1.58	7.8	<0.2	<10	250	0.43	0.14	0.62	0.11	45.8	9.8	25
I098923		0.56	0.007	0.12	1.71	6.2	<0.2	<10	240	0.44	0.14	0.65	0.11	60.4	9.7	24
I098924		0.62	0.006	0.09	1.67	5.9	<0.2	<10	270	0.40	0.15	0.66	0.23	45.6	7.3	27
I098925		0.54	0.007	0.15	1.65	8.7	<0.2	<10	370	0.53	0.22	0.97	0.48	30.1	8.6	28
I098926		0.48	<0.005	0.13	1.61	7.7	<0.2	<10	360	0.48	0.18	0.96	0.44	28.3	8.0	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098876		0.26	11.0	2.15	4.57	<0.05	0.03	0.02	0.016	0.26	6.7	6.7	0.37	928	1.07
I098877		0.52	20.2	3.01	6.05	<0.05	0.07	0.02	0.021	0.23	7.1	10.7	0.67	231	0.96
I098878		0.50	20.7	3.22	7.03	0.06	0.21	0.02	0.037	0.28	30.9	9.9	0.48	503	1.49
I098879		0.78	16.5	3.27	6.48	<0.05	0.12	0.01	0.026	0.43	12.3	13.6	0.75	508	1.21
I098880		0.64	22.6	3.05	5.77	0.06	0.13	0.02	0.025	0.37	13.7	11.7	1.25	524	1.03
I098881		0.57	15.4	2.86	5.89	<0.05	0.05	0.01	0.023	0.14	14.1	14.9	0.50	381	1.13
I098882		0.63	12.0	2.80	5.71	<0.05	0.09	0.01	0.023	0.08	12.0	11.5	0.42	740	0.98
I098883		0.81	27.6	3.07	6.48	0.06	0.12	0.03	0.026	0.21	31.4	20.5	0.67	513	0.75
I098884		0.58	12.4	2.62	5.51	<0.05	0.05	0.03	0.021	0.08	9.2	10.0	0.42	926	0.94
I098885		0.56	70.1	1.77	3.42	<0.05	0.06	0.06	0.018	0.08	13.7	6.9	0.36	541	0.80
I098886		0.53	28.0	2.50	5.55	<0.05	0.10	0.05	0.022	0.12	21.5	14.2	0.50	328	0.94
I098887		0.54	22.9	2.31	4.78	<0.05	0.09	0.04	0.021	0.09	19.1	12.3	0.47	396	1.10
I098888		0.53	17.9	2.52	4.43	<0.05	0.13	0.02	0.019	0.08	11.9	12.1	0.57	358	0.83
I098889		0.45	26.5	2.85	6.02	0.05	0.12	0.03	0.027	0.06	19.4	13.0	0.49	679	0.85
I098901		0.69	19.9	3.05	5.92	<0.05	0.05	0.01	0.030	0.05	15.1	12.3	0.49	204	1.20
I098902		0.60	18.2	2.67	5.26	<0.05	0.04	0.03	0.023	0.04	19.3	8.8	0.24	538	1.22
I098903		0.78	22.7	3.38	5.52	<0.05	0.06	0.01	0.022	0.04	10.7	14.0	0.57	447	0.77
I098904		0.80	23.6	3.35	5.34	<0.05	0.06	0.02	0.022	0.04	10.9	13.2	0.54	394	0.71
I098905		0.57	13.4	2.97	6.43	<0.05	0.03	0.02	0.017	0.05	6.3	10.6	0.33	151	1.55
I098906		0.86	16.0	3.40	7.49	<0.05	0.10	0.01	0.027	0.08	9.4	16.2	0.71	269	1.53
I098907		1.40	23.0	3.32	7.63	0.08	0.04	0.02	0.026	0.11	18.1	20.1	0.74	226	1.31
I098908		0.71	12.5	2.67	7.35	0.05	0.10	0.01	0.018	0.09	9.7	11.9	0.32	222	1.28
I098909		2.12	17.9	4.24	7.81	0.09	0.12	0.01	0.020	0.86	10.0	19.9	1.18	540	0.85
I098910		1.14	19.7	3.86	7.20	0.07	0.03	0.01	0.028	0.11	8.9	21.2	0.62	256	1.38
I098911		1.66	12.7	3.24	8.85	0.08	0.03	0.02	0.019	0.30	17.0	17.6	0.90	362	1.12
I098912		0.37	5.0	0.42	2.52	<0.05	<0.02	0.02	<0.005	0.03	3.2	1.3	0.05	36	0.33
I098913		1.38	19.3	2.51	7.19	0.12	0.05	0.03	0.022	0.22	97.4	14.4	0.67	222	0.99
I098914		0.51	20.1	2.96	5.50	0.08	0.15	0.02	0.025	0.08	14.6	14.4	0.56	449	0.84
I098915		1.67	26.8	3.59	6.64	0.11	0.07	0.04	0.024	0.31	33.7	16.9	1.04	1020	0.47
I098916		2.92	30.5	4.92	9.21	0.18	0.03	0.02	0.028	0.93	20.5	36.9	1.65	455	0.76
I098917		2.29	19.5	3.67	8.18	0.11	0.03	0.01	0.011	0.52	9.7	21.3	1.33	404	0.67
I098918		1.28	14.7	1.87	5.22	0.07	0.02	0.07	0.009	0.26	11.9	9.0	0.51	166	0.44
I098919		0.71	34.6	3.19	6.22	0.09	0.13	0.04	0.025	0.15	21.6	18.1	0.64	482	0.90
I098920		0.57	26.6	2.62	4.90	0.09	0.07	0.03	0.020	0.11	16.0	15.4	0.54	498	0.81
I098921		0.56	21.0	2.73	5.12	0.09	0.05	0.03	0.020	0.11	22.0	15.7	0.51	558	0.99
I098922		0.59	22.0	2.57	4.97	0.09	0.07	0.03	0.020	0.14	22.5	15.8	0.50	523	0.88
I098923		0.83	23.3	2.75	6.07	0.11	0.07	0.04	0.020	0.25	34.5	20.1	0.60	513	0.83
I098924		0.57	23.0	2.39	5.17	0.09	0.06	0.05	0.020	0.11	22.8	16.0	0.53	263	0.72
I098925		0.56	36.4	2.44	5.23	0.07	0.07	0.04	0.026	0.07	16.0	14.3	0.51	439	0.81
I098926		0.52	31.2	2.37	4.90	0.07	0.06	0.03	0.022	0.07	14.8	13.5	0.50	453	0.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098876		1.16	15.3	490	6.0	15.2	<0.001	0.02	0.37	2.5	0.3	0.4	43.0	<0.01	0.03
I098877		1.63	26.2	220	7.7	17.0	<0.001	0.01	0.45	3.7	<0.2	0.5	19.8	<0.01	0.04
I098878		1.62	21.1	220	18.5	17.2	<0.001	0.01	0.78	5.6	0.6	1.0	30.3	0.01	0.04
I098879		1.65	36.2	220	11.1	31.0	<0.001	0.01	0.68	5.6	0.3	0.7	34.5	<0.01	0.03
I098880		1.43	115.0	190	11.7	19.2	<0.001	0.02	0.61	6.5	0.5	0.6	36.3	<0.01	0.03
I098881		2.27	17.6	450	7.9	19.5	<0.001	0.01	0.43	4.5	0.2	0.6	29.2	<0.01	0.02
I098882		1.53	18.4	440	9.4	11.8	<0.001	<0.01	0.48	4.1	<0.2	0.6	17.6	<0.01	0.04
I098883		2.87	21.1	710	7.3	26.8	0.001	0.01	0.59	6.0	1.6	0.6	39.6	0.01	0.04
I098884		1.73	16.4	230	6.7	11.1	<0.001	0.01	0.38	3.7	0.2	0.6	26.7	<0.01	0.04
I098885		1.13	43.8	740	6.3	9.5	0.001	0.06	0.66	2.6	2.1	0.3	70.5	0.01	0.05
I098886		2.62	19.4	480	7.9	16.0	<0.001	0.03	0.61	4.9	1.0	0.6	43.6	<0.01	0.05
I098887		1.76	19.5	680	7.6	11.9	0.001	0.03	0.65	4.3	1.1	0.5	45.8	<0.01	0.04
I098888		1.55	20.3	790	7.9	8.4	0.001	0.01	0.62	4.3	0.6	0.4	38.1	<0.01	0.04
I098889		1.90	23.8	350	9.5	7.9	0.001	0.01	0.62	6.3	0.8	0.6	37.1	<0.01	0.04
I098901		1.40	23.7	240	5.5	10.0	<0.001	0.02	0.26	4.4	0.3	0.5	19.5	<0.01	0.03
I098902		0.96	20.2	290	6.0	12.6	<0.001	0.01	0.30	4.6	0.4	0.6	27.4	<0.01	0.03
I098903		1.52	41.1	260	8.9	6.0	<0.001	0.01	0.23	4.7	0.2	0.5	39.6	<0.01	0.04
I098904		1.60	42.2	280	9.2	6.7	<0.001	0.01	0.23	4.8	0.4	0.5	41.7	<0.01	0.04
I098905		1.61	17.5	250	6.7	11.4	<0.001	0.01	0.42	2.2	<0.2	0.6	13.7	<0.01	0.04
I098906		1.69	20.1	240	8.2	15.3	<0.001	0.01	0.55	4.1	<0.2	0.7	23.3	<0.01	0.03
I098907		1.74	26.9	400	8.7	26.9	<0.001	0.03	0.41	3.7	0.4	0.6	24.4	<0.01	0.03
I098908		1.47	13.6	230	8.4	14.7	<0.001	0.02	0.41	2.9	0.2	0.8	17.0	<0.01	0.03
I098909		1.33	15.1	790	5.6	68.6	<0.001	0.02	0.29	3.3	0.3	0.6	29.3	<0.01	0.03
I098910		1.67	22.6	340	8.7	21.3	<0.001	0.02	0.47	2.8	0.3	0.6	21.7	<0.01	0.04
I098911		1.27	17.0	680	6.7	36.1	0.001	0.02	0.29	3.1	0.4	0.7	31.2	<0.01	0.03
I098912		0.22	2.1	190	2.8	5.0	<0.001	0.02	0.07	0.6	0.2	0.3	10.0	<0.01	0.01
I098913		1.12	15.5	690	31.9	28.8	0.001	0.03	0.27	3.3	0.6	0.8	37.4	<0.01	0.04
I098914		1.67	24.7	280	8.2	10.0	<0.001	0.02	0.48	6.5	0.6	0.5	36.9	<0.01	0.03
I098915		1.18	27.0	1050	7.0	45.8	<0.001	0.03	0.28	6.1	1.0	0.5	64.6	0.01	0.03
I098916		1.42	49.2	910	4.8	76.1	<0.001	0.01	0.19	6.1	0.5	0.6	32.4	<0.01	0.03
I098917		1.14	22.7	1050	4.7	56.3	<0.001	0.02	0.15	2.8	0.3	0.5	21.7	<0.01	0.03
I098918		0.63	7.9	520	3.7	29.5	<0.001	0.02	0.11	1.7	0.4	0.5	16.9	<0.01	0.05
I098919		1.95	27.5	520	11.0	20.5	<0.001	0.02	0.60	6.3	0.6	0.6	38.4	<0.01	0.03
I098920		1.85	21.6	780	7.3	13.2	0.001	0.04	0.59	4.7	0.8	0.4	52.0	<0.01	0.03
I098921		1.81	20.0	680	6.9	14.4	<0.001	0.03	0.44	4.6	0.6	0.5	43.9	<0.01	0.03
I098922		1.99	18.8	690	6.9	16.3	<0.001	0.03	0.46	4.7	0.7	0.5	38.5	<0.01	0.03
I098923		2.78	19.1	870	6.7	30.4	0.001	0.03	0.40	5.3	0.7	0.6	40.1	<0.01	0.03
I098924		1.79	19.4	700	7.5	13.0	0.001	0.03	0.45	4.6	0.7	0.5	41.5	<0.01	0.03
I098925		1.62	28.3	660	10.7	12.0	<0.001	0.04	0.63	4.7	0.9	0.5	56.8	<0.01	0.04
I098926		1.59	24.6	650	7.7	10.9	0.001	0.04	0.60	4.5	0.9	0.5	54.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 5 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134527

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098876		0.061	0.06	0.23	43	0.11	1.88	50
I098877		0.100	0.11	0.32	55	0.12	2.35	48
I098878		0.064	0.14	0.73	50	0.24	11.30	48
I098879		0.114	0.14	0.35	56	0.20	4.09	44
I098880		0.089	0.10	0.44	54	0.31	7.56	42
I098881		0.089	0.10	0.55	59	0.24	3.43	48
I098882		0.082	0.09	0.41	61	0.17	2.66	54
I098883		0.109	0.12	1.69	59	0.26	15.10	75
I098884		0.073	0.08	0.37	56	0.18	2.59	41
I098885		0.049	0.04	1.41	38	0.33	10.55	64
I098886		0.089	0.07	1.09	52	0.29	9.28	63
I098887		0.069	0.07	0.86	47	0.21	8.30	65
I098888		0.085	0.07	0.69	52	0.24	6.96	63
I098889		0.078	0.06	1.06	59	0.22	9.83	48
I098901		0.073	0.09	0.61	54	0.16	6.50	53
I098902		0.041	0.09	0.60	46	0.11	6.77	45
I098903		0.094	0.11	0.49	52	0.14	4.58	55
I098904		0.093	0.11	0.51	50	0.16	4.90	54
I098905		0.090	0.07	0.28	68	0.17	1.70	41
I098906		0.113	0.11	0.38	78	0.15	2.65	54
I098907		0.137	0.20	0.70	77	0.21	4.06	50
I098908		0.093	0.12	0.39	69	0.12	2.29	41
I098909		0.228	0.30	0.47	81	0.16	3.41	64
I098910		0.126	0.14	0.39	79	0.23	2.51	54
I098911		0.143	0.22	0.62	76	0.27	4.93	58
I098912		0.029	0.04	0.20	13	0.07	0.91	9
I098913		0.113	0.16	1.45	57	0.21	11.55	47
I098914		0.111	0.08	0.99	69	0.23	7.01	48
I098915		0.128	0.26	1.89	64	0.25	15.85	85
I098916		0.204	0.42	1.03	85	0.20	7.39	98
I098917		0.213	0.35	0.47	87	0.16	3.28	60
I098918		0.101	0.15	0.59	40	0.11	3.05	29
I098919		0.116	0.11	0.71	67	0.20	11.95	63
I098920		0.097	0.08	1.05	58	0.21	8.69	57
I098921		0.093	0.09	1.48	57	0.33	10.80	57
I098922		0.095	0.09	1.57	56	0.36	10.80	53
I098923		0.112	0.17	1.69	59	0.37	12.80	61
I098924		0.089	0.09	1.56	55	0.30	11.10	62
I098925		0.075	0.06	1.31	52	0.34	9.72	74
I098926		0.078	0.06	1.22	53	0.35	9.23	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134527

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: **3-OCT-2010**
Account: **EIASQI**

CERTIFICATE VA10134528

Project: SQI10-06

P.O. No.: SQI10-06_29

This report is for 173 Soil samples submitted to our lab in Vancouver, BC, Canada on 16-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099333		0.40	<0.005	0.10	2.54	8.4	<0.2	<10	220	0.75	0.33	0.25	0.11	71.3	7.8	28
I099334		0.46	<0.005	0.06	2.18	4.1	<0.2	<10	200	0.30	0.15	0.24	0.08	18.90	7.0	23
I099335		0.40	0.008	0.23	1.75	5.1	<0.2	<10	170	0.27	0.12	0.20	0.04	15.65	5.7	18
I099337		0.48	<0.005	0.07	2.74	6.4	<0.2	<10	260	0.43	0.17	0.69	0.12	30.9	12.7	30
I099338		0.32	<0.005	0.06	0.83	2.2	<0.2	<10	60	0.11	0.11	0.13	0.09	9.84	3.1	15
I099339		0.44	0.006	0.08	2.02	5.4	<0.2	<10	170	0.27	0.15	0.64	0.15	26.3	10.2	29
I099340		0.34	0.006	0.23	1.59	6.2	<0.2	<10	120	0.33	0.14	0.26	0.11	23.0	6.0	24
I099341		0.40	<0.005	0.10	1.33	4.9	<0.2	<10	110	0.18	0.13	0.23	0.11	16.35	4.7	17
I099342		0.38	<0.005	0.04	2.16	9.3	<0.2	<10	140	0.31	0.15	0.17	0.07	14.25	8.3	30
I099343		0.48	<0.005	0.04	3.98	12.2	<0.2	<10	190	0.49	0.15	0.25	0.14	24.1	16.3	38
I099344		0.44	<0.005	0.04	2.79	10.2	<0.2	<10	180	0.46	0.13	0.34	0.12	18.50	14.0	38
I099345		0.50	<0.005	0.04	2.82	9.9	<0.2	<10	200	0.36	0.17	0.27	0.13	18.45	12.2	29
I099346		0.52	<0.005	0.04	2.80	10.1	<0.2	<10	190	0.46	0.14	0.36	0.07	24.2	10.9	39
I099347		0.46	<0.005	0.04	1.47	6.1	<0.2	<10	120	0.19	0.12	0.16	0.07	9.75	5.5	21
I099348		0.44	<0.005	0.07	0.64	1.0	<0.2	<10	70	0.14	0.09	0.16	0.05	22.5	1.5	8
I099349		0.52	0.007	0.08	1.79	4.7	<0.2	<10	160	0.24	0.12	0.71	0.11	29.8	11.3	25
I099350		0.40	<0.005	0.03	1.04	3.8	<0.2	<10	90	0.19	0.12	0.11	0.05	18.90	4.2	32
I099351		0.30	<0.005	0.48	1.57	9.3	<0.2	<10	330	0.31	0.16	0.21	0.36	22.6	8.3	28
I099352		0.30	0.006	0.75	1.68	9.5	<0.2	<10	230	0.23	0.17	0.13	0.38	16.05	6.5	73
I099353		0.16	<0.005	0.96	0.87	4.5	<0.2	<10	160	0.16	0.13	0.11	0.32	12.50	3.7	19
I099354		0.28	0.007	1.15	0.90	4.7	<0.2	<10	480	0.34	0.19	0.17	6.47	20.1	9.6	25
I099355		0.32	<0.005	0.42	1.75	3.7	<0.2	<10	1190	0.37	0.20	0.37	1.08	22.0	12.8	28
I099356		0.34	<0.005	0.51	1.38	5.1	<0.2	<10	400	0.22	0.15	0.19	0.62	21.2	8.8	26
I099357		0.28	<0.005	0.01	0.14	1.9	<0.2	<10	40	0.10	0.02	0.10	0.04	12.40	2.1	3
I099358		0.28	<0.005	0.82	1.26	4.8	<0.2	<10	390	0.32	0.15	0.22	0.27	19.20	13.1	25
I099359		0.28	<0.005	0.34	1.19	3.1	<0.2	<10	680	0.32	0.12	0.28	0.92	14.60	15.5	19
I099360		0.20	0.010	0.23	1.42	5.1	<0.2	<10	540	0.39	0.18	0.23	0.28	23.1	7.2	30
I099361		0.28	0.009	0.61	1.66	7.4	<0.2	<10	380	0.35	0.15	0.20	0.33	18.00	7.8	33
I099362		0.30	0.010	0.92	1.36	8.3	<0.2	<10	500	0.27	0.17	0.28	0.21	18.30	8.3	31
I099363		0.32	<0.005	0.45	2.53	10.5	<0.2	<10	250	0.53	0.23	0.13	0.14	19.10	12.2	42
I099364		0.30	<0.005	0.10	1.59	15.1	<0.2	<10	280	0.37	0.13	0.79	0.22	30.3	16.6	26
I099365		0.16	<0.005	0.04	1.92	7.6	<0.2	<10	200	0.40	0.14	0.30	0.08	23.5	12.2	30
I099366		0.22	<0.005	0.04	2.69	2.5	<0.2	<10	200	0.41	0.11	0.42	0.08	28.3	13.6	17
I099367		0.26	0.006	0.08	1.93	9.2	<0.2	<10	240	0.33	0.16	0.34	0.09	20.6	8.2	31
I099368		0.34	<0.005	0.10	1.72	6.8	<0.2	<10	260	0.29	0.13	0.28	0.13	18.00	8.9	30
I099369		0.14	<0.005	0.04	1.62	5.5	<0.2	<10	220	0.36	0.15	0.31	0.11	36.5	8.7	27
I099370		0.38	<0.005	0.04	2.17	8.2	<0.2	<10	170	0.44	0.17	0.13	0.10	25.4	8.7	31
I099371		0.32	<0.005	0.03	2.45	10.5	<0.2	<10	110	0.35	0.17	0.10	0.09	19.90	8.6	34
I099372		0.20	0.025	0.05	1.65	6.2	<0.2	<10	150	0.42	0.13	0.24	0.08	47.3	7.0	25
I099373		5.00	<0.005	0.07	1.59	5.2	<0.2	<10	120	0.34	0.16	0.25	0.11	46.9	6.9	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099333		1.42	27.2	3.24	7.74	0.08	0.08	0.10	0.036	0.06	42.0	14.2	0.40	317	0.99
I099334		2.45	12.0	3.05	6.36	<0.05	0.02	0.02	0.023	0.08	9.0	13.7	0.59	309	0.75
I099335		1.74	13.4	2.18	5.49	<0.05	0.02	0.04	0.021	0.06	7.3	8.6	0.27	212	0.72
I099337		2.92	17.7	4.15	9.07	0.09	0.08	0.03	0.034	0.19	15.5	30.7	1.00	532	0.54
I099338		0.89	10.2	1.89	5.77	<0.05	0.02	0.02	0.011	0.05	4.9	2.9	0.20	92	0.49
I099339		1.73	16.7	3.16	7.22	0.06	0.05	0.03	0.027	0.09	12.9	19.0	0.72	422	0.63
I099340		0.85	26.7	2.42	7.06	0.05	0.04	0.03	0.023	0.05	11.4	8.5	0.33	143	0.74
I099341		0.76	13.2	1.92	6.37	<0.05	0.04	0.02	0.016	0.05	8.0	7.0	0.23	193	0.73
I099342		1.25	16.4	3.38	7.64	0.05	0.05	0.02	0.028	0.05	6.7	14.1	0.44	183	1.28
I099343		2.61	25.1	5.61	10.70	0.08	0.14	0.03	0.040	0.27	8.5	33.2	0.85	505	1.49
I099344		1.28	22.3	3.91	7.19	0.05	0.04	0.03	0.035	0.07	8.7	16.7	0.60	372	1.06
I099345		1.93	17.4	4.35	10.50	0.06	0.07	0.02	0.036	0.12	8.4	25.0	0.67	530	1.66
I099346		1.29	22.2	3.96	7.11	0.06	0.10	0.02	0.033	0.06	12.2	16.6	0.70	254	1.07
I099347		0.91	12.8	2.44	5.35	<0.05	0.05	0.01	0.019	0.03	4.6	8.7	0.30	184	0.80
I099348		0.81	8.1	0.79	3.10	<0.05	<0.02	0.02	0.007	0.04	12.8	2.4	0.11	71	0.45
I099349		1.28	15.4	2.91	5.74	0.08	0.07	0.04	0.024	0.11	14.9	14.7	0.64	586	0.53
I099350		0.82	13.4	1.79	4.89	<0.05	0.02	0.02	0.015	0.06	9.6	4.8	0.34	111	0.65
I099351		1.10	15.2	2.64	5.65	0.05	0.02	0.02	0.020	0.06	11.0	11.4	0.43	309	1.52
I099352		1.04	17.4	3.16	6.91	0.05	0.02	0.02	0.017	0.06	7.2	8.3	0.57	186	1.70
I099353		0.72	12.5	1.99	4.60	<0.05	<0.02	0.02	0.011	0.05	5.7	4.2	0.20	130	1.10
I099354		0.85	21.8	3.60	4.73	0.05	<0.02	0.02	0.025	0.06	8.6	3.9	0.16	2040	1.93
I099355		1.11	20.1	3.01	5.98	0.05	0.02	0.01	0.024	0.07	10.9	8.9	0.40	732	1.48
I099356		0.63	11.4	2.62	4.70	<0.05	0.03	0.01	0.018	0.08	10.0	9.2	0.42	501	0.96
I099357		0.09	10.0	0.73	0.61	<0.05	0.08	0.01	<0.005	0.05	5.5	1.4	0.04	171	0.31
I099358		0.84	17.4	2.40	4.89	0.05	0.03	0.01	0.018	0.09	9.3	7.6	0.35	363	1.11
I099359		1.14	13.8	2.31	4.13	<0.05	0.02	0.02	0.015	0.06	6.8	7.0	0.24	370	1.56
I099360		1.16	45.3	3.20	5.29	0.06	<0.02	0.02	0.025	0.25	11.4	11.9	0.58	417	2.60
I099361		0.57	19.9	2.75	5.11	0.05	0.05	0.03	0.022	0.07	8.9	10.8	0.46	216	2.03
I099362		0.47	20.4	2.62	4.78	0.05	0.02	0.02	0.019	0.11	9.1	9.3	0.49	236	1.74
I099363		2.18	21.5	3.75	6.85	0.05	0.04	0.03	0.035	0.04	9.3	18.9	0.42	156	1.37
I099364		0.69	20.4	3.78	4.70	0.08	0.03	0.04	0.020	0.11	14.1	12.4	0.57	1280	1.34
I099365		0.80	13.5	2.99	5.95	<0.05	0.04	0.02	0.023	0.18	11.8	11.7	0.46	586	1.07
I099366		1.90	14.5	4.08	8.58	0.09	0.03	0.02	0.049	0.97	15.6	15.5	1.30	640	1.08
I099367		0.59	18.6	3.00	5.63	0.05	0.11	0.02	0.024	0.07	10.9	14.3	0.56	294	1.12
I099368		0.53	13.2	2.72	5.23	0.05	0.06	0.02	0.023	0.11	8.6	10.8	0.42	353	0.93
I099369		0.76	19.9	2.43	5.81	0.06	0.08	0.02	0.020	0.09	26.3	10.7	0.45	486	0.94
I099370		0.89	13.3	3.10	6.84	0.05	0.04	0.02	0.026	0.04	11.5	13.3	0.39	312	1.12
I099371		0.92	18.9	3.85	7.75	0.06	0.04	0.01	0.030	0.07	11.6	16.9	0.42	223	1.21
I099372		0.75	21.4	2.60	5.76	0.07	0.05	0.02	0.023	0.12	30.5	11.4	0.42	309	0.78
I099373		0.76	19.2	2.47	5.79	0.08	0.04	0.03	0.019	0.09	34.6	11.3	0.42	314	0.77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099333		2.53	16.9	440	9.1	11.5	<0.001	0.03	0.43	6.3	0.8	0.8	23.0	<0.01	0.09
I099334		1.28	12.0	340	7.9	15.2	<0.001	0.01	0.37	3.8	0.2	0.6	19.4	<0.01	0.02
I099335		1.17	9.8	230	6.0	9.4	<0.001	0.01	0.31	3.6	0.3	0.5	19.1	<0.01	0.02
I099337		3.37	17.4	820	11.5	34.1	<0.001	0.02	0.46	7.4	0.5	1.0	35.7	<0.01	0.02
I099338		1.47	6.7	160	6.1	10.7	<0.001	0.01	0.22	1.9	0.2	0.6	10.7	<0.01	0.02
I099339		2.29	18.4	730	7.5	18.8	<0.001	0.02	0.34	5.3	0.4	0.7	36.8	<0.01	0.03
I099340		1.74	15.4	310	6.8	9.5	<0.001	0.02	0.27	3.6	0.5	0.6	23.3	<0.01	0.03
I099341		1.58	9.9	210	6.2	11.7	<0.001	0.01	0.27	2.5	0.3	0.6	20.0	<0.01	0.03
I099342		2.00	20.4	260	7.9	8.8	<0.001	0.01	0.46	3.3	0.3	0.7	15.6	<0.01	0.03
I099343		4.51	26.5	540	10.2	37.2	<0.001	0.01	0.60	6.1	0.5	1.2	18.5	0.01	0.04
I099344		1.88	29.5	530	7.7	10.5	<0.001	0.01	0.49	4.4	0.5	0.6	24.9	0.01	0.04
I099345		2.59	18.7	400	9.9	22.3	<0.001	0.01	0.62	5.2	0.3	1.1	22.5	<0.01	0.03
I099346		2.19	23.5	410	7.8	9.6	<0.001	0.01	0.45	4.9	0.4	0.7	25.9	0.01	0.03
I099347		1.48	12.6	190	6.6	7.2	<0.001	0.01	0.31	2.4	0.2	0.5	15.0	<0.01	0.02
I099348		0.71	3.5	180	3.7	9.0	<0.001	0.01	0.12	1.4	0.2	0.4	15.5	<0.01	0.01
I099349		2.51	14.1	730	6.9	17.9	<0.001	0.03	0.35	5.2	0.6	0.7	38.9	<0.01	0.02
I099350		0.86	10.7	230	5.8	13.1	<0.001	0.02	0.20	1.7	0.3	0.5	11.8	<0.01	0.02
I099351		1.37	23.2	490	7.7	15.1	<0.001	0.01	0.40	2.7	0.3	0.5	18.1	<0.01	0.03
I099352		1.81	32.6	370	7.1	18.1	<0.001	0.01	0.45	2.2	0.4	0.6	11.5	<0.01	0.04
I099353		0.88	10.7	350	5.5	12.5	<0.001	0.01	0.34	1.3	0.3	0.5	10.3	<0.01	0.03
I099354		0.76	24.6	1630	9.3	15.6	<0.001	0.01	0.72	2.8	0.5	0.5	18.6	<0.01	0.05
I099355		1.55	25.6	1110	9.2	11.6	<0.001	0.01	0.35	3.3	0.3	0.6	32.1	<0.01	0.04
I099356		1.45	17.6	300	6.7	12.8	<0.001	<0.01	0.39	2.4	0.2	0.5	14.4	<0.01	0.02
I099357		0.16	4.0	130	1.5	2.6	<0.001	<0.01	0.11	0.6	<0.2	<0.2	8.3	<0.01	0.01
I099358		1.21	19.5	470	7.3	15.8	<0.001	0.01	0.35	2.7	0.3	0.5	17.4	<0.01	0.03
I099359		0.80	18.2	790	8.1	9.2	0.001	0.02	0.30	2.1	0.3	0.4	26.9	<0.01	0.04
I099360		1.20	28.9	660	9.4	13.4	0.001	0.08	0.29	3.5	0.4	0.5	22.9	<0.01	0.09
I099361		1.17	22.5	370	7.6	9.5	<0.001	0.02	0.49	3.2	0.6	0.5	18.4	<0.01	0.04
I099362		1.25	17.8	390	6.3	6.9	<0.001	0.04	0.39	3.0	0.6	0.4	25.4	<0.01	0.04
I099363		1.69	29.8	320	11.1	12.6	0.001	0.02	0.60	3.2	0.4	0.6	13.6	<0.01	0.05
I099364		1.50	20.5	720	7.1	13.8	0.001	0.06	0.44	4.0	0.7	0.4	50.1	<0.01	0.03
I099365		1.96	18.6	420	8.1	19.3	0.001	0.01	0.47	3.6	0.3	0.6	25.4	<0.01	0.03
I099366		3.28	9.4	540	5.3	85.0	<0.001	0.01	0.17	2.9	0.3	0.4	40.0	<0.01	0.02
I099367		1.26	20.5	400	8.3	8.4	<0.001	0.01	0.55	4.2	0.2	0.5	24.0	<0.01	0.03
I099368		1.82	18.1	350	7.5	13.3	<0.001	0.01	0.40	3.3	0.2	0.5	24.8	<0.01	0.03
I099369		2.00	17.1	340	8.0	18.0	0.001	0.01	0.38	3.8	0.4	0.6	28.2	<0.01	0.02
I099370		1.33	19.3	240	9.8	11.7	<0.001	0.01	0.51	3.1	0.2	0.7	12.9	<0.01	0.03
I099371		2.39	19.7	330	11.3	13.6	0.001	0.01	0.52	4.3	0.3	0.8	10.6	<0.01	0.05
I099372		2.18	15.6	380	8.5	18.7	<0.001	0.01	0.40	4.1	0.3	0.8	19.9	<0.01	0.03
I099373		2.39	12.9	280	9.4	15.9	0.001	0.01	0.33	3.7	0.4	0.8	20.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099333		0.129	0.13	2.85	71	0.35	11.75	43
I099334		0.082	0.14	0.52	66	0.15	3.79	46
I099335		0.058	0.11	0.91	48	0.12	4.56	31
I099337		0.203	0.27	2.65	88	0.22	8.73	85
I099338		0.108	0.09	0.37	55	0.08	1.57	26
I099339		0.148	0.13	1.49	74	0.18	6.83	68
I099340		0.108	0.08	1.19	58	0.15	4.89	33
I099341		0.106	0.08	0.47	51	0.13	2.99	34
I099342		0.117	0.08	0.41	76	0.14	2.56	41
I099343		0.248	0.30	0.53	114	0.23	4.69	68
I099344		0.127	0.11	0.51	81	0.17	4.05	65
I099345		0.155	0.17	0.50	101	0.15	3.95	65
I099346		0.160	0.14	0.94	90	0.28	5.32	58
I099347		0.095	0.08	0.30	57	0.11	1.90	41
I099348		0.059	0.07	0.45	20	0.13	4.03	17
I099349		0.160	0.14	0.95	71	0.21	9.22	56
I099350		0.087	0.11	0.54	44	0.10	2.60	22
I099351		0.072	0.11	0.44	62	0.17	3.15	59
I099352		0.128	0.13	0.34	86	0.19	2.16	51
I099353		0.074	0.07	0.28	51	0.18	1.45	36
I099354		0.051	0.09	0.82	75	0.16	4.70	163
I099355		0.078	0.13	0.66	60	0.21	3.58	127
I099356		0.085	0.08	0.37	60	0.16	2.76	91
I099357		0.008	0.04	0.34	5	<0.05	2.20	6
I099358		0.082	0.09	0.42	57	0.07	3.50	63
I099359		0.052	0.10	0.61	43	<0.05	3.01	123
I099360		0.088	0.12	0.59	60	0.09	4.30	73
I099361		0.080	0.10	0.47	70	0.09	2.89	71
I099362		0.094	0.10	0.50	67	0.08	3.21	61
I099363		0.076	0.15	0.51	78	0.17	3.22	54
I099364		0.091	0.10	0.84	73	0.13	8.37	66
I099365		0.098	0.13	0.47	63	0.13	2.85	57
I099366		0.225	0.35	0.56	90	0.09	2.99	77
I099367		0.095	0.09	0.43	71	0.15	4.08	56
I099368		0.085	0.10	0.34	62	0.15	2.34	52
I099369		0.097	0.11	1.16	58	0.14	7.58	51
I099370		0.079	0.13	0.46	73	0.10	2.46	53
I099371		0.097	0.13	0.75	78	0.18	3.53	54
I099372		0.097	0.14	1.57	52	0.18	9.25	52
I099373		0.103	0.12	1.71	53	0.29	8.68	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099374		0.38	0.011	0.09	1.95	7.5	<0.2	<10	200	0.43	0.17	0.32	0.14	48.2	8.4	28
I099375		0.16	0.010	0.17	1.48	6.1	<0.2	<10	180	0.31	0.17	0.34	0.24	35.4	6.7	23
I099376		0.36	0.007	0.07	1.49	5.9	<0.2	<10	110	0.25	0.13	0.25	0.11	27.3	7.2	22
I099377		0.42	0.005	0.11	1.66	9.7	<0.2	<10	320	0.47	0.15	0.56	0.16	38.3	9.8	31
I099378		0.28	<0.005	0.06	1.61	6.9	<0.2	<10	230	0.43	0.14	0.40	0.08	45.2	6.9	28
I099379		0.38	<0.005	0.02	0.14	2.0	<0.2	<10	20	0.11	0.02	0.09	0.04	11.65	2.1	4
I099380		0.34	<0.005	0.12	1.81	8.0	<0.2	<10	220	0.31	0.15	0.34	0.11	25.2	7.7	32
I099381		0.44	0.008	0.06	1.80	9.1	<0.2	<10	280	0.50	0.17	0.42	0.08	39.8	9.8	31
I099382		0.36	<0.005	0.17	1.84	7.6	<0.2	<10	380	0.57	0.17	0.66	0.18	36.8	10.8	31
I099383		0.28	0.014	0.04	1.95	10.6	<0.2	<10	200	0.47	0.14	0.25	0.06	28.1	8.9	38
I099384		0.30	0.007	0.08	1.69	7.7	<0.2	<10	220	0.47	0.20	0.32	0.08	44.7	8.6	29
I099385		0.36	0.009	0.06	1.75	5.9	<0.2	<10	180	0.33	0.18	0.27	0.07	32.6	8.9	24
I099386		0.34	0.010	0.08	1.28	4.1	<0.2	<10	190	0.30	0.09	0.52	0.14	27.6	7.4	20
I099387		0.34	0.005	0.06	1.32	5.9	<0.2	<10	170	0.33	0.13	0.30	0.09	28.1	6.9	25
I099388		0.26	<0.005	0.12	1.58	3.9	<0.2	<10	230	0.30	0.17	0.35	0.16	27.8	5.3	25
I099389		0.28	<0.005	0.16	1.94	7.1	<0.2	<10	310	0.38	0.22	0.48	0.18	32.5	10.8	30
I099390		0.32	<0.005	0.11	1.58	5.7	<0.2	<10	210	0.34	0.16	0.30	0.13	26.4	5.4	25
I099391		0.26	<0.005	0.14	1.94	6.7	<0.2	<10	320	0.46	0.21	0.40	0.16	32.9	8.5	29
I099392		0.28	0.005	0.09	1.59	6.9	<0.2	<10	210	0.31	0.16	0.32	0.15	26.6	5.3	26
I099393		0.30	<0.005	0.10	1.54	6.6	<0.2	<10	240	0.37	0.16	0.35	0.17	29.3	6.6	28
I099394		0.32	<0.005	0.17	2.23	11.0	<0.2	<10	380	0.44	0.22	0.43	0.16	33.5	7.9	38
I099395		0.28	0.015	0.07	1.51	6.5	<0.2	<10	260	0.33	0.13	0.38	0.12	38.6	9.7	28
I099501		0.30	<0.005	0.18	1.29	4.5	<0.2	<10	320	0.19	0.11	0.82	0.42	37.5	78.8	53
I099502		0.28	<0.005	0.07	1.96	8.3	<0.2	<10	180	0.20	0.10	0.58	0.13	21.9	16.0	87
I099503		0.18	<0.005	0.19	1.08	8.2	<0.2	<10	520	0.33	0.07	1.49	1.08	58.1	37.7	41
I099504		0.18	<0.005	0.23	0.87	7.9	<0.2	<10	430	0.34	0.05	2.00	0.74	31.8	20.8	33
I099505		0.40	<0.005	0.06	2.19	4.5	<0.2	<10	210	0.23	0.10	0.57	0.20	28.4	13.0	108
I099506		0.18	0.027	0.51	1.92	42.0	<0.2	<10	290	0.65	0.34	1.54	0.29	96.1	11.1	92
I099507		0.12	<0.005	0.27	0.99	19.6	<0.2	<10	150	0.16	0.15	0.16	1.06	19.55	5.0	21
I099508		0.18	<0.005	0.09	2.93	5.2	<0.2	<10	300	0.24	0.18	0.35	0.18	12.50	15.1	33
I099509		0.12	<0.005	0.29	0.47	3.2	<0.2	<10	90	<0.05	0.08	0.13	0.91	4.92	3.9	10
I099510		0.20	<0.005	0.05	0.25	1.6	<0.2	<10	20	<0.05	0.06	0.04	0.11	2.33	1.9	6
I099511		0.16	0.012	0.19	1.91	29.1	<0.2	<10	320	0.17	0.12	1.79	0.63	10.90	13.1	34
I099512		0.16	0.007	0.18	2.24	24.9	<0.2	<10	380	0.22	0.13	1.29	0.88	14.60	17.9	40
I099513		0.22	<0.005	0.18	2.80	10.6	<0.2	<10	400	0.26	0.17	1.02	0.49	15.45	19.4	49
I099515		0.18	<0.005	0.07	2.20	3.5	<0.2	<10	240	0.17	0.14	0.21	0.25	9.81	12.8	23
I099516		0.36	0.005	0.06	2.69	6.3	<0.2	<10	160	0.24	0.10	0.24	0.24	15.65	12.8	46
I099517		0.20	<0.005	0.09	1.89	5.9	<0.2	<10	40	<0.05	0.08	0.05	0.14	4.01	13.4	13
I099518		0.16	<0.005	0.23	0.60	1.5	<0.2	<10	40	<0.05	0.07	0.09	0.08	4.23	2.7	8
I099519		0.26	0.007	0.36	3.41	21.3	<0.2	<10	350	0.31	0.44	0.48	0.24	17.75	25.0	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099374		0.81	21.8	2.92	6.30	0.08	0.05	0.04	0.024	0.07	28.3	13.9	0.50	262	1.01
I099375		0.88	18.5	2.09	5.44	0.05	0.02	0.08	0.020	0.06	20.2	9.1	0.35	165	1.18
I099376		0.79	11.6	2.28	5.08	0.05	<0.02	0.04	0.017	0.05	15.0	10.7	0.42	245	0.89
I099377		0.60	33.4	2.78	4.90	0.07	0.11	0.05	0.025	0.06	18.7	11.8	0.51	370	0.85
I099378		0.75	23.4	2.49	4.90	0.07	0.15	0.03	0.025	0.07	27.3	11.4	0.42	243	0.96
I099379		0.09	2.6	0.72	0.65	<0.05	0.07	0.01	<0.005	0.04	5.7	1.3	0.04	170	0.33
I099380		0.61	17.2	2.60	5.28	<0.05	0.04	0.03	0.023	0.06	12.7	11.3	0.44	259	0.92
I099381		0.73	30.6	2.81	5.14	0.06	0.24	0.03	0.025	0.06	18.3	11.8	0.49	423	1.17
I099382		0.71	28.1	2.65	5.62	0.06	0.04	0.04	0.027	0.05	17.7	10.3	0.43	568	0.92
I099383		0.64	20.7	2.89	5.23	0.05	0.09	0.02	0.028	0.05	13.1	11.8	0.50	223	0.93
I099384		0.67	24.9	2.82	5.19	0.07	0.12	0.03	0.024	0.08	24.8	14.6	0.55	272	1.48
I099385		0.66	18.7	2.71	5.50	0.07	0.04	0.03	0.020	0.15	17.3	12.4	0.59	297	1.14
I099386		0.45	19.8	2.02	3.94	0.06	0.03	0.04	0.016	0.13	14.1	8.9	0.47	233	1.05
I099387		0.51	17.8	2.02	3.94	0.05	0.04	0.03	0.018	0.04	13.7	8.9	0.36	239	0.64
I099388		0.65	16.2	1.83	4.80	0.05	0.02	0.06	0.022	0.04	13.0	8.7	0.32	156	0.57
I099389		0.79	18.7	2.50	5.84	0.05	0.02	0.07	0.025	0.05	14.9	10.6	0.39	445	0.92
I099390		0.59	16.1	2.03	4.68	<0.05	<0.02	0.05	0.022	0.04	12.7	8.4	0.30	158	0.60
I099391		0.65	25.3	2.78	6.04	0.05	0.02	0.05	0.028	0.05	15.9	9.3	0.35	391	1.53
I099392		0.67	15.9	2.15	4.79	<0.05	<0.02	0.05	0.022	0.04	13.0	9.6	0.35	153	0.67
I099393		0.65	19.9	2.22	4.66	0.06	0.02	0.03	0.023	0.04	14.5	9.9	0.36	211	0.74
I099394		0.77	25.6	3.24	7.20	0.05	0.03	0.06	0.031	0.05	17.9	12.4	0.46	212	1.17
I099395		0.52	23.1	2.43	5.15	0.05	0.07	0.04	0.020	0.09	19.2	13.0	0.52	351	0.85
I099501		0.85	22.1	5.33	4.67	0.08	0.04	0.13	0.017	0.08	12.7	6.8	0.64	5940	3.05
I099502		1.32	15.6	3.03	7.06	0.08	0.05	0.02	0.021	0.15	11.4	15.3	1.08	458	0.72
I099503		0.60	42.7	2.58	3.15	0.08	0.05	0.09	0.015	0.08	22.4	5.1	0.55	6930	2.63
I099504		0.45	48.2	1.96	2.21	0.05	0.05	0.12	0.013	0.07	17.7	3.3	0.51	4020	1.98
I099505		1.45	17.3	2.47	7.16	0.08	0.08	0.04	0.022	0.20	15.2	15.9	1.24	497	0.28
I099506		1.32	48.3	2.32	7.20	0.15	0.10	0.08	0.064	0.41	80.9	14.2	1.16	357	1.12
I099507		0.81	20.7	1.66	5.45	<0.05	0.02	0.06	0.015	0.09	12.4	3.3	0.23	310	1.22
I099508		2.12	25.8	4.09	9.40	0.08	0.04	0.02	0.026	0.50	6.6	13.8	0.90	465	0.74
I099509		0.61	14.5	1.25	3.41	<0.05	<0.02	0.03	0.009	0.05	2.5	2.2	0.11	125	0.63
I099510		0.23	6.5	0.87	2.39	<0.05	<0.02	0.02	<0.005	0.03	1.2	0.7	0.06	45	0.51
I099511		1.22	49.9	2.74	5.63	0.06	0.03	0.07	0.016	0.22	6.5	11.5	1.07	563	0.75
I099512		1.52	40.7	3.30	7.15	0.07	0.04	0.06	0.020	0.24	7.6	13.5	1.24	730	0.87
I099513		1.57	41.0	3.82	8.59	0.07	0.04	0.06	0.021	0.36	8.0	16.5	1.44	852	0.93
I099515		1.61	24.2	3.24	7.37	0.06	0.02	0.07	0.017	0.41	5.0	10.4	0.62	534	0.61
I099516		0.95	23.2	3.34	7.82	0.05	0.10	0.03	0.027	0.08	8.0	17.2	0.85	260	0.71
I099517		1.27	19.6	3.92	11.00	0.05	<0.02	0.06	0.011	0.12	2.1	6.3	0.78	329	0.81
I099518		0.50	10.7	1.01	2.96	<0.05	<0.02	0.04	0.007	0.05	2.3	1.7	0.12	58	0.60
I099519		2.81	31.4	4.87	11.15	0.09	0.02	0.05	0.031	0.56	8.0	18.2	1.39	2630	1.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099374		1.98	16.2	500	9.4	12.4	<0.001	0.01	0.42	4.6	0.5	0.7	25.3	<0.01	0.03
I099375		1.38	13.9	710	7.7	12.0	<0.001	0.05	0.36	2.9	0.6	0.6	30.6	<0.01	0.03
I099376		1.34	11.9	520	7.7	10.6	0.001	0.02	0.29	2.7	0.4	0.6	21.6	<0.01	0.03
I099377		1.43	24.9	570	8.8	8.6	<0.001	0.01	0.61	5.3	0.6	0.5	38.6	<0.01	0.04
I099378		1.77	17.2	340	9.3	13.4	<0.001	0.01	0.43	4.8	0.4	0.6	28.4	<0.01	0.03
I099379		0.17	4.1	120	1.7	2.3	<0.001	0.01	0.11	0.7	<0.2	<0.2	7.8	<0.01	<0.01
I099380		1.39	18.6	380	7.8	9.5	0.001	0.01	0.43	3.9	0.3	0.6	25.0	<0.01	0.03
I099381		1.09	23.3	300	8.6	11.3	<0.001	0.01	0.60	5.3	0.4	0.6	28.5	<0.01	0.04
I099382		1.34	23.1	340	9.3	11.0	0.001	0.01	0.51	5.0	0.5	0.6	38.3	<0.01	0.03
I099383		1.03	24.2	130	7.9	8.1	<0.001	0.01	0.56	4.4	0.3	0.5	24.4	<0.01	0.02
I099384		1.31	17.8	400	9.1	12.7	0.001	0.01	0.58	4.8	0.6	0.6	26.8	<0.01	0.03
I099385		1.67	14.0	370	7.3	17.8	<0.001	0.01	0.34	3.8	0.3	0.5	23.8	<0.01	0.02
I099386		1.40	13.5	610	5.5	12.1	0.001	0.04	0.31	3.7	0.5	0.3	30.7	<0.01	0.02
I099387		1.20	13.6	510	6.4	7.5	<0.001	<0.01	0.36	3.5	0.4	0.4	22.3	<0.01	0.02
I099388		1.01	13.0	580	7.7	8.8	<0.001	0.03	0.31	3.6	0.4	0.5	27.5	<0.01	0.03
I099389		1.30	16.8	660	9.2	11.5	<0.001	0.03	0.40	4.5	0.6	0.6	38.5	<0.01	0.02
I099390		1.08	12.6	590	7.7	8.3	0.001	0.02	0.35	3.8	0.5	0.5	24.4	<0.01	0.02
I099391		1.20	15.7	620	8.9	9.8	0.001	0.03	0.35	3.9	0.6	0.6	33.7	<0.01	0.04
I099392		1.08	13.9	520	7.6	7.4	<0.001	0.01	0.37	3.6	0.4	0.5	25.9	<0.01	0.03
I099393		1.08	15.8	570	7.2	7.0	<0.001	0.02	0.37	3.9	0.4	0.5	27.2	<0.01	0.02
I099394		1.26	22.5	670	10.0	9.7	<0.001	0.03	0.37	4.6	0.6	0.6	40.4	<0.01	0.04
I099395		1.55	17.5	530	7.2	11.4	<0.001	0.01	0.35	5.1	0.3	0.5	31.6	<0.01	0.02
I099501		1.01	51.4	1330	4.3	12.8	<0.001	0.13	0.39	3.0	0.9	0.3	49.8	<0.01	0.04
I099502		1.87	46.4	910	6.2	23.4	<0.001	0.05	0.25	5.1	0.4	0.6	37.5	<0.01	0.03
I099503		0.66	110.5	1550	3.4	11.5	0.001	0.19	0.78	2.5	1.2	0.2	71.7	<0.01	0.05
I099504		0.49	95.9	1630	2.5	8.7	0.001	0.23	0.76	1.7	1.4	0.2	93.5	<0.01	0.04
I099505		1.98	51.9	600	8.5	33.1	<0.001	0.05	0.38	5.8	0.4	0.6	35.8	<0.01	0.02
I099506		2.02	41.8	580	9.9	40.2	0.002	0.09	1.25	4.1	2.0	0.8	71.6	0.01	0.09
I099507		0.75	11.8	600	17.2	11.6	<0.001	0.04	0.83	1.8	0.4	0.4	18.9	<0.01	0.04
I099508		1.17	19.7	740	8.0	36.0	<0.001	0.02	0.42	8.2	0.3	0.4	24.4	<0.01	0.06
I099509		0.56	7.5	190	3.2	7.3	<0.001	0.02	0.41	1.6	0.2	0.3	14.1	<0.01	0.03
I099510		0.25	3.2	220	1.9	1.7	<0.001	0.02	0.22	0.6	0.2	0.2	6.4	<0.01	0.03
I099511		0.84	21.4	700	4.6	20.1	0.002	0.16	4.40	5.1	0.8	0.3	60.7	<0.01	0.05
I099512		0.98	24.2	760	5.3	26.2	<0.001	0.09	2.66	5.8	0.6	0.3	51.4	<0.01	0.05
I099513		1.13	27.7	720	6.5	36.9	<0.001	0.09	1.48	6.8	0.7	0.4	40.4	<0.01	0.05
I099515		0.96	15.0	590	5.6	25.4	<0.001	0.01	0.30	6.1	0.3	0.3	16.1	<0.01	0.07
I099516		1.58	25.6	500	6.7	11.0	<0.001	0.01	0.30	6.0	0.3	0.5	17.4	<0.01	0.03
I099517		0.64	9.9	340	4.2	8.4	<0.001	0.04	0.57	4.4	0.4	0.3	6.6	<0.01	0.03
I099518		0.29	3.7	360	2.7	3.9	<0.001	0.03	0.27	1.2	0.3	0.2	10.5	<0.01	0.03
I099519		0.75	26.9	760	8.5	37.6	<0.001	0.04	1.10	11.0	0.4	0.4	31.2	<0.01	0.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099374		0.100	0.11	1.67	61	0.28	10.10	61
I099375		0.061	0.09	1.31	42	0.19	7.03	52
I099376		0.078	0.10	1.02	57	0.21	4.74	53
I099377		0.091	0.07	2.71	59	0.16	11.60	54
I099378		0.101	0.10	1.54	55	0.13	10.55	46
I099379		0.008	0.03	0.39	4	<0.05	2.47	5
I099380		0.084	0.07	0.65	60	0.20	4.73	47
I099381		0.115	0.10	0.94	61	0.17	7.21	53
I099382		0.076	0.09	0.79	64	0.20	9.54	45
I099383		0.085	0.08	0.55	67	0.11	3.78	48
I099384		0.110	0.10	1.46	60	0.20	11.70	58
I099385		0.124	0.11	0.82	60	0.13	5.65	52
I099386		0.090	0.08	1.06	47	0.25	7.91	48
I099387		0.080	0.06	2.16	45	0.09	6.71	44
I099388		0.067	0.08	2.09	42	0.15	6.80	42
I099389		0.073	0.11	2.41	55	0.11	8.45	51
I099390		0.065	0.08	2.29	61	0.10	6.59	41
I099391		0.065	0.08	3.18	59	0.10	8.85	46
I099392		0.066	0.08	2.16	51	0.25	6.48	43
I099393		0.070	0.06	2.53	50	0.16	7.83	45
I099394		0.057	0.08	3.24	61	0.22	8.92	54
I099395		0.091	0.08	2.70	54	0.25	10.45	49
I099501		0.061	0.30	1.31	63	0.13	6.97	52
I099502		0.132	0.14	1.09	75	0.15	5.93	62
I099503		0.036	0.29	2.48	48	0.12	15.80	67
I099504		0.022	0.19	2.63	31	0.08	16.35	60
I099505		0.158	0.21	1.29	63	0.13	6.58	60
I099506		0.105	0.25	9.71	48	0.29	80.1	55
I099507		0.060	0.05	0.79	56	0.21	3.56	38
I099508		0.125	0.22	0.49	96	0.23	5.06	82
I099509		0.046	0.06	0.15	30	0.08	1.27	25
I099510		0.035	0.02	0.10	24	0.06	0.51	13
I099511		0.082	0.11	1.10	76	0.10	8.92	74
I099512		0.103	0.13	1.33	92	0.12	8.22	92
I099513		0.126	0.18	1.16	105	0.13	8.00	119
I099515		0.093	0.17	0.28	74	0.17	4.12	64
I099516		0.120	0.09	0.35	83	0.18	4.25	56
I099517		0.098	0.08	0.14	109	0.25	1.53	57
I099518		0.036	0.04	0.21	22	0.06	1.49	13
I099519		0.129	0.27	0.52	124	0.24	6.54	121



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099520		0.22	<0.005	0.10	2.56	5.3	<0.2	<10	260	0.24	0.12	0.36	0.39	16.10	13.4	58
I099521		0.42	<0.005	0.05	2.04	7.8	<0.2	<10	350	0.59	0.17	0.34	0.08	71.6	9.9	43
I099522		0.18	<0.005	0.02	0.90	5.2	<0.2	<10	80	0.12	0.13	0.12	0.07	18.35	4.7	24
I099523		0.26	<0.005	0.02	2.35	5.6	<0.2	<10	210	0.47	0.11	0.31	0.09	21.7	18.9	93
I099524		0.14	<0.005	0.18	2.27	9.3	<0.2	<10	230	0.60	0.17	0.31	0.14	40.8	11.1	51
I099525		0.26	<0.005	0.06	0.36	1.3	<0.2	<10	50	0.09	0.07	0.07	0.05	10.15	1.7	8
I099526		0.36	<0.005	0.02	0.64	2.9	<0.2	<10	50	0.10	0.19	0.08	0.04	13.80	2.4	12
I099527		0.26	<0.005	0.05	0.87	4.3	<0.2	<10	80	0.09	0.24	0.06	0.06	13.60	2.9	14
I099528		0.30	<0.005	0.06	1.89	10.1	<0.2	<10	90	0.21	0.35	0.12	0.11	16.80	6.7	32
I099529		0.30	<0.005	0.05	0.73	2.6	<0.2	<10	90	0.09	0.11	0.08	0.09	11.50	1.9	11
I099530		0.24	<0.005	0.03	0.42	2.7	<0.2	<10	60	<0.05	0.09	0.06	0.13	6.30	1.9	9
I099531		0.18	<0.005	0.08	0.91	3.0	<0.2	<10	100	0.10	0.11	0.07	0.19	18.70	2.8	16
I099532		0.38	<0.005	0.01	0.13	1.8	<0.2	<10	30	<0.05	<0.01	0.06	0.04	11.90	2.2	3
I099533		0.24	<0.005	0.03	1.71	7.5	<0.2	<10	130	0.33	0.15	0.18	0.12	36.1	7.0	29
I099534		0.32	<0.005	0.02	1.34	6.2	<0.2	<10	80	0.20	0.22	0.13	0.12	19.50	5.5	22
I099535		0.34	<0.005	0.03	1.84	6.1	<0.2	<10	160	0.61	0.32	0.22	0.09	67.0	8.2	27
I099536		0.26	<0.005	0.11	2.42	8.4	<0.2	<10	210	0.73	0.28	0.23	0.14	96.0	14.4	40
I099537		5.00	<0.005	0.24	2.60	7.4	<0.2	<10	450	0.95	0.25	0.68	0.30	212	8.0	35
I099538		0.34	<0.005	0.08	1.86	5.9	<0.2	<10	180	0.46	0.27	0.31	0.13	52.7	8.5	34
I099539		0.30	<0.005	0.16	1.48	5.3	<0.2	<10	200	0.40	0.19	0.34	0.27	45.9	8.4	26
I099540		0.32	<0.005	0.12	1.61	6.1	<0.2	<10	200	0.28	0.19	0.54	0.17	26.8	6.6	28
I099541		0.26	<0.005	0.13	1.58	7.0	<0.2	<10	210	0.29	0.12	1.21	0.27	20.4	10.0	30
I099542		0.32	<0.005	0.12	1.60	7.5	<0.2	<10	240	0.32	0.14	0.77	0.17	28.2	10.1	30
I099543		0.36	<0.005	0.12	1.88	8.5	<0.2	<10	210	0.34	0.16	0.55	0.24	32.1	12.1	33
I099544		0.44	0.005	0.11	1.62	6.9	<0.2	<10	200	0.25	0.14	0.55	0.17	22.2	8.2	34
I099545		0.34	<0.005	0.47	2.17	4.1	<0.2	<10	520	0.98	0.28	0.40	0.62	64.6	16.5	57
I099546		0.20	<0.005	0.46	1.79	7.6	<0.2	<10	540	0.39	0.18	0.14	0.84	24.3	16.7	26
I099547		0.28	<0.005	0.43	2.36	9.9	<0.2	<10	570	0.28	0.15	0.22	0.34	15.50	12.9	56
I099548		0.28	<0.005	0.90	1.77	11.1	<0.2	<10	380	0.34	0.18	0.26	0.21	16.30	11.8	35
I099549		0.26	<0.005	0.62	1.59	8.0	<0.2	<10	360	0.37	0.17	0.18	0.51	19.05	13.2	34
I099550		0.32	<0.005	1.32	1.43	6.3	<0.2	<10	570	0.31	0.14	0.29	0.88	18.70	11.3	28
I099551		0.38	<0.005	0.16	1.53	8.0	<0.2	<10	230	0.35	0.19	0.17	0.12	28.2	8.1	25
I099552		0.34	<0.005	0.08	1.59	7.1	<0.2	<10	390	0.35	0.18	0.50	0.15	22.7	8.3	25
I099553		0.34	0.006	0.07	1.26	5.7	<0.2	<10	190	0.20	0.14	0.32	0.07	15.85	7.6	20
I099554		0.48	<0.005	0.11	1.18	5.2	<0.2	<10	210	0.17	0.13	0.20	0.07	13.15	7.2	17
I099555		0.54	<0.005	0.07	1.43	6.2	<0.2	<10	180	0.22	0.13	0.19	0.06	18.60	7.4	25
I099556		0.52	<0.005	0.11	2.27	8.6	<0.2	<10	330	0.32	0.15	0.23	0.26	17.95	11.2	29
I099557		0.56	<0.005	0.08	1.89	7.5	<0.2	<10	190	0.31	0.15	0.20	0.06	16.85	12.4	27
I099558		0.40	<0.005	0.05	4.05	5.6	<0.2	<10	240	0.43	0.08	0.13	0.05	9.03	23.9	23
I099559		0.40	<0.005	0.09	1.72	6.3	<0.2	<10	330	0.33	0.18	0.18	0.13	15.80	12.7	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099520		1.08	36.6	3.37	9.03	0.08	0.04	0.04	0.026	0.21	7.9	15.1	1.57	615	0.65
I099521		0.54	31.2	3.05	6.53	0.10	0.24	0.05	0.032	0.05	43.6	13.3	0.59	359	0.73
I099522		0.72	9.8	1.64	8.61	<0.05	<0.02	0.02	0.011	0.06	9.6	5.4	0.37	179	0.78
I099523		2.13	38.1	3.39	8.10	0.09	0.03	0.02	0.010	0.53	13.0	21.6	1.66	440	0.65
I099524		1.25	29.6	3.12	8.07	0.06	0.05	0.07	0.027	0.14	23.7	12.9	0.68	283	1.07
I099525		0.51	6.9	0.64	3.08	<0.05	<0.02	0.02	0.006	0.03	9.2	1.4	0.07	53	0.46
I099526		0.73	6.7	1.10	5.12	<0.05	0.02	0.01	0.009	0.05	11.7	2.9	0.13	118	0.83
I099527		0.52	9.9	1.55	6.05	<0.05	0.02	0.03	0.012	0.04	22.2	3.3	0.16	99	1.03
I099528		0.93	9.6	3.18	8.32	<0.05	0.06	0.03	0.024	0.05	14.0	10.8	0.41	304	1.57
I099529		0.42	6.9	0.97	4.63	<0.05	<0.02	0.02	0.012	0.03	9.4	3.2	0.10	63	0.63
I099530		0.25	9.7	1.05	3.80	<0.05	<0.02	0.02	0.007	0.03	3.4	1.0	0.05	115	0.70
I099531		0.36	9.8	1.28	4.96	<0.05	0.02	0.03	0.018	0.04	11.5	2.7	0.10	101	0.61
I099532		0.08	2.6	0.65	0.67	<0.05	0.08	<0.01	<0.005	0.04	5.9	1.4	0.04	153	0.27
I099533		0.62	15.3	2.45	6.12	0.05	0.06	0.05	0.029	0.06	23.3	10.5	0.37	233	0.88
I099534		0.67	9.1	1.93	4.93	<0.05	0.05	0.02	0.027	0.04	12.6	8.2	0.32	195	0.60
I099535		0.91	18.7	2.59	6.15	0.09	0.25	0.02	0.038	0.04	55.6	12.9	0.44	232	0.68
I099536		1.17	23.2	3.09	8.15	0.06	0.32	0.04	0.046	0.07	59.2	14.6	0.51	654	1.06
I099537		1.19	30.1	2.84	8.60	0.22	0.17	0.08	0.043	0.08	136.5	11.8	0.43	393	0.94
I099538		1.18	14.9	2.66	6.28	<0.05	0.18	0.02	0.033	0.13	41.0	10.6	0.49	329	0.64
I099539		0.73	21.2	2.13	5.57	<0.05	0.04	0.05	0.023	0.06	27.2	8.8	0.38	373	0.86
I099540		0.88	14.7	2.07	5.91	<0.05	0.04	0.05	0.022	0.07	15.5	10.7	0.45	277	0.84
I099541		0.56	25.3	2.51	4.76	<0.05	0.07	0.03	0.022	0.09	10.2	11.5	0.62	423	0.56
I099542		0.57	20.6	2.56	4.96	<0.05	0.06	0.04	0.025	0.07	14.7	11.0	0.52	637	0.69
I099543		0.66	22.6	2.89	5.79	<0.05	0.07	0.04	0.027	0.09	16.2	13.0	0.58	530	0.73
I099544		0.81	18.1	2.40	5.26	<0.05	0.04	0.03	0.021	0.10	12.2	11.7	0.58	269	0.61
I099545		3.73	34.1	4.26	7.27	<0.05	0.06	0.01	0.045	0.68	32.0	18.7	0.86	1620	1.88
I099546		1.08	25.2	2.61	6.81	0.06	0.02	0.02	0.027	0.04	10.7	11.8	0.38	2320	1.86
I099547		1.24	34.0	3.71	7.04	0.06	0.02	0.02	0.024	0.15	7.4	19.1	0.80	423	1.48
I099548		0.95	22.6	3.00	6.14	0.06	0.06	0.02	0.021	0.05	8.8	11.6	0.48	845	1.66
I099549		0.77	16.1	2.95	6.03	0.06	0.02	0.01	0.021	0.13	9.7	11.8	0.48	480	1.42
I099550		0.49	17.0	2.62	5.09	0.06	0.03	0.02	0.018	0.13	9.1	8.2	0.43	936	1.56
I099551		0.47	17.6	2.57	5.22	0.06	0.03	0.02	0.019	0.08	15.1	8.0	0.38	489	0.97
I099552		0.51	19.2	2.45	5.46	0.06	0.07	0.03	0.020	0.09	12.2	10.9	0.43	597	1.05
I099553		0.45	12.4	2.23	4.28	<0.05	0.04	0.02	0.014	0.13	8.1	8.0	0.38	493	0.86
I099554		0.38	8.9	2.25	4.75	0.05	0.03	0.02	0.013	0.10	6.8	9.0	0.42	417	0.79
I099555		0.37	12.7	2.56	4.96	0.05	0.07	0.02	0.016	0.08	8.6	10.7	0.55	296	0.75
I099556		0.61	13.5	3.31	6.26	0.06	0.03	0.02	0.020	0.22	8.5	14.1	0.77	549	0.84
I099557		0.57	11.8	3.00	5.98	0.06	0.06	0.01	0.022	0.10	8.0	14.1	0.59	588	0.87
I099558		2.56	6.5	5.75	12.55	0.13	0.05	0.01	0.013	1.77	4.3	30.6	2.16	1010	0.64
I099559		0.63	12.1	2.97	6.30	0.05	0.07	0.02	0.020	0.09	7.7	11.1	0.45	1180	1.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099520		1.03	25.8	620	7.9	16.5	<0.001	0.02	0.31	9.9	0.3	0.5	24.7	<0.01	0.03
I099521		1.14	25.0	340	9.9	7.1	<0.001	0.01	0.46	8.7	0.6	0.6	32.2	<0.01	0.03
I099522		0.68	10.4	370	7.6	9.9	<0.001	0.01	0.22	1.0	0.2	0.6	19.3	<0.01	0.02
I099523		1.18	46.4	520	9.5	45.3	<0.001	0.01	0.20	2.2	0.3	0.5	35.1	<0.01	0.02
I099524		1.17	25.4	840	10.8	19.3	<0.001	0.06	0.35	4.3	0.6	0.6	34.7	<0.01	0.04
I099525		0.47	3.5	170	5.1	6.4	<0.001	0.01	0.13	1.0	<0.2	0.4	12.1	<0.01	0.01
I099526		1.09	4.9	190	9.7	9.9	<0.001	0.01	0.16	1.5	0.2	0.9	11.8	<0.01	0.01
I099527		1.22	7.2	260	12.6	7.0	<0.001	0.01	0.30	1.6	0.2	1.1	11.8	<0.01	0.02
I099528		2.11	15.5	440	18.9	11.0	<0.001	0.01	0.40	3.2	0.2	1.0	14.0	<0.01	0.03
I099529		0.81	5.2	170	7.0	4.2	<0.001	0.01	0.14	1.6	<0.2	0.6	11.1	<0.01	0.01
I099530		0.44	4.4	290	4.0	2.8	<0.001	0.01	0.23	0.8	0.2	0.5	10.8	<0.01	0.02
I099531		0.67	7.7	290	8.0	4.5	<0.001	0.02	0.18	1.8	0.3	0.5	12.5	<0.01	0.02
I099532		0.19	3.7	130	1.6	2.2	<0.001	<0.01	0.10	0.6	<0.2	<0.2	8.2	<0.01	<0.01
I099533		1.53	15.5	360	11.0	7.8	<0.001	0.02	0.36	3.7	0.4	0.6	20.5	<0.01	0.03
I099534		1.49	11.1	210	12.5	5.8	<0.001	0.01	0.24	2.8	0.3	0.9	14.1	<0.01	0.01
I099535		1.46	14.2	410	21.5	7.9	<0.001	0.01	0.29	4.5	0.5	1.1	21.7	<0.01	0.02
I099536		1.91	18.2	410	19.9	13.9	<0.001	0.01	0.39	6.3	0.7	0.9	24.8	0.01	0.03
I099537		1.56	19.9	770	14.7	11.3	0.001	0.06	0.40	6.2	1.8	0.8	64.9	0.02	0.03
I099538		1.68	13.6	440	17.4	17.6	<0.001	0.01	0.27	4.5	0.4	0.9	24.7	<0.01	0.02
I099539		1.21	13.3	530	11.6	9.1	<0.001	0.03	0.28	3.2	0.5	0.6	28.1	<0.01	0.02
I099540		1.45	15.7	640	9.6	11.6	<0.001	0.04	0.34	3.6	0.4	0.6	42.6	<0.01	0.02
I099541		1.51	22.1	890	5.8	10.9	<0.001	0.04	0.46	4.4	0.4	0.4	61.9	<0.01	0.02
I099542		1.45	18.6	680	7.0	8.5	<0.001	0.03	0.37	4.2	0.5	0.5	47.5	<0.01	0.03
I099543		1.70	19.5	640	8.1	10.5	<0.001	0.02	0.41	4.7	0.5	0.6	37.3	<0.01	0.03
I099544		1.31	18.4	790	7.9	12.6	<0.001	0.03	0.25	3.5	0.3	0.5	34.5	<0.01	0.02
I099545		1.29	49.3	1030	17.6	58.2	0.001	0.01	0.29	7.1	0.4	0.9	29.0	<0.01	0.04
I099546		1.08	40.6	340	8.9	9.8	<0.001	0.01	0.41	3.3	0.6	0.6	16.4	<0.01	0.06
I099547		1.39	43.1	650	7.7	15.4	<0.001	0.01	0.42	3.2	0.7	0.5	16.8	<0.01	0.06
I099548		1.18	22.1	500	9.1	7.5	<0.001	0.01	0.45	3.7	0.7	0.6	20.1	<0.01	0.04
I099549		1.15	23.1	1510	7.7	12.5	<0.001	0.01	0.35	3.2	0.5	0.5	13.9	<0.01	0.04
I099550		1.04	23.8	700	6.6	12.3	<0.001	0.01	0.37	3.0	0.5	0.4	19.9	<0.01	0.04
I099551		1.48	16.3	240	8.3	8.7	<0.001	0.01	0.37	3.6	0.5	0.5	15.7	<0.01	0.04
I099552		1.63	18.1	270	8.0	15.2	<0.001	0.01	0.37	3.7	0.5	0.5	36.1	<0.01	0.04
I099553		1.36	12.7	180	6.3	17.5	<0.001	0.01	0.32	2.6	0.4	0.4	22.2	<0.01	0.03
I099554		1.59	11.1	220	7.5	11.9	<0.001	0.01	0.25	2.2	0.3	0.4	16.1	<0.01	0.02
I099555		1.40	14.6	170	7.5	7.9	<0.001	<0.01	0.33	3.2	0.3	0.4	17.1	<0.01	0.02
I099556		2.17	18.5	540	8.8	21.2	<0.001	0.01	0.42	2.8	0.5	0.5	21.2	<0.01	0.03
I099557		1.63	15.5	250	7.9	16.6	<0.001	0.01	0.38	2.8	0.4	0.6	18.7	<0.01	0.03
I099558		3.17	12.6	540	4.7	143.5	<0.001	0.01	0.16	3.5	0.4	0.7	11.2	<0.01	0.02
I099559		1.36	18.8	390	8.8	15.4	<0.001	<0.01	0.37	2.8	0.3	0.6	17.2	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099520		0.119	0.11	0.37	103	0.13	5.17	115
I099521		0.115	0.05	1.98	66	0.15	20.7	55
I099522		0.083	0.07	0.46	48	0.12	2.20	29
I099523		0.183	0.22	0.79	74	0.17	3.29	64
I099524		0.096	0.13	3.90	66	0.19	8.24	57
I099525		0.042	0.05	0.56	17	0.07	1.92	11
I099526		0.072	0.07	0.59	30	0.10	2.49	20
I099527		0.074	0.08	0.79	44	0.16	3.48	25
I099528		0.109	0.09	0.80	81	0.27	4.45	52
I099529		0.058	0.06	0.38	26	0.07	2.91	18
I099530		0.046	0.03	0.17	30	0.07	1.15	19
I099531		0.058	0.04	0.39	28	0.07	3.62	28
I099532		<0.005	0.03	0.33	1	<0.05	2.29	4
I099533		0.090	0.06	0.90	56	0.15	7.06	46
I099534		0.084	0.07	0.63	47	0.13	5.13	44
I099535		0.102	0.07	2.28	57	0.19	22.4	54
I099536		0.118	0.12	2.42	69	0.22	22.0	68
I099537		0.079	0.08	3.71	52	0.34	61.1	64
I099538		0.134	0.13	1.75	60	0.16	11.65	64
I099539		0.078	0.08	1.77	51	0.17	11.15	52
I099540		0.086	0.10	1.11	44	0.25	7.94	60
I099541		0.100	0.07	0.71	58	0.16	7.81	67
I099542		0.097	0.07	0.96	60	0.23	9.64	56
I099543		0.110	0.08	1.09	71	0.18	9.95	68
I099544		0.106	0.09	0.73	62	0.14	6.12	66
I099545		0.115	0.21	0.75	76	0.13	11.90	176
I099546		0.049	0.13	0.46	63	0.14	3.27	122
I099547		0.105	0.11	0.47	91	0.19	2.53	77
I099548		0.065	0.11	0.63	76	0.18	3.49	60
I099549		0.068	0.09	0.42	68	0.30	3.24	77
I099550		0.055	0.07	0.37	61	0.15	2.91	99
I099551		0.065	0.07	0.79	63	0.17	4.92	43
I099552		0.067	0.07	0.61	58	0.18	4.61	53
I099553		0.072	0.06	0.35	53	0.16	2.46	37
I099554		0.077	0.07	0.27	54	0.18	1.81	39
I099555		0.089	0.07	0.39	59	0.18	2.34	45
I099556		0.114	0.13	0.32	74	0.18	1.75	83
I099557		0.088	0.10	0.36	67	0.19	1.78	50
I099558		0.400	0.64	0.31	132	0.18	1.03	118
I099559		0.076	0.09	0.30	70	0.19	1.90	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I099560		0.34	<0.005	0.09	1.75	5.8	<0.2	<10	390	0.31	0.15	0.22	0.12	16.00	11.4	25
I099561		0.42	<0.005	0.07	1.76	5.3	<0.2	<10	200	0.30	0.15	0.22	0.07	15.60	11.4	25
I099562		0.38	<0.005	0.06	1.99	7.0	<0.2	<10	140	0.22	0.15	0.17	0.07	15.65	9.9	27
I099563		0.66	<0.005	0.06	1.92	5.7	<0.2	<10	150	0.29	0.12	0.23	0.04	25.9	9.3	25
I099601		0.44	<0.005	0.02	2.55	8.4	<0.2	<10	220	0.39	0.11	0.09	0.05	14.50	12.8	23
I099602		0.44	<0.005	0.02	1.53	3.0	<0.2	<10	230	0.22	0.06	0.26	0.03	13.05	13.7	16
I099603		0.46	<0.005	0.01	2.81	5.4	<0.2	<10	160	0.36	0.03	0.34	0.03	13.70	19.8	12
I099604		0.54	<0.005	0.04	2.79	5.9	<0.2	<10	340	0.40	0.09	0.41	0.05	26.8	18.6	34
I099605		0.48	<0.005	0.02	2.93	3.7	<0.2	<10	310	0.67	0.08	0.51	0.04	35.8	23.3	31
I099606		0.58	<0.005	0.02	2.38	14.5	<0.2	<10	240	0.50	0.06	0.42	0.04	16.85	23.2	76
I099607		0.38	<0.005	0.11	1.07	10.1	<0.2	<10	120	0.16	0.08	0.33	0.08	10.45	7.9	31
I099608		0.58	<0.005	0.10	1.65	38.0	<0.2	<10	90	0.27	0.11	0.20	0.05	16.80	11.4	49
I099609		0.08	<0.005	0.02	0.13	2.2	<0.2	<10	30	0.08	0.02	0.09	0.03	10.85	2.0	3
I099610		0.60	<0.005	0.06	2.00	17.4	<0.2	<10	170	0.33	0.11	0.47	0.05	22.4	10.9	47
I099611		0.46	0.007	0.23	1.64	22.3	<0.2	<10	160	0.31	0.09	0.45	0.13	24.8	11.4	46
I099612		0.56	<0.005	0.07	1.64	9.3	<0.2	<10	190	0.28	0.17	0.21	0.06	39.6	6.9	27
I099613		0.50	<0.005	0.14	1.63	3.6	<0.2	<10	100	0.35	0.21	0.22	0.06	62.4	7.2	17
I099614		0.50	<0.005	0.19	2.04	5.6	<0.2	<10	170	0.25	0.26	0.42	0.18	36.2	8.2	21
I099615		0.54	<0.005	0.08	1.71	7.0	<0.2	<10	150	0.27	0.16	0.28	0.08	35.2	6.3	25
I099616		0.52	0.007	0.27	1.44	5.1	<0.2	<10	180	0.29	0.16	0.22	0.13	36.3	4.5	19
I099617		0.60	<0.005	0.09	2.24	6.0	<0.2	<10	220	0.40	0.10	0.24	0.17	34.1	11.3	17
I099618		0.48	0.005	0.10	1.72	8.5	<0.2	<10	240	0.29	0.14	0.29	0.12	28.0	11.5	26
I099619		0.56	<0.005	0.13	1.82	10.0	<0.2	<10	190	0.27	0.15	0.27	0.07	22.1	7.7	28
I099620		0.58	<0.005	0.06	2.15	10.9	<0.2	<10	160	0.30	0.16	0.21	0.10	20.9	8.8	28
I099621		0.44	<0.005	0.13	1.41	5.2	<0.2	<10	160	0.17	0.11	0.34	0.07	26.9	7.1	26
I099622		0.56	<0.005	0.08	1.54	6.0	<0.2	<10	170	0.17	0.12	0.35	0.06	25.1	7.3	29
I099623		0.56	<0.005	0.17	1.87	9.9	<0.2	<10	300	0.33	0.13	0.49	0.10	56.6	8.8	25
I099624		0.48	<0.005	0.09	2.24	10.6	<0.2	<10	210	0.39	0.16	0.24	0.06	39.7	12.7	29
I099625		0.46	<0.005	0.15	1.71	5.3	<0.2	<10	190	0.32	0.15	0.19	0.12	19.20	8.7	23
I099626		0.46	<0.005	0.07	2.29	11.3	<0.2	<10	170	0.32	0.19	0.12	0.11	20.1	8.6	33
I099627		0.48	<0.005	0.07	2.32	6.8	<0.2	<10	160	0.31	0.12	0.15	0.06	34.0	9.6	22
I099628		0.44	<0.005	0.13	2.46	4.4	<0.2	<10	170	0.45	0.09	0.25	0.06	54.7	11.8	30
I099629		0.40	<0.005	0.11	1.97	9.5	<0.2	<10	260	0.38	0.18	0.25	0.10	28.3	11.1	28
I099630		0.50	<0.005	0.11	2.09	11.0	<0.2	<10	200	0.37	0.15	0.17	0.07	39.3	8.0	32
I099631		0.44	<0.005	0.19	1.88	8.6	<0.2	<10	510	0.47	0.16	0.37	0.19	37.6	14.4	31
I099632		0.50	<0.005	0.19	2.23	4.6	<0.2	<10	370	0.41	0.18	0.19	0.24	24.9	14.7	26
I099633		0.50	<0.005	0.08	2.65	8.8	<0.2	<10	160	0.43	0.18	0.20	0.17	23.9	8.3	25
I319559		0.76	0.060	1.58	2.84	96.6	<0.2	<10	300	0.35	0.54	0.63	0.70	16.90	17.5	44
I319560		0.82	0.072	1.57	2.65	68.5	<0.2	<10	330	0.35	0.47	0.66	0.52	15.70	15.5	45
I319561		0.60	0.053	1.22	2.36	61.9	<0.2	<10	330	0.39	0.42	0.87	0.89	19.80	14.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099560		0.74	12.0	2.86	5.94	0.05	0.03	0.03	0.018	0.19	7.5	12.1	0.57	1600	0.71
I099561		0.45	10.2	2.93	6.07	0.06	0.02	0.02	0.018	0.18	7.2	10.1	0.50	736	0.76
I099562		0.91	14.2	3.22	7.42	0.07	0.03	0.07	0.014	0.13	8.2	14.4	0.78	349	1.14
I099563		0.78	23.4	2.99	5.71	0.08	0.08	0.03	0.017	0.14	14.2	16.8	0.70	290	0.59
I099601		2.50	14.9	4.31	6.81	0.09	0.04	0.01	0.022	0.29	7.0	22.1	0.88	316	0.92
I099602		1.64	27.0	2.50	5.37	0.07	<0.02	0.02	0.008	0.33	7.7	16.8	1.03	222	0.38
I099603		2.76	89.8	4.15	6.58	0.10	0.02	<0.01	0.008	0.74	5.5	17.7	2.34	493	0.35
I099604		3.47	25.0	4.41	8.28	0.12	0.03	0.01	0.013	0.70	12.6	19.1	1.79	459	0.82
I099605		5.27	19.4	4.56	9.77	0.13	0.02	0.01	0.009	1.15	19.4	22.5	2.20	610	0.57
I099606		2.22	32.5	4.44	5.86	0.10	0.04	0.01	0.014	0.62	10.0	21.9	1.59	423	0.67
I099607		0.95	17.3	2.01	5.01	0.05	<0.02	0.02	0.012	0.12	5.8	8.7	0.43	251	0.69
I099608		1.13	25.4	3.49	6.47	0.08	0.06	0.02	0.024	0.12	8.8	14.9	0.69	247	0.90
I099609		0.09	2.3	0.72	0.63	<0.05	0.07	0.01	<0.005	0.04	5.5	1.0	0.04	163	0.29
I099610		0.86	23.6	3.20	6.51	0.07	0.08	0.02	0.028	0.06	11.8	13.6	0.70	226	0.62
I099611		1.21	28.0	3.44	5.75	0.09	0.04	0.02	0.029	0.11	13.2	8.9	0.61	265	0.72
I099612		0.66	15.2	2.47	6.13	0.07	0.05	0.03	0.021	0.07	22.2	11.9	0.45	191	0.87
I099613		1.36	12.8	2.67	6.94	0.10	0.08	0.01	0.018	0.28	45.3	14.8	0.57	385	0.62
I099614		0.83	11.6	2.69	7.52	0.09	0.05	0.03	0.024	0.13	27.8	14.3	0.51	464	1.24
I099615		0.69	12.5	2.46	6.02	0.07	0.12	0.02	0.022	0.05	21.0	13.7	0.45	195	0.67
I099616		0.52	14.7	1.93	6.63	0.07	0.04	0.04	0.021	0.06	23.2	7.2	0.30	157	0.74
I099617		2.48	10.0	3.64	8.85	0.08	0.05	0.02	0.017	0.58	12.9	25.4	0.73	617	0.83
I099618		0.61	13.7	2.73	5.68	0.07	0.06	0.03	0.024	0.12	15.8	13.7	0.50	756	0.94
I099619		0.63	13.4	2.86	6.24	0.06	0.08	0.02	0.022	0.10	12.2	14.7	0.53	221	0.87
I099620		0.80	11.5	3.21	8.15	0.06	0.04	0.02	0.026	0.13	9.7	16.2	0.49	298	1.41
I099621		0.67	11.3	2.28	6.12	0.08	0.06	0.02	0.017	0.18	17.9	10.5	0.55	255	0.80
I099622		0.68	11.8	2.49	6.37	0.07	0.07	0.02	0.018	0.17	16.8	11.3	0.58	251	0.89
I099623		0.70	18.1	3.03	6.48	0.12	0.05	0.04	0.026	0.11	46.6	15.5	0.52	436	0.95
I099624		0.92	18.2	3.43	8.11	0.09	0.07	0.02	0.029	0.18	23.0	14.0	0.57	729	1.13
I099625		0.59	9.5	2.74	7.49	0.05	0.03	0.02	0.023	0.08	8.3	9.6	0.39	293	0.99
I099626		0.68	12.4	3.53	7.72	0.06	0.02	0.02	0.029	0.08	9.4	14.0	0.48	323	1.11
I099627		1.35	9.8	3.70	8.95	0.08	0.08	0.01	0.022	0.43	12.4	24.7	0.80	536	0.73
I099628		1.60	13.8	3.83	9.65	0.10	0.06	0.02	0.023	0.51	28.5	19.0	0.98	796	0.68
I099629		0.72	20.6	2.82	6.87	0.06	0.04	0.04	0.027	0.07	14.5	11.2	0.44	620	0.76
I099630		0.75	16.0	2.97	6.90	0.09	0.05	0.11	0.026	0.06	23.8	15.8	0.49	239	0.91
I099631		0.78	33.2	3.07	6.40	0.09	0.05	0.06	0.028	0.14	19.2	13.4	0.53	2100	0.88
I099632		1.55	16.1	3.32	8.86	0.06	0.02	0.03	0.028	0.11	11.5	13.4	0.47	3260	0.94
I099633		1.13	11.0	3.37	9.56	0.06	0.02	0.02	0.027	0.05	8.7	16.6	0.54	395	1.03
I319559		1.84	32.5	3.16	8.37	0.11	0.03	0.10	0.032	0.23	8.4	12.1	0.96	664	1.33
I319560		1.86	34.6	3.00	7.98	0.09	0.03	0.08	0.027	0.29	7.8	11.8	1.17	800	1.09
I319561		1.56	48.3	2.61	7.13	0.09	0.03	0.09	0.028	0.18	9.8	9.8	0.92	921	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 3-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099560		1.86	16.9	490	7.5	28.7	<0.001	0.01	0.31	2.9	0.4	0.5	19.9	<0.01	0.03
I099561		1.70	15.7	410	7.6	20.9	<0.001	0.01	0.33	2.4	0.4	0.6	18.1	<0.01	0.03
I099562		2.58	15.3	320	6.4	29.0	<0.001	0.01	0.32	3.0	0.4	0.6	15.5	<0.01	0.03
I099563		1.92	14.8	410	6.7	22.2	<0.001	<0.01	0.35	3.4	0.5	0.4	15.9	<0.01	0.02
I099601		1.63	13.2	370	6.7	32.1	<0.001	0.01	0.30	3.5	0.5	0.6	9.9	<0.01	0.03
I099602		0.62	17.3	560	3.4	31.7	<0.001	0.01	0.11	1.7	0.4	0.3	20.1	<0.01	0.02
I099603		0.69	24.4	1130	3.1	63.8	<0.001	0.01	0.11	1.6	0.4	0.2	18.3	<0.01	0.01
I099604		0.98	18.1	1290	4.5	61.0	<0.001	0.01	0.18	3.2	0.5	0.4	22.4	<0.01	0.02
I099605		0.64	17.1	1680	8.4	108.5	<0.001	0.01	0.10	2.5	0.4	0.5	25.2	<0.01	0.01
I099606		0.57	49.6	820	4.3	53.8	<0.001	<0.01	0.36	4.4	0.4	0.3	20.1	<0.01	0.03
I099607		0.81	19.8	230	4.1	16.2	<0.001	0.01	0.26	2.8	0.5	0.3	22.5	<0.01	0.03
I099608		1.14	35.0	260	5.8	20.3	<0.001	0.01	0.96	4.4	0.5	0.5	13.6	<0.01	0.03
I099609		0.14	3.7	120	1.6	2.0	<0.001	<0.01	0.13	0.7	<0.2	<0.2	7.2	<0.01	<0.01
I099610		1.16	28.7	470	7.0	10.5	<0.001	<0.01	0.56	5.2	0.5	0.5	29.0	<0.01	0.02
I099611		0.94	38.6	580	6.8	15.8	<0.001	<0.01	0.74	5.8	0.4	0.5	26.2	<0.01	0.03
I099612		1.53	15.7	240	8.1	10.5	<0.001	<0.01	0.38	4.0	0.4	0.6	18.1	<0.01	0.02
I099613		2.82	8.9	360	7.1	43.4	<0.001	<0.01	0.24	4.3	0.6	0.8	15.8	<0.01	0.01
I099614		2.68	11.7	500	15.6	22.3	<0.001	0.01	0.33	3.8	0.5	0.7	27.1	<0.01	0.03
I099615		1.61	12.8	400	9.9	10.8	<0.001	<0.01	0.36	4.0	0.5	0.6	19.9	<0.01	0.02
I099616		1.69	9.5	230	16.2	8.0	<0.001	0.01	0.25	3.5	0.4	0.6	18.1	<0.01	0.03
I099617		4.39	11.7	480	6.4	77.4	<0.001	<0.01	0.28	3.7	0.4	0.9	21.9	<0.01	0.02
I099618		1.68	17.5	340	7.8	14.5	<0.001	<0.01	0.42	4.2	0.4	0.5	25.5	<0.01	0.02
I099619		1.76	16.4	270	8.3	13.9	<0.001	<0.01	0.42	3.8	0.4	0.6	25.5	<0.01	0.03
I099620		2.14	18.1	310	9.1	17.6	<0.001	<0.01	0.50	3.6	0.3	0.7	21.9	<0.01	0.04
I099621		1.63	16.3	300	6.4	21.1	<0.001	0.01	0.29	3.6	0.3	0.5	25.8	<0.01	0.02
I099622		1.61	17.7	310	6.8	20.0	<0.001	<0.01	0.30	3.7	0.3	0.5	26.7	<0.01	0.02
I099623		2.21	17.0	580	7.3	17.4	<0.001	0.02	0.41	4.8	0.8	0.6	36.0	0.01	0.03
I099624		2.78	18.2	480	8.4	31.2	<0.001	0.01	0.47	5.4	0.5	0.7	21.9	<0.01	0.04
I099625		1.95	14.0	430	8.9	10.2	<0.001	0.01	0.41	3.1	0.3	0.8	20.0	<0.01	0.03
I099626		1.73	20.6	620	10.3	11.4	<0.001	0.01	0.62	3.5	0.4	0.8	13.9	<0.01	0.04
I099627		3.57	15.2	510	7.1	59.7	<0.001	<0.01	0.35	4.8	0.3	1.0	13.9	<0.01	0.03
I099628		3.19	17.7	470	6.0	67.4	<0.001	0.01	0.29	6.4	0.5	0.9	20.5	<0.01	0.02
I099629		1.58	18.8	340	9.5	12.6	<0.001	0.01	0.43	4.4	0.5	0.6	24.3	<0.01	0.04
I099630		1.61	19.8	230	8.7	11.2	<0.001	0.01	0.46	4.6	0.5	0.6	17.8	<0.01	0.03
I099631		1.78	35.3	770	8.8	19.0	<0.001	0.01	0.54	6.1	0.7	0.6	34.9	<0.01	0.04
I099632		2.12	17.3	690	9.4	29.8	<0.001	0.01	0.42	3.4	0.4	0.8	20.0	<0.01	0.05
I099633		1.50	15.6	310	10.3	17.0	<0.001	0.01	0.62	3.8	0.4	0.8	19.7	<0.01	0.04
I319559		1.04	28.4	780	25.4	23.0	<0.001	0.06	10.25	6.6	0.9	0.5	34.1	<0.01	0.15
I319560		1.01	25.1	830	31.3	24.9	<0.001	0.07	16.90	5.9	0.9	0.5	36.7	<0.01	0.11
I319561		0.96	25.1	920	26.8	20.0	<0.001	0.09	12.65	4.7	1.1	0.5	49.5	<0.01	0.11



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I099560		0.094	0.12	0.30	65	0.17	2.03	56
I099561		0.093	0.10	0.26	71	0.18	1.61	54
I099562		0.142	0.14	0.34	85	0.21	1.99	56
I099563		0.128	0.14	0.70	62	0.18	4.26	60
I099601		0.170	0.20	0.37	94	0.13	2.37	61
I099602		0.119	0.20	0.29	54	0.09	2.10	41
I099603		0.224	0.50	0.28	67	0.12	1.82	73
I099604		0.230	0.37	0.53	93	2.53	3.43	77
I099605		0.263	0.59	0.50	116	0.14	3.66	92
I099606		0.162	0.29	0.46	74	0.14	3.48	78
I099607		0.082	0.10	0.34	44	0.23	2.62	42
I099608		0.107	0.14	0.38	66	0.16	3.86	67
I099609		0.007	0.03	0.34	4	0.05	2.15	4
I099610		0.124	0.10	0.64	64	0.19	4.72	59
I099611		0.110	0.13	0.57	62	0.20	6.23	74
I099612		0.087	0.10	0.67	58	0.21	5.06	41
I099613		0.129	0.27	1.89	47	0.16	9.42	65
I099614		0.111	0.14	1.28	53	0.25	7.28	73
I099615		0.098	0.09	0.96	55	0.20	6.30	53
I099616		0.087	0.09	0.97	44	0.19	5.18	41
I099617		0.180	0.42	0.95	62	0.37	3.12	84
I099618		0.094	0.09	0.64	56	0.36	3.93	47
I099619		0.102	0.09	0.59	63	0.24	3.48	47
I099620		0.099	0.14	0.42	71	0.19	2.46	57
I099621		0.111	0.11	0.90	56	0.17	3.91	41
I099622		0.113	0.11	0.82	61	0.25	3.77	43
I099623		0.101	0.11	1.47	60	0.22	12.75	46
I099624		0.136	0.16	0.78	75	0.19	6.49	51
I099625		0.089	0.12	0.34	64	0.18	1.87	48
I099626		0.095	0.11	0.37	78	0.21	2.10	62
I099627		0.171	0.30	0.65	69	0.15	3.33	70
I099628		0.169	0.35	1.16	72	0.14	6.59	79
I099629		0.084	0.09	0.79	62	0.21	4.57	45
I099630		0.087	0.11	0.71	68	0.35	6.54	45
I099631		0.097	0.10	0.72	63	0.21	8.55	57
I099632		0.111	0.24	0.42	68	0.19	2.82	120
I099633		0.061	0.14	0.50	70	0.16	2.29	88
I319559		0.101	0.20	0.75	81	1.07	6.44	96
I319560		0.112	0.20	0.70	77	0.19	5.86	103
I319561		0.086	0.16	0.87	66	0.17	8.32	94



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319562		0.76	0.060	1.15	2.38	47.8	<0.2	<10	320	0.38	0.41	0.81	1.28	19.90	12.7	39
I319563		0.76	0.177	0.83	2.79	69.9	<0.2	<10	280	0.32	0.50	0.46	0.44	14.90	14.1	48
I319564		0.84	0.047	0.88	2.70	56.7	<0.2	<10	290	0.33	0.43	0.46	0.43	14.60	15.0	54
I319565		0.66	0.044	0.92	2.92	52.3	<0.2	<10	380	0.38	0.41	0.70	0.87	18.40	16.5	50
I319566		0.68	0.057	0.69	2.74	58.8	<0.2	<10	370	0.38	0.42	0.77	0.76	18.65	16.4	48
I319567		0.52	0.038	1.22	3.56	44.3	<0.2	<10	540	0.42	0.39	1.19	1.58	25.0	18.9	46
I319568		0.68	0.017	0.37	2.79	42.1	<0.2	<10	360	0.35	0.40	0.83	0.33	13.75	13.1	46
I319569		0.56	0.025	0.56	2.41	43.5	<0.2	<10	600	0.54	0.34	1.67	1.17	26.3	15.0	36
I319570		0.70	0.043	0.38	2.95	61.0	<0.2	<10	390	0.32	0.46	0.63	0.31	14.30	20.3	52
I319789		0.36	<0.005	0.05	1.94	5.5	<0.2	<10	410	0.39	0.07	0.40	0.06	31.4	14.8	56
I319790		0.42	<0.005	0.06	2.17	5.2	<0.2	<10	360	0.38	0.08	0.40	0.06	31.0	14.8	41
I319787		0.36	<0.005	0.02	2.22	3.5	<0.2	<10	250	0.56	0.04	0.64	0.04	24.4	16.7	48
I319788		0.32	0.007	0.08	2.00	5.0	<0.2	<10	440	0.34	0.10	0.40	0.07	29.1	14.7	45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319562		1.56	48.0	2.60	7.31	0.08	0.03	0.10	0.027	0.15	9.6	10.1	0.93	680	1.04
I319563		2.02	30.7	3.25	8.43	0.10	0.03	0.05	0.028	0.39	7.3	12.8	1.33	379	0.82
I319564		2.06	34.1	3.22	8.20	0.10	0.03	0.05	0.022	0.46	7.2	12.0	1.38	411	0.79
I319565		1.76	42.6	3.11	8.63	0.10	0.03	0.08	0.025	0.35	8.8	11.5	1.21	863	1.09
I319566		1.69	41.4	3.11	8.05	0.10	0.04	0.08	0.028	0.33	9.2	11.7	1.14	786	1.11
I319567		1.70	54.1	3.39	9.90	0.12	0.06	0.12	0.029	0.38	12.0	12.9	1.18	1200	1.32
I319568		1.98	35.6	3.22	8.28	0.09	0.03	0.06	0.024	0.38	6.6	11.4	1.24	455	1.00
I319569		1.60	80.1	2.70	6.41	0.10	0.05	0.09	0.023	0.27	12.7	10.3	0.91	1330	1.15
I319570		2.18	33.3	3.72	8.99	0.09	0.04	0.03	0.021	0.50	6.8	13.6	1.51	565	1.00
I319789		0.98	19.2	2.84	6.03	0.09	0.03	0.03	0.012	0.33	20.1	13.4	1.13	241	0.48
I319790		1.24	19.9	3.23	6.48	0.08	0.04	0.03	0.014	0.47	21.3	14.4	1.11	346	0.42
I319787		1.41	17.2	2.69	5.07	0.10	0.06	0.02	0.007	0.36	26.6	15.7	1.61	274	0.34
I319788		1.07	23.0	2.67	6.31	0.06	0.03	0.04	0.013	0.24	19.1	11.4	1.04	233	0.60



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I319562		0.96	25.8	940	22.9	19.0	<0.001	0.10	10.65	4.8	0.9	0.5	49.2	<0.01	0.10	0.4
I319563		1.19	26.1	580	29.4	30.9	<0.001	0.03	20.3	7.3	0.7	0.5	24.6	<0.01	0.10	1.8
I319564		1.25	27.4	640	23.1	34.9	<0.001	0.03	27.8	6.6	0.6	0.5	23.7	<0.01	0.11	1.8
I319565		1.05	29.5	810	21.5	28.6	<0.001	0.08	14.30	6.0	0.9	0.5	40.4	<0.01	0.10	0.7
I319566		1.10	27.9	850	21.5	26.8	<0.001	0.09	14.45	5.8	1.0	0.5	43.3	<0.01	0.11	0.8
I319567		1.29	34.0	890	10.8	33.4	0.001	0.11	11.05	8.5	1.4	0.5	66.2	0.01	0.10	1.1
I319568		1.13	25.1	850	10.3	29.9	<0.001	0.10	5.32	6.2	0.8	0.5	40.6	<0.01	0.10	1.1
I319569		0.96	31.4	1050	9.3	24.4	0.003	0.16	5.78	4.5	1.8	0.4	79.9	<0.01	0.12	0.5
I319570		1.31	27.7	650	12.2	42.1	<0.001	0.05	5.91	7.3	0.6	0.5	30.0	<0.01	0.08	2.1
I319789		1.09	25.1	660	3.6	27.2	<0.001	0.02	0.36	3.2	0.3	0.4	25.2	<0.01	0.01	4.4
I319790		1.08	18.8	930	4.3	39.1	<0.001	0.02	0.25	3.3	0.2	0.4	24.9	<0.01	0.01	4.5
I319787		1.11	26.5	1220	2.4	28.3	<0.001	0.02	0.13	2.5	0.2	0.3	32.0	<0.01	0.01	4.4
I319788		1.19	23.7	560	5.9	27.2	<0.001	0.03	0.24	3.1	0.4	0.4	30.6	<0.01	0.01	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 3 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS VA10134528

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319562		0.088	0.14	0.94	67	0.18	8.23	107	0.8
I319563		0.143	0.25	0.54	87	0.68	4.51	115	1.3
I319564		0.156	0.27	0.52	87	0.30	4.34	109	1.3
I319565		0.114	0.20	0.70	79	0.22	7.44	110	0.8
I319566		0.111	0.21	0.77	79	0.23	8.56	104	1.1
I319567		0.101	0.26	1.14	82	0.26	16.25	132	1.7
I319568		0.118	0.22	0.82	89	0.25	5.10	104	1.3
I319569		0.075	0.21	1.31	65	0.19	14.00	106	1.4
I319570		0.146	0.29	0.58	98	0.34	4.97	109	1.8
I319789		0.161	0.14	0.74	65	0.12	3.93	48	1.5
I319790		0.179	0.21	0.69	72	0.12	4.06	62	1.7
I319787		0.162	0.17	0.49	57	0.12	2.86	49	2.8
I319788		0.146	0.16	0.84	57	0.15	5.62	45	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS VA10134528

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

CERTIFICATE WH10113880

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-24	Pulp Login - Rcd w/o Barcode
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031901		<0.005	0.13	1.74	6.0	<0.2	<10	170	0.44	0.12	4.53	0.30	22.1	7.2	24	0.69
I031902		<0.005	0.12	1.56	8.9	<0.2	<10	300	0.45	0.15	1.70	0.29	27.7	9.8	27	0.40
I031903		0.042	0.33	1.83	7.7	<0.2	<10	1180	0.76	0.19	1.20	0.20	93.8	10.2	22	0.62
I031904		0.005	0.41	1.42	3.8	<0.2	<10	670	0.41	0.95	0.68	0.32	32.0	7.1	19	0.42
I031905		<0.005	0.11	0.80	1.1	<0.2	<10	380	0.16	0.38	0.42	0.33	15.10	2.6	11	0.36
I031906		<0.005	0.09	1.49	4.5	<0.2	<10	300	0.29	0.40	0.40	0.06	21.6	5.7	18	0.23
I031907		<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		<0.005	0.12	1.04	5.4	<0.2	<10	690	0.44	0.16	2.44	0.13	25.2	5.9	17	0.32
I031909		<0.005	0.23	1.78	4.8	<0.2	<10	1720	1.46	0.69	1.05	0.95	92.0	10.6	23	0.61
I031910		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.01	0.1	<1	<0.05
I031911		0.005	0.15	1.50	4.7	<0.2	<10	630	0.76	0.42	1.95	0.39	43.9	10.0	26	0.79
I031912		<0.005	0.13	1.54	6.8	<0.2	<10	320	0.54	0.27	0.43	0.29	41.9	8.6	21	0.68
I031913		<0.005	0.10	1.28	6.8	<0.2	<10	440	0.53	0.27	1.31	0.44	39.9	8.2	22	0.47
I031914		<0.005	0.10	1.17	5.5	<0.2	<10	460	0.50	0.21	1.74	0.38	30.4	9.7	19	0.32
I031915		<0.005	0.13	1.27	6.0	<0.2	<10	390	0.40	0.14	1.33	0.21	20.3	7.3	23	0.30
I031916		<0.005	0.13	1.43	7.7	<0.2	<10	320	0.42	0.15	0.83	0.24	22.9	8.8	26	0.38
I031917		<0.005	0.10	0.98	6.2	<0.2	<10	360	0.38	0.12	2.36	0.46	19.70	8.9	18	0.33
I031918		0.010	0.13	1.43	8.6	<0.2	<10	290	0.46	0.19	1.05	0.19	27.9	10.3	26	0.45
I031919		<0.005	0.11	1.30	8.2	<0.2	<10	320	0.35	0.16	1.70	0.28	23.1	9.7	26	0.52
I031920		<0.005	0.09	1.06	6.7	<0.2	<10	190	0.32	0.11	0.95	0.18	20.2	7.8	23	0.36
I031921		<0.005	0.10	1.16	7.4	<0.2	<10	220	0.36	0.13	0.88	0.16	23.1	8.6	25	0.41
I031922		0.014	0.04	1.79	8.5	<0.2	<10	190	0.38	0.16	0.17	0.13	16.75	8.0	30	0.59
I031923		<0.005	0.32	1.67	6.4	<0.2	<10	220	0.70	0.38	0.19	0.24	29.4	6.1	24	4.59
I031924		<0.005	0.18	1.66	8.0	<0.2	<10	230	0.52	0.26	0.22	0.17	32.4	6.1	27	2.37
I031925		<0.005	0.18	1.47	7.0	<0.2	<10	290	1.00	0.27	0.16	0.14	66.1	8.1	22	3.37
I031926		0.006	0.25	1.68	9.4	<0.2	<10	170	0.54	0.34	0.17	0.23	25.0	6.5	28	3.64
I031927		<0.005	0.09	2.13	9.2	<0.2	<10	150	0.67	0.37	0.14	0.07	21.6	6.0	29	5.32
I031928		<0.005	0.22	1.68	8.2	<0.2	<10	230	1.01	0.33	0.22	0.13	32.8	6.0	25	3.36
I031929		<0.005	0.13	1.61	7.3	<0.2	<10	150	1.43	0.59	0.70	0.17	24.8	6.4	26	7.48
I031930		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1	<0.05
I031931		<0.005	0.15	1.03	3.6	<0.2	<10	140	0.86	0.40	0.24	0.29	21.0	2.0	15	4.74
I031932		<0.005	0.09	2.11	8.5	<0.2	<10	240	0.50	0.28	0.16	0.11	24.5	15.9	31	1.94
I031933		<0.005	0.04	2.22	11.0	<0.2	<10	200	0.53	0.23	0.14	0.10	20.1	10.1	35	1.89
I031934		<0.005	0.12	1.52	11.3	<0.2	<10	110	0.22	0.17	0.19	0.05	15.30	7.0	23	1.61
I031935		<0.005	0.04	1.96	11.8	<0.2	<10	120	0.38	0.23	0.11	0.08	24.0	6.3	34	1.64
I031936		<0.005	0.05	2.05	11.8	<0.2	<10	160	0.41	0.21	0.13	0.05	22.5	8.1	32	1.56
I031937		<0.005	0.12	2.12	9.1	<0.2	<10	160	0.41	0.22	0.13	0.07	19.70	7.9	34	2.32
I031938		<0.005	0.17	2.13	14.2	<0.2	<10	200	0.54	0.13	0.34	0.15	22.9	10.7	48	5.62
I031939		<0.005	0.40	1.74	6.1	<0.2	<10	180	0.39	0.15	0.32	0.05	21.0	7.8	25	3.37
I031940		<0.005	0.16	2.61	9.7	<0.2	<10	190	0.38	0.22	0.27	0.18	16.30	9.5	27	4.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031901		25.3	1.94	4.72	0.07	0.19	0.05	0.020	0.05	11.8	13.4	1.44	278	0.65	0.02
I031902		32.1	2.27	4.79	0.07	0.15	0.06	0.023	0.04	14.5	10.7	0.57	448	0.33	0.02
I031903		41.3	2.36	5.08	0.12	0.12	0.08	0.027	0.08	48.1	8.8	0.37	532	1.01	0.04
I031904		47.9	1.94	5.27	0.07	0.06	0.07	0.027	0.08	25.8	9.8	0.40	374	2.03	0.02
I031905		18.6	0.98	4.46	<0.05	0.03	0.02	0.012	0.07	7.9	3.6	0.14	790	2.00	0.01
I031906		18.7	2.14	5.16	<0.05	0.09	0.02	0.023	0.11	11.7	9.5	0.33	235	1.26	0.01
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		20.4	1.69	3.33	0.06	0.03	0.04	0.016	0.06	13.1	7.3	0.31	272	0.67	0.02
I031909		109.5	2.65	5.87	0.26	0.13	0.06	0.037	0.08	104.0	7.5	0.36	1120	0.97	0.03
I031910		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01
I031911		42.7	2.80	5.03	0.12	0.08	0.08	0.032	0.13	30.8	11.8	0.69	408	0.79	0.02
I031912		16.7	2.60	5.77	0.07	0.04	0.02	0.025	0.11	19.8	8.6	0.40	434	1.05	0.02
I031913		28.6	2.36	4.71	0.08	0.05	0.02	0.022	0.12	21.0	9.2	0.43	386	0.83	0.02
I031914		23.0	2.11	4.04	0.07	0.02	0.02	0.020	0.09	14.0	6.6	0.37	499	0.70	0.02
I031915		19.1	2.08	4.14	0.05	0.04	0.02	0.020	0.03	9.7	7.8	0.41	299	0.62	0.02
I031916		18.1	2.48	4.65	0.07	0.05	0.01	0.021	0.04	10.6	9.7	0.51	398	0.90	0.03
I031917		25.7	1.71	3.21	0.06	0.06	0.04	0.016	0.05	9.8	6.5	0.40	903	0.93	0.03
I031918		24.7	2.62	4.68	0.07	0.07	0.03	0.022	0.07	13.0	10.5	0.55	426	1.24	0.03
I031919		18.6	2.24	4.32	0.06	0.05	0.04	0.022	0.06	10.1	9.4	0.56	536	1.03	0.03
I031920		17.1	2.09	3.58	0.06	0.05	0.02	0.016	0.04	9.8	7.8	0.47	317	0.99	0.03
I031921		20.8	2.26	3.93	0.07	0.06	0.02	0.019	0.04	10.9	8.7	0.50	322	1.08	0.03
I031922		12.9	2.56	5.52	<0.05	0.02	0.01	0.023	0.04	7.9	11.2	0.36	164	1.00	0.01
I031923		21.7	2.38	9.28	0.06	<0.02	0.02	0.027	0.06	16.0	7.7	0.31	203	1.76	0.01
I031924		14.4	2.44	7.84	0.07	<0.02	0.04	0.022	0.05	18.3	9.2	0.34	201	1.17	0.01
I031925		13.3	2.87	7.81	0.10	<0.02	0.03	0.021	0.07	43.4	9.0	0.22	1260	1.27	0.01
I031926		14.2	2.82	7.31	0.06	<0.02	0.05	0.023	0.07	11.6	11.2	0.35	219	1.45	0.01
I031927		11.0	2.98	8.75	0.06	0.03	0.02	0.029	0.04	10.5	15.4	0.38	177	1.08	0.01
I031928		14.9	2.35	7.78	0.07	<0.02	0.04	0.023	0.06	19.9	9.1	0.31	179	1.55	0.01
I031929		18.1	2.13	6.59	0.06	0.06	0.03	0.028	0.07	13.7	16.8	0.38	262	2.29	0.01
I031930		0.6	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05	<0.01
I031931		15.3	1.30	5.34	<0.05	<0.02	0.06	0.025	0.05	11.3	3.5	0.11	107	1.01	0.02
I031932		16.6	3.09	8.43	0.06	0.05	0.03	0.029	0.04	10.7	12.8	0.33	2100	1.94	0.01
I031933		16.9	3.25	6.80	0.06	0.09	0.03	0.031	0.04	9.5	14.9	0.47	305	1.23	0.01
I031934		15.5	2.51	7.76	0.05	<0.02	0.04	0.018	0.04	7.4	10.8	0.44	185	0.89	0.02
I031935		13.0	3.53	7.15	0.07	<0.02	0.02	0.030	0.04	11.1	15.2	0.34	191	1.45	0.01
I031936		13.9	3.17	7.53	0.07	0.03	0.01	0.029	0.04	11.0	14.5	0.43	209	1.22	0.01
I031937		14.1	3.21	7.86	0.06	0.10	0.02	0.029	0.05	9.5	15.1	0.38	254	1.44	0.01
I031938		17.0	3.21	8.86	0.07	<0.02	0.03	0.018	0.07	11.2	23.5	0.89	567	1.39	0.01
I031939		32.4	2.42	5.91	0.06	0.03	0.03	0.022	0.04	10.4	17.8	0.53	193	1.71	0.01
I031940		85.9	4.02	10.45	0.07	0.02	0.02	0.031	0.28	7.9	18.3	0.97	369	1.82	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I031901		21.1	620	9.6	7.8	<0.001	0.04	0.69	4.2	0.9	0.4	61.4	<0.01	0.01	1.8
I031902		26.6	610	8.0	6.8	<0.001	0.04	0.74	4.2	1.0	0.4	41.3	<0.01	0.02	1.8
I031903		23.4	540	8.5	11.0	<0.001	0.04	0.99	6.7	1.3	0.4	48.7	0.01	0.02	3.9
I031904		11.5	440	24.7	11.6	0.001	0.03	1.78	4.1	0.7	0.6	35.5	<0.01	0.07	3.8
I031905		6.0	200	8.5	7.3	<0.001	0.03	0.44	2.3	0.3	0.5	27.6	<0.01	0.02	1.7
I031906		11.1	300	10.4	8.3	<0.001	0.03	0.60	3.2	0.4	0.6	24.0	<0.01	0.03	3.3
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I031908		12.1	560	8.3	5.9	0.001	0.07	0.46	2.2	1.1	0.3	75.2	0.01	0.02	1.5
I031909		26.0	470	32.3	10.1	0.002	0.02	1.98	6.8	2.4	0.7	40.3	0.02	0.04	7.2
I031910		<0.2	10	0.6	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.3
I031911		17.6	810	17.3	13.7	0.001	0.05	2.46	4.9	1.5	0.6	50.0	0.01	0.03	2.9
I031912		14.1	220	22.7	13.2	<0.001	0.01	0.43	3.6	0.6	0.8	23.1	<0.01	0.02	6.4
I031913		17.2	570	14.8	13.1	<0.001	0.04	0.90	3.6	1.2	0.5	42.7	0.01	0.03	3.4
I031914		13.8	660	9.2	9.8	<0.001	0.04	0.91	2.7	1.1	0.4	52.0	<0.01	0.03	1.3
I031915		17.2	560	6.4	3.8	0.001	0.04	0.61	3.1	1.2	0.4	51.8	<0.01	0.03	1.3
I031916		20.9	620	6.8	4.8	<0.001	0.02	0.53	3.6	0.8	0.4	47.4	<0.01	0.03	1.7
I031917		19.2	890	5.0	5.9	0.001	0.09	0.89	2.2	1.3	0.3	83.0	<0.01	0.04	0.7
I031918		20.0	740	8.3	7.4	0.001	0.03	0.73	4.2	0.8	0.4	48.7	<0.01	0.03	2.7
I031919		18.0	860	7.0	6.1	0.001	0.07	0.78	3.4	1.1	0.4	73.7	<0.01	0.03	1.1
I031920		17.1	740	5.0	4.1	0.001	0.03	0.53	3.0	0.7	0.3	47.6	<0.01	0.02	1.5
I031921		18.5	750	5.7	4.8	<0.001	0.03	0.61	3.6	0.9	0.4	46.3	<0.01	0.02	1.8
I031922		18.9	150	7.7	7.1	<0.001	0.01	0.47	2.9	0.3	0.5	14.5	<0.01	0.02	2.5
I031923		13.3	570	19.6	23.4	<0.001	0.01	0.39	3.2	0.6	1.2	21.5	<0.01	0.03	1.0
I031924		14.3	530	10.9	12.0	<0.001	0.02	0.40	3.1	0.6	0.8	22.5	<0.01	0.02	1.2
I031925		10.4	440	11.9	22.0	<0.001	0.01	0.40	3.1	0.7	0.7	14.7	<0.01	0.03	3.8
I031926		14.4	400	13.9	23.0	<0.001	0.02	0.46	2.7	0.6	0.7	17.2	<0.01	0.03	1.4
I031927		13.9	210	14.1	14.7	<0.001	0.01	0.34	3.7	0.4	1.1	14.4	<0.01	0.03	3.7
I031928		12.4	360	14.2	14.5	<0.001	0.02	0.39	3.7	0.7	1.0	21.6	<0.01	0.03	3.5
I031929		14.3	480	14.6	23.7	<0.001	0.03	0.33	3.5	1.0	1.3	49.5	0.01	0.02	4.1
I031930		<0.2	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031931		5.3	510	25.5	9.1	<0.001	0.02	0.20	1.1	0.8	1.0	20.3	<0.01	0.02	0.2
I031932		15.3	240	12.2	11.4	<0.001	0.01	0.51	4.1	0.6	0.8	16.1	<0.01	0.03	3.1
I031933		21.4	290	11.0	10.7	<0.001	0.01	0.56	3.7	0.5	0.6	14.2	<0.01	0.03	3.7
I031934		11.7	410	7.0	6.1	<0.001	0.02	0.45	3.4	0.6	0.6	14.9	<0.01	0.03	0.8
I031935		12.7	420	11.2	11.7	<0.001	0.01	0.64	3.3	0.7	0.6	11.7	0.01	0.04	3.4
I031936		16.8	240	10.1	9.2	<0.001	0.01	0.51	3.6	0.4	0.7	14.1	<0.01	0.03	3.8
I031937		15.2	230	9.9	11.6	<0.001	0.01	0.44	3.4	0.3	0.7	12.1	<0.01	0.03	3.3
I031938		21.6	530	11.0	17.6	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.02	1.0
I031939		15.8	500	7.9	8.5	<0.001	0.01	0.37	3.6	0.5	0.5	21.3	<0.01	0.03	2.6
I031940		15.5	840	10.7	28.9	<0.001	0.01	0.35	4.0	0.5	1.3	19.2	<0.01	0.09	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031901		0.06	0.81	44	0.27	10.25	56	8.6	0.26
I031902		0.05	0.55	50	0.16	12.15	50	6.5	0.32
I031903		0.07	1.52	47	0.19	40.4	42	4.4	0.32
I031904		0.07	0.86	44	0.16	14.25	53	1.7	0.24
I031905		0.07	0.40	27	0.11	2.45	76	1.2	0.12
I031906		0.06	0.59	45	0.16	4.28	42	3.1	0.22
I031907		NSS	NSS	NSS	NSS	NSS	NSS	NSS	0.20
I031908		0.04	1.02	28	0.20	10.15	34	1.8	0.38
I031909		0.08	1.12	42	0.22	66.5	64	3.0	0.24
I031910		<0.02	0.10	<1	<0.05	0.60	2	0.6	0.10
I031911		0.09	1.37	46	0.17	28.4	63	3.0	0.34
I031912		0.09	0.91	49	0.27	6.21	54	1.9	0.28
I031913		0.05	1.59	46	0.76	13.55	57	2.2	0.28
I031914		0.04	0.96	42	0.18	8.48	61	1.4	0.28
I031915		0.04	1.47	46	0.16	6.13	39	2.0	0.48
I031916		0.04	1.02	55	0.14	6.97	50	2.2	0.34
I031917		0.04	1.64	37	0.15	8.33	52	2.7	0.28
I031918		0.05	1.12	53	0.39	8.87	57	3.6	0.44
I031919		0.06	1.35	49	0.18	6.98	63	2.5	0.22
I031920		0.04	0.69	47	0.14	6.06	41	2.5	0.38
I031921		0.04	0.78	50	0.26	7.48	43	2.8	0.40
I031922		0.07	0.33	61	0.20	2.10	58	1.8	0.42
I031923		0.15	1.08	60	0.24	6.80	40	0.9	0.28
I031924		0.12	0.66	59	0.25	6.44	41	0.7	0.30
I031925		0.12	0.78	65	0.20	8.78	39	0.9	0.38
I031926		0.11	0.66	64	0.23	4.10	37	0.7	0.34
I031927		0.16	0.85	69	0.20	4.78	40	1.7	0.46
I031928		0.13	1.00	60	0.25	8.42	38	1.0	0.30
I031929		0.13	7.40	46	0.24	19.20	43	1.9	0.32
I031930		<0.02	0.13	<1	<0.05	0.64	<2	0.6	0.10
I031931		0.10	2.68	25	0.14	10.20	16	<0.5	0.24
I031932		0.16	0.57	77	0.22	3.02	34	2.9	0.34
I031933		0.11	0.80	68	0.23	2.83	51	4.1	0.36
I031934		0.09	0.38	77	0.20	2.46	33	0.8	0.40
I031935		0.11	0.65	69	0.30	2.88	37	1.1	0.44
I031936		0.12	0.58	70	0.21	2.99	42	2.4	0.52
I031937		0.12	0.46	72	0.18	2.32	39	4.8	0.42
I031938		0.09	0.62	63	0.18	5.15	61	0.5	0.46
I031939		0.09	0.55	50	0.15	4.66	52	1.8	0.34
I031940		0.27	0.46	104	0.31	2.72	125	1.4	0.40



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031941		<0.005	0.16	2.43	9.6	<0.2	<10	180	0.35	0.22	0.24	0.18	16.65	9.2	27	4.06
I031942		<0.005	0.14	1.67	8.7	<0.2	<10	140	0.24	0.21	0.15	0.12	18.50	6.0	25	1.22
I031943		<0.005	0.12	1.52	6.2	<0.2	<10	140	0.25	0.13	0.24	0.11	19.70	7.1	27	1.25
I031944		<0.005	0.05	2.43	10.1	<0.2	<10	180	0.38	0.18	0.12	0.18	20.2	10.8	36	2.79
I031945		<0.005	0.12	2.33	10.9	<0.2	<10	190	0.72	0.43	0.11	0.13	22.2	12.5	38	2.83
I031946		<0.005	0.04	2.16	14.5	<0.2	<10	160	0.45	0.22	0.14	0.10	27.5	13.6	31	3.48
I031947		<0.005	0.07	2.43	11.3	<0.2	<10	170	0.40	0.23	0.11	0.07	26.8	9.2	36	1.97
I031948		<0.005	0.08	2.07	8.0	<0.2	<10	150	0.32	0.14	0.14	0.14	27.4	7.3	19	3.44
I031949		<0.005	0.05	2.68	18.5	<0.2	<10	90	0.29	0.19	0.10	0.10	15.10	11.5	22	4.33
I031950		<0.005	<0.01	0.01	0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.21	0.2	1	0.05
I031951		<0.005	0.03	2.09	5.7	<0.2	<10	180	0.37	0.15	0.31	0.05	16.60	7.9	27	1.08
I031952		<0.005	0.05	2.23	6.1	<0.2	<10	230	0.44	0.15	0.36	0.07	20.0	9.5	27	0.98
I031953		<0.005	0.05	1.87	4.8	<0.2	<10	160	0.28	0.14	0.35	0.07	15.10	5.5	29	0.79
I031954		<0.005	0.06	1.75	4.9	<0.2	<10	140	0.26	0.12	0.24	0.05	15.05	5.8	25	0.85
I031955		<0.005	0.04	2.29	4.9	<0.2	<10	230	0.43	0.12	0.67	0.07	14.80	9.4	24	0.85
I031956		<0.005	0.08	1.93	6.4	<0.2	<10	200	0.44	0.12	1.04	0.07	25.0	7.9	25	0.59
I031957		<0.005	0.07	1.38	5.1	<0.2	<10	210	0.52	0.12	0.78	0.10	29.8	6.4	20	0.39
I031958		<0.005	0.08	1.82	9.2	<0.2	<10	130	0.27	0.15	0.10	0.05	15.20	6.6	24	0.79
I031959		<0.005	0.14	1.97	6.5	<0.2	<10	150	0.35	0.16	0.09	0.04	15.10	6.3	26	0.91
I031960		<0.005	0.20	1.95	7.3	<0.2	<10	170	0.41	0.16	0.10	0.04	15.75	6.8	29	0.85
I031961		<0.005	0.08	1.75	7.4	<0.2	<10	140	0.26	0.12	0.08	0.04	14.70	5.8	24	0.72
I031962		<0.005	0.06	1.65	8.2	<0.2	<10	160	0.24	0.14	0.14	0.05	15.65	6.6	24	0.61
I031963		<0.005	0.14	1.36	6.3	<0.2	<10	160	0.37	0.19	0.11	0.07	23.6	4.5	23	0.65
I031964		<0.005	0.05	1.60	5.4	<0.2	<10	300	0.19	0.13	0.23	0.08	10.90	11.9	34	0.84
I031965		<0.005	0.04	2.16	5.5	<0.2	<10	230	0.42	0.17	0.52	0.07	19.60	11.0	32	0.83
I031966		<0.005	0.07	2.77	8.0	<0.2	<10	280	0.83	0.20	0.56	0.13	36.9	11.8	52	0.74
I031967		<0.005	0.03	2.38	3.9	<0.2	<10	240	0.56	0.22	0.34	0.06	46.7	9.7	21	1.05
I031968		<0.005	0.11	1.62	6.4	<0.2	<10	190	0.21	0.18	0.09	0.13	17.75	6.1	25	0.45
I031969		<0.005	0.13	1.65	3.1	<0.2	<10	410	0.25	0.16	0.33	0.36	19.80	8.8	21	0.45
I031970		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.09	0.2	<1	<0.05
I031971		<0.005	0.14	1.50	5.2	<0.2	<10	480	0.32	0.16	0.32	0.12	22.2	7.2	24	0.35
I031972		<0.005	0.19	1.82	3.3	<0.2	<10	470	0.39	0.19	0.46	0.25	27.1	10.4	85	0.54
I031973		<0.005	0.31	1.51	3.6	<0.2	<10	780	0.40	0.19	0.41	0.56	24.2	10.1	22	0.51
I031974		<0.005	0.19	1.71	4.7	<0.2	<10	470	0.57	0.21	0.42	0.09	27.2	10.0	29	0.34
I031975		<0.005	0.09	1.64	7.6	<0.2	<10	270	0.35	0.17	0.32	0.12	19.05	8.5	29	0.41
I031976		<0.005	0.07	1.51	3.7	<0.2	<10	200	0.31	0.15	0.20	0.12	18.55	6.2	24	0.42
I031977		<0.005	0.11	1.60	5.2	<0.2	<10	480	0.43	0.19	0.34	0.11	24.3	8.7	28	0.40
I031978		<0.005	0.06	1.34	1.8	<0.2	<10	220	0.25	0.23	0.26	0.18	17.90	6.0	16	0.41
I031979		<0.005	0.13	1.71	5.2	<0.2	<10	370	0.40	0.24	0.39	0.10	19.20	9.0	28	0.27
I031980		<0.005	0.14	1.93	6.2	<0.2	<10	390	0.52	0.24	0.41	0.10	21.2	9.7	31	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031941		77.5	3.75	10.00	0.08	<0.02	0.02	0.029	0.24	8.3	17.5	0.86	331	1.74	0.01
I031942		27.3	2.89	7.99	0.06	<0.02	0.02	0.023	0.06	9.0	11.6	0.41	194	1.21	0.01
I031943		49.1	2.24	5.22	0.05	0.04	0.03	0.021	0.05	10.2	14.2	0.50	183	0.61	<0.01
I031944		19.7	3.33	6.74	0.07	0.05	0.02	0.032	0.05	10.2	18.4	0.55	283	1.13	<0.01
I031945		13.8	3.44	6.98	0.07	0.06	0.01	0.037	0.05	11.4	17.7	0.41	269	1.65	<0.01
I031946		18.5	3.22	6.95	0.07	<0.02	0.01	0.033	0.10	12.9	18.8	0.56	268	1.50	<0.01
I031947		14.8	3.28	8.16	0.07	0.03	0.03	0.034	0.05	13.6	17.9	0.42	193	1.49	<0.01
I031948		14.3	3.15	8.85	0.07	<0.02	0.02	0.023	0.26	11.9	21.7	0.54	356	1.11	<0.01
I031949		20.7	4.83	9.57	0.08	<0.02	0.01	0.025	0.07	6.2	29.3	0.86	461	2.78	<0.01
I031950		1.0	0.03	0.19	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.5	<0.01	<5	0.07	<0.01
I031951		13.5	2.33	6.74	0.05	0.03	0.01	0.048	0.03	7.7	18.6	0.83	169	0.52	<0.01
I031952		12.6	2.54	7.17	0.05	0.06	0.02	0.025	0.03	9.3	17.7	0.68	334	0.58	0.01
I031953		13.1	2.01	7.06	0.05	0.03	0.01	0.023	0.02	7.6	16.0	0.66	142	0.60	<0.01
I031954		9.5	1.93	5.93	0.05	<0.02	0.01	0.020	0.03	7.9	15.6	0.53	144	0.67	<0.01
I031955		20.3	2.51	7.39	0.06	0.05	0.02	0.022	0.04	7.1	20.1	1.02	528	0.43	0.01
I031956		25.4	2.19	5.33	0.06	0.07	0.03	0.023	0.03	12.9	16.8	1.06	336	0.25	0.02
I031957		17.6	1.82	4.46	0.06	0.04	0.03	0.018	0.04	15.7	9.8	0.39	315	0.28	0.01
I031958		14.5	2.54	6.69	0.05	<0.02	0.02	0.020	0.04	8.2	10.7	0.40	203	1.14	<0.01
I031959		14.9	2.53	6.57	0.05	<0.02	0.01	0.025	0.05	7.7	14.1	0.38	163	0.71	<0.01
I031960		18.6	2.55	6.34	0.05	<0.02	0.01	0.025	0.05	8.0	12.6	0.41	172	0.72	<0.01
I031961		13.9	2.24	5.39	0.05	<0.02	0.01	0.019	0.04	7.6	12.6	0.33	169	1.03	<0.01
I031962		12.3	2.58	6.29	0.05	0.03	0.01	0.018	0.06	8.2	16.3	0.47	195	0.84	<0.01
I031963		9.6	2.14	6.53	0.05	<0.02	0.01	0.017	0.04	12.7	12.3	0.26	214	1.05	<0.01
I031964		16.1	2.22	5.92	0.05	<0.02	0.01	0.015	0.07	5.5	15.6	0.81	656	0.67	0.01
I031965		14.5	2.68	6.94	0.05	0.08	0.02	0.051	0.03	9.2	13.5	0.58	449	1.21	0.01
I031966		19.5	3.04	8.34	0.08	0.25	0.02	0.038	0.03	19.0	14.8	0.78	440	0.73	0.02
I031967		29.8	3.26	6.51	0.07	0.07	0.01	0.025	0.06	22.9	20.2	0.53	182	0.73	0.01
I031968		9.5	2.52	6.58	0.05	0.02	0.01	0.020	0.03	8.9	11.0	0.32	511	1.44	<0.01
I031969		12.3	2.33	6.48	0.06	0.03	0.01	0.020	0.07	10.0	9.0	0.35	1020	1.26	0.01
I031970		0.8	0.02	0.14	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05	<0.01
I031971		9.9	2.28	5.05	0.05	<0.02	0.01	0.021	0.09	11.2	10.0	0.34	460	1.08	0.01
I031972		15.3	2.52	6.10	0.06	0.02	0.01	0.024	0.23	12.3	10.2	0.59	990	1.78	0.02
I031973		16.2	2.12	5.67	0.05	<0.02	0.02	0.020	0.08	12.9	7.8	0.29	2340	1.03	0.03
I031974		18.4	2.72	5.46	0.05	0.04	0.02	0.025	0.12	11.8	8.8	0.38	627	1.25	0.01
I031975		13.7	2.50	5.35	0.05	<0.02	0.01	0.022	0.09	9.3	9.3	0.38	447	1.03	0.01
I031976		9.6	2.06	5.90	<0.05	<0.02	0.01	0.022	0.04	9.4	10.3	0.38	276	0.91	0.01
I031977		11.7	2.33	5.14	0.05	0.10	0.01	0.022	0.11	12.0	8.4	0.32	774	1.15	0.02
I031978		12.8	2.20	5.61	<0.05	<0.02	0.01	0.040	0.08	7.8	8.3	0.32	299	1.44	0.01
I031979		10.3	2.61	5.17	0.05	0.07	0.01	0.024	0.08	9.7	8.1	0.40	484	1.37	0.01
I031980		11.8	2.80	5.61	0.05	0.09	0.02	0.026	0.09	10.6	8.6	0.42	510	1.48	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031941		15.5	730	10.4	25.6	<0.001	0.01	0.37	3.8	0.5	1.2	18.7	<0.01	0.07	1.7
I031942		11.0	430	9.3	12.7	<0.001	0.01	0.34	3.0	0.4	0.8	14.9	<0.01	0.05	1.8
I031943		15.9	440	8.0	8.8	<0.001	<0.01	0.34	3.5	0.2	0.5	20.3	<0.01	0.01	2.7
I031944		21.2	260	10.9	11.9	<0.001	<0.01	0.50	4.3	0.3	0.6	14.9	<0.01	0.02	3.7
I031945		22.7	310	20.1	19.0	<0.001	0.01	0.58	3.7	0.3	0.9	13.0	0.01	0.03	4.3
I031946		18.8	410	9.7	15.0	<0.001	0.01	0.57	4.7	0.4	0.6	15.0	<0.01	0.04	3.0
I031947		16.8	330	10.5	11.8	<0.001	0.01	0.58	4.7	0.4	0.8	14.2	0.01	0.03	3.8
I031948		9.2	640	12.9	33.3	<0.001	0.01	0.32	4.1	0.4	0.9	11.5	<0.01	0.03	3.0
I031949		9.5	580	9.2	18.4	<0.001	0.01	0.56	4.7	0.3	0.4	8.6	<0.01	0.08	3.0
I031950		0.4	10	0.5	0.3	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.3
I031951		18.2	290	6.6	8.2	<0.001	0.01	0.24	3.6	0.2	0.5	18.5	<0.01	0.02	1.9
I031952		19.5	230	8.3	8.6	<0.001	<0.01	0.27	4.0	0.3	0.6	19.4	<0.01	0.02	2.5
I031953		16.7	170	6.9	4.8	<0.001	0.01	0.24	3.6	0.2	0.6	17.0	<0.01	0.02	1.8
I031954		13.3	240	6.6	6.0	<0.001	<0.01	0.25	3.1	0.2	0.5	16.3	<0.01	0.02	1.8
I031955		14.7	340	6.0	7.6	<0.001	0.01	0.23	4.3	0.3	0.5	27.9	<0.01	0.02	1.9
I031956		18.0	570	6.7	6.0	<0.001	0.02	0.32	4.4	0.7	0.4	33.3	<0.01	0.02	2.0
I031957		13.2	460	5.7	7.1	<0.001	0.02	0.28	3.5	0.7	0.3	31.1	<0.01	0.02	2.4
I031958		14.5	430	7.7	10.5	<0.001	0.01	0.42	2.6	0.2	0.5	14.5	<0.01	0.02	1.6
I031959		16.5	170	8.1	12.4	<0.001	<0.01	0.35	2.7	<0.2	0.5	11.0	<0.01	0.02	2.2
I031960		18.9	160	8.3	11.5	<0.001	<0.01	0.39	2.8	<0.2	0.5	11.9	<0.01	0.02	2.1
I031961		14.1	160	6.7	9.7	<0.001	<0.01	0.40	2.2	0.2	0.5	10.9	<0.01	0.02	1.2
I031962		14.8	210	8.2	10.0	<0.001	<0.01	0.37	2.5	<0.2	0.5	15.3	<0.01	0.02	2.4
I031963		12.4	360	8.4	11.1	<0.001	<0.01	0.31	2.4	<0.2	0.6	12.2	<0.01	0.02	2.2
I031964		24.5	300	7.0	13.7	<0.001	0.01	0.31	2.7	<0.2	0.4	21.4	<0.01	0.02	0.9
I031965		18.6	130	12.1	6.3	<0.001	0.01	0.31	5.3	0.3	0.6	24.1	<0.01	0.02	2.5
I031966		28.6	110	11.4	6.7	<0.001	0.01	0.35	8.2	0.5	0.8	24.3	<0.01	0.03	4.2
I031967		13.8	130	7.5	11.7	<0.001	<0.01	0.18	4.7	0.3	0.4	18.1	<0.01	0.03	5.0
I031968		13.0	210	8.3	6.3	<0.001	0.01	0.40	2.7	<0.2	0.6	10.6	<0.01	0.03	2.3
I031969		12.5	360	7.0	10.3	<0.001	0.01	0.30	3.8	0.2	0.6	24.5	<0.01	0.02	2.4
I031970		0.5	10	0.5	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01	0.3
I031971		13.3	300	7.7	10.1	<0.001	<0.01	0.37	2.8	0.2	0.5	18.0	<0.01	0.02	2.2
I031972		29.5	380	22.7	20.0	<0.001	0.01	0.31	4.4	0.2	0.5	25.1	<0.01	0.02	3.6
I031973		16.6	380	10.2	14.2	<0.001	0.01	0.31	3.0	0.3	0.6	28.5	<0.01	0.03	2.3
I031974		15.9	220	10.4	14.3	<0.001	0.01	0.32	5.3	0.3	0.5	21.4	<0.01	0.02	3.2
I031975		16.7	230	7.7	12.0	<0.001	0.01	0.46	3.7	0.3	0.5	23.9	<0.01	0.02	2.9
I031976		12.7	230	6.9	5.2	<0.001	<0.01	0.28	3.0	0.2	0.7	18.3	<0.01	0.01	2.9
I031977		16.4	190	7.9	10.0	<0.001	<0.01	0.35	3.9	0.2	0.6	22.5	<0.01	0.02	4.0
I031978		8.9	490	7.0	9.0	<0.001	0.01	0.25	1.6	<0.2	1.2	17.2	<0.01	0.01	0.4
I031979		15.1	200	9.8	5.3	<0.001	0.01	0.32	3.9	0.3	0.6	21.1	<0.01	0.02	3.5
I031980		16.9	210	10.4	5.8	<0.001	0.01	0.37	4.6	0.3	0.7	21.8	<0.01	0.02	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031941		0.24	0.45	97	0.42	2.77	111	1.3	0.42
I031942		0.11	0.39	74	0.20	2.22	47	0.9	0.36
I031943		0.09	0.57	57	0.15	4.06	59	2.2	0.44
I031944		0.13	0.57	74	0.21	3.19	67	3.5	0.40
I031945		0.14	0.67	70	0.30	4.29	68	3.8	0.34
I031946		0.13	0.78	71	0.21	4.77	64	1.2	0.38
I031947		0.12	0.84	79	0.28	4.14	46	2.3	0.42
I031948		0.18	0.58	67	0.21	4.74	99	1.0	0.46
I031949		0.13	0.47	101	0.13	4.27	79	1.2	0.38
I031950		<0.02	0.12	2	<0.05	0.66	3	0.6	0.08
I031951		0.07	0.55	55	0.16	3.16	36	2.3	0.32
I031952		0.10	0.53	63	0.15	3.74	38	3.5	0.24
I031953		0.08	0.44	61	0.15	2.84	27	2.1	0.26
I031954		0.09	0.36	53	0.17	2.70	30	1.4	0.28
I031955		0.08	0.60	63	0.13	4.67	46	3.1	0.22
I031956		0.05	0.77	50	0.16	11.05	41	4.0	0.32
I031957		0.04	1.04	37	0.13	10.40	34	2.4	0.26
I031958		0.09	0.32	62	0.16	2.30	41	0.8	0.28
I031959		0.09	0.33	57	0.13	2.00	33	1.3	0.36
I031960		0.09	0.37	58	0.12	2.14	35	1.3	0.26
I031961		0.07	0.31	52	0.13	2.34	32	0.5	0.28
I031962		0.07	0.32	56	0.15	2.01	45	2.3	0.34
I031963		0.08	0.38	61	0.14	2.86	32	0.9	0.22
I031964		0.07	0.23	63	0.20	1.66	49	0.6	0.22
I031965		0.10	0.62	73	0.19	3.73	42	4.1	0.24
I031966		0.09	0.52	82	0.15	16.55	49	11.0	0.36
I031967		0.12	0.56	47	0.09	8.35	56	3.6	0.24
I031968		0.10	0.32	65	0.19	2.05	39	1.6	0.28
I031969		0.12	0.31	60	0.16	3.02	100	2.4	0.26
I031970		<0.02	0.09	1	<0.05	0.60	4	0.6	0.10
I031971		0.09	0.39	50	0.16	2.78	50	0.9	0.26
I031972		0.14	0.46	49	0.12	4.57	92	1.4	0.28
I031973		0.09	0.40	53	0.17	4.23	93	1.3	0.16
I031974		0.08	0.60	58	0.15	4.55	52	2.3	0.32
I031975		0.07	0.43	57	0.15	3.15	56	1.4	0.32
I031976		0.09	0.36	52	0.12	3.47	55	1.0	0.30
I031977		0.09	0.38	54	0.13	3.53	57	4.7	0.28
I031978		0.09	0.43	45	0.14	2.96	58	<0.5	0.26
I031979		0.08	0.35	56	0.18	2.86	54	2.8	0.28
I031980		0.08	0.41	59	0.19	3.19	56	3.8	0.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I031981		<0.005	0.13	1.78	7.0	<0.2	<10	530	0.65	0.21	0.49	0.13	35.7	11.3	32	0.30
I031982		<0.005	0.07	1.65	7.4	<0.2	<10	320	0.49	0.21	0.51	0.10	27.6	10.1	30	0.41
I031983		<0.005	0.24	1.51	7.0	<0.2	<10	500	0.59	0.22	0.71	0.25	38.7	9.7	26	0.45
I031984		<0.005	0.10	1.53	7.2	<0.2	<10	440	0.47	0.21	0.97	0.56	24.7	10.6	26	0.41
I031985		<0.005	0.06	1.71	7.6	<0.2	<10	340	0.43	0.17	0.51	0.11	23.7	8.9	29	0.30
I031986		<0.005	0.07	1.43	7.6	<0.2	<10	390	0.43	0.16	0.71	0.23	23.3	11.0	25	0.40
I031987		0.008	0.10	1.29	4.7	<0.2	<10	320	0.41	0.16	0.72	0.10	20.3	7.0	24	0.39
I031988		<0.005	0.15	1.54	9.1	<0.2	<10	310	0.54	0.19	1.01	0.21	27.0	11.7	26	0.47
I031989		0.022	0.10	0.97	5.1	<0.2	<10	390	0.44	0.09	2.72	1.55	19.20	9.1	16	0.36
I031990		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.03	0.01	0.01	1.00	0.1	<1	<0.05
I031991		<0.005	0.06	1.23	10.5	<0.2	<10	70	0.15	0.35	0.10	0.12	19.70	4.0	24	3.57
I031992		<0.005	0.12	2.17	11.7	<0.2	<10	170	0.58	0.35	0.14	0.17	19.50	10.9	32	4.05
I031993		<0.005	0.17	2.42	9.6	<0.2	<10	170	0.69	0.27	0.13	0.13	30.5	11.0	32	2.60
I031994		<0.005	0.14	1.12	6.9	<0.2	<10	180	0.33	0.46	0.25	0.12	21.3	4.0	19	2.12
I031995		<0.005	0.11	1.75	8.6	<0.2	<10	160	0.40	0.26	0.18	0.09	20.5	8.6	27	1.89
I031996		<0.005	0.20	1.82	7.4	<0.2	<10	160	0.31	0.21	0.20	0.07	17.45	9.6	22	2.35
I031997		<0.005	0.04	2.24	7.8	<0.2	<10	310	0.38	0.19	0.30	0.08	16.25	11.3	29	1.25
I031998		0.027	0.25	2.08	8.5	<0.2	<10	320	1.97	0.29	1.19	0.08	36.9	9.4	25	7.77
I031999		<0.005	0.08	2.12	7.7	<0.2	<10	150	0.34	0.14	0.47	0.12	16.30	15.1	31	3.98
I032000		<0.005	0.06	2.02	7.3	<0.2	<10	140	0.31	0.14	0.48	0.11	16.50	14.2	30	3.93
I032001		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.02	1.03	0.1	<1	<0.05
I032002		<0.005	0.08	2.59	7.0	<0.2	<10	500	0.41	0.10	0.57	0.08	29.1	17.8	40	2.61
I032003		<0.005	0.07	1.96	8.7	<0.2	<10	370	0.45	0.13	0.60	0.08	25.3	15.3	35	1.49
I032004		0.005	0.08	2.46	15.4	<0.2	<10	310	0.50	0.08	0.69	0.07	16.30	18.3	45	1.11
I032005		<0.005	0.16	2.03	14.4	<0.2	<10	330	0.40	0.15	0.54	0.15	19.35	15.9	38	0.76
I032006		0.005	0.22	1.82	10.8	<0.2	<10	350	0.33	0.12	0.60	0.15	16.35	12.7	35	0.44
I032007		<0.005	0.09	2.31	9.3	<0.2	<10	450	0.51	0.09	0.74	0.11	18.90	18.4	39	1.17
I032008		<0.005	0.08	2.16	10.3	<0.2	<10	320	0.30	0.07	0.80	0.08	15.40	14.9	33	0.76
I032009		<0.005	0.08	1.87	8.4	<0.2	<10	350	0.41	0.12	0.72	0.10	16.70	14.4	33	0.49
I032010		<0.005	0.09	2.01	5.5	<0.2	<10	290	0.47	0.13	0.61	0.12	21.8	13.0	42	0.45
I032011		<0.005	0.12	2.04	5.5	<0.2	<10	310	0.49	0.14	0.66	0.13	23.2	13.5	42	0.45
I032012		<0.005	0.10	2.11	6.4	<0.2	<10	260	0.52	0.17	0.58	0.11	29.5	13.3	34	0.48
I032013		<0.005	0.15	2.50	3.8	<0.2	<10	370	0.38	0.26	0.50	0.14	18.30	13.3	28	1.00
I032014		<0.005	0.21	1.89	6.1	<0.2	<10	470	0.52	0.19	0.60	0.30	29.0	14.4	31	0.47
I032015		<0.005	0.12	2.48	4.4	<0.2	<10	340	0.48	0.15	1.02	0.13	35.9	13.2	26	1.64
I032016		<0.005	0.09	1.60	4.2	<0.2	<10	310	0.50	0.17	1.43	0.29	23.6	12.4	38	1.29
I032017		<0.005	0.08	1.54	6.2	<0.2	<10	380	0.39	0.16	1.70	0.57	23.1	10.5	30	0.85
I032018		<0.005	0.09	2.18	5.7	<0.2	<10	230	0.50	0.25	0.44	0.10	25.2	14.7	40	0.81
I032019		<0.005	0.09	2.22	3.4	<0.2	<10	260	0.29	0.18	0.46	0.14	11.05	14.0	23	0.70
I032020		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.85	0.1	<1	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I031981		14.9	2.95	5.21	0.07	0.11	0.02	0.027	0.13	18.9	7.9	0.39	755	1.40	0.02
I031982		19.9	2.88	4.80	0.07	0.12	0.02	0.025	0.12	12.6	9.2	0.48	449	0.88	0.02
I031983		33.1	2.59	4.72	0.10	0.09	0.03	0.024	0.06	28.5	10.0	0.48	733	0.92	0.03
I031984		23.4	2.68	4.62	0.07	0.05	0.02	0.023	0.07	12.8	9.2	0.49	631	0.97	0.03
I031985		14.5	2.57	4.77	0.05	0.07	0.01	0.023	0.05	11.1	9.6	0.43	335	1.01	0.02
I031986		19.8	2.44	4.42	0.06	0.03	0.02	0.020	0.04	11.3	8.0	0.39	560	1.34	0.02
I031987		29.3	2.05	4.17	0.06	0.06	0.02	0.019	0.05	10.9	8.0	0.47	220	0.65	0.03
I031988		33.2	2.62	4.71	0.07	0.07	0.03	0.024	0.05	13.8	10.4	0.50	429	1.31	0.03
I031989		36.4	1.39	2.43	0.07	0.07	0.06	0.015	0.05	10.5	3.4	0.41	795	1.04	0.04
I031990		0.6	0.01	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I031991		10.2	3.03	9.57	0.05	<0.02	0.02	0.017	0.04	10.1	4.0	0.23	241	1.85	0.01
I031992		15.7	3.41	7.55	0.05	0.03	0.03	0.030	0.06	10.1	14.7	0.43	525	1.27	0.01
I031993		12.7	3.43	8.27	0.06	0.04	0.03	0.033	0.06	11.2	12.7	0.43	625	1.27	0.01
I031994		9.7	2.31	7.11	0.05	0.03	0.02	0.018	0.07	10.5	7.8	0.26	208	1.39	0.01
I031995		11.4	3.15	6.53	0.06	0.04	0.02	0.025	0.10	10.8	11.3	0.44	379	1.60	0.01
I031996		12.6	3.15	7.83	0.06	0.04	0.04	0.021	0.11	9.0	11.8	0.59	530	1.45	0.01
I031997		10.7	3.22	7.46	0.06	0.04	0.02	0.023	0.07	8.4	13.4	0.62	410	1.20	0.01
I031998		17.8	2.76	5.67	0.12	0.11	0.08	0.028	0.10	30.2	18.7	0.72	532	2.07	0.01
I031999		32.0	3.70	8.39	0.07	0.02	0.02	0.020	0.09	8.6	20.1	1.00	404	1.50	0.02
I032000		30.0	3.52	8.41	0.06	0.03	0.02	0.019	0.09	8.8	18.3	0.95	379	1.54	0.02
I032001		0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I032002		74.1	4.20	8.81	0.13	0.10	0.02	0.036	0.79	12.6	13.4	1.43	800	0.79	0.02
I032003		29.2	3.54	6.43	0.10	0.10	0.02	0.030	0.38	11.1	10.0	0.72	743	1.17	0.02
I032004		43.8	4.32	8.33	0.08	0.07	0.02	0.032	0.26	7.7	10.9	1.03	715	1.02	0.03
I032005		28.3	3.15	6.33	0.06	0.09	0.02	0.027	0.10	8.5	9.2	0.62	765	1.86	0.02
I032006		24.9	3.14	4.95	0.05	0.06	0.02	0.021	0.13	7.1	6.6	0.54	810	1.33	0.02
I032007		30.0	3.64	7.21	0.11	0.05	0.02	0.017	0.66	8.7	12.8	1.24	814	0.70	0.02
I032008		47.5	3.44	7.37	0.09	0.06	0.01	0.022	0.29	6.7	9.6	0.95	560	0.55	0.04
I032009		31.0	3.07	6.36	0.06	0.06	0.02	0.022	0.14	7.5	10.1	0.70	542	0.78	0.03
I032010		26.5	2.99	5.93	0.07	0.09	0.02	0.025	0.10	8.8	10.3	0.67	630	0.92	0.03
I032011		27.8	3.05	6.08	0.06	0.08	0.03	0.025	0.11	9.7	10.3	0.69	704	0.95	0.02
I032012		21.7	3.27	6.84	0.08	0.07	0.02	0.028	0.15	13.6	11.7	0.75	470	0.94	0.02
I032013		17.8	3.36	8.08	0.06	0.02	0.01	0.020	0.08	8.0	14.3	0.98	570	1.21	0.02
I032014		27.8	3.17	6.04	0.08	0.03	0.03	0.029	0.12	14.1	9.2	0.49	948	1.25	0.02
I032015		20.8	3.87	8.74	0.15	0.07	0.02	0.028	0.46	41.5	17.5	1.17	419	0.73	0.02
I032016		39.4	3.04	6.00	0.08	0.07	0.03	0.031	0.10	12.9	9.9	0.68	395	0.64	0.03
I032017		37.9	2.43	5.27	0.07	0.04	0.02	0.026	0.15	11.7	10.4	0.61	427	0.50	0.03
I032018		30.2	3.37	7.63	0.06	0.04	0.01	0.033	0.08	9.0	12.3	0.78	298	0.85	0.02
I032019		29.6	3.53	8.50	0.06	0.02	0.02	0.020	0.41	5.3	13.2	1.02	487	1.09	0.01
I032020		0.9	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.4	<0.1	<0.01	<5	<0.05	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I031981		21.6	230	10.4	7.7	<0.001	0.01	0.51	5.9	0.5	0.6	25.3	<0.01	0.02	5.1
I031982		21.7	280	8.6	11.3	<0.001	0.01	0.45	5.7	0.5	0.5	32.7	<0.01	0.03	4.0
I031983		26.8	540	9.1	8.9	<0.001	0.01	0.46	4.7	1.0	0.5	44.4	<0.01	0.03	3.9
I031984		21.5	680	9.0	12.1	<0.001	0.03	0.51	3.9	1.4	0.5	53.7	<0.01	0.03	2.7
I031985		19.7	420	7.6	5.4	<0.001	0.01	0.45	4.6	0.5	0.5	31.3	<0.01	0.03	2.8
I031986		28.0	490	7.2	6.2	<0.001	0.02	0.46	3.7	0.7	0.4	44.5	<0.01	0.04	1.4
I031987		20.5	600	7.4	6.9	<0.001	0.02	0.44	4.0	0.7	0.4	45.2	<0.01	0.02	2.4
I031988		27.7	790	7.9	7.3	0.001	0.04	0.73	4.6	1.3	0.4	63.8	<0.01	0.04	2.0
I031989		27.4	1170	3.5	6.2	<0.001	0.15	0.92	1.7	2.1	0.2	141.5	0.01	0.04	0.3
I031990		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I031991		10.0	570	16.3	12.8	<0.001	0.02	0.61	1.7	0.4	0.9	9.8	<0.01	0.04	0.3
I031992		19.1	340	15.6	18.0	<0.001	0.02	0.48	3.7	0.5	0.8	14.7	<0.01	0.04	2.6
I031993		18.4	260	12.6	19.2	<0.001	0.01	0.53	4.3	0.4	1.1	13.5	<0.01	0.04	4.4
I031994		9.7	250	14.0	19.4	<0.001	0.02	0.37	2.7	0.4	1.2	23.9	<0.01	0.03	2.8
I031995		14.6	200	10.7	25.4	<0.001	0.01	0.47	3.3	0.3	0.8	17.0	<0.01	0.03	3.0
I031996		13.2	270	8.0	21.2	<0.001	0.01	0.39	3.7	0.4	0.7	16.0	<0.01	0.03	2.8
I031997		19.5	310	8.7	22.4	<0.001	0.01	0.50	3.6	0.3	0.6	29.6	<0.01	0.03	2.6
I031998		13.9	1100	10.6	19.2	<0.001	0.06	0.59	5.7	1.7	0.7	58.2	0.01	0.02	3.5
I031999		19.7	770	6.2	15.4	<0.001	0.02	0.61	5.1	0.3	0.8	26.4	<0.01	0.03	1.7
I032000		18.4	760	6.2	16.7	<0.001	0.01	0.61	4.9	0.4	0.8	26.6	<0.01	0.03	1.7
I032001		0.3	10	0.4	0.1	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032002		25.9	510	5.4	35.7	<0.001	0.03	0.35	10.9	0.7	0.7	33.6	<0.01	0.04	2.9
I032003		22.6	300	6.3	20.1	<0.001	0.02	0.62	8.8	0.6	0.5	32.3	<0.01	0.03	2.9
I032004		25.7	820	4.2	11.0	<0.001	0.02	0.40	11.1	0.5	0.6	39.9	<0.01	0.03	1.8
I032005		25.6	360	7.0	9.4	<0.001	0.01	0.59	6.7	0.4	0.5	33.6	<0.01	0.04	2.3
I032006		19.7	510	5.7	8.5	<0.001	0.01	0.66	5.6	0.4	0.4	31.0	<0.01	0.03	1.7
I032007		24.6	1320	4.7	35.7	<0.001	0.01	0.38	5.1	0.5	0.4	56.2	<0.01	0.02	1.8
I032008		19.2	1420	4.1	17.7	<0.001	0.01	0.26	7.0	0.3	0.5	44.5	<0.01	0.03	1.7
I032009		21.7	950	5.9	10.6	<0.001	0.01	0.33	6.4	0.3	0.5	45.4	<0.01	0.02	2.2
I032010		25.5	400	6.9	8.1	<0.001	0.01	0.34	6.8	0.4	0.5	32.2	<0.01	0.03	2.4
I032011		25.9	420	7.8	9.1	<0.001	0.01	0.32	6.9	0.5	0.5	34.3	<0.01	0.03	2.4
I032012		19.2	520	10.5	9.6	<0.001	0.02	0.34	6.8	0.6	0.6	35.9	<0.01	0.03	4.2
I032013		18.9	470	8.3	8.1	<0.001	0.01	0.28	4.1	0.4	0.7	33.6	<0.01	0.09	1.9
I032014		21.9	340	10.0	9.0	<0.001	0.01	0.47	6.6	0.7	0.6	35.4	<0.01	0.03	2.3
I032015		14.2	320	8.5	36.3	<0.001	0.02	0.36	7.0	1.2	0.7	34.3	0.01	0.02	5.3
I032016		22.0	470	10.2	11.4	0.001	0.03	0.46	7.8	1.1	0.5	58.1	0.01	0.03	2.1
I032017		21.1	780	8.8	13.5	<0.001	0.05	0.50	4.4	1.4	0.4	68.0	<0.01	0.02	1.0
I032018		19.4	170	9.3	7.0	<0.001	0.01	0.36	7.7	0.4	0.8	27.8	<0.01	0.03	2.7
I032019		15.7	500	11.4	16.1	<0.001	0.01	0.28	3.6	0.3	0.5	40.9	<0.01	0.02	2.0
I032020		0.3	10	0.5	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I031981		0.08	0.53	58	0.18	7.10	53	4.1	0.28
I031982		0.06	0.31	57	0.14	6.24	46	4.7	0.24
I031983		0.05	0.71	51	0.24	15.30	54	2.9	0.28
I031984		0.05	1.59	51	0.14	6.50	85	1.9	0.20
I031985		0.05	0.52	59	0.19	5.25	54	2.5	0.40
I031986		0.04	0.73	53	0.15	5.98	55	1.1	0.26
I031987		0.03	0.95	42	0.12	6.89	51	2.3	0.36
I031988		0.05	2.71	52	0.17	10.30	44	3.0	0.24
I031989		0.03	1.47	27	0.10	10.70	40	2.6	0.16
I031990		<0.02	0.07	<1	<0.05	0.60	2	0.5	0.10
I031991		0.13	0.50	93	0.26	2.76	38	0.5	0.26
I031992		0.13	0.62	75	0.25	3.67	54	1.0	0.30
I031993		0.16	0.60	77	0.21	3.69	69	1.6	0.32
I031994		0.12	0.58	67	0.34	4.02	31	1.0	0.38
I031995		0.11	0.52	70	0.29	3.65	45	1.7	0.34
I031996		0.12	0.52	74	0.23	3.14	46	1.7	0.32
I031997		0.11	0.40	73	0.19	2.15	58	1.8	0.26
I031998		0.12	8.46	48	0.22	50.4	48	2.0	0.30
I031999		0.08	0.44	100	0.27	3.34	70	0.9	0.26
I032000		0.08	0.44	95	0.27	3.19	66	0.9	0.32
I032001		<0.02	0.10	1	<0.05	0.61	2	0.5	0.10
I032002		0.14	0.42	93	0.12	10.70	73	3.4	0.38
I032003		0.09	0.36	77	0.13	6.52	52	3.5	0.32
I032004		0.05	0.39	111	0.09	6.87	73	2.0	0.28
I032005		0.08	0.33	73	0.25	3.59	64	3.0	0.36
I032006		0.05	0.28	67	0.13	3.33	71	1.9	0.24
I032007		0.09	0.36	77	0.12	4.11	92	1.8	0.30
I032008		0.06	0.30	79	0.10	5.57	70	2.0	0.36
I032009		0.06	0.36	69	0.13	4.13	62	2.4	0.30
I032010		0.06	0.35	64	0.15	4.20	58	3.1	0.30
I032011		0.06	0.37	65	0.15	4.61	58	3.1	0.30
I032012		0.07	0.61	70	0.20	7.44	69	2.6	0.30
I032013		0.12	0.50	77	0.23	3.51	85	0.6	0.30
I032014		0.06	0.60	65	0.18	8.39	59	1.2	0.26
I032015		0.15	1.47	80	0.15	24.3	82	3.0	0.42
I032016		0.06	1.29	66	0.15	13.25	60	2.7	0.32
I032017		0.06	1.34	51	0.14	10.75	64	2.2	0.26
I032018		0.09	0.48	87	0.23	4.87	69	2.2	0.40
I032019		0.09	0.41	77	0.15	3.06	74	2.0	0.28
I032020		<0.02	0.08	<1	<0.05	0.60	3	0.6	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032021		<0.005	0.16	2.09	3.7	<0.2	<10	380	0.30	0.10	0.47	0.14	13.50	13.8	24	0.73
I032022		<0.005	0.10	1.96	5.3	<0.2	<10	370	0.29	0.11	0.28	0.08	19.25	12.5	23	0.82
I032023		0.008	0.19	1.78	7.0	<0.2	<10	210	0.31	0.14	0.17	0.15	16.40	9.4	29	0.55
I032024		<0.005	0.78	2.50	6.7	<0.2	<10	430	0.50	0.60	0.51	0.82	22.9	17.7	45	0.86
I032025		<0.005	0.13	1.76	3.2	<0.2	<10	280	0.28	0.10	0.47	0.10	14.80	39.6	52	0.77
I032026		<0.005	0.26	2.49	4.8	<0.2	<10	550	0.37	0.12	0.55	0.19	26.9	27.9	44	0.81
I032027		<0.005	0.10	2.24	3.8	<0.2	<10	570	0.29	0.10	0.80	0.10	13.10	44.8	30	0.48
I032028		<0.005	0.08	2.17	5.0	<0.2	<10	340	0.31	0.11	0.30	0.08	12.20	19.0	133	0.74
I032029		<0.005	0.11	1.93	5.5	<0.2	<10	230	0.34	0.10	0.49	0.05	17.25	18.2	51	0.64
I032030		<0.005	0.08	1.96	4.3	<0.2	<10	340	0.43	0.12	0.48	0.08	20.6	14.0	34	0.52
I032031		<0.005	0.07	1.89	4.4	<0.2	<10	320	0.43	0.11	0.42	0.07	20.2	13.9	32	0.53
I032032		<0.005	0.11	1.88	3.5	<0.2	<10	200	0.32	0.12	0.32	0.11	14.40	10.2	29	0.44
I032033		<0.005	0.16	1.69	5.2	<0.2	<10	390	0.37	0.14	0.63	0.15	23.6	12.7	31	0.44
I032034		0.005	0.07	1.77	5.1	<0.2	<10	350	0.38	0.14	0.45	0.11	20.5	11.9	28	0.42
I032035		<0.005	0.09	1.80	5.3	<0.2	<10	330	0.42	0.14	0.55	0.17	19.85	14.8	36	0.50
I032036		<0.005	0.08	1.90	5.8	<0.2	<10	230	0.33	0.12	0.60	0.19	15.55	12.1	29	0.72
I032037		<0.005	0.10	1.99	5.9	<0.2	<10	350	0.39	0.13	0.32	0.09	17.90	12.3	27	0.44
I032038		<0.005	0.15	2.65	3.3	<0.2	<10	410	0.38	0.12	0.52	0.18	18.10	20.5	25	0.45
I032039		<0.005	0.08	2.41	2.6	<0.2	<10	160	0.27	0.10	0.40	0.18	11.10	18.1	39	0.57
I032040		<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.02	1.11	0.1	<1	<0.05
I032041		<0.005	0.16	2.26	4.7	<0.2	<10	270	0.24	0.12	0.31	0.18	11.60	14.6	20	1.07
I032042		<0.005	0.15	2.11	6.0	<0.2	<10	370	0.23	0.12	0.32	0.16	9.82	12.8	23	1.39
I032043		<0.005	0.09	1.77	7.1	<0.2	<10	300	0.37	0.15	0.30	0.17	19.25	12.2	32	0.53
I032044		<0.005	0.05	1.84	4.7	<0.2	<10	310	0.44	0.11	0.57	0.19	16.30	15.6	50	0.27
I032045		<0.005	0.18	1.80	5.6	<0.2	<10	350	0.33	0.13	0.34	0.11	17.15	12.6	36	0.31
I032046		<0.005	0.10	2.02	5.5	<0.2	<10	270	0.40	0.13	0.39	0.08	16.85	13.9	36	0.50
I032047		<0.005	0.05	1.82	6.1	<0.2	<10	320	0.48	0.11	0.52	0.06	29.2	12.2	35	0.59
I032048		<0.005	0.05	2.05	3.7	<0.2	<10	280	0.39	0.08	0.58	0.06	15.55	19.4	50	0.75
I032049		<0.005	0.08	2.23	6.9	<0.2	<10	380	0.63	0.07	0.64	0.08	23.5	20.1	63	0.68
I032050		<0.005	0.08	2.17	6.5	<0.2	<10	380	0.63	0.07	0.64	0.07	22.1	19.5	60	0.64
I032051		<0.005	0.08	1.59	4.2	<0.2	<10	100	0.19	0.14	0.19	0.07	15.10	6.4	19	1.34
I032052		<0.005	0.07	2.47	6.5	<0.2	<10	130	0.33	0.14	0.38	0.07	20.8	11.4	29	1.43
I032053		<0.005	0.05	1.51	5.1	<0.2	<10	100	0.19	0.13	0.18	0.10	11.65	6.7	19	1.02
I032054		0.008	0.04	1.95	5.6	<0.2	<10	100	0.23	0.12	0.33	0.08	15.90	9.4	24	1.24
I032055		0.008	0.10	1.17	4.5	<0.2	<10	160	0.24	0.11	0.82	0.10	20.5	7.6	17	1.49
I032056		<0.005	0.06	2.49	8.0	<0.2	<10	220	0.33	0.14	0.46	0.09	23.0	13.7	27	2.91
I032057		0.005	0.17	2.44	6.7	<0.2	<10	220	0.51	0.20	0.40	0.09	26.4	11.5	27	2.11
I032058		<0.005	0.03	2.16	19.2	<0.2	<10	110	0.30	0.14	0.20	0.11	14.55	8.6	24	1.60
I032059		0.008	0.19	2.09	25.1	<0.2	<10	200	0.33	0.12	0.35	0.08	23.1	9.5	20	1.85
I032060		<0.005	0.06	1.49	4.6	<0.2	<10	90	0.18	0.12	0.22	0.04	13.15	6.1	18	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032021		25.5	3.21	7.23	0.06	0.02	0.02	0.019	0.23	5.9	12.3	1.01	539	0.94	0.02
I032022		17.3	3.35	7.90	0.06	<0.02	0.02	0.029	0.25	8.6	12.3	0.87	710	0.90	0.01
I032023		17.0	2.80	6.24	0.05	0.03	0.02	0.027	0.07	7.3	9.9	0.53	253	1.01	0.01
I032024		74.5	4.39	9.51	0.07	0.02	0.03	0.037	0.31	8.1	11.9	0.85	1470	1.22	0.02
I032025		180.5	3.13	5.57	0.08	0.09	0.01	0.019	0.40	6.4	8.5	1.03	475	0.58	0.03
I032026		88.6	4.10	8.18	0.08	0.03	0.02	0.042	0.54	11.9	10.2	1.27	669	0.82	0.02
I032027		163.5	3.90	7.05	0.07	0.03	0.01	0.023	0.23	5.7	9.4	1.12	439	0.60	0.04
I032028		30.2	3.15	6.42	0.06	0.03	0.02	0.019	0.24	5.8	8.8	1.35	253	0.70	0.02
I032029		63.4	2.74	5.93	0.05	0.07	0.01	0.021	0.24	7.3	11.0	1.09	337	0.63	0.03
I032030		23.4	3.02	6.79	0.05	0.03	0.02	0.025	0.08	7.7	9.7	0.63	603	0.84	0.02
I032031		22.9	2.94	6.74	0.05	0.04	0.02	0.025	0.07	7.5	9.2	0.61	551	0.82	0.02
I032032		21.9	2.97	7.64	0.05	<0.02	0.01	0.026	0.08	6.4	8.5	0.62	305	0.85	0.02
I032033		19.7	2.82	5.70	<0.05	0.07	0.02	0.024	0.25	9.4	8.6	0.50	862	0.93	0.02
I032034		14.1	3.03	6.61	0.05	0.02	0.03	0.028	0.18	8.0	8.6	0.52	741	1.07	0.02
I032035		21.5	3.01	6.50	0.05	0.04	0.02	0.025	0.23	7.7	9.1	0.59	893	0.88	0.02
I032036		23.3	3.24	7.17	0.07	0.04	0.02	0.032	0.34	7.3	11.6	0.80	522	0.65	0.02
I032037		23.5	3.44	8.02	0.05	0.02	0.01	0.049	0.13	7.6	9.6	0.76	517	1.17	0.02
I032038		30.1	4.52	11.35	0.06	<0.02	0.01	0.048	0.11	7.2	12.0	1.29	1800	0.89	0.02
I032039		50.1	3.87	9.50	0.06	<0.02	0.01	0.022	0.05	5.2	14.0	1.03	476	0.72	0.03
I032040		0.6	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05	<0.01
I032041		30.6	3.94	11.45	0.07	0.02	0.02	0.051	0.21	5.3	11.3	1.43	595	0.91	0.02
I032042		32.2	4.11	9.12	0.07	0.03	0.02	0.022	0.48	4.7	13.9	1.01	379	1.04	0.02
I032043		15.0	2.99	6.58	<0.05	<0.02	0.04	0.029	0.11	7.8	9.7	0.47	361	1.14	0.01
I032044		21.7	3.49	7.63	0.06	0.04	0.02	0.038	0.20	7.3	10.3	0.77	702	0.96	0.02
I032045		14.3	2.82	6.75	0.05	0.02	0.03	0.023	0.09	7.7	9.7	0.55	856	1.03	0.02
I032046		13.4	3.07	7.28	0.05	<0.02	0.02	0.028	0.09	7.2	9.4	0.53	468	1.21	0.01
I032047		20.0	3.06	7.09	0.07	0.08	0.02	0.029	0.28	10.1	12.0	0.68	505	0.61	0.02
I032048		21.2	3.58	8.67	0.07	0.05	0.01	0.022	0.25	7.1	13.2	1.08	567	0.56	0.02
I032049		40.6	3.76	8.30	0.09	0.06	0.02	0.027	0.27	14.8	11.6	0.95	579	0.67	0.02
I032050		37.3	3.62	8.15	0.08	0.06	0.02	0.030	0.22	12.5	11.3	0.90	536	0.68	0.02
I032051		14.1	2.35	7.08	<0.05	0.03	0.03	0.015	0.07	7.8	8.7	0.41	252	1.03	0.02
I032052		17.8	3.42	8.46	<0.05	0.08	0.03	0.022	0.11	10.3	15.7	0.67	461	1.16	0.02
I032053		14.0	2.54	7.69	<0.05	0.08	0.02	0.010	0.05	5.7	9.4	0.35	250	0.97	0.02
I032054		14.6	3.52	8.15	0.05	0.10	0.02	0.016	0.06	7.6	15.5	0.60	323	0.80	0.02
I032055		16.3	1.82	3.72	<0.05	0.04	0.07	0.008	0.06	10.1	6.7	0.38	425	0.91	0.03
I032056		15.3	3.57	8.65	0.05	0.07	0.03	0.024	0.10	11.0	17.4	0.87	614	0.70	0.03
I032057		18.1	3.26	7.79	0.05	0.05	0.04	0.030	0.09	12.9	17.3	0.77	505	0.71	0.02
I032058		15.2	3.35	8.32	0.05	0.05	0.02	0.017	0.07	7.5	18.0	0.55	274	1.84	0.01
I032059		14.4	3.22	7.28	<0.05	0.02	0.05	0.020	0.10	12.5	16.7	0.68	328	1.00	0.02
I032060		10.8	2.29	5.98	<0.05	0.08	0.02	0.013	0.04	7.2	9.6	0.40	183	0.70	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032021		15.9	470	6.5	15.0	<0.001	0.01	0.25	4.9	0.4	0.4	35.8	<0.01	0.05	1.3
I032022		16.3	260	6.1	18.9	<0.001	0.01	0.35	5.7	0.4	0.7	22.4	<0.01	0.02	2.5
I032023		18.2	220	7.2	7.0	<0.001	<0.01	0.39	3.9	0.3	0.5	18.8	<0.01	0.03	2.5
I032024		51.2	340	29.9	22.5	<0.001	0.01	0.38	4.9	0.5	2.5	39.1	<0.01	0.09	4.0
I032025		58.9	250	4.5	29.4	<0.001	0.01	0.24	6.8	0.3	0.6	26.3	<0.01	0.03	2.1
I032026		29.8	560	6.3	31.3	<0.001	0.02	0.28	6.2	0.4	1.6	35.3	<0.01	0.03	3.9
I032027		35.1	1720	4.7	13.4	<0.001	0.02	0.25	6.5	0.4	0.5	44.0	<0.01	0.03	1.4
I032028		43.9	240	5.5	34.3	<0.001	0.01	0.35	4.3	0.3	0.4	21.9	<0.01	0.02	1.4
I032029		39.5	410	5.4	27.1	<0.001	0.01	0.30	5.6	0.3	0.4	27.9	<0.01	0.02	2.5
I032030		20.5	510	5.7	7.3	<0.001	0.01	0.30	6.1	0.3	0.5	30.5	<0.01	0.02	2.1
I032031		20.0	450	5.6	6.4	<0.001	0.01	0.30	6.2	0.4	0.5	27.4	<0.01	0.02	2.4
I032032		15.6	660	5.1	5.2	<0.001	0.01	0.30	4.5	0.3	0.6	21.5	<0.01	0.02	1.2
I032033		21.0	600	7.4	15.9	<0.001	0.01	0.26	5.7	0.5	0.5	40.3	<0.01	0.02	2.3
I032034		17.7	460	6.0	12.0	<0.001	0.01	0.35	4.8	0.3	0.7	32.2	<0.01	0.02	3.3
I032035		22.1	560	7.1	13.5	<0.001	0.02	0.37	5.5	0.4	0.5	33.5	<0.01	0.02	1.8
I032036		17.4	670	5.8	21.1	<0.001	0.02	0.31	6.3	0.6	0.5	29.3	<0.01	0.03	1.7
I032037		15.8	500	5.9	5.4	<0.001	0.01	0.37	7.2	0.3	0.6	24.4	<0.01	0.03	1.8
I032038		16.0	920	6.0	3.5	<0.001	0.01	0.24	8.2	0.4	0.6	33.3	<0.01	0.03	1.0
I032039		17.5	590	4.5	4.4	<0.001	0.01	0.24	6.8	0.3	0.5	21.2	<0.01	0.02	0.7
I032040		<0.2	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01	0.2
I032041		14.4	620	5.4	11.8	<0.001	0.04	0.31	8.1	0.4	0.7	26.3	<0.01	0.02	1.4
I032042		15.9	480	8.0	31.9	<0.001	0.10	0.36	5.5	0.5	0.5	36.0	<0.01	0.04	1.3
I032043		18.5	210	7.7	12.4	<0.001	0.01	0.45	4.2	0.3	0.6	27.2	<0.01	0.02	1.9
I032044		22.9	340	7.0	10.4	<0.001	0.01	0.40	6.5	0.3	1.2	33.1	<0.01	0.02	2.3
I032045		18.4	320	7.0	6.8	<0.001	0.01	0.38	4.2	0.4	0.6	24.8	<0.01	0.02	1.9
I032046		19.4	300	8.0	7.2	<0.001	0.01	0.42	4.7	0.3	0.6	28.3	<0.01	0.02	1.7
I032047		21.5	320	7.4	21.8	<0.001	0.01	0.30	6.7	0.5	0.5	32.7	<0.01	0.03	3.7
I032048		24.2	320	7.9	21.1	<0.001	0.01	0.25	7.0	0.3	0.5	34.1	<0.01	0.02	2.7
I032049		32.6	280	6.0	15.5	<0.001	0.01	0.53	11.1	0.6	0.5	32.4	<0.01	0.02	2.9
I032050		30.4	260	6.1	13.6	<0.001	0.01	0.52	10.8	0.6	0.5	31.8	<0.01	0.02	2.7
I032051		11.1	330	7.2	12.1	<0.001	<0.01	0.34	3.9	0.4	0.7	20.6	<0.01	0.02	1.2
I032052		17.9	530	8.3	15.7	<0.001	<0.01	0.40	5.3	0.3	0.7	29.3	0.01	0.02	3.1
I032053		11.5	270	7.5	10.7	<0.001	<0.01	0.32	3.1	0.2	0.6	19.0	<0.01	0.03	1.7
I032054		15.5	520	6.6	8.6	<0.001	<0.01	0.35	4.6	0.3	0.7	25.5	0.01	0.03	2.6
I032055		11.5	690	4.5	10.0	<0.001	0.08	0.40	3.8	0.6	0.4	45.5	<0.01	0.02	0.6
I032056		18.2	600	6.5	18.6	<0.001	<0.01	0.40	6.4	0.4	0.7	32.6	<0.01	0.02	2.5
I032057		18.3	580	10.8	16.4	<0.001	<0.01	0.52	6.1	0.4	0.6	27.3	<0.01	0.02	3.5
I032058		13.7	390	8.2	17.8	<0.001	<0.01	0.61	4.1	0.3	0.6	18.0	<0.01	0.03	2.0
I032059		12.1	590	8.3	18.8	<0.001	<0.01	0.55	5.2	0.4	0.6	23.7	<0.01	0.02	2.6
I032060		10.7	260	5.5	7.0	<0.001	<0.01	0.32	3.6	0.3	0.5	18.9	<0.01	0.02	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032021		0.09	0.42	78	0.13	2.98	72	1.5	0.28
I032022		0.10	0.38	79	0.13	4.41	58	1.2	0.36
I032023		0.07	0.39	67	0.12	2.83	56	2.2	0.42
I032024		0.10	0.73	80	0.17	5.49	174	1.5	0.34
I032025		0.11	0.27	76	0.10	3.31	50	3.8	0.40
I032026		0.22	0.56	95	0.14	6.19	128	2.1	0.38
I032027		0.10	0.39	94	0.09	3.78	57	1.7	0.38
I032028		0.13	0.27	84	0.18	2.24	43	1.9	0.32
I032029		0.14	0.35	68	0.20	3.94	42	3.7	0.48
I032030		0.08	0.34	69	0.17	3.89	50	2.0	0.30
I032031		0.08	0.35	67	0.16	3.65	47	2.4	0.30
I032032		0.09	0.32	67	0.17	3.39	53	1.0	0.32
I032033		0.07	0.37	59	0.16	4.63	51	2.7	0.34
I032034		0.08	0.44	65	0.14	3.73	51	1.9	0.46
I032035		0.07	0.29	64	0.18	3.79	59	2.1	0.30
I032036		0.09	0.40	68	0.20	5.07	66	2.3	0.28
I032037		0.08	0.31	71	0.15	4.01	91	1.3	0.32
I032038		0.08	0.37	93	0.10	6.04	160	0.7	0.36
I032039		0.08	0.29	109	0.09	2.96	82	0.7	0.38
I032040		<0.02	0.08	1	<0.05	0.66	2	0.6	0.10
I032041		0.09	0.30	86	0.12	3.12	127	1.6	0.28
I032042		0.16	0.36	97	0.10	2.20	83	2.2	0.24
I032043		0.08	0.35	65	0.26	2.72	48	1.1	0.30
I032044		0.08	0.34	80	0.24	3.65	56	2.4	0.30
I032045		0.08	0.31	66	0.20	2.70	48	1.6	0.36
I032046		0.09	0.32	72	0.23	2.54	49	1.0	0.34
I032047		0.09	0.42	60	0.14	7.06	51	4.1	0.38
I032048		0.11	0.37	87	0.15	5.55	46	3.0	0.38
I032049		0.07	0.67	89	0.14	17.00	47	2.4	0.40
I032050		0.06	0.60	86	0.13	13.95	45	2.5	0.38
I032051		0.10	0.65	62	0.15	3.81	38	1.3	0.28
I032052		0.14	0.73	88	0.24	5.76	52	3.5	0.34
I032053		0.08	0.39	72	0.13	2.85	37	3.8	0.30
I032054		0.09	0.59	95	0.29	4.69	45	3.9	0.30
I032055		0.12	1.75	43	0.12	6.97	36	1.4	0.24
I032056		0.23	1.07	93	0.22	7.76	67	3.0	0.42
I032057		0.16	1.82	79	0.16	8.82	66	2.1	0.44
I032058		0.11	0.62	87	0.24	3.53	52	2.2	0.40
I032059		0.12	1.43	72	0.22	6.19	56	0.9	0.40
I032060		0.10	0.51	62	0.21	3.98	33	3.1	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032061		<0.005	0.10	2.51	6.7	<0.2	<10	200	0.34	0.17	0.40	0.07	19.15	10.8	26	1.84
I032062		<0.005	0.05	2.37	13.2	<0.2	<10	260	0.32	0.14	0.28	0.11	21.3	11.2	22	3.95
I032063		<0.005	0.03	2.72	13.7	<0.2	<10	230	0.34	0.14	0.31	0.10	20.9	13.6	38	2.76
I032064		<0.005	0.03	2.21	8.5	<0.2	<10	120	0.26	0.15	0.19	0.09	19.80	9.3	27	2.27
I032065		<0.005	0.03	0.83	7.8	<0.2	<10	50	0.17	0.08	0.11	0.04	8.13	2.6	10	1.00
I032066		<0.005	0.04	2.73	6.5	<0.2	<10	300	0.35	0.11	0.37	0.06	21.7	12.1	31	1.72
I032067		<0.005	0.53	0.94	129.0	<0.2	<10	120	0.20	0.08	0.27	0.08	10.60	5.1	12	2.37
I032068		<0.005	0.11	1.16	25.8	<0.2	<10	160	0.21	0.10	0.24	0.30	15.20	4.9	16	2.01
I032069		<0.005	0.17	2.43	250	<0.2	<10	230	0.34	0.13	0.40	0.53	20.2	13.6	30	2.34
I032070		0.005	0.06	2.84	11.9	<0.2	<10	200	0.42	0.16	0.22	0.06	23.4	12.1	43	1.63
I032071		<0.005	0.07	2.31	22.4	<0.2	<10	170	0.27	0.29	0.27	0.09	20.4	11.0	27	2.76
I032072		<0.005	0.02	3.13	9.1	<0.2	<10	210	0.37	0.12	0.34	0.07	19.50	14.7	27	2.92
I032073		<0.005	0.13	3.10	10.7	<0.2	<10	190	0.50	0.38	0.26	0.12	23.6	14.4	41	1.37
I032074		<0.005	0.02	0.87	3.7	<0.2	<10	70	0.12	0.09	0.15	0.02	9.46	3.0	12	0.53
I032075		<0.005	0.02	2.34	10.1	<0.2	<10	120	0.25	0.20	0.22	0.07	18.80	7.2	33	1.01
I032076		<0.005	0.02	4.08	9.4	<0.2	<10	180	0.38	0.18	0.16	0.11	16.15	12.2	28	2.38
I032077		<0.005	0.04	2.88	10.3	<0.2	<10	260	0.41	0.27	0.26	0.10	21.2	11.5	27	2.49
I032078		<0.005	0.12	1.63	7.4	<0.2	<10	140	0.36	0.11	0.62	0.13	18.40	12.7	32	0.64
I032079		<0.005	0.04	1.61	5.6	<0.2	<10	120	0.25	0.12	0.14	0.03	16.85	5.7	21	0.88
I032080		<0.005	0.07	1.35	5.8	<0.2	<10	170	0.32	0.12	0.30	0.08	26.4	7.5	24	0.70
I032081		<0.005	0.07	1.83	3.9	<0.2	<10	180	0.28	0.14	0.28	0.08	19.15	6.0	21	1.06
I032082		<0.005	0.16	1.81	5.6	<0.2	<10	420	0.60	0.13	1.00	0.13	35.3	9.5	28	0.76
I032083		<0.005	0.12	1.65	5.3	<0.2	<10	140	0.18	0.15	0.25	0.06	18.50	5.1	22	0.92
I032084		<0.005	0.08	1.37	6.3	<0.2	<10	130	0.17	0.15	0.23	0.08	16.15	4.6	20	0.68
I032085		<0.005	0.07	1.63	7.2	<0.2	<10	120	0.28	0.19	0.15	0.05	18.75	5.4	25	0.75
I032086		<0.005	0.07	1.17	3.3	<0.2	<10	210	0.44	0.12	0.22	0.05	22.3	4.0	16	0.71
I032087		<0.005	0.05	1.56	3.9	<0.2	<10	260	0.45	0.11	0.27	0.04	21.6	6.1	22	0.60
I032088		<0.005	0.07	0.86	6.3	<0.2	<10	190	0.35	0.15	0.14	0.09	15.10	3.7	12	0.64
I032089		<0.005	0.09	1.75	5.4	<0.2	<10	470	0.52	0.18	0.54	0.23	28.1	11.0	25	0.61
I032090		<0.005	0.04	1.40	4.5	<0.2	<10	280	0.25	0.10	0.23	0.04	13.50	7.7	21	0.52
I032091		<0.005	0.04	1.40	4.8	<0.2	<10	280	0.25	0.10	0.23	0.03	14.45	7.5	21	0.55
I032092		<0.005	0.06	1.03	6.1	<0.2	<10	320	0.18	0.11	0.07	0.03	13.20	3.8	13	0.43
I032093		<0.005	0.16	1.18	5.0	<0.2	<10	630	0.26	0.18	0.21	0.08	20.5	5.8	15	0.45
I032094		<0.005	0.12	1.25	5.6	<0.2	<10	570	0.24	0.14	0.20	0.06	19.25	5.5	16	0.34
I032095		0.005	0.07	1.33	7.5	<0.2	<10	420	0.39	0.13	0.63	0.09	24.2	8.2	24	0.45
I032096		<0.005	0.08	1.49	4.9	<0.2	<10	770	0.48	0.13	0.31	0.14	30.1	7.0	19	0.42
I032097		<0.005	0.03	2.83	4.8	<0.2	<10	460	0.25	0.07	0.73	0.03	8.02	22.7	84	2.05
I032098		0.005	0.07	1.46	9.5	<0.2	<10	390	0.41	0.14	0.48	0.07	22.0	8.9	27	0.33
I032099		<0.005	0.10	1.43	8.2	<0.2	<10	480	0.39	0.15	0.60	0.20	21.8	9.5	24	0.33
I032100		<0.005	0.05	1.36	6.7	<0.2	<10	360	0.40	0.14	0.59	0.20	20.8	9.2	23	0.32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032061		16.8	3.20	8.38	<0.05	0.07	0.02	0.023	0.06	10.7	14.1	0.59	434	1.26	0.02
I032062		10.8	3.57	9.09	0.06	0.06	0.03	0.020	0.25	10.4	14.3	0.83	362	0.76	0.02
I032063		19.3	3.83	8.29	0.05	0.07	0.03	0.027	0.12	9.8	17.8	0.95	474	0.96	0.02
I032064		15.1	3.24	7.81	0.05	0.03	0.03	0.022	0.07	9.6	14.0	0.59	277	0.93	0.01
I032065		8.2	1.38	4.12	<0.05	0.02	0.02	<0.005	0.03	4.2	5.0	0.15	76	0.60	0.02
I032066		25.1	3.35	7.17	0.07	0.11	0.03	0.022	0.10	10.8	14.8	0.77	336	0.58	0.02
I032067		10.6	1.59	3.63	<0.05	<0.02	0.24	0.007	0.03	5.5	6.0	0.18	331	0.65	0.02
I032068		14.1	1.57	4.21	<0.05	0.02	0.10	0.007	0.05	8.4	5.8	0.26	174	0.62	0.02
I032069		16.3	3.09	6.76	<0.05	0.09	0.93	0.025	0.05	9.8	13.5	0.63	397	1.08	0.02
I032070		27.4	3.79	8.81	0.06	0.17	0.02	0.029	0.07	11.4	15.4	0.65	302	1.46	0.02
I032071		22.4	3.42	7.64	0.05	0.08	0.03	0.020	0.13	9.5	13.7	0.70	335	1.15	0.02
I032072		16.8	4.33	9.89	0.06	0.11	0.02	0.028	0.22	9.0	20.2	0.93	514	0.95	0.03
I032073		27.5	3.72	7.32	0.05	0.27	0.04	0.030	0.07	10.6	15.9	0.66	383	1.28	0.02
I032074		7.2	1.40	4.23	<0.05	<0.02	0.02	<0.005	0.03	4.8	4.5	0.16	76	0.58	0.02
I032075		16.4	3.39	9.05	<0.05	0.06	0.04	0.022	0.04	9.5	13.0	0.42	171	1.44	0.01
I032076		18.3	5.09	12.90	0.07	0.11	0.04	0.030	0.21	7.0	19.4	0.83	423	1.71	0.02
I032077		15.6	4.04	10.40	0.05	0.07	0.09	0.032	0.09	10.8	18.1	0.63	507	1.26	0.02
I032078		27.0	3.12	5.45	<0.05	0.11	0.02	0.020	0.03	8.7	8.5	0.57	393	0.62	0.05
I032079		12.5	2.25	5.53	<0.05	0.03	0.02	0.012	0.03	8.8	13.9	0.42	208	0.53	<0.01
I032080		17.8	2.20	4.37	<0.05	0.07	0.02	0.013	0.04	12.9	11.7	0.47	336	0.53	0.01
I032081		13.0	2.32	6.83	<0.05	0.03	0.02	0.014	0.05	10.2	13.4	0.50	296	0.60	0.01
I032082		20.8	2.37	5.42	0.05	0.05	0.06	0.019	0.04	19.2	14.8	0.48	821	1.12	0.02
I032083		9.5	2.10	6.38	<0.05	0.03	0.03	0.012	0.03	9.5	11.1	0.40	147	0.78	0.01
I032084		9.8	2.01	5.80	<0.05	<0.02	0.02	0.009	0.05	8.2	9.0	0.34	141	1.01	0.01
I032085		10.9	2.66	7.16	<0.05	0.07	0.01	0.015	0.05	9.7	13.7	0.36	198	0.99	0.01
I032086		9.1	1.81	5.34	<0.05	0.03	0.01	0.005	0.06	12.6	10.2	0.36	225	0.63	0.01
I032087		14.0	2.07	5.52	0.07	0.03	0.01	0.019	0.05	11.2	14.2	0.55	366	0.44	0.02
I032088		10.7	1.54	3.32	0.05	0.03	0.02	0.013	0.05	7.6	6.1	0.20	363	1.00	0.01
I032089		27.8	2.49	5.45	0.07	0.05	0.02	0.027	0.09	11.8	11.5	0.46	891	0.99	0.04
I032090		14.7	2.14	5.16	0.07	0.02	0.01	0.013	0.08	8.8	12.3	0.63	472	0.72	0.02
I032091		14.8	2.11	5.05	0.07	0.03	0.01	0.014	0.07	9.9	13.9	0.64	377	0.73	0.02
I032092		7.3	1.91	4.50	0.06	0.04	0.01	0.012	0.04	6.8	9.6	0.25	152	1.23	0.01
I032093		18.7	1.90	5.56	0.06	0.02	0.02	0.013	0.05	11.3	8.2	0.25	991	1.34	0.03
I032094		16.0	1.99	4.90	0.06	0.02	0.02	0.013	0.05	10.2	10.1	0.30	815	1.16	0.02
I032095		21.5	2.27	4.03	0.09	0.13	0.02	0.018	0.05	12.5	13.0	0.50	336	0.80	0.04
I032096		15.4	2.12	4.69	0.08	0.04	0.02	0.021	0.10	14.8	11.1	0.43	734	0.79	0.03
I032097		8.3	2.55	8.13	0.10	0.03	0.01	0.018	0.06	4.3	25.0	3.03	552	0.35	0.02
I032098		17.9	2.48	4.49	0.09	0.10	0.09	0.022	0.06	10.9	12.2	0.47	299	0.88	0.03
I032099		18.8	2.37	4.41	0.08	0.09	0.02	0.021	0.08	10.7	11.3	0.49	547	0.88	0.04
I032100		20.2	2.35	4.25	0.08	0.08	0.01	0.020	0.09	9.9	10.6	0.47	521	0.92	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032061		16.1	350	7.0	13.5	<0.001	<0.01	0.53	5.6	0.3	0.7	30.0	<0.01	0.03	2.6
I032062		13.0	340	8.1	45.3	<0.001	<0.01	0.64	5.9	0.3	0.8	22.4	<0.01	0.02	2.7
I032063		25.4	570	6.4	20.4	<0.001	<0.01	1.42	6.1	0.3	0.8	25.3	<0.01	0.02	2.8
I032064		15.3	430	7.9	10.6	<0.001	<0.01	1.09	5.1	0.3	0.8	17.1	0.01	0.02	1.8
I032065		4.3	270	4.6	6.7	<0.001	<0.01	0.23	1.9	0.3	0.3	11.1	<0.01	0.02	0.5
I032066		22.1	480	6.2	14.4	<0.001	<0.01	0.32	6.0	0.2	0.6	25.9	<0.01	0.02	2.9
I032067		6.6	550	16.9	4.8	<0.001	<0.01	0.57	2.9	0.3	0.3	18.8	<0.01	0.01	0.4
I032068		8.5	380	12.2	9.2	<0.001	<0.01	0.54	3.0	0.3	0.4	22.3	<0.01	0.02	0.4
I032069		22.7	530	51.9	10.8	<0.001	<0.01	1.97	5.5	0.3	0.6	30.1	<0.01	0.03	2.7
I032070		28.3	270	8.9	11.3	<0.001	<0.01	0.64	5.6	0.4	0.7	22.3	<0.01	0.02	4.4
I032071		14.9	390	19.9	18.7	<0.001	<0.01	0.56	5.8	0.4	0.7	20.5	<0.01	0.03	2.7
I032072		17.8	610	7.0	29.0	<0.001	<0.01	0.34	6.4	0.4	0.8	25.6	<0.01	0.02	3.0
I032073		25.6	310	8.6	11.2	<0.001	<0.01	0.47	6.5	0.4	0.7	25.2	0.01	0.02	4.9
I032074		5.3	270	4.6	4.5	<0.001	<0.01	0.17	1.9	0.3	0.3	15.8	<0.01	0.02	0.5
I032075		15.3	330	10.5	7.5	<0.001	<0.01	0.42	4.4	0.4	0.7	22.7	0.01	0.03	2.2
I032076		15.0	550	8.5	23.8	<0.001	<0.01	0.45	7.0	0.4	0.9	14.8	0.01	0.04	2.7
I032077		16.9	380	9.1	15.4	<0.001	<0.01	0.36	6.5	0.3	0.8	21.9	<0.01	0.05	2.9
I032078		22.5	490	6.3	5.3	<0.001	<0.01	0.31	4.3	0.3	0.5	36.0	<0.01	0.02	2.0
I032079		12.3	280	6.0	5.9	<0.001	<0.01	0.26	3.1	0.2	0.4	11.9	<0.01	0.01	2.4
I032080		16.3	590	6.8	6.9	<0.001	<0.01	0.39	3.8	0.3	0.4	22.1	<0.01	0.02	4.0
I032081		11.9	460	7.8	12.8	<0.001	<0.01	0.25	3.5	0.3	0.4	22.3	<0.01	0.02	2.5
I032082		23.4	750	7.9	7.8	<0.001	0.02	0.52	4.5	0.9	0.6	65.1	<0.01	0.02	1.8
I032083		12.0	260	8.8	9.1	<0.001	<0.01	0.24	3.3	0.3	0.5	22.1	<0.01	0.01	2.4
I032084		11.0	430	8.7	8.9	<0.001	<0.01	0.26	2.7	0.3	0.5	19.4	<0.01	0.02	1.1
I032085		11.4	450	10.9	9.8	<0.001	<0.01	0.28	3.0	0.2	0.6	13.3	<0.01	0.03	2.8
I032086		9.0	220	8.9	10.4	<0.001	<0.01	0.19	2.7	<0.2	0.4	20.4	<0.01	0.02	2.3
I032087		16.1	310	6.2	8.2	<0.001	<0.01	0.21	3.4	0.3	0.3	23.8	<0.01	0.02	3.3
I032088		9.1	170	11.3	14.2	<0.001	<0.01	0.27	1.9	0.4	0.4	11.9	0.01	0.02	3.8
I032089		20.9	330	8.0	13.1	<0.001	<0.01	0.44	4.5	0.6	0.5	29.9	<0.01	0.04	3.1
I032090		16.2	270	4.8	10.9	<0.001	<0.01	0.25	2.9	0.3	0.3	17.1	<0.01	0.02	1.9
I032091		16.7	260	4.7	11.1	<0.001	<0.01	0.26	3.0	0.3	0.3	17.6	<0.01	0.02	2.1
I032092		7.9	130	5.6	7.9	<0.001	<0.01	0.30	2.2	0.2	0.4	7.7	<0.01	0.02	2.3
I032093		11.8	300	7.3	9.3	<0.001	<0.01	0.33	2.7	0.4	0.5	15.8	<0.01	0.04	2.0
I032094		11.3	220	6.1	9.1	<0.001	<0.01	0.32	2.5	0.3	0.4	14.4	<0.01	0.03	2.4
I032095		21.3	560	6.4	7.6	<0.001	<0.01	0.44	4.5	0.7	0.4	39.3	<0.01	0.03	4.0
I032096		16.7	330	5.7	13.3	0.001	<0.01	0.26	4.0	0.4	0.4	23.4	<0.01	0.02	3.2
I032097		70.5	280	3.4	15.8	<0.001	<0.01	0.13	8.6	0.3	0.4	25.9	<0.01	0.01	1.1
I032098		20.8	300	7.1	7.6	<0.001	<0.01	0.45	5.0	0.5	0.4	33.5	<0.01	0.03	4.0
I032099		21.5	430	7.2	9.6	<0.001	<0.01	0.41	4.5	0.8	0.4	39.1	<0.01	0.03	3.4
I032100		20.7	710	6.6	8.8	0.001	<0.01	0.39	4.1	0.5	0.4	37.8	<0.01	0.03	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032061		0.14	0.86	83	0.24	6.76	47	3.5	0.44
I032062		0.27	0.68	92	0.17	5.17	56	2.6	0.42
I032063		0.17	0.58	98	0.24	5.46	65	3.4	0.48
I032064		0.10	0.61	78	0.24	4.24	50	1.2	0.40
I032065		0.04	0.37	32	0.10	2.24	16	0.7	0.22
I032066		0.18	0.76	85	0.19	5.78	51	4.4	0.56
I032067		0.09	0.57	34	0.18	4.90	44	<0.5	0.38
I032068		0.09	0.63	39	0.30	4.80	59	0.6	0.28
I032069		0.22	0.67	71	0.20	5.46	388	4.5	0.58
I032070		0.12	0.60	97	0.18	3.98	65	8.2	0.50
I032071		0.18	0.74	91	0.51	5.32	53	4.0	0.44
I032072		0.26	0.59	108	0.20	5.49	69	4.1	0.42
I032073		0.12	0.85	86	0.19	5.01	55	11.9	0.56
I032074		0.04	0.32	36	0.09	2.13	17	0.6	0.36
I032075		0.10	0.63	86	0.14	4.13	41	2.8	0.42
I032076		0.18	0.70	132	0.25	3.73	62	4.4	0.40
I032077		0.15	0.96	105	0.20	5.28	70	3.2	0.40
I032078		0.06	0.49	80	0.11	5.83	47	5.2	0.24
I032079		0.07	0.34	50	0.16	3.63	34	1.3	0.38
I032080		0.05	0.61	44	0.19	6.81	51	3.0	0.40
I032081		0.06	0.42	49	0.36	5.08	57	1.5	0.34
I032082		0.06	2.01	45	0.18	15.85	56	1.9	0.34
I032083		0.10	0.47	52	0.21	2.92	45	1.5	0.50
I032084		0.07	0.36	51	0.27	2.60	43	0.5	0.38
I032085		0.10	0.40	67	0.17	2.48	42	3.1	0.38
I032086		0.06	0.42	42	0.09	3.76	43	1.1	0.34
I032087		0.05	0.36	40	0.09	4.35	41	1.1	0.40
I032088		0.07	0.68	31	0.13	6.42	32	0.8	0.34
I032089		0.06	0.59	51	0.32	5.04	43	1.9	0.20
I032090		0.06	0.27	50	0.10	2.84	43	0.8	0.36
I032091		0.06	0.29	50	0.11	3.03	44	1.0	0.36
I032092		0.05	0.21	47	0.14	1.68	22	1.5	0.36
I032093		0.07	0.38	53	0.19	4.20	29	0.5	0.30
I032094		0.06	0.32	47	0.18	3.75	30	0.7	0.48
I032095		0.05	0.63	49	0.17	7.58	45	5.0	0.30
I032096		0.05	0.47	42	0.12	5.10	32	0.9	0.36
I032097		0.08	0.22	74	0.10	1.94	77	1.3	0.42
I032098		0.04	0.53	55	0.24	5.31	43	4.1	0.40
I032099		0.04	0.71	53	0.15	6.05	46	3.3	0.38
I032100		0.04	0.65	50	0.29	5.31	46	2.8	0.34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032101		0.005	0.04	1.03	5.3	<0.2	<10	30	0.16	0.17	0.08	0.09	16.15	4.7	20	0.88
I032102		<0.005	<0.01	0.01	<0.1	<0.2	<10	<10	<0.05	0.01	<0.01	0.01	0.96	0.1	<1	<0.05
I032103		0.006	0.07	1.81	5.8	<0.2	<10	110	0.32	0.20	0.18	0.08	42.9	9.8	32	1.95
I032104		<0.005	0.04	1.92	13.7	<0.2	<10	110	0.52	0.22	0.11	0.17	36.3	11.6	30	1.29
I032105		<0.005	0.04	2.16	9.4	<0.2	<10	100	0.44	0.17	0.13	0.14	19.40	8.6	35	1.20
I032106		<0.005	0.09	2.16	11.4	<0.2	<10	120	0.41	0.24	0.09	0.12	18.80	7.1	33	1.33
I032107		<0.005	0.10	2.32	8.7	<0.2	<10	90	0.41	0.14	0.14	0.14	17.45	11.5	36	1.22
I032108		<0.005	0.03	2.02	4.0	<0.2	<10	50	0.14	0.05	0.20	0.06	4.84	12.7	136	2.21
I032109		<0.005	0.08	1.82	4.7	<0.2	<10	140	0.22	0.13	0.18	0.09	6.55	10.9	55	0.93
I032110		<0.005	0.23	1.81	6.2	<0.2	<10	180	0.22	0.15	0.22	0.15	9.27	12.9	21	1.55
I032111		<0.005	0.04	1.91	3.2	<0.2	<10	700	0.20	0.08	0.18	0.05	5.10	13.0	13	0.94
I032112		<0.005	0.17	1.25	6.6	<0.2	<10	120	0.14	0.13	0.20	0.08	11.60	6.6	27	0.78
I032113		<0.005	0.18	1.33	7.9	<0.2	<10	430	0.20	0.15	0.33	0.15	16.45	8.3	30	1.28
I032114		0.006	0.13	1.36	5.2	<0.2	<10	160	0.14	0.11	0.28	0.08	13.05	9.0	30	0.81
I032115		<0.005	0.26	0.86	2.3	<0.2	<10	190	0.18	0.11	0.19	0.16	11.55	4.1	16	1.89
I032116		<0.005	0.03	1.87	7.1	<0.2	<10	150	0.19	0.14	0.16	0.10	12.20	11.2	28	2.67
I032117		<0.005	0.04	1.88	6.8	<0.2	<10	170	0.22	0.13	0.17	0.11	13.80	11.1	29	2.65
I032118		<0.005	0.14	1.26	5.2	<0.2	<10	170	0.16	0.14	0.21	0.09	13.00	6.4	22	0.91
I032119		<0.005	0.06	2.41	10.2	<0.2	<10	90	0.31	0.14	0.10	0.17	12.70	14.6	78	1.87
I032120		<0.005	0.14	1.96	3.1	<0.2	<10	390	0.23	0.10	0.59	0.05	10.35	22.5	69	2.31
I032121		<0.005	0.04	1.85	6.0	<0.2	<10	90	0.17	0.11	0.12	0.10	10.55	13.5	35	1.75
I032122		0.005	0.16	1.78	4.9	<0.2	<10	210	0.21	0.12	0.26	0.10	13.30	11.7	26	1.96
I032123		0.020	0.19	2.01	3.9	<0.2	<10	470	0.24	0.14	0.45	0.11	14.90	14.8	33	3.75
I032124		<0.005	0.19	1.77	4.0	<0.2	<10	240	0.24	0.09	0.32	0.08	12.45	14.2	20	3.71
I032125		0.006	0.04	2.25	6.4	<0.2	<10	120	0.37	0.17	0.36	0.15	21.6	9.9	36	1.68
I032126		<0.005	0.05	2.69	7.8	<0.2	<10	190	0.55	0.17	0.36	0.10	23.5	12.4	45	1.78
I032127		<0.005	0.23	3.12	9.1	<0.2	<10	420	0.59	0.23	0.51	0.12	24.5	13.7	46	4.06
I032128		0.005	1.12	1.12	42.2	<0.2	<10	150	0.18	0.12	0.16	0.43	13.55	3.4	17	2.33
I032129		<0.005	0.08	2.13	12.5	<0.2	<10	190	0.26	0.17	0.30	0.08	17.50	8.2	33	3.78
I032130		<0.005	0.13	1.82	4.8	<0.2	<10	180	0.17	0.19	0.28	0.09	13.55	6.9	25	1.37
I032131		<0.005	0.03	2.36	5.3	<0.2	<10	220	0.31	0.16	0.44	0.05	29.7	10.8	36	2.22
I032132		<0.005	0.04	1.89	157.5	<0.2	<10	130	0.26	0.15	0.19	0.12	24.2	10.3	24	4.26
I032133		<0.005	0.05	2.65	17.7	<0.2	<10	220	0.32	0.14	0.46	0.07	25.4	12.9	36	2.33
I032134		<0.005	0.04	2.72	5.2	<0.2	<10	250	0.29	0.14	0.57	0.05	19.90	11.8	27	1.77
I032135		<0.005	0.04	2.44	6.6	<0.2	<10	150	0.25	0.15	0.27	0.14	15.00	10.4	27	1.20
I032136		0.007	0.01	2.36	7.8	<0.2	<10	150	0.23	0.15	0.36	0.08	18.00	10.3	31	1.39
I032137		0.007	0.05	2.67	6.6	<0.2	<10	190	0.27	0.16	0.43	0.07	21.8	12.1	33	1.57
I032138		<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.00	0.1	2	<0.05
I032139		<0.005	0.08	2.88	8.5	<0.2	<10	330	0.32	0.17	0.68	0.07	28.8	14.5	32	3.45
I032140		<0.005	0.15	2.76	7.6	<0.2	<10	400	0.34	0.16	0.84	0.08	35.1	13.8	35	3.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032101		14.0	2.13	6.29	0.07	0.02	0.03	0.016	0.06	7.8	7.4	0.29	136	1.00	0.01
I032102		1.2	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.16	<0.01
I032103		27.0	2.82	6.67	0.13	0.04	0.03	0.024	0.18	23.6	15.5	0.59	201	1.10	0.01
I032104		30.4	3.24	6.23	0.10	0.02	0.04	0.029	0.05	17.3	12.5	0.37	231	1.50	0.01
I032105		17.8	2.92	6.33	0.08	0.04	0.07	0.028	0.06	9.3	16.7	0.43	288	1.27	0.01
I032106		20.4	3.35	8.18	0.08	0.05	0.04	0.030	0.03	9.7	16.0	0.28	223	2.02	0.01
I032107		51.1	3.33	7.91	0.09	0.07	0.03	0.024	0.05	8.3	17.4	0.67	206	1.16	0.02
I032108		19.2	2.74	7.09	0.08	<0.02	0.01	0.009	0.07	2.5	21.9	1.45	187	0.70	0.02
I032109		25.2	2.78	7.45	0.07	0.02	0.02	0.018	0.05	3.4	15.7	0.84	257	0.98	0.03
I032110		77.0	3.19	7.14	0.05	0.02	0.04	0.017	0.08	4.7	13.2	0.60	403	1.00	0.02
I032111		89.6	2.83	8.45	0.05	0.02	0.01	0.016	0.12	2.4	18.8	0.90	212	0.58	0.03
I032112		32.3	2.19	5.66	0.05	0.02	0.03	0.016	0.05	6.0	9.0	0.44	139	0.84	0.02
I032113		44.2	2.30	5.54	0.05	0.02	0.03	0.021	0.07	8.6	9.7	0.42	245	1.30	0.02
I032114		50.1	2.25	5.58	0.06	0.02	0.03	0.014	0.08	6.7	10.0	0.63	186	0.84	0.02
I032115		69.5	1.13	3.16	<0.05	<0.02	0.06	0.013	0.04	6.0	2.7	0.14	55	0.66	0.02
I032116		51.4	3.12	7.62	0.05	0.02	0.02	0.022	0.04	6.1	13.9	0.54	373	1.14	0.01
I032117		55.4	2.93	6.83	0.06	0.02	0.02	0.022	0.04	6.8	13.9	0.52	336	1.01	0.02
I032118		36.2	1.94	5.96	0.05	0.02	0.03	0.015	0.04	6.7	8.0	0.36	128	0.87	0.02
I032119		26.0	3.89	8.76	0.06	0.11	0.03	0.026	0.06	6.5	23.2	0.97	289	1.07	0.01
I032120		52.1	3.44	7.84	0.06	0.02	0.03	0.019	0.08	4.9	15.3	1.17	743	0.83	0.02
I032121		63.1	3.65	9.08	0.08	0.04	0.02	0.016	0.12	5.4	12.1	0.90	248	1.01	0.01
I032122		74.3	2.81	7.00	0.06	0.02	0.04	0.020	0.09	6.8	13.1	0.68	215	0.88	0.02
I032123		112.0	3.28	7.14	0.06	0.03	0.08	0.027	0.12	7.6	12.8	0.73	401	0.81	0.02
I032124		84.6	4.26	7.27	0.07	0.02	0.05	0.029	0.18	6.0	10.0	0.71	408	0.68	0.01
I032125		18.8	3.56	8.51	0.08	0.07	0.02	0.032	0.22	10.9	12.4	0.97	415	0.90	<0.01
I032126		24.5	3.75	8.33	0.09	0.09	0.01	0.039	0.16	11.4	14.2	0.99	527	0.95	0.01
I032127		30.6	4.32	9.37	0.09	0.05	0.07	0.048	0.18	12.5	11.8	0.94	740	1.47	0.02
I032128		15.4	1.72	4.72	<0.05	0.02	0.14	0.019	0.05	7.9	4.3	0.23	121	0.79	0.01
I032129		15.6	3.23	7.12	0.06	0.03	0.04	0.027	0.06	9.1	11.7	0.55	253	1.07	0.01
I032130		17.7	2.33	5.52	0.05	0.03	0.02	0.019	0.05	7.1	10.0	0.43	227	0.69	0.01
I032131		22.7	3.48	7.13	0.10	0.12	0.02	0.027	0.17	15.7	13.4	0.85	435	0.52	0.01
I032132		12.2	4.19	7.42	0.06	0.03	0.03	0.032	0.12	12.6	8.4	0.47	667	1.40	<0.01
I032133		23.6	3.42	7.34	0.09	0.09	0.03	0.032	0.12	12.6	12.7	0.82	438	0.42	0.01
I032134		18.2	3.52	7.90	0.09	0.08	0.04	0.031	0.14	10.1	12.9	0.96	396	0.36	0.03
I032135		22.1	3.63	7.95	0.07	0.07	0.04	0.023	0.09	7.3	11.1	0.64	378	0.93	0.02
I032136		17.0	3.82	9.08	0.07	0.09	0.03	0.026	0.14	8.7	12.7	0.78	407	0.90	0.01
I032137		23.3	3.71	7.83	0.09	0.09	0.02	0.025	0.17	10.9	13.2	0.88	417	0.73	0.01
I032138		0.7	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.05	<0.01
I032139		22.3	4.17	8.94	0.11	0.06	0.03	0.037	0.24	13.3	14.4	1.08	648	0.90	0.02
I032140		25.6	3.95	7.58	0.12	0.08	0.06	0.032	0.24	18.0	14.4	0.98	738	0.68	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032101		12.9	300	7.9	9.3	<0.001	0.02	0.26	2.1	0.5	0.5	9.1	<0.01	0.04	1.5
I032102		1.1	10	0.8	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032103		24.1	450	9.0	28.2	<0.001	0.01	0.36	4.1	0.7	0.6	15.2	<0.01	0.03	6.3
I032104		27.0	520	10.5	11.6	<0.001	0.01	0.35	3.1	0.9	0.5	12.3	0.01	0.05	1.4
I032105		20.4	420	8.2	11.7	<0.001	0.02	0.46	3.9	0.7	0.6	13.6	0.01	0.05	3.7
I032106		17.4	290	10.3	11.8	<0.001	0.01	0.63	3.8	0.5	0.7	11.2	0.01	0.06	3.3
I032107		24.2	360	6.6	10.9	<0.001	0.01	0.50	5.3	0.5	0.5	10.1	0.01	0.05	2.9
I032108		40.0	350	2.6	11.4	<0.001	<0.01	0.16	3.0	0.4	0.3	10.5	<0.01	0.03	0.4
I032109		22.8	310	4.8	10.2	<0.001	0.01	0.35	4.0	0.5	0.4	15.5	<0.01	0.04	0.6
I032110		16.8	350	5.8	15.6	<0.001	0.03	0.43	2.9	0.4	0.5	15.5	<0.01	0.04	0.5
I032111		13.6	470	2.8	11.1	<0.001	0.02	0.21	4.1	0.3	0.4	9.1	<0.01	0.03	0.5
I032112		15.7	260	5.1	8.7	<0.001	0.03	0.33	2.9	0.4	0.4	14.7	0.01	0.04	0.8
I032113		21.6	570	6.2	14.5	<0.001	0.04	0.31	3.3	0.6	0.4	21.5	<0.01	0.03	0.4
I032114		17.8	590	4.9	9.8	<0.001	0.02	0.23	3.0	0.4	0.4	15.8	<0.01	0.03	0.8
I032115		10.9	680	4.0	6.4	<0.001	0.04	0.19	0.6	0.6	0.3	17.8	<0.01	0.02	<0.2
I032116		20.0	370	6.1	9.4	<0.001	0.01	0.29	4.4	0.3	0.5	13.0	<0.01	0.04	0.7
I032117		21.3	380	6.0	9.1	<0.001	0.01	0.30	4.1	0.4	0.5	14.1	<0.01	0.04	0.5
I032118		13.5	370	5.7	6.9	<0.001	0.01	0.24	3.1	0.4	0.5	15.4	<0.01	0.03	0.6
I032119		35.3	260	7.4	11.1	<0.001	0.01	0.47	4.8	0.5	0.5	10.0	<0.01	0.04	2.2
I032120		34.4	720	5.0	10.0	<0.001	0.03	0.19	4.9	0.4	0.4	26.5	<0.01	0.03	0.3
I032121		20.8	310	5.4	14.7	<0.001	0.01	0.28	4.3	0.3	0.5	10.0	<0.01	0.03	1.2
I032122		18.3	620	5.3	11.9	<0.001	0.02	0.26	4.6	0.4	0.4	17.7	<0.01	0.03	0.7
I032123		19.4	600	6.0	14.2	<0.001	0.02	0.22	7.1	0.5	0.5	24.1	<0.01	0.02	0.6
I032124		14.0	730	3.9	18.0	<0.001	<0.01	0.31	6.6	0.4	0.4	15.4	<0.01	0.02	0.8
I032125		21.2	500	9.3	25.6	<0.001	<0.01	0.26	5.5	0.4	1.0	23.4	<0.01	0.02	3.2
I032126		28.6	390	8.6	24.8	<0.001	<0.01	0.30	7.0	0.4	1.0	27.9	<0.01	0.02	3.6
I032127		26.4	590	11.0	26.2	<0.001	0.01	0.38	8.9	0.6	1.0	38.5	<0.01	0.03	2.4
I032128		7.9	260	17.3	13.1	<0.001	<0.01	1.06	3.3	0.4	0.5	17.0	<0.01	0.02	0.5
I032129		17.9	520	7.9	12.8	<0.001	<0.01	0.36	4.5	0.5	0.6	24.7	<0.01	0.02	1.3
I032130		15.7	540	5.5	9.7	<0.001	<0.01	0.20	3.2	0.3	0.5	20.0	<0.01	0.02	0.9
I032131		21.3	630	6.6	22.8	<0.001	<0.01	0.27	7.3	0.5	0.7	30.1	<0.01	0.02	4.4
I032132		12.5	350	15.5	18.7	<0.001	<0.01	1.01	5.8	0.4	0.5	14.8	<0.01	0.03	3.8
I032133		24.1	650	9.0	19.0	<0.001	<0.01	0.42	6.8	0.5	0.6	29.0	<0.01	0.02	3.4
I032134		18.8	740	6.1	17.0	<0.001	0.01	0.38	6.1	0.5	0.7	32.9	<0.01	0.01	2.8
I032135		16.5	430	6.1	11.2	<0.001	<0.01	0.31	4.0	0.5	0.5	21.1	0.01	0.03	1.8
I032136		19.4	420	7.4	19.5	<0.001	<0.01	0.35	4.8	0.4	0.6	26.5	<0.01	0.02	2.4
I032137		23.2	640	6.2	21.8	<0.001	<0.01	0.27	5.2	0.5	0.6	26.8	<0.01	0.02	3.2
I032138		0.6	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01	0.2
I032139		21.2	860	5.7	34.5	<0.001	0.01	0.40	8.6	0.6	0.7	40.1	<0.01	0.02	2.6
I032140		20.7	900	6.0	33.9	<0.001	0.02	0.44	9.1	0.9	0.6	44.6	<0.01	0.03	2.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032101		0.13	0.58	51	0.10	2.42	32	0.6	0.28
I032102		<0.02	0.09	<1	<0.05	0.59	3	0.5	0.10
I032103		0.24	1.08	52	0.13	7.10	57	1.4	0.38
I032104		0.16	1.20	57	0.14	6.15	53	0.5	0.30
I032105		0.12	0.81	63	0.16	3.35	46	1.2	0.40
I032106		0.10	0.61	79	0.21	3.10	42	2.2	0.42
I032107		0.12	0.59	99	0.17	4.19	49	3.2	0.38
I032108		0.06	0.18	83	0.06	1.35	39	<0.5	0.36
I032109		0.09	0.28	82	0.10	1.73	48	0.7	0.32
I032110		0.08	0.30	91	0.13	1.93	51	0.8	0.32
I032111		0.07	0.20	97	0.06	1.88	60	0.9	0.40
I032112		0.06	0.36	62	0.13	2.23	32	0.8	0.28
I032113		0.08	0.62	56	0.14	4.70	44	<0.5	0.28
I032114		0.06	0.38	63	0.16	3.15	40	0.6	0.40
I032115		0.05	0.62	23	0.08	4.64	18	<0.5	0.22
I032116		0.08	0.34	84	0.13	2.52	46	0.5	0.36
I032117		0.07	0.36	74	0.18	2.87	45	<0.5	0.36
I032118		0.07	0.39	56	0.25	2.97	32	0.5	0.42
I032119		0.08	0.38	95	0.14	2.36	48	4.1	0.32
I032120		0.07	0.30	111	0.12	3.25	43	0.5	0.44
I032121		0.09	0.24	123	0.12	1.80	52	1.5	0.32
I032122		0.09	0.48	79	0.11	3.14	51	0.7	0.38
I032123		0.10	0.49	94	0.12	6.80	73	0.8	0.40
I032124		0.11	0.32	129	0.12	3.70	68	0.7	0.34
I032125		0.22	0.61	82	0.18	4.96	72	3.0	0.44
I032126		0.22	0.72	82	0.15	5.91	71	4.3	0.38
I032127		0.22	1.10	87	0.18	9.51	70	2.1	0.38
I032128		0.10	0.65	45	0.11	4.19	33	0.5	0.30
I032129		0.14	0.70	75	0.14	5.35	46	1.2	0.36
I032130		0.09	0.60	54	0.13	4.13	39	1.1	0.34
I032131		0.22	0.97	84	0.14	9.08	55	5.4	0.40
I032132		0.26	0.62	83	0.21	4.27	54	1.0	0.48
I032133		0.18	1.00	78	0.17	8.66	55	3.9	0.42
I032134		0.19	0.68	83	0.16	7.61	55	2.9	0.38
I032135		0.12	0.46	86	0.15	4.13	44	3.0	0.30
I032136		0.15	0.51	97	0.25	4.90	51	3.5	0.36
I032137		0.19	0.77	89	0.22	6.48	60	3.8	0.36
I032138		<0.02	0.07	1	<0.05	0.60	3	0.5	0.10
I032139		0.25	1.44	99	0.27	11.50	64	2.5	0.40
I032140		0.27	2.82	99	0.30	18.50	64	3.1	0.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
I032141		<0.005	0.12	2.32	11.9	<0.2	<10	240	0.25	0.23	0.45	0.11	17.35	12.0	28	2.85
I032142		<0.005	0.22	3.57	11.1	<0.2	<10	240	0.47	0.26	0.33	0.11	22.4	13.3	39	2.11
I032143		<0.005	0.05	2.52	7.4	<0.2	<10	300	0.39	0.22	0.52	0.07	33.8	12.2	38	2.28
I032144		<0.005	0.09	2.46	11.5	<0.2	<10	190	0.25	0.13	0.34	0.08	16.70	9.7	36	1.29
I032145		<0.005	0.05	2.83	7.6	<0.2	<10	280	0.36	0.12	0.52	0.07	36.5	14.7	41	2.55
I032146		<0.005	0.04	2.41	9.3	<0.2	<10	290	0.37	0.15	0.41	0.08	32.0	12.8	34	3.86
I032147		<0.005	0.29	2.84	7.8	<0.2	<10	140	0.34	0.28	0.26	0.08	16.70	12.1	37	1.96
I032148		<0.005	0.08	2.18	5.6	<0.2	<10	140	0.19	0.21	0.43	0.08	18.60	8.7	29	1.71
I032149		<0.005	0.10	1.88	5.3	<0.2	<10	110	0.25	0.16	0.22	0.08	22.3	7.7	22	1.56
I032150		<0.005	0.10	1.75	5.5	<0.2	<10	110	0.23	0.16	0.21	0.08	21.1	7.1	22	1.38
I032151		<0.005	0.04	2.66	8.2	<0.2	<10	130	0.31	0.16	0.27	0.13	19.15	10.8	33	1.63
I032152		<0.005	0.03	1.79	7.8	<0.2	<10	100	0.21	0.15	0.20	0.10	13.70	7.4	28	0.98
I032153		0.005	0.05	3.72	7.1	<0.2	<10	270	0.60	0.23	0.27	0.10	26.6	16.1	34	3.64
I032154		<0.005	0.03	1.36	3.7	<0.2	<10	80	0.19	0.19	0.21	0.06	11.65	6.5	16	1.07
I032155		<0.005	0.14	2.96	8.4	<0.2	<10	190	0.41	0.27	0.38	0.12	21.7	13.5	37	1.45
I032156		<0.005	0.11	1.44	8.1	<0.2	<10	110	0.23	0.11	0.15	0.05	13.75	5.1	18	0.98
I032157		<0.005	0.06	2.47	7.2	<0.2	<10	130	0.27	0.14	0.32	0.09	16.55	9.6	33	1.16
I032158		<0.005	0.06	1.84	3.8	<0.2	<10	130	0.21	0.11	0.31	0.08	16.25	8.3	27	1.07
I032159		<0.005	0.05	2.25	11.3	<0.2	<10	100	0.38	0.16	0.20	0.07	16.35	7.1	31	0.94
I032160		<0.005	0.12	2.90	7.6	<0.2	<10	170	0.40	0.13	0.26	0.06	17.85	10.1	25	1.59
I032161		<0.005	0.11	1.09	3.9	<0.2	<10	90	0.25	0.10	0.18	0.06	15.50	4.7	14	0.98
I032162		<0.005	0.07	2.31	7.3	<0.2	<10	120	0.38	0.15	0.24	0.08	20.5	9.0	25	1.45
I032163		<0.005	0.04	1.98	8.9	<0.2	<10	120	0.25	0.17	0.34	0.13	17.40	11.2	31	1.22
I032164		<0.005	0.20	2.13	4.4	<0.2	<10	160	0.28	0.14	0.32	0.10	16.70	8.7	23	1.81
I032165		<0.005	0.08	2.51	11.2	<0.2	<10	130	0.36	0.27	0.16	0.14	21.7	9.0	18	4.30
I032166		<0.005	0.08	1.96	14.1	<0.2	<10	120	0.27	0.19	0.23	0.16	16.05	10.1	33	1.20
I032167		<0.005	0.10	1.65	8.1	<0.2	<10	210	0.40	0.17	0.33	0.08	31.9	8.8	27	5.70
I032168		0.012	0.05	1.50	15.3	<0.2	<10	210	0.38	0.15	0.53	0.09	23.5	9.3	22	3.19
I032169		<0.005	0.10	1.69	7.5	<0.2	<10	280	0.38	0.16	0.49	0.10	22.8	8.5	25	1.31
I032170		<0.005	0.09	1.60	7.0	<0.2	<10	290	0.34	0.18	0.69	0.13	21.1	9.7	25	1.30
I032171		<0.005	0.07	1.36	7.3	<0.2	<10	230	0.45	0.25	0.57	0.10	25.2	8.1	24	1.31
I032172		<0.005	0.07	1.62	7.3	<0.2	<10	190	0.38	0.16	0.24	0.11	20.6	11.2	30	1.64
I032173		<0.005	0.09	1.76	10.5	<0.2	<10	360	0.44	0.14	0.48	0.10	26.1	9.8	20	6.39
I032174		0.005	0.32	1.77	7.2	<0.2	<10	510	0.46	0.22	0.75	0.15	25.1	8.7	18	5.42
I032175		NSS	0.02	0.27	10.4	<0.2	<10	90	0.32	0.03	0.61	0.22	28.7	10.5	9	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I032141		18.1	3.42	7.08	0.09	0.07	0.02	0.027	0.16	8.4	12.2	0.85	491	0.83	0.01
I032142		23.8	4.39	8.62	0.08	0.07	0.04	0.038	0.07	10.6	15.8	0.86	402	1.08	0.01
I032143		24.3	3.95	7.97	0.12	0.15	0.03	0.032	0.23	17.5	13.6	1.04	511	0.61	0.02
I032144		15.3	4.12	6.76	0.07	0.05	0.02	0.028	0.07	8.3	12.5	0.72	320	0.82	0.01
I032145		30.9	4.36	8.84	0.15	0.13	0.02	0.036	0.36	20.5	13.4	1.18	609	0.49	0.02
I032146		30.5	3.67	7.00	0.11	0.08	0.03	0.032	0.22	15.0	12.0	0.84	624	0.92	0.02
I032147		18.6	3.88	7.53	0.07	0.06	0.04	0.032	0.10	7.8	13.3	0.74	413	1.01	<0.01
I032148		14.8	3.06	8.38	0.06	0.03	0.01	0.025	0.07	9.5	13.0	0.69	276	0.90	<0.01
I032149		13.1	2.93	8.19	0.06	0.03	0.02	0.022	0.05	12.6	8.8	0.55	290	1.26	0.01
I032150		13.3	2.73	7.30	0.06	0.03	0.02	0.022	0.05	12.0	8.6	0.47	255	1.18	<0.01
I032151		15.0	3.84	8.48	0.07	0.06	0.02	0.030	0.07	9.8	16.2	0.67	387	1.37	<0.01
I032152		18.5	2.78	7.11	0.05	0.03	0.02	0.024	0.05	6.8	9.3	0.42	189	1.02	<0.01
I032153		23.9	4.64	9.99	0.09	0.12	0.02	0.043	0.15	12.0	16.6	1.16	560	0.65	0.01
I032154		10.9	2.12	5.27	0.05	0.03	0.01	0.016	0.07	5.6	6.3	0.38	234	0.59	0.01
I032155		22.2	3.64	8.34	0.08	0.08	0.03	0.031	0.10	10.2	13.0	0.71	415	0.90	0.01
I032156		12.2	1.81	4.76	0.05	0.02	0.05	0.016	0.03	7.2	6.0	0.22	152	0.80	0.01
I032157		17.0	3.51	7.85	0.07	0.07	0.02	0.025	0.06	8.5	13.1	0.66	340	0.96	<0.01
I032158		17.4	2.72	6.29	0.07	0.05	0.01	0.020	0.11	8.1	9.9	0.65	345	0.68	0.01
I032159		14.7	4.19	8.62	<0.05	0.07	0.02	0.028	0.05	7.6	16.1	0.49	229	1.66	0.02
I032160		13.1	3.87	9.85	0.05	0.06	0.02	0.030	0.07	8.1	17.8	0.75	351	0.96	0.02
I032161		13.3	1.64	4.41	<0.05	<0.02	0.03	0.015	0.04	8.6	5.2	0.21	260	0.82	0.02
I032162		17.1	3.52	8.68	0.05	0.03	0.02	0.031	0.05	9.7	16.8	0.60	316	1.10	0.02
I032163		12.9	3.36	8.31	0.05	0.02	0.02	0.023	0.07	8.0	14.7	0.61	770	1.32	0.02
I032164		17.3	2.66	7.42	0.07	0.03	0.03	0.025	0.10	9.0	13.3	0.55	322	0.89	0.02
I032165		14.4	3.74	13.55	0.07	0.10	0.02	0.029	0.16	10.6	13.7	0.67	321	1.86	0.01
I032166		15.0	3.93	10.20	0.07	0.14	0.01	0.028	0.05	7.9	16.0	0.60	300	1.93	0.02
I032167		15.5	2.62	6.19	0.08	0.05	0.03	0.016	0.23	18.1	15.4	0.56	247	1.17	0.01
I032168		17.4	2.31	5.35	0.07	0.04	0.04	0.018	0.09	12.3	15.1	0.52	291	1.00	0.02
I032169		16.1	2.42	5.90	0.07	0.04	0.04	0.021	0.08	12.6	15.4	0.54	289	0.81	0.02
I032170		16.4	2.38	5.44	0.07	0.05	0.03	0.020	0.05	11.1	14.2	0.52	347	0.79	0.02
I032171		19.2	2.28	4.62	0.08	0.07	0.03	0.018	0.05	12.7	10.6	0.53	301	0.60	0.02
I032172		15.8	2.84	5.36	0.09	0.06	0.01	0.019	0.24	9.5	11.3	0.65	380	1.06	0.02
I032173		25.6	3.04	6.78	0.10	0.02	0.02	0.018	0.27	13.9	18.9	0.91	345	1.29	0.02
I032174		52.1	2.81	6.25	0.10	0.03	0.07	0.025	0.20	13.4	20.3	0.76	330	1.08	0.02
I032175		7.6	2.21	1.60	0.09	0.09	0.02	0.007	0.05	14.4	3.8	0.25	825	1.41	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
I032141		17.4	610	8.5	18.7	<0.001	<0.01	0.52	6.0	0.4	0.6	26.7	<0.01	0.03	1.9
I032142		24.3	420	7.5	14.5	<0.001	0.01	0.51	6.8	0.6	0.7	22.8	0.01	0.04	2.6
I032143		21.5	530	10.7	29.8	<0.001	<0.01	0.46	9.0	0.6	1.0	34.0	<0.01	0.02	5.7
I032144		18.9	550	6.2	11.0	<0.001	<0.01	0.36	4.4	0.5	0.5	21.3	<0.01	0.02	1.6
I032145		23.3	610	5.8	48.2	<0.001	<0.01	0.43	10.5	0.6	0.9	37.0	<0.01	0.01	4.2
I032146		21.7	720	5.9	26.4	<0.001	<0.01	0.57	9.3	0.7	0.5	25.7	<0.01	0.02	3.2
I032147		22.8	460	7.2	14.6	<0.001	<0.01	0.39	5.2	0.6	0.6	20.7	0.01	0.35	1.8
I032148		17.6	560	7.3	14.7	<0.001	<0.01	0.31	4.8	0.4	0.7	29.2	<0.01	0.02	1.7
I032149		11.5	300	6.4	13.8	<0.001	<0.01	0.35	5.5	0.4	0.7	19.6	<0.01	0.02	2.4
I032150		12.1	310	6.3	11.8	<0.001	<0.01	0.34	4.6	0.4	0.6	19.3	<0.01	0.02	2.1
I032151		19.6	620	8.1	12.4	<0.001	<0.01	0.52	4.7	0.5	0.6	21.3	0.01	0.03	3.1
I032152		17.8	430	7.0	8.0	<0.001	<0.01	0.37	3.0	0.5	0.5	16.4	0.01	0.02	0.7
I032153		26.0	260	12.1	26.8	<0.001	<0.01	0.55	8.0	0.4	1.2	25.2	<0.01	0.02	4.2
I032154		8.8	480	4.4	12.2	<0.001	<0.01	0.20	2.7	0.3	0.5	16.0	<0.01	0.02	0.5
I032155		24.6	690	9.3	14.6	<0.001	<0.01	0.40	6.2	0.7	0.6	28.6	0.01	0.05	2.6
I032156		8.2	420	5.1	6.6	<0.001	<0.01	0.22	2.8	0.4	0.4	15.2	<0.01	0.02	0.5
I032157		19.6	510	6.8	12.1	<0.001	<0.01	0.33	4.7	0.5	0.6	22.8	0.01	0.02	2.2
I032158		16.0	470	5.2	15.4	<0.001	<0.01	0.25	4.2	0.4	0.6	23.8	<0.01	0.01	1.4
I032159		16.1	400	9.2	8.6	<0.001	0.03	0.50	3.8	0.4	0.6	17.8	0.01	0.04	2.0
I032160		16.1	290	8.4	12.3	<0.001	0.02	0.40	5.2	0.2	0.8	23.2	<0.01	0.02	2.5
I032161		7.4	330	5.1	7.7	<0.001	0.02	0.22	2.2	0.4	0.3	17.0	<0.01	0.02	0.4
I032162		15.0	310	7.7	10.6	<0.001	0.02	0.55	4.8	0.3	0.7	24.6	<0.01	0.03	1.7
I032163		17.4	350	8.8	11.8	<0.001	0.02	0.33	3.2	0.2	0.7	25.0	<0.01	0.03	1.2
I032164		15.2	450	7.0	16.3	<0.001	0.02	0.43	4.8	0.5	0.6	26.1	<0.01	0.03	1.6
I032165		9.6	160	12.6	29.2	<0.001	0.01	1.23	6.2	0.3	1.1	16.9	<0.01	0.03	3.1
I032166		21.8	290	8.9	12.2	<0.001	0.01	0.47	4.4	0.3	0.7	19.7	<0.01	0.04	2.9
I032167		17.8	490	7.0	27.6	<0.001	0.01	0.29	3.4	0.4	0.5	20.8	<0.01	0.02	6.0
I032168		15.5	730	6.6	15.4	<0.001	0.02	0.56	4.1	0.6	0.6	29.0	<0.01	0.03	2.5
I032169		16.5	540	7.5	9.9	<0.001	0.01	0.33	4.3	0.5	0.5	33.3	<0.01	0.02	2.7
I032170		16.7	510	8.6	11.0	<0.001	0.03	0.35	4.2	0.6	0.5	41.8	<0.01	0.02	2.3
I032171		16.3	580	10.8	9.8	<0.001	0.02	0.41	4.0	0.6	0.3	33.1	<0.01	0.03	3.5
I032172		17.1	200	8.4	34.0	<0.001	0.06	0.45	3.2	0.3	0.4	21.8	<0.01	0.03	3.7
I032173		12.2	960	7.7	27.8	<0.001	0.05	0.45	3.3	0.4	0.4	23.9	<0.01	0.03	2.0
I032174		11.5	910	9.1	24.5	<0.001	0.05	0.36	4.1	0.6	0.5	39.8	<0.01	0.04	2.1
I032175		18.8	630	4.6	5.2	<0.001	0.01	0.53	2.0	0.5	0.3	13.2	<0.01	0.02	7.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113880

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	WEI- 21 Recvd Wt. kg 0.02
I032141		0.18	0.56	87	0.32	6.00	55	2.6	0.32
I032142		0.22	0.85	101	0.42	7.27	60	2.7	0.34
I032143		0.25	1.24	101	0.49	14.85	66	6.1	0.40
I032144		0.10	0.50	91	0.13	5.29	52	2.0	0.36
I032145		0.36	1.41	111	0.15	16.40	70	5.5	0.38
I032146		0.24	0.97	87	0.20	14.45	56	3.3	0.46
I032147		0.14	0.50	89	0.26	4.79	51	2.4	0.44
I032148		0.13	0.58	81	0.18	5.67	48	1.3	0.38
I032149		0.15	0.51	80	0.14	5.80	40	1.3	0.34
I032150		0.13	0.52	72	0.14	5.96	37	1.1	0.30
I032151		0.12	0.56	83	0.16	4.43	51	2.9	0.28
I032152		0.08	0.43	68	0.16	3.41	34	1.2	0.34
I032153		0.31	0.76	103	0.18	8.15	63	4.6	0.32
I032154		0.09	0.35	50	0.12	3.60	27	0.9	0.26
I032155		0.13	0.75	87	0.20	6.17	50	3.3	0.34
I032156		0.09	0.61	38	0.12	4.13	21	0.5	0.32
I032157		0.11	0.63	82	0.15	5.02	50	2.7	0.26
I032158		0.13	0.64	68	0.13	5.20	45	1.9	0.30
I032159		0.12	0.62	85	0.18	3.74	41	3.0	0.28
I032160		0.14	0.46	92	0.18	4.75	47	2.7	0.44
I032161		0.07	1.18	39	0.10	5.26	20	<0.5	0.22
I032162		0.11	0.67	89	0.25	6.05	40	1.4	0.32
I032163		0.11	0.43	86	0.15	3.26	60	1.0	0.30
I032164		0.15	0.89	62	0.18	5.63	39	1.2	0.30
I032165		0.21	0.52	107	0.19	4.11	45	4.0	0.36
I032166		0.10	0.56	106	0.19	3.80	44	5.8	0.36
I032167		0.15	0.94	47	0.20	5.24	57	1.7	0.38
I032168		0.10	1.29	48	0.28	7.00	47	1.0	0.38
I032169		0.07	0.85	52	0.17	7.10	48	1.4	0.46
I032170		0.08	0.83	50	0.17	5.75	49	1.7	0.28
I032171		0.08	0.87	46	0.17	6.05	49	2.6	0.40
I032172		0.17	0.57	57	0.19	2.87	51	2.7	0.38
I032173		0.19	0.76	57	0.30	5.40	63	<0.5	0.40
I032174		0.18	1.16	50	0.22	8.08	75	0.8	0.42
I032175		0.14	0.95	16	0.09	7.84	20	4.2	0.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113880

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **9-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113881

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I032176		0.36	<0.005	0.09	1.97	3.3	<0.2	<10	260	0.30	0.32	0.50	0.09	27.0	8.6	13
I032177		0.38	0.009	0.36	1.79	7.4	<0.2	<10	220	0.32	0.20	0.35	0.13	24.6	8.1	23
I032178		0.30	0.007	0.20	1.74	11.2	<0.2	<10	250	0.34	0.17	0.40	0.14	24.9	13.3	23
I032179		0.38	<0.005	0.11	1.86	29.7	<0.2	<10	220	0.38	0.11	0.36	0.10	22.9	11.7	19
I032180		0.40	<0.005	0.21	1.65	11.9	<0.2	<10	240	0.40	0.15	0.41	0.20	30.5	14.0	20
I032181		0.30	0.007	0.38	1.67	14.8	<0.2	<10	400	0.52	0.16	0.69	0.31	49.6	14.1	22
I032182		0.36	<0.005	0.21	2.03	8.4	<0.2	<10	240	0.36	0.10	0.31	0.21	24.5	11.9	22
I032183		0.36	0.007	0.19	1.65	8.2	<0.2	<10	310	0.38	0.11	0.67	0.22	29.8	12.9	20
I032184		0.46	0.005	0.10	1.61	8.5	<0.2	<10	250	0.32	0.14	0.50	0.14	23.1	11.7	22
I032185		0.26	0.010	0.62	2.72	15	<0.2	10	1270	1.34	0.13	11.05	1.13	135.5	12.0	27
I032186		0.34	0.007	0.21	1.16	12.8	<0.2	<10	170	0.25	0.10	0.48	0.19	15.20	7.0	15
I032187		0.34	0.008	0.12	1.69	13.1	<0.2	<10	310	0.54	0.18	0.48	0.13	30.9	11.6	24
I032188		0.34	0.005	0.12	2.04	7.0	<0.2	<10	310	0.28	0.10	0.35	0.16	11.35	17.1	16
I032189		0.30	<0.005	0.24	1.96	10.1	<0.2	<10	370	0.44	0.17	0.47	0.22	17.20	21.9	28
I032190		0.40	0.005	0.13	2.05	7.4	<0.2	<10	420	0.47	0.15	0.17	0.11	26.7	16.6	29
I032191		0.34	<0.005	0.14	2.11	7.8	<0.2	<10	390	0.42	0.15	0.18	0.12	25.1	16.3	30
I032192		0.34	0.006	0.10	1.83	8.5	<0.2	<10	270	0.46	0.17	0.17	0.15	25.3	15.5	30
I032193		0.32	0.007	0.13	1.68	8.6	<0.2	<10	300	0.46	0.16	0.56	0.16	48.3	11.3	22
I032194		0.36	0.008	0.12	1.72	7.5	<0.2	<10	280	0.46	0.16	0.48	0.21	34.6	11.8	26
I032195		0.34	<0.005	0.17	1.81	6.8	<0.2	<10	240	0.39	0.17	0.42	0.30	23.2	11.5	25
I032196		0.28	<0.005	0.34	1.38	6.9	<0.2	<10	240	0.31	0.14	0.44	0.28	22.5	10.7	21
I032197		0.34	0.005	0.23	1.92	4.8	<0.2	<10	270	0.46	0.12	0.56	0.97	15.00	17.5	26
I032198		0.32	<0.005	0.15	1.76	8.4	<0.2	<10	310	0.51	0.17	0.35	0.24	23.2	12.2	29
I032199		0.34	<0.005	0.15	1.58	6.4	<0.2	<10	410	0.46	0.18	0.51	0.29	19.60	10.1	27
I032200		0.34	<0.005	0.15	1.83	6.9	<0.2	<10	390	0.49	0.16	0.53	0.56	20.6	13.5	25
I032201		0.38	<0.005	0.12	2.11	4.1	<0.2	<10	660	0.51	0.12	0.51	0.10	23.5	18.5	41
I032202		0.34	<0.005	0.12	1.52	6.2	<0.2	<10	420	0.38	0.14	0.58	0.21	24.6	14.4	28
I032203		0.30	<0.005	0.06	2.72	3.7	<0.2	<10	570	0.51	0.08	0.52	0.15	26.2	24.4	72
I032204		0.40	<0.005	0.04	2.09	3.6	<0.2	<10	360	0.58	0.09	0.38	0.12	36.2	12.9	29
I032205		0.36	<0.005	0.30	1.72	4.5	<0.2	<10	520	0.45	0.12	0.29	0.16	27.8	11.8	23
I032206		0.36	<0.005	0.08	1.56	5.3	<0.2	<10	440	0.41	0.13	0.35	0.15	26.8	13.3	27
I032207		0.42	<0.005	0.17	1.55	4.9	<0.2	<10	260	0.26	0.13	0.29	0.19	13.40	8.8	22
I032208		0.28	0.006	0.31	2.63	3.8	<0.2	<10	460	0.34	0.11	0.49	0.28	22.4	24.3	33
I032209		0.44	<0.005	0.16	2.74	4.8	<0.2	<10	380	0.31	0.09	0.47	0.23	21.4	23.7	35
I032210		0.52	<0.005	0.02	0.15	1.8	<0.2	<10	30	0.10	0.02	0.09	0.04	11.40	2.5	4
I032211		0.34	<0.005	0.15	2.53	4.4	<0.2	<10	290	0.33	0.10	0.35	0.27	22.4	22.2	39
I032212		0.38	<0.005	0.23	2.20	5.0	<0.2	<10	340	0.35	0.12	0.43	0.29	24.3	21.6	49
I032213		0.40	<0.005	0.26	2.31	5.0	<0.2	<10	300	0.30	0.12	0.37	0.26	17.85	24.5	51
I032214		0.26	<0.005	0.23	1.84	8.0	<0.2	<10	340	0.47	0.18	0.52	0.48	30.1	17.6	37
I032215		0.38	<0.005	0.22	1.78	6.6	<0.2	<10	260	0.33	0.14	0.32	0.18	13.65	15.3	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032176		10.35	54.2	2.92	7.24	0.06	0.03	0.01	0.024	0.50	14.6	15.4	0.95	394	1.26
I032177		3.70	19.4	2.82	6.37	0.06	0.06	0.04	0.026	0.11	13.2	19.1	0.58	316	0.78
I032178		3.24	16.6	2.99	6.45	0.06	0.03	0.05	0.023	0.13	12.9	19.4	0.61	695	1.11
I032179		5.45	16.0	3.14	6.04	0.06	0.04	0.02	0.023	0.29	11.8	22.6	0.71	249	1.13
I032180		5.24	19.7	2.66	7.14	0.06	0.03	0.04	0.020	0.13	14.9	19.9	0.59	436	1.26
I032181		5.80	26.3	2.57	7.19	0.10	0.05	0.07	0.024	0.13	24.8	19.6	0.62	578	1.52
I032182		5.20	27.7	3.43	9.68	0.08	0.04	0.04	0.020	0.58	13.3	17.7	0.84	309	1.50
I032183		3.93	27.6	2.67	7.00	0.07	0.05	0.05	0.023	0.19	14.6	19.3	0.65	433	0.97
I032184		2.92	20.0	2.71	6.40	0.06	0.05	0.03	0.021	0.16	11.8	18.1	0.61	342	1.09
I032185		7.13	91.0	3.44	6.94	0.26	0.45	0.03	0.038	0.34	96.4	13.6	0.91	1780	2.18
I032186		6.84	17.0	2.27	7.94	0.05	0.03	0.01	0.015	0.27	7.3	8.0	0.47	375	1.49
I032187		4.80	22.6	2.76	7.16	0.07	0.10	0.03	0.024	0.13	16.9	18.8	0.62	396	0.82
I032188		4.65	21.4	3.55	8.06	0.06	0.05	0.02	0.015	0.31	5.5	22.5	0.94	539	1.18
I032189		4.70	34.1	3.34	9.23	0.06	0.05	0.03	0.028	0.24	7.6	17.9	0.70	860	1.45
I032190		1.77	19.7	3.32	8.94	0.06	0.05	0.02	0.027	0.23	11.9	15.9	0.62	767	1.00
I032191		1.98	19.9	3.47	9.24	0.06	0.05	0.03	0.028	0.24	11.2	17.2	0.66	649	1.10
I032192		1.52	14.5	3.09	8.20	0.05	0.03	0.03	0.028	0.12	11.2	13.9	0.48	665	1.21
I032193		3.10	21.4	2.74	7.95	0.11	0.08	0.07	0.031	0.11	25.6	17.9	0.59	438	0.94
I032194		2.17	24.5	2.66	7.62	0.08	0.05	0.07	0.029	0.09	17.0	19.3	0.60	390	0.93
I032195		3.46	21.0	2.89	8.45	0.06	0.09	0.03	0.029	0.07	11.0	18.5	0.57	489	1.22
I032196		3.09	20.9	2.63	7.84	0.06	0.03	0.03	0.026	0.11	9.9	12.6	0.45	467	1.46
I032197		4.97	26.1	4.00	12.00	0.08	0.05	0.02	0.023	0.26	7.0	19.4	0.86	1220	1.59
I032198		1.93	18.8	2.90	7.03	0.06	0.08	0.03	0.029	0.09	10.4	13.9	0.52	442	0.86
I032199		1.43	20.7	2.70	5.59	0.05	0.04	0.03	0.021	0.12	10.3	10.5	0.50	989	0.83
I032200		2.23	15.0	3.46	8.87	0.06	0.03	0.03	0.036	0.18	8.9	17.1	0.70	953	1.37
I032201		0.70	19.1	3.10	8.42	0.06	0.11	0.01	0.026	0.14	9.3	10.5	0.74	1160	1.07
I032202		0.53	19.7	2.61	6.17	0.05	0.07	0.02	0.023	0.22	9.3	9.8	0.48	881	1.30
I032203		1.65	36.0	4.06	13.15	0.11	0.10	0.01	0.027	0.75	13.0	21.8	1.72	1060	0.98
I032204		1.20	17.5	3.45	11.80	0.07	0.06	0.01	0.036	0.39	13.2	13.7	0.89	695	0.96
I032205		0.55	11.4	2.81	8.56	0.05	0.04	0.02	0.029	0.11	12.2	9.9	0.45	1140	1.40
I032206		0.44	12.5	2.56	6.51	0.06	0.06	0.02	0.025	0.09	11.3	9.7	0.44	522	1.20
I032207		0.31	14.9	2.34	6.96	<0.05	0.03	0.01	0.019	0.05	6.3	8.2	0.39	358	1.41
I032208		1.00	63.9	3.97	11.00	0.09	0.05	0.02	0.038	0.28	9.5	15.1	1.31	1040	1.02
I032209		1.40	60.7	4.34	12.20	0.10	0.07	0.02	0.048	0.41	8.3	15.8	1.61	683	1.01
I032210		0.10	2.1	0.68	0.74	<0.05	0.08	<0.01	<0.005	0.05	5.5	1.5	0.05	168	0.33
I032211		1.46	52.0	3.93	11.30	0.09	0.06	0.01	0.034	0.47	9.6	16.0	1.49	389	1.14
I032212		1.03	39.1	3.44	9.42	0.07	0.06	0.02	0.027	0.35	9.8	15.4	1.22	915	1.28
I032213		0.94	35.3	3.61	10.50	0.06	0.05	0.02	0.025	0.22	7.6	16.4	1.27	704	1.44
I032214		0.42	23.7	2.96	7.11	0.06	0.13	0.02	0.032	0.18	12.0	11.6	0.57	1080	1.20
I032215		0.54	21.4	3.24	9.47	0.05	0.03	0.02	0.030	0.11	6.6	11.7	0.64	390	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I032176		1.99	8.0	1050	6.5	37.2	<0.001	0.01	0.31	2.9	0.2	0.9	22.7	<0.01	0.04	3.1
I032177		1.57	11.8	570	9.5	15.1	<0.001	0.02	0.26	4.5	0.3	0.6	24.1	<0.01	0.01	3.5
I032178		1.23	11.8	570	10.4	17.8	<0.001	0.03	0.32	4.8	0.4	0.4	26.3	<0.01	0.02	2.0
I032179		1.04	9.3	830	7.3	25.5	<0.001	0.02	0.64	5.1	0.3	0.3	18.4	<0.01	0.03	3.1
I032180		1.56	12.1	830	11.4	20.0	<0.001	0.03	0.43	5.1	0.4	0.4	24.1	<0.01	0.03	1.9
I032181		1.31	14.2	750	11.1	20.0	<0.001	0.05	0.60	6.9	0.9	0.5	39.8	0.01	0.03	1.5
I032182		2.77	12.4	750	8.9	47.4	<0.001	0.03	0.38	5.9	0.5	0.5	20.8	<0.01	0.05	2.9
I032183		1.71	13.0	760	10.7	22.7	<0.001	0.02	0.47	6.3	0.6	0.4	29.2	<0.01	0.03	2.2
I032184		1.57	14.8	580	9.8	15.6	<0.001	0.02	0.44	4.8	0.4	0.5	26.1	<0.01	0.03	2.4
I032185		1.32	31.9	3530	9.4	22.7	0.001	0.17	2.66	15.0	2.7	0.4	357	0.04	0.06	8.4
I032186		1.97	8.2	270	5.9	32.9	<0.001	0.01	0.67	3.9	0.3	0.5	23.0	<0.01	0.02	1.5
I032187		1.37	16.8	660	11.5	17.9	<0.001	0.01	0.70	6.3	0.5	0.5	27.5	<0.01	0.03	3.5
I032188		1.64	12.7	640	7.0	33.7	<0.001	0.01	0.55	3.9	0.3	0.4	20.8	<0.01	0.02	1.3
I032189		1.82	21.9	400	11.4	34.2	<0.001	0.02	0.63	6.2	0.4	0.6	36.2	<0.01	0.03	1.8
I032190		1.47	21.4	240	8.4	21.9	<0.001	0.01	0.48	6.5	0.3	0.9	19.0	<0.01	0.03	2.3
I032191		1.59	22.2	250	9.0	23.3	<0.001	0.01	0.52	6.6	0.4	0.7	20.6	<0.01	0.03	2.4
I032192		1.48	19.5	360	9.4	18.8	<0.001	0.01	0.55	5.6	0.3	0.7	18.1	<0.01	0.03	2.2
I032193		1.43	14.5	860	9.2	14.0	<0.001	0.03	0.66	9.1	0.8	0.5	34.5	<0.01	0.03	3.8
I032194		1.55	18.1	610	11.0	14.8	<0.001	0.02	0.59	6.9	0.6	0.6	33.3	<0.01	0.03	2.9
I032195		1.34	17.3	610	12.5	16.4	<0.001	0.01	0.70	6.9	0.4	0.6	26.2	<0.01	0.03	2.7
I032196		1.32	14.8	480	11.6	19.8	<0.001	0.02	0.59	5.1	0.3	0.6	27.1	<0.01	0.03	1.2
I032197		1.61	13.6	760	55.4	37.9	<0.001	0.02	0.67	7.4	0.3	0.6	33.6	<0.01	0.03	1.4
I032198		1.46	20.4	250	16.3	12.0	<0.001	0.02	0.66	6.7	0.4	0.6	25.4	<0.01	0.03	3.0
I032199		1.08	17.2	280	19.4	10.1	<0.001	0.02	0.56	6.1	0.4	0.7	25.8	<0.01	0.02	1.8
I032200		1.30	14.9	660	43.0	21.5	<0.001	0.02	0.62	7.3	0.4	0.7	31.4	<0.01	0.03	1.8
I032201		1.67	24.6	180	7.6	15.9	<0.001	0.01	0.37	6.9	0.2	0.6	29.8	<0.01	0.03	2.5
I032202		1.77	20.7	270	9.0	21.5	<0.001	0.02	0.53	5.4	0.4	0.5	33.1	<0.01	0.03	2.1
I032203		2.83	35.7	380	6.9	49.6	<0.001	0.02	0.30	7.9	0.4	0.7	39.1	<0.01	0.02	3.4
I032204		4.17	16.4	300	11.7	36.1	<0.001	0.02	0.33	7.7	0.5	0.8	32.6	<0.01	0.03	5.1
I032205		2.33	15.5	270	9.2	10.9	<0.001	0.02	0.39	4.9	0.3	0.7	25.4	<0.01	0.03	2.9
I032206		1.64	17.6	240	8.3	8.1	<0.001	0.01	0.41	5.2	0.2	0.6	30.1	<0.01	0.03	2.7
I032207		2.07	13.5	230	10.9	3.9	<0.001	0.01	0.33	3.9	0.2	0.5	22.5	<0.01	0.04	1.2
I032208		1.15	22.3	640	6.1	15.8	<0.001	0.05	0.30	10.6	0.6	0.6	35.9	<0.01	0.07	1.8
I032209		0.99	18.3	640	5.9	28.3	<0.001	0.10	0.23	13.3	0.6	0.6	38.7	<0.01	0.10	2.1
I032210		0.14	4.2	130	1.6	2.6	<0.001	0.01	0.12	0.7	<0.2	<0.2	8.1	<0.01	<0.01	1.7
I032211		1.28	21.3	450	6.7	30.8	<0.001	0.04	0.27	9.6	0.5	0.5	26.8	<0.01	0.06	2.1
I032212		1.46	24.6	510	7.9	23.5	<0.001	0.03	0.32	7.3	0.4	0.6	33.9	<0.01	0.05	2.1
I032213		1.29	23.1	400	7.6	14.4	<0.001	0.02	0.35	6.7	0.3	0.5	29.6	<0.01	0.04	1.8
I032214		1.47	24.6	450	8.6	9.8	<0.001	0.02	0.49	7.4	0.5	0.6	38.1	<0.01	0.04	2.8
I032215		1.33	17.2	390	7.3	8.9	<0.001	0.08	0.38	5.2	0.4	0.6	36.4	<0.01	0.05	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032176		0.116	0.27	0.42	55	0.79	3.76	97
I032177		0.085	0.12	0.79	58	0.17	6.62	66
I032178		0.082	0.11	0.85	64	0.17	6.71	64
I032179		0.115	0.16	0.71	68	0.14	4.75	61
I032180		0.078	0.12	1.05	55	0.63	6.81	69
I032181		0.076	0.12	1.65	60	0.25	16.30	69
I032182		0.187	0.23	0.89	82	0.24	6.23	83
I032183		0.097	0.11	1.12	59	0.27	8.71	79
I032184		0.094	0.10	0.63	62	0.23	5.59	65
I032185		0.101	0.20	3.49	74	0.35	89.3	152
I032186		0.107	0.18	0.37	65	0.19	4.31	53
I032187		0.070	0.09	0.73	58	0.26	11.35	60
I032188		0.180	0.13	0.30	79	0.29	2.53	69
I032189		0.130	0.14	0.47	90	0.25	3.48	79
I032190		0.103	0.12	0.46	81	0.19	5.05	55
I032191		0.109	0.13	0.45	84	0.19	4.71	56
I032192		0.096	0.10	0.48	69	0.23	4.26	52
I032193		0.073	0.09	1.24	55	0.28	18.80	75
I032194		0.081	0.08	0.87	61	0.38	10.65	71
I032195		0.065	0.09	0.58	69	0.32	6.09	79
I032196		0.073	0.08	0.44	66	0.26	4.42	57
I032197		0.187	0.13	0.36	106	0.24	3.84	198
I032198		0.065	0.08	0.63	68	0.25	4.07	66
I032199		0.064	0.06	0.62	66	0.24	9.16	72
I032200		0.080	0.09	0.50	76	0.26	5.17	119
I032201		0.105	0.09	0.29	71	0.16	5.07	47
I032202		0.088	0.06	0.31	56	0.17	3.88	50
I032203		0.223	0.21	0.47	82	0.13	8.50	99
I032204		0.140	0.14	0.77	52	0.13	11.60	98
I032205		0.066	0.10	0.44	53	0.14	6.63	72
I032206		0.065	0.08	0.42	60	0.13	3.84	54
I032207		0.046	0.07	0.34	60	0.13	4.58	53
I032208		0.144	0.09	0.65	92	0.12	6.66	108
I032209		0.158	0.14	0.54	107	0.08	7.39	150
I032210		0.011	0.03	0.33	7	<0.05	2.41	8
I032211		0.175	0.15	0.43	93	0.12	6.35	103
I032212		0.144	0.11	0.48	84	0.17	4.82	93
I032213		0.144	0.10	0.42	81	0.11	3.57	95
I032214		0.093	0.07	0.47	67	0.16	6.54	75
I032215		0.096	0.07	0.37	67	0.09	2.89	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032216		0.38	0.005	0.22	1.72	5.9	<0.2	<10	250	0.26	0.14	0.30	0.19	15.90	15.6	36
I032217		0.40	0.005	0.24	2.17	6.3	<0.2	<10	440	0.29	0.12	0.58	0.31	16.85	21.1	27
I032218		0.28	0.005	0.15	1.94	5.7	<0.2	<10	400	0.31	0.12	0.61	0.13	21.6	15.0	27
I032219		0.28	<0.005	0.12	2.08	4.2	<0.2	<10	430	0.27	0.12	0.47	0.12	11.45	17.5	22
I032220		0.32	0.005	0.13	2.49	5.3	<0.2	<10	250	0.35	0.10	0.39	0.09	15.35	18.5	25
I032221		0.30	<0.005	0.16	2.45	5.8	<0.2	<10	280	0.38	0.10	0.39	0.12	15.90	17.5	27
I032222		0.38	<0.005	0.12	2.10	6.7	<0.2	<10	330	0.37	0.13	0.58	0.09	21.2	16.5	33
I032223		0.30	0.005	0.26	2.65	3.7	<0.2	<10	260	0.31	0.10	0.78	0.15	13.00	22.2	36
I032224		0.34	0.005	0.20	2.06	5.9	<0.2	<10	520	0.33	0.14	0.34	0.18	14.70	19.7	30
I032225		0.36	0.007	0.13	2.01	6.3	<0.2	<10	410	0.24	0.10	0.47	0.14	14.95	13.7	24
I032226		0.40	0.005	0.14	2.03	7.4	<0.2	<10	380	0.17	0.10	0.40	0.07	11.65	14.4	24
I032227		0.32	0.005	0.09	2.11	5.6	<0.2	<10	320	0.19	0.10	0.25	0.08	10.60	14.6	25
I032228		0.32	0.005	0.16	1.74	6.4	<0.2	<10	370	0.29	0.12	0.45	0.27	16.60	14.2	27
I032229		0.34	<0.005	0.09	1.87	7.4	<0.2	<10	220	0.24	0.13	0.24	0.09	11.25	12.5	26
I032230		0.50	<0.005	0.03	0.12	2.4	<0.2	<10	30	0.08	0.03	0.09	0.04	9.53	2.2	4
I032231		0.34	0.005	0.06	1.75	7.3	<0.2	<10	310	0.19	0.12	0.30	0.12	13.25	14.3	47
I032232		0.26	0.012	0.38	1.73	4.2	<0.2	<10	270	0.28	0.07	0.41	0.35	17.60	9.5	21
I032233		0.36	0.006	0.20	1.54	5.5	<0.2	<10	310	0.26	0.14	0.30	0.35	18.85	9.6	22
I032234		0.30	0.006	0.41	2.72	4.6	<0.2	<10	120	0.35	0.09	0.30	0.65	17.05	50.4	38
I032235		0.32	0.013	0.12	1.74	6.1	<0.2	<10	130	0.20	0.14	0.21	0.22	15.60	35.4	32
I032236		0.26	0.005	0.11	1.90	7.6	<0.2	<10	160	0.24	0.13	0.16	0.27	13.80	12.7	28
I032237		0.32	0.006	0.13	1.75	6.0	<0.2	<10	200	0.19	0.09	0.29	0.11	14.90	12.6	32
I032238		0.22	<0.005	0.27	1.83	5.2	<0.2	<10	310	0.26	0.13	0.27	0.20	19.10	25.2	24
I032239		0.32	<0.005	0.25	1.78	4.6	<0.2	<10	170	0.21	0.09	0.57	0.13	15.00	13.5	33
I032240		0.18	0.010	0.06	1.19	5.2	<0.2	<10	110	0.20	0.11	0.30	0.11	15.90	6.2	19
I032241		0.28	0.006	0.06	1.16	4.8	<0.2	<10	110	0.14	0.11	0.29	0.10	15.90	6.0	19
I032242		0.44	0.010	0.11	1.42	5.2	<0.2	<10	170	0.16	0.12	0.33	0.15	20.1	8.0	21
I032243		0.32	0.007	0.06	1.05	3.5	<0.2	<10	110	0.13	0.09	0.30	0.11	18.00	5.1	16
I032244		0.24	0.014	0.07	1.30	4.5	<0.2	<10	150	0.18	0.10	0.29	0.13	17.75	6.0	19
I032245		0.32	0.008	0.08	1.80	9.2	<0.2	<10	170	0.15	0.11	0.29	0.11	17.95	8.9	26
I032246		0.40	0.008	0.08	1.85	16.5	<0.2	<10	240	0.31	0.11	0.35	0.15	20.7	11.0	27
I032247		0.34	0.005	0.06	1.77	8.4	<0.2	<10	240	0.24	0.12	0.29	0.09	16.20	10.0	28
I032248		0.32	0.007	0.10	1.67	3.9	<0.2	<10	230	0.15	0.08	0.23	0.11	14.50	10.4	21
I032249		0.28	0.007	0.10	1.61	3.5	<0.2	<10	210	0.13	0.10	0.23	0.09	14.50	9.8	23
I032250		0.52	<0.005	0.02	0.11	6.7	<0.2	<10	30	0.07	0.06	0.08	0.04	10.55	2.4	4
I032251		0.22	NSS	0.09	0.92	2.7	<0.2	<10	140	0.11	0.09	0.18	0.09	12.65	4.7	16
I032252		0.40	0.006	0.06	2.04	6.0	<0.2	<10	140	0.20	0.14	0.22	0.15	15.45	9.2	30
I032253		0.42	0.006	0.05	2.05	6.2	<0.2	<10	310	0.30	0.12	0.35	0.11	18.65	12.8	35
I032254		0.52	<0.005	0.05	2.48	4.6	<0.2	<10	380	0.19	0.09	0.19	0.09	17.05	9.4	26
I032255		0.36	<0.005	0.20	2.75	3.0	<0.2	<10	350	0.15	0.11	0.47	0.09	15.85	15.1	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032216		0.41	27.4	3.23	6.59	0.07	0.04	0.02	0.027	0.20	7.7	8.8	0.70	460	1.29
I032217		1.26	44.9	4.16	7.74	0.11	0.06	0.02	0.026	0.65	6.9	12.3	1.02	848	1.25
I032218		1.06	26.3	3.23	6.45	0.10	0.09	0.03	0.027	0.45	9.3	11.3	0.88	1130	0.91
I032219		1.28	36.0	3.79	7.81	0.10	0.05	0.02	0.020	0.33	5.3	12.8	0.88	829	1.04
I032220		1.49	38.9	4.29	8.38	0.11	0.06	0.01	0.023	0.40	6.9	14.0	1.10	577	1.20
I032221		1.32	33.8	4.22	7.86	0.11	0.07	0.01	0.022	0.36	6.5	13.8	1.07	593	1.08
I032222		0.80	28.6	3.32	6.72	0.10	0.13	0.02	0.025	0.45	9.0	12.8	0.92	526	0.66
I032223		1.18	45.8	4.01	8.38	0.10	0.06	0.02	0.019	0.41	5.4	16.7	1.20	977	1.04
I032224		0.51	27.1	3.30	7.09	0.08	0.09	0.02	0.023	0.18	6.7	11.2	0.80	1160	0.84
I032225		0.99	26.7	3.36	7.54	0.09	0.06	0.01	0.027	0.34	7.4	14.2	1.13	495	0.70
I032226		1.15	31.1	3.50	7.83	0.10	0.06	0.02	0.024	0.45	5.8	15.5	1.12	455	0.81
I032227		1.37	26.7	3.72	8.54	0.10	0.03	0.01	0.020	0.31	5.4	12.0	1.38	372	1.03
I032228		0.48	25.3	2.85	5.93	0.07	0.04	0.03	0.022	0.28	6.6	9.9	0.63	1000	1.07
I032229		0.45	21.6	3.11	6.64	0.06	0.04	0.02	0.021	0.11	5.6	10.2	0.64	380	0.93
I032230		0.09	2.2	0.69	0.65	<0.05	0.06	<0.01	<0.005	0.04	4.9	1.2	0.04	158	0.34
I032231		0.80	44.7	3.26	8.17	0.08	0.04	0.03	0.016	0.25	6.0	13.3	0.95	386	0.99
I032232		0.69	39.5	2.76	6.88	0.10	0.04	0.06	0.015	0.25	9.4	9.8	0.85	213	0.82
I032233		0.44	21.1	2.71	6.87	0.08	0.02	0.04	0.023	0.10	9.8	10.2	0.54	1040	1.08
I032234		0.63	106.0	6.02	12.65	0.13	0.03	0.03	0.024	0.07	5.9	19.7	1.28	1540	2.35
I032235		0.71	40.2	3.42	8.11	0.08	0.04	0.03	0.018	0.06	6.6	10.5	0.63	783	1.56
I032236		0.92	25.9	3.60	8.08	0.08	0.03	0.03	0.022	0.14	6.6	13.2	0.64	592	1.22
I032237		0.46	44.3	3.04	6.37	0.09	0.04	0.02	0.021	0.16	7.6	10.0	0.87	254	1.29
I032238		0.81	31.9	3.48	8.28	0.09	0.02	0.02	0.033	0.26	8.9	8.5	0.76	1460	0.97
I032239		0.53	69.4	3.07	6.17	0.10	0.04	0.03	0.021	0.18	8.1	11.8	0.98	273	1.14
I032240		0.69	17.2	1.94	5.07	0.06	0.02	0.03	0.018	0.04	8.1	7.0	0.37	131	0.70
I032241		0.72	16.6	1.89	5.17	0.06	0.02	0.03	0.016	0.03	8.1	7.0	0.37	127	0.65
I032242		0.70	38.2	2.46	5.78	0.06	0.03	0.02	0.022	0.05	10.0	8.3	0.53	219	0.79
I032243		0.49	18.7	1.76	4.61	0.06	0.02	0.02	0.017	0.04	9.3	6.0	0.39	132	0.51
I032244		0.58	20.9	2.03	5.30	0.06	0.02	0.02	0.021	0.05	9.1	6.5	0.42	154	0.58
I032245		0.58	26.3	2.89	7.13	0.07	0.03	0.02	0.026	0.09	9.4	10.1	0.74	278	0.85
I032246		0.59	27.9	2.87	6.48	0.08	0.04	0.02	0.026	0.05	10.5	11.2	0.66	297	0.74
I032247		0.46	22.5	2.97	6.42	0.07	0.03	0.04	0.024	0.06	8.3	10.3	0.60	266	0.99
I032248		1.40	40.4	2.68	6.44	0.07	0.03	0.03	0.018	0.20	7.5	9.6	0.87	243	0.70
I032249		1.20	28.5	2.38	6.68	0.08	0.03	0.02	0.017	0.12	7.7	8.9	0.87	181	0.53
I032250		0.09	2.7	0.77	0.66	0.05	0.06	<0.01	<0.005	0.03	5.4	1.2	0.04	157	0.45
I032251		0.96	19.5	1.48	4.46	0.07	0.02	0.03	0.014	0.06	6.5	4.2	0.36	87	0.39
I032252		0.60	26.3	2.99	7.53	<0.05	0.03	0.04	0.027	0.04	7.6	10.5	0.62	219	0.84
I032253		0.54	15.9	3.08	6.32	<0.05	0.10	0.02	0.025	0.03	7.8	10.1	0.62	527	0.80
I032254		0.78	33.9	4.37	9.84	0.08	0.05	0.01	0.043	0.32	8.4	11.9	1.27	299	0.94
I032255		1.14	51.4	4.75	9.79	0.12	0.04	0.03	0.040	0.47	7.8	13.7	1.65	370	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032216		1.53	20.0	300	7.6	13.1	<0.001	0.06	0.34	5.5	0.7	0.5	29.8	<0.01	0.06
I032217		1.74	20.7	580	6.3	30.0	<0.001	0.13	0.27	7.9	1.1	0.4	46.7	<0.01	0.09
I032218		1.79	22.8	350	6.8	31.1	<0.001	0.03	0.29	6.9	0.6	0.4	27.1	<0.01	0.03
I032219		2.06	17.7	370	5.7	28.4	<0.001	0.01	0.28	5.1	0.5	0.4	32.8	<0.01	0.03
I032220		2.10	20.3	440	5.4	23.6	<0.001	0.01	0.25	6.2	0.5	0.4	31.5	<0.01	0.03
I032221		2.02	21.3	350	5.6	22.4	<0.001	0.01	0.26	6.7	0.4	0.4	29.2	<0.01	0.03
I032222		1.79	25.5	270	6.7	22.0	<0.001	0.02	0.27	6.7	0.5	0.4	30.6	<0.01	0.03
I032223		1.28	23.2	320	5.2	23.4	<0.001	0.02	0.21	6.2	0.7	0.3	49.9	<0.01	0.03
I032224		1.72	23.7	370	7.0	11.8	<0.001	0.01	0.34	5.1	0.5	0.4	30.3	<0.01	0.03
I032225		1.75	16.8	460	5.5	20.9	<0.001	0.02	0.22	7.1	0.4	0.4	31.7	<0.01	0.02
I032226		1.62	17.6	270	5.5	24.2	<0.001	0.01	0.28	7.9	0.5	0.4	23.6	<0.01	0.02
I032227		1.81	15.4	240	5.5	20.6	<0.001	0.02	0.25	6.7	0.4	0.4	17.4	<0.01	0.02
I032228		1.55	21.9	450	6.4	17.0	<0.001	0.02	0.34	4.6	0.5	0.4	33.6	<0.01	0.02
I032229		1.69	16.7	280	6.4	8.0	<0.001	0.01	0.37	4.0	0.3	0.5	22.9	<0.01	0.02
I032230		0.21	4.8	120	2.0	2.2	<0.001	<0.01	0.13	0.7	<0.2	<0.2	6.9	<0.01	<0.01
I032231		1.95	20.5	560	5.7	19.1	<0.001	0.02	0.29	4.0	0.5	0.4	25.5	<0.01	0.03
I032232		1.64	13.0	670	4.1	18.8	<0.001	0.07	0.20	5.2	1.2	0.3	42.6	<0.01	0.03
I032233		1.48	14.1	450	11.6	11.1	<0.001	0.05	0.32	3.9	0.7	0.5	27.0	<0.01	0.04
I032234		2.62	26.8	730	6.2	10.5	<0.001	0.03	0.35	5.8	1.2	0.6	18.5	<0.01	0.07
I032235		2.08	19.9	340	6.6	8.9	<0.001	0.02	0.35	3.8	0.6	0.6	14.8	<0.01	0.03
I032236		2.25	16.6	490	7.2	18.0	<0.001	0.02	0.36	3.1	0.6	0.5	13.8	<0.01	0.03
I032237		1.64	24.7	570	8.6	12.1	<0.001	0.13	0.24	4.9	0.6	0.4	29.3	<0.01	0.05
I032238		3.60	16.8	600	5.8	22.0	<0.001	0.02	0.28	5.3	0.5	0.8	19.5	<0.01	0.04
I032239		1.53	28.4	600	7.2	16.4	0.001	0.12	0.21	5.4	1.3	0.4	34.5	<0.01	0.06
I032240		1.19	11.7	600	5.0	6.4	<0.001	0.04	0.22	2.9	0.8	0.4	21.3	<0.01	0.02
I032241		1.11	11.6	550	5.1	6.5	<0.001	0.04	0.20	2.8	0.8	0.4	20.9	<0.01	0.02
I032242		1.26	13.2	640	5.8	7.3	<0.001	0.09	0.22	4.1	0.8	0.4	28.2	<0.01	0.04
I032243		1.11	9.2	530	4.7	4.9	<0.001	0.04	0.15	3.6	0.5	0.4	19.7	<0.01	0.02
I032244		1.14	11.2	520	4.9	6.6	<0.001	0.04	0.17	3.1	0.7	0.4	21.7	<0.01	0.02
I032245		1.94	15.0	520	5.2	10.3	<0.001	0.05	0.20	4.9	0.7	0.5	23.4	<0.01	0.03
I032246		1.74	16.8	630	5.6	8.7	<0.001	0.03	0.28	5.2	0.7	0.5	29.6	<0.01	0.03
I032247		1.82	17.5	350	6.5	8.7	<0.001	0.03	0.29	4.5	0.6	0.8	28.5	<0.01	0.03
I032248		1.38	12.2	510	4.5	15.9	<0.001	0.03	0.18	4.8	0.7	0.4	17.0	<0.01	0.02
I032249		1.54	12.2	410	4.9	14.3	<0.001	0.03	0.15	4.7	0.6	0.5	19.4	<0.01	0.02
I032250		0.26	4.5	130	1.6	2.0	<0.001	0.01	0.12	0.7	0.2	<0.2	7.0	<0.01	<0.01
I032251		0.98	8.7	450	4.8	10.6	<0.001	0.04	0.14	2.4	0.9	0.3	16.5	<0.01	0.02
I032252		1.10	16.5	500	6.3	7.0	<0.001	0.03	0.27	3.7	0.4	0.6	18.7	<0.01	0.04
I032253		1.34	18.3	180	6.9	4.9	<0.001	0.02	0.32	5.5	0.2	0.5	27.4	<0.01	0.02
I032254		0.78	12.9	730	4.7	12.1	<0.001	0.45	0.19	8.2	1.1	0.7	41.2	<0.01	0.11
I032255		0.83	20.7	630	4.4	17.1	0.001	0.42	0.16	11.9	1.9	0.5	40.0	<0.01	0.14



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032216		0.102	0.08	0.48	76	0.13	3.81	63
I032217		0.155	0.15	0.48	98	0.10	4.36	70
I032218		0.138	0.12	0.29	72	0.11	6.17	61
I032219		0.170	0.15	0.29	84	0.10	2.70	65
I032220		0.187	0.15	0.41	85	0.10	3.76	69
I032221		0.176	0.13	0.43	85	0.12	3.55	65
I032222		0.143	0.12	0.25	76	0.11	6.01	52
I032223		0.185	0.12	0.66	121	0.09	4.14	58
I032224		0.128	0.09	0.29	89	0.11	2.84	60
I032225		0.143	0.11	0.40	90	0.20	3.58	60
I032226		0.174	0.14	0.32	102	0.13	2.43	53
I032227		0.185	0.14	0.27	117	0.12	1.82	52
I032228		0.107	0.07	0.37	68	0.13	2.71	45
I032229		0.110	0.08	0.27	77	0.12	1.78	48
I032230		0.008	0.03	0.32	5	<0.05	2.03	5
I032231		0.172	0.09	0.42	96	0.16	2.07	51
I032232		0.129	0.08	1.50	62	0.10	12.45	55
I032233		0.078	0.06	0.79	54	0.10	6.23	59
I032234		0.290	0.09	1.56	129	0.06	10.00	261
I032235		0.156	0.11	0.56	88	0.19	4.72	94
I032236		0.152	0.12	0.42	85	0.17	2.98	86
I032237		0.123	0.13	0.46	68	0.11	2.97	67
I032238		0.137	0.12	0.43	59	0.09	3.34	71
I032239		0.120	0.17	1.38	69	0.14	6.07	82
I032240		0.064	0.06	0.54	46	0.28	4.40	41
I032241		0.066	0.07	0.51	45	0.16	3.98	39
I032242		0.081	0.07	0.72	68	0.24	5.64	67
I032243		0.075	0.05	0.54	47	0.67	4.45	41
I032244		0.073	0.06	0.56	48	0.20	5.03	44
I032245		0.124	0.09	0.60	69	0.12	4.78	64
I032246		0.107	0.07	0.63	68	0.12	5.90	65
I032247		0.102	0.06	0.47	73	0.17	4.15	52
I032248		0.130	0.11	0.50	79	0.18	3.33	48
I032249		0.134	0.10	0.47	68	0.14	3.14	47
I032250		0.008	0.03	0.31	5	0.26	2.37	5
I032251		0.065	0.08	0.45	27	0.16	2.55	28
I032252		0.097	0.06	0.59	69	0.18	4.56	62
I032253		0.099	0.09	0.34	74	0.13	3.09	52
I032254		0.134	0.11	0.53	90	0.09	4.71	88
I032255		0.170	0.14	0.58	137	0.08	4.95	83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032256		0.22	0.007	0.17	1.25	3.5	<0.2	<10	300	0.18	0.05	2.79	0.22	11.00	9.2	20
I032257		0.30	<0.005	0.25	2.15	3.2	<0.2	<10	390	0.27	0.05	1.20	0.23	15.80	19.6	33
I032258		0.36	0.036	0.15	1.88	4.0	<0.2	<10	370	0.23	0.06	0.91	0.18	17.45	12.9	25
I032259		0.38	0.005	0.05	2.76	9.1	<0.2	<10	130	0.48	0.18	0.16	0.16	42.9	18.6	40
I032260		0.52	<0.005	0.02	0.13	6.1	<0.2	<10	30	0.08	0.03	0.06	0.05	9.39	2.7	5
I032261		0.36	<0.005	0.16	2.51	9.8	<0.2	<10	130	0.78	0.30	0.10	0.18	108.0	31.1	31
I032262		0.40	0.005	0.03	1.51	9.5	<0.2	<10	80	0.21	0.23	0.10	0.10	19.45	4.7	31
I032263		0.34	<0.005	0.09	1.71	5.8	<0.2	<10	130	0.49	0.25	0.15	0.09	57.2	12.4	31
I032264		0.36	0.005	0.09	2.05	6.0	<0.2	<10	120	0.50	0.26	0.10	0.11	63.3	8.2	30
I032265		0.30	<0.005	0.05	1.40	8.6	<0.2	<10	80	0.16	0.19	0.13	0.12	24.5	7.0	31
I032266		0.34	<0.005	0.10	1.71	7.5	0.3	<10	90	0.28	0.31	0.09	0.10	64.8	10.5	33
I032267		0.38	<0.005	0.04	2.35	8.9	<0.2	<10	140	0.42	0.17	0.18	0.11	49.0	14.3	37
I032268		0.28	<0.005	0.04	2.44	10.4	<0.2	<10	90	0.36	0.19	0.11	0.14	26.8	11.6	37
I032269		0.40	<0.005	0.08	1.93	2.6	<0.2	<10	120	0.32	0.33	0.05	0.07	74.8	5.2	33
I032270		0.32	<0.005	0.05	2.32	6.8	<0.2	<10	140	0.52	0.20	0.13	0.13	54.8	13.1	34
I032271		0.36	<0.005	0.05	2.48	4.9	<0.2	<10	160	0.57	0.19	0.12	0.13	67.8	13.5	36
I032272		0.38	<0.005	0.11	2.01	8.0	<0.2	<10	110	0.41	0.25	0.13	0.12	42.9	12.5	32
I032273		0.34	<0.005	0.10	1.98	8.2	<0.2	<10	110	0.33	0.23	0.11	0.13	36.4	11.0	34
I032274		0.36	<0.005	0.10	2.46	3.7	<0.2	<10	90	0.57	0.32	0.40	0.18	80.7	18.4	35
I032275		0.30	<0.005	0.28	2.61	8.1	<0.2	<10	80	0.49	0.26	0.12	0.13	88.6	15.0	39
I032276		0.40	0.008	0.11	2.53	9.0	<0.2	<10	210	0.38	0.21	0.17	0.11	23.4	16.4	49
I032277		0.34	<0.005	0.08	2.53	4.3	<0.2	<10	120	0.90	0.22	0.04	0.20	110.5	16.2	31
I032278		0.38	<0.005	0.04	2.54	11.3	<0.2	<10	150	0.51	0.16	0.16	0.14	38.3	15.4	40
I032279		0.48	<0.005	0.03	3.47	1.4	<0.2	<10	130	0.84	0.21	0.06	0.13	91.3	21.3	42
I032280		0.50	NSS	0.03	0.36	9.6	<0.2	<10	130	0.28	0.03	0.67	0.26	31.6	12.4	12
I032281		0.28	<0.005	0.07	2.12	2.9	<0.2	<10	180	0.36	0.11	0.29	0.11	37.3	12.5	47
I032282		0.42	<0.005	0.03	2.18	17.1	<0.2	<10	90	0.29	0.17	0.15	0.19	24.1	12.7	52
I032283		0.48	<0.005	0.06	2.66	4.5	<0.2	<10	90	0.44	0.28	0.07	0.11	88.5	13.8	34
I032284		0.38	<0.005	0.08	2.00	7.8	<0.2	<10	100	0.35	0.25	0.18	0.19	24.9	11.1	34
I032285		0.32	<0.005	0.07	2.26	5.9	<0.2	<10	80	0.32	0.12	0.16	0.12	13.75	11.6	50
I032286		0.36	0.005	0.30	2.03	5.6	<0.2	<10	90	0.39	0.24	0.09	0.14	25.6	10.0	35
I032287		0.34	<0.005	0.09	2.00	9.9	<0.2	<10	280	0.32	0.19	0.29	0.11	18.15	11.3	35
I032288		0.34	0.006	0.14	2.58	8.8	<0.2	<10	80	0.58	0.27	0.12	0.10	35.5	11.4	44
I032289		0.34	<0.005	0.23	2.51	5.8	<0.2	<10	80	0.52	0.27	0.19	0.28	25.8	12.0	73
I032290		0.36	<0.005	0.05	2.20	7.2	<0.2	<10	130	0.39	0.33	0.09	0.17	46.8	16.0	33
I032291		0.36	<0.005	0.05	1.87	7.2	<0.2	<10	110	0.33	0.30	0.08	0.17	41.2	12.4	28
I032292		0.42	0.006	0.04	2.04	5.5	<0.2	<10	190	0.32	0.12	0.35	0.04	33.0	10.4	32
I032293		0.42	0.005	0.03	1.85	7.1	<0.2	<10	100	0.25	0.11	0.27	0.06	16.90	8.8	27
I032294		0.32	<0.005	0.15	2.99	9.7	<0.2	<10	210	0.47	0.24	0.25	0.12	25.1	15.4	40
I032295		0.28	<0.005	0.07	0.42	2.3	<0.2	<10	20	<0.05	0.08	0.03	0.10	5.41	1.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032256		0.61	61.5	2.05	3.76	0.06	0.08	0.05	0.013	0.12	6.3	8.5	0.68	296	0.55
I032257		0.90	78.6	3.08	5.85	0.06	0.05	0.05	0.015	0.18	8.6	15.3	1.16	610	0.40
I032258		0.90	31.7	2.86	6.08	0.07	0.04	0.03	0.021	0.10	9.4	13.7	1.04	435	0.62
I032259		1.86	24.4	3.62	7.46	0.07	0.08	0.03	0.029	0.18	13.5	23.8	0.87	326	1.05
I032260		0.09	3.0	0.85	0.71	<0.05	0.07	<0.01	<0.005	0.02	4.7	1.6	0.04	160	0.43
I032261		1.70	41.3	5.30	6.41	0.10	0.09	0.05	0.033	0.07	43.0	16.8	0.43	428	2.10
I032262		1.11	12.5	2.91	8.13	0.05	0.02	0.05	0.049	0.02	10.2	10.1	0.33	154	1.66
I032263		1.05	40.5	3.68	5.00	0.08	0.04	0.03	0.028	0.04	30.0	12.2	0.50	372	1.75
I032264		2.22	29.1	4.41	6.72	0.09	0.03	0.03	0.030	0.17	35.5	17.5	0.64	222	1.72
I032265		1.29	12.2	2.92	7.45	0.05	0.04	0.04	0.019	0.06	11.9	12.0	0.48	167	1.26
I032266		1.98	19.9	4.34	9.32	0.09	0.06	0.02	0.021	0.34	27.2	13.9	0.69	346	1.89
I032267		1.38	23.7	3.47	6.65	0.07	0.08	0.02	0.026	0.16	17.9	16.6	0.77	360	0.94
I032268		1.66	15.6	3.70	7.79	0.06	0.05	0.04	0.028	0.09	13.0	19.5	0.60	293	1.31
I032269		2.84	35.6	4.07	9.73	0.11	0.02	0.02	0.031	0.45	43.7	20.2	0.99	138	1.78
I032270		1.72	32.2	3.93	7.39	0.12	0.06	0.03	0.028	0.30	56.4	23.7	0.77	308	1.63
I032271		2.19	35.1	4.16	8.13	0.14	0.07	0.02	0.030	0.43	72.5	28.5	0.90	292	1.68
I032272		1.20	28.2	3.89	8.99	0.07	0.03	0.03	0.029	0.07	21.6	17.2	0.54	287	1.63
I032273		1.36	20.9	3.77	8.62	0.06	0.05	0.02	0.025	0.06	13.0	15.6	0.53	333	1.51
I032274		2.42	54.6	5.01	6.49	0.11	0.06	0.03	0.043	0.41	27.3	16.1	0.88	684	0.67
I032275		2.65	31.7	3.87	7.33	0.09	0.09	0.06	0.031	0.19	37.0	19.4	0.72	327	0.97
I032276		1.67	17.7	4.53	10.85	0.07	0.07	0.02	0.034	0.08	11.0	20.2	0.64	586	1.53
I032277		1.07	29.8	8.29	3.71	0.12	0.20	0.05	0.068	0.02	24.0	2.4	0.09	4820	0.55
I032278		1.09	23.0	3.59	6.51	0.07	0.07	0.04	0.032	0.06	14.3	14.7	0.65	396	1.08
I032279		5.28	24.1	5.30	9.98	0.12	0.10	0.01	0.038	1.12	13.8	24.9	1.29	142	0.35
I032280		0.43	8.6	2.45	1.79	0.08	0.09	0.01	0.008	0.07	14.1	4.7	0.29	1020	1.41
I032281		2.82	25.4	3.25	8.41	0.07	0.03	0.03	0.022	0.45	15.5	20.1	1.07	275	0.76
I032282		1.62	18.8	4.70	9.11	0.08	0.06	0.02	0.030	0.15	11.1	24.5	0.89	351	1.15
I032283		3.34	32.7	4.93	8.16	0.09	0.06	0.02	0.027	0.57	19.0	30.4	0.83	321	0.99
I032284		1.47	17.5	3.66	7.56	0.06	0.04	0.02	0.026	0.07	9.7	13.1	0.51	220	1.05
I032285		1.32	14.5	3.55	8.39	0.05	0.04	0.02	0.020	0.08	6.3	15.2	0.80	228	1.13
I032286		1.46	17.2	4.00	9.84	0.05	0.03	0.02	0.029	0.09	9.9	19.4	0.66	227	1.28
I032287		1.31	15.6	3.53	7.70	0.05	0.03	0.02	0.028	0.03	9.0	14.9	0.54	494	1.36
I032288		2.06	25.2	4.62	9.78	0.08	0.07	0.04	0.039	0.06	14.9	25.7	0.58	260	1.53
I032289		1.85	22.4	4.11	9.18	0.09	0.06	0.02	0.032	0.09	12.6	23.5	0.84	264	1.30
I032290		2.43	32.1	4.86	9.78	0.10	0.10	0.02	0.025	0.30	14.9	21.8	0.70	482	1.18
I032291		1.78	25.8	4.23	9.76	0.09	0.09	0.02	0.023	0.19	13.5	16.2	0.53	394	1.35
I032292		2.02	23.0	2.99	6.35	0.10	0.12	0.05	0.026	0.12	17.5	15.7	0.69	428	0.61
I032293		1.27	15.8	2.63	5.88	0.08	0.05	0.02	0.020	0.03	8.6	13.9	0.49	305	0.69
I032294		2.18	26.2	3.79	9.30	0.09	0.11	0.05	0.038	0.07	14.4	16.7	0.54	779	1.46
I032295		0.44	9.6	0.84	2.41	<0.05	<0.02	0.03	0.007	0.01	2.9	1.1	0.05	50	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032256		0.96	17.5	860	3.5	9.9	<0.001	0.12	0.33	3.2	1.1	0.2	37.8	0.01	0.03
I032257		0.83	21.6	680	3.5	19.8	<0.001	0.04	0.20	5.0	0.8	0.3	41.3	<0.01	0.03
I032258		1.10	16.5	740	4.1	16.7	<0.001	0.03	0.23	5.7	0.6	0.4	35.1	<0.01	0.02
I032259		1.53	39.3	450	8.1	26.5	<0.001	0.04	0.41	4.6	0.6	0.6	15.3	0.01	0.03
I032260		0.20	4.7	130	1.5	2.3	<0.001	<0.01	0.12	0.6	<0.2	0.2	7.0	<0.01	0.01
I032261		1.17	74.1	630	12.2	19.6	<0.001	0.08	0.47	3.8	1.1	0.5	22.7	0.01	0.04
I032262		0.94	11.2	440	9.9	8.3	<0.001	0.04	0.44	1.4	0.5	0.7	13.3	<0.01	0.03
I032263		1.01	29.6	490	13.4	11.3	<0.001	0.05	0.42	4.6	0.8	0.4	18.9	<0.01	0.03
I032264		0.94	18.4	610	10.6	28.2	<0.001	0.20	0.32	3.5	1.0	0.5	19.4	<0.01	0.04
I032265		1.84	16.2	400	8.9	15.1	<0.001	0.03	0.37	2.4	0.5	0.6	13.9	<0.01	0.03
I032266		3.02	25.8	530	12.7	39.4	<0.001	0.05	0.36	3.1	0.5	0.7	12.2	<0.01	0.03
I032267		2.18	33.0	370	8.2	22.1	<0.001	0.03	0.42	4.1	0.6	0.5	15.3	<0.01	0.03
I032268		2.43	21.3	470	9.4	17.9	<0.001	0.02	0.48	3.8	0.5	0.6	12.6	0.01	0.03
I032269		0.98	11.7	620	13.1	42.1	<0.001	0.29	0.14	3.3	0.9	0.6	18.8	<0.01	0.05
I032270		1.91	28.4	590	10.9	34.0	<0.001	0.09	0.34	4.2	0.8	0.6	15.5	0.01	0.03
I032271		2.06	30.5	570	11.5	42.8	<0.001	0.11	0.25	4.7	0.8	0.7	15.2	0.01	0.03
I032272		1.59	30.9	440	9.5	18.1	<0.001	0.07	0.44	3.2	0.6	0.7	16.6	<0.01	0.04
I032273		2.12	25.7	370	10.0	20.3	<0.001	0.03	0.49	3.3	0.4	0.7	12.2	<0.01	0.03
I032274		9.27	46.7	1370	50.9	55.4	<0.001	0.03	0.18	4.2	0.7	0.7	17.3	0.01	0.05
I032275		3.69	31.9	320	11.7	31.8	<0.001	0.03	0.42	4.5	0.8	0.6	13.9	0.01	0.03
I032276		3.10	29.4	280	11.6	24.1	<0.001	0.01	0.46	4.5	0.4	1.0	16.3	<0.01	0.04
I032277		0.39	30.7	700	49.4	13.8	<0.001	0.03	0.24	7.0	1.6	0.5	8.5	0.01	0.03
I032278		1.59	30.7	440	10.4	12.7	<0.001	0.02	0.53	5.1	0.6	0.5	16.0	0.01	0.03
I032279		4.99	39.1	330	11.4	116.5	<0.001	0.01	0.08	4.8	0.4	1.0	5.4	<0.01	0.02
I032280		0.90	19.7	750	4.5	9.9	<0.001	0.01	0.50	1.9	0.3	13.0	13.0	<0.01	0.02
I032281		2.39	23.2	610	6.6	43.9	<0.001	0.03	0.17	3.5	0.4	0.9	19.6	<0.01	0.02
I032282		2.34	29.0	340	14.4	22.7	<0.001	0.02	0.38	5.1	0.4	0.7	13.7	<0.01	0.03
I032283		3.23	36.2	390	13.3	70.3	<0.001	0.03	0.25	3.6	0.6	0.6	9.4	0.01	0.04
I032284		2.85	26.3	290	9.7	22.7	<0.001	0.01	0.44	2.9	0.4	0.6	15.0	<0.01	0.04
I032285		2.26	26.5	300	7.3	18.9	<0.001	0.02	0.39	3.5	0.4	0.7	12.6	<0.01	0.03
I032286		1.60	23.3	400	13.0	34.2	<0.001	0.03	0.45	3.5	0.4	0.9	11.1	<0.01	0.04
I032287		2.17	22.1	290	10.5	17.5	<0.001	0.02	0.50	3.6	0.4	0.7	21.1	<0.01	0.03
I032288		2.95	31.7	390	21.6	25.1	<0.001	0.02	0.52	4.2	0.7	0.8	11.5	0.01	0.03
I032289		2.55	38.3	250	18.9	35.2	<0.001	0.01	0.38	5.0	0.4	0.8	14.1	<0.01	0.03
I032290		4.13	30.4	480	15.2	46.0	<0.001	0.01	0.27	3.7	0.5	0.9	9.2	0.01	0.04
I032291		3.97	25.0	420	14.7	36.7	<0.001	0.01	0.33	3.2	0.4	0.9	8.9	<0.01	0.04
I032292		1.82	22.2	640	6.6	24.8	<0.001	0.01	0.26	7.0	0.5	0.8	25.2	<0.01	0.01
I032293		1.60	19.8	610	5.7	9.0	<0.001	0.01	0.31	3.4	0.5	0.5	22.3	0.01	0.02
I032294		2.35	23.1	520	12.9	18.5	<0.001	0.02	0.36	6.1	0.7	0.9	23.8	<0.01	0.02
I032295		0.31	4.8	300	3.3	2.9	<0.001	0.01	0.17	0.6	0.4	0.3	8.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032256		0.080	0.09	0.67	49	0.31	7.43	50	3.0
I032257		0.153	0.16	1.00	83	0.13	13.80	68	1.9
I032258		0.130	0.10	0.79	71	0.15	8.61	64	1.6
I032259		0.127	0.20	1.16	60	0.16	5.39	70	2.9
I032260		0.007	0.03	0.29	4	0.17	2.01	4	2.9
I032261		0.050	0.17	2.39	52	0.16	19.70	120	2.9
I032262		0.064	0.12	0.62	73	0.16	2.37	36	0.7
I032263		0.059	0.16	1.85	50	0.13	11.85	60	1.3
I032264		0.087	0.27	1.80	45	0.24	5.47	64	1.1
I032265		0.106	0.15	0.70	66	0.18	3.43	45	1.4
I032266		0.157	0.31	1.78	68	0.15	6.88	67	2.5
I032267		0.136	0.20	1.34	62	0.16	6.63	64	2.9
I032268		0.109	0.18	0.81	72	0.21	3.99	60	1.9
I032269		0.118	0.38	1.72	47	0.06	2.61	69	0.6
I032270		0.115	0.25	2.50	52	0.13	12.30	72	2.3
I032271		0.135	0.33	3.08	50	0.12	15.70	81	2.8
I032272		0.115	0.17	1.11	71	0.15	5.64	66	1.5
I032273		0.118	0.16	0.88	74	0.15	4.73	63	2.1
I032274		0.152	0.41	1.35	34	0.10	12.95	123	2.6
I032275		0.153	0.31	2.23	57	0.28	13.90	71	3.6
I032276		0.163	0.17	0.48	102	0.13	4.15	79	3.0
I032277		0.008	0.18	1.73	21	0.06	21.1	90	7.0
I032278		0.100	0.12	0.81	67	0.16	4.85	64	2.8
I032279		0.220	0.88	0.91	44	0.05	7.27	133	4.6
I032280		0.029	0.18	0.66	17	0.07	7.85	25	4.5
I032281		0.155	0.27	0.72	51	0.12	7.43	65	1.0
I032282		0.160	0.16	0.59	88	0.16	3.96	66	2.6
I032283		0.161	0.55	1.70	41	0.10	11.70	90	2.4
I032284		0.122	0.17	0.66	66	0.17	4.32	63	1.7
I032285		0.166	0.16	0.43	78	0.13	2.65	62	1.7
I032286		0.127	0.17	0.60	76	0.11	4.06	75	1.6
I032287		0.093	0.15	0.44	75	0.16	3.43	56	1.4
I032288		0.117	0.17	1.12	89	0.17	7.72	84	2.5
I032289		0.129	0.19	0.75	90	0.14	5.06	78	2.1
I032290		0.174	0.39	1.58	67	0.13	9.22	105	4.1
I032291		0.151	0.28	1.19	73	0.13	7.44	89	3.7
I032292		0.157	0.22	1.34	73	0.17	10.80	51	4.6
I032293		0.111	0.11	0.61	61	0.18	4.91	41	1.5
I032294		0.138	0.20	2.72	90	0.19	6.34	58	4.2
I032295		0.035	0.04	0.34	22	0.07	0.98	13	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032296		0.28	<0.005	0.06	0.53	1.6	<0.2	<10	40	0.11	0.07	0.08	0.05	9.05	1.8	9
I032297		0.44	0.005	0.05	2.65	7.4	<0.2	<10	200	0.42	0.14	0.36	0.05	33.0	11.3	37
I032298		0.30	0.005	0.08	1.35	4.4	<0.2	<10	100	0.13	0.13	0.22	0.09	14.50	5.6	23
I032299		0.34	0.006	0.05	2.41	16.1	<0.2	<10	170	0.47	0.17	0.28	0.08	30.0	11.4	34
I032300		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	1.14	0.1	1
I032301		0.40	<0.005	0.03	2.12	5.4	<0.2	<10	120	0.27	0.12	0.30	0.07	20.6	9.7	31
I032302		0.38	<0.005	0.07	2.31	8.0	<0.2	<10	150	0.35	0.13	0.31	0.08	19.50	11.1	34
I032303		0.28	<0.005	0.11	1.02	2.7	<0.2	<10	60	0.16	0.09	0.07	0.05	10.45	2.8	15
I032304		0.28	<0.005	0.04	1.88	4.7	<0.2	<10	70	0.17	0.12	0.18	0.10	12.75	6.7	26
I032305		0.42	<0.005	0.07	1.68	4.1	<0.2	<10	110	0.19	0.11	0.17	0.07	15.65	6.8	23
I032306		0.38	<0.005	0.05	1.93	10.0	<0.2	<10	140	0.31	0.19	0.14	0.19	16.30	10.0	20
I032307		0.42	0.006	0.04	2.48	15.3	<0.2	<10	120	0.43	0.19	0.12	0.28	18.05	10.3	34
I032308		0.40	<0.005	0.04	1.65	96.6	<0.2	<10	80	0.24	0.30	0.11	0.11	13.45	5.1	22
I032309		0.30	<0.005	0.11	0.80	4.4	<0.2	<10	70	0.10	0.10	0.09	0.05	8.16	2.4	11
I032310		0.36	0.005	0.12	1.99	18.5	<0.2	<10	110	0.34	0.30	0.15	0.08	14.20	7.0	26
I032311		0.36	0.005	0.13	2.16	25.0	<0.2	<10	130	0.36	0.29	0.17	0.09	15.45	8.6	26
I032312		0.26	0.016	0.31	2.12	631	<0.2	<10	400	0.55	0.19	0.48	0.41	31.8	11.7	25
I032313		0.28	<0.005	0.11	2.13	28.0	<0.2	<10	150	0.29	0.17	0.33	0.15	26.1	9.2	29
I032314		0.32	0.010	0.17	2.24	14.9	<0.2	<10	310	0.50	0.16	0.66	0.20	55.1	11.5	29
I032315		0.32	<0.005	0.08	2.12	10.7	<0.2	<10	230	0.25	0.14	0.59	0.11	24.3	9.8	28
I032316		0.54	<0.005	0.06	2.08	7.7	<0.2	<10	230	0.31	0.13	0.70	0.12	26.4	11.2	31
I032317		0.40	<0.005	0.12	2.10	6.6	<0.2	<10	190	0.31	0.15	0.43	0.11	21.0	8.7	28
I032318		0.34	0.005	0.10	1.91	5.8	<0.2	<10	200	0.20	0.14	0.56	0.12	18.65	9.9	28
I032319		0.34	<0.005	0.08	1.92	4.9	<0.2	<10	150	0.21	0.37	0.34	0.09	17.80	7.4	25
I032320		0.10	<0.005	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	0.96	0.1	1
I032321		0.34	0.010	0.08	2.03	5.1	<0.2	<10	200	0.26	0.13	0.51	0.07	19.45	9.3	26
I032322		0.42	0.006	0.06	1.64	5.6	<0.2	<10	130	0.28	0.10	0.93	0.11	18.70	10.2	32
I032323		0.34	0.010	0.03	1.51	6.9	<0.2	<10	120	0.22	0.09	0.79	0.11	17.90	10.6	30
I032324		0.32	0.006	0.06	1.33	5.7	<0.2	<10	110	0.21	0.09	0.43	0.13	15.30	8.4	26
I032325		0.34	0.006	0.03	1.98	4.7	<0.2	<10	210	0.29	0.12	0.37	0.06	14.20	6.7	32
I032326		0.32	<0.005	0.03	1.89	5.5	<0.2	<10	150	0.41	0.13	0.30	0.07	15.00	6.5	32
I032327		0.32	<0.005	0.04	2.65	2.8	<0.2	<10	160	0.32	0.11	0.67	0.05	21.0	9.9	20
I032328		0.26	0.009	0.05	0.87	2.3	<0.2	<10	130	0.12	0.11	0.21	0.05	11.20	3.4	16
I032329		0.30	<0.005	0.04	1.24	5.4	<0.2	<10	150	0.16	0.13	0.11	0.03	13.60	4.8	19
I032330		0.40	0.006	0.04	1.42	4.1	<0.2	<10	230	0.43	0.12	0.23	0.03	18.05	5.9	20
I032331		0.30	<0.005	0.06	1.46	4.1	<0.2	<10	250	0.41	0.14	0.25	0.04	19.80	6.4	21
I032332		0.28	0.006	0.03	1.50	5.5	<0.2	<10	260	0.36	0.14	0.18	0.12	16.10	7.6	26
I032333		0.30	<0.005	0.05	1.57	3.5	<0.2	<10	150	0.34	0.12	0.18	0.10	13.85	5.8	22
I032334		0.38	0.006	0.07	1.80	6.1	<0.2	<10	170	0.41	0.15	0.14	0.08	14.05	7.3	28
I032335		0.36	<0.005	0.22	1.81	9.7	<0.2	<10	180	0.28	0.14	0.12	0.04	13.50	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032296		0.50	8.1	0.79	2.47	<0.05	<0.02	0.02	0.008	0.01	5.2	1.9	0.10	68	0.42
I032297		1.43	31.4	3.24	6.88	0.09	0.14	0.04	0.028	0.06	17.8	16.1	0.67	309	0.59
I032298		1.17	15.2	2.02	5.45	0.06	0.03	0.03	0.017	0.03	7.6	8.7	0.41	160	0.70
I032299		3.14	25.5	3.23	6.43	0.09	0.11	0.04	0.028	0.10	15.2	16.2	0.69	421	0.60
I032300		<0.05	0.6	0.02	0.07	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I032301		1.33	18.5	2.92	6.25	0.09	0.11	0.02	0.025	0.06	11.4	16.9	0.64	306	0.54
I032302		1.76	23.3	3.16	6.33	0.09	0.12	0.03	0.026	0.06	10.6	15.3	0.62	328	0.77
I032303		1.06	11.9	1.35	3.72	<0.05	0.02	0.04	0.014	0.02	5.7	4.3	0.16	99	0.48
I032304		1.12	15.1	2.54	5.53	0.06	0.06	0.02	0.021	0.04	6.8	12.4	0.45	191	0.61
I032305		2.00	14.1	2.36	5.48	0.06	0.05	0.03	0.019	0.07	8.3	11.3	0.47	215	0.52
I032306		5.07	16.1	3.76	9.44	0.07	0.05	0.04	0.032	0.23	8.2	13.5	0.54	513	1.13
I032307		1.74	18.5	3.83	7.35	0.07	0.12	0.03	0.030	0.04	9.3	17.4	0.46	408	1.32
I032308		1.82	13.3	2.77	7.85	0.06	0.04	0.02	0.021	0.04	7.1	10.3	0.32	165	1.11
I032309		0.64	8.8	1.38	3.56	<0.05	<0.02	0.03	0.012	0.01	4.1	3.1	0.12	68	0.46
I032310		1.59	14.5	3.29	7.96	0.07	0.07	0.03	0.025	0.05	7.4	11.5	0.33	221	1.33
I032311		2.47	16.0	3.46	7.84	0.07	0.08	0.04	0.029	0.10	7.6	12.2	0.41	312	1.18
I032312		6.39	22.5	3.26	5.73	0.08	0.05	1.05	0.033	0.12	18.4	11.2	0.39	948	1.15
I032313		1.47	22.5	3.18	6.89	0.08	0.08	0.05	0.025	0.09	15.5	13.2	0.57	395	0.85
I032314		1.24	30.4	3.02	6.54	0.11	0.09	0.08	0.028	0.10	35.3	13.4	0.47	685	1.00
I032315		1.60	16.6	3.32	7.01	0.10	0.10	0.03	0.026	0.17	15.6	15.0	0.68	526	0.76
I032316		1.48	20.3	3.25	6.80	0.11	0.17	0.02	0.026	0.19	14.9	17.7	0.79	426	0.49
I032317		0.99	19.4	3.08	7.06	0.08	0.09	0.02	0.024	0.07	12.4	13.8	0.61	318	0.89
I032318		1.41	16.1	2.96	6.66	0.08	0.06	0.02	0.021	0.13	11.5	13.1	0.65	443	0.97
I032319		0.95	13.7	2.69	6.61	0.07	0.07	0.02	0.019	0.06	10.3	11.6	0.57	236	0.84
I032320		<0.05	0.6	0.02	0.08	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06
I032321		0.81	15.3	2.98	6.10	0.08	0.07	0.02	0.022	0.04	11.1	14.5	0.60	301	0.71
I032322		0.38	25.9	2.76	4.61	0.09	0.13	0.02	0.020	0.06	9.7	12.3	0.69	365	0.43
I032323		0.46	16.9	2.68	4.51	0.08	0.12	0.02	0.019	0.03	8.8	11.2	0.61	449	0.60
I032324		0.64	13.8	2.25	4.77	<0.05	0.04	0.03	0.016	0.05	7.6	9.2	0.46	314	0.68
I032325		0.55	10.9	2.59	5.01	<0.05	0.05	0.01	0.016	0.04	6.7	11.0	0.72	436	0.58
I032326		0.65	10.7	2.45	4.64	<0.05	0.06	0.01	0.019	0.06	6.2	10.4	0.61	228	0.54
I032327		0.77	26.0	2.71	8.34	0.05	0.06	0.01	0.027	0.05	9.8	24.8	2.14	636	0.37
I032328		0.29	5.5	1.66	3.66	<0.05	0.03	0.01	0.007	0.04	5.6	4.4	0.23	154	0.64
I032329		0.39	5.7	2.15	4.84	<0.05	0.03	<0.01	0.012	0.03	6.7	7.6	0.28	382	0.79
I032330		0.68	10.3	2.19	4.95	<0.05	0.06	0.01	0.015	0.06	9.6	10.9	0.49	236	0.49
I032331		0.73	12.5	2.23	5.36	<0.05	0.04	0.01	0.016	0.06	10.8	11.2	0.49	280	0.57
I032332		0.46	10.1	2.42	5.37	<0.05	0.03	0.01	0.019	0.07	7.9	10.5	0.40	464	0.87
I032333		0.32	6.8	2.42	7.61	<0.05	<0.02	0.01	0.017	0.06	7.1	9.5	0.44	223	0.71
I032334		0.55	9.7	2.65	6.12	<0.05	0.07	<0.01	0.023	0.05	7.3	10.6	0.39	235	0.90
I032335		0.89	11.7	2.71	6.19	<0.05	0.02	<0.01	0.018	0.05	7.0	12.2	0.72	322	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032296		0.27	4.4	270	2.7	4.2	<0.001	0.01	0.11	0.6	0.3	0.2	10.6	<0.01	0.01
I032297		1.89	27.7	640	6.9	14.5	<0.001	0.01	0.29	6.9	0.5	0.6	27.8	<0.01	0.02
I032298		1.20	15.2	470	5.5	8.7	<0.001	0.02	0.24	2.6	0.4	0.5	19.9	<0.01	0.01
I032299		2.16	23.7	630	7.2	20.1	<0.001	0.01	0.35	6.3	0.6	0.7	21.1	<0.01	0.01
I032300		<0.05	0.3	10	0.7	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032301		2.27	21.0	660	6.5	13.8	<0.001	0.01	0.26	5.0	0.4	0.7	21.6	<0.01	0.01
I032302		1.97	26.8	580	6.3	11.5	<0.001	0.02	0.30	5.0	0.6	0.6	23.4	<0.01	0.02
I032303		0.74	7.0	340	3.8	6.8	<0.001	0.02	0.14	1.6	0.5	0.4	9.3	<0.01	0.01
I032304		1.87	14.8	500	5.4	10.8	<0.001	0.01	0.28	3.1	0.4	0.5	14.4	<0.01	0.02
I032305		1.76	13.8	570	5.2	17.9	<0.001	0.01	0.22	3.3	0.4	0.6	16.0	<0.01	0.01
I032306		3.00	11.5	620	8.6	37.1	<0.001	0.02	0.40	5.5	0.6	2.1	16.2	<0.01	0.03
I032307		1.95	21.4	390	20.9	10.1	<0.001	0.01	0.40	4.1	0.4	0.6	14.2	0.01	0.03
I032308		1.81	10.3	240	10.8	10.2	<0.001	0.01	0.39	3.4	0.3	0.7	13.5	<0.01	0.03
I032309		0.55	4.8	340	4.3	5.2	<0.001	0.01	0.18	1.1	0.4	0.3	12.6	<0.01	0.01
I032310		1.99	13.6	330	10.4	12.2	<0.001	0.01	0.37	3.8	0.4	0.8	18.2	0.01	0.02
I032311		2.08	14.9	390	10.0	19.1	<0.001	0.01	0.39	5.1	0.4	0.9	17.9	0.01	0.02
I032312		1.15	14.5	780	18.5	23.3	<0.001	0.04	1.77	8.6	0.9	0.5	37.4	<0.01	0.03
I032313		2.26	16.9	590	9.1	19.2	<0.001	0.02	0.33	5.2	0.6	0.7	26.7	<0.01	0.02
I032314		1.77	18.5	730	7.8	20.3	<0.001	0.04	0.36	7.1	1.0	1.0	47.6	0.01	0.02
I032315		2.64	15.9	600	6.1	37.1	<0.001	0.02	0.39	5.3	0.5	0.8	34.1	<0.01	0.02
I032316		2.39	19.1	730	5.8	31.7	<0.001	0.01	0.28	6.2	0.5	0.6	40.2	<0.01	0.02
I032317		2.30	17.3	510	6.8	16.0	<0.001	0.02	0.25	4.4	0.5	0.6	29.8	<0.01	0.01
I032318		2.07	16.7	530	5.7	27.3	<0.001	0.02	0.26	4.2	0.5	0.6	34.9	<0.01	0.02
I032319		2.11	14.6	450	6.2	13.8	<0.001	0.02	0.21	3.8	0.5	0.6	25.1	<0.01	0.01
I032320		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032321		2.21	15.8	540	5.6	8.5	<0.001	0.02	0.24	4.0	0.5	0.6	32.1	<0.01	0.02
I032322		1.54	24.2	810	5.4	6.8	<0.001	0.02	0.33	4.9	0.5	0.4	46.5	<0.01	0.01
I032323		1.63	20.4	650	5.0	6.2	<0.001	0.01	0.28	4.2	0.5	0.4	40.3	<0.01	0.01
I032324		1.49	15.7	680	5.2	6.9	0.001	0.01	0.20	3.2	0.4	0.4	28.8	<0.01	0.01
I032325		1.44	15.1	180	6.8	5.2	0.001	<0.01	0.20	3.2	<0.2	0.5	13.8	<0.01	0.01
I032326		1.31	15.5	230	8.1	8.7	0.001	<0.01	0.16	3.3	<0.2	0.4	10.4	<0.01	0.01
I032327		1.74	13.6	190	5.0	9.4	0.001	<0.01	0.12	6.0	0.3	0.5	20.7	<0.01	0.02
I032328		1.20	6.3	140	5.0	5.1	0.001	<0.01	0.14	1.5	<0.2	0.3	9.6	<0.01	0.01
I032329		1.46	8.4	240	6.5	5.0	0.001	<0.01	0.18	1.9	<0.2	0.4	9.0	<0.01	0.01
I032330		1.33	11.9	230	6.4	9.1	0.001	<0.01	0.18	2.5	<0.2	0.4	17.5	<0.01	0.01
I032331		1.40	13.2	240	6.8	9.5	0.001	<0.01	0.20	2.8	<0.2	0.5	20.0	<0.01	0.01
I032332		1.51	15.6	570	7.3	8.2	0.001	<0.01	0.28	2.6	<0.2	0.4	18.5	<0.01	0.01
I032333		0.88	12.3	660	8.3	5.5	<0.001	<0.01	0.21	1.9	<0.2	0.5	16.0	<0.01	0.01
I032334		1.30	14.9	500	8.7	8.8	<0.001	<0.01	0.35	2.6	<0.2	0.6	13.6	<0.01	0.02
I032335		1.10	11.5	200	6.5	17.5	<0.001	<0.01	0.34	2.9	0.2	0.5	10.9	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032296		0.032	0.05	0.81	18	0.05	2.00	12
I032297		0.145	0.18	1.43	73	0.15	9.89	53
I032298		0.100	0.10	0.75	52	0.13	3.60	37
I032299		0.138	0.24	1.47	74	0.20	7.27	54
I032300		<0.005	<0.02	0.08	1	<0.05	0.61	3
								0.5
I032301		0.160	0.18	0.98	73	0.19	5.97	50
I032302		0.129	0.17	0.97	72	0.24	5.60	51
I032303		0.061	0.08	0.96	31	0.09	2.28	19
I032304		0.133	0.12	0.49	62	0.16	3.32	43
I032305		0.123	0.18	0.81	57	0.17	3.83	37
								1.7
I032306		0.163	0.36	1.09	94	0.19	4.93	61
I032307		0.093	0.13	1.83	83	0.13	3.89	55
I032308		0.085	0.17	0.46	76	0.27	2.61	33
I032309		0.048	0.05	0.28	31	0.15	1.78	17
I032310		0.103	0.14	0.66	77	0.15	3.24	37
								2.5
I032311		0.102	0.18	0.81	79	0.13	4.20	43
I032312		0.056	0.71	2.90	62	0.16	13.85	112
I032313		0.152	0.18	1.38	80	0.28	6.83	62
I032314		0.126	0.13	5.05	69	0.24	18.00	49
I032315		0.193	0.19	1.42	87	0.19	7.76	62
								3.4
I032316		0.208	0.24	1.88	84	0.19	9.01	65
I032317		0.166	0.13	1.37	79	0.17	5.18	51
I032318		0.159	0.14	1.35	79	0.23	5.01	58
I032319		0.162	0.13	0.93	72	0.27	4.07	47
I032320		<0.005	<0.02	0.11	1	<0.05	0.55	4
								0.5
I032321		0.161	0.12	1.61	77	0.26	4.91	49
I032322		0.127	0.05	0.50	70	0.12	8.13	55
I032323		0.130	0.05	0.52	75	0.23	6.36	50
I032324		0.096	0.06	0.40	63	0.13	4.80	53
I032325		0.073	0.07	0.30	64	0.10	2.43	36
								1.9
I032326		0.058	0.06	0.72	53	0.10	2.48	35
I032327		0.115	0.06	0.45	62	0.09	3.25	56
I032328		0.065	0.05	0.15	49	0.06	1.18	21
I032329		0.060	0.07	0.17	55	0.08	1.37	27
I032330		0.061	0.07	0.37	44	0.07	3.23	41
								1.9
I032331		0.062	0.08	0.40	45	0.10	3.61	41
I032332		0.060	0.07	0.30	52	0.15	1.91	56
I032333		0.044	0.05	0.32	55	0.19	1.72	74
I032334		0.067	0.09	0.31	61	0.16	1.59	63
I032335		0.094	0.08	0.29	61	0.16	1.99	34
								0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032336		0.34	0.007	0.12	1.22	4.2	<0.2	<10	130	0.27	0.14	0.06	0.04	14.25	2.8	16
I032337		0.38	<0.005	0.09	1.78	7.1	<0.2	<10	160	0.24	0.14	0.10	0.03	17.60	5.2	22
I032338		0.34	0.005	0.03	2.31	9.8	<0.2	<10	260	0.39	0.12	0.13	0.04	14.90	10.8	33
I032339		0.26	0.005	0.05	2.14	6.9	<0.2	<10	320	0.57	0.17	0.54	0.24	26.4	10.2	31
I032340		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.11	0.1	1
I032341		0.46	0.011	0.13	1.52	8.9	<0.2	<10	250	0.52	0.14	1.64	0.24	24.2	10.4	25
I032342		0.30	<0.005	0.06	2.09	8.3	<0.2	<10	330	0.55	0.15	0.54	0.15	27.4	10.8	33
I032343		0.40	0.005	0.07	2.03	7.3	<0.2	<10	310	0.53	0.16	0.46	0.09	25.1	9.1	31
I032344		0.36	<0.005	0.07	2.30	7.9	<0.2	<10	340	0.67	0.16	0.72	0.28	27.1	10.2	34
I032345		0.46	0.009	0.13	1.64	9.1	<0.2	<10	280	0.47	0.14	1.80	0.23	25.6	10.2	28
I032346		0.44	0.010	0.10	1.60	8.2	<0.2	<10	290	0.51	0.14	0.86	0.12	26.9	9.6	28
I032347		0.40	0.008	0.08	1.42	7.6	<0.2	<10	260	0.37	0.13	0.97	0.15	21.7	8.3	25
I032348		0.42	0.007	0.10	1.45	8.0	<0.2	<10	290	0.42	0.11	0.82	0.14	22.2	8.3	27
I032349		0.34	0.008	0.12	1.45	7.3	<0.2	<10	300	0.45	0.13	1.22	0.21	24.3	9.8	26
I032350		0.26	<0.005	0.11	1.50	5.2	<0.2	<10	150	0.48	0.09	5.20	0.35	17.95	6.9	22
I032351		0.36	0.005	0.13	1.75	7.4	<0.2	<10	220	0.40	0.14	0.20	0.21	17.90	9.8	28
I032352		0.40	<0.005	0.08	1.71	4.9	<0.2	<10	420	0.94	0.29	0.91	0.15	40.5	7.1	16
I032353		0.34	0.008	0.03	1.57	6.8	<0.2	<10	280	0.45	0.15	0.30	0.05	23.0	7.2	29
I032354		0.32	<0.005	0.12	1.70	8.0	<0.2	<10	550	0.34	0.18	0.17	0.15	17.80	8.0	28
I032355		0.36	<0.005	0.05	1.84	6.0	<0.2	<10	430	0.44	0.14	0.30	0.12	18.15	10.2	28
I032356		0.48	0.009	0.07	2.99	8.2	<0.2	<10	310	0.42	0.11	0.71	0.23	16.80	18.6	36
I032357		0.38	0.010	0.22	2.16	9.0	<0.2	<10	290	0.42	0.11	0.53	0.14	18.25	13.5	33
I032358		0.32	0.009	0.04	1.41	5.8	<0.2	<10	140	0.25	0.08	0.92	0.05	21.5	6.4	30
I032359		0.24	0.013	0.06	1.11	5.1	<0.2	<10	200	0.37	0.10	1.99	0.45	17.40	8.5	21
I032360		0.30	0.006	0.06	1.48	5.2	<0.2	<10	180	0.33	0.12	0.87	0.18	17.35	8.6	26
I032361		0.34	0.006	0.08	1.33	6.2	<0.2	<10	150	0.37	0.10	0.90	0.21	25.8	9.0	29
I032362		0.38	0.007	0.07	1.57	6.4	<0.2	<10	160	0.33	0.10	0.70	0.07	22.3	8.5	30
I032363		0.28	0.009	0.07	1.50	4.2	<0.2	<10	180	0.32	0.10	0.94	0.10	22.1	7.2	31
I032364		0.28	0.005	0.05	1.21	4.3	<0.2	<10	120	0.24	0.09	0.94	0.17	18.45	7.9	26
I032365		0.32	0.016	0.07	1.76	7.1	<0.2	<10	160	0.31	0.12	0.59	0.11	19.60	10.0	35
I032366		0.28	0.009	0.10	1.62	3.9	<0.2	<10	260	0.46	0.10	1.54	0.45	26.0	10.0	29
I032367		0.30	0.007	0.16	1.68	5.1	<0.2	<10	200	0.53	0.16	0.60	0.10	68.1	11.2	29
I032368		0.32	0.006	0.09	1.26	3.9	<0.2	<10	150	0.29	0.15	0.42	0.07	19.00	6.6	24
I032369		0.34	0.007	0.11	1.74	4.8	<0.2	<10	230	0.44	0.17	0.41	0.09	49.9	9.2	31
I032370		0.52	NSS	0.05	0.40	11.5	<0.2	<10	120	0.36	0.07	0.63	0.24	32.6	10.5	16
I032371		0.36	0.006	0.07	1.79	5.8	<0.2	<10	210	0.37	0.14	0.48	0.07	20.7	10.7	35
I032372		0.28	0.007	0.07	1.69	5.3	<0.2	<10	180	0.35	0.12	0.38	0.08	18.80	10.7	35
I032373		0.34	0.008	0.11	1.42	7.9	<0.2	<10	190	0.39	0.12	0.98	0.23	25.4	9.8	30
I032374		0.42	0.006	0.05	1.67	4.9	<0.2	<10	160	0.32	0.14	0.55	0.09	25.9	9.4	31
I032375		0.42	0.011	0.07	1.87	5.6	<0.2	<10	170	0.40	0.14	0.53	0.10	27.2	9.8	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032336		0.72	12.5	1.77	6.08	<0.05	0.02	0.01	0.015	0.03	7.3	5.1	0.18	103	0.90
I032337		0.65	11.7	2.50	7.09	<0.05	<0.02	<0.01	0.017	0.04	9.0	11.4	0.45	174	0.84
I032338		1.30	14.3	2.83	6.29	<0.05	0.02	<0.01	0.026	0.05	7.6	15.6	0.80	232	0.82
I032339		0.57	21.9	2.57	6.67	0.07	0.08	0.03	0.031	0.03	13.7	9.0	0.49	614	1.15
I032340		<0.05	0.5	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05
I032341		0.42	33.3	2.42	4.87	0.07	0.19	0.03	0.022	0.05	12.8	10.4	0.73	376	0.59
I032342		0.56	19.2	2.65	6.35	0.06	0.09	0.02	0.027	0.03	13.2	11.1	0.54	324	0.70
I032343		0.61	20.4	2.62	6.76	0.06	0.13	0.01	0.028	0.03	12.5	10.5	0.47	285	0.67
I032344		0.55	21.9	2.73	6.74	0.06	0.15	0.03	0.030	0.04	13.3	10.6	0.50	245	0.91
I032345		0.49	32.1	2.46	4.95	0.08	0.22	0.04	0.023	0.05	13.1	10.7	0.84	404	0.59
I032346		0.51	24.2	2.40	4.91	0.07	0.11	0.05	0.022	0.04	13.8	10.8	0.51	292	0.31
I032347		0.37	18.6	2.21	4.66	0.06	0.09	0.02	0.022	0.04	10.5	10.1	0.48	249	0.37
I032348		0.35	20.6	2.32	3.99	0.05	0.09	0.03	0.018	0.04	11.1	8.8	0.51	223	0.30
I032349		0.41	28.7	2.26	4.50	0.06	0.11	0.04	0.022	0.04	12.2	10.2	0.54	477	0.32
I032350		0.55	23.7	1.71	4.21	0.07	0.18	0.05	0.019	0.05	9.3	11.1	1.43	279	0.78
I032351		1.08	16.7	3.21	7.03	0.05	0.04	0.01	0.024	0.11	8.4	12.0	0.58	544	0.94
I032352		2.52	11.9	2.02	5.62	0.07	0.07	0.01	0.033	0.13	18.0	10.3	0.39	356	0.95
I032353		0.89	11.2	2.22	5.19	<0.05	0.04	0.01	0.021	0.06	11.7	10.9	0.37	243	1.68
I032354		0.55	11.3	2.91	7.26	0.05	0.03	0.01	0.022	0.07	9.2	10.9	0.34	551	1.89
I032355		0.54	10.0	3.10	7.12	0.05	0.02	0.01	0.026	0.08	8.9	10.0	0.47	546	1.08
I032356		0.58	16.6	4.43	9.36	0.07	0.09	0.01	0.030	0.11	6.8	9.7	0.83	858	1.95
I032357		0.33	24.3	3.52	7.23	0.06	0.06	<0.01	0.024	0.12	7.7	9.1	0.60	617	1.67
I032358		0.46	16.6	2.46	4.38	0.08	0.09	0.01	0.019	0.05	11.2	9.3	0.58	201	0.54
I032359		0.37	30.7	1.73	3.51	0.06	0.07	0.04	0.017	0.05	9.2	6.6	0.36	555	0.88
I032360		0.41	25.5	2.22	4.79	0.05	0.08	0.01	0.020	0.05	8.4	7.9	0.45	409	0.84
I032361		0.51	25.3	2.31	4.15	0.06	0.09	0.02	0.020	0.06	12.5	9.3	0.50	400	0.64
I032362		0.52	21.0	2.51	4.79	0.06	0.09	0.02	0.022	0.05	11.1	11.4	0.58	247	0.46
I032363		0.57	17.2	2.23	4.74	0.06	0.08	0.03	0.021	0.06	12.6	11.2	0.56	249	0.55
I032364		0.51	14.3	2.06	4.25	0.06	0.07	0.01	0.018	0.07	9.8	8.2	0.44	256	0.68
I032365		0.30	17.4	2.85	5.27	0.06	0.12	0.01	0.023	0.12	9.2	10.3	0.53	302	0.92
I032366		0.51	27.5	2.45	4.99	0.07	0.14	<0.01	0.022	0.15	13.2	5.4	0.55	540	0.44
I032367		1.70	20.1	2.71	7.09	0.15	0.05	0.02	0.029	0.18	66.3	13.5	0.41	894	1.57
I032368		0.99	13.6	2.39	5.99	0.06	0.10	0.01	0.017	0.18	16.5	9.1	0.40	370	1.06
I032369		1.85	19.0	2.64	6.94	0.11	0.09	0.01	0.027	0.18	41.4	12.6	0.44	406	1.17
I032370		0.50	9.1	2.48	2.09	0.08	0.05	0.01	0.009	0.06	17.0	4.3	0.28	965	1.59
I032371		0.80	17.8	2.81	5.99	0.05	0.11	0.01	0.024	0.09	9.7	13.4	0.53	457	0.80
I032372		0.83	14.4	2.80	5.78	<0.05	0.08	0.01	0.024	0.09	7.9	10.5	0.43	472	0.97
I032373		0.59	31.1	2.48	4.61	0.07	0.08	0.02	0.021	0.06	12.9	10.2	0.57	493	0.60
I032374		0.81	16.1	2.62	5.51	0.07	0.14	0.01	0.023	0.07	15.6	14.0	0.52	284	0.51
I032375		0.86	17.7	2.71	6.26	0.07	0.22	0.01	0.028	0.08	13.7	12.6	0.49	271	0.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032336		1.02	6.7	170	8.2	11.7	<0.001	<0.01	0.22	2.0	0.2	0.5	7.5	<0.01	0.01
I032337		1.18	10.0	180	8.1	12.3	<0.001	<0.01	0.26	2.7	0.2	0.5	10.4	<0.01	0.02
I032338		1.07	19.6	260	7.6	13.3	<0.001	<0.01	0.40	3.5	0.2	0.4	12.6	<0.01	0.01
I032339		1.20	22.9	260	9.5	4.2	<0.001	<0.01	0.34	6.0	0.5	0.6	20.3	<0.01	0.02
I032340		<0.05	0.4	10	0.4	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
I032341		1.19	27.1	610	8.6	7.0	<0.001	<0.01	0.60	4.9	0.5	0.4	46.2	<0.01	0.02
I032342		1.31	23.4	260	9.5	4.8	<0.001	<0.01	0.36	5.5	0.6	0.5	24.2	<0.01	0.03
I032343		1.45	19.8	150	10.0	7.7	<0.001	<0.01	0.30	5.1	0.4	0.6	23.8	<0.01	0.03
I032344		1.52	25.6	200	12.2	7.1	<0.001	<0.01	0.38	5.7	0.6	0.6	28.9	<0.01	0.03
I032345		1.35	26.6	550	11.6	6.5	<0.001	<0.01	0.75	5.0	0.5	0.4	41.1	<0.01	0.02
I032346		1.25	20.4	550	9.2	5.7	<0.001	<0.01	0.53	4.6	0.7	0.4	35.1	<0.01	0.02
I032347		1.18	17.5	500	8.8	5.3	<0.001	0.01	0.51	3.8	0.6	0.5	37.2	<0.01	0.02
I032348		1.04	17.7	580	8.3	4.4	<0.001	<0.01	0.47	3.7	0.6	0.3	30.0	<0.01	0.02
I032349		1.24	23.2	560	9.3	5.0	<0.001	0.03	0.67	4.1	1.0	0.4	39.3	<0.01	0.02
I032350		1.10	19.5	610	9.0	6.4	<0.001	0.03	0.57	3.8	0.8	0.3	62.4	<0.01	0.02
I032351		1.00	16.4	220	11.1	13.5	<0.001	<0.01	0.43	4.2	0.3	0.5	18.9	<0.01	0.02
I032352		0.55	10.8	740	12.1	16.6	<0.001	<0.01	0.15	4.4	0.4	0.7	61.0	<0.01	0.02
I032353		0.97	17.5	420	9.0	11.1	<0.001	<0.01	0.27	3.0	0.3	0.5	27.4	<0.01	0.03
I032354		1.32	14.1	480	9.5	8.5	<0.001	0.01	0.36	3.0	0.2	0.7	18.0	<0.01	0.04
I032355		1.22	14.5	260	8.1	6.9	<0.001	0.02	0.33	3.2	0.2	0.6	23.3	<0.01	0.01
I032356		1.13	17.1	400	7.2	6.3	<0.001	0.03	0.23	10.2	0.4	0.4	33.5	<0.01	0.03
I032357		1.09	18.1	350	6.4	7.3	<0.001	0.02	0.30	6.5	0.3	0.4	28.2	<0.01	0.03
I032358		1.31	16.5	870	5.1	5.7	<0.001	0.03	0.25	4.0	0.4	0.4	47.3	<0.01	0.01
I032359		0.96	21.1	840	4.6	4.9	<0.001	0.07	0.51	2.6	0.9	0.3	98.9	0.01	0.02
I032360		1.25	18.4	460	5.6	5.0	<0.001	<0.01	0.33	3.7	0.5	0.4	49.9	<0.01	0.02
I032361		1.24	20.8	800	5.4	7.8	<0.001	0.02	0.34	4.0	0.5	0.4	47.9	<0.01	0.02
I032362		1.37	20.5	770	5.7	7.0	<0.001	<0.01	0.34	4.3	0.5	0.5	41.4	<0.01	0.02
I032363		1.33	18.9	770	6.1	8.1	<0.001	0.01	0.30	4.4	0.5	0.5	54.5	<0.01	0.02
I032364		1.23	14.5	660	4.8	15.7	<0.001	<0.01	0.27	3.7	0.4	0.4	49.4	<0.01	0.01
I032365		1.42	20.2	580	6.3	7.0	<0.001	<0.01	0.30	4.5	0.4	0.5	33.4	<0.01	0.02
I032366		1.08	23.4	920	5.8	12.6	<0.001	<0.01	0.35	5.1	0.5	0.5	70.5	<0.01	0.02
I032367		1.14	15.5	510	14.8	29.8	<0.001	<0.01	0.29	4.5	0.7	0.7	40.6	<0.01	0.02
I032368		1.54	13.0	290	8.4	19.9	<0.001	0.08	0.24	3.0	0.3	0.7	29.3	<0.01	0.02
I032369		1.61	16.4	340	10.2	31.4	<0.001	0.14	0.27	4.3	0.5	0.8	30.8	<0.01	0.02
I032370		0.61	21.5	730	6.0	7.1	<0.001	0.11	0.67	2.1	0.3	0.3	16.5	<0.01	0.01
I032371		1.53	20.0	300	7.4	11.6	<0.001	<0.01	0.33	4.1	0.4	0.6	33.8	<0.01	0.02
I032372		1.40	17.5	170	7.4	14.1	<0.001	<0.01	0.34	4.8	0.2	0.6	27.1	<0.01	0.02
I032373		1.34	25.1	880	5.9	9.2	<0.001	<0.01	0.44	4.3	0.6	0.4	46.3	<0.01	0.02
I032374		1.30	15.8	610	7.2	9.9	<0.001	<0.01	0.28	4.4	0.3	0.5	37.5	<0.01	0.02
I032375		1.51	17.9	560	9.5	13.3	<0.001	<0.01	0.28	5.3	0.4	0.6	37.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032336		0.060	0.07	0.26	45	0.12	1.76	19	0.7
I032337		0.053	0.09	0.35	58	0.15	2.20	33	0.6
I032338		0.076	0.09	0.34	57	0.17	1.96	45	0.6
I032339		0.055	0.08	0.71	61	0.29	9.31	49	2.7
I032340		<0.005	<0.02	0.09	1	<0.05	0.59	2	<0.5
I032341		0.075	0.06	0.48	47	0.23	10.20	50	7.5
I032342		0.065	0.07	0.91	64	0.20	8.93	43	3.6
I032343		0.083	0.07	0.63	63	0.21	6.71	38	5.3
I032344		0.075	0.06	0.69	66	0.28	9.10	44	5.6
I032345		0.087	0.06	0.49	52	0.33	10.45	57	9.2
I032346		0.071	0.06	0.84	54	0.23	9.28	47	4.0
I032347		0.066	0.04	0.85	48	0.30	6.43	50	3.1
I032348		0.069	0.04	0.64	51	0.16	7.71	48	3.6
I032349		0.065	0.05	0.62	47	0.32	9.31	48	4.5
I032350		0.059	0.06	0.79	38	0.22	8.45	50	7.4
I032351		0.095	0.10	0.38	75	0.17	3.39	71	1.4
I032352		0.010	0.12	0.89	36	0.07	5.82	44	2.5
I032353		0.051	0.09	0.54	49	0.16	3.85	36	1.8
I032354		0.060	0.09	0.35	68	0.17	2.04	53	1.3
I032355		0.052	0.08	0.39	71	0.15	2.54	51	0.6
I032356		0.095	0.10	0.35	111	0.28	5.66	89	2.4
I032357		0.094	0.09	0.32	79	0.23	3.62	67	2.0
I032358		0.113	0.04	0.65	61	0.29	7.42	46	3.6
I032359		0.057	0.04	1.15	41	0.12	8.11	42	2.5
I032360		0.086	0.05	1.57	56	0.16	6.07	40	2.8
I032361		0.092	0.05	1.11	56	0.19	9.27	48	3.0
I032362		0.105	0.06	0.67	59	0.15	7.87	53	3.0
I032363		0.099	0.06	0.99	50	0.15	8.74	52	2.7
I032364		0.102	0.05	0.67	53	0.27	5.82	50	2.2
I032365		0.121	0.05	0.47	72	0.26	5.03	45	4.0
I032366		0.097	0.07	0.42	54	0.18	9.68	69	4.7
I032367		0.081	0.13	2.31	54	0.13	16.25	48	1.2
I032368		0.116	0.11	0.64	54	0.16	5.93	46	3.4
I032369		0.114	0.14	0.88	57	0.15	16.40	46	2.5
I032370		0.030	0.16	0.89	23	0.08	8.60	27	2.6
I032371		0.109	0.09	0.42	61	0.15	4.65	43	3.7
I032372		0.109	0.09	0.33	68	0.13	2.99	38	2.8
I032373		0.095	0.06	0.55	56	0.20	9.17	61	2.6
I032374		0.122	0.08	0.70	58	0.15	7.49	51	4.9
I032375		0.127	0.10	0.61	60	0.12	7.67	50	8.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032376		0.30	0.005	0.07	1.77	7.1	<0.2	<10	180	0.43	0.16	0.68	0.06	29.1	10.3	33
I032377		0.34	0.009	0.07	1.33	2.0	<0.2	<10	140	0.43	0.11	1.11	0.09	39.3	6.7	27
I032378		0.30	0.011	0.04	1.47	7.0	<0.2	<10	120	0.32	0.10	0.72	0.11	19.10	9.9	30
I032379		0.44	0.009	0.05	1.40	5.1	<0.2	<10	130	0.34	0.09	0.70	0.13	27.9	9.2	28
I032380		0.28	0.006	0.07	1.51	6.7	<0.2	<10	170	0.33	0.10	0.86	0.15	21.4	9.4	29
I032381		0.36	0.008	0.09	1.65	6.1	<0.2	<10	170	0.34	0.10	0.75	0.23	23.1	10.7	32
I032382		0.34	<0.005	0.07	1.58	6.3	<0.2	<10	190	0.36	0.12	0.80	0.16	26.1	10.4	29
I032383		0.28	0.006	0.08	1.61	4.7	<0.2	<10	200	0.38	0.15	0.89	0.14	45.0	9.3	27
I032384		0.36	0.007	0.10	1.06	6.2	<0.2	<10	150	0.55	0.20	0.80	0.11	38.7	8.3	18
I032385		0.38	<0.005	0.09	1.62	4.9	<0.2	<10	160	0.47	0.19	1.08	0.12	39.6	9.7	26
I032386		0.52	0.007	0.09	1.69	6.3	<0.2	<10	160	0.48	0.21	0.53	0.08	34.6	9.3	29
I032387		0.32	<0.005	0.05	1.43	4.7	<0.2	<10	150	0.44	0.14	0.74	0.11	32.7	8.9	25
I032388		0.34	0.012	0.05	1.49	5.1	<0.2	<10	150	0.40	0.13	0.71	0.12	30.1	8.5	26
I032389		0.24	0.007	0.04	1.61	6.2	<0.2	<10	180	0.27	0.11	0.82	0.23	18.35	9.8	31
I032390		0.34	0.005	0.04	2.16	8.4	<0.2	<10	160	0.48	0.16	0.30	0.06	19.05	9.9	33
I032391		0.36	0.009	0.07	1.54	7.9	<0.2	<10	190	0.49	0.09	1.02	0.16	29.6	14.5	32
I032392		0.34	0.009	0.08	1.45	6.5	<0.2	<10	140	0.37	0.11	0.92	0.19	23.2	10.4	30
I032393		0.42	0.006	0.08	1.85	5.8	<0.2	<10	150	0.42	0.16	0.36	0.08	39.9	7.9	29
I032394		0.30	0.007	0.09	1.83	5.5	<0.2	<10	140	0.42	0.17	0.35	0.08	41.3	7.6	29
I032395		0.44	<0.005	0.02	1.71	7.3	<0.2	<10	90	0.34	0.15	0.19	0.07	24.7	6.2	25
I032396		0.44	<0.005	0.02	0.09	7.5	<0.2	<10	10	0.11	0.06	0.07	0.04	10.35	2.2	4
I032397		0.42	<0.005	0.05	2.08	6.8	<0.2	<10	90	0.41	0.19	0.18	0.08	38.3	7.1	29
I032398		0.32	0.007	0.06	1.72	6.8	<0.2	<10	190	0.37	0.13	0.77	0.13	24.6	10.8	33
I032399		0.26	0.008	0.05	1.62	6.3	<0.2	<10	160	0.37	0.11	0.75	0.11	19.50	11.0	30
I032400		0.34	0.007	0.08	1.60	7.1	<0.2	<10	160	0.38	0.11	0.95	0.15	22.4	11.6	32
I032401		0.42	0.006	0.06	1.68	6.3	<0.2	<10	160	0.32	0.12	0.72	0.09	21.4	10.2	32
I032402		0.36	0.006	0.03	1.77	5.9	<0.2	<10	160	0.58	0.20	0.41	0.07	38.1	8.9	34
I032403		0.42	0.010	0.07	1.94	5.4	<0.2	<10	170	1.07	0.38	0.67	0.08	127.0	7.9	28
I032404		0.50	0.006	0.03	1.29	3.7	<0.2	<10	100	0.35	0.19	0.40	0.04	31.2	5.9	23
I032405		0.42	0.012	0.05	1.63	3.7	<0.2	<10	130	0.49	0.28	0.42	0.09	30.8	6.5	24
I032406		0.40	0.007	0.35	1.44	3.6	<0.2	<10	120	0.70	0.28	0.52	0.06	48.5	6.8	20
I032407		0.32	0.007	0.25	2.79	8.9	<0.2	<10	270	1.94	0.53	1.03	0.22	359	9.3	34
I032408		0.36	0.006	0.07	2.05	4.9	<0.2	<10	150	0.65	0.29	0.56	0.08	73.5	6.8	28
I032409		0.44	0.006	0.18	2.91	6.1	<0.2	<10	230	1.23	0.60	0.52	0.08	155.5	6.2	33
I032410		0.36	0.005	0.01	1.24	3.5	<0.2	<10	70	0.47	0.29	0.21	0.03	25.4	4.6	19
I032411		0.38	<0.005	0.08	1.56	4.4	<0.2	<10	260	0.80	0.22	0.32	0.16	47.7	12.0	25
I032412		0.44	0.007	0.05	1.67	4.8	<0.2	<10	140	0.57	0.22	0.22	0.05	25.5	8.0	25
I032413		0.44	<0.005	0.07	1.69	5.1	<0.2	<10	160	0.52	0.18	0.44	0.08	29.9	8.2	31
I032414		0.40	0.005	0.05	1.38	4.7	<0.2	<10	140	0.46	0.16	0.28	0.08	34.4	7.7	24
I032415		0.42	0.005	0.09	1.80	5.6	<0.2	<10	170	0.38	0.16	0.62	0.08	26.3	10.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032376		0.49	20.4	2.83	5.66	0.05	0.13	0.02	0.027	0.15	11.8	10.6	0.53	405	0.55
I032377		0.77	22.9	1.45	4.49	0.09	0.09	0.02	0.021	0.06	23.5	12.3	0.49	130	0.54
I032378		0.50	18.7	2.60	4.86	0.08	0.13	0.02	0.019	0.09	9.4	11.0	0.61	256	0.72
I032379		0.96	17.0	2.40	4.72	0.07	0.08	0.02	0.020	0.07	14.2	11.6	0.54	369	0.47
I032380		0.45	22.5	2.50	4.90	0.06	0.17	0.03	0.021	0.07	10.7	11.2	0.59	345	0.48
I032381		0.66	22.0	2.56	5.62	0.07	0.08	0.02	0.023	0.07	11.3	11.7	0.56	457	0.73
I032382		0.78	20.7	2.45	5.27	0.07	0.07	0.03	0.022	0.06	12.7	11.8	0.52	404	0.75
I032383		1.88	14.5	2.32	6.12	0.08	0.07	0.04	0.023	0.08	25.3	15.9	0.50	452	0.68
I032384		1.81	11.7	2.08	4.04	0.08	0.09	0.03	0.026	0.10	20.2	9.6	0.35	432	0.86
I032385		2.55	14.1	2.55	5.92	0.07	0.08	0.03	0.025	0.11	19.7	20.4	0.53	478	0.66
I032386		1.78	19.0	2.69	6.10	0.09	0.13	0.02	0.029	0.08	25.4	15.9	0.52	266	0.49
I032387		1.97	14.9	2.41	5.32	0.08	0.09	0.02	0.022	0.12	17.8	14.0	0.50	363	0.52
I032388		1.22	15.7	2.32	5.10	0.07	0.10	0.02	0.021	0.07	14.7	11.7	0.47	357	0.54
I032389		0.54	20.7	2.63	5.11	0.06	0.11	0.02	0.023	0.07	8.8	11.7	0.58	428	0.70
I032390		2.86	17.0	3.22	8.34	0.05	0.09	<0.01	0.029	0.09	10.3	14.2	0.47	219	0.82
I032391		1.27	20.4	2.67	5.25	0.07	0.07	0.02	0.025	0.06	15.8	12.3	0.55	912	0.71
I032392		0.55	27.8	2.51	4.93	0.08	0.11	0.02	0.020	0.07	11.5	11.5	0.60	360	0.51
I032393		1.77	14.7	2.75	6.06	0.08	0.10	0.04	0.030	0.07	28.6	10.6	0.38	217	0.70
I032394		1.89	15.5	2.69	6.59	0.09	0.08	0.04	0.031	0.07	29.7	10.0	0.37	211	0.74
I032395		6.74	10.6	2.79	7.08	0.05	0.08	<0.01	0.026	0.07	14.5	9.2	0.29	150	1.13
I032396		0.09	2.2	0.58	0.49	<0.05	0.05	<0.01	<0.005	0.01	5.5	1.2	0.04	152	0.30
I032397		1.98	14.1	3.17	6.70	0.06	0.06	0.02	0.034	0.04	17.6	11.5	0.30	209	1.03
I032398		0.50	26.3	2.90	4.95	0.07	0.13	0.02	0.022	0.04	13.0	11.8	0.60	411	0.57
I032399		0.58	21.9	2.70	5.07	0.07	0.09	0.03	0.024	0.03	10.5	11.2	0.57	333	0.66
I032400		0.55	31.7	2.92	4.81	0.09	0.11	0.02	0.022	0.06	12.4	12.7	0.71	547	0.58
I032401		0.53	22.9	2.83	4.97	0.07	0.11	0.02	0.020	0.04	11.4	11.8	0.60	334	0.58
I032402		1.24	18.7	2.77	5.75	0.07	0.13	0.01	0.024	0.08	21.5	14.4	0.50	237	0.56
I032403		2.24	25.9	2.76	6.99	0.17	0.18	0.05	0.033	0.08	97.5	16.0	0.43	309	0.49
I032404		1.38	10.8	2.08	4.45	0.07	0.16	0.01	0.020	0.06	19.6	11.0	0.36	184	0.35
I032405		1.25	14.9	2.39	5.84	0.07	0.06	0.04	0.024	0.08	25.4	12.6	0.35	207	0.51
I032406		1.63	18.0	2.26	5.23	0.09	0.18	0.03	0.025	0.07	39.4	13.2	0.29	380	0.54
I032407		4.36	56.2	3.50	10.70	0.50	0.46	0.12	0.060	0.18	340	24.3	0.44	237	0.62
I032408		3.24	17.2	2.95	7.52	0.14	0.12	0.04	0.032	0.17	83.1	17.5	0.44	212	0.68
I032409		5.13	32.1	3.30	10.15	0.25	0.22	0.07	0.052	0.17	170.0	18.8	0.37	234	0.70
I032410		3.37	7.7	2.06	5.08	0.06	0.06	0.03	0.021	0.12	20.1	11.5	0.31	146	0.46
I032411		1.83	20.3	2.58	5.79	0.07	0.03	0.02	0.030	0.10	21.4	8.9	0.31	791	0.92
I032412		5.85	12.3	2.75	6.63	0.06	0.06	0.02	0.029	0.25	14.1	16.9	0.41	251	0.74
I032413		1.52	15.8	2.74	5.85	0.07	0.06	0.02	0.028	0.14	25.0	14.4	0.40	333	0.86
I032414		1.63	14.0	2.50	5.03	0.06	0.04	0.02	0.027	0.09	24.7	10.5	0.35	358	1.00
I032415		1.35	15.9	2.94	6.21	0.07	0.09	0.02	0.024	0.19	16.5	15.8	0.50	620	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032376		1.47	19.6	330	14.2	16.6	<0.001	<0.01	0.32	5.6	0.4	0.6	40.9	<0.01	0.01
I032377		1.09	15.2	800	8.2	7.8	<0.001	0.07	0.33	4.5	0.7	0.4	65.6	<0.01	0.01
I032378		1.47	19.9	710	5.5	11.1	<0.001	0.08	0.33	4.4	0.3	0.4	40.3	<0.01	0.01
I032379		1.27	17.4	710	6.4	11.6	<0.001	0.09	0.28	4.1	0.4	0.5	39.4	<0.01	0.01
I032380		1.59	21.1	590	5.6	8.1	<0.001	0.11	0.37	4.8	0.4	0.5	47.7	<0.01	0.02
I032381		1.47	21.6	810	6.0	13.7	<0.001	0.15	0.33	5.0	0.5	0.5	44.8	<0.01	0.02
I032382		1.34	20.2	670	7.0	11.7	<0.001	0.13	0.36	4.4	0.6	0.5	52.8	<0.01	0.02
I032383		1.36	15.2	650	10.0	18.7	<0.001	0.07	0.30	4.3	0.6	0.6	58.6	<0.01	0.01
I032384		0.91	11.5	640	11.4	16.1	<0.001	0.01	0.35	4.0	0.5	0.6	52.0	<0.01	0.01
I032385		1.30	15.4	690	13.7	28.4	<0.001	0.02	0.28	4.2	0.6	0.7	70.5	<0.01	0.01
I032386		1.39	18.0	590	12.1	16.3	<0.001	<0.01	0.34	4.8	0.5	0.7	38.9	<0.01	0.02
I032387		1.30	15.9	700	8.0	20.3	<0.001	0.05	0.27	4.3	0.5	0.6	44.5	<0.01	0.02
I032388		1.29	15.6	640	7.1	11.7	<0.001	0.03	0.28	3.9	0.4	0.5	42.2	<0.01	0.02
I032389		1.50	20.8	610	5.6	10.6	<0.001	0.01	0.35	4.7	0.4	0.5	44.9	<0.01	0.02
I032390		1.18	20.4	340	10.3	17.9	<0.001	<0.01	0.36	4.3	0.2	0.9	25.6	<0.01	0.02
I032391		1.12	22.2	780	7.0	9.4	<0.001	0.04	0.39	5.4	0.6	0.5	55.8	<0.01	0.01
I032392		1.45	23.7	800	5.7	7.8	<0.001	0.02	0.46	4.9	0.5	0.5	47.9	<0.01	0.03
I032393		1.26	15.2	470	10.6	11.8	<0.001	<0.01	0.32	4.5	0.5	0.6	26.1	<0.01	0.02
I032394		1.20	15.6	460	10.7	12.2	<0.001	<0.01	0.33	4.6	0.4	0.6	27.0	<0.01	0.02
I032395		1.24	13.0	320	11.8	21.5	<0.001	<0.01	0.37	3.4	0.3	0.7	16.1	<0.01	0.02
I032396		0.19	4.3	140	1.9	1.7	<0.001	<0.01	0.13	0.6	<0.2	<0.2	5.7	<0.01	<0.01
I032397		1.60	13.4	270	11.1	12.0	<0.001	0.01	0.38	4.6	0.4	0.6	19.5	<0.01	0.02
I032398		1.74	22.3	670	6.0	6.9	<0.001	0.02	0.39	5.1	0.6	0.4	43.6	<0.01	0.02
I032399		1.67	21.4	580	5.9	7.6	<0.001	0.03	0.36	4.9	0.7	0.5	41.6	<0.01	0.02
I032400		1.63	28.0	880	5.7	7.2	0.001	0.03	0.42	5.4	0.6	0.4	46.6	<0.01	0.02
I032401		1.61	21.5	740	6.0	7.7	<0.001	0.02	0.33	5.0	0.5	0.4	39.2	<0.01	0.01
I032402		1.39	17.3	450	9.8	15.9	<0.001	0.01	0.28	5.3	0.5	0.6	29.3	<0.01	0.01
I032403		1.41	17.3	740	16.7	20.0	0.001	0.02	0.28	7.1	1.0	0.8	41.3	0.01	0.02
I032404		1.37	10.5	370	9.7	16.4	<0.001	<0.01	0.24	3.6	0.3	0.5	28.7	<0.01	0.01
I032405		1.28	12.3	320	12.7	18.2	<0.001	0.01	0.19	3.9	0.4	0.7	29.7	<0.01	0.02
I032406		1.26	9.6	340	19.1	18.5	0.001	0.01	0.24	4.4	0.5	0.7	33.2	<0.01	0.01
I032407		1.85	34.8	590	36.1	35.2	0.002	0.05	0.50	12.9	3.0	1.2	66.2	0.05	0.03
I032408		1.53	14.2	530	16.7	33.5	0.001	0.02	0.27	5.8	0.8	0.9	37.4	0.01	0.01
I032409		1.47	16.9	560	33.2	33.8	0.001	0.02	0.20	9.7	1.2	1.3	39.1	0.01	0.02
I032410		1.34	9.2	280	13.9	28.9	<0.001	0.01	0.19	3.1	0.3	0.8	20.2	<0.01	0.01
I032411		1.11	14.6	470	13.9	17.6	<0.001	0.02	0.28	3.9	0.5	0.8	26.9	<0.01	0.01
I032412		1.59	13.6	260	13.7	44.5	<0.001	0.01	0.26	3.9	0.4	1.0	21.4	<0.01	0.02
I032413		1.40	15.6	320	11.4	25.0	<0.001	0.01	0.28	4.5	0.4	0.7	31.6	<0.01	0.02
I032414		1.24	13.4	230	12.7	17.0	<0.001	0.01	0.29	3.8	0.4	0.8	24.9	<0.01	<0.01
I032415		1.72	15.3	390	11.8	31.0	<0.001	0.01	0.28	4.2	0.6	0.7	39.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032376		0.109	0.06	0.53	62	0.17	6.02	45	4.3
I032377		0.084	0.06	8.11	46	0.11	15.05	42	2.6
I032378		0.129	0.05	0.48	68	0.19	6.31	47	4.3
I032379		0.110	0.07	0.71	58	0.25	8.53	53	2.9
I032380		0.117	0.05	0.65	61	0.25	7.95	48	6.4
I032381		0.113	0.06	0.77	64	0.23	8.02	54	2.9
I032382		0.094	0.07	0.83	60	0.19	8.28	49	2.6
I032383		0.097	0.14	2.15	52	0.13	10.10	57	2.5
I032384		0.060	0.11	5.33	40	0.11	10.35	44	2.8
I032385		0.093	0.19	2.69	51	0.19	9.52	56	2.7
I032386		0.118	0.12	1.00	58	0.12	12.10	51	4.6
I032387		0.103	0.13	1.19	53	0.21	10.30	53	3.1
I032388		0.101	0.10	0.93	56	1.21	8.44	49	3.2
I032389		0.120	0.06	0.40	67	0.13	5.71	55	3.8
I032390		0.107	0.15	0.45	73	0.09	4.36	49	3.4
I032391		0.077	0.08	1.09	57	0.25	10.25	53	2.3
I032392		0.114	0.06	0.47	64	0.18	9.40	52	4.2
I032393		0.085	0.09	0.83	57	0.14	7.59	44	3.3
I032394		0.082	0.09	0.86	56	0.14	7.94	43	2.6
I032395		0.070	0.16	0.46	63	0.13	4.04	39	2.7
I032396		0.010	0.03	0.31	5	0.28	2.52	12	2.0
I032397		0.083	0.12	0.67	71	0.12	4.27	44	2.4
I032398		0.124	0.06	0.66	71	0.11	8.95	54	5.0
I032399		0.105	0.07	0.65	67	0.17	7.88	51	3.5
I032400		0.126	0.06	0.47	69	0.21	9.94	63	4.1
I032401		0.133	0.06	0.59	72	0.21	7.39	53	4.0
I032402		0.117	0.11	1.35	66	0.18	8.87	48	4.8
I032403		0.086	0.13	9.66	53	0.16	28.9	48	6.7
I032404		0.112	0.12	1.06	49	0.23	6.70	42	6.2
I032405		0.083	0.10	1.39	47	0.10	9.29	41	2.0
I032406		0.073	0.11	2.70	41	0.11	15.65	42	7.1
I032407		0.089	0.23	17.95	51	0.28	130.5	110	12.2
I032408		0.092	0.19	2.55	53	0.12	19.90	59	3.6
I032409		0.067	0.23	6.69	52	0.19	39.8	62	6.9
I032410		0.084	0.20	1.11	43	0.12	7.24	41	2.1
I032411		0.071	0.11	1.30	56	0.17	7.00	47	0.8
I032412		0.092	0.31	0.94	52	0.09	4.74	50	2.4
I032413		0.089	0.12	0.95	58	0.10	7.33	45	2.0
I032414		0.075	0.11	1.01	52	0.13	5.48	43	1.3
I032415		0.119	0.12	0.92	68	0.14	6.37	50	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032416		0.34	<0.005	0.04	2.23	7.1	<0.2	<10	190	0.61	0.18	0.45	0.04	68.8	11.5	38
I032417		0.30	<0.005	0.12	2.50	5.3	<0.2	<10	260	0.90	0.24	0.59	0.09	138.0	11.3	35
I032418		0.34	<0.005	0.04	1.83	4.8	<0.2	<10	160	0.42	0.17	0.42	0.08	24.1	7.1	26
I032419		0.32	<0.005	0.12	1.95	4.3	<0.2	<10	170	0.66	0.17	0.46	0.08	52.8	9.5	28
I032420		0.28	<0.005	0.12	2.10	6.8	<0.2	<10	150	0.50	0.21	0.37	0.09	31.9	7.6	29
I032421		0.34	<0.005	0.06	1.75	5.7	<0.2	<10	120	0.34	0.20	0.27	0.09	14.40	6.3	25
I032422		0.42	<0.005	0.05	1.48	7.0	<0.2	<10	110	0.30	0.20	0.27	0.09	15.85	5.8	21
I032423		0.36	<0.005	0.05	1.60	6.1	<0.2	<10	100	0.56	0.19	0.25	0.08	38.3	6.4	25
I032424		0.34	<0.005	0.06	1.29	4.7	<0.2	<10	90	0.24	0.17	0.25	0.08	16.20	4.5	22
I032425		0.26	<0.005	0.07	1.80	5.5	<0.2	<10	150	0.34	0.24	0.40	0.09	19.40	7.6	26
I032426		0.32	<0.005	0.05	1.45	4.4	<0.2	<10	170	0.40	0.16	0.37	0.09	20.3	5.8	23
I032427		0.40	<0.005	0.04	2.03	6.4	<0.2	<10	240	0.47	0.16	0.47	0.03	22.4	9.5	32
I032428		0.38	<0.005	0.03	2.57	9.2	<0.2	<10	170	0.47	0.18	0.26	0.08	21.9	14.7	36
I032429		0.34	<0.005	0.05	1.66	4.2	<0.2	<10	110	0.47	0.67	0.26	0.05	16.00	6.0	22
I032430		0.40	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.10	0.02	0.05	0.04	10.20	2.2	3
I032431		0.32	<0.005	1.13	2.32	13.1	<0.2	<10	200	0.41	0.21	0.14	0.24	33.3	6.8	43
I032432		0.40	<0.005	0.07	2.73	10.4	<0.2	<10	120	0.37	0.14	0.15	0.11	15.60	14.8	59
I032433		0.30	<0.005	0.13	1.83	7.9	<0.2	<10	200	0.35	0.20	0.52	0.16	17.75	11.6	30
I032434		0.34	0.005	0.18	2.12	7.2	<0.2	<10	220	0.63	0.17	0.81	0.16	33.1	22.8	28
I032435		0.38	<0.005	0.06	2.60	4.1	<0.2	<10	120	0.49	0.09	0.69	0.06	21.5	18.9	41
I032436		0.40	<0.005	0.05	2.10	5.5	<0.2	<10	90	0.53	0.15	0.30	0.06	35.1	17.3	38
I032437		0.34	<0.005	0.19	2.45	4.4	<0.2	<10	220	0.51	0.12	0.40	0.26	30.6	18.5	62
I032438		0.30	<0.005	0.19	2.78	10.0	<0.2	<10	130	0.51	0.18	0.14	0.10	17.75	11.5	40
I032439		0.36	0.005	0.13	2.49	11.7	<0.2	<10	110	0.71	0.28	0.14	0.12	28.0	11.0	38
I032440		0.34	0.007	0.15	1.94	8.6	<0.2	<10	100	0.47	0.22	0.19	0.13	27.8	8.7	56
I032441		0.40	<0.005	0.12	2.72	6.2	<0.2	<10	180	1.21	0.29	0.70	0.14	51.3	19.7	70
I032442		0.52	0.005	0.04	1.98	11.1	<0.2	<10	80	0.71	0.26	0.13	0.12	42.7	9.0	31
I032443		0.40	<0.005	0.01	0.10	2.2	<0.2	<10	30	0.10	0.02	0.07	0.04	10.90	2.4	3
I032444		0.54	<0.005	0.14	1.52	7.0	<0.2	<10	120	0.48	0.16	0.37	0.08	47.4	8.5	27
I032445		0.36	<0.005	0.10	2.90	12.3	<0.2	<10	110	0.43	0.21	0.14	0.15	18.70	8.8	45
I032446		0.34	<0.005	0.31	2.55	11.3	<0.2	<10	160	0.35	0.22	0.22	0.22	19.65	8.5	38
I032447		0.30	<0.005	0.05	2.14	4.0	<0.2	<10	180	0.33	0.13	0.18	0.12	14.75	13.7	43
I032448		0.40	<0.005	0.13	2.36	3.6	<0.2	<10	180	0.50	0.12	0.32	0.13	32.9	17.8	38
I032449		0.46	<0.005	0.06	1.85	7.5	<0.2	<10	80	0.24	0.17	0.20	0.09	20.8	9.6	36
I032450		0.42	<0.005	0.12	2.07	8.6	<0.2	<10	240	0.62	0.14	0.31	0.06	49.8	12.9	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032416		2.04	19.5	3.33	7.28	0.12	0.26	0.02	0.033	0.18	51.3	22.8	0.62	401	0.74
I032417		5.45	20.5	3.48	8.87	0.19	0.17	0.04	0.043	0.30	125.5	32.3	0.66	450	0.76
I032418		2.39	9.9	2.82	6.13	0.07	0.11	0.01	0.032	0.16	18.2	12.6	0.43	336	0.94
I032419		4.75	14.8	3.08	7.55	0.10	0.07	0.02	0.032	0.34	33.7	20.5	0.58	390	0.92
I032420		2.45	15.2	3.08	7.53	0.08	0.06	0.03	0.030	0.13	21.6	13.7	0.44	410	1.39
I032421		1.17	10.8	2.74	6.57	0.06	0.04	0.02	0.023	0.07	8.0	15.8	0.34	288	1.45
I032422		1.07	10.5	2.36	6.03	<0.05	0.04	0.01	0.020	0.04	8.2	12.2	0.28	234	0.99
I032423		1.83	12.6	2.36	5.01	0.07	0.05	0.02	0.025	0.06	22.7	16.1	0.36	256	0.82
I032424		0.93	10.2	2.27	6.14	0.05	0.04	0.01	0.017	0.05	8.9	9.1	0.28	177	0.92
I032425		0.98	13.7	2.72	6.86	0.05	0.05	0.02	0.023	0.09	12.9	15.5	0.47	269	1.06
I032426		0.94	11.6	2.30	6.04	0.05	0.06	0.01	0.020	0.08	10.5	9.7	0.28	326	0.99
I032427		1.19	16.5	3.04	6.77	0.07	0.17	0.01	0.025	0.04	11.4	11.5	0.47	265	0.70
I032428		1.22	17.5	3.65	8.58	0.07	0.09	0.02	0.034	0.04	11.7	15.2	0.48	447	1.47
I032429		2.79	10.6	2.81	8.33	0.06	0.03	0.01	0.028	0.16	8.4	12.1	0.38	198	1.07
I032430		0.10	1.7	0.61	0.57	<0.05	0.05	0.01	<0.005	<0.01	5.3	1.2	0.03	150	0.28
I032431		2.45	42.9	5.17	8.55	0.09	0.04	0.08	0.036	0.08	19.7	15.5	0.39	215	4.44
I032432		1.99	24.8	4.89	10.10	0.09	0.08	0.03	0.028	0.08	7.2	25.0	0.81	317	1.35
I032433		1.93	15.7	3.13	8.02	0.07	0.02	0.04	0.030	0.02	9.0	14.0	0.42	606	1.56
I032434		2.60	25.9	3.29	6.32	0.08	0.04	0.04	0.030	0.03	16.4	15.2	0.61	1280	1.16
I032435		3.59	21.4	3.80	7.04	0.09	0.04	0.01	0.020	0.06	10.1	37.6	1.25	475	0.66
I032436		3.14	26.8	3.84	6.92	0.10	0.04	0.03	0.031	0.06	17.5	22.0	0.74	273	1.07
I032437		2.71	36.9	3.52	6.56	0.09	0.03	0.03	0.026	0.13	11.3	21.0	0.90	342	1.11
I032438		1.43	17.0	4.05	8.21	0.09	0.05	0.03	0.036	0.03	8.9	17.3	0.43	292	1.41
I032439		3.27	17.2	4.61	10.10	0.10	0.07	0.02	0.041	0.07	16.8	31.8	0.51	412	2.00
I032440		2.88	13.6	3.56	8.27	0.09	0.06	0.03	0.030	0.07	15.3	21.4	0.56	258	1.15
I032441		4.84	33.5	4.14	9.34	0.12	0.05	0.03	0.036	0.35	30.0	25.5	1.14	789	1.10
I032442		2.29	14.6	3.37	7.63	0.10	0.04	0.03	0.032	0.07	22.3	16.8	0.34	299	1.71
I032443		0.09	1.7	0.62	0.56	<0.05	0.05	<0.01	<0.005	<0.01	5.6	1.3	0.04	164	0.30
I032444		1.64	18.2	2.67	5.09	0.09	0.04	0.07	0.028	0.06	28.5	11.4	0.34	258	1.45
I032445		2.11	17.6	4.47	10.10	0.08	0.06	0.05	0.032	0.02	9.5	19.1	0.40	242	1.83
I032446		1.17	18.3	3.93	10.10	0.08	0.07	0.03	0.031	0.02	9.8	14.7	0.41	228	1.65
I032447		1.19	15.9	3.53	7.73	0.07	0.02	0.01	0.020	0.07	6.1	18.0	0.70	622	0.86
I032448		2.57	45.5	3.97	7.04	0.11	0.03	0.01	0.021	0.21	18.0	22.1	0.88	416	0.93
I032449		1.45	17.5	3.60	7.87	0.08	0.05	0.01	0.025	0.09	10.4	15.6	0.58	248	1.03
I032450		1.18	30.0	3.15	6.03	0.11	0.05	0.03	0.030	0.05	28.9	13.2	0.53	255	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I032416		1.73	19.0	340	12.2	34.1	<0.001	0.01	0.33	6.3	0.6	0.9	32.4	0.01	0.01	12.3
I032417		1.86	18.5	600	19.1	53.3	0.001	0.02	0.25	8.2	1.1	1.1	38.6	0.01	0.02	19.7
I032418		1.45	11.8	510	11.8	26.1	<0.001	0.01	0.20	4.5	0.4	0.9	29.4	<0.01	0.01	9.2
I032419		1.51	14.6	620	13.5	48.9	<0.001	0.02	0.21	4.9	0.6	1.1	32.6	<0.01	0.02	8.7
I032420		1.55	13.5	330	15.4	27.5	<0.001	0.02	0.27	4.6	0.6	0.9	29.8	<0.01	0.02	7.0
I032421		1.60	10.9	330	13.1	14.2	<0.001	0.01	0.24	3.0	0.2	1.0	22.4	<0.01	0.02	3.1
I032422		1.25	9.7	450	10.1	12.7	<0.001	0.01	0.24	2.6	0.3	0.8	23.2	<0.01	0.01	1.6
I032423		1.37	13.5	400	20.1	17.8	<0.001	0.01	0.28	3.1	0.4	0.8	22.7	<0.01	0.01	4.4
I032424		1.52	9.0	260	12.6	12.3	<0.001	0.01	0.28	2.6	0.2	0.8	21.4	<0.01	0.01	2.3
I032425		1.43	14.6	360	10.4	16.2	<0.001	0.01	0.23	3.7	0.4	0.8	27.9	<0.01	0.02	3.2
I032426		1.41	11.7	280	14.4	15.5	<0.001	0.01	0.24	2.9	0.3	0.8	25.7	<0.01	0.01	3.7
I032427		1.27	19.9	410	9.3	8.0	<0.001	0.01	0.38	5.3	0.4	0.7	31.0	<0.01	0.02	3.2
I032428		1.94	22.8	310	10.0	12.3	<0.001	0.01	0.41	4.8	0.4	0.8	25.8	<0.01	0.03	3.8
I032429		1.29	11.8	440	15.5	35.8	<0.001	0.01	0.21	3.9	0.3	1.9	18.1	<0.01	0.01	3.0
I032430		0.22	3.7	170	1.5	1.8	<0.001	<0.01	0.12	0.6	<0.2	<0.2	8.9	<0.01	<0.01	1.8
I032431		1.60	20.1	980	8.6	12.3	<0.001	0.17	0.63	3.1	2.0	0.6	35.6	<0.01	0.07	0.6
I032432		2.33	32.5	330	7.8	13.3	<0.001	0.01	0.39	4.5	0.6	0.6	12.6	<0.01	0.03	2.3
I032433		1.50	18.3	500	9.0	8.5	<0.001	0.03	0.28	2.9	0.7	0.6	27.6	<0.01	0.04	0.6
I032434		1.05	21.6	830	10.0	9.7	<0.001	0.04	0.39	4.3	0.9	0.5	32.6	<0.01	0.04	1.1
I032435		2.54	35.4	390	8.5	17.3	<0.001	0.02	0.13	3.2	0.5	0.7	41.5	<0.01	0.02	3.3
I032436		1.50	37.8	400	8.2	14.1	<0.001	0.04	0.21	4.6	0.5	0.4	22.7	<0.01	0.03	5.4
I032437		1.43	54.3	800	9.2	23.0	<0.001	0.02	0.18	4.1	0.9	0.5	28.4	<0.01	0.03	1.5
I032438		2.15	22.8	410	9.6	10.7	<0.001	0.02	0.42	4.3	0.7	0.6	16.1	0.01	0.03	2.3
I032439		2.35	21.7	500	24.6	22.6	<0.001	0.01	0.42	4.5	0.7	1.0	17.6	<0.01	0.05	7.4
I032440		2.04	21.8	400	20.9	22.6	<0.001	0.01	0.28	4.5	0.6	0.6	18.6	<0.01	0.03	4.2
I032441		1.38	33.2	1250	18.3	51.7	<0.001	0.03	0.21	6.6	0.7	0.8	52.7	<0.01	0.03	12.3
I032442		1.70	18.4	430	19.2	20.4	<0.001	0.01	0.32	4.1	0.7	0.7	14.6	0.01	0.04	5.8
I032443		0.20	4.0	180	1.5	1.6	<0.001	<0.01	0.13	0.6	0.2	<0.2	10.1	<0.01	<0.01	1.8
I032444		0.79	17.1	1050	13.5	15.0	<0.001	0.03	0.23	3.6	0.8	0.6	29.3	<0.01	0.02	2.5
I032445		2.66	21.9	370	10.7	12.2	<0.001	0.02	0.58	4.1	0.8	0.7	17.1	0.01	0.05	2.0
I032446		2.39	17.1	380	11.5	10.5	<0.001	0.02	0.46	4.2	0.6	0.8	21.2	0.01	0.03	2.5
I032447		1.88	32.6	460	9.1	22.5	<0.001	0.01	0.30	2.5	0.5	0.5	18.6	<0.01	0.04	2.1
I032448		1.55	40.0	600	34.6	32.2	<0.001	0.02	0.17	3.1	0.6	0.4	29.3	<0.01	0.04	1.6
I032449		2.11	23.7	360	11.2	15.2	<0.001	0.02	0.31	3.4	0.5	0.6	18.3	<0.01	0.03	2.0
I032450		1.27	28.7	720	9.1	13.4	<0.001	0.02	0.30	5.8	0.9	0.5	25.4	0.01	0.02	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032416		0.143	0.18	1.35	68	0.13	17.50	58	9.9
I032417		0.123	0.37	2.88	58	0.16	36.0	73	4.7
I032418		0.099	0.15	1.19	55	0.10	8.03	54	4.1
I032419		0.111	0.31	1.56	51	0.13	12.80	66	1.9
I032420		0.095	0.15	1.19	66	0.17	8.14	54	2.1
I032421		0.092	0.11	0.56	68	0.11	2.94	53	1.4
I032422		0.087	0.09	0.66	59	0.14	4.12	38	1.3
I032423		0.077	0.12	1.51	56	0.17	9.61	39	1.4
I032424		0.095	0.10	0.58	65	0.09	3.31	42	1.5
I032425		0.092	0.12	0.70	61	0.11	6.00	46	1.8
I032426		0.083	0.10	0.57	59	0.09	3.81	39	2.3
I032427		0.102	0.10	0.63	72	0.09	5.61	44	6.7
I032428		0.113	0.12	0.58	84	0.10	4.29	50	3.5
I032429		0.089	0.25	0.55	55	0.11	3.88	47	1.5
I032430		0.006	0.03	0.31	4	<0.05	2.06	5	2.1
I032431		0.104	0.21	1.23	115	0.17	6.18	65	1.3
I032432		0.182	0.15	0.39	120	0.14	3.47	58	3.5
I032433		0.080	0.15	0.45	78	0.16	4.02	41	1.0
I032434		0.059	0.17	2.13	64	0.12	8.41	49	1.0
I032435		0.153	0.20	0.55	50	0.13	4.30	108	1.4
I032436		0.085	0.17	0.87	65	0.10	6.21	75	1.4
I032437		0.115	0.22	0.93	70	0.11	7.24	84	1.1
I032438		0.100	0.11	0.57	86	0.14	3.89	48	2.3
I032439		0.095	0.17	0.80	82	0.16	6.76	66	2.7
I032440		0.098	0.22	0.58	73	0.17	5.34	53	2.2
I032441		0.119	0.42	1.32	76	0.13	11.40	81	1.7
I032442		0.069	0.18	1.40	67	0.16	7.63	46	1.2
I032443		0.007	0.03	0.30	5	<0.05	2.28	6	2.0
I032444		0.031	0.14	2.78	49	0.10	11.80	51	0.6
I032445		0.123	0.17	0.59	100	0.18	3.76	45	3.0
I032446		0.118	0.14	0.58	99	0.14	3.52	48	3.4
I032447		0.129	0.18	0.35	64	0.09	2.52	86	0.8
I032448		0.121	0.23	0.76	57	0.08	6.36	65	0.7
I032449		0.135	0.13	0.61	77	0.11	4.08	54	1.8
I032450		0.075	0.12	1.56	59	0.18	16.70	52	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41 ME-MS41	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **21-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122483

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033151		0.24	0.007	0.12	1.99	7.1	<0.2	<10	270	0.40	0.12	0.49	0.14	38.7	13.2	98
I033152		0.30	<0.005	0.11	1.88	5.2	<0.2	<10	270	0.50	0.11	1.23	0.20	38.4	13.5	60
I033153		0.38	0.005	0.06	1.72	5.3	<0.2	<10	150	0.24	0.11	0.45	0.10	24.2	11.7	51
I033154		0.32	0.006	0.08	1.93	5.4	<0.2	<10	230	0.33	0.10	0.59	0.12	28.1	16.4	63
I033155		0.26	<0.005	0.06	1.52	3.7	<0.2	<10	160	0.25	0.08	1.19	0.16	12.25	13.1	47
I033156		0.30	<0.005	0.06	1.29	4.0	<0.2	<10	140	0.27	0.09	1.22	0.14	12.20	9.1	33
I033157		0.26	<0.005	0.06	1.30	3.3	<0.2	<10	140	0.21	0.07	1.36	0.15	10.10	10.2	35
I033158		0.38	<0.005	0.11	1.52	3.0	<0.2	<10	170	0.06	0.05	0.65	0.10	10.30	10.8	46
I033159		0.34	0.006	0.08	1.38	5.5	<0.2	<10	140	0.25	0.08	1.57	0.20	18.80	11.3	38
I033160		0.26	0.014	0.14	1.88	4.6	<0.2	<10	230	0.26	0.08	1.10	0.16	13.85	13.5	29
I033161		0.40	<0.005	0.09	1.89	4.2	<0.2	<10	240	0.27	0.09	1.12	0.14	15.20	13.7	44
I033162		0.36	0.005	0.09	1.96	4.3	<0.2	<10	250	0.32	0.17	1.14	0.13	15.90	14.6	49
I033163		0.24	0.005	0.11	1.61	3.0	<0.2	<10	180	0.23	0.09	2.61	0.25	13.70	11.5	47
I033164		0.36	<0.005	0.04	1.31	3.4	<0.2	<10	60	0.20	0.12	0.45	0.10	19.50	9.8	37
I033165		0.36	<0.005	0.04	1.77	3.4	<0.2	<10	70	0.29	0.11	0.31	0.07	16.15	14.6	54
I033166		0.28	<0.005	0.06	1.19	2.9	<0.2	<10	80	0.33	0.12	0.81	0.13	65.1	10.6	27
I033167		0.22	0.005	0.08	0.80	3.1	<0.2	<10	60	0.22	0.11	0.31	0.08	16.05	3.8	19
I033168		0.38	0.005	0.10	1.49	3.2	<0.2	<10	90	0.37	0.11	0.81	0.12	65.4	18.9	32
I033169		0.34	<0.005	0.04	1.05	2.3	<0.2	<10	60	0.28	0.06	1.02	0.09	25.2	10.6	21
I033170		0.34	<0.005	0.06	1.53	2.4	<0.2	<10	90	0.40	0.09	0.94	0.14	40.6	14.4	28
I033171		0.54	<0.005	0.05	1.45	3.1	<0.2	<10	70	0.37	0.09	0.62	0.07	32.8	13.8	34
I033172		0.42	0.013	0.10	1.68	3.4	<0.2	<10	100	0.27	0.13	0.42	0.10	32.5	14.4	37
I033173		0.48	0.014	0.06	1.44	3.6	<0.2	<10	90	0.33	0.13	0.47	0.09	38.8	14.1	31
I033174		0.34	<0.005	0.07	1.40	3.4	<0.2	<10	90	0.23	0.13	0.63	0.13	30.0	14.7	31
I033175		0.32	0.007	0.11	1.64	3.1	<0.2	<10	100	0.36	0.16	0.50	0.11	38.7	23.0	38
I033176		0.26	0.007	0.07	1.27	2.9	<0.2	<10	70	0.64	0.21	0.25	0.13	80.0	20.6	34
I033177		0.40	<0.005	0.04	1.39	5.9	<0.2	<10	90	0.29	0.20	0.79	0.08	24.5	14.1	27
I033178		0.40	<0.005	0.06	1.55	4.2	<0.2	<10	90	0.48	0.10	1.20	0.09	43.0	14.2	32
I033179		0.36	0.005	0.05	1.29	2.7	<0.2	<10	70	0.41	0.13	0.89	0.09	31.4	11.9	26
I033180		0.26	<0.005	0.10	1.52	5.0	<0.2	<10	120	0.46	0.14	0.56	0.08	35.7	15.6	33
I033185		0.32	<0.005	0.05	1.29	5.6	<0.2	<10	50	0.15	0.33	0.09	0.10	25.1	7.5	23
I033186		0.36	<0.005	0.03	3.83	3.1	<0.2	<10	180	0.69	0.20	0.17	0.04	41.6	24.7	77
I033187		0.32	<0.005	0.02	2.58	9.4	<0.2	<10	100	0.33	0.22	0.09	0.08	31.9	11.6	41
I033188		0.28	<0.005	0.08	2.23	11.7	<0.2	<10	130	0.32	0.27	0.15	0.14	17.40	9.0	37
I033189		0.28	<0.005	0.12	2.05	9.3	<0.2	<10	150	0.36	0.28	0.16	0.16	24.5	10.9	33
I033190		0.22	<0.005	0.06	1.72	6.1	<0.2	<10	200	0.33	0.11	0.27	0.18	20.8	12.1	41
I033191		0.34	<0.005	0.09	2.55	10.9	<0.2	<10	240	0.29	0.16	0.30	0.19	16.60	12.7	43
I033192		0.18	<0.005	0.11	1.34	4.2	<0.2	<10	260	0.26	0.14	0.36	0.20	13.55	10.5	27
I033193		0.26	0.005	0.22	2.30	5.5	<0.2	<10	240	0.60	0.13	0.74	0.24	61.5	13.6	52
I033194		0.14	<0.005	0.11	0.83	2.0	<0.2	<10	220	0.20	0.07	3.41	0.21	18.00	6.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033151		2.05	24.2	3.11	7.74	<0.05	0.04	0.05	0.018	0.10	20.5	13.7	1.09	500	0.95
I033152		1.44	42.3	2.94	6.68	0.06	0.04	0.05	0.022	0.12	19.4	15.4	0.83	489	0.73
I033153		1.25	28.9	2.93	6.60	<0.05	0.03	0.03	0.016	0.07	11.9	11.1	0.83	412	0.89
I033154		1.54	34.1	3.23	7.63	0.05	0.03	0.05	0.021	0.10	13.5	14.2	1.02	716	0.97
I033155		0.79	29.2	2.49	5.55	<0.05	0.05	0.05	0.016	0.07	5.6	11.1	0.82	580	0.88
I033156		0.65	20.7	2.01	5.22	<0.05	0.05	0.04	0.016	0.04	5.7	8.6	0.52	469	0.86
I033157		0.62	29.7	2.08	5.07	<0.05	0.04	0.09	0.014	0.05	4.8	8.6	0.64	284	0.67
I033158		1.21	34.9	2.73	5.98	0.09	0.02	0.02	0.016	0.13	5.6	7.9	0.87	348	0.74
I033159		0.71	38.2	2.60	4.50	0.11	0.09	0.01	0.019	0.08	9.7	9.0	0.63	326	0.70
I033160		2.05	66.0	2.93	5.42	0.08	0.05	0.03	0.019	0.17	6.2	13.8	0.85	440	1.26
I033161		1.26	49.2	2.91	5.33	0.07	0.06	0.03	0.019	0.19	7.2	13.5	0.94	417	0.70
I033162		1.44	51.9	2.97	5.49	0.08	0.06	0.03	0.021	0.22	7.3	14.2	1.02	443	0.75
I033163		1.36	54.6	2.35	4.41	0.07	0.06	0.05	0.016	0.14	6.5	11.3	0.75	407	0.74
I033164		1.26	25.1	2.44	6.52	0.05	0.02	0.02	0.016	0.10	10.2	10.8	0.53	237	0.91
I033165		1.49	20.4	3.16	7.79	0.05	<0.02	0.02	0.019	0.06	8.4	13.0	0.82	320	0.86
I033166		0.89	28.8	2.35	5.46	0.07	0.02	0.05	0.022	0.08	34.9	8.0	0.34	275	0.69
I033167		0.92	15.6	1.51	4.37	<0.05	<0.02	0.05	0.014	0.04	8.0	3.8	0.20	85	0.47
I033168		1.15	26.3	2.97	5.41	0.08	0.03	0.05	0.022	0.06	32.1	13.8	0.51	642	0.78
I033169		0.93	15.3	1.98	3.94	0.06	0.03	0.02	0.013	0.07	12.0	9.7	0.45	357	0.30
I033170		2.30	22.0	2.99	5.63	0.08	0.03	0.03	0.017	0.20	20.8	13.8	0.67	461	0.77
I033171		2.16	18.0	3.17	5.35	0.08	0.03	0.02	0.018	0.18	16.1	13.5	0.67	382	0.83
I033172		1.86	20.1	2.99	6.57	0.06	0.02	0.04	0.021	0.08	15.9	12.7	0.62	583	0.77
I033173		2.25	18.5	3.16	5.52	0.07	0.02	0.03	0.022	0.09	18.8	10.8	0.56	457	0.68
I033174		1.61	16.5	2.63	5.37	0.06	0.02	0.07	0.019	0.08	14.4	10.2	0.53	692	0.78
I033175		3.62	22.8	3.34	6.58	0.08	0.02	0.02	0.022	0.25	22.0	14.8	0.71	835	0.77
I033176		4.12	35.0	4.37	4.43	0.10	0.03	0.02	0.034	0.16	36.8	12.0	0.43	395	0.96
I033177		1.63	11.9	2.92	5.53	0.07	0.04	0.02	0.023	0.08	11.4	17.2	0.54	455	0.53
I033178		2.28	22.8	3.04	5.47	0.09	0.04	0.03	0.023	0.15	18.9	18.2	0.61	377	0.45
I033179		2.07	16.3	2.53	4.67	0.08	0.03	0.02	0.016	0.12	15.5	13.9	0.52	318	0.33
I033180		2.81	20.3	3.04	6.24	0.07	0.02	0.03	0.022	0.08	17.6	14.7	0.56	669	0.71
I033185		1.22	19.1	2.66	9.91	0.05	0.02	0.02	0.015	0.16	7.3	5.4	0.44	154	1.23
I033186		2.09	20.1	4.58	16.40	0.12	0.04	0.02	0.045	0.50	7.7	22.7	1.74	190	0.86
I033187		1.51	24.2	4.85	13.10	0.08	0.04	0.01	0.026	0.27	16.6	18.2	0.86	231	1.46
I033188		1.34	15.5	4.62	12.50	0.07	0.03	0.02	0.029	0.05	8.4	18.5	0.43	277	1.97
I033189		1.29	19.9	3.64	8.97	<0.05	0.05	0.01	0.021	0.17	7.6	14.6	0.59	274	1.38
I033190		0.93	24.5	2.78	6.90	<0.05	0.04	0.02	0.022	0.10	10.4	14.1	0.63	254	0.94
I033191		0.69	19.1	3.59	8.15	<0.05	0.10	0.02	0.030	0.07	7.7	17.0	0.67	426	1.49
I033192		0.50	12.9	2.26	5.78	<0.05	0.03	0.02	0.017	0.17	6.0	9.4	0.38	591	0.91
I033193		1.38	39.8	3.53	7.57	0.10	0.08	0.04	0.025	0.28	41.5	16.1	0.95	396	0.78
I033194		0.76	50.2	1.32	2.74	0.05	0.05	0.07	0.036	0.14	12.0	6.0	0.44	312	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033151		1.51	41.3	710	7.9	32.2	<0.001	0.04	0.27	4.4	0.9	0.6	32.6	<0.01	0.03
I033152		1.38	34.2	720	6.2	25.2	<0.001	0.05	0.24	5.2	1.2	0.4	41.1	<0.01	0.04
I033153		1.27	25.9	740	5.8	17.7	<0.001	0.03	0.17	4.1	0.7	0.4	25.4	<0.01	0.03
I033154		1.46	32.6	810	5.8	25.7	<0.001	0.04	0.18	4.9	0.9	0.5	31.7	<0.01	0.03
I033155		1.02	24.9	710	4.1	12.1	<0.001	0.05	0.17	4.5	1.0	0.3	35.2	<0.01	0.03
I033156		1.04	16.4	680	5.1	5.6	<0.001	0.07	0.23	3.6	1.1	0.4	38.1	<0.01	0.04
I033157		0.93	19.8	610	4.0	7.8	<0.001	0.09	0.22	4.1	1.1	0.3	41.5	<0.01	0.03
I033158		0.99	22.8	630	4.4	14.0	0.001	0.03	0.16	4.3	0.8	0.4	28.7	<0.01	0.03
I033159		1.41	25.9	590	5.1	11.7	0.001	0.04	0.28	4.2	1.3	0.4	39.2	<0.01	0.03
I033160		1.10	19.5	580	6.3	20.1	0.001	0.11	0.18	4.7	0.9	0.3	34.3	<0.01	0.04
I033161		1.30	26.1	610	5.6	22.2	<0.001	0.05	0.19	4.8	0.6	0.4	32.5	<0.01	0.03
I033162		1.33	29.0	660	5.6	24.7	<0.001	0.05	0.18	5.0	0.6	0.7	32.9	<0.01	0.03
I033163		1.16	25.4	590	5.4	17.5	<0.001	0.09	0.19	3.9	0.9	0.3	49.5	0.01	0.04
I033164		1.02	28.2	320	8.0	14.6	<0.001	0.03	0.15	2.7	0.3	0.4	30.0	<0.01	0.03
I033165		0.98	34.7	450	6.7	14.6	<0.001	0.04	0.15	4.3	0.4	0.4	22.6	<0.01	0.03
I033166		0.71	29.0	440	7.3	9.6	<0.001	0.04	0.25	3.5	0.7	0.4	57.5	<0.01	0.03
I033167		0.69	10.4	620	7.0	8.4	<0.001	0.07	0.13	1.3	0.7	0.4	24.8	<0.01	0.03
I033168		1.11	30.8	580	8.9	14.9	<0.001	0.06	0.15	4.0	0.8	0.3	55.6	<0.01	0.04
I033169		1.10	20.3	540	5.1	15.9	<0.001	0.05	0.12	2.9	0.6	0.3	64.0	<0.01	0.03
I033170		1.45	27.0	750	8.4	41.4	<0.001	0.05	0.13	3.6	0.7	0.3	63.7	<0.01	0.03
I033171		1.20	29.5	540	8.0	26.0	<0.001	0.04	0.16	4.3	0.5	0.4	45.3	<0.01	0.03
I033172		1.07	28.2	710	9.2	19.5	<0.001	0.04	0.17	4.3	0.5	0.5	31.4	<0.01	0.04
I033173		0.98	27.9	690	10.9	19.0	<0.001	0.03	0.16	4.8	0.5	0.4	33.7	<0.01	0.03
I033174		1.01	22.5	630	10.8	19.4	<0.001	0.05	0.20	3.9	0.7	0.4	52.2	<0.01	0.03
I033175		1.05	34.1	660	16.4	39.8	<0.001	0.04	0.14	4.6	0.6	0.5	43.5	<0.01	0.04
I033176		0.72	50.0	480	13.8	24.8	<0.001	0.02	0.20	5.8	0.5	0.4	22.3	<0.01	0.04
I033177		1.16	21.4	610	12.0	12.9	<0.001	0.03	0.17	3.7	0.5	0.5	55.2	<0.01	0.03
I033178		1.20	30.5	580	9.7	27.3	<0.001	0.05	0.18	4.4	0.8	0.4	85.1	<0.01	0.03
I033179		1.10	25.0	750	9.4	22.7	<0.001	0.03	0.13	3.7	0.5	0.4	65.1	<0.01	0.02
I033180		1.14	28.3	600	9.0	21.6	<0.001	0.03	0.20	4.5	0.6	0.5	47.5	<0.01	0.04
I033185		2.02	16.4	350	8.4	30.3	<0.001	0.02	0.26	2.8	0.4	0.7	10.1	<0.01	0.04
I033186		0.99	82.3	610	5.7	66.1	<0.001	0.01	0.10	8.4	0.4	1.9	8.8	<0.01	0.03
I033187		4.04	24.1	510	10.6	30.2	<0.001	0.08	0.36	4.7	0.4	0.9	14.2	<0.01	0.05
I033188		2.41	16.6	460	11.9	15.8	<0.001	0.02	0.65	3.7	0.4	0.8	15.7	<0.01	0.07
I033189		2.04	26.5	350	21.3	25.5	0.001	0.02	0.40	3.1	0.2	0.7	17.5	<0.01	0.04
I033190		1.49	34.9	650	5.4	13.7	<0.001	0.02	0.24	3.4	0.4	0.5	21.9	<0.01	0.03
I033191		1.40	28.4	370	9.2	11.0	<0.001	0.02	0.43	4.2	0.2	0.7	28.9	<0.01	0.04
I033192		1.13	19.8	380	6.4	17.6	0.001	0.02	0.25	2.6	0.2	0.5	27.1	<0.01	0.03
I033193		1.78	41.3	560	9.1	37.3	<0.001	0.03	0.19	6.3	0.7	0.6	40.5	<0.01	0.04
I033194		0.74	19.0	690	4.0	17.1	0.001	0.17	0.22	1.8	1.3	0.2	151.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033151		0.138	0.22	0.96	70	0.49	7.32	70	1.1
I033152		0.112	0.15	0.93	63	0.47	11.85	71	1.8
I033153		0.118	0.13	0.71	67	0.37	5.25	62	0.9
I033154		0.127	0.15	0.83	71	0.29	6.96	66	1.4
I033155		0.098	0.09	0.49	64	0.26	4.86	63	1.8
I033156		0.075	0.06	0.54	53	0.26	4.63	46	2.0
I033157		0.077	0.05	0.42	52	0.26	3.94	53	1.6
I033158		0.105	0.07	0.38	59	0.08	3.66	65	0.9
I033159		0.096	0.06	0.83	53	0.12	8.70	50	3.9
I033160		0.144	0.14	0.76	70	0.12	7.66	55	2.1
I033161		0.153	0.11	0.63	71	0.09	7.98	66	2.7
I033162		0.155	0.13	0.68	73	0.26	8.59	67	2.8
I033163		0.101	0.11	0.80	57	0.08	8.24	60	2.7
I033164		0.089	0.11	0.56	52	0.10	4.54	56	0.5
I033165		0.075	0.11	0.37	59	0.12	3.86	71	0.5
I033166		0.042	0.08	0.66	39	0.09	13.80	48	<0.5
I033167		0.042	0.10	0.60	23	0.08	3.09	26	<0.5
I033168		0.060	0.11	1.21	44	0.12	11.05	63	0.7
I033169		0.059	0.10	0.69	29	0.06	6.26	52	1.1
I033170		0.090	0.26	0.80	38	0.12	9.15	63	1.1
I033171		0.085	0.22	0.72	42	0.16	6.45	74	1.2
I033172		0.074	0.15	0.62	51	0.16	6.14	68	0.6
I033173		0.063	0.15	0.69	46	0.51	7.69	64	0.6
I033174		0.062	0.13	0.64	44	0.14	5.94	65	0.8
I033175		0.081	0.27	0.70	51	0.16	8.68	77	0.7
I033176		0.024	0.15	1.34	36	0.07	11.05	67	0.7
I033177		0.075	0.11	0.80	49	0.09	4.98	61	1.4
I033178		0.076	0.19	0.93	41	0.08	9.48	59	1.6
I033179		0.072	0.15	0.69	38	0.07	7.71	58	1.2
I033180		0.072	0.16	0.88	50	0.10	8.27	63	0.6
I033185		0.140	0.23	1.08	67	0.12	4.05	44	0.8
I033186		0.204	0.39	1.24	69	0.06	7.58	67	1.7
I033187		0.205	0.21	1.54	82	0.13	5.39	60	1.7
I033188		0.134	0.14	0.44	106	0.18	2.84	72	1.4
I033189		0.142	0.20	0.43	75	0.16	3.52	58	1.9
I033190		0.122	0.10	0.49	71	0.13	4.32	57	1.5
I033191		0.105	0.10	0.42	85	0.15	2.83	65	4.0
I033192		0.088	0.07	0.29	56	0.13	2.42	50	1.2
I033193		0.135	0.21	1.53	70	0.16	23.7	77	2.4
I033194		0.047	0.10	1.86	28	0.06	9.18	52	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033195		0.22	<0.005	0.13	2.05	3.8	<0.2	<10	420	0.49	0.11	1.69	0.23	35.5	16.5	115
I033196		0.28	<0.005	0.03	1.23	5.4	<0.2	<10	70	0.16	0.12	0.20	0.09	12.15	9.2	29
I033197		0.22	<0.005	0.15	0.89	2.9	<0.2	<10	150	0.19	0.09	0.32	0.13	15.65	7.0	39
I033198		0.30	<0.005	0.09	1.78	6.7	<0.2	<10	210	0.32	0.13	0.43	0.12	22.8	13.0	71
I033199		0.22	<0.005	0.14	1.85	3.5	<0.2	<10	230	0.29	0.10	0.51	0.10	24.4	16.4	119
I033200		0.24	<0.005	0.07	1.70	3.6	<0.2	<10	160	0.24	0.12	0.45	0.13	29.3	13.4	71
I033307		0.24	0.005	0.10	1.61	8.1	<0.2	<10	150	0.37	0.10	0.90	0.14	23.7	14.6	32
I033308		0.24	0.009	0.10	1.58	7.6	<0.2	<10	140	0.41	0.10	0.79	0.19	21.2	13.8	30
I033309		0.46	<0.005	0.06	2.06	5.6	<0.2	<10	280	0.51	0.16	0.82	0.08	28.8	10.8	35
I033310		0.58	<0.005	0.06	2.02	4.1	<0.2	<10	290	0.45	0.14	0.89	0.07	27.9	9.5	26
I033311		0.50	<0.005	0.08	2.43	5.0	<0.2	<10	160	0.56	0.11	0.37	0.08	34.8	17.3	51
I033312		0.54	<0.005	0.07	2.29	5.7	<0.2	<10	160	0.50	0.11	0.37	0.07	34.2	15.7	51
I033313		0.64	<0.005	0.05	1.96	2.2	<0.2	<10	240	0.68	0.13	0.52	0.11	53.1	11.6	19
I033314		0.22	<0.005	0.20	2.09	7.5	<0.2	<10	290	0.42	0.18	0.25	0.06	31.6	7.9	28
I033315		0.32	0.006	0.04	1.66	26.6	<0.2	<10	120	0.43	0.13	0.23	0.08	33.0	9.3	32
I033316		0.30	<0.005	0.05	2.66	11.1	<0.2	<10	110	0.43	0.15	0.26	0.10	19.40	10.8	35
I033317		0.38	<0.005	0.08	2.09	7.7	<0.2	<10	130	0.29	0.16	0.22	0.06	18.30	8.1	27
I033318		0.38	<0.005	0.29	2.41	8.4	<0.2	<10	190	0.37	0.33	0.51	0.21	18.40	15.3	29
I033319		0.30	0.006	0.20	1.34	5.5	<0.2	<10	160	0.21	0.30	0.11	0.16	17.05	3.7	21
I033320		0.08	0.006	<0.01	0.02	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.01	1.14	0.1	1
I033321		0.24	<0.005	0.29	1.80	5.5	<0.2	<10	260	0.31	0.28	0.32	0.30	17.50	9.3	23
I033322		0.30	<0.005	0.20	1.64	8.1	<0.2	<10	140	0.33	0.18	0.28	0.17	15.00	7.1	28
I033323		0.40	<0.005	0.18	2.16	8.9	<0.2	<10	180	0.32	0.22	0.19	0.43	15.15	12.4	39
I033324		0.34	<0.005	0.06	2.25	5.4	<0.2	<10	230	0.38	0.09	0.28	0.09	14.00	12.3	31
I033325		0.34	<0.005	0.18	1.67	5.5	<0.2	<10	160	0.26	0.17	0.26	0.10	13.90	11.0	31
I033326		0.30	<0.005	0.19	2.54	5.1	<0.2	<10	260	0.86	0.14	0.46	0.10	30.0	16.3	37
I033327		0.38	<0.005	0.29	1.76	6.3	<0.2	<10	160	1.86	0.68	0.47	0.22	34.3	7.9	23
I033328		0.40	0.009	0.57	3.03	24.1	<0.2	<10	380	1.50	0.37	0.74	0.19	59.2	14.1	27
I033329		0.40	<0.005	0.12	1.58	19.5	<0.2	<10	140	0.50	0.38	0.24	0.08	18.40	8.2	23
I033330		0.36	0.012	0.12	1.37	21.4	<0.2	<10	150	0.42	0.49	0.22	0.09	16.25	8.1	21
I033331		0.46	<0.005	0.14	1.59	10.9	<0.2	<10	190	0.37	0.16	0.31	0.06	17.45	7.0	21
I033332		0.36	<0.005	0.12	2.15	13.9	<0.2	<10	180	0.40	0.19	0.19	0.08	19.10	8.3	20
I033333		0.44	<0.005	0.19	1.49	9.0	<0.2	<10	230	0.50	0.17	0.34	0.06	21.5	8.3	24
I033334		0.32	<0.005	0.16	1.34	6.0	<0.2	<10	140	0.69	0.71	0.26	0.09	13.40	6.7	18
I033335		0.30	<0.005	0.10	1.53	5.7	<0.2	<10	260	0.31	0.18	0.45	0.12	15.85	8.8	21
I033336		0.36	0.011	0.10	1.71	5.1	<0.2	<10	270	0.61	0.17	0.44	0.11	17.25	10.2	19
I033337		0.28	0.017	0.16	1.76	7.3	<0.2	<10	450	0.42	0.18	0.27	0.08	19.60	13.0	29
I033338		0.30	<0.005	0.10	1.70	6.8	<0.2	<10	280	0.43	0.17	0.35	0.11	17.40	10.1	25
I033339		0.36	<0.005	0.12	1.73	6.5	<0.2	<10	250	0.37	0.14	0.33	0.08	15.10	12.1	24
I033340		0.10	<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033195		1.94	63.3	3.16	7.33	0.08	0.07	0.03	0.024	0.14	20.2	14.2	1.19	526	0.53
I033196		1.15	10.6	2.32	5.66	<0.05	0.03	0.02	0.016	0.05	6.2	12.6	0.40	321	1.97
I033197		0.99	19.1	1.76	3.92	0.05	0.02	0.06	0.013	0.06	8.0	5.4	0.37	173	1.34
I033198		2.09	20.3	2.96	6.60	0.06	0.04	0.04	0.021	0.17	11.3	14.5	0.90	308	0.83
I033199		2.43	20.4	2.89	7.62	0.05	0.03	0.04	0.018	0.11	12.7	12.3	1.11	720	1.03
I033200		1.60	18.7	2.58	6.79	0.05	0.03	0.04	0.022	0.08	16.2	11.8	0.85	479	0.73
I033307		0.48	26.1	3.04	5.06	0.06	0.13	0.02	0.026	0.05	10.7	10.3	0.59	472	0.58
I033308		0.54	26.8	2.93	5.31	0.06	0.13	0.03	0.025	0.05	9.7	9.8	0.56	415	0.57
I033309		0.70	18.7	3.04	5.82	0.05	0.10	0.02	0.029	0.04	13.4	11.1	0.60	538	0.50
I033310		0.98	13.9	2.96	5.98	0.05	0.08	0.02	0.028	0.03	12.1	10.0	0.51	555	0.84
I033311		2.50	28.8	3.58	7.12	0.07	0.05	0.03	0.026	0.20	17.6	16.8	0.84	462	0.68
I033312		2.00	28.2	3.34	6.73	0.07	0.08	0.02	0.027	0.14	18.4	16.2	0.80	433	0.63
I033313		0.91	10.2	5.07	6.91	0.07	0.12	0.01	0.060	0.04	18.6	9.3	0.30	402	1.95
I033314		3.49	19.8	2.81	7.43	<0.05	0.03	0.03	0.024	0.07	17.9	13.1	0.40	210	1.03
I033315		2.76	18.8	2.80	5.27	0.05	0.05	0.01	0.022	0.12	17.3	16.8	0.62	283	1.17
I033316		2.51	14.7	4.18	8.93	0.05	0.07	0.03	0.028	0.10	9.2	27.5	0.90	371	1.42
I033317		3.40	25.7	3.22	7.07	<0.05	0.06	0.02	0.022	0.08	9.1	20.4	0.68	265	1.03
I033318		5.60	121.5	3.75	8.62	0.05	0.02	0.02	0.031	0.13	9.4	23.5	0.98	702	4.17
I033319		1.35	47.4	1.75	7.71	<0.05	<0.02	0.04	0.018	0.06	8.5	8.8	0.29	108	1.20
I033320		<0.05	1.5	0.03	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
I033321		1.06	17.6	3.22	8.63	<0.05	0.03	0.02	0.035	0.11	8.6	11.4	0.53	497	1.19
I033322		1.29	12.2	3.23	8.12	<0.05	0.05	0.02	0.021	0.05	7.5	14.8	0.47	386	1.24
I033323		1.56	45.9	3.56	8.05	0.05	0.04	0.03	0.031	0.10	7.2	21.0	0.68	967	1.13
I033324		1.47	19.9	3.40	7.71	0.06	0.03	0.01	0.017	0.12	6.9	21.1	0.95	505	0.78
I033325		1.74	11.9	3.27	8.24	<0.05	0.04	0.02	0.021	0.13	6.9	11.3	0.60	711	1.28
I033326		4.44	28.4	3.87	9.14	0.07	0.08	0.02	0.025	0.29	17.1	28.3	1.00	1000	0.94
I033327		9.11	29.2	2.70	6.53	0.07	0.07	0.04	0.033	0.14	26.6	19.5	0.48	442	1.22
I033328		12.40	39.9	4.32	10.40	0.10	0.08	0.04	0.049	0.21	45.6	44.8	0.69	832	1.52
I033329		3.48	13.2	2.92	6.40	<0.05	0.08	0.01	0.023	0.08	9.4	23.1	0.51	346	1.38
I033330		3.73	11.3	2.84	6.47	<0.05	0.04	0.01	0.021	0.09	7.9	16.4	0.44	519	1.87
I033331		3.21	16.5	2.56	5.96	<0.05	0.07	0.01	0.019	0.07	9.9	17.8	0.50	207	0.93
I033332		3.52	12.8	3.45	8.05	0.05	0.05	0.01	0.023	0.21	9.0	29.5	0.65	259	1.23
I033333		7.18	20.8	2.81	5.39	0.05	0.05	0.02	0.020	0.14	16.5	19.8	0.60	407	0.81
I033334		2.58	10.4	2.49	5.67	<0.05	0.06	0.01	0.018	0.11	7.0	13.7	0.43	258	0.95
I033335		1.45	12.3	2.86	6.37	<0.05	0.05	0.01	0.021	0.12	8.3	14.7	0.50	445	1.39
I033336		2.57	13.6	3.02	5.89	<0.05	0.03	0.01	0.021	0.12	8.2	17.9	0.52	561	0.79
I033337		1.18	15.3	2.95	5.93	<0.05	0.06	0.03	0.024	0.10	9.3	13.3	0.47	998	1.02
I033338		1.22	13.1	3.07	5.98	<0.05	0.05	0.01	0.026	0.12	8.3	15.0	0.50	369	0.96
I033339		1.14	17.3	3.10	5.95	<0.05	0.03	0.01	0.023	0.12	7.5	17.4	0.58	411	0.75
I033340		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033195		1.41	56.8	580	7.5	24.7	0.001	0.07	0.20	6.2	0.7	0.5	76.8	<0.01	0.02
I033196		1.27	17.2	380	7.4	12.6	<0.001	0.02	0.18	2.5	0.2	0.4	15.3	<0.01	0.03
I033197		0.68	16.8	990	4.3	10.5	<0.001	0.09	0.22	1.5	0.6	0.3	25.9	<0.01	0.04
I033198		1.40	31.1	870	9.3	33.3	0.001	0.05	0.24	3.8	0.5	0.5	28.9	<0.01	0.03
I033199		1.14	44.2	710	8.3	32.2	0.001	0.06	0.15	3.3	0.5	0.5	35.1	<0.01	0.04
I033200		1.21	31.8	620	8.0	24.1	<0.001	0.05	0.18	3.7	0.4	0.5	32.7	<0.01	0.02
I033307		1.60	25.6	600	5.4	6.0	0.001	0.04	0.32	5.3	0.5	0.5	48.7	<0.01	0.03
I033308		1.60	25.1	560	5.5	6.2	<0.001	0.04	0.30	4.9	0.5	0.5	44.7	<0.01	0.01
I033309		1.16	20.7	380	7.9	5.3	<0.001	0.03	0.31	6.9	0.3	0.6	46.9	<0.01	0.02
I033310		1.15	15.2	750	6.6	5.2	0.001	0.03	0.26	6.4	0.4	0.6	53.4	<0.01	0.03
I033311		1.33	43.0	520	9.0	23.8	<0.001	0.02	0.22	5.3	0.2	0.5	31.1	<0.01	0.02
I033312		1.21	40.8	450	8.7	17.0	<0.001	0.02	0.22	5.8	0.4	0.6	31.7	<0.01	0.03
I033313		1.08	8.6	1200	6.9	5.2	<0.001	0.02	0.22	11.0	0.2	1.1	30.9	<0.01	0.02
I033314		1.85	16.4	300	9.0	14.5	0.001	0.02	0.31	4.6	0.3	0.7	19.3	<0.01	0.03
I033315		1.48	19.3	430	9.4	15.3	<0.001	0.02	0.60	3.6	0.2	0.5	16.9	<0.01	0.02
I033316		3.17	19.0	550	8.4	18.8	<0.001	0.02	0.47	3.8	0.3	0.6	19.6	<0.01	0.05
I033317		1.79	15.2	280	7.9	15.4	<0.001	0.02	0.32	3.2	0.3	0.6	17.0	<0.01	0.05
I033318		2.53	17.2	790	18.3	23.1	<0.001	0.03	0.34	3.9	0.4	1.3	30.9	<0.01	0.17
I033319		1.21	8.0	330	13.3	12.5	<0.001	0.03	0.26	1.6	0.3	0.9	13.6	<0.01	0.10
I033320		0.06	0.4	10	0.6	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01
I033321		1.83	11.0	830	10.5	17.1	<0.001	0.03	0.29	3.3	0.2	1.7	25.5	<0.01	0.04
I033322		1.56	11.2	340	10.4	13.9	<0.001	0.01	0.42	4.1	0.2	0.7	18.4	<0.01	0.03
I033323		1.44	16.8	340	21.2	12.6	0.001	0.01	0.46	5.7	0.3	0.7	14.0	<0.01	0.04
I033324		1.41	14.7	350	9.0	15.6	<0.001	0.01	0.30	4.0	<0.2	0.5	17.5	<0.01	0.02
I033325		1.61	12.5	320	10.3	24.3	0.001	0.02	0.33	3.6	0.2	0.7	17.7	<0.01	0.03
I033326		1.88	17.2	480	10.6	36.3	<0.001	0.01	0.26	7.9	0.5	0.7	23.9	<0.01	0.02
I033327		5.12	12.0	490	18.4	33.2	0.001	0.02	0.35	7.2	0.7	1.3	26.5	0.01	0.02
I033328		3.99	16.8	640	29.1	31.3	0.001	0.03	0.57	10.8	0.9	1.0	41.9	0.01	0.05
I033329		2.57	12.0	320	11.3	17.4	<0.001	0.01	0.38	4.1	0.2	0.9	17.7	<0.01	0.03
I033330		3.16	10.0	290	13.4	21.7	<0.001	0.01	0.35	3.4	0.2	1.0	16.9	<0.01	0.04
I033331		1.14	12.0	320	8.8	11.8	<0.001	0.01	0.36	4.5	0.2	0.5	19.4	<0.01	0.02
I033332		2.57	11.5	340	10.3	29.5	<0.001	0.01	0.42	4.6	0.2	0.7	15.1	<0.01	0.02
I033333		1.56	13.8	280	6.8	18.0	<0.001	0.01	0.39	5.8	0.3	0.4	22.1	<0.01	0.02
I033334		2.61	10.4	180	11.5	20.1	<0.001	0.01	0.38	3.6	0.2	0.9	17.7	<0.01	0.02
I033335		1.33	12.7	370	8.3	13.7	<0.001	0.02	0.33	4.0	0.2	0.5	25.0	<0.01	0.02
I033336		1.31	11.8	310	7.9	19.2	<0.001	0.01	0.34	4.1	0.3	0.5	22.7	<0.01	0.03
I033337		1.32	17.3	230	8.6	11.2	<0.001	0.01	0.41	5.2	0.3	0.6	21.8	<0.01	0.02
I033338		1.18	15.8	240	8.0	10.8	<0.001	0.01	0.46	4.3	0.2	0.5	20.6	<0.01	0.02
I033339		1.05	14.3	290	7.0	13.1	<0.001	0.01	0.45	4.8	0.2	0.5	22.1	<0.01	0.02
I033340		<0.05	0.4	10	0.5	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033195		0.118	0.12	0.91	66	0.10	12.20	47
I033196		0.085	0.09	0.51	48	0.14	3.32	50
I033197		0.054	0.07	0.89	37	0.17	4.46	31
I033198		0.128	0.17	0.84	71	0.31	5.17	60
I033199		0.138	0.17	0.89	69	0.21	5.04	60
I033200		0.115	0.13	0.79	58	0.25	6.14	68
I033307		0.121	0.04	0.66	70	0.10	9.62	54
I033308		0.120	0.06	0.61	70	0.11	8.60	49
I033309		0.075	0.05	0.34	60	0.12	9.69	52
I033310		0.071	0.06	0.59	60	0.17	8.19	47
I033311		0.120	0.18	0.70	64	0.09	7.46	65
I033312		0.124	0.15	0.78	65	0.11	7.64	59
I033313		0.124	0.06	0.47	101	0.06	9.83	89
I033314		0.066	0.13	0.91	65	0.20	6.01	43
I033315		0.097	0.13	1.10	55	0.20	6.13	54
I033316		0.141	0.14	0.52	83	0.28	2.91	68
I033317		0.086	0.12	0.42	60	0.17	3.38	46
I033318		0.142	0.15	0.54	81	0.30	3.83	133
I033319		0.088	0.17	0.46	58	0.16	2.30	37
I033320		<0.005	<0.02	0.10	1	<0.05	0.69	3
I033321		0.113	0.11	0.42	69	0.14	2.12	87
I033322		0.094	0.09	0.32	86	0.26	3.14	67
I033323		0.097	0.09	0.37	86	0.19	2.75	137
I033324		0.194	0.11	0.31	82	0.28	2.95	93
I033325		0.171	0.10	0.32	85	0.19	2.66	70
I033326		0.206	0.18	1.02	98	0.22	15.25	89
I033327		0.063	0.19	3.58	58	0.40	45.5	72
I033328		0.054	0.16	2.22	87	0.30	54.7	83
I033329		0.069	0.11	0.55	68	0.17	5.40	50
I033330		0.075	0.12	0.51	74	0.26	4.03	48
I033331		0.075	0.11	0.48	62	0.34	4.54	49
I033332		0.108	0.17	0.41	67	0.25	3.93	63
I033333		0.097	0.10	0.78	59	0.25	10.35	49
I033334		0.051	0.15	0.52	57	0.34	7.13	55
I033335		0.066	0.09	0.38	62	0.24	3.28	63
I033336		0.044	0.13	0.53	58	0.24	4.19	62
I033337		0.068	0.09	0.47	62	0.18	3.50	55
I033338		0.055	0.09	0.35	63	0.28	2.63	58
I033339		0.058	0.08	0.31	70	0.18	2.36	56
I033340		<0.005	<0.02	0.08	<1	<0.05	0.63	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033341		0.36	<0.005	0.09	1.54	5.1	<0.2	<10	220	0.25	0.13	0.35	0.07	22.4	8.6	21
I033342		0.34	<0.005	0.07	1.98	7.6	<0.2	<10	170	0.40	0.16	0.24	0.08	25.5	8.4	28
I033343		0.40	<0.005	0.06	1.89	7.3	<0.2	<10	220	0.42	0.14	0.41	0.09	16.85	11.5	28
I033344		0.28	<0.005	0.13	1.79	6.5	<0.2	<10	300	0.43	0.17	0.59	0.31	20.1	10.8	28
I033345		0.46	<0.005	0.05	0.97	2.6	<0.2	<10	230	0.62	0.49	0.27	0.06	36.4	3.7	8
I033346		0.40	<0.005	0.10	2.37	4.3	<0.2	<10	600	0.54	0.13	0.59	0.12	17.75	10.0	20
I033347		0.34	<0.005	0.12	2.16	7.2	<0.2	<10	490	0.56	0.13	0.68	0.12	22.1	14.8	44
I033348		0.32	<0.005	0.07	2.03	5.4	<0.2	<10	1020	0.75	0.14	0.53	0.15	24.6	10.7	24
I033349		0.28	0.006	0.22	1.87	6.7	<0.2	<10	670	0.85	0.71	0.54	0.13	23.7	10.1	31
I033350		0.30	<0.005	0.18	1.93	8.3	<0.2	<10	650	0.85	0.70	0.55	0.12	26.5	10.0	33
I033531		0.16	<0.005	0.06	1.92	5.2	<0.2	<10	170	0.33	0.14	0.29	0.14	15.35	16.9	52
I033532		0.14	<0.005	0.11	1.35	3.2	<0.2	<10	130	0.21	0.16	0.16	0.09	5.73	9.5	32
I033533		0.14	<0.005	0.03	2.77	8.6	<0.2	<10	150	0.50	0.17	0.20	0.09	22.6	13.2	34
I033534		0.12	0.016	0.11	1.96	6.7	<0.2	<10	160	0.35	0.13	0.28	0.14	25.6	11.4	29
I033535		0.10	<0.005	0.11	1.83	11.6	<0.2	<10	70	0.32	0.23	0.11	0.21	18.20	7.0	28
I033536		0.12	<0.005	0.11	1.68	3.9	<0.2	<10	250	0.30	0.14	0.20	0.35	10.30	13.2	31
I033537		0.12	<0.005	0.17	1.54	3.2	<0.2	<10	450	0.24	0.20	0.31	0.28	16.15	14.5	24
I033538		0.12	<0.005	0.37	1.83	2.3	<0.2	<10	360	0.27	0.11	0.45	0.26	9.39	19.4	31
I033539		0.18	<0.005	0.20	2.64	7.5	<0.2	<10	510	0.56	0.15	0.25	0.18	23.3	15.9	42
I033540		0.16	<0.005	0.13	1.91	5.1	<0.2	<10	270	0.35	0.18	0.26	0.23	17.15	15.4	33
I033541		0.12	<0.005	0.19	2.00	4.1	<0.2	<10	340	0.36	0.20	0.26	0.23	19.90	13.2	26
I033542		0.18	<0.005	0.06	2.31	6.5	<0.2	<10	200	0.52	0.13	0.38	0.08	31.0	18.7	41
I033543		0.16	<0.005	0.20	2.15	11.8	<0.2	<10	640	0.56	0.15	0.51	0.23	35.4	15.2	28
I033544		0.18	<0.005	0.09	3.01	6.0	<0.2	<10	350	0.48	0.10	0.38	0.10	20.6	24.8	28
I033545		0.24	<0.005	0.10	2.32	3.7	<0.2	<10	230	0.28	0.18	0.51	0.05	17.95	12.8	21
I033546		0.14	0.010	0.42	2.47	3.7	<0.2	<10	240	0.34	0.23	0.21	0.12	23.5	12.5	26
I033547		0.14	<0.005	0.08	1.91	2.8	<0.2	<10	250	0.24	0.04	0.40	0.12	8.04	13.5	22
I033548		0.18	<0.005	0.14	2.01	3.5	<0.2	<10	220	0.33	0.13	1.89	0.08	11.20	15.8	74
I033549		0.12	<0.005	0.07	1.84	3.9	<0.2	<10	190	0.30	0.07	0.94	0.06	11.10	12.8	53
I033550		0.16	<0.005	0.09	1.66	3.9	<0.2	<10	210	0.34	0.09	0.24	0.08	16.15	10.7	26
I033601		0.10	0.052	0.14	1.54	3.4	<0.2	<10	250	0.31	0.09	2.52	0.23	12.65	11.9	51
I033602		0.14	<0.005	0.08	1.30	3.3	<0.2	<10	130	0.29	0.06	2.15	0.15	13.30	10.9	40
I033603		0.12	<0.005	0.08	1.26	3.1	<0.2	<10	140	0.28	0.07	2.32	0.14	13.10	10.7	39
I033604		0.14	<0.005	0.10	2.20	4.2	<0.2	<10	480	0.55	0.11	1.44	0.20	32.2	18.1	140
I033605		0.16	<0.005	0.07	1.56	3.2	<0.2	<10	140	0.41	0.09	0.78	0.14	28.5	13.8	38
I033606		0.12	<0.005	0.10	1.52	1.6	<0.2	<10	190	0.32	0.08	1.56	0.16	21.1	9.2	73
I033607		0.36	0.005	0.08	1.10	4.9	<0.2	<10	60	0.22	0.16	0.27	0.14	15.80	5.8	29
I033608		0.32	<0.005	0.07	1.25	10.4	<0.2	<10	60	0.28	0.13	0.28	0.12	17.65	8.4	30
I033609		0.18	0.016	0.14	0.40	4.7	<0.2	<10	120	0.32	0.04	1.96	0.64	13.05	2.6	5
I033610		0.32	<0.005	0.11	1.01	3.7	<0.2	<10	120	0.32	0.13	1.39	0.26	24.7	10.4	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033341		1.06	9.7	2.93	6.24	<0.05	0.02	<0.01	0.024	0.17	10.8	12.5	0.52	325	0.83
I033342		1.17	14.2	3.13	6.67	<0.05	0.05	0.01	0.034	0.09	12.7	14.7	0.53	265	0.98
I033343		0.70	14.2	2.79	6.32	<0.05	0.03	0.01	0.023	0.08	8.1	15.7	0.70	252	0.75
I033344		0.53	15.2	2.99	6.14	<0.05	0.03	0.02	0.028	0.10	9.1	12.8	0.52	761	0.92
I033345		1.34	6.5	1.36	3.11	<0.05	0.03	<0.01	0.011	0.16	18.5	9.2	0.21	145	0.98
I033346		0.28	12.1	3.46	8.82	<0.05	0.02	0.01	0.030	0.10	6.8	12.0	0.68	672	1.10
I033347		0.46	35.8	3.19	6.76	<0.05	0.05	0.01	0.030	0.12	9.3	11.4	0.72	657	0.82
I033348		0.57	10.2	3.21	6.98	<0.05	0.04	0.01	0.029	0.12	10.7	10.5	0.56	696	0.86
I033349		0.54	13.4	2.71	5.83	<0.05	0.06	0.02	0.026	0.08	10.3	8.1	0.39	998	0.99
I033350		0.55	14.2	2.81	5.90	<0.05	0.06	0.02	0.028	0.09	11.8	8.9	0.42	795	0.91
I033531		0.79	52.1	3.76	8.85	<0.05	0.03	0.01	0.016	0.05	6.3	19.9	1.00	290	1.02
I033532		0.48	12.7	2.33	6.03	<0.05	0.02	0.01	0.044	0.05	2.8	8.4	0.48	183	0.78
I033533		1.31	15.5	4.06	8.95	0.06	0.06	0.01	0.027	0.07	11.6	20.7	0.77	316	1.24
I033534		0.76	23.9	3.14	6.07	0.05	0.04	0.04	0.026	0.05	13.0	13.1	0.57	252	1.00
I033535		1.07	21.2	4.25	10.15	0.05	0.05	0.01	0.025	0.07	9.2	14.4	0.48	173	1.91
I033536		0.67	17.9	2.87	6.68	<0.05	0.03	0.01	0.020	0.06	5.1	11.3	0.48	532	0.86
I033537		0.49	14.7	2.71	6.51	<0.05	0.02	0.01	0.019	0.09	6.5	9.7	0.42	1140	1.14
I033538		0.69	26.8	2.74	6.32	<0.05	0.03	0.02	0.016	0.19	4.8	13.4	0.89	1120	0.69
I033539		0.73	16.4	3.78	7.91	<0.05	0.17	0.01	0.030	0.20	9.8	13.9	0.76	510	1.15
I033540		0.34	18.5	3.40	6.39	<0.05	0.10	0.01	0.028	0.20	7.3	10.9	0.59	671	1.08
I033541		1.58	19.6	3.45	7.40	0.05	0.10	0.01	0.023	0.51	10.8	12.6	0.78	357	1.11
I033542		0.85	41.1	3.68	7.63	0.07	0.14	0.01	0.028	0.30	13.9	18.8	0.96	416	0.91
I033543		1.23	34.3	3.42	7.09	0.05	0.08	0.01	0.028	0.25	15.9	13.6	0.73	541	0.97
I033544		0.63	33.9	4.06	10.20	<0.05	0.09	0.01	0.026	0.12	7.7	22.0	1.36	446	1.18
I033545		1.34	75.7	4.30	7.40	0.10	0.05	0.01	0.033	0.44	8.3	15.4	1.04	388	2.43
I033546		0.71	125.5	4.08	7.86	0.06	0.04	0.03	0.041	0.28	11.4	13.6	0.92	311	4.42
I033547		3.11	67.5	3.42	6.30	0.08	0.04	0.01	0.013	0.72	3.3	16.8	1.16	434	1.49
I033548		2.50	108.0	3.42	6.32	0.09	0.07	0.03	0.016	0.40	6.1	16.7	1.41	354	1.01
I033549		2.39	60.4	3.13	6.17	0.09	0.05	0.03	0.016	0.44	5.4	14.9	1.15	438	0.85
I033550		0.71	25.6	2.74	6.19	0.06	0.04	0.01	0.016	0.24	6.3	10.6	0.72	254	1.27
I033601		1.15	72.7	2.40	5.03	0.08	0.05	0.04	0.014	0.23	7.2	11.8	0.88	460	1.16
I033602		0.61	45.4	2.42	4.64	0.08	0.04	0.02	0.015	0.10	7.2	9.2	0.80	353	0.71
I033603		0.63	46.3	2.32	4.43	0.08	0.03	0.03	0.015	0.10	7.2	9.0	0.78	371	0.69
I033604		3.50	55.9	3.29	8.28	0.13	0.06	0.02	0.019	0.70	16.5	22.1	1.61	514	0.48
I033605		1.49	35.0	3.08	5.16	0.12	0.06	0.01	0.013	0.50	17.4	12.4	0.92	382	0.56
I033606		1.46	48.2	2.10	5.83	0.09	0.06	0.05	0.018	0.23	14.0	12.2	0.95	208	0.44
I033607		1.89	11.6	1.59	5.12	<0.05	<0.02	0.02	0.014	0.05	8.6	9.0	0.45	134	0.51
I033608		2.69	13.8	1.94	5.04	0.05	0.02	0.02	0.013	0.06	9.5	12.8	0.54	171	0.58
I033609		1.13	20.6	0.53	0.88	<0.05	0.03	0.09	0.007	0.03	7.8	0.9	0.13	233	0.60
I033610		3.36	21.4	1.79	3.84	0.06	0.03	0.08	0.016	0.06	12.4	9.4	0.38	873	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033341		1.56	13.0	260	6.5	12.4	<0.001	0.01	0.36	3.4	<0.2	0.6	26.6	<0.01	0.01
I033342		1.27	17.3	240	7.7	10.4	<0.001	0.01	0.43	4.7	0.2	0.6	20.1	<0.01	0.02
I033343		1.13	18.7	310	7.7	10.3	<0.001	0.01	0.45	4.7	0.2	0.5	25.7	<0.01	0.02
I033344		1.23	17.6	480	11.7	7.5	<0.001	0.02	0.45	5.2	0.3	0.5	35.1	<0.01	0.03
I033345		0.98	5.5	250	14.2	15.3	<0.001	0.01	0.10	1.7	0.2	0.6	27.7	<0.01	0.01
I033346		0.81	12.7	690	7.1	8.3	<0.001	0.02	0.27	4.9	0.2	0.6	67.5	<0.01	0.03
I033347		1.02	22.8	440	7.1	10.9	<0.001	0.02	0.33	8.3	0.2	0.5	54.5	<0.01	0.07
I033348		1.03	15.0	370	8.3	14.5	0.001	0.02	0.32	5.8	0.3	0.5	35.5	<0.01	0.03
I033349		1.77	18.2	290	15.7	6.4	<0.001	0.02	0.38	5.7	0.3	0.5	31.0	<0.01	0.03
I033350		1.79	20.1	290	15.8	7.9	<0.001	0.02	0.43	6.1	0.4	0.6	31.1	<0.01	0.03
I033531		1.17	24.5	1010	5.5	13.5	<0.001	0.02	0.40	3.6	0.3	0.6	18.7	<0.01	0.04
I033532		1.22	17.6	220	4.5	10.9	<0.001	0.02	0.32	2.0	0.2	0.4	15.7	<0.01	0.03
I033533		2.11	18.3	450	7.4	14.4	<0.001	0.02	0.41	4.5	0.4	0.6	19.5	0.01	0.04
I033534		1.54	17.4	610	7.0	8.9	<0.001	0.04	0.34	5.0	0.5	0.5	19.8	<0.01	0.03
I033535		2.48	14.9	440	13.4	13.4	<0.001	0.03	0.59	3.3	0.4	0.7	11.7	0.01	0.09
I033536		1.40	18.2	300	6.0	9.2	<0.001	0.02	0.41	3.4	0.2	0.5	17.2	<0.01	0.04
I033537		1.22	16.9	390	8.0	13.9	<0.001	0.02	0.32	2.8	0.2	0.6	24.0	<0.01	0.03
I033538		1.27	21.1	340	4.0	11.7	<0.001	0.02	0.19	3.5	0.3	0.4	28.0	<0.01	0.02
I033539		1.17	27.1	190	8.3	21.6	<0.001	0.01	0.49	8.7	0.2	0.6	21.3	<0.01	0.02
I033540		1.11	22.1	190	9.2	9.5	<0.001	0.02	0.39	6.0	0.2	0.5	17.1	<0.01	0.03
I033541		2.04	18.5	160	12.7	51.9	<0.001	0.01	0.30	5.4	0.2	0.7	20.2	<0.01	0.03
I033542		1.16	25.6	180	8.3	25.5	<0.001	0.02	0.31	8.8	0.4	0.6	32.1	<0.01	0.03
I033543		1.64	26.1	280	8.0	27.2	<0.001	0.02	0.37	8.2	0.3	0.5	32.5	<0.01	0.04
I033544		1.48	22.0	200	5.6	7.5	<0.001	0.02	0.27	9.3	0.2	0.5	23.3	<0.01	0.03
I033545		1.02	12.0	370	5.4	29.0	0.001	0.31	0.18	10.9	2.1	0.5	46.7	<0.01	0.24
I033546		0.95	15.3	410	5.3	15.3	0.002	0.24	0.22	10.8	1.9	0.8	34.7	<0.01	0.20
I033547		1.05	14.8	370	3.2	35.9	<0.001	0.03	0.13	4.1	0.3	0.3	26.2	<0.01	0.03
I033548		0.87	36.0	630	5.7	27.6	<0.001	0.08	0.20	5.8	0.6	0.3	50.1	<0.01	0.03
I033549		0.91	26.9	470	4.0	28.3	<0.001	0.06	0.17	5.5	0.6	0.4	28.2	<0.01	0.02
I033550		1.12	15.0	220	6.4	21.5	<0.001	0.03	0.26	3.0	0.2	0.4	21.0	<0.01	0.02
I033601		0.83	28.3	620	5.7	20.8	<0.001	0.11	0.22	4.0	1.0	0.3	63.2	<0.01	0.04
I033602		0.62	24.3	590	4.0	10.3	0.001	0.12	0.23	3.7	0.9	0.3	64.8	<0.01	0.06
I033603		0.59	23.6	590	3.9	10.0	0.001	0.12	0.22	3.4	1.0	0.2	66.6	<0.01	0.06
I033604		1.58	60.1	810	8.9	68.6	0.001	0.05	0.24	5.3	0.7	0.6	60.2	<0.01	0.01
I033605		1.65	31.3	580	8.1	49.7	<0.001	0.02	0.14	3.2	0.8	0.4	41.7	<0.01	0.03
I033606		1.09	35.9	650	6.1	28.8	0.001	0.10	0.20	5.3	0.9	0.4	70.8	<0.01	0.01
I033607		0.70	17.4	490	13.1	10.5	<0.001	0.01	0.50	2.6	0.3	0.4	21.1	<0.01	0.01
I033608		0.80	21.1	320	9.2	9.8	<0.001	0.01	1.08	3.0	0.4	0.4	21.1	<0.01	0.01
I033609		0.16	12.6	770	5.2	2.2	<0.001	0.16	1.61	1.1	0.8	0.2	104.0	<0.01	0.01
I033610		0.61	19.0	880	11.7	10.6	<0.001	0.10	0.47	2.5	0.8	0.3	82.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033341		0.081	0.09	0.31	56	0.16	2.86	52	0.8
I033342		0.059	0.09	0.36	63	0.19	2.95	63	2.1
I033343		0.108	0.09	0.35	75	0.16	2.47	55	1.1
I033344		0.074	0.08	0.80	68	0.32	3.45	73	1.1
I033345		0.012	0.13	1.09	17	0.11	5.25	35	1.0
I033346		0.024	0.09	0.34	76	0.15	3.38	63	0.7
I033347		0.067	0.08	0.40	77	0.17	4.80	62	1.8
I033348		0.042	0.09	0.28	61	0.16	5.51	53	1.4
I033349		0.055	0.10	0.39	59	0.18	4.55	48	1.9
I033350		0.060	0.10	0.43	61	0.18	5.69	48	2.1
I033531		0.160	0.08	0.41	88	0.12	2.94	64	1.3
I033532		0.138	0.07	0.19	60	0.08	1.09	39	1.2
I033533		0.155	0.13	0.55	79	0.16	4.49	51	3.1
I033534		0.112	0.10	0.88	65	0.14	6.60	55	1.8
I033535		0.156	0.14	0.52	91	0.16	2.94	65	2.2
I033536		0.113	0.08	0.22	67	0.12	2.14	62	1.3
I033537		0.087	0.10	0.33	59	0.09	2.34	63	0.8
I033538		0.151	0.11	0.23	64	0.07	2.90	69	1.2
I033539		0.136	0.12	0.44	85	0.10	3.81	60	8.0
I033540		0.108	0.08	0.28	77	0.09	3.11	63	4.2
I033541		0.185	0.27	0.47	69	0.14	4.35	75	3.9
I033542		0.156	0.15	0.86	91	0.09	8.32	68	6.2
I033543		0.139	0.15	0.97	79	0.16	9.39	54	3.2
I033544		0.176	0.13	0.46	98	0.09	3.96	75	3.5
I033545		0.131	0.20	0.94	96	<0.05	5.13	72	2.4
I033546		0.114	0.12	1.03	87	0.06	10.90	60	1.5
I033547		0.212	0.24	0.22	61	0.08	3.27	72	1.3
I033548		0.158	0.19	0.48	73	0.10	7.56	69	2.8
I033549		0.150	0.15	0.47	63	0.13	6.89	63	1.9
I033550		0.102	0.10	0.34	53	0.08	2.66	65	1.4
I033601		0.091	0.12	0.86	54	0.06	10.85	60	2.2
I033602		0.057	0.07	0.60	53	<0.05	6.38	43	1.3
I033603		0.054	0.06	0.57	49	0.07	6.41	41	1.3
I033604		0.158	0.31	1.17	75	0.12	7.10	63	2.2
I033605		0.129	0.33	0.71	43	0.09	8.05	85	2.3
I033606		0.092	0.16	1.23	44	0.08	9.21	61	2.4
I033607		0.073	0.10	0.65	31	0.12	3.52	40	0.5
I033608		0.074	0.13	0.69	36	0.18	3.52	50	0.6
I033609		0.014	0.05	0.66	7	<0.05	6.65	24	0.8
I033610		0.040	0.10	0.92	35	0.08	8.02	50	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033611		0.46	0.008	0.10	1.12	3.9	<0.2	<10	80	0.20	0.21	0.33	0.10	21.1	6.1	27
I033612		0.34	0.006	0.10	0.95	4.0	<0.2	<10	90	0.27	0.17	0.28	0.19	15.85	6.8	20
I033613		0.34	<0.005	0.08	1.48	4.8	<0.2	<10	90	0.35	0.16	0.36	0.13	33.3	17.0	34
I033614		0.28	<0.005	0.11	1.96	7.8	<0.2	<10	140	0.40	0.25	0.11	0.10	21.0	7.8	31
I033615		0.44	<0.005	0.06	2.37	4.2	<0.2	<10	90	0.65	0.25	0.14	0.09	82.7	12.7	34
I033616		0.40	<0.005	0.08	2.40	94.9	<0.2	<10	120	0.49	0.28	0.26	0.16	30.4	13.6	49
I033617		0.40	<0.005	0.06	2.56	226	<0.2	<10	130	0.86	0.46	0.15	0.13	71.6	20.3	35
I033618		0.34	<0.005	0.08	2.31	16.6	<0.2	<10	120	0.48	0.26	0.16	0.14	36.9	12.0	37
I033619		0.36	<0.005	0.08	2.57	6.5	<0.2	<10	80	0.62	0.48	0.11	0.06	127.5	14.6	37
I033620		0.38	<0.005	0.10	1.94	26.7	<0.2	<10	140	0.48	0.20	0.27	0.13	53.0	12.9	33
I033621		0.36	<0.005	0.10	1.96	25.1	<0.2	<10	140	0.45	0.20	0.27	0.12	52.1	12.8	31
I033622		0.36	<0.005	0.04	1.73	85.8	<0.2	<10	100	0.39	0.22	0.19	0.18	34.8	10.9	31
I033623		0.34	<0.005	0.04	2.11	11.5	<0.2	<10	150	0.39	0.21	0.15	0.13	29.9	11.8	34
I033624		0.24	<0.005	0.14	1.04	7.9	<0.2	<10	90	0.19	0.20	0.17	0.21	16.35	5.3	23
I033625		0.34	<0.005	0.12	2.78	10.5	<0.2	<10	160	0.56	0.22	0.17	0.15	32.3	11.2	39
I033626		0.32	<0.005	0.11	2.23	9.7	<0.2	<10	170	0.38	0.25	0.11	0.13	19.80	9.8	34
I033627		0.48	<0.005	0.06	2.69	6.9	<0.2	<10	200	0.50	0.96	0.15	0.29	54.4	14.3	39
I033628		0.34	<0.005	0.05	1.68	9.9	<0.2	<10	110	0.32	0.23	0.12	0.17	19.45	8.2	28
I033629		0.38	<0.005	0.03	1.85	10.6	<0.2	<10	130	0.32	0.20	0.16	0.12	23.6	9.6	32
I033630		0.42	<0.005	0.05	1.65	7.6	<0.2	<10	130	0.31	0.18	0.20	0.11	18.95	8.9	28
I033631		0.42	<0.005	0.06	2.39	5.1	<0.2	<10	80	0.52	0.24	0.08	0.08	89.1	14.9	33
I033632		0.36	<0.005	0.04	1.86	8.3	<0.2	<10	150	0.38	0.17	0.18	0.14	27.9	13.5	30
I033633		0.44	<0.005	0.04	2.25	7.6	<0.2	<10	130	0.49	0.29	0.17	0.11	77.6	17.1	32
I033634		0.42	<0.005	0.11	2.99	9.4	<0.2	<10	100	0.58	0.23	0.13	0.13	38.4	15.6	43
I033635		0.40	<0.005	0.04	2.16	6.0	<0.2	<10	110	0.35	0.22	0.14	0.12	50.7	12.7	32
I033636		0.36	0.005	0.10	1.62	5.9	<0.2	<10	80	0.28	0.37	0.11	0.12	36.2	7.4	24
I033637		0.42	<0.005	0.09	1.89	7.8	<0.2	<10	110	0.35	0.23	0.14	0.15	40.9	9.8	30
I033638		0.38	<0.005	0.04	1.49	7.2	<0.2	<10	80	0.22	0.24	0.10	0.07	18.80	7.0	44
I033639		0.50	<0.005	0.10	2.33	8.2	<0.2	<10	130	0.39	0.37	0.12	0.18	48.3	13.3	37
I033640		0.40	<0.005	0.04	1.94	6.3	<0.2	<10	200	0.31	0.42	0.20	0.07	73.4	10.7	28
I033641		0.40	<0.005	0.04	2.03	6.3	<0.2	<10	160	0.32	0.44	0.19	0.07	67.8	10.6	29
I033642		0.44	<0.005	0.09	4.51	4.6	<0.2	<10	190	0.72	0.21	0.31	0.06	29.4	28.0	485
I033643		0.44	<0.005	0.05	2.00	8.4	<0.2	<10	90	0.35	0.22	0.10	0.07	46.6	9.9	40
I033644		0.44	<0.005	0.06	2.80	8.2	<0.2	<10	150	0.51	0.21	0.17	0.13	56.0	15.9	40
I033645		0.34	<0.005	0.23	3.04	12.7	<0.2	<10	140	0.50	0.22	0.15	0.12	34.5	14.7	45
I033646		0.32	<0.005	0.10	2.59	10.6	<0.2	<10	430	0.72	0.09	0.74	0.16	29.0	19.8	44
I033647		0.36	<0.005	0.09	1.65	5.6	<0.2	<10	330	0.41	0.13	0.55	0.06	23.3	11.3	34
I033648		0.44	0.009	0.09	2.29	4.1	<0.2	<10	420	0.33	0.08	0.58	0.07	19.40	18.4	81
I033649		0.38	<0.005	0.10	2.52	4.2	<0.2	<10	500	0.37	0.08	0.62	0.06	19.85	18.1	50
I033650		0.34	<0.005	0.08	1.82	9.2	<0.2	<10	320	0.39	0.09	0.70	0.10	17.95	15.6	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033611		4.53	10.7	1.80	5.90	0.06	<0.02	0.04	0.018	0.06	11.4	9.4	0.41	148	0.74
I033612		1.90	23.3	1.90	5.03	<0.05	<0.02	0.17	0.018	0.05	8.5	4.7	0.21	943	0.98
I033613		4.33	18.6	2.83	6.37	0.08	0.02	0.04	0.022	0.10	17.3	13.6	0.68	732	0.78
I033614		1.03	16.1	3.58	9.51	0.06	0.05	0.02	0.025	0.04	9.4	17.0	0.33	216	1.47
I033615		2.69	30.4	4.18	9.44	0.08	0.05	0.03	0.027	0.31	15.1	26.3	0.76	250	0.85
I033616		1.75	32.0	4.70	11.10	0.08	0.06	0.02	0.034	0.14	12.5	31.1	0.85	519	1.46
I033617		3.69	35.2	4.56	8.53	0.10	0.09	0.02	0.042	0.43	17.4	33.0	0.87	489	0.79
I033618		1.61	20.8	4.27	9.32	0.09	0.05	0.03	0.030	0.20	13.7	22.6	0.62	364	1.32
I033619		5.07	44.0	5.74	9.08	0.19	0.06	0.02	0.025	0.81	62.4	33.8	1.05	306	1.02
I033620		1.36	35.8	3.09	6.05	0.09	0.04	0.04	0.023	0.17	26.5	18.9	0.61	325	0.83
I033621		1.36	33.9	3.01	5.90	0.09	0.05	0.04	0.023	0.16	26.3	18.3	0.61	321	0.77
I033622		1.19	20.4	3.68	8.57	0.07	0.06	0.02	0.041	0.09	12.3	19.0	0.55	314	1.07
I033623		1.01	17.3	3.80	7.88	0.07	0.11	0.02	0.029	0.07	14.4	24.0	0.48	270	1.38
I033624		0.75	16.4	2.58	6.74	<0.05	0.02	0.05	0.018	0.06	8.1	7.8	0.29	153	1.19
I033625		1.36	24.5	3.58	7.38	0.05	0.05	0.06	0.031	0.12	17.5	18.3	0.59	267	1.38
I033626		1.12	16.1	3.68	9.25	0.06	0.03	0.02	0.029	0.04	9.3	15.0	0.42	380	1.77
I033627		2.33	30.1	4.19	7.78	0.10	0.15	0.02	0.031	0.57	20.7	20.7	0.84	420	0.66
I033628		1.12	15.5	3.17	7.96	0.06	0.03	0.04	0.025	0.06	8.3	15.5	0.41	394	1.46
I033629		1.11	15.5	3.67	8.23	0.07	0.07	0.02	0.027	0.06	11.0	17.0	0.54	262	1.33
I033630		1.12	14.0	2.95	7.32	0.06	0.03	0.01	0.024	0.06	9.8	14.5	0.47	249	1.09
I033631		3.36	24.4	3.87	7.79	0.11	0.08	0.02	0.028	0.22	31.9	25.7	0.66	194	1.14
I033632		1.09	18.1	3.23	6.92	0.07	0.07	0.03	0.027	0.07	12.9	15.9	0.50	349	1.05
I033633		1.32	30.2	3.88	6.44	0.07	0.06	0.03	0.031	0.14	17.6	15.9	0.53	446	1.10
I033634		1.87	26.8	4.02	8.81	0.07	0.10	0.03	0.033	0.14	16.5	25.3	0.71	262	1.16
I033635		2.04	24.1	3.60	7.12	0.06	0.07	0.02	0.022	0.27	16.3	21.6	0.65	273	0.90
I033636		1.44	21.0	3.93	8.81	0.05	0.06	0.02	0.020	0.10	13.0	11.3	0.30	194	1.63
I033637		1.38	22.0	3.60	7.56	0.06	0.08	0.03	0.029	0.11	15.4	17.7	0.43	302	1.17
I033638		1.09	14.5	3.18	7.90	0.05	0.03	0.02	0.024	0.06	7.8	12.8	0.43	206	1.29
I033639		1.79	24.8	4.90	9.51	0.06	0.07	0.01	0.031	0.20	11.4	25.7	0.59	380	1.43
I033640		2.06	16.9	4.32	7.57	0.09	0.07	0.02	0.029	0.36	34.5	23.7	0.55	324	0.84
I033641		2.28	18.8	4.31	7.76	0.08	0.07	0.01	0.044	0.35	29.9	26.3	0.57	311	0.86
I033642		5.72	14.1	5.62	16.45	0.09	0.04	0.02	0.042	0.36	11.4	60.4	3.15	574	1.42
I033643		2.04	22.1	4.50	9.40	0.06	0.09	0.02	0.030	0.16	9.8	29.1	0.62	195	1.07
I033644		2.20	34.4	3.79	7.68	0.06	0.06	0.03	0.029	0.11	14.5	25.5	0.73	233	0.93
I033645		1.58	26.8	3.71	7.38	0.07	0.13	0.07	0.033	0.07	12.9	20.2	0.61	349	1.30
I033646		5.38	52.8	5.20	9.18	0.11	0.07	0.02	0.036	0.44	12.6	16.5	1.32	1120	1.59
I033647		0.70	16.7	2.85	5.03	0.06	0.10	0.01	0.024	0.26	8.7	8.4	0.51	645	1.00
I033648		1.80	43.6	3.83	7.59	0.10	0.07	0.01	0.019	0.67	9.7	14.1	1.46	709	0.92
I033649		1.71	41.3	4.17	8.52	0.10	0.07	0.01	0.022	0.59	8.5	15.9	1.50	836	0.99
I033650		1.09	46.5	3.49	5.97	0.06	0.07	0.02	0.028	0.23	7.5	9.5	0.82	706	1.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033611		0.69	16.6	690	17.6	11.4	<0.001	0.04	0.30	2.5	0.4	0.5	25.6	<0.01	0.02
I033612		0.42	14.9	800	7.0	8.4	<0.001	0.08	0.44	1.1	0.5	0.5	25.3	<0.01	0.03
I033613		0.70	27.4	690	9.6	18.7	<0.001	0.04	0.25	3.8	0.5	0.5	27.3	<0.01	0.03
I033614		1.84	18.7	210	12.5	10.5	<0.001	0.01	0.55	3.3	0.2	0.8	11.2	<0.01	0.03
I033615		4.39	34.5	360	13.0	36.3	<0.001	0.01	0.26	3.4	0.5	0.7	12.6	<0.01	0.02
I033616		1.48	28.5	380	17.9	22.5	<0.001	0.01	0.97	5.8	0.4	0.8	15.3	<0.01	0.03
I033617		2.39	36.2	450	22.3	55.0	<0.001	0.01	2.51	4.3	0.5	0.6	9.7	<0.01	0.04
I033618		2.47	24.8	380	13.6	31.2	<0.001	0.01	0.67	4.3	0.5	0.7	14.3	0.01	0.04
I033619		3.21	33.8	360	9.8	97.8	<0.001	0.02	0.49	3.7	0.7	0.6	13.2	<0.01	0.04
I033620		2.15	29.1	690	8.9	22.4	<0.001	0.03	0.65	3.8	0.6	0.5	18.7	<0.01	0.02
I033621		2.16	28.3	660	8.6	21.7	<0.001	0.02	0.62	3.9	0.6	0.5	18.9	0.01	0.02
I033622		2.22	24.7	380	13.4	14.5	<0.001	<0.01	1.18	3.7	0.4	0.6	14.1	<0.01	0.04
I033623		2.33	27.4	230	11.2	13.9	<0.001	<0.01	0.58	3.6	0.4	0.6	14.7	0.02	0.03
I033624		1.43	14.4	410	7.4	8.6	<0.001	0.02	0.47	1.8	0.3	0.6	16.2	<0.01	0.03
I033625		2.01	25.0	410	9.9	19.8	<0.001	0.03	0.58	4.6	0.8	0.6	19.2	0.02	0.03
I033626		1.85	18.7	320	11.6	12.6	<0.001	<0.01	0.65	3.6	0.4	0.8	13.2	0.01	0.04
I033627		3.60	32.6	260	49.6	71.0	<0.001	<0.01	0.30	4.8	0.6	0.7	13.3	0.01	0.05
I033628		1.62	17.4	350	10.1	14.0	<0.001	0.01	0.52	2.9	0.3	0.6	13.0	<0.01	0.04
I033629		2.14	20.7	290	10.7	13.8	<0.001	<0.01	0.52	3.6	0.4	0.6	17.0	<0.01	0.03
I033630		1.93	18.6	340	9.0	13.6	<0.001	<0.01	0.37	3.3	0.3	0.6	17.1	<0.01	0.02
I033631		2.77	36.1	280	10.3	33.5	<0.001	<0.01	0.31	3.6	0.4	0.6	8.6	<0.01	0.02
I033632		1.97	23.2	430	8.5	14.5	<0.001	<0.01	0.48	3.9	0.4	0.5	15.8	0.01	0.03
I033633		2.32	40.5	480	16.7	25.6	<0.001	0.03	0.34	4.2	0.7	0.6	14.1	0.02	0.04
I033634		5.01	34.9	260	11.1	29.8	<0.001	0.02	0.49	4.5	0.5	0.8	12.4	0.02	0.04
I033635		3.93	30.1	420	10.2	37.7	<0.001	0.03	0.30	3.7	0.5	0.6	12.3	0.01	0.03
I033636		3.45	18.5	250	15.5	30.2	<0.001	0.01	0.48	2.5	0.3	0.8	10.2	<0.01	0.04
I033637		2.51	23.0	270	15.1	21.9	<0.001	0.02	0.43	3.9	0.4	0.7	11.2	<0.01	0.05
I033638		2.08	15.7	260	10.3	13.2	<0.001	0.01	0.43	2.8	0.3	0.7	10.8	<0.01	0.03
I033639		3.26	27.7	370	18.9	37.3	<0.001	0.02	0.51	3.8	0.5	0.8	10.4	0.01	0.05
I033640		3.31	25.0	250	10.7	53.1	<0.001	0.01	0.27	3.6	0.4	0.7	17.3	<0.01	0.04
I033641		3.31	23.8	260	11.8	54.9	<0.001	0.01	0.26	3.7	0.5	0.7	17.5	<0.01	0.04
I033642		4.67	48.6	470	11.1	76.7	<0.001	0.03	0.20	10.6	0.4	1.6	22.5	<0.01	0.04
I033643		4.35	25.1	320	9.5	31.7	<0.001	0.02	0.42	4.0	0.4	0.8	9.0	<0.01	0.04
I033644		3.26	41.2	220	8.7	27.6	<0.001	0.02	0.41	4.3	0.5	0.7	14.9	0.01	0.03
I033645		2.62	31.7	310	10.6	16.2	<0.001	0.02	0.60	5.7	0.6	0.6	14.5	0.02	0.03
I033646		0.84	22.9	940	6.9	26.8	<0.001	0.01	0.84	10.7	0.5	0.6	31.3	<0.01	0.03
I033647		1.16	18.0	280	6.8	16.7	<0.001	0.01	0.38	5.5	0.4	0.5	30.1	<0.01	0.03
I033648		1.34	42.2	660	4.8	39.1	<0.001	0.02	0.24	5.7	0.4	0.4	30.0	<0.01	0.02
I033649		1.79	28.0	610	4.9	33.8	<0.001	0.02	0.22	6.0	0.4	0.5	31.8	<0.01	0.02
I033650		1.01	17.6	520	5.0	8.8	<0.001	0.02	0.55	7.7	0.4	0.4	30.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033611		0.067	0.11	0.73	35	0.11	3.41	50	0.5
I033612		0.043	0.09	0.59	49	0.08	3.18	56	<0.5
I033613		0.069	0.18	1.08	45	0.07	6.21	67	0.6
I033614		0.081	0.14	0.57	86	0.16	3.04	57	2.3
I033615		0.157	0.27	1.53	47	0.08	7.87	76	2.1
I033616		0.109	0.21	1.27	92	0.14	5.91	76	3.0
I033617		0.147	0.38	2.39	36	0.08	11.85	90	4.3
I033618		0.137	0.24	1.07	72	0.19	6.43	67	2.1
I033619		0.218	0.72	3.19	39	0.07	14.40	105	3.4
I033620		0.111	0.17	0.99	51	0.16	8.35	74	1.7
I033621		0.111	0.17	0.96	50	0.15	8.39	54	1.7
I033622		0.128	0.12	0.71	78	0.25	4.99	54	2.2
I033623		0.110	0.12	0.60	69	0.18	3.82	47	4.5
I033624		0.082	0.09	0.51	64	0.16	1.98	34	0.7
I033625		0.095	0.19	1.17	66	0.20	4.64	59	2.0
I033626		0.092	0.16	0.51	84	0.20	3.02	57	1.5
I033627		0.231	0.58	1.04	49	0.14	11.30	121	6.8
I033628		0.095	0.11	0.46	68	0.18	2.72	46	1.1
I033629		0.111	0.12	0.62	72	0.20	3.51	49	2.9
I033630		0.098	0.12	0.53	65	0.16	3.34	42	1.1
I033631		0.117	0.31	1.17	50	0.11	7.95	70	4.1
I033632		0.109	0.13	0.57	64	0.17	5.20	48	2.9
I033633		0.100	0.21	1.20	51	0.14	11.35	67	2.6
I033634		0.149	0.25	0.98	68	0.14	6.04	75	4.9
I033635		0.169	0.32	1.20	53	0.11	8.59	60	3.2
I033636		0.122	0.24	1.16	69	0.10	5.74	48	3.1
I033637		0.116	0.18	0.97	63	0.14	6.72	66	3.7
I033638		0.109	0.15	0.61	68	0.14	3.81	40	1.2
I033639		0.165	0.29	1.10	73	0.14	8.94	80	4.1
I033640		0.173	0.39	1.09	51	0.10	11.50	66	3.2
I033641		0.179	0.43	1.23	53	0.10	10.75	67	3.6
I033642		0.314	0.45	0.77	127	0.10	7.81	112	2.2
I033643		0.168	0.21	1.24	72	0.13	6.96	61	4.7
I033644		0.140	0.28	1.09	68	0.15	6.06	75	3.2
I033645		0.116	0.19	0.92	73	0.21	5.28	60	6.0
I033646		0.124	0.13	0.52	116	0.09	11.75	116	2.0
I033647		0.099	0.08	0.25	60	0.14	4.28	39	3.3
I033648		0.200	0.22	0.45	85	0.10	7.52	80	2.9
I033649		0.207	0.14	0.43	90	0.10	6.07	84	2.5
I033650		0.081	0.07	0.25	74	0.08	6.61	57	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **20-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122489

Project: SQI10-06

P.O. No.: SQI10-06_23

This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034008		0.68	0.005	0.08	1.31	2.3	<0.2	<10	380	0.23	0.11	0.48	0.13	21.7	10.7	54
I034009		0.70	0.005	0.16	1.99	5.5	<0.2	<10	640	0.39	0.08	1.21	0.78	21.7	21.3	86
I034316		0.36	0.009	0.06	1.25	10.4	<0.2	<10	110	0.28	0.16	0.69	0.19	26.9	10.8	28
I034317		0.46	0.006	0.06	1.39	12.2	<0.2	<10	110	0.38	0.18	0.53	0.22	40.5	16.7	34
I034318		0.46	0.026	0.08	1.21	24.6	<0.2	<10	140	0.33	0.42	0.45	0.56	31.7	13.5	26
I034319		0.32	0.014	0.15	1.39	38.6	<0.2	<10	110	0.39	0.47	0.52	0.39	29.5	13.8	30
I034320		0.38	0.005	0.07	0.62	10.9	<0.2	<10	150	0.25	0.15	0.31	0.28	33.8	10.8	17
I034321		0.42	0.007	0.02	0.81	2.4	<0.2	<10	130	0.13	0.08	0.32	0.06	14.15	9.6	20
I034322		0.42	<0.005	0.02	0.73	1.5	<0.2	<10	110	0.11	0.07	0.29	0.07	17.70	7.8	19
I034323		0.44	<0.005	0.03	1.00	2.2	<0.2	<10	160	0.13	0.15	0.35	0.06	10.75	8.7	23
I034324		0.48	<0.005	0.05	1.28	3.5	<0.2	<10	170	0.23	0.08	0.71	0.14	18.75	10.8	21
I034325		0.50	<0.005	0.05	1.16	2.8	<0.2	<10	160	0.18	0.06	0.70	0.14	16.60	9.2	18
I034326		0.50	<0.005	0.07	1.33	3.0	<0.2	<10	190	0.16	0.07	0.69	0.25	15.00	12.1	17
I034327		0.34	<0.005	0.10	1.68	3.3	<0.2	<10	270	0.18	0.09	0.75	0.16	14.85	10.5	22
I034328		0.56	0.009	0.05	1.21	2.1	<0.2	<10	150	0.12	0.06	0.42	0.11	12.05	9.6	15
I319501		0.58	<0.005	0.05	1.04	3.8	<0.2	<10	210	0.23	0.08	0.59	0.12	19.80	6.8	21
I319502		0.22	<0.005	0.07	1.18	2.3	<0.2	<10	220	0.28	0.10	0.65	0.16	23.0	6.3	23
I319551		0.72	<0.005	0.06	1.44	3.3	<0.2	<10	330	0.30	0.10	0.51	0.11	22.7	9.2	25
I319552		0.56	<0.005	0.10	1.39	7.5	<0.2	<10	250	0.30	0.11	1.63	0.19	21.4	11.8	24
I319553		0.64	<0.005	0.13	1.53	4.7	<0.2	<10	450	0.27	0.11	0.76	0.17	17.75	12.0	69
I319554		0.60	<0.005	0.07	1.28	2.1	<0.2	<10	180	0.19	0.11	0.27	0.13	15.75	11.7	60
I319555		0.34	<0.005	0.05	1.06	5.1	<0.2	<10	180	0.19	0.10	1.01	0.25	15.60	8.5	23
I319701		0.32	<0.005	0.12	1.44	15.6	<0.2	<10	270	0.41	0.13	0.91	0.30	24.8	10.5	25
I319702		0.50	NSS	0.07	1.26	13.2	<0.2	<10	300	0.38	0.09	0.91	0.28	22.3	11.5	20
I319703		0.52	<0.005	0.04	0.96	2.6	<0.2	<10	160	0.19	0.07	0.72	0.14	18.40	6.7	18
I319704		0.44	<0.005	0.08	1.26	12.8	<0.2	<10	210	0.34	0.12	0.73	0.20	22.4	9.3	23
I319705		0.54	<0.005	0.18	1.49	5.2	<0.2	<10	220	0.26	0.12	0.64	0.32	24.4	10.7	37
I319706		0.58	0.008	0.07	1.10	4.0	<0.2	<10	110	0.21	0.10	0.38	0.09	23.5	7.7	32
I319707		0.62	0.017	0.08	1.22	4.5	<0.2	<10	150	0.20	0.11	0.51	0.16	22.0	9.2	31
I319708		0.44	<0.005	0.09	1.43	4.0	<0.2	<10	160	0.33	0.12	0.74	0.20	31.1	10.5	28
I319709		0.66	<0.005	0.08	1.22	3.9	<0.2	<10	140	0.22	0.10	0.53	0.15	22.8	8.5	29
I319710		0.48	0.014	0.05	1.20	3.7	<0.2	<10	150	0.23	0.09	0.59	0.12	21.4	8.2	23
I319711		0.44	<0.005	0.18	1.64	9.4	<0.2	<10	240	0.48	0.24	0.85	0.25	40.2	13.3	31
I319751		0.82	<0.005	0.10	1.34	13.3	<0.2	<10	250	0.41	0.16	0.81	0.31	27.5	12.1	25
I319752		0.44	<0.005	0.15	0.94	25.1	<0.2	<10	480	0.31	0.11	1.12	0.43	24.9	19.0	16
I032451		0.50	<0.005	0.11	2.10	6.3	<0.2	<10	290	0.51	0.15	0.78	0.34	29.1	21.1	78
I032452		0.46	<0.005	0.11	1.61	4.5	<0.2	<10	390	0.56	0.42	1.20	0.20	40.4	14.6	37
I032453		0.50	<0.005	0.10	1.92	6.5	<0.2	<10	210	0.68	0.37	0.67	0.09	44.6	11.0	29
I032454		0.66	0.016	1.32	2.16	28.5	<0.2	<10	130	0.62	0.55	0.40	0.38	23.9	16.0	41
I032455		0.46	<0.005	0.03	2.31	9.9	<0.2	<10	190	0.56	0.23	0.22	0.08	24.2	11.6	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034008		2.16	17.4	2.16	4.76	0.05	0.02	<0.01	0.010	0.15	12.4	11.8	0.91	402	0.56
I034009		1.63	52.7	3.76	6.95	0.10	0.09	0.01	0.027	0.36	12.7	19.0	1.35	490	0.91
I034316		2.54	17.7	2.61	3.84	0.06	0.05	0.01	0.016	0.11	14.1	11.9	0.60	486	0.60
I034317		3.38	20.8	3.32	4.76	0.08	0.03	0.01	0.020	0.14	19.5	13.4	0.66	797	0.84
I034318		5.32	20.1	2.70	3.85	0.07	0.02	0.01	0.015	0.15	14.6	14.4	0.58	2800	1.39
I034319		5.93	24.8	2.72	4.78	0.06	0.02	0.01	0.019	0.12	15.3	13.0	0.61	941	1.42
I034320		4.41	25.0	2.67	2.00	0.06	0.03	<0.01	0.014	0.09	15.7	6.3	0.25	743	1.50
I034321		0.94	21.5	1.97	3.22	0.05	0.02	<0.01	0.013	0.06	7.2	7.1	0.52	386	0.46
I034322		0.61	15.6	1.68	2.80	<0.05	<0.02	<0.01	0.009	0.06	9.3	6.9	0.44	290	0.33
I034323		0.65	27.4	1.92	3.67	<0.05	<0.02	<0.01	0.013	0.05	5.8	8.8	0.58	245	0.40
I034324		0.67	25.5	2.63	4.35	0.07	0.04	0.01	0.018	0.13	9.9	8.4	0.78	410	0.67
I034325		0.63	21.9	2.46	3.86	0.06	0.03	<0.01	0.017	0.12	8.9	7.4	0.69	391	0.59
I034326		0.47	29.7	2.82	4.43	0.06	0.02	0.01	0.020	0.11	7.8	7.8	0.72	1300	0.78
I034327		0.67	39.9	2.98	5.76	0.06	0.03	0.02	0.025	0.20	8.3	8.6	0.93	448	0.71
I034328		0.40	20.0	2.16	4.26	0.05	0.02	<0.01	0.016	0.08	6.3	6.6	0.70	327	0.45
I319501		0.56	13.1	1.93	3.44	0.05	0.05	<0.01	0.013	0.06	10.5	9.5	0.55	281	0.49
I319502		0.54	16.8	1.71	3.79	<0.05	0.05	0.02	0.016	0.06	12.0	10.4	0.53	213	0.40
I319551		3.47	32.2	2.94	5.52	0.07	0.02	0.02	0.022	0.25	12.9	13.2	0.77	452	0.76
I319552		0.75	33.0	2.99	4.89	0.07	0.08	0.02	0.024	0.17	11.6	10.1	0.90	441	1.01
I319553		1.84	31.7	2.54	5.22	0.05	0.03	0.03	0.015	0.15	10.1	13.0	0.96	509	0.73
I319554		1.94	17.7	2.12	4.51	<0.05	<0.02	0.01	0.010	0.12	8.6	10.0	0.88	405	0.65
I319555		0.43	14.7	1.95	3.39	0.05	0.04	0.03	0.015	0.10	8.3	8.0	0.51	821	0.43
I319701		0.70	18.6	2.62	4.06	0.05	0.05	0.03	0.022	0.06	13.2	12.2	0.51	561	0.59
I319702		0.67	15.4	2.54	4.64	0.05	0.04	0.01	0.020	0.08	11.1	10.3	0.55	692	1.27
I319703		0.33	12.2	1.58	3.19	0.05	0.07	0.01	0.013	0.04	10.0	7.4	0.41	121	0.29
I319704		0.62	16.8	2.25	4.14	0.05	0.05	0.02	0.019	0.05	11.9	10.6	0.48	296	0.47
I319705		0.99	25.6	2.43	4.91	0.06	0.03	0.01	0.016	0.10	13.0	17.1	0.81	561	1.04
I319706		0.81	12.3	1.93	3.93	0.05	0.02	0.01	0.012	0.08	12.9	13.0	0.57	234	0.61
I319707		0.76	18.5	2.22	4.14	0.05	0.04	0.02	0.013	0.09	12.2	14.0	0.67	346	0.66
I319708		0.87	21.7	2.49	5.46	0.07	0.03	0.02	0.017	0.08	16.9	17.9	0.63	338	0.70
I319709		0.70	15.7	2.11	4.07	0.06	0.04	0.01	0.014	0.09	12.6	13.2	0.60	344	0.61
I319710		0.64	15.7	2.21	4.35	0.05	0.06	<0.01	0.016	0.05	11.2	13.2	0.57	296	0.46
I319711		0.92	29.6	2.90	5.99	0.07	0.06	0.04	0.024	0.08	22.2	18.3	0.64	730	0.95
I319751		0.77	19.5	2.45	4.76	0.06	0.07	0.03	0.022	0.06	14.6	13.0	0.54	581	0.59
I319752		0.52	15.0	4.69	4.02	0.09	0.03	0.03	0.018	0.06	13.4	8.4	0.46	3280	0.93
I032451		0.40	56.4	3.43	6.82	0.07	0.07	0.03	0.027	0.07	15.8	12.8	1.45	774	1.54
I032452		0.46	42.5	2.92	4.62	0.06	0.11	0.04	0.026	0.09	21.4	8.4	0.82	601	0.85
I032453		0.81	22.1	2.76	6.08	0.07	0.12	0.02	0.030	0.12	28.8	11.6	0.46	296	1.32
I032454		4.67	61.2	3.12	5.85	0.06	0.05	0.05	0.039	0.06	13.9	13.9	0.78	216	1.22
I032455		1.21	23.1	3.38	7.23	0.05	0.06	0.02	0.037	0.06	15.4	12.9	0.48	171	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034008		0.95	28.8	720	8.2	25.9	<0.001	<0.01	0.12	2.8	0.2	0.3	28.8	<0.01	<0.01
I034009		2.03	77.6	1530	6.5	25.6	<0.001	0.02	0.26	6.8	0.8	0.3	49.7	<0.01	0.02
I034316		0.90	22.6	860	8.1	14.9	<0.001	<0.01	0.39	3.5	0.4	0.3	42.5	<0.01	0.01
I034317		0.79	31.1	770	11.3	18.3	<0.001	<0.01	0.49	3.9	0.4	0.3	39.6	<0.01	0.02
I034318		0.78	26.8	810	13.3	21.2	<0.001	<0.01	1.05	3.0	0.4	0.3	37.7	<0.01	0.03
I034319		0.95	23.0	840	19.0	17.0	<0.001	<0.01	1.39	3.6	0.4	0.4	42.8	<0.01	0.03
I034320		0.55	25.5	1110	6.7	12.4	<0.001	<0.01	0.53	2.7	0.9	<0.2	22.7	<0.01	0.06
I034321		0.55	13.1	710	3.0	8.3	<0.001	<0.01	0.20	2.8	0.2	0.2	12.2	<0.01	<0.01
I034322		0.73	10.8	650	3.2	11.2	<0.001	<0.01	0.08	2.1	<0.2	0.2	10.6	<0.01	<0.01
I034323		0.60	12.8	610	2.9	8.2	<0.001	<0.01	0.12	2.8	0.2	0.2	14.1	<0.01	0.01
I034324		0.81	13.6	880	4.7	10.2	<0.001	0.03	0.19	4.7	0.5	0.3	37.3	<0.01	0.02
I034325		0.77	12.4	900	4.2	9.3	<0.001	0.03	0.17	4.4	0.5	0.3	33.5	<0.01	0.02
I034326		0.69	12.0	770	3.8	7.8	<0.001	0.08	0.16	5.0	0.7	0.3	38.0	<0.01	0.05
I034327		0.91	13.3	610	4.6	13.0	<0.001	0.12	0.17	5.5	0.9	0.3	40.1	<0.01	0.06
I034328		0.62	9.7	530	3.6	6.4	<0.001	0.04	0.12	4.1	0.4	0.2	26.3	<0.01	0.04
I319501		0.87	15.5	710	4.7	7.3	<0.001	<0.01	0.29	2.9	0.3	0.3	29.9	<0.01	0.01
I319502		0.98	16.3	730	6.0	7.9	<0.001	0.02	0.33	3.3	0.3	0.3	36.6	<0.01	<0.01
I319551		1.18	13.5	980	5.8	24.9	<0.001	<0.01	0.31	4.8	0.3	0.4	26.9	<0.01	0.01
I319552		1.03	19.6	1060	5.9	11.9	<0.001	0.01	0.37	6.0	0.6	0.4	74.6	<0.01	0.03
I319553		1.06	28.9	780	6.8	22.9	<0.001	0.02	0.21	3.4	0.5	0.3	35.9	<0.01	0.01
I319554		0.83	26.6	590	7.5	18.8	<0.001	<0.01	0.10	2.4	0.2	0.3	18.3	<0.01	0.01
I319555		1.01	16.4	870	5.9	10.6	<0.001	0.06	0.31	2.7	0.6	0.3	50.3	<0.01	0.01
I319701		1.09	21.1	670	11.4	10.1	<0.001	0.02	0.43	4.0	0.6	0.3	55.6	<0.01	0.01
I319702		1.10	16.0	740	8.3	9.6	<0.001	0.02	0.32	5.1	0.6	0.3	58.7	0.01	0.01
I319703		0.98	13.0	740	4.9	5.1	<0.001	0.02	0.27	3.0	0.3	0.3	35.8	0.01	<0.01
I319704		1.08	18.1	640	9.7	9.0	<0.001	0.02	0.39	3.6	0.5	0.3	49.1	<0.01	0.01
I319705		1.13	21.8	640	10.6	13.4	<0.001	0.02	0.18	3.7	0.7	0.3	33.3	<0.01	0.02
I319706		1.25	19.6	520	6.6	12.3	<0.001	<0.01	0.15	2.8	0.4	0.3	21.1	<0.01	0.02
I319707		1.27	20.0	580	7.7	12.4	<0.001	<0.01	0.17	3.1	0.4	0.3	27.4	<0.01	0.02
I319708		1.53	17.5	630	6.6	11.6	<0.001	0.03	0.20	3.5	0.8	0.4	38.0	<0.01	0.01
I319709		1.27	17.7	610	6.7	11.1	<0.001	0.01	0.17	3.0	0.5	0.3	25.6	<0.01	0.01
I319710		1.22	15.3	650	5.7	6.8	<0.001	<0.01	0.24	3.9	0.4	0.3	30.8	<0.01	0.01
I319711		1.79	28.5	680	12.2	13.9	<0.001	0.01	0.40	4.6	0.9	0.4	47.8	<0.01	0.04
I319751		1.28	23.3	700	10.9	10.5	<0.001	<0.01	0.46	4.5	0.6	0.4	55.8	<0.01	0.02
I319752		1.06	19.1	1260	5.6	8.9	0.002	0.03	0.39	3.3	1.0	0.3	82.7	<0.01	0.03
I032451		0.83	51.7	580	10.7	7.2	<0.001	<0.01	0.34	8.6	0.8	0.4	50.5	<0.01	0.02
I032452		0.94	25.5	650	29.6	10.1	0.001	0.05	0.33	5.9	1.0	0.4	82.1	<0.01	0.02
I032453		2.00	19.0	370	20.9	14.3	<0.001	0.02	0.25	5.3	0.6	0.7	53.3	<0.01	0.02
I032454		1.47	38.5	710	128.5	11.1	<0.001	0.03	2.44	6.1	1.0	0.5	20.8	<0.01	0.09
I032455		1.62	27.1	270	12.0	9.5	<0.001	0.01	0.40	4.4	0.5	0.8	20.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034008		0.115	0.14	0.89	48	0.10	4.52	53
I034009		0.164	0.16	1.24	83	0.25	11.35	121
I034316		0.078	0.11	1.21	46	0.14	7.35	62
I034317		0.057	0.15	1.19	43	0.09	7.71	77
I034318		0.060	0.22	1.45	37	0.11	6.48	74
I034319		0.076	0.21	1.95	50	0.25	7.00	68
I034320		0.026	0.12	1.35	32	0.10	8.41	71
I034321		0.056	0.04	0.38	44	0.08	3.31	37
I034322		0.050	0.06	0.41	29	<0.05	3.43	37
I034323		0.066	0.05	0.30	46	0.13	2.90	40
I034324		0.085	0.06	1.09	57	0.08	7.06	64
I034325		0.080	0.05	0.88	53	0.25	6.78	58
I034326		0.081	0.06	0.82	60	0.06	7.37	71
I034327		0.112	0.08	0.77	71	0.07	7.22	72
I034328		0.082	0.04	0.34	50	0.05	4.65	54
I319501		0.062	0.04	0.52	38	0.10	6.00	52
I319502		0.064	0.05	0.65	38	0.35	7.11	60
I319551		0.106	0.12	0.73	58	0.20	6.12	84
I319552		0.080	0.08	0.50	60	0.12	8.53	71
I319553		0.102	0.13	0.97	62	0.19	5.81	60
I319554		0.104	0.13	0.77	51	0.09	3.84	55
I319555		0.058	0.05	0.60	35	0.33	5.13	64
I319701		0.059	0.07	0.89	48	0.14	9.08	83
I319702		0.064	0.06	0.99	42	0.34	7.75	83
I319703		0.063	0.04	0.85	31	0.32	6.28	54
I319704		0.059	0.06	0.85	44	0.38	7.56	66
I319705		0.091	0.10	1.09	50	0.09	7.66	102
I319706		0.075	0.07	1.02	35	0.19	6.24	54
I319707		0.083	0.08	1.05	40	0.20	6.35	71
I319708		0.090	0.07	1.62	49	0.15	10.20	66
I319709		0.087	0.07	1.28	41	0.12	6.75	64
I319710		0.088	0.05	0.75	48	0.23	6.70	54
I319711		0.086	0.09	1.18	53	0.19	13.35	80
I319751		0.067	0.08	0.89	46	0.21	9.33	76
I319752		0.060	0.06	0.67	64	0.19	8.78	66
I032451		0.047	0.05	0.76	69	0.10	14.35	75
I032452		0.056	0.08	1.59	49	0.18	11.95	64
I032453		0.098	0.08	2.01	57	0.40	9.06	40
I032454		0.112	0.20	1.28	72	0.14	7.76	96
I032455		0.093	0.11	0.61	77	0.14	4.99	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032456		0.52	<0.005	0.03	1.99	8.2	<0.2	<10	250	0.56	0.17	0.36	0.05	32.1	12.7	35
I032457		0.40	<0.005	0.05	1.39	5.7	<0.2	<10	180	0.32	0.17	0.21	0.10	16.85	7.0	22
I032458		0.32	<0.005	0.09	1.67	5.6	<0.2	<10	150	1.03	0.21	0.28	0.10	80.5	8.1	21
I032459		0.58	<0.005	0.04	2.13	9.7	<0.2	<10	150	0.50	0.24	0.26	0.08	39.4	9.0	29
I032460		0.54	<0.005	0.03	2.24	10.0	<0.2	<10	150	0.49	0.25	0.27	0.07	40.9	8.6	30
I032461		0.24	<0.005	0.01	0.11	2.3	<0.2	<10	30	0.11	0.03	0.09	0.04	11.40	2.9	3
I032462		0.52	<0.005	0.07	1.88	6.5	<0.2	<10	160	0.48	0.19	0.30	0.07	39.7	7.0	27
I032463		0.44	<0.005	0.10	1.99	8.5	<0.2	<10	170	0.47	0.23	0.29	0.10	37.4	7.3	27
I032464		0.40	<0.005	0.22	1.86	3.4	<0.2	<10	300	0.75	0.15	0.49	0.21	169.0	4.8	22
I032465		0.48	<0.005	0.05	1.77	4.4	<0.2	<10	110	0.42	0.20	0.27	0.05	22.0	9.4	26
I032466		0.64	0.008	0.04	1.82	6.1	<0.2	<10	160	0.75	0.21	0.25	0.07	43.2	7.9	27
I032467		0.70	<0.005	0.02	1.02	3.9	<0.2	<10	80	0.72	0.19	0.11	0.03	34.5	3.7	11
I032468		0.58	<0.005	0.03	2.14	9.1	<0.2	<10	150	0.74	0.20	0.23	0.06	33.5	8.2	25
I032469		0.46	<0.005	0.02	1.87	9.1	<0.2	<10	90	0.31	0.21	0.16	0.08	25.6	7.1	28
I032470		0.64	<0.005	0.02	1.52	3.7	<0.2	<10	70	0.71	0.28	0.14	0.04	29.5	7.0	20
I032471		0.54	<0.005	0.05	1.91	6.6	<0.2	<10	150	0.40	0.18	0.27	0.06	32.1	6.3	27
I032472		0.50	<0.005	0.01	0.93	2.5	<0.2	<10	50	0.39	0.39	0.10	0.06	38.3	3.6	13
I032473		0.40	<0.005	0.04	2.92	10.9	<0.2	<10	180	0.66	0.19	0.18	0.08	23.9	13.4	44
I032474		0.46	<0.005	0.01	1.93	8.7	<0.2	<10	90	0.32	0.18	0.20	0.10	18.40	7.2	30
I032475		0.54	<0.005	0.12	3.28	10.6	<0.2	<10	220	1.03	0.37	0.21	0.07	42.4	13.1	45
I032476		0.58	<0.005	0.09	2.51	11.5	<0.2	<10	160	0.65	0.95	0.20	0.16	25.6	7.0	35
I032477		0.62	<0.005	0.04	1.74	7.7	<0.2	<10	110	0.39	0.21	0.17	0.07	15.95	6.4	25
I032478		0.48	<0.005	0.04	2.05	5.3	<0.2	<10	130	0.77	0.34	0.14	0.07	42.4	7.1	20
I032479		0.42	<0.005	0.04	1.16	7.1	<0.2	<10	90	0.22	0.21	0.13	0.07	14.35	4.0	20
I032480		0.48	<0.005	0.03	1.96	9.1	<0.2	<10	130	0.41	0.42	0.16	0.06	22.0	8.4	28
I032481		0.46	<0.005	0.05	2.23	10.4	<0.2	<10	150	0.40	0.20	0.21	0.04	17.85	10.6	35
I032482		0.34	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.11	0.02	0.08	0.04	11.35	2.6	4
I032483		0.28	<0.005	0.22	1.92	5.7	<0.2	<10	200	0.41	0.25	0.63	0.18	36.6	14.5	33
I032484		0.48	<0.005	0.19	2.75	6.8	<0.2	<10	220	0.69	0.36	0.50	0.11	17.70	14.9	28
I032485		0.58	<0.005	0.12	2.37	4.4	<0.2	<10	220	0.63	0.18	0.48	0.11	27.5	12.3	36
I032486		0.46	<0.005	0.22	1.92	8.7	<0.2	<10	200	0.28	0.20	0.13	0.06	12.55	9.7	30
I032487		0.56	<0.005	0.21	1.60	6.5	<0.2	<10	220	0.31	0.15	0.25	0.09	15.85	8.0	27
I032488		0.52	<0.005	0.40	1.23	5.4	<0.2	<10	140	0.18	0.15	0.18	0.12	13.80	6.2	22
I032489		0.62	<0.005	0.15	1.84	5.9	<0.2	<10	160	0.41	0.17	0.11	0.09	21.0	10.6	28
I032490		0.62	<0.005	0.31	1.59	5.6	<0.2	<10	190	0.32	0.15	0.21	0.09	14.75	8.2	26
I032491		0.50	<0.005	0.13	1.32	7.7	<0.2	<10	250	0.39	0.13	0.32	0.10	19.50	8.6	23
I032492		0.48	<0.005	0.09	1.80	4.8	<0.2	<10	320	0.34	0.11	0.37	0.09	16.90	10.9	25
I032493		0.52	<0.005	0.11	1.59	5.2	<0.2	<10	280	0.37	0.14	0.37	0.07	18.20	9.3	27
I032494		0.44	<0.005	0.02	0.12	2.0	<0.2	<10	30	0.09	0.02	0.08	0.04	13.05	2.5	3
I032495		0.56	<0.005	0.08	1.56	4.3	<0.2	<10	300	0.44	0.13	0.31	0.07	20.6	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032456		0.98	24.8	3.12	6.30	0.06	0.16	0.03	0.036	0.05	17.3	16.3	0.55	238	0.81
I032457		1.02	18.0	2.19	5.73	<0.05	0.05	0.02	0.024	0.05	9.7	9.9	0.26	511	1.62
I032458		2.11	21.1	2.28	6.08	0.11	0.04	0.05	0.035	0.06	47.1	14.7	0.24	543	1.48
I032459		2.08	14.1	3.22	7.44	0.08	0.06	0.03	0.035	0.09	23.8	27.2	0.46	256	1.35
I032460		2.09	14.0	3.32	7.72	0.07	0.07	0.02	0.036	0.08	23.7	26.8	0.49	243	1.21
I032461		0.10	2.2	0.72	0.52	<0.05	0.06	0.01	<0.005	0.03	5.9	1.5	0.05	191	0.34
I032462		2.05	14.5	2.65	6.85	0.07	0.09	0.02	0.029	0.08	22.7	21.5	0.42	185	0.95
I032463		1.92	15.8	2.82	7.68	0.07	0.08	0.03	0.035	0.07	23.0	14.5	0.38	298	1.22
I032464		3.10	17.8	2.16	6.13	0.25	0.09	0.11	0.039	0.10	123.5	10.7	0.18	87	0.95
I032465		4.19	7.3	2.86	8.57	0.06	0.04	0.02	0.031	0.24	12.9	25.6	0.58	302	1.06
I032466		3.83	13.7	2.90	6.93	0.07	0.04	0.02	0.037	0.12	30.8	19.6	0.48	275	1.07
I032467		7.50	6.5	2.27	5.08	0.06	0.04	0.01	0.029	0.14	23.0	9.6	0.24	115	0.58
I032468		5.25	15.9	3.56	7.63	0.07	0.06	0.02	0.053	0.16	27.1	24.2	0.53	204	0.91
I032469		3.31	12.5	3.45	9.27	0.05	0.05	0.02	0.025	0.14	12.7	22.2	0.53	233	1.16
I032470		5.91	7.7	2.63	5.88	0.07	0.05	0.01	0.028	0.33	20.4	19.4	0.50	229	0.48
I032471		2.02	12.0	2.66	6.70	0.06	0.11	0.03	0.028	0.07	17.4	20.1	0.42	159	1.01
I032472		5.59	9.7	1.69	6.19	0.11	0.04	0.01	0.022	0.25	57.5	11.3	0.28	130	0.65
I032473		1.39	30.2	3.72	6.67	0.06	0.14	0.02	0.039	0.05	12.1	14.2	0.54	248	1.33
I032474		2.35	11.3	3.01	8.77	<0.05	0.05	0.02	0.022	0.10	15.1	26.2	0.56	201	0.96
I032475		2.87	31.1	4.22	8.53	0.08	0.12	0.04	0.054	0.06	23.9	24.2	0.56	281	1.45
I032476		1.88	29.2	4.45	9.73	0.06	0.03	0.04	0.045	0.08	14.2	16.8	0.36	167	1.60
I032477		2.55	11.2	3.13	7.98	<0.05	0.04	0.01	0.027	0.08	8.0	15.2	0.41	173	1.41
I032478		6.51	9.6	3.18	10.15	0.07	0.03	0.01	0.034	0.25	26.4	37.1	0.59	236	0.79
I032479		1.86	8.5	2.56	7.32	<0.05	0.03	0.01	0.020	0.04	7.5	6.8	0.23	149	1.37
I032480		2.27	12.5	3.38	7.37	<0.05	0.03	<0.01	0.036	0.05	6.7	18.4	0.45	181	0.98
I032481		1.93	18.0	3.72	7.71	0.05	0.06	0.02	0.036	0.05	10.5	18.0	0.52	196	1.35
I032482		0.09	1.8	0.71	0.53	<0.05	0.07	<0.01	<0.005	0.03	5.8	1.4	0.04	173	0.29
I032483		1.65	32.3	3.28	6.04	0.08	0.04	0.04	0.025	0.06	24.6	11.2	0.51	296	1.07
I032484		1.34	44.4	3.91	8.37	0.06	0.10	0.01	0.031	0.07	9.3	19.5	1.23	409	0.58
I032485		0.95	23.0	3.07	7.85	0.06	0.09	0.02	0.033	0.04	13.1	14.9	1.00	447	0.65
I032486		1.49	23.0	3.01	6.85	0.05	0.05	0.01	0.021	0.06	6.3	15.8	0.72	275	1.28
I032487		0.49	13.8	2.67	5.24	0.05	0.06	0.01	0.021	0.09	8.2	12.3	0.47	329	1.49
I032488		0.31	12.0	2.45	5.23	<0.05	0.04	0.02	0.016	0.08	7.1	8.5	0.38	300	1.94
I032489		1.11	21.5	2.94	7.33	0.05	0.10	0.01	0.030	0.05	9.7	11.2	0.46	901	1.48
I032490		0.61	13.3	2.58	5.77	<0.05	0.03	0.02	0.021	0.05	7.5	11.2	0.45	396	1.54
I032491		0.57	11.9	2.40	5.33	0.05	0.04	0.01	0.022	0.11	8.5	8.4	0.40	758	0.90
I032492		1.27	22.3	3.29	7.26	0.06	0.05	0.01	0.029	0.24	7.3	12.1	0.76	950	0.92
I032493		0.36	12.4	2.61	5.89	<0.05	0.06	0.01	0.023	0.06	8.8	9.2	0.49	712	1.11
I032494		0.09	1.9	0.68	0.64	<0.05	0.07	<0.01	<0.005	0.03	6.6	1.3	0.04	176	0.32
I032495		0.40	10.6	2.46	5.62	<0.05	0.02	0.01	0.021	0.08	9.4	7.9	0.39	625	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032456		1.47	27.1	470	8.6	8.3	<0.001	0.01	0.38	6.5	0.7	0.7	28.2	<0.01	0.02
I032457		1.33	13.5	440	10.7	11.3	<0.001	0.01	0.26	3.7	0.3	0.7	20.9	<0.01	0.02
I032458		1.14	11.9	590	22.2	19.8	<0.001	0.03	0.26	3.4	1.1	0.8	24.3	0.01	0.02
I032459		1.77	17.2	480	16.5	19.5	<0.001	0.01	0.31	4.1	0.7	0.9	22.9	<0.01	0.03
I032460		1.76	18.1	470	17.6	19.4	<0.001	0.01	0.30	4.3	0.7	1.0	22.6	<0.01	0.02
I032461		0.17	5.0	160	1.7	1.8	<0.001	<0.01	0.18	0.7	<0.2	<0.2	5.8	<0.01	0.01
I032462		1.79	14.1	310	12.7	20.2	<0.001	0.01	0.26	4.0	0.6	0.9	24.2	<0.01	0.02
I032463		1.73	15.1	370	13.7	17.3	<0.001	0.02	0.28	4.6	0.8	1.2	23.7	<0.01	0.03
I032464		1.04	13.5	1110	17.3	26.4	<0.001	0.11	0.24	3.4	2.1	0.7	43.5	0.02	0.03
I032465		1.56	13.1	420	14.7	53.1	<0.001	0.01	0.15	4.1	0.4	1.6	18.4	<0.01	0.02
I032466		1.27	15.6	340	21.0	28.7	<0.001	0.01	0.27	4.3	0.6	1.1	21.0	<0.01	0.02
I032467		0.70	7.0	190	12.5	39.7	<0.001	0.01	0.31	3.0	0.4	1.0	15.1	<0.01	0.01
I032468		1.55	20.5	370	21.7	32.4	<0.001	0.01	0.29	5.2	0.6	1.5	18.5	<0.01	0.02
I032469		1.95	13.7	440	12.0	28.2	<0.001	0.01	0.33	3.2	0.6	0.9	14.3	<0.01	0.03
I032470		1.19	13.9	260	12.9	55.6	<0.001	0.01	0.21	3.3	0.4	1.1	10.4	<0.01	0.01
I032471		1.68	13.9	240	12.8	18.8	<0.001	0.01	0.24	3.9	0.5	0.9	22.1	<0.01	0.02
I032472		0.85	8.0	390	12.9	46.1	<0.001	0.01	0.13	2.0	0.5	1.3	10.2	<0.01	0.01
I032473		1.83	28.6	270	10.8	10.1	<0.001	0.01	0.57	5.7	0.6	0.7	22.0	0.02	0.03
I032474		1.71	15.3	320	12.1	24.2	<0.001	0.01	0.27	3.1	0.3	0.8	17.0	<0.01	0.03
I032475		2.09	29.5	400	19.2	16.3	<0.001	0.02	0.53	5.7	0.8	0.9	23.7	0.01	0.03
I032476		1.70	14.6	700	149.0	17.7	<0.001	0.02	0.44	3.7	0.7	0.9	21.3	0.01	0.04
I032477		1.51	14.0	270	11.4	19.7	<0.001	0.01	0.37	2.9	0.4	1.2	16.3	<0.01	0.02
I032478		1.46	13.7	330	13.4	45.5	<0.001	0.01	0.20	3.4	0.4	2.3	12.0	<0.01	0.02
I032479		1.37	7.4	400	11.5	16.7	<0.001	0.01	0.27	2.3	0.3	0.8	14.1	<0.01	0.02
I032480		1.28	16.7	280	18.2	13.3	<0.001	0.01	0.33	3.9	0.3	1.2	13.8	<0.01	0.02
I032481		1.62	19.3	320	10.4	13.0	<0.001	0.01	0.48	4.6	0.5	0.8	20.2	<0.01	0.03
I032482		0.17	4.1	140	1.6	1.9	<0.001	0.01	0.13	0.6	<0.2	<0.2	5.9	<0.01	<0.01
I032483		1.29	30.1	560	22.5	11.0	<0.001	0.06	0.27	4.0	0.7	0.5	40.9	<0.01	0.03
I032484		1.27	23.1	250	9.5	10.5	<0.001	0.01	0.35	5.9	0.5	0.6	23.8	<0.01	0.03
I032485		1.19	24.4	180	9.1	5.9	<0.001	0.01	0.25	5.8	0.5	0.5	21.2	<0.01	0.02
I032486		1.08	20.9	210	7.4	11.6	<0.001	0.01	0.36	3.3	0.3	0.5	11.9	<0.01	0.02
I032487		1.24	17.8	180	7.7	8.1	<0.001	0.01	0.38	3.1	0.3	0.5	19.6	<0.01	0.03
I032488		1.20	14.0	190	7.3	5.5	<0.001	0.01	0.37	2.5	0.3	0.4	14.5	<0.01	0.02
I032489		1.09	18.1	200	7.9	9.3	<0.001	<0.01	0.39	4.7	0.3	0.5	11.3	<0.01	0.03
I032490		1.29	16.4	230	7.8	6.9	<0.001	<0.01	0.34	2.9	0.2	0.5	18.2	<0.01	0.03
I032491		1.07	15.1	450	8.0	17.0	<0.001	0.01	0.34	3.6	0.3	0.4	24.7	<0.01	0.02
I032492		1.17	17.3	230	5.6	20.6	<0.001	<0.01	0.29	7.1	0.4	0.4	25.9	<0.01	0.02
I032493		1.21	18.4	170	6.9	7.9	<0.001	<0.01	0.32	4.3	0.3	0.5	24.5	<0.01	0.02
I032494		0.17	4.3	150	1.7	2.1	<0.001	<0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	0.01
I032495		1.00	15.1	430	7.8	4.9	<0.001	0.01	0.29	3.6	0.3	0.5	27.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032456		0.097	0.09	2.11	66	0.16	10.05	48
I032457		0.075	0.10	0.51	50	0.17	4.12	47
I032458		0.043	0.11	3.41	43	0.20	19.45	37
I032459		0.091	0.15	1.37	67	0.27	8.76	51
I032460		0.096	0.16	1.43	71	0.17	8.70	54
I032461		0.008	0.03	0.35	4	<0.05	2.25	6
I032462		0.098	0.13	1.31	58	0.15	9.20	43
I032463		0.093	0.13	1.68	63	0.20	10.60	48
I032464		0.040	0.14	4.67	18	0.17	38.5	37
I032465		0.096	0.35	0.82	51	0.15	6.10	66
I032466		0.074	0.24	1.26	54	0.21	8.53	58
I032467		0.034	0.32	2.02	23	0.08	7.96	51
I032468		0.068	0.30	0.76	58	0.13	9.68	53
I032469		0.122	0.27	0.61	74	0.18	3.56	54
I032470		0.084	0.45	1.72	33	0.13	6.86	64
I032471		0.101	0.15	1.16	59	0.16	7.72	42
I032472		0.074	0.30	1.99	28	0.11	9.63	37
I032473		0.108	0.13	1.10	76	0.15	5.39	46
I032474		0.119	0.20	0.66	71	0.12	2.87	46
I032475		0.108	0.26	1.37	76	0.18	7.61	61
I032476		0.080	0.16	0.88	91	0.19	5.06	66
I032477		0.092	0.15	0.48	69	0.14	2.90	41
I032478		0.073	0.38	0.88	41	0.11	5.83	68
I032479		0.089	0.12	0.35	70	0.12	2.04	29
I032480		0.074	0.14	0.67	66	0.11	2.97	48
I032481		0.108	0.14	0.63	78	0.14	4.14	48
I032482		0.010	0.03	0.35	4	<0.05	2.12	6
I032483		0.078	0.11	0.98	62	0.18	8.96	49
I032484		0.074	0.09	0.44	98	0.20	3.77	66
I032485		0.048	0.09	0.39	75	0.27	7.09	48
I032486		0.084	0.11	0.27	68	0.15	1.97	53
I032487		0.071	0.08	0.33	62	0.13	2.21	47
I032488		0.061	0.05	0.27	59	0.15	1.98	46
I032489		0.066	0.11	0.37	68	0.14	3.81	58
I032490		0.062	0.08	0.31	59	0.14	2.26	56
I032491		0.060	0.07	0.38	48	0.13	2.99	53
I032492		0.103	0.10	0.35	79	0.13	4.56	50
I032493		0.062	0.07	0.33	58	0.13	3.18	43
I032494		0.008	0.03	0.37	3	<0.05	2.51	6
I032495		0.050	0.08	0.35	54	0.15	2.84	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032496		0.64	<0.005	0.09	1.36	2.7	<0.2	<10	140	0.32	0.09	0.20	0.07	11.85	5.7	17
I032497		0.52	<0.005	0.17	1.86	3.5	<0.2	<10	320	0.44	0.12	0.41	0.06	18.40	11.3	43
I032498		0.62	<0.005	0.04	1.49	4.7	<0.2	<10	200	0.31	0.12	0.33	0.07	14.45	8.1	24
I032499		0.50	<0.005	0.09	1.25	3.7	<0.2	<10	200	0.24	0.13	0.47	0.12	15.35	6.4	20
I032500		0.50	<0.005	0.08	1.56	4.0	<0.2	<10	250	0.36	0.15	0.59	0.09	18.25	7.8	24
I033143		0.64	<0.005	0.04	2.98	10.8	<0.2	<10	200	0.50	0.16	0.29	0.14	25.1	15.3	43
I314651		0.72	<0.005	0.01	0.91	1.4	<0.2	<10	110	0.24	0.02	0.24	0.01	21.9	6.7	10
I314652		0.50	<0.005	0.04	1.60	7.2	<0.2	<10	230	0.52	0.21	0.37	0.04	26.7	7.7	29
I314653		0.64	<0.005	0.03	1.57	6.6	<0.2	<10	280	0.42	0.14	0.37	0.05	21.9	6.8	27
I314654		0.72	<0.005	0.07	1.71	7.7	<0.2	<10	330	0.47	0.18	0.60	0.09	25.0	9.8	27
I314655		0.78	<0.005	0.05	1.79	8.4	<0.2	<10	280	0.53	0.18	0.71	0.08	24.7	10.4	28
I314656		0.92	<0.005	0.06	1.54	9.4	<0.2	<10	320	0.45	0.16	0.49	0.07	25.4	8.8	28
I314657		0.86	<0.005	0.05	1.50	9.7	<0.2	<10	260	0.39	0.17	0.59	0.11	26.0	10.5	28
I314658		0.72	<0.005	0.03	1.42	8.9	<0.2	<10	250	0.38	0.16	0.47	0.06	23.6	8.9	25
I314659		0.50	<0.005	0.06	1.35	6.8	<0.2	<10	260	0.40	0.14	0.51	0.06	22.6	7.3	23
I314660		0.66	<0.005	0.08	1.43	11.7	<0.2	<10	260	0.50	0.18	0.54	0.08	26.5	8.3	28
I314661		0.38	<0.005	0.01	0.08	1.6	<0.2	<10	20	0.07	0.02	0.05	0.04	9.14	2.1	2
I314662		0.54	0.008	0.22	1.84	13.8	<0.2	<10	350	0.66	0.29	0.70	0.32	38.0	13.4	39
I314663		0.68	<0.005	0.10	1.50	11.3	<0.2	<10	350	0.48	0.18	1.00	0.14	27.3	10.7	29
I314664		0.60	<0.005	0.22	2.34	20.8	<0.2	<10	470	0.96	0.42	0.57	0.28	50.5	16.1	51
I314665		0.56	<0.005	0.28	2.16	17.7	<0.2	<10	400	0.90	0.37	0.63	0.32	47.0	17.6	48
I314666		0.84	<0.005	0.15	1.64	12.2	<0.2	<10	310	0.61	0.26	0.54	0.19	33.3	11.8	38
I314667		0.84	<0.005	0.10	1.33	19.9	<0.2	<10	250	0.57	0.17	0.49	0.14	29.4	8.5	23
I314668		0.72	<0.005	0.05	1.93	10.4	<0.2	<10	290	0.49	0.22	0.15	0.15	19.85	13.6	31
I314669		0.60	<0.005	0.04	1.71	8.0	<0.2	<10	280	0.43	0.17	0.21	0.07	20.8	9.7	31
I314670		0.36	<0.005	0.02	0.10	1.8	<0.2	<10	20	0.08	0.03	0.06	0.03	12.20	2.3	3
I314671		0.60	<0.005	0.05	1.42	6.7	<0.2	<10	310	0.27	0.17	0.25	0.10	16.15	7.2	24
I314672		0.64	<0.005	0.05	1.34	6.8	<0.2	<10	280	0.24	0.15	0.26	0.09	16.10	6.7	25
I314673		0.56	<0.005	0.09	1.18	3.9	<0.2	<10	350	0.37	0.26	0.28	0.11	16.50	10.5	18
I314674		0.72	<0.005	0.07	1.91	2.9	<0.2	<10	320	1.09	0.16	0.67	0.08	47.1	12.2	68
I315451		0.48	<0.005	0.16	1.98	5.2	<0.2	<10	170	0.25	1.13	0.28	0.25	21.1	40.6	36
I315452		0.52	<0.005	0.07	1.54	7.7	<0.2	<10	140	0.28	0.83	0.39	0.27	20.7	11.2	28
I315453		0.54	<0.005	1.94	2.01	6.3	<0.2	<10	250	0.37	0.89	0.54	0.53	39.2	34.3	40
I315454		0.70	0.006	0.15	2.22	20.1	<0.2	<10	150	0.40	0.89	0.30	0.13	32.0	7.8	32
I315455		0.50	<0.005	0.23	2.12	11.1	<0.2	<10	200	0.37	0.56	0.32	0.17	33.2	13.8	32
I315456		0.46	NSS	0.24	1.98	8.2	<0.2	<10	280	0.62	0.45	0.55	0.50	87.2	6.9	24
I315457		0.60	<0.005	0.04	2.62	5.6	<0.2	<10	190	0.85	0.69	0.19	0.24	57.5	7.2	38
I315458		0.50	<0.005	0.31	2.46	4.5	<0.2	<10	300	0.43	0.44	0.58	0.37	23.5	18.4	33
I315459		0.50	0.008	0.17	2.23	7.6	<0.2	<10	230	0.47	0.34	0.66	0.20	24.4	11.1	34
I315460		0.40	0.010	0.32	3.17	41.9	<0.2	<10	310	0.53	0.46	0.51	0.25	20.3	22.7	141



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032496		0.33	9.9	2.27	6.31	<0.05	<0.02	<0.01	0.017	0.05	6.2	8.4	0.44	202	0.63
I032497		0.71	16.9	3.23	6.99	0.05	0.06	0.01	0.027	0.09	8.1	11.4	0.63	602	1.31
I032498		0.43	23.9	2.79	6.43	0.05	0.08	0.01	0.023	0.07	7.1	10.6	0.52	229	1.06
I032499		0.45	16.3	2.19	5.38	0.05	0.04	0.01	0.017	0.08	8.0	7.2	0.42	281	1.10
I032500		0.46	19.1	2.39	5.63	0.05	0.06	0.03	0.021	0.08	9.7	9.4	0.55	380	0.97
I033143		1.16	30.0	3.61	7.99	0.07	0.10	0.02	0.036	0.06	9.4	14.1	0.72	419	1.26
I314651		0.62	5.1	1.68	5.27	0.05	0.03	<0.01	0.018	0.02	11.1	6.5	0.47	189	0.12
I314652		0.44	26.7	2.53	5.31	0.06	0.16	0.02	0.025	0.06	14.4	9.3	0.47	210	0.40
I314653		0.42	20.9	2.25	5.29	<0.05	0.10	0.01	0.022	0.04	11.5	9.3	0.44	138	0.42
I314654		0.51	25.1	2.71	6.11	0.06	0.13	0.02	0.028	0.05	13.5	11.1	0.51	306	0.71
I314655		0.62	33.3	2.92	5.93	0.08	0.36	0.03	0.030	0.07	14.5	12.1	0.62	287	0.41
I314656		0.57	24.1	2.62	5.02	0.06	0.22	0.02	0.023	0.05	13.3	11.6	0.50	220	0.87
I314657		0.53	26.0	2.66	5.34	0.06	0.12	0.03	0.023	0.06	13.7	11.4	0.55	347	0.89
I314658		0.50	21.1	2.41	5.10	0.06	0.24	0.02	0.021	0.05	12.4	10.4	0.49	243	0.92
I314659		0.48	23.9	2.16	4.69	0.06	0.21	0.02	0.020	0.04	12.8	9.9	0.44	206	0.64
I314660		0.95	30.9	2.55	5.10	0.07	0.15	0.03	0.024	0.08	15.5	11.4	0.55	251	0.71
I314661		0.07	1.5	0.51	0.48	<0.05	0.05	0.01	<0.005	0.02	4.7	1.1	0.03	151	0.26
I314662		1.29	40.3	3.35	6.46	0.08	0.07	0.06	0.030	0.15	19.8	14.9	0.67	486	1.33
I314663		0.54	33.2	2.62	4.98	0.07	0.16	0.03	0.023	0.06	15.0	11.2	0.56	442	0.73
I314664		2.27	60.3	4.39	8.31	0.11	0.18	0.09	0.041	0.23	28.7	23.9	0.92	503	1.34
I314665		1.73	50.8	3.91	7.72	0.09	0.11	0.08	0.038	0.19	25.0	19.8	0.82	586	1.35
I314666		1.21	41.6	3.17	5.96	0.08	0.11	0.05	0.029	0.13	18.1	15.1	0.70	413	1.00
I314667		0.58	25.9	2.47	4.76	0.06	0.10	0.03	0.023	0.05	15.9	10.0	0.43	295	0.75
I314668		0.83	14.6	2.82	6.64	0.05	<0.02	0.01	0.030	0.05	10.1	11.6	0.42	411	1.05
I314669		0.72	14.6	2.55	5.80	0.05	0.10	0.01	0.024	0.04	10.1	11.4	0.42	314	0.96
I314670		0.08	2.0	0.61	0.55	<0.05	0.05	0.01	<0.005	0.03	6.4	1.2	0.04	142	0.26
I314671		0.53	10.6	2.09	5.38	<0.05	<0.02	0.01	0.019	0.03	8.4	9.4	0.33	419	0.82
I314672		0.50	11.4	2.03	4.69	<0.05	0.02	<0.01	0.018	0.03	8.5	9.6	0.34	306	0.75
I314673		0.53	9.0	1.61	4.93	<0.05	0.02	0.01	0.019	0.07	9.0	7.5	0.25	491	0.79
I314674		0.22	15.6	2.88	7.43	0.07	0.08	0.02	0.026	0.19	21.4	14.5	0.86	750	0.59
I315451		2.11	40.5	3.03	7.24	0.07	0.03	0.09	0.029	0.09	11.4	9.5	0.62	2070	0.87
I315452		2.06	43.2	2.52	4.77	0.06	0.03	0.04	0.024	0.17	11.6	8.8	0.54	854	0.77
I315453		1.53	104.0	3.69	6.70	0.09	0.05	0.22	0.036	0.11	18.3	10.6	0.53	2080	4.92
I315454		2.07	42.0	3.00	6.89	0.08	0.06	0.08	0.036	0.09	17.4	13.2	0.52	357	1.63
I315455		2.07	30.2	2.87	7.28	0.07	0.04	0.12	0.034	0.07	18.2	9.9	0.44	1220	2.23
I315456		2.13	38.6	2.16	6.60	0.14	0.08	0.20	0.031	0.08	54.6	10.0	0.36	628	1.45
I315457		3.16	45.8	3.02	8.40	0.10	0.12	0.07	0.041	0.11	36.1	12.6	0.47	447	1.61
I315458		3.83	63.9	2.85	7.67	0.07	0.04	0.08	0.030	0.12	12.9	11.0	0.61	1440	2.32
I315459		2.77	71.5	2.40	6.57	0.08	0.05	0.06	0.029	0.14	13.3	11.5	0.63	408	2.39
I315460		9.51	94.4	3.30	9.22	0.13	0.03	0.05	0.032	0.58	10.0	17.5	1.54	592	3.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032496		0.73	9.8	370	6.8	4.1	<0.001	0.01	0.21	2.0	<0.2	0.5	18.4	<0.01	0.01
I032497		1.04	17.5	410	5.9	7.8	<0.001	0.01	0.26	6.4	0.3	0.5	26.7	<0.01	0.02
I032498		0.83	16.4	340	6.0	7.5	<0.001	0.01	0.29	4.1	0.4	0.4	25.4	<0.01	0.02
I032499		1.07	14.8	280	6.3	11.2	<0.001	0.01	0.28	3.5	0.5	0.4	33.5	<0.01	0.02
I032500		1.08	16.3	460	7.0	9.1	<0.001	0.01	0.34	4.0	0.5	0.4	39.2	<0.01	0.01
I033143		2.12	34.2	210	12.0	9.7	<0.001	0.01	0.47	6.6	0.5	0.7	28.1	0.01	0.03
I314651		0.35	5.6	400	1.5	4.2	<0.001	<0.01	0.09	6.2	0.3	0.4	16.0	<0.01	0.01
I314652		0.81	18.5	290	7.5	7.0	<0.001	<0.01	0.42	6.5	0.4	0.5	25.4	<0.01	0.02
I314653		1.34	17.2	230	6.7	5.9	<0.001	0.01	0.38	5.0	0.4	0.5	29.1	<0.01	0.02
I314654		1.47	22.5	410	8.7	7.5	<0.001	0.01	0.50	6.0	0.6	0.6	43.4	<0.01	0.03
I314655		1.08	23.6	460	9.0	9.5	<0.001	0.01	0.57	6.4	0.6	0.6	43.7	<0.01	0.03
I314656		1.20	22.2	440	8.6	6.8	<0.001	<0.01	0.52	4.9	0.7	0.5	31.6	<0.01	0.03
I314657		1.53	24.1	570	8.5	7.7	<0.001	0.01	0.56	5.2	0.7	0.5	37.2	<0.01	0.02
I314658		1.40	19.5	460	8.0	6.6	<0.001	<0.01	0.50	4.7	0.6	0.5	33.2	<0.01	0.03
I314659		1.25	19.2	500	7.1	6.4	<0.001	0.01	0.45	4.6	0.6	0.4	34.1	<0.01	0.02
I314660		1.32	24.5	620	9.1	9.9	<0.001	0.01	0.61	5.1	0.5	0.5	35.0	<0.01	0.02
I314661		0.14	3.4	110	1.3	1.5	<0.001	<0.01	0.10	0.6	<0.2	<0.2	4.9	<0.01	0.01
I314662		1.63	35.5	730	13.7	15.9	<0.001	0.02	1.04	5.9	1.0	0.6	46.0	<0.01	0.04
I314663		1.51	26.9	640	8.9	7.2	<0.001	0.02	0.74	4.8	1.3	0.4	52.6	<0.01	0.02
I314664		1.73	52.8	560	19.2	22.0	<0.001	0.01	1.34	7.6	1.4	0.8	44.5	0.01	0.04
I314665		1.83	45.8	550	17.6	18.3	<0.001	0.01	1.26	7.0	1.4	0.7	46.2	<0.01	0.04
I314666		1.42	37.5	720	11.5	13.5	<0.001	0.01	0.91	6.0	0.8	0.6	37.7	<0.01	0.03
I314667		1.31	19.3	520	12.4	7.2	<0.001	0.01	0.46	4.3	0.9	0.4	31.4	<0.01	0.02
I314668		1.22	20.9	600	9.9	9.5	<0.001	0.01	0.42	3.3	0.3	0.6	17.7	<0.01	0.03
I314669		1.49	20.3	160	8.8	8.4	<0.001	<0.01	0.42	4.0	0.3	0.6	22.6	<0.01	0.02
I314670		0.17	3.8	130	1.6	1.7	<0.001	0.01	0.24	0.6	<0.2	<0.2	5.6	<0.01	0.02
I314671		1.34	14.0	260	7.6	5.2	<0.001	0.01	0.37	2.8	0.2	0.6	24.3	<0.01	0.02
I314672		1.34	13.9	210	7.5	5.5	<0.001	0.01	0.37	2.7	0.3	0.5	24.7	<0.01	0.02
I314673		1.43	11.8	720	9.7	9.5	<0.001	0.02	0.26	2.4	0.3	0.7	29.8	<0.01	0.01
I314674		0.54	19.5	410	10.7	8.7	<0.001	0.01	0.23	6.9	0.6	0.5	40.7	<0.01	0.01
I315451		1.40	16.5	650	11.2	14.4	<0.001	0.05	0.26	5.5	0.6	0.7	23.4	<0.01	0.03
I315452		0.82	12.5	910	5.4	20.9	<0.001	0.03	0.34	5.9	0.5	0.6	20.5	<0.01	0.01
I315453		0.71	17.9	1180	6.6	16.4	<0.001	0.12	0.41	6.9	1.3	0.6	47.4	0.01	0.03
I315454		2.90	16.8	580	10.1	22.5	<0.001	0.02	0.78	5.1	0.6	1.0	24.8	<0.01	0.06
I315455		2.09	16.0	760	11.4	17.2	<0.001	0.06	0.40	4.8	0.8	1.0	30.1	<0.01	0.03
I315456		2.49	15.8	830	10.1	24.4	<0.001	0.08	0.41	5.0	1.5	0.9	50.0	0.01	0.03
I315457		2.94	16.4	340	13.8	29.2	<0.001	0.02	0.28	6.1	0.8	1.4	17.8	0.01	0.05
I315458		1.29	18.9	1130	7.9	30.9	<0.001	0.10	0.26	5.5	0.9	0.8	57.3	<0.01	0.04
I315459		1.53	20.4	1120	6.6	24.1	<0.001	0.06	0.39	5.2	0.9	0.7	45.4	<0.01	0.03
I315460		1.52	61.0	490	5.3	69.2	<0.001	0.04	2.75	9.2	0.7	0.8	30.5	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032496		0.031	0.04	0.33	47	0.12	1.70	74	<0.5
I032497		0.066	0.08	0.35	72	0.14	4.26	60	2.2
I032498		0.041	0.05	0.47	55	0.12	4.15	52	2.8
I032499		0.048	0.05	0.56	46	0.13	3.81	40	1.7
I032500		0.055	0.05	1.07	44	0.13	5.35	46	2.1
I033143		0.135	0.11	1.07	79	0.17	5.30	60	3.9
I314651		0.043	0.02	0.46	24	<0.05	7.99	45	1.3
I314652		0.074	0.05	1.06	49	0.09	9.10	40	6.9
I314653		0.074	0.05	0.66	50	0.14	5.55	36	4.2
I314654		0.083	0.06	1.61	55	0.15	9.12	48	5.4
I314655		0.113	0.07	1.20	57	0.15	11.80	58	15.8
I314656		0.072	0.06	0.80	54	0.22	8.80	44	8.9
I314657		0.079	0.06	0.94	53	0.28	8.88	48	4.7
I314658		0.080	0.05	0.73	49	0.14	7.35	41	9.1
I314659		0.073	0.06	1.01	42	0.60	8.19	38	8.1
I314660		0.076	0.08	0.67	46	0.16	10.40	57	6.9
I314661		0.007	0.03	0.25	2	<0.05	2.01	5	1.7
I314662		0.061	0.11	1.96	57	0.23	12.30	86	2.7
I314663		0.074	0.06	3.15	51	0.25	11.00	57	6.2
I314664		0.057	0.18	2.37	67	0.25	16.55	128	7.1
I314665		0.052	0.14	2.03	64	0.24	15.30	112	4.2
I314666		0.061	0.12	0.99	55	0.27	11.65	85	4.4
I314667		0.058	0.06	3.28	42	0.17	9.81	52	3.8
I314668		0.054	0.09	0.49	60	0.21	3.15	66	0.5
I314669		0.064	0.09	0.49	57	0.18	2.76	42	4.3
I314670		0.005	0.03	0.34	1	<0.05	2.27	4	1.9
I314671		0.053	0.09	0.33	53	0.21	2.31	52	0.7
I314672		0.052	0.08	0.36	49	0.22	2.26	48	0.8
I314673		0.046	0.08	0.38	35	0.24	2.14	64	0.7
I314674		0.011	0.04	0.71	50	0.98	9.19	61	1.9
I315451		0.125	0.23	2.72	84	0.86	8.46	69	1.0
I315452		0.096	0.20	1.92	65	1.99	8.08	60	0.8
I315453		0.078	0.25	4.34	94	6.68	16.65	55	1.0
I315454		0.125	0.29	4.16	58	2.25	8.66	69	2.2
I315455		0.097	0.25	5.71	63	1.16	9.62	65	1.3
I315456		0.071	0.25	11.55	44	3.55	32.2	63	1.6
I315457		0.115	0.40	8.57	61	1.49	19.15	70	3.4
I315458		0.095	0.32	5.36	74	3.02	9.58	81	1.1
I315459		0.102	0.25	4.16	70	3.03	10.00	65	1.5
I315460		0.169	0.71	1.29	102	5.04	6.57	73	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I315461		0.56	0.011	0.19	2.11	71.8	<0.2	<10	190	0.45	0.45	0.44	0.15	39.9	18.2	51
I315462		0.44	<0.005	0.09	1.71	20.4	<0.2	<10	130	0.32	0.29	0.34	0.11	21.1	16.9	52
I315463		0.20	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.04	0.08	0.04	11.35	2.2	3
I315464		0.46	<0.005	0.08	1.74	3.5	<0.2	<10	120	0.17	0.25	0.33	0.11	16.35	8.2	60
I315465		0.44	<0.005	0.11	1.52	2.9	<0.2	<10	160	0.23	0.26	0.43	0.19	20.0	5.8	44
I315466		0.50	<0.005	0.16	2.08	6.8	<0.2	<10	200	0.45	0.31	0.39	0.11	34.3	13.9	60
I315467		0.60	<0.005	0.12	2.05	7.6	<0.2	<10	180	0.58	0.34	0.33	0.18	39.7	13.8	48
I315468		0.50	<0.005	0.05	1.08	5.6	<0.2	<10	60	0.17	0.32	0.11	0.11	10.95	4.7	26
I315469		0.42	<0.005	0.19	1.43	5.4	<0.2	<10	150	0.60	0.41	0.56	0.55	61.0	15.9	32
I315470		0.30	<0.005	0.08	0.46	1.9	<0.2	<10	50	0.09	0.15	0.10	0.23	6.39	2.2	16
I315471		0.52	<0.005	0.07	1.16	7.5	<0.2	<10	140	0.29	0.23	0.17	0.20	14.80	5.3	29
I315472		0.62	<0.005	0.06	1.84	10.7	<0.2	<10	250	0.74	0.14	0.37	0.32	28.1	12.6	57
I315473		0.14	<0.005	0.01	0.12	1.6	<0.2	<10	30	0.08	0.02	0.09	0.04	10.55	2.2	3
I315474		0.54	<0.005	0.17	1.43	3.3	<0.2	<10	140	0.40	0.34	0.19	0.17	48.6	9.8	30
I315475		0.48	<0.005	0.10	1.19	3.8	<0.2	<10	50	0.39	0.48	0.12	0.10	33.3	6.2	26
I315476		0.54	<0.005	0.09	1.77	7.6	<0.2	<10	280	0.39	0.18	0.20	0.20	17.50	9.8	43
I315477		0.58	<0.005	0.20	1.13	14.9	<0.2	<10	150	0.19	0.63	0.13	0.23	22.3	4.4	19
I315478		0.46	<0.005	0.05	1.60	6.5	<0.2	<10	220	0.28	0.18	0.16	0.19	13.35	13.4	71
I315479		0.44	<0.005	0.07	0.71	2.2	<0.2	<10	90	0.12	0.28	0.13	0.10	22.2	2.7	13
I315480		0.56	<0.005	0.03	1.82	6.6	<0.2	<10	150	0.33	0.17	0.20	0.17	23.1	9.5	30
I315481		0.64	<0.005	0.04	1.84	9.3	<0.2	<10	180	0.22	0.16	0.21	0.17	21.1	11.2	65
I315482		0.54	<0.005	0.03	2.18	8.5	<0.2	<10	200	0.42	0.23	0.16	0.14	27.3	12.6	46
I315483		0.46	<0.005	0.11	1.26	4.1	<0.2	<10	240	0.27	0.15	0.23	0.18	20.9	6.6	29
I315484		0.42	<0.005	0.16	1.20	2.2	<0.2	<10	340	0.20	0.13	0.34	0.26	14.35	10.2	75
I315485		0.44	<0.005	0.51	1.56	3.0	<0.2	<10	470	0.32	0.14	0.38	0.21	21.6	15.9	68
I315486		0.38	<0.005	0.46	1.49	2.6	<0.2	<10	450	0.32	0.12	0.37	0.19	21.3	14.6	64
I315487		0.46	<0.005	0.19	1.89	3.4	<0.2	<10	360	0.18	0.12	0.27	0.15	9.81	15.9	46
I315488		0.50	<0.005	0.56	1.98	3.6	<0.2	<10	550	0.27	0.10	0.43	0.06	14.55	17.1	96
I315489		0.44	<0.005	0.62	1.15	3.2	<0.2	<10	370	0.23	0.15	0.24	0.21	20.0	8.4	44
I315490		0.36	<0.005	1.18	2.10	4.7	<0.2	<10	800	0.88	0.18	0.67	0.25	38.6	16.1	62
I315491		0.52	<0.005	0.09	2.24	4.2	<0.2	<10	410	0.30	0.11	0.50	0.13	15.35	19.0	180
I315492		0.64	<0.005	0.16	2.15	5.8	<0.2	<10	520	0.40	0.12	0.46	0.11	20.3	15.9	110
I315493		0.38	<0.005	0.38	1.54	2.8	<0.2	<10	440	0.29	0.16	0.72	0.22	12.35	18.4	55
I315494		0.58	<0.005	0.28	1.88	8.4	<0.2	<10	230	0.49	0.20	0.33	0.21	32.3	11.3	42
I315495		0.48	<0.005	0.29	1.95	3.6	<0.2	<10	400	0.41	0.24	0.50	0.76	29.9	17.0	33
I315496		0.70	<0.005	0.04	1.54	6.8	<0.2	<10	250	0.32	0.15	0.53	0.12	24.6	10.5	30
I315497		0.72	<0.005	0.12	1.52	10.2	<0.2	<10	330	0.46	0.17	0.74	0.17	30.7	10.0	30
I315498		0.58	<0.005	0.11	1.71	13.5	<0.2	<10	350	0.56	0.24	0.61	0.20	47.6	12.4	40
I315499		0.70	<0.005	0.13	1.92	15.6	<0.2	<10	370	0.71	0.29	0.52	0.19	53.9	13.5	43
I315500		0.58	<0.005	0.08	1.09	9.7	<0.2	<10	100	0.19	0.19	0.18	0.26	13.50	4.7	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315461		2.58	52.8	2.68	7.21	0.08	0.04	0.07	0.030	0.09	22.3	11.9	0.62	873	12.65
I315462		2.02	32.7	2.39	6.79	0.06	0.03	0.05	0.022	0.10	11.5	10.6	0.61	586	36.2
I315463		0.09	1.9	0.65	0.56	<0.05	0.07	0.01	<0.005	0.04	5.8	1.2	0.04	160	0.29
I315464		2.32	26.4	2.00	7.74	0.06	0.03	0.05	0.021	0.08	9.0	10.0	0.65	175	13.00
I315465		2.01	28.3	1.65	6.67	0.05	0.03	0.07	0.020	0.07	11.8	8.2	0.54	152	12.20
I315466		2.53	56.0	2.51	7.62	0.08	0.04	0.05	0.028	0.11	18.4	12.0	0.69	590	35.1
I315467		2.65	77.9	2.68	7.10	0.11	0.05	0.07	0.031	0.16	23.6	12.4	0.62	344	37.8
I315468		1.57	25.9	2.11	7.62	<0.05	0.04	0.05	0.020	0.06	5.5	5.4	0.28	157	23.4
I315469		3.79	175.0	2.15	5.66	0.12	0.05	0.08	0.028	0.11	38.4	6.7	0.39	579	38.2
I315470		0.65	23.0	1.11	3.25	<0.05	<0.02	0.06	0.013	0.04	3.4	1.1	0.10	77	3.82
I315471		1.38	24.6	2.90	9.70	0.05	0.03	0.04	0.023	0.08	7.5	9.4	0.28	212	17.10
I315472		4.60	120.0	3.36	6.52	0.13	0.06	0.06	0.028	0.36	14.9	11.8	0.80	390	78.0
I315473		0.09	1.8	0.71	0.54	<0.05	0.07	0.01	<0.005	0.04	5.5	1.2	0.04	165	0.48
I315474		4.29	20.9	2.96	5.45	0.08	0.03	0.02	0.016	0.14	25.5	16.1	0.82	192	1.59
I315475		3.00	11.4	2.66	7.62	0.05	0.03	0.03	0.019	0.09	17.6	11.8	0.44	206	1.11
I315476		1.87	13.4	2.97	7.02	0.05	0.03	0.04	0.024	0.10	8.9	17.9	0.62	254	1.12
I315477		1.11	16.2	2.63	5.92	0.05	<0.02	0.03	0.019	0.07	13.5	6.7	0.21	112	2.75
I315478		1.76	15.7	2.81	6.72	<0.05	0.03	0.02	0.020	0.07	6.8	16.1	0.69	313	1.11
I315479		1.28	7.7	1.41	5.33	<0.05	<0.02	0.03	0.011	0.04	12.8	3.1	0.12	125	0.90
I315480		1.63	16.5	2.63	5.81	0.05	0.03	0.02	0.024	0.06	11.8	13.2	0.51	310	0.80
I315481		2.11	14.5	3.71	7.13	0.06	0.03	0.03	0.022	0.06	11.2	19.1	0.75	273	1.00
I315482		2.35	24.3	3.12	5.98	0.05	0.03	0.06	0.029	0.06	13.5	16.2	0.67	349	0.97
I315483		0.99	16.1	1.92	4.97	0.05	0.02	0.02	0.016	0.07	11.8	8.3	0.45	189	0.82
I315484		1.77	18.4	1.89	5.94	<0.05	<0.02	0.03	0.012	0.11	8.4	6.4	0.71	584	1.36
I315485		1.94	44.5	2.59	6.92	0.06	0.02	0.03	0.016	0.11	11.9	13.5	0.86	855	1.09
I315486		1.85	40.4	2.46	6.58	0.06	0.02	0.02	0.018	0.10	11.8	12.9	0.83	746	1.06
I315487		1.74	66.5	3.24	8.69	0.06	0.03	0.02	0.016	0.15	5.0	18.5	1.14	262	0.98
I315488		1.71	61.3	3.22	8.52	0.07	0.04	0.02	0.016	0.21	7.5	16.9	1.37	469	0.64
I315489		1.07	23.3	2.14	6.22	0.05	0.02	0.02	0.016	0.14	10.2	7.8	0.53	326	0.73
I315490		2.59	76.9	3.20	7.69	0.12	0.05	0.08	0.034	0.10	27.5	19.3	0.71	1500	0.77
I315491		4.18	50.6	3.39	9.06	0.09	0.05	0.01	0.019	0.32	8.4	26.8	1.64	323	0.41
I315492		2.23	27.6	3.33	9.75	0.08	0.06	0.01	0.019	0.29	9.5	21.2	1.42	254	0.90
I315493		1.41	23.4	2.64	6.40	0.06	0.03	0.01	0.021	0.27	5.2	13.0	0.72	1200	1.53
I315494		1.27	47.2	3.12	6.77	0.08	0.06	0.01	0.030	0.27	13.7	15.3	0.89	337	2.14
I315495		1.16	46.5	3.09	6.19	0.07	0.04	0.02	0.026	0.21	13.6	11.8	0.76	746	3.09
I315496		0.52	23.8	2.38	4.91	0.05	0.06	0.02	0.019	0.05	10.2	9.6	0.49	402	0.79
I315497		0.65	34.6	2.60	4.69	0.07	0.07	0.04	0.021	0.05	14.6	11.1	0.50	474	0.92
I315498		1.45	40.0	3.23	5.56	0.09	0.10	0.05	0.026	0.13	23.6	14.7	0.71	582	1.01
I315499		2.05	45.8	3.61	6.58	0.11	0.10	0.05	0.031	0.19	28.0	18.2	0.80	518	1.05
I315500		0.61	14.4	1.75	4.53	<0.05	<0.02	0.03	0.011	0.04	7.0	5.8	0.23	213	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315461		1.44	26.2	650	8.8	22.6	<0.001	0.05	2.52	4.5	0.9	0.7	34.8	<0.01	0.05
I315462		1.53	23.1	590	6.8	20.0	<0.001	0.04	0.56	3.5	0.6	0.7	31.7	<0.01	0.03
I315463		0.15	4.1	120	1.6	2.0	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315464		1.53	24.3	460	6.2	19.0	<0.001	0.05	0.15	3.9	0.6	0.7	28.9	<0.01	0.02
I315465		1.40	21.9	540	5.8	17.2	<0.001	0.06	0.16	3.6	0.8	0.6	33.7	<0.01	0.02
I315466		1.63	32.7	690	6.1	24.8	<0.001	0.06	0.21	4.8	1.1	0.7	30.3	<0.01	0.04
I315467		1.63	37.5	850	5.4	26.1	<0.001	0.03	0.24	5.3	1.4	0.7	23.8	<0.01	0.07
I315468		1.90	14.7	250	6.0	9.2	<0.001	0.02	0.30	2.9	0.6	0.8	11.4	<0.01	0.05
I315469		1.08	37.3	730	5.0	19.6	0.002	0.11	0.36	3.0	2.1	0.7	40.2	0.01	0.08
I315470		0.46	7.3	600	3.0	6.9	<0.001	0.06	0.24	0.7	0.7	0.4	11.4	<0.01	0.03
I315471		2.18	13.9	360	8.6	16.0	<0.001	0.04	0.46	2.7	0.5	0.9	16.7	<0.01	0.04
I315472		1.53	33.7	840	5.4	36.1	<0.001	0.08	0.25	6.1	1.4	0.6	30.5	<0.01	0.04
I315473		0.15	3.7	130	1.6	2.2	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.6	<0.01	<0.01
I315474		2.12	36.6	340	41.9	28.6	0.001	0.03	0.24	2.5	0.8	0.5	14.4	<0.01	0.02
I315475		2.13	18.8	380	24.7	24.1	<0.001	0.02	0.23	2.3	0.5	1.1	12.9	<0.01	0.03
I315476		1.49	22.4	470	21.0	16.7	<0.001	0.03	0.31	3.2	0.6	0.7	16.8	<0.01	0.02
I315477		0.92	10.1	380	42.3	9.8	<0.001	0.13	0.57	1.7	0.6	0.5	22.6	<0.01	0.03
I315478		1.35	30.7	340	7.8	16.9	<0.001	0.02	0.32	3.0	0.4	0.6	15.4	<0.01	0.03
I315479		1.37	6.2	190	11.5	13.6	<0.001	0.02	0.21	1.4	0.3	0.7	14.3	<0.01	0.02
I315480		1.66	22.4	400	14.8	12.2	<0.001	0.02	0.31	3.0	0.6	0.5	28.8	<0.01	0.02
I315481		1.72	30.4	390	9.7	12.6	<0.001	0.02	0.38	3.3	0.5	0.5	24.6	<0.01	0.02
I315482		1.56	29.5	350	14.1	14.0	<0.001	0.02	0.40	3.6	0.6	0.5	16.1	<0.01	0.02
I315483		1.27	16.9	390	10.5	15.8	<0.001	0.02	0.25	2.8	0.4	0.5	18.4	<0.01	0.01
I315484		1.10	34.1	470	7.5	25.5	<0.001	0.04	0.16	2.1	0.4	0.5	22.1	<0.01	0.02
I315485		0.97	34.9	610	8.3	35.8	<0.001	0.04	0.21	3.6	0.4	0.5	27.8	0.02	0.02
I315486		0.93	32.9	610	7.5	33.1	<0.001	0.04	0.19	3.4	0.4	0.5	26.8	0.01	0.02
I315487		1.21	27.8	360	5.6	25.5	<0.001	0.02	0.19	3.6	0.3	0.5	23.0	0.01	0.02
I315488		1.42	37.6	440	5.2	39.7	<0.001	0.01	0.18	3.8	0.3	0.6	26.7	0.01	0.02
I315489		1.16	20.6	430	7.9	31.3	<0.001	0.02	0.23	2.9	0.3	0.5	18.7	0.01	0.02
I315490		1.26	32.1	540	7.6	23.9	0.001	0.03	0.36	8.4	1.1	0.5	43.5	0.02	0.03
I315491		1.41	53.9	260	6.3	56.8	<0.001	0.01	0.19	5.0	0.2	0.6	29.5	0.01	0.02
I315492		1.44	41.0	460	7.2	35.1	<0.001	0.01	0.29	3.7	0.3	0.7	33.6	0.01	0.01
I315493		1.06	33.1	490	7.6	21.6	<0.001	0.03	0.27	3.1	0.4	0.5	40.0	0.01	0.03
I315494		1.36	38.8	500	11.7	24.7	<0.001	0.10	0.36	5.2	1.0	0.6	33.9	0.01	0.04
I315495		1.26	29.4	710	11.4	23.4	<0.001	0.09	0.29	4.0	1.0	0.6	36.1	<0.01	0.04
I315496		1.45	20.1	500	6.9	6.7	<0.001	0.02	0.47	4.5	0.4	0.5	34.3	<0.01	0.02
I315497		1.43	27.9	810	7.5	7.3	0.001	0.03	0.71	4.9	1.2	0.5	47.1	<0.01	0.03
I315498		1.58	36.2	570	11.2	14.4	<0.001	0.03	0.93	5.7	0.7	0.6	39.4	<0.01	0.03
I315499		1.55	41.6	570	12.8	20.6	<0.001	0.02	1.07	6.3	0.8	0.7	36.9	<0.01	0.04
I315500		0.38	15.2	470	7.9	6.4	<0.001	0.03	0.39	0.5	0.5	0.5	15.7	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315461		0.103	0.21	2.78	69	2.78	10.85	61	1.2
I315462		0.113	0.18	1.09	69	1.81	4.49	62	1.1
I315463		0.007	0.03	0.33	4	<0.05	2.03	5	2.3
I315464		0.129	0.17	0.83	50	4.19	3.88	62	1.2
I315465		0.109	0.14	1.16	42	1.92	5.35	56	1.2
I315466		0.125	0.24	2.06	77	0.86	8.63	66	1.3
I315467		0.124	0.23	2.39	82	6.59	13.60	63	1.6
I315468		0.128	0.12	0.55	80	0.96	2.24	30	1.4
I315469		0.073	0.28	2.62	61	2.85	17.70	59	1.0
I315470		0.038	0.06	0.60	44	0.19	1.58	18	<0.5
I315471		0.137	0.11	0.51	104	0.47	2.30	46	1.3
I315472		0.160	0.41	1.43	113	2.06	6.87	80	2.2
I315473		0.007	0.03	0.31	4	<0.05	2.16	5	2.5
I315474		0.117	0.26	1.89	39	0.16	7.48	51	1.0
I315475		0.115	0.20	1.01	63	0.16	3.88	36	1.0
I315476		0.108	0.15	0.60	72	0.20	2.64	42	1.3
I315477		0.052	0.14	1.30	55	0.19	2.36	44	0.6
I315478		0.123	0.10	0.36	73	0.18	2.16	41	1.2
I315479		0.076	0.11	0.47	47	0.11	1.88	21	0.6
I315480		0.083	0.09	0.80	57	0.14	4.23	49	1.2
I315481		0.126	0.10	0.50	81	0.19	2.84	55	1.3
I315482		0.094	0.15	0.82	63	0.18	3.51	58	1.3
I315483		0.089	0.09	0.79	51	0.14	3.51	36	0.9
I315484		0.114	0.11	0.58	57	0.13	1.97	39	0.5
I315485		0.119	0.17	1.11	66	0.19	6.37	55	0.7
I315486		0.111	0.16	1.08	63	0.15	6.19	49	0.7
I315487		0.192	0.15	0.39	107	0.17	2.27	63	1.1
I315488		0.178	0.22	0.51	95	0.16	4.15	55	1.3
I315489		0.105	0.13	0.47	54	0.20	3.78	41	0.6
I315490		0.094	0.17	2.22	77	0.23	32.4	43	1.5
I315491		0.195	0.23	0.47	103	0.23	5.46	58	2.1
I315492		0.200	0.20	0.66	90	0.21	3.23	46	2.2
I315493		0.101	0.17	0.24	54	0.20	2.67	41	0.9
I315494		0.108	0.19	1.04	77	0.16	5.34	76	2.3
I315495		0.091	0.15	1.18	66	0.12	6.39	94	1.4
I315496		0.088	0.05	0.71	54	0.17	5.26	45	3.2
I315497		0.075	0.06	1.66	53	0.27	11.30	50	3.3
I315498		0.072	0.13	1.06	55	0.21	12.20	81	4.9
I315499		0.076	0.17	1.60	59	0.20	14.45	97	4.9
I315500		0.022	0.07	0.39	34	0.15	2.91	32	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315501		0.42	<0.005	0.18	1.32	4.8	<0.2	<10	80	0.22	0.26	0.12	0.08	20.7	7.4	30
I315502		0.26	<0.005	0.12	1.99	5.3	<0.2	<10	70	0.27	0.27	0.15	0.04	28.0	9.7	46
I315503		0.34	<0.005	0.14	1.88	3.2	<0.2	<10	230	0.40	0.18	1.32	0.18	45.5	8.5	39
I315504		0.42	<0.005	0.16	2.25	5.4	<0.2	<10	300	0.52	0.17	1.02	0.18	66.9	11.4	44
I315505		0.34	<0.005	0.12	1.61	6.9	<0.2	<10	280	0.34	0.16	0.67	0.12	28.2	9.5	33
I315506		0.40	<0.005	0.07	1.90	4.2	<0.2	<10	150	0.20	0.17	0.52	0.13	19.20	8.9	52
I315507		0.44	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.04	0.09	0.04	9.71	2.2	3
I315508		0.44	<0.005	0.12	2.65	6.0	<0.2	<10	240	0.46	0.16	0.32	0.17	34.6	15.9	77
I315509		0.36	<0.005	0.12	1.82	7.2	<0.2	<10	210	0.41	0.16	0.41	0.14	31.9	11.4	34
I315510		0.38	0.014	0.18	1.75	6.8	<0.2	<10	250	0.32	0.18	0.60	0.20	24.8	11.3	31
I315511		0.36	<0.005	0.35	2.13	6.5	<0.2	<10	320	0.36	0.15	0.26	0.23	19.75	14.0	36
I315512		0.40	<0.005	0.12	1.72	5.9	<0.2	<10	190	0.24	0.13	0.14	0.14	14.60	9.1	28
I315513		0.34	<0.005	0.14	1.91	7.6	<0.2	<10	300	0.40	0.17	0.85	0.28	38.9	13.2	33
I315514		0.48	<0.005	0.12	1.70	4.5	<0.2	<10	140	0.26	0.23	0.67	0.16	30.0	11.7	31
I315515		0.34	<0.005	0.47	1.79	6.3	<0.2	<10	200	0.60	0.20	0.46	1.20	30.8	10.6	38
I315516		0.44	<0.005	0.18	1.77	8.7	<0.2	<10	240	0.38	0.16	0.44	0.62	27.0	10.1	32
I315517		0.44	<0.005	0.13	1.78	7.6	<0.2	<10	140	0.29	0.15	0.41	0.24	19.90	8.7	33
I315518		0.36	<0.005	0.54	1.88	6.4	<0.2	<10	220	0.47	0.16	0.75	0.44	26.9	9.3	37
I315519		0.44	<0.005	0.71	1.94	6.2	<0.2	<10	290	0.47	0.17	0.51	1.19	34.0	12.2	67
I315520		0.42	<0.005	0.03	0.11	2.1	<0.2	<10	30	0.10	0.02	0.08	0.05	10.60	2.4	3
I315521		0.44	<0.005	0.17	2.36	3.6	<0.2	<10	230	0.45	0.18	0.41	0.06	58.2	9.9	49
I315522		0.34	<0.005	0.26	2.40	5.3	<0.2	<10	200	0.50	0.21	0.34	0.05	56.8	13.5	37
I315523		0.54	<0.005	0.11	2.21	4.0	<0.2	<10	170	0.38	0.15	0.35	0.07	36.1	10.6	42
I315524		0.40	<0.005	0.26	2.41	7.1	<0.2	<10	260	0.60	0.20	0.42	0.10	63.5	15.6	36
I315525		0.40	<0.005	0.11	1.76	4.1	<0.2	<10	190	0.31	0.16	0.64	0.10	26.3	9.7	30
I315526		0.54	<0.005	0.10	1.77	5.5	<0.2	<10	170	0.33	0.18	0.38	0.05	30.4	7.1	27
I315527		0.50	<0.005	0.09	1.92	6.7	<0.2	<10	210	0.42	0.17	0.49	0.09	42.7	11.1	35
I315528		0.40	<0.005	0.09	1.82	9.9	<0.2	<10	170	0.30	0.20	0.34	0.15	21.5	8.2	40
I315529		0.32	<0.005	0.24	1.70	16.6	<0.2	<10	170	0.22	0.18	0.51	0.30	17.40	8.9	46
I315530		0.34	<0.005	0.32	2.50	23.9	<0.2	<10	230	0.58	0.26	0.43	0.17	53.1	15.6	49
I315531		0.34	<0.005	0.30	2.20	16.2	<0.2	<10	200	0.48	0.32	0.41	0.18	48.9	11.2	38
I315532		0.30	<0.005	0.27	2.14	15.0	<0.2	<10	190	0.47	0.31	0.38	0.15	43.6	10.1	37
I315533		0.32	<0.005	0.26	2.74	24.2	<0.2	<10	230	0.63	1.33	0.51	0.11	45.9	13.9	49
I315534		0.38	<0.005	0.13	0.36	2.1	<0.2	<10	40	0.05	0.14	0.10	0.15	4.05	2.1	10
I315535		0.36	<0.005	0.18	2.18	57.3	<0.2	<10	160	0.69	0.98	0.32	0.21	56.5	10.3	44
I315536		0.34	<0.005	0.11	2.01	10.0	<0.2	<10	200	0.37	0.33	0.44	0.24	27.0	11.2	51
I315537		0.44	<0.005	0.10	2.17	10.9	<0.2	<10	180	0.45	0.41	0.36	0.14	25.9	10.1	48
I315538		0.32	<0.005	0.14	2.72	8.3	<0.2	<10	210	0.70	0.32	0.35	0.14	34.8	12.4	56
I315539		0.30	<0.005	0.15	2.57	11.4	<0.2	<10	170	0.80	0.34	0.32	0.27	30.6	13.3	82
I315540		0.36	<0.005	0.11	1.97	11.8	<0.2	<10	100	0.69	0.57	0.24	0.13	28.8	8.2	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315501		1.50	21.1	2.74	8.25	0.06	0.02	0.08	0.014	0.09	10.2	9.1	0.38	443	0.95
I315502		2.20	16.1	3.32	9.33	0.06	0.03	0.04	0.017	0.10	14.6	16.1	0.77	230	0.92
I315503		1.08	31.0	2.36	5.98	0.09	0.10	0.07	0.021	0.18	27.4	17.8	0.63	212	0.48
I315504		1.13	45.2	3.14	6.93	0.15	0.09	0.04	0.021	0.30	64.9	18.0	0.70	338	0.78
I315505		0.64	29.5	2.64	5.14	0.07	0.06	0.04	0.021	0.12	14.8	12.4	0.53	379	0.56
I315506		1.24	19.3	3.06	7.86	0.08	0.05	0.02	0.017	0.35	10.0	12.4	0.77	191	0.80
I315507		0.08	2.8	0.68	0.59	<0.05	0.06	0.01	<0.005	0.04	4.8	1.2	0.04	160	0.23
I315508		1.31	21.6	3.93	10.10	0.08	0.09	0.01	0.030	0.32	14.3	25.0	0.92	419	0.88
I315509		0.60	18.6	3.09	6.41	0.07	0.16	0.01	0.025	0.22	13.8	13.6	0.58	297	0.90
I315510		0.57	18.0	3.12	6.28	0.05	0.06	0.01	0.022	0.18	11.0	12.2	0.59	341	0.89
I315511		0.42	12.4	3.17	7.10	0.05	0.05	0.03	0.026	0.09	8.3	12.2	0.55	554	0.87
I315512		0.52	11.8	2.93	6.73	0.05	0.03	<0.01	0.019	0.07	7.3	10.3	0.46	198	0.83
I315513		0.86	19.0	3.21	6.59	0.07	0.06	0.08	0.024	0.19	15.5	11.3	0.52	998	0.83
I315514		1.44	19.9	3.16	7.11	0.08	0.05	0.01	0.020	0.39	13.6	12.2	0.68	364	0.85
I315515		1.08	35.8	3.03	7.78	0.07	0.07	0.01	0.025	0.09	17.6	13.2	0.59	281	1.39
I315516		0.71	25.4	2.77	6.73	0.07	0.06	0.01	0.022	0.08	13.5	16.6	0.57	460	1.73
I315517		0.74	17.7	2.78	7.32	0.06	0.03	0.01	0.019	0.08	10.1	18.6	0.63	213	3.03
I315518		1.05	35.9	2.71	7.27	0.08	0.06	0.03	0.023	0.06	16.8	15.8	0.68	288	2.46
I315519		1.52	52.4	2.95	7.54	0.10	0.05	0.03	0.025	0.13	19.8	18.5	0.98	229	4.33
I315520		0.09	2.5	0.64	0.68	<0.05	0.07	<0.01	<0.005	0.03	5.2	1.4	0.04	157	0.32
I315521		1.69	19.0	3.56	9.56	0.10	0.06	0.04	0.023	0.26	34.8	25.5	1.00	288	0.72
I315522		1.41	20.3	3.64	9.01	0.10	0.06	0.04	0.030	0.17	35.4	27.8	0.82	529	0.80
I315523		1.94	27.4	3.61	8.52	0.08	0.05	0.01	0.027	0.40	19.8	25.1	1.01	313	0.71
I315524		1.18	29.3	3.95	9.27	0.12	0.10	0.04	0.036	0.22	37.8	27.9	0.74	892	0.98
I315525		0.89	16.3	2.91	7.55	0.06	0.05	0.03	0.021	0.17	13.8	17.2	0.61	358	0.75
I315526		1.09	17.8	2.94	7.97	0.05	0.04	0.01	0.020	0.21	14.9	21.0	0.59	233	0.94
I315527		0.96	25.0	3.30	6.67	0.08	0.08	0.02	0.027	0.14	22.8	25.6	0.75	299	0.64
I315528		1.39	22.3	2.39	6.08	0.07	0.04	0.04	0.025	0.09	11.6	12.4	0.61	309	1.33
I315529		1.66	53.6	2.13	5.69	0.06	0.03	0.03	0.023	0.07	9.3	11.4	0.56	308	5.76
I315530		1.68	67.9	2.88	7.37	0.11	0.05	0.05	0.034	0.06	25.8	15.0	0.54	841	11.85
I315531		1.88	69.1	2.77	8.05	0.09	0.04	0.10	0.034	0.08	29.2	13.5	0.53	623	14.20
I315532		1.87	62.3	2.70	7.69	0.08	0.04	0.12	0.030	0.08	26.6	14.1	0.53	513	12.95
I315533		2.84	106.0	3.70	9.23	0.11	0.05	0.09	0.038	0.11	29.9	17.2	0.65	680	22.4
I315534		0.36	8.1	0.96	3.03	<0.05	<0.02	0.04	0.006	0.03	2.1	1.2	0.06	139	1.51
I315535		3.49	107.0	3.32	7.83	0.09	0.04	0.03	0.033	0.19	26.2	12.9	0.57	645	15.30
I315536		2.01	48.2	2.69	7.26	0.08	0.04	0.03	0.028	0.12	14.6	14.1	0.65	594	21.5
I315537		2.26	61.8	2.88	7.81	0.11	0.05	0.04	0.030	0.14	13.9	15.1	0.71	313	26.7
I315538		3.09	94.7	3.26	9.05	0.11	0.06	0.06	0.043	0.19	18.8	18.2	0.82	295	50.9
I315539		4.70	138.5	3.40	9.07	0.13	0.05	0.05	0.045	0.21	16.5	17.2	0.92	472	59.4
I315540		3.02	123.5	2.96	7.54	0.08	0.05	0.04	0.034	0.10	16.0	13.0	0.51	235	59.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315501		3.06	14.1	300	10.4	24.8	<0.001	0.02	0.20	2.6	0.4	0.7	11.8	<0.01	0.04
I315502		4.86	20.2	290	14.7	22.9	<0.001	0.04	0.18	4.0	0.5	0.8	12.7	<0.01	0.03
I315503		2.96	24.7	610	9.9	24.2	0.001	0.09	0.39	5.0	1.1	0.5	59.0	0.01	0.03
I315504		3.16	28.4	410	10.9	29.0	0.001	0.05	0.39	5.7	1.2	0.5	39.4	0.01	0.03
I315505		1.88	22.8	520	7.9	15.6	<0.001	0.03	0.35	4.3	0.6	0.5	38.9	<0.01	0.03
I315506		3.32	21.7	230	8.4	32.0	<0.001	0.02	0.25	4.6	0.3	0.7	21.1	<0.01	0.02
I315507		0.15	4.2	130	1.9	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315508		3.15	34.3	230	12.4	37.8	<0.001	0.01	0.32	6.5	0.3	0.8	23.5	0.01	0.02
I315509		2.10	23.8	230	10.4	21.2	<0.001	0.01	0.39	5.1	0.4	0.6	31.5	0.01	0.02
I315510		1.88	22.8	340	11.7	19.0	<0.001	0.02	0.35	4.2	0.3	0.5	37.0	0.01	0.02
I315511		1.90	22.3	270	10.0	7.3	<0.001	0.01	0.37	4.2	0.2	0.6	23.9	0.01	0.02
I315512		1.73	17.2	190	8.7	8.7	<0.001	0.01	0.34	2.8	<0.2	0.6	14.9	0.01	0.02
I315513		2.32	26.6	260	15.7	33.9	<0.001	0.02	0.35	4.6	0.4	0.5	44.7	0.01	0.03
I315514		2.89	29.1	290	22.6	50.4	<0.001	0.03	0.23	3.5	0.5	0.6	34.4	0.01	0.03
I315515		2.25	35.0	420	15.3	17.4	<0.001	0.01	0.31	3.9	0.6	0.6	31.8	0.02	0.03
I315516		1.59	26.3	400	11.9	16.3	<0.001	0.02	0.30	3.7	0.5	0.4	32.9	0.01	0.03
I315517		1.72	24.7	600	10.0	13.8	<0.001	0.01	0.21	3.2	0.5	0.5	28.0	0.01	0.03
I315518		1.70	31.2	500	10.0	16.4	<0.001	0.03	0.25	4.4	1.1	0.5	45.4	0.02	0.04
I315519		1.68	59.4	800	9.1	17.5	0.001	0.10	0.18	4.8	2.3	0.5	48.2	0.01	0.05
I315520		0.19	4.7	130	1.6	2.0	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.9	0.01	0.01
I315521		3.58	24.0	390	6.6	34.0	<0.001	0.02	0.18	5.7	0.7	0.7	32.6	0.01	0.02
I315522		2.76	21.0	400	7.9	28.1	<0.001	0.02	0.19	6.0	0.7	0.9	28.7	0.01	0.02
I315523		3.11	23.2	380	5.9	45.8	<0.001	0.02	0.15	4.8	0.4	0.7	30.1	<0.01	0.01
I315524		2.75	22.4	370	9.4	27.9	0.001	0.02	0.28	6.9	0.9	0.8	34.6	0.01	0.03
I315525		3.09	19.6	240	8.4	20.2	<0.001	0.02	0.28	4.2	0.5	0.6	35.6	<0.01	0.03
I315526		2.69	17.9	420	7.5	23.0	<0.001	0.02	0.22	3.4	0.3	0.7	28.6	<0.01	0.02
I315527		2.46	24.9	330	8.9	17.6	<0.001	0.02	0.30	5.0	0.6	0.6	35.5	<0.01	0.02
I315528		1.72	22.4	690	9.0	16.2	<0.001	0.03	0.56	4.9	0.5	0.6	24.6	<0.01	0.02
I315529		0.96	22.7	690	5.2	15.0	<0.001	0.06	1.04	4.1	0.6	0.5	38.5	<0.01	0.03
I315530		1.19	28.7	1060	8.7	14.3	<0.001	0.10	1.29	4.8	1.4	0.6	40.6	0.01	0.04
I315531		1.40	21.1	930	9.2	18.9	<0.001	0.09	0.49	4.5	1.1	0.7	37.9	0.01	0.04
I315532		1.44	20.8	870	8.7	19.0	<0.001	0.09	0.46	4.5	1.0	0.7	36.4	0.01	0.04
I315533		2.08	32.8	940	9.7	23.4	<0.001	0.07	0.69	6.1	1.2	0.9	44.0	0.01	0.14
I315534		0.45	5.2	410	2.9	3.4	<0.001	0.05	0.24	0.9	0.4	0.3	12.5	<0.01	0.02
I315535		1.70	25.3	770	28.0	35.7	<0.001	0.03	3.63	4.9	0.8	0.8	56.0	<0.01	0.11
I315536		1.58	26.6	620	5.9	23.5	<0.001	0.06	0.39	4.6	0.6	0.6	38.3	<0.01	0.05
I315537		1.92	28.3	690	5.9	25.1	<0.001	0.04	0.32	5.1	0.7	0.6	31.1	<0.01	0.07
I315538		2.29	34.8	710	7.1	35.6	0.001	0.03	0.33	7.8	0.9	0.8	28.9	<0.01	0.05
I315539		2.48	52.3	600	5.3	37.1	0.001	0.04	0.30	6.9	0.8	1.0	28.9	<0.01	0.06
I315540		2.23	21.4	440	4.9	21.9	0.001	0.03	0.37	5.3	0.7	0.9	23.0	0.01	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315501		0.150	0.12	0.63	63	0.20	3.28	46
I315502		0.186	0.21	1.00	72	0.17	4.12	65
I315503		0.118	0.13	1.49	48	0.13	13.30	60
I315504		0.159	0.15	4.11	60	0.18	29.1	64
I315505		0.110	0.08	0.70	56	0.18	9.08	49
I315506		0.189	0.19	0.52	67	0.16	3.70	66
I315507		0.007	0.03	0.32	4	<0.05	2.07	6
I315508		0.203	0.21	0.68	80	0.19	4.81	68
I315509		0.133	0.10	0.63	63	0.17	5.99	56
I315510		0.113	0.09	0.56	63	0.17	4.25	65
I315511		0.115	0.10	0.38	67	0.20	2.93	79
I315512		0.119	0.09	0.31	69	0.15	1.99	45
I315513		0.117	0.13	0.71	59	0.20	6.78	66
I315514		0.173	0.23	0.66	55	0.14	4.49	82
I315515		0.118	0.11	1.30	75	0.19	10.20	112
I315516		0.093	0.09	0.80	63	0.19	6.28	81
I315517		0.114	0.09	0.61	75	0.38	4.51	96
I315518		0.105	0.14	1.78	78	0.16	10.00	109
I315519		0.134	0.18	2.37	96	0.19	13.25	211
I315520		0.007	0.04	0.32	4	<0.05	2.19	5
I315521		0.183	0.19	2.10	59	0.13	15.45	65
I315522		0.145	0.16	1.89	65	0.16	14.95	54
I315523		0.198	0.24	0.98	63	0.27	8.88	59
I315524		0.145	0.15	2.75	71	0.19	22.5	65
I315525		0.139	0.12	0.68	56	0.34	5.78	49
I315526		0.137	0.15	0.70	54	0.22	6.58	44
I315527		0.129	0.10	1.07	61	0.44	11.30	56
I315528		0.120	0.14	1.47	59	1.29	5.93	55
I315529		0.089	0.12	0.68	56	1.50	7.20	48
I315530		0.088	0.18	2.98	68	1.10	23.1	63
I315531		0.099	0.20	6.06	65	0.90	13.60	64
I315532		0.104	0.19	5.43	64	1.18	12.25	63
I315533		0.133	0.29	6.80	83	4.31	14.00	70
I315534		0.045	0.05	0.33	30	0.20	0.87	19
I315535		0.111	0.30	2.58	63	5.95	9.64	79
I315536		0.128	0.18	1.32	66	0.95	7.22	65
I315537		0.146	0.19	1.27	74	1.41	6.88	61
I315538		0.165	0.30	2.33	86	1.65	9.59	65
I315539		0.165	0.30	1.89	86	4.25	7.58	82
I315540		0.138	0.21	1.56	72	9.35	8.19	51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315541		0.48	<0.005	0.08	2.45	14.0	<0.2	<10	230	1.11	0.26	0.48	0.18	34.3	10.6	54
I315542		0.48	<0.005	0.17	2.22	12.1	<0.2	<10	200	1.19	0.28	0.52	0.22	35.8	13.3	58
I315543		0.54	<0.005	0.12	2.32	18.3	<0.2	<10	170	1.28	0.30	0.51	0.14	37.4	14.7	52
I315544		0.46	<0.005	0.52	1.91	8.9	<0.2	<10	100	5.56	4.07	0.82	0.28	37.8	16.0	46
I315545		0.50	<0.005	0.07	2.55	6.0	<0.2	<10	150	1.56	0.19	0.42	0.09	38.8	12.8	61
I315546		0.40	<0.005	0.06	2.67	5.9	<0.2	<10	160	1.63	0.19	0.43	0.07	44.5	13.3	63
I315547		0.36	<0.005	0.09	2.40	7.0	<0.2	<10	130	1.12	0.37	0.33	0.24	29.8	12.0	55
I315548		0.48	0.007	0.15	2.63	49.3	<0.2	<10	170	1.15	0.21	0.49	0.15	38.8	11.9	68
I315549		0.42	<0.005	0.18	2.66	28.7	<0.2	<10	180	1.18	0.21	0.51	0.14	43.8	14.6	60
I315550		0.38	<0.005	0.15	2.76	59.0	<0.2	<10	190	0.80	0.22	0.48	0.10	26.3	13.0	61
I034251		0.38	<0.005	0.19	1.87	2.4	<0.2	<10	330	0.22	0.11	0.63	0.24	26.5	14.5	20
I034252		0.36	<0.005	0.10	1.40	5.0	<0.2	<10	140	0.25	0.03	0.64	0.21	18.10	16.5	22
I034253		0.24	<0.005	0.10	1.22	3.2	<0.2	<10	170	0.14	0.02	0.41	0.10	16.85	9.8	17
I034254		0.58	<0.005	0.06	1.78	13.6	<0.2	<10	220	0.28	0.05	0.70	0.15	24.1	10.8	20
I034255		0.46	<0.005	0.04	1.28	5.1	<0.2	<10	100	0.36	0.15	0.69	0.10	25.4	13.0	31
I034256		0.44	<0.005	0.03	1.19	3.5	<0.2	<10	100	0.27	0.02	0.59	0.09	25.4	10.9	28
I034257		0.40	<0.005	0.04	1.47	4.6	<0.2	<10	130	0.35	0.07	0.78	0.13	18.85	10.0	33
I034258		0.32	<0.005	0.07	1.46	4.5	<0.2	<10	200	0.57	0.11	1.28	0.13	44.5	9.1	26
I034259		0.64	<0.005	0.12	0.91	6.3	<0.2	<10	160	0.24	0.12	0.27	0.18	37.3	14.5	21
I033141		0.44	0.005	0.63	1.68	8.3	<0.2	<10	130	0.31	0.75	0.25	0.33	11.90	9.4	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315541		4.14	105.5	3.15	8.89	0.13	0.08	0.07	0.048	0.25	18.6	17.8	0.83	313	65.2
I315542		4.77	191.5	3.13	7.73	0.16	0.24	0.18	0.052	0.27	16.6	14.7	0.77	231	112.5
I315543		3.79	186.0	3.90	8.13	0.16	0.17	0.13	0.048	0.23	16.9	14.5	0.80	366	127.0
I315544		10.00	579	6.28	8.34	0.33	0.05	8.03	0.393	0.18	24.0	12.3	0.62	982	259
I315545		3.62	104.0	3.76	8.85	0.12	0.07	0.07	0.064	0.30	19.8	15.2	0.90	457	20.7
I315546		3.67	109.0	3.78	9.04	0.13	0.09	0.08	0.066	0.30	23.2	15.6	0.92	441	21.0
I315547		4.28	168.5	3.86	10.30	0.11	0.05	0.05	0.050	0.24	14.6	16.2	0.76	406	96.6
I315548		4.72	224	3.81	9.33	0.15	0.06	0.08	0.053	0.32	18.9	16.7	0.95	393	115.5
I315549		3.70	201	3.50	9.24	0.12	0.05	0.07	0.047	0.25	21.8	15.9	0.84	478	124.5
I315550		3.52	123.5	3.57	9.53	0.10	0.05	0.07	0.042	0.18	12.8	17.3	0.92	373	126.0
I034251		0.72	58.0	2.85	7.27	0.09	0.02	0.06	0.033	0.17	11.6	10.0	0.95	627	0.78
I034252		0.60	29.5	2.39	5.10	0.06	<0.02	0.03	0.017	0.10	9.6	10.9	0.62	388	0.72
I034253		0.64	25.7	2.12	5.03	0.06	<0.02	0.04	0.017	0.07	8.6	7.3	0.51	291	0.68
I034254		1.65	13.0	2.82	6.11	0.09	0.05	0.05	0.022	0.21	12.5	13.0	0.70	502	0.50
I034255		1.84	15.2	2.51	4.40	0.08	0.03	0.02	0.019	0.10	13.5	12.4	0.63	382	0.47
I034256		1.53	13.3	2.21	4.24	0.07	0.02	0.02	0.016	0.08	14.4	10.3	0.52	333	0.41
I034257		0.69	16.3	2.48	5.05	<0.05	0.05	0.02	0.017	0.05	8.9	11.7	0.63	378	0.47
I034258		1.56	22.6	2.37	5.56	0.05	0.10	0.04	0.022	0.08	31.3	13.1	0.58	303	0.39
I034259		4.45	15.5	2.35	3.40	<0.05	0.02	0.02	0.017	0.07	18.5	6.3	0.28	769	2.00
I033141		1.46	110.5	2.83	7.06	<0.05	0.04	0.04	0.028	0.25	6.0	11.8	0.56	561	3.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315541		2.35	32.8	700	5.9	39.7	0.001	0.02	0.26	9.1	0.8	0.9	31.8	<0.01	0.05	5.3
I315542		1.75	39.8	740	5.3	41.5	0.003	0.07	0.34	9.8	1.0	1.0	35.7	<0.01	0.05	5.6
I315543		1.66	39.2	840	5.4	37.5	0.001	0.02	0.32	8.5	1.1	0.9	29.0	<0.01	0.05	5.7
I315544		0.94	36.0	1120	2.9	22.6	0.002	0.03	0.22	11.0	1.6	8.0	23.2	<0.01	0.16	6.1
I315545		2.65	32.7	420	4.6	39.6	0.001	0.03	0.25	8.2	0.5	1.4	30.0	<0.01	0.03	5.2
I315546		2.58	33.2	470	4.7	38.6	0.001	0.03	0.26	8.7	0.6	1.4	30.1	<0.01	0.03	5.7
I315547		3.28	35.9	410	4.9	37.8	0.001	0.04	0.30	6.6	0.6	1.2	22.4	<0.01	0.06	3.5
I315548		2.57	37.9	600	4.3	49.3	0.001	0.03	1.75	8.9	0.7	1.0	29.6	<0.01	0.05	5.1
I315549		2.64	36.7	730	4.9	36.1	0.001	0.05	1.07	7.9	1.1	1.0	31.2	<0.01	0.05	3.6
I315550		2.56	34.4	580	4.9	27.6	0.001	0.04	1.25	6.8	0.7	0.8	29.5	<0.01	0.05	3.0
I034251		1.11	13.6	950	4.6	13.5	0.001	0.15	0.15	8.3	1.2	0.5	38.8	<0.01	0.05	1.2
I034252		1.03	13.7	600	5.2	9.3	<0.001	0.04	0.15	4.6	0.9	0.4	33.3	<0.01	0.02	1.5
I034253		0.82	10.2	580	4.3	8.3	<0.001	0.04	0.12	4.2	0.6	0.3	23.4	<0.01	0.02	0.8
I034254		1.97	13.2	670	5.3	21.0	<0.001	0.01	0.31	5.6	0.7	0.6	37.1	<0.01	0.01	2.1
I034255		1.02	25.6	610	7.2	17.6	<0.001	0.01	0.28	3.5	0.5	0.3	33.2	<0.01	0.02	4.2
I034256		0.94	21.1	640	6.2	13.3	<0.001	0.01	0.20	3.2	0.6	0.3	32.9	<0.01	0.01	3.8
I034257		1.33	22.0	690	5.4	7.9	<0.001	0.02	0.23	4.2	0.5	0.4	40.8	<0.01	0.02	2.6
I034258		1.33	20.6	700	10.0	13.3	0.001	0.05	0.36	4.6	1.1	0.5	94.5	0.01	0.02	4.6
I034259		0.68	20.3	900	6.5	12.6	0.001	0.02	0.27	2.7	0.7	0.3	19.5	<0.01	0.04	3.0
I033141		1.10	14.5	530	5.3	26.5	<0.001	0.03	0.47	5.1	0.7	0.6	19.2	<0.01	0.03	0.6



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Finalized Date: 20-SEP-2010
Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122489[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10126925

Project: SQI10-06

P.O. No.: SQI10-06_26

This report is for 21 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27 - SEP - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126925

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319672		1.20	<0.005	0.13	1.30	10.6	<0.2	<10	20	0.41	0.55	0.20	0.12	72.8	11.5	52
I319673		1.09	<0.005	0.02	0.03	1.8	<0.2	<10	10	<0.05	0.22	0.06	0.01	1.03	0.4	17
I319674		3.31	<0.005	0.16	0.15	1.6	<0.2	<10	10	0.24	0.62	0.02	0.02	12.85	0.4	11
I319675		1.36	<0.005	0.02	0.07	0.6	<0.2	<10	10	0.09	0.24	0.01	0.04	22.6	0.3	14
I319676		1.58	0.011	0.46	2.39	50.4	<0.2	<10	560	1.04	0.29	1.06	0.24	25.3	3.9	28
I319677		1.44	<0.005	0.16	2.89	0.4	<0.2	<10	260	0.96	0.31	1.23	0.04	39.4	11.2	60
I319678		1.18	<0.005	0.08	3.02	2.0	<0.2	<10	320	0.61	0.08	1.21	0.22	22.2	7.5	56
I319679		2.13	<0.005	0.09	1.71	3.6	<0.2	<10	150	0.39	0.09	0.37	0.12	29.8	6.4	48
I319680		1.99	<0.005	0.06	6.15	4.6	<0.2	<10	880	0.52	0.15	2.67	0.11	5.96	21.1	225
I319681		1.67	<0.005	0.13	5.84	0.5	<0.2	<10	100	0.19	0.03	3.09	0.09	0.89	21.7	32
I319682		2.34	<0.005	0.03	4.86	0.4	<0.2	<10	200	0.13	0.01	2.86	0.05	1.19	16.7	38
I319683		1.39	<0.005	0.03	0.36	1.4	<0.2	<10	30	0.12	0.03	0.08	0.01	11.55	1.0	14
I319684		2.02	<0.005	0.03	2.65	0.4	<0.2	<10	380	0.41	0.27	1.42	0.03	35.0	9.8	12
I319685		1.89	<0.005	0.03	1.62	0.6	<0.2	<10	300	0.23	0.08	0.44	0.03	48.7	7.1	8
I319686		1.72	<0.005	0.14	2.81	0.5	<0.2	<10	90	0.11	0.13	2.55	0.49	3.57	22.3	63
I319687		0.97	<0.005	0.09	2.67	1.3	<0.2	<10	140	0.19	0.10	0.99	0.53	22.1	22.0	28
I319688		2.12	<0.005	0.03	0.47	0.2	<0.2	<10	50	0.29	0.09	0.02	0.03	27.8	1.4	5
I319689		0.66	<0.005	0.01	0.33	0.3	<0.2	<10	20	0.34	0.08	0.02	0.01	18.75	0.5	3
I319690		1.98	<0.005	0.02	1.70	1.0	<0.2	<10	550	0.18	0.09	0.41	0.03	23.4	8.3	9
I034155		1.61	<0.005	0.02	1.62	1.0	<0.2	<10	330	0.16	0.13	0.51	0.04	21.0	7.8	11
I034156		1.91	<0.005	0.01	0.35	0.9	<0.2	<10	70	0.12	0.09	0.08	0.01	5.84	1.4	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126925

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319672		0.23	2.6	3.11	8.49	0.13	0.07	<0.01	0.031	0.03	30.6	15.7	0.76	512	0.56
I319673		<0.05	3.9	0.61	0.38	<0.05	<0.02	<0.01	<0.005	0.01	0.7	0.2	0.01	69	0.33
I319674		0.39	3.0	0.57	0.93	<0.05	0.44	0.02	0.018	0.05	5.4	0.8	<0.01	184	0.41
I319675		0.12	1.6	0.33	0.59	<0.05	1.18	0.01	0.007	0.03	6.5	0.6	0.01	78	0.24
I319676		0.37	21.7	1.46	7.02	0.07	0.07	<0.01	0.016	0.10	13.2	7.2	0.18	149	1.09
I319677		1.62	59.9	3.00	8.51	0.12	0.04	<0.01	0.014	0.32	20.6	22.6	0.58	191	0.83
I319678		2.89	27.7	2.30	9.47	0.09	0.06	<0.01	0.029	0.68	12.2	15.4	0.97	418	0.79
I319679		0.83	19.5	2.49	7.62	0.08	0.11	<0.01	0.020	0.27	15.5	14.0	1.05	586	0.62
I319680		6.27	12.4	2.90	10.85	0.12	0.09	<0.01	0.024	1.63	3.4	30.0	2.65	415	0.53
I319681		1.04	112.0	3.20	9.84	0.11	0.02	<0.01	0.011	0.29	0.4	13.5	1.23	423	0.10
I319682		1.51	34.7	3.51	8.42	0.12	0.03	<0.01	0.021	0.39	0.5	16.2	1.34	440	0.15
I319683		0.63	6.7	0.83	1.56	<0.05	0.23	0.01	<0.005	0.17	4.5	4.7	0.07	144	0.16
I319684		4.18	23.6	3.32	8.74	0.16	0.36	<0.01	0.013	0.82	17.7	26.0	0.88	531	0.93
I319685		3.28	4.1	2.52	6.61	0.13	0.13	0.01	0.019	0.80	25.1	26.8	0.67	609	0.16
I319686		0.07	64.0	3.65	6.36	0.07	0.05	0.02	0.010	0.15	1.8	10.4	3.07	1200	0.14
I319687		0.12	52.6	4.12	7.61	0.09	0.18	0.02	0.017	0.19	11.4	8.3	2.77	1320	0.35
I319688		<0.05	12.6	0.40	1.41	<0.05	0.44	0.01	<0.005	0.20	9.2	1.7	0.28	209	0.09
I319689		<0.05	5.3	0.27	1.44	<0.05	0.33	<0.01	<0.005	0.27	5.5	0.7	0.07	48	0.08
I319690		2.51	4.6	2.91	6.67	0.12	0.08	<0.01	0.017	0.90	9.6	19.8	0.86	630	0.09
I034155		1.96	12.6	2.35	5.31	0.10	0.07	<0.01	0.011	0.70	10.6	8.9	0.65	363	0.95
I034156		0.53	1.7	0.60	1.28	<0.05	0.05	<0.01	0.017	0.19	2.5	2.1	0.11	91	0.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126925

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319672		0.05	30.4	510	18.0	3.4	<0.001	<0.01	0.36	5.3	0.5	0.2	5.8	<0.01	0.04	14.1
I319673		0.08	1.4	10	1.6	0.7	<0.001	<0.01	0.09	0.2	0.6	<0.2	1.5	<0.01	0.07	0.2
I319674		5.84	0.7	40	17.5	7.5	<0.001	<0.01	0.27	1.4	0.3	0.5	2.0	0.01	0.01	16.5
I319675		16.90	0.9	20	15.8	4.4	<0.001	<0.01	0.33	1.0	0.2	0.9	0.7	0.04	<0.01	10.8
I319676		0.15	16.8	150	35.7	5.6	<0.001	0.37	0.48	3.2	1.7	0.3	78.3	0.01	0.06	5.7
I319677		1.16	43.2	380	4.4	24.5	<0.001	0.12	0.11	6.8	1.4	0.8	61.5	0.02	0.07	8.8
I319678		1.13	23.7	600	7.0	52.9	<0.001	0.25	<0.05	8.6	0.8	0.7	49.5	0.01	0.04	4.8
I319679		0.23	19.1	680	8.0	18.9	<0.001	<0.01	0.07	5.8	0.5	0.8	8.2	0.01	0.02	5.6
I319680		0.10	50.8	260	8.9	86.1	<0.001	0.01	<0.05	14.9	0.4	1.1	87.8	<0.01	0.01	2.5
I319681		0.05	20.4	90	2.2	11.4	<0.001	0.04	0.22	12.5	0.2	<0.2	81.7	<0.01	0.02	<0.2
I319682		0.05	16.8	130	2.3	15.0	<0.001	0.08	0.24	21.6	0.2	<0.2	67.8	<0.01	0.01	<0.2
I319683		0.45	1.0	30	17.1	12.6	<0.001	<0.01	0.18	1.2	0.2	0.3	4.3	<0.01	<0.01	27.7
I319684		0.41	6.6	1740	2.4	48.1	<0.001	0.05	0.06	6.1	0.4	0.6	202	0.01	0.01	11.2
I319685		0.32	2.7	370	9.2	73.3	<0.001	<0.01	0.10	5.0	<0.2	1.8	28.9	<0.01	<0.01	16.7
I319686		0.09	45.8	300	9.8	6.9	0.001	<0.01	0.13	4.7	<0.2	<0.2	28.6	<0.01	0.05	0.9
I319687		0.12	21.6	530	20.3	8.5	<0.001	<0.01	0.16	6.5	0.2	0.2	8.8	<0.01	0.02	5.1
I319688		0.62	2.3	60	8.4	9.6	<0.001	<0.01	0.05	0.4	<0.2	0.2	1.8	0.01	0.01	30.2
I319689		1.46	0.8	20	3.0	13.3	<0.001	<0.01	<0.05	0.3	<0.2	0.4	0.8	0.01	<0.01	25.6
I319690		0.87	2.7	550	4.2	67.9	<0.001	<0.01	0.07	5.0	0.2	1.3	26.2	<0.01	<0.01	8.8
I034155		0.35	2.3	380	2.2	41.3	<0.001	<0.01	0.20	4.1	<0.2	0.5	31.7	<0.01	<0.01	6.6
I034156		0.36	0.9	70	3.5	10.6	<0.001	<0.01	0.25	1.1	<0.2	0.2	7.2	<0.01	<0.01	5.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10126925

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319672		<0.005	0.03	0.92	47	0.06	10.30	54	1.8
I319673		<0.005	<0.02	0.08	1	0.10	0.36	<2	<0.5
I319674		<0.005	0.08	5.44	2	0.24	13.25	19	10.0
I319675		<0.005	0.03	9.79	1	0.47	9.90	9	8.9
I319676		0.005	0.04	1.40	28	0.06	7.23	40	2.1
I319677		0.113	0.19	0.93	47	0.21	13.45	39	0.7
I319678		0.169	0.32	1.47	81	0.92	11.90	52	0.7
I319679		0.036	0.12	2.62	64	0.11	13.45	56	2.1
I319680		0.211	0.56	0.63	111	1.01	4.93	55	2.7
I319681		0.095	0.07	0.05	120	<0.05	3.24	32	<0.5
I319682		0.083	0.06	0.06	155	0.21	2.66	19	0.6
I319683		0.018	0.08	7.45	10	0.09	4.22	7	3.7
I319684		0.225	0.58	0.96	78	0.29	9.85	35	17.7
I319685		0.167	0.53	3.20	53	0.14	8.45	54	2.2
I319686		0.041	0.04	0.11	45	<0.05	4.84	109	1.5
I319687		0.094	0.06	0.26	48	0.06	10.00	131	5.7
I319688		<0.005	0.05	2.05	2	0.17	6.56	26	12.4
I319689		<0.005	0.06	1.07	1	0.16	4.74	7	9.5
I319690		0.243	0.43	0.91	69	0.13	7.21	59	1.6
I034155		0.167	0.27	0.57	55	0.30	5.15	36	1.2
I034156		0.022	0.06	4.49	9	0.16	3.53	6	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10126925

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 2-OCT-2010
Account: EIASQI

CERTIFICATE WH10130303

Project: SQI10-06
P.O. No.: SQI10-06_27
This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318674		0.62	<0.005	0.09	2.89	12.8	<0.2	<10	230	0.92	0.17	0.32	0.11	26.8	11.4	42
I318675		0.40	<0.005	0.19	1.78	3.6	<0.2	<10	360	0.72	0.14	0.49	0.15	30.6	11.4	24
I318676		0.56	<0.005	0.04	1.68	8.2	<0.2	<10	190	1.01	0.18	0.36	0.06	35.0	10.3	29
I318677		0.44	<0.005	0.09	1.23	11.1	<0.2	<10	110	0.78	0.71	0.45	0.12	42.6	7.5	23
I318678		0.68	0.018	0.19	2.81	4.6	<0.2	<10	240	0.25	0.27	0.60	0.35	13.90	19.7	61
I318679		0.44	<0.005	0.24	2.35	4.4	<0.2	<10	220	0.31	0.18	0.54	0.71	12.60	13.1	47
I318680		0.30	<0.005	0.28	0.76	2.0	<0.2	<10	160	0.15	0.08	0.34	0.50	7.99	3.9	18
I318681		0.72	0.007	0.35	3.27	7.7	<0.2	<10	250	0.44	0.21	0.51	0.28	17.00	21.3	75
I318682		0.56	<0.005	0.23	2.89	8.0	<0.2	<10	270	0.30	0.15	0.49	0.24	14.10	21.9	72
I318683		0.40	<0.005	0.59	2.02	9.8	<0.2	<10	230	0.24	0.13	0.34	0.45	9.37	22.7	37
I318684		0.60	<0.005	0.18	3.14	7.3	<0.2	<10	290	0.32	0.16	0.41	0.20	13.55	20.4	62
I318685		0.66	0.005	0.49	3.32	8.7	<0.2	<10	420	0.47	0.24	0.62	0.22	23.1	22.2	79
I318686		0.62	0.008	0.42	2.61	9.7	<0.2	<10	380	0.44	0.24	0.46	0.50	25.6	16.1	74
I318687		0.54	0.005	0.30	1.63	8.6	<0.2	<10	160	0.28	0.19	0.25	0.44	15.55	10.1	42
I318688		0.38	0.013	0.48	1.31	3.9	<0.2	<10	140	0.35	0.16	0.29	0.44	15.10	11.5	27
I318689		0.64	<0.005	0.15	2.35	5.9	<0.2	<10	180	0.20	0.21	0.58	0.23	11.25	16.9	80
I318690		0.76	0.005	0.15	2.93	14.9	<0.2	<10	220	0.29	0.25	0.47	0.15	15.35	22.5	130
I318691		0.76	<0.005	0.15	2.10	11.0	<0.2	<10	210	0.27	0.54	0.32	0.22	14.25	13.2	39
I318692		0.70	0.006	0.19	3.16	16.1	<0.2	<10	300	0.56	0.35	0.51	0.21	31.1	18.8	76
I318693		0.66	0.008	0.27	2.96	46.1	<0.2	<10	330	0.61	0.59	0.53	0.50	32.2	21.8	69
I318694		0.70	0.025	0.54	2.67	112.0	<0.2	<10	390	0.53	1.42	0.40	0.86	34.0	16.8	62
I318695		0.70	0.006	0.15	2.75	11.3	<0.2	<10	310	0.55	0.23	0.37	0.22	29.4	18.9	46
I318696		0.64	<0.005	0.13	3.74	30.4	<0.2	<10	310	0.64	0.57	0.37	0.56	39.9	21.5	61
I318697		0.60	<0.005	0.15	3.17	6.8	<0.2	<10	530	0.51	0.91	0.25	1.37	36.6	22.6	35
I318698		0.60	0.008	0.19	1.94	24.2	<0.2	<10	470	0.56	1.45	0.24	2.01	30.0	13.2	59
I318699		0.54	0.005	0.24	2.64	16.3	<0.2	<10	220	0.56	1.56	0.33	0.93	26.5	11.7	46
I318700		0.72	0.009	0.27	2.67	15.5	<0.2	<10	290	0.70	3.97	0.42	0.61	45.8	17.2	54
I318701		0.70	0.005	0.46	2.71	6.6	<0.2	<10	340	0.71	1.16	0.45	0.48	65.2	17.9	75
I318702		0.46	<0.005	0.30	2.33	6.3	<0.2	<10	420	0.51	0.99	0.45	0.49	28.6	16.3	97
I318703		0.34	<0.005	0.21	1.84	6.5	<0.2	<10	320	0.36	0.58	0.50	0.35	28.3	17.0	48
I318704		0.46	0.006	0.29	1.86	79.1	<0.2	<10	390	0.38	0.64	0.62	0.71	32.3	34.9	49
I318705		0.50	<0.005	0.17	1.39	17.7	<0.2	<10	260	0.22	0.49	0.41	0.22	15.15	5.8	38
I318706		0.44	<0.005	0.23	1.89	83.1	<0.2	<10	460	0.34	0.95	0.52	0.81	32.7	15.6	52
I318707		0.42	<0.005	0.28	1.65	34.0	<0.2	<10	280	0.26	0.73	0.31	0.36	20.5	16.3	42
I318708		0.54	<0.005	0.20	1.97	10.0	<0.2	<10	270	0.27	0.71	0.29	0.28	18.60	10.7	50
I318709		0.28	<0.005	0.20	1.79	13.3	<0.2	<10	240	0.46	0.16	2.64	0.27	37.3	16.1	51
I318710		0.32	0.007	0.18	1.99	12.1	<0.2	<10	210	0.45	0.17	1.86	0.27	39.4	14.8	55
I318711		0.28	0.013	0.21	1.96	14.3	<0.2	<10	260	0.43	0.12	1.80	0.31	27.7	13.8	54
I318712		0.40	0.022	0.17	2.25	14.4	<0.2	<10	250	0.44	0.12	0.96	0.26	27.9	14.0	61
I318713		0.38	<0.005	0.32	2.34	15.8	<0.2	<10	330	0.63	0.22	1.13	0.28	46.6	16.3	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318674		1.41	23.7	3.89	8.90	0.07	0.12	0.03	0.038	0.09	16.6	14.1	0.54	265	1.46
I318675		0.61	16.3	2.45	5.96	0.05	0.03	0.02	0.024	0.16	16.9	9.4	0.35	1140	0.86
I318676		1.24	12.9	2.58	5.29	0.06	0.06	0.02	0.026	0.11	22.2	7.3	0.39	615	1.05
I318677		1.99	18.7	2.24	4.68	0.12	0.18	0.03	0.027	0.16	49.1	7.2	0.32	427	1.11
I318678		1.32	70.3	4.09	9.26	0.09	0.04	0.03	0.032	0.15	7.0	13.0	1.97	693	1.22
I318679		1.00	41.9	3.27	9.08	0.06	0.03	0.02	0.021	0.13	6.7	9.4	1.26	379	0.94
I318680		0.53	23.9	1.20	3.51	<0.05	0.02	0.03	0.009	0.05	4.5	3.0	0.31	111	0.50
I318681		1.06	48.3	3.79	8.91	0.09	0.04	0.04	0.023	0.23	8.8	15.0	1.83	688	1.27
I318682		1.16	39.2	3.77	9.16	0.10	0.03	0.02	0.019	0.40	6.7	13.0	2.07	703	1.10
I318683		0.78	44.2	3.01	7.53	0.06	0.03	0.04	0.019	0.18	4.9	8.1	1.12	723	1.42
I318684		0.99	56.8	4.15	9.16	0.09	0.06	0.02	0.025	0.24	6.8	14.2	1.81	717	1.51
I318685		1.29	44.1	4.17	10.00	0.09	0.06	0.04	0.039	0.13	13.2	16.6	1.57	1020	2.66
I318686		1.49	37.7	3.66	9.69	0.09	0.07	0.03	0.038	0.13	14.3	14.0	1.24	666	5.00
I318687		0.92	23.9	2.62	6.58	0.06	0.04	0.03	0.024	0.07	8.0	10.7	0.57	378	1.73
I318688		0.59	62.7	1.63	4.00	0.05	0.02	0.07	0.016	0.04	7.5	3.7	0.25	502	1.12
I318689		0.89	40.7	3.05	6.88	0.07	0.03	0.04	0.019	0.10	5.6	10.9	1.33	421	0.85
I318690		1.08	48.3	3.53	7.85	0.08	0.04	0.03	0.022	0.16	7.3	14.7	1.94	607	0.75
I318691		1.07	26.5	2.72	6.89	0.07	0.02	0.03	0.018	0.09	7.0	10.0	1.15	446	0.79
I318692		1.36	53.0	3.99	9.67	0.13	0.07	0.04	0.035	0.09	15.5	16.0	1.72	541	1.08
I318693		1.37	55.2	4.44	10.55	0.12	0.04	0.04	0.052	0.06	15.9	15.7	1.18	947	1.91
I318694		1.29	46.5	3.86	8.84	0.11	0.06	0.04	0.045	0.10	17.3	14.7	1.10	539	1.41
I318695		1.30	73.6	3.86	7.87	0.12	0.10	0.03	0.027	0.10	15.1	14.3	1.38	623	0.89
I318696		2.73	45.5	4.56	12.20	0.14	0.07	0.02	0.039	0.33	17.8	15.3	1.97	739	1.16
I318697		1.36	55.6	5.34	11.05	0.14	0.04	0.02	0.054	0.10	13.7	12.1	1.66	818	2.80
I318698		2.51	38.0	2.96	8.94	0.10	0.02	0.03	0.058	0.43	15.0	6.6	0.85	407	1.73
I318699		1.66	29.8	3.78	9.14	0.11	0.05	0.05	0.045	0.14	14.0	14.8	0.87	278	1.40
I318700		2.00	55.0	3.92	8.64	0.16	0.06	0.03	0.045	0.18	28.6	12.5	0.94	603	1.83
I318701		3.95	63.3	4.34	8.70	0.22	0.09	0.08	0.037	0.26	42.6	13.6	1.06	326	2.14
I318702		3.95	46.7	4.21	8.35	0.13	0.04	0.04	0.038	0.22	16.0	11.2	1.19	410	3.44
I318703		2.05	25.1	3.13	6.90	0.11	0.03	0.04	0.025	0.09	15.1	10.6	0.73	647	1.50
I318704		1.86	28.7	3.96	6.89	0.12	0.04	0.10	0.029	0.13	14.1	11.1	0.76	2980	2.03
I318705		1.29	17.4	2.46	5.89	0.08	0.03	0.04	0.020	0.05	8.7	8.9	0.58	191	1.33
I318706		2.23	27.1	4.41	6.70	0.13	0.03	0.10	0.032	0.07	15.6	8.9	0.81	1700	2.46
I318707		2.20	23.3	2.70	6.91	0.08	0.02	0.06	0.025	0.08	9.9	8.5	0.66	814	1.45
I318708		2.58	21.7	2.69	8.48	0.09	0.03	0.06	0.026	0.11	9.7	9.4	0.81	324	1.21
I318709		2.39	53.1	2.83	5.83	0.13	0.06	0.08	0.022	0.24	20.4	15.6	0.94	642	0.85
I318710		2.76	39.0	3.06	6.68	0.14	0.06	0.08	0.024	0.30	19.4	17.7	1.26	497	0.78
I318711		2.43	38.5	2.89	6.80	0.14	0.05	0.10	0.025	0.24	14.7	16.3	1.04	559	1.12
I318712		3.01	33.3	3.28	8.09	0.15	0.05	0.05	0.030	0.36	13.9	19.8	1.30	483	1.09
I318713		1.81	39.8	3.56	7.83	0.14	0.09	0.10	0.036	0.19	22.7	16.7	1.20	816	1.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318674		2.17	30.7	330	12.8	15.4	<0.001	0.01	0.44	4.9	0.4	0.8	28.6	<0.01	0.02
I318675		2.28	20.4	430	15.2	13.9	<0.001	0.02	0.18	3.5	0.3	0.6	41.1	<0.01	0.02
I318676		1.35	21.1	260	12.8	12.5	<0.001	0.02	0.39	4.7	0.4	0.7	32.9	<0.01	0.01
I318677		1.78	13.8	190	21.5	24.4	<0.001	0.02	0.48	4.1	0.8	1.0	36.4	0.01	0.01
I318678		1.18	30.5	450	6.5	17.9	<0.001	0.04	0.26	10.2	0.6	0.5	21.8	<0.01	0.05
I318679		1.58	26.2	320	9.1	20.4	<0.001	0.03	0.26	5.2	0.4	1.4	26.3	<0.01	0.04
I318680		0.78	11.1	260	5.4	14.7	<0.001	0.04	0.16	1.8	0.4	0.4	18.4	<0.01	0.02
I318681		1.64	39.5	510	33.0	24.1	<0.001	0.03	0.30	6.3	0.7	0.5	24.1	<0.01	0.04
I318682		1.59	35.3	520	8.3	29.4	<0.001	0.02	0.32	6.3	0.5	0.5	21.1	<0.01	0.03
I318683		1.29	16.4	470	8.8	17.7	<0.001	0.02	0.29	3.9	0.5	0.5	20.7	<0.01	0.03
I318684		1.67	30.9	420	8.7	18.2	<0.001	0.02	0.33	5.8	0.5	0.5	21.4	<0.01	0.05
I318685		1.45	45.4	640	16.3	17.2	0.001	0.02	0.31	9.7	0.8	0.7	27.3	<0.01	0.04
I318686		1.69	43.7	770	18.0	19.5	0.001	0.04	0.40	7.0	1.2	0.8	31.2	<0.01	0.06
I318687		1.63	30.5	540	8.1	11.5	<0.001	0.03	0.38	4.1	0.5	0.6	20.8	<0.01	0.04
I318688		0.72	18.6	780	4.3	5.7	<0.001	0.06	0.35	1.9	0.9	0.5	19.7	<0.01	0.05
I318689		1.09	41.2	460	6.1	14.6	<0.001	0.04	0.27	3.9	0.5	0.4	21.2	<0.01	0.06
I318690		1.19	65.5	420	6.3	19.6	<0.001	0.02	0.27	5.8	0.5	0.4	20.4	<0.01	0.05
I318691		1.36	24.9	420	5.0	14.8	<0.001	0.02	0.21	4.2	0.4	0.4	20.8	<0.01	0.02
I318692		1.65	48.4	600	8.8	19.7	<0.001	0.02	0.35	9.5	0.9	0.6	29.7	<0.01	0.04
I318693		2.10	52.0	850	12.8	13.4	<0.001	0.03	0.48	8.5	0.8	0.7	31.6	0.01	0.06
I318694		1.85	47.0	640	10.5	17.0	<0.001	0.02	1.35	9.1	0.8	0.7	27.9	<0.01	0.05
I318695		1.59	34.2	620	8.9	17.7	<0.001	0.01	0.36	7.0	0.6	0.5	25.8	<0.01	0.04
I318696		1.79	38.8	580	9.3	34.4	<0.001	0.02	0.68	10.9	0.7	1.0	23.4	0.01	0.05
I318697		1.24	44.7	680	9.6	14.3	0.001	0.03	0.37	12.7	1.4	0.7	21.2	0.01	0.08
I318698		1.22	31.6	640	51.5	35.6	<0.001	0.05	0.53	6.3	0.8	1.2	18.6	<0.01	0.11
I318699		2.89	33.0	820	9.4	20.9	<0.001	0.02	0.36	6.6	0.7	1.0	22.4	<0.01	0.06
I318700		2.23	45.3	940	9.3	27.9	<0.001	0.02	0.31	7.9	1.3	0.8	26.5	0.01	0.07
I318701		2.20	44.9	950	9.2	36.5	<0.001	0.03	0.35	10.4	2.3	0.9	26.6	0.01	0.07
I318702		1.61	44.8	1120	8.5	25.1	0.001	0.03	0.48	10.1	1.8	0.9	26.3	<0.01	0.06
I318703		1.62	29.0	1020	7.5	20.1	<0.001	0.05	0.31	6.0	1.1	0.9	31.4	<0.01	0.04
I318704		1.75	32.2	1130	8.5	24.3	<0.001	0.07	2.86	6.5	1.4	0.6	36.6	<0.01	0.06
I318705		1.47	19.8	780	6.3	10.1	<0.001	0.06	0.62	4.0	1.1	0.6	25.3	<0.01	0.03
I318706		1.50	27.8	820	8.7	16.7	0.001	0.08	2.72	6.9	1.3	0.9	29.2	<0.01	0.06
I318707		1.46	23.7	790	7.2	17.4	<0.001	0.07	0.43	4.8	1.0	0.8	23.4	<0.01	0.04
I318708		1.91	27.9	680	8.0	19.7	<0.001	0.05	0.24	5.3	0.8	0.9	22.5	<0.01	0.04
I318709		1.79	48.8	790	7.5	36.8	0.001	0.15	0.37	4.2	1.4	0.5	73.7	0.01	0.04
I318710		1.96	44.3	890	8.2	43.1	<0.001	0.08	0.28	5.5	1.2	0.5	50.8	0.01	0.04
I318711		1.77	38.3	740	6.5	38.8	0.001	0.10	0.38	6.1	1.3	0.6	47.4	0.01	0.04
I318712		1.87	41.5	1130	6.7	45.6	0.001	0.04	0.31	7.5	1.0	0.6	32.1	<0.01	0.04
I318713		2.14	52.4	790	10.4	29.6	0.001	0.05	0.48	8.0	1.5	0.7	34.5	0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318674		0.118	0.10	0.71	92	0.11	5.16	122	5.7
I318675		0.068	0.10	0.58	53	0.15	3.76	117	1.0
I318676		0.052	0.10	0.79	62	0.12	6.95	93	2.3
I318677		0.084	0.08	1.35	49	0.18	33.1	126	6.4
I318678		0.125	0.11	0.49	125	0.14	7.28	180	1.5
I318679		0.142	0.10	0.46	91	0.22	5.58	136	1.4
I318680		0.056	0.04	0.49	30	0.13	4.03	89	0.5
I318681		0.143	0.17	0.68	91	0.19	7.26	242	1.9
I318682		0.157	0.18	0.46	98	0.16	5.15	89	1.5
I318683		0.121	0.12	0.53	81	0.14	3.76	81	1.0
I318684		0.161	0.13	0.48	103	0.16	5.16	88	2.6
I318685		0.131	0.17	1.04	118	0.15	10.70	97	2.2
I318686		0.119	0.16	0.96	114	0.20	9.93	114	3.5
I318687		0.099	0.10	0.52	68	0.10	3.75	71	1.7
I318688		0.043	0.07	0.63	32	0.13	6.32	40	0.6
I318689		0.105	0.10	0.41	75	0.11	3.62	60	1.2
I318690		0.131	0.14	0.44	90	0.13	5.56	67	1.7
I318691		0.102	0.09	0.44	63	0.12	4.50	59	1.0
I318692		0.128	0.16	1.07	98	0.15	13.55	89	2.4
I318693		0.116	0.14	0.96	105	0.21	11.95	103	1.5
I318694		0.129	0.14	0.97	88	0.19	13.30	120	2.5
I318695		0.145	0.15	0.72	86	0.14	9.74	136	4.2
I318696		0.165	0.32	0.93	101	0.15	10.70	111	3.2
I318697		0.084	0.15	1.00	137	0.16	9.56	168	1.3
I318698		0.091	0.27	1.11	94	0.13	11.85	137	<0.5
I318699		0.126	0.21	0.82	90	0.26	8.55	126	2.3
I318700		0.122	0.24	2.00	93	0.21	20.5	120	2.3
I318701		0.116	0.39	3.12	100	0.18	33.2	89	2.0
I318702		0.102	0.35	1.43	138	0.21	11.40	132	1.9
I318703		0.084	0.14	1.11	75	0.17	12.45	87	1.1
I318704		0.090	0.22	1.24	86	0.21	11.60	106	1.4
I318705		0.076	0.13	0.97	65	0.14	6.33	61	1.1
I318706		0.077	0.34	1.45	90	2.03	11.60	88	1.1
I318707		0.081	0.22	1.20	77	0.14	5.97	70	0.9
I318708		0.105	0.21	1.01	78	0.19	5.74	79	1.0
I318709		0.067	0.23	0.91	58	0.13	15.15	67	2.2
I318710		0.086	0.25	1.15	64	0.16	14.25	76	1.8
I318711		0.085	0.22	1.15	76	0.12	12.90	72	2.2
I318712		0.112	0.27	1.03	88	0.15	12.45	85	1.7
I318713		0.108	0.22	1.52	81	0.18	20.6	87	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318714		0.32	0.005	0.45	1.79	13.9	<0.2	<10	320	0.49	0.26	1.21	0.34	35.4	12.1	42
I318715		0.26	<0.005	0.61	2.38	15.2	<0.2	<10	440	0.54	0.26	0.51	0.63	47.4	17.8	70
I318716		0.32	<0.005	0.23	1.53	9.6	<0.2	<10	220	0.78	0.21	0.11	0.82	111.0	6.4	24
I318717		0.32	<0.005	0.08	1.26	3.5	<0.2	<10	90	0.18	0.12	0.29	0.10	15.90	5.3	33
I318718		0.38	<0.005	0.08	1.50	4.4	<0.2	<10	100	0.22	0.15	0.29	0.10	20.9	7.6	38
I318719		0.28	<0.005	0.06	1.22	3.9	<0.2	<10	80	0.17	0.11	0.29	0.09	17.55	5.0	33
I318720		0.26	<0.005	0.07	1.08	3.7	<0.2	<10	70	0.12	0.11	0.25	0.08	14.80	4.3	37
I318721		0.32	<0.005	0.07	1.16	3.8	<0.2	<10	80	0.15	0.10	0.26	0.08	16.35	4.6	41
I318722		0.28	<0.005	0.07	1.28	4.2	<0.2	<10	70	0.15	0.11	0.26	0.08	17.65	5.6	49
I318723		0.30	<0.005	0.11	2.02	8.0	<0.2	<10	190	0.36	0.21	1.02	0.47	33.1	16.1	70
I318724		0.32	<0.005	0.17	1.06	6.5	<0.2	<10	210	0.21	0.13	1.80	0.37	19.25	6.9	67
I318725		0.38	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.01	0.09	0.04	10.20	2.1	23
I318726		0.30	<0.005	0.12	1.45	3.1	<0.2	<10	130	0.27	0.19	0.47	0.20	18.40	7.3	59
I318727		0.42	<0.005	0.14	2.81	6.3	<0.2	<10	290	0.51	0.27	0.70	0.15	43.4	17.8	97
I318728		0.40	<0.005	0.26	2.53	9.6	<0.2	<10	300	0.59	0.44	0.66	0.21	53.0	18.5	80
I318729		0.32	0.007	0.06	2.54	8.8	<0.2	<10	270	0.51	0.40	0.54	0.13	40.3	15.2	89
I318730		0.42	<0.005	0.18	2.95	7.6	<0.2	<10	260	0.71	0.46	0.65	0.13	73.2	13.4	92
I318731		0.36	<0.005	0.20	2.77	9.8	<0.2	<10	220	0.50	0.55	0.61	0.23	46.0	14.6	102
I318732		0.34	<0.005	0.04	1.39	4.3	<0.2	<10	180	0.33	0.40	0.22	0.27	35.5	6.8	31
I318733		0.40	<0.005	0.14	1.71	8.8	<0.2	<10	160	0.30	1.98	0.28	0.32	28.2	9.2	36
I318734		0.36	<0.005	0.07	2.11	3.9	<0.2	<10	170	0.17	0.73	0.38	0.17	10.55	15.3	49
I318735		0.30	<0.005	0.11	2.38	3.5	<0.2	<10	110	0.18	0.15	0.37	0.15	9.99	13.2	64
I318736		0.48	<0.005	0.14	2.85	3.6	<0.2	<10	180	0.18	0.14	0.45	0.21	10.50	16.8	58
I318737		0.28	<0.005	0.18	1.46	2.6	<0.2	<10	110	0.14	0.11	0.17	0.20	7.95	7.6	28
I318738		0.30	<0.005	0.05	1.63	2.9	<0.2	<10	110	0.12	0.11	0.15	0.14	7.44	9.7	24
I318739		0.26	<0.005	0.23	2.41	2.9	<0.2	<10	220	0.21	0.14	0.50	0.16	14.45	12.0	45
I318740		0.28	<0.005	0.13	2.70	5.4	<0.2	<10	430	0.26	0.16	1.06	0.23	16.75	19.7	41
I318741		0.30	<0.005	0.15	2.70	5.7	<0.2	<10	310	0.28	0.17	0.88	0.25	18.35	24.4	44
I318742		0.36	<0.005	0.12	2.69	5.1	<0.2	<10	570	0.25	0.12	0.91	0.14	15.65	21.2	54
I318743		0.34	<0.005	0.16	2.62	4.8	<0.2	<10	460	0.23	0.12	1.04	0.10	15.70	18.8	55
I318744		0.40	<0.005	0.09	1.72	8.8	<0.2	<10	220	0.30	0.56	0.67	0.21	24.9	13.0	44
I318745		0.34	<0.005	0.21	3.13	8.3	<0.2	<10	250	0.39	0.18	0.99	0.17	27.0	22.5	80
I318746		0.26	<0.005	0.13	2.91	6.4	<0.2	<10	210	0.38	0.15	0.88	0.18	25.5	21.1	64
I318747		0.36	<0.005	0.18	3.01	9.6	<0.2	<10	270	0.43	0.15	1.03	0.22	28.6	22.2	60
I318748		0.40	<0.005	0.17	2.90	5.6	<0.2	<10	170	0.36	0.13	1.23	0.20	22.2	18.9	57
I318749		0.30	<0.005	0.14	2.84	6.3	<0.2	<10	160	0.39	0.18	1.17	0.28	22.3	22.5	52
I318750		0.30	<0.005	0.16	3.03	4.6	<0.2	<10	180	0.44	0.20	1.10	0.28	28.0	22.2	56
I318801		0.36	0.009	0.18	3.04	95.8	<0.2	<10	270	0.83	0.58	0.36	0.25	38.7	13.3	58
I318802		0.44	0.008	0.28	2.80	54.5	<0.2	<10	200	0.47	0.33	0.27	0.26	20.5	16.5	58
I318803		0.48	<0.005	0.15	2.56	23.5	<0.2	<10	140	0.23	0.27	0.32	0.16	13.95	20.7	127



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318714		1.23	39.5	2.74	5.54	0.10	0.07	0.18	0.036	0.08	16.9	12.5	0.68	618	1.60
I318715		2.53	50.1	3.98	8.76	0.14	0.05	0.13	0.039	0.21	24.2	15.5	0.89	735	4.16
I318716		0.93	64.1	2.11	6.21	0.21	0.05	0.08	0.031	0.07	87.5	5.5	0.24	344	1.46
I318717		1.21	13.7	1.70	6.20	0.08	0.03	0.04	0.018	0.09	8.2	6.7	0.58	170	0.37
I318718		1.23	18.3	2.13	7.27	0.11	0.04	0.04	0.020	0.18	10.9	9.3	0.74	223	0.81
I318719		0.92	10.8	1.70	5.84	0.07	0.03	0.04	0.017	0.05	9.1	6.9	0.47	139	0.49
I318720		0.90	10.2	1.79	5.39	0.07	0.03	0.06	0.016	0.05	7.8	5.3	0.40	113	0.55
I318721		1.13	11.4	1.82	5.55	0.07	0.03	0.06	0.015	0.05	8.6	5.5	0.44	118	0.53
I318722		1.34	12.5	1.93	6.23	0.08	0.03	0.05	0.016	0.06	9.2	6.5	0.52	134	0.59
I318723		1.79	24.4	2.90	7.33	0.12	0.06	0.05	0.024	0.21	16.4	16.5	1.10	580	5.95
I318724		1.39	29.9	1.53	4.70	0.09	0.05	0.07	0.017	0.20	16.6	5.4	0.61	273	1.07
I318725		0.09	2.0	0.58	0.56	<0.05	0.05	<0.01	<0.005	0.03	5.2	1.1	0.04	144	1.03
I318726		2.15	23.2	2.09	7.56	0.09	0.06	0.02	0.019	0.28	12.6	7.5	0.72	203	1.30
I318727		2.49	54.3	4.00	10.15	0.12	0.12	0.02	0.050	0.60	27.5	13.1	1.58	844	2.01
I318728		2.07	41.6	3.34	9.04	0.10	0.21	0.04	0.038	0.33	33.2	12.1	1.02	750	2.72
I318729		2.33	28.3	3.37	9.49	0.10	0.19	0.02	0.035	0.59	20.7	12.8	1.28	576	1.78
I318730		1.99	36.6	3.60	11.20	0.12	0.23	0.04	0.033	0.32	51.0	13.3	1.43	594	1.86
I318731		2.39	29.1	3.59	10.40	0.10	0.20	0.02	0.033	0.43	25.8	13.4	1.55	779	2.08
I318732		1.03	20.5	2.10	6.19	0.06	0.07	0.02	0.015	0.12	22.7	6.7	0.47	336	1.29
I318733		1.89	24.3	2.92	9.77	0.06	0.09	0.02	0.026	0.18	16.6	8.0	0.71	412	3.29
I318734		2.61	47.4	3.23	7.78	0.05	0.04	0.02	0.018	0.14	5.5	10.6	1.18	449	0.75
I318735		1.85	42.0	3.03	8.47	0.05	0.06	0.02	0.022	0.07	5.0	11.4	1.28	320	0.70
I318736		0.95	51.4	3.62	9.34	0.06	0.03	0.02	0.030	0.13	5.4	13.1	1.76	579	0.85
I318737		0.62	26.3	2.11	6.90	<0.05	<0.02	0.02	0.016	0.05	3.9	6.7	0.68	257	0.83
I318738		0.69	19.9	3.24	8.49	<0.05	<0.02	0.02	0.016	0.06	3.6	8.5	0.87	361	0.88
I318739		0.98	35.0	2.72	8.96	0.05	0.02	0.08	0.029	0.08	7.2	10.2	1.05	376	0.65
I318740		1.46	55.6	3.74	10.35	0.06	0.04	0.04	0.027	0.22	9.4	14.7	1.32	690	0.91
I318741		1.29	47.7	3.89	10.75	0.07	0.05	0.04	0.028	0.35	9.3	15.0	1.52	1090	1.19
I318742		1.45	36.7	4.15	9.96	0.08	0.04	0.03	0.024	0.57	8.0	14.2	1.67	795	1.18
I318743		1.40	39.4	3.67	9.39	0.08	0.05	0.05	0.022	0.46	8.5	13.4	1.50	666	1.38
I318744		1.70	25.9	2.92	5.79	0.07	0.02	0.03	0.014	0.21	12.6	10.0	0.90	527	2.57
I318745		4.32	53.5	4.11	10.25	0.09	0.05	0.10	0.023	0.41	13.8	14.8	1.57	460	1.39
I318746		2.51	38.5	3.81	9.33	0.08	0.04	0.04	0.020	0.35	12.8	12.6	1.48	706	1.14
I318747		2.36	50.9	3.78	9.38	0.09	0.05	0.10	0.019	0.39	14.2	12.8	1.49	661	1.11
I318748		2.40	38.6	3.34	9.31	0.07	0.04	0.07	0.015	0.30	11.4	10.9	1.37	641	1.07
I318749		1.79	36.4	3.45	9.62	0.07	0.04	0.08	0.017	0.26	11.3	11.5	1.33	1220	1.23
I318750		1.82	38.7	3.55	10.30	0.08	0.03	0.08	0.019	0.24	13.9	11.2	1.40	1140	1.26
I318801		2.67	49.9	3.97	9.22	0.07	0.05	0.04	0.033	0.08	20.7	23.7	0.75	404	2.65
I318802		1.91	35.3	3.92	9.54	0.06	0.04	0.02	0.026	0.08	11.3	17.3	0.73	619	2.68
I318803		3.25	85.2	2.99	7.41	0.05	0.02	0.02	0.015	0.05	7.3	20.6	1.41	306	1.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318714		1.57	34.0	810	19.1	17.3	0.001	0.08	0.92	5.2	1.8	0.6	42.1	0.01	0.05
I318715		2.20	46.7	940	11.0	28.7	0.001	0.07	0.55	7.5	2.0	0.8	37.6	<0.01	0.06
I318716		1.17	23.3	580	8.0	10.9	<0.001	0.03	0.32	3.1	1.1	0.4	16.2	0.01	0.04
I318717		1.54	13.9	540	5.7	20.8	<0.001	0.04	0.18	3.8	0.5	0.5	22.4	<0.01	0.02
I318718		2.24	20.0	620	6.3	23.0	<0.001	0.04	0.18	4.8	0.6	0.6	23.7	<0.01	0.02
I318719		1.75	14.7	400	5.8	13.7	<0.001	0.04	0.18	3.2	0.5	0.6	24.2	<0.01	0.01
I318720		1.58	13.5	460	5.2	11.6	<0.001	0.05	0.17	2.6	0.5	0.5	21.3	<0.01	0.02
I318721		1.66	14.3	480	5.4	14.6	<0.001	0.06	0.19	2.7	0.6	0.5	22.7	<0.01	0.02
I318722		1.82	17.5	460	6.3	16.9	<0.001	0.06	0.18	3.0	0.6	0.6	23.2	<0.01	0.02
I318723		2.97	38.2	620	6.3	28.0	0.001	0.07	0.29	6.0	0.8	0.6	64.9	<0.01	0.04
I318724		1.97	26.9	540	5.3	25.3	0.001	0.12	0.37	3.2	0.9	0.6	75.9	0.01	0.02
I318725		0.26	4.2	130	1.6	2.2	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.3	<0.01	<0.01
I318726		2.43	22.9	180	8.1	46.5	<0.001	0.02	0.22	4.4	0.4	0.9	29.8	<0.01	0.03
I318727		2.09	41.6	410	7.4	52.9	<0.001	0.02	0.23	11.5	0.7	1.0	34.4	<0.01	0.03
I318728		2.58	31.8	310	14.6	49.3	<0.001	0.02	0.27	8.4	0.7	1.3	31.1	<0.01	0.05
I318729		2.88	33.4	370	10.2	67.9	<0.001	0.01	0.26	7.3	0.5	1.5	32.2	<0.01	0.04
I318730		3.14	33.5	340	13.2	53.3	<0.001	0.01	0.29	7.7	0.7	1.6	31.9	<0.01	0.05
I318731		3.54	35.6	440	10.4	66.0	<0.001	0.02	0.28	7.9	0.5	1.8	29.6	<0.01	0.06
I318732		1.90	12.1	240	4.6	21.4	<0.001	0.01	0.20	3.8	0.4	1.0	16.8	<0.01	0.09
I318733		1.97	15.9	400	10.5	33.1	<0.001	0.02	0.30	4.7	0.5	1.4	19.5	<0.01	0.15
I318734		1.00	22.2	300	3.7	24.1	<0.001	0.01	0.23	8.7	0.4	0.4	20.0	<0.01	0.05
I318735		1.07	25.0	230	3.8	11.1	<0.001	0.01	0.19	9.3	0.3	0.5	20.1	<0.01	0.03
I318736		0.88	23.6	450	4.0	13.7	<0.001	0.01	0.16	11.2	0.4	0.5	21.0	<0.01	0.03
I318737		0.79	13.0	290	3.5	8.4	<0.001	0.02	0.19	4.8	0.3	0.5	13.9	<0.01	0.02
I318738		0.80	12.1	320	3.4	5.9	<0.001	0.01	0.27	6.4	0.2	0.6	10.8	<0.01	0.02
I318739		0.99	21.7	600	4.7	15.9	<0.001	0.05	0.18	7.6	0.6	0.6	28.0	<0.01	0.02
I318740		1.41	23.4	510	5.1	25.1	<0.001	0.04	0.27	9.5	0.6	0.5	34.0	<0.01	0.03
I318741		1.63	24.8	540	6.0	34.7	<0.001	0.04	0.28	9.1	0.7	0.6	36.9	<0.01	0.03
I318742		1.56	25.7	620	4.5	45.1	<0.001	0.05	0.22	10.1	0.7	0.5	34.4	<0.01	0.03
I318743		1.59	25.8	660	4.6	41.0	<0.001	0.07	0.24	9.1	0.7	0.5	36.9	<0.01	0.03
I318744		1.27	22.6	1130	5.9	24.3	<0.001	0.03	0.34	4.5	0.7	0.5	29.7	<0.01	0.04
I318745		1.96	41.5	530	7.8	42.5	<0.001	0.07	0.30	8.9	0.9	0.6	38.7	<0.01	0.05
I318746		1.97	31.5	520	8.6	38.8	<0.001	0.04	0.25	7.0	0.6	0.6	34.8	<0.01	0.04
I318747		2.01	33.1	580	8.3	39.7	<0.001	0.05	0.28	7.4	0.8	0.5	38.8	<0.01	0.04
I318748		1.79	31.5	600	8.0	40.5	<0.001	0.07	0.27	5.8	0.8	0.5	38.8	<0.01	0.03
I318749		1.94	29.6	710	11.6	45.0	<0.001	0.08	0.29	5.9	0.8	0.5	38.8	<0.01	0.04
I318750		2.09	33.0	610	12.9	36.8	<0.001	0.09	0.26	6.8	0.8	0.6	42.3	<0.01	0.05
I318801		1.59	59.3	570	9.9	19.8	<0.001	0.02	0.90	6.6	1.0	0.9	30.3	<0.01	0.07
I318802		1.87	33.5	480	8.6	19.4	<0.001	0.01	0.52	5.4	0.6	0.7	23.9	<0.01	0.05
I318803		1.12	108.0	370	6.7	20.8	<0.001	0.01	0.28	4.5	0.4	0.4	22.0	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318714		0.067	0.14	2.00	59	0.15	19.40	72	2.4
I318715		0.114	0.24	2.26	87	0.18	14.55	103	1.6
I318716		0.051	0.07	2.72	37	0.13	30.8	39	0.5
I318717		0.101	0.12	0.58	38	0.19	3.65	46	1.2
I318718		0.121	0.17	0.63	54	0.45	4.74	50	1.6
I318719		0.095	0.11	0.51	38	0.24	3.88	44	1.3
I318720		0.083	0.10	0.49	37	0.20	3.13	39	1.1
I318721		0.090	0.11	0.51	36	0.14	3.48	41	1.1
I318722		0.098	0.12	0.55	44	0.18	3.53	47	1.3
I318723		0.133	0.18	1.66	74	0.69	8.89	70	2.5
I318724		0.082	0.14	3.74	38	0.26	7.22	34	2.4
I318725		0.006	0.03	0.32	4	<0.05	2.24	5	2.5
I318726		0.133	0.24	0.65	55	0.23	5.28	42	2.9
I318727		0.186	0.38	1.66	91	0.35	12.30	98	5.6
I318728		0.149	0.32	2.39	74	0.31	11.90	76	9.0
I318729		0.183	0.37	1.41	79	0.27	7.08	85	8.1
I318730		0.197	0.34	1.97	84	0.37	14.45	89	9.7
I318731		0.201	0.39	1.40	79	0.37	7.25	103	9.1
I318732		0.109	0.13	0.86	49	0.19	5.23	50	3.0
I318733		0.149	0.20	1.14	73	0.54	4.32	52	3.6
I318734		0.120	0.15	0.36	110	0.14	3.98	58	1.7
I318735		0.112	0.09	0.41	96	0.09	3.38	71	2.4
I318736		0.121	0.07	0.44	119	0.13	3.85	132	1.2
I318737		0.084	0.06	0.23	64	0.10	1.85	55	<0.5
I318738		0.116	0.06	0.18	108	0.09	2.47	54	0.6
I318739		0.101	0.08	0.70	66	0.14	5.57	74	0.8
I318740		0.152	0.13	0.56	107	0.17	10.55	79	1.8
I318741		0.182	0.17	0.70	116	0.19	7.40	92	2.1
I318742		0.191	0.22	0.63	125	0.16	6.87	89	1.8
I318743		0.169	0.21	0.76	106	0.15	7.36	79	2.1
I318744		0.101	0.17	1.15	69	1.36	7.35	73	0.7
I318745		0.165	0.26	0.95	103	0.17	10.70	84	2.0
I318746		0.171	0.23	0.83	99	0.20	7.56	80	1.8
I318747		0.166	0.26	0.90	97	0.22	9.85	83	2.0
I318748		0.150	0.21	0.97	80	0.15	7.57	85	1.8
I318749		0.142	0.22	1.02	85	0.20	7.44	94	1.6
I318750		0.146	0.22	1.00	86	0.18	8.16	102	1.3
I318801		0.124	0.24	1.82	99	0.34	14.60	93	1.7
I318802		0.137	0.18	0.68	100	0.30	5.19	67	2.0
I318803		0.101	0.16	0.53	68	0.15	3.06	44	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318804		0.36	0.015	0.27	2.72	26.4	<0.2	<10	170	0.34	0.27	0.30	0.31	15.80	20.6	77
I318805		0.52	0.006	0.29	2.87	27.3	<0.2	<10	220	0.39	0.36	0.46	0.21	22.7	14.1	71
I318806		0.52	<0.005	0.42	2.39	11.5	<0.2	<10	220	0.31	0.68	0.61	0.22	18.30	13.1	57
I318807		0.48	0.013	0.23	2.15	41.1	<0.2	<10	220	0.25	0.33	0.62	0.19	16.65	17.7	40
I318808		0.48	<0.005	0.07	1.53	4.4	<0.2	<10	90	0.21	0.57	0.34	0.19	18.20	7.1	33
I318809		0.42	<0.005	0.01	0.14	1.9	<0.2	<10	10	0.09	0.02	0.09	0.04	10.45	2.3	4
I318810		0.54	<0.005	0.08	2.98	34.6	<0.2	<10	240	0.46	0.68	0.55	0.12	25.2	13.1	28
I318811		0.46	<0.005	0.20	2.20	147.5	<0.2	<10	290	0.40	0.27	0.82	0.28	20.7	11.7	21
I318812		0.70	0.005	0.13	2.11	66.5	<0.2	<10	340	0.46	0.14	1.11	0.31	31.2	15.2	22
I318813		0.58	<0.005	0.19	2.52	60.7	<0.2	<10	360	0.34	0.14	0.88	0.25	33.8	17.8	24
I318814		0.62	<0.005	0.22	2.59	47.7	<0.2	<10	410	0.33	0.21	0.80	0.19	31.1	16.1	20
I318815		0.50	0.006	0.19	2.10	25.1	<0.2	<10	320	0.30	0.11	0.86	0.14	24.0	13.9	21
I318816		0.42	0.005	0.19	2.30	10.8	<0.2	<10	330	0.33	0.16	0.81	0.16	28.4	13.1	24
I318817		0.50	<0.005	0.14	2.12	5.3	<0.2	<10	220	0.26	0.21	0.47	0.08	20.4	12.4	22
I318818		0.46	<0.005	0.22	2.09	19.3	<0.2	<10	260	0.36	0.12	0.62	0.16	36.8	10.3	22
I318819		0.52	<0.005	0.14	2.36	18.4	<0.2	<10	280	0.34	0.12	0.52	0.08	26.7	12.9	22
I318820		0.66	<0.005	0.09	2.41	13.7	<0.2	<10	350	0.38	0.11	0.50	0.06	27.3	13.5	24
I318821		0.56	0.008	0.09	2.25	9.0	<0.2	<10	250	0.36	0.12	0.37	0.06	23.0	13.2	21
I318822		0.56	<0.005	0.09	2.43	7.9	<0.2	<10	340	0.35	0.10	0.56	0.05	23.2	13.4	17
I318823		0.60	<0.005	0.11	2.45	8.3	<0.2	<10	290	0.40	0.13	0.53	0.08	29.0	12.4	23
I318824		0.40	<0.005	0.08	0.86	2.5	<0.2	<10	80	0.14	0.09	0.21	0.09	10.65	4.9	15
I318825		0.32	0.006	0.10	1.33	4.2	<0.2	<10	100	0.16	0.12	0.29	0.07	13.45	6.9	19
I318826		0.44	<0.005	0.11	1.40	4.0	<0.2	<10	110	0.18	0.17	0.25	0.09	16.05	6.6	21
I318827		0.30	<0.005	0.11	1.57	5.1	<0.2	<10	160	0.19	0.20	0.30	0.10	17.70	8.1	20
I318828		0.40	0.005	0.12	1.47	5.6	<0.2	<10	150	0.20	0.16	0.29	0.13	17.55	7.9	19
I318829		0.40	<0.005	0.13	1.37	3.6	<0.2	<10	120	0.17	0.14	0.26	0.08	15.25	6.4	19
I318830		0.56	<0.005	0.03	0.22	1.1	<0.2	<10	10	<0.05	0.04	0.05	0.03	2.15	1.6	5
I318831		0.48	<0.005	0.22	2.57	8.9	<0.2	<10	310	0.35	0.66	0.53	0.13	28.7	14.0	26
I318832		0.58	<0.005	0.07	1.72	9.1	<0.2	<10	120	0.27	0.25	0.19	0.16	17.45	8.9	22
I318833		0.60	<0.005	0.08	1.90	14.6	<0.2	<10	140	0.48	0.54	0.22	0.13	24.3	9.8	21
I318834		0.60	<0.005	0.18	2.00	7.6	<0.2	<10	270	0.47	0.27	0.78	0.17	28.3	11.8	24
I318835		0.44	<0.005	0.02	0.11	1.8	<0.2	<10	30	0.10	0.01	0.08	0.04	10.20	2.2	19
I318836		0.56	<0.005	0.20	1.79	5.3	<0.2	<10	320	0.38	0.12	1.10	0.13	30.8	10.9	22
I318837		0.38	<0.005	0.16	1.33	5.5	<0.2	<10	100	0.21	0.54	0.33	0.22	17.65	6.1	31
I318838		0.44	<0.005	0.12	1.29	5.1	<0.2	<10	80	0.16	0.46	0.29	0.14	14.45	5.5	30
I318839		0.46	<0.005	0.15	1.32	7.8	<0.2	<10	100	0.18	0.47	0.30	0.19	15.45	5.6	33
I318840		0.56	<0.005	0.26	1.81	5.1	<0.2	<10	150	0.26	0.95	0.32	0.16	23.2	11.0	66
I318841		0.48	<0.005	0.22	1.74	5.1	<0.2	<10	160	0.24	1.05	0.37	0.16	24.2	9.3	65
I318842		0.56	<0.005	0.26	2.10	7.6	<0.2	<10	200	0.40	1.79	0.44	0.20	34.5	12.7	73
I318843		0.50	0.006	0.47	1.87	8.3	<0.2	<10	180	0.33	1.94	0.46	0.26	39.2	9.4	72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318804		2.40	60.8	3.40	8.28	0.05	0.03	0.03	0.021	0.07	8.1	17.8	0.89	625	1.53
I318805		2.56	48.5	3.19	8.19	0.06	0.04	0.03	0.022	0.07	12.1	20.0	0.87	305	1.16
I318806		1.56	44.6	2.70	6.70	0.06	0.05	0.04	0.018	0.07	9.7	16.3	0.75	331	1.05
I318807		1.90	26.7	2.82	6.74	0.05	0.03	0.05	0.014	0.06	8.5	15.3	0.80	736	1.37
I318808		1.60	14.3	2.11	5.92	<0.05	0.02	0.03	0.013	0.05	9.2	7.5	0.53	177	0.49
I318809		0.08	2.9	0.76	0.70	<0.05	0.07	<0.01	<0.005	0.04	5.3	1.1	0.04	163	0.33
I318810		2.98	21.8	3.93	10.50	0.06	0.06	0.04	0.029	0.21	12.5	16.1	0.86	495	1.32
I318811		3.52	17.3	3.45	7.41	0.09	0.06	0.43	0.027	0.23	12.4	15.6	0.77	468	1.11
I318812		4.66	24.0	3.43	6.58	0.12	0.10	0.22	0.031	0.32	16.7	15.4	0.87	630	0.83
I318813		2.74	23.4	3.84	8.82	0.12	0.08	0.17	0.031	0.25	20.8	14.3	0.91	817	1.31
I318814		4.22	23.4	4.26	8.96	0.15	0.08	0.10	0.031	0.47	18.0	14.5	1.06	754	0.81
I318815		3.15	20.1	3.47	7.59	0.12	0.06	0.08	0.026	0.26	13.5	11.3	0.84	624	0.91
I318816		2.46	22.4	3.39	7.91	0.11	0.07	0.08	0.027	0.23	16.7	13.5	0.83	456	0.72
I318817		1.98	15.2	3.28	7.66	0.11	0.06	0.04	0.023	0.18	10.8	11.3	0.80	415	0.82
I318818		2.32	18.0	3.08	7.63	0.11	0.06	0.10	0.026	0.22	20.5	12.2	0.73	346	0.68
I318819		3.48	16.2	3.51	8.74	0.13	0.06	0.05	0.026	0.34	14.9	13.9	0.86	479	0.63
I318820		2.85	19.3	3.61	8.31	0.13	0.10	0.04	0.026	0.34	15.8	15.2	0.91	494	0.61
I318821		1.87	17.0	2.85	8.96	0.11	0.08	0.02	0.025	0.28	12.1	14.6	0.71	386	0.58
I318822		1.87	20.6	3.59	8.82	0.12	0.07	0.02	0.023	0.37	12.4	13.4	0.87	461	0.48
I318823		1.75	19.2	3.39	8.78	0.11	0.09	0.02	0.026	0.26	15.6	14.3	0.80	434	0.56
I318824		0.62	9.5	1.26	4.08	<0.05	<0.02	0.02	0.011	0.04	5.3	4.2	0.25	115	0.51
I318825		0.84	10.1	2.07	5.38	0.06	0.03	0.03	0.016	0.06	6.7	6.7	0.42	192	0.62
I318826		0.97	13.5	1.96	5.45	0.06	0.03	0.04	0.016	0.05	8.0	6.7	0.40	151	0.56
I318827		0.96	13.5	2.14	6.36	0.07	0.03	0.03	0.016	0.06	9.5	7.7	0.45	215	0.71
I318828		1.11	12.0	2.12	6.09	0.07	0.03	0.04	0.016	0.08	8.8	7.9	0.46	220	0.66
I318829		0.92	12.3	2.01	5.72	0.07	0.03	0.04	0.016	0.06	7.9	6.2	0.41	166	0.75
I318830		0.31	5.6	0.71	1.99	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.6	0.04	41	0.37
I318831		3.47	24.2	3.62	8.61	0.11	0.07	0.04	0.027	0.19	15.6	14.8	0.84	432	1.39
I318832		1.72	12.7	2.81	9.82	0.07	0.07	0.02	0.022	0.07	8.6	10.4	0.37	238	1.43
I318833		4.69	12.5	3.11	8.68	0.09	0.04	0.03	0.032	0.16	11.2	9.4	0.63	321	1.50
I318834		2.74	17.0	2.97	6.85	0.11	0.09	0.05	0.030	0.22	14.3	13.1	0.72	506	0.72
I318835		0.08	1.9	0.52	0.53	<0.05	0.06	<0.01	<0.005	0.03	5.1	1.0	0.04	141	0.59
I318836		1.61	21.8	2.80	6.82	0.10	0.05	0.05	0.024	0.17	20.1	11.3	0.65	477	0.93
I318837		1.61	14.8	1.93	5.84	0.07	0.02	0.05	0.017	0.06	8.8	6.6	0.46	136	0.62
I318838		1.65	12.5	1.87	5.74	0.06	0.02	0.05	0.016	0.06	7.4	5.9	0.47	142	0.58
I318839		1.79	14.0	1.97	6.10	0.07	0.02	0.07	0.018	0.06	7.9	5.7	0.49	142	0.66
I318840		3.12	22.1	2.49	7.50	0.09	0.02	0.04	0.020	0.19	14.0	8.4	0.81	300	1.36
I318841		3.05	19.7	2.35	7.14	0.09	0.02	0.05	0.017	0.18	14.8	8.0	0.78	256	1.17
I318842		3.58	32.3	3.08	8.05	0.11	0.03	0.04	0.023	0.28	20.5	12.3	0.91	378	1.40
I318843		4.05	29.7	2.56	7.88	0.10	0.03	0.06	0.022	0.19	25.4	9.4	0.80	277	1.37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318804		1.50	52.3	510	8.7	21.4	<0.001	0.02	0.40	4.9	0.4	0.5	23.2	<0.01	0.03
I318805		1.49	44.5	450	13.7	20.8	<0.001	0.02	0.32	6.2	0.5	0.5	33.6	<0.01	0.03
I318806		1.20	33.1	490	24.1	16.1	<0.001	0.03	0.23	6.1	0.5	0.4	38.7	<0.01	0.02
I318807		1.06	18.5	650	12.0	17.3	<0.001	0.05	0.35	5.4	0.5	0.5	40.3	<0.01	0.02
I318808		1.43	18.3	470	6.5	16.4	<0.001	0.04	0.19	3.6	0.5	0.6	22.5	<0.01	0.02
I318809		0.21	4.1	130	1.4	2.2	<0.001	0.01	0.09	0.7	<0.2	<0.2	8.2	<0.01	<0.01
I318810		2.66	18.4	490	10.6	27.7	<0.001	0.02	0.71	6.7	0.5	0.8	33.9	<0.01	0.04
I318811		2.04	14.0	500	19.1	26.3	<0.001	0.02	1.45	7.5	0.5	0.6	44.3	<0.01	0.04
I318812		1.96	15.6	820	11.3	38.6	0.001	0.03	0.99	10.0	0.7	0.5	49.1	0.01	0.03
I318813		2.31	16.7	720	12.2	33.6	<0.001	0.04	0.96	8.8	0.9	0.7	46.3	<0.01	0.02
I318814		2.40	13.7	900	14.4	49.5	<0.001	0.03	0.59	10.0	0.8	0.6	42.1	<0.01	0.03
I318815		2.11	14.0	780	5.3	37.6	<0.001	0.05	0.56	7.5	0.8	0.6	46.7	<0.01	0.02
I318816		2.10	16.6	660	6.4	32.0	<0.001	0.04	0.43	7.4	0.7	0.6	43.8	<0.01	0.02
I318817		2.32	13.3	610	5.2	25.5	<0.001	0.02	0.31	5.9	0.6	0.6	29.7	<0.01	0.02
I318818		2.34	15.0	640	7.5	26.6	<0.001	0.04	0.33	6.1	0.7	0.7	43.0	<0.01	0.02
I318819		2.37	13.7	660	6.3	34.6	<0.001	0.02	0.33	7.0	0.5	0.8	34.6	<0.01	0.01
I318820		1.54	17.1	590	5.8	33.0	<0.001	0.01	0.31	7.7	0.6	0.7	36.6	<0.01	0.01
I318821		2.20	13.7	490	5.9	27.8	<0.001	0.01	0.30	6.0	0.5	0.8	32.0	<0.01	0.02
I318822		1.89	12.3	750	4.8	32.1	<0.001	0.01	0.27	6.2	0.4	0.7	38.8	<0.01	0.02
I318823		2.08	15.2	540	5.6	27.1	<0.001	0.01	0.29	7.0	0.4	0.7	40.6	<0.01	0.02
I318824		0.78	9.0	370	4.0	9.0	<0.001	0.02	0.14	2.0	0.4	0.4	17.9	<0.01	0.01
I318825		1.27	12.4	530	4.7	11.5	<0.001	0.03	0.19	3.0	0.5	0.4	21.7	<0.01	0.01
I318826		1.25	13.2	590	5.0	11.7	<0.001	0.05	0.21	2.9	0.6	0.5	21.1	<0.01	0.02
I318827		1.52	13.5	500	5.2	12.2	<0.001	0.04	0.23	3.2	0.5	0.5	26.6	<0.01	0.02
I318828		1.40	12.7	530	5.9	15.0	<0.001	0.04	0.21	3.3	0.5	0.5	24.0	<0.01	0.02
I318829		1.36	11.6	560	4.8	12.1	<0.001	0.04	0.20	3.0	0.6	0.5	21.7	<0.01	0.02
I318830		0.38	2.5	130	1.3	2.7	<0.001	0.01	0.12	0.7	0.2	0.2	5.7	<0.01	0.01
I318831		2.04	18.9	660	5.6	29.9	<0.001	0.04	0.42	7.3	0.7	0.6	37.1	<0.01	0.12
I318832		1.95	12.9	270	11.2	18.5	<0.001	0.02	0.46	3.8	0.3	0.8	19.7	<0.01	0.04
I318833		2.13	12.9	390	10.1	26.4	<0.001	0.02	0.69	5.8	0.4	1.1	16.3	<0.01	0.03
I318834		2.06	15.7	720	10.4	29.5	<0.001	0.03	0.60	7.2	0.6	0.8	41.2	<0.01	0.02
I318835		0.14	4.4	130	1.4	2.1	<0.001	0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	<0.01
I318836		1.97	15.4	710	5.1	26.5	<0.001	0.06	0.53	6.0	0.9	0.6	68.9	<0.01	0.03
I318837		1.19	19.6	510	6.8	15.1	<0.001	0.06	0.24	3.2	0.8	0.5	23.7	<0.01	0.03
I318838		1.15	16.5	400	6.2	16.1	<0.001	0.04	0.22	3.0	0.6	0.6	20.6	<0.01	0.02
I318839		1.29	16.8	490	6.7	16.8	<0.001	0.06	0.23	3.0	0.8	0.6	22.7	<0.01	0.02
I318840		1.67	30.4	510	7.6	34.1	<0.001	0.04	0.19	4.4	0.6	0.8	29.0	<0.01	0.04
I318841		1.64	26.8	420	5.8	32.3	<0.001	0.03	0.19	4.3	0.6	0.7	30.2	<0.01	0.02
I318842		1.79	33.1	610	7.8	45.2	<0.001	0.04	0.27	5.1	0.8	0.8	33.4	<0.01	0.03
I318843		1.63	28.2	600	8.0	44.6	<0.001	0.05	0.31	4.5	0.9	0.8	34.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318804		0.125	0.16	0.58	81	0.20	3.62	53	1.2
I318805		0.125	0.17	1.01	77	0.28	5.94	52	1.7
I318806		0.122	0.12	1.13	68	0.25	6.25	51	1.9
I318807		0.126	0.17	0.83	74	0.43	5.04	56	1.3
I318808		0.102	0.13	0.57	46	0.39	4.70	57	0.8
I318809		0.008	0.03	0.30	4	<0.05	2.20	4	2.7
I318810		0.183	0.19	0.86	101	0.32	6.42	73	2.6
I318811		0.156	0.22	1.30	84	0.91	9.33	121	2.1
I318812		0.161	0.31	2.36	82	0.63	17.20	93	3.6
I318813		0.185	0.26	1.68	99	1.33	14.35	99	2.7
I318814		0.210	0.36	1.84	106	1.78	16.05	84	2.6
I318815		0.167	0.25	1.44	90	2.04	10.90	70	2.1
I318816		0.171	0.22	1.45	85	0.74	13.40	75	2.4
I318817		0.188	0.22	1.13	89	3.31	6.34	59	2.4
I318818		0.163	0.20	1.82	74	0.42	8.86	62	1.9
I318819		0.207	0.31	1.35	86	0.31	8.24	64	2.2
I318820		0.198	0.28	1.44	88	0.28	11.85	62	3.5
I318821		0.220	0.22	0.90	91	0.35	7.03	60	2.8
I318822		0.230	0.25	0.88	90	0.36	7.58	61	2.6
I318823		0.228	0.21	1.13	91	0.17	9.29	63	3.3
I318824		0.082	0.07	0.43	36	0.11	2.49	28	<0.5
I318825		0.110	0.09	0.63	53	0.20	3.44	42	0.9
I318826		0.100	0.10	0.96	45	0.23	3.82	42	1.0
I318827		0.118	0.11	1.03	52	0.30	3.75	50	1.2
I318828		0.120	0.12	0.89	51	0.32	3.85	47	1.1
I318829		0.113	0.11	0.99	48	0.20	3.32	43	1.0
I318830		0.039	0.02	0.14	20	0.05	0.48	14	<0.5
I318831		0.169	0.27	1.36	93	1.00	9.09	58	2.4
I318832		0.130	0.15	0.43	87	0.18	3.55	40	2.5
I318833		0.138	0.22	0.59	82	0.23	5.92	62	1.5
I318834		0.143	0.22	1.28	74	0.28	11.35	63	3.5
I318835		0.011	0.03	0.30	6	<0.05	2.06	6	2.3
I318836		0.119	0.19	1.64	71	0.20	14.25	48	1.7
I318837		0.086	0.15	0.66	42	0.34	4.28	55	0.7
I318838		0.089	0.14	0.55	39	0.18	3.46	50	0.6
I318839		0.088	0.14	0.70	40	0.12	3.47	50	0.7
I318840		0.117	0.29	1.54	62	0.26	4.76	60	0.7
I318841		0.120	0.29	1.36	59	0.50	5.43	57	0.8
I318842		0.130	0.37	2.24	70	0.34	7.85	76	1.1
I318843		0.118	0.37	2.52	63	0.35	8.58	64	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318844		0.58	<0.005	0.59	2.03	12.3	<0.2	<10	160	0.36	2.11	0.47	0.24	40.4	13.5	80
I318845		0.36	0.011	0.90	2.02	23.7	<0.2	<10	210	0.49	2.62	0.67	0.30	80.1	15.0	81
I318846		0.56	0.011	0.75	1.99	39.5	<0.2	<10	170	0.44	3.46	0.82	0.48	53.8	19.2	76
I318847		0.40	0.007	0.79	2.05	26.6	<0.2	<10	200	0.33	3.47	0.79	0.55	42.5	19.5	63
I318848		0.48	0.006	0.47	1.83	12.9	<0.2	<10	160	0.21	2.52	0.43	0.27	20.5	10.8	54
I318849		0.42	<0.005	0.01	0.11	1.5	<0.2	<10	30	0.09	0.03	0.08	0.04	10.05	2.1	24
I318850		0.54	0.005	0.31	1.94	10.0	<0.2	<10	160	0.27	3.34	0.34	0.30	20.0	12.5	55
I319251		0.52	0.005	0.34	2.68	6.0	<0.2	<10	330	0.39	0.19	1.02	0.44	18.85	17.0	59
I319252		0.54	0.006	0.45	2.15	4.8	<0.2	<10	270	0.41	0.16	1.07	0.57	19.70	13.5	38
I319253		0.48	0.006	0.45	2.44	3.8	<0.2	<10	260	0.32	0.12	0.83	0.30	16.45	13.7	43
I319254		0.44	<0.005	0.26	2.66	5.3	<0.2	<10	250	0.33	0.17	0.87	0.39	14.30	12.7	49
I319255		0.48	<0.005	0.25	2.59	4.6	<0.2	<10	320	0.45	0.12	1.38	0.59	19.70	13.5	53
I319256		0.58	0.005	0.13	2.72	4.0	<0.2	<10	240	0.29	0.11	0.75	0.48	11.95	17.0	41
I319257		0.52	<0.005	0.34	1.98	5.5	<0.2	<10	320	0.33	0.16	1.02	1.88	18.80	11.0	50
I319258		0.38	<0.005	0.37	2.05	6.9	<0.2	<10	340	0.35	0.17	1.17	1.84	22.3	12.2	48
I319259		0.50	<0.005	0.72	2.23	14.1	<0.2	<10	390	0.58	0.21	1.05	1.50	30.9	12.6	66
I319260		0.52	0.005	1.12	1.37	6.3	<0.2	<10	410	0.43	0.14	1.28	1.74	34.4	10.7	39
I319261		0.56	<0.005	0.73	2.91	7.3	<0.2	<10	540	0.53	0.21	0.99	0.75	23.5	15.8	89
I319262		0.40	0.006	0.38	1.94	8.2	<0.2	<10	250	0.27	0.30	1.48	0.75	21.2	18.1	52
I319263		0.46	<0.005	0.31	1.26	6.0	<0.2	<10	220	0.28	0.19	1.78	0.56	19.20	14.2	29
I319264		0.46	<0.005	0.21	2.05	7.2	<0.2	<10	220	0.38	0.15	1.45	0.16	25.5	15.4	46
I319265		0.64	0.009	0.22	2.59	6.5	<0.2	<10	250	0.41	0.22	1.18	0.34	28.1	20.3	62
I319266		0.62	0.007	0.25	2.45	7.7	<0.2	<10	210	0.40	0.30	0.89	0.24	27.8	20.0	49
I319267		0.80	0.007	0.19	2.54	6.8	<0.2	<10	200	0.42	0.24	0.65	0.27	27.2	15.6	50
I319268		0.74	<0.005	0.21	2.96	10.0	<0.2	<10	260	0.46	0.24	0.57	0.24	23.8	21.9	54
I319269		0.72	0.007	0.23	3.03	9.4	<0.2	<10	320	0.50	0.26	0.63	0.32	35.2	20.9	55
I319270		0.54	<0.005	0.31	0.72	2.8	<0.2	<10	90	0.17	0.11	0.14	0.22	11.80	3.3	13
I319271		0.66	<0.005	0.26	2.08	8.7	<0.2	<10	220	0.38	0.23	0.30	0.38	25.1	10.4	31
I319272		0.44	<0.005	0.19	1.22	6.9	<0.2	<10	80	0.21	0.21	0.10	0.37	10.70	5.4	23
I319273		0.52	<0.005	0.08	0.97	7.7	<0.2	<10	50	0.12	0.28	0.08	0.14	12.95	3.2	16
I319274		0.64	0.006	0.22	3.19	7.0	<0.2	<10	520	0.71	0.25	0.62	0.33	49.5	21.1	81
I319275		0.66	<0.005	0.11	2.13	10.7	<0.2	<10	100	0.35	0.62	0.15	0.41	20.8	12.0	51
I319276		0.46	<0.005	1.13	1.67	6.5	<0.2	<10	310	0.43	0.68	1.06	1.49	47.3	12.2	36
I319277		0.62	<0.005	0.14	1.67	6.8	<0.2	<10	130	0.43	0.81	0.42	0.93	36.0	8.8	29
I319278		0.58	<0.005	0.20	2.37	7.0	<0.2	<10	210	0.39	2.12	0.51	1.28	37.2	15.2	46
I319279		0.50	<0.005	0.08	1.71	4.4	<0.2	<10	120	0.15	0.49	0.19	0.36	9.45	15.3	43
I319280		0.50	<0.005	0.07	1.73	3.6	<0.2	<10	170	0.13	0.10	0.68	0.15	7.72	16.7	88
I319281		0.44	<0.005	0.08	0.32	1.5	<0.2	<10	20	0.06	0.13	0.04	0.05	5.04	1.8	8
I319282		0.58	<0.005	0.41	1.78	6.8	<0.2	<10	240	0.43	1.27	0.58	1.32	41.7	13.2	36
I319283		0.52	<0.005	0.38	2.30	7.7	<0.2	<10	190	0.43	1.09	0.45	0.92	35.5	10.5	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318844		4.75	31.8	2.80	8.07	0.10	0.03	0.07	0.026	0.20	26.9	11.1	0.84	422	1.61
I318845		5.85	45.5	2.85	7.57	0.13	0.04	0.12	0.029	0.15	48.2	10.9	0.77	765	1.67
I318846		7.11	43.6	3.05	7.65	0.11	0.04	0.09	0.030	0.18	28.7	12.5	0.85	1140	2.04
I318847		8.33	50.3	2.82	7.60	0.11	0.03	0.10	0.030	0.11	23.2	12.9	0.90	884	1.23
I318848		7.12	39.7	2.45	7.10	0.08	0.02	0.08	0.022	0.09	11.1	10.7	0.87	322	0.74
I318849		0.09	3.8	0.56	0.58	<0.05	0.08	0.01	<0.005	0.04	4.9	1.1	0.03	143	0.61
I318850		7.32	49.6	2.80	7.08	0.07	0.04	0.08	0.024	0.09	10.6	12.2	0.87	314	0.83
I319251		0.99	65.1	3.28	8.19	0.09	0.04	0.05	0.020	0.23	9.6	9.6	1.38	495	1.51
I319252		0.77	57.2	2.97	6.84	0.08	0.05	0.07	0.023	0.16	10.3	8.7	0.86	403	1.88
I319253		0.86	55.8	2.96	7.42	0.07	0.03	0.06	0.019	0.15	8.6	9.1	1.11	394	1.77
I319254		0.98	40.1	3.16	8.10	0.06	0.05	0.04	0.023	0.12	7.5	12.5	1.05	390	1.81
I319255		0.98	68.3	2.68	6.90	0.08	0.06	0.07	0.020	0.16	10.9	12.0	1.05	376	1.27
I319256		1.12	45.6	2.92	6.43	0.07	0.06	0.02	0.016	0.20	6.0	13.1	1.33	425	1.55
I319257		1.29	35.3	2.54	6.65	0.07	0.05	0.06	0.023	0.13	9.8	10.6	0.79	400	2.48
I319258		1.30	37.6	2.50	7.01	0.08	0.05	0.07	0.023	0.13	11.5	13.6	0.81	436	2.50
I319259		2.13	55.1	3.17	7.48	0.10	0.08	0.08	0.030	0.22	16.0	17.4	1.02	401	4.22
I319260		1.17	58.5	2.06	5.07	0.09	0.06	0.10	0.022	0.08	17.4	8.8	0.57	853	4.78
I319261		2.95	46.9	3.44	10.15	0.11	0.07	0.05	0.036	0.37	12.7	23.5	1.64	728	3.73
I319262		0.81	44.4	2.81	5.84	0.07	0.05	0.07	0.024	0.09	9.2	9.8	1.00	1220	2.09
I319263		0.48	39.3	1.90	4.14	0.05	0.04	0.05	0.015	0.06	7.9	6.6	0.54	1760	1.28
I319264		0.70	41.9	2.85	6.04	0.07	0.06	0.05	0.021	0.07	12.0	10.6	0.89	553	1.18
I319265		0.86	44.8	3.36	7.30	0.08	0.09	0.04	0.025	0.13	13.6	13.8	1.37	724	1.57
I319266		1.07	42.6	3.66	7.44	0.09	0.06	0.04	0.025	0.09	12.9	14.2	1.24	694	1.81
I319267		1.00	39.0	3.36	7.62	0.09	0.06	0.04	0.041	0.10	13.4	14.9	1.32	427	0.90
I319268		0.99	48.0	4.25	8.80	0.09	0.05	0.02	0.026	0.11	12.3	17.1	1.65	724	2.13
I319269		1.18	65.1	4.58	9.15	0.12	0.11	0.03	0.028	0.22	17.7	16.6	1.71	507	2.59
I319270		0.56	11.9	1.18	3.60	<0.05	<0.02	0.03	0.010	0.03	8.6	3.6	0.16	123	0.94
I319271		0.94	25.5	3.09	7.65	0.07	0.04	0.02	0.030	0.05	15.9	14.4	0.60	388	1.57
I319272		0.77	13.3	2.62	7.26	<0.05	0.05	0.02	0.018	0.04	5.2	8.2	0.26	158	1.43
I319273		0.73	10.8	1.97	8.44	<0.05	0.03	0.02	0.012	0.03	6.7	4.1	0.14	105	1.64
I319274		3.32	45.6	4.60	11.25	0.11	0.05	0.02	0.041	0.55	21.9	17.5	1.54	609	1.35
I319275		1.32	29.2	4.99	10.90	0.08	0.07	0.02	0.039	0.13	8.4	15.2	0.76	385	2.19
I319276		1.33	31.2	2.71	6.37	0.16	0.04	0.09	0.037	0.10	61.4	9.4	0.53	826	1.86
I319277		0.86	21.7	2.77	6.22	0.06	0.04	0.02	0.029	0.09	15.4	11.1	0.53	337	1.34
I319278		1.13	35.7	3.85	8.44	0.07	0.05	0.05	0.046	0.13	13.7	14.6	0.93	496	1.77
I319279		0.89	29.2	2.54	5.73	0.05	0.02	0.02	0.016	0.07	4.6	9.8	0.83	297	0.78
I319280		0.74	46.9	2.53	4.87	0.05	0.02	0.02	0.012	0.07	3.9	11.7	1.11	313	0.58
I319281		0.34	6.6	0.76	3.00	<0.05	<0.02	0.02	0.005	0.02	2.7	1.1	0.05	40	0.61
I319282		0.90	27.1	2.74	5.72	0.08	0.04	0.17	0.044	0.08	22.3	10.5	0.66	706	1.35
I319283		0.99	29.9	2.86	7.02	0.08	0.04	0.16	0.037	0.08	19.4	14.1	0.82	222	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318844		1.65	29.7	700	11.0	46.1	<0.001	0.05	0.43	4.7	0.9	1.0	34.5	<0.01	0.04
I318845		1.49	33.3	780	14.7	39.8	<0.001	0.08	1.02	5.1	1.3	1.0	45.2	<0.01	0.05
I318846		1.51	33.7	690	17.4	48.4	<0.001	0.05	0.93	5.4	0.9	1.1	45.7	<0.01	0.04
I318847		1.27	30.6	610	13.6	42.0	<0.001	0.06	1.09	5.9	0.9	1.1	50.2	<0.01	0.04
I318848		1.07	22.8	600	10.6	30.9	<0.001	0.05	0.66	4.5	0.7	0.9	32.4	<0.01	0.02
I318849		0.15	4.1	120	1.5	2.1	<0.001	<0.01	0.12	0.7	<0.2	<0.2	9.9	<0.01	0.02
I318850		1.25	22.9	720	11.3	31.9	<0.001	0.05	0.66	4.4	0.7	0.9	29.8	<0.01	0.02
I319251		1.29	31.0	700	6.5	28.7	0.001	0.08	0.34	5.3	1.1	0.4	42.4	<0.01	0.05
I319252		1.29	25.0	760	7.1	20.0	0.001	0.10	0.29	4.3	1.2	0.4	44.3	<0.01	0.05
I319253		1.34	26.2	660	4.9	19.7	0.001	0.07	0.29	4.8	1.1	0.4	38.0	<0.01	0.04
I319254		1.54	32.1	610	6.5	23.3	<0.001	0.07	0.29	5.1	0.9	0.5	40.4	<0.01	0.05
I319255		1.43	37.9	680	5.1	26.4	0.001	0.11	0.37	4.9	1.5	0.4	47.8	<0.01	0.04
I319256		1.04	31.0	390	4.8	27.4	<0.001	0.03	0.27	4.7	0.7	0.3	33.2	<0.01	0.04
I319257		1.33	34.4	780	6.7	25.4	0.001	0.08	0.34	4.2	1.2	0.5	48.0	<0.01	0.05
I319258		1.16	39.1	840	7.0	24.5	<0.001	0.10	0.39	4.4	1.3	0.5	48.4	<0.01	0.04
I319259		1.12	48.5	1160	9.5	28.3	0.002	0.12	0.53	4.8	2.6	0.6	44.3	<0.01	0.06
I319260		0.73	39.1	1350	6.1	12.9	0.002	0.15	0.52	2.6	2.8	0.4	51.8	<0.01	0.04
I319261		1.22	51.6	1200	12.4	31.9	<0.001	0.07	0.35	8.1	1.6	0.8	43.6	<0.01	0.06
I319262		0.77	32.7	1070	10.4	14.3	<0.001	0.13	0.47	4.5	1.2	0.4	47.5	<0.01	0.09
I319263		0.62	20.9	1160	8.0	8.2	0.001	0.17	0.27	2.2	1.3	0.2	45.1	<0.01	0.05
I319264		0.98	29.7	1150	7.0	11.0	<0.001	0.16	0.34	4.1	1.2	0.3	43.4	<0.01	0.03
I319265		1.12	43.7	770	11.6	19.0	<0.001	0.09	0.37	6.4	1.1	0.4	43.6	<0.01	0.04
I319266		1.10	35.7	730	16.8	13.8	<0.001	0.08	0.32	5.7	1.1	0.4	34.5	<0.01	0.03
I319267		1.28	34.2	590	12.1	15.4	<0.001	0.06	0.30	6.3	0.9	0.5	28.2	<0.01	0.03
I319268		1.19	43.3	700	12.5	15.1	<0.001	0.04	0.25	6.3	0.8	0.4	26.6	<0.01	0.03
I319269		1.42	45.7	890	10.0	26.9	0.001	0.04	0.34	8.8	1.4	0.5	31.2	<0.01	0.05
I319270		0.50	7.8	320	4.1	4.5	<0.001	0.04	0.19	1.4	0.4	0.3	11.9	<0.01	0.01
I319271		1.39	23.1	450	8.7	8.8	<0.001	0.03	0.34	4.3	0.6	0.5	20.8	<0.01	0.03
I319272		1.69	12.9	210	8.0	7.6	<0.001	0.02	0.42	2.5	0.3	0.6	10.5	<0.01	0.02
I319273		1.24	8.0	220	9.9	5.8	<0.001	0.03	0.46	1.8	0.3	0.8	9.9	<0.01	0.02
I319274		1.71	55.7	1110	14.9	53.3	<0.001	0.02	0.23	10.7	1.0	1.1	23.6	<0.01	0.04
I319275		2.82	32.2	400	16.6	19.2	<0.001	0.02	0.39	5.2	0.5	0.8	12.6	<0.01	0.05
I319276		1.28	25.8	950	14.1	17.7	<0.001	0.11	0.27	3.8	1.6	0.5	37.1	0.01	0.04
I319277		1.53	23.8	620	22.7	12.4	<0.001	0.02	0.27	3.5	0.6	0.6	17.9	<0.01	0.04
I319278		1.89	40.0	640	17.7	17.7	<0.001	0.03	0.28	5.7	0.7	0.7	21.0	<0.01	0.04
I319279		0.87	25.8	410	6.0	8.9	<0.001	0.03	0.21	3.7	0.4	0.3	10.7	<0.01	0.03
I319280		0.75	39.4	350	3.3	10.0	<0.001	0.05	0.21	3.9	0.3	0.3	18.8	<0.01	0.01
I319281		0.37	3.6	140	3.9	2.5	<0.001	0.02	0.19	0.9	0.2	0.3	5.5	<0.01	0.01
I319282		1.09	29.5	900	27.4	11.0	<0.001	0.05	0.28	4.4	1.0	0.6	23.9	<0.01	0.03
I319283		1.44	30.8	830	16.7	11.4	<0.001	0.03	0.31	5.8	1.4	0.6	22.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318844		0.118	0.42	3.04	65	0.35	7.62	72	1.1
I318845		0.096	0.44	5.36	59	0.32	17.35	71	1.2
I318846		0.106	0.53	4.03	69	1.19	11.30	86	1.2
I318847		0.105	0.50	3.24	67	0.41	11.70	90	1.0
I318848		0.111	0.32	1.57	63	0.41	5.50	74	0.7
I318849		0.006	0.03	0.34	4	<0.05	2.09	4	2.7
I318850		0.105	0.32	2.07	77	0.35	6.20	70	1.2
I319251		0.113	0.16	0.86	87	0.19	10.25	88	1.7
I319252		0.083	0.12	1.36	71	0.15	10.05	70	2.0
I319253		0.102	0.12	0.95	75	0.14	7.41	77	1.5
I319254		0.100	0.13	0.75	81	0.15	7.25	84	2.0
I319255		0.082	0.14	1.01	68	0.12	14.35	75	2.7
I319256		0.091	0.16	0.53	70	0.12	5.68	88	1.9
I319257		0.073	0.17	0.95	69	0.15	9.75	109	2.3
I319258		0.071	0.17	1.14	68	0.22	11.05	111	0.8
I319259		0.066	0.26	2.05	99	0.12	15.55	133	2.2
I319260		0.041	0.15	1.89	63	0.15	20.5	79	1.2
I319261		0.088	0.30	0.86	128	0.13	9.89	148	1.9
I319262		0.057	0.12	1.03	65	0.09	8.68	93	0.5
I319263		0.043	0.10	0.82	43	0.07	7.26	50	<0.5
I319264		0.070	0.10	0.87	68	0.10	9.74	51	0.9
I319265		0.094	0.14	0.89	75	0.12	10.10	84	2.2
I319266		0.095	0.12	1.00	71	0.10	9.19	86	1.3
I319267		0.114	0.12	1.00	72	0.26	8.75	97	1.4
I319268		0.120	0.12	0.90	93	0.11	7.26	116	1.0
I319269		0.145	0.17	1.31	101	0.13	14.45	122	4.0
I319270		0.046	0.04	0.53	29	0.08	4.27	20	<0.5
I319271		0.095	0.09	0.77	70	0.13	9.42	52	<0.5
I319272		0.105	0.07	0.35	73	0.11	2.08	34	1.0
I319273		0.092	0.11	0.36	73	0.10	1.60	26	<0.5
I319274		0.185	0.33	1.05	132	0.11	13.10	97	0.6
I319275		0.165	0.14	0.68	116	0.17	5.39	84	1.5
I319276		0.064	0.14	1.84	58	0.15	29.3	89	<0.5
I319277		0.087	0.14	1.40	64	0.12	7.04	109	0.6
I319278		0.113	0.15	1.17	90	0.15	8.50	138	0.8
I319279		0.104	0.07	0.28	70	0.10	2.56	49	<0.5
I319280		0.090	0.06	0.25	64	0.09	2.17	52	<0.5
I319281		0.045	0.05	0.19	26	0.05	0.76	15	<0.5
I319282		0.065	0.17	2.53	56	0.13	10.10	131	<0.5
I319283		0.104	0.18	2.50	70	0.13	8.56	125	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319284		0.64	<0.005	0.40	2.36	9.3	<0.2	<10	190	0.44	1.12	0.44	0.93	41.6	11.2	45
I319285		0.66	0.005	0.21	1.90	11.1	<0.2	<10	140	0.24	0.84	0.36	0.57	21.2	11.8	39
I319286		0.58	<0.005	0.06	1.98	7.4	<0.2	<10	150	0.22	0.15	0.43	0.10	17.05	10.0	26
I319287		0.44	0.005	0.12	1.46	12.3	<0.2	<10	240	0.25	0.13	0.78	0.18	23.1	9.3	23
I319288		0.50	<0.005	0.10	1.73	10.5	<0.2	<10	210	0.22	0.14	0.48	0.13	26.0	12.1	25
I319289		0.50	<0.005	0.12	1.41	20.4	<0.2	<10	340	0.29	0.14	0.69	0.15	25.8	8.1	20
I319290		0.54	<0.005	0.10	1.80	17.2	<0.2	<10	270	0.32	0.19	0.51	0.15	25.8	11.1	25
I319291		0.50	<0.005	0.11	1.82	13.5	<0.2	<10	340	0.33	0.20	0.71	0.15	28.3	12.2	25
I319292		0.52	<0.005	0.12	1.56	104.5	<0.2	<10	300	0.32	0.20	0.50	0.22	25.3	9.5	22
I319293		0.68	<0.005	0.10	1.84	18.1	<0.2	<10	300	0.28	0.44	0.60	0.09	15.15	9.5	23
I319294		0.60	<0.005	0.07	1.08	61.6	<0.2	<10	170	0.14	0.16	0.32	0.14	11.80	8.9	19
I319295		0.46	<0.005	0.12	1.64	175.0	<0.2	<10	130	0.27	0.18	0.23	0.06	20.7	8.6	23
I319296		0.38	<0.005	0.14	1.41	137.0	<0.2	<10	50	0.15	0.17	0.10	0.10	9.78	6.6	18
I319297		0.56	<0.005	0.56	0.84	94.3	<0.2	<10	110	0.13	0.13	0.23	0.16	10.65	4.2	14
I319298		0.48	0.005	0.58	0.93	92.4	<0.2	<10	120	0.17	0.12	0.23	0.18	11.40	4.5	14
I319299		0.62	<0.005	0.09	2.49	28.5	<0.2	<10	230	0.36	0.15	0.42	0.10	24.3	13.0	29
I319300		0.64	<0.005	0.10	2.09	15.2	<0.2	<10	260	0.30	0.13	0.71	0.14	23.6	14.0	28
I319301		0.36	<0.005	0.06	1.88	7.1	<0.2	<10	290	0.27	0.12	0.91	0.16	29.1	11.4	23
I319302		0.40	<0.005	0.14	1.55	3.8	<0.2	<10	270	0.39	0.12	0.61	0.28	33.5	7.6	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319284		1.02	35.6	2.98	7.13	0.09	0.06	0.16	0.042	0.09	23.4	14.1	0.82	214	1.02
I319285		0.99	20.2	2.87	6.40	0.06	0.05	0.09	0.031	0.07	10.8	11.4	0.66	287	0.91
I319286		1.33	12.9	3.05	7.50	0.06	0.07	0.02	0.025	0.07	9.2	13.8	0.62	321	0.79
I319287		1.07	17.1	2.29	5.26	0.05	0.04	0.08	0.023	0.05	12.1	9.6	0.50	395	0.83
I319288		1.87	13.7	2.75	6.64	0.06	0.06	0.05	0.024	0.07	13.2	13.2	0.57	573	0.65
I319289		3.29	13.4	2.17	5.05	0.07	0.04	0.17	0.022	0.08	14.1	9.5	0.43	481	0.62
I319290		3.33	16.0	2.93	6.73	0.07	0.06	0.10	0.033	0.11	13.6	12.2	0.56	677	0.75
I319291		3.58	16.0	2.82	6.18	0.07	0.06	0.12	0.031	0.12	14.5	11.7	0.56	607	0.70
I319292		4.04	14.1	2.27	5.63	0.06	0.04	0.33	0.029	0.11	13.3	10.0	0.49	470	0.49
I319293		4.54	9.8	2.73	6.37	0.06	0.04	0.10	0.031	0.16	7.9	14.1	0.66	330	0.61
I319294		1.61	9.7	2.12	4.98	<0.05	0.02	0.05	0.017	0.06	5.9	6.3	0.36	625	0.76
I319295		1.22	11.6	3.87	6.01	0.06	0.05	0.10	0.029	0.05	10.7	9.4	0.41	510	1.08
I319296		2.07	9.8	3.09	7.09	<0.05	0.03	0.05	0.022	0.07	5.2	6.7	0.36	224	0.92
I319297		2.44	8.8	1.47	3.77	<0.05	0.02	0.12	0.014	0.05	5.7	4.5	0.26	193	0.49
I319298		2.63	8.5	1.58	4.26	<0.05	0.02	0.15	0.018	0.06	6.1	5.0	0.28	186	0.51
I319299		2.13	13.6	3.91	8.73	0.07	0.08	0.07	0.036	0.12	12.3	19.2	0.87	405	0.43
I319300		2.26	15.6	3.43	7.36	0.09	0.09	0.06	0.030	0.23	11.6	15.3	0.80	737	0.54
I319301		2.10	16.2	2.94	6.45	0.08	0.07	0.05	0.027	0.28	16.7	13.9	0.69	585	0.65
I319302		1.01	25.7	2.25	5.51	0.06	0.05	0.06	0.023	0.05	18.3	8.8	0.44	204	0.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319284		1.49	32.5	880	17.8	11.7	<0.001	0.03	0.33	6.3	1.4	0.6	22.2	<0.01	0.04	4.9
I319285		1.88	28.1	620	13.2	11.4	<0.001	0.02	0.32	4.8	0.6	0.5	19.9	<0.01	0.03	3.2
I319286		2.71	17.3	350	6.2	11.6	<0.001	0.02	0.23	5.3	0.3	0.8	27.0	<0.01	0.01	3.0
I319287		1.62	14.3	740	4.8	6.7	<0.001	0.07	0.35	4.5	0.6	0.5	49.3	<0.01	0.02	1.1
I319288		2.32	15.4	590	5.8	16.1	<0.001	0.03	0.26	5.2	0.4	0.8	30.8	<0.01	0.01	2.3
I319289		1.82	12.7	730	6.5	18.9	<0.001	0.07	0.37	5.8	0.7	0.7	43.6	<0.01	0.01	1.4
I319290		2.46	15.1	720	6.8	23.7	<0.001	0.03	0.38	7.4	0.4	0.9	32.6	<0.01	0.02	2.9
I319291		2.16	16.3	750	8.3	21.0	<0.001	0.05	0.46	7.6	0.6	0.7	42.1	<0.01	0.02	2.8
I319292		1.76	12.9	780	11.4	21.2	<0.001	0.05	0.57	6.4	0.5	0.6	31.6	<0.01	0.01	1.8
I319293		2.07	13.1	630	9.9	26.2	<0.001	0.03	0.65	6.6	0.3	0.7	32.7	<0.01	0.01	3.2
I319294		1.32	10.0	520	11.7	13.6	<0.001	0.02	0.38	3.3	0.2	0.5	20.6	<0.01	0.02	0.9
I319295		2.12	10.8	470	8.7	7.7	<0.001	0.03	0.62	5.3	0.5	0.5	19.0	<0.01	0.02	3.3
I319296		2.33	9.7	480	15.1	9.5	<0.001	0.03	1.21	3.2	0.4	0.6	10.4	<0.01	0.03	0.8
I319297		0.96	7.3	460	18.7	9.7	<0.001	0.03	0.61	3.0	0.2	0.4	15.5	<0.01	0.01	0.6
I319298		1.05	7.1	430	22.2	10.9	<0.001	0.03	0.67	3.3	0.2	0.4	16.2	<0.01	0.01	0.7
I319299		3.14	15.6	590	8.3	19.8	<0.001	0.03	0.41	7.7	0.5	0.9	25.4	<0.01	0.01	3.8
I319300		2.61	15.7	880	6.3	33.4	<0.001	0.03	0.38	7.8	0.5	0.7	36.5	<0.01	0.01	3.4
I319301		2.46	15.4	860	5.1	28.5	<0.001	0.05	0.42	7.2	0.7	0.7	43.0	<0.01	0.01	1.7
I319302		1.96	16.8	410	4.9	11.1	<0.001	0.04	0.30	5.5	0.6	0.6	39.2	<0.01	0.02	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319284		0.105	0.18	3.13	72	0.13	9.78	127	1.1
I319285		0.110	0.13	0.97	67	0.15	5.60	107	1.9
I319286		0.181	0.14	1.02	85	0.12	4.18	62	3.0
I319287		0.094	0.14	2.56	56	0.06	6.15	47	1.9
I319288		0.147	0.19	1.77	74	0.08	6.51	56	2.0
I319289		0.086	0.26	3.40	51	0.06	10.20	48	1.7
I319290		0.144	0.24	3.50	75	0.17	8.64	56	2.4
I319291		0.123	0.24	4.93	68	0.16	9.68	58	2.6
I319292		0.111	0.27	2.13	50	0.12	8.13	60	1.8
I319293		0.136	0.30	1.01	71	0.41	5.01	67	1.8
I319294		0.098	0.15	1.05	67	0.11	3.29	44	1.0
I319295		0.111	0.18	2.77	87	0.10	5.16	50	2.3
I319296		0.122	0.13	0.48	76	0.16	2.17	49	1.3
I319297		0.076	0.16	0.94	41	0.11	3.02	39	0.5
I319298		0.079	0.18	0.99	41	0.10	3.12	44	0.7
I319299		0.196	0.24	1.62	99	0.21	7.04	73	3.0
I319300		0.181	0.22	1.42	91	0.12	8.55	71	3.8
I319301		0.158	0.18	2.19	75	0.18	12.90	61	2.6
I319302		0.118	0.10	2.33	53	0.09	11.05	39	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130304

Project: SQI10-06

P.O. No.: SQI-10_27

This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319303		0.56	0.009	0.07	1.61	24.0	<0.2	<10	150	0.23	0.11	0.52	0.11	20.3	10.0	27
I319304		0.44	<0.005	0.15	1.90	8.8	<0.2	<10	280	0.39	0.16	0.59	0.13	33.8	8.9	24
I319305		0.50	<0.005	0.19	1.88	7.4	<0.2	<10	220	0.26	0.14	0.54	0.10	28.8	9.4	26
I319306		0.52	<0.005	0.27	1.62	6.7	<0.2	<10	350	0.39	0.14	0.71	0.43	48.8	17.2	22
I319307		0.42	<0.005	0.15	2.13	9.6	<0.2	<10	270	0.32	0.14	0.58	0.16	37.0	24.5	28
I319308		0.48	<0.005	0.16	1.98	10.6	<0.2	<10	260	0.29	0.13	0.52	0.14	24.0	9.4	25
I319309		0.50	<0.005	0.15	1.92	11.9	<0.2	<10	290	0.28	0.14	0.65	0.15	28.3	15.3	25
I319310		0.50	<0.005	0.19	2.24	11.0	<0.2	<10	310	0.42	0.15	0.43	0.15	41.3	15.8	28
I319311		0.54	<0.005	0.17	2.26	11.8	<0.2	<10	320	0.41	0.15	0.45	0.17	41.1	15.8	28
I319312		0.46	<0.005	0.15	2.07	8.8	<0.2	<10	270	0.30	0.15	0.55	0.19	24.5	11.0	29
I319313		0.52	<0.005	0.16	2.29	9.3	<0.2	<10	380	0.33	0.16	0.83	0.26	40.2	14.9	28
I319314		0.50	<0.005	0.25	2.14	58.1	<0.2	<10	310	0.32	0.24	0.65	0.13	28.6	10.1	30
I319315		0.42	<0.005	0.22	1.71	14.4	<0.2	<10	340	0.41	0.26	0.91	0.37	51.0	14.1	25
I319316		0.48	<0.005	0.16	2.11	9.2	<0.2	<10	210	0.33	0.20	0.37	0.22	22.3	10.7	27
I319317		0.60	<0.005	0.07	2.09	12.4	<0.2	<10	150	0.20	0.22	0.30	0.10	16.90	9.5	30
I319318		0.50	<0.005	0.17	1.77	14.7	<0.2	<10	180	0.28	0.22	0.36	0.10	16.55	7.8	22
I319319		0.52	<0.005	0.08	1.63	14.6	<0.2	<10	120	0.16	0.31	0.31	0.07	15.40	7.7	21
I319320		0.60	<0.005	0.07	2.29	70.0	<0.2	<10	190	0.33	0.24	0.34	0.10	19.55	10.4	27
I319321		0.56	<0.005	0.17	1.13	4.8	<0.2	<10	140	0.18	0.15	0.20	0.12	16.20	4.9	16
I319322		0.68	<0.005	0.17	3.05	7.3	<0.2	<10	340	0.63	0.24	0.65	0.53	51.3	19.8	159
I319323		0.50	<0.005	0.29	2.95	7.6	<0.2	<10	270	0.87	0.27	0.89	0.44	45.2	19.3	147
I319324		0.52	<0.005	0.30	3.35	16.1	<0.2	<10	340	0.70	0.27	0.89	0.34	58.4	25.0	175
I319325		0.58	0.006	0.28	2.95	13.8	<0.2	<10	280	0.46	0.26	0.75	0.27	39.1	18.3	148
I319326		0.52	<0.005	0.58	3.62	15.4	<0.2	<10	370	0.79	0.31	1.05	0.85	54.1	29.3	183
I319327		0.46	0.005	0.28	3.43	16.3	<0.2	<10	350	0.54	0.40	1.00	0.44	34.7	22.3	105
I319328		0.70	<0.005	0.26	2.97	13.1	<0.2	<10	250	0.72	0.39	0.68	0.22	67.4	18.7	72
I319329		0.56	<0.005	0.14	2.04	7.0	<0.2	<10	100	0.27	0.26	0.31	0.15	17.45	10.0	41
I319330		0.64	<0.005	0.22	2.04	5.4	<0.2	<10	140	0.31	0.16	0.33	0.23	13.85	11.3	43
I319331		0.52	<0.005	0.38	1.69	3.8	<0.2	<10	170	0.29	0.17	0.31	0.61	14.15	15.0	43
I319332		0.70	<0.005	0.24	2.89	5.7	<0.2	<10	220	0.35	0.18	0.49	0.65	11.85	17.5	42
I319333		0.60	<0.005	0.15	2.69	6.1	<0.2	<10	270	0.28	0.19	0.45	0.23	11.90	17.1	31
I319334		0.16	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.02	0.41	0.04	11.30	2.1	20
I319335		0.80	<0.005	0.14	2.41	5.1	<0.2	<10	200	0.25	0.12	0.47	0.10	12.50	14.0	35
I319336		0.60	<0.005	0.08	2.16	7.6	<0.2	<10	160	0.21	0.15	0.35	0.13	10.10	12.4	29
I319337		0.66	<0.005	0.05	2.58	6.1	<0.2	<10	180	0.18	0.11	0.40	0.13	11.10	18.6	35
I319338		0.68	0.015	0.12	2.61	4.8	<0.2	<10	160	0.35	0.16	0.53	0.11	21.3	18.2	43
I319339		0.68	0.005	0.12	3.09	21.3	<0.2	<10	200	0.37	0.16	0.58	0.13	21.6	23.5	64
I319340		0.66	<0.005	0.22	2.32	13.5	<0.2	<10	220	0.33	0.16	1.10	0.39	20.4	16.4	44
I319341		0.58	<0.005	0.11	1.92	6.9	<0.2	<10	180	0.25	0.11	1.52	0.35	15.35	14.6	42
I319342		0.68	0.010	0.36	2.40	7.4	<0.2	<10	190	0.30	0.18	0.64	0.25	19.20	18.6	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319303		0.96	15.4	2.39	5.72	0.07	0.05	0.22	0.021	0.06	10.1	11.5	0.56	346	0.64
I319304		1.15	18.2	2.70	7.02	0.09	0.06	0.04	0.025	0.13	20.2	12.4	0.59	339	0.81
I319305		1.15	15.7	2.81	6.86	0.09	0.06	0.04	0.025	0.11	16.8	12.6	0.60	457	0.92
I319306		1.75	35.5	3.00	6.94	0.10	0.05	0.05	0.027	0.19	28.7	8.9	0.62	1380	1.22
I319307		1.41	19.8	3.21	7.50	0.10	0.07	0.04	0.028	0.13	16.3	14.6	0.70	1730	0.98
I319308		1.41	17.7	2.93	7.17	0.08	0.06	0.03	0.024	0.10	12.5	13.2	0.67	351	0.92
I319309		1.43	16.7	2.84	7.22	0.09	0.06	0.06	0.024	0.09	14.2	15.5	0.60	860	1.11
I319310		1.74	20.3	3.34	7.78	0.11	0.07	0.07	0.032	0.19	19.9	17.4	0.66	944	1.26
I319311		1.78	20.5	3.38	8.03	0.12	0.08	0.06	0.034	0.20	19.9	17.8	0.68	1080	1.09
I319312		1.25	20.5	2.82	7.33	0.10	0.07	0.05	0.027	0.09	12.2	14.2	0.66	425	0.61
I319313		1.57	20.3	3.14	7.87	0.12	0.08	0.06	0.033	0.13	17.9	17.6	0.68	1100	1.07
I319314		1.84	20.8	2.73	7.28	0.09	0.06	0.18	0.028	0.08	14.4	14.2	0.65	476	0.65
I319315		1.61	25.7	2.31	5.73	0.12	0.06	0.12	0.025	0.09	25.8	9.9	0.47	779	1.06
I319316		1.46	19.7	3.06	8.51	0.08	0.06	0.03	0.025	0.11	12.1	14.9	0.61	438	1.00
I319317		1.39	15.4	3.08	7.41	0.08	0.09	0.04	0.025	0.08	7.9	11.9	0.63	322	0.86
I319318		1.51	15.1	2.72	7.28	0.06	0.05	0.03	0.022	0.07	9.6	12.2	0.48	300	1.23
I319319		1.72	11.4	2.76	9.13	0.07	0.06	0.03	0.018	0.15	7.7	8.7	0.63	300	1.05
I319320		2.99	15.2	3.53	8.57	0.09	0.06	0.05	0.027	0.10	9.7	16.4	0.70	379	1.16
I319321		1.24	14.0	1.49	5.29	0.06	0.03	0.03	0.016	0.04	9.0	5.8	0.29	169	0.57
I319322		2.21	45.1	3.87	12.55	0.16	0.13	0.02	0.028	0.52	33.2	15.8	1.70	626	1.21
I319323		3.23	52.9	3.71	11.00	0.15	0.11	0.05	0.030	0.41	31.6	10.9	1.52	621	1.21
I319324		4.17	65.3	4.50	12.25	0.19	0.12	0.06	0.029	0.65	35.2	19.0	1.93	798	1.75
I319325		3.75	60.7	4.08	11.80	0.15	0.10	0.06	0.029	0.46	23.6	12.7	1.69	514	2.01
I319326		4.83	112.5	4.82	12.95	0.19	0.14	0.07	0.038	0.68	37.1	16.2	2.11	1040	1.57
I319327		2.75	82.4	4.40	11.20	0.14	0.11	0.09	0.041	0.36	19.5	15.7	1.40	881	1.99
I319328		2.68	73.4	3.89	10.20	0.18	0.15	0.06	0.035	0.32	36.5	14.9	1.19	742	1.49
I319329		1.66	40.6	2.85	7.27	0.08	0.08	0.03	0.023	0.17	8.4	10.3	0.84	303	1.04
I319330		1.13	40.0	2.95	7.79	0.07	0.03	0.03	0.026	0.09	7.1	8.6	0.81	459	1.35
I319331		0.81	61.5	2.86	8.04	0.08	0.04	0.04	0.027	0.07	6.4	8.1	0.76	1270	1.36
I319332		0.74	68.6	3.88	9.98	0.09	0.03	0.03	0.037	0.10	5.6	12.1	1.18	559	1.60
I319333		1.04	37.4	3.62	10.35	0.07	0.04	0.04	0.032	0.11	5.6	12.7	0.86	754	1.38
I319334		0.09	2.5	0.57	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.7	1.2	0.04	139	0.42
I319335		0.80	33.9	3.55	9.12	0.08	0.05	0.03	0.032	0.08	5.9	13.8	1.07	438	0.94
I319336		0.94	29.0	3.64	8.81	0.07	0.03	0.02	0.027	0.07	4.8	10.2	0.85	432	1.26
I319337		1.41	28.9	4.30	10.20	0.08	0.03	0.01	0.028	0.19	5.1	14.1	1.35	514	1.01
I319338		1.07	37.8	3.55	8.24	0.08	0.05	0.04	0.025	0.14	9.7	14.6	1.04	850	1.10
I319339		1.29	44.7	4.05	10.30	0.10	0.06	0.02	0.026	0.33	10.0	14.8	1.41	631	1.28
I319340		0.91	40.5	2.93	7.20	0.08	0.04	0.05	0.019	0.17	10.0	10.6	0.92	398	1.38
I319341		0.84	29.2	2.44	5.90	0.07	0.05	0.06	0.016	0.12	7.3	9.7	0.91	500	1.02
I319342		0.95	51.2	3.62	8.19	0.09	0.05	0.06	0.023	0.21	8.6	12.0	1.19	469	0.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319303		1.69	17.3	600	5.7	10.9	<0.001	0.03	0.29	4.4	0.5	0.5	34.3	<0.01	0.02
I319304		1.91	15.6	580	6.8	15.0	<0.001	0.03	0.26	5.7	0.6	0.6	36.8	<0.01	0.02
I319305		2.19	15.3	480	5.9	18.1	<0.001	0.03	0.25	5.1	0.5	0.6	32.9	<0.01	0.02
I319306		2.30	18.4	660	5.6	28.5	<0.001	0.03	0.33	5.8	0.6	0.6	44.0	0.01	0.02
I319307		2.36	17.0	740	7.1	22.3	<0.001	0.04	0.32	5.7	0.7	0.7	34.5	<0.01	0.02
I319308		2.55	15.9	540	6.4	20.6	<0.001	0.04	0.25	5.0	0.6	0.7	32.9	<0.01	0.02
I319309		2.44	15.3	530	7.7	17.3	<0.001	0.03	0.27	5.4	0.6	0.7	40.5	<0.01	0.02
I319310		2.97	19.4	650	7.1	25.4	<0.001	0.04	0.29	7.5	0.7	0.9	32.8	0.01	0.03
I319311		3.08	19.8	640	7.3	25.1	<0.001	0.03	0.30	7.5	0.7	1.0	32.3	0.01	0.02
I319312		2.37	20.1	500	7.3	15.2	<0.001	0.03	0.26	5.7	0.5	0.8	35.8	<0.01	0.02
I319313		2.64	20.0	680	7.3	23.1	0.001	0.04	0.39	6.2	0.8	0.8	52.3	0.01	0.03
I319314		2.04	18.8	730	8.1	11.6	0.001	0.05	0.48	6.0	0.7	0.7	43.5	<0.01	0.03
I319315		1.78	25.9	880	6.0	15.6	0.001	0.10	0.50	5.5	1.0	0.5	68.4	0.01	0.03
I319316		2.83	19.2	420	7.5	22.9	<0.001	0.03	0.27	4.7	0.4	0.7	26.7	<0.01	0.03
I319317		2.44	19.5	340	6.6	7.8	<0.001	0.01	0.36	4.7	0.4	0.7	21.1	<0.01	0.03
I319318		2.22	13.6	350	6.1	15.3	<0.001	0.02	0.27	3.9	0.4	0.6	27.1	<0.01	0.03
I319319		2.60	13.3	240	6.7	33.9	<0.001	0.02	0.25	4.4	0.3	0.8	19.9	<0.01	0.02
I319320		2.60	18.3	520	7.2	18.2	<0.001	0.02	0.38	6.4	0.4	0.8	22.4	<0.01	0.03
I319321		1.33	9.9	240	5.0	9.3	<0.001	0.02	0.16	2.9	0.3	0.5	17.9	<0.01	0.02
I319322		4.32	53.5	510	12.6	64.2	<0.001	0.02	0.26	8.1	0.8	1.1	42.9	0.01	0.04
I319323		3.86	56.5	440	18.6	76.6	<0.001	0.04	0.29	8.8	0.9	1.0	50.6	0.01	0.02
I319324		3.77	69.4	660	12.9	97.6	0.001	0.05	0.26	10.0	1.1	1.1	45.4	0.01	0.04
I319325		3.33	59.8	410	10.6	76.2	<0.001	0.04	0.22	9.0	0.9	1.4	37.8	<0.01	0.04
I319326		3.77	81.5	600	11.9	94.3	0.001	0.05	0.23	12.0	1.2	1.0	51.4	0.01	0.05
I319327		2.54	52.5	490	12.0	51.5	0.001	0.04	0.37	10.1	1.0	0.8	47.9	<0.01	0.07
I319328		2.41	40.9	430	11.5	49.6	0.001	0.02	0.32	10.5	1.1	0.9	33.4	0.01	0.06
I319329		1.51	23.2	210	6.1	25.2	<0.001	0.02	0.24	6.2	0.4	0.6	18.0	<0.01	0.05
I319330		1.25	19.9	290	6.2	11.3	<0.001	0.02	0.28	5.9	0.4	0.5	18.8	<0.01	0.03
I319331		1.26	20.3	300	6.5	7.3	<0.001	0.02	0.28	6.0	0.5	0.5	19.4	<0.01	0.03
I319332		1.26	26.7	440	5.4	11.3	<0.001	0.04	0.27	8.6	0.6	0.5	23.5	<0.01	0.05
I319333		1.35	19.4	400	5.7	14.5	<0.001	0.04	0.23	7.5	0.6	0.6	24.5	<0.01	0.05
I319334		0.21	4.3	700	1.8	1.9	<0.001	0.02	0.13	0.8	0.2	<0.2	9.0	<0.01	0.01
I319335		1.46	20.7	330	5.0	11.3	<0.001	0.03	0.22	8.1	0.5	0.5	21.4	<0.01	0.02
I319336		1.27	16.8	360	5.5	7.5	<0.001	0.02	0.27	7.4	0.4	0.5	18.5	<0.01	0.03
I319337		1.10	21.3	390	4.5	21.2	<0.001	0.01	0.26	7.6	0.3	0.5	19.1	<0.01	0.02
I319338		1.16	25.8	610	6.0	18.5	<0.001	0.03	0.28	7.4	0.6	0.5	25.1	<0.01	0.03
I319339		1.99	36.0	480	6.6	35.7	0.001	0.01	0.26	7.6	0.5	0.6	25.1	<0.01	0.03
I319340		1.40	26.9	700	16.4	21.6	0.001	0.09	0.32	5.0	0.9	0.4	39.5	<0.01	0.03
I319341		1.03	26.2	730	3.9	18.9	0.002	0.11	0.32	4.2	0.9	0.3	44.7	<0.01	0.03
I319342		1.22	30.1	440	5.8	21.7	<0.001	0.03	0.30	6.5	0.6	0.4	23.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319303		0.112	0.09	0.89	63	0.21	6.11	49
I319304		0.110	0.11	1.75	70	0.13	8.95	46
I319305		0.142	0.13	1.36	74	0.21	6.47	47
I319306		0.145	0.11	2.58	79	0.16	11.65	56
I319307		0.159	0.18	2.26	81	0.20	9.05	55
I319308		0.162	0.14	1.86	75	0.32	6.09	52
I319309		0.144	0.15	2.27	73	0.16	7.05	52
I319310		0.146	0.15	4.61	79	0.17	10.70	57
I319311		0.153	0.16	4.11	80	0.17	10.85	62
I319312		0.148	0.14	1.83	66	0.13	6.89	57
I319313		0.147	0.18	3.68	75	0.34	11.10	65
I319314		0.126	0.19	2.33	62	0.19	8.64	53
I319315		0.087	0.15	4.59	49	0.24	16.20	59
I319316		0.162	0.13	1.35	81	0.15	5.94	112
I319317		0.154	0.13	0.56	86	0.14	4.11	50
I319318		0.124	0.15	1.11	71	0.16	3.94	43
I319319		0.181	0.21	0.55	86	0.15	3.22	47
I319320		0.145	0.23	0.91	85	0.16	5.72	62
I319321		0.077	0.11	1.24	39	0.08	4.11	27
I319322		0.214	0.34	1.12	103	0.28	12.00	75
I319323		0.176	0.36	2.28	82	0.29	13.55	80
I319324		0.216	0.46	3.10	113	0.34	15.10	89
I319325		0.224	0.39	1.49	107	0.28	9.86	75
I319326		0.235	0.42	2.44	117	0.30	17.50	102
I319327		0.166	0.27	1.54	109	0.28	12.90	77
I319328		0.135	0.32	1.97	89	0.28	21.9	69
I319329		0.103	0.17	0.53	73	0.15	4.68	51
I319330		0.086	0.09	0.52	81	0.14	5.06	54
I319331		0.089	0.07	0.49	81	0.24	7.02	76
I319332		0.094	0.07	0.65	105	0.14	4.82	104
I319333		0.100	0.08	0.59	98	0.12	5.11	86
I319334		0.007	0.03	0.37	5	<0.05	3.17	6
I319335		0.123	0.08	0.45	98	0.30	4.96	61
I319336		0.097	0.08	0.41	108	0.11	3.78	61
I319337		0.146	0.12	0.27	127	0.11	3.80	71
I319338		0.111	0.13	0.75	90	0.12	8.93	59
I319339		0.165	0.21	0.79	97	0.13	5.41	56
I319340		0.102	0.15	0.84	70	0.12	8.48	92
I319341		0.084	0.14	0.67	59	0.08	6.65	62
I319342		0.134	0.14	0.73	99	0.17	7.45	92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319343		0.60	<0.005	0.21	2.72	7.1	<0.2	<10	210	0.29	0.15	0.54	0.21	15.95	13.5	55
I319344		0.74	<0.005	0.12	2.43	4.5	<0.2	<10	270	0.22	0.12	0.51	0.18	12.60	19.9	60
I319345		0.68	0.005	0.17	2.53	3.3	<0.2	<10	200	0.21	0.13	0.38	0.14	10.65	19.7	54
I319346		0.66	<0.005	0.09	2.47	4.8	<0.2	<10	220	0.24	0.12	0.30	0.12	13.50	20.9	46
I319347		0.78	<0.005	0.06	2.68	8.8	<0.2	<10	200	0.25	0.11	0.29	0.18	12.80	21.8	49
I319348		0.60	<0.005	0.09	2.65	3.1	<0.2	<10	220	0.24	0.12	0.36	0.10	11.60	18.4	57
I319349		0.80	<0.005	0.12	2.82	4.1	<0.2	<10	190	0.21	0.12	0.36	0.10	9.66	18.0	68
I319350		0.52	<0.005	0.12	2.36	3.8	<0.2	<10	210	0.22	0.12	0.41	0.13	11.20	17.4	48
I319351		0.44	<0.005	0.15	1.81	7.4	<0.2	<10	140	0.34	2.22	0.36	0.15	34.7	10.5	42
I319352		0.48	<0.005	0.18	1.85	6.3	<0.2	<10	170	0.41	2.03	0.43	0.17	35.2	12.6	44
I319353		0.56	0.007	0.15	1.59	5.5	<0.2	<10	100	0.34	3.33	0.42	0.33	21.4	10.8	40
I319354		0.50	0.008	0.22	1.78	7.2	<0.2	<10	140	0.31	3.54	0.50	0.22	21.6	14.3	46
I319355		0.40	<0.005	0.21	1.38	5.8	<0.2	<10	70	0.16	3.83	0.31	0.10	9.90	8.7	45
I319356		0.40	0.016	0.25	1.97	7.0	<0.2	<10	170	0.28	5.94	0.84	0.12	16.65	17.9	58
I319357		0.34	<0.005	0.28	1.38	4.1	<0.2	<10	110	0.16	5.60	0.69	0.15	8.92	10.8	82
I319358		0.48	0.006	0.28	1.62	7.2	<0.2	<10	150	0.22	7.30	0.52	0.14	13.20	14.0	68
I319359		0.34	<0.005	0.23	1.82	7.2	<0.2	<10	360	0.39	4.76	0.59	0.15	34.8	14.1	56
I319360		0.32	0.047	0.64	2.25	89.5	<0.2	<10	340	1.50	4.91	1.05	0.62	68.1	12.9	40
I319361		0.30	<0.005	0.43	1.32	6.0	<0.2	<10	100	0.16	4.33	0.25	0.19	12.35	6.7	22
I319362		0.28	0.035	0.48	1.21	5.2	<0.2	<10	100	0.15	4.20	0.24	0.17	11.05	6.0	21
I319363		0.28	0.008	0.51	1.58	7.7	<0.2	<10	140	0.27	3.76	0.25	0.21	13.45	13.9	29
I319364		0.36	<0.005	0.15	3.20	11.8	<0.2	<10	390	0.44	2.57	0.91	0.31	6.36	30.4	17
I319365		0.40	<0.005	0.39	2.05	9.8	<0.2	<10	220	0.31	13.35	0.41	0.18	12.20	17.6	55
I319366		0.44	<0.005	0.36	1.85	4.7	<0.2	<10	210	0.19	4.14	0.37	0.12	9.06	11.7	98
I319367		0.36	<0.005	0.19	1.83	6.0	<0.2	<10	150	0.21	3.97	0.25	0.16	16.45	13.2	64
I319368		0.38	<0.005	0.12	2.67	4.1	<0.2	<10	320	0.30	4.95	0.26	0.12	19.20	19.6	66
I319369		0.30	<0.005	0.11	0.37	1.6	<0.2	<10	30	0.07	0.38	0.04	0.06	4.85	1.9	7
I319370		0.32	<0.005	0.18	0.74	5.5	<0.2	<10	50	0.15	2.37	0.07	0.19	22.3	2.7	10
I319371		0.50	0.013	0.38	1.92	25.7	<0.2	<10	160	0.44	6.65	0.28	0.34	82.9	18.8	25
I319372		0.38	0.005	0.25	1.61	34.5	<0.2	<10	110	0.46	13.50	0.19	0.23	43.9	7.6	19
I319373		0.50	<0.005	0.30	1.45	43.4	<0.2	<10	160	0.41	10.65	0.28	0.30	49.9	6.8	18
I319374		0.50	<0.005	0.62	1.32	12.4	<0.2	<10	150	0.56	7.61	0.28	0.20	160.0	3.8	17
I319375		0.36	<0.005	0.56	1.45	6.3	<0.2	<10	190	0.68	3.32	0.40	0.31	172.0	4.6	17
I319376		0.52	0.007	0.24	2.10	10.2	<0.2	<10	190	0.62	4.21	0.32	0.27	90.2	10.6	29
I319377		0.40	<0.005	0.19	1.05	13.1	<0.2	<10	90	0.22	1.53	0.13	0.19	28.3	5.1	18
I319378		0.40	<0.005	0.19	1.57	10.8	<0.2	<10	140	0.30	2.22	0.30	0.29	48.7	8.0	30
I319379		0.44	<0.005	0.22	1.90	14.1	<0.2	<10	150	0.40	2.50	0.29	0.37	48.3	10.6	30
I319380		0.40	0.009	0.66	1.96	28.3	<0.2	<10	170	0.60	4.04	0.33	0.82	83.7	9.5	36
I319381		0.52	0.027	0.88	2.36	133.5	<0.2	<10	200	0.47	7.35	0.35	0.45	64.0	10.3	37
I319382		0.36	0.007	0.30	1.18	48.2	<0.2	<10	100	0.28	4.74	0.18	0.30	40.4	13.5	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319343		1.15	24.4	3.27	8.72	0.08	0.04	0.05	0.021	0.28	7.6	11.0	1.24	373	0.90
I319344		0.91	29.2	3.02	8.40	0.08	0.02	0.03	0.020	0.39	5.9	8.6	1.26	659	0.72
I319345		0.95	29.9	3.60	8.06	0.08	0.03	0.02	0.041	0.36	5.0	11.1	1.50	485	0.87
I319346		0.85	40.0	3.56	8.61	0.08	0.03	0.02	0.020	0.35	6.3	9.6	1.42	571	0.98
I319347		0.93	43.3	3.57	8.87	0.10	0.03	0.02	0.017	0.40	6.0	11.1	1.49	594	1.01
I319348		0.91	28.6	3.40	8.19	0.08	0.03	0.02	0.018	0.38	5.5	11.3	1.49	490	0.73
I319349		1.09	32.0	3.56	8.68	0.07	0.03	0.03	0.016	0.38	4.6	13.4	1.54	382	0.62
I319350		0.98	32.1	2.98	7.67	0.07	0.03	0.05	0.016	0.31	5.4	11.0	1.22	459	0.72
I319351		3.36	53.3	2.62	6.39	0.07	0.04	0.06	0.024	0.07	18.8	13.4	0.61	259	1.20
I319352		3.48	69.4	2.85	6.06	0.07	0.05	0.07	0.025	0.09	17.0	14.2	0.67	401	1.07
I319353		2.89	62.9	2.72	5.38	0.08	0.08	0.04	0.024	0.11	11.1	13.8	0.64	324	1.10
I319354		3.10	68.9	2.83	6.66	0.06	0.03	0.05	0.027	0.11	11.3	15.2	0.64	605	2.08
I319355		6.19	50.3	2.16	6.84	0.06	0.03	0.03	0.019	0.08	4.8	10.8	0.61	202	1.69
I319356		9.11	158.5	2.90	6.43	0.08	0.04	0.04	0.026	0.18	8.5	20.1	1.00	306	2.99
I319357		5.61	125.5	1.91	4.49	0.05	0.02	0.04	0.020	0.09	4.4	13.8	0.77	167	3.17
I319358		4.50	133.0	2.49	5.81	0.06	0.03	0.04	0.024	0.11	6.4	17.1	0.76	333	4.05
I319359		3.26	76.4	3.21	7.28	0.10	0.07	0.04	0.028	0.39	19.5	16.5	1.04	567	5.19
I319360		3.62	65.4	2.93	7.05	0.09	0.07	0.17	0.035	0.14	44.0	16.8	0.59	771	3.69
I319361		2.96	44.9	2.04	5.79	0.05	0.02	0.09	0.017	0.07	6.2	6.7	0.52	148	0.96
I319362		2.92	45.9	2.14	5.27	0.05	0.02	0.09	0.017	0.07	5.5	5.9	0.46	136	0.99
I319363		3.90	65.1	2.97	6.41	0.05	0.02	0.09	0.022	0.14	6.3	10.8	0.63	355	2.21
I319364		10.95	120.0	5.99	8.66	0.11	0.05	0.04	0.028	0.47	2.9	26.5	1.81	674	2.14
I319365		3.87	102.5	3.60	7.76	0.07	0.02	0.04	0.028	0.24	5.8	18.2	1.00	464	2.10
I319366		4.26	93.6	3.31	8.22	0.07	0.02	0.04	0.022	0.25	4.4	14.5	1.10	308	1.19
I319367		2.39	68.9	3.20	7.43	0.08	0.03	0.05	0.023	0.28	9.1	11.5	0.96	415	1.35
I319368		2.66	112.0	4.55	11.50	0.12	0.06	0.02	0.027	0.61	9.4	23.1	1.61	689	2.34
I319369		0.43	9.5	0.94	2.98	<0.05	<0.02	0.03	0.007	0.02	2.5	1.1	0.04	55	0.69
I319370		1.21	15.7	1.81	5.33	<0.05	0.04	0.03	0.017	0.06	11.7	3.6	0.15	187	1.20
I319371		4.15	27.8	3.71	8.01	0.09	0.05	0.07	0.041	0.16	39.9	13.0	0.48	3120	1.67
I319372		3.14	33.5	3.55	7.22	0.07	0.13	0.06	0.037	0.15	25.3	10.9	0.36	576	1.96
I319373		4.15	38.6	3.61	6.57	0.07	0.09	0.05	0.036	0.18	32.2	8.8	0.43	927	1.90
I319374		2.43	40.4	2.09	5.54	0.15	0.06	0.09	0.025	0.07	127.5	7.8	0.23	244	1.12
I319375		2.63	32.0	2.09	5.76	0.14	0.04	0.10	0.023	0.09	141.0	7.7	0.28	463	1.20
I319376		4.82	30.3	3.79	8.17	0.10	0.06	0.07	0.043	0.16	56.1	17.6	0.54	1080	1.63
I319377		1.27	14.0	2.03	6.75	0.05	0.04	0.01	0.018	0.08	18.2	6.1	0.27	360	1.32
I319378		2.70	18.5	3.32	7.73	0.08	0.06	0.02	0.033	0.18	28.6	13.6	0.52	736	1.88
I319379		2.16	20.6	3.55	8.20	0.08	0.06	0.03	0.033	0.12	29.5	17.3	0.51	732	1.46
I319380		4.18	35.1	3.41	8.24	0.10	0.05	0.11	0.044	0.15	62.9	17.5	0.51	880	1.84
I319381		5.46	30.0	4.56	9.80	0.10	0.08	0.16	0.051	0.16	40.6	18.2	0.62	1010	2.57
I319382		4.35	21.4	2.94	6.80	0.06	0.04	0.05	0.029	0.13	20.9	6.4	0.33	1520	2.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319343		1.46	29.2	560	7.2	30.5	0.001	0.05	0.26	5.8	0.5	0.5	27.4	<0.01	0.04
I319344		1.09	25.9	600	5.2	29.0	0.001	0.03	0.19	5.1	0.4	0.4	26.9	<0.01	0.02
I319345		1.07	23.5	570	4.1	25.4	<0.001	0.03	0.21	5.8	0.4	0.4	18.0	<0.01	0.03
I319346		1.99	23.7	350	4.3	25.2	<0.001	0.02	0.23	4.9	0.3	0.5	16.2	<0.01	0.03
I319347		1.78	24.2	360	10.0	27.9	<0.001	0.02	3.77	5.5	0.4	0.5	15.7	<0.01	0.04
I319348		1.37	27.0	470	4.5	27.9	<0.001	0.02	0.19	5.3	0.3	0.4	16.8	<0.01	0.02
I319349		1.28	29.8	420	5.2	31.0	<0.001	0.03	0.20	5.7	0.5	0.4	17.2	<0.01	0.04
I319350		1.27	24.5	510	4.7	24.4	<0.001	0.04	0.22	4.5	0.5	0.5	20.7	<0.01	0.03
I319351		1.39	22.3	520	7.2	17.6	0.001	0.03	0.33	4.6	0.6	0.6	25.8	<0.01	0.05
I319352		1.40	25.3	560	6.5	19.8	0.001	0.02	0.34	5.6	0.5	0.6	28.5	<0.01	0.05
I319353		1.38	22.3	680	5.8	19.4	<0.001	0.01	0.32	4.5	0.4	0.6	24.0	<0.01	0.05
I319354		1.33	27.2	580	7.2	21.7	<0.001	0.02	0.35	4.3	0.4	0.7	26.1	<0.01	0.06
I319355		1.04	21.3	300	5.2	17.1	<0.001	0.02	0.48	4.1	0.3	0.6	19.3	<0.01	0.05
I319356		1.08	30.9	480	4.1	37.0	0.001	0.03	0.38	6.1	0.7	0.6	31.9	<0.01	0.06
I319357		0.61	30.0	410	2.6	18.4	0.001	0.04	0.23	4.0	0.5	0.4	27.6	<0.01	0.10
I319358		0.98	29.3	460	4.9	26.1	0.001	0.03	0.34	4.9	0.5	0.5	23.7	<0.01	0.09
I319359		2.04	33.2	810	10.1	47.3	0.001	0.03	0.31	6.2	0.7	0.9	32.8	<0.01	0.06
I319360		1.72	33.7	850	28.9	29.1	0.001	0.08	1.33	5.7	1.2	0.7	64.3	0.01	0.07
I319361		0.84	11.2	550	13.9	15.5	<0.001	0.05	0.28	3.2	0.6	0.5	23.2	<0.01	0.05
I319362		0.75	10.1	610	13.1	13.1	0.001	0.08	0.26	2.7	0.7	0.5	21.1	<0.01	0.04
I319363		0.98	13.5	690	12.0	21.6	<0.001	0.06	0.34	4.1	0.7	0.6	21.1	<0.01	0.06
I319364		0.45	16.3	2220	17.6	33.2	<0.001	0.01	0.42	8.6	0.4	0.5	45.1	<0.01	0.04
I319365		0.74	24.9	1130	7.0	28.3	<0.001	0.04	0.53	4.6	0.7	0.9	25.4	<0.01	0.07
I319366		0.98	45.2	680	4.9	24.9	<0.001	0.03	0.31	5.2	0.6	1.0	25.4	<0.01	0.04
I319367		1.07	32.0	590	5.4	26.4	0.001	0.03	0.26	4.6	0.5	0.8	16.3	<0.01	0.03
I319368		1.55	30.7	400	6.8	38.6	0.001	0.05	0.20	10.7	0.9	1.8	20.8	<0.01	0.03
I319369		0.51	3.5	170	3.8	2.3	0.001	0.01	0.33	1.0	0.2	0.3	6.3	<0.01	0.01
I319370		1.58	5.2	280	8.8	8.5	<0.001	0.01	1.09	1.9	0.3	0.6	9.1	<0.01	0.02
I319371		2.89	13.9	790	18.3	35.4	<0.001	0.04	1.34	4.7	0.7	1.1	27.2	<0.01	0.03
I319372		3.43	9.6	560	14.8	29.2	<0.001	0.04	2.06	4.1	0.5	0.9	21.4	<0.01	0.04
I319373		3.55	9.8	420	15.1	41.7	<0.001	<0.01	2.77	5.5	0.4	1.0	53.7	<0.01	0.03
I319374		1.57	10.1	590	10.1	17.8	0.001	0.02	1.00	3.5	0.9	0.6	27.6	0.01	0.03
I319375		1.58	9.9	780	8.4	22.9	<0.001	0.04	0.58	3.2	1.0	0.7	39.4	0.01	0.03
I319376		2.92	14.3	880	13.5	37.6	<0.001	<0.01	0.68	5.9	0.6	1.2	35.9	<0.01	0.03
I319377		2.51	8.2	250	8.5	23.0	<0.001	<0.01	0.51	2.8	0.3	0.8	17.0	<0.01	0.02
I319378		3.24	16.5	500	12.3	40.0	<0.001	<0.01	0.68	4.1	0.4	1.2	31.1	<0.01	0.03
I319379		2.70	16.1	550	11.2	28.4	<0.001	<0.01	0.74	4.4	0.5	0.9	28.0	<0.01	0.04
I319380		2.47	17.3	940	14.2	38.1	<0.001	0.02	0.95	4.4	0.7	1.1	31.3	<0.01	0.03
I319381		3.24	17.5	720	22.4	40.0	<0.001	0.01	3.24	5.6	0.6	1.2	34.2	<0.01	0.05
I319382		2.47	11.0	520	16.6	31.6	0.001	0.01	2.26	3.3	0.4	0.9	22.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319343		0.129	0.21	0.74	83	0.13	4.76	80
I319344		0.131	0.16	0.45	85	0.11	4.27	65
I319345		0.148	0.15	0.44	105	0.12	3.64	78
I319346		0.165	0.15	0.40	95	0.13	3.81	57
I319347		0.166	0.17	0.36	99	0.10	3.76	65
I319348		0.150	0.16	0.38	86	0.13	3.57	75
I319349		0.159	0.16	0.41	94	0.21	3.02	70
I319350		0.139	0.14	0.45	73	0.13	3.55	62
I319351		0.106	0.23	2.15	61	0.96	9.82	49
I319352		0.109	0.26	2.48	66	2.74	11.60	56
I319353		0.120	0.26	1.10	66	1.40	6.21	53
I319354		0.106	0.22	1.26	70	7.77	6.17	60
I319355		0.107	0.23	0.43	67	3.36	2.67	43
I319356		0.119	0.33	0.86	79	3.64	6.29	53
I319357		0.081	0.21	0.52	46	7.51	3.34	37
I319358		0.103	0.22	0.84	65	4.66	4.40	46
I319359		0.170	0.37	3.69	83	2.27	11.10	68
I319360		0.081	0.38	12.05	58	0.92	35.4	77
I319361		0.085	0.18	1.24	42	6.65	4.73	47
I319362		0.075	0.15	1.18	39	3.74	3.81	43
I319363		0.102	0.24	1.08	67	1.08	4.78	59
I319364		0.176	0.52	0.22	143	3.19	4.59	101
I319365		0.123	0.31	0.96	77	1.58	4.39	67
I319366		0.176	0.29	0.57	99	2.09	3.68	60
I319367		0.167	0.21	1.06	82	1.94	4.11	66
I319368		0.272	0.31	0.82	144	1.41	5.95	85
I319369		0.047	0.08	0.35	27	0.08	0.95	15
I319370		0.073	0.19	1.24	41	0.44	3.45	35
I319371		0.116	0.47	5.05	61	0.28	12.00	84
I319372		0.106	0.46	2.66	56	0.39	9.32	62
I319373		0.110	0.54	2.91	53	0.45	9.29	81
I319374		0.065	0.18	13.25	35	0.30	31.3	36
I319375		0.057	0.24	11.20	34	0.15	32.2	45
I319376		0.116	0.48	8.31	59	0.27	18.10	88
I319377		0.126	0.16	1.90	56	0.23	5.73	35
I319378		0.141	0.38	2.64	64	0.20	10.05	78
I319379		0.132	0.24	2.82	72	0.21	10.70	70
I319380		0.101	0.28	8.84	60	0.21	18.00	83
I319381		0.126	0.49	5.31	78	0.26	15.15	96
I319382		0.105	0.42	2.83	56	0.20	8.63	63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319383		0.42	0.008	0.44	2.06	30.8	<0.2	<10	170	0.70	2.67	0.35	0.36	99.7	8.7	23
I319384		0.36	0.005	0.23	0.72	10.4	<0.2	<10	50	0.15	1.89	0.08	0.12	19.40	2.2	13
I319385		0.52	0.009	0.42	2.79	12.2	<0.2	<10	380	0.50	1.65	0.55	0.29	60.2	16.9	51
I319386		0.38	<0.005	0.50	1.76	5.8	<0.2	<10	190	0.18	3.39	0.44	0.46	33.7	9.1	49
I319387		0.44	<0.005	0.27	1.17	4.0	<0.2	<10	120	0.13	2.09	0.39	0.28	24.8	6.7	23
I319388		0.38	0.010	0.28	1.22	4.6	<0.2	<10	110	0.14	4.46	0.29	0.20	13.50	5.3	38
I319389		0.30	0.010	0.48	1.06	5.8	<0.2	<10	100	0.14	4.81	0.31	0.24	13.80	5.6	19
I319390		0.36	0.006	0.35	1.34	8.0	<0.2	<10	100	0.15	4.49	0.27	0.19	16.05	7.1	28
I319391		0.36	<0.005	0.27	2.32	4.7	<0.2	<10	260	0.27	0.26	0.66	0.68	13.35	15.8	41
I319392		0.32	<0.005	0.22	2.06	3.7	<0.2	<10	230	0.25	0.13	0.84	0.66	14.90	13.3	41
I319393		0.56	0.005	0.17	2.86	4.9	<0.2	<10	220	0.33	0.15	0.69	0.15	16.60	21.3	65
I319394		0.50	<0.005	0.09	2.69	4.5	<0.2	<10	190	0.33	0.12	0.63	0.11	14.55	19.9	56
I319395		0.48	0.006	0.19	2.91	4.6	<0.2	<10	290	0.50	0.21	0.65	0.11	34.5	20.9	81
I319396		0.42	<0.005	0.14	3.71	3.8	<0.2	<10	330	0.45	0.14	0.83	0.29	22.8	21.8	117
I319397		0.30	<0.005	0.74	1.15	16.3	<0.2	<10	120	0.31	0.24	0.18	0.52	18.75	9.3	35
I319398		0.28	0.009	0.76	0.88	3.1	<0.2	<10	140	0.27	0.14	0.16	0.40	14.05	2.9	17
I319399		0.36	0.006	0.53	1.81	9.8	<0.2	<10	260	0.35	0.17	0.52	0.99	26.7	11.6	61
I319400		0.32	0.020	0.82	2.36	6.0	<0.2	<10	290	0.30	0.13	0.76	0.21	11.25	16.6	43
I319401		0.44	0.008	0.61	3.10	7.2	<0.2	<10	380	0.34	0.16	0.92	0.36	19.60	12.2	58
I319402		0.46	0.008	0.39	2.29	11.9	<0.2	<10	360	0.42	0.29	0.81	0.49	25.8	12.7	82
I319403		0.58	0.007	0.30	2.43	12.3	<0.2	<10	210	0.25	0.34	1.25	0.54	12.80	14.4	82
I319404		0.60	0.005	0.28	2.98	4.5	<0.2	<10	310	0.50	0.31	0.84	0.48	28.9	17.4	91
I319405		0.56	0.008	0.34	2.68	8.5	<0.2	<10	280	0.45	0.59	0.56	0.50	32.0	15.7	57
I319406		0.68	0.006	0.19	3.15	4.1	<0.2	<10	370	0.46	0.50	0.69	1.08	26.8	21.1	65
I319407		0.76	0.008	0.37	2.64	10.3	<0.2	<10	450	0.49	1.11	0.48	0.58	44.8	16.7	55
I319408		0.50	<0.005	0.34	0.48	1.5	<0.2	<10	70	0.15	0.26	0.12	0.67	11.15	2.7	11
I319409		0.66	<0.005	0.28	2.31	9.8	<0.2	<10	160	0.37	0.84	0.23	0.50	20.8	13.1	43
I319410		0.64	<0.005	0.23	1.98	4.7	<0.2	<10	180	0.35	1.91	0.25	0.46	31.4	13.3	46
I319411		0.34	<0.005	0.09	2.74	10.4	<0.2	<10	120	0.42	0.34	0.24	0.40	16.30	11.5	34
I319412		0.64	<0.005	0.11	2.22	8.2	<0.2	<10	360	0.37	0.40	0.41	0.61	22.3	23.2	50
I319413		0.36	<0.005	0.06	0.16	3.5	<0.2	<10	10	<0.05	0.12	0.04	0.03	2.46	1.2	4
I319414		0.70	0.007	0.23	1.92	20.7	<0.2	<10	170	0.35	1.88	0.39	0.28	25.7	12.7	40
I319415		0.64	0.005	0.11	1.94	11.5	<0.2	<10	220	0.42	0.87	0.49	0.37	31.5	12.3	38
I319416		0.66	<0.005	0.08	2.09	10.0	<0.2	<10	180	0.34	0.64	0.44	0.17	21.8	11.3	41
I319417		0.54	<0.005	0.13	2.33	7.6	<0.2	<10	180	0.48	1.06	0.42	0.18	20.8	14.3	47
I319418		0.66	0.010	0.10	2.54	4.5	<0.2	<10	170	0.48	1.11	0.43	0.15	16.70	12.7	60
I319419		0.56	<0.005	0.11	1.91	7.6	<0.2	<10	110	0.27	0.67	0.34	0.12	13.95	12.3	44
I319420		0.54	0.006	0.08	1.73	5.3	<0.2	<10	110	0.20	0.54	0.33	0.11	13.70	8.6	38
I319421		0.40	<0.005	0.09	1.60	5.8	<0.2	<10	110	0.22	0.71	0.27	0.12	17.70	6.0	35
I319422		0.36	<0.005	0.74	2.64	9.2	<0.2	<10	270	0.62	9.31	0.92	0.27	135.5	23.8	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319383		4.43	50.5	3.91	7.61	0.11	0.09	0.06	0.043	0.27	62.5	14.0	0.51	937	1.42
I319384		1.24	14.8	1.26	4.91	<0.05	0.02	0.03	0.011	0.05	13.3	3.2	0.14	107	1.05
I319385		7.03	62.4	4.29	9.17	0.11	0.05	0.08	0.033	0.65	45.3	17.2	1.46	777	1.07
I319386		3.73	47.0	2.64	6.80	0.08	0.03	0.07	0.020	0.17	23.4	13.2	0.95	277	0.61
I319387		2.11	15.6	1.38	4.81	0.06	0.02	0.06	0.013	0.08	15.5	7.4	0.51	247	0.26
I319388		2.43	27.9	1.81	5.70	0.05	0.02	0.09	0.014	0.08	8.0	7.9	0.55	157	0.53
I319389		2.58	45.9	1.98	4.53	0.06	0.02	0.10	0.014	0.06	8.5	5.3	0.42	123	0.60
I319390		3.50	44.8	2.17	6.10	0.05	0.02	0.08	0.017	0.09	9.0	8.4	0.52	212	0.72
I319391		0.90	55.5	3.35	8.35	0.07	0.03	0.04	0.029	0.10	6.7	11.4	1.18	519	1.42
I319392		0.76	42.7	3.11	7.11	0.07	0.03	0.03	0.020	0.17	7.7	10.5	1.09	483	1.03
I319393		0.92	47.8	3.98	8.31	0.08	0.04	0.03	0.020	0.29	8.2	15.1	1.46	561	1.28
I319394		0.85	30.3	3.51	7.79	0.08	0.03	0.02	0.019	0.22	7.4	14.5	1.44	414	0.99
I319395		1.16	57.7	4.79	8.99	0.11	0.05	0.11	0.045	0.40	17.1	13.5	1.57	493	1.40
I319396		1.63	69.1	4.79	12.00	0.13	0.10	0.02	0.025	0.73	12.3	17.1	2.84	699	1.05
I319397		0.78	43.1	3.32	6.58	0.07	0.04	0.03	0.042	0.07	10.3	6.8	0.38	222	3.98
I319398		0.89	36.0	1.36	4.82	<0.05	<0.02	0.03	0.015	0.05	7.7	4.2	0.16	86	1.71
I319399		0.92	42.4	2.82	5.85	0.08	0.04	0.06	0.026	0.07	14.5	13.8	0.74	358	5.42
I319400		0.79	35.7	3.47	6.15	0.07	0.03	0.04	0.013	0.29	5.6	10.1	1.27	405	1.55
I319401		0.98	40.0	3.59	8.44	0.09	0.04	0.04	0.025	0.36	10.7	14.8	1.47	511	1.22
I319402		1.30	43.4	3.08	7.04	0.08	0.06	0.04	0.028	0.27	13.3	12.7	1.18	523	1.17
I319403		0.78	44.8	3.14	6.10	0.07	0.05	0.03	0.018	0.29	6.6	10.6	1.63	475	0.60
I319404		1.01	41.7	3.59	8.64	0.08	0.06	0.03	0.028	0.32	14.2	14.8	1.86	670	0.80
I319405		0.81	37.7	3.91	7.67	0.08	0.05	0.05	0.028	0.17	15.5	14.6	1.42	518	1.03
I319406		1.10	44.6	4.56	9.27	0.10	0.04	0.03	0.027	0.38	11.5	14.0	2.27	1900	0.95
I319407		0.96	47.8	4.25	7.69	0.10	0.07	0.07	0.040	0.09	23.2	14.3	1.06	712	1.93
I319408		0.48	18.1	0.83	2.25	<0.05	<0.02	0.03	0.010	0.03	6.9	1.9	0.11	95	0.46
I319409		1.19	30.6	3.64	7.95	0.09	0.04	0.05	0.034	0.07	11.2	14.4	0.72	373	1.58
I319410		0.78	45.0	3.82	5.91	0.12	0.04	0.03	0.039	0.09	15.7	9.8	0.84	270	2.08
I319411		0.96	24.8	3.23	7.05	0.06	0.03	0.05	0.030	0.05	7.9	15.6	0.41	272	1.32
I319412		1.36	39.2	3.85	6.72	0.11	0.04	0.03	0.034	0.13	10.4	12.0	1.11	643	1.33
I319413		0.29	4.3	0.56	1.66	<0.05	<0.02	0.02	<0.005	0.02	1.2	0.4	0.04	34	0.45
I319414		1.33	28.4	2.90	6.14	0.11	0.04	0.03	0.025	0.10	15.6	10.1	0.75	363	1.18
I319415		1.06	34.1	2.94	5.87	0.10	0.07	0.04	0.026	0.08	15.9	11.2	0.66	340	1.00
I319416		1.28	22.5	2.66	6.80	0.09	0.04	0.03	0.028	0.08	11.8	12.2	0.68	224	0.62
I319417		2.09	24.9	3.76	7.30	0.10	0.03	0.03	0.027	0.15	10.1	13.8	0.81	529	0.95
I319418		3.69	19.4	3.11	9.35	0.10	0.03	0.03	0.025	0.27	8.6	18.4	1.06	474	0.66
I319419		1.99	15.9	2.96	6.38	0.08	0.02	0.11	0.018	0.14	7.2	10.7	0.70	450	0.88
I319420		1.75	12.2	2.53	6.01	0.07	0.02	0.04	0.017	0.11	7.1	10.3	0.63	248	0.84
I319421		1.87	18.0	2.07	5.65	0.07	0.02	0.05	0.017	0.09	9.1	7.5	0.52	146	1.97
I319422		2.72	140.5	3.99	6.82	0.17	0.08	0.18	0.040	0.14	77.5	14.1	0.67	1540	2.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319383		3.41	13.6	770	13.3	43.6	<0.001	<0.01	1.51	5.5	0.6	1.2	34.0	<0.01	0.03
I319384		0.96	5.5	250	7.0	13.2	<0.001	<0.01	0.35	1.8	0.3	0.6	11.8	<0.01	0.03
I319385		1.10	24.3	910	9.4	43.5	<0.001	<0.01	0.91	8.1	0.5	0.9	37.5	<0.01	0.03
I319386		1.02	21.3	690	9.2	24.0	<0.001	0.03	1.13	4.9	0.5	0.7	33.6	<0.01	0.03
I319387		0.78	11.4	590	5.4	16.4	<0.001	0.01	0.57	3.2	0.4	0.5	30.3	<0.01	0.01
I319388		0.82	17.1	550	5.5	16.3	<0.001	0.03	0.36	2.4	0.5	0.5	26.8	<0.01	0.03
I319389		0.59	10.2	820	4.1	11.7	<0.001	0.07	0.34	1.8	0.8	0.4	28.7	<0.01	0.04
I319390		0.99	12.3	560	7.2	20.5	<0.001	0.03	0.33	2.6	0.5	0.6	25.2	<0.01	0.03
I319391		1.08	23.4	370	7.5	10.8	0.001	0.01	0.29	7.4	0.5	0.5	28.7	<0.01	0.04
I319392		1.05	26.4	490	5.0	22.0	<0.001	0.03	0.26	5.7	0.6	0.7	31.9	<0.01	0.04
I319393		1.47	37.2	430	6.5	29.2	<0.001	<0.01	0.26	6.2	0.4	0.4	26.1	<0.01	0.05
I319394		1.25	29.0	400	6.1	22.9	<0.001	<0.01	0.24	5.8	0.4	0.4	23.4	<0.01	0.04
I319395		1.11	43.1	500	8.3	37.2	0.001	<0.01	0.37	11.2	0.7	0.6	22.6	<0.01	0.04
I319396		0.99	54.7	630	4.7	54.0	0.001	<0.01	0.29	9.5	0.6	0.7	23.8	<0.01	0.03
I319397		1.35	55.2	350	8.3	13.0	<0.001	0.01	0.77	3.1	1.0	0.5	24.6	<0.01	0.07
I319398		0.80	13.9	220	6.5	13.1	<0.001	<0.01	0.24	1.9	0.6	0.4	19.4	<0.01	0.03
I319399		1.22	50.0	790	8.3	12.9	0.003	0.03	0.44	4.6	4.7	0.5	41.0	<0.01	0.08
I319400		1.05	22.1	610	18.2	28.3	0.001	0.05	0.38	3.9	0.7	0.3	30.7	<0.01	0.06
I319401		0.96	32.6	650	7.8	30.3	0.002	0.05	0.35	7.5	1.5	0.4	33.4	<0.01	0.04
I319402		1.03	47.1	780	9.0	23.1	<0.001	0.02	0.34	6.0	0.8	0.5	34.4	<0.01	0.07
I319403		0.81	40.8	570	7.0	24.6	0.001	0.05	0.76	4.7	0.8	0.3	35.0	<0.01	0.11
I319404		1.28	49.9	780	6.9	28.9	0.001	0.03	0.24	7.5	0.8	0.5	30.2	<0.01	0.04
I319405		1.16	35.2	650	8.2	21.4	<0.001	0.01	0.28	7.0	0.8	0.5	24.3	<0.01	0.04
I319406		0.77	38.0	770	12.4	31.9	0.001	<0.01	0.21	9.0	0.6	0.4	24.0	<0.01	0.04
I319407		1.21	36.7	620	10.4	15.7	0.001	<0.01	0.37	8.5	1.6	0.5	26.5	<0.01	0.05
I319408		0.31	8.8	270	3.8	6.8	<0.001	<0.01	0.14	1.1	0.2	0.2	12.0	<0.01	0.02
I319409		1.57	28.9	490	9.4	14.7	<0.001	<0.01	0.38	5.3	0.8	0.6	20.2	<0.01	0.06
I319410		1.06	34.0	790	8.0	11.6	<0.001	0.01	0.27	6.2	1.3	0.5	17.7	<0.01	0.06
I319411		1.53	25.9	510	8.1	8.1	<0.001	0.02	0.52	3.8	0.7	0.5	21.7	0.02	0.06
I319412		0.97	33.6	770	5.1	18.4	<0.001	<0.01	0.39	6.9	0.6	0.4	21.1	<0.01	0.04
I319413		0.20	2.7	170	1.5	1.5	<0.001	0.01	1.36	0.5	0.2	0.2	4.9	<0.01	0.01
I319414		1.34	29.8	890	7.9	17.7	<0.001	0.01	0.78	4.9	0.9	0.6	22.2	<0.01	0.05
I319415		1.61	27.6	760	7.5	16.7	<0.001	0.02	0.63	5.9	1.1	0.5	29.1	<0.01	0.06
I319416		1.52	24.2	670	7.1	14.1	<0.001	0.02	0.36	5.1	0.7	0.5	25.7	<0.01	0.04
I319417		1.66	27.1	790	7.5	24.0	<0.001	0.06	0.31	5.2	0.7	0.7	26.5	<0.01	0.04
I319418		2.04	30.4	640	8.6	38.9	<0.001	0.06	0.24	5.8	0.5	0.9	29.2	<0.01	0.03
I319419		1.41	20.6	670	7.9	22.5	<0.001	0.03	0.20	3.3	0.6	0.6	23.6	<0.01	0.04
I319420		1.30	18.2	570	7.0	20.4	<0.001	0.02	0.21	3.1	0.5	0.5	24.2	<0.01	0.04
I319421		1.18	17.6	630	6.2	20.8	<0.001	0.03	0.30	2.9	0.6	0.5	22.1	<0.01	0.05
I319422		1.36	31.7	990	14.7	22.5	0.001	0.09	0.48	6.3	1.8	0.7	69.5	0.01	0.13



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319383		0.124	0.60	6.22	56	0.25	20.4	90	3.2
I319384		0.064	0.15	1.77	33	0.13	3.23	23	0.7
I319385		0.185	0.41	4.38	102	0.19	12.80	107	1.8
I319386		0.138	0.28	2.93	67	0.33	8.94	71	1.3
I319387		0.090	0.16	1.89	30	0.26	6.93	46	0.6
I319388		0.097	0.18	1.99	34	0.44	4.48	46	0.8
I319389		0.065	0.16	2.46	30	0.80	5.08	38	0.5
I319390		0.088	0.21	2.14	51	0.65	4.30	46	0.7
I319391		0.108	0.08	0.62	98	0.13	4.75	97	1.3
I319392		0.105	0.10	0.52	86	0.14	6.28	88	1.1
I319393		0.145	0.17	0.61	93	0.14	5.58	80	1.5
I319394		0.129	0.13	0.50	86	0.10	4.67	62	1.1
I319395		0.139	0.21	0.83	105	0.09	13.40	91	2.1
I319396		0.228	0.35	0.62	125	0.13	12.40	196	5.0
I319397		0.109	0.11	0.66	80	0.11	5.85	115	2.3
I319398		0.063	0.07	1.00	36	0.09	4.98	36	0.5
I319399		0.100	0.14	2.08	84	0.17	9.13	158	2.2
I319400		0.132	0.43	0.46	66	0.10	4.53	98	1.5
I319401		0.108	0.17	0.96	94	0.14	10.90	89	1.6
I319402		0.089	0.19	1.05	79	0.18	10.35	106	2.4
I319403		0.094	0.20	0.75	70	0.16	8.37	84	1.7
I319404		0.109	0.16	1.35	85	0.10	12.70	111	2.2
I319405		0.098	0.13	1.60	80	0.23	11.20	119	2.0
I319406		0.117	0.22	1.20	103	0.08	9.17	174	1.8
I319407		0.112	0.15	2.26	81	0.13	17.70	126	2.8
I319408		0.032	0.05	0.60	18	0.05	3.79	21	<0.5
I319409		0.103	0.14	0.82	79	0.16	7.64	76	1.3
I319410		0.087	0.18	1.34	78	0.14	11.95	108	1.3
I319411		0.091	0.10	0.53	74	0.16	4.17	52	1.1
I319412		0.113	0.11	0.80	96	0.38	8.52	106	1.2
I319413		0.028	0.03	0.12	18	0.09	0.53	11	<0.5
I319414		0.103	0.17	1.03	70	0.19	11.45	69	1.4
I319415		0.116	0.14	1.88	71	0.20	14.20	69	2.9
I319416		0.117	0.15	0.83	71	0.14	7.77	64	1.4
I319417		0.130	0.21	0.75	76	0.20	6.16	80	1.1
I319418		0.161	0.36	0.60	70	0.18	4.81	95	1.2
I319419		0.116	0.18	0.81	70	0.46	3.77	65	0.7
I319420		0.113	0.16	0.59	62	0.20	3.64	59	0.6
I319421		0.093	0.18	0.76	50	1.36	4.64	50	0.6
I319422		0.089	0.32	5.63	71	3.68	40.0	76	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319423		0.48	0.005	0.61	2.75	7.6	<0.2	<10	200	0.73	1.83	0.51	0.18	89.6	15.0	92
I319424		0.44	<0.005	0.21	1.21	4.3	<0.2	<10	80	0.23	1.07	0.16	0.10	16.80	5.6	30
I319425		0.48	<0.005	0.44	1.64	13.4	<0.2	<10	150	0.31	2.61	0.40	0.19	26.5	12.3	58
I319426		0.42	<0.005	0.09	1.75	5.6	<0.2	<10	140	0.22	0.57	0.40	0.25	16.55	8.4	39
I319427		0.62	0.007	0.16	1.75	4.4	<0.2	<10	110	0.20	3.97	0.35	0.11	13.20	13.5	93
I319428		0.52	<0.005	0.29	2.27	4.8	<0.2	<10	410	0.32	1.36	0.51	0.18	34.2	18.7	102
I319429		0.44	<0.005	0.32	1.54	7.3	<0.2	<10	100	0.18	3.49	0.26	0.18	19.45	7.9	31
I319430		0.60	<0.005	0.05	2.26	5.4	<0.2	<10	160	0.59	0.11	0.89	0.05	24.6	18.5	67
I319431		0.70	<0.005	0.01	2.78	2.2	<0.2	<10	30	0.58	0.02	0.88	0.02	7.46	29.3	146
I319432		0.62	<0.005	0.02	2.39	1.7	<0.2	<10	30	0.62	0.01	1.42	0.04	3.74	26.4	65
I319433		0.68	<0.005	0.01	2.73	4.3	<0.2	<10	90	0.50	0.03	0.73	0.05	9.50	24.4	120
I319434		0.54	<0.005	0.02	2.54	5.7	<0.2	<10	120	0.32	0.08	0.47	0.08	9.18	20.0	59
I319435		0.40	<0.005	0.03	2.33	4.6	<0.2	<10	250	0.66	0.10	0.59	0.08	24.3	15.7	48
I319436		0.44	0.007	0.06	2.45	5.8	<0.2	<10	210	0.53	0.12	1.03	0.09	22.0	12.9	48
I319437		0.60	0.005	0.06	1.77	4.7	<0.2	<10	180	0.41	0.10	1.04	0.13	20.8	11.4	37
I319438		0.52	<0.005	0.10	1.80	8.4	<0.2	<10	210	0.46	0.12	0.82	0.13	25.5	11.9	33
I319439		0.56	<0.005	0.06	1.84	6.6	<0.2	<10	180	0.45	0.10	1.12	0.08	20.4	12.8	45
I319440		0.48	0.005	0.06	1.92	7.1	<0.2	<10	180	0.44	0.10	1.04	0.07	21.2	14.9	42
I319441		0.36	<0.005	0.06	1.85	5.3	<0.2	<10	190	0.52	0.08	1.50	0.12	16.40	14.8	46
I319442		0.58	<0.005	0.04	1.80	7.2	<0.2	<10	160	0.41	0.10	2.24	0.15	20.4	15.0	40
I319443		0.74	<0.005	0.02	2.04	1.6	<0.2	<10	20	0.25	0.01	0.65	0.01	3.24	27.5	75
I319444		0.62	<0.005	0.23	2.32	9.7	<0.2	<10	430	0.73	0.16	0.55	0.39	27.2	12.1	37
I319445		0.48	<0.005	0.20	1.86	12.5	<0.2	<10	360	0.41	0.19	0.48	1.37	28.8	8.5	30
I319446		0.44	<0.005	0.52	1.21	18.3	<0.2	<10	340	0.40	0.20	0.60	1.08	37.9	12.0	21
I319447		0.52	<0.005	0.59	1.45	13.5	<0.2	<10	340	0.36	0.19	0.69	1.57	51.2	9.2	23
I319448		0.42	0.005	0.46	1.24	12.4	<0.2	<10	420	0.35	0.15	1.58	2.61	34.2	10.4	20
I319449		0.58	0.005	0.37	1.54	11.8	<0.2	<10	290	0.33	0.17	1.32	1.33	41.5	8.2	29
I319450		0.60	<0.005	0.33	2.24	17.5	<0.2	<10	190	0.44	0.16	1.18	0.99	34.8	16.9	175
I319873		0.32	<0.005	0.13	1.65	6.5	<0.2	<10	170	0.42	0.25	0.66	0.15	22.2	7.9	18
I319874		0.40	<0.005	0.04	0.68	1.8	<0.2	<10	30	0.14	0.13	0.09	0.07	7.95	3.3	8
I319875		0.36	<0.005	0.05	0.53	1.4	<0.2	<10	50	0.13	0.19	0.22	0.14	8.04	1.8	10
I319876		0.34	0.006	0.09	1.20	2.8	<0.2	<10	80	0.18	0.23	0.36	0.08	10.45	5.2	14
I319877		0.26	<0.005	0.11	1.23	2.6	<0.2	<10	70	0.24	0.30	0.20	0.11	14.40	4.3	15
I319878		0.34	<0.005	0.19	2.65	5.6	<0.2	<10	170	0.55	0.71	1.12	0.17	30.4	11.7	22
I319879		0.28	<0.005	0.13	2.03	4.1	<0.2	<10	150	0.50	0.16	1.84	0.23	22.3	7.9	19
I319880		0.40	<0.005	0.08	1.69	3.5	<0.2	<10	170	0.23	0.12	0.46	0.18	18.50	8.4	19
I319881		0.34	<0.005	0.15	1.76	11.2	<0.2	<10	150	0.26	0.17	0.35	0.11	20.5	15.0	26
I319882		0.34	<0.005	0.11	1.64	5.5	<0.2	<10	170	0.29	0.13	0.54	0.14	24.8	18.0	20
I319883		0.48	0.007	0.11	1.69	8.3	<0.2	<10	220	0.39	0.15	0.61	0.18	27.8	12.0	19
I319884		0.40	<0.005	0.08	1.63	3.8	<0.2	<10	160	0.32	0.13	0.40	0.12	19.60	8.7	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319423		5.47	54.5	3.57	8.12	0.12	0.05	0.24	0.035	0.23	67.9	14.1	0.98	744	1.80
I319424		3.11	33.6	1.98	5.49	0.05	0.02	0.05	0.013	0.08	9.6	5.8	0.38	177	0.97
I319425		5.98	66.8	2.17	4.99	0.06	0.02	0.11	0.018	0.09	13.1	8.9	0.60	410	0.87
I319426		1.84	15.6	2.25	5.91	0.07	0.02	0.04	0.017	0.12	8.5	9.3	0.62	263	0.48
I319427		8.25	81.4	2.58	4.59	0.09	0.02	0.02	0.017	0.14	7.3	14.4	1.02	272	0.44
I319428		4.94	55.3	3.23	7.90	0.11	0.04	0.05	0.029	0.34	18.2	15.0	1.37	725	0.92
I319429		3.37	50.7	2.16	6.08	0.07	0.02	0.07	0.017	0.11	10.4	8.2	0.57	159	0.56
I319430		0.40	46.8	3.34	6.40	0.08	0.16	0.03	0.021	0.06	13.3	11.6	1.22	539	0.63
I319431		0.20	66.7	3.95	8.13	0.10	0.12	0.01	0.008	0.04	3.9	11.4	2.59	647	0.23
I319432		0.22	66.1	3.68	7.76	0.08	0.05	0.02	0.006	0.06	2.1	9.9	2.16	758	0.20
I319433		0.33	44.2	3.53	7.88	0.07	0.08	0.01	0.012	0.03	3.6	15.5	1.92	509	0.35
I319434		0.35	38.2	3.45	7.08	0.07	0.03	0.02	0.018	0.05	4.4	14.3	1.42	437	0.71
I319435		0.45	59.7	2.85	6.64	0.07	0.09	0.02	0.024	0.04	13.1	12.4	1.01	548	0.49
I319436		0.38	50.4	3.08	6.35	0.08	0.22	0.04	0.026	0.06	12.7	13.3	0.91	357	0.37
I319437		0.39	36.0	2.39	4.93	0.08	0.12	0.03	0.021	0.04	11.2	10.6	0.67	374	0.32
I319438		0.49	34.1	2.91	5.07	0.08	0.10	0.03	0.024	0.05	12.4	11.2	0.62	390	0.61
I319439		0.39	42.7	2.73	5.10	0.09	0.13	0.03	0.022	0.06	11.1	11.7	0.81	443	0.42
I319440		0.37	43.0	2.87	5.37	0.08	0.12	0.03	0.022	0.04	11.1	12.0	0.89	512	0.45
I319441		0.33	50.1	2.63	5.05	0.06	0.06	0.02	0.019	0.05	9.7	10.3	0.90	590	0.51
I319442		0.43	59.7	2.76	5.03	0.09	0.13	0.03	0.020	0.05	10.9	13.0	1.00	467	0.49
I319443		0.12	104.0	2.63	4.94	0.07	0.09	0.01	<0.005	0.02	3.3	12.0	2.09	451	0.09
I319444		0.51	33.6	3.10	5.68	0.08	0.23	0.03	0.028	0.04	16.2	12.9	0.55	607	3.78
I319445		0.26	31.0	2.70	6.36	0.05	0.04	0.01	0.027	0.05	14.0	10.6	0.48	500	10.30
I319446		0.37	58.1	3.41	3.41	0.07	0.25	0.05	0.028	0.04	21.2	7.2	0.40	604	13.35
I319447		0.24	57.6	2.87	3.92	0.08	0.17	0.06	0.025	0.04	32.6	10.3	0.71	374	10.80
I319448		0.26	46.8	2.34	3.40	0.07	0.12	0.06	0.022	0.04	19.1	7.8	0.51	729	8.26
I319449		0.19	50.0	2.54	4.21	0.06	0.15	0.05	0.024	0.05	24.2	11.1	0.73	316	6.50
I319450		0.25	58.3	3.47	6.29	0.07	0.16	0.05	0.028	0.05	20.5	16.1	1.61	599	5.71
I319873		2.11	15.5	2.38	6.27	<0.05	0.03	0.05	0.025	0.08	14.9	12.9	0.49	321	1.16
I319874		0.86	4.9	1.39	3.15	<0.05	<0.02	0.02	0.025	0.04	3.5	5.0	0.20	123	0.42
I319875		0.70	9.7	0.87	3.51	<0.05	<0.02	0.02	0.008	0.04	5.1	2.2	0.12	70	0.72
I319876		1.42	10.0	1.93	5.50	<0.05	0.02	0.02	0.016	0.06	5.9	8.1	0.38	251	0.58
I319877		0.89	12.8	1.67	5.11	<0.05	0.02	0.03	0.019	0.03	8.9	7.4	0.27	122	0.57
I319878		3.22	19.1	3.88	8.52	0.07	0.05	0.10	0.036	0.12	20.5	22.0	0.78	800	0.91
I319879		1.28	19.0	2.56	6.17	0.06	0.06	0.07	0.025	0.07	17.4	13.8	0.57	478	0.63
I319880		1.35	14.6	2.78	7.24	<0.05	0.03	0.03	0.020	0.07	10.1	11.1	0.69	335	0.62
I319881		1.44	15.4	3.47	6.80	0.05	0.04	0.05	0.024	0.07	10.9	10.9	0.62	1660	1.40
I319882		1.24	15.3	3.18	5.67	0.07	0.04	0.04	0.020	0.09	13.0	10.3	0.59	1490	1.10
I319883		2.54	20.8	2.72	6.06	0.05	0.04	0.06	0.025	0.10	14.8	11.0	0.60	1340	0.89
I319884		1.38	14.5	2.59	6.07	<0.05	0.04	0.03	0.026	0.07	10.5	11.2	0.55	470	0.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319423		1.75	34.1	710	19.7	46.3	0.001	0.05	0.42	5.7	1.0	1.1	37.3	0.01	0.06
I319424		0.93	12.5	310	6.9	20.3	<0.001	0.01	0.22	2.5	0.4	0.7	14.6	<0.01	0.06
I319425		0.78	25.2	700	6.5	22.9	<0.001	0.05	0.64	3.2	0.8	0.7	28.5	<0.01	0.06
I319426		1.25	21.1	610	7.0	23.6	<0.001	0.04	0.20	3.2	0.6	0.5	28.5	<0.01	0.04
I319427		0.64	37.5	400	4.0	22.4	<0.001	0.01	0.26	4.6	0.4	0.6	21.7	<0.01	0.05
I319428		1.81	56.5	680	10.3	56.3	<0.001	0.04	0.33	6.2	0.7	0.8	30.7	<0.01	0.04
I319429		1.11	16.1	550	7.7	23.0	<0.001	0.04	0.29	3.1	0.7	0.6	24.1	<0.01	0.05
I319430		2.00	44.9	800	5.4	6.7	<0.001	<0.01	0.27	6.8	0.5	0.4	31.9	<0.01	0.03
I319431		0.95	80.6	1870	1.1	3.2	<0.001	<0.01	0.12	6.5	0.3	0.3	37.3	<0.01	0.01
I319432		2.75	56.6	2120	1.0	4.4	<0.001	<0.01	0.10	4.8	0.3	0.2	35.2	<0.01	0.02
I319433		2.07	81.2	940	1.7	4.4	<0.001	<0.01	0.17	4.5	0.3	0.3	36.7	<0.01	0.02
I319434		1.33	33.2	560	4.2	8.7	<0.001	<0.01	0.28	4.0	0.3	0.4	24.8	<0.01	0.03
I319435		1.32	30.8	430	7.4	4.2	<0.001	<0.01	0.26	6.4	0.6	0.4	30.3	<0.01	0.03
I319436		1.78	29.5	450	7.4	9.0	<0.001	<0.01	0.35	6.6	0.6	0.5	38.8	<0.01	0.04
I319437		1.44	26.1	660	6.1	7.0	<0.001	0.01	0.33	4.9	0.7	0.4	47.9	<0.01	0.03
I319438		1.42	27.4	730	6.1	7.3	<0.001	<0.01	0.43	5.2	0.7	0.4	50.2	<0.01	0.04
I319439		1.47	34.6	770	5.1	7.6	<0.001	0.01	0.41	4.8	0.6	0.4	55.1	<0.01	0.04
I319440		1.33	30.7	750	5.1	6.2	<0.001	0.01	0.38	5.3	0.6	0.4	51.0	<0.01	0.04
I319441		1.15	34.6	760	4.1	6.2	<0.001	0.01	0.37	4.3	1.0	0.3	61.6	<0.01	0.05
I319442		1.27	32.3	640	5.3	7.2	<0.001	<0.01	0.44	4.7	0.5	0.4	58.3	<0.01	0.04
I319443		0.36	39.8	540	0.4	3.3	<0.001	<0.01	0.10	4.2	0.2	<0.2	23.7	<0.01	0.01
I319444		0.65	29.5	370	12.5	6.4	<0.001	<0.01	0.39	6.6	0.9	0.5	31.1	<0.01	0.05
I319445		1.06	27.3	350	17.4	3.7	<0.001	<0.01	0.39	3.7	3.2	0.5	36.2	<0.01	0.03
I319446		0.60	41.3	1060	19.6	4.7	<0.001	<0.01	0.62	4.0	4.0	0.3	45.4	<0.01	0.07
I319447		0.52	42.5	900	21.0	4.1	<0.001	<0.01	0.53	3.3	3.2	0.3	57.6	<0.01	0.05
I319448		0.58	33.3	930	14.8	4.8	0.001	0.05	0.59	2.6	3.7	0.3	98.2	<0.01	0.05
I319449		0.67	39.3	880	17.2	4.1	<0.001	0.02	0.55	3.1	2.7	0.3	79.9	<0.01	0.04
I319450		0.87	112.5	1030	20.2	4.4	<0.001	<0.01	0.55	7.2	1.5	0.4	57.7	<0.01	0.04
I319873		1.24	13.1	590	8.6	13.8	<0.001	0.02	0.45	3.9	0.5	0.5	39.0	<0.01	0.02
I319874		0.75	4.4	210	3.0	4.9	<0.001	<0.01	0.26	1.7	0.2	0.3	8.2	<0.01	0.02
I319875		0.55	3.9	250	4.8	9.5	<0.001	<0.01	0.21	1.5	0.3	0.4	17.5	<0.01	0.01
I319876		1.27	7.2	410	4.4	10.4	<0.001	0.01	0.41	3.5	0.3	0.6	22.6	<0.01	0.02
I319877		0.85	7.9	510	4.5	4.3	<0.001	0.02	0.36	2.6	0.6	0.4	19.3	<0.01	0.04
I319878		1.92	14.9	780	7.2	18.5	<0.001	0.03	0.96	7.1	0.6	0.7	52.7	0.01	0.05
I319879		1.79	12.8	820	5.6	10.3	<0.001	0.08	0.62	5.5	1.0	0.5	71.6	0.01	0.03
I319880		2.06	12.2	380	4.4	18.0	<0.001	0.01	0.50	5.3	0.5	0.8	31.0	<0.01	0.01
I319881		1.59	13.7	840	7.1	13.0	<0.001	0.03	0.32	4.7	0.4	0.6	25.5	<0.01	0.03
I319882		1.47	11.9	970	4.8	12.0	<0.001	0.05	0.40	4.8	0.6	0.5	33.9	<0.01	0.02
I319883		1.38	12.4	920	5.8	15.4	<0.001	0.04	0.42	5.2	0.6	0.6	38.5	<0.01	0.02
I319884		1.66	11.7	520	5.0	11.6	<0.001	0.01	0.37	5.2	0.5	0.5	27.0	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319423		0.111	0.57	6.27	76	0.85	16.80	92	1.4
I319424		0.086	0.21	1.13	54	0.28	3.98	33	0.5
I319425		0.061	0.30	1.83	47	0.28	7.56	43	<0.5
I319426		0.101	0.16	0.74	49	0.12	5.09	65	0.7
I319427		0.099	0.24	0.73	63	1.67	4.31	42	0.7
I319428		0.174	0.42	2.41	90	0.23	10.40	68	1.0
I319429		0.096	0.21	2.01	46	0.46	5.29	44	0.6
I319430		0.134	0.05	0.37	75	0.15	13.40	57	6.0
I319431		0.216	0.02	0.19	90	0.09	5.08	75	4.1
I319432		0.176	0.02	0.11	75	0.08	5.32	55	2.0
I319433		0.259	0.03	0.19	88	0.10	4.49	49	2.7
I319434		0.158	0.04	0.22	79	0.12	3.68	54	1.0
I319435		0.095	0.06	0.52	69	0.11	12.05	45	3.0
I319436		0.135	0.05	0.67	69	0.14	13.20	48	9.1
I319437		0.106	0.04	0.81	56	0.19	9.96	43	4.8
I319438		0.110	0.05	1.18	68	0.22	11.85	48	4.1
I319439		0.112	0.05	0.77	64	0.17	10.70	45	5.2
I319440		0.099	0.04	0.58	65	0.12	11.05	44	4.9
I319441		0.079	0.03	1.12	60	0.12	9.66	39	2.4
I319442		0.107	0.05	0.38	61	0.19	10.50	55	5.3
I319443		0.175	<0.02	0.08	53	<0.05	9.14	54	3.7
I319444		0.080	0.09	1.04	73	0.13	11.50	63	10.5
I319445		0.065	0.10	0.72	70	0.16	6.49	86	2.0
I319446		0.037	0.08	0.98	43	0.12	11.80	143	13.1
I319447		0.030	0.07	1.55	40	0.13	16.70	126	7.5
I319448		0.033	0.07	1.22	36	0.12	12.95	94	4.9
I319449		0.040	0.06	1.56	43	0.36	12.55	126	6.6
I319450		0.055	0.06	1.00	72	0.16	15.05	219	8.6
I319873		0.076	0.10	0.88	53	0.19	8.41	48	1.3
I319874		0.060	0.04	0.24	36	0.15	1.81	20	<0.5
I319875		0.053	0.06	0.61	26	0.10	3.30	16	<0.5
I319876		0.086	0.10	0.74	50	0.23	5.00	35	0.7
I319877		0.066	0.08	1.01	40	0.18	7.02	28	0.7
I319878		0.117	0.15	1.48	92	0.63	20.9	57	1.5
I319879		0.087	0.10	1.81	60	0.28	19.75	69	2.1
I319880		0.144	0.13	0.80	70	0.15	6.95	58	1.3
I319881		0.129	0.14	1.38	99	0.18	5.98	55	1.5
I319882		0.121	0.13	1.87	73	0.15	8.25	47	1.7
I319883		0.113	0.19	1.78	68	0.16	9.39	48	1.5
I319884		0.126	0.12	1.34	67	0.17	7.83	41	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319885		0.38	<0.005	0.03	0.46	1.2	<0.2	<10	30	0.06	0.10	0.08	0.02	4.68	1.8	8
I319886		0.46	0.007	0.14	2.47	6.0	<0.2	<10	130	0.36	0.15	0.33	0.09	20.5	10.9	25
I319887		0.28	<0.005	0.15	2.33	6.4	<0.2	<10	220	0.29	0.14	0.63	0.13	21.0	9.4	27
I319888		0.50	<0.005	0.15	2.72	6.0	<0.2	<10	260	0.44	0.13	0.65	0.14	32.3	12.4	27
I319889		0.40	0.008	0.04	2.42	5.0	<0.2	<10	150	0.29	0.12	0.44	0.09	19.80	12.1	33
I319890		0.34	<0.005	0.08	1.56	4.3	<0.2	<10	100	0.18	0.14	0.26	0.07	10.65	5.9	23
I319891		0.42	<0.005	0.11	1.94	5.3	<0.2	<10	140	0.29	0.15	0.44	0.15	13.70	9.3	22
I319892		0.26	<0.005	0.21	0.93	3.9	<0.2	<10	80	0.24	0.12	0.34	0.13	15.45	2.7	14
I319893		0.32	<0.005	0.06	0.33	1.3	<0.2	<10	40	0.10	0.04	0.09	0.06	7.17	1.2	5
I319894		0.40	<0.005	0.20	1.92	32.9	<0.2	<10	190	0.41	0.21	0.68	0.19	31.7	11.4	22
I319895		0.42	<0.005	0.03	1.63	7.6	<0.2	<10	120	0.22	0.10	0.26	0.10	11.95	8.1	18
I319896		0.30	<0.005	0.13	0.97	100.0	<0.2	<10	150	0.14	0.14	0.53	0.29	11.80	4.6	16
I319897		0.34	<0.005	0.06	0.45	3.1	<0.2	<10	30	0.07	0.10	0.11	0.10	4.78	1.9	8
I319898		0.32	<0.005	0.13	1.25	9.1	<0.2	<10	300	0.33	0.16	1.98	0.30	20.5	7.4	13
I319899		0.28	<0.005	0.15	1.58	5.6	<0.2	<10	170	0.21	0.15	0.41	0.18	15.60	7.0	26
I319900		0.44	<0.005	0.15	1.85	8.6	<0.2	<10	240	0.39	0.16	0.41	0.14	19.20	11.8	24
I319901		0.24	<0.005	0.37	1.41	22.8	<0.2	<10	270	0.28	0.24	0.84	0.36	20.4	14.0	18
I319902		0.30	<0.005	0.15	0.99	33.5	<0.2	<10	290	0.29	0.14	1.12	0.39	19.30	4.0	15
I319903		0.36	<0.005	0.18	1.50	14.1	<0.2	<10	220	0.38	0.28	0.57	0.14	17.35	12.2	19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319885		0.49	4.6	0.80	3.87	<0.05	<0.02	0.02	0.007	0.03	2.5	2.2	0.13	56	0.38
I319886		1.86	16.1	3.42	7.82	0.05	0.06	0.03	0.026	0.07	10.4	17.7	0.72	369	0.73
I319887		1.42	15.4	2.89	7.54	0.05	0.05	0.05	0.026	0.08	12.0	15.3	0.63	323	0.84
I319888		2.03	18.1	3.71	8.76	0.07	0.06	0.04	0.031	0.18	17.8	19.1	0.86	596	0.72
I319889		1.82	16.5	3.56	7.66	0.06	0.08	0.01	0.026	0.11	8.9	16.9	0.81	463	0.68
I319890		0.94	12.0	2.22	6.25	<0.05	0.05	0.02	0.015	0.06	5.9	9.5	0.47	188	0.72
I319891		1.32	12.7	2.99	7.77	<0.05	0.04	0.02	0.021	0.12	7.3	13.8	0.65	417	0.79
I319892		0.74	11.9	1.13	3.91	<0.05	<0.02	0.05	0.016	0.07	8.7	4.4	0.21	90	0.68
I319893		0.46	4.7	0.60	1.94	<0.05	<0.02	0.02	0.005	0.02	4.4	1.1	0.07	35	0.25
I319894		2.22	13.6	2.99	6.22	0.06	0.05	0.06	0.024	0.12	18.7	20.1	0.66	803	1.53
I319895		1.09	10.8	2.66	6.57	<0.05	0.03	0.01	0.020	0.05	5.8	13.2	0.47	257	0.89
I319896		1.14	13.0	1.53	4.68	<0.05	0.02	0.10	0.017	0.06	7.1	5.6	0.21	172	0.89
I319897		0.86	6.1	0.92	3.42	<0.05	<0.02	0.01	0.007	0.04	2.6	2.5	0.12	72	0.68
I319898		1.43	18.2	2.04	3.92	0.05	0.04	0.08	0.020	0.09	11.2	9.3	0.47	600	0.86
I319899		2.02	16.7	2.45	6.72	<0.05	0.04	0.05	0.021	0.12	8.5	10.0	0.61	248	1.06
I319900		3.18	14.0	3.07	7.30	0.05	0.03	0.03	0.030	0.16	10.2	14.2	0.75	536	0.89
I319901		2.13	13.7	2.18	5.31	0.05	0.02	0.07	0.019	0.13	10.7	9.2	0.51	997	1.02
I319902		1.50	13.4	1.49	3.67	<0.05	0.03	0.09	0.017	0.06	11.9	5.1	0.28	137	0.76
I319903		2.01	16.1	2.27	5.66	0.07	0.06	0.04	0.020	0.09	8.6	7.6	0.42	879	1.64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319885		0.63	4.0	140	3.7	4.9	<0.001	<0.01	0.12	1.4	0.2	0.4	8.2	<0.01	0.02	0.3
I319886		2.30	16.2	530	5.8	11.1	<0.001	<0.01	0.41	5.2	0.4	0.7	22.2	<0.01	0.02	2.3
I319887		1.97	16.8	550	5.8	12.9	<0.001	0.01	0.36	6.2	0.5	0.7	39.0	<0.01	0.02	1.7
I319888		2.64	17.7	830	6.4	26.6	<0.001	<0.01	0.38	7.9	0.6	0.8	36.3	0.01	0.02	2.5
I319889		2.17	21.4	610	5.2	14.2	<0.001	<0.01	0.43	5.6	0.3	0.6	32.8	<0.01	0.02	2.3
I319890		1.62	13.2	260	5.2	10.7	<0.001	<0.01	0.25	3.7	0.2	0.5	22.3	<0.01	0.02	1.3
I319891		2.38	13.0	400	5.7	16.9	<0.001	<0.01	0.39	4.5	0.4	0.8	26.2	<0.01	0.02	1.2
I319892		0.68	8.1	450	7.5	7.1	<0.001	0.02	0.28	1.9	0.3	0.4	24.3	<0.01	0.01	0.3
I319893		0.33	2.6	240	2.2	4.4	<0.001	<0.01	0.09	0.8	0.3	0.2	10.6	<0.01	<0.01	<0.2
I319894		1.51	14.2	710	8.7	21.0	<0.001	0.01	0.57	5.6	0.5	0.5	39.8	<0.01	0.02	1.8
I319895		1.51	12.6	340	5.7	8.0	<0.001	<0.01	0.53	3.5	0.2	0.5	18.3	<0.01	0.02	1.4
I319896		0.76	8.7	410	6.0	12.1	<0.001	0.02	0.51	2.8	0.5	0.4	31.4	<0.01	0.02	0.3
I319897		0.57	4.2	170	3.0	9.5	<0.001	<0.01	0.24	1.5	0.2	0.4	11.3	<0.01	0.01	0.2
I319898		0.95	9.8	980	5.6	14.9	<0.001	0.13	1.06	4.6	1.0	0.4	100.0	0.01	0.03	0.6
I319899		2.13	12.2	580	14.4	19.3	<0.001	0.04	0.37	4.4	0.5	0.7	29.1	<0.01	0.02	0.8
I319900		1.49	12.2	780	7.6	25.7	<0.001	0.02	0.65	5.7	0.4	0.7	26.2	<0.01	0.02	1.1
I319901		1.24	10.3	850	14.7	18.8	<0.001	0.08	0.83	3.8	0.7	0.6	47.7	<0.01	0.02	0.6
I319902		0.89	9.5	700	8.2	11.1	<0.001	0.08	0.52	3.3	0.8	0.3	65.0	0.01	0.02	0.5
I319903		1.49	10.9	560	12.5	17.9	<0.001	0.04	0.53	4.4	0.7	0.5	33.1	<0.01	0.03	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319885		0.066	0.06	0.21	26	0.05	0.94	12
I319886		0.175	0.14	0.87	85	0.27	6.27	55
I319887		0.148	0.13	1.43	71	0.22	7.30	59
I319888		0.205	0.20	2.09	90	0.22	12.15	69
I319889		0.195	0.13	0.58	94	0.33	5.93	53
I319890		0.138	0.10	0.52	64	0.14	2.91	44
I319891		0.180	0.14	0.80	81	0.16	5.26	61
I319892		0.038	0.07	0.94	24	0.07	3.72	33
I319893		0.033	0.03	0.43	13	<0.05	1.74	11
I319894		0.116	0.19	2.01	63	0.36	11.10	73
I319895		0.122	0.09	0.38	67	0.17	3.57	42
I319896		0.060	0.10	0.58	36	0.09	5.46	36
I319897		0.053	0.05	0.27	29	0.07	1.16	16
I319898		0.052	0.12	2.13	42	0.11	14.70	46
I319899		0.129	0.16	0.97	60	0.24	4.82	55
I319900		0.112	0.18	1.01	74	0.61	7.24	63
I319901		0.080	0.19	0.93	49	0.16	6.49	51
I319902		0.055	0.10	1.06	28	0.16	10.25	40
I319903		0.077	0.13	1.07	61	0.24	6.69	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 1-OCT-2010
Account: EIASQI

CERTIFICATE WH10130305

Project: SQI10-06

P.O. No.: SQI10-06_28

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
PUL-31	Pulverize split to 85% <75 um
LOG-21	Sample logging - ClientBarCode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034101		0.42	<0.005	0.08	2.00	16.6	<0.2	<10	280	0.33	0.13	0.86	0.16	30.5	11.6	18
I034102		0.60	<0.005	0.08	2.31	11.8	<0.2	<10	330	0.30	0.14	0.66	0.11	23.2	11.4	17
I034103		0.50	<0.005	0.08	2.20	29.4	<0.2	<10	270	0.31	0.16	0.76	0.17	24.4	13.7	22
I316693		0.34	<0.005	0.04	1.85	2.8	<0.2	<10	130	0.23	0.09	0.44	0.06	8.27	10.8	13
I033585		0.32	<0.005	0.09	2.09	5.1	<0.2	<10	230	0.23	0.12	0.51	0.36	11.00	18.9	43
I033586		0.40	0.006	0.12	2.28	5.3	<0.2	<10	150	0.27	0.16	0.34	0.18	11.10	14.1	45
I033587		0.40	0.007	0.15	2.45	4.4	<0.2	<10	230	0.31	0.15	1.11	0.24	20.5	18.3	53
I033588		0.30	0.008	0.07	2.31	5.1	<0.2	<10	110	0.18	0.16	0.27	0.09	8.35	11.8	53
I033589		0.28	0.006	0.12	2.22	4.3	<0.2	<10	210	0.30	0.12	0.85	0.25	15.35	16.3	45
I033590		0.54	0.007	0.12	3.32	4.7	<0.2	<10	260	0.35	0.09	0.75	0.18	13.00	24.2	58
I033591		0.44	<0.005	0.10	2.72	6.6	<0.2	<10	210	0.37	0.12	0.91	0.19	20.0	16.4	44
I033592		0.40	0.011	0.13	4.42	10.3	<0.2	<10	130	0.53	0.18	0.29	0.15	18.45	20.9	48
I033593		0.46	0.008	0.25	3.00	10.0	<0.2	<10	270	0.35	0.21	1.04	0.23	17.80	20.4	111
I033594		0.48	0.009	0.14	1.93	6.8	<0.2	<10	360	0.40	0.13	1.21	0.21	25.4	11.8	37
I033595		0.44	0.009	0.15	1.98	7.5	<0.2	<10	540	0.41	0.14	1.38	0.32	25.9	17.7	38
I033596		0.66	0.008	0.13	1.84	6.3	<0.2	<10	270	0.39	0.12	1.06	0.17	29.2	11.4	34
I033597		0.36	<0.005	0.18	1.92	13.1	<0.2	<10	220	0.40	0.70	0.99	0.36	37.9	13.4	47
I033598		0.40	0.006	0.18	1.71	11.6	<0.2	<10	250	0.37	0.68	0.78	0.36	32.9	12.9	44
I033599		0.30	<0.005	0.15	1.65	11.7	<0.2	<10	240	0.40	0.63	0.79	0.41	32.7	13.5	42
I033600		0.54	0.005	0.21	1.80	9.9	<0.2	<10	470	0.35	0.62	0.74	0.41	28.1	15.2	50
I033886		0.22	0.005	0.30	1.80	5.1	<0.2	<10	220	0.29	1.08	0.49	0.31	27.4	9.6	35
I033887		0.20	<0.005	0.08	0.23	0.5	<0.2	<10	40	0.05	0.08	0.09	0.12	3.35	0.9	4
I033888		0.24	0.006	0.21	0.59	1.3	<0.2	<10	100	0.15	0.26	0.17	0.17	7.18	2.3	10
I033889		0.42	0.008	0.24	2.72	10.5	<0.2	<10	180	0.32	2.01	0.53	0.12	11.70	15.0	25
I033890		0.38	0.006	0.22	2.15	7.7	<0.2	<10	200	0.30	1.93	0.42	0.12	14.65	12.5	28
I033891		0.18	0.091	0.05	1.14	2.7	<0.2	<10	90	0.14	0.09	0.34	0.12	10.75	4.7	22
I033892		0.24	0.027	0.10	2.25	3.7	<0.2	<10	340	0.30	0.10	1.57	0.31	15.55	11.1	44
I033893		0.44	0.006	0.20	3.02	5.0	<0.2	<10	320	0.39	0.15	0.57	0.26	18.85	14.6	58
I033894		0.58	0.005	0.10	3.27	5.6	<0.2	<10	360	0.37	0.14	0.61	0.18	14.40	15.7	62
I033895		0.50	0.006	0.50	2.61	4.5	<0.2	<10	380	0.48	0.15	0.57	0.28	22.0	11.8	49
I033896		0.42	0.005	0.31	2.24	5.6	<0.2	<10	250	0.26	0.16	0.46	0.23	15.10	10.2	45
I033897		0.36	0.007	0.18	1.76	3.9	<0.2	<10	180	0.24	0.14	0.34	0.35	12.75	10.1	60
I033898		0.26	<0.005	0.37	1.39	6.0	<0.2	<10	460	0.42	0.12	2.64	3.16	33.5	10.9	24
I033899		0.22	<0.005	0.22	0.83	2.1	<0.2	<10	100	0.18	0.47	0.15	0.20	10.40	3.3	17
I033900		0.34	<0.005	0.31	2.03	6.4	<0.2	<10	260	0.33	0.25	0.28	0.28	19.30	9.0	39
I034157		0.38	0.008	0.43	1.95	10.2	<0.2	<10	150	0.22	3.50	0.38	0.21	16.55	12.6	63
I034158		0.58	0.005	0.49	1.93	13.4	<0.2	<10	170	0.25	4.48	0.34	0.22	18.35	16.5	67
I034159		0.46	<0.005	0.40	1.94	12.7	<0.2	<10	240	0.27	1.84	0.40	0.29	24.4	14.2	77
I034160		0.58	<0.005	0.42	1.62	5.2	<0.2	<10	170	0.26	1.02	0.27	0.18	18.00	10.7	56
I034161		0.66	0.006	0.29	2.13	5.4	<0.2	<10	270	0.23	1.46	0.48	0.18	22.5	17.6	48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034101		1.93	17.2	3.24	7.63	0.09	0.07	0.05	0.024	0.27	16.0	13.8	0.81	536	0.59
I034102		2.46	14.5	3.67	9.01	0.10	0.07	0.03	0.027	0.43	12.9	16.3	0.97	462	0.46
I034103		2.04	13.8	4.03	8.48	0.10	0.06	0.04	0.031	0.23	11.8	16.7	1.06	639	0.62
I316693		0.54	9.3	3.33	6.03	0.06	0.02	0.02	0.016	0.02	4.1	7.2	0.81	368	0.37
I033585		0.68	58.3	3.25	8.21	0.06	0.04	0.02	0.018	0.14	5.2	10.0	1.05	1040	1.32
I033586		0.53	34.1	3.61	8.21	0.06	0.04	0.03	0.020	0.10	5.4	10.5	1.12	396	0.82
I033587		0.66	56.2	3.37	7.61	0.07	0.05	0.04	0.020	0.16	10.6	11.4	1.28	623	0.78
I033588		0.56	29.8	3.54	10.15	0.06	0.05	0.02	0.017	0.11	4.3	9.5	1.25	306	1.11
I033589		0.85	37.5	3.05	7.59	0.07	0.04	0.05	0.021	0.14	7.6	10.8	1.07	608	0.87
I033590		2.13	37.0	4.57	10.55	0.11	0.06	0.02	0.017	0.71	6.5	15.7	2.22	886	0.64
I033591		1.45	31.7	3.60	8.87	0.09	0.07	0.04	0.021	0.42	9.7	13.7	1.57	614	0.63
I033592		0.85	38.0	5.80	14.65	0.10	0.07	0.01	0.030	0.59	8.8	16.9	2.06	624	2.11
I033593		1.38	87.8	4.25	9.56	0.13	0.06	0.03	0.019	0.58	9.3	13.3	2.04	680	1.27
I033594		0.55	34.9	2.86	6.08	0.07	0.09	0.03	0.024	0.09	12.4	11.1	0.87	535	1.18
I033595		0.60	39.0	3.07	6.14	0.07	0.09	0.04	0.024	0.12	12.4	10.6	0.93	1920	2.01
I033596		0.52	35.8	2.82	6.31	0.08	0.09	0.06	0.025	0.09	14.3	10.3	0.76	548	1.27
I033597		2.20	37.1	3.08	6.75	0.08	0.05	0.07	0.027	0.16	21.1	14.1	0.82	671	2.96
I033598		1.89	40.5	2.83	6.03	0.08	0.04	0.07	0.022	0.15	19.8	12.2	0.81	604	3.09
I033599		1.94	33.5	2.73	6.02	0.09	0.04	0.07	0.021	0.16	17.3	11.8	0.78	655	3.27
I033600		1.57	38.9	2.98	6.67	0.09	0.03	0.04	0.024	0.16	14.1	11.8	0.90	521	3.23
I033886		1.82	98.0	2.43	7.49	0.06	0.03	0.06	0.023	0.12	18.2	11.1	0.66	220	2.17
I033887		0.40	9.2	0.39	1.22	<0.05	<0.02	0.03	<0.005	0.02	1.8	0.5	0.03	50	0.31
I033888		1.06	31.9	0.77	2.27	<0.05	<0.02	0.05	0.009	0.05	3.6	2.2	0.12	50	0.53
I033889		2.82	132.5	3.59	8.69	0.07	0.03	0.04	0.026	0.14	5.8	18.2	0.91	334	1.64
I033890		1.61	89.6	2.90	6.74	0.05	0.04	0.04	0.023	0.06	7.2	14.4	0.72	268	1.22
I033891		0.72	13.6	1.57	4.56	0.05	0.02	0.04	0.014	0.06	5.5	5.4	0.45	140	0.39
I033892		0.84	29.1	2.73	7.16	0.07	0.05	0.05	0.017	0.22	8.5	10.2	1.27	542	0.71
I033893		1.33	38.3	3.80	9.68	0.08	0.06	0.03	0.023	0.38	9.9	13.8	1.68	646	1.02
I033894		1.38	41.0	4.24	10.45	0.09	0.05	0.01	0.021	0.41	7.6	15.4	1.96	654	1.02
I033895		0.98	46.8	3.22	8.36	0.07	0.04	0.04	0.022	0.23	12.4	11.4	1.18	505	1.06
I033896		0.75	33.0	3.19	8.92	0.06	0.06	0.03	0.020	0.11	9.4	10.0	1.02	318	1.12
I033897		0.63	27.3	2.53	6.75	0.05	0.03	0.03	0.018	0.08	6.8	9.5	0.78	240	1.53
I033898		0.68	74.5	1.96	4.27	0.09	0.04	0.07	0.022	0.07	29.9	5.6	0.40	905	0.97
I033899		1.26	38.6	1.14	4.80	<0.05	<0.02	0.02	0.011	0.06	6.1	4.9	0.25	101	0.69
I033900		0.88	27.7	2.92	8.56	0.05	0.04	0.03	0.025	0.16	11.2	10.2	0.62	313	1.49
I034157		6.76	51.9	2.90	7.51	0.06	0.03	0.07	0.026	0.15	8.7	12.8	1.04	384	0.67
I034158		6.42	62.3	2.94	6.82	<0.05	0.02	0.07	0.023	0.15	9.4	13.2	1.01	445	0.83
I034159		5.84	68.5	2.92	6.57	<0.05	0.03	0.06	0.021	0.17	11.8	13.4	1.09	353	0.82
I034160		4.01	49.7	2.32	6.69	<0.05	0.02	0.06	0.020	0.10	8.6	10.9	0.75	223	0.93
I034161		4.84	61.4	3.49	8.53	<0.05	0.03	0.04	0.024	0.29	12.2	13.9	1.10	502	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034101		2.09	13.1	780	6.4	23.1	<0.001	0.02	0.46	7.1	0.5	0.6	44.1	0.01	0.01
I034102		2.21	11.6	660	5.9	31.2	<0.001	0.01	0.37	7.8	0.4	0.8	35.3	<0.01	0.01
I034103		1.81	13.7	850	6.7	22.8	<0.001	0.01	0.65	8.0	0.3	0.7	34.4	<0.01	0.02
I316693		0.61	7.0	610	6.2	2.9	<0.001	0.01	0.12	4.2	0.2	0.3	22.8	<0.01	0.01
I033585		1.42	24.4	440	4.8	22.1	<0.001	0.01	0.23	4.2	0.3	0.5	25.1	<0.01	0.03
I033586		1.40	22.3	370	5.7	12.2	<0.001	0.01	0.26	4.5	0.3	0.5	18.2	<0.01	0.04
I033587		1.26	27.5	600	6.1	18.6	<0.001	0.05	0.25	6.0	0.6	0.4	34.3	<0.01	0.04
I033588		1.45	22.8	270	5.6	10.6	<0.001	0.02	0.21	4.7	0.3	0.5	13.1	<0.01	0.05
I033589		1.27	23.4	560	5.1	19.2	<0.001	0.05	0.27	5.2	0.5	0.4	28.6	<0.01	0.03
I033590		1.31	33.0	520	5.1	48.7	<0.001	0.01	0.19	5.7	0.4	0.4	21.9	<0.01	0.03
I033591		1.61	29.3	620	10.4	43.7	<0.001	0.04	0.25	6.2	0.6	0.5	33.1	<0.01	0.03
I033592		1.64	36.8	140	12.6	45.0	<0.001	<0.01	0.24	10.6	0.5	0.7	12.8	<0.01	0.04
I033593		1.23	50.8	770	18.9	45.2	0.001	0.03	0.26	7.3	1.1	0.4	29.4	<0.01	0.12
I033594		1.17	25.8	660	7.1	10.0	0.001	0.04	0.37	5.7	0.9	0.4	38.1	0.01	0.03
I033595		1.08	29.4	640	7.1	12.2	0.001	0.06	0.44	5.6	1.0	0.4	41.2	<0.01	0.04
I033596		1.15	22.9	540	5.5	9.3	0.001	0.05	0.35	5.7	1.4	0.4	31.2	0.01	0.03
I033597		1.37	29.1	770	8.7	22.3	0.001	0.05	0.47	5.4	0.9	0.6	35.8	<0.01	0.04
I033598		1.27	27.6	800	7.0	22.4	0.001	0.06	0.46	4.7	1.0	0.5	43.2	<0.01	0.04
I033599		1.29	26.1	840	7.1	21.0	0.001	0.04	0.45	4.6	0.8	0.5	44.6	<0.01	0.04
I033600		1.35	32.3	910	6.9	19.4	0.002	0.04	0.38	5.1	1.8	0.5	27.6	<0.01	0.04
I033886		1.48	29.2	600	5.1	14.5	<0.001	0.05	0.52	4.0	0.6	0.6	41.0	<0.01	0.03
I033887		0.09	2.3	360	1.3	1.7	<0.001	0.02	0.09	0.2	0.2	0.2	11.0	<0.01	0.01
I033888		0.13	4.6	640	2.6	5.7	<0.001	0.03	0.16	0.3	0.3	0.2	23.1	<0.01	0.02
I033889		0.97	19.4	1160	5.2	13.7	<0.001	0.02	1.22	4.5	0.6	0.5	36.3	<0.01	0.05
I033890		1.06	21.6	800	5.4	9.2	<0.001	<0.01	0.54	4.7	0.5	0.4	27.5	<0.01	0.02
I033891		0.78	11.4	440	4.4	8.0	<0.001	0.04	0.21	2.6	0.4	0.3	19.9	<0.01	0.01
I033892		1.14	26.0	480	6.3	19.5	0.001	0.06	0.26	5.0	0.6	0.4	45.7	<0.01	0.03
I033893		1.34	31.7	370	9.6	35.3	<0.001	<0.01	0.22	6.9	0.4	0.5	23.0	<0.01	0.04
I033894		1.16	35.8	470	8.1	33.7	<0.001	<0.01	0.21	6.6	0.4	0.5	24.7	<0.01	0.03
I033895		1.18	30.4	400	8.4	24.3	<0.001	0.01	0.23	6.1	0.6	0.4	26.0	<0.01	0.04
I033896		1.25	24.7	200	7.6	14.8	<0.001	<0.01	0.30	5.1	0.4	0.5	22.9	<0.01	0.04
I033897		1.22	31.3	420	5.6	8.1	<0.001	0.02	0.30	3.7	0.4	0.5	21.2	<0.01	0.05
I033898		0.82	38.2	1120	5.1	8.9	0.002	0.12	0.40	2.2	2.6	0.3	76.4	0.01	0.04
I033899		0.79	10.7	210	7.6	13.2	<0.001	<0.01	0.19	2.0	0.2	0.5	13.0	<0.01	0.02
I033900		1.58	23.6	310	12.1	19.8	<0.001	0.01	0.28	4.2	0.4	0.7	18.2	<0.01	0.04
I034157		1.03	26.5	710	11.0	26.8	<0.001	0.04	0.60	4.8	0.5	1.0	27.3	<0.01	0.03
I034158		1.11	31.4	640	12.5	31.7	<0.001	0.02	0.76	4.8	0.8	1.0	27.0	<0.01	0.05
I034159		1.10	36.3	680	8.7	31.0	<0.001	0.03	0.64	4.5	0.7	0.9	31.1	<0.01	0.04
I034160		1.05	37.8	450	9.3	21.3	<0.001	0.01	0.34	3.4	0.7	0.8	24.9	<0.01	0.04
I034161		2.11	35.7	770	6.8	38.1	<0.001	<0.01	0.35	5.2	0.5	0.9	36.0	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034101		0.178	0.19	2.04	78	0.32	12.15	68
I034102		0.229	0.26	1.28	89	0.17	10.75	65
I034103		0.173	0.20	1.01	94	0.27	9.87	85
I316693		0.071	0.05	0.31	67	0.13	3.45	54
I033585		0.148	0.09	0.40	93	0.16	3.36	53
I033586		0.145	0.08	0.47	91	0.14	3.54	56
I033587		0.125	0.12	0.87	80	0.19	9.78	74
I033588		0.174	0.11	0.33	109	0.17	2.68	56
I033589		0.121	0.12	0.91	75	0.15	7.19	69
I033590		0.208	0.26	0.48	113	0.36	5.83	123
I033591		0.152	0.26	0.81	85	0.18	9.16	98
I033592		0.217	0.24	0.63	137	0.13	6.44	110
I033593		0.153	0.27	1.14	98	0.20	11.55	131
I033594		0.094	0.08	1.25	65	0.15	13.15	62
I033595		0.091	0.10	1.50	65	0.21	13.90	68
I033596		0.078	0.07	2.90	56	0.22	19.10	52
I033597		0.104	0.21	3.17	70	0.67	13.40	90
I033598		0.096	0.19	3.06	65	1.38	13.30	71
I033599		0.092	0.19	3.01	62	5.32	11.90	74
I033600		0.099	0.16	2.01	79	5.10	9.21	95
I033886		0.106	0.12	0.94	54	3.47	8.64	51
I033887		0.016	0.02	0.15	10	0.13	0.82	9
I033888		0.016	0.06	0.41	17	0.19	2.12	11
I033889		0.139	0.18	0.45	87	3.99	4.30	53
I033890		0.117	0.12	0.51	69	1.45	4.86	47
I033891		0.075	0.07	0.41	31	0.15	3.27	38
I033892		0.094	0.12	0.84	66	0.11	7.80	83
I033893		0.138	0.22	0.80	97	0.15	6.70	96
I033894		0.154	0.21	0.59	106	0.13	5.96	106
I033895		0.095	0.14	1.33	75	0.13	9.85	77
I033896		0.118	0.11	0.67	84	0.17	8.39	60
I033897		0.087	0.07	0.64	64	1.74	4.48	45
I033898		0.034	0.05	4.80	43	0.14	31.3	51
I033899		0.077	0.11	0.51	31	0.73	2.44	27
I033900		0.112	0.12	0.97	79	0.16	6.24	56
I034157		0.121	0.35	1.85	74	2.13	5.03	66
I034158		0.113	0.33	1.92	72	1.18	5.52	63
I034159		0.115	0.30	1.87	70	0.55	6.61	61
I034160		0.105	0.20	1.28	58	0.21	4.54	45
I034161		0.168	0.28	1.11	90	0.46	5.81	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034162		0.56	<0.005	0.13	1.76	13.0	<0.2	<10	120	0.24	1.52	0.22	0.19	24.9	11.0	28
I034163		0.66	<0.005	0.68	1.53	6.2	<0.2	<10	140	0.21	4.55	0.36	0.36	20.8	9.9	24
I034164		0.64	0.006	0.45	2.06	7.5	<0.2	<10	170	0.23	5.13	0.43	0.38	28.3	9.1	32
I034165		0.52	0.008	0.62	1.90	10.4	<0.2	<10	150	0.23	5.06	0.38	0.42	33.5	9.7	35
I034166		0.64	0.010	1.50	2.78	32.3	<0.2	<10	290	0.39	7.50	0.41	0.49	50.6	12.5	54
I034167		0.50	0.014	2.41	2.83	27.5	<0.2	<10	480	0.82	7.86	0.53	1.32	117.0	17.5	38
I034168		0.58	0.017	2.77	3.08	26.3	<0.2	<10	550	0.77	8.12	0.54	1.22	113.0	19.0	41
I034169		0.54	0.017	0.83	2.18	29.1	<0.2	<10	210	0.35	5.06	0.66	0.79	33.4	17.1	65
I034170		0.50	0.017	1.10	2.49	40.1	<0.2	<10	240	0.54	3.99	0.85	0.55	67.5	17.8	79
I034171		0.58	0.014	0.79	2.30	62.8	<0.2	<10	190	0.54	4.92	0.66	0.45	37.7	16.0	74
I034172		0.42	<0.005	0.13	0.71	22.1	<0.2	<10	40	0.14	0.75	0.07	0.30	6.97	3.7	16
I034173		0.52	0.006	0.22	2.48	27.6	<0.2	<10	100	0.55	3.11	0.27	0.54	30.5	12.9	59
I034174		0.70	<0.005	0.28	2.05	24.0	<0.2	<10	140	0.45	3.09	0.45	0.44	35.6	10.0	48
I034175		0.60	0.008	0.57	2.32	18.8	<0.2	<10	190	0.54	1.87	0.56	0.52	51.7	13.9	101
I034176		0.82	0.009	0.66	2.67	15.5	<0.2	<10	240	0.67	1.76	0.81	0.48	68.2	16.6	91
I034177		0.60	0.005	0.49	2.07	8.2	<0.2	<10	220	0.41	0.96	0.73	0.40	46.0	14.6	63
I034178		0.70	0.007	0.20	2.22	9.2	<0.2	<10	220	0.32	1.00	0.63	0.27	29.6	17.1	100
I034179		0.54	<0.005	0.23	2.05	8.1	<0.2	<10	180	0.23	0.93	0.54	0.19	22.1	13.4	83
I034180		0.60	<0.005	0.30	2.31	9.7	<0.2	<10	230	0.39	1.34	0.40	0.23	35.8	16.9	75
I034181		0.36	<0.005	0.02	0.14	1.8	<0.2	<10	20	0.10	0.07	0.09	0.06	9.56	2.3	3
I034182		0.64	<0.005	0.25	2.21	7.1	<0.2	<10	270	0.33	1.11	0.52	0.29	35.5	15.9	76
I034183		0.32	<0.005	0.25	2.14	9.0	<0.2	<10	190	0.32	1.26	0.38	0.47	25.3	13.3	71
I034184		0.48	<0.005	0.43	2.33	8.5	<0.2	<10	260	0.40	1.29	0.62	0.41	49.6	21.1	79
I034185		0.40	<0.005	0.13	1.54	8.1	<0.2	<10	80	0.22	0.38	0.22	0.20	15.20	8.6	36
I034186		0.42	<0.005	0.15	1.75	11.5	<0.2	<10	90	0.29	0.35	0.23	0.23	19.10	10.0	39
I034187		0.48	<0.005	0.11	1.55	7.7	<0.2	<10	80	0.21	0.35	0.28	0.23	17.00	7.8	36
I034188		0.46	<0.005	0.16	1.68	11.4	<0.2	<10	120	0.31	0.39	0.34	0.35	23.0	15.7	36
I034189		0.40	<0.005	0.13	1.70	17.3	<0.2	<10	110	0.27	0.67	0.27	0.25	18.20	11.2	39
I034190		0.36	<0.005	0.13	1.30	4.9	<0.2	<10	80	0.18	0.32	0.24	0.26	15.35	5.3	28
I034191		0.40	<0.005	0.12	1.37	4.8	<0.2	<10	90	0.21	0.30	0.26	0.29	17.90	5.7	29
I034192		0.50	0.006	0.13	1.50	5.7	<0.2	<10	90	0.19	0.37	0.24	0.27	16.35	7.0	33
I034193		0.42	<0.005	0.15	1.65	6.1	<0.2	<10	90	0.22	0.41	0.25	0.31	17.45	11.9	34
I034194		0.42	<0.005	0.02	0.13	2.0	<0.2	<10	30	0.08	0.02	0.08	0.04	9.52	2.3	3
I034195		0.56	0.006	0.16	1.63	6.3	<0.2	<10	120	0.22	0.44	0.28	0.35	17.50	11.7	35
I034196		0.50	0.007	0.16	1.49	6.0	<0.2	<10	140	0.19	0.49	0.29	0.40	16.30	9.7	30
I034197		0.52	<0.005	0.22	1.90	10.1	<0.2	<10	150	0.24	0.68	0.35	0.54	22.1	19.5	40
I034198		0.32	<0.005	0.08	1.61	4.8	<0.2	<10	90	0.20	0.14	0.25	0.11	15.40	6.5	34
I034199		0.34	0.005	0.11	1.70	20.1	<0.2	<10	120	0.28	0.32	0.41	0.13	27.9	6.7	34
I034200		0.30	0.012	0.10	1.85	5.4	<0.2	<10	180	0.35	0.18	0.97	0.22	32.6	13.6	39
I034476		0.22	0.008	0.15	1.76	3.1	<0.2	<10	220	0.29	0.62	0.61	0.30	43.3	10.6	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034162		2.42	42.3	3.13	9.99	<0.05	0.03	0.03	0.023	0.21	8.5	10.1	0.57	331	1.01
I034163		4.44	79.1	2.47	5.78	<0.05	0.04	0.12	0.017	0.07	12.7	9.5	0.69	189	0.59
I034164		4.94	37.5	2.74	6.75	<0.05	0.04	0.14	0.022	0.11	17.7	12.9	0.84	238	0.56
I034165		3.86	41.0	2.28	6.49	<0.05	0.04	0.17	0.020	0.11	21.0	12.8	0.76	289	0.48
I034166		7.57	50.8	3.73	9.68	0.13	0.04	0.24	0.035	0.37	34.2	19.6	1.33	561	1.01
I034167		6.34	93.4	4.80	9.79	0.19	0.07	0.21	0.061	0.73	87.3	18.0	1.51	1320	3.83
I034168		6.73	100.5	5.11	10.15	0.20	0.07	0.26	0.060	0.90	84.3	18.9	1.69	1420	3.70
I034169		11.05	78.0	3.30	6.68	<0.05	0.05	0.10	0.033	0.18	19.4	14.4	1.03	555	1.01
I034170		13.70	113.5	3.62	7.98	0.07	0.07	0.11	0.034	0.16	40.2	17.7	1.15	652	1.31
I034171		7.39	53.3	3.64	7.68	<0.05	0.04	0.06	0.036	0.19	21.5	15.9	1.06	713	1.71
I034172		1.41	13.5	1.73	5.11	<0.05	<0.02	0.02	0.010	0.05	3.6	4.7	0.17	115	1.17
I034173		4.53	33.5	3.82	7.49	<0.05	0.09	0.02	0.034	0.17	16.0	17.0	0.92	492	1.76
I034174		3.77	30.4	3.33	7.04	<0.05	0.10	0.02	0.030	0.16	23.6	15.5	0.83	408	1.77
I034175		5.93	34.3	3.35	7.73	0.07	0.06	0.07	0.030	0.24	37.2	14.6	0.94	491	2.09
I034176		5.99	45.0	3.80	8.38	0.10	0.08	0.09	0.037	0.27	52.7	14.5	1.03	672	3.17
I034177		3.90	28.9	3.01	7.41	0.05	0.05	0.07	0.026	0.21	30.7	10.7	0.81	563	2.49
I034178		4.12	24.0	3.21	7.93	0.05	0.04	0.04	0.022	0.27	17.0	12.0	1.05	641	2.17
I034179		3.55	21.3	2.91	7.45	<0.05	0.04	0.04	0.020	0.22	12.8	10.9	0.95	397	1.83
I034180		3.56	27.6	3.26	8.46	0.05	0.04	0.05	0.027	0.20	19.9	12.4	0.89	471	1.95
I034181		0.10	2.1	0.71	0.61	<0.05	0.07	0.01	<0.005	0.04	4.7	1.4	0.04	166	0.82
I034182		3.32	34.7	3.25	7.82	0.05	0.04	0.05	0.026	0.35	19.1	11.6	1.02	546	2.05
I034183		3.20	33.5	3.34	8.58	<0.05	0.06	0.04	0.026	0.24	13.9	10.7	0.89	386	2.00
I034184		3.68	33.2	3.30	8.43	0.06	0.05	0.06	0.029	0.26	26.0	11.9	0.96	831	2.51
I034185		1.38	13.1	2.38	5.73	<0.05	0.02	0.08	0.019	0.08	7.8	9.9	0.59	183	0.83
I034186		1.45	17.0	2.95	6.50	<0.05	0.03	0.10	0.021	0.06	9.8	10.4	0.65	262	0.98
I034187		1.06	13.7	2.43	5.96	<0.05	0.02	0.07	0.018	0.06	8.7	8.8	0.63	178	0.68
I034188		1.29	18.5	2.88	6.19	<0.05	0.03	0.09	0.024	0.07	11.2	9.7	0.56	585	0.97
I034189		1.44	17.3	2.84	6.10	<0.05	0.03	0.04	0.021	0.14	9.2	9.9	0.64	328	0.99
I034190		0.99	14.5	1.99	5.32	<0.05	0.02	0.06	0.017	0.05	7.7	6.1	0.44	130	0.60
I034191		0.91	15.8	2.05	5.31	<0.05	0.03	0.05	0.016	0.05	8.9	6.5	0.44	140	0.55
I034192		1.05	15.1	2.26	6.12	<0.05	0.02	0.05	0.017	0.05	8.3	8.3	0.52	181	0.95
I034193		1.17	16.1	2.65	6.27	<0.05	0.03	0.06	0.022	0.06	8.8	9.5	0.54	420	1.05
I034194		0.09	3.0	0.65	0.56	<0.05	0.06	0.01	<0.005	0.04	4.9	1.3	0.04	156	0.51
I034195		0.97	17.6	2.62	5.96	<0.05	0.02	0.06	0.023	0.07	9.0	9.1	0.55	415	0.95
I034196		0.88	15.2	2.25	5.52	<0.05	0.02	0.06	0.021	0.05	8.6	8.0	0.47	340	1.07
I034197		0.99	19.8	3.48	6.00	0.05	0.03	0.07	0.033	0.06	11.3	10.0	0.63	986	1.54
I034198		1.05	13.2	2.24	5.87	<0.05	0.03	0.05	0.019	0.05	8.1	10.6	0.51	166	0.54
I034199		1.19	20.1	2.87	5.76	0.06	0.03	0.05	0.022	0.06	15.1	12.6	0.52	154	0.64
I034200		1.28	28.7	2.59	5.41	0.06	0.05	0.04	0.023	0.09	16.9	15.6	0.61	544	0.55
I034476		2.68	46.9	2.53	7.14	0.08	0.04	0.06	0.024	0.18	31.2	8.1	0.62	249	1.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034162		2.63	17.3	520	9.2	29.8	<0.001	0.01	0.45	3.9	0.6	1.0	47.3	<0.01	0.04
I034163		0.86	13.1	760	6.1	16.4	<0.001	0.05	0.55	3.8	1.0	0.7	31.6	<0.01	0.04
I034164		1.13	16.2	1110	7.9	20.9	<0.001	0.03	0.77	4.7	0.8	0.8	34.7	<0.01	0.04
I034165		1.01	15.6	780	8.1	19.7	<0.001	0.03	1.13	4.9	0.9	0.8	39.3	<0.01	0.02
I034166		1.19	22.5	900	12.9	40.6	<0.001	0.10	2.31	8.4	0.8	1.5	34.4	<0.01	0.04
I034167		0.77	19.3	980	79.3	38.5	0.001	0.06	11.25	10.9	1.9	1.1	35.0	0.01	0.08
I034168		0.73	19.1	970	77.0	43.9	0.001	0.06	10.40	10.9	1.8	1.0	35.0	0.01	0.08
I034169		1.12	31.8	840	10.8	36.4	<0.001	0.06	1.46	6.5	1.0	1.2	45.2	<0.01	0.05
I034170		1.33	44.5	870	10.3	43.2	<0.001	0.06	1.31	7.0	1.6	1.3	51.4	0.01	0.08
I034171		1.45	43.2	660	22.5	42.0	<0.001	0.02	1.64	6.0	0.9	1.2	36.2	<0.01	0.06
I034172		1.03	8.0	200	6.3	14.7	<0.001	<0.01	0.43	1.7	0.3	0.6	8.1	<0.01	0.04
I034173		2.06	30.4	360	14.1	35.5	<0.001	<0.01	0.69	4.3	0.5	1.2	19.6	<0.01	0.05
I034174		2.09	27.2	320	14.8	35.6	<0.001	<0.01	0.58	4.4	0.6	1.1	28.9	<0.01	0.04
I034175		1.83	30.4	580	11.9	46.8	<0.001	0.03	0.54	6.3	1.2	1.0	38.2	0.01	0.04
I034176		1.66	39.7	770	14.2	42.7	<0.001	0.03	0.62	7.2	1.5	1.1	50.0	0.01	0.06
I034177		1.71	30.1	690	11.0	37.5	<0.001	0.04	0.42	5.5	1.2	0.8	44.3	<0.01	0.04
I034178		1.70	38.8	530	10.2	39.3	<0.001	0.01	0.36	5.2	0.8	0.8	37.4	<0.01	0.06
I034179		1.74	35.7	490	10.0	37.6	<0.001	0.02	0.28	4.8	0.6	0.8	36.1	<0.01	0.04
I034180		2.01	35.3	560	12.3	38.4	<0.001	0.03	0.33	5.8	1.0	0.8	33.4	<0.01	0.05
I034181		0.19	4.0	130	2.0	2.4	<0.001	<0.01	0.11	0.7	0.2	<0.2	7.6	<0.01	0.01
I034182		1.96	42.6	660	8.6	45.7	<0.001	0.06	0.26	5.3	1.0	0.7	36.8	<0.01	0.05
I034183		2.41	36.1	350	10.5	43.8	<0.001	0.02	0.32	5.2	0.8	0.9	31.0	<0.01	0.06
I034184		2.10	40.0	540	11.2	47.6	<0.001	0.05	0.38	5.7	1.3	1.0	45.3	<0.01	0.07
I034185		1.32	19.9	540	8.9	15.9	<0.001	0.03	0.25	3.4	0.8	0.5	16.7	<0.01	0.04
I034186		1.48	21.0	550	10.4	13.1	<0.001	0.03	0.23	3.8	0.9	0.6	17.8	<0.01	0.04
I034187		1.34	20.0	580	9.8	10.3	<0.001	0.02	0.18	3.7	0.8	0.5	19.0	<0.01	0.03
I034188		1.33	21.2	660	11.9	14.3	<0.001	0.04	0.23	3.7	1.0	0.5	21.8	<0.01	0.04
I034189		1.46	22.5	600	10.7	19.5	<0.001	0.02	0.23	4.1	0.9	0.6	19.1	<0.01	0.04
I034190		1.07	16.1	530	8.9	12.0	<0.001	0.04	0.17	2.9	0.9	0.4	18.1	<0.01	0.03
I034191		1.18	17.2	520	9.3	9.3	<0.001	0.04	0.18	3.2	0.9	0.5	19.1	<0.01	0.03
I034192		1.35	18.4	500	10.7	11.3	<0.001	0.03	0.19	3.5	0.9	0.5	19.7	<0.01	0.03
I034193		1.42	20.3	560	11.8	14.3	<0.001	0.03	0.21	3.7	1.0	0.5	19.8	<0.01	0.04
I034194		0.16	4.7	120	3.2	2.2	<0.001	0.01	0.11	0.7	<0.2	<0.2	7.3	<0.01	0.01
I034195		1.33	21.2	690	10.3	11.7	<0.001	0.04	0.23	3.7	0.5	0.5	19.7	<0.01	0.03
I034196		0.99	17.7	570	8.5	9.1	<0.001	0.05	0.23	3.0	0.5	0.4	19.6	<0.01	0.02
I034197		1.31	22.5	840	12.0	10.1	<0.001	0.05	0.34	4.2	1.0	0.5	22.0	<0.01	0.04
I034198		1.23	17.3	590	7.9	10.1	<0.001	0.05	0.21	3.1	0.5	0.4	18.7	<0.01	0.02
I034199		1.48	20.4	650	7.8	12.4	<0.001	0.08	0.24	3.7	0.6	0.5	26.5	<0.01	0.03
I034200		1.59	28.8	670	6.9	20.4	<0.001	0.07	0.29	4.3	0.6	0.4	49.0	<0.01	0.03
I034476		2.85	33.4	630	5.5	27.7	<0.001	0.07	0.30	4.7	0.6	0.6	50.7	0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034162		0.152	0.20	0.83	77	0.33	4.62	53
I034163		0.095	0.24	3.58	63	0.50	7.99	47
I034164		0.112	0.30	3.49	63	0.70	9.05	69
I034165		0.109	0.30	4.36	50	0.42	9.93	62
I034166		0.149	0.58	5.03	99	0.73	13.35	105
I034167		0.149	0.84	8.30	110	0.35	24.2	159
I034168		0.164	0.83	8.96	117	0.53	24.0	159
I034169		0.094	0.47	5.05	74	0.45	15.55	84
I034170		0.100	0.51	5.33	80	0.39	27.4	90
I034171		0.114	0.51	3.37	82	0.37	11.65	94
I034172		0.080	0.11	0.33	52	0.17	1.29	27
I034173		0.143	0.37	1.68	72	0.37	5.72	81
I034174		0.136	0.34	1.97	68	1.56	9.67	79
I034175		0.115	0.42	4.78	71	0.49	15.35	77
I034176		0.111	0.44	9.03	83	0.80	25.0	90
I034177		0.107	0.28	4.15	68	0.28	14.25	68
I034178		0.129	0.29	2.17	76	0.26	7.19	71
I034179		0.126	0.28	1.66	70	0.94	5.22	65
I034180		0.125	0.29	3.02	74	0.31	8.50	66
I034181		0.007	0.03	0.31	4	<0.05	2.18	6
I034182		0.131	0.29	2.44	78	3.22	8.27	77
I034183		0.142	0.27	2.00	78	0.36	7.04	68
I034184		0.128	0.34	3.51	81	0.38	14.25	75
I034185		0.085	0.13	0.70	57	0.29	4.13	59
I034186		0.091	0.13	0.87	76	0.20	4.82	63
I034187		0.085	0.13	0.71	56	0.13	4.36	61
I034188		0.081	0.14	1.05	63	0.15	6.02	69
I034189		0.100	0.15	0.83	66	0.16	5.16	67
I034190		0.071	0.10	0.73	36	0.25	4.21	49
I034191		0.071	0.10	0.77	37	0.19	4.82	50
I034192		0.081	0.11	0.75	49	0.25	4.22	58
I034193		0.084	0.11	0.84	61	0.13	4.56	66
I034194		0.008	0.03	0.28	4	<0.05	2.10	6
I034195		0.088	0.10	0.81	60	0.14	4.90	68
I034196		0.075	0.09	0.75	55	0.20	4.60	64
I034197		0.089	0.11	1.23	76	0.22	6.10	86
I034198		0.088	0.10	0.53	50	0.28	3.50	53
I034199		0.089	0.10	0.84	77	0.19	5.90	54
I034200		0.090	0.12	0.99	56	0.59	9.48	63
I034476		0.117	0.16	0.86	50	2.34	9.57	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034477		0.20	0.032	0.48	1.19	4.4	<0.2	<10	270	0.21	0.91	0.99	0.33	23.6	8.8	17
I034478		0.20	<0.005	0.42	1.48	5.4	<0.2	<10	270	0.25	1.30	0.86	0.32	23.7	10.8	23
I034479		0.16	0.033	0.54	1.20	5.4	<0.2	<10	270	0.26	0.88	0.67	0.51	14.30	13.9	12
I034480		0.22	0.029	0.47	1.09	6.5	<0.2	<10	150	0.14	0.94	0.53	0.19	6.79	6.3	13
I034481		0.28	0.006	0.62	1.61	11.8	<0.2	<10	150	0.16	1.95	1.36	0.21	8.00	12.4	23
I034482		0.18	0.006	0.87	1.14	14.2	<0.2	<10	170	0.17	1.14	0.63	0.49	9.45	7.7	17
I034483		0.22	0.008	0.25	0.34	4.1	<0.2	<10	30	0.06	0.85	0.06	0.45	4.10	2.1	9
I034484		0.22	0.005	0.66	2.00	11.9	<0.2	<10	270	0.21	2.68	1.03	0.41	14.20	12.3	64
I034485		0.24	<0.005	0.48	1.83	9.1	<0.2	<10	180	0.19	2.67	0.64	0.23	16.35	13.7	52
I034486		0.24	<0.005	0.25	0.69	3.4	<0.2	<10	100	0.10	0.86	0.07	0.63	10.40	3.2	15
I034487		0.24	0.006	0.14	0.32	3.8	<0.2	<10	110	0.06	1.31	0.13	0.38	6.31	1.4	10
I034488		0.24	0.006	0.29	2.81	16.7	<0.2	<10	100	0.39	3.75	0.19	0.14	18.15	6.7	41
I034489		0.38	0.006	0.30	2.57	25.4	<0.2	<10	150	0.51	8.23	0.15	0.27	23.6	9.6	34
I034490		0.20	<0.005	0.15	0.48	15.5	<0.2	<10	60	0.11	0.93	0.17	0.43	10.85	2.9	16
I097901		0.30	0.016	0.14	2.28	6.6	<0.2	<10	180	0.47	0.15	0.89	0.18	50.5	20.2	47
I097902		0.34	0.007	0.13	2.08	7.1	<0.2	<10	140	0.36	0.16	0.42	0.18	30.0	16.1	47
I097903		0.28	<0.005	0.06	1.76	7.7	<0.2	<10	80	0.24	0.17	0.17	0.17	20.5	15.1	40
I097904		0.26	0.006	0.19	2.24	6.3	<0.2	<10	290	0.33	0.17	0.83	0.31	29.5	25.8	54
I097905		0.26	<0.005	0.03	0.17	1.9	<0.2	<10	40	0.10	0.02	0.10	0.04	9.90	2.4	4
I097906		0.26	<0.005	0.15	1.78	5.0	<0.2	<10	160	0.27	0.14	0.71	0.14	22.8	14.5	47
I097907		0.32	<0.005	0.13	1.94	7.9	<0.2	<10	190	0.31	0.17	1.34	0.26	23.4	15.7	43
I097908		0.36	<0.005	0.16	2.54	6.9	<0.2	<10	180	0.58	0.16	0.68	0.12	43.4	17.5	58
I097909		0.32	<0.005	0.18	2.39	7.5	<0.2	<10	210	0.44	0.16	1.05	0.17	31.0	16.8	65
I097910		0.26	0.009	0.53	2.20	17.5	<0.2	<10	350	0.67	0.27	1.30	0.62	85.2	14.8	59
I097911		0.28	0.010	0.51	1.53	3.8	<0.2	<10	250	0.35	0.17	0.65	1.08	32.6	5.9	24
I097912		0.36	0.005	0.45	2.46	13.5	<0.2	<10	330	0.29	0.31	0.24	0.28	29.3	34.0	63
I097913		0.30	<0.005	0.19	2.13	4.2	<0.2	<10	260	0.27	0.12	0.50	0.55	14.60	13.4	34
I097914		0.30	<0.005	0.17	2.02	4.5	<0.2	<10	260	0.26	0.12	0.52	0.54	16.85	12.8	36
I097915		0.30	0.007	0.12	0.63	2.9	<0.2	<10	90	0.08	0.11	0.08	0.20	6.70	3.2	15
I097916		0.30	0.006	0.74	0.80	2.3	<0.2	<10	1100	0.32	0.07	1.02	2.65	17.05	4.1	19
I097917		0.40	0.006	0.73	2.45	16.7	<0.2	<10	1630	0.53	0.16	0.75	1.03	33.9	13.3	88
I097918		0.30	0.007	0.96	1.84	5.7	<0.2	<10	1250	0.49	0.16	0.28	1.21	27.3	8.5	61
I097919		0.36	0.009	0.65	2.38	8.5	<0.2	<10	1170	0.43	0.16	0.46	0.71	27.0	12.7	65
I097920		0.40	<0.005	0.45	1.97	9.6	<0.2	<10	640	0.28	0.18	0.57	0.48	24.6	12.1	63
I097921		0.36	<0.005	0.34	2.17	6.6	<0.2	<10	430	0.33	0.23	0.39	0.23	24.2	11.7	60
I097922		0.44	0.006	0.20	2.64	8.1	<0.2	<10	440	0.38	0.18	0.38	0.32	21.8	16.1	93
I097923		0.38	<0.005	0.13	2.63	11.3	<0.2	<10	500	0.36	0.20	0.40	0.25	20.6	15.0	108
I097924		0.30	<0.005	0.28	1.84	7.6	<0.2	<10	490	0.31	0.16	0.40	0.43	20.8	8.6	58
I097925		0.46	<0.005	0.19	2.23	8.6	<0.2	<10	540	0.30	0.19	0.55	0.22	22.0	14.9	72
I097926		0.38	<0.005	0.19	2.12	4.8	<0.2	<10	440	0.24	0.16	0.77	0.24	18.35	12.7	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034477		1.22	103.0	1.65	2.88	0.06	0.04	0.13	0.017	0.07	14.2	5.9	0.27	189	3.37
I034478		1.59	112.5	2.10	4.27	0.06	0.04	0.11	0.021	0.10	14.2	9.3	0.39	232	3.60
I034479		0.75	146.0	1.65	2.39	<0.05	<0.02	0.15	0.016	0.06	6.8	3.5	0.22	108	1.98
I034480		0.90	123.5	1.67	3.45	<0.05	0.02	0.09	0.015	0.07	3.5	4.9	0.32	110	2.80
I034481		1.60	217	2.12	4.76	<0.05	0.03	0.08	0.021	0.07	4.4	11.4	0.62	235	5.21
I034482		1.20	113.5	2.25	5.96	<0.05	0.03	0.06	0.020	0.12	5.0	7.4	0.48	355	3.87
I034483		0.47	19.4	0.95	3.38	<0.05	<0.02	0.05	0.007	0.03	2.1	0.9	0.05	48	1.14
I034484		3.43	141.5	2.87	7.27	0.06	0.04	0.09	0.026	0.24	7.4	16.0	0.94	588	3.24
I034485		2.96	88.0	2.82	7.08	0.05	0.04	0.08	0.024	0.17	8.0	14.1	0.82	546	3.72
I034486		1.84	23.0	1.68	5.66	<0.05	0.02	0.03	0.013	0.05	4.7	2.7	0.11	410	1.39
I034487		0.82	9.9	0.66	2.95	<0.05	<0.02	0.04	0.008	0.04	3.5	1.1	0.06	125	0.69
I034488		2.99	23.1	4.43	9.08	0.05	0.13	0.10	0.047	0.07	10.4	17.2	0.42	333	2.25
I034489		5.25	21.3	5.01	10.40	0.06	0.12	0.09	0.054	0.09	13.0	19.7	0.46	700	2.98
I034490		0.98	15.3	1.38	4.23	<0.05	<0.02	0.05	0.010	0.07	5.7	1.6	0.09	166	1.57
I097901		1.80	32.4	3.13	7.05	0.07	0.05	0.05	0.026	0.14	25.9	21.7	0.74	632	0.69
I097902		1.97	25.8	3.08	7.11	0.06	0.04	0.04	0.024	0.18	15.7	17.8	0.71	712	0.72
I097903		1.14	21.4	2.95	7.47	<0.05	0.03	0.03	0.023	0.10	9.7	14.1	0.60	350	0.91
I097904		1.73	24.9	2.88	7.85	0.07	0.03	0.08	0.028	0.21	13.6	14.6	0.82	1400	0.97
I097905		0.09	2.4	0.85	0.72	<0.05	0.07	<0.01	<0.005	0.06	5.2	1.4	0.04	187	0.34
I097906		1.64	20.9	2.59	6.47	0.06	0.04	0.05	0.020	0.12	12.0	12.5	0.66	405	0.79
I097907		1.08	25.0	2.84	5.88	0.06	0.07	0.05	0.023	0.14	11.9	13.5	0.67	797	0.68
I097908		1.93	34.3	3.56	8.19	0.08	0.05	0.04	0.030	0.16	19.7	18.5	0.84	576	1.16
I097909		2.28	33.2	3.44	7.47	0.08	0.07	0.05	0.028	0.24	16.4	20.3	0.97	622	0.94
I097910		2.18	49.0	3.02	6.59	0.10	0.07	0.07	0.035	0.23	50.8	14.9	0.84	946	1.58
I097911		0.92	43.2	1.99	4.79	0.06	0.03	0.07	0.021	0.08	16.0	7.0	0.54	209	0.94
I097912		1.32	30.3	4.75	8.83	0.07	0.02	0.03	0.033	0.13	15.6	13.4	1.13	1870	5.58
I097913		0.84	36.1	2.86	6.01	0.05	0.02	0.05	0.018	0.11	7.5	10.9	0.82	387	1.22
I097914		0.73	36.4	2.77	5.72	<0.05	0.02	0.05	0.019	0.09	8.6	10.2	0.82	421	1.41
I097915		0.44	15.5	1.20	3.94	<0.05	<0.02	0.04	0.010	0.04	3.6	2.3	0.19	92	1.35
I097916		0.49	84.6	1.05	2.16	0.05	0.02	0.10	0.019	0.04	9.5	1.6	0.18	76	1.47
I097917		0.87	76.2	3.33	9.13	0.09	0.04	0.04	0.036	0.23	18.4	9.8	1.18	446	3.69
I097918		0.89	70.7	2.62	8.57	0.06	0.03	0.04	0.028	0.14	14.6	6.8	0.76	222	2.62
I097919		0.81	50.1	3.28	8.69	0.07	0.03	0.06	0.031	0.10	14.0	9.4	0.92	412	2.63
I097920		0.75	32.9	2.90	7.51	0.06	0.03	0.06	0.031	0.06	13.0	8.7	0.80	435	2.49
I097921		1.04	31.5	2.66	8.66	0.06	0.03	0.04	0.025	0.10	13.8	10.9	0.81	327	1.37
I097922		0.94	34.9	3.24	9.06	0.08	0.03	0.03	0.028	0.14	11.8	15.2	1.36	527	1.46
I097923		0.89	28.1	3.37	8.97	0.07	0.03	0.03	0.028	0.12	11.6	15.4	1.44	525	1.29
I097924		0.74	29.3	2.44	7.47	0.05	0.02	0.04	0.023	0.09	10.5	8.8	0.80	273	1.24
I097925		0.83	25.0	3.16	7.87	0.07	0.02	0.03	0.030	0.10	11.3	11.4	1.12	753	1.64
I097926		0.67	23.5	2.68	7.18	0.06	0.04	0.09	0.023	0.15	9.4	9.2	0.97	591	1.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034477		0.62	13.5	1250	3.4	9.6	0.001	0.20	0.44	2.7	1.1	0.2	62.4	0.01	0.03
I034478		0.88	15.7	1020	4.0	13.2	0.001	0.16	0.42	3.8	1.1	0.3	52.9	0.01	0.04
I034479		0.40	10.2	1150	2.1	5.5	<0.001	0.17	0.50	1.8	0.9	0.2	67.1	<0.01	0.03
I034480		0.49	8.7	950	2.7	7.3	<0.001	0.15	0.50	1.8	0.8	0.2	50.4	<0.01	0.03
I034481		0.68	14.2	650	5.3	13.5	0.001	0.11	0.91	3.6	1.0	0.3	101.0	<0.01	0.03
I034482		1.04	10.1	880	7.5	27.5	<0.001	0.06	1.02	2.8	0.4	0.5	39.2	<0.01	0.03
I034483		0.40	4.0	240	3.5	5.0	<0.001	0.02	0.35	1.0	0.2	0.4	7.2	<0.01	0.02
I034484		0.93	25.9	630	5.5	38.7	<0.001	0.09	3.28	6.5	0.7	0.8	62.3	<0.01	0.03
I034485		0.90	27.5	670	6.2	34.2	<0.001	0.06	0.50	5.8	0.5	0.7	36.7	<0.01	0.02
I034486		1.16	8.0	260	7.1	11.5	<0.001	0.02	0.47	1.9	0.2	0.7	9.0	<0.01	0.02
I034487		0.45	4.5	250	4.7	5.9	<0.001	0.02	0.38	1.0	0.2	0.4	17.3	<0.01	0.02
I034488		3.09	14.7	460	13.9	15.2	<0.001	0.03	1.22	4.4	0.6	0.9	17.3	0.01	0.05
I034489		3.13	15.2	530	33.6	24.0	<0.001	0.02	2.45	4.7	0.4	1.2	18.0	<0.01	0.05
I034490		0.86	8.5	630	8.2	10.4	<0.001	0.06	0.58	1.3	0.4	0.5	16.2	<0.01	0.03
I097901		2.03	38.5	720	9.6	25.4	<0.001	0.06	0.27	5.2	0.5	0.6	47.7	0.01	0.03
I097902		1.79	28.6	710	11.7	28.7	<0.001	0.06	0.23	4.6	0.5	0.6	26.5	<0.01	0.03
I097903		1.90	29.7	420	8.7	13.5	<0.001	0.03	0.24	4.0	0.3	0.7	15.7	<0.01	0.03
I097904		1.95	30.0	730	7.6	35.3	<0.001	0.09	0.23	5.8	0.7	0.6	42.3	<0.01	0.03
I097905		0.18	3.9	120	1.9	2.7	<0.001	0.01	0.12	0.7	<0.2	<0.2	9.1	<0.01	0.01
I097906		1.73	24.9	680	8.0	24.3	<0.001	0.10	0.23	4.3	0.7	0.6	39.1	<0.01	0.03
I097907		1.74	28.1	680	9.8	22.1	<0.001	0.13	0.34	5.0	0.7	0.5	56.0	0.01	0.03
I097908		2.18	30.9	790	11.2	26.6	<0.001	0.09	0.28	5.4	0.8	0.7	31.0	<0.01	0.04
I097909		2.11	34.2	730	11.1	41.2	<0.001	0.09	0.26	5.8	0.9	0.6	41.8	0.01	0.03
I097910		1.55	40.2	890	13.2	33.5	0.001	0.13	0.39	6.7	2.7	0.7	44.6	0.01	0.05
I097911		0.83	26.2	770	6.6	12.3	<0.001	0.13	0.24	3.8	1.5	0.4	37.2	0.01	0.04
I097912		1.22	32.0	850	13.6	15.0	0.001	0.09	0.30	4.9	2.2	0.7	21.9	<0.01	0.08
I097913		0.97	26.4	530	5.7	13.9	0.001	0.08	0.24	4.0	0.7	0.4	24.5	<0.01	0.04
I097914		0.96	27.6	630	5.1	12.1	<0.001	0.11	0.24	3.9	0.8	0.4	26.6	<0.01	0.04
I097915		0.39	8.3	340	3.8	3.7	<0.001	0.01	0.22	1.3	0.4	0.3	9.2	<0.01	0.03
I097916		0.40	29.3	1170	2.6	4.4	0.001	0.14	0.26	1.0	2.0	0.2	39.9	<0.01	0.04
I097917		1.62	64.4	840	7.0	18.4	<0.001	0.07	0.33	7.5	1.7	0.6	33.1	<0.01	0.08
I097918		1.99	39.2	510	6.9	14.7	<0.001	0.06	0.25	4.8	1.1	0.7	24.1	<0.01	0.06
I097919		1.60	38.9	920	7.0	13.9	0.001	0.05	0.23	5.5	1.6	0.5	30.0	<0.01	0.05
I097920		1.29	29.5	730	8.5	10.3	0.001	0.04	0.26	4.8	1.8	0.5	25.9	<0.01	0.05
I097921		1.46	28.0	470	11.2	15.2	<0.001	0.01	0.17	5.0	1.0	0.6	20.9	<0.01	0.04
I097922		1.31	43.5	450	7.0	17.2	<0.001	<0.01	0.18	5.9	0.7	0.6	20.4	<0.01	0.05
I097923		1.26	43.2	420	10.9	15.0	<0.001	<0.01	0.19	6.2	0.6	0.6	20.2	<0.01	0.05
I097924		1.12	29.0	490	6.4	13.3	<0.001	0.02	0.19	4.3	0.5	0.5	23.8	<0.01	0.03
I097925		1.04	32.6	550	8.8	13.9	<0.001	<0.01	0.22	5.8	0.7	0.5	24.1	<0.01	0.04
I097926		1.16	21.8	570	7.2	14.4	<0.001	0.03	0.22	5.2	0.6	0.4	35.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034477		0.045	0.09	1.01	28	1.01	15.90	29	0.8
I034478		0.066	0.12	0.94	40	1.27	14.70	37	1.1
I034479		0.038	0.13	0.65	22	0.63	6.64	23	<0.5
I034480		0.054	0.07	0.44	32	0.81	2.63	23	0.5
I034481		0.081	0.14	0.38	51	4.42	4.45	39	0.9
I034482		0.113	0.13	0.47	64	3.78	3.33	49	0.9
I034483		0.056	0.04	0.16	33	12.00	0.67	11	<0.5
I034484		0.144	0.27	0.69	78	4.85	7.89	85	1.5
I034485		0.132	0.26	1.23	77	3.58	7.87	70	1.2
I034486		0.080	0.15	0.39	54	0.58	1.83	48	0.9
I034487		0.040	0.07	0.45	23	1.79	1.02	16	<0.5
I034488		0.139	0.22	1.45	85	0.55	4.02	52	5.3
I034489		0.138	0.31	1.60	94	0.67	5.27	69	5.1
I034490		0.057	0.08	0.72	44	0.37	2.09	28	0.6
I097901		0.109	0.16	1.10	66	0.16	11.15	82	1.6
I097902		0.123	0.17	0.87	66	0.43	7.27	75	1.4
I097903		0.122	0.12	0.44	74	0.15	4.31	57	1.2
I097904		0.114	0.18	1.01	84	0.15	8.22	85	1.2
I097905		0.008	0.03	0.28	5	0.05	2.24	4	2.8
I097906		0.106	0.15	1.17	52	0.13	6.29	65	1.6
I097907		0.104	0.13	1.37	65	0.14	8.10	79	2.7
I097908		0.120	0.14	1.39	74	0.17	9.05	73	1.7
I097909		0.129	0.20	2.58	80	0.14	10.25	87	2.7
I097910		0.086	0.20	3.67	75	0.14	27.0	98	1.7
I097911		0.053	0.08	2.13	39	0.11	14.30	69	0.8
I097912		0.086	0.11	1.02	133	0.17	5.96	126	0.5
I097913		0.079	0.09	0.81	76	0.17	6.44	84	0.7
I097914		0.071	0.08	0.89	73	0.19	7.77	80	0.7
I097915		0.044	0.05	0.32	38	0.24	1.14	23	<0.5
I097916		0.021	0.04	2.19	22	0.08	10.50	43	<0.5
I097917		0.078	0.11	2.28	107	0.14	12.80	124	1.3
I097918		0.088	0.09	1.81	86	0.11	7.75	85	1.0
I097919		0.076	0.09	1.85	95	0.13	8.27	102	0.8
I097920		0.070	0.10	1.53	101	0.11	6.30	120	0.9
I097921		0.099	0.11	1.33	84	0.15	6.33	88	1.0
I097922		0.102	0.10	1.50	88	0.13	6.49	109	1.1
I097923		0.103	0.11	1.13	91	0.13	5.94	99	1.2
I097924		0.074	0.07	1.20	62	0.11	5.47	76	0.8
I097925		0.080	0.10	1.00	80	0.11	7.09	86	0.8
I097926		0.079	0.09	0.70	66	0.26	6.96	76	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I097927		0.34	0.005	0.15	2.06	3.6	<0.2	<10	270	0.25	0.16	0.81	0.15	13.50	9.7	34
I097928		0.38	<0.005	0.15	2.87	3.8	<0.2	<10	210	0.26	0.18	0.42	0.09	13.30	16.2	46
I097929		0.42	0.005	0.24	3.08	4.3	<0.2	<10	340	0.25	0.13	0.62	0.19	10.70	15.5	51
I097930		0.28	0.006	0.25	2.37	3.3	<0.2	<10	300	0.19	0.15	0.53	0.18	12.75	16.4	53
I097931		0.32	<0.005	0.17	2.16	3.3	<0.2	<10	200	0.20	0.12	0.98	0.26	11.80	15.2	45
I097932		0.28	<0.005	0.16	2.39	2.9	<0.2	<10	230	0.19	0.13	0.73	0.19	12.80	12.6	55
I097933		0.30	<0.005	0.02	0.15	1.9	<0.2	<10	30	0.11	0.02	0.09	0.04	11.70	2.2	3
I097934		0.34	0.008	0.13	2.68	4.3	<0.2	<10	170	0.23	0.13	0.57	0.14	16.05	25.2	60
I097935		0.30	0.008	0.16	2.88	3.0	<0.2	<10	250	0.35	0.11	1.24	0.25	22.9	17.6	58
I097936		0.42	0.006	0.18	3.16	4.2	<0.2	<10	200	0.40	0.13	0.76	0.24	21.7	20.5	62
I097937		0.32	<0.005	0.21	3.22	4.5	<0.2	<10	190	0.36	0.16	0.80	0.20	23.7	23.5	66
I097938		0.30	0.006	0.20	2.76	3.5	<0.2	<10	220	0.40	0.12	1.29	0.34	30.1	18.7	52
I097939		0.46	<0.005	0.17	3.14	4.4	<0.2	<10	190	0.45	0.14	0.95	0.23	28.6	19.8	57
I097940		0.36	0.007	0.09	2.89	39.6	<0.2	<10	450	0.68	0.22	0.46	0.26	34.9	13.8	60
I097941		0.32	<0.005	0.09	2.54	8.2	<0.2	<10	270	0.32	0.11	0.40	0.10	25.5	12.2	37
I097942		0.30	<0.005	0.16	2.49	8.2	<0.2	<10	260	0.41	0.15	0.39	0.10	30.3	13.9	66
I097943		0.38	0.005	0.08	2.20	7.7	<0.2	<10	230	0.33	0.13	0.33	0.07	27.9	9.3	34
I097944		0.40	<0.005	0.03	2.58	6.5	<0.2	<10	190	0.33	0.17	0.29	0.10	18.60	12.2	25
I097945		0.40	<0.005	0.06	2.24	6.9	<0.2	<10	260	0.37	0.12	0.45	0.09	35.1	10.2	35
I097946		0.32	<0.005	0.06	2.46	8.9	<0.2	<10	140	0.21	0.19	0.23	0.11	17.20	8.2	27
I097947		0.30	<0.005	0.13	2.30	10.3	<0.2	<10	150	0.31	0.17	0.19	0.10	18.95	6.9	34
I097948		0.32	<0.005	0.07	1.52	5.1	<0.2	<10	150	0.47	0.13	0.21	0.06	25.2	5.1	18
I097949		0.38	<0.005	0.06	2.26	6.4	<0.2	<10	220	0.36	0.14	0.40	0.05	34.9	11.3	39
I097950		0.28	0.005	0.13	2.33	12.5	<0.2	<10	170	0.33	0.20	0.28	0.13	19.05	9.3	37
I097951		0.40	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.09	0.02	0.09	0.04	11.25	2.1	3
I097952		0.44	0.008	0.14	2.46	8.0	<0.2	<10	340	0.47	0.18	0.46	0.08	39.3	11.1	31
I097953		0.32	0.006	0.08	2.36	7.9	<0.2	<10	220	0.29	0.18	0.28	0.08	21.8	11.0	34
I097954		0.34	<0.005	0.17	1.79	6.2	<0.2	<10	290	0.42	0.13	0.33	0.07	55.1	10.2	25
I097955		0.28	<0.005	0.04	1.63	5.3	<0.2	<10	170	0.25	0.12	0.26	0.07	14.90	7.6	24
I097956		0.36	0.010	0.19	2.90	14.8	<0.2	<10	270	0.43	0.21	0.20	0.11	18.45	11.7	42
I097957		0.22	<0.005	0.25	1.08	3.0	<0.2	<10	130	0.28	0.11	0.27	0.04	24.3	6.1	12
I097958		0.36	<0.005	0.20	2.77	8.4	<0.2	<10	320	0.33	0.51	0.30	0.07	30.4	11.8	31
I097959		5.00	0.006	0.23	3.01	11.4	<0.2	<10	240	0.40	0.17	0.24	0.25	18.45	13.7	39
I097960		0.38	0.005	0.08	3.10	10.8	<0.2	<10	270	0.43	0.16	0.24	0.13	18.05	13.7	43
I097961		0.36	0.006	0.38	2.85	11.2	<0.2	<10	330	0.43	0.24	0.36	0.14	15.30	14.2	38
I097962		0.26	<0.005	0.23	2.37	8.5	<0.2	<10	340	0.68	0.17	0.23	0.08	70.9	14.0	28
I097963		0.34	0.005	0.15	2.24	9.2	<0.2	<10	220	0.38	0.20	0.35	0.08	23.8	9.7	29
I097964		0.38	<0.005	0.13	2.38	6.6	<0.2	<10	420	0.48	0.26	0.38	0.06	60.6	9.3	34
I097965		0.32	<0.005	0.07	2.05	7.1	<0.2	<10	220	0.25	0.16	0.33	0.12	20.7	12.5	22
I097966		0.26	<0.005	0.11	1.48	5.0	<0.2	<10	130	0.19	0.14	0.23	0.05	13.70	5.5	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I097927		0.62	19.4	2.68	7.09	0.06	0.03	0.04	0.020	0.16	6.8	9.0	0.96	480	0.91
I097928		1.20	25.7	3.44	9.54	0.07	0.02	0.04	0.019	0.21	6.5	12.4	1.49	600	1.20
I097929		1.38	32.8	3.85	10.45	0.09	0.02	0.03	0.022	0.41	5.2	11.5	1.69	838	3.00
I097930		1.12	22.7	2.92	7.93	0.06	0.02	0.05	0.020	0.17	6.5	9.9	1.28	583	2.22
I097931		1.34	22.0	2.69	7.89	0.07	0.02	0.09	0.018	0.18	5.6	8.9	1.19	650	1.46
I097932		1.54	21.8	2.80	8.87	0.08	0.03	0.08	0.020	0.20	6.4	9.0	1.26	483	1.87
I097933		0.10	2.2	0.84	0.63	<0.05	0.06	0.01	<0.005	0.05	5.9	1.5	0.05	175	0.31
I097934		2.07	22.3	3.67	9.86	0.10	0.03	0.05	0.019	0.36	7.8	11.1	1.51	1160	1.49
I097935		2.69	37.3	3.65	9.18	0.11	0.04	0.05	0.021	0.62	11.7	12.1	1.66	820	1.08
I097936		1.88	36.7	3.81	11.25	0.11	0.04	0.10	0.023	0.54	10.8	13.8	1.80	937	1.12
I097937		1.75	29.6	3.84	11.20	0.09	0.04	0.10	0.025	0.32	11.7	13.0	1.64	1140	1.18
I097938		1.53	36.0	3.24	9.00	0.10	0.04	0.12	0.021	0.31	14.7	10.6	1.34	1620	0.96
I097939		1.69	30.4	3.77	11.10	0.12	0.04	0.06	0.028	0.40	13.5	11.9	1.60	905	1.13
I097940		1.24	43.9	4.09	7.82	0.08	0.14	0.04	0.044	0.06	17.5	13.7	0.89	541	1.24
I097941		1.24	23.1	3.47	7.73	0.06	0.16	0.02	0.030	0.05	11.3	15.3	0.78	491	0.68
I097942		1.76	23.3	3.67	9.50	0.07	0.07	0.03	0.035	0.06	19.3	16.7	1.06	455	1.13
I097943		1.31	20.9	3.05	6.97	0.06	0.07	0.03	0.029	0.04	14.7	13.1	0.67	352	0.72
I097944		1.38	13.0	3.34	7.60	0.05	0.11	0.01	0.033	0.07	8.7	15.6	0.63	504	0.55
I097945		1.38	23.3	3.18	7.70	0.07	0.13	0.02	0.028	0.08	19.1	14.8	0.74	389	0.58
I097946		1.13	15.4	3.58	11.25	0.05	0.06	0.03	0.031	0.05	8.1	14.4	0.58	309	1.39
I097947		0.99	15.5	3.56	9.30	0.05	0.08	0.03	0.032	0.04	10.4	12.6	0.42	196	1.27
I097948		1.05	13.7	2.29	5.76	<0.05	0.03	0.02	0.023	0.03	12.2	7.5	0.24	242	1.22
I097949		1.19	24.2	3.32	7.85	0.06	0.22	0.02	0.030	0.04	18.5	13.9	0.74	422	0.60
I097950		0.97	16.9	3.82	10.40	0.06	0.08	0.02	0.034	0.05	8.9	16.5	0.57	284	1.62
I097951		0.10	2.2	0.62	0.50	<0.05	0.06	<0.01	<0.005	0.03	5.3	1.3	0.04	154	0.34
I097952		1.10	18.2	3.13	7.37	0.06	0.08	0.04	0.031	0.04	24.4	12.9	0.58	551	0.84
I097953		0.74	17.8	3.58	8.28	0.05	0.15	0.01	0.029	0.07	10.4	14.6	0.73	477	0.95
I097954		0.76	22.3	2.41	6.35	0.07	0.08	0.04	0.024	0.04	39.1	9.2	0.38	860	0.82
I097955		0.84	14.0	2.35	5.60	<0.05	0.10	0.01	0.021	0.03	7.5	9.9	0.44	368	0.65
I097956		1.28	21.8	4.69	9.76	0.06	0.15	0.02	0.040	0.04	9.0	15.1	0.54	301	1.84
I097957		0.86	14.4	1.35	4.00	<0.05	0.02	0.03	0.015	0.02	15.0	3.8	0.16	548	0.66
I097958		1.88	22.8	3.72	8.17	0.06	0.22	0.02	0.032	0.12	14.1	17.5	0.86	590	0.84
I097959		1.38	25.4	3.60	7.53	0.06	0.29	0.03	0.035	0.08	7.2	15.2	0.77	396	0.81
I097960		1.14	29.0	3.63	7.74	0.06	0.24	0.02	0.035	0.06	7.1	15.7	0.76	346	0.97
I097961		1.38	23.6	4.08	9.87	0.06	0.16	0.03	0.039	0.09	7.0	14.9	0.67	748	1.67
I097962		1.27	18.5	3.39	7.77	0.07	0.14	0.03	0.045	0.04	31.6	14.1	0.41	1300	1.59
I097963		1.24	19.3	3.30	8.05	0.05	0.09	0.03	0.030	0.06	10.4	12.4	0.49	289	1.18
I097964		0.99	20.0	3.13	7.50	0.07	0.14	0.03	0.031	0.04	44.9	15.8	0.64	694	1.30
I097965		1.72	13.2	3.32	9.36	0.06	0.10	0.02	0.026	0.20	10.0	12.2	0.65	1120	1.40
I097966		1.04	13.0	2.26	6.89	<0.05	0.07	0.03	0.020	0.05	6.3	8.4	0.38	186	1.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I097927		1.06	17.0	510	5.8	14.9	<0.001	0.02	0.20	4.8	0.4	0.4	39.2	<0.01	0.03
I097928		1.24	24.2	450	7.1	23.6	<0.001	0.01	0.14	5.6	0.4	0.4	25.9	<0.01	0.03
I097929		1.11	25.4	540	6.7	32.7	<0.001	0.01	0.17	6.4	0.4	0.4	36.8	<0.01	0.03
I097930		1.07	25.8	500	7.0	20.8	<0.001	0.04	0.18	4.9	0.6	0.4	31.1	<0.01	0.03
I097931		1.17	22.0	560	6.2	22.5	<0.001	0.05	0.20	4.8	0.6	0.4	35.4	<0.01	0.02
I097932		1.33	25.2	490	10.0	24.0	<0.001	0.04	0.18	5.5	0.5	0.5	30.0	<0.01	0.03
I097933		0.19	4.0	120	1.8	2.5	<0.001	<0.01	0.13	0.6	<0.2	<0.2	8.5	<0.01	0.01
I097934		1.45	27.1	540	12.4	34.7	<0.001	0.02	0.16	5.6	0.4	0.5	24.2	<0.01	0.03
I097935		1.57	29.9	670	9.0	48.5	<0.001	0.03	0.20	6.6	0.6	0.4	34.9	<0.01	0.03
I097936		1.92	33.6	560	13.8	51.2	<0.001	0.02	0.18	6.1	0.5	0.6	28.0	<0.01	0.03
I097937		1.93	31.8	490	13.6	43.1	<0.001	0.03	0.18	6.7	0.6	0.6	29.6	<0.01	0.04
I097938		1.69	29.1	620	9.8	45.5	<0.001	0.06	0.24	6.4	0.8	0.5	41.9	<0.01	0.04
I097939		1.90	31.4	560	13.9	45.8	<0.001	0.02	0.18	7.7	0.6	0.6	34.6	<0.01	0.05
I097940		0.95	36.8	270	33.5	8.8	<0.001	<0.01	1.83	9.5	0.4	0.5	30.3	<0.01	0.04
I097941		1.44	23.7	360	6.7	8.3	<0.001	<0.01	0.32	6.1	0.3	0.6	31.6	<0.01	0.01
I097942		1.59	39.0	400	10.6	12.4	<0.001	<0.01	0.42	7.0	0.4	0.7	28.4	<0.01	0.02
I097943		1.49	19.7	300	7.6	8.8	<0.001	<0.01	0.33	5.4	0.4	0.6	24.8	<0.01	0.02
I097944		1.24	17.1	420	8.7	11.0	<0.001	<0.01	0.28	5.6	0.3	0.6	21.0	<0.01	0.02
I097945		1.65	21.3	590	7.1	15.2	<0.001	<0.01	0.27	6.2	0.4	0.7	30.6	<0.01	0.02
I097946		1.85	15.2	340	10.7	8.7	<0.001	<0.01	0.34	5.1	0.3	0.8	18.6	<0.01	0.03
I097947		1.76	16.1	370	9.7	7.8	<0.001	<0.01	0.38	4.0	0.3	0.8	17.5	0.01	0.03
I097948		1.09	9.8	300	7.9	7.9	<0.001	<0.01	0.36	2.9	0.4	0.5	22.1	0.01	0.03
I097949		1.16	21.9	280	7.2	9.5	<0.001	<0.01	0.29	6.3	0.3	0.6	30.9	<0.01	0.02
I097950		1.79	18.8	410	11.1	14.8	<0.001	<0.01	0.39	4.3	0.3	0.8	22.7	<0.01	0.03
I097951		0.14	4.0	120	2.3	2.0	<0.001	<0.01	0.12	0.6	<0.2	<0.2	6.6	<0.01	<0.01
I097952		1.40	17.8	470	7.6	8.8	<0.001	<0.01	0.30	6.8	0.4	0.6	28.7	<0.01	0.02
I097953		1.49	17.1	190	8.0	8.3	<0.001	<0.01	0.42	5.0	0.2	0.7	22.8	<0.01	0.02
I097954		1.18	12.1	300	7.0	6.7	<0.001	<0.01	0.34	5.9	0.5	0.5	24.7	0.01	0.02
I097955		1.15	13.6	160	6.4	6.8	<0.001	<0.01	0.32	3.5	0.2	0.5	20.9	<0.01	0.02
I097956		1.58	21.5	370	10.6	7.8	<0.001	<0.01	0.70	5.4	0.4	0.7	18.9	<0.01	0.04
I097957		0.66	5.8	360	5.0	3.3	<0.001	0.01	0.19	2.3	0.3	0.3	19.0	<0.01	0.02
I097958		1.29	23.7	280	8.2	16.0	<0.001	<0.01	0.35	7.5	0.3	0.8	24.7	<0.01	0.03
I097959		1.37	29.3	260	8.4	13.7	<0.001	<0.01	0.54	6.1	0.3	0.7	22.6	<0.01	0.03
I097960		1.14	29.8	180	7.8	10.4	<0.001	<0.01	0.43	5.7	0.3	0.6	25.7	<0.01	0.03
I097961		1.95	22.8	540	11.7	15.6	<0.001	0.01	0.52	5.1	0.3	0.9	25.3	<0.01	0.03
I097962		1.51	17.0	270	13.6	7.7	<0.001	0.01	0.50	5.2	0.5	0.6	22.6	0.01	0.03
I097963		1.79	16.0	410	9.0	10.4	<0.001	<0.01	0.37	4.8	0.3	0.7	27.3	0.01	0.02
I097964		1.28	18.0	300	8.1	6.0	<0.001	<0.01	0.36	7.0	0.4	0.7	31.3	<0.01	0.02
I097965		2.53	10.2	540	9.0	48.3	<0.001	<0.01	0.26	5.2	0.3	0.9	21.8	<0.01	0.02
I097966		1.51	11.0	170	8.0	12.3	<0.001	<0.01	0.30	3.5	0.2	0.7	20.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I097927		0.089	0.09	0.57	60	0.11	5.81	66	1.4
I097928		0.132	0.12	0.58	89	0.15	3.79	87	1.0
I097929		0.134	0.17	0.54	100	0.12	4.14	107	0.9
I097930		0.105	0.12	0.65	71	0.12	4.09	84	0.8
I097931		0.110	0.12	0.50	67	0.12	4.01	91	1.0
I097932		0.129	0.14	0.51	68	0.12	3.81	94	1.2
I097933		0.008	0.03	0.31	5	<0.05	2.24	5	2.6
I097934		0.154	0.20	0.55	101	0.14	4.16	96	1.1
I097935		0.151	0.25	0.80	87	0.19	8.93	95	1.5
I097936		0.170	0.25	0.75	89	0.16	5.94	115	1.5
I097937		0.164	0.25	0.97	91	0.17	6.33	99	1.5
I097938		0.130	0.22	1.19	72	0.15	9.76	86	1.5
I097939		0.157	0.25	1.02	87	0.18	7.36	100	1.5
I097940		0.100	0.10	0.94	89	0.10	11.55	72	6.7
I097941		0.155	0.13	0.80	85	0.11	5.18	54	7.8
I097942		0.123	0.19	1.36	97	0.15	10.35	55	3.5
I097943		0.130	0.12	0.93	76	0.12	6.47	47	3.1
I097944		0.079	0.13	0.73	69	0.10	4.88	60	4.5
I097945		0.176	0.16	1.20	79	0.15	8.57	54	6.2
I097946		0.115	0.11	0.49	99	0.12	3.41	45	2.6
I097947		0.120	0.10	0.70	86	0.15	4.98	40	4.0
I097948		0.080	0.08	0.56	52	0.10	4.50	25	1.2
I097949		0.184	0.12	0.80	87	0.11	6.20	52	10.5
I097950		0.132	0.12	0.60	100	0.11	4.00	58	3.6
I097951		0.007	0.03	0.34	4	<0.05	2.21	6	2.3
I097952		0.093	0.11	1.35	71	0.20	12.20	53	2.9
I097953		0.138	0.13	0.58	91	0.13	4.00	51	5.5
I097954		0.084	0.11	2.39	60	0.13	25.0	33	3.0
I097955		0.095	0.09	0.42	58	0.11	3.54	36	3.7
I097956		0.100	0.12	0.67	99	0.12	6.18	60	6.4
I097957		0.048	0.06	0.77	29	0.12	10.90	18	0.7
I097958		0.165	0.17	0.97	87	0.12	7.70	61	7.9
I097959		0.149	0.13	0.53	82	0.13	3.84	75	10.4
I097960		0.157	0.11	0.55	87	0.14	3.83	56	10.4
I097961		0.135	0.16	0.62	93	0.22	3.65	85	6.6
I097962		0.098	0.16	2.14	79	0.13	11.90	39	5.6
I097963		0.119	0.11	0.79	77	0.20	7.12	45	3.9
I097964		0.107	0.14	2.32	77	0.27	14.25	47	5.7
I097965		0.190	0.18	0.84	84	0.17	5.21	57	3.5
I097966		0.105	0.10	0.40	61	0.16	2.66	34	2.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I097967		0.28	<0.005	0.04	1.27	6.2	<0.2	<10	100	0.21	0.13	0.21	0.11	12.45	4.6	19
I097968		0.44	<0.005	0.09	2.41	6.8	<0.2	<10	290	0.44	0.18	0.31	0.11	18.85	14.4	36
I097969		0.32	<0.005	0.04	1.93	6.0	<0.2	<10	190	0.29	0.21	0.23	0.16	14.55	8.8	30
I097970		0.42	<0.005	0.07	2.03	5.0	<0.2	<10	230	0.33	0.17	0.28	0.06	25.7	11.1	29
I097971		0.52	<0.005	0.23	2.16	11.4	<0.2	<10	220	0.27	0.15	0.43	0.09	19.15	9.3	34
I097972		0.40	<0.005	0.09	2.10	8.2	<0.2	<10	200	0.29	0.15	0.36	0.06	18.35	9.1	34
I097973		0.40	<0.005	0.09	2.36	8.7	<0.2	<10	280	0.33	0.14	0.32	0.08	14.65	12.0	40
I097974		0.38	<0.005	0.08	1.96	8.2	<0.2	<10	200	0.35	0.16	0.48	0.07	23.6	8.8	34
I097975		0.34	<0.005	0.11	1.35	4.8	<0.2	<10	150	0.19	0.14	0.24	0.06	17.60	4.6	20
I097976		0.38	<0.005	0.06	2.43	8.6	<0.2	<10	190	0.24	0.14	0.33	0.05	18.50	9.3	31
I039921		0.26	0.006	0.21	1.85	16.2	<0.2	<10	220	0.22	0.95	0.27	0.32	19.30	11.7	44
I039922		0.26	<0.005	0.19	1.81	10.7	<0.2	<10	210	0.20	0.77	0.33	0.18	17.90	8.2	44
I039923		0.24	<0.005	0.14	1.30	9.9	<0.2	<10	140	0.15	0.61	0.29	0.23	19.60	4.2	30
I039924		0.32	<0.005	0.14	1.42	16.8	<0.2	<10	150	0.23	0.83	0.26	0.23	23.2	5.9	29
I039925		0.24	0.005	0.10	1.39	14.9	<0.2	<10	120	0.15	0.86	0.24	0.14	18.75	5.7	30
I039926		0.24	<0.005	0.10	0.96	5.6	<0.2	<10	80	0.11	0.50	0.18	0.12	12.55	3.6	23
I039927		0.24	0.007	0.13	1.19	7.8	<0.2	<10	110	0.15	0.54	0.26	0.18	16.45	4.8	26
I039928		0.24	<0.005	0.07	1.11	4.7	<0.2	<10	90	0.12	0.40	0.25	0.14	14.30	5.2	23
I039929		0.30	<0.005	0.08	1.37	7.1	<0.2	<10	90	0.14	0.54	0.25	0.14	16.35	5.5	31
I039930		0.22	<0.005	0.06	1.23	5.3	<0.2	<10	90	0.12	0.44	0.23	0.16	16.45	4.3	26
I039931		0.26	<0.005	0.12	2.21	5.5	<0.2	<10	160	0.60	0.62	1.67	0.56	29.3	13.6	46
I039932		0.30	<0.005	0.15	2.16	15.2	<0.2	<10	220	0.61	0.74	2.34	0.81	30.2	13.1	44
I039933		0.22	<0.005	0.30	2.43	5.6	<0.2	<10	310	0.87	0.97	1.38	1.27	43.3	22.2	54
I039934		0.26	0.010	0.29	2.97	4.0	<0.2	<10	630	0.79	2.23	0.59	0.69	34.2	20.7	77
I039935		0.26	<0.005	0.33	0.98	3.1	<0.2	<10	80	0.25	0.45	0.06	0.47	22.3	3.1	18
I039936		0.34	0.007	0.12	2.32	9.9	<0.2	<10	140	0.49	0.51	0.18	0.56	24.0	12.9	38
I039937		0.26	<0.005	0.14	1.74	9.5	<0.2	<10	130	0.51	1.65	0.46	0.35	30.2	10.5	35
I039938		0.20	0.014	0.54	0.98	6.4	<0.2	<10	140	0.44	0.58	0.69	1.06	36.7	2.3	19
I039939		0.26	0.013	0.93	1.53	13.3	<0.2	<10	110	0.81	2.11	0.27	0.56	38.9	8.2	55
I039940		0.38	<0.005	0.02	0.15	2.0	<0.2	<10	30	0.12	0.03	0.09	0.05	10.95	2.4	3
I039941		0.22	<0.005	0.16	0.74	3.8	<0.2	<10	100	0.27	0.67	0.27	0.37	16.15	4.0	39
I039942		0.18	0.005	0.74	2.14	14.7	<0.2	<10	120	0.38	2.48	0.28	0.38	30.4	10.4	58
I039943		0.22	<0.005	0.15	2.09	10.0	<0.2	<10	120	0.34	2.07	0.26	0.14	21.6	12.7	58
I039944		0.20	<0.005	0.29	1.01	2.7	<0.2	<10	80	0.24	0.94	0.15	0.57	15.30	5.1	27
I039945		0.20	<0.005	0.15	2.46	6.4	<0.2	<10	150	0.27	1.34	0.34	0.22	12.80	14.8	89
I039946		0.18	<0.005	0.10	1.93	6.9	<0.2	<10	130	0.26	1.05	0.32	0.16	14.30	14.2	59
I039947		0.18	0.005	0.56	2.11	8.7	<0.2	<10	200	0.53	1.87	0.30	0.48	36.3	11.0	60
I039948		0.24	<0.005	0.32	1.24	5.8	<0.2	<10	100	0.17	0.58	0.14	0.17	10.70	8.2	35
I039949		0.20	<0.005	0.08	0.37	3.9	<0.2	<10	70	0.08	0.32	0.08	0.11	7.70	1.8	10
I039950		0.28	<0.005	0.06	0.30	2.0	<0.2	<10	30	<0.05	0.13	0.05	0.09	3.80	1.6	6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I097967		0.76	9.7	2.06	5.65	<0.05	0.09	0.01	0.017	0.05	5.3	7.5	0.31	212	1.03
I097968		0.72	14.8	3.74	7.82	0.05	0.10	0.02	0.033	0.16	8.3	12.2	0.67	738	1.13
I097969		0.62	14.5	3.23	6.93	<0.05	0.06	0.01	0.027	0.10	6.8	11.2	0.53	432	1.00
I097970		1.03	16.4	3.01	6.73	0.05	0.18	0.01	0.026	0.13	9.3	13.4	0.61	534	0.75
I097971		0.68	16.1	3.17	6.87	0.05	0.10	0.01	0.029	0.11	8.2	12.4	0.63	348	0.76
I097972		0.59	18.2	3.13	7.05	0.05	0.17	0.01	0.029	0.07	7.5	11.6	0.58	280	0.83
I097973		0.54	16.5	3.52	7.34	0.05	0.18	0.01	0.030	0.06	6.5	13.5	0.66	421	1.01
I097974		0.81	24.7	3.04	6.29	0.05	0.17	0.02	0.026	0.06	10.6	12.1	0.65	319	0.61
I097975		1.03	12.4	2.11	6.91	<0.05	0.04	0.02	0.018	0.05	8.5	8.1	0.38	172	0.94
I097976		1.25	17.7	3.41	8.72	0.05	0.10	0.01	0.027	0.06	8.1	15.6	0.61	302	1.11
I039921		2.15	18.2	2.85	7.27	0.06	0.02	0.06	0.025	0.08	9.0	8.8	0.81	367	1.47
I039922		2.19	17.5	2.67	7.42	0.05	0.03	0.06	0.022	0.07	8.9	7.8	0.78	263	1.15
I039923		1.50	15.9	1.77	5.79	<0.05	0.02	0.07	0.018	0.06	9.5	5.7	0.49	138	0.49
I039924		1.17	22.3	3.70	5.07	0.07	0.02	0.05	0.020	0.06	10.8	6.0	0.46	194	1.63
I039925		1.26	16.4	2.24	5.48	0.05	0.02	0.05	0.018	0.05	9.2	6.3	0.52	165	0.86
I039926		1.16	12.6	1.56	4.15	<0.05	<0.02	0.04	0.014	0.04	6.1	4.0	0.34	97	0.65
I039927		1.17	18.2	1.98	4.69	0.05	0.02	0.07	0.018	0.05	7.9	4.4	0.40	122	0.83
I039928		0.95	12.5	1.86	4.87	<0.05	0.02	0.05	0.016	0.04	6.6	5.2	0.36	170	0.68
I039929		1.28	13.5	2.33	5.75	<0.05	0.03	0.04	0.020	0.05	7.7	6.5	0.46	170	0.83
I039930		0.99	13.1	1.69	5.31	0.05	0.02	0.04	0.017	0.04	7.7	5.3	0.39	118	0.39
I039931		3.09	38.9	2.67	7.01	<0.05	0.04	0.07	0.024	0.26	15.1	13.3	0.83	529	1.34
I039932		3.28	47.5	2.46	6.54	<0.05	0.05	0.10	0.027	0.19	15.0	12.8	0.86	592	1.00
I039933		3.47	63.9	3.23	7.77	0.05	0.05	0.16	0.033	0.16	20.8	15.4	0.91	814	2.30
I039934		3.08	53.1	3.27	10.25	<0.05	0.04	0.09	0.036	0.45	18.0	12.6	1.04	613	2.23
I039935		1.37	31.6	1.65	4.49	<0.05	0.02	0.08	0.015	0.06	14.0	3.6	0.13	78	1.41
I039936		2.30	34.7	3.54	7.24	<0.05	0.12	0.03	0.034	0.10	12.1	14.7	0.55	288	1.97
I039937		2.80	39.7	2.75	6.92	<0.05	0.03	0.07	0.029	0.25	13.6	11.0	0.55	412	2.42
I039938		1.63	75.8	1.29	3.29	<0.05	0.04	0.65	0.019	0.05	20.5	4.0	0.20	66	1.23
I039939		3.50	56.0	2.15	6.22	<0.05	0.04	0.12	0.034	0.09	20.7	8.5	0.49	165	3.61
I039940		0.09	2.2	0.84	0.66	<0.05	0.05	<0.01	<0.005	0.05	5.6	1.4	0.04	178	0.31
I039941		1.64	31.5	1.15	3.79	<0.05	<0.02	0.11	0.016	0.06	8.6	2.6	0.20	91	1.27
I039942		4.99	82.4	2.79	8.52	<0.05	0.03	0.15	0.029	0.12	20.1	12.0	0.64	209	1.90
I039943		5.29	67.6	3.02	8.70	<0.05	0.05	0.04	0.023	0.17	12.7	14.0	0.80	341	1.89
I039944		3.41	50.8	1.40	4.93	<0.05	<0.02	0.05	0.015	0.06	8.8	5.2	0.29	114	1.08
I039945		10.05	100.5	3.13	8.81	<0.05	0.03	0.04	0.026	0.22	7.0	16.1	1.30	284	1.62
I039946		8.19	84.4	2.57	6.50	<0.05	0.03	0.03	0.023	0.18	7.5	15.2	0.95	234	1.15
I039947		7.84	143.0	2.65	7.41	<0.05	0.04	0.07	0.030	0.11	21.4	14.8	0.69	224	1.75
I039948		4.00	43.6	2.00	6.56	<0.05	0.02	0.04	0.016	0.07	5.8	8.0	0.44	143	1.15
I039949		0.52	11.8	0.73	3.49	<0.05	<0.02	0.03	0.005	0.03	4.0	1.5	0.08	80	0.59
I039950		0.34	6.0	0.87	3.57	<0.05	<0.02	0.03	<0.005	0.02	1.9	0.8	0.04	47	0.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I097967		1.21	9.9	160	9.4	12.0	<0.001	<0.01	0.29	2.2	<0.2	0.5	17.4	<0.01	0.02
I097968		1.58	20.2	270	8.0	13.8	<0.001	<0.01	0.49	5.0	0.2	1.1	30.3	<0.01	0.02
I097969		1.25	16.4	300	8.3	8.1	<0.001	<0.01	0.41	3.6	0.2	0.8	19.4	<0.01	0.02
I097970		2.02	15.6	180	6.3	17.1	<0.001	<0.01	0.33	5.0	0.2	0.7	24.6	<0.01	0.02
I097971		1.78	17.1	290	8.3	9.3	<0.001	<0.01	0.41	4.7	0.2	0.7	29.5	<0.01	0.02
I097972		1.63	17.9	290	6.9	7.0	<0.001	<0.01	0.35	4.7	0.2	0.6	26.1	<0.01	0.02
I097973		1.37	21.4	220	7.6	7.1	<0.001	<0.01	0.39	4.3	0.2	0.7	26.2	<0.01	0.02
I097974		1.48	19.8	510	6.5	7.1	<0.001	<0.01	0.38	5.6	0.3	0.6	35.2	<0.01	0.02
I097975		1.51	9.3	150	7.7	12.4	<0.001	<0.01	0.30	2.8	0.2	0.8	21.9	<0.01	0.02
I097976		1.82	18.6	230	8.1	11.7	<0.001	<0.01	0.35	4.6	0.3	0.8	26.4	<0.01	0.03
I039921		1.19	21.2	660	7.6	13.5	<0.001	0.04	0.35	4.4	0.7	0.7	17.7	<0.01	0.05
I039922		1.28	19.5	590	7.0	10.1	<0.001	0.05	0.30	4.2	0.8	0.7	18.9	<0.01	0.04
I039923		0.93	14.5	560	6.4	11.9	<0.001	0.05	0.33	2.8	0.7	0.6	18.0	<0.01	0.03
I039924		1.11	16.4	830	6.1	8.1	<0.001	0.06	0.35	2.9	1.1	0.5	18.4	<0.01	0.05
I039925		1.15	15.6	570	5.8	8.9	<0.001	0.04	0.36	2.9	0.7	0.5	17.5	<0.01	0.04
I039926		0.69	11.0	560	4.2	5.3	<0.001	0.04	0.30	1.7	0.5	0.5	13.9	<0.01	0.03
I039927		0.91	14.4	760	4.8	6.6	<0.001	0.08	0.30	2.1	0.7	0.5	18.6	<0.01	0.04
I039928		0.92	11.7	500	5.3	7.2	<0.001	0.05	0.25	2.2	0.5	0.5	19.4	<0.01	0.03
I039929		1.15	13.4	550	7.2	8.6	<0.001	0.04	0.28	2.7	0.6	0.6	19.2	<0.01	0.03
I039930		0.95	13.3	520	5.5	8.6	<0.001	0.05	0.23	2.4	0.5	0.7	17.3	<0.01	0.03
I039931		2.25	34.4	750	5.7	49.2	0.001	0.07	0.20	5.3	1.5	0.9	73.7	0.01	0.03
I039932		2.13	36.4	720	6.1	41.4	0.001	0.10	0.21	4.9	1.5	0.7	68.7	0.01	0.05
I039933		2.20	44.7	840	7.1	30.3	<0.001	0.10	0.26	6.2	2.0	1.0	50.9	0.01	0.07
I039934		2.42	31.0	730	5.8	47.8	<0.001	0.07	0.21	9.0	1.2	1.0	42.1	<0.01	0.18
I039935		1.10	11.7	340	4.9	9.5	<0.001	0.03	0.27	2.3	0.8	0.6	9.3	<0.01	0.04
I039936		2.39	35.0	400	8.2	19.9	<0.001	0.03	0.54	4.5	0.7	0.7	17.8	<0.01	0.06
I039937		2.39	27.1	720	8.2	30.3	<0.001	0.06	0.99	4.3	1.2	1.0	25.1	<0.01	0.10
I039938		0.70	21.8	950	5.1	13.3	0.001	0.13	7.30	3.2	3.0	0.7	41.0	0.01	0.05
I039939		1.16	38.0	660	13.5	24.4	<0.001	0.07	1.63	3.2	1.5	1.6	20.5	<0.01	0.18
I039940		0.22	4.1	120	1.7	2.5	<0.001	<0.01	0.12	0.7	<0.2	<0.2	7.6	<0.01	<0.01
I039941		0.80	20.7	680	4.2	11.7	<0.001	0.08	0.42	1.5	1.2	0.8	21.9	<0.01	0.08
I039942		1.76	30.3	540	6.6	27.6	<0.001	0.06	0.75	5.0	1.1	1.1	22.0	<0.01	0.17
I039943		1.85	30.1	310	5.8	36.9	<0.001	0.02	0.33	5.1	0.6	0.9	16.9	<0.01	0.11
I039944		0.74	16.1	500	5.0	22.2	<0.001	0.03	0.22	2.0	0.7	0.7	14.4	<0.01	0.05
I039945		1.40	42.5	340	4.4	33.5	<0.001	0.02	0.24	6.9	0.7	0.7	21.4	<0.01	0.05
I039946		1.56	29.8	360	4.2	32.1	<0.001	0.03	0.25	5.4	0.6	0.7	18.8	<0.01	0.03
I039947		1.47	31.8	710	8.0	29.4	<0.001	0.05	0.32	4.4	1.1	0.7	28.2	0.01	0.07
I039948		1.40	19.7	250	4.7	15.2	<0.001	0.02	0.25	3.5	0.6	0.7	14.7	<0.01	0.03
I039949		0.53	4.9	170	4.2	3.4	<0.001	<0.01	0.18	1.4	0.3	0.5	8.3	<0.01	0.01
I039950		0.61	3.3	150	4.0	3.6	<0.001	0.01	0.23	1.0	0.3	0.5	7.1	<0.01	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130305

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I097967		0.072	0.08	0.33	55	0.09	2.41	30	3.6
I097968		0.133	0.14	0.46	86	0.13	4.00	70	4.1
I097969		0.104	0.09	0.40	76	0.11	2.97	68	2.7
I097970		0.167	0.13	0.57	75	0.13	5.14	46	6.8
I097971		0.135	0.09	0.49	76	0.15	4.07	50	4.1
I097972		0.135	0.08	0.42	79	0.13	3.97	43	6.7
I097973		0.133	0.09	0.39	87	0.11	2.82	57	6.8
I097974		0.138	0.08	0.45	76	0.18	5.35	48	7.0
I097975		0.115	0.11	0.55	61	0.10	3.56	34	1.7
I097976		0.153	0.16	0.76	85	0.16	4.67	44	4.4
I039921		0.096	0.19	0.80	79	0.25	5.21	76	0.7
I039922		0.093	0.17	0.84	74	0.14	4.89	68	0.9
I039923		0.070	0.19	0.82	36	0.12	5.15	49	0.6
I039924		0.065	0.15	1.03	58	0.21	7.86	53	0.8
I039925		0.074	0.16	0.73	49	0.20	5.72	51	0.7
I039926		0.049	0.12	0.54	31	0.10	3.33	34	<0.5
I039927		0.051	0.14	0.72	32	0.15	4.96	43	0.6
I039928		0.066	0.09	0.52	39	0.11	3.88	39	0.6
I039929		0.083	0.13	0.55	55	0.12	4.00	48	0.9
I039930		0.075	0.12	0.51	30	0.09	4.36	42	0.6
I039931		0.107	0.31	1.37	64	1.30	10.15	75	1.1
I039932		0.093	0.34	1.16	64	0.22	11.05	68	1.4
I039933		0.105	0.35	2.66	89	0.37	15.70	107	1.2
I039934		0.133	0.39	1.75	90	0.43	10.50	86	1.0
I039935		0.063	0.12	1.29	34	0.34	3.60	22	0.7
I039936		0.139	0.19	0.93	80	0.52	4.33	70	5.1
I039937		0.106	0.25	1.30	64	2.94	6.48	84	0.8
I039938		0.038	0.23	4.38	16	0.19	21.4	32	<0.5
I039939		0.070	0.25	2.65	51	0.67	11.85	57	0.6
I039940		0.007	0.03	0.32	4	<0.05	2.16	5	2.3
I039941		0.047	0.12	1.18	22	0.37	4.97	22	<0.5
I039942		0.109	0.32	2.22	67	1.28	5.83	51	1.2
I039943		0.145	0.29	0.94	84	3.49	5.15	52	1.8
I039944		0.057	0.12	0.84	34	1.61	3.16	26	<0.5
I039945		0.138	0.29	0.65	95	2.03	3.83	56	0.9
I039946		0.128	0.28	0.64	71	3.55	4.03	44	0.9
I039947		0.098	0.22	1.91	64	0.81	10.20	53	1.0
I039948		0.104	0.20	0.49	58	0.51	2.26	28	0.9
I039949		0.053	0.09	0.35	24	0.16	1.17	15	<0.5
I039950		0.057	0.05	0.13	31	0.68	0.56	13	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130305

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130306

Project: SQI10-06

P.O. No.: SQI10-06_28

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I097977		0.28	<0.005	0.08	0.79	1.9	<0.2	<10	90	0.20	0.10	0.13	0.06	16.55	2.0	10
I097978		0.30	<0.005	0.09	0.60	2.2	<0.2	<10	50	0.07	0.12	0.09	0.04	7.93	2.3	9
I097979		0.50	<0.005	0.11	2.36	5.9	<0.2	<10	370	0.55	0.14	0.55	0.06	28.5	12.8	29
I097980		0.32	<0.005	0.10	1.27	4.7	<0.2	<10	80	0.22	0.11	0.16	0.08	12.70	7.1	16
I097981		0.30	0.005	0.08	0.89	2.3	<0.2	<10	60	0.22	0.06	0.11	0.02	17.25	2.6	9
I097982		0.28	<0.005	0.03	0.60	2.2	<0.2	<10	60	0.09	0.11	0.09	0.05	6.20	1.9	8
I097983		0.36	<0.005	0.12	2.73	13.1	<0.2	<10	190	0.37	0.19	0.24	0.11	15.05	13.2	43
I097984		0.28	<0.005	0.12	1.19	4.6	<0.2	<10	130	0.17	0.15	0.25	0.09	11.30	5.4	19
I097985		0.36	<0.005	0.07	1.97	7.2	<0.2	<10	210	0.29	0.15	0.33	0.25	12.30	11.8	27
I097986		0.36	0.008	0.22	2.30	9.4	<0.2	<10	260	0.44	0.21	0.35	0.14	24.6	15.6	36
I097987		0.26	<0.005	0.05	0.90	3.2	<0.2	<10	60	0.21	0.08	0.17	0.04	10.15	5.7	11
I097988		0.34	<0.005	0.10	1.98	4.3	<0.2	<10	230	0.40	0.13	0.59	0.13	40.3	9.4	20
I097989		0.32	<0.005	0.10	1.42	3.8	<0.2	<10	120	0.23	0.12	0.27	0.03	20.2	5.7	14
I097990		0.32	<0.005	0.10	0.94	3.5	<0.2	<10	90	0.12	0.13	0.21	0.05	10.30	3.5	13
I097991		0.34	<0.005	0.06	1.21	5.2	<0.2	<10	90	0.12	0.21	0.20	0.07	12.50	4.3	16
I097992		0.28	<0.005	0.09	0.71	1.4	<0.2	<10	60	0.17	0.06	0.12	0.02	10.90	1.8	7
I097993		0.36	<0.005	0.05	2.36	9.2	<0.2	<10	180	0.37	0.14	0.32	0.09	24.0	10.7	32
I097994		0.30	<0.005	0.12	1.47	4.1	<0.2	<10	150	0.38	0.13	0.32	0.18	28.9	10.4	19
I097995		0.30	<0.005	0.11	1.68	6.4	<0.2	<10	140	0.28	0.13	0.33	0.06	17.20	9.7	27
I097996		0.38	<0.005	0.10	1.58	4.7	<0.2	<10	160	0.25	0.11	0.46	0.06	20.5	8.1	21
I097997		0.38	<0.005	0.05	1.90	4.7	<0.2	<10	160	0.28	0.14	0.35	0.05	20.8	10.5	19
I097998		0.40	<0.005	0.01	0.12	2.4	<0.2	<10	30	0.09	0.02	0.09	0.03	10.35	2.3	24
I097999		0.30	0.007	0.21	1.94	5.7	<0.2	<10	250	0.48	0.16	0.81	0.16	74.1	11.4	25
I098000		0.32	<0.005	0.06	1.44	4.5	<0.2	<10	150	0.38	0.15	0.51	0.06	22.6	8.3	20
I098001		0.22	<0.005	0.20	2.31	5.6	<0.2	<10	880	0.36	0.17	0.25	0.25	27.0	10.0	68
I098002		0.40	0.008	0.29	2.90	11.2	<0.2	<10	1200	0.54	0.17	0.35	0.35	34.5	17.1	101
I098003		0.28	<0.005	0.35	0.83	3.2	<0.2	<10	430	0.20	0.13	0.14	0.44	11.85	3.0	17
I098004		0.24	<0.005	0.69	1.28	3.4	<0.2	<10	530	0.32	0.15	0.24	0.35	19.95	5.8	25
I098005		0.38	<0.005	0.21	1.31	6.6	<0.2	<10	190	0.15	0.32	0.20	0.30	12.35	6.3	31
I098006		0.24	<0.005	1.36	2.61	8.2	<0.2	<10	1060	0.96	0.17	0.81	0.22	95.5	8.2	31
I098007		0.26	<0.005	1.26	2.26	6.8	<0.2	<10	1040	0.96	0.16	0.85	0.35	80.1	8.5	28
I098008		0.40	<0.005	0.08	2.15	4.8	<0.2	<10	310	0.26	0.13	0.45	0.17	15.40	11.8	55
I098009		0.28	<0.005	0.08	1.42	3.5	<0.2	<10	440	0.23	0.13	0.41	0.60	16.35	6.9	27
I098010		0.22	0.008	0.59	2.74	7.0	<0.2	<10	650	0.64	0.21	0.89	0.61	27.7	10.8	36
I098011		0.44	<0.005	0.12	2.32	4.4	<0.2	<10	240	0.46	0.12	0.53	0.06	25.4	13.2	30
I098012		0.26	<0.005	0.11	1.71	5.5	<0.2	<10	180	0.25	0.10	1.28	0.21	13.55	12.9	24
I098013		0.46	<0.005	0.12	2.47	5.4	<0.2	<10	210	0.37	0.20	0.63	0.12	20.3	13.0	37
I098014		0.30	<0.005	0.37	2.46	5.2	<0.2	<10	290	0.35	0.18	1.06	0.37	18.45	17.2	31
I098015		0.50	0.005	0.28	2.74	5.7	<0.2	<10	310	0.42	0.18	1.10	0.33	18.35	16.7	42
I098016		0.24	<0.005	0.30	2.07	4.8	<0.2	<10	340	0.27	0.19	0.98	0.40	12.20	12.7	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I097977		0.52	9.9	1.01	3.46	<0.05	<0.02	0.03	0.010	0.02	8.4	2.9	0.08	61	0.48
I097978		0.78	6.9	1.14	4.89	<0.05	0.02	0.03	0.008	0.04	4.2	2.8	0.13	86	0.60
I097979		3.72	19.1	3.19	7.22	0.06	0.06	0.04	0.034	0.07	15.6	20.6	0.65	929	0.66
I097980		0.85	10.1	1.91	5.26	0.05	0.03	0.02	0.017	0.04	6.8	8.3	0.26	583	0.86
I097981		0.74	7.5	1.20	3.37	<0.05	<0.02	0.14	0.011	0.03	11.6	3.9	0.11	74	0.39
I097982		0.54	6.3	1.02	4.42	<0.05	<0.02	0.01	0.007	0.03	3.2	3.1	0.10	85	0.71
I097983		1.40	19.1	4.82	9.65	0.07	0.24	0.02	0.037	0.06	7.5	19.0	0.64	364	1.74
I097984		1.02	9.9	2.02	6.58	<0.05	0.02	0.02	0.015	0.09	6.3	8.5	0.36	249	0.95
I097985		1.34	17.1	3.08	7.24	0.05	0.06	0.02	0.023	0.10	5.7	12.9	0.51	2230	1.34
I097986		1.42	19.6	3.70	8.64	0.06	0.11	0.02	0.031	0.05	12.2	15.7	0.54	1370	1.81
I097987		0.66	6.8	1.40	3.92	<0.05	0.03	0.01	0.011	0.03	4.9	4.5	0.18	328	0.80
I097988		1.48	19.2	2.74	6.61	0.08	0.06	0.02	0.022	0.16	27.7	16.3	0.50	464	0.86
I097989		1.31	10.4	1.96	5.51	0.05	0.04	0.02	0.015	0.08	13.7	10.3	0.37	288	0.61
I097990		0.56	8.0	1.47	5.49	<0.05	0.06	0.03	0.011	0.05	5.5	5.5	0.21	102	0.62
I097991		0.87	9.4	2.12	8.46	<0.05	0.12	0.01	0.013	0.06	6.6	7.0	0.30	155	1.13
I097992		0.92	6.2	0.81	2.97	<0.05	0.02	0.01	0.009	0.03	6.6	3.3	0.08	81	0.37
I097993		1.24	16.6	3.70	8.67	0.06	0.05	0.01	0.029	0.11	12.7	19.5	0.62	342	0.93
I097994		0.75	16.8	2.42	5.46	0.05	0.07	0.03	0.021	0.08	11.2	7.9	0.33	1720	1.05
I097995		0.66	13.0	2.71	5.86	0.05	0.06	0.02	0.021	0.10	8.9	12.3	0.48	419	0.96
I097996		0.92	13.7	2.51	5.52	0.06	0.09	0.02	0.016	0.14	14.1	13.8	0.51	408	0.64
I097997		1.44	12.5	2.90	6.38	0.05	0.12	0.01	0.020	0.19	10.2	14.7	0.50	355	0.97
I097998		0.08	1.9	0.61	0.63	<0.05	0.07	<0.01	<0.005	0.03	5.1	1.4	0.04	173	0.40
I097999		1.20	28.3	2.97	6.74	0.13	0.08	0.03	0.024	0.12	43.6	18.3	0.57	420	1.20
I098000		0.70	16.9	2.29	5.18	0.06	0.08	0.01	0.035	0.07	11.1	11.0	0.42	320	0.45
I098001		1.46	26.1	3.24	11.15	0.08	0.03	0.03	0.030	0.30	12.2	10.9	1.07	411	1.98
I098002		1.17	55.7	4.13	9.76	0.11	0.07	0.06	0.037	0.14	17.5	16.0	1.24	339	3.08
I098003		0.70	19.5	1.24	4.24	<0.05	<0.02	0.03	0.012	0.04	6.6	3.0	0.15	63	1.41
I098004		1.00	26.8	1.68	4.62	0.05	<0.02	0.05	0.019	0.04	11.3	4.5	0.23	178	1.26
I098005		0.67	15.2	2.20	8.76	<0.05	0.03	0.02	0.016	0.10	6.4	6.2	0.40	219	1.50
I098006		0.69	68.2	2.79	5.65	0.15	0.05	0.13	0.034	0.05	52.9	6.1	0.25	87	2.14
I098007		0.61	71.2	2.39	4.99	0.12	0.04	0.15	0.027	0.05	45.9	5.2	0.23	107	1.90
I098008		0.62	24.4	2.58	6.24	0.07	0.05	0.02	0.018	0.10	7.9	13.1	0.91	230	0.89
I098009		0.49	17.3	2.22	5.31	0.05	0.02	0.02	0.023	0.12	6.3	6.1	0.55	313	1.19
I098010		0.82	56.7	3.05	7.85	0.08	0.03	0.08	0.033	0.08	16.1	9.9	0.57	389	1.54
I098011		0.78	23.8	2.97	6.59	0.08	0.04	0.06	0.022	0.08	12.4	10.7	0.76	482	1.00
I098012		0.59	26.7	2.37	5.07	0.05	0.04	0.04	0.018	0.05	6.5	9.1	0.52	625	1.14
I098013		0.74	32.5	3.08	7.13	0.08	0.05	0.04	0.022	0.10	9.8	12.9	0.95	332	0.80
I098014		1.01	46.5	3.43	7.74	0.08	0.03	0.06	0.026	0.17	9.3	10.5	1.02	767	1.49
I098015		1.06	47.7	3.56	8.30	0.09	0.04	0.05	0.025	0.23	9.3	12.9	1.25	567	1.96
I098016		1.08	31.0	2.65	6.69	0.06	0.03	0.06	0.016	0.19	6.4	10.3	0.85	496	3.33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I097977		0.62	3.9	230	4.6	5.8	<0.001	0.01	0.13	1.4	0.2	0.4	14.6	<0.01	0.01
I097978		1.62	3.7	120	5.4	8.9	<0.001	<0.01	0.19	1.8	<0.2	0.6	9.2	<0.01	0.01
I097979		1.65	20.7	440	9.6	16.3	<0.001	0.01	0.37	8.9	0.4	0.7	35.4	<0.01	0.01
I097980		1.55	9.2	290	5.6	10.3	<0.001	0.01	0.21	2.7	0.2	0.8	13.0	<0.01	0.02
I097981		0.86	5.0	210	3.5	4.7	<0.001	0.01	0.14	2.2	0.2	0.3	11.0	<0.01	0.01
I097982		0.95	3.6	140	5.6	8.2	<0.001	<0.01	0.16	1.3	<0.2	0.4	10.2	<0.01	0.01
I097983		2.08	27.8	390	9.7	11.1	<0.001	0.01	0.58	4.9	0.2	0.7	21.1	<0.01	0.03
I097984		1.66	10.2	340	6.7	18.8	<0.001	0.01	0.26	2.9	0.2	0.8	18.5	<0.01	0.02
I097985		1.89	19.3	370	7.6	16.4	<0.001	<0.01	0.40	3.8	<0.2	0.6	24.2	<0.01	0.02
I097986		1.92	19.5	380	9.3	15.3	<0.001	0.01	0.47	5.3	0.3	0.7	27.3	<0.01	0.03
I097987		1.13	5.7	360	4.9	7.6	<0.001	<0.01	0.19	1.8	<0.2	0.3	12.9	<0.01	0.02
I097988		2.47	12.7	500	6.4	22.5	<0.001	0.01	0.28	4.7	0.4	0.5	34.8	<0.01	0.01
I097989		1.75	8.4	290	4.8	14.6	<0.001	0.01	0.23	3.5	0.2	0.4	18.5	<0.01	0.01
I097990		1.61	6.4	190	5.5	10.1	<0.001	<0.01	0.20	2.4	<0.2	0.5	16.0	<0.01	0.01
I097991		2.33	7.3	120	8.3	14.9	<0.001	<0.01	0.24	2.8	<0.2	0.8	15.0	<0.01	0.01
I097992		0.79	3.3	180	3.4	5.2	<0.001	<0.01	0.09	1.7	<0.2	0.3	10.6	<0.01	0.01
I097993		2.30	22.3	530	8.0	12.0	<0.001	0.01	0.36	5.4	0.3	0.6	21.0	<0.01	0.02
I097994		1.69	13.7	220	6.2	10.2	<0.001	<0.01	0.32	3.8	<0.2	0.5	22.6	<0.01	0.01
I097995		1.90	15.7	240	6.4	10.7	<0.001	0.01	0.37	3.7	0.3	0.5	23.9	<0.01	0.01
I097996		1.99	12.9	350	5.5	15.3	<0.001	0.01	0.29	4.4	0.4	0.4	26.5	<0.01	0.02
I097997		1.93	11.8	210	8.1	19.8	<0.001	<0.01	0.32	4.0	0.2	0.6	21.1	<0.01	0.01
I097998		0.24	4.6	130	1.6	1.9	<0.001	<0.01	0.16	0.7	<0.2	<0.2	6.4	<0.01	<0.01
I097999		2.51	18.5	510	6.2	16.8	<0.001	0.02	0.41	6.0	0.9	0.5	51.6	<0.01	0.02
I098000		1.75	15.3	320	5.6	8.3	<0.001	<0.01	0.25	4.2	0.4	0.5	29.0	<0.01	0.01
I098001		1.87	37.2	630	5.9	25.6	<0.001	0.05	0.26	6.7	0.8	0.8	16.5	<0.01	0.07
I098002		2.13	67.8	730	8.3	13.3	0.001	0.11	0.43	9.4	1.6	0.7	32.3	<0.01	0.06
I098003		1.03	11.6	230	4.8	8.9	<0.001	0.02	0.22	2.1	0.5	0.4	13.8	<0.01	0.03
I098004		0.81	16.2	440	5.4	11.3	<0.001	0.03	0.21	2.8	0.6	0.4	19.3	<0.01	0.03
I098005		1.81	16.4	390	9.8	14.9	<0.001	0.02	0.23	3.2	0.3	0.7	13.9	<0.01	0.04
I098006		1.31	31.6	880	5.3	8.1	<0.001	0.08	0.39	7.1	2.4	0.4	39.0	0.01	0.05
I098007		1.15	31.7	900	5.1	7.6	<0.001	0.09	0.36	5.3	2.2	0.3	39.4	0.01	0.05
I098008		1.62	27.7	380	4.8	11.6	<0.001	0.01	0.17	5.7	0.5	0.4	29.5	<0.01	0.03
I098009		0.68	15.7	510	4.1	9.6	<0.001	0.02	0.23	2.6	0.4	0.5	26.2	<0.01	0.02
I098010		1.28	32.8	720	5.9	12.1	<0.001	0.07	0.31	4.3	0.9	0.5	44.7	<0.01	0.04
I098011		1.31	18.4	510	4.3	10.2	<0.001	0.02	0.22	6.0	0.6	0.4	37.2	<0.01	0.02
I098012		1.13	17.9	770	4.4	8.5	<0.001	0.09	0.30	3.6	0.9	0.3	42.6	<0.01	0.02
I098013		1.64	22.3	460	8.0	12.6	<0.001	0.02	0.26	6.6	0.5	0.5	29.2	<0.01	0.03
I098014		1.34	21.0	700	6.3	23.1	<0.001	0.07	0.30	6.4	0.9	0.4	41.2	<0.01	0.05
I098015		1.71	32.6	610	10.7	27.8	<0.001	0.07	0.24	7.5	0.9	0.5	36.2	<0.01	0.04
I098016		1.38	18.5	580	6.2	24.2	<0.001	0.06	0.30	4.9	0.7	0.4	39.5	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I097977		0.047	0.09	0.79	24	<0.05	3.36	10	<0.5
I097978		0.096	0.08	0.35	37	<0.05	1.51	14	0.8
I097979		0.089	0.15	2.46	66	0.09	12.25	55	2.5
I097980		0.087	0.08	0.80	44	<0.05	2.90	30	1.1
I097981		0.056	0.05	1.29	25	<0.05	6.00	13	0.5
I097982		0.066	0.06	0.19	32	<0.05	1.20	16	0.6
I097983		0.134	0.11	0.45	98	0.06	3.21	50	10.0
I097984		0.106	0.10	0.40	58	0.06	3.28	35	1.1
I097985		0.120	0.14	0.34	71	<0.05	2.64	78	2.8
I097986		0.115	0.15	1.03	90	<0.05	4.76	75	5.2
I097987		0.066	0.05	0.36	32	<0.05	2.35	21	1.5
I097988		0.129	0.15	2.06	61	0.07	11.40	38	2.0
I097989		0.103	0.12	0.82	47	0.06	4.62	30	1.5
I097990		0.103	0.08	0.39	44	0.05	2.44	19	2.3
I097991		0.166	0.12	0.38	70	<0.05	2.61	29	4.7
I097992		0.045	0.04	0.39	18	<0.05	3.18	10	0.7
I097993		0.140	0.12	0.62	87	0.50	6.16	50	2.1
I097994		0.102	0.08	0.70	53	0.05	4.96	48	3.1
I097995		0.118	0.09	0.48	64	0.21	3.87	41	2.3
I097996		0.126	0.11	1.03	58	0.20	11.00	38	3.5
I097997		0.104	0.14	0.34	61	0.17	3.96	41	4.2
I097998		0.007	0.04	0.31	4	0.28	2.21	4	2.6
I097999		0.133	0.11	2.72	64	0.16	24.6	44	2.9
I098000		0.102	0.08	0.86	53	0.08	8.37	39	3.2
I098001		0.114	0.14	1.12	83	0.09	8.63	84	0.8
I098002		0.133	0.13	1.29	109	0.09	10.25	128	3.2
I098003		0.059	0.07	0.68	38	0.08	3.35	23	0.5
I098004		0.051	0.08	1.05	39	0.07	7.58	27	<0.5
I098005		0.121	0.08	0.40	78	0.08	2.59	49	1.1
I098006		0.053	0.10	2.74	49	0.14	33.3	36	1.4
I098007		0.045	0.08	2.55	43	0.17	28.2	32	1.0
I098008		0.125	0.07	0.57	71	0.09	5.17	52	1.8
I098009		0.048	0.05	0.41	40	0.09	8.80	53	<0.5
I098010		0.062	0.06	1.11	61	0.10	17.05	53	0.9
I098011		0.080	0.08	0.70	56	0.08	11.20	50	1.5
I098012		0.065	0.05	0.60	60	0.06	5.51	50	1.3
I098013		0.117	0.08	0.69	72	0.12	7.53	71	1.9
I098014		0.085	0.11	0.68	74	0.11	10.65	80	1.2
I098015		0.109	0.14	0.96	85	0.09	9.48	105	1.5
I098016		0.089	0.12	0.55	60	0.10	5.86	81	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I098017		0.22	<0.005	0.26	2.26	7.3	<0.2	<10	390	0.32	0.14	1.76	0.59	13.80	15.9	33
I098018		0.28	<0.005	0.17	2.60	5.3	<0.2	<10	290	0.38	0.14	1.22	0.49	19.85	26.2	47
I098019		0.30	0.006	0.44	2.77	6.1	<0.2	<10	470	0.40	0.22	0.86	0.64	24.6	26.7	48
I098020		0.38	<0.005	0.02	0.12	2.3	<0.2	<10	30	0.09	0.02	0.09	0.05	10.15	2.4	25
I098021		0.38	<0.005	0.21	3.53	6.9	<0.2	<10	310	0.37	0.21	1.06	0.29	14.50	22.3	100
I098022		0.32	0.007	0.15	1.51	2.7	<0.2	<10	230	0.27	0.11	1.27	0.26	18.55	12.6	49
I098023		0.28	0.006	0.23	2.93	4.3	<0.2	<10	220	0.36	0.18	1.07	0.29	23.6	20.6	70
I098024		0.38	<0.005	0.17	2.85	5.1	<0.2	<10	230	0.32	0.14	1.21	0.24	17.75	21.2	72
I098025		0.44	0.005	0.15	3.07	4.8	<0.2	<10	220	0.38	0.16	0.58	0.16	25.7	20.0	75
I098026		0.50	<0.005	0.09	3.06	5.5	<0.2	<10	210	0.34	0.18	0.62	0.17	20.7	20.5	78
I098027		0.26	<0.005	0.17	2.61	5.0	<0.2	<10	200	0.27	0.18	0.68	0.28	17.85	17.3	66
I098028		0.26	<0.005	0.20	2.46	4.4	<0.2	<10	210	0.35	0.16	0.85	0.28	19.45	14.1	59
I098029		0.22	<0.005	0.21	2.64	4.5	<0.2	<10	310	0.36	0.15	1.09	0.37	23.6	18.3	64
I098030		0.40	0.006	0.49	3.15	5.8	<0.2	<10	290	0.38	0.18	0.82	0.27	21.1	24.1	89
I098031		0.26	<0.005	0.45	2.29	3.7	<0.2	<10	240	0.44	0.18	0.66	0.60	23.0	17.2	58
I098032		0.30	<0.005	0.18	2.92	4.4	<0.2	<10	190	0.24	0.19	0.64	0.16	13.45	16.2	72
I098033		0.36	<0.005	0.16	2.92	4.9	<0.2	<10	200	0.27	0.17	0.62	0.15	14.60	19.2	71
I098034		0.30	<0.005	0.28	2.22	3.4	<0.2	<10	230	0.30	0.15	0.68	0.56	17.45	15.2	64
I098035		0.32	<0.005	0.14	2.50	3.6	<0.2	<10	230	0.24	0.14	0.55	0.35	15.55	16.9	71
I098036		0.28	<0.005	0.30	2.53	3.7	<0.2	<10	190	0.24	0.21	0.58	0.19	12.10	13.8	68
I098037		0.34	<0.005	0.12	2.70	6.8	<0.2	<10	210	0.28	0.13	0.65	0.11	17.35	20.6	75
I098038		0.30	<0.005	0.19	3.06	8.9	<0.2	<10	280	0.30	0.13	0.72	0.42	18.60	20.2	80
I098039		0.34	<0.005	0.13	2.83	5.6	<0.2	<10	230	0.37	0.17	0.68	0.20	16.85	17.6	64
I098040		0.30	<0.005	0.25	2.66	5.0	<0.2	<10	270	0.38	0.14	0.90	0.36	19.30	17.6	55
I098041		0.36	<0.005	0.10	2.93	5.6	<0.2	<10	310	0.28	0.11	0.93	0.12	18.80	20.7	60
I098042		0.28	<0.005	0.10	2.73	4.8	<0.2	<10	270	0.23	0.12	0.91	0.27	13.35	17.3	60
I098043		0.24	<0.005	0.21	2.46	5.6	<0.2	<10	320	0.31	0.17	1.53	0.23	17.25	16.8	57
I098044		0.42	<0.005	0.06	2.55	4.8	<0.2	<10	280	0.24	0.12	0.78	0.11	17.10	19.7	52
I098045		0.22	<0.005	0.09	2.17	4.8	<0.2	<10	240	0.22	0.14	1.36	0.24	14.70	14.0	40
I098046		0.32	0.006	0.20	1.99	20.6	<0.2	<10	140	0.19	3.07	0.55	0.11	8.40	14.1	25
I098047		0.18	<0.005	0.32	0.29	1.9	<0.2	<10	30	0.06	0.54	0.05	0.08	3.19	1.2	8
I098048		0.40	0.019	0.43	1.84	58.6	<0.2	<10	150	0.25	3.90	0.58	0.18	10.70	14.1	24
I098049		0.32	0.041	0.61	2.34	74.3	<0.2	<10	320	0.27	4.08	0.55	0.31	14.40	15.6	42
I098050		0.30	0.022	1.69	2.59	34.8	<0.2	<10	410	0.42	4.79	0.74	0.51	31.8	15.7	50
I098051		0.42	0.007	0.57	1.86	22.2	<0.2	<10	180	0.21	2.59	0.54	0.31	16.75	12.8	43
I098052		0.30	0.015	0.59	1.92	5.9	<0.2	<10	210	0.31	2.75	0.87	0.33	25.3	11.9	41
I098053		0.24	<0.005	0.20	1.28	10.9	<0.2	<10	110	0.22	3.95	0.33	0.39	10.30	6.7	23
I098054		0.28	<0.005	0.29	0.44	3.0	<0.2	<10	80	0.25	0.68	0.28	0.40	17.95	1.9	10
I098055		0.24	<0.005	0.25	1.73	12.7	<0.2	<10	220	0.22	0.73	0.36	0.69	25.4	9.7	62
I098056		0.22	<0.005	0.21	1.78	14.1	<0.2	<10	220	0.26	0.75	0.36	0.75	24.5	10.1	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098017		1.65	52.6	2.62	5.96	0.07	0.04	0.23	0.017	0.23	6.7	9.1	0.98	821	3.35
I098018		1.98	43.7	3.28	7.17	0.10	0.05	0.18	0.020	0.24	9.4	13.4	1.21	1750	1.38
I098019		2.00	61.0	3.64	7.88	0.09	0.05	0.12	0.025	0.26	11.1	13.4	1.14	1240	13.45
I098020		0.09	2.7	0.61	0.64	<0.05	0.07	<0.01	<0.005	0.03	5.1	1.3	0.04	149	0.53
I098021		2.77	42.5	4.51	11.10	0.09	0.04	0.16	0.027	0.41	6.8	20.2	1.64	722	2.04
I098022		1.12	38.3	2.04	4.55	0.07	0.03	0.19	0.014	0.17	9.1	5.9	0.66	428	1.03
I098023		2.31	50.9	3.80	9.02	0.11	0.04	0.09	0.022	0.40	11.9	12.9	1.29	691	1.54
I098024		1.99	37.7	3.66	9.06	0.10	0.04	0.25	0.021	0.36	8.2	14.0	1.29	832	1.07
I098025		2.17	46.2	4.05	9.47	0.11	0.06	0.05	0.023	0.44	12.4	14.9	1.42	574	1.00
I098026		2.04	38.5	4.03	10.25	0.11	0.04	0.03	0.027	0.38	10.1	15.0	1.52	622	1.55
I098027		1.80	39.4	3.60	9.20	0.10	0.04	0.03	0.024	0.31	8.9	11.8	1.21	561	1.58
I098028		1.44	50.6	3.26	8.59	0.09	0.04	0.04	0.023	0.19	9.6	9.2	1.07	390	1.15
I098029		1.74	50.7	3.34	8.44	0.10	0.04	0.07	0.023	0.29	11.6	11.6	1.13	721	1.36
I098030		2.05	65.3	4.17	10.25	0.10	0.06	0.04	0.028	0.33	10.5	14.6	1.45	688	1.45
I098031		1.18	98.4	2.84	8.76	0.07	0.05	0.04	0.025	0.19	11.6	7.8	0.92	512	1.09
I098032		1.66	30.6	3.54	10.75	0.08	0.06	0.02	0.042	0.27	7.0	13.0	1.41	399	1.37
I098033		1.79	32.7	3.61	10.05	0.09	0.06	0.03	0.026	0.32	7.4	14.0	1.40	506	1.29
I098034		1.57	69.2	3.10	9.33	0.07	0.05	0.03	0.023	0.19	9.1	7.7	1.15	351	0.99
I098035		2.99	37.7	3.28	9.63	0.09	0.04	0.02	0.023	0.39	8.0	11.0	1.37	538	1.30
I098036		4.23	50.0	3.26	11.00	0.08	0.06	0.02	0.025	0.28	6.6	10.1	1.23	321	1.12
I098037		4.77	56.3	3.85	9.11	0.11	0.04	0.01	0.025	0.42	8.7	12.2	1.55	625	0.92
I098038		7.11	53.3	3.81	10.70	0.13	0.05	0.03	0.027	0.69	9.1	12.9	1.65	942	1.12
I098039		2.40	47.4	3.87	10.40	0.09	0.05	0.02	0.032	0.32	8.9	11.6	1.14	468	1.41
I098040		3.03	70.5	3.60	9.30	0.08	0.06	0.03	0.029	0.47	10.4	10.2	1.16	647	0.84
I098041		4.03	42.8	4.13	9.82	0.12	0.08	0.03	0.031	0.75	8.3	13.4	1.59	715	0.76
I098042		3.24	34.8	3.34	9.44	0.09	0.06	0.03	0.029	0.48	6.9	14.1	1.38	581	1.05
I098043		3.24	64.0	3.23	8.45	0.10	0.06	0.06	0.030	0.38	11.9	12.2	1.26	631	0.92
I098044		3.80	45.3	4.05	9.28	0.12	0.07	0.03	0.034	0.38	8.5	14.4	1.50	547	0.63
I098045		3.29	37.8	3.10	7.75	0.10	0.05	0.04	0.029	0.28	7.6	12.3	1.15	463	0.69
I098046		1.99	121.5	3.04	7.00	0.06	0.03	0.02	0.021	0.06	4.3	16.6	0.83	220	2.78
I098047		0.40	43.8	0.61	1.84	<0.05	<0.02	0.02	0.010	0.03	1.6	0.7	0.04	24	0.41
I098048		2.20	173.5	2.88	6.90	0.07	0.02	0.08	0.028	0.10	5.5	16.0	0.75	249	3.11
I098049		3.50	137.0	2.98	7.74	0.07	0.03	0.07	0.027	0.13	7.4	21.7	0.83	423	6.38
I098050		3.91	358	3.21	7.65	0.09	0.04	0.17	0.040	0.19	15.6	20.7	0.73	537	3.59
I098051		2.56	108.5	2.90	7.37	0.08	0.03	0.15	0.027	0.16	8.5	18.1	0.79	451	2.56
I098052		3.39	138.5	2.75	6.44	0.09	0.04	0.13	0.025	0.15	12.9	15.5	0.71	536	3.94
I098053		3.95	50.8	2.46	7.59	0.06	0.02	0.03	0.019	0.06	5.4	9.3	0.48	437	1.98
I098054		1.59	26.8	0.91	2.60	<0.05	<0.02	0.08	0.011	0.04	10.9	1.5	0.08	175	0.83
I098055		2.31	20.8	2.54	8.46	0.07	0.04	0.03	0.027	0.14	14.7	9.1	0.74	257	1.60
I098056		2.49	20.6	2.61	8.54	0.07	0.04	0.03	0.028	0.16	14.3	9.9	0.77	276	1.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I098017		0.92	21.0	910	7.1	25.3	0.001	0.16	0.80	4.8	1.5	0.3	49.3	<0.01	0.07	0.6
I098018		1.33	30.3	750	5.3	31.8	<0.001	0.11	0.38	5.6	1.1	0.4	40.3	<0.01	0.04	0.7
I098019		1.36	30.5	920	7.0	29.0	0.001	0.12	0.36	6.8	1.4	0.4	39.6	<0.01	0.05	0.6
I098020		0.24	4.6	120	1.5	2.0	<0.001	<0.01	0.11	0.7	<0.2	<0.2	6.5	<0.01	<0.01	1.8
I098021		1.82	48.6	620	11.0	35.5	<0.001	0.05	0.26	8.3	0.8	0.6	35.0	<0.01	0.05	1.4
I098022		1.21	26.7	660	8.2	16.5	<0.001	0.13	0.30	3.8	0.9	0.3	40.6	<0.01	0.04	0.6
I098023		2.38	42.8	670	14.2	41.7	<0.001	0.08	0.26	7.3	0.9	0.5	37.5	<0.01	0.05	1.7
I098024		2.14	38.2	580	11.1	39.8	<0.001	0.07	0.23	7.2	0.7	0.5	35.2	<0.01	0.04	1.8
I098025		2.25	42.0	380	11.7	40.6	<0.001	0.03	0.21	8.3	0.5	0.5	26.8	<0.01	0.04	3.4
I098026		2.38	40.6	510	12.2	39.9	<0.001	0.03	0.22	8.3	0.6	0.6	27.0	<0.01	0.05	2.4
I098027		2.13	33.1	560	11.8	35.5	<0.001	0.04	0.24	6.8	0.6	0.6	28.5	<0.01	0.05	1.6
I098028		2.16	35.8	500	10.7	24.6	<0.001	0.05	0.22	6.3	0.7	0.5	33.6	<0.01	0.04	1.4
I098029		1.80	37.2	670	8.0	32.2	<0.001	0.07	0.28	6.6	0.9	0.5	41.8	<0.01	0.04	1.0
I098030		2.04	43.7	430	9.7	32.0	<0.001	0.03	0.26	8.3	0.7	0.6	32.8	<0.01	0.05	1.8
I098031		1.52	35.1	350	9.7	22.9	<0.001	0.03	0.28	5.7	0.6	0.6	30.5	<0.01	0.04	1.8
I098032		1.82	35.3	250	7.5	30.3	<0.001	0.02	0.25	7.0	0.4	0.7	27.7	<0.01	0.04	1.8
I098033		1.80	35.7	340	8.1	31.4	<0.001	0.02	0.24	7.0	0.4	0.6	27.6	<0.01	0.04	2.0
I098034		1.72	35.5	380	7.3	26.7	<0.001	0.03	0.26	5.7	0.5	0.6	28.7	<0.01	0.04	1.7
I098035		1.90	36.4	520	5.1	35.2	<0.001	0.02	0.24	6.7	0.4	0.6	22.6	<0.01	0.03	1.9
I098036		1.51	33.9	410	5.3	29.2	<0.001	0.02	0.29	7.6	0.4	0.7	23.4	<0.01	0.03	1.7
I098037		1.28	35.8	510	4.3	31.5	<0.001	0.02	0.24	8.4	0.5	0.5	24.1	<0.01	0.02	2.1
I098038		1.58	39.5	530	4.6	45.7	<0.001	0.03	0.25	9.1	0.5	0.6	27.9	<0.01	0.02	1.7
I098039		1.68	33.6	310	6.4	24.1	<0.001	0.02	0.36	7.2	0.4	0.7	29.4	<0.01	0.02	1.7
I098040		1.52	35.3	550	5.3	28.1	<0.001	0.03	0.32	8.0	0.6	0.5	34.7	<0.01	0.03	1.7
I098041		1.34	31.0	430	4.2	34.9	<0.001	0.02	0.25	11.6	0.5	0.5	32.3	<0.01	0.02	2.1
I098042		1.30	31.7	330	4.8	33.3	<0.001	0.03	0.28	9.5	0.4	0.5	34.5	<0.01	0.02	1.4
I098043		1.15	33.9	570	4.9	30.8	0.001	0.06	0.38	10.2	0.9	0.4	48.5	<0.01	0.03	1.4
I098044		1.11	29.0	340	4.2	32.0	<0.001	0.02	0.24	12.6	0.5	0.5	27.4	<0.01	0.02	2.3
I098045		1.17	23.9	500	4.0	25.1	<0.001	0.05	0.26	8.7	0.6	0.5	41.4	<0.01	0.02	1.4
I098046		0.90	22.6	1350	4.1	8.2	<0.001	0.01	1.91	4.0	0.4	0.4	24.1	<0.01	0.03	0.8
I098047		0.10	2.1	220	2.1	1.6	<0.001	0.01	0.17	0.3	0.3	0.3	6.7	<0.01	0.01	<0.2
I098048		0.80	19.2	1430	4.7	12.1	0.001	0.04	1.54	3.1	0.7	0.5	37.2	<0.01	0.03	0.5
I098049		0.79	25.4	550	13.2	14.7	<0.001	0.03	10.55	6.0	0.6	0.5	41.2	<0.01	0.03	1.0
I098050		0.82	33.6	980	8.0	31.0	<0.001	0.09	9.20	7.8	1.4	0.7	54.0	<0.01	0.04	0.5
I098051		0.93	25.8	660	5.2	31.5	<0.001	0.03	0.59	6.3	0.6	0.7	32.0	<0.01	0.02	1.2
I098052		0.89	27.0	770	4.1	31.0	0.001	0.08	3.29	7.0	1.0	0.6	48.0	<0.01	0.02	0.9
I098053		1.20	12.8	280	4.6	15.0	<0.001	0.02	2.22	3.7	0.3	0.9	26.0	<0.01	0.02	1.0
I098054		0.46	5.8	470	4.7	10.6	<0.001	0.04	0.33	1.1	0.4	0.4	22.5	<0.01	0.02	0.2
I098055		1.89	29.7	290	7.4	27.0	<0.001	0.02	0.35	4.3	0.5	1.0	24.7	<0.01	0.04	2.6
I098056		1.98	31.5	290	7.6	30.8	<0.001	0.02	0.36	4.6	0.5	1.0	24.9	<0.01	0.04	2.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098017		0.072	0.16	0.74	65	0.06	9.25	84	1.7
I098018		0.108	0.20	0.71	78	0.09	10.50	85	1.7
I098019		0.101	0.21	1.10	81	0.10	14.05	115	1.4
I098020		0.007	0.03	0.36	4	<0.05	2.22	4	2.5
I098021		0.168	0.20	0.68	112	0.10	5.95	128	1.7
I098022		0.075	0.11	0.64	45	0.08	8.06	53	1.0
I098023		0.148	0.21	1.11	89	0.08	8.54	119	1.7
I098024		0.149	0.20	0.71	92	0.11	5.29	98	1.8
I098025		0.172	0.22	0.85	96	0.09	6.68	103	2.2
I098026		0.177	0.19	0.73	103	0.08	5.88	108	1.7
I098027		0.158	0.15	0.65	96	0.10	5.12	91	1.5
I098028		0.142	0.12	0.78	78	0.12	6.41	73	1.7
I098029		0.129	0.17	0.88	80	0.10	9.29	87	1.4
I098030		0.173	0.16	0.78	109	0.10	8.20	92	2.2
I098031		0.134	0.12	1.12	74	0.17	8.65	79	1.9
I098032		0.173	0.17	0.50	100	0.14	4.23	83	2.2
I098033		0.167	0.18	0.52	99	0.14	4.65	83	2.3
I098034		0.155	0.12	0.76	85	0.13	5.41	72	1.4
I098035		0.160	0.18	0.50	91	0.18	5.07	75	1.4
I098036		0.145	0.22	0.38	92	0.15	4.44	66	2.0
I098037		0.151	0.30	0.49	109	0.13	7.16	79	1.5
I098038		0.171	0.26	0.47	111	0.13	7.11	114	1.7
I098039		0.151	0.13	0.51	101	0.15	6.72	64	1.8
I098040		0.143	0.15	0.56	98	0.14	10.10	67	2.2
I098041		0.160	0.20	0.45	122	0.14	8.28	79	2.4
I098042		0.151	0.15	0.47	100	0.13	6.95	72	2.2
I098043		0.119	0.15	0.76	93	0.20	11.25	67	2.2
I098044		0.140	0.19	0.51	126	0.25	8.93	79	2.5
I098045		0.118	0.17	0.57	92	0.17	6.15	73	1.8
I098046		0.121	0.10	0.25	88	6.06	3.09	40	0.8
I098047		0.022	0.04	0.20	19	4.55	0.62	28	<0.5
I098048		0.106	0.14	0.36	66	66.2	3.37	56	0.5
I098049		0.124	0.24	0.55	73	6.14	7.77	66	0.8
I098050		0.086	0.32	1.26	68	6.37	22.3	83	0.8
I098051		0.123	0.23	1.12	80	7.78	7.97	77	1.0
I098052		0.097	0.30	4.26	67	1.85	19.85	70	1.1
I098053		0.106	0.15	1.35	75	13.45	4.99	67	0.6
I098054		0.031	0.08	3.36	23	4.18	7.08	25	<0.5
I098055		0.129	0.22	0.82	67	0.35	6.80	92	1.3
I098056		0.133	0.23	0.79	69	0.29	6.88	98	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098057		0.26	<0.005	0.29	2.03	17.8	<0.2	<10	220	0.29	0.66	0.33	1.48	24.7	12.6	67
I098058		0.32	0.005	0.50	2.24	17.6	<0.2	<10	260	0.34	0.69	0.39	0.77	35.2	25.4	78
I098059		0.38	<0.005	0.44	1.85	14.2	<0.2	<10	220	0.28	0.52	0.36	0.56	31.9	9.7	59
I098060		0.36	<0.005	0.11	1.68	7.5	<0.2	<10	80	0.22	0.24	0.33	0.11	21.4	21.0	38
I098061		0.36	<0.005	0.06	1.28	2.7	<0.2	<10	60	0.15	0.19	0.31	0.08	16.00	8.8	30
I098062		0.36	<0.005	0.07	1.30	3.0	<0.2	<10	60	0.14	0.21	0.30	0.09	16.00	6.9	30
I098063		5.00	<0.005	0.09	1.29	3.5	<0.2	<10	80	0.19	0.19	0.35	0.13	19.90	5.9	26
I098064		0.22	<0.005	0.15	1.29	3.6	<0.2	<10	100	0.28	0.21	0.40	0.18	28.9	7.2	26
I098065		0.30	<0.005	0.14	1.46	4.5	<0.2	<10	100	0.27	0.38	0.49	0.16	32.8	8.2	28
I098066		0.20	0.009	0.25	0.83	2.2	<0.2	<10	150	0.46	0.10	1.77	0.84	106.5	8.8	9
I098067		0.24	<0.005	0.38	0.69	2.2	<0.2	<10	120	0.14	0.16	0.87	0.36	19.85	3.5	15
I098068		0.34	<0.005	0.07	1.60	3.9	<0.2	<10	90	0.23	0.14	0.33	0.11	20.1	7.3	53
I098069		0.30	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.09	0.02	0.08	0.04	9.39	2.2	29
I098070		0.36	<0.005	0.05	1.48	5.3	<0.2	<10	80	0.19	0.11	0.37	0.09	22.8	10.1	64
I098071		0.44	<0.005	0.09	1.72	4.7	<0.2	<10	100	0.22	0.10	0.36	0.09	23.7	11.9	84
I098072		0.44	<0.005	0.11	2.23	8.8	<0.2	<10	150	0.50	0.14	0.60	0.11	43.2	25.7	120
I098073		0.46	<0.005	0.08	1.56	4.5	<0.2	<10	100	0.26	0.10	0.44	0.13	28.6	11.7	57
I098074		0.32	<0.005	0.07	1.46	4.1	<0.2	<10	90	0.22	0.10	0.40	0.11	22.8	7.6	51
I098075		0.36	0.025	0.08	1.27	4.5	<0.2	<10	80	0.19	0.11	0.33	0.10	18.20	7.8	40
I098076		0.42	0.006	0.06	1.61	6.8	<0.2	<10	80	0.26	0.13	0.31	0.08	19.95	8.2	42
I098077		0.40	<0.005	0.05	0.88	6.9	<0.2	<10	40	0.12	0.20	0.05	0.06	14.45	3.3	11
I098078		0.52	<0.005	0.15	3.10	9.0	<0.2	<10	220	0.60	0.31	0.27	0.08	23.2	14.2	35
I098079		0.40	0.005	0.15	1.62	8.2	<0.2	<10	130	0.26	0.18	0.16	0.07	15.05	6.7	25
I098080		0.38	<0.005	0.05	2.13	5.9	<0.2	<10	150	0.28	0.26	0.24	0.09	13.60	9.1	22
I098081		0.44	<0.005	0.04	2.66	8.3	<0.2	<10	190	0.38	0.16	0.24	0.08	16.25	13.4	32
I098082		0.38	<0.005	0.17	1.83	8.0	<0.2	<10	200	0.34	0.18	0.21	0.11	13.05	8.8	28
I098083		0.40	<0.005	0.23	2.49	10.9	<0.2	<10	240	0.48	0.20	0.26	0.12	16.50	13.9	38
I098084		0.36	<0.005	0.09	1.69	10.2	<0.2	<10	140	0.25	0.20	0.15	0.08	13.90	8.9	27
I098085		0.26	<0.005	0.73	2.01	10.8	<0.2	<10	150	0.42	0.16	0.14	0.13	11.80	10.6	32
I098086		0.44	<0.005	0.12	1.51	4.7	<0.2	<10	190	0.17	0.15	0.29	0.05	13.20	7.0	20
I098087		0.34	0.005	0.08	1.55	5.5	<0.2	<10	190	0.43	0.12	0.27	0.18	25.9	7.3	20
I098088		0.44	<0.005	0.04	2.04	6.1	<0.2	<10	210	0.28	0.15	0.19	0.15	14.05	8.4	28
I098089		0.26	<0.005	0.15	2.41	11.5	<0.2	<10	190	0.36	0.16	0.22	0.13	16.00	12.0	33
I098090		0.38	<0.005	0.20	2.38	10.4	<0.2	<10	260	0.33	0.18	0.28	0.14	12.85	12.6	31
I098091		0.32	<0.005	0.10	2.24	14.0	<0.2	<10	120	0.23	0.19	0.15	0.13	11.50	9.8	36
I098092		0.26	<0.005	0.06	1.10	2.6	<0.2	<10	140	0.21	0.12	0.21	0.09	16.15	3.0	12
I098093		0.48	<0.005	0.03	1.88	6.8	<0.2	<10	200	0.42	0.11	0.45	0.07	33.8	11.9	36
I098094		0.32	<0.005	0.06	4.06	12.8	<0.2	<10	240	0.47	0.13	0.21	0.19	15.45	17.8	27
I098095		0.40	<0.005	0.05	1.70	4.9	<0.2	<10	210	0.28	0.12	0.27	0.08	15.50	10.5	28
I098096		0.42	<0.005	0.01	0.13	3.4	<0.2	<10	30	0.09	0.06	0.09	0.04	10.45	2.2	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098057		2.36	29.2	3.03	8.88	0.08	0.03	0.03	0.033	0.16	14.0	11.5	0.87	324	1.96
I098058		2.53	27.0	3.19	8.94	0.10	0.03	0.08	0.035	0.17	20.1	13.0	0.95	990	1.82
I098059		2.11	20.4	2.45	7.24	0.07	0.03	0.11	0.024	0.13	18.3	10.6	0.75	262	1.19
I098060		1.80	12.8	2.85	6.67	0.07	0.02	0.03	0.019	0.08	11.2	14.2	0.68	835	0.92
I098061		1.17	9.8	1.81	5.95	0.05	0.02	0.03	0.013	0.05	8.7	8.5	0.51	204	0.57
I098062		1.05	10.0	1.95	5.43	0.05	0.02	0.03	0.015	0.06	8.4	9.4	0.51	162	0.55
I098063		1.01	13.0	1.88	5.40	0.06	0.02	0.04	0.016	0.05	10.5	8.0	0.41	131	0.50
I098064		1.21	18.1	1.95	4.90	0.07	0.02	0.06	0.034	0.06	16.4	7.1	0.37	177	0.63
I098065		1.13	20.7	2.11	5.57	0.08	0.03	0.05	0.019	0.07	19.5	9.1	0.44	152	0.80
I098066		0.38	48.2	0.87	2.21	0.17	0.05	0.12	0.013	0.04	78.7	2.4	0.16	171	0.50
I098067		0.89	14.6	0.95	2.67	0.05	<0.02	0.15	0.009	0.06	12.5	3.7	0.22	294	0.90
I098068		1.21	13.5	1.77	6.47	0.05	0.02	0.05	0.019	0.06	10.5	11.1	0.61	188	0.39
I098069		0.08	2.0	0.59	0.64	<0.05	0.05	<0.01	<0.005	0.04	4.7	1.4	0.04	143	0.40
I098070		1.20	11.1	2.15	5.99	0.07	0.03	0.03	0.016	0.13	11.7	10.6	0.72	332	0.68
I098071		1.36	13.5	2.23	6.28	0.07	0.03	0.02	0.019	0.13	12.2	12.0	0.79	313	0.66
I098072		3.54	19.7	3.33	7.41	0.10	0.05	0.03	0.026	0.24	22.6	14.7	1.00	1660	1.33
I098073		1.30	14.5	2.04	5.66	0.07	0.03	0.03	0.018	0.07	15.1	11.6	0.61	456	0.62
I098074		1.58	11.3	1.83	5.71	0.06	0.02	0.03	0.017	0.07	11.9	10.2	0.60	184	0.52
I098075		1.51	10.7	1.69	5.40	0.06	<0.02	0.03	0.016	0.06	9.5	8.2	0.49	262	0.64
I098076		1.22	13.4	2.21	6.01	0.06	0.03	0.04	0.022	0.07	10.1	13.3	0.62	175	0.46
I098077		0.83	7.5	2.03	6.96	<0.05	<0.02	0.01	0.011	0.04	6.2	3.8	0.15	124	1.06
I098078		1.38	24.9	3.34	7.40	0.06	0.20	0.04	0.036	0.04	11.0	17.1	0.59	350	1.21
I098079		0.97	14.7	2.82	8.16	0.05	0.05	0.01	0.022	0.04	7.7	11.2	0.34	151	1.54
I098080		2.05	11.9	3.04	8.31	0.06	0.03	0.01	0.025	0.11	6.6	18.4	0.63	352	0.99
I098081		1.10	21.5	3.21	7.04	0.07	0.15	0.01	0.046	0.08	8.0	19.5	0.70	306	0.78
I098082		0.93	13.8	3.23	8.92	0.06	0.06	0.01	0.023	0.03	6.6	11.5	0.40	278	1.52
I098083		1.32	17.1	4.27	9.91	0.07	0.13	0.01	0.032	0.04	8.4	16.6	0.55	443	1.85
I098084		1.01	13.0	3.21	9.40	0.05	0.06	0.01	0.022	0.04	7.0	12.7	0.39	342	1.54
I098085		0.94	16.3	3.38	7.60	0.05	0.06	0.02	0.029	0.04	6.1	12.7	0.45	233	1.40
I098086		0.68	10.6	2.24	6.01	0.05	0.07	<0.01	0.018	0.05	7.7	12.9	0.49	353	0.90
I098087		1.14	13.2	2.11	5.70	0.05	<0.02	0.02	0.024	0.07	12.7	10.4	0.31	409	0.90
I098088		0.81	12.7	3.21	8.22	0.06	0.03	<0.01	0.022	0.04	6.9	14.6	0.51	556	1.12
I098089		1.05	19.1	3.63	8.39	0.06	0.14	0.02	0.030	0.06	8.0	16.7	0.52	292	1.63
I098090		1.25	16.6	3.70	8.96	0.06	0.06	0.02	0.027	0.10	6.6	17.6	0.61	525	1.50
I098091		1.16	15.5	4.64	10.90	0.06	0.06	0.02	0.028	0.06	5.9	17.3	0.57	315	1.94
I098092		1.06	14.2	1.33	5.72	<0.05	<0.02	0.03	0.015	0.07	8.1	4.5	0.17	137	0.68
I098093		0.61	25.5	2.78	5.68	0.08	0.11	0.02	0.024	0.06	16.4	13.6	0.64	389	0.47
I098094		4.58	19.0	5.85	14.65	0.11	0.07	0.03	0.039	0.40	6.5	44.7	1.06	950	1.38
I098095		0.46	12.3	2.55	5.65	0.05	0.03	0.01	0.021	0.07	7.2	11.4	0.48	512	0.85
I098096		0.08	2.1	0.60	0.64	<0.05	0.05	<0.01	<0.005	0.04	5.3	1.4	0.04	147	0.39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I098057		1.79	37.4	390	9.1	28.8	<0.001	0.03	0.46	4.9	0.6	1.1	23.4	<0.01	0.04	2.2
I098058		1.59	40.1	620	10.3	32.4	<0.001	0.05	0.38	4.7	0.8	0.9	26.8	<0.01	0.03	1.9
I098059		1.37	29.8	540	9.3	27.1	<0.001	0.05	0.31	4.0	0.7	0.8	24.9	<0.01	0.03	1.5
I098060		1.58	24.0	510	9.6	17.8	<0.001	0.03	0.16	3.4	0.4	0.5	21.8	<0.01	0.02	1.9
I098061		1.22	17.2	350	6.3	10.9	<0.001	0.04	0.13	2.6	0.4	0.5	19.0	<0.01	0.02	0.8
I098062		1.26	18.0	400	5.5	9.9	<0.001	0.03	0.13	2.9	0.4	0.4	18.6	<0.01	0.03	1.2
I098063		1.27	18.1	480	6.0	12.2	<0.001	0.04	0.18	3.0	0.5	0.4	21.3	<0.01	0.01	1.0
I098064		1.21	19.8	660	5.6	13.1	<0.001	0.08	0.19	2.6	0.8	0.4	24.3	<0.01	0.02	0.7
I098065		1.39	24.5	540	6.4	12.5	<0.001	0.06	0.20	3.1	0.7	0.4	29.0	<0.01	0.02	1.1
I098066		0.46	38.5	860	3.3	4.3	<0.001	0.20	0.41	1.9	1.7	<0.2	79.8	0.01	0.02	0.4
I098067		0.67	13.2	650	3.7	6.3	<0.001	0.10	0.22	1.9	0.8	0.3	44.3	<0.01	0.02	0.3
I098068		1.48	21.6	480	7.5	18.9	<0.001	0.03	0.24	3.3	0.5	0.6	24.6	<0.01	0.01	1.4
I098069		0.15	4.5	110	1.4	2.1	<0.001	<0.01	0.11	0.6	<0.2	<0.2	6.8	<0.01	<0.01	1.4
I098070		1.61	25.9	580	6.2	19.2	<0.001	0.02	0.18	3.5	0.4	0.5	24.8	<0.01	0.02	2.2
I098071		1.76	32.4	560	6.7	22.6	<0.001	0.02	0.22	4.0	0.4	0.6	26.1	<0.01	0.01	2.0
I098072		2.03	45.7	650	8.7	35.1	<0.001	0.03	0.23	5.9	0.6	0.7	40.7	<0.01	0.02	4.5
I098073		1.47	24.6	530	6.4	21.3	<0.001	0.03	0.22	3.8	0.5	0.5	29.1	<0.01	0.01	1.9
I098074		1.44	21.6	490	6.4	20.3	<0.001	0.03	0.19	3.4	0.5	0.5	26.4	<0.01	0.01	1.4
I098075		1.21	17.2	540	6.0	17.7	<0.001	0.04	0.22	2.8	0.5	0.5	23.5	<0.01	0.01	0.7
I098076		1.51	20.3	560	6.6	13.7	<0.001	0.03	0.22	3.8	0.4	0.6	21.4	<0.01	0.01	1.5
I098077		1.03	5.9	270	6.1	5.7	<0.001	<0.01	0.40	1.9	0.2	0.5	6.4	<0.01	0.02	1.8
I098078		1.56	26.3	310	8.2	8.6	<0.001	<0.01	0.50	6.4	0.5	0.6	21.4	0.01	0.02	6.8
I098079		1.66	13.8	200	9.2	8.2	<0.001	<0.01	0.35	3.1	0.3	0.7	17.7	<0.01	0.02	1.8
I098080		1.90	15.4	490	8.8	16.2	<0.001	<0.01	0.35	5.1	0.3	0.8	19.6	<0.01	0.01	3.1
I098081		2.45	27.2	260	7.3	11.5	<0.001	<0.01	0.36	5.3	0.4	0.6	20.8	0.01	0.02	4.5
I098082		1.62	16.9	260	9.8	9.5	<0.001	<0.01	0.45	3.1	0.2	0.7	18.4	<0.01	0.02	1.6
I098083		1.60	23.8	300	10.9	12.3	<0.001	<0.01	0.52	4.1	0.2	0.8	23.8	<0.01	0.02	2.2
I098084		1.75	14.7	390	10.4	9.7	<0.001	<0.01	0.41	3.0	0.3	0.7	15.3	<0.01	0.03	1.7
I098085		1.64	22.5	310	14.4	8.8	<0.001	<0.01	0.52	2.9	0.3	0.6	14.4	<0.01	0.02	2.1
I098086		1.39	12.9	220	8.4	8.1	<0.001	<0.01	0.28	3.9	0.2	0.6	24.7	<0.01	0.01	2.7
I098087		0.95	13.1	660	9.3	9.6	<0.001	0.01	0.26	2.6	0.3	0.5	23.2	<0.01	0.01	1.0
I098088		1.76	17.7	290	9.5	8.2	<0.001	<0.01	0.43	3.5	0.2	0.8	16.3	<0.01	0.02	1.7
I098089		2.11	24.3	340	9.2	11.0	<0.001	<0.01	0.49	3.7	0.3	0.7	22.2	<0.01	0.03	3.0
I098090		2.23	21.6	560	9.4	19.4	<0.001	0.01	0.45	4.0	0.3	0.8	25.5	<0.01	0.02	2.1
I098091		2.73	19.7	700	10.2	13.4	<0.001	0.02	0.57	3.4	0.3	0.8	14.6	<0.01	0.03	1.6
I098092		0.86	4.3	450	7.0	13.6	<0.001	0.01	0.21	1.9	0.3	0.7	19.8	<0.01	<0.01	0.3
I098093		1.16	25.2	610	5.4	5.7	<0.001	<0.01	0.30	6.3	0.5	0.5	33.1	<0.01	0.01	3.6
I098094		6.68	18.0	1190	10.0	61.8	<0.001	0.01	0.38	6.6	0.5	1.6	17.8	0.01	0.04	3.8
I098095		1.42	17.7	240	5.9	5.6	<0.001	<0.01	0.31	3.4	0.2	0.6	24.5	<0.01	0.01	1.5
I098096		0.14	4.3	130	1.8	1.9	<0.001	<0.01	0.16	0.6	<0.2	<0.2	6.8	<0.01	<0.01	1.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098057		0.123	0.24	1.24	81	0.43	6.00	118
I098058		0.116	0.24	1.67	77	0.33	8.06	100
I098059		0.098	0.21	1.54	58	0.29	7.59	83
I098060		0.103	0.14	0.64	70	0.15	4.38	65
I098061		0.078	0.10	0.47	41	0.10	3.28	47
I098062		0.080	0.09	0.51	42	0.12	3.67	46
I098063		0.078	0.10	0.64	36	0.10	4.96	44
I098064		0.068	0.11	0.97	34	0.32	7.57	41
I098065		0.077	0.10	0.86	41	0.13	8.48	48
I098066		0.022	0.06	1.90	10	0.08	37.0	26
I098067		0.036	0.09	0.66	19	0.08	6.91	30
I098068		0.107	0.14	0.83	40	0.15	3.92	49
I098069		0.007	0.03	0.27	4	<0.05	1.91	4
I098070		0.125	0.12	0.60	68	0.21	4.01	47
I098071		0.136	0.15	0.80	59	0.16	4.34	55
I098072		0.140	0.35	1.49	79	0.23	7.56	58
I098073		0.105	0.13	1.07	48	0.18	5.97	51
I098074		0.105	0.13	0.77	38	0.21	4.36	49
I098075		0.089	0.11	0.69	38	0.15	3.55	44
I098076		0.110	0.11	0.76	59	0.18	4.48	52
I098077		0.075	0.07	0.33	65	0.11	1.67	24
I098078		0.108	0.13	1.04	72	0.14	5.33	51
I098079		0.107	0.11	0.42	77	0.12	2.93	32
I098080		0.110	0.14	0.45	72	0.11	4.18	53
I098081		0.154	0.12	0.57	74	0.18	4.09	49
I098082		0.113	0.11	0.33	85	0.14	2.40	43
I098083		0.125	0.13	0.45	96	0.10	3.17	58
I098084		0.118	0.11	0.40	86	0.11	2.53	40
I098085		0.101	0.08	0.37	77	0.11	2.09	46
I098086		0.107	0.10	0.39	62	0.13	3.34	38
I098087		0.055	0.07	0.54	48	0.13	4.88	41
I098088		0.128	0.10	0.42	83	0.16	3.06	63
I098089		0.125	0.11	0.50	86	0.12	3.08	45
I098090		0.144	0.14	0.38	89	0.15	2.72	67
I098091		0.152	0.11	0.34	110	0.28	2.05	60
I098092		0.062	0.09	0.43	35	0.09	3.15	19
I098093		0.126	0.06	0.83	68	0.15	11.00	46
I098094		0.343	0.49	0.46	138	0.24	4.07	116
I098095		0.109	0.08	0.34	65	0.09	2.79	43
I098096		0.009	0.03	0.29	5	<0.05	2.04	6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098097		0.34	0.009	0.11	2.22	12.5	<0.2	<10	220	0.43	0.17	0.49	0.13	16.45	10.5	39
I098098		0.38	0.006	0.16	1.30	11.5	<0.2	<10	210	0.23	0.10	0.29	0.06	14.45	7.0	16
I098099		0.38	<0.005	0.11	2.09	7.7	<0.2	<10	260	0.30	0.14	0.30	0.12	14.80	9.5	32
I098100		0.36	<0.005	0.21	1.75	4.6	<0.2	<10	500	0.33	0.13	0.45	0.35	16.05	11.6	27
I098101		0.34	0.007	0.37	2.63	5.7	<0.2	<10	890	0.42	0.15	0.62	0.63	32.1	23.8	85
I098102		0.40	0.010	0.23	2.53	6.8	<0.2	<10	550	0.29	0.13	0.78	0.28	16.30	20.3	59
I098103		0.40	0.022	0.54	1.77	20.3	<0.2	<10	1070	0.47	0.15	1.55	1.17	20.9	21.2	61
I098104		0.24	0.008	0.22	2.16	5.4	<0.2	<10	430	0.30	0.20	0.53	0.32	18.80	14.3	37
I098105		0.32	0.006	0.28	2.37	4.5	<0.2	<10	430	0.37	0.16	0.47	0.33	18.35	31.1	43
I098106		0.20	0.022	0.25	1.44	3.7	<0.2	<10	270	0.25	0.13	0.34	0.27	15.95	9.9	30
I098107		0.38	<0.005	0.02	0.13	2.0	<0.2	<10	30	0.11	0.02	0.09	0.04	10.90	2.3	26
I098108		0.26	0.008	0.23	1.58	4.8	<0.2	<10	250	0.17	0.18	0.28	0.13	11.80	7.7	43
I098109		0.30	<0.005	0.11	1.43	4.4	<0.2	<10	200	0.17	0.13	0.31	0.13	13.35	6.4	29
I098110		0.26	0.007	0.10	1.12	3.5	<0.2	<10	110	0.12	0.12	0.26	0.09	11.35	4.3	23
I098111		0.20	0.015	0.22	1.14	6.8	<0.2	<10	130	0.22	0.17	0.27	0.20	17.35	4.8	26
I098112		0.28	0.016	0.20	1.18	8.5	<0.2	<10	120	0.20	0.14	0.39	0.16	17.30	5.2	30
I098113		0.16	NSS	0.18	1.00	5.7	<0.2	<10	120	0.28	0.11	0.46	0.13	24.2	5.0	23
I098114		0.26	0.007	0.10	1.43	4.7	<0.2	<10	90	0.23	0.12	0.27	0.10	22.4	6.6	31
I098115		0.36	0.007	0.10	1.33	6.8	<0.2	<10	80	0.21	0.15	0.31	0.10	17.95	5.5	31
I098116		0.30	0.008	0.09	1.54	5.5	<0.2	<10	90	0.23	0.16	0.28	0.10	17.10	7.3	34
I098117		0.24	0.017	0.07	1.29	4.0	<0.2	<10	90	0.20	0.11	0.31	0.11	17.90	5.7	28
I098118		0.58	<0.005	0.10	1.59	5.0	<0.2	<10	110	0.31	0.20	0.52	0.14	24.1	16.3	38
I098119		0.32	0.009	0.21	1.51	11.0	<0.2	<10	260	0.38	0.19	1.02	0.52	27.7	12.3	36
I098120		0.30	0.009	0.17	1.71	7.9	<0.2	<10	220	0.40	0.21	2.24	0.26	26.9	14.1	46
I098121		0.36	<0.005	0.23	1.49	10.2	<0.2	<10	270	0.47	0.26	1.89	0.39	26.6	11.2	37
I098122		0.50	0.010	0.30	1.93	10.3	<0.2	<10	270	0.52	0.38	1.49	0.56	38.8	12.7	50
I098123		0.38	0.012	0.47	1.58	17.4	<0.2	<10	300	0.42	0.24	0.59	1.00	34.6	15.9	38
I098124		0.48	0.012	0.32	1.92	19.4	<0.2	<10	490	0.56	0.28	0.59	0.59	46.1	13.9	54
I098125		0.24	0.010	0.35	1.87	10.8	<0.2	<10	230	0.63	0.39	0.86	0.48	49.1	15.4	89
I098126		0.34	0.012	0.18	1.47	17.0	<0.2	<10	300	0.40	0.17	1.50	0.34	50.2	12.3	36
I098127		0.38	0.008	0.05	2.67	10.4	<0.2	<10	230	0.34	0.14	0.42	0.15	33.1	20.6	83
I098128		0.24	0.006	0.07	2.14	10.6	<0.2	<10	170	0.27	0.11	0.32	0.13	31.0	17.6	69
I098129		0.52	0.008	0.20	2.95	12.7	<0.2	<10	320	0.91	0.30	0.84	0.13	59.0	24.3	113
I098130		0.30	0.011	0.10	1.95	7.6	<0.2	<10	210	0.36	0.17	1.35	0.14	23.8	15.4	62
I098131		0.40	0.007	0.36	2.40	13.1	<0.2	<10	230	0.61	0.30	0.34	0.60	21.3	12.0	47
I098132		0.40	0.015	1.01	2.66	14.4	<0.2	<10	450	1.01	0.32	0.60	0.33	97.2	14.3	52
I098133		0.26	0.006	0.53	0.84	8.0	<0.2	<10	220	0.23	0.24	0.13	0.70	16.95	3.9	17
I098134		0.52	0.017	0.33	2.34	72.6	<0.2	<10	260	0.51	0.30	0.20	1.57	22.8	11.9	41
I098135		0.36	0.009	0.18	2.33	17.6	<0.2	<10	340	0.50	0.19	0.48	0.38	36.8	14.6	60
I098136		0.56	0.008	0.29	2.84	13.4	<0.2	<10	260	0.94	0.35	1.25	0.39	53.5	19.7	83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098097		1.20	16.7	3.28	6.64	0.06	0.07	0.02	0.028	0.16	7.3	12.2	0.61	471	1.02
I098098		0.76	9.9	1.81	4.97	<0.05	<0.02	0.03	0.017	0.07	6.9	7.9	0.27	411	0.96
I098099		0.86	15.9	2.94	6.61	0.06	0.07	0.01	0.025	0.07	7.5	13.7	0.55	303	1.04
I098100		0.80	20.0	2.53	5.76	0.06	<0.02	0.01	0.023	0.06	7.2	7.6	0.37	2240	0.81
I098101		1.07	55.7	3.31	9.25	0.10	0.02	0.03	0.030	0.17	16.3	15.0	1.34	571	2.73
I098102		0.69	55.6	3.27	7.83	0.07	0.03	0.03	0.025	0.09	8.5	14.1	1.11	428	2.15
I098103		0.73	92.7	2.51	6.27	0.07	0.04	0.06	0.029	0.06	10.1	8.2	0.73	762	2.43
I098104		0.87	34.8	2.97	7.74	0.05	0.05	0.08	0.025	0.06	9.7	12.5	0.75	364	1.61
I098105		1.57	67.8	3.15	6.64	0.05	0.02	0.05	0.023	0.07	8.2	13.1	1.07	900	1.55
I098106		0.79	43.1	2.00	4.80	0.05	<0.02	0.10	0.017	0.05	7.5	5.7	0.54	308	1.17
I098107		0.09	2.5	0.62	0.60	<0.05	0.07	<0.01	<0.005	0.04	5.2	1.3	0.04	153	0.44
I098108		0.88	25.4	2.34	6.32	0.06	<0.02	0.05	0.018	0.06	5.8	6.3	0.77	247	1.77
I098109		0.69	21.1	2.17	5.04	0.05	0.02	0.06	0.017	0.04	6.4	6.7	0.52	154	0.87
I098110		0.69	15.1	1.68	4.54	0.05	<0.02	0.04	0.012	0.04	5.5	4.8	0.41	111	0.67
I098111		0.97	19.0	1.79	4.67	0.05	<0.02	0.04	0.014	0.05	8.5	5.2	0.42	150	0.83
I098112		1.22	16.0	1.83	5.04	0.06	0.02	0.06	0.015	0.08	9.4	5.4	0.43	138	0.71
I098113		1.02	19.1	2.11	3.47	0.07	<0.02	0.09	0.012	0.06	12.9	3.8	0.29	126	0.86
I098114		1.38	16.5	2.08	5.64	0.06	0.02	0.06	0.017	0.09	11.2	7.7	0.46	138	0.46
I098115		1.29	14.5	1.94	5.53	0.06	0.02	0.06	0.017	0.08	8.7	6.8	0.42	130	0.53
I098116		1.31	13.2	2.33	6.42	0.06	0.02	0.04	0.017	0.09	8.4	10.1	0.55	155	0.71
I098117		1.09	12.7	1.90	4.93	0.06	0.02	0.03	0.015	0.06	8.8	7.2	0.44	137	0.47
I098118		1.77	15.1	2.76	6.02	0.07	0.02	0.05	0.021	0.10	11.3	14.2	0.60	506	0.75
I098119		0.98	30.7	2.54	4.85	0.07	0.05	0.08	0.024	0.11	12.5	11.1	0.64	556	1.81
I098120		2.00	36.1	2.55	5.37	0.08	0.05	0.05	0.020	0.22	11.8	15.5	0.86	445	0.68
I098121		1.27	41.5	2.31	4.80	0.07	0.07	0.08	0.023	0.13	12.5	12.6	0.75	437	0.96
I098122		2.32	50.1	2.81	6.20	0.10	0.09	0.13	0.026	0.24	18.6	17.8	1.14	467	1.00
I098123		1.31	39.3	2.86	5.46	0.09	0.03	0.26	0.029	0.10	16.5	10.8	0.56	676	2.54
I098124		1.53	38.8	3.13	6.74	0.09	0.04	0.07	0.033	0.13	24.3	12.6	0.75	353	2.94
I098125		2.04	33.7	2.80	6.29	0.11	0.05	0.09	0.032	0.15	25.2	12.5	0.78	638	4.65
I098126		1.40	25.8	2.60	5.07	0.09	0.05	0.07	0.024	0.16	27.0	9.5	0.55	786	1.70
I098127		1.67	35.8	4.41	8.06	0.10	0.05	0.01	0.032	0.27	15.0	13.3	1.24	457	1.61
I098128		1.65	32.7	3.87	7.44	0.10	0.04	0.03	0.028	0.27	26.1	11.6	1.00	425	1.46
I098129		7.45	77.8	5.61	8.68	0.22	0.13	0.35	0.037	0.95	55.2	18.0	1.78	804	1.52
I098130		1.61	37.1	2.60	5.94	0.08	0.08	0.07	0.024	0.14	12.5	12.6	0.79	525	1.05
I098131		1.09	29.3	3.40	7.86	0.06	0.05	0.03	0.034	0.14	9.3	16.4	0.74	335	2.01
I098132		1.77	56.4	3.59	8.77	0.15	0.08	0.21	0.039	0.11	46.5	14.9	0.64	480	2.48
I098133		0.94	20.5	1.77	5.57	<0.05	0.02	0.04	0.036	0.07	8.3	3.5	0.18	125	2.75
I098134		1.20	46.2	3.43	7.93	0.07	0.03	0.13	0.041	0.07	11.7	15.1	0.49	494	3.18
I098135		1.49	48.1	3.53	8.07	0.09	0.06	0.08	0.035	0.15	15.9	17.3	0.94	423	1.92
I098136		3.25	51.0	4.40	9.99	0.13	0.07	0.09	0.042	0.38	22.9	27.1	1.61	792	1.24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098097		1.81	22.4	300	7.3	20.1	<0.001	<0.01	0.66	4.7	0.3	0.7	36.4	<0.01	0.01
I098098		1.02	9.8	250	6.0	8.6	<0.001	<0.01	0.24	2.5	0.2	0.4	22.7	<0.01	0.01
I098099		1.49	20.4	390	7.6	12.3	<0.001	<0.01	0.32	3.5	0.2	0.6	27.7	<0.01	0.01
I098100		1.06	19.3	800	11.4	7.9	<0.001	0.01	0.35	3.3	0.3	0.5	37.9	<0.01	0.02
I098101		1.53	58.5	740	5.7	20.6	0.001	0.05	0.27	6.6	1.8	0.6	27.4	<0.01	0.06
I098102		1.34	37.8	430	4.8	12.5	0.001	0.03	0.28	6.1	1.0	0.5	36.9	<0.01	0.04
I098103		1.32	52.3	720	5.1	9.3	0.003	0.09	0.35	6.3	2.7	0.4	37.7	<0.01	0.04
I098104		1.79	22.6	290	6.6	10.6	<0.001	0.03	0.25	6.4	1.1	0.5	24.2	<0.01	0.08
I098105		1.14	33.4	680	4.5	14.2	<0.001	0.05	0.27	6.0	1.1	0.4	25.4	<0.01	0.05
I098106		0.87	19.6	780	4.9	8.4	<0.001	0.07	0.21	3.3	1.3	0.4	19.9	<0.01	0.05
I098107		0.17	4.7	130	1.5	2.0	<0.001	<0.01	0.12	0.7	<0.2	<0.2	7.3	<0.01	<0.01
I098108		0.98	20.3	680	5.6	9.0	<0.001	0.07	0.25	3.0	1.1	0.4	17.8	<0.01	0.05
I098109		1.14	16.9	510	5.3	7.0	<0.001	0.06	0.20	3.3	0.8	0.4	20.5	<0.01	0.02
I098110		0.94	11.9	410	4.5	6.9	<0.001	0.05	0.16	2.5	0.8	0.4	17.9	<0.01	0.02
I098111		0.95	16.1	520	5.7	9.6	<0.001	0.06	0.17	2.7	1.1	0.4	18.3	<0.01	0.03
I098112		1.26	16.1	600	5.4	14.8	<0.001	0.08	0.16	2.9	1.1	0.5	21.7	<0.01	0.03
I098113		1.09	14.4	750	5.7	12.6	<0.001	0.12	0.18	2.2	1.2	0.4	23.0	<0.01	0.03
I098114		1.56	20.8	590	6.1	18.8	<0.001	0.07	0.19	3.2	0.8	0.6	20.0	<0.01	0.02
I098115		1.46	17.7	610	7.6	16.2	<0.001	0.08	0.17	2.6	0.8	0.5	21.0	<0.01	0.02
I098116		1.67	19.6	590	7.2	18.3	<0.001	0.05	0.19	3.3	0.7	0.5	19.6	<0.01	0.03
I098117		1.39	17.3	480	5.8	13.7	<0.001	0.05	0.16	2.9	0.6	0.4	21.0	<0.01	0.01
I098118		1.62	24.3	710	9.1	20.8	<0.001	0.05	0.17	3.9	0.7	0.5	26.4	<0.01	0.02
I098119		1.49	29.5	690	6.1	16.4	0.001	0.06	0.44	4.9	1.4	0.5	43.9	<0.01	0.03
I098120		1.79	40.0	600	6.2	33.3	0.001	0.07	0.32	4.5	1.4	0.5	71.4	<0.01	0.02
I098121		1.36	37.6	640	5.8	19.3	0.001	0.06	0.45	5.0	1.9	0.4	48.9	<0.01	0.04
I098122		1.97	53.5	880	6.8	33.9	0.001	0.05	0.49	6.5	1.7	0.7	49.5	<0.01	0.05
I098123		1.41	36.7	840	7.4	17.3	0.003	0.05	0.45	5.3	2.5	0.6	41.4	<0.01	0.05
I098124		1.66	41.1	580	8.8	18.3	0.002	0.03	0.43	7.0	1.6	0.7	36.4	<0.01	0.03
I098125		1.76	35.8	660	10.1	32.3	0.001	0.06	0.32	5.6	2.0	1.1	43.2	<0.01	0.04
I098126		1.52	25.8	700	7.2	21.4	0.001	0.07	0.41	5.1	1.4	0.4	68.7	<0.01	0.03
I098127		2.17	60.5	380	7.3	27.8	<0.001	0.01	0.26	8.8	0.6	0.4	27.6	<0.01	0.03
I098128		2.10	51.3	350	6.4	32.5	<0.001	0.02	0.29	7.9	0.7	0.4	23.2	<0.01	0.02
I098129		1.42	58.9	970	7.7	96.0	0.001	0.01	0.35	14.2	1.4	0.5	41.1	0.01	0.03
I098130		1.68	32.6	490	6.0	22.3	0.001	0.06	0.36	5.9	1.1	0.4	59.2	<0.01	0.03
I098131		2.21	33.9	500	9.1	19.9	<0.001	0.03	0.46	5.5	0.7	1.1	29.8	<0.01	0.04
I098132		2.02	38.3	650	9.4	17.5	0.001	0.04	0.47	10.0	2.1	1.1	48.5	0.01	0.04
I098133		0.94	11.9	520	6.7	15.1	<0.001	0.03	0.42	2.5	0.6	0.6	18.9	<0.01	0.03
I098134		1.64	50.1	790	8.9	13.7	<0.001	0.02	0.73	5.9	1.1	0.7	25.3	<0.01	0.04
I098135		1.66	41.4	590	7.8	20.0	<0.001	0.05	0.50	8.5	1.1	0.6	30.7	<0.01	0.04
I098136		1.72	62.9	1130	10.9	49.1	0.001	0.03	0.42	10.6	1.2	0.7	34.5	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098097		0.132	0.12	0.48	78	0.11	2.72	54
I098098		0.074	0.06	0.37	45	0.12	2.40	23
I098099		0.108	0.09	0.51	70	0.11	2.99	47
I098100		0.085	0.09	0.31	60	0.10	3.32	111
I098101		0.095	0.13	1.78	119	0.18	9.55	146
I098102		0.089	0.08	1.02	100	0.17	5.53	76
I098103		0.060	0.07	3.04	83	0.16	10.70	81
I098104		0.081	0.12	1.26	80	0.16	8.40	65
I098105		0.072	0.12	1.23	75	0.14	7.27	69
I098106		0.048	0.06	1.16	49	0.11	4.69	47
I098107		0.007	0.03	0.31	4	<0.05	2.35	6
I098108		0.063	0.08	0.76	68	0.13	2.93	62
I098109		0.069	0.07	0.62	49	0.11	3.58	51
I098110		0.058	0.07	0.52	33	0.16	2.58	36
I098111		0.052	0.08	1.04	35	0.08	4.86	50
I098112		0.067	0.10	1.19	34	0.17	4.96	42
I098113		0.052	0.08	1.46	28	0.08	5.78	31
I098114		0.077	0.14	1.01	33	0.10	5.48	41
I098115		0.070	0.12	0.88	31	0.12	4.34	39
I098116		0.093	0.12	0.68	53	0.18	4.20	53
I098117		0.078	0.10	0.63	35	0.09	4.53	46
I098118		0.098	0.13	0.76	64	0.16	5.69	76
I098119		0.080	0.12	1.44	60	0.17	11.95	80
I098120		0.077	0.17	1.10	52	0.11	9.66	63
I098121		0.069	0.15	1.62	54	0.13	12.20	77
I098122		0.093	0.23	1.66	62	0.23	17.65	92
I098123		0.071	0.19	1.55	62	0.35	14.85	94
I098124		0.096	0.18	2.35	77	0.19	13.85	86
I098125		0.089	0.24	4.14	67	0.29	24.4	70
I098126		0.069	0.15	2.20	46	0.20	17.35	59
I098127		0.118	0.17	0.75	77	0.17	8.74	69
I098128		0.105	0.15	0.77	69	0.14	13.60	58
I098129		0.166	0.75	1.88	94	0.28	42.4	116
I098130		0.099	0.15	1.85	60	0.16	9.20	58
I098131		0.112	0.14	0.86	84	0.15	6.75	66
I098132		0.087	0.22	6.40	73	0.23	48.8	68
I098133		0.074	0.11	0.80	47	0.11	4.83	41
I098134		0.084	0.15	1.42	83	0.18	11.05	127
I098135		0.117	0.18	1.54	93	0.16	13.20	93
I098136		0.105	0.34	1.19	116	0.18	18.75	103



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098137		0.36	<0.005	0.06	1.63	4.0	<0.2	<10	110	0.37	0.16	0.19	0.24	18.80	11.8	45
I098138		0.26	0.006	0.08	2.05	8.2	<0.2	<10	300	0.40	0.17	1.20	0.18	20.7	11.9	35
I098139		0.36	0.008	0.08	2.83	5.3	<0.2	<10	170	0.67	0.12	0.61	0.08	57.9	20.7	75
I098140		0.24	0.010	0.15	2.10	5.0	<0.2	<10	230	0.42	0.22	2.00	0.20	28.1	13.7	51
I098141		0.22	0.019	0.06	1.40	4.1	<0.2	<10	130	0.28	0.11	0.64	0.17	11.55	8.7	30
I098142		0.34	<0.005	0.06	3.16	4.6	<0.2	<10	170	1.07	0.12	0.53	0.09	124.5	28.4	59
I098143		0.20	0.008	0.05	2.94	5.0	<0.2	<10	170	0.64	0.15	0.39	0.34	36.6	21.0	70
I098144		0.28	0.009	0.14	3.42	6.1	<0.2	<10	350	0.83	0.15	0.94	0.18	58.5	25.5	78
I098145		0.48	<0.005	0.01	0.11	1.9	<0.2	<10	30	0.08	0.02	0.08	0.04	10.85	2.4	22
I098146		0.36	<0.005	0.02	1.87	7.2	<0.2	<10	120	0.22	0.22	0.23	0.14	14.45	9.2	26
I098147		0.26	<0.005	0.03	0.45	1.5	<0.2	<10	40	0.10	0.06	0.06	0.06	6.46	1.5	7
I098148		0.52	0.007	0.10	2.85	9.9	<0.2	<10	230	0.58	0.20	0.26	0.07	28.3	12.4	38
I098149		0.28	0.006	0.11	1.61	4.0	<0.2	<10	130	0.23	0.14	0.25	0.07	13.60	6.6	21
I098150		0.38	0.005	0.08	2.26	5.0	<0.2	<10	220	0.28	0.15	0.38	0.08	20.8	9.0	30
I098151		0.52	0.006	0.06	2.09	4.4	<0.2	<10	210	0.32	0.12	0.60	0.10	28.8	10.1	32
I098152		0.48	0.006	0.06	1.99	4.9	<0.2	<10	220	0.35	0.13	0.67	0.12	29.7	10.3	30
I098153		0.56	0.007	0.07	2.00	6.4	<0.2	<10	210	0.39	0.13	0.61	0.11	33.2	11.8	34
I098154		0.50	0.007	0.06	2.03	5.3	<0.2	<10	210	0.42	0.14	0.58	0.13	36.4	11.6	32
I098155		0.58	0.006	0.06	1.84	5.2	<0.2	<10	170	0.31	0.16	0.55	0.10	25.2	9.7	30
I098156		0.32	0.007	0.05	1.84	5.0	<0.2	<10	140	0.26	0.10	0.32	0.07	18.55	9.8	26
I098157		0.74	0.008	0.05	1.94	5.1	<0.2	<10	160	0.33	0.12	0.52	0.12	28.0	10.5	31
I098158		0.46	<0.005	0.09	2.53	7.3	<0.2	<10	190	0.41	0.17	0.19	0.12	14.70	11.9	34
I098159		0.50	0.005	0.04	2.27	7.4	<0.2	<10	200	0.35	0.20	0.21	0.15	13.75	12.3	30
I098160		0.52	<0.005	0.07	2.70	8.9	<0.2	<10	240	0.45	0.19	0.24	0.13	18.35	14.4	41
I098161		0.34	<0.005	0.04	1.09	4.4	<0.2	<10	80	0.14	0.11	0.14	0.10	6.35	5.7	13
I098162		0.32	0.017	0.02	4.22	11.3	<0.2	<10	260	0.38	0.18	0.53	0.09	18.95	20.1	35
I098163		0.40	0.005	0.07	2.05	5.2	<0.2	<10	260	0.31	0.10	0.61	0.20	16.65	12.2	20
I098164		0.58	0.005	0.11	1.91	10.1	<0.2	<10	250	0.32	0.13	0.35	0.07	17.80	10.7	38
I098165		0.28	<0.005	0.18	1.34	6.1	<0.2	<10	250	0.21	0.15	0.40	0.31	12.10	9.7	24
I098166		0.50	0.006	0.21	2.81	11.5	<0.2	<10	230	0.49	0.18	0.25	0.12	17.90	14.5	41
I098167		0.44	0.005	0.17	1.98	7.0	<0.2	<10	200	0.28	0.15	0.17	0.21	13.45	15.1	30
I098168		0.40	0.008	0.17	1.78	8.7	<0.2	<10	200	0.29	0.15	0.23	0.09	13.10	9.3	29
I098169		0.46	0.005	0.19	2.04	10.5	<0.2	<10	290	0.32	0.15	0.28	0.09	15.50	11.5	35
I098170		0.48	0.005	0.10	1.84	21.3	<0.2	<10	270	0.32	0.15	0.22	0.11	16.75	10.3	36
I098171		0.32	0.006	0.07	1.25	14.9	<0.2	<10	170	0.19	0.14	0.17	0.21	14.45	7.6	15
I098172		0.30	0.005	0.08	0.96	34.0	<0.2	<10	100	0.12	0.09	0.13	0.08	6.62	4.0	11
I098173		0.32	<0.005	0.14	1.54	19.0	<0.2	<10	390	0.39	0.16	1.03	0.47	25.2	10.1	24
I098174		0.50	<0.005	0.12	1.90	6.5	<0.2	<10	320	0.37	0.18	0.43	0.31	15.35	11.5	32
I098175		0.32	<0.005	0.06	1.05	4.9	<0.2	<10	150	0.15	0.12	0.16	0.14	9.03	5.2	18
I098176		0.56	<0.005	0.03	1.80	9.7	<0.2	<10	330	0.39	0.12	0.45	0.09	20.1	10.7	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098137		2.37	27.3	2.94	7.39	0.06	0.03	0.01	0.019	0.20	7.6	17.9	0.69	282	1.04
I098138		0.79	21.8	3.07	6.33	0.05	0.07	0.02	0.025	0.15	11.4	15.7	0.55	708	1.03
I098139		3.51	39.2	4.51	8.87	0.13	0.07	0.04	0.025	0.45	49.3	29.6	1.41	532	0.64
I098140		1.59	34.0	2.84	6.41	0.08	0.05	0.05	0.020	0.23	18.1	17.1	0.94	352	0.56
I098141		1.65	13.9	2.35	6.13	<0.05	0.06	0.01	0.013	0.29	5.8	14.1	0.59	190	0.89
I098142		3.78	48.8	4.43	9.81	0.19	0.16	0.03	0.024	0.64	78.9	34.4	1.18	583	0.81
I098143		3.29	36.6	4.41	9.31	0.10	0.07	0.01	0.025	0.69	18.0	27.6	1.18	402	1.54
I098144		3.76	54.5	4.75	10.95	0.14	0.11	0.04	0.030	0.80	31.7	28.5	1.54	606	1.21
I098145		0.09	2.4	0.56	0.64	<0.05	0.07	0.01	<0.005	0.03	5.5	1.4	0.04	142	0.36
I098146		1.61	11.6	3.05	7.56	0.05	0.06	0.02	0.022	0.07	7.4	16.2	0.56	394	0.95
I098147		0.53	6.0	0.60	2.65	<0.05	<0.02	0.02	0.007	0.02	3.4	1.6	0.07	44	0.31
I098148		1.19	26.3	3.73	8.39	0.06	0.16	0.03	0.033	0.05	16.8	14.9	0.56	338	1.12
I098149		0.71	11.7	2.15	5.60	<0.05	0.07	0.02	0.037	0.04	7.6	8.1	0.30	251	0.66
I098150		0.89	18.5	2.82	7.29	0.05	0.09	0.02	0.026	0.05	11.6	12.2	0.47	329	0.64
I098151		0.85	20.3	2.80	6.51	0.07	0.11	0.03	0.025	0.06	15.2	13.8	0.68	353	0.40
I098152		0.81	19.2	2.71	6.20	0.06	0.06	0.03	0.024	0.05	15.0	13.0	0.62	358	0.48
I098153		0.77	25.0	2.90	6.49	0.06	0.07	0.04	0.027	0.04	16.7	13.4	0.63	356	0.56
I098154		0.67	23.0	2.76	6.38	0.07	0.10	0.03	0.026	0.05	18.3	13.9	0.62	477	0.45
I098155		0.59	20.3	2.56	5.80	0.05	0.07	0.03	0.023	0.04	12.6	12.0	0.57	307	0.52
I098156		0.62	15.9	2.60	6.13	0.05	0.05	0.02	0.021	0.04	9.3	11.7	0.52	257	0.53
I098157		0.68	20.2	2.82	6.41	0.06	0.09	0.03	0.025	0.04	13.9	13.4	0.64	310	0.45
I098158		0.74	17.0	3.75	9.04	0.05	0.10	0.01	0.029	0.03	7.2	12.5	0.47	359	1.28
I098159		0.90	16.2	3.52	8.76	0.05	0.11	0.01	0.025	0.04	6.6	12.0	0.45	520	1.29
I098160		1.01	18.7	4.07	9.21	0.06	0.12	0.01	0.034	0.04	9.3	13.6	0.64	477	1.36
I098161		0.70	8.4	2.14	6.28	<0.05	0.02	0.02	0.012	0.04	3.1	9.4	0.29	181	0.77
I098162		2.09	15.0	5.31	12.45	0.09	0.11	0.01	0.035	0.24	6.0	27.6	1.46	621	0.86
I098163		1.55	10.7	3.62	7.19	0.05	0.03	0.04	0.030	0.15	7.3	10.4	0.61	566	1.11
I098164		1.17	19.4	2.90	6.16	0.06	0.06	0.02	0.026	0.04	9.1	11.4	0.56	647	0.92
I098165		0.57	13.8	2.49	5.84	<0.05	0.02	0.01	0.018	0.11	5.7	8.7	0.34	639	1.16
I098166		1.03	24.5	3.53	7.64	0.05	0.12	0.03	0.036	0.05	8.8	13.4	0.49	365	1.75
I098167		1.00	13.9	3.01	7.11	<0.05	0.06	0.02	0.028	0.04	6.1	10.4	0.44	996	1.24
I098168		0.95	17.4	2.65	6.55	<0.05	0.03	0.01	0.023	0.04	6.5	10.1	0.41	507	1.35
I098169		0.93	17.4	3.27	7.36	0.05	0.08	0.01	0.025	0.06	7.8	12.6	0.57	291	1.44
I098170		1.21	17.4	2.99	7.50	<0.05	0.06	0.02	0.027	0.04	8.2	12.0	0.47	500	1.15
I098171		0.71	10.5	1.98	5.60	<0.05	0.02	0.02	0.016	0.02	6.5	6.0	0.18	716	0.92
I098172		0.63	6.0	1.26	4.17	<0.05	0.02	0.02	0.009	0.02	3.2	3.7	0.13	362	0.55
I098173		1.33	17.4	2.51	5.80	<0.05	0.03	0.03	0.026	0.08	9.7	8.5	0.36	2200	1.00
I098174		0.71	15.4	3.19	6.68	<0.05	0.09	0.01	0.028	0.05	7.5	8.5	0.41	624	1.16
I098175		0.68	9.6	1.91	5.27	0.05	0.02	0.02	0.013	0.03	4.4	5.2	0.23	189	0.84
I098176		0.68	16.3	2.87	5.89	0.07	0.07	0.02	0.025	0.04	9.4	9.4	0.50	654	0.87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098137		2.16	32.9	330	9.7	24.4	<0.001	0.01	0.25	4.0	0.4	0.7	17.1	<0.01	0.02
I098138		1.99	30.7	310	9.9	18.6	<0.001	0.02	0.38	4.2	0.4	0.6	56.5	<0.01	0.03
I098139		2.22	57.1	510	9.9	54.5	<0.001	0.01	0.19	6.6	0.7	0.5	27.3	<0.01	0.04
I098140		2.16	39.5	660	7.3	32.0	<0.001	0.06	0.28	4.6	1.1	0.5	61.3	<0.01	0.04
I098141		2.01	21.7	170	5.2	44.6	<0.001	0.02	0.30	2.7	0.5	0.6	24.1	<0.01	0.03
I098142		3.87	54.6	380	9.3	80.2	<0.001	0.02	0.22	7.1	1.1	0.7	25.3	0.01	0.03
I098143		3.37	53.3	560	9.5	72.2	<0.001	0.05	0.24	6.2	0.7	0.6	23.5	<0.01	0.04
I098144		3.61	60.6	610	9.8	76.1	0.001	0.05	0.30	9.2	1.2	0.7	40.4	<0.01	0.05
I098145		0.20	4.5	120	1.7	2.3	<0.001	0.01	0.10	0.7	<0.2	6.4	<0.01	0.01	1.7
I098146		2.41	15.1	490	8.0	13.6	<0.001	0.02	0.32	3.8	0.4	0.7	15.3	<0.01	0.03
I098147		0.41	2.6	170	3.5	3.6	<0.001	0.01	0.09	0.9	0.3	0.2	7.3	<0.01	0.01
I098148		1.85	25.7	360	10.3	8.5	<0.001	0.01	0.51	6.3	0.5	0.7	20.8	<0.01	0.03
I098149		1.48	10.2	290	6.0	6.2	<0.001	0.01	0.24	3.1	0.4	0.5	16.4	<0.01	0.02
I098150		1.82	16.1	370	7.3	8.5	<0.001	0.02	0.28	5.2	0.4	0.6	24.6	<0.01	0.03
I098151		1.73	17.7	660	6.7	10.4	<0.001	0.02	0.31	5.9	0.5	0.6	31.3	<0.01	0.02
I098152		1.62	18.7	670	6.5	8.1	<0.001	0.02	0.35	5.8	0.4	0.6	34.3	<0.01	0.02
I098153		1.57	22.5	650	6.7	8.3	<0.001	0.01	0.34	6.7	0.7	0.6	34.2	<0.01	0.04
I098154		1.63	20.3	620	7.5	6.9	<0.001	0.02	0.33	6.4	0.6	0.6	34.1	<0.01	0.03
I098155		1.57	19.3	580	6.1	6.3	<0.001	0.01	0.28	5.3	0.5	0.5	32.3	<0.01	0.03
I098156		1.55	14.7	490	5.3	6.2	<0.001	0.01	0.23	4.4	0.4	0.5	21.3	<0.01	0.01
I098157		1.63	18.2	690	6.0	6.6	<0.001	0.01	0.31	6.1	0.5	0.5	33.3	<0.01	0.03
I098158		2.02	21.5	270	8.8	6.5	<0.001	0.01	0.53	3.9	0.3	0.8	18.1	<0.01	0.03
I098159		1.86	18.1	340	8.7	9.3	<0.001	0.01	0.46	3.5	0.3	0.7	19.8	<0.01	0.03
I098160		1.68	25.3	260	9.5	9.3	<0.001	0.01	0.57	5.2	0.3	0.8	24.1	<0.01	0.03
I098161		1.68	8.0	260	5.5	5.8	<0.001	0.02	0.29	1.9	0.4	0.5	12.2	<0.01	0.03
I098162		3.13	19.6	400	8.8	29.9	<0.001	0.02	0.34	8.0	0.4	1.0	26.1	<0.01	0.03
I098163		1.29	11.0	560	6.3	9.6	<0.001	0.02	0.42	6.8	0.4	0.6	27.2	<0.01	0.02
I098164		1.37	22.5	290	6.8	9.3	<0.001	0.01	0.50	5.5	0.3	0.5	24.4	<0.01	0.03
I098165		1.02	14.6	620	6.5	7.0	<0.001	0.01	0.40	2.6	0.3	0.5	25.3	<0.01	0.03
I098166		1.57	26.0	440	8.4	8.9	<0.001	0.01	0.57	5.4	0.4	0.6	24.1	0.01	0.03
I098167		1.65	18.1	330	7.7	7.9	<0.001	0.01	0.46	3.4	0.3	0.6	16.3	<0.01	0.03
I098168		1.43	16.9	340	6.6	7.8	<0.001	0.01	0.43	3.4	0.3	0.6	19.9	<0.01	0.03
I098169		1.91	22.1	290	7.5	11.9	<0.001	0.01	0.44	4.2	0.3	0.6	22.3	<0.01	0.03
I098170		1.54	21.7	300	7.4	9.0	<0.001	0.01	0.81	4.5	0.3	0.6	19.3	<0.01	0.03
I098171		1.14	9.0	390	6.6	5.0	<0.001	0.02	0.49	2.1	0.3	0.4	13.1	0.01	0.03
I098172		0.81	6.1	260	4.5	3.5	<0.001	0.01	0.37	1.6	0.2	0.3	11.6	<0.01	0.01
I098173		1.21	17.4	650	7.4	13.0	<0.001	0.02	0.55	4.2	0.4	0.6	48.2	<0.01	0.03
I098174		1.41	19.3	390	8.1	5.7	<0.001	0.01	0.44	3.6	0.3	0.6	28.7	<0.01	0.03
I098175		1.15	10.5	220	6.4	4.3	<0.001	0.01	0.29	2.0	0.2	0.5	13.8	<0.01	0.02
I098176		1.64	20.7	250	7.6	5.5	<0.001	0.01	0.38	4.9	0.4	0.6	33.2	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130306

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098137		0.117	0.15	0.55	59	0.11	4.16	56
I098138		0.086	0.10	0.67	61	0.17	7.13	64
I098139		0.150	0.39	1.09	74	0.14	18.80	84
I098140		0.097	0.17	1.35	55	0.14	10.40	54
I098141		0.109	0.16	0.41	51	0.17	2.86	41
I098142		0.190	0.44	1.84	71	0.23	25.4	87
I098143		0.183	0.41	0.83	79	0.15	7.04	88
I098144		0.187	0.42	1.80	103	0.16	19.10	93
I098145		0.007	0.03	0.32	4	<0.05	2.19	7
I098146		0.144	0.11	0.43	75	0.38	3.24	48
I098147		0.037	0.04	0.29	16	0.06	1.17	8
I098148		0.109	0.13	1.00	85	0.15	8.01	54
I098149		0.094	0.08	0.50	53	0.13	3.22	29
I098150		0.125	0.10	0.86	67	0.14	5.15	47
I098151		0.142	0.11	1.38	68	0.15	7.54	57
I098152		0.118	0.08	1.46	66	0.13	8.57	56
I098153		0.122	0.09	1.64	73	0.27	10.45	55
I098154		0.124	0.07	1.79	70	0.14	10.75	54
I098155		0.115	0.07	1.19	64	0.14	7.47	49
I098156		0.118	0.08	0.76	65	0.14	4.96	46
I098157		0.127	0.07	1.12	69	0.13	8.58	56
I098158		0.126	0.10	0.39	94	0.12	2.60	62
I098159		0.119	0.12	0.34	87	0.13	2.40	59
I098160		0.120	0.12	0.42	97	0.10	3.18	66
I098161		0.104	0.06	0.18	55	0.10	1.18	39
I098162		0.305	0.21	0.33	140	0.30	4.81	71
I098163		0.071	0.11	0.44	75	0.11	2.94	65
I098164		0.105	0.10	0.48	71	0.11	3.93	47
I098165		0.082	0.07	0.28	63	0.09	1.97	57
I098166		0.105	0.10	0.64	79	0.14	3.75	48
I098167		0.097	0.12	0.31	73	0.12	1.89	68
I098168		0.094	0.10	0.40	67	0.22	2.44	51
I098169		0.125	0.09	0.35	82	0.13	2.93	48
I098170		0.093	0.10	0.37	75	0.18	3.12	53
I098171		0.057	0.09	0.28	48	0.11	1.85	53
I098172		0.049	0.05	0.20	29	0.08	1.39	24
I098173		0.071	0.10	0.46	57	0.32	4.58	130
I098174		0.094	0.10	0.33	76	0.10	2.69	72
I098175		0.066	0.06	0.23	50	0.10	1.53	28
I098176		0.095	0.09	0.44	72	0.12	4.08	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130306

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130307

Project: SQI10-06

P.O. No.: SQI10-06_28

This report is for 201 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
PUL-31	Pulverize split to 85% <75 um
LOG-21	Sample logging - ClientBarCode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098177		0.48	0.013	0.05	2.16	13.8	<0.2	<10	280	0.36	0.14	0.38	0.08	16.85	10.4	37
I098178		0.48	<0.005	0.02	0.12	1.8	<0.2	<10	30	0.06	0.09	0.08	0.05	8.69	1.9	3
I098179		0.54	0.005	0.15	2.06	6.4	<0.2	<10	200	0.35	0.14	0.32	0.11	30.1	11.9	26
I098180		0.30	<0.005	0.16	1.20	4.4	<0.2	<10	110	0.17	0.16	0.20	0.08	11.55	5.1	17
I098181		0.68	<0.005	0.20	2.63	10.6	<0.2	<10	210	0.55	0.15	0.28	0.10	16.95	11.5	37
I098182		0.52	<0.005	0.12	1.51	8.9	<0.2	<10	110	0.18	0.16	0.17	0.08	12.35	7.1	23
I098183		0.42	<0.005	0.08	2.25	12.4	<0.2	<10	120	0.32	0.18	0.19	0.08	13.90	9.7	30
I098184		0.62	<0.005	0.07	2.05	9.8	<0.2	<10	160	0.24	0.14	0.32	0.05	16.45	8.0	26
I098185		0.58	<0.005	0.11	2.32	14.6	<0.2	<10	160	0.32	0.15	0.23	0.13	13.05	10.8	31
I098186		0.58	0.005	0.16	2.81	31.4	<0.2	<10	240	0.58	0.14	0.35	0.06	32.4	11.8	36
I098187		0.38	<0.005	0.04	1.69	4.7	<0.2	<10	120	0.22	0.11	0.23	0.05	16.40	7.2	21
I098188		0.52	0.005	0.08	1.97	5.7	<0.2	<10	160	0.39	0.14	0.25	0.11	20.3	8.3	24
I098189		0.28	<0.005	0.04	0.65	2.3	<0.2	<10	50	0.10	0.08	0.09	0.03	6.37	2.1	8
I098190		0.26	<0.005	0.14	0.23	0.5	<0.2	<10	40	0.09	0.04	0.13	0.07	4.94	1.1	4
I098191		0.48	<0.005	0.24	1.10	4.0	<0.2	<10	90	0.24	0.11	0.19	0.09	18.55	4.4	14
I098192		0.24	<0.005	0.07	2.16	5.3	<0.2	<10	140	0.32	0.11	0.31	0.07	21.6	9.7	27
I098193		0.34	<0.005	0.17	0.26	0.8	<0.2	<10	50	0.05	0.08	0.17	0.08	3.91	1.3	6
I098194		0.32	0.010	0.10	2.45	6.1	<0.2	<10	130	0.41	0.15	0.22	0.11	17.80	8.1	25
I098195		0.48	<0.005	0.10	1.93	5.5	<0.2	<10	130	0.38	0.14	0.20	0.09	23.0	7.0	23
I098196		0.46	<0.005	0.09	2.55	7.5	<0.2	<10	190	0.56	0.15	0.32	0.11	29.7	10.4	28
I098197		0.34	<0.005	0.20	1.74	4.8	<0.2	<10	140	0.39	0.11	0.32	0.09	27.9	6.7	20
I098198		0.36	<0.005	0.07	2.20	7.7	<0.2	<10	170	0.33	0.14	0.33	0.09	21.4	9.9	28
I098199		0.30	<0.005	0.38	2.01	5.0	<0.2	<10	220	0.60	0.14	0.68	0.11	72.3	17.0	21
I098200		0.28	<0.005	0.24	1.83	4.4	<0.2	<10	180	0.41	0.17	0.51	0.19	33.7	6.3	21
I098201		0.26	<0.005	0.27	2.70	7.5	<0.2	<10	260	0.33	0.13	0.33	0.07	12.55	12.0	35
I098202		0.38	<0.005	0.11	2.92	7.4	<0.2	<10	170	0.39	0.19	0.22	0.12	17.40	12.9	45
I098203		0.54	<0.005	0.13	3.19	8.6	<0.2	<10	230	0.41	0.16	0.21	0.17	14.35	16.6	77
I098204		0.38	<0.005	0.12	2.74	7.1	<0.2	<10	240	0.38	0.14	0.23	0.16	13.85	13.9	39
I098205		0.18	<0.005	0.38	0.73	1.5	<0.2	<10	170	0.20	0.10	0.23	0.33	8.77	4.0	13
I098206		0.26	<0.005	0.10	2.87	8.5	<0.2	<10	210	0.52	0.14	0.39	0.14	23.3	14.6	47
I098207		0.34	0.005	0.04	2.99	3.4	<0.2	<10	210	0.40	0.11	0.40	0.06	17.50	18.2	74
I098208		5.00	<0.005	0.07	3.14	5.3	<0.2	<10	190	0.41	0.14	0.38	0.11	15.85	20.2	99
I098209		0.22	<0.005	0.09	2.39	3.9	<0.2	<10	110	0.32	0.14	0.21	0.17	8.81	13.4	63
I098210		0.24	<0.005	0.18	2.84	6.2	<0.2	<10	150	0.50	0.14	0.32	0.18	12.10	14.7	47
I098211		0.34	<0.005	0.15	3.53	5.9	<0.2	<10	180	0.57	0.16	0.67	0.11	17.30	21.5	71
I098212		0.28	<0.005	0.10	2.71	6.1	<0.2	<10	220	0.47	0.15	0.64	0.13	24.5	18.4	58
I098213		0.46	<0.005	0.02	0.14	1.9	<0.2	<10	30	0.11	0.02	0.08	0.03	10.15	2.2	4
I098214		0.56	0.005	0.09	2.90	4.5	<0.2	<10	250	0.33	0.14	0.65	0.08	17.95	17.9	92
I098215		0.48	<0.005	0.06	2.97	6.5	<0.2	<10	180	0.32	0.17	0.50	0.14	14.50	20.2	74
I098216		0.26	<0.005	0.32	3.02	5.8	<0.2	<10	290	0.44	0.21	0.74	0.40	21.6	18.2	59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098177		0.68	15.8	3.09	5.86	<0.05	0.12	0.01	0.027	0.04	7.8	11.3	0.53	298	0.77
I098178		0.07	1.7	0.61	0.45	<0.05	0.06	0.01	<0.005	0.03	4.4	1.2	0.03	144	0.28
I098179		0.92	18.2	2.90	6.36	<0.05	0.05	0.03	0.023	0.10	16.6	15.2	0.49	932	1.01
I098180		0.65	11.4	1.89	6.74	<0.05	0.08	0.01	0.014	0.06	5.9	8.3	0.28	201	1.03
I098181		1.74	24.9	3.43	7.09	<0.05	0.25	0.03	0.035	0.04	8.8	17.9	0.60	353	0.95
I098182		2.37	10.0	2.58	7.86	<0.05	0.04	0.02	0.020	0.07	6.2	11.3	0.38	257	1.14
I098183		1.31	15.1	3.54	9.20	<0.05	0.11	0.02	0.026	0.06	7.0	18.7	0.50	261	1.64
I098184		1.10	15.4	2.81	7.18	<0.05	0.06	0.02	0.020	0.05	9.2	16.0	0.52	243	1.07
I098185		1.82	15.3	3.43	7.46	<0.05	0.07	0.03	0.025	0.06	6.2	16.6	0.55	295	1.45
I098186		2.04	31.3	3.44	6.95	0.06	0.16	0.04	0.032	0.06	17.5	17.6	0.66	370	0.89
I098187		1.20	14.2	2.39	5.78	<0.05	0.05	0.01	0.017	0.09	8.3	13.0	0.43	246	0.66
I098188		1.15	20.6	2.53	6.18	<0.05	0.04	0.03	0.023	0.05	10.5	12.9	0.38	269	0.91
I098189		0.49	5.7	0.93	3.27	<0.05	<0.02	0.03	0.008	0.02	3.3	3.3	0.11	59	0.44
I098190		0.30	5.9	0.55	1.26	<0.05	<0.02	0.03	<0.005	0.02	2.8	0.6	0.04	26	0.32
I098191		0.63	13.8	1.63	4.62	<0.05	0.02	0.03	0.014	0.03	9.7	5.3	0.16	153	0.85
I098192		1.32	18.2	2.76	6.20	0.05	0.08	0.01	0.020	0.11	11.2	17.8	0.58	297	0.62
I098193		0.34	5.4	0.51	1.83	<0.05	<0.02	0.03	0.008	0.03	2.1	0.9	0.07	133	0.47
I098194		1.47	16.7	2.92	7.22	<0.05	0.05	0.03	0.024	0.07	9.4	16.7	0.44	240	0.99
I098195		1.20	20.1	2.53	6.47	<0.05	0.05	0.04	0.022	0.06	12.9	11.7	0.36	204	0.83
I098196		1.36	21.0	3.14	7.81	0.05	0.05	0.04	0.028	0.07	16.4	19.5	0.52	339	0.97
I098197		1.01	17.7	2.09	5.44	0.05	0.03	0.03	0.018	0.05	16.5	11.1	0.31	215	0.68
I098198		1.20	13.8	3.15	7.57	0.05	0.08	0.02	0.025	0.07	11.4	24.2	0.60	367	1.08
I098199		1.30	24.8	2.61	6.15	0.08	0.04	0.08	0.026	0.06	45.7	16.1	0.34	1810	1.82
I098200		0.70	20.2	2.31	6.18	0.06	0.04	0.05	0.022	0.06	22.3	15.9	0.41	259	0.81
I098201		1.68	25.7	3.30	7.92	0.05	0.05	0.08	0.022	0.13	6.4	13.4	1.06	410	1.45
I098202		1.22	24.5	3.74	9.60	0.05	0.08	0.02	0.026	0.08	8.5	15.7	0.90	337	1.53
I098203		1.38	24.6	3.81	9.04	0.07	0.12	0.03	0.026	0.09	7.1	18.6	1.10	359	1.43
I098204		0.84	24.3	3.48	7.61	0.06	0.06	0.02	0.022	0.08	7.1	16.9	0.91	320	0.90
I098205		0.46	18.9	1.13	2.60	<0.05	<0.02	0.07	0.012	0.04	4.5	2.1	0.18	125	2.08
I098206		1.28	26.4	3.47	8.51	0.07	0.06	0.02	0.029	0.12	11.0	13.2	0.86	344	0.92
I098207		1.88	34.7	3.48	9.03	0.10	0.06	0.02	0.017	0.41	8.9	14.2	1.66	479	0.60
I098208		1.68	38.3	3.68	8.72	0.09	0.07	0.03	0.022	0.23	7.9	15.3	1.54	471	0.95
I098209		1.32	19.7	3.07	9.69	0.06	0.05	0.01	0.015	0.07	4.2	10.6	0.90	250	0.93
I098210		1.52	23.5	3.47	9.17	0.07	0.09	0.01	0.021	0.18	6.0	12.8	1.01	379	1.20
I098211		2.43	53.0	4.08	10.05	0.12	0.07	0.03	0.023	0.29	8.5	15.8	1.76	621	1.64
I098212		1.45	35.9	3.37	7.95	0.10	0.08	0.03	0.024	0.15	11.6	12.3	1.20	774	1.23
I098213		0.08	2.0	0.79	0.63	<0.05	0.07	<0.01	<0.005	0.04	5.0	1.1	0.04	168	0.27
I098214		1.51	44.2	3.63	7.59	0.09	0.07	0.03	0.024	0.26	8.7	11.6	1.52	475	0.93
I098215		1.64	34.1	3.94	9.69	0.10	0.07	0.02	0.024	0.24	7.0	14.6	1.45	543	1.66
I098216		1.49	58.6	3.34	8.77	0.09	0.05	0.05	0.025	0.23	10.9	10.2	1.04	570	1.60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098177		1.12	22.9	210	7.5	4.9	<0.001	0.01	0.54	4.2	0.2	0.6	29.0	<0.01	0.02
I098178		0.15	3.4	120	1.6	1.7	<0.001	<0.01	0.13	0.6	<0.2	<0.2	6.3	<0.01	<0.01
I098179		1.68	16.2	400	6.5	15.8	<0.001	0.01	0.35	4.0	0.4	0.5	25.3	<0.01	0.01
I098180		1.47	8.7	210	8.7	15.3	<0.001	0.01	0.28	2.4	<0.2	0.6	17.5	<0.01	0.02
I098181		1.25	27.0	330	7.7	10.1	<0.001	0.01	0.66	5.7	0.3	0.6	23.5	<0.01	0.03
I098182		1.49	11.5	310	8.9	15.4	<0.001	0.01	0.54	3.2	<0.2	0.7	13.8	<0.01	0.03
I098183		1.96	18.8	240	9.7	10.3	<0.001	0.01	0.52	3.9	0.2	0.8	16.9	<0.01	0.04
I098184		1.70	17.1	320	7.6	11.8	<0.001	0.01	0.36	3.9	0.3	0.7	24.1	<0.01	0.03
I098185		1.84	21.8	240	8.4	12.5	<0.001	0.01	0.52	3.7	0.2	0.6	18.0	<0.01	0.03
I098186		1.66	28.8	510	9.1	10.7	<0.001	0.01	0.63	7.1	0.6	0.6	24.7	<0.01	0.03
I098187		1.83	12.8	270	6.5	15.0	<0.001	0.01	0.24	3.3	0.2	0.6	18.1	<0.01	0.02
I098188		1.50	15.4	390	7.5	9.9	<0.001	0.01	0.32	3.6	0.4	0.6	21.5	<0.01	0.03
I098189		0.47	4.3	180	4.1	4.7	<0.001	0.01	0.13	0.9	0.2	0.3	9.5	<0.01	0.01
I098190		0.16	2.3	200	1.7	3.4	<0.001	0.02	0.08	0.4	0.2	0.2	13.8	<0.01	0.01
I098191		0.68	7.7	410	5.4	7.0	<0.001	0.02	0.21	1.8	0.3	0.4	19.3	<0.01	0.02
I098192		2.00	18.8	520	6.9	18.0	<0.001	0.01	0.26	4.3	0.3	0.6	20.0	<0.01	0.02
I098193		0.16	2.7	270	2.4	4.4	<0.001	0.02	0.09	0.4	0.2	0.2	14.1	<0.01	0.01
I098194		1.78	15.2	450	8.0	13.2	<0.001	0.02	0.35	4.2	0.4	0.7	19.2	0.01	0.03
I098195		1.69	14.8	390	7.9	14.4	<0.001	0.01	0.30	4.2	0.4	0.6	17.8	<0.01	0.02
I098196		1.96	19.6	430	9.2	14.0	<0.001	0.02	0.37	5.1	0.4	0.7	26.8	<0.01	0.03
I098197		1.13	12.6	410	6.1	8.6	<0.001	0.02	0.25	3.7	0.4	0.5	26.0	<0.01	0.03
I098198		2.20	19.8	540	8.8	10.7	<0.001	0.01	0.37	4.4	0.3	0.8	22.4	<0.01	0.03
I098199		1.05	15.2	910	9.0	13.2	<0.001	0.07	0.45	3.8	0.8	0.6	44.6	<0.01	0.04
I098200		1.81	13.4	550	8.1	7.0	<0.001	0.04	0.29	4.1	0.6	0.6	38.1	<0.01	0.03
I098201		1.11	20.3	310	6.2	14.8	<0.001	0.01	0.26	6.5	0.4	0.5	20.2	<0.01	0.03
I098202		1.56	28.4	270	7.9	13.4	<0.001	0.01	0.40	6.0	0.4	0.6	17.2	<0.01	0.06
I098203		1.46	39.5	210	7.6	16.2	<0.001	0.01	0.40	5.8	0.4	0.6	16.2	<0.01	0.04
I098204		1.52	25.5	330	6.7	11.4	<0.001	0.01	0.32	5.2	0.4	0.5	15.5	<0.01	0.03
I098205		0.41	6.8	510	4.3	6.7	<0.001	0.03	0.21	1.5	0.5	0.3	17.7	<0.01	0.02
I098206		2.38	32.4	390	8.6	14.8	<0.001	<0.01	0.31	4.9	0.5	0.7	26.5	<0.01	0.03
I098207		1.78	40.4	360	5.1	37.9	<0.001	<0.01	0.18	5.6	0.4	0.6	24.2	<0.01	0.02
I098208		2.16	49.1	440	7.2	24.6	<0.001	<0.01	0.22	5.8	0.5	0.5	24.7	<0.01	0.04
I098209		2.43	34.9	170	10.2	22.4	<0.001	<0.01	0.35	3.2	0.3	0.6	16.1	<0.01	0.04
I098210		2.35	30.0	190	9.7	22.7	<0.001	<0.01	0.32	3.7	0.4	0.7	21.0	<0.01	0.03
I098211		2.21	44.5	540	21.7	41.7	<0.001	<0.01	0.27	6.3	0.7	0.6	29.5	<0.01	0.04
I098212		2.04	34.2	460	13.0	24.6	<0.001	0.01	0.26	6.6	0.8	0.5	30.1	<0.01	0.03
I098213		0.20	3.9	120	1.6	2.4	<0.001	<0.01	0.11	0.6	<0.2	<0.2	8.0	<0.01	<0.01
I098214		1.74	39.0	390	5.4	24.8	0.001	0.01	0.18	6.5	0.6	0.5	28.1	<0.01	0.02
I098215		2.19	37.5	310	7.1	28.7	<0.001	<0.01	0.26	6.5	0.4	0.6	26.4	<0.01	0.04
I098216		1.90	34.8	490	8.4	31.9	<0.001	0.03	0.29	6.1	1.0	0.6	34.6	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098177		0.104	0.09	0.39	76	0.12	3.27	47	4.8
I098178		0.008	0.03	0.29	5	<0.05	1.84	9	1.9
I098179		0.121	0.13	1.39	66	0.17	6.62	40	1.7
I098180		0.112	0.11	0.41	56	0.10	2.13	29	2.7
I098181		0.117	0.13	1.08	78	0.14	4.89	46	9.3
I098182		0.109	0.14	0.43	73	0.12	2.29	34	1.4
I098183		0.147	0.15	0.44	92	0.17	2.57	47	4.2
I098184		0.128	0.14	0.70	71	0.18	3.83	41	2.2
I098185		0.123	0.13	0.46	77	0.13	2.45	46	3.1
I098186		0.123	0.18	2.71	73	0.16	7.89	53	6.4
I098187		0.131	0.15	0.78	57	0.12	3.55	34	2.0
I098188		0.104	0.12	0.99	58	0.14	4.64	32	1.4
I098189		0.049	0.04	0.26	24	0.07	1.42	12	<0.5
I098190		0.022	0.02	0.36	14	<0.05	1.20	9	<0.5
I098191		0.061	0.07	0.75	39	0.10	4.06	21	0.5
I098192		0.148	0.20	0.94	63	0.14	5.40	44	2.9
I098193		0.029	0.03	0.29	14	0.05	0.83	19	<0.5
I098194		0.111	0.13	0.87	66	0.14	4.36	35	1.5
I098195		0.116	0.13	1.23	60	0.16	4.56	32	1.7
I098196		0.128	0.15	1.23	75	0.22	6.66	43	1.8
I098197		0.083	0.11	2.22	47	0.16	8.93	29	0.9
I098198		0.136	0.16	1.01	76	0.18	5.33	51	2.9
I098199		0.067	0.15	7.50	53	0.24	16.80	36	0.7
I098200		0.105	0.11	4.25	53	0.15	7.10	43	1.4
I098201		0.127	0.11	0.40	87	0.13	3.89	55	1.9
I098202		0.129	0.12	0.49	89	0.16	4.13	59	3.1
I098203		0.160	0.12	0.37	96	0.14	3.52	68	4.6
I098204		0.139	0.09	0.35	83	0.14	3.51	60	2.1
I098205		0.040	0.06	0.47	21	0.06	2.77	23	<0.5
I098206		0.147	0.13	0.54	86	0.16	5.13	69	2.5
I098207		0.204	0.22	0.39	91	0.10	4.92	70	2.6
I098208		0.179	0.16	0.46	92	0.17	5.13	71	2.8
I098209		0.156	0.11	0.27	77	0.16	2.74	72	2.3
I098210		0.163	0.16	0.32	91	0.13	2.83	71	3.6
I098211		0.185	0.23	0.68	100	0.18	5.32	121	3.1
I098212		0.151	0.15	0.87	84	0.12	8.43	84	3.2
I098213		0.010	0.03	0.29	5	<0.05	2.30	8	2.8
I098214		0.174	0.14	0.63	100	0.12	7.35	81	2.8
I098215		0.179	0.14	0.39	104	0.14	4.33	82	2.9
I098216		0.132	0.13	0.96	80	0.17	9.01	74	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098217		0.42	0.005	0.11	3.07	4.9	<0.2	<10	250	0.44	0.15	0.60	0.12	21.0	21.3	80
I098218		0.30	<0.005	0.10	2.83	4.6	<0.2	<10	200	0.32	0.15	0.63	0.19	17.50	19.3	66
I098219		0.22	0.025	0.26	1.75	4.5	<0.2	<10	270	0.39	0.12	1.84	0.61	22.2	12.0	42
I098220		0.44	<0.005	0.15	2.97	5.1	<0.2	<10	240	0.46	0.16	0.77	0.23	23.7	21.2	79
I098221		0.36	0.005	0.20	2.89	6.0	<0.2	<10	280	0.46	0.15	0.95	0.20	23.8	21.0	65
I098222		0.48	<0.005	0.19	2.79	5.1	<0.2	<10	260	0.43	0.14	0.86	0.21	23.5	19.8	68
I098223		0.30	<0.005	0.30	2.20	4.1	<0.2	<10	230	0.35	0.14	0.89	0.42	19.60	20.8	53
I098224		0.32	0.006	0.49	2.76	6.7	<0.2	<10	280	0.77	0.18	0.96	0.73	30.6	26.3	58
I098225		0.36	0.013	0.11	2.87	6.0	<0.2	<10	200	0.32	0.14	0.62	0.13	17.95	19.4	63
I098226		0.32	0.007	0.41	2.90	6.6	<0.2	<10	290	0.63	0.17	1.02	0.40	26.1	22.2	61
I098227		0.18	<0.005	0.31	2.83	6.5	<0.2	<10	320	0.50	0.15	1.24	0.53	24.2	21.1	61
I098228		0.24	0.006	0.16	2.94	5.8	<0.2	<10	290	0.42	0.12	1.09	0.18	19.20	20.2	60
I098229		0.40	<0.005	0.15	3.28	6.1	<0.2	<10	230	0.44	0.17	0.33	0.09	19.15	22.1	72
I098230		0.26	<0.005	0.27	2.08	4.7	<0.2	<10	280	0.36	0.16	0.63	0.43	18.95	21.8	43
I098231		0.38	<0.005	0.14	1.86	5.7	<0.2	<10	220	0.31	0.15	0.38	0.08	15.60	12.3	43
I098232		0.26	<0.005	0.15	2.10	4.9	<0.2	<10	220	0.45	0.13	0.77	0.20	19.85	16.8	42
I098233		0.28	<0.005	0.12	2.08	12.8	<0.2	<10	240	0.37	0.14	0.65	0.19	15.60	13.7	37
I098234		0.44	0.006	0.13	2.20	17.5	<0.2	<10	280	0.40	0.12	1.03	0.16	21.4	17.0	46
I098235		0.52	0.010	0.12	2.54	6.1	<0.2	<10	210	0.43	0.18	0.96	0.13	22.9	17.9	66
I098236		0.32	<0.005	0.27	2.01	5.2	<0.2	<10	190	0.28	0.15	0.24	0.21	15.55	11.9	26
I098237		0.26	<0.005	0.26	1.98	4.5	<0.2	<10	200	0.31	0.14	0.40	0.13	12.35	19.2	30
I098238		0.36	<0.005	0.17	1.72	4.6	<0.2	<10	220	0.28	0.13	0.71	0.17	11.55	12.2	28
I098239		0.38	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.01	0.09	0.04	9.93	2.2	3
I098240		0.32	<0.005	0.13	2.46	6.5	<0.2	<10	220	0.41	0.13	0.60	0.08	18.65	15.8	56
I098241		0.24	0.012	0.17	1.90	7.0	<0.2	<10	240	0.43	0.13	0.91	0.15	19.15	14.7	34
I098242		0.30	<0.005	0.44	2.11	4.5	<0.2	<10	210	0.30	0.12	0.45	0.09	10.80	16.9	37
I098243		0.36	<0.005	0.14	1.78	4.1	<0.2	<10	130	0.27	0.12	0.45	0.06	9.36	12.6	41
I098244		0.36	<0.005	0.15	3.06	7.2	<0.2	<10	140	0.38	0.14	0.49	0.10	13.55	18.6	56
I098245		0.28	<0.005	0.07	2.91	7.8	<0.2	<10	420	0.55	0.14	0.62	0.07	25.0	17.4	83
I098246		0.30	<0.005	0.10	2.62	12.0	<0.2	<10	310	0.65	0.17	0.60	0.15	25.9	14.4	43
I098247		0.50	<0.005	0.11	2.69	19.4	<0.2	<10	410	0.66	0.17	0.75	0.08	35.4	15.6	50
I098248		0.24	<0.005	0.07	1.56	9.1	<0.2	<10	120	0.33	0.26	0.52	0.31	22.8	10.6	31
I098249		Not Recvd														
I098250		0.14	0.005	0.11	1.64	6.6	<0.2	<10	140	0.45	0.16	1.38	0.15	36.3	10.8	54
I098251		0.38	<0.005	0.05	2.89	5.2	<0.2	<10	320	0.26	0.11	0.56	0.12	9.27	24.1	92
I098252		0.14	0.005	0.06	0.35	0.9	<0.2	<10	140	0.05	0.06	0.50	0.42	3.45	2.3	14
I098253		0.32	0.016	0.24	0.53	1.8	<0.2	<10	840	0.16	0.04	3.39	1.48	6.47	5.4	18
I098254		0.24	<0.005	0.10	0.90	2.1	<0.2	<10	430	0.14	0.12	0.70	0.72	10.45	4.8	35
I098255		0.22	0.019	0.38	1.63	12.7	<0.2	<10	1010	0.51	0.13	1.60	1.43	30.5	20.6	52
I098256		0.38	<0.005	0.47	2.05	8.1	<0.2	<10	1280	0.39	0.16	0.68	0.46	22.0	15.1	72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098217		2.05	39.5	3.98	9.02	0.10	0.07	0.02	0.023	0.44	9.6	12.9	1.70	562	0.95
I098218		1.45	34.4	3.58	9.23	0.09	0.06	0.02	0.023	0.26	8.3	11.0	1.39	440	1.20
I098219		1.08	53.1	2.29	5.14	0.10	0.06	0.07	0.019	0.17	11.8	6.3	0.63	361	1.23
I098220		5.61	43.5	3.87	8.85	0.11	0.10	0.02	0.027	0.38	10.9	11.4	1.58	602	1.03
I098221		2.33	51.8	3.53	8.38	0.10	0.08	0.04	0.024	0.25	11.3	11.5	1.27	597	1.16
I098222		3.36	57.4	3.52	8.42	0.12	0.08	0.04	0.025	0.28	11.2	11.0	1.34	595	1.07
I098223		2.44	52.3	2.92	7.30	0.11	0.05	0.06	0.023	0.22	9.3	7.2	0.91	774	0.96
I098224		2.70	81.3	3.71	8.23	0.11	0.06	0.05	0.036	0.21	13.1	9.1	0.89	1210	1.39
I098225		2.93	39.2	3.63	8.23	0.11	0.07	0.02	0.025	0.26	8.0	11.7	1.25	533	0.91
I098226		3.29	86.2	3.90	8.27	0.11	0.10	0.04	0.037	0.22	12.6	10.8	1.13	827	0.98
I098227		4.28	88.9	3.59	8.44	0.12	0.08	0.04	0.033	0.23	13.1	10.5	1.23	776	0.89
I098228		4.79	58.0	3.73	9.16	0.11	0.06	0.04	0.030	0.28	9.8	12.1	1.34	765	0.85
I098229		1.53	40.5	4.35	9.98	0.08	0.06	0.02	0.028	0.19	9.2	13.5	1.36	428	1.18
I098230		1.21	38.9	2.97	7.46	0.07	0.04	0.03	0.023	0.20	8.7	8.5	0.90	1740	1.26
I098231		0.81	16.3	2.69	6.67	0.06	0.07	0.03	0.021	0.09	6.9	7.7	0.63	850	1.34
I098232		1.14	26.7	2.87	6.74	0.06	0.07	0.03	0.023	0.11	8.0	8.1	0.75	676	1.01
I098233		0.88	24.3	3.12	6.31	0.06	0.07	0.04	0.025	0.10	7.0	8.2	0.61	355	1.51
I098234		2.46	35.3	3.21	6.84	0.09	0.08	0.07	0.025	0.20	9.9	10.7	0.97	517	1.20
I098235		7.28	32.5	3.51	7.66	0.11	0.09	0.04	0.027	0.19	10.5	11.9	1.27	570	0.95
I098236		1.09	33.4	2.91	7.68	0.06	0.07	0.02	0.023	0.09	8.5	9.2	0.50	377	1.16
I098237		0.42	20.2	3.03	7.15	0.06	0.05	0.02	0.026	0.20	5.0	9.3	0.58	1300	1.03
I098238		0.58	17.4	2.55	5.58	0.05	0.05	0.04	0.022	0.11	4.9	7.0	0.48	626	0.84
I098239		0.08	1.9	0.81	0.59	<0.05	0.07	<0.01	<0.005	0.04	4.9	1.0	0.04	181	0.30
I098240		1.09	32.1	3.63	7.68	0.08	0.10	0.02	0.035	0.23	7.7	12.4	0.96	497	0.98
I098241		0.72	39.4	2.97	6.28	0.10	0.06	0.03	0.027	0.25	10.8	10.0	0.71	750	0.90
I098242		0.62	30.9	3.27	7.97	0.05	0.05	0.02	0.028	0.10	4.4	10.3	0.72	671	1.08
I098243		0.35	18.4	3.25	6.70	0.05	0.07	0.02	0.027	0.13	4.1	8.2	0.62	440	1.06
I098244		0.70	50.0	3.64	8.70	0.07	0.11	0.02	0.027	0.17	5.8	17.2	1.25	306	1.39
I098245		1.38	28.3	3.54	8.54	0.08	0.20	0.02	0.028	0.44	9.8	18.6	0.96	343	1.00
I098246		1.56	27.1	3.24	7.69	0.08	0.18	0.02	0.030	0.30	11.5	14.0	0.72	334	1.09
I098247		1.52	41.7	3.35	7.86	0.11	0.20	0.03	0.027	0.31	21.2	16.4	0.78	361	1.20
I098248		2.42	12.9	2.64	6.57	0.07	0.04	0.04	0.017	0.22	12.1	12.0	0.72	340	2.18
I098249															
I098250		2.26	21.8	2.07	5.87	0.13	0.12	0.18	0.026	0.19	22.7	10.4	0.75	398	0.86
I098251		1.88	24.7	3.66	8.87	0.09	0.07	0.02	0.013	0.29	5.2	22.8	1.59	413	1.47
I098252		0.23	16.8	0.60	2.12	<0.05	<0.02	0.05	0.005	0.04	2.0	1.1	0.13	138	0.33
I098253		0.34	34.9	0.67	1.72	0.07	0.05	0.08	0.007	0.04	3.6	2.3	0.23	210	3.47
I098254		0.54	17.9	1.36	5.49	0.06	<0.02	0.05	0.012	0.08	5.4	3.5	0.45	183	1.92
I098255		0.79	74.8	2.08	5.57	0.09	0.04	0.12	0.024	0.06	16.3	7.5	0.66	722	2.45
I098256		0.98	49.2	2.69	8.14	0.09	0.04	0.06	0.027	0.06	12.0	10.5	0.98	309	2.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098217		1.84	39.3	400	6.8	42.1	<0.001	<0.01	0.20	7.9	0.6	0.6	28.8	<0.01	0.03
I098218		2.29	34.2	320	5.3	32.8	<0.001	0.01	0.22	6.4	0.6	0.6	27.5	<0.01	0.04
I098219		1.45	28.5	760	4.3	18.0	<0.001	0.10	0.37	4.5	1.3	0.4	55.9	0.01	0.04
I098220		1.96	40.0	480	8.6	38.2	<0.001	0.01	0.26	9.2	0.8	0.6	30.7	<0.01	0.04
I098221		2.04	37.2	480	6.9	30.7	<0.001	0.02	0.28	7.6	0.9	0.5	39.5	<0.01	0.04
I098222		1.93	38.1	450	6.2	32.0	<0.001	0.02	0.26	8.2	0.9	0.6	36.7	<0.01	0.04
I098223		1.72	32.7	500	5.8	29.5	<0.001	0.03	0.31	6.4	1.0	0.5	38.6	<0.01	0.04
I098224		1.73	37.0	600	7.4	22.0	0.001	0.03	0.32	7.1	1.0	0.6	41.6	<0.01	0.04
I098225		1.68	32.6	340	5.4	28.0	<0.001	<0.01	0.23	7.5	0.6	0.5	28.6	<0.01	0.04
I098226		1.87	42.1	500	5.5	22.0	0.001	0.02	0.37	8.9	1.0	0.5	47.6	<0.01	0.05
I098227		1.71	42.2	470	5.2	24.1	<0.001	0.03	0.35	9.6	1.1	0.5	51.5	0.01	0.04
I098228		1.62	36.0	480	4.5	30.2	<0.001	0.01	0.28	9.2	0.9	0.5	43.6	<0.01	0.03
I098229		2.55	40.6	220	6.4	22.6	<0.001	<0.01	0.34	6.6	0.5	0.7	24.1	<0.01	0.05
I098230		1.79	32.5	430	8.3	26.6	<0.001	0.01	0.27	5.4	0.6	0.6	36.7	<0.01	0.03
I098231		1.81	23.1	240	6.8	10.7	<0.001	<0.01	0.31	3.9	0.5	0.5	22.9	<0.01	0.03
I098232		1.77	27.8	300	6.2	13.0	<0.001	<0.01	0.32	4.5	0.5	0.5	36.0	<0.01	0.02
I098233		1.86	25.1	250	6.7	7.5	<0.001	<0.01	0.36	4.4	0.5	0.5	30.2	<0.01	0.03
I098234		1.82	29.9	600	5.1	20.4	<0.001	0.03	0.32	6.8	0.8	0.5	42.9	<0.01	0.04
I098235		1.62	36.7	560	5.3	28.3	<0.001	0.02	0.34	8.7	0.8	0.6	40.1	<0.01	0.03
I098236		1.93	17.1	240	6.7	13.4	<0.001	<0.01	0.31	4.8	0.5	0.7	19.0	<0.01	0.03
I098237		1.47	19.0	430	6.1	7.1	<0.001	<0.01	0.30	5.0	0.3	0.6	34.7	<0.01	0.02
I098238		1.44	18.8	230	5.8	15.8	<0.001	<0.01	0.29	3.9	0.4	0.5	33.4	<0.01	0.03
I098239		0.19	3.9	120	1.5	2.2	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.7	<0.01	0.01
I098240		1.60	30.5	240	5.4	32.1	<0.001	<0.01	0.27	8.5	0.5	0.5	33.5	<0.01	0.03
I098241		1.44	28.7	590	5.9	21.6	<0.001	0.01	0.32	5.6	0.7	0.5	49.5	<0.01	0.02
I098242		1.18	18.4	350	4.4	6.0	0.001	<0.01	0.28	6.0	0.3	0.4	26.3	<0.01	0.03
I098243		1.15	17.3	190	4.2	11.1	<0.001	<0.01	0.27	5.4	0.3	0.5	26.2	<0.01	0.03
I098244		1.47	30.8	180	5.9	9.7	<0.001	<0.01	0.35	8.9	0.4	0.4	23.9	<0.01	0.03
I098245		3.15	47.1	160	6.8	30.4	<0.001	<0.01	0.32	8.8	0.5	0.7	34.6	<0.01	0.03
I098246		2.81	32.5	200	8.1	34.6	<0.001	<0.01	0.30	7.7	0.6	0.7	35.1	<0.01	0.03
I098247		2.96	37.0	230	8.1	33.6	0.001	<0.01	0.44	8.6	1.2	0.7	49.7	<0.01	0.03
I098248		2.59	15.9	580	8.2	29.8	<0.001	0.01	0.38	4.1	0.7	0.8	37.7	<0.01	0.03
I098249															
I098250		2.66	23.3	530	5.6	40.3	0.001	0.06	0.37	5.2	1.2	0.8	66.1	0.01	0.03
I098251		1.60	35.9	620	5.2	38.2	0.001	<0.01	0.19	5.0	0.6	0.4	28.1	<0.01	0.04
I098252		0.31	5.1	320	2.3	1.6	<0.001	0.02	0.14	0.9	0.6	0.2	14.8	<0.01	0.02
I098253		0.62	22.2	710	1.6	4.3	0.005	0.20	0.24	1.4	10.4	0.2	73.7	0.01	0.03
I098254		0.92	18.7	2010	4.6	7.8	<0.001	0.01	0.21	1.8	0.8	0.4	31.3	<0.01	0.05
I098255		1.34	46.4	1000	4.7	7.2	0.001	0.10	0.41	3.8	1.6	0.4	63.6	0.01	0.06
I098256		1.66	46.4	790	6.8	11.8	0.001	0.03	0.28	5.1	1.5	0.6	38.2	<0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098217		0.184	0.21	0.72	104	0.13	6.98	73	3.3
I098218		0.171	0.15	0.59	96	0.15	5.06	64	2.6
I098219		0.079	0.09	0.87	52	0.20	10.95	51	2.6
I098220		0.154	0.23	0.63	102	0.16	9.29	97	4.4
I098221		0.145	0.17	0.75	88	0.15	9.23	70	3.2
I098222		0.144	0.18	0.64	90	0.21	9.83	71	3.4
I098223		0.112	0.12	0.71	66	0.17	8.05	58	2.2
I098224		0.117	0.11	0.97	82	0.13	10.85	85	2.2
I098225		0.143	0.17	0.53	95	0.22	5.97	63	3.0
I098226		0.127	0.13	0.78	93	0.16	12.50	65	4.5
I098227		0.134	0.12	0.89	96	0.15	14.40	73	3.4
I098228		0.143	0.16	0.72	106	0.15	10.40	78	2.6
I098229		0.175	0.15	0.46	102	0.13	3.93	54	2.6
I098230		0.108	0.09	0.52	69	0.11	5.33	54	1.7
I098231		0.119	0.09	0.37	73	0.13	3.67	39	3.0
I098232		0.118	0.10	0.53	71	0.15	5.29	46	3.2
I098233		0.106	0.27	0.35	74	0.16	3.30	44	3.0
I098234		0.127	0.72	0.62	78	0.66	9.60	53	3.7
I098235		0.130	0.20	0.78	94	0.15	11.40	57	4.1
I098236		0.111	0.10	0.44	72	0.15	7.19	48	2.8
I098237		0.098	0.10	0.25	76	0.11	2.77	56	2.1
I098238		0.085	0.08	0.23	61	0.13	2.91	39	2.1
I098239		0.008	0.03	0.30	4	<0.05	2.21	7	2.7
I098240		0.124	0.10	0.38	95	0.17	6.47	56	4.0
I098241		0.106	0.07	0.46	73	0.19	10.50	46	2.1
I098242		0.085	0.08	0.20	83	0.19	3.10	44	1.7
I098243		0.076	0.07	0.19	82	0.16	2.40	41	2.2
I098244		0.124	0.12	0.29	121	0.18	2.77	59	4.1
I098245		0.170	0.22	0.34	85	0.27	4.32	54	6.9
I098246		0.142	0.18	0.35	83	0.36	6.98	50	6.8
I098247		0.150	0.22	2.84	87	0.24	16.00	56	8.2
I098248		0.119	0.23	1.06	66	1.20	5.73	52	1.1
I098249									
I098250		0.105	0.26	2.97	48	0.25	12.95	57	5.3
I098251		0.164	0.19	0.62	107	0.19	3.82	63	2.7
I098252		0.033	0.03	0.20	18	0.05	1.07	26	<0.5
I098253		0.024	0.04	1.32	31	0.07	3.89	49	2.0
I098254		0.056	0.06	0.41	46	0.18	3.40	50	<0.5
I098255		0.048	0.08	1.60	71	0.17	11.00	92	1.1
I098256		0.080	0.09	1.41	111	0.17	6.92	127	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098257		0.32	<0.005	0.43	2.00	7.5	<0.2	<10	1280	0.33	0.13	0.72	0.57	20.5	12.0	71
I098258		0.28	0.005	0.80	1.25	13.0	<0.2	<10	600	0.68	0.34	0.42	0.85	38.4	17.8	44
I098259		0.24	0.019	0.20	0.86	4.0	<0.2	<10	330	0.17	0.09	0.49	0.25	10.15	4.9	21
I098260		0.38	0.005	0.18	1.87	13.8	<0.2	<10	160	0.44	1.23	0.94	0.22	31.1	15.0	45
I098261		0.58	<0.005	0.02	0.12	2.3	<0.2	<10	30	0.11	0.04	0.08	0.04	10.00	2.2	3
I098262		0.24	<0.005	0.39	1.19	17.7	<0.2	<10	230	0.29	0.22	0.23	0.73	20.6	9.0	22
I098263		0.34	<0.005	0.12	2.91	12.2	<0.2	<10	340	0.61	0.18	0.40	0.14	22.1	15.4	60
I098264		0.38	<0.005	0.12	3.01	13.2	<0.2	<10	360	0.72	0.19	0.42	0.15	23.9	16.8	62
I098265		0.38	<0.005	0.12	1.06	4.5	<0.2	<10	80	0.17	0.14	0.17	0.10	10.35	6.9	26
I098266		0.40	<0.005	0.17	2.16	5.1	<0.2	<10	180	0.49	0.45	0.42	0.12	32.6	15.0	50
I098267		0.54	0.005	0.07	0.95	3.9	<0.2	<10	90	0.16	0.17	0.14	0.13	13.15	6.6	29
I098268		0.44	<0.005	0.21	1.50	6.6	<0.2	<10	90	0.19	0.42	0.23	0.26	28.4	8.8	36
I098269		0.32	<0.005	0.17	1.60	5.2	<0.2	<10	150	0.39	0.46	0.83	0.26	25.1	11.3	37
I098270		0.44	<0.005	0.13	1.07	4.7	<0.2	<10	90	0.16	0.38	0.16	0.25	26.6	7.7	25
I098271		0.58	<0.005	0.10	1.50	9.3	<0.2	<10	100	0.26	0.38	0.21	0.25	29.9	9.3	29
I098272		0.44	<0.005	0.15	1.08	3.6	<0.2	<10	80	0.24	0.19	0.31	0.19	16.30	6.8	29
I098273		0.50	<0.005	0.41	1.99	5.3	<0.2	<10	200	0.50	0.32	0.45	0.19	38.7	11.4	35
I098274		0.42	<0.005	0.11	1.80	4.4	<0.2	<10	180	0.48	0.17	0.47	0.09	31.5	11.3	40
I098275		0.28	<0.005	0.08	1.18	3.7	<0.2	<10	110	0.25	0.21	0.27	0.11	15.85	5.6	25
I098276		0.38	<0.005	0.16	1.12	3.5	<0.2	<10	80	0.15	0.11	0.13	0.10	8.73	4.6	21
I098277		0.32	<0.005	0.11	1.56	4.7	<0.2	<10	140	0.29	0.15	0.15	0.08	9.77	7.4	27
I098278		0.72	<0.005	0.12	1.94	6.9	<0.2	<10	170	0.42	0.15	0.35	0.06	25.7	10.3	24
I098279		0.58	0.006	0.10	1.73	4.7	<0.2	<10	160	0.36	0.14	0.35	0.05	25.2	8.0	25
I098280		0.48	<0.005	0.10	1.69	4.5	<0.2	<10	140	0.43	0.12	0.40	0.08	33.1	10.4	27
I098281		0.46	<0.005	0.05	2.25	6.1	<0.2	<10	110	0.22	0.13	0.26	0.13	15.50	11.4	63
I098282		0.44	<0.005	0.13	1.85	2.0	<0.2	<10	100	0.26	0.09	0.29	0.15	8.75	12.7	87
I098283		0.46	<0.005	0.08	2.26	2.9	<0.2	<10	180	0.33	0.10	0.85	0.26	16.45	15.3	83
I098284		0.60	<0.005	0.14	1.79	2.7	<0.2	<10	180	0.32	0.16	0.32	0.20	19.45	12.1	43
I098285		0.40	0.007	0.15	2.34	3.6	<0.2	<10	200	0.30	0.17	0.44	0.22	15.90	12.7	70
I098286		0.44	<0.005	0.18	2.12	4.7	<0.2	<10	310	0.55	0.24	0.53	0.12	53.5	11.0	36
I098287		0.42	<0.005	0.06	1.97	4.1	<0.2	<10	140	0.30	0.16	0.51	0.11	23.2	11.8	48
I098288		0.42	0.005	0.18	2.02	3.9	<0.2	<10	270	0.40	0.19	0.95	0.30	44.5	13.2	44
I098289		0.44	0.014	0.09	1.93	3.5	<0.2	<10	150	0.32	0.15	0.47	0.13	20.2	11.1	33
I098290		0.44	0.008	0.07	1.66	4.2	<0.2	<10	160	0.33	0.16	0.42	0.18	19.80	12.6	31
I098291		0.42	<0.005	0.09	1.72	3.6	<0.2	<10	180	0.33	0.14	0.50	0.16	23.3	10.9	34
I098292		0.42	<0.005	0.07	1.92	3.4	<0.2	<10	120	0.29	0.18	0.48	0.13	30.4	12.1	86
I098293		0.52	<0.005	0.08	1.96	4.3	<0.2	<10	150	0.31	0.17	0.54	0.12	28.7	10.7	64
I098294		0.46	0.006	0.06	1.72	4.8	<0.2	<10	130	0.28	0.15	0.43	0.10	24.4	8.2	42
I098295		0.26	<0.005	0.30	1.48	3.6	<0.2	<10	240	0.47	0.24	1.22	0.62	32.8	10.9	33
I098296		0.46	<0.005	0.04	0.88	3.3	<0.2	<10	50	0.14	0.16	0.19	0.16	10.30	10.1	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098257		0.70	49.8	2.64	6.59	0.07	0.03	0.05	0.023	0.06	11.0	8.4	0.92	309	1.79
I098258		2.36	57.5	1.74	17.60	0.18	0.03	0.19	0.047	0.04	20.4	19.7	0.54	144	3.02
I098259		0.67	20.1	1.40	3.48	0.06	<0.02	0.08	0.011	0.03	5.4	2.6	0.29	102	0.95
I098260		2.50	27.7	2.82	6.48	0.09	0.05	0.08	0.025	0.17	14.9	14.4	0.76	443	4.42
I098261		0.08	2.1	0.65	0.57	<0.05	0.08	<0.01	<0.005	0.04	5.1	1.1	0.03	150	0.30
I098262		0.77	25.7	2.21	6.61	0.07	0.03	0.04	0.016	0.10	12.7	6.3	0.43	438	1.60
I098263		1.48	28.5	3.55	9.67	0.09	0.09	0.03	0.031	0.28	9.0	17.7	1.06	331	1.35
I098264		1.65	30.4	3.66	9.67	0.10	0.11	0.02	0.032	0.29	9.7	18.0	1.06	390	1.34
I098265		0.54	15.7	1.59	5.40	<0.05	0.02	0.02	0.012	0.04	5.2	5.8	0.33	254	1.01
I098266		0.49	49.9	2.82	6.36	0.08	0.11	0.05	0.025	0.05	16.9	11.3	1.13	524	0.93
I098267		0.34	20.2	1.56	4.41	<0.05	0.03	0.06	0.011	0.05	6.9	4.5	0.42	217	0.97
I098268		0.42	26.6	2.30	5.71	0.07	0.09	0.03	0.016	0.05	15.1	8.3	0.58	297	1.28
I098269		0.43	40.6	2.17	5.22	0.06	0.06	0.07	0.020	0.06	13.8	7.8	0.64	663	1.37
I098270		0.40	20.6	1.78	5.52	0.06	0.03	0.02	0.015	0.07	14.3	6.2	0.38	402	1.78
I098271		0.59	21.6	2.61	7.71	0.06	0.07	0.03	0.019	0.06	16.0	10.3	0.46	367	2.42
I098272		0.55	27.5	1.45	4.43	0.05	0.02	0.06	0.013	0.05	9.2	5.6	0.39	223	1.14
I098273		0.68	42.0	2.43	6.71	0.09	0.08	0.07	0.024	0.07	25.2	10.3	0.54	612	1.38
I098274		0.64	32.9	2.22	5.40	0.06	0.05	0.02	0.017	0.07	17.0	11.4	0.72	326	0.61
I098275		0.69	20.6	1.44	7.34	0.05	0.03	0.02	0.013	0.07	8.8	4.9	0.35	157	0.88
I098276		0.60	13.6	1.49	5.47	<0.05	0.03	0.02	0.010	0.05	4.7	4.9	0.26	120	0.78
I098277		0.74	21.8	1.78	6.74	<0.05	0.02	0.03	0.013	0.07	5.4	6.3	0.40	179	0.87
I098278		0.78	24.3	2.46	6.59	0.08	0.07	0.02	0.017	0.07	14.7	12.5	0.56	207	0.85
I098279		0.71	23.6	2.28	6.36	0.05	0.05	0.02	0.016	0.08	12.9	9.6	0.56	200	0.81
I098280		1.01	28.5	2.55	6.53	0.07	0.03	0.02	0.015	0.12	16.5	11.2	0.74	265	0.97
I098281		0.58	30.4	3.12	7.56	0.06	0.03	0.02	0.019	0.06	7.4	12.2	1.11	336	0.98
I098282		0.56	38.3	2.48	6.30	0.05	<0.02	0.03	0.011	0.04	4.7	7.9	1.42	427	0.61
I098283		0.57	50.2	2.88	6.79	0.06	0.04	0.04	0.022	0.04	8.0	10.5	1.41	886	0.52
I098284		0.42	36.6	2.37	6.58	0.06	0.03	0.02	0.014	0.08	10.3	9.8	1.06	508	0.79
I098285		0.58	43.5	2.90	7.78	0.07	0.07	0.04	0.025	0.04	7.2	10.8	1.18	404	0.60
I098286		0.57	34.6	2.76	7.07	0.11	0.11	0.04	0.026	0.07	33.6	11.4	0.87	457	0.80
I098287		0.46	24.7	2.94	5.96	0.08	0.10	0.03	0.025	0.06	10.7	9.7	0.97	407	0.71
I098288		0.80	63.2	2.86	6.08	0.11	0.08	0.05	0.021	0.11	25.1	9.7	1.21	721	0.86
I098289		1.30	33.2	2.99	6.78	0.10	0.05	0.03	0.022	0.16	9.6	10.0	1.46	433	0.77
I098290		0.84	29.2	2.73	6.77	0.07	0.05	0.03	0.023	0.12	9.2	9.3	1.02	510	0.78
I098291		0.93	24.3	2.75	6.63	0.07	0.07	0.02	0.023	0.12	10.9	8.9	1.12	424	0.89
I098292		0.62	25.8	2.65	6.45	0.08	0.07	0.04	0.021	0.09	15.0	10.4	1.39	355	0.57
I098293		0.47	24.8	2.69	6.57	0.09	0.08	0.03	0.020	0.07	14.0	10.6	1.11	313	0.70
I098294		0.44	20.5	2.52	6.01	0.07	0.08	0.02	0.019	0.07	12.2	9.0	0.78	244	0.72
I098295		0.48	52.9	2.07	4.62	0.09	0.05	0.11	0.023	0.04	21.3	5.8	0.49	902	1.50
I098296		0.52	23.6	1.73	5.11	0.05	0.02	0.03	0.011	0.04	4.8	4.9	0.49	454	1.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098257		1.34	40.2	840	6.1	8.8	0.001	0.04	0.25	3.9	1.5	0.5	34.4	<0.01	0.04
I098258		2.99	62.2	630	14.0	23.7	0.002	0.05	0.53	6.7	3.4	1.3	74.2	0.01	0.11
I098259		0.72	13.0	770	4.1	6.7	<0.001	0.08	0.20	1.5	1.2	0.3	26.7	<0.01	0.04
I098260		2.01	26.3	670	8.8	26.4	0.002	0.06	0.54	4.4	1.4	0.7	43.3	<0.01	0.05
I098261		0.18	3.9	120	1.5	2.0	<0.001	<0.01	0.14	0.6	<0.2	<0.2	7.3	<0.01	0.01
I098262		1.41	19.7	290	7.2	11.5	<0.001	0.01	0.32	3.2	0.9	0.6	18.7	<0.01	0.04
I098263		2.55	39.7	360	9.0	29.4	<0.001	<0.01	0.36	7.0	0.7	0.9	28.4	<0.01	0.04
I098264		2.54	40.7	370	9.3	32.7	0.001	<0.01	0.39	7.3	0.8	0.9	29.3	<0.01	0.05
I098265		1.07	14.5	300	7.0	6.2	<0.001	<0.01	0.23	1.8	0.4	0.4	14.3	<0.01	0.02
I098266		1.03	40.8	600	26.9	9.5	<0.001	<0.01	0.27	5.7	0.7	0.4	31.8	<0.01	0.03
I098267		0.96	18.7	330	14.1	7.5	<0.001	<0.01	0.23	1.7	0.4	0.4	13.3	<0.01	0.02
I098268		1.51	23.6	320	30.4	7.8	<0.001	<0.01	0.29	3.0	0.5	0.4	19.6	<0.01	0.04
I098269		1.19	24.9	740	18.4	8.9	<0.001	0.05	0.30	2.8	0.9	0.4	40.3	<0.01	0.04
I098270		0.99	15.0	350	39.5	10.1	<0.001	<0.01	0.20	2.1	0.4	0.5	15.4	<0.01	0.03
I098271		1.77	19.3	440	41.7	11.7	<0.001	<0.01	0.29	3.0	0.5	0.6	20.0	<0.01	0.04
I098272		0.72	19.6	510	12.4	9.8	<0.001	0.02	0.22	1.7	0.7	0.4	22.7	<0.01	0.03
I098273		1.39	25.2	480	24.0	14.0	<0.001	0.01	0.26	4.1	0.7	0.6	30.1	<0.01	0.03
I098274		1.66	31.3	580	12.5	11.3	<0.001	<0.01	0.20	3.5	0.5	0.4	36.0	<0.01	0.02
I098275		1.61	15.0	280	11.1	14.2	<0.001	<0.01	0.21	2.2	0.5	0.6	23.4	<0.01	0.02
I098276		1.67	12.0	210	6.2	9.1	<0.001	<0.01	0.18	1.9	0.4	0.4	13.7	<0.01	0.03
I098277		1.08	19.9	400	8.1	13.6	<0.001	<0.01	0.20	1.7	0.5	0.5	15.1	<0.01	0.03
I098278		2.28	20.1	740	12.3	12.8	<0.001	<0.01	0.29	3.2	0.5	0.5	29.1	<0.01	0.03
I098279		1.74	17.5	670	12.1	12.9	<0.001	0.03	0.23	2.9	0.4	0.5	27.0	<0.01	0.02
I098280		1.81	20.7	930	10.8	18.8	<0.001	0.04	0.27	2.5	0.5	0.5	36.7	<0.01	0.02
I098281		1.47	36.3	370	10.5	9.3	<0.001	0.03	0.26	3.8	0.3	0.5	18.7	<0.01	0.03
I098282		0.79	40.6	350	6.9	8.4	<0.001	0.03	0.16	3.4	0.4	0.3	18.1	<0.01	0.02
I098283		0.84	44.9	480	8.8	8.1	<0.001	0.04	0.27	6.7	0.6	0.4	29.2	<0.01	0.02
I098284		1.23	29.6	410	17.1	13.0	<0.001	0.03	0.18	3.5	0.4	0.4	20.0	<0.01	0.02
I098285		1.23	35.1	270	13.6	5.0	<0.001	0.03	0.22	6.9	0.5	0.5	24.1	<0.01	0.04
I098286		1.51	22.1	380	24.4	12.2	<0.001	0.03	0.25	5.5	0.8	0.6	29.6	<0.01	0.03
I098287		1.23	25.0	500	9.0	7.1	<0.001	0.03	0.21	5.4	0.5	0.4	26.4	<0.01	0.02
I098288		1.36	27.4	620	14.9	16.6	<0.001	0.07	0.25	6.1	0.9	0.4	50.4	0.01	0.03
I098289		1.31	17.4	510	7.9	24.7	<0.001	0.05	0.20	5.8	0.6	0.5	29.8	<0.01	0.03
I098290		1.32	16.7	400	10.4	16.8	<0.001	0.04	0.20	4.8	0.5	0.6	26.5	<0.01	0.02
I098291		1.54	19.1	420	14.1	20.1	<0.001	0.04	0.18	5.5	0.5	0.6	28.3	<0.01	0.02
I098292		1.90	35.1	370	15.8	15.3	<0.001	0.04	0.18	5.1	0.5	0.5	27.7	<0.01	0.02
I098293		1.66	28.2	340	13.0	11.6	<0.001	0.04	0.19	5.3	0.6	0.5	30.3	<0.01	0.02
I098294		1.50	21.1	330	9.7	9.2	<0.001	0.03	0.22	4.5	0.5	0.5	24.9	<0.01	0.02
I098295		0.70	23.4	950	23.7	7.9	<0.001	0.12	0.33	3.1	1.3	0.3	58.6	0.01	0.04
I098296		0.73	24.1	380	11.4	9.8	<0.001	0.04	0.19	1.8	0.4	0.4	13.1	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098257		0.071	0.07	1.43	107	0.16	6.65	123	1.1
I098258		0.048	0.22	2.14	47	0.28	10.85	64	1.2
I098259		0.042	0.05	0.64	25	0.08	3.16	36	<0.5
I098260		0.100	0.24	1.48	66	1.46	8.41	77	1.4
I098261		0.007	0.03	0.28	5	<0.05	2.12	8	2.5
I098262		0.081	0.10	0.77	60	0.16	5.40	109	1.0
I098263		0.143	0.17	0.73	108	0.15	6.91	71	3.6
I098264		0.146	0.19	0.79	108	0.18	7.44	73	4.4
I098265		0.075	0.06	0.32	45	0.11	2.28	26	0.7
I098266		0.050	0.08	0.97	55	0.12	9.37	78	4.0
I098267		0.059	0.05	0.32	38	0.13	2.23	41	0.9
I098268		0.063	0.10	0.64	52	0.16	4.10	81	4.0
I098269		0.047	0.08	1.04	45	0.27	6.77	59	2.2
I098270		0.058	0.08	0.62	42	0.22	3.34	92	1.4
I098271		0.093	0.11	0.62	68	0.17	4.46	83	2.9
I098272		0.050	0.07	0.58	33	0.12	4.22	44	0.8
I098273		0.059	0.13	1.19	50	0.18	12.40	62	3.0
I098274		0.087	0.10	0.71	47	0.14	5.75	47	2.3
I098275		0.099	0.11	0.42	42	0.13	3.05	35	1.1
I098276		0.080	0.09	0.25	38	0.15	1.59	25	1.2
I098277		0.071	0.11	0.38	44	0.15	2.12	33	0.8
I098278		0.101	0.13	0.73	54	0.17	5.56	41	2.9
I098279		0.111	0.12	0.71	53	0.30	4.97	42	2.1
I098280		0.110	0.18	0.84	56	0.18	5.14	47	1.2
I098281		0.122	0.09	0.40	80	0.17	3.46	61	1.3
I098282		0.074	0.07	0.31	61	0.14	2.75	56	0.5
I098283		0.051	0.07	0.62	71	0.12	8.47	64	1.5
I098284		0.074	0.09	0.45	52	0.16	5.24	56	1.1
I098285		0.067	0.09	0.45	77	0.10	5.28	58	2.7
I098286		0.077	0.10	1.18	58	0.14	12.60	65	4.2
I098287		0.101	0.07	0.66	61	0.17	5.76	58	3.8
I098288		0.091	0.13	1.57	61	0.15	14.75	72	3.3
I098289		0.149	0.19	0.77	72	0.15	5.87	69	1.9
I098290		0.133	0.15	0.73	70	0.15	4.84	66	2.0
I098291		0.139	0.16	0.79	67	0.10	5.41	72	2.8
I098292		0.093	0.13	1.10	58	0.13	7.02	68	2.6
I098293		0.096	0.09	0.94	62	0.12	7.30	61	3.1
I098294		0.097	0.08	0.64	61	0.14	5.70	52	3.1
I098295		0.036	0.07	1.42	43	0.12	17.55	62	1.5
I098296		0.081	0.05	0.25	47	0.14	1.87	41	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I098297		0.62	<0.005	0.03	2.07	4.5	<0.2	<10	120	0.36	0.17	0.36	0.09	22.6	17.4	65
I098298		0.42	<0.005	0.11	1.14	3.1	<0.2	<10	140	0.25	0.11	0.25	0.08	13.60	6.1	24
I098299		0.42	0.006	0.11	2.01	4.5	<0.2	<10	170	0.43	0.32	0.47	0.18	63.4	14.1	55
I098300		0.36	<0.005	0.16	1.49	6.0	<0.2	<10	130	0.34	0.35	0.13	0.15	24.8	5.4	24
I098301		0.24	0.006	0.12	2.13	6.5	<0.2	<10	180	0.55	0.17	1.12	0.15	53.2	13.8	78
I098302		0.34	0.009	0.18	1.81	7.6	<0.2	<10	280	0.30	0.41	0.97	0.28	29.4	15.2	55
I098303		0.26	0.005	0.10	2.56	5.8	<0.2	<10	270	0.40	0.21	0.92	0.12	38.9	14.0	59
I098304		0.28	<0.005	0.11	2.41	5.9	<0.2	<10	380	0.41	0.29	1.23	0.15	45.0	13.9	63
I098305		0.26	0.012	0.39	2.09	5.4	<0.2	<10	490	0.46	0.18	2.14	0.49	39.7	14.1	49
I098306		0.36	0.010	0.33	2.67	7.4	<0.2	<10	500	0.49	0.19	1.07	0.17	40.6	16.0	52
I098307		0.42	0.013	0.19	3.02	8.3	<0.2	<10	420	0.54	0.20	0.74	0.06	40.2	18.2	63
I098308		0.34	0.007	0.08	2.87	4.3	<0.2	<10	270	0.27	0.14	0.76	0.11	14.40	18.4	59
I098309		0.48	0.010	0.12	2.68	7.6	<0.2	<10	450	0.46	0.21	0.92	0.22	36.0	15.7	51
I098310		0.20	<0.005	0.07	1.83	3.7	<0.2	<10	280	0.39	0.15	0.41	0.13	21.1	12.0	32
I098311		0.38	<0.005	0.09	1.98	4.5	<0.2	<10	480	0.36	0.12	1.91	0.33	21.3	10.5	23
I098312		0.42	<0.005	0.05	1.82	4.3	<0.2	<10	290	0.32	0.12	0.59	0.19	16.35	9.5	29
I098313		0.40	<0.005	0.09	1.85	4.7	<0.2	<10	450	0.40	0.13	0.38	0.32	17.30	12.0	26
I098314		0.30	<0.005	0.07	2.66	8.3	<0.2	<10	240	0.60	0.16	0.36	0.09	31.4	12.5	52
I098315		0.38	<0.005	0.07	2.90	11.1	<0.2	<10	260	0.71	0.17	0.37	0.14	23.7	17.2	40
I098316		0.40	<0.005	0.07	2.51	10.7	<0.2	<10	270	0.47	0.14	0.35	0.07	16.75	14.0	40
I098317		0.44	<0.005	0.08	2.36	14.0	<0.2	<10	240	0.44	0.14	0.32	0.11	15.95	12.1	34
I098318		0.32	<0.005	0.20	2.27	9.1	<0.2	<10	230	0.40	0.18	0.29	0.10	17.10	12.5	34
I098319		0.30	<0.005	0.07	2.29	11.7	<0.2	<10	150	0.43	0.19	0.21	0.09	16.60	10.1	32
I098320		0.40	<0.005	0.08	2.98	12.6	<0.2	<10	280	0.50	0.18	0.31	0.11	16.35	15.9	40
I098321		0.34	0.007	0.14	3.10	13.3	<0.2	<10	300	0.73	0.18	0.29	0.10	17.85	21.6	46
I098322		0.64	<0.005	0.01	0.13	2.5	<0.2	<10	30	0.10	0.06	0.08	0.04	10.90	2.4	4
I098323		0.36	<0.005	0.06	2.02	8.5	<0.2	<10	220	0.32	0.17	0.23	0.10	11.70	12.2	27
I098324		0.24	<0.005	0.06	2.54	8.7	<0.2	<10	220	0.44	0.20	0.60	0.12	11.65	13.9	28
I098325		0.36	<0.005	0.05	0.69	1.9	<0.2	<10	70	0.12	0.06	0.12	0.06	7.36	1.9	8
I098326		0.26	<0.005	0.03	4.69	10.5	<0.2	<10	260	0.82	0.15	0.17	0.12	25.6	20.7	24
I098327		0.26	<0.005	0.15	2.09	8.7	<0.2	<10	250	0.38	0.16	0.37	0.17	14.00	12.0	33
I098328		0.20	<0.005	0.13	1.80	5.7	<0.2	<10	430	0.39	0.15	0.38	0.59	15.00	16.0	26
I098329		0.40	<0.005	0.22	2.78	11.0	<0.2	<10	280	0.41	0.25	0.26	0.08	15.80	15.0	41
I098330		0.36	<0.005	0.10	2.10	6.9	<0.2	<10	290	0.36	0.11	0.45	0.06	19.70	10.4	29
I098331		0.34	0.008	0.08	2.50	9.5	<0.2	<10	150	0.50	0.21	0.19	0.18	13.40	10.9	29
I098332		0.28	<0.005	0.10	2.18	8.3	<0.2	<10	220	0.50	0.16	0.22	0.17	16.15	17.1	36
I098333		0.34	<0.005	0.10	2.08	6.4	<0.2	<10	270	0.48	0.13	0.37	0.14	18.55	12.8	30
I098334		0.28	<0.005	0.12	2.84	6.5	<0.2	<10	310	0.58	0.18	0.57	0.24	24.6	13.9	21
I098335		0.34	<0.005	0.12	3.07	7.0	<0.2	<10	300	0.58	0.18	0.58	0.21	23.8	14.7	23
I098336		0.22	<0.005	0.11	2.44	5.3	<0.2	<10	320	0.58	0.21	0.59	0.14	27.1	14.0	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098297		0.54	52.5	2.81	5.58	0.07	0.05	0.02	0.017	0.05	7.7	12.0	1.13	501	0.63
I098298		0.59	15.4	1.84	5.31	0.05	0.02	0.03	0.014	0.05	6.1	5.9	0.37	179	0.69
I098299		0.57	56.6	3.42	6.76	0.14	0.07	0.12	0.030	0.06	36.4	8.7	0.90	517	1.00
I098300		0.73	21.3	2.60	7.34	0.06	0.05	0.04	0.020	0.04	11.8	8.6	0.28	180	1.48
I098301		2.28	25.4	2.88	7.60	0.13	0.12	0.41	0.030	0.27	27.1	12.5	1.01	578	0.95
I098302		1.75	26.0	2.72	6.34	0.09	0.04	0.06	0.021	0.22	13.7	11.2	0.98	950	3.83
I098303		3.34	34.6	3.82	8.46	0.14	0.08	0.03	0.031	0.58	18.9	12.3	1.21	548	1.24
I098304		3.95	37.8	3.79	8.61	0.16	0.10	0.04	0.033	0.68	21.7	12.9	1.28	595	1.17
I098305		3.04	102.5	3.02	6.76	0.15	0.12	0.06	0.028	0.40	33.2	10.1	0.93	710	0.78
I098306		3.18	79.2	3.63	9.02	0.15	0.08	0.04	0.033	0.49	34.0	13.1	1.04	612	1.01
I098307		4.10	62.4	4.42	10.15	0.16	0.11	0.05	0.036	0.57	23.4	15.7	1.30	616	1.53
I098308		1.99	49.6	4.55	9.75	0.12	0.08	0.03	0.036	0.38	5.8	14.0	1.37	542	0.96
I098309		5.36	47.6	4.25	8.96	0.15	0.13	0.03	0.034	0.78	18.4	14.4	1.32	586	1.12
I098310		0.53	16.2	2.93	6.34	0.07	0.05	0.01	0.025	0.14	7.6	8.4	0.46	987	0.91
I098311		0.92	15.9	2.98	7.03	0.07	0.07	<0.01	0.022	0.35	8.4	13.2	0.60	1460	0.90
I098312		0.84	14.6	2.84	6.47	0.06	0.03	0.02	0.023	0.08	7.2	10.9	0.51	473	0.98
I098313		1.23	16.1	2.73	6.61	0.06	0.03	0.02	0.024	0.06	7.6	9.0	0.40	2700	1.19
I098314		1.05	21.6	4.06	8.37	0.09	0.09	0.01	0.036	0.12	13.6	14.6	0.67	352	1.47
I098315		1.36	20.9	3.92	9.11	0.07	0.15	0.02	0.042	0.10	9.0	17.6	0.72	541	1.28
I098316		0.93	21.8	3.28	6.98	0.06	0.16	0.02	0.031	0.05	8.1	13.7	0.61	430	1.11
I098317		1.12	17.0	3.18	7.40	0.05	0.07	0.02	0.028	0.04	8.0	12.4	0.55	445	1.06
I098318		1.00	17.7	3.22	6.84	0.06	0.12	0.02	0.031	0.11	8.2	13.9	0.64	446	1.06
I098319		1.24	16.7	3.43	9.05	0.06	0.12	0.02	0.031	0.04	8.2	13.5	0.43	276	1.89
I098320		1.05	20.1	3.89	9.48	0.08	0.10	0.03	0.037	0.05	8.1	17.8	0.63	785	1.48
I098321		1.42	25.6	4.03	8.66	0.07	0.26	0.02	0.043	0.04	8.8	15.6	0.63	366	1.46
I098322		0.08	1.8	0.59	0.60	<0.05	0.07	<0.01	<0.005	0.03	5.6	1.4	0.04	145	0.27
I098323		1.17	13.5	3.26	8.49	0.05	0.09	0.01	0.026	0.03	5.8	13.6	0.40	403	1.44
I098324		1.03	15.2	3.62	8.91	0.05	0.07	0.02	0.029	0.06	5.8	17.5	0.63	655	1.32
I098325		0.54	6.3	0.82	2.59	<0.05	<0.02	0.01	0.006	0.03	3.9	2.1	0.09	78	0.36
I098326		7.75	18.6	5.64	13.25	0.10	0.19	0.03	0.052	0.56	9.0	46.6	1.17	717	1.10
I098327		0.88	17.0	3.30	7.65	0.06	0.06	0.01	0.026	0.09	6.8	12.8	0.54	673	1.34
I098328		1.20	18.3	2.94	6.59	0.05	0.04	0.01	0.025	0.10	6.7	9.7	0.47	2840	1.08
I098329		1.05	20.4	3.64	7.95	0.06	0.19	0.03	0.031	0.06	7.7	15.1	0.63	386	1.24
I098330		1.11	18.2	2.82	6.54	0.06	0.11	0.03	0.027	0.07	10.9	14.4	0.62	399	0.64
I098331		1.39	18.0	3.37	8.23	0.05	0.04	0.02	0.027	0.07	6.4	13.7	0.45	343	1.41
I098332		1.00	18.7	3.44	7.30	0.06	0.06	0.02	0.033	0.04	7.4	10.3	0.47	958	1.21
I098333		1.36	14.6	3.13	6.50	0.06	0.04	0.01	0.027	0.13	8.6	10.8	0.53	614	0.86
I098334		2.10	14.1	3.52	9.12	0.07	0.06	0.02	0.034	0.17	8.8	19.6	0.73	772	0.99
I098335		2.14	15.0	3.75	9.70	0.07	0.06	0.02	0.033	0.16	8.9	20.6	0.77	780	1.04
I098336		2.21	13.9	3.40	8.30	0.07	0.06	0.02	0.030	0.28	10.5	16.3	0.69	872	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098297		1.19	47.6	660	5.0	7.1	<0.001	0.03	0.21	4.1	0.4	0.4	19.7	<0.01	0.02
I098298		1.01	15.7	370	6.6	9.1	<0.001	0.03	0.17	2.8	0.3	0.5	18.1	<0.01	0.02
I098299		1.34	39.5	550	32.9	9.0	<0.001	0.04	0.30	9.8	0.9	0.5	24.2	0.01	0.04
I098300		1.34	11.5	280	12.7	8.7	<0.001	0.04	0.26	2.7	0.5	0.6	13.3	<0.01	0.03
I098301		2.70	30.8	600	7.7	44.5	<0.001	0.07	0.29	6.6	1.0	1.0	53.1	0.01	0.03
I098302		1.65	29.0	860	6.5	28.9	<0.001	0.12	0.32	4.7	1.0	0.5	49.6	<0.01	0.04
I098303		2.06	25.0	510	5.9	39.7	<0.001	0.07	0.27	8.4	0.8	0.8	38.5	<0.01	0.04
I098304		2.54	27.2	610	4.9	55.3	<0.001	0.10	0.28	8.7	0.9	1.1	50.3	<0.01	0.06
I098305		1.78	41.1	700	5.2	40.3	<0.001	0.10	0.51	7.5	1.8	0.6	76.5	0.01	0.05
I098306		1.75	34.5	440	6.8	42.9	<0.001	0.05	0.37	10.0	1.2	0.6	47.9	0.01	0.05
I098307		1.84	34.7	290	6.9	52.6	<0.001	0.03	0.35	12.4	0.9	0.7	35.3	<0.01	0.06
I098308		1.13	28.3	260	3.8	29.7	<0.001	0.04	0.31	11.6	0.6	0.6	34.0	<0.01	0.03
I098309		1.86	28.8	530	5.2	59.1	<0.001	0.05	0.30	11.0	0.9	0.8	40.6	<0.01	0.04
I098310		1.56	20.8	630	8.2	10.0	<0.001	0.03	0.35	4.6	0.3	0.7	30.5	<0.01	0.02
I098311		2.64	16.5	1270	8.2	21.8	<0.001	0.04	0.34	4.4	0.4	1.1	94.7	<0.01	0.03
I098312		1.69	17.3	390	6.9	11.2	<0.001	0.03	0.44	3.4	0.4	0.8	37.6	<0.01	0.02
I098313		1.23	19.3	430	7.0	12.9	<0.001	0.03	0.35	2.9	0.4	0.7	35.2	<0.01	0.03
I098314		2.00	29.1	440	9.6	20.7	<0.001	0.03	0.52	7.0	0.5	1.0	29.7	<0.01	0.02
I098315		2.37	27.4	400	11.0	17.5	<0.001	<0.01	0.55	6.4	0.5	1.3	34.4	<0.01	0.05
I098316		1.68	30.8	310	8.3	8.7	<0.001	<0.01	0.45	4.3	0.4	0.7	31.9	<0.01	0.03
I098317		1.65	23.1	270	9.9	8.8	<0.001	<0.01	0.47	4.2	0.4	0.8	28.8	<0.01	0.04
I098318		2.10	23.3	220	7.3	14.2	<0.001	<0.01	0.41	4.7	0.4	0.8	28.4	<0.01	0.03
I098319		1.92	20.3	330	10.4	11.4	<0.001	<0.01	0.48	4.3	0.4	0.9	22.3	<0.01	0.04
I098320		2.33	30.3	350	10.2	14.2	<0.001	<0.01	0.53	4.7	0.4	0.9	30.0	<0.01	0.04
I098321		1.47	36.8	400	10.7	14.1	<0.001	<0.01	0.53	5.4	0.4	0.8	36.3	<0.01	0.03
I098322		0.17	4.1	120	1.7	2.2	<0.001	<0.01	0.11	0.7	<0.2	<0.2	7.4	<0.01	<0.01
I098323		2.14	18.3	280	9.3	12.9	<0.001	<0.01	0.45	3.5	0.3	0.9	21.7	<0.01	0.04
I098324		3.13	23.0	450	9.4	17.5	<0.001	<0.01	0.52	4.2	0.4	1.0	43.4	<0.01	0.03
I098325		0.48	3.0	240	3.0	5.2	<0.001	<0.01	0.08	0.9	0.3	0.3	11.1	<0.01	0.01
I098326		7.24	21.5	590	11.4	77.7	<0.001	<0.01	0.68	9.2	0.7	2.0	15.8	0.02	0.04
I098327		2.00	25.0	430	8.6	11.9	<0.001	<0.01	0.45	3.7	0.3	0.7	29.8	<0.01	0.03
I098328		1.92	21.0	420	7.6	23.7	<0.001	<0.01	0.35	3.7	0.4	0.7	34.8	<0.01	0.03
I098329		1.73	31.0	210	8.8	11.8	<0.001	<0.01	0.42	4.4	0.4	0.7	26.5	<0.01	0.03
I098330		1.91	21.2	490	6.7	10.3	<0.001	<0.01	0.26	5.3	0.4	0.7	32.4	<0.01	0.02
I098331		2.47	21.7	390	14.4	13.2	<0.001	<0.01	0.52	3.5	0.4	1.0	19.4	<0.01	0.03
I098332		1.59	23.0	420	9.0	7.8	<0.001	<0.01	0.43	4.3	0.4	0.7	20.8	<0.01	0.03
I098333		1.92	19.3	330	8.8	22.5	<0.001	<0.01	0.39	4.8	0.3	0.9	28.1	<0.01	0.02
I098334		3.69	17.6	490	12.0	25.1	<0.001	0.01	0.58	5.2	0.6	1.5	39.3	<0.01	0.04
I098335		3.83	19.4	510	12.5	21.5	<0.001	0.01	0.60	5.5	0.5	1.6	40.8	<0.01	0.03
I098336		3.05	15.7	440	11.3	34.9	<0.001	<0.01	0.61	6.2	0.5	1.4	40.9	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098297		0.118	0.07	0.40	61	0.12	5.03	46
I098298		0.071	0.08	0.39	47	0.16	3.10	29
I098299		0.063	0.08	1.15	73	0.16	21.9	108
I098300		0.081	0.09	0.68	66	0.12	4.35	37
I098301		0.152	0.29	2.92	70	0.25	14.00	68
I098302		0.109	0.21	1.69	70	0.78	8.10	90
I098303		0.177	0.30	1.60	104	0.31	9.82	67
I098304		0.176	0.40	1.55	102	0.38	10.80	66
I098305		0.121	0.26	2.92	78	0.29	25.7	52
I098306		0.138	0.28	1.10	105	0.31	23.3	62
I098307		0.176	0.38	1.12	131	1.46	15.50	76
I098308		0.158	0.18	0.50	144	0.17	5.25	80
I098309		0.193	0.49	0.84	123	0.52	11.85	77
I098310		0.112	0.12	0.33	64	0.14	3.13	70
I098311		0.146	0.15	0.37	64	0.11	3.89	147
I098312		0.118	0.10	0.39	70	0.14	2.95	78
I098313		0.100	0.10	0.37	62	0.11	3.84	104
I098314		0.161	0.15	0.64	96	0.12	5.69	78
I098315		0.150	0.18	0.67	90	0.17	3.37	77
I098316		0.124	0.11	0.47	80	0.12	3.36	61
I098317		0.087	0.14	0.47	77	0.12	3.02	60
I098318		0.143	0.12	0.49	78	0.25	3.16	50
I098319		0.115	0.11	0.56	87	0.12	3.24	56
I098320		0.130	0.14	0.53	93	0.13	2.70	75
I098321		0.120	0.11	0.59	88	0.09	3.58	66
I098322		0.010	0.03	0.33	7	<0.05	2.06	10
I098323		0.120	0.13	0.32	80	0.10	2.12	60
I098324		0.146	0.13	0.37	85	0.13	2.65	77
I098325		0.050	0.04	0.25	21	0.06	1.35	15
I098326		0.307	0.62	0.98	118	0.20	5.73	96
I098327		0.130	0.09	0.42	80	0.11	2.43	73
I098328		0.118	0.10	0.36	65	0.10	2.75	115
I098329		0.141	0.11	0.49	87	0.13	2.71	54
I098330		0.136	0.10	0.76	68	0.20	5.50	48
I098331		0.105	0.12	0.51	76	0.12	2.55	82
I098332		0.107	0.11	0.43	79	0.14	3.03	80
I098333		0.111	0.16	0.48	72	0.11	3.20	72
I098334		0.162	0.19	0.60	78	0.35	3.96	97
I098335		0.177	0.23	0.62	85	0.37	4.04	101
I098336		0.143	0.22	0.59	74	0.27	5.11	77



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098337		0.42	<0.005	0.10	1.68	10.0	<0.2	<10	140	0.42	0.13	0.23	0.19	15.40	9.2	28
I098338		0.38	<0.005	0.05	2.10	8.9	<0.2	<10	170	0.57	0.12	0.26	0.16	24.5	10.1	38
I098339		0.22	<0.005	0.19	1.80	6.0	<0.2	<10	150	0.45	0.13	0.28	0.40	18.60	10.3	28
I098340		0.22	<0.005	0.08	0.37	1.8	<0.2	<10	80	0.12	0.09	0.07	0.28	4.67	2.7	9
I098341		0.34	<0.005	0.09	1.62	9.6	<0.2	<10	80	0.40	0.17	0.12	0.31	15.25	8.2	26
I098342		0.30	0.005	0.24	2.02	6.5	<0.2	<10	170	0.57	0.15	0.16	0.35	12.70	5.5	25
I098343		0.26	<0.005	0.18	0.38	1.5	<0.2	<10	60	0.09	0.09	0.13	0.16	6.16	1.5	8
I098344		0.34	<0.005	0.17	1.10	5.3	<0.2	<10	230	0.48	0.15	0.28	0.27	11.85	8.5	17
I098345		0.22	<0.005	0.53	1.57	5.6	<0.2	<10	310	0.42	0.14	0.47	0.59	18.55	11.1	20
I098346		0.42	<0.005	0.11	1.96	6.6	<0.2	<10	160	0.55	0.12	0.24	0.08	15.90	7.3	23
I098347		0.28	<0.005	0.23	0.92	3.2	<0.2	<10	100	0.24	0.08	0.16	0.16	10.20	3.6	13
I098348		0.22	<0.005	0.11	2.56	10.6	<0.2	<10	210	0.87	0.13	0.35	0.18	17.70	10.1	33
I098349		0.34	0.007	0.46	1.60	12.2	<0.2	<10	580	0.82	0.10	0.79	1.30	77.9	9.4	15
I098350		0.24	<0.005	0.08	3.23	6.0	<0.2	<10	350	0.40	0.23	0.39	0.14	17.75	18.2	20
I098451		0.50	<0.005	0.22	3.70	5.5	<0.2	<10	330	0.49	0.14	0.78	0.09	25.8	25.6	89
I098452		0.66	<0.005	0.11	2.59	6.8	<0.2	<10	300	0.34	0.13	0.47	0.05	17.55	17.2	63
I098453		0.58	0.006	0.17	2.56	6.2	<0.2	<10	240	0.32	0.14	0.58	0.08	17.50	14.0	52
I098454		0.56	0.009	0.13	2.75	7.2	<0.2	<10	260	0.41	0.13	0.95	0.08	23.9	16.1	61
I098455		0.62	0.006	0.08	2.35	7.4	<0.2	<10	200	0.31	0.13	0.89	0.17	25.1	19.8	66
I098456		0.64	<0.005	0.08	2.75	12.2	<0.2	<10	310	0.36	0.14	0.60	0.07	24.8	17.1	60
I098457		0.46	0.005	0.12	2.46	8.3	<0.2	<10	300	0.42	0.16	0.97	0.09	26.8	16.9	51
I098458		0.60	<0.005	0.10	2.42	7.9	<0.2	<10	310	0.41	0.15	0.54	0.09	22.3	16.8	59
I098459		0.66	0.005	0.21	2.37	5.9	<0.2	<10	240	0.26	0.12	0.39	0.06	12.50	15.5	56
I098460		0.64	<0.005	0.17	2.25	6.3	<0.2	<10	210	0.38	0.13	0.48	0.07	20.1	14.0	42
I098461		0.58	<0.005	0.14	2.77	5.7	<0.2	<10	310	0.36	0.15	0.43	0.08	19.10	17.2	56
I098462		0.42	<0.005	0.21	1.78	4.6	<0.2	<10	310	0.31	0.12	0.77	0.18	17.00	12.5	33
I098463		0.36	<0.005	0.04	2.37	7.7	<0.2	<10	170	0.28	0.22	0.64	0.12	22.9	19.4	87
I098464		0.12	<0.005	0.02	0.19	2.0	<0.2	<10	40	0.13	0.03	0.10	0.05	11.85	2.5	4
I098465		0.48	0.006	0.06	2.23	8.2	<0.2	<10	170	0.30	0.21	0.52	0.20	29.7	14.4	74
I098466		0.42	0.006	0.07	2.36	7.5	<0.2	<10	150	0.32	0.16	0.26	0.09	20.3	9.8	31
I098467		0.38	<0.005	0.09	1.97	8.3	<0.2	<10	120	0.24	0.19	0.14	0.12	16.45	5.6	26
I098468		0.42	<0.005	0.07	2.35	8.1	<0.2	<10	130	0.28	0.18	0.23	0.07	14.50	9.0	29
I098469		0.58	0.007	0.05	2.38	9.7	<0.2	<10	130	0.31	0.16	0.20	0.09	16.60	8.7	33
I098470		0.52	<0.005	0.06	2.47	5.5	<0.2	<10	240	0.39	0.14	0.27	0.08	26.2	12.4	23
I098471		0.48	<0.005	0.11	1.82	7.5	<0.2	<10	160	0.19	0.27	0.28	0.08	17.45	6.4	25
I098472		0.42	<0.005	0.13	1.75	3.6	<0.2	<10	200	0.27	0.13	0.27	0.05	20.4	7.0	19
I098473		0.58	0.008	0.47	2.00	2.7	<0.2	<10	320	0.39	0.13	0.45	0.10	46.0	8.2	22
I098474		0.50	<0.005	0.20	2.48	9.8	<0.2	<10	170	0.38	0.20	0.19	0.14	15.40	14.1	33
I098475		0.42	<0.005	0.13	2.18	10.0	<0.2	<10	180	0.28	0.25	0.15	0.10	16.00	10.3	31
I098476		0.44	<0.005	0.06	3.21	13.0	<0.2	<10	240	0.46	0.18	0.26	0.11	18.85	14.5	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098337		1.24	19.7	2.46	6.61	0.06	0.03	0.03	0.022	0.08	7.6	11.6	0.50	281	1.07
I098338		1.68	22.7	2.65	6.31	0.08	0.04	0.02	0.029	0.23	12.3	11.0	0.86	344	0.57
I098339		1.26	26.8	2.44	7.05	0.06	0.03	0.04	0.028	0.13	9.5	8.1	0.58	314	0.97
I098340		0.39	11.0	0.75	2.45	<0.05	<0.02	0.02	0.007	0.03	2.4	0.8	0.05	138	0.58
I098341		0.99	14.1	2.71	8.98	0.06	0.04	0.03	0.023	0.06	7.7	10.2	0.43	311	1.63
I098342		0.89	26.9	2.08	6.53	0.05	0.03	0.05	0.030	0.06	6.6	5.7	0.26	135	0.86
I098343		0.50	7.1	0.55	2.90	<0.05	<0.02	0.02	0.006	0.03	3.1	1.1	0.07	83	0.50
I098344		0.85	19.7	1.79	5.78	0.05	0.02	0.02	0.019	0.05	6.0	5.5	0.25	510	1.05
I098345		0.88	19.4	1.84	5.99	0.06	0.03	0.05	0.020	0.10	9.1	5.1	0.36	1020	1.21
I098346		0.82	19.9	2.27	6.49	0.05	0.10	0.02	0.023	0.05	8.0	8.2	0.37	179	0.64
I098347		0.38	13.0	1.14	3.91	0.05	<0.02	0.03	0.013	0.04	5.3	3.5	0.18	90	0.45
I098348		1.58	20.0	3.12	8.47	0.07	0.07	0.02	0.034	0.11	8.8	14.3	0.69	369	1.02
I098349		3.47	29.0	1.80	4.70	0.14	0.05	0.08	0.026	0.12	42.4	6.2	0.26	1430	0.93
I098350		3.65	25.2	4.38	11.15	0.10	0.05	0.02	0.020	0.56	8.0	18.2	1.16	555	0.78
I098451		3.29	66.7	4.63	11.55	0.11	0.10	0.08	0.030	0.68	11.6	16.0	1.83	865	1.08
I098452		1.78	42.2	3.82	8.82	0.08	0.16	0.03	0.028	0.30	8.2	13.1	1.20	490	0.75
I098453		1.57	44.8	3.59	8.14	0.07	0.15	0.02	0.024	0.30	9.7	13.3	1.04	384	0.77
I098454		2.79	43.5	3.63	8.70	0.09	0.10	0.03	0.026	0.30	11.5	13.9	1.33	488	0.78
I098455		2.59	39.0	3.55	7.92	0.08	0.07	0.04	0.028	0.35	9.5	12.0	1.24	808	0.88
I098456		1.44	39.5	4.04	8.77	0.09	0.14	0.01	0.031	0.37	10.0	15.0	1.20	479	0.88
I098457		1.11	50.5	3.64	7.72	0.08	0.11	0.02	0.031	0.25	12.4	12.7	0.95	602	1.00
I098458		0.52	28.2	3.85	7.48	0.06	0.19	0.01	0.050	0.21	8.7	11.0	0.82	483	0.87
I098459		0.84	45.7	4.05	8.32	0.07	0.10	0.02	0.036	0.35	4.9	11.4	0.93	502	0.92
I098460		0.78	34.5	3.62	7.56	0.06	0.14	0.05	0.035	0.29	8.9	10.7	0.86	551	0.91
I098461		0.98	46.5	4.27	9.65	0.07	0.19	0.02	0.039	0.37	7.8	13.2	1.15	599	0.99
I098462		0.89	75.4	2.80	5.51	0.05	0.08	0.02	0.023	0.26	8.2	8.6	0.65	747	0.69
I098463		2.04	16.6	3.51	8.01	0.09	0.07	0.01	0.022	0.37	10.8	17.3	1.47	603	4.19
I098464		0.09	2.8	1.15	0.86	<0.05	0.09	<0.01	<0.005	0.07	5.8	1.5	0.04	221	0.38
I098465		1.95	21.5	3.18	7.29	0.09	0.06	0.03	0.022	0.31	14.6	14.4	1.28	451	4.10
I098466		0.92	17.9	3.13	7.24	0.05	0.10	0.03	0.027	0.04	8.9	12.4	0.51	268	1.00
I098467		1.17	14.8	3.18	8.85	<0.05	0.05	0.03	0.026	0.05	8.1	11.1	0.36	188	1.73
I098468		1.08	11.8	3.15	8.33	<0.05	0.07	0.02	0.028	0.05	7.0	13.9	0.45	286	1.00
I098469		0.89	15.5	3.77	8.54	0.05	0.08	0.02	0.029	0.05	7.9	13.3	0.51	233	1.26
I098470		1.74	14.7	3.47	8.62	0.05	0.06	0.02	0.033	0.15	11.5	16.0	0.67	637	1.14
I098471		0.81	11.2	3.02	9.30	<0.05	0.08	0.02	0.021	0.05	8.8	11.5	0.49	242	1.53
I098472		0.86	8.6	2.32	6.39	<0.05	0.06	0.02	0.022	0.08	9.9	10.4	0.42	445	0.99
I098473		1.20	17.3	2.51	6.44	0.07	0.09	0.05	0.029	0.11	37.7	12.0	0.58	465	0.67
I098474		1.24	16.7	3.95	9.51	<0.05	0.09	0.02	0.033	0.05	7.5	13.6	0.47	556	2.12
I098475		1.08	17.0	3.78	8.84	0.05	0.10	0.02	0.031	0.05	7.7	12.4	0.46	531	2.17
I098476		1.38	20.1	4.37	8.80	0.05	0.12	0.01	0.039	0.05	8.9	17.2	0.61	333	1.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098337		1.47	19.9	360	8.8	16.1	<0.001	<0.01	0.30	3.5	0.6	0.6	19.1	<0.01	0.04
I098338		1.76	25.0	390	10.5	28.6	<0.001	<0.01	0.24	5.2	0.6	0.8	19.9	<0.01	0.02
I098339		1.58	22.1	540	7.0	17.4	<0.001	0.02	0.29	3.7	0.6	0.8	25.9	<0.01	0.02
I098340		0.15	5.7	320	3.5	4.0	<0.001	<0.01	0.14	0.4	0.3	0.3	10.5	<0.01	0.01
I098341		2.66	15.4	230	11.7	17.9	<0.001	<0.01	0.38	3.7	0.4	0.9	13.5	<0.01	0.03
I098342		1.52	17.4	290	10.2	11.9	<0.001	<0.01	0.24	4.1	0.6	0.6	18.3	<0.01	0.03
I098343		0.19	4.0	200	4.7	6.0	<0.001	<0.01	0.13	0.5	0.3	0.4	14.5	<0.01	0.02
I098344		1.17	12.1	430	8.6	13.0	<0.001	<0.01	0.23	2.4	0.5	0.5	25.7	<0.01	0.03
I098345		1.36	15.4	650	7.4	22.6	<0.001	0.02	0.27	3.7	0.8	0.6	42.8	<0.01	0.03
I098346		1.68	15.9	170	7.8	10.3	<0.001	<0.01	0.22	4.8	0.5	0.7	23.4	<0.01	0.02
I098347		0.82	9.6	250	4.8	6.0	<0.001	<0.01	0.15	2.5	0.4	0.4	16.9	<0.01	0.02
I098348		2.73	23.4	300	9.9	21.8	<0.001	<0.01	0.33	5.7	0.6	1.1	33.6	<0.01	0.03
I098349		0.86	24.1	1020	5.1	20.4	<0.001	0.05	0.53	6.4	1.8	0.4	69.6	0.01	0.03
I098350		4.07	15.2	650	5.6	50.9	<0.001	<0.01	0.25	5.3	0.5	0.9	22.7	<0.01	0.02
I098451		2.11	54.5	240	5.8	52.6	<0.001	<0.01	0.32	11.1	0.6	0.6	33.9	<0.01	0.03
I098452		1.43	37.0	140	6.6	28.6	<0.001	<0.01	0.34	8.8	0.4	0.5	27.0	<0.01	0.02
I098453		1.65	32.6	160	7.9	31.0	<0.001	<0.01	0.37	7.3	0.4	0.5	28.9	<0.01	0.02
I098454		1.83	40.8	330	6.1	29.3	<0.001	0.01	0.36	8.0	0.7	0.5	37.7	<0.01	0.03
I098455		1.36	36.4	500	4.7	34.3	0.001	0.02	0.33	8.7	0.6	0.5	32.4	<0.01	0.02
I098456		1.60	35.3	250	5.3	26.4	<0.001	<0.01	0.36	9.5	0.5	0.5	29.5	<0.01	0.03
I098457		1.81	35.3	400	6.7	18.2	<0.001	0.01	0.38	8.2	0.7	0.5	42.9	<0.01	0.02
I098458		1.37	33.4	160	6.6	15.7	<0.001	<0.01	0.40	8.3	0.4	0.5	30.4	<0.01	0.03
I098459		1.17	31.6	140	4.4	33.7	<0.001	<0.01	0.32	9.6	0.2	0.5	23.4	<0.01	0.03
I098460		1.34	25.9	190	5.6	19.8	<0.001	<0.01	0.36	9.6	0.4	0.6	26.2	<0.01	0.02
I098461		0.84	29.9	120	5.1	28.9	<0.001	0.01	0.31	12.5	0.4	0.7	24.7	<0.01	0.02
I098462		1.14	28.0	300	4.8	22.2	0.001	0.01	0.36	6.2	0.5	0.4	34.6	<0.01	0.02
I098463		2.47	40.4	640	6.6	38.1	<0.001	0.01	0.27	6.3	0.3	0.7	29.2	<0.01	0.04
I098464		0.18	4.7	130	1.8	3.2	<0.001	<0.01	0.15	0.8	<0.2	0.2	9.6	<0.01	0.01
I098465		2.29	38.3	630	6.2	34.8	<0.001	0.03	0.28	6.0	0.6	0.6	28.3	<0.01	0.03
I098466		1.75	23.1	420	9.1	7.0	<0.001	<0.01	0.53	4.7	0.4	0.6	18.5	0.01	0.03
I098467		1.85	12.2	410	9.1	9.2	0.001	<0.01	0.37	4.1	0.4	0.7	15.1	0.01	0.03
I098468		2.05	17.9	400	8.5	9.0	<0.001	<0.01	0.35	4.2	0.4	0.6	17.9	0.01	0.02
I098469		1.94	18.3	410	9.2	8.7	<0.001	<0.01	0.43	4.6	0.4	0.6	17.9	0.01	0.02
I098470		2.37	14.1	480	8.5	23.2	<0.001	<0.01	0.43	6.7	0.3	1.0	19.8	<0.01	0.02
I098471		2.11	12.6	240	10.4	10.1	<0.001	<0.01	0.35	4.1	0.3	0.8	22.7	<0.01	0.03
I098472		1.61	10.3	360	6.6	11.8	<0.001	<0.01	0.25	4.0	0.3	0.6	20.0	<0.01	0.02
I098473		1.76	14.0	500	6.7	16.6	0.001	<0.01	0.27	6.0	0.3	0.7	28.6	<0.01	0.01
I098474		1.71	19.8	520	11.1	11.8	<0.001	0.01	0.49	4.1	0.3	0.8	17.1	<0.01	0.03
I098475		2.01	18.6	380	26.5	11.3	<0.001	0.01	0.50	3.8	0.4	0.7	14.8	<0.01	0.02
I098476		1.97	32.0	420	11.7	12.2	<0.001	0.02	0.54	5.2	0.3	0.8	23.6	0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098337		0.110	0.12	0.52	59	0.18	3.75	48	1.1
I098338		0.128	0.20	0.55	57	0.16	5.19	58	1.4
I098339		0.113	0.10	0.59	59	0.13	4.53	53	1.1
I098340		0.024	0.04	0.21	23	0.05	0.94	20	<0.5
I098341		0.125	0.14	0.47	74	0.14	2.37	43	2.2
I098342		0.084	0.08	0.88	44	0.17	4.03	34	1.4
I098343		0.029	0.06	0.19	17	<0.05	1.19	16	<0.5
I098344		0.075	0.08	0.44	45	0.12	3.27	43	0.7
I098345		0.083	0.08	0.64	43	0.15	5.35	104	0.9
I098346		0.098	0.10	0.68	49	0.10	4.89	37	4.1
I098347		0.056	0.07	0.48	26	0.10	2.93	24	<0.5
I098348		0.129	0.18	0.55	66	0.17	4.96	61	3.2
I098349		0.043	0.08	1.50	36	0.14	38.5	53	<0.5
I098350		0.309	0.34	0.70	117	2.67	5.10	75	2.0
I098451		0.193	0.26	0.83	124	0.18	10.25	60	4.1
I098452		0.159	0.18	0.45	96	0.13	7.14	63	7.0
I098453		0.152	0.16	0.56	90	0.13	9.32	49	6.2
I098454		0.148	0.16	0.69	90	0.22	10.95	50	4.6
I098455		0.115	0.21	0.67	89	0.14	8.59	53	2.6
I098456		0.153	0.27	0.54	104	0.14	9.22	60	5.6
I098457		0.141	0.12	0.92	88	0.11	11.15	58	4.8
I098458		0.136	0.09	0.34	97	0.12	5.71	50	7.5
I098459		0.136	0.13	0.28	101	0.16	3.70	51	4.0
I098460		0.142	0.11	0.37	86	0.12	7.44	49	5.9
I098461		0.149	0.13	0.25	116	0.11	6.45	57	7.5
I098462		0.100	0.07	0.29	69	0.16	8.29	38	3.0
I098463		0.178	0.26	0.83	89	0.34	5.23	78	3.1
I098464		0.009	0.04	0.37	5	<0.05	2.42	4	3.5
I098465		0.155	0.24	1.26	82	0.26	7.40	66	2.6
I098466		0.116	0.09	0.56	73	0.12	4.57	42	4.5
I098467		0.115	0.10	0.51	76	0.12	3.45	41	2.5
I098468		0.128	0.09	0.45	73	0.11	3.32	36	3.4
I098469		0.117	0.10	0.52	85	0.13	3.55	42	3.8
I098470		0.142	0.18	0.74	84	0.14	5.60	54	2.5
I098471		0.147	0.14	0.52	90	0.10	3.82	43	3.2
I098472		0.098	0.10	0.69	55	0.14	4.22	38	2.2
I098473		0.132	0.14	1.41	57	0.11	9.54	50	3.8
I098474		0.116	0.14	0.41	95	0.08	2.78	54	4.1
I098475		0.125	0.13	0.42	91	0.13	2.62	44	4.8
I098476		0.135	0.11	0.50	95	0.11	3.99	66	5.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I098477		0.42	<0.005	0.05	3.45	13.6	<0.2	<10	250	0.50	0.18	0.26	0.12	18.85	15.8	45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I098477		1.39	20.1	4.49	8.37	0.06	0.15	0.02	0.042	0.05	8.9	17.9	0.63	334	1.35	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
I098477		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
		1.93	35.0	440	11.3	11.9	<0.001	0.02	0.59	5.3	0.4	0.7	23.9	0.01	0.03	3.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130307

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098477		0.129	0.11	0.51	93	0.11	4.14	68	7.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130307

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130308

Project: SQI10-06

P.O. No.: SQI10-06_28

This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098478		0.52	<0.005	0.11	3.11	9.0	<0.2	<10	210	0.55	0.19	0.16	0.12	17.50	17.0	38
I098479		0.48	0.005	0.08	2.32	8.8	<0.2	<10	240	0.38	0.14	0.29	0.05	20.9	9.9	36
I098480		0.42	<0.005	0.12	2.54	11.0	<0.2	<10	250	0.35	0.21	0.22	0.20	15.65	13.0	38
I098481		0.38	<0.005	0.06	2.39	13.9	<0.2	<10	170	0.31	0.21	0.22	0.12	18.65	9.1	33
I098482		0.38	<0.005	0.08	3.29	9.4	<0.2	<10	270	0.47	0.15	0.24	0.13	21.2	13.9	40
I098483		0.46	<0.005	0.10	2.08	10.6	<0.2	<10	170	0.31	0.21	0.21	0.09	18.40	7.1	31
I098484		0.44	0.005	0.13	3.60	11.7	<0.2	<10	270	0.45	0.16	0.26	0.09	17.65	12.7	48
I098485		0.42	<0.005	0.10	1.72	8.6	<0.2	<10	190	0.22	0.20	0.26	0.08	16.45	6.2	26
I098486		0.50	0.005	0.05	2.61	6.9	<0.2	<10	230	0.34	0.16	0.32	0.06	21.8	10.7	38
I098487		0.46	<0.005	0.18	2.74	11.4	<0.2	<10	190	0.40	0.15	0.26	0.07	15.75	11.5	38
I098488		0.52	0.007	0.10	3.71	15.3	<0.2	<10	310	0.51	0.19	0.27	0.12	18.85	14.6	42
I098489		0.40	0.012	0.12	2.02	11.4	<0.2	<10	390	0.31	0.15	0.35	0.58	13.40	11.8	25
I098490		0.10	<0.005	0.02	0.23	2.0	<0.2	<10	50	0.12	0.02	0.10	0.04	10.30	2.4	4
I098491		0.50	<0.005	0.15	2.48	6.9	<0.2	<10	290	0.50	0.15	0.26	0.36	20.3	16.5	35
I098492		0.44	<0.005	0.23	1.96	7.5	<0.2	<10	200	0.34	0.16	0.27	0.12	15.80	10.4	31
I098493		0.44	<0.005	0.08	2.27	7.7	<0.2	<10	260	0.30	0.14	0.25	0.07	13.95	10.3	33
I098494		0.42	<0.005	0.12	2.08	8.8	<0.2	<10	200	0.29	0.18	0.24	0.11	14.95	9.2	32
I098495		0.50	<0.005	0.19	2.05	8.0	<0.2	<10	240	0.33	0.17	0.25	0.20	13.30	12.0	29
I098496		0.44	<0.005	0.12	1.47	7.1	<0.2	<10	170	0.29	0.16	0.21	0.11	13.15	7.7	24
I098497		0.42	0.007	0.11	1.28	6.2	<0.2	<10	140	0.18	0.17	0.22	0.15	12.50	4.8	19
I098501		0.36	0.005	0.14	1.88	6.7	<0.2	<10	190	0.37	0.20	0.28	0.19	25.7	9.2	32
I098502		0.38	<0.005	0.10	1.78	5.6	<0.2	<10	150	0.23	0.16	0.27	0.25	18.15	7.7	30
I098503		0.44	0.006	0.12	1.80	10.2	<0.2	<10	130	0.28	0.29	0.18	0.12	16.25	8.5	31
I098504		0.32	<0.005	0.10	0.39	0.7	<0.2	<10	40	0.10	0.06	0.07	0.10	8.41	1.2	8
I098505		0.40	0.005	0.22	2.69	6.7	<0.2	<10	240	0.61	0.13	0.20	0.13	28.6	13.8	38
I098506		0.48	0.009	0.05	2.23	12.9	<0.2	<10	280	0.47	0.11	0.32	0.10	26.1	12.1	39
I098507		0.26	<0.005	0.08	2.97	11.7	<0.2	<10	220	0.40	0.48	0.18	0.14	20.5	11.3	36
I098508		0.40	<0.005	0.15	1.05	2.2	<0.2	<10	110	0.15	0.10	0.18	0.09	9.17	3.0	13
I098509		0.28	<0.005	0.14	1.60	4.4	<0.2	<10	220	0.34	0.11	1.02	0.39	20.2	9.6	25
I098510		0.34	<0.005	0.07	0.84	5.6	<0.2	<10	60	0.12	0.15	0.12	0.09	8.93	3.7	16
I098511		0.46	<0.005	0.04	3.25	9.8	<0.2	<10	250	0.47	0.15	0.28	0.06	17.85	13.4	39
I098512		0.44	<0.005	0.07	0.64	1.8	<0.2	<10	60	0.09	0.07	0.10	0.02	5.65	2.4	8
I098513		0.30	<0.005	0.10	1.15	4.8	<0.2	<10	150	0.17	0.15	0.21	0.13	9.55	6.7	19
I098514		0.48	0.007	0.13	2.73	7.8	<0.2	<10	260	0.30	0.14	0.35	0.07	15.35	12.0	34
I098515		0.38	<0.005	0.12	2.42	7.3	<0.2	<10	220	0.28	0.13	0.35	0.07	16.80	10.4	32
I098516		0.46	<0.005	0.07	2.85	5.5	<0.2	<10	190	0.34	0.17	0.38	0.13	18.90	12.7	33
I098517		0.48	<0.005	0.05	1.85	6.6	<0.2	<10	180	0.30	0.13	0.22	0.08	16.55	7.0	24
I098518		0.32	<0.005	0.12	1.75	14.7	<0.2	<10	160	0.31	0.11	0.19	0.08	16.75	7.0	25
I098519		0.42	<0.005	0.08	1.90	8.2	<0.2	<10	250	0.32	0.16	0.32	0.19	13.55	9.4	28
I098520		0.50	0.010	0.11	2.45	5.4	<0.2	<10	240	0.55	0.18	0.32	0.06	35.0	13.1	46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098478		1.43	23.3	4.30	9.51	0.05	0.17	0.01	0.039	0.04	8.2	13.0	0.46	738	1.77
I098479		1.11	19.4	3.07	7.05	<0.05	0.12	0.02	0.029	0.05	9.5	12.2	0.53	277	1.13
I098480		1.02	17.0	4.49	10.45	0.06	0.08	0.02	0.032	0.06	7.5	15.4	0.56	434	1.86
I098481		1.14	17.9	4.20	11.60	0.05	0.11	0.01	0.031	0.05	9.0	12.9	0.49	296	1.78
I098482		1.26	22.6	3.45	7.52	0.05	0.16	0.03	0.034	0.04	9.0	15.8	0.63	453	1.05
I098483		1.20	16.6	3.54	9.80	0.05	0.08	0.02	0.026	0.03	8.6	11.6	0.35	174	1.85
I098484		1.12	26.1	3.95	8.29	0.05	0.22	0.02	0.037	0.07	8.5	15.3	0.72	311	1.20
I098485		0.76	12.4	3.13	9.90	0.05	0.14	0.01	0.021	0.06	8.0	10.5	0.45	232	1.34
I098486		0.84	17.0	3.48	7.43	0.06	0.27	0.02	0.031	0.04	11.3	16.0	0.65	304	0.81
I098487		1.10	19.0	3.82	7.85	<0.05	0.26	0.03	0.033	0.04	8.0	17.8	0.57	221	1.30
I098488		1.79	22.0	4.68	11.20	0.06	0.22	0.01	0.040	0.11	9.2	22.9	0.94	509	1.18
I098489		0.67	16.3	3.14	7.29	<0.05	0.07	0.01	0.024	0.10	6.7	11.5	0.53	1620	1.23
I098490		0.09	2.9	1.22	1.01	<0.05	0.13	0.01	<0.005	0.09	5.4	1.6	0.04	210	0.37
I098491		1.01	15.5	3.68	8.34	<0.05	0.09	0.01	0.029	0.04	9.5	13.4	0.58	711	1.40
I098492		0.72	16.4	3.24	7.34	<0.05	0.12	0.02	0.025	0.04	7.8	9.7	0.42	483	1.25
I098493		0.84	14.9	2.97	6.65	<0.05	0.06	<0.01	0.026	0.03	7.0	13.2	0.52	227	0.98
I098494		0.84	15.1	3.23	8.07	<0.05	0.10	0.03	0.024	0.03	7.8	13.2	0.42	350	1.56
I098495		1.00	16.0	3.28	7.22	<0.05	0.10	0.01	0.026	0.04	6.6	13.0	0.47	581	1.46
I098496		0.91	13.7	3.00	7.48	<0.05	0.05	0.01	0.021	0.02	6.6	9.3	0.31	386	1.22
I098497		0.94	11.7	2.06	6.16	<0.05	0.02	0.02	0.016	0.04	6.4	8.1	0.26	230	1.27
I098501		0.72	24.7	2.75	7.71	0.05	0.05	0.03	0.022	0.06	13.6	12.3	0.53	286	1.52
I098502		0.52	24.0	2.39	6.85	<0.05	0.04	0.03	0.019	0.05	10.3	11.0	0.56	206	0.88
I098503		0.59	18.2	3.06	9.15	<0.05	0.04	0.02	0.022	0.05	9.1	12.2	0.61	274	1.90
I098504		0.48	5.8	0.48	2.29	<0.05	<0.02	0.01	0.006	0.02	5.8	1.5	0.07	25	0.36
I098505		1.56	31.0	3.47	7.20	0.08	0.10	0.06	0.032	0.06	20.1	14.1	0.74	343	0.79
I098506		0.84	21.4	3.11	6.38	0.05	0.11	0.02	0.028	0.04	12.8	15.4	0.67	432	0.73
I098507		1.97	20.5	4.17	9.10	0.05	0.11	0.02	0.034	0.05	10.1	24.3	0.61	277	0.98
I098508		0.76	9.2	1.15	4.80	<0.05	0.03	0.02	0.013	0.03	5.1	5.4	0.19	80	0.44
I098509		0.63	23.7	2.04	5.32	<0.05	0.03	0.03	0.022	0.04	10.4	10.2	0.43	689	0.66
I098510		0.86	7.5	2.06	7.06	<0.05	0.02	0.01	0.010	0.03	4.6	4.4	0.22	298	1.53
I098511		1.26	22.1	4.04	8.88	0.05	0.11	0.02	0.055	0.04	8.5	20.5	0.76	340	0.81
I098512		0.45	4.5	0.94	3.61	<0.05	<0.02	0.01	0.007	0.03	2.8	3.3	0.11	144	0.43
I098513		0.64	9.2	2.39	7.08	<0.05	0.03	0.01	0.016	0.06	4.9	7.3	0.25	405	1.13
I098514		1.21	17.8	3.71	8.60	0.05	0.18	0.02	0.031	0.05	8.9	21.4	0.76	472	0.87
I098515		1.27	15.3	3.15	7.61	0.05	0.10	0.02	0.026	0.06	8.6	17.9	0.69	303	0.72
I098516		2.41	17.4	4.08	9.06	0.06	0.08	0.01	0.032	0.21	8.2	21.2	0.91	589	0.78
I098517		0.96	12.9	2.47	6.95	<0.05	0.04	0.01	0.023	0.05	8.6	11.3	0.38	238	0.89
I098518		1.18	15.4	2.56	6.25	<0.05	0.03	0.02	0.021	0.05	8.9	13.8	0.40	232	0.68
I098519		1.13	12.9	3.18	7.63	<0.05	0.07	0.01	0.023	0.06	6.6	13.3	0.39	770	1.14
I098520		0.76	36.7	2.95	7.16	0.06	0.11	0.03	0.025	0.06	19.6	16.7	0.96	328	0.71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098478		1.77	26.0	350	10.9	10.9	<0.001	0.02	0.53	4.8	0.3	0.8	15.7	0.01	0.03
I098479		1.48	23.4	280	8.6	8.6	<0.001	<0.01	0.40	5.0	0.3	0.7	21.7	<0.01	0.02
I098480		2.02	23.4	440	10.8	13.8	<0.001	<0.01	0.57	4.1	0.3	0.8	21.6	<0.01	0.03
I098481		2.48	17.4	580	11.2	10.7	<0.001	<0.01	0.44	5.3	0.3	0.9	19.7	0.01	0.03
I098482		1.92	31.9	390	8.5	9.5	<0.001	<0.01	0.44	5.5	0.3	0.7	20.8	0.01	0.02
I098483		1.81	15.0	380	11.4	7.8	<0.001	0.11	0.44	4.0	0.3	0.8	18.6	<0.01	0.03
I098484		1.79	33.6	250	8.8	10.4	<0.001	0.10	0.57	5.0	0.3	0.7	24.9	<0.01	0.02
I098485		1.89	13.0	290	10.3	12.3	<0.001	0.07	0.36	4.0	0.2	0.9	21.8	<0.01	0.02
I098486		1.63	20.6	260	9.8	8.1	<0.001	0.04	0.35	5.5	0.3	0.7	24.1	<0.01	0.01
I098487		1.77	23.2	340	8.5	7.5	<0.001	<0.01	0.48	4.9	0.3	0.6	22.5	0.01	0.03
I098488		1.83	29.4	360	23.2	18.6	<0.001	<0.01	0.66	6.4	0.3	1.1	26.8	<0.01	0.03
I098489		1.97	18.8	320	10.2	9.0	<0.001	0.01	0.43	3.6	0.2	0.7	28.6	<0.01	0.03
I098490		0.17	4.2	120	1.8	3.9	<0.001	<0.01	0.14	0.8	<0.2	<0.2	13.0	<0.01	<0.01
I098491		1.52	23.0	330	10.4	7.6	<0.001	<0.01	0.48	4.4	0.3	0.8	27.1	<0.01	0.03
I098492		1.20	18.9	270	8.7	8.5	<0.001	<0.01	0.42	3.3	0.3	0.6	23.7	<0.01	0.02
I098493		1.26	21.1	200	7.3	7.0	<0.001	<0.01	0.36	3.6	0.2	0.6	24.3	<0.01	0.02
I098494		1.40	17.2	240	13.8	6.9	<0.001	<0.01	0.43	3.5	0.2	0.7	22.6	<0.01	0.02
I098495		1.40	20.6	390	9.8	8.6	<0.001	<0.01	0.42	3.4	0.2	0.6	22.9	<0.01	0.02
I098496		1.37	12.8	380	9.7	6.3	<0.001	<0.01	0.38	2.8	0.2	0.6	18.3	<0.01	0.02
I098497		1.06	10.1	530	7.3	8.3	<0.001	0.01	0.29	2.7	0.3	0.5	20.5	<0.01	0.02
I098501		1.90	21.3	420	32.9	10.7	<0.001	0.01	0.31	3.9	0.3	0.6	23.1	<0.01	0.03
I098502		1.22	21.4	400	20.2	8.5	<0.001	0.01	0.29	3.0	0.3	0.5	22.6	<0.01	0.02
I098503		1.55	18.7	300	10.7	9.6	<0.001	0.01	0.36	3.7	0.4	0.6	16.4	<0.01	0.05
I098504		0.32	3.4	160	3.5	5.9	<0.001	0.01	0.06	0.7	0.2	0.2	8.4	<0.01	0.01
I098505		1.40	27.6	310	10.4	11.0	<0.001	0.01	0.43	9.0	0.7	0.5	17.8	0.01	0.03
I098506		1.36	27.4	350	9.1	6.9	<0.001	0.01	0.47	6.2	0.4	0.5	25.2	<0.01	0.03
I098507		1.80	20.9	280	9.6	11.0	<0.001	0.01	0.54	6.2	0.4	0.6	15.4	<0.01	0.03
I098508		0.87	7.5	200	4.3	6.9	<0.001	0.01	0.13	2.2	0.2	0.4	13.6	<0.01	0.01
I098509		1.05	17.3	520	5.7	6.4	<0.001	0.04	0.29	3.8	0.5	0.4	47.9	<0.01	0.02
I098510		1.42	7.4	310	6.6	10.8	<0.001	0.01	0.29	1.8	0.2	0.5	11.9	<0.01	0.02
I098511		2.03	24.8	280	8.2	9.9	<0.001	0.01	0.40	5.4	0.4	0.7	24.6	<0.01	0.02
I098512		0.66	4.1	180	3.6	5.1	<0.001	<0.01	0.10	1.2	0.2	0.3	9.9	<0.01	0.01
I098513		1.43	11.1	340	7.0	9.6	<0.001	0.01	0.29	2.3	0.2	0.7	18.3	<0.01	0.02
I098514		1.99	20.2	310	7.4	8.4	<0.001	0.01	0.35	6.3	0.3	0.8	27.6	<0.01	0.03
I098515		2.00	21.1	420	7.4	11.5	<0.001	0.01	0.32	5.1	0.3	0.7	26.6	<0.01	0.02
I098516		2.03	18.2	600	8.0	28.5	<0.001	0.01	0.35	7.2	0.3	0.7	26.2	<0.01	0.02
I098517		1.42	14.5	210	6.6	9.3	<0.001	0.01	0.29	4.0	0.3	0.6	20.8	<0.01	0.01
I098518		1.36	16.8	410	6.5	7.6	<0.001	0.01	0.39	3.8	0.2	0.5	16.1	<0.01	0.01
I098519		1.49	17.4	810	8.5	11.1	<0.001	0.01	0.39	3.4	0.2	0.7	21.5	<0.01	0.02
I098520		1.30	32.2	380	19.7	10.2	<0.001	<0.01	0.26	6.9	0.4	0.5	24.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I098478		0.117	0.18	0.47	100	0.08	3.62	65	8.1
I098479		0.097	0.12	0.61	76	0.11	4.33	45	5.4
I098480		0.122	0.13	0.41	106	0.11	2.83	57	3.8
I098481		0.176	0.13	0.54	116	0.16	4.05	47	5.1
I098482		0.124	0.11	0.54	76	0.10	4.32	48	7.3
I098483		0.110	0.12	0.49	95	0.11	3.77	43	4.0
I098484		0.138	0.13	0.53	94	0.13	3.47	53	9.5
I098485		0.159	0.11	0.43	99	0.06	3.18	42	5.5
I098486		0.157	0.11	0.67	87	0.16	4.70	52	10.3
I098487		0.123	0.11	0.60	87	0.12	4.04	49	9.8
I098488		0.175	0.13	0.53	105	0.12	4.03	74	8.8
I098489		0.114	0.10	0.37	72	0.12	3.22	84	2.9
I098490		0.008	0.04	0.33	4	<0.05	2.40	3	4.2
I098491		0.108	0.10	0.45	85	0.10	3.48	96	4.0
I098492		0.095	0.10	0.38	78	0.09	2.87	45	5.2
I098493		0.098	0.08	0.38	72	0.12	2.86	41	2.7
I098494		0.092	0.11	0.44	83	0.10	2.70	46	4.2
I098495		0.096	0.08	0.35	76	0.12	2.64	58	4.0
I098496		0.089	0.11	0.34	76	0.10	2.56	42	1.9
I098497		0.066	0.08	0.42	56	0.13	2.44	32	0.8
I098501		0.098	0.11	0.64	70	0.18	5.72	57	2.1
I098502		0.090	0.07	0.52	60	0.12	3.97	49	1.3
I098503		0.103	0.09	0.49	83	0.15	3.45	44	1.6
I098504		0.029	0.04	0.27	13	<0.05	1.96	6	<0.5
I098505		0.074	0.12	1.03	73	0.11	18.35	47	3.6
I098506		0.113	0.08	0.82	73	0.10	6.63	53	4.1
I098507		0.073	0.14	0.53	84	0.11	4.15	43	4.5
I098508		0.062	0.05	0.54	30	0.07	2.15	16	1.0
I098509		0.075	0.06	1.16	48	0.09	5.91	40	1.4
I098510		0.108	0.08	0.23	67	0.10	1.45	30	0.9
I098511		0.173	0.14	0.52	99	0.14	3.62	51	4.5
I098512		0.058	0.05	0.24	24	0.06	1.26	15	<0.5
I098513		0.101	0.08	0.26	66	0.26	1.59	35	1.2
I098514		0.157	0.13	0.62	92	0.13	4.57	51	6.4
I098515		0.139	0.13	0.83	78	0.13	4.40	48	4.0
I098516		0.184	0.21	0.85	96	0.11	5.17	69	3.0
I098517		0.108	0.09	1.03	64	0.10	4.20	34	1.7
I098518		0.084	0.10	0.70	62	0.13	3.86	36	1.2
I098519		0.098	0.10	0.35	78	0.10	2.34	69	3.2
I098520		0.105	0.11	0.85	65	0.11	9.43	54	4.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I098521		0.40	0.005	0.11	2.51	4.7	<0.2	<10	100	0.31	0.09	0.47	0.08	14.00	19.8	81
I098522		0.34	<0.005	0.13	0.97	2.6	<0.2	<10	60	0.17	0.15	0.11	0.11	12.55	5.7	20
I098523		0.60	0.008	0.05	2.47	5.6	<0.2	<10	130	0.53	0.10	0.48	0.06	20.4	16.3	66
I098524		0.38	0.007	0.11	2.60	4.7	<0.2	<10	220	0.44	0.12	0.36	0.08	25.2	16.9	38
I098525		0.38	<0.005	0.10	2.27	12.0	<0.2	<10	110	0.43	0.17	0.31	0.15	25.2	15.2	87
I098526		0.48	0.014	0.04	1.91	7.8	<0.2	<10	300	0.41	0.21	0.21	0.13	27.5	10.6	39
I098527		0.30	<0.005	0.02	0.17	0.4	<0.2	<10	10	<0.05	0.05	0.04	0.04	1.91	0.8	4
I098528		0.38	<0.005	0.07	1.85	17.4	<0.2	<10	140	0.47	0.20	0.30	0.62	28.2	8.8	33
I098529		0.38	<0.005	0.14	0.89	5.6	<0.2	<10	90	0.18	0.12	0.17	0.19	9.83	3.3	15
I098530		0.38	0.006	0.10	1.85	9.5	<0.2	<10	170	0.37	0.22	0.25	0.24	22.8	10.8	30
I098531		0.48	0.005	0.11	1.66	4.0	<0.2	<10	370	0.33	0.12	0.20	0.20	10.85	9.7	22
I098532		0.72	<0.005	0.02	0.20	1.7	<0.2	<10	40	0.10	0.02	0.12	0.04	10.80	2.3	4
I098533		0.46	<0.005	0.10	1.59	4.2	<0.2	<10	220	0.28	0.12	0.34	0.11	24.4	10.2	22
I098534		0.46	0.007	0.09	2.04	8.7	<0.2	<10	240	0.35	0.15	0.62	0.10	28.9	13.5	33
I098535		0.36	0.010	0.08	1.74	18.3	<0.2	<10	260	0.39	0.12	0.37	0.09	26.6	13.6	26
I098536		0.48	<0.005	0.09	1.70	7.4	<0.2	<10	270	0.28	0.14	0.42	0.08	16.20	9.1	28
I098537		0.36	0.010	0.21	1.55	8.2	<0.2	<10	530	0.70	0.14	0.66	0.39	37.2	12.1	26
I098538		0.52	0.008	0.04	2.29	7.8	<0.2	<10	250	0.34	0.13	0.44	0.07	20.5	12.7	34
I098539		0.52	0.008	0.07	2.24	6.8	<0.2	<10	260	0.44	0.15	0.55	0.05	31.4	12.6	50
I098540		0.50	<0.005	0.09	2.08	14.7	<0.2	<10	320	0.33	0.17	0.34	0.10	23.0	12.0	29
I098541		0.42	<0.005	0.13	2.51	8.1	<0.2	<10	350	0.59	0.19	0.54	0.14	44.4	15.2	36
I098542		0.58	<0.005	0.01	0.17	1.6	<0.2	<10	30	0.09	0.02	0.11	0.04	10.40	2.2	3
I098543		0.44	<0.005	0.14	2.17	14.5	<0.2	<10	330	0.35	0.14	0.45	0.15	16.70	11.4	33
I098544		0.44	<0.005	0.12	2.13	6.6	<0.2	<10	350	0.44	0.15	0.35	0.15	25.4	12.6	33
I098545		0.38	<0.005	0.13	1.61	4.7	<0.2	<10	420	0.33	0.14	0.52	0.25	18.75	12.7	24
I098546		0.58	<0.005	0.07	2.73	7.3	<0.2	<10	260	0.55	0.17	0.41	0.16	20.8	12.1	37
I098547		0.42	<0.005	0.15	2.46	6.6	<0.2	<10	470	0.53	0.19	0.57	0.19	23.2	15.6	33
I098548		0.42	<0.005	0.08	1.87	7.5	<0.2	<10	190	0.28	0.17	0.20	0.12	17.65	12.7	27
I098549		0.34	<0.005	0.06	1.34	3.7	<0.2	<10	260	0.28	0.13	0.30	0.19	11.65	10.5	23
I098550		0.52	<0.005	0.01	0.10	1.6	<0.2	<10	30	0.09	0.01	0.08	0.04	9.77	2.1	2
I098551		0.40	<0.005	0.08	2.30	6.5	<0.2	<10	360	0.44	0.15	0.23	0.19	14.95	12.6	35
I098552		0.34	<0.005	0.15	1.57	9.3	<0.2	<10	250	0.28	0.20	0.18	0.07	15.85	6.3	29
I098553		0.46	<0.005	0.29	1.43	4.5	<0.2	<10	130	0.26	0.17	0.16	0.06	16.40	6.0	21
I098554		0.34	0.007	0.11	2.49	8.4	<0.2	<10	260	0.46	0.19	0.19	0.13	14.10	15.6	35
I098555		0.48	0.005	0.06	2.45	8.3	<0.2	<10	160	0.39	0.14	0.27	0.08	17.60	11.7	37
I098556		0.40	<0.005	0.05	2.42	9.6	<0.2	<10	170	0.39	0.16	0.24	0.10	21.2	10.8	29
I098557		0.44	<0.005	0.05	1.61	7.1	<0.2	<10	130	0.25	0.14	0.14	0.06	10.80	8.3	23
I098558		0.34	<0.005	0.06	0.99	4.3	<0.2	<10	110	0.20	0.15	0.14	0.09	11.80	3.5	13
I098559		0.32	<0.005	0.06	1.27	5.7	<0.2	<10	130	0.26	0.15	0.15	0.07	12.10	5.5	18
I099002		0.36	<0.005	0.11	2.10	5.4	<0.2	<10	160	0.34	0.11	0.38	0.05	25.8	10.2	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I098521		0.62	28.4	3.30	7.64	0.05	0.03	0.02	0.016	0.05	7.7	20.3	1.55	461	0.69
I098522		0.66	19.3	1.58	4.22	<0.05	<0.02	0.02	0.011	0.06	7.2	6.3	0.54	175	0.74
I098523		0.84	29.8	3.50	7.51	0.06	0.05	0.04	0.028	0.08	10.0	19.3	1.19	501	0.69
I098524		0.82	37.1	3.43	7.48	0.06	0.04	0.03	0.025	0.09	14.3	18.0	1.22	502	0.72
I098525		2.11	27.2	3.60	8.15	0.06	0.06	0.02	0.026	0.11	11.3	22.1	1.05	380	1.26
I098526		1.73	19.6	3.23	7.09	0.07	0.16	0.02	0.028	0.08	13.4	12.0	0.52	287	1.02
I098527		0.23	2.4	0.38	1.78	<0.05	<0.02	0.01	<0.005	0.02	0.9	0.4	0.04	23	0.25
I098528		1.42	18.7	3.65	8.53	0.09	0.07	0.02	0.035	0.08	12.5	15.8	0.62	395	1.41
I098529		0.67	10.7	1.35	5.41	<0.05	0.03	0.02	0.013	0.06	4.6	4.5	0.23	160	0.76
I098530		1.34	18.7	2.94	7.97	0.07	0.09	0.02	0.033	0.10	10.9	12.1	0.65	501	1.69
I098531		0.71	17.3	2.62	6.66	0.06	0.05	0.01	0.021	0.08	4.8	8.4	0.41	740	0.65
I098532		0.09	3.5	0.77	0.85	<0.05	0.10	<0.01	<0.005	0.06	5.0	1.3	0.05	169	0.35
I098533		0.86	24.5	2.35	5.86	0.07	0.10	0.01	0.019	0.12	12.6	9.7	0.47	349	0.61
I098534		1.01	21.5	3.22	7.15	0.09	0.18	0.02	0.029	0.15	13.1	13.7	0.82	406	0.81
I098535		1.49	16.0	2.78	6.39	0.07	0.08	0.03	0.029	0.09	12.7	11.0	0.53	718	1.19
I098536		0.81	16.8	2.74	6.57	0.07	0.13	0.02	0.023	0.06	8.9	10.1	0.54	301	0.77
I098537		1.50	52.5	2.85	6.28	0.11	0.10	0.04	0.026	0.11	31.0	9.7	0.46	819	0.56
I098538		2.17	18.7	3.83	7.70	0.10	0.15	0.02	0.029	0.26	8.9	17.0	0.85	389	0.80
I098539		1.34	26.2	3.43	7.25	0.10	0.19	0.03	0.030	0.12	14.1	14.5	0.83	486	0.81
I098540		1.96	18.0	3.40	7.50	0.08	0.08	0.02	0.027	0.31	9.2	11.5	0.61	713	0.87
I098541		2.93	18.4	4.16	8.46	0.10	0.14	0.11	0.039	0.38	14.9	14.5	0.73	649	1.00
I098542		0.08	2.7	0.70	0.71	<0.05	0.09	<0.01	<0.005	0.05	4.9	1.3	0.05	166	0.26
I098543		1.33	14.3	3.44	7.44	0.07	0.10	0.02	0.029	0.19	7.4	12.2	0.62	623	1.18
I098544		1.28	17.1	3.49	7.44	0.08	0.09	0.01	0.026	0.24	8.9	13.4	0.62	604	0.88
I098545		0.92	23.2	2.68	6.63	0.08	0.07	0.02	0.021	0.15	7.8	10.1	0.48	1350	0.93
I098546		0.99	15.2	4.07	8.85	0.08	0.07	0.01	0.034	0.11	9.2	14.0	0.73	391	1.11
I098547		1.77	17.6	4.00	8.69	0.08	0.06	0.02	0.036	0.27	9.7	14.3	0.69	1930	1.20
I098548		1.71	16.0	3.03	7.11	0.06	0.14	0.02	0.025	0.16	7.1	12.3	0.47	1400	1.20
I098549		0.74	13.4	2.26	5.79	0.05	0.05	0.01	0.020	0.05	4.7	6.8	0.31	1310	0.94
I098550		0.08	1.6	0.54	0.59	<0.05	0.06	<0.01	<0.005	0.03	4.7	1.2	0.04	142	0.23
I098551		0.75	19.3	3.66	8.20	0.07	0.06	0.01	0.030	0.08	6.7	11.8	0.65	923	1.07
I098552		1.20	16.9	3.37	9.62	0.07	0.08	0.01	0.023	0.04	7.5	9.2	0.36	174	2.01
I098553		1.80	15.7	2.41	6.55	0.06	0.05	0.02	0.021	0.06	7.5	8.3	0.34	160	1.04
I098554		1.65	18.5	3.83	9.41	0.07	0.11	0.01	0.033	0.04	6.2	15.1	0.50	585	1.49
I098555		1.35	18.0	3.37	7.53	0.07	0.09	0.03	0.031	0.05	8.3	15.3	0.61	234	1.09
I098556		1.71	20.5	3.67	9.34	0.08	0.09	0.02	0.028	0.11	9.2	15.7	0.62	309	1.20
I098557		1.28	10.2	2.81	8.17	0.06	0.05	0.01	0.022	0.07	4.9	11.3	0.41	303	1.47
I098558		0.78	13.5	1.58	7.16	0.05	0.06	0.02	0.014	0.05	5.6	5.3	0.16	91	1.04
I098559		1.03	12.9	2.18	7.38	0.05	0.06	0.01	0.018	0.07	5.6	8.2	0.28	147	1.15
I099002		1.23	20.8	2.87	7.22	0.09	0.10	0.03	0.024	0.09	12.9	14.0	0.61	332	0.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I098521		2.20	51.2	820	5.3	10.1	<0.001	0.01	0.21	4.3	0.2	0.4	27.6	<0.01	0.02
I098522		0.40	10.7	310	9.6	8.0	<0.001	0.01	0.15	1.7	0.3	0.3	11.2	<0.01	0.02
I098523		1.90	42.4	1050	5.3	10.0	<0.001	0.01	0.22	6.0	0.3	0.5	26.0	<0.01	0.02
I098524		1.01	31.6	450	9.4	13.8	<0.001	0.01	0.23	7.5	0.4	0.4	27.5	<0.01	0.02
I098525		1.68	41.2	610	12.8	17.4	<0.001	0.01	0.30	4.9	0.4	0.6	27.3	<0.01	0.03
I098526		1.68	26.0	250	12.7	14.6	<0.001	<0.01	0.31	4.7	0.4	0.7	21.4	<0.01	0.02
I098527		0.09	1.6	150	2.0	2.7	<0.001	<0.01	0.05	0.2	<0.2	0.2	6.4	<0.01	0.01
I098528		2.83	22.4	390	17.7	15.0	<0.001	<0.01	0.95	4.0	0.5	1.0	24.2	<0.01	0.04
I098529		1.24	8.9	310	7.9	10.8	<0.001	<0.01	0.22	2.3	0.3	0.5	17.0	<0.01	0.02
I098530		2.58	16.9	270	14.4	19.4	<0.001	<0.01	0.43	4.8	0.5	0.9	21.6	<0.01	0.03
I098531		1.56	15.3	510	6.2	9.3	<0.001	<0.01	0.29	3.2	0.3	0.6	16.3	<0.01	0.02
I098532		0.14	4.1	120	1.7	3.0	<0.001	<0.01	0.11	0.9	0.2	<0.2	11.0	<0.01	0.01
I098533		1.87	14.9	290	5.7	15.1	<0.001	<0.01	0.23	3.4	0.4	0.5	21.2	<0.01	0.02
I098534		2.68	20.9	410	8.7	20.1	<0.001	<0.01	0.37	5.8	0.6	0.7	34.2	<0.01	0.02
I098535		1.80	16.5	280	6.8	12.2	<0.001	<0.01	0.42	4.4	0.4	0.5	26.9	<0.01	0.02
I098536		1.73	17.4	200	7.9	9.0	<0.001	<0.01	0.32	4.6	0.4	0.6	27.9	<0.01	0.02
I098537		1.77	22.7	430	7.4	16.0	<0.001	<0.01	0.50	7.3	0.9	0.5	41.2	0.01	0.02
I098538		2.57	21.7	440	6.9	33.8	<0.001	<0.01	0.37	6.1	0.4	0.9	27.6	<0.01	0.02
I098539		2.11	29.1	380	6.3	15.9	<0.001	<0.01	0.38	7.5	0.6	0.8	37.9	<0.01	0.03
I098540		2.12	19.1	240	6.7	32.6	<0.001	<0.01	0.37	5.6	0.4	0.8	25.9	<0.01	0.02
I098541		2.25	22.1	430	8.7	27.7	<0.001	<0.01	0.45	9.7	0.5	1.0	38.9	<0.01	0.02
I098542		0.15	3.8	120	1.5	2.7	<0.001	<0.01	0.11	0.8	<0.2	<0.2	9.2	<0.01	0.01
I098543		2.03	20.8	310	8.5	20.3	<0.001	<0.01	0.43	4.9	0.4	0.8	30.4	<0.01	0.02
I098544		2.11	20.7	380	7.6	32.8	<0.001	<0.01	0.40	5.1	0.4	0.8	25.2	<0.01	0.02
I098545		2.08	19.4	350	6.4	22.2	<0.001	<0.01	0.31	4.3	0.4	0.7	37.7	<0.01	0.02
I098546		2.47	21.7	440	9.1	13.1	<0.001	<0.01	0.48	5.6	0.4	0.9	27.9	<0.01	0.03
I098547		2.50	23.1	680	8.7	33.9	<0.001	<0.01	0.45	6.5	0.4	1.0	36.1	<0.01	0.03
I098548		2.03	17.5	270	8.6	27.1	<0.001	<0.01	0.38	4.6	0.3	1.0	17.0	<0.01	0.02
I098549		1.42	15.9	330	6.6	6.1	<0.001	<0.01	0.29	2.8	0.2	0.6	22.7	<0.01	0.02
I098550		0.14	3.8	120	1.5	1.9	<0.001	<0.01	0.10	0.6	<0.2	<0.2	6.3	<0.01	<0.01
I098551		1.80	23.5	380	8.3	9.5	<0.001	<0.01	0.43	4.2	0.3	0.8	21.2	<0.01	0.03
I098552		1.55	13.9	390	10.2	13.5	<0.001	<0.01	0.41	3.4	0.3	0.9	16.7	<0.01	0.03
I098553		1.72	10.4	240	6.5	12.5	<0.001	<0.01	0.29	3.2	0.3	0.5	18.0	<0.01	0.02
I098554		2.09	23.2	400	9.1	11.1	<0.001	<0.01	0.46	3.8	0.4	0.8	23.3	<0.01	0.03
I098555		1.98	25.5	440	7.5	10.4	<0.001	<0.01	0.38	4.7	0.5	0.6	22.4	0.01	0.03
I098556		3.12	20.0	370	7.7	20.1	<0.001	<0.01	0.37	5.1	0.5	1.0	22.6	0.01	0.03
I098557		1.86	12.5	330	7.1	14.4	<0.001	<0.01	0.35	3.6	0.3	0.7	14.5	<0.01	0.03
I098558		1.45	6.0	200	7.8	13.1	<0.001	<0.01	0.21	2.4	0.3	0.7	15.3	<0.01	0.02
I098559		1.66	9.4	330	7.3	15.4	<0.001	<0.01	0.25	3.0	0.4	0.7	14.7	<0.01	0.02
I099002		2.02	20.5	550	6.6	16.0	<0.001	<0.01	0.27	5.5	0.4	0.7	29.4	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I098521		0.152	0.08	0.37	81	0.13	3.76	55
I098522		0.046	0.07	0.46	34	0.15	3.19	28
I098523		0.119	0.08	0.55	78	0.12	5.03	51
I098524		0.074	0.10	0.88	69	0.09	9.51	54
I098525		0.122	0.14	0.67	79	0.15	4.95	53
I098526		0.091	0.13	0.55	73	0.18	4.73	56
I098527		0.018	0.03	0.09	10	<0.05	0.39	6
I098528		0.143	0.12	0.59	78	0.38	4.11	119
I098529		0.079	0.08	0.31	37	0.12	1.97	34
I098530		0.158	0.17	0.87	79	0.23	4.22	64
I098531		0.110	0.12	0.25	64	0.10	2.24	72
I098532		0.010	0.04	0.31	7	0.06	2.28	5
I098533		0.129	0.11	0.90	62	0.12	5.44	30
I098534		0.188	0.14	0.92	84	0.20	6.43	62
I098535		0.116	0.13	0.74	69	0.13	4.13	41
I098536		0.127	0.09	0.52	72	0.12	5.70	43
I098537		0.114	0.11	2.04	66	0.16	23.7	40
I098538		0.205	0.26	0.54	98	0.20	5.13	56
I098539		0.170	0.13	0.67	84	0.16	10.70	51
I098540		0.180	0.20	0.57	81	0.12	4.50	55
I098541		0.163	0.24	0.92	93	0.15	6.52	67
I098542		0.009	0.03	0.30	6	<0.05	2.30	5
I098543		0.133	0.15	0.56	81	0.12	3.36	63
I098544		0.175	0.17	0.44	81	0.16	3.66	69
I098545		0.146	0.10	0.49	68	0.13	3.64	55
I098546		0.159	0.15	0.75	98	0.12	3.61	84
I098547		0.168	0.21	0.63	91	0.13	4.68	107
I098548		0.109	0.16	0.74	73	0.12	2.61	56
I098549		0.085	0.09	0.26	55	0.10	2.06	59
I098550		0.006	0.03	0.27	4	<0.05	2.07	4
I098551		0.137	0.12	0.35	87	0.13	2.78	80
I098552		0.119	0.11	0.39	96	0.11	2.67	38
I098553		0.088	0.11	0.35	56	0.16	2.87	32
I098554		0.113	0.13	0.38	92	0.14	2.37	69
I098555		0.124	0.10	0.53	79	0.16	3.77	49
I098556		0.186	0.17	0.53	89	0.19	4.16	48
I098557		0.115	0.11	0.31	72	0.12	2.08	39
I098558		0.082	0.09	0.32	47	0.09	2.07	20
I098559		0.094	0.11	0.35	60	0.14	2.35	29
I099002		0.151	0.16	1.14	71	0.14	6.63	47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099003		0.24	<0.005	0.12	1.07	3.6	<0.2	<10	100	0.23	0.12	0.19	0.04	17.15	3.9	16
I099004		0.26	0.006	0.07	1.00	3.6	<0.2	<10	100	0.22	0.15	0.17	0.05	16.65	3.7	16
I099005		0.34	<0.005	0.07	2.09	5.8	<0.2	<10	150	0.23	0.16	0.36	0.08	19.20	8.4	28
I099006		0.34	<0.005	0.06	2.17	5.2	<0.2	<10	170	0.42	0.13	0.32	0.04	31.5	9.0	30
I099007		0.38	<0.005	0.06	2.06	9.0	<0.2	<10	140	0.35	0.20	0.19	0.07	18.00	8.4	29
I099008		0.30	0.005	0.07	2.04	5.8	<0.2	<10	140	0.22	0.15	0.32	0.09	17.55	9.0	29
I099009		0.42	<0.005	0.04	2.40	6.3	<0.2	<10	210	0.55	0.15	0.46	0.04	38.9	10.7	37
I099010		0.34	0.014	0.14	1.15	3.0	<0.2	<10	90	0.21	0.09	0.16	0.04	12.45	4.5	16
I099011		0.30	<0.005	0.01	0.14	1.6	<0.2	<10	30	0.09	0.02	0.09	0.04	10.15	2.2	2
I099012		0.36	<0.005	0.07	2.29	6.7	<0.2	<10	140	0.35	0.14	0.29	0.08	17.30	10.3	29
I099013		0.40	0.012	0.04	2.46	6.1	<0.2	<10	210	0.48	0.13	0.40	0.05	38.7	11.3	37
I099014		0.36	<0.005	0.05	2.26	7.2	<0.2	<10	150	0.32	0.17	0.31	0.12	20.9	10.9	30
I099015		0.30	<0.005	0.05	2.01	5.6	<0.2	<10	110	0.28	0.11	0.20	0.07	14.65	8.0	25
I099016		0.34	<0.005	0.13	2.22	11.1	<0.2	<10	130	0.34	0.23	0.19	0.10	18.70	13.8	36
I099017		0.32	<0.005	0.09	2.16	8.9	<0.2	<10	120	0.43	0.18	0.16	0.11	15.70	8.7	32
I099018		0.32	<0.005	0.06	2.07	10.7	<0.2	<10	130	0.37	0.17	0.21	0.09	14.95	9.5	31
I099020		0.20	<0.005	0.05	0.59	2.2	<0.2	<10	60	0.15	0.10	0.14	0.11	7.98	2.3	11
I099022		0.32	<0.005	0.03	0.25	0.3	<0.2	<10	30	0.06	0.05	0.09	0.06	3.27	0.7	4
I099023		0.28	<0.005	0.19	1.60	5.8	<0.2	<10	280	0.51	0.16	1.01	0.41	59.6	16.5	24
I099024		0.32	<0.005	0.06	2.08	4.9	<0.2	<10	220	0.34	0.15	0.58	0.10	25.5	12.7	27
I099025		0.30	<0.005	0.06	2.14	6.9	<0.2	<10	170	0.38	0.13	0.27	0.07	25.6	9.5	28
I099026		0.30	0.008	0.06	2.33	6.7	<0.2	<10	150	0.42	0.16	0.25	0.12	20.1	11.8	25
I099027		0.26	<0.005	0.04	1.02	2.6	<0.2	<10	80	0.20	0.10	0.17	0.06	13.20	4.1	12
I099028		0.28	0.006	0.05	2.34	7.7	<0.2	<10	150	0.41	0.14	0.33	0.11	20.6	10.5	30
I099029		0.38	<0.005	0.05	2.25	4.2	<0.2	<10	180	0.36	0.13	0.59	0.08	33.4	11.1	28
I099030		0.36	<0.005	0.14	2.21	5.5	<0.2	<10	190	0.45	0.27	0.33	0.11	34.7	9.9	24
I099031		0.28	<0.005	0.16	1.41	3.4	<0.2	<10	130	0.26	0.16	0.39	0.12	23.5	5.5	20
I099032		0.50	<0.005	0.19	2.17	4.7	<0.2	<10	180	0.38	0.18	0.46	0.12	32.9	8.1	24
I099033		0.26	<0.005	0.10	0.83	1.9	<0.2	<10	90	0.14	0.12	0.23	0.08	14.30	4.0	14
I099034		0.46	<0.005	0.13	2.18	5.2	<0.2	<10	150	0.31	0.19	0.32	0.08	26.1	8.5	24
I099035		0.44	<0.005	0.06	2.68	6.4	<0.2	<10	160	0.38	0.14	0.34	0.06	22.4	11.0	27
I099036		0.46	<0.005	0.15	2.52	6.6	<0.2	<10	110	0.29	0.75	0.44	0.11	22.2	8.4	13
I099037		0.24	<0.005	0.07	2.16	8.3	<0.2	<10	110	0.40	0.33	0.23	0.07	19.90	9.9	29
I099038		0.34	<0.005	0.03	2.01	5.8	<0.2	<10	110	0.33	0.14	0.23	0.05	14.45	7.8	27
I099039		0.30	<0.005	0.07	2.19	7.9	<0.2	<10	150	0.44	0.14	0.24	0.08	19.75	10.9	30
I099040		0.36	<0.005	0.06	1.55	4.0	<0.2	<10	100	0.16	0.14	0.24	0.07	13.15	7.1	14
I099041		0.20	<0.005	0.04	0.42	0.9	<0.2	<10	40	0.09	0.05	0.09	0.02	6.47	1.2	5
I099042		0.38	<0.005	0.03	1.42	3.1	<0.2	<10	70	0.20	0.07	0.15	0.04	11.65	4.8	11
I099043		0.40	0.011	0.24	2.20	7.2	<0.2	<10	170	0.39	0.25	0.29	0.06	29.9	9.3	34
I099044		0.42	0.005	0.11	2.20	9.1	<0.2	<10	200	0.29	0.24	0.31	0.08	19.30	10.3	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099003		0.81	14.2	1.59	5.37	0.05	0.02	0.03	0.013	0.04	9.5	5.1	0.20	144	0.89
I099004		1.03	15.7	1.60	5.83	<0.05	0.02	0.03	0.013	0.04	9.8	4.7	0.19	120	0.85
I099005		1.14	14.3	2.92	7.78	0.06	0.07	0.02	0.024	0.07	10.5	13.3	0.56	245	0.99
I099006		1.42	20.7	2.82	6.60	0.07	0.06	0.02	0.022	0.09	18.0	13.7	0.57	277	0.69
I099007		0.93	15.5	3.44	10.10	0.05	0.12	0.03	0.026	0.04	9.1	13.5	0.39	238	1.80
I099008		1.10	13.9	2.73	7.89	0.06	0.05	0.03	0.023	0.07	10.2	13.3	0.54	362	1.01
I099009		1.61	24.5	3.20	7.13	0.08	0.17	0.05	0.028	0.08	22.5	17.4	0.68	406	0.70
I099010		0.62	13.7	1.61	4.47	<0.05	0.03	0.03	0.014	0.03	6.8	6.4	0.23	109	0.50
I099011		0.08	2.1	0.83	0.64	<0.05	0.08	<0.01	<0.005	0.04	5.2	1.1	0.04	179	0.30
I099012		1.30	18.2	3.14	7.47	0.06	0.09	0.02	0.041	0.08	8.9	16.7	0.53	301	0.94
I099013		1.28	23.5	3.23	7.18	0.07	0.25	0.04	0.027	0.06	22.6	17.9	0.67	373	0.60
I099014		2.10	13.2	3.67	9.31	0.07	0.11	0.01	0.021	0.20	10.5	18.9	0.71	495	1.50
I099015		1.45	11.3	2.65	6.13	0.05	0.02	0.02	0.020	0.07	7.6	12.6	0.46	273	0.78
I099016		1.33	14.1	4.00	10.55	0.06	0.04	0.02	0.029	0.08	9.6	15.9	0.51	533	2.68
I099017		0.84	17.2	3.40	8.08	0.05	0.04	0.08	0.028	0.05	8.1	12.1	0.43	226	1.64
I099018		1.16	14.1	3.82	7.99	0.05	0.06	0.02	0.026	0.07	7.5	18.1	0.50	339	1.37
I099020		0.80	8.1	1.05	3.19	<0.05	<0.02	0.08	0.009	0.03	4.6	2.6	0.12	92	0.75
I099022		0.50	3.7	0.37	1.45	<0.05	<0.02	0.01	<0.005	0.02	1.9	0.4	0.04	21	0.20
I099023		1.63	21.9	3.21	5.16	0.11	0.05	0.08	0.025	0.12	33.8	10.8	0.46	3830	1.46
I099024		2.12	13.8	3.20	6.97	0.08	0.06	0.03	0.027	0.12	13.1	18.8	0.71	737	0.67
I099025		1.45	14.7	3.02	6.93	0.06	0.04	0.03	0.024	0.05	13.2	14.1	0.55	297	0.88
I099026		1.64	14.4	3.38	8.68	0.06	0.04	0.03	0.027	0.09	10.5	15.6	0.58	453	1.10
I099027		0.88	8.3	1.58	5.05	<0.05	<0.02	0.02	0.011	0.05	7.3	6.1	0.23	155	0.60
I099028		1.04	18.6	3.11	7.59	0.06	0.05	0.03	0.025	0.07	10.8	15.3	0.52	344	1.19
I099029		2.03	15.9	3.25	7.35	0.09	0.14	0.02	0.022	0.21	18.6	20.5	0.74	579	0.62
I099030		1.59	18.9	2.66	7.63	0.07	0.04	0.03	0.024	0.09	19.5	13.4	0.45	588	1.42
I099031		1.17	13.9	2.00	5.76	0.06	0.02	0.02	0.016	0.07	14.9	9.7	0.39	309	1.32
I099032		1.63	16.1	2.89	7.95	0.07	0.05	0.03	0.022	0.10	21.6	18.2	0.56	440	1.29
I099033		0.76	11.5	1.45	4.55	<0.05	<0.02	0.01	0.009	0.07	9.2	4.6	0.25	182	0.80
I099034		1.49	14.2	3.12	8.86	0.06	0.06	0.01	0.020	0.12	16.5	16.3	0.63	353	1.20
I099035		1.55	14.3	3.76	9.75	0.06	0.07	0.01	0.026	0.11	12.6	24.2	0.77	421	1.01
I099036		8.10	19.0	3.89	12.30	0.10	0.05	0.01	0.020	0.51	9.6	24.8	0.96	662	1.20
I099037		1.23	15.4	3.64	9.43	0.06	0.05	0.02	0.023	0.09	10.8	15.3	0.53	323	1.62
I099038		0.86	14.2	2.65	6.98	0.05	0.04	0.02	0.021	0.06	7.4	11.8	0.48	184	0.90
I099039		1.15	18.8	3.21	7.46	0.05	0.07	0.04	0.023	0.08	9.9	14.4	0.56	284	1.04
I099040		1.52	9.4	2.53	9.41	0.05	0.04	0.01	0.012	0.15	6.4	12.8	0.54	313	0.98
I099041		0.36	3.8	0.60	2.43	<0.05	<0.02	0.01	0.005	0.03	3.5	1.4	0.07	34	0.31
I099042		1.43	7.1	2.35	6.72	<0.05	0.05	0.01	0.005	0.14	5.3	13.8	0.41	260	0.52
I099043		1.20	20.0	2.77	8.76	0.06	0.09	0.02	0.021	0.06	14.6	16.1	0.55	239	0.91
I099044		1.02	18.8	3.13	8.17	0.06	0.17	0.02	0.018	0.07	9.8	15.5	0.60	299	1.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099003		0.85	8.6	340	5.1	8.6	<0.001	<0.01	0.19	2.6	0.4	0.5	18.8	<0.01	0.02
I099004		1.01	7.9	230	8.3	8.5	<0.001	0.02	0.20	2.4	0.2	0.5	17.3	<0.01	0.03
I099005		2.14	18.6	460	8.0	14.1	<0.001	0.02	0.32	4.2	0.3	0.7	27.3	<0.01	0.04
I099006		1.84	19.6	530	7.0	15.4	<0.001	0.01	0.33	5.1	0.4	0.7	22.6	<0.01	0.03
I099007		1.92	15.9	250	11.3	10.2	<0.001	0.01	0.49	3.9	0.4	0.9	18.8	0.01	0.05
I099008		2.02	20.0	510	7.9	15.5	<0.001	0.02	0.30	4.0	0.3	0.7	22.6	<0.01	0.03
I099009		1.33	23.9	540	8.1	14.0	<0.001	0.01	0.34	7.9	0.5	0.7	33.3	<0.01	0.02
I099010		1.11	9.9	230	5.4	4.7	<0.001	0.01	0.19	2.4	0.2	0.4	12.9	<0.01	0.02
I099011		0.20	4.0	120	1.5	2.1	<0.001	0.01	0.11	0.6	<0.2	<0.2	7.5	<0.01	<0.01
I099012		2.35	19.9	430	8.3	13.3	<0.001	0.02	0.36	4.3	0.5	0.8	20.1	0.01	0.03
I099013		1.35	24.8	350	8.8	9.9	<0.001	0.01	0.34	7.2	0.5	0.7	29.0	<0.01	0.03
I099014		2.96	18.4	450	11.7	28.6	<0.001	0.01	0.40	4.8	0.3	1.1	19.7	<0.01	0.04
I099015		1.41	14.9	390	7.0	11.7	<0.001	0.02	0.33	3.6	0.3	0.6	15.8	0.01	0.03
I099016		1.91	17.2	540	11.4	17.5	<0.001	0.02	0.55	3.6	0.3	0.8	19.1	<0.01	0.06
I099017		1.57	16.6	300	9.2	11.3	<0.001	0.02	0.54	3.9	0.3	0.7	16.3	<0.01	0.05
I099018		1.98	19.0	700	9.0	10.0	<0.001	0.02	0.48	3.6	0.3	0.6	18.0	0.01	0.05
I099020		0.41	5.8	250	4.3	5.6	<0.001	0.02	0.20	1.2	0.2	0.3	12.7	<0.01	0.02
I099022		0.06	1.5	300	2.4	3.8	<0.001	0.02	0.06	0.2	<0.2	0.2	9.3	<0.01	0.01
I099023		1.51	16.0	950	8.8	21.0	<0.001	0.07	0.64	6.4	1.1	0.6	60.2	0.01	0.03
I099024		2.27	16.0	820	9.9	21.3	<0.001	0.03	0.38	5.5	0.4	0.8	32.3	<0.01	0.03
I099025		1.77	18.5	390	7.6	9.4	<0.001	0.02	0.38	4.6	0.3	0.7	21.9	<0.01	0.03
I099026		2.29	15.4	460	9.5	17.8	<0.001	0.02	0.41	4.7	0.3	0.9	19.0	<0.01	0.03
I099027		1.00	6.2	250	5.5	9.8	<0.001	0.02	0.22	2.2	0.2	0.5	15.0	<0.01	0.01
I099028		1.94	21.0	410	8.2	10.4	<0.001	0.03	0.39	4.4	0.4	0.7	26.8	<0.01	0.04
I099029		2.32	16.3	650	8.3	31.8	<0.001	0.02	0.37	6.0	0.3	0.9	39.1	0.01	0.03
I099030		1.89	15.2	460	9.7	18.4	<0.001	0.03	0.27	4.5	0.4	0.7	27.5	<0.01	0.03
I099031		1.21	12.3	440	6.6	15.6	<0.001	0.03	0.23	3.1	0.3	0.5	27.0	<0.01	0.02
I099032		2.14	14.1	430	9.0	22.2	<0.001	0.02	0.33	4.7	0.4	0.7	32.6	<0.01	0.03
I099033		1.07	8.7	300	5.2	14.0	<0.001	0.02	0.22	2.0	0.2	0.5	17.6	<0.01	0.02
I099034		2.57	14.2	350	9.1	22.6	<0.001	0.02	0.35	4.0	0.3	0.8	24.5	<0.01	0.03
I099035		2.73	16.4	350	9.9	19.1	<0.001	0.01	0.54	5.0	0.2	1.0	25.5	<0.01	0.03
I099036		2.28	6.1	690	14.6	64.3	<0.001	0.01	0.46	5.5	0.3	1.0	32.8	<0.01	0.03
I099037		2.01	18.4	420	9.6	11.3	<0.001	0.02	0.50	4.1	0.3	0.7	19.1	<0.01	0.04
I099038		1.42	15.5	320	7.4	7.8	<0.001	0.01	0.33	3.6	0.2	0.6	17.2	0.01	0.03
I099039		1.79	20.8	350	7.5	11.6	<0.001	0.02	0.44	4.2	0.3	0.6	22.4	<0.01	0.03
I099040		2.54	8.1	220	7.6	25.3	<0.001	0.02	0.28	3.1	<0.2	0.8	17.4	<0.01	0.02
I099041		0.46	2.2	130	2.8	3.7	<0.001	0.01	0.07	0.9	<0.2	0.2	9.4	<0.01	0.01
I099042		2.53	5.4	240	5.9	15.7	<0.001	0.01	0.29	2.5	0.2	0.6	12.0	0.01	0.01
I099043		2.01	22.3	340	8.2	9.8	<0.001	0.01	0.39	5.1	0.3	0.7	28.7	0.01	0.02
I099044		2.24	25.3	430	7.3	10.1	<0.001	0.01	0.43	4.1	0.3	0.7	26.9	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I099003		0.072	0.09	1.24	43	0.11	3.83	22	0.7
I099004		0.083	0.10	0.82	45	0.12	3.11	25	0.6
I099005		0.144	0.13	0.75	77	0.22	4.93	49	3.0
I099006		0.138	0.18	1.29	68	0.13	7.72	46	2.7
I099007		0.126	0.13	0.79	96	0.13	3.49	41	5.8
I099008		0.147	0.14	0.65	77	0.22	4.21	48	2.1
I099009		0.136	0.19	2.76	77	0.15	12.85	53	8.2
I099010		0.080	0.08	0.72	40	0.18	2.83	23	1.1
I099011		0.009	0.03	0.32	5	<0.05	2.05	5	2.7
I099012		0.148	0.17	0.77	78	0.14	4.46	45	3.6
I099013		0.148	0.17	2.15	79	0.16	11.20	50	10.8
I099014		0.191	0.26	0.63	92	0.19	5.30	60	4.2
I099015		0.098	0.14	0.60	62	0.15	3.32	39	0.9
I099016		0.129	0.13	0.54	103	0.20	3.10	56	1.8
I099017		0.104	0.11	0.54	85	0.14	3.09	54	2.2
I099018		0.126	0.10	0.50	87	0.23	3.10	47	2.8
I099020		0.044	0.06	0.54	30	0.09	1.98	18	<0.5
I099022		0.012	0.03	0.44	10	<0.05	0.77	7	<0.5
I099023		0.084	0.19	7.69	67	0.26	22.5	53	1.8
I099024		0.155	0.20	1.67	80	0.20	7.74	65	2.3
I099025		0.109	0.14	1.25	76	0.13	5.41	50	1.8
I099026		0.139	0.17	0.74	84	0.16	4.94	50	1.5
I099027		0.075	0.09	0.57	40	0.12	2.78	24	<0.5
I099028		0.126	0.12	0.83	77	0.19	4.54	48	2.0
I099029		0.194	0.24	1.31	81	0.23	8.77	61	5.6
I099030		0.121	0.14	3.08	62	0.17	6.43	48	1.4
I099031		0.089	0.09	2.04	51	0.14	5.27	38	0.6
I099032		0.132	0.15	2.47	72	0.20	7.23	52	1.7
I099033		0.084	0.09	0.79	40	0.10	2.44	37	<0.5
I099034		0.181	0.16	0.97	86	0.21	4.75	58	2.1
I099035		0.189	0.19	0.71	94	0.21	4.80	58	2.7
I099036		0.209	0.47	1.23	95	2.36	7.23	85	1.5
I099037		0.138	0.14	0.64	94	0.22	4.00	50	2.1
I099038		0.102	0.10	0.46	66	0.13	3.30	37	1.6
I099039		0.137	0.13	0.70	77	0.14	4.59	47	3.1
I099040		0.182	0.16	0.33	69	0.13	2.27	42	1.4
I099041		0.046	0.04	0.22	17	<0.05	1.13	10	<0.5
I099042		0.128	0.11	0.28	49	0.12	2.68	35	2.2
I099043		0.118	0.13	0.75	78	0.18	6.84	48	4.0
I099044		0.133	0.13	0.51	79	0.20	4.53	49	6.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099051		0.34	0.010	0.04	2.29	2.8	<0.2	<10	550	0.29	0.39	0.47	0.09	26.0	20.4	169
I099052		0.30	<0.005	0.17	5.59	21.5	<0.2	<10	520	0.78	0.27	0.27	0.11	42.8	23.9	136
I099053		0.36	0.008	0.07	2.97	10.4	<0.2	<10	280	0.48	0.16	0.39	0.13	31.7	14.0	60
I099054		0.24	0.005	0.20	2.57	6.4	<0.2	<10	60	0.29	0.12	0.24	0.10	11.15	13.0	94
I099055		0.30	0.005	0.10	5.02	3.9	<0.2	<10	240	0.61	0.06	0.22	0.09	6.23	30.5	379
I099056		0.44	0.009	0.13	2.56	15.1	<0.2	<10	220	0.40	0.15	0.70	0.20	20.1	16.5	88
I099057		0.42	0.008	0.12	2.56	18.4	<0.2	<10	290	0.41	0.12	0.44	0.14	23.6	16.1	67
I099058		0.28	0.006	0.02	0.13	2.1	<0.2	<10	30	0.08	0.02	0.08	0.04	9.86	2.0	6
I099059		0.40	0.010	0.22	1.78	26.4	<0.2	<10	240	0.39	0.17	0.40	0.26	17.00	10.6	40
I099060		0.36	0.006	0.08	3.30	14.4	<0.2	<10	460	0.36	0.09	0.59	0.15	19.90	23.1	237
I099061		0.36	0.005	0.14	0.30	1.0	<0.2	<10	50	0.06	0.05	0.12	0.06	3.44	1.0	6
I099062		0.34	0.007	0.26	1.20	40.4	<0.2	<10	340	0.30	0.12	0.39	0.64	15.70	14.7	47
I099063		0.44	<0.005	0.14	3.17	11.5	<0.2	<10	170	0.85	0.17	0.66	0.41	36.0	20.3	155
I099064		0.42	0.014	0.14	2.51	10.0	<0.2	<10	230	0.60	0.14	0.52	0.10	34.9	13.8	72
I099065		0.44	0.006	0.13	1.71	7.8	<0.2	<10	150	0.31	0.13	0.25	0.13	18.45	6.9	36
I099066		0.44	0.007	0.12	1.99	9.1	<0.2	<10	170	0.34	0.14	0.29	0.11	20.8	8.6	39
I099067		0.44	0.007	0.15	2.36	9.0	<0.2	<10	250	0.43	0.14	0.44	0.11	23.7	11.3	57
I099068		0.46	0.005	0.06	2.44	13.6	<0.2	<10	270	0.49	0.16	0.35	0.16	24.6	12.3	50
I099069		0.32	0.013	0.11	3.85	12.3	<0.2	<10	340	0.73	0.14	0.22	0.13	30.9	15.7	55
I099070		0.42	0.008	0.09	3.10	32.9	<0.2	<10	230	0.64	0.14	0.37	0.25	22.5	15.8	66
I099071		0.36	0.006	0.06	2.21	6.1	<0.2	<10	390	0.42	0.15	0.17	0.15	16.85	9.8	28
I099072		0.32	0.005	0.06	0.29	0.9	<0.2	<10	40	0.05	0.06	0.12	0.30	2.93	1.3	7
I099073		0.42	0.008	0.07	2.76	8.4	<0.2	<10	540	0.31	0.15	0.40	0.18	25.1	21.1	108
I099074		0.28	0.007	0.16	3.26	11.2	<0.2	<10	140	0.58	0.17	0.23	0.14	20.3	14.7	50
I099075		0.36	0.009	0.08	2.87	10.1	<0.2	<10	110	0.40	0.16	0.17	0.24	14.45	10.0	42
I099076		0.30	0.010	0.07	1.97	5.5	<0.2	<10	100	0.25	0.08	0.39	0.17	20.8	17.0	45
I099077		0.32	0.006	0.07	3.12	6.5	<0.2	<10	610	0.33	0.08	0.43	0.10	17.55	22.3	154
I099078		0.36	0.009	0.24	2.90	10.2	<0.2	<10	380	0.45	0.19	0.38	0.35	24.2	19.4	99
I099079		0.44	0.009	0.07	3.34	11.6	<0.2	<10	130	0.47	0.18	0.19	0.14	22.1	10.1	47
I099080		0.48	0.006	0.04	0.37	1.6	<0.2	<10	30	0.06	0.07	0.05	0.03	3.09	1.0	7
I099081		0.48	0.008	0.07	2.45	9.7	<0.2	<10	270	0.44	0.24	0.18	0.20	25.1	13.2	48
I099082		0.30	<0.005	0.02	0.32	1.1	<0.2	<10	30	0.05	0.07	0.06	0.03	4.59	1.1	7
I099083		0.36	0.011	0.10	2.46	12.1	<0.2	<10	180	0.27	0.15	0.24	0.08	22.1	9.6	37
I099084		0.34	0.022	0.08	1.46	8.9	<0.2	<10	160	0.27	0.19	0.19	0.13	18.50	10.9	32
I099085		0.54	0.006	0.06	2.30	16.4	<0.2	<10	190	0.40	0.21	0.17	0.18	22.6	13.6	40
I099086		0.40	0.008	0.06	2.44	9.7	<0.2	<10	320	0.51	0.16	0.33	0.07	21.3	13.0	44
I099087		0.30	<0.005	0.03	0.13	3.4	<0.2	<10	30	0.10	0.57	0.09	0.18	9.89	2.2	4
I099088		0.32	0.007	0.04	3.51	11.4	<0.2	<10	270	0.55	0.12	0.37	0.11	19.10	15.0	33
I099089		0.36	0.006	0.05	3.67	13.4	<0.2	<10	240	0.45	0.14	0.13	0.11	39.1	16.8	25
I099090		0.36	<0.005	0.03	4.05	15.3	<0.2	<10	640	0.54	0.13	0.33	0.10	38.0	20.8	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099051		1.70	60.7	3.54	8.65	0.12	0.09	0.08	0.017	0.25	11.8	20.1	1.55	442	0.49
I099052		7.29	61.6	6.31	17.75	0.17	0.13	0.04	0.052	0.67	17.8	44.1	2.48	1150	0.93
I099053		2.83	39.6	3.95	10.25	0.09	0.07	0.03	0.030	0.25	14.7	24.3	1.06	540	0.98
I099054		3.03	24.4	3.61	8.49	0.06	0.03	0.06	0.017	0.04	5.3	26.2	0.87	235	1.01
I099055		3.58	8.8	4.61	14.15	0.11	0.04	0.02	0.012	0.32	2.9	70.2	3.31	283	0.64
I099056		4.17	46.8	3.78	8.08	0.08	0.06	0.06	0.046	0.10	8.8	22.1	1.01	797	0.63
I099057		2.76	43.7	3.63	8.82	0.08	0.05	0.03	0.029	0.14	10.6	21.2	1.04	598	0.74
I099058		0.09	2.3	0.80	0.70	<0.05	0.07	<0.01	<0.005	0.04	5.0	1.4	0.04	178	0.30
I099059		1.93	30.3	2.65	7.14	0.06	0.03	0.04	0.020	0.07	8.7	12.5	0.62	591	1.49
I099060		4.62	38.4	4.19	11.00	0.12	0.06	0.02	0.019	0.47	10.0	36.1	2.21	461	0.74
I099061		0.36	5.7	0.50	1.68	<0.05	<0.02	0.02	<0.005	0.02	1.8	1.0	0.09	30	0.24
I099062		1.16	21.5	2.25	5.54	<0.05	0.02	0.05	0.013	0.05	6.5	8.8	0.46	2600	1.77
I099063		4.92	42.6	4.63	13.45	0.17	0.30	0.04	0.047	0.91	17.4	30.8	1.94	566	0.88
I099064		2.48	34.8	3.25	9.30	0.10	0.06	0.02	0.029	0.19	16.1	24.0	1.03	525	1.81
I099065		1.19	18.4	2.59	7.66	0.07	0.04	0.02	0.015	0.08	9.1	12.1	0.59	259	1.08
I099066		1.38	21.7	2.93	8.12	0.07	0.05	0.03	0.016	0.09	10.0	14.8	0.71	343	1.06
I099067		2.27	31.3	2.99	8.10	0.08	0.07	0.03	0.020	0.07	12.2	20.0	0.94	312	1.47
I099068		2.30	29.8	3.54	8.74	0.08	0.07	0.01	0.022	0.11	11.0	21.1	0.88	493	0.98
I099069		2.68	33.9	3.91	11.50	0.08	0.10	0.03	0.034	0.10	12.6	27.3	1.09	494	1.08
I099070		4.25	28.3	4.58	12.10	0.11	0.07	0.04	0.029	0.32	10.1	29.4	1.21	550	1.21
I099071		2.26	17.6	3.06	8.84	0.06	0.02	0.03	0.017	0.14	7.1	13.9	0.65	537	0.88
I099072		0.59	7.4	0.60	2.37	<0.05	<0.02	0.02	<0.005	0.03	1.5	1.1	0.07	43	0.33
I099073		3.15	33.0	4.04	10.15	0.14	0.06	0.02	0.031	0.43	11.3	25.6	1.67	653	0.68
I099074		1.31	33.0	4.00	9.82	0.07	0.12	0.06	0.026	0.04	9.4	16.0	0.58	335	1.35
I099075		1.50	23.1	3.53	8.69	0.07	0.08	0.04	0.024	0.05	6.9	18.1	0.51	245	1.24
I099076		0.88	50.8	3.40	6.60	0.07	0.06	0.02	0.015	0.05	9.3	16.1	0.72	372	0.66
I099077		3.62	40.0	4.47	11.80	0.12	0.04	0.02	0.020	0.66	8.5	27.8	1.91	621	0.66
I099078		3.01	39.5	3.95	10.65	0.09	0.04	0.06	0.031	0.28	11.6	24.1	1.14	1140	1.19
I099079		1.41	18.0	4.36	9.29	0.08	0.06	0.04	0.034	0.06	10.7	20.3	0.51	423	1.49
I099080		0.32	4.0	0.65	2.82	<0.05	<0.02	0.01	<0.005	0.02	1.6	0.8	0.06	53	0.31
I099081		2.06	26.4	3.70	10.25	0.06	0.05	0.05	0.027	0.07	10.8	17.7	0.58	1090	1.56
I099082		0.39	4.0	0.58	2.60	<0.05	<0.02	0.01	<0.005	0.03	2.5	1.5	0.07	50	0.36
I099083		1.35	21.1	3.67	8.11	0.07	0.15	0.03	0.024	0.06	10.3	15.2	0.59	380	1.06
I099084		1.29	21.3	2.62	8.25	0.05	0.04	0.08	0.022	0.11	9.3	10.2	0.38	1000	1.21
I099085		1.64	18.5	3.99	10.45	0.07	0.06	0.02	0.027	0.12	11.3	15.1	0.46	1000	1.93
I099086		1.18	23.9	3.69	7.60	0.07	0.14	0.02	0.030	0.14	10.2	13.4	0.67	536	1.30
I099087		0.07	2.6	0.68	0.60	<0.05	0.07	<0.01	0.021	0.04	4.9	1.3	0.04	165	0.29
I099088		1.91	21.9	4.54	10.45	0.08	0.48	0.06	0.033	0.15	9.4	22.7	0.84	325	1.92
I099089		2.99	51.5	5.99	13.75	0.13	0.12	0.01	0.063	0.36	19.0	25.4	0.97	601	1.74
I099090		3.34	56.8	6.23	15.15	0.13	0.16	0.02	0.053	0.70	17.1	32.6	1.58	920	1.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I099051		0.99	108.5	640	3.5	20.9	<0.001	0.04	0.27	8.3	0.4	0.5	33.6	<0.01	0.33
I099052		3.21	52.7	550	11.1	48.1	<0.001	0.03	0.23	17.9	0.8	0.9	27.0	0.01	0.06
I099053		2.81	35.1	740	7.5	28.7	<0.001	0.03	0.40	8.8	0.6	0.8	24.8	0.01	0.03
I099054		1.55	40.0	490	4.2	5.8	<0.001	0.04	0.37	4.1	0.7	0.4	11.7	0.01	0.03
I099055		2.01	205	280	4.9	21.8	<0.001	0.03	0.13	4.8	0.5	0.5	15.0	<0.01	0.02
I099056		1.29	48.5	660	26.9	15.1	<0.001	0.03	1.24	10.0	0.5	0.6	27.2	<0.01	0.03
I099057		2.03	40.9	730	12.3	18.9	<0.001	0.04	0.59	8.4	0.6	0.6	23.3	<0.01	0.03
I099058		0.20	4.1	130	1.6	2.1	<0.001	0.01	0.12	0.7	<0.2	<0.2	7.5	<0.01	<0.01
I099059		1.35	24.0	850	25.6	12.7	<0.001	0.06	0.72	4.8	0.6	0.6	27.1	<0.01	0.04
I099060		2.83	121.0	760	8.5	37.3	<0.001	0.03	0.31	8.4	0.4	0.5	29.7	<0.01	0.03
I099061		0.36	3.3	270	4.1	2.3	<0.001	0.03	0.07	0.6	0.2	0.2	11.2	<0.01	0.01
I099062		0.75	28.1	990	8.3	7.3	<0.001	0.06	0.89	3.2	0.6	0.4	26.1	<0.01	0.04
I099063		0.97	80.4	730	17.4	80.4	<0.001	0.02	0.39	17.4	0.7	1.1	35.5	<0.01	0.02
I099064		2.46	49.1	570	8.0	28.9	0.001	0.02	0.29	7.7	0.7	0.9	29.8	<0.01	0.03
I099065		1.94	23.0	350	6.3	14.2	<0.001	0.03	0.30	3.9	0.3	0.7	20.3	<0.01	0.02
I099066		2.25	27.7	400	6.6	16.8	<0.001	0.03	0.31	4.6	0.4	0.8	23.7	<0.01	0.02
I099067		2.06	40.0	550	8.9	13.0	<0.001	0.02	0.35	5.9	0.5	0.6	29.6	<0.01	0.02
I099068		2.44	36.3	540	11.2	18.3	<0.001	0.03	0.45	5.8	0.5	0.8	27.4	<0.01	0.04
I099069		3.04	45.2	200	10.4	17.8	<0.001	0.02	0.47	7.6	0.5	1.1	21.4	<0.01	0.04
I099070		2.51	41.4	770	7.9	38.3	0.001	0.03	0.50	8.8	0.7	0.8	21.2	0.01	0.03
I099071		1.81	17.2	470	7.1	16.9	<0.001	0.03	0.29	4.5	0.5	0.7	14.7	0.01	0.02
I099072		0.26	3.4	260	6.6	4.0	<0.001	0.03	0.08	0.5	0.3	0.2	10.3	<0.01	0.01
I099073		2.43	136.5	850	10.4	38.8	<0.001	0.02	0.24	10.8	0.4	0.8	23.6	<0.01	0.03
I099074		2.35	35.8	360	9.3	6.5	<0.001	0.03	0.58	5.5	0.6	0.8	19.8	0.02	0.03
I099075		2.14	25.9	310	7.4	8.3	<0.001	0.02	0.54	4.4	0.5	0.6	14.4	0.01	0.04
I099076		1.57	35.0	720	4.5	6.2	<0.001	0.02	0.29	4.6	0.4	0.4	20.9	<0.01	0.02
I099077		2.31	70.7	700	3.8	52.8	<0.001	0.03	0.14	11.8	0.5	0.6	25.9	<0.01	0.02
I099078		2.38	54.0	760	21.4	30.9	<0.001	0.05	0.25	8.6	0.7	0.7	28.3	<0.01	0.03
I099079		2.59	19.9	660	9.3	9.1	<0.001	0.04	0.55	5.1	0.8	0.6	17.6	0.01	0.04
I099080		0.24	1.9	200	2.6	2.0	<0.001	0.02	0.08	0.3	0.2	0.2	7.9	<0.01	0.01
I099081		2.04	27.2	580	11.4	13.1	<0.001	0.03	0.42	6.3	0.5	0.8	19.7	0.01	0.04
I099082		0.36	2.0	160	2.4	3.1	<0.001	0.02	0.08	0.7	0.2	0.2	7.1	<0.01	0.01
I099083		1.86	22.8	450	8.8	8.5	0.001	0.02	0.41	6.0	0.4	0.6	21.8	0.01	0.03
I099084		1.41	21.3	570	9.2	18.2	<0.001	0.02	0.32	2.8	0.6	0.7	18.0	<0.01	0.03
I099085		2.98	19.4	550	11.4	18.9	<0.001	0.01	0.45	4.4	0.3	0.8	17.0	<0.01	0.04
I099086		1.88	24.1	320	7.9	18.2	<0.001	0.01	0.45	5.2	0.3	0.7	28.9	<0.01	0.04
I099087		0.16	3.5	130	2.8	2.2	<0.001	0.01	0.22	0.6	<0.2	<0.2	7.2	<0.01	0.01
I099088		1.23	26.4	360	6.8	17.0	<0.001	0.01	0.34	6.3	0.3	0.8	48.1	<0.01	0.03
I099089		1.38	16.4	350	13.0	31.2	<0.001	0.01	0.53	13.0	0.5	1.0	13.8	<0.01	0.04
I099090		2.54	18.4	590	6.9	47.5	<0.001	0.01	0.32	14.0	0.4	1.3	24.9	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I099051		0.179	0.17	0.58	110	0.38	9.38	52	4.0
I099052		0.365	0.43	0.57	169	0.31	10.50	114	7.0
I099053		0.185	0.22	0.74	106	0.14	8.47	70	3.2
I099054		0.141	0.09	0.32	96	0.12	3.95	39	1.6
I099055		0.397	0.27	0.16	113	0.43	1.86	52	1.7
I099056		0.121	0.20	0.62	103	0.24	8.72	78	2.6
I099057		0.142	0.20	0.59	95	0.14	7.54	77	2.3
I099058		0.012	0.04	0.30	7	<0.05	2.08	7	2.6
I099059		0.085	0.18	0.70	71	0.15	5.88	108	1.1
I099060		0.255	0.33	0.44	135	0.14	5.48	96	2.6
I099061		0.029	0.03	0.22	9	<0.05	1.21	11	<0.5
I099062		0.059	0.11	0.81	51	0.11	5.19	57	0.6
I099063		0.281	0.68	1.12	120	0.22	18.85	120	15.7
I099064		0.146	0.29	1.20	78	0.24	8.83	64	3.4
I099065		0.122	0.16	0.57	64	0.14	4.02	41	1.9
I099066		0.135	0.19	0.62	68	0.15	4.79	46	2.4
I099067		0.142	0.28	0.73	74	0.17	6.13	59	3.4
I099068		0.150	0.25	0.59	83	0.15	5.70	78	3.3
I099069		0.149	0.20	0.61	86	0.25	4.65	69	5.4
I099070		0.191	0.32	0.55	108	0.19	6.01	68	3.4
I099071		0.109	0.14	0.44	70	0.15	3.38	44	1.1
I099072		0.033	0.04	0.20	15	<0.05	1.00	13	<0.5
I099073		0.206	0.33	0.52	97	0.16	6.89	82	2.8
I099074		0.124	0.15	0.61	94	0.15	4.92	59	6.0
I099075		0.125	0.11	0.43	84	0.35	3.65	47	3.8
I099076		0.139	0.10	0.43	97	0.17	6.60	51	2.7
I099077		0.271	0.32	0.44	145	0.13	5.08	72	2.3
I099078		0.169	0.26	0.87	109	0.20	7.45	134	2.1
I099079		0.110	0.12	0.64	87	0.18	5.00	58	2.8
I099080		0.030	0.03	0.17	18	<0.05	0.73	9	<0.5
I099081		0.107	0.16	0.70	95	0.11	5.42	61	2.1
I099082		0.037	0.04	0.17	18	<0.05	0.89	11	<0.5
I099083		0.106	0.11	0.61	81	0.14	5.16	56	8.0
I099084		0.099	0.16	0.55	71	0.13	3.61	70	1.3
I099085		0.135	0.16	0.56	104	0.13	3.66	83	2.8
I099086		0.123	0.13	0.50	88	0.09	4.21	65	6.0
I099087		0.011	0.03	0.33	6	<0.05	2.04	40	2.5
I099088		0.168	0.20	0.60	103	0.13	4.96	63	23.5
I099089		0.219	0.22	0.58	128	0.22	5.90	89	6.4
I099090		0.327	0.21	0.47	183	0.19	5.92	103	8.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I099091		0.40	0.007	0.04	2.19	11.1	<0.2	<10	150	0.27	0.16	0.23	0.16	15.15	8.8	33
I099092		0.34	0.006	0.06	3.52	13.3	<0.2	<10	290	0.55	0.19	0.16	0.22	18.55	14.2	46
I099093		0.46	0.011	0.05	2.57	18.4	<0.2	<10	230	0.44	0.13	0.35	0.08	22.3	15.0	62
I099094		0.38	0.005	0.04	2.31	18.0	<0.2	<10	200	0.41	0.13	0.20	0.12	14.80	13.4	47
I099095		0.40	0.006	0.03	2.23	17.6	<0.2	<10	210	0.37	0.10	0.26	0.10	12.05	16.7	74
I099096		0.36	0.005	0.04	0.54	1.6	<0.2	<10	90	0.12	0.07	0.12	0.05	6.92	1.5	12
I099097		0.44	0.005	0.03	2.93	3.6	<0.2	<10	250	0.42	0.11	0.34	0.10	18.60	28.1	275
I099098		0.30	<0.005	0.02	0.24	0.6	<0.2	<10	30	0.05	0.05	0.06	0.03	2.48	1.1	15
I099099		0.42	0.012	0.09	1.65	8.1	<0.2	<10	770	0.38	0.14	0.78	0.21	19.10	16.1	48
I099100		0.48	0.009	0.04	1.70	6.7	<0.2	<10	130	0.34	0.11	0.59	0.10	20.9	10.4	33
I099201		0.30	<0.005	0.07	2.47	6.2	<0.2	<10	210	0.42	0.13	0.34	0.12	14.90	11.6	26
I099202		0.26	0.006	0.07	0.98	2.3	<0.2	<10	360	0.21	0.09	0.96	0.38	8.91	9.0	15
I099203		0.34	0.007	0.14	2.13	6.6	<0.2	<10	230	0.29	0.15	0.31	0.09	16.05	9.8	31
I099204		0.32	0.006	0.15	1.55	3.7	<0.2	<10	190	0.29	0.14	0.19	0.06	13.35	5.8	21
I099205		0.44	0.005	0.06	1.87	6.1	<0.2	<10	180	0.31	0.11	0.29	0.06	19.35	8.9	24
I099206		0.48	<0.005	0.02	0.12	1.9	<0.2	<10	30	0.10	0.05	0.09	0.04	9.35	2.1	3
I314651b		Not Recvd														
I314652b		Not Recvd														
I314653b		Not Recvd														
I314654b		Not Recvd														
I314655b		Not Recvd														
I314656b		Not Recvd														
I314657b		Not Recvd														
I314658b		Not Recvd														
I314659b		Not Recvd														
I314660b		Not Recvd														
I314661b		Not Recvd														
I314662b		Not Recvd														
I314663b		Not Recvd														
I314664b		Not Recvd														
I314665b		Not Recvd														
I314666b		Not Recvd														
I314667b		Not Recvd														
I314668b		Not Recvd														
I314669b		Not Recvd														
I314670b		Not Recvd														
I314680		0.46	0.006	0.31	2.54	5.3	<0.2	<10	260	0.33	0.17	1.36	0.57	17.85	17.9	47
I314681		0.42	0.006	0.34	2.94	6.2	<0.2	<10	270	0.34	0.17	1.26	0.46	16.50	19.9	59
I314682		0.42	0.009	0.33	2.76	5.8	<0.2	<10	280	0.36	0.16	1.17	0.42	16.50	19.4	55
I314683		0.38	0.019	0.34	2.75	5.8	<0.2	<10	320	0.41	0.17	1.47	0.39	17.75	18.5	53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I099091		0.96	13.1	3.69	8.49	0.06	0.05	0.01	0.022	0.06	7.6	14.1	0.49	278	1.33
I099092		1.49	25.3	4.31	9.44	0.07	0.06	0.03	0.036	0.05	8.8	19.3	0.50	948	1.70
I099093		1.03	24.1	3.55	7.58	0.07	0.07	0.03	0.027	0.08	10.3	14.9	0.79	385	0.91
I099094		1.60	19.9	3.29	7.00	0.06	0.03	0.17	0.029	0.05	6.8	10.5	0.42	379	1.12
I099095		2.29	25.7	3.29	6.81	0.05	0.02	0.33	0.027	0.10	5.3	10.3	0.60	397	0.72
I099096		0.42	14.4	0.80	2.29	<0.05	<0.02	0.03	0.009	0.03	3.5	1.6	0.06	47	0.38
I099097		1.25	59.4	4.09	8.75	0.08	0.04	0.02	0.030	0.12	7.7	27.6	2.50	1360	0.85
I099098		0.26	6.4	0.48	1.70	<0.05	<0.02	0.02	<0.005	0.02	1.2	0.8	0.05	43	0.32
I099099		0.83	60.7	3.33	6.12	0.08	0.03	0.06	0.032	0.13	9.0	10.4	0.63	1220	3.24
I099100		0.59	24.2	2.81	5.26	0.08	0.08	0.02	0.020	0.07	10.3	12.1	0.63	352	0.62
I099201		0.70	17.5	3.32	8.34	0.06	0.04	0.02	0.021	0.15	6.7	11.9	0.64	946	0.98
I099202		0.42	15.9	1.74	4.36	<0.05	0.03	0.01	0.012	0.07	3.8	3.6	0.22	1560	0.58
I099203		0.95	16.4	3.22	7.95	0.06	0.06	0.02	0.024	0.11	8.1	12.0	0.61	274	1.05
I099204		0.83	13.3	2.37	6.85	0.05	0.10	0.01	0.017	0.03	6.7	7.1	0.28	177	1.25
I099205		1.00	15.7	2.77	6.42	0.06	0.05	0.02	0.019	0.10	9.9	11.4	0.57	296	0.72
I099206		0.07	1.6	0.63	0.55	<0.05	0.06	<0.01	<0.005	0.04	4.7	1.2	0.04	170	0.24
I314651b															
I314652b															
I314653b															
I314654b															
I314655b															
I314656b															
I314657b															
I314658b															
I314659b															
I314660b															
I314661b															
I314662b															
I314663b															
I314664b															
I314665b															
I314666b															
I314667b															
I314668b															
I314669b															
I314670b															
I314680		0.88	58.0	3.17	7.83	0.10	0.03	0.05	0.022	0.17	9.2	10.7	1.17	635	1.42
I314681		0.89	51.5	3.75	9.06	0.08	0.05	0.06	0.020	0.25	8.1	12.5	1.44	715	1.60
I314682		0.84	53.5	3.53	8.49	0.08	0.05	0.06	0.020	0.24	8.2	11.7	1.33	656	1.53
I314683		0.78	62.7	3.50	7.84	0.09	0.05	0.07	0.021	0.20	8.7	11.5	1.25	602	1.54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I099091		1.88	15.8	460	8.4	9.8	<0.001	0.01	0.37	3.3	0.2	0.7	19.5	<0.01	0.03	1.6
I099092		2.27	29.7	500	9.8	10.5	<0.001	0.01	0.55	4.3	0.4	0.8	15.3	0.01	0.05	2.0
I099093		1.87	31.9	420	7.0	11.4	<0.001	0.01	0.36	5.7	0.3	0.6	25.6	<0.01	0.02	2.2
I099094		1.37	26.2	610	6.2	10.3	<0.001	0.01	0.40	4.3	0.3	0.5	18.2	<0.01	0.02	0.8
I099095		0.98	42.0	540	3.9	11.9	<0.001	0.01	0.34	6.0	0.3	0.4	19.8	<0.01	0.02	0.5
I099096		0.31	4.8	240	2.8	2.9	<0.001	0.01	0.11	0.8	0.3	0.2	13.7	<0.01	0.01	<0.2
I099097		1.06	191.0	580	3.4	14.0	<0.001	0.01	0.19	8.8	0.2	0.6	18.0	<0.01	0.04	1.8
I099098		0.23	2.4	140	1.5	3.8	<0.001	0.01	0.06	0.5	<0.2	0.2	7.4	<0.01	0.02	<0.2
I099099		1.23	31.5	980	6.8	11.9	0.001	0.05	0.28	6.1	0.7	0.5	37.9	<0.01	0.05	0.7
I099100		1.72	21.3	850	5.4	7.3	<0.001	0.01	0.36	4.4	0.4	0.5	34.2	<0.01	0.02	2.0
I099201		2.35	16.3	560	6.5	14.6	<0.001	0.01	0.33	3.2	0.2	0.7	24.2	<0.01	0.02	1.9
I099202		0.97	9.9	1220	4.2	7.3	<0.001	0.01	0.23	2.3	0.2	0.4	53.9	<0.01	0.02	0.8
I099203		1.97	18.3	280	7.3	16.9	<0.001	0.01	0.32	4.1	0.3	0.7	23.3	<0.01	0.03	2.0
I099204		1.59	8.8	180	8.0	10.7	<0.001	0.01	0.28	2.6	0.2	0.6	17.6	<0.01	0.02	1.5
I099205		1.75	14.4	410	5.9	12.1	<0.001	0.01	0.22	3.8	0.3	0.7	22.0	<0.01	0.03	1.8
I099206 I314651b I314652b I314653b I314654b		0.16	3.2	130	1.6	2.0	<0.001	<0.01	0.12	0.5	<0.2	<0.2	6.5	<0.01	0.01	1.7
I314655b I314656b I314657b I314658b I314659b																
I314660b I314661b I314662b I314663b I314664b																
I314665b I314666b I314667b I314668b I314669b																
I314670b I314680 I314681 I314682 I314683		0.90 1.61 1.55 1.47	32.2 30.9 31.1 30.5	610 700 720 820	7.0 7.5 6.9 6.9	22.1 30.2 29.2 23.5	0.001 0.001 0.001 <0.001	0.08 0.08 0.08 0.11	0.33 0.34 0.37 0.51	5.5 5.6 5.0 4.9	0.9 0.9 0.9 1.2	0.4 0.5 0.5 0.4	41.4 38.5 39.3 45.7	<0.01 <0.01 <0.01 <0.01	0.06 0.06 0.05 0.07	0.8 0.9 0.8 0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I099091		0.122	0.09	0.29	98	0.11	2.49	60	2.4
I099092		0.105	0.12	0.41	101	0.12	3.46	83	2.8
I099093		0.128	0.09	0.50	87	0.10	5.54	59	2.6
I099094		0.089	0.07	0.37	76	0.10	4.42	49	0.9
I099095		0.079	0.09	0.27	82	0.07	5.43	42	0.7
I099096		0.034	0.04	0.24	18	<0.05	3.95	9	<0.5
I099097		0.108	0.08	0.30	104	0.09	4.99	69	1.5
I099098		0.028	0.02	0.11	14	<0.05	0.73	9	<0.5
I099099		0.085	0.06	0.54	75	0.12	9.41	77	1.2
I099100		0.134	0.06	0.45	70	0.20	7.10	53	3.0
I099201		0.147	0.11	0.29	80	0.77	2.76	86	1.6
I099202		0.075	0.07	0.21	39	0.07	2.20	47	1.2
I099203		0.126	0.10	0.41	83	0.11	3.41	48	2.2
I099204		0.097	0.13	0.34	64	0.06	2.72	31	4.0
I099205		0.129	0.11	0.49	65	0.14	5.10	42	2.1
I099206		0.010	0.03	0.27	5	<0.05	1.96	7	2.1
I314651b									
I314652b									
I314653b									
I314654b									
I314655b									
I314656b									
I314657b									
I314658b									
I314659b									
I314660b									
I314661b									
I314662b									
I314663b									
I314664b									
I314665b									
I314666b									
I314667b									
I314668b									
I314669b									
I314670b									
I314680		0.105	0.14	0.86	83	0.15	7.85	84	0.9
I314681		0.127	0.13	0.92	98	0.15	6.88	99	1.8
I314682		0.116	0.12	0.69	89	0.14	6.82	94	1.8
I314683		0.100	0.13	0.85	83	0.15	8.46	89	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319451		0.68	0.011	0.13	2.81	6.0	<0.2	<10	260	0.43	0.14	0.52	0.19	19.70	17.1	58
I319452		0.68	0.008	0.18	2.48	5.6	<0.2	<10	180	0.39	0.15	0.30	0.21	17.80	17.3	54
I319453		0.50	0.009	0.16	1.99	8.2	<0.2	<10	170	0.28	0.26	0.20	0.21	16.30	10.4	39
I319454		0.58	0.011	0.15	2.23	9.5	<0.2	<10	190	0.33	0.25	0.21	0.19	16.90	9.6	40
I319455		0.54	0.010	0.17	2.59	8.8	<0.2	<10	170	0.41	0.20	0.29	0.17	20.8	14.5	45
I319456		0.54	0.019	0.16	3.29	8.2	<0.2	<10	150	0.53	0.26	0.29	0.18	22.5	19.0	63
I319457		0.76	0.018	0.16	2.97	5.7	<0.2	<10	280	0.43	0.17	0.65	0.10	23.7	20.3	55
I319458		0.56	0.011	0.20	4.95	3.7	<0.2	<10	360	0.49	0.24	1.07	0.22	12.75	24.9	68
I319459		0.66	0.011	0.11	2.48	5.7	<0.2	<10	160	0.43	0.17	0.73	0.14	18.25	13.8	44
I319460		0.52	0.009	0.11	0.70	1.9	<0.2	<10	120	0.17	0.16	0.66	0.38	8.65	4.1	17
I319461		0.48	0.012	0.65	1.46	5.3	<0.2	<10	260	0.36	0.41	1.53	1.18	32.1	11.2	31
I319462		0.56	0.017	0.59	2.18	15.4	<0.2	<10	230	0.38	1.03	0.71	0.73	27.6	20.8	45
I319463		0.46	0.009	0.30	2.06	7.7	<0.2	<10	190	0.33	0.52	0.50	0.46	18.30	19.3	46
I319464		0.54	0.010	0.58	2.13	8.9	<0.2	<10	180	0.27	0.46	0.47	0.31	18.30	15.6	44
I319465		0.48	0.005	0.28	1.95	5.8	<0.2	<10	280	0.33	0.39	1.28	0.68	28.2	14.4	39
I319466		0.46	<0.005	0.27	1.63	6.8	<0.2	<10	250	0.31	0.36	1.19	0.52	27.6	12.3	32
I319467		0.64	0.007	0.29	1.70	7.2	<0.2	<10	330	0.30	0.62	0.77	0.90	32.0	15.2	44
I319468		0.46	0.018	0.13	1.31	7.8	<0.2	<10	190	0.12	0.25	0.26	0.22	14.45	6.3	35
I319469		0.60	<0.005	0.15	1.46	14.6	<0.2	<10	210	0.17	0.27	0.29	0.24	14.80	7.5	40
I319470		0.58	<0.005	0.15	1.70	6.8	<0.2	<10	110	0.17	0.28	0.34	0.19	13.60	11.0	42



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319451		0.86	33.5	3.63	7.92	0.07	0.04	0.05	0.024	0.12	9.6	13.3	1.31	558	1.18
I319452		0.94	27.4	3.25	7.47	0.06	0.03	0.03	0.022	0.05	8.8	12.1	0.99	608	1.22
I319453		0.68	23.9	3.49	9.08	0.05	0.04	0.03	0.024	0.06	7.7	10.3	0.62	386	1.70
I319454		0.77	24.7	3.71	9.46	0.05	0.05	0.02	0.025	0.07	8.0	11.8	0.64	336	1.76
I319455		0.90	29.4	4.07	8.65	0.07	0.06	0.03	0.029	0.06	10.4	15.8	0.98	484	1.80
I319456		1.08	57.7	4.93	10.35	0.09	0.03	0.02	0.030	0.15	9.8	17.4	1.71	635	1.71
I319457		1.60	55.1	4.23	9.09	0.11	0.06	0.04	0.024	0.32	11.5	14.6	1.79	773	0.91
I319458		3.27	60.6	5.98	12.85	0.14	0.04	0.03	0.026	1.07	6.0	16.3	3.90	1870	0.84
I319459		0.86	25.5	3.12	7.69	0.07	0.05	0.04	0.026	0.12	9.0	13.3	1.10	380	1.14
I319460		0.53	20.0	1.26	3.36	<0.05	0.02	0.03	0.013	0.06	4.4	2.7	0.32	183	1.04
I319461		0.77	43.7	2.18	4.89	0.07	0.05	0.10	0.026	0.08	14.4	7.0	0.61	562	1.97
I319462		1.13	35.2	3.66	7.36	0.08	0.04	0.06	0.038	0.10	12.6	12.1	1.04	1340	2.31
I319463		1.14	21.1	3.43	8.17	0.06	0.03	0.06	0.047	0.10	9.7	12.4	0.95	959	1.93
I319464		1.13	20.2	3.15	7.93	0.05	0.03	0.08	0.028	0.07	9.8	11.8	0.90	651	2.10
I319465		0.77	24.5	2.92	5.93	0.08	0.07	0.07	0.023	0.07	14.1	12.9	0.91	717	1.01
I319466		0.64	25.8	2.57	5.06	0.08	0.05	0.06	0.025	0.05	15.2	10.2	0.70	516	1.40
I319467		0.69	31.0	3.06	5.21	0.09	0.05	0.05	0.024	0.06	16.2	10.1	0.77	652	1.52
I319468		0.86	14.2	1.88	6.39	0.05	0.02	0.05	0.014	0.06	7.4	6.7	0.57	174	1.00
I319469		0.90	16.1	2.20	6.43	<0.05	0.02	0.04	0.015	0.07	7.6	7.5	0.66	243	1.15
I319470		0.74	15.2	2.57	5.81	0.05	0.02	0.04	0.017	0.05	7.1	10.0	0.75	315	0.99



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319451		1.29	30.4	550	7.2	20.3	<0.001	0.02	0.26	5.3	0.5	0.5	27.9	<0.01	0.04	1.3
I319452		1.53	28.8	440	6.7	12.2	<0.001	0.02	0.26	3.8	0.4	0.5	18.9	<0.01	0.04	1.5
I319453		1.63	22.5	380	9.5	12.4	<0.001	0.02	0.33	3.9	0.3	0.7	15.3	<0.01	0.05	1.3
I319454		1.82	24.0	320	9.3	13.1	<0.001	0.02	0.34	4.3	0.4	0.7	16.4	<0.01	0.05	1.8
I319455		1.92	29.1	590	8.5	12.2	<0.001	0.02	0.32	5.1	0.6	0.6	20.9	<0.01	0.04	2.9
I319456		1.94	36.9	480	17.9	19.3	<0.001	0.02	0.30	6.3	0.5	0.7	16.9	<0.01	0.08	3.5
I319457		1.40	30.6	600	6.1	36.2	<0.001	0.04	0.30	8.2	0.8	0.5	25.2	<0.01	0.05	2.0
I319458		1.53	34.3	340	15.4	76.5	<0.001	0.08	0.19	14.8	0.6	0.5	29.8	<0.01	0.05	1.6
I319459		1.65	26.3	890	12.0	16.3	<0.001	0.06	0.33	5.9	0.7	0.5	28.5	<0.01	0.03	1.8
I319460		0.63	12.1	660	6.4	10.4	<0.001	0.08	0.20	1.8	0.6	0.3	26.6	<0.01	0.03	0.2
I319461		0.78	28.5	1100	16.4	11.5	0.001	0.18	0.35	3.5	1.9	0.4	51.1	<0.01	0.08	0.5
I319462		0.95	35.1	810	34.2	14.4	0.001	0.08	0.38	6.3	1.2	0.4	31.7	<0.01	0.09	1.6
I319463		1.27	28.9	660	28.8	17.7	<0.001	0.06	0.26	5.2	0.8	0.6	25.6	<0.01	0.07	1.3
I319464		1.18	26.2	760	26.7	15.6	<0.001	0.07	0.25	5.0	1.0	0.6	24.8	<0.01	0.04	1.0
I319465		1.25	31.6	680	16.3	12.3	0.002	0.09	0.33	5.6	1.6	0.4	48.4	<0.01	0.07	2.2
I319466		1.03	25.6	720	13.0	8.8	<0.001	0.09	0.37	4.4	1.6	0.3	47.1	<0.01	0.06	1.3
I319467		1.03	34.3	800	10.7	9.4	0.001	0.06	0.31	5.5	1.7	0.3	27.6	<0.01	0.04	2.3
I319468		0.96	16.8	370	6.0	7.0	<0.001	0.03	0.17	3.5	0.6	0.4	15.5	<0.01	0.03	0.8
I319469		1.07	19.7	470	7.4	9.8	<0.001	0.03	0.18	3.7	0.6	0.4	16.3	<0.01	0.03	0.7
I319470		1.02	21.0	500	7.2	9.7	<0.001	0.03	0.20	3.9	0.5	0.4	18.9	<0.01	0.03	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130308

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319451		0.121	0.10	0.55	88	0.10	5.95	69	1.4
I319452		0.110	0.10	0.59	72	0.14	4.57	60	1.3
I319453		0.106	0.08	0.38	89	0.09	3.46	60	1.6
I319454		0.115	0.09	0.39	92	0.10	3.75	61	2.4
I319455		0.117	0.10	0.59	87	0.18	5.71	79	2.4
I319456		0.137	0.12	0.54	96	0.11	5.69	124	1.5
I319457		0.144	0.19	0.87	104	0.14	11.95	82	2.4
I319458		0.202	0.38	0.40	174	0.11	9.12	133	1.4
I319459		0.120	0.11	0.79	83	0.22	5.80	77	2.1
I319460		0.041	0.05	0.49	31	0.08	2.73	42	0.9
I319461		0.045	0.09	1.46	45	0.08	10.90	126	1.9
I319462		0.080	0.13	1.25	75	0.12	9.40	146	1.4
I319463		0.098	0.12	1.00	93	0.16	5.50	106	1.1
I319464		0.086	0.14	1.45	79	0.14	5.32	102	1.2
I319465		0.084	0.10	1.69	60	0.10	10.85	118	3.0
I319466		0.066	0.08	1.90	55	0.10	11.65	83	1.9
I319467		0.069	0.09	1.42	65	0.10	12.35	101	1.9
I319468		0.076	0.10	0.53	46	0.11	3.73	48	0.6
I319469		0.086	0.10	0.58	58	0.09	4.06	57	0.6
I319470		0.088	0.08	0.59	71	0.12	3.68	55	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130308

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix D: Rock Sample Descriptions

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

							<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
							<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	<u>Mo (ppm)</u>
I034155 Mickey	Grid North:	Grid East:	Type: Float	Alteration: Qz						
	UTM 6974054.265 N	UTM 550958.366 E	Strike Length Exp:	Metallics:			<0.005	0.02	12.6	2.2
	Elevation:	Sample Width:	True Width:	Secondaries:						
			Host : Granodiorite				36	1	0.2	0.95
Sampled By: RC	Very coarse grained Granodiorite, weak deformation fabric. Locally Qtz float with minor cavities and limonitic alt.									
31-Aug-10										
I034156 Mickey	Grid North:	Grid East:	Type: Float	Alteration: Qz						
	UTM 6973247.139 N	UTM 551086.743 E	Strike Length Exp:	Metallics:			<0.005	0.01	1.7	3.5
	Elevation:	Sample Width:	True Width:	Secondaries:						
			Host : Granodiorite				6	0.9	0.25	0.13
Sampled By: RC	Very coarse grained Granodiorite, weak deformation fabric boulder angular talus. 5-15cm Qtz + pegmatic veins layer parallel and crosscutting. Lacking sulphides									
31-Aug-10										

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I319683 Mickey	Grid North: UTM 6972795	N	Grid East: UTM 548939	E	Type: Float Strike Length Exp: True Width: Host : Aplite dyke	Alteration: Metallics: Secondaries:	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 7	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 1.4	<u>Cu (ppm)</u> 6.7 <u>Sb (ppm)</u> 0.18	<u>Pb (ppm)</u> 17.1 <u>Mo (ppm)</u> 0.16
Sampled By: RV 27-Aug-10	Aplite dyke in granite on ridge just W of XX claims									
I319684 Mickey	Grid North: UTM 6972841	N	Grid East: UTM 548838	E	Type: Float Strike Length Exp: True Width: Host : Diorite dyke	Alteration: Metallics: Py Secondaries:	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 35	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 0.4	<u>Cu (ppm)</u> 23.6 <u>Sb (ppm)</u> 0.06	<u>Pb (ppm)</u> 2.4 <u>Mo (ppm)</u> 0.93
Sampled By: RV 27-Aug-10	Fine-grained diorite dyke with trace pyrite in granite									
I319685 Mickey	Grid North: UTM 6973132	N	Grid East: UTM 548723	E	Type: Float Strike Length Exp: True Width: Host : Hbl granite	Alteration: Metallics: Secondaries:	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 54	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 0.6	<u>Cu (ppm)</u> 4.1 <u>Sb (ppm)</u> 0.1	<u>Pb (ppm)</u> 9.2 <u>Mo (ppm)</u> 0.16
Sampled By: RV 27-Aug-10	Typical bedrock in the area - massive to foliated medium to coarse-grained Hbl granite									
I319686 Mickey	Grid North: UTM 6978499	N	Grid East: UTM 550408	E	Type: Float Strike Length Exp: True Width: Host : Chl schist	Alteration: Si Metallics: Secondaries:	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 109	<u>Ag (ppm)</u> 0.14 <u>As (ppm)</u> 0.5	<u>Cu (ppm)</u> 64 <u>Sb (ppm)</u> 0.13	<u>Pb (ppm)</u> 9.8 <u>Mo (ppm)</u> 0.14
Sampled By: RV 27-Aug-10	South end of Chl schist outcrop with pods of early Qtz									
I319687 Mickey	Grid North: UTM 6978611	N	Grid East: UTM 550198	E	Type: Float Strike Length Exp: True Width: Host : Chl Ms schist	Alteration: Qz Metallics: Secondaries: Ja	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 131	<u>Ag (ppm)</u> 0.09 <u>As (ppm)</u> 1.3	<u>Cu (ppm)</u> 52.6 <u>Sb (ppm)</u> 0.16	<u>Pb (ppm)</u> 20.3 <u>Mo (ppm)</u> 0.35
Sampled By: RV 27-Aug-10	Chl Ms schist with old and late generation Qtz veins									
I319688 Mickey	Grid North: UTM 6978633	N	Grid East: UTM 550058	E	Type: Float Strike Length Exp: True Width: Host : Silicified Ms Chl schist	Alteration: Qz Metallics: Secondaries:	<u>Au (ppm)</u> <0.005 <u>Zn (ppm)</u> 26	<u>Ag (ppm)</u> 0.03 <u>As (ppm)</u> 0.2	<u>Cu (ppm)</u> 12.6 <u>Sb (ppm)</u> 0.05	<u>Pb (ppm)</u> 8.4 <u>Mo (ppm)</u> 0.09
Sampled By: RV 27-Aug-10	Strongly silicified Chl Ms schist with late Qtz vein									

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I319689 Mickey	Grid North:		Grid East:		Type: Float	Alteration: Si	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM 6978794	N	UTM 549781	E	Strike Length Exp:	Metallics:	<0.005	0.01	5.3	3
	Elevation:		Sample Width: 20		True Width:	Secondaries:	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	<u>Mo (ppm)</u>
	Host : Silicified schist					7	0.3	<0.05	0.08	
Sampled By: RV 27-Aug-10	Strongly silicified Chl schist with late veins									
I319690 Mickey	Grid North:		Grid East:		Type: Float	Alteration: Cy	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>Cu (ppm)</u>	<u>Pb (ppm)</u>
	UTM 6977692	N	UTM 547595	E	Strike Length Exp:	Metallics:	<0.005	0.02	4.6	4.2
	Elevation:		Sample Width: 30		True Width:	Secondaries:	<u>Zn (ppm)</u>	<u>As (ppm)</u>	<u>Sb (ppm)</u>	<u>Mo (ppm)</u>
	Host : Bt granite					59	1	0.07	0.09	
Sampled By: RV 27-Aug-10	Massive, medium-grained, Bt granite									

Appendix E: Data Disc

Report text, geochemical databases, drafting and plot files

Appendix F: Geologist's Certificates

GEOLOGIST'S CERTIFICATE

Darcy E.L. Baker
Suite 114 – 2635 Prince Edward Street,
Vancouver, BC, Canada

I, Darcy Baker, P.Geo. do hereby certify that:

- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 29th day of March, 2011.



Darcy Baker, Ph.D., P.Geo.