



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 30-SEP-2010  
Account: EIASQI

**CERTIFICATE WH10130304**

Project: SQI10-06  
P.O. No.: SQI-10\_27  
This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% < 75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319303		0.56	0.009	0.07	1.61	24.0	<0.2	<10	150	0.23	0.11	0.52	0.11	20.3	10.0	27
I319304		0.44	<0.005	0.15	1.90	8.8	<0.2	<10	280	0.39	0.16	0.59	0.13	33.8	8.9	24
I319305		0.50	<0.005	0.19	1.88	7.4	<0.2	<10	220	0.26	0.14	0.54	0.10	28.8	9.4	26
I319306		0.52	<0.005	0.27	1.62	6.7	<0.2	<10	350	0.39	0.14	0.71	0.43	48.8	17.2	22
I319307		0.42	<0.005	0.15	2.13	9.6	<0.2	<10	270	0.32	0.14	0.58	0.16	37.0	24.5	28
I319308		0.48	<0.005	0.16	1.98	10.6	<0.2	<10	260	0.29	0.13	0.52	0.14	24.0	9.4	25
I319309		0.50	<0.005	0.15	1.92	11.9	<0.2	<10	290	0.28	0.14	0.65	0.15	28.3	15.3	25
I319310		0.50	<0.005	0.19	2.24	11.0	<0.2	<10	310	0.42	0.15	0.43	0.15	41.3	15.8	28
I319311		0.54	<0.005	0.17	2.26	11.8	<0.2	<10	320	0.41	0.15	0.45	0.17	41.1	15.8	28
I319312		0.46	<0.005	0.15	2.07	8.8	<0.2	<10	270	0.30	0.15	0.55	0.19	24.5	11.0	29
I319313		0.52	<0.005	0.16	2.29	9.3	<0.2	<10	380	0.33	0.16	0.83	0.26	40.2	14.9	28
I319314		0.50	<0.005	0.25	2.14	58.1	<0.2	<10	310	0.32	0.24	0.65	0.13	28.6	10.1	30
I319315		0.42	<0.005	0.22	1.71	14.4	<0.2	<10	340	0.41	0.26	0.91	0.37	51.0	14.1	25
I319316		0.48	<0.005	0.16	2.11	9.2	<0.2	<10	210	0.33	0.20	0.37	0.22	22.3	10.7	27
I319317		0.60	<0.005	0.07	2.09	12.4	<0.2	<10	150	0.20	0.22	0.30	0.10	16.90	9.5	30
I319318		0.50	<0.005	0.17	1.77	14.7	<0.2	<10	180	0.28	0.22	0.36	0.10	16.55	7.8	22
I319319		0.52	<0.005	0.08	1.63	14.6	<0.2	<10	120	0.16	0.31	0.31	0.07	15.40	7.7	21
I319320		0.60	<0.005	0.07	2.29	70.0	<0.2	<10	190	0.33	0.24	0.34	0.10	19.55	10.4	27
I319321		0.56	<0.005	0.17	1.13	4.8	<0.2	<10	140	0.18	0.15	0.20	0.12	16.20	4.9	16
I319322		0.68	<0.005	0.17	3.05	7.3	<0.2	<10	340	0.63	0.24	0.65	0.53	51.3	19.8	159
I319323		0.50	<0.005	0.29	2.95	7.6	<0.2	<10	270	0.87	0.27	0.89	0.44	45.2	19.3	147
I319324		0.52	<0.005	0.30	3.35	16.1	<0.2	<10	340	0.70	0.27	0.89	0.34	58.4	25.0	175
I319325		0.58	0.006	0.28	2.95	13.8	<0.2	<10	280	0.46	0.26	0.75	0.27	39.1	18.3	148
I319326		0.52	<0.005	0.58	3.62	15.4	<0.2	<10	370	0.79	0.31	1.05	0.85	54.1	29.3	183
I319327		0.46	0.005	0.28	3.43	16.3	<0.2	<10	350	0.54	0.40	1.00	0.44	34.7	22.3	105
I319328		0.70	<0.005	0.26	2.97	13.1	<0.2	<10	250	0.72	0.39	0.68	0.22	67.4	18.7	72
I319329		0.56	<0.005	0.14	2.04	7.0	<0.2	<10	100	0.27	0.26	0.31	0.15	17.45	10.0	41
I319330		0.64	<0.005	0.22	2.04	5.4	<0.2	<10	140	0.31	0.16	0.33	0.23	13.85	11.3	43
I319331		0.52	<0.005	0.38	1.69	3.8	<0.2	<10	170	0.29	0.17	0.31	0.61	14.15	15.0	43
I319332		0.70	<0.005	0.24	2.89	5.7	<0.2	<10	220	0.35	0.18	0.49	0.65	11.85	17.5	42
I319333		0.60	<0.005	0.15	2.69	6.1	<0.2	<10	270	0.28	0.19	0.45	0.23	11.90	17.1	31
I319334		0.16	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.02	0.41	0.04	11.30	2.1	20
I319335		0.80	<0.005	0.14	2.41	5.1	<0.2	<10	200	0.25	0.12	0.47	0.10	12.50	14.0	35
I319336		0.60	<0.005	0.08	2.16	7.6	<0.2	<10	160	0.21	0.15	0.35	0.13	10.10	12.4	29
I319337		0.66	<0.005	0.05	2.58	6.1	<0.2	<10	180	0.18	0.11	0.40	0.13	11.10	18.6	35
I319338		0.68	0.015	0.12	2.61	4.8	<0.2	<10	160	0.35	0.16	0.53	0.11	21.3	18.2	43
I319339		0.68	0.005	0.12	3.09	21.3	<0.2	<10	200	0.37	0.16	0.58	0.13	21.6	23.5	64
I319340		0.66	<0.005	0.22	2.32	13.5	<0.2	<10	220	0.33	0.16	1.10	0.39	20.4	16.4	44
I319341		0.58	<0.005	0.11	1.92	6.9	<0.2	<10	180	0.25	0.11	1.52	0.35	15.35	14.6	42
I319342		0.68	0.010	0.36	2.40	7.4	<0.2	<10	190	0.30	0.18	0.64	0.25	19.20	18.6	61



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I319303		0.96	15.4	2.39	5.72	0.07	0.05	0.22	0.021	0.06	10.1	11.5	0.56	346	0.64	0.03
I319304		1.15	18.2	2.70	7.02	0.09	0.06	0.04	0.025	0.13	20.2	12.4	0.59	339	0.81	0.03
I319305		1.15	15.7	2.81	6.86	0.09	0.06	0.04	0.025	0.11	16.8	12.6	0.60	457	0.92	0.03
I319306		1.75	35.5	3.00	6.94	0.10	0.05	0.05	0.027	0.19	28.7	8.9	0.62	1380	1.22	0.03
I319307		1.41	19.8	3.21	7.50	0.10	0.07	0.04	0.028	0.13	16.3	14.6	0.70	1730	0.98	0.03
I319308		1.41	17.7	2.93	7.17	0.08	0.06	0.03	0.024	0.10	12.5	13.2	0.67	351	0.92	0.03
I319309		1.43	16.7	2.84	7.22	0.09	0.06	0.06	0.024	0.09	14.2	15.5	0.60	860	1.11	0.03
I319310		1.74	20.3	3.34	7.78	0.11	0.07	0.07	0.032	0.19	19.9	17.4	0.66	944	1.26	0.02
I319311		1.78	20.5	3.38	8.03	0.12	0.08	0.06	0.034	0.20	19.9	17.8	0.68	1080	1.09	0.02
I319312		1.25	20.5	2.82	7.33	0.10	0.07	0.05	0.027	0.09	12.2	14.2	0.66	425	0.61	0.03
I319313		1.57	20.3	3.14	7.87	0.12	0.08	0.06	0.033	0.13	17.9	17.6	0.68	1100	1.07	0.03
I319314		1.84	20.8	2.73	7.28	0.09	0.06	0.18	0.028	0.08	14.4	14.2	0.65	476	0.65	0.03
I319315		1.61	25.7	2.31	5.73	0.12	0.06	0.12	0.025	0.09	25.8	9.9	0.47	779	1.06	0.03
I319316		1.46	19.7	3.06	8.51	0.08	0.06	0.03	0.025	0.11	12.1	14.9	0.61	438	1.00	0.02
I319317		1.39	15.4	3.08	7.41	0.08	0.09	0.04	0.025	0.08	7.9	11.9	0.63	322	0.86	0.03
I319318		1.51	15.1	2.72	7.28	0.06	0.05	0.03	0.022	0.07	9.6	12.2	0.48	300	1.23	0.02
I319319		1.72	11.4	2.76	9.13	0.07	0.06	0.03	0.018	0.15	7.7	8.7	0.63	300	1.05	0.02
I319320		2.99	15.2	3.53	8.57	0.09	0.06	0.05	0.027	0.10	9.7	16.4	0.70	379	1.16	0.02
I319321		1.24	14.0	1.49	5.29	0.06	0.03	0.03	0.016	0.04	9.0	5.8	0.29	169	0.57	0.02
I319322		2.21	45.1	3.87	12.55	0.16	0.13	0.02	0.028	0.52	33.2	15.8	1.70	626	1.21	0.04
I319323		3.23	52.9	3.71	11.00	0.15	0.11	0.05	0.030	0.41	31.6	10.9	1.52	621	1.21	0.05
I319324		4.17	65.3	4.50	12.25	0.19	0.12	0.06	0.029	0.65	35.2	19.0	1.93	798	1.75	0.04
I319325		3.75	60.7	4.08	11.80	0.15	0.10	0.06	0.029	0.46	23.6	12.7	1.69	514	2.01	0.04
I319326		4.83	112.5	4.82	12.95	0.19	0.14	0.07	0.038	0.68	37.1	16.2	2.11	1040	1.57	0.05
I319327		2.75	82.4	4.40	11.20	0.14	0.11	0.09	0.041	0.36	19.5	15.7	1.40	881	1.99	0.03
I319328		2.68	73.4	3.89	10.20	0.18	0.15	0.06	0.035	0.32	36.5	14.9	1.19	742	1.49	0.04
I319329		1.66	40.6	2.85	7.27	0.08	0.08	0.03	0.023	0.17	8.4	10.3	0.84	303	1.04	0.02
I319330		1.13	40.0	2.95	7.79	0.07	0.03	0.03	0.026	0.09	7.1	8.6	0.81	459	1.35	0.03
I319331		0.81	61.5	2.86	8.04	0.08	0.04	0.04	0.027	0.07	6.4	8.1	0.76	1270	1.36	0.03
I319332		0.74	68.6	3.88	9.98	0.09	0.03	0.03	0.037	0.10	5.6	12.1	1.18	559	1.60	0.03
I319333		1.04	37.4	3.62	10.35	0.07	0.04	0.04	0.032	0.11	5.6	12.7	0.86	754	1.38	0.03
I319334		0.09	2.5	0.57	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.7	1.2	0.04	139	0.42	0.02
I319335		0.80	33.9	3.55	9.12	0.08	0.05	0.03	0.032	0.08	5.9	13.8	1.07	438	0.94	0.03
I319336		0.94	29.0	3.64	8.81	0.07	0.03	0.02	0.027	0.07	4.8	10.2	0.85	432	1.26	0.02
I319337		1.41	28.9	4.30	10.20	0.08	0.03	0.01	0.028	0.19	5.1	14.1	1.35	514	1.01	0.02
I319338		1.07	37.8	3.55	8.24	0.08	0.05	0.04	0.025	0.14	9.7	14.6	1.04	850	1.10	0.03
I319339		1.29	44.7	4.05	10.30	0.10	0.06	0.02	0.026	0.33	10.0	14.8	1.41	631	1.28	0.03
I319340		0.91	40.5	2.93	7.20	0.08	0.04	0.05	0.019	0.17	10.0	10.6	0.92	398	1.38	0.04
I319341		0.84	29.2	2.44	5.90	0.07	0.05	0.06	0.016	0.12	7.3	9.7	0.91	500	1.02	0.03
I319342		0.95	51.2	3.62	8.19	0.09	0.05	0.06	0.023	0.21	8.6	12.0	1.19	469	0.94	0.02



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319303		1.69	17.3	600	5.7	10.9	<0.001	0.03	0.29	4.4	0.5	0.5	34.3	<0.01	0.02
I319304		1.91	15.6	580	6.8	15.0	<0.001	0.03	0.26	5.7	0.6	0.6	36.8	<0.01	0.02
I319305		2.19	15.3	480	5.9	18.1	<0.001	0.03	0.25	5.1	0.5	0.6	32.9	<0.01	0.02
I319306		2.30	18.4	660	5.6	28.5	<0.001	0.03	0.33	5.8	0.6	0.6	44.0	0.01	0.02
I319307		2.36	17.0	740	7.1	22.3	<0.001	0.04	0.32	5.7	0.7	0.7	34.5	<0.01	0.02
I319308		2.55	15.9	540	6.4	20.6	<0.001	0.04	0.25	5.0	0.6	0.7	32.9	<0.01	0.02
I319309		2.44	15.3	530	7.7	17.3	<0.001	0.03	0.27	5.4	0.6	0.7	40.5	<0.01	0.02
I319310		2.97	19.4	650	7.1	25.4	<0.001	0.04	0.29	7.5	0.7	0.9	32.8	0.01	0.03
I319311		3.08	19.8	640	7.3	25.1	<0.001	0.03	0.30	7.5	0.7	1.0	32.3	0.01	0.02
I319312		2.37	20.1	500	7.3	15.2	<0.001	0.03	0.26	5.7	0.5	0.8	35.8	<0.01	0.02
I319313		2.64	20.0	680	7.3	23.1	0.001	0.04	0.39	6.2	0.8	0.8	52.3	0.01	0.03
I319314		2.04	18.8	730	8.1	11.6	0.001	0.05	0.48	6.0	0.7	0.7	43.5	<0.01	0.03
I319315		1.78	25.9	880	6.0	15.6	0.001	0.10	0.50	5.5	1.0	0.5	68.4	0.01	0.03
I319316		2.83	19.2	420	7.5	22.9	<0.001	0.03	0.27	4.7	0.4	0.7	26.7	<0.01	0.03
I319317		2.44	19.5	340	6.6	7.8	<0.001	0.01	0.36	4.7	0.4	0.7	21.1	<0.01	0.03
I319318		2.22	13.6	350	6.1	15.3	<0.001	0.02	0.27	3.9	0.4	0.6	27.1	<0.01	0.03
I319319		2.60	13.3	240	6.7	33.9	<0.001	0.02	0.25	4.4	0.3	0.8	19.9	<0.01	0.02
I319320		2.60	18.3	520	7.2	18.2	<0.001	0.02	0.38	6.4	0.4	0.8	22.4	<0.01	0.03
I319321		1.33	9.9	240	5.0	9.3	<0.001	0.02	0.16	2.9	0.3	0.5	17.9	<0.01	0.02
I319322		4.32	53.5	510	12.6	64.2	<0.001	0.02	0.26	8.1	0.8	1.1	42.9	0.01	0.04
I319323		3.86	56.5	440	18.6	76.6	<0.001	0.04	0.29	8.8	0.9	1.0	50.6	0.01	0.02
I319324		3.77	69.4	660	12.9	97.6	0.001	0.05	0.26	10.0	1.1	1.1	45.4	0.01	0.04
I319325		3.33	59.8	410	10.6	76.2	<0.001	0.04	0.22	9.0	0.9	1.4	37.8	<0.01	0.04
I319326		3.77	81.5	600	11.9	94.3	0.001	0.05	0.23	12.0	1.2	1.0	51.4	0.01	0.05
I319327		2.54	52.5	490	12.0	51.5	0.001	0.04	0.37	10.1	1.0	0.8	47.9	<0.01	0.07
I319328		2.41	40.9	430	11.5	49.6	0.001	0.02	0.32	10.5	1.1	0.9	33.4	0.01	0.06
I319329		1.51	23.2	210	6.1	25.2	<0.001	0.02	0.24	6.2	0.4	0.6	18.0	<0.01	0.05
I319330		1.25	19.9	290	6.2	11.3	<0.001	0.02	0.28	5.9	0.4	0.5	18.8	<0.01	0.03
I319331		1.26	20.3	300	6.5	7.3	<0.001	0.02	0.28	6.0	0.5	0.5	19.4	<0.01	0.03
I319332		1.26	26.7	440	5.4	11.3	<0.001	0.04	0.27	8.6	0.6	0.5	23.5	<0.01	0.05
I319333		1.35	19.4	400	5.7	14.5	<0.001	0.04	0.23	7.5	0.6	0.6	24.5	<0.01	0.05
I319334		0.21	4.3	700	1.8	1.9	<0.001	0.02	0.13	0.8	0.2	<0.2	9.0	<0.01	0.01
I319335		1.46	20.7	330	5.0	11.3	<0.001	0.03	0.22	8.1	0.5	0.5	21.4	<0.01	0.02
I319336		1.27	16.8	360	5.5	7.5	<0.001	0.02	0.27	7.4	0.4	0.5	18.5	<0.01	0.03
I319337		1.10	21.3	390	4.5	21.2	<0.001	0.01	0.26	7.6	0.3	0.5	19.1	<0.01	0.02
I319338		1.16	25.8	610	6.0	18.5	<0.001	0.03	0.28	7.4	0.6	0.5	25.1	<0.01	0.03
I319339		1.99	36.0	480	6.6	35.7	0.001	0.01	0.26	7.6	0.5	0.6	25.1	<0.01	0.03
I319340		1.40	26.9	700	16.4	21.6	0.001	0.09	0.32	5.0	0.9	0.4	39.5	<0.01	0.03
I319341		1.03	26.2	730	3.9	18.9	0.002	0.11	0.32	4.2	0.9	0.3	44.7	<0.01	0.03
I319342		1.22	30.1	440	5.8	21.7	<0.001	0.03	0.30	6.5	0.6	0.4	23.5	<0.01	0.03



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319303		0.112	0.09	0.89	63	0.21	6.11	49	2.0
I319304		0.110	0.11	1.75	70	0.13	8.95	46	2.0
I319305		0.142	0.13	1.36	74	0.21	6.47	47	2.3
I319306		0.145	0.11	2.58	79	0.16	11.65	56	1.7
I319307		0.159	0.18	2.26	81	0.20	9.05	55	2.4
I319308		0.162	0.14	1.86	75	0.32	6.09	52	2.2
I319309		0.144	0.15	2.27	73	0.16	7.05	52	2.1
I319310		0.146	0.15	4.61	79	0.17	10.70	57	2.5
I319311		0.153	0.16	4.11	80	0.17	10.85	62	2.7
I319312		0.148	0.14	1.83	66	0.13	6.89	57	2.9
I319313		0.147	0.18	3.68	75	0.34	11.10	65	3.0
I319314		0.126	0.19	2.33	62	0.19	8.64	53	2.6
I319315		0.087	0.15	4.59	49	0.24	16.20	59	2.0
I319316		0.162	0.13	1.35	81	0.15	5.94	112	2.5
I319317		0.154	0.13	0.56	86	0.14	4.11	50	4.1
I319318		0.124	0.15	1.11	71	0.16	3.94	43	1.9
I319319		0.181	0.21	0.55	86	0.15	3.22	47	2.2
I319320		0.145	0.23	0.91	85	0.16	5.72	62	2.7
I319321		0.077	0.11	1.24	39	0.08	4.11	27	0.8
I319322		0.214	0.34	1.12	103	0.28	12.00	75	5.5
I319323		0.176	0.36	2.28	82	0.29	13.55	80	4.7
I319324		0.216	0.46	3.10	113	0.34	15.10	89	4.9
I319325		0.224	0.39	1.49	107	0.28	9.86	75	4.7
I319326		0.235	0.42	2.44	117	0.30	17.50	102	6.0
I319327		0.166	0.27	1.54	109	0.28	12.90	77	4.5
I319328		0.135	0.32	1.97	89	0.28	21.9	69	6.7
I319329		0.103	0.17	0.53	73	0.15	4.68	51	3.5
I319330		0.086	0.09	0.52	81	0.14	5.06	54	1.3
I319331		0.089	0.07	0.49	81	0.24	7.02	76	1.5
I319332		0.094	0.07	0.65	105	0.14	4.82	104	1.0
I319333		0.100	0.08	0.59	98	0.12	5.11	86	1.5
I319334		0.007	0.03	0.37	5	<0.05	3.17	6	3.1
I319335		0.123	0.08	0.45	98	0.30	4.96	61	1.9
I319336		0.097	0.08	0.41	108	0.11	3.78	61	1.2
I319337		0.146	0.12	0.27	127	0.11	3.80	71	1.1
I319338		0.111	0.13	0.75	90	0.12	8.93	59	1.8
I319339		0.165	0.21	0.79	97	0.13	5.41	56	2.3
I319340		0.102	0.15	0.84	70	0.12	8.48	92	1.8
I319341		0.084	0.14	0.67	59	0.08	6.65	62	2.0
I319342		0.134	0.14	0.73	99	0.17	7.45	92	2.0



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319343		0.60	<0.005	0.21	2.72	7.1	<0.2	<10	210	0.29	0.15	0.54	0.21	15.95	13.5	55
I319344		0.74	<0.005	0.12	2.43	4.5	<0.2	<10	270	0.22	0.12	0.51	0.18	12.60	19.9	60
I319345		0.68	0.005	0.17	2.53	3.3	<0.2	<10	200	0.21	0.13	0.38	0.14	10.65	19.7	54
I319346		0.66	<0.005	0.09	2.47	4.8	<0.2	<10	220	0.24	0.12	0.30	0.12	13.50	20.9	46
I319347		0.78	<0.005	0.06	2.68	8.8	<0.2	<10	200	0.25	0.11	0.29	0.18	12.80	21.8	49
I319348		0.60	<0.005	0.09	2.65	3.1	<0.2	<10	220	0.24	0.12	0.36	0.10	11.60	18.4	57
I319349		0.80	<0.005	0.12	2.82	4.1	<0.2	<10	190	0.21	0.12	0.36	0.10	9.66	18.0	68
I319350		0.52	<0.005	0.12	2.36	3.8	<0.2	<10	210	0.22	0.12	0.41	0.13	11.20	17.4	48
I319351		0.44	<0.005	0.15	1.81	7.4	<0.2	<10	140	0.34	2.22	0.36	0.15	34.7	10.5	42
I319352		0.48	<0.005	0.18	1.85	6.3	<0.2	<10	170	0.41	2.03	0.43	0.17	35.2	12.6	44
I319353		0.56	0.007	0.15	1.59	5.5	<0.2	<10	100	0.34	3.33	0.42	0.33	21.4	10.8	40
I319354		0.50	0.008	0.22	1.78	7.2	<0.2	<10	140	0.31	3.54	0.50	0.22	21.6	14.3	46
I319355		0.40	<0.005	0.21	1.38	5.8	<0.2	<10	70	0.16	3.83	0.31	0.10	9.90	8.7	45
I319356		0.40	0.016	0.25	1.97	7.0	<0.2	<10	170	0.28	5.94	0.84	0.12	16.65	17.9	58
I319357		0.34	<0.005	0.28	1.38	4.1	<0.2	<10	110	0.16	5.60	0.69	0.15	8.92	10.8	82
I319358		0.48	0.006	0.28	1.62	7.2	<0.2	<10	150	0.22	7.30	0.52	0.14	13.20	14.0	68
I319359		0.34	<0.005	0.23	1.82	7.2	<0.2	<10	360	0.39	4.76	0.59	0.15	34.8	14.1	56
I319360		0.32	0.047	0.64	2.25	89.5	<0.2	<10	340	1.50	4.91	1.05	0.62	68.1	12.9	40
I319361		0.30	<0.005	0.43	1.32	6.0	<0.2	<10	100	0.16	4.33	0.25	0.19	12.35	6.7	22
I319362		0.28	0.035	0.48	1.21	5.2	<0.2	<10	100	0.15	4.20	0.24	0.17	11.05	6.0	21
I319363		0.28	0.008	0.51	1.58	7.7	<0.2	<10	140	0.27	3.76	0.25	0.21	13.45	13.9	29
I319364		0.36	<0.005	0.15	3.20	11.8	<0.2	<10	390	0.44	2.57	0.91	0.31	6.36	30.4	17
I319365		0.40	<0.005	0.39	2.05	9.8	<0.2	<10	220	0.31	13.35	0.41	0.18	12.20	17.6	55
I319366		0.44	<0.005	0.36	1.85	4.7	<0.2	<10	210	0.19	4.14	0.37	0.12	9.06	11.7	98
I319367		0.36	<0.005	0.19	1.83	6.0	<0.2	<10	150	0.21	3.97	0.25	0.16	16.45	13.2	64
I319368		0.38	<0.005	0.12	2.67	4.1	<0.2	<10	320	0.30	4.95	0.26	0.12	19.20	19.6	66
I319369		0.30	<0.005	0.11	0.37	1.6	<0.2	<10	30	0.07	0.38	0.04	0.06	4.85	1.9	7
I319370		0.32	<0.005	0.18	0.74	5.5	<0.2	<10	50	0.15	2.37	0.07	0.19	22.3	2.7	10
I319371		0.50	0.013	0.38	1.92	25.7	<0.2	<10	160	0.44	6.65	0.28	0.34	82.9	18.8	25
I319372		0.38	0.005	0.25	1.61	34.5	<0.2	<10	110	0.46	13.50	0.19	0.23	43.9	7.6	19
I319373		0.50	<0.005	0.30	1.45	43.4	<0.2	<10	160	0.41	10.65	0.28	0.30	49.9	6.8	18
I319374		0.50	<0.005	0.62	1.32	12.4	<0.2	<10	150	0.56	7.61	0.28	0.20	160.0	3.8	17
I319375		0.36	<0.005	0.56	1.45	6.3	<0.2	<10	190	0.68	3.32	0.40	0.31	172.0	4.6	17
I319376		0.52	0.007	0.24	2.10	10.2	<0.2	<10	190	0.62	4.21	0.32	0.27	90.2	10.6	29
I319377		0.40	<0.005	0.19	1.05	13.1	<0.2	<10	90	0.22	1.53	0.13	0.19	28.3	5.1	18
I319378		0.40	<0.005	0.19	1.57	10.8	<0.2	<10	140	0.30	2.22	0.30	0.29	48.7	8.0	30
I319379		0.44	<0.005	0.22	1.90	14.1	<0.2	<10	150	0.40	2.50	0.29	0.37	48.3	10.6	30
I319380		0.40	0.009	0.66	1.96	28.3	<0.2	<10	170	0.60	4.04	0.33	0.82	83.7	9.5	36
I319381		0.52	0.027	0.88	2.36	133.5	<0.2	<10	200	0.47	7.35	0.35	0.45	64.0	10.3	37
I319382		0.36	0.007	0.30	1.18	48.2	<0.2	<10	100	0.28	4.74	0.18	0.30	40.4	13.5	22



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319343		1.15	24.4	3.27	8.72	0.08	0.04	0.05	0.021	0.28	7.6	11.0	1.24	373	0.90
I319344		0.91	29.2	3.02	8.40	0.08	0.02	0.03	0.020	0.39	5.9	8.6	1.26	659	0.72
I319345		0.95	29.9	3.60	8.06	0.08	0.03	0.02	0.041	0.36	5.0	11.1	1.50	485	0.87
I319346		0.85	40.0	3.56	8.61	0.08	0.03	0.02	0.020	0.35	6.3	9.6	1.42	571	0.98
I319347		0.93	43.3	3.57	8.87	0.10	0.03	0.02	0.017	0.40	6.0	11.1	1.49	594	1.01
I319348		0.91	28.6	3.40	8.19	0.08	0.03	0.02	0.018	0.38	5.5	11.3	1.49	490	0.73
I319349		1.09	32.0	3.56	8.68	0.07	0.03	0.03	0.016	0.38	4.6	13.4	1.54	382	0.62
I319350		0.98	32.1	2.98	7.67	0.07	0.03	0.05	0.016	0.31	5.4	11.0	1.22	459	0.72
I319351		3.36	53.3	2.62	6.39	0.07	0.04	0.06	0.024	0.07	18.8	13.4	0.61	259	1.20
I319352		3.48	69.4	2.85	6.06	0.07	0.05	0.07	0.025	0.09	17.0	14.2	0.67	401	1.07
I319353		2.89	62.9	2.72	5.38	0.08	0.08	0.04	0.024	0.11	11.1	13.8	0.64	324	1.10
I319354		3.10	68.9	2.83	6.66	0.06	0.03	0.05	0.027	0.11	11.3	15.2	0.64	605	2.08
I319355		6.19	50.3	2.16	6.84	0.06	0.03	0.03	0.019	0.08	4.8	10.8	0.61	202	1.69
I319356		9.11	158.5	2.90	6.43	0.08	0.04	0.04	0.026	0.18	8.5	20.1	1.00	306	2.99
I319357		5.61	125.5	1.91	4.49	0.05	0.02	0.04	0.020	0.09	4.4	13.8	0.77	167	3.17
I319358		4.50	133.0	2.49	5.81	0.06	0.03	0.04	0.024	0.11	6.4	17.1	0.76	333	4.05
I319359		3.26	76.4	3.21	7.28	0.10	0.07	0.04	0.028	0.39	19.5	16.5	1.04	567	5.19
I319360		3.62	65.4	2.93	7.05	0.09	0.07	0.17	0.035	0.14	44.0	16.8	0.59	771	3.69
I319361		2.96	44.9	2.04	5.79	0.05	0.02	0.09	0.017	0.07	6.2	6.7	0.52	148	0.96
I319362		2.92	45.9	2.14	5.27	0.05	0.02	0.09	0.017	0.07	5.5	5.9	0.46	136	0.99
I319363		3.90	65.1	2.97	6.41	0.05	0.02	0.09	0.022	0.14	6.3	10.8	0.63	355	2.21
I319364		10.95	120.0	5.99	8.66	0.11	0.05	0.04	0.028	0.47	2.9	26.5	1.81	674	2.14
I319365		3.87	102.5	3.60	7.76	0.07	0.02	0.04	0.028	0.24	5.8	18.2	1.00	464	2.10
I319366		4.26	93.6	3.31	8.22	0.07	0.02	0.04	0.022	0.25	4.4	14.5	1.10	308	1.19
I319367		2.39	68.9	3.20	7.43	0.08	0.03	0.05	0.023	0.28	9.1	11.5	0.96	415	1.35
I319368		2.66	112.0	4.55	11.50	0.12	0.06	0.02	0.027	0.61	9.4	23.1	1.61	689	2.34
I319369		0.43	9.5	0.94	2.98	<0.05	<0.02	0.03	0.007	0.02	2.5	1.1	0.04	55	0.69
I319370		1.21	15.7	1.81	5.33	<0.05	0.04	0.03	0.017	0.06	11.7	3.6	0.15	187	1.20
I319371		4.15	27.8	3.71	8.01	0.09	0.05	0.07	0.041	0.16	39.9	13.0	0.48	3120	1.67
I319372		3.14	33.5	3.55	7.22	0.07	0.13	0.06	0.037	0.15	25.3	10.9	0.36	576	1.96
I319373		4.15	38.6	3.61	6.57	0.07	0.09	0.05	0.036	0.18	32.2	8.8	0.43	927	1.90
I319374		2.43	40.4	2.09	5.54	0.15	0.06	0.09	0.025	0.07	127.5	7.8	0.23	244	1.12
I319375		2.63	32.0	2.09	5.76	0.14	0.04	0.10	0.023	0.09	141.0	7.7	0.28	463	1.20
I319376		4.82	30.3	3.79	8.17	0.10	0.06	0.07	0.043	0.16	56.1	17.6	0.54	1080	1.63
I319377		1.27	14.0	2.03	6.75	0.05	0.04	0.01	0.018	0.08	18.2	6.1	0.27	360	1.32
I319378		2.70	18.5	3.32	7.73	0.08	0.06	0.02	0.033	0.18	28.6	13.6	0.52	736	1.88
I319379		2.16	20.6	3.55	8.20	0.08	0.06	0.03	0.033	0.12	29.5	17.3	0.51	732	1.46
I319380		4.18	35.1	3.41	8.24	0.10	0.05	0.11	0.044	0.15	62.9	17.5	0.51	880	1.84
I319381		5.46	30.0	4.56	9.80	0.10	0.08	0.16	0.051	0.16	40.6	18.2	0.62	1010	2.57
I319382		4.35	21.4	2.94	6.80	0.06	0.04	0.05	0.029	0.13	20.9	6.4	0.33	1520	2.16



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319343		1.46	29.2	560	7.2	30.5	0.001	0.05	0.26	5.8	0.5	0.5	27.4	<0.01	0.04	1.7
I319344		1.09	25.9	600	5.2	29.0	0.001	0.03	0.19	5.1	0.4	0.4	26.9	<0.01	0.02	0.9
I319345		1.07	23.5	570	4.1	25.4	<0.001	0.03	0.21	5.8	0.4	0.4	18.0	<0.01	0.03	1.1
I319346		1.99	23.7	350	4.3	25.2	<0.001	0.02	0.23	4.9	0.3	0.5	16.2	<0.01	0.03	2.2
I319347		1.78	24.2	360	10.0	27.9	<0.001	0.02	3.77	5.5	0.4	0.5	15.7	<0.01	0.04	2.6
I319348		1.37	27.0	470	4.5	27.9	<0.001	0.02	0.19	5.3	0.3	0.4	16.8	<0.01	0.02	1.5
I319349		1.28	29.8	420	5.2	31.0	<0.001	0.03	0.20	5.7	0.5	0.4	17.2	<0.01	0.04	1.1
I319350		1.27	24.5	510	4.7	24.4	<0.001	0.04	0.22	4.5	0.5	0.5	20.7	<0.01	0.03	0.9
I319351		1.39	22.3	520	7.2	17.6	0.001	0.03	0.33	4.6	0.6	0.6	25.8	<0.01	0.05	3.0
I319352		1.40	25.3	560	6.5	19.8	0.001	0.02	0.34	5.6	0.5	0.6	28.5	<0.01	0.05	3.6
I319353		1.38	22.3	680	5.8	19.4	<0.001	0.01	0.32	4.5	0.4	0.6	24.0	<0.01	0.05	4.5
I319354		1.33	27.2	580	7.2	21.7	<0.001	0.02	0.35	4.3	0.4	0.7	26.1	<0.01	0.06	2.9
I319355		1.04	21.3	300	5.2	17.1	<0.001	0.02	0.48	4.1	0.3	0.6	19.3	<0.01	0.05	1.3
I319356		1.08	30.9	480	4.1	37.0	0.001	0.03	0.38	6.1	0.7	0.6	31.9	<0.01	0.06	1.4
I319357		0.61	30.0	410	2.6	18.4	0.001	0.04	0.23	4.0	0.5	0.4	27.6	<0.01	0.10	0.6
I319358		0.98	29.3	460	4.9	26.1	0.001	0.03	0.34	4.9	0.5	0.5	23.7	<0.01	0.09	1.2
I319359		2.04	33.2	810	10.1	47.3	0.001	0.03	0.31	6.2	0.7	0.9	32.8	<0.01	0.06	5.2
I319360		1.72	33.7	850	28.9	29.1	0.001	0.08	1.33	5.7	1.2	0.7	64.3	0.01	0.07	3.7
I319361		0.84	11.2	550	13.9	15.5	<0.001	0.05	0.28	3.2	0.6	0.5	23.2	<0.01	0.05	0.4
I319362		0.75	10.1	610	13.1	13.1	0.001	0.08	0.26	2.7	0.7	0.5	21.1	<0.01	0.04	0.3
I319363		0.98	13.5	690	12.0	21.6	<0.001	0.06	0.34	4.1	0.7	0.6	21.1	<0.01	0.06	0.5
I319364		0.45	16.3	2220	17.6	33.2	<0.001	0.01	0.42	8.6	0.4	0.5	45.1	<0.01	0.04	0.4
I319365		0.74	24.9	1130	7.0	28.3	<0.001	0.04	0.53	4.6	0.7	0.9	25.4	<0.01	0.07	0.6
I319366		0.98	45.2	680	4.9	24.9	<0.001	0.03	0.31	5.2	0.6	1.0	25.4	<0.01	0.04	0.6
I319367		1.07	32.0	590	5.4	26.4	0.001	0.03	0.26	4.6	0.5	0.8	16.3	<0.01	0.03	1.8
I319368		1.55	30.7	400	6.8	38.6	0.001	0.05	0.20	10.7	0.9	1.8	20.8	<0.01	0.03	3.3
I319369		0.51	3.5	170	3.8	2.3	0.001	0.01	0.33	1.0	0.2	0.3	6.3	<0.01	0.01	0.5
I319370		1.58	5.2	280	8.8	8.5	<0.001	0.01	1.09	1.9	0.3	0.6	9.1	<0.01	0.02	3.3
I319371		2.89	13.9	790	18.3	35.4	<0.001	0.04	1.34	4.7	0.7	1.1	27.2	<0.01	0.03	13.4
I319372		3.43	9.6	560	14.8	29.2	<0.001	0.04	2.06	4.1	0.5	0.9	21.4	<0.01	0.04	17.8
I319373		3.55	9.8	420	15.1	41.7	<0.001	<0.01	2.77	5.5	0.4	1.0	53.7	<0.01	0.03	16.6
I319374		1.57	10.1	590	10.1	17.8	0.001	0.02	1.00	3.5	0.9	0.6	27.6	0.01	0.03	5.6
I319375		1.58	9.9	780	8.4	22.9	<0.001	0.04	0.58	3.2	1.0	0.7	39.4	0.01	0.03	3.2
I319376		2.92	14.3	880	13.5	37.6	<0.001	<0.01	0.68	5.9	0.6	1.2	35.9	<0.01	0.03	26.1
I319377		2.51	8.2	250	8.5	23.0	<0.001	<0.01	0.51	2.8	0.3	0.8	17.0	<0.01	0.02	3.5
I319378		3.24	16.5	500	12.3	40.0	<0.001	<0.01	0.68	4.1	0.4	1.2	31.1	<0.01	0.03	10.4
I319379		2.70	16.1	550	11.2	28.4	<0.001	<0.01	0.74	4.4	0.5	0.9	28.0	<0.01	0.04	8.3
I319380		2.47	17.3	940	14.2	38.1	<0.001	0.02	0.95	4.4	0.7	1.1	31.3	<0.01	0.03	9.5
I319381		3.24	17.5	720	22.4	40.0	<0.001	0.01	3.24	5.6	0.6	1.2	34.2	<0.01	0.05	18.1
I319382		2.47	11.0	520	16.6	31.6	0.001	0.01	2.26	3.3	0.4	0.9	22.7	<0.01	0.03	4.8





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319343		0.129	0.21	0.74	83	0.13	4.76	80
I319344		0.131	0.16	0.45	85	0.11	4.27	65
I319345		0.148	0.15	0.44	105	0.12	3.64	78
I319346		0.165	0.15	0.40	95	0.13	3.81	57
I319347		0.166	0.17	0.36	99	0.10	3.76	65
I319348		0.150	0.16	0.38	86	0.13	3.57	75
I319349		0.159	0.16	0.41	94	0.21	3.02	70
I319350		0.139	0.14	0.45	73	0.13	3.55	62
I319351		0.106	0.23	2.15	61	0.96	9.82	49
I319352		0.109	0.26	2.48	66	2.74	11.60	56
I319353		0.120	0.26	1.10	66	1.40	6.21	53
I319354		0.106	0.22	1.26	70	7.77	6.17	60
I319355		0.107	0.23	0.43	67	3.36	2.67	43
I319356		0.119	0.33	0.86	79	3.64	6.29	53
I319357		0.081	0.21	0.52	46	7.51	3.34	37
I319358		0.103	0.22	0.84	65	4.66	4.40	46
I319359		0.170	0.37	3.69	83	2.27	11.10	68
I319360		0.081	0.38	12.05	58	0.92	35.4	77
I319361		0.085	0.18	1.24	42	6.65	4.73	47
I319362		0.075	0.15	1.18	39	3.74	3.81	43
I319363		0.102	0.24	1.08	67	1.08	4.78	59
I319364		0.176	0.52	0.22	143	3.19	4.59	101
I319365		0.123	0.31	0.96	77	1.58	4.39	67
I319366		0.176	0.29	0.57	99	2.09	3.68	60
I319367		0.167	0.21	1.06	82	1.94	4.11	66
I319368		0.272	0.31	0.82	144	1.41	5.95	85
I319369		0.047	0.08	0.35	27	0.08	0.95	15
I319370		0.073	0.19	1.24	41	0.44	3.45	35
I319371		0.116	0.47	5.05	61	0.28	12.00	84
I319372		0.106	0.46	2.66	56	0.39	9.32	62
I319373		0.110	0.54	2.91	53	0.45	9.29	81
I319374		0.065	0.18	13.25	35	0.30	31.3	36
I319375		0.057	0.24	11.20	34	0.15	32.2	45
I319376		0.116	0.48	8.31	59	0.27	18.10	88
I319377		0.126	0.16	1.90	56	0.23	5.73	35
I319378		0.141	0.38	2.64	64	0.20	10.05	78
I319379		0.132	0.24	2.82	72	0.21	10.70	70
I319380		0.101	0.28	8.84	60	0.21	18.00	83
I319381		0.126	0.49	5.31	78	0.26	15.15	96
I319382		0.105	0.42	2.83	56	0.20	8.63	63



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319383		0.42	0.008	0.44	2.06	30.8	<0.2	<10	170	0.70	2.67	0.35	0.36	99.7	8.7	23
I319384		0.36	0.005	0.23	0.72	10.4	<0.2	<10	50	0.15	1.89	0.08	0.12	19.40	2.2	13
I319385		0.52	0.009	0.42	2.79	12.2	<0.2	<10	380	0.50	1.65	0.55	0.29	60.2	16.9	51
I319386		0.38	<0.005	0.50	1.76	5.8	<0.2	<10	190	0.18	3.39	0.44	0.46	33.7	9.1	49
I319387		0.44	<0.005	0.27	1.17	4.0	<0.2	<10	120	0.13	2.09	0.39	0.28	24.8	6.7	23
I319388		0.38	0.010	0.28	1.22	4.6	<0.2	<10	110	0.14	4.46	0.29	0.20	13.50	5.3	38
I319389		0.30	0.010	0.48	1.06	5.8	<0.2	<10	100	0.14	4.81	0.31	0.24	13.80	5.6	19
I319390		0.36	0.006	0.35	1.34	8.0	<0.2	<10	100	0.15	4.49	0.27	0.19	16.05	7.1	28
I319391		0.36	<0.005	0.27	2.32	4.7	<0.2	<10	260	0.27	0.26	0.66	0.68	13.35	15.8	41
I319392		0.32	<0.005	0.22	2.06	3.7	<0.2	<10	230	0.25	0.13	0.84	0.66	14.90	13.3	41
I319393		0.56	0.005	0.17	2.86	4.9	<0.2	<10	220	0.33	0.15	0.69	0.15	16.60	21.3	65
I319394		0.50	<0.005	0.09	2.69	4.5	<0.2	<10	190	0.33	0.12	0.63	0.11	14.55	19.9	56
I319395		0.48	0.006	0.19	2.91	4.6	<0.2	<10	290	0.50	0.21	0.65	0.11	34.5	20.9	81
I319396		0.42	<0.005	0.14	3.71	3.8	<0.2	<10	330	0.45	0.14	0.83	0.29	22.8	21.8	117
I319397		0.30	<0.005	0.74	1.15	16.3	<0.2	<10	120	0.31	0.24	0.18	0.52	18.75	9.3	35
I319398		0.28	0.009	0.76	0.88	3.1	<0.2	<10	140	0.27	0.14	0.16	0.40	14.05	2.9	17
I319399		0.36	0.006	0.53	1.81	9.8	<0.2	<10	260	0.35	0.17	0.52	0.99	26.7	11.6	61
I319400		0.32	0.020	0.82	2.36	6.0	<0.2	<10	290	0.30	0.13	0.76	0.21	11.25	16.6	43
I319401		0.44	0.008	0.61	3.10	7.2	<0.2	<10	380	0.34	0.16	0.92	0.36	19.60	12.2	58
I319402		0.46	0.008	0.39	2.29	11.9	<0.2	<10	360	0.42	0.29	0.81	0.49	25.8	12.7	82
I319403		0.58	0.007	0.30	2.43	12.3	<0.2	<10	210	0.25	0.34	1.25	0.54	12.80	14.4	82
I319404		0.60	0.005	0.28	2.98	4.5	<0.2	<10	310	0.50	0.31	0.84	0.48	28.9	17.4	91
I319405		0.56	0.008	0.34	2.68	8.5	<0.2	<10	280	0.45	0.59	0.56	0.50	32.0	15.7	57
I319406		0.68	0.006	0.19	3.15	4.1	<0.2	<10	370	0.46	0.50	0.69	1.08	26.8	21.1	65
I319407		0.76	0.008	0.37	2.64	10.3	<0.2	<10	450	0.49	1.11	0.48	0.58	44.8	16.7	55
I319408		0.50	<0.005	0.34	0.48	1.5	<0.2	<10	70	0.15	0.26	0.12	0.67	11.15	2.7	11
I319409		0.66	<0.005	0.28	2.31	9.8	<0.2	<10	160	0.37	0.84	0.23	0.50	20.8	13.1	43
I319410		0.64	<0.005	0.23	1.98	4.7	<0.2	<10	180	0.35	1.91	0.25	0.46	31.4	13.3	46
I319411		0.34	<0.005	0.09	2.74	10.4	<0.2	<10	120	0.42	0.34	0.24	0.40	16.30	11.5	34
I319412		0.64	<0.005	0.11	2.22	8.2	<0.2	<10	360	0.37	0.40	0.41	0.61	22.3	23.2	50
I319413		0.36	<0.005	0.06	0.16	3.5	<0.2	<10	10	<0.05	0.12	0.04	0.03	2.46	1.2	4
I319414		0.70	0.007	0.23	1.92	20.7	<0.2	<10	170	0.35	1.88	0.39	0.28	25.7	12.7	40
I319415		0.64	0.005	0.11	1.94	11.5	<0.2	<10	220	0.42	0.87	0.49	0.37	31.5	12.3	38
I319416		0.66	<0.005	0.08	2.09	10.0	<0.2	<10	180	0.34	0.64	0.44	0.17	21.8	11.3	41
I319417		0.54	<0.005	0.13	2.33	7.6	<0.2	<10	180	0.48	1.06	0.42	0.18	20.8	14.3	47
I319418		0.66	0.010	0.10	2.54	4.5	<0.2	<10	170	0.48	1.11	0.43	0.15	16.70	12.7	60
I319419		0.56	<0.005	0.11	1.91	7.6	<0.2	<10	110	0.27	0.67	0.34	0.12	13.95	12.3	44
I319420		0.54	0.006	0.08	1.73	5.3	<0.2	<10	110	0.20	0.54	0.33	0.11	13.70	8.6	38
I319421		0.40	<0.005	0.09	1.60	5.8	<0.2	<10	110	0.22	0.71	0.27	0.12	17.70	6.0	35
I319422		0.36	<0.005	0.74	2.64	9.2	<0.2	<10	270	0.62	9.31	0.92	0.27	135.5	23.8	52



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I319383		4.43	50.5	3.91	7.61	0.11	0.09	0.06	0.043	0.27	62.5	14.0	0.51	937	1.42	0.02
I319384		1.24	14.8	1.26	4.91	<0.05	0.02	0.03	0.011	0.05	13.3	3.2	0.14	107	1.05	0.01
I319385		7.03	62.4	4.29	9.17	0.11	0.05	0.08	0.033	0.65	45.3	17.2	1.46	777	1.07	0.02
I319386		3.73	47.0	2.64	6.80	0.08	0.03	0.07	0.020	0.17	23.4	13.2	0.95	277	0.61	0.02
I319387		2.11	15.6	1.38	4.81	0.06	0.02	0.06	0.013	0.08	15.5	7.4	0.51	247	0.26	0.02
I319388		2.43	27.9	1.81	5.70	0.05	0.02	0.09	0.014	0.08	8.0	7.9	0.55	157	0.53	0.02
I319389		2.58	45.9	1.98	4.53	0.06	0.02	0.10	0.014	0.06	8.5	5.3	0.42	123	0.60	0.02
I319390		3.50	44.8	2.17	6.10	0.05	0.02	0.08	0.017	0.09	9.0	8.4	0.52	212	0.72	0.02
I319391		0.90	55.5	3.35	8.35	0.07	0.03	0.04	0.029	0.10	6.7	11.4	1.18	519	1.42	0.02
I319392		0.76	42.7	3.11	7.11	0.07	0.03	0.03	0.020	0.17	7.7	10.5	1.09	483	1.03	0.02
I319393		0.92	47.8	3.98	8.31	0.08	0.04	0.03	0.020	0.29	8.2	15.1	1.46	561	1.28	0.03
I319394		0.85	30.3	3.51	7.79	0.08	0.03	0.02	0.019	0.22	7.4	14.5	1.44	414	0.99	0.03
I319395		1.16	57.7	4.79	8.99	0.11	0.05	0.11	0.045	0.40	17.1	13.5	1.57	493	1.40	0.02
I319396		1.63	69.1	4.79	12.00	0.13	0.10	0.02	0.025	0.73	12.3	17.1	2.84	699	1.05	0.05
I319397		0.78	43.1	3.32	6.58	0.07	0.04	0.03	0.042	0.07	10.3	6.8	0.38	222	3.98	0.01
I319398		0.89	36.0	1.36	4.82	<0.05	<0.02	0.03	0.015	0.05	7.7	4.2	0.16	86	1.71	0.02
I319399		0.92	42.4	2.82	5.85	0.08	0.04	0.06	0.026	0.07	14.5	13.8	0.74	358	5.42	0.02
I319400		0.79	35.7	3.47	6.15	0.07	0.03	0.04	0.013	0.29	5.6	10.1	1.27	405	1.55	0.02
I319401		0.98	40.0	3.59	8.44	0.09	0.04	0.04	0.025	0.36	10.7	14.8	1.47	511	1.22	0.02
I319402		1.30	43.4	3.08	7.04	0.08	0.06	0.04	0.028	0.27	13.3	12.7	1.18	523	1.17	0.02
I319403		0.78	44.8	3.14	6.10	0.07	0.05	0.03	0.018	0.29	6.6	10.6	1.63	475	0.60	0.02
I319404		1.01	41.7	3.59	8.64	0.08	0.06	0.03	0.028	0.32	14.2	14.8	1.86	670	0.80	0.02
I319405		0.81	37.7	3.91	7.67	0.08	0.05	0.05	0.028	0.17	15.5	14.6	1.42	518	1.03	0.01
I319406		1.10	44.6	4.56	9.27	0.10	0.04	0.03	0.027	0.38	11.5	14.0	2.27	1900	0.95	0.01
I319407		0.96	47.8	4.25	7.69	0.10	0.07	0.07	0.040	0.09	23.2	14.3	1.06	712	1.93	0.01
I319408		0.48	18.1	0.83	2.25	<0.05	<0.02	0.03	0.010	0.03	6.9	1.9	0.11	95	0.46	0.02
I319409		1.19	30.6	3.64	7.95	0.09	0.04	0.05	0.034	0.07	11.2	14.4	0.72	373	1.58	0.02
I319410		0.78	45.0	3.82	5.91	0.12	0.04	0.03	0.039	0.09	15.7	9.8	0.84	270	2.08	0.01
I319411		0.96	24.8	3.23	7.05	0.06	0.03	0.05	0.030	0.05	7.9	15.6	0.41	272	1.32	0.02
I319412		1.36	39.2	3.85	6.72	0.11	0.04	0.03	0.034	0.13	10.4	12.0	1.11	643	1.33	0.02
I319413		0.29	4.3	0.56	1.66	<0.05	<0.02	0.02	<0.005	0.02	1.2	0.4	0.04	34	0.45	<0.01
I319414		1.33	28.4	2.90	6.14	0.11	0.04	0.03	0.025	0.10	15.6	10.1	0.75	363	1.18	0.02
I319415		1.06	34.1	2.94	5.87	0.10	0.07	0.04	0.026	0.08	15.9	11.2	0.66	340	1.00	0.03
I319416		1.28	22.5	2.66	6.80	0.09	0.04	0.03	0.028	0.08	11.8	12.2	0.68	224	0.62	0.03
I319417		2.09	24.9	3.76	7.30	0.10	0.03	0.03	0.027	0.15	10.1	13.8	0.81	529	0.95	0.03
I319418		3.69	19.4	3.11	9.35	0.10	0.03	0.03	0.025	0.27	8.6	18.4	1.06	474	0.66	0.03
I319419		1.99	15.9	2.96	6.38	0.08	0.02	0.11	0.018	0.14	7.2	10.7	0.70	450	0.88	0.03
I319420		1.75	12.2	2.53	6.01	0.07	0.02	0.04	0.017	0.11	7.1	10.3	0.63	248	0.84	0.03
I319421		1.87	18.0	2.07	5.65	0.07	0.02	0.05	0.017	0.09	9.1	7.5	0.52	146	1.97	0.03
I319422		2.72	140.5	3.99	6.82	0.17	0.08	0.18	0.040	0.14	77.5	14.1	0.67	1540	2.75	0.03



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319383		3.41	13.6	770	13.3	43.6	<0.001	<0.01	1.51	5.5	0.6	1.2	34.0	<0.01	0.03	20.8
I319384		0.96	5.5	250	7.0	13.2	<0.001	<0.01	0.35	1.8	0.3	0.6	11.8	<0.01	0.03	1.3
I319385		1.10	24.3	910	9.4	43.5	<0.001	<0.01	0.91	8.1	0.5	0.9	37.5	<0.01	0.03	12.0
I319386		1.02	21.3	690	9.2	24.0	<0.001	0.03	1.13	4.9	0.5	0.7	33.6	<0.01	0.03	2.8
I319387		0.78	11.4	590	5.4	16.4	<0.001	0.01	0.57	3.2	0.4	0.5	30.3	<0.01	0.01	1.8
I319388		0.82	17.1	550	5.5	16.3	<0.001	0.03	0.36	2.4	0.5	0.5	26.8	<0.01	0.03	0.5
I319389		0.59	10.2	820	4.1	11.7	<0.001	0.07	0.34	1.8	0.8	0.4	28.7	<0.01	0.04	0.2
I319390		0.99	12.3	560	7.2	20.5	<0.001	0.03	0.33	2.6	0.5	0.6	25.2	<0.01	0.03	0.5
I319391		1.08	23.4	370	7.5	10.8	0.001	0.01	0.29	7.4	0.5	0.5	28.7	<0.01	0.04	0.9
I319392		1.05	26.4	490	5.0	22.0	<0.001	0.03	0.26	5.7	0.6	0.7	31.9	<0.01	0.04	0.7
I319393		1.47	37.2	430	6.5	29.2	<0.001	<0.01	0.26	6.2	0.4	0.4	26.1	<0.01	0.05	1.9
I319394		1.25	29.0	400	6.1	22.9	<0.001	<0.01	0.24	5.8	0.4	0.4	23.4	<0.01	0.04	1.6
I319395		1.11	43.1	500	8.3	37.2	0.001	<0.01	0.37	11.2	0.7	0.6	22.6	<0.01	0.04	4.0
I319396		0.99	54.7	630	4.7	54.0	0.001	<0.01	0.29	9.5	0.6	0.7	23.8	<0.01	0.03	3.5
I319397		1.35	55.2	350	8.3	13.0	<0.001	0.01	0.77	3.1	1.0	0.5	24.6	<0.01	0.07	2.2
I319398		0.80	13.9	220	6.5	13.1	<0.001	<0.01	0.24	1.9	0.6	0.4	19.4	<0.01	0.03	0.5
I319399		1.22	50.0	790	8.3	12.9	0.003	0.03	0.44	4.6	4.7	0.5	41.0	<0.01	0.08	2.2
I319400		1.05	22.1	610	18.2	28.3	0.001	0.05	0.38	3.9	0.7	0.3	30.7	<0.01	0.06	0.8
I319401		0.96	32.6	650	7.8	30.3	0.002	0.05	0.35	7.5	1.5	0.4	33.4	<0.01	0.04	1.1
I319402		1.03	47.1	780	9.0	23.1	<0.001	0.02	0.34	6.0	0.8	0.5	34.4	<0.01	0.07	1.6
I319403		0.81	40.8	570	7.0	24.6	0.001	0.05	0.76	4.7	0.8	0.3	35.0	<0.01	0.11	0.7
I319404		1.28	49.9	780	6.9	28.9	0.001	0.03	0.24	7.5	0.8	0.5	30.2	<0.01	0.04	3.2
I319405		1.16	35.2	650	8.2	21.4	<0.001	0.01	0.28	7.0	0.8	0.5	24.3	<0.01	0.04	3.6
I319406		0.77	38.0	770	12.4	31.9	0.001	<0.01	0.21	9.0	0.6	0.4	24.0	<0.01	0.04	3.1
I319407		1.21	36.7	620	10.4	15.7	0.001	<0.01	0.37	8.5	1.6	0.5	26.5	<0.01	0.05	4.0
I319408		0.31	8.8	270	3.8	6.8	<0.001	<0.01	0.14	1.1	0.2	0.2	12.0	<0.01	0.02	<0.2
I319409		1.57	28.9	490	9.4	14.7	<0.001	<0.01	0.38	5.3	0.8	0.6	20.2	<0.01	0.06	2.3
I319410		1.06	34.0	790	8.0	11.6	<0.001	0.01	0.27	6.2	1.3	0.5	17.7	<0.01	0.06	3.0
I319411		1.53	25.9	510	8.1	8.1	<0.001	0.02	0.52	3.8	0.7	0.5	21.7	0.02	0.06	1.2
I319412		0.97	33.6	770	5.1	18.4	<0.001	<0.01	0.39	6.9	0.6	0.4	21.1	<0.01	0.04	2.0
I319413		0.20	2.7	170	1.5	1.5	<0.001	0.01	1.36	0.5	0.2	0.2	4.9	<0.01	0.01	<0.2
I319414		1.34	29.8	890	7.9	17.7	<0.001	0.01	0.78	4.9	0.9	0.6	22.2	<0.01	0.05	3.4
I319415		1.61	27.6	760	7.5	16.7	<0.001	0.02	0.63	5.9	1.1	0.5	29.1	<0.01	0.06	4.2
I319416		1.52	24.2	670	7.1	14.1	<0.001	0.02	0.36	5.1	0.7	0.5	25.7	<0.01	0.04	2.4
I319417		1.66	27.1	790	7.5	24.0	<0.001	0.06	0.31	5.2	0.7	0.7	26.5	<0.01	0.04	2.5
I319418		2.04	30.4	640	8.6	38.9	<0.001	0.06	0.24	5.8	0.5	0.9	29.2	<0.01	0.03	3.0
I319419		1.41	20.6	670	7.9	22.5	<0.001	0.03	0.20	3.3	0.6	0.6	23.6	<0.01	0.04	1.3
I319420		1.30	18.2	570	7.0	20.4	<0.001	0.02	0.21	3.1	0.5	0.5	24.2	<0.01	0.04	1.1
I319421		1.18	17.6	630	6.2	20.8	<0.001	0.03	0.30	2.9	0.6	0.5	22.1	<0.01	0.05	1.0
I319422		1.36	31.7	990	14.7	22.5	0.001	0.09	0.48	6.3	1.8	0.7	69.5	0.01	0.13	4.6



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319383		0.124	0.60	6.22	56	0.25	20.4	90	3.2
I319384		0.064	0.15	1.77	33	0.13	3.23	23	0.7
I319385		0.185	0.41	4.38	102	0.19	12.80	107	1.8
I319386		0.138	0.28	2.93	67	0.33	8.94	71	1.3
I319387		0.090	0.16	1.89	30	0.26	6.93	46	0.6
I319388		0.097	0.18	1.99	34	0.44	4.48	46	0.8
I319389		0.065	0.16	2.46	30	0.80	5.08	38	0.5
I319390		0.088	0.21	2.14	51	0.65	4.30	46	0.7
I319391		0.108	0.08	0.62	98	0.13	4.75	97	1.3
I319392		0.105	0.10	0.52	86	0.14	6.28	88	1.1
I319393		0.145	0.17	0.61	93	0.14	5.58	80	1.5
I319394		0.129	0.13	0.50	86	0.10	4.67	62	1.1
I319395		0.139	0.21	0.83	105	0.09	13.40	91	2.1
I319396		0.228	0.35	0.62	125	0.13	12.40	196	5.0
I319397		0.109	0.11	0.66	80	0.11	5.85	115	2.3
I319398		0.063	0.07	1.00	36	0.09	4.98	36	0.5
I319399		0.100	0.14	2.08	84	0.17	9.13	158	2.2
I319400		0.132	0.43	0.46	66	0.10	4.53	98	1.5
I319401		0.108	0.17	0.96	94	0.14	10.90	89	1.6
I319402		0.089	0.19	1.05	79	0.18	10.35	106	2.4
I319403		0.094	0.20	0.75	70	0.16	8.37	84	1.7
I319404		0.109	0.16	1.35	85	0.10	12.70	111	2.2
I319405		0.098	0.13	1.60	80	0.23	11.20	119	2.0
I319406		0.117	0.22	1.20	103	0.08	9.17	174	1.8
I319407		0.112	0.15	2.26	81	0.13	17.70	126	2.8
I319408		0.032	0.05	0.60	18	0.05	3.79	21	<0.5
I319409		0.103	0.14	0.82	79	0.16	7.64	76	1.3
I319410		0.087	0.18	1.34	78	0.14	11.95	108	1.3
I319411		0.091	0.10	0.53	74	0.16	4.17	52	1.1
I319412		0.113	0.11	0.80	96	0.38	8.52	106	1.2
I319413		0.028	0.03	0.12	18	0.09	0.53	11	<0.5
I319414		0.103	0.17	1.03	70	0.19	11.45	69	1.4
I319415		0.116	0.14	1.88	71	0.20	14.20	69	2.9
I319416		0.117	0.15	0.83	71	0.14	7.77	64	1.4
I319417		0.130	0.21	0.75	76	0.20	6.16	80	1.1
I319418		0.161	0.36	0.60	70	0.18	4.81	95	1.2
I319419		0.116	0.18	0.81	70	0.46	3.77	65	0.7
I319420		0.113	0.16	0.59	62	0.20	3.64	59	0.6
I319421		0.093	0.18	0.76	50	1.36	4.64	50	0.6
I319422		0.089	0.32	5.63	71	3.68	40.0	76	1.8



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319423		0.48	0.005	0.61	2.75	7.6	<0.2	<10	200	0.73	1.83	0.51	0.18	89.6	15.0	92
I319424		0.44	<0.005	0.21	1.21	4.3	<0.2	<10	80	0.23	1.07	0.16	0.10	16.80	5.6	30
I319425		0.48	<0.005	0.44	1.64	13.4	<0.2	<10	150	0.31	2.61	0.40	0.19	26.5	12.3	58
I319426		0.42	<0.005	0.09	1.75	5.6	<0.2	<10	140	0.22	0.57	0.40	0.25	16.55	8.4	39
I319427		0.62	0.007	0.16	1.75	4.4	<0.2	<10	110	0.20	3.97	0.35	0.11	13.20	13.5	93
I319428		0.52	<0.005	0.29	2.27	4.8	<0.2	<10	410	0.32	1.36	0.51	0.18	34.2	18.7	102
I319429		0.44	<0.005	0.32	1.54	7.3	<0.2	<10	100	0.18	3.49	0.26	0.18	19.45	7.9	31
I319430		0.60	<0.005	0.05	2.26	5.4	<0.2	<10	160	0.59	0.11	0.89	0.05	24.6	18.5	67
I319431		0.70	<0.005	0.01	2.78	2.2	<0.2	<10	30	0.58	0.02	0.88	0.02	7.46	29.3	146
I319432		0.62	<0.005	0.02	2.39	1.7	<0.2	<10	30	0.62	0.01	1.42	0.04	3.74	26.4	65
I319433		0.68	<0.005	0.01	2.73	4.3	<0.2	<10	90	0.50	0.03	0.73	0.05	9.50	24.4	120
I319434		0.54	<0.005	0.02	2.54	5.7	<0.2	<10	120	0.32	0.08	0.47	0.08	9.18	20.0	59
I319435		0.40	<0.005	0.03	2.33	4.6	<0.2	<10	250	0.66	0.10	0.59	0.08	24.3	15.7	48
I319436		0.44	0.007	0.06	2.45	5.8	<0.2	<10	210	0.53	0.12	1.03	0.09	22.0	12.9	48
I319437		0.60	0.005	0.06	1.77	4.7	<0.2	<10	180	0.41	0.10	1.04	0.13	20.8	11.4	37
I319438		0.52	<0.005	0.10	1.80	8.4	<0.2	<10	210	0.46	0.12	0.82	0.13	25.5	11.9	33
I319439		0.56	<0.005	0.06	1.84	6.6	<0.2	<10	180	0.45	0.10	1.12	0.08	20.4	12.8	45
I319440		0.48	0.005	0.06	1.92	7.1	<0.2	<10	180	0.44	0.10	1.04	0.07	21.2	14.9	42
I319441		0.36	<0.005	0.06	1.85	5.3	<0.2	<10	190	0.52	0.08	1.50	0.12	16.40	14.8	46
I319442		0.58	<0.005	0.04	1.80	7.2	<0.2	<10	160	0.41	0.10	2.24	0.15	20.4	15.0	40
I319443		0.74	<0.005	0.02	2.04	1.6	<0.2	<10	20	0.25	0.01	0.65	0.01	3.24	27.5	75
I319444		0.62	<0.005	0.23	2.32	9.7	<0.2	<10	430	0.73	0.16	0.55	0.39	27.2	12.1	37
I319445		0.48	<0.005	0.20	1.86	12.5	<0.2	<10	360	0.41	0.19	0.48	1.37	28.8	8.5	30
I319446		0.44	<0.005	0.52	1.21	18.3	<0.2	<10	340	0.40	0.20	0.60	1.08	37.9	12.0	21
I319447		0.52	<0.005	0.59	1.45	13.5	<0.2	<10	340	0.36	0.19	0.69	1.57	51.2	9.2	23
I319448		0.42	0.005	0.46	1.24	12.4	<0.2	<10	420	0.35	0.15	1.58	2.61	34.2	10.4	20
I319449		0.58	0.005	0.37	1.54	11.8	<0.2	<10	290	0.33	0.17	1.32	1.33	41.5	8.2	29
I319450		0.60	<0.005	0.33	2.24	17.5	<0.2	<10	190	0.44	0.16	1.18	0.99	34.8	16.9	175
I319873		0.32	<0.005	0.13	1.65	6.5	<0.2	<10	170	0.42	0.25	0.66	0.15	22.2	7.9	18
I319874		0.40	<0.005	0.04	0.68	1.8	<0.2	<10	30	0.14	0.13	0.09	0.07	7.95	3.3	8
I319875		0.36	<0.005	0.05	0.53	1.4	<0.2	<10	50	0.13	0.19	0.22	0.14	8.04	1.8	10
I319876		0.34	0.006	0.09	1.20	2.8	<0.2	<10	80	0.18	0.23	0.36	0.08	10.45	5.2	14
I319877		0.26	<0.005	0.11	1.23	2.6	<0.2	<10	70	0.24	0.30	0.20	0.11	14.40	4.3	15
I319878		0.34	<0.005	0.19	2.65	5.6	<0.2	<10	170	0.55	0.71	1.12	0.17	30.4	11.7	22
I319879		0.28	<0.005	0.13	2.03	4.1	<0.2	<10	150	0.50	0.16	1.84	0.23	22.3	7.9	19
I319880		0.40	<0.005	0.08	1.69	3.5	<0.2	<10	170	0.23	0.12	0.46	0.18	18.50	8.4	19
I319881		0.34	<0.005	0.15	1.76	11.2	<0.2	<10	150	0.26	0.17	0.35	0.11	20.5	15.0	26
I319882		0.34	<0.005	0.11	1.64	5.5	<0.2	<10	170	0.29	0.13	0.54	0.14	24.8	18.0	20
I319883		0.48	0.007	0.11	1.69	8.3	<0.2	<10	220	0.39	0.15	0.61	0.18	27.8	12.0	19
I319884		0.40	<0.005	0.08	1.63	3.8	<0.2	<10	160	0.32	0.13	0.40	0.12	19.60	8.7	19



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I319423		5.47	54.5	3.57	8.12	0.12	0.05	0.24	0.035	0.23	67.9	14.1	0.98	744	1.80	0.04
I319424		3.11	33.6	1.98	5.49	0.05	0.02	0.05	0.013	0.08	9.6	5.8	0.38	177	0.97	0.02
I319425		5.98	66.8	2.17	4.99	0.06	0.02	0.11	0.018	0.09	13.1	8.9	0.60	410	0.87	0.03
I319426		1.84	15.6	2.25	5.91	0.07	0.02	0.04	0.017	0.12	8.5	9.3	0.62	263	0.48	0.03
I319427		8.25	81.4	2.58	4.59	0.09	0.02	0.02	0.017	0.14	7.3	14.4	1.02	272	0.44	0.03
I319428		4.94	55.3	3.23	7.90	0.11	0.04	0.05	0.029	0.34	18.2	15.0	1.37	725	0.92	0.02
I319429		3.37	50.7	2.16	6.08	0.07	0.02	0.07	0.017	0.11	10.4	8.2	0.57	159	0.56	0.03
I319430		0.40	46.8	3.34	6.40	0.08	0.16	0.03	0.021	0.06	13.3	11.6	1.22	539	0.63	0.03
I319431		0.20	66.7	3.95	8.13	0.10	0.12	0.01	0.008	0.04	3.9	11.4	2.59	647	0.23	0.02
I319432		0.22	66.1	3.68	7.76	0.08	0.05	0.02	0.006	0.06	2.1	9.9	2.16	758	0.20	0.02
I319433		0.33	44.2	3.53	7.88	0.07	0.08	0.01	0.012	0.03	3.6	15.5	1.92	509	0.35	0.02
I319434		0.35	38.2	3.45	7.08	0.07	0.03	0.02	0.018	0.05	4.4	14.3	1.42	437	0.71	0.02
I319435		0.45	59.7	2.85	6.64	0.07	0.09	0.02	0.024	0.04	13.1	12.4	1.01	548	0.49	0.03
I319436		0.38	50.4	3.08	6.35	0.08	0.22	0.04	0.026	0.06	12.7	13.3	0.91	357	0.37	0.04
I319437		0.39	36.0	2.39	4.93	0.08	0.12	0.03	0.021	0.04	11.2	10.6	0.67	374	0.32	0.04
I319438		0.49	34.1	2.91	5.07	0.08	0.10	0.03	0.024	0.05	12.4	11.2	0.62	390	0.61	0.04
I319439		0.39	42.7	2.73	5.10	0.09	0.13	0.03	0.022	0.06	11.1	11.7	0.81	443	0.42	0.05
I319440		0.37	43.0	2.87	5.37	0.08	0.12	0.03	0.022	0.04	11.1	12.0	0.89	512	0.45	0.06
I319441		0.33	50.1	2.63	5.05	0.06	0.06	0.02	0.019	0.05	9.7	10.3	0.90	590	0.51	0.04
I319442		0.43	59.7	2.76	5.03	0.09	0.13	0.03	0.020	0.05	10.9	13.0	1.00	467	0.49	0.04
I319443		0.12	104.0	2.63	4.94	0.07	0.09	0.01	<0.005	0.02	3.3	12.0	2.09	451	0.09	0.01
I319444		0.51	33.6	3.10	5.68	0.08	0.23	0.03	0.028	0.04	16.2	12.9	0.55	607	3.78	0.03
I319445		0.26	31.0	2.70	6.36	0.05	0.04	0.01	0.027	0.05	14.0	10.6	0.48	500	10.30	0.02
I319446		0.37	58.1	3.41	3.41	0.07	0.25	0.05	0.028	0.04	21.2	7.2	0.40	604	13.35	0.02
I319447		0.24	57.6	2.87	3.92	0.08	0.17	0.06	0.025	0.04	32.6	10.3	0.71	374	10.80	0.02
I319448		0.26	46.8	2.34	3.40	0.07	0.12	0.06	0.022	0.04	19.1	7.8	0.51	729	8.26	0.02
I319449		0.19	50.0	2.54	4.21	0.06	0.15	0.05	0.024	0.05	24.2	11.1	0.73	316	6.50	0.02
I319450		0.25	58.3	3.47	6.29	0.07	0.16	0.05	0.028	0.05	20.5	16.1	1.61	599	5.71	0.02
I319873		2.11	15.5	2.38	6.27	<0.05	0.03	0.05	0.025	0.08	14.9	12.9	0.49	321	1.16	0.02
I319874		0.86	4.9	1.39	3.15	<0.05	<0.02	0.02	0.025	0.04	3.5	5.0	0.20	123	0.42	0.02
I319875		0.70	9.7	0.87	3.51	<0.05	<0.02	0.02	0.008	0.04	5.1	2.2	0.12	70	0.72	0.01
I319876		1.42	10.0	1.93	5.50	<0.05	0.02	0.02	0.016	0.06	5.9	8.1	0.38	251	0.58	0.02
I319877		0.89	12.8	1.67	5.11	<0.05	0.02	0.03	0.019	0.03	8.9	7.4	0.27	122	0.57	0.02
I319878		3.22	19.1	3.88	8.52	0.07	0.05	0.10	0.036	0.12	20.5	22.0	0.78	800	0.91	0.03
I319879		1.28	19.0	2.56	6.17	0.06	0.06	0.07	0.025	0.07	17.4	13.8	0.57	478	0.63	0.03
I319880		1.35	14.6	2.78	7.24	<0.05	0.03	0.03	0.020	0.07	10.1	11.1	0.69	335	0.62	0.03
I319881		1.44	15.4	3.47	6.80	0.05	0.04	0.05	0.024	0.07	10.9	10.9	0.62	1660	1.40	0.03
I319882		1.24	15.3	3.18	5.67	0.07	0.04	0.04	0.020	0.09	13.0	10.3	0.59	1490	1.10	0.03
I319883		2.54	20.8	2.72	6.06	0.05	0.04	0.06	0.025	0.10	14.8	11.0	0.60	1340	0.89	0.03
I319884		1.38	14.5	2.59	6.07	<0.05	0.04	0.03	0.026	0.07	10.5	11.2	0.55	470	0.63	0.02





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319423		1.75	34.1	710	19.7	46.3	0.001	0.05	0.42	5.7	1.0	1.1	37.3	0.01	0.06	9.2
I319424		0.93	12.5	310	6.9	20.3	<0.001	0.01	0.22	2.5	0.4	0.7	14.6	<0.01	0.06	1.9
I319425		0.78	25.2	700	6.5	22.9	<0.001	0.05	0.64	3.2	0.8	0.7	28.5	<0.01	0.06	1.1
I319426		1.25	21.1	610	7.0	23.6	<0.001	0.04	0.20	3.2	0.6	0.5	28.5	<0.01	0.04	1.1
I319427		0.64	37.5	400	4.0	22.4	<0.001	0.01	0.26	4.6	0.4	0.6	21.7	<0.01	0.05	1.4
I319428		1.81	56.5	680	10.3	56.3	<0.001	0.04	0.33	6.2	0.7	0.8	30.7	<0.01	0.04	3.0
I319429		1.11	16.1	550	7.7	23.0	<0.001	0.04	0.29	3.1	0.7	0.6	24.1	<0.01	0.05	1.0
I319430		2.00	44.9	800	5.4	6.7	<0.001	<0.01	0.27	6.8	0.5	0.4	31.9	<0.01	0.03	2.9
I319431		0.95	80.6	1870	1.1	3.2	<0.001	<0.01	0.12	6.5	0.3	0.3	37.3	<0.01	0.01	1.0
I319432		2.75	56.6	2120	1.0	4.4	<0.001	<0.01	0.10	4.8	0.3	0.2	35.2	<0.01	0.02	0.4
I319433		2.07	81.2	940	1.7	4.4	<0.001	<0.01	0.17	4.5	0.3	0.3	36.7	<0.01	0.02	1.0
I319434		1.33	33.2	560	4.2	8.7	<0.001	<0.01	0.28	4.0	0.3	0.4	24.8	<0.01	0.03	1.0
I319435		1.32	30.8	430	7.4	4.2	<0.001	<0.01	0.26	6.4	0.6	0.4	30.3	<0.01	0.03	1.9
I319436		1.78	29.5	450	7.4	9.0	<0.001	<0.01	0.35	6.6	0.6	0.5	38.8	<0.01	0.04	3.0
I319437		1.44	26.1	660	6.1	7.0	<0.001	0.01	0.33	4.9	0.7	0.4	47.9	<0.01	0.03	1.9
I319438		1.42	27.4	730	6.1	7.3	<0.001	<0.01	0.43	5.2	0.7	0.4	50.2	<0.01	0.04	2.4
I319439		1.47	34.6	770	5.1	7.6	<0.001	0.01	0.41	4.8	0.6	0.4	55.1	<0.01	0.04	1.9
I319440		1.33	30.7	750	5.1	6.2	<0.001	0.01	0.38	5.3	0.6	0.4	51.0	<0.01	0.04	1.9
I319441		1.15	34.6	760	4.1	6.2	<0.001	0.01	0.37	4.3	1.0	0.3	61.6	<0.01	0.05	1.0
I319442		1.27	32.3	640	5.3	7.2	<0.001	<0.01	0.44	4.7	0.5	0.4	58.3	<0.01	0.04	2.0
I319443		0.36	39.8	540	0.4	3.3	<0.001	<0.01	0.10	4.2	0.2	<0.2	23.7	<0.01	0.01	0.4
I319444		0.65	29.5	370	12.5	6.4	<0.001	<0.01	0.39	6.6	0.9	0.5	31.1	<0.01	0.05	4.3
I319445		1.06	27.3	350	17.4	3.7	<0.001	<0.01	0.39	3.7	3.2	0.5	36.2	<0.01	0.03	2.2
I319446		0.60	41.3	1060	19.6	4.7	<0.001	<0.01	0.62	4.0	4.0	0.3	45.4	<0.01	0.07	8.0
I319447		0.52	42.5	900	21.0	4.1	<0.001	<0.01	0.53	3.3	3.2	0.3	57.6	<0.01	0.05	6.3
I319448		0.58	33.3	930	14.8	4.8	0.001	0.05	0.59	2.6	3.7	0.3	98.2	<0.01	0.05	2.1
I319449		0.67	39.3	880	17.2	4.1	<0.001	0.02	0.55	3.1	2.7	0.3	79.9	<0.01	0.04	3.6
I319450		0.87	112.5	1030	20.2	4.4	<0.001	<0.01	0.55	7.2	1.5	0.4	57.7	<0.01	0.04	4.1
I319873		1.24	13.1	590	8.6	13.8	<0.001	0.02	0.45	3.9	0.5	0.5	39.0	<0.01	0.02	1.0
I319874		0.75	4.4	210	3.0	4.9	<0.001	<0.01	0.26	1.7	0.2	0.3	8.2	<0.01	0.02	0.8
I319875		0.55	3.9	250	4.8	9.5	<0.001	<0.01	0.21	1.5	0.3	0.4	17.5	<0.01	0.01	0.2
I319876		1.27	7.2	410	4.4	10.4	<0.001	0.01	0.41	3.5	0.3	0.6	22.6	<0.01	0.02	0.5
I319877		0.85	7.9	510	4.5	4.3	<0.001	0.02	0.36	2.6	0.6	0.4	19.3	<0.01	0.04	0.2
I319878		1.92	14.9	780	7.2	18.5	<0.001	0.03	0.96	7.1	0.6	0.7	52.7	0.01	0.05	1.8
I319879		1.79	12.8	820	5.6	10.3	<0.001	0.08	0.62	5.5	1.0	0.5	71.6	0.01	0.03	0.8
I319880		2.06	12.2	380	4.4	18.0	<0.001	0.01	0.50	5.3	0.5	0.8	31.0	<0.01	0.01	1.1
I319881		1.59	13.7	840	7.1	13.0	<0.001	0.03	0.32	4.7	0.4	0.6	25.5	<0.01	0.03	1.2
I319882		1.47	11.9	970	4.8	12.0	<0.001	0.05	0.40	4.8	0.6	0.5	33.9	<0.01	0.02	1.2
I319883		1.38	12.4	920	5.8	15.4	<0.001	0.04	0.42	5.2	0.6	0.6	38.5	<0.01	0.02	1.1
I319884		1.66	11.7	520	5.0	11.6	<0.001	0.01	0.37	5.2	0.5	0.5	27.0	<0.01	0.02	1.3





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319423		0.111	0.57	6.27	76	0.85	16.80	92
I319424		0.086	0.21	1.13	54	0.28	3.98	33
I319425		0.061	0.30	1.83	47	0.28	7.56	43
I319426		0.101	0.16	0.74	49	0.12	5.09	65
I319427		0.099	0.24	0.73	63	1.67	4.31	42
I319428		0.174	0.42	2.41	90	0.23	10.40	68
I319429		0.096	0.21	2.01	46	0.46	5.29	44
I319430		0.134	0.05	0.37	75	0.15	13.40	57
I319431		0.216	0.02	0.19	90	0.09	5.08	75
I319432		0.176	0.02	0.11	75	0.08	5.32	55
I319433		0.259	0.03	0.19	88	0.10	4.49	49
I319434		0.158	0.04	0.22	79	0.12	3.68	54
I319435		0.095	0.06	0.52	69	0.11	12.05	45
I319436		0.135	0.05	0.67	69	0.14	13.20	48
I319437		0.106	0.04	0.81	56	0.19	9.96	43
I319438		0.110	0.05	1.18	68	0.22	11.85	48
I319439		0.112	0.05	0.77	64	0.17	10.70	45
I319440		0.099	0.04	0.58	65	0.12	11.05	44
I319441		0.079	0.03	1.12	60	0.12	9.66	39
I319442		0.107	0.05	0.38	61	0.19	10.50	55
I319443		0.175	<0.02	0.08	53	<0.05	9.14	54
I319444		0.080	0.09	1.04	73	0.13	11.50	63
I319445		0.065	0.10	0.72	70	0.16	6.49	86
I319446		0.037	0.08	0.98	43	0.12	11.80	143
I319447		0.030	0.07	1.55	40	0.13	16.70	126
I319448		0.033	0.07	1.22	36	0.12	12.95	94
I319449		0.040	0.06	1.56	43	0.36	12.55	126
I319450		0.055	0.06	1.00	72	0.16	15.05	219
I319873		0.076	0.10	0.88	53	0.19	8.41	48
I319874		0.060	0.04	0.24	36	0.15	1.81	20
I319875		0.053	0.06	0.61	26	0.10	3.30	16
I319876		0.086	0.10	0.74	50	0.23	5.00	35
I319877		0.066	0.08	1.01	40	0.18	7.02	28
I319878		0.117	0.15	1.48	92	0.63	20.9	57
I319879		0.087	0.10	1.81	60	0.28	19.75	69
I319880		0.144	0.13	0.80	70	0.15	6.95	58
I319881		0.129	0.14	1.38	99	0.18	5.98	55
I319882		0.121	0.13	1.87	73	0.15	8.25	47
I319883		0.113	0.19	1.78	68	0.16	9.39	48
I319884		0.126	0.12	1.34	67	0.17	7.83	41



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319885		0.38	<0.005	0.03	0.46	1.2	<0.2	<10	30	0.06	0.10	0.08	0.02	4.68	1.8	8
I319886		0.46	0.007	0.14	2.47	6.0	<0.2	<10	130	0.36	0.15	0.33	0.09	20.5	10.9	25
I319887		0.28	<0.005	0.15	2.33	6.4	<0.2	<10	220	0.29	0.14	0.63	0.13	21.0	9.4	27
I319888		0.50	<0.005	0.15	2.72	6.0	<0.2	<10	260	0.44	0.13	0.65	0.14	32.3	12.4	27
I319889		0.40	0.008	0.04	2.42	5.0	<0.2	<10	150	0.29	0.12	0.44	0.09	19.80	12.1	33
I319890		0.34	<0.005	0.08	1.56	4.3	<0.2	<10	100	0.18	0.14	0.26	0.07	10.65	5.9	23
I319891		0.42	<0.005	0.11	1.94	5.3	<0.2	<10	140	0.29	0.15	0.44	0.15	13.70	9.3	22
I319892		0.26	<0.005	0.21	0.93	3.9	<0.2	<10	80	0.24	0.12	0.34	0.13	15.45	2.7	14
I319893		0.32	<0.005	0.06	0.33	1.3	<0.2	<10	40	0.10	0.04	0.09	0.06	7.17	1.2	5
I319894		0.40	<0.005	0.20	1.92	32.9	<0.2	<10	190	0.41	0.21	0.68	0.19	31.7	11.4	22
I319895		0.42	<0.005	0.03	1.63	7.6	<0.2	<10	120	0.22	0.10	0.26	0.10	11.95	8.1	18
I319896		0.30	<0.005	0.13	0.97	100.0	<0.2	<10	150	0.14	0.14	0.53	0.29	11.80	4.6	16
I319897		0.34	<0.005	0.06	0.45	3.1	<0.2	<10	30	0.07	0.10	0.11	0.10	4.78	1.9	8
I319898		0.32	<0.005	0.13	1.25	9.1	<0.2	<10	300	0.33	0.16	1.98	0.30	20.5	7.4	13
I319899		0.28	<0.005	0.15	1.58	5.6	<0.2	<10	170	0.21	0.15	0.41	0.18	15.60	7.0	26
I319900		0.44	<0.005	0.15	1.85	8.6	<0.2	<10	240	0.39	0.16	0.41	0.14	19.20	11.8	24
I319901		0.24	<0.005	0.37	1.41	22.8	<0.2	<10	270	0.28	0.24	0.84	0.36	20.4	14.0	18
I319902		0.30	<0.005	0.15	0.99	33.5	<0.2	<10	290	0.29	0.14	1.12	0.39	19.30	4.0	15
I319903		0.36	<0.005	0.18	1.50	14.1	<0.2	<10	220	0.38	0.28	0.57	0.14	17.35	12.2	19



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - B  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I319885		0.49	4.6	0.80	3.87	<0.05	<0.02	0.02	0.007	0.03	2.5	2.2	0.13	56	0.38	0.01
I319886		1.86	16.1	3.42	7.82	0.05	0.06	0.03	0.026	0.07	10.4	17.7	0.72	369	0.73	0.02
I319887		1.42	15.4	2.89	7.54	0.05	0.05	0.05	0.026	0.08	12.0	15.3	0.63	323	0.84	0.02
I319888		2.03	18.1	3.71	8.76	0.07	0.06	0.04	0.031	0.18	17.8	19.1	0.86	596	0.72	0.02
I319889		1.82	16.5	3.56	7.66	0.06	0.08	0.01	0.026	0.11	8.9	16.9	0.81	463	0.68	0.03
I319890		0.94	12.0	2.22	6.25	<0.05	0.05	0.02	0.015	0.06	5.9	9.5	0.47	188	0.72	0.02
I319891		1.32	12.7	2.99	7.77	<0.05	0.04	0.02	0.021	0.12	7.3	13.8	0.65	417	0.79	0.02
I319892		0.74	11.9	1.13	3.91	<0.05	<0.02	0.05	0.016	0.07	8.7	4.4	0.21	90	0.68	0.02
I319893		0.46	4.7	0.60	1.94	<0.05	<0.02	0.02	0.005	0.02	4.4	1.1	0.07	35	0.25	0.02
I319894		2.22	13.6	2.99	6.22	0.06	0.05	0.06	0.024	0.12	18.7	20.1	0.66	803	1.53	0.02
I319895		1.09	10.8	2.66	6.57	<0.05	0.03	0.01	0.020	0.05	5.8	13.2	0.47	257	0.89	0.02
I319896		1.14	13.0	1.53	4.68	<0.05	0.02	0.10	0.017	0.06	7.1	5.6	0.21	172	0.89	0.02
I319897		0.86	6.1	0.92	3.42	<0.05	<0.02	0.01	0.007	0.04	2.6	2.5	0.12	72	0.68	0.02
I319898		1.43	18.2	2.04	3.92	0.05	0.04	0.08	0.020	0.09	11.2	9.3	0.47	600	0.86	0.03
I319899		2.02	16.7	2.45	6.72	<0.05	0.04	0.05	0.021	0.12	8.5	10.0	0.61	248	1.06	0.03
I319900		3.18	14.0	3.07	7.30	0.05	0.03	0.03	0.030	0.16	10.2	14.2	0.75	536	0.89	0.02
I319901		2.13	13.7	2.18	5.31	0.05	0.02	0.07	0.019	0.13	10.7	9.2	0.51	997	1.02	0.03
I319902		1.50	13.4	1.49	3.67	<0.05	0.03	0.09	0.017	0.06	11.9	5.1	0.28	137	0.76	0.02
I319903		2.01	16.1	2.27	5.66	0.07	0.06	0.04	0.020	0.09	8.6	7.6	0.42	879	1.64	0.02



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319885		0.63	4.0	140	3.7	4.9	<0.001	<0.01	0.12	1.4	0.2	0.4	8.2	<0.01	0.02	0.3
I319886		2.30	16.2	530	5.8	11.1	<0.001	<0.01	0.41	5.2	0.4	0.7	22.2	<0.01	0.02	2.3
I319887		1.97	16.8	550	5.8	12.9	<0.001	0.01	0.36	6.2	0.5	0.7	39.0	<0.01	0.02	1.7
I319888		2.64	17.7	830	6.4	26.6	<0.001	<0.01	0.38	7.9	0.6	0.8	36.3	0.01	0.02	2.5
I319889		2.17	21.4	610	5.2	14.2	<0.001	<0.01	0.43	5.6	0.3	0.6	32.8	<0.01	0.02	2.3
I319890		1.62	13.2	260	5.2	10.7	<0.001	<0.01	0.25	3.7	0.2	0.5	22.3	<0.01	0.02	1.3
I319891		2.38	13.0	400	5.7	16.9	<0.001	<0.01	0.39	4.5	0.4	0.8	26.2	<0.01	0.02	1.2
I319892		0.68	8.1	450	7.5	7.1	<0.001	0.02	0.28	1.9	0.3	0.4	24.3	<0.01	0.01	0.3
I319893		0.33	2.6	240	2.2	4.4	<0.001	<0.01	0.09	0.8	0.3	0.2	10.6	<0.01	<0.01	<0.2
I319894		1.51	14.2	710	8.7	21.0	<0.001	0.01	0.57	5.6	0.5	0.5	39.8	<0.01	0.02	1.8
I319895		1.51	12.6	340	5.7	8.0	<0.001	<0.01	0.53	3.5	0.2	0.5	18.3	<0.01	0.02	1.4
I319896		0.76	8.7	410	6.0	12.1	<0.001	0.02	0.51	2.8	0.5	0.4	31.4	<0.01	0.02	0.3
I319897		0.57	4.2	170	3.0	9.5	<0.001	<0.01	0.24	1.5	0.2	0.4	11.3	<0.01	0.01	0.2
I319898		0.95	9.8	980	5.6	14.9	<0.001	0.13	1.06	4.6	1.0	0.4	100.0	0.01	0.03	0.6
I319899		2.13	12.2	580	14.4	19.3	<0.001	0.04	0.37	4.4	0.5	0.7	29.1	<0.01	0.02	0.8
I319900		1.49	12.2	780	7.6	25.7	<0.001	0.02	0.65	5.7	0.4	0.7	26.2	<0.01	0.02	1.1
I319901		1.24	10.3	850	14.7	18.8	<0.001	0.08	0.83	3.8	0.7	0.6	47.7	<0.01	0.02	0.6
I319902		0.89	9.5	700	8.2	11.1	<0.001	0.08	0.52	3.3	0.8	0.3	65.0	0.01	0.02	0.5
I319903		1.49	10.9	560	12.5	17.9	<0.001	0.04	0.53	4.4	0.7	0.5	33.1	<0.01	0.03	1.1



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-SEP-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319885		0.066	0.06	0.21	26	0.05	0.94	12	<0.5
I319886		0.175	0.14	0.87	85	0.27	6.27	55	2.3
I319887		0.148	0.13	1.43	71	0.22	7.30	59	2.3
I319888		0.205	0.20	2.09	90	0.22	12.15	69	2.6
I319889		0.195	0.13	0.58	94	0.33	5.93	53	3.5
I319890		0.138	0.10	0.52	64	0.14	2.91	44	1.8
I319891		0.180	0.14	0.80	81	0.16	5.26	61	1.7
I319892		0.038	0.07	0.94	24	0.07	3.72	33	0.5
I319893		0.033	0.03	0.43	13	<0.05	1.74	11	<0.5
I319894		0.116	0.19	2.01	63	0.36	11.10	73	1.7
I319895		0.122	0.09	0.38	67	0.17	3.57	42	1.3
I319896		0.060	0.10	0.58	36	0.09	5.46	36	0.8
I319897		0.053	0.05	0.27	29	0.07	1.16	16	<0.5
I319898		0.052	0.12	2.13	42	0.11	14.70	46	1.5
I319899		0.129	0.16	0.97	60	0.24	4.82	55	1.5
I319900		0.112	0.18	1.01	74	0.61	7.24	63	1.3
I319901		0.080	0.19	0.93	49	0.16	6.49	51	1.2
I319902		0.055	0.10	1.06	28	0.16	10.25	40	1.3
I319903		0.077	0.13	1.07	61	0.24	6.69	43	2.1



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 30-SEP-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10130304**

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).