

Silver Quest Resources Ltd.
2010 GEOCHEMICAL REPORT ON THE
FLOW PROPERTY

Located in the North Dawson Range Area
Whitehorse Mining District
NTS 115N/01, 115O/04
63.08° N Latitude; 140.11° W Longitude

Grant Numbers	Claim Names
YD05923 – 05950	CAD 1 – CAD 28
YD50801 – 50839	CAD 29 – CAD 67
YD50841 – 50862	CAD 69 – CAD 90
YD50863 – 50874	CAD 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115
YD50875 – 50927	CAD 117 – CAD 169
YD50938 – 50964	CAD 171 – CAD 191
YD50966, YD50967	CAD 193, CAD 195
YD117501 – 117738	FC 1 – FC 238
YD09011 – 09139	FLOW 1 – FLOW 129
YD09159 – 09178	FLOW 130 – FLOW 148
YD05873 – 05890	WCK 1 – WCK 18

Work Conducted June 14 – 16, July 28, August 12 – 18 & 31, September 21 & 22, 2010

-prepared for-

SILVER QUEST RESOURCES LTD.
Suite 1410, 650 West Georgia Street
Vancouver, British Columbia, Canada, V6B 4N8

-prepared by-

Darcy Baker, Ph.D.
Ron Voordouw, Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.
Suite 200, 900 West Hastings Street
Vancouver, British Columbia, Canada, V6C 1E5

April 25, 2011

TABLE OF CONTENTS

TABLE OF CONTENTS	1
LIST OF APPENDICES	1
LIST OF TABLES	1
LIST OF FIGURES	1
1.0 SUMMARY	2
2.0 INTRODUCTION	2
3.0 PROPERTY DESCRIPTION AND LOCATION	2
4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY	5
5.0 HISTORY	5
5.1 Previous Work	5
5.2 2010 Exploration Program	6
6.0 REGIONAL GEOLOGY AND MINERALIZATION	6
6.1 Geology	6
6.2 Mineralization	8
7.0 GEOCHEMISTRY	8
7.1 Rock Geochemistry	8
7.2 Soil Geochemistry	9
7.3 Silt Geochemistry	9
8.0 PROPERTY GEOLOGY AND MINERALIZATION	10
9.0 DISCUSSION AND CONCLUSIONS	10

LIST OF APPENDICES

Appendix A: Bibliography
Appendix B: Statement of Expenditures
Appendix C: Laboratory Certificates
Appendix D: Rock Sample Descriptions
Appendix E: Data Disc
Appendix F: Geologist's Certificates
Appendix G: ALS Minerals Memo

LIST OF TABLES

Table 1: Flow property claims	2

LIST OF FIGURES

Figure 1: Location Map	3
Figure 2: Tenure information	4
Figure 3: Regional geology of the Flow property	7
Figure 4: Soil, Silt and Rock sample locations	Back Pocket
Figure 5a: Surface geochemistry (Au)	Back Pocket
Figure 5b: Surface geochemistry (As)	Back Pocket
Figure 5c: Surface geochemistry (Sb)	Back Pocket
Figure 5d: Surface geochemistry (Mo)	Back Pocket

1.0 SUMMARY

On behalf of Silver Quest Resources Ltd. ("Silver Quest"), Equity Exploration Consultants Ltd. ("Equity") completed geochemical sampling at the Flow property on June 14 – 16, July 28, August 8 – 12 & 31, and September 21 & 22, 2010. This property is comprised of 582 claims within the White Gold district of the Yukon Territory, located just southeast of the confluence between the White and Ladue rivers.

Work in 2010 comprised twelve days of surface geochemical sampling by crews of between 2 – 5 people, which resulted in the collection of 28 rock, 23 silt and 1018 soil samples.

The most compelling targets within the Flow property are two small Au-in-soil anomalies. The larger of these two comprises a string of three soil samples with high Au and As. The other one is a point anomaly with 343 ppb Au, which is the fifth highest Au-in-soil value in the Dawson Range database (14,000+ analyses). The small size of these anomalies should not be discouraging as discoveries in the White Gold district have been made off point anomalies. Furthermore, both anomalies occur at or near contacts between granitoid and metasedimentary rock units which is a favourable setting for mineralization in the district.

Two reconnaissance ridge line soil traverses that were completed early in the field season returned highly anomalous Au-in-soil. Follow-up sampling, however, did not corroborate the earlier results. This is explained by gold concentrations very close to analytical detection and according to the laboratory, the values are within specifications based on internal QAQC protocols.

2.0 INTRODUCTION

During the 2010 field season, Equity was contracted by Silver Quest to carry out the sampling work on the Flow property as part of a larger exploration program focused at the Boulevard property located 45 km to the southeast. This report describes the work completed and summarizes the results.

3.0 PROPERTY DESCRIPTION AND LOCATION

The Flow property is located in the Dawson Range of the west-central Yukon Territory, with the centre of the property located about 15 km east-southeast of the confluence between the White and Ladue rivers (Figure 1). It comprises 582 contiguous quartz claims that are centered on 63.08° N latitude and 140.11° W longitude (Figure 2).

The property consists of claims bought in 2009 from ATAC Resources and those staked by Silver Quest in late 2009 and 2010, the latter of which comprise the bulk of the property. Those bought from ATAC comprise the CAD 1 – 28 and WCK claims (Table 1).

Table 1: Flow property claims

Grant Numbers	Claim Names	Recording Date	Staking Date	Expiry Date	Owners
YD05923 – YD05950	CAD 1 – CAD 28	June 26, 2009	June 20, 2009	November 26, 2012	Silver Quest Resources - %100
YD05873 – YD05890	WCK 1 – WCK 18	June 26, 2009	June 20, 2009	March 22, 2014	Silver Quest Resources - %100
YD09011 – YD09139 YD09159 – YD09178	FLOW 1 – FLOW 129 FLOW 130 – FLOW148	November 26, 2009	November 16 – 21, 2009	November 26, 2012	Silver Quest Resources - %100
YD50801 – YD50839 YD50841 – YD50862 YD50863 – YD50875 YD50876 – YD50967	CAD 29 – CAD 67 CAD 69 – CAD 90 CAD 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 115, 117 CAD 118 – CAD 195	June 23, July 8, 12 & 21, 2010	June 22 – 24, July 1 – 5, 2010	November 26, 2012	<u>A mixture of:</u> Silver Quest Resources - %100 Tim Sullivan- %100
YD117501 – YD117738	FC 1 – FC 238	November 15, 2010	October 27 – 31, November 1, 15 2010	November 15, 2011*	Silver Quest Resources - %100

*N.B. expiry date does not include credit for 2010 work



0 150 300
kilometers




Silver Quest Resources Ltd.

**FLOW Project
LOCATION
MAP**



Date:	FEB 2011	Scale:	1:7,000,000	Figure
U.T.M. Zone	UTM7 - NAD83	Mining District	WHITEHORSE	1
N.T.S.	115J/13	State/Province	YUKON	



2 km

Silver Quest Resources Ltd.

Flow Project Tenure Map



Date: FEB 2011 Scale: 1:100,000
 U.T.M. Zone 7 - NAD83 Mining District Whitehorse
 N.T.S. 115N/01, 115O/04 Province Yukon

Figure
2

4.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY

The Flow property is located 115 km to south-southwest of Dawson City, Yukon. The topography of the area is characterized by rolling hills typical of the Dawson Ranges. Vegetation is sparse, with lower elevations covered by spruce, birch, aspen, alder and willow, whereas higher elevations have thick moss, grasses and scrub birch. Creek valleys are filled with thick willow and alder thickets. North-facing slopes locally exhibit permafrost, which complicates soil sampling. South-facing slopes are more typically vegetated by deciduous trees such as aspen and birch. Drainage systems vary from well channelled, discrete streams to swamps in broader, flat-bottomed valleys.

The area has a sub-arctic continental climate, with cold winters and cool, wet summers. Exploration can be carried out on the property from June until October.

Direct access to the property is via helicopter and several helicopter bases are located in Dawson City. Alternatively, several boat operators in Dawson City and a barge operating out of Minto Landing are available for hire to transport supplies to points along the Yukon River where they can be subsequently mobilized by helicopter to the property. During the 2010 program, personnel were mobilized from the Boulevard camp via Hughes 500D helicopter. The nearest airstrips are Independence and Thistle, both of which are located about 35 km from the property to the south-southeast and east respectively. Fixed wing operators from Dawson City and Whitehorse run Otter, Beaver and Cessna 206 aircraft capable of servicing these airstrips.

5.0 HISTORY

5.1 Previous Work

Parts of the area covered by the currently defined Flow claims were staked and worked at different times. The WCK and CAD 1 – 28 claims have a record of historic work, as described in more detail below. The remaining CAD claims, as well as all Flow and FC claims, were staked and worked for the first time by Silver Quest in late 2009 and 2010.

The area covered by the WCK property was originally staked as the Aries claims in 1969 by Quintana Mineral Corporation following a regional-scale stream sediment survey that identified anomalous gold, arsenic and antimony values from a creek draining the area. Quintana performed grid soil sampling, mapping and bulldozer trenching in 1970. No assessment report was filed and the claims were allowed to lapse following the work.

The area explored by Quintana was restaked as the Eyrie claims by D. Millburn in 1975 and as the Hope claims by O. Davis in 1994; however, there is no public record of work performed. S. Ryan restaked part of the original Aries claims as the CU claims in 1998. Work performed included rock, soil and silt sampling (Ryan, 1999). These claims are still active and lie immediately north of the WCK property.

Prime Properties staked the OHGO claims in 1999. These claims were located two kilometres southeast of the CU claims and included an area that is now part of the WCK property. Prime Properties optioned its claims to Prospector International Resources Inc., which performed cursory geochemical sampling. The highest stream sediment sample values collected from creeks draining the WCK property were 17 ppb Au, 222 ppm As, 4.5 ppm Sb, 45 ppm Cu, 45 ppm Pb and 90 ppm Hg. Peak soil sample values were 12 ppb Au, 52 ppm As, 1.5 ppm Sb, 35 ppm Cu, 69 ppm Hg and 62 ppm Pb (Smith, 2010a). Deltango Gold Limited staked the Au and P claims in 1999 with the P claims adjoined the OHGO claims on the north, east and west sides and the Au claims on the west side. Deltango performed geochemical sampling and geological mapping (Smith, 2010a). The assessment report for this work shows detailed statistical analyses done on the rock and soil samples; however, there are no sample location maps. The OHGO, Au and P claims were subsequently allowed to lapse.

S. Ryan staked the Wolf claims in February 2009. These claims lie immediately west of the WCK property. ATAC staked the WCK property in June 2009 and then sold the property to Silver Quest in December 2009.

ATAC staked the CAD 1 – 28 claims in June 2009 on the basis of a 1986 regional stream sediment survey performed on NTS map sheets 115N and 115O by the Geological Survey of Canada (Friske et al., 1986). Samples were collected from two creeks draining CAD claims 1 – 28. The sample from the more western creek returned 99th percentile mercury (145 ppb) and copper (106 ppm) with 80th percentile gold (6 ppb) and background arsenic (Smith, 2010b). The sample from the eastern creek yielded 99th percentile mercury (120 ppb), 98th percentile arsenic (19 ppm) and background copper and gold. ATAC also sold this property to Silver Quest in December 2009.

A Rimfire/Northgate Joint Venture carried out a regional silt sampling program in selected areas of the Dawson Range in June 2006, directed at locating Pogo-style intrusion-related gold targets that resulted in staking of the Boulevard property (Roberts and Baker, 2007). During the course of this program a total of nine silt samples were collected from areas now encompassed by the Flow property. Five of these silts contained detectable gold, and two of these contained anomalous values of 129 ppb and 32 ppb Au. The silt with 129 ppb Au also contained anomalous As (18 ppm). No ground was staked in the area at the time and thus the work was never filed.

The bedrock geology of the region was most recently compiled by Gordey and Ryan (2005); the section of this map that illustrates the geology surrounding the Flow property is shown in Figure 3.

5.2 2010 Exploration Program

The Flow property was worked on June 14 – 16, July 28, August 8 – 12 & 31, and September 21 & 22, 2010. On each of these days the work was done by crews of between 2 – 5 soil samplers that were sometimes accompanied by prospectors and/or geologists. In the course of this program 28 new rock samples were collected from the Flow property along with 23 silts and 1018 soils. These samples were added to the existing database of one rock from 2006, nine silts from 2006 and 141 soils from 2009.

The 2010 soil sampling program comprised several contour sampling lines designed to test basins with anomalous Au-in-silt, “ridge-and-spur” type traverse lines along the prominent features underlying the property, and two grids designed to follow-up on anomalies identified through contour and/or ridge-and-spur lines. One of these grids is located in the northwest part of the property whereas the other is located closer to the centre. Sample spacing along all soil sampling lines was mostly 100 m except for some of the ridge-and-spur traverses which had 50 m sample spacing (Figure 4).


Samples were submitted to the ALS Laboratory Group preparation facility in Whitehorse and were analysed for a 51-element high precision suite (ME-MS41) and gold by 30 g fire assay (Au-AA23). Assay certificates of analysis are presented in an Appendix at the end of this report. Soil sample sites are marked with blue and orange flagging and a Tyvek tag, and all sample locations were recorded by hand-held GPS.

A magnetic declination of 22° E was used for all compass measurements. All maps and UTM coordinates are referenced to the 1983 North American Datum (NAD-83; Zone 7).

6.0 REGIONAL GEOLOGY AND MINERALIZATION

6.1 Geology

The Flow property is located within the Yukon-Tanana Terrane in west-central Yukon, a pericratonic terrane of continental affinity that occupies a position between the ancestral continental margin of North America and outboard accreted terranes (Colpron, 2006). The pericratonic terranes were accreted in the Early Jurassic, while subsequent outboard exotic terranes began accreting in the Early to mid-Cretaceous. At this time, the pericratonic package was intruded by a voluminous, northwest-to southeast-trending plutonic suite, referred to as the Dawson Range plutonic belt by Hart et al. (2004) (Klotassin batholith of Templeman-Kluit, 1974), which lies south of the Flow property.



Regional-scale geological compilation maps (e.g. Gordey and Ryan, 2005) show that the Flow property is underlain by several units of country rock schist and granitoids (Figure 3). The oldest unit on the property is Devonian to Mississippian, banded to massive, grey to white quartzite (DMq) that occurs mostly in the eastern part of the property. This unit was thrust overtop of Permian Klondike schist (PKs), which occurs west of the quartzites and typically comprises muscovite-chlorite-quartz-feldspar schist, chlorite phyllonite and locally deformed lapilli tuff. Both of these predominantly metasedimentary units are intruded by Permian, Jurassic and Cretaceous granitoids. Granitoids of Permian age (Poga?), which consist mostly of K-feldspar augen gneiss, are the most abundant and underlie much of the central part of the Flow property. The southwestern part of the property is underlain by the northeastern-most tip of a large Jurassic pluton (EJgd) formed by granodiorite, monzogranite, quartz monzonite and/or quartz monzodiorite. A relatively small Cretaceous intrusion (Kg) - comprising pink to grey, locally porphyritic, syenogranite to monzogranite - occurs in the northern part of the property. The Cretaceous Carmacks Group (uKCv) overlies Permian to Jurassic rocks in the southern part of the property and consists of andesite and basalt flows and breccias.

6.2 Mineralization

The nearest significant example of gold mineralization to the Flow property is the Coffee property of Kaminak Gold, located just 15 km to the southeast, where significant gold discoveries were announced in spring 2010 (Carpenter, 2011). No resource has been calculated for the Coffee but early drill results include intercepts of 17.1 g/t Au over 15.5 m and 6.3 g/t Au over 35 m within a 15 km long Au in soil anomaly. At Coffee, gold is hosted in both N-S and E-W trending structures (Carpenter, 2011) that overprint regional gneissic and schistose deformation fabrics, indicating that gold is tectonically late. Gold-bearing zones at Coffee are characterised by silicification plus sericite-clay alteration with variable As-Ag-Sb-Ba-Mo enrichment, and the dominant sulphide phase is arsenic-rich pyrite. Gold mineralization at Coffee is hosted by many different rock-types including augen orthogneiss, hornblende-biotite granite, schist and dacite dykes.

No bedrock mineralization is known from the Flow property although prospecting in 2010 did identify several boulders with stibnite- and arsenopyrite-bearing quartz veins, as well as tourmaline-rich conglomerates (see Section 7.1). Furthermore, the presence of Klondike schist on the Flow property, as well as significant lengths of contact zones between granitoid and metasedimentary rocks (Figure 3), defines a favourable geological setting for Coffee-type gold mineralization.

7.0 GEOCHEMISTRY

7.1 Rock Geochemistry

Twenty-seven rock samples were collected from the Flow property in 2010, in four man-days of prospecting. Precious and base metal values for all 27 samples are low. Several samples, however, are cut by sulphide-bearing quartz veins and stringers with trace amounts of Au (6 – 24 ppb) and Ag (2 – 9 ppm), as well as up to 1,985 ppm Cu, 659 ppm Zn, 4,120 ppm As and >10,000 ppm Sb. Sulphide minerals associated with these quartz veins/stringers include chalcopyrite, pyrite, stibnite and galena.

Other rock types collected on the Flow property include tourmaline-rich matrix-supported conglomerate, moderately sericitized and/or chloritized granitoids, chunks of hematite-bearing quartz veins, and pyrite-bearing schists.

7.2 Soil Geochemistry

Soil results for the 1018 samples collected during the 2010 Flow program have been compared with the larger (14,000+) database of soil analyses from numerous Silver Quest properties across the Dawson Range. Based on this larger dataset the Flow property shows several in-soil anomalies of Au and Au-indicator elements that are described below.

The most significant Au-in-soil anomaly occurs in the southwestern corner of the Flow property, and comprises two parallel strings of about 15 samples each that contain up to 53 ppb Au. Two smaller Au-in-soil anomalies occur successively north of this larger anomaly. The more southerly of these, which borders the western margin of the property, consists of three consecutive anomalous Au-in-soils that are coincident with high As. This anomaly is located upslope from a silt sample, collected in 2006, with 129 ppb Au. Even further north lies a point anomaly with 343 ppb Au, which is the fifth highest Au-in-soil value in the Dawson Range database (14,000+ analyses).

There are numerous other apparently anomalous Au-in-soil values that are most likely the result of analytical irregularities from a single analytical certificate (WH10079095). These samples define two lines of samples in the central part of the property, one of which is more east – west trending and the other north – south. The more east – west trending line is most obviously problematic since it was re-tested with a grid of north – south trending sampling lines that returned below detection for Au. The more north – south trending line of Au anomalies was not re-tested, and its southern extent is spatially associated with several other high Au values obtained from separate soil lines. All or parts of this line may be a true anomaly, although further testing with follow-up grids is required for confirmation. According to ALS Minerals, the Au-AA23 analyses all fall within acceptable ranges for these low concentration levels. They recommend the more precise Au-ICP21 method which provides a 1 ppb detection level for Au for future soil samples where low gold concentrations are anticipated (see 2 page investigation report in Appendix G).

The Flow property also shows several soil anomalies of As, Sb and Mo that are considered genuine and possible pathfinders for gold mineralization. The largest such anomaly occurs in the southeastern corner of the Flow property and comprises a large As-in-soil anomaly with coincident but smaller anomalies of Sb and Au. The maximum dimensions of this As-in-soil anomaly are about 1.7 km in a north – south orientation and 1.2 km from east to west. Just a few hundred meters to the north and northeast of this anomaly are two smaller and coincident As- and Sb-in-soil anomalies. There are also two Mo-in-soil anomalies within the central part of the Flow property, with the largest measuring about 800 m in length, in addition to a few small and scattered As ± Mo anomalies in the northwest.

7.3 Silt Geochemistry

Of the 23 silt samples taken from the Flow property in 2010, 11 returned detectable gold and two contained weakly to moderately anomalous Au (26 and 39 ppb respectively). The more strongly anomalous sample is spatially associated with a soil sample containing 30 ppb Au, and occurs in a basin with a few scattered Au-in-soil point anomalies. However, this basin was fairly intensely sampled, since it returned a strong suspect Au-in-soil anomaly (see section 7.2), and the 2010 surveys failed to identify a coherent Au-in-soil anomaly. The weaker of the two anomalous silts, which was collected from a stream in between the two suspect Au-in-soil anomalies, also contains high As. Furthermore, this sample was collected from a basin along with eleven other silts, four of which contain detectable gold.

The 2006 silting program identified two anomalous samples (129 and 32 ppb Au), the weaker of which was re-assessed in the 2010 program. This re-assessment involved collection of four additional silts along the same creek, each of which lacked detectable Au. In addition, sampling of the drainage basin showed just a few scattered moderately high Au-in-soil point anomalies. The creek with 129 ppb Au, which occurs just northwest of the large As-in-soil anomaly, was not re-tested with silts. However, soil sampling shows that one of the small Au-in-soil anomalies occurs just up the ridge from this high Au-in-silt, and that a coincident As-Sb anomaly occurs just downstream of it.

8.0 PROPERTY GEOLOGY AND MINERALIZATION

The significant As-Sb $\pm$ Au $\pm$ Pb $\pm$ Mo $\pm$ W $\pm$ Bi in-soil anomaly delineated in 2009 (Smith, 2010a) on the WCK claims was prospected in 2010. The area is characterized by steep slopes with abundant blocky talus and poor soil development. These soil samples would be better described as talus fine samples. Nonetheless, mineralization is present in float within parts of the anomaly. Near a significant Sb anomaly a vein with coarse-grained stibnite with euhedral, vuggy quartz was discovered. The vein is about 10 cm wide and is part of a distinct set of veins generally about 1 cm wide with stibnite and minor chalcopyrite. These veins are hosted within an undeformed (likely Cretaceous) granodiorite. In general the veins exposed are abundant enough to explain the soil anomaly and exposure, albeit in talus, is very good.

South of the soil line, the granodiorite is in contact with a distinct conglomerate unit characterized by 1 to 10 cm fragments of white quartz and quartz-muscovite schist. There is no outcrop exposure of the actual contact so its nature is unknown. The conglomerate unit is poorly sorted but locally exhibits crude layering (presumably sedimentary). This unit likely formed during Eocene extension at the time of emplacement of Carmacks Group volcanic rocks (exposed to the north). Potentially significantly, the cement of this unit is dark brown-black and contains abundant tourmaline (Photo 1) however rock samples of this material did not return significant precious metal values.



Photo 1: Tourmaline cemented conglomerate from the WCK claims. Fragments are strongly deformed quartz-muscovite schist and white quartz.

9.0 DISCUSSION AND CONCLUSIONS

Geochemical analysis has defined several impressive Au-in-soil anomalies on the Flow property that, unfortunately, are most likely related to gold concentrations that are very close to the analytical precision. When the values returned from the lab are compared with the regional database, these samples appear to

outline coherent anomalies. Follow-up work, however, failed to replicate these values and the anomalies from certificate WH10079095 need to be treated with caution.

The largest anomaly of Au-indicator elements (in this case As $\pm$ Sb) occurs in the southeastern portion of the property where it overlies a contact zone between Jurassic granitoids and the Cretaceous Carmacks Group, which is not a known setting for gold mineralization in the White Gold district. Other anomalies of Au-indicator elements occur without enrichment of Au-in-soil.

The most compelling targets within the Flow property are small. These include the three consecutive samples of anomalous Au- and As-in-soil along the southwestern margin of the property, as well as the point anomaly with 348 ppb Au. The three point anomaly occurs uphill from a significant Au-in-silt anomaly identified in the 2006 program (129 ppb). The geology of these two sites is also more favourable, with both occurring at contacts between granitoids and country rock metasediments. Previous discoveries in the White Gold district have been made off of point anomalies so it may be worthwhile to conduct follow-up sampling on detailed grids at these two sites.

Respectfully submitted,



Darcy Baker Ph.D., P.Geo.

Ron Voordouw Ph.D.

EQUITY EXPLORATION CONSULTANTS LTD.

Vancouver, British Columbia

April 24, 2011

Appendix A: Bibliography

REFERENCES

- Carpenter, R., 2011, Geology of New Lode Gold Discoveries in the Coffee Creek Area; White Gold District, West-Central Yukon: Mineral Exploration Roundup 2011, Vancouver, BC, 2011, p. 48-50.
- Colpron, M., 2006, Tectonic assembly map of the Yukon -- Tanana and related terranes in Yukon and British Columbia (1:1,000,000), Yukon Geological Survey.
- Friske, P. W. B., Hornbrook, E. H. W., Schmitt, H. R., Galletta, A. C., Ellwood, D. J., and McGurdy, M., 1986, Regional stream sediment and water geochemical reconnaissance data, Yukon. NTS 115N (E1/2), 115O, Geological Survey of Canada.
- Gordey, S. P., and Ryan, J. J., 2005, Geology, Stewart River Area (115N, 115O and part of 115J, Yukon Territory, Geological Survey of Canada Open File 4970.
- Hart, J. R., Goldfarb, R., Lewis, L. L., and Mair, J. L., 2004, The northern Cordilleran mid-Cretaceous plutonic province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253-280.
- Ryan, S., 1999, Geochemical report on the CU property, Dawson Mining District, p. Assessment Report 094074.
- Smith, H., 2010a, Assessment report describing soil geochemical sampling at the WCK property, Archer, Cathro & Associates (1981) Ltd., p. 23.
- Smith, H., 2010b, Assessment report describing soil sampling at the CAD property, Archer, Cathro & Associates (1981) Ltd, p. 23.
- Templeman-Kluit, D. J., 1974, Reconnaissance geology of Aishihik Lake, Snag and part of Stewart River areas, west-central Yukon (115H, 115K-J and 115N-O), Geological Survey of Canada, p. 97.

Appendix B: Statement of Expenditures

**STATEMENT OF EXPENDITURES
FLOW (WCK 1 to 18 claims)**

	number	rate	cost
rock samples	8	\$28.00	\$224.00
silt samples		\$28.00	\$0.00
soil samples		\$28.00	\$0.00
Prospector/mapping days	4	\$475.00	\$1,900.00
Sampler days	0	\$275.00	\$0.00
camp/shared costs per man day	4	\$441.48	\$1,765.92
Heli hours (wet)	1.90	\$1,324.00	\$2,515.60
			<u>\$6,405.52</u>
Project Supervision		12.00%	<u>\$768.66</u>
			\$7,174.18
	18 claims		\$398.57 per claim
Work completed June 14 & 15, 2010			

Appendix C: Laboratory Certificates



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 2-AUG-2010
Account: EIASQI

CERTIFICATE TR10097407

Project: SQ110-04
P.O. No.: SQ110-01_04
This report is for 12 Rock samples submitted to our lab in Terrace, BC, Canada on 16-JUL-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-AUG-2010
 Account: EIASQI

Project: SQI10-04

CERTIFICATE OF ANALYSIS TR10097407

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1
I31001		0.86	<0.005		0.03	0.98	1.1	<0.2	<10	30	<0.05	0.02	0.76	0.04	0.42	5.3
I31002		0.90	<0.005		0.10	0.43	7.6	<0.2	<10	40	0.89	0.11	0.02	0.12	31.7	3.7
I31003		0.85	<0.005		0.06	0.48	5.2	<0.2	<10	50	0.53	0.56	0.02	0.05	40.9	2.0
I31004		0.78	<0.005		0.06	0.48	1.8	<0.2	<10	30	0.44	0.27	0.01	0.03	43.0	0.3
I31005		0.90	<0.005		0.11	0.56	0.6	<0.2	<10	50	0.81	0.29	0.06	0.22	44.6	0.3
I31006		0.72	<0.005		0.16	0.57	1.5	<0.2	<10	30	0.74	0.16	0.04	0.09	34.9	0.4
I31007		1.15	<0.005		0.18	0.57	0.6	<0.2	<10	70	0.90	0.46	0.08	0.40	46.7	0.5
I31008		0.60	<0.005		0.17	0.88	5.6	<0.2	<10	50	0.39	0.33	0.31	0.23	26.1	16.0
I31009		0.74	0.008		1.53	0.24	73.7	<0.2	<10	10	0.13	2.11	1.11	0.24	3.70	11.8
I31010		0.42	1.130	1.15	0.44	0.14	721	1.0	<10	70	0.15	0.06	0.03	0.30	8.51	0.8
I31060		0.97	>10.0	8.80	6.90	0.07	5480	2.1	<10	80	<0.05	0.53	0.12	93.9	2.52	0.9
I31061		1.27	0.010		0.22	1.22	15.4	<0.2	<10	70	0.21	0.39	0.26	0.09	20.9	16.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-AUG-2010
 Account: EIASQI

Project: SQI10-04

CERTIFICATE OF ANALYSIS TR10097407

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I31001		12	<0.05	33.2	1.26	1.99	0.05	<0.02	0.01	<0.005	0.01	0.2	2.2	0.26	212	2.95
I31002		22	0.52	9.1	1.99	2.44	0.07	1.05	0.13	0.031	0.18	10.2	1.1	0.02	224	1.93
I31003		6	0.22	8.1	2.29	2.57	0.07	0.44	0.16	0.047	0.15	14.2	1.8	0.01	160	3.49
I31004		3	0.09	6.7	1.40	2.17	0.05	1.74	0.05	0.039	0.16	6.0	3.1	0.01	84	4.36
I31005		2	1.17	18.0	0.97	2.97	0.05	0.83	0.04	0.150	0.23	11.0	1.9	0.02	253	1.10
I31006		3	1.17	6.6	1.21	2.68	0.05	0.90	0.08	0.033	0.24	9.1	2.4	0.03	133	1.98
I31007		3	1.25	13.6	1.05	2.78	0.06	0.78	0.06	0.093	0.23	14.9	1.7	0.02	406	1.88
I31008		3	6.15	49.9	2.31	4.47	0.06	0.04	0.01	0.015	0.18	12.7	16.4	0.37	202	1.23
I31009		8	0.56	37.5	1.30	1.68	<0.05	<0.02	0.01	0.010	0.02	2.0	3.6	0.27	260	0.29
I31010		15	0.26	9.0	1.55	0.53	<0.05	0.02	2.50	0.011	0.07	6.7	1.1	0.01	124	1.36
I31060		11	0.07	17.6	1.37	0.31	<0.05	<0.02	2.42	0.162	0.04	1.6	0.4	0.03	157	0.24
I31061		15	0.06	94.7	4.94	4.02	0.10	0.67	0.04	0.030	0.16	9.6	7.4	0.95	234	15.20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-AUG-2010
 Account: EIASQI

Project: SQI10-04

CERTIFICATE OF ANALYSIS TR10097407

Sample Description	Method Analyte Units LOR	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01
I31001		0.08	0.16	2.6	480	1.3	0.6	0.002	0.02	0.25	0.7	0.2	0.2	23.1	<0.01	<0.01
I31002		0.02	0.90	69.2	50	13.1	11.9	<0.001	0.01	0.27	3.2	0.2	2.0	8.4	<0.01	<0.01
I31003		0.02	0.46	3.6	140	8.7	8.4	<0.001	0.01	0.17	4.9	0.2	1.5	29.8	<0.01	<0.01
I31004		0.02	0.92	0.9	20	13.4	7.9	<0.001	0.02	0.25	2.6	0.2	1.5	1.8	<0.01	<0.01
I31005		0.01	0.64	0.5	10	21.2	21.4	<0.001	0.01	0.18	1.7	0.2	2.7	4.2	<0.01	<0.01
I31006		0.01	0.47	1.2	10	26.7	20.1	<0.001	0.01	0.27	1.8	0.2	1.5	4.4	<0.01	<0.01
I31007		0.01	0.35	0.5	10	34.8	20.0	<0.001	0.01	0.13	1.8	0.3	2.0	6.1	<0.01	<0.01
I31008		0.10	0.46	3.2	290	10.6	12.1	0.001	0.29	0.38	6.2	0.3	0.5	6.9	<0.01	0.06
I31009		0.01	0.17	54.3	30	309	1.3	<0.001	0.13	1.38	0.6	<0.2	0.2	14.0	<0.01	0.07
I31010		0.01	0.16	1.9	60	27.0	3.5	<0.001	0.02	8.63	1.0	<0.2	0.3	7.0	<0.01	<0.01
I31060		0.01	0.16	1.3	40	6120	1.7	<0.001	0.60	1890	0.4	0.3	<0.2	8.7	<0.01	<0.01
I31061		0.01	0.10	32.5	1170	8.4	4.1	0.013	3.18	1.32	2.7	3.6	0.2	5.7	<0.01	0.18



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-AUG-2010
 Account: EIASQI

Project: SQI10-04

CERTIFICATE OF ANALYSIS TR10097407

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Tl	U	V	W	Y	Zn	Zr
		ppm 0.2	% 0.005	ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
I31001		<0.2	0.007	<0.02	<0.05	17	0.14	0.50	12	<0.5
I31002		14.4	<0.005	0.10	5.05	8	0.09	13.15	75	32.6
I31003		13.1	<0.005	0.07	2.43	14	0.08	9.17	59	15.6
I31004		15.8	<0.005	0.07	6.89	<1	0.10	15.10	40	55.2
I31005		16.7	<0.005	0.17	2.31	1	0.06	12.05	98	22.3
I31006		17.8	<0.005	0.15	3.59	1	0.06	12.95	42	26.2
I31007		18.6	<0.005	0.16	2.86	<1	0.06	16.20	99	21.3
I31008		6.3	0.049	0.29	0.34	11	0.16	14.55	23	1.7
I31009		0.8	<0.005	0.10	0.44	9	<0.05	2.34	14	0.7
I31010		2.1	<0.005	0.10	2.25	6	0.58	3.83	20	1.3
I31060		0.6	<0.005	0.04	0.69	1	0.15	1.04	4160	<0.5
I31061		2.5	<0.005	0.02	2.80	36	0.22	11.80	45	25.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-AUG-2010
Account: EIASQI

Project: SQI10-04

CERTIFICATE OF ANALYSIS TR10097407

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-JUL-2010
Account: EIASQI

CERTIFICATE WH10079095

Project: SQ10-03

P.O. No.:

This report is for 98 Soil samples submitted to our lab in Whitehorse, YT, Canada on 18-JUN-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032501		0.12	0.012	0.07	2.05	9.7	<0.2	<10	110	0.41	0.18	0.25	0.10	17.65	9.5	31
I032502		0.20	0.033	0.05	2.16	28.8	<0.2	<10	110	0.53	0.89	0.43	0.24	24.4	13.0	34
I032503		0.14	0.018	0.07	2.41	27.9	<0.2	<10	150	0.59	0.75	0.43	0.18	20.9	12.2	34
I032504		0.16	0.027	0.06	2.23	25.0	<0.2	<10	90	0.55	0.48	0.28	0.24	19.45	13.7	36
I032505		0.16	0.027	0.08	2.77	12.7	<0.2	<10	140	0.64	0.25	0.27	0.20	34.6	14.0	34
I032506		0.20	0.026	0.11	2.52	27.6	<0.2	<10	130	0.73	0.39	0.49	0.41	33.3	14.6	39
I032507		0.18	0.026	0.04	2.22	12.9	<0.2	<10	130	0.47	0.16	0.43	0.21	23.7	12.4	32
I032508		0.12	0.053	0.04	2.27	10.5	<0.2	<10	110	0.57	0.15	0.39	0.14	29.4	12.7	34
I032509		0.12	0.030	0.06	2.62	14.3	<0.2	<10	110	0.64	0.15	0.42	0.32	33.0	14.0	35
I032510		0.14	0.020	0.10	2.45	12.2	<0.2	<10	130	0.66	0.18	0.27	0.18	22.1	11.7	34
I032511		0.16	0.017	0.15	2.19	13.8	<0.2	<10	80	0.46	0.19	0.31	0.34	17.65	9.8	34
I032512		0.12	0.017	0.10	2.30	12.2	<0.2	<10	140	0.52	0.23	0.17	0.31	20.6	9.7	33
I032513		0.06	0.012	0.04	0.44	2.8	<0.2	<10	40	0.07	0.10	0.07	0.04	4.18	3.2	8
I032514		0.12	NSS	0.08	0.32	1.8	<0.2	<10	50	0.06	0.07	0.34	0.42	3.90	1.9	9
I032515		0.14	0.017	0.14	1.34	6.1	<0.2	<10	80	0.44	0.14	0.21	0.14	14.65	6.0	18
I032516		0.06	NSS	0.08	0.39	2.1	<0.2	10	210	0.08	0.05	2.36	0.71	5.16	3.3	8
I032517		0.12	NSS	0.26	0.29	1.5	<0.2	<10	60	0.06	0.06	0.37	2.46	3.24	2.4	9
I032518		0.14	0.043	0.10	0.56	1.5	<0.2	<10	50	0.09	0.10	0.13	0.47	5.45	2.3	11
I032519		0.10	0.062	0.22	1.74	22.0	<0.2	<10	130	0.32	0.70	0.29	0.27	15.20	8.5	25
I032520		0.08	0.040	0.33	0.88	4.1	<0.2	<10	200	0.18	0.20	0.49	1.86	10.75	18.9	17
I032521		0.08	0.041	0.09	0.60	3.3	<0.2	<10	90	0.24	0.10	1.55	0.49	7.71	6.6	10
I032522		0.06	0.048	0.11	1.10	3.7	<0.2	<10	60	0.23	0.16	0.19	0.08	10.60	4.5	15
I032523		0.08	NSS	0.27	0.89	9.9	<0.2	<10	130	0.20	0.17	0.77	0.34	13.10	8.1	17
I032524		0.14	0.019	0.08	2.28	35.1	<0.2	<10	130	0.51	0.37	0.57	0.22	21.8	10.2	25
I032525		0.20	0.080	0.08	2.60	24.7	<0.2	<10	150	0.56	0.27	0.53	0.23	27.7	15.4	30
I032526		0.04	NSS	0.17	0.37	3.2	<0.2	<10	120	0.06	0.08	0.97	2.09	5.96	9.7	7
I032527		0.10	0.020	0.16	2.58	21.2	<0.2	<10	150	0.70	0.75	0.79	0.15	25.0	19.0	26
I032527-DUP		0.06	0.042	0.30	2.22	16.9	<0.2	<10	150	0.62	0.68	0.66	0.17	22.4	18.3	24
I032528		0.08	0.022	0.14	2.00	12.5	<0.2	<10	110	0.43	0.33	0.20	0.19	19.85	11.4	31
I032529		0.08	0.048	0.31	1.21	6.4	<0.2	<10	210	0.33	0.22	0.74	0.34	13.20	11.9	21
I032530		0.10	0.069	0.36	2.02	44.4	<0.2	<10	210	0.45	0.65	0.64	0.70	15.00	20.8	32
I032531		0.18	0.026	0.09	1.93	25.5	<0.2	<10	110	0.75	0.22	0.46	0.23	18.85	11.4	41
I032532		0.14	0.064	0.23	2.35	18.8	<0.2	<10	150	0.69	0.26	0.27	0.23	18.00	9.3	36
I032533		0.12	0.039	0.08	1.82	63.8	<0.2	<10	110	0.53	0.61	0.60	0.68	20.0	8.3	32
I032534		0.12	0.049	0.21	2.03	49.3	<0.2	<10	80	0.54	0.31	0.56	0.23	17.25	11.8	34
I032535		0.14	0.018	2.12	1.98	951	<0.2	<10	90	0.72	2.09	0.64	3.51	26.8	17.0	38
I032536		0.16	0.017	0.55	2.11	250	<0.2	<10	100	0.86	1.18	0.44	0.43	28.0	18.0	33
I032537		0.16	0.009	0.15	2.12	41.9	<0.2	<10	130	0.57	0.54	0.41	0.29	26.5	10.0	35
I032538A		0.26	0.008	0.31	2.29	104.5	<0.2	<10	80	0.63	0.83	0.36	0.12	21.9	15.3	37
I032538B		0.08	NSS	0.12	1.83	95.6	<0.2	<10	70	0.41	0.70	0.42	0.21	13.65	19.2	32



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032501		2.83	22.0	3.30	6.87	0.05	0.04	0.08	0.028	0.05	7.6	18.4	0.59	430	1.01
I032502		7.75	19.4	3.33	6.39	0.09	0.06	0.03	0.024	0.12	10.3	18.7	0.64	459	1.01
I032503		13.25	21.3	3.57	7.77	0.08	0.05	0.04	0.032	0.20	9.3	26.6	0.77	500	0.94
I032504		7.12	22.9	3.60	6.46	0.08	0.06	0.04	0.030	0.12	8.0	20.3	0.66	449	1.08
I032505		7.85	22.1	3.62	7.18	0.07	0.06	0.03	0.027	0.11	8.1	26.6	0.76	511	1.05
I032506		8.37	22.9	3.89	7.71	0.09	0.07	0.04	0.046	0.10	13.4	22.7	0.81	727	0.81
I032507		8.18	18.0	3.24	6.94	0.09	0.08	0.06	0.026	0.11	11.1	17.7	0.62	414	0.65
I032508		5.98	19.4	3.17	6.49	0.09	0.09	0.02	0.025	0.10	12.8	14.8	0.60	463	0.70
I032509		5.32	32.1	3.41	7.36	0.08	0.06	0.03	0.024	0.08	12.7	15.0	0.69	603	1.05
I032510		5.35	21.2	3.55	7.90	0.06	0.05	0.04	0.029	0.07	9.6	17.9	0.63	462	1.18
I032511		3.56	18.1	3.24	7.88	0.06	0.06	0.06	0.029	0.06	8.6	17.1	0.60	341	1.29
I032512		2.00	21.1	3.68	8.87	0.06	0.04	0.04	0.030	0.05	9.6	17.3	0.40	323	1.74
I032513		0.88	6.9	1.36	4.36	<0.05	<0.02	0.02	<0.005	0.03	2.0	2.2	0.14	115	0.66
I032514		0.63	8.9	0.62	1.23	<0.05	<0.02	0.09	0.007	0.07	2.0	0.5	0.06	40	0.81
I032515		5.16	12.6	1.92	5.06	<0.05	0.02	0.04	0.013	0.05	6.8	10.0	0.32	279	0.79
I032516		1.44	20.9	0.58	1.11	<0.05	0.03	0.17	<0.005	0.14	2.6	1.0	0.19	539	0.68
I032517		0.71	8.3	0.49	0.94	<0.05	<0.02	0.17	<0.005	0.08	1.8	0.3	0.05	60	0.67
I032518		0.76	8.5	0.69	1.89	<0.05	0.02	0.09	0.006	0.05	2.7	0.6	0.04	32	0.58
I032519		7.00	20.9	2.94	8.25	0.05	0.04	0.08	0.024	0.08	6.9	11.2	0.45	283	2.07
I032520		1.20	15.1	1.51	3.69	<0.05	<0.02	0.16	0.017	0.06	4.8	2.5	0.14	2610	1.79
I032521		1.00	17.4	0.83	1.71	<0.05	0.03	0.16	0.008	0.06	3.9	2.2	0.18	635	1.01
I032522		1.88	14.4	1.33	3.63	<0.05	<0.02	0.13	0.016	0.05	5.4	1.8	0.10	124	1.12
I032523		3.76	16.0	1.69	3.62	<0.05	0.02	0.17	0.015	0.08	6.5	4.1	0.25	301	1.45
I032524		12.55	19.9	3.11	7.32	0.07	0.06	0.06	0.029	0.21	10.9	15.6	0.76	402	1.10
I032525		11.20	26.1	3.46	7.57	0.07	0.04	0.05	0.026	0.16	11.9	17.3	0.80	613	1.25
I032526		2.52	15.4	0.69	1.31	<0.05	<0.02	0.54	0.005	0.14	2.7	1.6	0.19	1760	0.61
I032527		18.70	28.9	3.26	7.79	0.07	0.04	0.09	0.030	0.15	11.0	19.8	0.77	721	1.75
I032527-DUP		11.20	27.3	2.98	6.90	0.05	0.05	0.11	0.030	0.11	10.0	15.7	0.68	520	1.73
I032528		12.50	18.4	3.88	9.91	0.06	0.04	0.07	0.033	0.10	8.6	21.6	0.59	454	3.05
I032529		5.37	21.8	2.16	5.11	0.05	0.02	0.18	0.020	0.09	6.2	8.8	0.38	946	1.83
I032530		11.40	21.1	3.93	11.10	0.06	0.03	0.06	0.035	0.10	7.3	20.1	0.64	972	3.36
I032531		9.33	14.7	3.76	9.94	0.05	0.05	0.10	0.032	0.08	8.6	22.3	0.60	395	1.47
I032532		2.24	20.2	4.56	9.89	0.07	0.04	0.07	0.043	0.06	9.2	22.4	0.50	363	1.94
I032533		6.50	17.2	3.43	10.50	0.05	0.05	0.03	0.032	0.08	10.5	15.6	0.55	258	1.83
I032534		7.37	15.3	3.53	7.66	0.06	0.04	0.02	0.024	0.10	8.9	23.4	0.78	367	0.97
I032535		12.10	57.1	3.51	6.69	0.07	0.04	0.03	0.059	0.12	14.4	18.3	0.78	1200	1.16
I032536		10.05	32.6	3.17	6.50	0.07	0.04	0.03	0.035	0.09	15.3	20.4	0.77	652	0.93
I032537		3.51	29.4	2.29	6.44	0.06	0.14	0.03	0.033	0.07	13.8	18.0	0.70	198	0.41
I032538A		9.19	24.5	3.14	7.23	0.07	0.05	0.03	0.029	0.13	11.7	19.7	0.89	453	0.88
I032538B		10.35	15.6	3.02	6.99	0.08	0.04	0.03	0.022	0.19	6.8	16.3	0.91	750	0.89



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032501		1.41	21.3	570	8.7	8.5	<0.001	0.05	0.41	3.1	0.5	0.5	21.5	<0.01	0.04
I032502		1.43	20.5	1000	12.1	17.4	<0.001	0.02	0.80	4.2	0.4	0.5	35.5	<0.01	0.02
I032503		1.28	16.5	1070	14.3	25.3	<0.001	0.03	1.08	4.2	0.5	0.4	52.2	<0.01	0.04
I032504		1.63	22.7	540	13.9	15.2	0.001	0.05	1.03	3.7	0.5	0.4	24.2	<0.01	0.07
I032505		1.48	27.0	570	13.2	13.2	<0.001	0.04	0.76	3.6	0.5	0.4	22.7	0.01	0.03
I032506		1.19	24.7	1100	38.4	13.6	<0.001	0.01	0.79	6.3	0.4	0.5	39.1	<0.01	0.04
I032507		1.60	19.3	1020	14.6	14.1	<0.001	0.02	0.82	4.4	0.3	0.5	30.5	<0.01	0.02
I032508		1.56	22.5	1000	13.6	12.3	<0.001	0.02	0.63	4.4	0.3	0.5	27.5	0.01	0.02
I032509		1.39	25.6	1210	29.2	9.0	<0.001	0.04	0.68	4.2	0.5	0.5	44.9	0.01	0.03
I032510		1.57	25.7	620	20.7	9.3	<0.001	0.05	0.70	3.1	0.5	0.5	28.3	0.01	0.04
I032511		1.61	23.3	640	18.0	9.0	<0.001	0.06	0.59	3.1	0.5	0.5	31.7	0.01	0.04
I032512		1.63	20.5	560	12.4	9.5	<0.001	0.04	0.67	3.2	0.5	0.7	19.8	0.01	0.04
I032513		0.61	4.3	190	4.0	2.9	<0.001	0.02	0.23	1.0	0.2	0.3	8.6	<0.01	0.02
I032514		0.26	5.5	820	2.0	2.3	<0.001	0.11	0.21	0.5	0.4	0.2	29.9	<0.01	0.02
I032515		0.72	11.7	640	13.1	7.0	<0.001	0.04	0.44	1.9	0.4	0.3	28.2	<0.01	0.03
I032516		0.27	8.6	1390	2.4	6.7	<0.001	0.28	0.26	0.7	0.6	<0.2	181.5	<0.01	0.01
I032517		0.28	5.4	1090	2.7	3.5	<0.001	0.17	0.15	0.7	0.4	0.2	34.1	<0.01	0.02
I032518		0.43	4.5	780	4.6	2.9	<0.001	0.12	0.18	0.7	0.4	0.2	15.5	<0.01	0.03
I032519		1.48	16.3	710	30.0	8.2	<0.001	0.07	1.16	2.8	0.5	0.6	69.9	<0.01	0.12
I032520		0.39	10.4	1460	9.9	5.4	<0.001	0.18	0.43	1.1	0.5	0.3	44.5	<0.01	0.05
I032521		0.40	10.8	1010	5.1	3.0	<0.001	0.19	0.29	1.0	0.5	0.2	92.5	<0.01	0.03
I032522		0.43	9.1	1570	4.4	5.2	<0.001	0.24	0.35	0.4	0.7	0.3	21.0	<0.01	0.04
I032523		0.74	12.2	1070	9.3	8.1	<0.001	0.16	0.51	1.5	0.6	0.3	74.5	<0.01	0.04
I032524		1.34	15.9	1300	37.1	24.7	<0.001	0.06	0.85	4.0	0.5	0.4	101.5	<0.01	0.04
I032525		1.18	24.4	1210	24.1	19.5	<0.001	0.03	0.78	4.3	0.4	0.4	76.4	<0.01	0.05
I032526		0.29	8.4	1330	5.3	8.9	<0.001	0.19	0.28	0.6	0.5	<0.2	60.4	<0.01	0.02
I032527		1.25	20.4	1170	27.5	22.8	<0.001	0.06	0.86	5.0	0.6	0.5	139.5	<0.01	0.15
I032527-DUP		1.12	17.8	1240	23.9	14.9	<0.001	0.08	0.73	3.6	0.6	0.4	119.0	<0.01	0.13
I032528		1.64	16.8	790	20.5	16.2	<0.001	0.08	0.80	3.8	0.5	0.6	26.7	<0.01	0.06
I032529		0.66	16.3	1440	17.7	14.4	<0.001	0.16	0.59	1.3	0.6	0.4	60.1	<0.01	0.05
I032530		1.57	19.3	1050	50.3	16.8	<0.001	0.09	0.85	3.6	0.4	0.7	62.0	<0.01	0.07
I032531		2.22	20.8	600	25.1	15.9	<0.001	0.05	1.17	4.3	0.3	0.7	42.5	0.01	0.04
I032532		2.09	22.1	550	14.7	11.1	<0.001	0.05	0.75	3.3	0.4	0.7	25.2	0.01	0.06
I032533		2.13	20.1	330	25.8	20.3	<0.001	0.03	1.67	4.1	0.3	0.9	49.0	<0.01	0.04
I032534		2.10	23.0	350	25.3	20.2	<0.001	0.04	3.01	3.7	0.3	0.6	40.9	<0.01	0.02
I032535		1.22	30.8	510	84.9	20.8	<0.001	0.03	27.8	4.8	0.6	0.5	40.6	<0.01	0.03
I032536		1.31	27.5	630	30.2	16.6	<0.001	0.04	5.45	4.5	0.5	0.5	36.2	<0.01	0.03
I032537		1.76	24.0	450	17.9	12.9	<0.001	0.02	2.93	5.6	0.3	0.6	26.6	<0.01	0.02
I032538A		1.47	22.2	530	15.4	24.8	<0.001	0.03	2.35	4.6	0.3	0.6	25.5	<0.01	0.02
I032538B		1.46	19.6	570	13.6	33.7	<0.001	0.03	2.29	4.1	0.2	0.7	28.9	<0.01	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I032501		0.090	0.19	0.55	72	<0.05	4.05	72
I032502		0.148	0.42	0.68	105	0.35	7.38	58
I032503		0.145	0.62	0.61	108	0.19	6.38	55
I032504		0.152	0.30	0.70	106	0.26	4.54	53
I032505		0.148	0.33	0.73	101	0.26	4.74	64
I032506		0.155	0.32	1.04	118	0.17	8.73	76
I032507		0.165	0.28	0.79	100	0.22	7.85	60
I032508		0.157	0.22	0.82	100	0.20	8.86	56
I032509		0.144	0.16	1.13	99	0.15	9.99	76
I032510		0.117	0.16	0.78	92	0.14	5.98	59
I032511		0.101	0.13	0.79	78	0.11	4.94	55
I032512		0.092	0.11	0.70	83	0.09	5.17	54
I032513		0.061	0.05	0.19	34	<0.05	1.00	25
I032514		0.017	0.04	0.23	16	<0.05	1.12	22
I032515		0.059	0.10	0.68	48	<0.05	4.47	32
I032516		0.018	0.05	0.22	12	<0.05	1.90	96
I032517		0.019	0.03	0.26	11	<0.05	0.94	113
I032518		0.031	0.06	0.34	17	<0.05	1.53	15
I032519		0.112	0.17	0.56	88	0.11	3.82	63
I032520		0.031	0.11	0.41	39	<0.05	2.99	74
I032521		0.024	0.06	0.21	18	<0.05	2.99	20
I032522		0.011	0.09	0.40	32	<0.05	3.92	17
I032523		0.047	0.14	0.49	45	<0.05	4.10	26
I032524		0.108	0.45	0.80	88	0.14	8.40	58
I032525		0.114	0.32	0.74	96	0.13	8.97	63
I032526		0.018	0.10	0.20	14	<0.05	1.60	75
I032527		0.099	0.49	0.86	84	0.10	8.13	55
I032527-DUP		0.066	0.44	0.89	73	0.06	7.47	48
I032528		0.119	0.28	0.60	108	0.13	5.26	52
I032529		0.046	0.18	0.48	54	<0.05	3.91	57
I032530		0.101	0.24	0.68	116	0.16	3.54	73
I032531		0.137	0.28	0.67	106	0.28	4.83	55
I032532		0.108	0.13	0.75	88	0.14	3.79	86
I032533		0.121	0.19	0.87	95	0.27	3.92	61
I032534		0.128	0.24	0.69	74	0.09	3.43	60
I032535		0.097	0.36	2.96	64	0.15	10.90	339
I032536		0.098	0.32	1.59	63	0.09	9.72	81
I032537		0.139	0.23	1.19	74	0.14	8.63	57
I032538A		0.133	0.49	1.27	69	0.11	5.87	61
I032538B		0.141	0.48	0.75	71	0.09	3.66	59



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032539		0.24	0.008	0.58	2.94	118.5	<0.2	<10	170	1.30	0.98	0.41	0.50	42.2	18.3	43
I032540		0.04	NSS	0.11	0.28	11.1	<0.2	<10	80	0.25	0.06	1.21	0.53	20.3	2.4	5
I032541		0.10	0.037	0.13	1.75	42.7	<0.2	<10	50	0.44	0.71	0.16	0.13	15.80	6.9	32
I032542		0.08	0.041	0.36	1.47	12.1	<0.2	<10	100	0.49	0.78	0.64	0.20	16.45	9.8	28
I032543		0.04	NSS	0.26	0.26	1.6	<0.2	<10	30	0.06	0.08	0.13	0.65	3.88	2.0	9
I032544		0.04	NSS	0.23	0.35	1.2	<0.2	<10	80	0.35	0.07	0.36	0.50	16.25	2.1	9
I032545		0.02	NSS	0.17	0.63	3.6	<0.2	<10	150	0.44	0.12	0.91	0.52	32.9	15.0	13
I032546		0.10	0.043	0.03	1.16	7.6	<0.2	<10	50	0.29	0.13	0.27	0.07	18.55	8.4	25
I032547		0.02	NSS	0.08	1.11	3.2	<0.2	<10	70	0.37	0.10	0.73	0.21	19.45	11.5	26
I032548		0.06	0.019	0.15	1.11	11.4	<0.2	<10	50	0.25	0.22	0.20	0.12	16.25	5.7	20
I032549		0.06	0.040	0.08	0.76	3.6	<0.2	<10	60	0.08	0.18	0.09	0.17	10.20	2.1	17
I032550		0.10	0.056	0.15	2.76	11.5	<0.2	<10	120	0.48	0.21	0.19	0.14	17.25	8.3	42
I032551		0.18	0.007	0.19	2.69	8.0	<0.2	<10	130	0.61	0.21	0.14	0.16	27.1	12.9	41
I032552		0.14	0.010	0.11	2.17	6.1	<0.2	<10	180	0.40	0.15	0.37	0.06	27.5	11.4	36
I032553		0.08	0.035	0.16	1.78	6.1	<0.2	<10	170	0.28	0.20	0.62	0.17	13.85	10.7	37
I032554		0.14	0.011	0.20	2.11	5.3	<0.2	<10	190	0.39	0.18	0.23	0.06	27.1	13.1	37
I032555		0.12	0.026	0.03	2.00	7.5	<0.2	<10	100	0.37	0.19	0.17	0.07	22.8	8.9	38
I032556		0.16	0.009	0.03	2.56	4.7	<0.2	<10	110	0.52	0.11	0.35	0.10	27.7	14.9	52
I032557		0.14	0.055	0.15	3.24	8.3	<0.2	<10	130	0.71	0.17	0.13	0.18	27.6	18.0	52
I032558		0.12	0.029	0.06	3.07	4.1	<0.2	<10	110	0.74	0.11	0.20	0.08	61.7	19.0	56
I032559		0.10	0.041	0.06	2.53	8.9	<0.2	<10	130	0.43	0.18	0.14	0.11	20.8	13.3	43
I032560		0.20	0.006	0.11	2.08	6.2	<0.2	<10	110	0.34	0.18	0.14	0.04	19.70	7.9	37
I034001		0.08	0.039	0.12	1.43	4.0	<0.2	<10	140	0.60	0.18	2.48	0.27	44.4	12.4	29
I034002		0.18	0.010	0.06	1.30	4.1	<0.2	<10	100	0.29	0.10	0.88	0.14	23.4	10.2	28
I034003		0.18	0.017	0.05	1.37	2.2	<0.2	<10	90	0.37	0.07	0.84	0.08	30.9	11.8	34
I034004		0.10	NSS	0.16	1.49	20.7	<0.2	<10	130	0.45	0.27	0.72	0.43	36.3	13.1	27
I032561		0.18	0.007	0.24	2.75	7.4	<0.2	<10	180	0.48	0.21	0.17	0.10	19.30	10.0	39
I032562		0.10	0.035	0.04	2.71	8.9	<0.2	<10	80	0.47	0.16	0.17	0.13	19.85	14.2	64
I032563		0.10	0.040	0.10	0.81	2.1	<0.2	<10	60	0.19	0.14	0.07	0.06	17.80	3.7	14
I032564		0.10	0.032	0.06	2.06	5.3	<0.2	<10	110	0.38	0.17	0.22	0.10	15.70	11.6	48
I032565		0.08	0.042	0.10	2.26	6.6	<0.2	<10	180	0.50	0.17	0.33	0.07	45.9	15.8	38
I032566		0.14	0.042	0.14	2.37	4.9	<0.2	<10	280	0.48	0.17	0.40	0.13	16.60	12.4	33
I032567		0.06	0.035	0.20	2.06	3.8	<0.2	<10	140	0.53	0.19	0.53	0.09	28.4	14.1	33
I032568		0.08	0.045	0.30	1.87	6.0	<0.2	<10	240	0.37	0.19	0.27	0.08	25.7	14.0	33
I032569		0.14	0.005	0.24	1.79	5.7	<0.2	<10	250	0.37	0.18	0.25	0.09	25.8	12.1	33
I032570		0.04	0.023	0.18	2.34	4.3	<0.2	<10	490	0.68	0.15	0.39	0.09	19.25	15.2	30
I032571		0.12	0.011	0.13	2.35	4.1	<0.2	<10	180	0.59	0.17	0.34	0.07	21.0	11.3	27
I032572		0.06	0.042	0.25	1.87	3.2	<0.2	<10	240	0.50	0.15	0.34	0.09	19.85	12.6	23
I032573		0.06	0.012	0.11	2.07	5.0	<0.2	<10	270	0.41	0.16	0.39	0.07	15.20	12.3	28
I032574		0.10	0.014	0.10	1.92	5.4	<0.2	<10	160	0.43	0.12	0.42	0.05	39.2	14.1	29



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032539		9.91	29.7	3.93	9.30	0.08	0.06	0.09	0.046	0.14	23.3	24.0	0.85	966	1.72
I032540		0.69	13.3	0.38	0.83	<0.05	0.03	0.17	<0.005	0.06	14.4	0.9	0.09	213	0.78
I032541		2.88	14.6	3.95	9.32	0.06	0.08	0.03	0.033	0.05	7.8	15.2	0.37	259	1.36
I032542		3.91	18.3	1.93	5.36	0.05	0.05	0.24	0.018	0.06	8.6	12.3	0.59	349	0.89
I032543		0.48	7.4	0.48	1.25	<0.05	<0.02	0.05	0.005	0.05	2.0	0.6	0.03	49	0.50
I032544		0.42	14.0	0.51	0.91	<0.05	<0.02	0.10	0.019	0.05	8.6	0.5	0.04	79	0.55
I032545		1.23	20.2	1.13	1.99	0.05	0.02	0.10	0.013	0.04	16.8	2.3	0.14	1540	1.15
I032546		4.82	16.5	2.55	5.66	0.06	0.02	0.02	0.013	0.21	9.5	9.6	0.50	209	1.25
I032547		4.61	20.8	1.88	3.83	0.05	0.03	0.05	0.012	0.09	10.7	9.1	0.44	310	0.48
I032548		3.00	10.0	1.67	4.74	<0.05	0.02	0.02	0.012	0.10	8.7	6.8	0.40	144	0.59
I032549		0.58	12.6	1.21	6.00	<0.05	<0.02	0.03	0.012	0.02	5.2	1.9	0.09	44	0.93
I032550		1.16	17.9	4.93	9.07	0.06	0.06	0.04	0.041	0.04	8.6	15.6	0.42	247	1.74
I032551		1.57	23.5	3.64	8.90	0.06	0.06	0.01	0.032	0.05	12.9	15.0	0.51	258	1.33
I032552		0.95	27.6	2.93	7.07	0.07	0.04	0.01	0.024	0.06	13.5	12.9	0.62	283	0.63
I032553		1.02	22.1	3.21	8.15	0.05	0.03	0.02	0.022	0.09	6.3	13.2	0.52	666	1.26
I032554		1.48	25.4	3.47	9.28	0.07	0.04	0.01	0.022	0.08	14.9	18.4	0.65	568	1.41
I032555		1.42	22.3	3.80	9.64	0.07	0.03	<0.01	0.027	0.10	9.2	12.9	0.54	206	1.64
I032556		2.22	26.5	3.97	8.54	0.09	0.06	0.01	0.023	0.17	11.4	22.9	1.11	329	0.90
I032557		1.70	38.9	4.13	9.18	0.07	0.12	0.02	0.034	0.08	11.8	20.5	0.84	321	1.35
I032558		3.44	21.4	4.39	9.43	0.09	0.06	<0.01	0.042	0.41	9.7	25.3	1.19	326	0.85
I032559		1.72	23.8	4.45	10.20	0.08	0.03	0.01	0.030	0.06	8.0	20.5	0.67	465	1.49
I032560		1.25	20.2	3.71	9.97	0.06	0.05	<0.01	0.024	0.07	8.5	12.1	0.55	219	1.88
I034001		1.82	33.7	2.30	4.37	0.11	0.07	0.07	0.019	0.11	29.3	14.1	0.56	521	0.52
I034002		0.65	22.6	2.37	4.33	0.08	0.09	0.01	0.018	0.07	11.9	10.0	0.59	313	0.38
I034003		2.33	27.1	2.50	4.46	0.10	0.06	0.02	0.016	0.31	19.8	15.4	0.73	272	0.45
I034004		4.73	25.7	2.39	4.56	0.09	0.03	0.03	0.019	0.10	18.0	16.6	0.54	701	0.89
I032561		1.48	21.4	3.49	8.96	0.06	0.11	0.03	0.035	0.04	9.5	13.2	0.38	190	1.04
I032562		2.65	24.6	5.24	10.80	0.09	0.06	0.01	0.035	0.11	8.9	27.8	0.92	371	1.54
I032563		1.04	13.0	1.33	4.76	0.05	<0.02	0.01	0.012	0.05	9.7	3.7	0.13	80	0.72
I032564		0.81	17.6	3.69	8.58	0.07	0.03	0.01	0.024	0.09	7.5	14.6	0.67	295	1.18
I032565		1.26	26.1	3.29	7.45	0.09	0.11	0.02	0.028	0.09	23.9	14.7	0.60	494	1.05
I032566		1.23	15.6	3.46	8.59	0.06	0.07	0.01	0.023	0.12	7.9	17.1	0.59	618	1.06
I032567		1.63	19.1	3.71	8.09	0.09	0.03	0.02	0.029	0.12	22.1	21.6	0.61	443	1.44
I032568		0.69	17.6	3.33	8.02	0.07	0.02	0.01	0.024	0.15	11.9	12.5	0.48	873	1.20
I032569		0.83	17.1	3.34	7.82	0.07	0.02	<0.01	0.024	0.13	11.5	12.1	0.50	626	1.13
I032570		1.11	16.4	3.69	8.73	0.06	0.04	<0.01	0.024	0.37	9.6	14.2	0.58	1120	0.77
I032571		1.32	12.7	3.53	8.72	0.06	0.02	<0.01	0.033	0.31	10.9	16.4	0.59	306	0.98
I032572		2.05	13.0	3.50	8.94	0.06	0.02	0.01	0.021	0.29	9.4	14.7	0.52	711	1.18
I032573		1.36	13.2	3.72	8.46	0.06	0.03	0.02	0.021	0.30	7.1	16.4	0.61	524	1.22
I032574		1.46	17.0	3.31	6.62	0.09	0.07	0.03	0.028	0.26	20.0	15.3	0.64	478	0.81



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032539		1.58	27.7	730	34.1	27.2	<0.001	0.05	2.68	5.5	0.5	0.8	33.0	<0.01	0.03
I032540		0.18	6.4	810	3.4	3.2	<0.001	0.18	0.95	1.0	0.5	<0.2	68.9	<0.01	0.01
I032541		3.01	16.1	350	28.0	11.4	<0.001	0.02	1.68	3.3	0.4	0.8	14.3	0.01	0.04
I032542		1.30	18.1	580	21.7	13.9	<0.001	0.05	1.48	3.8	0.4	0.5	38.7	<0.01	0.01
I032543		0.32	4.9	550	3.2	3.4	<0.001	0.06	0.20	0.7	0.3	0.2	12.2	<0.01	0.02
I032544		0.28	6.2	630	4.5	3.1	<0.001	0.07	0.24	1.0	0.4	0.2	28.1	<0.01	0.02
I032545		0.47	12.3	960	11.1	6.7	0.001	0.15	0.59	1.4	0.8	0.2	69.4	<0.01	0.03
I032546		1.66	19.9	270	6.1	25.5	<0.001	0.02	0.57	2.7	0.3	0.4	26.2	<0.01	0.03
I032547		1.01	19.9	530	7.5	13.6	<0.001	0.05	0.25	2.9	0.5	0.3	44.9	<0.01	0.01
I032548		1.12	12.7	300	14.8	14.3	<0.001	0.01	1.38	2.2	0.3	0.5	17.8	<0.01	0.01
I032549		0.59	6.4	300	7.6	3.4	<0.001	0.01	0.25	0.6	0.3	0.6	13.0	<0.01	0.02
I032550		2.65	17.8	630	9.6	8.9	<0.001	0.02	0.68	4.0	0.7	0.6	18.6	0.03	0.04
I032551		2.33	26.6	240	9.7	16.0	<0.001	0.01	0.61	5.2	0.4	0.7	15.9	0.01	0.03
I032552		1.65	28.3	580	7.2	11.4	<0.001	<0.01	0.28	4.6	0.4	0.5	27.4	<0.01	0.03
I032553		1.88	26.2	410	10.9	27.0	<0.001	0.02	0.45	2.8	0.3	0.6	42.3	<0.01	0.04
I032554		2.10	26.4	260	10.5	24.3	<0.001	<0.01	0.29	3.8	0.3	0.7	23.5	<0.01	0.03
I032555		2.03	24.6	380	12.3	15.4	<0.001	<0.01	0.31	3.6	0.4	0.8	17.5	<0.01	0.03
I032556		2.27	43.4	610	8.1	23.7	<0.001	<0.01	0.21	4.2	0.4	0.5	23.1	<0.01	0.03
I032557		1.87	46.3	250	9.7	18.9	<0.001	<0.01	0.43	5.4	0.4	0.6	13.9	0.01	0.03
I032558		1.34	53.1	570	8.0	45.6	<0.001	<0.01	0.16	5.5	0.4	0.7	12.1	<0.01	0.02
I032559		2.14	31.0	360	10.4	13.8	<0.001	<0.01	0.46	3.9	0.3	0.7	14.6	<0.01	0.04
I032560		2.00	21.3	200	10.6	18.6	<0.001	<0.01	0.39	3.4	0.4	0.7	15.5	<0.01	0.03
I034001		1.30	30.4	790	8.7	21.5	<0.001	0.16	0.26	3.6	1.5	0.3	152.0	0.01	0.03
I034002		1.49	22.8	750	4.9	8.4	<0.001	0.02	0.27	4.1	0.5	0.4	55.7	<0.01	0.01
I034003		1.28	30.3	610	4.7	27.7	<0.001	0.02	0.18	4.0	0.6	0.3	69.5	<0.01	0.01
I034004		1.13	27.1	740	13.0	15.9	0.001	0.03	1.05	4.2	1.0	0.4	57.6	<0.01	0.02
I032561		2.35	18.3	420	10.0	15.7	<0.001	<0.01	0.42	4.6	0.5	0.7	17.7	0.02	0.03
I032562		2.64	39.2	450	9.7	22.0	<0.001	<0.01	0.43	5.0	0.4	0.7	18.2	<0.01	0.04
I032563		0.83	9.0	230	6.7	13.1	<0.001	<0.01	0.16	1.8	0.3	0.4	10.8	<0.01	0.02
I032564		1.82	33.9	240	8.6	17.3	<0.001	<0.01	0.37	3.5	0.2	0.6	18.8	<0.01	0.03
I032565		2.04	32.0	270	9.1	19.8	<0.001	<0.01	0.39	4.5	0.5	0.6	26.6	<0.01	0.03
I032566		2.09	22.7	270	10.8	22.5	<0.001	<0.01	0.36	3.2	<0.2	0.7	33.6	<0.01	0.02
I032567		2.08	24.3	610	12.0	18.8	<0.001	0.01	0.26	3.4	0.4	0.7	36.4	<0.01	0.03
I032568		1.68	23.0	340	10.7	13.9	<0.001	<0.01	0.33	3.5	0.3	0.7	22.9	<0.01	0.03
I032569		1.68	23.7	340	10.8	13.4	<0.001	<0.01	0.33	3.6	0.2	0.6	21.0	<0.01	0.03
I032570		2.67	23.3	330	13.7	35.4	<0.001	<0.01	0.30	3.0	0.2	0.7	33.8	<0.01	0.02
I032571		2.45	19.4	330	18.3	25.0	<0.001	<0.01	0.26	2.6	0.2	0.7	32.1	<0.01	0.03
I032572		2.37	16.7	420	11.7	41.2	<0.001	<0.01	0.25	2.7	0.2	0.7	34.8	<0.01	0.02
I032573		2.31	19.7	350	11.4	29.0	<0.001	0.01	0.32	2.6	<0.2	0.6	32.1	<0.01	0.03
I032574		1.71	22.5	590	11.2	27.9	<0.001	0.01	0.22	4.2	0.3	0.5	30.9	<0.01	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 4-JUL-2010

Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I032539		0.114	0.53	7.20	82	0.11	12.35	97
I032540		0.011	0.08	3.36	9	<0.05	9.85	24
I032541		0.128	0.13	0.70	88	0.28	2.98	44
I032542		0.074	0.12	2.92	47	0.19	4.71	61
I032543		0.021	0.02	0.38	13	<0.05	0.92	11
I032544		0.018	0.03	1.53	10	0.05	2.69	17
I032545		0.027	0.08	1.99	21	0.07	9.08	35
I032546		0.097	0.20	0.60	46	0.15	3.58	50
I032547		0.061	0.12	0.80	32	0.11	5.11	45
I032548		0.084	0.15	0.90	34	0.54	3.22	41
I032549		0.042	0.09	0.34	42	0.07	1.53	17
I032550		0.104	0.08	0.60	87	0.22	3.50	49
I032551		0.123	0.16	0.75	80	0.15	4.84	58
I032552		0.119	0.10	0.63	68	0.14	6.80	47
I032553		0.105	0.12	0.39	74	0.14	2.34	53
I032554		0.137	0.24	0.72	77	0.10	4.89	51
I032555		0.124	0.14	0.61	75	0.13	3.87	45
I032556		0.159	0.21	0.75	70	0.15	5.31	65
I032557		0.124	0.18	0.67	78	0.13	5.36	74
I032558		0.126	0.34	0.71	52	0.06	7.70	80
I032559		0.124	0.15	0.49	86	0.14	3.27	70
I032560		0.124	0.20	0.48	84	0.11	3.14	43
I034001		0.056	0.14	4.76	36	0.11	16.15	66
I034002		0.109	0.06	0.87	57	0.24	8.24	53
I034003		0.098	0.19	1.38	44	0.18	9.09	45
I034004		0.072	0.17	2.98	44	0.16	11.45	72
I032561		0.108	0.12	0.65	76	0.13	3.82	42
I032562		0.137	0.16	0.56	86	0.15	4.37	79
I032563		0.056	0.08	0.42	31	0.08	7.22	17
I032564		0.101	0.10	0.30	79	0.11	2.30	52
I032565		0.112	0.14	0.88	69	0.17	8.60	54
I032566		0.098	0.18	0.44	69	0.14	2.87	66
I032567		0.105	0.15	1.03	65	0.14	7.22	54
I032568		0.090	0.14	0.49	78	0.17	3.34	55
I032569		0.095	0.14	0.46	78	0.15	3.42	56
I032570		0.117	0.21	0.36	61	0.09	3.37	64
I032571		0.099	0.21	0.51	56	0.10	3.11	62
I032572		0.099	0.22	0.38	51	0.10	2.79	58
I032573		0.138	0.20	0.45	66	0.07	2.45	61
I032574		0.111	0.20	0.77	55	0.09	6.96	54



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4-JUL-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032575		0.12	0.011	0.13	2.30	6.9	<0.2	<10	280	0.55	0.15	0.34	0.10	18.75	14.3	33
I032576		0.02	NSS	0.71	0.34	1.0	<0.2	<10	120	0.08	0.04	1.47	0.17	5.37	2.1	7
I032577		0.02	0.033	0.09	1.34	6.6	<0.2	<10	120	0.49	0.13	1.88	0.13	61.0	14.7	31
I032578		0.06	0.040	0.08	1.61	5.3	<0.2	<10	190	0.39	0.15	0.75	0.08	46.5	11.6	27
I032579		0.08	0.010	0.20	1.68	5.5	<0.2	<10	140	0.29	0.16	0.32	0.07	13.20	9.6	31
I032580		0.08	0.016	0.17	2.08	5.9	<0.2	<10	110	0.62	0.30	0.15	0.07	19.60	9.2	31
I032581		0.10	0.012	0.20	1.81	4.3	<0.2	<10	180	0.29	0.19	0.24	0.13	14.40	10.7	34
I032582		0.06	0.011	0.21	1.65	3.8	<0.2	<10	250	0.37	0.16	0.32	0.09	16.65	11.6	34
I032583		0.08	0.017	0.14	1.75	6.0	<0.2	<10	180	0.55	0.17	0.64	0.13	51.0	12.6	32
I032584		0.12	0.008	0.23	1.74	6.8	<0.2	<10	190	0.54	0.18	0.50	0.08	37.6	15.9	35
I032585		0.08	0.011	0.36	1.73	3.8	<0.2	<10	210	0.39	0.17	0.34	0.12	18.95	14.9	33
I032586		0.08	0.010	0.20	1.64	3.8	<0.2	<10	180	0.34	0.15	0.52	0.10	20.1	8.9	31
I032587		0.04	0.047	0.09	1.00	5.8	<0.2	<10	140	0.43	0.10	2.03	0.13	37.6	9.9	21
I032588		0.02	0.041	0.26	1.74	6.3	<0.2	<10	210	0.41	0.16	0.49	0.13	16.55	13.1	39
I032589		0.06	0.035	0.09	1.89	4.5	<0.2	<10	260	0.70	0.22	0.54	0.12	57.7	13.3	33
I032590		0.02	0.013	0.08	0.34	1.2	<0.2	<10	70	0.14	0.05	3.35	0.33	8.79	3.3	7
I032591		0.04	0.034	0.06	0.51	1.8	<0.2	<10	170	0.24	0.05	4.47	0.18	12.90	4.7	10
I032592		0.02	0.030	0.11	0.72	2.5	<0.2	<10	220	0.35	0.06	4.18	0.19	15.45	7.2	16



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4-JUL-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I032575		1.04	15.5	3.52	7.56	0.07	0.03	0.02	0.025	0.24	8.4	14.4	0.62	816	0.86	0.03
I032576		0.28	11.2	0.55	1.11	<0.05	0.02	0.11	0.005	0.09	3.4	1.0	0.14	125	0.94	0.06
I032577		0.99	28.4	2.83	4.30	0.12	0.07	0.07	0.026	0.12	34.7	10.3	0.45	546	0.74	0.03
I032578		0.73	21.5	2.88	5.81	0.11	0.08	0.04	0.027	0.22	29.7	10.6	0.48	466	0.97	0.03
I032579		0.49	16.3	2.80	5.83	0.05	0.05	0.02	0.040	0.11	6.4	10.2	0.46	310	1.00	0.03
I032580		1.42	15.4	2.92	6.70	0.06	0.06	0.01	0.029	0.16	7.2	14.9	0.47	195	0.94	0.02
I032581		0.67	15.8	3.28	7.09	0.06	0.05	0.01	0.023	0.11	7.2	11.1	0.52	315	1.25	0.03
I032582		1.04	22.0	3.35	6.35	0.06	0.03	0.02	0.026	0.13	8.2	8.9	0.50	584	1.23	0.03
I032583		1.06	22.8	3.24	6.11	0.10	0.07	0.02	0.030	0.11	23.2	11.1	0.53	373	0.81	0.04
I032584		0.81	23.9	3.50	5.95	0.10	0.07	0.02	0.032	0.14	25.3	10.1	0.49	695	1.18	0.03
I032585		0.64	14.0	3.49	6.48	0.07	0.02	0.02	0.029	0.15	9.1	10.2	0.47	689	1.34	0.03
I032586		0.54	18.9	2.92	5.85	0.06	0.03	0.03	0.024	0.08	10.1	8.9	0.46	185	1.37	0.03
I032587		0.61	22.7	2.29	3.30	0.10	0.05	0.05	0.019	0.22	19.4	9.0	0.45	334	0.62	0.04
I032588		0.79	18.3	3.20	5.71	0.06	0.02	0.03	0.021	0.30	7.5	13.7	0.57	332	1.18	0.03
I032589		1.11	24.9	3.27	6.27	0.10	0.12	0.03	0.033	0.20	25.9	13.0	0.54	428	0.94	0.04
I032590		0.38	16.5	0.57	1.08	<0.05	0.04	0.10	0.009	0.05	5.0	1.5	0.16	226	0.96	0.04
I032591		0.54	20.7	0.88	1.46	0.05	0.05	0.07	0.010	0.06	10.6	3.1	0.25	289	0.54	0.05
I032592		0.55	38.0	1.15	2.10	0.06	0.07	0.08	0.012	0.06	11.1	5.9	0.30	675	0.63	0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4-JUL-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I032575		1.73	22.8	500	11.3	25.6	<0.001	0.01	0.36	3.3	0.2	0.6	26.9	<0.01	0.02	2.6
I032576		0.29	5.8	760	1.8	6.1	<0.001	0.13	0.13	0.9	0.4	<0.2	75.9	<0.01	0.01	0.4
I032577		0.99	32.3	670	11.7	18.9	<0.001	0.09	0.33	4.3	1.0	0.3	92.5	<0.01	0.04	3.2
I032578		1.69	21.5	420	10.0	21.3	<0.001	0.02	0.32	4.7	0.6	0.5	60.6	<0.01	0.02	5.7
I032579		1.63	20.3	190	7.7	15.0	<0.001	0.01	0.31	2.9	0.2	0.5	23.8	<0.01	0.01	1.9
I032580		1.34	22.5	220	17.6	21.9	<0.001	<0.01	0.27	3.2	<0.2	0.7	11.9	<0.01	0.02	4.4
I032581		1.54	24.1	290	9.1	9.8	<0.001	<0.01	0.29	3.3	<0.2	0.6	19.8	<0.01	0.03	2.4
I032582		1.32	27.6	230	9.5	19.1	<0.001	<0.01	0.24	3.9	0.2	0.6	26.1	<0.01	0.02	2.5
I032583		1.42	26.3	420	13.1	17.5	<0.001	0.01	0.27	5.5	0.4	0.6	50.8	<0.01	0.03	6.5
I032584		1.31	29.5	310	10.4	17.4	<0.001	0.01	0.30	5.4	0.4	0.6	37.6	<0.01	0.03	5.3
I032585		1.08	25.0	340	8.5	13.8	<0.001	0.01	0.26	3.6	<0.2	0.5	24.0	<0.01	0.04	2.2
I032586		1.30	22.7	310	8.3	5.7	<0.001	0.02	0.28	3.9	0.3	0.5	35.6	<0.01	0.02	2.3
I032587		0.87	22.7	630	7.7	14.7	0.001	0.10	0.27	3.2	0.9	0.3	131.0	<0.01	0.02	2.1
I032588		1.30	38.9	360	12.4	18.2	<0.001	0.02	0.29	2.8	0.2	0.6	33.6	<0.01	0.04	2.7
I032589		1.47	26.9	330	12.7	24.4	<0.001	0.01	0.25	5.9	0.4	0.6	36.7	<0.01	0.02	7.8
I032590		0.28	8.5	670	2.2	3.0	0.001	0.16	0.22	1.1	0.6	<0.2	154.5	<0.01	0.01	0.5
I032591		0.41	14.6	750	2.8	5.3	0.001	0.18	0.32	1.1	1.0	0.2	244	<0.01	0.02	0.4
I032592		0.53	23.9	780	2.7	5.4	0.002	0.22	0.51	1.6	3.0	0.2	206	<0.01	0.06	0.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 4-JUL-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032575		0.110	0.17	0.44	66	0.07	3.01	62	1.1
I032576		0.017	0.03	0.18	11	<0.05	1.42	9	0.8
I032577		0.045	0.12	1.94	37	0.06	15.20	54	1.8
I032578		0.089	0.11	1.15	55	0.09	11.65	45	2.6
I032579		0.101	0.08	0.35	68	0.08	2.26	40	1.8
I032580		0.069	0.16	0.46	60	0.05	2.60	50	2.5
I032581		0.085	0.10	0.37	73	0.07	2.63	50	1.8
I032582		0.079	0.12	0.51	69	0.06	3.51	53	1.1
I032583		0.070	0.11	2.19	56	0.07	9.03	44	2.2
I032584		0.077	0.10	1.11	69	0.05	10.70	53	2.6
I032585		0.055	0.10	0.37	72	0.06	2.81	53	0.8
I032586		0.065	0.11	0.54	66	0.06	3.60	46	1.2
I032587		0.045	0.08	1.67	35	<0.05	9.41	40	1.8
I032588		0.074	0.14	0.53	54	0.06	2.85	53	1.0
I032589		0.076	0.13	0.93	58	0.11	9.51	48	4.0
I032590		0.017	0.03	1.08	11	0.05	2.96	14	1.4
I032591		0.020	0.05	4.53	17	<0.05	5.94	20	1.8
I032592		0.026	0.06	7.54	23	<0.05	8.26	21	2.6



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-JUL-2010
Account: EIASQI

Project: SQI10-03

CERTIFICATE OF ANALYSIS WH10079095

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 7-JUL-2010
Account: EIASQI

CERTIFICATE WH10084156

Project: SQI10-01

P.O. No.: SQI10-01_4

This report is for 13 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-JUN-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10084156

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
G091451		0.36	<0.005	0.09	2.02	4.1	<0.2	<10	260	0.27	0.14	0.60	0.24	32.4	11.7	17
G091452		0.62	<0.005	0.08	2.22	0.9	<0.2	<10	420	0.57	0.24	0.69	0.40	71.5	16.7	19
G091453		0.50	<0.005	0.10	0.98	10.8	<0.2	<10	160	0.29	0.08	0.49	0.29	30.9	10.6	22
G091454		0.52	<0.005	0.15	1.67	29.7	<0.2	<10	130	0.42	0.22	0.56	0.31	31.7	17.7	33
G091455		0.36	<0.005	0.10	1.39	7.2	<0.2	<10	100	0.28	0.16	0.38	0.16	24.4	12.9	29
G091456		0.46	<0.005	0.21	1.95	38.6	<0.2	<10	140	0.53	0.34	0.57	0.46	28.8	16.5	33
G091457		0.52	0.006	0.13	2.12	51.8	<0.2	<10	390	0.48	0.19	0.73	0.12	51.5	9.0	18
I034301		0.18	<0.005	0.07	2.02	4.0	<0.2	<10	230	0.31	0.10	0.61	0.25	32.3	11.6	19
I034302		0.22	<0.005	0.10	2.52	3.8	<0.2	<10	290	0.32	0.18	0.71	0.21	40.0	13.0	21
I034303		0.20	<0.005	0.35	1.72	61.7	<0.2	<10	110	0.54	0.74	0.73	0.60	31.6	14.3	34
I034304		0.20	<0.005	0.48	1.66	95.0	<0.2	<10	110	0.58	0.63	0.61	0.37	28.3	12.5	29
I034305		0.22	0.014	0.73	2.04	202	<0.2	<10	120	0.69	2.49	0.57	0.70	26.5	27.1	40
I034306		0.36	0.100	0.31	1.60	45.9	<0.2	<10	80	0.40	0.67	0.58	0.32	18.40	12.1	39



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10084156

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
G091451		1.90	9.4	3.34	7.38	0.14	0.04	0.04	0.038	0.39	16.6	20.0	0.78	821	0.57
G091452		2.93	16.8	4.78	9.50	0.26	0.12	0.02	0.069	0.83	38.3	14.7	1.26	1320	0.97
G091453		3.80	19.8	2.53	3.23	0.10	0.03	0.03	0.015	0.06	15.7	9.6	0.34	492	1.63
G091454		5.03	21.0	2.85	5.95	0.10	0.03	0.04	0.021	0.11	14.6	14.3	0.62	902	1.30
G091455		2.82	13.6	2.34	6.13	0.07	0.02	0.04	0.019	0.07	11.9	10.4	0.45	652	1.26
G091456		6.76	24.2	2.72	6.93	0.09	0.03	0.05	0.024	0.10	12.3	15.6	0.65	911	1.44
G091457		1.94	14.7	2.75	7.24	0.14	0.07	0.07	0.027	0.16	32.3	17.1	0.48	793	2.21
I034301		1.47	10.6	3.14	6.95	0.13	0.04	0.02	0.022	0.25	15.4	23.8	0.72	602	0.59
I034302		2.43	12.9	3.66	8.78	0.18	0.06	0.08	0.027	0.56	22.7	21.9	0.99	806	0.55
I034303		6.54	34.5	2.58	5.88	0.10	0.03	0.06	0.021	0.10	17.0	17.4	0.63	485	1.88
I034304		7.46	23.8	2.61	6.31	0.09	0.03	0.09	0.031	0.08	15.4	14.2	0.54	458	2.05
I034305		10.15	43.1	2.96	6.91	0.10	0.03	0.07	0.028	0.11	12.8	17.7	0.68	796	2.50
I034306		6.07	38.9	2.47	5.85	0.09	0.02	0.04	0.019	0.07	8.9	16.3	0.60	379	3.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10084156

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
G091451		2.00	10.4	590	5.1	47.6	<0.001	0.04	0.23	6.8	0.6	3.6	42.6	<0.01	0.02	3.7
G091452		1.06	17.1	1010	11.1	51.3	<0.001	0.02	0.40	14.3	1.2	2.9	42.4	0.01	0.01	11.4
G091453		0.72	22.5	870	5.3	9.0	0.001	0.03	0.64	3.3	1.3	4.6	35.9	<0.01	0.03	2.4
G091454		1.18	25.4	890	17.6	16.5	<0.001	0.04	1.06	4.3	0.7	3.7	46.8	<0.01	0.03	2.2
G091455		0.97	19.6	610	12.8	15.2	<0.001	0.04	0.73	3.2	0.5	1.2	27.5	<0.01	0.02	1.3
G091456		1.23	22.2	980	24.0	14.5	<0.001	0.05	1.21	4.5	0.7	3.4	54.7	0.01	0.04	1.7
G091457		2.17	10.6	800	9.0	25.1	0.001	0.05	2.00	8.0	1.0	2.2	55.8	0.01	0.02	6.2
I034301		1.98	12.5	770	4.7	33.9	<0.001	0.04	0.36	6.5	0.6	1.7	40.7	<0.01	0.02	4.1
I034302		2.08	14.1	950	6.0	51.8	<0.001	0.04	0.58	9.3	0.8	1.0	43.9	<0.01	0.02	4.8
I034303		1.10	23.5	780	25.1	15.1	<0.001	0.07	1.68	4.3	0.8	1.4	65.7	<0.01	0.05	2.5
I034304		0.96	19.3	870	44.3	15.6	<0.001	0.08	1.88	3.5	0.8	1.9	48.1	<0.01	0.05	1.3
I034305		1.18	27.7	890	48.4	16.6	<0.001	0.09	2.78	4.5	0.9	1.7	52.6	0.01	0.11	1.5
I034306		1.17	22.2	690	16.1	12.1	<0.001	0.05	1.53	3.7	0.6	3.8	40.2	<0.01	0.04	2.0



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10084156

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
G091451		0.164	0.28	2.67	74	2.39	10.90	86	1.2
G091452		0.141	0.41	1.79	102	0.22	28.3	119	3.4
G091453		0.047	0.07	1.32	44	0.13	10.00	57	0.5
G091454		0.098	0.18	1.06	65	0.29	8.47	70	0.8
G091455		0.079	0.12	0.89	62	0.15	4.76	55	0.5
G091456		0.109	0.22	1.26	73	0.26	8.76	72	1.1
G091457		0.092	0.20	9.49	60	0.39	25.2	57	2.2
I034301		0.157	0.21	3.64	72	0.15	10.75	83	1.2
I034302		0.186	0.36	3.12	84	0.36	15.95	84	1.8
I034303		0.086	0.26	3.97	57	0.46	9.23	71	0.8
I034304		0.075	0.21	2.21	62	0.16	8.39	68	0.7
I034305		0.098	0.37	1.95	69	0.60	9.21	76	1.0
I034306		0.100	0.22	2.83	63	0.82	5.56	57	0.7



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-JUL-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10084156

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-JUL-2010
Account: EIASQI

CERTIFICATE WH10084658

Project: Boulevard

P.O. No.: SQI10-03

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I030550		2.39	0.007		0.23	3.61	0.5	<0.2	<10	410	0.77	0.16	1.33	0.18	25.8	13.6
I030551		4.03	0.007		0.27	4.11	0.3	<0.2	<10	430	0.57	0.43	3.37	0.16	14.50	22.3
I030552		3.81	0.008		0.36	3.84	0.7	<0.2	<10	300	0.44	0.64	3.43	0.19	12.25	28.8
I030553		2.73	0.011		0.33	2.77	5.0	<0.2	<10	330	0.72	0.29	1.82	0.64	21.7	14.0
I030554		3.50	0.049		0.88	3.26	3.4	<0.2	<10	230	0.47	0.76	3.27	0.35	18.75	18.1
I030555		3.51	0.005		0.23	1.62	0.6	<0.2	<10	490	0.47	0.10	0.96	0.13	20.9	12.1
I030556		3.29	0.006		0.26	0.62	1.3	<0.2	<10	210	0.18	0.08	0.73	0.05	12.65	6.1
I030557		3.82	0.006		0.14	2.52	0.7	<0.2	<10	640	0.67	0.10	1.23	0.07	33.1	10.2
I030558		4.81	0.005		0.24	4.74	1.4	<0.2	<10	360	0.75	0.16	3.98	0.18	18.10	25.7
I030559		4.40	0.006		0.12	4.22	2.8	<0.2	<10	760	0.32	0.11	3.86	0.12	3.92	28.3
I030560		0.09	3.96	4.01	1.46	1.68	8230	3.8	20	80	0.18	80.7	5.06	0.42	19.15	121.0
I030561		4.48	<0.005		0.13	2.45	6.1	<0.2	<10	400	0.12	0.08	2.07	0.09	5.60	25.5
I030562		2.65	<0.005		0.15	3.01	1.4	<0.2	<10	820	0.14	0.06	2.12	0.08	4.27	24.8
I030563		3.67	0.009		0.35	2.49	63.5	<0.2	<10	160	0.25	0.24	3.03	0.65	11.45	22.4
I030564		1.97	0.193		1.05	0.22	315	0.2	<10	80	0.13	0.07	4.80	0.34	5.50	7.1
I030565		2.26	0.358		2.11	0.39	822	0.4	<10	120	0.15	0.06	4.22	0.52	10.80	8.2
I030566		0.73	1.015	1.13	0.36	0.42	3610	1.1	<10	210	0.19	0.07	2.32	0.04	19.90	10.3
I030567		2.28	<0.005		0.21	1.21	36.3	<0.2	<10	400	0.41	0.21	1.16	0.02	30.6	11.4
I030568		3.95	0.019		0.27	0.95	46.6	<0.2	<10	280	0.32	0.33	1.54	0.04	16.25	10.3
I030569		5.19	0.046		0.45	0.67	86.2	<0.2	<10	240	0.22	0.13	1.33	0.24	16.85	8.8
I030570		0.77	<0.005		0.03	1.22	1.6	<0.2	<10	230	0.09	0.03	0.34	0.02	20.1	5.3
I030571		4.56	0.011		0.22	1.87	18.1	<0.2	<10	480	0.43	0.16	1.06	0.08	42.7	14.4
I030572		5.01	0.246		0.50	1.37	1140	0.3	<10	300	0.35	0.06	1.23	0.06	65.4	13.5
I030573		4.20	0.169		0.19	1.26	942	0.2	<10	260	0.38	0.16	1.41	0.02	46.3	16.2
I030574		4.32	0.287		0.24	1.44	582	0.3	<10	90	0.46	0.15	1.06	0.03	41.4	15.7
I030575		3.16	0.358		0.61	1.16	1780	0.4	<10	70	0.57	0.28	1.84	0.09	34.9	18.9
I030576		0.47	0.866		5.24	0.62	5070	1.0	<10	90	0.18	0.09	5.04	0.60	11.05	29.2
I030577		1.86	0.499		2.43	3.18	1805	0.5	<10	100	0.53	0.09	5.25	0.38	34.3	32.8
I030578		4.35	<0.005		0.43	6.19	19.6	<0.2	<10	150	0.75	0.36	4.01	0.35	12.25	25.4
I030579		2.30	<0.005		0.32	5.47	1.8	<0.2	<10	480	0.20	0.45	4.99	0.48	5.38	32.8
I030580		2.55	<0.005		0.31	4.94	0.9	<0.2	<10	410	0.14	0.41	4.93	0.58	5.67	30.5
I030581		4.55	0.008		0.71	4.11	0.6	<0.2	<10	100	<0.05	1.00	5.58	5.13	3.25	32.2
I030582		4.91	0.105		0.57	5.51	0.4	<0.2	<10	440	0.20	1.97	5.98	1.58	4.43	33.5
I030583		4.08	0.005		0.86	5.15	0.3	<0.2	<10	250	0.08	2.05	5.76	0.89	4.97	33.4
I030584		2.98	0.014		0.23	3.84	0.7	<0.2	<10	600	0.58	0.30	2.22	0.07	18.70	16.7
I030585		1.97	0.045		0.86	1.90	0.4	<0.2	<10	380	0.35	8.09	2.99	0.32	17.10	11.2
I030586		4.62	0.006		0.24	2.86	0.8	<0.2	<10	350	0.50	1.08	1.44	0.05	33.2	18.8
I030587		5.36	<0.005		0.25	3.91	0.3	<0.2	<10	270	0.78	0.26	1.63	0.04	26.0	14.2
I030588		5.01	<0.005		0.22	2.30	0.1	<0.2	<10	460	0.40	0.15	8.19	0.14	16.55	10.7
I030589		1.31	<0.005		0.13	3.52	0.1	<0.2	<10	660	0.60	0.15	9.59	0.20	24.7	7.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I030550		73	1.70	79.4	3.45	11.10	0.09	0.07	<0.01	0.029	1.17	12.9	8.6	1.68	439	1.82
I030551		149	1.57	59.5	4.26	13.30	0.13	0.05	<0.01	0.048	0.96	7.2	8.9	2.60	786	1.64
I030552		143	1.92	67.4	4.41	12.75	0.15	0.05	<0.01	0.040	0.95	5.8	8.2	2.70	783	1.60
I030553		74	1.80	74.2	3.09	10.05	0.09	0.16	<0.01	0.039	0.79	11.2	9.3	1.32	758	5.77
I030554		88	2.13	61.5	3.65	10.05	0.11	0.06	0.01	0.038	0.95	9.4	9.6	1.97	900	1.62
I030555		36	1.21	55.7	2.12	6.04	0.06	0.14	0.01	0.023	0.62	9.9	7.3	0.77	803	2.13
I030556		16	0.51	50.2	1.27	2.46	<0.05	0.11	0.01	0.013	0.22	5.3	2.7	0.36	698	0.72
I030557		45	1.84	40.1	2.49	8.02	0.08	0.18	<0.01	0.025	0.79	16.6	11.2	0.96	845	2.21
I030558		125	3.17	48.3	4.80	14.20	0.16	0.05	<0.01	0.045	1.18	8.9	13.4	2.70	1100	1.77
I030559		125	2.58	28.2	4.02	9.24	0.14	0.07	<0.01	0.029	1.24	1.7	10.7	2.15	978	0.45
I030560		32	1.14	256	4.69	5.98	0.16	0.22	0.10	0.489	0.18	10.8	8.2	0.51	821	24.3
I030561		52	1.43	32.7	3.20	5.85	0.14	0.10	<0.01	0.031	0.69	2.5	10.3	1.28	702	0.20
I030562		89	2.75	28.1	3.73	8.06	0.13	0.05	<0.01	0.022	1.32	2.0	10.2	1.83	755	0.25
I030563		82	2.13	60.2	4.00	7.12	0.10	0.10	0.04	0.043	0.90	5.7	10.1	1.76	914	4.53
I030564		8	0.50	16.9	2.54	0.76	0.05	0.10	0.08	0.010	0.10	2.7	0.6	0.15	974	3.70
I030565		10	0.88	38.6	2.04	1.06	0.05	0.08	0.11	0.020	0.13	5.2	1.9	0.50	1200	2.30
I030566		14	0.46	39.3	2.41	1.50	0.06	0.06	0.06	0.023	0.17	9.8	2.7	0.89	751	0.81
I030567		27	1.50	55.2	2.74	4.40	0.08	0.16	0.04	0.021	0.46	14.8	11.0	0.75	646	1.62
I030568		19	1.40	48.8	2.59	3.41	0.07	0.13	0.06	0.056	0.26	7.5	7.4	0.83	921	0.94
I030569		17	0.55	50.0	1.93	2.22	0.06	0.09	0.05	0.019	0.22	8.1	7.1	0.62	648	2.82
I030570		9	2.02	3.2	2.04	4.37	0.11	0.17	<0.01	0.013	0.60	10.0	22.5	0.53	468	0.15
I030571		26	1.62	59.0	3.41	6.27	0.11	0.12	0.02	0.029	0.62	21.6	15.7	1.07	1280	1.81
I030572		19	1.22	33.3	3.54	4.46	0.12	0.06	0.02	0.022	0.46	32.1	9.4	1.04	916	0.61
I030573		19	1.13	50.3	3.76	4.38	0.12	0.06	0.03	0.031	0.37	23.4	10.0	0.79	942	1.55
I030574		37	1.33	75.3	3.82	5.24	0.13	0.15	0.04	0.045	0.55	20.3	9.7	0.96	900	2.97
I030575		36	1.17	52.0	4.27	4.09	0.12	0.14	0.10	0.058	0.40	16.3	6.2	1.06	1220	2.53
I030576		10	1.49	121.5	5.67	1.65	0.13	0.04	0.14	0.043	0.25	4.8	1.7	2.10	1380	1.08
I030577		35	2.16	80.0	5.99	9.89	0.14	0.03	0.08	0.065	0.59	15.6	11.4	2.50	1280	0.64
I030578		70	2.71	73.2	5.13	15.85	0.19	0.04	0.01	0.043	1.64	5.9	9.6	2.38	802	1.24
I030579		71	1.74	33.0	5.84	14.75	0.21	0.03	<0.01	0.042	1.04	2.4	11.8	3.61	1050	0.31
I030580		63	1.57	32.4	5.80	14.20	0.22	0.03	0.01	0.044	0.93	2.6	11.0	3.41	973	0.29
I030581		168	0.65	57.3	4.87	10.65	0.22	0.03	0.01	0.055	0.34	1.4	8.6	4.13	961	0.17
I030582		194	2.06	47.7	4.92	13.25	0.20	0.02	<0.01	0.046	1.05	2.0	11.0	3.92	1060	0.12
I030583		213	1.63	38.0	4.90	12.50	0.21	0.02	<0.01	0.051	0.72	2.2	13.2	4.44	978	0.26
I030584		73	1.77	44.7	3.36	10.35	0.12	0.06	<0.01	0.034	1.05	9.0	10.0	1.99	731	2.01
I030585		45	1.62	58.7	2.58	6.49	0.08	0.16	0.01	0.031	0.61	8.3	7.7	1.16	609	5.45
I030586		38	1.64	63.6	3.71	8.83	0.11	0.09	<0.01	0.029	1.01	14.5	10.8	1.74	873	4.48
I030587		47	1.67	54.1	3.52	11.50	0.12	0.03	<0.01	0.035	1.21	12.5	9.3	1.67	909	2.29
I030588		26	1.14	44.1	2.13	6.80	0.08	0.03	<0.01	0.024	0.75	7.9	4.9	1.20	886	1.70
I030589		16	1.48	10.0	1.77	9.33	0.06	0.05	<0.01	0.026	0.93	12.2	7.2	1.79	718	0.83



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01
I030550		0.14	0.18	49.1	340	4.4	53.9	0.004	0.66	0.06	7.8	2.0	0.7	39.2	<0.01
I030551		0.17	0.18	59.1	490	4.9	45.0	0.003	0.72	0.06	14.2	1.5	1.1	59.4	<0.01
I030552		0.17	0.18	57.3	620	5.3	41.2	0.003	0.89	0.08	15.6	1.7	1.6	117.0	<0.01
I030553		0.11	0.26	67.6	930	3.9	35.0	0.008	0.81	0.11	7.4	2.8	0.7	62.5	<0.01
I030554		0.12	0.17	48.8	590	7.1	40.5	0.003	0.95	0.15	12.0	1.4	0.8	77.1	<0.01
I030555		0.04	0.19	34.8	280	2.6	27.7	0.002	0.46	0.17	5.0	1.0	0.6	24.2	<0.01
I030556		0.01	0.16	15.9	110	1.9	12.0	0.001	0.31	1.39	1.9	0.3	0.3	10.8	<0.01
I030557		0.09	0.27	30.3	450	3.7	34.9	0.002	0.45	0.10	6.2	0.7	0.7	40.3	<0.01
I030558		0.16	0.24	56.0	770	3.4	53.5	0.003	0.74	0.13	14.8	1.5	1.4	65.1	<0.01
I030559		0.32	0.15	41.2	430	2.5	55.5	0.001	0.41	0.10	8.7	0.6	1.1	52.8	<0.01
I030560		0.12	0.71	55.1	790	17.4	8.6	0.032	1.11	29.5	3.5	6.6	32.0	87.0	0.01
I030561		0.22	0.06	25.6	490	2.3	30.2	0.001	0.46	0.11	9.2	0.8	0.8	40.1	<0.01
I030562		0.23	0.14	28.3	480	2.3	54.6	0.001	0.36	0.19	7.2	0.5	0.7	35.5	<0.01
I030563		0.12	0.14	46.7	700	3.3	37.7	0.007	1.20	10.40	10.8	2.4	0.8	44.3	<0.01
I030564		0.01	0.13	29.5	350	7.0	5.7	0.002	2.44	17.20	1.9	1.5	<0.2	48.4	<0.01
I030565		0.01	<0.05	17.9	420	12.1	6.6	0.003	1.42	29.5	2.8	0.7	0.2	89.5	<0.01
I030566		0.02	0.05	28.3	320	2.6	8.0	0.002	0.92	44.3	2.9	0.8	0.2	59.2	<0.01
I030567		0.02	0.10	31.7	560	3.4	20.4	0.002	0.79	37.5	4.8	1.2	0.5	29.5	<0.01
I030568		0.02	0.12	22.8	600	3.1	12.0	0.002	0.86	24.0	4.3	0.9	0.8	38.5	<0.01
I030569		0.02	0.12	19.9	630	5.8	9.9	0.006	0.99	12.85	3.0	0.8	0.3	30.8	<0.01
I030570		0.14	0.37	2.1	300	7.0	42.0	<0.001	0.02	0.44	3.7	<0.2	0.9	23.0	<0.01
I030571		0.03	0.22	31.3	1030	5.1	24.0	0.005	0.85	27.9	4.9	1.0	0.6	26.0	<0.01
I030572		0.02	0.22	24.0	610	5.9	20.2	0.001	0.96	25.9	3.7	0.7	0.4	35.3	<0.01
I030573		0.02	0.22	26.6	1380	4.8	16.3	0.002	1.06	115.0	4.6	1.2	0.5	31.4	<0.01
I030574		0.02	0.13	33.2	1000	3.5	20.6	0.004	1.40	34.4	7.6	1.8	0.7	23.0	<0.01
I030575		0.02	0.09	45.4	730	4.7	17.8	0.003	2.05	35.3	7.2	2.0	0.5	44.9	<0.01
I030576		0.02	0.07	48.1	1360	11.8	13.3	0.001	5.80	105.5	8.1	1.5	0.2	137.5	<0.01
I030577		0.07	0.12	38.1	1400	6.5	26.3	0.002	2.36	231	17.0	1.1	0.7	106.0	0.01
I030578		0.40	0.11	39.4	640	5.8	68.6	0.002	1.41	2.00	20.7	2.5	1.7	82.9	<0.01
I030579		0.29	0.11	28.2	520	12.9	41.2	<0.001	0.60	0.80	25.1	0.7	1.3	64.9	<0.01
I030580		0.23	0.11	24.8	590	13.2	36.0	0.001	0.66	0.18	23.1	0.7	1.2	58.0	<0.01
I030581		0.08	0.09	53.8	420	63.4	13.6	0.001	0.46	0.34	15.2	0.6	0.7	60.5	<0.01
I030582		0.28	0.09	57.5	520	59.9	44.2	0.001	0.83	0.17	22.6	0.7	0.9	106.5	<0.01
I030583		0.13	0.08	57.9	370	35.8	27.6	0.002	0.46	0.16	28.1	0.6	0.6	80.2	<0.01
I030584		0.18	0.12	36.8	570	6.0	40.2	0.003	0.60	0.10	11.1	1.0	0.7	71.5	<0.01
I030585		0.02	0.11	25.2	680	9.8	25.9	0.004	0.99	0.50	6.7	1.4	0.6	32.6	<0.01
I030586		0.06	0.19	44.1	490	4.5	36.2	0.004	0.92	0.24	6.2	1.2	0.7	30.2	<0.01
I030587		0.21	0.16	34.1	470	4.6	46.6	0.002	0.91	0.15	8.6	1.1	0.9	62.0	<0.01
I030588		0.14	0.11	25.0	560	5.4	29.6	0.003	0.71	0.07	5.1	0.9	0.7	128.5	<0.01
I030589		0.24	0.08	13.0	430	7.0	37.7	0.001	0.30	0.08	6.0	0.6	0.8	168.5	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
I030550		5.8	0.108	0.28	1.50	79	0.17	7.18	90
I030551		3.4	0.152	0.21	0.96	136	0.26	8.81	79
I030552		2.5	0.167	0.20	0.90	144	0.19	10.65	86
I030553		4.0	0.114	0.19	2.80	176	0.18	11.75	102
I030554		2.8	0.095	0.23	1.13	110	0.25	11.00	76
I030555		3.3	0.064	0.16	1.01	46	0.14	6.64	50
I030556		2.0	0.014	0.08	0.32	15	0.08	3.58	17
I030557		5.9	0.098	0.19	1.68	55	0.19	11.05	50
I030558		2.8	0.179	0.27	0.88	149	0.25	10.85	92
I030559		0.5	0.270	0.30	0.16	127	0.20	7.19	81
I030560		2.6	0.109	1.30	1.74	56	24.9	7.36	62
I030561		0.6	0.269	0.16	0.18	99	0.16	9.40	63
I030562		0.6	0.268	0.28	0.26	115	0.22	6.96	80
I030563		2.1	0.134	0.23	1.54	116	0.14	10.25	119
I030564		2.0	<0.005	0.10	1.37	11	0.18	6.62	26
I030565		2.5	<0.005	0.08	1.05	18	0.21	7.03	40
I030566		3.9	<0.005	0.11	0.70	15	0.12	4.43	40
I030567		5.3	0.028	0.15	1.43	40	0.08	6.56	46
I030568		2.6	0.019	0.12	0.75	31	0.48	7.05	43
I030569		3.4	0.012	0.09	1.51	31	0.15	5.61	43
I030570		12.9	0.137	0.36	2.49	42	0.10	5.87	37
I030571		8.3	0.050	0.18	2.01	57	0.18	9.34	65
I030572		16.6	0.022	0.12	1.86	25	0.15	9.03	66
I030573		6.9	0.020	0.12	1.50	41	0.18	12.35	70
I030574		6.2	0.040	0.14	1.56	66	0.22	10.55	69
I030575		6.9	0.014	0.19	1.74	53	0.14	9.66	81
I030576		1.7	<0.005	0.15	0.89	22	0.76	17.05	65
I030577		5.1	0.040	0.17	0.93	108	0.36	18.75	90
I030578		2.9	0.186	0.37	1.05	187	0.29	9.62	94
I030579		0.8	0.216	0.19	0.16	211	0.14	8.62	83
I030580		0.8	0.203	0.18	0.15	209	0.14	8.51	81
I030581		0.4	0.180	0.06	0.11	154	0.19	6.57	198
I030582		0.7	0.162	0.24	0.30	183	0.18	7.31	129
I030583		0.6	0.111	0.14	0.21	183	0.07	9.54	97
I030584		4.3	0.103	0.22	1.23	85	0.19	7.78	80
I030585		3.3	0.049	0.17	0.81	68	0.30	8.55	57
I030586		7.5	0.102	0.21	1.75	52	0.21	9.89	77
I030587		5.8	0.125	0.26	1.38	67	0.36	8.74	83
I030588		4.2	0.062	0.15	1.70	42	0.11	7.41	56
I030589		7.4	0.065	0.18	2.22	26	0.12	12.75	74



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I030590		<0.02	<0.005		0.12	3.43	0.4	<0.2	<10	600	0.57	0.12	9.73	0.19	24.3	7.5
I030591		3.37	<0.005		0.03	0.84	3	<0.2	<10	180	0.08	0.04	16.85	0.30	7.80	3.5
I030592		4.96	<0.005		0.34	2.55	0.4	<0.2	<10	300	0.64	0.40	2.02	0.73	14.65	8.3
I030593		5.29	0.030		0.63	4.15	<0.1	<0.2	<10	510	0.79	0.86	3.72	0.14	16.15	14.7
I030594		5.22	0.049		1.32	6.79	<0.1	<0.2	<10	270	0.61	2.84	4.91	0.21	8.96	30.0
I030595		4.58	0.021		0.70	3.33	0.4	<0.2	<10	290	0.82	1.21	2.45	4.52	17.80	11.3
I030596		3.93	<0.005		0.34	2.41	0.3	<0.2	<10	350	0.66	0.95	1.44	0.45	12.70	8.4
I030597		1.89	0.007		0.35	2.87	1.7	<0.2	<10	200	0.73	0.83	1.66	0.39	12.20	9.5
I030598		1.90	<0.005		0.24	1.07	1.0	<0.2	<10	390	0.31	0.35	1.65	0.20	7.97	5.3
I030599		5.21	0.008		0.29	2.89	0.2	<0.2	<10	230	0.77	0.51	1.74	0.80	10.60	9.4
I030600		2.27	<0.005		0.22	2.26	0.8	<0.2	<10	360	0.60	0.26	0.93	0.35	12.60	8.6
I030601		0.07	1.220	1.17	0.46	1.64	1930	1.2	30	80	0.12	37.7	3.82	0.39	16.90	60.0
I030602		2.81	<0.005		0.24	0.96	18.9	<0.2	<10	500	0.25	0.55	1.99	0.04	7.40	7.2
I030603		3.25	0.005		0.18	2.31	1.0	<0.2	<10	430	0.71	0.15	1.07	0.07	24.7	9.9
I034451		0.93	<0.005		0.25	1.00	43.6	<0.2	<10	70	0.38	2.15	0.51	0.42	49.7	13.9
I034452		0.92	0.019		0.18	2.40	5820	0.2	<10	50	0.81	4.69	1.39	0.38	50.1	25.9
I034453		1.04	<0.005		9.21	0.18	56.1	<0.2	20	70	0.30	215	0.05	0.16	31.4	0.9
I031051		0.79	<0.005		0.06	0.53	4.4	<0.2	<10	90	0.65	0.35	0.12	0.17	87.6	0.9
I031052		1.37	<0.005		0.07	1.26	0.8	<0.2	<10	670	0.09	0.89	0.90	0.05	6.27	15.3
I031053		1.37	<0.005		0.04	0.04	1.5	<0.2	<10	10	<0.05	0.07	0.12	0.03	0.48	0.9
I031054		0.88	<0.005		0.76	0.10	0.6	<0.2	<10	20	<0.05	0.34	0.02	0.17	3.53	4.6
I031055		1.28	0.024		8.58	2.07	16.7	<0.2	<10	130	0.53	1.67	0.87	1.57	23.9	30.4
I031056		0.81	0.006		6.39	0.66	85.5	<0.2	10	50	0.61	224	1.18	4.05	63.4	3.4
I031057		1.29	0.006		5.41	0.12	2710	<0.2	<10	20	0.28	1.33	0.12	5.03	11.60	1.7
I031058		1.03	0.007		4.10	0.16	4120	<0.2	10	30	0.52	1.84	0.15	5.06	15.80	2.7
I031059		0.78	<0.005		0.84	0.15	4080	<0.2	<10	30	0.31	2.42	0.35	1.25	9.58	1.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I030590		15	1.44	10.4	1.67	9.12	0.07	0.05	<0.01	0.027	0.89	12.0	6.9	1.70	682	0.79
I030591		7	0.66	2.8	1.03	2.60	0.06	0.02	<0.01	0.028	0.31	4.1	2.6	5.12	1580	0.49
I030592		44	1.16	59.6	2.45	8.51	0.08	0.08	<0.01	0.026	0.71	7.4	6.2	1.01	478	5.81
I030593		61	2.07	68.0	3.32	12.05	0.14	0.03	<0.01	0.037	1.21	8.0	8.0	1.70	1200	2.73
I030594		143	3.60	67.6	4.93	15.60	0.20	0.02	<0.01	0.047	2.06	4.2	12.6	3.18	1030	0.75
I030595		47	2.08	64.2	2.84	10.10	0.10	0.08	0.01	0.049	0.88	8.8	9.8	1.28	793	4.20
I030596		42	1.34	53.1	2.27	7.20	0.07	0.14	<0.01	0.019	0.69	6.4	8.2	0.99	425	2.17
I030597		49	1.63	56.1	2.65	8.84	0.08	0.10	<0.01	0.026	0.86	6.0	8.9	1.21	484	2.64
I030598		31	0.66	28.6	1.61	3.79	0.05	0.06	<0.01	0.012	0.36	4.0	4.0	0.65	385	1.24
I030599		54	1.35	58.9	2.57	9.05	0.07	0.09	<0.01	0.033	0.83	5.3	7.8	1.14	494	2.39
I030600		48	1.96	55.8	2.45	7.34	0.08	0.25	<0.01	0.029	0.83	6.3	8.2	1.13	432	2.33
I030601		21	0.86	117.0	3.36	5.41	0.15	0.21	0.02	0.104	0.15	11.0	9.6	0.53	858	7.95
I030602		31	0.94	39.6	1.50	3.99	0.05	0.09	<0.01	<0.005	0.35	4.1	4.4	0.68	614	0.76
I030603		40	2.57	50.3	2.85	8.35	0.09	0.32	<0.01	0.029	0.91	11.6	13.4	1.30	497	1.76
I034451		6	11.15	91.5	3.24	4.52	0.12	0.15	<0.01	0.045	0.11	25.6	35.3	0.52	178	0.52
I034452		7	8.47	23.6	3.08	5.85	0.14	0.10	<0.01	0.053	0.18	27.2	19.0	0.42	192	0.46
I034453		8	1.39	6.0	0.51	0.68	<0.05	0.05	0.01	<0.005	0.10	14.9	1.8	0.01	45	0.86
I031051		2	0.75	2.7	1.89	3.09	0.07	0.52	<0.01	0.050	0.14	24.2	3.2	0.03	303	1.78
I031052		92	0.66	76.3	2.58	4.87	0.12	0.04	<0.01	0.018	0.47	2.6	17.8	1.05	411	0.10
I031053		16	<0.05	29.8	0.37	0.18	<0.05	<0.02	0.01	<0.005	0.01	0.2	0.7	0.01	95	0.33
I031054		19	0.11	883	0.68	0.44	<0.05	<0.02	<0.01	0.038	0.01	1.5	0.4	0.03	57	0.18
I031055		22	42.9	1985	4.64	10.45	0.16	0.04	<0.01	0.234	0.86	12.1	46.8	1.20	331	1.05
I031056		4	7.27	177.0	0.90	2.44	0.07	0.10	<0.01	0.036	0.29	35.1	16.3	0.18	462	4.04
I031057		13	4.58	277	0.71	0.61	0.20	0.02	1.72	<0.005	0.08	9.2	2.9	0.02	84	1.29
I031058		10	5.95	278	0.98	0.79	0.15	0.04	0.28	0.006	0.13	10.9	3.9	0.03	183	1.54
I031059		7	4.42	129.5	1.02	0.56	0.07	0.02	77.1	<0.005	0.07	9.0	1.9	0.01	85	0.93



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I030590		0.24	0.08	13.3	430	7.1	36.6	0.001	0.31	0.09	6.0	0.7	0.8	172.0	<0.01	0.06
I030591		0.02	0.09	7.9	610	5.4	13.9	0.001	0.06	0.11	2.8	0.4	0.3	204	<0.01	0.02
I030592		0.14	0.07	42.7	480	3.9	28.5	0.006	0.94	0.15	5.5	2.8	0.6	63.4	<0.01	0.33
I030593		0.22	0.11	35.7	570	5.5	45.8	0.002	0.91	0.13	10.4	1.1	0.9	102.5	<0.01	0.95
I030594		0.39	0.08	53.0	590	9.0	75.0	0.001	1.06	0.11	23.8	1.0	1.1	147.5	<0.01	2.27
I030595		0.16	0.07	33.8	490	14.3	35.1	0.005	1.05	0.13	8.1	1.7	0.8	68.0	<0.01	1.15
I030596		0.10	0.07	40.3	580	3.7	27.7	0.003	0.79	0.15	4.9	1.8	0.6	43.0	<0.01	0.85
I030597		0.11	0.07	42.6	410	3.6	35.7	0.005	0.99	0.16	6.0	2.1	0.7	58.7	<0.01	0.73
I030598		0.05	0.05	27.0	310	4.8	16.7	0.002	0.77	0.17	2.9	1.2	0.3	40.8	<0.01	0.11
I030599		0.16	0.08	41.4	490	4.1	36.9	0.004	1.05	0.14	6.7	2.3	0.8	61.2	<0.01	0.12
I030600		0.07	0.09	40.8	620	2.9	35.7	0.005	0.83	0.24	5.5	1.9	0.7	36.0	<0.01	0.10
I030601		0.15	0.32	24.1	880	11.7	7.7	0.013	0.36	4.91	3.1	3.9	2.8	106.0	<0.01	3.84
I030602		0.02	0.13	27.5	290	3.9	20.7	0.002	0.47	0.34	3.2	1.0	0.3	33.8	<0.01	0.17
I030603		0.03	0.18	30.4	1420	2.8	46.3	0.005	0.49	0.72	6.2	1.1	0.8	34.0	<0.01	0.08
I034451		0.10	0.73	3.7	690	24.8	16.8	<0.001	1.18	1.88	4.6	0.8	2.0	25.2	<0.01	0.23
I034452		0.32	0.34	4.6	480	5.7	25.2	<0.001	1.41	6.13	2.0	0.9	0.8	103.5	<0.01	1.74
I034453		0.01	0.20	2.3	240	71.5	12.5	<0.001	<0.01	40.6	0.5	0.2	<0.2	6.8	<0.01	1.58
I031051		0.05	0.16	1.0	290	11.3	9.0	<0.001	<0.01	0.40	2.6	<0.2	1.0	9.6	<0.01	<0.01
I031052		0.05	0.27	39.4	520	0.6	17.5	<0.001	<0.01	0.75	4.9	0.3	0.3	15.3	<0.01	0.01
I031053		<0.01	0.08	1.7	10	0.3	0.3	<0.001	<0.01	0.83	0.3	<0.2	<0.2	1.5	<0.01	0.02
I031054		0.02	0.17	6.8	70	1.6	0.5	<0.001	0.01	0.70	1.4	0.5	<0.2	2.0	<0.01	0.02
I031055		0.11	0.54	29.0	310	9.6	194.0	0.001	1.58	1.47	13.8	4.6	3.5	28.5	<0.01	0.15
I031056		0.02	0.28	4.9	70	193.0	51.1	<0.001	0.03	15.35	2.2	1.3	0.5	30.0	<0.01	0.55
I031057		<0.01	0.13	4.6	140	118.5	15.5	<0.001	2.00	>10000	0.5	1.9	1.1	10.9	<0.01	0.01
I031058		0.01	0.17	5.7	250	106.0	23.8	<0.001	1.96	>10000	0.8	2.1	1.1	11.9	0.06	<0.01
I031059		0.01	0.07	4.6	160	94.4	10.1	<0.001	3.05	>10000	<0.1	1.9	0.9	31.3	<0.01	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Th	Ti	Ti	U	V	W	Y	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
I030590		7.5	0.061	0.17	2.12	26	0.12	12.40	71
I030591		1.6	0.017	0.05	0.94	19	0.15	11.00	61
I030592		5.2	0.056	0.15	2.28	119	0.56	6.65	80
I030593		4.1	0.102	0.25	1.59	88	0.34	10.25	85
I030594		1.9	0.191	0.43	0.60	183	0.32	9.83	110
I030595		4.7	0.065	0.21	1.37	85	12.55	7.99	184
I030596		5.0	0.046	0.16	1.70	69	0.91	5.39	64
I030597		4.3	0.054	0.20	2.15	79	0.27	6.28	73
I030598		1.7	0.018	0.07	0.56	34	0.09	3.33	29
I030599		3.4	0.060	0.20	1.06	78	0.19	5.59	90
I030600		3.8	0.059	0.21	1.17	83	0.13	6.11	87
I030601		1.9	0.099	0.05	1.83	54	18.15	7.97	65
I030602		1.1	0.019	0.08	0.54	33	0.32	5.50	25
I030603		4.7	0.075	0.23	1.42	77	0.16	10.35	55
I034451		24.8	0.079	0.52	10.15	38	0.69	11.70	30
I034452		26.9	0.063	0.72	15.75	19	0.38	8.08	23
I034453		5.5	<0.005	0.31	2.17	4	0.47	2.41	8
I031051		9.6	<0.005	0.05	2.57	4	0.09	7.20	49
I031052		0.8	0.172	0.06	0.18	90	0.08	6.17	31
I031053		<0.2	<0.005	<0.02	<0.05	1	2.70	0.42	<2
I031054		0.5	<0.005	<0.02	0.45	7	<0.05	0.98	9
I031055		6.6	0.106	3.21	1.50	30	0.14	10.95	127
I031056		29.7	<0.005	0.75	2.40	4	0.17	10.00	173
I031057		1.7	<0.005	1.63	3.55	1	0.10	1.95	537
I031058		3.5	<0.005	1.00	4.35	2	0.95	2.75	659
I031059		<0.2	<0.005	17.55	2.56	1	<0.05	3.16	61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 16-JUL-2010
Account: EIASQI

CERTIFICATE WH10087518

Project: SQI10-06

P.O. No.: SQI10-01_5

This report is for 103 Soil samples submitted to our lab in Whitehorse, YT, Canada on 29-JUN-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I32593		0.12	<0.005	0.68	0.88	5.0	<0.2	<10	60	0.10	0.17	0.08	0.17	10.55	3.5	17
I32594		0.14	<0.005	1.30	0.40	1.9	<0.2	<10	40	<0.05	0.05	0.06	0.14	5.05	1.9	10
I32595		0.18	<0.005	1.04	2.55	11.1	<0.2	<10	240	0.54	0.14	0.15	0.29	17.45	17.1	44
I32596		0.26	<0.005	0.80	2.43	10.2	<0.2	<10	140	0.33	0.13	0.18	0.20	24.8	13.8	41
I32597		0.20	<0.005	0.93	3.54	10.1	<0.2	<10	170	0.48	0.10	0.23	0.43	19.85	17.2	43
I32598		0.12	0.006	1.70	0.52	2.4	<0.2	<10	80	0.08	0.09	0.15	0.32	6.27	2.6	15
I32599		0.12	<0.005	0.40	2.56	11.3	<0.2	<10	180	0.45	0.10	0.26	0.13	19.75	10.3	36
I32600		0.10	NSS	3.90	0.42	2.2	<0.2	<10	290	0.14	0.06	0.39	1.39	6.18	3.5	17
I32601		0.18	0.014	3.38	1.75	8.2	<0.2	<10	280	0.27	0.13	0.22	0.50	23.6	7.4	38
I32602		0.08	0.022	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32603		0.16	<0.005	0.79	0.93	3.8	<0.2	<10	60	0.19	0.11	0.08	0.23	13.55	2.9	17
I32604		0.12	<0.005	0.75	2.18	5.7	<0.2	<10	140	0.30	0.08	0.24	0.54	27.5	9.2	38
I32605		0.16	0.022	1.09	0.39	1.5	<0.2	<10	40	0.06	0.03	0.06	0.22	3.79	1.7	10
I32606		0.22	<0.005	0.75	1.97	7.9	<0.2	<10	140	0.25	0.10	0.26	0.44	17.45	9.7	37
I32607		0.20	0.007	0.95	0.65	1.6	<0.2	<10	60	0.09	0.05	0.10	0.11	11.80	2.0	13
I32608		0.24	<0.005	0.78	2.20	7.7	<0.2	<10	110	0.49	0.06	0.25	0.21	19.50	16.8	69
I32609		0.28	<0.005	0.52	2.69	7.8	<0.2	<10	150	0.40	0.05	0.27	0.17	14.05	15.4	55
I32610		0.36	<0.005	0.22	2.84	8.2	<0.2	<10	170	0.48	0.07	0.29	0.10	23.2	13.5	44
I32611		0.22	<0.005	0.29	2.23	6.8	<0.2	<10	170	0.45	0.13	0.69	0.08	21.0	10.0	31
I32612		0.20	<0.005	0.12	2.88	9.2	<0.2	<10	140	0.39	0.07	0.20	0.15	19.95	15.1	44
I32613		0.24	<0.005	0.39	0.71	2.2	<0.2	<10	230	0.19	0.02	4.05	0.92	6.40	3.5	9
I32614		0.26	<0.005	0.18	1.97	6.8	<0.2	<10	160	0.58	0.07	1.33	0.39	24.5	11.2	30
I32615		0.18	<0.005	1.67	0.96	10.5	<0.2	<10	250	0.30	0.15	2.82	1.03	13.00	9.6	13
I32616		0.18	0.009	1.12	0.86	1.9	<0.2	<10	130	0.21	0.06	2.82	0.19	10.70	3.3	15
I32617		0.20	<0.005	0.14	1.22	3.2	<0.2	<10	140	0.21	0.08	0.37	0.13	21.2	12.0	26
I32618		0.18	<0.005	0.94	0.91	4.4	<0.2	<10	130	0.21	0.04	3.24	0.25	11.95	7.7	14
I32619		0.14	<0.005	1.52	1.15	3.9	<0.2	<10	120	0.34	0.06	2.43	0.21	21.5	12.4	25
I32620		0.20	0.018	1.14	0.46	1.9	<0.2	<10	90	0.10	0.10	3.93	0.27	4.72	3.4	8
I32621		0.08	0.005	2.24	0.67	2.5	<0.2	<10	110	0.22	0.01	2.45	0.48	9.64	6.5	11
I32622		0.14	0.008	0.21	0.85	3.7	<0.2	<10	110	0.28	0.03	3.53	0.22	13.95	6.8	14
I32623		0.12	NSS	0.68	0.58	2.8	<0.2	<10	100	0.13	0.01	4.24	0.25	5.16	4.7	8
I32624		0.14	<0.005	0.16	1.42	5.7	<0.2	<10	100	0.38	0.11	1.45	0.17	19.05	14.0	30
I32625		0.16	0.006	0.59	1.29	10.0	<0.2	<10	100	0.36	0.11	2.02	0.27	20.7	11.7	24
I32626		0.18	<0.005	1.01	0.86	4.5	<0.2	<10	110	0.40	0.11	2.56	0.12	19.55	6.5	14
I32627		0.18	<0.005	0.77	0.91	5.0	<0.2	<10	90	0.42	0.09	2.87	0.22	14.50	8.4	17
I32628		0.16	0.012	0.64	0.42	2.2	<0.2	<10	60	0.26	0.06	4.12	0.32	7.19	4.0	7
I32629		0.12	<0.005	0.75	1.18	4.1	<0.2	<10	90	0.53	0.19	2.00	0.26	23.1	10.2	24
I32630		0.12	NSS	1.17	0.44	1.7	<0.2	<10	90	0.24	0.06	3.66	0.28	7.54	4.6	8
I32631		0.08	<0.005	0.74	0.48	1.8	<0.2	<10	70	0.15	0.05	3.29	0.36	9.05	3.9	7
I32632		0.10	<0.005	0.25	1.23	4.0	<0.2	<10	90	0.34	0.32	2.04	0.16	29.7	11.4	22



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units LOR	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I32593		1.29	19.8	2.00	6.82	<0.05	0.03	0.04	0.014	0.03	5.4	3.4	0.10	117	1.53
I32594		0.55	10.5	0.94	2.72	<0.05	<0.02	0.04	0.009	0.02	2.6	0.8	0.04	47	0.89
I32595		7.42	34.6	4.09	7.23	0.05	0.03	0.03	0.039	0.07	8.9	12.9	0.43	516	3.04
I32596		6.48	28.6	4.23	8.41	0.06	0.05	0.03	0.039	0.11	11.0	18.9	0.64	492	1.79
I32597		2.36	23.9	3.56	6.84	0.06	0.22	0.06	0.039	0.05	9.5	19.5	0.59	312	1.08
I32598		0.39	21.0	1.00	2.98	<0.05	<0.02	0.06	0.015	0.03	3.4	0.9	0.05	45	1.10
I32599		2.04	24.2	3.11	6.30	0.05	0.05	0.09	0.031	0.05	9.8	14.1	0.54	276	1.58
I32600		0.60	14.2	0.89	1.96	<0.05	<0.02	0.10	0.013	0.04	3.3	0.7	0.06	42	2.10
I32601		2.11	35.2	3.29	6.81	0.06	0.04	0.10	0.030	0.13	12.5	9.5	0.42	253	3.11
I32602		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32603		1.07	16.5	1.55	4.96	<0.05	<0.02	0.05	0.016	0.03	7.2	2.9	0.12	84	1.11
I32604		2.90	47.4	3.21	6.31	0.07	0.05	0.05	0.031	0.07	14.7	11.8	0.53	223	2.15
I32605		0.37	9.5	0.77	2.73	<0.05	<0.02	0.03	0.006	0.02	2.0	0.7	0.03	33	0.66
I32606		2.50	23.4	3.18	6.97	0.05	0.06	0.04	0.026	0.05	8.9	12.5	0.52	300	1.32
I32607		1.65	9.0	0.93	3.58	<0.05	<0.02	0.05	0.012	0.04	5.3	1.4	0.07	36	0.56
I32608		8.53	56.0	4.78	6.65	0.07	<0.02	0.02	0.032	0.19	8.8	14.0	0.78	416	1.09
I32609		2.56	26.4	3.84	7.41	0.06	0.04	0.04	0.026	0.12	7.1	22.9	0.81	278	0.96
I32610		2.01	23.6	3.39	6.72	0.06	0.06	0.04	0.029	0.12	11.5	18.4	0.71	311	0.74
I32611		1.37	17.7	2.66	7.10	0.06	0.04	0.04	0.029	0.04	10.4	12.7	0.79	569	0.85
I32612		1.54	24.2	3.60	6.37	0.06	0.09	0.04	0.033	0.08	8.8	18.9	0.71	352	0.82
I32613		0.38	40.8	0.75	1.67	0.05	0.08	0.08	0.011	0.02	3.4	1.8	0.23	268	0.64
I32614		1.92	35.3	2.52	5.57	0.07	0.11	0.07	0.024	0.05	13.1	15.2	1.14	559	0.63
I32615		0.67	31.6	2.90	2.94	0.05	0.09	0.08	0.016	0.02	6.7	3.7	0.37	2540	1.56
I32616		0.56	23.7	1.03	2.58	<0.05	0.10	0.08	0.012	0.02	5.7	3.7	0.39	143	0.44
I32617		1.89	23.9	2.30	5.27	0.05	0.02	0.04	0.015	0.11	11.4	9.1	0.45	510	1.02
I32618		0.36	21.3	1.29	2.45	<0.05	0.07	0.06	0.012	0.02	6.2	3.7	0.19	1330	0.58
I32619		1.50	26.9	1.98	3.70	0.05	0.07	0.06	0.015	0.03	11.7	12.1	0.34	530	0.93
I32620		0.20	24.2	0.61	1.27	<0.05	0.06	0.08	0.009	0.02	2.3	1.5	0.11	334	0.75
I32621		0.59	20.0	1.03	1.93	<0.05	0.06	0.09	0.011	0.05	4.8	4.5	0.16	917	0.83
I32622		0.88	18.5	1.77	2.48	0.05	0.08	0.06	0.014	0.02	7.1	8.0	0.25	361	0.59
I32623		0.28	19.4	0.70	1.37	<0.05	0.05	0.07	0.008	0.02	3.1	1.7	0.13	1180	0.88
I32624		1.79	17.6	2.45	4.31	0.05	0.06	0.05	0.017	0.05	9.5	14.1	0.58	563	0.50
I32625		2.17	19.2	2.30	3.94	0.06	0.05	0.06	0.018	0.06	11.3	12.5	0.53	421	0.54
I32626		0.83	14.9	1.29	2.71	<0.05	0.04	0.11	0.014	0.02	10.4	5.3	0.26	713	0.62
I32627		1.46	27.8	1.61	2.73	0.05	0.06	0.07	0.014	0.06	8.7	10.9	0.34	414	0.56
I32628		0.82	19.7	0.66	1.18	<0.05	0.04	0.10	0.008	0.03	4.5	2.7	0.13	275	0.66
I32629		2.32	17.9	2.01	3.86	0.06	0.06	0.06	0.022	0.05	11.7	14.2	0.58	518	0.57
I32630		0.40	19.1	0.63	1.30	<0.05	0.04	0.08	0.008	0.03	4.6	2.9	0.26	239	0.68
I32631		0.41	17.1	0.68	1.23	<0.05	0.04	0.10	0.006	0.02	5.0	3.1	0.19	334	0.67
I32632		1.07	19.6	2.05	3.84	0.07	0.07	0.04	0.017	0.04	16.4	14.0	0.52	337	0.43



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
	Units LOR	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I32593		1.17	10.2	260	8.7	5.6	<0.001	0.02	0.53	1.8	0.2	0.6	9.6	<0.01	0.03
I32594		0.29	5.8	290	3.8	2.8	<0.001	0.02	0.23	0.8	0.2	0.3	8.5	<0.01	0.01
I32595		1.40	43.7	410	11.8	17.0	<0.001	0.02	0.58	5.5	0.7	0.6	18.1	<0.01	0.05
I32596		1.69	26.6	480	10.8	19.1	0.001	0.03	0.41	5.6	0.6	0.7	15.2	<0.01	0.03
I32597		1.89	36.1	430	8.9	10.7	<0.001	0.02	0.44	6.2	0.7	0.5	20.5	0.01	0.03
I32598		0.27	10.2	630	4.6	2.5	<0.001	0.05	0.28	0.5	0.4	0.3	18.5	<0.01	0.02
I32599		1.63	23.7	660	8.3	9.2	<0.001	0.03	0.53	5.2	1.1	0.5	22.4	0.01	0.03
I32600		0.30	11.7	660	4.0	3.6	0.001	0.11	0.31	0.5	0.7	0.3	45.3	<0.01	0.03
I32601		1.21	21.5	860	11.3	14.0	0.001	0.15	0.45	3.8	1.6	0.5	25.1	<0.01	0.05
I32602		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32603		0.43	8.3	390	11.4	6.7	<0.001	0.02	0.25	0.9	0.4	0.5	10.5	<0.01	0.02
I32604		1.30	33.1	770	7.2	10.2	<0.001	0.05	0.29	5.0	1.4	0.5	22.6	<0.01	0.04
I32605		0.07	4.2	480	3.1	2.1	<0.001	0.02	0.17	0.3	0.2	0.3	11.1	<0.01	0.02
I32606		1.67	23.9	670	8.5	9.7	<0.001	0.02	0.35	4.1	0.7	0.5	20.7	<0.01	0.03
I32607		0.13	5.0	490	4.6	6.1	<0.001	0.03	0.12	0.3	0.3	0.3	13.8	<0.01	0.02
I32608		0.83	39.3	710	7.4	26.8	<0.001	0.01	0.39	7.5	0.6	0.4	13.7	<0.01	0.04
I32609		1.48	31.7	660	5.4	16.5	<0.001	0.03	0.33	4.5	0.5	0.4	17.7	0.01	0.04
I32610		1.72	28.4	650	7.2	18.0	<0.001	0.01	0.40	5.2	0.6	0.5	19.7	0.01	0.03
I32611		1.23	20.9	740	13.4	8.1	<0.001	0.04	0.27	4.0	0.4	0.5	31.4	<0.01	0.03
I32612		1.83	31.6	420	8.1	12.8	<0.001	0.03	0.45	5.1	0.6	0.4	18.6	0.01	0.02
I32613		0.41	15.5	1400	2.1	2.1	0.001	0.27	0.51	1.0	4.5	<0.2	85.7	0.01	0.04
I32614		1.19	29.1	790	10.2	11.0	<0.001	0.08	0.32	4.1	0.9	0.5	33.8	0.01	0.02
I32615		0.66	18.2	1360	5.2	4.6	<0.001	0.23	0.45	1.5	1.7	0.2	56.0	0.01	0.06
I32616		0.60	13.0	1240	4.0	2.7	0.001	0.22	0.28	1.4	1.0	0.2	54.0	0.01	0.03
I32617		1.23	22.0	440	5.7	19.9	<0.001	0.04	0.18	2.2	0.3	0.4	26.3	<0.01	0.02
I32618		0.61	16.8	1020	4.8	3.0	0.001	0.17	0.32	1.4	0.7	0.2	155.0	0.01	0.04
I32619		1.04	27.4	1010	7.6	8.3	0.001	0.18	0.31	2.5	0.9	0.3	123.5	0.01	0.04
I32620		0.35	15.6	950	1.8	1.5	<0.001	0.26	0.34	0.9	0.8	<0.2	261	0.01	0.03
I32621		0.47	15.1	1090	3.4	6.6	<0.001	0.20	0.30	1.5	0.7	0.2	169.5	0.01	0.03
I32622		0.64	14.4	1030	5.7	2.7	<0.001	0.23	0.24	1.7	0.7	0.2	175.5	0.01	0.03
I32623		0.36	12.7	1100	1.8	2.7	0.001	0.24	0.44	0.8	0.8	<0.2	224	0.01	0.04
I32624		0.98	24.2	700	8.4	8.6	<0.001	0.05	0.24	3.3	0.6	0.3	68.4	0.01	0.02
I32625		0.91	21.2	700	7.7	18.8	<0.001	0.09	0.26	2.7	0.7	0.3	93.4	0.01	0.03
I32626		0.59	13.3	880	6.1	3.2	<0.001	0.12	0.22	1.3	0.9	0.3	88.1	0.01	0.03
I32627		0.72	23.7	810	5.2	15.6	<0.001	0.13	0.26	1.9	0.9	0.2	135.0	0.01	0.03
I32628		0.34	12.8	850	2.3	3.7	<0.001	0.21	0.22	0.8	0.8	<0.2	205	0.01	0.03
I32629		0.77	21.7	810	11.1	11.6	<0.001	0.08	0.18	3.0	0.8	0.4	78.2	0.01	0.03
I32630		0.31	11.6	780	2.3	3.6	<0.001	0.18	0.20	0.7	0.8	<0.2	114.5	0.01	0.03
I32631		0.31	10.2	740	2.2	3.6	<0.001	0.16	0.20	0.9	0.7	<0.2	138.5	0.01	0.02
I32632		0.99	22.5	560	7.0	7.4	<0.001	0.07	0.22	2.8	0.8	0.3	91.4	0.01	0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - D

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I32593		0.077	0.09	0.41	67	0.12	1.76	34
I32594		0.040	0.05	0.29	28	0.07	1.04	16
I32595		0.059	0.19	0.75	77	0.16	5.19	101
I32596		0.111	0.19	0.83	86	0.17	5.89	75
I32597		0.105	0.12	0.70	73	0.15	4.68	59
I32598		0.021	0.05	0.34	35	0.08	1.47	26
I32599		0.092	0.13	0.84	70	0.18	5.78	53
I32600		0.017	0.04	0.38	29	0.09	1.75	19
I32601		0.085	0.16	1.35	77	0.18	5.22	71
I32602		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32603		0.039	0.08	0.54	46	0.09	2.92	27
I32604		0.096	0.16	1.21	83	0.13	7.12	116
I32605		0.008	0.04	0.19	24	0.05	0.76	15
I32606		0.112	0.09	0.60	79	0.21	4.91	59
I32607		0.010	0.06	0.36	21	0.09	1.45	14
I32608		0.075	0.27	0.63	97	0.10	5.67	79
I32609		0.132	0.14	0.52	98	0.15	3.92	59
I32610		0.122	0.16	0.66	75	0.19	5.53	55
I32611		0.072	0.15	0.82	64	0.22	6.49	47
I32612		0.118	0.13	0.61	69	0.16	3.70	57
I32613		0.022	0.09	19.65	18	0.10	3.52	17
I32614		0.075	0.25	1.69	60	0.15	11.55	57
I32615		0.032	0.17	4.75	36	0.07	6.31	35
I32616		0.031	0.09	1.98	20	0.05	4.43	22
I32617		0.099	0.14	0.56	48	0.09	4.06	44
I32618		0.033	0.06	0.44	24	0.06	4.78	26
I32619		0.051	0.12	1.02	37	0.09	6.10	51
I32620		0.022	0.05	0.27	15	0.11	2.25	35
I32621		0.027	0.08	0.34	19	0.05	3.49	36
I32622		0.030	0.06	0.53	22	0.07	4.29	38
I32623		0.019	0.06	0.26	13	0.05	2.91	44
I32624		0.069	0.10	0.65	43	0.43	5.64	56
I32625		0.058	0.12	0.71	37	0.08	6.62	91
I32626		0.029	0.10	0.59	24	0.06	6.03	29
I32627		0.043	0.11	0.85	27	0.14	6.17	63
I32628		0.019	0.11	0.38	12	<0.05	3.47	50
I32629		0.046	0.12	1.01	35	0.12	7.88	62
I32630		0.018	0.07	0.55	13	<0.05	3.53	36
I32631		0.020	0.05	0.39	12	<0.05	3.48	53
I32632		0.061	0.09	0.81	36	0.13	7.97	57



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I32633		0.16	<0.005	0.12	1.03	5.9	<0.2	<10	100	0.32	0.11	2.38	0.10	16.15	10.2	18
I32634		0.16	0.006	0.57	0.82	3.3	<0.2	<10	90	0.28	0.15	3.23	0.15	18.20	6.6	14
I32635		0.12	0.006	0.51	0.58	1.9	<0.2	<10	120	0.32	0.08	2.72	0.28	15.30	3.7	11
I32636		0.10	<0.005	0.63	0.69	6.5	<0.2	<10	160	0.20	0.08	2.61	0.46	15.95	8.1	12
I32637		0.14	NSS	1.64	0.42	1.8	<0.2	<10	120	0.17	0.05	3.55	0.29	8.16	3.8	6
I32638		0.28	0.031	0.28	1.46	6.7	<0.2	<10	90	0.26	0.14	0.42	0.11	21.2	18.8	35
I32639		0.24	<0.005	0.20	1.66	7.6	<0.2	<10	100	0.29	0.16	0.47	0.13	22.8	26.2	39
I32640		0.30	<0.005	0.51	1.86	7.6	<0.2	<10	150	0.47	0.20	0.37	0.07	40.5	13.3	34
I32641		0.30	<0.005	0.09	2.15	3.2	<0.2	<10	100	0.43	0.09	0.27	0.06	19.05	16.7	49
I32642		0.22	<0.005	0.20	1.90	5.6	<0.2	<10	180	0.43	0.19	0.75	0.09	27.4	14.3	35
I32643		0.28	<0.005	0.22	2.28	3.4	<0.2	<10	140	0.59	0.15	0.51	0.07	29.5	17.1	53
I32644		0.08	NSS	0.16	0.19	0.9	<0.2	<10	60	<0.05	0.03	3.90	0.20	2.20	1.3	4
I32645		0.16	<0.005	0.31	1.86	5.5	<0.2	<10	150	0.42	0.12	0.84	0.09	30.6	11.4	40
I32646		0.12	<0.005	1.34	0.53	1.7	<0.2	<10	140	0.27	0.05	3.28	0.31	27.5	4.7	8
I32647		0.20	<0.005	0.20	1.66	4.8	<0.2	<10	110	0.28	0.12	0.51	0.09	21.6	16.8	35
I32648		0.20	<0.005	0.13	1.55	4.3	<0.2	<10	110	0.31	0.11	0.49	0.09	24.9	12.7	33
I32649		0.12	<0.005	0.59	1.18	3.2	<0.2	<10	80	0.16	0.08	0.76	0.15	19.80	12.7	25
I32650		0.28	0.018	0.10	1.71	6.9	<0.2	<10	130	0.23	0.11	0.50	0.14	15.35	9.7	30
I32651		0.16	<0.005	0.31	1.44	6.7	<0.2	<10	110	0.21	0.11	0.71	0.12	16.65	9.7	29
I32652		0.22	<0.005	0.18	1.44	5.8	<0.2	<10	130	0.25	0.11	0.77	0.17	15.85	10.9	28
I32653		0.24	<0.005	0.12	1.88	5.3	<0.2	<10	160	0.26	0.11	0.41	0.10	21.1	9.4	23
I32654		0.16	<0.005	0.43	1.74	4.5	<0.2	<10	280	0.40	0.14	0.37	0.09	44.7	12.8	21
I32655		0.12	0.017	1.62	0.55	1.5	<0.2	<10	260	0.46	0.03	0.68	0.32	64.1	4.8	7
I32656		0.10	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32657		0.14	<0.005	0.11	1.83	9.5	<0.2	<10	200	0.19	0.12	0.44	0.06	22.9	8.7	24
I32658		0.22	<0.005	0.31	1.64	5.6	<0.2	<10	250	0.31	0.10	0.80	0.17	36.6	7.3	23
I32659		0.24	0.014	0.35	2.10	21.6	<0.2	<10	340	0.38	0.12	0.67	0.10	29.2	10.0	33
I32660		0.18	0.008	0.35	1.63	33.0	<0.2	<10	200	0.31	0.14	0.32	0.10	19.30	4.6	22
I32661		0.24	0.029	0.13	2.10	178.5	<0.2	<10	330	0.44	0.11	0.49	0.14	33.6	9.7	30
I32662		0.24	0.017	0.17	2.21	168.0	<0.2	<10	220	0.31	0.11	0.35	0.17	19.15	10.6	30
I32663		0.22	0.016	0.26	1.72	270	<0.2	<10	240	0.27	0.16	0.28	0.22	20.8	6.6	23
I32664		0.18	<0.005	0.21	1.24	92.5	<0.2	<10	180	0.20	0.15	0.17	0.07	13.55	14.4	15
I32665		0.14	<0.005	0.12	0.30	1.9	<0.2	<10	80	0.06	0.22	0.08	0.09	5.75	1.5	6
I32666		0.30	0.016	0.08	1.44	302	<0.2	<10	180	0.20	0.13	0.18	0.07	23.1	6.3	17
I32667		0.30	0.009	0.06	2.31	13.8	<0.2	<10	260	0.37	0.13	0.36	0.06	26.2	10.6	28
I32668		0.32	<0.005	0.16	1.65	7.2	<0.2	<10	130	0.15	0.19	0.22	0.06	23.8	6.4	22
I32669		0.12	0.005	1.09	1.10	2.6	<0.2	<10	200	0.55	0.15	0.33	0.22	25.8	7.2	13
I32670		0.20	<0.005	0.53	1.42	4.9	<0.2	<10	140	0.18	0.12	0.32	0.08	19.00	5.7	22
I32671		0.24	<0.005	0.26	1.82	10.5	<0.2	<10	160	0.20	0.16	0.26	0.05	21.6	8.7	22
I32672		0.26	0.009	0.15	1.95	14.4	<0.2	<10	250	0.27	0.16	0.73	0.10	29.5	9.2	23



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - B

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I32633		0.58	18.7	1.80	3.34	0.05	0.05	0.06	0.015	0.03	8.9	9.4	0.30	480	0.53
I32634		1.25	18.0	1.30	2.61	0.05	0.06	0.06	0.011	0.05	10.3	8.9	0.25	456	0.60
I32635		0.59	30.2	0.92	1.69	<0.05	0.05	0.09	0.009	0.02	9.2	3.2	0.22	185	0.74
I32636		0.86	31.7	1.12	1.82	0.05	0.06	0.15	0.010	0.05	10.3	4.8	0.25	900	0.97
I32637		0.26	23.0	0.54	0.87	<0.05	0.04	0.10	0.007	0.02	4.7	1.2	0.11	1280	0.95
I32638		2.21	26.1	2.92	6.09	0.07	0.02	0.02	0.017	0.15	9.7	15.6	0.57	395	1.18
I32639		2.56	27.7	3.24	6.37	0.07	0.02	0.01	0.019	0.17	9.9	17.8	0.64	619	1.30
I32640		2.81	27.3	3.24	6.71	0.08	0.02	0.03	0.032	0.08	26.6	13.9	0.48	260	1.12
I32641		2.53	29.1	3.31	5.94	0.08	0.08	0.01	0.019	0.22	10.8	17.9	0.91	260	0.62
I32642		1.93	22.2	2.76	6.56	0.06	0.03	0.03	0.022	0.06	15.6	16.3	0.52	380	0.57
I32643		3.43	29.3	3.47	7.03	0.08	0.07	0.01	0.017	0.44	15.0	26.7	0.97	318	0.48
I32644		0.17	9.3	0.29	0.54	<0.05	0.02	0.11	<0.005	0.03	1.2	0.9	0.11	93	0.61
I32645		2.06	25.8	2.98	6.25	0.08	0.02	0.04	0.022	0.15	18.7	13.4	0.65	226	0.71
I32646		0.40	30.4	0.64	1.10	0.06	0.06	0.11	0.007	0.05	18.9	1.5	0.17	886	0.77
I32647		2.44	20.5	3.10	5.31	0.06	0.02	0.02	0.023	0.10	12.1	13.5	0.61	417	0.85
I32648		1.97	19.0	2.84	4.85	0.08	0.02	0.03	0.019	0.10	13.6	14.4	0.59	264	0.61
I32649		0.89	17.5	2.12	4.15	0.06	0.02	0.04	0.014	0.08	9.9	9.1	0.47	406	0.66
I32650		0.54	19.4	2.73	5.55	0.07	0.07	0.02	0.021	0.05	7.6	10.9	0.56	198	0.85
I32651		0.40	18.5	2.51	5.06	0.08	0.05	0.03	0.020	0.09	8.3	10.1	0.61	322	0.74
I32652		0.56	22.6	2.48	4.92	0.07	0.03	0.03	0.019	0.05	7.8	9.6	0.57	344	0.71
I32653		0.90	15.3	2.80	6.60	0.08	0.05	0.02	0.024	0.04	11.1	14.9	0.61	383	0.51
I32654		1.71	20.8	2.99	5.96	0.09	0.06	0.09	0.031	0.05	21.6	11.8	0.41	805	1.61
I32655		0.20	22.0	0.81	0.93	0.07	0.03	0.14	0.010	0.03	34.2	0.5	0.07	1340	1.51
I32656		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32657		0.78	10.4	2.46	6.42	0.08	0.07	0.04	0.021	0.05	13.4	12.8	0.60	247	0.53
I32658		0.92	19.0	1.81	5.51	0.09	0.05	0.05	0.022	0.07	22.1	13.2	0.59	206	0.49
I32659		0.60	27.0	3.06	6.32	0.09	0.08	0.06	0.025	0.06	19.8	13.7	0.64	478	0.67
I32660		0.54	20.5	2.00	6.17	<0.05	0.03	0.03	0.021	0.06	12.9	7.8	0.31	145	0.74
I32661		0.68	20.0	2.99	6.36	0.07	0.09	0.05	0.026	0.06	22.6	14.2	0.55	403	0.89
I32662		0.94	15.9	3.36	6.72	0.05	0.12	0.03	0.031	0.07	10.2	14.4	0.61	479	1.33
I32663		1.17	12.8	2.82	7.71	0.05	0.09	0.02	0.022	0.06	12.6	10.6	0.42	335	1.58
I32664		1.07	10.9	1.96	6.15	<0.05	0.03	0.02	0.016	0.06	7.0	5.0	0.20	1220	1.91
I32665		0.33	10.1	0.59	1.66	<0.05	<0.02	0.03	0.006	0.02	3.1	0.6	0.03	36	0.38
I32666		1.76	12.3	2.75	6.50	0.05	0.07	0.02	0.025	0.07	12.6	8.4	0.27	304	1.08
I32667		1.45	16.3	3.27	7.22	0.06	0.20	0.01	0.028	0.06	14.0	18.4	0.66	393	0.80
I32668		0.79	13.1	2.85	10.15	0.05	0.07	0.01	0.025	0.04	12.5	8.7	0.44	259	1.50
I32669		0.69	25.5	1.26	3.04	<0.05	<0.02	0.09	0.019	0.05	15.3	3.4	0.12	81	0.97
I32670		0.94	15.8	2.15	6.99	<0.05	0.04	0.03	0.019	0.05	10.6	8.4	0.38	187	0.91
I32671		1.50	12.7	2.94	8.04	0.05	0.09	0.03	0.026	0.11	12.3	12.5	0.54	349	1.05
I32672		1.20	14.6	2.82	6.78	0.06	0.08	0.03	0.025	0.16	19.5	16.2	0.59	379	1.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - C

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I32633		0.82	16.5	740	6.5	3.9	<0.001	0.11	0.24	2.0	0.9	0.3	137.0	0.01	0.04
I32634		0.61	14.5	730	7.2	9.4	<0.001	0.14	0.23	1.7	0.9	0.2	186.0	0.01	0.04
I32635		0.40	17.7	930	2.8	3.2	<0.001	0.21	0.21	1.3	1.0	0.2	104.0	0.01	0.03
I32636		0.47	23.6	980	3.4	8.0	0.001	0.19	0.33	1.8	1.0	<0.2	111.0	0.01	0.04
I32637		0.23	15.7	950	1.5	1.9	0.001	0.21	0.27	0.7	0.9	<0.2	204	0.01	0.05
I32638		1.17	36.1	380	7.7	33.8	<0.001	0.01	0.16	2.9	0.4	0.4	30.5	<0.01	0.05
I32639		1.21	39.0	460	9.4	40.1	<0.001	0.01	0.17	3.0	0.5	0.5	33.2	<0.01	0.06
I32640		0.90	34.3	430	11.9	16.1	<0.001	<0.01	0.20	5.2	0.6	0.5	27.9	<0.01	0.05
I32641		1.11	45.2	500	6.0	35.1	<0.001	<0.01	0.15	4.1	0.3	0.4	17.6	<0.01	0.03
I32642		1.08	28.6	420	8.8	14.9	<0.001	0.01	0.19	3.7	0.5	0.5	59.5	<0.01	0.04
I32643		1.39	44.6	490	7.2	52.7	<0.001	<0.01	0.13	3.5	0.4	0.4	37.3	<0.01	0.04
I32644		0.14	4.3	610	1.0	1.6	<0.001	0.16	0.11	0.6	0.6	<0.2	193.0	0.01	0.01
I32645		1.07	32.3	440	6.7	25.4	<0.001	0.01	0.19	4.6	0.6	0.4	46.4	<0.01	0.04
I32646		0.22	16.3	1010	2.2	2.8	0.002	0.18	0.28	1.4	1.0	<0.2	169.0	0.01	0.03
I32647		0.85	28.3	680	6.4	17.9	<0.001	<0.01	0.16	4.3	0.3	0.4	28.7	<0.01	0.03
I32648		0.96	25.6	540	6.0	18.6	<0.001	0.01	0.17	3.8	0.4	0.4	30.1	<0.01	0.03
I32649		0.78	21.8	540	4.9	15.9	<0.001	0.06	0.18	3.1	0.6	0.3	45.5	<0.01	0.03
I32650		1.22	24.0	570	5.8	7.6	<0.001	0.02	0.35	4.1	0.4	0.4	29.5	<0.01	0.03
I32651		1.18	22.1	690	5.6	14.1	<0.001	0.03	0.34	4.4	0.4	0.4	36.1	<0.01	0.02
I32652		1.06	22.2	560	5.4	9.0	<0.001	0.04	0.35	4.1	0.5	0.4	41.6	<0.01	0.03
I32653		1.65	15.3	580	6.5	7.9	<0.001	0.02	0.56	4.6	0.5	0.6	25.9	<0.01	0.03
I32654		1.05	14.0	1070	8.3	9.3	0.001	0.07	0.73	5.2	1.0	0.5	28.4	0.01	0.05
I32655		0.18	9.1	1180	1.1	2.9	<0.001	0.14	1.16	3.0	1.3	<0.2	61.5	0.01	0.04
I32656		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32657		1.72	15.9	440	7.2	8.8	<0.001	0.03	0.59	4.9	0.5	0.6	32.8	<0.01	0.03
I32658		1.38	15.8	670	6.5	11.8	0.001	0.07	1.11	5.6	0.7	0.5	58.3	<0.01	0.02
I32659		1.29	21.9	620	6.3	8.8	0.001	0.02	0.53	7.6	0.7	0.5	44.0	<0.01	0.04
I32660		1.20	12.1	240	6.6	6.1	<0.001	0.01	0.36	3.9	0.4	0.5	27.2	<0.01	0.02
I32661		1.62	18.2	490	8.5	7.6	<0.001	0.01	0.75	6.5	0.6	0.5	36.8	<0.01	0.03
I32662		1.49	17.6	400	9.6	12.7	<0.001	<0.01	0.90	4.9	0.3	0.6	24.8	<0.01	0.02
I32663		1.84	12.3	220	11.2	16.8	<0.001	<0.01	0.86	4.2	0.3	0.7	25.1	<0.01	0.03
I32664		1.30	7.1	250	6.6	17.2	<0.001	<0.01	0.33	2.8	0.3	0.5	17.8	<0.01	0.02
I32665		0.18	3.8	230	2.5	2.6	<0.001	0.01	0.07	0.4	0.2	<0.2	12.6	<0.01	0.01
I32666		1.54	8.0	260	8.5	15.4	<0.001	<0.01	1.10	5.2	0.3	0.7	15.7	<0.01	0.01
I32667		1.51	20.9	430	8.1	11.5	<0.001	<0.01	0.46	5.4	0.4	0.6	24.1	<0.01	0.01
I32668		2.43	11.5	170	9.2	10.3	<0.001	0.01	0.49	4.4	0.3	1.0	19.5	<0.01	0.02
I32669		0.52	9.6	750	4.7	5.3	<0.001	0.06	0.25	1.7	0.7	0.3	32.2	<0.01	0.02
I32670		1.51	12.4	290	6.0	10.6	<0.001	0.02	0.31	4.0	0.4	0.6	27.7	<0.01	0.02
I32671		2.84	12.3	350	7.8	22.3	<0.001	0.01	0.65	5.0	0.3	0.9	22.3	<0.01	0.02
I32672		2.28	13.5	430	6.6	23.9	<0.001	0.02	1.23	4.8	0.5	0.7	69.1	<0.01	0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Ti	U	V	W	Y	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
LOR		0.005	0.02	0.05	1	0.05	0.05	2
I32633		0.043	0.05	1.03	35	0.15	6.12	40
I32634		0.035	0.09	1.16	24	0.06	5.58	43
I32635		0.025	0.06	0.49	14	<0.05	6.82	24
I32636		0.028	0.08	1.11	18	0.05	7.17	86
I32637		0.014	0.06	0.33	8	<0.05	3.92	40
I32638		0.108	0.17	0.60	63	0.34	3.29	70
I32639		0.116	0.19	0.61	71	0.15	3.61	82
I32640		0.053	0.13	0.80	56	0.13	9.38	58
I32641		0.137	0.26	0.51	66	0.09	4.25	67
I32642		0.083	0.16	0.83	56	0.16	7.02	56
I32643		0.158	0.32	0.91	56	0.17	5.49	78
I32644		0.012	0.03	0.19	6	<0.05	0.98	38
I32645		0.101	0.16	0.90	55	0.12	7.33	60
I32646		0.015	0.07	0.95	14	<0.05	10.90	24
I32647		0.085	0.11	0.72	61	0.12	5.17	68
I32648		0.093	0.12	0.94	54	0.23	5.77	63
I32649		0.067	0.09	0.83	41	0.21	4.40	52
I32650		0.117	0.07	0.42	75	0.41	5.29	47
I32651		0.108	0.04	0.41	63	0.20	5.51	50
I32652		0.095	0.06	0.48	59	0.17	5.80	51
I32653		0.129	0.09	1.20	68	0.17	7.72	56
I32654		0.056	0.13	7.47	58	0.23	19.70	42
I32655		0.013	0.04	5.60	7	0.05	23.2	19
I32656		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I32657		0.121	0.12	1.12	65	0.25	7.63	53
I32658		0.108	0.12	2.70	51	0.26	14.60	52
I32659		0.130	0.08	2.10	76	0.38	16.95	52
I32660		0.082	0.08	1.30	49	0.73	6.26	45
I32661		0.101	0.08	2.00	72	0.22	14.60	55
I32662		0.095	0.12	0.81	81	0.17	5.04	61
I32663		0.090	0.14	0.73	79	0.17	4.86	54
I32664		0.055	0.10	0.46	57	0.14	2.97	29
I32665		0.023	0.02	0.27	14	0.06	1.87	11
I32666		0.070	0.16	1.11	66	0.15	5.07	42
I32667		0.099	0.13	0.81	81	0.12	6.10	53
I32668		0.137	0.14	0.72	97	0.14	3.12	47
I32669		0.034	0.06	2.18	26	0.08	8.31	25
I32670		0.099	0.08	0.90	64	0.12	4.20	39
I32671		0.151	0.17	1.01	77	0.19	5.25	57
I32672		0.123	0.14	7.05	70	0.19	12.55	49



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 4 - A

Total # Pages: 4 (A - D)

Plus Appendix Pages

Finalized Date: 16-JUL-2010

Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I32673		0.20	<0.005	0.24	1.28	3.6	<0.2	<10	180	0.21	0.15	0.26	0.13	16.60	6.0	19
I32674		0.12	0.013	0.42	1.68	91.5	<0.2	<10	350	0.25	0.11	0.57	0.19	25.2	9.7	24
I32675		0.18	<0.005	0.56	2.19	24.6	<0.2	<10	220	0.13	0.11	0.37	0.09	18.25	9.9	32
I32676		0.22	<0.005	0.23	2.24	24.0	<0.2	<10	230	0.26	0.11	0.38	0.07	18.55	9.8	32
I32677		0.18	<0.005	0.35	2.01	53.8	<0.2	<10	280	0.41	0.13	0.34	0.09	23.0	8.2	26
I32678		0.18	<0.005	0.36	1.88	102.0	<0.2	<10	450	0.42	0.15	0.30	0.16	35.8	9.1	20
I32679		0.22	0.184	0.35	2.14	1155	<0.2	<10	320	0.40	0.15	0.38	0.17	26.8	10.9	28
I32680		0.18	<0.005	0.23	2.43	15.7	<0.2	<10	230	0.42	0.15	0.26	0.07	22.1	15.1	34
I32681		0.22	<0.005	0.27	2.07	7.6	<0.2	<10	240	0.35	0.16	0.36	0.09	23.9	7.6	26
I32682		0.16	<0.005	0.19	2.40	9.8	<0.2	<10	200	0.49	0.17	0.22	0.24	15.05	11.8	29
I32683		0.14	<0.005	0.24	2.09	9.8	<0.2	<10	190	0.28	0.12	0.37	0.10	17.10	11.8	30
I32684		0.14	<0.005	0.39	1.55	5.7	<0.2	<10	210	0.27	0.13	0.29	0.20	21.5	11.7	20
I32685		0.14	NSS	0.61	2.72	10.2	<0.2	<10	360	0.49	0.17	0.64	0.15	36.2	9.0	27
I32686		0.16	<0.005	0.71	1.82	25.3	<0.2	<10	270	0.25	0.13	0.69	0.19	25.0	8.3	21
I32687		0.24	<0.005	0.24	2.06	10.5	<0.2	<10	200	0.28	0.14	0.40	0.14	15.35	10.2	25
I32688		0.16	<0.005	0.11	2.30	15.8	<0.2	<10	190	0.30	0.12	0.59	0.14	23.0	11.6	27
I32689		0.16	<0.005	0.21	1.72	11.8	<0.2	<10	240	0.82	0.16	0.59	0.07	40.6	5.5	18
I32690		0.14	<0.005	0.51	1.98	69.2	<0.2	<10	210	0.34	0.22	0.46	0.07	20.0	9.4	24
I32691		0.14	<0.005	0.23	1.74	8.7	<0.2	<10	210	0.19	0.15	0.23	0.16	13.20	9.9	25
I32692		0.18	<0.005	0.09	1.98	11.6	<0.2	<10	260	0.15	0.15	0.35	0.05	16.40	8.7	25
I32693		0.24	<0.005	0.25	1.49	79.1	<0.2	<10	200	0.30	0.13	0.22	0.12	30.2	9.2	20
I32694		0.14	<0.005	0.17	1.40	8.8	<0.2	<10	260	0.15	0.12	0.38	0.08	17.60	6.7	20
I32695		0.18	<0.005	0.18	1.55	11.0	<0.2	<10	250	0.24	0.12	0.39	0.07	18.20	7.3	22



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
I32673		0.54	16.3	1.75	5.76	<0.05	0.03	0.03	0.016	0.07	9.6	6.1	0.28	387	0.89	0.02
I32674		1.09	18.5	2.65	5.93	0.06	0.05	0.05	0.026	0.09	15.2	12.3	0.47	803	1.25	0.03
I32675		0.86	18.1	3.27	8.39	0.06	0.11	0.02	0.024	0.07	9.6	13.9	0.64	357	0.85	0.02
I32676		0.85	18.2	3.31	7.75	0.06	0.13	0.01	0.025	0.06	9.8	14.6	0.65	359	0.72	0.02
I32677		1.20	17.1	2.93	7.15	0.05	0.10	0.03	0.026	0.06	12.5	13.3	0.49	456	1.06	0.03
I32678		1.89	17.5	2.61	6.73	0.06	0.03	0.04	0.025	0.09	22.8	13.6	0.33	1280	1.04	0.03
I32679		1.54	17.6	3.15	7.50	0.06	0.06	0.08	0.030	0.10	15.1	16.2	0.50	599	1.12	0.02
I32680		0.96	20.4	3.76	8.07	0.05	0.19	0.03	0.033	0.08	11.3	14.6	0.53	726	1.28	0.02
I32681		1.15	20.2	2.81	8.18	0.06	0.11	0.03	0.025	0.05	17.4	14.4	0.48	302	0.94	0.02
I32682		1.63	17.4	3.73	9.60	0.05	0.06	0.02	0.032	0.06	7.7	13.2	0.47	560	1.60	0.02
I32683		1.06	17.0	2.98	7.53	<0.05	0.06	0.04	0.027	0.07	9.3	14.4	0.58	674	1.11	0.03
I32684		1.14	20.7	2.38	6.92	<0.05	0.03	0.04	0.023	0.06	12.5	7.8	0.34	1510	1.76	0.03
I32685		1.45	33.1	2.98	9.54	0.07	0.08	0.07	0.037	0.11	25.4	14.5	0.44	494	1.38	0.03
I32686		1.40	16.7	2.65	8.01	0.06	0.08	0.03	0.025	0.08	15.5	14.4	0.50	610	0.99	0.02
I32687		0.99	18.6	2.74	8.14	<0.05	0.07	0.02	0.024	0.06	8.3	13.4	0.45	617	1.34	0.03
I32688		1.27	18.8	3.10	8.30	0.07	0.10	0.04	0.031	0.10	13.6	19.7	0.62	629	0.87	0.03
I32689		1.01	25.6	2.34	7.88	0.10	0.09	0.03	0.029	0.10	35.8	10.1	0.34	160	1.15	0.03
I32690		1.11	16.1	2.95	6.55	0.08	0.08	0.03	0.027	0.10	18.8	16.3	0.48	628	0.91	0.03
I32691		0.75	16.0	2.68	6.89	<0.05	0.03	0.03	0.022	0.09	6.8	9.8	0.41	394	1.11	0.02
I32692		0.78	13.4	3.00	8.08	0.05	0.11	0.01	0.023	0.10	8.4	16.7	0.59	341	1.16	0.02
I32693		0.97	11.2	3.08	7.32	0.06	0.03	0.01	0.024	0.12	17.2	8.6	0.36	323	1.26	0.02
I32694		0.73	15.9	2.38	7.38	0.05	0.07	0.02	0.021	0.10	15.1	9.1	0.43	216	0.76	0.03
I32695		0.77	15.9	2.63	7.82	0.06	0.09	0.02	0.021	0.11	15.3	10.6	0.49	225	0.80	0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I32673		1.20	11.4	350	5.5	10.4	<0.001	0.02	0.28	3.0	0.3	0.5	23.4	<0.01	0.01
I32674		1.64	15.9	590	7.5	15.5	<0.001	0.03	16.00	5.3	0.5	0.6	43.4	<0.01	0.02
I32675		2.41	20.9	380	7.7	13.3	<0.001	0.01	1.01	5.4	0.3	0.7	27.0	<0.01	0.03
I32676		2.28	19.9	400	7.6	11.6	<0.001	<0.01	1.08	5.3	0.3	0.7	26.1	<0.01	0.02
I32677		1.74	16.6	260	8.7	11.6	<0.001	0.01	1.63	5.4	0.3	0.6	29.1	<0.01	0.02
I32678		1.32	11.8	320	8.2	20.9	<0.001	0.01	1.45	6.3	0.6	0.6	28.8	<0.01	0.02
I32679		1.36	19.5	520	10.5	14.3	<0.001	0.03	2.34	5.4	0.4	0.5	34.3	<0.01	0.02
I32680		1.69	21.0	220	9.8	16.8	<0.001	<0.01	1.03	4.8	0.3	0.7	23.9	<0.01	0.03
I32681		2.20	15.4	290	8.3	9.8	<0.001	<0.01	0.59	5.4	0.5	0.7	29.4	<0.01	0.03
I32682		1.84	21.6	350	10.0	18.9	<0.001	<0.01	0.61	3.7	0.3	0.8	21.5	<0.01	0.03
I32683		1.60	19.6	380	7.3	12.7	<0.001	0.01	0.53	4.5	0.4	0.6	31.0	<0.01	0.03
I32684		1.30	12.4	460	7.8	15.5	<0.001	0.02	0.49	4.3	0.4	0.6	28.0	<0.01	0.03
I32685		1.96	17.9	660	9.6	15.4	<0.001	0.04	1.02	9.4	0.7	0.7	54.3	<0.01	0.03
I32686		2.61	12.9	530	8.4	17.1	<0.001	0.02	1.85	6.0	0.6	0.8	45.9	<0.01	0.02
I32687		2.05	15.2	310	7.8	18.0	<0.001	0.01	0.53	4.2	0.3	0.7	30.3	<0.01	0.02
I32688		2.11	16.3	400	7.3	20.0	<0.001	0.02	0.94	7.2	0.5	0.7	41.4	<0.01	0.02
I32689		1.63	11.6	210	9.4	13.1	<0.001	<0.01	0.63	7.0	1.0	0.7	48.8	0.01	0.02
I32690		1.41	14.8	190	7.2	11.5	<0.001	0.02	1.73	6.1	0.6	0.5	31.4	0.01	0.03
I32691		1.47	17.8	250	8.0	11.6	<0.001	0.01	0.51	3.1	0.2	0.6	20.2	<0.01	0.02
I32692		2.12	15.5	160	9.2	18.1	<0.001	<0.01	0.51	4.4	0.2	0.7	28.7	<0.01	0.02
I32693		1.73	11.9	250	9.1	17.1	<0.001	<0.01	4.47	3.8	0.3	0.7	21.2	<0.01	0.02
I32694		2.17	12.4	200	6.8	15.1	<0.001	0.01	0.64	4.2	0.4	0.7	30.6	<0.01	0.02
I32695		2.51	13.1	180	6.8	17.1	<0.001	<0.01	0.72	4.9	0.4	0.8	31.5	<0.01	0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 4 (A - D)
Plus Appendix Pages
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
I32673		0.083	0.06	1.11	46	0.12	4.16	31	1.1
I32674		0.084	0.10	1.70	65	0.19	9.60	46	1.7
I32675		0.148	0.11	0.56	91	0.16	5.11	52	4.2
I32676		0.141	0.10	0.57	87	0.15	5.25	51	4.7
I32677		0.080	0.12	0.76	76	0.15	5.65	45	3.6
I32678		0.041	0.15	1.79	63	0.12	14.35	46	0.9
I32679		0.060	0.20	1.09	71	0.23	7.52	56	2.4
I32680		0.095	0.11	0.77	90	0.11	3.74	57	6.9
I32681		0.121	0.11	1.13	80	0.18	11.65	41	3.8
I32682		0.104	0.11	0.41	89	0.12	2.31	84	2.5
I32683		0.109	0.09	0.60	80	0.17	4.83	52	2.3
I32684		0.086	0.09	0.81	64	0.12	6.90	47	1.1
I32685		0.088	0.11	2.78	71	0.19	13.80	48	3.0
I32686		0.121	0.09	1.03	68	0.83	11.50	49	2.9
I32687		0.126	0.09	0.52	83	0.17	4.28	47	2.5
I32688		0.126	0.11	1.13	78	0.27	11.65	56	3.5
I32689		0.061	0.07	2.32	59	0.17	46.9	33	2.3
I32690		0.098	0.12	0.67	71	0.18	16.40	35	2.9
I32691		0.096	0.07	0.36	71	0.11	2.22	40	1.3
I32692		0.129	0.11	0.38	82	0.12	2.88	47	4.1
I32693		0.071	0.14	0.61	70	0.17	3.37	47	1.1
I32694		0.126	0.10	0.66	67	0.11	8.85	36	2.3
I32695		0.140	0.11	0.69	74	0.13	8.71	39	3.1



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-JUL-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10087518

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 13-SEP-2010
Account: EIASQI

CERTIFICATE WH10113325

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 20 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034374		0.44	0.005	0.09	1.41	8.5	<0.2	<10	190	0.59	0.12	0.39	0.06	48.6	7.5	13
I034375		0.91	<0.005	0.04	2.11	6.0	<0.2	<10	520	0.54	0.09	0.40	0.03	22.5	12.1	65
I034376		0.54	<0.005	0.02	0.31	3.7	<0.2	<10	30	0.10	0.03	3.06	0.01	6.57	9.2	14
I034377		0.51	<0.005	0.12	0.59	5.3	<0.2	<10	70	0.28	0.14	1.09	0.10	25.8	24.4	23
I034378		0.86	<0.005	0.02	1.21	0.4	<0.2	<10	20	0.07	<0.01	0.77	0.03	1.00	10.8	15
I034379		0.75	<0.005	0.04	1.16	0.3	<0.2	<10	30	0.09	<0.01	0.93	0.02	1.21	12.2	34
I034380		1.36														
I034381		0.67														
I034382		0.50	<0.005	0.05	1.29	1.0	<0.2	<10	30	0.06	0.01	1.00	0.08	3.71	10.5	21
I034383		0.75	<0.005	0.04	3.28	0.2	<0.2	<10	630	0.12	0.02	0.79	0.09	7.99	22.0	3
I034384		0.69	<0.005	0.02	0.81	0.6	<0.2	<10	60	0.05	0.12	0.38	0.05	34.3	6.5	9
I319651		0.33	<0.005	0.02	1.08	4.4	<0.2	<10	70	0.38	0.03	0.46	0.03	26.1	4.6	14
I319652		0.26	<0.005	0.02	0.03	0.7	<0.2	<10	10	<0.05	0.02	0.01	<0.01	0.82	0.2	11
I319653		0.58	<0.005	0.03	1.21	12.0	<0.2	<10	120	0.30	0.02	0.92	0.03	22.0	16.7	36
I319654		1.00	<0.005	0.01	0.07	0.6	<0.2	<10	20	0.07	0.03	0.02	0.01	3.27	0.8	16
I319655		0.72	<0.005	0.01	0.39	0.4	<0.2	<10	50	0.17	0.02	0.39	0.01	9.10	2.4	14
I319656		1.52	<0.005	<0.01	0.07	4	<0.2	<10	10	<0.05	<0.01	20.6	0.04	2.13	0.9	2
I319657		0.75	<0.005	0.02	1.57	1.8	<0.2	<10	90	0.23	0.02	0.95	0.02	8.68	17.0	52
I319658		0.39	<0.005	0.02	0.94	0.7	<0.2	<10	40	0.42	0.02	1.96	0.04	35.4	3.4	11
I034380/I034381composite			<0.005	0.06	0.99	0.3	<0.2	<10	280	0.11	0.01	0.82	0.02	1.44	9.8	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113325

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034374		5.11	24.0	2.07	7.70	0.08	0.11	<0.01	0.010	0.40	23.7	31.1	0.99	247	0.34
I034375		16.10	6.5	2.93	7.21	0.07	0.20	<0.01	0.020	1.07	12.0	28.0	0.95	403	0.22
I034376		0.14	32.5	0.45	1.05	<0.05	0.12	<0.01	<0.005	0.07	3.2	2.6	0.09	93	0.11
I034377		0.85	96.8	1.84	2.37	0.06	0.11	<0.01	0.009	0.14	11.5	3.4	0.19	106	1.15
I034378		0.14	53.6	1.61	3.01	0.05	0.03	<0.01	0.005	0.04	0.4	5.8	0.81	233	0.11
I034379		0.14	111.5	1.73	3.94	0.06	0.03	<0.01	0.006	0.06	0.5	5.4	0.87	290	0.07
I034380															
I034381															
I034382		0.11	60.5	2.04	3.99	0.08	0.06	<0.01	0.014	0.07	1.8	5.1	1.09	520	0.07
I034383		1.58	20.4	5.24	9.85	0.16	0.05	<0.01	0.025	1.10	4.6	18.7	2.26	513	0.06
I034384		0.19	32.9	1.59	3.42	0.10	0.04	<0.01	0.016	0.10	16.3	2.3	0.37	296	0.09
I319651		0.67	9.0	1.85	5.33	0.05	0.07	<0.01	0.011	0.28	13.2	17.5	0.41	241	0.20
I319652		<0.05	1.3	0.23	0.14	<0.05	<0.02	<0.01	<0.005	0.01	1.4	0.2	0.01	23	0.11
I319653		0.39	34.3	2.28	4.19	0.05	0.05	<0.01	0.009	0.19	11.7	10.3	0.63	426	0.43
I319654		0.12	1.5	0.51	0.28	<0.05	0.02	<0.01	0.005	0.05	1.7	1.1	0.01	83	0.22
I319655		0.18	2.9	0.49	1.49	<0.05	0.05	<0.01	0.006	0.12	4.6	2.4	0.12	98	0.12
I319656		0.40	0.7	0.23	0.17	<0.05	<0.02	0.01	<0.005	0.04	1.0	1.3	12.30	145	<0.05
I319657		0.33	22.0	2.01	3.04	<0.05	0.07	<0.01	0.010	0.28	3.4	14.6	1.29	378	0.32
I319658		0.06	13.1	0.55	2.72	0.09	0.39	<0.01	0.009	0.01	14.1	1.3	0.27	146	0.23
I034380/I034381composite		0.58	106.5	1.97	3.12	0.06	0.02	<0.01	<0.005	0.24	0.5	6.9	0.78	277	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034374		0.96	11.4	560	4.3	28.5	<0.001	0.12	0.44	4.9	0.3	0.9	13.1	0.01	<0.01	29.2
I034375		0.24	34.8	120	2.1	76.9	<0.001	0.04	0.57	10.2	0.2	1.2	45.4	<0.01	0.01	10.6
I034376		1.15	33.3	320	2.9	4.0	<0.001	0.03	<0.05	1.3	<0.2	0.4	160.5	<0.01	0.01	2.7
I034377		5.87	61.6	1560	5.6	11.1	0.001	0.95	0.83	2.5	0.9	0.3	66.7	0.02	0.06	2.6
I034378		0.07	19.4	460	0.5	1.9	<0.001	0.01	<0.05	4.5	<0.2	<0.2	17.6	<0.01	0.01	<0.2
I034379		0.05	25.1	500	0.5	2.7	<0.001	0.01	0.07	5.5	0.2	<0.2	35.6	<0.01	0.01	<0.2
I034380																
I034381																
I034382		0.06	9.5	800	1.6	2.4	<0.001	0.01	<0.05	9.2	<0.2	<0.2	15.5	<0.01	0.01	0.2
I034383		0.09	3.7	590	2.7	33.7	<0.001	<0.01	<0.05	16.0	0.2	0.2	10.2	<0.01	<0.01	0.7
I034384		0.54	6.1	180	2.1	2.5	<0.001	<0.01	<0.05	4.2	0.4	0.6	17.1	0.01	0.01	10.0
I319651		0.77	9.6	820	6.7	18.4	<0.001	<0.01	0.05	1.6	0.2	0.6	31.5	0.01	<0.01	9.3
I319652		0.06	0.5	10	1.0	0.6	<0.001	<0.01	<0.05	0.2	<0.2	<0.2	0.9	<0.01	<0.01	0.6
I319653		0.76	26.8	840	2.0	8.4	<0.001	0.21	0.48	3.9	0.3	0.3	48.6	0.01	0.01	7.2
I319654		0.06	1.4	10	1.2	2.4	<0.001	<0.01	0.06	1.1	<0.2	<0.2	2.6	<0.01	<0.01	1.2
I319655		1.87	5.5	250	1.2	5.1	<0.001	<0.01	0.05	1.8	0.2	0.4	26.8	<0.01	<0.01	4.8
I319656		0.11	2.8	<10	10.5	2.1	<0.001	0.01	<0.05	0.5	0.2	<0.2	177.0	<0.01	<0.01	<0.2
I319657		0.11	70.1	1040	1.0	9.7	<0.001	0.02	<0.05	2.8	<0.2	0.2	31.4	<0.01	<0.01	2.0
I319658		3.25	8.5	990	6.5	0.4	<0.001	0.04	0.09	1.5	0.3	0.4	92.0	0.02	0.01	7.3
I034380/I034381composite		0.09	11.4	1160	1.0	9.5	<0.001	0.02	0.07	2.7	0.2	<0.2	27.7	<0.01	0.01	<0.2



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

**TO: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10113325

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113326

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 150 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314701		0.38	<0.005	0.07	2.33	5.6	<0.2	<10	190	0.52	0.10	0.42	0.13	41.7	12.9	48
I314702		0.36	0.005	0.11	2.43	8.2	<0.2	<10	190	0.43	0.12	0.35	0.09	28.7	14.8	46
I314703		0.46	<0.005	0.16	1.63	5.6	<0.2	<10	190	0.26	0.10	0.36	0.14	23.9	10.4	41
I314704		0.42	<0.005	0.15	2.28	7.0	<0.2	<10	250	0.45	0.12	0.33	0.10	30.1	10.0	44
I314705		0.50	0.007	0.34	1.42	5.2	<0.2	<10	300	0.29	0.13	0.24	0.19	37.7	5.6	37
I314706		0.44	0.006	0.09	1.33	6.3	<0.2	<10	170	0.16	0.14	0.20	0.09	27.9	5.5	32
I314707		0.34	<0.005	0.13	2.03	9.4	<0.2	<10	130	0.34	0.15	0.24	0.26	17.70	7.3	46
I314708		0.30	0.008	0.19	2.64	9.8	<0.2	<10	160	0.53	0.17	0.23	0.56	31.6	14.9	42
I314709		0.32	<0.005	0.19	2.06	10.0	<0.2	<10	160	0.40	0.16	0.17	0.26	28.1	8.8	31
I314710		0.48	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		0.42	0.009	0.24	3.14	11.0	<0.2	<10	160	0.62	0.13	0.29	0.33	22.3	16.1	42
I314712		0.28	<0.005	0.22	1.25	6.0	<0.2	<10	150	0.23	0.15	0.19	0.33	18.15	7.0	27
I314713		0.36	<0.005	0.16	1.69	10.1	<0.2	<10	150	0.34	0.16	0.17	0.17	18.70	8.4	31
I314714		0.28	<0.005	0.46	1.32	17.2	<0.2	<10	300	0.46	0.19	0.24	0.54	18.90	12.0	29
I314715		0.38	<0.005	0.38	1.93	13.0	<0.2	<10	170	0.51	0.26	0.20	0.40	33.7	14.2	36
I314716		0.26	0.011	0.22	0.37	2.8	<0.2	<10	90	0.14	0.10	0.13	0.35	9.07	2.9	12
I314717		0.28	<0.005	0.05	0.82	4.4	<0.2	<10	40	0.17	0.14	0.04	0.09	9.77	2.9	12
I314718		0.38	<0.005	0.09	1.72	8.3	<0.2	<10	130	0.26	0.25	0.23	0.21	24.6	11.6	38
I314719		0.34	<0.005	0.47	1.72	4.6	<0.2	<10	230	0.25	0.23	0.22	0.20	23.0	6.4	33
I314720		0.30	<0.005	0.54	1.73	5.3	<0.2	<10	250	0.32	0.26	0.26	0.25	25.9	7.0	35
I314721		0.32	0.005	0.47	1.73	6.8	<0.2	<10	170	0.21	0.19	0.23	0.17	21.4	8.1	36
I314722		0.32	0.007	0.21	1.92	15.7	<0.2	<10	100	0.25	0.23	0.11	0.33	17.00	7.2	34
I314723		0.28	<0.005	0.16	0.47	13.0	<0.2	<10	60	0.07	0.13	0.04	0.41	8.73	2.6	12
I314724		0.22	<0.005	0.32	1.59	7.4	<0.2	<10	130	0.27	0.18	0.18	0.16	26.9	8.4	32
I314725		0.30	<0.005	0.24	0.85	3.8	<0.2	<10	110	0.17	0.13	0.09	0.24	7.69	4.6	14
I314726		0.42	<0.005	0.22	1.20	4.2	<0.2	<10	160	0.18	0.18	0.22	0.23	14.50	5.7	27
I314727		0.42	<0.005	0.10	1.59	6.1	<0.2	<10	130	0.16	0.18	0.31	0.13	16.30	6.1	34
I314728		0.38	<0.005	0.10	2.25	8.3	<0.2	<10	160	0.32	0.47	0.39	0.16	22.5	12.8	49
I314729		0.42	<0.005	0.06	1.64	4.7	<0.2	<10	110	0.17	0.12	0.37	0.12	14.45	9.7	38
I314730		0.34	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		0.44	<0.005	0.06	2.67	10.5	<0.2	<10	210	0.50	0.20	0.10	0.07	21.0	11.8	36
I314732		0.42	<0.005	0.03	2.00	4.5	<0.2	<10	100	0.24	0.10	0.20	0.05	14.50	8.2	56
I314733		0.44	<0.005	0.05	1.85	5.9	<0.2	<10	120	0.27	0.10	0.28	0.09	16.15	6.9	25
I314734		0.42	0.006	0.05	1.24	4.5	<0.2	<10	130	0.20	0.13	0.15	0.08	15.20	3.2	17
I314735		0.38	<0.005	0.05	1.25	2.6	<0.2	<10	120	0.25	0.11	0.21	0.07	13.85	3.8	15
I314736		0.52	<0.005	0.02	1.26	2.6	<0.2	<10	90	0.21	0.06	0.14	0.04	7.75	5.0	19
I314737		0.30	<0.005	0.03	1.60	5.5	<0.2	<10	140	0.31	0.14	0.12	0.09	14.20	4.8	24
I314738		0.46	<0.005	0.06	2.72	10.7	<0.2	<10	160	0.52	0.16	0.14	0.06	17.60	8.2	35
I314739		0.44	<0.005	0.03	2.33	10.0	<0.2	<10	100	0.35	0.11	0.13	0.06	15.30	8.9	30
I314740		0.46	<0.005	0.03	2.23	8.2	<0.2	<10	110	0.38	0.10	0.16	0.05	15.95	8.4	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314701		2.07	29.0	3.12	7.42	0.09	0.07	0.03	0.028	0.08	19.2	18.3	0.86	299	0.80
I314702		3.50	22.2	3.51	7.78	0.09	0.05	0.04	0.033	0.10	14.5	18.4	0.81	404	0.99
I314703		3.44	18.3	2.86	6.33	0.06	0.02	0.04	0.023	0.08	12.8	12.4	0.59	489	1.13
I314704		4.13	22.8	3.08	7.07	0.09	0.05	0.05	0.033	0.12	17.5	19.2	0.71	299	1.11
I314705		4.14	24.3	2.39	6.43	0.08	<0.02	0.05	0.030	0.10	22.8	7.9	0.35	190	1.67
I314706		2.73	15.1	2.92	8.61	0.07	<0.02	0.03	0.027	0.08	14.1	5.8	0.37	168	2.14
I314707		5.09	18.4	3.93	9.57	0.07	0.03	0.04	0.031	0.08	9.1	16.2	0.45	225	2.11
I314708		7.24	42.4	5.35	10.20	0.11	0.03	0.06	0.046	0.20	15.8	18.1	0.61	384	2.15
I314709		3.44	24.7	3.64	7.86	0.07	0.04	0.05	0.035	0.07	14.4	14.6	0.40	220	2.99
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		3.60	26.4	3.60	6.95	0.08	0.14	0.07	0.037	0.05	10.8	19.1	0.60	411	2.15
I314712		9.67	25.2	2.62	6.36	0.05	0.02	0.06	0.024	0.07	9.5	7.5	0.31	152	2.33
I314713		6.07	26.3	3.72	7.84	0.06	0.02	0.05	0.037	0.06	9.5	13.4	0.36	263	3.24
I314714		11.20	38.4	2.89	4.32	0.06	0.02	0.11	0.042	0.10	9.6	8.7	0.30	203	3.17
I314715		27.7	32.6	4.15	7.55	0.10	0.02	0.06	0.041	0.09	17.0	15.9	0.39	568	3.83
I314716		3.30	14.9	1.00	2.27	<0.05	<0.02	0.07	0.012	0.04	4.7	1.2	0.05	170	1.22
I314717		2.08	12.2	1.37	4.52	<0.05	0.02	0.03	0.014	0.03	4.9	3.4	0.12	83	0.94
I314718		5.47	22.9	3.56	5.59	0.05	0.03	0.04	0.026	0.11	12.1	10.6	0.50	521	1.75
I314719		7.98	24.7	2.44	5.77	<0.05	0.02	0.07	0.023	0.11	11.4	6.3	0.37	155	1.59
I314720		8.51	28.7	2.61	5.80	<0.05	0.02	0.07	0.024	0.11	13.0	6.7	0.37	167	1.78
I314721		8.66	23.8	2.84	5.45	<0.05	0.02	0.07	0.024	0.07	10.6	9.2	0.46	213	1.46
I314722		4.63	19.5	4.33	8.91	<0.05	0.06	0.02	0.028	0.06	8.1	13.6	0.35	221	1.78
I314723		3.15	13.3	1.31	3.78	<0.05	<0.02	0.03	0.009	0.05	4.3	1.9	0.11	74	1.48
I314724		5.50	30.4	3.04	5.28	0.05	0.03	0.07	0.023	0.09	14.4	9.3	0.43	314	1.35
I314725		1.29	24.5	1.71	3.64	<0.05	<0.02	0.09	0.013	0.03	3.6	3.0	0.13	369	1.19
I314726		2.78	21.8	1.96	4.98	<0.05	0.02	0.05	0.018	0.05	6.9	6.0	0.35	160	1.35
I314727		2.29	12.6	2.55	5.06	<0.05	<0.02	0.03	0.019	0.06	7.7	9.6	0.51	210	0.94
I314728		1.89	18.4	3.74	6.24	0.06	0.03	0.03	0.025	0.06	10.6	15.6	0.74	419	1.26
I314729		1.38	13.5	2.53	5.00	<0.05	0.02	0.03	0.018	0.06	6.8	10.0	0.58	418	0.83
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		1.61	18.2	3.48	7.50	<0.05	0.05	0.02	0.032	0.04	9.5	16.0	0.46	306	1.27
I314732		0.79	10.6	2.89	8.23	<0.05	0.04	0.01	0.016	0.06	6.6	19.7	0.89	271	0.51
I314733		0.69	12.8	2.63	6.58	<0.05	0.02	0.02	0.017	0.06	7.4	13.7	0.60	250	0.61
I314734		0.60	7.8	1.76	5.84	<0.05	<0.02	0.02	0.013	0.05	7.4	6.9	0.30	114	0.47
I314735		0.81	9.9	1.66	6.96	<0.05	<0.02	0.02	0.011	0.05	6.7	7.6	0.42	138	0.55
I314736		0.52	7.6	1.56	5.35	<0.05	<0.02	0.01	0.008	0.04	3.8	11.0	0.54	198	0.34
I314737		0.49	12.4	2.26	5.77	<0.05	<0.02	0.02	0.015	0.05	6.6	9.1	0.38	147	0.61
I314738		1.49	12.2	3.68	6.87	<0.05	0.05	0.02	0.033	0.05	7.8	16.9	0.52	222	0.89
I314739		1.20	12.4	3.82	8.67	0.05	0.02	0.02	0.023	0.07	6.9	23.0	0.80	345	0.90
I314740		1.25	10.7	3.49	8.43	<0.05	<0.02	0.03	0.021	0.07	7.4	22.9	0.83	341	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314701		1.41	28.4	820	8.6	14.4	<0.001	0.02	0.38	5.7	0.7	0.5	24.4	<0.01	0.02
I314702		1.31	27.6	740	9.8	17.1	<0.001	0.03	0.38	5.5	0.8	0.5	22.7	<0.01	0.02
I314703		1.04	22.1	530	7.4	13.6	<0.001	0.03	0.31	4.3	0.6	0.4	26.7	<0.01	0.03
I314704		1.23	25.9	720	9.1	18.7	<0.001	0.02	0.30	6.1	0.8	0.5	21.9	<0.01	0.04
I314705		0.63	17.9	770	7.7	19.7	<0.001	0.05	0.38	4.1	1.0	0.5	21.5	<0.01	0.04
I314706		1.05	13.3	290	8.5	17.8	<0.001	0.01	0.37	3.8	0.5	0.5	16.4	<0.01	0.05
I314707		1.67	18.9	450	9.2	17.6	<0.001	0.02	0.54	4.7	0.7	0.6	20.4	<0.01	0.06
I314708		3.93	39.6	830	9.5	28.5	<0.001	0.04	0.72	5.7	1.1	0.6	18.4	0.01	0.09
I314709		1.64	20.4	490	11.7	10.3	<0.001	0.07	0.63	4.6	1.1	0.6	21.5	<0.01	0.06
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		1.86	32.2	830	8.2	8.5	<0.001	0.03	0.63	6.4	1.3	0.5	21.9	0.02	0.05
I314712		0.98	21.1	500	7.1	12.4	<0.001	0.06	0.44	3.2	1.0	0.6	22.2	<0.01	0.05
I314713		1.21	20.7	600	8.3	8.9	<0.001	0.07	0.71	3.5	1.9	0.6	19.1	<0.01	0.06
I314714		0.55	30.3	1160	10.8	11.3	<0.001	0.09	0.88	3.0	1.8	0.8	26.4	<0.01	0.06
I314715		0.97	42.6	1000	15.0	17.5	<0.001	0.05	0.69	4.1	1.6	0.6	23.2	<0.01	0.07
I314716		0.22	9.6	610	3.6	5.9	<0.001	0.06	0.28	0.7	0.7	0.3	14.1	<0.01	0.03
I314717		0.91	7.6	180	6.0	5.1	<0.001	<0.01	0.23	1.5	0.4	0.4	7.6	<0.01	0.03
I314718		1.21	30.5	730	12.8	16.0	<0.001	0.01	0.44	3.0	0.6	0.5	17.6	<0.01	0.05
I314719		0.83	21.3	690	10.2	17.0	<0.001	0.05	0.29	2.8	0.8	0.5	22.4	<0.01	0.05
I314720		0.86	23.9	810	11.9	16.7	<0.001	0.06	0.35	2.9	0.9	0.5	26.0	<0.01	0.06
I314721		0.89	24.8	780	8.6	12.7	<0.001	0.03	0.32	2.9	1.0	0.4	19.6	<0.01	0.04
I314722		1.81	17.9	340	11.8	12.0	<0.001	0.01	0.47	3.2	0.4	0.8	10.0	<0.01	0.04
I314723		0.57	9.6	220	7.3	9.2	<0.001	0.03	0.31	1.3	0.7	0.3	8.7	<0.01	0.03
I314724		0.94	24.3	700	8.4	13.5	<0.001	0.04	0.35	2.6	0.7	0.4	15.2	<0.01	0.05
I314725		0.40	9.8	520	4.6	5.2	<0.001	0.05	0.31	0.9	0.5	0.3	11.1	<0.01	0.03
I314726		0.69	15.7	620	9.1	9.0	<0.001	0.04	0.23	1.7	0.6	0.4	20.3	<0.01	0.04
I314727		0.81	15.6	690	7.8	8.9	<0.001	0.02	0.32	3.0	0.5	0.5	18.7	<0.01	0.03
I314728		1.35	18.8	820	9.3	10.4	<0.001	0.03	0.37	4.1	0.6	0.4	25.7	<0.01	0.04
I314729		1.04	15.7	620	6.5	11.5	<0.001	0.02	0.29	3.0	0.4	0.4	21.2	<0.01	0.02
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		1.78	21.7	280	9.8	10.6	<0.001	0.01	0.41	3.7	0.4	0.7	12.1	0.01	0.04
I314732		1.35	18.5	410	7.8	9.7	<0.001	<0.01	0.26	2.9	0.2	0.4	22.0	<0.01	0.02
I314733		0.88	15.1	780	7.2	7.0	<0.001	<0.01	0.28	2.1	0.3	0.4	21.4	<0.01	0.02
I314734		0.58	8.1	290	7.9	7.3	<0.001	0.01	0.19	1.1	0.2	0.4	16.8	<0.01	0.02
I314735		0.75	7.5	240	8.3	8.8	<0.001	0.01	0.17	1.2	0.2	0.5	27.8	<0.01	0.02
I314736		0.41	9.6	540	7.2	9.1	<0.001	<0.01	0.12	0.8	0.2	0.2	64.7	<0.01	0.01
I314737		0.64	11.7	290	7.9	6.8	<0.001	0.01	0.31	1.4	0.3	0.4	17.8	<0.01	0.02
I314738		1.50	19.3	360	10.6	11.6	<0.001	0.01	0.48	3.1	0.3	0.6	13.8	<0.01	0.03
I314739		1.40	17.0	310	9.0	12.4	<0.001	<0.01	0.38	2.7	0.3	0.5	16.9	<0.01	0.03
I314740		1.19	14.9	380	8.6	12.6	<0.001	0.01	0.32	2.3	0.3	0.5	19.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314701		0.126	0.13	1.07	67	0.12	9.09	80	2.6
I314702		0.111	0.17	0.83	72	0.15	6.31	83	1.7
I314703		0.093	0.09	0.55	63	0.13	5.17	72	0.7
I314704		0.095	0.14	0.93	64	0.44	7.92	71	1.5
I314705		0.042	0.11	1.26	55	0.18	8.74	65	<0.5
I314706		0.068	0.11	0.46	78	0.10	3.17	52	<0.5
I314707		0.075	0.13	0.42	95	0.15	2.94	54	1.2
I314708		0.147	0.22	0.92	100	0.16	7.69	92	1.4
I314709		0.089	0.15	0.82	83	0.19	5.15	54	1.7
I314710		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314711		0.118	0.15	0.89	77	0.25	6.78	61	5.5
I314712		0.081	0.19	0.74	68	0.20	3.52	65	0.7
I314713		0.084	0.15	0.77	85	0.15	4.54	55	0.7
I314714		0.022	0.19	1.46	53	0.26	6.49	87	<0.5
I314715		0.045	0.17	1.33	74	0.20	6.84	119	<0.5
I314716		0.025	0.05	0.47	28	0.07	2.30	20	<0.5
I314717		0.064	0.06	0.40	33	0.11	2.07	20	0.8
I314718		0.110	0.13	0.76	72	0.30	4.54	84	1.1
I314719		0.069	0.15	1.10	52	0.12	6.16	58	0.5
I314720		0.071	0.15	1.34	55	0.16	7.24	60	0.6
I314721		0.070	0.14	0.99	56	0.17	5.13	64	0.5
I314722		0.139	0.13	0.48	123	0.11	2.85	55	2.7
I314723		0.063	0.06	0.29	40	0.08	1.43	34	<0.5
I314724		0.093	0.10	1.02	66	0.15	4.99	66	0.8
I314725		0.051	0.05	0.50	40	0.07	1.61	34	<0.5
I314726		0.070	0.08	0.77	45	0.28	3.64	48	0.6
I314727		0.091	0.09	0.54	62	0.21	3.82	66	0.5
I314728		0.116	0.09	1.07	80	0.41	5.16	73	1.0
I314729		0.118	0.08	0.45	63	0.10	3.39	65	0.9
I314730		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314731		0.092	0.14	0.53	76	0.20	3.56	52	2.4
I314732		0.127	0.09	0.36	69	0.17	2.16	76	2.0
I314733		0.094	0.07	0.38	56	0.29	3.04	74	0.6
I314734		0.064	0.07	0.34	46	0.12	2.24	37	<0.5
I314735		0.081	0.07	0.40	42	0.08	2.19	46	<0.5
I314736		0.034	0.05	0.23	31	0.07	1.31	59	<0.5
I314737		0.067	0.06	0.33	55	0.12	2.32	45	<0.5
I314738		0.077	0.11	0.41	72	0.15	2.42	51	2.4
I314739		0.089	0.09	0.38	75	0.18	2.22	79	0.8
I314740		0.086	0.09	0.44	69	0.13	2.34	80	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314741		0.44	<0.005	0.07	2.27	9.8	<0.2	<10	200	0.44	0.18	0.13	0.09	17.20	6.7	31
I314742		0.44	0.005	0.07	1.71	5.3	<0.2	<10	190	0.26	0.16	0.13	0.10	15.80	7.0	25
I314743		0.44	0.005	0.04	1.72	6.1	<0.2	<10	200	0.30	0.12	0.27	0.04	20.1	6.9	27
I314744		0.44	0.006	0.04	2.02	8.3	<0.2	<10	140	0.31	0.16	0.11	0.06	14.30	6.3	27
I314745		0.54	<0.005	0.04	1.92	7.4	<0.2	<10	140	0.26	0.13	0.10	0.06	11.45	5.3	26
I314746		0.44	<0.005	0.02	1.64	5.7	<0.2	<10	90	0.20	0.11	0.08	0.04	10.55	3.6	20
I314747		0.42	<0.005	0.06	2.07	12.2	<0.2	<10	150	0.29	0.22	0.08	0.07	16.40	5.8	39
I314748		0.40	<0.005	0.10	2.09	6.0	<0.2	<10	140	0.25	0.12	0.18	0.05	11.55	9.4	35
I314749		0.48	<0.005	0.05	1.08	3.5	<0.2	<10	60	0.14	0.12	0.05	0.05	19.15	2.5	34
I314750		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.58	<0.005	0.28	1.89	3.1	<0.2	<10	300	0.40	0.12	0.44	0.07	18.25	8.9	24
I314752		0.50	<0.005	0.20	1.92	2.7	<0.2	<10	290	0.37	0.11	0.37	0.06	15.65	8.5	23
I314753		0.46	<0.005	0.06	2.46	13.9	<0.2	<10	260	0.76	0.17	0.42	0.18	34.8	11.3	33
I314754		0.44	<0.005	0.04	1.60	5.7	<0.2	<10	230	0.39	0.15	0.51	0.09	21.8	9.7	27
I314755		0.52	<0.005	0.06	2.29	9.4	<0.2	<10	320	0.67	0.16	0.74	0.28	33.4	11.8	33
I314756		0.50	<0.005	0.04	1.66	5.1	<0.2	<10	280	0.54	0.14	0.51	0.19	27.4	9.2	27
I314757		0.50	<0.005	0.08	2.06	7.0	<0.2	<10	260	0.50	0.16	0.46	0.08	25.8	10.4	31
I314758		0.46	<0.005	0.03	1.46	5.6	<0.2	<10	170	0.26	0.13	0.24	0.06	18.20	6.7	22
I314759		0.48	<0.005	0.06	2.00	6.5	<0.2	<10	340	0.48	0.18	0.49	0.13	25.7	9.3	30
I314760		0.44	<0.005	0.07	1.85	5.5	<0.2	<10	270	0.81	0.16	0.65	0.17	39.7	10.3	26
I314761		0.52	<0.005	0.06	1.19	3.4	<0.2	<10	830	0.72	0.13	3.38	0.47	19.80	6.8	12
I314762		0.42	<0.005	0.10	1.45	5.1	<0.2	<10	440	0.47	0.13	1.60	0.38	19.35	8.3	24
I314763		0.50	<0.005	0.07	1.58	5.9	<0.2	<10	400	0.48	0.14	0.79	0.21	30.0	11.1	26
I314764		0.38	<0.005	0.11	2.30	5.9	<0.2	<10	390	0.66	0.16	0.93	0.32	41.2	11.6	33
I314765		0.44	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.60	<0.005	0.10	1.52	7.7	<0.2	<10	310	0.44	0.14	1.08	0.21	27.0	8.8	25
I314767		0.36	<0.005	0.14	1.46	5.2	<0.2	<10	440	0.47	0.15	0.86	0.29	24.4	9.2	22
I314768		0.42	<0.005	0.06	1.51	5.3	<0.2	<10	330	0.33	0.15	0.71	0.23	21.5	7.9	26
I314769		0.56	0.008	0.11	1.66	6.6	<0.2	<10	340	0.40	0.16	0.56	0.16	23.2	10.0	27
I314770		0.56	0.005	0.06	1.50	7.4	<0.2	<10	260	0.34	0.14	0.52	0.15	22.5	7.9	25
I314771		0.54	0.005	0.15	1.99	8.4	<0.2	<10	350	0.69	0.18	0.66	0.35	40.9	13.4	33
I314772		0.62	<0.005	0.13	1.77	10.2	<0.2	<10	350	0.49	0.17	0.74	0.13	29.6	11.3	31
I314773		0.52	<0.005	0.11	1.37	8.2	<0.2	<10	300	0.40	0.15	0.67	0.25	27.6	9.5	25
I314774		0.56	<0.005	0.11	1.58	8.6	<0.2	<10	290	0.42	0.17	0.61	0.13	32.1	9.1	30
I314775		0.46	0.006	0.15	1.45	7.2	<0.2	<10	390	0.43	0.16	0.95	0.16	26.0	8.2	25
I314776		0.52	<0.005	0.11	1.54	10.0	<0.2	<10	340	0.52	0.16	0.78	0.20	29.5	10.6	29
I314777		0.46	<0.005	0.11	1.59	7.5	<0.2	<10	330	0.50	0.16	0.81	0.60	30.1	10.2	28
I314778		0.52	<0.005	0.11	1.53	8.4	<0.2	<10	320	0.46	0.17	0.76	0.45	29.3	10.1	27
I314779		0.58	<0.005	0.09	1.66	7.5	<0.2	<10	390	0.48	0.17	0.76	0.23	27.6	10.0	27
I314780		0.38	<0.005	0.09	1.53	6.2	<0.2	<10	380	0.48	0.16	0.53	0.33	26.0	15.0	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314741		0.95	11.7	3.47	7.40	<0.05	0.03	0.02	0.026	0.06	7.9	16.8	0.47	224	1.01
I314742		0.72	10.1	2.78	6.58	<0.05	0.02	0.02	0.020	0.09	7.5	13.3	0.40	787	0.68
I314743		0.60	17.9	2.51	4.70	<0.05	0.03	0.02	0.020	0.04	9.1	13.0	0.53	210	0.39
I314744		0.81	11.2	3.12	7.07	<0.05	0.02	0.02	0.024	0.04	7.0	17.1	0.49	220	1.03
I314745		0.64	9.7	3.03	6.06	<0.05	0.02	0.02	0.021	0.04	5.6	14.2	0.47	213	0.87
I314746		0.89	6.5	2.88	7.88	<0.05	<0.02	0.01	0.017	0.03	5.0	13.4	0.43	154	0.72
I314747		1.03	12.0	4.36	7.83	0.05	0.02	0.02	0.030	0.04	7.8	14.5	0.43	259	1.22
I314748		2.00	22.7	3.59	7.21	<0.05	0.02	0.02	0.019	0.04	5.7	17.6	0.87	300	0.60
I314749		1.55	7.7	1.63	7.56	<0.05	<0.02	0.01	0.014	0.06	8.3	4.0	0.26	116	0.61
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.45	18.2	3.31	5.88	<0.05	0.04	0.01	0.027	0.21	6.8	13.5	0.61	611	1.58
I314752		0.37	15.5	3.22	5.71	<0.05	0.04	0.01	0.028	0.16	5.9	12.8	0.60	605	1.41
I314753		0.87	16.0	2.79	8.05	0.07	0.14	0.02	0.032	0.04	17.4	19.3	1.30	610	0.73
I314754		0.43	14.9	2.53	5.62	0.06	0.09	0.01	0.022	0.06	10.2	11.1	0.57	505	0.54
I314755		0.70	22.5	2.88	7.45	0.07	0.08	0.02	0.030	0.06	15.9	13.6	0.97	1120	0.74
I314756		0.39	11.7	2.29	5.49	0.05	0.08	0.02	0.025	0.07	11.1	8.4	0.44	803	0.63
I314757		0.69	16.2	2.67	6.34	0.06	0.11	0.02	0.026	0.05	10.0	10.8	0.51	413	0.69
I314758		0.49	10.4	2.24	5.58	<0.05	0.06	0.01	0.017	0.04	8.8	10.6	0.39	171	0.90
I314759		0.51	15.0	2.66	6.55	0.06	0.16	0.03	0.027	0.05	11.2	11.0	0.46	473	0.65
I314760		0.41	21.3	2.46	5.89	0.07	0.14	0.03	0.025	0.05	18.8	10.5	0.51	441	0.43
I314761		1.20	21.6	1.63	3.51	0.06	0.12	0.04	0.057	0.12	10.0	5.6	0.84	824	0.69
I314762		0.47	24.6	2.04	4.42	0.06	0.12	0.04	0.022	0.07	9.5	10.4	0.57	413	0.55
I314763		0.45	26.4	2.35	5.55	0.07	0.17	0.03	0.022	0.08	14.2	12.8	0.50	595	0.61
I314764		0.76	28.9	2.92	7.97	0.09	0.26	0.03	0.029	0.20	19.7	21.0	0.71	686	0.72
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.52	24.2	2.37	5.09	0.07	0.13	0.03	0.021	0.05	13.3	14.2	0.57	360	0.58
I314767		0.36	23.8	2.13	5.00	0.06	0.06	0.03	0.022	0.07	12.0	9.8	0.42	495	1.49
I314768		0.50	22.0	2.29	5.51	0.06	0.07	0.01	0.020	0.06	10.2	10.4	0.48	288	0.99
I314769		0.47	23.1	2.46	5.62	0.06	0.06	0.01	0.025	0.06	11.0	11.3	0.49	373	1.22
I314770		0.46	16.7	2.39	5.06	0.07	0.07	0.01	0.021	0.06	10.7	11.5	0.49	214	0.85
I314771		0.61	37.1	2.86	6.30	0.09	0.13	0.03	0.029	0.07	19.7	11.7	0.50	592	0.88
I314772		0.60	29.5	2.79	5.67	0.08	0.12	0.03	0.028	0.07	14.3	12.9	0.55	401	0.84
I314773		0.56	27.3	2.40	4.53	0.07	0.07	0.02	0.023	0.06	13.1	11.5	0.50	397	0.85
I314774		0.62	26.2	2.64	5.26	0.07	0.05	0.03	0.025	0.07	15.6	13.7	0.55	261	0.73
I314775		0.49	26.9	2.33	4.75	0.06	0.07	0.04	0.023	0.05	12.5	11.1	0.47	241	1.02
I314776		0.50	30.6	2.64	4.87	0.08	0.10	0.03	0.024	0.07	14.3	12.9	0.54	386	0.89
I314777		0.50	33.2	2.53	5.30	0.08	0.09	0.04	0.025	0.09	14.7	11.5	0.50	431	1.06
I314778		0.52	31.7	2.55	5.03	0.09	0.11	0.03	0.024	0.08	14.7	12.0	0.52	456	1.02
I314779		0.46	23.8	2.43	5.63	0.07	0.09	0.03	0.023	0.05	13.3	11.5	0.47	414	0.70
I314780		0.66	27.5	2.40	5.54	0.07	0.04	0.02	0.028	0.05	11.3	10.1	0.41	891	1.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314741		1.31	16.4	1180	10.0	9.4	<0.001	0.01	0.37	2.7	0.2	0.6	12.2	<0.01	0.04
I314742		1.21	12.6	710	8.2	14.6	<0.001	<0.01	0.33	2.5	0.2	0.6	13.9	<0.01	0.02
I314743		0.96	17.0	430	6.5	5.2	<0.001	<0.01	0.37	3.2	0.3	0.4	21.2	<0.01	0.02
I314744		1.38	14.9	270	10.2	8.7	<0.001	<0.01	0.42	2.5	0.3	0.6	14.4	<0.01	0.03
I314745		1.13	12.5	260	8.6	6.6	<0.001	<0.01	0.37	2.0	0.3	0.5	10.9	<0.01	0.03
I314746		1.05	8.1	250	7.3	8.1	<0.001	<0.01	0.24	1.9	0.2	0.5	10.9	<0.01	0.03
I314747		1.78	13.5	390	10.0	7.4	<0.001	0.01	0.51	2.6	0.3	0.7	9.7	<0.01	0.05
I314748		1.10	15.0	500	5.6	9.2	<0.001	0.01	0.28	3.1	0.3	0.5	12.5	<0.01	0.03
I314749		0.57	9.1	240	3.5	14.9	<0.001	<0.01	0.16	2.3	0.2	0.5	6.9	<0.01	0.02
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.83	14.0	410	5.2	13.0	<0.001	0.01	0.20	5.2	0.4	0.4	19.2	<0.01	0.03
I314752		0.74	12.8	350	4.6	7.8	<0.001	<0.01	0.17	4.9	0.4	0.4	16.8	<0.01	0.03
I314753		1.30	22.9	160	12.2	8.6	<0.001	<0.01	0.38	6.2	0.5	0.7	21.1	<0.01	0.02
I314754		1.28	17.1	180	7.9	7.4	<0.001	<0.01	0.33	4.4	0.4	0.5	28.4	<0.01	0.01
I314755		1.25	20.3	340	10.4	9.0	<0.001	0.01	0.29	6.1	0.6	0.6	24.8	<0.01	0.02
I314756		1.16	15.2	200	10.0	7.1	<0.001	<0.01	0.23	4.4	0.3	0.5	21.7	<0.01	0.02
I314757		1.48	18.5	170	9.7	7.4	<0.001	0.01	0.32	4.9	0.4	0.6	21.8	<0.01	0.02
I314758		1.27	13.1	140	7.7	8.3	<0.001	<0.01	0.27	2.6	0.2	0.5	18.1	<0.01	0.01
I314759		1.66	17.5	170	9.8	9.6	<0.001	<0.01	0.36	4.9	0.4	0.6	23.4	<0.01	0.02
I314760		1.35	17.7	190	9.7	6.0	<0.001	0.01	0.36	5.3	0.6	0.5	27.2	<0.01	0.02
I314761		0.63	13.1	670	8.3	12.3	0.001	0.08	0.38	2.7	1.4	0.3	96.5	<0.01	0.02
I314762		1.07	21.0	640	7.3	9.4	0.001	0.05	0.47	3.9	1.5	0.4	83.8	<0.01	0.02
I314763		1.42	19.4	460	7.3	8.3	0.001	0.01	0.51	4.8	1.0	0.5	55.6	<0.01	0.02
I314764		1.96	21.9	590	8.3	19.9	<0.001	0.01	0.47	6.6	0.9	0.6	46.7	<0.01	0.02
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		1.36	20.1	600	7.6	8.9	<0.001	0.02	0.56	4.1	1.1	0.4	60.7	<0.01	0.02
I314767		1.23	18.6	480	7.4	9.0	0.001	0.02	0.57	3.6	1.1	0.4	60.6	<0.01	0.02
I314768		1.45	17.5	360	7.6	7.7	<0.001	<0.01	0.43	3.9	0.6	0.5	41.4	<0.01	0.02
I314769		1.35	20.3	460	8.3	6.7	<0.001	0.01	0.42	4.2	0.8	0.5	40.5	<0.01	0.02
I314770		1.26	18.0	560	8.0	6.9	<0.001	<0.01	0.39	3.9	0.6	0.4	35.0	<0.01	0.02
I314771		1.35	27.3	550	9.8	9.6	0.001	0.01	0.57	6.4	0.9	0.6	52.4	<0.01	0.02
I314772		1.36	23.3	590	8.8	8.4	<0.001	0.01	0.54	5.4	0.7	0.5	42.9	<0.01	0.02
I314773		1.17	23.6	770	7.8	7.3	0.001	0.01	0.51	4.1	0.7	0.4	45.8	<0.01	0.01
I314774		1.30	23.7	730	9.2	8.7	<0.001	0.01	0.53	4.8	0.6	0.5	38.9	<0.01	0.02
I314775		1.26	22.1	610	7.8	6.5	0.001	0.03	0.55	4.2	1.3	0.4	61.6	<0.01	0.03
I314776		1.34	27.5	660	8.6	7.2	0.001	0.01	0.62	4.8	0.9	0.5	51.2	<0.01	0.03
I314777		1.51	25.1	620	7.9	9.6	0.001	0.02	0.54	5.0	1.3	0.5	54.1	<0.01	0.02
I314778		1.50	25.9	650	8.1	9.1	0.001	0.01	0.60	4.9	1.1	0.5	51.3	<0.01	0.02
I314779		1.29	19.7	460	8.5	6.9	0.001	<0.01	0.46	4.7	1.0	0.5	54.6	<0.01	0.02
I314780		1.14	19.2	540	8.8	7.7	<0.001	<0.01	0.42	3.8	0.8	0.5	37.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314741		0.086	0.09	0.34	80	0.25	2.26	62	1.2
I314742		0.086	0.09	0.29	63	0.13	2.00	72	0.9
I314743		0.084	0.06	0.48	53	0.12	4.33	44	1.2
I314744		0.079	0.09	0.34	68	0.16	1.90	54	0.7
I314745		0.072	0.07	0.27	66	0.13	1.50	53	0.6
I314746		0.065	0.08	0.23	65	0.10	1.26	52	0.7
I314747		0.096	0.12	0.37	90	0.20	2.01	51	1.1
I314748		0.144	0.10	0.37	89	0.13	2.53	37	0.7
I314749		0.036	0.10	0.29	43	0.10	3.78	20	<0.5
I314750		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314751		0.074	0.07	0.29	65	0.09	4.86	59	1.5
I314752		0.067	0.06	0.26	63	0.08	4.31	57	1.4
I314753		0.062	0.11	0.48	66	0.23	11.85	51	5.4
I314754		0.070	0.07	0.42	61	0.15	5.00	39	2.9
I314755		0.056	0.08	0.39	66	0.17	10.40	64	2.4
I314756		0.036	0.07	0.43	50	0.15	5.77	44	2.7
I314757		0.062	0.08	0.37	62	0.19	3.76	46	3.8
I314758		0.059	0.07	0.29	56	0.13	1.95	40	2.0
I314759		0.070	0.08	0.54	63	0.18	5.12	43	5.8
I314760		0.061	0.06	0.54	59	0.13	13.20	43	4.5
I314761		0.016	0.07	2.33	33	0.09	10.45	33	4.3
I314762		0.049	0.06	2.16	40	0.13	7.78	44	4.3
I314763		0.077	0.06	1.47	50	0.12	10.20	53	6.2
I314764		0.108	0.11	1.12	65	0.13	16.15	75	10.5
I314765		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314766		0.069	0.06	1.47	48	0.26	9.09	54	4.5
I314767		0.062	0.04	2.17	49	0.22	7.84	42	2.0
I314768		0.075	0.06	0.70	51	0.21	4.77	51	2.4
I314769		0.068	0.07	0.86	57	0.23	6.16	45	2.2
I314770		0.069	0.05	0.57	52	0.21	5.21	44	2.6
I314771		0.080	0.06	1.09	62	0.12	14.55	54	4.7
I314772		0.086	0.06	1.12	63	0.17	10.50	53	4.5
I314773		0.064	0.07	0.82	47	0.16	9.05	50	2.5
I314774		0.075	0.08	0.69	53	0.22	9.69	57	2.0
I314775		0.065	0.05	3.21	47	0.15	9.29	45	2.7
I314776		0.079	0.06	0.92	55	0.26	10.85	55	3.7
I314777		0.082	0.06	0.88	52	0.48	11.00	59	3.7
I314778		0.082	0.06	0.79	53	0.32	10.80	58	4.1
I314779		0.071	0.06	2.13	57	0.13	9.06	41	3.4
I314780		0.060	0.07	0.82	55	0.16	6.40	51	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I314781		0.56	<0.005	0.11	1.60	7.9	<0.2	<10	350	0.45	0.15	0.63	0.19	27.7	9.4	27
I314782		0.44	<0.005	0.08	1.34	5.7	<0.2	<10	270	0.36	0.13	0.53	0.14	24.3	8.2	24
I314783		0.40	<0.005	0.07	1.57	6.7	<0.2	<10	260	0.40	0.14	0.62	0.14	22.7	9.1	37
I314784		0.42	<0.005	0.09	1.41	4.0	<0.2	<10	150	0.22	0.13	0.21	0.05	12.20	8.0	49
I314785		0.34	<0.005	0.14	0.68	2.8	<0.2	<10	150	0.11	0.15	0.16	0.05	12.50	4.0	14
I314786		0.50	<0.005	0.07	1.43	4.7	<0.2	<10	120	0.20	0.12	0.18	0.04	13.30	6.2	21
I314787		0.52	<0.005	0.06	1.93	5.0	<0.2	<10	160	0.28	0.12	0.14	0.04	7.13	6.2	17
I314788		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.36	<0.005	0.04	1.85	9.3	<0.2	<10	150	0.24	0.14	0.23	0.06	16.25	7.5	29
I314790		0.50	<0.005	0.10	1.22	4.1	<0.2	<10	140	0.22	0.14	0.20	0.08	16.20	4.2	21
I314791		0.50	<0.005	0.06	1.82	4.4	<0.2	<10	240	0.32	0.12	0.55	0.19	21.0	8.2	42
I314792		0.50	<0.005	0.07	1.84	5.9	<0.2	<10	270	0.41	0.14	0.68	0.22	22.7	11.9	43
I314793		0.48	<0.005	0.11	1.77	8.1	<0.2	<10	320	0.49	0.15	0.90	0.22	24.7	10.3	29
I314794		0.50	<0.005	0.03	2.32	3.3	<0.2	<10	300	0.25	0.07	0.23	0.06	7.10	15.5	15
I314795		0.60	<0.005	0.11	1.90	10.2	<0.2	<10	190	0.26	0.13	0.21	0.05	19.55	7.6	27
I314796		0.50	<0.005	0.08	1.51	8.4	<0.2	<10	140	0.21	0.13	0.14	0.04	12.80	6.0	21
I314797		0.58	<0.005	0.09	2.20	8.1	<0.2	<10	220	0.35	0.14	0.32	0.04	17.85	9.9	32
I314798		0.60	<0.005	0.05	1.51	5.5	<0.2	<10	290	0.34	0.14	0.64	0.24	22.4	7.9	24
I314799		0.54	<0.005	0.10	1.28	5.4	<0.2	<10	280	0.30	0.14	0.42	0.26	19.40	9.5	23
I314800		0.56	0.013	0.11	1.38	5.8	<0.2	<10	320	0.29	0.14	0.46	0.26	20.5	7.2	23
I314801		0.34	<0.005	0.05	1.73	21.6	<0.2	<10	150	0.42	0.15	0.23	0.05	22.9	6.7	26
I314802		0.32	<0.005	0.02	2.06	7.7	<0.2	<10	210	0.50	0.17	0.21	0.05	33.4	8.6	29
I314803		0.24	<0.005	0.09	1.41	7.2	<0.2	<10	110	0.26	0.25	0.24	0.13	13.25	8.5	27
I314804		0.36	<0.005	0.05	1.41	5.1	<0.2	<10	210	0.31	0.12	0.29	0.06	22.7	7.3	27
I314805		0.28	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		0.24	<0.005	0.07	1.11	4.5	<0.2	<10	100	0.55	0.22	0.31	0.08	29.1	5.4	19
I314807		0.22	<0.005	0.02	0.79	3.5	<0.2	<10	100	0.28	0.21	0.13	0.12	27.9	3.5	14
I314808		0.36	<0.005	0.04	2.00	9.2	<0.2	<10	170	0.26	0.14	0.28	0.06	13.60	11.9	35
I314809		0.26	<0.005	0.09	1.27	4.5	<0.2	<10	160	0.68	0.14	0.37	0.05	29.7	8.1	25
I314810		0.26	<0.005	0.09	1.00	3.5	<0.2	<10	220	0.40	0.14	0.25	0.05	17.80	6.7	20
I314811		0.28	<0.005	0.09	1.46	4.4	<0.2	<10	130	0.61	0.18	0.26	0.06	32.4	8.0	28
I314812		0.22	<0.005	0.06	1.58	6.7	<0.2	<10	200	0.55	0.15	0.64	0.07	36.3	10.1	31
I314813		0.32	<0.005	0.09	1.25	4.5	<0.2	<10	180	0.57	0.11	0.72	0.08	34.4	7.5	23
I314814		0.34	<0.005	0.11	1.41	4.1	<0.2	<10	200	0.53	0.14	0.55	0.10	35.3	6.5	23
I314815		0.34	0.018	0.09	1.47	3.1	<0.2	<10	330	0.56	0.35	1.58	0.11	45.3	10.7	28
I314816		0.28	<0.005	0.09	1.44	2.9	<0.2	<10	310	0.59	0.35	1.57	0.12	41.7	10.1	28
I314817		0.28	<0.005	0.05	1.87	3.9	<0.2	<10	240	0.25	0.13	0.63	0.08	14.75	11.0	38
I314818		0.28	<0.005	0.08	2.11	5.5	<0.2	<10	200	0.30	0.14	0.49	0.11	15.05	11.6	69
I314819		0.20	<0.005	0.15	1.97	4.8	<0.2	<10	590	0.48	0.29	0.45	0.09	23.6	11.5	37
I314820		0.26	<0.005	0.03	1.50	5.0	<0.2	<10	150	0.34	0.11	0.31	0.05	18.70	8.2	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314781		0.55	25.2	2.53	5.32	0.07	0.14	0.02	0.024	0.06	13.3	13.0	0.50	267	0.64
I314782		0.57	22.1	2.07	4.62	0.06	0.05	0.03	0.019	0.05	11.8	10.0	0.42	334	1.08
I314783		0.65	22.5	2.57	5.52	0.08	0.15	0.02	0.022	0.08	11.1	14.0	0.66	262	0.71
I314784		0.93	15.1	2.52	8.63	0.06	0.05	0.01	0.016	0.12	6.2	7.3	0.73	258	1.04
I314785		0.50	9.4	1.39	5.24	<0.05	<0.02	0.02	0.011	0.08	6.1	3.4	0.20	358	0.89
I314786		0.79	12.8	2.38	7.38	0.05	0.02	0.01	0.015	0.04	6.4	10.0	0.52	247	0.58
I314787		1.43	27.4	3.32	9.30	0.06	0.03	0.01	0.027	0.31	3.5	13.0	0.70	303	0.71
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.79	17.1	3.29	6.72	0.06	0.05	0.02	0.021	0.07	8.4	16.6	0.59	230	0.64
I314790		0.68	12.5	1.76	6.70	0.05	0.04	0.03	0.015	0.06	8.2	6.5	0.30	140	0.80
I314791		0.62	19.0	2.57	6.45	0.06	0.06	0.03	0.023	0.07	10.5	11.9	0.64	216	0.66
I314792		0.57	21.3	2.70	6.64	0.06	0.10	0.02	0.025	0.06	11.2	12.5	0.64	393	1.15
I314793		0.41	28.6	2.61	5.71	0.07	0.11	0.03	0.026	0.05	12.5	12.9	0.64	390	0.54
I314794		1.34	22.2	3.34	8.44	0.07	0.03	0.01	0.011	0.48	3.6	19.8	1.51	258	0.50
I314795		0.60	14.9	2.40	6.14	0.05	0.05	0.02	0.022	0.04	10.5	13.1	0.45	160	0.63
I314796		0.56	18.8	2.42	6.57	0.05	0.04	0.02	0.017	0.05	6.4	9.2	0.37	189	0.75
I314797		0.75	19.4	3.20	7.90	0.07	0.10	0.02	0.023	0.07	9.3	15.5	0.75	273	0.64
I314798		0.38	19.4	2.23	5.04	0.06	0.09	0.03	0.020	0.07	11.3	11.0	0.49	360	0.72
I314799		0.46	17.8	2.15	4.85	0.05	0.06	0.02	0.020	0.05	9.7	8.0	0.39	585	1.23
I314800		0.56	18.6	2.08	5.24	0.06	0.07	0.03	0.022	0.05	10.4	9.7	0.42	412	1.16
I314801		1.38	16.6	3.09	7.12	0.06	0.02	0.01	0.021	0.08	8.0	13.9	0.41	190	1.11
I314802		1.16	14.2	3.06	6.28	0.06	0.08	0.01	0.035	0.05	11.1	12.0	0.38	293	1.34
I314803		1.02	11.7	3.06	8.36	0.05	0.03	0.02	0.020	0.07	6.7	10.1	0.34	497	1.51
I314804		1.20	12.9	2.55	5.07	0.06	0.05	0.01	0.025	0.06	11.2	9.9	0.38	167	0.95
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		1.05	15.1	1.83	4.96	0.06	0.08	0.02	0.018	0.09	27.2	6.3	0.28	161	1.06
I314807		1.37	7.9	1.29	3.67	0.06	0.02	0.01	0.012	0.05	30.3	3.7	0.16	259	0.64
I314808		0.64	16.3	3.09	6.94	0.05	0.09	0.01	0.025	0.06	6.9	13.9	0.50	369	1.21
I314809		1.34	14.4	2.27	5.05	0.09	0.14	0.01	0.024	0.12	33.8	8.5	0.40	602	0.93
I314810		0.64	9.4	2.11	3.87	<0.05	0.09	0.01	0.021	0.11	8.1	7.6	0.27	717	1.04
I314811		0.74	13.8	2.48	5.34	0.08	0.14	0.01	0.023	0.08	40.8	9.5	0.41	318	1.07
I314812		0.30	18.0	2.69	5.38	0.07	0.16	0.02	0.024	0.14	15.9	12.2	0.53	383	0.72
I314813		1.23	15.5	1.95	4.80	0.06	0.04	0.03	0.020	0.09	19.8	9.5	0.41	241	0.93
I314814		0.60	16.8	2.14	5.23	0.06	0.07	0.02	0.021	0.11	21.2	10.0	0.40	213	0.93
I314815		0.67	19.4	2.28	5.02	0.08	0.09	0.03	0.023	0.08	26.9	9.2	0.54	427	0.75
I314816		0.57	18.5	2.22	4.95	0.07	0.09	0.05	0.049	0.08	25.6	9.1	0.54	381	0.69
I314817		0.30	28.5	2.68	6.13	0.05	0.12	0.02	0.023	0.06	7.6	10.9	0.74	289	0.65
I314818		0.30	24.6	3.08	8.13	0.05	0.05	0.03	0.023	0.07	8.3	11.3	0.87	354	1.29
I314819		0.47	15.3	2.94	7.18	0.06	0.04	0.02	0.026	0.08	12.9	11.8	0.57	744	1.30
I314820		0.57	14.5	2.28	5.40	0.05	0.04	0.02	0.020	0.08	10.0	10.9	0.43	397	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I314781		1.41	23.4	540	8.3	8.3	<0.001	<0.01	0.50	4.6	0.7	0.5	40.5	<0.01	0.02	3.3
I314782		1.15	18.0	580	6.5	9.0	<0.001	0.01	0.42	3.7	0.7	0.4	38.5	<0.01	0.01	2.0
I314783		1.49	25.1	740	6.7	8.8	<0.001	<0.01	0.47	4.6	0.6	0.5	38.5	<0.01	0.02	3.0
I314784		2.00	23.5	350	6.3	19.1	<0.001	<0.01	0.26	3.0	0.3	0.5	18.0	<0.01	0.01	1.3
I314785		0.97	7.7	270	5.8	10.0	<0.001	<0.01	0.22	2.0	0.2	0.5	14.2	<0.01	0.01	0.7
I314786		1.15	10.7	360	7.1	8.3	<0.001	<0.01	0.26	2.9	0.3	0.5	16.4	<0.01	0.02	0.8
I314787		1.22	9.4	280	4.7	30.0	<0.001	<0.01	0.28	6.4	0.5	0.6	12.7	<0.01	0.02	1.0
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		1.72	18.9	480	8.9	9.1	<0.001	0.01	0.41	3.4	0.4	0.5	17.8	<0.01	0.03	2.2
I314790		1.59	12.2	400	8.4	13.1	<0.001	0.01	0.25	2.4	0.3	0.7	16.5	<0.01	0.02	1.1
I314791		1.67	23.9	560	6.5	9.9	<0.001	0.01	0.34	4.1	0.4	0.5	30.6	<0.01	0.02	1.8
I314792		1.75	25.1	520	7.8	9.9	<0.001	0.01	0.45	4.6	0.8	0.5	39.7	<0.01	0.03	2.5
I314793		1.40	22.2	590	7.9	8.0	<0.001	0.02	0.50	4.7	1.0	0.5	42.9	<0.01	0.03	2.0
I314794		2.09	10.6	620	3.9	30.0	<0.001	<0.01	0.17	2.8	0.3	0.4	19.3	<0.01	0.02	0.8
I314795		1.39	14.8	190	7.2	7.4	<0.001	<0.01	0.33	3.2	0.4	0.5	15.8	<0.01	0.02	2.3
I314796		1.53	13.8	230	6.8	8.4	<0.001	0.01	0.40	2.5	0.3	0.5	14.2	<0.01	0.02	1.7
I314797		2.15	18.3	450	7.7	11.8	<0.001	0.01	0.39	4.1	0.4	0.6	21.7	<0.01	0.02	2.7
I314798		1.49	17.7	520	6.7	9.0	<0.001	0.01	0.46	4.0	0.8	0.4	41.2	<0.01	0.03	2.5
I314799		1.20	15.5	490	7.7	9.4	<0.001	0.01	0.34	3.2	0.5	0.4	28.0	<0.01	0.02	2.3
I314800		1.32	16.3	520	7.1	8.7	<0.001	0.01	0.33	3.4	0.5	0.5	32.9	<0.01	0.02	2.4
I314801		1.22	12.1	260	14.8	14.5	<0.001	0.01	0.33	3.2	0.3	0.6	23.0	<0.01	0.02	1.4
I314802		1.12	19.6	310	20.9	9.4	<0.001	0.01	0.33	3.8	0.3	1.0	18.4	<0.01	0.02	9.4
I314803		1.48	12.6	670	11.4	17.5	<0.001	0.01	0.38	2.1	0.3	0.9	20.8	<0.01	0.03	1.4
I314804		0.94	16.1	530	7.6	10.5	<0.001	<0.01	0.21	3.7	0.3	0.6	20.0	<0.01	0.02	3.2
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		1.29	11.9	180	18.6	14.4	<0.001	0.01	0.26	2.7	0.4	0.7	25.3	<0.01	0.02	8.4
I314807		0.63	7.8	350	20.7	9.6	<0.001	0.01	0.22	1.3	0.3	0.5	16.3	<0.01	0.01	1.9
I314808		1.49	22.8	200	8.3	7.3	<0.001	0.01	0.44	3.3	0.2	0.6	22.1	<0.01	0.02	2.4
I314809		1.33	14.8	160	8.5	10.8	<0.001	0.01	0.27	4.2	0.5	1.0	27.9	<0.01	0.02	10.4
I314810		1.13	11.0	110	10.2	12.5	<0.001	0.01	0.31	2.6	0.2	0.8	21.0	<0.01	0.01	5.0
I314811		1.25	15.0	120	9.0	7.9	<0.001	0.01	0.33	3.7	0.3	0.7	20.6	<0.01	0.02	7.6
I314812		2.08	19.4	310	10.9	12.2	<0.001	0.01	0.33	5.1	0.4	0.6	43.4	<0.01	0.02	6.8
I314813		1.11	14.6	520	11.3	12.4	<0.001	0.03	0.28	3.9	0.5	0.6	50.6	<0.01	0.01	3.3
I314814		1.54	14.0	360	11.1	13.8	<0.001	0.01	0.24	3.7	0.4	0.5	47.1	<0.01	0.02	5.7
I314815		1.14	14.6	490	29.6	11.4	<0.001	0.05	0.32	4.9	1.0	0.5	157.0	0.01	0.02	4.0
I314816		1.12	14.4	500	28.0	10.6	<0.001	0.05	0.32	4.8	0.8	0.5	158.5	<0.01	0.02	3.7
I314817		1.45	19.6	230	6.8	7.2	<0.001	0.01	0.26	5.2	0.3	0.5	34.1	<0.01	0.01	2.1
I314818		1.86	35.5	310	7.4	7.5	<0.001	0.02	0.30	4.1	0.4	0.6	27.9	<0.01	0.03	1.8
I314819		1.29	18.3	310	34.1	7.6	<0.001	0.01	0.31	4.0	0.3	0.7	68.9	<0.01	0.02	3.0
I314820		1.59	15.3	380	10.7	10.1	<0.001	0.01	0.24	3.2	0.3	0.6	26.4	<0.01	0.01	3.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314781		0.076	0.07	0.78	53	0.14	8.65	53	5.6
I314782		0.062	0.06	0.84	44	0.19	6.67	40	1.6
I314783		0.100	0.07	0.51	56	0.20	6.30	53	5.3
I314784		0.157	0.09	0.26	69	0.19	2.04	43	1.8
I314785		0.080	0.08	0.23	43	0.13	1.66	21	0.5
I314786		0.103	0.10	0.26	69	0.18	1.91	37	0.8
I314787		0.144	0.15	0.37	88	0.16	4.68	52	1.2
I314788		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314789		0.104	0.10	0.36	72	0.25	2.90	45	2.0
I314790		0.105	0.08	0.33	48	0.20	2.73	28	1.4
I314791		0.114	0.07	0.53	57	0.31	4.73	47	2.7
I314792		0.096	0.07	1.02	63	0.15	5.30	47	3.8
I314793		0.080	0.05	1.35	59	0.15	8.66	51	4.5
I314794		0.235	0.09	0.21	94	0.12	1.42	58	1.3
I314795		0.073	0.08	0.32	59	0.16	3.21	32	2.0
I314796		0.079	0.06	0.30	60	0.17	1.94	35	1.5
I314797		0.133	0.08	0.62	73	0.18	3.43	52	4.6
I314798		0.089	0.04	1.03	46	0.23	6.40	47	4.2
I314799		0.061	0.06	0.70	49	0.18	4.55	42	2.4
I314800		0.064	0.06	0.69	47	0.18	4.91	51	2.5
I314801		0.048	0.08	0.49	56	0.14	2.97	37	0.6
I314802		0.056	0.07	0.56	57	0.24	4.56	42	3.8
I314803		0.086	0.09	0.31	78	0.12	2.01	45	1.3
I314804		0.039	0.07	0.76	57	0.08	5.33	33	2.5
I314805		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314806		0.069	0.07	0.90	46	0.12	9.45	31	2.7
I314807		0.048	0.07	0.75	32	0.12	5.06	24	0.8
I314808		0.097	0.07	0.35	71	0.13	2.25	41	3.4
I314809		0.093	0.07	0.70	57	0.14	12.45	32	5.1
I314810		0.061	0.08	0.62	49	0.11	3.88	29	3.7
I314811		0.090	0.09	0.53	61	0.11	8.80	35	5.2
I314812		0.107	0.06	1.24	60	0.35	6.33	39	5.7
I314813		0.062	0.08	5.07	41	0.17	8.56	38	1.4
I314814		0.072	0.07	1.90	45	0.18	6.63	37	2.4
I314815		0.063	0.07	1.61	44	0.24	12.60	38	3.6
I314816		0.061	0.07	1.57	43	0.19	12.45	38	3.8
I314817		0.093	0.06	0.36	62	0.10	4.59	43	4.9
I314818		0.101	0.08	0.35	82	0.14	3.78	47	2.0
I314819		0.074	0.09	0.48	69	0.18	4.30	41	1.7
I314820		0.092	0.07	0.51	55	0.16	3.71	35	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314821		0.30	<0.005	0.05	1.43	6.7	<0.2	<10	100	0.32	0.18	0.25	0.18	24.2	5.6	22
I314822		0.24	<0.005	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		0.34	<0.005	0.08	1.35	4.0	<0.2	<10	100	0.40	0.34	0.30	0.08	38.1	6.0	21
I314824		0.26	<0.005	0.08	1.40	11.4	<0.2	<10	140	1.06	0.18	0.84	0.11	62.8	11.8	26
I314825		0.32	<0.005	0.06	1.90	7.8	<0.2	<10	240	0.79	0.12	0.55	0.05	39.2	10.0	32
I314826		0.24	<0.005	0.12	1.61	5.8	<0.2	<10	210	0.52	0.28	0.40	0.12	23.5	9.6	26
I314827		0.42	<0.005	0.05	1.26	2.7	<0.2	<10	140	0.15	0.17	0.12	0.10	20.1	3.3	12
I314828		0.24	<0.005	0.13	2.49	7.8	<0.2	<10	330	0.57	0.20	0.43	0.28	27.4	14.3	32
I314829		0.46	<0.005	0.08	1.69	5.2	<0.2	<10	200	0.22	0.15	0.17	0.04	18.90	5.9	25
I314830		0.36	<0.005	0.14	1.62	5.5	<0.2	<10	270	0.30	0.17	0.21	0.05	19.30	13.3	22
I314831		0.32	<0.005	0.19	1.69	5.2	<0.2	<10	240	0.26	0.11	0.19	0.04	23.2	5.9	25
I314832		0.34	<0.005	0.05	1.76	4.9	<0.2	<10	320	0.35	0.12	0.19	0.04	21.2	5.7	21
I314833		0.36	<0.005	0.04	1.71	4.3	<0.2	<10	160	0.23	0.11	0.13	0.03	15.35	5.3	20
I314834		0.30	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		0.38	<0.005	0.03	1.65	3.4	<0.2	<10	170	0.20	0.09	0.11	0.04	15.05	6.8	10
I314836		0.36	<0.005	0.02	1.68	2.5	<0.2	<10	140	0.22	0.05	0.11	0.02	20.9	6.0	52
I314837		0.28	<0.005	0.11	2.69	11.0	<0.2	<10	210	0.54	0.18	0.13	0.10	18.00	11.0	40
I314838		0.34	<0.005	0.08	1.60	7.2	<0.2	<10	130	0.28	0.20	0.14	0.06	18.40	6.1	27
I314839		0.38	<0.005	0.05	1.41	3.7	<0.2	<10	100	0.45	0.08	0.20	0.03	20.9	5.6	21
I314840		0.36	<0.005	0.05	1.84	5.7	<0.2	<10	240	0.35	0.16	0.56	0.09	19.25	8.4	25
I314841		0.32	<0.005	0.06	1.21	4.4	<0.2	<10	160	0.24	0.09	0.32	0.06	16.00	5.9	16
I314842		0.28	<0.005	0.10	0.60	1.0	<0.2	<10	140	0.19	0.09	0.14	0.05	23.7	1.9	7
I314843		0.28	<0.005	0.06	1.19	4.3	<0.2	<10	190	0.25	0.15	0.15	0.08	22.3	6.6	17
I314844		0.38	<0.005	0.08	1.29	4.1	<0.2	<10	150	0.18	0.15	0.18	0.05	14.20	6.3	16
I314845		0.36	<0.005	0.07	1.51	5.9	<0.2	<10	260	0.26	0.13	0.22	0.02	15.20	5.3	21
I314846		0.40	<0.005	0.07	1.60	6.5	<0.2	<10	270	0.28	0.12	0.24	0.04	15.25	5.9	21
I314847		0.32	<0.005	0.06	1.25	5.0	<0.2	<10	200	0.20	0.11	0.22	0.03	14.80	5.2	17
I314848		0.34	<0.005	0.04	1.75	7.2	<0.2	<10	180	0.39	0.14	0.17	0.05	18.35	8.1	27
I314849		0.30	<0.005	0.06	1.32	6.2	<0.2	<10	150	0.20	0.14	0.20	0.05	16.20	6.0	30
I314850		0.26	<0.005	0.07	1.35	3.8	<0.2	<10	410	0.21	0.15	0.27	0.04	20.1	9.0	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314821		1.11	11.3	2.24	6.41	0.06	0.05	0.02	0.019	0.08	17.0	7.8	0.38	179	1.09
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		2.07	12.0	2.14	5.74	0.06	0.07	0.02	0.023	0.08	28.0	8.6	0.34	178	0.88
I314824		1.22	26.0	3.76	5.98	0.17	0.13	0.05	0.021	0.27	70.2	13.2	0.55	516	0.95
I314825		0.55	19.7	3.01	6.33	0.08	0.15	0.02	0.025	0.10	32.0	15.1	0.59	328	0.80
I314826		0.70	15.1	2.71	6.30	0.06	0.05	0.02	0.023	0.09	17.3	8.9	0.37	599	1.31
I314827		1.25	12.4	1.56	7.68	<0.05	0.02	0.02	0.012	0.09	10.3	5.5	0.34	124	0.72
I314828		0.99	18.4	2.90	8.06	0.06	0.04	0.03	0.033	0.04	10.2	18.7	1.52	1540	2.11
I314829		0.70	15.0	2.34	6.73	0.05	0.04	0.01	0.017	0.04	9.9	9.7	0.52	165	1.10
I314830		0.85	15.6	2.43	6.65	<0.05	0.02	0.03	0.020	0.04	9.5	10.0	0.35	608	1.56
I314831		0.50	13.9	2.21	5.40	0.05	0.07	0.02	0.018	0.03	11.9	10.6	0.43	188	0.69
I314832		0.71	17.4	2.25	5.90	0.05	<0.02	0.02	0.016	0.05	11.5	12.1	0.49	206	0.74
I314833		0.75	14.4	2.06	6.03	0.05	0.03	0.01	0.015	0.03	8.2	11.5	0.55	168	0.56
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		1.62	13.5	2.77	8.23	0.06	<0.02	0.01	0.014	0.17	7.5	7.1	0.55	189	0.55
I314836		1.74	16.9	2.56	7.40	0.06	<0.02	0.01	0.027	0.10	10.0	15.5	1.03	324	0.40
I314837		1.40	19.8	3.57	7.19	0.06	0.12	0.02	0.035	0.07	9.3	15.9	0.49	293	0.88
I314838		0.84	10.4	2.85	7.40	0.06	0.02	0.01	0.020	0.06	9.6	12.1	0.34	256	1.09
I314839		0.73	8.9	2.13	6.74	0.05	0.02	0.01	0.013	0.06	10.6	24.3	0.55	197	0.48
I314840		0.57	11.1	2.98	7.44	0.06	0.02	<0.01	0.018	0.13	10.0	15.3	0.52	378	0.88
I314841		0.77	12.7	2.04	4.35	<0.05	0.02	0.01	0.036	0.09	8.5	11.8	0.44	291	0.68
I314842		0.39	8.4	1.08	4.31	0.05	<0.02	0.01	0.009	0.08	13.0	3.1	0.15	212	0.46
I314843		0.45	11.6	2.12	5.29	0.05	<0.02	0.01	0.015	0.07	10.7	7.7	0.27	829	0.85
I314844		0.60	9.8	2.27	6.30	0.05	0.02	0.01	0.012	0.06	7.2	10.1	0.43	372	0.64
I314845		0.80	13.1	2.18	5.47	<0.05	0.02	0.02	0.015	0.07	8.1	10.3	0.39	178	0.57
I314846		0.84	14.1	2.37	5.63	0.05	0.02	0.02	0.016	0.08	8.0	11.1	0.43	222	0.59
I314847		0.66	12.0	2.13	4.83	<0.05	0.02	0.01	0.014	0.08	7.2	8.7	0.41	252	0.68
I314848		0.60	12.4	2.65	5.94	<0.05	0.04	0.01	0.020	0.05	9.2	12.1	0.41	330	1.04
I314849		0.49	10.0	2.14	5.62	0.05	<0.02	0.02	0.015	0.07	8.3	8.5	0.41	397	1.10
I314850		0.49	10.4	2.19	5.14	0.05	0.05	0.02	0.016	0.08	10.6	8.6	0.39	625	0.97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I314821		1.45	12.6	250	12.4	11.6	<0.001	0.01	0.30	3.0	0.3	0.7	23.3	<0.01	0.01	3.3
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		1.36	12.7	220	18.9	13.2	<0.001	0.01	0.29	3.3	0.3	0.8	25.8	<0.01	0.01	8.8
I314824		1.50	19.7	830	18.0	17.0	0.001	0.03	0.52	5.1	1.0	0.6	56.8	0.01	0.01	10.6
I314825		1.40	21.9	230	10.4	9.8	<0.001	0.01	0.31	5.0	0.5	0.6	43.5	<0.01	0.01	9.5
I314826		1.47	16.6	240	11.3	11.3	<0.001	0.01	0.31	3.2	0.4	0.7	33.3	<0.01	0.02	4.4
I314827		0.94	5.4	240	9.4	14.4	<0.001	0.01	0.15	1.7	0.3	0.6	14.4	<0.01	0.02	0.4
I314828		1.65	22.2	390	15.1	6.1	<0.001	0.02	0.26	3.9	0.7	0.7	23.2	<0.01	0.03	3.0
I314829		1.63	11.7	200	7.3	9.4	<0.001	0.01	0.30	3.7	0.3	0.6	13.9	<0.01	0.02	2.5
I314830		1.26	12.5	320	10.2	11.9	<0.001	0.01	0.26	2.9	0.4	0.6	17.0	<0.01	0.03	1.4
I314831		1.26	13.7	200	6.1	4.7	<0.001	0.01	0.34	3.5	0.4	0.5	15.5	<0.01	0.01	3.5
I314832		1.05	11.4	310	6.0	6.8	<0.001	0.01	0.23	2.4	0.4	0.4	17.6	<0.01	0.02	1.1
I314833		1.19	10.5	190	6.1	10.3	<0.001	<0.01	0.26	2.9	0.3	0.4	12.3	<0.01	0.02	1.8
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		1.01	4.7	390	4.3	19.2	<0.001	0.01	0.15	2.6	0.3	0.4	11.8	<0.01	0.02	0.3
I314836		2.19	12.3	290	2.3	11.4	<0.001	0.01	0.15	6.3	0.3	0.6	8.6	<0.01	0.01	1.0
I314837		1.89	26.8	330	10.0	15.0	<0.001	0.01	0.59	3.7	0.4	0.6	11.9	0.01	0.03	4.1
I314838		1.30	12.6	460	9.8	13.9	<0.001	0.01	0.34	2.3	0.2	0.7	12.8	<0.01	0.02	1.1
I314839		1.06	12.8	230	7.3	7.5	<0.001	<0.01	0.25	2.5	0.2	0.5	18.7	<0.01	0.01	2.1
I314840		1.39	16.5	1690	8.3	10.8	<0.001	0.01	0.36	2.8	0.3	0.5	51.4	<0.01	0.02	2.2
I314841		0.77	9.9	720	3.7	12.5	<0.001	0.01	0.25	2.4	0.3	0.3	22.7	<0.01	0.01	1.1
I314842		0.44	4.7	320	3.6	9.7	<0.001	0.01	0.16	1.6	0.3	0.4	12.1	<0.01	0.01	0.3
I314843		0.84	10.4	850	6.9	6.4	<0.001	0.01	0.34	2.0	0.3	0.5	12.0	<0.01	0.02	0.7
I314844		1.37	9.0	280	6.4	10.2	<0.001	0.01	0.24	2.7	0.2	0.5	12.6	<0.01	0.01	1.1
I314845		1.17	12.2	640	6.8	12.3	<0.001	0.01	0.31	2.4	0.2	0.4	16.1	<0.01	0.02	1.1
I314846		1.18	12.8	770	6.6	12.8	<0.001	0.01	0.31	2.5	0.2	0.4	17.6	<0.01	0.02	1.3
I314847		1.19	10.8	190	5.6	10.7	<0.001	0.01	0.32	2.4	0.3	0.4	15.5	<0.01	0.02	1.7
I314848		1.45	16.0	280	7.5	9.5	<0.001	0.01	0.39	3.2	0.3	0.6	14.2	<0.01	0.02	3.4
I314849		1.21	13.8	330	7.1	7.6	<0.001	0.01	0.36	2.6	0.3	0.5	15.3	<0.01	0.01	1.3
I314850		1.40	11.9	160	7.1	9.6	<0.001	0.01	0.31	2.8	0.3	0.5	16.1	<0.01	0.02	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113326

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314821		0.091	0.08	0.60	63	0.13	4.77	40	1.9
I314822		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314823		0.081	0.08	1.07	45	0.16	6.40	49	2.7
I314824		0.074	0.10	2.26	51	0.15	29.5	56	5.0
I314825		0.097	0.07	0.87	62	0.12	11.30	47	6.6
I314826		0.080	0.07	0.47	64	0.16	5.93	38	1.9
I314827		0.079	0.11	0.42	43	0.09	2.54	28	<0.5
I314828		0.042	0.10	0.72	73	0.17	5.49	52	1.8
I314829		0.079	0.09	0.32	57	0.16	3.25	35	1.6
I314830		0.060	0.11	0.46	59	0.16	2.74	31	0.6
I314831		0.062	0.07	0.50	49	0.14	3.83	33	2.8
I314832		0.048	0.08	0.48	45	0.15	3.63	36	<0.5
I314833		0.076	0.07	0.40	47	0.16	3.15	31	1.3
I314834		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314835		0.086	0.13	0.45	58	0.12	2.36	56	<0.5
I314836		0.109	0.07	0.21	44	0.07	4.11	30	<0.5
I314837		0.087	0.12	0.49	72	0.16	2.58	46	5.7
I314838		0.083	0.11	0.32	69	0.17	2.07	45	0.8
I314839		0.061	0.08	0.38	54	0.12	2.89	48	0.6
I314840		0.089	0.09	0.39	61	0.25	2.74	71	1.2
I314841		0.071	0.06	0.39	37	0.13	3.72	40	0.5
I314842		0.047	0.05	0.41	23	0.06	5.15	16	<0.5
I314843		0.051	0.06	0.31	46	0.14	2.17	30	<0.5
I314844		0.089	0.09	0.27	56	0.12	2.29	41	0.6
I314845		0.077	0.09	0.35	48	0.14	2.41	33	0.7
I314846		0.081	0.08	0.41	50	0.15	2.50	38	0.7
I314847		0.057	0.06	0.31	46	0.12	3.47	33	0.7
I314848		0.070	0.09	0.39	60	0.15	2.82	39	2.0
I314849		0.070	0.07	0.30	53	0.19	2.26	32	0.7
I314850		0.063	0.06	0.31	53	0.17	3.41	34	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113326

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **2-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113327

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 250 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314001		0.38	<0.005	0.09	2.03	9.8	<0.2	<10	160	0.32	0.22	0.17	0.10	18.05	8.3	27
I314002		0.26	0.006	0.09	1.41	9.8	<0.2	<10	110	0.23	0.21	0.12	0.08	18.20	4.3	23
I314003		0.30	<0.005	0.09	2.41	12.6	<0.2	<10	220	0.44	0.23	0.13	0.20	17.75	11.5	34
I314004		0.34	<0.005	0.14	2.41	12.5	<0.2	<10	170	0.48	0.21	0.11	0.13	17.65	8.8	39
I314005		0.36	<0.005	0.18	2.61	6.6	<0.2	<10	180	0.49	0.14	0.16	0.10	11.00	11.3	27
I314006		0.40	<0.005	0.10	1.88	5.0	<0.2	<10	250	0.40	0.12	0.35	0.11	11.30	11.7	18
I314007		0.32	<0.005	0.12	1.87	9.9	<0.2	<10	250	0.40	0.19	0.23	0.10	14.95	9.4	28
I314008		0.42	<0.005	0.12	1.56	7.0	<0.2	<10	260	0.33	0.13	0.34	0.11	14.30	10.4	22
I314009		0.36	<0.005	0.10	1.56	5.8	<0.2	<10	370	0.34	0.15	0.40	0.12	16.75	11.0	22
I314010		0.36	<0.005	0.21	1.46	6.2	<0.2	<10	410	0.45	0.19	0.46	0.11	17.75	11.0	24
I314011		0.34	0.010	0.20	1.43	6.2	<0.2	<10	410	0.45	0.20	0.45	0.11	16.30	10.9	23
I314012		0.36	0.005	0.11	1.56	5.9	<0.2	<10	440	0.51	0.20	0.37	0.22	14.50	9.7	26
I314013		0.38	<0.005	0.16	1.43	7.9	<0.2	<10	420	0.52	0.17	0.37	0.10	17.55	8.2	26
I314014		0.32	<0.005	0.12	1.97	4.1	<0.2	<10	170	0.49	0.12	0.32	0.10	12.40	11.2	21
I314015		0.32	0.006	0.17	1.67	5.4	<0.2	<10	280	0.35	0.13	0.45	0.13	12.25	9.5	27
I314016		0.44	<0.005	0.07	1.49	6.1	<0.2	<10	210	0.35	0.15	0.32	0.11	14.90	7.2	27
I314017		0.40	0.008	0.19	1.39	8.0	<0.2	<10	280	0.58	0.26	0.34	0.33	19.85	10.0	28
I314018		0.40	0.006	0.17	1.61	6.7	<0.2	<10	280	0.47	0.15	0.49	0.23	17.45	10.7	31
I314019		0.36	<0.005	0.15	1.59	6.3	<0.2	<10	420	0.56	0.20	0.37	0.46	17.85	12.3	28
I314020		0.08	<0.005	0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	1.22	0.1	1
I314021		0.32	<0.005	0.26	1.73	5.9	<0.2	<10	260	0.54	0.17	0.40	0.12	21.9	11.5	32
I314022		0.32	<0.005	0.14	1.71	5.7	<0.2	<10	210	0.52	0.21	0.46	0.12	23.0	10.5	27
I314023		0.36	<0.005	0.16	1.59	8.8	<0.2	<10	220	0.86	0.30	0.45	0.10	30.8	26.2	26
I314024		0.48	0.005	0.05	1.44	5.8	<0.2	<10	150	0.62	0.17	0.53	0.05	19.00	9.0	18
I314025		0.38	0.006	0.09	1.88	5.6	<0.2	<10	210	0.86	0.29	0.57	0.11	21.9	8.4	27
I314026		0.32	0.016	0.14	1.56	4.4	<0.2	<10	300	0.57	0.21	0.40	0.22	19.55	9.1	25
I314027		0.42	0.006	0.08	1.78	6.9	<0.2	<10	140	0.59	0.18	0.37	0.11	16.20	9.0	27
I314028		0.40	0.010	0.06	1.73	11.1	<0.2	<10	210	0.59	0.19	0.29	0.06	21.2	9.7	28
I314029		0.34	0.011	0.15	1.14	7.3	<0.2	<10	170	0.54	0.25	0.28	0.19	17.00	5.8	21
I314030		0.38	0.010	0.10	1.30	10.4	<0.2	<10	150	0.52	0.23	0.24	0.10	17.75	6.2	22
I314031		0.36	0.007	0.31	1.65	13.7	<0.2	<10	160	0.37	0.19	0.18	0.06	15.45	6.4	26
I314032		0.52	0.020	0.06	1.34	7.4	<0.2	<10	150	0.42	0.14	0.29	0.07	17.25	7.5	22
I314033		0.34	0.033	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		0.36	0.005	0.22	1.84	6.5	<0.2	<10	140	0.26	0.33	0.35	0.16	16.20	8.5	20
I314035		0.32	0.005	0.55	1.87	5.4	<0.2	<10	250	0.44	0.28	0.54	0.59	24.7	9.5	26
I314036		0.24	0.016	0.26	1.71	13.4	<0.2	<10	170	0.30	0.14	0.27	0.16	21.6	9.2	23
I314037		0.40	<0.005	0.09	2.19	7.8	<0.2	<10	240	0.25	0.08	0.32	0.07	14.10	12.7	26
I314038		0.44	<0.005	0.08	2.70	7.3	<0.2	<10	170	0.37	0.06	0.40	0.09	11.05	19.6	15
I314039		0.44	<0.005	0.07	1.90	9.8	<0.2	<10	130	0.27	0.11	0.22	0.09	19.35	10.6	24
I314040		0.20	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314001		2.18	15.0	3.38	7.74	<0.05	0.06	0.02	0.029	0.06	9.2	18.2	0.47	246	1.68
I314002		1.52	11.4	2.79	7.21	<0.05	0.02	0.01	0.023	0.05	9.4	9.4	0.28	122	0.99
I314003		2.15	18.6	4.51	8.78	0.05	0.04	0.01	0.034	0.05	8.8	20.8	0.55	394	1.56
I314004		1.79	19.1	3.53	6.85	0.05	0.05	0.03	0.038	0.06	8.9	18.2	0.45	273	1.36
I314005		3.47	18.5	3.81	7.34	0.06	<0.02	0.02	0.024	0.13	5.8	21.7	0.59	300	0.98
I314006		3.19	11.1	3.14	7.54	0.05	<0.02	0.02	0.021	0.08	5.7	17.4	0.54	775	0.97
I314007		1.42	9.3	3.31	7.87	0.06	<0.02	0.02	0.025	0.08	7.8	15.1	0.47	645	1.24
I314008		1.36	8.3	2.98	6.75	0.05	<0.02	0.02	0.022	0.09	6.8	11.5	0.48	714	0.96
I314009		1.71	9.2	2.93	6.52	0.06	<0.02	0.01	0.027	0.14	8.1	14.1	0.53	1250	0.81
I314010		1.75	11.1	2.63	5.67	0.06	<0.02	0.02	0.020	0.14	8.9	9.3	0.40	1980	1.07
I314011		1.77	10.8	2.61	5.49	0.06	<0.02	0.02	0.021	0.15	8.2	10.0	0.40	1830	0.99
I314012		0.84	9.8	2.53	5.52	0.05	<0.02	0.04	0.022	0.08	7.1	9.0	0.39	1120	0.71
I314013		1.15	10.1	2.34	4.76	0.05	<0.02	0.02	0.018	0.11	8.7	9.5	0.40	680	0.81
I314014		3.09	24.1	3.87	9.01	0.07	<0.02	0.01	0.034	0.20	5.8	21.0	0.75	684	0.80
I314015		1.40	13.9	2.94	5.77	0.05	<0.02	0.01	0.023	0.14	5.9	12.7	0.53	709	0.74
I314016		0.55	9.5	2.49	5.08	0.05	0.03	0.02	0.018	0.13	7.8	8.6	0.38	441	0.90
I314017		1.91	12.9	2.63	4.94	0.06	0.02	0.01	0.021	0.13	9.1	9.6	0.43	625	0.80
I314018		1.04	14.0	2.79	5.52	0.05	0.02	0.02	0.024	0.11	7.9	10.0	0.46	779	0.74
I314019		0.80	12.0	2.67	5.55	0.05	<0.02	0.01	0.021	0.10	8.2	9.6	0.41	1610	0.88
I314020		<0.05	0.7	0.02	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I314021		1.10	14.0	3.01	6.04	0.07	0.05	0.02	0.025	0.18	9.8	11.1	0.52	926	0.75
I314022		1.35	16.6	2.91	6.14	0.07	<0.02	0.02	0.026	0.16	10.8	11.9	0.49	722	0.74
I314023		3.36	12.9	2.96	5.48	0.09	0.02	0.05	0.024	0.06	15.6	12.4	0.45	1250	1.36
I314024		2.95	7.9	2.40	5.15	0.07	<0.02	0.02	0.016	0.04	10.4	14.8	0.51	385	0.61
I314025		3.70	13.8	2.36	6.24	0.08	0.03	0.04	0.021	0.06	12.1	17.4	0.57	289	0.73
I314026		3.98	14.3	2.03	6.32	0.07	<0.02	0.04	0.021	0.07	11.7	11.5	0.38	772	1.45
I314027		3.76	12.0	2.65	6.22	0.07	<0.02	0.02	0.019	0.05	9.0	16.3	0.58	331	0.83
I314028		3.16	18.4	2.66	6.82	0.08	<0.02	0.02	0.019	0.06	11.6	16.8	0.51	278	1.07
I314029		2.25	13.9	1.76	5.88	0.05	<0.02	0.03	0.013	0.08	9.7	5.6	0.27	491	1.30
I314030		2.37	11.3	2.27	6.20	0.06	<0.02	0.02	0.015	0.06	9.3	9.3	0.35	389	1.26
I314031		1.58	11.4	2.87	6.46	0.05	0.03	0.02	0.020	0.09	8.1	14.2	0.34	215	1.27
I314032		1.49	11.8	2.41	4.73	0.06	<0.02	0.02	0.016	0.09	8.9	14.3	0.50	282	0.74
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		2.76	79.4	3.19	8.67	0.07	0.02	0.02	0.035	0.13	8.1	12.1	0.82	309	1.62
I314035		4.82	24.4	2.61	7.41	0.08	0.02	0.08	0.025	0.06	13.0	14.3	0.59	434	1.13
I314036		2.82	21.5	2.70	6.73	0.07	0.02	0.04	0.020	0.11	11.0	11.2	0.56	195	1.23
I314037		4.64	28.1	3.43	9.32	0.09	0.02	0.01	0.012	0.45	6.6	16.8	1.11	350	0.95
I314038		5.13	29.9	5.00	9.73	0.09	0.02	0.01	0.014	0.29	4.6	29.0	1.15	578	0.69
I314039		3.03	17.4	4.10	8.85	0.09	0.05	0.01	0.021	0.38	9.0	19.6	0.75	412	0.93
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314001		1.55	13.4	390	11.8	10.1	<0.001	<0.01	0.51	3.8	0.2	0.6	15.7	<0.01	0.03
I314002		1.41	8.3	420	10.8	8.3	<0.001	<0.01	0.44	2.7	0.2	0.7	12.9	<0.01	0.02
I314003		2.18	16.5	830	11.7	12.9	<0.001	<0.01	0.64	4.0	0.3	0.6	14.1	0.01	0.04
I314004		1.96	21.3	530	10.9	11.5	<0.001	0.01	0.70	4.0	0.4	0.6	11.4	0.01	0.03
I314005		1.56	13.0	440	8.0	20.3	<0.001	<0.01	0.35	3.7	0.3	0.5	13.9	<0.01	0.02
I314006		0.95	10.1	340	6.5	17.6	<0.001	<0.01	0.33	5.2	0.2	0.6	24.2	<0.01	0.03
I314007		1.39	13.7	470	8.9	12.7	<0.001	<0.01	0.46	4.0	0.3	0.7	18.8	<0.01	0.03
I314008		1.04	11.0	360	6.5	12.3	<0.001	<0.01	0.36	4.1	0.2	0.5	23.0	<0.01	0.02
I314009		0.98	12.9	390	5.9	16.4	<0.001	<0.01	0.41	4.4	0.3	0.5	26.2	<0.01	0.03
I314010		1.16	15.0	240	10.3	13.9	<0.001	<0.01	0.42	4.1	0.3	0.7	34.0	<0.01	0.03
I314011		1.14	14.7	250	10.4	14.9	<0.001	<0.01	0.42	4.0	0.3	0.6	32.0	<0.01	0.02
I314012		1.04	16.9	470	14.5	5.7	<0.001	<0.01	0.35	3.3	0.3	0.5	27.5	<0.01	0.03
I314013		0.91	15.0	560	10.0	7.6	<0.001	<0.01	0.34	3.1	0.3	0.4	26.4	<0.01	0.02
I314014		1.07	11.1	900	9.4	19.2	<0.001	<0.01	0.47	6.6	0.3	0.6	16.7	<0.01	0.03
I314015		1.13	15.0	460	7.7	14.3	<0.001	<0.01	0.40	4.3	0.2	0.5	26.5	<0.01	0.03
I314016		1.23	15.2	280	10.2	7.0	<0.001	<0.01	0.36	3.2	0.2	0.6	23.1	<0.01	0.02
I314017		1.00	15.9	300	19.9	16.8	<0.001	<0.01	0.47	5.8	0.3	0.4	22.0	<0.01	0.02
I314018		1.19	18.2	490	10.9	10.0	<0.001	<0.01	0.43	5.0	0.3	0.5	29.4	<0.01	0.03
I314019		1.19	17.8	440	14.3	10.0	<0.001	<0.01	0.34	4.4	0.3	0.5	27.9	<0.01	0.02
I314020		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.6	<0.01	0.01
I314021		1.15	18.7	320	10.9	19.2	<0.001	<0.01	0.36	6.2	0.4	0.5	26.2	<0.01	0.03
I314022		1.17	14.9	330	13.1	20.9	<0.001	<0.01	0.39	6.0	0.3	0.5	29.6	<0.01	0.02
I314023		2.11	15.0	730	14.7	17.4	<0.001	0.01	0.40	4.8	0.8	0.7	32.8	0.01	0.04
I314024		1.32	10.4	880	7.5	10.0	<0.001	<0.01	0.27	3.5	0.4	0.5	27.2	<0.01	0.01
I314025		2.17	16.1	560	10.0	16.9	<0.001	<0.01	0.35	4.6	0.6	0.7	31.4	<0.01	0.03
I314026		1.51	15.0	670	8.6	19.0	<0.001	0.01	0.25	4.2	0.6	0.6	29.3	<0.01	0.03
I314027		1.91	15.9	560	7.8	16.5	<0.001	<0.01	0.35	3.8	0.4	0.7	22.7	<0.01	0.03
I314028		2.02	14.9	380	9.1	17.7	<0.001	<0.01	0.43	4.8	0.6	0.9	20.3	<0.01	0.02
I314029		1.74	11.4	490	9.8	17.6	<0.001	<0.01	0.38	2.2	0.5	0.9	21.1	<0.01	0.02
I314030		2.04	11.1	400	10.5	16.9	<0.001	<0.01	0.41	2.5	0.3	0.8	17.9	<0.01	0.03
I314031		1.60	12.7	260	9.1	8.3	<0.001	<0.01	0.40	3.0	0.3	0.6	16.7	<0.01	0.04
I314032		1.59	13.6	500	6.9	12.2	<0.001	<0.01	0.32	2.9	0.3	0.4	18.7	<0.01	0.02
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		2.11	9.8	690	9.1	25.2	<0.001	0.02	0.31	4.0	0.4	1.1	19.6	<0.01	0.10
I314035		1.44	13.4	890	11.2	15.1	<0.001	0.05	0.33	5.7	0.8	0.8	36.1	<0.01	0.02
I314036		1.19	12.3	720	8.4	11.9	<0.001	0.03	0.42	4.8	0.6	0.4	20.8	<0.01	0.03
I314037		1.91	10.4	670	4.7	34.1	<0.001	0.01	0.25	4.8	0.3	0.4	17.7	<0.01	0.02
I314038		0.66	7.2	1040	5.2	19.9	<0.001	0.01	0.31	5.2	0.3	0.2	20.1	<0.01	0.02
I314039		2.15	12.0	920	6.6	26.6	<0.001	0.01	0.34	6.3	0.3	0.5	14.4	<0.01	0.03
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314001		0.089	0.09	0.46	81	0.21	2.62	54
I314002		0.078	0.09	0.45	69	0.21	2.45	31
I314003		0.115	0.11	0.47	100	0.34	2.37	66
I314004		0.083	0.10	0.52	72	0.30	2.61	54
I314005		0.114	0.14	0.31	86	0.20	1.95	81
I314006		0.043	0.12	0.25	81	0.20	1.89	61
I314007		0.075	0.10	0.33	79	0.23	2.20	67
I314008		0.060	0.09	0.27	60	0.22	2.56	64
I314009		0.065	0.08	0.31	57	0.17	2.92	70
I314010		0.060	0.11	0.41	55	0.18	3.04	48
I314011		0.059	0.10	0.41	54	0.20	2.84	46
I314012		0.050	0.09	0.35	55	0.17	2.48	59
I314013		0.043	0.08	0.41	49	0.19	2.58	43
I314014		0.107	0.11	0.35	73	0.23	3.80	137
I314015		0.080	0.08	0.27	68	0.16	2.31	85
I314016		0.058	0.08	0.32	58	0.15	2.01	49
I314017		0.054	0.09	0.69	58	0.24	3.64	78
I314018		0.062	0.08	0.40	64	0.23	3.04	74
I314019		0.059	0.10	0.40	60	0.16	2.71	63
I314020		<0.005	<0.02	0.10	1	<0.05	0.62	<2
I314021		0.074	0.10	0.41	64	0.16	3.84	56
I314022		0.081	0.09	0.50	61	0.19	4.61	55
I314023		0.065	0.12	1.96	58	0.21	13.20	48
I314024		0.052	0.08	1.30	45	0.21	6.62	42
I314025		0.064	0.12	1.69	48	0.26	10.30	51
I314026		0.058	0.11	1.21	43	0.22	8.79	42
I314027		0.068	0.11	0.74	57	0.61	5.87	48
I314028		0.070	0.14	0.96	63	0.23	9.32	47
I314029		0.045	0.12	0.93	42	0.21	5.87	39
I314030		0.053	0.13	0.75	52	0.26	4.71	39
I314031		0.064	0.09	0.44	64	0.19	2.35	33
I314032		0.071	0.08	0.52	48	0.17	3.69	37
I314033		NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314034		0.117	0.20	0.56	75	0.20	4.30	92
I314035		0.061	0.15	1.29	55	0.19	11.95	101
I314036		0.098	0.10	0.86	66	0.25	5.19	60
I314037		0.242	0.20	0.45	97	0.18	2.80	71
I314038		0.183	0.12	0.35	105	0.10	3.26	107
I314039		0.206	0.16	0.47	97	0.16	3.86	63
I314040		NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314041		0.40	0.005	0.06	2.21	11.2	<0.2	<10	140	0.38	0.12	0.18	0.15	18.95	12.3	29
I314042		0.46	<0.005	0.18	1.92	13.0	<0.2	<10	130	0.23	0.13	0.19	0.13	15.10	9.2	23
I314043		0.38	0.006	0.07	2.39	9.1	<0.2	<10	200	0.40	0.15	0.15	0.06	19.55	9.0	32
I314044		0.36	<0.005	0.03	2.08	3.7	<0.2	<10	150	0.32	0.05	0.27	0.05	12.40	11.6	14
I314045		0.42	0.009	0.07	1.91	5.3	<0.2	<10	200	0.49	0.08	0.26	0.06	19.80	11.2	25
I314046		0.40	0.005	0.06	1.65	7.4	<0.2	<10	170	0.25	0.13	0.19	0.06	18.15	6.1	24
I314047		0.36	<0.005	0.09	1.80	9.9	<0.2	<10	180	0.41	0.15	0.14	0.15	17.20	9.8	31
I314048		0.38	<0.005	0.18	1.94	7.7	<0.2	<10	260	0.37	0.14	0.23	0.13	16.10	8.0	23
I314049		0.24	<0.005	0.19	2.00	9.3	<0.2	<10	220	0.44	0.17	0.21	0.14	17.85	11.0	28
I314050		0.32	<0.005	0.18	1.90	8.4	<0.2	<10	230	0.43	0.17	0.21	0.14	16.20	10.5	26
I314051		0.22	<0.005	0.16	1.57	6.0	<0.2	<10	160	0.41	0.23	0.30	0.19	22.5	4.7	23
I314052		0.24	0.006	0.08	1.31	5.0	<0.2	<10	200	0.53	0.17	0.39	0.11	24.9	9.3	18
I314053		0.26	0.007	0.14	1.84	5.7	<0.2	<10	190	0.55	0.20	0.38	0.11	21.3	6.0	25
I314054		0.20	0.005	0.13	1.95	5.4	<0.2	<10	270	0.51	0.27	0.33	0.14	25.4	11.2	25
I314055		0.24	<0.005	0.08	1.35	2.8	<0.2	<10	280	0.34	0.12	0.24	0.09	36.9	5.9	21
I314056		0.28	0.006	0.13	2.25	5.9	<0.2	<10	330	0.57	0.22	0.46	0.14	23.8	9.2	29
I314057		0.20	0.006	0.24	2.22	7.3	<0.2	<10	540	0.80	0.23	0.58	0.32	52.4	22.4	27
I314058		0.28	0.007	0.17	2.38	8.9	<0.2	<10	300	0.66	0.30	0.46	0.19	26.5	11.3	28
I314059		0.26	<0.005	0.13	1.97	6.6	<0.2	<10	270	0.36	0.16	0.45	0.15	22.1	8.8	29
I314060		0.26	0.005	0.09	1.97	6.8	<0.2	<10	240	0.40	0.15	0.45	0.14	22.4	9.0	30
I314061		0.38	<0.005	0.14	2.59	17.2	<0.2	<10	220	0.34	0.15	0.28	0.19	18.70	9.3	24
I314062		0.28	<0.005	0.11	1.67	7.5	<0.2	<10	220	0.28	0.14	0.29	0.12	17.00	9.5	26
I314063		0.36	<0.005	0.20	1.62	6.2	<0.2	<10	200	0.27	0.14	0.46	0.24	17.55	11.4	19
I314064		0.38	<0.005	0.20	1.74	7.7	<0.2	<10	150	0.26	0.11	0.33	0.14	18.10	11.3	21
I314065		0.30	0.006	0.26	2.27	8.8	<0.2	<10	240	0.38	0.14	0.36	0.29	27.1	10.0	28
I314066		0.34	<0.005	0.11	1.76	8.9	<0.2	<10	230	0.38	0.10	0.35	0.09	27.0	9.8	22
I314067		0.22	<0.005	0.15	1.18	5.8	<0.2	<10	140	0.16	0.12	0.21	0.28	15.10	5.4	14
I314068		0.36	0.005	0.45	1.77	10.3	<0.2	<10	160	0.32	0.12	0.31	0.13	19.25	8.5	22
I314069		0.26	<0.005	0.62	1.52	8.3	<0.2	<10	170	0.30	0.10	0.32	0.14	18.55	6.3	16
I314070		0.48	NSS	0.04	0.31	8.9	<0.2	<10	80	0.32	0.03	0.51	0.24	25.9	7.7	10
I314071		0.22	<0.005	0.35	1.66	8.6	<0.2	<10	250	0.42	0.13	0.30	0.29	20.1	6.8	21
I314072		0.28	<0.005	0.19	2.39	7.8	<0.2	<10	430	0.64	0.20	0.58	0.30	21.8	12.2	25
I314073		0.22	<0.005	0.29	1.26	2.6	<0.2	<10	240	0.31	0.30	0.33	0.14	17.60	4.5	16
I314074		0.24	0.005	0.15	2.80	9.9	<0.2	<10	330	0.99	0.33	0.35	0.24	30.5	15.8	34
I314075		0.22	<0.005	0.12	1.98	11.7	<0.2	<10	170	0.58	0.18	0.19	0.12	17.85	7.5	26
I314076		0.22	<0.005	0.08	1.94	9.2	<0.2	<10	170	0.40	0.22	0.23	0.11	18.95	10.4	26
I314077		0.32	<0.005	0.12	1.52	9.5	<0.2	<10	160	0.26	0.25	0.22	0.07	15.05	5.8	22
I314078		0.28	<0.005	0.10	1.20	9.4	<0.2	<10	140	0.16	0.16	0.21	0.08	14.40	5.1	17
I314079		0.20	0.009	0.26	1.24	5.4	<0.2	<10	270	0.32	0.19	0.29	0.24	17.10	9.6	17
I314080		0.32	<0.005	0.14	1.73	9.6	<0.2	<10	220	0.33	0.19	0.21	0.07	16.05	7.7	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314041		2.08	13.5	3.40	6.96	0.06	0.03	0.02	0.022	0.14	8.9	18.3	0.65	421	1.41
I314042		3.89	11.9	3.22	8.41	0.06	0.02	0.01	0.015	0.22	7.0	15.3	0.74	296	1.90
I314043		1.61	22.0	3.43	7.21	0.05	0.06	0.01	0.026	0.06	9.5	18.0	0.50	229	1.15
I314044		2.39	24.3	2.92	5.84	0.05	0.03	0.02	0.012	0.09	6.1	17.7	0.69	273	0.52
I314045		3.96	25.9	3.10	5.94	0.06	0.04	0.02	0.019	0.08	10.9	20.1	0.68	370	0.62
I314046		2.32	9.0	2.81	6.72	0.05	0.04	0.02	0.018	0.05	9.0	15.2	0.41	167	0.80
I314047		1.60	17.5	2.89	5.83	0.05	0.05	0.01	0.025	0.07	8.6	14.9	0.50	277	1.29
I314048		2.80	10.5	3.11	7.62	0.06	0.03	0.02	0.023	0.06	7.9	18.0	0.45	371	1.20
I314049		2.66	10.2	3.35	9.01	0.06	0.02	0.02	0.031	0.08	8.7	17.7	0.52	998	1.22
I314050		2.34	9.5	3.29	8.44	0.06	0.02	0.02	0.028	0.07	7.9	16.6	0.49	999	1.13
I314051		1.96	15.0	1.96	6.52	0.06	0.02	0.06	0.022	0.06	12.5	8.8	0.31	144	1.05
I314052		2.33	9.5	2.02	4.42	0.06	0.03	0.03	0.016	0.05	12.6	10.1	0.41	523	0.74
I314053		2.89	12.8	2.42	5.85	0.05	0.02	0.04	0.018	0.05	10.8	13.1	0.51	192	0.85
I314054		3.19	11.7	2.41	7.25	0.06	0.02	0.06	0.020	0.08	13.1	11.3	0.51	798	1.18
I314055		3.86	17.6	2.07	6.38	0.07	0.05	0.03	0.012	0.09	19.5	8.4	0.37	199	0.73
I314056		2.76	14.8	2.92	7.22	0.07	0.05	0.05	0.024	0.07	13.5	15.8	0.64	378	0.99
I314057		3.49	22.1	3.02	6.91	0.11	0.06	0.10	0.031	0.07	23.9	14.9	0.52	2230	1.38
I314058		3.44	17.2	3.14	8.20	0.08	0.04	0.04	0.026	0.11	16.3	17.9	0.60	585	1.60
I314059		1.52	16.3	2.75	6.21	0.07	0.05	0.03	0.020	0.11	11.8	13.2	0.59	629	1.01
I314060		1.53	16.5	2.80	6.05	0.06	0.06	0.03	0.020	0.11	11.8	13.8	0.62	508	0.95
I314061		3.34	17.1	3.90	9.58	0.08	0.04	0.02	0.017	0.24	9.4	22.3	0.93	551	2.26
I314062		0.84	12.7	2.86	6.20	0.05	0.04	0.02	0.016	0.11	8.6	11.6	0.51	335	1.27
I314063		2.43	29.4	2.54	5.96	0.06	0.02	0.04	0.020	0.09	9.1	14.6	0.68	389	0.98
I314064		3.05	16.2	2.86	6.24	0.07	0.02	0.05	0.018	0.08	9.3	16.2	0.65	407	0.90
I314065		3.50	20.4	3.22	6.82	0.08	0.04	0.04	0.022	0.10	14.7	20.9	0.77	326	0.92
I314066		2.95	16.1	2.93	6.24	0.08	0.07	0.02	0.019	0.10	14.6	21.8	0.67	295	0.89
I314067		2.75	10.9	1.92	6.96	0.05	0.02	0.03	0.014	0.11	7.7	7.2	0.38	186	1.01
I314068		4.18	16.5	2.92	6.72	0.06	0.03	0.03	0.020	0.13	10.1	18.1	0.62	313	1.18
I314069		3.42	21.3	2.54	6.49	0.06	0.02	0.04	0.016	0.10	10.2	11.2	0.49	190	1.11
I314070		0.37	7.7	2.11	1.53	0.07	0.04	0.01	<0.005	0.05	12.7	3.6	0.22	766	1.30
I314071		3.80	20.6	2.39	6.10	0.05	0.02	0.04	0.019	0.08	11.0	11.8	0.44	208	0.98
I314072		5.60	19.7	3.41	7.20	0.07	0.04	0.02	0.025	0.12	11.2	22.6	0.60	1340	1.05
I314073		3.21	12.0	1.64	6.53	0.05	0.04	0.01	0.013	0.09	9.1	6.0	0.27	468	0.77
I314074		12.45	25.0	3.83	8.30	0.09	0.03	0.05	0.030	0.10	15.2	24.7	0.69	1470	1.18
I314075		4.23	14.2	3.02	7.58	0.06	0.02	0.03	0.021	0.06	9.3	13.0	0.45	313	1.19
I314076		4.78	15.9	2.98	6.28	0.06	0.05	0.02	0.020	0.08	9.5	17.2	0.51	375	1.13
I314077		2.48	12.0	2.78	6.26	<0.05	0.02	0.03	0.020	0.06	7.6	10.3	0.36	221	1.49
I314078		1.74	9.8	2.28	5.85	<0.05	<0.02	0.02	0.015	0.05	7.2	6.8	0.33	208	0.90
I314079		2.39	11.8	2.40	6.26	<0.05	<0.02	0.04	0.019	0.07	8.8	5.5	0.29	1130	1.23
I314080		1.69	11.0	2.99	6.05	<0.05	0.04	0.02	0.024	0.05	8.0	12.5	0.39	292	1.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314041		1.66	15.2	640	6.5	22.0	<0.001	0.02	0.37	4.3	0.5	0.5	13.8	<0.01	0.04
I314042		1.19	9.4	660	7.1	24.8	<0.001	0.01	0.46	4.2	0.4	0.4	11.2	<0.01	0.03
I314043		1.79	18.4	230	8.9	10.3	<0.001	0.02	0.47	4.1	0.5	0.6	15.2	<0.01	0.03
I314044		0.92	9.3	550	5.1	12.4	<0.001	0.01	0.25	3.6	0.4	0.3	17.6	<0.01	0.02
I314045		1.08	15.0	510	6.1	12.3	<0.001	0.01	0.36	5.7	0.5	0.4	17.4	<0.01	0.02
I314046		1.36	12.1	330	8.0	9.1	<0.001	0.01	0.26	3.9	0.4	0.5	16.5	<0.01	0.02
I314047		1.57	18.6	420	8.9	13.0	<0.001	0.02	0.50	3.6	0.5	0.5	13.2	<0.01	0.02
I314048		1.17	12.9	310	7.9	13.5	<0.001	0.01	0.41	4.6	0.3	0.6	18.6	<0.01	0.03
I314049		1.45	14.0	650	8.2	16.5	<0.001	0.02	0.43	5.1	0.4	0.8	16.1	<0.01	0.03
I314050		1.41	13.2	630	8.3	13.9	<0.001	0.02	0.42	4.6	0.3	0.7	15.5	<0.01	0.03
I314051		1.22	13.1	520	10.6	12.5	<0.001	0.03	0.32	3.0	0.6	0.7	24.8	<0.01	0.03
I314052		1.51	10.9	680	8.5	13.0	<0.001	0.03	0.27	3.3	0.6	0.6	24.9	<0.01	0.02
I314053		1.37	13.2	600	8.4	16.2	<0.001	0.03	0.24	3.3	0.5	0.5	23.3	<0.01	0.02
I314054		1.61	14.0	470	11.4	21.2	<0.001	0.03	0.27	4.1	0.5	0.7	24.9	<0.01	0.03
I314055		1.29	13.2	330	5.7	23.9	<0.001	0.02	0.19	3.1	0.4	0.5	18.2	<0.01	0.02
I314056		2.20	16.0	550	10.7	12.7	<0.001	0.03	0.29	5.5	0.7	0.8	28.2	<0.01	0.03
I314057		1.85	15.4	860	11.1	12.9	0.001	0.05	0.51	7.9	1.4	0.7	34.7	0.01	0.04
I314058		2.45	16.1	660	12.6	21.1	<0.001	0.03	0.46	5.0	0.7	1.0	26.5	<0.01	0.04
I314059		1.84	16.8	380	7.8	15.9	<0.001	0.02	0.38	4.0	0.5	0.5	33.3	<0.01	0.03
I314060		1.87	17.1	410	7.6	15.7	<0.001	0.02	0.40	4.1	0.5	0.5	31.9	<0.01	0.02
I314061		3.19	14.0	710	7.6	41.5	<0.001	0.03	0.48	3.3	0.4	0.6	22.0	<0.01	0.04
I314062		1.91	15.0	260	7.3	15.5	<0.001	0.02	0.36	3.1	0.4	0.5	21.7	<0.01	0.03
I314063		1.18	10.4	980	7.0	17.3	<0.001	0.03	0.24	4.1	0.5	0.6	23.3	<0.01	0.04
I314064		1.05	11.2	730	8.2	13.8	<0.001	0.04	0.28	4.3	0.5	0.4	21.1	<0.01	0.03
I314065		1.41	14.9	570	8.8	15.9	<0.001	0.03	0.30	5.9	0.6	0.5	24.4	<0.01	0.04
I314066		1.11	11.9	620	6.5	13.7	<0.001	0.02	0.27	5.5	0.4	0.4	23.2	<0.01	0.02
I314067		0.82	7.4	380	5.2	18.6	<0.001	0.03	0.21	2.6	0.4	0.5	17.4	<0.01	0.03
I314068		1.31	13.0	670	6.8	16.7	<0.001	0.02	0.30	4.9	0.5	0.5	20.8	<0.01	0.03
I314069		0.98	9.0	430	7.5	16.1	<0.001	0.02	0.29	4.6	0.6	0.4	20.4	<0.01	0.03
I314070		0.60	17.1	640	4.1	5.5	<0.001	0.02	0.46	1.9	0.5	0.3	10.6	<0.01	0.02
I314071		1.12	13.6	480	10.2	11.3	<0.001	0.03	0.33	3.6	0.6	0.5	23.2	<0.01	0.03
I314072		1.36	14.7	940	11.4	24.1	0.001	0.02	0.34	5.5	0.5	0.5	33.9	<0.01	0.03
I314073		1.29	7.9	380	20.1	16.3	<0.001	0.02	0.19	3.4	0.3	0.6	23.5	<0.01	0.02
I314074		1.30	19.2	840	29.6	26.0	<0.001	0.03	0.50	7.2	0.8	0.6	26.4	<0.01	0.03
I314075		1.19	13.5	390	11.7	15.2	<0.001	0.02	0.40	3.5	0.5	0.6	16.2	<0.01	0.03
I314076		1.41	15.9	550	12.2	17.9	<0.001	0.02	0.41	4.1	0.4	0.5	17.5	<0.01	0.03
I314077		1.20	11.8	290	15.1	10.3	<0.001	0.01	0.49	2.9	0.2	0.5	18.6	<0.01	0.03
I314078		1.07	9.5	360	7.8	9.3	<0.001	0.01	0.42	2.9	0.2	0.5	17.4	<0.01	0.03
I314079		0.91	10.7	820	12.8	13.0	<0.001	0.02	0.35	3.2	0.3	0.5	22.7	<0.01	0.03
I314080		1.22	13.6	390	10.4	9.0	<0.001	0.01	0.40	3.2	0.2	0.5	18.2	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314041		0.128	0.14	0.64	75	0.22	2.99	80
I314042		0.135	0.15	0.36	87	0.20	2.48	65
I314043		0.104	0.12	0.52	76	0.19	2.91	51
I314044		0.137	0.09	0.29	71	0.14	2.73	63
I314045		0.100	0.12	0.61	66	0.20	5.71	59
I314046		0.089	0.12	0.38	66	0.19	3.17	39
I314047		0.089	0.10	0.52	61	0.20	2.46	55
I314048		0.042	0.12	0.29	72	0.32	2.39	56
I314049		0.066	0.12	0.36	77	0.23	2.76	90
I314050		0.064	0.12	0.32	75	0.23	2.37	86
I314051		0.064	0.10	1.19	44	0.36	4.94	37
I314052		0.057	0.10	1.29	43	0.18	8.34	40
I314053		0.060	0.11	1.32	50	0.20	5.77	49
I314054		0.072	0.13	1.08	55	0.20	6.97	52
I314055		0.065	0.13	0.69	37	0.19	6.19	38
I314056		0.078	0.15	1.41	62	0.22	8.69	60
I314057		0.059	0.17	2.80	58	0.23	21.0	53
I314058		0.074	0.14	1.36	67	0.29	10.10	58
I314059		0.108	0.10	0.55	60	0.21	5.21	54
I314060		0.116	0.09	0.56	61	0.20	4.98	55
I314061		0.179	0.23	0.60	79	0.27	2.75	65
I314062		0.101	0.10	0.40	65	0.20	2.56	41
I314063		0.098	0.13	0.62	58	0.22	4.64	78
I314064		0.095	0.11	0.66	64	0.18	4.24	68
I314065		0.105	0.12	0.95	67	0.18	7.10	83
I314066		0.116	0.10	0.75	67	0.36	6.26	61
I314067		0.096	0.10	0.38	57	0.16	2.79	39
I314068		0.102	0.11	0.54	72	0.16	3.95	60
I314069		0.098	0.12	0.56	64	0.15	6.62	52
I314070		0.024	0.13	0.84	18	0.09	6.91	23
I314071		0.070	0.09	0.69	57	0.17	4.41	56
I314072		0.093	0.11	0.90	74	0.19	6.46	99
I314073		0.070	0.07	0.48	45	0.12	3.55	46
I314074		0.089	0.17	1.69	79	0.30	11.30	73
I314075		0.077	0.13	0.59	73	0.23	3.45	47
I314076		0.074	0.11	0.55	66	0.21	3.43	49
I314077		0.058	0.12	0.46	66	0.25	2.53	42
I314078		0.065	0.10	0.35	59	0.24	2.25	34
I314079		0.060	0.09	0.48	54	0.23	3.70	43
I314080		0.051	0.11	0.41	62	0.23	2.50	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314081		0.28	<0.005	0.14	1.84	6.7	<0.2	<10	310	0.50	0.23	0.28	0.17	18.05	13.6	29
I314082		0.28	0.005	0.19	1.76	7.4	<0.2	<10	280	0.30	0.20	0.15	0.12	16.70	10.9	28
I314083		0.30	<0.005	0.17	1.82	8.4	<0.2	<10	260	0.37	0.20	0.14	0.12	16.00	9.9	29
I314084		0.30	<0.005	0.13	1.72	3.4	<0.2	<10	210	0.27	0.09	0.33	0.46	7.58	12.2	37
I314085		0.22	<0.005	0.16	1.91	6.9	<0.2	<10	260	0.40	0.12	0.60	0.39	10.35	14.8	31
I314086		0.30	<0.005	0.07	1.92	5.1	<0.2	<10	200	0.43	0.16	0.23	0.21	15.65	12.7	25
I314087		0.26	<0.005	0.15	1.49	4.5	<0.2	<10	280	0.38	0.15	0.41	0.62	15.00	11.1	18
I314088		0.32	<0.005	0.10	2.03	6.0	<0.2	<10	200	0.38	0.13	0.31	0.17	11.45	13.7	36
I314089		0.28	<0.005	0.08	1.77	5.6	<0.2	<10	160	0.33	0.16	0.40	0.15	11.70	10.1	25
I314090		0.26	<0.005	0.69	2.41	4.7	<0.2	<10	230	0.45	0.15	0.49	0.30	17.85	16.5	53
I314091		0.22	<0.005	0.50	2.77	3.3	<0.2	<10	250	0.56	0.17	0.60	0.41	16.45	22.6	55
I314092		0.38	<0.005	0.11	1.45	5.2	<0.2	<10	240	1.69	1.32	0.52	0.22	34.3	7.0	19
I314093		0.26	0.015	0.16	1.94	7.6	<0.2	<10	1120	0.64	0.26	0.22	0.08	22.0	9.3	28
I314094		0.26	<0.005	0.10	1.87	6.4	<0.2	<10	520	0.39	0.19	0.22	0.09	17.70	7.4	27
I314095		0.32	<0.005	0.05	1.69	4.3	<0.2	<10	890	0.55	0.14	0.90	0.12	27.2	11.1	20
I314096		0.38	<0.005	0.06	1.74	5.7	<0.2	<10	730	0.53	0.14	0.79	0.08	30.6	10.3	31
I314097		0.30	<0.005	0.10	1.82	9.3	<0.2	<10	410	0.55	0.17	0.92	0.09	29.8	12.6	34
I314098		0.54	NSS	0.02	0.33	10.9	<0.2	<10	100	0.35	0.04	0.67	0.22	27.8	11.4	13
I314099		0.32	<0.005	0.12	1.81	6.5	<0.2	<10	440	0.55	0.17	0.90	0.09	25.6	11.6	34
I314100		0.26	<0.005	0.05	2.03	5.6	<0.2	<10	530	0.54	0.15	0.54	0.10	21.5	11.4	28
I314101		0.20	<0.005	0.10	1.12	10.6	<0.2	<10	210	0.65	0.57	0.41	0.16	25.3	4.2	20
I314102		0.20	<0.005	0.21	1.85	8.8	<0.2	<10	310	0.86	0.65	0.35	0.29	33.6	8.8	30
I314103		0.28	<0.005	0.02	2.04	8.6	<0.2	<10	230	0.72	0.28	0.23	0.07	22.1	9.6	33
I314104		0.30	<0.005	0.07	2.09	7.4	<0.2	<10	210	0.30	0.28	0.18	0.12	17.25	8.8	26
I314105		0.24	<0.005	0.15	1.72	7.1	<0.2	<10	190	0.81	0.52	0.27	0.11	23.3	5.0	23
I314106		0.40	NSS	0.04	0.37	11.0	<0.2	<10	110	0.34	0.07	0.85	0.28	34.8	11.1	12
I314107		0.26	0.009	0.18	1.51	4.7	<0.2	<10	220	3.42	0.80	1.57	0.11	38.9	7.3	20
I314108		0.36	<0.005	0.03	2.19	5.9	<0.2	<10	190	1.24	0.72	0.57	0.04	21.5	8.4	24
I314109		0.20	0.016	0.40	2.18	15.7	<0.2	<10	730	1.09	0.21	2.05	0.61	44.5	22.4	20
I314110		0.32	<0.005	0.03	2.16	7.1	<0.2	<10	200	0.47	0.17	0.22	0.12	21.6	7.5	23
I314111		0.20	<0.005	0.04	1.90	8.5	<0.2	<10	140	0.66	0.45	0.14	0.36	23.3	6.9	24
I314112		0.28	<0.005	0.05	1.93	9.7	<0.2	<10	160	0.41	0.26	0.14	0.06	21.3	7.5	31
I314113		0.28	<0.005	0.18	2.26	12.5	<0.2	<10	170	0.40	0.16	0.28	0.10	18.80	6.8	23
I314114		0.32	<0.005	0.17	1.21	3.4	<0.2	<10	110	0.16	0.19	0.15	0.09	15.85	2.9	15
I314115		0.34	<0.005	0.09	2.54	6.7	<0.2	<10	160	0.32	0.14	0.32	0.15	13.40	11.0	28
I314116		0.28	<0.005	0.09	1.78	6.1	<0.2	<10	150	0.36	0.11	0.37	0.19	17.35	9.1	25
I314117		0.32	<0.005	0.16	1.88	7.1	<0.2	<10	220	0.37	0.12	0.28	0.13	19.85	9.4	31
I314118		0.30	<0.005	0.11	2.92	5.7	<0.2	<10	150	0.45	0.16	0.23	0.34	11.10	14.5	22
I314119		0.28	<0.005	0.08	2.11	11.3	<0.2	<10	170	0.36	0.21	0.12	0.15	20.4	7.6	35
I314120		0.22	NSS	0.24	1.33	3.8	<0.2	<10	340	0.51	0.17	0.19	0.44	24.9	3.3	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314081		1.72	13.2	3.20	6.49	<0.05	0.02	0.03	0.032	0.07	9.0	9.0	0.41	1440	1.12
I314082		1.10	16.0	3.09	6.54	<0.05	0.04	0.02	0.026	0.06	8.1	11.1	0.43	1360	1.33
I314083		1.38	16.6	3.15	6.47	0.05	0.05	0.02	0.026	0.06	8.0	11.5	0.45	943	1.30
I314084		2.65	23.4	3.00	5.97	<0.05	0.02	0.02	0.019	0.06	3.5	16.6	0.79	720	0.66
I314085		2.44	15.3	3.75	7.62	0.05	0.03	0.01	0.032	0.19	4.6	16.6	0.79	1330	0.66
I314086		3.59	13.2	3.48	6.88	<0.05	0.04	0.01	0.034	0.08	6.9	12.5	0.59	809	0.90
I314087		2.79	17.0	3.01	5.42	<0.05	<0.02	0.02	0.028	0.11	6.3	10.3	0.49	1020	0.88
I314088		2.20	18.7	3.46	6.94	<0.05	0.02	0.01	0.027	0.07	5.2	15.2	0.82	810	0.71
I314089		1.87	19.4	3.31	6.52	<0.05	0.04	0.01	0.026	0.08	5.5	13.9	0.62	334	0.75
I314090		2.00	13.7	4.25	8.04	0.06	0.03	0.02	0.038	0.15	6.8	19.4	1.06	865	0.86
I314091		3.40	35.5	5.10	10.25	0.08	0.04	0.03	0.040	0.17	7.1	25.6	1.39	2260	0.90
I314092		1.78	10.0	2.03	5.47	<0.05	0.18	0.01	0.028	0.17	14.2	16.1	0.33	789	1.39
I314093		0.62	11.3	3.02	5.99	<0.05	0.03	0.02	0.035	0.07	11.0	10.2	0.40	795	5.96
I314094		0.54	9.6	2.93	5.92	<0.05	0.02	0.01	0.023	0.07	8.7	9.0	0.37	352	1.17
I314095		0.70	9.5	3.72	5.52	0.05	0.05	0.01	0.036	0.16	9.5	6.6	0.30	881	0.92
I314096		0.44	12.3	3.31	5.35	0.05	0.07	0.01	0.028	0.22	12.2	6.9	0.46	665	1.06
I314097		0.56	28.6	3.31	5.71	0.05	0.10	0.02	0.032	0.22	13.8	9.6	0.57	749	1.42
I314098		0.29	10.2	2.55	1.58	0.06	0.08	0.02	0.008	0.05	14.3	3.9	0.27	909	1.50
I314099		0.48	12.7	3.15	6.10	0.05	0.09	0.01	0.031	0.30	10.4	8.5	0.56	729	1.09
I314100		0.59	11.7	3.35	6.69	0.05	0.05	0.02	0.030	0.12	8.3	8.0	0.55	701	1.12
I314101		4.12	12.7	2.68	6.46	<0.05	0.02	0.02	0.020	0.07	14.8	5.9	0.24	230	1.36
I314102		3.64	18.6	2.81	6.90	0.06	0.03	0.07	0.027	0.08	21.0	10.7	0.42	705	1.53
I314103		1.98	19.3	2.95	5.78	<0.05	0.11	0.02	0.030	0.06	10.9	16.5	0.52	346	0.77
I314104		3.31	12.6	3.20	6.61	<0.05	0.03	0.03	0.024	0.09	8.2	12.7	0.56	571	1.16
I314105		4.61	12.6	2.38	7.50	<0.05	0.03	0.04	0.023	0.07	12.3	8.4	0.34	210	1.38
I314106		0.63	9.1	2.38	1.77	0.06	0.04	0.02	0.011	0.05	19.5	4.1	0.35	962	1.54
I314107		8.78	21.1	1.72	4.65	0.07	0.20	0.10	0.030	0.06	30.3	9.7	0.28	624	2.02
I314108		11.95	12.2	2.89	6.94	<0.05	0.10	0.01	0.033	0.07	10.7	20.0	0.70	292	0.95
I314109		8.37	23.7	2.61	5.56	0.05	0.07	0.14	0.032	0.06	20.5	14.7	0.41	7940	3.15
I314110		3.79	12.9	2.83	7.96	<0.05	<0.02	0.02	0.022	0.07	11.8	14.7	0.56	276	1.03
I314111		6.50	12.8	2.58	7.18	<0.05	0.02	0.03	0.027	0.08	10.6	12.9	0.41	225	0.90
I314112		2.25	11.5	3.35	6.94	<0.05	0.07	0.01	0.035	0.05	10.9	14.0	0.39	281	1.50
I314113		4.20	12.0	3.32	8.09	0.06	0.07	0.02	0.023	0.08	10.2	28.2	0.66	259	1.33
I314114		2.44	14.1	1.54	6.88	0.05	<0.02	0.02	0.012	0.04	8.3	5.8	0.29	136	1.11
I314115		3.18	97.3	3.80	8.14	0.07	0.02	0.02	0.024	0.22	6.8	19.1	1.15	404	1.64
I314116		1.88	55.7	3.11	5.47	0.07	0.02	0.02	0.020	0.14	8.4	15.6	0.73	391	0.91
I314117		1.38	49.1	2.85	5.19	0.07	0.05	0.03	0.023	0.05	10.6	16.0	0.61	289	0.69
I314118		5.66	24.7	5.70	10.10	0.08	0.02	0.01	0.023	0.15	5.5	32.8	1.40	836	1.67
I314119		1.73	13.2	3.82	6.39	0.07	0.05	0.02	0.032	0.07	10.3	17.4	0.48	185	1.45
I314120		0.82	23.0	1.78	4.36	0.06	0.02	0.06	0.023	0.05	12.8	2.3	0.08	78	1.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314081		1.35	17.0	360	11.1	9.6	<0.001	0.01	0.51	3.4	0.3	0.6	24.9	<0.01	0.03
I314082		1.25	16.0	350	10.8	7.4	<0.001	0.02	0.49	3.7	0.2	0.6	15.5	<0.01	0.03
I314083		1.22	16.3	310	10.9	9.8	<0.001	0.01	0.52	3.7	0.2	0.6	15.5	<0.01	0.03
I314084		0.71	16.8	310	18.1	9.4	<0.001	0.01	0.46	4.6	0.2	0.3	18.1	<0.01	0.03
I314085		0.83	13.7	490	13.7	17.8	<0.001	0.01	0.75	7.2	0.2	0.4	32.6	<0.01	0.01
I314086		0.93	14.9	470	12.2	8.5	<0.001	0.01	0.92	5.7	0.2	0.6	15.0	<0.01	0.02
I314087		0.65	10.8	480	25.3	12.0	<0.001	0.01	0.67	4.5	0.2	0.5	24.1	<0.01	0.02
I314088		0.83	17.3	480	11.7	8.6	<0.001	0.01	0.59	5.3	0.2	0.5	18.2	<0.01	0.02
I314089		1.00	13.9	410	13.6	7.3	<0.001	0.01	0.47	5.1	0.2	0.5	22.1	<0.01	0.02
I314090		1.02	19.9	270	17.4	14.0	<0.001	0.01	0.53	8.4	0.2	0.5	25.3	<0.01	0.02
I314091		1.37	28.6	450	13.7	27.4	<0.001	0.02	0.46	12.7	0.3	0.6	34.8	<0.01	0.03
I314092		5.78	9.8	290	63.9	22.1	<0.001	0.02	0.33	3.3	0.4	2.0	38.4	0.01	0.02
I314093		1.27	19.0	290	12.5	6.0	<0.001	0.01	0.45	4.0	0.3	0.6	20.5	<0.01	0.10
I314094		1.14	15.5	270	9.5	4.8	<0.001	0.01	0.43	3.1	0.2	0.5	20.3	<0.01	0.03
I314095		0.83	12.4	320	9.2	8.8	<0.001	0.02	0.42	5.7	0.2	0.5	41.4	<0.01	0.02
I314096		1.09	18.7	350	7.9	8.8	<0.001	0.03	0.40	5.3	0.2	0.4	48.6	<0.01	0.02
I314097		1.19	24.8	350	8.6	10.3	<0.001	0.01	0.55	7.4	0.4	0.5	41.8	<0.01	0.03
I314098		0.74	21.8	720	5.4	5.2	<0.001	0.02	0.55	2.3	0.3	0.3	16.6	<0.01	0.02
I314099		1.21	19.4	550	9.1	10.1	<0.001	0.01	0.41	6.5	0.3	0.5	44.3	<0.01	0.05
I314100		1.05	16.3	510	8.3	6.9	<0.001	0.02	0.37	5.6	0.2	0.6	33.9	<0.01	0.04
I314101		1.68	11.8	660	22.5	22.7	<0.001	0.03	0.53	2.9	0.4	0.7	33.2	<0.01	0.04
I314102		1.80	19.0	550	21.9	23.8	<0.001	0.03	0.51	4.7	0.5	0.7	34.5	<0.01	0.04
I314103		2.11	19.1	380	13.1	11.9	<0.001	0.01	0.47	4.5	0.3	0.8	24.8	<0.01	0.03
I314104		2.10	15.8	490	10.4	19.1	<0.001	0.01	0.38	3.1	0.3	0.6	17.4	<0.01	0.03
I314105		2.82	12.7	460	20.5	20.9	<0.001	0.02	0.41	3.5	0.4	1.2	25.5	<0.01	0.04
I314106		1.70	25.4	800	7.6	6.6	<0.001	0.03	0.56	2.1	0.4	0.6	18.5	0.01	0.02
I314107		4.22	13.8	1080	23.2	21.4	0.001	0.12	0.64	3.4	1.7	1.1	96.9	0.03	0.03
I314108		3.32	14.3	460	17.9	23.4	<0.001	0.01	0.46	4.1	0.3	1.6	32.9	<0.01	0.02
I314109		1.13	17.6	1590	7.2	11.7	0.001	0.14	1.07	4.4	2.0	0.5	90.1	0.01	0.03
I314110		1.17	12.8	520	7.9	16.7	<0.001	0.02	0.35	3.0	0.3	0.7	20.3	<0.01	0.02
I314111		2.29	16.9	470	25.0	17.7	<0.001	0.02	0.38	1.9	0.4	1.1	15.4	<0.01	0.03
I314112		1.80	14.6	270	12.1	19.1	<0.001	0.02	0.54	3.2	0.2	0.8	14.7	<0.01	0.03
I314113		2.09	12.1	510	8.4	20.2	<0.001	<0.01	0.35	3.7	0.3	0.6	18.5	<0.01	0.02
I314114		1.23	6.1	250	8.6	11.2	<0.001	<0.01	0.20	1.7	0.3	0.6	13.4	<0.01	0.01
I314115		2.06	13.6	620	9.2	24.8	<0.001	<0.01	0.28	2.8	0.4	1.5	21.8	<0.01	0.10
I314116		0.98	15.0	1050	7.2	14.8	<0.001	<0.01	0.41	2.2	0.5	0.7	21.7	<0.01	0.03
I314117		1.24	17.6	450	8.0	8.8	<0.001	<0.01	0.36	4.5	0.5	0.4	21.0	<0.01	0.02
I314118		0.86	9.0	1370	12.9	28.8	<0.001	<0.01	0.45	7.0	0.4	0.5	16.2	<0.01	0.03
I314119		1.86	15.6	320	11.2	14.2	<0.001	<0.01	0.69	3.4	0.5	0.6	12.6	0.01	0.04
I314120		0.42	7.4	1470	12.2	6.2	<0.001	<0.01	0.19	1.3	1.0	0.5	27.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I314081		0.066	0.13	0.38	67	0.23	2.34	63
I314082		0.075	0.10	0.37	68	0.21	2.74	67
I314083		0.076	0.10	0.40	68	0.21	2.67	67
I314084		0.102	0.07	0.19	82	0.19	1.73	149
I314085		0.055	0.10	0.24	101	0.20	2.92	166
I314086		0.063	0.11	0.35	81	0.24	2.91	116
I314087		0.037	0.08	0.38	68	0.23	2.92	107
I314088		0.107	0.09	0.26	90	0.22	2.26	95
I314089		0.117	0.07	0.30	89	0.23	2.82	76
I314090		0.111	0.13	0.30	114	0.22	2.87	125
I314091		0.232	0.25	0.54	150	0.25	5.65	125
I314092		0.038	0.21	4.34	40	0.27	21.7	57
I314093		0.050	0.09	0.55	64	0.19	5.22	41
I314094		0.047	0.08	0.41	63	0.20	2.07	47
I314095		0.027	0.07	0.42	72	0.28	4.65	46
I314096		0.044	0.07	0.43	61	0.16	4.48	44
I314097		0.066	0.07	0.38	71	0.21	9.77	52
I314098		0.024	0.14	0.78	21	0.09	8.68	26
I314099		0.072	0.07	0.34	68	0.15	5.18	50
I314100		0.051	0.07	0.34	72	0.17	3.99	52
I314101		0.082	0.12	0.94	70	0.32	5.99	34
I314102		0.070	0.13	1.72	63	0.28	12.75	47
I314103		0.072	0.10	1.24	61	0.19	7.23	48
I314104		0.097	0.11	0.67	62	0.29	2.91	47
I314105		0.075	0.18	1.45	58	0.25	10.05	42
I314106		0.037	0.16	1.16	23	0.11	10.40	25
I314107		0.026	0.19	16.15	29	0.25	88.2	34
I314108		0.054	0.26	1.71	56	0.30	12.05	56
I314109		0.027	0.24	14.90	46	0.23	22.1	42
I314110		0.070	0.11	0.80	65	0.24	4.58	42
I314111		0.043	0.14	1.10	58	0.25	9.91	50
I314112		0.086	0.14	0.65	71	0.26	2.98	44
I314113		0.080	0.14	0.44	70	0.21	3.61	48
I314114		0.089	0.11	0.32	47	0.15	1.94	29
I314115		0.195	0.22	0.36	89	0.24	2.33	151
I314116		0.114	0.12	0.47	70	0.18	3.37	97
I314117		0.090	0.09	0.57	61	0.19	4.76	71
I314118		0.115	0.14	0.34	122	0.27	3.32	144
I314119		0.086	0.11	0.54	76	0.31	2.28	54
I314120		0.035	0.06	0.88	26	0.09	5.26	15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314121		0.36	<0.005	0.14	2.21	13.9	<0.2	<10	200	0.35	0.18	0.15	0.12	15.55	9.8	27
I314122		0.34	<0.005	0.24	2.08	7.6	<0.2	<10	220	0.34	0.17	0.12	0.10	15.55	7.6	25
I314123		0.32	<0.005	0.19	1.61	5.4	<0.2	<10	180	0.21	0.15	0.15	0.11	13.45	6.0	16
I314124		0.36	<0.005	0.29	2.42	104.0	<0.2	<10	470	0.76	0.15	0.34	0.13	28.9	10.5	33
I314125		0.30	<0.005	0.16	2.57	16.9	<0.2	<10	210	0.42	0.12	0.25	0.10	16.40	9.9	25
I314126		0.38	<0.005	0.12	2.18	7.2	<0.2	<10	150	0.36	0.10	0.19	0.12	12.20	10.8	25
I314127		0.30	<0.005	0.21	1.63	6.2	<0.2	<10	160	0.29	0.15	0.21	0.09	15.20	6.7	22
I314128		0.36	<0.005	0.16	1.97	5.9	<0.2	<10	340	0.50	0.15	0.27	0.12	18.25	15.0	25
I314129		0.36	<0.005	0.17	2.17	3.6	<0.2	<10	290	0.62	0.12	0.20	0.12	18.30	11.6	20
I314130		0.54	NSS	0.06	0.31	9.0	<0.2	<10	90	0.33	0.03	0.62	0.26	26.1	9.0	9
I314131		0.32	0.005	0.46	2.31	7.3	<0.2	<10	590	0.77	0.11	0.77	0.30	24.2	12.6	22
I314132		0.30	<0.005	0.14	1.74	4.2	<0.2	<10	250	0.33	0.12	0.54	0.14	13.15	9.7	22
I314133		0.36	0.016	0.18	1.60	7.2	<0.2	<10	200	0.46	0.12	0.25	0.07	18.70	7.6	25
I314134		0.26	<0.005	0.37	1.75	3.8	<0.2	<10	720	0.45	0.14	1.32	0.84	21.8	13.1	23
I314135		0.30	<0.005	0.15	1.50	8.5	<0.2	<10	200	0.45	0.11	0.19	0.09	18.40	6.6	17
I314136		0.28	<0.005	0.16	1.41	8.1	<0.2	<10	190	0.47	0.12	0.18	0.15	19.20	9.4	21
I314137		0.32	<0.005	0.22	1.68	5.6	<0.2	<10	290	0.82	0.09	0.43	0.11	26.0	7.8	17
I314138		0.22	<0.005	0.19	1.44	4.9	<0.2	<10	160	0.26	0.14	0.15	0.39	14.80	7.2	27
I314139		0.28	<0.005	0.15	1.46	6.6	<0.2	<10	200	0.53	0.21	0.27	0.22	19.20	8.4	24
I314140		0.28	<0.005	0.11	1.83	7.3	<0.2	<10	170	0.50	0.16	0.25	0.33	17.75	9.7	28
I314141		0.22	<0.005	0.16	1.70	5.1	<0.2	<10	270	0.41	0.16	0.40	0.59	15.05	11.3	28
I314142		0.26	<0.005	0.12	1.88	5.5	<0.2	<10	300	0.39	0.13	0.48	1.19	15.40	11.8	23
I314143		0.24	<0.005	0.17	1.57	3.0	<0.2	<10	270	0.67	0.12	0.52	0.47	25.3	9.4	17
I314144		0.22	<0.005	0.11	1.45	3.6	<0.2	<10	990	0.59	0.13	0.62	0.31	28.5	8.5	21
I314145		0.26	<0.005	0.11	1.60	4.5	<0.2	<10	750	0.45	0.13	0.48	0.14	17.80	11.2	25
I314146		0.26	0.008	0.12	1.57	4.7	<0.2	<10	720	0.44	0.13	0.46	0.13	17.85	10.9	27
I314147		0.24	0.017	0.16	2.02	5.3	<0.2	<10	490	0.59	0.13	0.57	0.16	21.1	11.7	28
I314148		0.22	<0.005	0.11	2.19	3.6	<0.2	<10	580	0.59	0.11	0.62	0.12	17.50	11.9	25
I314149		0.24	<0.005	0.14	1.67	7.5	<0.2	<10	300	0.33	0.15	0.49	0.12	15.35	9.8	28
I314150		0.30	<0.005	0.09	2.12	10.3	<0.2	<10	340	0.62	0.15	0.65	0.08	31.3	14.4	40
I314151		0.38	<0.005	0.22	1.65	5.9	<0.2	<10	1020	0.51	0.15	0.50	0.34	29.4	12.1	25
I314152		0.46	<0.005	0.08	1.89	10.0	<0.2	<10	220	0.32	0.20	0.18	0.11	18.35	7.9	29
I314153		0.38	<0.005	0.13	1.55	5.2	<0.2	<10	290	0.35	0.11	0.44	0.19	26.3	10.6	29
I314154		0.42	<0.005	0.19	1.45	4.7	<0.2	<10	330	0.27	0.13	0.36	0.17	25.4	9.9	29
I314155		0.48	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		0.50	<0.005	0.13	1.89	6.3	<0.2	<10	420	0.44	0.14	0.42	0.11	45.5	11.7	32
I314157		0.38	<0.005	0.17	1.60	9.6	<0.2	<10	350	0.39	0.15	0.35	0.11	90.3	8.5	24
I314158		0.52	<0.005	0.17	1.32	5.5	<0.2	<10	320	0.32	0.13	0.37	0.15	41.8	5.7	19
I314159		0.28	0.005	0.34	1.70	6.4	<0.2	<10	320	0.41	0.14	0.35	0.23	41.5	10.2	33
I314160		0.36	<0.005	0.25	1.44	8.0	<0.2	<10	430	0.58	0.12	0.49	0.37	44.3	9.5	16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314121		1.72	16.2	3.62	7.95	0.07	0.04	0.02	0.033	0.08	7.7	18.1	0.50	259	1.45
I314122		2.68	12.6	3.34	7.22	0.06	0.04	0.02	0.021	0.07	7.9	17.3	0.48	335	1.61
I314123		1.92	9.8	2.72	6.93	<0.05	0.02	0.01	0.013	0.11	7.0	11.3	0.51	338	1.14
I314124		10.65	21.1	3.88	7.46	0.09	0.03	0.03	0.032	0.09	18.6	27.8	0.64	938	2.81
I314125		3.55	13.3	3.81	8.43	0.07	0.06	0.01	0.025	0.22	8.1	24.5	0.86	417	1.59
I314126		2.50	21.1	3.23	6.27	0.06	0.03	0.02	0.021	0.10	6.2	22.9	0.73	328	0.91
I314127		1.65	13.7	2.81	5.96	0.06	0.02	0.02	0.017	0.07	7.8	13.0	0.46	265	1.03
I314128		2.03	15.8	3.18	6.94	0.08	0.05	0.02	0.022	0.09	8.8	15.4	0.54	1400	1.09
I314129		4.27	17.6	3.39	6.19	0.07	0.06	0.02	0.024	0.10	9.5	18.3	0.49	815	0.99
I314130		0.45	7.0	2.13	1.41	0.08	0.07	0.02	0.006	0.04	13.0	3.8	0.26	868	1.21
I314131		9.37	39.5	3.22	6.98	0.11	0.07	0.06	0.025	0.11	17.6	25.0	0.62	972	0.72
I314132		1.99	14.5	2.93	5.75	0.05	0.04	0.01	0.019	0.13	6.7	17.2	0.60	643	0.76
I314133		1.78	11.7	2.73	4.94	0.06	0.05	0.02	0.019	0.08	10.1	12.8	0.45	415	0.95
I314134		2.14	15.7	2.83	6.10	0.07	0.04	<0.01	0.023	0.27	10.6	10.2	0.46	2960	0.86
I314135		4.94	13.1	3.02	6.00	0.07	0.02	0.03	0.028	0.18	8.3	17.6	0.52	636	1.00
I314136		2.25	9.7	2.65	4.71	0.06	<0.02	0.01	0.023	0.09	8.9	11.4	0.37	623	0.99
I314137		4.88	15.1	3.15	6.42	0.10	0.04	0.02	0.029	0.34	16.9	17.9	0.58	656	1.01
I314138		1.16	11.1	2.81	5.42	0.06	0.02	0.01	0.020	0.10	7.2	9.4	0.42	258	1.09
I314139		0.72	12.9	2.50	5.08	0.06	0.05	0.02	0.022	0.12	9.8	12.1	0.43	297	0.96
I314140		0.99	13.5	3.07	6.12	0.06	0.08	0.02	0.026	0.09	8.4	14.5	0.52	431	1.14
I314141		1.44	17.5	2.89	6.41	0.06	0.02	0.01	0.025	0.07	7.0	13.3	0.53	1270	1.04
I314142		1.47	18.8	3.37	7.18	0.07	0.04	0.01	0.031	0.07	7.3	19.0	0.70	766	0.92
I314143		2.73	18.7	3.26	6.28	0.09	0.03	0.02	0.033	0.26	13.4	11.2	0.48	783	0.96
I314144		0.26	11.5	2.73	4.73	0.08	0.06	0.02	0.020	0.24	16.4	8.4	0.41	876	0.77
I314145		0.37	9.6	2.68	5.28	0.06	0.05	0.01	0.019	0.10	8.3	8.4	0.47	1400	0.98
I314146		0.29	9.4	2.70	5.20	0.05	0.06	0.02	0.020	0.11	8.6	8.6	0.48	1280	0.94
I314147		0.44	10.3	3.31	7.04	0.07	0.06	0.02	0.026	0.13	8.6	9.6	0.62	1120	0.82
I314148		0.37	8.7	3.46	7.84	0.06	0.06	0.02	0.027	0.12	7.3	11.5	0.81	819	0.79
I314149		0.29	20.7	2.68	6.02	0.06	0.08	0.01	0.023	0.05	7.8	9.6	0.48	292	2.05
I314150		0.38	32.4	3.28	6.57	0.08	0.17	0.03	0.027	0.12	15.8	12.5	0.70	599	1.07
I314151		1.95	25.7	2.65	5.70	0.06	<0.02	0.04	0.023	0.12	14.3	9.9	0.36	1670	1.18
I314152		0.95	12.0	3.01	7.00	0.06	<0.02	0.02	0.023	0.06	9.2	13.4	0.39	278	1.49
I314153		1.09	22.3	2.70	5.24	0.08	<0.02	0.04	0.026	0.09	14.7	11.9	0.63	324	0.66
I314154		0.90	17.8	2.46	5.78	0.08	0.02	0.04	0.020	0.14	15.9	9.3	0.63	461	0.89
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		2.05	37.3	3.01	6.71	0.10	0.03	0.03	0.026	0.22	22.5	14.8	0.87	414	1.08
I314157		2.45	27.9	2.85	6.73	0.12	0.02	0.03	0.023	0.21	49.1	12.2	0.65	393	1.65
I314158		1.85	15.9	2.08	6.30	0.06	0.02	0.02	0.016	0.18	23.5	7.2	0.43	292	1.12
I314159		3.03	23.6	2.85	7.19	0.08	<0.02	0.05	0.020	0.29	24.6	12.3	0.58	681	2.67
I314160		4.05	16.8	2.32	6.45	0.09	0.02	0.03	0.018	0.20	30.6	11.7	0.52	1340	1.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314121		1.64	14.2	420	9.5	13.9	<0.001	<0.01	0.54	3.9	0.4	0.7	13.7	<0.01	0.05
I314122		1.81	10.7	340	10.3	17.0	<0.001	<0.01	0.37	2.9	0.4	0.6	12.9	<0.01	0.03
I314123		1.39	7.2	490	8.9	16.9	<0.001	<0.01	0.25	2.4	0.3	0.5	13.7	<0.01	0.02
I314124		0.90	15.6	510	9.0	23.7	0.001	0.01	0.83	6.6	0.6	0.4	23.6	<0.01	0.04
I314125		1.50	9.9	540	8.1	28.8	<0.001	<0.01	0.40	5.6	0.3	0.6	14.9	<0.01	0.03
I314126		1.17	15.1	360	6.2	13.4	<0.001	<0.01	0.37	4.0	0.4	0.4	15.5	<0.01	0.02
I314127		1.32	10.4	240	8.7	13.6	<0.001	<0.01	0.33	2.8	0.3	0.5	17.1	<0.01	0.02
I314128		1.43	14.1	410	8.0	12.0	<0.001	<0.01	0.41	4.3	0.4	0.6	20.9	<0.01	0.02
I314129		0.90	11.6	250	7.4	17.2	<0.001	<0.01	0.43	4.7	0.4	0.4	14.9	<0.01	0.02
I314130		0.47	16.7	600	3.9	5.1	<0.001	<0.01	0.44	1.9	0.4	0.2	11.1	<0.01	0.01
I314131		0.94	14.6	670	7.0	23.0	0.001	0.01	0.51	9.0	1.0	0.4	38.8	0.01	0.02
I314132		1.00	11.9	320	7.6	9.6	<0.001	<0.01	0.41	4.1	0.3	0.4	30.7	<0.01	0.01
I314133		1.10	12.6	200	6.6	9.8	<0.001	<0.01	0.34	3.7	0.3	0.5	16.8	<0.01	0.01
I314134		1.02	15.6	1170	8.4	17.8	<0.001	<0.01	0.32	3.9	0.3	0.6	78.1	<0.01	0.02
I314135		0.93	8.7	470	7.7	23.9	<0.001	<0.01	0.49	4.8	0.4	0.5	12.2	<0.01	0.02
I314136		0.85	12.4	300	6.7	12.6	<0.001	<0.01	0.45	3.0	0.3	0.4	15.8	<0.01	0.01
I314137		0.96	10.0	520	7.1	26.5	<0.001	<0.01	0.43	6.2	0.6	0.5	23.8	<0.01	0.02
I314138		1.28	14.7	220	9.6	7.6	<0.001	<0.01	0.39	3.2	0.3	0.5	12.4	<0.01	0.01
I314139		1.31	15.5	280	14.7	8.0	<0.001	<0.01	0.46	3.7	0.4	0.5	21.5	<0.01	0.02
I314140		0.85	14.8	380	15.5	7.2	<0.001	<0.01	0.42	5.1	0.3	0.6	18.9	<0.01	0.02
I314141		1.02	13.9	360	16.1	8.0	<0.001	<0.01	0.39	4.5	0.4	0.5	25.4	<0.01	0.02
I314142		1.15	12.6	730	41.8	10.6	<0.001	<0.01	0.41	6.3	0.4	0.6	27.4	<0.01	0.02
I314143		0.58	10.0	730	18.8	28.3	<0.001	<0.01	0.38	7.5	0.6	0.5	29.3	<0.01	0.01
I314144		1.08	13.7	390	7.7	11.7	<0.001	<0.01	0.30	3.7	0.4	0.4	37.6	<0.01	0.01
I314145		1.26	15.7	350	7.3	8.5	<0.001	<0.01	0.34	3.6	0.3	0.5	42.7	<0.01	0.02
I314146		1.25	16.5	350	7.3	8.0	<0.001	<0.01	0.33	3.5	0.3	0.5	39.8	<0.01	0.01
I314147		1.06	15.6	660	8.3	10.5	<0.001	<0.01	0.31	5.5	0.3	0.6	38.9	<0.01	0.03
I314148		1.06	15.1	620	15.5	8.5	<0.001	<0.01	0.25	5.8	0.4	0.5	47.1	<0.01	0.04
I314149		1.53	17.4	330	6.9	3.5	<0.001	0.01	0.29	4.6	0.3	0.5	32.5	<0.01	0.04
I314150		1.80	26.2	480	7.3	9.2	<0.001	0.01	0.46	8.4	0.6	0.5	46.4	<0.01	0.03
I314151		1.72	19.2	350	8.2	18.8	<0.001	0.02	0.43	5.0	0.5	0.6	43.4	<0.01	0.03
I314152		2.04	16.3	300	9.8	9.5	<0.001	0.01	0.49	3.5	0.3	0.7	18.0	<0.01	0.03
I314153		1.41	17.0	910	5.9	11.4	<0.001	0.04	0.29	6.2	0.7	0.4	30.0	<0.01	0.03
I314154		1.70	16.2	370	6.2	13.4	<0.001	0.02	0.24	5.3	0.4	0.5	24.7	<0.01	0.03
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		2.33	17.7	780	6.7	23.5	<0.001	0.02	0.35	6.1	0.5	0.6	28.1	<0.01	0.03
I314157		2.21	13.9	440	6.9	23.5	<0.001	0.02	0.47	4.7	0.8	0.6	29.6	0.01	0.04
I314158		2.61	9.6	290	6.5	22.3	<0.001	0.01	0.25	3.7	0.4	0.6	25.1	<0.01	0.03
I314159		2.75	16.7	540	6.9	30.6	<0.001	0.02	0.32	3.5	0.6	0.7	25.4	<0.01	0.03
I314160		1.73	10.7	540	6.6	22.5	<0.001	0.02	0.43	4.1	0.6	0.6	30.9	0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314121		0.107	0.11	0.37	97	0.23	2.03	50	1.5
I314122		0.100	0.14	0.36	80	0.56	1.89	62	1.5
I314123		0.135	0.12	0.27	71	0.14	1.64	56	0.7
I314124		0.037	0.11	0.87	90	0.18	9.21	76	0.7
I314125		0.136	0.15	0.44	95	0.17	2.91	75	1.7
I314126		0.123	0.09	0.29	80	0.17	2.21	55	0.9
I314127		0.089	0.10	0.33	67	0.20	1.98	45	0.7
I314128		0.083	0.12	0.38	71	0.21	2.89	66	1.7
I314129		0.030	0.11	0.37	74	0.23	4.41	59	1.6
I314130		0.019	0.13	0.65	19	0.08	6.66	20	3.4
I314131		0.045	0.12	0.87	79	0.34	23.4	67	1.2
I314132		0.048	0.08	0.30	67	0.22	3.25	58	1.2
I314133		0.054	0.09	0.39	60	0.19	3.85	49	1.8
I314134		0.068	0.07	0.30	57	0.17	3.17	128	1.2
I314135		0.062	0.12	0.31	53	0.20	4.25	73	<0.5
I314136		0.039	0.10	0.33	52	0.17	2.15	51	<0.5
I314137		0.079	0.15	0.51	56	0.19	13.60	66	0.7
I314138		0.081	0.09	0.27	62	0.24	2.07	76	0.8
I314139		0.050	0.09	0.52	56	0.22	4.19	57	1.5
I314140		0.058	0.08	0.42	71	0.17	2.83	84	2.7
I314141		0.069	0.08	0.36	73	0.21	2.78	104	<0.5
I314142		0.102	0.08	0.35	91	0.25	3.99	213	1.5
I314143		0.044	0.12	1.46	54	0.24	9.28	104	0.6
I314144		0.051	0.05	0.37	50	0.15	7.36	48	1.6
I314145		0.061	0.08	0.33	58	0.24	2.98	46	1.8
I314146		0.061	0.07	0.33	57	0.16	2.93	49	2.0
I314147		0.052	0.08	0.31	72	0.15	3.60	61	1.9
I314148		0.055	0.07	0.25	77	0.14	4.71	77	1.5
I314149		0.070	0.07	0.39	69	0.20	3.11	43	3.1
I314150		0.100	0.06	0.73	75	0.29	10.60	56	6.3
I314151		0.065	0.09	0.75	56	0.24	7.08	47	1.0
I314152		0.073	0.10	0.38	72	0.24	2.11	44	1.2
I314153		0.082	0.07	1.10	57	0.21	8.32	56	0.8
I314154		0.104	0.08	0.59	59	0.20	7.18	48	0.9
I314155		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314156		0.136	0.14	1.24	65	0.20	9.63	73	1.2
I314157		0.105	0.12	1.08	59	0.26	12.50	59	0.7
I314158		0.108	0.12	0.69	50	0.25	5.91	43	1.2
I314159		0.119	0.14	0.81	57	0.27	7.34	59	0.6
I314160		0.061	0.10	0.99	46	0.35	12.80	50	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314161		0.38	<0.005	0.26	1.37	5.2	<0.2	<10	250	0.27	0.13	0.27	0.10	23.2	7.4	19
I314162		0.36	<0.005	0.20	2.10	9.9	<0.2	<10	390	0.49	0.13	0.53	0.13	19.85	15.7	27
I314163		0.44	<0.005	0.21	2.12	9.6	<0.2	<10	380	0.50	0.13	0.47	0.13	21.1	16.3	27
I314164		0.38	<0.005	0.08	1.54	6.1	<0.2	<10	250	0.37	0.12	0.32	0.07	22.9	9.6	25
I314165		0.46	<0.005	0.23	2.18	8.7	<0.2	<10	470	0.65	0.19	0.49	0.23	37.6	15.2	43
I314166		0.48	<0.005	0.11	2.01	9.3	<0.2	<10	420	0.47	0.23	0.48	0.13	24.2	13.2	29
I314167		0.38	<0.005	0.26	1.77	10.8	<0.2	<10	400	0.50	0.21	1.00	0.27	23.7	11.4	25
I314168		0.46	<0.005	0.09	1.58	8.4	<0.2	<10	260	0.39	0.15	0.24	0.07	20.3	7.4	27
I314169		0.38	<0.005	0.08	1.42	6.1	<0.2	<10	350	0.35	0.21	0.32	0.10	17.75	7.6	25
I314170		0.52	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		0.44	<0.005	0.14	2.17	5.3	<0.2	<10	340	0.35	0.13	0.36	0.17	12.80	13.9	35
I314172		0.40	<0.005	0.16	1.77	4.2	<0.2	<10	590	0.35	0.11	0.49	0.12	15.10	10.8	28
I314173		0.44	<0.005	0.14	1.91	5.5	<0.2	<10	430	0.38	0.17	0.37	0.09	17.55	11.4	31
I314174		0.46	<0.005	0.15	1.66	6.2	<0.2	<10	320	0.26	0.17	0.31	0.09	17.40	8.0	26
I314175		0.44	<0.005	0.14	1.79	6.5	<0.2	<10	410	0.36	0.19	0.36	0.17	16.65	14.5	35
I314176		0.38	<0.005	0.10	2.09	5.3	<0.2	<10	740	0.37	0.15	0.34	0.08	15.50	11.1	28
I314177		0.46	0.005	0.08	1.89	4.9	<0.2	<10	380	0.39	0.16	0.43	0.05	19.45	13.1	46
I314178		0.44	<0.005	0.05	3.12	3.6	<0.2	<10	350	0.98	0.49	0.70	0.08	13.25	27.0	65
I314179		0.48	<0.005	0.09	1.72	4.6	<0.2	<10	380	0.31	0.11	0.38	0.07	14.40	10.4	33
I314180		0.54	<0.005	0.13	1.83	9.3	<0.2	<10	290	0.39	0.14	0.36	0.10	19.60	12.5	28
I314181		0.48	<0.005	0.20	2.30	10.5	<0.2	<10	280	0.41	0.11	0.56	0.07	21.6	14.5	57
I314182		0.50	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.48	0.009	0.09	1.08	4.3	<0.2	<10	420	0.28	0.28	0.54	0.13	22.2	8.1	20
I314184		0.46	0.013	0.05	1.41	4.7	<0.2	<10	480	0.37	0.19	0.20	0.19	29.8	8.5	19
I314185		0.36	0.011	0.12	1.97	5.4	<0.2	<10	1460	0.90	0.24	1.23	0.25	74.4	10.2	27
I314186		0.48	<0.005	0.34	2.00	8.3	<0.2	<10	330	0.50	0.33	0.53	0.21	18.75	8.0	24
I314187		0.54	<0.005	0.30	2.04	4.9	<0.2	<10	420	0.38	0.31	0.58	0.26	21.6	12.0	21
I314188		0.44	<0.005	0.56	1.87	8.8	<0.2	<10	420	0.54	0.20	0.49	0.21	54.0	9.9	25
I314189		0.32	0.019	0.24	1.71	11.4	<0.2	<10	390	0.60	0.20	0.57	0.14	43.0	13.4	22
I314190		0.50	<0.005	0.15	2.41	39.0	<0.2	<10	350	0.35	0.09	0.40	0.07	14.50	13.9	22
I314191		0.56	<0.005	0.12	2.54	37.8	<0.2	<10	370	0.38	0.10	0.42	0.07	14.25	14.8	23
I314192		0.56	<0.005	0.13	1.89	16.8	<0.2	<10	210	0.30	0.12	0.42	0.10	12.70	10.4	19
I314193		0.56	<0.005	0.34	2.33	101.5	<0.2	<10	460	0.51	0.17	0.61	0.27	46.5	18.0	29
I314194		0.34	<0.005	0.80	2.93	13.9	<0.2	<10	720	0.66	0.18	0.96	0.76	91.1	28.3	28
I314195		0.38	<0.005	0.29	1.53	6.7	<0.2	<10	200	0.31	0.16	0.34	0.11	15.05	7.7	21
I314196		0.42	<0.005	0.20	1.43	6.0	<0.2	<10	310	0.45	0.13	1.06	0.19	18.30	9.3	16
I314197		0.48	<0.005	0.15	1.60	8.9	<0.2	<10	190	0.32	0.14	0.35	0.10	14.60	8.5	18
I314198		0.44	<0.005	0.33	1.18	11.3	<0.2	<10	290	0.29	0.15	0.31	0.24	15.10	8.6	18
I314199		0.50	<0.005	0.09	1.70	6.6	<0.2	<10	210	0.35	0.17	0.26	0.10	14.00	10.5	33
I314200		0.34	<0.005	0.11	1.46	5.6	<0.2	<10	260	0.28	0.14	0.43	0.12	12.80	9.5	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314161		3.66	14.8	2.32	5.82	0.07	<0.02	0.03	0.014	0.31	14.4	9.5	0.55	314	0.77
I314162		4.09	16.3	3.65	7.70	0.08	0.02	0.03	0.019	0.44	7.9	15.5	0.92	979	1.01
I314163		4.14	16.4	3.68	7.83	0.08	0.02	0.03	0.020	0.44	8.0	15.7	0.92	982	1.01
I314164		2.03	42.9	2.64	5.31	0.08	0.03	0.02	0.021	0.22	13.5	13.1	0.68	341	1.46
I314165		7.11	60.3	3.55	7.81	0.11	0.04	0.04	0.028	0.61	22.3	16.0	1.08	586	1.97
I314166		4.34	83.0	3.25	6.74	0.09	<0.02	0.02	0.051	0.31	14.8	18.7	0.83	421	2.17
I314167		3.41	22.9	2.91	5.73	0.08	0.03	0.03	0.020	0.52	11.8	14.1	0.74	803	1.33
I314168		1.45	11.8	2.56	4.90	0.06	0.04	0.01	0.022	0.10	10.5	8.9	0.43	189	1.03
I314169		0.85	9.7	2.29	4.46	0.06	<0.02	0.01	0.017	0.10	9.0	8.1	0.39	298	1.01
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		1.48	15.7	3.57	7.50	0.07	<0.02	0.02	0.020	0.18	6.5	16.1	0.81	550	0.93
I314172		1.51	17.6	3.31	6.90	0.07	<0.02	0.01	0.024	0.29	7.1	12.6	0.65	637	0.74
I314173		1.99	20.3	3.32	6.68	0.06	0.05	0.01	0.028	0.14	8.5	12.3	0.59	400	1.24
I314174		2.03	15.3	2.79	6.56	0.07	<0.02	0.03	0.022	0.13	9.3	12.2	0.63	301	0.86
I314175		1.73	17.2	3.33	6.73	0.09	0.03	0.02	0.025	0.41	8.3	13.6	0.82	740	0.84
I314176		1.98	9.4	3.43	8.09	0.07	<0.02	0.01	0.027	0.15	7.9	15.0	0.84	434	0.81
I314177		1.80	9.0	3.19	6.56	0.08	0.07	0.01	0.027	0.35	8.5	11.7	0.90	483	0.65
I314178		5.26	6.9	4.44	10.30	0.11	0.05	0.02	0.033	0.43	5.2	41.9	2.60	983	0.59
I314179		0.81	9.0	2.88	6.63	0.06	0.02	0.01	0.017	0.24	7.1	11.2	0.68	369	0.64
I314180		0.60	23.3	3.11	6.41	0.06	0.03	0.02	0.031	0.19	9.6	11.5	0.61	433	1.34
I314181		0.92	30.3	3.72	8.64	0.08	<0.02	0.01	0.042	0.22	8.6	14.5	1.02	326	2.16
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.64	12.7	1.93	3.76	0.06	<0.02	0.03	0.023	0.05	11.8	7.7	0.37	489	1.03
I314184		1.75	6.9	2.95	4.69	0.07	<0.02	0.02	0.026	0.09	16.2	9.1	0.32	296	0.96
I314185		1.47	31.1	2.77	6.46	0.14	0.12	0.06	0.032	0.10	57.9	8.8	0.39	1090	2.53
I314186		5.33	38.3	2.96	6.62	0.07	0.03	0.04	0.044	0.16	10.9	16.1	0.62	333	1.07
I314187		5.24	39.0	2.84	8.14	0.08	0.03	0.04	0.044	0.34	11.0	15.1	0.83	361	0.86
I314188		4.06	23.9	2.84	7.04	0.13	0.07	0.08	0.026	0.12	29.6	19.8	0.56	432	1.07
I314189		4.73	22.4	2.77	5.58	0.10	0.04	0.08	0.024	0.06	23.4	17.5	0.51	796	1.35
I314190		7.81	16.7	3.50	8.72	0.10	0.03	0.02	0.025	0.54	7.9	19.8	1.14	210	1.46
I314191		8.04	18.2	3.71	9.21	0.12	0.02	0.03	0.022	0.57	7.8	21.2	1.21	243	1.47
I314192		10.20	16.5	3.41	7.14	0.09	0.03	0.02	0.018	0.48	6.5	17.3	0.83	354	1.49
I314193		8.54	35.9	3.53	8.16	0.12	0.04	0.05	0.034	0.27	24.9	21.3	1.09	469	2.17
I314194		8.71	55.0	4.92	9.93	0.19	0.08	0.09	0.053	0.33	44.0	27.9	0.74	1950	2.41
I314195		3.65	17.0	2.54	5.99	0.05	0.02	0.04	0.018	0.10	7.7	11.8	0.45	361	1.09
I314196		6.39	15.6	2.20	4.59	0.06	0.03	0.05	0.018	0.11	9.0	12.0	0.40	678	1.00
I314197		7.21	14.3	2.67	5.40	0.07	0.02	0.03	0.017	0.11	7.6	15.0	0.49	352	1.25
I314198		2.49	11.0	2.02	5.33	0.05	<0.02	0.05	0.015	0.12	7.9	7.5	0.33	964	1.08
I314199		1.50	9.0	2.98	6.44	0.05	0.03	0.02	0.020	0.09	7.1	13.2	0.52	417	0.90
I314200		1.25	7.7	2.70	6.41	<0.05	<0.02	0.03	0.021	0.06	5.7	10.8	0.44	980	0.93



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314161		2.37	11.0	370	5.8	29.0	<0.001	0.02	0.33	3.2	0.4	0.5	19.6	<0.01	0.02
I314162		4.31	15.4	410	7.3	48.0	<0.001	0.02	0.55	4.8	0.4	0.8	33.4	<0.01	0.03
I314163		4.46	16.0	370	7.3	47.2	<0.001	0.01	0.53	4.9	0.3	0.7	30.0	<0.01	0.02
I314164		2.15	14.8	310	6.4	22.2	<0.001	0.01	0.44	4.0	0.5	0.6	22.4	<0.01	0.02
I314165		2.98	22.7	510	8.2	48.8	<0.001	0.02	0.68	6.1	0.7	0.7	28.5	0.01	0.04
I314166		2.30	15.8	480	8.2	30.3	<0.001	0.02	0.60	5.5	0.6	1.1	27.2	<0.01	0.05
I314167		2.39	18.8	1000	10.5	30.8	<0.001	0.04	0.64	4.4	0.7	0.5	45.5	<0.01	0.03
I314168		1.62	15.6	130	8.5	9.5	<0.001	0.01	0.47	3.8	0.3	0.5	18.3	<0.01	0.02
I314169		1.43	14.4	170	12.3	7.6	<0.001	0.01	0.41	3.1	0.3	0.5	23.3	<0.01	0.02
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		1.89	20.5	300	9.1	15.2	<0.001	0.02	0.38	3.9	0.3	0.5	24.9	<0.01	0.03
I314172		2.27	17.6	410	6.0	23.8	<0.001	0.02	0.35	5.3	0.3	0.7	35.6	<0.01	0.03
I314173		1.88	16.7	210	11.0	14.4	<0.001	0.01	0.55	5.5	0.3	0.6	25.5	<0.01	0.03
I314174		1.64	14.5	570	7.2	17.1	<0.001	0.01	0.35	4.9	0.4	0.5	25.3	<0.01	0.03
I314175		2.07	19.1	360	7.2	26.5	<0.001	0.01	0.40	5.7	0.3	0.6	27.5	<0.01	0.03
I314176		2.14	16.5	230	7.7	15.9	<0.001	0.01	0.45	5.4	0.3	0.8	26.7	<0.01	0.03
I314177		2.03	24.3	150	6.8	25.9	<0.001	0.01	0.42	7.2	0.3	0.6	32.1	<0.01	0.02
I314178		1.41	36.0	390	9.2	37.3	<0.001	0.02	0.47	17.0	0.4	0.4	28.9	<0.01	0.02
I314179		1.91	15.2	190	5.7	19.3	<0.001	0.02	0.33	3.7	0.2	0.4	35.3	<0.01	0.03
I314180		1.55	16.8	240	7.0	17.3	<0.001	0.01	0.40	6.2	0.4	0.5	28.2	<0.01	0.03
I314181		1.61	25.3	340	5.9	21.6	<0.001	0.01	0.31	7.8	0.5	0.6	53.7	<0.01	0.05
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		1.08	12.8	800	5.2	7.0	<0.001	0.02	0.24	3.3	0.5	0.3	40.3	<0.01	0.07
I314184		1.05	12.1	400	7.3	9.4	<0.001	0.01	0.24	3.1	0.3	0.4	20.4	<0.01	0.04
I314185		1.00	24.6	440	9.9	9.5	0.001	0.04	0.42	6.9	1.5	0.5	97.2	0.01	0.18
I314186		1.45	13.5	990	16.4	16.1	<0.001	0.05	0.34	4.6	0.6	0.8	28.9	<0.01	0.04
I314187		1.71	12.1	920	8.2	37.4	<0.001	0.05	0.22	5.2	0.8	1.1	32.0	<0.01	0.09
I314188		1.58	15.0	650	10.0	19.5	0.001	0.05	0.31	6.4	1.2	0.5	33.4	0.01	0.03
I314189		0.88	13.7	910	11.7	10.3	<0.001	0.08	0.52	6.0	1.3	0.3	39.4	<0.01	0.03
I314190		1.09	9.9	970	4.5	42.9	<0.001	0.03	0.50	6.5	0.5	0.4	15.7	<0.01	0.05
I314191		1.07	10.1	980	4.4	45.5	<0.001	0.03	0.48	6.9	0.5	0.4	16.3	<0.01	0.05
I314192		1.38	9.5	640	6.0	44.8	<0.001	0.02	0.44	5.0	0.4	0.3	19.7	<0.01	0.03
I314193		1.27	14.9	930	8.1	23.1	<0.001	0.04	1.22	8.7	1.0	0.5	35.0	<0.01	0.05
I314194		2.21	16.8	980	51.6	24.2	<0.001	0.05	0.61	11.7	1.6	0.5	44.8	0.01	0.05
I314195		1.18	13.3	420	7.5	12.9	<0.001	0.03	0.32	3.6	0.5	0.4	20.4	<0.01	0.03
I314196		0.71	11.8	800	6.2	18.0	<0.001	0.06	0.54	3.2	0.9	0.3	38.6	<0.01	0.02
I314197		0.92	11.8	470	6.6	17.0	<0.001	0.04	0.49	3.8	0.4	0.4	21.7	<0.01	0.02
I314198		0.84	12.6	500	12.7	11.0	<0.001	0.04	0.40	2.8	0.6	0.4	25.3	<0.01	0.02
I314199		1.24	18.6	310	8.0	10.7	<0.001	0.02	0.41	3.8	0.3	0.6	19.3	<0.01	0.02
I314200		0.85	12.6	590	7.2	8.4	<0.001	0.03	0.38	2.7	0.4	0.5	29.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314161		0.104	0.13	0.58	53	0.22	4.40	36	0.5
I314162		0.166	0.22	0.58	76	0.27	2.80	66	1.1
I314163		0.173	0.23	0.58	77	0.25	2.77	65	1.4
I314164		0.120	0.14	0.61	59	0.20	5.97	57	1.4
I314165		0.164	0.26	1.14	70	0.33	13.25	117	1.3
I314166		0.128	0.18	0.97	71	0.33	7.11	87	1.0
I314167		0.101	0.13	0.64	55	0.22	5.63	54	1.3
I314168		0.066	0.08	0.31	56	0.14	2.22	36	1.8
I314169		0.053	0.08	0.38	51	0.14	2.13	37	1.0
I314170		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314171		0.172	0.11	0.28	82	0.18	2.00	72	0.7
I314172		0.152	0.11	0.28	63	0.17	3.14	83	0.8
I314173		0.110	0.12	0.39	70	0.17	2.87	58	2.2
I314174		0.116	0.09	0.48	64	0.22	3.77	54	0.8
I314175		0.166	0.12	0.41	75	0.24	3.13	64	1.7
I314176		0.144	0.12	0.25	76	0.24	2.05	62	1.0
I314177		0.155	0.12	0.36	73	0.16	3.26	53	3.0
I314178		0.159	0.16	0.60	123	0.17	6.63	71	1.5
I314179		0.144	0.09	0.30	67	0.12	2.11	59	1.5
I314180		0.104	0.09	0.45	84	0.17	4.04	47	1.5
I314181		0.125	0.11	0.50	95	0.12	3.71	49	1.0
I314182		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314183		0.051	0.05	0.72	41	0.54	5.87	47	0.7
I314184		0.041	0.06	0.43	46	0.19	4.78	63	<0.5
I314185		0.034	0.08	1.31	53	0.15	40.0	46	2.8
I314186		0.085	0.12	0.89	63	0.64	6.68	92	1.0
I314187		0.130	0.23	0.82	67	0.19	9.33	92	0.6
I314188		0.080	0.15	1.71	58	0.22	24.5	65	0.7
I314189		0.054	0.14	1.86	58	0.14	21.3	55	0.6
I314190		0.217	0.30	0.61	102	0.14	3.75	67	0.7
I314191		0.234	0.31	0.65	108	0.16	3.42	71	0.7
I314192		0.149	0.27	0.35	79	0.14	3.27	74	0.8
I314193		0.148	0.15	1.72	99	0.19	15.65	90	0.7
I314194		0.146	0.19	2.47	118	0.23	32.2	142	1.7
I314195		0.082	0.08	0.46	62	0.20	3.40	49	0.6
I314196		0.038	0.13	0.63	43	0.28	8.36	40	0.5
I314197		0.056	0.11	0.42	57	0.26	3.85	46	0.6
I314198		0.053	0.08	0.33	49	0.28	2.87	37	<0.5
I314199		0.076	0.08	0.31	70	0.20	2.30	57	1.1
I314200		0.063	0.09	0.26	57	0.17	2.48	54	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314201		0.40	<0.005	0.13	1.68	8.6	<0.2	<10	280	0.34	0.19	0.31	0.08	19.05	10.1	29
I314202		0.38	<0.005	0.23	1.75	10.7	<0.2	<10	290	0.55	0.23	0.35	0.16	18.25	9.9	28
I314203		0.32	<0.005	0.09	1.64	6.7	<0.2	<10	320	0.47	0.54	0.41	0.13	14.75	8.1	24
I314204		0.40	<0.005	0.08	1.38	4.5	<0.2	<10	240	0.47	0.18	0.19	0.09	23.2	5.6	20
I314205		0.42	<0.005	0.12	1.51	5.9	<0.2	<10	350	0.48	0.15	0.24	0.14	16.70	11.1	25
I314206		0.38	<0.005	0.09	1.34	8.1	<0.2	<10	250	0.43	0.16	0.50	0.14	24.0	10.3	24
I314207		0.34	<0.005	0.15	1.46	5.2	<0.2	<10	280	0.42	0.13	0.36	0.40	16.15	11.2	22
I314208		0.40	<0.005	0.21	1.90	10.5	<0.2	<10	250	0.73	0.14	0.40	0.25	34.1	11.3	27
I314209		0.32	<0.005	0.19	1.95	6.3	<0.2	<10	310	0.58	0.15	0.74	0.34	24.2	13.3	25
I314210		0.24	NSS	0.05	0.45	9.2	<0.2	<10	100	0.35	0.05	0.47	0.21	34.5	10.0	13
I314211		0.34	<0.005	0.15	1.79	8.0	<0.2	<10	220	0.57	0.13	0.62	0.28	23.1	12.7	19
I314212		0.36	<0.005	0.21	1.64	8.5	<0.2	<10	230	0.57	0.14	0.81	0.42	27.9	12.0	24
I314213		0.30	<0.005	0.48	1.84	7.8	<0.2	<10	200	0.58	0.16	0.70	0.13	25.3	13.6	41
I314214		0.38	0.007	0.52	2.43	4.7	<0.2	<10	150	0.53	0.10	3.35	0.40	16.30	20.5	84
I314215		0.28	<0.005	0.18	1.28	3.7	<0.2	<10	360	1.70	0.89	2.04	0.24	33.9	7.0	20
I314216		0.46	<0.005	0.05	1.72	5.6	<0.2	<10	600	0.49	0.15	0.24	0.11	22.7	8.1	24
I314217		0.40	<0.005	0.07	1.55	6.4	<0.2	<10	540	0.52	0.14	0.55	0.09	26.9	10.1	28
I314218		0.44	<0.005	0.16	2.41	7.5	<0.2	<10	420	0.54	0.13	0.84	0.13	18.50	16.9	49
I314219		0.38	<0.005	0.09	1.29	4.8	<0.2	<10	180	0.65	0.19	0.24	0.06	30.7	13.2	26
I314220		0.44	<0.005	0.08	1.31	6.4	<0.2	<10	160	0.61	0.18	0.24	0.06	29.9	10.7	30
I314221		0.38	<0.005	0.10	1.37	4.9	<0.2	<10	170	0.36	0.19	0.29	0.11	22.4	5.3	21
I314222		0.30	NSS	0.26	2.89	6.9	<0.2	<10	280	1.21	0.30	0.62	0.19	217	7.7	32
I314223		0.32	<0.005	0.14	2.16	6.3	<0.2	<10	220	0.71	0.23	0.45	0.12	90.3	11.1	36
I314224		0.34	<0.005	0.09	1.30	4.6	<0.2	<10	160	0.50	0.20	0.31	0.11	56.6	7.1	20
I314225		0.42	0.015	0.07	1.33	4.7	<0.2	<10	180	0.41	0.31	0.27	0.12	29.7	6.7	19
I314226		0.40	<0.005	0.05	1.62	5.0	<0.2	<10	140	0.37	0.16	0.30	0.05	39.2	7.4	24
I314227		0.34	<0.005	0.05	1.97	5.5	<0.2	<10	140	0.43	0.15	0.18	0.10	29.5	12.4	32
I314228		0.40	<0.005	0.06	1.49	5.2	<0.2	<10	160	0.49	0.21	0.26	0.20	37.4	8.5	23
I314229		0.30	<0.005	0.38	2.93	7.2	<0.2	<10	320	3.01	0.52	0.83	0.26	363	7.3	31
I314230		0.28	NSS	0.02	0.24	8.4	<0.2	<10	80	0.29	0.04	0.49	0.20	42.2	8.2	8
I314231		0.40	<0.005	0.08	1.37	4.4	<0.2	<10	140	0.67	0.25	0.29	0.13	66.5	7.0	19
I314232		0.40	<0.005	0.11	1.36	4.2	<0.2	<10	130	0.58	0.23	0.27	0.09	74.3	11.3	19
I314233		0.32	<0.005	0.13	2.24	4.1	<0.2	<10	210	1.18	0.39	0.71	0.13	285	6.3	24
I314234		0.34	<0.005	0.10	1.71	4.1	<0.2	<10	140	0.47	0.26	0.34	0.10	73.3	6.6	23
I314235		0.48	<0.005	0.13	1.75	4.8	<0.2	<10	130	0.31	0.24	0.37	0.09	44.9	6.7	27
I314236		0.46	<0.005	0.10	1.97	5.4	<0.2	<10	170	0.59	0.31	0.45	0.13	82.9	7.6	28
I314237		0.38	<0.005	0.08	2.05	5.5	<0.2	<10	200	0.83	0.31	0.44	0.18	104.0	13.4	30
I314238		0.38	<0.005	0.09	2.13	5.5	<0.2	<10	170	0.66	0.34	0.39	0.10	117.0	10.0	28
I314239		0.34	<0.005	0.11	1.99	5.4	<0.2	<10	180	0.62	0.36	0.34	0.25	143.0	12.5	28
I314240		0.38	<0.005	0.10	2.00	5.6	<0.2	<10	180	0.62	0.37	0.36	0.24	140.0	12.4	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314201		0.74	12.3	2.89	6.79	0.06	0.03	0.03	0.022	0.07	9.9	12.2	0.48	506	1.16
I314202		1.71	13.0	2.87	6.31	0.05	0.02	0.02	0.022	0.07	9.4	11.5	0.43	744	1.08
I314203		1.56	9.7	2.52	5.77	0.05	0.02	0.02	0.021	0.08	7.6	11.1	0.39	861	1.09
I314204		1.66	7.1	2.08	4.27	0.05	0.05	0.01	0.016	0.09	12.4	7.8	0.32	273	0.72
I314205		1.55	9.7	2.63	6.61	0.06	0.04	0.01	0.024	0.18	8.2	12.5	0.51	684	0.77
I314206		1.61	16.1	2.74	5.30	0.06	0.02	0.02	0.026	0.19	10.3	12.4	0.52	699	0.80
I314207		2.29	14.9	2.91	5.54	0.06	0.02	0.02	0.023	0.12	7.3	11.5	0.50	906	0.89
I314208		3.44	28.4	3.20	6.22	0.14	0.08	0.02	0.033	0.15	30.9	19.0	0.54	687	0.82
I314209		3.80	28.1	3.43	7.20	0.07	0.06	0.03	0.037	0.11	10.2	15.7	0.59	1380	0.73
I314210		1.07	9.2	2.19	2.20	0.08	0.04	0.01	0.010	0.05	17.1	5.4	0.24	820	1.19
I314211		4.08	20.3	3.24	6.77	0.07	0.06	0.03	0.032	0.18	9.4	17.4	0.58	658	0.82
I314212		3.57	32.4	3.19	5.98	0.09	0.09	0.03	0.028	0.19	13.5	16.9	0.62	819	0.69
I314213		2.57	32.1	3.17	6.28	0.09	0.08	0.04	0.026	0.15	13.5	18.0	0.74	732	0.73
I314214		3.87	81.4	4.16	8.79	0.10	0.08	0.05	0.031	0.32	9.2	31.1	1.51	1200	0.67
I314215		2.39	14.4	1.52	4.88	0.07	0.16	0.04	0.020	0.16	16.7	12.3	0.40	1240	1.56
I314216		0.60	10.6	2.75	5.42	0.05	0.04	0.01	0.042	0.11	10.3	8.8	0.32	316	1.29
I314217		0.41	14.5	2.70	4.99	0.05	0.05	0.02	0.022	0.11	11.9	8.0	0.42	585	1.16
I314218		0.71	45.6	3.91	7.95	0.07	0.09	0.02	0.031	0.12	7.6	11.8	0.85	697	3.77
I314219		1.96	12.4	2.47	5.05	0.07	0.03	0.03	0.025	0.08	23.8	8.6	0.33	760	1.18
I314220		1.74	12.3	2.51	4.98	0.07	0.05	0.02	0.026	0.09	21.8	10.1	0.39	516	1.07
I314221		2.24	13.4	2.34	5.84	0.06	<0.02	0.02	0.025	0.12	17.3	11.0	0.33	192	1.45
I314222		3.63	27.0	3.15	10.90	0.32	0.08	0.07	0.054	0.17	150.0	21.0	0.42	310	1.53
I314223		1.28	22.5	2.84	7.74	0.14	0.06	0.03	0.035	0.12	48.2	13.8	0.44	858	1.34
I314224		1.43	15.2	2.16	5.66	0.08	<0.02	0.02	0.020	0.14	30.6	10.1	0.38	584	1.07
I314225		1.37	12.6	2.40	5.67	0.07	<0.02	0.01	0.021	0.06	20.1	9.9	0.28	341	1.05
I314226		1.07	13.1	2.55	6.03	0.08	<0.02	0.02	0.025	0.09	35.2	12.6	0.36	357	1.06
I314227		0.86	16.1	3.03	6.60	0.07	<0.02	0.02	0.027	0.08	16.4	11.4	0.44	333	1.30
I314228		1.53	16.8	2.47	5.83	0.09	<0.02	0.02	0.024	0.11	33.7	11.9	0.35	334	1.27
I314229		3.51	47.0	3.41	11.45	0.32	0.13	0.11	0.060	0.23	119.0	17.6	0.40	710	1.30
I314230		0.26	6.1	1.92	1.48	0.08	0.05	0.02	0.007	0.04	20.2	3.4	0.19	707	1.12
I314231		1.73	13.5	2.12	6.12	0.09	0.03	0.03	0.026	0.07	41.5	10.3	0.26	371	0.89
I314232		1.91	12.1	2.21	6.66	0.08	0.04	0.02	0.025	0.13	42.3	11.5	0.30	620	1.02
I314233		3.40	20.5	2.63	10.15	0.26	0.11	0.08	0.044	0.15	173.0	20.9	0.40	241	0.81
I314234		1.45	16.2	2.22	7.97	0.08	0.03	0.03	0.024	0.08	36.3	14.3	0.39	168	0.67
I314235		0.97	15.0	2.39	6.41	0.08	0.07	0.02	0.023	0.06	26.5	14.7	0.43	171	0.57
I314236		1.37	22.6	2.58	7.47	0.10	0.11	0.03	0.029	0.08	48.2	16.7	0.42	182	0.72
I314237		1.16	27.3	2.70	7.74	0.10	0.10	0.05	0.032	0.09	46.4	17.6	0.43	460	0.89
I314238		1.56	15.9	2.76	7.99	0.11	0.09	0.04	0.031	0.09	65.1	17.3	0.43	410	1.04
I314239		1.34	19.6	2.67	7.81	0.12	0.05	0.04	0.030	0.08	79.3	15.6	0.42	1340	1.16
I314240		1.38	18.7	2.70	7.84	0.11	0.05	0.04	0.029	0.09	76.1	16.0	0.44	1250	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314201		1.32	16.8	350	8.5	7.5	<0.001	0.02	0.45	4.2	0.4	0.6	23.6	<0.01	0.02
I314202		1.22	17.8	360	13.4	10.0	<0.001	0.03	0.47	3.3	0.4	0.5	23.9	<0.01	0.03
I314203		1.01	14.5	450	22.8	7.5	<0.001	0.03	0.41	3.2	0.3	0.5	30.2	<0.01	0.02
I314204		0.76	11.6	230	12.2	9.4	<0.001	0.02	0.35	2.5	0.2	0.4	15.3	<0.01	0.02
I314205		0.98	16.2	650	7.5	14.6	<0.001	0.02	0.41	4.8	0.3	0.5	22.9	<0.01	0.02
I314206		0.90	15.7	800	7.9	13.2	<0.001	0.03	0.50	4.9	0.5	0.4	34.5	<0.01	0.03
I314207		0.92	14.5	580	7.4	14.7	<0.001	0.03	0.50	4.5	0.3	0.5	25.1	<0.01	0.02
I314208		0.86	18.7	410	10.8	14.4	<0.001	0.02	0.69	10.4	1.3	0.5	22.6	0.01	0.03
I314209		0.90	18.1	500	13.1	14.5	<0.001	0.03	0.78	9.7	0.6	0.5	32.1	<0.01	0.02
I314210		0.55	20.4	590	5.8	6.5	<0.001	0.03	0.56	2.8	0.4	0.2	12.6	<0.01	0.02
I314211		0.82	13.1	430	29.5	18.3	<0.001	0.02	0.67	8.9	0.5	0.5	22.6	<0.01	0.02
I314212		0.95	18.1	1020	19.8	17.9	<0.001	0.03	0.67	8.8	0.7	0.4	32.7	<0.01	0.02
I314213		1.06	24.7	410	13.0	21.6	<0.001	0.03	0.56	8.1	0.6	0.4	34.3	<0.01	0.02
I314214		1.12	37.8	920	10.0	40.0	<0.001	0.08	0.63	12.7	1.5	0.4	121.5	<0.01	0.03
I314215		3.01	15.5	640	19.8	21.4	<0.001	0.10	0.44	3.3	1.4	1.1	156.5	0.01	0.03
I314216		0.91	14.6	220	8.2	10.1	<0.001	0.03	0.34	3.7	0.4	0.4	26.6	<0.01	0.03
I314217		1.00	17.8	250	6.5	6.4	<0.001	0.03	0.39	5.3	0.5	0.4	52.4	<0.01	0.03
I314218		1.14	23.8	340	8.2	9.0	<0.001	0.03	0.39	9.5	0.6	0.5	42.2	<0.01	0.05
I314219		1.03	15.3	210	11.7	13.6	<0.001	0.02	0.34	3.5	0.4	0.7	21.9	<0.01	0.02
I314220		1.08	17.4	180	10.8	16.3	<0.001	0.02	0.40	3.8	0.4	0.7	23.1	<0.01	0.02
I314221		0.98	11.4	280	12.2	17.6	<0.001	0.01	0.30	3.0	0.3	1.0	23.0	<0.01	0.03
I314222		1.35	20.1	890	20.7	32.3	<0.001	0.05	0.39	8.6	1.7	1.4	51.6	0.01	0.04
I314223		1.20	18.3	570	13.7	19.7	<0.001	0.01	0.30	6.0	0.8	0.9	36.2	<0.01	0.03
I314224		0.94	12.7	410	13.3	19.6	<0.001	0.01	0.25	2.8	0.4	0.7	24.4	<0.01	0.03
I314225		0.93	12.5	320	17.4	12.3	<0.001	0.01	0.34	2.2	0.3	0.8	24.3	<0.01	0.02
I314226		0.98	15.2	290	11.2	13.5	<0.001	0.01	0.34	3.0	0.3	0.8	25.9	<0.01	0.03
I314227		1.16	19.3	250	8.9	9.3	<0.001	<0.01	0.48	3.6	0.3	0.7	18.0	<0.01	0.03
I314228		1.00	15.0	420	12.0	17.0	<0.001	0.01	0.35	2.9	0.4	0.7	25.6	<0.01	0.03
I314229		1.14	24.5	940	19.3	29.2	0.001	0.04	0.61	11.5	2.7	1.5	61.4	0.02	0.04
I314230		0.43	16.3	600	4.1	5.0	<0.001	0.01	0.48	1.7	0.3	0.2	13.1	<0.01	0.01
I314231		0.94	10.9	440	16.4	19.9	<0.001	0.01	0.22	3.3	0.5	0.7	29.3	<0.01	0.01
I314232		0.96	10.6	490	14.0	28.8	<0.001	0.01	0.24	3.1	0.4	0.8	29.4	<0.01	0.01
I314233		1.19	14.6	650	18.3	32.7	0.001	0.05	0.30	8.7	1.6	1.2	57.2	0.01	0.02
I314234		1.18	13.5	370	9.1	17.6	<0.001	0.02	0.24	4.0	0.5	0.8	33.7	<0.01	0.02
I314235		1.36	14.3	470	7.2	11.3	<0.001	0.01	0.28	4.3	0.4	0.6	31.2	<0.01	0.02
I314236		1.37	16.1	470	9.9	16.7	<0.001	0.02	0.27	4.9	0.6	0.8	41.0	<0.01	0.02
I314237		1.39	18.0	420	9.5	14.6	<0.001	0.02	0.30	5.8	0.7	0.8	41.9	<0.01	0.02
I314238		1.34	14.9	590	11.8	18.2	<0.001	0.02	0.26	5.4	0.7	0.8	35.5	<0.01	0.01
I314239		1.16	16.3	640	10.4	14.5	<0.001	0.02	0.31	5.6	0.7	0.7	36.5	<0.01	0.02
I314240		1.21	16.2	630	10.8	15.5	<0.001	0.02	0.32	5.5	0.7	0.7	36.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314201		0.079	0.09	0.47	69	0.23	3.16	60	0.9
I314202		0.058	0.11	0.56	64	0.23	3.52	67	0.7
I314203		0.038	0.10	0.39	57	0.27	2.56	55	0.5
I314204		0.033	0.10	0.37	42	0.15	2.17	39	2.1
I314205		0.102	0.10	0.31	64	0.16	3.07	75	1.4
I314206		0.075	0.09	0.58	55	0.29	4.80	58	0.6
I314207		0.059	0.08	0.28	66	0.22	3.17	76	0.7
I314208		0.045	0.10	0.73	72	0.40	51.8	70	1.1
I314209		0.050	0.10	0.58	86	0.30	9.13	105	1.6
I314210		0.027	0.14	0.64	28	0.11	7.49	29	1.6
I314211		0.054	0.10	0.43	79	0.25	6.83	108	1.9
I314212		0.064	0.08	0.61	70	0.29	11.85	102	2.1
I314213		0.096	0.11	0.63	80	0.22	12.85	71	2.2
I314214		0.190	0.18	1.59	132	0.21	11.35	124	2.7
I314215		0.019	0.17	3.94	29	0.18	17.55	44	3.9
I314216		0.036	0.07	0.74	53	0.14	3.81	41	1.3
I314217		0.053	0.07	0.46	57	0.18	6.31	36	1.4
I314218		0.068	0.07	0.42	113	0.18	4.20	57	2.3
I314219		0.074	0.11	0.64	53	0.13	5.74	33	1.2
I314220		0.087	0.11	0.71	56	0.10	6.36	37	2.0
I314221		0.069	0.14	0.65	56	0.13	4.25	41	0.7
I314222		0.059	0.21	6.09	49	0.22	40.5	64	2.0
I314223		0.089	0.12	2.51	58	0.14	17.20	55	2.6
I314224		0.074	0.12	1.35	48	0.16	7.70	43	0.5
I314225		0.066	0.10	0.90	53	0.11	6.89	42	0.6
I314226		0.067	0.11	0.81	55	0.11	4.39	41	1.1
I314227		0.091	0.09	0.43	71	0.12	3.37	51	1.1
I314228		0.071	0.10	1.27	53	0.13	6.89	40	0.7
I314229		0.033	0.21	15.20	44	0.17	75.1	73	3.0
I314230		0.017	0.13	0.91	16	0.07	8.47	19	3.1
I314231		0.049	0.11	1.67	46	0.14	14.10	40	1.1
I314232		0.067	0.14	1.29	44	0.32	9.87	43	1.0
I314233		0.050	0.20	7.48	40	0.17	55.4	63	3.3
I314234		0.092	0.11	1.87	49	0.15	10.75	46	1.4
I314235		0.109	0.07	1.41	55	0.14	7.71	46	2.8
I314236		0.105	0.08	3.05	54	0.11	14.40	47	4.1
I314237		0.102	0.07	3.48	59	0.17	18.20	51	3.5
I314238		0.088	0.12	2.63	57	0.31	15.25	51	3.4
I314239		0.083	0.09	2.25	58	0.18	15.25	51	1.4
I314240		0.087	0.09	2.21	59	0.15	14.95	52	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I314241		0.32	<0.005	0.07	1.63	4.3	<0.2	<10	130	0.92	0.32	0.40	0.10	312	9.3	27
I314242		0.36	0.005	0.06	1.42	5.6	<0.2	<10	140	0.30	0.11	0.81	0.12	31.0	9.4	28
I314243		0.34	<0.005	0.08	1.78	4.5	<0.2	<10	150	0.42	0.13	0.49	0.08	41.2	9.0	29
I314244		0.48	<0.005	0.08	1.48	3.8	<0.2	<10	130	0.42	0.10	1.22	0.22	35.5	11.0	30
I314245		0.48	<0.005	0.09	1.74	5.7	<0.2	<10	180	0.38	0.11	0.58	0.19	33.0	11.8	33
I314246		0.38	<0.005	0.06	1.43	5.3	<0.2	<10	150	0.29	0.10	0.80	0.12	22.8	9.9	28
I314247		0.36	<0.005	0.08	1.50	5.3	<0.2	<10	150	0.31	0.10	1.24	0.13	24.4	10.5	30
I314248		0.28	<0.005	0.10	1.38	3.9	<0.2	<10	140	0.55	0.09	1.40	0.20	25.2	10.2	28
I314249		0.34	<0.005	0.06	1.55	5.0	<0.2	<10	160	0.34	0.10	1.15	0.17	27.4	10.9	30
I314250		0.32	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314241		1.81	32.2	2.57	8.04	0.27	0.13	0.03	0.031	0.17	210	14.9	0.40	511	0.83
I314242		0.63	24.2	2.34	4.83	0.09	0.10	0.03	0.022	0.07	18.8	12.0	0.60	355	0.62
I314243		0.78	14.4	2.57	6.58	0.07	0.10	0.02	0.021	0.08	24.7	16.8	0.48	282	0.84
I314244		1.81	22.1	2.41	5.17	0.09	0.06	0.03	0.021	0.17	17.8	16.5	0.65	378	0.57
I314245		1.26	24.7	2.70	5.78	0.07	0.05	0.02	0.023	0.07	16.6	15.7	0.59	367	0.71
I314246		0.67	17.9	2.36	4.95	0.06	0.06	0.03	0.019	0.05	11.1	11.5	0.51	363	0.64
I314247		0.81	20.3	2.41	4.83	0.07	0.08	0.02	0.018	0.06	12.1	12.4	0.56	416	0.45
I314248		0.85	35.5	2.08	4.34	0.07	0.05	0.05	0.019	0.06	12.9	10.4	0.44	250	0.41
I314249		1.12	23.1	2.44	4.90	0.08	0.10	0.04	0.020	0.11	14.4	13.0	0.53	406	0.44
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314241		1.29	20.3	260	10.5	29.6	<0.001	0.01	0.31	6.5	1.1	0.9	34.3	0.01	0.02	19.5
I314242		1.36	21.8	810	5.0	8.0	<0.001	0.03	0.39	4.5	0.6	0.4	47.3	<0.01	0.02	2.6
I314243		1.49	16.6	390	7.8	12.6	<0.001	0.01	0.25	4.1	0.4	0.6	37.3	<0.01	0.02	5.2
I314244		1.11	23.6	1190	9.6	28.5	<0.001	0.04	0.28	4.1	0.7	0.5	54.7	<0.01	0.02	4.4
I314245		1.30	24.4	680	7.1	15.4	<0.001	0.02	0.34	4.6	0.6	0.5	39.7	<0.01	0.01	3.0
I314246		1.32	18.7	590	5.4	9.2	<0.001	0.04	0.31	3.9	0.7	0.4	51.7	<0.01	0.01	1.8
I314247		1.25	20.7	720	5.7	10.3	<0.001	0.05	0.35	3.8	0.7	0.4	73.6	<0.01	0.02	1.6
I314248		1.11	29.6	640	4.9	10.4	<0.001	0.05	0.37	3.7	1.0	0.3	66.2	<0.01	0.02	0.9
I314249		1.41	21.8	550	6.8	20.8	<0.001	0.03	0.37	4.4	0.7	0.4	71.0	<0.01	0.02	3.3
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 2-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314241		0.083	0.14	3.05	51	0.16	44.3	49	3.9
I314242		0.110	0.05	0.61	61	0.14	10.00	55	3.8
I314243		0.102	0.08	0.75	62	0.22	7.45	51	3.7
I314244		0.083	0.16	1.07	48	0.20	10.20	80	2.5
I314245		0.104	0.10	0.85	61	0.25	9.47	63	2.0
I314246		0.091	0.08	0.62	58	0.13	6.65	50	2.3
I314247		0.095	0.08	0.63	56	0.25	7.59	58	3.2
I314248		0.076	0.08	0.80	42	0.14	9.77	47	2.1
I314249		0.104	0.09	0.87	52	0.16	8.51	50	4.3
I314250		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113327

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113328

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314251		0.22	<0.005	0.06	1.64	7.2	<0.2	<10	310	0.39	0.14	0.36	0.10	21.9	8.8	30
I314252		0.18	<0.005	0.10	1.46	6.2	<0.2	<10	270	0.28	0.14	0.38	0.12	16.25	9.2	28
I314253		0.14	0.005	0.31	1.43	5.4	<0.2	<10	570	0.38	0.11	1.25	0.44	25.6	8.3	23
I314254		0.30	0.007	0.10	1.58	7.8	<0.2	<10	360	0.45	0.13	0.64	0.07	27.9	10.1	30
I314255		0.18	0.017	0.14	1.62	7.3	<0.2	<10	630	0.47	0.15	1.14	0.19	26.8	9.7	27
I314256		0.16	0.006	0.09	1.08	4.3	<0.2	<10	480	0.36	0.10	1.45	0.29	21.7	6.5	19
I314257		0.20	0.011	0.10	1.38	5.6	<0.2	<10	290	0.50	0.16	0.79	0.18	27.8	8.8	27
I314258		0.22	0.005	0.06	1.64	8.5	<0.2	<10	260	0.51	0.14	1.07	0.27	31.1	11.7	31
I314259		0.28	NSS	0.02	0.22	7.3	<0.2	<10	70	0.25	0.03	0.37	0.21	22.2	7.2	11
I314260		0.24	<0.005	0.10	2.43	5.6	<0.2	<10	660	0.58	0.19	0.67	0.12	32.4	13.9	57
I314261		0.20	<0.005	0.12	1.67	5.9	<0.2	<10	330	0.41	0.15	0.88	0.48	25.2	10.0	31
I314262		0.20	<0.005	0.05	2.41	6.7	<0.2	<10	310	0.39	0.15	0.36	0.10	18.80	13.0	35
I314263		0.30	<0.005	0.05	1.71	6.4	<0.2	<10	120	0.26	0.16	0.18	0.08	16.35	8.0	52
I314264		0.32	<0.005	0.05	1.32	4.4	<0.2	<10	130	0.22	0.20	0.18	0.05	17.60	5.5	20
I314265		0.34	<0.005	0.05	2.41	11.0	<0.2	<10	120	0.32	0.21	0.18	0.07	18.40	9.1	38
I314266		0.30	0.008	0.02	1.23	6.5	<0.2	<10	80	0.15	0.19	0.10	0.02	11.50	2.9	20
I314267		0.30	<0.005	0.03	2.15	10.9	<0.2	<10	120	0.25	0.17	0.21	0.05	14.15	7.7	35
I314268		0.28	<0.005	0.02	2.60	11.1	<0.2	<10	140	0.36	0.19	0.15	0.07	19.45	8.7	38
I314269		0.20	<0.005	0.06	0.70	2.7	<0.2	<10	100	0.13	0.11	0.10	0.15	7.84	2.0	13
I314270		0.26	0.009	0.05	0.80	3.4	<0.2	<10	100	0.13	0.11	0.10	0.10	8.93	2.2	14
I314271		0.28	0.006	0.06	2.43	10.2	<0.2	<10	130	0.36	0.19	0.19	0.11	17.55	10.9	38
I314272		0.28	0.343	0.23	0.84	2.2	<0.2	<10	100	0.21	0.12	0.20	0.12	13.80	4.1	16
I314273		0.34	0.006	0.07	3.45	14.0	<0.2	<10	190	0.58	0.21	0.18	0.08	19.35	15.7	48
I314274		0.32	0.006	0.10	2.07	8.2	<0.2	<10	100	0.28	0.20	0.13	0.12	13.75	8.8	32
I314275		0.28	0.005	0.01	2.19	11.7	<0.2	<10	130	0.26	0.20	0.19	0.17	18.40	7.4	38
I314276		0.32	0.010	<0.01	2.68	5.0	<0.2	<10	130	0.56	0.08	0.29	0.10	25.2	19.3	49
I314277		0.38	0.008	0.20	2.78	9.9	<0.2	<10	170	0.44	0.19	0.35	0.61	19.40	15.7	47
I314278		0.26	0.005	0.26	1.63	6.4	<0.2	<10	110	0.25	0.21	0.12	0.24	14.20	4.7	24
I314279		0.30	0.005	0.49	2.28	6.9	<0.2	<10	180	0.43	0.18	0.37	0.21	18.60	8.0	31
I314280		0.30	0.005	0.16	2.09	10.0	<0.2	<10	120	0.27	0.19	0.23	0.11	16.80	7.3	33
I314281		0.30	0.008	0.48	2.34	10.8	<0.2	<10	160	0.38	0.19	0.18	0.40	20.5	8.3	36
I314282		0.30	0.005	0.34	1.84	7.5	<0.2	<10	140	0.22	0.17	0.21	0.68	13.10	18.5	33
I314283		0.24	<0.005	0.16	2.09	7.7	<0.2	<10	150	0.45	0.18	0.20	0.18	35.3	14.5	34
I314284		0.24	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.24	0.005	0.10	2.14	6.4	<0.2	<10	150	0.30	0.24	0.56	0.15	13.20	9.5	33
I314286		0.34	0.015	0.05	1.55	7.1	<0.2	<10	80	0.23	0.18	0.10	0.06	15.55	5.6	24
I314287		0.24	<0.005	0.12	0.69	2.1	<0.2	<10	60	0.22	0.09	0.10	0.12	12.75	2.2	14
I314288		0.26	0.005	0.05	1.07	4.3	<0.2	<10	80	0.15	0.16	0.13	0.11	8.90	6.3	18
I314289		0.24	<0.005	0.10	0.70	2.4	<0.2	<10	50	0.16	0.12	0.09	0.07	14.20	2.3	14
I314290		0.36	0.005	0.03	1.67	6.9	<0.2	<10	80	0.25	0.15	0.10	0.04	28.2	6.6	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314251		0.43	12.9	2.75	5.60	0.06	0.03	0.02	0.021	0.08	10.0	9.5	0.49	475	1.04
I314252		0.51	10.7	2.59	5.25	0.05	0.03	0.03	0.019	0.07	8.1	8.1	0.40	336	1.23
I314253		0.45	25.5	2.29	4.81	0.06	0.03	0.04	0.021	0.10	13.9	7.3	0.40	500	1.16
I314254		0.36	26.1	2.63	5.16	0.07	0.15	0.03	0.022	0.07	14.1	11.3	0.57	426	0.94
I314255		0.45	30.4	2.60	5.01	0.06	0.12	0.04	0.023	0.09	14.3	12.0	0.50	575	1.33
I314256		0.38	23.1	1.74	3.57	0.05	0.05	0.07	0.016	0.07	11.7	7.4	0.35	337	1.38
I314257		0.53	19.8	2.28	4.59	0.06	0.06	0.03	0.019	0.07	14.1	11.6	0.53	410	1.19
I314258		0.54	27.6	2.80	5.41	0.07	0.07	0.03	0.023	0.09	15.2	13.4	0.66	591	1.05
I314259		0.20	6.5	1.93	1.28	0.06	0.03	0.01	<0.005	0.04	11.6	3.3	0.16	713	1.24
I314260		3.33	20.8	3.84	8.70	0.08	0.10	0.04	0.034	0.27	16.5	29.7	1.14	607	1.63
I314261		1.41	34.2	2.91	4.78	0.08	0.07	0.03	0.025	0.16	13.2	12.9	0.60	570	0.66
I314262		1.61	18.3	3.80	7.35	0.07	0.05	0.01	0.023	0.20	8.1	20.3	0.70	444	0.92
I314263		1.46	29.5	2.60	6.06	0.06	0.02	0.04	0.026	0.04	8.5	9.5	0.39	135	1.34
I314264		1.44	16.5	2.10	6.29	0.06	0.02	0.02	0.019	0.06	9.0	9.4	0.25	160	0.86
I314265		1.80	18.9	4.03	8.53	0.08	0.06	0.02	0.029	0.05	9.9	16.9	0.50	295	1.63
I314266		0.81	11.0	2.38	6.81	0.05	0.02	0.02	0.016	0.02	6.0	6.0	0.17	82	1.00
I314267		0.94	15.2	4.01	7.58	0.07	0.05	0.02	0.028	0.06	6.9	18.2	0.54	241	1.44
I314268		1.29	16.7	3.98	7.89	0.07	0.06	0.03	0.029	0.04	9.3	16.0	0.48	216	1.38
I314269		0.63	14.7	1.23	3.54	<0.05	<0.02	0.03	0.013	0.02	3.9	2.6	0.09	43	0.67
I314270		0.71	14.8	1.51	4.18	<0.05	<0.02	0.03	0.014	0.03	4.6	3.4	0.09	47	0.76
I314271		1.63	21.1	3.70	8.42	0.07	0.04	0.03	0.028	0.06	8.2	17.4	0.57	248	1.39
I314272		0.85	19.3	1.21	3.51	<0.05	<0.02	0.04	0.013	0.04	7.9	4.1	0.16	68	0.62
I314273		1.84	22.2	4.51	8.56	0.08	0.08	0.03	0.039	0.05	9.5	19.4	0.61	366	1.81
I314274		1.39	18.4	3.70	8.39	0.06	0.03	0.03	0.026	0.05	6.8	15.2	0.35	240	1.67
I314275		1.57	20.3	4.12	8.64	0.07	0.03	0.02	0.031	0.06	9.1	17.7	0.48	202	1.39
I314276		4.62	40.7	4.31	6.41	0.09	0.05	0.01	0.022	0.42	11.3	28.3	1.01	364	0.54
I314277		1.47	55.4	3.86	7.11	0.08	0.03	0.04	0.034	0.05	10.0	17.4	0.62	264	1.30
I314278		1.23	16.7	2.69	8.11	0.05	0.04	0.04	0.022	0.03	7.4	9.4	0.19	131	2.12
I314279		1.29	28.6	3.01	6.93	0.06	0.03	0.04	0.027	0.03	8.9	10.8	0.38	254	1.24
I314280		1.63	17.2	3.63	8.58	0.08	0.05	0.02	0.027	0.04	8.6	14.5	0.41	184	2.04
I314281		1.85	37.0	3.66	8.25	0.07	0.04	0.03	0.027	0.06	11.0	14.4	0.43	223	2.28
I314282		1.53	19.1	3.16	6.96	0.06	0.03	0.02	0.018	0.06	6.3	12.8	0.48	948	3.17
I314283		3.22	21.2	3.24	7.61	0.08	0.02	0.05	0.031	0.08	16.4	16.1	0.47	655	1.52
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.24	20.0	2.99	7.30	0.05	0.03	0.02	0.022	0.04	6.8	16.5	0.55	304	0.91
I314286		1.26	14.3	2.61	6.91	0.05	0.02	0.02	0.020	0.04	6.5	10.3	0.27	164	1.23
I314287		1.07	22.5	1.11	2.78	<0.05	<0.02	0.03	0.013	0.04	7.1	2.6	0.10	52	0.85
I314288		0.95	11.7	2.09	5.08	<0.05	<0.02	0.03	0.017	0.03	4.3	6.7	0.18	684	1.01
I314289		0.68	15.2	1.20	3.82	<0.05	<0.02	0.03	0.013	0.05	7.9	2.0	0.10	55	0.79
I314290		4.96	16.1	2.90	8.62	0.06	0.02	0.02	0.020	0.24	10.1	11.2	0.45	204	1.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314251		1.23	18.3	350	7.6	6.9	<0.001	0.01	0.41	3.8	0.4	0.5	30.3	<0.01	0.02
I314252		1.36	16.3	320	7.2	7.3	<0.001	0.01	0.38	3.0	0.3	0.5	28.2	<0.01	0.02
I314253		1.01	19.5	690	6.2	9.2	<0.001	0.04	0.43	3.4	1.0	0.4	87.1	<0.01	0.02
I314254		1.38	22.6	520	7.1	7.5	<0.001	0.01	0.65	5.1	0.6	0.5	59.0	<0.01	0.05
I314255		1.37	21.9	560	8.6	9.8	<0.001	0.02	0.47	5.2	0.7	0.4	101.5	<0.01	0.06
I314256		1.04	16.2	550	5.2	8.1	0.001	0.07	0.41	3.1	0.9	0.3	117.0	<0.01	0.05
I314257		1.30	18.6	720	8.6	7.9	<0.001	0.02	0.42	4.1	0.7	0.5	61.2	<0.01	0.05
I314258		1.49	23.2	880	7.7	10.1	<0.001	0.03	0.53	5.1	0.9	0.5	55.4	<0.01	0.04
I314259		0.47	16.9	540	3.4	4.3	<0.001	<0.01	0.43	1.6	0.3	0.2	9.6	<0.01	0.01
I314260		1.96	33.5	340	9.9	34.3	0.001	0.02	0.55	8.5	0.9	0.8	80.1	<0.01	0.01
I314261		1.36	21.4	460	9.9	19.6	<0.001	0.01	0.54	5.9	0.6	0.5	40.0	0.01	0.02
I314262		2.38	24.1	310	9.8	29.7	<0.001	0.01	0.36	2.9	0.3	0.8	30.6	<0.01	0.03
I314263		0.96	26.2	400	8.7	9.5	<0.001	0.02	0.33	2.2	0.5	0.6	18.9	0.01	0.03
I314264		0.73	10.7	310	10.7	13.3	<0.001	0.01	0.17	1.8	0.4	0.7	18.2	<0.01	0.02
I314265		2.22	18.6	410	10.0	15.8	<0.001	0.01	0.57	3.5	0.4	0.8	19.2	0.01	0.04
I314266		1.27	7.1	220	9.0	6.6	<0.001	0.01	0.31	1.7	0.3	0.7	11.3	<0.01	0.02
I314267		2.06	16.2	320	8.5	11.3	<0.001	0.01	0.41	3.2	0.4	0.6	20.8	<0.01	0.04
I314268		2.01	17.5	340	9.5	10.6	<0.001	0.01	0.46	4.0	0.5	0.7	14.7	0.02	0.03
I314269		0.33	6.3	570	5.3	5.8	<0.001	0.02	0.16	0.6	0.4	0.3	13.2	<0.01	0.02
I314270		0.39	6.1	570	5.9	7.2	<0.001	0.02	0.18	0.7	0.4	0.4	13.4	<0.01	0.02
I314271		1.84	22.8	340	10.3	14.8	<0.001	0.02	0.43	3.6	0.4	0.7	18.9	0.01	0.03
I314272		0.74	9.4	310	5.2	10.8	<0.001	0.02	0.16	1.9	0.4	0.4	20.2	<0.01	0.02
I314273		2.13	27.0	390	10.5	13.5	<0.001	0.02	0.59	4.8	0.5	0.8	17.9	0.01	0.04
I314274		1.83	19.4	320	9.4	16.9	<0.001	0.02	0.46	3.0	0.3	0.8	12.3	<0.01	0.04
I314275		1.79	23.6	480	13.1	10.6	<0.001	0.02	0.44	4.0	0.5	0.8	15.7	<0.01	0.04
I314276		2.02	51.1	460	5.9	48.3	<0.001	0.01	0.23	3.8	0.4	0.4	23.6	<0.01	0.03
I314277		1.70	61.3	940	11.8	10.1	<0.001	0.01	0.35	4.9	0.6	0.6	23.1	<0.01	0.04
I314278		1.80	11.0	230	11.1	10.5	<0.001	0.02	0.37	2.8	0.5	0.8	15.3	<0.01	0.04
I314279		1.51	16.2	350	9.6	7.3	<0.001	0.02	0.32	3.7	0.6	0.7	23.9	<0.01	0.03
I314280		1.93	16.4	260	13.5	11.9	<0.001	0.01	0.44	3.6	0.5	0.8	21.4	<0.01	0.03
I314281		2.10	20.9	470	10.6	12.1	<0.001	0.05	0.40	3.5	0.8	0.7	23.9	<0.01	0.05
I314282		1.68	22.6	310	10.1	29.2	<0.001	0.02	0.34	2.6	0.4	0.6	17.8	<0.01	0.04
I314283		1.25	20.2	430	10.7	25.4	<0.001	0.03	0.43	4.0	0.6	0.8	20.9	<0.01	0.03
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		1.72	21.8	280	8.8	10.2	<0.001	0.02	0.30	3.6	0.3	0.7	31.0	<0.01	0.04
I314286		1.37	13.3	290	10.5	11.8	<0.001	0.01	0.37	2.6	0.3	0.7	12.0	<0.01	0.03
I314287		0.33	7.2	520	5.0	9.3	<0.001	0.02	0.14	0.6	0.4	0.3	11.7	<0.01	0.02
I314288		0.83	8.0	280	6.6	9.3	<0.001	0.02	0.26	1.6	0.3	0.5	11.7	<0.01	0.03
I314289		0.39	6.5	340	6.7	6.7	<0.001	0.02	0.20	0.9	0.3	0.5	11.3	<0.01	0.02
I314290		0.90	12.6	250	9.1	37.7	<0.001	0.02	0.83	2.6	0.3	0.8	13.4	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314251		0.063	0.07	0.46	62	0.20	3.39	46	0.9
I314252		0.063	0.08	0.32	60	0.43	2.22	38	1.0
I314253		0.042	0.05	0.91	48	0.16	8.44	35	1.1
I314254		0.082	0.05	0.70	56	0.16	9.47	49	6.5
I314255		0.066	0.05	1.03	52	0.22	10.45	52	4.7
I314256		0.043	0.04	0.82	35	0.15	8.80	43	2.1
I314257		0.065	0.06	1.09	50	0.29	8.77	56	2.1
I314258		0.078	0.06	1.35	60	0.17	10.80	68	2.6
I314259		0.016	0.13	0.54	14	0.09	6.06	19	1.9
I314260		0.146	0.14	8.72	87	0.30	10.95	84	4.2
I314261		0.099	0.08	0.62	65	0.21	10.35	62	2.5
I314262		0.157	0.19	0.45	71	0.12	2.74	68	2.2
I314263		0.080	0.14	0.59	65	0.12	3.30	30	0.9
I314264		0.059	0.12	0.46	48	0.10	3.77	25	<0.5
I314265		0.133	0.15	0.54	92	0.17	3.46	48	3.3
I314266		0.083	0.11	0.31	71	0.11	1.59	17	1.0
I314267		0.126	0.11	0.38	86	0.17	2.50	43	2.4
I314268		0.127	0.14	0.59	92	0.18	3.84	39	3.0
I314269		0.035	0.06	0.30	30	0.07	1.45	10	<0.5
I314270		0.040	0.07	0.36	35	0.12	1.57	11	<0.5
I314271		0.133	0.13	0.47	85	0.15	2.97	47	1.9
I314272		0.066	0.08	0.49	30	0.09	2.90	17	<0.5
I314273		0.124	0.16	0.60	97	0.15	3.69	69	4.0
I314274		0.107	0.12	0.36	93	0.13	2.70	53	1.6
I314275		0.112	0.12	0.46	115	0.18	3.57	59	1.3
I314276		0.173	0.32	0.40	65	0.13	4.77	82	2.2
I314277		0.123	0.12	0.72	88	0.23	4.89	92	1.2
I314278		0.106	0.15	0.41	87	0.15	2.30	27	2.0
I314279		0.096	0.14	0.74	77	0.26	4.44	43	1.2
I314280		0.126	0.15	0.48	97	0.18	3.21	38	2.1
I314281		0.134	0.21	0.80	99	0.15	3.86	68	1.7
I314282		0.130	0.17	0.40	79	0.15	2.13	89	1.3
I314283		0.085	0.16	0.72	71	0.17	7.46	51	0.6
I314284		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I314285		0.104	0.16	0.40	72	0.17	2.70	51	1.2
I314286		0.096	0.11	0.45	63	0.15	2.56	31	1.0
I314287		0.034	0.06	0.67	23	0.07	2.13	13	<0.5
I314288		0.076	0.08	0.29	54	0.09	1.59	30	0.6
I314289		0.046	0.09	0.46	35	0.08	2.09	14	<0.5
I314290		0.076	0.28	0.44	58	0.11	4.18	39	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314291		0.22	NSS	0.13	0.47	1.4	<0.2	<10	50	0.14	0.07	0.08	0.21	12.25	1.8	10
I314292		0.36	0.010	0.03	1.85	5.9	<0.2	<10	130	0.36	0.15	0.20	0.08	30.0	8.0	34
I314293		0.28	0.009	0.08	1.25	3.6	<0.2	<10	130	0.39	0.13	0.18	0.13	30.0	3.9	21
I314294		0.26	0.008	0.08	1.37	4.8	<0.2	<10	110	0.36	0.16	0.19	0.13	28.6	5.3	25
I314295		0.20	0.025	0.16	0.59	1.6	<0.2	<10	80	0.26	0.12	0.34	0.29	29.7	3.8	14
I314296		0.34	0.006	0.03	1.65	5.7	<0.2	<10	100	0.29	0.11	0.25	0.05	45.1	8.4	28
I314297		0.24	<0.005	0.52	2.65	21.7	<0.2	<10	250	1.28	0.28	0.53	0.14	174.0	24.5	34
I314298		0.32	0.006	0.09	2.16	6.4	<0.2	<10	190	0.60	0.14	0.30	0.03	66.4	13.4	31
I314299		0.28	0.006	0.07	1.33	8.0	<0.2	<10	110	0.17	0.12	0.14	0.03	10.50	6.0	21
I314300		0.20	<0.005	0.07	0.55	2.6	<0.2	<10	70	0.13	0.11	0.09	0.06	8.66	1.4	10
I314301		0.40	0.009	0.16	1.80	8.3	<0.2	<10	280	0.60	0.17	0.43	0.14	29.8	9.7	24
I314302		0.38	0.005	0.19	1.79	7.0	<0.2	<10	300	0.43	0.16	0.33	0.14	23.7	8.8	23
I314303		0.46	<0.005	0.16	1.64	10.0	<0.2	<10	280	0.42	0.71	0.42	0.30	23.3	11.9	26
I314304		0.44	0.005	0.10	1.66	6.9	<0.2	<10	230	0.30	0.17	0.28	0.23	13.80	11.1	20
I314305		0.50	0.006	0.07	2.07	6.3	<0.2	<10	230	0.39	0.13	0.27	0.22	15.70	12.6	25
I314306		0.46	<0.005	0.20	1.86	4.9	<0.2	<10	340	0.39	0.15	0.30	1.21	16.00	12.8	29
I314307		0.42	<0.005	0.25	1.61	6.1	<0.2	<10	330	0.34	0.16	0.65	0.74	17.35	12.1	27
I314308		0.50	NSS	0.03	0.28	9.4	<0.2	<10	100	0.33	0.03	0.54	0.25	27.3	9.6	16
I314309		0.38	<0.005	0.09	2.44	4.1	<0.2	<10	800	0.84	0.12	0.76	0.13	43.9	17.4	97
I314310		0.42	<0.005	0.39	1.68	9.6	<0.2	<10	390	0.39	0.13	0.48	0.08	21.3	11.6	33
I314311		0.50	<0.005	0.23	2.82	12.6	<0.2	<10	200	0.35	0.11	0.81	0.22	12.90	23.8	62
I314312		0.38	<0.005	0.16	1.95	6.7	<0.2	<10	510	0.55	0.15	0.53	0.23	17.25	14.5	67
I314313		0.44	<0.005	0.05	1.74	4.7	<0.2	<10	420	0.33	0.15	0.42	0.10	14.60	6.6	22
I314314		0.38	<0.005	0.08	1.47	6.0	<0.2	<10	520	0.24	0.15	0.35	0.14	15.35	9.1	24
I314315		0.54	0.021	0.16	1.61	4.3	<0.2	<10	1500	1.02	0.17	0.55	0.11	37.8	7.9	22
I314316		0.52	0.009	0.15	1.54	7.3	<0.2	<10	430	0.97	0.39	0.89	0.19	30.7	10.2	26
I314317		0.48	0.006	0.15	1.83	5.2	<0.2	<10	190	0.50	0.15	1.14	0.31	25.4	11.8	31
I314318		0.46	0.005	0.09	1.63	6.8	<0.2	<10	210	0.32	0.14	0.83	0.23	20.3	10.8	26
I314319		0.38	<0.005	0.05	1.43	6.8	<0.2	<10	140	0.20	0.14	0.22	0.11	16.05	6.6	19
I314320		0.56	0.015	0.10	1.40	6.3	<0.2	<10	240	0.38	0.27	0.62	0.20	26.8	10.4	21
I314321		0.38	<0.005	0.30	1.63	4.4	<0.2	<10	390	0.38	0.10	0.78	0.66	17.75	10.6	36
I314322		0.40	<0.005	0.08	1.48	5.3	<0.2	<10	230	0.26	0.14	0.30	0.16	15.10	10.1	25
I314323		0.44	<0.005	0.08	1.51	6.7	<0.2	<10	270	0.34	0.13	0.42	0.09	19.90	9.6	26
I314324		0.38	NSS	0.06	0.33	10.1	<0.2	<10	120	0.31	0.03	0.64	0.27	31.8	11.0	19
I314325		0.44	<0.005	0.09	1.73	6.1	<0.2	<10	500	0.57	0.10	1.70	0.53	22.9	9.3	33
I314326		0.38	0.006	0.32	1.55	26.2	<0.2	<10	190	0.45	0.08	2.48	1.41	25.2	11.8	78
I314327		0.40	<0.005	0.05	1.73	4.8	<0.2	<10	200	0.32	0.11	0.45	0.15	16.35	9.2	37
I314328		0.46	<0.005	0.05	2.74	5.4	<0.2	<10	390	0.53	0.10	0.48	0.05	20.0	16.1	57
I314329		0.38	<0.005	0.06	1.70	4.8	<0.2	<10	520	0.32	0.18	0.57	0.16	14.70	10.9	26
I314330		0.36	0.012	0.05	2.19	5.9	<0.2	<10	200	0.45	0.10	0.51	0.11	23.1	14.5	39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314291		0.56	16.0	0.78	1.93	<0.05	<0.02	0.06	0.010	0.03	9.1	0.9	0.04	33	0.67
I314292		1.81	24.7	3.14	7.21	0.08	0.02	0.03	0.023	0.09	18.0	14.2	0.50	202	0.90
I314293		1.06	25.9	1.78	5.00	0.06	0.02	0.03	0.019	0.04	18.1	5.6	0.19	83	0.73
I314294		1.47	29.6	2.25	5.18	0.07	0.03	0.05	0.021	0.05	19.2	9.7	0.32	174	0.92
I314295		0.95	27.3	0.93	2.53	0.06	0.02	0.06	0.013	0.05	16.5	2.1	0.10	53	0.66
I314296		4.29	24.0	3.02	5.84	0.09	0.02	0.02	0.016	0.32	21.0	16.9	0.65	192	0.66
I314297		5.09	46.3	3.45	12.00	0.31	0.08	0.15	0.055	0.08	158.0	20.9	0.36	2010	1.54
I314298		4.95	24.6	3.29	8.00	0.10	0.04	0.05	0.025	0.34	46.3	24.4	0.72	217	0.64
I314299		1.33	11.4	2.21	5.91	<0.05	0.02	0.02	0.020	0.01	5.6	8.5	0.25	136	1.02
I314300		0.77	9.1	0.65	3.96	<0.05	<0.02	0.02	0.010	0.02	5.2	1.8	0.07	32	0.37
I314301		4.41	18.1	3.04	7.98	0.11	0.04	0.05	0.028	0.17	25.1	14.7	0.57	462	0.94
I314302		2.65	17.0	2.91	7.11	0.08	0.04	0.03	0.031	0.12	14.4	12.7	0.47	534	0.95
I314303		2.12	32.2	2.85	6.55	0.06	0.03	0.04	0.034	0.08	11.4	14.4	0.54	1080	0.77
I314304		2.02	16.0	2.88	7.43	0.05	0.02	0.02	0.026	0.07	7.1	11.7	0.40	680	1.09
I314305		1.13	21.8	3.35	8.28	0.06	0.05	0.01	0.029	0.05	7.6	15.5	0.64	329	1.04
I314306		2.13	14.4	3.06	7.22	0.05	0.03	0.03	0.027	0.04	7.8	10.1	0.46	1720	1.15
I314307		1.83	12.7	2.91	6.48	0.05	0.04	0.03	0.027	0.10	7.9	8.9	0.45	961	1.08
I314308		0.28	7.7	2.18	1.58	0.07	0.09	0.02	0.008	0.02	13.2	3.3	0.22	919	1.46
I314309		0.50	15.3	3.61	9.05	0.08	0.07	0.02	0.033	0.12	16.6	9.1	1.18	663	1.13
I314310		0.42	18.2	2.68	6.37	0.05	0.07	0.02	0.023	0.08	9.2	7.8	0.48	690	2.23
I314311		0.47	55.1	3.78	8.82	0.07	0.08	0.02	0.035	0.10	5.4	9.9	0.88	803	1.15
I314312		0.37	20.1	3.07	7.45	0.05	0.08	0.01	0.026	0.19	8.4	9.0	0.64	1140	1.35
I314313		0.23	7.4	2.58	6.71	0.05	0.02	0.01	0.019	0.13	7.5	7.7	0.32	369	1.18
I314314		0.36	12.3	2.38	6.31	<0.05	0.04	0.02	0.019	0.08	8.0	7.6	0.33	950	1.05
I314315		0.45	24.3	2.36	5.34	0.10	0.06	0.06	0.024	0.08	28.7	8.2	0.27	401	1.90
I314316		0.67	23.2	2.35	5.41	0.06	0.15	0.04	0.029	0.05	15.1	13.3	0.44	474	4.09
I314317		1.81	23.9	2.87	7.07	0.08	0.08	0.04	0.029	0.10	12.6	14.6	0.76	559	0.73
I314318		1.18	19.4	2.68	5.79	0.07	0.08	0.03	0.026	0.07	10.1	13.0	0.61	437	0.72
I314319		1.33	11.2	2.53	6.56	0.05	0.06	0.02	0.023	0.10	8.8	10.3	0.39	207	0.82
I314320		1.54	21.5	2.42	5.40	0.07	0.05	0.04	0.028	0.07	14.2	13.1	0.48	457	0.64
I314321		1.89	23.4	2.83	7.38	0.07	0.03	0.04	0.028	0.09	10.8	14.3	0.70	618	0.64
I314322		0.84	10.9	2.48	6.26	0.05	0.05	0.04	0.023	0.05	7.6	9.5	0.39	487	1.31
I314323		0.72	13.7	2.42	5.73	0.05	0.07	0.03	0.022	0.04	9.5	8.9	0.40	467	0.90
I314324		0.38	17.1	2.24	2.00	0.09	0.05	0.02	0.009	0.03	16.7	3.8	0.27	952	1.53
I314325		0.66	54.4	2.03	5.06	0.06	0.09	0.05	0.025	0.02	14.5	7.8	0.49	342	0.49
I314326		0.42	48.3	2.21	5.11	0.07	0.14	0.08	0.024	0.02	14.4	7.3	0.88	467	2.96
I314327		0.75	18.4	2.61	7.45	0.05	0.03	0.02	0.023	0.03	8.0	7.6	0.54	414	0.96
I314328		0.56	25.7	3.30	8.96	0.06	0.07	0.02	0.033	0.02	10.0	12.9	1.12	574	0.91
I314329		0.36	16.6	2.39	6.06	<0.05	0.04	0.03	0.020	0.07	7.2	8.6	0.48	1000	1.24
I314330		1.20	31.6	3.03	7.16	0.07	0.12	0.04	0.031	0.04	12.1	12.9	0.91	294	0.59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314291		0.17	5.9	510	4.1	3.9	<0.001	0.05	0.17	0.2	0.4	0.2	12.2	<0.01	0.02
I314292		0.84	26.3	420	8.3	15.7	<0.001	0.02	0.35	2.2	0.5	0.6	20.2	<0.01	0.02
I314293		0.31	14.8	500	7.5	8.7	<0.001	0.03	0.22	0.5	0.6	0.5	20.6	<0.01	0.02
I314294		0.74	17.5	420	19.5	10.6	<0.001	0.03	0.24	1.9	0.5	0.5	20.2	<0.01	0.03
I314295		0.42	11.7	470	5.4	7.1	<0.001	0.05	0.19	1.3	0.6	0.3	31.7	0.01	0.02
I314296		1.48	31.0	340	7.8	43.6	<0.001	0.01	0.14	2.6	0.4	0.6	20.0	<0.01	0.02
I314297		1.06	33.5	670	29.3	24.6	0.001	0.04	0.33	10.0	2.1	1.0	46.5	0.01	0.04
I314298		1.77	29.1	710	19.7	41.9	<0.001	0.01	0.62	4.6	0.7	0.6	24.0	<0.01	0.02
I314299		1.26	13.2	170	7.5	7.5	<0.001	0.01	0.31	2.3	0.4	0.5	14.5	<0.01	0.02
I314300		0.21	3.9	360	7.6	9.8	<0.001	0.01	0.08	0.4	0.3	0.4	12.1	<0.01	0.01
I314301		1.19	15.1	550	13.0	20.5	<0.001	0.01	0.46	8.1	0.8	0.5	27.8	0.01	0.02
I314302		1.26	14.0	480	8.7	13.0	<0.001	0.01	0.38	6.3	0.5	0.5	25.7	<0.01	0.02
I314303		1.28	25.5	550	18.3	9.8	<0.001	0.02	0.63	5.5	0.5	0.5	24.2	<0.01	0.04
I314304		1.28	12.2	630	11.7	10.4	<0.001	0.01	0.50	4.2	0.4	0.6	24.2	<0.01	0.02
I314305		1.42	16.3	550	16.1	8.8	<0.001	0.01	0.41	4.8	0.3	0.6	19.4	<0.01	0.02
I314306		1.27	16.6	300	20.4	8.3	<0.001	0.01	0.44	4.9	0.3	0.6	21.2	<0.01	0.01
I314307		1.42	15.8	330	18.1	15.0	<0.001	0.01	0.47	4.6	0.4	0.6	32.8	<0.01	0.02
I314308		0.58	23.7	650	4.9	4.7	<0.001	0.02	0.55	2.0	0.3	0.2	12.7	<0.01	0.01
I314309		2.72	72.8	670	8.1	10.4	<0.001	0.01	0.23	6.3	0.4	0.6	46.8	<0.01	0.03
I314310		1.43	20.3	270	7.6	9.9	<0.001	0.01	0.30	5.4	0.4	0.5	29.1	<0.01	0.04
I314311		0.97	26.1	610	7.8	7.6	<0.001	0.02	0.31	12.5	0.5	0.5	30.2	<0.01	0.06
I314312		1.62	34.4	620	9.1	9.9	<0.001	0.01	0.35	4.5	0.3	0.6	32.3	<0.01	0.04
I314313		1.24	13.1	300	8.2	5.5	<0.001	0.01	0.29	2.8	0.2	0.5	26.2	<0.01	0.02
I314314		1.37	15.8	380	8.0	9.6	<0.001	0.01	0.32	3.1	0.3	0.5	27.2	<0.01	0.02
I314315		1.14	21.7	350	8.7	7.6	<0.001	0.02	0.30	5.5	1.1	0.4	58.5	0.01	0.10
I314316		2.19	19.2	470	18.9	10.0	0.001	0.03	0.51	5.1	1.0	0.6	230	<0.01	0.38
I314317		1.15	20.6	980	11.5	13.3	<0.001	0.04	0.54	7.2	0.9	0.5	56.6	<0.01	0.03
I314318		1.46	17.7	790	13.1	10.8	<0.001	0.02	0.51	5.7	0.6	0.5	45.2	<0.01	0.02
I314319		1.34	10.5	470	7.9	11.2	<0.001	0.01	0.34	4.4	0.3	0.5	17.8	<0.01	0.02
I314320		1.13	15.4	840	8.9	9.7	<0.001	0.02	0.48	5.7	0.7	0.4	33.0	<0.01	0.02
I314321		1.16	30.2	1120	7.1	11.1	<0.001	0.02	0.56	6.0	0.6	0.6	46.4	<0.01	0.01
I314322		1.43	14.7	190	10.0	8.0	<0.001	0.01	0.39	3.5	0.4	0.6	24.1	<0.01	0.02
I314323		1.45	17.7	190	8.4	4.7	<0.001	0.01	0.41	4.7	0.4	0.5	26.6	<0.01	0.02
I314324		0.81	27.0	720	5.3	5.3	<0.001	0.02	0.62	2.2	0.5	0.3	15.8	<0.01	0.02
I314325		1.11	30.0	600	5.6	4.1	<0.001	0.05	0.40	5.6	1.3	0.4	64.5	0.01	0.02
I314326		0.84	62.1	1130	7.4	3.9	0.001	0.08	0.89	4.3	2.4	0.3	106.0	0.01	0.03
I314327		1.61	23.5	330	5.8	6.6	<0.001	0.02	0.30	3.8	0.5	0.6	37.5	<0.01	0.02
I314328		1.80	35.7	410	6.6	4.8	<0.001	0.01	0.22	8.1	0.4	0.6	28.9	<0.01	0.01
I314329		1.43	18.9	330	9.3	13.8	<0.001	0.02	0.30	3.2	0.4	0.5	41.5	<0.01	0.01
I314330		1.42	28.4	340	6.3	6.2	<0.001	0.02	0.28	8.5	0.6	0.5	30.5	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314291		0.019	0.04	0.38	20	0.07	3.18	9	<0.5
I314292		0.072	0.13	0.61	61	0.10	7.30	47	<0.5
I314293		0.022	0.07	0.67	37	0.08	7.53	21	<0.5
I314294		0.064	0.08	1.13	48	0.15	7.36	32	0.5
I314295		0.035	0.05	1.20	22	0.07	10.65	19	<0.5
I314296		0.116	0.34	1.18	37	0.10	8.21	58	<0.5
I314297		0.032	0.23	3.32	62	0.22	51.7	50	0.8
I314298		0.110	0.41	1.61	38	0.12	14.55	61	1.1
I314299		0.072	0.10	0.35	51	0.14	2.01	25	0.9
I314300		0.026	0.08	0.32	17	0.05	1.76	11	<0.5
I314301		0.082	0.13	1.01	63	0.23	23.2	58	1.0
I314302		0.074	0.11	0.91	57	0.20	9.55	60	1.1
I314303		0.076	0.08	0.60	61	0.27	5.07	123	0.9
I314304		0.069	0.11	0.38	71	0.22	2.54	69	0.6
I314305		0.131	0.09	0.37	85	0.20	3.01	111	1.7
I314306		0.080	0.11	0.35	76	0.21	2.98	125	1.0
I314307		0.077	0.09	0.49	69	0.28	2.77	105	1.4
I314308		0.021	0.15	0.75	17	0.10	7.80	23	4.1
I314309		0.113	0.10	0.59	79	0.14	4.52	57	3.3
I314310		0.067	0.11	0.35	68	0.17	3.79	49	2.5
I314311		0.125	0.07	0.37	112	0.32	4.77	97	2.2
I314312		0.074	0.08	0.38	73	0.25	2.97	72	3.2
I314313		0.037	0.09	0.43	56	0.18	1.97	47	0.7
I314314		0.059	0.08	0.35	57	0.19	2.27	41	1.5
I314315		0.041	0.06	1.35	42	0.17	37.7	39	1.5
I314316		0.060	0.09	5.63	48	0.29	12.30	56	5.6
I314317		0.068	0.09	1.20	62	0.27	10.30	77	2.6
I314318		0.084	0.07	0.64	60	0.27	6.70	78	3.0
I314319		0.080	0.09	0.43	59	0.22	3.82	50	2.0
I314320		0.069	0.07	0.84	54	0.26	11.15	70	1.4
I314321		0.086	0.09	0.62	62	0.34	7.89	71	0.8
I314322		0.063	0.08	0.36	58	0.20	2.23	45	1.9
I314323		0.063	0.08	0.51	55	0.26	3.98	42	2.7
I314324		0.027	0.17	0.82	20	0.11	8.53	27	2.4
I314325		0.049	0.06	2.33	45	0.15	14.80	49	3.3
I314326		0.037	0.06	1.74	45	0.10	11.35	66	6.0
I314327		0.088	0.09	0.43	69	0.23	3.61	38	1.2
I314328		0.080	0.09	0.41	77	0.13	5.04	51	2.9
I314329		0.066	0.11	0.42	57	0.15	3.26	40	1.5
I314330		0.082	0.06	0.42	74	0.12	9.86	48	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314331		0.38	<0.005	0.06	2.09	7.6	<0.2	<10	250	0.36	0.07	1.02	0.17	16.55	16.9	53
I314332		0.44	<0.005	0.04	2.15	4.2	<0.2	<10	150	0.46	0.07	0.43	0.08	10.30	16.2	92
I314333		0.40	0.006	0.07	2.22	4.8	<0.2	<10	190	0.32	0.10	0.70	0.15	17.90	14.4	50
I314334		0.24	<0.005	0.06	2.15	4.3	<0.2	<10	180	0.41	0.08	1.21	0.12	16.30	13.6	58
I314335		0.46	<0.005	0.07	1.86	4.2	<0.2	<10	170	0.40	0.06	1.19	0.18	16.00	12.0	50
I314336		0.42	<0.005	0.06	1.99	4.6	<0.2	<10	160	0.51	0.06	1.41	0.16	18.90	14.9	65
I314337		0.50	NSS	0.02	0.28	8.9	<0.2	<10	70	0.29	0.01	0.51	0.17	28.3	8.1	12
I314338		0.30	<0.005	0.09	1.75	7.3	<0.2	<10	250	1.54	0.13	0.76	0.18	115.5	9.7	28
I314339		0.36	0.006	0.12	1.77	7.2	<0.2	<10	210	1.39	0.26	0.83	0.12	124.5	7.1	28
I314340		0.20	0.010	0.20	0.59	3.7	<0.2	<10	80	0.18	0.14	0.39	0.84	10.25	3.9	15
I314341		0.44	<0.005	0.24	0.78	52.9	<0.2	<10	100	0.45	0.11	0.85	0.35	14.60	9.9	18
I314342		0.58	0.007	0.05	1.95	10.6	<0.2	<10	120	0.61	0.32	0.29	0.12	51.7	17.3	34
I314343		0.46	<0.005	0.11	1.66	13.9	<0.2	<10	100	0.30	0.11	0.32	0.21	27.9	9.9	35
I314344		0.50	<0.005	0.12	1.73	16.0	<0.2	<10	110	0.38	0.10	0.25	0.14	29.2	11.3	35
I314345		0.58	0.007	0.31	1.72	16.1	<0.2	<10	150	0.46	0.19	0.30	0.34	44.6	15.4	33
I314346		0.48	<0.005	0.12	1.72	12.2	<0.2	<10	150	0.40	0.08	0.33	0.30	27.0	12.8	38
I314347		0.40	<0.005	0.06	0.42	2.5	<0.2	<10	40	<0.05	0.10	0.06	0.14	7.54	2.2	9
I314348		0.42	0.005	0.08	0.65	6.0	<0.2	<10	40	0.09	0.15	0.06	0.12	12.25	3.1	12
I314349		0.42	<0.005	0.12	0.81	4.4	<0.2	<10	60	0.12	0.17	0.10	0.16	10.70	3.2	15
I314350		0.42	<0.005	0.09	0.60	8.0	<0.2	<10	50	0.11	0.15	0.05	0.14	7.89	2.7	12
I314351		0.32	0.008	0.06	1.64	5.7	<0.2	<10	160	0.43	0.06	1.58	0.10	25.5	11.6	32
I314352		0.42	0.009	0.05	1.66	6.8	<0.2	<10	140	0.30	0.09	0.45	0.10	23.6	11.0	27
I314353		0.34	0.006	0.06	1.52	5.2	<0.2	<10	130	0.31	0.09	1.38	0.17	25.3	9.9	27
I314354		0.28	0.006	0.08	1.60	4.5	<0.2	<10	170	0.47	0.10	1.48	0.21	58.0	9.2	24
I314355		0.30	<0.005	0.08	1.81	7.3	<0.2	<10	150	0.50	0.09	1.99	0.20	33.9	11.2	31
I314356		0.32	0.006	0.04	1.59	7.6	<0.2	<10	120	0.36	0.09	0.74	0.20	23.4	11.1	30
I314357		0.40	0.005	0.07	1.51	7.2	<0.2	<10	120	0.26	0.10	0.56	0.15	17.85	9.6	27
I314358		0.36	0.005	0.04	1.48	7.0	<0.2	<10	170	0.25	0.08	0.59	0.10	21.8	12.0	30
I314359		0.42	0.008	0.06	1.74	7.1	<0.2	<10	150	0.40	0.10	0.48	0.09	24.7	10.3	30
I314360		0.40	0.009	0.07	1.77	7.5	<0.2	<10	170	0.45	0.10	0.51	0.12	27.1	11.8	31
I314361		0.26	0.007	0.06	1.48	6.0	<0.2	<10	140	0.28	0.08	0.49	0.11	19.65	9.5	26
I314362		0.52	<0.005	0.08	1.86	5.5	<0.2	<10	170	0.51	0.08	0.77	0.10	45.5	13.1	36
I314363		0.32	0.005	0.07	1.71	5.1	<0.2	<10	130	0.27	0.08	0.56	0.09	27.9	8.0	31
I314364		0.40	<0.005	0.08	1.65	6.2	<0.2	<10	160	0.33	0.08	0.66	0.09	21.8	11.3	30
I314365		0.34	0.005	0.08	1.77	9.1	<0.2	<10	140	0.39	0.09	0.56	0.11	22.0	9.6	33
I314366		0.34	0.007	0.07	1.84	9.2	<0.2	<10	170	0.38	0.09	0.76	0.16	25.2	12.9	38
I314367		0.38	0.012	0.09	1.68	11.5	<0.2	<10	220	0.79	0.13	1.33	0.28	30.1	12.1	33
I314368		0.34	0.006	0.05	1.86	7.6	<0.2	<10	230	0.86	0.12	0.66	0.06	45.3	12.2	32
I314369		0.46	<0.005	0.07	1.74	6.7	<0.2	<10	220	0.51	0.18	0.49	0.09	36.0	9.3	30
I314370		0.30	NSS	0.02	0.20	7.8	<0.2	<10	40	0.27	0.03	0.31	0.20	24.4	6.9	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314331		1.60	47.1	3.07	6.32	0.07	0.07	0.03	0.029	0.03	9.4	11.0	0.98	459	0.48
I314332		0.72	28.2	2.86	7.66	0.05	0.04	0.02	0.019	0.02	5.4	12.6	1.15	289	0.71
I314333		0.81	29.5	2.83	6.02	0.05	0.08	0.03	0.023	0.03	10.2	13.2	1.02	453	0.50
I314334		1.13	37.1	2.54	6.07	0.06	0.11	0.05	0.022	0.02	9.1	12.4	0.89	275	0.52
I314335		0.48	31.4	2.31	5.01	0.06	0.06	0.06	0.020	0.02	9.1	10.8	0.80	291	0.50
I314336		0.59	31.2	2.70	5.40	0.06	0.06	0.04	0.020	0.03	10.9	12.8	0.94	414	0.40
I314337		0.23	6.5	1.94	1.36	0.06	0.06	0.02	0.006	0.02	14.3	3.4	0.22	623	1.03
I314338		0.85	25.8	2.45	7.14	0.19	0.07	0.05	0.028	0.12	103.5	9.4	0.38	501	1.41
I314339		1.80	24.2	2.22	6.32	0.21	0.12	0.06	0.027	0.09	127.0	9.9	0.40	216	0.94
I314340		6.36	17.0	1.24	2.72	<0.05	<0.02	0.17	0.015	0.04	5.9	1.2	0.09	196	1.63
I314341		7.98	16.9	1.85	2.91	0.05	0.03	0.09	0.017	0.04	8.5	4.3	0.23	633	1.21
I314342		5.12	27.5	3.12	6.10	0.10	0.09	0.05	0.033	0.06	24.9	16.1	0.63	245	0.47
I314343		8.58	30.4	2.93	5.17	0.07	0.03	0.03	0.022	0.12	14.9	14.3	0.62	247	1.04
I314344		12.55	30.1	3.21	4.86	0.07	0.03	0.03	0.023	0.11	16.3	14.4	0.62	326	1.21
I314345		11.85	55.0	3.01	4.99	0.09	0.03	0.06	0.035	0.07	22.3	10.5	0.48	233	1.39
I314346		6.38	25.9	2.93	4.85	0.08	0.04	0.04	0.021	0.09	14.1	13.7	0.64	443	0.98
I314347		0.73	9.9	1.04	3.48	<0.05	<0.02	0.02	0.007	<0.01	4.0	1.1	0.05	53	0.88
I314348		1.01	11.7	1.56	5.71	<0.05	0.02	0.03	0.011	0.01	6.4	1.8	0.08	91	1.19
I314349		0.77	16.0	1.81	6.04	<0.05	0.02	0.03	0.012	<0.01	5.6	2.4	0.07	83	1.29
I314350		2.18	12.6	1.50	5.12	<0.05	<0.02	0.02	0.012	0.01	4.2	1.4	0.05	236	1.07
I314351		1.66	25.9	2.63	4.57	0.10	0.08	0.03	0.017	0.20	14.3	15.0	0.77	328	0.43
I314352		0.65	17.7	2.50	5.29	0.06	0.15	0.01	0.021	0.04	12.5	10.9	0.46	220	0.64
I314353		0.71	19.0	2.27	4.66	0.08	0.09	0.06	0.021	0.05	13.2	10.8	0.55	368	0.59
I314354		0.94	23.9	2.34	4.98	0.10	0.08	0.06	0.025	0.03	36.5	9.2	0.39	247	0.55
I314355		0.97	24.0	2.58	5.03	0.08	0.10	0.06	0.028	0.05	18.1	13.1	0.62	459	0.55
I314356		0.42	29.4	2.69	4.76	0.08	0.16	0.02	0.021	0.09	11.8	11.2	0.65	330	0.52
I314357		0.42	20.2	2.45	4.66	0.07	0.07	0.01	0.020	0.06	8.9	9.9	0.53	267	0.72
I314358		0.66	14.1	2.64	4.88	0.07	0.14	0.03	0.019	0.03	11.1	11.0	0.56	359	0.52
I314359		1.15	20.5	2.65	5.72	0.07	0.05	0.03	0.022	0.03	13.2	12.5	0.53	285	0.71
I314360		1.22	22.5	2.70	5.61	0.07	0.06	0.03	0.022	0.03	14.2	12.8	0.54	337	0.70
I314361		1.24	15.8	2.27	5.31	0.06	0.03	0.03	0.019	0.04	10.5	10.5	0.48	326	0.89
I314362		3.88	21.9	3.06	6.28	0.10	0.06	0.05	0.023	0.10	26.9	16.1	0.68	338	0.61
I314363		1.22	17.7	2.51	5.53	0.07	0.03	0.04	0.018	0.04	16.1	11.8	0.53	208	0.81
I314364		0.93	18.6	2.48	5.54	0.05	0.03	0.03	0.018	0.02	11.9	10.2	0.52	304	0.85
I314365		1.40	18.1	2.48	6.26	0.07	0.03	0.04	0.019	0.03	12.4	12.3	0.54	186	0.77
I314366		2.13	19.7	2.66	6.24	0.08	0.06	0.05	0.023	0.03	14.7	12.9	0.51	408	1.00
I314367		1.94	29.6	2.83	5.59	0.09	0.09	0.05	0.037	0.04	18.7	11.5	0.36	339	0.71
I314368		1.09	24.7	2.91	6.24	0.09	0.18	0.03	0.034	0.04	23.9	12.4	0.47	410	0.61
I314369		1.62	15.1	2.83	5.57	0.07	0.10	0.02	0.027	0.05	28.1	10.7	0.43	319	0.77
I314370		0.19	5.8	1.91	1.23	0.06	0.08	0.01	<0.005	0.01	12.6	2.7	0.14	689	1.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314331		1.15	35.9	640	4.2	6.3	<0.001	0.03	0.52	9.0	0.7	0.4	40.4	<0.01	0.01
I314332		1.62	52.0	370	4.3	2.8	<0.001	0.01	0.24	4.9	0.4	0.5	26.8	<0.01	0.01
I314333		1.35	31.6	530	5.1	6.4	<0.001	0.02	0.27	6.3	0.6	0.5	34.0	<0.01	0.02
I314334		1.39	34.8	490	5.1	4.9	<0.001	0.05	0.30	6.8	0.9	0.5	49.4	0.01	0.02
I314335		1.26	33.9	770	4.4	6.0	<0.001	0.05	0.32	5.1	0.8	0.4	52.9	<0.01	0.02
I314336		1.10	41.0	740	5.3	5.3	<0.001	0.05	0.22	6.4	0.8	0.4	57.2	<0.01	0.01
I314337		0.56	16.6	600	4.0	4.3	<0.001	0.01	0.42	1.8	0.4	0.2	12.4	<0.01	0.01
I314338		1.30	19.3	490	13.2	14.1	<0.001	0.03	0.38	6.5	1.4	0.7	56.4	0.01	0.03
I314339		1.33	18.4	550	20.3	17.7	<0.001	0.04	0.42	6.4	1.6	0.9	64.2	0.01	0.02
I314340		0.43	8.6	1600	6.8	7.2	<0.001	0.19	0.40	0.7	0.8	0.3	30.3	0.01	0.04
I314341		0.57	14.9	1060	37.5	7.1	<0.001	0.15	3.83	2.2	0.8	0.3	49.0	0.01	0.03
I314342		1.28	28.6	520	17.8	13.4	<0.001	0.01	0.83	6.7	0.7	0.5	22.4	<0.01	0.02
I314343		1.26	27.4	570	8.5	22.5	<0.001	0.02	0.96	3.7	0.6	0.4	26.8	<0.01	0.03
I314344		1.04	31.3	630	7.2	15.4	<0.001	0.02	1.22	4.5	0.8	0.3	22.3	<0.01	0.03
I314345		0.96	38.0	790	12.6	13.7	<0.001	0.02	1.25	7.7	1.4	0.4	25.5	<0.01	0.04
I314346		1.15	24.7	660	6.1	14.9	<0.001	0.03	0.96	5.0	0.7	0.4	25.9	<0.01	0.03
I314347		0.49	5.4	190	3.7	3.9	<0.001	0.02	0.22	1.0	0.3	0.4	8.9	<0.01	0.02
I314348		1.02	6.9	290	6.0	5.1	<0.001	0.02	0.35	1.5	0.4	0.5	8.7	<0.01	0.02
I314349		0.99	8.1	250	7.9	3.5	<0.001	0.02	0.33	1.7	0.3	0.6	12.2	<0.01	0.02
I314350		0.77	5.8	330	7.6	4.6	<0.001	0.01	0.32	1.3	0.4	0.5	8.8	<0.01	0.02
I314351		1.22	23.7	630	6.6	26.9	<0.001	0.05	0.26	4.0	0.8	0.3	65.1	<0.01	0.02
I314352		1.46	19.8	510	6.6	8.4	<0.001	0.01	0.27	4.4	0.4	0.5	32.7	<0.01	0.02
I314353		1.27	18.5	570	7.7	13.5	<0.001	0.05	0.34	4.1	0.7	0.4	56.7	0.01	0.02
I314354		1.15	21.4	560	8.4	9.3	<0.001	0.05	0.36	4.6	1.1	0.4	54.7	0.01	0.03
I314355		1.06	24.0	770	9.5	10.1	<0.001	0.07	0.44	5.0	1.0	0.4	82.7	0.01	0.03
I314356		1.58	24.8	740	6.3	8.9	<0.001	0.02	0.35	5.3	0.6	0.4	40.3	<0.01	0.02
I314357		1.38	20.2	690	5.7	6.4	<0.001	0.02	0.32	4.1	0.5	0.4	31.9	<0.01	0.02
I314358		1.43	19.4	540	6.7	7.5	<0.001	0.01	0.26	4.3	0.4	0.4	31.9	<0.01	0.02
I314359		1.45	20.8	560	8.4	10.4	<0.001	0.02	0.31	4.4	0.5	0.5	31.2	<0.01	0.02
I314360		1.43	21.5	590	8.6	11.3	<0.001	0.02	0.33	4.7	0.6	0.5	32.4	<0.01	0.02
I314361		1.15	16.4	610	6.7	11.7	<0.001	0.03	0.28	3.6	0.5	0.4	35.1	<0.01	0.01
I314362		1.23	24.9	740	6.7	19.5	<0.001	0.03	0.33	6.9	0.8	0.5	43.9	<0.01	0.02
I314363		1.15	19.5	580	5.9	10.3	<0.001	0.05	0.21	4.3	0.6	0.4	33.6	<0.01	0.02
I314364		1.21	18.5	560	6.7	7.1	<0.001	0.04	0.21	4.0	0.6	0.4	35.9	<0.01	0.03
I314365		1.25	23.1	450	7.0	10.3	<0.001	0.04	0.23	4.6	0.5	0.5	34.0	<0.01	0.02
I314366		1.36	22.8	480	8.0	13.0	<0.001	0.02	0.28	6.0	0.7	0.5	42.2	<0.01	0.02
I314367		1.01	27.4	790	10.4	11.0	<0.001	0.03	0.88	7.4	1.0	0.5	64.0	<0.01	0.03
I314368		1.13	25.5	390	10.4	10.1	<0.001	0.01	0.34	7.0	0.8	0.7	42.6	<0.01	0.02
I314369		1.33	17.0	450	11.9	12.3	<0.001	0.01	0.32	5.2	0.5	0.6	33.9	<0.01	0.01
I314370		0.43	15.6	510	3.1	3.6	<0.001	0.01	0.44	1.6	0.3	0.2	9.0	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314331		0.069	0.05	0.47	76	0.12	9.26	49	2.5
I314332		0.106	0.05	0.25	75	0.10	3.15	48	1.4
I314333		0.106	0.05	0.54	65	0.13	7.58	51	2.9
I314334		0.077	0.06	0.86	59	0.13	7.94	47	4.0
I314335		0.080	0.04	0.89	50	0.12	8.26	46	2.5
I314336		0.060	0.03	1.10	60	0.09	11.30	52	2.3
I314337		0.022	0.11	0.72	17	0.09	7.23	20	2.8
I314338		0.055	0.08	2.79	48	0.22	42.6	42	1.6
I314339		0.058	0.09	3.28	41	0.26	45.9	38	3.3
I314340		0.025	0.06	1.03	33	0.10	2.63	57	<0.5
I314341		0.040	0.10	1.47	33	0.16	5.89	71	0.9
I314342		0.100	0.12	1.42	59	0.16	11.80	65	3.3
I314343		0.107	0.17	0.89	53	0.10	5.29	80	1.2
I314344		0.092	0.14	1.21	53	0.11	5.83	91	1.3
I314345		0.079	0.16	2.32	56	0.12	12.65	112	1.0
I314346		0.105	0.14	0.87	58	0.12	5.43	74	1.3
I314347		0.057	0.07	0.23	36	0.07	1.15	19	<0.5
I314348		0.086	0.07	0.34	58	0.13	1.53	24	0.7
I314349		0.083	0.08	0.31	59	0.08	1.55	28	0.9
I314350		0.076	0.07	0.25	48	0.09	1.21	31	0.7
I314351		0.097	0.15	1.17	48	0.10	8.13	56	2.9
I314352		0.105	0.05	0.60	61	0.39	7.08	42	5.6
I314353		0.084	0.07	0.88	48	0.15	7.08	53	3.2
I314354		0.067	0.08	0.87	43	0.14	15.25	44	2.8
I314355		0.061	0.08	0.99	47	0.11	12.70	58	3.4
I314356		0.126	0.05	0.81	69	0.16	9.46	53	6.0
I314357		0.114	0.05	0.38	63	0.16	5.83	46	2.8
I314358		0.114	0.05	0.74	64	0.14	6.06	49	4.8
I314359		0.102	0.08	0.94	60	0.19	6.78	50	2.1
I314360		0.101	0.09	1.11	60	0.16	8.02	51	2.2
I314361		0.091	0.09	0.78	56	0.15	4.99	55	1.0
I314362		0.089	0.15	1.51	53	0.15	13.85	69	2.2
I314363		0.080	0.08	0.78	51	0.13	6.20	51	1.1
I314364		0.085	0.07	0.79	56	0.17	5.30	44	1.2
I314365		0.089	0.10	0.79	53	0.14	5.58	54	1.3
I314366		0.081	0.11	1.00	58	0.13	6.94	54	2.3
I314367		0.044	0.08	1.48	55	0.12	15.05	61	3.3
I314368		0.065	0.08	1.04	54	0.13	13.90	47	7.2
I314369		0.078	0.09	0.75	58	0.14	11.00	43	4.3
I314370		0.010	0.11	0.70	13	0.07	6.10	16	3.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314371		0.44	0.006	0.08	1.01	2.1	<0.2	<10	160	0.33	0.17	0.55	0.10	20.2	4.0	18
I314372		0.46	0.008	0.05	1.23	3.2	<0.2	<10	130	0.39	0.15	0.19	0.04	23.7	4.6	16
I314373		0.38	<0.005	0.06	2.00	5.9	<0.2	<10	90	0.43	0.21	0.23	0.06	29.5	8.4	30
I314374		0.52	0.005	0.06	2.11	10.4	<0.2	<10	160	0.76	0.31	0.18	0.13	111.5	9.1	28
I314375		0.32	0.018	0.05	1.99	4.4	<0.2	<10	210	0.62	0.17	0.70	0.07	59.0	11.0	33
I314376		0.50	<0.005	0.10	1.61	3.6	<0.2	<10	180	0.69	0.15	0.82	0.13	88.7	13.5	31
I314377		0.38	0.005	0.09	1.30	5.6	<0.2	<10	270	0.63	0.15	0.96	0.19	47.1	9.2	22
I314378		0.38	0.008	0.07	1.62	9.3	<0.2	<10	190	0.34	0.13	0.57	0.14	34.6	10.4	37
I314379		0.32	<0.005	0.07	1.50	12.2	<0.2	<10	180	0.35	0.10	1.13	0.21	27.0	11.9	30
I314380		0.36	<0.005	0.06	1.49	12.8	<0.2	<10	180	0.37	0.10	1.19	0.24	29.5	12.7	30
I314381		0.28	0.005	0.09	1.56	6.9	<0.2	<10	150	0.42	0.10	0.93	0.38	26.7	11.9	33
I314382		0.38	0.009	0.08	1.47	4.6	<0.2	<10	120	0.39	0.09	0.64	0.14	23.6	10.7	34
I314383		0.34	0.005	0.04	1.43	6.1	<0.2	<10	120	0.31	0.10	0.77	0.16	21.4	9.8	28
I314384		0.46	0.007	0.07	1.51	5.3	<0.2	<10	160	0.34	0.11	0.62	0.12	22.7	10.0	28
I314385		0.50	0.005	0.07	1.39	4.5	<0.2	<10	180	0.55	0.12	1.14	0.14	49.8	9.4	23
I314386		0.42	0.010	0.06	1.39	3.9	<0.2	<10	100	0.46	0.15	0.41	0.12	19.70	6.7	24
I314387		0.40	<0.005	0.07	1.84	5.6	<0.2	<10	260	0.61	0.17	0.68	0.11	32.8	11.5	31
I314388		0.34	0.007	0.08	1.95	5.0	<0.2	<10	200	0.62	0.44	0.39	0.06	41.7	7.7	29
I314389		0.32	0.007	0.11	1.68	5.9	<0.2	<10	110	0.25	0.14	0.32	0.11	20.4	7.2	28
I314390		0.28	NSS	0.02	0.20	7.9	<0.2	<10	50	0.27	0.03	0.35	0.17	22.0	8.0	8
I314391		0.40	0.006	0.09	1.67	4.9	<0.2	<10	240	0.68	0.16	0.44	0.12	49.2	9.5	28
I314392		0.28	<0.005	0.05	1.41	4.3	<0.2	<10	140	0.50	0.18	0.42	0.09	33.7	6.6	27
I314393		0.34	<0.005	0.05	1.36	3.5	<0.2	<10	110	0.55	0.14	0.30	0.04	37.2	7.1	23
I314394		0.32	<0.005	0.09	1.48	5.1	<0.2	<10	210	0.60	0.17	0.18	0.06	17.65	9.1	23
I314395		0.30	<0.005	0.06	1.64	5.0	<0.2	<10	180	0.25	0.15	0.36	0.04	18.05	9.4	28
I314396		0.28	0.005	0.12	1.24	4.4	<0.2	<10	130	0.29	0.14	0.27	0.07	20.4	6.4	23
I314397		0.40	<0.005	0.09	2.09	11.2	<0.2	<10	350	0.39	0.17	0.18	0.10	30.3	9.8	46
I314398		0.44	<0.005	0.09	2.34	7.5	<0.2	<10	170	0.53	0.11	0.19	0.14	30.7	11.2	45
I314399		0.46	0.007	0.13	2.01	5.3	<0.2	<10	170	0.40	0.11	0.44	0.16	31.9	12.1	46
I314400		0.50	0.005	0.13	2.02	6.1	<0.2	<10	180	0.43	0.12	0.44	0.17	31.7	12.8	47
I314401		0.52	<0.005	0.10	2.22	12.6	<0.2	<10	80	0.31	0.21	0.11	0.23	16.85	10.4	33
I314402		0.52	<0.005	0.08	3.01	13.8	<0.2	<10	100	0.42	0.19	0.14	0.25	16.40	14.5	41
I314403		0.46	<0.005	0.07	1.19	7.4	<0.2	<10	70	0.26	0.17	0.16	0.14	19.05	8.1	21
I314404		0.38	<0.005	0.10	0.69	2.1	<0.2	<10	70	0.14	0.12	0.13	0.35	7.68	3.4	12
I314405		0.58	0.007	0.09	1.93	6.4	<0.2	<10	130	0.35	0.13	0.45	0.17	24.3	11.9	41
I314406		0.56	0.008	0.10	1.78	5.5	<0.2	<10	180	0.32	0.14	0.55	0.18	17.85	13.2	41
I314407		0.62	0.011	0.07	1.77	5.1	<0.2	<10	120	0.26	0.12	0.36	0.16	19.70	9.3	37
I314408		0.50	<0.005	0.14	1.40	6.3	<0.2	<10	110	0.26	0.13	0.25	0.16	22.5	7.6	31
I314409		0.40	<0.005	0.17	1.50	7.7	<0.2	<10	100	0.26	0.14	0.23	0.17	19.05	8.1	33
I314410		0.48	<0.005	0.11	1.73	16.9	<0.2	<10	110	0.32	0.19	0.34	0.16	21.8	14.2	38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314371		4.17	9.6	1.59	5.53	0.05	0.05	0.03	0.019	0.12	14.3	6.7	0.27	142	0.99
I314372		4.07	6.3	1.96	5.62	0.05	0.06	0.02	0.021	0.08	19.0	9.1	0.25	133	0.74
I314373		3.78	12.1	3.13	8.53	0.07	0.05	0.02	0.025	0.13	20.7	21.9	0.57	272	1.02
I314374		6.29	22.7	3.24	8.38	0.11	0.04	0.02	0.042	0.15	71.4	21.9	0.54	271	0.84
I314375		6.41	10.7	3.71	9.11	0.11	0.05	0.02	0.026	0.30	42.6	30.6	0.87	396	1.02
I314376		3.82	11.7	3.08	8.61	0.11	0.04	0.04	0.033	0.14	55.5	25.1	0.58	709	1.06
I314377		2.43	18.1	2.54	4.52	0.08	0.07	0.06	0.029	0.05	26.7	8.2	0.31	422	0.74
I314378		1.22	17.7	2.88	5.71	0.06	0.05	0.02	0.024	0.05	19.6	13.1	0.50	307	0.77
I314379		1.63	15.2	2.61	5.27	0.05	0.05	0.04	0.020	0.02	13.0	11.5	0.53	587	0.73
I314380		1.65	16.8	2.61	5.23	0.06	0.05	0.04	0.022	0.02	14.0	11.2	0.52	680	0.84
I314381		1.24	20.8	2.68	5.61	0.06	0.04	0.05	0.020	0.03	13.6	12.7	0.58	422	0.85
I314382		1.06	16.1	2.51	5.57	0.05	0.03	0.03	0.017	0.02	12.1	11.8	0.56	393	0.67
I314383		0.36	21.3	2.57	4.76	0.06	0.11	0.02	0.020	0.08	10.0	10.7	0.59	362	0.65
I314384		0.69	16.9	2.49	4.90	0.06	0.06	0.02	0.023	0.02	11.3	11.2	0.51	409	0.57
I314385		3.52	21.7	2.72	5.26	0.10	0.11	0.05	0.029	0.19	41.3	13.7	0.55	277	0.53
I314386		1.36	11.1	2.69	6.10	<0.05	0.05	0.01	0.020	0.19	7.8	11.1	0.42	224	1.03
I314387		0.98	18.4	2.90	6.60	0.06	0.14	0.03	0.031	0.06	16.1	11.5	0.45	929	0.72
I314388		1.67	16.4	2.75	6.94	0.08	0.08	0.02	0.029	0.03	36.9	16.1	0.40	244	0.69
I314389		0.62	11.4	2.74	6.02	0.06	0.05	0.03	0.023	0.05	14.8	11.6	0.47	204	0.64
I314390		0.20	6.1	1.92	1.24	0.06	0.08	0.01	0.005	0.01	11.2	3.1	0.15	665	1.14
I314391		1.06	20.6	2.64	6.04	0.08	0.07	0.02	0.025	0.06	39.2	13.0	0.44	693	0.66
I314392		1.95	14.2	2.36	6.47	0.07	0.06	0.03	0.023	0.06	29.3	12.8	0.44	213	0.83
I314393		1.54	13.4	2.38	5.60	0.07	0.13	0.01	0.023	0.09	35.4	11.6	0.39	210	0.92
I314394		1.27	13.6	3.01	6.13	<0.05	0.03	0.01	0.033	0.04	7.7	9.3	0.31	545	1.15
I314395		1.16	13.1	2.71	6.59	<0.05	0.06	0.01	0.020	0.09	7.6	14.4	0.51	615	0.90
I314396		0.93	14.3	2.28	6.07	0.05	0.06	0.01	0.014	0.10	14.6	10.4	0.45	203	0.94
I314397		3.88	23.0	4.17	9.76	0.07	0.02	0.06	0.035	0.08	13.8	19.1	0.63	427	1.68
I314398		3.22	22.4	3.44	7.16	0.07	0.02	0.04	0.028	0.05	16.6	17.8	0.71	441	1.04
I314399		2.40	22.1	2.94	6.65	0.09	0.05	0.04	0.024	0.07	18.1	15.9	0.79	342	0.86
I314400		2.61	22.8	3.12	6.85	0.09	0.04	0.03	0.024	0.07	18.0	15.9	0.79	411	0.93
I314401		1.89	16.5	3.99	9.23	0.05	0.06	0.05	0.027	0.02	8.6	16.7	0.37	301	1.66
I314402		2.08	16.1	4.38	8.63	0.06	0.09	0.03	0.035	0.03	8.2	21.5	0.49	436	1.50
I314403		5.57	19.7	2.63	6.58	<0.05	<0.02	0.05	0.021	0.02	9.7	8.9	0.18	402	1.59
I314404		0.63	17.9	1.22	3.60	<0.05	<0.02	0.05	0.011	<0.01	4.1	1.9	0.05	356	0.74
I314405		1.57	24.2	2.89	6.07	0.07	0.07	0.03	0.028	0.04	12.7	13.1	0.65	259	0.88
I314406		1.96	19.2	2.74	6.02	0.06	0.03	0.04	0.024	0.05	9.8	11.2	0.62	561	1.35
I314407		1.54	18.8	2.58	5.99	0.05	0.03	0.02	0.021	0.06	10.6	12.3	0.61	243	0.81
I314408		1.90	18.3	2.26	5.66	<0.05	0.03	0.04	0.018	0.03	12.1	8.2	0.43	197	0.96
I314409		2.85	22.7	2.36	5.76	0.05	<0.02	0.05	0.021	0.04	10.6	8.9	0.46	213	0.84
I314410		5.09	21.4	3.05	6.19	0.06	<0.02	0.03	0.024	0.10	12.6	12.5	0.64	514	0.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314371		1.08	8.8	330	9.4	37.5	0.001	0.02	0.20	3.8	0.4	0.7	34.2	<0.01	0.01
I314372		0.92	7.5	210	9.8	25.1	<0.001	<0.01	0.22	3.7	0.3	0.7	16.8	<0.01	<0.01
I314373		1.69	14.6	400	11.9	30.7	<0.001	0.01	0.28	3.9	0.4	0.8	19.1	<0.01	0.01
I314374		1.33	20.4	320	20.5	35.2	<0.001	0.02	0.42	4.6	0.4	1.0	16.6	<0.01	0.03
I314375		1.53	17.3	900	10.8	57.2	<0.001	0.02	0.24	4.4	0.5	0.8	41.5	<0.01	0.01
I314376		1.00	14.9	730	14.2	28.7	<0.001	0.03	0.23	4.1	0.7	0.9	44.5	<0.01	0.01
I314377		0.97	16.6	740	13.3	14.0	<0.001	0.03	0.43	4.9	0.8	0.5	50.0	<0.01	0.01
I314378		1.27	25.0	720	9.8	12.1	<0.001	0.01	0.47	3.8	0.4	0.5	30.5	<0.01	0.02
I314379		1.20	18.5	680	7.2	8.6	<0.001	0.04	0.34	4.0	0.7	0.4	50.3	<0.01	0.02
I314380		1.11	19.1	790	7.2	8.2	<0.001	0.05	0.36	3.9	0.8	0.4	52.5	<0.01	0.02
I314381		1.25	23.0	740	6.5	12.8	<0.001	0.04	0.33	4.0	0.7	0.4	46.8	<0.01	0.02
I314382		1.13	20.6	590	6.7	10.3	<0.001	0.03	0.20	3.8	0.4	0.5	38.0	<0.01	0.02
I314383		1.42	20.9	680	4.6	6.7	<0.001	0.01	0.37	4.3	0.5	0.4	40.4	<0.01	0.02
I314384		1.42	18.0	620	5.4	6.7	0.001	0.01	0.32	4.1	0.5	0.4	38.8	<0.01	0.02
I314385		1.28	18.3	800	11.8	25.4	<0.001	0.02	0.34	5.1	1.0	0.6	55.5	<0.01	0.01
I314386		1.43	12.9	220	15.5	25.2	<0.001	0.01	0.36	2.7	0.3	0.6	28.4	<0.01	0.01
I314387		1.53	18.7	170	11.3	11.6	<0.001	0.01	0.34	5.1	0.4	0.7	49.7	<0.01	0.02
I314388		1.47	14.9	310	14.2	13.9	<0.001	0.01	0.28	4.7	0.5	0.8	32.5	<0.01	0.02
I314389		1.42	14.2	600	7.5	5.5	<0.001	0.01	0.29	3.3	0.4	0.6	24.6	<0.01	0.02
I314390		0.44	15.5	510	2.9	3.6	<0.001	0.01	0.44	1.5	0.3	0.3	8.5	<0.01	0.01
I314391		1.31	15.2	510	11.1	11.8	0.001	0.01	0.28	4.7	0.6	0.6	33.2	<0.01	0.01
I314392		1.39	14.3	400	11.2	18.3	<0.001	0.01	0.25	4.0	0.4	1.0	31.7	<0.01	0.01
I314393		0.96	12.4	250	9.4	14.9	0.001	<0.01	0.25	4.0	0.4	0.7	25.0	<0.01	0.01
I314394		0.93	13.5	360	14.2	7.6	<0.001	<0.01	0.34	3.8	0.2	0.8	17.6	<0.01	0.01
I314395		1.69	15.3	310	9.0	15.9	<0.001	<0.01	0.25	3.3	0.3	0.7	29.4	<0.01	0.01
I314396		1.59	13.5	260	8.8	20.0	<0.001	<0.01	0.25	2.8	0.3	0.6	23.9	<0.01	0.02
I314397		1.11	22.8	630	9.1	23.5	0.001	0.03	0.44	4.0	0.6	0.7	19.1	<0.01	0.05
I314398		1.08	25.8	600	7.3	15.9	<0.001	0.04	0.36	2.7	0.7	0.5	19.1	<0.01	0.02
I314399		1.38	27.2	850	7.8	14.6	<0.001	0.02	0.32	4.9	0.6	0.5	31.5	<0.01	0.02
I314400		1.41	27.3	830	7.7	15.4	0.001	0.02	0.35	4.8	0.6	0.5	32.7	<0.01	0.02
I314401		2.18	21.8	320	12.7	8.2	<0.001	0.01	0.63	3.5	0.4	0.7	13.8	0.01	0.03
I314402		2.44	28.2	370	14.1	8.5	<0.001	0.02	0.61	4.3	0.5	0.6	15.7	0.02	0.05
I314403		0.89	15.6	530	8.1	5.4	<0.001	0.04	0.55	1.8	0.8	0.5	15.9	<0.01	0.04
I314404		0.34	9.4	420	3.5	3.2	0.001	0.04	0.29	0.6	0.4	0.3	16.1	<0.01	0.02
I314405		1.52	23.1	710	7.4	7.4	<0.001	0.01	0.43	5.8	0.8	0.5	27.7	<0.01	0.03
I314406		1.17	20.8	840	9.0	13.5	<0.001	0.03	0.32	4.6	0.6	0.4	37.3	<0.01	0.04
I314407		1.38	20.7	710	7.0	12.0	<0.001	0.02	0.28	3.9	0.5	0.5	24.2	<0.01	0.03
I314408		1.15	17.7	400	6.0	10.6	<0.001	0.03	0.36	3.6	0.5	0.5	21.6	<0.01	0.03
I314409		0.95	18.2	560	6.5	10.9	<0.001	0.03	0.61	3.5	0.5	0.4	18.8	<0.01	0.03
I314410		1.04	24.8	690	9.1	16.8	<0.001	0.02	2.15	4.2	0.6	0.4	26.7	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314371		0.055	0.17	0.81	33	0.09	7.23	34	1.7
I314372		0.046	0.15	0.59	37	0.07	6.09	34	2.6
I314373		0.116	0.22	0.72	62	0.22	6.02	58	2.1
I314374		0.083	0.32	1.11	53	0.15	11.65	80	1.2
I314375		0.117	0.40	0.93	56	0.19	13.40	83	1.5
I314376		0.057	0.19	2.66	45	0.18	15.80	78	1.3
I314377		0.035	0.11	1.96	43	0.11	14.70	53	2.8
I314378		0.071	0.09	0.83	55	0.10	8.27	68	1.7
I314379		0.062	0.11	0.84	55	0.09	6.95	70	1.9
I314380		0.055	0.10	0.92	54	0.27	7.71	70	1.8
I314381		0.075	0.10	0.83	64	0.22	7.71	67	1.6
I314382		0.068	0.08	0.63	53	0.28	5.58	54	0.9
I314383		0.107	0.05	0.38	65	0.15	7.48	47	4.1
I314384		0.089	0.07	0.65	62	0.17	7.30	43	2.4
I314385		0.075	0.18	1.69	45	0.12	20.7	52	4.1
I314386		0.078	0.12	0.53	51	0.09	2.95	47	1.8
I314387		0.079	0.08	1.08	63	0.13	9.10	43	5.7
I314388		0.074	0.10	1.01	59	0.13	12.50	40	3.0
I314389		0.093	0.06	0.49	67	0.19	5.32	44	1.7
I314390		0.010	0.13	0.51	14	0.06	5.60	17	3.8
I314391		0.078	0.08	1.42	52	0.16	15.40	45	2.9
I314392		0.068	0.12	0.76	50	0.16	11.20	46	2.2
I314393		0.057	0.13	1.11	46	0.10	8.87	38	5.0
I314394		0.030	0.13	1.00	51	0.09	3.40	46	1.3
I314395		0.091	0.13	0.44	59	0.16	4.14	43	2.2
I314396		0.096	0.11	0.51	57	0.16	6.15	36	2.3
I314397		0.036	0.12	0.49	80	0.13	5.22	77	<0.5
I314398		0.060	0.14	0.86	63	0.10	6.71	69	0.7
I314399		0.102	0.13	0.95	62	0.15	9.73	87	2.0
I314400		0.106	0.13	0.90	67	0.18	9.54	91	1.8
I314401		0.104	0.09	0.42	89	0.13	2.81	50	2.9
I314402		0.118	0.10	0.46	86	0.17	3.25	60	4.2
I314403		0.048	0.11	0.71	59	0.13	3.33	58	0.8
I314404		0.028	0.03	0.30	34	0.06	1.78	24	<0.5
I314405		0.110	0.09	0.89	69	0.13	6.06	77	3.1
I314406		0.092	0.11	0.95	64	0.11	4.69	64	1.3
I314407		0.106	0.09	0.64	60	0.14	4.32	59	1.3
I314408		0.081	0.09	0.66	54	0.17	3.96	52	0.7
I314409		0.068	0.10	0.75	54	0.12	3.85	55	0.6
I314410		0.070	0.15	0.85	64	0.20	4.65	74	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314411		0.58	0.006	0.17	1.73	30.3	<0.2	<10	110	0.47	0.28	0.53	0.37	27.7	16.8	31
I314412		0.50	0.006	0.10	1.79	6.0	<0.2	<10	110	0.39	0.17	0.50	0.15	31.0	21.0	37
I314413		0.46	0.006	0.12	1.58	4.9	<0.2	<10	90	0.37	0.14	0.43	0.12	31.9	14.7	33
I314414		0.66	0.008	0.07	1.72	19.6	<0.2	<10	100	0.49	0.16	0.36	0.12	36.7	16.0	33
I314415		0.64	0.008	0.06	2.48	5.9	<0.2	<10	100	0.65	0.41	0.20	0.09	31.9	19.0	59
I314416		0.48	0.012	0.04	1.66	4.7	<0.2	<10	80	0.35	0.17	0.61	0.09	35.5	17.5	39
I314417		0.50	<0.005	0.07	2.25	9.2	<0.2	<10	140	0.31	0.17	0.10	0.08	16.75	11.1	32
I314418		0.52	<0.005	0.05	2.40	9.0	<0.2	<10	90	0.40	0.14	0.13	0.08	16.40	8.8	32
I314419		0.48	<0.005	0.06	1.85	4.4	<0.2	<10	70	0.31	0.11	0.15	0.06	12.10	5.8	28
I314420		0.58	<0.005	0.11	1.62	9.0	<0.2	<10	110	0.42	0.22	0.12	0.06	20.7	5.3	30
I314421		0.74	<0.005	0.02	2.35	3.5	<0.2	<10	30	0.36	0.09	0.22	0.09	9.15	10.3	23
I314422		0.56	<0.005	0.04	2.62	9.9	<0.2	<10	130	0.50	0.16	0.16	0.08	16.10	8.8	30
I314423		0.62	<0.005	0.09	1.63	7.2	<0.2	<10	90	0.26	0.17	0.14	0.09	13.95	5.8	25
I314424		0.58	<0.005	0.14	2.05	9.0	<0.2	<10	140	0.33	0.16	0.17	0.06	16.10	7.0	31
I314425		0.40	<0.005	0.16	2.61	11.6	<0.2	<10	250	0.71	0.24	0.13	0.08	22.3	12.3	39
I314426		0.44	<0.005	0.13	2.90	10.7	<0.2	<10	310	0.77	0.19	0.14	0.06	27.7	12.9	40
I314427		0.48	<0.005	0.11	2.05	7.9	<0.2	<10	150	0.31	0.26	0.13	0.07	19.55	5.5	30
I314428		0.48	<0.005	0.07	2.33	6.4	<0.2	<10	160	0.43	0.16	0.27	0.07	22.4	8.6	32
I314429		0.56	<0.005	0.11	2.08	6.6	<0.2	<10	180	0.24	0.16	0.30	0.09	15.40	10.4	37
I314430		0.46	<0.005	0.42	1.46	4.9	<0.2	<10	160	0.21	0.20	0.13	0.14	14.85	4.5	19
I314431		0.46	<0.005	0.83	1.94	7.0	<0.2	<10	150	0.36	0.20	0.15	0.09	19.45	5.8	26
I314432		0.56	<0.005	0.27	2.21	10.1	<0.2	<10	170	0.52	0.21	0.14	0.13	18.15	9.3	37
I314433		0.52	<0.005	0.75	2.20	6.7	<0.2	<10	220	0.80	0.19	0.20	0.09	22.5	7.0	28
I314434		0.48	<0.005	0.10	2.38	5.9	<0.2	<10	340	0.58	0.16	0.78	0.11	25.3	9.4	26
I314435		0.38	<0.005	0.08	1.73	4.4	<0.2	<10	240	0.38	0.18	1.12	0.25	16.15	9.1	25
I314436		0.52	<0.005	0.06	2.22	4.1	<0.2	<10	300	0.42	0.22	0.73	0.46	19.75	10.6	34
I314437		0.56	<0.005	0.54	1.82	6.4	<0.2	<10	110	0.31	0.16	0.16	0.16	15.35	8.7	28
I314438		0.58	<0.005	0.23	1.89	4.8	<0.2	<10	150	0.26	0.12	0.29	0.12	11.65	12.1	40
I314439		0.52	<0.005	0.38	1.07	3.7	<0.2	<10	150	0.14	0.13	0.16	0.09	10.55	7.0	22
I314440		0.46	<0.005	0.18	2.36	2.0	<0.2	<10	190	0.25	0.12	0.24	0.11	11.30	12.6	15
I314441		0.48	<0.005	0.30	2.03	2.5	<0.2	<10	180	0.26	0.10	0.32	0.07	10.50	15.2	17
I314442		0.56	<0.005	0.02	0.20	7.1	<0.2	<10	40	0.30	0.05	0.33	0.17	23.6	7.7	7
I314443		0.40	<0.005	0.09	1.69	2.3	<0.2	<10	290	0.40	0.24	0.23	0.18	16.20	9.2	26
I314444		0.44	<0.005	0.22	1.45	3.4	<0.2	<10	480	0.42	0.14	0.31	0.08	21.9	10.5	28
I314445		0.46	0.005	0.20	1.58	6.5	<0.2	<10	270	0.48	0.16	0.34	0.06	28.7	10.4	32
I314446		0.36	<0.005	0.08	1.81	3.3	<0.2	<10	280	0.47	0.12	0.50	0.08	19.70	10.4	40
I314447		0.36	<0.005	0.19	1.80	4.1	<0.2	<10	210	0.46	0.12	0.55	0.06	17.95	8.8	26
I314448		0.54	<0.005	0.27	1.59	3.0	<0.2	<10	250	0.42	0.16	0.43	0.07	23.6	8.4	29
I314449		0.54	<0.005	0.23	1.64	5.9	<0.2	<10	280	0.47	0.15	0.58	0.10	25.4	10.0	32
I314450		0.48	<0.005	0.10	1.83	3.7	<0.2	<10	270	0.39	0.13	0.46	0.06	21.9	11.2	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314411		6.01	21.2	2.75	5.90	0.06	0.03	0.05	0.024	0.08	13.7	12.9	0.62	847	1.13
I314412		4.83	20.8	3.46	6.03	0.07	0.02	0.03	0.020	0.28	16.9	15.2	0.83	803	0.84
I314413		5.61	20.9	2.96	5.81	0.06	0.02	0.03	0.020	0.16	17.8	13.5	0.64	430	0.77
I314414		5.20	19.5	3.29	5.86	0.06	0.02	0.02	0.027	0.06	19.8	15.8	0.59	482	1.01
I314415		6.71	30.5	4.86	8.46	0.09	0.07	0.02	0.028	0.39	16.2	21.0	1.07	478	1.10
I314416		4.92	21.6	3.52	6.48	0.08	0.03	0.01	0.027	0.12	18.7	15.9	0.75	461	0.88
I314417		1.54	11.6	3.48	9.44	0.05	0.04	0.02	0.023	0.02	9.0	17.3	0.53	472	1.23
I314418		2.01	14.2	3.70	9.67	0.05	0.04	0.03	0.020	0.06	8.7	21.7	0.74	311	0.95
I314419		1.10	11.4	2.40	8.97	<0.05	0.02	0.02	0.016	0.03	6.3	14.5	0.60	207	0.64
I314420		0.96	10.6	2.93	8.28	<0.05	0.03	0.02	0.018	0.03	11.1	10.5	0.41	166	1.20
I314421		1.39	15.1	3.36	13.60	0.05	<0.02	0.01	0.011	0.05	4.2	20.7	1.25	314	0.48
I314422		1.12	11.7	3.62	9.40	0.05	0.04	0.02	0.023	0.04	8.6	23.3	0.62	212	0.91
I314423		1.50	8.4	2.71	9.18	<0.05	0.02	0.01	0.017	0.01	7.4	11.6	0.37	154	1.04
I314424		1.04	11.4	3.01	8.73	0.05	0.06	0.02	0.022	0.01	8.6	12.3	0.51	185	0.95
I314425		2.03	17.9	3.84	7.93	0.06	0.03	0.03	0.039	0.02	11.7	13.9	0.41	255	1.35
I314426		1.88	23.2	3.42	7.10	0.06	0.05	0.03	0.034	0.03	14.1	14.4	0.53	292	1.16
I314427		1.40	9.7	3.41	9.37	0.05	0.02	0.02	0.054	0.01	10.5	12.5	0.30	196	1.65
I314428		1.92	15.1	2.79	7.44	0.05	0.03	0.02	0.029	0.01	11.6	16.2	0.89	445	0.89
I314429		2.39	18.9	3.19	8.90	0.05	<0.02	0.07	0.022	0.03	7.4	17.7	1.00	510	1.71
I314430		1.35	14.1	2.06	7.21	<0.05	<0.02	0.03	0.019	0.03	8.0	7.6	0.27	188	1.16
I314431		0.92	19.2	2.62	7.92	<0.05	0.02	0.03	0.020	0.02	10.5	12.2	0.44	223	1.04
I314432		1.42	19.3	3.68	7.67	0.05	0.02	0.03	0.030	0.04	9.8	13.6	0.45	224	1.08
I314433		1.80	20.7	2.94	8.10	0.06	0.02	0.03	0.029	0.02	14.7	16.7	0.43	339	1.67
I314434		1.05	16.9	2.75	8.37	0.05	0.06	0.03	0.026	0.02	12.9	12.6	0.57	669	0.59
I314435		1.19	13.4	2.36	6.22	<0.05	0.02	0.02	0.021	0.03	8.0	10.1	0.43	785	0.75
I314436		1.69	13.0	3.07	7.65	<0.05	0.12	0.01	0.032	0.04	8.7	10.5	0.57	1070	0.83
I314437		0.44	18.4	3.01	6.38	0.05	0.07	0.02	0.019	0.21	8.1	13.3	0.55	208	1.02
I314438		0.57	31.5	3.04	6.24	<0.05	0.05	0.02	0.015	0.12	6.3	16.1	1.04	299	0.90
I314439		0.59	15.5	2.24	6.34	<0.05	0.03	0.02	0.010	0.07	5.7	7.3	0.44	315	0.86
I314440		1.44	9.6	3.10	9.64	0.05	<0.02	0.02	0.016	0.06	5.8	22.2	1.83	921	0.65
I314441		0.78	16.4	3.16	7.35	0.05	0.02	0.01	0.015	0.09	5.2	21.0	1.17	660	0.71
I314442		0.19	5.1	1.82	1.25	0.06	0.09	0.02	0.005	0.01	11.8	3.2	0.14	597	0.96
I314443		0.73	14.4	2.45	6.04	<0.05	0.03	0.01	0.017	0.05	7.3	12.1	0.62	654	0.96
I314444		0.49	13.0	2.40	4.95	<0.05	0.07	0.02	0.019	0.10	9.0	9.4	0.43	1110	0.75
I314445		0.46	17.3	2.67	4.97	0.06	0.07	0.03	0.046	0.04	11.9	9.7	0.46	537	0.91
I314446		0.50	12.7	2.44	6.04	<0.05	0.05	0.01	0.023	0.06	7.9	11.9	0.71	899	1.30
I314447		0.41	16.6	2.76	7.08	0.05	0.03	0.02	0.024	0.12	7.0	14.6	0.67	568	1.38
I314448		0.37	12.7	2.41	5.86	<0.05	0.05	0.02	0.022	0.09	9.9	9.0	0.43	495	1.44
I314449		0.36	18.3	2.63	5.11	0.05	0.05	0.02	0.023	0.06	10.5	9.1	0.43	605	1.22
I314450		0.75	20.1	3.00	6.27	0.05	0.08	0.02	0.023	0.18	8.8	11.5	0.63	853	1.47



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314411		1.16	22.3	930	20.3	14.0	<0.001	0.04	1.08	3.9	0.7	0.4	41.5	<0.01	0.03
I314412		1.26	33.0	680	22.7	36.0	<0.001	0.03	0.36	3.8	0.5	0.5	39.6	<0.01	0.03
I314413		1.04	28.8	630	12.6	29.8	<0.001	0.03	0.32	3.7	0.6	0.4	37.3	<0.01	0.03
I314414		0.91	30.1	610	13.5	15.2	<0.001	0.02	0.99	4.5	0.5	0.5	29.4	<0.01	0.03
I314415		1.57	44.2	630	49.1	38.5	<0.001	0.01	0.33	6.2	0.4	0.8	22.5	<0.01	0.05
I314416		1.26	37.6	410	13.8	23.0	<0.001	0.03	0.30	4.3	0.4	0.5	44.1	<0.01	0.03
I314417		2.16	18.1	430	9.3	12.6	<0.001	0.01	0.40	2.9	0.3	0.7	17.3	<0.01	0.04
I314418		1.99	18.2	460	9.8	16.2	<0.001	0.01	0.38	3.1	0.5	0.5	17.8	<0.01	0.03
I314419		1.09	12.7	420	9.4	9.3	<0.001	0.01	0.25	2.4	0.3	0.5	19.1	<0.01	0.02
I314420		1.81	13.3	370	9.1	9.9	<0.001	0.01	0.42	2.9	0.3	0.7	15.2	<0.01	0.03
I314421		0.93	14.2	530	8.4	10.3	<0.001	<0.01	0.14	1.6	0.2	0.4	28.4	<0.01	0.02
I314422		1.76	17.0	300	9.8	8.2	<0.001	0.01	0.32	3.1	0.3	0.6	19.1	<0.01	0.04
I314423		1.67	12.4	240	9.6	8.8	<0.001	<0.01	0.28	2.4	0.2	0.7	19.6	<0.01	0.02
I314424		1.74	16.5	180	9.1	6.3	<0.001	<0.01	0.34	3.7	0.3	0.7	18.2	<0.01	0.02
I314425		1.89	23.5	360	11.8	11.6	<0.001	0.01	0.56	3.9	0.5	0.7	14.6	0.01	0.04
I314426		1.71	27.5	300	9.9	11.1	<0.001	0.01	0.51	5.0	0.5	0.6	16.5	0.01	0.03
I314427		1.84	11.6	310	12.0	9.3	<0.001	0.01	0.38	3.0	0.4	0.9	14.2	<0.01	0.03
I314428		1.41	19.5	180	9.8	8.1	<0.001	0.01	0.27	4.0	0.3	0.6	15.3	<0.01	0.03
I314429		0.84	18.2	350	7.4	12.6	<0.001	0.01	0.41	3.8	0.3	0.6	19.6	<0.01	0.03
I314430		0.81	10.4	340	9.0	8.5	<0.001	0.01	0.27	1.9	0.3	0.6	15.6	<0.01	0.03
I314431		1.43	15.1	300	8.7	8.2	<0.001	0.01	0.29	3.8	0.4	0.7	16.5	<0.01	0.03
I314432		1.60	23.2	450	10.6	11.8	<0.001	0.01	0.46	2.9	0.4	0.7	14.4	<0.01	0.04
I314433		1.35	15.8	460	9.6	8.7	<0.001	0.01	0.33	3.9	0.4	0.7	20.4	<0.01	0.02
I314434		1.09	14.1	570	10.3	5.1	<0.001	0.01	0.23	5.2	0.4	0.6	29.8	<0.01	0.02
I314435		1.11	15.0	340	10.8	8.7	<0.001	0.02	0.29	3.0	0.3	0.5	26.0	<0.01	0.03
I314436		1.59	19.4	150	13.0	13.7	<0.001	<0.01	0.28	4.5	0.2	0.7	24.5	<0.01	0.03
I314437		1.56	17.8	180	8.3	11.4	<0.001	<0.01	0.43	2.9	0.2	0.5	13.8	<0.01	0.02
I314438		1.25	20.3	250	6.4	8.7	<0.001	0.01	0.30	3.5	0.2	0.4	22.2	<0.01	0.02
I314439		1.26	9.4	430	5.9	13.8	<0.001	0.01	0.27	2.2	0.2	0.4	18.8	<0.01	0.02
I314440		0.75	10.3	450	5.0	17.2	<0.001	0.01	0.18	3.5	0.2	0.5	21.8	<0.01	0.02
I314441		1.05	12.4	310	5.9	12.1	<0.001	<0.01	0.21	2.8	0.2	0.4	24.5	<0.01	0.02
I314442		0.47	14.2	500	3.6	4.0	<0.001	<0.01	0.42	1.6	0.2	0.2	9.3	<0.01	0.01
I314443		1.06	15.1	680	10.9	9.0	<0.001	<0.01	0.22	3.0	<0.2	0.5	16.1	<0.01	0.02
I314444		1.23	19.8	540	6.7	16.7	<0.001	<0.01	0.28	3.8	0.2	0.4	24.8	<0.01	0.01
I314445		1.36	21.0	400	7.3	7.5	0.001	<0.01	0.42	5.4	0.4	0.4	26.5	<0.01	0.02
I314446		1.11	23.9	460	7.3	6.8	<0.001	0.01	0.23	4.8	0.3	0.4	28.1	<0.01	0.02
I314447		0.84	18.1	450	6.4	10.9	<0.001	0.01	0.20	4.4	0.4	0.3	34.3	<0.01	0.02
I314448		1.11	15.1	630	7.4	6.7	0.001	0.01	0.23	3.9	0.3	0.4	29.1	<0.01	0.02
I314449		1.21	18.9	500	7.2	7.1	<0.001	0.01	0.36	4.8	0.3	0.4	34.7	<0.01	0.02
I314450		1.25	17.4	210	6.1	26.1	<0.001	<0.01	0.26	6.1	0.3	0.4	29.9	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113328

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314411		0.091	0.20	1.14	69	0.20	7.02	70	1.2
I314412		0.097	0.26	0.97	49	0.09	5.76	76	0.9
I314413		0.079	0.22	1.04	48	0.13	5.99	64	0.7
I314414		0.055	0.14	1.05	50	0.12	6.05	62	0.7
I314415		0.123	0.32	0.72	79	0.15	5.30	76	2.6
I314416		0.097	0.21	0.82	53	0.09	5.01	68	1.4
I314417		0.114	0.13	0.36	81	0.20	1.76	77	1.6
I314418		0.120	0.16	0.54	77	0.18	2.37	80	1.7
I314419		0.077	0.09	0.47	56	0.15	1.67	62	0.6
I314420		0.084	0.10	0.43	76	0.22	2.69	39	1.2
I314421		0.091	0.10	0.41	73	0.09	1.52	128	<0.5
I314422		0.098	0.11	0.35	78	0.18	2.12	57	1.4
I314423		0.083	0.12	0.31	68	0.17	1.77	35	0.7
I314424		0.085	0.13	0.38	78	0.23	2.45	43	2.4
I314425		0.074	0.14	0.63	79	0.30	4.02	45	1.2
I314426		0.070	0.13	0.80	70	0.19	5.23	45	2.4
I314427		0.082	0.11	0.44	87	0.19	2.41	28	0.8
I314428		0.070	0.12	0.42	69	0.17	3.16	40	1.1
I314429		0.045	0.12	0.35	84	0.55	3.42	46	<0.5
I314430		0.053	0.13	0.32	59	0.19	2.59	32	<0.5
I314431		0.072	0.09	0.51	70	0.20	5.42	42	0.6
I314432		0.072	0.13	0.41	82	0.22	2.89	44	0.8
I314433		0.046	0.15	0.74	74	0.20	8.36	39	<0.5
I314434		0.028	0.11	0.72	68	0.16	7.19	47	2.1
I314435		0.044	0.08	0.50	57	0.16	3.22	39	0.9
I314436		0.066	0.09	0.32	71	0.21	2.99	44	4.2
I314437		0.103	0.08	0.30	75	0.14	1.78	46	2.7
I314438		0.127	0.08	0.27	91	0.16	1.87	49	1.9
I314439		0.131	0.07	0.21	68	0.12	1.35	38	1.0
I314440		0.088	0.09	0.21	104	0.10	1.79	73	<0.5
I314441		0.117	0.07	0.21	113	0.12	1.84	59	0.9
I314442		0.010	0.10	0.52	14	0.05	5.80	17	4.1
I314443		0.037	0.07	0.25	52	0.15	2.49	44	1.1
I314444		0.060	0.07	0.26	51	0.13	3.02	36	2.7
I314445		0.073	0.07	0.54	60	0.20	4.73	41	3.0
I314446		0.044	0.06	0.25	54	0.13	4.36	46	1.6
I314447		0.038	0.05	0.38	62	0.10	3.66	50	1.0
I314448		0.043	0.07	0.38	54	0.14	3.12	53	1.7
I314449		0.063	0.06	0.33	58	0.20	3.61	49	1.7
I314450		0.083	0.08	0.36	73	0.14	4.73	46	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113328

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

CERTIFICATE WH10113329

Project: SQI10-06

P.O. No.: SQI10-06_21

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314451		0.34	<0.005	0.09	1.97	9.1	<0.2	<10	120	1.24	0.23	1.28	0.16	56.1	13.5	35
I314452		0.48	<0.005	0.03	1.77	13.3	<0.2	<10	50	0.40	0.20	0.08	0.09	42.7	14.6	38
I314453		0.38	<0.005	0.12	2.08	6.6	<0.2	<10	160	0.32	0.19	0.25	0.06	18.95	10.2	29
I314454		0.38	<0.005	0.08	2.89	8.6	<0.2	<10	120	0.48	0.14	0.19	0.07	23.3	14.6	43
I314455		0.42	0.022	0.11	1.94	5.3	<0.2	<10	140	0.66	0.10	1.25	0.29	38.2	16.8	35
I314456		0.42	0.005	0.08	2.01	3.0	<0.2	<10	110	0.70	0.17	1.08	0.41	69.9	17.3	53
I314457		0.34	<0.005	0.11	3.01	8.5	<0.2	<10	160	0.51	0.16	0.20	0.09	19.45	16.3	43
I314458		0.36	<0.005	0.04	2.92	7.9	<0.2	<10	140	0.42	0.11	0.26	0.07	12.25	17.0	57
I314459		0.46	0.006	0.10	2.37	6.4	<0.2	<10	200	0.81	0.13	0.99	0.10	54.5	15.7	66
I314460		0.44	<0.005	0.12	1.94	5.4	<0.2	<10	220	0.83	0.11	1.48	0.14	49.4	16.1	49
I314461		0.44	<0.005	0.09	1.97	8.3	<0.2	<10	140	0.42	0.14	0.21	0.17	24.0	11.3	37
I314462		0.36	<0.005	0.09	2.77	10.2	<0.2	<10	170	0.44	0.21	0.20	0.07	19.00	9.5	43
I314463		0.26	<0.005	0.14	2.74	9.8	<0.2	<10	140	0.37	0.22	0.19	0.09	17.95	12.3	45
I314464		0.28	<0.005	0.08	2.18	8.3	<0.2	<10	130	0.32	0.18	0.12	0.17	15.85	9.5	35
I314465		0.30	<0.005	0.03	2.26	10.4	<0.2	<10	110	0.27	0.17	0.16	0.09	15.75	10.4	40
I314466		0.34	<0.005	0.04	2.40	10.7	<0.2	<10	130	0.31	0.16	0.19	0.09	17.35	12.2	41
I314467		0.42	<0.005	0.06	0.66	2.2	<0.2	<10	20	0.12	0.13	0.03	0.16	7.76	2.2	12
I314468		0.52	0.011	0.25	1.02	3.7	<0.2	<10	170	0.21	0.10	0.29	0.22	32.6	6.8	23
I314469		0.30	0.007	0.60	2.26	7.3	<0.2	<10	270	0.43	0.29	0.30	0.34	48.8	11.5	38
I314470		0.36	<0.005	0.52	1.99	7.0	<0.2	<10	210	0.41	0.20	0.27	0.30	27.8	11.0	34
I314471		0.38	<0.005	0.23	1.56	4.8	<0.2	<10	190	0.26	0.20	0.19	0.16	34.3	7.8	32
I314472		0.30	<0.005	0.30	1.51	5.3	<0.2	<10	200	0.28	0.19	0.19	0.41	21.5	10.3	25
I314473		0.38	<0.005	0.49	1.89	5.7	<0.2	<10	200	0.38	0.20	0.25	0.33	28.0	13.0	32
I314474		0.40	0.005	0.86	1.81	5.5	<0.2	<10	330	0.37	0.16	0.44	0.49	23.7	14.3	36
I314475		0.34	<0.005	0.41	1.79	7.0	<0.2	<10	240	0.39	0.20	0.22	0.34	25.0	19.0	32
I314476		0.34	0.005	0.95	1.09	2.0	<0.2	<10	170	0.24	0.14	0.19	0.26	15.45	5.5	20
I314477		0.44	<0.005	0.41	1.70	6.2	<0.2	<10	220	0.26	0.15	0.27	0.37	24.0	11.2	36
I314478		0.44	<0.005	0.40	1.37	4.9	<0.2	<10	210	0.22	0.16	0.23	0.38	22.6	8.9	29
I314479		0.30	<0.005	0.45	1.65	5.4	<0.2	<10	230	0.27	0.19	0.42	0.38	27.4	10.1	40
I314480		0.34	<0.005	0.33	1.43	12.1	<0.2	<10	270	0.26	0.18	0.54	0.56	21.9	8.5	31
I314481		0.38	<0.005	0.23	1.76	12.3	<0.2	<10	280	0.35	0.17	0.42	0.40	25.1	14.0	35
I314482		0.34	<0.005	0.48	1.52	8.3	<0.2	<10	420	0.36	0.19	0.52	0.71	30.2	14.8	29
I314483		0.32	<0.005	0.31	1.63	6.5	<0.2	<10	220	0.33	0.18	0.40	0.33	25.2	13.1	29
I314484		0.38	<0.005	0.21	2.00	6.5	<0.2	<10	230	0.46	0.19	0.46	0.14	35.1	19.1	33
I314485		0.28	<0.005	0.05	1.99	7.9	<0.2	<10	260	0.60	0.18	1.03	0.27	31.8	13.7	39
I314486		0.32	<0.005	0.10	1.48	8.2	<0.2	<10	200	0.53	0.14	2.02	0.24	31.2	15.1	37
I314487		0.30	<0.005	0.10	1.35	6.1	<0.2	<10	140	0.36	0.12	2.03	0.28	37.6	13.3	29
I314488		0.38	<0.005	0.11	1.07	5.8	<0.2	<10	70	0.17	0.29	0.14	0.17	14.00	4.8	19
I314489		0.28	<0.005	0.20	2.00	7.4	<0.2	<10	140	0.23	0.18	0.31	0.10	17.95	12.0	35
I314490		0.38	<0.005	0.06	1.46	3.7	<0.2	<10	120	0.25	0.17	0.43	0.10	18.90	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314451		1.47	35.9	2.99	6.11	0.07	0.07	0.09	0.040	0.03	32.5	14.5	0.77	417	0.61
I314452		2.13	29.9	5.00	9.66	0.08	0.03	0.02	0.030	0.14	21.1	12.5	0.67	308	1.83
I314453		1.54	13.2	2.92	8.20	0.05	0.10	0.02	0.028	0.02	9.8	13.6	0.42	246	1.23
I314454		1.18	22.0	3.75	7.29	0.06	0.12	0.02	0.032	0.02	10.5	17.0	0.62	332	1.01
I314455		1.71	31.7	3.43	5.96	0.07	0.08	0.07	0.022	0.03	23.1	16.4	0.80	736	0.40
I314456		4.90	30.9	3.71	6.78	0.08	0.04	0.04	0.031	0.15	23.0	15.6	1.17	763	0.62
I314457		1.67	24.2	3.94	7.90	0.05	0.11	0.02	0.031	0.03	9.2	16.7	0.65	355	1.23
I314458		1.82	27.6	4.93	9.12	0.06	0.08	0.02	0.022	0.11	6.1	22.3	1.24	479	1.02
I314459		2.51	36.5	3.74	8.49	0.09	0.08	0.07	0.042	0.06	27.0	24.1	1.42	953	0.30
I314460		1.95	25.9	3.87	7.11	0.09	0.09	0.05	0.037	0.05	23.1	18.9	0.77	309	0.72
I314461		3.19	42.6	3.10	6.46	0.06	0.04	0.07	0.033	0.03	11.9	12.8	0.45	272	1.46
I314462		1.87	19.4	4.66	9.69	0.06	0.08	0.03	0.031	0.03	9.6	19.7	0.58	200	1.53
I314463		2.05	18.4	4.84	10.80	0.06	0.08	0.03	0.031	0.04	9.0	20.9	0.68	390	1.73
I314464		1.63	15.4	3.97	8.86	0.05	0.04	0.02	0.026	0.05	7.0	17.7	0.54	342	1.40
I314465		1.36	18.6	4.33	8.85	0.07	0.10	0.02	0.026	0.06	7.5	18.6	0.67	342	1.37
I314466		1.43	20.4	4.20	8.64	0.06	0.11	0.02	0.029	0.07	8.3	21.0	0.71	346	1.25
I314467		0.81	13.4	1.06	3.30	<0.05	<0.02	0.04	0.011	<0.01	3.9	2.0	0.04	45	0.85
I314468		7.32	15.7	1.94	3.47	0.06	<0.02	0.05	0.014	0.04	17.2	8.8	0.32	267	1.27
I314469		13.20	42.5	3.72	6.96	0.09	0.03	0.12	0.029	0.10	27.9	18.4	0.47	246	2.24
I314470		2.83	28.4	3.31	7.68	0.05	0.03	0.03	0.028	0.08	15.0	13.4	0.50	359	1.73
I314471		1.89	27.5	2.95	6.96	0.07	0.03	0.03	0.020	0.10	19.0	8.4	0.47	174	1.82
I314472		1.48	18.2	2.61	6.98	0.05	0.03	0.02	0.021	0.06	11.3	9.6	0.37	747	1.54
I314473		2.20	33.3	3.05	7.63	0.07	0.05	0.03	0.026	0.10	15.0	13.1	0.56	403	1.86
I314474		1.28	37.7	3.23	6.70	0.06	0.03	0.03	0.024	0.12	12.7	14.6	0.65	853	2.14
I314475		2.22	29.7	3.19	7.17	0.06	0.04	0.02	0.047	0.07	12.4	14.1	0.57	754	1.83
I314476		1.31	23.0	1.58	5.34	<0.05	0.02	0.03	0.014	0.04	8.1	5.8	0.29	151	1.15
I314477		2.45	29.0	3.33	7.90	0.06	0.05	0.02	0.022	0.15	12.9	11.6	0.75	293	2.41
I314478		2.18	26.5	2.75	7.48	0.06	0.04	0.03	0.019	0.13	12.4	8.6	0.59	233	2.11
I314479		2.07	37.9	3.05	7.84	0.06	0.04	0.03	0.024	0.13	15.1	11.6	0.72	295	2.72
I314480		1.82	37.4	2.55	6.11	0.05	0.03	0.03	0.025	0.09	11.9	8.7	0.53	285	2.22
I314481		3.07	39.1	3.07	6.71	0.05	0.03	0.03	0.029	0.08	13.1	12.6	0.58	544	3.05
I314482		2.23	38.0	2.64	6.88	0.05	0.03	0.03	0.027	0.12	15.3	11.2	0.50	635	2.35
I314483		2.11	32.7	2.73	7.17	0.05	0.03	0.03	0.024	0.07	13.3	10.6	0.53	398	1.77
I314484		5.73	33.2	3.16	7.63	0.06	0.05	0.04	0.031	0.05	18.7	11.8	0.55	1020	2.25
I314485		2.40	30.9	3.30	6.19	0.05	0.08	0.04	0.034	0.06	16.9	11.9	0.66	703	0.88
I314486		2.74	30.5	2.60	5.97	0.07	0.06	0.05	0.024	0.04	16.5	15.6	0.68	541	0.52
I314487		2.10	30.1	2.39	4.84	0.07	0.06	0.05	0.021	0.08	26.1	12.8	0.57	427	0.90
I314488		2.04	11.3	1.69	6.71	<0.05	<0.02	0.02	0.016	0.06	7.5	6.6	0.28	135	1.18
I314489		1.40	19.4	3.23	7.71	<0.05	0.06	0.02	0.027	0.07	8.9	15.4	0.56	345	1.34
I314490		1.83	16.2	2.45	6.85	<0.05	0.03	0.02	0.021	0.08	11.1	11.0	0.45	212	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314451		0.96	33.7	780	20.3	13.1	0.001	0.05	0.31	5.7	1.1	0.9	63.2	<0.01	0.03	2.7
I314452		1.36	41.8	400	12.7	37.1	<0.001	0.01	0.38	4.4	0.3	0.6	10.0	<0.01	0.06	7.2
I314453		1.72	18.8	180	12.0	14.6	<0.001	0.01	0.24	3.7	0.2	0.6	25.2	<0.01	0.03	2.5
I314454		2.16	33.1	310	10.3	11.0	<0.001	0.01	0.38	4.8	0.4	0.5	19.6	0.01	0.03	4.8
I314455		1.45	34.1	500	10.8	13.5	<0.001	0.03	0.23	4.8	0.8	0.4	43.8	<0.01	0.03	3.9
I314456		0.94	44.9	620	13.3	30.8	0.001	0.03	0.14	5.4	0.7	0.5	35.9	<0.01	0.04	5.6
I314457		2.11	32.0	250	11.5	15.2	<0.001	0.01	0.44	4.3	0.4	0.6	21.4	0.01	0.02	3.1
I314458		2.50	23.8	350	8.2	17.3	<0.001	0.01	0.32	4.8	0.3	0.4	35.9	<0.01	0.03	2.1
I314459		1.17	44.8	850	13.6	13.8	<0.001	0.02	0.20	7.7	0.7	1.1	42.1	<0.01	0.03	4.7
I314460		0.94	36.3	890	11.4	13.3	0.001	0.05	0.22	6.9	1.0	0.6	65.3	<0.01	0.04	4.3
I314461		1.44	29.9	440	10.8	10.1	<0.001	0.01	0.21	4.8	0.5	0.6	18.6	<0.01	0.02	3.0
I314462		2.63	22.6	440	11.9	12.4	<0.001	0.01	0.47	4.2	0.4	0.7	20.4	0.01	0.03	2.7
I314463		2.74	23.1	440	11.3	23.0	0.001	0.01	0.54	3.8	0.5	0.9	19.6	<0.01	0.04	2.9
I314464		2.25	20.4	430	9.1	19.1	<0.001	0.01	0.47	3.0	0.3	0.7	14.7	<0.01	0.03	1.8
I314465		2.36	23.6	380	8.6	14.1	<0.001	0.01	0.48	4.0	0.3	0.7	18.7	<0.01	0.03	2.5
I314466		2.23	27.5	350	8.6	13.3	<0.001	0.01	0.46	4.3	0.4	0.6	20.3	<0.01	0.03	3.0
I314467		0.47	5.7	270	3.4	2.8	<0.001	0.02	0.24	0.9	0.4	0.3	9.7	<0.01	0.03	<0.2
I314468		0.76	21.6	910	6.4	9.6	0.001	0.02	0.17	2.9	0.7	0.3	20.3	<0.01	0.03	1.7
I314469		1.12	45.7	830	11.2	22.5	0.004	0.03	0.36	4.8	2.1	0.6	30.3	<0.01	0.06	1.5
I314470		1.65	25.2	680	10.2	18.9	<0.001	0.02	0.25	4.5	0.6	0.6	26.2	<0.01	0.05	2.7
I314471		1.50	24.2	450	10.4	16.0	0.001	0.03	0.21	3.8	0.5	0.6	22.1	<0.01	0.03	3.1
I314472		1.50	18.1	610	9.1	14.5	<0.001	0.01	0.26	3.4	0.3	0.6	21.4	<0.01	0.03	2.2
I314473		1.80	25.1	620	13.4	22.6	0.001	0.01	0.22	4.2	0.4	0.6	25.8	<0.01	0.03	3.1
I314474		1.38	31.9	810	9.7	13.0	0.001	0.02	0.27	4.3	0.6	0.5	36.7	<0.01	0.05	2.0
I314475		1.59	24.6	730	11.3	23.3	0.001	0.02	0.28	3.9	0.5	0.6	22.2	<0.01	0.04	1.5
I314476		1.11	13.6	290	5.7	18.6	<0.001	0.02	0.18	2.4	0.3	0.5	20.5	<0.01	0.02	0.6
I314477		1.75	28.1	600	7.6	23.5	<0.001	0.03	0.24	4.0	0.7	0.6	26.3	<0.01	0.04	2.8
I314478		1.67	23.7	460	7.9	23.1	<0.001	0.03	0.22	3.6	0.7	0.6	24.9	<0.01	0.04	2.3
I314479		1.64	27.2	440	9.4	18.5	0.001	0.05	0.21	4.5	1.1	0.6	30.3	<0.01	0.04	2.3
I314480		1.33	30.3	410	8.2	17.7	<0.001	0.03	0.33	4.4	1.1	0.5	32.0	<0.01	0.04	1.4
I314481		1.34	30.7	550	8.4	16.8	0.001	0.03	0.44	5.1	1.2	0.5	25.9	<0.01	0.04	1.7
I314482		1.28	27.5	760	8.6	30.3	<0.001	0.02	0.35	4.1	0.9	0.6	33.7	<0.01	0.04	1.0
I314483		1.45	23.3	390	8.1	19.5	<0.001	0.01	0.34	4.5	0.7	0.6	26.8	<0.01	0.04	1.4
I314484		1.55	25.0	410	8.9	14.3	<0.001	0.01	0.30	6.2	0.9	0.6	27.5	<0.01	0.03	2.7
I314485		1.23	30.5	510	10.3	10.5	<0.001	0.02	0.28	6.3	1.0	0.6	42.5	<0.01	0.03	2.4
I314486		1.26	33.2	980	9.1	10.8	<0.001	0.06	0.29	3.7	1.5	0.4	77.0	0.01	0.03	1.0
I314487		1.23	30.9	740	7.7	21.1	<0.001	0.09	0.28	3.1	1.5	0.4	85.2	0.01	0.03	1.0
I314488		1.01	11.4	270	14.8	16.6	<0.001	0.01	0.16	2.6	0.5	0.6	15.9	<0.01	0.02	0.6
I314489		1.78	27.2	260	9.2	17.4	<0.001	<0.01	0.30	4.3	0.5	0.6	27.9	<0.01	0.03	2.7
I314490		1.49	23.8	290	8.2	25.2	<0.001	0.01	0.18	3.5	0.6	0.6	35.2	<0.01	0.03	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314451		0.035	0.16	1.49	54	0.12	23.7	47	2.1
I314452		0.085	0.20	0.80	76	0.10	7.00	72	1.5
I314453		0.065	0.15	0.48	69	0.12	3.50	41	3.8
I314454		0.113	0.11	0.50	75	0.14	4.46	51	5.2
I314455		0.077	0.15	0.67	51	0.10	12.40	69	3.2
I314456		0.073	0.39	0.70	48	0.07	12.15	119	1.3
I314457		0.118	0.16	0.49	77	0.11	3.78	64	5.1
I314458		0.213	0.12	0.35	96	0.19	2.93	74	3.6
I314459		0.070	0.18	0.64	61	0.13	16.45	70	3.0
I314460		0.032	0.09	1.19	64	0.09	14.15	75	2.9
I314461		0.037	0.12	0.71	76	0.14	5.32	63	1.7
I314462		0.138	0.15	0.49	95	0.14	3.69	53	3.6
I314463		0.151	0.18	0.46	102	0.13	2.84	75	3.9
I314464		0.123	0.15	0.36	86	0.14	2.29	61	1.8
I314465		0.143	0.10	0.37	95	0.15	2.58	54	4.2
I314466		0.140	0.11	0.40	90	0.16	3.00	56	4.7
I314467		0.038	0.06	0.35	28	0.06	1.56	14	<0.5
I314468		0.048	0.15	1.13	40	0.09	8.45	65	<0.5
I314469		0.046	0.20	2.74	74	0.14	15.85	107	0.8
I314470		0.084	0.14	0.98	76	0.13	7.00	65	1.3
I314471		0.090	0.14	0.87	74	0.11	7.06	65	1.1
I314472		0.084	0.12	0.62	65	0.10	3.74	53	1.5
I314473		0.103	0.14	1.01	71	0.11	6.74	67	2.3
I314474		0.089	0.13	0.90	76	0.13	5.86	81	1.1
I314475		0.106	0.12	0.90	77	0.14	4.92	66	1.3
I314476		0.073	0.10	0.64	40	0.08	3.81	35	0.6
I314477		0.129	0.16	0.88	81	0.18	5.51	82	1.8
I314478		0.121	0.14	0.81	70	0.14	5.03	69	1.5
I314479		0.104	0.16	1.16	76	0.13	6.85	83	1.5
I314480		0.074	0.13	1.06	62	0.13	7.90	84	1.4
I314481		0.072	0.16	1.01	72	0.13	7.67	91	1.2
I314482		0.077	0.12	1.07	60	0.14	9.82	72	0.9
I314483		0.082	0.11	0.79	65	0.14	6.23	56	1.2
I314484		0.073	0.16	1.15	70	0.18	9.22	57	2.1
I314485		0.050	0.16	1.24	68	0.11	12.85	70	2.9
I314486		0.062	0.13	1.50	50	0.13	11.25	49	2.5
I314487		0.061	0.12	1.24	43	0.18	11.35	50	2.2
I314488		0.059	0.11	0.37	46	0.13	2.24	31	0.5
I314489		0.094	0.12	0.42	75	0.14	3.48	53	2.9
I314490		0.074	0.14	0.50	52	0.11	3.91	47	1.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314491		0.38	0.029	0.16	1.61	6.5	<0.2	<10	180	0.66	0.21	1.67	0.25	58.5	13.9	31
I314492		0.42	<0.005	0.06	1.15	5.3	<0.2	<10	110	0.34	0.13	1.28	0.13	27.2	12.6	31
I314493		0.48	<0.005	0.01	0.08	4.3	<0.2	<10	30	0.14	0.02	0.11	0.09	11.30	3.9	4
I314494		0.52	<0.005	0.05	1.51	8.4	<0.2	<10	100	0.23	0.22	0.08	0.15	20.4	5.0	23
I314495		0.40	<0.005	0.25	2.65	13.0	<0.2	<10	200	0.56	0.25	0.10	0.52	19.55	10.7	39
I314496		0.42	0.007	0.01	0.06	3.0	<0.2	<10	20	0.11	0.02	0.03	0.06	6.47	2.5	7
I314497		0.38	<0.005	0.35	2.56	5.8	<0.2	<10	310	0.70	0.19	0.26	0.18	23.0	24.1	25
I314498		0.42	<0.005	0.11	2.29	9.2	<0.2	<10	430	0.69	0.22	0.99	0.40	28.7	11.8	34
I314499		0.44	0.008	0.16	1.88	13.2	<0.2	<10	270	0.87	0.21	1.45	0.30	31.8	10.9	27
I314500		0.42	<0.005	0.20	2.55	5.8	<0.2	<10	190	0.27	0.17	0.18	0.07	14.55	18.2	54
I314501		0.48	<0.005	0.75	2.75	14.8	<0.2	<10	190	0.57	0.24	0.08	0.11	18.40	11.7	37
I314502		0.46	0.006	0.18	2.13	6.9	<0.2	<10	210	0.32	0.08	0.34	0.03	9.76	18.9	14
I314503		0.42	<0.005	0.17	1.56	5.1	<0.2	<10	190	0.21	0.16	0.17	0.06	13.65	6.1	18
I314504		0.42	<0.005	0.27	2.34	4.1	<0.2	<10	180	0.36	0.12	0.29	0.04	12.25	18.9	23
I314505		0.42	0.013	0.05	1.67	5.0	<0.2	<10	130	0.22	0.16	0.12	0.06	13.25	10.4	19
I314506		0.42	<0.005	0.09	2.37	4.1	<0.2	<10	150	0.37	0.12	0.20	0.13	13.75	19.1	19
I314507		0.44	<0.005	0.08	1.57	7.1	<0.2	<10	130	0.21	0.19	0.07	0.10	16.45	6.9	24
I314508		0.40	<0.005	0.12	2.36	6.0	<0.2	<10	180	0.30	0.15	0.18	0.18	13.80	14.8	21
I314509		0.60	<0.005	0.09	2.20	9.9	<0.2	<10	230	0.53	0.15	0.41	0.06	26.5	14.9	36
I314510		0.38	0.005	0.05	2.62	7.3	<0.2	<10	300	0.68	0.19	0.58	0.31	34.3	13.8	37
I314511		0.44	<0.005	0.04	1.67	4.9	<0.2	<10	220	0.26	0.15	0.31	0.08	14.50	10.5	26
I314512		0.42	<0.005	0.03	1.94	12.0	<0.2	<10	380	1.00	0.20	0.57	0.21	44.9	7.9	20
I314513		0.40	0.007	0.07	2.10	7.3	<0.2	<10	370	0.84	0.18	0.47	0.14	40.5	13.0	29
I314514		0.38	<0.005	0.07	1.81	9.7	<0.2	<10	290	0.69	0.18	0.55	0.14	29.0	12.0	32
I314515		0.42	<0.005	0.04	1.05	4.3	<0.2	<10	300	0.46	0.17	0.44	0.12	46.4	6.9	13
I314516		0.36	<0.005	0.03	1.37	4.2	<0.2	<10	310	0.54	0.16	0.31	0.16	34.7	6.8	19
I314517		0.54	<0.005	0.08	2.24	5.2	<0.2	<10	280	0.63	0.08	1.64	0.12	40.3	16.1	33
I314518		0.52	<0.005	0.04	1.79	6.8	<0.2	<10	300	0.53	0.16	0.37	0.13	22.3	9.9	28
I314519		0.36	<0.005	0.03	2.01	3.8	<0.2	<10	370	0.65	0.12	0.40	0.12	22.8	9.3	22
I314520		0.40	<0.005	0.05	1.81	6.7	<0.2	<10	350	0.70	0.20	0.71	0.22	26.8	10.8	27
I314521		0.32	<0.005	0.07	1.88	7.9	<0.2	<10	350	0.56	0.17	0.95	0.64	26.1	10.8	40
I314522		0.48	<0.005	0.05	1.78	7.9	<0.2	<10	280	0.55	0.18	0.58	0.22	14.05	10.4	38
I314523		0.46	0.005	0.09	1.77	8.0	<0.2	<10	300	0.78	0.20	0.61	0.13	29.5	11.5	32
I314524		0.52	<0.005	0.03	1.66	6.4	<0.2	<10	580	0.73	0.27	0.62	0.03	9.93	5.9	14
I314525		0.40	0.021	0.05	1.76	5.1	<0.2	<10	440	0.50	0.20	0.55	0.05	21.5	7.7	14
I314526		0.46	<0.005	0.03	2.11	3.2	<0.2	<10	140	0.43	0.09	0.64	0.04	35.3	14.7	29
I314527		0.36	<0.005	0.05	2.11	4.2	<0.2	<10	200	0.46	0.10	0.55	0.08	28.7	20.7	25
I314528		0.60	<0.005	0.05	2.23	4.2	<0.2	<10	110	0.97	0.05	1.44	0.13	54.8	21.9	58
I314529		0.34	<0.005	0.10	1.71	5.5	<0.2	<10	220	0.80	0.12	1.38	0.33	40.1	12.0	40
I314530		0.40	<0.005	0.04	1.59	4.2	<0.2	<10	180	0.80	0.11	0.94	0.13	50.0	14.9	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314491		2.84	33.3	2.72	6.27	0.08	0.07	0.06	0.026	0.14	40.4	16.9	0.65	401	0.94
I314492		2.20	21.4	2.35	4.44	0.06	0.05	0.03	0.019	0.08	15.8	12.1	0.60	329	0.59
I314493		0.10	3.0	1.13	0.60	<0.05	0.04	0.01	<0.005	0.01	5.5	1.2	0.07	323	0.52
I314494		0.78	10.7	2.41	7.77	<0.05	<0.02	0.01	0.022	0.03	10.9	11.8	0.34	159	1.11
I314495		1.24	18.8	3.69	8.00	0.05	0.12	0.02	0.040	0.05	10.4	16.1	0.46	289	1.30
I314496		0.06	1.5	0.91	0.48	<0.05	0.03	0.01	<0.005	0.01	3.0	0.7	0.03	233	0.39
I314497		2.82	35.1	4.67	9.59	0.05	0.03	0.04	0.039	0.11	9.5	17.2	0.80	3040	2.20
I314498		1.03	19.8	2.97	8.24	0.05	0.07	0.02	0.033	0.05	13.7	13.7	0.48	1010	1.83
I314499		0.64	46.1	2.82	5.89	0.06	0.11	0.04	0.027	0.05	22.1	13.2	0.67	572	0.80
I314500		1.84	32.3	4.26	11.55	0.06	0.07	0.01	0.031	0.07	7.3	22.2	1.58	670	0.98
I314501		3.26	31.6	4.17	9.46	0.05	0.05	0.03	0.040	0.04	9.8	20.5	0.58	223	0.96
I314502		2.56	104.0	3.47	8.32	0.06	0.04	0.02	0.013	0.20	5.2	21.6	1.30	453	0.40
I314503		1.60	13.8	2.10	7.70	<0.05	<0.02	0.02	0.015	0.04	7.2	8.7	0.46	193	0.63
I314504		1.38	79.6	3.74	9.68	0.06	0.03	0.02	0.018	0.03	6.3	20.8	1.24	417	0.44
I314505		1.36	11.6	2.85	7.82	<0.05	0.02	0.01	0.017	0.08	6.4	16.6	0.74	659	0.67
I314506		1.77	9.1	3.98	10.85	0.06	0.04	0.01	0.025	0.20	6.7	24.3	1.35	1100	0.74
I314507		1.16	9.4	3.30	8.84	<0.05	0.03	0.01	0.019	0.04	8.5	12.7	0.37	181	1.11
I314508		1.14	26.5	3.55	8.29	0.05	0.02	0.01	0.015	0.27	7.1	26.3	1.31	392	0.59
I314509		0.86	26.2	3.51	7.14	0.06	0.17	0.02	0.027	0.08	12.0	22.0	1.27	783	0.38
I314510		1.45	14.3	2.85	9.49	0.06	0.10	0.03	0.035	0.04	17.1	19.7	1.41	1250	0.61
I314511		0.75	14.2	2.67	6.30	<0.05	0.06	0.01	0.018	0.06	7.4	13.4	0.68	345	0.83
I314512		0.80	21.9	2.59	5.95	0.06	0.09	0.02	0.028	0.08	26.9	13.6	0.57	622	1.00
I314513		0.53	16.1	3.01	6.77	0.06	0.12	0.03	0.032	0.10	18.1	13.3	0.67	1100	0.86
I314514		0.41	20.0	2.90	6.22	0.06	0.19	0.02	0.027	0.07	14.7	10.4	0.53	584	0.77
I314515		0.30	11.6	1.47	4.06	0.05	0.05	0.01	0.021	0.07	24.1	6.1	0.29	260	1.30
I314516		0.47	12.2	1.96	5.21	0.05	0.07	0.03	0.019	0.05	18.5	9.5	0.39	361	1.03
I314517		1.16	23.9	3.57	6.63	0.08	0.08	0.03	0.023	0.04	19.2	15.0	1.30	341	0.72
I314518		0.57	12.2	2.49	6.09	0.05	0.07	0.02	0.025	0.05	11.5	13.1	0.46	382	1.02
I314519		1.04	10.9	2.74	6.84	<0.05	0.08	0.01	0.028	0.05	11.4	13.0	0.61	507	1.03
I314520		0.50	17.4	2.73	6.20	0.05	0.10	0.02	0.030	0.06	12.7	9.5	0.45	851	0.88
I314521		0.27	33.9	3.01	7.06	0.06	0.07	0.02	0.036	0.11	13.4	20.3	0.56	514	1.03
I314522		0.29	33.6	3.02	6.85	0.05	0.07	0.02	0.034	0.08	5.6	22.0	0.56	306	1.09
I314523		0.26	31.0	2.76	6.22	0.07	0.11	0.03	0.034	0.13	15.5	17.9	0.52	406	0.67
I314524		0.51	9.4	1.94	6.05	<0.05	0.08	0.02	0.033	0.04	4.9	4.8	0.32	151	1.15
I314525		2.58	7.4	2.41	6.18	0.05	0.08	0.02	0.026	0.12	9.8	4.8	0.46	171	0.82
I314526		0.59	12.5	4.26	6.87	0.10	0.19	0.02	0.031	0.02	16.9	12.9	1.01	271	0.80
I314527		1.29	13.2	4.47	7.06	0.08	0.09	0.01	0.028	0.05	11.9	10.4	1.06	974	1.45
I314528		0.64	17.4	5.17	6.87	0.12	0.23	0.13	0.047	0.02	28.1	11.1	1.43	546	0.91
I314529		0.38	25.5	3.44	6.07	0.09	0.14	0.08	0.038	0.05	21.5	10.6	0.88	344	0.72
I314530		0.96	15.8	4.23	5.81	0.10	0.26	0.05	0.051	0.04	22.0	11.5	0.56	837	0.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314491		1.32	34.7	710	12.5	25.0	0.001	0.08	0.32	4.7	1.5	0.4	80.7	0.01	0.03
I314492		1.06	28.0	620	6.8	16.3	<0.001	0.04	0.23	3.1	1.1	0.3	49.4	<0.01	0.02
I314493		0.21	7.6	220	1.9	1.7	<0.001	<0.01	0.24	0.9	<0.2	<0.2	4.2	<0.01	0.01
I314494		1.25	12.0	240	9.2	6.1	<0.001	<0.01	0.32	2.8	0.3	0.6	11.9	<0.01	0.03
I314495		1.50	24.8	670	11.4	9.0	<0.001	<0.01	0.50	3.8	0.4	0.7	13.3	<0.01	0.04
I314496		0.12	4.6	160	1.7	0.8	<0.001	<0.01	0.15	0.6	<0.2	<0.2	4.3	<0.01	0.01
I314497		1.24	14.7	740	7.9	18.5	<0.001	0.01	0.35	5.9	0.8	0.7	25.7	<0.01	0.04
I314498		1.09	18.7	330	13.5	7.0	<0.001	0.01	0.49	5.9	0.8	0.6	40.8	<0.01	0.04
I314499		1.12	29.8	620	11.4	6.9	<0.001	0.02	0.48	5.2	1.1	0.4	43.4	0.01	0.05
I314500		1.26	20.0	220	8.2	19.8	<0.001	<0.01	0.32	7.8	0.4	0.6	16.4	<0.01	0.03
I314501		1.91	25.1	400	11.5	12.1	<0.001	<0.01	0.54	4.8	0.4	0.7	11.9	<0.01	0.04
I314502		0.58	12.9	830	3.8	22.3	<0.001	<0.01	0.21	4.7	0.3	0.3	24.7	<0.01	0.02
I314503		0.90	9.5	280	6.6	12.5	<0.001	<0.01	0.19	2.7	0.4	0.5	18.7	<0.01	0.01
I314504		0.97	17.7	390	4.8	8.5	<0.001	<0.01	0.25	5.3	0.4	0.4	29.2	<0.01	0.02
I314505		1.36	10.6	360	6.3	20.1	<0.001	<0.01	0.28	3.3	0.3	0.5	12.9	<0.01	0.02
I314506		1.34	15.6	360	5.9	27.1	<0.001	<0.01	0.23	5.9	0.4	0.6	18.8	<0.01	0.03
I314507		1.99	11.8	350	8.8	10.3	<0.001	<0.01	0.44	2.8	0.3	0.7	11.4	<0.01	0.02
I314508		1.21	16.0	840	6.9	19.9	<0.001	<0.01	0.27	2.9	0.3	0.5	16.5	<0.01	0.03
I314509		0.99	23.9	200	7.6	10.2	<0.001	<0.01	0.37	8.3	0.6	0.5	25.9	<0.01	0.02
I314510		1.40	21.9	200	15.0	9.5	<0.001	<0.01	0.23	6.2	0.7	0.7	27.0	<0.01	0.03
I314511		1.30	14.7	120	7.4	11.5	<0.001	<0.01	0.27	4.0	0.3	0.5	20.9	<0.01	0.02
I314512		0.79	14.5	160	14.2	12.8	<0.001	<0.01	0.27	5.0	0.6	0.5	23.0	<0.01	0.03
I314513		1.00	19.3	240	14.0	12.0	<0.001	<0.01	0.30	7.3	0.5	0.5	25.1	<0.01	0.03
I314514		1.38	21.5	160	11.0	7.8	<0.001	<0.01	0.41	6.7	0.6	0.5	26.9	<0.01	0.03
I314515		0.70	8.7	110	11.6	6.1	<0.001	<0.01	0.23	2.7	0.4	0.3	37.8	<0.01	0.03
I314516		1.06	12.7	120	9.1	6.5	<0.001	<0.01	0.23	3.6	0.4	0.5	31.4	<0.01	0.03
I314517		0.76	24.5	1930	4.5	3.7	0.001	0.02	0.31	5.1	1.1	0.4	142.0	<0.01	0.03
I314518		1.17	17.7	220	8.3	6.4	<0.001	<0.01	0.31	4.2	0.4	0.5	31.0	<0.01	0.02
I314519		0.85	12.6	120	10.2	7.4	<0.001	<0.01	0.16	4.7	0.3	0.6	32.6	<0.01	0.02
I314520		1.23	18.3	190	10.9	8.0	<0.001	<0.01	0.38	5.5	0.7	0.5	56.7	<0.01	0.03
I314521		0.55	37.6	540	8.2	12.1	<0.001	<0.01	0.42	5.7	0.8	0.4	67.1	<0.01	0.04
I314522		0.75	35.5	330	9.1	6.6	<0.001	<0.01	0.44	5.8	0.7	0.5	37.3	<0.01	0.05
I314523		1.06	33.5	400	9.8	6.9	<0.001	<0.01	0.49	7.1	0.9	0.6	49.0	<0.01	0.04
I314524		0.44	8.1	230	14.5	6.4	<0.001	<0.01	0.13	5.3	0.4	0.8	60.0	<0.01	0.04
I314525		0.74	7.2	370	9.4	28.0	<0.001	<0.01	0.16	4.2	0.4	0.9	56.3	<0.01	0.03
I314526		0.97	19.9	1220	5.4	3.2	<0.001	<0.01	0.24	6.6	0.5	0.8	42.9	<0.01	0.03
I314527		1.22	17.7	810	6.1	11.3	<0.001	<0.01	0.22	4.6	0.5	0.9	42.9	<0.01	0.02
I314528		0.72	32.4	2490	3.7	2.9	0.001	<0.01	0.18	14.1	1.0	1.0	89.1	0.01	0.01
I314529		1.00	26.3	1510	6.1	6.4	0.001	0.03	0.39	9.2	1.1	0.8	88.4	0.01	0.03
I314530		1.22	13.7	870	5.9	6.5	<0.001	0.01	0.42	12.2	0.8	0.9	54.1	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314491		0.057	0.17	1.57	44	0.13	19.25	60	2.8
I314492		0.056	0.10	0.97	38	0.15	7.76	48	1.7
I314493		<0.005	0.05	0.27	8	<0.05	2.82	9	2.0
I314494		0.048	0.12	0.32	66	0.18	2.19	34	<0.5
I314495		0.054	0.12	0.51	77	0.20	2.75	79	5.2
I314496		<0.005	0.04	0.18	11	<0.05	2.07	7	1.3
I314497		0.092	0.17	0.57	127	0.21	5.31	65	1.1
I314498		0.024	0.08	0.82	64	0.12	7.93	60	2.3
I314499		0.038	0.05	0.58	54	0.17	24.1	59	3.7
I314500		0.116	0.12	0.28	139	0.21	2.59	69	2.5
I314501		0.060	0.12	0.42	99	0.23	3.09	49	2.3
I314502		0.149	0.11	0.28	148	0.15	3.02	56	2.2
I314503		0.063	0.10	0.35	68	0.14	2.45	35	<0.5
I314504		0.151	0.09	0.34	128	0.16	4.12	57	1.6
I314505		0.098	0.08	0.24	82	0.14	1.87	57	1.3
I314506		0.176	0.12	0.26	129	0.13	2.55	76	1.5
I314507		0.111	0.10	0.30	91	0.19	1.79	50	1.5
I314508		0.186	0.10	0.27	107	0.17	1.97	66	1.1
I314509		0.118	0.08	0.57	96	0.14	8.41	48	6.9
I314510		0.064	0.09	0.49	68	0.18	11.15	52	3.8
I314511		0.071	0.09	0.27	72	0.18	2.16	46	2.2
I314512		0.011	0.10	0.59	43	0.09	8.96	46	3.2
I314513		0.038	0.07	0.50	56	0.16	10.05	53	4.3
I314514		0.065	0.07	0.42	60	0.20	9.26	48	6.9
I314515		0.016	0.05	1.00	31	0.07	4.08	33	1.7
I314516		0.032	0.07	0.63	43	0.11	5.05	40	2.2
I314517		0.036	0.04	1.45	49	0.09	19.25	56	2.6
I314518		0.035	0.11	0.43	56	0.13	4.05	45	2.7
I314519		0.021	0.11	0.40	51	0.09	3.54	51	2.8
I314520		0.044	0.06	0.73	55	0.15	6.57	52	3.5
I314521		0.013	0.07	0.44	55	0.08	4.42	90	2.0
I314522		0.021	0.07	0.54	55	0.10	4.37	75	2.0
I314523		0.030	0.08	1.19	51	0.14	12.55	55	4.1
I314524		0.005	0.10	0.46	33	<0.05	2.87	35	2.1
I314525		0.015	0.19	0.71	41	0.06	4.48	42	2.2
I314526		0.071	0.09	0.34	62	0.09	12.65	55	8.8
I314527		0.105	0.09	0.26	66	0.14	6.87	59	3.9
I314528		0.031	0.06	0.57	64	0.07	31.0	80	7.1
I314529		0.038	0.05	1.16	53	0.12	21.3	69	3.8
I314530		0.062	0.08	0.46	61	0.05	20.9	64	9.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314531		0.32	<0.005	0.04	1.65	6.4	<0.2	<10	120	1.00	0.09	0.86	0.07	70.8	17.6	19
I314532		0.38	<0.005	0.04	1.63	6.1	<0.2	<10	120	1.04	0.09	0.88	0.08	70.9	17.2	19
I314533		0.40	0.005	0.06	1.03	6.7	<0.2	<10	120	1.01	0.09	1.61	0.32	59.4	15.3	18
I314534		0.44	<0.005	0.07	1.87	9.1	<0.2	<10	240	2.24	0.12	0.74	0.14	56.8	16.3	34
I314535		0.42	<0.005	0.06	1.93	5.8	<0.2	<10	320	1.08	0.14	0.48	0.08	49.0	10.0	33
I314536		0.38	<0.005	0.05	1.76	6.4	<0.2	<10	300	0.72	0.15	0.34	0.09	27.8	10.3	31
I314537		0.34	<0.005	0.05	1.84	4.4	<0.2	<10	260	1.00	0.11	0.68	0.09	59.7	17.1	35
I314538		0.40	<0.005	0.02	1.47	4.5	<0.2	<10	200	0.84	0.24	0.65	0.06	37.3	8.6	14
I314539		0.46	NSS	0.05	0.27	8.9	<0.2	<10	80	0.44	0.05	0.54	0.20	35.3	9.9	10
I314540		0.46	<0.005	0.03	1.78	11.6	<0.2	<10	100	0.37	0.21	0.07	0.10	15.75	6.4	31
I314541		0.42	<0.005	0.04	2.11	10.5	<0.2	<10	150	0.49	0.20	0.06	0.08	16.55	7.4	30
I314542		0.52	<0.005	0.04	1.47	2.4	<0.2	<10	80	0.58	0.07	0.38	0.03	19.15	5.8	17
I314543		0.46	<0.005	0.01	1.50	2.0	<0.2	<10	70	0.30	0.06	0.10	0.01	6.61	7.3	16
I314544		0.50	<0.005	0.05	1.20	3.3	<0.2	<10	160	0.46	0.12	0.15	0.12	18.25	4.2	16
I314545		0.44	0.005	0.01	1.90	10.4	<0.2	<10	110	0.29	0.17	0.06	0.06	18.20	6.3	29
I314546		0.52	<0.005	0.04	1.93	6.6	<0.2	<10	320	0.28	0.14	0.16	0.03	18.30	7.5	19
I314547		0.44	<0.005	0.04	1.15	4.1	<0.2	<10	150	0.20	0.11	0.08	0.03	25.1	5.8	13
I314548		0.54	<0.005	0.08	1.24	4.0	<0.2	<10	270	0.28	0.11	0.20	0.03	30.9	4.4	16
I314549		0.42	0.010	0.06	1.60	6.7	<0.2	<10	190	0.40	0.12	0.12	0.05	16.20	6.8	26
I314550		0.36	<0.005	0.03	1.98	7.5	<0.2	<10	140	0.37	0.15	0.09	0.08	13.90	8.2	30
I314551		0.20	<0.005	0.16	0.90	4.4	<0.2	<10	100	0.19	0.17	0.16	0.10	9.30	3.8	18
I314552		0.30	<0.005	0.08	1.72	9.1	<0.2	<10	110	0.25	0.16	0.17	0.08	20.7	8.4	28
I314553		0.22	0.010	0.02	1.27	7.0	<0.2	<10	80	0.19	0.17	0.12	0.08	13.85	5.8	23
I314554		0.20	0.006	0.11	1.28	10.6	<0.2	<10	130	0.30	0.14	0.28	0.07	17.65	6.8	20
I314555		0.34	<0.005	0.04	2.17	9.2	<0.2	<10	140	0.40	0.17	0.20	0.05	20.7	11.7	40
I314556		0.24	<0.005	0.06	1.86	8.4	<0.2	<10	140	0.28	0.15	0.24	0.07	15.90	10.1	35
I314557		0.22	<0.005	0.07	2.35	12.7	<0.2	<10	160	0.52	0.15	0.20	0.08	21.0	15.0	40
I314558		0.30	<0.005	0.06	1.89	12.7	<0.2	<10	90	0.29	0.14	0.17	0.07	11.40	10.2	46
I314559		0.18	0.008	0.10	0.60	3.1	<0.2	<10	50	0.16	0.16	0.06	0.12	9.84	2.9	13
I314560		0.28	<0.005	0.04	1.09	3.0	<0.2	<10	80	0.18	0.15	0.14	0.06	13.80	3.4	21
I314561		0.30	<0.005	0.04	0.75	4.0	<0.2	<10	80	0.19	0.16	0.15	0.02	26.6	3.9	8
I314562		0.26	<0.005	0.05	1.85	8.8	<0.2	<10	140	0.26	0.20	0.20	0.08	14.85	8.6	31
I314563		0.20	<0.005	0.09	1.31	5.9	<0.2	<10	120	0.20	0.16	0.16	0.07	10.65	7.4	22
I314564		0.22	<0.005	0.11	1.90	8.3	<0.2	<10	150	0.46	0.19	0.17	0.07	15.40	10.6	29
I314565		0.24	<0.005	0.10	2.28	8.8	<0.2	<10	110	0.38	0.19	0.16	0.06	15.65	8.4	35
I314566		0.24	0.005	0.09	1.09	4.6	<0.2	<10	150	0.31	0.11	2.11	0.17	19.35	10.0	26
I314567		0.24	0.006	0.07	1.09	4.5	<0.2	<10	100	0.45	0.11	2.52	0.19	25.7	10.8	24
I314568		0.30	0.008	0.10	1.33	4.9	<0.2	<10	120	0.44	0.12	1.25	0.14	27.5	16.3	30
I314569		0.26	0.015	0.01	0.21	8.2	<0.2	<10	60	0.34	0.04	0.40	0.18	22.3	8.4	9
I314570		0.20	0.010	0.07	1.08	4.8	<0.2	<10	90	0.40	0.09	2.97	0.21	24.9	11.4	24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314531		0.61	16.1	5.12	7.09	0.11	0.27	0.06	0.066	0.05	27.2	8.7	0.61	718	1.06
I314532		0.60	16.9	5.03	7.08	0.12	0.25	0.07	0.065	0.05	28.2	8.5	0.60	703	1.07
I314533		1.18	19.9	5.29	6.09	0.14	0.25	0.04	0.064	0.04	32.7	9.2	1.15	521	0.92
I314534		0.70	23.1	4.38	7.86	0.12	0.27	0.04	0.059	0.10	26.7	9.6	0.48	952	1.19
I314535		0.51	13.7	2.87	6.82	0.07	0.18	0.03	0.037	0.13	20.6	8.5	0.44	523	1.25
I314536		0.56	13.3	2.79	6.46	0.05	0.14	0.02	0.031	0.06	13.3	10.1	0.41	515	1.17
I314537		0.61	21.2	3.71	6.39	0.11	0.14	0.03	0.040	0.05	28.0	9.0	0.56	835	0.86
I314538		1.06	8.9	2.43	5.74	0.06	0.12	0.02	0.035	0.14	16.4	7.6	0.47	488	0.60
I314539		0.28	8.0	2.06	1.72	0.08	0.09	0.02	0.009	0.05	17.2	3.8	0.23	752	1.20
I314540		0.93	9.4	3.60	9.07	0.05	0.03	0.02	0.024	0.04	8.1	15.2	0.35	179	1.94
I314541		1.31	11.8	3.42	10.60	0.05	0.02	0.02	0.024	0.04	8.5	20.3	0.39	193	1.38
I314542		1.90	12.7	2.20	8.68	0.06	<0.02	0.01	0.017	0.11	14.7	16.9	0.59	170	0.41
I314543		1.86	11.2	2.00	7.95	<0.05	<0.02	0.01	0.009	0.35	3.6	10.2	0.73	182	0.26
I314544		0.96	14.1	1.57	7.51	<0.05	<0.02	0.02	0.015	0.11	9.7	5.1	0.27	259	0.72
I314545		1.09	15.2	3.37	8.82	<0.05	0.02	0.02	0.024	0.05	9.4	14.6	0.39	172	0.97
I314546		0.99	13.7	2.63	8.02	<0.05	0.04	0.02	0.024	0.04	9.7	12.8	0.72	258	0.56
I314547		0.98	9.7	1.54	5.72	<0.05	<0.02	0.02	0.014	0.04	12.4	7.0	0.38	152	0.40
I314548		0.51	9.7	1.57	4.94	<0.05	0.06	0.01	0.016	0.04	16.3	7.0	0.26	141	0.63
I314549		0.72	14.7	2.38	5.40	<0.05	0.13	0.01	0.021	0.04	8.5	11.4	0.38	146	0.68
I314550		1.17	12.1	2.93	7.35	<0.05	0.06	0.01	0.021	0.08	7.3	16.0	0.48	260	0.96
I314551		0.76	15.7	1.65	5.82	<0.05	<0.02	0.03	0.015	0.04	4.9	4.3	0.14	83	0.88
I314552		1.75	15.0	2.95	8.79	0.05	0.02	0.02	0.024	0.05	11.4	14.1	0.47	172	1.22
I314553		0.74	13.5	2.58	9.23	<0.05	0.03	0.03	0.017	0.04	7.1	7.5	0.32	137	1.28
I314554		1.65	15.4	2.07	5.93	<0.05	0.03	0.03	0.021	0.05	13.4	7.3	0.21	188	0.97
I314555		1.83	21.0	3.66	9.48	0.05	0.12	0.02	0.031	0.07	9.1	19.8	0.60	198	1.23
I314556		1.94	19.6	3.06	7.97	<0.05	0.04	0.02	0.023	0.06	8.6	14.5	0.52	261	1.13
I314557		1.36	18.6	3.69	8.12	0.05	0.07	0.03	0.032	0.05	11.8	18.6	0.59	248	1.14
I314558		2.66	22.0	3.24	8.68	<0.05	0.02	0.02	0.020	0.04	5.5	12.6	0.66	182	1.02
I314559		1.22	10.1	1.17	4.47	<0.05	<0.02	0.04	0.011	0.04	5.3	2.9	0.10	66	0.74
I314560		0.98	11.8	1.51	7.78	<0.05	0.04	0.02	0.014	0.04	7.7	4.8	0.17	73	0.79
I314561		1.39	10.4	1.93	4.04	<0.05	<0.02	0.01	0.027	0.07	10.8	2.8	0.07	49	0.98
I314562		1.45	17.1	3.48	10.40	0.05	0.09	0.02	0.028	0.05	7.3	16.5	0.42	327	1.83
I314563		1.02	12.9	2.47	7.75	<0.05	0.02	0.01	0.017	0.04	5.4	8.0	0.28	339	1.09
I314564		1.40	16.3	3.31	9.67	0.05	0.07	0.01	0.026	0.04	8.1	13.2	0.44	382	1.50
I314565		1.09	16.7	3.71	9.43	0.05	0.04	0.02	0.029	0.05	8.3	11.6	0.38	176	1.62
I314566		1.46	24.8	2.02	3.69	0.05	0.05	0.04	0.017	0.04	11.4	9.1	0.50	338	0.81
I314567		2.30	28.9	2.13	3.63	0.07	0.06	0.05	0.018	0.11	16.2	11.6	0.46	257	0.54
I314568		2.57	20.0	2.44	4.52	0.06	0.04	0.04	0.018	0.09	19.0	13.5	0.61	699	0.76
I314569		0.28	5.3	1.92	1.33	0.06	0.07	0.02	0.008	0.04	11.0	3.7	0.17	649	1.14
I314570		1.90	30.8	2.00	3.59	0.07	0.06	0.07	0.015	0.11	17.6	12.8	0.43	319	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314531		0.72	10.1	1850	5.9	5.3	<0.001	<0.01	0.34	14.0	0.7	1.3	39.2	<0.01	0.01
I314532		0.78	10.6	1790	6.0	5.6	<0.001	<0.01	0.37	13.9	0.7	1.3	40.8	0.01	0.02
I314533		1.35	9.7	1820	4.3	5.7	0.001	0.05	0.31	13.1	1.3	1.2	74.8	0.01	0.02
I314534		1.60	20.5	980	9.0	8.2	<0.001	<0.01	0.46	11.2	0.8	1.3	45.5	0.01	0.01
I314535		1.38	16.3	480	9.4	14.0	<0.001	<0.01	0.41	6.6	0.5	1.0	33.5	<0.01	0.03
I314536		1.49	15.6	170	9.6	8.2	<0.001	<0.01	0.34	5.7	0.5	0.8	28.4	<0.01	0.02
I314537		1.18	17.4	590	6.3	7.1	<0.001	<0.01	0.34	10.0	1.0	0.9	51.7	0.01	0.02
I314538		1.00	7.5	660	12.4	15.9	<0.001	<0.01	0.18	6.3	0.5	1.2	43.0	<0.01	0.02
I314539		0.58	18.1	690	4.7	5.4	<0.001	<0.01	0.44	2.3	0.3	0.2	14.7	<0.01	0.01
I314540		2.02	14.1	450	11.1	9.5	<0.001	<0.01	0.43	2.7	0.5	0.7	11.6	<0.01	0.04
I314541		1.98	14.9	450	10.6	11.4	<0.001	<0.01	0.40	2.9	0.4	0.7	15.5	<0.01	0.05
I314542		0.61	10.0	1170	7.3	12.8	<0.001	<0.01	0.16	2.6	0.3	0.6	28.8	<0.01	0.01
I314543		1.23	8.6	420	3.1	31.1	<0.001	<0.01	0.12	1.7	0.3	0.3	12.6	<0.01	0.01
I314544		0.30	6.8	560	8.4	14.3	<0.001	<0.01	0.15	0.8	0.5	0.5	22.4	<0.01	0.02
I314545		1.70	13.5	390	10.1	8.8	<0.001	<0.01	0.44	3.0	0.5	0.6	12.2	<0.01	0.04
I314546		1.45	10.4	400	6.5	9.5	<0.001	<0.01	0.39	4.8	0.4	0.5	13.5	<0.01	0.03
I314547		0.83	8.8	150	5.8	12.8	<0.001	<0.01	0.20	3.2	0.3	0.4	11.2	<0.01	0.02
I314548		0.98	9.2	160	5.2	7.2	<0.001	<0.01	0.16	3.0	0.3	0.4	13.4	<0.01	0.02
I314549		1.31	15.4	230	8.3	6.2	<0.001	<0.01	0.41	2.8	0.4	0.5	12.0	<0.01	0.02
I314550		2.03	15.7	310	8.7	21.8	<0.001	<0.01	0.52	2.6	0.3	0.6	12.1	<0.01	0.03
I314551		0.72	8.8	290	11.3	7.5	<0.001	<0.01	0.28	1.6	0.6	0.6	17.7	<0.01	0.03
I314552		1.25	20.5	300	10.3	13.6	<0.001	<0.01	0.37	3.7	0.4	0.7	16.1	<0.01	0.02
I314553		1.80	12.3	270	7.9	7.5	<0.001	<0.01	0.38	2.5	0.5	0.7	14.9	<0.01	0.04
I314554		1.04	12.4	240	9.0	14.5	<0.001	<0.01	0.23	3.1	0.6	0.5	24.1	<0.01	0.03
I314555		2.08	29.8	180	11.0	20.4	<0.001	<0.01	0.37	4.1	0.5	0.8	18.2	<0.01	0.03
I314556		1.52	25.8	260	9.0	21.9	<0.001	<0.01	0.39	3.7	0.5	0.6	19.7	<0.01	0.03
I314557		1.95	31.5	340	8.2	8.8	<0.001	<0.01	0.50	4.3	0.6	0.6	20.8	<0.01	0.04
I314558		1.26	23.7	220	6.3	11.1	<0.001	<0.01	0.30	4.7	0.4	1.0	15.8	<0.01	0.02
I314559		0.39	7.0	290	13.7	8.4	<0.001	0.01	0.17	1.1	0.6	0.4	11.6	<0.01	0.02
I314560		2.05	8.8	120	11.6	10.1	<0.001	<0.01	0.19	2.5	0.4	0.7	18.4	<0.01	0.02
I314561		0.42	8.0	170	8.9	15.3	<0.001	<0.01	0.16	3.0	0.3	0.4	12.8	<0.01	0.02
I314562		1.90	19.0	230	12.6	18.2	<0.001	<0.01	0.48	3.4	0.3	0.8	22.1	<0.01	0.04
I314563		1.46	12.7	300	9.6	11.7	<0.001	<0.01	0.39	2.3	0.4	0.6	18.9	<0.01	0.03
I314564		1.89	18.9	230	9.9	10.7	<0.001	<0.01	0.48	3.4	0.3	0.8	19.4	<0.01	0.03
I314565		1.82	16.7	300	11.2	9.5	<0.001	<0.01	0.51	3.4	0.5	0.8	16.3	0.01	0.04
I314566		0.91	22.6	760	6.0	9.2	<0.001	0.08	0.41	2.5	1.5	0.3	77.7	<0.01	0.04
I314567		0.87	28.4	700	9.0	21.5	<0.001	0.09	0.25	3.0	1.7	0.3	122.0	0.01	0.03
I314568		0.93	26.0	770	8.5	17.0	<0.001	0.05	0.26	3.3	1.2	0.3	47.4	<0.01	0.03
I314569		0.62	15.5	540	3.8	4.7	<0.001	<0.01	0.51	1.8	0.4	0.2	11.0	<0.01	0.02
I314570		0.95	28.6	670	7.3	16.8	<0.001	0.12	0.31	2.6	1.9	0.3	148.0	0.01	0.04



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314531		0.036	0.06	0.54	84	<0.05	20.4	77	8.6
I314532		0.036	0.06	0.53	82	0.05	21.5	76	8.0
I314533		0.066	0.08	0.62	95	<0.05	33.9	99	9.1
I314534		0.044	0.10	1.22	70	0.16	31.6	92	8.4
I314535		0.060	0.09	0.72	51	0.18	9.21	72	5.9
I314536		0.054	0.11	0.71	55	0.14	6.02	60	5.1
I314537		0.067	0.06	1.02	66	0.08	28.0	60	5.6
I314538		0.012	0.15	1.12	37	0.07	9.99	54	3.2
I314539		0.012	0.15	0.83	16	0.09	9.15	22	4.2
I314540		0.068	0.10	0.30	80	0.24	1.70	40	1.3
I314541		0.088	0.12	0.36	80	0.22	1.90	44	1.1
I314542		0.038	0.08	0.74	47	0.07	4.14	94	<0.5
I314543		0.114	0.17	0.24	46	0.06	1.25	71	<0.5
I314544		0.020	0.07	0.54	37	0.07	3.52	50	<0.5
I314545		0.081	0.10	0.45	75	0.17	2.44	46	0.8
I314546		0.091	0.11	0.41	61	0.12	3.86	48	1.7
I314547		0.059	0.07	0.28	33	0.14	2.29	23	<0.5
I314548		0.024	0.06	0.29	39	0.14	3.18	27	2.4
I314549		0.055	0.07	0.35	51	0.14	2.70	32	4.3
I314550		0.098	0.11	0.31	62	0.20	1.59	59	2.5
I314551		0.058	0.07	0.32	47	0.12	1.81	26	0.5
I314552		0.067	0.12	0.47	67	0.12	3.76	46	0.6
I314553		0.125	0.11	0.36	78	0.13	2.11	38	1.3
I314554		0.039	0.10	0.57	44	0.10	5.50	28	1.0
I314555		0.106	0.16	0.56	77	0.12	3.40	48	4.4
I314556		0.076	0.11	0.38	69	0.19	2.94	51	1.6
I314557		0.103	0.10	0.52	78	0.17	4.32	58	2.9
I314558		0.074	0.10	0.48	74	0.10	2.80	46	0.6
I314559		0.035	0.09	0.40	32	0.07	2.29	20	<0.5
I314560		0.113	0.13	0.34	49	0.07	2.58	20	1.6
I314561		0.012	0.09	0.34	34	<0.05	2.91	32	<0.5
I314562		0.092	0.10	0.41	85	0.12	2.54	47	3.7
I314563		0.070	0.10	0.27	65	0.12	1.55	40	1.0
I314564		0.096	0.12	0.38	82	0.10	2.59	45	3.0
I314565		0.088	0.09	0.43	87	0.14	3.00	43	1.9
I314566		0.045	0.07	0.79	38	0.09	6.12	44	2.0
I314567		0.041	0.10	0.86	30	0.10	8.50	45	2.3
I314568		0.057	0.12	0.94	40	0.15	9.56	51	1.3
I314569		0.012	0.11	0.61	14	0.08	6.93	19	3.8
I314570		0.045	0.10	1.02	30	0.07	9.08	37	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314571		0.18	<0.005	0.07	0.43	2.2	<0.2	<10	90	0.30	0.05	4.29	0.34	14.40	4.4	7
I314572		0.24	0.008	0.13	1.13	4.2	<0.2	<10	160	0.55	0.13	2.49	0.24	28.1	10.2	20
I314573		0.16	<0.005	0.09	1.37	4.7	<0.2	<10	130	0.52	0.21	1.72	0.29	25.3	10.9	25
I314574		0.20	0.005	0.26	1.60	4.8	<0.2	<10	200	0.44	0.16	0.98	0.21	47.4	15.1	31
I314575		0.28	0.006	0.05	1.72	4.8	<0.2	<10	110	0.43	0.16	0.34	0.10	23.2	12.2	33
I314576		0.22	<0.005	0.10	1.63	5.4	<0.2	<10	190	0.39	0.12	0.81	0.20	20.8	11.6	31
I314577		0.28	0.005	0.07	1.69	5.4	<0.2	<10	150	0.34	0.11	0.52	0.11	19.15	10.9	29
I314578		0.22	0.007	0.08	1.55	5.5	<0.2	<10	170	0.33	0.09	0.83	0.23	20.9	14.9	29
I314579		0.22	<0.005	0.04	1.96	6.2	<0.2	<10	190	0.50	0.13	0.69	0.28	23.0	14.6	45
I314580		0.30	<0.005	0.05	1.75	6.6	<0.2	<10	170	0.36	0.11	0.66	0.26	20.1	10.9	32
I314581		0.32	0.006	0.04	1.32	5.3	<0.2	<10	120	0.32	0.08	1.36	0.13	22.6	11.3	30
I314582		0.24	0.006	0.08	1.47	5.4	<0.2	<10	200	0.61	0.09	2.38	0.15	48.3	14.0	25
I314583		0.24	0.015	0.07	2.19	5.6	<0.2	<10	190	0.74	0.13	0.51	0.09	49.3	16.5	34
I314584		0.22	<0.005	0.03	2.14	4.3	<0.2	<10	190	0.60	0.14	0.52	0.09	20.4	14.9	35
I314585		0.22	<0.005	0.08	2.10	4.5	<0.2	<10	190	0.34	0.12	0.56	0.08	15.55	11.9	36
I314586		0.26	0.006	0.08	2.10	4.5	<0.2	<10	190	0.32	0.12	0.57	0.07	16.20	12.5	36
I314587		0.18	0.006	0.07	1.55	5.4	<0.2	<10	110	0.34	0.12	1.19	0.12	30.4	12.0	31
I314588		0.24	<0.005	0.04	2.08	7.5	<0.2	<10	140	0.58	0.12	0.67	0.05	46.3	13.9	37
I314589		0.22	<0.005	0.05	2.11	5.4	<0.2	<10	240	0.40	0.12	0.54	0.08	25.0	14.9	33
I314590		0.22	<0.005	0.08	1.58	4.4	<0.2	<10	130	0.29	0.13	0.30	0.23	19.85	7.5	26
I314591		0.22	0.005	0.06	1.60	4.7	<0.2	<10	100	0.27	0.10	0.30	0.10	32.6	9.5	32
I314592		0.30	0.007	0.05	1.35	3.2	<0.2	<10	100	0.28	0.07	0.76	0.09	31.7	11.5	25
I314593		0.26	0.008	0.04	1.28	3.0	<0.2	<10	100	0.39	0.09	0.73	0.09	29.1	15.0	26
I314594		0.20	<0.005	0.05	1.24	4.3	<0.2	<10	130	0.55	0.09	2.20	0.24	29.8	12.7	26
I314595		0.36	0.006	0.01	0.19	6.8	<0.2	<10	50	0.22	0.02	0.28	0.14	18.80	6.4	6
I314596		0.28	0.006	0.02	1.77	9.4	<0.2	<10	140	0.18	0.18	0.11	0.06	19.95	5.4	27
I314597		0.28	<0.005	0.03	1.79	11.7	<0.2	<10	130	0.23	0.20	0.09	0.09	19.65	5.0	28
I314598		0.26	<0.005	0.06	1.79	10.1	<0.2	<10	130	0.23	0.21	0.09	0.06	16.70	5.3	28
I314599		0.32	<0.005	0.06	1.57	4.2	<0.2	<10	110	0.29	0.09	0.18	0.05	14.45	6.5	28
I314600		0.28	<0.005	0.10	2.16	7.9	<0.2	<10	200	0.76	0.23	0.18	0.08	20.2	6.1	30
I314601		0.30	<0.005	0.03	1.71	6.1	<0.2	<10	150	0.34	0.11	0.25	0.04	22.1	7.8	28
I314602		0.24	<0.005	0.02	1.11	5.9	<0.2	<10	110	0.16	0.18	0.14	0.06	18.40	3.1	17
I314603		0.26	<0.005	0.11	2.02	9.4	<0.2	<10	160	0.34	0.20	0.11	0.05	18.45	6.5	32
I314604		0.22	<0.005	0.14	1.99	8.2	<0.2	<10	150	0.31	0.19	0.12	0.05	18.45	5.9	25
I314605		0.26	0.005	0.03	2.12	8.5	<0.2	<10	170	0.32	0.16	0.11	0.06	17.15	7.9	28
I314606		0.28	<0.005	0.05	1.19	5.4	<0.2	<10	140	0.15	0.26	0.12	0.04	20.6	2.9	18
I314607		0.22	<0.005	0.09	2.18	7.0	<0.2	<10	190	0.44	0.21	0.19	0.07	17.85	8.0	28
I314608		0.28	<0.005	0.11	2.22	9.7	<0.2	<10	220	0.39	0.20	0.13	0.07	19.00	8.2	30
I314609		0.28	0.005	0.08	1.56	6.7	<0.2	<10	160	0.24	0.19	0.12	0.05	17.65	5.1	21
I314610		0.28	<0.005	0.04	1.48	5.5	<0.2	<10	130	0.20	0.13	0.12	0.04	16.75	5.0	17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314571		0.52	25.0	0.65	1.05	<0.05	0.06	0.10	0.008	0.03	11.5	2.1	0.16	274	0.69
I314572		1.50	33.2	1.78	3.42	0.07	0.06	0.07	0.018	0.06	23.2	11.4	0.33	456	0.70
I314573		1.88	31.4	2.28	4.14	0.05	0.07	0.18	0.019	0.07	16.0	10.9	0.43	405	0.77
I314574		1.44	33.0	2.68	5.15	0.08	0.06	0.07	0.025	0.11	32.3	15.6	0.51	257	0.75
I314575		1.45	19.1	2.96	5.54	0.06	0.10	0.02	0.022	0.09	13.0	15.5	0.62	220	0.60
I314576		0.75	24.9	2.48	5.46	0.05	0.03	0.04	0.024	0.05	10.7	11.4	0.54	376	0.62
I314577		0.91	19.4	2.45	5.97	0.05	0.03	0.03	0.022	0.04	9.9	12.3	0.49	273	0.82
I314578		0.59	19.3	2.63	4.42	0.05	0.04	0.03	0.021	0.05	10.4	10.0	0.56	1260	0.74
I314579		0.89	31.2	2.98	6.45	0.05	0.08	0.04	0.029	0.09	11.6	14.8	0.61	445	0.94
I314580		0.59	25.6	2.66	5.97	0.05	0.06	0.03	0.023	0.06	10.3	12.2	0.56	305	0.83
I314581		0.59	21.8	2.73	4.45	0.08	0.15	0.01	0.021	0.08	11.7	11.2	0.71	358	0.52
I314582		1.01	49.2	2.44	4.61	0.10	0.10	0.08	0.022	0.13	40.7	12.7	0.50	640	0.65
I314583		1.16	31.3	3.35	7.36	0.08	0.08	0.02	0.029	0.10	24.5	20.8	0.67	394	1.05
I314584		1.24	24.9	3.33	6.93	0.05	0.07	0.02	0.028	0.08	8.8	17.3	0.56	348	0.66
I314585		0.49	18.4	3.12	6.79	0.05	0.02	0.01	0.022	0.10	7.5	12.7	0.55	356	1.03
I314586		0.58	18.3	3.15	6.70	0.06	0.03	0.01	0.023	0.09	7.5	12.2	0.55	382	1.02
I314587		0.84	24.0	2.89	5.38	0.07	0.03	0.02	0.023	0.08	16.6	11.0	0.48	367	0.67
I314588		1.10	32.8	3.37	6.32	0.10	0.15	0.02	0.028	0.10	23.4	14.5	0.61	405	0.62
I314589		0.62	20.4	3.25	6.99	0.07	0.07	0.02	0.028	0.13	11.7	11.3	0.48	1140	0.73
I314590		0.89	23.5	2.46	6.64	0.06	<0.02	0.04	0.021	0.07	11.5	6.8	0.34	164	1.02
I314591		1.17	21.8	2.84	6.04	0.09	0.02	0.02	0.020	0.07	22.4	9.8	0.53	209	0.72
I314592		0.79	18.2	2.50	4.46	0.08	0.04	0.01	0.018	0.05	20.2	9.5	0.49	347	0.56
I314593		2.04	19.8	2.58	5.11	0.11	0.03	<0.01	0.019	0.10	16.9	12.6	0.44	380	0.48
I314594		1.21	30.7	2.23	4.56	0.11	0.06	0.05	0.020	0.07	17.9	11.3	0.42	352	0.67
I314595		0.18	4.5	1.67	1.09	0.06	0.06	<0.01	0.005	0.03	10.2	2.5	0.12	512	0.86
I314596		0.91	12.5	2.95	8.32	0.06	<0.02	0.02	0.025	0.04	11.9	9.8	0.34	138	0.89
I314597		1.02	11.4	3.92	10.70	0.06	<0.02	0.01	0.026	0.03	10.8	12.9	0.34	146	1.39
I314598		1.58	9.8	3.64	8.35	0.07	<0.02	0.01	0.025	0.05	9.3	13.7	0.31	189	1.50
I314599		0.61	13.5	2.03	6.65	<0.05	<0.02	0.01	0.014	0.04	7.8	10.4	0.49	159	0.59
I314600		1.02	27.1	2.98	11.40	0.07	0.02	0.02	0.024	0.06	11.5	7.9	0.32	207	1.42
I314601		0.68	20.2	2.44	5.63	0.06	0.04	0.01	0.019	0.04	12.3	13.4	0.54	196	0.58
I314602		0.93	6.3	1.70	8.03	0.05	<0.02	0.01	0.012	0.04	9.9	6.7	0.28	107	0.63
I314603		1.32	11.9	3.09	7.79	0.06	0.02	0.01	0.027	0.04	10.4	11.7	0.34	162	1.14
I314604		1.31	14.2	3.33	8.18	0.06	<0.02	0.01	0.028	0.04	10.0	13.9	0.30	209	1.10
I314605		1.19	16.1	3.18	7.03	0.07	<0.02	0.04	0.027	0.05	9.4	12.6	0.40	184	0.68
I314606		0.77	15.1	1.86	7.30	0.05	<0.02	0.02	0.020	0.03	11.6	5.1	0.19	101	0.56
I314607		1.45	11.4	3.29	9.10	0.05	<0.02	0.02	0.030	0.04	9.9	13.3	0.36	387	1.57
I314608		1.67	14.5	3.47	8.12	0.06	<0.02	0.02	0.031	0.04	10.6	15.6	0.39	263	1.49
I314609		1.13	9.2	2.60	7.37	0.06	<0.02	0.02	0.020	0.04	9.7	9.1	0.29	178	1.16
I314610		0.96	9.7	2.19	6.51	0.05	<0.02	0.01	0.015	0.04	9.2	13.4	0.41	198	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314571		0.30	16.2	780	2.2	4.8	0.002	0.18	0.30	1.1	1.9	<0.2	206	0.01	0.03	0.4
I314572		0.93	23.0	850	11.1	12.0	0.001	0.10	0.41	3.0	2.0	0.3	129.5	0.01	0.05	1.0
I314573		1.02	25.5	670	11.3	12.4	<0.001	0.07	0.36	3.4	1.5	0.4	95.7	<0.01	0.04	1.7
I314574		1.13	28.8	790	14.8	16.1	<0.001	0.05	0.27	5.1	1.6	0.4	70.4	0.01	0.05	2.3
I314575		1.28	25.0	600	11.1	13.1	<0.001	<0.01	0.20	4.0	0.5	0.5	26.3	<0.01	0.02	5.0
I314576		1.25	21.4	700	6.2	11.7	<0.001	0.02	0.40	4.1	1.1	0.5	52.6	<0.01	0.03	1.0
I314577		1.24	19.2	650	6.3	6.9	<0.001	0.01	0.32	3.6	0.8	0.5	35.1	<0.01	0.02	0.6
I314578		1.20	21.0	900	5.2	6.7	<0.001	0.02	0.43	4.0	0.9	0.4	46.0	<0.01	0.03	1.0
I314579		1.53	33.3	660	7.5	12.9	<0.001	<0.01	0.39	5.7	0.7	0.5	45.0	<0.01	0.03	2.2
I314580		1.55	21.9	590	6.6	9.1	<0.001	<0.01	0.37	4.6	0.8	0.5	40.6	<0.01	0.03	1.9
I314581		1.16	23.8	890	5.2	6.8	<0.001	<0.01	0.35	4.5	0.5	0.4	53.9	<0.01	0.02	3.3
I314582		1.03	35.4	690	7.0	15.8	<0.001	0.08	0.51	3.9	2.2	0.3	113.5	0.01	0.05	2.3
I314583		1.50	29.9	430	10.3	11.8	<0.001	<0.01	0.27	6.2	0.7	0.6	36.7	<0.01	0.03	6.3
I314584		1.49	27.4	240	10.7	15.1	<0.001	<0.01	0.26	5.0	0.4	0.5	37.0	<0.01	0.03	4.0
I314585		1.52	24.6	260	10.6	11.0	<0.001	<0.01	0.22	4.0	0.3	0.5	39.0	0.01	0.03	2.0
I314586		1.55	24.9	250	9.2	13.2	<0.001	0.01	0.23	4.0	0.3	0.5	37.6	0.01	0.02	2.1
I314587		1.15	27.1	420	11.3	16.5	<0.001	0.03	0.25	4.2	0.7	0.4	67.0	0.01	0.03	3.2
I314588		1.55	32.1	340	9.7	14.0	<0.001	<0.01	0.29	6.4	0.6	0.5	44.3	0.01	0.03	7.2
I314589		1.49	27.8	230	10.2	23.3	<0.001	<0.01	0.29	4.5	0.4	0.5	42.5	<0.01	0.03	3.9
I314590		1.35	20.7	280	8.4	18.2	<0.001	0.01	0.21	3.4	0.5	0.5	29.1	<0.01	0.02	2.0
I314591		1.21	26.5	400	8.2	14.6	<0.001	<0.01	0.21	4.0	0.4	0.4	25.4	0.01	0.02	3.2
I314592		0.89	24.0	500	6.3	9.2	<0.001	0.02	0.15	3.6	0.6	0.3	46.6	0.01	0.02	4.0
I314593		0.92	28.9	460	6.8	18.7	<0.001	0.01	0.12	3.9	0.5	0.3	51.7	<0.01	0.03	4.5
I314594		0.95	30.9	660	6.3	13.3	<0.001	0.08	0.28	3.7	1.0	0.3	114.5	0.02	0.03	2.0
I314595		0.41	12.3	430	3.2	3.9	<0.001	<0.01	0.39	1.4	0.3	<0.2	9.0	<0.01	0.01	2.6
I314596		1.51	15.1	500	11.1	7.6	<0.001	<0.01	0.39	3.3	0.6	0.6	14.7	0.01	0.03	1.1
I314597		2.10	12.0	420	12.4	7.8	<0.001	<0.01	0.51	2.9	0.3	0.8	12.9	<0.01	0.05	1.5
I314598		2.06	11.9	340	12.8	14.2	<0.001	<0.01	0.40	2.7	0.3	0.6	10.2	<0.01	0.03	2.1
I314599		1.24	14.5	290	8.4	6.6	<0.001	<0.01	0.22	2.4	0.3	0.4	20.9	<0.01	0.02	1.0
I314600		1.79	15.2	390	19.1	11.3	<0.001	0.01	0.36	3.1	0.6	0.7	28.7	<0.01	0.03	0.7
I314601		1.35	19.0	450	7.7	7.0	<0.001	<0.01	0.35	3.5	0.4	0.4	24.1	<0.01	0.02	3.0
I314602		0.92	7.5	360	8.7	11.1	<0.001	<0.01	0.21	1.2	0.3	0.6	17.2	<0.01	0.03	<0.2
I314603		2.15	14.9	320	11.3	10.1	<0.001	<0.01	0.44	3.4	0.4	0.7	12.9	<0.01	0.03	2.2
I314604		2.03	12.3	360	10.8	10.8	<0.001	0.01	0.34	3.1	0.4	0.7	13.7	0.01	0.03	2.1
I314605		1.61	17.5	300	11.2	9.9	<0.001	0.01	0.37	2.7	0.5	0.5	12.7	0.01	0.03	1.1
I314606		0.87	7.6	420	11.9	7.0	<0.001	<0.01	0.22	1.9	0.5	0.6	14.7	<0.01	0.03	0.3
I314607		1.69	15.6	360	10.7	13.1	<0.001	<0.01	0.24	3.3	0.3	0.7	18.8	<0.01	0.03	1.9
I314608		1.83	17.3	280	11.8	14.0	<0.001	<0.01	0.39	3.4	0.4	0.6	15.2	<0.01	0.04	2.1
I314609		1.62	11.1	220	10.9	9.7	<0.001	<0.01	0.29	2.5	0.3	0.6	12.4	<0.01	0.03	1.5
I314610		1.58	9.8	230	7.5	8.1	0.001	<0.01	0.23	2.6	0.3	0.5	11.7	<0.01	0.02	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314571		0.011	0.05	0.40	13	<0.05	6.92	17	2.2
I314572		0.043	0.08	2.01	32	0.07	14.45	33	2.6
I314573		0.054	0.09	0.95	41	0.16	9.56	44	2.6
I314574		0.071	0.10	2.12	47	0.10	17.05	53	2.1
I314575		0.089	0.10	0.69	54	0.12	5.68	57	3.6
I314576		0.082	0.07	0.68	54	0.16	8.16	61	1.4
I314577		0.087	0.07	0.57	60	0.20	5.77	46	1.0
I314578		0.092	0.06	0.61	60	0.22	8.46	57	1.6
I314579		0.104	0.08	0.62	66	0.16	7.29	51	3.0
I314580		0.106	0.06	0.72	65	0.33	6.51	50	2.6
I314581		0.117	0.06	0.59	70	0.12	8.63	54	5.7
I314582		0.059	0.10	2.88	41	0.10	22.4	40	4.2
I314583		0.085	0.12	0.76	59	0.17	12.25	56	3.0
I314584		0.074	0.12	0.64	59	0.15	3.56	48	2.5
I314585		0.086	0.10	0.39	67	0.15	2.81	53	1.5
I314586		0.088	0.10	0.37	66	0.16	2.85	47	1.8
I314587		0.052	0.08	1.07	45	0.10	6.49	42	1.7
I314588		0.095	0.12	1.21	56	0.15	11.35	52	6.3
I314589		0.079	0.10	0.51	63	0.13	4.42	51	3.5
I314590		0.081	0.08	0.51	52	0.21	3.94	36	1.2
I314591		0.086	0.09	0.59	55	0.12	7.53	49	1.0
I314592		0.059	0.06	1.23	39	0.16	8.33	47	1.7
I314593		0.055	0.12	0.77	35	0.09	7.32	52	1.7
I314594		0.044	0.09	0.96	34	0.49	10.05	50	3.0
I314595		0.013	0.09	0.58	11	0.07	5.58	15	3.5
I314596		0.081	0.10	0.62	69	0.22	3.28	34	1.0
I314597		0.102	0.12	0.40	98	0.21	2.22	37	0.9
I314598		0.072	0.11	0.40	78	0.24	2.08	32	1.1
I314599		0.070	0.05	0.38	48	0.15	2.78	53	1.0
I314600		0.083	0.07	0.80	78	0.20	5.38	53	1.3
I314601		0.090	0.06	0.54	54	0.27	4.74	50	2.6
I314602		0.076	0.10	0.42	52	0.15	2.55	31	0.5
I314603		0.079	0.11	0.51	74	0.23	2.63	31	1.6
I314604		0.070	0.11	0.41	74	0.17	3.32	32	1.1
I314605		0.052	0.09	0.58	66	0.20	2.60	38	0.9
I314606		0.054	0.08	0.53	50	0.14	3.05	20	0.6
I314607		0.038	0.16	0.46	76	0.21	2.80	39	0.7
I314608		0.057	0.13	0.48	72	0.21	3.23	43	0.8
I314609		0.059	0.10	0.35	67	0.22	2.46	30	0.6
I314610		0.068	0.09	0.40	50	0.12	3.08	31	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314611		0.24	<0.005	0.02	0.36	1.1	<0.2	<10	30	<0.05	0.06	0.03	0.03	8.22	0.5	3
I314612		0.24	<0.005	0.05	1.93	9.8	<0.2	<10	90	0.25	0.17	0.10	0.05	18.30	6.3	29
I314613		0.20	<0.005	0.24	2.81	11.5	<0.2	<10	200	0.75	0.19	0.11	0.09	17.30	9.8	37
I314614		0.20	<0.005	0.21	1.14	3.1	<0.2	<10	190	0.12	0.12	0.30	0.09	9.07	5.6	15
I314615		0.22	<0.005	0.10	1.66	8.1	<0.2	<10	150	0.26	0.18	0.12	0.05	18.00	5.3	26
I314616		0.22	<0.005	0.37	1.76	4.6	<0.2	<10	280	1.02	0.19	0.13	0.13	66.5	6.5	20
I314617		0.22	<0.005	0.10	2.15	9.0	<0.2	<10	140	0.30	0.16	0.10	0.06	19.30	6.9	28
I314618		0.30	<0.005	0.10	1.24	6.0	<0.2	<10	120	0.18	0.17	0.12	0.07	14.75	4.6	20
I314619		0.28	<0.005	0.23	1.41	7.0	<0.2	<10	170	0.35	0.17	0.13	0.28	19.40	8.1	26
I314620		0.32	<0.005	0.10	0.82	4.8	<0.2	<10	210	0.13	0.19	0.11	0.18	16.60	4.7	13
I314621		0.24	<0.005	0.11	0.85	13.9	<0.2	<10	100	0.27	0.26	0.14	0.32	42.0	5.1	13
I314622		0.26	<0.005	0.09	1.10	5.6	<0.2	<10	110	0.14	0.19	0.14	0.09	20.2	3.2	14
I314623		0.22	<0.005	0.23	1.66	8.3	<0.2	<10	190	0.60	0.24	0.16	0.27	20.1	11.7	23
I314624		0.24	<0.005	0.10	1.42	7.6	<0.2	<10	140	0.28	0.21	0.10	0.11	19.00	5.5	22
I314625		0.26	<0.005	0.05	1.41	4.2	<0.2	<10	140	0.30	0.14	0.12	0.08	25.9	6.7	18
I314626		0.22	0.005	0.70	1.66	4.3	<0.2	<10	430	0.98	0.23	0.24	0.79	44.5	20.4	24
I314627		0.28	NSS	0.02	0.21	7.4	<0.2	<10	60	0.28	0.03	0.36	0.19	25.8	8.4	6
I314628		0.18	0.020	2.66	2.77	13.5	<0.2	<10	1040	1.94	0.26	0.77	0.41	168.0	10.3	24
I314629		0.20	<0.005	0.27	1.88	3.7	<0.2	<10	250	0.60	0.16	0.55	0.09	34.9	10.5	22
I314630		0.26	<0.005	0.15	1.25	5.6	<0.2	<10	280	0.18	0.16	0.26	0.06	14.95	5.9	22
I314631		0.22	<0.005	0.26	1.88	5.9	<0.2	<10	370	0.63	0.19	0.47	0.08	43.4	12.1	27
I314632		0.22	<0.005	0.11	0.92	5.4	<0.2	<10	200	0.15	0.10	0.29	0.08	19.90	4.8	31
I314633		0.22	<0.005	0.36	1.57	6.1	<0.2	<10	400	0.42	0.18	0.42	0.13	28.3	10.9	28
I314634		0.20	<0.005	0.20	1.37	4.4	<0.2	<10	400	0.30	0.14	0.33	0.09	17.20	8.3	23
I314635		0.26	<0.005	0.25	1.67	4.9	<0.2	<10	510	0.36	0.13	0.37	0.07	21.8	9.5	44
I314636		0.24	<0.005	0.17	1.11	3.3	<0.2	<10	180	0.17	0.14	0.12	0.04	22.6	9.0	16
I314637		0.22	<0.005	0.16	1.12	3.2	<0.2	<10	180	0.16	0.13	0.12	0.04	20.0	7.9	16
I314638		0.20	<0.005	0.11	0.79	3.4	<0.2	<10	140	0.12	0.15	0.14	0.06	18.05	3.8	13
I314639		0.24	<0.005	0.16	1.72	3.8	<0.2	<10	200	0.21	0.13	0.22	0.03	20.7	9.5	26
I314640		0.18	<0.005	0.15	1.32	5.2	<0.2	<10	310	0.26	0.15	0.46	0.11	20.9	7.7	22
I314641		0.24	<0.005	0.08	1.61	6.0	<0.2	<10	320	0.32	0.14	0.36	0.06	26.1	8.6	30
I314642		0.26	<0.005	0.10	1.65	6.5	<0.2	<10	230	0.36	0.16	0.46	0.10	27.8	10.2	28
I314643		0.20	<0.005	0.06	1.61	6.2	<0.2	<10	320	0.36	0.15	0.52	0.24	22.9	9.5	26
I314644		0.32	<0.005	0.06	1.40	5.2	<0.2	<10	280	0.27	0.14	0.31	0.08	18.55	13.2	24
I314645		0.30	<0.005	0.03	1.58	5.9	<0.2	<10	230	0.27	0.12	0.23	0.05	15.50	10.8	23
I314646		0.24	<0.005	0.03	1.66	6.6	<0.2	<10	320	0.42	0.14	0.45	0.06	18.20	13.1	25
I314647		0.28	<0.005	0.07	1.79	5.2	<0.2	<10	320	0.42	0.13	0.76	0.06	25.5	10.9	26
I314648		0.30	<0.005	0.06	1.86	6.4	<0.2	<10	250	0.46	0.14	0.52	0.06	23.6	11.8	29
I314649		0.34	<0.005	0.03	2.09	8.3	<0.2	<10	120	0.50	0.17	0.16	0.05	22.2	9.1	28
I314650		0.36	<0.005	0.06	1.71	5.6	<0.2	<10	170	0.52	0.16	0.20	0.04	17.90	6.8	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314611		0.34	3.4	0.35	3.00	<0.05	<0.02	0.01	<0.005	0.02	4.5	0.8	0.03	29	0.22
I314612		1.03	13.2	3.44	7.98	0.07	0.03	0.02	0.025	0.03	10.2	14.5	0.38	222	0.97
I314613		2.21	16.1	3.69	7.99	0.07	0.16	0.04	0.036	0.05	8.3	24.4	0.46	356	1.30
I314614		0.83	8.7	1.90	6.18	<0.05	<0.02	0.04	0.013	0.05	5.0	7.3	0.42	308	0.69
I314615		1.02	10.9	2.84	7.68	0.06	<0.02	0.01	0.020	0.05	10.0	11.0	0.40	250	1.36
I314616		1.28	29.7	2.19	6.86	0.11	0.03	0.04	0.028	0.04	36.1	9.1	0.27	1100	1.42
I314617		1.07	14.1	3.52	7.38	0.06	0.04	0.02	0.025	0.05	10.5	17.0	0.39	226	4.41
I314618		0.64	7.8	2.41	6.72	0.05	<0.02	0.02	0.015	0.04	8.3	7.2	0.25	243	1.20
I314619		1.50	13.0	2.24	7.27	0.07	0.02	0.02	0.020	0.04	9.4	19.3	0.45	454	1.15
I314620		0.93	8.9	1.57	6.07	0.05	<0.02	0.01	0.012	0.03	9.1	5.6	0.16	1420	1.21
I314621		1.93	12.5	1.58	3.55	0.05	<0.02	0.02	0.022	0.06	21.5	6.8	0.22	217	1.84
I314622		0.82	6.0	1.54	5.60	<0.05	<0.02	0.01	0.012	0.03	10.6	7.3	0.22	182	0.83
I314623		0.97	15.1	2.53	7.69	0.05	0.02	0.03	0.026	0.03	10.1	11.8	0.28	1180	1.99
I314624		0.82	9.7	2.29	6.62	<0.05	<0.02	0.02	0.017	0.03	9.7	11.6	0.30	162	1.39
I314625		0.55	9.9	2.06	5.02	0.05	0.07	0.01	0.018	0.04	13.9	14.0	0.45	238	0.65
I314626		0.83	25.9	2.61	7.35	0.07	0.05	0.04	0.032	0.06	20.7	9.5	0.31	4880	1.52
I314627		0.20	4.9	1.76	1.24	0.05	0.10	0.01	0.006	0.03	12.8	3.1	0.15	633	1.16
I314628		1.95	70.7	3.24	10.05	0.41	0.25	0.08	0.050	0.13	217	22.4	0.39	1200	3.74
I314629		0.78	24.7	2.39	6.48	0.09	0.11	0.02	0.024	0.05	40.2	11.7	0.52	431	0.68
I314630		0.40	11.9	2.09	5.76	<0.05	0.04	0.01	0.016	0.07	7.8	9.1	0.40	174	1.05
I314631		0.71	28.9	2.78	6.15	0.19	0.16	0.03	0.030	0.12	88.3	12.3	0.45	2020	1.36
I314632		0.36	7.0	1.94	4.89	<0.05	0.02	0.01	0.011	0.14	9.0	7.8	0.36	353	1.12
I314633		0.73	24.1	2.51	6.28	0.09	0.08	0.03	0.025	0.10	29.6	8.9	0.36	1400	1.37
I314634		0.41	14.3	2.35	5.18	<0.05	0.04	0.03	0.019	0.11	8.2	8.7	0.33	1460	1.38
I314635		0.47	11.4	2.48	6.31	<0.05	<0.02	0.02	0.018	0.08	10.4	11.1	0.42	1300	1.55
I314636		0.61	8.3	2.02	5.82	<0.05	0.02	0.02	0.015	0.05	10.3	7.1	0.27	788	1.25
I314637		0.54	7.1	1.98	5.16	<0.05	0.02	0.02	0.014	0.05	9.2	7.3	0.28	720	1.12
I314638		0.20	8.5	1.64	4.86	<0.05	<0.02	0.02	0.012	0.05	9.0	4.5	0.18	320	1.17
I314639		1.26	18.9	2.78	6.38	0.06	0.04	0.03	0.016	0.15	10.2	13.9	0.71	406	1.25
I314640		0.59	20.0	1.98	5.21	<0.05	0.02	0.04	0.019	0.08	10.2	7.8	0.33	1280	1.11
I314641		0.45	20.6	2.40	5.85	0.06	0.06	0.02	0.022	0.07	13.5	10.9	0.46	427	0.72
I314642		0.49	20.0	2.49	5.40	0.06	0.11	0.04	0.022	0.10	13.5	13.5	0.53	332	0.86
I314643		0.53	19.3	2.49	4.98	0.06	0.05	0.03	0.022	0.07	11.7	11.4	0.45	382	1.13
I314644		0.49	12.2	2.46	5.35	0.05	0.11	0.02	0.019	0.11	7.9	11.3	0.52	588	0.81
I314645		0.52	14.4	2.53	6.18	0.05	0.04	0.01	0.017	0.07	7.7	16.0	0.74	239	0.92
I314646		0.54	17.3	2.59	6.44	0.06	0.14	0.02	0.022	0.10	8.6	13.7	0.66	552	0.82
I314647		0.40	27.2	2.52	5.59	0.05	0.11	0.03	0.020	0.06	12.1	10.1	0.52	623	0.63
I314648		0.54	21.9	2.58	5.93	0.05	0.28	0.02	0.025	0.05	11.5	10.7	0.51	312	0.59
I314649		1.22	13.6	3.25	9.31	0.06	0.07	0.02	0.028	0.05	8.9	21.0	0.39	177	1.17
I314650		1.36	14.6	2.69	7.41	<0.05	0.03	0.02	0.022	0.05	9.8	12.0	0.30	155	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314611		0.18	1.0	130	2.2	3.3	<0.001	<0.01	0.06	0.5	0.2	0.3	4.2	<0.01	0.01
I314612		1.96	14.0	310	9.5	9.3	<0.001	<0.01	0.37	3.6	0.4	0.6	10.5	0.01	0.03
I314613		2.77	18.1	420	11.6	15.5	<0.001	<0.01	0.42	4.3	0.4	0.8	11.0	0.01	0.05
I314614		1.05	7.9	490	5.9	13.1	<0.001	0.01	0.21	2.3	0.4	0.4	22.7	<0.01	0.03
I314615		1.87	14.7	400	7.8	12.6	<0.001	<0.01	0.32	2.7	0.3	0.6	12.2	<0.01	0.03
I314616		1.41	13.9	1120	13.8	12.2	0.001	0.01	0.24	3.7	0.9	0.6	18.1	0.01	0.04
I314617		1.76	15.6	410	8.5	13.5	<0.001	<0.01	0.38	3.2	0.4	0.5	12.4	<0.01	0.03
I314618		1.44	11.4	290	8.8	9.5	<0.001	<0.01	0.36	1.8	0.2	0.6	11.2	<0.01	0.02
I314619		1.66	14.1	240	10.1	17.4	<0.001	<0.01	0.23	3.2	0.2	0.7	17.6	<0.01	0.04
I314620		1.14	7.2	240	7.8	10.7	<0.001	<0.01	0.21	2.0	0.2	0.5	15.9	<0.01	0.02
I314621		0.54	13.4	370	10.7	8.8	<0.001	<0.01	0.45	1.6	0.6	0.3	18.7	<0.01	0.03
I314622		0.60	7.2	340	7.3	6.4	<0.001	<0.01	0.18	1.4	0.3	0.5	13.7	<0.01	0.02
I314623		1.25	15.4	400	13.2	7.0	<0.001	<0.01	0.40	2.8	0.6	0.7	18.2	<0.01	0.05
I314624		1.29	12.1	200	12.4	6.7	<0.001	<0.01	0.35	2.2	0.5	0.6	15.0	<0.01	0.03
I314625		0.81	11.5	140	7.6	6.6	<0.001	<0.01	0.24	2.7	0.3	0.4	13.3	<0.01	0.02
I314626		1.26	21.4	1060	11.1	10.5	<0.001	0.01	0.30	4.8	0.8	0.6	30.9	<0.01	0.05
I314627		0.59	14.9	510	3.8	3.9	<0.001	<0.01	0.47	1.7	0.3	0.2	11.0	<0.01	0.01
I314628		0.96	32.8	780	10.6	14.1	0.003	0.02	0.40	15.1	3.9	0.6	78.8	0.03	0.07
I314629		1.73	14.7	210	8.0	8.1	<0.001	0.01	0.28	5.0	1.1	0.6	33.1	0.01	0.03
I314630		1.19	11.5	190	6.8	11.6	<0.001	0.01	0.28	2.9	0.4	0.5	17.0	<0.01	0.02
I314631		1.43	17.5	230	8.6	25.3	<0.001	<0.01	0.44	6.8	1.2	0.5	25.9	0.01	0.04
I314632		0.90	10.1	210	4.8	14.1	<0.001	<0.01	0.24	2.7	0.3	0.4	14.3	<0.01	0.02
I314633		1.49	20.6	300	8.6	17.8	<0.001	0.01	0.45	4.9	0.8	0.5	26.3	<0.01	0.03
I314634		1.21	14.3	270	6.6	13.0	<0.001	<0.01	0.31	3.4	0.4	0.5	21.9	<0.01	0.03
I314635		1.16	18.0	360	7.2	10.0	<0.001	0.01	0.27	3.6	0.5	0.5	21.6	<0.01	0.03
I314636		1.19	8.4	240	6.0	8.9	<0.001	<0.01	0.22	2.9	0.4	0.5	11.5	<0.01	0.02
I314637		1.06	7.5	230	5.5	8.3	<0.001	<0.01	0.21	2.7	0.4	0.5	10.5	<0.01	0.03
I314638		1.10	7.9	210	5.9	4.0	<0.001	<0.01	0.28	2.0	0.3	0.5	11.5	<0.01	0.02
I314639		1.29	13.3	230	5.9	26.7	<0.001	<0.01	0.30	4.5	0.4	0.5	16.9	<0.01	0.04
I314640		1.16	15.6	360	6.3	18.4	<0.001	0.01	0.35	3.4	0.6	0.5	29.0	<0.01	0.03
I314641		1.39	17.2	210	6.4	8.5	<0.001	<0.01	0.38	4.7	0.7	0.5	26.6	<0.01	0.03
I314642		1.54	17.2	460	8.0	10.1	<0.001	0.01	0.53	4.9	0.6	0.5	30.3	<0.01	0.03
I314643		1.19	15.6	600	7.1	9.1	<0.001	0.02	0.47	4.2	1.2	0.4	29.6	<0.01	0.03
I314644		1.70	15.2	260	7.1	19.4	<0.001	<0.01	0.39	4.1	0.4	0.5	21.0	<0.01	0.02
I314645		1.67	13.7	350	6.8	8.9	<0.001	<0.01	0.34	3.4	0.3	0.5	20.7	<0.01	0.03
I314646		1.81	17.3	330	7.7	12.4	<0.001	<0.01	0.41	5.0	0.4	0.5	28.9	<0.01	0.03
I314647		1.50	16.2	270	6.6	7.4	0.001	0.01	0.42	4.6	0.8	0.4	38.4	<0.01	0.03
I314648		1.56	17.5	210	7.1	7.6	<0.001	<0.01	0.38	6.1	1.0	0.5	33.3	<0.01	0.03
I314649		1.60	16.9	180	16.2	12.3	<0.001	<0.01	0.56	3.8	0.4	1.4	19.0	<0.01	0.03
I314650		1.19	12.6	190	13.0	14.0	<0.001	<0.01	0.31	3.5	0.4	0.9	19.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113329

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314611		0.022	0.02	0.15	11	<0.05	1.99	4	<0.5
I314612		0.082	0.09	0.40	80	0.19	2.92	34	2.3
I314613		0.094	0.13	0.50	77	0.21	3.39	55	5.2
I314614		0.086	0.07	0.26	50	0.15	1.88	25	0.5
I314615		0.067	0.09	0.32	69	0.20	2.10	33	1.3
I314616		0.056	0.11	1.18	46	0.17	14.15	22	0.7
I314617		0.057	0.10	0.40	64	0.17	2.86	37	2.6
I314618		0.067	0.08	0.24	67	0.27	1.46	22	0.5
I314619		0.059	0.11	0.30	63	0.15	2.59	50	<0.5
I314620		0.054	0.10	0.26	48	0.15	1.76	44	0.6
I314621		0.024	0.08	0.42	30	0.17	3.87	53	<0.5
I314622		0.032	0.09	0.24	41	0.11	1.66	29	<0.5
I314623		0.036	0.12	0.49	62	0.16	2.93	36	0.5
I314624		0.048	0.09	0.38	59	0.14	2.03	31	<0.5
I314625		0.031	0.06	0.35	43	0.08	2.42	42	2.4
I314626		0.050	0.09	0.66	56	0.14	10.50	84	1.5
I314627		0.018	0.12	0.68	13	0.06	6.77	17	4.7
I314628		0.014	0.08	4.07	57	0.18	161.5	52	3.4
I314629		0.053	0.06	0.79	58	0.10	35.5	36	3.2
I314630		0.058	0.07	0.28	56	0.25	2.26	29	1.5
I314631		0.068	0.09	0.86	56	0.12	47.8	47	3.8
I314632		0.048	0.05	0.25	37	0.10	2.52	29	0.7
I314633		0.067	0.07	0.52	54	0.14	17.95	32	2.5
I314634		0.056	0.07	0.29	48	0.11	3.13	32	1.3
I314635		0.047	0.08	0.29	54	0.13	2.49	31	0.5
I314636		0.056	0.08	0.25	46	0.11	1.95	26	0.7
I314637		0.052	0.06	0.22	45	0.10	1.82	26	0.7
I314638		0.054	0.05	0.23	44	0.11	1.70	24	0.5
I314639		0.113	0.08	0.22	57	0.10	2.09	33	1.8
I314640		0.063	0.05	0.35	46	0.13	2.93	28	1.0
I314641		0.075	0.05	0.47	56	0.25	4.67	35	2.5
I314642		0.096	0.05	0.47	55	0.14	5.84	53	4.0
I314643		0.076	0.05	0.65	51	0.13	6.39	51	1.8
I314644		0.088	0.07	0.31	56	0.12	2.40	46	3.8
I314645		0.098	0.06	0.34	58	0.12	2.21	44	1.6
I314646		0.094	0.07	0.38	60	0.13	2.89	43	4.7
I314647		0.084	0.04	0.49	60	0.12	6.79	37	4.3
I314648		0.099	0.06	0.91	61	0.12	6.32	38	10.6
I314649		0.047	0.12	0.67	64	0.14	3.47	40	2.8
I314650		0.060	0.11	0.58	61	0.08	3.38	36	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113329

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **9-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10113881

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 275 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I032176		0.36	<0.005	0.09	1.97	3.3	<0.2	<10	260	0.30	0.32	0.50	0.09	27.0	8.6	13
I032177		0.38	0.009	0.36	1.79	7.4	<0.2	<10	220	0.32	0.20	0.35	0.13	24.6	8.1	23
I032178		0.30	0.007	0.20	1.74	11.2	<0.2	<10	250	0.34	0.17	0.40	0.14	24.9	13.3	23
I032179		0.38	<0.005	0.11	1.86	29.7	<0.2	<10	220	0.38	0.11	0.36	0.10	22.9	11.7	19
I032180		0.40	<0.005	0.21	1.65	11.9	<0.2	<10	240	0.40	0.15	0.41	0.20	30.5	14.0	20
I032181		0.30	0.007	0.38	1.67	14.8	<0.2	<10	400	0.52	0.16	0.69	0.31	49.6	14.1	22
I032182		0.36	<0.005	0.21	2.03	8.4	<0.2	<10	240	0.36	0.10	0.31	0.21	24.5	11.9	22
I032183		0.36	0.007	0.19	1.65	8.2	<0.2	<10	310	0.38	0.11	0.67	0.22	29.8	12.9	20
I032184		0.46	0.005	0.10	1.61	8.5	<0.2	<10	250	0.32	0.14	0.50	0.14	23.1	11.7	22
I032185		0.26	0.010	0.62	2.72	15	<0.2	10	1270	1.34	0.13	11.05	1.13	135.5	12.0	27
I032186		0.34	0.007	0.21	1.16	12.8	<0.2	<10	170	0.25	0.10	0.48	0.19	15.20	7.0	15
I032187		0.34	0.008	0.12	1.69	13.1	<0.2	<10	310	0.54	0.18	0.48	0.13	30.9	11.6	24
I032188		0.34	0.005	0.12	2.04	7.0	<0.2	<10	310	0.28	0.10	0.35	0.16	11.35	17.1	16
I032189		0.30	<0.005	0.24	1.96	10.1	<0.2	<10	370	0.44	0.17	0.47	0.22	17.20	21.9	28
I032190		0.40	0.005	0.13	2.05	7.4	<0.2	<10	420	0.47	0.15	0.17	0.11	26.7	16.6	29
I032191		0.34	<0.005	0.14	2.11	7.8	<0.2	<10	390	0.42	0.15	0.18	0.12	25.1	16.3	30
I032192		0.34	0.006	0.10	1.83	8.5	<0.2	<10	270	0.46	0.17	0.17	0.15	25.3	15.5	30
I032193		0.32	0.007	0.13	1.68	8.6	<0.2	<10	300	0.46	0.16	0.56	0.16	48.3	11.3	22
I032194		0.36	0.008	0.12	1.72	7.5	<0.2	<10	280	0.46	0.16	0.48	0.21	34.6	11.8	26
I032195		0.34	<0.005	0.17	1.81	6.8	<0.2	<10	240	0.39	0.17	0.42	0.30	23.2	11.5	25
I032196		0.28	<0.005	0.34	1.38	6.9	<0.2	<10	240	0.31	0.14	0.44	0.28	22.5	10.7	21
I032197		0.34	0.005	0.23	1.92	4.8	<0.2	<10	270	0.46	0.12	0.56	0.97	15.00	17.5	26
I032198		0.32	<0.005	0.15	1.76	8.4	<0.2	<10	310	0.51	0.17	0.35	0.24	23.2	12.2	29
I032199		0.34	<0.005	0.15	1.58	6.4	<0.2	<10	410	0.46	0.18	0.51	0.29	19.60	10.1	27
I032200		0.34	<0.005	0.15	1.83	6.9	<0.2	<10	390	0.49	0.16	0.53	0.56	20.6	13.5	25
I032201		0.38	<0.005	0.12	2.11	4.1	<0.2	<10	660	0.51	0.12	0.51	0.10	23.5	18.5	41
I032202		0.34	<0.005	0.12	1.52	6.2	<0.2	<10	420	0.38	0.14	0.58	0.21	24.6	14.4	28
I032203		0.30	<0.005	0.06	2.72	3.7	<0.2	<10	570	0.51	0.08	0.52	0.15	26.2	24.4	72
I032204		0.40	<0.005	0.04	2.09	3.6	<0.2	<10	360	0.58	0.09	0.38	0.12	36.2	12.9	29
I032205		0.36	<0.005	0.30	1.72	4.5	<0.2	<10	520	0.45	0.12	0.29	0.16	27.8	11.8	23
I032206		0.36	<0.005	0.08	1.56	5.3	<0.2	<10	440	0.41	0.13	0.35	0.15	26.8	13.3	27
I032207		0.42	<0.005	0.17	1.55	4.9	<0.2	<10	260	0.26	0.13	0.29	0.19	13.40	8.8	22
I032208		0.28	0.006	0.31	2.63	3.8	<0.2	<10	460	0.34	0.11	0.49	0.28	22.4	24.3	33
I032209		0.44	<0.005	0.16	2.74	4.8	<0.2	<10	380	0.31	0.09	0.47	0.23	21.4	23.7	35
I032210		0.52	<0.005	0.02	0.15	1.8	<0.2	<10	30	0.10	0.02	0.09	0.04	11.40	2.5	4
I032211		0.34	<0.005	0.15	2.53	4.4	<0.2	<10	290	0.33	0.10	0.35	0.27	22.4	22.2	39
I032212		0.38	<0.005	0.23	2.20	5.0	<0.2	<10	340	0.35	0.12	0.43	0.29	24.3	21.6	49
I032213		0.40	<0.005	0.26	2.31	5.0	<0.2	<10	300	0.30	0.12	0.37	0.26	17.85	24.5	51
I032214		0.26	<0.005	0.23	1.84	8.0	<0.2	<10	340	0.47	0.18	0.52	0.48	30.1	17.6	37
I032215		0.38	<0.005	0.22	1.78	6.6	<0.2	<10	260	0.33	0.14	0.32	0.18	13.65	15.3	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032176		10.35	54.2	2.92	7.24	0.06	0.03	0.01	0.024	0.50	14.6	15.4	0.95	394	1.26
I032177		3.70	19.4	2.82	6.37	0.06	0.06	0.04	0.026	0.11	13.2	19.1	0.58	316	0.78
I032178		3.24	16.6	2.99	6.45	0.06	0.03	0.05	0.023	0.13	12.9	19.4	0.61	695	1.11
I032179		5.45	16.0	3.14	6.04	0.06	0.04	0.02	0.023	0.29	11.8	22.6	0.71	249	1.13
I032180		5.24	19.7	2.66	7.14	0.06	0.03	0.04	0.020	0.13	14.9	19.9	0.59	436	1.26
I032181		5.80	26.3	2.57	7.19	0.10	0.05	0.07	0.024	0.13	24.8	19.6	0.62	578	1.52
I032182		5.20	27.7	3.43	9.68	0.08	0.04	0.04	0.020	0.58	13.3	17.7	0.84	309	1.50
I032183		3.93	27.6	2.67	7.00	0.07	0.05	0.05	0.023	0.19	14.6	19.3	0.65	433	0.97
I032184		2.92	20.0	2.71	6.40	0.06	0.05	0.03	0.021	0.16	11.8	18.1	0.61	342	1.09
I032185		7.13	91.0	3.44	6.94	0.26	0.45	0.03	0.038	0.34	96.4	13.6	0.91	1780	2.18
I032186		6.84	17.0	2.27	7.94	0.05	0.03	0.01	0.015	0.27	7.3	8.0	0.47	375	1.49
I032187		4.80	22.6	2.76	7.16	0.07	0.10	0.03	0.024	0.13	16.9	18.8	0.62	396	0.82
I032188		4.65	21.4	3.55	8.06	0.06	0.05	0.02	0.015	0.31	5.5	22.5	0.94	539	1.18
I032189		4.70	34.1	3.34	9.23	0.06	0.05	0.03	0.028	0.24	7.6	17.9	0.70	860	1.45
I032190		1.77	19.7	3.32	8.94	0.06	0.05	0.02	0.027	0.23	11.9	15.9	0.62	767	1.00
I032191		1.98	19.9	3.47	9.24	0.06	0.05	0.03	0.028	0.24	11.2	17.2	0.66	649	1.10
I032192		1.52	14.5	3.09	8.20	0.05	0.03	0.03	0.028	0.12	11.2	13.9	0.48	665	1.21
I032193		3.10	21.4	2.74	7.95	0.11	0.08	0.07	0.031	0.11	25.6	17.9	0.59	438	0.94
I032194		2.17	24.5	2.66	7.62	0.08	0.05	0.07	0.029	0.09	17.0	19.3	0.60	390	0.93
I032195		3.46	21.0	2.89	8.45	0.06	0.09	0.03	0.029	0.07	11.0	18.5	0.57	489	1.22
I032196		3.09	20.9	2.63	7.84	0.06	0.03	0.03	0.026	0.11	9.9	12.6	0.45	467	1.46
I032197		4.97	26.1	4.00	12.00	0.08	0.05	0.02	0.023	0.26	7.0	19.4	0.86	1220	1.59
I032198		1.93	18.8	2.90	7.03	0.06	0.08	0.03	0.029	0.09	10.4	13.9	0.52	442	0.86
I032199		1.43	20.7	2.70	5.59	0.05	0.04	0.03	0.021	0.12	10.3	10.5	0.50	989	0.83
I032200		2.23	15.0	3.46	8.87	0.06	0.03	0.03	0.036	0.18	8.9	17.1	0.70	953	1.37
I032201		0.70	19.1	3.10	8.42	0.06	0.11	0.01	0.026	0.14	9.3	10.5	0.74	1160	1.07
I032202		0.53	19.7	2.61	6.17	0.05	0.07	0.02	0.023	0.22	9.3	9.8	0.48	881	1.30
I032203		1.65	36.0	4.06	13.15	0.11	0.10	0.01	0.027	0.75	13.0	21.8	1.72	1060	0.98
I032204		1.20	17.5	3.45	11.80	0.07	0.06	0.01	0.036	0.39	13.2	13.7	0.89	695	0.96
I032205		0.55	11.4	2.81	8.56	0.05	0.04	0.02	0.029	0.11	12.2	9.9	0.45	1140	1.40
I032206		0.44	12.5	2.56	6.51	0.06	0.06	0.02	0.025	0.09	11.3	9.7	0.44	522	1.20
I032207		0.31	14.9	2.34	6.96	<0.05	0.03	0.01	0.019	0.05	6.3	8.2	0.39	358	1.41
I032208		1.00	63.9	3.97	11.00	0.09	0.05	0.02	0.038	0.28	9.5	15.1	1.31	1040	1.02
I032209		1.40	60.7	4.34	12.20	0.10	0.07	0.02	0.048	0.41	8.3	15.8	1.61	683	1.01
I032210		0.10	2.1	0.68	0.74	<0.05	0.08	<0.01	<0.005	0.05	5.5	1.5	0.05	168	0.33
I032211		1.46	52.0	3.93	11.30	0.09	0.06	0.01	0.034	0.47	9.6	16.0	1.49	389	1.14
I032212		1.03	39.1	3.44	9.42	0.07	0.06	0.02	0.027	0.35	9.8	15.4	1.22	915	1.28
I032213		0.94	35.3	3.61	10.50	0.06	0.05	0.02	0.025	0.22	7.6	16.4	1.27	704	1.44
I032214		0.42	23.7	2.96	7.11	0.06	0.13	0.02	0.032	0.18	12.0	11.6	0.57	1080	1.20
I032215		0.54	21.4	3.24	9.47	0.05	0.03	0.02	0.030	0.11	6.6	11.7	0.64	390	1.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032176		1.99	8.0	1050	6.5	37.2	<0.001	0.01	0.31	2.9	0.2	0.9	22.7	<0.01	0.04
I032177		1.57	11.8	570	9.5	15.1	<0.001	0.02	0.26	4.5	0.3	0.6	24.1	<0.01	0.01
I032178		1.23	11.8	570	10.4	17.8	<0.001	0.03	0.32	4.8	0.4	0.4	26.3	<0.01	0.02
I032179		1.04	9.3	830	7.3	25.5	<0.001	0.02	0.64	5.1	0.3	0.3	18.4	<0.01	0.03
I032180		1.56	12.1	830	11.4	20.0	<0.001	0.03	0.43	5.1	0.4	0.4	24.1	<0.01	0.03
I032181		1.31	14.2	750	11.1	20.0	<0.001	0.05	0.60	6.9	0.9	0.5	39.8	0.01	0.03
I032182		2.77	12.4	750	8.9	47.4	<0.001	0.03	0.38	5.9	0.5	0.5	20.8	<0.01	0.05
I032183		1.71	13.0	760	10.7	22.7	<0.001	0.02	0.47	6.3	0.6	0.4	29.2	<0.01	0.03
I032184		1.57	14.8	580	9.8	15.6	<0.001	0.02	0.44	4.8	0.4	0.5	26.1	<0.01	0.03
I032185		1.32	31.9	3530	9.4	22.7	0.001	0.17	2.66	15.0	2.7	0.4	357	0.04	0.06
I032186		1.97	8.2	270	5.9	32.9	<0.001	0.01	0.67	3.9	0.3	0.5	23.0	<0.01	0.02
I032187		1.37	16.8	660	11.5	17.9	<0.001	0.01	0.70	6.3	0.5	0.5	27.5	<0.01	0.03
I032188		1.64	12.7	640	7.0	33.7	<0.001	0.01	0.55	3.9	0.3	0.4	20.8	<0.01	0.02
I032189		1.82	21.9	400	11.4	34.2	<0.001	0.02	0.63	6.2	0.4	0.6	36.2	<0.01	0.03
I032190		1.47	21.4	240	8.4	21.9	<0.001	0.01	0.48	6.5	0.3	0.9	19.0	<0.01	0.03
I032191		1.59	22.2	250	9.0	23.3	<0.001	0.01	0.52	6.6	0.4	0.7	20.6	<0.01	0.03
I032192		1.48	19.5	360	9.4	18.8	<0.001	0.01	0.55	5.6	0.3	0.7	18.1	<0.01	0.03
I032193		1.43	14.5	860	9.2	14.0	<0.001	0.03	0.66	9.1	0.8	0.5	34.5	<0.01	0.03
I032194		1.55	18.1	610	11.0	14.8	<0.001	0.02	0.59	6.9	0.6	0.6	33.3	<0.01	0.03
I032195		1.34	17.3	610	12.5	16.4	<0.001	0.01	0.70	6.9	0.4	0.6	26.2	<0.01	0.03
I032196		1.32	14.8	480	11.6	19.8	<0.001	0.02	0.59	5.1	0.3	0.6	27.1	<0.01	0.03
I032197		1.61	13.6	760	55.4	37.9	<0.001	0.02	0.67	7.4	0.3	0.6	33.6	<0.01	0.03
I032198		1.46	20.4	250	16.3	12.0	<0.001	0.02	0.66	6.7	0.4	0.6	25.4	<0.01	0.03
I032199		1.08	17.2	280	19.4	10.1	<0.001	0.02	0.56	6.1	0.4	0.7	25.8	<0.01	0.02
I032200		1.30	14.9	660	43.0	21.5	<0.001	0.02	0.62	7.3	0.4	0.7	31.4	<0.01	0.03
I032201		1.67	24.6	180	7.6	15.9	<0.001	0.01	0.37	6.9	0.2	0.6	29.8	<0.01	0.03
I032202		1.77	20.7	270	9.0	21.5	<0.001	0.02	0.53	5.4	0.4	0.5	33.1	<0.01	0.03
I032203		2.83	35.7	380	6.9	49.6	<0.001	0.02	0.30	7.9	0.4	0.7	39.1	<0.01	0.02
I032204		4.17	16.4	300	11.7	36.1	<0.001	0.02	0.33	7.7	0.5	0.8	32.6	<0.01	0.03
I032205		2.33	15.5	270	9.2	10.9	<0.001	0.02	0.39	4.9	0.3	0.7	25.4	<0.01	0.03
I032206		1.64	17.6	240	8.3	8.1	<0.001	0.01	0.41	5.2	0.2	0.6	30.1	<0.01	0.03
I032207		2.07	13.5	230	10.9	3.9	<0.001	0.01	0.33	3.9	0.2	0.5	22.5	<0.01	0.04
I032208		1.15	22.3	640	6.1	15.8	<0.001	0.05	0.30	10.6	0.6	0.6	35.9	<0.01	0.07
I032209		0.99	18.3	640	5.9	28.3	<0.001	0.10	0.23	13.3	0.6	0.6	38.7	<0.01	0.10
I032210		0.14	4.2	130	1.6	2.6	<0.001	0.01	0.12	0.7	<0.2	<0.2	8.1	<0.01	<0.01
I032211		1.28	21.3	450	6.7	30.8	<0.001	0.04	0.27	9.6	0.5	0.5	26.8	<0.01	0.06
I032212		1.46	24.6	510	7.9	23.5	<0.001	0.03	0.32	7.3	0.4	0.6	33.9	<0.01	0.05
I032213		1.29	23.1	400	7.6	14.4	<0.001	0.02	0.35	6.7	0.3	0.5	29.6	<0.01	0.04
I032214		1.47	24.6	450	8.6	9.8	<0.001	0.02	0.49	7.4	0.5	0.6	38.1	<0.01	0.04
I032215		1.33	17.2	390	7.3	8.9	<0.001	0.08	0.38	5.2	0.4	0.6	36.4	<0.01	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032176		0.116	0.27	0.42	55	0.79	3.76	97	1.0
I032177		0.085	0.12	0.79	58	0.17	6.62	66	2.2
I032178		0.082	0.11	0.85	64	0.17	6.71	64	0.9
I032179		0.115	0.16	0.71	68	0.14	4.75	61	1.4
I032180		0.078	0.12	1.05	55	0.63	6.81	69	0.8
I032181		0.076	0.12	1.65	60	0.25	16.30	69	1.0
I032182		0.187	0.23	0.89	82	0.24	6.23	83	1.0
I032183		0.097	0.11	1.12	59	0.27	8.71	79	1.4
I032184		0.094	0.10	0.63	62	0.23	5.59	65	1.8
I032185		0.101	0.20	3.49	74	0.35	89.3	152	13.3
I032186		0.107	0.18	0.37	65	0.19	4.31	53	0.7
I032187		0.070	0.09	0.73	58	0.26	11.35	60	3.1
I032188		0.180	0.13	0.30	79	0.29	2.53	69	1.5
I032189		0.130	0.14	0.47	90	0.25	3.48	79	1.6
I032190		0.103	0.12	0.46	81	0.19	5.05	55	1.7
I032191		0.109	0.13	0.45	84	0.19	4.71	56	1.9
I032192		0.096	0.10	0.48	69	0.23	4.26	52	1.0
I032193		0.073	0.09	1.24	55	0.28	18.80	75	2.3
I032194		0.081	0.08	0.87	61	0.38	10.65	71	1.8
I032195		0.065	0.09	0.58	69	0.32	6.09	79	2.8
I032196		0.073	0.08	0.44	66	0.26	4.42	57	0.7
I032197		0.187	0.13	0.36	106	0.24	3.84	198	1.8
I032198		0.065	0.08	0.63	68	0.25	4.07	66	2.8
I032199		0.064	0.06	0.62	66	0.24	9.16	72	1.3
I032200		0.080	0.09	0.50	76	0.26	5.17	119	0.9
I032201		0.105	0.09	0.29	71	0.16	5.07	47	3.4
I032202		0.088	0.06	0.31	56	0.17	3.88	50	2.3
I032203		0.223	0.21	0.47	82	0.13	8.50	99	2.7
I032204		0.140	0.14	0.77	52	0.13	11.60	98	1.8
I032205		0.066	0.10	0.44	53	0.14	6.63	72	1.2
I032206		0.065	0.08	0.42	60	0.13	3.84	54	1.9
I032207		0.046	0.07	0.34	60	0.13	4.58	53	1.1
I032208		0.144	0.09	0.65	92	0.12	6.66	108	1.7
I032209		0.158	0.14	0.54	107	0.08	7.39	150	2.4
I032210		0.011	0.03	0.33	7	<0.05	2.41	8	2.4
I032211		0.175	0.15	0.43	93	0.12	6.35	103	2.1
I032212		0.144	0.11	0.48	84	0.17	4.82	93	1.9
I032213		0.144	0.10	0.42	81	0.11	3.57	95	1.9
I032214		0.093	0.07	0.47	67	0.16	6.54	75	4.3
I032215		0.096	0.07	0.37	67	0.09	2.89	75	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032216		0.38	0.005	0.22	1.72	5.9	<0.2	<10	250	0.26	0.14	0.30	0.19	15.90	15.6	36
I032217		0.40	0.005	0.24	2.17	6.3	<0.2	<10	440	0.29	0.12	0.58	0.31	16.85	21.1	27
I032218		0.28	0.005	0.15	1.94	5.7	<0.2	<10	400	0.31	0.12	0.61	0.13	21.6	15.0	27
I032219		0.28	<0.005	0.12	2.08	4.2	<0.2	<10	430	0.27	0.12	0.47	0.12	11.45	17.5	22
I032220		0.32	0.005	0.13	2.49	5.3	<0.2	<10	250	0.35	0.10	0.39	0.09	15.35	18.5	25
I032221		0.30	<0.005	0.16	2.45	5.8	<0.2	<10	280	0.38	0.10	0.39	0.12	15.90	17.5	27
I032222		0.38	<0.005	0.12	2.10	6.7	<0.2	<10	330	0.37	0.13	0.58	0.09	21.2	16.5	33
I032223		0.30	0.005	0.26	2.65	3.7	<0.2	<10	260	0.31	0.10	0.78	0.15	13.00	22.2	36
I032224		0.34	0.005	0.20	2.06	5.9	<0.2	<10	520	0.33	0.14	0.34	0.18	14.70	19.7	30
I032225		0.36	0.007	0.13	2.01	6.3	<0.2	<10	410	0.24	0.10	0.47	0.14	14.95	13.7	24
I032226		0.40	0.005	0.14	2.03	7.4	<0.2	<10	380	0.17	0.10	0.40	0.07	11.65	14.4	24
I032227		0.32	0.005	0.09	2.11	5.6	<0.2	<10	320	0.19	0.10	0.25	0.08	10.60	14.6	25
I032228		0.32	0.005	0.16	1.74	6.4	<0.2	<10	370	0.29	0.12	0.45	0.27	16.60	14.2	27
I032229		0.34	<0.005	0.09	1.87	7.4	<0.2	<10	220	0.24	0.13	0.24	0.09	11.25	12.5	26
I032230		0.50	<0.005	0.03	0.12	2.4	<0.2	<10	30	0.08	0.03	0.09	0.04	9.53	2.2	4
I032231		0.34	0.005	0.06	1.75	7.3	<0.2	<10	310	0.19	0.12	0.30	0.12	13.25	14.3	47
I032232		0.26	0.012	0.38	1.73	4.2	<0.2	<10	270	0.28	0.07	0.41	0.35	17.60	9.5	21
I032233		0.36	0.006	0.20	1.54	5.5	<0.2	<10	310	0.26	0.14	0.30	0.35	18.85	9.6	22
I032234		0.30	0.006	0.41	2.72	4.6	<0.2	<10	120	0.35	0.09	0.30	0.65	17.05	50.4	38
I032235		0.32	0.013	0.12	1.74	6.1	<0.2	<10	130	0.20	0.14	0.21	0.22	15.60	35.4	32
I032236		0.26	0.005	0.11	1.90	7.6	<0.2	<10	160	0.24	0.13	0.16	0.27	13.80	12.7	28
I032237		0.32	0.006	0.13	1.75	6.0	<0.2	<10	200	0.19	0.09	0.29	0.11	14.90	12.6	32
I032238		0.22	<0.005	0.27	1.83	5.2	<0.2	<10	310	0.26	0.13	0.27	0.20	19.10	25.2	24
I032239		0.32	<0.005	0.25	1.78	4.6	<0.2	<10	170	0.21	0.09	0.57	0.13	15.00	13.5	33
I032240		0.18	0.010	0.06	1.19	5.2	<0.2	<10	110	0.20	0.11	0.30	0.11	15.90	6.2	19
I032241		0.28	0.006	0.06	1.16	4.8	<0.2	<10	110	0.14	0.11	0.29	0.10	15.90	6.0	19
I032242		0.44	0.010	0.11	1.42	5.2	<0.2	<10	170	0.16	0.12	0.33	0.15	20.1	8.0	21
I032243		0.32	0.007	0.06	1.05	3.5	<0.2	<10	110	0.13	0.09	0.30	0.11	18.00	5.1	16
I032244		0.24	0.014	0.07	1.30	4.5	<0.2	<10	150	0.18	0.10	0.29	0.13	17.75	6.0	19
I032245		0.32	0.008	0.08	1.80	9.2	<0.2	<10	170	0.15	0.11	0.29	0.11	17.95	8.9	26
I032246		0.40	0.008	0.08	1.85	16.5	<0.2	<10	240	0.31	0.11	0.35	0.15	20.7	11.0	27
I032247		0.34	0.005	0.06	1.77	8.4	<0.2	<10	240	0.24	0.12	0.29	0.09	16.20	10.0	28
I032248		0.32	0.007	0.10	1.67	3.9	<0.2	<10	230	0.15	0.08	0.23	0.11	14.50	10.4	21
I032249		0.28	0.007	0.10	1.61	3.5	<0.2	<10	210	0.13	0.10	0.23	0.09	14.50	9.8	23
I032250		0.52	<0.005	0.02	0.11	6.7	<0.2	<10	30	0.07	0.06	0.08	0.04	10.55	2.4	4
I032251		0.22	NSS	0.09	0.92	2.7	<0.2	<10	140	0.11	0.09	0.18	0.09	12.65	4.7	16
I032252		0.40	0.006	0.06	2.04	6.0	<0.2	<10	140	0.20	0.14	0.22	0.15	15.45	9.2	30
I032253		0.42	0.006	0.05	2.05	6.2	<0.2	<10	310	0.30	0.12	0.35	0.11	18.65	12.8	35
I032254		0.52	<0.005	0.05	2.48	4.6	<0.2	<10	380	0.19	0.09	0.19	0.09	17.05	9.4	26
I032255		0.36	<0.005	0.20	2.75	3.0	<0.2	<10	350	0.15	0.11	0.47	0.09	15.85	15.1	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032216		0.41	27.4	3.23	6.59	0.07	0.04	0.02	0.027	0.20	7.7	8.8	0.70	460	1.29
I032217		1.26	44.9	4.16	7.74	0.11	0.06	0.02	0.026	0.65	6.9	12.3	1.02	848	1.25
I032218		1.06	26.3	3.23	6.45	0.10	0.09	0.03	0.027	0.45	9.3	11.3	0.88	1130	0.91
I032219		1.28	36.0	3.79	7.81	0.10	0.05	0.02	0.020	0.33	5.3	12.8	0.88	829	1.04
I032220		1.49	38.9	4.29	8.38	0.11	0.06	0.01	0.023	0.40	6.9	14.0	1.10	577	1.20
I032221		1.32	33.8	4.22	7.86	0.11	0.07	0.01	0.022	0.36	6.5	13.8	1.07	593	1.08
I032222		0.80	28.6	3.32	6.72	0.10	0.13	0.02	0.025	0.45	9.0	12.8	0.92	526	0.66
I032223		1.18	45.8	4.01	8.38	0.10	0.06	0.02	0.019	0.41	5.4	16.7	1.20	977	1.04
I032224		0.51	27.1	3.30	7.09	0.08	0.09	0.02	0.023	0.18	6.7	11.2	0.80	1160	0.84
I032225		0.99	26.7	3.36	7.54	0.09	0.06	0.01	0.027	0.34	7.4	14.2	1.13	495	0.70
I032226		1.15	31.1	3.50	7.83	0.10	0.06	0.02	0.024	0.45	5.8	15.5	1.12	455	0.81
I032227		1.37	26.7	3.72	8.54	0.10	0.03	0.01	0.020	0.31	5.4	12.0	1.38	372	1.03
I032228		0.48	25.3	2.85	5.93	0.07	0.04	0.03	0.022	0.28	6.6	9.9	0.63	1000	1.07
I032229		0.45	21.6	3.11	6.64	0.06	0.04	0.02	0.021	0.11	5.6	10.2	0.64	380	0.93
I032230		0.09	2.2	0.69	0.65	<0.05	0.06	<0.01	<0.005	0.04	4.9	1.2	0.04	158	0.34
I032231		0.80	44.7	3.26	8.17	0.08	0.04	0.03	0.016	0.25	6.0	13.3	0.95	386	0.99
I032232		0.69	39.5	2.76	6.88	0.10	0.04	0.06	0.015	0.25	9.4	9.8	0.85	213	0.82
I032233		0.44	21.1	2.71	6.87	0.08	0.02	0.04	0.023	0.10	9.8	10.2	0.54	1040	1.08
I032234		0.63	106.0	6.02	12.65	0.13	0.03	0.03	0.024	0.07	5.9	19.7	1.28	1540	2.35
I032235		0.71	40.2	3.42	8.11	0.08	0.04	0.03	0.018	0.06	6.6	10.5	0.63	783	1.56
I032236		0.92	25.9	3.60	8.08	0.08	0.03	0.03	0.022	0.14	6.6	13.2	0.64	592	1.22
I032237		0.46	44.3	3.04	6.37	0.09	0.04	0.02	0.021	0.16	7.6	10.0	0.87	254	1.29
I032238		0.81	31.9	3.48	8.28	0.09	0.02	0.02	0.033	0.26	8.9	8.5	0.76	1460	0.97
I032239		0.53	69.4	3.07	6.17	0.10	0.04	0.03	0.021	0.18	8.1	11.8	0.98	273	1.14
I032240		0.69	17.2	1.94	5.07	0.06	0.02	0.03	0.018	0.04	8.1	7.0	0.37	131	0.70
I032241		0.72	16.6	1.89	5.17	0.06	0.02	0.03	0.016	0.03	8.1	7.0	0.37	127	0.65
I032242		0.70	38.2	2.46	5.78	0.06	0.03	0.02	0.022	0.05	10.0	8.3	0.53	219	0.79
I032243		0.49	18.7	1.76	4.61	0.06	0.02	0.02	0.017	0.04	9.3	6.0	0.39	132	0.51
I032244		0.58	20.9	2.03	5.30	0.06	0.02	0.02	0.021	0.05	9.1	6.5	0.42	154	0.58
I032245		0.58	26.3	2.89	7.13	0.07	0.03	0.02	0.026	0.09	9.4	10.1	0.74	278	0.85
I032246		0.59	27.9	2.87	6.48	0.08	0.04	0.02	0.026	0.05	10.5	11.2	0.66	297	0.74
I032247		0.46	22.5	2.97	6.42	0.07	0.03	0.04	0.024	0.06	8.3	10.3	0.60	266	0.99
I032248		1.40	40.4	2.68	6.44	0.07	0.03	0.03	0.018	0.20	7.5	9.6	0.87	243	0.70
I032249		1.20	28.5	2.38	6.68	0.08	0.03	0.02	0.017	0.12	7.7	8.9	0.87	181	0.53
I032250		0.09	2.7	0.77	0.66	0.05	0.06	<0.01	<0.005	0.03	5.4	1.2	0.04	157	0.45
I032251		0.96	19.5	1.48	4.46	0.07	0.02	0.03	0.014	0.06	6.5	4.2	0.36	87	0.39
I032252		0.60	26.3	2.99	7.53	<0.05	0.03	0.04	0.027	0.04	7.6	10.5	0.62	219	0.84
I032253		0.54	15.9	3.08	6.32	<0.05	0.10	0.02	0.025	0.03	7.8	10.1	0.62	527	0.80
I032254		0.78	33.9	4.37	9.84	0.08	0.05	0.01	0.043	0.32	8.4	11.9	1.27	299	0.94
I032255		1.14	51.4	4.75	9.79	0.12	0.04	0.03	0.040	0.47	7.8	13.7	1.65	370	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032216		1.53	20.0	300	7.6	13.1	<0.001	0.06	0.34	5.5	0.7	0.5	29.8	<0.01	0.06
I032217		1.74	20.7	580	6.3	30.0	<0.001	0.13	0.27	7.9	1.1	0.4	46.7	<0.01	0.09
I032218		1.79	22.8	350	6.8	31.1	<0.001	0.03	0.29	6.9	0.6	0.4	27.1	<0.01	0.03
I032219		2.06	17.7	370	5.7	28.4	<0.001	0.01	0.28	5.1	0.5	0.4	32.8	<0.01	0.03
I032220		2.10	20.3	440	5.4	23.6	<0.001	0.01	0.25	6.2	0.5	0.4	31.5	<0.01	0.03
I032221		2.02	21.3	350	5.6	22.4	<0.001	0.01	0.26	6.7	0.4	0.4	29.2	<0.01	0.03
I032222		1.79	25.5	270	6.7	22.0	<0.001	0.02	0.27	6.7	0.5	0.4	30.6	<0.01	0.03
I032223		1.28	23.2	320	5.2	23.4	<0.001	0.02	0.21	6.2	0.7	0.3	49.9	<0.01	0.03
I032224		1.72	23.7	370	7.0	11.8	<0.001	0.01	0.34	5.1	0.5	0.4	30.3	<0.01	0.03
I032225		1.75	16.8	460	5.5	20.9	<0.001	0.02	0.22	7.1	0.4	0.4	31.7	<0.01	0.02
I032226		1.62	17.6	270	5.5	24.2	<0.001	0.01	0.28	7.9	0.5	0.4	23.6	<0.01	0.02
I032227		1.81	15.4	240	5.5	20.6	<0.001	0.02	0.25	6.7	0.4	0.4	17.4	<0.01	0.02
I032228		1.55	21.9	450	6.4	17.0	<0.001	0.02	0.34	4.6	0.5	0.4	33.6	<0.01	0.02
I032229		1.69	16.7	280	6.4	8.0	<0.001	0.01	0.37	4.0	0.3	0.5	22.9	<0.01	0.02
I032230		0.21	4.8	120	2.0	2.2	<0.001	<0.01	0.13	0.7	<0.2	<0.2	6.9	<0.01	<0.01
I032231		1.95	20.5	560	5.7	19.1	<0.001	0.02	0.29	4.0	0.5	0.4	25.5	<0.01	0.03
I032232		1.64	13.0	670	4.1	18.8	<0.001	0.07	0.20	5.2	1.2	0.3	42.6	<0.01	0.03
I032233		1.48	14.1	450	11.6	11.1	<0.001	0.05	0.32	3.9	0.7	0.5	27.0	<0.01	0.04
I032234		2.62	26.8	730	6.2	10.5	<0.001	0.03	0.35	5.8	1.2	0.6	18.5	<0.01	0.07
I032235		2.08	19.9	340	6.6	8.9	<0.001	0.02	0.35	3.8	0.6	0.6	14.8	<0.01	0.03
I032236		2.25	16.6	490	7.2	18.0	<0.001	0.02	0.36	3.1	0.6	0.5	13.8	<0.01	0.03
I032237		1.64	24.7	570	8.6	12.1	<0.001	0.13	0.24	4.9	0.6	0.4	29.3	<0.01	0.05
I032238		3.60	16.8	600	5.8	22.0	<0.001	0.02	0.28	5.3	0.5	0.8	19.5	<0.01	0.04
I032239		1.53	28.4	600	7.2	16.4	0.001	0.12	0.21	5.4	1.3	0.4	34.5	<0.01	0.06
I032240		1.19	11.7	600	5.0	6.4	<0.001	0.04	0.22	2.9	0.8	0.4	21.3	<0.01	0.02
I032241		1.11	11.6	550	5.1	6.5	<0.001	0.04	0.20	2.8	0.8	0.4	20.9	<0.01	0.02
I032242		1.26	13.2	640	5.8	7.3	<0.001	0.09	0.22	4.1	0.8	0.4	28.2	<0.01	0.04
I032243		1.11	9.2	530	4.7	4.9	<0.001	0.04	0.15	3.6	0.5	0.4	19.7	<0.01	0.02
I032244		1.14	11.2	520	4.9	6.6	<0.001	0.04	0.17	3.1	0.7	0.4	21.7	<0.01	0.02
I032245		1.94	15.0	520	5.2	10.3	<0.001	0.05	0.20	4.9	0.7	0.5	23.4	<0.01	0.03
I032246		1.74	16.8	630	5.6	8.7	<0.001	0.03	0.28	5.2	0.7	0.5	29.6	<0.01	0.03
I032247		1.82	17.5	350	6.5	8.7	<0.001	0.03	0.29	4.5	0.6	0.8	28.5	<0.01	0.03
I032248		1.38	12.2	510	4.5	15.9	<0.001	0.03	0.18	4.8	0.7	0.4	17.0	<0.01	0.02
I032249		1.54	12.2	410	4.9	14.3	<0.001	0.03	0.15	4.7	0.6	0.5	19.4	<0.01	0.02
I032250		0.26	4.5	130	1.6	2.0	<0.001	0.01	0.12	0.7	0.2	<0.2	7.0	<0.01	<0.01
I032251		0.98	8.7	450	4.8	10.6	<0.001	0.04	0.14	2.4	0.9	0.3	16.5	<0.01	0.02
I032252		1.10	16.5	500	6.3	7.0	<0.001	0.03	0.27	3.7	0.4	0.6	18.7	<0.01	0.04
I032253		1.34	18.3	180	6.9	4.9	<0.001	0.02	0.32	5.5	0.2	0.5	27.4	<0.01	0.02
I032254		0.78	12.9	730	4.7	12.1	<0.001	0.45	0.19	8.2	1.1	0.7	41.2	<0.01	0.11
I032255		0.83	20.7	630	4.4	17.1	0.001	0.42	0.16	11.9	1.9	0.5	40.0	<0.01	0.14



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032216		0.102	0.08	0.48	76	0.13	3.81	63
I032217		0.155	0.15	0.48	98	0.10	4.36	70
I032218		0.138	0.12	0.29	72	0.11	6.17	61
I032219		0.170	0.15	0.29	84	0.10	2.70	65
I032220		0.187	0.15	0.41	85	0.10	3.76	69
I032221		0.176	0.13	0.43	85	0.12	3.55	65
I032222		0.143	0.12	0.25	76	0.11	6.01	52
I032223		0.185	0.12	0.66	121	0.09	4.14	58
I032224		0.128	0.09	0.29	89	0.11	2.84	60
I032225		0.143	0.11	0.40	90	0.20	3.58	60
I032226		0.174	0.14	0.32	102	0.13	2.43	53
I032227		0.185	0.14	0.27	117	0.12	1.82	52
I032228		0.107	0.07	0.37	68	0.13	2.71	45
I032229		0.110	0.08	0.27	77	0.12	1.78	48
I032230		0.008	0.03	0.32	5	<0.05	2.03	5
I032231		0.172	0.09	0.42	96	0.16	2.07	51
I032232		0.129	0.08	1.50	62	0.10	12.45	55
I032233		0.078	0.06	0.79	54	0.10	6.23	59
I032234		0.290	0.09	1.56	129	0.06	10.00	261
I032235		0.156	0.11	0.56	88	0.19	4.72	94
I032236		0.152	0.12	0.42	85	0.17	2.98	86
I032237		0.123	0.13	0.46	68	0.11	2.97	67
I032238		0.137	0.12	0.43	59	0.09	3.34	71
I032239		0.120	0.17	1.38	69	0.14	6.07	82
I032240		0.064	0.06	0.54	46	0.28	4.40	41
I032241		0.066	0.07	0.51	45	0.16	3.98	39
I032242		0.081	0.07	0.72	68	0.24	5.64	67
I032243		0.075	0.05	0.54	47	0.67	4.45	41
I032244		0.073	0.06	0.56	48	0.20	5.03	44
I032245		0.124	0.09	0.60	69	0.12	4.78	64
I032246		0.107	0.07	0.63	68	0.12	5.90	65
I032247		0.102	0.06	0.47	73	0.17	4.15	52
I032248		0.130	0.11	0.50	79	0.18	3.33	48
I032249		0.134	0.10	0.47	68	0.14	3.14	47
I032250		0.008	0.03	0.31	5	0.26	2.37	5
I032251		0.065	0.08	0.45	27	0.16	2.55	28
I032252		0.097	0.06	0.59	69	0.18	4.56	62
I032253		0.099	0.09	0.34	74	0.13	3.09	52
I032254		0.134	0.11	0.53	90	0.09	4.71	88
I032255		0.170	0.14	0.58	137	0.08	4.95	83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032256		0.22	0.007	0.17	1.25	3.5	<0.2	<10	300	0.18	0.05	2.79	0.22	11.00	9.2	20
I032257		0.30	<0.005	0.25	2.15	3.2	<0.2	<10	390	0.27	0.05	1.20	0.23	15.80	19.6	33
I032258		0.36	0.036	0.15	1.88	4.0	<0.2	<10	370	0.23	0.06	0.91	0.18	17.45	12.9	25
I032259		0.38	0.005	0.05	2.76	9.1	<0.2	<10	130	0.48	0.18	0.16	0.16	42.9	18.6	40
I032260		0.52	<0.005	0.02	0.13	6.1	<0.2	<10	30	0.08	0.03	0.06	0.05	9.39	2.7	5
I032261		0.36	<0.005	0.16	2.51	9.8	<0.2	<10	130	0.78	0.30	0.10	0.18	108.0	31.1	31
I032262		0.40	0.005	0.03	1.51	9.5	<0.2	<10	80	0.21	0.23	0.10	0.10	19.45	4.7	31
I032263		0.34	<0.005	0.09	1.71	5.8	<0.2	<10	130	0.49	0.25	0.15	0.09	57.2	12.4	31
I032264		0.36	0.005	0.09	2.05	6.0	<0.2	<10	120	0.50	0.26	0.10	0.11	63.3	8.2	30
I032265		0.30	<0.005	0.05	1.40	8.6	<0.2	<10	80	0.16	0.19	0.13	0.12	24.5	7.0	31
I032266		0.34	<0.005	0.10	1.71	7.5	0.3	<10	90	0.28	0.31	0.09	0.10	64.8	10.5	33
I032267		0.38	<0.005	0.04	2.35	8.9	<0.2	<10	140	0.42	0.17	0.18	0.11	49.0	14.3	37
I032268		0.28	<0.005	0.04	2.44	10.4	<0.2	<10	90	0.36	0.19	0.11	0.14	26.8	11.6	37
I032269		0.40	<0.005	0.08	1.93	2.6	<0.2	<10	120	0.32	0.33	0.05	0.07	74.8	5.2	33
I032270		0.32	<0.005	0.05	2.32	6.8	<0.2	<10	140	0.52	0.20	0.13	0.13	54.8	13.1	34
I032271		0.36	<0.005	0.05	2.48	4.9	<0.2	<10	160	0.57	0.19	0.12	0.13	67.8	13.5	36
I032272		0.38	<0.005	0.11	2.01	8.0	<0.2	<10	110	0.41	0.25	0.13	0.12	42.9	12.5	32
I032273		0.34	<0.005	0.10	1.98	8.2	<0.2	<10	110	0.33	0.23	0.11	0.13	36.4	11.0	34
I032274		0.36	<0.005	0.10	2.46	3.7	<0.2	<10	90	0.57	0.32	0.40	0.18	80.7	18.4	35
I032275		0.30	<0.005	0.28	2.61	8.1	<0.2	<10	80	0.49	0.26	0.12	0.13	88.6	15.0	39
I032276		0.40	0.008	0.11	2.53	9.0	<0.2	<10	210	0.38	0.21	0.17	0.11	23.4	16.4	49
I032277		0.34	<0.005	0.08	2.53	4.3	<0.2	<10	120	0.90	0.22	0.04	0.20	110.5	16.2	31
I032278		0.38	<0.005	0.04	2.54	11.3	<0.2	<10	150	0.51	0.16	0.16	0.14	38.3	15.4	40
I032279		0.48	<0.005	0.03	3.47	1.4	<0.2	<10	130	0.84	0.21	0.06	0.13	91.3	21.3	42
I032280		0.50	NSS	0.03	0.36	9.6	<0.2	<10	130	0.28	0.03	0.67	0.26	31.6	12.4	12
I032281		0.28	<0.005	0.07	2.12	2.9	<0.2	<10	180	0.36	0.11	0.29	0.11	37.3	12.5	47
I032282		0.42	<0.005	0.03	2.18	17.1	<0.2	<10	90	0.29	0.17	0.15	0.19	24.1	12.7	52
I032283		0.48	<0.005	0.06	2.66	4.5	<0.2	<10	90	0.44	0.28	0.07	0.11	88.5	13.8	34
I032284		0.38	<0.005	0.08	2.00	7.8	<0.2	<10	100	0.35	0.25	0.18	0.19	24.9	11.1	34
I032285		0.32	<0.005	0.07	2.26	5.9	<0.2	<10	80	0.32	0.12	0.16	0.12	13.75	11.6	50
I032286		0.36	0.005	0.30	2.03	5.6	<0.2	<10	90	0.39	0.24	0.09	0.14	25.6	10.0	35
I032287		0.34	<0.005	0.09	2.00	9.9	<0.2	<10	280	0.32	0.19	0.29	0.11	18.15	11.3	35
I032288		0.34	0.006	0.14	2.58	8.8	<0.2	<10	80	0.58	0.27	0.12	0.10	35.5	11.4	44
I032289		0.34	<0.005	0.23	2.51	5.8	<0.2	<10	80	0.52	0.27	0.19	0.28	25.8	12.0	73
I032290		0.36	<0.005	0.05	2.20	7.2	<0.2	<10	130	0.39	0.33	0.09	0.17	46.8	16.0	33
I032291		0.36	<0.005	0.05	1.87	7.2	<0.2	<10	110	0.33	0.30	0.08	0.17	41.2	12.4	28
I032292		0.42	0.006	0.04	2.04	5.5	<0.2	<10	190	0.32	0.12	0.35	0.04	33.0	10.4	32
I032293		0.42	0.005	0.03	1.85	7.1	<0.2	<10	100	0.25	0.11	0.27	0.06	16.90	8.8	27
I032294		0.32	<0.005	0.15	2.99	9.7	<0.2	<10	210	0.47	0.24	0.25	0.12	25.1	15.4	40
I032295		0.28	<0.005	0.07	0.42	2.3	<0.2	<10	20	<0.05	0.08	0.03	0.10	5.41	1.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032256		0.61	61.5	2.05	3.76	0.06	0.08	0.05	0.013	0.12	6.3	8.5	0.68	296	0.55
I032257		0.90	78.6	3.08	5.85	0.06	0.05	0.05	0.015	0.18	8.6	15.3	1.16	610	0.40
I032258		0.90	31.7	2.86	6.08	0.07	0.04	0.03	0.021	0.10	9.4	13.7	1.04	435	0.62
I032259		1.86	24.4	3.62	7.46	0.07	0.08	0.03	0.029	0.18	13.5	23.8	0.87	326	1.05
I032260		0.09	3.0	0.85	0.71	<0.05	0.07	<0.01	<0.005	0.02	4.7	1.6	0.04	160	0.43
I032261		1.70	41.3	5.30	6.41	0.10	0.09	0.05	0.033	0.07	43.0	16.8	0.43	428	2.10
I032262		1.11	12.5	2.91	8.13	0.05	0.02	0.05	0.049	0.02	10.2	10.1	0.33	154	1.66
I032263		1.05	40.5	3.68	5.00	0.08	0.04	0.03	0.028	0.04	30.0	12.2	0.50	372	1.75
I032264		2.22	29.1	4.41	6.72	0.09	0.03	0.03	0.030	0.17	35.5	17.5	0.64	222	1.72
I032265		1.29	12.2	2.92	7.45	0.05	0.04	0.04	0.019	0.06	11.9	12.0	0.48	167	1.26
I032266		1.98	19.9	4.34	9.32	0.09	0.06	0.02	0.021	0.34	27.2	13.9	0.69	346	1.89
I032267		1.38	23.7	3.47	6.65	0.07	0.08	0.02	0.026	0.16	17.9	16.6	0.77	360	0.94
I032268		1.66	15.6	3.70	7.79	0.06	0.05	0.04	0.028	0.09	13.0	19.5	0.60	293	1.31
I032269		2.84	35.6	4.07	9.73	0.11	0.02	0.02	0.031	0.45	43.7	20.2	0.99	138	1.78
I032270		1.72	32.2	3.93	7.39	0.12	0.06	0.03	0.028	0.30	56.4	23.7	0.77	308	1.63
I032271		2.19	35.1	4.16	8.13	0.14	0.07	0.02	0.030	0.43	72.5	28.5	0.90	292	1.68
I032272		1.20	28.2	3.89	8.99	0.07	0.03	0.03	0.029	0.07	21.6	17.2	0.54	287	1.63
I032273		1.36	20.9	3.77	8.62	0.06	0.05	0.02	0.025	0.06	13.0	15.6	0.53	333	1.51
I032274		2.42	54.6	5.01	6.49	0.11	0.06	0.03	0.043	0.41	27.3	16.1	0.88	684	0.67
I032275		2.65	31.7	3.87	7.33	0.09	0.09	0.06	0.031	0.19	37.0	19.4	0.72	327	0.97
I032276		1.67	17.7	4.53	10.85	0.07	0.07	0.02	0.034	0.08	11.0	20.2	0.64	586	1.53
I032277		1.07	29.8	8.29	3.71	0.12	0.20	0.05	0.068	0.02	24.0	2.4	0.09	4820	0.55
I032278		1.09	23.0	3.59	6.51	0.07	0.07	0.04	0.032	0.06	14.3	14.7	0.65	396	1.08
I032279		5.28	24.1	5.30	9.98	0.12	0.10	0.01	0.038	1.12	13.8	24.9	1.29	142	0.35
I032280		0.43	8.6	2.45	1.79	0.08	0.09	0.01	0.008	0.07	14.1	4.7	0.29	1020	1.41
I032281		2.82	25.4	3.25	8.41	0.07	0.03	0.03	0.022	0.45	15.5	20.1	1.07	275	0.76
I032282		1.62	18.8	4.70	9.11	0.08	0.06	0.02	0.030	0.15	11.1	24.5	0.89	351	1.15
I032283		3.34	32.7	4.93	8.16	0.09	0.06	0.02	0.027	0.57	19.0	30.4	0.83	321	0.99
I032284		1.47	17.5	3.66	7.56	0.06	0.04	0.02	0.026	0.07	9.7	13.1	0.51	220	1.05
I032285		1.32	14.5	3.55	8.39	0.05	0.04	0.02	0.020	0.08	6.3	15.2	0.80	228	1.13
I032286		1.46	17.2	4.00	9.84	0.05	0.03	0.02	0.029	0.09	9.9	19.4	0.66	227	1.28
I032287		1.31	15.6	3.53	7.70	0.05	0.03	0.02	0.028	0.03	9.0	14.9	0.54	494	1.36
I032288		2.06	25.2	4.62	9.78	0.08	0.07	0.04	0.039	0.06	14.9	25.7	0.58	260	1.53
I032289		1.85	22.4	4.11	9.18	0.09	0.06	0.02	0.032	0.09	12.6	23.5	0.84	264	1.30
I032290		2.43	32.1	4.86	9.78	0.10	0.10	0.02	0.025	0.30	14.9	21.8	0.70	482	1.18
I032291		1.78	25.8	4.23	9.76	0.09	0.09	0.02	0.023	0.19	13.5	16.2	0.53	394	1.35
I032292		2.02	23.0	2.99	6.35	0.10	0.12	0.05	0.026	0.12	17.5	15.7	0.69	428	0.61
I032293		1.27	15.8	2.63	5.88	0.08	0.05	0.02	0.020	0.03	8.6	13.9	0.49	305	0.69
I032294		2.18	26.2	3.79	9.30	0.09	0.11	0.05	0.038	0.07	14.4	16.7	0.54	779	1.46
I032295		0.44	9.6	0.84	2.41	<0.05	<0.02	0.03	0.007	0.01	2.9	1.1	0.05	50	0.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032256		0.96	17.5	860	3.5	9.9	<0.001	0.12	0.33	3.2	1.1	0.2	37.8	0.01	0.03
I032257		0.83	21.6	680	3.5	19.8	<0.001	0.04	0.20	5.0	0.8	0.3	41.3	<0.01	0.03
I032258		1.10	16.5	740	4.1	16.7	<0.001	0.03	0.23	5.7	0.6	0.4	35.1	<0.01	0.02
I032259		1.53	39.3	450	8.1	26.5	<0.001	0.04	0.41	4.6	0.6	0.6	15.3	0.01	0.03
I032260		0.20	4.7	130	1.5	2.3	<0.001	<0.01	0.12	0.6	<0.2	0.2	7.0	<0.01	0.01
I032261		1.17	74.1	630	12.2	19.6	<0.001	0.08	0.47	3.8	1.1	0.5	22.7	0.01	0.04
I032262		0.94	11.2	440	9.9	8.3	<0.001	0.04	0.44	1.4	0.5	0.7	13.3	<0.01	0.03
I032263		1.01	29.6	490	13.4	11.3	<0.001	0.05	0.42	4.6	0.8	0.4	18.9	<0.01	0.03
I032264		0.94	18.4	610	10.6	28.2	<0.001	0.20	0.32	3.5	1.0	0.5	19.4	<0.01	0.04
I032265		1.84	16.2	400	8.9	15.1	<0.001	0.03	0.37	2.4	0.5	0.6	13.9	<0.01	0.03
I032266		3.02	25.8	530	12.7	39.4	<0.001	0.05	0.36	3.1	0.5	0.7	12.2	<0.01	0.03
I032267		2.18	33.0	370	8.2	22.1	<0.001	0.03	0.42	4.1	0.6	0.5	15.3	<0.01	0.03
I032268		2.43	21.3	470	9.4	17.9	<0.001	0.02	0.48	3.8	0.5	0.6	12.6	0.01	0.03
I032269		0.98	11.7	620	13.1	42.1	<0.001	0.29	0.14	3.3	0.9	0.6	18.8	<0.01	0.05
I032270		1.91	28.4	590	10.9	34.0	<0.001	0.09	0.34	4.2	0.8	0.6	15.5	0.01	0.03
I032271		2.06	30.5	570	11.5	42.8	<0.001	0.11	0.25	4.7	0.8	0.7	15.2	0.01	0.03
I032272		1.59	30.9	440	9.5	18.1	<0.001	0.07	0.44	3.2	0.6	0.7	16.6	<0.01	0.04
I032273		2.12	25.7	370	10.0	20.3	<0.001	0.03	0.49	3.3	0.4	0.7	12.2	<0.01	0.03
I032274		9.27	46.7	1370	50.9	55.4	<0.001	0.03	0.18	4.2	0.7	0.7	17.3	0.01	0.05
I032275		3.69	31.9	320	11.7	31.8	<0.001	0.03	0.42	4.5	0.8	0.6	13.9	0.01	0.03
I032276		3.10	29.4	280	11.6	24.1	<0.001	0.01	0.46	4.5	0.4	1.0	16.3	<0.01	0.04
I032277		0.39	30.7	700	49.4	13.8	<0.001	0.03	0.24	7.0	1.6	0.5	8.5	0.01	0.03
I032278		1.59	30.7	440	10.4	12.7	<0.001	0.02	0.53	5.1	0.6	0.5	16.0	0.01	0.03
I032279		4.99	39.1	330	11.4	116.5	<0.001	0.01	0.08	4.8	0.4	1.0	5.4	<0.01	0.02
I032280		0.90	19.7	750	4.5	9.9	<0.001	0.01	0.50	1.9	0.3	13.0	13.0	<0.01	0.02
I032281		2.39	23.2	610	6.6	43.9	<0.001	0.03	0.17	3.5	0.4	0.9	19.6	<0.01	0.02
I032282		2.34	29.0	340	14.4	22.7	<0.001	0.02	0.38	5.1	0.4	0.7	13.7	<0.01	0.03
I032283		3.23	36.2	390	13.3	70.3	<0.001	0.03	0.25	3.6	0.6	0.6	9.4	0.01	0.04
I032284		2.85	26.3	290	9.7	22.7	<0.001	0.01	0.44	2.9	0.4	0.6	15.0	<0.01	0.04
I032285		2.26	26.5	300	7.3	18.9	<0.001	0.02	0.39	3.5	0.4	0.7	12.6	<0.01	0.03
I032286		1.60	23.3	400	13.0	34.2	<0.001	0.03	0.45	3.5	0.4	0.9	11.1	<0.01	0.04
I032287		2.17	22.1	290	10.5	17.5	<0.001	0.02	0.50	3.6	0.4	0.7	21.1	<0.01	0.03
I032288		2.95	31.7	390	21.6	25.1	<0.001	0.02	0.52	4.2	0.7	0.8	11.5	0.01	0.03
I032289		2.55	38.3	250	18.9	35.2	<0.001	0.01	0.38	5.0	0.4	0.8	14.1	<0.01	0.03
I032290		4.13	30.4	480	15.2	46.0	<0.001	0.01	0.27	3.7	0.5	0.9	9.2	0.01	0.04
I032291		3.97	25.0	420	14.7	36.7	<0.001	0.01	0.33	3.2	0.4	0.9	8.9	<0.01	0.04
I032292		1.82	22.2	640	6.6	24.8	<0.001	0.01	0.26	7.0	0.5	0.8	25.2	<0.01	0.01
I032293		1.60	19.8	610	5.7	9.0	<0.001	0.01	0.31	3.4	0.5	0.5	22.3	0.01	0.02
I032294		2.35	23.1	520	12.9	18.5	<0.001	0.02	0.36	6.1	0.7	0.9	23.8	<0.01	0.02
I032295		0.31	4.8	300	3.3	2.9	<0.001	0.01	0.17	0.6	0.4	0.3	8.2	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032256		0.080	0.09	0.67	49	0.31	7.43	50	3.0
I032257		0.153	0.16	1.00	83	0.13	13.80	68	1.9
I032258		0.130	0.10	0.79	71	0.15	8.61	64	1.6
I032259		0.127	0.20	1.16	60	0.16	5.39	70	2.9
I032260		0.007	0.03	0.29	4	0.17	2.01	4	2.9
I032261		0.050	0.17	2.39	52	0.16	19.70	120	2.9
I032262		0.064	0.12	0.62	73	0.16	2.37	36	0.7
I032263		0.059	0.16	1.85	50	0.13	11.85	60	1.3
I032264		0.087	0.27	1.80	45	0.24	5.47	64	1.1
I032265		0.106	0.15	0.70	66	0.18	3.43	45	1.4
I032266		0.157	0.31	1.78	68	0.15	6.88	67	2.5
I032267		0.136	0.20	1.34	62	0.16	6.63	64	2.9
I032268		0.109	0.18	0.81	72	0.21	3.99	60	1.9
I032269		0.118	0.38	1.72	47	0.06	2.61	69	0.6
I032270		0.115	0.25	2.50	52	0.13	12.30	72	2.3
I032271		0.135	0.33	3.08	50	0.12	15.70	81	2.8
I032272		0.115	0.17	1.11	71	0.15	5.64	66	1.5
I032273		0.118	0.16	0.88	74	0.15	4.73	63	2.1
I032274		0.152	0.41	1.35	34	0.10	12.95	123	2.6
I032275		0.153	0.31	2.23	57	0.28	13.90	71	3.6
I032276		0.163	0.17	0.48	102	0.13	4.15	79	3.0
I032277		0.008	0.18	1.73	21	0.06	21.1	90	7.0
I032278		0.100	0.12	0.81	67	0.16	4.85	64	2.8
I032279		0.220	0.88	0.91	44	0.05	7.27	133	4.6
I032280		0.029	0.18	0.66	17	0.07	7.85	25	4.5
I032281		0.155	0.27	0.72	51	0.12	7.43	65	1.0
I032282		0.160	0.16	0.59	88	0.16	3.96	66	2.6
I032283		0.161	0.55	1.70	41	0.10	11.70	90	2.4
I032284		0.122	0.17	0.66	66	0.17	4.32	63	1.7
I032285		0.166	0.16	0.43	78	0.13	2.65	62	1.7
I032286		0.127	0.17	0.60	76	0.11	4.06	75	1.6
I032287		0.093	0.15	0.44	75	0.16	3.43	56	1.4
I032288		0.117	0.17	1.12	89	0.17	7.72	84	2.5
I032289		0.129	0.19	0.75	90	0.14	5.06	78	2.1
I032290		0.174	0.39	1.58	67	0.13	9.22	105	4.1
I032291		0.151	0.28	1.19	73	0.13	7.44	89	3.7
I032292		0.157	0.22	1.34	73	0.17	10.80	51	4.6
I032293		0.111	0.11	0.61	61	0.18	4.91	41	1.5
I032294		0.138	0.20	2.72	90	0.19	6.34	58	4.2
I032295		0.035	0.04	0.34	22	0.07	0.98	13	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032296		0.28	<0.005	0.06	0.53	1.6	<0.2	<10	40	0.11	0.07	0.08	0.05	9.05	1.8	9
I032297		0.44	0.005	0.05	2.65	7.4	<0.2	<10	200	0.42	0.14	0.36	0.05	33.0	11.3	37
I032298		0.30	0.005	0.08	1.35	4.4	<0.2	<10	100	0.13	0.13	0.22	0.09	14.50	5.6	23
I032299		0.34	0.006	0.05	2.41	16.1	<0.2	<10	170	0.47	0.17	0.28	0.08	30.0	11.4	34
I032300		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	1.14	0.1	1
I032301		0.40	<0.005	0.03	2.12	5.4	<0.2	<10	120	0.27	0.12	0.30	0.07	20.6	9.7	31
I032302		0.38	<0.005	0.07	2.31	8.0	<0.2	<10	150	0.35	0.13	0.31	0.08	19.50	11.1	34
I032303		0.28	<0.005	0.11	1.02	2.7	<0.2	<10	60	0.16	0.09	0.07	0.05	10.45	2.8	15
I032304		0.28	<0.005	0.04	1.88	4.7	<0.2	<10	70	0.17	0.12	0.18	0.10	12.75	6.7	26
I032305		0.42	<0.005	0.07	1.68	4.1	<0.2	<10	110	0.19	0.11	0.17	0.07	15.65	6.8	23
I032306		0.38	<0.005	0.05	1.93	10.0	<0.2	<10	140	0.31	0.19	0.14	0.19	16.30	10.0	20
I032307		0.42	0.006	0.04	2.48	15.3	<0.2	<10	120	0.43	0.19	0.12	0.28	18.05	10.3	34
I032308		0.40	<0.005	0.04	1.65	96.6	<0.2	<10	80	0.24	0.30	0.11	0.11	13.45	5.1	22
I032309		0.30	<0.005	0.11	0.80	4.4	<0.2	<10	70	0.10	0.10	0.09	0.05	8.16	2.4	11
I032310		0.36	0.005	0.12	1.99	18.5	<0.2	<10	110	0.34	0.30	0.15	0.08	14.20	7.0	26
I032311		0.36	0.005	0.13	2.16	25.0	<0.2	<10	130	0.36	0.29	0.17	0.09	15.45	8.6	26
I032312		0.26	0.016	0.31	2.12	631	<0.2	<10	400	0.55	0.19	0.48	0.41	31.8	11.7	25
I032313		0.28	<0.005	0.11	2.13	28.0	<0.2	<10	150	0.29	0.17	0.33	0.15	26.1	9.2	29
I032314		0.32	0.010	0.17	2.24	14.9	<0.2	<10	310	0.50	0.16	0.66	0.20	55.1	11.5	29
I032315		0.32	<0.005	0.08	2.12	10.7	<0.2	<10	230	0.25	0.14	0.59	0.11	24.3	9.8	28
I032316		0.54	<0.005	0.06	2.08	7.7	<0.2	<10	230	0.31	0.13	0.70	0.12	26.4	11.2	31
I032317		0.40	<0.005	0.12	2.10	6.6	<0.2	<10	190	0.31	0.15	0.43	0.11	21.0	8.7	28
I032318		0.34	0.005	0.10	1.91	5.8	<0.2	<10	200	0.20	0.14	0.56	0.12	18.65	9.9	28
I032319		0.34	<0.005	0.08	1.92	4.9	<0.2	<10	150	0.21	0.37	0.34	0.09	17.80	7.4	25
I032320		0.10	<0.005	<0.01	0.01	0.1	<0.2	<10	<10	<0.05	<0.01	<0.01	0.01	0.96	0.1	1
I032321		0.34	0.010	0.08	2.03	5.1	<0.2	<10	200	0.26	0.13	0.51	0.07	19.45	9.3	26
I032322		0.42	0.006	0.06	1.64	5.6	<0.2	<10	130	0.28	0.10	0.93	0.11	18.70	10.2	32
I032323		0.34	0.010	0.03	1.51	6.9	<0.2	<10	120	0.22	0.09	0.79	0.11	17.90	10.6	30
I032324		0.32	0.006	0.06	1.33	5.7	<0.2	<10	110	0.21	0.09	0.43	0.13	15.30	8.4	26
I032325		0.34	0.006	0.03	1.98	4.7	<0.2	<10	210	0.29	0.12	0.37	0.06	14.20	6.7	32
I032326		0.32	<0.005	0.03	1.89	5.5	<0.2	<10	150	0.41	0.13	0.30	0.07	15.00	6.5	32
I032327		0.32	<0.005	0.04	2.65	2.8	<0.2	<10	160	0.32	0.11	0.67	0.05	21.0	9.9	20
I032328		0.26	0.009	0.05	0.87	2.3	<0.2	<10	130	0.12	0.11	0.21	0.05	11.20	3.4	16
I032329		0.30	<0.005	0.04	1.24	5.4	<0.2	<10	150	0.16	0.13	0.11	0.03	13.60	4.8	19
I032330		0.40	0.006	0.04	1.42	4.1	<0.2	<10	230	0.43	0.12	0.23	0.03	18.05	5.9	20
I032331		0.30	<0.005	0.06	1.46	4.1	<0.2	<10	250	0.41	0.14	0.25	0.04	19.80	6.4	21
I032332		0.28	0.006	0.03	1.50	5.5	<0.2	<10	260	0.36	0.14	0.18	0.12	16.10	7.6	26
I032333		0.30	<0.005	0.05	1.57	3.5	<0.2	<10	150	0.34	0.12	0.18	0.10	13.85	5.8	22
I032334		0.38	0.006	0.07	1.80	6.1	<0.2	<10	170	0.41	0.15	0.14	0.08	14.05	7.3	28
I032335		0.36	<0.005	0.22	1.81	9.7	<0.2	<10	180	0.28	0.14	0.12	0.04	13.50	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032296		0.50	8.1	0.79	2.47	<0.05	<0.02	0.02	0.008	0.01	5.2	1.9	0.10	68	0.42
I032297		1.43	31.4	3.24	6.88	0.09	0.14	0.04	0.028	0.06	17.8	16.1	0.67	309	0.59
I032298		1.17	15.2	2.02	5.45	0.06	0.03	0.03	0.017	0.03	7.6	8.7	0.41	160	0.70
I032299		3.14	25.5	3.23	6.43	0.09	0.11	0.04	0.028	0.10	15.2	16.2	0.69	421	0.60
I032300		<0.05	0.6	0.02	0.07	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.1	<0.01	<5	<0.05
I032301		1.33	18.5	2.92	6.25	0.09	0.11	0.02	0.025	0.06	11.4	16.9	0.64	306	0.54
I032302		1.76	23.3	3.16	6.33	0.09	0.12	0.03	0.026	0.06	10.6	15.3	0.62	328	0.77
I032303		1.06	11.9	1.35	3.72	<0.05	0.02	0.04	0.014	0.02	5.7	4.3	0.16	99	0.48
I032304		1.12	15.1	2.54	5.53	0.06	0.06	0.02	0.021	0.04	6.8	12.4	0.45	191	0.61
I032305		2.00	14.1	2.36	5.48	0.06	0.05	0.03	0.019	0.07	8.3	11.3	0.47	215	0.52
I032306		5.07	16.1	3.76	9.44	0.07	0.05	0.04	0.032	0.23	8.2	13.5	0.54	513	1.13
I032307		1.74	18.5	3.83	7.35	0.07	0.12	0.03	0.030	0.04	9.3	17.4	0.46	408	1.32
I032308		1.82	13.3	2.77	7.85	0.06	0.04	0.02	0.021	0.04	7.1	10.3	0.32	165	1.11
I032309		0.64	8.8	1.38	3.56	<0.05	<0.02	0.03	0.012	0.01	4.1	3.1	0.12	68	0.46
I032310		1.59	14.5	3.29	7.96	0.07	0.07	0.03	0.025	0.05	7.4	11.5	0.33	221	1.33
I032311		2.47	16.0	3.46	7.84	0.07	0.08	0.04	0.029	0.10	7.6	12.2	0.41	312	1.18
I032312		6.39	22.5	3.26	5.73	0.08	0.05	1.05	0.033	0.12	18.4	11.2	0.39	948	1.15
I032313		1.47	22.5	3.18	6.89	0.08	0.08	0.05	0.025	0.09	15.5	13.2	0.57	395	0.85
I032314		1.24	30.4	3.02	6.54	0.11	0.09	0.08	0.028	0.10	35.3	13.4	0.47	685	1.00
I032315		1.60	16.6	3.32	7.01	0.10	0.10	0.03	0.026	0.17	15.6	15.0	0.68	526	0.76
I032316		1.48	20.3	3.25	6.80	0.11	0.17	0.02	0.026	0.19	14.9	17.7	0.79	426	0.49
I032317		0.99	19.4	3.08	7.06	0.08	0.09	0.02	0.024	0.07	12.4	13.8	0.61	318	0.89
I032318		1.41	16.1	2.96	6.66	0.08	0.06	0.02	0.021	0.13	11.5	13.1	0.65	443	0.97
I032319		0.95	13.7	2.69	6.61	0.07	0.07	0.02	0.019	0.06	10.3	11.6	0.57	236	0.84
I032320		<0.05	0.6	0.02	0.08	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	0.06
I032321		0.81	15.3	2.98	6.10	0.08	0.07	0.02	0.022	0.04	11.1	14.5	0.60	301	0.71
I032322		0.38	25.9	2.76	4.61	0.09	0.13	0.02	0.020	0.06	9.7	12.3	0.69	365	0.43
I032323		0.46	16.9	2.68	4.51	0.08	0.12	0.02	0.019	0.03	8.8	11.2	0.61	449	0.60
I032324		0.64	13.8	2.25	4.77	<0.05	0.04	0.03	0.016	0.05	7.6	9.2	0.46	314	0.68
I032325		0.55	10.9	2.59	5.01	<0.05	0.05	0.01	0.016	0.04	6.7	11.0	0.72	436	0.58
I032326		0.65	10.7	2.45	4.64	<0.05	0.06	0.01	0.019	0.06	6.2	10.4	0.61	228	0.54
I032327		0.77	26.0	2.71	8.34	0.05	0.06	0.01	0.027	0.05	9.8	24.8	2.14	636	0.37
I032328		0.29	5.5	1.66	3.66	<0.05	0.03	0.01	0.007	0.04	5.6	4.4	0.23	154	0.64
I032329		0.39	5.7	2.15	4.84	<0.05	0.03	<0.01	0.012	0.03	6.7	7.6	0.28	382	0.79
I032330		0.68	10.3	2.19	4.95	<0.05	0.06	0.01	0.015	0.06	9.6	10.9	0.49	236	0.49
I032331		0.73	12.5	2.23	5.36	<0.05	0.04	0.01	0.016	0.06	10.8	11.2	0.49	280	0.57
I032332		0.46	10.1	2.42	5.37	<0.05	0.03	0.01	0.019	0.07	7.9	10.5	0.40	464	0.87
I032333		0.32	6.8	2.42	7.61	<0.05	<0.02	0.01	0.017	0.06	7.1	9.5	0.44	223	0.71
I032334		0.55	9.7	2.65	6.12	<0.05	0.07	<0.01	0.023	0.05	7.3	10.6	0.39	235	0.90
I032335		0.89	11.7	2.71	6.19	<0.05	0.02	<0.01	0.018	0.05	7.0	12.2	0.72	322	0.76



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032296		0.27	4.4	270	2.7	4.2	<0.001	0.01	0.11	0.6	0.3	0.2	10.6	<0.01	0.01
I032297		1.89	27.7	640	6.9	14.5	<0.001	0.01	0.29	6.9	0.5	0.6	27.8	<0.01	0.02
I032298		1.20	15.2	470	5.5	8.7	<0.001	0.02	0.24	2.6	0.4	0.5	19.9	<0.01	0.01
I032299		2.16	23.7	630	7.2	20.1	<0.001	0.01	0.35	6.3	0.6	0.7	21.1	<0.01	0.01
I032300		<0.05	0.3	10	0.7	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032301		2.27	21.0	660	6.5	13.8	<0.001	0.01	0.26	5.0	0.4	0.7	21.6	<0.01	0.01
I032302		1.97	26.8	580	6.3	11.5	<0.001	0.02	0.30	5.0	0.6	0.6	23.4	<0.01	0.02
I032303		0.74	7.0	340	3.8	6.8	<0.001	0.02	0.14	1.6	0.5	0.4	9.3	<0.01	0.01
I032304		1.87	14.8	500	5.4	10.8	<0.001	0.01	0.28	3.1	0.4	0.5	14.4	<0.01	0.02
I032305		1.76	13.8	570	5.2	17.9	<0.001	0.01	0.22	3.3	0.4	0.6	16.0	<0.01	0.01
I032306		3.00	11.5	620	8.6	37.1	<0.001	0.02	0.40	5.5	0.6	2.1	16.2	<0.01	0.03
I032307		1.95	21.4	390	20.9	10.1	<0.001	0.01	0.40	4.1	0.4	0.6	14.2	0.01	0.03
I032308		1.81	10.3	240	10.8	10.2	<0.001	0.01	0.39	3.4	0.3	0.7	13.5	<0.01	0.03
I032309		0.55	4.8	340	4.3	5.2	<0.001	0.01	0.18	1.1	0.4	0.3	12.6	<0.01	0.01
I032310		1.99	13.6	330	10.4	12.2	<0.001	0.01	0.37	3.8	0.4	0.8	18.2	0.01	0.02
I032311		2.08	14.9	390	10.0	19.1	<0.001	0.01	0.39	5.1	0.4	0.9	17.9	0.01	0.02
I032312		1.15	14.5	780	18.5	23.3	<0.001	0.04	1.77	8.6	0.9	0.5	37.4	<0.01	0.03
I032313		2.26	16.9	590	9.1	19.2	<0.001	0.02	0.33	5.2	0.6	0.7	26.7	<0.01	0.02
I032314		1.77	18.5	730	7.8	20.3	<0.001	0.04	0.36	7.1	1.0	1.0	47.6	0.01	0.02
I032315		2.64	15.9	600	6.1	37.1	<0.001	0.02	0.39	5.3	0.5	0.8	34.1	<0.01	0.02
I032316		2.39	19.1	730	5.8	31.7	<0.001	0.01	0.28	6.2	0.5	0.6	40.2	<0.01	0.02
I032317		2.30	17.3	510	6.8	16.0	<0.001	0.02	0.25	4.4	0.5	0.6	29.8	<0.01	0.01
I032318		2.07	16.7	530	5.7	27.3	<0.001	0.02	0.26	4.2	0.5	0.6	34.9	<0.01	0.02
I032319		2.11	14.6	450	6.2	13.8	<0.001	0.02	0.21	3.8	0.5	0.6	25.1	<0.01	0.01
I032320		<0.05	0.3	10	0.4	0.1	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I032321		2.21	15.8	540	5.6	8.5	<0.001	0.02	0.24	4.0	0.5	0.6	32.1	<0.01	0.02
I032322		1.54	24.2	810	5.4	6.8	<0.001	0.02	0.33	4.9	0.5	0.4	46.5	<0.01	0.01
I032323		1.63	20.4	650	5.0	6.2	<0.001	0.01	0.28	4.2	0.5	0.4	40.3	<0.01	0.01
I032324		1.49	15.7	680	5.2	6.9	0.001	0.01	0.20	3.2	0.4	0.4	28.8	<0.01	0.01
I032325		1.44	15.1	180	6.8	5.2	0.001	<0.01	0.20	3.2	<0.2	0.5	13.8	<0.01	0.01
I032326		1.31	15.5	230	8.1	8.7	0.001	<0.01	0.16	3.3	<0.2	0.4	10.4	<0.01	0.01
I032327		1.74	13.6	190	5.0	9.4	0.001	<0.01	0.12	6.0	0.3	0.5	20.7	<0.01	0.02
I032328		1.20	6.3	140	5.0	5.1	0.001	<0.01	0.14	1.5	<0.2	0.3	9.6	<0.01	0.01
I032329		1.46	8.4	240	6.5	5.0	0.001	<0.01	0.18	1.9	<0.2	0.4	9.0	<0.01	0.01
I032330		1.33	11.9	230	6.4	9.1	0.001	<0.01	0.18	2.5	<0.2	0.4	17.5	<0.01	0.01
I032331		1.40	13.2	240	6.8	9.5	0.001	<0.01	0.20	2.8	<0.2	0.5	20.0	<0.01	0.01
I032332		1.51	15.6	570	7.3	8.2	0.001	<0.01	0.28	2.6	<0.2	0.4	18.5	<0.01	0.01
I032333		0.88	12.3	660	8.3	5.5	<0.001	<0.01	0.21	1.9	<0.2	0.5	16.0	<0.01	0.01
I032334		1.30	14.9	500	8.7	8.8	<0.001	<0.01	0.35	2.6	<0.2	0.6	13.6	<0.01	0.02
I032335		1.10	11.5	200	6.5	17.5	<0.001	<0.01	0.34	2.9	0.2	0.5	10.9	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032296		0.032	0.05	0.81	18	0.05	2.00	12
I032297		0.145	0.18	1.43	73	0.15	9.89	53
I032298		0.100	0.10	0.75	52	0.13	3.60	37
I032299		0.138	0.24	1.47	74	0.20	7.27	54
I032300		<0.005	<0.02	0.08	1	<0.05	0.61	3
								0.5
I032301		0.160	0.18	0.98	73	0.19	5.97	50
I032302		0.129	0.17	0.97	72	0.24	5.60	51
I032303		0.061	0.08	0.96	31	0.09	2.28	19
I032304		0.133	0.12	0.49	62	0.16	3.32	43
I032305		0.123	0.18	0.81	57	0.17	3.83	37
								1.7
I032306		0.163	0.36	1.09	94	0.19	4.93	61
I032307		0.093	0.13	1.83	83	0.13	3.89	55
I032308		0.085	0.17	0.46	76	0.27	2.61	33
I032309		0.048	0.05	0.28	31	0.15	1.78	17
I032310		0.103	0.14	0.66	77	0.15	3.24	37
								2.5
I032311		0.102	0.18	0.81	79	0.13	4.20	43
I032312		0.056	0.71	2.90	62	0.16	13.85	112
I032313		0.152	0.18	1.38	80	0.28	6.83	62
I032314		0.126	0.13	5.05	69	0.24	18.00	49
I032315		0.193	0.19	1.42	87	0.19	7.76	62
								3.4
I032316		0.208	0.24	1.88	84	0.19	9.01	65
I032317		0.166	0.13	1.37	79	0.17	5.18	51
I032318		0.159	0.14	1.35	79	0.23	5.01	58
I032319		0.162	0.13	0.93	72	0.27	4.07	47
I032320		<0.005	<0.02	0.11	1	<0.05	0.55	4
								0.5
I032321		0.161	0.12	1.61	77	0.26	4.91	49
I032322		0.127	0.05	0.50	70	0.12	8.13	55
I032323		0.130	0.05	0.52	75	0.23	6.36	50
I032324		0.096	0.06	0.40	63	0.13	4.80	53
I032325		0.073	0.07	0.30	64	0.10	2.43	36
								1.9
I032326		0.058	0.06	0.72	53	0.10	2.48	35
I032327		0.115	0.06	0.45	62	0.09	3.25	56
I032328		0.065	0.05	0.15	49	0.06	1.18	21
I032329		0.060	0.07	0.17	55	0.08	1.37	27
I032330		0.061	0.07	0.37	44	0.07	3.23	41
								1.9
I032331		0.062	0.08	0.40	45	0.10	3.61	41
I032332		0.060	0.07	0.30	52	0.15	1.91	56
I032333		0.044	0.05	0.32	55	0.19	1.72	74
I032334		0.067	0.09	0.31	61	0.16	1.59	63
I032335		0.094	0.08	0.29	61	0.16	1.99	34
								0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032336		0.34	0.007	0.12	1.22	4.2	<0.2	<10	130	0.27	0.14	0.06	0.04	14.25	2.8	16
I032337		0.38	<0.005	0.09	1.78	7.1	<0.2	<10	160	0.24	0.14	0.10	0.03	17.60	5.2	22
I032338		0.34	0.005	0.03	2.31	9.8	<0.2	<10	260	0.39	0.12	0.13	0.04	14.90	10.8	33
I032339		0.26	0.005	0.05	2.14	6.9	<0.2	<10	320	0.57	0.17	0.54	0.24	26.4	10.2	31
I032340		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	<0.01	0.01	1.11	0.1	1
I032341		0.46	0.011	0.13	1.52	8.9	<0.2	<10	250	0.52	0.14	1.64	0.24	24.2	10.4	25
I032342		0.30	<0.005	0.06	2.09	8.3	<0.2	<10	330	0.55	0.15	0.54	0.15	27.4	10.8	33
I032343		0.40	0.005	0.07	2.03	7.3	<0.2	<10	310	0.53	0.16	0.46	0.09	25.1	9.1	31
I032344		0.36	<0.005	0.07	2.30	7.9	<0.2	<10	340	0.67	0.16	0.72	0.28	27.1	10.2	34
I032345		0.46	0.009	0.13	1.64	9.1	<0.2	<10	280	0.47	0.14	1.80	0.23	25.6	10.2	28
I032346		0.44	0.010	0.10	1.60	8.2	<0.2	<10	290	0.51	0.14	0.86	0.12	26.9	9.6	28
I032347		0.40	0.008	0.08	1.42	7.6	<0.2	<10	260	0.37	0.13	0.97	0.15	21.7	8.3	25
I032348		0.42	0.007	0.10	1.45	8.0	<0.2	<10	290	0.42	0.11	0.82	0.14	22.2	8.3	27
I032349		0.34	0.008	0.12	1.45	7.3	<0.2	<10	300	0.45	0.13	1.22	0.21	24.3	9.8	26
I032350		0.26	<0.005	0.11	1.50	5.2	<0.2	<10	150	0.48	0.09	5.20	0.35	17.95	6.9	22
I032351		0.36	0.005	0.13	1.75	7.4	<0.2	<10	220	0.40	0.14	0.20	0.21	17.90	9.8	28
I032352		0.40	<0.005	0.08	1.71	4.9	<0.2	<10	420	0.94	0.29	0.91	0.15	40.5	7.1	16
I032353		0.34	0.008	0.03	1.57	6.8	<0.2	<10	280	0.45	0.15	0.30	0.05	23.0	7.2	29
I032354		0.32	<0.005	0.12	1.70	8.0	<0.2	<10	550	0.34	0.18	0.17	0.15	17.80	8.0	28
I032355		0.36	<0.005	0.05	1.84	6.0	<0.2	<10	430	0.44	0.14	0.30	0.12	18.15	10.2	28
I032356		0.48	0.009	0.07	2.99	8.2	<0.2	<10	310	0.42	0.11	0.71	0.23	16.80	18.6	36
I032357		0.38	0.010	0.22	2.16	9.0	<0.2	<10	290	0.42	0.11	0.53	0.14	18.25	13.5	33
I032358		0.32	0.009	0.04	1.41	5.8	<0.2	<10	140	0.25	0.08	0.92	0.05	21.5	6.4	30
I032359		0.24	0.013	0.06	1.11	5.1	<0.2	<10	200	0.37	0.10	1.99	0.45	17.40	8.5	21
I032360		0.30	0.006	0.06	1.48	5.2	<0.2	<10	180	0.33	0.12	0.87	0.18	17.35	8.6	26
I032361		0.34	0.006	0.08	1.33	6.2	<0.2	<10	150	0.37	0.10	0.90	0.21	25.8	9.0	29
I032362		0.38	0.007	0.07	1.57	6.4	<0.2	<10	160	0.33	0.10	0.70	0.07	22.3	8.5	30
I032363		0.28	0.009	0.07	1.50	4.2	<0.2	<10	180	0.32	0.10	0.94	0.10	22.1	7.2	31
I032364		0.28	0.005	0.05	1.21	4.3	<0.2	<10	120	0.24	0.09	0.94	0.17	18.45	7.9	26
I032365		0.32	0.016	0.07	1.76	7.1	<0.2	<10	160	0.31	0.12	0.59	0.11	19.60	10.0	35
I032366		0.28	0.009	0.10	1.62	3.9	<0.2	<10	260	0.46	0.10	1.54	0.45	26.0	10.0	29
I032367		0.30	0.007	0.16	1.68	5.1	<0.2	<10	200	0.53	0.16	0.60	0.10	68.1	11.2	29
I032368		0.32	0.006	0.09	1.26	3.9	<0.2	<10	150	0.29	0.15	0.42	0.07	19.00	6.6	24
I032369		0.34	0.007	0.11	1.74	4.8	<0.2	<10	230	0.44	0.17	0.41	0.09	49.9	9.2	31
I032370		0.52	NSS	0.05	0.40	11.5	<0.2	<10	120	0.36	0.07	0.63	0.24	32.6	10.5	16
I032371		0.36	0.006	0.07	1.79	5.8	<0.2	<10	210	0.37	0.14	0.48	0.07	20.7	10.7	35
I032372		0.28	0.007	0.07	1.69	5.3	<0.2	<10	180	0.35	0.12	0.38	0.08	18.80	10.7	35
I032373		0.34	0.008	0.11	1.42	7.9	<0.2	<10	190	0.39	0.12	0.98	0.23	25.4	9.8	30
I032374		0.42	0.006	0.05	1.67	4.9	<0.2	<10	160	0.32	0.14	0.55	0.09	25.9	9.4	31
I032375		0.42	0.011	0.07	1.87	5.6	<0.2	<10	170	0.40	0.14	0.53	0.10	27.2	9.8	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032336		0.72	12.5	1.77	6.08	<0.05	0.02	0.01	0.015	0.03	7.3	5.1	0.18	103	0.90
I032337		0.65	11.7	2.50	7.09	<0.05	<0.02	<0.01	0.017	0.04	9.0	11.4	0.45	174	0.84
I032338		1.30	14.3	2.83	6.29	<0.05	0.02	<0.01	0.026	0.05	7.6	15.6	0.80	232	0.82
I032339		0.57	21.9	2.57	6.67	0.07	0.08	0.03	0.031	0.03	13.7	9.0	0.49	614	1.15
I032340		<0.05	0.5	0.02	0.05	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	<0.1	<0.01	<5	<0.05
I032341		0.42	33.3	2.42	4.87	0.07	0.19	0.03	0.022	0.05	12.8	10.4	0.73	376	0.59
I032342		0.56	19.2	2.65	6.35	0.06	0.09	0.02	0.027	0.03	13.2	11.1	0.54	324	0.70
I032343		0.61	20.4	2.62	6.76	0.06	0.13	0.01	0.028	0.03	12.5	10.5	0.47	285	0.67
I032344		0.55	21.9	2.73	6.74	0.06	0.15	0.03	0.030	0.04	13.3	10.6	0.50	245	0.91
I032345		0.49	32.1	2.46	4.95	0.08	0.22	0.04	0.023	0.05	13.1	10.7	0.84	404	0.59
I032346		0.51	24.2	2.40	4.91	0.07	0.11	0.05	0.022	0.04	13.8	10.8	0.51	292	0.31
I032347		0.37	18.6	2.21	4.66	0.06	0.09	0.02	0.022	0.04	10.5	10.1	0.48	249	0.37
I032348		0.35	20.6	2.32	3.99	0.05	0.09	0.03	0.018	0.04	11.1	8.8	0.51	223	0.30
I032349		0.41	28.7	2.26	4.50	0.06	0.11	0.04	0.022	0.04	12.2	10.2	0.54	477	0.32
I032350		0.55	23.7	1.71	4.21	0.07	0.18	0.05	0.019	0.05	9.3	11.1	1.43	279	0.78
I032351		1.08	16.7	3.21	7.03	0.05	0.04	0.01	0.024	0.11	8.4	12.0	0.58	544	0.94
I032352		2.52	11.9	2.02	5.62	0.07	0.07	0.01	0.033	0.13	18.0	10.3	0.39	356	0.95
I032353		0.89	11.2	2.22	5.19	<0.05	0.04	0.01	0.021	0.06	11.7	10.9	0.37	243	1.68
I032354		0.55	11.3	2.91	7.26	0.05	0.03	0.01	0.022	0.07	9.2	10.9	0.34	551	1.89
I032355		0.54	10.0	3.10	7.12	0.05	0.02	0.01	0.026	0.08	8.9	10.0	0.47	546	1.08
I032356		0.58	16.6	4.43	9.36	0.07	0.09	0.01	0.030	0.11	6.8	9.7	0.83	858	1.95
I032357		0.33	24.3	3.52	7.23	0.06	0.06	<0.01	0.024	0.12	7.7	9.1	0.60	617	1.67
I032358		0.46	16.6	2.46	4.38	0.08	0.09	0.01	0.019	0.05	11.2	9.3	0.58	201	0.54
I032359		0.37	30.7	1.73	3.51	0.06	0.07	0.04	0.017	0.05	9.2	6.6	0.36	555	0.88
I032360		0.41	25.5	2.22	4.79	0.05	0.08	0.01	0.020	0.05	8.4	7.9	0.45	409	0.84
I032361		0.51	25.3	2.31	4.15	0.06	0.09	0.02	0.020	0.06	12.5	9.3	0.50	400	0.64
I032362		0.52	21.0	2.51	4.79	0.06	0.09	0.02	0.022	0.05	11.1	11.4	0.58	247	0.46
I032363		0.57	17.2	2.23	4.74	0.06	0.08	0.03	0.021	0.06	12.6	11.2	0.56	249	0.55
I032364		0.51	14.3	2.06	4.25	0.06	0.07	0.01	0.018	0.07	9.8	8.2	0.44	256	0.68
I032365		0.30	17.4	2.85	5.27	0.06	0.12	0.01	0.023	0.12	9.2	10.3	0.53	302	0.92
I032366		0.51	27.5	2.45	4.99	0.07	0.14	<0.01	0.022	0.15	13.2	5.4	0.55	540	0.44
I032367		1.70	20.1	2.71	7.09	0.15	0.05	0.02	0.029	0.18	66.3	13.5	0.41	894	1.57
I032368		0.99	13.6	2.39	5.99	0.06	0.10	0.01	0.017	0.18	16.5	9.1	0.40	370	1.06
I032369		1.85	19.0	2.64	6.94	0.11	0.09	0.01	0.027	0.18	41.4	12.6	0.44	406	1.17
I032370		0.50	9.1	2.48	2.09	0.08	0.05	0.01	0.009	0.06	17.0	4.3	0.28	965	1.59
I032371		0.80	17.8	2.81	5.99	0.05	0.11	0.01	0.024	0.09	9.7	13.4	0.53	457	0.80
I032372		0.83	14.4	2.80	5.78	<0.05	0.08	0.01	0.024	0.09	7.9	10.5	0.43	472	0.97
I032373		0.59	31.1	2.48	4.61	0.07	0.08	0.02	0.021	0.06	12.9	10.2	0.57	493	0.60
I032374		0.81	16.1	2.62	5.51	0.07	0.14	0.01	0.023	0.07	15.6	14.0	0.52	284	0.51
I032375		0.86	17.7	2.71	6.26	0.07	0.22	0.01	0.028	0.08	13.7	12.6	0.49	271	0.73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032336		1.02	6.7	170	8.2	11.7	<0.001	<0.01	0.22	2.0	0.2	0.5	7.5	<0.01	0.01
I032337		1.18	10.0	180	8.1	12.3	<0.001	<0.01	0.26	2.7	0.2	0.5	10.4	<0.01	0.02
I032338		1.07	19.6	260	7.6	13.3	<0.001	<0.01	0.40	3.5	0.2	0.4	12.6	<0.01	0.01
I032339		1.20	22.9	260	9.5	4.2	<0.001	<0.01	0.34	6.0	0.5	0.6	20.3	<0.01	0.02
I032340		<0.05	0.4	10	0.4	0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	0.6	<0.01	<0.01
I032341		1.19	27.1	610	8.6	7.0	<0.001	<0.01	0.60	4.9	0.5	0.4	46.2	<0.01	0.02
I032342		1.31	23.4	260	9.5	4.8	<0.001	<0.01	0.36	5.5	0.6	0.5	24.2	<0.01	0.03
I032343		1.45	19.8	150	10.0	7.7	<0.001	<0.01	0.30	5.1	0.4	0.6	23.8	<0.01	0.03
I032344		1.52	25.6	200	12.2	7.1	<0.001	<0.01	0.38	5.7	0.6	0.6	28.9	<0.01	0.03
I032345		1.35	26.6	550	11.6	6.5	<0.001	<0.01	0.75	5.0	0.5	0.4	41.1	<0.01	0.02
I032346		1.25	20.4	550	9.2	5.7	<0.001	<0.01	0.53	4.6	0.7	0.4	35.1	<0.01	0.02
I032347		1.18	17.5	500	8.8	5.3	<0.001	0.01	0.51	3.8	0.6	0.5	37.2	<0.01	0.02
I032348		1.04	17.7	580	8.3	4.4	<0.001	<0.01	0.47	3.7	0.6	0.3	30.0	<0.01	0.02
I032349		1.24	23.2	560	9.3	5.0	<0.001	0.03	0.67	4.1	1.0	0.4	39.3	<0.01	0.02
I032350		1.10	19.5	610	9.0	6.4	<0.001	0.03	0.57	3.8	0.8	0.3	62.4	<0.01	0.02
I032351		1.00	16.4	220	11.1	13.5	<0.001	<0.01	0.43	4.2	0.3	0.5	18.9	<0.01	0.02
I032352		0.55	10.8	740	12.1	16.6	<0.001	<0.01	0.15	4.4	0.4	0.7	61.0	<0.01	0.02
I032353		0.97	17.5	420	9.0	11.1	<0.001	<0.01	0.27	3.0	0.3	0.5	27.4	<0.01	0.03
I032354		1.32	14.1	480	9.5	8.5	<0.001	0.01	0.36	3.0	0.2	0.7	18.0	<0.01	0.04
I032355		1.22	14.5	260	8.1	6.9	<0.001	0.02	0.33	3.2	0.2	0.6	23.3	<0.01	0.01
I032356		1.13	17.1	400	7.2	6.3	<0.001	0.03	0.23	10.2	0.4	0.4	33.5	<0.01	0.03
I032357		1.09	18.1	350	6.4	7.3	<0.001	0.02	0.30	6.5	0.3	0.4	28.2	<0.01	0.03
I032358		1.31	16.5	870	5.1	5.7	<0.001	0.03	0.25	4.0	0.4	0.4	47.3	<0.01	0.01
I032359		0.96	21.1	840	4.6	4.9	<0.001	0.07	0.51	2.6	0.9	0.3	98.9	0.01	0.02
I032360		1.25	18.4	460	5.6	5.0	<0.001	<0.01	0.33	3.7	0.5	0.4	49.9	<0.01	0.02
I032361		1.24	20.8	800	5.4	7.8	<0.001	0.02	0.34	4.0	0.5	0.4	47.9	<0.01	0.02
I032362		1.37	20.5	770	5.7	7.0	<0.001	<0.01	0.34	4.3	0.5	0.5	41.4	<0.01	0.02
I032363		1.33	18.9	770	6.1	8.1	<0.001	0.01	0.30	4.4	0.5	0.5	54.5	<0.01	0.02
I032364		1.23	14.5	660	4.8	15.7	<0.001	<0.01	0.27	3.7	0.4	0.4	49.4	<0.01	0.01
I032365		1.42	20.2	580	6.3	7.0	<0.001	<0.01	0.30	4.5	0.4	0.5	33.4	<0.01	0.02
I032366		1.08	23.4	920	5.8	12.6	<0.001	<0.01	0.35	5.1	0.5	0.5	70.5	<0.01	0.02
I032367		1.14	15.5	510	14.8	29.8	<0.001	<0.01	0.29	4.5	0.7	0.7	40.6	<0.01	0.02
I032368		1.54	13.0	290	8.4	19.9	<0.001	0.08	0.24	3.0	0.3	0.7	29.3	<0.01	0.02
I032369		1.61	16.4	340	10.2	31.4	<0.001	0.14	0.27	4.3	0.5	0.8	30.8	<0.01	0.02
I032370		0.61	21.5	730	6.0	7.1	<0.001	0.11	0.67	2.1	0.3	0.3	16.5	<0.01	0.01
I032371		1.53	20.0	300	7.4	11.6	<0.001	<0.01	0.33	4.1	0.4	0.6	33.8	<0.01	0.02
I032372		1.40	17.5	170	7.4	14.1	<0.001	<0.01	0.34	4.8	0.2	0.6	27.1	<0.01	0.02
I032373		1.34	25.1	880	5.9	9.2	<0.001	<0.01	0.44	4.3	0.6	0.4	46.3	<0.01	0.02
I032374		1.30	15.8	610	7.2	9.9	<0.001	<0.01	0.28	4.4	0.3	0.5	37.5	<0.01	0.02
I032375		1.51	17.9	560	9.5	13.3	<0.001	<0.01	0.28	5.3	0.4	0.6	37.8	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032336		0.060	0.07	0.26	45	0.12	1.76	19	0.7
I032337		0.053	0.09	0.35	58	0.15	2.20	33	0.6
I032338		0.076	0.09	0.34	57	0.17	1.96	45	0.6
I032339		0.055	0.08	0.71	61	0.29	9.31	49	2.7
I032340		<0.005	<0.02	0.09	1	<0.05	0.59	2	<0.5
I032341		0.075	0.06	0.48	47	0.23	10.20	50	7.5
I032342		0.065	0.07	0.91	64	0.20	8.93	43	3.6
I032343		0.083	0.07	0.63	63	0.21	6.71	38	5.3
I032344		0.075	0.06	0.69	66	0.28	9.10	44	5.6
I032345		0.087	0.06	0.49	52	0.33	10.45	57	9.2
I032346		0.071	0.06	0.84	54	0.23	9.28	47	4.0
I032347		0.066	0.04	0.85	48	0.30	6.43	50	3.1
I032348		0.069	0.04	0.64	51	0.16	7.71	48	3.6
I032349		0.065	0.05	0.62	47	0.32	9.31	48	4.5
I032350		0.059	0.06	0.79	38	0.22	8.45	50	7.4
I032351		0.095	0.10	0.38	75	0.17	3.39	71	1.4
I032352		0.010	0.12	0.89	36	0.07	5.82	44	2.5
I032353		0.051	0.09	0.54	49	0.16	3.85	36	1.8
I032354		0.060	0.09	0.35	68	0.17	2.04	53	1.3
I032355		0.052	0.08	0.39	71	0.15	2.54	51	0.6
I032356		0.095	0.10	0.35	111	0.28	5.66	89	2.4
I032357		0.094	0.09	0.32	79	0.23	3.62	67	2.0
I032358		0.113	0.04	0.65	61	0.29	7.42	46	3.6
I032359		0.057	0.04	1.15	41	0.12	8.11	42	2.5
I032360		0.086	0.05	1.57	56	0.16	6.07	40	2.8
I032361		0.092	0.05	1.11	56	0.19	9.27	48	3.0
I032362		0.105	0.06	0.67	59	0.15	7.87	53	3.0
I032363		0.099	0.06	0.99	50	0.15	8.74	52	2.7
I032364		0.102	0.05	0.67	53	0.27	5.82	50	2.2
I032365		0.121	0.05	0.47	72	0.26	5.03	45	4.0
I032366		0.097	0.07	0.42	54	0.18	9.68	69	4.7
I032367		0.081	0.13	2.31	54	0.13	16.25	48	1.2
I032368		0.116	0.11	0.64	54	0.16	5.93	46	3.4
I032369		0.114	0.14	0.88	57	0.15	16.40	46	2.5
I032370		0.030	0.16	0.89	23	0.08	8.60	27	2.6
I032371		0.109	0.09	0.42	61	0.15	4.65	43	3.7
I032372		0.109	0.09	0.33	68	0.13	2.99	38	2.8
I032373		0.095	0.06	0.55	56	0.20	9.17	61	2.6
I032374		0.122	0.08	0.70	58	0.15	7.49	51	4.9
I032375		0.127	0.10	0.61	60	0.12	7.67	50	8.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032376		0.30	0.005	0.07	1.77	7.1	<0.2	<10	180	0.43	0.16	0.68	0.06	29.1	10.3	33
I032377		0.34	0.009	0.07	1.33	2.0	<0.2	<10	140	0.43	0.11	1.11	0.09	39.3	6.7	27
I032378		0.30	0.011	0.04	1.47	7.0	<0.2	<10	120	0.32	0.10	0.72	0.11	19.10	9.9	30
I032379		0.44	0.009	0.05	1.40	5.1	<0.2	<10	130	0.34	0.09	0.70	0.13	27.9	9.2	28
I032380		0.28	0.006	0.07	1.51	6.7	<0.2	<10	170	0.33	0.10	0.86	0.15	21.4	9.4	29
I032381		0.36	0.008	0.09	1.65	6.1	<0.2	<10	170	0.34	0.10	0.75	0.23	23.1	10.7	32
I032382		0.34	<0.005	0.07	1.58	6.3	<0.2	<10	190	0.36	0.12	0.80	0.16	26.1	10.4	29
I032383		0.28	0.006	0.08	1.61	4.7	<0.2	<10	200	0.38	0.15	0.89	0.14	45.0	9.3	27
I032384		0.36	0.007	0.10	1.06	6.2	<0.2	<10	150	0.55	0.20	0.80	0.11	38.7	8.3	18
I032385		0.38	<0.005	0.09	1.62	4.9	<0.2	<10	160	0.47	0.19	1.08	0.12	39.6	9.7	26
I032386		0.52	0.007	0.09	1.69	6.3	<0.2	<10	160	0.48	0.21	0.53	0.08	34.6	9.3	29
I032387		0.32	<0.005	0.05	1.43	4.7	<0.2	<10	150	0.44	0.14	0.74	0.11	32.7	8.9	25
I032388		0.34	0.012	0.05	1.49	5.1	<0.2	<10	150	0.40	0.13	0.71	0.12	30.1	8.5	26
I032389		0.24	0.007	0.04	1.61	6.2	<0.2	<10	180	0.27	0.11	0.82	0.23	18.35	9.8	31
I032390		0.34	0.005	0.04	2.16	8.4	<0.2	<10	160	0.48	0.16	0.30	0.06	19.05	9.9	33
I032391		0.36	0.009	0.07	1.54	7.9	<0.2	<10	190	0.49	0.09	1.02	0.16	29.6	14.5	32
I032392		0.34	0.009	0.08	1.45	6.5	<0.2	<10	140	0.37	0.11	0.92	0.19	23.2	10.4	30
I032393		0.42	0.006	0.08	1.85	5.8	<0.2	<10	150	0.42	0.16	0.36	0.08	39.9	7.9	29
I032394		0.30	0.007	0.09	1.83	5.5	<0.2	<10	140	0.42	0.17	0.35	0.08	41.3	7.6	29
I032395		0.44	<0.005	0.02	1.71	7.3	<0.2	<10	90	0.34	0.15	0.19	<0.07	24.7	6.2	25
I032396		0.44	<0.005	0.02	0.09	7.5	<0.2	<10	10	0.11	0.06	0.07	0.04	10.35	2.2	4
I032397		0.42	<0.005	0.05	2.08	6.8	<0.2	<10	90	0.41	0.19	0.18	0.08	38.3	7.1	29
I032398		0.32	0.007	0.06	1.72	6.8	<0.2	<10	190	0.37	0.13	0.77	0.13	24.6	10.8	33
I032399		0.26	0.008	0.05	1.62	6.3	<0.2	<10	160	0.37	0.11	0.75	0.11	19.50	11.0	30
I032400		0.34	0.007	0.08	1.60	7.1	<0.2	<10	160	0.38	0.11	0.95	0.15	22.4	11.6	32
I032401		0.42	0.006	0.06	1.68	6.3	<0.2	<10	160	0.32	0.12	0.72	0.09	21.4	10.2	32
I032402		0.36	0.006	0.03	1.77	5.9	<0.2	<10	160	0.58	0.20	0.41	0.07	38.1	8.9	34
I032403		0.42	0.010	0.07	1.94	5.4	<0.2	<10	170	1.07	0.38	0.67	0.08	127.0	7.9	28
I032404		0.50	0.006	0.03	1.29	3.7	<0.2	<10	100	0.35	0.19	0.40	0.04	31.2	5.9	23
I032405		0.42	0.012	0.05	1.63	3.7	<0.2	<10	130	0.49	0.28	0.42	0.09	30.8	6.5	24
I032406		0.40	0.007	0.35	1.44	3.6	<0.2	<10	120	0.70	0.28	0.52	0.06	48.5	6.8	20
I032407		0.32	0.007	0.25	2.79	8.9	<0.2	<10	270	1.94	0.53	1.03	0.22	359	9.3	34
I032408		0.36	0.006	0.07	2.05	4.9	<0.2	<10	150	0.65	0.29	0.56	0.08	73.5	6.8	28
I032409		0.44	0.006	0.18	2.91	6.1	<0.2	<10	230	1.23	0.60	0.52	0.08	155.5	6.2	33
I032410		0.36	0.005	0.01	1.24	3.5	<0.2	<10	70	0.47	0.29	0.21	0.03	25.4	4.6	19
I032411		0.38	<0.005	0.08	1.56	4.4	<0.2	<10	260	0.80	0.22	0.32	0.16	47.7	12.0	25
I032412		0.44	0.007	0.05	1.67	4.8	<0.2	<10	140	0.57	0.22	0.22	0.05	25.5	8.0	25
I032413		0.44	<0.005	0.07	1.69	5.1	<0.2	<10	160	0.52	0.18	0.44	0.08	29.9	8.2	31
I032414		0.40	0.005	0.05	1.38	4.7	<0.2	<10	140	0.46	0.16	0.28	0.08	34.4	7.7	24
I032415		0.42	0.005	0.09	1.80	5.6	<0.2	<10	170	0.38	0.16	0.62	0.08	26.3	10.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032376		0.49	20.4	2.83	5.66	0.05	0.13	0.02	0.027	0.15	11.8	10.6	0.53	405	0.55
I032377		0.77	22.9	1.45	4.49	0.09	0.09	0.02	0.021	0.06	23.5	12.3	0.49	130	0.54
I032378		0.50	18.7	2.60	4.86	0.08	0.13	0.02	0.019	0.09	9.4	11.0	0.61	256	0.72
I032379		0.96	17.0	2.40	4.72	0.07	0.08	0.02	0.020	0.07	14.2	11.6	0.54	369	0.47
I032380		0.45	22.5	2.50	4.90	0.06	0.17	0.03	0.021	0.07	10.7	11.2	0.59	345	0.48
I032381		0.66	22.0	2.56	5.62	0.07	0.08	0.02	0.023	0.07	11.3	11.7	0.56	457	0.73
I032382		0.78	20.7	2.45	5.27	0.07	0.07	0.03	0.022	0.06	12.7	11.8	0.52	404	0.75
I032383		1.88	14.5	2.32	6.12	0.08	0.07	0.04	0.023	0.08	25.3	15.9	0.50	452	0.68
I032384		1.81	11.7	2.08	4.04	0.08	0.09	0.03	0.026	0.10	20.2	9.6	0.35	432	0.86
I032385		2.55	14.1	2.55	5.92	0.07	0.08	0.03	0.025	0.11	19.7	20.4	0.53	478	0.66
I032386		1.78	19.0	2.69	6.10	0.09	0.13	0.02	0.029	0.08	25.4	15.9	0.52	266	0.49
I032387		1.97	14.9	2.41	5.32	0.08	0.09	0.02	0.022	0.12	17.8	14.0	0.50	363	0.52
I032388		1.22	15.7	2.32	5.10	0.07	0.10	0.02	0.021	0.07	14.7	11.7	0.47	357	0.54
I032389		0.54	20.7	2.63	5.11	0.06	0.11	0.02	0.023	0.07	8.8	11.7	0.58	428	0.70
I032390		2.86	17.0	3.22	8.34	0.05	0.09	<0.01	0.029	0.09	10.3	14.2	0.47	219	0.82
I032391		1.27	20.4	2.67	5.25	0.07	0.07	0.02	0.025	0.06	15.8	12.3	0.55	912	0.71
I032392		0.55	27.8	2.51	4.93	0.08	0.11	0.02	0.020	0.07	11.5	11.5	0.60	360	0.51
I032393		1.77	14.7	2.75	6.06	0.08	0.10	0.04	0.030	0.07	28.6	10.6	0.38	217	0.70
I032394		1.89	15.5	2.69	6.59	0.09	0.08	0.04	0.031	0.07	29.7	10.0	0.37	211	0.74
I032395		6.74	10.6	2.79	7.08	0.05	0.08	<0.01	0.026	0.07	14.5	9.2	0.29	150	1.13
I032396		0.09	2.2	0.58	0.49	<0.05	0.05	<0.01	<0.005	0.01	5.5	1.2	0.04	152	0.30
I032397		1.98	14.1	3.17	6.70	0.06	0.06	0.02	0.034	0.04	17.6	11.5	0.30	209	1.03
I032398		0.50	26.3	2.90	4.95	0.07	0.13	0.02	0.022	0.04	13.0	11.8	0.60	411	0.57
I032399		0.58	21.9	2.70	5.07	0.07	0.09	0.03	0.024	0.03	10.5	11.2	0.57	333	0.66
I032400		0.55	31.7	2.92	4.81	0.09	0.11	0.02	0.022	0.06	12.4	12.7	0.71	547	0.58
I032401		0.53	22.9	2.83	4.97	0.07	0.11	0.02	0.020	0.04	11.4	11.8	0.60	334	0.58
I032402		1.24	18.7	2.77	5.75	0.07	0.13	0.01	0.024	0.08	21.5	14.4	0.50	237	0.56
I032403		2.24	25.9	2.76	6.99	0.17	0.18	0.05	0.033	0.08	97.5	16.0	0.43	309	0.49
I032404		1.38	10.8	2.08	4.45	0.07	0.16	0.01	0.020	0.06	19.6	11.0	0.36	184	0.35
I032405		1.25	14.9	2.39	5.84	0.07	0.06	0.04	0.024	0.08	25.4	12.6	0.35	207	0.51
I032406		1.63	18.0	2.26	5.23	0.09	0.18	0.03	0.025	0.07	39.4	13.2	0.29	380	0.54
I032407		4.36	56.2	3.50	10.70	0.50	0.46	0.12	0.060	0.18	340	24.3	0.44	237	0.62
I032408		3.24	17.2	2.95	7.52	0.14	0.12	0.04	0.032	0.17	83.1	17.5	0.44	212	0.68
I032409		5.13	32.1	3.30	10.15	0.25	0.22	0.07	0.052	0.17	170.0	18.8	0.37	234	0.70
I032410		3.37	7.7	2.06	5.08	0.06	0.06	0.03	0.021	0.12	20.1	11.5	0.31	146	0.46
I032411		1.83	20.3	2.58	5.79	0.07	0.03	0.02	0.030	0.10	21.4	8.9	0.31	791	0.92
I032412		5.85	12.3	2.75	6.63	0.06	0.06	0.02	0.029	0.25	14.1	16.9	0.41	251	0.74
I032413		1.52	15.8	2.74	5.85	0.07	0.06	0.02	0.028	0.14	25.0	14.4	0.40	333	0.86
I032414		1.63	14.0	2.50	5.03	0.06	0.04	0.02	0.027	0.09	24.7	10.5	0.35	358	1.00
I032415		1.35	15.9	2.94	6.21	0.07	0.09	0.02	0.024	0.19	16.5	15.8	0.50	620	0.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032376		1.47	19.6	330	14.2	16.6	<0.001	<0.01	0.32	5.6	0.4	0.6	40.9	<0.01	0.01
I032377		1.09	15.2	800	8.2	7.8	<0.001	0.07	0.33	4.5	0.7	0.4	65.6	<0.01	0.01
I032378		1.47	19.9	710	5.5	11.1	<0.001	0.08	0.33	4.4	0.3	0.4	40.3	<0.01	0.01
I032379		1.27	17.4	710	6.4	11.6	<0.001	0.09	0.28	4.1	0.4	0.5	39.4	<0.01	0.01
I032380		1.59	21.1	590	5.6	8.1	<0.001	0.11	0.37	4.8	0.4	0.5	47.7	<0.01	0.02
I032381		1.47	21.6	810	6.0	13.7	<0.001	0.15	0.33	5.0	0.5	0.5	44.8	<0.01	0.02
I032382		1.34	20.2	670	7.0	11.7	<0.001	0.13	0.36	4.4	0.6	0.5	52.8	<0.01	0.02
I032383		1.36	15.2	650	10.0	18.7	<0.001	0.07	0.30	4.3	0.6	0.6	58.6	<0.01	0.01
I032384		0.91	11.5	640	11.4	16.1	<0.001	0.01	0.35	4.0	0.5	0.6	52.0	<0.01	0.01
I032385		1.30	15.4	690	13.7	28.4	<0.001	0.02	0.28	4.2	0.6	0.7	70.5	<0.01	0.01
I032386		1.39	18.0	590	12.1	16.3	<0.001	<0.01	0.34	4.8	0.5	0.7	38.9	<0.01	0.02
I032387		1.30	15.9	700	8.0	20.3	<0.001	0.05	0.27	4.3	0.5	0.6	44.5	<0.01	0.02
I032388		1.29	15.6	640	7.1	11.7	<0.001	0.03	0.28	3.9	0.4	0.5	42.2	<0.01	0.02
I032389		1.50	20.8	610	5.6	10.6	<0.001	0.01	0.35	4.7	0.4	0.5	44.9	<0.01	0.02
I032390		1.18	20.4	340	10.3	17.9	<0.001	<0.01	0.36	4.3	0.2	0.9	25.6	<0.01	0.02
I032391		1.12	22.2	780	7.0	9.4	<0.001	0.04	0.39	5.4	0.6	0.5	55.8	<0.01	0.01
I032392		1.45	23.7	800	5.7	7.8	<0.001	0.02	0.46	4.9	0.5	0.5	47.9	<0.01	0.03
I032393		1.26	15.2	470	10.6	11.8	<0.001	<0.01	0.32	4.5	0.5	0.6	26.1	<0.01	0.02
I032394		1.20	15.6	460	10.7	12.2	<0.001	<0.01	0.33	4.6	0.4	0.6	27.0	<0.01	0.02
I032395		1.24	13.0	320	11.8	21.5	<0.001	<0.01	0.37	3.4	0.3	0.7	16.1	<0.01	0.02
I032396		0.19	4.3	140	1.9	1.7	<0.001	<0.01	0.13	0.6	<0.2	<0.2	5.7	<0.01	<0.01
I032397		1.60	13.4	270	11.1	12.0	<0.001	0.01	0.38	4.6	0.4	0.6	19.5	<0.01	0.02
I032398		1.74	22.3	670	6.0	6.9	<0.001	0.02	0.39	5.1	0.6	0.4	43.6	<0.01	0.02
I032399		1.67	21.4	580	5.9	7.6	<0.001	0.03	0.36	4.9	0.7	0.5	41.6	<0.01	0.02
I032400		1.63	28.0	880	5.7	7.2	0.001	0.03	0.42	5.4	0.6	0.4	46.6	<0.01	0.02
I032401		1.61	21.5	740	6.0	7.7	<0.001	0.02	0.33	5.0	0.5	0.4	39.2	<0.01	0.01
I032402		1.39	17.3	450	9.8	15.9	<0.001	0.01	0.28	5.3	0.5	0.6	29.3	<0.01	0.01
I032403		1.41	17.3	740	16.7	20.0	0.001	0.02	0.28	7.1	1.0	0.8	41.3	0.01	0.02
I032404		1.37	10.5	370	9.7	16.4	<0.001	<0.01	0.24	3.6	0.3	0.5	28.7	<0.01	0.01
I032405		1.28	12.3	320	12.7	18.2	<0.001	0.01	0.19	3.9	0.4	0.7	29.7	<0.01	0.02
I032406		1.26	9.6	340	19.1	18.5	0.001	0.01	0.24	4.4	0.5	0.7	33.2	<0.01	0.01
I032407		1.85	34.8	590	36.1	35.2	0.002	0.05	0.50	12.9	3.0	1.2	66.2	0.05	0.03
I032408		1.53	14.2	530	16.7	33.5	0.001	0.02	0.27	5.8	0.8	0.9	37.4	0.01	0.01
I032409		1.47	16.9	560	33.2	33.8	0.001	0.02	0.20	9.7	1.2	1.3	39.1	0.01	0.02
I032410		1.34	9.2	280	13.9	28.9	<0.001	0.01	0.19	3.1	0.3	0.8	20.2	<0.01	0.01
I032411		1.11	14.6	470	13.9	17.6	<0.001	0.02	0.28	3.9	0.5	0.8	26.9	<0.01	0.01
I032412		1.59	13.6	260	13.7	44.5	<0.001	0.01	0.26	3.9	0.4	1.0	21.4	<0.01	0.02
I032413		1.40	15.6	320	11.4	25.0	<0.001	0.01	0.28	4.5	0.4	0.7	31.6	<0.01	0.02
I032414		1.24	13.4	230	12.7	17.0	<0.001	0.01	0.29	3.8	0.4	0.8	24.9	<0.01	<0.01
I032415		1.72	15.3	390	11.8	31.0	<0.001	0.01	0.28	4.2	0.6	0.7	39.9	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032376		0.109	0.06	0.53	62	0.17	6.02	45	4.3
I032377		0.084	0.06	8.11	46	0.11	15.05	42	2.6
I032378		0.129	0.05	0.48	68	0.19	6.31	47	4.3
I032379		0.110	0.07	0.71	58	0.25	8.53	53	2.9
I032380		0.117	0.05	0.65	61	0.25	7.95	48	6.4
I032381		0.113	0.06	0.77	64	0.23	8.02	54	2.9
I032382		0.094	0.07	0.83	60	0.19	8.28	49	2.6
I032383		0.097	0.14	2.15	52	0.13	10.10	57	2.5
I032384		0.060	0.11	5.33	40	0.11	10.35	44	2.8
I032385		0.093	0.19	2.69	51	0.19	9.52	56	2.7
I032386		0.118	0.12	1.00	58	0.12	12.10	51	4.6
I032387		0.103	0.13	1.19	53	0.21	10.30	53	3.1
I032388		0.101	0.10	0.93	56	1.21	8.44	49	3.2
I032389		0.120	0.06	0.40	67	0.13	5.71	55	3.8
I032390		0.107	0.15	0.45	73	0.09	4.36	49	3.4
I032391		0.077	0.08	1.09	57	0.25	10.25	53	2.3
I032392		0.114	0.06	0.47	64	0.18	9.40	52	4.2
I032393		0.085	0.09	0.83	57	0.14	7.59	44	3.3
I032394		0.082	0.09	0.86	56	0.14	7.94	43	2.6
I032395		0.070	0.16	0.46	63	0.13	4.04	39	2.7
I032396		0.010	0.03	0.31	5	0.28	2.52	12	2.0
I032397		0.083	0.12	0.67	71	0.12	4.27	44	2.4
I032398		0.124	0.06	0.66	71	0.11	8.95	54	5.0
I032399		0.105	0.07	0.65	67	0.17	7.88	51	3.5
I032400		0.126	0.06	0.47	69	0.21	9.94	63	4.1
I032401		0.133	0.06	0.59	72	0.21	7.39	53	4.0
I032402		0.117	0.11	1.35	66	0.18	8.87	48	4.8
I032403		0.086	0.13	9.66	53	0.16	28.9	48	6.7
I032404		0.112	0.12	1.06	49	0.23	6.70	42	6.2
I032405		0.083	0.10	1.39	47	0.10	9.29	41	2.0
I032406		0.073	0.11	2.70	41	0.11	15.65	42	7.1
I032407		0.089	0.23	17.95	51	0.28	130.5	110	12.2
I032408		0.092	0.19	2.55	53	0.12	19.90	59	3.6
I032409		0.067	0.23	6.69	52	0.19	39.8	62	6.9
I032410		0.084	0.20	1.11	43	0.12	7.24	41	2.1
I032411		0.071	0.11	1.30	56	0.17	7.00	47	0.8
I032412		0.092	0.31	0.94	52	0.09	4.74	50	2.4
I032413		0.089	0.12	0.95	58	0.10	7.33	45	2.0
I032414		0.075	0.11	1.01	52	0.13	5.48	43	1.3
I032415		0.119	0.12	0.92	68	0.14	6.37	50	3.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032416		0.34	<0.005	0.04	2.23	7.1	<0.2	<10	190	0.61	0.18	0.45	0.04	68.8	11.5	38
I032417		0.30	<0.005	0.12	2.50	5.3	<0.2	<10	260	0.90	0.24	0.59	0.09	138.0	11.3	35
I032418		0.34	<0.005	0.04	1.83	4.8	<0.2	<10	160	0.42	0.17	0.42	0.08	24.1	7.1	26
I032419		0.32	<0.005	0.12	1.95	4.3	<0.2	<10	170	0.66	0.17	0.46	0.08	52.8	9.5	28
I032420		0.28	<0.005	0.12	2.10	6.8	<0.2	<10	150	0.50	0.21	0.37	0.09	31.9	7.6	29
I032421		0.34	<0.005	0.06	1.75	5.7	<0.2	<10	120	0.34	0.20	0.27	0.09	14.40	6.3	25
I032422		0.42	<0.005	0.05	1.48	7.0	<0.2	<10	110	0.30	0.20	0.27	0.09	15.85	5.8	21
I032423		0.36	<0.005	0.05	1.60	6.1	<0.2	<10	100	0.56	0.19	0.25	0.08	38.3	6.4	25
I032424		0.34	<0.005	0.06	1.29	4.7	<0.2	<10	90	0.24	0.17	0.25	0.08	16.20	4.5	22
I032425		0.26	<0.005	0.07	1.80	5.5	<0.2	<10	150	0.34	0.24	0.40	0.09	19.40	7.6	26
I032426		0.32	<0.005	0.05	1.45	4.4	<0.2	<10	170	0.40	0.16	0.37	0.09	20.3	5.8	23
I032427		0.40	<0.005	0.04	2.03	6.4	<0.2	<10	240	0.47	0.16	0.47	0.03	22.4	9.5	32
I032428		0.38	<0.005	0.03	2.57	9.2	<0.2	<10	170	0.47	0.18	0.26	0.08	21.9	14.7	36
I032429		0.34	<0.005	0.05	1.66	4.2	<0.2	<10	110	0.47	0.67	0.26	0.05	16.00	6.0	22
I032430		0.40	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.10	0.02	0.05	0.04	10.20	2.2	3
I032431		0.32	<0.005	1.13	2.32	13.1	<0.2	<10	200	0.41	0.21	0.14	0.24	33.3	6.8	43
I032432		0.40	<0.005	0.07	2.73	10.4	<0.2	<10	120	0.37	0.14	0.15	0.11	15.60	14.8	59
I032433		0.30	<0.005	0.13	1.83	7.9	<0.2	<10	200	0.35	0.20	0.52	0.16	17.75	11.6	30
I032434		0.34	0.005	0.18	2.12	7.2	<0.2	<10	220	0.63	0.17	0.81	0.16	33.1	22.8	28
I032435		0.38	<0.005	0.06	2.60	4.1	<0.2	<10	120	0.49	0.09	0.69	0.06	21.5	18.9	41
I032436		0.40	<0.005	0.05	2.10	5.5	<0.2	<10	90	0.53	0.15	0.30	0.06	35.1	17.3	38
I032437		0.34	<0.005	0.19	2.45	4.4	<0.2	<10	220	0.51	0.12	0.40	0.26	30.6	18.5	62
I032438		0.30	<0.005	0.19	2.78	10.0	<0.2	<10	130	0.51	0.18	0.14	0.10	17.75	11.5	40
I032439		0.36	0.005	0.13	2.49	11.7	<0.2	<10	110	0.71	0.28	0.14	0.12	28.0	11.0	38
I032440		0.34	0.007	0.15	1.94	8.6	<0.2	<10	100	0.47	0.22	0.19	0.13	27.8	8.7	56
I032441		0.40	<0.005	0.12	2.72	6.2	<0.2	<10	180	1.21	0.29	0.70	0.14	51.3	19.7	70
I032442		0.52	0.005	0.04	1.98	11.1	<0.2	<10	80	0.71	0.26	0.13	0.12	42.7	9.0	31
I032443		0.40	<0.005	0.01	0.10	2.2	<0.2	<10	30	0.10	0.02	0.07	0.04	10.90	2.4	3
I032444		0.54	<0.005	0.14	1.52	7.0	<0.2	<10	120	0.48	0.16	0.37	0.08	47.4	8.5	27
I032445		0.36	<0.005	0.10	2.90	12.3	<0.2	<10	110	0.43	0.21	0.14	0.15	18.70	8.8	45
I032446		0.34	<0.005	0.31	2.55	11.3	<0.2	<10	160	0.35	0.22	0.22	0.22	19.65	8.5	38
I032447		0.30	<0.005	0.05	2.14	4.0	<0.2	<10	180	0.33	0.13	0.18	0.12	14.75	13.7	43
I032448		0.40	<0.005	0.13	2.36	3.6	<0.2	<10	180	0.50	0.12	0.32	0.13	32.9	17.8	38
I032449		0.46	<0.005	0.06	1.85	7.5	<0.2	<10	80	0.24	0.17	0.20	0.09	20.8	9.6	36
I032450		0.42	<0.005	0.12	2.07	8.6	<0.2	<10	240	0.62	0.14	0.31	0.06	49.8	12.9	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032416		2.04	19.5	3.33	7.28	0.12	0.26	0.02	0.033	0.18	51.3	22.8	0.62	401	0.74
I032417		5.45	20.5	3.48	8.87	0.19	0.17	0.04	0.043	0.30	125.5	32.3	0.66	450	0.76
I032418		2.39	9.9	2.82	6.13	0.07	0.11	0.01	0.032	0.16	18.2	12.6	0.43	336	0.94
I032419		4.75	14.8	3.08	7.55	0.10	0.07	0.02	0.032	0.34	33.7	20.5	0.58	390	0.92
I032420		2.45	15.2	3.08	7.53	0.08	0.06	0.03	0.030	0.13	21.6	13.7	0.44	410	1.39
I032421		1.17	10.8	2.74	6.57	0.06	0.04	0.02	0.023	0.07	8.0	15.8	0.34	288	1.45
I032422		1.07	10.5	2.36	6.03	<0.05	0.04	0.01	0.020	0.04	8.2	12.2	0.28	234	0.99
I032423		1.83	12.6	2.36	5.01	0.07	0.05	0.02	0.025	0.06	22.7	16.1	0.36	256	0.82
I032424		0.93	10.2	2.27	6.14	0.05	0.04	0.01	0.017	0.05	8.9	9.1	0.28	177	0.92
I032425		0.98	13.7	2.72	6.86	0.05	0.05	0.02	0.023	0.09	12.9	15.5	0.47	269	1.06
I032426		0.94	11.6	2.30	6.04	0.05	0.06	0.01	0.020	0.08	10.5	9.7	0.28	326	0.99
I032427		1.19	16.5	3.04	6.77	0.07	0.17	0.01	0.025	0.04	11.4	11.5	0.47	265	0.70
I032428		1.22	17.5	3.65	8.58	0.07	0.09	0.02	0.034	0.04	11.7	15.2	0.48	447	1.47
I032429		2.79	10.6	2.81	8.33	0.06	0.03	0.01	0.028	0.16	8.4	12.1	0.38	198	1.07
I032430		0.10	1.7	0.61	0.57	<0.05	0.05	0.01	<0.005	<0.01	5.3	1.2	0.03	150	0.28
I032431		2.45	42.9	5.17	8.55	0.09	0.04	0.08	0.036	0.08	19.7	15.5	0.39	215	4.44
I032432		1.99	24.8	4.89	10.10	0.09	0.08	0.03	0.028	0.08	7.2	25.0	0.81	317	1.35
I032433		1.93	15.7	3.13	8.02	0.07	0.02	0.04	0.030	0.02	9.0	14.0	0.42	606	1.56
I032434		2.60	25.9	3.29	6.32	0.08	0.04	0.04	0.030	0.03	16.4	15.2	0.61	1280	1.16
I032435		3.59	21.4	3.80	7.04	0.09	0.04	0.01	0.020	0.06	10.1	37.6	1.25	475	0.66
I032436		3.14	26.8	3.84	6.92	0.10	0.04	0.03	0.031	0.06	17.5	22.0	0.74	273	1.07
I032437		2.71	36.9	3.52	6.56	0.09	0.03	0.03	0.026	0.13	11.3	21.0	0.90	342	1.11
I032438		1.43	17.0	4.05	8.21	0.09	0.05	0.03	0.036	0.03	8.9	17.3	0.43	292	1.41
I032439		3.27	17.2	4.61	10.10	0.10	0.07	0.02	0.041	0.07	16.8	31.8	0.51	412	2.00
I032440		2.88	13.6	3.56	8.27	0.09	0.06	0.03	0.030	0.07	15.3	21.4	0.56	258	1.15
I032441		4.84	33.5	4.14	9.34	0.12	0.05	0.03	0.036	0.35	30.0	25.5	1.14	789	1.10
I032442		2.29	14.6	3.37	7.63	0.10	0.04	0.03	0.032	0.07	22.3	16.8	0.34	299	1.71
I032443		0.09	1.7	0.62	0.56	<0.05	0.05	<0.01	<0.005	<0.01	5.6	1.3	0.04	164	0.30
I032444		1.64	18.2	2.67	5.09	0.09	0.04	0.07	0.028	0.06	28.5	11.4	0.34	258	1.45
I032445		2.11	17.6	4.47	10.10	0.08	0.06	0.05	0.032	0.02	9.5	19.1	0.40	242	1.83
I032446		1.17	18.3	3.93	10.10	0.08	0.07	0.03	0.031	0.02	9.8	14.7	0.41	228	1.65
I032447		1.19	15.9	3.53	7.73	0.07	0.02	0.01	0.020	0.07	6.1	18.0	0.70	622	0.86
I032448		2.57	45.5	3.97	7.04	0.11	0.03	0.01	0.021	0.21	18.0	22.1	0.88	416	0.93
I032449		1.45	17.5	3.60	7.87	0.08	0.05	0.01	0.025	0.09	10.4	15.6	0.58	248	1.03
I032450		1.18	30.0	3.15	6.03	0.11	0.05	0.03	0.030	0.05	28.9	13.2	0.53	255	0.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I032416		1.73	19.0	340	12.2	34.1	<0.001	0.01	0.33	6.3	0.6	0.9	32.4	0.01	0.01	12.3
I032417		1.86	18.5	600	19.1	53.3	0.001	0.02	0.25	8.2	1.1	1.1	38.6	0.01	0.02	19.7
I032418		1.45	11.8	510	11.8	26.1	<0.001	0.01	0.20	4.5	0.4	0.9	29.4	<0.01	0.01	9.2
I032419		1.51	14.6	620	13.5	48.9	<0.001	0.02	0.21	4.9	0.6	1.1	32.6	<0.01	0.02	8.7
I032420		1.55	13.5	330	15.4	27.5	<0.001	0.02	0.27	4.6	0.6	0.9	29.8	<0.01	0.02	7.0
I032421		1.60	10.9	330	13.1	14.2	<0.001	0.01	0.24	3.0	0.2	1.0	22.4	<0.01	0.02	3.1
I032422		1.25	9.7	450	10.1	12.7	<0.001	0.01	0.24	2.6	0.3	0.8	23.2	<0.01	0.01	1.6
I032423		1.37	13.5	400	20.1	17.8	<0.001	0.01	0.28	3.1	0.4	0.8	22.7	<0.01	0.01	4.4
I032424		1.52	9.0	260	12.6	12.3	<0.001	0.01	0.28	2.6	0.2	0.8	21.4	<0.01	0.01	2.3
I032425		1.43	14.6	360	10.4	16.2	<0.001	0.01	0.23	3.7	0.4	0.8	27.9	<0.01	0.02	3.2
I032426		1.41	11.7	280	14.4	15.5	<0.001	0.01	0.24	2.9	0.3	0.8	25.7	<0.01	0.01	3.7
I032427		1.27	19.9	410	9.3	8.0	<0.001	0.01	0.38	5.3	0.4	0.7	31.0	<0.01	0.02	3.2
I032428		1.94	22.8	310	10.0	12.3	<0.001	0.01	0.41	4.8	0.4	0.8	25.8	<0.01	0.03	3.8
I032429		1.29	11.8	440	15.5	35.8	<0.001	0.01	0.21	3.9	0.3	1.9	18.1	<0.01	0.01	3.0
I032430		0.22	3.7	170	1.5	1.8	<0.001	<0.01	0.12	0.6	<0.2	<0.2	8.9	<0.01	<0.01	1.8
I032431		1.60	20.1	980	8.6	12.3	<0.001	0.17	0.63	3.1	2.0	0.6	35.6	<0.01	0.07	0.6
I032432		2.33	32.5	330	7.8	13.3	<0.001	0.01	0.39	4.5	0.6	0.6	12.6	<0.01	0.03	2.3
I032433		1.50	18.3	500	9.0	8.5	<0.001	0.03	0.28	2.9	0.7	0.6	27.6	<0.01	0.04	0.6
I032434		1.05	21.6	830	10.0	9.7	<0.001	0.04	0.39	4.3	0.9	0.5	32.6	<0.01	0.04	1.1
I032435		2.54	35.4	390	8.5	17.3	<0.001	0.02	0.13	3.2	0.5	0.7	41.5	<0.01	0.02	3.3
I032436		1.50	37.8	400	8.2	14.1	<0.001	0.04	0.21	4.6	0.5	0.4	22.7	<0.01	0.03	5.4
I032437		1.43	54.3	800	9.2	23.0	<0.001	0.02	0.18	4.1	0.9	0.5	28.4	<0.01	0.03	1.5
I032438		2.15	22.8	410	9.6	10.7	<0.001	0.02	0.42	4.3	0.7	0.6	16.1	0.01	0.03	2.3
I032439		2.35	21.7	500	24.6	22.6	<0.001	0.01	0.42	4.5	0.7	1.0	17.6	<0.01	0.05	7.4
I032440		2.04	21.8	400	20.9	22.6	<0.001	0.01	0.28	4.5	0.6	0.6	18.6	<0.01	0.03	4.2
I032441		1.38	33.2	1250	18.3	51.7	<0.001	0.03	0.21	6.6	0.7	0.8	52.7	<0.01	0.03	12.3
I032442		1.70	18.4	430	19.2	20.4	<0.001	0.01	0.32	4.1	0.7	0.7	14.6	0.01	0.04	5.8
I032443		0.20	4.0	180	1.5	1.6	<0.001	<0.01	0.13	0.6	0.2	<0.2	10.1	<0.01	<0.01	1.8
I032444		0.79	17.1	1050	13.5	15.0	<0.001	0.03	0.23	3.6	0.8	0.6	29.3	<0.01	0.02	2.5
I032445		2.66	21.9	370	10.7	12.2	<0.001	0.02	0.58	4.1	0.8	0.7	17.1	0.01	0.05	2.0
I032446		2.39	17.1	380	11.5	10.5	<0.001	0.02	0.46	4.2	0.6	0.8	21.2	0.01	0.03	2.5
I032447		1.88	32.6	460	9.1	22.5	<0.001	0.01	0.30	2.5	0.5	0.5	18.6	<0.01	0.04	2.1
I032448		1.55	40.0	600	34.6	32.2	<0.001	0.02	0.17	3.1	0.6	0.4	29.3	<0.01	0.04	1.6
I032449		2.11	23.7	360	11.2	15.2	<0.001	0.02	0.31	3.4	0.5	0.6	18.3	<0.01	0.03	2.0
I032450		1.27	28.7	720	9.1	13.4	<0.001	0.02	0.30	5.8	0.9	0.5	25.4	0.01	0.02	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 8 - D
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10113881

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032416		0.143	0.18	1.35	68	0.13	17.50	58	9.9
I032417		0.123	0.37	2.88	58	0.16	36.0	73	4.7
I032418		0.099	0.15	1.19	55	0.10	8.03	54	4.1
I032419		0.111	0.31	1.56	51	0.13	12.80	66	1.9
I032420		0.095	0.15	1.19	66	0.17	8.14	54	2.1
I032421		0.092	0.11	0.56	68	0.11	2.94	53	1.4
I032422		0.087	0.09	0.66	59	0.14	4.12	38	1.3
I032423		0.077	0.12	1.51	56	0.17	9.61	39	1.4
I032424		0.095	0.10	0.58	65	0.09	3.31	42	1.5
I032425		0.092	0.12	0.70	61	0.11	6.00	46	1.8
I032426		0.083	0.10	0.57	59	0.09	3.81	39	2.3
I032427		0.102	0.10	0.63	72	0.09	5.61	44	6.7
I032428		0.113	0.12	0.58	84	0.10	4.29	50	3.5
I032429		0.089	0.25	0.55	55	0.11	3.88	47	1.5
I032430		0.006	0.03	0.31	4	<0.05	2.06	5	2.1
I032431		0.104	0.21	1.23	115	0.17	6.18	65	1.3
I032432		0.182	0.15	0.39	120	0.14	3.47	58	3.5
I032433		0.080	0.15	0.45	78	0.16	4.02	41	1.0
I032434		0.059	0.17	2.13	64	0.12	8.41	49	1.0
I032435		0.153	0.20	0.55	50	0.13	4.30	108	1.4
I032436		0.085	0.17	0.87	65	0.10	6.21	75	1.4
I032437		0.115	0.22	0.93	70	0.11	7.24	84	1.1
I032438		0.100	0.11	0.57	86	0.14	3.89	48	2.3
I032439		0.095	0.17	0.80	82	0.16	6.76	66	2.7
I032440		0.098	0.22	0.58	73	0.17	5.34	53	2.2
I032441		0.119	0.42	1.32	76	0.13	11.40	81	1.7
I032442		0.069	0.18	1.40	67	0.16	7.63	46	1.2
I032443		0.007	0.03	0.30	5	<0.05	2.28	6	2.0
I032444		0.031	0.14	2.78	49	0.10	11.80	51	0.6
I032445		0.123	0.17	0.59	100	0.18	3.76	45	3.0
I032446		0.118	0.14	0.58	99	0.14	3.52	48	3.4
I032447		0.129	0.18	0.35	64	0.09	2.52	86	0.8
I032448		0.121	0.23	0.76	57	0.08	6.36	65	0.7
I032449		0.135	0.13	0.61	77	0.11	4.08	54	1.8
I032450		0.075	0.12	1.56	59	0.18	16.70	52	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113881

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41 ME-MS41	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

CERTIFICATE WH10120405

Project: SQI10-01
P.O. No.: SQI10-06_22
This report is for 22 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034053		0.43	<0.005	0.74	0.40	0.6	<0.2	<10	440	0.23	0.14	1.01	0.07	112.0	0.4	35
I034054		1.70	<0.005	1.09	0.27	0.6	<0.2	<10	500	0.23	0.10	0.21	0.12	27.7	0.3	35
I034151		1.64	<0.005	0.35	1.22	3	<0.2	<10	60	0.46	0.12	11.50	0.28	18.00	16.5	10
I034152		0.93	<0.005	0.01	0.21	0.3	<0.2	<10	10	0.27	0.11	0.05	0.01	6.11	0.9	13
I034153		0.90	<0.005	0.14	0.07	0.1	<0.2	<10	30	0.06	0.17	0.09	0.01	8.94	0.6	51
I034154		1.14	<0.005	0.02	0.03	0.6	<0.2	<10	10	0.06	0.27	0.02	0.01	0.44	0.8	39
I034201		0.70	<0.005	0.03	0.33	0.4	<0.2	<10	50	0.91	0.48	0.32	0.14	14.10	0.3	10
I034202		0.58	0.011	0.01	1.02	0.7	<0.2	<10	20	0.17	0.03	1.59	0.06	2.88	19.7	9
I034203		0.63	0.005	0.07	1.06	12.9	<0.2	<10	1550	1.20	0.04	0.90	0.12	52.4	5.5	5
I319659		0.92	<0.005	0.02	2.33	0.4	<0.2	<10	30	0.27	0.02	1.60	0.03	5.86	32.0	197
I319660		0.69	<0.005	0.04	0.17	3.7	<0.2	<10	20	<0.05	0.24	0.06	0.04	3.91	2.3	40
I319661		0.50	<0.005	0.04	0.25	2.8	<0.2	<10	40	0.06	1.11	0.05	0.11	3.59	4.0	34
I319662		0.44	<0.005	0.02	0.57	0.3	<0.2	<10	130	0.12	0.03	0.15	0.02	4.50	1.4	12
I319663		0.52	<0.005	0.01	0.18	2.7	<0.2	<10	100	0.08	0.01	0.04	0.04	6.37	1.8	6
I319664		0.90	<0.005	0.03	0.02	1.6	<0.2	<10	200	<0.05	<0.01	0.29	0.03	1.14	0.6	47
I319665		0.62	<0.005	0.51	0.18	5.8	<0.2	<10	220	0.19	0.13	0.09	0.91	45.9	4.1	12
I319666		0.69	<0.005	0.02	0.43	0.2	<0.2	<10	130	0.14	0.09	0.08	0.02	5.17	1.4	9
I319667		0.58	<0.005	0.02	0.24	0.6	<0.2	<10	120	0.07	0.03	0.04	0.03	3.24	0.7	9
I319668		0.77	<0.005	0.02	0.02	0.8	<0.2	<10	10	<0.05	0.01	0.07	0.02	0.36	0.4	37
I319669		0.32	<0.005	0.04	1.53	0.2	<0.2	<10	30	0.21	0.03	0.51	0.08	5.33	13.9	58
I319670		0.97	<0.005	0.08	2.75	0.3	<0.2	<10	70	0.37	0.02	0.53	0.07	5.13	20.4	10
I319671		1.32	0.008	0.20	1.51	1.1	<0.2	<10	70	0.30	0.04	0.52	0.02	3.70	11.5	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034053		0.32	10.7	1.43	2.88	0.20	0.17	0.03	0.082	0.16	75.8	1.8	0.06	41	7.70
I034054		0.21	9.9	1.08	1.77	0.07	0.08	0.01	0.034	0.16	15.2	1.5	0.04	30	9.40
I034151		0.32	24.1	4.69	6.01	0.09	0.04	<0.01	0.109	0.30	8.9	10.2	1.71	1880	3.19
I034152		0.82	8.3	0.32	1.16	<0.05	0.30	<0.01	0.006	0.11	2.2	1.9	0.03	79	0.47
I034153		0.08	37.0	0.54	0.55	<0.05	<0.02	<0.01	<0.005	0.02	7.2	0.5	0.03	49	16.70
I034154		<0.05	22.0	0.33	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.3	0.2	0.01	26	4.79
I034201		4.21	1.0	0.25	1.34	<0.05	0.52	<0.01	0.006	0.23	6.9	0.8	0.01	427	0.21
I034202		0.14	60.9	2.09	2.40	0.12	0.13	<0.01	0.007	0.04	1.4	1.4	0.35	330	0.34
I034203		8.68	1.5	1.53	2.40	0.08	0.31	<0.01	0.010	0.34	28.5	14.7	0.24	649	0.05
I319659		0.07	42.8	2.80	6.21	0.08	0.09	<0.01	0.007	0.07	3.0	12.2	2.29	517	0.13
I319660		0.07	3.8	0.53	0.52	<0.05	0.08	<0.01	<0.005	0.01	1.6	1.2	0.11	92	0.55
I319661		0.05	19.0	0.86	0.25	<0.05	0.08	<0.01	0.007	0.01	1.5	1.0	0.04	129	2.31
I319662		0.28	11.1	0.93	3.73	<0.05	0.04	<0.01	0.008	0.05	2.2	6.7	0.22	103	0.35
I319663		0.35	1.4	0.82	0.62	<0.05	0.03	<0.01	0.014	0.13	2.9	0.2	0.01	196	0.26
I319664		<0.05	2.3	0.50	0.14	<0.05	<0.02	<0.01	<0.005	0.01	0.6	0.2	0.10	196	0.30
I319665		0.08	37.1	2.05	0.88	0.06	0.57	0.01	0.020	0.05	28.3	0.5	0.01	1500	0.74
I319666		0.25	1.5	0.75	2.76	<0.05	0.02	<0.01	<0.005	0.19	2.5	4.0	0.08	154	0.12
I319667		0.07	2.6	0.31	0.79	<0.05	0.02	<0.01	<0.005	0.13	1.2	0.7	0.01	62	0.15
I319668		<0.05	1.4	0.25	0.21	<0.05	<0.02	<0.01	<0.005	<0.01	0.2	0.2	<0.01	84	0.23
I319669		0.13	35.3	2.70	6.48	0.15	0.06	<0.01	0.010	0.02	2.6	22.8	1.43	494	0.35
I319670		0.81	54.6	4.69	11.00	0.10	0.05	<0.01	0.012	0.09	2.6	39.6	2.29	824	0.32
I319671		0.46	22.1	2.47	5.49	<0.05	0.02	0.04	<0.005	0.09	1.7	30.4	1.19	486	0.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I034053		1.61	7.0	5080	6.2	9.3	0.001	0.02	0.10	3.6	2.5	0.3	41.8	0.01	0.06	5.4
I034054		2.12	1.8	2070	3.4	8.0	0.001	0.06	0.06	3.2	3.6	0.3	15.0	0.01	0.06	4.0
I034151		0.10	22.8	1570	3.2	6.5	0.002	1.03	0.26	9.7	0.9	<0.2	213	<0.01	0.06	1.0
I034152		9.13	0.8	40	3.3	16.5	<0.001	0.01	0.05	1.5	0.3	1.3	1.9	0.01	0.01	7.4
I034153		0.16	1.7	120	0.5	1.8	<0.001	0.03	<0.05	0.6	1.0	0.2	23.5	<0.01	0.06	0.4
I034154		0.12	1.9	10	1.0	0.4	<0.001	0.01	0.06	0.3	<0.2	<0.2	0.7	<0.01	0.07	<0.2
I034201		0.24	1.3	130	60.0	21.5	<0.001	<0.01	0.09	1.2	0.4	0.2	9.5	<0.01	0.01	11.8
I034202		0.92	7.2	1000	1.9	1.0	<0.001	<0.01	0.29	3.6	0.4	<0.2	114.5	0.01	0.03	0.2
I034203		<0.05	5.8	660	26.8	23.1	<0.001	0.04	0.36	1.7	0.3	0.2	45.2	<0.01	<0.01	9.7
I319659		0.45	108.5	1440	1.2	1.7	<0.001	<0.01	0.09	4.7	0.3	0.3	54.3	0.01	<0.01	1.0
I319660		0.06	18.6	100	10.9	0.9	<0.001	0.01	0.06	0.6	<0.2	<0.2	5.2	<0.01	0.04	3.4
I319661		0.07	40.6	60	37.9	0.4	<0.001	0.01	0.08	0.5	0.3	<0.2	5.1	<0.01	0.05	3.0
I319662		0.34	1.3	250	2.2	3.6	<0.001	0.06	0.08	0.7	<0.2	0.2	16.8	<0.01	0.02	1.5
I319663		0.09	2.0	140	1.4	2.8	<0.001	0.02	0.06	1.0	<0.2	<0.2	28.9	<0.01	<0.01	0.3
I319664		0.09	1.4	30	1.1	0.4	<0.001	0.02	0.11	1.0	<0.2	<0.2	24.9	<0.01	<0.01	0.2
I319665		0.27	7.2	370	183.0	1.9	<0.001	0.04	0.17	2.2	0.2	0.2	37.5	<0.01	0.02	7.2
I319666		1.34	1.1	110	3.4	9.3	<0.001	0.01	<0.05	0.3	<0.2	<0.2	23.9	<0.01	<0.01	0.8
I319667		0.38	1.3	110	9.4	4.3	<0.001	0.01	<0.05	0.1	<0.2	<0.2	12.5	<0.01	0.01	0.4
I319668		0.12	1.4	220	0.3	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.7	<0.01	0.01	<0.2
I319669		0.37	16.1	230	2.7	1.6	<0.001	0.01	0.12	6.2	0.3	0.2	86.5	<0.01	0.03	0.9
I319670		0.40	5.5	420	2.8	5.3	<0.001	<0.01	0.07	10.5	0.3	0.2	39.2	<0.01	0.02	0.7
I319671		0.41	4.2	340	1.0	4.2	<0.001	0.03	0.05	3.4	0.2	0.2	35.9	<0.01	0.17	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 17 - SEP - 2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I034053		0.056	0.06	12.35	320	0.77	47.9	80	6.2
I034054		0.065	0.07	2.92	95	0.19	11.30	11	2.6
I034151		0.022	0.04	0.18	68	0.11	17.60	36	1.1
I034152		<0.005	0.11	3.91	3	0.40	4.23	4	3.5
I034153		<0.005	0.02	0.31	5	0.11	1.38	<2	<0.5
I034154		<0.005	<0.02	<0.05	2	2.90	0.25	<2	<0.5
I034201		<0.005	0.13	4.32	<1	0.10	13.20	18	10.6
I034202		0.185	<0.02	0.09	26	0.22	2.42	17	3.3
I034203		<0.005	0.11	1.87	7	0.13	9.25	48	12.5
I319659		0.342	<0.02	0.11	65	0.08	4.42	61	2.6
I319660		0.005	<0.02	0.11	5	<0.05	1.60	11	3.8
I319661		<0.005	<0.02	0.85	5	<0.05	2.78	32	4.2
I319662		0.030	0.02	0.35	13	<0.05	2.01	26	0.9
I319663		<0.005	0.02	0.24	5	0.16	1.15	8	1.0
I319664		<0.005	<0.02	0.06	5	0.05	1.21	3	<0.5
I319665		<0.005	0.02	2.39	13	0.32	4.89	85	18.6
I319666		0.037	0.07	0.17	5	<0.05	2.01	30	0.6
I319667		0.006	0.02	0.22	2	<0.05	1.18	7	0.6
I319668		<0.005	<0.02	<0.05	1	<0.05	0.27	2	<0.5
I319669		0.153	<0.02	0.26	59	0.15	2.86	55	1.2
I319670		0.236	0.03	0.35	118	0.14	5.96	85	0.7
I319671		0.148	0.03	0.17	45	0.34	3.75	49	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10120405

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **21-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122483

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 160 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033151		0.24	0.007	0.12	1.99	7.1	<0.2	<10	270	0.40	0.12	0.49	0.14	38.7	13.2	98
I033152		0.30	<0.005	0.11	1.88	5.2	<0.2	<10	270	0.50	0.11	1.23	0.20	38.4	13.5	60
I033153		0.38	0.005	0.06	1.72	5.3	<0.2	<10	150	0.24	0.11	0.45	0.10	24.2	11.7	51
I033154		0.32	0.006	0.08	1.93	5.4	<0.2	<10	230	0.33	0.10	0.59	0.12	28.1	16.4	63
I033155		0.26	<0.005	0.06	1.52	3.7	<0.2	<10	160	0.25	0.08	1.19	0.16	12.25	13.1	47
I033156		0.30	<0.005	0.06	1.29	4.0	<0.2	<10	140	0.27	0.09	1.22	0.14	12.20	9.1	33
I033157		0.26	<0.005	0.06	1.30	3.3	<0.2	<10	140	0.21	0.07	1.36	0.15	10.10	10.2	35
I033158		0.38	<0.005	0.11	1.52	3.0	<0.2	<10	170	0.06	0.05	0.65	0.10	10.30	10.8	46
I033159		0.34	0.006	0.08	1.38	5.5	<0.2	<10	140	0.25	0.08	1.57	0.20	18.80	11.3	38
I033160		0.26	0.014	0.14	1.88	4.6	<0.2	<10	230	0.26	0.08	1.10	0.16	13.85	13.5	29
I033161		0.40	<0.005	0.09	1.89	4.2	<0.2	<10	240	0.27	0.09	1.12	0.14	15.20	13.7	44
I033162		0.36	0.005	0.09	1.96	4.3	<0.2	<10	250	0.32	0.17	1.14	0.13	15.90	14.6	49
I033163		0.24	0.005	0.11	1.61	3.0	<0.2	<10	180	0.23	0.09	2.61	0.25	13.70	11.5	47
I033164		0.36	<0.005	0.04	1.31	3.4	<0.2	<10	60	0.20	0.12	0.45	0.10	19.50	9.8	37
I033165		0.36	<0.005	0.04	1.77	3.4	<0.2	<10	70	0.29	0.11	0.31	0.07	16.15	14.6	54
I033166		0.28	<0.005	0.06	1.19	2.9	<0.2	<10	80	0.33	0.12	0.81	0.13	65.1	10.6	27
I033167		0.22	0.005	0.08	0.80	3.1	<0.2	<10	60	0.22	0.11	0.31	0.08	16.05	3.8	19
I033168		0.38	0.005	0.10	1.49	3.2	<0.2	<10	90	0.37	0.11	0.81	0.12	65.4	18.9	32
I033169		0.34	<0.005	0.04	1.05	2.3	<0.2	<10	60	0.28	0.06	1.02	0.09	25.2	10.6	21
I033170		0.34	<0.005	0.06	1.53	2.4	<0.2	<10	90	0.40	0.09	0.94	0.14	40.6	14.4	28
I033171		0.54	<0.005	0.05	1.45	3.1	<0.2	<10	70	0.37	0.09	0.62	0.07	32.8	13.8	34
I033172		0.42	0.013	0.10	1.68	3.4	<0.2	<10	100	0.27	0.13	0.42	0.10	32.5	14.4	37
I033173		0.48	0.014	0.06	1.44	3.6	<0.2	<10	90	0.33	0.13	0.47	0.09	38.8	14.1	31
I033174		0.34	<0.005	0.07	1.40	3.4	<0.2	<10	90	0.23	0.13	0.63	0.13	30.0	14.7	31
I033175		0.32	0.007	0.11	1.64	3.1	<0.2	<10	100	0.36	0.16	0.50	0.11	38.7	23.0	38
I033176		0.26	0.007	0.07	1.27	2.9	<0.2	<10	70	0.64	0.21	0.25	0.13	80.0	20.6	34
I033177		0.40	<0.005	0.04	1.39	5.9	<0.2	<10	90	0.29	0.20	0.79	0.08	24.5	14.1	27
I033178		0.40	<0.005	0.06	1.55	4.2	<0.2	<10	90	0.48	0.10	1.20	0.09	43.0	14.2	32
I033179		0.36	0.005	0.05	1.29	2.7	<0.2	<10	70	0.41	0.13	0.89	0.09	31.4	11.9	26
I033180		0.26	<0.005	0.10	1.52	5.0	<0.2	<10	120	0.46	0.14	0.56	0.08	35.7	15.6	33
I033185		0.32	<0.005	0.05	1.29	5.6	<0.2	<10	50	0.15	0.33	0.09	0.10	25.1	7.5	23
I033186		0.36	<0.005	0.03	3.83	3.1	<0.2	<10	180	0.69	0.20	0.17	0.04	41.6	24.7	77
I033187		0.32	<0.005	0.02	2.58	9.4	<0.2	<10	100	0.33	0.22	0.09	0.08	31.9	11.6	41
I033188		0.28	<0.005	0.08	2.23	11.7	<0.2	<10	130	0.32	0.27	0.15	0.14	17.40	9.0	37
I033189		0.28	<0.005	0.12	2.05	9.3	<0.2	<10	150	0.36	0.28	0.16	0.16	24.5	10.9	33
I033190		0.22	<0.005	0.06	1.72	6.1	<0.2	<10	200	0.33	0.11	0.27	0.18	20.8	12.1	41
I033191		0.34	<0.005	0.09	2.55	10.9	<0.2	<10	240	0.29	0.16	0.30	0.19	16.60	12.7	43
I033192		0.18	<0.005	0.11	1.34	4.2	<0.2	<10	260	0.26	0.14	0.36	0.20	13.55	10.5	27
I033193		0.26	0.005	0.22	2.30	5.5	<0.2	<10	240	0.60	0.13	0.74	0.24	61.5	13.6	52
I033194		0.14	<0.005	0.11	0.83	2.0	<0.2	<10	220	0.20	0.07	3.41	0.21	18.00	6.2	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033151		2.05	24.2	3.11	7.74	<0.05	0.04	0.05	0.018	0.10	20.5	13.7	1.09	500	0.95
I033152		1.44	42.3	2.94	6.68	0.06	0.04	0.05	0.022	0.12	19.4	15.4	0.83	489	0.73
I033153		1.25	28.9	2.93	6.60	<0.05	0.03	0.03	0.016	0.07	11.9	11.1	0.83	412	0.89
I033154		1.54	34.1	3.23	7.63	0.05	0.03	0.05	0.021	0.10	13.5	14.2	1.02	716	0.97
I033155		0.79	29.2	2.49	5.55	<0.05	0.05	0.05	0.016	0.07	5.6	11.1	0.82	580	0.88
I033156		0.65	20.7	2.01	5.22	<0.05	0.05	0.04	0.016	0.04	5.7	8.6	0.52	469	0.86
I033157		0.62	29.7	2.08	5.07	<0.05	0.04	0.09	0.014	0.05	4.8	8.6	0.64	284	0.67
I033158		1.21	34.9	2.73	5.98	0.09	0.02	0.02	0.016	0.13	5.6	7.9	0.87	348	0.74
I033159		0.71	38.2	2.60	4.50	0.11	0.09	0.01	0.019	0.08	9.7	9.0	0.63	326	0.70
I033160		2.05	66.0	2.93	5.42	0.08	0.05	0.03	0.019	0.17	6.2	13.8	0.85	440	1.26
I033161		1.26	49.2	2.91	5.33	0.07	0.06	0.03	0.019	0.19	7.2	13.5	0.94	417	0.70
I033162		1.44	51.9	2.97	5.49	0.08	0.06	0.03	0.021	0.22	7.3	14.2	1.02	443	0.75
I033163		1.36	54.6	2.35	4.41	0.07	0.06	0.05	0.016	0.14	6.5	11.3	0.75	407	0.74
I033164		1.26	25.1	2.44	6.52	0.05	0.02	0.02	0.016	0.10	10.2	10.8	0.53	237	0.91
I033165		1.49	20.4	3.16	7.79	0.05	<0.02	0.02	0.019	0.06	8.4	13.0	0.82	320	0.86
I033166		0.89	28.8	2.35	5.46	0.07	0.02	0.05	0.022	0.08	34.9	8.0	0.34	275	0.69
I033167		0.92	15.6	1.51	4.37	<0.05	<0.02	0.05	0.014	0.04	8.0	3.8	0.20	85	0.47
I033168		1.15	26.3	2.97	5.41	0.08	0.03	0.05	0.022	0.06	32.1	13.8	0.51	642	0.78
I033169		0.93	15.3	1.98	3.94	0.06	0.03	0.02	0.013	0.07	12.0	9.7	0.45	357	0.30
I033170		2.30	22.0	2.99	5.63	0.08	0.03	0.03	0.017	0.20	20.8	13.8	0.67	461	0.77
I033171		2.16	18.0	3.17	5.35	0.08	0.03	0.02	0.018	0.18	16.1	13.5	0.67	382	0.83
I033172		1.86	20.1	2.99	6.57	0.06	0.02	0.04	0.021	0.08	15.9	12.7	0.62	583	0.77
I033173		2.25	18.5	3.16	5.52	0.07	0.02	0.03	0.022	0.09	18.8	10.8	0.56	457	0.68
I033174		1.61	16.5	2.63	5.37	0.06	0.02	0.07	0.019	0.08	14.4	10.2	0.53	692	0.78
I033175		3.62	22.8	3.34	6.58	0.08	0.02	0.02	0.022	0.25	22.0	14.8	0.71	835	0.77
I033176		4.12	35.0	4.37	4.43	0.10	0.03	0.02	0.034	0.16	36.8	12.0	0.43	395	0.96
I033177		1.63	11.9	2.92	5.53	0.07	0.04	0.02	0.023	0.08	11.4	17.2	0.54	455	0.53
I033178		2.28	22.8	3.04	5.47	0.09	0.04	0.03	0.023	0.15	18.9	18.2	0.61	377	0.45
I033179		2.07	16.3	2.53	4.67	0.08	0.03	0.02	0.016	0.12	15.5	13.9	0.52	318	0.33
I033180		2.81	20.3	3.04	6.24	0.07	0.02	0.03	0.022	0.08	17.6	14.7	0.56	669	0.71
I033185		1.22	19.1	2.66	9.91	0.05	0.02	0.02	0.015	0.16	7.3	5.4	0.44	154	1.23
I033186		2.09	20.1	4.58	16.40	0.12	0.04	0.02	0.045	0.50	7.7	22.7	1.74	190	0.86
I033187		1.51	24.2	4.85	13.10	0.08	0.04	0.01	0.026	0.27	16.6	18.2	0.86	231	1.46
I033188		1.34	15.5	4.62	12.50	0.07	0.03	0.02	0.029	0.05	8.4	18.5	0.43	277	1.97
I033189		1.29	19.9	3.64	8.97	<0.05	0.05	0.01	0.021	0.17	7.6	14.6	0.59	274	1.38
I033190		0.93	24.5	2.78	6.90	<0.05	0.04	0.02	0.022	0.10	10.4	14.1	0.63	254	0.94
I033191		0.69	19.1	3.59	8.15	<0.05	0.10	0.02	0.030	0.07	7.7	17.0	0.67	426	1.49
I033192		0.50	12.9	2.26	5.78	<0.05	0.03	0.02	0.017	0.17	6.0	9.4	0.38	591	0.91
I033193		1.38	39.8	3.53	7.57	0.10	0.08	0.04	0.025	0.28	41.5	16.1	0.95	396	0.78
I033194		0.76	50.2	1.32	2.74	0.05	0.05	0.07	0.036	0.14	12.0	6.0	0.44	312	0.64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033151		1.51	41.3	710	7.9	32.2	<0.001	0.04	0.27	4.4	0.9	0.6	32.6	<0.01	0.03
I033152		1.38	34.2	720	6.2	25.2	<0.001	0.05	0.24	5.2	1.2	0.4	41.1	<0.01	0.04
I033153		1.27	25.9	740	5.8	17.7	<0.001	0.03	0.17	4.1	0.7	0.4	25.4	<0.01	0.03
I033154		1.46	32.6	810	5.8	25.7	<0.001	0.04	0.18	4.9	0.9	0.5	31.7	<0.01	0.03
I033155		1.02	24.9	710	4.1	12.1	<0.001	0.05	0.17	4.5	1.0	0.3	35.2	<0.01	0.03
I033156		1.04	16.4	680	5.1	5.6	<0.001	0.07	0.23	3.6	1.1	0.4	38.1	<0.01	0.04
I033157		0.93	19.8	610	4.0	7.8	<0.001	0.09	0.22	4.1	1.1	0.3	41.5	<0.01	0.03
I033158		0.99	22.8	630	4.4	14.0	0.001	0.03	0.16	4.3	0.8	0.4	28.7	<0.01	0.03
I033159		1.41	25.9	590	5.1	11.7	0.001	0.04	0.28	4.2	1.3	0.4	39.2	<0.01	0.03
I033160		1.10	19.5	580	6.3	20.1	0.001	0.11	0.18	4.7	0.9	0.3	34.3	<0.01	0.04
I033161		1.30	26.1	610	5.6	22.2	<0.001	0.05	0.19	4.8	0.6	0.4	32.5	<0.01	0.03
I033162		1.33	29.0	660	5.6	24.7	<0.001	0.05	0.18	5.0	0.6	0.7	32.9	<0.01	0.03
I033163		1.16	25.4	590	5.4	17.5	<0.001	0.09	0.19	3.9	0.9	0.3	49.5	0.01	0.04
I033164		1.02	28.2	320	8.0	14.6	<0.001	0.03	0.15	2.7	0.3	0.4	30.0	<0.01	0.03
I033165		0.98	34.7	450	6.7	14.6	<0.001	0.04	0.15	4.3	0.4	0.4	22.6	<0.01	0.03
I033166		0.71	29.0	440	7.3	9.6	<0.001	0.04	0.25	3.5	0.7	0.4	57.5	<0.01	0.03
I033167		0.69	10.4	620	7.0	8.4	<0.001	0.07	0.13	1.3	0.7	0.4	24.8	<0.01	0.03
I033168		1.11	30.8	580	8.9	14.9	<0.001	0.06	0.15	4.0	0.8	0.3	55.6	<0.01	0.04
I033169		1.10	20.3	540	5.1	15.9	<0.001	0.05	0.12	2.9	0.6	0.3	64.0	<0.01	0.03
I033170		1.45	27.0	750	8.4	41.4	<0.001	0.05	0.13	3.6	0.7	0.3	63.7	<0.01	0.03
I033171		1.20	29.5	540	8.0	26.0	<0.001	0.04	0.16	4.3	0.5	0.4	45.3	<0.01	0.03
I033172		1.07	28.2	710	9.2	19.5	<0.001	0.04	0.17	4.3	0.5	0.5	31.4	<0.01	0.04
I033173		0.98	27.9	690	10.9	19.0	<0.001	0.03	0.16	4.8	0.5	0.4	33.7	<0.01	0.03
I033174		1.01	22.5	630	10.8	19.4	<0.001	0.05	0.20	3.9	0.7	0.4	52.2	<0.01	0.03
I033175		1.05	34.1	660	16.4	39.8	<0.001	0.04	0.14	4.6	0.6	0.5	43.5	<0.01	0.04
I033176		0.72	50.0	480	13.8	24.8	<0.001	0.02	0.20	5.8	0.5	0.4	22.3	<0.01	0.04
I033177		1.16	21.4	610	12.0	12.9	<0.001	0.03	0.17	3.7	0.5	0.5	55.2	<0.01	0.03
I033178		1.20	30.5	580	9.7	27.3	<0.001	0.05	0.18	4.4	0.8	0.4	85.1	<0.01	0.03
I033179		1.10	25.0	750	9.4	22.7	<0.001	0.03	0.13	3.7	0.5	0.4	65.1	<0.01	0.02
I033180		1.14	28.3	600	9.0	21.6	<0.001	0.03	0.20	4.5	0.6	0.5	47.5	<0.01	0.04
I033185		2.02	16.4	350	8.4	30.3	<0.001	0.02	0.26	2.8	0.4	0.7	10.1	<0.01	0.04
I033186		0.99	82.3	610	5.7	66.1	<0.001	0.01	0.10	8.4	0.4	1.9	8.8	<0.01	0.03
I033187		4.04	24.1	510	10.6	30.2	<0.001	0.08	0.36	4.7	0.4	0.9	14.2	<0.01	0.05
I033188		2.41	16.6	460	11.9	15.8	<0.001	0.02	0.65	3.7	0.4	0.8	15.7	<0.01	0.07
I033189		2.04	26.5	350	21.3	25.5	0.001	0.02	0.40	3.1	0.2	0.7	17.5	<0.01	0.04
I033190		1.49	34.9	650	5.4	13.7	<0.001	0.02	0.24	3.4	0.4	0.5	21.9	<0.01	0.03
I033191		1.40	28.4	370	9.2	11.0	<0.001	0.02	0.43	4.2	0.2	0.7	28.9	<0.01	0.04
I033192		1.13	19.8	380	6.4	17.6	0.001	0.02	0.25	2.6	0.2	0.5	27.1	<0.01	0.03
I033193		1.78	41.3	560	9.1	37.3	<0.001	0.03	0.19	6.3	0.7	0.6	40.5	<0.01	0.04
I033194		0.74	19.0	690	4.0	17.1	0.001	0.17	0.22	1.8	1.3	0.2	151.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033151		0.138	0.22	0.96	70	0.49	7.32	70
I033152		0.112	0.15	0.93	63	0.47	11.85	71
I033153		0.118	0.13	0.71	67	0.37	5.25	62
I033154		0.127	0.15	0.83	71	0.29	6.96	66
I033155		0.098	0.09	0.49	64	0.26	4.86	63
I033156		0.075	0.06	0.54	53	0.26	4.63	46
I033157		0.077	0.05	0.42	52	0.26	3.94	53
I033158		0.105	0.07	0.38	59	0.08	3.66	65
I033159		0.096	0.06	0.83	53	0.12	8.70	50
I033160		0.144	0.14	0.76	70	0.12	7.66	55
I033161		0.153	0.11	0.63	71	0.09	7.98	66
I033162		0.155	0.13	0.68	73	0.26	8.59	67
I033163		0.101	0.11	0.80	57	0.08	8.24	60
I033164		0.089	0.11	0.56	52	0.10	4.54	56
I033165		0.075	0.11	0.37	59	0.12	3.86	71
I033166		0.042	0.08	0.66	39	0.09	13.80	48
I033167		0.042	0.10	0.60	23	0.08	3.09	26
I033168		0.060	0.11	1.21	44	0.12	11.05	63
I033169		0.059	0.10	0.69	29	0.06	6.26	52
I033170		0.090	0.26	0.80	38	0.12	9.15	63
I033171		0.085	0.22	0.72	42	0.16	6.45	74
I033172		0.074	0.15	0.62	51	0.16	6.14	68
I033173		0.063	0.15	0.69	46	0.51	7.69	64
I033174		0.062	0.13	0.64	44	0.14	5.94	65
I033175		0.081	0.27	0.70	51	0.16	8.68	77
I033176		0.024	0.15	1.34	36	0.07	11.05	67
I033177		0.075	0.11	0.80	49	0.09	4.98	61
I033178		0.076	0.19	0.93	41	0.08	9.48	59
I033179		0.072	0.15	0.69	38	0.07	7.71	58
I033180		0.072	0.16	0.88	50	0.10	8.27	63
I033185		0.140	0.23	1.08	67	0.12	4.05	44
I033186		0.204	0.39	1.24	69	0.06	7.58	67
I033187		0.205	0.21	1.54	82	0.13	5.39	60
I033188		0.134	0.14	0.44	106	0.18	2.84	72
I033189		0.142	0.20	0.43	75	0.16	3.52	58
I033190		0.122	0.10	0.49	71	0.13	4.32	57
I033191		0.105	0.10	0.42	85	0.15	2.83	65
I033192		0.088	0.07	0.29	56	0.13	2.42	50
I033193		0.135	0.21	1.53	70	0.16	23.7	77
I033194		0.047	0.10	1.86	28	0.06	9.18	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033195		0.22	<0.005	0.13	2.05	3.8	<0.2	<10	420	0.49	0.11	1.69	0.23	35.5	16.5	115
I033196		0.28	<0.005	0.03	1.23	5.4	<0.2	<10	70	0.16	0.12	0.20	0.09	12.15	9.2	29
I033197		0.22	<0.005	0.15	0.89	2.9	<0.2	<10	150	0.19	0.09	0.32	0.13	15.65	7.0	39
I033198		0.30	<0.005	0.09	1.78	6.7	<0.2	<10	210	0.32	0.13	0.43	0.12	22.8	13.0	71
I033199		0.22	<0.005	0.14	1.85	3.5	<0.2	<10	230	0.29	0.10	0.51	0.10	24.4	16.4	119
I033200		0.24	<0.005	0.07	1.70	3.6	<0.2	<10	160	0.24	0.12	0.45	0.13	29.3	13.4	71
I033307		0.24	0.005	0.10	1.61	8.1	<0.2	<10	150	0.37	0.10	0.90	0.14	23.7	14.6	32
I033308		0.24	0.009	0.10	1.58	7.6	<0.2	<10	140	0.41	0.10	0.79	0.19	21.2	13.8	30
I033309		0.46	<0.005	0.06	2.06	5.6	<0.2	<10	280	0.51	0.16	0.82	0.08	28.8	10.8	35
I033310		0.58	<0.005	0.06	2.02	4.1	<0.2	<10	290	0.45	0.14	0.89	0.07	27.9	9.5	26
I033311		0.50	<0.005	0.08	2.43	5.0	<0.2	<10	160	0.56	0.11	0.37	0.08	34.8	17.3	51
I033312		0.54	<0.005	0.07	2.29	5.7	<0.2	<10	160	0.50	0.11	0.37	0.07	34.2	15.7	51
I033313		0.64	<0.005	0.05	1.96	2.2	<0.2	<10	240	0.68	0.13	0.52	0.11	53.1	11.6	19
I033314		0.22	<0.005	0.20	2.09	7.5	<0.2	<10	290	0.42	0.18	0.25	0.06	31.6	7.9	28
I033315		0.32	0.006	0.04	1.66	26.6	<0.2	<10	120	0.43	0.13	0.23	0.08	33.0	9.3	32
I033316		0.30	<0.005	0.05	2.66	11.1	<0.2	<10	110	0.43	0.15	0.26	0.10	19.40	10.8	35
I033317		0.38	<0.005	0.08	2.09	7.7	<0.2	<10	130	0.29	0.16	0.22	0.06	18.30	8.1	27
I033318		0.38	<0.005	0.29	2.41	8.4	<0.2	<10	190	0.37	0.33	0.51	0.21	18.40	15.3	29
I033319		0.30	0.006	0.20	1.34	5.5	<0.2	<10	160	0.21	0.30	0.11	0.16	17.05	3.7	21
I033320		0.08	0.006	<0.01	0.02	<0.1	<0.2	<10	10	<0.05	0.01	0.01	0.01	1.14	0.1	1
I033321		0.24	<0.005	0.29	1.80	5.5	<0.2	<10	260	0.31	0.28	0.32	0.30	17.50	9.3	23
I033322		0.30	<0.005	0.20	1.64	8.1	<0.2	<10	140	0.33	0.18	0.28	0.17	15.00	7.1	28
I033323		0.40	<0.005	0.18	2.16	8.9	<0.2	<10	180	0.32	0.22	0.19	0.43	15.15	12.4	39
I033324		0.34	<0.005	0.06	2.25	5.4	<0.2	<10	230	0.38	0.09	0.28	0.09	14.00	12.3	31
I033325		0.34	<0.005	0.18	1.67	5.5	<0.2	<10	160	0.26	0.17	0.26	0.10	13.90	11.0	31
I033326		0.30	<0.005	0.19	2.54	5.1	<0.2	<10	260	0.86	0.14	0.46	0.10	30.0	16.3	37
I033327		0.38	<0.005	0.29	1.76	6.3	<0.2	<10	160	1.86	0.68	0.47	0.22	34.3	7.9	23
I033328		0.40	0.009	0.57	3.03	24.1	<0.2	<10	380	1.50	0.37	0.74	0.19	59.2	14.1	27
I033329		0.40	<0.005	0.12	1.58	19.5	<0.2	<10	140	0.50	0.38	0.24	0.08	18.40	8.2	23
I033330		0.36	0.012	0.12	1.37	21.4	<0.2	<10	150	0.42	0.49	0.22	0.09	16.25	8.1	21
I033331		0.46	<0.005	0.14	1.59	10.9	<0.2	<10	190	0.37	0.16	0.31	0.06	17.45	7.0	21
I033332		0.36	<0.005	0.12	2.15	13.9	<0.2	<10	180	0.40	0.19	0.19	0.08	19.10	8.3	20
I033333		0.44	<0.005	0.19	1.49	9.0	<0.2	<10	230	0.50	0.17	0.34	0.06	21.5	8.3	24
I033334		0.32	<0.005	0.16	1.34	6.0	<0.2	<10	140	0.69	0.71	0.26	0.09	13.40	6.7	18
I033335		0.30	<0.005	0.10	1.53	5.7	<0.2	<10	260	0.31	0.18	0.45	0.12	15.85	8.8	21
I033336		0.36	0.011	0.10	1.71	5.1	<0.2	<10	270	0.61	0.17	0.44	0.11	17.25	10.2	19
I033337		0.28	0.017	0.16	1.76	7.3	<0.2	<10	450	0.42	0.18	0.27	0.08	19.60	13.0	29
I033338		0.30	<0.005	0.10	1.70	6.8	<0.2	<10	280	0.43	0.17	0.35	0.11	17.40	10.1	25
I033339		0.36	<0.005	0.12	1.73	6.5	<0.2	<10	250	0.37	0.14	0.33	0.08	15.10	12.1	24
I033340		0.10	<0.005	<0.01	0.01	<0.1	<0.2	<10	10	<0.05	<0.01	0.01	0.01	1.09	0.1	<1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033195		1.94	63.3	3.16	7.33	0.08	0.07	0.03	0.024	0.14	20.2	14.2	1.19	526	0.53
I033196		1.15	10.6	2.32	5.66	<0.05	0.03	0.02	0.016	0.05	6.2	12.6	0.40	321	1.97
I033197		0.99	19.1	1.76	3.92	0.05	0.02	0.06	0.013	0.06	8.0	5.4	0.37	173	1.34
I033198		2.09	20.3	2.96	6.60	0.06	0.04	0.04	0.021	0.17	11.3	14.5	0.90	308	0.83
I033199		2.43	20.4	2.89	7.62	0.05	0.03	0.04	0.018	0.11	12.7	12.3	1.11	720	1.03
I033200		1.60	18.7	2.58	6.79	0.05	0.03	0.04	0.022	0.08	16.2	11.8	0.85	479	0.73
I033307		0.48	26.1	3.04	5.06	0.06	0.13	0.02	0.026	0.05	10.7	10.3	0.59	472	0.58
I033308		0.54	26.8	2.93	5.31	0.06	0.13	0.03	0.025	0.05	9.7	9.8	0.56	415	0.57
I033309		0.70	18.7	3.04	5.82	0.05	0.10	0.02	0.029	0.04	13.4	11.1	0.60	538	0.50
I033310		0.98	13.9	2.96	5.98	0.05	0.08	0.02	0.028	0.03	12.1	10.0	0.51	555	0.84
I033311		2.50	28.8	3.58	7.12	0.07	0.05	0.03	0.026	0.20	17.6	16.8	0.84	462	0.68
I033312		2.00	28.2	3.34	6.73	0.07	0.08	0.02	0.027	0.14	18.4	16.2	0.80	433	0.63
I033313		0.91	10.2	5.07	6.91	0.07	0.12	0.01	0.060	0.04	18.6	9.3	0.30	402	1.95
I033314		3.49	19.8	2.81	7.43	<0.05	0.03	0.03	0.024	0.07	17.9	13.1	0.40	210	1.03
I033315		2.76	18.8	2.80	5.27	0.05	0.05	0.01	0.022	0.12	17.3	16.8	0.62	283	1.17
I033316		2.51	14.7	4.18	8.93	0.05	0.07	0.03	0.028	0.10	9.2	27.5	0.90	371	1.42
I033317		3.40	25.7	3.22	7.07	<0.05	0.06	0.02	0.022	0.08	9.1	20.4	0.68	265	1.03
I033318		5.60	121.5	3.75	8.62	0.05	0.02	0.02	0.031	0.13	9.4	23.5	0.98	702	4.17
I033319		1.35	47.4	1.75	7.71	<0.05	<0.02	0.04	0.018	0.06	8.5	8.8	0.29	108	1.20
I033320		<0.05	1.5	0.03	0.20	<0.05	<0.02	<0.01	<0.005	<0.01	0.5	0.2	<0.01	<5	0.05
I033321		1.06	17.6	3.22	8.63	<0.05	0.03	0.02	0.035	0.11	8.6	11.4	0.53	497	1.19
I033322		1.29	12.2	3.23	8.12	<0.05	0.05	0.02	0.021	0.05	7.5	14.8	0.47	386	1.24
I033323		1.56	45.9	3.56	8.05	0.05	0.04	0.03	0.031	0.10	7.2	21.0	0.68	967	1.13
I033324		1.47	19.9	3.40	7.71	0.06	0.03	0.01	0.017	0.12	6.9	21.1	0.95	505	0.78
I033325		1.74	11.9	3.27	8.24	<0.05	0.04	0.02	0.021	0.13	6.9	11.3	0.60	711	1.28
I033326		4.44	28.4	3.87	9.14	0.07	0.08	0.02	0.025	0.29	17.1	28.3	1.00	1000	0.94
I033327		9.11	29.2	2.70	6.53	0.07	0.07	0.04	0.033	0.14	26.6	19.5	0.48	442	1.22
I033328		12.40	39.9	4.32	10.40	0.10	0.08	0.04	0.049	0.21	45.6	44.8	0.69	832	1.52
I033329		3.48	13.2	2.92	6.40	<0.05	0.08	0.01	0.023	0.08	9.4	23.1	0.51	346	1.38
I033330		3.73	11.3	2.84	6.47	<0.05	0.04	0.01	0.021	0.09	7.9	16.4	0.44	519	1.87
I033331		3.21	16.5	2.56	5.96	<0.05	0.07	0.01	0.019	0.07	9.9	17.8	0.50	207	0.93
I033332		3.52	12.8	3.45	8.05	0.05	0.05	0.01	0.023	0.21	9.0	29.5	0.65	259	1.23
I033333		7.18	20.8	2.81	5.39	0.05	0.05	0.02	0.020	0.14	16.5	19.8	0.60	407	0.81
I033334		2.58	10.4	2.49	5.67	<0.05	0.06	0.01	0.018	0.11	7.0	13.7	0.43	258	0.95
I033335		1.45	12.3	2.86	6.37	<0.05	0.05	0.01	0.021	0.12	8.3	14.7	0.50	445	1.39
I033336		2.57	13.6	3.02	5.89	<0.05	0.03	0.01	0.021	0.12	8.2	17.9	0.52	561	0.79
I033337		1.18	15.3	2.95	5.93	<0.05	0.06	0.03	0.024	0.10	9.3	13.3	0.47	998	1.02
I033338		1.22	13.1	3.07	5.98	<0.05	0.05	0.01	0.026	0.12	8.3	15.0	0.50	369	0.96
I033339		1.14	17.3	3.10	5.95	<0.05	0.03	0.01	0.023	0.12	7.5	17.4	0.58	411	0.75
I033340		<0.05	0.8	0.02	0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.5	0.1	<0.01	<5	<0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033195		1.41	56.8	580	7.5	24.7	0.001	0.07	0.20	6.2	0.7	0.5	76.8	<0.01	0.02
I033196		1.27	17.2	380	7.4	12.6	<0.001	0.02	0.18	2.5	0.2	0.4	15.3	<0.01	0.03
I033197		0.68	16.8	990	4.3	10.5	<0.001	0.09	0.22	1.5	0.6	0.3	25.9	<0.01	0.04
I033198		1.40	31.1	870	9.3	33.3	0.001	0.05	0.24	3.8	0.5	0.5	28.9	<0.01	0.03
I033199		1.14	44.2	710	8.3	32.2	0.001	0.06	0.15	3.3	0.5	0.5	35.1	<0.01	0.04
I033200		1.21	31.8	620	8.0	24.1	<0.001	0.05	0.18	3.7	0.4	0.5	32.7	<0.01	0.02
I033307		1.60	25.6	600	5.4	6.0	0.001	0.04	0.32	5.3	0.5	0.5	48.7	<0.01	0.03
I033308		1.60	25.1	560	5.5	6.2	<0.001	0.04	0.30	4.9	0.5	0.5	44.7	<0.01	0.01
I033309		1.16	20.7	380	7.9	5.3	<0.001	0.03	0.31	6.9	0.3	0.6	46.9	<0.01	0.02
I033310		1.15	15.2	750	6.6	5.2	0.001	0.03	0.26	6.4	0.4	0.6	53.4	<0.01	0.03
I033311		1.33	43.0	520	9.0	23.8	<0.001	0.02	0.22	5.3	0.2	0.5	31.1	<0.01	0.02
I033312		1.21	40.8	450	8.7	17.0	<0.001	0.02	0.22	5.8	0.4	0.6	31.7	<0.01	0.03
I033313		1.08	8.6	1200	6.9	5.2	<0.001	0.02	0.22	11.0	0.2	1.1	30.9	<0.01	0.02
I033314		1.85	16.4	300	9.0	14.5	0.001	0.02	0.31	4.6	0.3	0.7	19.3	<0.01	0.03
I033315		1.48	19.3	430	9.4	15.3	<0.001	0.02	0.60	3.6	0.2	0.5	16.9	<0.01	0.02
I033316		3.17	19.0	550	8.4	18.8	<0.001	0.02	0.47	3.8	0.3	0.6	19.6	<0.01	0.05
I033317		1.79	15.2	280	7.9	15.4	<0.001	0.02	0.32	3.2	0.3	0.6	17.0	<0.01	0.05
I033318		2.53	17.2	790	18.3	23.1	<0.001	0.03	0.34	3.9	0.4	1.3	30.9	<0.01	0.17
I033319		1.21	8.0	330	13.3	12.5	<0.001	0.03	0.26	1.6	0.3	0.9	13.6	<0.01	0.10
I033320		0.06	0.4	10	0.6	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.9	<0.01	<0.01
I033321		1.83	11.0	830	10.5	17.1	<0.001	0.03	0.29	3.3	0.2	1.7	25.5	<0.01	0.04
I033322		1.56	11.2	340	10.4	13.9	<0.001	0.01	0.42	4.1	0.2	0.7	18.4	<0.01	0.03
I033323		1.44	16.8	340	21.2	12.6	0.001	0.01	0.46	5.7	0.3	0.7	14.0	<0.01	0.04
I033324		1.41	14.7	350	9.0	15.6	<0.001	0.01	0.30	4.0	<0.2	0.5	17.5	<0.01	0.02
I033325		1.61	12.5	320	10.3	24.3	0.001	0.02	0.33	3.6	0.2	0.7	17.7	<0.01	0.03
I033326		1.88	17.2	480	10.6	36.3	<0.001	0.01	0.26	7.9	0.5	0.7	23.9	<0.01	0.02
I033327		5.12	12.0	490	18.4	33.2	0.001	0.02	0.35	7.2	0.7	1.3	26.5	0.01	0.02
I033328		3.99	16.8	640	29.1	31.3	0.001	0.03	0.57	10.8	0.9	1.0	41.9	0.01	0.05
I033329		2.57	12.0	320	11.3	17.4	<0.001	0.01	0.38	4.1	0.2	0.9	17.7	<0.01	0.03
I033330		3.16	10.0	290	13.4	21.7	<0.001	0.01	0.35	3.4	0.2	1.0	16.9	<0.01	0.04
I033331		1.14	12.0	320	8.8	11.8	<0.001	0.01	0.36	4.5	0.2	0.5	19.4	<0.01	0.02
I033332		2.57	11.5	340	10.3	29.5	<0.001	0.01	0.42	4.6	0.2	0.7	15.1	<0.01	0.02
I033333		1.56	13.8	280	6.8	18.0	<0.001	0.01	0.39	5.8	0.3	0.4	22.1	<0.01	0.02
I033334		2.61	10.4	180	11.5	20.1	<0.001	0.01	0.38	3.6	0.2	0.9	17.7	<0.01	0.02
I033335		1.33	12.7	370	8.3	13.7	<0.001	0.02	0.33	4.0	0.2	0.5	25.0	<0.01	0.02
I033336		1.31	11.8	310	7.9	19.2	<0.001	0.01	0.34	4.1	0.3	0.5	22.7	<0.01	0.03
I033337		1.32	17.3	230	8.6	11.2	<0.001	0.01	0.41	5.2	0.3	0.6	21.8	<0.01	0.02
I033338		1.18	15.8	240	8.0	10.8	<0.001	0.01	0.46	4.3	0.2	0.5	20.6	<0.01	0.02
I033339		1.05	14.3	290	7.0	13.1	<0.001	0.01	0.45	4.8	0.2	0.5	22.1	<0.01	0.02
I033340		<0.05	0.4	10	0.5	0.2	<0.001	0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033195		0.118	0.12	0.91	66	0.10	12.20	47
I033196		0.085	0.09	0.51	48	0.14	3.32	50
I033197		0.054	0.07	0.89	37	0.17	4.46	31
I033198		0.128	0.17	0.84	71	0.31	5.17	60
I033199		0.138	0.17	0.89	69	0.21	5.04	60
I033200		0.115	0.13	0.79	58	0.25	6.14	68
I033307		0.121	0.04	0.66	70	0.10	9.62	54
I033308		0.120	0.06	0.61	70	0.11	8.60	49
I033309		0.075	0.05	0.34	60	0.12	9.69	52
I033310		0.071	0.06	0.59	60	0.17	8.19	47
I033311		0.120	0.18	0.70	64	0.09	7.46	65
I033312		0.124	0.15	0.78	65	0.11	7.64	59
I033313		0.124	0.06	0.47	101	0.06	9.83	89
I033314		0.066	0.13	0.91	65	0.20	6.01	43
I033315		0.097	0.13	1.10	55	0.20	6.13	54
I033316		0.141	0.14	0.52	83	0.28	2.91	68
I033317		0.086	0.12	0.42	60	0.17	3.38	46
I033318		0.142	0.15	0.54	81	0.30	3.83	133
I033319		0.088	0.17	0.46	58	0.16	2.30	37
I033320		<0.005	<0.02	0.10	1	<0.05	0.69	3
I033321		0.113	0.11	0.42	69	0.14	2.12	87
I033322		0.094	0.09	0.32	86	0.26	3.14	67
I033323		0.097	0.09	0.37	86	0.19	2.75	137
I033324		0.194	0.11	0.31	82	0.28	2.95	93
I033325		0.171	0.10	0.32	85	0.19	2.66	70
I033326		0.206	0.18	1.02	98	0.22	15.25	89
I033327		0.063	0.19	3.58	58	0.40	45.5	72
I033328		0.054	0.16	2.22	87	0.30	54.7	83
I033329		0.069	0.11	0.55	68	0.17	5.40	50
I033330		0.075	0.12	0.51	74	0.26	4.03	48
I033331		0.075	0.11	0.48	62	0.34	4.54	49
I033332		0.108	0.17	0.41	67	0.25	3.93	63
I033333		0.097	0.10	0.78	59	0.25	10.35	49
I033334		0.051	0.15	0.52	57	0.34	7.13	55
I033335		0.066	0.09	0.38	62	0.24	3.28	63
I033336		0.044	0.13	0.53	58	0.24	4.19	62
I033337		0.068	0.09	0.47	62	0.18	3.50	55
I033338		0.055	0.09	0.35	63	0.28	2.63	58
I033339		0.058	0.08	0.31	70	0.18	2.36	56
I033340		<0.005	<0.02	0.08	<1	<0.05	0.63	2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033341		0.36	<0.005	0.09	1.54	5.1	<0.2	<10	220	0.25	0.13	0.35	0.07	22.4	8.6	21
I033342		0.34	<0.005	0.07	1.98	7.6	<0.2	<10	170	0.40	0.16	0.24	0.08	25.5	8.4	28
I033343		0.40	<0.005	0.06	1.89	7.3	<0.2	<10	220	0.42	0.14	0.41	0.09	16.85	11.5	28
I033344		0.28	<0.005	0.13	1.79	6.5	<0.2	<10	300	0.43	0.17	0.59	0.31	20.1	10.8	28
I033345		0.46	<0.005	0.05	0.97	2.6	<0.2	<10	230	0.62	0.49	0.27	0.06	36.4	3.7	8
I033346		0.40	<0.005	0.10	2.37	4.3	<0.2	<10	600	0.54	0.13	0.59	0.12	17.75	10.0	20
I033347		0.34	<0.005	0.12	2.16	7.2	<0.2	<10	490	0.56	0.13	0.68	0.12	22.1	14.8	44
I033348		0.32	<0.005	0.07	2.03	5.4	<0.2	<10	1020	0.75	0.14	0.53	0.15	24.6	10.7	24
I033349		0.28	0.006	0.22	1.87	6.7	<0.2	<10	670	0.85	0.71	0.54	0.13	23.7	10.1	31
I033350		0.30	<0.005	0.18	1.93	8.3	<0.2	<10	650	0.85	0.70	0.55	0.12	26.5	10.0	33
I033531		0.16	<0.005	0.06	1.92	5.2	<0.2	<10	170	0.33	0.14	0.29	0.14	15.35	16.9	52
I033532		0.14	<0.005	0.11	1.35	3.2	<0.2	<10	130	0.21	0.16	0.16	0.09	5.73	9.5	32
I033533		0.14	<0.005	0.03	2.77	8.6	<0.2	<10	150	0.50	0.17	0.20	0.09	22.6	13.2	34
I033534		0.12	0.016	0.11	1.96	6.7	<0.2	<10	160	0.35	0.13	0.28	0.14	25.6	11.4	29
I033535		0.10	<0.005	0.11	1.83	11.6	<0.2	<10	70	0.32	0.23	0.11	0.21	18.20	7.0	28
I033536		0.12	<0.005	0.11	1.68	3.9	<0.2	<10	250	0.30	0.14	0.20	0.35	10.30	13.2	31
I033537		0.12	<0.005	0.17	1.54	3.2	<0.2	<10	450	0.24	0.20	0.31	0.28	16.15	14.5	24
I033538		0.12	<0.005	0.37	1.83	2.3	<0.2	<10	360	0.27	0.11	0.45	0.26	9.39	19.4	31
I033539		0.18	<0.005	0.20	2.64	7.5	<0.2	<10	510	0.56	0.15	0.25	0.18	23.3	15.9	42
I033540		0.16	<0.005	0.13	1.91	5.1	<0.2	<10	270	0.35	0.18	0.26	0.23	17.15	15.4	33
I033541		0.12	<0.005	0.19	2.00	4.1	<0.2	<10	340	0.36	0.20	0.26	0.23	19.90	13.2	26
I033542		0.18	<0.005	0.06	2.31	6.5	<0.2	<10	200	0.52	0.13	0.38	0.08	31.0	18.7	41
I033543		0.16	<0.005	0.20	2.15	11.8	<0.2	<10	640	0.56	0.15	0.51	0.23	35.4	15.2	28
I033544		0.18	<0.005	0.09	3.01	6.0	<0.2	<10	350	0.48	0.10	0.38	0.10	20.6	24.8	28
I033545		0.24	<0.005	0.10	2.32	3.7	<0.2	<10	230	0.28	0.18	0.51	0.05	17.95	12.8	21
I033546		0.14	0.010	0.42	2.47	3.7	<0.2	<10	240	0.34	0.23	0.21	0.12	23.5	12.5	26
I033547		0.14	<0.005	0.08	1.91	2.8	<0.2	<10	250	0.24	0.04	0.40	0.12	8.04	13.5	22
I033548		0.18	<0.005	0.14	2.01	3.5	<0.2	<10	220	0.33	0.13	1.89	0.08	11.20	15.8	74
I033549		0.12	<0.005	0.07	1.84	3.9	<0.2	<10	190	0.30	0.07	0.94	0.06	11.10	12.8	53
I033550		0.16	<0.005	0.09	1.66	3.9	<0.2	<10	210	0.34	0.09	0.24	0.08	16.15	10.7	26
I033601		0.10	0.052	0.14	1.54	3.4	<0.2	<10	250	0.31	0.09	2.52	0.23	12.65	11.9	51
I033602		0.14	<0.005	0.08	1.30	3.3	<0.2	<10	130	0.29	0.06	2.15	0.15	13.30	10.9	40
I033603		0.12	<0.005	0.08	1.26	3.1	<0.2	<10	140	0.28	0.07	2.32	0.14	13.10	10.7	39
I033604		0.14	<0.005	0.10	2.20	4.2	<0.2	<10	480	0.55	0.11	1.44	0.20	32.2	18.1	140
I033605		0.16	<0.005	0.07	1.56	3.2	<0.2	<10	140	0.41	0.09	0.78	0.14	28.5	13.8	38
I033606		0.12	<0.005	0.10	1.52	1.6	<0.2	<10	190	0.32	0.08	1.56	0.16	21.1	9.2	73
I033607		0.36	0.005	0.08	1.10	4.9	<0.2	<10	60	0.22	0.16	0.27	0.14	15.80	5.8	29
I033608		0.32	<0.005	0.07	1.25	10.4	<0.2	<10	60	0.28	0.13	0.28	0.12	17.65	8.4	30
I033609		0.18	0.016	0.14	0.40	4.7	<0.2	<10	120	0.32	0.04	1.96	0.64	13.05	2.6	5
I033610		0.32	<0.005	0.11	1.01	3.7	<0.2	<10	120	0.32	0.13	1.39	0.26	24.7	10.4	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033341		1.06	9.7	2.93	6.24	<0.05	0.02	<0.01	0.024	0.17	10.8	12.5	0.52	325	0.83
I033342		1.17	14.2	3.13	6.67	<0.05	0.05	0.01	0.034	0.09	12.7	14.7	0.53	265	0.98
I033343		0.70	14.2	2.79	6.32	<0.05	0.03	0.01	0.023	0.08	8.1	15.7	0.70	252	0.75
I033344		0.53	15.2	2.99	6.14	<0.05	0.03	0.02	0.028	0.10	9.1	12.8	0.52	761	0.92
I033345		1.34	6.5	1.36	3.11	<0.05	0.03	<0.01	0.011	0.16	18.5	9.2	0.21	145	0.98
I033346		0.28	12.1	3.46	8.82	<0.05	0.02	0.01	0.030	0.10	6.8	12.0	0.68	672	1.10
I033347		0.46	35.8	3.19	6.76	<0.05	0.05	0.01	0.030	0.12	9.3	11.4	0.72	657	0.82
I033348		0.57	10.2	3.21	6.98	<0.05	0.04	0.01	0.029	0.12	10.7	10.5	0.56	696	0.86
I033349		0.54	13.4	2.71	5.83	<0.05	0.06	0.02	0.026	0.08	10.3	8.1	0.39	998	0.99
I033350		0.55	14.2	2.81	5.90	<0.05	0.06	0.02	0.028	0.09	11.8	8.9	0.42	795	0.91
I033531		0.79	52.1	3.76	8.85	<0.05	0.03	0.01	0.016	0.05	6.3	19.9	1.00	290	1.02
I033532		0.48	12.7	2.33	6.03	<0.05	0.02	0.01	0.044	0.05	2.8	8.4	0.48	183	0.78
I033533		1.31	15.5	4.06	8.95	0.06	0.06	0.01	0.027	0.07	11.6	20.7	0.77	316	1.24
I033534		0.76	23.9	3.14	6.07	0.05	0.04	0.04	0.026	0.05	13.0	13.1	0.57	252	1.00
I033535		1.07	21.2	4.25	10.15	0.05	0.05	0.01	0.025	0.07	9.2	14.4	0.48	173	1.91
I033536		0.67	17.9	2.87	6.68	<0.05	0.03	0.01	0.020	0.06	5.1	11.3	0.48	532	0.86
I033537		0.49	14.7	2.71	6.51	<0.05	0.02	0.01	0.019	0.09	6.5	9.7	0.42	1140	1.14
I033538		0.69	26.8	2.74	6.32	<0.05	0.03	0.02	0.016	0.19	4.8	13.4	0.89	1120	0.69
I033539		0.73	16.4	3.78	7.91	<0.05	0.17	0.01	0.030	0.20	9.8	13.9	0.76	510	1.15
I033540		0.34	18.5	3.40	6.39	<0.05	0.10	0.01	0.028	0.20	7.3	10.9	0.59	671	1.08
I033541		1.58	19.6	3.45	7.40	0.05	0.10	0.01	0.023	0.51	10.8	12.6	0.78	357	1.11
I033542		0.85	41.1	3.68	7.63	0.07	0.14	0.01	0.028	0.30	13.9	18.8	0.96	416	0.91
I033543		1.23	34.3	3.42	7.09	0.05	0.08	0.01	0.028	0.25	15.9	13.6	0.73	541	0.97
I033544		0.63	33.9	4.06	10.20	<0.05	0.09	0.01	0.026	0.12	7.7	22.0	1.36	446	1.18
I033545		1.34	75.7	4.30	7.40	0.10	0.05	0.01	0.033	0.44	8.3	15.4	1.04	388	2.43
I033546		0.71	125.5	4.08	7.86	0.06	0.04	0.03	0.041	0.28	11.4	13.6	0.92	311	4.42
I033547		3.11	67.5	3.42	6.30	0.08	0.04	0.01	0.013	0.72	3.3	16.8	1.16	434	1.49
I033548		2.50	108.0	3.42	6.32	0.09	0.07	0.03	0.016	0.40	6.1	16.7	1.41	354	1.01
I033549		2.39	60.4	3.13	6.17	0.09	0.05	0.03	0.016	0.44	5.4	14.9	1.15	438	0.85
I033550		0.71	25.6	2.74	6.19	0.06	0.04	0.01	0.016	0.24	6.3	10.6	0.72	254	1.27
I033601		1.15	72.7	2.40	5.03	0.08	0.05	0.04	0.014	0.23	7.2	11.8	0.88	460	1.16
I033602		0.61	45.4	2.42	4.64	0.08	0.04	0.02	0.015	0.10	7.2	9.2	0.80	353	0.71
I033603		0.63	46.3	2.32	4.43	0.08	0.03	0.03	0.015	0.10	7.2	9.0	0.78	371	0.69
I033604		3.50	55.9	3.29	8.28	0.13	0.06	0.02	0.019	0.70	16.5	22.1	1.61	514	0.48
I033605		1.49	35.0	3.08	5.16	0.12	0.06	0.01	0.013	0.50	17.4	12.4	0.92	382	0.56
I033606		1.46	48.2	2.10	5.83	0.09	0.06	0.05	0.018	0.23	14.0	12.2	0.95	208	0.44
I033607		1.89	11.6	1.59	5.12	<0.05	<0.02	0.02	0.014	0.05	8.6	9.0	0.45	134	0.51
I033608		2.69	13.8	1.94	5.04	0.05	0.02	0.02	0.013	0.06	9.5	12.8	0.54	171	0.58
I033609		1.13	20.6	0.53	0.88	<0.05	0.03	0.09	0.007	0.03	7.8	0.9	0.13	233	0.60
I033610		3.36	21.4	1.79	3.84	0.06	0.03	0.08	0.016	0.06	12.4	9.4	0.38	873	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033341		1.56	13.0	260	6.5	12.4	<0.001	0.01	0.36	3.4	<0.2	0.6	26.6	<0.01	0.01
I033342		1.27	17.3	240	7.7	10.4	<0.001	0.01	0.43	4.7	0.2	0.6	20.1	<0.01	0.02
I033343		1.13	18.7	310	7.7	10.3	<0.001	0.01	0.45	4.7	0.2	0.5	25.7	<0.01	0.02
I033344		1.23	17.6	480	11.7	7.5	<0.001	0.02	0.45	5.2	0.3	0.5	35.1	<0.01	0.03
I033345		0.98	5.5	250	14.2	15.3	<0.001	0.01	0.10	1.7	0.2	0.6	27.7	<0.01	0.01
I033346		0.81	12.7	690	7.1	8.3	<0.001	0.02	0.27	4.9	0.2	0.6	67.5	<0.01	0.03
I033347		1.02	22.8	440	7.1	10.9	<0.001	0.02	0.33	8.3	0.2	0.5	54.5	<0.01	0.07
I033348		1.03	15.0	370	8.3	14.5	0.001	0.02	0.32	5.8	0.3	0.5	35.5	<0.01	0.03
I033349		1.77	18.2	290	15.7	6.4	<0.001	0.02	0.38	5.7	0.3	0.5	31.0	<0.01	0.03
I033350		1.79	20.1	290	15.8	7.9	<0.001	0.02	0.43	6.1	0.4	0.6	31.1	<0.01	0.03
I033531		1.17	24.5	1010	5.5	13.5	<0.001	0.02	0.40	3.6	0.3	0.6	18.7	<0.01	0.04
I033532		1.22	17.6	220	4.5	10.9	<0.001	0.02	0.32	2.0	0.2	0.4	15.7	<0.01	0.03
I033533		2.11	18.3	450	7.4	14.4	<0.001	0.02	0.41	4.5	0.4	0.6	19.5	0.01	0.04
I033534		1.54	17.4	610	7.0	8.9	<0.001	0.04	0.34	5.0	0.5	0.5	19.8	<0.01	0.03
I033535		2.48	14.9	440	13.4	13.4	<0.001	0.03	0.59	3.3	0.4	0.7	11.7	0.01	0.09
I033536		1.40	18.2	300	6.0	9.2	<0.001	0.02	0.41	3.4	0.2	0.5	17.2	<0.01	0.04
I033537		1.22	16.9	390	8.0	13.9	<0.001	0.02	0.32	2.8	0.2	0.6	24.0	<0.01	0.03
I033538		1.27	21.1	340	4.0	11.7	<0.001	0.02	0.19	3.5	0.3	0.4	28.0	<0.01	0.02
I033539		1.17	27.1	190	8.3	21.6	<0.001	0.01	0.49	8.7	0.2	0.6	21.3	<0.01	0.02
I033540		1.11	22.1	190	9.2	9.5	<0.001	0.02	0.39	6.0	0.2	0.5	17.1	<0.01	0.03
I033541		2.04	18.5	160	12.7	51.9	<0.001	0.01	0.30	5.4	0.2	0.7	20.2	<0.01	0.03
I033542		1.16	25.6	180	8.3	25.5	<0.001	0.02	0.31	8.8	0.4	0.6	32.1	<0.01	0.03
I033543		1.64	26.1	280	8.0	27.2	<0.001	0.02	0.37	8.2	0.3	0.5	32.5	<0.01	0.04
I033544		1.48	22.0	200	5.6	7.5	<0.001	0.02	0.27	9.3	0.2	0.5	23.3	<0.01	0.03
I033545		1.02	12.0	370	5.4	29.0	0.001	0.31	0.18	10.9	2.1	0.5	46.7	<0.01	0.24
I033546		0.95	15.3	410	5.3	15.3	0.002	0.24	0.22	10.8	1.9	0.8	34.7	<0.01	0.20
I033547		1.05	14.8	370	3.2	35.9	<0.001	0.03	0.13	4.1	0.3	0.3	26.2	<0.01	0.03
I033548		0.87	36.0	630	5.7	27.6	<0.001	0.08	0.20	5.8	0.6	0.3	50.1	<0.01	0.03
I033549		0.91	26.9	470	4.0	28.3	<0.001	0.06	0.17	5.5	0.6	0.4	28.2	<0.01	0.02
I033550		1.12	15.0	220	6.4	21.5	<0.001	0.03	0.26	3.0	0.2	0.4	21.0	<0.01	0.02
I033601		0.83	28.3	620	5.7	20.8	<0.001	0.11	0.22	4.0	1.0	0.3	63.2	<0.01	0.04
I033602		0.62	24.3	590	4.0	10.3	0.001	0.12	0.23	3.7	0.9	0.3	64.8	<0.01	0.06
I033603		0.59	23.6	590	3.9	10.0	0.001	0.12	0.22	3.4	1.0	0.2	66.6	<0.01	0.06
I033604		1.58	60.1	810	8.9	68.6	0.001	0.05	0.24	5.3	0.7	0.6	60.2	<0.01	0.01
I033605		1.65	31.3	580	8.1	49.7	<0.001	0.02	0.14	3.2	0.8	0.4	41.7	<0.01	0.03
I033606		1.09	35.9	650	6.1	28.8	0.001	0.10	0.20	5.3	0.9	0.4	70.8	<0.01	0.01
I033607		0.70	17.4	490	13.1	10.5	<0.001	0.01	0.50	2.6	0.3	0.4	21.1	<0.01	0.01
I033608		0.80	21.1	320	9.2	9.8	<0.001	0.01	1.08	3.0	0.4	0.4	21.1	<0.01	0.01
I033609		0.16	12.6	770	5.2	2.2	<0.001	0.16	1.61	1.1	0.8	0.2	104.0	<0.01	0.01
I033610		0.61	19.0	880	11.7	10.6	<0.001	0.10	0.47	2.5	0.8	0.3	82.3	<0.01	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033341		0.081	0.09	0.31	56	0.16	2.86	52	0.8
I033342		0.059	0.09	0.36	63	0.19	2.95	63	2.1
I033343		0.108	0.09	0.35	75	0.16	2.47	55	1.1
I033344		0.074	0.08	0.80	68	0.32	3.45	73	1.1
I033345		0.012	0.13	1.09	17	0.11	5.25	35	1.0
I033346		0.024	0.09	0.34	76	0.15	3.38	63	0.7
I033347		0.067	0.08	0.40	77	0.17	4.80	62	1.8
I033348		0.042	0.09	0.28	61	0.16	5.51	53	1.4
I033349		0.055	0.10	0.39	59	0.18	4.55	48	1.9
I033350		0.060	0.10	0.43	61	0.18	5.69	48	2.1
I033531		0.160	0.08	0.41	88	0.12	2.94	64	1.3
I033532		0.138	0.07	0.19	60	0.08	1.09	39	1.2
I033533		0.155	0.13	0.55	79	0.16	4.49	51	3.1
I033534		0.112	0.10	0.88	65	0.14	6.60	55	1.8
I033535		0.156	0.14	0.52	91	0.16	2.94	65	2.2
I033536		0.113	0.08	0.22	67	0.12	2.14	62	1.3
I033537		0.087	0.10	0.33	59	0.09	2.34	63	0.8
I033538		0.151	0.11	0.23	64	0.07	2.90	69	1.2
I033539		0.136	0.12	0.44	85	0.10	3.81	60	8.0
I033540		0.108	0.08	0.28	77	0.09	3.11	63	4.2
I033541		0.185	0.27	0.47	69	0.14	4.35	75	3.9
I033542		0.156	0.15	0.86	91	0.09	8.32	68	6.2
I033543		0.139	0.15	0.97	79	0.16	9.39	54	3.2
I033544		0.176	0.13	0.46	98	0.09	3.96	75	3.5
I033545		0.131	0.20	0.94	96	<0.05	5.13	72	2.4
I033546		0.114	0.12	1.03	87	0.06	10.90	60	1.5
I033547		0.212	0.24	0.22	61	0.08	3.27	72	1.3
I033548		0.158	0.19	0.48	73	0.10	7.56	69	2.8
I033549		0.150	0.15	0.47	63	0.13	6.89	63	1.9
I033550		0.102	0.10	0.34	53	0.08	2.66	65	1.4
I033601		0.091	0.12	0.86	54	0.06	10.85	60	2.2
I033602		0.057	0.07	0.60	53	<0.05	6.38	43	1.3
I033603		0.054	0.06	0.57	49	0.07	6.41	41	1.3
I033604		0.158	0.31	1.17	75	0.12	7.10	63	2.2
I033605		0.129	0.33	0.71	43	0.09	8.05	85	2.3
I033606		0.092	0.16	1.23	44	0.08	9.21	61	2.4
I033607		0.073	0.10	0.65	31	0.12	3.52	40	0.5
I033608		0.074	0.13	0.69	36	0.18	3.52	50	0.6
I033609		0.014	0.05	0.66	7	<0.05	6.65	24	0.8
I033610		0.040	0.10	0.92	35	0.08	8.02	50	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033611		0.46	0.008	0.10	1.12	3.9	<0.2	<10	80	0.20	0.21	0.33	0.10	21.1	6.1	27
I033612		0.34	0.006	0.10	0.95	4.0	<0.2	<10	90	0.27	0.17	0.28	0.19	15.85	6.8	20
I033613		0.34	<0.005	0.08	1.48	4.8	<0.2	<10	90	0.35	0.16	0.36	0.13	33.3	17.0	34
I033614		0.28	<0.005	0.11	1.96	7.8	<0.2	<10	140	0.40	0.25	0.11	0.10	21.0	7.8	31
I033615		0.44	<0.005	0.06	2.37	4.2	<0.2	<10	90	0.65	0.25	0.14	0.09	82.7	12.7	34
I033616		0.40	<0.005	0.08	2.40	94.9	<0.2	<10	120	0.49	0.28	0.26	0.16	30.4	13.6	49
I033617		0.40	<0.005	0.06	2.56	226	<0.2	<10	130	0.86	0.46	0.15	0.13	71.6	20.3	35
I033618		0.34	<0.005	0.08	2.31	16.6	<0.2	<10	120	0.48	0.26	0.16	0.14	36.9	12.0	37
I033619		0.36	<0.005	0.08	2.57	6.5	<0.2	<10	80	0.62	0.48	0.11	0.06	127.5	14.6	37
I033620		0.38	<0.005	0.10	1.94	26.7	<0.2	<10	140	0.48	0.20	0.27	0.13	53.0	12.9	33
I033621		0.36	<0.005	0.10	1.96	25.1	<0.2	<10	140	0.45	0.20	0.27	0.12	52.1	12.8	31
I033622		0.36	<0.005	0.04	1.73	85.8	<0.2	<10	100	0.39	0.22	0.19	0.18	34.8	10.9	31
I033623		0.34	<0.005	0.04	2.11	11.5	<0.2	<10	150	0.39	0.21	0.15	0.13	29.9	11.8	34
I033624		0.24	<0.005	0.14	1.04	7.9	<0.2	<10	90	0.19	0.20	0.17	0.21	16.35	5.3	23
I033625		0.34	<0.005	0.12	2.78	10.5	<0.2	<10	160	0.56	0.22	0.17	0.15	32.3	11.2	39
I033626		0.32	<0.005	0.11	2.23	9.7	<0.2	<10	170	0.38	0.25	0.11	0.13	19.80	9.8	34
I033627		0.48	<0.005	0.06	2.69	6.9	<0.2	<10	200	0.50	0.96	0.15	0.29	54.4	14.3	39
I033628		0.34	<0.005	0.05	1.68	9.9	<0.2	<10	110	0.32	0.23	0.12	0.17	19.45	8.2	28
I033629		0.38	<0.005	0.03	1.85	10.6	<0.2	<10	130	0.32	0.20	0.16	0.12	23.6	9.6	32
I033630		0.42	<0.005	0.05	1.65	7.6	<0.2	<10	130	0.31	0.18	0.20	0.11	18.95	8.9	28
I033631		0.42	<0.005	0.06	2.39	5.1	<0.2	<10	80	0.52	0.24	0.08	0.08	89.1	14.9	33
I033632		0.36	<0.005	0.04	1.86	8.3	<0.2	<10	150	0.38	0.17	0.18	0.14	27.9	13.5	30
I033633		0.44	<0.005	0.04	2.25	7.6	<0.2	<10	130	0.49	0.29	0.17	0.11	77.6	17.1	32
I033634		0.42	<0.005	0.11	2.99	9.4	<0.2	<10	100	0.58	0.23	0.13	0.13	38.4	15.6	43
I033635		0.40	<0.005	0.04	2.16	6.0	<0.2	<10	110	0.35	0.22	0.14	0.12	50.7	12.7	32
I033636		0.36	0.005	0.10	1.62	5.9	<0.2	<10	80	0.28	0.37	0.11	0.12	36.2	7.4	24
I033637		0.42	<0.005	0.09	1.89	7.8	<0.2	<10	110	0.35	0.23	0.14	0.15	40.9	9.8	30
I033638		0.38	<0.005	0.04	1.49	7.2	<0.2	<10	80	0.22	0.24	0.10	0.07	18.80	7.0	44
I033639		0.50	<0.005	0.10	2.33	8.2	<0.2	<10	130	0.39	0.37	0.12	0.18	48.3	13.3	37
I033640		0.40	<0.005	0.04	1.94	6.3	<0.2	<10	200	0.31	0.42	0.20	0.07	73.4	10.7	28
I033641		0.40	<0.005	0.04	2.03	6.3	<0.2	<10	160	0.32	0.44	0.19	0.07	67.8	10.6	29
I033642		0.44	<0.005	0.09	4.51	4.6	<0.2	<10	190	0.72	0.21	0.31	0.06	29.4	28.0	485
I033643		0.44	<0.005	0.05	2.00	8.4	<0.2	<10	90	0.35	0.22	0.10	0.07	46.6	9.9	40
I033644		0.44	<0.005	0.06	2.80	8.2	<0.2	<10	150	0.51	0.21	0.17	0.13	56.0	15.9	40
I033645		0.34	<0.005	0.23	3.04	12.7	<0.2	<10	140	0.50	0.22	0.15	0.12	34.5	14.7	45
I033646		0.32	<0.005	0.10	2.59	10.6	<0.2	<10	430	0.72	0.09	0.74	0.16	29.0	19.8	44
I033647		0.36	<0.005	0.09	1.65	5.6	<0.2	<10	330	0.41	0.13	0.55	0.06	23.3	11.3	34
I033648		0.44	0.009	0.09	2.29	4.1	<0.2	<10	420	0.33	0.08	0.58	0.07	19.40	18.4	81
I033649		0.38	<0.005	0.10	2.52	4.2	<0.2	<10	500	0.37	0.08	0.62	0.06	19.85	18.1	50
I033650		0.34	<0.005	0.08	1.82	9.2	<0.2	<10	320	0.39	0.09	0.70	0.10	17.95	15.6	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033611		4.53	10.7	1.80	5.90	0.06	<0.02	0.04	0.018	0.06	11.4	9.4	0.41	148	0.74
I033612		1.90	23.3	1.90	5.03	<0.05	<0.02	0.17	0.018	0.05	8.5	4.7	0.21	943	0.98
I033613		4.33	18.6	2.83	6.37	0.08	0.02	0.04	0.022	0.10	17.3	13.6	0.68	732	0.78
I033614		1.03	16.1	3.58	9.51	0.06	0.05	0.02	0.025	0.04	9.4	17.0	0.33	216	1.47
I033615		2.69	30.4	4.18	9.44	0.08	0.05	0.03	0.027	0.31	15.1	26.3	0.76	250	0.85
I033616		1.75	32.0	4.70	11.10	0.08	0.06	0.02	0.034	0.14	12.5	31.1	0.85	519	1.46
I033617		3.69	35.2	4.56	8.53	0.10	0.09	0.02	0.042	0.43	17.4	33.0	0.87	489	0.79
I033618		1.61	20.8	4.27	9.32	0.09	0.05	0.03	0.030	0.20	13.7	22.6	0.62	364	1.32
I033619		5.07	44.0	5.74	9.08	0.19	0.06	0.02	0.025	0.81	62.4	33.8	1.05	306	1.02
I033620		1.36	35.8	3.09	6.05	0.09	0.04	0.04	0.023	0.17	26.5	18.9	0.61	325	0.83
I033621		1.36	33.9	3.01	5.90	0.09	0.05	0.04	0.023	0.16	26.3	18.3	0.61	321	0.77
I033622		1.19	20.4	3.68	8.57	0.07	0.06	0.02	0.041	0.09	12.3	19.0	0.55	314	1.07
I033623		1.01	17.3	3.80	7.88	0.07	0.11	0.02	0.029	0.07	14.4	24.0	0.48	270	1.38
I033624		0.75	16.4	2.58	6.74	<0.05	0.02	0.05	0.018	0.06	8.1	7.8	0.29	153	1.19
I033625		1.36	24.5	3.58	7.38	0.05	0.05	0.06	0.031	0.12	17.5	18.3	0.59	267	1.38
I033626		1.12	16.1	3.68	9.25	0.06	0.03	0.02	0.029	0.04	9.3	15.0	0.42	380	1.77
I033627		2.33	30.1	4.19	7.78	0.10	0.15	0.02	0.031	0.57	20.7	20.7	0.84	420	0.66
I033628		1.12	15.5	3.17	7.96	0.06	0.03	0.04	0.025	0.06	8.3	15.5	0.41	394	1.46
I033629		1.11	15.5	3.67	8.23	0.07	0.07	0.02	0.027	0.06	11.0	17.0	0.54	262	1.33
I033630		1.12	14.0	2.95	7.32	0.06	0.03	0.01	0.024	0.06	9.8	14.5	0.47	249	1.09
I033631		3.36	24.4	3.87	7.79	0.11	0.08	0.02	0.028	0.22	31.9	25.7	0.66	194	1.14
I033632		1.09	18.1	3.23	6.92	0.07	0.07	0.03	0.027	0.07	12.9	15.9	0.50	349	1.05
I033633		1.32	30.2	3.88	6.44	0.07	0.06	0.03	0.031	0.14	17.6	15.9	0.53	446	1.10
I033634		1.87	26.8	4.02	8.81	0.07	0.10	0.03	0.033	0.14	16.5	25.3	0.71	262	1.16
I033635		2.04	24.1	3.60	7.12	0.06	0.07	0.02	0.022	0.27	16.3	21.6	0.65	273	0.90
I033636		1.44	21.0	3.93	8.81	0.05	0.06	0.02	0.020	0.10	13.0	11.3	0.30	194	1.63
I033637		1.38	22.0	3.60	7.56	0.06	0.08	0.03	0.029	0.11	15.4	17.7	0.43	302	1.17
I033638		1.09	14.5	3.18	7.90	0.05	0.03	0.02	0.024	0.06	7.8	12.8	0.43	206	1.29
I033639		1.79	24.8	4.90	9.51	0.06	0.07	0.01	0.031	0.20	11.4	25.7	0.59	380	1.43
I033640		2.06	16.9	4.32	7.57	0.09	0.07	0.02	0.029	0.36	34.5	23.7	0.55	324	0.84
I033641		2.28	18.8	4.31	7.76	0.08	0.07	0.01	0.044	0.35	29.9	26.3	0.57	311	0.86
I033642		5.72	14.1	5.62	16.45	0.09	0.04	0.02	0.042	0.36	11.4	60.4	3.15	574	1.42
I033643		2.04	22.1	4.50	9.40	0.06	0.09	0.02	0.030	0.16	9.8	29.1	0.62	195	1.07
I033644		2.20	34.4	3.79	7.68	0.06	0.06	0.03	0.029	0.11	14.5	25.5	0.73	233	0.93
I033645		1.58	26.8	3.71	7.38	0.07	0.13	0.07	0.033	0.07	12.9	20.2	0.61	349	1.30
I033646		5.38	52.8	5.20	9.18	0.11	0.07	0.02	0.036	0.44	12.6	16.5	1.32	1120	1.59
I033647		0.70	16.7	2.85	5.03	0.06	0.10	0.01	0.024	0.26	8.7	8.4	0.51	645	1.00
I033648		1.80	43.6	3.83	7.59	0.10	0.07	0.01	0.019	0.67	9.7	14.1	1.46	709	0.92
I033649		1.71	41.3	4.17	8.52	0.10	0.07	0.01	0.022	0.59	8.5	15.9	1.50	836	0.99
I033650		1.09	46.5	3.49	5.97	0.06	0.07	0.02	0.028	0.23	7.5	9.5	0.82	706	1.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033611		0.69	16.6	690	17.6	11.4	<0.001	0.04	0.30	2.5	0.4	0.5	25.6	<0.01	0.02
I033612		0.42	14.9	800	7.0	8.4	<0.001	0.08	0.44	1.1	0.5	0.5	25.3	<0.01	0.03
I033613		0.70	27.4	690	9.6	18.7	<0.001	0.04	0.25	3.8	0.5	0.5	27.3	<0.01	0.03
I033614		1.84	18.7	210	12.5	10.5	<0.001	0.01	0.55	3.3	0.2	0.8	11.2	<0.01	0.03
I033615		4.39	34.5	360	13.0	36.3	<0.001	0.01	0.26	3.4	0.5	0.7	12.6	<0.01	0.02
I033616		1.48	28.5	380	17.9	22.5	<0.001	0.01	0.97	5.8	0.4	0.8	15.3	<0.01	0.03
I033617		2.39	36.2	450	22.3	55.0	<0.001	0.01	2.51	4.3	0.5	0.6	9.7	<0.01	0.04
I033618		2.47	24.8	380	13.6	31.2	<0.001	0.01	0.67	4.3	0.5	0.7	14.3	0.01	0.04
I033619		3.21	33.8	360	9.8	97.8	<0.001	0.02	0.49	3.7	0.7	0.6	13.2	<0.01	0.04
I033620		2.15	29.1	690	8.9	22.4	<0.001	0.03	0.65	3.8	0.6	0.5	18.7	<0.01	0.02
I033621		2.16	28.3	660	8.6	21.7	<0.001	0.02	0.62	3.9	0.6	0.5	18.9	0.01	0.02
I033622		2.22	24.7	380	13.4	14.5	<0.001	<0.01	1.18	3.7	0.4	0.6	14.1	<0.01	0.04
I033623		2.33	27.4	230	11.2	13.9	<0.001	<0.01	0.58	3.6	0.4	0.6	14.7	0.02	0.03
I033624		1.43	14.4	410	7.4	8.6	<0.001	0.02	0.47	1.8	0.3	0.6	16.2	<0.01	0.03
I033625		2.01	25.0	410	9.9	19.8	<0.001	0.03	0.58	4.6	0.8	0.6	19.2	0.02	0.03
I033626		1.85	18.7	320	11.6	12.6	<0.001	<0.01	0.65	3.6	0.4	0.8	13.2	0.01	0.04
I033627		3.60	32.6	260	49.6	71.0	<0.001	<0.01	0.30	4.8	0.6	0.7	13.3	0.01	0.05
I033628		1.62	17.4	350	10.1	14.0	<0.001	0.01	0.52	2.9	0.3	0.6	13.0	<0.01	0.04
I033629		2.14	20.7	290	10.7	13.8	<0.001	<0.01	0.52	3.6	0.4	0.6	17.0	<0.01	0.03
I033630		1.93	18.6	340	9.0	13.6	<0.001	<0.01	0.37	3.3	0.3	0.6	17.1	<0.01	0.02
I033631		2.77	36.1	280	10.3	33.5	<0.001	<0.01	0.31	3.6	0.4	0.6	8.6	<0.01	0.02
I033632		1.97	23.2	430	8.5	14.5	<0.001	<0.01	0.48	3.9	0.4	0.5	15.8	0.01	0.03
I033633		2.32	40.5	480	16.7	25.6	<0.001	0.03	0.34	4.2	0.7	0.6	14.1	0.02	0.04
I033634		5.01	34.9	260	11.1	29.8	<0.001	0.02	0.49	4.5	0.5	0.8	12.4	0.02	0.04
I033635		3.93	30.1	420	10.2	37.7	<0.001	0.03	0.30	3.7	0.5	0.6	12.3	0.01	0.03
I033636		3.45	18.5	250	15.5	30.2	<0.001	0.01	0.48	2.5	0.3	0.8	10.2	<0.01	0.04
I033637		2.51	23.0	270	15.1	21.9	<0.001	0.02	0.43	3.9	0.4	0.7	11.2	<0.01	0.05
I033638		2.08	15.7	260	10.3	13.2	<0.001	0.01	0.43	2.8	0.3	0.7	10.8	<0.01	0.03
I033639		3.26	27.7	370	18.9	37.3	<0.001	0.02	0.51	3.8	0.5	0.8	10.4	0.01	0.05
I033640		3.31	25.0	250	10.7	53.1	<0.001	0.01	0.27	3.6	0.4	0.7	17.3	<0.01	0.04
I033641		3.31	23.8	260	11.8	54.9	<0.001	0.01	0.26	3.7	0.5	0.7	17.5	<0.01	0.04
I033642		4.67	48.6	470	11.1	76.7	<0.001	0.03	0.20	10.6	0.4	1.6	22.5	<0.01	0.04
I033643		4.35	25.1	320	9.5	31.7	<0.001	0.02	0.42	4.0	0.4	0.8	9.0	<0.01	0.04
I033644		3.26	41.2	220	8.7	27.6	<0.001	0.02	0.41	4.3	0.5	0.7	14.9	0.01	0.03
I033645		2.62	31.7	310	10.6	16.2	<0.001	0.02	0.60	5.7	0.6	0.6	14.5	0.02	0.03
I033646		0.84	22.9	940	6.9	26.8	<0.001	0.01	0.84	10.7	0.5	0.6	31.3	<0.01	0.03
I033647		1.16	18.0	280	6.8	16.7	<0.001	0.01	0.38	5.5	0.4	0.5	30.1	<0.01	0.03
I033648		1.34	42.2	660	4.8	39.1	<0.001	0.02	0.24	5.7	0.4	0.4	30.0	<0.01	0.02
I033649		1.79	28.0	610	4.9	33.8	<0.001	0.02	0.22	6.0	0.4	0.5	31.8	<0.01	0.02
I033650		1.01	17.6	520	5.0	8.8	<0.001	0.02	0.55	7.7	0.4	0.4	30.5	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122483

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033611		0.067	0.11	0.73	35	0.11	3.41	50
I033612		0.043	0.09	0.59	49	0.08	3.18	56
I033613		0.069	0.18	1.08	45	0.07	6.21	67
I033614		0.081	0.14	0.57	86	0.16	3.04	57
I033615		0.157	0.27	1.53	47	0.08	7.87	76
I033616		0.109	0.21	1.27	92	0.14	5.91	76
I033617		0.147	0.38	2.39	36	0.08	11.85	90
I033618		0.137	0.24	1.07	72	0.19	6.43	67
I033619		0.218	0.72	3.19	39	0.07	14.40	105
I033620		0.111	0.17	0.99	51	0.16	8.35	74
I033621		0.111	0.17	0.96	50	0.15	8.39	54
I033622		0.128	0.12	0.71	78	0.25	4.99	54
I033623		0.110	0.12	0.60	69	0.18	3.82	47
I033624		0.082	0.09	0.51	64	0.16	1.98	34
I033625		0.095	0.19	1.17	66	0.20	4.64	59
I033626		0.092	0.16	0.51	84	0.20	3.02	57
I033627		0.231	0.58	1.04	49	0.14	11.30	121
I033628		0.095	0.11	0.46	68	0.18	2.72	46
I033629		0.111	0.12	0.62	72	0.20	3.51	49
I033630		0.098	0.12	0.53	65	0.16	3.34	42
I033631		0.117	0.31	1.17	50	0.11	7.95	70
I033632		0.109	0.13	0.57	64	0.17	5.20	48
I033633		0.100	0.21	1.20	51	0.14	11.35	67
I033634		0.149	0.25	0.98	68	0.14	6.04	75
I033635		0.169	0.32	1.20	53	0.11	8.59	60
I033636		0.122	0.24	1.16	69	0.10	5.74	48
I033637		0.116	0.18	0.97	63	0.14	6.72	66
I033638		0.109	0.15	0.61	68	0.14	3.81	40
I033639		0.165	0.29	1.10	73	0.14	8.94	80
I033640		0.173	0.39	1.09	51	0.10	11.50	66
I033641		0.179	0.43	1.23	53	0.10	10.75	67
I033642		0.314	0.45	0.77	127	0.10	7.81	112
I033643		0.168	0.21	1.24	72	0.13	6.96	61
I033644		0.140	0.28	1.09	68	0.15	6.06	75
I033645		0.116	0.19	0.92	73	0.21	5.28	60
I033646		0.124	0.13	0.52	116	0.09	11.75	116
I033647		0.099	0.08	0.25	60	0.14	4.28	39
I033648		0.200	0.22	0.45	85	0.10	7.52	80
I033649		0.207	0.14	0.43	90	0.10	6.07	84
I033650		0.081	0.07	0.25	74	0.08	6.61	57



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122483

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 22-SEP-2010
Account: EIASQI

CERTIFICATE WH10122484

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033701		0.36	0.013	0.07	1.15	5.8	<0.2	<10	70	0.32	0.11	0.55	0.12	28.5	11.0	27
I033702		0.46	<0.005	0.07	1.68	5.3	<0.2	<10	90	0.43	0.12	1.04	0.12	36.4	16.2	41
I033703		0.30	<0.005	0.10	1.46	11.0	<0.2	<10	100	0.46	0.10	1.39	0.22	48.6	13.0	32
I033704		0.34	<0.005	0.11	1.93	7.4	<0.2	<10	110	0.58	0.18	0.76	0.09	39.3	13.9	43
I033705		0.42	<0.005	0.15	1.73	9.8	<0.2	<10	120	0.56	0.19	0.96	0.10	35.9	20.8	39
I033706		0.32	<0.005	0.08	1.36	14.7	<0.2	<10	140	0.37	0.11	0.82	0.08	29.9	12.5	27
I033707		0.36	<0.005	0.05	1.49	14.3	<0.2	<10	120	0.30	0.14	0.58	0.10	37.6	9.1	27
I033708		0.32	<0.005	0.05	1.57	6.7	<0.2	<10	70	0.73	0.14	1.38	0.09	26.4	23.9	45
I033709		0.40	<0.005	0.07	1.61	6.5	<0.2	<10	140	0.26	0.12	0.47	0.14	17.25	8.8	29
I033710		0.38	<0.005	0.05	1.66	4.2	<0.2	<10	100	0.24	0.12	0.37	0.15	15.55	7.6	32
I033711		0.42	<0.005	0.21	1.96	8.8	<0.2	<10	290	0.53	0.17	0.79	0.10	42.8	15.3	43
I033712		0.38	0.007	0.19	1.57	5.6	<0.2	<10	190	0.38	0.15	0.78	0.14	29.9	10.1	34
I033713		0.30	<0.005	0.10	1.29	9.2	<0.2	<10	160	0.33	0.15	1.08	0.17	24.4	9.3	26
I033714		0.24	<0.005	0.11	1.25	6.0	<0.2	<10	150	0.34	0.14	1.26	0.13	24.8	10.4	25
I033715		0.30	<0.005	0.16	2.27	4.3	<0.2	<10	340	0.36	0.11	0.64	0.18	14.60	16.7	35
I033716		0.28	<0.005	0.08	1.76	4.9	<0.2	<10	720	0.41	0.13	0.51	0.21	21.7	11.0	27
I033717		0.30	<0.005	0.23	2.27	3.4	<0.2	<10	450	0.36	0.11	0.64	0.22	15.05	17.9	27
I033718		0.40	<0.005	0.23	2.36	4.7	<0.2	<10	500	0.44	0.21	0.78	0.56	20.5	18.5	28
I033719		0.42	<0.005	0.14	2.53	7.2	<0.2	<10	390	0.47	0.13	0.56	0.20	25.9	15.9	26
I033720		0.26	<0.005	0.39	1.82	4.8	<0.2	<10	650	0.36	0.13	0.73	1.05	19.90	13.4	27
I033721		0.38	<0.005	0.39	1.83	7.2	<0.2	<10	300	0.33	0.15	0.39	0.47	18.20	11.7	24
I033722		0.42	<0.005	0.13	1.69	7.7	<0.2	<10	310	0.43	0.14	0.50	0.25	27.0	12.1	29
I033723		0.36	<0.005	0.19	1.65	5.8	<0.2	<10	200	0.29	0.11	0.39	0.52	13.05	10.5	22
I033724		0.30	<0.005	0.23	1.77	6.2	<0.2	<10	270	0.25	0.13	0.46	1.07	14.35	9.4	19
I033725		0.38	<0.005	0.23	1.99	25.2	<0.2	<10	290	0.47	0.21	0.47	0.53	28.2	12.8	31
I033726		0.36	<0.005	0.31	2.50	11.9	<0.2	<10	410	0.54	0.17	0.70	1.22	29.0	14.0	30
I033727		0.42	<0.005	0.28	2.36	8.0	<0.2	<10	300	0.51	0.14	0.44	0.88	30.1	14.8	31
I033728		0.34	<0.005	0.40	2.39	8.4	<0.2	<10	300	0.57	0.14	0.44	0.86	32.0	16.1	32
I033729		0.32	<0.005	0.25	1.90	4.1	<0.2	<10	440	0.43	0.16	0.44	0.50	20.5	12.4	27
I033730		0.28	<0.005	0.56	1.69	3.5	<0.2	<10	480	0.32	0.13	0.42	0.92	17.75	11.8	28
I033731		0.34	<0.005	0.12	1.79	6.4	<0.2	<10	380	0.37	0.13	0.53	0.23	20.7	13.6	28
I033732		0.32	<0.005	0.13	1.62	7.8	<0.2	<10	300	0.35	0.12	0.52	0.13	19.55	10.9	27
I033733		0.30	<0.005	0.71	1.38	4.0	<0.2	<10	380	0.42	0.25	0.33	0.82	24.3	10.9	23
I033734		0.32	<0.005	0.24	1.72	4.1	<0.2	<10	400	0.37	0.13	0.35	0.20	16.55	14.9	26
I033735		0.10	<0.005	0.01	0.01	<0.1	<0.2	<10	10	<0.05	0.01	<0.01	0.02	1.20	0.3	<1
I033736		0.32	<0.005	0.19	1.66	6.9	<0.2	<10	400	0.38	0.14	0.39	0.12	19.70	12.1	30
I033737		0.30	0.011	0.37	1.69	4.8	<0.2	<10	260	0.45	0.16	1.00	0.24	23.4	11.4	28
I033738		0.32	<0.005	0.13	1.97	4.8	<0.2	<10	300	0.47	0.11	0.53	0.13	18.95	13.1	31
I033739		0.46	0.005	0.07	3.37	3.2	<0.2	<10	600	0.69	0.06	0.77	0.14	13.55	24.6	77
I033740		0.48	<0.005	0.09	2.73	5.0	<0.2	<10	360	0.63	0.08	0.70	0.11	26.1	22.2	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033701		1.90	15.9	2.29	4.18	0.09	0.02	0.03	0.018	0.10	14.3	9.8	0.47	325	0.50
I033702		5.02	27.8	3.18	5.41	0.13	0.04	0.03	0.021	0.30	16.6	15.4	0.78	461	0.64
I033703		3.14	27.3	2.52	4.42	0.13	0.04	0.04	0.019	0.19	23.4	12.2	0.54	493	0.51
I033704		3.82	28.0	3.15	5.80	0.13	0.04	0.04	0.023	0.26	20.7	15.2	0.78	298	0.60
I033705		3.94	25.4	3.31	5.44	0.12	0.04	0.04	0.022	0.25	17.6	15.2	0.69	823	0.98
I033706		1.73	15.6	2.62	3.92	0.07	0.02	0.04	0.024	0.07	15.7	9.9	0.43	524	0.87
I033707		2.06	14.4	2.89	4.46	0.07	0.02	0.04	0.030	0.05	19.5	11.1	0.49	171	0.85
I033708		6.17	23.9	3.90	4.69	0.07	<0.02	0.03	0.032	0.07	11.1	19.3	0.69	625	0.44
I033709		0.77	14.3	2.52	5.11	0.07	0.02	0.03	0.024	0.03	8.5	10.2	0.50	217	0.58
I033710		0.93	13.6	2.13	5.65	0.05	<0.02	0.02	0.025	0.02	7.9	12.1	0.52	209	0.51
I033711		3.23	49.0	3.18	6.14	0.07	0.05	0.07	0.028	0.05	21.3	12.9	0.58	267	1.36
I033712		2.32	34.7	2.49	5.17	0.07	0.07	0.04	0.022	0.06	15.5	10.6	0.54	225	0.99
I033713		1.75	25.7	2.41	4.38	0.06	0.06	0.03	0.021	0.05	13.2	10.8	0.48	260	0.79
I033714		1.78	27.3	2.27	4.23	0.06	0.05	0.03	0.019	0.06	13.8	10.4	0.49	336	0.76
I033715		0.56	48.5	3.25	6.76	0.06	0.09	0.07	0.024	0.15	6.4	11.6	0.90	685	0.75
I033716		0.41	17.6	2.92	6.23	0.05	0.06	0.01	0.028	0.17	10.1	8.2	0.50	625	0.89
I033717		1.74	24.1	3.39	6.94	0.05	0.02	0.02	0.019	0.27	6.1	14.8	1.02	898	1.68
I033718		0.80	44.4	3.94	7.34	0.07	0.09	0.02	0.044	0.30	8.7	11.2	0.81	1200	1.03
I033719		1.70	24.9	3.72	6.74	0.08	0.06	0.01	0.019	0.36	12.7	15.4	1.13	789	0.90
I033720		0.82	18.9	2.85	5.60	0.05	0.07	0.01	0.021	0.32	8.3	9.2	0.57	1540	0.84
I033721		0.40	14.0	2.70	5.41	<0.05	0.03	0.01	0.019	0.13	8.1	10.4	0.63	791	1.47
I033722		0.37	19.3	2.76	5.29	0.06	0.17	0.02	0.023	0.15	11.9	10.1	0.51	716	0.68
I033723		1.04	17.4	2.84	5.84	0.06	0.04	0.01	0.017	0.16	6.5	10.9	0.66	518	1.21
I033724		1.57	22.4	3.05	7.34	0.05	0.03	0.02	0.014	0.16	6.0	9.0	0.61	738	1.76
I033725		0.70	25.4	3.18	6.03	0.07	0.10	0.03	0.030	0.27	12.8	11.9	0.70	714	1.15
I033726		1.55	32.9	3.33	6.80	0.06	0.09	0.02	0.018	0.39	14.8	14.6	1.20	993	1.21
I033727		1.42	25.0	3.43	6.64	0.07	0.07	0.01	0.018	0.36	15.3	13.1	1.02	747	1.69
I033728		1.40	26.2	3.51	6.77	0.08	0.08	0.01	0.019	0.35	16.4	13.5	1.01	759	1.79
I033729		0.64	18.2	2.73	5.58	0.05	0.05	0.02	0.023	0.13	8.8	10.5	0.72	940	0.82
I033730		0.46	16.1	2.54	5.40	0.05	0.03	0.02	0.020	0.12	8.1	8.3	0.58	1290	0.99
I033731		0.44	20.6	2.79	5.60	0.05	0.10	0.01	0.023	0.13	8.2	9.0	0.55	687	0.71
I033732		0.23	17.4	2.62	5.15	0.05	0.09	0.01	0.023	0.10	8.4	8.9	0.52	451	0.80
I033733		0.40	18.1	2.36	4.61	<0.05	0.04	0.02	0.023	0.19	11.2	7.3	0.40	1080	1.06
I033734		1.13	14.6	2.95	5.44	<0.05	0.07	0.01	0.018	0.29	6.9	9.6	0.67	927	0.98
I033735		<0.05	1.2	0.02	0.15	<0.05	0.02	<0.01	<0.005	<0.01	0.6	0.2	<0.01	<5	0.06
I033736		0.58	20.4	2.69	5.17	0.05	0.05	0.05	0.049	0.06	8.8	8.7	0.54	852	0.86
I033737		1.09	49.9	2.69	5.55	0.06	0.09	0.07	0.022	0.13	13.7	12.1	0.76	386	0.73
I033738		0.40	23.8	3.12	6.59	0.05	0.09	0.01	0.024	0.13	8.7	9.1	0.72	610	0.92
I033739		4.08	46.6	4.96	9.46	0.12	0.08	0.02	0.016	0.93	6.6	19.9	1.99	1060	0.61
I033740		1.38	65.0	4.21	8.94	0.09	0.10	0.02	0.025	0.36	14.2	14.5	1.42	815	0.62



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033701		0.82	24.6	500	13.9	17.4	<0.001	0.04	0.23	3.3	0.6	0.5	39.4	<0.01	0.03
I033702		1.16	38.4	700	14.3	36.5	0.001	0.05	0.31	4.5	0.8	0.4	72.9	<0.01	0.04
I033703		1.00	33.2	690	10.9	29.4	<0.001	0.06	0.92	4.0	1.1	0.4	93.9	<0.01	0.04
I033704		1.34	34.0	570	17.2	30.8	<0.001	0.04	0.43	5.2	0.9	0.5	55.1	<0.01	0.04
I033705		1.15	34.1	620	20.2	30.8	<0.001	0.05	0.44	4.8	0.8	0.5	70.7	<0.01	0.05
I033706		0.94	21.2	790	9.5	13.5	<0.001	0.04	0.34	3.5	0.7	0.4	56.8	<0.01	0.02
I033707		1.13	21.5	690	10.3	10.4	<0.001	0.02	0.38	4.3	0.5	0.5	37.3	<0.01	0.02
I033708		1.01	45.4	940	12.1	18.2	<0.001	0.05	1.90	5.0	0.6	0.6	109.5	<0.01	0.02
I033709		1.32	18.8	720	6.3	7.5	<0.001	0.02	0.34	3.9	0.5	0.5	32.6	<0.01	0.01
I033710		1.33	17.9	630	7.2	6.0	<0.001	0.03	0.31	3.7	0.5	0.6	25.4	<0.01	0.01
I033711		1.19	41.7	740	9.0	11.1	<0.001	0.05	0.93	6.2	1.0	0.5	50.1	<0.01	0.04
I033712		1.19	30.2	760	7.5	11.1	<0.001	0.04	0.49	4.8	0.8	0.4	46.7	<0.01	0.04
I033713		1.17	26.5	560	7.6	11.5	<0.001	0.05	0.33	3.6	0.7	0.4	55.8	<0.01	0.02
I033714		1.02	25.5	690	8.3	12.4	<0.001	0.06	0.32	3.1	0.8	0.4	63.1	<0.01	0.03
I033715		1.08	22.9	380	5.9	7.6	<0.001	0.02	0.26	6.8	0.4	0.5	46.6	<0.01	0.04
I033716		1.31	16.8	310	8.4	8.9	<0.001	0.02	0.32	5.0	0.3	0.6	35.7	<0.01	0.02
I033717		1.50	19.8	840	7.3	20.3	<0.001	0.02	0.22	3.6	0.3	0.4	38.6	<0.01	0.01
I033718		1.22	19.2	650	13.2	12.4	<0.001	0.03	0.31	8.8	0.4	0.5	43.7	<0.01	0.04
I033719		1.50	17.5	430	37.3	22.7	<0.001	0.01	0.21	4.7	0.3	0.3	33.4	<0.01	0.02
I033720		2.04	19.2	370	21.6	24.1	<0.001	0.02	0.28	4.1	0.3	0.5	41.6	<0.01	0.02
I033721		1.33	15.8	230	56.9	7.4	<0.001	0.01	0.28	3.2	0.3	0.4	28.6	<0.01	0.02
I033722		1.44	20.2	420	10.7	11.0	<0.001	0.01	0.38	5.5	0.4	0.5	37.0	<0.01	0.02
I033723		1.89	13.9	280	11.0	16.1	<0.001	0.01	0.25	3.0	0.3	0.4	34.0	<0.01	0.02
I033724		3.60	12.3	280	31.2	18.2	<0.001	0.01	0.24	2.8	0.3	0.5	54.1	<0.01	0.02
I033725		1.75	20.2	360	40.7	14.4	<0.001	0.02	0.46	5.6	0.5	0.5	32.6	<0.01	0.03
I033726		2.71	18.3	570	132.5	27.3	<0.001	0.03	0.27	3.9	0.5	0.4	44.2	<0.01	0.02
I033727		1.70	21.5	300	42.5	26.3	<0.001	0.01	0.25	5.5	0.5	0.4	34.3	<0.01	0.03
I033728		1.67	23.5	290	41.9	26.2	<0.001	0.01	0.26	6.0	0.6	0.4	34.3	<0.01	0.02
I033729		1.68	16.4	450	34.1	9.4	<0.001	0.01	0.20	4.1	0.2	0.5	30.5	<0.01	0.02
I033730		1.61	18.4	530	16.0	7.1	<0.001	0.01	0.29	3.4	0.3	0.5	33.9	<0.01	0.02
I033731		1.46	19.7	400	9.7	10.7	<0.001	0.01	0.30	5.6	0.3	0.4	37.5	<0.01	0.02
I033732		1.45	18.1	440	8.9	5.3	<0.001	0.01	0.29	4.6	0.3	0.4	36.0	<0.01	0.02
I033733		1.21	15.5	360	19.3	11.9	<0.001	0.01	0.30	3.8	0.3	0.4	27.8	<0.01	0.02
I033734		1.81	16.2	410	22.5	18.5	<0.001	0.01	0.31	3.7	0.2	0.4	30.0	<0.01	0.02
I033735		0.06	0.8	10	0.9	0.2	<0.001	<0.01	<0.05	0.1	<0.2	<0.2	1.0	<0.01	<0.01
I033736		1.45	21.4	340	9.4	5.1	<0.001	0.01	0.33	4.4	0.3	0.4	30.5	<0.01	0.02
I033737		1.48	20.1	750	8.8	11.8	<0.001	0.05	0.35	5.6	0.7	0.5	49.8	<0.01	0.02
I033738		1.45	18.4	370	9.4	5.5	<0.001	0.01	0.28	5.6	0.3	0.5	35.3	<0.01	0.02
I033739		2.47	34.3	900	8.2	50.9	<0.001	0.03	0.26	5.8	0.4	0.4	51.1	<0.01	0.01
I033740		1.40	32.6	560	7.4	20.9	<0.001	0.02	0.35	8.7	0.4	0.6	49.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033701		0.066	0.13	0.74	40	<0.05	5.72	61
I033702		0.094	0.28	0.97	47	<0.05	7.16	71
I033703		0.074	0.22	1.57	39	<0.05	12.75	67
I033704		0.109	0.24	1.54	55	0.05	8.19	66
I033705		0.091	0.23	1.44	55	<0.05	7.19	63
I033706		0.058	0.10	0.87	44	0.09	8.62	47
I033707		0.068	0.10	0.76	45	0.09	7.02	58
I033708		0.042	0.19	0.50	45	0.14	7.01	69
I033709		0.099	0.07	0.51	59	0.14	5.73	51
I033710		0.099	0.08	0.54	53	0.29	4.58	54
I033711		0.071	0.13	1.92	65	0.15	13.60	60
I033712		0.069	0.10	1.01	49	0.13	9.56	59
I033713		0.066	0.10	0.86	45	0.14	7.30	51
I033714		0.061	0.10	0.87	45	0.09	8.12	48
I033715		0.107	0.06	0.52	75	0.12	4.51	65
I033716		0.073	0.06	0.33	58	0.13	4.75	58
I033717		0.142	0.09	0.30	73	0.19	3.01	85
I033718		0.071	0.07	0.34	80	0.13	7.08	145
I033719		0.135	0.16	0.53	69	0.13	6.45	122
I033720		0.113	0.11	0.23	59	0.13	3.42	175
I033721		0.074	0.13	0.42	60	0.22	3.18	207
I033722		0.091	0.05	0.36	58	0.19	7.12	73
I033723		0.135	0.09	0.33	60	0.15	2.63	115
I033724		0.183	0.12	0.61	63	0.25	4.02	135
I033725		0.109	0.09	0.51	63	0.17	7.49	171
I033726		0.158	0.22	0.90	64	0.18	8.20	481
I033727		0.168	0.21	1.09	96	0.11	7.62	280
I033728		0.170	0.21	1.15	98	0.12	8.34	280
I033729		0.100	0.11	0.39	59	0.13	3.75	214
I033730		0.094	0.11	0.32	53	0.16	2.93	218
I033731		0.104	0.08	0.35	65	0.14	4.14	64
I033732		0.087	0.07	0.31	61	0.13	3.54	52
I033733		0.059	0.08	0.33	47	0.11	3.99	199
I033734		0.131	0.11	0.32	63	0.12	2.56	78
I033735		<0.005	<0.02	0.12	1	<0.05	0.63	4
I033736		0.092	0.08	0.43	61	0.15	3.58	54
I033737		0.096	0.07	0.90	62	0.17	12.70	65
I033738		0.084	0.07	0.41	68	0.14	4.43	82
I033739		0.274	0.33	0.48	101	0.10	4.45	158
I033740		0.158	0.12	0.64	95	0.09	9.44	102



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033741		0.40	<0.005	0.17	2.93	3.4	<0.2	<10	330	0.57	0.11	0.65	0.11	22.5	19.1	25
I033742		0.40	<0.005	0.07	2.31	5.2	<0.2	<10	360	0.37	0.11	0.50	0.10	18.15	19.8	49
I033743		0.32	<0.005	0.05	2.22	7.5	<0.2	<10	230	0.42	0.13	0.22	0.10	13.35	12.2	30
I033744		0.30	0.005	0.06	1.32	5.7	<0.2	<10	130	0.20	0.13	0.20	0.13	19.00	7.8	30
I033745		0.28	<0.005	0.32	2.13	5.9	<0.2	<10	260	0.40	0.11	0.66	0.11	15.90	15.0	34
I033746		0.48	<0.005	0.09	3.05	6.5	<0.2	<10	400	0.50	0.06	1.09	0.09	18.00	25.7	115
I033747		0.36	<0.005	0.05	1.91	13.2	<0.2	<10	160	0.48	0.14	0.32	0.13	26.0	16.0	22
I033748		0.34	<0.005	0.26	1.84	7.0	<0.2	<10	290	3.04	2.49	1.39	0.36	50.7	11.3	27
I033749		0.28	<0.005	0.09	1.63	4.8	<0.2	<10	180	0.25	0.28	0.26	0.30	21.1	7.3	29
I033750		0.24	<0.005	0.07	1.28	3.4	<0.2	<10	260	0.25	0.19	0.44	0.11	25.0	6.9	25
I033751		0.32	0.009	0.03	1.27	3.9	<0.2	<10	230	0.23	0.18	0.20	0.17	17.10	6.4	23
I033752		0.22	<0.005	0.03	1.27	6.0	<0.2	<10	110	0.16	0.21	0.14	0.13	16.15	4.6	23
I033753		0.34	<0.005	0.04	1.80	4.8	<0.2	<10	300	0.35	0.16	0.23	0.21	21.0	10.2	31
I033754		0.42	0.005	0.04	1.73	4.8	<0.2	<10	340	0.38	0.15	0.22	0.27	21.7	9.5	31
I033755		0.30	<0.005	0.10	1.53	5.1	<0.2	<10	760	0.24	0.15	0.76	0.14	28.3	5.9	23
I033756		0.28	<0.005	0.07	1.72	3.8	<0.2	<10	210	0.24	0.15	0.18	0.12	22.0	6.9	31
I033757		0.28	0.006	0.16	2.04	3.6	<0.2	<10	460	0.32	0.12	0.83	0.29	28.2	13.0	27
I033758		0.32	<0.005	0.11	1.92	4.7	<0.2	<10	220	0.36	0.19	0.44	0.24	24.5	9.3	33
I033759		0.24	0.005	0.08	1.61	3.5	<0.2	<10	190	0.37	0.18	0.36	0.15	27.2	10.9	26
I033760		0.36	<0.005	0.03	2.35	7.2	<0.2	<10	140	0.32	0.15	0.28	0.21	17.35	13.4	50
I033761		0.20	<0.005	0.11	2.09	4.2	<0.2	<10	300	0.49	0.15	0.45	0.20	48.7	10.1	27
I033762		0.24	0.006	0.05	1.27	3.3	<0.2	<10	100	0.15	0.13	0.23	0.11	13.25	5.7	21
I033763		0.32	<0.005	0.09	2.13	3.6	<0.2	<10	160	0.57	0.13	0.56	0.13	21.2	13.2	45
I033764		0.24	<0.005	0.10	2.27	5.9	<0.2	<10	130	0.29	0.17	0.24	0.10	14.70	9.7	43
I033765		0.48	<0.005	0.07	2.11	5.5	<0.2	<10	160	0.34	0.12	0.34	0.12	19.90	11.9	29
I033766		0.34	<0.005	0.12	2.22	4.2	<0.2	<10	240	0.31	0.11	0.38	0.15	21.5	11.9	31
I033767		0.30	0.005	0.13	2.01	3.4	<0.2	<10	230	0.30	0.10	0.56	0.14	18.10	19.2	37
I033768		0.24	<0.005	0.09	1.80	2.3	<0.2	<10	170	0.16	0.09	0.23	0.12	15.10	5.3	18
I033769		0.10	<0.005	0.13	1.47	1.3	<0.2	<10	130	0.14	0.06	0.21	0.16	11.85	6.1	12
I033770		0.10	<0.005	<0.01	0.01	0.2	<0.2	<10	<10	<0.05	<0.01	0.01	0.01	0.96	0.1	1
I033771		0.36	0.008	0.10	1.74	5.8	<0.2	<10	90	0.30	0.16	0.17	0.16	14.45	14.9	24
I033772		0.34	0.005	0.12	2.03	3.2	<0.2	<10	160	0.20	0.13	0.20	0.15	16.60	8.4	22
I033773		0.44	0.008	0.14	2.50	6.1	<0.2	<10	240	0.32	0.13	0.37	0.24	19.85	22.3	25
I033774		0.26	<0.005	0.11	2.12	3.6	<0.2	<10	170	0.21	0.12	0.29	0.12	16.40	9.7	23
I033775		0.26	0.006	0.09	0.96	1.7	<0.2	<10	110	0.10	0.06	0.15	0.08	12.35	3.5	12
I033776		0.30	0.005	0.17	1.70	4.2	<0.2	<10	140	0.20	0.15	0.15	0.13	13.50	6.4	17
I033777		0.46	<0.005	0.17	2.26	3.7	<0.2	<10	210	0.29	0.11	0.37	0.17	15.65	13.0	24
I033778		0.32	0.005	0.18	1.91	2.6	<0.2	<10	140	0.27	0.11	0.23	0.19	14.45	8.1	21
I033779		0.28	0.006	0.37	2.05	3.3	<0.2	<10	290	0.32	0.12	0.41	0.25	18.20	10.8	21
I033780		0.36	0.006	0.08	2.55	7.1	<0.2	<10	100	0.23	0.16	0.14	0.12	12.85	10.7	25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033741		1.48	32.3	4.29	8.65	0.08	0.06	0.01	0.015	0.33	13.2	17.5	1.71	1180	1.06
I033742		0.69	42.2	3.46	7.41	0.06	0.15	0.01	0.023	0.13	7.5	13.9	1.01	560	0.82
I033743		0.86	18.3	3.42	7.68	0.05	0.03	0.01	0.021	0.06	6.6	14.0	0.77	300	1.01
I033744		0.49	28.5	2.42	6.22	<0.05	0.02	0.01	0.017	0.09	6.2	6.9	0.49	189	0.94
I033745		1.37	25.6	3.36	6.89	0.06	0.04	0.02	0.017	0.09	7.8	16.4	1.14	348	0.90
I033746		3.88	43.5	3.66	8.05	0.10	0.03	0.02	0.016	0.45	8.5	32.6	2.45	510	0.85
I033747		1.74	30.6	3.73	6.28	<0.05	0.02	0.01	0.029	0.08	13.1	14.9	0.74	628	2.05
I033748		10.45	44.9	2.62	6.04	0.10	0.36	0.03	0.053	0.14	28.6	54.1	0.48	813	0.78
I033749		0.45	18.9	2.65	6.35	<0.05	0.05	0.01	0.026	0.08	12.9	9.8	0.41	178	1.20
I033750		0.64	17.4	2.25	5.96	<0.05	0.06	0.01	0.019	0.08	18.4	6.8	0.34	246	0.99
I033751		0.51	13.3	2.23	6.49	<0.05	0.03	<0.01	0.019	0.06	9.1	6.8	0.30	383	0.96
I033752		0.68	11.7	3.07	8.80	<0.05	0.03	<0.01	0.019	0.05	9.0	4.6	0.23	169	1.21
I033753		0.73	14.4	3.50	6.49	<0.05	0.03	0.01	0.037	0.06	9.7	13.3	0.53	362	1.18
I033754		0.72	13.7	3.41	6.37	<0.05	0.03	<0.01	0.036	0.06	10.1	12.9	0.50	346	1.12
I033755		0.68	19.2	2.70	7.63	0.05	0.05	0.01	0.023	0.07	26.9	7.5	0.42	201	1.25
I033756		0.71	20.7	2.55	8.00	<0.05	0.03	<0.01	0.023	0.06	16.6	9.4	0.45	229	0.78
I033757		0.83	31.0	2.69	6.50	<0.05	0.09	0.03	0.029	0.08	17.1	14.8	0.88	475	0.79
I033758		0.59	20.9	2.95	7.44	<0.05	0.04	0.01	0.026	0.10	14.4	10.4	0.56	536	1.54
I033759		0.52	21.2	2.44	7.46	<0.05	0.03	0.01	0.024	0.07	15.9	8.1	0.41	480	1.19
I033760		0.50	19.3	3.92	8.56	<0.05	0.03	0.02	0.034	0.06	8.2	15.0	0.78	636	1.73
I033761		0.65	26.3	2.83	7.00	0.06	0.05	0.02	0.039	0.06	33.3	12.3	0.47	303	1.09
I033762		0.76	19.4	1.75	6.35	<0.05	0.02	0.01	0.015	0.05	6.9	6.7	0.36	147	0.76
I033763		1.23	43.0	3.29	7.43	<0.05	0.03	0.01	0.034	0.04	11.7	12.7	0.73	383	0.84
I033764		0.67	34.4	3.04	8.72	<0.05	0.03	0.01	0.024	0.06	8.1	10.3	0.66	243	0.94
I033765		0.67	22.3	3.09	7.32	<0.05	0.04	0.01	0.030	0.07	10.3	14.6	0.79	336	0.81
I033766		0.89	33.3	3.21	8.60	<0.05	0.04	0.01	0.033	0.24	11.2	14.0	1.06	355	0.62
I033767		0.58	32.7	2.91	7.09	<0.05	0.03	0.02	0.027	0.11	9.0	11.8	1.09	591	1.00
I033768		1.21	17.9	2.73	9.02	<0.05	0.02	<0.01	0.043	0.12	7.5	7.3	0.99	252	0.70
I033769		0.83	22.2	2.14	6.94	<0.05	<0.02	0.03	0.046	0.08	5.6	5.2	0.70	238	0.44
I033770		<0.05	0.6	0.02	<0.05	<0.05	0.02	<0.01	<0.005	<0.01	0.4	0.1	<0.01	<5	0.05
I033771		0.73	28.9	4.23	10.05	<0.05	0.04	0.03	0.041	0.05	7.0	8.2	0.62	700	1.82
I033772		1.03	39.1	3.17	9.33	<0.05	0.02	0.01	0.045	0.07	8.3	9.1	0.98	353	0.86
I033773		0.98	38.2	4.40	10.40	0.06	0.03	<0.01	0.095	0.18	9.7	13.5	1.43	959	1.04
I033774		1.00	24.4	3.12	9.09	<0.05	0.03	0.03	0.041	0.13	8.6	11.2	1.10	272	0.75
I033775		0.71	12.1	1.55	5.40	<0.05	<0.02	0.02	0.020	0.04	6.3	3.9	0.38	138	0.37
I033776		1.04	20.7	2.38	9.12	<0.05	0.03	0.01	0.018	0.06	7.1	8.0	0.57	159	0.70
I033777		1.02	30.5	3.19	8.18	<0.05	0.04	0.01	0.022	0.18	8.5	14.5	0.98	397	0.79
I033778		0.78	37.0	2.72	6.83	<0.05	0.02	0.02	0.023	0.06	7.7	10.4	0.65	230	0.59
I033779		0.87	30.3	2.84	6.51	<0.05	0.03	0.05	0.025	0.08	9.6	12.7	0.77	321	0.71
I033780		0.82	26.0	4.30	11.20	<0.05	0.04	0.01	0.029	0.08	6.8	14.1	0.91	319	1.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033741		2.14	15.8	600	10.2	24.4	<0.001	0.01	0.30	3.6	0.4	0.4	43.9	<0.01	0.03
I033742		1.38	27.7	520	6.4	9.4	<0.001	0.01	0.31	7.2	0.3	0.5	29.6	<0.01	0.02
I033743		1.90	19.2	350	7.7	6.7	<0.001	0.01	0.36	3.1	0.2	0.6	28.9	<0.01	0.02
I033744		1.24	15.2	490	5.6	7.2	<0.001	0.01	0.30	2.9	0.3	0.6	18.3	<0.01	0.02
I033745		2.52	30.3	1260	6.0	19.3	<0.001	0.03	0.25	3.1	0.3	0.5	40.6	<0.01	0.03
I033746		1.69	83.8	2730	8.5	30.9	<0.001	0.02	0.16	4.6	0.4	0.4	44.0	<0.01	0.02
I033747		0.85	12.6	630	11.1	12.7	<0.001	0.01	0.19	5.4	0.4	0.6	20.2	<0.01	0.03
I033748		7.24	14.6	510	42.3	43.0	<0.001	0.04	0.54	8.6	4.0	3.7	48.6	0.04	0.03
I033749		1.35	13.8	190	16.1	7.1	<0.001	<0.01	0.26	4.2	0.2	0.6	19.5	<0.01	0.02
I033750		1.21	11.9	200	9.2	10.1	<0.001	<0.01	0.27	4.2	0.4	0.6	24.9	<0.01	0.02
I033751		1.23	10.9	240	8.6	7.9	<0.001	<0.01	0.23	3.3	<0.2	0.6	16.0	<0.01	0.02
I033752		1.76	10.2	280	10.6	8.1	<0.001	<0.01	0.32	2.9	<0.2	0.9	11.8	<0.01	0.03
I033753		1.00	16.1	440	15.6	11.0	<0.001	0.01	0.25	4.3	0.4	0.6	18.5	<0.01	0.03
I033754		0.92	15.5	410	14.4	10.6	<0.001	<0.01	0.26	4.0	0.4	0.6	18.7	<0.01	0.02
I033755		1.38	11.3	340	9.9	12.5	<0.001	0.02	0.27	3.5	0.8	0.6	34.0	0.01	0.02
I033756		1.28	12.5	280	7.7	10.2	<0.001	<0.01	0.19	3.7	0.3	0.7	14.8	<0.01	0.02
I033757		1.23	16.1	590	11.1	10.2	<0.001	0.09	0.20	6.4	1.2	0.4	44.8	0.01	0.04
I033758		1.49	17.7	380	11.4	17.0	<0.001	0.01	0.24	4.3	0.3	0.6	24.7	<0.01	0.03
I033759		1.27	13.1	270	8.8	12.0	<0.001	<0.01	0.20	3.8	0.3	0.7	22.2	<0.01	0.02
I033760		1.30	22.7	610	6.2	9.4	<0.001	<0.01	0.21	4.3	0.3	0.6	18.3	<0.01	0.04
I033761		1.20	16.2	440	5.9	11.2	<0.001	0.01	0.20	5.5	1.1	0.8	28.6	0.01	0.03
I033762		0.99	10.0	240	5.3	13.0	<0.001	<0.01	0.14	2.9	<0.2	0.5	16.5	<0.01	0.03
I033763		0.94	23.2	610	4.5	7.4	<0.001	<0.01	0.19	9.2	0.4	0.6	23.3	<0.01	0.02
I033764		1.40	20.8	370	5.9	8.1	<0.001	0.01	0.20	4.4	0.3	0.6	18.6	<0.01	0.03
I033765		1.34	15.4	720	5.7	11.7	<0.001	<0.01	0.19	5.0	0.4	0.6	20.6	<0.01	0.03
I033766		1.78	14.8	700	5.0	22.1	<0.001	0.01	0.16	6.5	0.4	0.7	22.2	<0.01	0.03
I033767		0.89	17.8	790	5.1	11.4	<0.001	0.02	0.16	6.2	0.8	0.4	27.1	<0.01	0.07
I033768		0.65	6.5	500	4.0	10.0	<0.001	0.10	0.11	4.0	0.6	0.6	21.2	<0.01	0.04
I033769		0.40	5.5	800	2.4	6.3	<0.001	0.09	0.10	2.7	0.8	0.4	18.6	<0.01	0.04
I033770		<0.05	0.3	10	0.4	0.1	<0.001	0.02	<0.05	0.1	<0.2	<0.2	0.6	<0.01	<0.01
I033771		1.27	11.8	690	7.9	8.8	<0.001	0.01	0.30	6.7	0.3	0.7	13.5	<0.01	0.04
I033772		0.74	9.9	680	5.3	8.6	<0.001	0.06	0.13	4.0	0.5	0.7	20.5	<0.01	0.06
I033773		0.82	13.6	1010	4.9	13.4	<0.001	0.06	0.14	9.2	0.6	0.7	26.0	<0.01	0.08
I033774		1.10	11.9	540	5.2	12.4	<0.001	0.04	0.17	6.2	0.7	0.6	20.4	<0.01	0.06
I033775		0.57	5.1	390	3.2	6.4	<0.001	0.05	0.10	2.4	0.5	0.4	19.1	<0.01	0.02
I033776		1.37	9.0	200	7.2	11.1	<0.001	0.02	0.19	3.8	0.2	0.6	24.0	<0.01	0.04
I033777		1.26	12.5	620	6.9	16.7	<0.001	0.03	0.17	5.1	0.4	0.5	35.4	<0.01	0.04
I033778		0.97	10.4	480	8.6	9.9	<0.001	0.05	0.19	4.4	0.5	0.5	25.3	<0.01	0.04
I033779		0.86	12.7	610	9.9	11.3	<0.001	0.04	0.35	5.4	0.8	0.4	32.7	<0.01	0.05
I033780		2.02	12.3	380	10.3	12.1	<0.001	0.05	0.24	4.8	0.4	0.7	23.4	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033741		0.210	0.15	0.68	88	0.13	6.13	147	2.5
I033742		0.171	0.09	0.36	91	0.12	3.86	73	4.9
I033743		0.135	0.11	0.39	84	0.15	2.19	64	1.1
I033744		0.094	0.07	0.39	62	0.16	2.67	40	0.8
I033745		0.179	0.21	0.41	83	0.19	2.59	57	1.4
I033746		0.208	0.22	0.45	91	0.24	4.04	76	0.9
I033747		0.080	0.08	0.80	79	0.20	7.04	89	0.5
I033748		0.033	0.30	5.45	60	1.25	78.6	76	5.9
I033749		0.087	0.06	0.49	67	0.17	5.71	47	1.9
I033750		0.093	0.06	0.66	61	0.19	8.85	34	1.6
I033751		0.095	0.06	0.35	63	0.12	4.09	55	0.9
I033752		0.135	0.08	0.30	93	0.18	3.28	39	1.2
I033753		0.077	0.06	0.56	77	0.18	6.39	83	0.7
I033754		0.076	0.05	0.55	76	0.14	6.68	75	0.6
I033755		0.095	0.06	0.61	75	0.17	16.35	40	1.1
I033756		0.083	0.08	0.69	69	0.18	6.98	53	0.7
I033757		0.103	0.07	1.06	65	0.11	13.65	99	2.9
I033758		0.094	0.07	0.64	77	0.22	6.68	60	1.5
I033759		0.089	0.07	0.64	74	0.12	6.24	47	1.0
I033760		0.112	0.07	0.41	105	0.14	4.22	85	0.9
I033761		0.067	0.07	1.16	61	0.17	18.50	65	0.9
I033762		0.096	0.07	0.41	53	0.11	2.43	36	0.6
I033763		0.071	0.07	0.73	86	0.14	8.42	58	0.7
I033764		0.124	0.08	0.54	86	0.20	3.48	56	1.2
I033765		0.127	0.07	0.56	78	0.21	5.57	65	1.3
I033766		0.171	0.11	0.69	90	0.13	6.29	73	1.3
I033767		0.105	0.06	0.60	88	0.09	6.24	65	0.8
I033768		0.081	0.06	0.38	60	0.17	4.27	104	<0.5
I033769		0.035	0.05	0.55	26	0.05	5.24	85	<0.5
I033770		<0.005	<0.02	0.08	1	<0.05	0.55	2	0.6
I033771		0.117	0.06	0.36	116	0.12	4.98	87	1.1
I033772		0.087	0.07	0.60	71	0.09	4.70	108	<0.5
I033773		0.102	0.09	0.52	83	0.20	8.48	165	0.6
I033774		0.126	0.09	0.48	75	0.12	5.11	134	1.0
I033775		0.049	0.05	0.35	25	0.10	3.50	41	<0.5
I033776		0.148	0.10	0.31	77	0.09	2.56	61	1.2
I033777		0.159	0.10	0.51	85	0.23	4.47	96	1.1
I033778		0.097	0.06	0.66	68	0.08	4.69	80	0.7
I033779		0.082	0.06	0.67	64	0.10	6.37	95	0.6
I033780		0.195	0.09	0.40	120	0.09	2.35	97	1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033781		0.38	<0.005	0.07	2.14	3.9	<0.2	<10	140	0.30	0.11	0.21	0.12	13.10	13.7	22
I033782		0.30	<0.005	0.10	2.22	5.2	<0.2	<10	100	0.26	0.16	0.17	0.14	15.75	8.4	27
I033783		0.08	<0.005	0.01	0.01	0.2	<0.2	<10	10	<0.05	<0.01	0.01	0.01	0.95	0.1	1
I033784		0.22	0.007	0.07	0.35	0.6	<0.2	<10	60	0.08	0.05	0.07	0.11	5.97	1.5	8
I033785		0.32	0.006	0.09	1.91	4.7	<0.2	<10	130	0.29	0.14	0.16	0.13	19.70	10.9	23
I033786		0.18	<0.005	0.31	1.75	3.6	<0.2	<10	470	0.48	0.11	0.35	0.26	50.9	7.0	21
I033787		0.34	0.006	0.23	2.67	3.5	<0.2	<10	330	0.40	0.08	1.29	0.22	25.7	16.7	30
I033788		0.30	0.011	0.21	2.69	3.3	<0.2	<10	320	0.36	0.07	1.15	0.20	24.4	16.1	30
I033789		0.28	0.005	0.05	1.50	5.5	<0.2	<10	120	0.16	0.13	0.28	0.09	14.10	5.8	22
I033790		0.50	0.006	0.09	2.14	3.7	<0.2	<10	110	0.16	0.09	0.34	0.10	11.85	14.1	28
I033791		0.46	<0.005	0.05	2.37	6.7	<0.2	<10	220	0.27	0.11	0.22	0.11	14.85	10.4	27
I033792		0.50	<0.005	0.12	2.53	2.8	<0.2	<10	340	0.18	0.19	0.20	0.07	22.1	7.3	36
I033793		0.26	<0.005	0.22	1.47	1.5	<0.2	<10	120	0.17	0.07	0.21	0.05	9.01	6.4	19
I033794		0.38	0.007	0.21	2.33	4.0	<0.2	<10	300	0.32	0.10	0.88	0.15	20.2	14.5	33
I033795		0.40	0.007	0.12	2.22	3.0	<0.2	<10	330	0.36	0.07	1.38	0.15	16.45	16.4	27
I033796		0.30	<0.005	0.04	2.77	9.3	<0.2	<10	120	0.69	0.20	0.22	0.12	36.3	14.2	37
I033797		0.30	<0.005	0.03	2.81	4.0	<0.2	<10	160	0.58	0.35	0.12	0.12	62.8	30.1	47
I033798		0.36	<0.005	0.04	1.56	8.3	<0.2	<10	70	0.30	0.26	0.10	0.07	23.6	6.7	26
I033799		0.36	<0.005	0.17	3.10	3.9	<0.2	<10	100	1.63	0.31	0.51	0.26	43.2	17.1	50
I033800		0.28	<0.005	0.03	1.63	4.1	<0.2	<10	100	0.22	0.13	0.17	0.11	27.9	11.3	49
I033801		0.38	0.005	0.07	1.51	6.5	<0.2	<10	90	0.41	0.35	0.10	0.13	13.10	5.4	26
I033802		0.60	0.008	0.10	2.16	5.1	<0.2	<10	210	0.44	0.28	0.49	0.19	23.5	13.8	64
I033803		0.38	<0.005	0.15	2.56	4.6	<0.2	<10	230	0.63	0.44	0.32	0.21	53.4	10.8	56
I033804		0.48	<0.005	0.11	1.76	2.5	<0.2	<10	120	0.32	0.33	0.26	0.12	17.25	6.1	46
I033805		0.58	0.017	0.13	1.78	20.0	<0.2	<10	120	0.27	0.36	0.34	0.12	23.7	8.2	59
I033806		0.56	0.011	0.12	1.85	25.0	<0.2	<10	110	0.35	0.30	0.31	0.11	20.8	10.0	59
I033807		0.52	0.007	0.12	2.02	21.9	<0.2	<10	130	0.33	0.28	0.30	0.13	23.4	12.1	56
I033808		0.46	0.008	0.11	1.82	18.4	<0.2	<10	100	0.29	0.27	0.26	0.11	20.4	8.5	45
I033809		0.66	<0.005	0.22	2.65	10.0	<0.2	<10	200	0.39	0.41	0.60	0.12	10.30	14.6	19
I033810		0.70	0.007	0.17	2.69	16.7	<0.2	<10	200	0.45	0.39	0.56	0.15	12.25	18.1	31
I033811		0.60	0.005	0.17	2.32	8.8	<0.2	<10	240	0.61	0.48	0.46	0.30	63.8	7.5	25
I033812		0.58	<0.005	0.17	2.33	8.9	<0.2	<10	250	0.64	0.48	0.47	0.31	64.8	7.4	25
I033813		0.72	<0.005	0.11	2.51	6.4	<0.2	<10	220	0.27	0.23	0.42	0.13	14.90	13.3	45
I033814		0.62	<0.005	0.08	1.78	10.3	<0.2	<10	120	0.25	0.36	0.32	0.10	15.55	9.4	39
I033815		0.82	0.008	0.16	2.14	9.7	<0.2	<10	150	0.34	0.76	0.31	0.20	25.5	10.3	35
I033816		0.70	0.027	0.54	2.00	13.2	<0.2	<10	180	0.40	1.33	0.32	0.21	24.3	6.6	34
I033817		0.94	0.008	0.32	2.35	20.9	<0.2	<10	170	0.40	1.67	0.33	0.21	27.3	8.4	39
I033818		0.60	0.006	0.30	1.74	7.9	<0.2	<10	160	0.28	1.18	0.29	0.18	24.7	6.5	28
I033819		0.48	0.008	0.33	2.56	16.3	<0.2	<10	200	0.73	0.85	0.29	0.24	40.6	6.8	33
I033820		0.52	0.006	0.27	2.46	11.1	<0.2	<10	250	0.66	0.41	0.44	0.23	73.0	7.7	27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033781		1.21	29.6	3.20	8.67	<0.05	0.03	<0.01	0.016	0.18	6.8	12.8	1.02	523	0.80
I033782		0.85	21.9	2.95	8.78	<0.05	0.02	<0.01	0.025	0.07	8.8	14.7	0.73	291	0.76
I033783		<0.05	1.0	0.02	0.08	<0.05	0.02	<0.01	<0.005	0.01	0.5	0.1	<0.01	<5	<0.05
I033784		0.42	22.2	0.63	1.77	<0.05	<0.02	0.03	0.008	0.04	3.1	0.9	0.07	38	0.33
I033785		0.83	22.4	3.00	8.03	<0.05	0.03	0.04	0.025	0.10	10.1	10.2	0.61	487	1.08
I033786		0.67	29.0	2.31	5.83	0.06	0.05	0.08	0.025	0.10	27.7	8.2	0.45	271	0.93
I033787		0.96	66.0	3.68	8.52	0.07	0.07	0.05	0.047	0.14	13.5	13.8	1.43	709	0.75
I033788		1.03	64.0	3.75	8.97	0.06	0.07	0.03	0.051	0.14	12.9	14.5	1.48	638	0.74
I033789		0.52	14.2	2.19	6.39	<0.05	0.03	0.02	0.020	0.06	7.4	8.6	0.43	157	0.86
I033790		0.62	41.7	3.01	7.41	<0.05	0.02	0.01	0.022	0.06	6.2	10.4	0.96	307	0.67
I033791		0.63	26.3	3.48	7.54	<0.05	0.08	0.01	0.029	0.09	7.7	13.2	0.91	278	0.81
I033792		0.57	58.3	4.25	9.53	0.06	0.02	<0.01	0.046	0.41	11.8	7.4	1.11	266	2.55
I033793		0.77	35.3	2.08	5.54	<0.05	0.02	0.02	0.013	0.15	4.6	5.2	0.57	129	0.69
I033794		0.99	62.3	3.07	7.18	<0.05	0.07	0.03	0.023	0.14	11.8	14.9	1.09	453	0.50
I033795		1.18	65.9	2.88	6.29	<0.05	0.08	0.05	0.020	0.13	9.7	12.4	1.00	491	0.42
I033796		1.62	25.4	3.21	6.68	<0.05	0.07	0.03	0.034	0.08	14.7	15.8	0.53	336	1.02
I033797		3.04	52.9	5.41	8.09	0.13	0.20	0.02	0.039	0.53	24.5	23.7	1.05	568	1.23
I033798		1.21	19.0	3.60	9.02	<0.05	0.05	0.03	0.027	0.09	9.1	13.1	0.29	208	1.43
I033799		5.04	41.8	6.00	10.90	0.08	0.07	0.03	0.061	0.33	13.0	21.7	0.78	405	0.78
I033800		1.85	24.8	3.05	7.67	<0.05	0.03	0.01	0.015	0.26	14.7	13.6	0.83	264	0.82
I033801		1.45	24.1	2.53	9.66	<0.05	0.04	0.03	0.022	0.07	6.5	9.0	0.27	213	4.58
I033802		2.52	55.7	2.85	7.73	0.05	0.05	0.04	0.026	0.15	12.5	12.5	0.75	442	23.4
I033803		2.85	93.6	2.86	8.93	0.08	0.08	0.07	0.034	0.09	30.1	14.5	0.63	203	22.6
I033804		2.17	39.8	1.62	7.77	<0.05	0.03	0.06	0.022	0.07	9.1	9.5	0.51	165	16.60
I033805		2.58	40.4	2.32	7.44	<0.05	0.04	0.05	0.022	0.08	12.6	9.0	0.60	191	17.40
I033806		2.32	39.2	2.62	7.34	<0.05	0.04	0.04	0.023	0.09	10.9	10.2	0.61	215	27.8
I033807		2.46	37.9	2.38	7.15	<0.05	0.04	0.03	0.024	0.09	11.9	11.4	0.62	315	11.95
I033808		2.07	36.1	2.26	6.62	<0.05	0.04	0.04	0.022	0.07	10.7	9.4	0.53	190	8.89
I033809		4.25	122.5	3.15	7.90	<0.05	0.02	0.03	0.021	0.20	5.4	12.9	0.65	273	1.20
I033810		4.82	106.5	3.33	8.05	0.05	0.03	0.03	0.024	0.19	6.3	14.6	0.83	389	1.61
I033811		2.43	34.4	2.53	7.34	0.10	0.08	0.16	0.030	0.09	38.9	11.1	0.36	840	1.44
I033812		2.41	35.4	2.55	7.39	0.10	0.08	0.17	0.032	0.09	39.4	11.1	0.35	842	1.41
I033813		3.82	75.5	2.85	8.20	0.05	0.03	0.01	0.019	0.38	8.1	18.5	0.91	460	0.80
I033814		2.56	57.6	2.67	7.92	<0.05	0.06	0.02	0.020	0.13	8.5	11.9	0.66	354	1.40
I033815		2.16	53.3	2.94	7.27	<0.05	0.05	0.05	0.031	0.14	14.2	13.3	0.62	409	1.23
I033816		1.57	57.4	2.44	6.95	<0.05	0.05	0.12	0.030	0.07	14.0	8.0	0.41	290	1.48
I033817		2.00	60.9	2.96	7.75	<0.05	0.05	0.07	0.035	0.10	16.2	12.0	0.57	284	1.11
I033818		1.83	41.7	2.30	6.15	<0.05	0.04	0.09	0.028	0.06	15.3	8.7	0.41	292	0.86
I033819		2.25	80.5	3.13	7.99	0.07	0.04	0.19	0.038	0.10	25.2	11.0	0.39	496	2.60
I033820		2.26	34.5	2.68	7.17	0.09	0.05	0.23	0.033	0.08	44.8	11.7	0.37	673	1.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033781		1.68	11.9	430	7.5	20.3	<0.001	0.02	0.14	3.6	0.3	0.5	24.3	<0.01	0.03
I033782		1.34	12.2	380	9.5	10.4	<0.001	0.02	0.17	4.0	0.4	0.6	19.7	<0.01	0.05
I033783		<0.05	0.8	10	1.2	0.2	0.002	<0.01	<0.05	0.1	<0.2	<0.2	0.7	<0.01	<0.01
I033784		0.20	3.1	410	2.5	3.5	<0.001	0.02	0.10	0.4	0.2	0.2	9.1	<0.01	0.02
I033785		1.43	11.0	400	7.4	13.5	<0.001	0.02	0.20	4.1	0.4	0.5	17.7	<0.01	0.04
I033786		0.99	12.9	980	5.8	11.5	<0.001	0.08	0.22	4.1	1.4	0.4	34.0	0.01	0.03
I033787		1.14	17.7	960	4.4	9.9	<0.001	0.07	0.27	9.9	1.7	0.4	59.0	0.01	0.05
I033788		1.15	17.7	960	4.8	10.9	<0.001	0.06	0.25	10.2	1.4	0.5	55.1	0.01	0.05
I033789		1.18	11.6	350	5.8	8.7	<0.001	<0.01	0.22	3.0	<0.2	0.5	22.2	<0.01	0.03
I033790		0.78	17.1	530	4.0	7.3	<0.001	0.01	0.17	4.9	0.3	0.4	26.2	<0.01	0.04
I033791		0.98	15.7	510	5.4	8.6	<0.001	0.11	0.27	5.4	0.3	0.5	29.5	<0.01	0.05
I033792		0.68	11.9	640	7.0	16.8	0.003	0.92	0.14	8.1	2.0	0.6	65.3	<0.01	0.24
I033793		0.57	7.4	430	3.4	8.6	<0.001	0.15	0.11	3.4	0.4	0.3	24.4	<0.01	0.05
I033794		1.26	22.2	670	5.2	16.9	<0.001	0.01	0.20	6.5	0.8	0.4	34.2	0.01	0.04
I033795		1.19	19.3	840	3.8	15.5	<0.001	0.03	0.22	6.7	1.0	0.3	59.2	0.01	0.04
I033796		1.47	28.7	340	12.6	15.5	<0.001	0.01	0.47	5.0	0.5	0.5	18.3	0.01	0.03
I033797		2.58	71.2	320	12.8	61.7	<0.001	0.05	0.19	5.3	1.1	0.7	16.4	0.01	0.04
I033798		2.61	16.3	310	10.7	18.0	<0.001	<0.01	0.50	2.8	0.3	0.8	10.5	<0.01	0.04
I033799		1.50	51.4	530	34.0	39.9	<0.001	0.02	0.55	5.5	1.0	1.3	22.4	0.01	0.03
I033800		2.32	31.6	450	7.5	28.8	<0.001	0.05	0.24	2.8	0.4	0.5	17.0	<0.01	0.03
I033801		1.97	11.8	360	6.8	10.2	<0.001	0.01	0.40	3.2	0.5	0.8	11.4	0.01	0.07
I033802		1.79	38.3	750	5.7	29.5	<0.001	0.04	0.21	5.3	0.8	0.7	35.7	<0.01	0.07
I033803		2.23	33.9	600	6.4	25.1	<0.001	0.05	0.33	6.9	1.6	0.7	30.3	0.01	0.08
I033804		1.45	22.8	550	6.2	16.5	<0.001	0.06	0.19	3.8	0.7	0.7	23.8	<0.01	0.03
I033805		1.69	25.6	600	5.9	21.5	<0.001	0.05	0.43	4.2	1.0	0.7	27.9	<0.01	0.06
I033806		1.59	24.7	650	6.6	20.7	<0.001	0.04	1.02	3.8	0.8	0.6	25.6	<0.01	0.04
I033807		1.44	24.7	670	6.2	22.7	<0.001	0.03	1.69	4.2	0.7	0.6	28.4	<0.01	0.04
I033808		1.41	20.7	620	5.6	19.0	<0.001	0.04	1.64	3.5	0.8	0.5	25.3	<0.01	0.04
I033809		0.71	12.7	970	4.2	25.1	<0.001	0.01	0.63	4.3	0.6	0.5	62.8	<0.01	0.06
I033810		1.12	19.7	1010	5.9	30.8	<0.001	0.01	1.12	5.4	0.5	0.7	40.8	<0.01	0.05
I033811		2.27	13.9	700	10.6	34.0	<0.001	0.05	0.40	5.3	1.6	1.0	41.9	0.01	0.04
I033812		2.31	13.9	710	10.5	34.1	<0.001	0.05	0.38	5.4	1.5	1.0	42.0	0.01	0.04
I033813		1.12	20.7	740	4.0	32.6	<0.001	<0.01	0.27	4.0	0.3	0.5	41.9	<0.01	0.02
I033814		1.63	19.1	470	5.1	21.9	<0.001	<0.01	0.39	4.2	<0.2	0.7	25.2	<0.01	0.04
I033815		1.89	17.5	700	7.3	24.4	<0.001	0.01	0.40	5.1	0.4	0.8	27.4	<0.01	0.04
I033816		1.26	16.5	1010	8.4	14.9	<0.001	0.09	0.49	4.1	0.9	0.7	31.1	<0.01	0.07
I033817		1.72	18.9	710	9.9	21.0	<0.001	0.02	0.56	5.9	0.7	0.8	28.0	<0.01	0.05
I033818		1.43	13.4	690	8.8	15.3	<0.001	0.04	0.54	4.5	0.6	0.7	27.4	<0.01	0.03
I033819		2.12	17.8	910	9.4	22.8	<0.001	0.07	0.52	5.4	0.9	1.1	30.1	<0.01	0.11
I033820		2.03	15.3	750	11.2	24.1	0.001	0.07	0.45	5.5	1.0	1.0	39.5	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033781		0.172	0.10	0.44	79	0.12	3.03	83
I033782		0.103	0.11	0.52	78	0.11	2.86	81
I033783		0.005	<0.02	0.10	1	<0.05	0.69	10
I033784		0.018	0.02	0.37	15	<0.05	1.74	11
I033785		0.104	0.09	0.60	70	0.11	4.71	67
I033786		0.058	0.06	1.25	41	0.11	16.60	60
I033787		0.134	0.06	1.06	97	0.13	18.60	138
I033788		0.145	0.06	1.03	98	0.14	17.10	143
I033789		0.099	0.07	0.32	62	0.14	2.70	46
I033790		0.113	0.05	0.33	81	0.11	4.78	77
I033791		0.108	0.07	0.36	89	0.11	3.53	91
I033792		0.128	0.13	0.65	107	0.06	5.11	96
I033793		0.104	0.05	0.40	63	0.05	2.44	36
I033794		0.151	0.11	1.05	79	0.13	14.55	73
I033795		0.129	0.09	0.96	68	0.10	13.70	74
I033796		0.078	0.12	0.82	64	0.15	6.48	65
I033797		0.179	0.51	1.59	49	0.09	17.60	109
I033798		0.132	0.16	0.67	80	0.13	4.13	46
I033799		0.040	0.31	0.89	59	0.12	15.70	158
I033800		0.198	0.18	0.72	70	0.12	4.11	53
I033801		0.127	0.11	0.49	84	1.30	2.71	48
I033802		0.148	0.19	1.23	87	4.36	6.83	76
I033803		0.148	0.25	2.98	90	0.95	16.70	70
I033804		0.122	0.22	1.36	48	0.67	3.94	55
I033805		0.129	0.19	1.30	56	0.98	5.22	59
I033806		0.125	0.18	1.08	70	0.75	4.74	59
I033807		0.122	0.21	1.25	61	0.99	4.97	62
I033808		0.108	0.19	1.27	55	0.91	4.19	51
I033809		0.126	0.26	0.86	90	1.13	4.64	44
I033810		0.141	0.29	1.22	106	2.89	4.91	63
I033811		0.083	0.27	9.96	52	1.48	24.5	70
I033812		0.083	0.25	10.00	51	1.45	24.7	70
I033813		0.166	0.30	1.57	79	1.21	4.68	61
I033814		0.176	0.18	1.09	85	1.77	4.69	54
I033815		0.148	0.20	3.13	74	2.80	6.94	68
I033816		0.080	0.16	6.11	56	2.64	8.60	55
I033817		0.123	0.20	4.21	71	2.55	8.53	68
I033818		0.096	0.17	3.68	52	1.96	7.89	53
I033819		0.091	0.21	9.16	61	4.40	13.55	65
I033820		0.081	0.26	10.30	49	1.01	26.6	63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033821		0.68	<0.005	0.32	2.28	7.0	<0.2	<10	220	0.62	0.58	0.43	0.32	54.9	5.6	23
I033822		0.86	0.006	0.14	2.23	5.0	<0.2	<10	260	0.32	0.26	0.62	0.25	24.7	9.9	31
I033823		0.46	NSS	0.42	1.68	7.3	<0.2	<10	330	0.90	0.20	1.56	0.80	69.4	10.9	22
I033824		0.42	NSS	0.34	1.55	6.2	<0.2	<10	340	0.87	0.18	1.65	0.93	68.2	10.5	21
I033825		0.58	NSS	0.20	1.76	15.0	<0.2	<10	200	0.28	0.19	0.52	0.26	21.9	8.5	45
I033826		0.52	0.032	0.36	2.24	23.9	<0.2	<10	200	0.32	0.19	0.67	0.29	24.1	14.5	71
I033827		0.50	0.023	0.37	2.12	78.8	<0.2	<10	190	0.40	0.35	0.49	0.14	41.0	11.6	46
I033828		0.52	0.013	0.18	1.94	12.1	<0.2	<10	160	0.35	0.61	0.39	0.17	43.0	12.0	33
I033829		0.50	0.009	0.26	2.74	29.1	<0.2	<10	230	0.58	0.73	0.50	0.18	66.9	13.5	47
I033830		0.46	NSS	0.27	2.61	27.6	<0.2	<10	220	0.61	0.71	0.53	0.18	80.9	14.2	46
I033831		0.48	0.009	0.15	2.08	11.7	<0.2	<10	190	0.31	0.47	0.39	0.24	27.5	13.3	45
I033832		0.56	0.013	0.20	2.33	43.2	<0.2	<10	220	0.51	0.42	0.61	0.15	50.6	14.6	48
I033833		0.44	0.027	0.24	2.52	130.5	<0.2	<10	220	0.62	0.57	0.44	0.22	38.7	14.3	55
I033834		0.46	0.021	0.26	3.18	39.9	<0.2	<10	310	1.18	0.49	0.64	0.33	56.7	15.8	60
I033835		0.74	0.013	0.09	2.01	26.1	<0.2	<10	190	0.70	0.28	0.48	0.16	36.2	13.6	49
I033836		0.48	0.006	0.18	1.07	9.9	<0.2	<10	90	0.34	0.23	0.23	0.17	13.50	5.6	24
I033837		0.64	0.013	0.10	2.85	10.3	<0.2	<10	220	1.00	0.38	0.34	0.34	27.6	19.5	61
I033838		0.64	0.007	0.06	2.53	8.6	<0.2	<10	450	1.14	0.21	0.51	0.21	56.6	14.9	70
I033839		0.58	0.007	0.09	2.39	10.3	<0.2	<10	190	0.76	0.24	0.52	0.10	28.5	14.5	51
I033840		0.80	0.009	0.08	2.32	8.3	<0.2	<10	160	0.37	0.16	0.45	0.09	25.9	9.7	40
I033841		0.62	0.027	0.20	2.24	26.1	<0.2	<10	160	0.81	0.27	0.57	0.17	44.2	16.3	53
I033842		0.60	0.011	0.09	2.62	5.4	<0.2	<10	150	0.73	0.18	0.39	0.08	38.3	13.6	52
I033843		0.46	0.005	0.10	3.43	6.7	<0.2	<10	110	0.76	0.18	0.30	0.42	24.8	14.2	57
I033844		0.60	0.024	0.18	2.53	25.1	<0.2	<10	180	0.73	0.21	0.44	0.08	41.8	15.4	65
I033845		0.58	0.016	0.09	2.38	21.0	<0.2	<10	180	0.58	0.15	0.44	0.07	37.5	11.5	56
I033846		0.42	0.009	0.10	2.45	17.5	<0.2	<10	190	0.59	0.14	0.46	0.04	30.5	12.4	55
I033847		0.32	0.009	0.32	3.74	29.3	<0.2	<10	290	1.05	0.33	0.49	<0.01	40.3	43.8	66
I033848		0.66	0.010	0.16	2.61	37.9	<0.2	<10	160	0.65	0.19	0.33	0.13	25.7	14.1	56
I033849		0.60	0.011	0.17	2.55	37.2	<0.2	<10	150	0.69	0.20	0.32	0.13	25.1	14.7	53
I033850		0.20	0.017	0.21	1.65	35.9	<0.2	<10	170	0.51	0.15	0.61	0.58	24.1	15.0	37
I033851		0.16	0.005	0.10	2.01	4.9	<0.2	<10	130	0.28	0.14	0.23	0.15	24.7	10.3	33
I033852		0.16	0.005	0.16	2.01	8.1	<0.2	<10	250	0.39	0.16	0.29	0.24	37.5	13.0	55
I033853		0.14	0.005	0.03	1.38	5.6	<0.2	<10	70	0.18	0.21	0.08	0.07	17.65	3.1	20
I033854		0.10	0.006	0.10	0.88	3.8	<0.2	<10	70	0.21	0.09	0.09	0.06	25.1	3.4	13
I033855		0.12	0.007	0.14	1.81	6.9	<0.2	<10	140	0.39	0.21	0.19	0.20	38.7	11.4	46
I033856		0.12	0.011	0.26	2.23	13.3	<0.2	<10	270	0.56	0.19	0.75	0.21	94.9	18.1	49
I033857		0.12	0.009	0.16	2.01	8.2	<0.2	<10	270	0.46	0.17	0.78	0.22	48.8	19.4	62
I033858		0.06	0.009	0.15	1.80	5.2	<0.2	<10	340	0.42	0.12	1.07	0.28	50.5	22.4	56
I033859		0.10	0.008	0.11	1.90	7.0	<0.2	<10	200	0.37	0.15	0.45	0.16	36.5	21.0	84
I033860		0.12	0.006	0.09	1.65	5.0	<0.2	<10	170	0.25	0.17	0.48	0.15	26.7	15.3	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033821		2.22	42.5	2.69	6.36	0.08	0.04	0.16	0.030	0.08	33.5	8.4	0.29	706	2.36
I033822		3.27	45.6	2.64	6.61	0.07	0.04	0.05	0.022	0.17	14.7	11.2	0.59	638	1.79
I033823		2.32	157.5	2.12	3.96	0.10	0.07	0.19	0.028	0.07	38.1	6.2	0.34	911	2.84
I033824		2.14	152.5	1.92	3.56	0.10	0.07	0.17	0.024	0.07	37.4	5.6	0.33	1020	2.57
I033825		1.76	55.1	2.02	5.75	0.06	0.03	0.07	0.019	0.07	12.1	9.2	0.53	411	2.11
I033826		2.66	87.4	2.39	5.88	0.08	0.03	0.06	0.024	0.12	11.7	13.4	0.74	818	6.57
I033827		2.40	63.9	2.48	7.27	0.08	0.03	0.09	0.028	0.11	25.9	12.2	0.58	493	13.30
I033828		1.81	49.7	2.31	6.89	0.07	0.03	0.08	0.026	0.08	27.8	11.5	0.47	568	13.20
I033829		2.60	98.4	3.12	9.07	0.10	0.04	0.06	0.035	0.13	45.6	15.6	0.60	674	26.5
I033830		2.46	106.0	2.91	8.95	0.10	0.05	0.11	0.033	0.12	54.8	15.3	0.56	761	28.4
I033831		2.34	47.6	2.64	8.46	0.07	0.03	0.04	0.030	0.11	14.9	13.3	0.55	710	35.1
I033832		3.03	97.6	2.77	8.20	0.10	0.05	0.07	0.033	0.14	30.3	15.1	0.67	512	76.5
I033833		4.03	96.5	3.46	9.28	0.10	0.04	0.05	0.041	0.25	20.4	15.8	0.71	639	66.7
I033834		6.33	195.0	3.76	9.72	0.12	0.05	0.11	0.051	0.18	33.9	18.2	0.77	825	109.0
I033835		3.60	124.5	3.24	6.71	0.12	0.05	0.05	0.028	0.20	19.2	13.1	0.72	700	82.7
I033836		2.58	61.9	1.53	4.87	0.05	<0.02	0.05	0.018	0.06	7.6	5.0	0.26	198	32.9
I033837		4.22	149.0	3.33	7.94	0.11	0.12	0.05	0.037	0.20	13.1	16.3	0.82	504	54.6
I033838		6.20	146.0	3.78	9.18	0.19	0.12	0.05	0.036	0.57	26.5	14.7	1.14	434	84.3
I033839		2.39	99.3	3.30	7.72	0.11	0.07	0.08	0.037	0.18	13.8	15.5	0.79	406	123.5
I033840		1.37	45.8	2.68	7.05	0.07	0.07	0.17	0.030	0.05	13.0	14.4	0.62	189	78.6
I033841		3.25	246	3.81	7.35	0.14	0.12	0.46	0.051	0.21	22.1	12.8	0.75	508	76.7
I033842		2.85	134.0	2.96	8.75	0.11	0.05	0.03	0.033	0.16	18.8	15.6	0.84	258	25.0
I033843		3.22	84.3	3.55	9.27	0.09	0.07	0.05	0.040	0.18	10.3	20.7	0.58	303	24.5
I033844		5.03	201	3.66	8.49	0.12	0.07	0.11	0.047	0.37	22.8	13.6	0.86	413	103.5
I033845		3.13	121.5	3.24	7.75	0.12	0.09	0.03	0.037	0.27	20.0	12.9	0.81	333	57.9
I033846		2.90	96.5	3.21	7.51	0.10	0.05	0.03	0.035	0.19	14.7	13.0	0.87	302	77.0
I033847		3.39	207	4.60	11.65	0.09	0.04	0.10	0.063	0.10	18.2	16.2	0.81	2140	231
I033848		3.43	159.0	3.61	10.30	0.09	0.05	0.04	0.041	0.18	12.5	18.1	0.90	403	74.9
I033849		3.42	156.5	3.52	10.40	0.09	0.07	0.02	0.042	0.18	12.0	18.1	0.89	395	73.5
I033850		3.29	186.5	2.35	6.24	0.08	0.02	0.09	0.026	0.17	14.5	8.8	0.56	674	95.1
I033851		1.97	19.8	3.52	8.01	0.06	0.05	0.02	0.022	0.26	11.2	15.3	0.68	254	1.69
I033852		2.75	47.1	3.68	7.58	0.08	0.03	0.02	0.026	0.35	19.2	12.9	0.73	333	1.86
I033853		0.63	14.0	2.20	8.58	<0.05	0.03	0.03	0.016	0.05	7.7	5.0	0.16	109	1.27
I033854		0.87	10.3	1.41	4.23	<0.05	0.03	0.03	0.013	0.03	18.8	4.8	0.14	80	0.76
I033855		1.40	28.7	3.36	8.42	0.05	0.05	0.03	0.035	0.12	22.8	10.4	0.57	291	1.95
I033856		1.84	37.1	3.57	8.68	0.16	0.09	0.05	0.035	0.24	66.5	16.2	0.75	648	1.35
I033857		2.26	30.5	3.27	9.04	0.10	0.06	0.04	0.030	0.17	28.8	16.7	0.94	585	1.13
I033858		1.62	39.8	2.95	6.97	0.08	0.05	0.06	0.025	0.11	26.5	12.6	0.83	1040	1.16
I033859		2.14	26.7	3.20	7.94	0.06	0.03	0.03	0.022	0.21	21.1	13.7	1.02	722	1.03
I033860		1.53	27.5	2.65	7.29	0.05	0.03	0.03	0.018	0.13	14.6	10.8	0.84	533	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033821		1.85	12.6	1020	10.0	25.4	<0.001	0.11	0.34	5.5	1.0	1.0	40.9	<0.01	0.07	3.7
I033822		1.49	16.0	1080	5.7	26.9	<0.001	0.07	0.30	4.8	0.7	0.8	53.5	<0.01	0.04	2.1
I033823		1.05	24.0	1240	4.7	13.6	0.001	0.19	0.88	5.2	2.0	0.6	114.5	0.01	0.06	0.7
I033824		0.93	23.5	1240	4.4	13.0	0.001	0.20	0.95	4.6	1.9	0.6	118.0	0.01	0.06	0.6
I033825		1.15	22.7	650	5.8	16.0	<0.001	0.07	1.54	4.9	0.7	0.6	38.3	<0.01	0.03	0.7
I033826		0.89	30.8	790	5.2	19.0	0.001	0.07	3.22	6.4	0.8	0.5	44.0	<0.01	0.04	0.7
I033827		1.35	24.6	710	8.6	22.0	<0.001	0.06	2.67	5.3	0.7	0.8	40.0	<0.01	0.05	1.8
I033828		1.63	21.0	670	7.1	17.9	<0.001	0.06	0.68	3.9	0.7	0.8	33.7	<0.01	0.06	1.9
I033829		2.05	29.0	780	7.8	25.2	<0.001	0.07	0.90	5.3	1.0	1.0	44.9	<0.01	0.10	3.5
I033830		1.97	28.5	790	7.6	24.6	0.001	0.08	0.92	5.2	1.1	1.0	47.6	<0.01	0.09	3.4
I033831		1.79	24.9	680	8.8	25.3	<0.001	0.05	0.60	4.6	0.7	0.9	35.7	<0.01	0.06	2.0
I033832		1.90	33.5	750	6.4	30.4	0.001	0.06	0.89	6.6	1.1	0.8	45.2	<0.01	0.05	2.8
I033833		1.92	31.1	860	13.1	39.0	<0.001	0.04	2.52	6.6	0.8	0.9	35.5	<0.01	0.09	3.7
I033834		1.96	53.9	890	6.7	33.1	0.002	0.07	0.85	8.6	1.6	1.1	48.6	<0.01	0.10	2.9
I033835		1.54	31.4	960	4.2	28.9	0.001	0.07	0.53	5.8	1.0	0.7	28.3	<0.01	0.07	5.0
I033836		0.67	17.3	530	3.6	15.9	<0.001	0.05	0.33	1.9	0.6	0.5	19.0	<0.01	0.06	0.4
I033837		2.07	48.2	780	5.3	28.4	<0.001	0.02	0.28	6.9	1.0	1.0	20.9	<0.01	0.08	4.6
I033838		2.03	42.8	1080	5.3	62.0	<0.001	0.01	0.21	10.5	1.2	0.9	25.0	<0.01	0.07	6.8
I033839		1.64	29.6	780	5.6	27.7	0.001	0.01	0.33	6.8	0.8	0.7	31.1	<0.01	0.05	4.1
I033840		1.81	23.2	810	6.9	9.4	0.001	0.03	0.46	5.7	0.6	0.6	27.9	<0.01	0.03	3.5
I033841		1.27	31.8	860	4.8	33.0	0.001	0.01	0.54	8.2	0.9	0.9	36.8	<0.01	0.06	6.1
I033842		1.92	34.4	690	5.5	28.1	<0.001	0.02	0.30	7.5	0.8	0.7	29.0	<0.01	0.05	2.8
I033843		2.96	35.4	670	5.0	29.2	<0.001	0.06	0.28	5.7	0.8	0.6	23.2	0.01	0.08	2.9
I033844		1.97	41.2	670	4.2	45.2	0.001	0.02	0.79	10.1	0.8	0.9	28.3	<0.01	0.06	4.6
I033845		1.98	32.6	640	4.7	34.8	<0.001	0.01	0.66	8.2	0.7	0.7	28.6	<0.01	0.04	4.7
I033846		1.98	28.2	610	4.8	30.0	0.001	0.02	0.69	6.8	0.6	0.6	26.8	<0.01	0.04	3.3
I033847		2.09	41.6	750	9.7	21.0	0.001	0.07	0.72	8.0	1.3	0.8	37.3	<0.01	0.08	2.5
I033848		2.71	35.7	470	6.0	33.2	0.001	0.02	0.60	6.6	0.6	0.9	22.6	<0.01	0.07	2.8
I033849		2.69	36.0	470	6.1	33.7	0.001	0.02	0.57	6.8	0.6	0.9	22.6	<0.01	0.06	2.9
I033850		1.50	29.7	880	4.1	29.9	0.001	0.09	0.63	3.5	0.8	0.6	39.5	<0.01	0.06	0.4
I033851		2.20	24.5	370	10.3	38.6	<0.001	0.01	0.24	3.1	0.4	0.7	22.3	<0.01	0.04	4.3
I033852		1.67	44.1	1030	7.5	34.2	0.001	0.07	0.27	4.8	1.1	0.7	28.4	<0.01	0.06	5.6
I033853		1.44	7.7	320	9.2	8.3	<0.001	0.01	0.33	2.0	0.5	0.8	11.3	<0.01	0.03	1.2
I033854		1.00	8.8	170	4.1	7.1	<0.001	0.01	0.21	2.0	0.4	0.4	12.3	<0.01	0.03	1.9
I033855		1.81	37.2	350	10.9	22.1	0.001	0.03	0.47	5.8	0.5	0.9	18.8	<0.01	0.05	5.0
I033856		1.87	39.5	720	10.8	41.2	0.001	0.04	0.48	9.2	1.3	0.7	49.7	0.01	0.04	8.6
I033857		2.00	35.8	760	9.5	42.6	<0.001	0.04	0.35	7.1	0.9	0.8	47.4	0.01	0.04	5.3
I033858		1.41	31.2	830	7.6	31.6	0.001	0.06	0.27	5.4	0.8	0.5	48.6	0.01	0.03	2.0
I033859		1.48	40.0	850	9.4	39.1	<0.001	0.02	0.29	5.2	0.4	0.7	29.9	<0.01	0.03	3.9
I033860		1.33	30.9	620	8.3	30.2	<0.001	0.03	0.21	4.1	0.3	0.7	33.6	<0.01	0.03	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033821		0.059	0.21	12.50	47	1.26	24.1	63	1.2
I033822		0.104	0.23	3.97	64	2.45	11.25	71	1.2
I033823		0.040	0.16	15.95	39	2.61	54.3	60	1.4
I033824		0.038	0.15	14.50	36	2.11	54.8	60	1.2
I033825		0.088	0.11	2.50	50	1.82	9.72	55	1.0
I033826		0.086	0.18	1.10	62	1.93	10.10	62	1.0
I033827		0.098	0.19	3.53	61	2.25	13.70	62	1.1
I033828		0.102	0.18	3.80	51	2.33	9.24	61	1.0
I033829		0.118	0.22	5.46	68	2.61	14.15	77	1.5
I033830		0.110	0.23	6.29	64	2.78	16.15	73	1.5
I033831		0.127	0.20	1.63	68	1.68	5.89	83	1.2
I033832		0.137	0.23	3.20	70	3.72	16.60	72	1.8
I033833		0.154	0.31	2.44	74	2.71	10.65	90	1.7
I033834		0.133	0.31	3.77	90	2.91	18.20	132	1.8
I033835		0.142	0.27	1.90	79	16.90	10.15	75	1.9
I033836		0.061	0.12	0.90	39	0.84	3.85	42	<0.5
I033837		0.158	0.34	1.11	97	11.75	7.41	92	4.5
I033838		0.207	0.59	1.40	113	3.18	12.95	109	5.5
I033839		0.173	0.29	0.85	86	12.55	7.30	66	3.5
I033840		0.140	0.15	0.89	71	1.63	7.49	54	3.2
I033841		0.171	0.31	0.91	85	3.98	12.45	71	5.6
I033842		0.175	0.27	0.83	84	3.22	9.90	58	2.1
I033843		0.168	0.18	0.51	79	1.52	4.86	63	2.5
I033844		0.216	0.37	0.94	98	2.38	12.80	71	3.0
I033845		0.194	0.31	0.80	84	1.52	9.65	57	3.7
I033846		0.182	0.26	0.79	84	1.93	7.56	57	2.1
I033847		0.140	0.44	1.63	101	1.14	8.43	68	1.8
I033848		0.189	0.21	0.72	101	3.77	5.75	65	2.4
I033849		0.180	0.21	0.70	96	3.57	5.71	64	2.8
I033850		0.093	0.17	0.88	63	3.31	7.97	65	0.8
I033851		0.158	0.27	0.69	63	0.11	4.82	59	2.2
I033852		0.131	0.38	1.05	88	0.17	7.59	98	1.4
I033853		0.104	0.12	0.47	61	0.12	2.38	23	1.2
I033854		0.063	0.06	0.48	32	0.10	5.25	20	1.4
I033855		0.113	0.17	1.06	75	0.21	7.34	72	2.1
I033856		0.116	0.27	2.39	67	0.28	28.7	92	2.7
I033857		0.124	0.26	1.44	71	0.31	12.60	82	2.2
I033858		0.099	0.18	1.39	65	0.24	13.90	73	1.5
I033859		0.127	0.25	0.88	70	0.27	7.37	77	1.1
I033860		0.110	0.20	0.65	62	0.32	5.54	78	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033861		0.18	0.010	0.07	1.74	19.5	<0.2	<10	110	0.31	0.23	0.27	0.11	23.3	15.2	42
I033862		0.10	0.009	0.14	0.92	3.1	<0.2	<10	100	0.19	0.16	0.23	0.08	25.2	6.9	23
I033863		0.04	0.015	0.15	1.04	3.6	<0.2	<10	120	0.22	0.10	0.22	0.13	28.5	8.6	40
I033864		0.04	0.017	0.12	0.77	2.5	<0.2	<10	70	0.14	0.10	0.20	0.08	34.0	3.9	18
I033865		0.20	0.006	0.11	2.06	6.7	<0.2	<10	250	0.58	0.16	0.30	0.12	47.6	16.0	54
I033866		0.14	0.012	0.05	2.14	4.9	<0.2	<10	140	0.50	0.16	0.33	0.11	37.2	16.0	43
I033867		0.08	0.016	0.15	0.69	2.0	<0.2	<10	110	0.16	0.08	0.30	0.12	17.50	3.5	32
I033868		0.06	0.015	0.24	1.12	2.6	<0.2	<10	120	0.21	0.13	0.22	0.12	23.3	9.2	37
I033869		0.06	0.015	0.15	0.97	2.0	<0.2	<10	100	0.21	0.11	0.41	0.17	24.7	6.2	31
I033870		0.12	0.016	0.12	1.38	5.1	<0.2	<10	140	0.30	0.21	0.54	0.28	30.8	22.3	34
I033871		0.20	0.010	0.12	1.99	14.0	<0.2	<10	200	0.58	0.20	0.28	0.12	40.2	16.9	40
I033872		0.14	0.006	0.09	1.41	6.2	<0.2	<10	270	0.51	0.12	0.98	0.20	29.6	10.6	29
I033873		0.18	0.012	0.09	1.65	4.9	<0.2	<10	320	0.66	0.26	0.59	0.14	52.8	11.0	29
I033874		0.14	<0.005	0.09	1.10	6.4	<0.2	<10	120	0.18	0.15	0.14	0.18	10.00	8.6	27
I033875		0.16	0.005	0.16	2.03	5.4	<0.2	<10	230	0.42	0.17	0.21	0.21	15.30	12.9	44
I033876		0.14	0.005	0.06	1.59	5.2	<0.2	<10	150	0.25	0.15	0.30	0.13	16.85	8.6	29
I033877		0.26	<0.005	0.08	2.28	8.0	<0.2	<10	250	0.57	0.15	0.52	0.11	47.4	19.3	61
I033878		0.18	0.005	0.09	2.45	5.9	<0.2	<10	420	0.65	0.20	0.55	0.14	24.3	21.2	119
I033879		0.14	0.007	0.14	1.78	4.7	<0.2	<10	200	0.46	0.11	2.27	0.25	16.45	14.4	49
I033880		0.10	0.006	0.17	1.32	4.2	<0.2	<10	240	0.28	0.13	3.17	0.35	11.20	10.1	40
I033881		0.18	0.005	0.07	1.81	2.9	<0.2	<10	190	0.28	0.09	0.22	0.06	7.27	11.4	24
I033882		0.14	<0.005	0.08	2.06	7.4	<0.2	<10	310	0.44	0.14	0.39	0.15	14.75	14.4	37
I033883		0.16	<0.005	0.07	1.76	4.9	<0.2	<10	200	0.29	0.15	0.45	0.13	10.15	11.2	26
I033884		0.20	0.008	0.12	2.17	8.6	<0.2	<10	440	0.36	0.12	0.38	0.13	16.65	18.1	34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033861		2.16	18.6	3.39	8.26	0.06	0.02	0.01	0.021	0.22	11.8	10.4	0.81	517	1.56
I033862		1.32	10.2	1.50	5.77	<0.05	0.02	0.04	0.016	0.06	13.2	4.9	0.28	349	0.98
I033863		1.10	23.3	1.90	5.36	<0.05	0.02	0.06	0.016	0.07	14.2	5.2	0.42	196	1.16
I033864		0.86	14.3	1.52	3.67	<0.05	0.02	0.06	0.011	0.10	20.3	2.8	0.24	103	0.86
I033865		1.15	45.4	3.70	7.34	0.08	0.13	0.01	0.029	0.30	28.9	14.3	0.84	362	1.81
I033866		1.41	22.7	3.28	7.20	0.05	0.13	0.01	0.028	0.08	15.6	15.5	0.70	345	1.27
I033867		0.89	16.2	1.26	3.26	<0.05	<0.02	0.06	0.011	0.07	9.0	2.9	0.24	89	0.93
I033868		1.90	27.7	2.07	6.08	<0.05	0.02	0.04	0.013	0.15	12.3	6.3	0.48	229	1.60
I033869		1.74	23.7	1.73	5.35	<0.05	0.02	0.05	0.015	0.08	12.6	4.9	0.37	141	1.18
I033870		1.42	21.7	2.83	6.71	<0.05	0.03	0.03	0.027	0.05	14.8	9.4	0.58	1090	2.02
I033871		0.83	33.3	3.60	7.12	0.05	0.05	0.02	0.030	0.11	19.4	13.5	0.60	385	1.61
I033872		0.60	27.5	2.32	5.08	<0.05	0.07	0.03	0.022	0.09	14.7	9.9	0.45	339	0.73
I033873		1.17	17.3	2.81	7.02	<0.05	0.10	0.02	0.031	0.17	16.2	10.5	0.44	945	1.19
I033874		0.45	11.7	2.25	5.55	<0.05	0.02	0.01	0.016	0.12	5.2	6.7	0.31	175	1.46
I033875		0.92	20.4	3.33	7.77	<0.05	0.03	0.02	0.025	0.16	6.6	11.6	0.64	309	2.40
I033876		0.67	16.9	2.49	6.62	<0.05	0.02	0.02	0.019	0.10	6.7	9.0	0.43	263	1.26
I033877		0.92	48.8	3.67	7.55	0.08	0.15	0.03	0.026	0.15	18.9	14.7	0.93	592	0.85
I033878		1.67	45.2	3.69	8.80	0.05	0.15	0.02	0.027	0.30	11.6	19.1	1.30	499	0.97
I033879		0.52	70.4	2.68	6.08	<0.05	0.07	0.02	0.022	0.06	8.7	10.4	0.83	400	0.73
I033880		0.75	120.0	1.95	4.26	<0.05	0.07	0.06	0.018	0.11	6.3	8.1	0.64	413	1.04
I033881		0.86	19.2	2.56	6.62	<0.05	0.03	0.01	0.014	0.06	3.2	10.8	0.57	245	0.92
I033882		0.58	21.7	3.21	7.12	<0.05	0.11	0.02	0.026	0.14	6.4	11.8	0.62	493	1.12
I033883		0.62	15.7	2.69	6.58	<0.05	0.06	0.02	0.022	0.13	4.7	10.1	0.53	268	1.12
I033884		1.02	27.0	3.56	7.29	0.05	0.11	0.01	0.023	0.36	7.7	15.8	0.96	419	1.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I033861		1.86	28.5	590	11.6	40.1	<0.001	0.02	0.23	4.2	0.3	0.7	21.7	<0.01	0.05	3.0
I033862		0.72	10.8	680	6.9	14.0	<0.001	0.05	0.21	2.6	0.5	0.6	21.4	<0.01	0.03	0.5
I033863		0.85	25.1	630	5.4	14.6	<0.001	0.07	0.19	2.8	0.9	0.5	19.5	<0.01	0.04	0.6
I033864		0.83	10.3	580	4.1	14.7	<0.001	0.09	0.14	1.5	0.7	0.3	16.5	<0.01	0.03	0.4
I033865		1.53	42.4	400	10.4	26.8	<0.001	0.03	0.34	6.6	0.6	0.6	31.2	<0.01	0.05	6.7
I033866		1.81	30.4	510	7.1	18.7	<0.001	0.01	0.24	4.6	0.2	0.6	27.8	<0.01	0.03	4.3
I033867		0.70	15.6	570	4.0	10.4	<0.001	0.08	0.16	1.7	0.6	0.3	26.2	<0.01	0.04	0.5
I033868		1.39	23.5	540	5.5	28.2	<0.001	0.07	0.15	2.5	0.8	0.5	21.2	<0.01	0.04	1.0
I033869		1.07	16.9	610	6.2	19.3	<0.001	0.07	0.14	2.4	1.0	0.5	31.8	<0.01	0.04	0.7
I033870		1.26	22.7	630	12.4	13.3	<0.001	0.04	0.29	3.8	0.6	0.7	49.8	<0.01	0.04	2.0
I033871		1.69	34.8	310	7.8	12.9	<0.001	0.01	0.71	5.9	0.5	0.6	25.6	<0.01	0.05	5.3
I033872		1.38	25.1	410	6.0	12.3	<0.001	0.03	0.34	4.8	0.7	0.5	59.0	<0.01	0.04	2.1
I033873		1.38	19.4	220	8.8	35.5	<0.001	0.01	0.35	5.9	0.3	1.2	68.4	<0.01	0.03	12.0
I033874		1.32	20.0	210	7.0	10.2	<0.001	0.01	0.38	2.7	<0.2	0.5	12.4	<0.01	0.03	1.3
I033875		1.53	30.7	250	10.4	21.1	<0.001	0.01	0.37	4.2	<0.2	0.7	19.0	<0.01	0.04	2.0
I033876		1.55	18.4	260	6.6	12.7	<0.001	0.01	0.29	3.4	<0.2	0.7	25.4	<0.01	0.02	1.5
I033877		1.29	39.1	240	7.7	23.9	0.001	0.01	0.35	8.9	0.4	0.6	33.8	<0.01	0.03	5.6
I033878		1.71	59.2	370	8.8	40.2	0.001	0.01	0.36	6.1	<0.2	0.7	33.1	<0.01	0.03	3.8
I033879		0.94	31.9	570	5.1	6.2	0.001	0.06	0.38	5.6	1.3	0.4	64.5	0.01	0.05	0.8
I033880		0.94	23.2	700	5.2	11.7	0.001	0.11	0.48	3.3	1.4	0.3	75.0	0.01	0.05	0.3
I033881		1.13	14.4	200	4.6	5.3	<0.001	<0.01	0.23	3.2	<0.2	0.4	16.8	<0.01	0.03	0.7
I033882		1.56	23.9	290	6.5	12.7	<0.001	0.01	0.42	5.3	<0.2	0.6	29.6	<0.01	0.03	2.1
I033883		1.61	16.7	140	5.6	12.4	<0.001	0.01	0.34	4.4	<0.2	0.5	23.5	<0.01	0.03	1.4
I033884		1.39	22.7	270	7.2	22.9	<0.001	0.01	0.32	7.3	<0.2	0.5	21.5	<0.01	0.02	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033861		0.128	0.29	0.76	64	0.48	5.21	86	0.8
I033862		0.051	0.11	0.91	29	0.17	4.64	34	0.5
I033863		0.058	0.13	1.08	41	0.15	5.66	44	0.5
I033864		0.052	0.12	1.04	21	0.10	5.94	27	<0.5
I033865		0.134	0.17	1.17	86	0.15	8.85	79	6.0
I033866		0.130	0.13	0.84	72	0.17	6.10	60	6.1
I033867		0.044	0.08	0.73	22	0.10	3.37	25	<0.5
I033868		0.087	0.20	0.93	51	0.13	3.96	48	0.6
I033869		0.064	0.14	1.03	31	0.12	4.14	42	0.5
I033870		0.078	0.14	1.31	66	0.34	5.82	74	0.7
I033871		0.092	0.13	0.88	75	0.23	6.44	65	2.2
I033872		0.082	0.07	1.20	51	0.17	10.35	37	2.6
I033873		0.060	0.12	2.53	48	0.15	7.36	41	4.2
I033874		0.085	0.09	0.25	55	0.14	1.62	39	1.2
I033875		0.114	0.14	0.50	79	0.15	3.09	60	1.2
I033876		0.087	0.09	0.55	60	0.15	2.64	41	0.9
I033877		0.136	0.13	0.75	82	0.19	13.05	61	7.1
I033878		0.186	0.21	0.69	83	0.16	5.10	59	6.6
I033879		0.054	0.05	0.51	61	0.11	11.35	45	3.0
I033880		0.059	0.07	1.70	47	0.12	9.84	42	3.4
I033881		0.120	0.09	0.18	52	0.12	1.59	39	1.4
I033882		0.128	0.09	0.31	75	0.19	3.06	59	5.2
I033883		0.113	0.10	0.23	65	0.16	2.10	39	2.6
I033884		0.146	0.15	0.39	85	0.12	4.26	60	4.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122484

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

CERTIFICATE WH10122485

Project: SQI10-06
P.O. No.: SQI10-06_22
This report is for 233 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033901		0.08	0.011	0.08	1.02	2.7	<0.2	<10	80	0.17	0.08	0.34	0.10	18.45	5.3	26
I033902		0.06	0.012	0.03	0.32	1.1	<0.2	<10	80	0.08	0.02	0.52	0.14	5.22	3.3	3
I033903		0.06	NSS	0.06	0.36	1.5	<0.2	<10	140	<0.05	0.02	0.80	0.15	8.96	2.8	4
I033904		0.20	<0.005	0.16	0.70	3.8	<0.2	<10	110	0.09	0.10	0.15	0.06	12.10	3.3	12
I033905		0.28	<0.005	0.17	2.87	6.1	<0.2	<10	310	0.40	0.10	0.30	0.13	40.3	18.7	33
I033906		0.10	0.008	0.28	1.42	3.5	<0.2	<10	280	0.19	0.13	0.37	0.14	17.60	6.9	18
I033907		0.14	0.012	0.16	1.63	3.0	<0.2	<10	110	0.14	0.12	0.20	0.10	9.62	10.2	35
I033908		0.18	0.005	0.13	2.24	2.9	<0.2	<10	260	0.38	0.10	1.83	0.32	15.25	17.2	65
I033909		0.40	0.005	0.07	2.14	6.3	<0.2	<10	250	0.39	0.14	0.77	0.21	26.8	19.9	130
I033910		0.28	<0.005	0.11	1.92	4.2	<0.2	<10	160	0.32	0.13	0.31	0.17	14.60	14.6	46
I033911		0.38	<0.005	0.07	2.40	4.2	<0.2	<10	210	0.38	0.09	0.45	0.18	16.70	19.8	62
I033912		0.24	0.005	0.11	2.22	3.3	<0.2	<10	260	0.29	0.09	1.23	0.33	14.35	15.9	63
I033913		0.28	<0.005	0.11	2.17	4.1	<0.2	<10	200	0.39	0.11	1.72	0.52	17.40	16.2	56
I033914		0.24	<0.005	0.13	1.45	3.8	<0.2	<10	220	0.28	0.08	2.23	0.18	16.70	11.3	41
I033915		0.16	<0.005	0.10	0.99	3.0	<0.2	<10	240	0.25	0.07	3.58	0.44	11.70	8.4	26
I033916		0.18	<0.005	0.11	0.71	2.7	<0.2	<10	210	0.20	0.06	3.86	1.07	10.55	6.9	19
I033917		0.38	0.016	0.12	1.81	3.4	<0.2	<10	170	0.33	0.10	1.50	0.29	18.30	12.5	52
I033918		0.22	0.006	0.16	1.79	3.3	<0.2	<10	240	0.34	0.09	2.18	0.41	16.95	15.7	45
I033919		0.22	<0.005	0.17	2.32	4.6	<0.2	<10	370	0.47	0.14	1.79	0.97	24.0	31.1	66
I033920		0.14	0.006	0.13	1.20	2.5	<0.2	<10	100	0.11	0.12	0.24	0.10	10.20	6.2	17
I033921		0.14	<0.005	0.18	1.43	2.7	<0.2	<10	140	0.13	0.13	0.27	0.11	13.40	5.7	18
I033922		0.22	<0.005	0.18	2.03	2.9	<0.2	<10	230	0.15	0.14	0.34	0.10	12.80	9.9	24
I033923		0.30	<0.005	0.22	1.54	1.9	<0.2	<10	170	0.13	0.11	0.45	0.12	9.31	10.1	29
I033924		0.16	<0.005	0.30	2.06	3.0	<0.2	<10	330	0.23	0.11	0.35	0.13	19.30	18.3	32
I033925		0.18	<0.005	0.29	2.04	3.5	<0.2	<10	470	0.26	0.10	0.69	0.12	26.8	15.4	33
I033926		0.26	<0.005	0.07	3.55	6.8	<0.2	<10	270	0.46	0.09	0.29	0.17	14.35	19.8	23
I033927		0.12	NSS	0.15	0.45	3.1	<0.2	<10	390	0.08	0.05	0.45	0.13	12.70	2.9	7
I033928		0.32	<0.005	0.10	1.35	3.7	<0.2	<10	100	0.33	0.08	1.32	0.23	24.7	16.9	28
I033929		0.28	<0.005	0.08	1.05	3.3	<0.2	<10	50	0.19	0.12	0.34	0.15	17.95	6.4	22
I033930		0.28	<0.005	0.09	1.49	3.1	<0.2	<10	80	0.36	0.10	0.60	0.13	42.6	10.7	31
I033931		0.44	<0.005	0.10	1.87	4.1	<0.2	<10	100	0.45	0.11	0.69	0.15	58.3	15.4	41
I033932		0.30	<0.005	0.10	1.54	2.6	<0.2	<10	80	0.28	0.10	0.66	0.09	36.5	9.0	34
I033933		0.42	<0.005	0.07	1.67	3.0	<0.2	<10	100	0.36	0.15	0.68	0.10	38.1	14.2	37
I033934		0.26	<0.005	0.08	1.03	2.2	<0.2	<10	60	0.17	0.09	0.29	0.07	25.8	5.1	23
I033935		0.32	<0.005	0.16	1.51	3.3	<0.2	<10	140	0.40	0.14	0.91	0.25	52.4	14.6	31
I033936		0.42	<0.005	0.11	1.79	2.7	<0.2	<10	120	0.46	0.19	0.72	0.16	50.0	15.8	41
I033937		0.30	<0.005	0.10	1.44	4.9	<0.2	<10	130	0.39	0.17	0.82	0.15	40.4	12.9	31
I033938		0.28	<0.005	0.16	1.46	4.6	<0.2	<10	140	0.40	0.15	1.00	0.15	49.1	14.0	30
I033939		0.38	<0.005	0.10	1.87	4.6	<0.2	<10	110	0.44	0.15	0.27	0.07	44.4	11.1	41
I033940		0.36	<0.005	0.14	1.67	12.8	<0.2	<10	140	0.47	0.16	0.56	0.09	43.4	12.2	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033901		0.79	13.7	1.69	4.07	0.05	0.03	0.10	0.014	0.05	9.5	4.1	0.38	137	0.54
I033902		0.13	8.7	0.56	0.51	<0.05	<0.02	0.13	<0.005	0.03	2.5	0.3	0.09	140	0.64
I033903		0.05	8.1	0.82	0.45	<0.05	<0.02	0.10	<0.005	0.03	4.8	0.3	0.11	101	0.62
I033904		0.75	7.6	1.18	4.18	<0.05	0.02	0.02	0.010	0.09	6.5	3.2	0.27	82	0.51
I033905		1.51	40.2	4.54	9.55	0.09	0.07	0.04	0.038	0.29	14.3	18.9	1.48	569	1.24
I033906		0.88	41.6	2.83	5.61	0.08	0.02	0.11	0.021	0.13	9.4	4.8	0.57	171	1.16
I033907		1.56	32.3	2.64	7.69	0.05	0.03	0.04	0.016	0.16	4.9	6.3	0.87	235	1.06
I033908		1.39	73.1	3.15	6.65	0.08	0.06	0.04	0.021	0.15	8.2	16.1	1.24	509	0.98
I033909		1.84	33.2	3.60	8.45	0.09	0.05	0.02	0.028	0.24	14.2	16.0	1.40	560	0.75
I033910		0.81	33.9	3.02	7.32	0.05	0.03	0.02	0.045	0.08	8.3	12.3	0.84	427	1.21
I033911		1.00	51.2	3.71	8.07	0.07	0.03	0.02	0.021	0.13	9.2	15.0	1.24	537	1.26
I033912		0.91	42.7	3.22	7.17	0.06	0.07	0.03	0.021	0.06	8.7	12.1	1.17	390	0.62
I033913		1.17	68.4	3.42	7.35	0.07	0.05	0.03	0.029	0.10	10.3	11.6	1.14	566	0.70
I033914		0.63	40.3	2.14	4.70	0.06	0.07	0.05	0.018	0.07	8.3	8.3	0.73	505	0.93
I033915		0.54	47.6	1.61	3.16	0.05	0.06	0.06	0.014	0.07	6.3	5.6	0.53	412	0.70
I033916		0.39	44.2	1.10	2.19	0.05	0.05	0.07	0.010	0.06	5.6	4.0	0.37	398	0.67
I033917		0.92	47.7	2.44	5.98	0.07	0.08	0.05	0.022	0.15	9.0	11.5	1.01	277	0.61
I033918		1.23	71.2	2.58	5.45	0.08	0.06	0.04	0.018	0.14	8.8	11.8	0.91	644	0.68
I033919		1.56	65.7	3.37	6.82	0.08	0.05	0.05	0.026	0.18	11.1	19.6	1.09	1860	1.25
I033920		0.69	32.6	2.19	5.17	0.06	<0.02	0.06	0.016	0.09	5.2	4.2	0.47	162	1.04
I033921		0.86	34.4	2.30	6.04	0.06	0.02	0.06	0.018	0.11	7.3	5.4	0.62	153	0.91
I033922		1.50	38.7	2.88	9.25	0.07	0.03	0.02	0.023	0.28	6.7	8.4	1.03	247	1.17
I033923		2.03	29.0	2.71	8.51	0.06	<0.02	0.02	0.017	0.37	5.0	7.9	1.01	274	1.23
I033924		1.66	40.3	3.61	8.11	0.08	0.03	0.06	0.024	0.35	12.5	10.9	1.12	730	1.13
I033925		1.60	36.3	3.18	7.95	0.09	0.04	0.04	0.022	0.24	17.7	13.3	1.15	344	0.69
I033926		1.27	27.6	4.99	11.00	0.09	0.06	0.02	0.031	0.71	6.9	21.1	1.90	555	1.01
I033927		0.13	13.3	1.52	0.89	<0.05	<0.02	0.10	0.009	0.03	7.1	0.5	0.07	143	0.81
I033928		0.81	18.3	2.49	4.18	0.06	0.05	0.04	0.018	0.08	11.6	7.7	0.50	1180	0.81
I033929		0.71	13.4	2.15	5.48	<0.05	0.02	0.07	0.017	0.06	10.6	7.7	0.32	275	1.00
I033930		1.52	23.9	2.58	5.75	0.08	0.03	0.04	0.022	0.10	27.2	9.5	0.53	309	0.61
I033931		1.55	30.4	3.35	6.44	0.10	0.04	0.03	0.025	0.14	37.0	12.7	0.75	469	0.66
I033932		1.39	21.6	2.52	5.78	0.07	0.03	0.03	0.020	0.08	22.0	9.5	0.57	214	0.68
I033933		1.54	19.9	3.01	5.87	0.07	0.03	0.03	0.023	0.13	20.5	10.4	0.68	458	0.64
I033934		1.33	12.6	1.77	4.48	0.05	<0.02	0.05	0.014	0.05	12.6	4.5	0.32	110	0.58
I033935		2.15	25.8	2.56	5.35	0.08	0.04	0.06	0.023	0.07	28.5	9.1	0.52	798	0.96
I033936		3.69	29.0	3.14	6.07	0.09	0.03	0.04	0.028	0.19	25.4	13.5	0.75	780	0.87
I033937		3.42	26.0	2.80	5.12	0.08	0.05	0.04	0.026	0.11	21.1	12.1	0.49	569	0.78
I033938		3.69	24.9	2.66	4.84	0.10	0.05	0.07	0.026	0.11	31.2	13.5	0.51	762	0.92
I033939		3.32	21.6	3.05	6.97	0.09	0.04	0.02	0.026	0.29	24.9	16.2	0.74	263	0.70
I033940		5.26	26.1	3.05	5.16	0.11	0.05	0.04	0.030	0.10	32.2	15.8	0.54	298	0.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I033901		0.91	13.3	650	4.8	13.1	<0.001	0.09	0.24	2.2	0.6	0.3	20.7	0.01	0.02	0.3
I033902		0.12	5.6	720	1.2	1.3	<0.001	0.11	0.25	1.2	0.5	<0.2	30.1	<0.01	0.01	0.2
I033903		0.28	3.6	660	3.0	0.8	0.001	0.07	0.22	1.2	1.3	<0.2	30.7	0.01	0.01	0.3
I033904		0.97	5.5	210	7.8	14.6	<0.001	0.02	0.10	2.2	0.2	0.3	12.3	<0.01	0.01	1.1
I033905		1.75	19.4	400	6.8	26.9	<0.001	0.02	0.18	9.6	0.5	0.5	18.0	<0.01	0.02	3.1
I033906		0.95	10.7	620	4.1	15.6	<0.001	0.18	0.19	4.8	1.9	0.4	30.8	<0.01	0.16	0.5
I033907		1.03	17.3	490	4.8	16.6	<0.001	0.06	0.15	4.0	0.7	0.4	17.4	<0.01	0.08	0.3
I033908		1.15	35.6	570	8.1	24.3	<0.001	0.06	0.21	6.7	0.7	0.3	42.9	<0.01	0.03	0.8
I033909		1.49	56.8	620	9.4	48.5	<0.001	0.01	0.31	6.5	0.4	0.6	36.5	<0.01	0.02	4.7
I033910		1.24	23.5	370	7.6	11.3	<0.001	0.01	0.26	4.3	0.3	0.5	20.6	<0.01	0.03	1.1
I033911		1.32	33.6	530	8.7	17.4	<0.001	0.01	0.26	5.6	0.3	0.5	27.1	<0.01	0.03	1.6
I033912		1.25	33.1	470	4.8	10.6	<0.001	0.03	0.28	6.6	0.6	0.4	41.5	<0.01	0.03	1.2
I033913		1.13	31.9	670	5.7	14.2	<0.001	0.04	0.31	7.9	0.9	0.4	53.6	<0.01	0.03	1.0
I033914		1.06	22.8	730	5.3	11.3	<0.001	0.10	0.34	3.7	1.0	0.3	54.2	<0.01	0.04	0.6
I033915		0.67	18.6	740	4.1	8.8	<0.001	0.16	0.47	2.7	1.3	0.2	71.2	<0.01	0.04	0.3
I033916		0.52	15.0	830	6.1	6.2	0.001	0.18	0.37	1.6	1.1	0.2	74.3	<0.01	0.03	0.2
I033917		1.30	28.0	650	10.4	17.8	<0.001	0.06	0.40	5.5	0.8	0.4	46.7	<0.01	0.04	1.5
I033918		0.99	27.0	750	6.8	22.0	<0.001	0.07	0.23	5.3	0.9	0.3	43.4	<0.01	0.03	0.6
I033919		1.16	41.4	630	11.1	32.9	0.001	0.07	0.23	6.2	0.9	0.4	43.4	<0.01	0.04	0.8
I033920		0.70	9.2	490	4.4	8.4	<0.001	0.11	0.19	3.7	1.6	0.4	20.4	<0.01	0.12	0.2
I033921		0.88	9.5	470	4.3	12.4	0.001	0.15	0.15	4.1	1.6	0.4	24.2	<0.01	0.14	0.4
I033922		1.36	12.7	400	4.9	26.1	<0.001	0.15	0.14	6.8	1.1	0.5	30.4	<0.01	0.13	0.8
I033923		0.89	11.6	550	4.6	22.8	0.001	0.13	0.12	4.4	0.6	0.4	23.5	<0.01	0.05	0.5
I033924		1.28	13.3	610	4.3	27.5	<0.001	0.18	0.17	7.2	1.0	0.4	25.1	<0.01	0.06	1.1
I033925		1.65	18.1	330	4.1	30.2	<0.001	0.04	0.18	6.9	0.6	0.4	32.7	<0.01	0.03	1.7
I033926		1.97	18.9	490	4.7	36.1	<0.001	0.02	0.25	10.4	0.4	0.5	18.9	<0.01	0.02	2.3
I033927		0.30	4.7	1110	3.7	1.4	<0.001	0.16	0.21	1.2	0.7	0.2	22.4	<0.01	0.03	<0.2
I033928		1.07	21.6	660	5.3	14.1	<0.001	0.09	0.29	3.7	0.7	0.3	61.7	<0.01	0.02	1.4
I033929		0.87	15.9	500	5.7	9.8	<0.001	0.04	0.27	2.0	0.3	0.4	20.7	<0.01	0.02	0.5
I033930		0.95	29.6	560	8.0	19.8	<0.001	0.03	0.20	4.0	0.5	0.4	38.8	<0.01	0.02	3.0
I033931		1.12	41.3	690	10.2	22.1	<0.001	0.03	0.22	5.1	0.5	0.4	43.9	<0.01	0.02	4.7
I033932		0.96	28.7	510	6.1	13.7	<0.001	0.05	0.21	4.2	0.5	0.4	38.6	<0.01	0.03	2.5
I033933		1.12	30.8	590	16.1	22.0	<0.001	0.04	0.18	4.5	0.5	0.4	48.6	<0.01	0.01	3.5
I033934		0.72	15.5	590	6.8	11.6	<0.001	0.06	0.18	2.2	0.5	0.4	31.4	<0.01	0.01	0.4
I033935		0.89	27.6	920	10.7	16.1	<0.001	0.08	0.26	3.7	0.8	0.4	58.4	<0.01	0.02	1.3
I033936		1.13	40.6	790	20.0	31.1	<0.001	0.03	0.23	5.6	0.7	0.5	47.2	<0.01	0.04	5.6
I033937		1.01	27.2	760	15.0	24.1	<0.001	0.05	0.19	4.4	0.9	0.5	61.7	0.01	0.03	3.1
I033938		0.93	30.1	760	17.8	21.2	0.001	0.06	0.25	4.7	1.1	0.4	65.9	0.01	0.03	3.1
I033939		1.35	34.1	580	11.4	32.7	<0.001	0.01	0.16	4.1	0.5	0.6	25.5	<0.01	0.03	4.7
I033940		1.11	33.5	500	12.4	20.6	0.001	0.02	0.49	5.5	0.8	0.4	38.8	0.01	0.03	6.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033901		0.067	0.09	0.52	26	0.11	4.69	36	0.8
I033902		0.011	0.04	0.09	12	<0.05	2.27	29	0.5
I033903		0.014	<0.02	0.22	6	<0.05	3.05	29	<0.5
I033904		0.077	0.09	0.32	32	0.06	1.77	28	0.6
I033905		0.193	0.17	0.72	102	0.13	11.85	98	2.3
I033906		0.080	0.12	0.75	58	0.07	7.44	44	0.8
I033907		0.138	0.12	0.39	64	0.08	3.66	61	0.8
I033908		0.129	0.14	0.55	70	0.09	11.55	97	2.1
I033909		0.127	0.23	0.67	81	0.17	7.70	73	2.0
I033910		0.123	0.09	0.45	80	0.13	3.81	61	1.0
I033911		0.154	0.09	0.46	90	0.15	4.82	87	1.4
I033912		0.131	0.07	0.71	84	0.12	8.44	60	2.7
I033913		0.104	0.07	0.46	82	0.10	13.70	82	1.8
I033914		0.074	0.08	0.70	49	0.06	7.59	49	2.8
I033915		0.049	0.07	0.79	36	0.08	7.34	42	2.3
I033916		0.031	0.05	0.49	24	0.06	6.59	56	2.1
I033917		0.120	0.09	0.67	64	0.10	7.65	71	3.4
I033918		0.101	0.13	0.93	61	0.07	12.90	85	2.1
I033919		0.134	0.14	0.75	76	0.09	16.90	182	1.8
I033920		0.069	0.08	0.43	45	0.19	4.38	41	0.5
I033921		0.083	0.10	0.51	47	0.07	4.68	45	0.6
I033922		0.147	0.18	0.46	75	0.07	4.75	68	1.0
I033923		0.151	0.12	0.45	82	0.08	2.83	78	0.6
I033924		0.135	0.15	0.93	97	0.09	8.10	67	1.0
I033925		0.157	0.14	0.76	84	0.08	9.17	54	1.5
I033926		0.203	0.16	0.59	127	0.09	3.17	80	2.3
I033927		0.025	0.02	0.65	13	<0.05	4.06	17	<0.5
I033928		0.080	0.11	0.87	45	0.16	7.19	61	2.0
I033929		0.066	0.07	0.36	50	0.09	3.27	45	0.6
I033930		0.068	0.12	0.67	45	0.12	9.36	56	0.9
I033931		0.084	0.14	0.88	52	0.11	13.40	72	1.2
I033932		0.066	0.11	0.65	43	0.10	7.43	52	0.9
I033933		0.084	0.13	0.72	49	0.12	7.89	62	1.2
I033934		0.049	0.09	0.66	23	0.07	4.10	32	<0.5
I033935		0.067	0.15	1.31	45	0.10	13.25	60	1.0
I033936		0.087	0.20	1.38	54	0.36	10.50	80	1.3
I033937		0.066	0.16	1.60	49	0.17	9.35	59	1.3
I033938		0.060	0.19	2.44	44	0.15	14.40	63	1.3
I033939		0.091	0.26	0.83	50	0.13	9.11	48	1.3
I033940		0.058	0.16	1.51	45	0.17	15.20	49	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033941		0.24	<0.005	0.07	1.41	4.3	<0.2	<10	90	0.38	0.14	1.17	0.24	36.5	12.3	31
I033942		0.24	<0.005	0.06	1.76	4.6	<0.2	<10	140	0.35	0.14	0.94	0.12	34.6	15.2	32
I033943		0.18	<0.005	0.12	1.84	5.0	<0.2	<10	170	0.57	0.14	1.29	0.18	61.6	12.6	32
I033944		0.26	<0.005	0.08	1.54	4.5	<0.2	<10	130	0.33	0.14	0.89	0.18	29.4	10.4	33
I033945		0.26	<0.005	0.13	1.38	4.9	<0.2	<10	100	0.27	0.15	0.52	0.26	24.2	8.6	29
I033946		0.24	<0.005	0.18	1.57	6.5	<0.2	<10	130	0.40	0.15	0.74	0.12	45.4	8.1	30
I033947		0.16	<0.005	0.19	1.59	7.5	<0.2	<10	120	0.61	0.13	1.38	0.22	47.0	11.6	33
I033948		0.20	<0.005	0.10	1.15	14.0	<0.2	<10	80	0.38	0.07	1.93	0.32	18.95	9.0	26
I033949		0.26	0.005	0.22	1.81	63.0	<0.2	<10	110	0.45	0.14	1.32	0.34	23.7	15.8	34
I033950		0.24	<0.005	0.20	1.12	14.1	<0.2	<10	60	0.21	0.31	0.29	0.15	18.50	5.1	24
I033951		0.26	<0.005	0.08	1.20	3.9	<0.2	<10	120	0.26	0.25	0.58	0.10	37.0	6.7	25
I033952		0.18	<0.005	0.12	0.63	3.2	<0.2	<10	70	0.23	0.13	0.18	0.16	30.1	3.9	13
I033953		0.14	<0.005	0.04	0.40	4.0	<0.2	<10	20	0.05	0.22	0.07	0.13	17.70	2.4	11
I033954		0.38	<0.005	0.01	1.84	5.3	<0.2	<10	60	0.35	0.23	0.09	0.08	36.7	8.1	29
I033955		0.36	<0.005	0.02	1.63	6.6	<0.2	<10	110	0.29	0.23	0.12	0.09	44.0	9.1	31
I033956		0.72	<0.005	0.11	1.88	6.0	<0.2	<10	200	0.35	0.21	0.52	0.10	50.0	10.6	36
I033957		0.30	<0.005	0.17	1.02	3.3	<0.2	<10	110	0.27	0.20	0.66	0.11	43.7	5.6	17
I033958		0.48	<0.005	0.06	1.99	1.2	<0.2	<10	50	0.56	0.58	0.14	0.05	147.0	14.8	28
I033959		0.32	0.100	0.07	2.11	12.9	<0.2	<10	120	0.31	0.30	0.11	0.09	30.1	8.0	36
I033960		0.32	<0.005	0.05	1.42	9.5	<0.2	<10	80	0.23	0.25	0.12	0.08	23.4	5.8	26
I033961		0.44	0.005	0.08	1.85	5.8	<0.2	<10	190	0.37	0.19	0.42	0.06	42.4	9.4	32
I033962		0.48	<0.005	0.08	2.00	5.0	<0.2	<10	210	0.36	0.19	0.55	0.09	30.5	13.1	30
I033963		0.34	<0.005	0.07	0.83	5.9	<0.2	<10	60	0.13	0.30	0.07	0.08	25.1	4.1	16
I033964		0.42	<0.005	0.16	1.67	4.8	<0.2	<10	120	0.35	0.28	0.42	0.17	43.1	8.9	30
I033965		0.58	<0.005	0.04	1.97	6.9	<0.2	<10	140	0.41	0.22	0.22	0.08	46.1	8.8	30
I033966		0.44	<0.005	0.06	1.82	5.2	<0.2	<10	140	0.49	0.25	0.26	0.11	49.7	13.3	36
I033967		0.30	0.006	0.29	1.40	9.8	<0.2	<10	160	0.26	0.18	0.25	1.10	22.0	4.7	47
I033968		0.32	<0.005	0.17	1.66	8.1	<0.2	<10	160	0.26	0.17	0.39	0.32	24.8	9.5	33
I033969		0.26	0.005	0.13	1.47	5.2	<0.2	<10	300	0.32	0.18	0.46	0.29	31.1	7.5	26
I033970		0.26	0.006	0.38	1.67	9.7	<0.2	<10	570	0.47	0.19	1.25	0.43	62.0	14.2	33
I033971		0.18	0.006	0.33	1.66	10.3	<0.2	<10	380	0.79	0.19	0.84	0.42	112.5	13.0	26
I033972		0.56	0.007	0.16	2.24	10.1	<0.2	<10	350	0.66	0.16	0.66	0.25	39.7	21.1	35
I033973		0.20	0.007	0.20	1.41	5.1	<0.2	<10	340	0.42	0.54	1.22	0.31	46.5	11.9	24
I033974		0.40	0.006	0.15	1.76	5.4	<0.2	<10	260	0.28	0.20	0.21	0.12	15.90	13.4	24
I033975		0.36	0.006	0.12	2.26	4.5	<0.2	<10	320	0.40	0.18	0.40	0.17	33.1	25.3	21
I033976		0.62	0.005	0.29	2.82	2.4	<0.2	<10	720	0.56	0.13	0.74	0.15	45.0	30.9	35
I033977		0.58	0.006	0.11	1.95	6.0	<0.2	<10	260	0.29	0.13	0.51	0.12	19.15	23.0	27
I033978		0.62	0.005	0.06	1.63	4.1	<0.2	<10	350	0.13	0.12	0.40	0.11	15.05	17.6	21
I033979		0.42	0.006	0.22	1.67	3.5	<0.2	<10	310	0.36	0.72	0.36	0.24	32.0	10.2	19
I033980		0.62	0.005	0.21	1.66	4.0	<0.2	<10	220	0.31	0.46	0.36	0.31	32.6	9.1	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033941		1.86	32.8	2.35	4.60	0.08	0.04	0.04	0.024	0.06	22.0	11.7	0.47	457	0.89
I033942		1.50	26.2	2.76	5.16	0.08	0.06	0.03	0.023	0.05	19.2	14.5	0.53	416	0.73
I033943		1.45	34.4	2.57	4.96	0.14	0.09	0.05	0.025	0.06	50.5	17.5	0.46	509	0.80
I033944		1.39	27.0	2.42	4.81	0.07	0.05	0.04	0.021	0.06	18.9	13.1	0.50	349	0.77
I033945		0.90	27.0	2.42	4.97	0.07	0.03	0.05	0.020	0.08	16.1	12.2	0.44	245	0.97
I033946		1.36	34.4	2.42	5.50	0.09	0.04	0.04	0.023	0.07	33.4	12.0	0.47	187	0.93
I033947		1.97	39.5	2.66	4.68	0.10	0.06	0.06	0.023	0.09	32.9	12.2	0.45	557	1.05
I033948		2.75	24.9	2.05	3.53	0.06	0.06	0.04	0.017	0.11	11.4	11.7	0.46	311	0.54
I033949		3.95	34.9	2.71	5.59	0.07	0.04	0.05	0.028	0.08	15.8	17.5	0.63	457	1.32
I033950		3.57	12.7	1.70	4.95	0.05	0.02	0.04	0.017	0.06	10.1	8.2	0.37	227	0.60
I033951		1.84	22.2	2.35	6.30	0.08	0.03	0.03	0.020	0.09	20.3	9.8	0.39	176	0.68
I033952		0.78	21.8	1.26	2.66	0.05	<0.02	0.08	0.014	0.05	18.4	2.8	0.12	147	0.89
I033953		0.94	13.7	1.19	4.12	<0.05	<0.02	0.03	0.010	0.04	8.6	1.3	0.07	77	1.22
I033954		2.24	19.0	3.76	5.63	0.07	0.04	0.02	0.029	0.30	10.9	16.7	0.51	279	0.68
I033955		1.30	24.1	3.36	6.19	0.07	0.04	0.02	0.027	0.14	15.2	12.9	0.44	385	0.94
I033956		1.23	29.9	3.09	5.86	0.11	0.09	0.03	0.030	0.09	29.6	16.7	0.61	651	0.55
I033957		1.15	19.2	1.83	4.57	0.13	0.05	0.03	0.017	0.07	53.7	6.8	0.21	298	0.65
I033958		3.62	43.2	4.51	5.42	0.14	0.12	0.01	0.027	0.62	31.6	18.6	0.85	739	0.43
I033959		1.58	18.1	4.52	9.55	0.08	0.08	0.01	0.032	0.07	13.6	17.2	0.48	387	1.75
I033960		1.11	16.3	3.00	7.62	0.06	0.03	0.03	0.023	0.07	10.7	11.8	0.36	168	1.32
I033961		1.14	23.5	2.74	5.59	0.09	0.06	0.04	0.024	0.08	23.3	15.1	0.61	359	0.48
I033962		1.58	20.4	3.18	6.52	0.09	0.07	0.04	0.026	0.15	17.4	24.4	0.80	435	0.51
I033963		0.87	19.1	2.37	7.55	0.05	0.03	0.02	0.015	0.04	11.0	3.1	0.11	148	1.63
I033964		1.80	19.2	2.58	5.52	0.10	0.04	0.02	0.024	0.10	24.4	16.0	0.62	198	0.41
I033965		1.56	24.7	2.90	5.76	0.09	0.04	0.03	0.026	0.11	20.8	13.4	0.56	153	0.51
I033966		2.73	24.8	3.43	5.75	0.10	0.03	0.02	0.032	0.11	23.2	11.3	0.58	432	0.81
I033967		1.02	33.8	2.77	7.01	0.08	0.03	0.02	0.024	0.20	13.7	7.0	0.65	214	6.96
I033968		1.30	22.5	3.10	6.61	0.08	0.04	0.02	0.029	0.14	12.8	11.7	0.67	384	2.73
I033969		1.15	22.8	2.73	7.00	0.08	0.05	0.03	0.028	0.09	18.7	9.0	0.50	742	1.65
I033970		2.10	84.1	3.41	6.29	0.16	0.10	0.04	0.046	0.13	36.5	12.7	0.92	1380	2.21
I033971		1.48	46.5	2.80	5.82	0.19	0.07	0.08	0.031	0.09	69.7	12.0	0.49	399	1.23
I033972		4.12	30.6	4.67	7.83	0.13	0.07	0.02	0.040	0.22	19.6	19.7	1.35	866	1.20
I033973		1.97	28.8	2.85	4.72	0.10	0.06	0.05	0.024	0.18	29.3	10.5	0.60	681	1.41
I033974		0.62	18.1	3.11	6.21	0.05	0.02	0.01	0.021	0.14	6.7	9.8	0.54	453	1.47
I033975		2.08	81.2	4.59	7.80	0.10	0.04	0.03	0.025	0.50	17.6	19.0	1.14	453	1.45
I033976		5.43	102.0	5.30	8.94	0.18	0.06	0.03	0.029	0.82	38.9	15.6	1.67	587	1.78
I033977		2.25	54.0	3.93	7.23	0.09	0.03	0.02	0.022	0.26	9.2	18.0	0.97	452	0.90
I033978		1.76	52.0	3.02	7.82	0.07	0.02	0.01	0.015	0.22	7.6	9.9	0.91	243	0.69
I033979		2.33	41.9	3.24	5.70	0.09	0.03	0.03	0.020	0.33	20.3	12.0	0.76	408	1.73
I033980		1.89	22.0	2.69	6.08	0.08	0.03	0.05	0.019	0.23	20.3	12.2	0.81	464	1.99



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033941		0.93	25.4	600	8.3	11.7	0.001	0.05	0.30	3.7	0.8	0.4	68.8	0.01	0.03
I033942		1.32	28.9	390	9.2	11.6	<0.001	0.04	0.20	4.5	0.7	0.4	67.1	<0.01	0.03
I033943		1.17	32.2	490	9.4	11.5	0.001	0.06	0.30	5.3	1.2	0.4	88.3	0.01	0.03
I033944		1.16	26.6	460	9.2	13.0	<0.001	0.04	0.23	4.2	0.8	0.4	62.8	0.01	0.02
I033945		1.05	26.4	380	8.0	12.3	<0.001	0.03	0.23	3.5	0.6	0.4	38.1	<0.01	0.03
I033946		1.10	28.9	520	11.0	10.6	0.001	0.05	0.30	4.2	0.8	0.4	47.3	0.01	0.02
I033947		1.18	38.5	560	10.7	14.0	0.001	0.05	0.52	4.6	1.0	0.3	83.7	0.01	0.03
I033948		1.01	25.6	500	8.2	19.3	0.001	0.07	0.96	3.5	0.8	0.3	95.5	0.01	0.03
I033949		1.05	25.2	690	12.2	13.9	0.002	0.09	7.12	4.8	1.0	0.4	67.5	<0.01	0.03
I033950		0.85	13.8	630	22.0	12.3	<0.001	0.05	0.86	2.4	0.6	0.5	23.2	<0.01	0.02
I033951		1.67	18.1	550	12.7	21.3	<0.001	0.03	0.21	2.5	0.7	0.6	24.1	0.01	0.02
I033952		0.37	9.3	590	7.0	8.1	<0.001	0.04	0.23	0.9	0.6	0.3	15.4	<0.01	0.02
I033953		0.79	8.1	340	6.5	6.3	<0.001	0.02	0.39	0.8	0.4	0.5	9.4	<0.01	0.03
I033954		3.05	21.7	360	12.5	36.1	<0.001	0.01	0.23	3.2	0.7	0.5	8.9	0.01	0.03
I033955		1.91	25.6	290	13.9	20.2	<0.001	0.01	0.32	3.5	0.5	0.5	12.4	<0.01	0.03
I033956		1.79	26.7	800	10.3	17.7	<0.001	0.01	0.56	6.6	0.7	0.5	31.2	0.01	0.02
I033957		0.98	12.1	590	10.6	17.7	<0.001	0.04	0.21	1.8	0.9	0.4	27.9	0.01	0.02
I033958		2.30	41.0	520	22.3	95.5	0.001	<0.01	0.06	3.3	0.9	0.4	7.6	0.01	0.04
I033959		2.41	19.4	300	14.7	18.8	<0.001	<0.01	0.58	4.0	0.4	0.8	14.1	<0.01	0.04
I033960		1.76	17.1	290	12.6	15.0	<0.001	0.01	0.40	2.5	0.5	0.6	13.3	<0.01	0.03
I033961		1.59	24.1	760	9.7	16.0	<0.001	0.01	0.30	5.5	0.6	0.5	27.2	0.01	0.02
I033962		1.65	24.8	990	11.5	25.9	<0.001	0.01	0.30	5.7	0.6	0.5	28.6	<0.01	0.02
I033963		1.78	13.3	310	11.8	9.5	<0.001	0.01	0.49	1.7	0.5	0.7	10.1	<0.01	0.03
I033964		2.05	22.2	940	18.5	21.6	<0.001	0.02	0.24	3.7	0.5	0.5	26.0	<0.01	0.02
I033965		1.70	23.5	590	11.1	19.4	<0.001	0.01	0.32	4.0	0.7	0.5	18.2	0.01	0.02
I033966		1.81	30.7	640	16.1	21.8	<0.001	0.01	0.24	4.8	0.6	0.5	19.4	0.01	0.03
I033967		1.65	21.4	440	16.5	22.6	0.001	0.13	0.27	3.8	1.8	0.5	34.4	<0.01	0.06
I033968		1.72	19.3	440	10.1	20.1	<0.001	0.02	0.33	4.9	1.0	0.5	23.0	<0.01	0.04
I033969		1.46	15.9	330	8.5	12.0	<0.001	0.01	0.25	5.2	0.6	0.5	28.5	0.01	0.03
I033970		1.55	22.6	890	9.5	20.3	0.001	0.05	0.39	10.1	2.0	0.6	50.8	0.02	0.04
I033971		1.11	27.0	680	12.4	13.8	0.001	0.05	0.33	5.2	1.6	0.4	45.9	0.01	0.04
I033972		1.10	24.2	710	12.7	25.3	<0.001	0.01	0.22	15.6	0.7	0.4	27.5	0.01	0.04
I033973		1.53	17.4	620	19.2	20.2	<0.001	0.07	0.28	5.3	1.0	0.4	39.7	0.01	0.07
I033974		2.12	15.4	250	13.2	8.6	<0.001	0.02	0.34	2.9	0.3	0.6	21.1	<0.01	0.04
I033975		2.59	16.8	1280	12.8	36.0	<0.001	0.08	0.18	4.7	0.8	0.6	40.0	0.01	0.09
I033976		1.69	17.3	1960	10.9	48.2	<0.001	0.05	0.13	9.1	1.1	0.6	40.7	0.01	0.06
I033977		1.42	22.2	1190	8.3	20.5	<0.001	0.02	0.18	5.8	0.5	0.6	27.5	<0.01	0.03
I033978		0.85	16.8	700	6.9	19.1	<0.001	0.03	0.14	3.4	0.5	0.5	22.7	<0.01	0.02
I033979		1.88	13.1	750	25.7	26.4	<0.001	0.04	0.19	3.5	0.6	0.5	22.0	<0.01	0.06
I033980		2.04	16.9	520	19.6	24.8	<0.001	0.05	0.17	3.4	0.6	0.5	25.0	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I033941		0.054	0.10	1.83	39	0.18	9.17	37
I033942		0.066	0.11	1.30	47	0.17	7.02	42
I033943		0.053	0.10	2.66	41	0.15	22.4	38
I033944		0.062	0.09	1.36	43	0.14	7.74	38
I033945		0.065	0.07	0.95	48	0.24	5.64	38
I033946		0.057	0.08	1.64	41	0.16	9.72	36
I033947		0.063	0.10	2.22	43	0.21	15.20	43
I033948		0.055	0.11	0.89	32	0.09	6.78	52
I033949		0.057	0.13	3.78	45	0.13	7.25	87
I033950		0.070	0.14	1.66	36	0.19	3.99	40
I033951		0.092	0.18	1.74	43	0.15	8.12	38
I033952		0.030	0.07	0.88	22	0.11	5.17	22
I033953		0.053	0.09	0.64	41	0.11	2.42	25
I033954		0.119	0.29	1.07	41	0.13	6.98	58
I033955		0.106	0.19	1.02	54	0.15	6.27	54
I033956		0.112	0.17	1.89	49	0.15	13.70	64
I033957		0.062	0.12	1.32	34	0.19	18.80	26
I033958		0.190	0.80	2.15	23	0.07	18.20	76
I033959		0.106	0.16	0.64	88	0.18	3.83	54
I033960		0.098	0.13	0.73	68	0.17	3.71	37
I033961		0.103	0.16	1.03	49	0.17	10.70	47
I033962		0.131	0.23	1.05	61	0.16	8.35	62
I033963		0.093	0.10	0.69	71	0.12	3.07	37
I033964		0.102	0.19	1.23	46	0.18	8.27	63
I033965		0.088	0.19	1.25	49	0.27	9.02	47
I033966		0.084	0.23	1.34	53	0.12	8.60	60
I033967		0.089	0.21	1.28	110	0.18	5.72	113
I033968		0.087	0.10	0.74	64	0.18	6.90	83
I033969		0.073	0.07	0.88	59	0.20	10.10	59
I033970		0.097	0.11	4.06	72	0.18	30.3	89
I033971		0.060	0.09	3.01	50	0.18	28.8	57
I033972		0.099	0.15	1.36	86	0.21	11.65	96
I033973		0.068	0.13	1.82	45	0.17	16.20	95
I033974		0.099	0.09	0.46	66	0.15	2.33	57
I033975		0.214	0.23	1.38	103	0.14	6.73	110
I033976		0.232	0.32	1.60	134	0.12	15.45	135
I033977		0.157	0.14	0.72	112	0.16	4.68	80
I033978		0.158	0.13	0.56	102	0.24	3.80	52
I033979		0.101	0.21	1.09	49	0.14	8.02	118
I033980		0.095	0.17	1.20	43	0.40	8.97	134



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033981		0.38	0.006	0.20	1.66	6.6	<0.2	<10	290	0.32	0.32	0.78	0.60	30.8	13.3	26
I033982		0.56	0.006	0.25	1.73	4.5	<0.2	<10	290	0.40	0.40	0.77	0.73	45.7	13.3	32
I033983		0.54	0.008	0.06	2.59	7.0	<0.2	<10	260	0.78	0.14	0.33	0.09	65.0	24.5	57
I033984		0.64	0.010	0.06	2.01	5.1	<0.2	<10	200	0.40	0.11	0.35	0.06	27.9	13.7	46
I033985		0.48	0.007	0.09	2.07	8.9	<0.2	<10	130	0.39	0.16	0.29	0.10	25.8	11.6	36
I033986		0.66	0.018	0.45	1.94	107.0	<0.2	<10	160	0.56	1.52	0.32	0.25	24.5	17.2	30
I033987		0.60	0.022	0.52	2.95	37.9	<0.2	<10	160	0.63	0.34	0.45	0.30	24.8	21.0	65
I033988		0.42	<0.005	0.10	1.80	10.8	<0.2	<10	100	0.22	0.18	0.32	0.13	14.45	9.8	30
I033989		0.56	0.012	0.39	2.06	96.9	<0.2	<10	110	0.72	0.16	0.41	0.40	30.5	14.6	35
I033990		0.40	0.006	0.07	1.61	6.4	<0.2	<10	420	0.49	0.14	0.73	0.34	27.4	13.7	23
I033991		0.52	0.006	0.13	1.99	21.4	<0.2	<10	90	0.65	0.18	0.29	0.17	26.1	16.7	33
I033992		1.00	0.005	0.05	2.15	4.6	<0.2	<10	100	0.88	0.06	0.61	0.06	21.2	23.3	21
I033993		0.54	0.007	0.06	1.19	11.5	<0.2	<10	50	0.20	0.22	0.24	0.10	19.15	8.9	28
I033994		0.68	0.005	0.09	2.25	8.8	<0.2	<10	150	0.53	0.17	0.33	0.07	39.0	13.4	38
I033995		0.56	0.008	0.03	2.45	8.8	<0.2	<10	90	0.41	0.12	0.22	0.11	26.7	17.3	81
I033996		0.16	NSS	0.03	0.27	12.8	<0.2	<10	70	0.28	0.04	0.51	0.20	23.7	10.8	10
I033997		0.52	0.007	0.07	3.13	12.8	<0.2	<10	210	0.52	0.14	0.25	0.08	19.05	18.8	43
I033998		0.50	0.014	0.07	2.26	11.7	<0.2	<10	130	0.67	0.14	0.40	0.07	24.4	17.0	36
I033999		0.64	0.007	0.10	1.85	4.9	<0.2	<10	130	0.56	0.13	0.35	0.07	29.8	17.3	38
I034000		0.68	0.008	0.08	2.05	5.9	<0.2	<10	90	0.65	0.18	0.40	0.12	27.8	20.8	52
I314851		0.40	0.005	0.08	1.99	8.5	<0.2	<10	180	0.45	0.19	0.14	0.06	19.70	8.9	30
I314852		0.40	<0.005	0.06	1.99	5.5	<0.2	<10	70	0.30	0.08	0.09	0.05	11.70	9.5	15
I314853		0.44	<0.005	0.11	1.82	7.0	<0.2	<10	100	0.24	0.12	0.09	0.04	13.15	9.1	20
I314854		0.32	0.007	0.19	1.65	13.7	<0.2	<10	100	0.30	0.26	0.09	0.08	17.75	5.8	32
I314855		0.34	<0.005	0.10	1.71	4.0	<0.2	<10	100	0.17	0.13	0.23	0.06	14.35	6.3	16
I314856		0.38	0.008	0.13	1.64	6.3	<0.2	<10	230	0.84	0.18	0.13	0.05	34.5	8.1	23
I314857		0.44	0.007	0.14	1.93	12.0	<0.2	<10	90	0.30	0.23	0.09	0.06	21.2	5.5	28
I314858		0.34	<0.005	0.09	1.64	6.0	<0.2	<10	200	0.30	0.18	0.23	0.15	16.60	7.8	25
I314859		0.44	<0.005	0.06	1.79	6.3	<0.2	<10	150	0.30	0.17	0.17	0.07	15.70	7.3	23
I314860		0.32	0.005	0.22	1.77	8.5	<0.2	<10	160	0.39	0.19	0.12	0.08	17.55	6.6	27
I314861		0.32	0.006	0.21	1.64	7.3	<0.2	<10	160	0.36	0.18	0.11	0.10	18.20	6.3	23
I314862		0.40	0.005	0.15	1.73	4.5	<0.2	<10	180	0.39	0.17	0.22	0.06	17.55	10.2	23
I314863		0.40	0.006	0.11	1.84	5.8	<0.2	<10	140	0.28	0.18	0.20	0.05	17.65	5.9	27
I314864		0.40	<0.005	0.04	1.07	2.6	<0.2	<10	60	0.15	0.12	0.17	0.05	10.55	3.0	16
I314865		0.40	0.006	0.06	1.71	4.7	<0.2	<10	140	0.28	0.18	0.21	0.07	15.45	5.4	24
I314866		0.38	0.008	0.06	2.31	3.4	<0.2	<10	210	0.43	0.11	0.61	0.03	17.30	17.4	51
I314867		0.38	<0.005	0.04	2.42	2.2	<0.2	<10	240	0.44	0.09	0.63	0.05	15.15	19.4	63
I314868		0.28	<0.005	0.04	2.08	3.5	<0.2	<10	190	0.47	0.11	0.81	0.07	17.90	14.3	64
I314869		0.36	<0.005	0.02	2.78	2.6	<0.2	<10	240	0.44	0.07	0.51	0.04	7.76	20.7	140
I314870		0.30	NSS	0.01	0.12	2.1	<0.2	<10	30	0.09	0.01	0.10	0.04	9.59	2.1	3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033981		1.86	38.9	3.08	6.00	0.09	0.04	0.07	0.028	0.11	17.4	12.1	0.74	652	0.93
I033982		3.82	47.3	3.36	5.65	0.11	0.05	0.05	0.027	0.29	26.6	12.9	0.82	767	1.57
I033983		4.23	52.1	4.41	8.67	0.14	0.07	0.01	0.034	0.24	25.7	20.8	1.01	761	0.81
I033984		2.45	28.3	3.14	6.27	0.08	0.05	0.01	0.021	0.12	14.8	15.4	0.80	296	0.71
I033985		1.58	22.9	3.22	7.25	0.08	0.03	0.03	0.030	0.05	14.4	15.9	0.56	244	0.98
I033986		9.69	22.4	4.47	4.94	0.08	0.04	0.03	0.057	0.06	12.2	15.1	0.55	661	1.08
I033987		4.38	49.1	3.44	8.46	0.08	0.06	0.04	0.037	0.06	12.5	16.5	0.80	434	1.30
I033988		2.94	19.9	3.00	7.12	0.06	0.03	0.02	0.025	0.04	7.1	13.1	0.46	350	1.14
I033989		4.91	37.2	2.81	5.81	0.07	0.06	0.04	0.030	0.05	16.5	15.5	0.70	437	0.82
I033990		0.51	27.1	2.36	5.22	0.07	0.07	0.02	0.023	0.09	12.0	13.8	0.88	882	0.87
I033991		8.00	34.1	3.19	6.03	0.06	0.06	0.03	0.030	0.05	11.0	16.2	0.60	537	0.89
I033992		8.20	39.5	3.78	5.20	0.11	0.09	0.01	0.013	0.25	11.9	14.3	1.40	540	0.49
I033993		2.47	22.7	2.77	8.31	0.06	0.05	0.02	0.019	0.06	9.1	8.6	0.47	235	1.21
I033994		3.03	34.9	3.14	6.49	0.09	0.06	0.03	0.029	0.09	19.4	17.0	0.73	265	0.71
I033995		3.66	31.3	4.03	6.50	0.08	0.09	0.02	0.027	0.12	12.2	19.7	0.83	376	0.92
I033996		0.30	8.8	2.28	1.40	0.08	0.07	0.02	0.007	0.04	12.4	3.5	0.22	811	1.31
I033997		2.91	34.7	3.86	7.47	0.07	0.09	0.03	0.031	0.05	8.1	16.9	0.75	285	1.05
I033998		3.18	36.2	2.96	6.14	0.07	0.05	0.03	0.025	0.05	12.0	19.7	0.92	221	0.67
I033999		3.05	44.6	3.20	5.39	0.08	0.03	0.03	0.017	0.22	16.6	15.4	0.74	216	0.63
I034000		4.96	38.7	3.90	6.67	0.10	0.04	0.02	0.024	0.17	14.1	22.6	0.97	549	0.76
I314851		1.17	19.9	2.83	6.61	0.06	0.02	0.02	0.031	0.04	9.8	12.8	0.36	220	0.71
I314852		2.75	29.4	3.05	7.49	0.06	0.04	0.01	0.017	0.05	5.5	33.6	0.89	377	0.62
I314853		1.06	17.2	3.01	8.71	0.06	0.03	0.01	0.017	0.03	6.4	22.0	0.76	188	0.68
I314854		1.18	13.2	3.52	8.38	0.06	0.09	0.04	0.026	0.04	9.0	11.5	0.25	200	1.39
I314855		1.85	14.0	2.37	8.39	0.06	0.02	0.02	0.016	0.04	7.1	19.6	1.25	253	0.71
I314856		1.82	14.8	2.54	5.84	0.08	0.06	0.02	0.021	0.06	16.6	14.1	0.35	550	1.10
I314857		1.03	12.8	3.65	7.42	0.06	0.04	0.03	0.026	0.04	10.7	16.6	0.30	145	1.22
I314858		1.62	11.0	2.66	7.10	0.05	0.02	0.02	0.020	0.04	8.1	14.3	0.38	324	0.92
I314859		0.67	9.9	3.05	9.72	0.05	0.02	0.01	0.019	0.08	8.0	15.0	0.68	390	0.88
I314860		0.82	11.2	2.95	6.99	<0.05	0.03	0.02	0.022	0.07	8.9	11.3	0.36	260	0.97
I314861		0.76	10.1	2.72	6.42	<0.05	0.02	0.01	0.021	0.06	9.1	11.0	0.32	460	0.90
I314862		0.87	12.6	2.57	6.95	<0.05	0.04	0.01	0.020	0.04	8.6	11.1	0.46	684	0.86
I314863		1.11	11.1	2.43	7.34	<0.05	0.09	0.01	0.020	0.03	9.1	11.6	0.48	129	0.77
I314864		0.75	8.6	1.26	5.22	<0.05	0.02	0.02	0.014	0.03	5.2	9.2	0.69	157	0.70
I314865		0.81	8.6	2.18	7.04	<0.05	0.07	0.01	0.019	0.03	7.9	13.2	0.60	214	0.88
I314866		0.43	20.3	2.96	6.54	0.05	0.11	0.01	0.021	0.04	6.5	9.8	0.91	770	0.74
I314867		0.26	22.9	3.36	6.93	0.06	0.13	0.01	0.021	0.08	6.2	13.7	1.30	864	0.50
I314868		0.30	27.1	2.95	5.91	0.05	0.14	0.01	0.023	0.10	7.7	9.7	0.77	608	0.67
I314869		0.43	20.7	3.06	7.40	<0.05	0.05	0.01	0.014	0.03	3.6	15.5	1.51	450	0.71
I314870		0.08	2.6	0.71	0.52	<0.05	0.07	0.01	<0.005	0.04	5.0	1.1	0.06	158	0.30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033981		1.67	20.2	650	39.6	18.0	<0.001	0.05	0.33	5.9	0.7	0.4	34.1	0.01	0.04
I033982		1.64	18.8	890	54.9	28.6	0.001	0.05	0.28	6.1	1.0	0.5	33.7	0.01	0.04
I033983		1.95	66.8	560	11.4	26.9	<0.001	0.03	0.33	7.0	0.7	2.3	32.4	0.01	0.04
I033984		1.75	38.7	420	11.0	18.7	<0.001	0.03	0.24	4.6	0.4	0.8	34.5	<0.01	0.03
I033985		1.80	30.9	390	11.2	9.4	<0.001	0.03	0.34	4.5	0.6	0.5	29.2	0.01	0.04
I033986		1.19	30.5	770	32.7	10.4	<0.001	0.03	1.89	5.6	0.8	0.3	23.1	<0.01	0.15
I033987		2.17	43.3	620	39.3	11.1	<0.001	0.04	0.64	6.4	1.1	0.5	44.7	0.01	0.09
I033988		1.69	18.8	440	14.7	7.9	<0.001	0.04	0.36	3.3	0.5	0.5	42.6	0.01	0.04
I033989		1.48	26.0	570	70.4	8.8	<0.001	0.04	0.89	5.1	0.7	0.5	30.3	0.01	0.03
I033990		1.39	23.4	530	8.0	12.1	<0.001	0.03	0.36	5.7	0.5	0.4	42.8	<0.01	0.03
I033991		1.88	28.5	310	50.8	8.3	<0.001	0.04	0.83	4.5	0.5	0.5	23.5	<0.01	0.03
I033992		0.66	22.3	1040	4.1	33.6	<0.001	0.03	0.47	4.7	0.5	0.3	31.9	<0.01	0.01
I033993		2.14	19.5	370	18.9	10.0	<0.001	0.04	0.38	3.3	0.4	0.7	20.1	<0.01	0.03
I033994		1.79	35.2	520	16.5	15.5	<0.001	0.03	0.47	5.8	0.6	0.5	25.7	0.01	0.03
I033995		1.97	48.8	480	11.1	19.5	<0.001	0.03	0.44	5.7	0.5	0.4	19.6	0.01	0.04
I033996		0.57	20.6	590	5.1	4.8	<0.001	0.03	0.53	2.0	0.4	0.2	12.6	<0.01	0.01
I033997		2.15	42.6	220	8.1	11.7	<0.001	0.03	0.53	5.3	0.4	0.5	26.2	<0.01	0.04
I033998		1.44	38.2	720	13.9	8.1	<0.001	0.04	0.54	5.3	0.6	0.4	28.3	<0.01	0.02
I033999		1.63	47.1	560	12.7	37.8	<0.001	0.05	0.35	3.8	0.5	0.4	31.8	<0.01	0.03
I034000		1.57	49.9	820	26.7	22.4	<0.001	0.03	0.26	5.3	0.6	0.4	30.2	<0.01	0.04
I314851		1.82	20.9	230	11.0	9.6	<0.001	0.03	0.47	3.3	0.5	0.6	16.7	0.01	0.03
I314852		3.52	9.8	210	4.1	13.2	<0.001	0.02	0.22	3.3	0.3	0.5	11.9	<0.01	0.03
I314853		2.68	11.7	180	6.4	9.4	<0.001	0.02	0.32	3.3	0.3	0.5	11.1	<0.01	0.03
I314854		2.58	13.5	390	12.0	9.8	<0.001	0.03	0.52	2.8	0.4	0.8	10.0	0.01	0.05
I314855		1.99	8.8	200	8.4	12.6	<0.001	0.02	0.18	3.5	0.3	0.5	17.6	<0.01	0.03
I314856		1.49	14.4	300	11.6	14.7	<0.001	0.02	0.29	3.5	0.4	0.5	14.0	<0.01	0.03
I314857		1.94	13.7	350	11.9	9.8	<0.001	0.03	0.44	3.2	0.4	0.6	10.8	<0.01	0.04
I314858		1.84	17.2	440	9.6	14.3	<0.001	0.03	0.41	2.5	0.3	0.6	25.5	<0.01	0.03
I314859		1.22	12.7	380	9.0	16.3	<0.001	0.01	0.29	2.8	<0.2	0.6	19.9	<0.01	0.02
I314860		1.64	17.1	370	9.0	12.7	<0.001	0.01	0.41	2.8	<0.2	0.6	11.4	<0.01	0.03
I314861		1.49	14.5	350	8.4	11.9	<0.001	0.01	0.37	2.6	<0.2	0.6	10.8	<0.01	0.02
I314862		1.52	15.4	220	8.1	10.9	<0.001	0.01	0.32	3.2	<0.2	0.7	15.5	<0.01	0.02
I314863		1.53	14.5	110	8.6	10.1	<0.001	0.01	0.30	3.4	<0.2	0.7	14.2	<0.01	0.02
I314864		1.07	10.1	140	5.3	6.3	<0.001	0.01	0.16	2.1	<0.2	0.5	9.3	<0.01	0.02
I314865		1.55	12.9	160	9.0	5.5	<0.001	0.01	0.25	2.9	<0.2	0.6	13.2	<0.01	0.02
I314866		1.49	26.7	220	5.0	4.1	<0.001	0.02	0.24	5.7	0.2	0.5	32.9	<0.01	0.02
I314867		1.41	40.2	540	4.4	9.5	<0.001	0.01	0.17	6.0	0.2	0.4	30.8	<0.01	0.01
I314868		1.80	35.9	370	5.2	8.7	<0.001	0.02	0.27	6.0	0.2	0.5	39.8	<0.01	0.02
I314869		2.09	69.4	330	3.5	3.6	<0.001	0.01	0.20	3.7	<0.2	0.4	26.1	<0.01	0.01
I314870		0.15	3.8	120	1.5	1.8	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033981		0.098	0.14	1.22	61	0.16	10.10	188	1.4
I033982		0.108	0.22	1.45	59	0.30	14.00	223	1.4
I033983		0.140	0.19	0.81	93	0.15	10.55	74	3.1
I033984		0.124	0.16	0.82	63	0.16	6.28	51	1.8
I033985		0.097	0.09	0.72	66	0.15	5.89	46	1.3
I033986		0.049	0.27	0.88	53	0.31	8.11	78	1.5
I033987		0.104	0.33	1.02	72	0.23	8.93	85	2.2
I033988		0.105	0.08	0.52	74	0.20	3.57	37	1.1
I033989		0.087	0.12	1.12	58	0.15	8.18	98	1.9
I033990		0.085	0.05	0.62	52	0.14	7.33	57	2.7
I033991		0.104	0.10	0.85	65	0.14	4.70	61	2.7
I033992		0.151	0.28	0.79	64	0.13	6.16	57	3.8
I033993		0.150	0.08	0.58	90	0.17	3.20	37	2.1
I033994		0.116	0.16	0.99	60	0.13	10.65	54	2.0
I033995		0.127	0.18	0.63	69	0.15	5.37	51	3.9
I033996		0.021	0.15	0.66	17	0.10	7.51	20	3.4
I033997		0.135	0.13	0.50	80	0.18	3.85	49	4.1
I033998		0.099	0.13	0.66	57	0.16	6.96	56	1.4
I033999		0.109	0.30	1.38	46	0.13	5.43	54	1.1
I034000		0.115	0.19	0.75	64	0.15	6.51	83	1.2
I314851		0.074	0.09	0.66	61	0.21	3.21	37	0.9
I314852		0.189	0.08	0.28	72	0.18	2.43	32	1.7
I314853		0.170	0.10	0.42	83	0.16	2.06	41	1.2
I314854		0.094	0.11	0.42	85	0.26	2.10	31	4.4
I314855		0.123	0.08	0.37	66	0.16	2.73	42	0.8
I314856		0.043	0.11	0.69	56	0.15	7.91	36	2.0
I314857		0.066	0.10	0.44	73	0.19	2.79	31	2.1
I314858		0.074	0.11	0.33	62	0.19	1.98	62	0.8
I314859		0.063	0.09	0.33	73	0.14	2.04	66	1.1
I314860		0.069	0.09	0.29	64	0.18	2.12	39	1.7
I314861		0.061	0.08	0.28	59	0.17	2.21	37	0.9
I314862		0.072	0.11	0.30	63	0.21	2.47	46	1.5
I314863		0.078	0.12	0.36	67	0.15	2.39	33	3.5
I314864		0.054	0.07	0.46	37	0.15	1.91	27	1.2
I314865		0.069	0.10	0.32	61	0.20	2.07	34	2.2
I314866		0.128	0.08	0.27	69	0.11	4.10	43	3.8
I314867		0.107	0.05	0.20	68	0.09	4.41	47	4.4
I314868		0.117	0.05	0.27	64	0.12	5.10	39	4.7
I314869		0.152	0.10	0.16	81	0.16	2.37	50	1.8
I314870		0.006	0.05	0.30	4	0.05	1.99	5	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314871		0.38	0.007	0.03	2.66	5.3	<0.2	<10	130	0.42	0.12	0.48	0.07	13.00	18.2	128
I314872		0.54	0.006	0.36	2.56	42.0	<0.2	<10	120	0.44	0.19	1.40	1.86	44.3	27.6	301
I314873		0.20	0.005	0.16	1.49	9.9	<0.2	<10	130	0.29	0.12	0.87	0.50	25.0	9.9	55
I314874		0.34	0.006	0.37	1.14	21.9	<0.2	<10	150	0.37	0.14	1.25	0.93	25.0	8.4	22
I314875		0.32	0.006	0.32	1.83	18.2	<0.2	<10	240	0.46	0.17	0.70	1.41	38.2	9.2	32
I314876		0.22	0.009	0.29	0.91	3.7	<0.2	<10	220	0.32	0.11	3.47	0.27	23.9	6.1	31
I314877		0.30	0.007	0.05	2.17	5.7	<0.2	<10	260	0.37	0.11	0.95	0.15	13.85	15.0	34
I314878		0.28	0.007	0.07	2.13	6.8	<0.2	<10	260	0.56	0.14	0.68	0.10	33.7	14.6	36
I314879		0.54	0.006	0.20	1.60	67.9	<0.2	<10	180	0.45	0.17	0.98	1.05	46.5	17.6	57
I314880		0.42	0.007	0.19	1.59	72.2	<0.2	<10	200	0.52	0.17	1.03	1.28	48.3	18.2	57
I314881		0.42	<0.005	0.06	1.66	5.9	<0.2	<10	180	0.51	0.14	0.52	0.08	22.9	9.2	31
I314882		0.32	0.005	0.17	2.00	7.4	<0.2	<10	270	1.36	0.15	0.60	0.08	94.3	11.9	34
I314883		0.30	0.012	0.07	1.62	5.9	<0.2	<10	180	0.98	0.12	0.83	0.07	39.2	9.7	31
I314884		0.52	0.006	0.08	1.31	3.7	<0.2	<10	140	0.64	0.11	0.67	0.16	38.8	8.1	27
I314885		0.32	0.005	0.21	1.61	4.5	<0.2	<10	160	0.79	0.25	0.93	0.21	43.7	7.1	25
I314886		0.34	0.005	0.22	1.90	6.4	<0.2	<10	450	0.52	0.15	1.46	0.37	24.8	14.2	59
I314887		0.52	0.005	0.08	1.86	5.2	<0.2	<10	330	0.60	0.18	0.52	0.10	48.9	10.3	35
I314888		0.50	<0.005	0.06	2.37	5.4	<0.2	<10	140	0.38	0.14	0.57	0.05	15.15	11.3	48
I314889		0.52	0.006	0.11	2.27	8.8	<0.2	<10	200	0.59	0.17	0.32	0.09	20.4	12.6	37
I314890		0.42	NSS	0.02	0.14	1.9	<0.2	<10	30	0.11	0.02	0.07	0.04	9.45	2.2	3
I314891		0.44	0.006	0.07	1.53	18.2	<0.2	<10	180	0.68	0.14	0.37	0.07	38.0	8.2	25
I314892		0.36	0.005	0.11	2.29	8.2	<0.2	<10	190	1.02	0.42	0.55	0.13	52.7	8.1	32
I314893		0.38	0.006	0.06	1.29	4.3	<0.2	<10	70	0.46	0.29	0.34	0.12	31.4	5.6	23
I314894		0.32	0.007	0.17	1.33	4.3	<0.2	<10	200	1.09	0.23	1.04	0.21	220	16.4	20
I314895		0.50	0.006	0.08	1.40	8.0	<0.2	<10	160	0.33	0.13	0.66	0.09	23.3	8.5	29
I314896		0.48	0.019	0.07	1.18	6.5	<0.2	<10	150	0.28	0.12	0.66	0.14	23.0	9.4	25
I314897		0.38	<0.005	0.08	1.49	8.0	<0.2	<10	280	0.34	0.16	0.63	0.17	25.3	9.9	30
I314898		0.54	0.007	0.12	1.41	7.7	<0.2	<10	310	0.44	0.15	0.75	0.24	24.6	8.8	27
I314899		0.50	0.006	0.09	1.35	8.6	<0.2	<10	220	0.41	0.15	0.51	0.06	27.6	8.6	27
I314900		0.40	0.008	0.10	1.36	8.4	<0.2	<10	240	0.41	0.16	0.54	0.09	28.8	9.2	26
I314901		0.58	<0.005	0.07	1.42	4.7	<0.2	<10	160	0.73	0.15	0.71	0.08	41.5	7.4	28
I314902		0.30	<0.005	0.07	1.31	4.5	<0.2	<10	150	0.59	0.14	1.26	0.12	32.1	9.1	29
I314903		0.16	0.005	0.09	1.68	3.6	<0.2	<10	220	0.51	0.12	1.17	0.24	21.0	12.4	43
I314904		0.36	0.005	0.06	1.60	4.8	<0.2	<10	230	0.59	0.18	0.41	0.09	28.6	10.8	28
I314905		0.32	0.006	0.05	1.70	8.0	<0.2	<10	110	0.45	0.13	0.28	0.07	21.9	8.1	29
I314906		0.26	<0.005	0.07	1.13	5.0	<0.2	<10	190	0.22	0.14	0.23	0.05	20.5	4.9	19
I314907		0.28	0.007	0.12	1.15	4.4	<0.2	<10	180	0.17	0.13	0.22	0.09	18.80	5.2	20
I314908		0.28	0.005	0.06	1.42	5.7	<0.2	<10	250	0.25	0.13	0.33	0.05	15.75	7.4	22
I314909		0.32	0.006	0.07	1.49	8.6	<0.2	<10	180	0.25	0.18	0.48	0.07	19.65	7.0	26
I314910		0.26	<0.005	0.07	1.56	6.6	<0.2	<10	270	0.33	0.15	0.53	0.07	21.3	7.1	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314871		0.56	26.0	3.38	7.84	0.05	0.07	0.01	0.023	0.03	6.0	12.5	1.03	396	1.01
I314872		0.39	53.6	3.63	7.22	0.11	0.21	0.06	0.031	0.04	23.6	20.9	2.40	879	17.00
I314873		0.20	28.1	2.51	4.38	0.07	0.21	0.02	0.021	0.09	13.0	9.5	0.77	299	4.25
I314874		0.20	37.9	2.58	3.31	0.07	0.16	0.04	0.024	0.04	13.6	7.1	0.51	222	5.83
I314875		0.26	45.6	3.07	5.36	0.08	0.15	0.03	0.026	0.06	20.3	14.1	0.89	393	8.74
I314876		0.18	41.6	1.29	2.53	0.06	0.13	0.05	0.012	0.03	13.2	4.7	0.49	313	1.09
I314877		0.68	43.2	2.99	6.75	0.06	0.08	0.03	0.021	0.05	6.9	11.2	1.08	639	0.64
I314878		0.47	33.3	2.92	6.39	0.08	0.23	0.02	0.023	0.07	17.3	13.2	0.96	511	0.53
I314879		0.98	55.8	3.70	4.92	0.10	0.23	0.05	0.033	0.08	24.7	10.7	0.92	438	5.10
I314880		0.88	63.5	3.70	4.80	0.10	0.22	0.05	0.032	0.08	25.2	10.2	0.90	408	5.48
I314881		0.29	14.6	2.55	5.42	0.05	0.10	0.01	0.024	0.13	10.4	10.1	0.47	282	0.95
I314882		0.86	26.4	2.91	6.64	0.12	0.12	0.04	0.032	0.11	61.4	12.6	0.43	1010	1.26
I314883		0.46	18.7	2.58	5.27	0.06	0.12	0.02	0.024	0.16	20.1	12.9	0.48	402	0.87
I314884		1.06	16.7	2.10	4.63	0.06	0.07	0.03	0.021	0.12	21.6	10.0	0.44	295	0.66
I314885		0.79	28.8	2.12	5.40	0.07	0.06	0.05	0.026	0.11	28.1	9.3	0.38	213	1.22
I314886		0.31	49.7	2.62	5.57	0.06	0.07	0.05	0.026	0.08	14.5	9.8	0.93	486	2.04
I314887		0.39	28.4	2.61	6.00	0.08	0.08	0.03	0.024	0.11	31.4	10.0	0.70	324	1.40
I314888		0.28	27.7	3.01	6.79	0.05	0.19	0.02	0.050	0.08	7.8	11.2	0.78	264	0.61
I314889		0.91	23.7	3.11	7.59	0.05	0.03	0.02	0.026	0.07	10.5	13.0	0.52	257	0.97
I314890		0.08	2.4	0.77	0.55	<0.05	0.08	0.01	<0.005	0.05	4.8	1.2	0.04	168	0.31
I314891		1.70	15.8	2.58	5.52	0.05	0.05	0.02	0.024	0.12	28.8	10.9	0.37	261	1.52
I314892		2.68	22.4	2.88	7.22	0.09	0.12	0.04	0.031	0.11	39.0	9.7	0.44	281	1.61
I314893		1.37	14.4	1.93	5.52	0.05	0.06	0.04	0.018	0.11	20.8	7.2	0.30	191	1.81
I314894		3.75	19.0	2.62	5.19	0.21	0.06	0.09	0.030	0.15	129.5	8.2	0.36	1540	1.33
I314895		0.62	18.8	2.40	4.62	0.06	0.10	0.02	0.022	0.07	11.8	9.3	0.55	242	0.75
I314896		0.42	15.2	2.18	3.96	0.05	0.05	0.02	0.018	0.05	11.3	7.9	0.43	523	1.20
I314897		0.53	17.9	2.53	4.86	0.05	0.05	0.04	0.021	0.06	12.5	11.2	0.50	488	1.60
I314898		0.51	24.4	2.44	4.60	0.06	0.06	0.03	0.021	0.06	12.6	11.1	0.51	327	1.04
I314899		0.47	20.2	2.36	4.47	0.06	0.08	0.03	0.020	0.05	13.8	10.7	0.48	249	1.14
I314900		0.51	22.5	2.40	4.49	0.07	0.09	0.03	0.021	0.05	14.6	10.2	0.48	317	1.06
I314901		1.03	17.6	2.22	4.82	0.06	0.11	0.04	0.020	0.12	23.7	11.2	0.46	193	0.71
I314902		0.77	17.8	2.03	4.39	0.06	0.08	0.04	0.020	0.09	19.0	9.0	0.51	285	0.67
I314903		0.56	42.3	2.49	5.63	0.06	0.07	0.05	0.022	0.07	13.7	8.2	0.69	481	0.83
I314904		0.30	14.4	2.81	5.32	0.05	0.06	0.01	0.022	0.19	14.1	7.5	0.49	548	1.25
I314905		1.20	12.2	2.82	5.91	0.05	0.09	0.01	0.025	0.12	13.1	10.2	0.43	182	1.50
I314906		0.66	9.5	1.89	4.50	<0.05	0.02	0.01	0.014	0.10	10.2	6.5	0.28	231	1.25
I314907		0.33	9.6	1.89	4.44	<0.05	0.03	0.01	0.016	0.06	8.9	6.7	0.29	268	1.18
I314908		0.64	13.9	2.39	5.38	<0.05	0.04	0.02	0.021	0.14	8.0	9.3	0.49	760	1.00
I314909		0.38	12.5	2.56	5.25	0.05	0.06	0.01	0.019	0.12	10.2	11.4	0.50	207	1.06
I314910		0.46	13.7	2.40	5.12	0.05	0.08	0.01	0.021	0.06	10.8	10.6	0.50	248	0.86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314871		2.35	60.5	310	5.7	3.3	<0.001	0.01	0.36	4.9	0.2	0.5	25.8	<0.01	0.02
I314872		0.93	181.5	1130	20.2	5.0	0.001	0.05	0.71	6.9	2.3	0.3	67.7	<0.01	0.06
I314873		1.24	41.7	760	11.4	6.5	<0.001	0.03	0.41	4.1	1.3	0.4	54.7	<0.01	0.03
I314874		0.84	41.5	850	12.7	4.2	0.001	0.04	1.20	3.1	4.8	0.3	61.7	<0.01	0.05
I314875		0.96	39.0	660	13.3	5.1	0.001	0.03	1.13	3.9	2.6	0.3	58.9	<0.01	0.05
I314876		0.48	42.2	720	5.6	3.5	0.001	0.14	0.52	1.6	2.1	0.3	188.0	<0.01	0.04
I314877		1.35	26.7	300	4.3	7.7	<0.001	0.02	0.31	6.7	0.5	0.4	45.0	<0.01	0.02
I314878		1.64	26.8	290	7.9	10.1	<0.001	0.01	0.31	6.7	0.5	0.5	35.3	<0.01	0.02
I314879		0.84	61.5	940	15.7	6.5	<0.001	0.03	0.91	7.9	1.6	0.3	39.4	<0.01	0.05
I314880		0.80	66.4	930	16.1	6.1	<0.001	0.03	0.97	8.0	1.7	0.4	39.8	<0.01	0.06
I314881		1.94	17.6	230	9.0	11.0	<0.001	0.02	0.31	4.7	0.3	0.5	39.1	<0.01	0.02
I314882		1.64	25.8	300	12.6	13.5	<0.001	0.02	0.49	7.7	0.9	0.7	46.1	<0.01	0.02
I314883		1.96	18.9	300	11.2	17.9	<0.001	0.04	0.33	5.7	0.4	0.5	85.1	<0.01	0.02
I314884		1.60	17.3	650	14.5	15.2	<0.001	0.03	0.28	4.8	0.4	0.5	54.3	<0.01	0.01
I314885		1.43	17.3	560	15.8	15.5	<0.001	0.06	0.32	5.0	0.7	0.5	78.2	<0.01	0.02
I314886		0.89	38.8	630	10.2	9.1	<0.001	0.06	0.47	6.2	1.2	0.4	90.6	<0.01	0.02
I314887		1.52	25.0	410	12.2	11.7	<0.001	0.02	0.30	5.1	0.6	0.5	33.0	<0.01	0.02
I314888		2.40	28.5	340	6.1	6.9	<0.001	0.02	0.27	5.2	0.3	0.6	30.5	<0.01	0.02
I314889		1.81	25.4	460	10.3	13.1	<0.001	0.02	0.32	4.1	0.3	0.6	31.9	<0.01	0.03
I314890		0.14	4.0	120	1.7	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.6	<0.01	<0.01
I314891		1.49	20.0	350	24.3	17.8	<0.001	0.01	0.26	5.0	0.3	0.5	32.6	<0.01	0.02
I314892		1.76	19.4	360	28.9	18.8	<0.001	0.02	0.51	6.1	0.6	0.9	49.3	<0.01	0.02
I314893		1.53	13.7	410	12.0	17.7	<0.001	0.02	0.30	3.4	0.4	0.7	31.8	<0.01	0.02
I314894		0.81	16.3	890	20.7	20.4	<0.001	0.08	0.53	6.7	1.4	0.5	71.7	0.01	0.02
I314895		1.47	21.1	800	9.7	7.1	<0.001	0.03	0.53	4.6	0.4	0.5	40.5	<0.01	0.02
I314896		1.28	15.7	810	6.2	6.5	<0.001	0.03	0.44	3.5	0.6	0.4	38.9	<0.01	0.02
I314897		1.33	20.0	770	7.8	9.6	0.001	0.04	0.55	4.3	0.7	0.5	42.3	<0.01	0.02
I314898		1.35	24.0	770	8.0	7.7	<0.001	0.03	0.72	4.2	0.7	0.4	44.5	<0.01	0.03
I314899		1.31	19.4	660	7.6	6.7	<0.001	0.02	0.59	4.3	0.7	0.4	35.5	<0.01	0.02
I314900		1.34	20.6	680	7.7	7.3	<0.001	0.02	0.57	4.6	0.6	0.4	36.7	<0.01	0.02
I314901		1.85	17.4	540	10.1	15.3	<0.001	0.03	0.32	5.2	0.5	0.6	54.7	<0.01	0.01
I314902		1.10	16.7	710	10.5	14.1	<0.001	0.06	0.36	4.6	0.7	0.5	95.7	<0.01	0.01
I314903		1.35	27.4	560	5.9	8.4	<0.001	0.05	0.37	6.5	0.9	0.4	72.4	<0.01	0.02
I314904		1.22	17.7	210	12.1	15.8	<0.001	0.02	0.35	4.2	0.3	0.5	52.5	<0.01	0.01
I314905		1.67	17.9	310	12.4	16.7	<0.001	0.02	0.44	4.3	0.3	0.6	27.5	<0.01	0.01
I314906		1.29	10.9	280	6.3	20.5	<0.001	0.02	0.39	2.4	0.3	0.5	14.7	<0.01	0.02
I314907		1.37	11.5	180	6.3	6.6	<0.001	0.02	0.35	2.4	0.2	0.5	14.7	<0.01	0.02
I314908		1.45	14.8	300	6.0	16.7	<0.001	0.02	0.44	3.2	0.3	0.5	22.9	<0.01	0.02
I314909		1.67	16.5	420	7.9	9.7	<0.001	0.02	0.57	3.3	0.5	0.5	29.5	<0.01	0.03
I314910		1.51	17.6	450	6.9	7.7	<0.001	0.02	0.44	3.6	0.5	0.5	35.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314871		0.145	0.09	0.29	88	0.12	3.31	49	2.8
I314872		0.052	0.06	1.22	76	0.14	14.50	245	10.0
I314873		0.088	0.04	1.19	50	0.13	7.64	80	8.0
I314874		0.052	0.04	1.79	39	0.17	8.87	132	7.6
I314875		0.063	0.09	0.95	55	0.13	10.05	123	7.2
I314876		0.024	0.04	7.83	21	<0.05	8.28	25	5.5
I314877		0.100	0.06	0.53	68	0.14	6.19	54	3.1
I314878		0.110	0.07	0.63	65	0.10	10.30	47	8.3
I314879		0.052	0.07	0.67	59	0.12	14.80	141	10.6
I314880		0.047	0.07	0.68	60	0.16	15.65	143	10.5
I314881		0.105	0.07	0.53	59	0.16	4.38	37	3.8
I314882		0.082	0.09	2.34	62	0.19	35.5	38	4.0
I314883		0.089	0.08	3.98	52	0.20	8.98	30	3.8
I314884		0.089	0.08	2.41	44	0.16	9.28	44	2.6
I314885		0.068	0.08	3.93	41	0.19	8.33	33	2.0
I314886		0.038	0.08	1.05	54	0.11	13.40	62	2.4
I314887		0.090	0.08	0.66	55	0.14	11.70	44	3.1
I314888		0.168	0.05	0.41	76	0.13	4.32	42	7.7
I314889		0.103	0.09	0.57	73	0.17	4.34	41	1.4
I314890		0.006	0.04	0.42	3	0.05	2.09	5	2.8
I314891		0.061	0.14	1.04	51	0.15	6.75	40	1.9
I314892		0.097	0.10	1.64	60	0.20	15.10	58	4.7
I314893		0.079	0.09	0.86	44	0.25	6.11	36	1.9
I314894		0.041	0.14	3.93	38	0.20	34.0	50	1.3
I314895		0.099	0.07	0.57	58	0.31	7.10	55	4.2
I314896		0.084	0.04	0.87	56	0.61	6.47	40	2.1
I314897		0.066	0.07	1.26	50	0.14	6.54	54	1.7
I314898		0.070	0.06	1.10	50	0.16	8.32	58	2.3
I314899		0.069	0.06	0.92	48	0.16	7.73	42	3.1
I314900		0.074	0.06	0.99	48	0.22	8.77	42	3.4
I314901		0.089	0.09	2.79	44	0.42	9.72	41	4.3
I314902		0.057	0.07	2.18	41	0.14	7.95	39	2.9
I314903		0.077	0.05	0.67	60	0.11	12.85	42	2.9
I314904		0.078	0.09	0.62	59	0.11	3.85	41	2.4
I314905		0.084	0.09	0.56	60	0.14	3.84	41	3.2
I314906		0.065	0.06	0.30	46	0.15	2.13	26	0.9
I314907		0.062	0.07	0.25	47	0.15	1.88	30	1.2
I314908		0.082	0.07	0.39	51	0.16	2.37	43	1.3
I314909		0.091	0.06	0.37	57	0.24	3.14	50	2.3
I314910		0.081	0.06	0.59	52	0.18	4.39	44	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314911		0.24	<0.005	0.07	1.56	7.0	<0.2	<10	310	0.29	0.16	0.51	0.17	19.10	8.6	26
I314912		0.22	0.007	0.10	1.47	7.6	<0.2	<10	270	0.34	0.20	0.51	0.16	21.1	9.8	25
I314913		0.24	NSS	0.13	0.30	9.6	<0.2	<10	60	0.39	10.35	0.49	0.21	25.5	9.6	12
I314914		0.30	<0.005	0.06	1.56	7.3	<0.2	<10	260	0.40	0.23	0.56	0.09	22.9	7.8	27
I314915		0.30	0.007	0.10	1.47	6.5	<0.2	<10	260	0.43	0.15	0.65	0.12	23.6	9.1	27
I314916		0.28	0.006	0.09	1.40	5.9	<0.2	<10	240	0.33	0.16	0.54	0.09	22.0	6.4	25
I314917		0.38	0.007	0.18	1.73	8.6	<0.2	<10	380	0.59	0.16	1.18	0.25	31.7	12.1	30
I314918		0.32	0.006	0.06	1.60	7.1	<0.2	<10	250	0.46	0.15	0.53	0.07	24.6	8.2	28
I314919		0.36	0.008	0.14	1.77	8.8	<0.2	<10	350	0.66	0.17	0.86	0.15	32.2	11.0	30
I314920		0.24	0.006	0.08	1.64	6.0	<0.2	<10	290	0.35	0.16	1.01	0.12	21.6	8.0	28
I314921		0.30	<0.005	0.09	1.75	6.1	<0.2	<10	280	0.48	0.15	0.62	0.17	25.6	10.1	29
I314922		0.42	0.014	0.12	1.68	8.7	<0.2	<10	290	0.54	0.17	0.73	0.11	31.4	11.3	29
I314923		0.28	0.007	0.09	1.60	8.6	<0.2	<10	250	0.44	0.15	0.93	0.17	28.0	11.4	28
I314924		0.26	0.005	0.08	1.42	7.0	<0.2	<10	280	0.41	0.16	0.66	0.14	22.9	9.3	26
I314925		0.28	0.006	0.10	1.40	6.0	<0.2	<10	220	0.39	0.15	0.70	0.18	24.2	9.6	28
I314926		0.34	0.006	0.12	1.49	8.2	<0.2	<10	290	0.50	0.15	0.84	0.12	24.2	9.5	26
I314927		0.32	0.008	0.13	1.47	6.7	<0.2	<10	300	0.42	0.15	0.89	0.16	21.8	8.6	25
I314928		0.26	0.005	0.10	1.37	9.2	<0.2	<10	240	0.43	0.14	1.13	0.16	23.3	11.0	26
I314929		0.40	0.009	0.11	1.24	8.3	<0.2	<10	190	0.40	0.14	0.96	0.14	23.1	8.5	26
I314930		0.34	0.008	0.07	1.10	6.9	<0.2	<10	150	0.32	0.11	0.75	0.09	24.3	9.2	26
I314931		0.46	0.008	0.09	1.41	7.0	<0.2	<10	200	0.43	0.13	0.68	0.15	24.6	10.5	32
I314932		0.42	0.005	0.09	1.26	9.4	<0.2	<10	200	0.35	0.13	0.70	0.10	24.0	10.2	28
I314933		0.34	0.007	0.10	1.48	10.6	<0.2	<10	310	0.38	0.16	1.01	0.21	23.5	11.1	31
I314934		0.26	0.007	0.11	1.40	7.9	<0.2	<10	320	0.41	0.15	1.09	0.20	21.6	9.2	26
I314935		0.32	0.006	0.09	1.31	7.9	<0.2	<10	220	0.29	0.14	0.87	0.14	21.8	8.9	27
I314936		0.44	0.008	0.10	1.57	10.0	<0.2	<10	230	0.43	0.16	0.68	0.10	27.6	9.4	31
I314937		0.46	0.008	0.10	1.33	8.0	<0.2	<10	240	0.39	0.14	0.92	0.16	23.0	9.6	27
I314938		0.34	0.007	0.09	1.27	8.5	<0.2	<10	340	0.36	0.14	0.88	0.17	20.0	8.8	25
I314939		0.40	<0.005	0.09	1.56	7.3	<0.2	<10	330	0.38	0.15	0.44	0.09	21.3	10.4	30
I314940		0.28	0.009	0.26	2.29	9.0	<0.2	<10	380	0.31	0.75	0.97	0.49	24.7	18.0	55
I314941		0.28	NSS	0.03	0.31	10.1	<0.2	<10	100	0.31	0.06	0.62	0.26	42.5	10.2	14
I314942		0.30	0.009	0.35	2.43	11.5	<0.2	<10	370	0.50	1.02	0.82	0.50	28.6	28.0	61
I314943		0.50	0.013	0.34	2.43	10.3	<0.2	<10	290	0.43	1.10	0.51	0.53	20.8	16.2	62
I314944		0.28	0.010	0.28	2.43	10.5	<0.2	<10	240	0.31	0.94	0.76	0.21	20.9	15.3	59
I314945		0.30	0.008	0.28	2.02	5.5	<0.2	<10	250	0.69	0.80	0.70	0.44	19.20	13.3	58
I314946		0.32	0.009	0.21	2.07	7.7	<0.2	<10	250	0.35	0.80	0.74	0.17	20.7	12.8	46
I314947		0.34	0.011	0.21	2.37	7.4	<0.2	<10	250	0.43	0.73	0.84	0.16	22.4	16.0	52
I314948		0.32	0.009	0.15	2.47	6.2	<0.2	<10	240	0.45	0.71	0.64	0.13	20.1	14.4	54
I314949		0.32	0.007	0.24	2.70	5.9	<0.2	<10	290	0.46	0.67	0.79	0.10	28.6	21.3	77
I314950		0.32	0.010	0.24	2.47	10.8	<0.2	<10	250	0.44	0.62	0.53	0.11	22.5	17.2	50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314911		0.44	13.2	2.36	5.08	<0.05	0.12	0.02	0.019	0.06	9.8	10.0	0.46	425	1.07
I314912		0.59	23.5	2.32	4.97	0.05	0.12	0.01	0.021	0.06	10.1	9.3	0.45	530	1.76
I314913		0.26	21.6	2.37	1.64	0.06	0.08	0.01	0.006	0.05	12.9	3.9	0.21	847	1.42
I314914		0.59	16.7	2.35	5.05	0.05	0.10	0.01	0.020	0.05	11.5	10.1	0.49	255	1.06
I314915		0.50	19.4	2.25	5.06	0.05	0.04	0.01	0.018	0.05	11.5	9.7	0.43	414	0.99
I314916		0.48	16.4	2.11	4.85	<0.05	0.09	0.01	0.019	0.07	11.5	9.4	0.41	182	0.95
I314917		0.40	34.8	2.50	5.30	0.07	0.09	0.04	0.023	0.06	15.7	9.6	0.46	469	1.08
I314918		0.42	21.1	2.38	5.14	0.06	0.16	0.02	0.021	0.05	12.8	10.1	0.46	231	0.70
I314919		0.56	31.0	2.60	5.47	0.07	0.09	0.04	0.025	0.05	16.5	11.2	0.52	398	0.71
I314920		0.46	17.3	2.31	5.20	0.05	0.13	0.02	0.023	0.05	10.9	9.4	0.41	249	0.79
I314921		0.45	20.8	2.51	5.48	0.06	0.23	0.02	0.024	0.07	12.4	10.5	0.51	474	0.58
I314922		0.53	27.6	2.68	5.25	0.08	0.15	0.03	0.024	0.06	15.5	11.7	0.54	430	0.79
I314923		0.59	18.9	2.53	5.07	0.08	0.12	0.03	0.023	0.05	13.5	10.5	0.51	646	0.88
I314924		0.52	15.0	2.41	4.56	0.05	0.08	0.01	0.022	0.07	10.5	10.4	0.47	374	1.00
I314925		0.51	20.9	2.26	4.72	0.05	0.04	0.01	0.020	0.07	12.1	9.4	0.49	442	0.79
I314926		0.56	19.3	2.49	4.93	0.06	0.05	0.02	0.022	0.04	12.2	10.0	0.48	385	1.27
I314927		0.58	20.1	2.19	4.87	0.05	0.03	0.02	0.022	0.04	11.3	9.4	0.45	426	1.09
I314928		0.50	24.3	2.42	4.54	0.06	0.07	0.02	0.021	0.05	11.6	10.2	0.55	546	1.14
I314929		0.52	23.4	2.24	4.19	0.05	0.06	0.02	0.018	0.05	11.5	10.0	0.50	367	1.30
I314930		0.56	14.5	2.20	3.76	0.06	0.07	0.02	0.016	0.05	12.1	8.6	0.48	447	0.77
I314931		0.52	30.0	2.49	4.05	<0.05	0.11	0.02	0.021	0.06	12.5	9.7	0.52	319	0.72
I314932		0.53	21.9	2.33	3.87	<0.05	0.08	0.02	0.019	0.06	11.9	10.0	0.52	392	1.12
I314933		0.63	24.7	2.54	4.29	<0.05	0.10	0.04	0.022	0.06	11.4	10.2	0.54	679	1.19
I314934		0.48	24.9	2.21	4.13	<0.05	0.07	0.03	0.020	0.05	11.1	8.7	0.45	396	1.25
I314935		0.45	22.4	2.27	3.76	<0.05	0.10	0.03	0.018	0.04	10.9	9.0	0.45	294	0.55
I314936		0.55	27.4	2.63	4.56	<0.05	0.17	0.03	0.025	0.05	13.3	10.9	0.50	242	0.58
I314937		0.45	25.4	2.32	3.94	<0.05	0.09	0.03	0.021	0.04	11.8	9.0	0.45	389	0.74
I314938		0.53	22.5	2.18	3.80	<0.05	0.03	0.02	0.019	0.03	9.5	8.8	0.40	384	0.96
I314939		0.46	13.2	2.56	4.41	<0.05	0.09	0.02	0.022	0.04	9.1	7.6	0.38	621	0.96
I314940		2.10	58.6	2.84	6.01	0.06	0.04	0.05	0.019	0.18	12.8	8.6	1.09	501	1.25
I314941		0.30	9.1	2.31	1.66	0.06	0.04	0.02	0.007	0.05	22.1	3.6	0.24	877	1.28
I314942		2.32	80.0	3.10	6.93	0.07	0.03	0.05	0.025	0.16	14.5	9.7	1.00	683	2.11
I314943		2.43	63.0	3.09	7.03	0.09	0.03	0.02	0.024	0.22	9.9	10.7	1.12	367	1.58
I314944		2.83	55.2	3.02	7.12	0.07	0.04	0.04	0.022	0.17	10.5	11.7	1.01	369	7.07
I314945		2.69	94.8	2.96	7.95	0.05	0.03	0.03	0.023	0.17	9.1	6.6	0.75	304	4.69
I314946		2.26	56.9	2.61	6.24	0.07	0.03	0.03	0.019	0.19	10.1	11.3	0.81	411	0.98
I314947		2.33	70.2	2.96	7.30	0.07	0.04	0.04	0.021	0.19	11.2	12.3	0.87	460	1.14
I314948		2.46	67.7	3.12	7.55	0.08	0.04	0.04	0.022	0.19	10.2	12.1	0.91	400	1.15
I314949		3.06	75.0	3.39	7.82	0.09	0.04	0.05	0.021	0.32	13.6	13.5	1.23	617	1.29
I314950		2.19	67.4	3.29	7.58	0.08	0.05	0.03	0.022	0.18	11.0	13.2	0.84	481	1.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314911		1.55	17.1	460	7.5	10.5	<0.001	0.02	0.44	3.4	0.4	0.5	33.7	<0.01	0.03
I314912		1.40	21.9	460	11.1	10.9	<0.001	0.03	0.50	3.7	0.5	0.5	34.9	<0.01	0.03
I314913		0.64	20.4	610	4.4	5.7	<0.001	0.03	0.61	2.0	0.4	0.3	13.5	<0.01	0.04
I314914		1.40	20.3	500	7.3	7.3	<0.001	0.02	0.46	4.1	0.4	0.5	37.3	<0.01	0.02
I314915		1.29	19.1	560	7.3	7.3	<0.001	0.03	0.43	3.7	0.6	0.5	44.2	<0.01	0.02
I314916		1.41	17.8	540	7.6	7.8	<0.001	0.02	0.39	3.8	0.5	0.5	39.0	<0.01	0.02
I314917		1.39	27.9	650	8.3	8.7	<0.001	0.07	0.79	5.2	1.0	0.5	74.8	<0.01	0.02
I314918		1.25	20.1	400	7.3	6.6	<0.001	0.02	0.49	5.0	0.5	0.5	34.1	<0.01	0.03
I314919		1.39	26.9	580	8.2	8.0	<0.001	0.03	0.63	5.2	1.0	0.5	59.3	<0.01	0.05
I314920		1.61	18.9	440	7.1	9.7	<0.001	0.03	0.47	4.8	0.9	0.5	65.0	<0.01	0.02
I314921		1.50	20.5	590	7.6	11.1	<0.001	0.02	0.47	5.5	0.6	0.5	42.9	<0.01	0.02
I314922		1.56	25.1	580	8.6	8.8	<0.001	0.02	0.61	5.3	0.9	0.5	48.1	<0.01	0.03
I314923		1.59	18.6	770	8.0	8.0	<0.001	0.04	0.61	5.0	1.0	0.5	62.0	<0.01	0.03
I314924		1.40	20.1	530	7.9	10.0	<0.001	0.02	0.52	4.1	0.4	0.5	43.3	<0.01	0.02
I314925		1.23	21.6	620	6.8	10.5	<0.001	0.03	0.41	3.9	0.5	0.4	43.0	<0.01	0.02
I314926		1.32	19.7	690	7.7	6.3	0.001	0.04	0.50	3.8	0.8	0.5	50.6	<0.01	0.02
I314927		1.16	19.6	700	7.6	6.2	<0.001	0.04	0.50	3.4	0.8	0.5	53.4	<0.01	0.02
I314928		1.27	21.1	770	6.9	5.3	<0.001	0.06	0.57	4.0	0.8	0.4	61.4	<0.01	0.03
I314929		1.13	20.9	850	6.8	6.2	<0.001	0.05	0.51	3.7	0.9	0.4	52.1	<0.01	0.02
I314930		1.18	17.8	860	5.3	5.6	<0.001	0.03	0.48	3.7	0.5	0.4	41.7	<0.01	0.01
I314931		1.42	25.5	630	6.7	6.7	<0.001	0.02	0.49	4.8	0.6	0.4	37.5	<0.01	0.01
I314932		1.28	21.6	710	6.9	6.5	<0.001	0.02	0.45	4.2	0.4	0.4	40.0	<0.01	0.02
I314933		1.39	21.7	820	7.8	6.5	<0.001	0.05	0.60	4.7	1.1	0.4	55.6	<0.01	0.02
I314934		1.24	22.0	790	6.9	6.4	<0.001	0.05	0.46	3.5	1.0	0.4	60.2	<0.01	0.03
I314935		1.30	18.8	720	6.7	5.6	<0.001	0.04	0.47	4.3	0.7	0.4	47.7	<0.01	0.02
I314936		1.56	21.2	610	7.9	7.0	<0.001	0.02	0.54	5.9	0.6	0.5	39.5	<0.01	0.02
I314937		1.28	20.4	780	6.8	5.9	<0.001	0.04	0.51	4.1	0.8	0.4	51.2	<0.01	0.01
I314938		0.82	21.2	690	6.8	6.2	<0.001	0.04	0.35	2.3	0.9	0.4	52.8	<0.01	0.03
I314939		1.33	18.0	450	7.8	6.4	<0.001	0.01	0.34	4.8	0.2	0.5	28.0	<0.01	0.01
I314940		1.16	32.6	790	4.2	30.5	<0.001	0.10	0.45	4.7	1.3	0.5	50.2	<0.01	0.13
I314941		0.78	18.6	680	4.5	5.9	<0.001	0.02	0.45	2.0	<0.2	0.3	14.8	<0.01	0.01
I314942		1.19	38.0	790	6.4	26.9	0.001	0.11	0.40	5.3	1.5	0.6	46.9	<0.01	0.18
I314943		1.24	33.6	560	5.1	27.5	<0.001	0.07	0.26	6.2	0.9	0.6	31.6	<0.01	0.18
I314944		1.43	34.2	540	5.5	29.6	0.001	0.07	0.35	6.1	0.9	0.6	39.0	<0.01	0.18
I314945		1.60	44.1	580	6.2	34.4	0.001	0.07	0.33	4.5	0.8	0.8	36.3	<0.01	0.09
I314946		1.37	28.0	590	5.1	29.9	<0.001	0.07	0.34	5.5	0.9	0.6	32.4	<0.01	0.15
I314947		1.64	32.3	630	4.8	32.0	<0.001	0.08	0.22	5.8	1.1	0.7	36.2	<0.01	0.18
I314948		1.68	31.8	570	4.7	32.6	<0.001	0.07	0.19	6.1	1.1	0.6	33.7	<0.01	0.16
I314949		1.66	40.7	700	4.6	37.5	<0.001	0.10	0.22	6.5	1.4	0.6	42.3	<0.01	0.16
I314950		1.91	28.6	620	5.5	29.1	<0.001	0.05	0.23	6.7	0.8	0.7	30.3	<0.01	0.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314911		0.079	0.07	0.51	53	0.17	4.05	50	3.9
I314912		0.075	0.07	0.83	50	0.28	4.41	59	4.2
I314913		0.023	0.23	0.75	18	0.10	7.09	24	4.0
I314914		0.072	0.07	0.90	53	0.21	5.66	43	4.0
I314915		0.066	0.06	1.67	50	0.20	6.49	40	1.5
I314916		0.067	0.06	0.93	46	0.47	5.57	38	3.5
I314917		0.072	0.05	1.00	55	0.18	11.45	41	3.8
I314918		0.077	0.05	1.20	51	0.13	7.10	39	6.0
I314919		0.080	0.06	1.82	59	0.19	11.80	46	3.7
I314920		0.081	0.06	0.77	49	0.16	5.49	42	4.6
I314921		0.100	0.06	1.01	54	0.15	7.08	46	9.5
I314922		0.101	0.07	2.51	60	0.17	10.50	52	6.9
I314923		0.098	0.07	0.88	58	0.28	7.98	54	5.1
I314924		0.071	0.07	0.88	51	0.16	4.99	49	2.8
I314925		0.070	0.06	0.82	50	0.20	7.26	49	1.2
I314926		0.064	0.06	1.57	55	0.18	6.76	39	1.5
I314927		0.060	0.05	1.39	51	0.15	6.89	36	1.2
I314928		0.064	0.05	1.05	50	0.14	8.26	47	2.2
I314929		0.067	0.06	1.16	49	0.16	7.78	41	2.0
I314930		0.075	0.06	0.60	51	0.19	7.16	41	2.4
I314931		0.085	0.05	1.25	60	0.14	9.43	49	4.2
I314932		0.076	0.06	0.91	53	0.16	8.03	45	2.6
I314933		0.069	0.07	0.99	56	0.14	8.76	52	3.8
I314934		0.064	0.05	1.24	48	0.15	8.49	44	2.3
I314935		0.069	0.05	0.91	50	0.90	7.66	47	3.5
I314936		0.087	0.06	1.06	59	0.26	10.00	53	7.3
I314937		0.068	0.05	0.92	52	0.20	8.22	46	3.6
I314938		0.038	0.04	1.52	47	0.14	6.57	44	0.7
I314939		0.061	0.07	0.52	56	0.24	3.77	48	3.3
I314940		0.091	0.21	1.09	72	0.39	12.95	70	1.2
I314941		0.026	0.14	0.78	24	0.12	8.80	24	1.7
I314942		0.091	0.19	1.37	84	0.48	12.10	77	1.1
I314943		0.108	0.22	1.06	84	0.77	7.60	70	1.2
I314944		0.113	0.23	0.94	81	0.77	8.05	66	1.3
I314945		0.113	0.18	0.82	70	1.03	7.26	61	1.2
I314946		0.103	0.24	0.83	70	3.25	8.43	59	1.2
I314947		0.120	0.25	0.92	80	2.10	8.61	67	1.5
I314948		0.129	0.26	0.84	85	1.33	7.48	70	1.5
I314949		0.135	0.32	1.27	88	1.42	11.00	70	1.7
I314950		0.142	0.26	0.86	89	1.22	7.21	62	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314951		0.44	0.007	0.08	1.38	9.7	<0.2	<10	270	0.36	0.16	0.51	0.08	28.5	8.6	27
I314952		0.60	0.006	0.11	1.40	8.1	<0.2	<10	220	0.38	0.14	0.38	0.06	23.0	7.6	28
I314953		0.56	0.008	0.11	1.46	10.7	<0.2	<10	280	0.40	0.16	0.63	0.11	30.4	10.9	29
I314954		0.40	0.006	0.08	1.35	8.7	<0.2	<10	230	0.35	0.16	0.75	0.11	24.1	9.6	28
I314955		0.40	0.008	0.13	1.64	8.6	<0.2	<10	350	0.47	0.17	0.58	0.15	27.5	9.6	28
I314956		0.52	0.008	0.09	1.22	9.8	<0.2	<10	240	0.44	0.15	0.60	0.14	26.3	11.4	27
I314957		0.40	0.007	0.07	1.32	7.8	<0.2	<10	350	0.37	0.15	0.54	0.12	24.8	8.3	26
I314958		0.46	0.005	0.05	1.36	6.0	<0.2	<10	220	0.32	0.14	0.31	0.07	19.80	6.8	23
I314959		0.38	0.005	0.05	1.64	7.8	<0.2	<10	230	0.30	0.13	0.43	0.07	15.80	10.2	23
I314960		0.34	NSS	0.02	0.37	10.9	<0.2	<10	90	0.22	0.04	0.56	0.19	31.5	11.0	15
I314961		0.46	0.009	0.07	1.90	5.9	<0.2	<10	180	0.34	0.13	0.31	0.06	19.35	12.6	24
I314962		0.42	<0.005	0.09	1.64	7.4	<0.2	<10	170	0.35	0.14	0.22	0.04	17.10	10.0	27
I314963		0.34	0.005	0.08	1.93	7.1	<0.2	<10	290	0.39	0.15	0.30	0.04	19.50	8.6	30
I314964		0.30	0.005	0.07	1.04	3.8	<0.2	<10	100	0.13	0.09	0.21	0.03	9.04	5.7	11
I314965		0.42	0.007	0.06	1.87	2.4	<0.2	<10	350	0.43	0.10	0.81	0.17	16.20	17.7	17
I314966		0.44	0.008	0.17	1.57	7.1	<0.2	<10	830	0.51	0.16	0.78	0.30	31.8	11.5	27
I314967		0.44	0.008	0.12	1.73	7.5	<0.2	<10	440	0.47	0.16	0.76	0.16	28.0	11.8	30
I314968		0.44	0.008	0.07	1.28	5.2	<0.2	<10	210	0.24	0.11	0.62	0.08	17.25	6.8	22
I314969		0.42	0.010	0.13	1.83	9.8	<0.2	<10	340	0.49	0.20	0.82	0.13	31.2	11.9	33
I314970		0.38	0.009	0.15	1.95	10.8	<0.2	<10	360	0.55	0.22	0.85	0.12	34.1	12.7	36
I314971		0.40	0.007	0.16	1.90	8.8	<0.2	<10	320	0.51	0.19	0.67	0.24	24.8	12.3	36
I314972		0.36	0.009	0.14	1.90	9.9	<0.2	<10	260	0.44	0.20	0.64	0.12	28.4	12.7	32
I314973		0.36	0.010	0.11	1.62	9.0	<0.2	<10	280	0.41	0.18	0.64	0.20	28.1	11.3	29
I314974		0.32	<0.005	0.06	1.45	7.1	<0.2	<10	290	0.35	0.17	0.60	0.09	23.3	8.6	27
I314975		0.30	0.007	0.08	1.60	6.1	<0.2	<10	240	0.36	0.16	0.67	0.15	21.8	8.0	27
I314976		0.30	0.009	0.11	1.51	7.1	<0.2	<10	360	0.36	0.16	0.56	0.33	20.9	8.7	33
I314977		0.32	0.006	0.13	1.82	6.6	<0.2	<10	370	0.47	0.19	1.07	0.36	23.0	9.6	30
I314978		0.34	0.007	0.09	1.82	9.5	<0.2	<10	320	0.50	0.19	0.81	0.13	26.5	11.2	31
I314979		0.50	0.009	0.09	1.49	7.8	<0.2	<10	260	0.45	0.15	0.65	0.08	25.2	8.2	30
I314980		0.28	NSS	0.01	0.12	1.9	<0.2	<10	30	0.09	0.02	0.09	0.03	10.80	2.0	3
I314981		0.36	0.009	0.13	1.65	9.1	<0.2	<10	330	0.40	0.17	0.82	0.20	28.1	11.3	29
I314982		0.30	0.007	0.09	1.83	7.5	<0.2	<10	270	0.43	0.19	0.52	0.08	28.3	12.8	30
I314983		0.34	0.008	0.12	1.80	8.8	<0.2	<10	270	0.49	0.17	0.68	0.19	26.7	11.0	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314951		0.60	23.8	2.38	4.35	<0.05	0.08	0.03	0.022	0.04	14.3	11.3	0.46	204	0.98
I314952		0.47	15.8	2.21	4.55	<0.05	0.07	0.02	0.019	0.05	11.7	10.0	0.40	191	0.88
I314953		0.53	27.5	2.57	4.54	0.05	0.09	0.03	0.023	0.05	15.2	11.6	0.51	325	0.74
I314954		0.52	24.7	2.33	4.46	<0.05	0.07	0.02	0.022	0.05	12.3	10.5	0.49	374	0.73
I314955		0.61	23.8	2.49	5.18	<0.05	0.14	0.02	0.024	0.04	14.1	10.9	0.44	290	0.92
I314956		0.63	27.1	2.45	4.00	0.05	0.11	0.02	0.020	0.05	12.8	11.3	0.58	431	0.88
I314957		0.50	18.6	2.20	4.15	<0.05	0.19	0.02	0.021	0.04	12.5	9.7	0.45	244	0.63
I314958		0.46	13.1	1.97	4.57	<0.05	0.05	0.01	0.018	0.04	10.0	9.7	0.37	146	0.80
I314959		0.54	17.9	2.68	6.38	<0.05	0.09	0.01	0.026	0.04	7.8	11.5	0.62	315	0.83
I314960		0.26	7.7	2.33	1.98	<0.05	0.07	0.02	0.008	0.04	15.2	4.3	0.27	721	1.19
I314961		0.70	25.4	2.99	7.88	<0.05	0.06	0.01	0.035	0.03	9.5	14.2	0.84	317	0.68
I314962		0.77	16.8	2.61	5.85	<0.05	0.04	0.02	0.041	0.04	8.0	11.2	0.56	305	0.90
I314963		0.64	23.3	2.61	5.90	<0.05	0.10	0.02	0.027	0.04	9.8	14.3	0.53	154	0.57
I314964		0.49	10.1	1.60	5.91	<0.05	0.02	0.01	0.009	0.03	4.7	6.0	0.41	121	0.39
I314965		1.73	15.7	2.73	8.00	0.08	0.06	0.01	0.039	0.08	8.0	17.9	1.28	853	0.47
I314966		0.63	32.8	2.43	4.99	<0.05	0.06	0.04	0.025	0.04	16.6	11.4	0.46	885	0.92
I314967		0.38	30.3	2.53	5.11	0.08	0.18	0.04	0.025	0.06	13.7	11.1	0.47	523	0.92
I314968		0.38	16.8	1.87	3.73	0.06	0.05	0.02	0.019	0.04	8.4	8.1	0.36	219	0.71
I314969		0.61	29.7	2.77	5.19	0.08	0.08	0.03	0.026	0.08	15.0	13.4	0.55	510	1.17
I314970		0.74	33.3	2.92	5.85	0.09	0.08	0.04	0.029	0.08	16.4	14.8	0.59	554	1.31
I314971		0.56	34.5	2.97	5.64	0.08	0.17	0.02	0.031	0.08	12.8	12.6	0.59	551	1.38
I314972		0.46	23.5	2.85	5.18	0.08	0.20	0.03	0.027	0.11	13.7	12.7	0.50	518	1.23
I314973		0.65	33.2	2.66	4.92	0.08	0.24	0.03	0.026	0.09	14.2	13.1	0.58	467	0.87
I314974		0.51	23.1	2.26	4.32	0.06	0.06	0.01	0.020	0.04	11.9	10.9	0.44	314	1.05
I314975		0.49	23.7	2.38	4.57	0.07	0.15	0.02	0.021	0.08	11.2	10.9	0.49	246	0.74
I314976		0.47	21.8	2.34	4.60	0.07	0.08	0.02	0.022	0.07	10.5	11.3	0.46	321	1.14
I314977		0.47	33.2	2.56	5.27	0.07	0.15	0.03	0.026	0.08	11.7	10.7	0.51	450	0.96
I314978		0.49	35.8	2.71	5.53	0.08	0.17	0.03	0.026	0.06	13.4	11.2	0.50	420	1.37
I314979		0.58	32.5	2.40	4.56	0.07	0.07	0.01	0.020	0.05	12.9	10.6	0.49	241	1.07
I314980		0.08	2.6	0.68	0.59	<0.05	0.07	<0.01	<0.005	0.04	5.7	0.9	0.04	151	0.34
I314981		0.53	35.3	2.55	4.93	0.07	0.11	0.06	0.024	0.06	13.9	11.6	0.51	746	1.20
I314982		0.57	28.6	2.72	5.45	0.08	0.15	0.02	0.026	0.06	13.6	11.9	0.45	438	1.35
I314983		0.53	36.2	2.73	5.31	0.09	0.23	0.03	0.027	0.08	13.6	12.6	0.54	445	0.70



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I314951		1.48	20.3	620	8.0	6.8	<0.001	0.01	0.47	4.7	0.6	0.4	37.6	<0.01	0.02	3.5
I314952		1.21	17.4	500	8.0	6.8	<0.001	0.01	0.36	4.1	<0.2	0.5	28.0	<0.01	0.01	3.1
I314953		1.35	25.1	660	8.2	6.6	<0.001	0.02	0.48	5.0	0.6	0.4	41.3	<0.01	0.01	2.9
I314954		1.41	22.7	640	7.3	6.1	<0.001	0.02	0.39	4.6	0.9	0.4	48.0	<0.01	0.02	2.3
I314955		1.58	19.9	500	8.4	7.8	<0.001	0.01	0.38	5.5	1.3	0.5	41.7	<0.01	0.01	3.4
I314956		1.28	27.3	780	7.8	6.3	<0.001	0.01	0.61	4.6	0.5	0.4	38.9	<0.01	0.01	3.4
I314957		1.56	18.6	400	8.2	7.4	<0.001	<0.01	0.44	4.7	0.5	0.4	39.5	<0.01	0.02	3.9
I314958		1.26	15.4	320	6.8	5.1	<0.001	0.01	0.28	3.6	0.3	0.5	23.9	<0.01	0.01	2.3
I314959		1.50	15.3	510	6.8	8.9	<0.001	<0.01	0.31	6.3	<0.2	0.6	27.4	<0.01	0.01	2.5
I314960		0.65	22.5	670	4.9	5.2	<0.001	0.01	0.45	2.3	0.2	0.2	14.2	<0.01	0.01	5.6
I314961		1.50	15.4	310	6.8	6.9	<0.001	0.01	0.32	7.9	0.2	0.7	20.1	<0.01	0.02	2.1
I314962		1.29	17.4	260	7.1	7.9	<0.001	0.01	0.35	6.9	0.2	0.6	16.2	<0.01	0.02	2.2
I314963		1.27	17.3	300	7.8	8.6	<0.001	0.01	0.39	6.2	<0.2	0.5	21.7	<0.01	0.02	2.7
I314964		0.92	6.1	410	4.7	3.6	<0.001	0.01	0.15	2.7	<0.2	0.4	18.5	<0.01	<0.01	0.3
I314965		1.59	13.3	840	4.4	14.3	<0.001	0.02	0.21	14.4	0.9	0.5	35.5	<0.01	0.01	1.4
I314966		1.32	22.1	750	7.7	8.1	<0.001	0.03	0.48	5.2	1.3	0.4	49.8	<0.01	0.02	1.6
I314967		1.57	22.9	500	9.6	7.3	0.001	0.01	0.47	6.4	0.9	0.5	46.9	0.01	0.03	3.8
I314968		1.06	13.8	440	6.6	5.1	<0.001	0.01	0.35	3.9	0.6	0.4	35.1	<0.01	0.03	1.6
I314969		1.43	27.0	620	10.3	9.5	<0.001	0.01	0.59	5.4	0.8	0.5	51.0	0.01	0.03	3.2
I314970		1.56	26.6	640	11.4	10.8	<0.001	0.01	0.69	6.1	0.9	0.6	56.3	0.01	0.04	3.3
I314971		1.90	31.2	610	10.1	11.4	<0.001	<0.01	0.49	6.0	0.9	0.5	45.0	<0.01	0.03	3.9
I314972		1.63	22.9	530	10.6	9.0	<0.001	<0.01	0.53	6.2	0.7	0.5	42.5	<0.01	0.03	4.6
I314973		1.41	29.5	600	9.6	9.0	<0.001	<0.01	0.54	5.8	0.6	0.5	38.6	<0.01	0.03	4.7
I314974		1.28	22.4	540	8.7	6.3	<0.001	<0.01	0.41	4.3	0.7	0.5	37.6	<0.01	0.02	3.0
I314975		1.62	20.8	490	8.2	8.3	<0.001	<0.01	0.44	5.0	0.6	0.4	41.1	<0.01	0.03	3.3
I314976		1.41	26.6	650	8.9	7.9	<0.001	<0.01	0.50	4.3	0.6	0.5	37.2	<0.01	0.02	3.1
I314977		1.75	27.4	620	9.8	9.5	<0.001	0.02	0.62	5.9	1.2	0.5	72.2	<0.01	0.03	2.9
I314978		1.85	24.9	490	10.0	7.6	<0.001	0.01	0.53	6.1	1.1	0.5	52.3	<0.01	0.03	3.6
I314979		1.52	23.3	590	8.2	6.2	<0.001	0.01	0.39	4.9	0.8	0.4	41.2	<0.01	0.02	3.0
I314980		0.14	4.0	120	1.5	2.2	<0.001	<0.01	0.14	0.6	<0.2	<0.2	7.0	<0.01	0.01	1.9
I314981		1.63	28.7	730	9.2	8.0	<0.001	0.01	0.50	5.4	0.9	0.5	52.8	0.01	0.03	3.2
I314982		1.78	23.0	450	10.0	7.8	<0.001	<0.01	0.44	5.7	0.9	0.5	38.1	<0.01	0.03	3.6
I314983		1.69	24.7	650	9.1	8.4	<0.001	<0.01	0.50	6.4	0.7	0.5	42.9	<0.01	0.03	4.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 27 - SEP - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122485

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314951		0.071	0.07	1.95	48	0.29	8.30	44	3.5
I314952		0.075	0.06	0.51	52	0.17	5.35	39	3.0
I314953		0.073	0.06	1.11	55	0.26	10.25	46	3.6
I314954		0.077	0.05	1.01	53	0.24	8.52	44	2.4
I314955		0.077	0.06	1.73	58	0.14	9.13	43	5.7
I314956		0.081	0.06	0.91	53	0.26	9.61	56	4.4
I314957		0.072	0.05	0.78	44	0.19	6.50	45	6.7
I314958		0.059	0.06	0.55	46	0.27	4.34	34	2.0
I314959		0.089	0.07	0.31	63	0.18	3.72	57	3.2
I314960		0.030	0.17	0.71	26	0.09	7.52	25	3.5
I314961		0.131	0.07	0.38	73	0.13	5.97	68	2.3
I314962		0.082	0.08	0.33	59	0.15	2.92	55	1.7
I314963		0.086	0.07	0.51	64	0.13	5.35	41	4.4
I314964		0.103	0.05	0.19	45	0.12	2.09	30	0.6
I314965		0.154	0.09	1.02	58	0.11	12.50	91	2.1
I314966		0.074	0.05	1.90	52	0.18	15.00	50	2.2
I314967		0.094	0.05	1.67	57	0.30	10.65	46	8.1
I314968		0.067	0.04	0.86	41	0.13	4.80	33	2.2
I314969		0.070	0.07	1.29	55	0.20	10.35	57	2.9
I314970		0.072	0.08	1.39	56	0.23	11.70	60	3.1
I314971		0.101	0.06	1.87	64	0.18	8.53	61	7.8
I314972		0.095	0.06	1.18	59	0.18	7.66	49	8.8
I314973		0.101	0.09	0.69	54	0.22	10.60	52	12.3
I314974		0.063	0.06	0.85	46	0.24	7.09	41	2.6
I314975		0.093	0.06	0.89	47	0.19	7.40	45	7.0
I314976		0.071	0.06	0.81	49	0.16	5.94	47	3.5
I314977		0.088	0.05	2.57	48	0.19	8.96	54	6.7
I314978		0.102	0.05	1.95	60	0.23	9.94	44	8.5
I314979		0.078	0.05	1.20	54	0.40	9.01	39	3.0
I314980		0.006	0.03	0.30	4	0.05	2.15	5	2.8
I314981		0.091	0.05	2.38	54	0.21	10.25	48	4.9
I314982		0.103	0.06	1.53	59	0.23	9.08	41	6.8
I314983		0.113	0.06	0.86	58	0.17	10.95	50	11.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122485

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: **1**
Finalized Date: **20-SEP-2010**
Account: **EIASQI**

CERTIFICATE WH10122489

Project: SQI10-06
P.O. No.: SQI10-06_23
This report is for 220 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
EXTRA-01	Extra Sample received in Shipment
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I034008		0.68	0.005	0.08	1.31	2.3	<0.2	<10	380	0.23	0.11	0.48	0.13	21.7	10.7	54
I034009		0.70	0.005	0.16	1.99	5.5	<0.2	<10	640	0.39	0.08	1.21	0.78	21.7	21.3	86
I034316		0.36	0.009	0.06	1.25	10.4	<0.2	<10	110	0.28	0.16	0.69	0.19	26.9	10.8	28
I034317		0.46	0.006	0.06	1.39	12.2	<0.2	<10	110	0.38	0.18	0.53	0.22	40.5	16.7	34
I034318		0.46	0.026	0.08	1.21	24.6	<0.2	<10	140	0.33	0.42	0.45	0.56	31.7	13.5	26
I034319		0.32	0.014	0.15	1.39	38.6	<0.2	<10	110	0.39	0.47	0.52	0.39	29.5	13.8	30
I034320		0.38	0.005	0.07	0.62	10.9	<0.2	<10	150	0.25	0.15	0.31	0.28	33.8	10.8	17
I034321		0.42	0.007	0.02	0.81	2.4	<0.2	<10	130	0.13	0.08	0.32	0.06	14.15	9.6	20
I034322		0.42	<0.005	0.02	0.73	1.5	<0.2	<10	110	0.11	0.07	0.29	0.07	17.70	7.8	19
I034323		0.44	<0.005	0.03	1.00	2.2	<0.2	<10	160	0.13	0.15	0.35	0.06	10.75	8.7	23
I034324		0.48	<0.005	0.05	1.28	3.5	<0.2	<10	170	0.23	0.08	0.71	0.14	18.75	10.8	21
I034325		0.50	<0.005	0.05	1.16	2.8	<0.2	<10	160	0.18	0.06	0.70	0.14	16.60	9.2	18
I034326		0.50	<0.005	0.07	1.33	3.0	<0.2	<10	190	0.16	0.07	0.69	0.25	15.00	12.1	17
I034327		0.34	<0.005	0.10	1.68	3.3	<0.2	<10	270	0.18	0.09	0.75	0.16	14.85	10.5	22
I034328		0.56	0.009	0.05	1.21	2.1	<0.2	<10	150	0.12	0.06	0.42	0.11	12.05	9.6	15
I319501		0.58	<0.005	0.05	1.04	3.8	<0.2	<10	210	0.23	0.08	0.59	0.12	19.80	6.8	21
I319502		0.22	<0.005	0.07	1.18	2.3	<0.2	<10	220	0.28	0.10	0.65	0.16	23.0	6.3	23
I319551		0.72	<0.005	0.06	1.44	3.3	<0.2	<10	330	0.30	0.10	0.51	0.11	22.7	9.2	25
I319552		0.56	<0.005	0.10	1.39	7.5	<0.2	<10	250	0.30	0.11	1.63	0.19	21.4	11.8	24
I319553		0.64	<0.005	0.13	1.53	4.7	<0.2	<10	450	0.27	0.11	0.76	0.17	17.75	12.0	69
I319554		0.60	<0.005	0.07	1.28	2.1	<0.2	<10	180	0.19	0.11	0.27	0.13	15.75	11.7	60
I319555		0.34	<0.005	0.05	1.06	5.1	<0.2	<10	180	0.19	0.10	1.01	0.25	15.60	8.5	23
I319701		0.32	<0.005	0.12	1.44	15.6	<0.2	<10	270	0.41	0.13	0.91	0.30	24.8	10.5	25
I319702		0.50	NSS	0.07	1.26	13.2	<0.2	<10	300	0.38	0.09	0.91	0.28	22.3	11.5	20
I319703		0.52	<0.005	0.04	0.96	2.6	<0.2	<10	160	0.19	0.07	0.72	0.14	18.40	6.7	18
I319704		0.44	<0.005	0.08	1.26	12.8	<0.2	<10	210	0.34	0.12	0.73	0.20	22.4	9.3	23
I319705		0.54	<0.005	0.18	1.49	5.2	<0.2	<10	220	0.26	0.12	0.64	0.32	24.4	10.7	37
I319706		0.58	0.008	0.07	1.10	4.0	<0.2	<10	110	0.21	0.10	0.38	0.09	23.5	7.7	32
I319707		0.62	0.017	0.08	1.22	4.5	<0.2	<10	150	0.20	0.11	0.51	0.16	22.0	9.2	31
I319708		0.44	<0.005	0.09	1.43	4.0	<0.2	<10	160	0.33	0.12	0.74	0.20	31.1	10.5	28
I319709		0.66	<0.005	0.08	1.22	3.9	<0.2	<10	140	0.22	0.10	0.53	0.15	22.8	8.5	29
I319710		0.48	0.014	0.05	1.20	3.7	<0.2	<10	150	0.23	0.09	0.59	0.12	21.4	8.2	23
I319711		0.44	<0.005	0.18	1.64	9.4	<0.2	<10	240	0.48	0.24	0.85	0.25	40.2	13.3	31
I319751		0.82	<0.005	0.10	1.34	13.3	<0.2	<10	250	0.41	0.16	0.81	0.31	27.5	12.1	25
I319752		0.44	<0.005	0.15	0.94	25.1	<0.2	<10	480	0.31	0.11	1.12	0.43	24.9	19.0	16
I032451		0.50	<0.005	0.11	2.10	6.3	<0.2	<10	290	0.51	0.15	0.78	0.34	29.1	21.1	78
I032452		0.46	<0.005	0.11	1.61	4.5	<0.2	<10	390	0.56	0.42	1.20	0.20	40.4	14.6	37
I032453		0.50	<0.005	0.10	1.92	6.5	<0.2	<10	210	0.68	0.37	0.67	0.09	44.6	11.0	29
I032454		0.66	0.016	1.32	2.16	28.5	<0.2	<10	130	0.62	0.55	0.40	0.38	23.9	16.0	41
I032455		0.46	<0.005	0.03	2.31	9.9	<0.2	<10	190	0.56	0.23	0.22	0.08	24.2	11.6	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I034008		2.16	17.4	2.16	4.76	0.05	0.02	<0.01	0.010	0.15	12.4	11.8	0.91	402	0.56
I034009		1.63	52.7	3.76	6.95	0.10	0.09	0.01	0.027	0.36	12.7	19.0	1.35	490	0.91
I034316		2.54	17.7	2.61	3.84	0.06	0.05	0.01	0.016	0.11	14.1	11.9	0.60	486	0.60
I034317		3.38	20.8	3.32	4.76	0.08	0.03	0.01	0.020	0.14	19.5	13.4	0.66	797	0.84
I034318		5.32	20.1	2.70	3.85	0.07	0.02	0.01	0.015	0.15	14.6	14.4	0.58	2800	1.39
I034319		5.93	24.8	2.72	4.78	0.06	0.02	0.01	0.019	0.12	15.3	13.0	0.61	941	1.42
I034320		4.41	25.0	2.67	2.00	0.06	0.03	<0.01	0.014	0.09	15.7	6.3	0.25	743	1.50
I034321		0.94	21.5	1.97	3.22	0.05	0.02	<0.01	0.013	0.06	7.2	7.1	0.52	386	0.46
I034322		0.61	15.6	1.68	2.80	<0.05	<0.02	<0.01	0.009	0.06	9.3	6.9	0.44	290	0.33
I034323		0.65	27.4	1.92	3.67	<0.05	<0.02	<0.01	0.013	0.05	5.8	8.8	0.58	245	0.40
I034324		0.67	25.5	2.63	4.35	0.07	0.04	0.01	0.018	0.13	9.9	8.4	0.78	410	0.67
I034325		0.63	21.9	2.46	3.86	0.06	0.03	<0.01	0.017	0.12	8.9	7.4	0.69	391	0.59
I034326		0.47	29.7	2.82	4.43	0.06	0.02	0.01	0.020	0.11	7.8	7.8	0.72	1300	0.78
I034327		0.67	39.9	2.98	5.76	0.06	0.03	0.02	0.025	0.20	8.3	8.6	0.93	448	0.71
I034328		0.40	20.0	2.16	4.26	0.05	0.02	<0.01	0.016	0.08	6.3	6.6	0.70	327	0.45
I319501		0.56	13.1	1.93	3.44	0.05	0.05	<0.01	0.013	0.06	10.5	9.5	0.55	281	0.49
I319502		0.54	16.8	1.71	3.79	<0.05	0.05	0.02	0.016	0.06	12.0	10.4	0.53	213	0.40
I319551		3.47	32.2	2.94	5.52	0.07	0.02	0.02	0.022	0.25	12.9	13.2	0.77	452	0.76
I319552		0.75	33.0	2.99	4.89	0.07	0.08	0.02	0.024	0.17	11.6	10.1	0.90	441	1.01
I319553		1.84	31.7	2.54	5.22	0.05	0.03	0.03	0.015	0.15	10.1	13.0	0.96	509	0.73
I319554		1.94	17.7	2.12	4.51	<0.05	<0.02	0.01	0.010	0.12	8.6	10.0	0.88	405	0.65
I319555		0.43	14.7	1.95	3.39	0.05	0.04	0.03	0.015	0.10	8.3	8.0	0.51	821	0.43
I319701		0.70	18.6	2.62	4.06	0.05	0.05	0.03	0.022	0.06	13.2	12.2	0.51	561	0.59
I319702		0.67	15.4	2.54	4.64	0.05	0.04	0.01	0.020	0.08	11.1	10.3	0.55	692	1.27
I319703		0.33	12.2	1.58	3.19	0.05	0.07	0.01	0.013	0.04	10.0	7.4	0.41	121	0.29
I319704		0.62	16.8	2.25	4.14	0.05	0.05	0.02	0.019	0.05	11.9	10.6	0.48	296	0.47
I319705		0.99	25.6	2.43	4.91	0.06	0.03	0.01	0.016	0.10	13.0	17.1	0.81	561	1.04
I319706		0.81	12.3	1.93	3.93	0.05	0.02	0.01	0.012	0.08	12.9	13.0	0.57	234	0.61
I319707		0.76	18.5	2.22	4.14	0.05	0.04	0.02	0.013	0.09	12.2	14.0	0.67	346	0.66
I319708		0.87	21.7	2.49	5.46	0.07	0.03	0.02	0.017	0.08	16.9	17.9	0.63	338	0.70
I319709		0.70	15.7	2.11	4.07	0.06	0.04	0.01	0.014	0.09	12.6	13.2	0.60	344	0.61
I319710		0.64	15.7	2.21	4.35	0.05	0.06	<0.01	0.016	0.05	11.2	13.2	0.57	296	0.46
I319711		0.92	29.6	2.90	5.99	0.07	0.06	0.04	0.024	0.08	22.2	18.3	0.64	730	0.95
I319751		0.77	19.5	2.45	4.76	0.06	0.07	0.03	0.022	0.06	14.6	13.0	0.54	581	0.59
I319752		0.52	15.0	4.69	4.02	0.09	0.03	0.03	0.018	0.06	13.4	8.4	0.46	3280	0.93
I032451		0.40	56.4	3.43	6.82	0.07	0.07	0.03	0.027	0.07	15.8	12.8	1.45	774	1.54
I032452		0.46	42.5	2.92	4.62	0.06	0.11	0.04	0.026	0.09	21.4	8.4	0.82	601	0.85
I032453		0.81	22.1	2.76	6.08	0.07	0.12	0.02	0.030	0.12	28.8	11.6	0.46	296	1.32
I032454		4.67	61.2	3.12	5.85	0.06	0.05	0.05	0.039	0.06	13.9	13.9	0.78	216	1.22
I032455		1.21	23.1	3.38	7.23	0.05	0.06	0.02	0.037	0.06	15.4	12.9	0.48	171	1.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I034008		0.95	28.8	720	8.2	25.9	<0.001	<0.01	0.12	2.8	0.2	0.3	28.8	<0.01	<0.01
I034009		2.03	77.6	1530	6.5	25.6	<0.001	0.02	0.26	6.8	0.8	0.3	49.7	<0.01	0.02
I034316		0.90	22.6	860	8.1	14.9	<0.001	<0.01	0.39	3.5	0.4	0.3	42.5	<0.01	0.01
I034317		0.79	31.1	770	11.3	18.3	<0.001	<0.01	0.49	3.9	0.4	0.3	39.6	<0.01	0.02
I034318		0.78	26.8	810	13.3	21.2	<0.001	<0.01	1.05	3.0	0.4	0.3	37.7	<0.01	0.03
I034319		0.95	23.0	840	19.0	17.0	<0.001	<0.01	1.39	3.6	0.4	0.4	42.8	<0.01	0.03
I034320		0.55	25.5	1110	6.7	12.4	<0.001	<0.01	0.53	2.7	0.9	<0.2	22.7	<0.01	0.06
I034321		0.55	13.1	710	3.0	8.3	<0.001	<0.01	0.20	2.8	0.2	0.2	12.2	<0.01	<0.01
I034322		0.73	10.8	650	3.2	11.2	<0.001	<0.01	0.08	2.1	<0.2	0.2	10.6	<0.01	<0.01
I034323		0.60	12.8	610	2.9	8.2	<0.001	<0.01	0.12	2.8	0.2	0.2	14.1	<0.01	0.01
I034324		0.81	13.6	880	4.7	10.2	<0.001	0.03	0.19	4.7	0.5	0.3	37.3	<0.01	0.02
I034325		0.77	12.4	900	4.2	9.3	<0.001	0.03	0.17	4.4	0.5	0.3	33.5	<0.01	0.02
I034326		0.69	12.0	770	3.8	7.8	<0.001	0.08	0.16	5.0	0.7	0.3	38.0	<0.01	0.05
I034327		0.91	13.3	610	4.6	13.0	<0.001	0.12	0.17	5.5	0.9	0.3	40.1	<0.01	0.06
I034328		0.62	9.7	530	3.6	6.4	<0.001	0.04	0.12	4.1	0.4	0.2	26.3	<0.01	0.04
I319501		0.87	15.5	710	4.7	7.3	<0.001	<0.01	0.29	2.9	0.3	0.3	29.9	<0.01	0.01
I319502		0.98	16.3	730	6.0	7.9	<0.001	0.02	0.33	3.3	0.3	0.3	36.6	<0.01	<0.01
I319551		1.18	13.5	980	5.8	24.9	<0.001	<0.01	0.31	4.8	0.3	0.4	26.9	<0.01	0.01
I319552		1.03	19.6	1060	5.9	11.9	<0.001	0.01	0.37	6.0	0.6	0.4	74.6	<0.01	0.03
I319553		1.06	28.9	780	6.8	22.9	<0.001	0.02	0.21	3.4	0.5	0.3	35.9	<0.01	0.01
I319554		0.83	26.6	590	7.5	18.8	<0.001	<0.01	0.10	2.4	0.2	0.3	18.3	<0.01	0.01
I319555		1.01	16.4	870	5.9	10.6	<0.001	0.06	0.31	2.7	0.6	0.3	50.3	<0.01	0.01
I319701		1.09	21.1	670	11.4	10.1	<0.001	0.02	0.43	4.0	0.6	0.3	55.6	<0.01	0.01
I319702		1.10	16.0	740	8.3	9.6	<0.001	0.02	0.32	5.1	0.6	0.3	58.7	0.01	0.01
I319703		0.98	13.0	740	4.9	5.1	<0.001	0.02	0.27	3.0	0.3	0.3	35.8	0.01	<0.01
I319704		1.08	18.1	640	9.7	9.0	<0.001	0.02	0.39	3.6	0.5	0.3	49.1	<0.01	0.01
I319705		1.13	21.8	640	10.6	13.4	<0.001	0.02	0.18	3.7	0.7	0.3	33.3	<0.01	0.02
I319706		1.25	19.6	520	6.6	12.3	<0.001	<0.01	0.15	2.8	0.4	0.3	21.1	<0.01	0.02
I319707		1.27	20.0	580	7.7	12.4	<0.001	<0.01	0.17	3.1	0.4	0.3	27.4	<0.01	0.02
I319708		1.53	17.5	630	6.6	11.6	<0.001	0.03	0.20	3.5	0.8	0.4	38.0	<0.01	0.01
I319709		1.27	17.7	610	6.7	11.1	<0.001	0.01	0.17	3.0	0.5	0.3	25.6	<0.01	0.01
I319710		1.22	15.3	650	5.7	6.8	<0.001	<0.01	0.24	3.9	0.4	0.3	30.8	<0.01	0.01
I319711		1.79	28.5	680	12.2	13.9	<0.001	0.01	0.40	4.6	0.9	0.4	47.8	<0.01	0.04
I319751		1.28	23.3	700	10.9	10.5	<0.001	<0.01	0.46	4.5	0.6	0.4	55.8	<0.01	0.02
I319752		1.06	19.1	1260	5.6	8.9	0.002	0.03	0.39	3.3	1.0	0.3	82.7	<0.01	0.03
I032451		0.83	51.7	580	10.7	7.2	<0.001	<0.01	0.34	8.6	0.8	0.4	50.5	<0.01	0.02
I032452		0.94	25.5	650	29.6	10.1	0.001	0.05	0.33	5.9	1.0	0.4	82.1	<0.01	0.02
I032453		2.00	19.0	370	20.9	14.3	<0.001	0.02	0.25	5.3	0.6	0.7	53.3	<0.01	0.02
I032454		1.47	38.5	710	128.5	11.1	<0.001	0.03	2.44	6.1	1.0	0.5	20.8	<0.01	0.09
I032455		1.62	27.1	270	12.0	9.5	<0.001	0.01	0.40	4.4	0.5	0.8	20.5	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I034008		0.115	0.14	0.89	48	0.10	4.52	53
I034009		0.164	0.16	1.24	83	0.25	11.35	121
I034316		0.078	0.11	1.21	46	0.14	7.35	62
I034317		0.057	0.15	1.19	43	0.09	7.71	77
I034318		0.060	0.22	1.45	37	0.11	6.48	74
I034319		0.076	0.21	1.95	50	0.25	7.00	68
I034320		0.026	0.12	1.35	32	0.10	8.41	71
I034321		0.056	0.04	0.38	44	0.08	3.31	37
I034322		0.050	0.06	0.41	29	<0.05	3.43	37
I034323		0.066	0.05	0.30	46	0.13	2.90	40
I034324		0.085	0.06	1.09	57	0.08	7.06	64
I034325		0.080	0.05	0.88	53	0.25	6.78	58
I034326		0.081	0.06	0.82	60	0.06	7.37	71
I034327		0.112	0.08	0.77	71	0.07	7.22	72
I034328		0.082	0.04	0.34	50	0.05	4.65	54
I319501		0.062	0.04	0.52	38	0.10	6.00	52
I319502		0.064	0.05	0.65	38	0.35	7.11	60
I319551		0.106	0.12	0.73	58	0.20	6.12	84
I319552		0.080	0.08	0.50	60	0.12	8.53	71
I319553		0.102	0.13	0.97	62	0.19	5.81	60
I319554		0.104	0.13	0.77	51	0.09	3.84	55
I319555		0.058	0.05	0.60	35	0.33	5.13	64
I319701		0.059	0.07	0.89	48	0.14	9.08	83
I319702		0.064	0.06	0.99	42	0.34	7.75	83
I319703		0.063	0.04	0.85	31	0.32	6.28	54
I319704		0.059	0.06	0.85	44	0.38	7.56	66
I319705		0.091	0.10	1.09	50	0.09	7.66	102
I319706		0.075	0.07	1.02	35	0.19	6.24	54
I319707		0.083	0.08	1.05	40	0.20	6.35	71
I319708		0.090	0.07	1.62	49	0.15	10.20	66
I319709		0.087	0.07	1.28	41	0.12	6.75	64
I319710		0.088	0.05	0.75	48	0.23	6.70	54
I319711		0.086	0.09	1.18	53	0.19	13.35	80
I319751		0.067	0.08	0.89	46	0.21	9.33	76
I319752		0.060	0.06	0.67	64	0.19	8.78	66
I032451		0.047	0.05	0.76	69	0.10	14.35	75
I032452		0.056	0.08	1.59	49	0.18	11.95	64
I032453		0.098	0.08	2.01	57	0.40	9.06	40
I032454		0.112	0.20	1.28	72	0.14	7.76	96
I032455		0.093	0.11	0.61	77	0.14	4.99	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032456		0.52	<0.005	0.03	1.99	8.2	<0.2	<10	250	0.56	0.17	0.36	0.05	32.1	12.7	35
I032457		0.40	<0.005	0.05	1.39	5.7	<0.2	<10	180	0.32	0.17	0.21	0.10	16.85	7.0	22
I032458		0.32	<0.005	0.09	1.67	5.6	<0.2	<10	150	1.03	0.21	0.28	0.10	80.5	8.1	21
I032459		0.58	<0.005	0.04	2.13	9.7	<0.2	<10	150	0.50	0.24	0.26	0.08	39.4	9.0	29
I032460		0.54	<0.005	0.03	2.24	10.0	<0.2	<10	150	0.49	0.25	0.27	0.07	40.9	8.6	30
I032461		0.24	<0.005	0.01	0.11	2.3	<0.2	<10	30	0.11	0.03	0.09	0.04	11.40	2.9	3
I032462		0.52	<0.005	0.07	1.88	6.5	<0.2	<10	160	0.48	0.19	0.30	0.07	39.7	7.0	27
I032463		0.44	<0.005	0.10	1.99	8.5	<0.2	<10	170	0.47	0.23	0.29	0.10	37.4	7.3	27
I032464		0.40	<0.005	0.22	1.86	3.4	<0.2	<10	300	0.75	0.15	0.49	0.21	169.0	4.8	22
I032465		0.48	<0.005	0.05	1.77	4.4	<0.2	<10	110	0.42	0.20	0.27	0.05	22.0	9.4	26
I032466		0.64	0.008	0.04	1.82	6.1	<0.2	<10	160	0.75	0.21	0.25	0.07	43.2	7.9	27
I032467		0.70	<0.005	0.02	1.02	3.9	<0.2	<10	80	0.72	0.19	0.11	0.03	34.5	3.7	11
I032468		0.58	<0.005	0.03	2.14	9.1	<0.2	<10	150	0.74	0.20	0.23	0.06	33.5	8.2	25
I032469		0.46	<0.005	0.02	1.87	9.1	<0.2	<10	90	0.31	0.21	0.16	0.08	25.6	7.1	28
I032470		0.64	<0.005	0.02	1.52	3.7	<0.2	<10	70	0.71	0.28	0.14	0.04	29.5	7.0	20
I032471		0.54	<0.005	0.05	1.91	6.6	<0.2	<10	150	0.40	0.18	0.27	0.06	32.1	6.3	27
I032472		0.50	<0.005	0.01	0.93	2.5	<0.2	<10	50	0.39	0.39	0.10	0.06	38.3	3.6	13
I032473		0.40	<0.005	0.04	2.92	10.9	<0.2	<10	180	0.66	0.19	0.18	0.08	23.9	13.4	44
I032474		0.46	<0.005	0.01	1.93	8.7	<0.2	<10	90	0.32	0.18	0.20	0.10	18.40	7.2	30
I032475		0.54	<0.005	0.12	3.28	10.6	<0.2	<10	220	1.03	0.37	0.21	0.07	42.4	13.1	45
I032476		0.58	<0.005	0.09	2.51	11.5	<0.2	<10	160	0.65	0.95	0.20	0.16	25.6	7.0	35
I032477		0.62	<0.005	0.04	1.74	7.7	<0.2	<10	110	0.39	0.21	0.17	0.07	15.95	6.4	25
I032478		0.48	<0.005	0.04	2.05	5.3	<0.2	<10	130	0.77	0.34	0.14	0.07	42.4	7.1	20
I032479		0.42	<0.005	0.04	1.16	7.1	<0.2	<10	90	0.22	0.21	0.13	0.07	14.35	4.0	20
I032480		0.48	<0.005	0.03	1.96	9.1	<0.2	<10	130	0.41	0.42	0.16	0.06	22.0	8.4	28
I032481		0.46	<0.005	0.05	2.23	10.4	<0.2	<10	150	0.40	0.20	0.21	0.04	17.85	10.6	35
I032482		0.34	<0.005	0.01	0.12	2.0	<0.2	<10	30	0.11	0.02	0.08	0.04	11.35	2.6	4
I032483		0.28	<0.005	0.22	1.92	5.7	<0.2	<10	200	0.41	0.25	0.63	0.18	36.6	14.5	33
I032484		0.48	<0.005	0.19	2.75	6.8	<0.2	<10	220	0.69	0.36	0.50	0.11	17.70	14.9	28
I032485		0.58	<0.005	0.12	2.37	4.4	<0.2	<10	220	0.63	0.18	0.48	0.11	27.5	12.3	36
I032486		0.46	<0.005	0.22	1.92	8.7	<0.2	<10	200	0.28	0.20	0.13	0.06	12.55	9.7	30
I032487		0.56	<0.005	0.21	1.60	6.5	<0.2	<10	220	0.31	0.15	0.25	0.09	15.85	8.0	27
I032488		0.52	<0.005	0.40	1.23	5.4	<0.2	<10	140	0.18	0.15	0.18	0.12	13.80	6.2	22
I032489		0.62	<0.005	0.15	1.84	5.9	<0.2	<10	160	0.41	0.17	0.11	0.09	21.0	10.6	28
I032490		0.62	<0.005	0.31	1.59	5.6	<0.2	<10	190	0.32	0.15	0.21	0.09	14.75	8.2	26
I032491		0.50	<0.005	0.13	1.32	7.7	<0.2	<10	250	0.39	0.13	0.32	0.10	19.50	8.6	23
I032492		0.48	<0.005	0.09	1.80	4.8	<0.2	<10	320	0.34	0.11	0.37	0.09	16.90	10.9	25
I032493		0.52	<0.005	0.11	1.59	5.2	<0.2	<10	280	0.37	0.14	0.37	0.07	18.20	9.3	27
I032494		0.44	<0.005	0.02	0.12	2.0	<0.2	<10	30	0.09	0.02	0.08	0.04	13.05	2.5	3
I032495		0.56	<0.005	0.08	1.56	4.3	<0.2	<10	300	0.44	0.13	0.31	0.07	20.6	9.3	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032456		0.98	24.8	3.12	6.30	0.06	0.16	0.03	0.036	0.05	17.3	16.3	0.55	238	0.81
I032457		1.02	18.0	2.19	5.73	<0.05	0.05	0.02	0.024	0.05	9.7	9.9	0.26	511	1.62
I032458		2.11	21.1	2.28	6.08	0.11	0.04	0.05	0.035	0.06	47.1	14.7	0.24	543	1.48
I032459		2.08	14.1	3.22	7.44	0.08	0.06	0.03	0.035	0.09	23.8	27.2	0.46	256	1.35
I032460		2.09	14.0	3.32	7.72	0.07	0.07	0.02	0.036	0.08	23.7	26.8	0.49	243	1.21
I032461		0.10	2.2	0.72	0.52	<0.05	0.06	0.01	<0.005	0.03	5.9	1.5	0.05	191	0.34
I032462		2.05	14.5	2.65	6.85	0.07	0.09	0.02	0.029	0.08	22.7	21.5	0.42	185	0.95
I032463		1.92	15.8	2.82	7.68	0.07	0.08	0.03	0.035	0.07	23.0	14.5	0.38	298	1.22
I032464		3.10	17.8	2.16	6.13	0.25	0.09	0.11	0.039	0.10	123.5	10.7	0.18	87	0.95
I032465		4.19	7.3	2.86	8.57	0.06	0.04	0.02	0.031	0.24	12.9	25.6	0.58	302	1.06
I032466		3.83	13.7	2.90	6.93	0.07	0.04	0.02	0.037	0.12	30.8	19.6	0.48	275	1.07
I032467		7.50	6.5	2.27	5.08	0.06	0.04	0.01	0.029	0.14	23.0	9.6	0.24	115	0.58
I032468		5.25	15.9	3.56	7.63	0.07	0.06	0.02	0.053	0.16	27.1	24.2	0.53	204	0.91
I032469		3.31	12.5	3.45	9.27	0.05	0.05	0.02	0.025	0.14	12.7	22.2	0.53	233	1.16
I032470		5.91	7.7	2.63	5.88	0.07	0.05	0.01	0.028	0.33	20.4	19.4	0.50	229	0.48
I032471		2.02	12.0	2.66	6.70	0.06	0.11	0.03	0.028	0.07	17.4	20.1	0.42	159	1.01
I032472		5.59	9.7	1.69	6.19	0.11	0.04	0.01	0.022	0.25	57.5	11.3	0.28	130	0.65
I032473		1.39	30.2	3.72	6.67	0.06	0.14	0.02	0.039	0.05	12.1	14.2	0.54	248	1.33
I032474		2.35	11.3	3.01	8.77	<0.05	0.05	0.02	0.022	0.10	15.1	26.2	0.56	201	0.96
I032475		2.87	31.1	4.22	8.53	0.08	0.12	0.04	0.054	0.06	23.9	24.2	0.56	281	1.45
I032476		1.88	29.2	4.45	9.73	0.06	0.03	0.04	0.045	0.08	14.2	16.8	0.36	167	1.60
I032477		2.55	11.2	3.13	7.98	<0.05	0.04	0.01	0.027	0.08	8.0	15.2	0.41	173	1.41
I032478		6.51	9.6	3.18	10.15	0.07	0.03	0.01	0.034	0.25	26.4	37.1	0.59	236	0.79
I032479		1.86	8.5	2.56	7.32	<0.05	0.03	0.01	0.020	0.04	7.5	6.8	0.23	149	1.37
I032480		2.27	12.5	3.38	7.37	<0.05	0.03	<0.01	0.036	0.05	6.7	18.4	0.45	181	0.98
I032481		1.93	18.0	3.72	7.71	0.05	0.06	0.02	0.036	0.05	10.5	18.0	0.52	196	1.35
I032482		0.09	1.8	0.71	0.53	<0.05	0.07	<0.01	<0.005	0.03	5.8	1.4	0.04	173	0.29
I032483		1.65	32.3	3.28	6.04	0.08	0.04	0.04	0.025	0.06	24.6	11.2	0.51	296	1.07
I032484		1.34	44.4	3.91	8.37	0.06	0.10	0.01	0.031	0.07	9.3	19.5	1.23	409	0.58
I032485		0.95	23.0	3.07	7.85	0.06	0.09	0.02	0.033	0.04	13.1	14.9	1.00	447	0.65
I032486		1.49	23.0	3.01	6.85	0.05	0.05	0.01	0.021	0.06	6.3	15.8	0.72	275	1.28
I032487		0.49	13.8	2.67	5.24	0.05	0.06	0.01	0.021	0.09	8.2	12.3	0.47	329	1.49
I032488		0.31	12.0	2.45	5.23	<0.05	0.04	0.02	0.016	0.08	7.1	8.5	0.38	300	1.94
I032489		1.11	21.5	2.94	7.33	0.05	0.10	0.01	0.030	0.05	9.7	11.2	0.46	901	1.48
I032490		0.61	13.3	2.58	5.77	<0.05	0.03	0.02	0.021	0.05	7.5	11.2	0.45	396	1.54
I032491		0.57	11.9	2.40	5.33	0.05	0.04	0.01	0.022	0.11	8.5	8.4	0.40	758	0.90
I032492		1.27	22.3	3.29	7.26	0.06	0.05	0.01	0.029	0.24	7.3	12.1	0.76	950	0.92
I032493		0.36	12.4	2.61	5.89	<0.05	0.06	0.01	0.023	0.06	8.8	9.2	0.49	712	1.11
I032494		0.09	1.9	0.68	0.64	<0.05	0.07	<0.01	<0.005	0.03	6.6	1.3	0.04	176	0.32
I032495		0.40	10.6	2.46	5.62	<0.05	0.02	0.01	0.021	0.08	9.4	7.9	0.39	625	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032456		1.47	27.1	470	8.6	8.3	<0.001	0.01	0.38	6.5	0.7	0.7	28.2	<0.01	0.02
I032457		1.33	13.5	440	10.7	11.3	<0.001	0.01	0.26	3.7	0.3	0.7	20.9	<0.01	0.02
I032458		1.14	11.9	590	22.2	19.8	<0.001	0.03	0.26	3.4	1.1	0.8	24.3	0.01	0.02
I032459		1.77	17.2	480	16.5	19.5	<0.001	0.01	0.31	4.1	0.7	0.9	22.9	<0.01	0.03
I032460		1.76	18.1	470	17.6	19.4	<0.001	0.01	0.30	4.3	0.7	1.0	22.6	<0.01	0.02
I032461		0.17	5.0	160	1.7	1.8	<0.001	<0.01	0.18	0.7	<0.2	<0.2	5.8	<0.01	0.01
I032462		1.79	14.1	310	12.7	20.2	<0.001	0.01	0.26	4.0	0.6	0.9	24.2	<0.01	0.02
I032463		1.73	15.1	370	13.7	17.3	<0.001	0.02	0.28	4.6	0.8	1.2	23.7	<0.01	0.03
I032464		1.04	13.5	1110	17.3	26.4	<0.001	0.11	0.24	3.4	2.1	0.7	43.5	0.02	0.03
I032465		1.56	13.1	420	14.7	53.1	<0.001	0.01	0.15	4.1	0.4	1.6	18.4	<0.01	0.02
I032466		1.27	15.6	340	21.0	28.7	<0.001	0.01	0.27	4.3	0.6	1.1	21.0	<0.01	0.02
I032467		0.70	7.0	190	12.5	39.7	<0.001	0.01	0.31	3.0	0.4	1.0	15.1	<0.01	0.01
I032468		1.55	20.5	370	21.7	32.4	<0.001	0.01	0.29	5.2	0.6	1.5	18.5	<0.01	0.02
I032469		1.95	13.7	440	12.0	28.2	<0.001	0.01	0.33	3.2	0.6	0.9	14.3	<0.01	0.03
I032470		1.19	13.9	260	12.9	55.6	<0.001	0.01	0.21	3.3	0.4	1.1	10.4	<0.01	0.01
I032471		1.68	13.9	240	12.8	18.8	<0.001	0.01	0.24	3.9	0.5	0.9	22.1	<0.01	0.02
I032472		0.85	8.0	390	12.9	46.1	<0.001	0.01	0.13	2.0	0.5	1.3	10.2	<0.01	0.01
I032473		1.83	28.6	270	10.8	10.1	<0.001	0.01	0.57	5.7	0.6	0.7	22.0	0.02	0.03
I032474		1.71	15.3	320	12.1	24.2	<0.001	0.01	0.27	3.1	0.3	0.8	17.0	<0.01	0.03
I032475		2.09	29.5	400	19.2	16.3	<0.001	0.02	0.53	5.7	0.8	0.9	23.7	0.01	0.03
I032476		1.70	14.6	700	149.0	17.7	<0.001	0.02	0.44	3.7	0.7	0.9	21.3	0.01	0.04
I032477		1.51	14.0	270	11.4	19.7	<0.001	0.01	0.37	2.9	0.4	1.2	16.3	<0.01	0.02
I032478		1.46	13.7	330	13.4	45.5	<0.001	0.01	0.20	3.4	0.4	2.3	12.0	<0.01	0.02
I032479		1.37	7.4	400	11.5	16.7	<0.001	0.01	0.27	2.3	0.3	0.8	14.1	<0.01	0.02
I032480		1.28	16.7	280	18.2	13.3	<0.001	0.01	0.33	3.9	0.3	1.2	13.8	<0.01	0.02
I032481		1.62	19.3	320	10.4	13.0	<0.001	0.01	0.48	4.6	0.5	0.8	20.2	<0.01	0.03
I032482		0.17	4.1	140	1.6	1.9	<0.001	0.01	0.13	0.6	<0.2	<0.2	5.9	<0.01	<0.01
I032483		1.29	30.1	560	22.5	11.0	<0.001	0.06	0.27	4.0	0.7	0.5	40.9	<0.01	0.03
I032484		1.27	23.1	250	9.5	10.5	<0.001	0.01	0.35	5.9	0.5	0.6	23.8	<0.01	0.03
I032485		1.19	24.4	180	9.1	5.9	<0.001	0.01	0.25	5.8	0.5	0.5	21.2	<0.01	0.02
I032486		1.08	20.9	210	7.4	11.6	<0.001	0.01	0.36	3.3	0.3	0.5	11.9	<0.01	0.02
I032487		1.24	17.8	180	7.7	8.1	<0.001	0.01	0.38	3.1	0.3	0.5	19.6	<0.01	0.03
I032488		1.20	14.0	190	7.3	5.5	<0.001	0.01	0.37	2.5	0.3	0.4	14.5	<0.01	0.02
I032489		1.09	18.1	200	7.9	9.3	<0.001	<0.01	0.39	4.7	0.3	0.5	11.3	<0.01	0.03
I032490		1.29	16.4	230	7.8	6.9	<0.001	<0.01	0.34	2.9	0.2	0.5	18.2	<0.01	0.03
I032491		1.07	15.1	450	8.0	17.0	<0.001	0.01	0.34	3.6	0.3	0.4	24.7	<0.01	0.02
I032492		1.17	17.3	230	5.6	20.6	<0.001	<0.01	0.29	7.1	0.4	0.4	25.9	<0.01	0.02
I032493		1.21	18.4	170	6.9	7.9	<0.001	<0.01	0.32	4.3	0.3	0.5	24.5	<0.01	0.02
I032494		0.17	4.3	150	1.7	2.1	<0.001	<0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	0.01
I032495		1.00	15.1	430	7.8	4.9	<0.001	0.01	0.29	3.6	0.3	0.5	27.6	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032456		0.097	0.09	2.11	66	0.16	10.05	48	6.5
I032457		0.075	0.10	0.51	50	0.17	4.12	47	1.9
I032458		0.043	0.11	3.41	43	0.20	19.45	37	0.6
I032459		0.091	0.15	1.37	67	0.27	8.76	51	1.9
I032460		0.096	0.16	1.43	71	0.17	8.70	54	2.2
I032461		0.008	0.03	0.35	4	<0.05	2.25	6	2.0
I032462		0.098	0.13	1.31	58	0.15	9.20	43	3.0
I032463		0.093	0.13	1.68	63	0.20	10.60	48	2.8
I032464		0.040	0.14	4.67	18	0.17	38.5	37	1.2
I032465		0.096	0.35	0.82	51	0.15	6.10	66	1.4
I032466		0.074	0.24	1.26	54	0.21	8.53	58	1.4
I032467		0.034	0.32	2.02	23	0.08	7.96	51	1.2
I032468		0.068	0.30	0.76	58	0.13	9.68	53	1.9
I032469		0.122	0.27	0.61	74	0.18	3.56	54	2.0
I032470		0.084	0.45	1.72	33	0.13	6.86	64	1.7
I032471		0.101	0.15	1.16	59	0.16	7.72	42	4.0
I032472		0.074	0.30	1.99	28	0.11	9.63	37	0.8
I032473		0.108	0.13	1.10	76	0.15	5.39	46	6.5
I032474		0.119	0.20	0.66	71	0.12	2.87	46	1.6
I032475		0.108	0.26	1.37	76	0.18	7.61	61	5.3
I032476		0.080	0.16	0.88	91	0.19	5.06	66	1.1
I032477		0.092	0.15	0.48	69	0.14	2.90	41	1.6
I032478		0.073	0.38	0.88	41	0.11	5.83	68	0.6
I032479		0.089	0.12	0.35	70	0.12	2.04	29	1.3
I032480		0.074	0.14	0.67	66	0.11	2.97	48	1.5
I032481		0.108	0.14	0.63	78	0.14	4.14	48	2.4
I032482		0.010	0.03	0.35	4	<0.05	2.12	6	2.3
I032483		0.078	0.11	0.98	62	0.18	8.96	49	1.2
I032484		0.074	0.09	0.44	98	0.20	3.77	66	3.9
I032485		0.048	0.09	0.39	75	0.27	7.09	48	2.8
I032486		0.084	0.11	0.27	68	0.15	1.97	53	2.0
I032487		0.071	0.08	0.33	62	0.13	2.21	47	2.6
I032488		0.061	0.05	0.27	59	0.15	1.98	46	1.6
I032489		0.066	0.11	0.37	68	0.14	3.81	58	3.9
I032490		0.062	0.08	0.31	59	0.14	2.26	56	1.4
I032491		0.060	0.07	0.38	48	0.13	2.99	53	1.6
I032492		0.103	0.10	0.35	79	0.13	4.56	50	2.1
I032493		0.062	0.07	0.33	58	0.13	3.18	43	2.6
I032494		0.008	0.03	0.37	3	<0.05	2.51	6	2.4
I032495		0.050	0.08	0.35	54	0.15	2.84	68	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032496		0.64	<0.005	0.09	1.36	2.7	<0.2	<10	140	0.32	0.09	0.20	0.07	11.85	5.7	17
I032497		0.52	<0.005	0.17	1.86	3.5	<0.2	<10	320	0.44	0.12	0.41	0.06	18.40	11.3	43
I032498		0.62	<0.005	0.04	1.49	4.7	<0.2	<10	200	0.31	0.12	0.33	0.07	14.45	8.1	24
I032499		0.50	<0.005	0.09	1.25	3.7	<0.2	<10	200	0.24	0.13	0.47	0.12	15.35	6.4	20
I032500		0.50	<0.005	0.08	1.56	4.0	<0.2	<10	250	0.36	0.15	0.59	0.09	18.25	7.8	24
I033143		0.64	<0.005	0.04	2.98	10.8	<0.2	<10	200	0.50	0.16	0.29	0.14	25.1	15.3	43
I314651		0.72	<0.005	0.01	0.91	1.4	<0.2	<10	110	0.24	0.02	0.24	0.01	21.9	6.7	10
I314652		0.50	<0.005	0.04	1.60	7.2	<0.2	<10	230	0.52	0.21	0.37	0.04	26.7	7.7	29
I314653		0.64	<0.005	0.03	1.57	6.6	<0.2	<10	280	0.42	0.14	0.37	0.05	21.9	6.8	27
I314654		0.72	<0.005	0.07	1.71	7.7	<0.2	<10	330	0.47	0.18	0.60	0.09	25.0	9.8	27
I314655		0.78	<0.005	0.05	1.79	8.4	<0.2	<10	280	0.53	0.18	0.71	0.08	24.7	10.4	28
I314656		0.92	<0.005	0.06	1.54	9.4	<0.2	<10	320	0.45	0.16	0.49	0.07	25.4	8.8	28
I314657		0.86	<0.005	0.05	1.50	9.7	<0.2	<10	260	0.39	0.17	0.59	0.11	26.0	10.5	28
I314658		0.72	<0.005	0.03	1.42	8.9	<0.2	<10	250	0.38	0.16	0.47	0.06	23.6	8.9	25
I314659		0.50	<0.005	0.06	1.35	6.8	<0.2	<10	260	0.40	0.14	0.51	0.06	22.6	7.3	23
I314660		0.66	<0.005	0.08	1.43	11.7	<0.2	<10	260	0.50	0.18	0.54	0.08	26.5	8.3	28
I314661		0.38	<0.005	0.01	0.08	1.6	<0.2	<10	20	0.07	0.02	0.05	0.04	9.14	2.1	2
I314662		0.54	0.008	0.22	1.84	13.8	<0.2	<10	350	0.66	0.29	0.70	0.32	38.0	13.4	39
I314663		0.68	<0.005	0.10	1.50	11.3	<0.2	<10	350	0.48	0.18	1.00	0.14	27.3	10.7	29
I314664		0.60	<0.005	0.22	2.34	20.8	<0.2	<10	470	0.96	0.42	0.57	0.28	50.5	16.1	51
I314665		0.56	<0.005	0.28	2.16	17.7	<0.2	<10	400	0.90	0.37	0.63	0.32	47.0	17.6	48
I314666		0.84	<0.005	0.15	1.64	12.2	<0.2	<10	310	0.61	0.26	0.54	0.19	33.3	11.8	38
I314667		0.84	<0.005	0.10	1.33	19.9	<0.2	<10	250	0.57	0.17	0.49	0.14	29.4	8.5	23
I314668		0.72	<0.005	0.05	1.93	10.4	<0.2	<10	290	0.49	0.22	0.15	0.15	19.85	13.6	31
I314669		0.60	<0.005	0.04	1.71	8.0	<0.2	<10	280	0.43	0.17	0.21	0.07	20.8	9.7	31
I314670		0.36	<0.005	0.02	0.10	1.8	<0.2	<10	20	0.08	0.03	0.06	0.03	12.20	2.3	3
I314671		0.60	<0.005	0.05	1.42	6.7	<0.2	<10	310	0.27	0.17	0.25	0.10	16.15	7.2	24
I314672		0.64	<0.005	0.05	1.34	6.8	<0.2	<10	280	0.24	0.15	0.26	0.09	16.10	6.7	25
I314673		0.56	<0.005	0.09	1.18	3.9	<0.2	<10	350	0.37	0.26	0.28	0.11	16.50	10.5	18
I314674		0.72	<0.005	0.07	1.91	2.9	<0.2	<10	320	1.09	0.16	0.67	0.08	47.1	12.2	68
I315451		0.48	<0.005	0.16	1.98	5.2	<0.2	<10	170	0.25	1.13	0.28	0.25	21.1	40.6	36
I315452		0.52	<0.005	0.07	1.54	7.7	<0.2	<10	140	0.28	0.83	0.39	0.27	20.7	11.2	28
I315453		0.54	<0.005	1.94	2.01	6.3	<0.2	<10	250	0.37	0.89	0.54	0.53	39.2	34.3	40
I315454		0.70	0.006	0.15	2.22	20.1	<0.2	<10	150	0.40	0.89	0.30	0.13	32.0	7.8	32
I315455		0.50	<0.005	0.23	2.12	11.1	<0.2	<10	200	0.37	0.56	0.32	0.17	33.2	13.8	32
I315456		0.46	NSS	0.24	1.98	8.2	<0.2	<10	280	0.62	0.45	0.55	0.50	87.2	6.9	24
I315457		0.60	<0.005	0.04	2.62	5.6	<0.2	<10	190	0.85	0.69	0.19	0.24	57.5	7.2	38
I315458		0.50	<0.005	0.31	2.46	4.5	<0.2	<10	300	0.43	0.44	0.58	0.37	23.5	18.4	33
I315459		0.50	0.008	0.17	2.23	7.6	<0.2	<10	230	0.47	0.34	0.66	0.20	24.4	11.1	34
I315460		0.40	0.010	0.32	3.17	41.9	<0.2	<10	310	0.53	0.46	0.51	0.25	20.3	22.7	141



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032496		0.33	9.9	2.27	6.31	<0.05	<0.02	<0.01	0.017	0.05	6.2	8.4	0.44	202	0.63
I032497		0.71	16.9	3.23	6.99	0.05	0.06	0.01	0.027	0.09	8.1	11.4	0.63	602	1.31
I032498		0.43	23.9	2.79	6.43	0.05	0.08	0.01	0.023	0.07	7.1	10.6	0.52	229	1.06
I032499		0.45	16.3	2.19	5.38	0.05	0.04	0.01	0.017	0.08	8.0	7.2	0.42	281	1.10
I032500		0.46	19.1	2.39	5.63	0.05	0.06	0.03	0.021	0.08	9.7	9.4	0.55	380	0.97
I033143		1.16	30.0	3.61	7.99	0.07	0.10	0.02	0.036	0.06	9.4	14.1	0.72	419	1.26
I314651		0.62	5.1	1.68	5.27	0.05	0.03	<0.01	0.018	0.02	11.1	6.5	0.47	189	0.12
I314652		0.44	26.7	2.53	5.31	0.06	0.16	0.02	0.025	0.06	14.4	9.3	0.47	210	0.40
I314653		0.42	20.9	2.25	5.29	<0.05	0.10	0.01	0.022	0.04	11.5	9.3	0.44	138	0.42
I314654		0.51	25.1	2.71	6.11	0.06	0.13	0.02	0.028	0.05	13.5	11.1	0.51	306	0.71
I314655		0.62	33.3	2.92	5.93	0.08	0.36	0.03	0.030	0.07	14.5	12.1	0.62	287	0.41
I314656		0.57	24.1	2.62	5.02	0.06	0.22	0.02	0.023	0.05	13.3	11.6	0.50	220	0.87
I314657		0.53	26.0	2.66	5.34	0.06	0.12	0.03	0.023	0.06	13.7	11.4	0.55	347	0.89
I314658		0.50	21.1	2.41	5.10	0.06	0.24	0.02	0.021	0.05	12.4	10.4	0.49	243	0.92
I314659		0.48	23.9	2.16	4.69	0.06	0.21	0.02	0.020	0.04	12.8	9.9	0.44	206	0.64
I314660		0.95	30.9	2.55	5.10	0.07	0.15	0.03	0.024	0.08	15.5	11.4	0.55	251	0.71
I314661		0.07	1.5	0.51	0.48	<0.05	0.05	0.01	<0.005	0.02	4.7	1.1	0.03	151	0.26
I314662		1.29	40.3	3.35	6.46	0.08	0.07	0.06	0.030	0.15	19.8	14.9	0.67	486	1.33
I314663		0.54	33.2	2.62	4.98	0.07	0.16	0.03	0.023	0.06	15.0	11.2	0.56	442	0.73
I314664		2.27	60.3	4.39	8.31	0.11	0.18	0.09	0.041	0.23	28.7	23.9	0.92	503	1.34
I314665		1.73	50.8	3.91	7.72	0.09	0.11	0.08	0.038	0.19	25.0	19.8	0.82	586	1.35
I314666		1.21	41.6	3.17	5.96	0.08	0.11	0.05	0.029	0.13	18.1	15.1	0.70	413	1.00
I314667		0.58	25.9	2.47	4.76	0.06	0.10	0.03	0.023	0.05	15.9	10.0	0.43	295	0.75
I314668		0.83	14.6	2.82	6.64	0.05	<0.02	0.01	0.030	0.05	10.1	11.6	0.42	411	1.05
I314669		0.72	14.6	2.55	5.80	0.05	0.10	0.01	0.024	0.04	10.1	11.4	0.42	314	0.96
I314670		0.08	2.0	0.61	0.55	<0.05	0.05	0.01	<0.005	0.03	6.4	1.2	0.04	142	0.26
I314671		0.53	10.6	2.09	5.38	<0.05	<0.02	0.01	0.019	0.03	8.4	9.4	0.33	419	0.82
I314672		0.50	11.4	2.03	4.69	<0.05	0.02	<0.01	0.018	0.03	8.5	9.6	0.34	306	0.75
I314673		0.53	9.0	1.61	4.93	<0.05	0.02	0.01	0.019	0.07	9.0	7.5	0.25	491	0.79
I314674		0.22	15.6	2.88	7.43	0.07	0.08	0.02	0.026	0.19	21.4	14.5	0.86	750	0.59
I315451		2.11	40.5	3.03	7.24	0.07	0.03	0.09	0.029	0.09	11.4	9.5	0.62	2070	0.87
I315452		2.06	43.2	2.52	4.77	0.06	0.03	0.04	0.024	0.17	11.6	8.8	0.54	854	0.77
I315453		1.53	104.0	3.69	6.70	0.09	0.05	0.22	0.036	0.11	18.3	10.6	0.53	2080	4.92
I315454		2.07	42.0	3.00	6.89	0.08	0.06	0.08	0.036	0.09	17.4	13.2	0.52	357	1.63
I315455		2.07	30.2	2.87	7.28	0.07	0.04	0.12	0.034	0.07	18.2	9.9	0.44	1220	2.23
I315456		2.13	38.6	2.16	6.60	0.14	0.08	0.20	0.031	0.08	54.6	10.0	0.36	628	1.45
I315457		3.16	45.8	3.02	8.40	0.10	0.12	0.07	0.041	0.11	36.1	12.6	0.47	447	1.61
I315458		3.83	63.9	2.85	7.67	0.07	0.04	0.08	0.030	0.12	12.9	11.0	0.61	1440	2.32
I315459		2.77	71.5	2.40	6.57	0.08	0.05	0.06	0.029	0.14	13.3	11.5	0.63	408	2.39
I315460		9.51	94.4	3.30	9.22	0.13	0.03	0.05	0.032	0.58	10.0	17.5	1.54	592	3.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032496		0.73	9.8	370	6.8	4.1	<0.001	0.01	0.21	2.0	<0.2	0.5	18.4	<0.01	0.01
I032497		1.04	17.5	410	5.9	7.8	<0.001	0.01	0.26	6.4	0.3	0.5	26.7	<0.01	0.02
I032498		0.83	16.4	340	6.0	7.5	<0.001	0.01	0.29	4.1	0.4	0.4	25.4	<0.01	0.02
I032499		1.07	14.8	280	6.3	11.2	<0.001	0.01	0.28	3.5	0.5	0.4	33.5	<0.01	0.02
I032500		1.08	16.3	460	7.0	9.1	<0.001	0.01	0.34	4.0	0.5	0.4	39.2	<0.01	0.01
I033143		2.12	34.2	210	12.0	9.7	<0.001	0.01	0.47	6.6	0.5	0.7	28.1	0.01	0.03
I314651		0.35	5.6	400	1.5	4.2	<0.001	<0.01	0.09	6.2	0.3	0.4	16.0	<0.01	0.01
I314652		0.81	18.5	290	7.5	7.0	<0.001	<0.01	0.42	6.5	0.4	0.5	25.4	<0.01	0.02
I314653		1.34	17.2	230	6.7	5.9	<0.001	0.01	0.38	5.0	0.4	0.5	29.1	<0.01	0.02
I314654		1.47	22.5	410	8.7	7.5	<0.001	0.01	0.50	6.0	0.6	0.6	43.4	<0.01	0.03
I314655		1.08	23.6	460	9.0	9.5	<0.001	0.01	0.57	6.4	0.6	0.6	43.7	<0.01	0.03
I314656		1.20	22.2	440	8.6	6.8	<0.001	<0.01	0.52	4.9	0.7	0.5	31.6	<0.01	0.03
I314657		1.53	24.1	570	8.5	7.7	<0.001	0.01	0.56	5.2	0.7	0.5	37.2	<0.01	0.02
I314658		1.40	19.5	460	8.0	6.6	<0.001	<0.01	0.50	4.7	0.6	0.5	33.2	<0.01	0.03
I314659		1.25	19.2	500	7.1	6.4	<0.001	0.01	0.45	4.6	0.6	0.4	34.1	<0.01	0.02
I314660		1.32	24.5	620	9.1	9.9	<0.001	0.01	0.61	5.1	0.5	0.5	35.0	<0.01	0.02
I314661		0.14	3.4	110	1.3	1.5	<0.001	<0.01	0.10	0.6	<0.2	<0.2	4.9	<0.01	0.01
I314662		1.63	35.5	730	13.7	15.9	<0.001	0.02	1.04	5.9	1.0	0.6	46.0	<0.01	0.04
I314663		1.51	26.9	640	8.9	7.2	<0.001	0.02	0.74	4.8	1.3	0.4	52.6	<0.01	0.02
I314664		1.73	52.8	560	19.2	22.0	<0.001	0.01	1.34	7.6	1.4	0.8	44.5	0.01	0.04
I314665		1.83	45.8	550	17.6	18.3	<0.001	0.01	1.26	7.0	1.4	0.7	46.2	<0.01	0.04
I314666		1.42	37.5	720	11.5	13.5	<0.001	0.01	0.91	6.0	0.8	0.6	37.7	<0.01	0.03
I314667		1.31	19.3	520	12.4	7.2	<0.001	0.01	0.46	4.3	0.9	0.4	31.4	<0.01	0.02
I314668		1.22	20.9	600	9.9	9.5	<0.001	0.01	0.42	3.3	0.3	0.6	17.7	<0.01	0.03
I314669		1.49	20.3	160	8.8	8.4	<0.001	<0.01	0.42	4.0	0.3	0.6	22.6	<0.01	0.02
I314670		0.17	3.8	130	1.6	1.7	<0.001	0.01	0.24	0.6	<0.2	<0.2	5.6	<0.01	0.02
I314671		1.34	14.0	260	7.6	5.2	<0.001	0.01	0.37	2.8	0.2	0.6	24.3	<0.01	0.02
I314672		1.34	13.9	210	7.5	5.5	<0.001	0.01	0.37	2.7	0.3	0.5	24.7	<0.01	0.02
I314673		1.43	11.8	720	9.7	9.5	<0.001	0.02	0.26	2.4	0.3	0.7	29.8	<0.01	0.01
I314674		0.54	19.5	410	10.7	8.7	<0.001	0.01	0.23	6.9	0.6	0.5	40.7	<0.01	0.01
I315451		1.40	16.5	650	11.2	14.4	<0.001	0.05	0.26	5.5	0.6	0.7	23.4	<0.01	0.03
I315452		0.82	12.5	910	5.4	20.9	<0.001	0.03	0.34	5.9	0.5	0.6	20.5	<0.01	0.01
I315453		0.71	17.9	1180	6.6	16.4	<0.001	0.12	0.41	6.9	1.3	0.6	47.4	0.01	0.03
I315454		2.90	16.8	580	10.1	22.5	<0.001	0.02	0.78	5.1	0.6	1.0	24.8	<0.01	0.06
I315455		2.09	16.0	760	11.4	17.2	<0.001	0.06	0.40	4.8	0.8	1.0	30.1	<0.01	0.03
I315456		2.49	15.8	830	10.1	24.4	<0.001	0.08	0.41	5.0	1.5	0.9	50.0	0.01	0.03
I315457		2.94	16.4	340	13.8	29.2	<0.001	0.02	0.28	6.1	0.8	1.4	17.8	0.01	0.05
I315458		1.29	18.9	1130	7.9	30.9	<0.001	0.10	0.26	5.5	0.9	0.8	57.3	<0.01	0.04
I315459		1.53	20.4	1120	6.6	24.1	<0.001	0.06	0.39	5.2	0.9	0.7	45.4	<0.01	0.03
I315460		1.52	61.0	490	5.3	69.2	<0.001	0.04	2.75	9.2	0.7	0.8	30.5	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I032496		0.031	0.04	0.33	47	0.12	1.70	74
I032497		0.066	0.08	0.35	72	0.14	4.26	60
I032498		0.041	0.05	0.47	55	0.12	4.15	52
I032499		0.048	0.05	0.56	46	0.13	3.81	40
I032500		0.055	0.05	1.07	44	0.13	5.35	46
I033143		0.135	0.11	1.07	79	0.17	5.30	60
I314651		0.043	0.02	0.46	24	<0.05	7.99	45
I314652		0.074	0.05	1.06	49	0.09	9.10	40
I314653		0.074	0.05	0.66	50	0.14	5.55	36
I314654		0.083	0.06	1.61	55	0.15	9.12	48
I314655		0.113	0.07	1.20	57	0.15	11.80	58
I314656		0.072	0.06	0.80	54	0.22	8.80	44
I314657		0.079	0.06	0.94	53	0.28	8.88	48
I314658		0.080	0.05	0.73	49	0.14	7.35	41
I314659		0.073	0.06	1.01	42	0.60	8.19	38
I314660		0.076	0.08	0.67	46	0.16	10.40	57
I314661		0.007	0.03	0.25	2	<0.05	2.01	5
I314662		0.061	0.11	1.96	57	0.23	12.30	86
I314663		0.074	0.06	3.15	51	0.25	11.00	57
I314664		0.057	0.18	2.37	67	0.25	16.55	128
I314665		0.052	0.14	2.03	64	0.24	15.30	112
I314666		0.061	0.12	0.99	55	0.27	11.65	85
I314667		0.058	0.06	3.28	42	0.17	9.81	52
I314668		0.054	0.09	0.49	60	0.21	3.15	66
I314669		0.064	0.09	0.49	57	0.18	2.76	42
I314670		0.005	0.03	0.34	1	<0.05	2.27	4
I314671		0.053	0.09	0.33	53	0.21	2.31	52
I314672		0.052	0.08	0.36	49	0.22	2.26	48
I314673		0.046	0.08	0.38	35	0.24	2.14	64
I314674		0.011	0.04	0.71	50	0.98	9.19	61
I315451		0.125	0.23	2.72	84	0.86	8.46	69
I315452		0.096	0.20	1.92	65	1.99	8.08	60
I315453		0.078	0.25	4.34	94	6.68	16.65	55
I315454		0.125	0.29	4.16	58	2.25	8.66	69
I315455		0.097	0.25	5.71	63	1.16	9.62	65
I315456		0.071	0.25	11.55	44	3.55	32.2	63
I315457		0.115	0.40	8.57	61	1.49	19.15	70
I315458		0.095	0.32	5.36	74	3.02	9.58	81
I315459		0.102	0.25	4.16	70	3.03	10.00	65
I315460		0.169	0.71	1.29	102	5.04	6.57	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315461		0.56	0.011	0.19	2.11	71.8	<0.2	<10	190	0.45	0.45	0.44	0.15	39.9	18.2	51
I315462		0.44	<0.005	0.09	1.71	20.4	<0.2	<10	130	0.32	0.29	0.34	0.11	21.1	16.9	52
I315463		0.20	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.04	0.08	0.04	11.35	2.2	3
I315464		0.46	<0.005	0.08	1.74	3.5	<0.2	<10	120	0.17	0.25	0.33	0.11	16.35	8.2	60
I315465		0.44	<0.005	0.11	1.52	2.9	<0.2	<10	160	0.23	0.26	0.43	0.19	20.0	5.8	44
I315466		0.50	<0.005	0.16	2.08	6.8	<0.2	<10	200	0.45	0.31	0.39	0.11	34.3	13.9	60
I315467		0.60	<0.005	0.12	2.05	7.6	<0.2	<10	180	0.58	0.34	0.33	0.18	39.7	13.8	48
I315468		0.50	<0.005	0.05	1.08	5.6	<0.2	<10	60	0.17	0.32	0.11	0.11	10.95	4.7	26
I315469		0.42	<0.005	0.19	1.43	5.4	<0.2	<10	150	0.60	0.41	0.56	0.55	61.0	15.9	32
I315470		0.30	<0.005	0.08	0.46	1.9	<0.2	<10	50	0.09	0.15	0.10	0.23	6.39	2.2	16
I315471		0.52	<0.005	0.07	1.16	7.5	<0.2	<10	140	0.29	0.23	0.17	0.20	14.80	5.3	29
I315472		0.62	<0.005	0.06	1.84	10.7	<0.2	<10	250	0.74	0.14	0.37	0.32	28.1	12.6	57
I315473		0.14	<0.005	0.01	0.12	1.6	<0.2	<10	30	0.08	0.02	0.09	0.04	10.55	2.2	3
I315474		0.54	<0.005	0.17	1.43	3.3	<0.2	<10	140	0.40	0.34	0.19	0.17	48.6	9.8	30
I315475		0.48	<0.005	0.10	1.19	3.8	<0.2	<10	50	0.39	0.48	0.12	0.10	33.3	6.2	26
I315476		0.54	<0.005	0.09	1.77	7.6	<0.2	<10	280	0.39	0.18	0.20	0.20	17.50	9.8	43
I315477		0.58	<0.005	0.20	1.13	14.9	<0.2	<10	150	0.19	0.63	0.13	0.23	22.3	4.4	19
I315478		0.46	<0.005	0.05	1.60	6.5	<0.2	<10	220	0.28	0.18	0.16	0.19	13.35	13.4	71
I315479		0.44	<0.005	0.07	0.71	2.2	<0.2	<10	90	0.12	0.28	0.13	0.10	22.2	2.7	13
I315480		0.56	<0.005	0.03	1.82	6.6	<0.2	<10	150	0.33	0.17	0.20	0.17	23.1	9.5	30
I315481		0.64	<0.005	0.04	1.84	9.3	<0.2	<10	180	0.22	0.16	0.21	0.17	21.1	11.2	65
I315482		0.54	<0.005	0.03	2.18	8.5	<0.2	<10	200	0.42	0.23	0.16	0.14	27.3	12.6	46
I315483		0.46	<0.005	0.11	1.26	4.1	<0.2	<10	240	0.27	0.15	0.23	0.18	20.9	6.6	29
I315484		0.42	<0.005	0.16	1.20	2.2	<0.2	<10	340	0.20	0.13	0.34	0.26	14.35	10.2	75
I315485		0.44	<0.005	0.51	1.56	3.0	<0.2	<10	470	0.32	0.14	0.38	0.21	21.6	15.9	68
I315486		0.38	<0.005	0.46	1.49	2.6	<0.2	<10	450	0.32	0.12	0.37	0.19	21.3	14.6	64
I315487		0.46	<0.005	0.19	1.89	3.4	<0.2	<10	360	0.18	0.12	0.27	0.15	9.81	15.9	46
I315488		0.50	<0.005	0.56	1.98	3.6	<0.2	<10	550	0.27	0.10	0.43	0.06	14.55	17.1	96
I315489		0.44	<0.005	0.62	1.15	3.2	<0.2	<10	370	0.23	0.15	0.24	0.21	20.0	8.4	44
I315490		0.36	<0.005	1.18	2.10	4.7	<0.2	<10	800	0.88	0.18	0.67	0.25	38.6	16.1	62
I315491		0.52	<0.005	0.09	2.24	4.2	<0.2	<10	410	0.30	0.11	0.50	0.13	15.35	19.0	180
I315492		0.64	<0.005	0.16	2.15	5.8	<0.2	<10	520	0.40	0.12	0.46	0.11	20.3	15.9	110
I315493		0.38	<0.005	0.38	1.54	2.8	<0.2	<10	440	0.29	0.16	0.72	0.22	12.35	18.4	55
I315494		0.58	<0.005	0.28	1.88	8.4	<0.2	<10	230	0.49	0.20	0.33	0.21	32.3	11.3	42
I315495		0.48	<0.005	0.29	1.95	3.6	<0.2	<10	400	0.41	0.24	0.50	0.76	29.9	17.0	33
I315496		0.70	<0.005	0.04	1.54	6.8	<0.2	<10	250	0.32	0.15	0.53	0.12	24.6	10.5	30
I315497		0.72	<0.005	0.12	1.52	10.2	<0.2	<10	330	0.46	0.17	0.74	0.17	30.7	10.0	30
I315498		0.58	<0.005	0.11	1.71	13.5	<0.2	<10	350	0.56	0.24	0.61	0.20	47.6	12.4	40
I315499		0.70	<0.005	0.13	1.92	15.6	<0.2	<10	370	0.71	0.29	0.52	0.19	53.9	13.5	43
I315500		0.58	<0.005	0.08	1.09	9.7	<0.2	<10	100	0.19	0.19	0.18	0.26	13.50	4.7	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315461		2.58	52.8	2.68	7.21	0.08	0.04	0.07	0.030	0.09	22.3	11.9	0.62	873	12.65
I315462		2.02	32.7	2.39	6.79	0.06	0.03	0.05	0.022	0.10	11.5	10.6	0.61	586	36.2
I315463		0.09	1.9	0.65	0.56	<0.05	0.07	0.01	<0.005	0.04	5.8	1.2	0.04	160	0.29
I315464		2.32	26.4	2.00	7.74	0.06	0.03	0.05	0.021	0.08	9.0	10.0	0.65	175	13.00
I315465		2.01	28.3	1.65	6.67	0.05	0.03	0.07	0.020	0.07	11.8	8.2	0.54	152	12.20
I315466		2.53	56.0	2.51	7.62	0.08	0.04	0.05	0.028	0.11	18.4	12.0	0.69	590	35.1
I315467		2.65	77.9	2.68	7.10	0.11	0.05	0.07	0.031	0.16	23.6	12.4	0.62	344	37.8
I315468		1.57	25.9	2.11	7.62	<0.05	0.04	0.05	0.020	0.06	5.5	5.4	0.28	157	23.4
I315469		3.79	175.0	2.15	5.66	0.12	0.05	0.08	0.028	0.11	38.4	6.7	0.39	579	38.2
I315470		0.65	23.0	1.11	3.25	<0.05	<0.02	0.06	0.013	0.04	3.4	1.1	0.10	77	3.82
I315471		1.38	24.6	2.90	9.70	0.05	0.03	0.04	0.023	0.08	7.5	9.4	0.28	212	17.10
I315472		4.60	120.0	3.36	6.52	0.13	0.06	0.06	0.028	0.36	14.9	11.8	0.80	390	78.0
I315473		0.09	1.8	0.71	0.54	<0.05	0.07	0.01	<0.005	0.04	5.5	1.2	0.04	165	0.48
I315474		4.29	20.9	2.96	5.45	0.08	0.03	0.02	0.016	0.14	25.5	16.1	0.82	192	1.59
I315475		3.00	11.4	2.66	7.62	0.05	0.03	0.03	0.019	0.09	17.6	11.8	0.44	206	1.11
I315476		1.87	13.4	2.97	7.02	0.05	0.03	0.04	0.024	0.10	8.9	17.9	0.62	254	1.12
I315477		1.11	16.2	2.63	5.92	0.05	<0.02	0.03	0.019	0.07	13.5	6.7	0.21	112	2.75
I315478		1.76	15.7	2.81	6.72	<0.05	0.03	0.02	0.020	0.07	6.8	16.1	0.69	313	1.11
I315479		1.28	7.7	1.41	5.33	<0.05	<0.02	0.03	0.011	0.04	12.8	3.1	0.12	125	0.90
I315480		1.63	16.5	2.63	5.81	0.05	0.03	0.02	0.024	0.06	11.8	13.2	0.51	310	0.80
I315481		2.11	14.5	3.71	7.13	0.06	0.03	0.03	0.022	0.06	11.2	19.1	0.75	273	1.00
I315482		2.35	24.3	3.12	5.98	0.05	0.03	0.06	0.029	0.06	13.5	16.2	0.67	349	0.97
I315483		0.99	16.1	1.92	4.97	0.05	0.02	0.02	0.016	0.07	11.8	8.3	0.45	189	0.82
I315484		1.77	18.4	1.89	5.94	<0.05	<0.02	0.03	0.012	0.11	8.4	6.4	0.71	584	1.36
I315485		1.94	44.5	2.59	6.92	0.06	0.02	0.03	0.016	0.11	11.9	13.5	0.86	855	1.09
I315486		1.85	40.4	2.46	6.58	0.06	0.02	0.02	0.018	0.10	11.8	12.9	0.83	746	1.06
I315487		1.74	66.5	3.24	8.69	0.06	0.03	0.02	0.016	0.15	5.0	18.5	1.14	262	0.98
I315488		1.71	61.3	3.22	8.52	0.07	0.04	0.02	0.016	0.21	7.5	16.9	1.37	469	0.64
I315489		1.07	23.3	2.14	6.22	0.05	0.02	0.02	0.016	0.14	10.2	7.8	0.53	326	0.73
I315490		2.59	76.9	3.20	7.69	0.12	0.05	0.08	0.034	0.10	27.5	19.3	0.71	1500	0.77
I315491		4.18	50.6	3.39	9.06	0.09	0.05	0.01	0.019	0.32	8.4	26.8	1.64	323	0.41
I315492		2.23	27.6	3.33	9.75	0.08	0.06	0.01	0.019	0.29	9.5	21.2	1.42	254	0.90
I315493		1.41	23.4	2.64	6.40	0.06	0.03	0.01	0.021	0.27	5.2	13.0	0.72	1200	1.53
I315494		1.27	47.2	3.12	6.77	0.08	0.06	0.01	0.030	0.27	13.7	15.3	0.89	337	2.14
I315495		1.16	46.5	3.09	6.19	0.07	0.04	0.02	0.026	0.21	13.6	11.8	0.76	746	3.09
I315496		0.52	23.8	2.38	4.91	0.05	0.06	0.02	0.019	0.05	10.2	9.6	0.49	402	0.79
I315497		0.65	34.6	2.60	4.69	0.07	0.07	0.04	0.021	0.05	14.6	11.1	0.50	474	0.92
I315498		1.45	40.0	3.23	5.56	0.09	0.10	0.05	0.026	0.13	23.6	14.7	0.71	582	1.01
I315499		2.05	45.8	3.61	6.58	0.11	0.10	0.05	0.031	0.19	28.0	18.2	0.80	518	1.05
I315500		0.61	14.4	1.75	4.53	<0.05	<0.02	0.03	0.011	0.04	7.0	5.8	0.23	213	0.68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I315461		1.44	26.2	650	8.8	22.6	<0.001	0.05	2.52	4.5	0.9	0.7	34.8	<0.01	0.05	2.0
I315462		1.53	23.1	590	6.8	20.0	<0.001	0.04	0.56	3.5	0.6	0.7	31.7	<0.01	0.03	1.8
I315463		0.15	4.1	120	1.6	2.0	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.5	<0.01	0.01	1.8
I315464		1.53	24.3	460	6.2	19.0	<0.001	0.05	0.15	3.9	0.6	0.7	28.9	<0.01	0.02	0.9
I315465		1.40	21.9	540	5.8	17.2	<0.001	0.06	0.16	3.6	0.8	0.6	33.7	<0.01	0.02	0.7
I315466		1.63	32.7	690	6.1	24.8	<0.001	0.06	0.21	4.8	1.1	0.7	30.3	<0.01	0.04	1.6
I315467		1.63	37.5	850	5.4	26.1	<0.001	0.03	0.24	5.3	1.4	0.7	23.8	<0.01	0.07	2.4
I315468		1.90	14.7	250	6.0	9.2	<0.001	0.02	0.30	2.9	0.6	0.8	11.4	<0.01	0.05	1.6
I315469		1.08	37.3	730	5.0	19.6	0.002	0.11	0.36	3.0	2.1	0.7	40.2	0.01	0.08	0.6
I315470		0.46	7.3	600	3.0	6.9	<0.001	0.06	0.24	0.7	0.7	0.4	11.4	<0.01	0.03	<0.2
I315471		2.18	13.9	360	8.6	16.0	<0.001	0.04	0.46	2.7	0.5	0.9	16.7	<0.01	0.04	0.9
I315472		1.53	33.7	840	5.4	36.1	<0.001	0.08	0.25	6.1	1.4	0.6	30.5	<0.01	0.04	3.3
I315473		0.15	3.7	130	1.6	2.2	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.6	<0.01	<0.01	1.7
I315474		2.12	36.6	340	41.9	28.6	0.001	0.03	0.24	2.5	0.8	0.5	14.4	<0.01	0.02	11.9
I315475		2.13	18.8	380	24.7	24.1	<0.001	0.02	0.23	2.3	0.5	1.1	12.9	<0.01	0.03	6.8
I315476		1.49	22.4	470	21.0	16.7	<0.001	0.03	0.31	3.2	0.6	0.7	16.8	<0.01	0.02	1.8
I315477		0.92	10.1	380	42.3	9.8	<0.001	0.13	0.57	1.7	0.6	0.5	22.6	<0.01	0.03	0.8
I315478		1.35	30.7	340	7.8	16.9	<0.001	0.02	0.32	3.0	0.4	0.6	15.4	<0.01	0.03	1.2
I315479		1.37	6.2	190	11.5	13.6	<0.001	0.02	0.21	1.4	0.3	0.7	14.3	<0.01	0.02	2.2
I315480		1.66	22.4	400	14.8	12.2	<0.001	0.02	0.31	3.0	0.6	0.5	28.8	<0.01	0.02	3.1
I315481		1.72	30.4	390	9.7	12.6	<0.001	0.02	0.38	3.3	0.5	0.5	24.6	<0.01	0.02	2.1
I315482		1.56	29.5	350	14.1	14.0	<0.001	0.02	0.40	3.6	0.6	0.5	16.1	<0.01	0.02	3.4
I315483		1.27	16.9	390	10.5	15.8	<0.001	0.02	0.25	2.8	0.4	0.5	18.4	<0.01	0.01	2.1
I315484		1.10	34.1	470	7.5	25.5	<0.001	0.04	0.16	2.1	0.4	0.5	22.1	<0.01	0.02	0.6
I315485		0.97	34.9	610	8.3	35.8	<0.001	0.04	0.21	3.6	0.4	0.5	27.8	0.02	0.02	1.2
I315486		0.93	32.9	610	7.5	33.1	<0.001	0.04	0.19	3.4	0.4	0.5	26.8	0.01	0.02	1.1
I315487		1.21	27.8	360	5.6	25.5	<0.001	0.02	0.19	3.6	0.3	0.5	23.0	0.01	0.02	1.0
I315488		1.42	37.6	440	5.2	39.7	<0.001	0.01	0.18	3.8	0.3	0.6	26.7	0.01	0.02	1.9
I315489		1.16	20.6	430	7.9	31.3	<0.001	0.02	0.23	2.9	0.3	0.5	18.7	0.01	0.02	1.5
I315490		1.26	32.1	540	7.6	23.9	0.001	0.03	0.36	8.4	1.1	0.5	43.5	0.02	0.03	2.8
I315491		1.41	53.9	260	6.3	56.8	<0.001	0.01	0.19	5.0	0.2	0.6	29.5	0.01	0.02	2.2
I315492		1.44	41.0	460	7.2	35.1	<0.001	0.01	0.29	3.7	0.3	0.7	33.6	0.01	0.01	4.1
I315493		1.06	33.1	490	7.6	21.6	<0.001	0.03	0.27	3.1	0.4	0.5	40.0	0.01	0.03	0.8
I315494		1.36	38.8	500	11.7	24.7	<0.001	0.10	0.36	5.2	1.0	0.6	33.9	0.01	0.04	3.4
I315495		1.26	29.4	710	11.4	23.4	<0.001	0.09	0.29	4.0	1.0	0.6	36.1	<0.01	0.04	2.6
I315496		1.45	20.1	500	6.9	6.7	<0.001	0.02	0.47	4.5	0.4	0.5	34.3	<0.01	0.02	2.9
I315497		1.43	27.9	810	7.5	7.3	0.001	0.03	0.71	4.9	1.2	0.5	47.1	<0.01	0.03	2.8
I315498		1.58	36.2	570	11.2	14.4	<0.001	0.03	0.93	5.7	0.7	0.6	39.4	<0.01	0.03	6.8
I315499		1.55	41.6	570	12.8	20.6	<0.001	0.02	1.07	6.3	0.8	0.7	36.9	<0.01	0.04	8.0
I315500		0.38	15.2	470	7.9	6.4	<0.001	0.03	0.39	0.5	0.5	0.5	15.7	<0.01	0.02	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I315461		0.103	0.21	2.78	69	2.78	10.85	61	1.2
I315462		0.113	0.18	1.09	69	1.81	4.49	62	1.1
I315463		0.007	0.03	0.33	4	<0.05	2.03	5	2.3
I315464		0.129	0.17	0.83	50	4.19	3.88	62	1.2
I315465		0.109	0.14	1.16	42	1.92	5.35	56	1.2
I315466		0.125	0.24	2.06	77	0.86	8.63	66	1.3
I315467		0.124	0.23	2.39	82	6.59	13.60	63	1.6
I315468		0.128	0.12	0.55	80	0.96	2.24	30	1.4
I315469		0.073	0.28	2.62	61	2.85	17.70	59	1.0
I315470		0.038	0.06	0.60	44	0.19	1.58	18	<0.5
I315471		0.137	0.11	0.51	104	0.47	2.30	46	1.3
I315472		0.160	0.41	1.43	113	2.06	6.87	80	2.2
I315473		0.007	0.03	0.31	4	<0.05	2.16	5	2.5
I315474		0.117	0.26	1.89	39	0.16	7.48	51	1.0
I315475		0.115	0.20	1.01	63	0.16	3.88	36	1.0
I315476		0.108	0.15	0.60	72	0.20	2.64	42	1.3
I315477		0.052	0.14	1.30	55	0.19	2.36	44	0.6
I315478		0.123	0.10	0.36	73	0.18	2.16	41	1.2
I315479		0.076	0.11	0.47	47	0.11	1.88	21	0.6
I315480		0.083	0.09	0.80	57	0.14	4.23	49	1.2
I315481		0.126	0.10	0.50	81	0.19	2.84	55	1.3
I315482		0.094	0.15	0.82	63	0.18	3.51	58	1.3
I315483		0.089	0.09	0.79	51	0.14	3.51	36	0.9
I315484		0.114	0.11	0.58	57	0.13	1.97	39	0.5
I315485		0.119	0.17	1.11	66	0.19	6.37	55	0.7
I315486		0.111	0.16	1.08	63	0.15	6.19	49	0.7
I315487		0.192	0.15	0.39	107	0.17	2.27	63	1.1
I315488		0.178	0.22	0.51	95	0.16	4.15	55	1.3
I315489		0.105	0.13	0.47	54	0.20	3.78	41	0.6
I315490		0.094	0.17	2.22	77	0.23	32.4	43	1.5
I315491		0.195	0.23	0.47	103	0.23	5.46	58	2.1
I315492		0.200	0.20	0.66	90	0.21	3.23	46	2.2
I315493		0.101	0.17	0.24	54	0.20	2.67	41	0.9
I315494		0.108	0.19	1.04	77	0.16	5.34	76	2.3
I315495		0.091	0.15	1.18	66	0.12	6.39	94	1.4
I315496		0.088	0.05	0.71	54	0.17	5.26	45	3.2
I315497		0.075	0.06	1.66	53	0.27	11.30	50	3.3
I315498		0.072	0.13	1.06	55	0.21	12.20	81	4.9
I315499		0.076	0.17	1.60	59	0.20	14.45	97	4.9
I315500		0.022	0.07	0.39	34	0.15	2.91	32	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315501		0.42	<0.005	0.18	1.32	4.8	<0.2	<10	80	0.22	0.26	0.12	0.08	20.7	7.4	30
I315502		0.26	<0.005	0.12	1.99	5.3	<0.2	<10	70	0.27	0.27	0.15	0.04	28.0	9.7	46
I315503		0.34	<0.005	0.14	1.88	3.2	<0.2	<10	230	0.40	0.18	1.32	0.18	45.5	8.5	39
I315504		0.42	<0.005	0.16	2.25	5.4	<0.2	<10	300	0.52	0.17	1.02	0.18	66.9	11.4	44
I315505		0.34	<0.005	0.12	1.61	6.9	<0.2	<10	280	0.34	0.16	0.67	0.12	28.2	9.5	33
I315506		0.40	<0.005	0.07	1.90	4.2	<0.2	<10	150	0.20	0.17	0.52	0.13	19.20	8.9	52
I315507		0.44	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.04	0.09	0.04	9.71	2.2	3
I315508		0.44	<0.005	0.12	2.65	6.0	<0.2	<10	240	0.46	0.16	0.32	0.17	34.6	15.9	77
I315509		0.36	<0.005	0.12	1.82	7.2	<0.2	<10	210	0.41	0.16	0.41	0.14	31.9	11.4	34
I315510		0.38	0.014	0.18	1.75	6.8	<0.2	<10	250	0.32	0.18	0.60	0.20	24.8	11.3	31
I315511		0.36	<0.005	0.35	2.13	6.5	<0.2	<10	320	0.36	0.15	0.26	0.23	19.75	14.0	36
I315512		0.40	<0.005	0.12	1.72	5.9	<0.2	<10	190	0.24	0.13	0.14	0.14	14.60	9.1	28
I315513		0.34	<0.005	0.14	1.91	7.6	<0.2	<10	300	0.40	0.17	0.85	0.28	38.9	13.2	33
I315514		0.48	<0.005	0.12	1.70	4.5	<0.2	<10	140	0.26	0.23	0.67	0.16	30.0	11.7	31
I315515		0.34	<0.005	0.47	1.79	6.3	<0.2	<10	200	0.60	0.20	0.46	1.20	30.8	10.6	38
I315516		0.44	<0.005	0.18	1.77	8.7	<0.2	<10	240	0.38	0.16	0.44	0.62	27.0	10.1	32
I315517		0.44	<0.005	0.13	1.78	7.6	<0.2	<10	140	0.29	0.15	0.41	0.24	19.90	8.7	33
I315518		0.36	<0.005	0.54	1.88	6.4	<0.2	<10	220	0.47	0.16	0.75	0.44	26.9	9.3	37
I315519		0.44	<0.005	0.71	1.94	6.2	<0.2	<10	290	0.47	0.17	0.51	1.19	34.0	12.2	67
I315520		0.42	<0.005	0.03	0.11	2.1	<0.2	<10	30	0.10	0.02	0.08	0.05	10.60	2.4	3
I315521		0.44	<0.005	0.17	2.36	3.6	<0.2	<10	230	0.45	0.18	0.41	0.06	58.2	9.9	49
I315522		0.34	<0.005	0.26	2.40	5.3	<0.2	<10	200	0.50	0.21	0.34	0.05	56.8	13.5	37
I315523		0.54	<0.005	0.11	2.21	4.0	<0.2	<10	170	0.38	0.15	0.35	0.07	36.1	10.6	42
I315524		0.40	<0.005	0.26	2.41	7.1	<0.2	<10	260	0.60	0.20	0.42	0.10	63.5	15.6	36
I315525		0.40	<0.005	0.11	1.76	4.1	<0.2	<10	190	0.31	0.16	0.64	0.10	26.3	9.7	30
I315526		0.54	<0.005	0.10	1.77	5.5	<0.2	<10	170	0.33	0.18	0.38	0.05	30.4	7.1	27
I315527		0.50	<0.005	0.09	1.92	6.7	<0.2	<10	210	0.42	0.17	0.49	0.09	42.7	11.1	35
I315528		0.40	<0.005	0.09	1.82	9.9	<0.2	<10	170	0.30	0.20	0.34	0.15	21.5	8.2	40
I315529		0.32	<0.005	0.24	1.70	16.6	<0.2	<10	170	0.22	0.18	0.51	0.30	17.40	8.9	46
I315530		0.34	<0.005	0.32	2.50	23.9	<0.2	<10	230	0.58	0.26	0.43	0.17	53.1	15.6	49
I315531		0.34	<0.005	0.30	2.20	16.2	<0.2	<10	200	0.48	0.32	0.41	0.18	48.9	11.2	38
I315532		0.30	<0.005	0.27	2.14	15.0	<0.2	<10	190	0.47	0.31	0.38	0.15	43.6	10.1	37
I315533		0.32	<0.005	0.26	2.74	24.2	<0.2	<10	230	0.63	1.33	0.51	0.11	45.9	13.9	49
I315534		0.38	<0.005	0.13	0.36	2.1	<0.2	<10	40	0.05	0.14	0.10	0.15	4.05	2.1	10
I315535		0.36	<0.005	0.18	2.18	57.3	<0.2	<10	160	0.69	0.98	0.32	0.21	56.5	10.3	44
I315536		0.34	<0.005	0.11	2.01	10.0	<0.2	<10	200	0.37	0.33	0.44	0.24	27.0	11.2	51
I315537		0.44	<0.005	0.10	2.17	10.9	<0.2	<10	180	0.45	0.41	0.36	0.14	25.9	10.1	48
I315538		0.32	<0.005	0.14	2.72	8.3	<0.2	<10	210	0.70	0.32	0.35	0.14	34.8	12.4	56
I315539		0.30	<0.005	0.15	2.57	11.4	<0.2	<10	170	0.80	0.34	0.32	0.27	30.6	13.3	82
I315540		0.36	<0.005	0.11	1.97	11.8	<0.2	<10	100	0.69	0.57	0.24	0.13	28.8	8.2	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315501		1.50	21.1	2.74	8.25	0.06	0.02	0.08	0.014	0.09	10.2	9.1	0.38	443	0.95
I315502		2.20	16.1	3.32	9.33	0.06	0.03	0.04	0.017	0.10	14.6	16.1	0.77	230	0.92
I315503		1.08	31.0	2.36	5.98	0.09	0.10	0.07	0.021	0.18	27.4	17.8	0.63	212	0.48
I315504		1.13	45.2	3.14	6.93	0.15	0.09	0.04	0.021	0.30	64.9	18.0	0.70	338	0.78
I315505		0.64	29.5	2.64	5.14	0.07	0.06	0.04	0.021	0.12	14.8	12.4	0.53	379	0.56
I315506		1.24	19.3	3.06	7.86	0.08	0.05	0.02	0.017	0.35	10.0	12.4	0.77	191	0.80
I315507		0.08	2.8	0.68	0.59	<0.05	0.06	0.01	<0.005	0.04	4.8	1.2	0.04	160	0.23
I315508		1.31	21.6	3.93	10.10	0.08	0.09	0.01	0.030	0.32	14.3	25.0	0.92	419	0.88
I315509		0.60	18.6	3.09	6.41	0.07	0.16	0.01	0.025	0.22	13.8	13.6	0.58	297	0.90
I315510		0.57	18.0	3.12	6.28	0.05	0.06	0.01	0.022	0.18	11.0	12.2	0.59	341	0.89
I315511		0.42	12.4	3.17	7.10	0.05	0.05	0.03	0.026	0.09	8.3	12.2	0.55	554	0.87
I315512		0.52	11.8	2.93	6.73	0.05	0.03	<0.01	0.019	0.07	7.3	10.3	0.46	198	0.83
I315513		0.86	19.0	3.21	6.59	0.07	0.06	0.08	0.024	0.19	15.5	11.3	0.52	998	0.83
I315514		1.44	19.9	3.16	7.11	0.08	0.05	0.01	0.020	0.39	13.6	12.2	0.68	364	0.85
I315515		1.08	35.8	3.03	7.78	0.07	0.07	0.01	0.025	0.09	17.6	13.2	0.59	281	1.39
I315516		0.71	25.4	2.77	6.73	0.07	0.06	0.01	0.022	0.08	13.5	16.6	0.57	460	1.73
I315517		0.74	17.7	2.78	7.32	0.06	0.03	0.01	0.019	0.08	10.1	18.6	0.63	213	3.03
I315518		1.05	35.9	2.71	7.27	0.08	0.06	0.03	0.023	0.06	16.8	15.8	0.68	288	2.46
I315519		1.52	52.4	2.95	7.54	0.10	0.05	0.03	0.025	0.13	19.8	18.5	0.98	229	4.33
I315520		0.09	2.5	0.64	0.68	<0.05	0.07	<0.01	<0.005	0.03	5.2	1.4	0.04	157	0.32
I315521		1.69	19.0	3.56	9.56	0.10	0.06	0.04	0.023	0.26	34.8	25.5	1.00	288	0.72
I315522		1.41	20.3	3.64	9.01	0.10	0.06	0.04	0.030	0.17	35.4	27.8	0.82	529	0.80
I315523		1.94	27.4	3.61	8.52	0.08	0.05	0.01	0.027	0.40	19.8	25.1	1.01	313	0.71
I315524		1.18	29.3	3.95	9.27	0.12	0.10	0.04	0.036	0.22	37.8	27.9	0.74	892	0.98
I315525		0.89	16.3	2.91	7.55	0.06	0.05	0.03	0.021	0.17	13.8	17.2	0.61	358	0.75
I315526		1.09	17.8	2.94	7.97	0.05	0.04	0.01	0.020	0.21	14.9	21.0	0.59	233	0.94
I315527		0.96	25.0	3.30	6.67	0.08	0.08	0.02	0.027	0.14	22.8	25.6	0.75	299	0.64
I315528		1.39	22.3	2.39	6.08	0.07	0.04	0.04	0.025	0.09	11.6	12.4	0.61	309	1.33
I315529		1.66	53.6	2.13	5.69	0.06	0.03	0.03	0.023	0.07	9.3	11.4	0.56	308	5.76
I315530		1.68	67.9	2.88	7.37	0.11	0.05	0.05	0.034	0.06	25.8	15.0	0.54	841	11.85
I315531		1.88	69.1	2.77	8.05	0.09	0.04	0.10	0.034	0.08	29.2	13.5	0.53	623	14.20
I315532		1.87	62.3	2.70	7.69	0.08	0.04	0.12	0.030	0.08	26.6	14.1	0.53	513	12.95
I315533		2.84	106.0	3.70	9.23	0.11	0.05	0.09	0.038	0.11	29.9	17.2	0.65	680	22.4
I315534		0.36	8.1	0.96	3.03	<0.05	<0.02	0.04	0.006	0.03	2.1	1.2	0.06	139	1.51
I315535		3.49	107.0	3.32	7.83	0.09	0.04	0.03	0.033	0.19	26.2	12.9	0.57	645	15.30
I315536		2.01	48.2	2.69	7.26	0.08	0.04	0.03	0.028	0.12	14.6	14.1	0.65	594	21.5
I315537		2.26	61.8	2.88	7.81	0.11	0.05	0.04	0.030	0.14	13.9	15.1	0.71	313	26.7
I315538		3.09	94.7	3.26	9.05	0.11	0.06	0.06	0.043	0.19	18.8	18.2	0.82	295	50.9
I315539		4.70	138.5	3.40	9.07	0.13	0.05	0.05	0.045	0.21	16.5	17.2	0.92	472	59.4
I315540		3.02	123.5	2.96	7.54	0.08	0.05	0.04	0.034	0.10	16.0	13.0	0.51	235	59.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I315501		3.06	14.1	300	10.4	24.8	<0.001	0.02	0.20	2.6	0.4	0.7	11.8	<0.01	0.04
I315502		4.86	20.2	290	14.7	22.9	<0.001	0.04	0.18	4.0	0.5	0.8	12.7	<0.01	0.03
I315503		2.96	24.7	610	9.9	24.2	0.001	0.09	0.39	5.0	1.1	0.5	59.0	0.01	0.03
I315504		3.16	28.4	410	10.9	29.0	0.001	0.05	0.39	5.7	1.2	0.5	39.4	0.01	0.03
I315505		1.88	22.8	520	7.9	15.6	<0.001	0.03	0.35	4.3	0.6	0.5	38.9	<0.01	0.03
I315506		3.32	21.7	230	8.4	32.0	<0.001	0.02	0.25	4.6	0.3	0.7	21.1	<0.01	0.02
I315507		0.15	4.2	130	1.9	2.2	<0.001	0.01	0.12	0.6	<0.2	<0.2	7.5	<0.01	0.01
I315508		3.15	34.3	230	12.4	37.8	<0.001	0.01	0.32	6.5	0.3	0.8	23.5	0.01	0.02
I315509		2.10	23.8	230	10.4	21.2	<0.001	0.01	0.39	5.1	0.4	0.6	31.5	0.01	0.02
I315510		1.88	22.8	340	11.7	19.0	<0.001	0.02	0.35	4.2	0.3	0.5	37.0	0.01	0.02
I315511		1.90	22.3	270	10.0	7.3	<0.001	0.01	0.37	4.2	0.2	0.6	23.9	0.01	0.02
I315512		1.73	17.2	190	8.7	8.7	<0.001	0.01	0.34	2.8	<0.2	0.6	14.9	0.01	0.02
I315513		2.32	26.6	260	15.7	33.9	<0.001	0.02	0.35	4.6	0.4	0.5	44.7	0.01	0.03
I315514		2.89	29.1	290	22.6	50.4	<0.001	0.03	0.23	3.5	0.5	0.6	34.4	0.01	0.03
I315515		2.25	35.0	420	15.3	17.4	<0.001	0.01	0.31	3.9	0.6	0.6	31.8	0.02	0.03
I315516		1.59	26.3	400	11.9	16.3	<0.001	0.02	0.30	3.7	0.5	0.4	32.9	0.01	0.03
I315517		1.72	24.7	600	10.0	13.8	<0.001	0.01	0.21	3.2	0.5	0.5	28.0	0.01	0.03
I315518		1.70	31.2	500	10.0	16.4	<0.001	0.03	0.25	4.4	1.1	0.5	45.4	0.02	0.04
I315519		1.68	59.4	800	9.1	17.5	0.001	0.10	0.18	4.8	2.3	0.5	48.2	0.01	0.05
I315520		0.19	4.7	130	1.6	2.0	<0.001	0.01	0.12	0.6	<0.2	<0.2	6.9	0.01	0.01
I315521		3.58	24.0	390	6.6	34.0	<0.001	0.02	0.18	5.7	0.7	0.7	32.6	0.01	0.02
I315522		2.76	21.0	400	7.9	28.1	<0.001	0.02	0.19	6.0	0.7	0.9	28.7	0.01	0.02
I315523		3.11	23.2	380	5.9	45.8	<0.001	0.02	0.15	4.8	0.4	0.7	30.1	<0.01	0.01
I315524		2.75	22.4	370	9.4	27.9	0.001	0.02	0.28	6.9	0.9	0.8	34.6	0.01	0.03
I315525		3.09	19.6	240	8.4	20.2	<0.001	0.02	0.28	4.2	0.5	0.6	35.6	<0.01	0.03
I315526		2.69	17.9	420	7.5	23.0	<0.001	0.02	0.22	3.4	0.3	0.7	28.6	<0.01	0.02
I315527		2.46	24.9	330	8.9	17.6	<0.001	0.02	0.30	5.0	0.6	0.6	35.5	<0.01	0.02
I315528		1.72	22.4	690	9.0	16.2	<0.001	0.03	0.56	4.9	0.5	0.6	24.6	<0.01	0.02
I315529		0.96	22.7	690	5.2	15.0	<0.001	0.06	1.04	4.1	0.6	0.5	38.5	<0.01	0.03
I315530		1.19	28.7	1060	8.7	14.3	<0.001	0.10	1.29	4.8	1.4	0.6	40.6	0.01	0.04
I315531		1.40	21.1	930	9.2	18.9	<0.001	0.09	0.49	4.5	1.1	0.7	37.9	0.01	0.04
I315532		1.44	20.8	870	8.7	19.0	<0.001	0.09	0.46	4.5	1.0	0.7	36.4	0.01	0.04
I315533		2.08	32.8	940	9.7	23.4	<0.001	0.07	0.69	6.1	1.2	0.9	44.0	0.01	0.14
I315534		0.45	5.2	410	2.9	3.4	<0.001	0.05	0.24	0.9	0.4	0.3	12.5	<0.01	0.02
I315535		1.70	25.3	770	28.0	35.7	<0.001	0.03	3.63	4.9	0.8	0.8	56.0	<0.01	0.11
I315536		1.58	26.6	620	5.9	23.5	<0.001	0.06	0.39	4.6	0.6	0.6	38.3	<0.01	0.05
I315537		1.92	28.3	690	5.9	25.1	<0.001	0.04	0.32	5.1	0.7	0.6	31.1	<0.01	0.07
I315538		2.29	34.8	710	7.1	35.6	0.001	0.03	0.33	7.8	0.9	0.8	28.9	<0.01	0.05
I315539		2.48	52.3	600	5.3	37.1	0.001	0.04	0.30	6.9	0.8	1.0	28.9	<0.01	0.06
I315540		2.23	21.4	440	4.9	21.9	0.001	0.03	0.37	5.3	0.7	0.9	23.0	0.01	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I315501		0.150	0.12	0.63	63	0.20	3.28	46
I315502		0.186	0.21	1.00	72	0.17	4.12	65
I315503		0.118	0.13	1.49	48	0.13	13.30	60
I315504		0.159	0.15	4.11	60	0.18	29.1	64
I315505		0.110	0.08	0.70	56	0.18	9.08	49
I315506		0.189	0.19	0.52	67	0.16	3.70	66
I315507		0.007	0.03	0.32	4	<0.05	2.07	6
I315508		0.203	0.21	0.68	80	0.19	4.81	68
I315509		0.133	0.10	0.63	63	0.17	5.99	56
I315510		0.113	0.09	0.56	63	0.17	4.25	65
I315511		0.115	0.10	0.38	67	0.20	2.93	79
I315512		0.119	0.09	0.31	69	0.15	1.99	45
I315513		0.117	0.13	0.71	59	0.20	6.78	66
I315514		0.173	0.23	0.66	55	0.14	4.49	82
I315515		0.118	0.11	1.30	75	0.19	10.20	112
I315516		0.093	0.09	0.80	63	0.19	6.28	81
I315517		0.114	0.09	0.61	75	0.38	4.51	96
I315518		0.105	0.14	1.78	78	0.16	10.00	109
I315519		0.134	0.18	2.37	96	0.19	13.25	211
I315520		0.007	0.04	0.32	4	<0.05	2.19	5
I315521		0.183	0.19	2.10	59	0.13	15.45	65
I315522		0.145	0.16	1.89	65	0.16	14.95	54
I315523		0.198	0.24	0.98	63	0.27	8.88	59
I315524		0.145	0.15	2.75	71	0.19	22.5	65
I315525		0.139	0.12	0.68	56	0.34	5.78	49
I315526		0.137	0.15	0.70	54	0.22	6.58	44
I315527		0.129	0.10	1.07	61	0.44	11.30	56
I315528		0.120	0.14	1.47	59	1.29	5.93	55
I315529		0.089	0.12	0.68	56	1.50	7.20	48
I315530		0.088	0.18	2.98	68	1.10	23.1	63
I315531		0.099	0.20	6.06	65	0.90	13.60	64
I315532		0.104	0.19	5.43	64	1.18	12.25	63
I315533		0.133	0.29	6.80	83	4.31	14.00	70
I315534		0.045	0.05	0.33	30	0.20	0.87	19
I315535		0.111	0.30	2.58	63	5.95	9.64	79
I315536		0.128	0.18	1.32	66	0.95	7.22	65
I315537		0.146	0.19	1.27	74	1.41	6.88	61
I315538		0.165	0.30	2.33	86	1.65	9.59	65
I315539		0.165	0.30	1.89	86	4.25	7.58	82
I315540		0.138	0.21	1.56	72	9.35	8.19	51



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I315541		0.48	<0.005	0.08	2.45	14.0	<0.2	<10	230	1.11	0.26	0.48	0.18	34.3	10.6	54
I315542		0.48	<0.005	0.17	2.22	12.1	<0.2	<10	200	1.19	0.28	0.52	0.22	35.8	13.3	58
I315543		0.54	<0.005	0.12	2.32	18.3	<0.2	<10	170	1.28	0.30	0.51	0.14	37.4	14.7	52
I315544		0.46	<0.005	0.52	1.91	8.9	<0.2	<10	100	5.56	4.07	0.82	0.28	37.8	16.0	46
I315545		0.50	<0.005	0.07	2.55	6.0	<0.2	<10	150	1.56	0.19	0.42	0.09	38.8	12.8	61
I315546		0.40	<0.005	0.06	2.67	5.9	<0.2	<10	160	1.63	0.19	0.43	0.07	44.5	13.3	63
I315547		0.36	<0.005	0.09	2.40	7.0	<0.2	<10	130	1.12	0.37	0.33	0.24	29.8	12.0	55
I315548		0.48	0.007	0.15	2.63	49.3	<0.2	<10	170	1.15	0.21	0.49	0.15	38.8	11.9	68
I315549		0.42	<0.005	0.18	2.66	28.7	<0.2	<10	180	1.18	0.21	0.51	0.14	43.8	14.6	60
I315550		0.38	<0.005	0.15	2.76	59.0	<0.2	<10	190	0.80	0.22	0.48	0.10	26.3	13.0	61
I034251		0.38	<0.005	0.19	1.87	2.4	<0.2	<10	330	0.22	0.11	0.63	0.24	26.5	14.5	20
I034252		0.36	<0.005	0.10	1.40	5.0	<0.2	<10	140	0.25	0.03	0.64	0.21	18.10	16.5	22
I034253		0.24	<0.005	0.10	1.22	3.2	<0.2	<10	170	0.14	0.02	0.41	0.10	16.85	9.8	17
I034254		0.58	<0.005	0.06	1.78	13.6	<0.2	<10	220	0.28	0.05	0.70	0.15	24.1	10.8	20
I034255		0.46	<0.005	0.04	1.28	5.1	<0.2	<10	100	0.36	0.15	0.69	0.10	25.4	13.0	31
I034256		0.44	<0.005	0.03	1.19	3.5	<0.2	<10	100	0.27	0.02	0.59	0.09	25.4	10.9	28
I034257		0.40	<0.005	0.04	1.47	4.6	<0.2	<10	130	0.35	0.07	0.78	0.13	18.85	10.0	33
I034258		0.32	<0.005	0.07	1.46	4.5	<0.2	<10	200	0.57	0.11	1.28	0.13	44.5	9.1	26
I034259		0.64	<0.005	0.12	0.91	6.3	<0.2	<10	160	0.24	0.12	0.27	0.18	37.3	14.5	21
I033141		0.44	0.005	0.63	1.68	8.3	<0.2	<10	130	0.31	0.75	0.25	0.33	11.90	9.4	26



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I315541		4.14	105.5	3.15	8.89	0.13	0.08	0.07	0.048	0.25	18.6	17.8	0.83	313	65.2
I315542		4.77	191.5	3.13	7.73	0.16	0.24	0.18	0.052	0.27	16.6	14.7	0.77	231	112.5
I315543		3.79	186.0	3.90	8.13	0.16	0.17	0.13	0.048	0.23	16.9	14.5	0.80	366	127.0
I315544		10.00	579	6.28	8.34	0.33	0.05	8.03	0.393	0.18	24.0	12.3	0.62	982	259
I315545		3.62	104.0	3.76	8.85	0.12	0.07	0.07	0.064	0.30	19.8	15.2	0.90	457	20.7
I315546		3.67	109.0	3.78	9.04	0.13	0.09	0.08	0.066	0.30	23.2	15.6	0.92	441	21.0
I315547		4.28	168.5	3.86	10.30	0.11	0.05	0.05	0.050	0.24	14.6	16.2	0.76	406	96.6
I315548		4.72	224	3.81	9.33	0.15	0.06	0.08	0.053	0.32	18.9	16.7	0.95	393	115.5
I315549		3.70	201	3.50	9.24	0.12	0.05	0.07	0.047	0.25	21.8	15.9	0.84	478	124.5
I315550		3.52	123.5	3.57	9.53	0.10	0.05	0.07	0.042	0.18	12.8	17.3	0.92	373	126.0
I034251		0.72	58.0	2.85	7.27	0.09	0.02	0.06	0.033	0.17	11.6	10.0	0.95	627	0.78
I034252		0.60	29.5	2.39	5.10	0.06	<0.02	0.03	0.017	0.10	9.6	10.9	0.62	388	0.72
I034253		0.64	25.7	2.12	5.03	0.06	<0.02	0.04	0.017	0.07	8.6	7.3	0.51	291	0.68
I034254		1.65	13.0	2.82	6.11	0.09	0.05	0.05	0.022	0.21	12.5	13.0	0.70	502	0.50
I034255		1.84	15.2	2.51	4.40	0.08	0.03	0.02	0.019	0.10	13.5	12.4	0.63	382	0.47
I034256		1.53	13.3	2.21	4.24	0.07	0.02	0.02	0.016	0.08	14.4	10.3	0.52	333	0.41
I034257		0.69	16.3	2.48	5.05	<0.05	0.05	0.02	0.017	0.05	8.9	11.7	0.63	378	0.47
I034258		1.56	22.6	2.37	5.56	0.05	0.10	0.04	0.022	0.08	31.3	13.1	0.58	303	0.39
I034259		4.45	15.5	2.35	3.40	<0.05	0.02	0.02	0.017	0.07	18.5	6.3	0.28	769	2.00
I033141		1.46	110.5	2.83	7.06	<0.05	0.04	0.04	0.028	0.25	6.0	11.8	0.56	561	3.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I315541		2.35	32.8	700	5.9	39.7	0.001	0.02	0.26	9.1	0.8	0.9	31.8	<0.01	0.05	5.3
I315542		1.75	39.8	740	5.3	41.5	0.003	0.07	0.34	9.8	1.0	1.0	35.7	<0.01	0.05	5.6
I315543		1.66	39.2	840	5.4	37.5	0.001	0.02	0.32	8.5	1.1	0.9	29.0	<0.01	0.05	5.7
I315544		0.94	36.0	1120	2.9	22.6	0.002	0.03	0.22	11.0	1.6	8.0	23.2	<0.01	0.16	6.1
I315545		2.65	32.7	420	4.6	39.6	0.001	0.03	0.25	8.2	0.5	1.4	30.0	<0.01	0.03	5.2
I315546		2.58	33.2	470	4.7	38.6	0.001	0.03	0.26	8.7	0.6	1.4	30.1	<0.01	0.03	5.7
I315547		3.28	35.9	410	4.9	37.8	0.001	0.04	0.30	6.6	0.6	1.2	22.4	<0.01	0.06	3.5
I315548		2.57	37.9	600	4.3	49.3	0.001	0.03	1.75	8.9	0.7	1.0	29.6	<0.01	0.05	5.1
I315549		2.64	36.7	730	4.9	36.1	0.001	0.05	1.07	7.9	1.1	1.0	31.2	<0.01	0.05	3.6
I315550		2.56	34.4	580	4.9	27.6	0.001	0.04	1.25	6.8	0.7	0.8	29.5	<0.01	0.05	3.0
I034251		1.11	13.6	950	4.6	13.5	0.001	0.15	0.15	8.3	1.2	0.5	38.8	<0.01	0.05	1.2
I034252		1.03	13.7	600	5.2	9.3	<0.001	0.04	0.15	4.6	0.9	0.4	33.3	<0.01	0.02	1.5
I034253		0.82	10.2	580	4.3	8.3	<0.001	0.04	0.12	4.2	0.6	0.3	23.4	<0.01	0.02	0.8
I034254		1.97	13.2	670	5.3	21.0	<0.001	0.01	0.31	5.6	0.7	0.6	37.1	<0.01	0.01	2.1
I034255		1.02	25.6	610	7.2	17.6	<0.001	0.01	0.28	3.5	0.5	0.3	33.2	<0.01	0.02	4.2
I034256		0.94	21.1	640	6.2	13.3	<0.001	0.01	0.20	3.2	0.6	0.3	32.9	<0.01	0.01	3.8
I034257		1.33	22.0	690	5.4	7.9	<0.001	0.02	0.23	4.2	0.5	0.4	40.8	<0.01	0.02	2.6
I034258		1.33	20.6	700	10.0	13.3	0.001	0.05	0.36	4.6	1.1	0.5	94.5	0.01	0.02	4.6
I034259		0.68	20.3	900	6.5	12.6	0.001	0.02	0.27	2.7	0.7	0.3	19.5	<0.01	0.04	3.0
I033141		1.10	14.5	530	5.3	26.5	<0.001	0.03	0.47	5.1	0.7	0.6	19.2	<0.01	0.03	0.6



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsqglobal.com

**SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5**

**Total # Pages: 7 (A - D)
Plus Appendix Pages**

Account: EIASOI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10122489[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10122489

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130302

Project: SQI10-01

P.O. No.: SQI10-06_27

This report is for 178 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I032816		0.40	0.006	0.42	2.15	5.0	<0.2	<10	440	0.36	0.13	1.64	0.67	25.9	14.4	35
I032817		0.26	0.009	0.29	2.40	3.6	<0.2	<10	230	0.34	0.11	1.57	0.37	18.60	14.5	48
I032818		0.30	0.006	0.27	1.95	4.1	<0.2	<10	330	0.36	0.15	1.91	0.43	21.1	13.0	42
I032819		0.28	<0.005	0.24	2.05	4.1	<0.2	<10	360	0.31	0.11	1.69	0.37	17.50	13.7	65
I032820		0.26	<0.005	0.29	2.41	5.6	<0.2	<10	320	0.34	0.16	1.72	0.43	17.15	16.4	35
I032821		0.26	0.005	0.44	1.75	3.1	<0.2	<10	250	0.20	0.22	1.47	0.74	12.95	18.6	66
I032822		0.36	0.008	0.79	2.35	12.1	<0.2	<10	420	0.53	0.16	0.28	1.27	32.2	13.3	70
I032823		0.34	<0.005	0.38	0.30	2.0	<0.2	<10	80	0.08	0.08	0.10	0.69	5.28	2.1	17
I032824		0.26	<0.005	0.28	2.73	13.7	<0.2	<10	250	0.63	0.34	0.18	0.46	39.4	20.6	76
I032825		0.30	<0.005	0.29	1.62	4.2	<0.2	<10	340	0.33	0.12	1.36	0.57	21.5	12.0	37
I032826		0.32	<0.005	0.12	2.26	3.4	<0.2	<10	230	0.32	0.10	0.83	0.52	16.45	18.0	47
I032827		0.30	0.009	0.10	2.29	6.5	<0.2	<10	210	0.28	0.13	0.89	0.34	13.95	15.9	44
I032828		0.28	0.007	0.20	2.20	7.2	<0.2	<10	260	0.45	0.14	1.26	0.42	22.0	16.3	36
I032829		0.26	0.008	0.40	2.41	5.8	<0.2	<10	320	0.34	0.15	1.21	0.55	22.1	18.3	42
I032830		0.24	0.010	0.24	1.65	12.0	<0.2	<10	220	0.46	0.16	1.25	1.18	33.0	12.9	37
I032831		0.34	0.006	0.17	2.32	10.6	<0.2	<10	150	0.31	0.16	0.21	0.42	18.35	11.9	39
I032832		0.30	<0.005	0.22	0.33	1.4	<0.2	<10	60	0.12	0.09	0.08	0.12	6.36	1.4	10
I032833		0.34	<0.005	0.34	2.01	7.2	<0.2	<10	330	0.28	0.21	0.70	0.30	18.85	16.9	59
I032834		0.30	<0.005	0.48	0.90	5.7	<0.2	<10	510	0.31	0.11	0.36	0.41	25.5	6.7	48
I032835		0.30	<0.005	0.21	1.68	8.3	<0.2	<10	250	0.36	0.24	0.37	0.28	30.9	16.5	48
I032836		0.46	0.009	0.22	1.94	40.2	<0.2	<10	180	0.34	0.23	0.27	0.19	23.2	19.9	53
I032837		0.42	0.010	0.21	1.54	8.5	<0.2	<10	160	0.25	0.17	0.28	0.13	24.1	7.1	40
I032838		0.38	<0.005	0.16	1.33	7.4	<0.2	<10	130	0.19	0.15	0.21	0.13	19.25	5.7	35
I032839		0.34	0.007	0.16	1.69	10.6	<0.2	<10	160	0.26	0.65	0.29	0.16	23.2	9.7	45
I032840		0.38	<0.005	0.16	2.52	6.3	<0.2	<10	220	0.68	0.23	0.54	0.34	38.1	14.5	92
I032841		0.26	0.005	0.26	1.12	2.3	<0.2	<10	200	0.27	0.17	0.75	0.42	14.00	7.1	60
I032842		0.24	0.005	0.70	2.78	5.5	<0.2	<10	290	0.65	0.41	1.02	0.52	52.3	14.9	71
I032843		0.36	<0.005	0.29	3.30	4.8	<0.2	<10	330	0.77	0.37	0.66	0.18	45.1	20.2	105
I032844		0.34	<0.005	0.42	2.76	5.3	<0.2	<10	300	0.76	0.49	0.37	0.69	70.4	15.4	56
I032845		0.26	<0.005	0.48	2.02	4.1	<0.2	<10	260	0.51	0.36	0.58	0.46	49.2	7.9	36
I032846		0.28	<0.005	0.23	1.40	4.1	<0.2	<10	130	0.36	0.19	0.14	0.44	18.85	12.5	25
I032847		0.40	0.006	0.22	2.95	5.5	<0.2	<10	240	0.45	0.29	0.46	0.28	28.9	15.9	54
I032848		0.42	<0.005	0.15	1.90	6.4	<0.2	<10	190	0.21	0.17	0.52	0.34	11.80	10.1	36
I032849		0.24	<0.005	0.19	2.39	3.8	<0.2	<10	130	0.13	0.15	0.31	0.38	9.94	15.6	74
I032850		0.52	0.011	0.48	2.66	6.1	<0.2	<10	410	0.38	0.17	0.54	0.32	17.20	17.8	44
I033144		0.52	0.017	0.61	3.18	5.8	<0.2	<10	350	0.60	0.20	0.42	0.16	22.0	14.8	58
I033145		0.32	<0.005	0.43	1.26	2.3	<0.2	<10	120	0.12	0.12	0.14	0.15	8.64	6.2	19
I033146		0.48	<0.005	0.19	2.83	3.8	<0.2	<10	220	0.27	0.15	0.46	0.11	12.65	14.2	41
I033147		0.42	<0.005	0.15	1.99	4.3	<0.2	<10	240	0.22	0.11	0.80	0.10	12.25	15.9	36
I033148		0.50	<0.005	0.13	2.44	5.7	<0.2	<10	230	0.31	0.14	0.66	0.15	17.85	18.8	37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I032816		0.73	63.2	2.84	6.44	0.07	0.05	0.07	0.027	0.12	12.8	10.1	0.94	600	1.40
I032817		1.17	42.2	3.00	6.85	0.08	0.05	0.06	0.015	0.21	10.6	11.7	1.42	604	1.14
I032818		0.85	47.1	2.52	5.98	0.08	0.05	0.06	0.021	0.23	10.8	9.4	0.90	508	1.04
I032819		0.91	38.9	2.67	6.04	0.07	0.06	0.05	0.017	0.18	9.5	11.3	1.21	580	1.35
I032820		0.98	102.5	3.10	7.26	0.09	0.04	0.06	0.018	0.29	7.9	10.8	1.19	560	1.09
I032821		0.61	57.7	2.11	4.75	0.07	0.03	0.08	0.014	0.10	6.2	8.5	1.02	536	1.36
I032822		1.75	82.4	3.41	7.65	0.11	0.05	0.07	0.036	0.18	16.0	21.9	1.02	350	5.95
I032823		1.07	13.4	0.59	1.93	<0.05	<0.02	0.02	0.006	0.03	2.7	1.3	0.08	63	1.11
I032824		1.46	49.6	4.52	8.69	0.10	0.06	0.03	0.045	0.09	16.8	21.6	1.03	572	2.32
I032825		0.63	46.3	2.27	5.10	0.09	0.04	0.09	0.017	0.14	11.6	8.2	0.80	376	1.46
I032826		0.75	35.3	2.83	7.27	0.08	0.04	0.04	0.019	0.19	8.0	12.5	1.22	390	0.92
I032827		0.75	29.2	2.90	6.86	0.07	0.02	0.07	0.019	0.17	6.8	10.0	1.02	453	1.27
I032828		0.65	41.3	2.55	6.10	0.08	0.04	0.08	0.067	0.13	10.1	9.0	0.82	620	1.14
I032829		0.80	53.4	3.19	7.76	0.08	0.04	0.07	0.026	0.15	10.6	12.2	1.02	832	1.46
I032830		0.61	49.3	2.55	5.60	0.08	0.04	0.07	0.020	0.07	15.7	8.9	0.76	506	1.34
I032831		0.87	25.3	3.70	7.69	0.07	0.03	0.02	0.029	0.08	8.1	19.4	0.72	338	1.33
I032832		0.56	8.6	0.54	2.22	<0.05	<0.02	0.04	0.006	0.03	3.9	1.3	0.08	32	0.64
I032833		1.04	28.7	2.94	7.15	0.07	0.03	0.06	0.028	0.08	9.1	13.3	0.93	518	1.77
I032834		0.77	33.5	1.81	3.20	0.06	<0.02	0.09	0.019	0.05	12.1	3.6	0.37	254	1.53
I032835		0.95	30.3	2.90	6.15	0.08	0.04	0.05	0.028	0.08	14.4	11.5	0.69	708	1.34
I032836		1.51	28.3	3.64	8.24	0.08	0.02	0.03	0.027	0.13	11.0	11.1	0.84	885	1.90
I032837		1.31	22.1	2.27	6.06	0.08	0.03	0.07	0.020	0.13	11.9	9.8	0.60	185	0.82
I032838		1.00	17.7	2.07	5.84	0.06	0.02	0.07	0.017	0.06	9.7	7.1	0.48	148	0.86
I032839		1.92	22.4	2.85	6.43	0.07	0.02	0.06	0.021	0.11	11.7	11.7	0.65	288	2.88
I032840		1.40	33.9	3.30	9.07	0.09	0.15	0.02	0.027	0.41	22.0	15.8	1.15	427	1.85
I032841		1.54	31.7	1.97	6.33	0.06	0.04	0.04	0.014	0.23	8.7	5.0	0.54	208	0.96
I032842		2.19	61.6	3.80	10.10	0.13	0.12	0.05	0.043	0.39	40.8	13.0	1.21	501	1.62
I032843		2.34	55.7	4.19	11.35	0.14	0.20	0.03	0.055	0.70	25.7	15.2	1.87	892	1.30
I032844		1.67	52.4	3.18	10.75	0.12	0.16	0.03	0.039	0.37	33.5	10.5	1.01	1540	1.17
I032845		1.24	54.5	2.23	7.75	0.11	0.08	0.05	0.030	0.15	30.6	8.1	0.73	230	1.02
I032846		0.84	29.7	2.15	5.63	0.05	0.07	0.02	0.019	0.07	7.9	5.9	0.36	613	1.17
I032847		1.04	81.1	3.56	8.98	0.11	0.11	0.05	0.033	0.13	22.4	13.5	1.30	398	1.22
I032848		0.37	34.8	2.60	6.94	<0.05	0.07	0.02	0.023	0.09	5.5	10.2	0.70	370	0.97
I032849		0.51	47.8	3.27	9.31	0.06	0.05	0.02	0.023	0.08	4.4	11.1	1.96	410	1.11
I032850		0.72	56.4	3.44	8.90	0.07	0.05	0.04	0.037	0.10	8.0	10.5	1.03	721	1.41
I033144		0.85	78.8	4.02	10.25	0.08	0.12	0.09	0.047	0.09	9.5	11.9	1.18	355	1.00
I033145		0.60	27.3	1.95	6.99	<0.05	0.02	0.03	0.019	0.10	4.0	4.4	0.64	249	0.80
I033146		0.76	40.3	3.96	10.65	0.07	0.05	0.02	0.041	0.15	5.6	11.0	1.42	417	0.81
I033147		0.80	43.3	3.18	7.40	0.08	0.04	0.03	0.027	0.15	5.3	9.2	1.10	601	0.79
I033148		0.72	30.2	3.53	8.41	0.09	0.06	0.03	0.027	0.15	7.9	13.6	1.20	499	0.96



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I032816		0.88	24.9	770	5.3	13.0	0.001	0.12	0.43	5.5	0.7	0.4	52.5	<0.01	0.04
I032817		1.27	29.8	620	7.2	29.3	0.001	0.11	0.33	4.4	0.6	0.4	37.5	<0.01	0.04
I032818		1.19	31.0	900	6.8	26.5	0.001	0.14	0.28	4.5	0.9	0.4	47.4	<0.01	0.04
I032819		1.01	38.6	710	5.5	25.5	0.002	0.13	0.30	4.0	0.8	0.4	51.2	0.01	0.03
I032820		1.34	24.9	720	5.1	34.8	0.001	0.12	0.38	4.2	0.9	0.4	53.0	0.01	0.07
I032821		0.65	41.1	840	4.6	13.1	0.003	0.15	0.39	3.1	1.6	0.3	46.9	<0.01	0.13
I032822		1.33	54.7	970	8.3	19.4	0.001	0.14	0.42	5.3	2.2	0.5	40.6	<0.01	0.10
I032823		0.14	11.4	350	2.9	6.2	<0.001	0.04	0.13	0.4	<0.2	0.2	13.8	<0.01	0.02
I032824		1.39	57.2	570	8.9	16.7	<0.001	0.02	0.67	6.9	0.4	0.7	17.2	<0.01	0.04
I032825		0.95	28.2	1000	4.0	16.0	<0.001	0.15	0.47	3.2	0.9	0.4	49.4	<0.01	0.03
I032826		1.33	29.3	410	4.9	21.6	<0.001	0.04	0.28	5.5	0.2	0.4	31.5	<0.01	0.03
I032827		1.18	24.5	570	6.5	18.9	<0.001	0.06	0.62	4.9	0.6	0.4	31.9	<0.01	0.04
I032828		0.97	25.0	780	6.8	16.0	0.001	0.10	0.89	4.8	1.1	0.3	46.0	<0.01	0.04
I032829		1.08	27.1	800	5.6	17.6	0.001	0.10	0.44	5.7	0.6	0.5	43.2	0.01	0.04
I032830		0.89	29.2	780	7.6	12.1	<0.001	0.10	0.49	3.6	0.8	0.4	37.8	0.01	0.04
I032831		1.52	33.4	320	12.7	9.1	<0.001	0.03	0.36	4.3	0.2	0.6	16.2	<0.01	0.04
I032832		0.18	5.3	270	3.9	3.9	<0.001	0.02	0.13	0.5	<0.2	0.3	9.9	<0.01	0.02
I032833		1.21	34.8	750	9.2	14.9	<0.001	0.07	0.28	5.5	0.9	0.5	32.4	<0.01	0.04
I032834		0.48	32.3	930	6.6	6.3	<0.001	0.11	0.62	2.8	0.9	0.3	20.2	<0.01	0.04
I032835		1.29	30.9	630	11.6	12.0	0.001	0.05	0.38	4.5	0.7	0.6	23.2	<0.01	0.04
I032836		1.47	35.0	680	14.1	19.8	<0.001	0.04	0.43	5.0	0.5	0.7	15.7	<0.01	0.06
I032837		1.35	23.8	640	10.6	20.0	<0.001	0.06	0.28	3.8	0.6	0.5	18.8	<0.01	0.03
I032838		1.16	19.5	490	8.5	11.1	<0.001	0.06	0.21	2.8	0.4	0.5	15.6	<0.01	0.03
I032839		1.47	25.5	760	8.7	19.0	0.001	0.05	0.36	3.7	0.5	0.6	19.1	<0.01	0.04
I032840		2.66	39.0	290	15.0	38.7	<0.001	0.02	0.32	6.0	0.3	1.0	34.0	<0.01	0.03
I032841		1.57	25.3	360	7.6	36.6	<0.001	0.04	0.27	3.1	<0.2	0.7	37.9	<0.01	0.03
I032842		2.21	36.9	440	13.0	40.5	<0.001	0.05	0.42	9.5	0.5	1.0	45.4	<0.01	0.05
I032843		2.25	47.0	460	8.1	67.1	0.001	<0.01	0.27	12.3	0.7	1.4	37.7	<0.01	0.04
I032844		2.74	30.3	330	11.9	51.9	0.001	0.01	0.37	8.0	0.6	1.5	27.3	0.01	0.04
I032845		1.57	21.5	290	6.9	29.9	0.001	0.02	0.30	6.7	0.7	0.8	36.7	0.01	0.04
I032846		1.22	13.5	190	5.0	13.8	0.001	<0.01	0.31	3.6	0.4	0.5	14.2	<0.01	0.03
I032847		1.42	29.0	230	6.0	13.9	<0.001	0.01	0.32	10.8	0.6	0.7	28.3	0.01	0.05
I032848		1.45	22.0	380	6.5	8.2	<0.001	<0.01	0.29	4.8	0.3	0.6	30.7	<0.01	0.03
I032849		0.90	28.1	180	3.9	8.6	0.001	<0.01	0.20	8.8	0.3	0.5	19.5	<0.01	0.03
I032850		1.27	27.7	490	6.1	12.0	0.001	0.01	0.34	8.4	0.7	0.6	33.3	<0.01	0.03
I033144		1.43	30.3	830	7.1	11.0	0.001	0.01	0.26	11.4	0.7	0.7	26.5	<0.01	0.04
I033145		0.68	10.3	280	3.9	9.9	<0.001	0.01	0.16	5.8	0.3	0.5	12.5	<0.01	0.02
I033146		1.26	22.2	390	3.8	13.9	0.001	0.01	0.21	11.2	0.4	0.7	23.2	<0.01	0.03
I033147		1.03	19.3	500	3.3	13.0	<0.001	0.04	0.22	8.8	0.6	0.5	27.1	<0.01	0.03
I033148		1.52	22.8	510	5.8	16.9	0.001	0.01	0.27	6.9	0.6	0.5	30.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I032816		0.069	0.09	0.75	74	0.09	13.85	77	1.5
I032817		0.100	0.15	0.71	68	0.11	10.80	86	2.2
I032818		0.069	0.13	1.47	65	0.08	9.83	64	2.1
I032819		0.077	0.14	0.82	63	0.08	7.14	76	1.9
I032820		0.106	0.19	0.65	73	0.15	7.63	55	1.7
I032821		0.060	0.17	0.68	47	0.12	8.28	69	0.8
I032822		0.110	0.20	2.00	100	0.27	8.23	208	2.2
I032823		0.020	0.05	0.39	17	<0.05	1.35	16	<0.5
I032824		0.089	0.22	1.15	86	0.08	5.88	82	2.9
I032825		0.063	0.10	0.70	52	0.08	10.85	56	1.4
I032826		0.112	0.11	0.47	76	0.54	5.44	47	1.5
I032827		0.100	0.10	0.51	75	0.10	4.98	58	0.9
I032828		0.070	0.10	0.88	61	0.09	9.67	58	1.2
I032829		0.085	0.11	0.79	83	0.11	10.95	84	1.4
I032830		0.053	0.08	1.02	54	0.08	13.95	53	1.2
I032831		0.109	0.08	0.46	78	0.14	4.11	70	1.3
I032832		0.025	0.04	0.30	16	<0.05	1.44	11	<0.5
I032833		0.079	0.11	1.11	84	0.13	6.41	96	1.2
I032834		0.029	0.07	1.49	38	0.07	7.28	45	<0.5
I032835		0.087	0.12	1.34	72	0.11	9.08	73	1.2
I032836		0.103	0.24	0.89	97	0.17	6.75	88	0.5
I032837		0.084	0.15	1.25	50	0.11	6.59	62	0.9
I032838		0.072	0.11	0.86	43	0.26	4.93	48	0.6
I032839		0.095	0.17	0.89	76	0.62	5.99	64	0.7
I032840		0.157	0.25	1.05	77	0.20	8.04	76	5.5
I032841		0.109	0.16	0.44	46	0.14	3.43	51	1.7
I032842		0.141	0.24	1.63	84	0.32	16.25	86	5.0
I032843		0.197	0.36	0.97	96	0.97	10.85	100	7.7
I032844		0.146	0.24	0.97	73	0.35	12.75	72	6.4
I032845		0.096	0.12	1.17	53	0.30	12.40	53	2.6
I032846		0.079	0.07	0.46	51	0.18	3.65	40	2.8
I032847		0.114	0.10	0.95	103	0.22	12.00	72	3.7
I032848		0.104	0.07	0.29	76	0.19	3.18	59	2.5
I032849		0.093	0.05	0.27	127	0.16	3.07	105	1.7
I032850		0.102	0.07	0.60	89	0.21	8.06	87	1.7
I033144		0.127	0.07	1.24	98	0.20	8.77	75	4.6
I033145		0.079	0.05	0.32	56	0.15	2.23	46	0.5
I033146		0.136	0.08	0.44	113	0.17	4.85	84	1.8
I033147		0.100	0.07	0.49	97	0.19	5.46	69	1.6
I033148		0.140	0.08	0.69	101	0.22	6.34	67	2.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I033149		0.52	<0.005	0.13	2.81	5.6	<0.2	<10	200	0.34	0.15	0.60	0.15	18.00	19.1	53
I033150		0.30	<0.005	0.26	2.96	4.4	<0.2	<10	220	0.39	0.12	0.70	0.20	19.30	22.1	48
I033577		0.58	<0.005	0.15	2.31	4.7	<0.2	<10	140	0.24	0.18	0.55	0.14	13.45	14.3	42
I033578		0.40	<0.005	0.14	1.86	4.8	<0.2	<10	90	0.17	0.20	0.46	0.12	11.50	9.4	33
I033579		0.38	<0.005	0.19	2.72	5.0	<0.2	<10	190	0.36	0.16	0.72	0.21	15.80	18.1	50
I033580		0.60	<0.005	0.23	2.84	6.0	<0.2	<10	200	0.37	0.21	0.42	0.13	20.0	26.7	59
I033581		0.28	<0.005	0.17	2.52	5.1	<0.2	<10	190	0.34	0.16	0.58	0.21	18.60	23.6	57
I033582		0.36	<0.005	0.22	2.83	7.0	<0.2	<10	220	0.26	0.26	0.36	0.32	12.15	23.1	73
I033583		0.44	<0.005	0.23	3.50	7.9	<0.2	<10	320	0.58	0.20	0.69	0.27	27.6	26.5	67
I033584		0.54	<0.005	0.18	3.38	6.2	<0.2	<10	280	0.46	0.15	0.77	0.14	21.9	23.4	61
I314675		0.54	<0.005	0.07	1.84	3.9	<0.2	<10	270	0.71	0.15	0.76	0.09	48.4	10.7	25
I314676		0.52	<0.005	0.08	1.90	3.9	<0.2	<10	280	0.70	0.15	0.73	0.08	49.5	10.9	26
I314677		0.52	<0.005	0.08	1.89	3.6	<0.2	<10	330	0.64	0.15	0.62	0.12	44.0	10.4	26
I314678		0.50	<0.005	0.07	2.18	3.9	<0.2	<10	120	0.61	0.12	0.31	0.04	27.9	8.5	24
I314679		0.46	<0.005	0.07	1.65	3.2	<0.2	<10	340	1.03	0.07	1.26	0.17	78.6	13.5	10
I318501		0.68	<0.005	0.14	2.45	5.6	<0.2	<10	170	0.43	0.43	0.31	0.15	29.2	8.9	39
I318502		0.38	0.006	0.17	2.50	6.4	<0.2	<10	210	0.38	0.47	0.29	0.16	26.9	19.9	42
I318503		0.48	<0.005	0.11	2.58	7.2	<0.2	<10	250	0.51	0.45	0.39	0.18	36.4	10.1	45
I318504		0.62	0.008	0.15	2.30	5.6	<0.2	<10	220	0.50	0.39	0.35	0.23	35.6	9.3	40
I318505		0.62	0.007	0.24	2.20	5.4	<0.2	<10	200	0.53	0.65	0.39	0.22	35.0	10.9	40
I318506		0.66	0.007	0.15	2.22	4.3	<0.2	<10	200	0.49	0.45	0.53	0.25	34.1	14.9	40
I318507		0.48	0.006	0.15	2.41	5.3	<0.2	<10	240	0.60	0.39	0.57	0.33	37.7	31.9	45
I318508		0.52	0.007	0.35	2.16	9.5	<0.2	<10	240	0.57	0.23	0.46	0.43	38.5	17.9	48
I318509		0.52	0.006	0.06	2.09	5.0	<0.2	<10	200	0.33	0.16	0.33	0.15	24.0	12.1	49
I318510		0.48	0.008	0.15	1.89	5.9	<0.2	<10	190	0.31	0.16	0.49	0.18	26.9	15.8	38
I318511		0.78	0.007	0.12	2.08	5.3	<0.2	<10	180	0.37	0.14	0.53	0.14	28.5	12.7	43
I318512		0.62	0.008	0.19	2.51	6.5	<0.2	<10	260	0.61	0.24	0.51	0.15	59.3	14.3	56
I318513		0.46	<0.005	0.01	0.12	1.7	<0.2	<10	30	0.09	0.02	0.09	0.03	10.75	2.2	3
I318514		0.52	0.007	0.26	2.04	14.2	<0.2	<10	210	0.40	0.13	1.10	0.90	38.7	16.2	137
I318515		0.36	0.005	0.07	1.44	4.4	<0.2	<10	190	0.36	0.10	1.35	0.14	18.20	10.5	33
I318516		0.56	0.008	0.07	1.64	5.2	<0.2	<10	200	0.41	0.12	0.96	0.14	24.1	11.9	36
I318517		0.42	0.007	0.11	1.82	3.5	<0.2	<10	240	0.51	0.11	1.19	0.29	26.1	12.9	41
I318518		0.44	0.005	0.07	2.01	4.3	<0.2	<10	250	0.55	0.13	0.90	0.17	27.7	12.8	51
I318519		0.54	0.005	0.14	1.71	4.4	<0.2	<10	270	0.43	0.24	0.61	0.27	29.6	13.6	33
I318520		0.60	<0.005	0.10	2.11	5.4	<0.2	<10	300	0.60	0.44	0.49	0.14	40.3	12.4	54
I318521		0.52	0.006	0.08	2.62	5.6	<0.2	<10	240	0.90	0.29	1.00	0.06	67.4	23.4	42
I318522		0.60	<0.005	0.18	2.47	3.3	<0.2	<10	480	0.80	0.66	0.63	0.07	33.0	18.6	26
I318523		0.66	0.006	0.08	1.74	16.6	<0.2	<10	250	0.81	0.10	0.67	0.02	31.7	13.8	27
I318524		0.56	<0.005	0.08	1.59	21.5	<0.2	<10	190	0.92	0.22	0.59	0.05	65.8	12.1	32
I318525		0.52	0.010	0.49	2.54	5.5	<0.2	<10	330	0.35	0.24	1.06	1.65	26.5	21.7	54



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I033149		0.98	30.3	3.92	9.54	0.09	0.08	0.02	0.029	0.26	7.9	15.4	1.36	728	1.08
I033150		1.06	40.3	3.49	9.01	0.08	0.05	0.04	0.023	0.24	8.7	15.0	1.36	629	0.82
I033577		0.82	29.0	3.03	7.90	0.06	0.04	0.03	0.022	0.11	6.1	11.3	1.05	419	0.96
I033578		0.76	23.8	2.25	7.30	0.06	0.03	0.04	0.017	0.07	5.3	8.3	0.85	201	0.81
I033579		1.00	35.2	3.35	9.41	0.07	0.05	0.04	0.024	0.13	7.2	12.9	1.25	395	1.06
I033580		1.04	32.6	3.62	10.30	0.08	0.05	0.03	0.024	0.21	8.8	14.3	1.31	838	1.42
I033581		1.00	27.0	3.22	8.81	0.07	0.04	0.04	0.022	0.13	8.3	12.2	1.27	788	1.05
I033582		0.95	52.7	3.66	10.20	0.07	0.05	0.02	0.020	0.15	5.4	11.1	1.61	515	1.59
I033583		1.00	96.1	4.09	9.67	0.09	0.07	0.06	0.028	0.12	11.8	15.5	1.35	1020	1.80
I033584		0.96	65.6	3.87	9.85	0.10	0.07	0.03	0.025	0.20	9.8	15.9	1.64	627	1.28
I314675		0.76	14.3	3.65	5.56	0.09	0.20	0.03	0.044	0.10	17.4	8.0	0.39	703	1.51
I314676		0.75	13.7	3.79	5.71	0.10	0.22	0.02	0.048	0.09	17.7	7.9	0.39	798	1.55
I314677		0.70	14.6	3.42	5.79	0.09	0.16	0.02	0.038	0.06	17.4	9.1	0.43	571	1.19
I314678		0.66	21.6	2.94	7.38	0.07	0.02	0.03	0.029	0.09	13.7	8.7	0.45	156	0.88
I314679		0.41	20.8	6.34	6.96	0.19	0.16	0.03	0.071	0.10	31.6	9.1	0.40	684	1.52
I318501		2.10	19.7	2.78	7.39	0.07	0.15	0.04	0.032	0.06	12.9	15.1	0.58	254	0.45
I318502		2.52	18.6	3.57	7.83	0.08	0.06	0.05	0.034	0.05	11.4	14.5	0.64	1980	0.96
I318503		2.40	24.0	3.13	7.65	0.08	0.09	0.05	0.034	0.06	15.5	15.5	0.68	362	0.88
I318504		2.17	20.8	2.38	6.93	0.07	0.08	0.05	0.032	0.06	14.9	14.2	0.57	281	0.65
I318505		2.12	23.2	2.67	6.90	0.10	0.07	0.04	0.030	0.07	15.6	13.6	0.58	516	0.76
I318506		2.19	21.7	2.50	7.13	0.10	0.08	0.04	0.030	0.08	14.7	13.8	0.60	786	0.58
I318507		2.10	22.9	3.30	7.58	0.11	0.09	0.04	0.031	0.09	15.8	14.6	0.65	2070	0.75
I318508		2.49	31.4	3.11	7.83	0.09	0.04	0.06	0.034	0.11	18.5	13.5	0.69	970	1.48
I318509		1.31	23.9	3.03	7.75	0.06	0.04	0.03	0.025	0.12	13.0	13.2	0.70	462	1.12
I318510		1.02	21.8	2.91	6.44	0.07	0.04	0.05	0.025	0.06	12.8	11.2	0.59	787	1.22
I318511		1.24	23.0	2.97	7.02	0.08	0.07	0.04	0.024	0.09	13.8	13.7	0.71	395	0.94
I318512		1.64	45.5	3.47	7.96	0.11	0.09	0.04	0.029	0.16	31.9	17.4	0.84	480	1.68
I318513		0.08	2.1	0.61	0.64	<0.05	0.07	0.01	<0.005	0.04	5.0	1.4	0.04	148	0.25
I318514		0.36	57.6	2.95	5.76	0.10	0.16	0.04	0.026	0.05	18.9	13.4	1.37	646	4.94
I318515		0.47	24.6	2.16	4.57	0.06	0.06	0.05	0.019	0.04	8.8	8.8	0.58	352	0.71
I318516		0.44	30.7	2.53	5.15	0.07	0.09	0.02	0.022	0.04	11.1	10.3	0.67	354	0.40
I318517		0.57	44.7	2.43	5.49	0.07	0.04	0.05	0.022	0.05	15.2	9.4	0.65	596	0.53
I318518		0.46	41.9	2.94	6.54	0.07	0.10	0.03	0.024	0.07	20.4	10.5	0.76	286	0.69
I318519		0.30	27.1	2.75	5.23	0.06	0.07	0.02	0.021	0.08	14.3	8.4	0.61	1020	1.04
I318520		0.26	44.5	3.06	6.44	0.06	0.08	0.02	0.025	0.09	18.4	10.9	0.78	536	1.39
I318521		0.86	52.5	4.99	10.10	0.16	0.12	0.03	0.040	0.21	37.4	17.3	2.08	824	0.74
I318522		0.88	30.6	4.15	8.39	0.07	0.07	0.01	0.023	0.30	12.4	10.5	0.87	694	1.37
I318523		0.52	42.7	2.65	5.03	0.06	0.21	0.02	0.021	0.09	15.1	10.6	0.54	322	0.75
I318524		1.07	24.5	3.04	4.85	0.10	0.28	0.02	0.026	0.16	38.0	11.1	0.50	497	0.92
I318525		1.03	103.5	3.46	7.85	0.10	0.03	0.07	0.031	0.11	11.3	10.4	1.47	840	1.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I033149		1.88	28.4	360	6.4	27.3	0.001	0.01	0.23	8.6	0.5	0.6	27.0	<0.01	0.03
I033150		1.58	27.8	560	7.1	25.1	0.001	0.03	0.23	6.9	0.7	0.5	28.7	<0.01	0.02
I033577		1.26	21.8	520	6.2	14.3	0.001	0.05	0.22	6.4	0.7	0.5	26.6	<0.01	0.04
I033578		1.26	18.6	350	6.2	12.3	0.001	0.02	0.19	4.7	0.6	0.5	23.2	<0.01	0.04
I033579		1.74	28.4	460	7.2	18.9	0.001	0.03	0.24	6.2	0.7	0.6	30.6	<0.01	0.04
I033580		2.03	31.6	440	6.9	23.1	<0.001	0.02	0.21	6.6	0.7	0.6	27.0	<0.01	0.04
I033581		1.54	29.7	580	5.9	19.8	0.001	0.04	0.25	5.9	0.7	0.6	31.4	<0.01	0.03
I033582		1.59	32.2	340	5.1	17.9	<0.001	0.01	0.24	6.2	0.4	0.6	21.6	<0.01	0.05
I033583		2.28	39.4	590	7.4	17.5	0.001	0.03	0.35	7.8	0.9	0.6	36.3	<0.01	0.04
I033584		2.36	37.2	460	6.2	23.4	0.001	0.02	0.27	7.1	0.7	0.6	36.5	<0.01	0.04
I314675		1.32	13.2	690	7.0	11.8	<0.001	0.01	0.35	9.7	0.6	0.8	43.2	0.01	0.02
I314676		1.22	12.9	700	7.5	9.8	<0.001	<0.01	0.34	9.5	0.6	0.9	39.6	0.01	0.01
I314677		1.61	15.4	610	7.2	8.0	<0.001	<0.01	0.30	8.5	0.6	0.8	50.3	0.01	0.01
I314678		0.58	14.0	400	7.3	7.4	<0.001	<0.01	0.17	5.4	0.4	0.5	25.6	<0.01	0.02
I314679		0.89	11.8	2520	5.5	8.7	0.001	0.02	0.25	11.7	1.3	1.3	90.8	0.01	0.02
I318501		2.90	20.7	400	11.5	13.5	<0.001	0.01	0.38	7.3	0.6	1.0	27.9	<0.01	0.02
I318502		2.27	22.4	730	11.3	12.8	<0.001	0.03	0.35	6.8	0.6	0.9	27.7	<0.01	0.03
I318503		2.49	25.0	720	10.1	15.0	0.001	0.03	0.40	7.5	0.7	0.9	31.6	0.01	0.03
I318504		2.40	22.1	640	10.4	15.5	0.001	0.03	0.41	6.4	0.7	0.9	28.8	<0.01	0.03
I318505		2.43	23.2	750	14.9	16.7	0.001	0.03	0.34	6.2	0.7	0.8	30.3	<0.01	0.03
I318506		2.59	23.3	690	13.1	20.6	0.001	0.04	0.31	6.1	0.7	0.8	36.6	0.01	0.03
I318507		2.55	27.1	770	10.8	25.1	0.001	0.04	0.46	7.3	0.8	0.7	43.9	<0.01	0.04
I318508		1.48	33.1	770	16.6	20.5	<0.001	0.04	0.58	5.8	1.0	0.7	36.9	<0.01	0.03
I318509		1.61	29.8	480	8.3	19.2	<0.001	0.03	0.22	4.9	0.4	0.6	26.1	<0.01	0.03
I318510		1.30	22.1	760	8.2	13.1	<0.001	0.06	0.31	4.6	0.7	0.5	35.6	<0.01	0.02
I318511		1.84	24.1	580	7.3	16.7	<0.001	0.03	0.31	5.5	0.5	0.6	35.7	<0.01	0.03
I318512		1.83	33.3	580	8.4	26.0	<0.001	0.02	0.32	7.6	0.8	0.6	38.0	<0.01	0.02
I318513		0.17	4.1	120	1.5	2.0	<0.001	0.01	0.10	0.6	<0.2	<0.2	6.6	<0.01	0.01
I318514		1.00	99.7	960	14.3	4.4	<0.001	0.04	0.57	5.8	1.6	0.3	54.2	<0.01	0.04
I318515		1.14	24.3	670	5.0	6.9	<0.001	0.06	0.33	3.9	0.7	0.4	66.0	<0.01	0.02
I318516		1.37	27.0	580	5.9	5.8	<0.001	0.03	0.34	5.3	0.6	0.5	52.1	<0.01	0.02
I318517		1.10	27.6	590	5.9	4.5	<0.001	0.05	0.27	6.2	0.8	0.4	64.2	<0.01	0.02
I318518		1.52	31.5	290	6.8	5.7	<0.001	0.03	0.31	9.0	0.7	0.5	55.4	<0.01	0.03
I318519		0.99	21.1	280	19.1	8.1	<0.001	0.03	0.30	4.9	0.5	0.5	40.2	<0.01	0.03
I318520		1.00	28.5	160	41.9	10.4	<0.001	0.02	0.30	5.4	0.4	0.6	36.8	<0.01	0.03
I318521		0.56	39.9	590	20.0	16.1	<0.001	0.02	0.27	15.4	0.8	0.6	64.8	0.01	0.02
I318522		1.40	17.9	600	78.8	26.5	<0.001	0.02	0.22	5.0	0.3	0.5	89.7	<0.01	0.04
I318523		1.26	27.2	410	9.4	9.1	<0.001	0.01	0.30	6.7	0.4	0.4	63.3	<0.01	0.01
I318524		1.14	25.1	200	13.1	17.0	<0.001	0.01	0.67	7.4	0.6	0.5	44.5	<0.01	0.02
I318525		0.92	32.5	810	9.1	14.7	<0.001	0.09	0.35	6.7	1.0	0.4	33.1	<0.01	0.07



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I033149		0.181	0.12	0.61	109	0.21	5.64	76	3.1
I033150		0.146	0.13	0.89	93	0.21	7.18	74	1.7
I033577		0.113	0.08	0.64	87	0.20	4.15	68	1.3
I033578		0.110	0.08	0.42	59	0.25	3.22	57	1.1
I033579		0.147	0.11	0.85	88	0.30	4.80	77	1.8
I033580		0.159	0.13	0.76	97	0.24	5.10	76	1.9
I033581		0.137	0.13	0.76	89	0.21	5.53	70	1.4
I033582		0.169	0.12	0.49	113	0.22	3.87	102	1.8
I033583		0.144	0.15	1.13	96	0.27	10.05	79	2.9
I033584		0.175	0.14	0.82	100	0.22	7.86	74	2.9
I314675		0.070	0.05	0.42	51	0.14	11.30	58	7.3
I314676		0.071	0.06	0.43	52	0.13	11.50	57	7.8
I314677		0.093	0.06	0.43	57	0.18	11.15	72	5.6
I314678		0.027	0.06	0.65	66	0.09	9.34	46	0.7
I314679		0.030	0.05	1.23	84	0.16	30.1	93	3.2
I318501		0.142	0.18	2.30	71	0.34	9.39	62	5.9
I318502		0.125	0.21	2.34	82	0.47	7.74	70	2.4
I318503		0.137	0.19	2.72	87	0.49	11.95	69	3.2
I318504		0.122	0.18	2.26	66	0.39	11.30	67	2.7
I318505		0.117	0.20	2.15	65	0.38	11.25	67	2.8
I318506		0.122	0.22	1.97	63	0.31	9.97	71	3.3
I318507		0.127	0.19	1.80	70	0.38	11.35	82	3.4
I318508		0.095	0.19	1.48	84	0.28	9.08	92	1.2
I318509		0.130	0.13	0.85	80	0.15	4.87	72	1.4
I318510		0.103	0.12	1.11	70	0.19	6.36	55	1.4
I318511		0.143	0.16	1.09	68	0.18	6.47	66	3.1
I318512		0.161	0.21	2.71	77	0.30	15.55	70	3.5
I318513		0.009	0.03	0.31	5	<0.05	2.14	5	2.4
I318514		0.071	0.05	1.11	62	0.13	14.50	149	7.5
I318515		0.078	0.05	0.66	51	0.33	6.92	44	2.2
I318516		0.104	0.04	0.92	61	0.14	9.00	47	3.9
I318517		0.075	0.05	0.66	59	0.12	14.90	43	1.6
I318518		0.097	0.07	0.75	72	0.18	19.50	45	4.2
I318519		0.053	0.06	0.76	54	0.10	5.37	50	2.6
I318520		0.049	0.09	0.86	60	0.09	5.52	82	3.6
I318521		0.130	0.12	1.33	98	0.14	25.7	97	5.3
I318522		0.145	0.18	0.68	83	0.14	5.88	54	2.8
I318523		0.099	0.06	0.57	60	0.13	6.33	28	9.5
I318524		0.106	0.10	1.18	59	0.13	15.05	40	12.8
I318525		0.079	0.11	0.89	90	0.12	13.60	135	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318526		0.56	0.008	0.25	2.72	5.1	<0.2	<10	280	0.34	0.25	0.63	0.81	19.40	20.1	71
I318527		0.64	0.012	0.14	2.59	6.1	<0.2	<10	220	0.27	0.17	0.50	0.31	13.40	18.6	54
I318528		0.76	0.011	0.23	2.90	5.7	<0.2	<10	300	0.39	0.20	0.61	0.21	19.25	21.5	62
I318529		0.68	0.008	0.26	2.79	5.5	<0.2	<10	280	0.39	0.19	0.56	0.21	17.65	21.3	66
I318530		0.60	0.007	0.24	3.30	6.9	<0.2	<10	320	0.43	0.26	0.61	0.25	20.3	23.8	82
I318531		0.60	<0.005	0.25	2.25	5.4	<0.2	<10	270	0.22	0.14	0.55	0.45	11.15	15.7	57
I318532		0.68	0.005	0.29	2.65	4.5	<0.2	<10	320	0.25	0.21	0.49	0.36	10.70	19.8	69
I318533		0.72	<0.005	0.34	2.91	7.0	<0.2	<10	280	0.36	0.39	0.46	0.27	17.55	17.2	75
I318534		0.66	0.005	0.63	2.84	7.8	<0.2	<10	560	0.67	0.51	0.56	0.44	35.5	16.1	73
I318535		0.76	0.012	0.45	2.86	11.1	<0.2	<10	530	0.69	0.41	0.60	0.36	42.9	16.5	106
I318536		0.76	0.008	0.22	3.34	11.1	<0.2	<10	340	0.41	0.29	0.46	0.14	23.6	22.2	121
I318537		0.78	0.010	0.23	2.98	9.1	<0.2	<10	190	0.32	0.50	0.39	0.19	15.95	21.6	106
I318538		0.84	0.009	0.11	3.07	19.9	<0.2	<10	170	0.19	0.31	0.40	0.10	9.40	26.3	240
I318539		0.70	0.008	0.12	3.50	14.9	<0.2	<10	320	0.44	0.30	0.57	0.18	24.9	21.3	66
I318540		0.68	0.008	0.17	3.66	6.1	<0.2	<10	380	0.43	0.65	0.67	0.29	21.8	26.6	73
I318541		0.54	0.009	0.13	2.80	9.4	<0.2	<10	230	0.42	0.30	0.30	0.25	19.60	16.7	63
I318542		0.58	0.010	0.12	1.86	40.8	<0.2	<10	230	0.35	0.37	0.19	0.32	19.60	9.8	42
I318543		0.74	0.007	0.17	3.16	6.4	<0.2	<10	540	0.61	0.80	0.46	0.23	32.7	17.4	77
I318544		0.58	0.006	0.12	2.17	8.2	<0.2	<10	790	0.44	1.19	0.19	0.88	38.9	10.0	45
I318545		0.76	0.012	0.19	3.26	32.2	<0.2	<10	450	0.95	2.27	0.39	0.32	46.2	17.2	58
I318546		0.82	0.011	0.27	2.60	11.6	<0.2	<10	250	0.84	3.61	0.38	0.30	60.5	13.3	47
I318547		0.48	0.018	0.38	2.35	11.6	<0.2	<10	280	0.58	1.84	0.46	0.25	42.9	10.7	41
I318548		0.72	0.006	0.29	2.66	19.8	<0.2	<10	310	0.70	1.97	0.44	0.30	54.9	15.6	50
I318549		0.76	0.009	0.18	2.43	5.7	<0.2	<10	330	0.44	1.23	0.48	0.25	28.3	10.3	54
I318550		0.66	<0.005	0.19	2.22	6.4	<0.2	<10	330	0.42	0.71	0.56	0.23	24.3	15.0	52
I318601		0.56	0.008	0.11	1.79	5.5	<0.2	<10	140	0.20	0.19	0.38	0.14	16.95	7.8	35
I318602		0.58	0.006	0.16	2.06	4.3	<0.2	<10	140	0.29	0.30	0.35	0.18	19.80	9.7	69
I318603		0.40	0.007	0.39	2.02	5.8	<0.2	<10	170	0.46	0.49	0.37	0.47	29.9	17.1	87
I318604		0.16	0.008	0.15	0.99	3.7	<0.2	<10	100	0.19	0.15	0.20	0.68	9.99	5.8	27
I318605		0.36	<0.005	0.19	0.76	3.2	<0.2	<10	120	0.17	0.15	0.15	0.68	10.70	5.7	19
I318606		0.28	0.005	0.15	0.41	1.8	<0.2	<10	60	0.09	0.08	0.23	0.32	12.00	2.8	9
I318607		0.64	0.008	0.28	2.54	5.0	<0.2	<10	280	0.38	0.10	1.29	0.24	15.55	19.0	48
I318608		0.32	<0.005	0.33	2.51	6.3	<0.2	<10	330	0.40	0.15	1.48	0.30	17.90	16.2	63
I318609		0.56	0.006	0.13	2.72	7.7	<0.2	<10	220	0.37	0.15	0.40	0.33	14.30	16.6	80
I318610		0.46	0.005	0.20	2.08	5.2	<0.2	<10	260	0.32	0.15	0.57	0.62	15.15	12.2	44
I318611		0.46	0.012	0.72	2.95	8.1	<0.2	<10	310	0.32	0.15	1.13	0.43	18.10	16.0	73
I318612		0.56	0.010	0.17	2.61	7.8	<0.2	<10	260	0.28	0.15	0.53	0.13	14.25	13.7	53
I318613		0.62	0.007	0.28	2.22	8.6	<0.2	<10	230	0.41	0.20	0.31	0.56	16.15	12.8	58
I318614		0.40	0.017	0.70	2.52	18.0	<0.2	<10	270	0.36	0.43	1.30	0.48	32.2	15.2	82
I318615		0.44	0.014	0.49	2.97	15.4	<0.2	<10	330	0.49	0.40	1.43	0.49	26.0	21.1	81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318526		1.10	79.7	3.88	8.84	0.10	0.02	0.04	0.036	0.16	8.4	11.8	1.92	708	1.40
I318527		0.93	27.3	3.87	8.48	0.10	0.04	0.02	0.019	0.29	6.0	13.9	1.62	576	0.98
I318528		1.07	44.9	4.05	8.71	0.10	0.04	0.03	0.019	0.39	9.2	13.1	1.85	681	1.15
I318529		1.12	35.5	3.80	8.41	0.10	0.03	0.03	0.041	0.30	8.2	12.7	1.75	628	1.34
I318530		1.35	42.9	4.39	9.97	0.11	0.04	0.02	0.023	0.38	8.9	15.7	2.08	637	1.43
I318531		0.99	27.0	3.10	7.51	0.09	0.02	0.02	0.015	0.31	5.3	9.1	1.71	458	1.11
I318532		1.13	42.9	3.72	8.42	0.09	0.02	0.02	0.016	0.35	5.1	11.2	1.97	594	1.44
I318533		1.21	49.3	3.87	9.13	0.08	0.04	0.03	0.027	0.16	9.2	14.0	1.79	505	2.33
I318534		1.89	53.2	3.52	9.42	0.12	0.06	0.05	0.039	0.21	18.2	14.2	1.43	613	3.96
I318535		1.92	59.0	3.98	9.76	0.12	0.06	0.06	0.041	0.28	20.0	13.4	1.65	493	3.16
I318536		1.55	57.8	4.09	9.95	0.11	0.04	0.03	0.032	0.26	11.1	17.6	2.17	540	0.94
I318537		1.17	45.9	3.88	8.47	0.09	0.03	0.03	0.025	0.16	7.4	14.0	1.80	478	1.00
I318538		1.24	44.5	3.64	7.25	0.09	0.02	0.01	0.014	0.27	4.1	11.6	2.73	471	0.43
I318539		1.90	40.1	4.44	10.80	0.12	0.04	0.02	0.028	0.30	11.4	15.4	2.15	704	0.72
I318540		2.52	68.0	4.70	10.20	0.13	0.07	0.03	0.027	0.41	10.9	13.0	2.30	785	0.71
I318541		1.15	28.5	4.18	10.20	0.08	0.03	0.02	0.030	0.09	8.3	13.9	1.38	574	1.42
I318542		1.03	20.3	3.61	9.66	0.06	0.03	0.03	0.031	0.06	9.1	12.0	0.64	341	2.18
I318543		2.72	60.0	4.15	9.80	0.12	0.05	0.03	0.029	0.24	15.8	13.3	1.82	534	1.31
I318544		1.37	30.9	4.15	10.55	0.09	0.03	0.01	0.036	0.22	19.2	10.2	0.93	392	3.23
I318545		2.01	46.5	3.83	9.49	0.14	0.08	0.04	0.038	0.22	24.5	13.4	1.06	477	1.61
I318546		1.99	44.4	3.32	7.92	0.13	0.08	0.04	0.035	0.14	37.5	12.2	0.85	357	1.19
I318547		1.46	34.1	2.85	7.36	0.11	0.05	0.07	0.029	0.09	25.5	8.8	0.63	429	1.34
I318548		1.76	41.3	3.56	8.48	0.13	0.09	0.05	0.037	0.12	27.6	12.6	0.79	351	1.47
I318549		1.50	31.1	2.29	7.42	0.10	0.06	0.04	0.030	0.11	15.2	11.1	0.84	230	0.98
I318550		1.98	24.9	2.68	7.98	0.08	0.04	0.03	0.026	0.21	11.4	10.7	0.84	856	1.23
I318601		1.21	17.0	2.28	6.67	0.05	0.03	0.04	0.020	0.06	8.8	10.9	0.62	181	1.04
I318602		1.60	21.4	2.46	6.58	0.08	0.05	0.04	0.021	0.07	10.3	18.0	0.78	195	0.73
I318603		2.64	32.7	2.81	8.38	0.08	0.04	0.05	0.025	0.08	16.6	21.3	0.82	418	1.40
I318604		1.04	20.5	1.73	4.73	<0.05	0.02	0.07	0.017	0.08	5.1	5.6	0.30	188	1.25
I318605		0.73	25.7	1.24	4.49	<0.05	<0.02	0.06	0.012	0.07	5.8	2.8	0.20	171	1.01
I318606		0.51	12.9	0.64	1.90	<0.05	<0.02	0.05	0.008	0.04	7.4	0.8	0.06	33	0.82
I318607		0.91	43.4	3.68	8.31	0.10	0.05	0.04	0.019	0.46	8.0	12.1	1.51	725	0.87
I318608		0.90	36.5	3.28	8.01	0.09	0.04	0.05	0.021	0.21	9.8	11.5	1.32	793	1.02
I318609		0.78	21.1	3.57	8.87	0.09	0.03	0.02	0.021	0.21	7.2	13.4	1.55	566	1.03
I318610		0.83	36.2	2.90	7.84	0.08	0.02	0.02	0.014	0.26	7.9	8.2	1.31	489	0.94
I318611		0.95	58.4	3.52	8.63	0.11	0.04	0.06	0.021	0.31	9.2	10.3	1.59	479	1.38
I318612		0.78	33.8	3.46	7.91	0.08	0.04	0.02	0.021	0.17	7.3	11.7	1.56	515	1.25
I318613		1.08	29.8	2.92	7.63	0.06	0.07	0.03	0.026	0.08	7.7	12.6	0.95	350	2.45
I318614		0.87	72.5	2.94	6.44	0.10	0.07	0.07	0.025	0.14	14.2	9.4	1.34	485	1.06
I318615		1.26	61.2	3.49	7.85	0.11	0.08	0.05	0.025	0.34	13.7	11.6	1.69	1080	1.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318526		0.86	34.5	520	8.3	16.3	<0.001	0.05	0.27	9.0	0.7	0.4	23.6	<0.01	0.07
I318527		1.37	31.3	260	9.4	27.6	<0.001	0.02	0.29	5.5	0.3	0.4	23.4	<0.01	0.04
I318528		1.22	38.2	470	12.8	34.2	<0.001	0.03	0.29	5.8	0.6	0.4	22.3	<0.01	0.05
I318529		1.26	37.4	530	10.9	30.4	<0.001	0.04	0.30	5.2	0.6	0.5	21.5	<0.01	0.04
I318530		1.48	45.6	430	15.0	33.9	<0.001	0.03	0.31	6.5	0.5	0.6	22.6	<0.01	0.04
I318531		1.16	31.0	450	6.2	26.8	<0.001	0.04	0.26	4.3	0.5	0.4	23.2	<0.01	0.04
I318532		1.11	27.8	470	7.8	27.0	<0.001	0.04	0.27	5.4	0.4	0.4	22.1	<0.01	0.04
I318533		1.10	38.3	500	8.3	20.2	<0.001	0.04	0.30	6.0	0.7	0.5	23.4	<0.01	0.06
I318534		1.07	50.1	800	13.9	26.2	<0.001	0.06	0.34	7.4	1.5	0.7	30.0	<0.01	0.06
I318535		1.08	57.7	900	12.9	28.0	<0.001	0.05	0.48	8.9	1.8	0.8	32.0	<0.01	0.07
I318536		1.07	101.0	460	8.6	25.0	<0.001	0.03	0.33	10.2	0.7	0.7	21.6	<0.01	0.08
I318537		1.00	52.7	490	8.2	19.6	<0.001	0.03	0.28	5.8	0.4	0.5	19.4	<0.01	0.17
I318538		0.54	112.0	350	3.6	21.3	<0.001	0.02	0.25	5.0	0.3	0.3	13.0	<0.01	0.09
I318539		1.31	38.0	670	6.6	31.8	<0.001	0.03	0.26	8.4	0.4	0.6	23.2	<0.01	0.04
I318540		0.85	48.2	610	5.1	38.4	<0.001	0.02	0.29	9.7	0.6	0.6	37.3	<0.01	0.03
I318541		1.46	37.7	430	7.6	14.6	<0.001	0.03	0.33	6.6	0.5	0.7	20.8	<0.01	0.04
I318542		1.74	26.2	390	8.5	12.2	<0.001	0.03	0.57	4.2	0.4	0.8	15.6	<0.01	0.05
I318543		1.18	51.4	630	5.8	29.9	<0.001	0.03	0.28	9.0	0.9	0.9	30.2	<0.01	0.05
I318544		1.65	27.2	570	12.8	21.5	<0.001	0.12	0.32	4.8	0.8	0.8	29.1	<0.01	0.07
I318545		2.36	44.7	780	10.7	29.5	<0.001	0.03	0.44	8.2	1.1	0.8	30.3	0.01	0.07
I318546		1.84	34.9	780	14.6	23.1	<0.001	0.02	0.38	7.0	1.0	0.8	23.2	0.01	0.05
I318547		1.37	29.4	920	9.0	13.4	<0.001	0.06	0.36	5.4	1.2	0.7	26.5	0.01	0.06
I318548		2.15	35.5	690	11.5	20.1	0.001	0.03	0.45	8.1	1.5	0.8	24.1	0.01	0.06
I318549		1.84	29.4	710	9.2	16.4	0.001	0.05	0.50	6.3	0.9	0.7	23.9	<0.01	0.02
I318550		2.10	31.4	1020	8.6	26.7	0.001	0.07	0.98	5.7	1.2	0.8	28.9	<0.01	0.04
I318601		1.38	20.0	690	10.1	9.4	0.001	0.05	0.24	3.3	0.5	0.5	24.4	<0.01	0.02
I318602		1.72	31.8	590	17.2	14.1	<0.001	0.16	0.27	4.1	0.6	0.5	22.2	<0.01	0.03
I318603		1.52	39.7	710	33.8	18.5	<0.001	0.07	0.26	4.7	0.9	0.6	27.9	<0.01	0.04
I318604		0.88	16.1	550	6.0	11.2	0.001	0.06	0.27	2.1	0.6	0.4	16.9	<0.01	0.04
I318605		0.51	11.8	410	4.6	8.1	<0.001	0.05	0.21	1.1	0.4	0.4	15.9	<0.01	0.03
I318606		0.33	7.0	410	2.7	3.5	<0.001	0.08	0.17	0.7	0.6	0.2	20.1	<0.01	0.03
I318607		1.03	27.7	710	6.0	35.2	<0.001	0.06	0.29	6.3	0.7	0.3	29.6	0.01	0.04
I318608		1.30	36.5	800	10.4	27.0	<0.001	0.07	0.35	5.0	0.6	0.4	41.2	0.01	0.06
I318609		1.32	40.2	430	10.0	20.5	<0.001	0.01	0.27	4.5	0.2	0.5	18.7	<0.01	0.05
I318610		1.02	30.4	450	6.0	26.2	<0.001	0.02	0.33	3.7	0.2	0.5	25.4	<0.01	0.04
I318611		1.17	34.7	740	10.4	28.9	0.002	0.25	0.36	5.7	1.2	0.4	41.3	0.01	0.04
I318612		1.24	27.5	460	8.0	15.4	0.001	0.03	0.25	5.6	0.5	0.4	21.9	<0.01	0.04
I318613		1.53	33.5	430	12.1	11.1	0.001	0.07	0.33	4.6	0.7	0.6	20.0	<0.01	0.05
I318614		1.00	55.1	750	9.7	17.4	0.001	0.19	0.57	4.7	1.2	0.3	42.1	0.01	0.09
I318615		1.56	49.7	650	7.9	34.2	0.001	0.21	0.54	7.0	1.4	0.4	40.3	0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318526		0.105	0.10	0.61	105	0.11	8.77	157
I318527		0.168	0.14	0.37	95	0.12	4.29	91
I318528		0.152	0.18	0.61	91	0.13	8.30	89
I318529		0.146	0.17	0.63	88	0.20	6.12	68
I318530		0.174	0.21	0.59	105	0.16	7.28	82
I318531		0.141	0.13	0.38	82	0.13	4.37	68
I318532		0.162	0.15	0.50	100	0.12	4.27	95
I318533		0.129	0.13	0.80	101	0.14	6.01	99
I318534		0.102	0.26	1.70	109	0.12	17.25	112
I318535		0.113	0.29	1.24	120	0.20	13.85	117
I318536		0.134	0.19	0.59	106	0.11	11.15	80
I318537		0.130	0.15	0.46	89	0.12	5.12	79
I318538		0.128	0.22	0.24	87	0.30	3.67	53
I318539		0.171	0.21	0.53	109	0.16	6.49	78
I318540		0.171	0.39	0.62	110	0.13	12.10	88
I318541		0.131	0.12	0.51	101	0.12	4.68	69
I318542		0.120	0.10	0.53	91	0.16	4.11	52
I318543		0.153	0.30	1.07	104	0.16	14.15	96
I318544		0.132	0.16	0.96	102	0.19	6.33	107
I318545		0.133	0.22	1.42	96	0.47	15.65	88
I318546		0.123	0.25	2.11	77	0.23	17.50	92
I318547		0.081	0.18	1.97	66	0.31	15.50	61
I318548		0.115	0.23	2.04	93	0.34	20.4	76
I318549		0.122	0.18	1.30	81	0.27	8.93	79
I318550		0.115	0.23	1.13	78	0.22	8.38	89
I318601		0.114	0.12	0.69	63	0.25	3.84	55
I318602		0.133	0.16	0.87	60	0.24	4.48	58
I318603		0.114	0.18	1.66	73	0.31	6.12	85
I318604		0.075	0.08	0.51	49	0.18	2.11	46
I318605		0.055	0.06	0.30	39	0.14	2.88	30
I318606		0.027	0.04	0.52	16	0.09	2.71	11
I318607		0.129	0.19	0.79	101	0.13	8.64	83
I318608		0.106	0.14	0.69	79	0.18	9.40	81
I318609		0.139	0.12	0.37	89	0.21	3.91	73
I318610		0.113	0.12	0.41	77	0.17	6.30	77
I318611		0.115	0.16	0.98	92	0.27	11.65	89
I318612		0.125	0.10	0.53	88	0.32	5.03	75
I318613		0.098	0.14	0.56	93	0.18	4.92	80
I318614		0.078	0.14	0.98	68	0.19	18.20	81
I318615		0.102	0.18	1.36	85	0.22	18.80	86



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318616		0.60	0.009	0.33	3.05	7.1	<0.2	<10	380	0.53	0.47	0.75	0.40	31.9	18.9	79
I318617		0.62	<0.005	0.24	2.76	7.2	<0.2	<10	280	0.47	0.57	0.56	0.35	31.6	18.9	56
I318618		0.76	0.010	0.24	2.66	8.2	<0.2	<10	350	0.44	0.98	0.60	0.65	27.2	14.3	53
I318619		0.68	0.011	0.57	2.84	13.2	<0.2	<10	640	0.50	0.91	0.41	0.74	56.7	15.0	53
I318620		0.64	0.006	0.26	2.84	8.4	<0.2	<10	260	0.51	1.00	0.35	0.44	32.2	17.9	66
I318621		0.58	0.007	0.12	2.68	9.1	<0.2	<10	190	0.48	0.94	0.23	0.50	25.9	14.5	52
I318622		0.34	0.005	0.11	1.00	4.6	<0.2	<10	70	0.16	0.68	0.10	0.59	15.85	6.8	20
I318623		0.32	0.006	0.13	0.60	4.5	<0.2	<10	60	0.09	0.60	0.10	0.11	9.64	3.6	15
I318624		0.48	0.008	0.15	1.63	21.9	<0.2	<10	190	0.26	1.14	0.25	0.76	25.7	17.3	39
I318625		0.36	0.017	0.32	0.96	20.6	<0.2	<10	190	0.23	1.15	0.39	0.44	24.9	5.2	28
I318626		0.58	0.011	0.14	2.02	13.8	<0.2	<10	190	0.37	1.39	0.47	0.26	27.9	11.2	41
I318627		0.62	0.008	0.10	1.94	6.6	<0.2	<10	170	0.25	0.68	0.49	0.17	18.20	9.5	40
I318628		0.50	0.007	0.10	1.83	6.3	<0.2	<10	180	0.25	0.54	0.46	0.17	19.30	18.8	34
I318629		0.52	0.006	0.14	2.11	7.2	<0.2	<10	170	0.41	1.14	0.41	0.24	22.5	20.7	46
I318630		0.62	0.006	0.10	2.19	7.1	<0.2	<10	150	0.46	0.74	0.35	0.20	21.4	14.3	45
I318631		0.62	0.006	0.09	2.15	6.8	<0.2	<10	170	0.34	0.83	0.49	0.17	18.90	14.0	54
I318632		0.54	<0.005	0.11	2.06	7.3	<0.2	<10	150	0.37	0.63	0.32	0.16	18.95	11.6	45
I318633		0.42	<0.005	0.10	1.42	4.0	<0.2	<10	100	0.19	0.43	0.25	0.12	14.50	5.2	32
I318634		0.38	0.006	0.14	2.02	6.6	<0.2	<10	170	0.30	2.20	0.46	0.17	21.6	13.9	53
I318635		0.62	0.009	0.18	2.88	4.2	<0.2	<10	380	0.53	1.67	0.88	0.17	34.4	15.4	79
I318636		0.62	0.007	0.20	3.01	4.3	<0.2	<10	400	0.54	1.83	0.92	0.18	34.3	17.0	83
I318637		0.40	<0.005	0.37	0.65	14.9	<0.2	<10	60	0.13	2.11	0.09	0.18	7.40	3.1	13
I318638		0.56	0.006	0.27	2.22	9.5	<0.2	<10	200	0.51	2.31	0.40	0.21	47.7	15.1	64
I318639		0.72	0.005	0.30	2.28	5.5	<0.2	<10	210	0.29	5.26	0.48	0.14	17.40	18.2	106
I318640		0.72	0.007	0.17	1.82	6.6	<0.2	<10	150	0.24	2.19	0.42	0.12	17.70	14.2	89
I318641		0.42	<0.005	0.22	2.00	5.2	<0.2	<10	190	0.38	1.06	0.36	0.09	44.3	15.0	74
I318642		0.40	<0.005	0.41	1.23	5.6	<0.2	<10	100	0.14	4.19	0.32	0.20	15.05	5.6	23
I318643		0.58	<0.005	0.05	1.93	8.0	<0.2	<10	220	0.81	0.11	0.55	0.04	36.5	10.4	40
I318644		0.40	<0.005	0.09	1.75	6.7	<0.2	<10	250	0.84	0.11	0.76	0.12	36.6	9.4	30
I318645		0.50	<0.005	0.08	1.72	7.1	<0.2	<10	210	0.76	0.14	0.71	0.11	36.2	10.4	34
I318646		0.32	<0.005	0.31	2.10	8.7	<0.2	<10	260	1.37	0.16	2.26	0.28	95.4	8.9	31
I318647		0.44	<0.005	0.09	2.31	4.2	<0.2	<10	220	0.61	0.09	0.77	0.13	21.5	18.6	114
I318648		0.46	<0.005	0.08	2.13	5.6	<0.2	<10	240	0.74	0.12	0.84	0.14	20.2	12.6	66
I318649		0.52	<0.005	0.05	2.35	4.3	<0.2	<10	210	0.46	0.09	0.58	0.16	13.75	18.6	103
I318650		0.54	<0.005	0.04	3.13	5.6	<0.2	<10	260	0.62	0.09	0.65	0.11	19.70	21.4	78
I318651		0.50	<0.005	0.04	2.01	5.6	<0.2	<10	160	0.26	0.13	0.30	0.09	10.80	10.6	53
I318652		0.48	<0.005	0.05	2.79	8.0	<0.2	<10	200	0.40	0.15	0.27	0.11	16.00	14.8	55
I318653		0.64	<0.005	0.10	2.57	10.5	<0.2	<10	270	0.57	0.10	0.73	0.19	19.45	22.8	74
I318654		0.46	<0.005	0.12	1.93	5.7	<0.2	<10	210	0.39	0.12	0.63	0.14	16.95	10.7	47
I318655		0.60	0.014	0.07	2.29	10.4	<0.2	<10	280	0.61	0.11	0.77	0.14	26.9	14.7	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318616		1.05	48.4	3.90	8.63	0.10	0.07	0.04	0.031	0.27	15.9	13.4	1.69	675	1.23
I318617		0.83	45.7	3.82	7.42	0.10	0.08	0.05	0.029	0.15	15.9	12.8	1.52	622	1.04
I318618		0.79	35.6	3.48	7.49	0.10	0.06	0.05	0.036	0.19	13.7	12.6	1.38	577	1.29
I318619		1.26	62.7	4.50	7.50	0.15	0.07	0.08	0.041	0.14	29.1	13.1	1.14	417	3.12
I318620		1.84	35.9	4.05	8.75	0.11	0.06	0.06	0.039	0.19	17.7	13.6	1.22	487	1.32
I318621		1.23	35.2	3.88	7.94	0.09	0.04	0.04	0.037	0.09	13.3	13.0	0.88	388	1.75
I318622		0.70	21.5	2.34	4.92	0.05	0.02	0.04	0.018	0.05	8.3	4.6	0.23	188	1.40
I318623		0.56	14.9	1.44	5.08	<0.05	0.02	0.04	0.011	0.04	4.7	1.5	0.11	95	1.64
I318624		1.02	29.5	3.12	6.55	0.08	0.03	0.04	0.034	0.09	11.7	8.2	0.67	769	1.92
I318625		1.38	27.9	1.65	4.25	0.08	0.03	0.04	0.017	0.09	21.6	2.9	0.36	172	1.29
I318626		1.26	27.4	2.44	6.17	0.08	0.07	0.04	0.029	0.08	15.9	11.4	0.79	262	0.95
I318627		1.18	15.9	2.37	7.02	0.08	0.05	0.04	0.022	0.08	9.2	11.6	0.70	281	0.83
I318628		1.14	16.4	2.69	6.03	0.07	0.04	0.04	0.024	0.07	9.5	10.3	0.59	733	0.77
I318629		2.22	21.8	3.21	6.93	0.09	0.04	0.04	0.025	0.14	11.0	12.2	0.77	991	1.02
I318630		2.46	20.7	2.94	7.40	0.09	0.05	0.03	0.023	0.17	10.8	16.5	0.77	316	0.73
I318631		2.78	18.6	3.09	7.30	0.07	0.05	0.06	0.022	0.25	9.4	14.1	0.92	404	0.71
I318632		2.07	22.0	3.21	6.94	0.06	0.03	0.04	0.024	0.12	9.4	13.1	0.72	372	0.81
I318633		1.35	16.6	2.14	5.52	<0.05	0.03	0.06	0.016	0.06	7.2	7.1	0.46	148	0.61
I318634		1.86	45.8	3.20	6.50	0.06	0.04	0.04	0.026	0.15	10.7	13.1	0.77	556	1.20
I318635		3.91	82.9	4.10	8.44	0.10	0.07	0.09	0.030	0.50	18.2	16.0	1.14	542	1.67
I318636		4.21	89.1	4.30	9.18	0.11	0.06	0.10	0.031	0.54	17.9	16.2	1.18	616	1.81
I318637		1.20	15.2	1.71	4.51	<0.05	<0.02	0.03	0.012	0.04	3.6	2.6	0.12	134	1.10
I318638		5.25	55.2	3.57	7.37	0.09	0.05	0.11	0.032	0.28	23.8	15.9	0.93	719	1.53
I318639		10.60	87.0	3.49	7.31	0.07	0.03	0.03	0.028	0.28	9.0	19.3	1.45	512	0.71
I318640		9.81	65.7	2.77	4.97	0.07	0.03	0.03	0.021	0.17	9.1	16.9	1.07	441	0.61
I318641		3.18	67.9	2.83	7.49	0.06	0.03	0.07	0.025	0.13	21.8	14.8	0.88	284	0.73
I318642		3.69	54.7	2.00	5.14	0.05	0.02	0.10	0.017	0.08	8.4	6.2	0.48	131	0.49
I318643		0.49	21.1	3.07	5.61	0.05	0.16	0.02	0.027	0.12	16.8	14.1	0.53	299	0.85
I318644		0.47	27.2	2.63	5.17	0.05	0.09	0.04	0.024	0.08	18.0	11.0	0.49	400	0.78
I318645		0.52	25.3	2.95	4.85	0.07	0.13	0.04	0.027	0.09	25.0	12.2	0.55	516	0.66
I318646		1.13	33.5	2.68	5.49	0.14	0.16	0.14	0.034	0.08	81.5	12.5	0.45	1370	1.20
I318647		0.77	73.4	3.43	6.31	0.06	0.14	0.03	0.025	0.09	14.7	12.8	1.26	527	0.70
I318648		1.02	35.1	3.04	6.51	0.05	0.07	0.04	0.025	0.06	11.2	12.3	0.74	725	0.92
I318649		0.77	40.6	3.27	6.52	<0.05	0.07	0.02	0.020	0.06	6.7	15.2	1.51	626	0.65
I318650		2.81	86.4	4.39	7.96	0.06	0.11	0.03	0.030	0.06	9.9	21.1	1.86	764	0.58
I318651		0.66	24.1	3.35	8.04	<0.05	0.07	0.01	0.019	0.04	5.2	12.8	0.96	284	1.00
I318652		1.39	41.9	4.02	8.49	<0.05	0.04	0.07	0.033	0.03	7.3	15.4	1.21	335	1.20
I318653		5.77	221	4.51	6.67	0.06	0.08	0.10	0.046	0.05	10.0	12.8	1.16	753	0.48
I318654		1.00	52.9	2.97	6.52	<0.05	0.11	0.02	0.026	0.05	8.4	10.6	0.64	335	0.74
I318655		0.95	72.7	3.41	6.18	0.06	0.15	0.04	0.030	0.05	13.3	13.7	1.02	517	0.65



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318616		1.57	53.1	830	8.8	26.8	0.001	0.12	0.24	7.6	1.1	0.5	27.1	0.01	0.06
I318617		1.13	36.5	630	10.3	19.4	0.001	0.10	0.31	6.8	1.3	0.4	23.1	0.01	0.04
I318618		1.21	33.0	590	10.1	20.3	0.001	0.10	0.29	6.2	1.1	0.5	21.6	<0.01	0.04
I318619		1.22	43.5	730	15.9	19.2	0.001	0.09	0.39	8.9	2.1	0.5	27.8	0.01	0.06
I318620		2.03	44.1	770	12.2	25.1	0.001	0.09	0.26	7.6	0.8	0.8	21.0	<0.01	0.05
I318621		1.54	36.9	590	9.3	13.2	0.001	0.09	0.31	6.0	0.8	0.6	17.7	<0.01	0.04
I318622		0.70	20.8	520	6.1	6.5	0.001	0.09	0.30	1.5	0.6	0.4	10.7	<0.01	0.03
I318623		0.75	10.3	390	7.1	4.7	<0.001	0.08	0.38	1.3	0.5	0.5	11.0	<0.01	0.03
I318624		1.02	31.2	820	8.0	11.2	<0.001	0.08	0.46	3.5	0.9	0.5	15.0	<0.01	0.05
I318625		0.84	19.4	760	5.1	10.9	0.001	0.13	1.21	2.1	1.0	0.6	21.8	0.01	0.05
I318626		1.77	28.9	730	8.6	12.7	0.001	0.07	0.90	5.4	1.1	0.6	24.0	<0.01	0.03
I318627		1.73	23.4	720	7.7	10.8	0.001	0.08	0.36	4.5	0.7	0.6	25.8	<0.01	0.03
I318628		1.40	22.6	640	7.1	11.6	<0.001	0.08	0.28	3.8	0.7	0.5	25.7	<0.01	0.03
I318629		1.80	27.5	750	8.3	22.9	<0.001	0.09	0.34	4.5	0.8	0.7	25.8	<0.01	0.04
I318630		2.00	28.4	590	8.7	29.7	<0.001	0.08	0.29	5.0	0.8	0.6	26.0	<0.01	0.04
I318631		2.03	28.3	590	8.0	36.8	<0.001	0.04	0.18	5.6	0.4	0.8	32.7	<0.01	0.03
I318632		1.67	24.7	570	8.4	22.3	<0.001	0.05	0.24	4.5	0.5	0.7	22.7	<0.01	0.03
I318633		1.28	15.5	570	6.3	12.6	<0.001	0.06	0.24	3.1	0.5	0.5	20.5	<0.01	0.02
I318634		1.58	29.8	630	6.6	22.5	<0.001	0.03	0.29	4.9	0.4	0.6	31.7	<0.01	0.05
I318635		1.69	37.1	1080	8.3	48.0	0.001	0.04	0.21	8.9	1.3	0.6	53.3	0.01	0.07
I318636		1.72	39.8	1130	9.0	49.2	0.001	0.04	0.22	9.4	1.2	0.7	54.0	0.01	0.07
I318637		1.17	6.8	170	12.6	12.2	<0.001	0.02	2.61	1.7	0.2	0.6	9.9	<0.01	0.05
I318638		1.81	36.5	580	12.5	53.3	<0.001	0.04	0.52	6.5	0.6	1.1	25.2	0.01	0.07
I318639		1.36	43.5	580	6.1	41.0	<0.001	0.03	0.35	7.3	0.5	1.2	26.1	<0.01	0.05
I318640		0.87	34.8	580	5.8	27.7	<0.001	0.02	0.30	5.4	0.4	0.6	26.8	<0.01	0.03
I318641		1.86	61.8	630	9.1	28.2	<0.001	0.07	0.24	5.0	0.6	0.7	30.6	<0.01	0.03
I318642		0.75	11.1	700	5.4	16.4	<0.001	0.07	0.33	2.8	0.6	0.5	25.6	<0.01	0.03
I318643		2.02	22.5	230	8.1	11.3	<0.001	0.01	0.41	7.0	0.3	0.5	42.8	<0.01	0.02
I318644		1.74	21.2	410	7.4	9.0	<0.001	0.03	0.55	5.3	0.5	0.5	52.1	0.01	0.02
I318645		1.49	19.7	680	8.7	8.5	<0.001	0.02	0.33	6.3	0.5	0.6	50.7	<0.01	0.02
I318646		1.08	25.9	850	9.0	11.0	0.002	0.14	0.60	8.2	1.3	0.6	150.0	0.01	0.03
I318647		2.06	65.5	260	4.2	7.4	<0.001	0.01	0.33	11.8	0.6	0.5	41.6	0.01	0.02
I318648		1.83	39.1	480	5.6	7.1	0.001	0.02	0.31	6.4	0.5	0.6	46.7	0.01	0.02
I318649		1.73	63.6	500	3.9	5.9	<0.001	0.01	0.24	5.7	0.3	0.5	30.0	<0.01	0.01
I318650		1.23	41.6	460	4.1	7.3	<0.001	0.01	0.31	11.7	0.4	0.5	32.1	<0.01	0.02
I318651		3.03	32.5	380	5.4	7.5	<0.001	0.01	0.31	4.2	0.2	0.6	17.3	<0.01	0.02
I318652		1.22	29.1	260	7.2	7.1	<0.001	0.01	0.38	7.8	0.3	0.6	23.1	<0.01	0.03
I318653		0.96	49.9	640	4.6	8.0	<0.001	0.01	1.34	18.8	0.5	0.5	29.5	<0.01	0.02
I318654		1.35	25.6	250	5.8	6.1	<0.001	0.01	0.40	6.4	0.3	0.5	30.4	<0.01	0.02
I318655		1.27	42.1	680	5.9	6.0	<0.001	0.01	0.46	8.6	0.5	0.5	38.4	<0.01	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318616		0.103	0.15	1.61	89	0.22	13.70	120
I318617		0.098	0.13	1.98	82	0.16	12.75	117
I318618		0.102	0.14	1.30	77	0.15	9.06	127
I318619		0.096	0.17	2.26	86	0.19	19.40	137
I318620		0.131	0.20	0.89	92	0.20	10.55	101
I318621		0.098	0.14	0.96	86	0.28	8.98	94
I318622		0.051	0.11	0.54	48	0.15	3.53	64
I318623		0.063	0.08	0.40	55	0.16	1.73	30
I318624		0.078	0.12	0.81	74	0.18	6.87	94
I318625		0.044	0.12	0.91	44	0.27	13.70	42
I318626		0.111	0.16	1.23	66	0.28	10.00	69
I318627		0.120	0.13	0.72	62	0.33	5.61	67
I318628		0.098	0.12	0.74	55	0.17	6.10	64
I318629		0.117	0.21	0.92	70	0.22	6.56	70
I318630		0.126	0.22	0.96	64	0.20	5.69	75
I318631		0.148	0.24	0.68	76	0.31	5.63	89
I318632		0.128	0.18	1.00	71	0.19	5.45	72
I318633		0.090	0.13	0.77	40	0.52	3.71	49
I318634		0.134	0.18	0.91	75	0.79	6.61	69
I318635		0.175	0.34	2.04	98	0.70	15.20	114
I318636		0.181	0.38	2.07	102	0.76	15.20	120
I318637		0.072	0.11	0.62	44	0.41	1.57	29
I318638		0.137	0.39	2.57	80	1.54	12.10	72
I318639		0.152	0.38	1.00	94	0.79	5.43	73
I318640		0.105	0.26	1.17	71	0.33	5.22	56
I318641		0.124	0.22	2.18	59	0.25	10.40	59
I318642		0.079	0.19	2.15	37	0.67	5.46	42
I318643		0.100	0.07	0.95	63	0.19	7.52	42
I318644		0.084	0.06	0.90	57	0.29	11.75	43
I318645		0.104	0.05	1.41	65	0.16	15.90	49
I318646		0.047	0.06	13.25	43	0.28	56.3	46
I318647		0.125	0.04	0.67	90	0.11	27.7	49
I318648		0.121	0.06	0.52	82	0.16	11.75	46
I318649		0.126	0.04	0.30	79	0.10	5.68	63
I318650		0.122	0.06	0.51	106	0.10	13.00	72
I318651		0.145	0.07	0.24	92	0.11	3.18	47
I318652		0.101	0.09	0.36	102	0.11	4.44	53
I318653		0.077	0.09	0.42	106	0.11	17.90	74
I318654		0.087	0.07	0.43	77	0.11	5.57	44
I318655		0.102	0.06	1.09	81	0.12	12.85	62



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318656		0.58	<0.005	0.20	1.77	53.8	<0.2	<10	350	0.58	0.14	1.71	0.47	37.1	17.8	105
I318657		0.54	<0.005	0.05	2.56	5.6	<0.2	<10	370	0.66	0.13	0.79	0.11	29.6	13.5	48
I318658		0.54	<0.005	0.05	2.29	6.8	<0.2	<10	330	0.55	0.14	0.48	0.08	28.0	13.3	46
I318659		0.58	<0.005	0.04	2.26	4.8	<0.2	<10	480	0.52	0.10	0.45	0.04	20.0	17.5	55
I318660		0.62	0.006	0.06	2.64	1.9	<0.2	<10	260	0.33	0.03	0.93	0.04	8.41	31.0	86
I318661		0.46	<0.005	0.09	2.54	7.8	<0.2	<10	490	0.64	0.14	0.59	0.09	23.7	16.2	49
I318662		0.54	0.009	0.07	2.32	5.7	<0.2	<10	360	0.57	0.09	0.84	0.06	20.8	18.4	54
I318663		0.64	0.005	0.16	2.82	30.3	<0.2	<10	190	0.38	0.14	2.64	0.34	36.4	30.9	316
I318664		0.64	0.005	0.09	2.09	7.7	<0.2	<10	220	0.46	0.10	1.16	0.10	24.4	14.8	53
I318665		0.56	0.005	0.15	2.82	52.6	<0.2	<10	250	0.41	0.15	1.01	0.37	27.8	31.6	199
I318666		0.66	0.008	0.08	1.61	7.1	<0.2	<10	170	0.40	0.11	0.72	0.12	25.5	11.6	36
I318667		0.74	0.005	0.08	1.48	7.9	<0.2	<10	140	0.37	0.12	1.08	0.21	24.4	11.7	30
I318668		0.46	0.007	0.08	1.61	7.6	<0.2	<10	190	0.41	0.13	0.82	0.09	21.8	10.6	28
I318669		0.42	0.006	0.16	1.40	4.6	<0.2	<10	260	1.19	0.18	1.05	0.28	67.5	10.1	25
I318670		0.52	0.007	0.07	1.46	5.1	<0.2	<10	200	0.59	0.17	0.69	0.10	42.3	8.0	24
I318671		0.48	<0.005	0.10	1.63	5.8	<0.2	<10	230	0.75	0.16	0.76	0.10	41.2	6.7	23
I318672		0.52	0.006	0.13	1.60	7.9	<0.2	<10	250	0.96	0.11	0.63	0.12	62.1	9.9	23
I318673		0.30	<0.005	0.06	0.65	1.8	<0.2	<10	90	0.15	0.13	0.16	0.17	7.75	2.4	10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318656		1.32	80.0	3.81	4.72	0.06	0.12	0.07	0.040	0.07	19.7	10.9	0.86	480	2.30
I318657		0.42	31.3	3.39	7.27	0.05	0.07	0.03	0.029	0.07	15.8	15.2	1.16	550	0.75
I318658		0.60	20.4	3.05	7.02	0.05	0.18	0.03	0.027	0.04	13.0	13.7	0.69	524	0.77
I318659		0.39	35.2	2.81	6.93	0.06	0.16	0.01	0.019	0.03	9.4	13.8	1.20	500	0.54
I318660		0.46	65.1	3.77	8.38	0.07	0.08	0.02	0.011	0.03	4.7	17.2	2.49	761	0.21
I318661		0.32	26.5	3.49	7.96	0.07	0.16	0.02	0.030	0.06	10.7	13.2	0.99	613	0.92
I318662		0.40	51.3	3.21	7.46	0.08	0.12	0.03	0.022	0.05	12.3	16.6	1.46	496	0.35
I318663		0.58	59.9	3.56	8.69	0.13	0.19	0.04	0.027	0.05	19.5	18.1	2.50	597	1.13
I318664		0.50	46.1	2.95	6.38	0.08	0.18	0.04	0.026	0.05	12.9	14.3	1.07	431	0.41
I318665		0.78	84.9	3.90	7.56	0.08	0.16	0.04	0.029	0.06	14.2	19.0	2.18	815	1.49
I318666		0.52	28.4	2.81	5.33	0.08	0.12	0.02	0.019	0.06	12.9	13.4	0.60	415	0.68
I318667		0.64	34.3	2.83	4.55	0.07	0.21	0.02	0.021	0.08	12.0	13.2	0.73	467	0.57
I318668		0.51	23.8	2.59	4.80	<0.05	0.11	0.04	0.023	0.04	10.8	13.3	0.56	311	0.57
I318669		0.71	30.9	2.08	4.50	0.06	0.07	0.08	0.025	0.10	41.4	9.6	0.34	460	0.84
I318670		1.07	14.1	2.25	4.37	<0.05	0.06	0.03	0.021	0.12	24.5	11.5	0.38	286	0.98
I318671		1.14	16.5	2.24	5.48	<0.05	0.06	0.04	0.025	0.11	28.0	11.2	0.37	215	1.03
I318672		1.41	16.7	2.58	4.53	0.05	0.09	0.03	0.030	0.14	41.8	12.7	0.33	489	1.54
I318673		0.41	8.9	1.04	3.99	<0.05	<0.02	0.03	0.009	0.05	4.3	2.7	0.07	160	0.70



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I318656		0.82	131.0	950	11.8	7.1	0.001	0.03	1.08	10.0	1.0	0.5	41.2	0.01	0.03	4.2
I318657		1.52	36.5	920	6.7	7.3	<0.001	0.01	0.29	6.7	0.4	0.6	44.4	<0.01	0.02	2.2
I318658		1.44	26.4	210	9.8	7.3	<0.001	0.02	0.39	6.3	0.4	0.4	32.4	<0.01	0.02	3.7
I318659		1.16	33.6	240	4.7	4.4	<0.001	0.02	0.29	5.9	0.4	0.4	26.9	<0.01	0.01	2.9
I318660		0.80	48.5	460	2.1	4.7	<0.001	0.03	0.19	5.6	0.3	<0.2	28.6	<0.01	0.01	1.2
I318661		1.72	29.7	200	7.3	6.7	<0.001	0.03	0.41	7.5	0.5	0.4	35.6	<0.01	0.02	3.2
I318662		1.60	38.7	610	4.1	7.2	<0.001	0.03	0.35	7.1	0.6	0.2	41.2	<0.01	0.02	2.6
I318663		0.97	207	890	9.5	6.3	<0.001	0.04	0.39	9.6	0.8	0.4	65.0	<0.01	0.04	3.8
I318664		1.43	33.1	600	5.5	6.6	<0.001	0.04	0.44	7.4	0.7	0.3	57.6	<0.01	0.02	2.2
I318665		1.02	133.5	610	12.5	6.6	<0.001	<0.01	0.45	9.8	1.1	0.4	39.2	<0.01	0.05	3.8
I318666		1.46	26.3	780	6.2	7.2	<0.001	0.03	0.40	5.2	0.5	0.2	45.0	<0.01	0.02	2.9
I318667		0.90	29.4	830	6.1	7.1	<0.001	0.01	0.48	5.6	0.4	0.4	48.9	<0.01	0.02	3.2
I318668		1.40	23.0	510	6.2	6.1	<0.001	0.02	0.42	4.9	0.5	0.4	49.0	<0.01	0.03	2.5
I318669		1.11	20.1	660	14.9	11.8	<0.001	0.04	0.43	6.0	0.7	0.4	86.9	0.01	0.03	5.6
I318670		1.39	15.2	470	15.6	13.3	<0.001	0.02	0.32	4.5	0.4	0.5	56.0	<0.01	0.02	7.5
I318671		1.34	15.6	360	11.9	13.2	<0.001	0.02	0.36	4.7	0.4	0.6	59.9	<0.01	0.03	5.0
I318672		1.19	17.2	490	14.5	14.2	<0.001	0.02	0.37	5.6	0.5	0.5	47.3	<0.01	0.02	10.8
I318673		0.55	5.6	290	6.2	5.0	<0.001	0.01	0.15	1.0	<0.2	0.4	16.7	<0.01	0.02	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQ110-01

CERTIFICATE OF ANALYSIS WH10130302

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318656		0.048	0.06	0.97	70	0.13	17.05	118	4.8
I318657		0.063	0.06	0.67	71	0.12	10.55	54	2.6
I318658		0.108	0.09	0.59	78	0.12	5.78	51	8.3
I318659		0.108	0.05	0.43	69	0.10	6.30	49	6.8
I318660		0.113	0.04	0.16	71	0.05	6.95	61	4.1
I318661		0.113	0.05	0.55	81	0.11	7.16	51	7.3
I318662		0.105	0.04	0.60	70	0.09	11.05	53	5.5
I318663		0.078	0.06	0.40	97	0.10	16.80	93	9.6
I318664		0.097	0.05	0.60	68	0.10	13.15	54	7.9
I318665		0.086	0.06	1.32	83	0.09	13.35	103	8.0
I318666		0.121	0.06	1.19	71	0.13	9.84	53	5.4
I318667		0.126	0.07	0.38	69	0.16	10.30	56	7.7
I318668		0.107	0.06	0.58	62	0.13	7.85	47	4.5
I318669		0.056	0.07	5.39	39	0.16	16.55	36	2.0
I318670		0.073	0.08	2.30	44	0.18	8.07	40	2.0
I318671		0.069	0.09	1.95	46	0.16	9.40	40	2.0
I318672		0.053	0.09	2.36	43	0.15	11.65	37	2.6
I318673		0.047	0.06	0.24	28	0.09	1.38	27	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-01

CERTIFICATE OF ANALYSIS WH10130302

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 2-OCT-2010
Account: EIASQI

CERTIFICATE WH10130303

Project: SQI10-06
P.O. No.: SQI10-06_27
This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318674		0.62	<0.005	0.09	2.89	12.8	<0.2	<10	230	0.92	0.17	0.32	0.11	26.8	11.4	42
I318675		0.40	<0.005	0.19	1.78	3.6	<0.2	<10	360	0.72	0.14	0.49	0.15	30.6	11.4	24
I318676		0.56	<0.005	0.04	1.68	8.2	<0.2	<10	190	1.01	0.18	0.36	0.06	35.0	10.3	29
I318677		0.44	<0.005	0.09	1.23	11.1	<0.2	<10	110	0.78	0.71	0.45	0.12	42.6	7.5	23
I318678		0.68	0.018	0.19	2.81	4.6	<0.2	<10	240	0.25	0.27	0.60	0.35	13.90	19.7	61
I318679		0.44	<0.005	0.24	2.35	4.4	<0.2	<10	220	0.31	0.18	0.54	0.71	12.60	13.1	47
I318680		0.30	<0.005	0.28	0.76	2.0	<0.2	<10	160	0.15	0.08	0.34	0.50	7.99	3.9	18
I318681		0.72	0.007	0.35	3.27	7.7	<0.2	<10	250	0.44	0.21	0.51	0.28	17.00	21.3	75
I318682		0.56	<0.005	0.23	2.89	8.0	<0.2	<10	270	0.30	0.15	0.49	0.24	14.10	21.9	72
I318683		0.40	<0.005	0.59	2.02	9.8	<0.2	<10	230	0.24	0.13	0.34	0.45	9.37	22.7	37
I318684		0.60	<0.005	0.18	3.14	7.3	<0.2	<10	290	0.32	0.16	0.41	0.20	13.55	20.4	62
I318685		0.66	0.005	0.49	3.32	8.7	<0.2	<10	420	0.47	0.24	0.62	0.22	23.1	22.2	79
I318686		0.62	0.008	0.42	2.61	9.7	<0.2	<10	380	0.44	0.24	0.46	0.50	25.6	16.1	74
I318687		0.54	0.005	0.30	1.63	8.6	<0.2	<10	160	0.28	0.19	0.25	0.44	15.55	10.1	42
I318688		0.38	0.013	0.48	1.31	3.9	<0.2	<10	140	0.35	0.16	0.29	0.44	15.10	11.5	27
I318689		0.64	<0.005	0.15	2.35	5.9	<0.2	<10	180	0.20	0.21	0.58	0.23	11.25	16.9	80
I318690		0.76	0.005	0.15	2.93	14.9	<0.2	<10	220	0.29	0.25	0.47	0.15	15.35	22.5	130
I318691		0.76	<0.005	0.15	2.10	11.0	<0.2	<10	210	0.27	0.54	0.32	0.22	14.25	13.2	39
I318692		0.70	0.006	0.19	3.16	16.1	<0.2	<10	300	0.56	0.35	0.51	0.21	31.1	18.8	76
I318693		0.66	0.008	0.27	2.96	46.1	<0.2	<10	330	0.61	0.59	0.53	0.50	32.2	21.8	69
I318694		0.70	0.025	0.54	2.67	112.0	<0.2	<10	390	0.53	1.42	0.40	0.86	34.0	16.8	62
I318695		0.70	0.006	0.15	2.75	11.3	<0.2	<10	310	0.55	0.23	0.37	0.22	29.4	18.9	46
I318696		0.64	<0.005	0.13	3.74	30.4	<0.2	<10	310	0.64	0.57	0.37	0.56	39.9	21.5	61
I318697		0.60	<0.005	0.15	3.17	6.8	<0.2	<10	530	0.51	0.91	0.25	1.37	36.6	22.6	35
I318698		0.60	0.008	0.19	1.94	24.2	<0.2	<10	470	0.56	1.45	0.24	2.01	30.0	13.2	59
I318699		0.54	0.005	0.24	2.64	16.3	<0.2	<10	220	0.56	1.56	0.33	0.93	26.5	11.7	46
I318700		0.72	0.009	0.27	2.67	15.5	<0.2	<10	290	0.70	3.97	0.42	0.61	45.8	17.2	54
I318701		0.70	0.005	0.46	2.71	6.6	<0.2	<10	340	0.71	1.16	0.45	0.48	65.2	17.9	75
I318702		0.46	<0.005	0.30	2.33	6.3	<0.2	<10	420	0.51	0.99	0.45	0.49	28.6	16.3	97
I318703		0.34	<0.005	0.21	1.84	6.5	<0.2	<10	320	0.36	0.58	0.50	0.35	28.3	17.0	48
I318704		0.46	0.006	0.29	1.86	79.1	<0.2	<10	390	0.38	0.64	0.62	0.71	32.3	34.9	49
I318705		0.50	<0.005	0.17	1.39	17.7	<0.2	<10	260	0.22	0.49	0.41	0.22	15.15	5.8	38
I318706		0.44	<0.005	0.23	1.89	83.1	<0.2	<10	460	0.34	0.95	0.52	0.81	32.7	15.6	52
I318707		0.42	<0.005	0.28	1.65	34.0	<0.2	<10	280	0.26	0.73	0.31	0.36	20.5	16.3	42
I318708		0.54	<0.005	0.20	1.97	10.0	<0.2	<10	270	0.27	0.71	0.29	0.28	18.60	10.7	50
I318709		0.28	<0.005	0.20	1.79	13.3	<0.2	<10	240	0.46	0.16	2.64	0.27	37.3	16.1	51
I318710		0.32	0.007	0.18	1.99	12.1	<0.2	<10	210	0.45	0.17	1.86	0.27	39.4	14.8	55
I318711		0.28	0.013	0.21	1.96	14.3	<0.2	<10	260	0.43	0.12	1.80	0.31	27.7	13.8	54
I318712		0.40	0.022	0.17	2.25	14.4	<0.2	<10	250	0.44	0.12	0.96	0.26	27.9	14.0	61
I318713		0.38	<0.005	0.32	2.34	15.8	<0.2	<10	330	0.63	0.22	1.13	0.28	46.6	16.3	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318674		1.41	23.7	3.89	8.90	0.07	0.12	0.03	0.038	0.09	16.6	14.1	0.54	265	1.46
I318675		0.61	16.3	2.45	5.96	0.05	0.03	0.02	0.024	0.16	16.9	9.4	0.35	1140	0.86
I318676		1.24	12.9	2.58	5.29	0.06	0.06	0.02	0.026	0.11	22.2	7.3	0.39	615	1.05
I318677		1.99	18.7	2.24	4.68	0.12	0.18	0.03	0.027	0.16	49.1	7.2	0.32	427	1.11
I318678		1.32	70.3	4.09	9.26	0.09	0.04	0.03	0.032	0.15	7.0	13.0	1.97	693	1.22
I318679		1.00	41.9	3.27	9.08	0.06	0.03	0.02	0.021	0.13	6.7	9.4	1.26	379	0.94
I318680		0.53	23.9	1.20	3.51	<0.05	0.02	0.03	0.009	0.05	4.5	3.0	0.31	111	0.50
I318681		1.06	48.3	3.79	8.91	0.09	0.04	0.04	0.023	0.23	8.8	15.0	1.83	688	1.27
I318682		1.16	39.2	3.77	9.16	0.10	0.03	0.02	0.019	0.40	6.7	13.0	2.07	703	1.10
I318683		0.78	44.2	3.01	7.53	0.06	0.03	0.04	0.019	0.18	4.9	8.1	1.12	723	1.42
I318684		0.99	56.8	4.15	9.16	0.09	0.06	0.02	0.025	0.24	6.8	14.2	1.81	717	1.51
I318685		1.29	44.1	4.17	10.00	0.09	0.06	0.04	0.039	0.13	13.2	16.6	1.57	1020	2.66
I318686		1.49	37.7	3.66	9.69	0.09	0.07	0.03	0.038	0.13	14.3	14.0	1.24	666	5.00
I318687		0.92	23.9	2.62	6.58	0.06	0.04	0.03	0.024	0.07	8.0	10.7	0.57	378	1.73
I318688		0.59	62.7	1.63	4.00	0.05	0.02	0.07	0.016	0.04	7.5	3.7	0.25	502	1.12
I318689		0.89	40.7	3.05	6.88	0.07	0.03	0.04	0.019	0.10	5.6	10.9	1.33	421	0.85
I318690		1.08	48.3	3.53	7.85	0.08	0.04	0.03	0.022	0.16	7.3	14.7	1.94	607	0.75
I318691		1.07	26.5	2.72	6.89	0.07	0.02	0.03	0.018	0.09	7.0	10.0	1.15	446	0.79
I318692		1.36	53.0	3.99	9.67	0.13	0.07	0.04	0.035	0.09	15.5	16.0	1.72	541	1.08
I318693		1.37	55.2	4.44	10.55	0.12	0.04	0.04	0.052	0.06	15.9	15.7	1.18	947	1.91
I318694		1.29	46.5	3.86	8.84	0.11	0.06	0.04	0.045	0.10	17.3	14.7	1.10	539	1.41
I318695		1.30	73.6	3.86	7.87	0.12	0.10	0.03	0.027	0.10	15.1	14.3	1.38	623	0.89
I318696		2.73	45.5	4.56	12.20	0.14	0.07	0.02	0.039	0.33	17.8	15.3	1.97	739	1.16
I318697		1.36	55.6	5.34	11.05	0.14	0.04	0.02	0.054	0.10	13.7	12.1	1.66	818	2.80
I318698		2.51	38.0	2.96	8.94	0.10	0.02	0.03	0.058	0.43	15.0	6.6	0.85	407	1.73
I318699		1.66	29.8	3.78	9.14	0.11	0.05	0.05	0.045	0.14	14.0	14.8	0.87	278	1.40
I318700		2.00	55.0	3.92	8.64	0.16	0.06	0.03	0.045	0.18	28.6	12.5	0.94	603	1.83
I318701		3.95	63.3	4.34	8.70	0.22	0.09	0.08	0.037	0.26	42.6	13.6	1.06	326	2.14
I318702		3.95	46.7	4.21	8.35	0.13	0.04	0.04	0.038	0.22	16.0	11.2	1.19	410	3.44
I318703		2.05	25.1	3.13	6.90	0.11	0.03	0.04	0.025	0.09	15.1	10.6	0.73	647	1.50
I318704		1.86	28.7	3.96	6.89	0.12	0.04	0.10	0.029	0.13	14.1	11.1	0.76	2980	2.03
I318705		1.29	17.4	2.46	5.89	0.08	0.03	0.04	0.020	0.05	8.7	8.9	0.58	191	1.33
I318706		2.23	27.1	4.41	6.70	0.13	0.03	0.10	0.032	0.07	15.6	8.9	0.81	1700	2.46
I318707		2.20	23.3	2.70	6.91	0.08	0.02	0.06	0.025	0.08	9.9	8.5	0.66	814	1.45
I318708		2.58	21.7	2.69	8.48	0.09	0.03	0.06	0.026	0.11	9.7	9.4	0.81	324	1.21
I318709		2.39	53.1	2.83	5.83	0.13	0.06	0.08	0.022	0.24	20.4	15.6	0.94	642	0.85
I318710		2.76	39.0	3.06	6.68	0.14	0.06	0.08	0.024	0.30	19.4	17.7	1.26	497	0.78
I318711		2.43	38.5	2.89	6.80	0.14	0.05	0.10	0.025	0.24	14.7	16.3	1.04	559	1.12
I318712		3.01	33.3	3.28	8.09	0.15	0.05	0.05	0.030	0.36	13.9	19.8	1.30	483	1.09
I318713		1.81	39.8	3.56	7.83	0.14	0.09	0.10	0.036	0.19	22.7	16.7	1.20	816	1.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318674		2.17	30.7	330	12.8	15.4	<0.001	0.01	0.44	4.9	0.4	0.8	28.6	<0.01	0.02
I318675		2.28	20.4	430	15.2	13.9	<0.001	0.02	0.18	3.5	0.3	0.6	41.1	<0.01	0.02
I318676		1.35	21.1	260	12.8	12.5	<0.001	0.02	0.39	4.7	0.4	0.7	32.9	<0.01	0.01
I318677		1.78	13.8	190	21.5	24.4	<0.001	0.02	0.48	4.1	0.8	1.0	36.4	0.01	0.01
I318678		1.18	30.5	450	6.5	17.9	<0.001	0.04	0.26	10.2	0.6	0.5	21.8	<0.01	0.05
I318679		1.58	26.2	320	9.1	20.4	<0.001	0.03	0.26	5.2	0.4	1.4	26.3	<0.01	0.04
I318680		0.78	11.1	260	5.4	14.7	<0.001	0.04	0.16	1.8	0.4	0.4	18.4	<0.01	0.02
I318681		1.64	39.5	510	33.0	24.1	<0.001	0.03	0.30	6.3	0.7	0.5	24.1	<0.01	0.04
I318682		1.59	35.3	520	8.3	29.4	<0.001	0.02	0.32	6.3	0.5	0.5	21.1	<0.01	0.03
I318683		1.29	16.4	470	8.8	17.7	<0.001	0.02	0.29	3.9	0.5	0.5	20.7	<0.01	0.03
I318684		1.67	30.9	420	8.7	18.2	<0.001	0.02	0.33	5.8	0.5	0.5	21.4	<0.01	0.05
I318685		1.45	45.4	640	16.3	17.2	0.001	0.02	0.31	9.7	0.8	0.7	27.3	<0.01	0.04
I318686		1.69	43.7	770	18.0	19.5	0.001	0.04	0.40	7.0	1.2	0.8	31.2	<0.01	0.06
I318687		1.63	30.5	540	8.1	11.5	<0.001	0.03	0.38	4.1	0.5	0.6	20.8	<0.01	0.04
I318688		0.72	18.6	780	4.3	5.7	<0.001	0.06	0.35	1.9	0.9	0.5	19.7	<0.01	0.05
I318689		1.09	41.2	460	6.1	14.6	<0.001	0.04	0.27	3.9	0.5	0.4	21.2	<0.01	0.06
I318690		1.19	65.5	420	6.3	19.6	<0.001	0.02	0.27	5.8	0.5	0.4	20.4	<0.01	0.05
I318691		1.36	24.9	420	5.0	14.8	<0.001	0.02	0.21	4.2	0.4	0.4	20.8	<0.01	0.02
I318692		1.65	48.4	600	8.8	19.7	<0.001	0.02	0.35	9.5	0.9	0.6	29.7	<0.01	0.04
I318693		2.10	52.0	850	12.8	13.4	<0.001	0.03	0.48	8.5	0.8	0.7	31.6	0.01	0.06
I318694		1.85	47.0	640	10.5	17.0	<0.001	0.02	1.35	9.1	0.8	0.7	27.9	<0.01	0.05
I318695		1.59	34.2	620	8.9	17.7	<0.001	0.01	0.36	7.0	0.6	0.5	25.8	<0.01	0.04
I318696		1.79	38.8	580	9.3	34.4	<0.001	0.02	0.68	10.9	0.7	1.0	23.4	0.01	0.05
I318697		1.24	44.7	680	9.6	14.3	0.001	0.03	0.37	12.7	1.4	0.7	21.2	0.01	0.08
I318698		1.22	31.6	640	51.5	35.6	<0.001	0.05	0.53	6.3	0.8	1.2	18.6	<0.01	0.11
I318699		2.89	33.0	820	9.4	20.9	<0.001	0.02	0.36	6.6	0.7	1.0	22.4	<0.01	0.06
I318700		2.23	45.3	940	9.3	27.9	<0.001	0.02	0.31	7.9	1.3	0.8	26.5	0.01	0.07
I318701		2.20	44.9	950	9.2	36.5	<0.001	0.03	0.35	10.4	2.3	0.9	26.6	0.01	0.07
I318702		1.61	44.8	1120	8.5	25.1	0.001	0.03	0.48	10.1	1.8	0.9	26.3	<0.01	0.06
I318703		1.62	29.0	1020	7.5	20.1	<0.001	0.05	0.31	6.0	1.1	0.9	31.4	<0.01	0.04
I318704		1.75	32.2	1130	8.5	24.3	<0.001	0.07	2.86	6.5	1.4	0.6	36.6	<0.01	0.06
I318705		1.47	19.8	780	6.3	10.1	<0.001	0.06	0.62	4.0	1.1	0.6	25.3	<0.01	0.03
I318706		1.50	27.8	820	8.7	16.7	0.001	0.08	2.72	6.9	1.3	0.9	29.2	<0.01	0.06
I318707		1.46	23.7	790	7.2	17.4	<0.001	0.07	0.43	4.8	1.0	0.8	23.4	<0.01	0.04
I318708		1.91	27.9	680	8.0	19.7	<0.001	0.05	0.24	5.3	0.8	0.9	22.5	<0.01	0.04
I318709		1.79	48.8	790	7.5	36.8	0.001	0.15	0.37	4.2	1.4	0.5	73.7	0.01	0.04
I318710		1.96	44.3	890	8.2	43.1	<0.001	0.08	0.28	5.5	1.2	0.5	50.8	0.01	0.04
I318711		1.77	38.3	740	6.5	38.8	0.001	0.10	0.38	6.1	1.3	0.6	47.4	0.01	0.04
I318712		1.87	41.5	1130	6.7	45.6	0.001	0.04	0.31	7.5	1.0	0.6	32.1	<0.01	0.04
I318713		2.14	52.4	790	10.4	29.6	0.001	0.05	0.48	8.0	1.5	0.7	34.5	0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318674		0.118	0.10	0.71	92	0.11	5.16	122	5.7
I318675		0.068	0.10	0.58	53	0.15	3.76	117	1.0
I318676		0.052	0.10	0.79	62	0.12	6.95	93	2.3
I318677		0.084	0.08	1.35	49	0.18	33.1	126	6.4
I318678		0.125	0.11	0.49	125	0.14	7.28	180	1.5
I318679		0.142	0.10	0.46	91	0.22	5.58	136	1.4
I318680		0.056	0.04	0.49	30	0.13	4.03	89	0.5
I318681		0.143	0.17	0.68	91	0.19	7.26	242	1.9
I318682		0.157	0.18	0.46	98	0.16	5.15	89	1.5
I318683		0.121	0.12	0.53	81	0.14	3.76	81	1.0
I318684		0.161	0.13	0.48	103	0.16	5.16	88	2.6
I318685		0.131	0.17	1.04	118	0.15	10.70	97	2.2
I318686		0.119	0.16	0.96	114	0.20	9.93	114	3.5
I318687		0.099	0.10	0.52	68	0.10	3.75	71	1.7
I318688		0.043	0.07	0.63	32	0.13	6.32	40	0.6
I318689		0.105	0.10	0.41	75	0.11	3.62	60	1.2
I318690		0.131	0.14	0.44	90	0.13	5.56	67	1.7
I318691		0.102	0.09	0.44	63	0.12	4.50	59	1.0
I318692		0.128	0.16	1.07	98	0.15	13.55	89	2.4
I318693		0.116	0.14	0.96	105	0.21	11.95	103	1.5
I318694		0.129	0.14	0.97	88	0.19	13.30	120	2.5
I318695		0.145	0.15	0.72	86	0.14	9.74	136	4.2
I318696		0.165	0.32	0.93	101	0.15	10.70	111	3.2
I318697		0.084	0.15	1.00	137	0.16	9.56	168	1.3
I318698		0.091	0.27	1.11	94	0.13	11.85	137	<0.5
I318699		0.126	0.21	0.82	90	0.26	8.55	126	2.3
I318700		0.122	0.24	2.00	93	0.21	20.5	120	2.3
I318701		0.116	0.39	3.12	100	0.18	33.2	89	2.0
I318702		0.102	0.35	1.43	138	0.21	11.40	132	1.9
I318703		0.084	0.14	1.11	75	0.17	12.45	87	1.1
I318704		0.090	0.22	1.24	86	0.21	11.60	106	1.4
I318705		0.076	0.13	0.97	65	0.14	6.33	61	1.1
I318706		0.077	0.34	1.45	90	2.03	11.60	88	1.1
I318707		0.081	0.22	1.20	77	0.14	5.97	70	0.9
I318708		0.105	0.21	1.01	78	0.19	5.74	79	1.0
I318709		0.067	0.23	0.91	58	0.13	15.15	67	2.2
I318710		0.086	0.25	1.15	64	0.16	14.25	76	1.8
I318711		0.085	0.22	1.15	76	0.12	12.90	72	2.2
I318712		0.112	0.27	1.03	88	0.15	12.45	85	1.7
I318713		0.108	0.22	1.52	81	0.18	20.6	87	2.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318714		0.32	0.005	0.45	1.79	13.9	<0.2	<10	320	0.49	0.26	1.21	0.34	35.4	12.1	42
I318715		0.26	<0.005	0.61	2.38	15.2	<0.2	<10	440	0.54	0.26	0.51	0.63	47.4	17.8	70
I318716		0.32	<0.005	0.23	1.53	9.6	<0.2	<10	220	0.78	0.21	0.11	0.82	111.0	6.4	24
I318717		0.32	<0.005	0.08	1.26	3.5	<0.2	<10	90	0.18	0.12	0.29	0.10	15.90	5.3	33
I318718		0.38	<0.005	0.08	1.50	4.4	<0.2	<10	100	0.22	0.15	0.29	0.10	20.9	7.6	38
I318719		0.28	<0.005	0.06	1.22	3.9	<0.2	<10	80	0.17	0.11	0.29	0.09	17.55	5.0	33
I318720		0.26	<0.005	0.07	1.08	3.7	<0.2	<10	70	0.12	0.11	0.25	0.08	14.80	4.3	37
I318721		0.32	<0.005	0.07	1.16	3.8	<0.2	<10	80	0.15	0.10	0.26	0.08	16.35	4.6	41
I318722		0.28	<0.005	0.07	1.28	4.2	<0.2	<10	70	0.15	0.11	0.26	0.08	17.65	5.6	49
I318723		0.30	<0.005	0.11	2.02	8.0	<0.2	<10	190	0.36	0.21	1.02	0.47	33.1	16.1	70
I318724		0.32	<0.005	0.17	1.06	6.5	<0.2	<10	210	0.21	0.13	1.80	0.37	19.25	6.9	67
I318725		0.38	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.01	0.09	0.04	10.20	2.1	23
I318726		0.30	<0.005	0.12	1.45	3.1	<0.2	<10	130	0.27	0.19	0.47	0.20	18.40	7.3	59
I318727		0.42	<0.005	0.14	2.81	6.3	<0.2	<10	290	0.51	0.27	0.70	0.15	43.4	17.8	97
I318728		0.40	<0.005	0.26	2.53	9.6	<0.2	<10	300	0.59	0.44	0.66	0.21	53.0	18.5	80
I318729		0.32	0.007	0.06	2.54	8.8	<0.2	<10	270	0.51	0.40	0.54	0.13	40.3	15.2	89
I318730		0.42	<0.005	0.18	2.95	7.6	<0.2	<10	260	0.71	0.46	0.65	0.13	73.2	13.4	92
I318731		0.36	<0.005	0.20	2.77	9.8	<0.2	<10	220	0.50	0.55	0.61	0.23	46.0	14.6	102
I318732		0.34	<0.005	0.04	1.39	4.3	<0.2	<10	180	0.33	0.40	0.22	0.27	35.5	6.8	31
I318733		0.40	<0.005	0.14	1.71	8.8	<0.2	<10	160	0.30	1.98	0.28	0.32	28.2	9.2	36
I318734		0.36	<0.005	0.07	2.11	3.9	<0.2	<10	170	0.17	0.73	0.38	0.17	10.55	15.3	49
I318735		0.30	<0.005	0.11	2.38	3.5	<0.2	<10	110	0.18	0.15	0.37	0.15	9.99	13.2	64
I318736		0.48	<0.005	0.14	2.85	3.6	<0.2	<10	180	0.18	0.14	0.45	0.21	10.50	16.8	58
I318737		0.28	<0.005	0.18	1.46	2.6	<0.2	<10	110	0.14	0.11	0.17	0.20	7.95	7.6	28
I318738		0.30	<0.005	0.05	1.63	2.9	<0.2	<10	110	0.12	0.11	0.15	0.14	7.44	9.7	24
I318739		0.26	<0.005	0.23	2.41	2.9	<0.2	<10	220	0.21	0.14	0.50	0.16	14.45	12.0	45
I318740		0.28	<0.005	0.13	2.70	5.4	<0.2	<10	430	0.26	0.16	1.06	0.23	16.75	19.7	41
I318741		0.30	<0.005	0.15	2.70	5.7	<0.2	<10	310	0.28	0.17	0.88	0.25	18.35	24.4	44
I318742		0.36	<0.005	0.12	2.69	5.1	<0.2	<10	570	0.25	0.12	0.91	0.14	15.65	21.2	54
I318743		0.34	<0.005	0.16	2.62	4.8	<0.2	<10	460	0.23	0.12	1.04	0.10	15.70	18.8	55
I318744		0.40	<0.005	0.09	1.72	8.8	<0.2	<10	220	0.30	0.56	0.67	0.21	24.9	13.0	44
I318745		0.34	<0.005	0.21	3.13	8.3	<0.2	<10	250	0.39	0.18	0.99	0.17	27.0	22.5	80
I318746		0.26	<0.005	0.13	2.91	6.4	<0.2	<10	210	0.38	0.15	0.88	0.18	25.5	21.1	64
I318747		0.36	<0.005	0.18	3.01	9.6	<0.2	<10	270	0.43	0.15	1.03	0.22	28.6	22.2	60
I318748		0.40	<0.005	0.17	2.90	5.6	<0.2	<10	170	0.36	0.13	1.23	0.20	22.2	18.9	57
I318749		0.30	<0.005	0.14	2.84	6.3	<0.2	<10	160	0.39	0.18	1.17	0.28	22.3	22.5	52
I318750		0.30	<0.005	0.16	3.03	4.6	<0.2	<10	180	0.44	0.20	1.10	0.28	28.0	22.2	56
I318801		0.36	0.009	0.18	3.04	95.8	<0.2	<10	270	0.83	0.58	0.36	0.25	38.7	13.3	58
I318802		0.44	0.008	0.28	2.80	54.5	<0.2	<10	200	0.47	0.33	0.27	0.26	20.5	16.5	58
I318803		0.48	<0.005	0.15	2.56	23.5	<0.2	<10	140	0.23	0.27	0.32	0.16	13.95	20.7	127



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318714		1.23	39.5	2.74	5.54	0.10	0.07	0.18	0.036	0.08	16.9	12.5	0.68	618	1.60
I318715		2.53	50.1	3.98	8.76	0.14	0.05	0.13	0.039	0.21	24.2	15.5	0.89	735	4.16
I318716		0.93	64.1	2.11	6.21	0.21	0.05	0.08	0.031	0.07	87.5	5.5	0.24	344	1.46
I318717		1.21	13.7	1.70	6.20	0.08	0.03	0.04	0.018	0.09	8.2	6.7	0.58	170	0.37
I318718		1.23	18.3	2.13	7.27	0.11	0.04	0.04	0.020	0.18	10.9	9.3	0.74	223	0.81
I318719		0.92	10.8	1.70	5.84	0.07	0.03	0.04	0.017	0.05	9.1	6.9	0.47	139	0.49
I318720		0.90	10.2	1.79	5.39	0.07	0.03	0.06	0.016	0.05	7.8	5.3	0.40	113	0.55
I318721		1.13	11.4	1.82	5.55	0.07	0.03	0.06	0.015	0.05	8.6	5.5	0.44	118	0.53
I318722		1.34	12.5	1.93	6.23	0.08	0.03	0.05	0.016	0.06	9.2	6.5	0.52	134	0.59
I318723		1.79	24.4	2.90	7.33	0.12	0.06	0.05	0.024	0.21	16.4	16.5	1.10	580	5.95
I318724		1.39	29.9	1.53	4.70	0.09	0.05	0.07	0.017	0.20	16.6	5.4	0.61	273	1.07
I318725		0.09	2.0	0.58	0.56	<0.05	0.05	<0.01	<0.005	0.03	5.2	1.1	0.04	144	1.03
I318726		2.15	23.2	2.09	7.56	0.09	0.06	0.02	0.019	0.28	12.6	7.5	0.72	203	1.30
I318727		2.49	54.3	4.00	10.15	0.12	0.12	0.02	0.050	0.60	27.5	13.1	1.58	844	2.01
I318728		2.07	41.6	3.34	9.04	0.10	0.21	0.04	0.038	0.33	33.2	12.1	1.02	750	2.72
I318729		2.33	28.3	3.37	9.49	0.10	0.19	0.02	0.035	0.59	20.7	12.8	1.28	576	1.78
I318730		1.99	36.6	3.60	11.20	0.12	0.23	0.04	0.033	0.32	51.0	13.3	1.43	594	1.86
I318731		2.39	29.1	3.59	10.40	0.10	0.20	0.02	0.033	0.43	25.8	13.4	1.55	779	2.08
I318732		1.03	20.5	2.10	6.19	0.06	0.07	0.02	0.015	0.12	22.7	6.7	0.47	336	1.29
I318733		1.89	24.3	2.92	9.77	0.06	0.09	0.02	0.026	0.18	16.6	8.0	0.71	412	3.29
I318734		2.61	47.4	3.23	7.78	0.05	0.04	0.02	0.018	0.14	5.5	10.6	1.18	449	0.75
I318735		1.85	42.0	3.03	8.47	0.05	0.06	0.02	0.022	0.07	5.0	11.4	1.28	320	0.70
I318736		0.95	51.4	3.62	9.34	0.06	0.03	0.02	0.030	0.13	5.4	13.1	1.76	579	0.85
I318737		0.62	26.3	2.11	6.90	<0.05	<0.02	0.02	0.016	0.05	3.9	6.7	0.68	257	0.83
I318738		0.69	19.9	3.24	8.49	<0.05	<0.02	0.02	0.016	0.06	3.6	8.5	0.87	361	0.88
I318739		0.98	35.0	2.72	8.96	0.05	0.02	0.08	0.029	0.08	7.2	10.2	1.05	376	0.65
I318740		1.46	55.6	3.74	10.35	0.06	0.04	0.04	0.027	0.22	9.4	14.7	1.32	690	0.91
I318741		1.29	47.7	3.89	10.75	0.07	0.05	0.04	0.028	0.35	9.3	15.0	1.52	1090	1.19
I318742		1.45	36.7	4.15	9.96	0.08	0.04	0.03	0.024	0.57	8.0	14.2	1.67	795	1.18
I318743		1.40	39.4	3.67	9.39	0.08	0.05	0.05	0.022	0.46	8.5	13.4	1.50	666	1.38
I318744		1.70	25.9	2.92	5.79	0.07	0.02	0.03	0.014	0.21	12.6	10.0	0.90	527	2.57
I318745		4.32	53.5	4.11	10.25	0.09	0.05	0.10	0.023	0.41	13.8	14.8	1.57	460	1.39
I318746		2.51	38.5	3.81	9.33	0.08	0.04	0.04	0.020	0.35	12.8	12.6	1.48	706	1.14
I318747		2.36	50.9	3.78	9.38	0.09	0.05	0.10	0.019	0.39	14.2	12.8	1.49	661	1.11
I318748		2.40	38.6	3.34	9.31	0.07	0.04	0.07	0.015	0.30	11.4	10.9	1.37	641	1.07
I318749		1.79	36.4	3.45	9.62	0.07	0.04	0.08	0.017	0.26	11.3	11.5	1.33	1220	1.23
I318750		1.82	38.7	3.55	10.30	0.08	0.03	0.08	0.019	0.24	13.9	11.2	1.40	1140	1.26
I318801		2.67	49.9	3.97	9.22	0.07	0.05	0.04	0.033	0.08	20.7	23.7	0.75	404	2.65
I318802		1.91	35.3	3.92	9.54	0.06	0.04	0.02	0.026	0.08	11.3	17.3	0.73	619	2.68
I318803		3.25	85.2	2.99	7.41	0.05	0.02	0.02	0.015	0.05	7.3	20.6	1.41	306	1.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318714		1.57	34.0	810	19.1	17.3	0.001	0.08	0.92	5.2	1.8	0.6	42.1	0.01	0.05
I318715		2.20	46.7	940	11.0	28.7	0.001	0.07	0.55	7.5	2.0	0.8	37.6	<0.01	0.06
I318716		1.17	23.3	580	8.0	10.9	<0.001	0.03	0.32	3.1	1.1	0.4	16.2	0.01	0.04
I318717		1.54	13.9	540	5.7	20.8	<0.001	0.04	0.18	3.8	0.5	0.5	22.4	<0.01	0.02
I318718		2.24	20.0	620	6.3	23.0	<0.001	0.04	0.18	4.8	0.6	0.6	23.7	<0.01	0.02
I318719		1.75	14.7	400	5.8	13.7	<0.001	0.04	0.18	3.2	0.5	0.6	24.2	<0.01	0.01
I318720		1.58	13.5	460	5.2	11.6	<0.001	0.05	0.17	2.6	0.5	0.5	21.3	<0.01	0.02
I318721		1.66	14.3	480	5.4	14.6	<0.001	0.06	0.19	2.7	0.6	0.5	22.7	<0.01	0.02
I318722		1.82	17.5	460	6.3	16.9	<0.001	0.06	0.18	3.0	0.6	0.6	23.2	<0.01	0.02
I318723		2.97	38.2	620	6.3	28.0	0.001	0.07	0.29	6.0	0.8	0.6	64.9	<0.01	0.04
I318724		1.97	26.9	540	5.3	25.3	0.001	0.12	0.37	3.2	0.9	0.6	75.9	0.01	0.02
I318725		0.26	4.2	130	1.6	2.2	<0.001	0.01	0.15	0.6	<0.2	<0.2	7.3	<0.01	<0.01
I318726		2.43	22.9	180	8.1	46.5	<0.001	0.02	0.22	4.4	0.4	0.9	29.8	<0.01	0.03
I318727		2.09	41.6	410	7.4	52.9	<0.001	0.02	0.23	11.5	0.7	1.0	34.4	<0.01	0.03
I318728		2.58	31.8	310	14.6	49.3	<0.001	0.02	0.27	8.4	0.7	1.3	31.1	<0.01	0.05
I318729		2.88	33.4	370	10.2	67.9	<0.001	0.01	0.26	7.3	0.5	1.5	32.2	<0.01	0.04
I318730		3.14	33.5	340	13.2	53.3	<0.001	0.01	0.29	7.7	0.7	1.6	31.9	<0.01	0.05
I318731		3.54	35.6	440	10.4	66.0	<0.001	0.02	0.28	7.9	0.5	1.8	29.6	<0.01	0.06
I318732		1.90	12.1	240	4.6	21.4	<0.001	0.01	0.20	3.8	0.4	1.0	16.8	<0.01	0.09
I318733		1.97	15.9	400	10.5	33.1	<0.001	0.02	0.30	4.7	0.5	1.4	19.5	<0.01	0.15
I318734		1.00	22.2	300	3.7	24.1	<0.001	0.01	0.23	8.7	0.4	0.4	20.0	<0.01	0.05
I318735		1.07	25.0	230	3.8	11.1	<0.001	0.01	0.19	9.3	0.3	0.5	20.1	<0.01	0.03
I318736		0.88	23.6	450	4.0	13.7	<0.001	0.01	0.16	11.2	0.4	0.5	21.0	<0.01	0.03
I318737		0.79	13.0	290	3.5	8.4	<0.001	0.02	0.19	4.8	0.3	0.5	13.9	<0.01	0.02
I318738		0.80	12.1	320	3.4	5.9	<0.001	0.01	0.27	6.4	0.2	0.6	10.8	<0.01	0.02
I318739		0.99	21.7	600	4.7	15.9	<0.001	0.05	0.18	7.6	0.6	0.6	28.0	<0.01	0.02
I318740		1.41	23.4	510	5.1	25.1	<0.001	0.04	0.27	9.5	0.6	0.5	34.0	<0.01	0.03
I318741		1.63	24.8	540	6.0	34.7	<0.001	0.04	0.28	9.1	0.7	0.6	36.9	<0.01	0.03
I318742		1.56	25.7	620	4.5	45.1	<0.001	0.05	0.22	10.1	0.7	0.5	34.4	<0.01	0.03
I318743		1.59	25.8	660	4.6	41.0	<0.001	0.07	0.24	9.1	0.7	0.5	36.9	<0.01	0.03
I318744		1.27	22.6	1130	5.9	24.3	<0.001	0.03	0.34	4.5	0.7	0.5	29.7	<0.01	0.04
I318745		1.96	41.5	530	7.8	42.5	<0.001	0.07	0.30	8.9	0.9	0.6	38.7	<0.01	0.05
I318746		1.97	31.5	520	8.6	38.8	<0.001	0.04	0.25	7.0	0.6	0.6	34.8	<0.01	0.04
I318747		2.01	33.1	580	8.3	39.7	<0.001	0.05	0.28	7.4	0.8	0.5	38.8	<0.01	0.04
I318748		1.79	31.5	600	8.0	40.5	<0.001	0.07	0.27	5.8	0.8	0.5	38.8	<0.01	0.03
I318749		1.94	29.6	710	11.6	45.0	<0.001	0.08	0.29	5.9	0.8	0.5	38.8	<0.01	0.04
I318750		2.09	33.0	610	12.9	36.8	<0.001	0.09	0.26	6.8	0.8	0.6	42.3	<0.01	0.05
I318801		1.59	59.3	570	9.9	19.8	<0.001	0.02	0.90	6.6	1.0	0.9	30.3	<0.01	0.07
I318802		1.87	33.5	480	8.6	19.4	<0.001	0.01	0.52	5.4	0.6	0.7	23.9	<0.01	0.05
I318803		1.12	108.0	370	6.7	20.8	<0.001	0.01	0.28	4.5	0.4	0.4	22.0	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318714		0.067	0.14	2.00	59	0.15	19.40	72	2.4
I318715		0.114	0.24	2.26	87	0.18	14.55	103	1.6
I318716		0.051	0.07	2.72	37	0.13	30.8	39	0.5
I318717		0.101	0.12	0.58	38	0.19	3.65	46	1.2
I318718		0.121	0.17	0.63	54	0.45	4.74	50	1.6
I318719		0.095	0.11	0.51	38	0.24	3.88	44	1.3
I318720		0.083	0.10	0.49	37	0.20	3.13	39	1.1
I318721		0.090	0.11	0.51	36	0.14	3.48	41	1.1
I318722		0.098	0.12	0.55	44	0.18	3.53	47	1.3
I318723		0.133	0.18	1.66	74	0.69	8.89	70	2.5
I318724		0.082	0.14	3.74	38	0.26	7.22	34	2.4
I318725		0.006	0.03	0.32	4	<0.05	2.24	5	2.5
I318726		0.133	0.24	0.65	55	0.23	5.28	42	2.9
I318727		0.186	0.38	1.66	91	0.35	12.30	98	5.6
I318728		0.149	0.32	2.39	74	0.31	11.90	76	9.0
I318729		0.183	0.37	1.41	79	0.27	7.08	85	8.1
I318730		0.197	0.34	1.97	84	0.37	14.45	89	9.7
I318731		0.201	0.39	1.40	79	0.37	7.25	103	9.1
I318732		0.109	0.13	0.86	49	0.19	5.23	50	3.0
I318733		0.149	0.20	1.14	73	0.54	4.32	52	3.6
I318734		0.120	0.15	0.36	110	0.14	3.98	58	1.7
I318735		0.112	0.09	0.41	96	0.09	3.38	71	2.4
I318736		0.121	0.07	0.44	119	0.13	3.85	132	1.2
I318737		0.084	0.06	0.23	64	0.10	1.85	55	<0.5
I318738		0.116	0.06	0.18	108	0.09	2.47	54	0.6
I318739		0.101	0.08	0.70	66	0.14	5.57	74	0.8
I318740		0.152	0.13	0.56	107	0.17	10.55	79	1.8
I318741		0.182	0.17	0.70	116	0.19	7.40	92	2.1
I318742		0.191	0.22	0.63	125	0.16	6.87	89	1.8
I318743		0.169	0.21	0.76	106	0.15	7.36	79	2.1
I318744		0.101	0.17	1.15	69	1.36	7.35	73	0.7
I318745		0.165	0.26	0.95	103	0.17	10.70	84	2.0
I318746		0.171	0.23	0.83	99	0.20	7.56	80	1.8
I318747		0.166	0.26	0.90	97	0.22	9.85	83	2.0
I318748		0.150	0.21	0.97	80	0.15	7.57	85	1.8
I318749		0.142	0.22	1.02	85	0.20	7.44	94	1.6
I318750		0.146	0.22	1.00	86	0.18	8.16	102	1.3
I318801		0.124	0.24	1.82	99	0.34	14.60	93	1.7
I318802		0.137	0.18	0.68	100	0.30	5.19	67	2.0
I318803		0.101	0.16	0.53	68	0.15	3.06	44	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318804		0.36	0.015	0.27	2.72	26.4	<0.2	<10	170	0.34	0.27	0.30	0.31	15.80	20.6	77
I318805		0.52	0.006	0.29	2.87	27.3	<0.2	<10	220	0.39	0.36	0.46	0.21	22.7	14.1	71
I318806		0.52	<0.005	0.42	2.39	11.5	<0.2	<10	220	0.31	0.68	0.61	0.22	18.30	13.1	57
I318807		0.48	0.013	0.23	2.15	41.1	<0.2	<10	220	0.25	0.33	0.62	0.19	16.65	17.7	40
I318808		0.48	<0.005	0.07	1.53	4.4	<0.2	<10	90	0.21	0.57	0.34	0.19	18.20	7.1	33
I318809		0.42	<0.005	0.01	0.14	1.9	<0.2	<10	10	0.09	0.02	0.09	0.04	10.45	2.3	4
I318810		0.54	<0.005	0.08	2.98	34.6	<0.2	<10	240	0.46	0.68	0.55	0.12	25.2	13.1	28
I318811		0.46	<0.005	0.20	2.20	147.5	<0.2	<10	290	0.40	0.27	0.82	0.28	20.7	11.7	21
I318812		0.70	0.005	0.13	2.11	66.5	<0.2	<10	340	0.46	0.14	1.11	0.31	31.2	15.2	22
I318813		0.58	<0.005	0.19	2.52	60.7	<0.2	<10	360	0.34	0.14	0.88	0.25	33.8	17.8	24
I318814		0.62	<0.005	0.22	2.59	47.7	<0.2	<10	410	0.33	0.21	0.80	0.19	31.1	16.1	20
I318815		0.50	0.006	0.19	2.10	25.1	<0.2	<10	320	0.30	0.11	0.86	0.14	24.0	13.9	21
I318816		0.42	0.005	0.19	2.30	10.8	<0.2	<10	330	0.33	0.16	0.81	0.16	28.4	13.1	24
I318817		0.50	<0.005	0.14	2.12	5.3	<0.2	<10	220	0.26	0.21	0.47	0.08	20.4	12.4	22
I318818		0.46	<0.005	0.22	2.09	19.3	<0.2	<10	260	0.36	0.12	0.62	0.16	36.8	10.3	22
I318819		0.52	<0.005	0.14	2.36	18.4	<0.2	<10	280	0.34	0.12	0.52	0.08	26.7	12.9	22
I318820		0.66	<0.005	0.09	2.41	13.7	<0.2	<10	350	0.38	0.11	0.50	0.06	27.3	13.5	24
I318821		0.56	0.008	0.09	2.25	9.0	<0.2	<10	250	0.36	0.12	0.37	0.06	23.0	13.2	21
I318822		0.56	<0.005	0.09	2.43	7.9	<0.2	<10	340	0.35	0.10	0.56	0.05	23.2	13.4	17
I318823		0.60	<0.005	0.11	2.45	8.3	<0.2	<10	290	0.40	0.13	0.53	0.08	29.0	12.4	23
I318824		0.40	<0.005	0.08	0.86	2.5	<0.2	<10	80	0.14	0.09	0.21	0.09	10.65	4.9	15
I318825		0.32	0.006	0.10	1.33	4.2	<0.2	<10	100	0.16	0.12	0.29	0.07	13.45	6.9	19
I318826		0.44	<0.005	0.11	1.40	4.0	<0.2	<10	110	0.18	0.17	0.25	0.09	16.05	6.6	21
I318827		0.30	<0.005	0.11	1.57	5.1	<0.2	<10	160	0.19	0.20	0.30	0.10	17.70	8.1	20
I318828		0.40	0.005	0.12	1.47	5.6	<0.2	<10	150	0.20	0.16	0.29	0.13	17.55	7.9	19
I318829		0.40	<0.005	0.13	1.37	3.6	<0.2	<10	120	0.17	0.14	0.26	0.08	15.25	6.4	19
I318830		0.56	<0.005	0.03	0.22	1.1	<0.2	<10	10	<0.05	0.04	0.05	0.03	2.15	1.6	5
I318831		0.48	<0.005	0.22	2.57	8.9	<0.2	<10	310	0.35	0.66	0.53	0.13	28.7	14.0	26
I318832		0.58	<0.005	0.07	1.72	9.1	<0.2	<10	120	0.27	0.25	0.19	0.16	17.45	8.9	22
I318833		0.60	<0.005	0.08	1.90	14.6	<0.2	<10	140	0.48	0.54	0.22	0.13	24.3	9.8	21
I318834		0.60	<0.005	0.18	2.00	7.6	<0.2	<10	270	0.47	0.27	0.78	0.17	28.3	11.8	24
I318835		0.44	<0.005	0.02	0.11	1.8	<0.2	<10	30	0.10	0.01	0.08	0.04	10.20	2.2	19
I318836		0.56	<0.005	0.20	1.79	5.3	<0.2	<10	320	0.38	0.12	1.10	0.13	30.8	10.9	22
I318837		0.38	<0.005	0.16	1.33	5.5	<0.2	<10	100	0.21	0.54	0.33	0.22	17.65	6.1	31
I318838		0.44	<0.005	0.12	1.29	5.1	<0.2	<10	80	0.16	0.46	0.29	0.14	14.45	5.5	30
I318839		0.46	<0.005	0.15	1.32	7.8	<0.2	<10	100	0.18	0.47	0.30	0.19	15.45	5.6	33
I318840		0.56	<0.005	0.26	1.81	5.1	<0.2	<10	150	0.26	0.95	0.32	0.16	23.2	11.0	66
I318841		0.48	<0.005	0.22	1.74	5.1	<0.2	<10	160	0.24	1.05	0.37	0.16	24.2	9.3	65
I318842		0.56	<0.005	0.26	2.10	7.6	<0.2	<10	200	0.40	1.79	0.44	0.20	34.5	12.7	73
I318843		0.50	0.006	0.47	1.87	8.3	<0.2	<10	180	0.33	1.94	0.46	0.26	39.2	9.4	72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318804		2.40	60.8	3.40	8.28	0.05	0.03	0.03	0.021	0.07	8.1	17.8	0.89	625	1.53
I318805		2.56	48.5	3.19	8.19	0.06	0.04	0.03	0.022	0.07	12.1	20.0	0.87	305	1.16
I318806		1.56	44.6	2.70	6.70	0.06	0.05	0.04	0.018	0.07	9.7	16.3	0.75	331	1.05
I318807		1.90	26.7	2.82	6.74	0.05	0.03	0.05	0.014	0.06	8.5	15.3	0.80	736	1.37
I318808		1.60	14.3	2.11	5.92	<0.05	0.02	0.03	0.013	0.05	9.2	7.5	0.53	177	0.49
I318809		0.08	2.9	0.76	0.70	<0.05	0.07	<0.01	<0.005	0.04	5.3	1.1	0.04	163	0.33
I318810		2.98	21.8	3.93	10.50	0.06	0.06	0.04	0.029	0.21	12.5	16.1	0.86	495	1.32
I318811		3.52	17.3	3.45	7.41	0.09	0.06	0.43	0.027	0.23	12.4	15.6	0.77	468	1.11
I318812		4.66	24.0	3.43	6.58	0.12	0.10	0.22	0.031	0.32	16.7	15.4	0.87	630	0.83
I318813		2.74	23.4	3.84	8.82	0.12	0.08	0.17	0.031	0.25	20.8	14.3	0.91	817	1.31
I318814		4.22	23.4	4.26	8.96	0.15	0.08	0.10	0.031	0.47	18.0	14.5	1.06	754	0.81
I318815		3.15	20.1	3.47	7.59	0.12	0.06	0.08	0.026	0.26	13.5	11.3	0.84	624	0.91
I318816		2.46	22.4	3.39	7.91	0.11	0.07	0.08	0.027	0.23	16.7	13.5	0.83	456	0.72
I318817		1.98	15.2	3.28	7.66	0.11	0.06	0.04	0.023	0.18	10.8	11.3	0.80	415	0.82
I318818		2.32	18.0	3.08	7.63	0.11	0.06	0.10	0.026	0.22	20.5	12.2	0.73	346	0.68
I318819		3.48	16.2	3.51	8.74	0.13	0.06	0.05	0.026	0.34	14.9	13.9	0.86	479	0.63
I318820		2.85	19.3	3.61	8.31	0.13	0.10	0.04	0.026	0.34	15.8	15.2	0.91	494	0.61
I318821		1.87	17.0	2.85	8.96	0.11	0.08	0.02	0.025	0.28	12.1	14.6	0.71	386	0.58
I318822		1.87	20.6	3.59	8.82	0.12	0.07	0.02	0.023	0.37	12.4	13.4	0.87	461	0.48
I318823		1.75	19.2	3.39	8.78	0.11	0.09	0.02	0.026	0.26	15.6	14.3	0.80	434	0.56
I318824		0.62	9.5	1.26	4.08	<0.05	<0.02	0.02	0.011	0.04	5.3	4.2	0.25	115	0.51
I318825		0.84	10.1	2.07	5.38	0.06	0.03	0.03	0.016	0.06	6.7	6.7	0.42	192	0.62
I318826		0.97	13.5	1.96	5.45	0.06	0.03	0.04	0.016	0.05	8.0	6.7	0.40	151	0.56
I318827		0.96	13.5	2.14	6.36	0.07	0.03	0.03	0.016	0.06	9.5	7.7	0.45	215	0.71
I318828		1.11	12.0	2.12	6.09	0.07	0.03	0.04	0.016	0.08	8.8	7.9	0.46	220	0.66
I318829		0.92	12.3	2.01	5.72	0.07	0.03	0.04	0.016	0.06	7.9	6.2	0.41	166	0.75
I318830		0.31	5.6	0.71	1.99	<0.05	<0.02	0.02	<0.005	0.02	1.1	0.6	0.04	41	0.37
I318831		3.47	24.2	3.62	8.61	0.11	0.07	0.04	0.027	0.19	15.6	14.8	0.84	432	1.39
I318832		1.72	12.7	2.81	9.82	0.07	0.07	0.02	0.022	0.07	8.6	10.4	0.37	238	1.43
I318833		4.69	12.5	3.11	8.68	0.09	0.04	0.03	0.032	0.16	11.2	9.4	0.63	321	1.50
I318834		2.74	17.0	2.97	6.85	0.11	0.09	0.05	0.030	0.22	14.3	13.1	0.72	506	0.72
I318835		0.08	1.9	0.52	0.53	<0.05	0.06	<0.01	<0.005	0.03	5.1	1.0	0.04	141	0.59
I318836		1.61	21.8	2.80	6.82	0.10	0.05	0.05	0.024	0.17	20.1	11.3	0.65	477	0.93
I318837		1.61	14.8	1.93	5.84	0.07	0.02	0.05	0.017	0.06	8.8	6.6	0.46	136	0.62
I318838		1.65	12.5	1.87	5.74	0.06	0.02	0.05	0.016	0.06	7.4	5.9	0.47	142	0.58
I318839		1.79	14.0	1.97	6.10	0.07	0.02	0.07	0.018	0.06	7.9	5.7	0.49	142	0.66
I318840		3.12	22.1	2.49	7.50	0.09	0.02	0.04	0.020	0.19	14.0	8.4	0.81	300	1.36
I318841		3.05	19.7	2.35	7.14	0.09	0.02	0.05	0.017	0.18	14.8	8.0	0.78	256	1.17
I318842		3.58	32.3	3.08	8.05	0.11	0.03	0.04	0.023	0.28	20.5	12.3	0.91	378	1.40
I318843		4.05	29.7	2.56	7.88	0.10	0.03	0.06	0.022	0.19	25.4	9.4	0.80	277	1.37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318804		1.50	52.3	510	8.7	21.4	<0.001	0.02	0.40	4.9	0.4	0.5	23.2	<0.01	0.03
I318805		1.49	44.5	450	13.7	20.8	<0.001	0.02	0.32	6.2	0.5	0.5	33.6	<0.01	0.03
I318806		1.20	33.1	490	24.1	16.1	<0.001	0.03	0.23	6.1	0.5	0.4	38.7	<0.01	0.02
I318807		1.06	18.5	650	12.0	17.3	<0.001	0.05	0.35	5.4	0.5	0.5	40.3	<0.01	0.02
I318808		1.43	18.3	470	6.5	16.4	<0.001	0.04	0.19	3.6	0.5	0.6	22.5	<0.01	0.02
I318809		0.21	4.1	130	1.4	2.2	<0.001	0.01	0.09	0.7	<0.2	<0.2	8.2	<0.01	<0.01
I318810		2.66	18.4	490	10.6	27.7	<0.001	0.02	0.71	6.7	0.5	0.8	33.9	<0.01	0.04
I318811		2.04	14.0	500	19.1	26.3	<0.001	0.02	1.45	7.5	0.5	0.6	44.3	<0.01	0.04
I318812		1.96	15.6	820	11.3	38.6	0.001	0.03	0.99	10.0	0.7	0.5	49.1	0.01	0.03
I318813		2.31	16.7	720	12.2	33.6	<0.001	0.04	0.96	8.8	0.9	0.7	46.3	<0.01	0.02
I318814		2.40	13.7	900	14.4	49.5	<0.001	0.03	0.59	10.0	0.8	0.6	42.1	<0.01	0.03
I318815		2.11	14.0	780	5.3	37.6	<0.001	0.05	0.56	7.5	0.8	0.6	46.7	<0.01	0.02
I318816		2.10	16.6	660	6.4	32.0	<0.001	0.04	0.43	7.4	0.7	0.6	43.8	<0.01	0.02
I318817		2.32	13.3	610	5.2	25.5	<0.001	0.02	0.31	5.9	0.6	0.6	29.7	<0.01	0.02
I318818		2.34	15.0	640	7.5	26.6	<0.001	0.04	0.33	6.1	0.7	0.7	43.0	<0.01	0.02
I318819		2.37	13.7	660	6.3	34.6	<0.001	0.02	0.33	7.0	0.5	0.8	34.6	<0.01	0.01
I318820		1.54	17.1	590	5.8	33.0	<0.001	0.01	0.31	7.7	0.6	0.7	36.6	<0.01	0.01
I318821		2.20	13.7	490	5.9	27.8	<0.001	0.01	0.30	6.0	0.5	0.8	32.0	<0.01	0.02
I318822		1.89	12.3	750	4.8	32.1	<0.001	0.01	0.27	6.2	0.4	0.7	38.8	<0.01	0.02
I318823		2.08	15.2	540	5.6	27.1	<0.001	0.01	0.29	7.0	0.4	0.7	40.6	<0.01	0.02
I318824		0.78	9.0	370	4.0	9.0	<0.001	0.02	0.14	2.0	0.4	0.4	17.9	<0.01	0.01
I318825		1.27	12.4	530	4.7	11.5	<0.001	0.03	0.19	3.0	0.5	0.4	21.7	<0.01	0.01
I318826		1.25	13.2	590	5.0	11.7	<0.001	0.05	0.21	2.9	0.6	0.5	21.1	<0.01	0.02
I318827		1.52	13.5	500	5.2	12.2	<0.001	0.04	0.23	3.2	0.5	0.5	26.6	<0.01	0.02
I318828		1.40	12.7	530	5.9	15.0	<0.001	0.04	0.21	3.3	0.5	0.5	24.0	<0.01	0.02
I318829		1.36	11.6	560	4.8	12.1	<0.001	0.04	0.20	3.0	0.6	0.5	21.7	<0.01	0.02
I318830		0.38	2.5	130	1.3	2.7	<0.001	0.01	0.12	0.7	0.2	0.2	5.7	<0.01	0.01
I318831		2.04	18.9	660	5.6	29.9	<0.001	0.04	0.42	7.3	0.7	0.6	37.1	<0.01	0.12
I318832		1.95	12.9	270	11.2	18.5	<0.001	0.02	0.46	3.8	0.3	0.8	19.7	<0.01	0.04
I318833		2.13	12.9	390	10.1	26.4	<0.001	0.02	0.69	5.8	0.4	1.1	16.3	<0.01	0.03
I318834		2.06	15.7	720	10.4	29.5	<0.001	0.03	0.60	7.2	0.6	0.8	41.2	<0.01	0.02
I318835		0.14	4.4	130	1.4	2.1	<0.001	0.01	0.13	0.7	<0.2	<0.2	7.0	<0.01	<0.01
I318836		1.97	15.4	710	5.1	26.5	<0.001	0.06	0.53	6.0	0.9	0.6	68.9	<0.01	0.03
I318837		1.19	19.6	510	6.8	15.1	<0.001	0.06	0.24	3.2	0.8	0.5	23.7	<0.01	0.03
I318838		1.15	16.5	400	6.2	16.1	<0.001	0.04	0.22	3.0	0.6	0.6	20.6	<0.01	0.02
I318839		1.29	16.8	490	6.7	16.8	<0.001	0.06	0.23	3.0	0.8	0.6	22.7	<0.01	0.02
I318840		1.67	30.4	510	7.6	34.1	<0.001	0.04	0.19	4.4	0.6	0.8	29.0	<0.01	0.04
I318841		1.64	26.8	420	5.8	32.3	<0.001	0.03	0.19	4.3	0.6	0.7	30.2	<0.01	0.02
I318842		1.79	33.1	610	7.8	45.2	<0.001	0.04	0.27	5.1	0.8	0.8	33.4	<0.01	0.03
I318843		1.63	28.2	600	8.0	44.6	<0.001	0.05	0.31	4.5	0.9	0.8	34.3	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I318804		0.125	0.16	0.58	81	0.20	3.62	53
I318805		0.125	0.17	1.01	77	0.28	5.94	52
I318806		0.122	0.12	1.13	68	0.25	6.25	51
I318807		0.126	0.17	0.83	74	0.43	5.04	56
I318808		0.102	0.13	0.57	46	0.39	4.70	57
I318809		0.008	0.03	0.30	4	<0.05	2.20	4
I318810		0.183	0.19	0.86	101	0.32	6.42	73
I318811		0.156	0.22	1.30	84	0.91	9.33	121
I318812		0.161	0.31	2.36	82	0.63	17.20	93
I318813		0.185	0.26	1.68	99	1.33	14.35	99
I318814		0.210	0.36	1.84	106	1.78	16.05	84
I318815		0.167	0.25	1.44	90	2.04	10.90	70
I318816		0.171	0.22	1.45	85	0.74	13.40	75
I318817		0.188	0.22	1.13	89	3.31	6.34	59
I318818		0.163	0.20	1.82	74	0.42	8.86	62
I318819		0.207	0.31	1.35	86	0.31	8.24	64
I318820		0.198	0.28	1.44	88	0.28	11.85	62
I318821		0.220	0.22	0.90	91	0.35	7.03	60
I318822		0.230	0.25	0.88	90	0.36	7.58	61
I318823		0.228	0.21	1.13	91	0.17	9.29	63
I318824		0.082	0.07	0.43	36	0.11	2.49	28
I318825		0.110	0.09	0.63	53	0.20	3.44	42
I318826		0.100	0.10	0.96	45	0.23	3.82	42
I318827		0.118	0.11	1.03	52	0.30	3.75	50
I318828		0.120	0.12	0.89	51	0.32	3.85	47
I318829		0.113	0.11	0.99	48	0.20	3.32	43
I318830		0.039	0.02	0.14	20	0.05	0.48	14
I318831		0.169	0.27	1.36	93	1.00	9.09	58
I318832		0.130	0.15	0.43	87	0.18	3.55	40
I318833		0.138	0.22	0.59	82	0.23	5.92	62
I318834		0.143	0.22	1.28	74	0.28	11.35	63
I318835		0.011	0.03	0.30	6	<0.05	2.06	6
I318836		0.119	0.19	1.64	71	0.20	14.25	48
I318837		0.086	0.15	0.66	42	0.34	4.28	55
I318838		0.089	0.14	0.55	39	0.18	3.46	50
I318839		0.088	0.14	0.70	40	0.12	3.47	50
I318840		0.117	0.29	1.54	62	0.26	4.76	60
I318841		0.120	0.29	1.36	59	0.50	5.43	57
I318842		0.130	0.37	2.24	70	0.34	7.85	76
I318843		0.118	0.37	2.52	63	0.35	8.58	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I318844		0.58	<0.005	0.59	2.03	12.3	<0.2	<10	160	0.36	2.11	0.47	0.24	40.4	13.5	80
I318845		0.36	0.011	0.90	2.02	23.7	<0.2	<10	210	0.49	2.62	0.67	0.30	80.1	15.0	81
I318846		0.56	0.011	0.75	1.99	39.5	<0.2	<10	170	0.44	3.46	0.82	0.48	53.8	19.2	76
I318847		0.40	0.007	0.79	2.05	26.6	<0.2	<10	200	0.33	3.47	0.79	0.55	42.5	19.5	63
I318848		0.48	0.006	0.47	1.83	12.9	<0.2	<10	160	0.21	2.52	0.43	0.27	20.5	10.8	54
I318849		0.42	<0.005	0.01	0.11	1.5	<0.2	<10	30	0.09	0.03	0.08	0.04	10.05	2.1	24
I318850		0.54	0.005	0.31	1.94	10.0	<0.2	<10	160	0.27	3.34	0.34	0.30	20.0	12.5	55
I319251		0.52	0.005	0.34	2.68	6.0	<0.2	<10	330	0.39	0.19	1.02	0.44	18.85	17.0	59
I319252		0.54	0.006	0.45	2.15	4.8	<0.2	<10	270	0.41	0.16	1.07	0.57	19.70	13.5	38
I319253		0.48	0.006	0.45	2.44	3.8	<0.2	<10	260	0.32	0.12	0.83	0.30	16.45	13.7	43
I319254		0.44	<0.005	0.26	2.66	5.3	<0.2	<10	250	0.33	0.17	0.87	0.39	14.30	12.7	49
I319255		0.48	<0.005	0.25	2.59	4.6	<0.2	<10	320	0.45	0.12	1.38	0.59	19.70	13.5	53
I319256		0.58	0.005	0.13	2.72	4.0	<0.2	<10	240	0.29	0.11	0.75	0.48	11.95	17.0	41
I319257		0.52	<0.005	0.34	1.98	5.5	<0.2	<10	320	0.33	0.16	1.02	1.88	18.80	11.0	50
I319258		0.38	<0.005	0.37	2.05	6.9	<0.2	<10	340	0.35	0.17	1.17	1.84	22.3	12.2	48
I319259		0.50	<0.005	0.72	2.23	14.1	<0.2	<10	390	0.58	0.21	1.05	1.50	30.9	12.6	66
I319260		0.52	0.005	1.12	1.37	6.3	<0.2	<10	410	0.43	0.14	1.28	1.74	34.4	10.7	39
I319261		0.56	<0.005	0.73	2.91	7.3	<0.2	<10	540	0.53	0.21	0.99	0.75	23.5	15.8	89
I319262		0.40	0.006	0.38	1.94	8.2	<0.2	<10	250	0.27	0.30	1.48	0.75	21.2	18.1	52
I319263		0.46	<0.005	0.31	1.26	6.0	<0.2	<10	220	0.28	0.19	1.78	0.56	19.20	14.2	29
I319264		0.46	<0.005	0.21	2.05	7.2	<0.2	<10	220	0.38	0.15	1.45	0.16	25.5	15.4	46
I319265		0.64	0.009	0.22	2.59	6.5	<0.2	<10	250	0.41	0.22	1.18	0.34	28.1	20.3	62
I319266		0.62	0.007	0.25	2.45	7.7	<0.2	<10	210	0.40	0.30	0.89	0.24	27.8	20.0	49
I319267		0.80	0.007	0.19	2.54	6.8	<0.2	<10	200	0.42	0.24	0.65	0.27	27.2	15.6	50
I319268		0.74	<0.005	0.21	2.96	10.0	<0.2	<10	260	0.46	0.24	0.57	0.24	23.8	21.9	54
I319269		0.72	0.007	0.23	3.03	9.4	<0.2	<10	320	0.50	0.26	0.63	0.32	35.2	20.9	55
I319270		0.54	<0.005	0.31	0.72	2.8	<0.2	<10	90	0.17	0.11	0.14	0.22	11.80	3.3	13
I319271		0.66	<0.005	0.26	2.08	8.7	<0.2	<10	220	0.38	0.23	0.30	0.38	25.1	10.4	31
I319272		0.44	<0.005	0.19	1.22	6.9	<0.2	<10	80	0.21	0.21	0.10	0.37	10.70	5.4	23
I319273		0.52	<0.005	0.08	0.97	7.7	<0.2	<10	50	0.12	0.28	0.08	0.14	12.95	3.2	16
I319274		0.64	0.006	0.22	3.19	7.0	<0.2	<10	520	0.71	0.25	0.62	0.33	49.5	21.1	81
I319275		0.66	<0.005	0.11	2.13	10.7	<0.2	<10	100	0.35	0.62	0.15	0.41	20.8	12.0	51
I319276		0.46	<0.005	1.13	1.67	6.5	<0.2	<10	310	0.43	0.68	1.06	1.49	47.3	12.2	36
I319277		0.62	<0.005	0.14	1.67	6.8	<0.2	<10	130	0.43	0.81	0.42	0.93	36.0	8.8	29
I319278		0.58	<0.005	0.20	2.37	7.0	<0.2	<10	210	0.39	2.12	0.51	1.28	37.2	15.2	46
I319279		0.50	<0.005	0.08	1.71	4.4	<0.2	<10	120	0.15	0.49	0.19	0.36	9.45	15.3	43
I319280		0.50	<0.005	0.07	1.73	3.6	<0.2	<10	170	0.13	0.10	0.68	0.15	7.72	16.7	88
I319281		0.44	<0.005	0.08	0.32	1.5	<0.2	<10	20	0.06	0.13	0.04	0.05	5.04	1.8	8
I319282		0.58	<0.005	0.41	1.78	6.8	<0.2	<10	240	0.43	1.27	0.58	1.32	41.7	13.2	36
I319283		0.52	<0.005	0.38	2.30	7.7	<0.2	<10	190	0.43	1.09	0.45	0.92	35.5	10.5	45



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I318844		4.75	31.8	2.80	8.07	0.10	0.03	0.07	0.026	0.20	26.9	11.1	0.84	422	1.61
I318845		5.85	45.5	2.85	7.57	0.13	0.04	0.12	0.029	0.15	48.2	10.9	0.77	765	1.67
I318846		7.11	43.6	3.05	7.65	0.11	0.04	0.09	0.030	0.18	28.7	12.5	0.85	1140	2.04
I318847		8.33	50.3	2.82	7.60	0.11	0.03	0.10	0.030	0.11	23.2	12.9	0.90	884	1.23
I318848		7.12	39.7	2.45	7.10	0.08	0.02	0.08	0.022	0.09	11.1	10.7	0.87	322	0.74
I318849		0.09	3.8	0.56	0.58	<0.05	0.08	0.01	<0.005	0.04	4.9	1.1	0.03	143	0.61
I318850		7.32	49.6	2.80	7.08	0.07	0.04	0.08	0.024	0.09	10.6	12.2	0.87	314	0.83
I319251		0.99	65.1	3.28	8.19	0.09	0.04	0.05	0.020	0.23	9.6	9.6	1.38	495	1.51
I319252		0.77	57.2	2.97	6.84	0.08	0.05	0.07	0.023	0.16	10.3	8.7	0.86	403	1.88
I319253		0.86	55.8	2.96	7.42	0.07	0.03	0.06	0.019	0.15	8.6	9.1	1.11	394	1.77
I319254		0.98	40.1	3.16	8.10	0.06	0.05	0.04	0.023	0.12	7.5	12.5	1.05	390	1.81
I319255		0.98	68.3	2.68	6.90	0.08	0.06	0.07	0.020	0.16	10.9	12.0	1.05	376	1.27
I319256		1.12	45.6	2.92	6.43	0.07	0.06	0.02	0.016	0.20	6.0	13.1	1.33	425	1.55
I319257		1.29	35.3	2.54	6.65	0.07	0.05	0.06	0.023	0.13	9.8	10.6	0.79	400	2.48
I319258		1.30	37.6	2.50	7.01	0.08	0.05	0.07	0.023	0.13	11.5	13.6	0.81	436	2.50
I319259		2.13	55.1	3.17	7.48	0.10	0.08	0.08	0.030	0.22	16.0	17.4	1.02	401	4.22
I319260		1.17	58.5	2.06	5.07	0.09	0.06	0.10	0.022	0.08	17.4	8.8	0.57	853	4.78
I319261		2.95	46.9	3.44	10.15	0.11	0.07	0.05	0.036	0.37	12.7	23.5	1.64	728	3.73
I319262		0.81	44.4	2.81	5.84	0.07	0.05	0.07	0.024	0.09	9.2	9.8	1.00	1220	2.09
I319263		0.48	39.3	1.90	4.14	0.05	0.04	0.05	0.015	0.06	7.9	6.6	0.54	1760	1.28
I319264		0.70	41.9	2.85	6.04	0.07	0.06	0.05	0.021	0.07	12.0	10.6	0.89	553	1.18
I319265		0.86	44.8	3.36	7.30	0.08	0.09	0.04	0.025	0.13	13.6	13.8	1.37	724	1.57
I319266		1.07	42.6	3.66	7.44	0.09	0.06	0.04	0.025	0.09	12.9	14.2	1.24	694	1.81
I319267		1.00	39.0	3.36	7.62	0.09	0.06	0.04	0.041	0.10	13.4	14.9	1.32	427	0.90
I319268		0.99	48.0	4.25	8.80	0.09	0.05	0.02	0.026	0.11	12.3	17.1	1.65	724	2.13
I319269		1.18	65.1	4.58	9.15	0.12	0.11	0.03	0.028	0.22	17.7	16.6	1.71	507	2.59
I319270		0.56	11.9	1.18	3.60	<0.05	<0.02	0.03	0.010	0.03	8.6	3.6	0.16	123	0.94
I319271		0.94	25.5	3.09	7.65	0.07	0.04	0.02	0.030	0.05	15.9	14.4	0.60	388	1.57
I319272		0.77	13.3	2.62	7.26	<0.05	0.05	0.02	0.018	0.04	5.2	8.2	0.26	158	1.43
I319273		0.73	10.8	1.97	8.44	<0.05	0.03	0.02	0.012	0.03	6.7	4.1	0.14	105	1.64
I319274		3.32	45.6	4.60	11.25	0.11	0.05	0.02	0.041	0.55	21.9	17.5	1.54	609	1.35
I319275		1.32	29.2	4.99	10.90	0.08	0.07	0.02	0.039	0.13	8.4	15.2	0.76	385	2.19
I319276		1.33	31.2	2.71	6.37	0.16	0.04	0.09	0.037	0.10	61.4	9.4	0.53	826	1.86
I319277		0.86	21.7	2.77	6.22	0.06	0.04	0.02	0.029	0.09	15.4	11.1	0.53	337	1.34
I319278		1.13	35.7	3.85	8.44	0.07	0.05	0.05	0.046	0.13	13.7	14.6	0.93	496	1.77
I319279		0.89	29.2	2.54	5.73	0.05	0.02	0.02	0.016	0.07	4.6	9.8	0.83	297	0.78
I319280		0.74	46.9	2.53	4.87	0.05	0.02	0.02	0.012	0.07	3.9	11.7	1.11	313	0.58
I319281		0.34	6.6	0.76	3.00	<0.05	<0.02	0.02	0.005	0.02	2.7	1.1	0.05	40	0.61
I319282		0.90	27.1	2.74	5.72	0.08	0.04	0.17	0.044	0.08	22.3	10.5	0.66	706	1.35
I319283		0.99	29.9	2.86	7.02	0.08	0.04	0.16	0.037	0.08	19.4	14.1	0.82	222	0.91



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I318844		1.65	29.7	700	11.0	46.1	<0.001	0.05	0.43	4.7	0.9	1.0	34.5	<0.01	0.04
I318845		1.49	33.3	780	14.7	39.8	<0.001	0.08	1.02	5.1	1.3	1.0	45.2	<0.01	0.05
I318846		1.51	33.7	690	17.4	48.4	<0.001	0.05	0.93	5.4	0.9	1.1	45.7	<0.01	0.04
I318847		1.27	30.6	610	13.6	42.0	<0.001	0.06	1.09	5.9	0.9	1.1	50.2	<0.01	0.04
I318848		1.07	22.8	600	10.6	30.9	<0.001	0.05	0.66	4.5	0.7	0.9	32.4	<0.01	0.02
I318849		0.15	4.1	120	1.5	2.1	<0.001	<0.01	0.12	0.7	<0.2	<0.2	9.9	<0.01	0.02
I318850		1.25	22.9	720	11.3	31.9	<0.001	0.05	0.66	4.4	0.7	0.9	29.8	<0.01	0.02
I319251		1.29	31.0	700	6.5	28.7	0.001	0.08	0.34	5.3	1.1	0.4	42.4	<0.01	0.05
I319252		1.29	25.0	760	7.1	20.0	0.001	0.10	0.29	4.3	1.2	0.4	44.3	<0.01	0.05
I319253		1.34	26.2	660	4.9	19.7	0.001	0.07	0.29	4.8	1.1	0.4	38.0	<0.01	0.04
I319254		1.54	32.1	610	6.5	23.3	<0.001	0.07	0.29	5.1	0.9	0.5	40.4	<0.01	0.05
I319255		1.43	37.9	680	5.1	26.4	0.001	0.11	0.37	4.9	1.5	0.4	47.8	<0.01	0.04
I319256		1.04	31.0	390	4.8	27.4	<0.001	0.03	0.27	4.7	0.7	0.3	33.2	<0.01	0.04
I319257		1.33	34.4	780	6.7	25.4	0.001	0.08	0.34	4.2	1.2	0.5	48.0	<0.01	0.05
I319258		1.16	39.1	840	7.0	24.5	<0.001	0.10	0.39	4.4	1.3	0.5	48.4	<0.01	0.04
I319259		1.12	48.5	1160	9.5	28.3	0.002	0.12	0.53	4.8	2.6	0.6	44.3	<0.01	0.06
I319260		0.73	39.1	1350	6.1	12.9	0.002	0.15	0.52	2.6	2.8	0.4	51.8	<0.01	0.04
I319261		1.22	51.6	1200	12.4	31.9	<0.001	0.07	0.35	8.1	1.6	0.8	43.6	<0.01	0.06
I319262		0.77	32.7	1070	10.4	14.3	<0.001	0.13	0.47	4.5	1.2	0.4	47.5	<0.01	0.09
I319263		0.62	20.9	1160	8.0	8.2	0.001	0.17	0.27	2.2	1.3	0.2	45.1	<0.01	0.05
I319264		0.98	29.7	1150	7.0	11.0	<0.001	0.16	0.34	4.1	1.2	0.3	43.4	<0.01	0.03
I319265		1.12	43.7	770	11.6	19.0	<0.001	0.09	0.37	6.4	1.1	0.4	43.6	<0.01	0.04
I319266		1.10	35.7	730	16.8	13.8	<0.001	0.08	0.32	5.7	1.1	0.4	34.5	<0.01	0.03
I319267		1.28	34.2	590	12.1	15.4	<0.001	0.06	0.30	6.3	0.9	0.5	28.2	<0.01	0.03
I319268		1.19	43.3	700	12.5	15.1	<0.001	0.04	0.25	6.3	0.8	0.4	26.6	<0.01	0.03
I319269		1.42	45.7	890	10.0	26.9	0.001	0.04	0.34	8.8	1.4	0.5	31.2	<0.01	0.05
I319270		0.50	7.8	320	4.1	4.5	<0.001	0.04	0.19	1.4	0.4	0.3	11.9	<0.01	0.01
I319271		1.39	23.1	450	8.7	8.8	<0.001	0.03	0.34	4.3	0.6	0.5	20.8	<0.01	0.03
I319272		1.69	12.9	210	8.0	7.6	<0.001	0.02	0.42	2.5	0.3	0.6	10.5	<0.01	0.02
I319273		1.24	8.0	220	9.9	5.8	<0.001	0.03	0.46	1.8	0.3	0.8	9.9	<0.01	0.02
I319274		1.71	55.7	1110	14.9	53.3	<0.001	0.02	0.23	10.7	1.0	1.1	23.6	<0.01	0.04
I319275		2.82	32.2	400	16.6	19.2	<0.001	0.02	0.39	5.2	0.5	0.8	12.6	<0.01	0.05
I319276		1.28	25.8	950	14.1	17.7	<0.001	0.11	0.27	3.8	1.6	0.5	37.1	0.01	0.04
I319277		1.53	23.8	620	22.7	12.4	<0.001	0.02	0.27	3.5	0.6	0.6	17.9	<0.01	0.04
I319278		1.89	40.0	640	17.7	17.7	<0.001	0.03	0.28	5.7	0.7	0.7	21.0	<0.01	0.04
I319279		0.87	25.8	410	6.0	8.9	<0.001	0.03	0.21	3.7	0.4	0.3	10.7	<0.01	0.03
I319280		0.75	39.4	350	3.3	10.0	<0.001	0.05	0.21	3.9	0.3	0.3	18.8	<0.01	0.01
I319281		0.37	3.6	140	3.9	2.5	<0.001	0.02	0.19	0.9	0.2	0.3	5.5	<0.01	0.01
I319282		1.09	29.5	900	27.4	11.0	<0.001	0.05	0.28	4.4	1.0	0.6	23.9	<0.01	0.03
I319283		1.44	30.8	830	16.7	11.4	<0.001	0.03	0.31	5.8	1.4	0.6	22.8	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I318844		0.118	0.42	3.04	65	0.35	7.62	72	1.1
I318845		0.096	0.44	5.36	59	0.32	17.35	71	1.2
I318846		0.106	0.53	4.03	69	1.19	11.30	86	1.2
I318847		0.105	0.50	3.24	67	0.41	11.70	90	1.0
I318848		0.111	0.32	1.57	63	0.41	5.50	74	0.7
I318849		0.006	0.03	0.34	4	<0.05	2.09	4	2.7
I318850		0.105	0.32	2.07	77	0.35	6.20	70	1.2
I319251		0.113	0.16	0.86	87	0.19	10.25	88	1.7
I319252		0.083	0.12	1.36	71	0.15	10.05	70	2.0
I319253		0.102	0.12	0.95	75	0.14	7.41	77	1.5
I319254		0.100	0.13	0.75	81	0.15	7.25	84	2.0
I319255		0.082	0.14	1.01	68	0.12	14.35	75	2.7
I319256		0.091	0.16	0.53	70	0.12	5.68	88	1.9
I319257		0.073	0.17	0.95	69	0.15	9.75	109	2.3
I319258		0.071	0.17	1.14	68	0.22	11.05	111	0.8
I319259		0.066	0.26	2.05	99	0.12	15.55	133	2.2
I319260		0.041	0.15	1.89	63	0.15	20.5	79	1.2
I319261		0.088	0.30	0.86	128	0.13	9.89	148	1.9
I319262		0.057	0.12	1.03	65	0.09	8.68	93	0.5
I319263		0.043	0.10	0.82	43	0.07	7.26	50	<0.5
I319264		0.070	0.10	0.87	68	0.10	9.74	51	0.9
I319265		0.094	0.14	0.89	75	0.12	10.10	84	2.2
I319266		0.095	0.12	1.00	71	0.10	9.19	86	1.3
I319267		0.114	0.12	1.00	72	0.26	8.75	97	1.4
I319268		0.120	0.12	0.90	93	0.11	7.26	116	1.0
I319269		0.145	0.17	1.31	101	0.13	14.45	122	4.0
I319270		0.046	0.04	0.53	29	0.08	4.27	20	<0.5
I319271		0.095	0.09	0.77	70	0.13	9.42	52	<0.5
I319272		0.105	0.07	0.35	73	0.11	2.08	34	1.0
I319273		0.092	0.11	0.36	73	0.10	1.60	26	<0.5
I319274		0.185	0.33	1.05	132	0.11	13.10	97	0.6
I319275		0.165	0.14	0.68	116	0.17	5.39	84	1.5
I319276		0.064	0.14	1.84	58	0.15	29.3	89	<0.5
I319277		0.087	0.14	1.40	64	0.12	7.04	109	0.6
I319278		0.113	0.15	1.17	90	0.15	8.50	138	0.8
I319279		0.104	0.07	0.28	70	0.10	2.56	49	<0.5
I319280		0.090	0.06	0.25	64	0.09	2.17	52	<0.5
I319281		0.045	0.05	0.19	26	0.05	0.76	15	<0.5
I319282		0.065	0.17	2.53	56	0.13	10.10	131	<0.5
I319283		0.104	0.18	2.50	70	0.13	8.56	125	0.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319284		0.64	<0.005	0.40	2.36	9.3	<0.2	<10	190	0.44	1.12	0.44	0.93	41.6	11.2	45
I319285		0.66	0.005	0.21	1.90	11.1	<0.2	<10	140	0.24	0.84	0.36	0.57	21.2	11.8	39
I319286		0.58	<0.005	0.06	1.98	7.4	<0.2	<10	150	0.22	0.15	0.43	0.10	17.05	10.0	26
I319287		0.44	0.005	0.12	1.46	12.3	<0.2	<10	240	0.25	0.13	0.78	0.18	23.1	9.3	23
I319288		0.50	<0.005	0.10	1.73	10.5	<0.2	<10	210	0.22	0.14	0.48	0.13	26.0	12.1	25
I319289		0.50	<0.005	0.12	1.41	20.4	<0.2	<10	340	0.29	0.14	0.69	0.15	25.8	8.1	20
I319290		0.54	<0.005	0.10	1.80	17.2	<0.2	<10	270	0.32	0.19	0.51	0.15	25.8	11.1	25
I319291		0.50	<0.005	0.11	1.82	13.5	<0.2	<10	340	0.33	0.20	0.71	0.15	28.3	12.2	25
I319292		0.52	<0.005	0.12	1.56	104.5	<0.2	<10	300	0.32	0.20	0.50	0.22	25.3	9.5	22
I319293		0.68	<0.005	0.10	1.84	18.1	<0.2	<10	300	0.28	0.44	0.60	0.09	15.15	9.5	23
I319294		0.60	<0.005	0.07	1.08	61.6	<0.2	<10	170	0.14	0.16	0.32	0.14	11.80	8.9	19
I319295		0.46	<0.005	0.12	1.64	175.0	<0.2	<10	130	0.27	0.18	0.23	0.06	20.7	8.6	23
I319296		0.38	<0.005	0.14	1.41	137.0	<0.2	<10	50	0.15	0.17	0.10	0.10	9.78	6.6	18
I319297		0.56	<0.005	0.56	0.84	94.3	<0.2	<10	110	0.13	0.13	0.23	0.16	10.65	4.2	14
I319298		0.48	0.005	0.58	0.93	92.4	<0.2	<10	120	0.17	0.12	0.23	0.18	11.40	4.5	14
I319299		0.62	<0.005	0.09	2.49	28.5	<0.2	<10	230	0.36	0.15	0.42	0.10	24.3	13.0	29
I319300		0.64	<0.005	0.10	2.09	15.2	<0.2	<10	260	0.30	0.13	0.71	0.14	23.6	14.0	28
I319301		0.36	<0.005	0.06	1.88	7.1	<0.2	<10	290	0.27	0.12	0.91	0.16	29.1	11.4	23
I319302		0.40	<0.005	0.14	1.55	3.8	<0.2	<10	270	0.39	0.12	0.61	0.28	33.5	7.6	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319284		1.02	35.6	2.98	7.13	0.09	0.06	0.16	0.042	0.09	23.4	14.1	0.82	214	1.02
I319285		0.99	20.2	2.87	6.40	0.06	0.05	0.09	0.031	0.07	10.8	11.4	0.66	287	0.91
I319286		1.33	12.9	3.05	7.50	0.06	0.07	0.02	0.025	0.07	9.2	13.8	0.62	321	0.79
I319287		1.07	17.1	2.29	5.26	0.05	0.04	0.08	0.023	0.05	12.1	9.6	0.50	395	0.83
I319288		1.87	13.7	2.75	6.64	0.06	0.06	0.05	0.024	0.07	13.2	13.2	0.57	573	0.65
I319289		3.29	13.4	2.17	5.05	0.07	0.04	0.17	0.022	0.08	14.1	9.5	0.43	481	0.62
I319290		3.33	16.0	2.93	6.73	0.07	0.06	0.10	0.033	0.11	13.6	12.2	0.56	677	0.75
I319291		3.58	16.0	2.82	6.18	0.07	0.06	0.12	0.031	0.12	14.5	11.7	0.56	607	0.70
I319292		4.04	14.1	2.27	5.63	0.06	0.04	0.33	0.029	0.11	13.3	10.0	0.49	470	0.49
I319293		4.54	9.8	2.73	6.37	0.06	0.04	0.10	0.031	0.16	7.9	14.1	0.66	330	0.61
I319294		1.61	9.7	2.12	4.98	<0.05	0.02	0.05	0.017	0.06	5.9	6.3	0.36	625	0.76
I319295		1.22	11.6	3.87	6.01	0.06	0.05	0.10	0.029	0.05	10.7	9.4	0.41	510	1.08
I319296		2.07	9.8	3.09	7.09	<0.05	0.03	0.05	0.022	0.07	5.2	6.7	0.36	224	0.92
I319297		2.44	8.8	1.47	3.77	<0.05	0.02	0.12	0.014	0.05	5.7	4.5	0.26	193	0.49
I319298		2.63	8.5	1.58	4.26	<0.05	0.02	0.15	0.018	0.06	6.1	5.0	0.28	186	0.51
I319299		2.13	13.6	3.91	8.73	0.07	0.08	0.07	0.036	0.12	12.3	19.2	0.87	405	0.43
I319300		2.26	15.6	3.43	7.36	0.09	0.09	0.06	0.030	0.23	11.6	15.3	0.80	737	0.54
I319301		2.10	16.2	2.94	6.45	0.08	0.07	0.05	0.027	0.28	16.7	13.9	0.69	585	0.65
I319302		1.01	25.7	2.25	5.51	0.06	0.05	0.06	0.023	0.05	18.3	8.8	0.44	204	0.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319284		1.49	32.5	880	17.8	11.7	<0.001	0.03	0.33	6.3	1.4	0.6	22.2	<0.01	0.04	4.9
I319285		1.88	28.1	620	13.2	11.4	<0.001	0.02	0.32	4.8	0.6	0.5	19.9	<0.01	0.03	3.2
I319286		2.71	17.3	350	6.2	11.6	<0.001	0.02	0.23	5.3	0.3	0.8	27.0	<0.01	0.01	3.0
I319287		1.62	14.3	740	4.8	6.7	<0.001	0.07	0.35	4.5	0.6	0.5	49.3	<0.01	0.02	1.1
I319288		2.32	15.4	590	5.8	16.1	<0.001	0.03	0.26	5.2	0.4	0.8	30.8	<0.01	0.01	2.3
I319289		1.82	12.7	730	6.5	18.9	<0.001	0.07	0.37	5.8	0.7	0.7	43.6	<0.01	0.01	1.4
I319290		2.46	15.1	720	6.8	23.7	<0.001	0.03	0.38	7.4	0.4	0.9	32.6	<0.01	0.02	2.9
I319291		2.16	16.3	750	8.3	21.0	<0.001	0.05	0.46	7.6	0.6	0.7	42.1	<0.01	0.02	2.8
I319292		1.76	12.9	780	11.4	21.2	<0.001	0.05	0.57	6.4	0.5	0.6	31.6	<0.01	0.01	1.8
I319293		2.07	13.1	630	9.9	26.2	<0.001	0.03	0.65	6.6	0.3	0.7	32.7	<0.01	0.01	3.2
I319294		1.32	10.0	520	11.7	13.6	<0.001	0.02	0.38	3.3	0.2	0.5	20.6	<0.01	0.02	0.9
I319295		2.12	10.8	470	8.7	7.7	<0.001	0.03	0.62	5.3	0.5	0.5	19.0	<0.01	0.02	3.3
I319296		2.33	9.7	480	15.1	9.5	<0.001	0.03	1.21	3.2	0.4	0.6	10.4	<0.01	0.03	0.8
I319297		0.96	7.3	460	18.7	9.7	<0.001	0.03	0.61	3.0	0.2	0.4	15.5	<0.01	0.01	0.6
I319298		1.05	7.1	430	22.2	10.9	<0.001	0.03	0.67	3.3	0.2	0.4	16.2	<0.01	0.01	0.7
I319299		3.14	15.6	590	8.3	19.8	<0.001	0.03	0.41	7.7	0.5	0.9	25.4	<0.01	0.01	3.8
I319300		2.61	15.7	880	6.3	33.4	<0.001	0.03	0.38	7.8	0.5	0.7	36.5	<0.01	0.01	3.4
I319301		2.46	15.4	860	5.1	28.5	<0.001	0.05	0.42	7.2	0.7	0.7	43.0	<0.01	0.01	1.7
I319302		1.96	16.8	410	4.9	11.1	<0.001	0.04	0.30	5.5	0.6	0.6	39.2	<0.01	0.02	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130303

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319284		0.105	0.18	3.13	72	0.13	9.78	127	1.1
I319285		0.110	0.13	0.97	67	0.15	5.60	107	1.9
I319286		0.181	0.14	1.02	85	0.12	4.18	62	3.0
I319287		0.094	0.14	2.56	56	0.06	6.15	47	1.9
I319288		0.147	0.19	1.77	74	0.08	6.51	56	2.0
I319289		0.086	0.26	3.40	51	0.06	10.20	48	1.7
I319290		0.144	0.24	3.50	75	0.17	8.64	56	2.4
I319291		0.123	0.24	4.93	68	0.16	9.68	58	2.6
I319292		0.111	0.27	2.13	50	0.12	8.13	60	1.8
I319293		0.136	0.30	1.01	71	0.41	5.01	67	1.8
I319294		0.098	0.15	1.05	67	0.11	3.29	44	1.0
I319295		0.111	0.18	2.77	87	0.10	5.16	50	2.3
I319296		0.122	0.13	0.48	76	0.16	2.17	49	1.3
I319297		0.076	0.16	0.94	41	0.11	3.02	39	0.5
I319298		0.079	0.18	0.99	41	0.10	3.12	44	0.7
I319299		0.196	0.24	1.62	99	0.21	7.04	73	3.0
I319300		0.181	0.22	1.42	91	0.12	8.55	71	3.8
I319301		0.158	0.18	2.19	75	0.18	12.90	61	2.6
I319302		0.118	0.10	2.33	53	0.09	11.05	39	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130303

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

CERTIFICATE WH10130304

Project: SQI10-06

P.O. No.: SQI-10_27

This report is for 179 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319303		0.56	0.009	0.07	1.61	24.0	<0.2	<10	150	0.23	0.11	0.52	0.11	20.3	10.0	27
I319304		0.44	<0.005	0.15	1.90	8.8	<0.2	<10	280	0.39	0.16	0.59	0.13	33.8	8.9	24
I319305		0.50	<0.005	0.19	1.88	7.4	<0.2	<10	220	0.26	0.14	0.54	0.10	28.8	9.4	26
I319306		0.52	<0.005	0.27	1.62	6.7	<0.2	<10	350	0.39	0.14	0.71	0.43	48.8	17.2	22
I319307		0.42	<0.005	0.15	2.13	9.6	<0.2	<10	270	0.32	0.14	0.58	0.16	37.0	24.5	28
I319308		0.48	<0.005	0.16	1.98	10.6	<0.2	<10	260	0.29	0.13	0.52	0.14	24.0	9.4	25
I319309		0.50	<0.005	0.15	1.92	11.9	<0.2	<10	290	0.28	0.14	0.65	0.15	28.3	15.3	25
I319310		0.50	<0.005	0.19	2.24	11.0	<0.2	<10	310	0.42	0.15	0.43	0.15	41.3	15.8	28
I319311		0.54	<0.005	0.17	2.26	11.8	<0.2	<10	320	0.41	0.15	0.45	0.17	41.1	15.8	28
I319312		0.46	<0.005	0.15	2.07	8.8	<0.2	<10	270	0.30	0.15	0.55	0.19	24.5	11.0	29
I319313		0.52	<0.005	0.16	2.29	9.3	<0.2	<10	380	0.33	0.16	0.83	0.26	40.2	14.9	28
I319314		0.50	<0.005	0.25	2.14	58.1	<0.2	<10	310	0.32	0.24	0.65	0.13	28.6	10.1	30
I319315		0.42	<0.005	0.22	1.71	14.4	<0.2	<10	340	0.41	0.26	0.91	0.37	51.0	14.1	25
I319316		0.48	<0.005	0.16	2.11	9.2	<0.2	<10	210	0.33	0.20	0.37	0.22	22.3	10.7	27
I319317		0.60	<0.005	0.07	2.09	12.4	<0.2	<10	150	0.20	0.22	0.30	0.10	16.90	9.5	30
I319318		0.50	<0.005	0.17	1.77	14.7	<0.2	<10	180	0.28	0.22	0.36	0.10	16.55	7.8	22
I319319		0.52	<0.005	0.08	1.63	14.6	<0.2	<10	120	0.16	0.31	0.31	0.07	15.40	7.7	21
I319320		0.60	<0.005	0.07	2.29	70.0	<0.2	<10	190	0.33	0.24	0.34	0.10	19.55	10.4	27
I319321		0.56	<0.005	0.17	1.13	4.8	<0.2	<10	140	0.18	0.15	0.20	0.12	16.20	4.9	16
I319322		0.68	<0.005	0.17	3.05	7.3	<0.2	<10	340	0.63	0.24	0.65	0.53	51.3	19.8	159
I319323		0.50	<0.005	0.29	2.95	7.6	<0.2	<10	270	0.87	0.27	0.89	0.44	45.2	19.3	147
I319324		0.52	<0.005	0.30	3.35	16.1	<0.2	<10	340	0.70	0.27	0.89	0.34	58.4	25.0	175
I319325		0.58	0.006	0.28	2.95	13.8	<0.2	<10	280	0.46	0.26	0.75	0.27	39.1	18.3	148
I319326		0.52	<0.005	0.58	3.62	15.4	<0.2	<10	370	0.79	0.31	1.05	0.85	54.1	29.3	183
I319327		0.46	0.005	0.28	3.43	16.3	<0.2	<10	350	0.54	0.40	1.00	0.44	34.7	22.3	105
I319328		0.70	<0.005	0.26	2.97	13.1	<0.2	<10	250	0.72	0.39	0.68	0.22	67.4	18.7	72
I319329		0.56	<0.005	0.14	2.04	7.0	<0.2	<10	100	0.27	0.26	0.31	0.15	17.45	10.0	41
I319330		0.64	<0.005	0.22	2.04	5.4	<0.2	<10	140	0.31	0.16	0.33	0.23	13.85	11.3	43
I319331		0.52	<0.005	0.38	1.69	3.8	<0.2	<10	170	0.29	0.17	0.31	0.61	14.15	15.0	43
I319332		0.70	<0.005	0.24	2.89	5.7	<0.2	<10	220	0.35	0.18	0.49	0.65	11.85	17.5	42
I319333		0.60	<0.005	0.15	2.69	6.1	<0.2	<10	270	0.28	0.19	0.45	0.23	11.90	17.1	31
I319334		0.16	<0.005	0.02	0.13	2.1	<0.2	<10	30	0.09	0.02	0.41	0.04	11.30	2.1	20
I319335		0.80	<0.005	0.14	2.41	5.1	<0.2	<10	200	0.25	0.12	0.47	0.10	12.50	14.0	35
I319336		0.60	<0.005	0.08	2.16	7.6	<0.2	<10	160	0.21	0.15	0.35	0.13	10.10	12.4	29
I319337		0.66	<0.005	0.05	2.58	6.1	<0.2	<10	180	0.18	0.11	0.40	0.13	11.10	18.6	35
I319338		0.68	0.015	0.12	2.61	4.8	<0.2	<10	160	0.35	0.16	0.53	0.11	21.3	18.2	43
I319339		0.68	0.005	0.12	3.09	21.3	<0.2	<10	200	0.37	0.16	0.58	0.13	21.6	23.5	64
I319340		0.66	<0.005	0.22	2.32	13.5	<0.2	<10	220	0.33	0.16	1.10	0.39	20.4	16.4	44
I319341		0.58	<0.005	0.11	1.92	6.9	<0.2	<10	180	0.25	0.11	1.52	0.35	15.35	14.6	42
I319342		0.68	0.010	0.36	2.40	7.4	<0.2	<10	190	0.30	0.18	0.64	0.25	19.20	18.6	61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319303		0.96	15.4	2.39	5.72	0.07	0.05	0.22	0.021	0.06	10.1	11.5	0.56	346	0.64
I319304		1.15	18.2	2.70	7.02	0.09	0.06	0.04	0.025	0.13	20.2	12.4	0.59	339	0.81
I319305		1.15	15.7	2.81	6.86	0.09	0.06	0.04	0.025	0.11	16.8	12.6	0.60	457	0.92
I319306		1.75	35.5	3.00	6.94	0.10	0.05	0.05	0.027	0.19	28.7	8.9	0.62	1380	1.22
I319307		1.41	19.8	3.21	7.50	0.10	0.07	0.04	0.028	0.13	16.3	14.6	0.70	1730	0.98
I319308		1.41	17.7	2.93	7.17	0.08	0.06	0.03	0.024	0.10	12.5	13.2	0.67	351	0.92
I319309		1.43	16.7	2.84	7.22	0.09	0.06	0.06	0.024	0.09	14.2	15.5	0.60	860	1.11
I319310		1.74	20.3	3.34	7.78	0.11	0.07	0.07	0.032	0.19	19.9	17.4	0.66	944	1.26
I319311		1.78	20.5	3.38	8.03	0.12	0.08	0.06	0.034	0.20	19.9	17.8	0.68	1080	1.09
I319312		1.25	20.5	2.82	7.33	0.10	0.07	0.05	0.027	0.09	12.2	14.2	0.66	425	0.61
I319313		1.57	20.3	3.14	7.87	0.12	0.08	0.06	0.033	0.13	17.9	17.6	0.68	1100	1.07
I319314		1.84	20.8	2.73	7.28	0.09	0.06	0.18	0.028	0.08	14.4	14.2	0.65	476	0.65
I319315		1.61	25.7	2.31	5.73	0.12	0.06	0.12	0.025	0.09	25.8	9.9	0.47	779	1.06
I319316		1.46	19.7	3.06	8.51	0.08	0.06	0.03	0.025	0.11	12.1	14.9	0.61	438	1.00
I319317		1.39	15.4	3.08	7.41	0.08	0.09	0.04	0.025	0.08	7.9	11.9	0.63	322	0.86
I319318		1.51	15.1	2.72	7.28	0.06	0.05	0.03	0.022	0.07	9.6	12.2	0.48	300	1.23
I319319		1.72	11.4	2.76	9.13	0.07	0.06	0.03	0.018	0.15	7.7	8.7	0.63	300	1.05
I319320		2.99	15.2	3.53	8.57	0.09	0.06	0.05	0.027	0.10	9.7	16.4	0.70	379	1.16
I319321		1.24	14.0	1.49	5.29	0.06	0.03	0.03	0.016	0.04	9.0	5.8	0.29	169	0.57
I319322		2.21	45.1	3.87	12.55	0.16	0.13	0.02	0.028	0.52	33.2	15.8	1.70	626	1.21
I319323		3.23	52.9	3.71	11.00	0.15	0.11	0.05	0.030	0.41	31.6	10.9	1.52	621	1.21
I319324		4.17	65.3	4.50	12.25	0.19	0.12	0.06	0.029	0.65	35.2	19.0	1.93	798	1.75
I319325		3.75	60.7	4.08	11.80	0.15	0.10	0.06	0.029	0.46	23.6	12.7	1.69	514	2.01
I319326		4.83	112.5	4.82	12.95	0.19	0.14	0.07	0.038	0.68	37.1	16.2	2.11	1040	1.57
I319327		2.75	82.4	4.40	11.20	0.14	0.11	0.09	0.041	0.36	19.5	15.7	1.40	881	1.99
I319328		2.68	73.4	3.89	10.20	0.18	0.15	0.06	0.035	0.32	36.5	14.9	1.19	742	1.49
I319329		1.66	40.6	2.85	7.27	0.08	0.08	0.03	0.023	0.17	8.4	10.3	0.84	303	1.04
I319330		1.13	40.0	2.95	7.79	0.07	0.03	0.03	0.026	0.09	7.1	8.6	0.81	459	1.35
I319331		0.81	61.5	2.86	8.04	0.08	0.04	0.04	0.027	0.07	6.4	8.1	0.76	1270	1.36
I319332		0.74	68.6	3.88	9.98	0.09	0.03	0.03	0.037	0.10	5.6	12.1	1.18	559	1.60
I319333		1.04	37.4	3.62	10.35	0.07	0.04	0.04	0.032	0.11	5.6	12.7	0.86	754	1.38
I319334		0.09	2.5	0.57	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.7	1.2	0.04	139	0.42
I319335		0.80	33.9	3.55	9.12	0.08	0.05	0.03	0.032	0.08	5.9	13.8	1.07	438	0.94
I319336		0.94	29.0	3.64	8.81	0.07	0.03	0.02	0.027	0.07	4.8	10.2	0.85	432	1.26
I319337		1.41	28.9	4.30	10.20	0.08	0.03	0.01	0.028	0.19	5.1	14.1	1.35	514	1.01
I319338		1.07	37.8	3.55	8.24	0.08	0.05	0.04	0.025	0.14	9.7	14.6	1.04	850	1.10
I319339		1.29	44.7	4.05	10.30	0.10	0.06	0.02	0.026	0.33	10.0	14.8	1.41	631	1.28
I319340		0.91	40.5	2.93	7.20	0.08	0.04	0.05	0.019	0.17	10.0	10.6	0.92	398	1.38
I319341		0.84	29.2	2.44	5.90	0.07	0.05	0.06	0.016	0.12	7.3	9.7	0.91	500	1.02
I319342		0.95	51.2	3.62	8.19	0.09	0.05	0.06	0.023	0.21	8.6	12.0	1.19	469	0.94



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319303		1.69	17.3	600	5.7	10.9	<0.001	0.03	0.29	4.4	0.5	0.5	34.3	<0.01	0.02
I319304		1.91	15.6	580	6.8	15.0	<0.001	0.03	0.26	5.7	0.6	0.6	36.8	<0.01	0.02
I319305		2.19	15.3	480	5.9	18.1	<0.001	0.03	0.25	5.1	0.5	0.6	32.9	<0.01	0.02
I319306		2.30	18.4	660	5.6	28.5	<0.001	0.03	0.33	5.8	0.6	0.6	44.0	0.01	0.02
I319307		2.36	17.0	740	7.1	22.3	<0.001	0.04	0.32	5.7	0.7	0.7	34.5	<0.01	0.02
I319308		2.55	15.9	540	6.4	20.6	<0.001	0.04	0.25	5.0	0.6	0.7	32.9	<0.01	0.02
I319309		2.44	15.3	530	7.7	17.3	<0.001	0.03	0.27	5.4	0.6	0.7	40.5	<0.01	0.02
I319310		2.97	19.4	650	7.1	25.4	<0.001	0.04	0.29	7.5	0.7	0.9	32.8	0.01	0.03
I319311		3.08	19.8	640	7.3	25.1	<0.001	0.03	0.30	7.5	0.7	1.0	32.3	0.01	0.02
I319312		2.37	20.1	500	7.3	15.2	<0.001	0.03	0.26	5.7	0.5	0.8	35.8	<0.01	0.02
I319313		2.64	20.0	680	7.3	23.1	0.001	0.04	0.39	6.2	0.8	0.8	52.3	0.01	0.03
I319314		2.04	18.8	730	8.1	11.6	0.001	0.05	0.48	6.0	0.7	0.7	43.5	<0.01	0.03
I319315		1.78	25.9	880	6.0	15.6	0.001	0.10	0.50	5.5	1.0	0.5	68.4	0.01	0.03
I319316		2.83	19.2	420	7.5	22.9	<0.001	0.03	0.27	4.7	0.4	0.7	26.7	<0.01	0.03
I319317		2.44	19.5	340	6.6	7.8	<0.001	0.01	0.36	4.7	0.4	0.7	21.1	<0.01	0.03
I319318		2.22	13.6	350	6.1	15.3	<0.001	0.02	0.27	3.9	0.4	0.6	27.1	<0.01	0.03
I319319		2.60	13.3	240	6.7	33.9	<0.001	0.02	0.25	4.4	0.3	0.8	19.9	<0.01	0.02
I319320		2.60	18.3	520	7.2	18.2	<0.001	0.02	0.38	6.4	0.4	0.8	22.4	<0.01	0.03
I319321		1.33	9.9	240	5.0	9.3	<0.001	0.02	0.16	2.9	0.3	0.5	17.9	<0.01	0.02
I319322		4.32	53.5	510	12.6	64.2	<0.001	0.02	0.26	8.1	0.8	1.1	42.9	0.01	0.04
I319323		3.86	56.5	440	18.6	76.6	<0.001	0.04	0.29	8.8	0.9	1.0	50.6	0.01	0.02
I319324		3.77	69.4	660	12.9	97.6	0.001	0.05	0.26	10.0	1.1	1.1	45.4	0.01	0.04
I319325		3.33	59.8	410	10.6	76.2	<0.001	0.04	0.22	9.0	0.9	1.4	37.8	<0.01	0.04
I319326		3.77	81.5	600	11.9	94.3	0.001	0.05	0.23	12.0	1.2	1.0	51.4	0.01	0.05
I319327		2.54	52.5	490	12.0	51.5	0.001	0.04	0.37	10.1	1.0	0.8	47.9	<0.01	0.07
I319328		2.41	40.9	430	11.5	49.6	0.001	0.02	0.32	10.5	1.1	0.9	33.4	0.01	0.06
I319329		1.51	23.2	210	6.1	25.2	<0.001	0.02	0.24	6.2	0.4	0.6	18.0	<0.01	0.05
I319330		1.25	19.9	290	6.2	11.3	<0.001	0.02	0.28	5.9	0.4	0.5	18.8	<0.01	0.03
I319331		1.26	20.3	300	6.5	7.3	<0.001	0.02	0.28	6.0	0.5	0.5	19.4	<0.01	0.03
I319332		1.26	26.7	440	5.4	11.3	<0.001	0.04	0.27	8.6	0.6	0.5	23.5	<0.01	0.05
I319333		1.35	19.4	400	5.7	14.5	<0.001	0.04	0.23	7.5	0.6	0.6	24.5	<0.01	0.05
I319334		0.21	4.3	700	1.8	1.9	<0.001	0.02	0.13	0.8	0.2	<0.2	9.0	<0.01	0.01
I319335		1.46	20.7	330	5.0	11.3	<0.001	0.03	0.22	8.1	0.5	0.5	21.4	<0.01	0.02
I319336		1.27	16.8	360	5.5	7.5	<0.001	0.02	0.27	7.4	0.4	0.5	18.5	<0.01	0.03
I319337		1.10	21.3	390	4.5	21.2	<0.001	0.01	0.26	7.6	0.3	0.5	19.1	<0.01	0.02
I319338		1.16	25.8	610	6.0	18.5	<0.001	0.03	0.28	7.4	0.6	0.5	25.1	<0.01	0.03
I319339		1.99	36.0	480	6.6	35.7	0.001	0.01	0.26	7.6	0.5	0.6	25.1	<0.01	0.03
I319340		1.40	26.9	700	16.4	21.6	0.001	0.09	0.32	5.0	0.9	0.4	39.5	<0.01	0.03
I319341		1.03	26.2	730	3.9	18.9	0.002	0.11	0.32	4.2	0.9	0.3	44.7	<0.01	0.03
I319342		1.22	30.1	440	5.8	21.7	<0.001	0.03	0.30	6.5	0.6	0.4	23.5	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319303		0.112	0.09	0.89	63	0.21	6.11	49
I319304		0.110	0.11	1.75	70	0.13	8.95	46
I319305		0.142	0.13	1.36	74	0.21	6.47	47
I319306		0.145	0.11	2.58	79	0.16	11.65	56
I319307		0.159	0.18	2.26	81	0.20	9.05	55
I319308		0.162	0.14	1.86	75	0.32	6.09	52
I319309		0.144	0.15	2.27	73	0.16	7.05	52
I319310		0.146	0.15	4.61	79	0.17	10.70	57
I319311		0.153	0.16	4.11	80	0.17	10.85	62
I319312		0.148	0.14	1.83	66	0.13	6.89	57
I319313		0.147	0.18	3.68	75	0.34	11.10	65
I319314		0.126	0.19	2.33	62	0.19	8.64	53
I319315		0.087	0.15	4.59	49	0.24	16.20	59
I319316		0.162	0.13	1.35	81	0.15	5.94	112
I319317		0.154	0.13	0.56	86	0.14	4.11	50
I319318		0.124	0.15	1.11	71	0.16	3.94	43
I319319		0.181	0.21	0.55	86	0.15	3.22	47
I319320		0.145	0.23	0.91	85	0.16	5.72	62
I319321		0.077	0.11	1.24	39	0.08	4.11	27
I319322		0.214	0.34	1.12	103	0.28	12.00	75
I319323		0.176	0.36	2.28	82	0.29	13.55	80
I319324		0.216	0.46	3.10	113	0.34	15.10	89
I319325		0.224	0.39	1.49	107	0.28	9.86	75
I319326		0.235	0.42	2.44	117	0.30	17.50	102
I319327		0.166	0.27	1.54	109	0.28	12.90	77
I319328		0.135	0.32	1.97	89	0.28	21.9	69
I319329		0.103	0.17	0.53	73	0.15	4.68	51
I319330		0.086	0.09	0.52	81	0.14	5.06	54
I319331		0.089	0.07	0.49	81	0.24	7.02	76
I319332		0.094	0.07	0.65	105	0.14	4.82	104
I319333		0.100	0.08	0.59	98	0.12	5.11	86
I319334		0.007	0.03	0.37	5	<0.05	3.17	6
I319335		0.123	0.08	0.45	98	0.30	4.96	61
I319336		0.097	0.08	0.41	108	0.11	3.78	61
I319337		0.146	0.12	0.27	127	0.11	3.80	71
I319338		0.111	0.13	0.75	90	0.12	8.93	59
I319339		0.165	0.21	0.79	97	0.13	5.41	56
I319340		0.102	0.15	0.84	70	0.12	8.48	92
I319341		0.084	0.14	0.67	59	0.08	6.65	62
I319342		0.134	0.14	0.73	99	0.17	7.45	92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319343		0.60	<0.005	0.21	2.72	7.1	<0.2	<10	210	0.29	0.15	0.54	0.21	15.95	13.5	55
I319344		0.74	<0.005	0.12	2.43	4.5	<0.2	<10	270	0.22	0.12	0.51	0.18	12.60	19.9	60
I319345		0.68	0.005	0.17	2.53	3.3	<0.2	<10	200	0.21	0.13	0.38	0.14	10.65	19.7	54
I319346		0.66	<0.005	0.09	2.47	4.8	<0.2	<10	220	0.24	0.12	0.30	0.12	13.50	20.9	46
I319347		0.78	<0.005	0.06	2.68	8.8	<0.2	<10	200	0.25	0.11	0.29	0.18	12.80	21.8	49
I319348		0.60	<0.005	0.09	2.65	3.1	<0.2	<10	220	0.24	0.12	0.36	0.10	11.60	18.4	57
I319349		0.80	<0.005	0.12	2.82	4.1	<0.2	<10	190	0.21	0.12	0.36	0.10	9.66	18.0	68
I319350		0.52	<0.005	0.12	2.36	3.8	<0.2	<10	210	0.22	0.12	0.41	0.13	11.20	17.4	48
I319351		0.44	<0.005	0.15	1.81	7.4	<0.2	<10	140	0.34	2.22	0.36	0.15	34.7	10.5	42
I319352		0.48	<0.005	0.18	1.85	6.3	<0.2	<10	170	0.41	2.03	0.43	0.17	35.2	12.6	44
I319353		0.56	0.007	0.15	1.59	5.5	<0.2	<10	100	0.34	3.33	0.42	0.33	21.4	10.8	40
I319354		0.50	0.008	0.22	1.78	7.2	<0.2	<10	140	0.31	3.54	0.50	0.22	21.6	14.3	46
I319355		0.40	<0.005	0.21	1.38	5.8	<0.2	<10	70	0.16	3.83	0.31	0.10	9.90	8.7	45
I319356		0.40	0.016	0.25	1.97	7.0	<0.2	<10	170	0.28	5.94	0.84	0.12	16.65	17.9	58
I319357		0.34	<0.005	0.28	1.38	4.1	<0.2	<10	110	0.16	5.60	0.69	0.15	8.92	10.8	82
I319358		0.48	0.006	0.28	1.62	7.2	<0.2	<10	150	0.22	7.30	0.52	0.14	13.20	14.0	68
I319359		0.34	<0.005	0.23	1.82	7.2	<0.2	<10	360	0.39	4.76	0.59	0.15	34.8	14.1	56
I319360		0.32	0.047	0.64	2.25	89.5	<0.2	<10	340	1.50	4.91	1.05	0.62	68.1	12.9	40
I319361		0.30	<0.005	0.43	1.32	6.0	<0.2	<10	100	0.16	4.33	0.25	0.19	12.35	6.7	22
I319362		0.28	0.035	0.48	1.21	5.2	<0.2	<10	100	0.15	4.20	0.24	0.17	11.05	6.0	21
I319363		0.28	0.008	0.51	1.58	7.7	<0.2	<10	140	0.27	3.76	0.25	0.21	13.45	13.9	29
I319364		0.36	<0.005	0.15	3.20	11.8	<0.2	<10	390	0.44	2.57	0.91	0.31	6.36	30.4	17
I319365		0.40	<0.005	0.39	2.05	9.8	<0.2	<10	220	0.31	13.35	0.41	0.18	12.20	17.6	55
I319366		0.44	<0.005	0.36	1.85	4.7	<0.2	<10	210	0.19	4.14	0.37	0.12	9.06	11.7	98
I319367		0.36	<0.005	0.19	1.83	6.0	<0.2	<10	150	0.21	3.97	0.25	0.16	16.45	13.2	64
I319368		0.38	<0.005	0.12	2.67	4.1	<0.2	<10	320	0.30	4.95	0.26	0.12	19.20	19.6	66
I319369		0.30	<0.005	0.11	0.37	1.6	<0.2	<10	30	0.07	0.38	0.04	0.06	4.85	1.9	7
I319370		0.32	<0.005	0.18	0.74	5.5	<0.2	<10	50	0.15	2.37	0.07	0.19	22.3	2.7	10
I319371		0.50	0.013	0.38	1.92	25.7	<0.2	<10	160	0.44	6.65	0.28	0.34	82.9	18.8	25
I319372		0.38	0.005	0.25	1.61	34.5	<0.2	<10	110	0.46	13.50	0.19	0.23	43.9	7.6	19
I319373		0.50	<0.005	0.30	1.45	43.4	<0.2	<10	160	0.41	10.65	0.28	0.30	49.9	6.8	18
I319374		0.50	<0.005	0.62	1.32	12.4	<0.2	<10	150	0.56	7.61	0.28	0.20	160.0	3.8	17
I319375		0.36	<0.005	0.56	1.45	6.3	<0.2	<10	190	0.68	3.32	0.40	0.31	172.0	4.6	17
I319376		0.52	0.007	0.24	2.10	10.2	<0.2	<10	190	0.62	4.21	0.32	0.27	90.2	10.6	29
I319377		0.40	<0.005	0.19	1.05	13.1	<0.2	<10	90	0.22	1.53	0.13	0.19	28.3	5.1	18
I319378		0.40	<0.005	0.19	1.57	10.8	<0.2	<10	140	0.30	2.22	0.30	0.29	48.7	8.0	30
I319379		0.44	<0.005	0.22	1.90	14.1	<0.2	<10	150	0.40	2.50	0.29	0.37	48.3	10.6	30
I319380		0.40	0.009	0.66	1.96	28.3	<0.2	<10	170	0.60	4.04	0.33	0.82	83.7	9.5	36
I319381		0.52	0.027	0.88	2.36	133.5	<0.2	<10	200	0.47	7.35	0.35	0.45	64.0	10.3	37
I319382		0.36	0.007	0.30	1.18	48.2	<0.2	<10	100	0.28	4.74	0.18	0.30	40.4	13.5	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319343		1.15	24.4	3.27	8.72	0.08	0.04	0.05	0.021	0.28	7.6	11.0	1.24	373	0.90
I319344		0.91	29.2	3.02	8.40	0.08	0.02	0.03	0.020	0.39	5.9	8.6	1.26	659	0.72
I319345		0.95	29.9	3.60	8.06	0.08	0.03	0.02	0.041	0.36	5.0	11.1	1.50	485	0.87
I319346		0.85	40.0	3.56	8.61	0.08	0.03	0.02	0.020	0.35	6.3	9.6	1.42	571	0.98
I319347		0.93	43.3	3.57	8.87	0.10	0.03	0.02	0.017	0.40	6.0	11.1	1.49	594	1.01
I319348		0.91	28.6	3.40	8.19	0.08	0.03	0.02	0.018	0.38	5.5	11.3	1.49	490	0.73
I319349		1.09	32.0	3.56	8.68	0.07	0.03	0.03	0.016	0.38	4.6	13.4	1.54	382	0.62
I319350		0.98	32.1	2.98	7.67	0.07	0.03	0.05	0.016	0.31	5.4	11.0	1.22	459	0.72
I319351		3.36	53.3	2.62	6.39	0.07	0.04	0.06	0.024	0.07	18.8	13.4	0.61	259	1.20
I319352		3.48	69.4	2.85	6.06	0.07	0.05	0.07	0.025	0.09	17.0	14.2	0.67	401	1.07
I319353		2.89	62.9	2.72	5.38	0.08	0.08	0.04	0.024	0.11	11.1	13.8	0.64	324	1.10
I319354		3.10	68.9	2.83	6.66	0.06	0.03	0.05	0.027	0.11	11.3	15.2	0.64	605	2.08
I319355		6.19	50.3	2.16	6.84	0.06	0.03	0.03	0.019	0.08	4.8	10.8	0.61	202	1.69
I319356		9.11	158.5	2.90	6.43	0.08	0.04	0.04	0.026	0.18	8.5	20.1	1.00	306	2.99
I319357		5.61	125.5	1.91	4.49	0.05	0.02	0.04	0.020	0.09	4.4	13.8	0.77	167	3.17
I319358		4.50	133.0	2.49	5.81	0.06	0.03	0.04	0.024	0.11	6.4	17.1	0.76	333	4.05
I319359		3.26	76.4	3.21	7.28	0.10	0.07	0.04	0.028	0.39	19.5	16.5	1.04	567	5.19
I319360		3.62	65.4	2.93	7.05	0.09	0.07	0.17	0.035	0.14	44.0	16.8	0.59	771	3.69
I319361		2.96	44.9	2.04	5.79	0.05	0.02	0.09	0.017	0.07	6.2	6.7	0.52	148	0.96
I319362		2.92	45.9	2.14	5.27	0.05	0.02	0.09	0.017	0.07	5.5	5.9	0.46	136	0.99
I319363		3.90	65.1	2.97	6.41	0.05	0.02	0.09	0.022	0.14	6.3	10.8	0.63	355	2.21
I319364		10.95	120.0	5.99	8.66	0.11	0.05	0.04	0.028	0.47	2.9	26.5	1.81	674	2.14
I319365		3.87	102.5	3.60	7.76	0.07	0.02	0.04	0.028	0.24	5.8	18.2	1.00	464	2.10
I319366		4.26	93.6	3.31	8.22	0.07	0.02	0.04	0.022	0.25	4.4	14.5	1.10	308	1.19
I319367		2.39	68.9	3.20	7.43	0.08	0.03	0.05	0.023	0.28	9.1	11.5	0.96	415	1.35
I319368		2.66	112.0	4.55	11.50	0.12	0.06	0.02	0.027	0.61	9.4	23.1	1.61	689	2.34
I319369		0.43	9.5	0.94	2.98	<0.05	<0.02	0.03	0.007	0.02	2.5	1.1	0.04	55	0.69
I319370		1.21	15.7	1.81	5.33	<0.05	0.04	0.03	0.017	0.06	11.7	3.6	0.15	187	1.20
I319371		4.15	27.8	3.71	8.01	0.09	0.05	0.07	0.041	0.16	39.9	13.0	0.48	3120	1.67
I319372		3.14	33.5	3.55	7.22	0.07	0.13	0.06	0.037	0.15	25.3	10.9	0.36	576	1.96
I319373		4.15	38.6	3.61	6.57	0.07	0.09	0.05	0.036	0.18	32.2	8.8	0.43	927	1.90
I319374		2.43	40.4	2.09	5.54	0.15	0.06	0.09	0.025	0.07	127.5	7.8	0.23	244	1.12
I319375		2.63	32.0	2.09	5.76	0.14	0.04	0.10	0.023	0.09	141.0	7.7	0.28	463	1.20
I319376		4.82	30.3	3.79	8.17	0.10	0.06	0.07	0.043	0.16	56.1	17.6	0.54	1080	1.63
I319377		1.27	14.0	2.03	6.75	0.05	0.04	0.01	0.018	0.08	18.2	6.1	0.27	360	1.32
I319378		2.70	18.5	3.32	7.73	0.08	0.06	0.02	0.033	0.18	28.6	13.6	0.52	736	1.88
I319379		2.16	20.6	3.55	8.20	0.08	0.06	0.03	0.033	0.12	29.5	17.3	0.51	732	1.46
I319380		4.18	35.1	3.41	8.24	0.10	0.05	0.11	0.044	0.15	62.9	17.5	0.51	880	1.84
I319381		5.46	30.0	4.56	9.80	0.10	0.08	0.16	0.051	0.16	40.6	18.2	0.62	1010	2.57
I319382		4.35	21.4	2.94	6.80	0.06	0.04	0.05	0.029	0.13	20.9	6.4	0.33	1520	2.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319343		1.46	29.2	560	7.2	30.5	0.001	0.05	0.26	5.8	0.5	0.5	27.4	<0.01	0.04
I319344		1.09	25.9	600	5.2	29.0	0.001	0.03	0.19	5.1	0.4	0.4	26.9	<0.01	0.02
I319345		1.07	23.5	570	4.1	25.4	<0.001	0.03	0.21	5.8	0.4	0.4	18.0	<0.01	0.03
I319346		1.99	23.7	350	4.3	25.2	<0.001	0.02	0.23	4.9	0.3	0.5	16.2	<0.01	0.03
I319347		1.78	24.2	360	10.0	27.9	<0.001	0.02	3.77	5.5	0.4	0.5	15.7	<0.01	0.04
I319348		1.37	27.0	470	4.5	27.9	<0.001	0.02	0.19	5.3	0.3	0.4	16.8	<0.01	0.02
I319349		1.28	29.8	420	5.2	31.0	<0.001	0.03	0.20	5.7	0.5	0.4	17.2	<0.01	0.04
I319350		1.27	24.5	510	4.7	24.4	<0.001	0.04	0.22	4.5	0.5	0.5	20.7	<0.01	0.03
I319351		1.39	22.3	520	7.2	17.6	0.001	0.03	0.33	4.6	0.6	0.6	25.8	<0.01	0.05
I319352		1.40	25.3	560	6.5	19.8	0.001	0.02	0.34	5.6	0.5	0.6	28.5	<0.01	0.05
I319353		1.38	22.3	680	5.8	19.4	<0.001	0.01	0.32	4.5	0.4	0.6	24.0	<0.01	0.05
I319354		1.33	27.2	580	7.2	21.7	<0.001	0.02	0.35	4.3	0.4	0.7	26.1	<0.01	0.06
I319355		1.04	21.3	300	5.2	17.1	<0.001	0.02	0.48	4.1	0.3	0.6	19.3	<0.01	0.05
I319356		1.08	30.9	480	4.1	37.0	0.001	0.03	0.38	6.1	0.7	0.6	31.9	<0.01	0.06
I319357		0.61	30.0	410	2.6	18.4	0.001	0.04	0.23	4.0	0.5	0.4	27.6	<0.01	0.10
I319358		0.98	29.3	460	4.9	26.1	0.001	0.03	0.34	4.9	0.5	0.5	23.7	<0.01	0.09
I319359		2.04	33.2	810	10.1	47.3	0.001	0.03	0.31	6.2	0.7	0.9	32.8	<0.01	0.06
I319360		1.72	33.7	850	28.9	29.1	0.001	0.08	1.33	5.7	1.2	0.7	64.3	0.01	0.07
I319361		0.84	11.2	550	13.9	15.5	<0.001	0.05	0.28	3.2	0.6	0.5	23.2	<0.01	0.05
I319362		0.75	10.1	610	13.1	13.1	0.001	0.08	0.26	2.7	0.7	0.5	21.1	<0.01	0.04
I319363		0.98	13.5	690	12.0	21.6	<0.001	0.06	0.34	4.1	0.7	0.6	21.1	<0.01	0.06
I319364		0.45	16.3	2220	17.6	33.2	<0.001	0.01	0.42	8.6	0.4	0.5	45.1	<0.01	0.04
I319365		0.74	24.9	1130	7.0	28.3	<0.001	0.04	0.53	4.6	0.7	0.9	25.4	<0.01	0.07
I319366		0.98	45.2	680	4.9	24.9	<0.001	0.03	0.31	5.2	0.6	1.0	25.4	<0.01	0.04
I319367		1.07	32.0	590	5.4	26.4	0.001	0.03	0.26	4.6	0.5	0.8	16.3	<0.01	0.03
I319368		1.55	30.7	400	6.8	38.6	0.001	0.05	0.20	10.7	0.9	1.8	20.8	<0.01	0.03
I319369		0.51	3.5	170	3.8	2.3	0.001	0.01	0.33	1.0	0.2	0.3	6.3	<0.01	0.01
I319370		1.58	5.2	280	8.8	8.5	<0.001	0.01	1.09	1.9	0.3	0.6	9.1	<0.01	0.02
I319371		2.89	13.9	790	18.3	35.4	<0.001	0.04	1.34	4.7	0.7	1.1	27.2	<0.01	0.03
I319372		3.43	9.6	560	14.8	29.2	<0.001	0.04	2.06	4.1	0.5	0.9	21.4	<0.01	0.04
I319373		3.55	9.8	420	15.1	41.7	<0.001	<0.01	2.77	5.5	0.4	1.0	53.7	<0.01	0.03
I319374		1.57	10.1	590	10.1	17.8	0.001	0.02	1.00	3.5	0.9	0.6	27.6	0.01	0.03
I319375		1.58	9.9	780	8.4	22.9	<0.001	0.04	0.58	3.2	1.0	0.7	39.4	0.01	0.03
I319376		2.92	14.3	880	13.5	37.6	<0.001	<0.01	0.68	5.9	0.6	1.2	35.9	<0.01	0.03
I319377		2.51	8.2	250	8.5	23.0	<0.001	<0.01	0.51	2.8	0.3	0.8	17.0	<0.01	0.02
I319378		3.24	16.5	500	12.3	40.0	<0.001	<0.01	0.68	4.1	0.4	1.2	31.1	<0.01	0.03
I319379		2.70	16.1	550	11.2	28.4	<0.001	<0.01	0.74	4.4	0.5	0.9	28.0	<0.01	0.04
I319380		2.47	17.3	940	14.2	38.1	<0.001	0.02	0.95	4.4	0.7	1.1	31.3	<0.01	0.03
I319381		3.24	17.5	720	22.4	40.0	<0.001	0.01	3.24	5.6	0.6	1.2	34.2	<0.01	0.05
I319382		2.47	11.0	520	16.6	31.6	0.001	0.01	2.26	3.3	0.4	0.9	22.7	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319343		0.129	0.21	0.74	83	0.13	4.76	80	1.8
I319344		0.131	0.16	0.45	85	0.11	4.27	65	1.0
I319345		0.148	0.15	0.44	105	0.12	3.64	78	1.2
I319346		0.165	0.15	0.40	95	0.13	3.81	57	1.2
I319347		0.166	0.17	0.36	99	0.10	3.76	65	1.2
I319348		0.150	0.16	0.38	86	0.13	3.57	75	1.2
I319349		0.159	0.16	0.41	94	0.21	3.02	70	1.1
I319350		0.139	0.14	0.45	73	0.13	3.55	62	1.1
I319351		0.106	0.23	2.15	61	0.96	9.82	49	1.4
I319352		0.109	0.26	2.48	66	2.74	11.60	56	1.9
I319353		0.120	0.26	1.10	66	1.40	6.21	53	3.2
I319354		0.106	0.22	1.26	70	7.77	6.17	60	1.4
I319355		0.107	0.23	0.43	67	3.36	2.67	43	0.9
I319356		0.119	0.33	0.86	79	3.64	6.29	53	1.5
I319357		0.081	0.21	0.52	46	7.51	3.34	37	0.8
I319358		0.103	0.22	0.84	65	4.66	4.40	46	1.0
I319359		0.170	0.37	3.69	83	2.27	11.10	68	2.4
I319360		0.081	0.38	12.05	58	0.92	35.4	77	1.7
I319361		0.085	0.18	1.24	42	6.65	4.73	47	0.5
I319362		0.075	0.15	1.18	39	3.74	3.81	43	0.5
I319363		0.102	0.24	1.08	67	1.08	4.78	59	0.6
I319364		0.176	0.52	0.22	143	3.19	4.59	101	1.1
I319365		0.123	0.31	0.96	77	1.58	4.39	67	0.7
I319366		0.176	0.29	0.57	99	2.09	3.68	60	0.9
I319367		0.167	0.21	1.06	82	1.94	4.11	66	1.1
I319368		0.272	0.31	0.82	144	1.41	5.95	85	1.9
I319369		0.047	0.08	0.35	27	0.08	0.95	15	<0.5
I319370		0.073	0.19	1.24	41	0.44	3.45	35	1.3
I319371		0.116	0.47	5.05	61	0.28	12.00	84	1.8
I319372		0.106	0.46	2.66	56	0.39	9.32	62	4.5
I319373		0.110	0.54	2.91	53	0.45	9.29	81	3.8
I319374		0.065	0.18	13.25	35	0.30	31.3	36	1.1
I319375		0.057	0.24	11.20	34	0.15	32.2	45	0.9
I319376		0.116	0.48	8.31	59	0.27	18.10	88	2.4
I319377		0.126	0.16	1.90	56	0.23	5.73	35	1.4
I319378		0.141	0.38	2.64	64	0.20	10.05	78	2.4
I319379		0.132	0.24	2.82	72	0.21	10.70	70	2.1
I319380		0.101	0.28	8.84	60	0.21	18.00	83	1.6
I319381		0.126	0.49	5.31	78	0.26	15.15	96	2.6
I319382		0.105	0.42	2.83	56	0.20	8.63	63	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319383		0.42	0.008	0.44	2.06	30.8	<0.2	<10	170	0.70	2.67	0.35	0.36	99.7	8.7	23
I319384		0.36	0.005	0.23	0.72	10.4	<0.2	<10	50	0.15	1.89	0.08	0.12	19.40	2.2	13
I319385		0.52	0.009	0.42	2.79	12.2	<0.2	<10	380	0.50	1.65	0.55	0.29	60.2	16.9	51
I319386		0.38	<0.005	0.50	1.76	5.8	<0.2	<10	190	0.18	3.39	0.44	0.46	33.7	9.1	49
I319387		0.44	<0.005	0.27	1.17	4.0	<0.2	<10	120	0.13	2.09	0.39	0.28	24.8	6.7	23
I319388		0.38	0.010	0.28	1.22	4.6	<0.2	<10	110	0.14	4.46	0.29	0.20	13.50	5.3	38
I319389		0.30	0.010	0.48	1.06	5.8	<0.2	<10	100	0.14	4.81	0.31	0.24	13.80	5.6	19
I319390		0.36	0.006	0.35	1.34	8.0	<0.2	<10	100	0.15	4.49	0.27	0.19	16.05	7.1	28
I319391		0.36	<0.005	0.27	2.32	4.7	<0.2	<10	260	0.27	0.26	0.66	0.68	13.35	15.8	41
I319392		0.32	<0.005	0.22	2.06	3.7	<0.2	<10	230	0.25	0.13	0.84	0.66	14.90	13.3	41
I319393		0.56	0.005	0.17	2.86	4.9	<0.2	<10	220	0.33	0.15	0.69	0.15	16.60	21.3	65
I319394		0.50	<0.005	0.09	2.69	4.5	<0.2	<10	190	0.33	0.12	0.63	0.11	14.55	19.9	56
I319395		0.48	0.006	0.19	2.91	4.6	<0.2	<10	290	0.50	0.21	0.65	0.11	34.5	20.9	81
I319396		0.42	<0.005	0.14	3.71	3.8	<0.2	<10	330	0.45	0.14	0.83	0.29	22.8	21.8	117
I319397		0.30	<0.005	0.74	1.15	16.3	<0.2	<10	120	0.31	0.24	0.18	0.52	18.75	9.3	35
I319398		0.28	0.009	0.76	0.88	3.1	<0.2	<10	140	0.27	0.14	0.16	0.40	14.05	2.9	17
I319399		0.36	0.006	0.53	1.81	9.8	<0.2	<10	260	0.35	0.17	0.52	0.99	26.7	11.6	61
I319400		0.32	0.020	0.82	2.36	6.0	<0.2	<10	290	0.30	0.13	0.76	0.21	11.25	16.6	43
I319401		0.44	0.008	0.61	3.10	7.2	<0.2	<10	380	0.34	0.16	0.92	0.36	19.60	12.2	58
I319402		0.46	0.008	0.39	2.29	11.9	<0.2	<10	360	0.42	0.29	0.81	0.49	25.8	12.7	82
I319403		0.58	0.007	0.30	2.43	12.3	<0.2	<10	210	0.25	0.34	1.25	0.54	12.80	14.4	82
I319404		0.60	0.005	0.28	2.98	4.5	<0.2	<10	310	0.50	0.31	0.84	0.48	28.9	17.4	91
I319405		0.56	0.008	0.34	2.68	8.5	<0.2	<10	280	0.45	0.59	0.56	0.50	32.0	15.7	57
I319406		0.68	0.006	0.19	3.15	4.1	<0.2	<10	370	0.46	0.50	0.69	1.08	26.8	21.1	65
I319407		0.76	0.008	0.37	2.64	10.3	<0.2	<10	450	0.49	1.11	0.48	0.58	44.8	16.7	55
I319408		0.50	<0.005	0.34	0.48	1.5	<0.2	<10	70	0.15	0.26	0.12	0.67	11.15	2.7	11
I319409		0.66	<0.005	0.28	2.31	9.8	<0.2	<10	160	0.37	0.84	0.23	0.50	20.8	13.1	43
I319410		0.64	<0.005	0.23	1.98	4.7	<0.2	<10	180	0.35	1.91	0.25	0.46	31.4	13.3	46
I319411		0.34	<0.005	0.09	2.74	10.4	<0.2	<10	120	0.42	0.34	0.24	0.40	16.30	11.5	34
I319412		0.64	<0.005	0.11	2.22	8.2	<0.2	<10	360	0.37	0.40	0.41	0.61	22.3	23.2	50
I319413		0.36	<0.005	0.06	0.16	3.5	<0.2	<10	10	<0.05	0.12	0.04	0.03	2.46	1.2	4
I319414		0.70	0.007	0.23	1.92	20.7	<0.2	<10	170	0.35	1.88	0.39	0.28	25.7	12.7	40
I319415		0.64	0.005	0.11	1.94	11.5	<0.2	<10	220	0.42	0.87	0.49	0.37	31.5	12.3	38
I319416		0.66	<0.005	0.08	2.09	10.0	<0.2	<10	180	0.34	0.64	0.44	0.17	21.8	11.3	41
I319417		0.54	<0.005	0.13	2.33	7.6	<0.2	<10	180	0.48	1.06	0.42	0.18	20.8	14.3	47
I319418		0.66	0.010	0.10	2.54	4.5	<0.2	<10	170	0.48	1.11	0.43	0.15	16.70	12.7	60
I319419		0.56	<0.005	0.11	1.91	7.6	<0.2	<10	110	0.27	0.67	0.34	0.12	13.95	12.3	44
I319420		0.54	0.006	0.08	1.73	5.3	<0.2	<10	110	0.20	0.54	0.33	0.11	13.70	8.6	38
I319421		0.40	<0.005	0.09	1.60	5.8	<0.2	<10	110	0.22	0.71	0.27	0.12	17.70	6.0	35
I319422		0.36	<0.005	0.74	2.64	9.2	<0.2	<10	270	0.62	9.31	0.92	0.27	135.5	23.8	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319383		4.43	50.5	3.91	7.61	0.11	0.09	0.06	0.043	0.27	62.5	14.0	0.51	937	1.42
I319384		1.24	14.8	1.26	4.91	<0.05	0.02	0.03	0.011	0.05	13.3	3.2	0.14	107	1.05
I319385		7.03	62.4	4.29	9.17	0.11	0.05	0.08	0.033	0.65	45.3	17.2	1.46	777	1.07
I319386		3.73	47.0	2.64	6.80	0.08	0.03	0.07	0.020	0.17	23.4	13.2	0.95	277	0.61
I319387		2.11	15.6	1.38	4.81	0.06	0.02	0.06	0.013	0.08	15.5	7.4	0.51	247	0.26
I319388		2.43	27.9	1.81	5.70	0.05	0.02	0.09	0.014	0.08	8.0	7.9	0.55	157	0.53
I319389		2.58	45.9	1.98	4.53	0.06	0.02	0.10	0.014	0.06	8.5	5.3	0.42	123	0.60
I319390		3.50	44.8	2.17	6.10	0.05	0.02	0.08	0.017	0.09	9.0	8.4	0.52	212	0.72
I319391		0.90	55.5	3.35	8.35	0.07	0.03	0.04	0.029	0.10	6.7	11.4	1.18	519	1.42
I319392		0.76	42.7	3.11	7.11	0.07	0.03	0.03	0.020	0.17	7.7	10.5	1.09	483	1.03
I319393		0.92	47.8	3.98	8.31	0.08	0.04	0.03	0.020	0.29	8.2	15.1	1.46	561	1.28
I319394		0.85	30.3	3.51	7.79	0.08	0.03	0.02	0.019	0.22	7.4	14.5	1.44	414	0.99
I319395		1.16	57.7	4.79	8.99	0.11	0.05	0.11	0.045	0.40	17.1	13.5	1.57	493	1.40
I319396		1.63	69.1	4.79	12.00	0.13	0.10	0.02	0.025	0.73	12.3	17.1	2.84	699	1.05
I319397		0.78	43.1	3.32	6.58	0.07	0.04	0.03	0.042	0.07	10.3	6.8	0.38	222	3.98
I319398		0.89	36.0	1.36	4.82	<0.05	<0.02	0.03	0.015	0.05	7.7	4.2	0.16	86	1.71
I319399		0.92	42.4	2.82	5.85	0.08	0.04	0.06	0.026	0.07	14.5	13.8	0.74	358	5.42
I319400		0.79	35.7	3.47	6.15	0.07	0.03	0.04	0.013	0.29	5.6	10.1	1.27	405	1.55
I319401		0.98	40.0	3.59	8.44	0.09	0.04	0.04	0.025	0.36	10.7	14.8	1.47	511	1.22
I319402		1.30	43.4	3.08	7.04	0.08	0.06	0.04	0.028	0.27	13.3	12.7	1.18	523	1.17
I319403		0.78	44.8	3.14	6.10	0.07	0.05	0.03	0.018	0.29	6.6	10.6	1.63	475	0.60
I319404		1.01	41.7	3.59	8.64	0.08	0.06	0.03	0.028	0.32	14.2	14.8	1.86	670	0.80
I319405		0.81	37.7	3.91	7.67	0.08	0.05	0.05	0.028	0.17	15.5	14.6	1.42	518	1.03
I319406		1.10	44.6	4.56	9.27	0.10	0.04	0.03	0.027	0.38	11.5	14.0	2.27	1900	0.95
I319407		0.96	47.8	4.25	7.69	0.10	0.07	0.07	0.040	0.09	23.2	14.3	1.06	712	1.93
I319408		0.48	18.1	0.83	2.25	<0.05	<0.02	0.03	0.010	0.03	6.9	1.9	0.11	95	0.46
I319409		1.19	30.6	3.64	7.95	0.09	0.04	0.05	0.034	0.07	11.2	14.4	0.72	373	1.58
I319410		0.78	45.0	3.82	5.91	0.12	0.04	0.03	0.039	0.09	15.7	9.8	0.84	270	2.08
I319411		0.96	24.8	3.23	7.05	0.06	0.03	0.05	0.030	0.05	7.9	15.6	0.41	272	1.32
I319412		1.36	39.2	3.85	6.72	0.11	0.04	0.03	0.034	0.13	10.4	12.0	1.11	643	1.33
I319413		0.29	4.3	0.56	1.66	<0.05	<0.02	0.02	<0.005	0.02	1.2	0.4	0.04	34	0.45
I319414		1.33	28.4	2.90	6.14	0.11	0.04	0.03	0.025	0.10	15.6	10.1	0.75	363	1.18
I319415		1.06	34.1	2.94	5.87	0.10	0.07	0.04	0.026	0.08	15.9	11.2	0.66	340	1.00
I319416		1.28	22.5	2.66	6.80	0.09	0.04	0.03	0.028	0.08	11.8	12.2	0.68	224	0.62
I319417		2.09	24.9	3.76	7.30	0.10	0.03	0.03	0.027	0.15	10.1	13.8	0.81	529	0.95
I319418		3.69	19.4	3.11	9.35	0.10	0.03	0.03	0.025	0.27	8.6	18.4	1.06	474	0.66
I319419		1.99	15.9	2.96	6.38	0.08	0.02	0.11	0.018	0.14	7.2	10.7	0.70	450	0.88
I319420		1.75	12.2	2.53	6.01	0.07	0.02	0.04	0.017	0.11	7.1	10.3	0.63	248	0.84
I319421		1.87	18.0	2.07	5.65	0.07	0.02	0.05	0.017	0.09	9.1	7.5	0.52	146	1.97
I319422		2.72	140.5	3.99	6.82	0.17	0.08	0.18	0.040	0.14	77.5	14.1	0.67	1540	2.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319383		3.41	13.6	770	13.3	43.6	<0.001	<0.01	1.51	5.5	0.6	1.2	34.0	<0.01	0.03
I319384		0.96	5.5	250	7.0	13.2	<0.001	<0.01	0.35	1.8	0.3	0.6	11.8	<0.01	0.03
I319385		1.10	24.3	910	9.4	43.5	<0.001	<0.01	0.91	8.1	0.5	0.9	37.5	<0.01	0.03
I319386		1.02	21.3	690	9.2	24.0	<0.001	0.03	1.13	4.9	0.5	0.7	33.6	<0.01	0.03
I319387		0.78	11.4	590	5.4	16.4	<0.001	0.01	0.57	3.2	0.4	0.5	30.3	<0.01	0.01
I319388		0.82	17.1	550	5.5	16.3	<0.001	0.03	0.36	2.4	0.5	0.5	26.8	<0.01	0.03
I319389		0.59	10.2	820	4.1	11.7	<0.001	0.07	0.34	1.8	0.8	0.4	28.7	<0.01	0.04
I319390		0.99	12.3	560	7.2	20.5	<0.001	0.03	0.33	2.6	0.5	0.6	25.2	<0.01	0.03
I319391		1.08	23.4	370	7.5	10.8	0.001	0.01	0.29	7.4	0.5	0.5	28.7	<0.01	0.04
I319392		1.05	26.4	490	5.0	22.0	<0.001	0.03	0.26	5.7	0.6	0.7	31.9	<0.01	0.04
I319393		1.47	37.2	430	6.5	29.2	<0.001	<0.01	0.26	6.2	0.4	0.4	26.1	<0.01	0.05
I319394		1.25	29.0	400	6.1	22.9	<0.001	<0.01	0.24	5.8	0.4	0.4	23.4	<0.01	0.04
I319395		1.11	43.1	500	8.3	37.2	0.001	<0.01	0.37	11.2	0.7	0.6	22.6	<0.01	0.04
I319396		0.99	54.7	630	4.7	54.0	0.001	<0.01	0.29	9.5	0.6	0.7	23.8	<0.01	0.03
I319397		1.35	55.2	350	8.3	13.0	<0.001	0.01	0.77	3.1	1.0	0.5	24.6	<0.01	0.07
I319398		0.80	13.9	220	6.5	13.1	<0.001	<0.01	0.24	1.9	0.6	0.4	19.4	<0.01	0.03
I319399		1.22	50.0	790	8.3	12.9	0.003	0.03	0.44	4.6	4.7	0.5	41.0	<0.01	0.08
I319400		1.05	22.1	610	18.2	28.3	0.001	0.05	0.38	3.9	0.7	0.3	30.7	<0.01	0.06
I319401		0.96	32.6	650	7.8	30.3	0.002	0.05	0.35	7.5	1.5	0.4	33.4	<0.01	0.04
I319402		1.03	47.1	780	9.0	23.1	<0.001	0.02	0.34	6.0	0.8	0.5	34.4	<0.01	0.07
I319403		0.81	40.8	570	7.0	24.6	0.001	0.05	0.76	4.7	0.8	0.3	35.0	<0.01	0.11
I319404		1.28	49.9	780	6.9	28.9	0.001	0.03	0.24	7.5	0.8	0.5	30.2	<0.01	0.04
I319405		1.16	35.2	650	8.2	21.4	<0.001	0.01	0.28	7.0	0.8	0.5	24.3	<0.01	0.04
I319406		0.77	38.0	770	12.4	31.9	0.001	<0.01	0.21	9.0	0.6	0.4	24.0	<0.01	0.04
I319407		1.21	36.7	620	10.4	15.7	0.001	<0.01	0.37	8.5	1.6	0.5	26.5	<0.01	0.05
I319408		0.31	8.8	270	3.8	6.8	<0.001	<0.01	0.14	1.1	0.2	0.2	12.0	<0.01	0.02
I319409		1.57	28.9	490	9.4	14.7	<0.001	<0.01	0.38	5.3	0.8	0.6	20.2	<0.01	0.06
I319410		1.06	34.0	790	8.0	11.6	<0.001	0.01	0.27	6.2	1.3	0.5	17.7	<0.01	0.06
I319411		1.53	25.9	510	8.1	8.1	<0.001	0.02	0.52	3.8	0.7	0.5	21.7	0.02	0.06
I319412		0.97	33.6	770	5.1	18.4	<0.001	<0.01	0.39	6.9	0.6	0.4	21.1	<0.01	0.04
I319413		0.20	2.7	170	1.5	1.5	<0.001	0.01	1.36	0.5	0.2	0.2	4.9	<0.01	0.01
I319414		1.34	29.8	890	7.9	17.7	<0.001	0.01	0.78	4.9	0.9	0.6	22.2	<0.01	0.05
I319415		1.61	27.6	760	7.5	16.7	<0.001	0.02	0.63	5.9	1.1	0.5	29.1	<0.01	0.06
I319416		1.52	24.2	670	7.1	14.1	<0.001	0.02	0.36	5.1	0.7	0.5	25.7	<0.01	0.04
I319417		1.66	27.1	790	7.5	24.0	<0.001	0.06	0.31	5.2	0.7	0.7	26.5	<0.01	0.04
I319418		2.04	30.4	640	8.6	38.9	<0.001	0.06	0.24	5.8	0.5	0.9	29.2	<0.01	0.03
I319419		1.41	20.6	670	7.9	22.5	<0.001	0.03	0.20	3.3	0.6	0.6	23.6	<0.01	0.04
I319420		1.30	18.2	570	7.0	20.4	<0.001	0.02	0.21	3.1	0.5	0.5	24.2	<0.01	0.04
I319421		1.18	17.6	630	6.2	20.8	<0.001	0.03	0.30	2.9	0.6	0.5	22.1	<0.01	0.05
I319422		1.36	31.7	990	14.7	22.5	0.001	0.09	0.48	6.3	1.8	0.7	69.5	0.01	0.13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319383		0.124	0.60	6.22	56	0.25	20.4	90	3.2
I319384		0.064	0.15	1.77	33	0.13	3.23	23	0.7
I319385		0.185	0.41	4.38	102	0.19	12.80	107	1.8
I319386		0.138	0.28	2.93	67	0.33	8.94	71	1.3
I319387		0.090	0.16	1.89	30	0.26	6.93	46	0.6
I319388		0.097	0.18	1.99	34	0.44	4.48	46	0.8
I319389		0.065	0.16	2.46	30	0.80	5.08	38	0.5
I319390		0.088	0.21	2.14	51	0.65	4.30	46	0.7
I319391		0.108	0.08	0.62	98	0.13	4.75	97	1.3
I319392		0.105	0.10	0.52	86	0.14	6.28	88	1.1
I319393		0.145	0.17	0.61	93	0.14	5.58	80	1.5
I319394		0.129	0.13	0.50	86	0.10	4.67	62	1.1
I319395		0.139	0.21	0.83	105	0.09	13.40	91	2.1
I319396		0.228	0.35	0.62	125	0.13	12.40	196	5.0
I319397		0.109	0.11	0.66	80	0.11	5.85	115	2.3
I319398		0.063	0.07	1.00	36	0.09	4.98	36	0.5
I319399		0.100	0.14	2.08	84	0.17	9.13	158	2.2
I319400		0.132	0.43	0.46	66	0.10	4.53	98	1.5
I319401		0.108	0.17	0.96	94	0.14	10.90	89	1.6
I319402		0.089	0.19	1.05	79	0.18	10.35	106	2.4
I319403		0.094	0.20	0.75	70	0.16	8.37	84	1.7
I319404		0.109	0.16	1.35	85	0.10	12.70	111	2.2
I319405		0.098	0.13	1.60	80	0.23	11.20	119	2.0
I319406		0.117	0.22	1.20	103	0.08	9.17	174	1.8
I319407		0.112	0.15	2.26	81	0.13	17.70	126	2.8
I319408		0.032	0.05	0.60	18	0.05	3.79	21	<0.5
I319409		0.103	0.14	0.82	79	0.16	7.64	76	1.3
I319410		0.087	0.18	1.34	78	0.14	11.95	108	1.3
I319411		0.091	0.10	0.53	74	0.16	4.17	52	1.1
I319412		0.113	0.11	0.80	96	0.38	8.52	106	1.2
I319413		0.028	0.03	0.12	18	0.09	0.53	11	<0.5
I319414		0.103	0.17	1.03	70	0.19	11.45	69	1.4
I319415		0.116	0.14	1.88	71	0.20	14.20	69	2.9
I319416		0.117	0.15	0.83	71	0.14	7.77	64	1.4
I319417		0.130	0.21	0.75	76	0.20	6.16	80	1.1
I319418		0.161	0.36	0.60	70	0.18	4.81	95	1.2
I319419		0.116	0.18	0.81	70	0.46	3.77	65	0.7
I319420		0.113	0.16	0.59	62	0.20	3.64	59	0.6
I319421		0.093	0.18	0.76	50	1.36	4.64	50	0.6
I319422		0.089	0.32	5.63	71	3.68	40.0	76	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319423		0.48	0.005	0.61	2.75	7.6	<0.2	<10	200	0.73	1.83	0.51	0.18	89.6	15.0	92
I319424		0.44	<0.005	0.21	1.21	4.3	<0.2	<10	80	0.23	1.07	0.16	0.10	16.80	5.6	30
I319425		0.48	<0.005	0.44	1.64	13.4	<0.2	<10	150	0.31	2.61	0.40	0.19	26.5	12.3	58
I319426		0.42	<0.005	0.09	1.75	5.6	<0.2	<10	140	0.22	0.57	0.40	0.25	16.55	8.4	39
I319427		0.62	0.007	0.16	1.75	4.4	<0.2	<10	110	0.20	3.97	0.35	0.11	13.20	13.5	93
I319428		0.52	<0.005	0.29	2.27	4.8	<0.2	<10	410	0.32	1.36	0.51	0.18	34.2	18.7	102
I319429		0.44	<0.005	0.32	1.54	7.3	<0.2	<10	100	0.18	3.49	0.26	0.18	19.45	7.9	31
I319430		0.60	<0.005	0.05	2.26	5.4	<0.2	<10	160	0.59	0.11	0.89	0.05	24.6	18.5	67
I319431		0.70	<0.005	0.01	2.78	2.2	<0.2	<10	30	0.58	0.02	0.88	0.02	7.46	29.3	146
I319432		0.62	<0.005	0.02	2.39	1.7	<0.2	<10	30	0.62	0.01	1.42	0.04	3.74	26.4	65
I319433		0.68	<0.005	0.01	2.73	4.3	<0.2	<10	90	0.50	0.03	0.73	0.05	9.50	24.4	120
I319434		0.54	<0.005	0.02	2.54	5.7	<0.2	<10	120	0.32	0.08	0.47	0.08	9.18	20.0	59
I319435		0.40	<0.005	0.03	2.33	4.6	<0.2	<10	250	0.66	0.10	0.59	0.08	24.3	15.7	48
I319436		0.44	0.007	0.06	2.45	5.8	<0.2	<10	210	0.53	0.12	1.03	0.09	22.0	12.9	48
I319437		0.60	0.005	0.06	1.77	4.7	<0.2	<10	180	0.41	0.10	1.04	0.13	20.8	11.4	37
I319438		0.52	<0.005	0.10	1.80	8.4	<0.2	<10	210	0.46	0.12	0.82	0.13	25.5	11.9	33
I319439		0.56	<0.005	0.06	1.84	6.6	<0.2	<10	180	0.45	0.10	1.12	0.08	20.4	12.8	45
I319440		0.48	0.005	0.06	1.92	7.1	<0.2	<10	180	0.44	0.10	1.04	0.07	21.2	14.9	42
I319441		0.36	<0.005	0.06	1.85	5.3	<0.2	<10	190	0.52	0.08	1.50	0.12	16.40	14.8	46
I319442		0.58	<0.005	0.04	1.80	7.2	<0.2	<10	160	0.41	0.10	2.24	0.15	20.4	15.0	40
I319443		0.74	<0.005	0.02	2.04	1.6	<0.2	<10	20	0.25	0.01	0.65	0.01	3.24	27.5	75
I319444		0.62	<0.005	0.23	2.32	9.7	<0.2	<10	430	0.73	0.16	0.55	0.39	27.2	12.1	37
I319445		0.48	<0.005	0.20	1.86	12.5	<0.2	<10	360	0.41	0.19	0.48	1.37	28.8	8.5	30
I319446		0.44	<0.005	0.52	1.21	18.3	<0.2	<10	340	0.40	0.20	0.60	1.08	37.9	12.0	21
I319447		0.52	<0.005	0.59	1.45	13.5	<0.2	<10	340	0.36	0.19	0.69	1.57	51.2	9.2	23
I319448		0.42	0.005	0.46	1.24	12.4	<0.2	<10	420	0.35	0.15	1.58	2.61	34.2	10.4	20
I319449		0.58	0.005	0.37	1.54	11.8	<0.2	<10	290	0.33	0.17	1.32	1.33	41.5	8.2	29
I319450		0.60	<0.005	0.33	2.24	17.5	<0.2	<10	190	0.44	0.16	1.18	0.99	34.8	16.9	175
I319873		0.32	<0.005	0.13	1.65	6.5	<0.2	<10	170	0.42	0.25	0.66	0.15	22.2	7.9	18
I319874		0.40	<0.005	0.04	0.68	1.8	<0.2	<10	30	0.14	0.13	0.09	0.07	7.95	3.3	8
I319875		0.36	<0.005	0.05	0.53	1.4	<0.2	<10	50	0.13	0.19	0.22	0.14	8.04	1.8	10
I319876		0.34	0.006	0.09	1.20	2.8	<0.2	<10	80	0.18	0.23	0.36	0.08	10.45	5.2	14
I319877		0.26	<0.005	0.11	1.23	2.6	<0.2	<10	70	0.24	0.30	0.20	0.11	14.40	4.3	15
I319878		0.34	<0.005	0.19	2.65	5.6	<0.2	<10	170	0.55	0.71	1.12	0.17	30.4	11.7	22
I319879		0.28	<0.005	0.13	2.03	4.1	<0.2	<10	150	0.50	0.16	1.84	0.23	22.3	7.9	19
I319880		0.40	<0.005	0.08	1.69	3.5	<0.2	<10	170	0.23	0.12	0.46	0.18	18.50	8.4	19
I319881		0.34	<0.005	0.15	1.76	11.2	<0.2	<10	150	0.26	0.17	0.35	0.11	20.5	15.0	26
I319882		0.34	<0.005	0.11	1.64	5.5	<0.2	<10	170	0.29	0.13	0.54	0.14	24.8	18.0	20
I319883		0.48	0.007	0.11	1.69	8.3	<0.2	<10	220	0.39	0.15	0.61	0.18	27.8	12.0	19
I319884		0.40	<0.005	0.08	1.63	3.8	<0.2	<10	160	0.32	0.13	0.40	0.12	19.60	8.7	19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319423		5.47	54.5	3.57	8.12	0.12	0.05	0.24	0.035	0.23	67.9	14.1	0.98	744	1.80
I319424		3.11	33.6	1.98	5.49	0.05	0.02	0.05	0.013	0.08	9.6	5.8	0.38	177	0.97
I319425		5.98	66.8	2.17	4.99	0.06	0.02	0.11	0.018	0.09	13.1	8.9	0.60	410	0.87
I319426		1.84	15.6	2.25	5.91	0.07	0.02	0.04	0.017	0.12	8.5	9.3	0.62	263	0.48
I319427		8.25	81.4	2.58	4.59	0.09	0.02	0.02	0.017	0.14	7.3	14.4	1.02	272	0.44
I319428		4.94	55.3	3.23	7.90	0.11	0.04	0.05	0.029	0.34	18.2	15.0	1.37	725	0.92
I319429		3.37	50.7	2.16	6.08	0.07	0.02	0.07	0.017	0.11	10.4	8.2	0.57	159	0.56
I319430		0.40	46.8	3.34	6.40	0.08	0.16	0.03	0.021	0.06	13.3	11.6	1.22	539	0.63
I319431		0.20	66.7	3.95	8.13	0.10	0.12	0.01	0.008	0.04	3.9	11.4	2.59	647	0.23
I319432		0.22	66.1	3.68	7.76	0.08	0.05	0.02	0.006	0.06	2.1	9.9	2.16	758	0.20
I319433		0.33	44.2	3.53	7.88	0.07	0.08	0.01	0.012	0.03	3.6	15.5	1.92	509	0.35
I319434		0.35	38.2	3.45	7.08	0.07	0.03	0.02	0.018	0.05	4.4	14.3	1.42	437	0.71
I319435		0.45	59.7	2.85	6.64	0.07	0.09	0.02	0.024	0.04	13.1	12.4	1.01	548	0.49
I319436		0.38	50.4	3.08	6.35	0.08	0.22	0.04	0.026	0.06	12.7	13.3	0.91	357	0.37
I319437		0.39	36.0	2.39	4.93	0.08	0.12	0.03	0.021	0.04	11.2	10.6	0.67	374	0.32
I319438		0.49	34.1	2.91	5.07	0.08	0.10	0.03	0.024	0.05	12.4	11.2	0.62	390	0.61
I319439		0.39	42.7	2.73	5.10	0.09	0.13	0.03	0.022	0.06	11.1	11.7	0.81	443	0.42
I319440		0.37	43.0	2.87	5.37	0.08	0.12	0.03	0.022	0.04	11.1	12.0	0.89	512	0.45
I319441		0.33	50.1	2.63	5.05	0.06	0.06	0.02	0.019	0.05	9.7	10.3	0.90	590	0.51
I319442		0.43	59.7	2.76	5.03	0.09	0.13	0.03	0.020	0.05	10.9	13.0	1.00	467	0.49
I319443		0.12	104.0	2.63	4.94	0.07	0.09	0.01	<0.005	0.02	3.3	12.0	2.09	451	0.09
I319444		0.51	33.6	3.10	5.68	0.08	0.23	0.03	0.028	0.04	16.2	12.9	0.55	607	3.78
I319445		0.26	31.0	2.70	6.36	0.05	0.04	0.01	0.027	0.05	14.0	10.6	0.48	500	10.30
I319446		0.37	58.1	3.41	3.41	0.07	0.25	0.05	0.028	0.04	21.2	7.2	0.40	604	13.35
I319447		0.24	57.6	2.87	3.92	0.08	0.17	0.06	0.025	0.04	32.6	10.3	0.71	374	10.80
I319448		0.26	46.8	2.34	3.40	0.07	0.12	0.06	0.022	0.04	19.1	7.8	0.51	729	8.26
I319449		0.19	50.0	2.54	4.21	0.06	0.15	0.05	0.024	0.05	24.2	11.1	0.73	316	6.50
I319450		0.25	58.3	3.47	6.29	0.07	0.16	0.05	0.028	0.05	20.5	16.1	1.61	599	5.71
I319873		2.11	15.5	2.38	6.27	<0.05	0.03	0.05	0.025	0.08	14.9	12.9	0.49	321	1.16
I319874		0.86	4.9	1.39	3.15	<0.05	<0.02	0.02	0.025	0.04	3.5	5.0	0.20	123	0.42
I319875		0.70	9.7	0.87	3.51	<0.05	<0.02	0.02	0.008	0.04	5.1	2.2	0.12	70	0.72
I319876		1.42	10.0	1.93	5.50	<0.05	0.02	0.02	0.016	0.06	5.9	8.1	0.38	251	0.58
I319877		0.89	12.8	1.67	5.11	<0.05	0.02	0.03	0.019	0.03	8.9	7.4	0.27	122	0.57
I319878		3.22	19.1	3.88	8.52	0.07	0.05	0.10	0.036	0.12	20.5	22.0	0.78	800	0.91
I319879		1.28	19.0	2.56	6.17	0.06	0.06	0.07	0.025	0.07	17.4	13.8	0.57	478	0.63
I319880		1.35	14.6	2.78	7.24	<0.05	0.03	0.03	0.020	0.07	10.1	11.1	0.69	335	0.62
I319881		1.44	15.4	3.47	6.80	0.05	0.04	0.05	0.024	0.07	10.9	10.9	0.62	1660	1.40
I319882		1.24	15.3	3.18	5.67	0.07	0.04	0.04	0.020	0.09	13.0	10.3	0.59	1490	1.10
I319883		2.54	20.8	2.72	6.06	0.05	0.04	0.06	0.025	0.10	14.8	11.0	0.60	1340	0.89
I319884		1.38	14.5	2.59	6.07	<0.05	0.04	0.03	0.026	0.07	10.5	11.2	0.55	470	0.63



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319423		1.75	34.1	710	19.7	46.3	0.001	0.05	0.42	5.7	1.0	1.1	37.3	0.01	0.06
I319424		0.93	12.5	310	6.9	20.3	<0.001	0.01	0.22	2.5	0.4	0.7	14.6	<0.01	0.06
I319425		0.78	25.2	700	6.5	22.9	<0.001	0.05	0.64	3.2	0.8	0.7	28.5	<0.01	0.06
I319426		1.25	21.1	610	7.0	23.6	<0.001	0.04	0.20	3.2	0.6	0.5	28.5	<0.01	0.04
I319427		0.64	37.5	400	4.0	22.4	<0.001	0.01	0.26	4.6	0.4	0.6	21.7	<0.01	0.05
I319428		1.81	56.5	680	10.3	56.3	<0.001	0.04	0.33	6.2	0.7	0.8	30.7	<0.01	0.04
I319429		1.11	16.1	550	7.7	23.0	<0.001	0.04	0.29	3.1	0.7	0.6	24.1	<0.01	0.05
I319430		2.00	44.9	800	5.4	6.7	<0.001	<0.01	0.27	6.8	0.5	0.4	31.9	<0.01	0.03
I319431		0.95	80.6	1870	1.1	3.2	<0.001	<0.01	0.12	6.5	0.3	0.3	37.3	<0.01	0.01
I319432		2.75	56.6	2120	1.0	4.4	<0.001	<0.01	0.10	4.8	0.3	0.2	35.2	<0.01	0.02
I319433		2.07	81.2	940	1.7	4.4	<0.001	<0.01	0.17	4.5	0.3	0.3	36.7	<0.01	0.02
I319434		1.33	33.2	560	4.2	8.7	<0.001	<0.01	0.28	4.0	0.3	0.4	24.8	<0.01	0.03
I319435		1.32	30.8	430	7.4	4.2	<0.001	<0.01	0.26	6.4	0.6	0.4	30.3	<0.01	0.03
I319436		1.78	29.5	450	7.4	9.0	<0.001	<0.01	0.35	6.6	0.6	0.5	38.8	<0.01	0.04
I319437		1.44	26.1	660	6.1	7.0	<0.001	0.01	0.33	4.9	0.7	0.4	47.9	<0.01	0.03
I319438		1.42	27.4	730	6.1	7.3	<0.001	<0.01	0.43	5.2	0.7	0.4	50.2	<0.01	0.04
I319439		1.47	34.6	770	5.1	7.6	<0.001	0.01	0.41	4.8	0.6	0.4	55.1	<0.01	0.04
I319440		1.33	30.7	750	5.1	6.2	<0.001	0.01	0.38	5.3	0.6	0.4	51.0	<0.01	0.04
I319441		1.15	34.6	760	4.1	6.2	<0.001	0.01	0.37	4.3	1.0	0.3	61.6	<0.01	0.05
I319442		1.27	32.3	640	5.3	7.2	<0.001	<0.01	0.44	4.7	0.5	0.4	58.3	<0.01	0.04
I319443		0.36	39.8	540	0.4	3.3	<0.001	<0.01	0.10	4.2	0.2	<0.2	23.7	<0.01	0.01
I319444		0.65	29.5	370	12.5	6.4	<0.001	<0.01	0.39	6.6	0.9	0.5	31.1	<0.01	0.05
I319445		1.06	27.3	350	17.4	3.7	<0.001	<0.01	0.39	3.7	3.2	0.5	36.2	<0.01	0.03
I319446		0.60	41.3	1060	19.6	4.7	<0.001	<0.01	0.62	4.0	4.0	0.3	45.4	<0.01	0.07
I319447		0.52	42.5	900	21.0	4.1	<0.001	<0.01	0.53	3.3	3.2	0.3	57.6	<0.01	0.05
I319448		0.58	33.3	930	14.8	4.8	0.001	0.05	0.59	2.6	3.7	0.3	98.2	<0.01	0.05
I319449		0.67	39.3	880	17.2	4.1	<0.001	0.02	0.55	3.1	2.7	0.3	79.9	<0.01	0.04
I319450		0.87	112.5	1030	20.2	4.4	<0.001	<0.01	0.55	7.2	1.5	0.4	57.7	<0.01	0.04
I319873		1.24	13.1	590	8.6	13.8	<0.001	0.02	0.45	3.9	0.5	0.5	39.0	<0.01	0.02
I319874		0.75	4.4	210	3.0	4.9	<0.001	<0.01	0.26	1.7	0.2	0.3	8.2	<0.01	0.02
I319875		0.55	3.9	250	4.8	9.5	<0.001	<0.01	0.21	1.5	0.3	0.4	17.5	<0.01	0.01
I319876		1.27	7.2	410	4.4	10.4	<0.001	0.01	0.41	3.5	0.3	0.6	22.6	<0.01	0.02
I319877		0.85	7.9	510	4.5	4.3	<0.001	0.02	0.36	2.6	0.6	0.4	19.3	<0.01	0.04
I319878		1.92	14.9	780	7.2	18.5	<0.001	0.03	0.96	7.1	0.6	0.7	52.7	0.01	0.05
I319879		1.79	12.8	820	5.6	10.3	<0.001	0.08	0.62	5.5	1.0	0.5	71.6	0.01	0.03
I319880		2.06	12.2	380	4.4	18.0	<0.001	0.01	0.50	5.3	0.5	0.8	31.0	<0.01	0.01
I319881		1.59	13.7	840	7.1	13.0	<0.001	0.03	0.32	4.7	0.4	0.6	25.5	<0.01	0.03
I319882		1.47	11.9	970	4.8	12.0	<0.001	0.05	0.40	4.8	0.6	0.5	33.9	<0.01	0.02
I319883		1.38	12.4	920	5.8	15.4	<0.001	0.04	0.42	5.2	0.6	0.6	38.5	<0.01	0.02
I319884		1.66	11.7	520	5.0	11.6	<0.001	0.01	0.37	5.2	0.5	0.5	27.0	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319423		0.111	0.57	6.27	76	0.85	16.80	92
I319424		0.086	0.21	1.13	54	0.28	3.98	33
I319425		0.061	0.30	1.83	47	0.28	7.56	43
I319426		0.101	0.16	0.74	49	0.12	5.09	65
I319427		0.099	0.24	0.73	63	1.67	4.31	42
I319428		0.174	0.42	2.41	90	0.23	10.40	68
I319429		0.096	0.21	2.01	46	0.46	5.29	44
I319430		0.134	0.05	0.37	75	0.15	13.40	57
I319431		0.216	0.02	0.19	90	0.09	5.08	75
I319432		0.176	0.02	0.11	75	0.08	5.32	55
I319433		0.259	0.03	0.19	88	0.10	4.49	49
I319434		0.158	0.04	0.22	79	0.12	3.68	54
I319435		0.095	0.06	0.52	69	0.11	12.05	45
I319436		0.135	0.05	0.67	69	0.14	13.20	48
I319437		0.106	0.04	0.81	56	0.19	9.96	43
I319438		0.110	0.05	1.18	68	0.22	11.85	48
I319439		0.112	0.05	0.77	64	0.17	10.70	45
I319440		0.099	0.04	0.58	65	0.12	11.05	44
I319441		0.079	0.03	1.12	60	0.12	9.66	39
I319442		0.107	0.05	0.38	61	0.19	10.50	55
I319443		0.175	<0.02	0.08	53	<0.05	9.14	54
I319444		0.080	0.09	1.04	73	0.13	11.50	63
I319445		0.065	0.10	0.72	70	0.16	6.49	86
I319446		0.037	0.08	0.98	43	0.12	11.80	143
I319447		0.030	0.07	1.55	40	0.13	16.70	126
I319448		0.033	0.07	1.22	36	0.12	12.95	94
I319449		0.040	0.06	1.56	43	0.36	12.55	126
I319450		0.055	0.06	1.00	72	0.16	15.05	219
I319873		0.076	0.10	0.88	53	0.19	8.41	48
I319874		0.060	0.04	0.24	36	0.15	1.81	20
I319875		0.053	0.06	0.61	26	0.10	3.30	16
I319876		0.086	0.10	0.74	50	0.23	5.00	35
I319877		0.066	0.08	1.01	40	0.18	7.02	28
I319878		0.117	0.15	1.48	92	0.63	20.9	57
I319879		0.087	0.10	1.81	60	0.28	19.75	69
I319880		0.144	0.13	0.80	70	0.15	6.95	58
I319881		0.129	0.14	1.38	99	0.18	5.98	55
I319882		0.121	0.13	1.87	73	0.15	8.25	47
I319883		0.113	0.19	1.78	68	0.16	9.39	48
I319884		0.126	0.12	1.34	67	0.17	7.83	41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319885		0.38	<0.005	0.03	0.46	1.2	<0.2	<10	30	0.06	0.10	0.08	0.02	4.68	1.8	8
I319886		0.46	0.007	0.14	2.47	6.0	<0.2	<10	130	0.36	0.15	0.33	0.09	20.5	10.9	25
I319887		0.28	<0.005	0.15	2.33	6.4	<0.2	<10	220	0.29	0.14	0.63	0.13	21.0	9.4	27
I319888		0.50	<0.005	0.15	2.72	6.0	<0.2	<10	260	0.44	0.13	0.65	0.14	32.3	12.4	27
I319889		0.40	0.008	0.04	2.42	5.0	<0.2	<10	150	0.29	0.12	0.44	0.09	19.80	12.1	33
I319890		0.34	<0.005	0.08	1.56	4.3	<0.2	<10	100	0.18	0.14	0.26	0.07	10.65	5.9	23
I319891		0.42	<0.005	0.11	1.94	5.3	<0.2	<10	140	0.29	0.15	0.44	0.15	13.70	9.3	22
I319892		0.26	<0.005	0.21	0.93	3.9	<0.2	<10	80	0.24	0.12	0.34	0.13	15.45	2.7	14
I319893		0.32	<0.005	0.06	0.33	1.3	<0.2	<10	40	0.10	0.04	0.09	0.06	7.17	1.2	5
I319894		0.40	<0.005	0.20	1.92	32.9	<0.2	<10	190	0.41	0.21	0.68	0.19	31.7	11.4	22
I319895		0.42	<0.005	0.03	1.63	7.6	<0.2	<10	120	0.22	0.10	0.26	0.10	11.95	8.1	18
I319896		0.30	<0.005	0.13	0.97	100.0	<0.2	<10	150	0.14	0.14	0.53	0.29	11.80	4.6	16
I319897		0.34	<0.005	0.06	0.45	3.1	<0.2	<10	30	0.07	0.10	0.11	0.10	4.78	1.9	8
I319898		0.32	<0.005	0.13	1.25	9.1	<0.2	<10	300	0.33	0.16	1.98	0.30	20.5	7.4	13
I319899		0.28	<0.005	0.15	1.58	5.6	<0.2	<10	170	0.21	0.15	0.41	0.18	15.60	7.0	26
I319900		0.44	<0.005	0.15	1.85	8.6	<0.2	<10	240	0.39	0.16	0.41	0.14	19.20	11.8	24
I319901		0.24	<0.005	0.37	1.41	22.8	<0.2	<10	270	0.28	0.24	0.84	0.36	20.4	14.0	18
I319902		0.30	<0.005	0.15	0.99	33.5	<0.2	<10	290	0.29	0.14	1.12	0.39	19.30	4.0	15
I319903		0.36	<0.005	0.18	1.50	14.1	<0.2	<10	220	0.38	0.28	0.57	0.14	17.35	12.2	19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319885		0.49	4.6	0.80	3.87	<0.05	<0.02	0.02	0.007	0.03	2.5	2.2	0.13	56	0.38
I319886		1.86	16.1	3.42	7.82	0.05	0.06	0.03	0.026	0.07	10.4	17.7	0.72	369	0.73
I319887		1.42	15.4	2.89	7.54	0.05	0.05	0.05	0.026	0.08	12.0	15.3	0.63	323	0.84
I319888		2.03	18.1	3.71	8.76	0.07	0.06	0.04	0.031	0.18	17.8	19.1	0.86	596	0.72
I319889		1.82	16.5	3.56	7.66	0.06	0.08	0.01	0.026	0.11	8.9	16.9	0.81	463	0.68
I319890		0.94	12.0	2.22	6.25	<0.05	0.05	0.02	0.015	0.06	5.9	9.5	0.47	188	0.72
I319891		1.32	12.7	2.99	7.77	<0.05	0.04	0.02	0.021	0.12	7.3	13.8	0.65	417	0.79
I319892		0.74	11.9	1.13	3.91	<0.05	<0.02	0.05	0.016	0.07	8.7	4.4	0.21	90	0.68
I319893		0.46	4.7	0.60	1.94	<0.05	<0.02	0.02	0.005	0.02	4.4	1.1	0.07	35	0.25
I319894		2.22	13.6	2.99	6.22	0.06	0.05	0.06	0.024	0.12	18.7	20.1	0.66	803	1.53
I319895		1.09	10.8	2.66	6.57	<0.05	0.03	0.01	0.020	0.05	5.8	13.2	0.47	257	0.89
I319896		1.14	13.0	1.53	4.68	<0.05	0.02	0.10	0.017	0.06	7.1	5.6	0.21	172	0.89
I319897		0.86	6.1	0.92	3.42	<0.05	<0.02	0.01	0.007	0.04	2.6	2.5	0.12	72	0.68
I319898		1.43	18.2	2.04	3.92	0.05	0.04	0.08	0.020	0.09	11.2	9.3	0.47	600	0.86
I319899		2.02	16.7	2.45	6.72	<0.05	0.04	0.05	0.021	0.12	8.5	10.0	0.61	248	1.06
I319900		3.18	14.0	3.07	7.30	0.05	0.03	0.03	0.030	0.16	10.2	14.2	0.75	536	0.89
I319901		2.13	13.7	2.18	5.31	0.05	0.02	0.07	0.019	0.13	10.7	9.2	0.51	997	1.02
I319902		1.50	13.4	1.49	3.67	<0.05	0.03	0.09	0.017	0.06	11.9	5.1	0.28	137	0.76
I319903		2.01	16.1	2.27	5.66	0.07	0.06	0.04	0.020	0.09	8.6	7.6	0.42	879	1.64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I319885		0.63	4.0	140	3.7	4.9	<0.001	<0.01	0.12	1.4	0.2	0.4	8.2	<0.01	0.02	0.3
I319886		2.30	16.2	530	5.8	11.1	<0.001	<0.01	0.41	5.2	0.4	0.7	22.2	<0.01	0.02	2.3
I319887		1.97	16.8	550	5.8	12.9	<0.001	0.01	0.36	6.2	0.5	0.7	39.0	<0.01	0.02	1.7
I319888		2.64	17.7	830	6.4	26.6	<0.001	<0.01	0.38	7.9	0.6	0.8	36.3	0.01	0.02	2.5
I319889		2.17	21.4	610	5.2	14.2	<0.001	<0.01	0.43	5.6	0.3	0.6	32.8	<0.01	0.02	2.3
I319890		1.62	13.2	260	5.2	10.7	<0.001	<0.01	0.25	3.7	0.2	0.5	22.3	<0.01	0.02	1.3
I319891		2.38	13.0	400	5.7	16.9	<0.001	<0.01	0.39	4.5	0.4	0.8	26.2	<0.01	0.02	1.2
I319892		0.68	8.1	450	7.5	7.1	<0.001	0.02	0.28	1.9	0.3	0.4	24.3	<0.01	0.01	0.3
I319893		0.33	2.6	240	2.2	4.4	<0.001	<0.01	0.09	0.8	0.3	0.2	10.6	<0.01	<0.01	<0.2
I319894		1.51	14.2	710	8.7	21.0	<0.001	0.01	0.57	5.6	0.5	0.5	39.8	<0.01	0.02	1.8
I319895		1.51	12.6	340	5.7	8.0	<0.001	<0.01	0.53	3.5	0.2	0.5	18.3	<0.01	0.02	1.4
I319896		0.76	8.7	410	6.0	12.1	<0.001	0.02	0.51	2.8	0.5	0.4	31.4	<0.01	0.02	0.3
I319897		0.57	4.2	170	3.0	9.5	<0.001	<0.01	0.24	1.5	0.2	0.4	11.3	<0.01	0.01	0.2
I319898		0.95	9.8	980	5.6	14.9	<0.001	0.13	1.06	4.6	1.0	0.4	100.0	0.01	0.03	0.6
I319899		2.13	12.2	580	14.4	19.3	<0.001	0.04	0.37	4.4	0.5	0.7	29.1	<0.01	0.02	0.8
I319900		1.49	12.2	780	7.6	25.7	<0.001	0.02	0.65	5.7	0.4	0.7	26.2	<0.01	0.02	1.1
I319901		1.24	10.3	850	14.7	18.8	<0.001	0.08	0.83	3.8	0.7	0.6	47.7	<0.01	0.02	0.6
I319902		0.89	9.5	700	8.2	11.1	<0.001	0.08	0.52	3.3	0.8	0.3	65.0	0.01	0.02	0.5
I319903		1.49	10.9	560	12.5	17.9	<0.001	0.04	0.53	4.4	0.7	0.5	33.1	<0.01	0.03	1.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I319885		0.066	0.06	0.21	26	0.05	0.94	12
I319886		0.175	0.14	0.87	85	0.27	6.27	55
I319887		0.148	0.13	1.43	71	0.22	7.30	59
I319888		0.205	0.20	2.09	90	0.22	12.15	69
I319889		0.195	0.13	0.58	94	0.33	5.93	53
I319890		0.138	0.10	0.52	64	0.14	2.91	44
I319891		0.180	0.14	0.80	81	0.16	5.26	61
I319892		0.038	0.07	0.94	24	0.07	3.72	33
I319893		0.033	0.03	0.43	13	<0.05	1.74	11
I319894		0.116	0.19	2.01	63	0.36	11.10	73
I319895		0.122	0.09	0.38	67	0.17	3.57	42
I319896		0.060	0.10	0.58	36	0.09	5.46	36
I319897		0.053	0.05	0.27	29	0.07	1.16	16
I319898		0.052	0.12	2.13	42	0.11	14.70	46
I319899		0.129	0.16	0.97	60	0.24	4.82	55
I319900		0.112	0.18	1.01	74	0.61	7.24	63
I319901		0.080	0.19	0.93	49	0.16	6.49	51
I319902		0.055	0.10	1.06	28	0.16	10.25	40
I319903		0.077	0.13	1.07	61	0.24	6.69	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130304

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 1-OCT-2010
Account: EIASQI

CERTIFICATE WH10130309

Project: SQI10-06

P.O. No.: SQI10-06_28

This report is for 209 Soil samples submitted to our lab in Whitehorse, YT, Canada on 13-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
PUL-31	Pulverize split to 85% <75 um
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I314684		0.66	0.008	0.17	2.93	5.2	<0.2	<10	230	0.31	0.16	0.87	0.40	13.65	18.3	58
I314685		0.66	<0.005	0.15	2.57	4.5	<0.2	<10	220	0.28	0.15	0.97	0.41	13.00	17.1	53
I314686		0.54	<0.005	0.28	2.70	7.3	<0.2	<10	260	0.32	0.18	1.20	0.38	13.15	16.3	56
I314687		0.54	0.006	0.30	2.72	8.5	<0.2	<10	330	0.41	0.18	1.36	0.42	16.10	16.3	51
I314688		0.46	0.007	0.17	2.28	8.2	<0.2	<10	300	0.26	0.14	1.24	0.65	14.80	11.2	43
I314689		0.56	0.005	0.26	3.13	23.9	<0.2	<10	330	0.43	0.16	0.92	0.63	17.30	19.7	57
I314690		0.64	0.012	0.45	3.34	20.1	<0.2	<10	370	0.46	0.16	0.96	0.42	19.75	17.8	57
I314691		0.58	0.013	0.75	3.28	9.6	<0.2	<10	490	0.50	0.22	0.97	0.49	20.1	18.9	48
I314692		0.52	0.006	1.16	2.95	7.9	<0.2	<10	430	0.49	0.16	0.51	0.40	20.1	17.7	68
I314693		0.54	0.007	0.94	3.35	8.3	<0.2	<10	510	0.57	0.17	0.56	0.39	23.9	23.0	81
I314694		0.54	<0.005	0.42	1.00	6.8	<0.2	<10	130	0.23	0.12	0.15	0.41	9.30	5.0	20
I314695		0.54	0.005	0.44	2.63	10.7	<0.2	<10	250	0.50	0.19	0.36	0.53	20.3	12.3	80
I314696		0.50	<0.005	0.37	1.94	11.0	<0.2	<10	230	0.23	0.21	0.32	0.63	18.40	10.1	45
I314697		0.46	<0.005	0.36	0.43	1.0	<0.2	<10	80	0.12	0.08	0.11	0.16	6.79	1.4	7
I314698		0.50	0.005	0.40	0.70	1.8	<0.2	<10	100	0.16	0.12	0.34	0.16	7.46	3.7	13
I314699		0.78	0.029	1.09	3.23	9.0	<0.2	<10	330	0.34	0.23	0.47	0.20	11.05	18.6	49
I314700		0.50	0.006	0.17	2.08	2.8	<0.2	<10	180	0.29	0.11	0.42	0.25	12.45	12.3	40
I317851		0.76	0.006	0.17	2.58	11.0	<0.2	<10	220	0.56	0.24	0.64	0.19	34.2	16.9	76
I317852		0.74	<0.005	0.16	2.61	5.7	<0.2	<10	180	0.54	0.17	0.67	0.15	25.2	11.6	50
I317853		0.46	<0.005	0.13	1.23	2.9	<0.2	<10	120	0.39	0.09	2.87	0.47	20.1	5.9	19
I317854		0.50	0.010	0.15	0.79	6.5	<0.2	<10	150	0.34	0.10	2.67	0.77	16.50	10.0	13
I317855		0.62	<0.005	0.11	2.18	3.7	<0.2	<10	170	0.56	0.14	1.31	0.21	22.2	10.6	43
I317856		0.60	<0.005	0.18	2.67	2.8	<0.2	<10	260	0.43	0.15	0.72	0.17	22.6	12.2	61
I317857		0.68	0.005	0.15	2.72	4.7	<0.2	<10	220	0.62	0.15	0.81	0.26	33.3	13.0	54
I317858		0.78	<0.005	0.22	3.69	9.6	<0.2	<10	260	1.06	0.25	0.62	0.29	51.0	21.3	67
I317859		0.58	0.005	0.18	3.25	6.7	<0.2	<10	220	0.82	0.17	0.38	0.59	34.2	17.8	56
I317860		0.70	<0.005	0.12	2.78	6.7	<0.2	<10	220	0.67	0.15	0.44	0.16	41.3	16.3	52
I317861		0.72	<0.005	0.22	3.16	7.4	<0.2	<10	310	0.77	0.18	0.67	0.35	62.3	16.3	58
I317862		0.48	<0.005	0.01	0.13	1.7	<0.2	<10	30	0.11	0.02	0.09	0.04	10.20	2.3	25
I317863		0.48	<0.005	0.33	2.45	6.9	<0.2	<10	270	0.54	0.18	0.95	0.43	33.9	14.6	48
I317864		0.78	<0.005	0.15	2.38	8.8	<0.2	<10	300	0.47	0.20	0.76	0.19	23.1	10.0	53
I317865		0.88	0.005	0.29	3.13	9.8	<0.2	<10	620	0.68	0.27	0.62	0.28	34.3	15.7	70
I317866		0.86	<0.005	0.13	2.60	6.2	<0.2	<10	500	0.69	0.18	0.62	0.18	24.5	12.5	55
I317867		<0.02	0.011	0.12	2.60	6.0	<0.2	<10	540	0.74	0.18	0.62	0.18	26.4	13.0	56
I317868		0.98	<0.005	0.24	1.86	7.8	<0.2	<10	180	0.53	0.24	0.52	0.23	35.3	12.6	67
I317869		0.80	0.008	0.11	2.91	3.1	<0.2	<10	160	0.32	0.13	0.61	0.13	23.7	15.8	91
I317870		0.96	0.005	0.19	2.04	4.9	<0.2	<10	210	0.47	0.20	0.60	0.28	37.8	11.6	49
I317871		0.32	<0.005	0.13	2.17	4.6	<0.2	<10	150	0.29	0.17	0.38	0.27	22.3	12.0	48
I317872		0.46	<0.005	0.09	2.21	7.5	<0.2	<10	160	0.31	0.16	0.46	0.16	18.55	11.4	38
I317873		0.42	0.005	0.16	2.13	7.7	<0.2	<10	270	0.36	0.17	0.41	0.15	22.5	19.2	42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I314684		0.90	43.1	3.70	8.46	0.08	0.04	0.04	0.022	0.27	6.9	14.5	1.49	554	1.49
I314685		0.80	44.2	3.36	7.61	0.08	0.03	0.03	0.017	0.23	6.5	12.1	1.35	571	1.41
I314686		0.99	47.9	3.55	8.30	0.07	0.05	0.05	0.020	0.23	6.8	13.6	1.36	484	1.73
I314687		0.94	55.7	3.34	7.82	0.07	0.06	0.06	0.020	0.27	8.3	13.8	1.35	555	1.44
I314688		0.89	38.8	2.86	7.02	0.06	0.04	0.07	0.017	0.19	7.9	11.3	1.09	300	1.17
I314689		1.13	44.9	3.75	8.68	0.08	0.05	0.06	0.020	0.30	8.8	16.9	1.49	693	1.74
I314690		1.18	52.9	3.62	9.01	0.09	0.04	0.07	0.020	0.28	11.2	17.1	1.48	659	1.99
I314691		1.19	43.3	3.46	8.96	0.08	0.04	0.09	0.029	0.11	12.3	15.2	0.90	799	3.34
I314692		1.32	36.9	3.39	8.58	0.07	0.03	0.09	0.024	0.11	11.8	18.1	1.07	609	2.93
I314693		1.44	43.6	3.79	9.36	0.08	0.03	0.09	0.026	0.15	13.6	22.2	1.29	809	2.98
I314694		0.77	17.6	1.71	4.90	<0.05	<0.02	0.04	0.013	0.05	4.9	6.3	0.26	155	1.21
I314695		1.74	33.2	3.36	9.26	0.07	0.07	0.06	0.028	0.11	10.8	21.6	1.12	292	3.35
I314696		0.90	26.1	3.39	9.04	0.06	0.05	0.05	0.022	0.11	9.7	13.9	0.86	278	2.60
I314697		0.42	13.7	0.59	2.17	<0.05	<0.02	0.03	0.006	0.03	3.7	1.7	0.07	29	0.49
I314698		0.47	32.6	1.07	3.07	<0.05	<0.02	0.04	0.008	0.05	3.9	2.5	0.19	91	0.77
I314699		1.12	68.6	5.32	8.13	0.09	0.04	0.04	0.016	0.59	5.2	12.8	2.05	353	3.59
I314700		0.96	28.9	2.72	6.99	0.06	0.02	0.04	0.011	0.25	6.2	8.3	1.47	398	0.82
I317851		1.48	35.0	3.55	8.08	0.08	0.11	0.04	0.033	0.10	16.7	24.8	0.88	512	0.87
I317852		1.26	25.6	3.13	8.21	0.07	0.07	0.04	0.028	0.10	12.8	23.4	0.77	321	0.87
I317853		0.49	34.0	1.28	3.40	0.06	0.07	0.05	0.013	0.03	11.0	7.2	0.30	369	0.77
I317854		0.33	29.7	1.22	2.35	0.05	0.06	0.07	0.011	0.03	8.4	2.9	0.18	2250	1.77
I317855		1.07	24.3	2.19	6.51	0.06	0.08	0.04	0.022	0.13	11.6	14.0	0.64	230	0.72
I317856		1.13	18.0	2.39	8.39	0.08	0.06	0.04	0.040	0.11	11.7	18.8	0.78	298	0.76
I317857		1.24	29.1	3.15	8.46	0.10	0.08	0.03	0.026	0.22	17.8	17.6	0.81	653	0.96
I317858		1.79	49.2	4.35	10.60	0.11	0.05	0.03	0.033	0.22	26.7	22.1	1.09	583	2.51
I317859		1.37	41.4	3.86	9.99	0.11	0.06	0.03	0.032	0.18	16.5	17.5	0.91	363	1.09
I317860		1.48	41.8	3.65	8.53	0.12	0.07	0.03	0.032	0.15	21.3	15.7	0.88	407	1.04
I317861		1.40	41.3	3.89	8.65	0.13	0.05	0.04	0.035	0.18	29.7	20.9	0.92	517	1.53
I317862		0.08	1.8	0.60	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.2	1.4	0.04	156	0.40
I317863		1.22	30.5	3.04	7.46	0.10	0.07	0.05	0.030	0.09	20.0	13.6	0.66	633	1.99
I317864		1.12	27.5	3.05	8.16	0.09	0.07	0.04	0.033	0.09	11.8	15.5	0.77	236	1.13
I317865		1.16	44.6	3.68	9.56	0.11	0.07	0.03	0.036	0.18	17.6	15.7	1.17	395	1.22
I317866		1.17	35.6	3.24	8.78	0.13	0.04	0.02	0.029	0.36	12.5	12.3	0.85	352	1.03
I317867		1.22	37.9	3.28	8.88	0.13	0.04	0.02	0.028	0.41	13.3	12.3	0.87	372	0.99
I317868		0.83	26.6	3.17	6.12	0.10	0.06	0.06	0.025	0.12	19.9	11.0	0.81	318	1.78
I317869		0.79	39.1	4.06	8.17	0.11	0.07	0.02	0.030	0.12	13.6	17.1	1.72	408	0.65
I317870		0.71	33.3	2.64	6.94	0.12	0.06	0.04	0.031	0.08	19.5	13.2	0.82	212	1.00
I317871		1.76	21.5	2.91	8.11	0.09	0.04	0.07	0.029	0.08	11.7	14.0	0.59	382	0.82
I317872		1.19	17.6	3.03	7.36	0.07	0.05	0.07	0.028	0.06	9.3	14.1	0.62	326	1.12
I317873		1.26	17.1	3.36	7.29	0.09	0.05	0.08	0.032	0.05	11.2	12.2	0.53	1320	1.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I314684		1.39	34.0	530	6.6	29.1	<0.001	0.05	0.33	6.3	0.6	0.4	33.1	<0.01	0.05
I314685		1.23	32.1	670	5.9	25.9	0.001	0.05	0.28	5.6	0.7	0.4	35.8	<0.01	0.05
I314686		1.39	33.2	680	6.2	29.8	<0.001	0.09	0.33	5.8	1.0	0.4	44.6	<0.01	0.06
I314687		1.24	32.2	740	5.8	34.9	0.001	0.10	0.41	5.7	1.4	0.4	50.4	<0.01	0.06
I314688		1.31	25.9	450	4.9	33.8	0.001	0.08	0.40	5.3	1.4	0.4	49.0	<0.01	0.05
I314689		1.26	37.7	570	6.3	34.8	0.001	0.06	0.43	7.4	1.2	0.4	36.8	<0.01	0.05
I314690		1.17	42.7	670	6.3	36.9	0.001	0.07	0.38	7.6	1.4	0.4	41.7	<0.01	0.04
I314691		1.24	47.1	720	8.2	22.2	0.001	0.06	0.42	6.2	1.4	0.4	45.5	<0.01	0.06
I314692		1.22	49.1	680	6.5	19.7	<0.001	0.04	0.36	5.5	1.0	0.4	32.8	<0.01	0.06
I314693		1.41	55.8	830	7.4	21.6	<0.001	0.04	0.36	7.1	1.1	0.4	33.6	<0.01	0.06
I314694		0.68	13.7	310	5.5	8.5	<0.001	0.02	0.26	2.0	0.4	0.4	14.7	<0.01	0.03
I314695		1.56	49.2	650	9.1	17.3	<0.001	0.03	0.43	6.4	1.0	0.6	26.3	<0.01	0.06
I314696		1.61	27.4	500	8.1	14.3	<0.001	0.06	0.37	4.9	0.9	0.6	26.7	<0.01	0.08
I314697		0.36	4.1	150	2.7	5.3	<0.001	0.01	0.12	1.0	0.2	0.2	13.3	<0.01	0.01
I314698		0.50	8.6	340	6.5	9.5	<0.001	0.04	0.19	1.5	0.4	0.3	20.0	<0.01	0.04
I314699		0.85	26.7	490	10.1	51.2	<0.001	0.05	0.58	7.1	0.7	0.4	23.9	<0.01	0.21
I314700		0.94	23.4	510	4.8	19.8	<0.001	0.04	0.21	3.2	0.4	0.4	22.6	<0.01	0.03
I317851		2.11	56.0	660	11.5	18.3	<0.001	0.03	0.42	8.7	1.0	0.6	35.3	<0.01	0.05
I317852		2.18	36.8	790	8.3	20.3	<0.001	0.04	0.32	7.1	0.7	0.6	37.5	<0.01	0.04
I317853		0.92	20.4	1150	3.9	5.0	0.002	0.35	0.55	1.8	1.9	0.3	73.3	0.01	0.03
I317854		0.55	17.0	1390	3.2	3.1	0.001	0.23	0.39	1.2	1.7	0.2	66.0	<0.01	0.06
I317855		1.95	35.5	920	9.9	20.1	<0.001	0.16	0.29	4.5	1.0	0.5	47.3	<0.01	0.04
I317856		1.98	39.2	850	8.8	15.8	<0.001	0.09	0.24	6.2	0.7	0.6	35.9	<0.01	0.02
I317857		2.23	38.3	850	8.6	31.0	<0.001	0.07	0.35	7.4	0.9	0.6	39.4	<0.01	0.04
I317858		2.56	65.4	1010	11.6	36.7	<0.001	0.05	0.36	8.7	1.4	0.7	37.4	<0.01	0.07
I317859		2.92	48.8	850	11.9	26.2	<0.001	0.02	0.31	5.8	1.0	0.8	25.2	0.01	0.04
I317860		2.12	41.5	720	11.9	24.0	<0.001	0.01	0.33	6.7	0.8	0.8	29.5	0.01	0.03
I317861		2.18	55.8	720	12.4	30.3	<0.001	0.03	0.30	6.9	1.2	0.7	32.4	<0.01	0.04
I317862		0.15	4.4	120	1.7	2.2	<0.001	<0.01	0.11	0.7	<0.2	<0.2	7.3	<0.01	0.01
I317863		1.72	34.3	820	11.0	19.3	<0.001	0.09	0.36	5.5	2.0	0.7	45.0	<0.01	0.04
I317864		1.65	31.9	660	11.5	16.5	<0.001	0.07	0.28	5.4	1.0	0.7	37.3	<0.01	0.03
I317865		1.92	43.3	840	10.7	22.8	<0.001	0.03	0.31	7.4	0.9	0.8	30.2	<0.01	0.04
I317866		1.97	45.9	830	12.3	37.2	<0.001	0.02	0.20	5.5	0.7	0.8	37.1	<0.01	0.06
I317867		2.02	47.5	880	12.2	41.4	<0.001	0.02	0.20	5.7	0.8	0.8	38.7	<0.01	0.05
I317868		1.14	38.7	810	19.0	17.2	<0.001	0.02	0.34	5.5	1.0	0.5	26.5	<0.01	0.04
I317869		0.86	44.4	690	7.7	14.4	<0.001	0.02	0.33	11.1	0.7	0.5	26.2	<0.01	0.03
I317870		1.32	33.4	790	13.1	13.5	<0.001	0.04	0.38	6.3	1.0	0.6	31.1	<0.01	0.05
I317871		1.90	20.8	650	8.2	18.4	<0.001	0.05	0.20	6.1	0.7	0.7	30.8	<0.01	0.02
I317872		2.19	21.8	550	11.7	11.9	<0.001	0.01	0.29	5.0	0.6	0.7	33.4	<0.01	0.03
I317873		2.47	19.0	590	12.1	10.4	<0.001	0.03	0.40	5.7	0.9	0.7	32.8	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I314684		0.133	0.17	0.67	89	0.13	5.63	95	1.7
I314685		0.112	0.13	0.60	82	0.12	5.59	84	1.4
I314686		0.118	0.15	0.86	88	0.16	6.41	85	2.0
I314687		0.106	0.15	0.92	82	0.11	9.22	89	2.2
I314688		0.106	0.13	0.90	69	0.12	7.69	74	1.7
I314689		0.123	0.18	1.12	94	0.13	8.43	96	1.8
I314690		0.105	0.17	1.25	95	0.11	12.25	87	1.6
I314691		0.083	0.13	1.40	81	0.15	13.25	75	1.3
I314692		0.090	0.13	0.93	91	0.13	8.90	69	0.9
I314693		0.102	0.14	1.10	103	0.15	10.50	80	1.0
I314694		0.060	0.08	0.57	44	0.14	2.83	31	0.6
I314695		0.122	0.23	0.91	102	0.15	6.18	99	3.2
I314696		0.143	0.14	0.57	95	0.23	4.20	70	2.1
I314697		0.035	0.07	0.32	16	0.05	1.70	9	<0.5
I314698		0.047	0.07	0.42	23	0.06	2.74	18	<0.5
I314699		0.141	0.81	0.41	90	0.09	5.70	139	1.8
I314700		0.106	0.10	0.39	64	0.10	4.20	47	0.5
I317851		0.150	0.15	1.18	86	0.14	10.85	87	4.4
I317852		0.137	0.16	1.14	76	0.22	7.15	78	3.1
I317853		0.037	0.10	1.61	30	0.07	8.70	32	2.8
I317854		0.025	0.12	1.00	23	0.05	7.22	46	2.3
I317855		0.092	0.16	0.81	50	0.12	7.57	64	3.2
I317856		0.133	0.16	0.83	55	0.18	6.03	74	2.6
I317857		0.138	0.22	1.18	74	0.19	9.77	75	3.2
I317858		0.136	0.25	2.48	95	0.18	16.55	134	2.0
I317859		0.134	0.18	1.33	83	0.22	9.03	187	2.2
I317860		0.146	0.17	1.48	82	0.24	12.75	86	2.4
I317861		0.129	0.17	2.30	82	0.18	15.05	110	1.8
I317862		0.007	0.03	0.32	5	<0.05	2.10	5	2.9
I317863		0.093	0.12	2.48	73	0.20	11.65	105	2.5
I317864		0.105	0.11	1.10	81	0.20	6.08	84	2.4
I317865		0.124	0.14	1.53	92	0.30	9.71	97	2.7
I317866		0.093	0.20	0.87	87	0.24	6.88	93	1.6
I317867		0.090	0.22	0.89	89	0.25	7.17	94	1.6
I317868		0.059	0.12	1.45	63	0.38	9.51	83	2.2
I317869		0.059	0.09	1.01	97	0.11	8.81	88	2.6
I317870		0.077	0.11	1.94	65	0.25	11.70	81	2.1
I317871		0.110	0.13	1.54	79	0.47	6.36	57	1.5
I317872		0.125	0.10	1.45	82	0.26	6.58	63	1.7
I317873		0.112	0.12	4.24	80	0.24	9.17	60	2.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I317874		0.44	0.006	0.14	2.22	7.4	<0.2	<10	260	0.67	0.20	0.41	0.18	39.4	13.0	41
I317875		0.48	0.005	0.11	1.82	6.6	<0.2	<10	170	0.40	0.20	0.41	0.15	25.3	14.4	34
I319051		0.38	<0.005	0.05	2.11	4.5	<0.2	<10	190	0.35	0.09	0.47	0.05	17.55	16.0	89
I319052		0.38	0.005	0.09	3.10	9.8	<0.2	<10	230	0.61	0.15	0.35	0.07	19.60	14.1	69
I319053		0.38	0.005	0.12	2.83	9.7	<0.2	<10	370	0.75	0.16	0.71	0.15	34.0	20.1	61
I319054		0.46	<0.005	0.05	2.29	6.7	<0.2	<10	250	0.45	0.12	0.46	0.07	16.50	13.1	68
I319055		0.28	<0.005	0.11	2.00	4.6	<0.2	<10	230	0.34	0.20	0.41	0.10	18.00	11.3	104
I319056		0.44	<0.005	0.05	1.98	5.5	<0.2	<10	220	0.33	0.15	0.43	0.07	16.15	11.2	32
I319057		0.40	<0.005	0.02	0.13	2.2	<0.2	<10	30	0.09	0.02	0.08	0.03	9.88	2.2	3
I319058		0.42	0.010	0.09	1.19	5.6	<0.2	<10	350	0.64	0.34	0.80	0.26	42.0	14.0	23
I319059		0.34	<0.005	0.13	1.80	5.5	<0.2	<10	350	1.35	0.32	0.52	0.19	98.3	13.1	29
I319060		0.34	<0.005	0.08	1.44	3.9	<0.2	<10	240	1.75	0.23	0.39	0.14	213	8.7	24
I319061		0.48	<0.005	0.07	1.51	6.0	<0.2	<10	180	0.50	0.36	0.28	0.12	35.3	9.8	29
I319062		0.38	<0.005	0.21	3.16	10.3	<0.2	<10	430	3.43	0.35	0.54	0.13	239	15.8	37
I319063		0.46	<0.005	0.04	1.73	6.3	<0.2	<10	150	1.36	0.24	0.32	0.04	84.1	8.8	26
I319064		0.26	<0.005	0.11	1.78	8.1	<0.2	<10	160	1.48	0.33	0.35	0.10	90.2	6.9	27
I319065		0.34	<0.005	0.10	1.03	3.5	<0.2	<10	140	0.58	0.17	0.31	0.09	37.3	5.5	19
I319066		0.46	<0.005	0.10	2.56	9.1	<0.2	<10	210	0.88	0.19	0.24	0.10	24.7	12.4	45
I319067		0.44	<0.005	0.08	2.05	8.1	<0.2	<10	210	1.13	0.25	0.35	0.06	60.0	11.0	36
I319068		0.50	<0.005	0.06	1.98	8.5	<0.2	<10	170	0.53	0.14	0.41	0.09	27.0	9.8	37
I319069		0.44	<0.005	0.16	1.40	3.6	<0.2	<10	240	1.21	0.16	0.28	0.06	67.5	7.6	18
I319070		0.38	<0.005	0.13	1.73	6.0	<0.2	<10	230	0.65	0.16	0.55	0.07	41.3	10.2	28
I319071		0.32	0.009	0.06	1.63	4.3	<0.2	<10	210	0.61	0.11	0.64	0.15	30.6	9.3	23
I319072		0.46	<0.005	0.11	1.66	6.9	<0.2	<10	180	0.68	0.11	0.91	0.13	64.1	10.8	29
I319073		0.42	0.006	0.11	1.90	5.5	<0.2	<10	190	0.60	0.12	0.78	0.09	41.0	9.6	32
I319074		0.46	<0.005	0.08	2.03	5.0	<0.2	<10	170	0.38	0.13	0.55	0.06	31.2	9.5	34
I319075		0.42	<0.005	0.06	2.06	5.5	<0.2	<10	160	0.53	0.12	0.61	0.06	47.6	13.0	41
I319076		0.30	0.006	0.17	2.01	3.5	<0.2	<10	150	0.50	0.15	0.44	0.13	66.4	9.4	33
I319077		0.32	<0.005	0.17	2.32	4.2	<0.2	<10	170	0.57	0.15	0.51	0.10	63.9	11.3	37
I319078		0.36	0.005	0.12	2.44	7.6	<0.2	<10	230	0.51	0.13	0.28	0.08	14.55	11.5	34
I319079		0.40	<0.005	0.04	2.58	7.9	<0.2	<10	160	0.49	0.14	0.27	0.06	24.2	11.0	37
I319080		0.36	<0.005	0.08	1.22	3.6	<0.2	<10	120	0.37	0.14	0.22	0.08	34.4	3.4	19
I319081		0.46	<0.005	0.07	2.02	4.5	<0.2	<10	230	0.81	0.17	0.43	0.06	45.5	8.5	27
I319082		0.30	<0.005	0.16	1.72	5.3	<0.2	<10	200	0.94	0.16	0.43	0.12	59.9	6.1	23
I319083		0.28	<0.005	0.10	1.24	4.2	<0.2	<10	130	0.63	0.20	0.46	0.13	46.4	6.1	19
I319084		0.40	<0.005	0.01	0.12	1.6	<0.2	<10	30	0.10	0.03	0.08	0.04	10.15	1.9	2
I319085		0.26	<0.005	0.07	1.49	4.0	<0.2	<10	110	0.42	0.32	0.34	0.11	30.7	6.0	24
I319086		0.34	<0.005	0.18	1.97	6.1	<0.2	<10	200	0.98	0.35	0.80	0.18	114.5	19.0	26
I319087		0.40	<0.005	0.06	1.36	5.0	<0.2	<10	160	1.14	0.17	0.56	0.08	75.1	7.0	23
I319088		0.42	0.009	0.09	1.67	7.2	<0.2	<10	230	0.81	0.20	0.82	0.10	46.5	10.5	33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I317874		1.69	23.2	3.12	7.50	0.11	0.15	0.08	0.036	0.06	18.7	15.3	0.57	420	0.86
I317875		1.69	15.7	2.86	6.82	0.07	0.07	0.06	0.030	0.05	12.8	12.8	0.55	1460	0.98
I319051		0.81	35.6	2.58	6.63	0.07	0.06	0.02	0.020	0.03	8.5	15.0	0.95	359	0.61
I319052		1.63	34.6	3.77	8.82	0.09	0.13	0.01	0.036	0.04	9.6	16.9	0.74	271	1.14
I319053		1.02	44.5	3.63	8.49	0.09	0.25	0.05	0.037	0.03	16.0	14.4	0.67	1290	1.03
I319054		0.94	31.6	2.87	6.21	0.06	0.12	0.01	0.024	0.04	7.7	15.4	0.92	280	0.75
I319055		0.58	33.4	2.83	6.87	0.06	0.05	0.02	0.024	0.08	9.2	11.8	0.85	259	0.68
I319056		0.73	22.9	3.39	7.92	0.07	0.07	0.01	0.027	0.07	8.0	11.6	0.79	305	0.84
I319057		0.08	1.8	0.58	0.60	<0.05	0.08	<0.01	<0.005	0.04	5.0	1.2	0.04	142	0.23
I319058		0.30	37.3	2.56	3.89	0.09	0.07	0.13	0.023	0.09	21.3	5.7	0.29	896	1.23
I319059		1.03	24.3	2.43	6.90	0.12	0.06	0.03	0.028	0.11	47.8	8.6	0.42	912	1.45
I319060		1.17	21.5	2.08	7.26	0.30	0.10	0.02	0.024	0.15	157.0	8.8	0.32	829	1.11
I319061		0.57	14.3	2.87	6.62	0.08	0.08	0.01	0.023	0.09	17.4	9.7	0.39	957	1.50
I319062		3.46	38.0	3.74	11.60	0.26	0.12	0.06	0.065	0.22	111.0	11.8	0.41	1370	2.12
I319063		1.37	17.2	2.57	6.24	0.12	0.10	0.01	0.031	0.10	48.2	10.5	0.37	514	1.37
I319064		1.49	21.1	2.82	7.19	0.14	0.08	0.03	0.033	0.13	52.9	8.8	0.34	422	1.91
I319065		0.80	11.7	1.71	5.20	0.08	0.03	0.02	0.015	0.08	27.2	5.9	0.26	291	1.00
I319066		1.23	20.5	3.51	8.53	0.08	0.16	0.02	0.032	0.06	13.0	13.0	0.53	387	1.41
I319067		1.08	20.5	2.96	7.45	0.11	0.13	0.02	0.027	0.09	44.4	13.6	0.50	418	1.38
I319068		0.59	18.2	3.20	6.98	0.08	0.10	0.01	0.031	0.11	13.2	11.3	0.51	407	1.16
I319069		1.00	14.2	2.27	6.88	0.15	0.06	0.03	0.028	0.18	71.6	7.5	0.23	396	1.14
I319070		0.69	22.5	2.89	6.55	0.07	0.06	0.03	0.025	0.13	26.5	11.2	0.49	551	1.28
I319071		0.95	17.1	2.88	6.46	0.06	0.05	0.02	0.023	0.18	17.1	13.2	0.50	405	0.80
I319072		1.95	30.9	2.94	5.75	0.13	0.09	0.06	0.028	0.16	47.7	13.6	0.49	378	0.53
I319073		0.98	27.2	2.91	6.36	0.11	0.09	0.04	0.027	0.07	31.6	13.6	0.52	250	0.60
I319074		1.14	20.9	3.09	6.65	0.08	0.08	0.02	0.026	0.13	22.4	12.6	0.61	252	0.80
I319075		1.24	28.8	3.44	6.02	0.10	0.10	0.02	0.027	0.11	30.2	14.2	0.67	417	0.74
I319076		1.87	21.3	2.75	7.29	0.14	0.04	0.07	0.026	0.10	65.5	11.9	0.49	177	0.87
I319077		2.05	23.3	3.29	8.09	0.13	0.04	0.05	0.030	0.12	58.5	16.9	0.69	275	0.69
I319078		1.35	15.8	4.09	7.55	0.07	0.06	0.01	0.023	0.20	6.7	15.9	0.75	458	1.03
I319079		1.16	18.1	3.68	8.04	0.06	0.10	0.01	0.029	0.06	11.7	14.6	0.59	274	0.94
I319080		1.12	17.3	1.53	6.33	0.05	0.03	0.03	0.018	0.05	23.6	4.4	0.20	82	0.66
I319081		1.34	19.4	2.74	6.52	0.08	0.07	0.02	0.022	0.08	30.2	15.5	0.55	253	0.62
I319082		1.20	20.1	2.24	6.53	0.08	0.04	0.05	0.026	0.08	46.8	8.0	0.30	191	0.89
I319083		1.08	17.5	1.58	5.62	0.05	0.02	0.03	0.024	0.06	29.0	5.4	0.19	238	0.83
I319084		0.08	1.6	0.56	0.52	<0.05	0.06	<0.01	<0.005	0.04	4.8	1.0	0.04	148	0.22
I319085		1.40	11.3	1.93	6.25	0.05	0.03	0.04	0.022	0.08	17.1	7.5	0.31	214	1.28
I319086		2.05	17.8	2.68	6.61	0.11	0.06	0.07	0.037	0.11	55.1	9.5	0.42	1500	1.80
I319087		1.52	19.4	2.19	4.70	0.15	0.13	0.03	0.030	0.11	65.0	6.8	0.33	485	1.10
I319088		0.71	23.0	2.82	5.03	0.08	0.28	0.03	0.028	0.10	21.5	8.8	0.52	577	0.80



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I317874		3.31	23.2	500	15.6	13.9	<0.001	0.01	0.44	7.7	0.9	1.0	33.8	0.01	0.02
I317875		2.63	19.3	570	11.8	11.8	<0.001	0.02	0.39	5.4	0.7	1.0	31.2	<0.01	0.02
I319051		1.36	46.7	470	5.5	5.2	<0.001	<0.01	0.24	5.0	0.4	0.6	28.1	<0.01	0.03
I319052		1.73	41.6	280	8.4	5.9	<0.001	<0.01	0.43	5.6	0.5	0.8	26.1	<0.01	0.04
I319053		1.56	36.6	310	9.4	5.4	<0.001	<0.01	0.44	8.3	0.8	0.8	35.5	<0.01	0.03
I319054		1.17	35.0	180	6.2	6.3	<0.001	0.01	0.36	5.5	<0.2	0.4	22.8	<0.01	0.03
I319055		1.03	46.8	310	16.2	10.6	<0.001	0.01	0.26	6.0	<0.2	0.6	27.3	<0.01	0.03
I319056		1.02	20.5	270	9.3	11.6	<0.001	0.01	0.31	6.2	0.2	0.6	27.8	<0.01	0.03
I319057		0.16	3.9	120	1.8	2.1	<0.001	<0.01	0.10	0.6	<0.2	<0.2	7.4	<0.01	<0.01
I319058		1.01	15.7	440	29.5	10.7	<0.001	0.03	0.29	4.6	0.8	0.4	40.8	<0.01	0.05
I319059		1.37	18.7	440	14.4	19.5	<0.001	0.01	0.27	5.0	0.9	0.9	41.2	0.01	0.03
I319060		1.33	15.4	470	20.1	19.6	<0.001	0.01	0.28	4.5	1.8	1.2	35.2	0.01	0.02
I319061		1.55	15.8	290	15.0	11.5	<0.001	<0.01	0.59	3.1	0.4	1.2	23.8	<0.01	0.03
I319062		1.60	23.0	630	34.8	36.5	<0.001	0.02	0.51	7.4	1.9	1.9	50.5	0.02	0.04
I319063		1.46	13.9	350	24.0	16.0	<0.001	<0.01	0.31	4.0	0.8	1.0	28.9	<0.01	0.02
I319064		1.60	14.8	350	26.4	20.8	<0.001	<0.01	0.39	4.3	0.9	1.3	32.6	0.01	0.04
I319065		1.14	10.4	200	12.3	13.4	<0.001	<0.01	0.23	2.4	0.4	0.8	26.7	<0.01	0.02
I319066		1.65	25.1	220	14.6	15.9	<0.001	<0.01	0.45	4.5	0.4	1.0	25.3	<0.01	0.02
I319067		1.63	21.6	240	17.9	13.4	<0.001	<0.01	0.36	5.6	0.6	0.8	30.2	<0.01	0.03
I319068		1.71	22.2	210	10.6	11.5	<0.001	<0.01	0.43	4.4	0.5	0.8	31.7	<0.01	0.02
I319069		1.00	11.8	200	19.8	21.8	<0.001	<0.01	0.18	5.5	0.8	1.2	25.5	0.01	0.02
I319070		1.74	21.4	260	11.1	17.6	<0.001	0.02	0.31	4.8	0.5	0.6	41.6	<0.01	0.02
I319071		1.37	18.3	400	10.6	20.7	<0.001	0.02	0.24	4.1	0.4	0.5	39.7	<0.01	0.01
I319072		1.17	29.8	740	10.3	21.2	<0.001	0.03	0.31	6.9	1.0	0.5	50.7	0.01	0.02
I319073		1.60	31.1	380	8.5	11.5	<0.001	0.02	0.26	6.1	0.6	0.5	47.3	<0.01	0.02
I319074		1.75	27.3	420	9.3	17.4	<0.001	0.01	0.23	4.5	0.4	0.5	35.6	<0.01	0.02
I319075		1.64	35.5	450	8.8	16.8	<0.001	0.01	0.23	5.8	0.5	0.5	38.3	<0.01	0.02
I319076		1.26	30.1	690	9.7	16.4	<0.001	0.05	0.23	5.1	0.8	0.6	37.6	<0.01	0.02
I319077		1.15	31.4	690	9.9	19.1	<0.001	0.04	0.21	5.9	0.8	0.7	39.0	<0.01	0.02
I319078		2.01	23.5	480	7.5	18.1	<0.001	0.01	0.39	3.2	0.2	0.6	24.0	<0.01	0.03
I319079		1.89	22.7	250	8.7	15.7	<0.001	0.01	0.35	4.1	0.3	0.7	25.4	<0.01	0.02
I319080		0.93	11.4	260	7.8	11.4	<0.001	0.02	0.19	2.4	0.4	0.6	22.4	<0.01	0.01
I319081		1.98	18.9	370	9.5	13.5	<0.001	0.01	0.22	4.2	0.4	0.6	36.8	<0.01	0.02
I319082		1.26	14.7	540	14.0	12.7	<0.001	0.03	0.25	4.0	0.6	0.6	39.9	<0.01	0.02
I319083		0.63	10.0	520	21.0	11.6	<0.001	0.03	0.15	1.4	0.5	0.6	39.4	<0.01	0.02
I319084		0.14	3.6	120	1.4	2.0	<0.001	<0.01	0.11	0.6	<0.2	<0.2	7.4	<0.01	<0.01
I319085		1.31	14.1	460	16.2	17.7	<0.001	0.03	0.21	3.0	0.5	0.7	28.8	<0.01	0.02
I319086		1.43	17.2	660	47.0	18.0	<0.001	0.05	0.46	5.2	0.9	0.8	61.2	0.01	0.02
I319087		1.40	16.5	340	13.7	17.6	<0.001	0.02	0.42	5.2	0.9	0.9	44.7	0.01	0.01
I319088		1.75	23.5	320	10.3	12.1	<0.001	0.01	0.48	6.5	0.6	0.7	46.6	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I317874		0.142	0.16	5.55	79	0.31	16.65	69	5.7
I317875		0.130	0.13	3.65	74	0.17	10.30	65	2.5
I319051		0.119	0.08	0.51	66	0.12	5.15	42	2.8
I319052		0.144	0.11	0.66	93	0.16	5.34	49	6.0
I319053		0.133	0.11	1.20	94	0.14	11.95	56	11.3
I319054		0.082	0.07	0.41	69	0.10	4.00	42	4.4
I319055		0.071	0.07	0.37	65	0.11	4.38	49	1.9
I319056		0.093	0.08	0.35	84	0.11	4.22	60	2.8
I319057		0.007	0.03	0.32	4	<0.05	2.12	5	2.7
I319058		0.037	0.05	2.16	43	0.12	7.60	52	3.1
I319059		0.080	0.09	2.06	59	0.16	18.55	42	1.4
I319060		0.065	0.08	2.80	48	0.24	48.8	42	1.0
I319061		0.088	0.08	0.74	69	0.19	5.46	46	3.3
I319062		0.036	0.18	6.32	64	0.31	54.0	58	2.3
I319063		0.070	0.09	2.43	54	0.15	16.65	39	3.6
I319064		0.072	0.10	2.52	63	0.18	17.95	42	2.6
I319065		0.071	0.08	0.66	47	0.13	6.78	30	1.0
I319066		0.121	0.13	0.78	87	0.11	3.75	54	7.4
I319067		0.111	0.09	0.91	76	0.14	11.95	43	5.1
I319068		0.126	0.07	0.53	78	0.12	4.22	56	4.4
I319069		0.038	0.11	1.11	45	0.15	17.90	32	1.8
I319070		0.092	0.08	0.76	60	0.12	9.32	47	2.5
I319071		0.057	0.11	0.57	47	0.09	6.43	53	1.6
I319072		0.059	0.14	1.52	43	0.11	27.6	54	3.0
I319073		0.090	0.08	1.14	54	0.16	18.25	47	3.6
I319074		0.111	0.11	0.84	55	0.17	7.12	52	2.9
I319075		0.109	0.10	1.21	57	0.11	12.10	55	4.1
I319076		0.059	0.12	1.42	42	0.13	16.55	56	1.2
I319077		0.069	0.15	1.29	51	0.18	16.50	68	0.9
I319078		0.146	0.15	0.39	74	0.11	2.28	78	2.9
I319079		0.123	0.13	0.41	80	0.10	3.60	52	4.7
I319080		0.071	0.07	0.77	38	0.19	6.07	27	0.9
I319081		0.090	0.09	0.91	53	0.12	7.51	49	2.7
I319082		0.062	0.06	1.28	46	0.17	12.90	39	1.1
I319083		0.040	0.06	1.02	38	0.11	7.74	32	0.5
I319084		0.007	0.03	0.29	4	<0.05	2.03	5	2.3
I319085		0.070	0.10	0.76	41	0.16	5.15	40	1.2
I319086		0.068	0.12	2.62	54	0.19	19.25	57	2.1
I319087		0.065	0.08	1.21	45	0.17	38.7	35	3.9
I319088		0.103	0.06	0.97	61	0.19	13.45	43	11.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319089		0.40	<0.005	0.08	1.24	3.0	<0.2	<10	240	0.42	0.09	0.42	0.08	19.90	7.5	24
I319090		0.46	<0.005	0.11	2.07	5.0	<0.2	<10	370	0.92	0.10	0.56	0.09	39.4	13.6	37
I319091		0.40	0.007	0.10	1.47	4.4	<0.2	<10	110	0.20	0.73	0.35	0.16	17.45	6.2	33
I319092		0.34	0.007	0.09	1.28	3.5	<0.2	<10	100	0.18	0.67	0.32	0.21	16.85	5.0	29
I319093		0.34	0.005	0.13	2.13	7.5	<0.2	<10	170	0.48	0.93	0.50	0.36	33.2	33.1	44
I319094		0.42	0.007	0.16	1.71	15.5	<0.2	<10	170	0.30	0.72	0.45	0.21	22.3	14.6	41
I319095		0.46	0.006	0.25	2.22	10.9	<0.2	<10	470	0.51	1.64	0.55	0.15	23.6	11.1	58
I319096		0.34	<0.005	0.22	0.74	4.5	<0.2	<10	100	0.33	0.47	0.12	0.76	27.7	2.9	19
I319097		0.48	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.10	0.02	0.08	0.04	10.55	2.0	2
I319098		0.42	0.006	0.13	1.82	17.3	<0.2	<10	180	0.39	0.81	0.39	0.11	30.7	12.8	47
I319099		0.56	0.008	0.17	2.09	6.4	<0.2	<10	160	0.39	2.14	0.45	0.14	27.8	11.9	50
I319100		0.62	0.007	0.17	2.21	7.0	<0.2	<10	170	0.46	2.63	0.47	0.13	39.6	12.1	53
I319471		0.46	0.008	0.25	1.70	8.4	<0.2	<10	190	0.25	0.32	0.32	0.56	30.7	8.4	32
I319472		0.54	<0.005	0.17	1.53	5.8	<0.2	<10	120	0.18	0.33	0.21	0.24	15.75	7.8	31
I319473		0.14	0.021	0.11	0.79	2.4	<0.2	<10	130	0.15	0.40	1.25	0.25	14.85	9.2	20
I319474		0.52	<0.005	0.23	1.81	8.2	<0.2	<10	140	0.27	0.42	0.31	0.32	19.75	11.2	38
I319475		0.24	0.007	0.14	1.34	3.7	<0.2	<10	110	0.22	0.59	0.33	0.10	21.0	4.7	29
I319476		0.24	0.007	0.14	1.51	8.5	<0.2	<10	120	0.20	0.74	0.30	0.09	19.05	5.1	33
I319477		0.30	0.009	0.14	1.43	7.3	<0.2	<10	100	0.17	0.68	0.33	0.09	17.60	5.1	36
I319478		0.32	0.030	0.16	1.45	5.0	<0.2	<10	110	0.21	0.79	0.32	0.08	16.25	5.4	32
I319479		0.30	0.010	0.16	1.79	6.3	<0.2	<10	110	0.24	0.97	0.35	0.12	18.30	8.7	38
I319480		0.32	0.006	0.14	1.88	9.2	<0.2	<10	120	0.29	0.89	0.35	0.11	19.90	8.9	39
I319481		0.32	0.008	0.14	1.82	9.1	<0.2	<10	100	0.24	0.88	0.29	0.11	18.80	6.6	36
I319482		0.34	0.009	0.10	1.55	7.7	<0.2	<10	90	0.18	0.71	0.28	0.07	15.20	6.1	31
I319483		0.12	0.013	0.21	2.14	6.9	<0.2	<10	190	0.47	1.03	1.92	0.83	24.8	14.4	45
I319484		0.20	0.015	0.14	1.24	2.3	<0.2	<10	190	0.44	0.52	2.84	0.99	22.3	7.4	24
I319485		0.30	0.008	0.19	1.94	6.9	<0.2	<10	210	0.41	1.08	0.61	0.35	19.75	11.0	47
I319486		0.24	0.006	0.24	2.05	7.2	<0.2	<10	220	0.49	1.07	0.69	0.40	22.9	13.3	48
I319487		0.26	0.006	0.17	1.43	6.7	<0.2	<10	160	0.34	0.85	0.24	0.47	25.8	6.8	32
I319488		0.30	0.005	0.31	1.59	6.5	<0.2	<10	220	0.39	0.87	0.36	0.57	25.2	13.8	45
I319489		0.20	0.017	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I319490		0.34	0.008	0.17	2.00	7.5	<0.2	<10	400	0.56	1.72	0.25	0.21	22.4	10.7	45
I319491		0.24	0.021	0.43	1.87	12.2	<0.2	<10	270	0.70	1.68	0.56	0.67	43.5	8.2	54
I319492		0.20	0.016	0.20	0.57	10.5	<0.2	<10	50	0.17	0.75	0.10	0.40	8.05	3.2	16
I319493		0.30	0.010	0.20	3.00	13.4	<0.2	<10	250	0.70	1.36	0.37	0.30	26.3	24.8	175
I319494		0.28	0.007	0.08	1.72	8.7	<0.2	<10	80	0.31	1.13	0.17	0.26	17.75	7.2	70
I319495		0.28	<0.005	0.12	1.24	7.5	<0.2	<10	90	0.29	0.78	0.29	0.16	18.85	4.1	31
I319496		0.26	0.005	0.13	1.40	8.7	<0.2	<10	80	0.17	0.60	0.24	0.12	16.80	4.0	36
I319497		0.26	<0.005	0.38	2.31	5.1	<0.2	<10	240	0.30	0.91	0.64	0.22	20.6	16.9	72
I319498		0.44	0.005	0.17	1.86	4.2	<0.2	<10	190	0.27	1.34	0.44	0.11	17.20	13.6	72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319089		0.45	9.0	2.11	3.86	<0.05	0.04	0.02	0.018	0.16	7.8	7.0	0.28	407	1.25
I319090		0.67	14.9	2.92	6.60	0.06	0.05	0.02	0.027	0.15	15.1	11.3	0.50	736	1.03
I319091		1.46	13.9	2.13	5.60	0.06	0.03	0.04	0.017	0.09	8.4	6.5	0.54	168	0.52
I319092		1.34	15.0	1.87	4.83	0.06	0.03	0.04	0.017	0.06	8.3	4.8	0.42	133	0.47
I319093		2.31	23.2	3.73	6.63	0.10	0.04	0.05	0.031	0.11	14.2	11.6	0.70	2690	1.05
I319094		1.82	21.1	2.94	6.11	0.08	0.04	0.07	0.024	0.14	10.6	9.0	0.70	499	1.27
I319095		3.85	45.7	3.03	8.74	0.10	0.03	0.05	0.028	0.36	12.9	11.7	0.94	366	3.89
I319096		0.86	24.1	1.39	4.07	0.05	0.02	0.05	0.012	0.03	14.1	1.6	0.12	79	1.21
I319097		0.08	1.4	0.56	0.52	<0.05	0.06	<0.01	<0.005	0.03	5.1	1.1	0.04	143	0.23
I319098		3.47	41.5	2.80	6.66	0.09	0.03	0.06	0.026	0.14	15.4	10.5	0.68	436	5.92
I319099		3.02	49.2	3.08	7.18	0.08	0.05	0.07	0.029	0.15	14.0	12.8	0.75	381	1.23
I319100		3.51	60.9	3.15	6.86	0.09	0.06	0.06	0.030	0.13	20.0	13.0	0.81	305	1.15
I319471		0.84	25.5	2.35	5.60	0.06	0.03	0.23	0.024	0.06	14.4	8.1	0.48	182	0.86
I319472		0.79	14.3	2.12	6.00	0.05	0.02	0.05	0.019	0.05	7.8	6.4	0.53	236	0.78
I319473		0.67	23.9	1.18	2.42	0.05	0.02	0.09	0.011	0.09	6.8	2.7	0.30	578	0.43
I319474		0.87	19.5	2.89	6.94	0.06	0.04	0.06	0.026	0.07	9.8	9.5	0.68	333	0.99
I319475		1.32	32.2	1.72	5.02	0.06	0.03	0.05	0.017	0.06	10.4	4.7	0.38	102	0.51
I319476		1.49	37.9	1.81	5.84	0.06	0.03	0.08	0.017	0.06	9.8	6.3	0.45	114	0.66
I319477		1.38	38.2	1.93	6.00	0.06	0.03	0.06	0.014	0.06	9.0	5.9	0.45	105	0.90
I319478		1.33	43.0	1.92	5.70	0.05	0.03	0.04	0.015	0.06	8.2	6.0	0.43	107	0.86
I319479		1.53	41.8	2.23	6.11	0.05	0.03	0.09	0.017	0.08	9.0	7.5	0.52	175	1.07
I319480		1.61	43.5	2.43	6.47	0.06	0.03	0.05	0.019	0.11	9.9	8.3	0.57	195	1.16
I319481		1.62	35.7	2.10	7.14	0.06	0.03	0.04	0.021	0.07	9.6	8.1	0.56	145	0.82
I319482		1.38	26.8	1.82	5.94	0.05	0.02	0.03	0.015	0.08	8.0	6.5	0.49	135	1.78
I319483		3.48	42.9	2.62	7.71	0.10	0.06	0.10	0.030	0.18	12.6	12.6	0.75	503	1.64
I319484		2.16	69.0	1.34	3.54	0.09	0.06	0.15	0.015	0.13	15.7	6.6	0.42	427	0.83
I319485		2.89	38.1	2.77	7.33	0.07	0.03	0.12	0.028	0.20	10.0	11.6	0.72	359	2.79
I319486		2.88	43.0	2.86	7.68	0.08	0.03	0.14	0.029	0.19	11.5	12.4	0.73	434	2.82
I319487		2.04	39.8	2.07	8.27	0.06	0.03	0.07	0.020	0.12	13.2	7.3	0.47	190	2.06
I319488		2.33	42.7	3.01	6.96	0.08	0.04	0.40	0.029	0.16	12.7	11.0	0.58	366	3.12
I319489		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I319490		3.35	62.2	2.62	8.04	0.07	0.03	0.02	0.028	0.25	10.9	12.0	0.72	473	2.96
I319491		3.99	91.1	2.05	7.34	0.10	0.05	0.13	0.027	0.17	23.9	10.1	0.58	262	3.50
I319492		1.29	17.9	1.12	3.64	<0.05	<0.02	0.05	0.015	0.05	4.0	1.9	0.12	84	2.35
I319493		4.17	48.4	3.51	9.91	0.09	0.03	0.07	0.034	0.25	13.1	16.6	1.48	700	3.05
I319494		2.96	24.3	2.07	7.88	0.05	0.03	0.07	0.023	0.08	9.5	8.7	0.58	154	1.75
I319495		1.70	19.8	1.57	5.45	0.05	0.03	0.09	0.019	0.06	10.1	5.4	0.36	131	1.01
I319496		1.94	16.0	1.56	6.81	0.05	0.02	0.07	0.019	0.07	8.6	5.5	0.41	125	1.38
I319497		10.75	95.8	2.77	7.96	0.08	0.04	0.07	0.026	0.16	11.1	19.7	0.96	344	1.79
I319498		8.00	75.6	2.44	6.23	0.07	0.03	0.02	0.021	0.18	9.2	17.5	0.94	289	1.36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319089		2.42	11.9	170	11.9	13.4	<0.001	0.01	0.24	3.6	0.2	0.4	37.9	<0.01	0.01
I319090		3.11	21.1	290	11.7	14.3	<0.001	0.01	0.29	5.6	0.3	0.6	47.5	<0.01	0.02
I319091		1.64	18.3	540	6.2	16.6	<0.001	0.06	0.22	3.5	0.6	0.6	25.3	<0.01	0.02
I319092		1.35	16.1	570	5.7	16.0	<0.001	0.08	0.22	2.8	0.7	0.5	24.5	<0.01	0.02
I319093		1.79	28.2	780	6.8	20.1	<0.001	0.08	0.29	5.0	0.9	0.6	30.9	<0.01	0.04
I319094		1.92	25.7	730	6.6	16.7	<0.001	0.05	0.37	4.9	1.0	0.7	31.5	<0.01	0.03
I319095		1.97	35.0	1080	5.3	35.7	0.002	0.04	0.65	6.7	1.4	1.0	35.7	<0.01	0.09
I319096		0.82	10.3	420	5.9	6.8	<0.001	0.05	0.38	1.7	0.8	0.4	13.8	<0.01	0.03
I319097		0.14	3.7	130	1.5	2.0	<0.001	0.01	0.11	0.6	<0.2	<0.2	6.8	<0.01	<0.01
I319098		1.90	24.1	700	6.6	21.5	<0.001	0.03	1.23	5.3	0.7	0.7	29.4	<0.01	0.08
I319099		1.95	26.7	590	7.9	22.8	<0.001	0.02	0.31	5.4	0.6	0.8	30.4	<0.01	0.06
I319100		2.00	28.7	570	8.5	23.9	<0.001	0.02	0.37	6.1	0.7	0.8	33.5	<0.01	0.06
I319471		1.12	22.3	650	8.4	10.2	<0.001	0.06	0.27	3.6	0.9	0.5	24.9	<0.01	0.03
I319472		1.16	16.6	370	8.4	10.0	<0.001	0.03	0.19	3.0	0.5	0.5	16.7	<0.01	0.02
I319473		0.69	16.2	770	3.0	8.1	<0.001	0.16	0.20	1.8	0.8	0.4	35.2	0.01	0.05
I319474		1.72	24.6	360	10.6	10.9	<0.001	0.03	0.27	4.4	0.5	0.6	22.5	<0.01	0.03
I319475		1.22	19.9	560	4.6	15.2	<0.001	0.08	0.20	3.1	0.8	0.5	21.4	<0.01	0.07
I319476		1.19	19.7	480	4.6	12.5	<0.001	0.06	0.23	3.5	0.9	0.6	20.6	<0.01	0.09
I319477		1.34	19.6	450	4.6	12.5	<0.001	0.06	0.25	3.5	0.8	0.6	21.8	<0.01	0.09
I319478		1.22	19.5	530	4.1	11.9	<0.001	0.06	0.19	3.2	0.9	0.6	21.6	<0.01	0.11
I319479		1.43	24.8	630	4.6	14.9	<0.001	0.07	0.25	3.3	0.9	0.6	21.9	<0.01	0.13
I319480		1.58	25.6	710	5.1	18.4	<0.001	0.06	0.35	3.9	0.9	0.6	22.9	<0.01	0.13
I319481		1.74	22.6	490	5.6	16.8	<0.001	0.04	0.32	4.0	0.8	0.7	20.1	<0.01	0.09
I319482		1.42	19.2	450	4.3	14.3	<0.001	0.03	0.27	3.3	0.5	0.6	17.1	<0.01	0.08
I319483		2.59	36.2	720	6.1	37.6	0.001	0.11	0.27	5.5	1.2	0.8	79.3	0.01	0.05
I319484		1.17	35.7	730	2.5	20.0	0.002	0.16	0.33	3.1	1.4	0.4	85.0	0.01	0.04
I319485		1.95	29.4	720	6.0	24.0	0.001	0.05	0.17	4.8	0.9	0.8	31.1	<0.01	0.05
I319486		1.97	31.4	730	6.0	24.4	0.001	0.06	0.19	5.1	1.1	0.7	33.3	<0.01	0.06
I319487		1.82	22.7	380	7.3	19.2	<0.001	0.05	0.31	3.5	0.7	0.9	23.3	<0.01	0.04
I319488		1.81	36.0	590	14.5	22.1	0.001	0.04	0.18	4.9	1.2	0.9	29.9	<0.01	0.06
I319489		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I319490		1.64	32.0	790	5.7	26.2	<0.001	0.05	0.22	5.8	1.0	1.0	23.8	<0.01	0.12
I319491		1.19	38.1	770	7.3	24.7	0.002	0.08	1.13	4.1	2.9	1.4	43.3	0.01	0.14
I319492		0.63	11.8	470	5.7	7.8	<0.001	0.04	0.70	1.5	0.5	0.8	10.3	<0.01	0.05
I319493		2.83	73.9	610	8.6	32.4	0.001	0.04	1.48	7.0	1.1	0.9	28.1	<0.01	0.12
I319494		2.04	28.1	340	7.1	19.4	<0.001	0.03	0.50	4.2	0.8	0.9	19.2	<0.01	0.06
I319495		1.23	15.5	470	6.2	13.8	<0.001	0.05	0.49	2.9	1.2	0.8	21.1	<0.01	0.04
I319496		1.38	15.5	430	8.6	15.8	<0.001	0.04	0.60	3.2	0.9	0.7	18.7	<0.01	0.01
I319497		1.56	36.2	690	5.2	29.9	<0.001	0.07	0.29	5.1	0.9	0.6	37.9	<0.01	0.02
I319498		1.26	33.9	490	4.4	28.6	<0.001	0.02	0.21	5.0	0.5	0.5	25.7	<0.01	0.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319089		0.065	0.09	0.49	45	0.12	3.20	30	1.6
I319090		0.079	0.12	0.89	58	0.23	5.02	51	1.8
I319091		0.100	0.14	0.66	45	0.33	4.65	56	1.2
I319092		0.078	0.14	0.87	31	0.13	4.35	47	1.1
I319093		0.107	0.23	1.20	89	0.17	9.05	96	1.3
I319094		0.113	0.23	0.84	80	0.41	6.69	77	1.5
I319095		0.124	0.33	1.30	121	0.63	7.78	76	1.2
I319096		0.062	0.07	1.61	42	0.49	7.50	22	0.6
I319097		0.006	0.03	0.32	4	<0.05	2.15	5	2.4
I319098		0.115	0.28	1.89	65	3.95	7.85	51	1.2
I319099		0.132	0.25	1.22	73	1.31	7.13	62	2.0
I319100		0.138	0.34	1.90	71	1.97	9.73	64	3.0
I319471		0.069	0.12	1.87	49	0.12	8.96	58	1.0
I319472		0.082	0.11	0.88	55	0.13	3.66	50	0.7
I319473		0.042	0.09	0.54	24	0.27	5.15	58	0.6
I319474		0.100	0.12	0.74	78	0.11	4.78	73	1.6
I319475		0.074	0.15	0.90	34	1.05	5.82	35	0.9
I319476		0.076	0.18	0.92	41	1.07	4.62	40	0.8
I319477		0.082	0.17	0.67	44	1.12	4.30	38	0.9
I319478		0.080	0.14	0.70	42	0.82	4.40	34	0.9
I319479		0.091	0.15	0.79	50	2.09	4.77	45	0.8
I319480		0.099	0.17	0.86	54	2.14	5.30	47	0.9
I319481		0.102	0.17	0.70	47	1.60	4.51	46	1.1
I319482		0.091	0.14	0.55	43	1.76	3.70	41	0.7
I319483		0.107	0.26	1.21	63	0.56	8.96	91	2.3
I319484		0.048	0.20	1.97	33	0.18	13.25	54	2.0
I319485		0.121	0.23	1.01	86	0.73	5.22	86	1.0
I319486		0.115	0.24	1.31	85	0.41	6.62	89	1.2
I319487		0.114	0.18	0.91	63	0.47	5.31	66	1.0
I319488		0.113	0.35	1.10	85	0.47	5.28	115	1.3
I319489		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
I319490		0.113	0.22	1.18	104	1.23	6.19	68	0.9
I319491		0.079	0.28	3.41	71	0.88	19.30	77	1.0
I319492		0.051	0.09	0.62	38	1.61	2.77	23	<0.5
I319493		0.131	0.22	1.28	91	1.19	6.51	83	1.0
I319494		0.115	0.17	1.08	51	1.39	3.75	47	1.2
I319495		0.079	0.13	1.25	33	0.44	4.56	36	0.9
I319496		0.097	0.15	0.98	36	0.72	3.67	40	0.7
I319497		0.119	0.28	1.20	73	1.91	6.75	65	1.3
I319498		0.124	0.23	0.79	68	2.30	5.34	45	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319499		0.22	0.005	0.24	1.10	3.3	<0.2	<10	190	0.21	0.57	0.47	0.25	19.40	6.0	36
I319500		0.28	0.006	0.09	1.81	7.0	<0.2	<10	130	0.26	1.52	0.29	0.13	15.95	11.0	34
I319556		0.62	0.006	0.14	2.65	5.8	<0.2	<10	180	0.22	0.11	0.33	0.08	9.79	16.1	54
I319557		0.50	0.006	0.09	1.34	5.1	<0.2	<10	90	0.15	0.10	0.33	0.10	12.85	6.2	25
I319558		0.56	0.008	0.07	1.29	4.4	<0.2	<10	80	0.11	0.09	0.31	0.11	11.85	5.7	24
I319755		0.50	0.008	0.14	2.39	5.0	<0.2	<10	220	0.26	0.12	0.52	0.22	15.80	13.1	40
I319756		<0.02	0.007	0.08	2.72	5.2	<0.2	<10	200	0.21	0.11	0.50	0.13	11.95	15.0	44
I319757		0.40	0.008	0.12	3.09	4.7	<0.2	<10	250	0.30	0.10	0.60	0.14	15.10	18.7	47
I319758		0.46	0.006	0.08	3.47	5.3	<0.2	<10	200	0.41	0.13	0.61	0.12	16.65	20.1	59
I319759		0.46	0.008	0.14	3.28	5.4	<0.2	<10	270	0.41	0.22	0.63	0.09	20.0	18.7	60
I319760		0.40	0.006	0.11	2.63	4.7	<0.2	<10	210	0.31	0.12	0.48	0.05	17.80	16.6	59
I319761		0.54	0.008	0.14	3.05	4.4	<0.2	<10	230	0.35	0.11	0.58	0.07	16.25	15.9	53
I319762		0.50	0.007	0.12	2.64	5.3	<0.2	<10	150	0.32	0.13	0.61	0.08	17.35	16.6	37
I319763		0.32	0.005	0.09	1.64	5.7	<0.2	<10	110	0.17	0.15	0.50	0.14	11.55	8.7	32
I319764		0.46	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.08	0.02	0.09	0.04	9.63	1.9	3
I319765		0.30	0.009	0.12	1.28	4.0	<0.2	<10	130	0.13	0.11	0.63	0.17	10.70	6.9	28
I319766		0.32	0.013	0.17	1.36	4.1	<0.2	<10	180	0.16	0.11	0.43	0.37	17.15	6.4	32
I319767		0.14	0.020	0.20	2.36	7.6	<0.2	<10	230	0.27	0.09	1.26	0.21	10.55	13.4	48
I319768		0.36	0.013	0.23	2.50	11.4	<0.2	<10	200	0.30	0.07	1.12	0.27	19.95	13.0	45
I319769		0.30	0.006	0.22	2.36	4.2	<0.2	<10	210	0.30	0.16	0.53	0.31	15.00	13.5	51
I319770		0.44	0.012	0.32	2.21	9.0	<0.2	<10	280	0.48	0.22	0.99	0.43	41.8	14.5	48
I319771		0.32	0.008	0.42	2.68	12.7	<0.2	<10	470	0.57	0.17	0.56	0.48	40.2	17.9	52
I319772		0.30	0.006	0.68	1.20	4.1	<0.2	<10	350	0.28	0.13	0.24	1.19	12.35	5.5	26
I319773		0.28	<0.005	0.20	0.52	1.3	<0.2	<10	520	0.17	0.05	0.34	0.69	17.05	2.9	18
I319774		0.28	<0.005	0.24	1.04	3.0	<0.2	<10	440	0.15	0.09	0.42	0.39	16.30	4.9	33
I319775		0.28	0.012	0.22	1.20	5.1	<0.2	<10	270	0.14	0.11	0.32	0.20	11.50	4.8	37
I319776		0.30	0.009	0.20	1.28	5.0	<0.2	<10	240	0.14	0.13	0.22	0.15	11.25	4.5	41
I319777		0.24	0.009	0.16	1.26	5.1	<0.2	<10	240	0.17	0.12	0.24	0.19	16.00	4.3	33
I319778		0.32	0.012	0.18	1.95	11.4	<0.2	<10	210	0.43	0.13	2.19	0.26	41.7	13.8	54
I319779		0.28	0.008	0.19	1.65	11.7	<0.2	<10	240	0.36	0.11	2.29	0.41	31.0	10.4	45
I319780		0.24	<0.005	0.24	1.79	12.4	<0.2	<10	260	0.38	0.11	2.42	0.37	33.4	10.9	49
I319781	Not Recvd															
I319782		0.34	0.012	0.26	1.85	11.6	<0.2	<10	260	0.43	0.21	1.67	0.26	35.2	11.0	55
I319783		0.36	0.011	0.34	2.34	8.3	<0.2	<10	360	0.52	0.14	1.57	0.38	40.1	12.6	64
I319784		0.24	0.013	1.09	2.21	21.2	<0.2	<10	380	0.37	0.36	1.00	0.52	37.6	9.6	45
I319785		0.30	0.009	0.52	2.25	17.3	<0.2	<10	720	0.60	0.20	0.86	0.81	82.2	15.3	51
I319786		0.28	0.005	0.45	1.25	5.0	<0.2	<10	220	0.33	0.17	0.19	0.40	33.5	6.6	23
I319787	Not Recvd															
I319788	Not Recvd															
I319951		0.82	<0.005	0.17	2.37	7.2	<0.2	<10	320	0.53	0.74	0.51	0.23	36.3	11.2	56



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319499		4.78	84.7	1.57	4.79	0.05	0.02	0.05	0.016	0.09	11.5	7.1	0.41	134	1.41
I319500		1.84	48.3	2.69	7.19	0.06	0.05	0.05	0.023	0.13	8.0	13.1	0.63	300	1.94
I319556		1.23	25.3	3.20	8.05	0.07	0.03	0.05	0.016	0.38	4.7	12.2	1.36	408	0.82
I319557		0.66	15.7	2.04	4.74	0.05	0.03	0.05	0.016	0.07	6.3	6.7	0.47	181	0.66
I319558		0.62	13.0	1.71	5.00	0.05	0.02	0.04	0.015	0.06	5.9	6.0	0.48	137	0.39
I319755		0.64	43.7	3.43	8.05	0.06	0.05	0.04	0.029	0.11	7.5	12.0	1.15	437	0.90
I319756		0.81	28.6	3.93	8.94	0.07	0.07	0.02	0.028	0.25	5.7	13.4	1.43	464	0.83
I319757		0.93	39.9	3.99	9.55	0.09	0.06	0.02	0.027	0.33	7.1	15.5	1.63	493	0.74
I319758		0.96	34.0	4.09	10.00	0.09	0.05	0.02	0.027	0.30	7.7	17.3	1.55	499	0.91
I319759		0.91	55.6	4.42	9.40	0.12	0.07	0.03	0.029	0.31	9.8	14.7	1.58	487	0.97
I319760		0.67	37.3	3.32	7.92	0.08	0.05	0.03	0.024	0.11	8.3	12.4	1.27	369	0.68
I319761		0.78	40.9	3.60	8.37	0.09	0.07	0.03	0.024	0.41	8.0	13.5	1.65	411	0.49
I319762		0.87	33.2	3.02	7.50	0.07	0.05	0.03	0.022	0.10	8.2	13.6	1.36	351	0.53
I319763		0.68	17.3	2.31	5.76	0.06	0.02	0.03	0.018	0.05	5.8	8.8	0.68	339	0.79
I319764		0.07	1.6	0.60	0.53	<0.05	0.07	<0.01	<0.005	0.03	4.9	0.8	0.04	160	0.24
I319765		0.56	12.7	1.93	5.18	<0.05	0.03	0.05	0.016	0.05	5.6	4.5	0.51	275	0.91
I319766		0.62	16.3	2.04	5.16	0.05	0.02	0.04	0.017	0.05	7.3	5.1	0.55	253	1.38
I319767		0.95	34.7	2.95	7.76	0.07	0.03	0.05	0.015	0.27	5.7	6.7	1.29	473	0.87
I319768		1.02	26.7	2.94	7.65	0.08	0.03	0.04	0.013	0.40	8.7	6.3	1.42	616	0.84
I319769		0.75	30.8	3.25	8.50	0.06	0.07	0.03	0.021	0.14	8.3	7.7	1.19	522	1.53
I319770		1.03	44.7	3.40	7.17	0.09	0.08	0.21	0.033	0.15	23.0	9.0	0.93	396	2.35
I319771		1.13	50.4	4.12	8.84	0.10	0.05	0.07	0.034	0.07	37.0	11.6	1.00	917	1.75
I319772		0.82	43.5	1.69	4.96	<0.05	0.02	0.05	0.016	0.05	8.2	3.6	0.23	177	1.27
I319773		0.40	21.0	0.92	2.22	<0.05	<0.02	0.05	0.009	0.04	7.4	1.0	0.16	121	0.71
I319774		0.62	20.7	1.60	4.60	<0.05	<0.02	0.07	0.017	0.04	7.2	2.7	0.38	142	0.77
I319775		0.70	17.1	1.88	5.48	<0.05	0.02	0.06	0.016	0.04	6.2	3.7	0.48	149	1.07
I319776		0.73	16.7	2.12	5.55	0.05	<0.02	0.06	0.017	0.04	6.3	3.6	0.55	153	1.17
I319777		0.80	16.2	2.08	5.28	0.05	0.02	0.04	0.017	0.05	7.1	3.7	0.47	139	0.75
I319778		2.41	36.6	2.89	6.29	0.10	0.06	0.09	0.022	0.29	20.9	13.8	0.98	510	0.68
I319779		1.92	34.2	2.42	5.48	0.09	0.07	0.13	0.019	0.22	13.5	10.5	0.85	479	0.81
I319780		2.08	36.4	2.57	5.94	0.10	0.07	0.15	0.024	0.24	17.8	11.2	0.92	510	0.81
I319781															
I319782		1.59	31.1	2.72	6.17	0.08	0.07	0.08	0.024	0.21	18.1	10.1	0.92	500	1.03
I319783		1.76	39.2	2.97	7.26	0.09	0.07	0.11	0.026	0.25	20.7	11.0	1.26	730	1.03
I319784		1.13	39.5	3.17	7.31	0.09	0.04	0.50	0.039	0.11	20.2	8.7	0.57	377	4.11
I319785		2.03	58.9	3.62	7.08	0.14	0.07	0.21	0.033	0.30	47.9	11.6	0.82	912	3.09
I319786		0.97	21.3	1.96	5.26	0.06	0.03	0.06	0.017	0.14	24.7	4.2	0.33	323	1.25
I319787															
I319788															
I319951		1.89	32.3	3.12	8.15	0.10	0.04	0.02	0.031	0.27	13.6	10.1	0.91	293	1.18



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319499		1.03	19.7	470	6.2	20.3	<0.001	0.04	0.25	2.8	0.5	0.5	28.3	<0.01	0.01
I319500		1.94	26.1	450	6.0	17.7	<0.001	0.01	0.96	4.3	0.4	0.6	18.1	<0.01	0.01
I319556		1.29	26.3	610	5.1	28.3	<0.001	0.05	0.22	5.6	0.5	0.4	17.9	<0.01	0.01
I319557		1.11	13.5	640	5.3	11.6	<0.001	0.04	0.26	3.0	0.5	0.4	19.1	<0.01	<0.01
I319558		1.02	13.4	500	4.7	9.8	<0.001	0.04	0.20	2.8	0.5	0.4	18.6	<0.01	<0.01
I319755		1.26	22.5	350	5.1	12.2	<0.001	0.01	0.31	7.9	0.5	0.5	24.3	<0.01	0.01
I319756		1.51	22.4	330	4.9	24.4	<0.001	0.01	0.25	7.9	0.3	0.6	21.0	<0.01	0.01
I319757		1.50	25.9	460	9.8	29.4	<0.001	0.01	0.22	9.2	0.4	0.5	24.5	<0.01	0.01
I319758		1.88	35.4	520	6.5	31.2	<0.001	0.02	0.23	8.1	0.5	0.6	25.5	<0.01	0.01
I319759		1.48	31.5	480	8.8	28.6	<0.001	0.02	0.28	8.9	0.7	0.6	26.1	<0.01	0.04
I319760		1.38	29.6	460	5.3	12.2	<0.001	0.02	0.31	7.0	0.5	0.5	23.9	<0.01	0.01
I319761		1.31	26.4	490	5.2	29.8	<0.001	0.01	0.24	6.7	0.5	0.5	22.6	<0.01	0.01
I319762		1.33	26.4	450	5.3	13.8	<0.001	0.03	0.30	5.6	0.5	0.4	24.6	<0.01	<0.01
I319763		1.09	18.2	550	6.2	8.9	<0.001	0.06	0.23	3.4	0.6	0.4	26.5	<0.01	0.03
I319764		0.13	3.1	120	1.3	1.8	<0.001	<0.01	0.10	0.6	<0.2	<0.2	5.2	<0.01	<0.01
I319765		0.97	13.8	560	4.5	8.5	<0.001	0.07	0.24	3.1	0.9	0.3	28.9	<0.01	0.02
I319766		0.98	17.9	520	4.8	8.2	0.001	0.05	0.22	3.5	1.3	0.4	26.5	<0.01	0.03
I319767		1.16	24.1	540	4.2	29.0	0.001	0.07	0.26	5.7	0.8	0.3	36.1	<0.01	0.04
I319768		1.12	22.2	610	4.4	38.0	<0.001	0.06	0.33	4.4	0.7	0.3	33.3	<0.01	0.03
I319769		1.59	27.3	360	9.2	18.7	<0.001	0.01	0.23	5.4	0.5	0.6	18.1	<0.01	0.04
I319770		1.52	30.9	730	13.3	22.6	0.002	0.05	0.33	7.4	1.7	0.6	31.0	0.01	0.06
I319771		1.36	31.8	480	7.8	11.7	0.001	0.02	0.53	7.5	1.1	0.6	28.2	<0.01	0.05
I319772		0.85	19.4	460	3.9	8.0	<0.001	0.02	0.22	2.3	0.7	0.4	13.4	<0.01	0.03
I319773		0.32	12.6	490	2.0	3.3	<0.001	0.05	0.17	1.1	0.7	0.2	13.7	<0.01	0.02
I319774		0.79	14.5	650	4.2	7.7	<0.001	0.08	0.24	2.8	1.3	0.4	17.5	<0.01	0.02
I319775		0.88	15.1	550	7.5	7.6	<0.001	0.06	0.24	2.6	1.0	0.4	16.0	<0.01	0.03
I319776		0.89	14.6	550	4.9	7.3	<0.001	0.05	0.21	2.5	1.2	0.4	12.3	<0.01	0.03
I319777		0.99	14.2	530	5.7	9.5	<0.001	0.05	0.20	2.7	0.8	0.4	13.0	<0.01	0.03
I319778		1.55	37.0	620	6.2	40.8	0.001	0.09	0.32	5.0	1.3	0.5	61.7	0.01	0.04
I319779		1.18	28.9	700	4.9	32.9	0.002	0.11	0.34	4.8	1.4	0.4	53.2	0.01	0.03
I319780		1.29	30.9	710	5.2	36.0	0.001	0.11	0.38	5.1	1.6	0.5	55.9	0.01	0.04
I319781															
I319782		1.35	35.2	750	5.7	27.6	0.001	0.07	0.48	5.6	1.4	0.5	38.2	<0.01	0.04
I319783		1.43	41.8	900	8.7	32.5	0.001	0.06	0.59	6.8	1.8	0.6	34.8	<0.01	0.04
I319784		1.13	27.9	1090	9.3	13.2	0.002	0.10	1.02	4.8	5.6	0.8	46.9	<0.01	0.06
I319785		1.45	46.9	1170	8.4	33.0	0.002	0.07	0.81	7.5	2.6	0.6	47.9	0.01	0.04
I319786		1.10	13.9	500	4.8	20.4	<0.001	0.03	0.23	2.8	0.7	0.4	16.9	<0.01	0.03
I319787															
I319788															
I319951		1.96	30.1	880	7.0	32.5	0.001	0.04	1.46	6.9	1.3	0.8	20.1	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319499		0.077	0.15	1.26	40	0.86	6.17	33
I319500		0.139	0.14	0.48	67	8.35	4.13	46
I319556		0.138	0.19	0.46	89	0.19	3.09	78
I319557		0.085	0.09	0.57	51	0.16	3.44	40
I319558		0.088	0.08	0.43	38	0.24	3.23	41
I319755		0.119	0.08	0.57	101	0.17	6.01	77
I319756		0.161	0.13	0.33	123	0.16	3.84	76
I319757		0.171	0.14	0.47	120	0.18	5.72	84
I319758		0.177	0.15	0.48	113	0.21	5.49	81
I319759		0.178	0.18	0.80	111	0.19	7.94	94
I319760		0.136	0.09	0.61	91	0.17	7.30	65
I319761		0.176	0.18	0.61	97	0.21	6.14	83
I319762		0.120	0.10	0.83	78	0.15	5.31	63
I319763		0.085	0.07	0.57	68	0.22	3.33	57
I319764		0.007	0.03	0.29	4	<0.05	1.94	6
I319765		0.068	0.07	0.63	42	0.14	3.32	57
I319766		0.075	0.08	0.72	47	0.36	4.32	69
I319767		0.095	0.15	0.59	71	4.78	4.30	63
I319768		0.097	0.17	0.49	71	0.16	5.39	73
I319769		0.114	0.10	0.49	78	0.15	4.60	80
I319770		0.085	0.13	2.50	70	0.17	15.55	101
I319771		0.071	0.14	1.43	97	0.17	26.2	74
I319772		0.058	0.05	0.82	46	0.12	4.69	42
I319773		0.027	0.03	0.52	24	0.07	4.44	34
I319774		0.051	0.07	0.76	28	0.25	4.36	44
I319775		0.060	0.08	0.57	38	0.09	3.06	50
I319776		0.056	0.08	0.63	48	0.96	2.93	52
I319777		0.067	0.08	0.62	49	0.09	3.67	50
I319778		0.080	0.23	1.05	59	0.21	12.30	71
I319779		0.067	0.19	0.92	56	0.10	10.80	76
I319780		0.071	0.21	1.07	60	0.10	12.10	77
I319781								
I319782		0.086	0.19	1.14	67	0.13	13.45	70
I319783		0.092	0.21	1.41	74	0.14	17.50	74
I319784		0.058	0.17	2.92	62	0.22	12.85	86
I319785		0.101	0.25	3.68	67	0.22	41.0	96
I319786		0.079	0.09	0.78	36	0.12	7.95	40
I319787								
I319788								
I319951		0.121	0.23	2.03	85	0.21	8.85	89
								1.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I319952		0.52	0.006	0.19	2.17	7.1	<0.2	<10	350	0.49	0.85	0.78	0.28	38.6	9.4	50
I319953		0.72	0.008	0.15	2.04	10.7	<0.2	<10	400	0.43	0.80	0.58	0.27	31.1	13.9	51
I319954		0.58	0.026	0.13	1.94	9.9	<0.2	<10	440	0.45	0.83	0.79	0.31	23.4	12.1	48
I319955		0.36	<0.005	0.17	2.60	5.6	<0.2	<10	280	0.35	0.08	1.09	0.20	12.70	16.4	57
I319956		0.34	0.007	0.19	2.60	12.2	<0.2	<10	210	0.29	0.09	1.26	0.19	17.80	13.5	53
I319957		0.32	<0.005	0.25	2.75	5.4	<0.2	<10	280	0.43	0.12	1.24	0.35	29.4	13.7	57
I319958		0.28	0.005	0.31	2.39	4.7	<0.2	<10	360	0.52	0.15	1.73	0.35	31.0	13.5	51
I319959		0.44	<0.005	0.25	2.34	9.9	<0.2	<10	350	0.71	0.26	0.50	0.12	51.6	15.9	49
I319960		0.26	0.006	1.14	2.11	5.6	<0.2	<10	430	1.00	0.26	0.55	0.72	96.4	11.5	40
I319961		0.28	<0.005	1.19	1.31	1.7	<0.2	<10	2520	0.34	0.09	0.99	3.03	20.7	8.5	47
I319962		0.32	<0.005	0.29	0.94	5.9	<0.2	<10	310	0.11	0.12	0.32	0.23	10.15	4.3	36
I319963		0.26	0.008	0.17	1.26	4.4	<0.2	<10	490	0.18	0.12	0.32	0.23	11.90	4.7	46
I319964		0.32	0.008	0.21	1.33	7.9	<0.2	<10	260	0.17	0.15	0.21	0.17	12.50	6.2	47
I319965		0.34	0.005	0.26	1.50	8.8	<0.2	<10	250	0.18	0.19	0.19	0.16	12.35	6.9	57
I319966		0.24	<0.005	0.18	1.50	6.6	<0.2	<10	290	0.18	0.15	0.25	0.20	15.20	5.9	45
I319967		0.28	0.005	0.28	2.50	4.5	<0.2	<10	210	0.32	0.12	1.11	0.28	14.95	18.4	57
I319968		0.26	0.005	0.31	2.30	4.7	<0.2	<10	370	0.50	0.14	1.55	0.93	22.4	15.6	60
I319969		0.38	<0.005	0.01	0.12	1.8	<0.2	<10	30	0.09	0.02	0.09	0.05	10.50	2.2	3
I319970		0.36	0.005	0.22	2.95	6.1	<0.2	<10	310	0.47	0.16	1.07	0.26	19.00	20.1	82
I319971		0.36	0.006	0.27	2.75	5.9	<0.2	<10	210	0.39	0.16	0.97	0.46	17.60	21.0	51
I319972		0.32	<0.005	0.19	1.85	7.7	<0.2	<10	200	0.34	0.19	0.24	0.70	18.65	11.0	33
I319973		0.32	<0.005	0.44	1.58	5.9	<0.2	<10	170	0.41	0.17	0.19	0.30	26.7	7.7	25
I319974		0.40	<0.005	0.21	2.66	12.3	<0.2	<10	320	0.45	0.21	0.48	0.17	26.3	19.0	74
I319975		0.34	<0.005	0.31	2.03	6.0	<0.2	<10	360	0.31	0.17	0.44	0.44	19.95	14.2	60
I319976		0.40	0.006	0.30	2.00	10.0	<0.2	<10	370	0.26	0.23	0.31	0.29	19.05	10.0	78
I319977		0.36	<0.005	0.17	1.53	11.3	<0.2	<10	150	0.26	0.23	0.23	0.19	19.15	9.1	38
I319978		0.46	0.006	0.33	2.47	29.4	<0.2	<10	230	0.55	0.24	0.32	0.21	27.4	16.5	63
I319979		0.28	<0.005	0.18	1.40	9.3	<0.2	<10	130	0.19	0.20	0.23	0.15	15.75	6.2	37
I319980		0.34	0.007	0.16	1.47	7.8	<0.2	<10	120	0.20	0.17	0.19	0.13	18.40	5.8	39
I319981		0.38	0.007	0.21	1.91	6.5	<0.2	<10	250	0.47	0.13	1.59	0.54	37.7	15.4	49
I319982		0.40	<0.005	0.35	2.62	6.1	<0.2	<10	340	0.57	0.20	1.33	0.60	46.6	19.0	75
I319983		0.34	0.005	0.28	2.34	13.6	<0.2	<10	340	0.52	0.15	0.34	0.78	33.8	17.4	67
I319984		0.46	<0.005	0.72	1.78	18.8	<0.2	<10	280	0.44	0.29	0.31	0.71	46.1	10.8	49
I319985		0.26	0.015	1.82	1.45	9.3	<0.2	<10	500	0.59	0.25	0.56	1.76	76.0	7.2	35
I319986		0.30	0.007	1.28	2.43	18.1	<0.2	<10	320	0.61	0.59	0.39	1.04	43.2	14.8	72
I319987		0.42	<0.005	0.54	2.70	13.5	<0.2	<10	390	0.68	0.20	1.20	0.65	55.8	19.2	65
I319988		0.28	<0.005	0.26	2.02	6.6	<0.2	<10	230	0.47	0.15	2.00	0.59	39.5	16.2	54
I319989		0.30	<0.005	0.29	2.93	4.9	<0.2	<10	230	0.32	0.15	0.60	0.43	14.65	19.0	59
I319990		0.32	<0.005	0.27	2.43	4.8	<0.2	<10	220	0.26	0.13	0.67	0.26	14.00	16.8	44
I319991		0.26	<0.005	0.16	2.81	4.9	<0.2	<10	200	0.29	0.16	0.53	0.35	12.45	16.5	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319952		2.02	40.3	2.45	7.47	0.10	0.06	0.06	0.027	0.27	25.4	8.5	0.78	443	0.67
I319953		1.89	28.4	3.48	6.39	0.09	0.06	0.04	0.025	0.21	19.5	7.5	0.74	432	1.55
I319954		2.38	31.9	2.95	6.73	0.10	0.04	0.04	0.026	0.33	12.7	6.4	0.82	647	1.10
I319955		1.09	42.4	3.22	7.69	0.10	0.04	0.03	0.013	0.43	6.6	8.5	1.62	640	0.73
I319956		1.12	26.9	3.24	7.91	0.08	0.04	0.04	0.016	0.37	8.0	7.8	1.47	657	0.74
I319957		0.87	35.7	3.41	8.06	0.09	0.05	0.04	0.018	0.33	14.5	8.6	1.65	809	0.92
I319958		0.88	45.1	2.84	6.56	0.08	0.08	0.08	0.022	0.12	18.1	8.3	0.97	606	1.30
I319959		0.79	35.1	3.38	7.24	0.08	0.09	0.14	0.033	0.09	37.0	11.7	0.82	607	1.59
I319960		1.05	73.2	2.87	7.47	0.23	0.11	0.07	0.031	0.08	137.0	7.7	0.50	667	1.65
I319961		0.81	49.8	1.67	4.96	0.06	0.02	0.07	0.022	0.11	9.9	3.9	0.63	401	1.33
I319962		0.72	18.7	1.59	4.89	<0.05	<0.02	0.05	0.015	0.04	5.6	2.9	0.43	153	1.68
I319963		0.76	19.2	1.95	6.06	0.05	0.02	0.05	0.017	0.05	6.5	3.6	0.54	167	1.75
I319964		0.88	19.3	2.12	5.33	0.05	<0.02	0.05	0.018	0.05	6.6	5.2	0.58	156	1.24
I319965		1.01	18.9	2.34	6.37	0.06	<0.02	0.05	0.020	0.05	6.5	6.2	0.67	172	1.44
I319966		0.82	18.8	2.17	5.99	0.06	0.02	0.05	0.022	0.05	8.0	7.2	0.62	164	0.90
I319967		0.99	42.8	3.08	7.93	0.08	0.04	0.06	0.020	0.17	7.3	11.8	1.40	658	1.14
I319968		0.98	59.2	2.79	6.73	0.09	0.06	0.06	0.023	0.16	11.2	9.8	1.15	718	1.59
I319969		0.08	1.6	0.56	0.54	<0.05	0.06	<0.01	<0.005	0.04	5.3	1.4	0.04	147	0.23
I319970		1.17	44.1	3.65	8.55	0.12	0.05	0.04	0.026	0.33	9.7	12.1	1.61	695	1.26
I319971		1.19	43.3	3.42	8.15	0.10	0.05	0.05	0.023	0.26	8.8	12.8	1.67	890	1.36
I319972		0.71	26.0	2.73	6.20	0.06	0.02	0.03	0.029	0.04	9.2	12.4	0.61	284	1.32
I319973		0.79	26.4	2.29	5.94	0.06	0.03	0.04	0.022	0.06	19.1	7.4	0.34	237	1.38
I319974		1.34	36.2	3.68	8.54	0.09	0.06	0.03	0.037	0.09	14.8	15.4	1.10	537	2.01
I319975		1.20	30.7	2.88	7.67	0.08	0.02	0.06	0.026	0.08	10.3	11.8	0.96	333	1.97
I319976		1.11	22.1	2.65	7.69	0.07	0.02	0.13	0.029	0.06	9.8	12.7	0.95	297	1.46
I319977		1.00	22.8	2.43	6.76	0.07	0.02	0.06	0.026	0.05	10.0	9.0	0.52	341	1.38
I319978		2.25	28.7	3.81	8.64	0.09	0.02	0.10	0.038	0.22	14.1	15.3	1.02	507	1.46
I319979		1.50	15.0	2.04	6.23	0.06	0.02	0.05	0.019	0.09	8.1	7.5	0.54	172	0.90
I319980		1.23	17.9	2.36	5.94	0.06	0.02	0.06	0.021	0.06	9.5	7.0	0.51	142	0.95
I319981		2.42	33.7	2.68	5.94	0.13	0.06	0.08	0.024	0.26	20.2	17.1	1.04	545	0.65
I319982		3.16	45.7	3.45	8.10	0.13	0.08	0.10	0.030	0.43	23.7	21.1	1.60	518	0.87
I319983		2.56	40.2	3.63	8.14	0.12	0.03	0.07	0.034	0.36	18.4	16.8	0.96	434	2.07
I319984		1.86	42.9	3.07	7.58	0.11	0.03	0.08	0.031	0.18	24.9	10.0	0.66	322	3.37
I319985		1.38	58.3	2.06	5.08	0.12	0.04	0.32	0.026	0.12	41.8	6.6	0.39	215	1.82
I319986		2.30	36.2	3.39	9.76	0.11	0.04	0.09	0.044	0.25	27.9	11.8	0.81	427	2.22
I319987		2.85	49.7	3.36	8.50	0.14	0.08	0.17	0.033	0.36	29.6	19.6	1.24	554	1.13
I319988		2.80	34.2	2.73	6.41	0.13	0.08	0.10	0.026	0.31	19.4	17.7	1.12	503	0.79
I319989		2.36	67.2	3.75	10.15	0.09	0.04	0.04	0.033	0.16	7.3	14.6	1.40	455	0.96
I319990		0.80	40.4	3.27	8.86	0.09	0.04	0.04	0.031	0.14	6.9	12.5	1.16	569	1.20
I319991		1.01	34.0	3.61	10.90	0.08	0.05	0.03	0.027	0.21	6.3	13.8	1.26	436	1.16



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I319952		2.00	25.9	730	5.9	36.0	0.002	0.09	3.41	7.3	2.0	0.8	31.4	<0.01	0.05
I319953		1.60	23.2	750	4.9	26.5	0.001	0.06	0.69	6.3	1.5	0.6	26.0	<0.01	0.06
I319954		1.77	22.7	960	3.7	32.5	0.001	0.05	0.65	6.9	1.2	0.8	29.3	<0.01	0.07
I319955		1.32	27.5	650	3.4	36.7	0.001	0.04	0.23	5.5	0.8	0.4	31.2	<0.01	0.05
I319956		1.28	23.9	550	5.4	34.3	0.001	0.06	0.28	5.7	0.8	0.3	32.8	<0.01	0.03
I319957		1.11	29.4	610	6.3	29.3	0.001	0.04	0.27	5.4	0.9	0.4	32.1	<0.01	0.04
I319958		1.36	31.7	660	11.8	23.1	0.001	0.09	0.35	5.3	1.5	0.4	47.6	<0.01	0.07
I319959		1.61	31.7	430	13.8	11.7	0.001	0.01	0.30	7.4	0.9	0.7	20.0	<0.01	0.05
I319960		1.28	29.7	570	19.1	11.2	0.001	0.02	0.28	6.0	1.8	0.6	25.9	0.01	0.04
I319961		0.95	35.6	1110	4.8	8.0	0.001	0.08	0.17	2.7	1.7	0.4	46.5	<0.01	0.03
I319962		0.66	13.1	480	11.7	6.0	0.001	0.04	0.24	2.6	2.0	0.4	13.9	<0.01	0.03
I319963		0.98	18.7	540	7.5	7.1	0.001	0.06	0.21	2.7	1.1	0.5	15.6	<0.01	0.03
I319964		0.95	21.1	610	11.6	9.0	<0.001	0.05	0.23	2.7	1.2	0.4	14.7	<0.01	0.04
I319965		1.04	23.0	590	20.1	9.7	<0.001	0.04	0.24	2.9	1.2	0.5	14.0	<0.01	0.04
I319966		1.19	21.3	580	7.4	11.9	<0.001	0.05	0.24	3.4	1.1	0.5	16.8	<0.01	0.03
I319967		1.31	32.2	680	5.8	23.4	<0.001	0.07	0.27	5.1	0.9	0.4	40.2	<0.01	0.03
I319968		1.31	44.6	800	7.4	22.7	<0.001	0.10	0.39	5.1	1.5	0.4	49.8	<0.01	0.05
I319969		0.15	3.7	120	1.5	2.1	<0.001	<0.01	0.10	0.6	<0.2	<0.2	6.7	<0.01	<0.01
I319970		1.60	49.3	780	6.6	32.9	<0.001	0.05	0.24	8.1	1.0	0.6	28.6	<0.01	0.04
I319971		1.29	32.9	670	7.9	28.4	<0.001	0.07	0.28	6.0	1.0	0.4	30.3	<0.01	0.04
I319972		1.20	24.8	380	9.6	10.0	<0.001	0.02	0.29	3.4	0.6	0.5	18.8	<0.01	0.04
I319973		1.43	20.4	300	11.0	9.7	<0.001	0.01	0.30	3.5	0.7	0.5	15.8	<0.01	0.03
I319974		1.92	48.6	640	12.2	16.4	<0.001	0.02	0.30	7.5	1.0	0.7	25.1	<0.01	0.04
I319975		1.50	35.4	730	7.6	16.0	<0.001	0.05	0.28	5.6	1.7	0.5	24.2	<0.01	0.04
I319976		1.25	37.0	600	12.0	11.8	<0.001	0.03	0.49	5.2	1.3	0.6	20.4	<0.01	0.04
I319977		1.33	22.1	540	11.0	10.5	<0.001	0.04	0.33	3.7	1.2	0.6	18.6	<0.01	0.05
I319978		1.84	36.6	870	17.0	31.2	<0.001	0.03	0.40	6.8	1.2	0.8	17.1	<0.01	0.06
I319979		1.30	19.1	630	9.8	18.6	<0.001	0.05	0.23	3.1	1.0	0.5	16.6	<0.01	0.03
I319980		1.51	19.3	530	9.6	13.9	<0.001	0.06	0.24	3.2	1.1	0.6	15.0	<0.01	0.04
I319981		1.66	45.1	820	6.3	38.5	<0.001	0.06	0.30	5.4	1.3	0.5	46.4	<0.01	0.03
I319982		2.02	60.6	1170	6.9	50.7	<0.001	0.03	0.29	8.6	1.3	0.6	31.2	0.01	0.04
I319983		1.59	49.3	810	8.8	33.8	<0.001	0.03	0.30	8.0	1.1	0.7	25.9	<0.01	0.05
I319984		1.63	41.7	640	8.6	23.9	<0.001	0.05	0.41	4.8	1.3	0.7	33.3	<0.01	0.05
I319985		0.88	43.6	920	6.8	16.7	<0.001	0.08	0.37	3.0	1.6	0.5	45.2	0.01	0.06
I319986		1.94	45.1	510	11.2	39.1	<0.001	0.03	0.44	6.3	0.9	1.7	33.6	<0.01	0.04
I319987		2.23	62.9	910	7.7	42.6	<0.001	0.05	0.35	9.1	1.6	0.7	36.2	0.01	0.05
I319988		1.92	46.1	830	6.6	43.2	<0.001	0.08	0.30	5.9	1.5	0.5	55.0	0.01	0.04
I319989		1.29	32.5	360	5.0	23.7	<0.001	0.03	0.28	10.5	0.7	0.5	30.5	<0.01	0.04
I319990		1.46	25.7	400	5.2	19.9	<0.001	0.03	0.31	8.6	0.6	0.6	30.8	<0.01	0.03
I319991		1.89	25.4	310	6.1	30.1	<0.001	0.02	0.32	7.7	0.5	0.7	26.7	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
I319952		0.109	0.28	2.35	71	0.27	14.95	74
I319953		0.100	0.22	1.84	81	0.20	11.00	75
I319954		0.102	0.33	1.05	83	0.37	11.00	75
I319955		0.119	0.22	0.53	76	0.14	5.51	72
I319956		0.103	0.17	0.68	79	0.13	5.61	76
I319957		0.105	0.16	0.83	76	0.13	11.70	104
I319958		0.074	0.13	1.58	65	0.12	14.35	77
I319959		0.090	0.11	2.93	67	0.21	15.40	75
I319960		0.077	0.10	3.92	57	0.17	62.6	66
I319961		0.051	0.07	1.22	58	0.13	7.10	157
I319962		0.046	0.09	0.62	43	0.10	2.77	57
I319963		0.063	0.06	0.63	50	0.11	3.04	61
I319964		0.055	0.08	0.71	55	0.12	3.28	53
I319965		0.063	0.09	0.68	70	0.11	3.08	59
I319966		0.069	0.09	0.75	55	0.21	3.79	62
I319967		0.097	0.12	0.73	75	0.13	5.52	70
I319968		0.076	0.12	1.35	69	0.12	10.45	82
I319969		0.006	0.03	0.29	4	<0.05	2.06	5
I319970		0.108	0.15	0.93	94	0.17	8.70	78
I319971		0.099	0.13	0.67	82	0.12	7.44	102
I319972		0.071	0.06	0.71	57	0.11	4.64	63
I319973		0.069	0.08	0.85	52	0.11	9.47	47
I319974		0.116	0.12	1.04	96	0.18	8.92	86
I319975		0.085	0.10	1.11	77	0.13	6.16	98
I319976		0.077	0.12	0.89	72	0.13	5.37	89
I319977		0.076	0.11	1.01	68	0.16	4.39	52
I319978		0.104	0.31	1.35	93	0.12	7.92	104
I319979		0.073	0.13	0.78	44	0.19	4.32	57
I319980		0.076	0.11	0.93	53	0.11	4.72	53
I319981		0.080	0.22	1.18	56	0.13	14.20	73
I319982		0.120	0.29	1.28	82	0.16	16.85	93
I319983		0.116	0.25	1.29	101	0.13	10.95	108
I319984		0.101	0.23	1.87	71	0.22	11.45	113
I319985		0.044	0.14	2.80	38	0.16	23.5	83
I319986		0.112	0.32	1.33	75	0.23	10.25	100
I319987		0.103	0.28	2.52	78	0.19	21.6	105
I319988		0.086	0.25	1.19	57	0.14	14.15	74
I319989		0.131	0.12	0.55	116	0.13	6.30	77
I319990		0.117	0.09	0.52	96	0.12	5.31	75
I319991		0.157	0.13	0.45	112	0.15	3.87	73



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I319992		0.42	0.005	0.12	3.20	4.6	<0.2	<10	230	0.35	0.12	0.57	0.12	16.65	20.6	57
I319993		0.42	<0.005	0.14	3.53	5.0	<0.2	<10	250	0.33	0.17	0.75	0.11	17.20	23.6	62
I319994		0.42	0.009	0.15	2.83	5.5	<0.2	<10	230	0.49	0.21	0.69	0.18	30.4	19.3	61
I319995		0.26	<0.005	0.23	1.91	3.8	<0.2	<10	230	0.34	0.15	0.43	0.48	13.90	12.4	41
I319996		0.42	<0.005	0.13	3.16	6.7	<0.2	<10	200	0.45	0.16	0.56	0.08	21.1	21.0	59
I319997		0.30	<0.005	0.10	2.32	5.1	<0.2	<10	130	0.25	0.14	0.57	0.10	13.00	15.3	39
I319998		0.36	<0.005	0.01	0.11	1.8	<0.2	<10	30	0.10	0.02	0.08	0.05	9.46	2.1	3
I319999		0.30	<0.005	0.09	1.44	3.0	<0.2	<10	110	0.15	0.13	0.38	0.17	11.65	5.0	32
I320000		0.34	0.005	0.16	1.46	4.3	<0.2	<10	190	0.18	0.14	0.59	0.24	15.45	8.7	34



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I319992		1.18	44.4	4.14	10.05	0.12	0.06	0.03	0.028	0.40	8.2	16.3	1.71	500	0.89
I319993		1.18	49.4	4.45	10.80	0.12	0.07	0.03	0.030	0.36	8.5	16.0	1.70	519	1.10
I319994		1.19	40.4	3.84	8.77	0.11	0.07	0.07	0.030	0.17	15.3	14.4	1.56	574	0.99
I319995		0.71	58.4	2.56	6.64	0.06	0.03	0.05	0.024	0.11	7.0	7.0	0.77	264	1.02
I319996		1.04	37.7	4.01	8.75	0.10	0.07	0.04	0.026	0.18	10.2	15.6	1.61	566	0.63
I319997		0.94	20.5	3.04	7.28	0.08	0.04	0.05	0.023	0.08	6.4	13.7	1.22	502	0.84
I319998		0.08	1.6	0.55	0.51	<0.05	0.06	<0.01	<0.005	0.03	4.7	1.4	0.04	147	0.22
I319999		0.73	12.2	1.60	5.83	0.05	0.02	0.03	0.016	0.05	5.9	7.1	0.58	145	0.42
I320000		0.68	18.6	2.06	5.77	0.05	0.04	0.04	0.020	0.05	7.9	6.8	0.55	339	1.23



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2
I319992		1.61	31.3	460	6.5	37.4	<0.001	0.02	0.25	10.7	0.6	0.5	24.9	<0.01	0.03	1.9
I319993		1.75	37.8	670	6.9	36.5	<0.001	0.02	0.30	10.8	0.7	0.6	30.0	<0.01	0.05	2.2
I319994		1.56	39.2	700	5.8	21.6	<0.001	0.04	0.50	9.3	1.0	0.5	34.4	<0.01	0.03	2.4
I319995		1.09	22.2	530	5.5	15.3	<0.001	0.06	0.28	4.0	0.8	0.5	27.6	<0.01	0.04	0.3
I319996		1.53	35.9	590	5.8	23.1	<0.001	0.03	0.34	7.9	0.7	0.5	25.1	<0.01	0.03	2.4
I319997		1.29	23.3	720	5.4	14.4	<0.001	0.04	0.30	5.1	0.7	0.4	27.2	<0.01	0.03	1.2
I319998		0.14	3.7	120	1.5	1.9	<0.001	<0.01	0.11	0.6	<0.2	<0.2	6.1	<0.01	0.01	1.8
I319999		1.01	15.2	490	6.0	9.8	<0.001	0.07	0.23	3.3	0.7	0.4	20.0	<0.01	0.02	0.4
I320000		1.23	21.2	510	6.5	9.5	<0.001	0.06	0.26	3.8	1.1	0.4	31.5	<0.01	0.03	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130309

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I319992		0.171	0.19	0.58	126	0.15	7.21	78	2.5
I319993		0.174	0.19	0.63	123	0.18	7.58	84	2.9
I319994		0.125	0.13	1.18	98	0.13	14.10	66	2.8
I319995		0.089	0.07	0.74	66	0.11	4.92	57	1.2
I319996		0.135	0.13	0.82	99	0.13	8.05	71	3.0
I319997		0.103	0.08	0.62	72	0.16	4.02	67	1.5
I319998		0.006	0.03	0.29	4	<0.05	1.86	4	2.3
I319999		0.083	0.07	0.55	37	0.20	3.03	49	0.7
I320000		0.079	0.07	0.92	50	0.11	4.88	67	1.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10130309

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: **13-OCT-2010**
Account: **EIASQI**

CERTIFICATE WH10137856

Project: SQI10-06

P.O. No.: SQI10-06_32

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100429		0.34	<0.005	0.58	1.51	49.3	<0.2	<10	150	0.49	0.20	0.19	0.44	21.1	7.8	22
I100430		0.24	<0.005	0.16	1.07	22.3	<0.2	<10	170	0.13	0.17	0.30	0.27	15.25	5.1	24
I100431		0.42	<0.005	0.21	1.41	55.0	<0.2	<10	170	0.20	0.36	0.26	0.83	19.10	6.5	26
I100432		0.44	<0.005	0.40	1.49	61.6	<0.2	<10	130	0.20	0.54	0.24	0.77	22.0	6.9	24
I100433		0.48	<0.005	0.36	1.37	150.5	<0.2	<10	130	0.20	0.47	0.26	1.19	19.50	6.7	25
I100434		0.36	<0.005	0.42	1.44	71.8	<0.2	<10	190	0.43	0.36	0.28	1.64	32.1	54.2	30
I100435		0.42	<0.005	0.23	1.66	107.5	<0.2	<10	160	0.31	0.40	0.26	1.04	21.9	17.1	40
I100436		0.42	<0.005	1.04	1.75	47.1	<0.2	<10	190	0.31	0.71	0.27	1.92	23.3	12.8	38
I100437		0.32	<0.005	0.86	1.18	114.5	<0.2	<10	120	0.25	0.81	0.27	3.40	24.9	7.6	32
I100438		0.32	<0.005	1.31	1.39	75.4	<0.2	<10	130	0.33	0.72	0.21	3.20	28.6	10.4	28
I100439		0.22	<0.005	0.48	0.92	11.3	<0.2	<10	210	0.23	0.29	0.52	1.75	21.1	4.5	17
I100440		0.30	<0.005	0.89	1.38	37.5	<0.2	<10	200	0.34	0.56	0.43	2.79	22.9	11.8	27
I100441		0.26	<0.005	0.35	0.36	8.3	<0.2	<10	60	0.10	0.10	0.12	0.28	7.26	1.4	7
I100442		0.26	<0.005	0.38	1.06	28.3	<0.2	<10	110	0.22	0.22	0.15	0.43	15.55	4.7	17
I100443		0.32	0.039	0.19	1.26	30.7	<0.2	<10	150	0.27	0.32	0.18	0.48	23.6	4.7	20
I100444		0.42	<0.005	0.17	0.81	21.3	<0.2	<10	100	0.15	0.21	0.13	0.31	15.60	2.8	12
I100445		0.32	<0.005	0.88	1.47	21.0	<0.2	<10	160	0.33	0.22	0.12	1.19	13.80	10.4	20
I100446		0.42	<0.005	0.52	2.10	61.7	<0.2	<10	280	0.34	0.34	0.22	2.27	18.65	6.9	33
I100447		0.40	<0.005	0.74	2.51	137.5	<0.2	<10	250	0.58	0.34	0.18	0.56	37.0	14.2	40
I100448		0.48	<0.005	1.01	1.83	91.2	<0.2	<10	270	0.38	0.25	0.12	0.42	17.50	10.8	26
I100449		0.32	<0.005	0.37	1.27	103.5	<0.2	<10	210	0.30	1.29	0.27	0.56	34.1	6.3	21
I100450		0.32	<0.005	0.18	1.59	4.1	<0.2	<10	240	0.40	0.18	1.08	0.53	25.7	10.2	54
I100451		0.60	<0.005	0.46	2.21	12.3	<0.2	<10	240	0.46	0.28	0.61	0.56	29.8	16.8	67
I100452		0.20	<0.005	0.40	1.46	32.5	<0.2	<10	160	0.25	0.25	0.25	1.37	19.55	8.1	28
I100453		0.34	<0.005	0.36	1.64	91.0	<0.2	<10	210	0.29	0.28	0.22	0.65	22.1	6.6	28
I100454		0.32	<0.005	0.46	0.98	24.5	<0.2	<10	130	0.18	0.24	0.10	0.52	17.00	3.3	18
I100455		0.46	<0.005	0.77	1.82	27.3	<0.2	<10	290	0.35	0.28	0.18	0.96	23.0	15.3	28
I100456		0.28	<0.005	0.60	1.66	47.5	<0.2	<10	180	0.45	0.19	0.32	0.51	19.10	8.0	24
I100457		0.38	<0.005	0.54	1.76	53.8	<0.2	<10	160	0.49	0.20	0.18	0.35	20.1	8.2	25
I100458		0.36	<0.005	0.56	1.57	48.4	<0.2	<10	160	0.41	0.18	0.19	0.44	19.00	7.5	23
I100459		0.40	<0.005	0.69	1.60	51.0	<0.2	<10	170	0.43	0.18	0.23	0.64	19.45	8.0	23
I100460		0.38	<0.005	0.66	1.66	52.2	<0.2	<10	170	0.43	0.19	0.33	0.58	19.40	7.9	24
I100461		0.42	<0.005	0.58	1.70	50.1	<0.2	<10	160	0.41	0.20	0.21	0.42	20.2	9.3	25
I100462		0.44	<0.005	0.63	1.75	55.6	<0.2	<10	170	0.39	0.19	0.21	0.45	19.95	9.4	26
I100463		0.38	<0.005	0.65	1.80	51.4	<0.2	<10	190	0.41	0.18	0.34	0.64	19.95	9.7	27
I100464		0.20	<0.005	0.07	2.12	4.7	<0.2	<10	90	0.40	0.14	0.29	0.10	28.5	16.6	53
I100465		0.34	<0.005	0.04	2.31	5.4	<0.2	<10	130	0.36	0.15	0.25	0.08	29.5	15.8	49
I100466		0.38	<0.005	0.04	2.25	4.2	<0.2	<10	160	0.36	0.12	0.41	0.08	32.9	16.9	67
I100467		0.38	<0.005	0.05	2.19	4.2	<0.2	<10	120	0.65	0.17	0.42	0.07	48.5	12.8	30
I100468		0.52	<0.005	0.05	2.03	4.3	<0.2	<10	120	0.65	0.16	0.36	0.07	42.9	12.0	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100429		1.26	18.8	2.52	7.01	<0.05	0.02	0.02	0.024	0.05	10.5	11.3	0.29	270	1.56
I100430		1.03	18.9	1.92	4.08	<0.05	<0.02	0.04	0.017	0.04	7.9	6.2	0.38	159	1.85
I100431		1.12	23.2	2.24	4.86	<0.05	0.02	0.04	0.022	0.04	10.2	9.8	0.48	242	1.36
I100432		1.55	35.1	2.51	5.47	<0.05	<0.02	0.05	0.027	0.05	11.7	12.1	0.49	335	2.02
I100433		1.35	34.2	2.58	5.46	0.05	<0.02	0.04	0.027	0.05	10.4	11.0	0.46	388	3.50
I100434		0.97	57.2	3.07	4.98	0.06	0.02	0.05	0.038	0.05	13.0	8.7	0.39	4130	3.46
I100435		1.78	58.8	3.08	6.15	0.07	0.02	0.03	0.033	0.08	11.4	13.0	0.66	699	2.89
I100436		1.95	83.2	2.80	6.42	0.06	0.02	0.08	0.037	0.09	12.6	13.8	0.65	494	2.48
I100437		1.87	122.5	2.53	4.69	0.05	0.02	0.05	0.037	0.09	13.2	9.2	0.42	374	3.37
I100438		2.03	138.5	2.52	5.60	0.05	0.02	0.07	0.040	0.07	15.2	11.1	0.42	545	2.29
I100439		1.54	51.2	1.50	3.44	<0.05	0.02	0.09	0.018	0.04	10.9	6.1	0.28	202	1.22
I100440		2.23	82.5	2.50	5.18	0.05	0.02	0.07	0.030	0.06	12.3	10.1	0.46	794	2.40
I100441		0.52	14.9	0.72	1.88	<0.05	<0.02	0.04	0.008	0.03	4.5	1.0	0.05	68	0.47
I100442		1.16	27.9	1.75	4.10	<0.05	<0.02	0.06	0.019	0.04	8.5	6.8	0.24	167	0.93
I100443		1.34	32.5	2.32	5.86	<0.05	<0.02	0.03	0.026	0.04	12.5	7.5	0.27	183	1.30
I100444		1.00	22.9	1.39	4.06	<0.05	<0.02	0.02	0.015	0.03	8.8	3.9	0.14	102	0.80
I100445		0.99	25.2	2.39	7.13	<0.05	<0.02	0.04	0.025	0.03	6.9	7.4	0.18	574	1.35
I100446		1.11	40.9	3.08	7.51	<0.05	0.06	0.03	0.044	0.04	10.0	13.8	0.52	274	2.52
I100447		2.31	48.1	4.22	8.45	0.06	0.02	0.02	0.042	0.09	17.0	27.5	0.76	794	2.45
I100448		1.57	17.0	2.59	6.36	<0.05	<0.02	0.03	0.027	0.06	8.7	11.2	0.37	727	1.32
I100449		1.33	20.8	2.41	5.88	<0.05	<0.02	0.02	0.027	0.08	16.1	8.3	0.35	400	1.77
I100450		1.45	19.8	2.06	5.43	<0.05	0.04	0.06	0.030	0.04	13.1	9.9	0.66	922	1.07
I100451		2.71	63.0	3.24	6.08	0.06	0.04	0.04	0.031	0.09	17.5	18.6	1.13	768	1.60
I100452		1.38	56.4	2.26	4.94	0.05	<0.02	0.04	0.023	0.05	10.9	10.7	0.45	321	1.94
I100453		1.53	43.4	2.53	5.93	0.05	0.02	0.08	0.027	0.09	11.9	9.3	0.45	239	2.02
I100454		1.10	21.9	1.89	5.64	<0.05	<0.02	0.03	0.016	0.05	8.9	5.6	0.21	203	1.91
I100455		1.91	27.6	2.81	7.92	<0.05	0.02	0.04	0.026	0.06	11.5	10.9	0.40	1040	2.82
I100456		1.18	18.2	2.71	6.69	<0.05	<0.02	0.01	0.024	0.06	10.0	10.8	0.31	753	1.55
I100457		1.32	18.3	2.84	6.98	<0.05	0.02	0.02	0.026	0.06	10.7	11.9	0.33	295	1.61
I100458		1.19	18.1	2.59	6.64	<0.05	0.02	0.01	0.022	0.05	9.9	10.4	0.29	293	1.53
I100459		1.25	19.2	2.59	6.71	<0.05	0.02	0.02	0.025	0.06	10.2	10.6	0.30	365	1.58
I100460		1.24	18.5	2.64	6.78	<0.05	<0.02	0.02	0.024	0.06	10.1	11.1	0.31	783	1.58
I100461		1.29	22.4	2.85	7.01	0.05	0.02	0.02	0.025	0.06	10.3	10.5	0.31	340	1.60
I100462		1.24	23.0	2.93	7.05	<0.05	0.02	0.02	0.027	0.06	10.3	10.5	0.32	337	1.64
I100463		1.24	23.5	2.91	6.74	<0.05	0.02	0.02	0.024	0.06	10.1	10.1	0.32	704	1.61
I100464		2.67	33.1	3.63	7.34	0.05	0.02	0.02	0.021	0.38	8.7	21.3	0.96	495	1.27
I100465		3.40	26.1	3.98	8.47	0.07	0.03	0.02	0.027	0.39	11.2	17.3	0.93	488	1.04
I100466		3.21	26.0	3.88	8.84	0.07	0.02	0.01	0.018	0.35	15.1	17.7	1.11	464	0.83
I100467		3.96	24.8	3.87	7.91	0.06	0.06	0.01	0.034	0.41	23.3	19.4	0.67	316	1.80
I100468		3.63	23.5	3.60	7.48	0.07	0.07	0.02	0.032	0.38	24.4	18.4	0.62	284	1.69



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100429		1.56	16.5	280	16.0	10.1	<0.001	0.01	0.64	2.4	0.5	0.7	20.5	<0.01	0.04
I100430		0.60	17.8	700	15.7	6.3	<0.001	0.05	0.37	2.5	1.2	0.4	21.2	<0.01	0.05
I100431		0.68	20.4	590	28.6	9.6	<0.001	0.04	0.83	2.9	1.8	0.4	20.6	<0.01	0.05
I100432		0.69	18.5	680	38.1	10.5	<0.001	0.04	0.85	2.9	2.2	0.5	19.5	<0.01	0.06
I100433		0.66	19.4	730	40.8	8.8	<0.001	0.04	0.99	2.5	1.8	0.5	19.8	<0.01	0.08
I100434		0.64	24.1	860	64.9	8.3	<0.001	0.06	0.95	3.4	2.4	0.4	24.5	<0.01	0.08
I100435		0.79	39.2	660	40.9	12.3	<0.001	0.03	1.49	4.0	1.5	0.6	20.8	<0.01	0.07
I100436		0.84	33.5	750	85.0	16.2	<0.001	0.05	0.68	4.0	1.8	0.6	23.6	<0.01	0.08
I100437		0.65	29.8	640	93.4	14.8	<0.001	0.06	1.28	2.7	2.1	0.5	23.8	<0.01	0.09
I100438		0.65	25.8	810	116.0	14.2	<0.001	0.05	0.74	2.5	1.7	0.5	19.9	<0.01	0.09
I100439		0.59	17.4	910	18.6	7.9	<0.001	0.09	0.47	2.6	1.5	0.3	40.2	<0.01	0.04
I100440		0.66	24.1	940	40.1	11.5	<0.001	0.07	0.60	3.8	1.9	0.5	31.4	<0.01	0.06
I100441		0.09	4.6	430	5.0	3.4	<0.001	0.03	0.14	0.3	0.5	0.2	12.6	<0.01	0.02
I100442		0.42	14.8	410	13.4	6.4	<0.001	0.02	0.38	1.6	0.7	0.4	14.5	<0.01	0.04
I100443		0.66	14.9	420	18.7	8.9	<0.001	0.01	0.49	2.3	0.7	0.6	18.1	<0.01	0.05
I100444		0.37	8.8	330	12.1	6.0	<0.001	0.01	0.27	1.3	0.5	0.4	13.5	<0.01	0.04
I100445		0.84	11.2	370	20.6	5.3	<0.001	0.01	0.45	2.1	0.5	0.7	12.5	<0.01	0.05
I100446		1.40	24.2	180	26.4	7.8	<0.001	0.01	0.67	4.5	0.6	0.7	20.5	<0.01	0.06
I100447		0.57	43.0	670	17.6	12.3	<0.001	0.01	1.73	4.2	0.7	1.2	18.5	<0.01	0.07
I100448		0.93	19.6	390	11.3	10.0	<0.001	0.01	0.88	3.3	0.4	0.7	13.0	<0.01	0.05
I100449		0.47	26.8	490	12.5	12.3	<0.001	0.01	1.44	1.9	0.4	0.7	23.7	<0.01	0.05
I100450		0.59	26.1	960	7.4	7.1	<0.001	0.08	0.25	3.4	1.0	0.7	40.3	<0.01	0.04
I100451		0.83	49.2	640	52.6	19.2	<0.001	0.02	0.54	6.4	1.3	0.6	30.1	<0.01	0.04
I100452		0.64	27.2	420	41.0	11.7	<0.001	0.03	0.51	2.8	0.9	0.4	21.1	<0.01	0.04
I100453		1.01	25.5	450	13.8	10.7	<0.001	0.03	0.83	3.5	0.9	0.5	22.2	<0.01	0.06
I100454		0.71	13.3	340	9.5	8.5	<0.001	0.01	0.55	1.9	0.5	0.5	13.9	<0.01	0.05
I100455		1.09	21.5	430	13.3	9.8	<0.001	0.01	0.65	4.1	0.5	0.7	19.9	<0.01	0.05
I100456		1.39	16.4	370	15.4	9.6	<0.001	0.01	0.59	2.4	0.4	1.0	25.2	<0.01	0.04
I100457		1.63	17.2	280	16.1	10.1	<0.001	0.01	0.66	2.7	0.4	1.0	19.1	<0.01	0.04
I100458		1.33	15.9	300	14.8	9.6	<0.001	0.01	0.60	2.3	0.4	1.0	20.0	<0.01	0.04
I100459		1.45	17.1	310	15.1	10.4	<0.001	0.01	0.63	2.4	0.4	0.9	23.4	<0.01	0.05
I100460		1.41	16.5	350	15.6	9.8	<0.001	0.01	0.64	2.4	0.4	0.8	25.3	<0.01	0.05
I100461		1.90	19.9	300	16.6	10.7	<0.001	0.01	0.62	2.7	0.4	0.9	22.8	<0.01	0.04
I100462		1.90	20.2	310	16.6	10.3	<0.001	0.01	0.66	2.7	0.5	0.9	22.7	<0.01	0.04
I100463		1.73	20.3	380	15.8	10.6	<0.001	0.01	0.62	2.6	0.4	0.8	27.5	<0.01	0.04
I100464		1.52	50.8	660	12.6	34.5	<0.001	0.02	0.20	2.9	0.4	1.1	20.3	<0.01	0.05
I100465		2.01	35.7	530	13.1	41.1	<0.001	0.01	0.21	4.2	0.4	0.8	18.0	<0.01	0.04
I100466		1.51	52.0	530	9.8	36.2	<0.001	0.01	0.14	3.6	0.4	0.7	24.0	<0.01	0.05
I100467		1.55	24.5	620	22.0	59.3	<0.001	0.01	0.24	4.5	0.4	1.0	32.3	<0.01	0.04
I100468		1.43	23.7	550	20.7	56.1	<0.001	0.01	0.23	4.1	0.4	0.9	28.6	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I100429		0.069	0.10	0.47	64	0.15	3.40	53
I100430		0.043	0.09	0.63	39	0.10	4.54	65
I100431		0.043	0.11	0.77	44	0.12	5.57	113
I100432		0.049	0.14	1.16	50	0.11	5.13	140
I100433		0.051	0.12	0.92	66	0.21	5.12	144
I100434		0.058	0.18	1.68	63	0.15	7.42	152
I100435		0.080	0.16	1.20	79	0.12	5.82	212
I100436		0.075	0.16	1.37	66	0.22	6.05	301
I100437		0.050	0.14	1.24	57	0.34	6.51	398
I100438		0.052	0.14	1.62	56	0.12	7.39	452
I100439		0.033	0.11	1.35	26	0.10	8.65	127
I100440		0.041	0.16	1.37	54	0.12	9.16	236
I100441		0.016	0.04	0.37	17	<0.05	2.67	18
I100442		0.039	0.07	0.52	37	0.09	4.90	46
I100443		0.054	0.09	0.64	54	0.11	6.48	53
I100444		0.038	0.06	0.47	34	0.07	4.83	30
I100445		0.066	0.11	0.40	65	0.12	2.70	75
I100446		0.093	0.12	0.64	82	0.17	5.05	117
I100447		0.037	0.16	0.87	77	0.17	6.23	104
I100448		0.061	0.12	0.44	62	0.17	3.38	79
I100449		0.038	0.10	0.79	52	0.16	5.11	98
I100450		0.048	0.14	0.90	43	0.08	10.50	46
I100451		0.098	0.16	1.52	66	0.14	13.05	176
I100452		0.059	0.10	1.05	53	0.11	7.92	137
I100453		0.082	0.13	1.16	61	0.15	6.61	89
I100454		0.067	0.09	0.56	54	0.14	4.13	52
I100455		0.073	0.14	0.67	78	0.17	5.82	76
I100456		0.070	0.10	0.46	67	0.13	3.22	72
I100457		0.075	0.10	0.48	70	0.15	3.44	58
I100458		0.069	0.09	0.47	65	0.13	3.26	55
I100459		0.070	0.10	0.47	65	0.15	3.51	59
I100460		0.070	0.10	0.47	66	0.13	3.39	72
I100461		0.080	0.11	0.54	69	0.16	3.79	60
I100462		0.078	0.11	0.54	71	0.15	3.93	62
I100463		0.079	0.10	0.53	70	0.16	4.00	75
I100464		0.141	0.24	0.56	69	0.11	4.29	64
I100465		0.176	0.34	0.74	80	0.12	5.34	64
I100466		0.171	0.28	0.72	71	0.10	6.99	67
I100467		0.118	0.49	1.29	50	0.13	11.70	73
I100468		0.104	0.45	1.16	45	0.12	11.00	67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100469		0.44	<0.005	0.06	2.13	4.2	<0.2	<10	130	0.59	0.16	0.37	0.08	41.0	11.8	28
I100470		0.48	<0.005	0.06	2.08	4.4	<0.2	<10	130	0.54	0.16	0.29	0.07	32.2	11.1	28
I100471		0.30	<0.005	0.03	1.91	4.4	<0.2	<10	130	0.57	0.37	0.36	0.06	17.75	15.3	19
I100472		0.32	0.005	0.03	1.37	4.3	<0.2	<10	110	0.51	0.25	0.27	0.06	20.9	8.6	12
I100473		0.28	<0.005	0.09	2.09	4.4	<0.2	<10	190	0.38	0.24	0.68	0.05	21.0	16.4	22
I100474		0.28	<0.005	0.10	1.98	4.8	<0.2	<10	190	0.37	0.24	0.46	0.13	21.5	11.7	23
I100475		0.28	<0.005	0.10	1.78	4.1	<0.2	<10	190	0.34	0.17	0.52	0.19	17.00	9.9	24
I100476		0.26	<0.005	0.09	2.14	4.6	<0.2	<10	210	0.37	0.16	0.48	0.09	22.2	11.7	25
I100477		0.26	<0.005	0.05	1.74	3.8	<0.2	<10	150	0.29	0.11	0.54	0.09	16.50	11.2	21
I100478		0.40	<0.005	0.06	1.93	4.9	<0.2	<10	170	0.32	0.13	0.40	0.10	17.40	10.2	24
I100479		0.28	<0.005	0.44	2.00	9.2	<0.2	<10	190	0.33	0.28	0.62	0.58	25.1	19.5	55
I100480		0.30	0.007	0.38	2.12	28.9	<0.2	<10	210	0.31	0.34	0.54	0.80	20.6	14.2	71
I100481		0.34	0.009	0.37	2.16	40.4	<0.2	<10	160	0.23	0.29	0.26	0.39	17.35	9.5	39
I100482		0.34	0.044	0.46	2.49	99.1	<0.2	<10	190	0.35	0.32	0.25	0.79	21.0	15.2	46
I100483		0.26	0.017	0.48	2.01	83.4	<0.2	<10	210	0.30	0.40	0.26	0.62	27.5	10.0	39
I100484		0.24	<0.005	0.61	1.56	58.8	<0.2	<10	200	0.24	0.22	0.18	1.15	16.45	11.0	25
I100485		0.26	<0.005	1.15	2.37	177.5	<0.2	<10	230	0.50	0.28	0.76	0.47	29.1	12.7	38
I100486		0.30	<0.005	0.15	2.68	9.8	<0.2	<10	190	0.38	0.16	0.37	0.43	10.40	13.5	141
I100487		0.24	<0.005	0.30	1.75	32.9	<0.2	<10	180	0.31	0.28	0.11	0.43	32.0	7.2	27
I100488		0.34	0.008	0.10	1.55	51.6	<0.2	<10	150	0.31	0.34	0.32	0.67	23.7	10.5	32
I100489		0.32	0.006	0.55	2.20	42.8	<0.2	<10	270	0.34	0.32	0.25	1.20	24.9	9.5	42
I100490		0.34	<0.005	0.30	1.89	38.1	<0.2	<10	200	0.30	0.35	0.48	0.91	25.3	25.4	50
I100501		0.54	<0.005	0.32	1.88	152.5	<0.2	<10	450	0.48	0.32	0.34	0.64	42.5	19.8	38
I100502		0.48	<0.005	0.62	1.14	289	<0.2	<10	360	0.32	0.22	0.51	0.58	15.85	32.2	32
I100503		0.58	<0.005	0.22	2.08	206	<0.2	<10	240	0.25	0.25	0.36	0.36	19.60	10.7	43
I100504		0.50	<0.005	0.35	1.58	148.5	<0.2	<10	430	0.36	0.28	0.74	0.64	22.0	42.9	36
I100505		0.46	<0.005	0.22	1.99	102.5	<0.2	<10	300	0.37	0.30	0.51	0.61	25.9	14.3	38
I100506		0.48	0.014	0.25	1.63	74.2	<0.2	<10	240	0.24	0.24	0.51	0.31	20.2	11.6	31
I100507		0.26	<0.005	0.29	1.62	93.6	<0.2	<10	150	0.21	0.36	0.21	0.31	18.55	10.6	27
I100508		0.56	0.007	0.25	1.56	94.2	<0.2	<10	190	0.33	0.38	0.46	0.93	19.25	13.7	26
I100509	Not Recvd															
I100510		0.44	<0.005	0.28	1.59	59.4	<0.2	<10	140	0.24	0.55	0.25	0.85	17.85	10.9	26
I100511		0.58	<0.005	0.28	1.53	35.8	<0.2	<10	120	0.25	0.47	0.26	0.67	18.15	8.8	22
I100512		0.50	<0.005	0.25	1.37	30.2	<0.2	<10	130	0.28	0.40	0.22	0.82	17.15	9.1	21
I100513		0.48	0.009	0.21	1.88	10.5	<0.2	<10	130	0.38	0.24	0.07	0.26	13.85	8.7	32
I100514		0.44	<0.005	0.87	2.85	11.3	<0.2	<10	190	0.51	0.35	0.10	1.00	18.10	11.6	40
I100515		0.48	<0.005	0.20	2.88	12.3	<0.2	<10	200	0.44	0.22	0.16	0.35	14.95	15.2	48
I100516		0.48	<0.005	0.23	1.75	17.7	<0.2	<10	100	0.34	0.40	0.03	0.24	20.4	11.6	22
I100517		0.42	<0.005	0.06	1.73	10.6	<0.2	<10	100	0.23	0.29	0.04	0.14	18.10	11.2	39
I100518		0.48	<0.005	0.05	1.68	8.2	<0.2	<10	140	0.22	0.18	0.13	0.13	22.3	7.0	23



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100469		3.31	22.2	3.71	7.40	0.07	0.05	0.02	0.032	0.38	22.9	17.0	0.63	301	1.70
I100470		2.46	20.7	3.46	7.38	0.06	0.05	0.01	0.030	0.31	18.2	15.6	0.57	282	1.77
I100471		2.79	14.2	5.08	5.56	0.07	0.04	0.02	0.047	0.17	8.6	9.5	0.61	350	0.94
I100472		2.30	18.3	2.93	4.43	<0.05	0.03	0.01	0.030	0.13	10.7	5.3	0.30	262	1.05
I100473		1.41	17.4	3.44	6.43	0.05	0.03	0.03	0.031	0.07	12.5	11.5	0.70	576	1.20
I100474		1.06	19.4	2.93	6.05	0.06	0.03	0.04	0.028	0.07	11.2	10.9	0.63	334	0.89
I100475		0.90	22.3	2.70	5.88	0.05	0.02	0.03	0.023	0.06	8.8	9.0	0.59	377	0.90
I100476		1.14	18.9	3.15	6.54	0.07	0.03	0.03	0.025	0.11	11.5	11.7	0.80	277	0.69
I100477		0.94	13.5	2.66	5.10	0.07	0.03	0.03	0.018	0.12	8.2	10.3	0.79	296	0.54
I100478		0.94	16.7	2.77	6.25	0.05	0.02	0.03	0.022	0.05	8.7	11.8	0.72	209	0.50
I100479		2.02	49.1	3.00	5.84	0.06	0.02	0.04	0.027	0.06	13.0	14.2	1.00	876	1.57
I100480		2.73	61.7	3.17	5.70	0.07	0.03	0.03	0.025	0.16	10.9	16.2	1.18	466	1.92
I100481		1.17	39.1	3.13	7.18	0.05	0.04	0.02	0.027	0.08	9.0	11.1	0.58	328	2.48
I100482		1.39	56.3	3.91	7.40	0.05	0.04	0.03	0.039	0.09	11.0	16.8	0.70	484	3.69
I100483		2.20	51.1	3.52	7.36	0.05	0.03	0.03	0.033	0.08	14.3	13.8	0.63	357	4.09
I100484		1.09	24.5	2.62	6.74	<0.05	0.02	0.03	0.022	0.06	8.1	9.4	0.35	1100	2.04
I100485		3.45	50.1	3.21	6.69	0.07	0.07	0.06	0.036	0.10	17.9	15.3	0.51	712	1.56
I100486		4.34	29.7	3.93	10.00	0.07	0.04	0.01	0.020	0.26	5.2	19.1	1.74	412	0.97
I100487		1.96	44.6	2.67	6.85	0.06	0.02	0.03	0.028	0.07	16.4	9.6	0.53	255	1.84
I100488		1.07	37.2	2.78	4.94	0.06	0.04	0.01	0.026	0.08	11.9	12.4	0.53	430	1.70
I100489		1.37	65.6	3.33	6.90	0.06	0.04	0.03	0.037	0.08	13.0	12.6	0.58	386	3.31
I100490		1.65	58.4	3.02	5.54	0.06	0.03	0.03	0.029	0.06	12.1	13.2	0.83	1120	2.09
I100501		1.80	42.5	3.54	4.97	0.07	0.07	0.03	0.041	0.08	19.2	13.9	0.50	474	3.77
I100502		1.17	28.7	3.38	4.54	<0.05	0.03	0.05	0.038	0.03	6.8	5.8	0.31	4030	4.27
I100503		1.33	21.6	3.84	6.56	0.05	0.03	0.05	0.035	0.05	9.5	16.0	0.64	434	2.43
I100504		0.99	32.6	3.73	5.09	0.06	0.03	0.06	0.041	0.04	9.6	8.7	0.47	4820	4.41
I100505		1.21	33.9	3.11	5.86	0.06	0.04	0.04	0.039	0.05	12.6	14.4	0.61	668	2.10
I100506		0.90	27.1	2.48	4.82	<0.05	0.02	0.05	0.027	0.05	10.0	10.7	0.50	687	1.87
I100507		0.99	23.5	2.40	5.70	0.05	0.02	0.04	0.026	0.04	9.5	11.0	0.43	348	2.18
I100508		0.83	43.9	2.57	5.40	0.05	0.03	0.03	0.031	0.04	9.4	12.8	0.52	595	2.06
I100509															
I100510		0.95	42.3	2.53	6.05	0.06	0.02	0.05	0.029	0.04	9.1	12.6	0.49	361	2.31
I100511		0.89	35.4	2.35	5.40	0.06	0.02	0.04	0.067	0.04	9.3	10.7	0.49	264	1.82
I100512		0.80	35.9	2.23	5.31	0.06	0.02	0.05	0.023	0.03	8.6	10.9	0.40	270	1.59
I100513		1.34	19.4	3.63	10.25	0.06	0.09	0.03	0.029	0.04	7.0	17.3	0.34	206	1.81
I100514		1.47	35.3	3.60	11.15	0.06	0.13	0.04	0.038	0.04	9.0	17.0	0.42	267	2.18
I100515		2.04	27.0	3.81	8.87	0.07	0.14	0.03	0.039	0.06	7.5	21.6	0.67	406	1.73
I100516		0.95	17.8	4.67	6.82	0.08	0.04	0.03	0.028	0.03	11.2	12.3	0.27	345	6.47
I100517		0.72	15.2	3.40	7.25	0.05	<0.02	0.01	0.029	0.04	9.2	9.3	0.64	246	3.46
I100518		0.91	13.1	2.87	8.26	0.05	0.03	0.02	0.025	0.05	9.9	14.3	0.43	248	1.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100469		1.61	22.6	540	19.7	51.0	<0.001	0.01	0.25	4.1	0.4	1.0	28.5	<0.01	0.03
I100470		1.58	21.8	350	17.6	39.8	<0.001	0.01	0.27	3.8	0.3	0.9	24.2	<0.01	0.03
I100471		0.92	12.4	480	10.5	26.8	<0.001	0.01	0.28	8.9	0.4	1.3	19.6	<0.01	0.03
I100472		0.67	9.6	560	7.8	18.0	<0.001	0.01	0.22	5.2	0.4	0.8	15.9	<0.01	0.03
I100473		1.20	13.0	590	10.8	10.6	<0.001	0.03	0.20	5.0	0.6	0.9	36.5	<0.01	0.04
I100474		1.16	15.5	610	8.3	11.6	<0.001	0.03	0.29	5.1	0.6	0.7	30.6	<0.01	0.04
I100475		1.18	15.5	480	6.6	10.7	<0.001	0.02	0.24	4.4	0.5	0.6	34.0	<0.01	0.04
I100476		1.29	16.5	510	6.6	14.2	<0.001	0.02	0.26	5.8	0.6	0.7	34.1	<0.01	0.03
I100477		1.13	14.9	600	5.1	13.1	<0.001	0.02	0.24	4.6	0.5	0.6	36.6	<0.01	0.02
I100478		1.25	16.0	450	6.6	10.8	<0.001	0.01	0.22	4.6	0.4	0.6	29.7	<0.01	0.03
I100479		0.82	37.7	560	39.6	15.3	<0.001	0.03	0.31	6.4	1.0	0.7	30.3	<0.01	0.05
I100480		1.00	47.7	480	47.3	22.1	<0.001	0.03	0.49	6.3	1.1	0.4	27.8	<0.01	0.05
I100481		1.35	29.0	390	20.6	11.6	<0.001	0.02	0.57	4.1	0.7	0.6	23.8	<0.01	0.06
I100482		1.26	43.4	540	21.8	10.3	<0.001	0.02	1.01	4.7	1.1	0.6	24.1	<0.01	0.07
I100483		1.13	35.2	570	22.5	15.9	<0.001	0.02	0.99	4.6	0.8	0.6	24.4	<0.01	0.06
I100484		1.19	21.6	450	14.3	8.7	<0.001	0.01	0.57	3.3	0.4	0.6	19.1	<0.01	0.04
I100485		1.44	36.5	510	17.8	10.8	<0.001	0.02	1.16	8.6	1.0	0.5	50.0	0.01	0.05
I100486		3.83	87.6	240	11.1	31.6	<0.001	<0.01	0.36	5.1	0.4	0.6	21.9	<0.01	0.02
I100487		0.88	25.7	270	14.9	13.0	<0.001	0.01	0.43	4.1	0.6	0.6	12.5	<0.01	0.04
I100488		1.46	29.4	650	16.6	11.0	0.001	0.01	0.69	3.9	0.8	0.6	24.6	<0.01	0.04
I100489		1.22	41.7	550	17.8	11.5	<0.001	0.02	0.61	5.5	1.1	0.6	23.6	<0.01	0.07
I100490		1.13	38.9	650	33.0	16.9	<0.001	0.04	0.64	4.7	1.3	0.4	29.3	<0.01	0.05
I100501		0.49	46.2	830	31.1	14.2	0.001	0.06	1.59	6.1	2.1	0.6	21.3	<0.01	0.06
I100502		0.53	22.8	1180	22.4	6.9	0.001	0.08	1.32	3.9	1.6	0.3	31.9	<0.01	0.08
I100503		1.03	37.3	700	21.6	11.6	0.001	0.04	1.08	4.8	1.1	0.6	23.2	<0.01	0.06
I100504		0.69	31.4	1310	19.1	8.1	0.001	0.10	1.23	4.3	2.0	0.5	48.1	<0.01	0.10
I100505		0.97	36.2	900	20.3	11.1	0.001	0.04	1.01	5.1	1.4	0.6	31.2	<0.01	0.04
I100506		0.82	28.4	810	13.7	10.1	<0.001	0.06	0.72	4.0	1.3	0.5	32.5	<0.01	0.04
I100507		0.77	23.1	630	20.6	11.0	<0.001	0.05	0.79	3.6	1.3	0.5	18.8	<0.01	0.06
I100508		0.68	28.5	860	27.5	9.6	<0.001	0.03	0.83	3.6	1.3	0.4	29.0	<0.01	0.05
I100509															
I100510		0.84	23.3	620	41.4	8.0	<0.001	0.03	0.68	3.3	1.3	0.5	20.8	<0.01	0.07
I100511		0.78	19.8	670	32.8	9.8	<0.001	0.03	0.52	2.9	1.0	0.4	20.0	<0.01	0.05
I100512		0.71	19.0	610	29.8	7.8	<0.001	0.03	0.50	2.7	1.2	0.4	19.2	<0.01	0.05
I100513		1.84	22.7	340	11.0	12.5	<0.001	0.01	0.65	2.8	0.4	0.8	10.6	<0.01	0.06
I100514		1.94	27.0	290	76.1	11.6	<0.001	0.01	0.76	4.5	0.7	0.9	16.1	0.01	0.07
I100515		1.51	36.2	250	15.4	15.2	<0.001	0.01	0.55	4.6	0.5	0.7	17.6	0.01	0.05
I100516		1.02	24.4	450	29.5	8.2	<0.001	0.03	0.41	2.7	1.6	0.5	16.2	<0.01	0.08
I100517		0.60	41.7	410	8.4	7.2	<0.001	0.02	0.36	3.0	0.9	0.5	14.7	<0.01	0.07
I100518		1.20	16.5	250	7.8	10.1	<0.001	<0.01	0.35	3.0	0.3	0.6	14.0	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I100469		0.115	0.41	1.13	50	0.10	10.05	67
I100470		0.106	0.35	0.88	52	0.10	7.24	60
I100471		0.068	0.24	1.15	99	0.14	6.60	63
I100472		0.032	0.16	1.96	52	0.15	9.55	43
I100473		0.082	0.14	1.32	80	0.18	8.03	45
I100474		0.086	0.11	1.25	65	0.20	8.98	48
I100475		0.093	0.09	1.05	63	0.14	6.24	45
I100476		0.112	0.12	1.13	70	0.15	8.95	50
I100477		0.109	0.11	0.73	60	0.14	6.31	45
I100478		0.107	0.10	0.86	65	0.14	5.64	47
I100479		0.069	0.15	1.00	59	0.11	12.20	110
I100480		0.099	0.19	1.08	70	0.16	7.32	211
I100481		0.101	0.14	0.71	79	0.15	4.69	91
I100482		0.084	0.13	0.96	86	0.20	6.33	139
I100483		0.082	0.19	0.90	91	0.19	6.45	124
I100484		0.081	0.11	0.42	69	0.14	2.89	67
I100485		0.081	0.14	1.63	73	0.23	27.7	82
I100486		0.273	0.31	0.32	97	0.15	3.72	104
I100487		0.062	0.17	1.10	66	0.15	7.85	86
I100488		0.087	0.09	1.29	67	0.19	9.47	107
I100489		0.085	0.12	1.69	84	0.18	11.30	152
I100490		0.082	0.15	1.35	64	0.17	8.31	146
I100501		0.014	0.18	1.92	71	0.17	10.75	153
I100502		0.032	0.12	1.14	68	0.16	7.34	77
I100503		0.041	0.14	0.93	91	0.17	5.82	118
I100504		0.041	0.16	1.80	78	0.17	9.35	94
I100505		0.050	0.14	1.72	70	0.15	9.17	138
I100506		0.042	0.10	1.41	57	0.13	7.47	103
I100507		0.036	0.11	1.18	61	0.13	6.44	106
I100508		0.039	0.09	1.14	58	0.15	7.06	171
I100509								
I100510		0.052	0.10	0.81	63	0.12	4.82	167
I100511		0.054	0.09	0.77	52	0.38	4.79	149
I100512		0.044	0.08	0.89	53	0.12	4.60	118
I100513		0.105	0.11	0.34	95	0.17	2.22	45
I100514		0.103	0.13	0.54	94	0.19	3.84	111
I100515		0.113	0.14	0.47	83	0.15	3.22	58
I100516		0.048	0.09	2.06	53	0.15	6.80	59
I100517		0.041	0.07	0.97	52	0.14	6.44	51
I100518		0.081	0.07	0.50	66	0.15	6.85	35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100519		0.54	<0.005	0.24	2.18	5.3	<0.2	<10	190	0.35	0.20	0.37	0.10	25.7	10.4	52
I100520		0.48	<0.005	0.22	1.55	3.1	<0.2	<10	190	0.40	0.16	0.67	0.21	25.3	10.0	38
I100521		0.60	0.007	0.08	1.80	6.7	<0.2	<10	180	0.42	0.12	0.71	0.14	18.90	12.7	26
I100522		0.58	0.006	0.08	2.07	6.2	<0.2	<10	170	0.38	0.16	0.53	0.13	15.30	12.6	27
I100523		0.44	0.009	0.11	2.25	5.7	<0.2	<10	200	0.55	0.15	0.55	0.07	19.70	14.2	30
I100524		0.36	<0.005	0.14	2.14	4.2	<0.2	<10	230	0.51	0.13	0.66	0.16	20.9	15.6	23
I100525		0.48	<0.005	0.10	1.90	3.4	<0.2	<10	210	0.43	0.12	0.93	0.20	15.50	11.6	22
I100526		0.42	<0.005	0.09	1.91	3.4	<0.2	<10	220	0.54	0.12	0.91	0.22	17.60	12.1	23
I100527		0.38	<0.005	0.09	2.08	4.4	<0.2	<10	200	0.46	0.13	0.51	0.15	18.45	11.3	26
I100528		0.36	<0.005	0.16	2.17	4.2	<0.2	<10	300	0.42	0.13	1.28	0.34	22.3	8.7	29
I100529		0.46	<0.005	0.11	1.62	4.9	<0.2	<10	180	0.40	0.13	0.30	0.17	15.20	9.3	23
I100530		0.38	<0.005	0.13	1.74	4.5	<0.2	<10	220	0.38	0.23	0.52	0.13	15.20	13.3	24
I100531		0.32	<0.005	0.14	1.66	4.6	<0.2	<10	280	0.67	0.15	1.34	0.31	19.00	11.6	21
I100532		0.46	<0.005	0.07	2.11	8.1	<0.2	<10	200	0.43	0.14	0.55	0.11	15.30	16.6	31
I100533		0.58	<0.005	0.05	2.11	6.8	<0.2	<10	190	0.52	0.24	0.38	0.06	16.75	13.0	40
I100534		0.52	<0.005	0.05	2.22	7.4	<0.2	<10	150	0.42	0.13	0.31	0.08	14.00	15.6	35
I100535		0.46	<0.005	0.14	2.15	8.8	<0.2	<10	150	0.33	0.17	0.23	0.17	12.95	10.7	31
I100536		0.44	<0.005	0.05	2.40	14.6	<0.2	<10	130	0.29	0.20	0.16	0.14	13.55	11.4	32
I100537		0.44	<0.005	0.12	2.27	11.7	<0.2	<10	150	0.30	0.20	0.15	0.13	15.10	10.2	28
I100538		0.44	<0.005	0.38	2.44	67.7	<0.2	<10	180	0.35	0.25	0.16	0.37	22.4	10.5	42
I100539		0.50	<0.005	0.37	2.89	120.5	<0.2	<10	280	0.45	0.32	0.18	0.33	33.3	15.3	106
I100540		0.40	<0.005	0.19	2.66	90.7	<0.2	<10	200	0.48	0.21	0.17	0.32	21.3	12.3	45
I100541		0.46	<0.005	0.26	2.55	76.8	<0.2	<10	270	0.54	0.23	0.22	0.41	28.5	14.0	37
I100542		0.38	<0.005	0.17	1.36	4.5	<0.2	<10	120	0.16	0.19	0.20	0.10	8.54	8.1	17
I100543		0.36	<0.005	0.40	1.76	7.4	<0.2	<10	170	0.44	0.36	0.30	0.13	12.80	8.6	27
I100544		0.38	<0.005	0.13	2.15	9.4	<0.2	<10	210	0.29	0.17	0.55	0.17	15.40	10.1	24
I100545		0.50	0.008	0.13	2.47	21.0	<0.2	<10	230	0.44	0.21	0.45	0.17	30.6	11.6	30
I100546		0.40	0.005	0.13	2.11	28.5	<0.2	<10	210	0.37	0.19	0.76	0.27	26.4	11.6	26
I100547		0.38	<0.005	0.13	1.78	49.6	<0.2	<10	120	0.20	0.17	0.61	0.19	20.4	12.0	30
I100548		0.42	<0.005	0.19	1.72	47.8	<0.2	<10	190	0.30	0.14	0.80	0.22	24.9	11.3	28
I100549		0.44	<0.005	0.22	2.20	75.6	<0.2	<10	290	0.46	0.20	0.73	0.25	30.1	17.7	34
I100550		0.50	<0.005	0.15	2.14	85.8	<0.2	<10	250	0.38	0.19	0.54	0.21	25.0	16.1	33
I100551		0.40	<0.005	0.87	2.41	8.0	<0.2	<10	180	0.42	0.16	0.22	0.20	23.8	10.9	30
I100552		0.46	<0.005	0.14	1.52	5.6	<0.2	<10	210	0.29	0.14	0.21	0.13	25.3	7.6	21
I100553		0.62	<0.005	0.37	2.06	6.4	<0.2	<10	260	0.40	0.11	0.51	0.14	75.4	11.3	23
I100554		0.52	<0.005	0.36	2.60	3.6	<0.2	<10	250	0.46	0.08	0.49	0.16	122.5	11.5	18
I100555		0.50	<0.005	0.17	1.85	5.9	<0.2	<10	270	0.35	0.12	0.74	0.23	57.9	8.7	23
I100556		0.34	<0.005	0.18	2.37	8.9	<0.2	<10	300	0.41	0.17	0.41	0.14	44.0	14.6	32
I100557		0.38	<0.005	0.17	2.00	8.2	<0.2	<10	230	0.40	0.14	0.24	0.12	24.6	10.6	33
I100558		0.54	<0.005	0.10	2.22	9.1	<0.2	<10	240	0.45	0.13	0.29	0.05	33.7	11.7	32



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100519		2.06	17.8	2.97	9.27	0.06	0.02	0.02	0.034	0.07	14.7	13.7	1.14	323	1.25
I100520		1.50	24.8	1.97	5.85	0.07	0.03	0.04	0.029	0.05	13.0	10.9	0.70	488	0.88
I100521		0.55	20.6	2.37	5.76	0.06	0.06	0.04	0.022	0.04	8.7	12.3	0.52	403	0.74
I100522		0.56	17.4	2.56	6.91	0.06	0.04	0.04	0.022	0.04	7.3	13.0	0.67	347	0.79
I100523		0.73	21.2	2.96	7.14	0.07	0.04	0.05	0.026	0.03	9.8	12.4	0.61	356	0.69
I100524		0.75	20.7	2.64	6.86	0.06	0.04	0.07	0.024	0.03	10.6	11.0	0.57	755	0.73
I100525		0.63	22.0	2.39	6.18	0.06	0.03	0.06	0.021	0.03	8.0	10.0	0.55	604	0.61
I100526		0.59	26.3	2.45	6.26	0.06	0.02	0.07	0.023	0.04	8.8	10.1	0.56	832	0.62
I100527		0.64	21.9	2.79	6.67	0.06	0.03	0.04	0.022	0.04	9.4	11.1	0.59	367	0.77
I100528		0.62	22.3	2.52	5.97	0.06	0.05	0.06	0.027	0.05	12.1	9.1	0.46	348	0.93
I100529		0.63	22.6	2.17	5.73	0.05	<0.02	0.05	0.021	0.03	7.5	9.7	0.39	285	0.76
I100530		0.67	26.1	2.28	5.88	0.05	0.02	0.05	0.020	0.04	7.6	9.9	0.45	475	1.05
I100531		0.59	34.4	2.01	4.70	0.06	0.05	0.08	0.018	0.04	10.0	8.1	0.39	608	0.83
I100532		0.84	19.6	3.17	6.82	0.07	0.07	0.04	0.024	0.04	7.3	12.9	0.71	578	1.12
I100533		0.84	22.9	3.08	6.64	0.07	0.05	0.02	0.021	0.04	8.6	12.4	0.79	349	0.91
I100534		0.85	19.0	3.34	6.86	0.07	0.04	0.02	0.022	0.05	6.6	12.4	0.87	548	0.76
I100535		0.81	20.7	3.19	7.80	0.05	0.04	0.02	0.023	0.05	6.1	10.7	0.66	360	0.92
I100536		1.01	17.6	3.50	8.88	0.06	0.06	0.02	0.025	0.04	6.4	13.6	0.70	331	1.14
I100537		1.32	16.9	3.08	8.75	0.05	0.05	0.02	0.026	0.04	7.1	14.2	0.46	245	1.16
I100538		1.13	26.7	3.35	8.72	0.06	0.05	0.04	0.030	0.04	10.8	13.5	0.48	305	1.65
I100539		1.98	45.4	4.26	9.89	0.09	0.04	0.02	0.043	0.04	17.4	16.0	0.99	425	2.98
I100540		1.27	32.9	3.48	8.06	0.06	0.07	0.04	0.033	0.05	10.0	14.8	0.56	352	1.58
I100541		1.42	46.2	3.37	7.81	0.07	0.03	0.03	0.034	0.04	15.1	14.4	0.51	425	2.10
I100542		0.57	11.1	2.24	6.40	<0.05	0.02	0.01	0.014	0.05	4.3	5.6	0.40	399	1.15
I100543		1.29	22.1	3.00	7.40	0.06	0.02	0.05	0.061	0.07	6.6	8.0	0.65	255	1.15
I100544		1.41	20.9	3.38	7.37	0.06	0.02	0.02	0.024	0.08	7.1	14.8	0.76	384	0.86
I100545		1.54	26.5	3.40	7.66	0.07	0.03	0.06	0.031	0.10	14.5	18.5	0.70	421	0.93
I100546		1.25	25.4	3.25	7.00	0.07	0.02	0.04	0.027	0.07	12.2	15.6	0.70	441	0.97
I100547		1.09	23.7	2.77	6.16	0.06	0.02	0.04	0.025	0.06	9.2	14.1	0.64	464	1.19
I100548		1.22	27.0	2.98	5.92	0.07	0.02	0.04	0.024	0.07	11.4	13.9	0.68	431	1.17
I100549		1.79	44.8	3.48	7.24	0.07	0.03	0.04	0.033	0.07	13.8	19.9	0.72	844	1.62
I100550		1.41	40.7	3.45	6.89	0.07	0.03	0.03	0.031	0.06	11.8	19.6	0.75	463	1.63
I100551		0.90	13.3	3.22	8.18	0.06	<0.02	0.02	0.026	0.08	10.6	17.6	0.53	635	1.05
I100552		0.85	10.5	2.77	7.49	0.06	0.03	0.02	0.018	0.15	11.8	18.1	0.46	427	0.91
I100553		1.13	18.4	3.06	7.60	0.10	0.03	0.04	0.019	0.20	49.3	26.4	0.64	804	0.79
I100554		1.41	22.7	3.46	9.32	0.13	0.04	0.04	0.017	0.49	77.2	33.9	0.79	969	0.69
I100555		0.85	22.7	2.69	6.45	0.08	0.04	0.04	0.020	0.19	32.1	23.3	0.60	484	0.71
I100556		0.85	24.0	3.40	7.72	0.08	0.05	0.06	0.031	0.15	22.3	22.7	0.60	813	1.17
I100557		0.65	17.9	2.86	6.35	0.05	0.04	0.02	0.025	0.07	11.1	18.2	0.48	649	0.79
I100558		0.67	19.0	3.27	7.32	0.07	0.03	0.02	0.026	0.13	15.7	18.8	0.57	425	0.98



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100519		0.97	41.4	450	7.7	24.0	<0.001	0.01	0.24	4.5	0.4	1.3	23.5	<0.01	0.02
I100520		0.59	28.5	710	7.5	11.6	<0.001	0.05	0.18	3.7	0.8	0.7	29.1	<0.01	0.03
I100521		1.01	18.9	520	5.9	6.3	<0.001	0.04	0.31	5.2	0.5	0.6	41.5	<0.01	0.03
I100522		0.92	17.9	520	7.0	6.7	<0.001	0.04	0.30	6.0	0.6	0.7	36.2	<0.01	0.03
I100523		0.97	18.7	530	6.1	6.8	<0.001	0.03	0.34	6.6	0.5	0.5	36.0	<0.01	0.04
I100524		0.88	17.1	690	5.1	7.2	<0.001	0.06	0.35	6.2	0.7	0.5	46.1	<0.01	0.02
I100525		0.69	17.0	680	4.6	6.2	<0.001	0.05	0.34	4.4	0.7	0.4	61.2	<0.01	0.03
I100526		0.68	19.4	650	4.6	5.7	<0.001	0.04	0.33	4.2	0.7	0.4	61.4	<0.01	0.03
I100527		0.88	16.9	600	5.3	5.2	<0.001	0.03	0.26	5.3	0.5	0.5	36.7	<0.01	0.03
I100528		0.96	18.3	940	5.3	5.5	<0.001	0.06	0.44	5.4	1.0	0.4	84.8	<0.01	0.03
I100529		0.70	15.1	450	5.7	6.4	<0.001	0.02	0.24	3.4	0.4	0.4	27.1	<0.01	0.03
I100530		0.80	17.0	670	14.0	5.8	<0.001	0.04	0.26	3.6	0.6	0.4	39.6	<0.01	0.03
I100531		0.74	20.5	830	5.3	5.9	<0.001	0.09	0.47	3.6	1.0	0.3	78.9	<0.01	0.03
I100532		0.89	18.6	530	5.6	6.4	<0.001	0.02	0.30	5.9	0.5	0.4	36.5	<0.01	0.03
I100533		0.81	20.3	450	4.9	7.2	<0.001	0.01	0.28	6.1	0.4	0.4	29.1	<0.01	0.02
I100534		0.83	17.3	440	5.0	8.2	<0.001	<0.01	0.26	4.8	0.4	0.4	24.8	<0.01	0.02
I100535		1.13	16.8	490	6.9	10.2	<0.001	0.01	0.33	4.3	0.3	0.5	21.4	<0.01	0.02
I100536		1.07	16.9	250	7.5	10.1	<0.001	<0.01	0.41	4.3	0.3	0.6	16.4	<0.01	0.02
I100537		1.58	18.3	260	9.1	9.6	<0.001	0.01	0.45	3.8	0.4	0.7	18.4	0.01	0.04
I100538		1.19	26.1	310	25.5	10.6	<0.001	<0.01	0.71	4.9	0.6	0.8	17.2	<0.01	0.05
I100539		0.98	94.9	410	29.6	11.5	<0.001	<0.01	1.12	5.8	1.1	0.7	18.5	<0.01	0.06
I100540		1.50	32.2	380	42.6	10.0	<0.001	0.01	0.83	5.3	0.7	0.7	17.5	0.01	0.05
I100541		1.13	40.6	600	42.8	10.0	<0.001	0.01	1.17	4.9	1.0	0.6	19.6	<0.01	0.05
I100542		0.92	8.8	220	7.8	7.4	<0.001	0.01	0.21	2.4	0.2	0.5	16.1	<0.01	0.03
I100543		0.90	12.2	570	11.4	15.6	<0.001	0.04	0.23	3.0	0.5	0.5	27.8	<0.01	0.04
I100544		1.11	15.4	450	9.2	12.3	<0.001	<0.01	0.35	4.1	0.4	0.6	38.4	<0.01	0.03
I100545		1.25	21.1	570	13.6	15.1	<0.001	<0.01	0.42	5.6	0.5	0.7	35.8	<0.01	0.04
I100546		1.14	18.9	640	15.0	11.3	<0.001	0.02	0.42	4.9	0.6	0.6	44.8	<0.01	0.04
I100547		1.09	21.3	750	21.8	9.9	0.001	0.03	0.47	3.9	0.7	0.5	35.4	<0.01	0.04
I100548		0.95	22.3	870	13.1	11.6	0.002	0.04	0.56	5.1	1.1	0.6	46.2	<0.01	0.04
I100549		1.11	29.9	860	17.6	12.8	0.001	0.03	0.69	6.0	1.2	0.5	48.7	<0.01	0.06
I100550		1.15	30.1	760	13.4	10.9	<0.001	0.02	0.78	5.4	1.0	0.6	36.7	<0.01	0.05
I100551		1.60	20.5	450	9.7	17.5	<0.001	<0.01	0.60	3.2	0.3	0.8	23.3	<0.01	0.05
I100552		2.83	15.2	480	7.6	26.7	<0.001	<0.01	0.39	2.6	0.3	0.6	21.4	<0.01	0.03
I100553		3.60	15.6	650	6.9	38.4	<0.001	0.01	0.27	4.1	0.5	0.6	36.3	<0.01	0.03
I100554		4.55	14.7	780	5.7	62.2	<0.001	<0.01	0.28	4.5	0.5	0.6	35.5	<0.01	0.03
I100555		3.13	18.4	510	6.4	27.0	<0.001	0.02	0.49	4.3	0.6	0.5	48.7	<0.01	0.03
I100556		2.96	20.5	670	8.6	19.3	<0.001	<0.01	0.53	5.2	0.7	0.6	33.3	<0.01	0.04
I100557		1.46	23.5	590	8.1	9.6	<0.001	<0.01	0.51	3.2	0.3	0.6	23.0	<0.01	0.03
I100558		1.84	23.9	400	8.0	12.4	<0.001	<0.01	0.51	4.8	0.3	0.6	25.1	<0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I100519		0.097	0.19	0.76	66	0.09	8.47	56
I100520		0.051	0.10	0.72	37	0.06	10.25	43
I100521		0.078	0.06	0.64	60	0.09	6.85	45
I100522		0.069	0.05	0.56	69	0.09	5.60	49
I100523		0.083	0.08	0.70	71	0.14	9.11	46
I100524		0.065	0.08	0.85	64	0.10	11.40	45
I100525		0.057	0.06	0.64	56	0.10	8.15	49
I100526		0.057	0.05	0.68	57	0.08	8.83	53
I100527		0.071	0.05	0.73	65	0.10	7.81	46
I100528		0.065	0.06	1.42	54	0.09	12.50	51
I100529		0.064	0.05	0.67	51	0.09	5.45	37
I100530		0.065	0.07	0.71	56	0.11	5.49	48
I100531		0.052	0.06	0.71	43	0.07	11.90	40
I100532		0.081	0.07	0.65	75	0.09	5.95	47
I100533		0.097	0.07	0.69	72	0.10	6.43	49
I100534		0.105	0.07	0.49	75	0.10	4.24	52
I100535		0.099	0.08	0.46	74	0.13	3.39	52
I100536		0.118	0.09	0.35	89	0.13	2.71	52
I100537		0.104	0.10	0.41	78	0.14	3.14	39
I100538		0.080	0.13	0.60	84	0.15	4.88	64
I100539		0.054	0.18	0.87	99	0.15	11.75	126
I100540		0.089	0.13	0.80	80	0.25	5.66	62
I100541		0.056	0.14	0.93	76	0.26	11.95	90
I100542		0.088	0.08	0.26	61	0.14	2.20	35
I100543		0.110	0.10	0.90	76	0.11	4.11	48
I100544		0.112	0.10	0.43	77	0.12	4.38	64
I100545		0.102	0.10	0.83	75	0.14	7.92	63
I100546		0.086	0.09	0.84	74	0.15	6.90	60
I100547		0.081	0.09	0.55	68	0.13	5.20	63
I100548		0.073	0.10	0.65	67	0.13	9.54	63
I100549		0.079	0.12	0.92	76	0.15	10.60	79
I100550		0.085	0.11	0.90	75	0.13	7.12	76
I100551		0.081	0.12	0.43	74	0.17	2.52	68
I100552		0.112	0.13	0.30	62	0.15	2.66	46
I100553		0.125	0.17	1.33	62	0.14	8.76	58
I100554		0.159	0.26	2.12	60	0.14	11.40	78
I100555		0.108	0.12	1.07	52	0.15	9.87	62
I100556		0.119	0.11	0.78	69	0.20	5.96	59
I100557		0.085	0.09	0.30	67	0.14	2.50	70
I100558		0.114	0.13	0.40	70	0.18	3.62	52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100559		0.64	<0.005	0.10	2.02	8.7	<0.2	<10	210	0.43	0.13	0.25	0.05	32.2	10.0	34
I100560		0.46	<0.005	0.14	2.15	7.0	<0.2	<10	350	0.50	0.13	0.78	0.13	49.0	9.3	27
I100561		0.54	<0.005	0.04	1.78	8.6	<0.2	<10	180	0.32	0.12	0.24	0.17	26.2	8.8	25
I100562		0.50	<0.005	0.03	1.79	5.4	<0.2	<10	120	0.27	0.12	0.13	0.05	17.55	7.5	19
I100563		0.58	<0.005	0.06	2.42	3.9	<0.2	<10	160	0.46	0.17	0.35	0.11	43.7	7.6	15
I100564		0.56	<0.005	0.05	1.97	7.9	<0.2	<10	230	0.30	0.21	0.17	0.09	17.20	9.1	28
I100565		0.52	<0.005	0.06	1.60	7.3	<0.2	<10	260	0.24	0.16	0.23	0.08	16.45	8.6	27
I100566		0.52	<0.005	0.02	1.59	9.1	<0.2	<10	100	0.22	0.17	0.16	0.10	22.5	6.1	18
I100567		0.70	0.022	0.05	2.01	6.6	<0.2	<10	190	0.29	0.13	0.30	0.06	32.8	8.7	21
I100568		0.52	0.006	0.14	2.19	6.1	<0.2	<10	250	0.37	0.10	0.44	0.13	70.1	11.2	24
I100569		0.52	0.005	0.23	2.07	6.5	<0.2	<10	230	0.71	0.15	0.55	0.11	158.0	8.7	27
I100570		0.52	<0.005	0.10	1.77	9.2	<0.2	<10	150	0.23	0.14	0.19	0.10	24.6	7.4	31
I100571		0.56	<0.005	0.21	2.13	8.2	0.3	<10	350	0.37	0.13	0.29	0.11	31.4	12.6	24
I100572		0.72	<0.005	0.12	2.28	8.5	<0.2	<10	270	0.56	0.15	0.47	0.10	76.5	11.3	32
I100573		0.60	<0.005	0.09	2.18	13.2	<0.2	<10	330	0.57	0.16	0.51	0.08	68.6	12.2	37
I100574		0.56	<0.005	0.08	2.16	8.1	<0.2	<10	310	0.56	0.16	0.71	0.15	64.5	10.6	29
I100575		0.52	<0.005	0.11	1.98	9.5	<0.2	<10	310	0.52	0.16	0.71	0.14	50.8	10.6	31
I100576		0.40	<0.005	0.14	3.49	6.9	<0.2	<10	80	0.57	0.14	0.22	0.15	10.75	16.0	13
I100577		0.50	0.005	0.09	2.72	8.0	<0.2	<10	200	0.44	0.14	0.44	0.06	29.6	13.1	35
I100578		0.40	<0.005	0.11	1.11	2.9	<0.2	<10	100	0.21	0.12	0.15	0.10	11.20	4.2	17
I100579		0.46	<0.005	0.05	2.98	7.9	<0.2	<10	170	0.35	0.16	0.26	0.09	19.60	11.7	40
I100580		0.34	<0.005	0.03	1.62	4.9	<0.2	<10	120	0.25	0.12	0.16	0.09	14.15	5.6	16
I100581		0.58	<0.005	0.03	2.74	7.8	<0.2	<10	140	0.41	0.14	0.19	0.09	19.70	12.6	36
I100582		0.52	<0.005	0.13	3.04	9.5	<0.2	<10	210	0.47	0.20	0.15	0.08	21.7	15.9	37
I100583		0.36	<0.005	0.06	3.45	5.6	<0.2	<10	80	0.65	0.12	0.26	0.08	7.84	25.2	12
I100584		0.34	<0.005	0.07	3.42	5.3	<0.2	<10	70	0.60	0.11	0.29	0.09	7.00	27.8	11
I100585		0.56	<0.005	0.03	3.80	7.8	<0.2	<10	220	0.59	0.18	0.27	0.12	17.40	25.8	26
I100586		0.42	<0.005	0.64	3.62	46.1	<0.2	<10	190	0.49	0.18	0.16	0.41	20.2	15.8	47
I100587		0.56	<0.005	0.10	2.67	36.7	<0.2	<10	190	0.44	0.23	0.10	0.55	15.10	14.9	41
I100588		0.34	<0.005	0.12	3.15	12.5	<0.2	<10	220	0.48	0.25	0.11	0.70	20.7	12.0	40
I100589		0.44	<0.005	0.79	3.43	9.8	<0.2	<10	290	0.73	0.17	0.20	0.27	25.2	14.3	49
I100590		0.40	<0.005	0.53	3.41	11.4	<0.2	<10	210	0.46	0.17	0.16	0.51	20.6	16.9	49
I100591		0.54	<0.005	0.19	1.89	5.0	<0.2	<10	110	0.22	0.28	0.05	0.31	16.40	12.1	25
I100592		0.48	<0.005	1.11	3.46	9.7	<0.2	<10	230	0.54	0.22	0.14	0.47	28.2	12.2	47
I100593		0.56	<0.005	0.24	1.96	5.7	<0.2	<10	230	0.41	0.37	0.16	0.35	43.6	12.9	32
I100594		0.44	<0.005	0.21	1.83	13.5	<0.2	<10	140	0.39	0.40	0.11	0.65	19.70	7.9	28
I100595		0.46	<0.005	0.11	2.39	12.6	<0.2	<10	200	0.62	0.52	0.12	0.60	36.8	29.3	42
I100596		0.42	<0.005	3.22	3.32	15.3	<0.2	<10	270	0.59	0.32	0.08	0.81	28.0	24.5	42
I100597		0.42	<0.005	0.53	2.01	11.9	0.2	<10	150	0.32	0.23	0.10	0.35	17.40	12.3	28
I100598		0.46	<0.005	0.28	1.98	7.9	<0.2	<10	190	0.29	0.23	0.15	0.27	20.1	7.1	28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100559		0.78	15.7	3.09	6.54	0.06	0.06	0.01	0.027	0.20	15.0	18.1	0.53	463	0.83
I100560		0.84	25.8	3.21	7.14	0.09	0.08	0.04	0.026	0.27	31.8	22.1	0.62	730	0.75
I100561		0.74	17.8	2.91	6.33	0.06	0.03	0.01	0.019	0.13	14.1	21.4	0.51	257	0.94
I100562		0.70	10.2	2.63	6.72	0.07	0.05	<0.01	0.018	0.15	10.9	12.6	0.41	286	0.98
I100563		1.22	8.9	3.41	7.82	0.09	0.03	0.03	0.023	0.54	35.8	12.5	0.67	435	1.01
I100564		0.52	12.0	3.02	6.71	0.06	0.08	<0.01	0.025	0.08	8.8	14.6	0.46	314	1.07
I100565		0.42	11.3	2.58	5.31	0.06	0.02	0.01	0.023	0.07	8.7	10.6	0.39	413	1.11
I100566		1.04	9.0	3.41	9.44	0.07	0.02	<0.01	0.016	0.30	11.4	8.3	0.44	298	1.46
I100567		0.99	12.7	3.27	7.53	0.09	0.04	<0.01	0.021	0.30	21.9	15.2	0.63	377	1.07
I100568		1.18	15.7	3.40	8.13	0.10	0.04	0.03	0.022	0.33	42.6	30.6	0.77	920	1.18
I100569		0.69	24.6	2.83	7.22	0.17	0.06	0.04	0.028	0.08	134.0	23.0	0.45	1140	1.16
I100570		0.52	13.8	2.81	5.80	0.05	0.09	0.01	0.022	0.11	10.8	17.7	0.43	338	1.64
I100571		1.17	15.9	3.37	8.11	0.07	0.03	0.02	0.022	0.29	11.4	22.2	0.59	963	1.40
I100572		0.93	21.9	3.42	7.78	0.09	0.10	0.02	0.029	0.32	34.0	17.9	0.58	608	2.79
I100573		0.72	33.6	3.34	7.03	0.10	0.26	0.02	0.028	0.23	29.2	20.0	0.60	430	1.65
I100574		0.94	35.0	3.25	7.51	0.10	0.11	0.03	0.028	0.19	42.4	22.3	0.64	507	1.52
I100575		0.74	27.7	3.00	6.63	0.08	0.06	0.02	0.029	0.11	24.1	19.7	0.63	550	1.20
I100576		2.30	40.0	6.39	13.15	0.08	0.03	0.03	0.027	0.15	5.0	25.5	1.16	406	1.20
I100577		1.27	33.1	3.57	8.12	0.08	0.05	0.03	0.030	0.06	12.9	21.6	0.82	380	0.66
I100578		0.68	18.6	1.61	5.26	<0.05	<0.02	0.02	0.016	0.03	5.3	5.4	0.20	103	0.71
I100579		1.14	22.3	3.56	9.14	0.07	0.06	0.02	0.033	0.04	8.9	21.9	0.70	312	0.66
I100580		1.16	13.1	2.53	6.61	0.05	0.02	0.03	0.022	0.04	7.0	7.8	0.35	190	0.82
I100581		1.18	20.8	3.27	8.04	0.07	0.08	0.03	0.031	0.04	9.9	13.9	0.60	238	1.15
I100582		1.72	21.1	3.74	10.80	0.08	0.17	0.03	0.037	0.03	10.8	15.3	0.51	385	1.82
I100583		1.57	23.5	6.65	11.15	0.13	0.07	0.03	0.035	0.03	3.9	12.2	1.16	523	1.67
I100584		1.47	24.6	6.68	11.30	0.14	0.06	0.03	0.036	0.04	3.4	11.3	1.18	537	1.65
I100585		3.93	30.2	5.44	10.75	0.12	0.10	0.02	0.035	0.14	8.4	16.7	1.30	654	1.04
I100586		1.84	43.9	4.16	9.31	0.08	0.15	0.06	0.039	0.08	9.7	18.0	0.69	329	2.02
I100587		1.91	32.4	4.45	8.85	0.08	0.10	0.03	0.081	0.09	7.5	15.9	0.50	422	2.56
I100588		1.45	17.4	4.74	12.70	0.08	0.16	0.04	0.038	0.05	10.4	20.7	0.42	428	2.31
I100589		2.80	38.5	3.84	8.25	0.07	0.14	0.07	0.043	0.06	12.2	13.9	0.57	338	1.17
I100590		1.83	29.6	4.02	8.41	0.08	0.23	0.06	0.045	0.06	10.0	19.0	0.60	371	1.68
I100591		1.58	32.8	3.95	7.77	0.07	0.02	0.01	0.039	0.05	6.4	9.7	0.71	375	2.45
I100592		1.84	23.5	3.74	9.59	0.09	0.44	0.05	0.040	0.05	14.6	14.0	0.47	291	2.18
I100593		2.47	63.8	3.81	7.08	0.10	0.03	0.03	0.037	0.08	27.8	10.0	0.53	403	2.45
I100594		1.62	27.5	3.50	10.40	0.07	0.03	0.04	0.033	0.06	10.3	13.2	0.32	312	3.31
I100595		3.67	74.3	5.62	7.17	0.13	0.06	0.03	0.062	0.16	17.0	16.1	0.63	1990	4.25
I100596		2.04	86.6	5.78	9.62	0.10	0.09	0.06	0.046	0.07	13.1	18.1	0.44	731	4.49
I100597		1.42	33.4	3.88	8.27	0.08	0.03	0.04	0.030	0.05	8.2	14.3	0.32	477	2.63
I100598		1.30	21.6	3.44	10.10	0.07	0.09	0.02	0.028	0.04	9.9	9.9	0.27	229	2.11



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100559		1.94	22.6	280	8.0	27.4	<0.001	<0.01	0.52	4.3	0.4	0.6	26.2	<0.01	0.03
I100560		3.41	22.7	490	7.0	32.1	<0.001	<0.01	0.54	5.5	0.6	0.6	58.9	<0.01	0.04
I100561		2.34	18.0	490	7.2	17.3	<0.001	<0.01	0.48	3.0	0.3	0.5	20.8	<0.01	0.03
I100562		2.97	11.0	180	7.7	29.4	<0.001	0.02	0.28	2.9	<0.2	0.6	16.0	<0.01	0.01
I100563		3.16	9.5	560	5.9	58.2	<0.001	0.02	0.22	4.4	0.4	0.8	29.8	<0.01	0.02
I100564		1.94	18.6	290	9.1	13.7	<0.001	0.02	0.43	3.3	<0.2	0.6	21.0	<0.01	0.02
I100565		1.65	16.7	290	7.9	13.8	<0.001	0.03	0.38	3.0	<0.2	0.5	23.2	<0.01	0.02
I100566		2.25	9.5	590	8.2	49.3	<0.001	0.03	0.32	1.9	<0.2	0.7	15.3	<0.01	0.02
I100567		3.49	12.9	410	6.8	42.0	<0.001	0.03	0.26	3.6	0.2	0.6	23.1	<0.01	0.02
I100568		3.38	16.2	700	6.4	47.9	<0.001	<0.01	0.36	5.0	0.5	0.7	32.7	<0.01	0.03
I100569		1.13	20.0	580	8.5	11.7	<0.001	<0.01	0.47	5.9	1.1	0.6	37.8	0.01	0.04
I100570		1.44	18.1	220	8.4	14.6	<0.001	<0.01	0.55	2.9	0.3	0.6	20.3	<0.01	0.03
I100571		3.92	17.8	600	8.2	36.5	<0.001	<0.01	0.49	3.4	0.3	0.8	29.9	<0.01	0.03
I100572		2.17	22.5	520	10.2	32.2	<0.001	<0.01	0.47	6.6	0.4	0.7	37.2	<0.01	0.04
I100573		1.37	29.8	290	10.8	19.1	<0.001	<0.01	0.60	7.1	0.5	0.6	35.3	<0.01	0.03
I100574		3.09	24.1	470	10.3	28.1	<0.001	<0.01	0.62	5.8	0.9	0.8	52.4	<0.01	0.05
I100575		2.04	26.6	430	10.9	16.1	<0.001	<0.01	0.66	5.4	0.8	0.7	48.5	<0.01	0.04
I100576		1.78	8.1	650	4.6	18.1	<0.001	<0.01	0.40	6.4	0.6	0.7	19.1	<0.01	0.06
I100577		1.43	25.8	580	8.3	9.7	<0.001	<0.01	0.38	6.7	0.5	0.6	33.5	<0.01	0.03
I100578		0.53	9.2	300	6.0	5.7	<0.001	<0.01	0.24	1.5	0.3	0.5	16.1	<0.01	0.03
I100579		1.57	23.5	250	11.2	8.4	<0.001	<0.01	0.40	5.1	0.3	0.7	22.7	<0.01	0.03
I100580		0.71	8.8	480	6.5	5.9	<0.001	0.01	0.28	2.3	0.4	0.5	21.1	0.01	0.03
I100581		1.51	20.7	360	7.1	9.5	<0.001	<0.01	0.38	5.5	0.6	0.7	19.6	0.01	0.03
I100582		2.03	22.0	250	10.2	9.5	<0.001	0.01	0.56	5.3	0.6	0.9	21.0	0.01	0.05
I100583		1.13	9.1	330	4.6	5.5	<0.001	0.02	0.51	9.6	0.7	0.6	20.8	0.01	0.04
I100584		1.07	8.2	330	4.3	5.4	<0.001	0.02	0.51	9.9	0.7	0.5	23.7	<0.01	0.04
I100585		1.31	19.7	290	6.9	21.2	<0.001	0.01	0.40	6.2	0.6	0.6	29.5	0.01	0.04
I100586		1.80	44.3	430	9.8	12.2	<0.001	0.02	0.86	6.3	0.8	0.7	19.8	0.01	0.06
I100587		1.77	31.7	550	9.9	14.0	<0.001	0.05	1.62	5.6	0.8	0.7	16.5	0.01	0.06
I100588		2.38	20.8	610	12.3	10.6	<0.001	0.02	0.76	4.4	0.5	1.0	15.0	0.02	0.07
I100589		1.57	41.6	420	10.2	12.1	<0.001	0.01	0.56	8.0	0.8	0.7	22.5	0.01	0.05
I100590		2.21	35.5	360	13.8	13.4	<0.001	0.02	0.67	5.7	0.8	0.7	18.9	0.01	0.05
I100591		0.69	29.8	520	13.4	10.6	<0.001	0.01	0.37	5.5	0.7	0.6	8.5	<0.01	0.05
I100592		1.78	24.9	380	11.8	17.2	<0.001	0.01	0.63	7.5	0.6	0.9	21.4	0.01	0.04
I100593		0.87	36.7	480	16.4	17.6	<0.001	0.03	0.33	4.9	1.4	0.7	22.5	0.01	0.07
I100594		1.49	23.1	830	20.9	12.8	<0.001	0.02	0.57	2.7	1.0	1.1	17.0	<0.01	0.07
I100595		0.90	57.5	890	23.5	27.5	<0.001	0.04	0.62	6.5	1.9	0.8	18.5	<0.01	0.12
I100596		1.34	87.1	560	15.7	16.5	<0.001	0.04	1.04	5.2	1.1	0.7	15.5	0.01	0.12
I100597		1.58	32.8	470	14.3	8.9	<0.001	0.03	0.67	3.4	0.8	0.7	17.6	0.01	0.07
I100598		1.46	16.1	220	11.9	9.9	<0.001	0.01	0.51	3.5	0.5	1.0	18.9	<0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100559		0.112	0.11	0.40	65	0.15	3.50	53	2.9
I100560		0.114	0.14	0.67	63	0.23	11.10	57	3.6
I100561		0.111	0.11	0.37	64	0.15	3.74	52	1.3
I100562		0.122	0.13	0.57	56	0.09	2.45	43	2.3
I100563		0.111	0.28	1.42	60	0.13	6.95	70	0.9
I100564		0.092	0.10	0.37	62	0.12	2.20	55	3.4
I100565		0.075	0.07	0.34	56	0.15	2.28	42	1.0
I100566		0.115	0.19	0.71	75	0.17	2.56	58	0.7
I100567		0.144	0.20	1.03	66	0.14	4.80	57	1.2
I100568		0.147	0.22	1.56	67	0.15	9.15	71	1.6
I100569		0.070	0.08	2.01	55	0.19	35.1	49	1.2
I100570		0.092	0.08	0.33	61	0.16	3.01	41	3.8
I100571		0.127	0.20	0.48	65	0.16	3.15	69	1.6
I100572		0.116	0.17	0.79	66	0.19	7.56	65	4.8
I100573		0.126	0.11	0.48	72	0.24	7.72	58	12.1
I100574		0.120	0.14	0.97	61	0.18	15.15	71	5.4
I100575		0.100	0.09	1.43	62	0.30	9.50	63	2.6
I100576		0.195	0.19	0.60	118	0.08	3.59	82	1.2
I100577		0.133	0.11	0.47	86	0.15	8.90	58	1.9
I100578		0.061	0.06	0.32	42	0.15	2.40	24	<0.5
I100579		0.135	0.10	0.34	86	0.15	3.61	51	2.7
I100580		0.065	0.09	0.45	59	0.19	3.11	37	0.5
I100581		0.115	0.11	0.62	85	0.14	4.59	53	3.4
I100582		0.125	0.15	0.58	99	0.16	4.38	54	7.6
I100583		0.152	0.06	0.27	140	0.17	5.53	79	2.3
I100584		0.156	0.05	0.25	139	0.16	5.80	78	2.0
I100585		0.173	0.20	0.42	117	0.17	4.29	78	4.0
I100586		0.118	0.21	0.62	100	0.18	4.89	85	6.2
I100587		0.092	0.22	0.63	99	0.23	4.61	76	4.6
I100588		0.136	0.14	0.53	122	0.21	3.71	71	7.7
I100589		0.095	0.19	0.84	94	0.18	7.53	65	6.5
I100590		0.136	0.14	0.60	91	0.23	4.77	61	10.3
I100591		0.040	0.12	0.54	79	0.24	6.82	89	0.5
I100592		0.133	0.16	1.01	93	0.17	7.15	60	20.4
I100593		0.068	0.18	1.69	75	0.18	16.25	110	1.0
I100594		0.087	0.15	0.99	92	0.23	5.68	107	1.1
I100595		0.038	0.27	1.89	88	0.21	13.60	178	2.1
I100596		0.072	0.20	1.89	91	0.20	11.60	210	4.5
I100597		0.090	0.13	0.72	85	0.17	4.51	84	1.4
I100598		0.088	0.15	0.57	102	0.14	3.35	51	4.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100599		0.48	<0.005	0.27	1.37	10.3	<0.2	<10	180	0.36	0.44	0.11	0.52	28.2	20.5	29
I100600		0.44	<0.005	0.13	3.24	10.0	<0.2	<10	270	0.56	0.19	0.17	0.38	29.7	20.2	62
I100601		0.62	<0.005	0.16	2.61	9.7	<0.2	<10	300	0.42	0.30	0.12	0.41	24.0	11.5	38
I100602		0.52	<0.005	0.15	2.03	4.0	<0.2	<10	190	0.48	0.99	0.15	0.37	42.0	17.0	41
I100603		0.54	<0.005	0.39	1.43	2.1	<0.2	<10	230	0.25	0.82	0.23	0.55	31.6	14.8	25
I100604		0.54	<0.005	0.46	1.60	2.4	<0.2	<10	260	0.25	0.89	0.25	0.64	37.6	16.0	28
I100605		0.52	<0.005	0.75	2.19	5.0	<0.2	<10	320	0.42	0.70	0.21	0.76	31.9	18.3	41
I100606		0.60	<0.005	0.09	1.67	14.0	<0.2	<10	260	0.27	0.13	0.73	0.22	22.2	8.3	29
I100607		0.38	<0.005	0.10	1.62	13.7	<0.2	<10	230	0.32	0.13	0.86	0.23	24.8	11.8	30
I100608		0.58	<0.005	0.15	1.65	40.0	<0.2	<10	290	0.39	0.18	0.90	0.55	27.4	14.6	28
I100609		0.46	<0.005	0.14	1.77	41.2	<0.2	<10	260	0.36	0.26	0.60	0.17	25.4	7.3	29
I100610		0.62	<0.005	0.13	1.98	80.3	<0.2	<10	290	0.46	0.42	0.51	0.25	33.2	12.0	32
I100611		0.40	<0.005	0.25	2.07	67.3	<0.2	<10	350	0.53	0.44	0.69	0.37	33.0	14.7	32
I100612		0.52	<0.005	0.97	2.42	12.8	<0.2	<10	240	0.65	0.17	0.18	1.36	28.8	13.0	60
I100613		0.46	<0.005	0.44	1.81	11.8	<0.2	<10	240	0.36	0.14	0.47	0.67	18.95	10.4	39
I100614		0.44	<0.005	0.53	2.02	19.1	<0.2	<10	290	0.46	0.21	0.50	1.28	24.5	15.2	61
I100615		0.42	<0.005	0.36	1.82	18.4	<0.2	<10	290	0.49	0.16	0.61	0.68	30.1	12.2	37
I100616		0.52	<0.005	0.29	1.90	23.8	<0.2	<10	180	0.75	0.20	0.64	0.41	41.0	9.4	38
I100617		0.48	<0.005	0.25	1.63	9.3	<0.2	<10	220	0.67	0.18	0.93	0.44	37.8	8.5	32
I100618		0.46	<0.005	0.15	1.65	14.7	<0.2	<10	200	0.40	0.22	0.71	0.22	22.7	9.1	32
I100619		0.46	<0.005	0.10	1.65	18.8	<0.2	<10	190	0.35	0.20	0.63	0.22	27.7	11.1	33
I100620		0.54	<0.005	0.07	1.67	10.2	<0.2	<10	200	0.41	0.13	0.73	0.13	25.4	11.4	31
I100621		0.48	0.006	0.10	1.69	12.5	<0.2	<10	230	0.44	0.13	0.85	0.14	26.9	12.4	31
I100622		0.42	<0.005	0.10	1.64	31.7	<0.2	<10	210	0.42	0.14	0.74	0.25	24.1	12.4	28
I100623		0.54	<0.005	0.12	1.69	22.7	<0.2	<10	210	0.34	0.13	0.55	0.22	24.5	11.3	29
I100624		0.82	<0.005	0.30	1.90	59.6	<0.2	<10	220	0.36	0.22	0.32	0.38	33.7	12.1	36
I100625		0.62	<0.005	0.32	2.13	132.0	<0.2	<10	330	0.41	0.21	0.26	0.70	28.7	26.5	42
I100626		0.50	<0.005	0.32	2.05	317	<0.2	<10	210	0.40	0.25	0.31	0.45	38.0	16.9	40
I100627		0.52	<0.005	0.52	2.68	263	<0.2	<10	320	0.56	0.26	0.42	0.57	34.3	23.6	90
I100628		0.54	<0.005	0.41	2.60	225	<0.2	<10	310	0.51	0.24	0.41	0.45	30.5	19.8	86
I100629		0.50	<0.005	0.46	3.00	31.4	<0.2	<10	800	0.62	0.43	0.75	0.45	31.8	39.6	263
I100630		0.50	<0.005	0.51	2.24	41.0	<0.2	<10	840	0.49	0.27	0.78	0.74	37.2	17.4	50
I100631		0.52	0.005	0.45	2.00	18.3	<0.2	<10	270	0.58	0.24	0.37	0.99	46.2	15.0	42
I100632		0.48	<0.005	0.54	1.81	12.9	<0.2	<10	170	0.39	0.24	0.37	0.47	34.4	12.2	52
I100633		0.42	<0.005	1.00	2.19	33.9	<0.2	<10	260	0.64	0.24	1.03	1.61	48.5	20.4	51
I100634		0.44	<0.005	0.58	2.04	7.4	<0.2	<10	250	0.54	0.27	0.23	0.74	47.4	22.9	41
I100635		0.48	<0.005	0.39	1.73	47.6	<0.2	<10	200	0.42	0.35	0.23	0.58	51.8	17.2	44
I100636		0.38	<0.005	0.45	1.29	25.4	<0.2	<10	140	0.37	0.25	0.08	0.69	32.4	7.4	24
I100637		0.48	<0.005	0.69	2.75	25.5	<0.2	<10	150	0.67	0.24	0.14	1.21	37.1	21.4	40
I100638		0.50	<0.005	0.35	2.33	31.1	<0.2	<10	200	0.67	0.39	0.20	1.48	50.0	22.7	49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100599		1.90	79.9	4.84	5.66	0.09	0.02	0.02	0.044	0.12	14.4	7.2	0.26	1320	6.79
I100600		3.84	42.3	4.84	9.08	0.12	0.09	0.02	0.044	0.18	13.3	21.2	0.96	455	2.62
I100601		2.18	29.6	3.72	11.10	0.08	0.06	0.03	0.038	0.07	12.6	14.8	0.39	476	2.28
I100602		2.88	31.2	4.09	6.96	0.10	0.03	0.03	0.042	0.15	21.4	12.1	0.65	669	2.57
I100603		3.19	47.4	3.11	6.26	0.10	0.02	0.02	0.029	0.14	18.1	6.9	0.66	636	6.37
I100604		3.40	53.9	3.43	7.08	0.10	0.02	0.02	0.033	0.15	20.9	8.0	0.74	665	6.60
I100605		3.26	65.4	4.24	7.92	0.10	0.02	0.04	0.045	0.17	16.8	13.7	0.69	879	4.40
I100606		0.56	25.0	2.59	5.10	0.08	0.08	0.03	0.022	0.06	11.0	11.2	0.61	287	0.75
I100607		0.62	31.8	2.79	5.08	0.10	0.11	0.03	0.022	0.07	12.3	12.1	0.70	407	0.68
I100608		0.65	33.2	2.62	5.24	0.08	0.04	0.04	0.024	0.06	13.2	10.6	0.51	1570	1.23
I100609		0.89	28.8	2.44	5.73	0.08	0.05	0.03	0.024	0.06	13.1	12.7	0.56	230	0.73
I100610		1.38	32.9	2.91	6.28	0.09	0.06	0.03	0.031	0.06	17.0	14.8	0.67	521	1.36
I100611		1.36	40.4	2.87	6.67	0.08	0.04	0.06	0.034	0.06	16.8	14.9	0.62	592	1.26
I100612		1.01	68.8	3.95	8.93	0.10	0.04	0.02	0.041	0.08	16.3	15.9	0.82	365	3.40
I100613		0.60	26.4	2.92	6.42	0.06	0.02	0.02	0.026	0.17	9.7	12.3	0.55	576	1.71
I100614		1.30	62.3	3.55	8.21	0.09	0.03	0.03	0.036	0.18	13.5	16.5	0.82	595	3.29
I100615		0.68	39.4	2.78	6.36	0.08	0.09	0.03	0.028	0.12	15.6	13.2	0.55	717	1.66
I100616		1.15	48.4	2.77	6.72	0.09	0.11	0.03	0.034	0.07	24.5	13.8	0.57	351	2.18
I100617		0.81	40.9	2.27	5.93	0.07	0.05	0.05	0.030	0.07	18.8	10.7	0.48	448	1.88
I100618		0.92	29.1	2.36	5.82	0.05	0.03	0.04	0.027	0.06	11.7	12.4	0.63	334	1.04
I100619		0.90	31.0	2.50	5.36	0.07	0.05	0.02	0.024	0.06	14.1	12.5	0.66	359	0.77
I100620		0.53	32.0	2.66	5.25	0.08	0.10	0.02	0.023	0.06	12.3	12.1	0.57	411	0.88
I100621		0.54	36.0	2.81	5.54	0.08	0.11	0.03	0.024	0.06	12.9	11.9	0.60	455	0.83
I100622		0.67	31.2	2.63	5.39	0.08	0.06	0.03	0.023	0.06	11.4	11.2	0.64	320	0.90
I100623		0.78	29.3	2.61	5.51	0.06	0.04	0.17	0.023	0.05	11.8	11.3	0.54	332	0.91
I100624		3.55	45.1	3.09	6.77	0.07	0.04	0.06	0.033	0.06	18.0	16.2	0.65	331	2.66
I100625		2.99	46.3	3.60	9.20	0.07	0.02	0.02	0.032	0.17	14.5	15.1	0.75	1040	4.08
I100626		2.63	50.9	3.63	7.51	0.07	0.03	0.01	0.037	0.08	20.0	15.3	0.71	574	3.28
I100627		3.03	53.1	4.01	10.00	0.07	0.05	0.02	0.039	0.09	17.9	20.4	1.07	715	3.03
I100628		2.81	47.1	3.85	9.96	0.08	0.06	0.02	0.034	0.09	15.9	18.8	1.05	562	2.66
I100629		5.37	71.2	4.52	9.69	0.09	0.05	0.02	0.042	0.16	15.8	27.8	2.37	849	2.48
I100630		2.36	49.1	3.40	9.12	0.07	0.02	0.03	0.035	0.09	19.6	18.6	0.71	636	4.27
I100631		3.27	61.6	3.57	7.04	0.09	0.05	0.02	0.036	0.13	23.4	18.7	0.69	656	4.22
I100632		2.04	46.0	3.15	7.61	0.07	0.03	0.03	0.028	0.15	18.0	13.5	0.70	422	5.36
I100633		2.78	66.6	3.38	7.53	0.11	0.08	0.05	0.039	0.18	29.2	21.9	0.81	785	3.33
I100634		2.79	56.5	3.46	7.35	0.08	0.02	0.04	0.037	0.14	24.8	20.4	0.68	1080	3.02
I100635		2.56	48.3	3.21	9.71	0.08	0.02	0.01	0.031	0.24	26.7	12.7	0.62	631	3.67
I100636		1.20	38.1	3.01	9.37	0.05	0.02	0.01	0.025	0.07	16.0	9.2	0.18	268	3.92
I100637		1.85	65.1	4.76	9.00	0.07	0.07	0.06	0.049	0.08	18.9	27.1	0.44	541	6.34
I100638		3.20	82.9	4.28	7.88	0.09	0.03	0.01	0.044	0.12	25.3	24.6	0.77	849	5.52



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 13-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100599		0.53	64.1	1150	34.0	17.4	<0.001	0.06	2.67	2.7	1.8	0.5	27.5	<0.01	0.16
I100600		1.51	53.1	580	11.3	27.2	<0.001	0.03	0.54	6.6	1.1	0.9	17.2	0.01	0.07
I100601		1.67	25.3	380	13.2	15.5	<0.001	0.02	0.41	4.6	0.7	1.0	16.6	<0.01	0.06
I100602		0.89	38.6	810	25.4	22.9	<0.001	0.02	0.22	5.0	0.9	1.0	13.0	<0.01	0.08
I100603		0.52	39.0	570	57.2	26.4	0.001	0.07	0.15	3.6	1.6	0.6	29.2	<0.01	0.08
I100604		0.60	43.9	620	63.9	28.9	0.001	0.08	0.15	4.1	1.7	0.6	33.0	<0.01	0.08
I100605		0.83	51.0	950	56.4	26.3	0.001	0.13	0.30	4.4	2.0	0.7	64.3	<0.01	0.10
I100606		1.36	21.7	690	7.5	7.5	<0.001	0.03	0.49	4.4	0.7	0.5	44.5	<0.01	0.03
I100607		1.48	27.1	770	6.9	7.6	0.001	0.02	0.57	5.1	0.7	0.5	47.9	<0.01	0.03
I100608		1.04	26.3	790	7.9	8.7	0.001	0.03	0.69	4.4	0.9	0.5	57.0	<0.01	0.04
I100609		1.14	22.5	570	9.8	10.1	0.001	0.03	0.69	4.7	0.7	0.6	41.5	<0.01	0.04
I100610		1.22	25.6	480	15.3	11.9	<0.001	0.01	1.06	4.7	0.7	0.7	36.8	<0.01	0.06
I100611		1.16	27.5	660	13.6	11.1	<0.001	0.03	0.93	5.3	1.0	0.7	48.9	<0.01	0.05
I100612		0.76	56.3	790	9.1	9.3	<0.001	0.03	0.62	6.0	1.6	0.7	23.6	<0.01	0.10
I100613		0.91	31.3	530	6.9	15.5	<0.001	0.02	0.50	3.3	0.7	0.6	34.5	<0.01	0.05
I100614		0.91	51.1	710	8.7	17.7	<0.001	0.03	0.72	5.2	1.4	0.6	44.3	<0.01	0.11
I100615		1.29	32.9	460	8.5	11.7	<0.001	0.02	0.64	5.1	1.0	0.6	47.0	<0.01	0.05
I100616		3.41	36.6	540	12.9	10.6	<0.001	0.03	0.64	6.2	1.3	0.7	46.9	0.01	0.06
I100617		2.44	29.5	700	12.1	12.0	<0.001	0.06	0.51	4.0	1.8	0.5	62.5	0.01	0.05
I100618		1.23	24.2	580	13.7	11.5	0.001	0.05	0.40	4.6	0.9	0.4	47.6	<0.01	0.04
I100619		1.27	27.0	670	13.8	9.1	<0.001	0.03	0.45	4.9	0.7	0.5	35.1	<0.01	0.04
I100620		1.57	25.8	710	6.7	7.9	<0.001	0.01	0.46	5.8	0.6	0.4	46.7	<0.01	0.03
I100621		1.64	30.2	750	7.0	7.2	0.001	0.02	0.62	6.0	0.7	0.4	51.2	<0.01	0.03
I100622		1.34	25.3	710	7.8	8.0	0.001	0.05	0.67	5.3	0.8	0.4	50.4	<0.01	0.03
I100623		1.37	25.0	630	7.0	7.3	0.001	0.02	0.60	4.9	0.6	0.4	35.6	<0.01	0.03
I100624		1.25	37.0	650	11.4	10.7	0.002	0.05	1.55	4.8	1.4	0.5	37.0	<0.01	0.07
I100625		1.88	49.5	730	11.0	17.6	<0.001	0.05	1.61	4.6	1.2	0.6	30.3	<0.01	0.07
I100626		1.00	43.7	620	13.4	11.2	<0.001	0.04	3.71	4.6	1.5	0.5	31.7	<0.01	0.08
I100627		1.60	76.6	650	13.3	15.4	<0.001	0.02	1.47	6.6	1.2	0.7	35.7	<0.01	0.06
I100628		1.69	69.2	480	11.3	15.0	<0.001	0.02	1.28	6.3	1.2	0.7	32.8	<0.01	0.07
I100629		1.33	200	1130	8.6	23.0	0.001	0.02	0.68	10.0	1.3	0.7	43.3	<0.01	0.08
I100630		1.14	46.5	760	13.4	13.7	0.001	0.04	1.21	5.1	2.2	0.6	56.2	<0.01	0.07
I100631		0.78	60.9	790	14.2	16.0	<0.001	0.04	1.83	5.0	2.2	0.5	33.4	<0.01	0.07
I100632		1.14	50.4	530	15.9	21.3	0.001	0.06	0.97	4.4	2.0	0.5	33.3	<0.01	0.07
I100633		1.15	67.7	950	18.7	22.4	0.001	0.06	1.40	8.3	3.1	0.5	72.0	0.01	0.07
I100634		0.94	53.8	770	27.2	21.8	<0.001	0.06	1.38	3.9	1.9	0.5	31.7	<0.01	0.06
I100635		1.12	44.8	710	27.3	32.8	0.001	0.06	1.17	3.4	1.4	0.7	26.6	<0.01	0.07
I100636		1.37	24.6	460	15.5	10.0	<0.001	0.07	2.53	2.5	1.5	0.8	17.5	<0.01	0.07
I100637		1.89	69.5	1010	16.5	13.5	<0.001	0.06	1.54	4.6	2.1	0.7	23.3	0.01	0.09
I100638		1.02	78.0	800	13.9	18.2	<0.001	0.04	1.64	4.9	2.4	0.6	24.5	<0.01	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 13 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137856

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100599		0.031	0.21	1.61	89	0.29	8.61	210	<0.5
I100600		0.127	0.22	1.70	118	0.17	9.32	121	3.9
I100601		0.068	0.16	0.78	96	0.17	5.76	79	2.8
I100602		0.041	0.18	1.38	73	0.18	9.02	112	0.7
I100603		0.050	0.21	1.88	70	0.18	9.45	177	<0.5
I100604		0.054	0.23	2.05	75	0.22	11.10	192	<0.5
I100605		0.052	0.21	2.34	82	0.24	9.79	197	<0.5
I100606		0.112	0.05	0.75	64	0.17	7.59	68	3.1
I100607		0.120	0.06	0.73	68	0.18	9.39	68	4.6
I100608		0.080	0.06	1.01	62	0.17	9.83	71	1.4
I100609		0.085	0.07	0.95	58	0.19	7.95	65	1.6
I100610		0.075	0.10	1.01	64	0.18	9.21	94	2.5
I100611		0.067	0.11	1.48	64	0.18	10.65	83	1.4
I100612		0.061	0.11	1.21	122	0.30	9.56	172	1.3
I100613		0.083	0.09	0.53	77	0.22	4.75	89	0.8
I100614		0.074	0.13	1.00	98	0.62	9.26	141	1.4
I100615		0.095	0.08	0.92	69	0.43	10.45	79	4.0
I100616		0.081	0.10	1.94	61	0.36	25.7	88	4.5
I100617		0.056	0.08	1.64	46	0.22	20.2	70	1.6
I100618		0.081	0.09	1.02	49	0.25	8.86	71	1.3
I100619		0.090	0.09	1.03	58	0.21	10.50	80	2.2
I100620		0.120	0.06	0.95	64	0.18	10.35	52	4.9
I100621		0.118	0.06	1.24	67	0.16	11.05	54	5.6
I100622		0.099	0.07	1.56	66	0.24	9.29	74	2.5
I100623		0.099	0.07	0.85	62	0.18	8.89	61	1.9
I100624		0.090	0.16	1.28	68	0.20	7.47	112	2.2
I100625		0.119	0.17	1.11	84	0.20	7.03	112	1.1
I100626		0.077	0.13	1.19	77	0.19	7.50	110	1.7
I100627		0.108	0.14	1.16	92	0.20	8.40	103	2.3
I100628		0.118	0.15	0.93	93	0.18	7.71	91	2.9
I100629		0.112	0.25	1.63	104	0.17	11.40	93	2.1
I100630		0.073	0.15	1.89	86	0.24	9.89	117	0.6
I100631		0.081	0.18	1.98	76	0.20	10.10	203	3.0
I100632		0.081	0.17	1.38	78	0.18	7.38	127	1.1
I100633		0.080	0.21	5.53	77	0.16	26.7	177	3.1
I100634		0.073	0.23	2.21	60	0.17	8.85	154	0.5
I100635		0.091	0.28	1.46	76	0.18	8.93	119	<0.5
I100636		0.090	0.15	1.10	86	0.17	4.56	105	1.1
I100637		0.095	0.18	1.62	98	0.35	8.35	258	3.5
I100638		0.073	0.21	1.99	88	0.23	11.05	251	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137856

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 9-OCT-2010
Account: EIASQI

CERTIFICATE WH10137857

Project: SQI10-06
P.O. No.: SQI10-06_32
This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100639		0.54	<0.005	0.22	2.33	31.7	<0.2	<10	240	0.39	0.24	0.30	0.36	32.9	16.2	67
I100640		0.40	<0.005	0.27	0.45	17.6	<0.2	<10	100	0.12	0.07	0.09	0.41	8.33	2.0	9
I100641		0.26	<0.005	0.62	1.46	48.4	<0.2	<10	160	0.30	0.22	0.19	0.40	23.0	7.8	36
I100642		0.62	<0.005	0.30	2.07	55.0	<0.2	<10	200	0.31	0.35	0.28	0.28	29.5	35.9	50
I100643		0.50	<0.005	0.10	1.49	31.3	<0.2	<10	170	0.29	0.16	0.51	0.24	21.3	15.3	24
I100644		0.50	<0.005	0.12	1.85	166.0	<0.2	<10	150	0.41	0.38	0.33	0.52	31.0	13.9	30
I100645		0.44	0.007	0.15	1.82	63.1	<0.2	<10	200	0.43	0.17	0.61	0.20	27.6	12.6	32
I100646		0.58	0.005	0.10	1.49	14.6	<0.2	<10	160	0.33	0.12	0.81	0.22	23.4	11.1	29
I100647		0.62	0.005	0.11	1.73	14.9	<0.2	<10	220	0.41	0.14	0.82	0.12	26.1	12.2	33
I100648		0.54	<0.005	0.08	2.73	11.4	<0.2	<10	210	0.67	0.19	0.26	0.06	35.6	13.6	29
I100649		0.50	<0.005	0.08	2.81	12.5	<0.2	<10	230	0.54	0.16	0.24	0.09	19.90	16.2	29
I100650		0.42	<0.005	0.17	2.31	32.0	<0.2	<10	150	0.39	0.18	0.18	0.10	13.35	10.8	25
I100651		0.30	<0.005	0.27	1.47	4.0	<0.2	<10	330	0.25	0.18	0.21	0.40	17.75	12.1	19
I100652		0.44	<0.005	0.10	2.22	6.3	<0.2	<10	220	0.42	0.16	0.26	0.11	19.05	11.7	24
I100653		0.42	<0.005	0.15	1.82	5.5	<0.2	<10	280	0.35	0.16	0.24	0.10	18.45	13.3	25
I100654		0.42	0.005	0.28	1.71	5.6	<0.2	<10	210	0.41	0.16	0.35	0.12	22.9	12.6	26
I100655		0.46	<0.005	0.10	1.56	5.6	<0.2	<10	210	0.29	0.13	0.26	0.06	24.3	8.8	23
I100656		0.50	<0.005	0.08	1.85	7.4	<0.2	<10	200	0.39	0.16	0.21	0.07	29.5	9.4	30
I100657		0.32	0.005	0.37	2.53	5.5	<0.2	<10	360	0.57	0.11	0.80	0.35	208	10.9	21
I100658		0.40	<0.005	0.10	1.96	6.1	<0.2	<10	210	0.28	0.13	0.33	0.09	23.4	10.1	19
I100659		0.44	<0.005	0.06	2.00	5.2	<0.2	<10	130	0.30	0.12	0.13	0.06	19.50	8.2	19
I100660		0.36	<0.005	0.12	2.22	7.2	<0.2	<10	260	0.41	0.12	0.37	0.13	52.2	11.9	25
I100661		0.44	<0.005	0.14	2.11	9.1	<0.2	<10	230	0.42	0.15	0.42	0.15	39.0	9.9	28
I100662		0.40	<0.005	0.02	1.84	10.5	<0.2	<10	100	0.22	0.16	0.10	0.16	17.00	7.6	26
I100663		0.38	<0.005	0.03	2.32	9.1	<0.2	<10	170	0.36	0.11	0.29	0.04	29.2	10.1	24
I100664		0.36	<0.005	0.13	1.84	4.3	<0.2	<10	240	0.35	0.14	0.31	0.12	21.0	9.8	26
I100665		0.34	<0.005	0.17	1.69	5.7	<0.2	<10	390	0.38	0.13	0.47	0.12	29.1	11.4	29
I100666		0.36	<0.005	0.21	2.01	5.9	<0.2	<10	310	0.38	0.16	0.70	0.13	49.6	9.7	24
I100667		0.42	<0.005	0.08	1.77	8.7	<0.2	<10	410	0.44	0.15	0.70	0.15	30.8	10.9	31
I100668		0.58	<0.005	0.05	1.90	7.9	<0.2	<10	190	0.25	0.14	0.30	0.09	20.5	7.9	30
I100669		0.42	<0.005	0.12	1.63	7.2	<0.2	<10	310	0.33	0.14	0.61	0.14	26.1	8.3	28
I100670		0.52	<0.005	0.04	2.20	9.3	<0.2	<10	160	0.28	0.14	0.21	0.06	21.5	10.3	32
I100671		0.50	<0.005	0.09	2.03	7.5	<0.2	<10	190	0.25	0.14	0.23	0.06	17.15	9.9	26
I100672		0.48	<0.005	0.10	2.34	5.9	<0.2	<10	260	0.35	0.12	0.43	0.06	17.00	11.2	28
I100673		0.46	<0.005	0.08	2.83	7.2	<0.2	<10	330	0.42	0.10	0.36	0.05	24.3	14.8	28
I100674		0.52	<0.005	0.09	2.93	6.4	<0.2	<10	350	0.41	0.09	0.38	0.05	22.9	16.8	26
I100675		0.30	<0.005	0.08	1.18	11.9	<0.2	<10	120	0.18	0.12	0.27	0.11	12.35	5.1	18
I100676		0.26	<0.005	0.05	1.65	5.4	<0.2	<10	100	0.18	0.12	0.28	0.10	12.40	6.6	20
I100677		0.18	<0.005	0.07	1.41	4.2	<0.2	<10	90	0.16	0.11	0.28	0.08	10.60	5.8	22
I100678		0.34	<0.005	0.14	2.15	44.1	<0.2	<10	290	0.33	0.26	0.99	0.19	14.35	12.2	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100639		3.93	52.2	4.06	9.77	0.09	0.02	0.01	0.039	0.18	16.0	15.9	1.24	763	3.75
I100640		0.76	17.0	0.74	2.23	<0.05	<0.02	0.03	0.009	0.02	4.1	0.9	0.05	44	0.45
I100641		3.36	43.7	2.35	7.51	0.05	<0.02	0.03	0.027	0.10	11.5	9.3	0.54	232	1.80
I100642		3.99	30.3	3.87	8.60	0.07	0.02	0.03	0.035	0.13	14.4	15.5	0.92	1960	3.52
I100643		0.83	23.7	2.71	4.71	0.06	0.05	0.02	0.022	0.05	11.7	8.8	0.58	667	1.21
I100644		2.17	28.9	2.95	5.46	0.06	0.07	0.02	0.032	0.11	14.7	12.4	0.53	310	1.36
I100645		0.67	34.0	3.04	5.39	0.08	0.23	0.02	0.029	0.08	13.4	10.9	0.61	399	1.03
I100646		0.46	25.6	2.72	4.55	0.07	0.12	0.02	0.024	0.06	12.9	9.5	0.60	355	0.61
I100647		0.68	35.6	3.03	5.19	0.08	0.17	0.02	0.028	0.08	12.8	12.1	0.72	385	0.65
I100648		3.05	31.4	3.66	7.75	0.06	0.10	0.04	0.044	0.06	16.0	12.0	0.62	388	0.92
I100649		1.78	21.5	3.86	8.54	0.05	0.04	0.02	0.035	0.05	10.3	14.1	0.60	580	1.51
I100650		1.29	19.9	3.09	8.47	0.05	0.04	0.02	0.032	0.04	7.0	10.5	0.46	292	1.17
I100651		0.96	10.4	2.84	7.29	<0.05	0.02	0.02	0.018	0.12	9.1	7.3	0.38	2660	1.04
I100652		1.07	9.0	3.38	7.99	0.05	0.02	0.02	0.024	0.13	10.3	14.3	0.56	908	0.96
I100653		0.76	10.9	2.91	6.45	0.05	0.03	0.01	0.024	0.08	11.4	10.1	0.43	860	0.96
I100654		0.52	10.1	2.94	5.90	0.05	0.04	0.02	0.024	0.23	13.7	9.4	0.46	1390	1.21
I100655		0.66	9.4	2.65	5.76	0.05	0.05	0.02	0.019	0.26	13.4	12.5	0.52	721	0.77
I100656		0.63	10.1	2.86	6.47	0.05	0.03	0.01	0.025	0.09	18.3	12.1	0.53	320	1.03
I100657		0.97	27.4	3.07	8.02	0.15	0.08	0.13	0.031	0.35	118.5	15.1	0.62	920	1.16
I100658		1.09	11.4	3.08	7.95	0.06	0.04	0.03	0.022	0.28	18.8	11.3	0.57	608	1.29
I100659		1.13	9.1	3.10	7.62	0.05	0.06	0.01	0.018	0.27	13.0	10.7	0.55	410	1.03
I100660		1.38	17.7	3.35	7.19	0.08	0.06	0.03	0.023	0.42	29.7	17.8	0.73	1000	0.95
I100661		0.85	19.1	3.01	6.46	0.07	0.07	0.03	0.025	0.18	27.2	14.7	0.58	354	1.09
I100662		0.76	13.3	3.16	7.46	0.05	0.02	0.01	0.023	0.11	10.6	9.4	0.46	226	1.60
I100663		1.18	12.6	3.50	7.53	0.07	0.05	0.01	0.021	0.42	20.4	18.7	0.79	408	1.00
I100664		0.49	10.0	2.86	6.21	0.05	0.02	0.01	0.021	0.12	14.9	12.2	0.46	692	0.83
I100665		0.33	14.7	2.73	5.32	0.06	0.04	0.02	0.023	0.19	14.6	10.7	0.45	1360	0.81
I100666		0.82	17.9	3.24	6.76	0.08	0.05	0.05	0.026	0.32	28.5	16.9	0.51	749	1.19
I100667		0.51	26.8	2.84	5.50	0.06	0.14	0.02	0.025	0.10	15.7	14.1	0.55	526	1.32
I100668		0.49	15.5	2.86	5.72	0.05	0.08	0.01	0.025	0.08	10.5	12.9	0.48	227	1.09
I100669		0.42	18.6	2.56	5.12	0.07	0.07	0.03	0.022	0.10	13.7	12.8	0.52	392	0.82
I100670		0.73	16.5	3.41	6.65	0.07	0.04	0.01	0.022	0.13	10.9	15.3	0.66	324	0.97
I100671		0.73	11.5	3.47	7.02	0.06	0.03	0.01	0.018	0.18	8.8	15.4	0.62	366	1.28
I100672		0.52	11.4	3.38	7.06	0.06	0.04	0.01	0.020	0.26	9.0	14.9	0.74	435	1.21
I100673		1.01	16.3	4.16	7.57	0.07	0.07	0.01	0.020	0.86	11.0	16.7	1.22	553	0.80
I100674		1.08	16.3	4.38	8.20	0.08	0.05	0.01	0.017	0.98	10.5	17.5	1.33	651	0.75
I100675		0.80	12.2	2.07	4.19	<0.05	0.02	0.04	0.014	0.06	6.8	5.8	0.36	143	1.34
I100676		0.99	9.3	2.49	5.62	0.05	0.02	0.05	0.017	0.05	6.7	8.9	0.53	188	0.65
I100677		0.79	9.7	2.20	5.18	0.05	0.02	0.04	0.015	0.04	5.7	6.8	0.45	166	0.63
I100678		1.44	27.6	3.04	6.58	0.06	0.06	0.03	0.027	0.09	7.8	14.5	0.79	456	1.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100639		1.04	50.3	670	9.9	25.2	<0.001	0.03	1.13	4.9	1.1	0.7	27.3	<0.01	0.08
I100640		0.11	6.4	360	3.3	4.3	<0.001	0.02	0.13	0.3	0.5	0.2	12.5	<0.01	0.02
I100641		0.68	27.9	480	8.7	20.0	<0.001	0.04	0.88	2.3	0.8	0.6	20.4	<0.01	0.05
I100642		1.22	34.3	610	14.7	20.7	<0.001	0.03	1.20	4.2	1.0	1.0	27.6	<0.01	0.08
I100643		1.13	22.9	650	8.5	8.6	<0.001	0.02	0.56	3.9	0.8	0.4	38.5	<0.01	0.03
I100644		1.07	28.1	710	18.7	14.2	<0.001	0.01	1.20	4.2	0.8	0.5	29.4	<0.01	0.06
I100645		1.47	25.6	780	10.7	8.6	<0.001	<0.01	0.73	5.6	0.7	0.5	41.3	<0.01	0.04
I100646		1.55	22.7	790	6.8	6.8	0.001	0.02	0.48	4.5	0.5	0.5	46.0	<0.01	0.02
I100647		1.33	28.1	850	7.8	7.5	<0.001	0.01	0.57	5.7	0.5	0.5	46.9	<0.01	0.03
I100648		1.39	19.4	250	13.1	14.9	<0.001	<0.01	0.74	7.7	0.5	1.2	25.6	0.01	0.03
I100649		1.83	19.1	350	8.3	16.0	<0.001	0.01	0.48	4.8	0.4	0.7	22.3	<0.01	0.04
I100650		1.48	13.6	340	10.4	9.3	<0.001	0.01	0.35	4.6	0.3	0.7	19.1	<0.01	0.03
I100651		2.90	12.4	710	8.3	27.7	<0.001	0.01	0.37	2.4	0.3	0.6	20.8	<0.01	0.03
I100652		3.29	15.1	870	9.0	24.1	<0.001	0.01	0.41	2.8	0.3	0.7	26.2	<0.01	0.03
I100653		2.32	15.8	440	8.3	13.6	<0.001	<0.01	0.39	2.7	0.2	0.7	23.4	<0.01	0.03
I100654		2.01	16.9	700	9.7	19.6	<0.001	0.01	0.39	3.1	0.3	0.6	28.4	<0.01	0.03
I100655		2.96	14.6	270	6.9	28.3	<0.001	<0.01	0.28	3.1	0.3	0.5	23.7	<0.01	0.02
I100656		1.86	17.7	340	8.4	16.3	<0.001	<0.01	0.38	3.4	0.2	0.6	19.3	<0.01	0.02
I100657		4.19	19.4	1090	5.7	36.2	<0.001	0.07	0.59	6.6	1.5	0.7	70.6	0.01	0.04
I100658		4.31	11.7	380	7.2	32.6	<0.001	0.01	0.31	3.5	0.4	0.7	25.6	<0.01	0.04
I100659		4.82	9.7	200	7.7	35.4	<0.001	<0.01	0.32	2.8	0.3	0.7	16.0	<0.01	0.02
I100660		4.71	17.1	500	6.5	42.8	<0.001	0.01	0.37	4.0	0.5	0.6	31.0	<0.01	0.02
I100661		3.10	17.8	540	7.7	24.2	<0.001	0.01	0.44	4.5	0.5	0.6	32.8	<0.01	0.03
I100662		2.05	15.0	380	8.6	20.8	<0.001	0.01	0.49	2.4	0.2	0.6	13.6	<0.01	0.03
I100663		3.78	15.3	500	6.7	40.5	<0.001	<0.01	0.39	3.4	0.3	0.6	21.5	<0.01	0.03
I100664		1.61	15.3	1150	8.7	10.8	<0.001	<0.01	0.29	2.8	0.2	0.5	24.3	<0.01	0.02
I100665		1.75	21.8	650	7.8	12.6	<0.001	<0.01	0.38	4.3	0.3	0.4	38.5	<0.01	0.02
I100666		2.91	14.8	560	8.4	34.2	<0.001	0.01	0.39	5.1	0.7	0.6	43.5	<0.01	0.02
I100667		1.87	25.6	640	8.5	11.5	<0.001	<0.01	0.58	4.9	0.6	0.5	41.4	<0.01	0.03
I100668		1.65	17.9	420	7.8	9.6	<0.001	<0.01	0.43	3.6	0.2	0.5	23.0	<0.01	0.03
I100669		1.77	19.1	480	7.2	11.6	<0.001	<0.01	0.46	4.2	0.5	0.4	38.9	<0.01	0.02
I100670		1.89	19.4	370	7.9	18.8	<0.001	<0.01	0.46	3.5	0.3	0.5	19.2	<0.01	0.03
I100671		2.50	14.0	640	7.9	25.0	<0.001	<0.01	0.35	2.5	0.2	0.5	18.8	<0.01	0.03
I100672		2.39	16.6	350	7.2	17.4	<0.001	<0.01	0.35	3.1	0.2	0.5	28.2	<0.01	0.02
I100673		2.91	18.0	550	6.0	63.3	<0.001	<0.01	0.32	4.3	0.3	0.4	25.7	<0.01	0.02
I100674		3.32	17.4	630	5.4	73.5	<0.001	<0.01	0.28	4.4	0.3	0.4	26.8	<0.01	0.02
I100675		0.84	11.6	420	6.0	8.7	<0.001	0.03	0.41	2.2	0.6	0.4	20.7	<0.01	0.02
I100676		1.04	9.9	470	6.7	11.4	<0.001	0.01	0.20	3.0	0.4	0.5	20.3	<0.01	0.02
I100677		0.90	12.0	460	5.4	8.3	<0.001	0.02	0.17	2.6	0.4	0.4	20.4	<0.01	0.02
I100678		1.03	22.5	670	10.4	15.4	<0.001	0.04	0.69	6.5	0.8	0.5	55.4	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 9 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100639		0.105	0.18	1.09	106	0.22	6.46	112	0.5
I100640		0.018	0.04	0.57	19	0.05	2.76	12	<0.5
I100641		0.050	0.14	0.94	54	0.13	5.06	63	<0.5
I100642		0.103	0.17	0.72	96	0.18	5.63	107	0.7
I100643		0.081	0.06	0.99	63	1.26	7.86	76	1.8
I100644		0.094	0.10	1.22	60	0.20	6.51	118	3.0
I100645		0.123	0.06	0.85	70	0.23	10.80	65	10.5
I100646		0.121	0.05	0.81	69	0.33	9.15	57	4.9
I100647		0.127	0.07	0.49	71	0.20	11.55	63	7.6
I100648		0.102	0.17	0.95	77	0.15	7.90	48	5.0
I100649		0.120	0.14	0.58	83	0.16	5.06	51	2.0
I100650		0.098	0.11	0.54	68	0.15	3.63	34	2.0
I100651		0.104	0.13	0.35	63	0.16	1.90	69	0.8
I100652		0.110	0.17	0.44	70	0.20	2.27	71	0.9
I100653		0.090	0.12	0.33	64	0.16	2.15	46	1.4
I100654		0.088	0.10	0.44	57	0.17	2.85	48	1.7
I100655		0.108	0.13	0.57	54	0.13	4.01	46	2.3
I100656		0.092	0.10	0.55	63	0.17	3.70	50	1.5
I100657		0.092	0.19	4.97	55	0.16	33.0	71	2.3
I100658		0.144	0.19	0.81	67	0.22	3.50	49	1.7
I100659		0.149	0.23	0.55	65	0.13	2.81	55	2.6
I100660		0.152	0.21	1.01	63	0.18	7.39	66	2.6
I100661		0.115	0.12	1.61	62	0.30	7.53	57	3.1
I100662		0.105	0.12	0.38	71	0.18	2.28	50	0.9
I100663		0.163	0.25	0.59	74	0.13	4.51	63	2.1
I100664		0.083	0.11	0.45	60	0.15	2.59	63	0.7
I100665		0.088	0.08	0.45	58	0.16	4.51	46	1.5
I100666		0.098	0.17	0.90	59	0.23	15.60	56	2.0
I100667		0.099	0.08	0.94	64	0.20	10.90	65	6.2
I100668		0.099	0.08	0.47	66	0.31	3.99	46	3.6
I100669		0.092	0.08	0.76	54	0.19	6.84	50	3.3
I100670		0.137	0.12	0.43	73	0.16	3.11	55	1.9
I100671		0.137	0.13	0.33	83	0.23	2.14	49	1.5
I100672		0.121	0.14	0.34	76	0.20	2.40	63	1.7
I100673		0.196	0.28	0.44	92	0.20	3.37	74	2.8
I100674		0.213	0.31	0.42	96	0.20	3.35	77	2.5
I100675		0.063	0.09	0.65	48	0.13	4.28	42	0.5
I100676		0.091	0.10	0.50	57	0.18	3.42	51	0.6
I100677		0.074	0.07	0.46	47	0.32	3.12	41	0.6
I100678		0.088	0.12	0.77	74	0.19	6.20	74	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100679		0.22	<0.005	0.28	1.40	8.0	<0.2	<10	260	0.30	0.14	0.35	0.41	11.80	8.6	19
I100680		0.34	<0.005	0.24	2.09	25.1	<0.2	<10	290	0.33	0.14	0.75	0.23	14.05	12.1	28
I100681		0.38	<0.005	0.22	2.13	81.0	<0.2	<10	300	0.32	0.43	0.55	0.18	18.70	10.2	44
I100682		0.38	<0.005	0.33	2.00	73.9	<0.2	<10	340	0.31	0.39	0.65	0.28	19.65	9.9	42
I100683		0.26	<0.005	0.18	2.16	52.4	<0.2	<10	350	0.35	0.28	0.44	0.13	21.3	15.8	44
I100684		0.36	<0.005	0.32	1.96	99.8	<0.2	<10	320	0.28	0.16	0.34	0.19	19.65	10.2	39
I100685		0.26	<0.005	0.23	1.06	23.5	<0.2	<10	270	0.15	0.14	0.40	0.25	7.43	6.0	19
I100686		0.26	<0.005	0.15	2.08	70.2	<0.2	<10	390	0.32	0.18	0.79	0.21	16.20	9.7	42
I100687		0.38	<0.005	0.27	1.28	32.9	<0.2	<10	330	0.30	0.14	0.63	0.57	12.65	8.4	26
I100688		0.26	<0.005	0.28	2.15	24.1	<0.2	<10	570	0.72	0.23	1.34	2.32	38.2	15.5	41
I100689		0.30	<0.005	0.13	1.61	13.6	<0.2	<10	290	0.36	0.27	1.72	0.30	14.75	9.6	24
I100690		0.36	<0.005	0.06	1.10	5.4	<0.2	<10	80	0.13	0.10	0.22	0.13	9.61	5.4	22
I100691		0.24	<0.005	0.10	1.42	8.4	<0.2	<10	150	0.15	0.13	0.29	0.17	11.80	6.9	27
I100692		0.28	<0.005	0.14	1.15	7.4	<0.2	<10	160	0.15	0.12	0.24	0.15	10.10	4.9	24
I100693		0.36	<0.005	0.08	1.81	12.3	<0.2	<10	190	0.28	0.15	0.71	0.14	16.60	12.0	22
I100694		0.34	<0.005	0.13	1.76	43.5	<0.2	<10	310	0.35	0.13	0.83	0.49	20.5	9.1	32
I100695		0.40	<0.005	0.12	1.91	46.9	<0.2	<10	300	0.32	0.16	0.73	0.29	21.0	10.0	34
I100696		0.32	<0.005	0.16	1.70	28.7	<0.2	<10	260	0.33	0.14	0.90	0.65	21.0	11.0	31
I100697		0.52	0.011	0.21	1.85	64.6	<0.2	<10	400	0.39	0.17	0.88	0.30	25.8	9.9	36
I100698		0.30	<0.005	0.93	2.70	145.0	<0.2	<10	770	0.64	0.18	1.79	0.60	32.4	13.6	48
I100699		0.22	<0.005	0.39	1.61	149.0	<0.2	<10	390	0.47	0.27	1.06	1.16	30.6	12.0	33
I100700		0.42	<0.005	0.28	3.57	8.1	<0.2	<10	430	0.72	0.16	0.52	0.49	32.1	20.6	72
I100701		0.34	<0.005	0.13	2.03	5.6	<0.2	<10	230	0.42	0.19	0.75	0.17	21.9	15.5	25
I100702		0.30	<0.005	0.09	2.02	7.9	<0.2	<10	180	0.34	0.15	0.67	0.22	16.65	13.0	24
I100703		0.40	0.005	0.10	2.54	7.3	<0.2	<10	210	0.39	0.21	0.57	0.11	18.75	13.5	31
I100704		0.30	<0.005	0.11	2.46	11.5	<0.2	<10	260	0.59	0.17	0.57	0.16	22.8	16.6	27
I100705		0.36	<0.005	0.27	2.19	59.4	<0.2	<10	330	0.65	0.20	0.84	0.49	22.6	17.6	22
I100706		0.28	<0.005	0.64	0.96	13.1	<0.2	<10	550	0.24	0.20	1.70	1.35	13.80	5.1	14
I100707		0.54	<0.005	0.37	2.34	87.5	<0.2	<10	430	0.70	0.56	0.38	0.62	26.4	13.7	26
I100708		0.30	<0.005	0.65	1.72	96.3	<0.2	<10	390	0.62	0.24	0.52	0.88	26.0	11.3	28
I100709		0.44	<0.005	0.66	1.89	75.6	<0.2	<10	290	0.39	0.20	0.35	0.37	19.55	7.9	30
I100710		0.42	<0.005	0.16	2.06	90.7	<0.2	<10	160	0.34	0.25	0.17	0.24	20.4	6.9	33
I100711		0.46	<0.005	0.12	2.10	63.1	<0.2	<10	290	0.46	0.17	0.30	0.26	34.2	11.3	35
I100712		0.30	<0.005	0.09	1.69	38.1	<0.2	<10	160	0.26	0.21	0.18	0.30	24.5	5.1	27
I100713		0.36	<0.005	0.53	2.23	308	<0.2	<10	330	0.68	0.35	0.34	0.85	35.3	13.0	36
I100714		0.28	<0.005	0.10	1.83	10.2	<0.2	<10	140	0.40	0.26	0.36	0.20	26.2	12.9	30
I100715		0.30	<0.005	0.13	0.77	4.2	<0.2	<10	110	0.16	0.16	0.33	0.14	8.93	4.1	13
I100716		0.20	<0.005	0.24	2.07	13.0	<0.2	<10	240	0.47	0.25	0.47	0.19	28.5	12.8	26
I100717		0.32	<0.005	0.10	1.75	27.3	<0.2	<10	200	0.38	0.20	0.91	0.17	19.90	12.4	25
I100718		0.30	<0.005	0.10	1.82	31.0	<0.2	<10	220	0.42	0.25	0.65	0.22	22.0	13.0	22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100679		0.78	44.2	2.15	5.25	0.05	0.05	0.02	0.018	0.10	6.6	8.2	0.35	311	0.88
I100680		1.23	29.8	3.14	6.03	0.06	0.02	0.03	0.023	0.16	8.1	10.9	0.75	519	1.53
I100681		0.70	35.5	3.47	7.07	0.07	0.06	0.02	0.030	0.11	10.2	13.5	0.65	366	1.99
I100682		0.58	36.0	3.30	6.74	0.07	0.07	0.02	0.030	0.13	10.8	12.5	0.62	464	2.02
I100683		1.10	38.2	3.60	6.86	0.07	0.03	0.02	0.031	0.13	10.6	13.6	0.82	508	2.31
I100684		0.63	27.8	3.21	6.63	0.06	0.05	0.02	0.027	0.09	10.4	14.2	0.60	331	1.98
I100685		0.47	16.2	1.75	5.24	<0.05	0.02	0.01	0.017	0.06	4.0	6.1	0.26	278	1.08
I100686		0.94	40.2	2.99	6.60	0.07	0.03	0.06	0.033	0.11	8.6	15.2	0.61	328	1.48
I100687		0.77	41.9	1.99	4.74	<0.05	0.02	0.03	0.020	0.06	6.7	7.8	0.36	339	1.14
I100688		1.12	69.8	3.22	6.41	0.10	0.08	0.05	0.033	0.18	24.0	9.7	0.73	950	1.13
I100689		0.56	27.6	2.22	4.95	0.06	0.04	0.05	0.088	0.08	8.4	9.5	0.49	437	1.14
I100690		0.69	14.8	1.63	4.77	<0.05	<0.02	0.03	0.015	0.04	5.1	6.5	0.36	120	0.95
I100691		0.84	20.1	2.37	5.27	0.05	<0.02	0.03	0.019	0.04	6.3	8.8	0.42	179	1.97
I100692		0.72	22.0	2.13	4.57	<0.05	<0.02	0.06	0.017	0.04	5.4	6.7	0.32	125	1.55
I100693		0.88	15.1	2.85	5.82	0.05	0.02	0.03	0.021	0.05	8.9	9.7	0.59	775	0.95
I100694		0.64	30.7	2.48	5.65	0.06	0.04	0.03	0.025	0.07	10.6	12.6	0.56	399	0.93
I100695		0.63	29.3	2.80	5.97	0.07	0.05	0.03	0.027	0.07	10.6	13.3	0.59	366	1.09
I100696		0.57	35.4	2.66	5.50	0.07	0.07	0.02	0.027	0.09	10.4	11.4	0.61	471	0.86
I100697		0.55	37.8	2.73	5.81	0.07	0.10	0.04	0.029	0.06	13.2	13.9	0.65	404	0.95
I100698		0.99	72.0	3.18	7.01	0.10	0.11	0.13	0.040	0.06	19.8	16.4	0.66	691	1.84
I100699		0.80	47.8	2.73	5.02	0.08	0.05	0.05	0.030	0.09	15.2	12.4	0.56	780	1.52
I100700		2.71	63.0	5.47	11.75	0.17	0.02	0.01	0.056	0.28	13.5	19.9	1.70	429	3.22
I100701		0.92	22.1	2.69	5.91	0.06	0.04	0.04	0.026	0.05	9.5	9.0	0.52	798	1.14
I100702		0.79	17.6	2.83	5.85	0.07	0.03	0.03	0.024	0.04	7.6	9.1	0.60	468	0.84
I100703		1.12	18.4	3.16	7.19	0.08	0.04	0.04	0.030	0.05	8.9	11.1	0.69	427	0.84
I100704		1.19	19.1	3.64	7.00	0.09	0.04	0.04	0.031	0.04	10.4	12.1	0.80	525	0.88
I100705		1.45	23.2	3.48	6.08	0.10	0.05	0.05	0.030	0.07	10.6	13.1	0.75	1060	1.28
I100706		0.99	25.2	1.27	4.14	<0.05	<0.02	0.01	0.016	0.10	6.6	4.3	0.24	938	0.94
I100707		1.91	35.1	3.36	7.03	0.09	0.04	0.04	0.038	0.07	12.5	13.0	0.70	561	2.34
I100708		1.21	44.6	2.39	5.24	0.05	0.03	0.04	0.037	0.04	11.9	10.0	0.38	722	2.70
I100709		1.47	28.8	2.40	6.11	<0.05	0.02	0.02	0.026	0.04	9.4	11.3	0.44	303	2.17
I100710		1.29	24.1	2.85	8.18	0.05	0.02	0.03	0.030	0.05	9.6	9.3	0.38	212	1.95
I100711		0.82	32.9	2.88	6.01	0.07	0.03	0.02	0.032	0.06	16.1	11.9	0.53	364	1.24
I100712		0.87	19.9	2.37	8.32	<0.05	0.02	0.03	0.030	0.04	12.5	7.2	0.30	129	1.27
I100713		2.43	63.9	3.35	6.64	0.09	0.03	0.06	0.046	0.07	20.0	12.1	0.45	437	2.96
I100714		1.31	14.9	3.04	6.74	0.06	0.03	0.02	0.022	0.12	13.5	11.0	0.71	693	1.32
I100715		0.71	13.3	1.68	4.98	<0.05	<0.02	0.02	0.010	0.11	4.4	3.1	0.22	322	1.09
I100716		1.29	22.9	3.07	7.04	0.06	0.03	0.04	0.026	0.09	15.7	9.6	0.65	395	1.15
I100717		1.13	18.4	2.79	5.49	0.05	0.03	0.04	0.023	0.07	9.7	9.7	0.67	454	1.08
I100718		1.80	18.7	3.03	5.56	0.06	0.03	0.03	0.024	0.09	11.6	10.0	0.74	517	1.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100679		1.07	14.8	470	5.4	11.2	<0.001	<0.01	0.29	3.9	0.4	0.4	31.7	<0.01	0.03
I100680		0.99	20.4	720	6.4	17.8	<0.001	0.01	0.38	4.5	0.7	0.5	48.8	<0.01	0.03
I100681		1.47	31.4	320	10.1	13.5	<0.001	<0.01	0.75	5.9	0.7	0.6	38.6	<0.01	0.04
I100682		1.52	31.2	360	9.3	15.6	<0.001	<0.01	0.74	5.9	0.7	0.5	44.1	<0.01	0.05
I100683		1.18	33.3	410	8.2	17.3	<0.001	<0.01	0.54	5.3	0.6	0.6	34.3	<0.01	0.05
I100684		1.56	27.3	290	8.6	10.0	<0.001	<0.01	0.87	4.9	0.5	0.5	28.0	<0.01	0.03
I100685		0.93	12.1	190	7.2	12.1	<0.001	<0.01	0.33	2.4	0.2	0.4	27.6	<0.01	0.02
I100686		1.04	29.3	690	8.4	14.0	<0.001	0.01	0.96	6.4	0.8	0.5	45.4	<0.01	0.04
I100687		0.83	21.9	580	7.2	8.9	<0.001	0.01	0.54	4.0	0.8	0.4	39.2	<0.01	0.02
I100688		1.22	54.3	1410	10.9	20.7	0.003	0.03	0.70	8.4	1.6	0.6	81.9	0.01	0.05
I100689		1.07	18.1	680	7.8	8.4	0.001	0.06	0.44	4.0	1.2	0.4	94.8	<0.01	0.03
I100690		0.72	13.5	380	5.3	7.5	<0.001	0.01	0.33	2.4	0.6	0.3	16.1	<0.01	0.02
I100691		1.04	18.6	540	7.0	8.8	<0.001	0.02	0.52	2.9	0.8	0.4	21.9	<0.01	0.03
I100692		0.79	15.4	640	6.3	6.5	<0.001	0.04	0.49	2.1	1.1	0.3	18.1	<0.01	0.03
I100693		1.03	12.9	600	8.2	10.1	<0.001	0.02	0.33	4.3	0.6	0.5	39.8	<0.01	0.02
I100694		1.28	23.6	690	7.9	9.8	<0.001	0.03	0.69	4.8	0.8	0.4	55.1	<0.01	0.03
I100695		1.58	22.5	580	9.3	10.6	<0.001	0.01	0.62	5.2	0.8	0.5	50.2	<0.01	0.03
I100696		1.62	25.3	650	8.4	13.3	0.001	0.01	0.55	4.9	0.8	0.4	53.1	<0.01	0.02
I100697		1.53	28.3	810	11.6	7.1	0.001	0.02	1.10	6.3	1.1	0.5	53.9	<0.01	0.03
I100698		1.13	54.2	880	16.1	10.8	0.001	0.09	1.80	8.6	2.1	0.4	113.0	0.01	0.06
I100699		0.97	34.7	1130	20.6	14.4	<0.001	0.04	1.44	5.1	1.2	0.4	60.2	<0.01	0.05
I100700		1.53	71.2	880	8.4	30.8	<0.001	0.02	0.50	7.0	1.4	1.0	32.8	<0.01	0.05
I100701		1.08	16.6	750	9.6	10.6	<0.001	0.07	0.27	4.8	1.4	0.4	44.4	<0.01	0.05
I100702		1.07	15.1	570	8.2	8.7	<0.001	0.05	0.75	4.9	1.1	0.4	43.8	<0.01	0.04
I100703		1.15	17.4	560	7.2	10.5	<0.001	0.04	0.30	6.3	1.0	0.5	40.0	<0.01	0.04
I100704		0.94	16.8	730	7.0	7.8	<0.001	0.04	0.31	7.1	1.2	0.6	38.6	<0.01	0.03
I100705		0.86	21.3	870	17.8	12.7	0.003	0.06	0.56	6.2	2.4	0.5	41.2	<0.01	0.04
I100706		0.67	11.5	820	6.7	17.2	<0.001	0.03	0.21	3.1	1.0	0.4	79.3	<0.01	0.04
I100707		0.99	24.0	410	18.7	14.2	0.001	0.02	0.69	6.2	2.4	0.8	30.0	<0.01	0.16
I100708		0.83	32.1	730	23.4	11.0	0.003	0.05	0.85	3.6	3.5	0.5	37.6	<0.01	0.07
I100709		1.14	25.5	350	24.0	10.4	<0.001	0.02	0.56	3.9	1.6	0.5	27.4	<0.01	0.04
I100710		1.11	21.9	430	33.3	9.1	<0.001	0.02	0.71	3.9	0.8	0.6	16.9	<0.01	0.06
I100711		0.96	28.6	460	24.0	8.9	<0.001	0.02	0.71	4.6	0.9	0.5	24.8	<0.01	0.05
I100712		1.17	16.2	330	19.7	5.4	<0.001	0.03	0.50	2.8	1.0	0.7	21.0	<0.01	0.05
I100713		0.79	49.9	640	47.8	16.3	<0.001	0.04	1.35	5.0	2.3	0.6	26.5	0.01	0.09
I100714		1.07	17.6	440	14.6	22.8	<0.001	0.02	0.25	3.8	0.5	0.7	26.0	<0.01	0.03
I100715		0.94	7.6	260	7.9	15.3	<0.001	0.02	0.21	1.7	0.4	0.5	21.2	<0.01	0.02
I100716		1.24	17.1	420	13.7	19.2	<0.001	0.04	0.36	4.9	0.9	0.7	35.5	<0.01	0.04
I100717		1.00	17.0	600	14.5	13.1	0.001	0.07	0.40	4.4	1.3	0.5	46.8	<0.01	0.05
I100718		1.01	16.1	560	9.1	18.3	<0.001	0.05	0.41	4.8	1.2	0.6	41.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I100679		0.096	0.07	0.81	49	0.12	7.47	37
I100680		0.102	0.10	0.65	71	0.12	6.80	64
I100681		0.102	0.09	0.64	91	0.16	8.71	65
I100682		0.102	0.07	0.72	86	0.14	9.99	64
I100683		0.102	0.11	0.76	87	0.12	9.14	67
I100684		0.107	0.09	0.58	85	0.20	7.07	58
I100685		0.076	0.07	0.23	52	0.10	2.10	28
I100686		0.082	0.09	0.78	73	0.18	7.97	67
I100687		0.061	0.06	0.60	48	0.10	7.12	46
I100688		0.086	0.09	1.64	70	0.21	32.7	113
I100689		0.071	0.07	1.15	51	0.12	10.00	45
I100690		0.063	0.07	0.37	41	0.17	3.20	39
I100691		0.073	0.09	0.52	62	0.15	4.24	52
I100692		0.053	0.09	0.59	46	0.13	3.79	40
I100693		0.082	0.09	0.80	69	0.17	6.46	53
I100694		0.091	0.07	0.72	61	0.16	9.71	69
I100695		0.111	0.08	0.73	71	0.16	8.10	61
I100696		0.108	0.05	0.65	63	0.15	8.10	69
I100697		0.116	0.08	0.88	70	0.20	12.10	75
I100698		0.054	0.09	1.24	70	0.17	36.1	70
I100699		0.060	0.06	1.38	57	0.19	14.25	107
I100700		0.111	0.22	1.10	149	0.22	7.90	193
I100701		0.076	0.08	0.72	60	0.15	6.95	59
I100702		0.084	0.06	0.54	65	0.13	5.09	54
I100703		0.094	0.08	0.68	74	0.16	5.47	58
I100704		0.081	0.08	0.98	81	0.23	8.20	64
I100705		0.058	0.10	1.04	70	0.17	11.45	86
I100706		0.052	0.06	1.09	32	0.09	3.72	83
I100707		0.062	0.11	2.97	75	0.15	9.15	80
I100708		0.036	0.08	4.68	51	0.16	12.30	77
I100709		0.067	0.09	0.96	57	0.17	5.23	64
I100710		0.088	0.12	0.52	74	0.19	3.80	62
I100711		0.075	0.08	0.63	63	0.15	7.39	79
I100712		0.081	0.12	0.66	66	0.17	4.79	41
I100713		0.044	0.16	1.98	66	0.25	16.50	164
I100714		0.112	0.10	0.73	74	0.18	5.69	58
I100715		0.077	0.06	0.29	47	0.12	1.35	38
I100716		0.094	0.11	1.08	69	0.16	7.68	57
I100717		0.076	0.10	1.03	64	0.21	5.39	61
I100718		0.090	0.13	0.91	66	0.15	7.48	64



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100719		0.30	<0.005	0.09	1.35	29.7	<0.2	<10	150	0.28	0.13	0.41	0.18	19.40	7.7	16
I100720		0.52	<0.005	0.15	1.81	124.0	<0.2	<10	180	0.46	0.24	0.38	0.21	28.9	18.5	25
I100721		0.32	<0.005	0.15	1.67	86.1	<0.2	<10	190	0.31	0.20	0.43	0.28	23.1	11.7	26
I100722		0.18	<0.005	0.20	1.62	88.5	<0.2	<10	180	0.33	0.26	0.39	0.39	30.1	7.9	28
I100723		0.44	<0.005	0.22	2.17	182.0	<0.2	<10	220	0.78	0.38	0.50	0.39	37.5	19.1	46
I100724		0.28	<0.005	0.20	1.87	157.5	<0.2	<10	220	0.38	0.41	0.33	0.37	30.0	9.7	41
I100725		0.36	<0.005	0.34	1.60	716	<0.2	<10	280	0.61	0.28	0.55	0.87	34.4	31.7	24
I100726		0.38	<0.005	0.38	2.58	134.0	<0.2	<10	390	0.90	0.38	0.62	0.74	46.8	21.5	51
I100729		0.34	<0.005	0.08	1.43	41.9	<0.2	<10	120	0.35	0.15	0.53	0.28	37.4	11.5	27
I100730		0.54	0.005	0.13	1.66	33.0	<0.2	<10	260	0.51	0.17	0.51	0.28	34.8	14.4	32
I100731		0.22	<0.005	0.17	1.91	36.4	<0.2	<10	290	0.61	0.15	0.83	0.42	35.5	13.6	31
I100732		0.34	<0.005	0.11	2.15	8.4	<0.2	<10	90	0.40	0.28	0.10	0.15	21.2	5.3	27
I100733		0.26	<0.005	0.23	2.37	8.9	<0.2	<10	210	0.56	0.58	0.28	0.22	24.2	10.3	27
I100734		0.24	<0.005	0.09	2.35	12.1	<0.2	<10	150	0.43	0.21	0.17	0.36	24.6	10.9	30
I100735		0.26	<0.005	0.10	2.74	11.1	<0.2	<10	150	0.45	0.24	0.14	0.19	17.80	9.2	32
I100736		0.32	<0.005	0.46	0.48	1.6	<0.2	<10	50	0.09	0.20	0.08	0.07	8.79	1.6	7
I100737		0.32	<0.005	0.15	0.93	2.9	<0.2	<10	120	0.40	0.27	0.14	0.08	23.9	4.7	11
I100738		0.26	<0.005	0.14	1.85	6.6	<0.2	<10	140	0.44	0.25	0.39	0.14	21.7	7.2	26
I100751		0.44	<0.005	0.21	2.18	13.8	<0.2	<10	420	0.45	0.18	0.31	0.29	21.1	13.1	41
I100752		0.32	<0.005	0.33	2.20	6.1	<0.2	<10	490	0.47	0.16	0.33	0.53	25.2	15.8	41
I100753		0.26	<0.005	0.36	1.34	40.3	<0.2	<10	450	0.43	0.21	2.03	0.79	15.85	8.6	27
I100754		0.28	<0.005	0.27	1.58	132.5	<0.2	<10	340	0.43	0.30	0.94	0.48	25.3	11.8	30
I100755		0.32	<0.005	0.30	1.63	105.5	<0.2	<10	300	0.42	0.27	0.85	0.31	24.4	7.4	30
I100756		0.42	<0.005	0.27	1.82	82.6	<0.2	<10	330	0.47	0.30	0.69	0.38	24.1	7.9	36
I100757		0.30	<0.005	0.13	1.84	27.0	<0.2	<10	310	0.37	0.19	0.83	0.16	19.45	9.4	37
I100758		0.30	<0.005	0.15	1.86	18.5	<0.2	<10	300	0.38	0.18	0.81	0.14	19.45	7.5	36
I100759		0.40	<0.005	0.15	2.06	16.1	<0.2	<10	370	0.39	0.20	0.87	0.31	22.3	10.7	40
I100760		0.38	<0.005	0.11	1.69	19.6	<0.2	<10	300	0.41	0.19	0.85	0.39	21.5	11.3	32
I100761		0.36	<0.005	0.11	1.92	22.8	<0.2	<10	500	0.42	0.17	0.68	0.28	21.9	11.9	33
I100762		0.34	0.005	0.15	1.82	29.7	<0.2	<10	490	0.51	0.17	1.04	0.45	26.2	11.8	35
I100764		0.36	<0.005	0.12	1.99	46.0	<0.2	<10	370	0.36	0.19	0.74	0.27	21.0	11.3	39
I100765		0.18	<0.005	0.19	1.58	38.7	<0.2	<10	310	0.46	0.23	1.07	0.93	22.6	8.9	28
I100766		0.34	0.006	0.08	1.56	5.9	<0.2	<10	150	0.53	0.11	2.71	0.18	26.4	11.6	46
I100767		0.22	<0.005	0.23	1.06	4.1	<0.2	<10	180	0.44	0.12	2.10	0.28	37.5	7.2	20
I100768		0.32	<0.005	0.30	1.11	3.1	<0.2	<10	120	0.40	0.15	0.63	0.16	28.9	4.6	19
I100769		0.28	0.005	0.16	1.59	5.4	<0.2	<10	110	0.43	0.29	0.35	0.15	34.8	7.6	28
I100770		0.54	<0.005	0.18	2.12	3.7	<0.2	<10	140	0.65	0.23	0.62	0.13	65.5	10.7	32
I100771		0.24	<0.005	0.30	1.80	4.6	<0.2	<10	170	0.73	0.32	0.55	0.19	103.5	13.2	36
I100772		0.26	<0.005	0.20	1.90	4.6	<0.2	<10	160	0.61	0.19	0.34	0.31	62.8	13.6	37
I100773		0.40	<0.005	0.12	2.01	5.6	<0.2	<10	160	0.43	0.24	0.25	0.06	29.4	8.6	34



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100719		1.82	15.3	2.36	4.75	<0.05	0.02	0.03	0.021	0.06	9.8	6.4	0.48	259	0.91
I100720		1.94	17.8	3.29	6.05	0.06	0.02	0.04	0.026	0.07	14.4	10.7	0.63	1020	2.30
I100721		1.70	15.9	2.28	5.93	<0.05	0.02	0.04	0.028	0.06	11.7	9.4	0.56	625	1.31
I100722		1.46	20.5	2.25	5.64	0.05	0.03	0.05	0.025	0.06	17.9	10.3	0.50	285	1.38
I100723		3.50	44.2	3.78	7.10	0.12	0.06	0.02	0.039	0.17	21.3	15.1	1.00	744	2.25
I100724		1.76	26.4	2.79	6.62	0.06	0.04	0.03	0.037	0.07	14.3	13.3	0.62	350	2.53
I100725		1.15	22.8	3.30	5.28	0.09	0.05	0.06	0.032	0.05	16.4	10.5	0.44	3640	4.79
I100726		2.39	49.0	3.34	7.68	0.11	0.08	0.06	0.051	0.08	22.7	18.6	0.81	3100	4.68
I100729		1.13	21.4	2.45	4.59	0.10	0.08	0.04	0.025	0.08	21.2	11.0	0.58	410	0.78
I100730		0.72	35.9	2.87	5.20	0.07	0.12	0.02	0.026	0.06	18.5	10.4	0.52	728	1.41
I100731		0.73	52.1	2.64	5.53	0.07	0.13	0.05	0.029	0.07	18.9	11.3	0.60	409	1.49
I100732		0.86	13.2	3.20	10.30	<0.05	0.06	0.02	0.026	0.03	10.3	9.6	0.23	131	1.48
I100733		2.35	17.7	3.22	9.46	<0.05	0.05	0.04	0.033	0.06	10.4	12.9	0.32	560	1.63
I100734		1.40	20.1	3.30	7.89	0.05	0.06	0.03	0.033	0.07	8.8	17.9	0.44	291	1.25
I100735		1.05	14.9	3.24	9.04	<0.05	0.04	0.04	0.032	0.05	8.5	13.5	0.30	445	2.00
I100736		0.59	8.6	0.76	3.57	<0.05	<0.02	0.01	0.007	0.06	4.6	1.6	0.06	56	0.93
I100737		1.33	13.1	1.34	4.81	<0.05	0.03	0.02	0.015	0.07	17.3	3.9	0.13	356	1.20
I100738		0.71	17.9	2.80	6.61	0.05	0.04	0.02	0.027	0.08	10.7	15.7	0.45	257	2.12
I100751		0.37	23.7	3.35	6.77	0.05	0.05	0.01	0.032	0.06	10.6	15.1	0.62	390	1.34
I100752		1.24	50.2	3.39	7.32	0.07	0.03	0.03	0.029	0.16	10.9	13.3	0.83	2130	2.54
I100753		0.74	45.5	1.90	3.86	0.06	0.06	0.07	0.025	0.06	8.6	8.6	0.42	425	1.07
I100754		1.03	36.7	2.65	4.84	0.07	0.05	0.04	0.029	0.06	12.7	14.5	0.54	715	1.39
I100755		0.91	37.1	2.47	4.96	0.06	0.04	0.05	0.028	0.06	12.7	14.3	0.53	326	1.14
I100756		0.75	46.9	2.38	5.56	0.06	0.04	0.05	0.034	0.06	12.1	15.2	0.54	210	0.93
I100757		0.50	34.1	2.74	5.73	0.07	0.04	0.04	0.027	0.04	10.1	14.1	0.63	252	1.21
I100758		0.61	35.2	2.62	5.59	0.07	0.05	0.04	0.029	0.04	10.0	14.4	0.65	195	0.93
I100759		0.74	37.0	3.01	6.56	0.06	0.03	0.04	0.033	0.05	11.4	15.5	0.68	370	1.63
I100760		0.47	32.7	2.76	5.37	0.07	0.08	0.04	0.029	0.08	10.8	15.6	0.67	469	0.91
I100761		0.48	28.4	2.93	6.05	0.06	0.09	0.02	0.030	0.06	10.9	16.5	0.64	356	1.23
I100762		0.48	47.5	2.89	5.76	0.08	0.09	0.04	0.030	0.09	13.1	17.6	0.70	483	0.90
I100764		0.67	30.7	2.94	6.19	0.06	0.07	0.03	0.030	0.07	10.5	18.8	0.76	380	1.02
I100765		0.61	44.0	2.31	4.71	0.06	0.06	0.04	0.025	0.08	12.6	14.2	0.58	609	0.90
I100766		2.58	30.7	2.68	5.11	0.08	0.05	0.05	0.021	0.13	16.5	22.2	0.76	341	0.63
I100767		1.16	37.3	1.65	3.44	0.07	0.05	0.07	0.018	0.06	28.9	9.1	0.31	431	0.88
I100768		1.37	17.6	1.78	4.67	0.06	0.02	0.04	0.018	0.08	25.0	9.1	0.25	133	1.01
I100769		2.04	18.4	2.67	7.08	0.07	0.02	0.03	0.027	0.11	23.8	19.5	0.48	245	1.06
I100770		4.95	17.5	3.13	8.36	0.10	0.03	0.04	0.028	0.31	47.9	33.6	0.71	391	0.80
I100771		2.37	20.6	2.82	7.09	0.11	0.03	0.07	0.034	0.12	66.6	16.2	0.44	856	2.33
I100772		1.08	25.1	3.55	8.08	0.08	0.02	0.03	0.035	0.09	38.7	21.6	0.50	566	1.52
I100773		1.16	18.5	3.37	9.87	0.08	0.04	0.02	0.082	0.06	18.5	19.6	0.57	217	1.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I100719		0.79	11.1	740	6.9	11.6	<0.001	0.06	0.40	3.9	1.5	0.6	31.0	<0.01	0.03	0.7
I100720		0.96	19.8	710	15.3	16.5	<0.001	0.05	1.02	4.6	1.7	0.6	30.6	<0.01	0.05	2.7
I100721		0.93	18.6	630	11.1	14.2	<0.001	0.07	0.94	3.9	1.7	0.6	33.5	<0.01	0.03	1.1
I100722		1.12	23.6	670	17.6	15.4	0.001	0.06	0.95	4.1	1.8	0.6	29.3	<0.01	0.03	2.1
I100723		1.08	43.8	940	21.2	26.6	0.001	0.04	1.84	7.0	1.6	0.8	32.6	0.01	0.06	5.5
I100724		1.13	32.2	680	23.3	15.2	0.001	0.05	1.37	4.1	1.6	0.7	29.3	<0.01	0.05	2.8
I100725		1.50	30.6	920	24.5	11.1	0.001	0.09	1.03	4.0	3.2	0.6	43.0	0.01	0.05	2.5
I100726		1.31	60.9	680	32.9	18.6	0.004	0.07	1.29	8.9	5.3	0.9	41.2	0.01	0.07	6.2
I100729		1.57	23.6	630	9.1	10.4	<0.001	0.05	0.86	4.2	1.6	0.4	38.7	0.01	0.04	3.9
I100730		1.27	28.4	560	10.7	7.8	<0.001	0.02	0.73	4.7	1.0	0.5	36.2	<0.01	0.06	4.7
I100731		1.54	32.8	470	9.7	8.0	<0.001	0.03	0.82	5.7	1.9	0.5	49.0	<0.01	0.05	3.8
I100732		2.20	11.4	220	13.5	8.2	<0.001	0.02	0.57	3.2	0.5	1.0	11.6	0.02	0.05	2.7
I100733		1.78	16.9	260	37.2	21.9	<0.001	0.03	0.51	3.2	0.7	1.1	25.8	<0.01	0.05	4.9
I100734		1.98	23.3	260	15.9	14.1	<0.001	0.02	0.54	3.8	0.6	0.7	19.2	0.01	0.06	5.1
I100735		2.17	16.9	370	14.8	13.1	<0.001	0.02	0.56	3.6	0.7	0.8	17.1	0.02	0.06	3.0
I100736		0.51	3.6	170	8.9	11.6	<0.001	0.02	0.14	0.8	0.3	0.4	11.1	<0.01	0.02	0.2
I100737		0.99	6.3	130	11.4	18.7	<0.001	0.01	0.14	2.0	0.4	0.5	18.6	<0.01	0.03	5.2
I100738		1.22	17.3	420	17.4	16.0	<0.001	<0.01	0.32	3.2	0.3	0.5	35.3	0.01	0.03	2.9
I100751		1.21	27.4	250	10.3	10.4	<0.001	<0.01	0.44	4.8	0.4	0.6	27.0	<0.01	0.03	2.4
I100752		1.20	28.0	440	7.5	21.6	<0.001	<0.01	0.28	4.9	0.6	0.6	26.9	0.01	0.04	2.0
I100753		0.62	27.4	1020	7.5	7.5	0.001	0.11	1.12	3.9	1.5	1.0	109.0	<0.01	0.05	0.6
I100754		0.68	29.6	710	13.1	10.0	0.001	0.03	1.21	5.0	1.1	1.1	53.6	0.01	0.05	2.1
I100755		0.85	25.4	750	14.3	9.2	<0.001	0.02	1.02	4.9	1.1	0.6	50.9	<0.01	0.04	1.7
I100756		0.96	26.8	570	24.3	10.5	<0.001	0.02	1.31	5.6	1.1	0.6	41.3	<0.01	0.05	2.0
I100757		1.19	24.8	670	8.6	6.0	<0.001	0.03	0.47	4.4	1.0	0.7	45.4	<0.01	0.05	1.4
I100758		1.23	25.2	630	8.5	6.6	0.001	0.03	0.43	4.6	1.1	0.7	43.3	<0.01	0.04	1.7
I100759		1.14	27.4	690	9.1	10.2	0.001	0.01	0.45	5.3	1.1	0.7	46.8	<0.01	0.04	1.7
I100760		1.25	26.2	760	9.9	9.4	<0.001	<0.01	0.56	5.1	0.7	0.5	50.0	<0.01	0.03	2.4
I100761		1.52	21.8	560	8.2	8.4	<0.001	<0.01	0.49	5.1	0.6	0.5	43.8	<0.01	0.04	2.8
I100762		1.36	31.8	800	8.0	8.4	<0.001	0.01	0.77	6.0	1.0	0.5	53.4	<0.01	0.04	2.5
I100764		1.20	26.1	680	8.9	8.0	<0.001	<0.01	0.79	5.7	0.6	0.5	46.1	<0.01	0.04	2.6
I100765		1.04	27.6	850	7.6	10.6	<0.001	0.03	0.79	4.8	1.0	0.5	66.6	<0.01	0.03	1.4
I100766		1.15	35.1	720	7.1	27.3	<0.001	0.10	0.24	3.3	1.2	0.5	132.0	0.01	0.03	1.1
I100767		0.70	24.8	1000	5.1	11.5	<0.001	0.11	0.30	2.3	1.3	0.8	103.5	0.01	0.04	0.9
I100768		0.69	11.7	710	9.5	20.9	<0.001	0.05	0.22	1.9	0.7	0.6	47.1	<0.01	0.04	0.7
I100769		1.05	18.1	600	15.1	28.2	<0.001	0.01	0.25	3.3	0.6	0.7	28.6	<0.01	0.03	3.2
I100770		1.24	22.3	850	24.6	62.2	<0.001	0.02	0.21	4.5	0.7	0.9	41.2	<0.01	0.02	11.3
I100771		0.74	22.2	950	26.1	29.9	<0.001	0.05	0.25	4.3	1.0	1.0	44.2	<0.01	0.03	4.7
I100772		1.14	27.3	500	17.2	18.6	<0.001	<0.01	0.26	4.7	0.6	0.7	26.0	<0.01	0.05	5.4
I100773		1.63	19.0	210	11.4	16.3	<0.001	<0.01	0.32	4.4	0.4	0.8	22.4	<0.01	0.03	4.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100719		0.068	0.10	1.51	51	0.11	6.27	49	0.6
I100720		0.075	0.13	1.69	75	0.34	7.27	76	0.7
I100721		0.060	0.14	1.17	50	0.30	6.04	71	<0.5
I100722		0.061	0.12	1.53	48	0.18	9.29	76	0.8
I100723		0.095	0.25	2.18	82	0.22	12.45	114	1.8
I100724		0.056	0.15	1.43	70	0.21	7.11	117	0.9
I100725		0.034	0.11	2.77	46	0.21	20.7	100	1.0
I100726		0.046	0.19	7.02	84	0.24	23.0	130	1.8
I100729		0.098	0.09	1.02	55	0.20	11.30	67	3.1
I100730		0.100	0.06	0.89	66	0.22	10.30	78	5.0
I100731		0.091	0.08	1.78	59	0.21	14.75	69	6.3
I100732		0.111	0.10	0.49	99	0.16	2.68	33	3.2
I100733		0.067	0.17	0.71	80	0.26	2.74	86	2.3
I100734		0.095	0.11	0.78	74	0.21	2.97	58	3.1
I100735		0.109	0.11	0.50	85	0.21	2.74	44	2.1
I100736		0.049	0.05	0.41	25	0.11	0.95	13	<0.5
I100737		0.056	0.07	1.13	34	0.14	5.33	20	1.5
I100738		0.080	0.10	0.73	65	0.21	4.72	42	1.1
I100751		0.091	0.09	0.46	89	0.14	4.58	64	2.4
I100752		0.132	0.15	0.91	83	0.15	4.90	114	1.4
I100753		0.032	0.06	1.09	46	0.08	12.00	51	2.5
I100754		0.043	0.08	1.08	59	0.12	10.35	83	1.7
I100755		0.057	0.07	1.15	53	0.20	10.45	75	1.5
I100756		0.062	0.08	1.15	57	0.19	9.81	78	1.6
I100757		0.078	0.07	1.13	74	0.14	7.00	74	1.8
I100758		0.083	0.07	1.21	64	0.13	7.12	74	2.2
I100759		0.081	0.07	1.49	75	0.16	7.62	81	1.5
I100760		0.101	0.05	0.89	68	0.26	7.94	76	3.3
I100761		0.106	0.06	0.94	74	0.18	7.14	60	4.1
I100762		0.098	0.06	1.15	67	0.21	12.30	73	4.0
I100764		0.093	0.07	0.78	72	0.24	6.87	69	2.9
I100765		0.069	0.06	1.07	50	0.15	14.15	87	2.6
I100766		0.078	0.18	1.09	46	0.13	11.20	63	2.1
I100767		0.040	0.11	1.43	30	0.09	16.90	37	2.0
I100768		0.050	0.14	1.06	34	0.09	8.69	30	0.7
I100769		0.086	0.19	1.24	54	0.16	10.20	53	0.9
I100770		0.096	0.46	2.07	45	0.10	20.6	76	1.0
I100771		0.045	0.24	2.88	43	0.13	25.5	63	0.7
I100772		0.062	0.13	1.84	65	0.13	11.55	64	0.6
I100773		0.134	0.15	0.67	83	0.13	8.24	45	2.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100774		0.32	<0.005	0.20	2.60	5.6	<0.2	<10	150	0.51	0.20	0.24	0.09	58.6	23.1	47
I100775		0.44	<0.005	0.13	1.98	6.0	<0.2	<10	180	0.44	0.14	0.35	0.06	26.1	11.4	33
I100776		0.34	<0.005	0.07	2.65	5.7	<0.2	<10	120	0.66	0.09	0.20	0.13	15.15	14.1	36
I100777		0.24	<0.005	0.08	1.86	3.2	<0.2	<10	120	0.42	0.08	1.12	0.08	21.0	13.0	37
I100778		0.40	<0.005	0.08	1.35	2.3	<0.2	<10	130	0.34	0.07	1.93	0.18	24.5	11.6	30
I100779		0.26	<0.005	0.06	1.41	5.8	<0.2	<10	140	0.33	0.09	1.44	0.11	17.45	10.1	31
I100780		0.48	<0.005	0.06	1.66	3.8	<0.2	<10	140	0.36	0.09	0.82	0.13	26.2	14.6	36
I100781		0.34	<0.005	0.07	1.51	4.8	<0.2	<10	160	0.36	0.10	1.24	0.13	33.0	13.2	33
I100782		0.40	<0.005	0.06	1.48	4.1	<0.2	<10	150	0.35	0.10	1.04	0.15	28.8	13.8	33
I100783		0.42	<0.005	0.08	1.56	4.4	<0.2	<10	130	0.29	0.12	0.51	0.13	28.6	11.1	31
I100784		0.24	<0.005	0.11	1.58	3.2	<0.2	<10	100	0.27	0.09	0.31	0.15	22.1	7.7	37
I100785		0.26	0.031	0.17	1.41	3.1	<0.2	<10	180	0.43	0.13	0.41	0.21	56.7	9.7	36
I100786		0.20	<0.005	0.27	1.45	2.7	<0.2	<10	230	0.60	0.13	0.67	0.29	128.0	9.1	33
I100787		0.46	<0.005	0.08	1.83	6.8	<0.2	<10	150	0.40	0.14	0.47	0.18	54.2	11.9	32
I100788		0.20	<0.005	0.09	1.57	3.9	<0.2	<10	200	0.32	0.12	0.68	0.14	51.1	10.9	35
I100789		0.26	<0.005	0.10	1.40	9.8	<0.2	<10	270	0.58	0.16	1.04	0.33	87.0	15.1	29
I100790		0.28	<0.005	0.17	1.64	4.3	<0.2	<10	200	0.76	0.14	1.34	0.37	172.5	16.2	29
I100791		0.38	<0.005	0.09	1.29	3.2	<0.2	<10	110	0.36	0.11	0.47	0.15	44.3	9.1	30
I100792		0.26	<0.005	0.08	1.34	3.6	<0.2	<10	100	0.24	0.10	0.40	0.14	21.4	10.8	31
I100793		0.30	<0.005	0.10	1.71	4.8	<0.2	<10	130	0.29	0.11	0.60	0.11	31.9	9.5	37
I100794		0.56	<0.005	0.06	1.55	5.4	<0.2	<10	100	0.28	0.10	0.43	0.10	33.8	8.4	34
I100795		0.42	<0.005	0.11	2.03	5.3	<0.2	<10	150	0.39	0.10	0.58	0.11	47.2	18.0	41
I100796		0.68	<0.005	0.12	1.81	5.2	<0.2	<10	150	0.25	0.12	0.50	0.10	30.6	21.5	37
I100797		0.38	<0.005	0.06	1.69	6.9	<0.2	<10	110	0.40	0.19	0.37	0.13	23.4	10.1	33
I100798		0.34	<0.005	0.16	1.71	4.3	<0.2	<10	200	0.51	0.14	1.59	0.32	25.2	11.7	28
I100799		0.40	<0.005	0.09	1.90	6.0	<0.2	<10	190	0.42	0.15	1.42	0.28	26.0	12.3	34
I100800		0.54	<0.005	0.11	1.74	5.3	<0.2	<10	170	0.50	0.11	1.66	0.14	43.1	12.0	32
I100801		0.50	<0.005	0.33	1.90	73.4	<0.2	<10	440	0.43	0.22	1.28	0.41	28.7	14.2	41
I100802		0.46	<0.005	0.35	1.30	182.5	<0.2	<10	490	0.37	0.26	0.69	0.35	39.9	12.4	26
I100803		0.64	<0.005	0.25	1.96	137.5	<0.2	<10	230	0.39	0.43	0.48	0.50	27.3	10.5	42
I100804		0.48	<0.005	0.53	2.14	122.0	<0.2	<10	510	0.49	0.48	0.64	1.25	51.6	23.4	48
I100805		0.42	<0.005	0.32	1.14	30.3	<0.2	<10	250	0.27	0.18	0.31	0.85	21.4	4.9	21
I100806		0.40	<0.005	0.44	0.87	23.0	<0.2	<10	230	0.24	0.14	0.31	0.93	15.75	3.6	17
I100807		0.42	<0.005	0.16	1.56	5.8	<0.2	<10	190	0.24	0.21	0.61	0.37	22.7	7.6	49
I100808		0.44	<0.005	0.08	1.60	5.2	<0.2	<10	230	0.26	0.14	0.52	0.17	30.5	7.9	27
I100809		0.38	<0.005	0.10	1.36	4.3	<0.2	<10	110	0.16	0.24	0.12	0.09	22.0	4.5	15
I100810		0.46	0.005	0.58	1.77	4.1	<0.2	<10	320	0.37	0.24	0.79	0.43	76.4	9.0	23
I100811		0.46	<0.005	0.10	1.96	7.2	<0.2	<10	230	0.22	0.17	0.21	0.28	23.6	6.7	30
I100812		0.46	<0.005	0.06	2.80	8.6	<0.2	<10	240	0.37	0.20	0.12	0.31	15.35	9.1	36
I100813		0.46	<0.005	0.16	1.36	5.7	<0.2	<10	180	0.20	0.20	0.11	0.37	12.05	4.6	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100774		2.08	27.4	3.99	8.84	0.09	0.04	0.03	0.040	0.16	36.4	26.5	0.77	1090	1.50
I100775		0.93	29.7	2.86	7.15	0.06	0.04	0.02	0.026	0.07	14.5	14.3	0.57	318	0.97
I100776		2.17	18.1	4.00	6.93	0.07	0.03	0.02	0.020	0.29	6.5	31.0	1.07	286	0.96
I100777		2.43	27.3	3.30	5.36	0.06	0.02	0.02	0.016	0.24	8.8	23.8	0.73	258	0.96
I100778		2.03	32.2	2.40	3.88	0.07	0.04	0.04	0.013	0.30	13.5	15.5	0.59	530	0.83
I100779		1.03	20.1	2.64	4.34	0.07	0.05	0.04	0.017	0.10	9.5	17.6	0.57	425	0.65
I100780		1.32	18.0	2.79	5.24	0.10	0.07	0.01	0.019	0.22	13.0	17.3	0.77	927	0.58
I100781		1.07	23.3	2.68	4.91	0.09	0.05	0.02	0.020	0.12	16.8	15.8	0.61	644	0.93
I100782		1.12	19.1	2.65	5.10	0.07	0.04	0.03	0.020	0.11	13.8	15.6	0.61	561	0.82
I100783		1.04	14.4	2.86	5.83	0.06	0.04	0.03	0.021	0.07	15.4	15.6	0.60	352	0.80
I100784		2.38	19.7	2.68	6.72	0.07	<0.02	0.03	0.019	0.21	12.0	13.5	0.67	172	1.16
I100785		1.65	19.5	3.05	6.68	0.09	0.02	0.03	0.022	0.19	32.2	13.8	0.50	381	1.23
I100786		1.90	21.6	2.51	5.79	0.12	0.03	0.06	0.022	0.19	76.0	15.0	0.45	477	1.10
I100787		2.78	19.0	3.57	6.10	0.10	0.08	0.03	0.024	0.33	28.3	14.3	0.68	402	1.11
I100788		1.59	18.2	2.98	7.25	0.10	0.06	0.04	0.020	0.20	36.8	14.1	0.61	301	1.22
I100789		1.27	23.9	3.52	6.05	0.12	0.05	0.05	0.028	0.12	51.8	11.3	0.39	1000	1.58
I100790		1.51	28.1	3.03	6.41	0.20	0.05	0.07	0.026	0.09	106.5	14.6	0.46	1300	0.96
I100791		1.44	20.6	2.13	6.18	0.08	0.02	0.03	0.018	0.09	22.2	9.0	0.40	263	0.69
I100792		1.42	13.7	2.08	5.71	0.06	0.02	0.03	0.014	0.06	11.4	10.0	0.47	347	0.61
I100793		1.99	14.3	2.70	6.38	0.07	0.03	0.03	0.019	0.13	20.5	13.8	0.71	256	0.65
I100794		1.53	13.0	2.43	5.65	0.07	0.02	0.04	0.021	0.09	17.9	14.3	0.63	236	0.51
I100795		2.18	28.7	3.42	6.84	0.09	0.04	0.05	0.024	0.21	26.6	18.3	0.80	466	0.64
I100796		1.71	12.2	3.45	6.57	0.06	0.02	0.03	0.021	0.09	15.3	14.9	0.67	847	1.15
I100797		1.57	18.6	3.22	6.56	0.06	0.03	0.02	0.083	0.12	9.7	13.0	0.59	264	1.12
I100798		3.34	25.4	2.38	5.43	0.06	0.04	0.06	0.024	0.05	17.3	12.1	0.50	898	0.78
I100799		2.48	24.2	2.85	6.29	0.06	0.05	0.04	0.026	0.06	11.5	13.7	0.61	512	0.70
I100800		1.84	31.6	2.81	5.49	0.12	0.06	0.08	0.023	0.08	44.0	14.3	0.55	436	0.83
I100801		1.39	43.1	2.99	6.57	0.07	0.05	0.04	0.029	0.06	16.7	13.5	0.72	625	2.28
I100802		2.35	56.1	3.16	5.78	0.08	0.02	0.03	0.030	0.12	20.8	8.5	0.59	551	2.81
I100803		1.37	48.2	3.94	5.76	0.08	0.05	0.03	0.042	0.06	13.3	15.4	0.67	317	4.62
I100804		2.00	52.9	4.52	6.81	0.10	0.07	0.04	0.051	0.07	25.1	14.5	0.70	630	5.11
I100805		1.02	29.2	1.82	6.00	0.05	0.02	0.04	0.019	0.03	12.6	6.0	0.25	126	1.52
I100806		1.06	31.0	1.45	4.22	<0.05	<0.02	0.04	0.017	0.04	9.8	4.2	0.16	125	1.17
I100807		1.96	22.2	2.14	6.72	0.05	0.02	0.02	0.025	0.07	13.3	11.3	0.83	388	0.80
I100808		0.90	15.1	2.18	5.31	0.07	0.04	0.02	0.022	0.06	17.9	10.8	0.50	573	1.23
I100809		0.57	9.6	2.01	5.40	0.05	0.03	0.02	0.024	0.05	10.5	8.0	0.34	262	2.13
I100810		1.25	43.8	2.47	6.09	0.17	0.07	0.06	0.066	0.05	83.3	11.9	0.37	753	2.38
I100811		0.68	18.4	2.92	7.00	0.05	0.03	0.02	0.023	0.05	11.8	10.4	0.42	418	1.60
I100812		1.13	19.8	3.61	6.38	0.06	0.08	0.02	0.088	0.05	6.3	15.0	0.53	372	1.72
I100813		0.75	10.6	2.69	7.28	<0.05	0.03	0.02	0.017	0.07	6.1	8.7	0.28	220	1.83



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100774		1.62	33.4	440	14.2	25.7	<0.001	<0.01	0.27	4.8	0.6	0.7	20.3	<0.01	0.03
I100775		1.55	24.8	460	7.8	14.5	<0.001	<0.01	0.28	4.4	0.4	0.6	27.3	<0.01	0.03
I100776		1.69	30.2	250	5.3	32.1	<0.001	<0.01	0.29	2.7	0.3	0.4	18.1	<0.01	0.03
I100777		1.51	33.7	390	5.9	43.2	<0.001	0.04	0.22	2.3	0.7	0.5	61.5	<0.01	0.03
I100778		1.15	28.0	700	5.3	39.2	<0.001	0.10	0.17	2.1	0.9	1.3	88.5	<0.01	0.04
I100779		1.16	24.7	710	5.7	19.2	<0.001	0.06	0.25	3.0	0.8	1.3	66.3	<0.01	0.03
I100780		1.54	28.4	710	7.5	27.8	<0.001	<0.01	0.21	3.9	0.5	0.5	45.1	<0.01	0.02
I100781		1.39	27.4	800	7.3	21.7	<0.001	0.04	0.25	3.5	0.8	0.9	64.4	<0.01	0.03
I100782		1.25	26.5	700	7.9	21.1	<0.001	0.03	0.19	3.4	0.6	1.4	53.6	<0.01	0.03
I100783		1.37	20.9	420	8.8	13.7	<0.001	<0.01	0.16	3.7	0.4	0.5	30.6	<0.01	0.03
I100784		0.96	22.7	830	7.6	26.8	<0.001	0.02	0.12	3.3	0.7	0.9	18.4	<0.01	0.04
I100785		0.89	20.0	660	10.9	25.9	<0.001	0.02	0.16	3.8	0.6	0.7	30.2	<0.01	0.03
I100786		0.87	18.5	870	10.4	33.2	<0.001	0.04	0.17	3.9	1.0	0.8	53.5	0.01	0.02
I100787		1.47	20.7	1000	15.5	35.4	<0.001	0.01	0.33	4.0	0.4	0.6	30.1	<0.01	0.02
I100788		1.76	17.1	460	9.2	25.1	<0.001	0.03	0.20	4.2	0.7	0.9	55.9	<0.01	0.02
I100789		1.08	23.8	680	16.0	18.0	<0.001	0.05	0.31	6.6	1.1	0.7	75.1	<0.01	0.03
I100790		0.85	30.0	810	13.3	27.9	<0.001	0.07	0.28	4.6	1.4	0.7	81.0	0.01	0.04
I100791		1.00	21.6	460	7.4	17.6	<0.001	0.03	0.15	3.1	0.5	0.7	31.2	<0.01	0.03
I100792		0.88	20.4	550	6.2	12.7	<0.001	0.03	0.15	2.6	0.5	0.7	29.4	<0.01	0.02
I100793		1.01	27.2	680	7.9	22.5	<0.001	0.04	0.18	3.6	0.6	0.9	41.1	<0.01	0.02
I100794		1.02	25.3	620	9.6	18.3	<0.001	0.03	0.18	3.6	0.4	0.5	32.5	<0.01	0.01
I100795		1.38	33.3	550	12.7	30.4	<0.001	0.04	0.23	4.6	0.6	0.5	38.3	<0.01	0.02
I100796		1.05	22.0	720	12.9	18.0	<0.001	0.03	0.19	3.1	0.4	0.7	33.0	<0.01	0.02
I100797		1.33	25.7	420	9.0	21.8	<0.001	0.02	0.23	3.4	0.4	0.8	22.7	<0.01	0.03
I100798		1.05	23.9	680	9.1	14.5	<0.001	0.05	0.26	2.9	0.8	0.6	57.3	<0.01	0.04
I100799		1.22	25.6	540	9.9	17.0	<0.001	0.04	0.25	3.8	0.7	0.7	50.4	<0.01	0.04
I100800		1.15	31.2	590	9.3	18.2	<0.001	0.05	0.29	3.6	1.1	0.5	54.9	<0.01	0.03
I100801		1.07	37.6	730	16.6	12.5	<0.001	0.08	0.64	5.2	1.8	0.9	80.7	<0.01	0.05
I100802		0.51	32.5	950	17.0	15.7	<0.001	0.04	1.03	3.4	1.4	0.7	83.1	<0.01	0.06
I100803		0.47	44.0	1200	35.1	10.3	<0.001	0.03	2.10	4.6	2.2	0.6	27.8	<0.01	0.07
I100804		0.77	58.9	1450	70.2	15.7	<0.001	0.04	1.31	7.9	2.9	0.7	37.3	<0.01	0.09
I100805		0.53	20.1	450	21.1	6.9	<0.001	0.02	0.34	1.6	0.8	0.5	23.1	<0.01	0.04
I100806		0.31	17.8	460	20.3	6.8	<0.001	0.02	0.31	0.8	0.8	0.4	22.6	<0.01	0.02
I100807		0.92	25.1	310	9.6	23.8	<0.001	0.02	0.19	4.1	0.5	0.9	28.7	<0.01	0.03
I100808		0.92	16.3	480	7.1	9.3	<0.001	0.02	0.22	3.5	0.6	0.5	25.5	<0.01	0.02
I100809		0.80	9.6	180	6.4	7.4	<0.001	<0.01	0.18	2.7	0.6	0.6	11.0	<0.01	0.03
I100810		0.72	17.3	550	10.8	12.1	<0.001	0.04	0.18	4.6	2.0	1.5	28.9	0.01	0.03
I100811		1.39	17.1	220	8.9	10.1	<0.001	0.01	0.37	2.9	0.4	0.6	17.3	<0.01	0.03
I100812		1.49	23.0	230	8.7	11.0	<0.001	0.01	0.40	3.0	0.6	0.5	10.9	<0.01	0.04
I100813		1.37	9.3	270	9.0	16.2	<0.001	0.01	0.36	2.1	0.3	0.7	12.2	<0.01	0.03



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 9 - OCT - 2010
 Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100774		0.109	0.25	1.47	70	0.13	12.30	64	1.5
I100775		0.120	0.11	0.81	66	0.15	5.95	39	2.0
I100776		0.152	0.23	0.37	69	0.12	2.55	63	1.6
I100777		0.116	0.27	0.69	42	0.09	4.29	50	1.2
I100778		0.085	0.27	1.12	29	0.09	5.81	61	1.7
I100779		0.088	0.13	0.84	44	0.53	5.01	52	2.1
I100780		0.129	0.21	0.85	50	0.11	6.48	66	3.0
I100781		0.097	0.17	1.05	51	0.10	7.89	58	2.1
I100782		0.092	0.16	0.95	48	0.09	5.90	65	1.5
I100783		0.110	0.14	0.91	58	0.22	5.30	61	1.3
I100784		0.083	0.18	0.69	55	0.10	5.21	66	<0.5
I100785		0.079	0.19	1.01	52	0.09	10.00	59	0.6
I100786		0.065	0.21	2.02	38	0.11	22.6	53	0.8
I100787		0.132	0.27	1.13	55	0.14	8.37	84	3.6
I100788		0.122	0.14	1.16	57	0.16	10.90	51	2.1
I100789		0.054	0.11	1.95	46	0.15	16.75	62	1.7
I100790		0.048	0.16	2.28	45	0.12	36.9	74	1.0
I100791		0.077	0.12	0.80	42	0.18	6.98	45	0.7
I100792		0.071	0.11	0.66	41	0.12	4.33	48	0.6
I100793		0.080	0.16	0.84	50	0.11	7.82	74	0.9
I100794		0.070	0.15	0.90	41	0.12	5.80	75	0.9
I100795		0.101	0.23	1.10	52	0.10	9.01	72	1.3
I100796		0.079	0.15	0.62	50	0.11	4.76	74	0.7
I100797		0.090	0.13	0.52	60	0.11	3.47	57	1.1
I100798		0.058	0.27	1.11	43	0.10	9.01	53	1.4
I100799		0.069	0.17	0.75	56	0.10	6.66	77	2.0
I100800		0.066	0.16	1.33	45	0.11	20.9	53	2.2
I100801		0.058	0.12	1.32	66	0.18	12.00	72	1.5
I100802		0.039	0.11	1.31	57	0.14	14.00	84	<0.5
I100803		0.017	0.13	1.64	79	0.19	11.50	141	1.4
I100804		0.031	0.17	2.65	99	0.24	16.05	218	1.8
I100805		0.046	0.07	0.88	50	0.11	7.81	50	<0.5
I100806		0.028	0.08	0.90	34	0.09	7.41	46	<0.5
I100807		0.079	0.11	0.60	52	0.09	7.97	64	0.8
I100808		0.066	0.07	0.81	48	0.13	16.90	45	1.3
I100809		0.039	0.06	0.62	39	0.13	10.45	30	1.0
I100810		0.037	0.07	2.10	43	0.17	62.7	54	0.8
I100811		0.090	0.07	0.55	72	0.18	7.37	42	1.2
I100812		0.100	0.08	0.60	67	0.17	3.91	53	3.4
I100813		0.102	0.07	0.33	71	0.13	2.11	38	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100814		0.36	<0.005	0.10	1.90	4.2	<0.2	<10	170	0.60	0.14	1.35	0.18	27.6	14.9	43
I100815		0.46	<0.005	0.08	1.98	5.2	<0.2	<10	220	0.68	0.10	1.48	0.10	22.0	11.5	37
I100816		0.44	<0.005	0.04	1.78	3.4	<0.2	<10	180	0.71	0.08	1.36	0.10	16.35	12.2	47
I100817		0.50	<0.005	0.13	2.38	5.0	<0.2	<10	340	0.77	0.15	0.92	0.17	27.0	14.7	63
I100818		0.44	<0.005	0.08	1.73	4.5	<0.2	<10	260	0.43	0.11	1.01	0.23	22.5	11.6	44
I100819		0.40	<0.005	0.13	1.96	6.2	<0.2	<10	150	0.29	0.16	0.38	0.13	21.8	9.4	37
I100820		0.40	<0.005	0.15	1.54	5.6	<0.2	<10	100	0.28	0.29	1.54	0.22	38.4	13.1	31
I100821		0.46	<0.005	0.11	1.87	5.8	<0.2	<10	150	0.40	0.20	1.07	0.15	34.0	14.7	79
I100822		0.44	<0.005	0.16	2.09	6.9	<0.2	<10	170	0.43	0.29	0.95	0.31	36.5	14.1	62
I100823		0.42	<0.005	0.66	2.46	10.1	<0.2	<10	190	0.39	0.39	0.36	0.57	29.4	10.6	41
I100824		0.32	<0.005	0.13	1.80	5.7	<0.2	<10	180	0.59	0.21	0.75	0.28	21.5	12.8	32
I100825		0.48	<0.005	0.27	2.28	9.0	<0.2	<10	280	0.53	0.28	0.40	0.29	22.8	14.6	35
I100826		0.44	<0.005	0.47	1.79	8.5	<0.2	<10	290	0.40	0.19	0.40	0.29	19.45	10.3	32
I100827		0.38	<0.005	0.26	1.84	9.3	<0.2	<10	170	0.32	0.23	0.26	0.15	17.75	10.8	31
I100828		0.42	<0.005	0.27	1.99	13.2	<0.2	<10	270	0.58	0.32	0.52	0.15	30.9	13.5	34
I100829		0.40	<0.005	0.19	2.16	25.1	<0.2	<10	290	0.58	0.53	0.66	0.28	37.9	15.9	47
I100830		0.50	<0.005	1.04	2.08	29.8	<0.2	<10	260	0.50	0.17	0.41	0.24	28.7	13.1	46
I100831		0.40	<0.005	0.59	2.47	18.1	<0.2	<10	220	0.73	0.20	0.32	0.16	37.7	14.1	54
I100832		0.36	<0.005	0.56	2.17	13.6	<0.2	<10	250	0.52	0.19	0.34	0.21	25.6	12.7	44
I100833		0.44	<0.005	0.47	1.50	7.9	<0.2	<10	140	0.56	0.22	0.13	0.83	21.1	7.6	25
I100834		0.42	<0.005	0.77	0.99	7.8	<0.2	<10	200	0.21	0.17	0.16	1.60	17.45	11.3	17
I100835		0.50	<0.005	0.91	2.00	13.5	<0.2	<10	600	0.65	0.24	0.21	0.27	38.9	7.9	38
I100836		0.38	<0.005	1.34	1.54	8.8	<0.2	<10	450	0.33	0.24	0.41	0.53	33.9	8.2	31
I100837		0.38	<0.005	0.54	1.85	14.6	<0.2	<10	350	0.55	0.15	0.73	0.20	25.0	12.1	34
I100838		0.36	<0.005	1.12	1.69	36.7	<0.2	<10	230	0.52	0.17	0.19	0.77	18.45	16.2	25
I100839		0.38	<0.005	0.62	2.73	90.2	<0.2	<10	210	0.72	0.18	0.37	0.27	42.8	17.7	50
I100840		0.46	<0.005	0.07	0.88	4.6	<0.2	<10	70	0.35	0.16	0.15	0.05	23.7	3.5	13
I100841		0.44	<0.005	0.02	1.64	7.7	<0.2	<10	70	0.34	0.29	0.09	0.05	23.3	4.6	19
I100842		0.42	<0.005	0.03	1.66	14.3	<0.2	<10	60	0.63	0.89	0.06	0.04	16.45	7.5	14
I100843		0.38	<0.005	0.09	3.03	11.0	<0.2	<10	190	1.15	0.23	0.32	0.10	68.4	14.3	37
I100844		0.44	<0.005	0.03	1.23	3.9	<0.2	<10	100	0.27	0.20	0.11	0.05	28.1	4.3	18
I100845		0.36	<0.005	0.11	2.80	10.9	<0.2	<10	170	0.73	0.26	0.17	0.08	29.0	11.4	40
I100846		0.42	<0.005	0.06	3.09	10.9	<0.2	<10	200	0.68	0.22	0.17	0.06	35.1	13.5	38
I100847		0.38	<0.005	0.03	2.63	12.6	<0.2	<10	150	0.59	0.28	0.11	0.08	31.7	9.1	35
I100848		0.48	0.005	0.06	2.40	8.7	<0.2	<10	210	0.77	0.27	0.23	0.09	44.9	9.3	31
I100849		0.44	<0.005	0.05	0.81	3.1	<0.2	<10	80	0.15	0.18	0.09	0.05	15.75	3.1	13
I100850		0.50	<0.005	0.05	3.56	10.6	<0.2	<10	200	0.86	0.20	0.16	0.13	33.4	13.8	40
I100851		0.56	0.008	0.05	2.14	8.7	<0.2	<10	240	0.53	0.15	0.51	0.04	25.3	11.6	35
I100852		0.58	<0.005	0.04	2.69	11.1	<0.2	<10	200	0.55	0.30	0.20	0.10	24.4	12.3	31
I100853		0.52	<0.005	0.08	3.05	18.7	<0.2	<10	140	1.25	0.21	0.14	0.15	30.6	12.3	30



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100814		3.05	26.5	2.67	5.63	0.08	0.04	0.02	0.017	0.13	16.0	16.8	1.28	679	0.99
I100815		1.49	22.1	2.72	6.43	0.07	0.08	0.03	0.022	0.07	11.3	15.8	1.21	672	0.41
I100816		2.67	14.3	2.37	5.74	0.11	0.05	0.02	0.014	0.21	8.8	17.3	1.40	639	0.42
I100817		2.64	38.9	3.16	7.37	0.10	0.08	0.04	0.023	0.26	14.9	18.3	1.53	705	0.88
I100818		1.64	20.2	2.41	5.52	0.07	0.04	0.04	0.020	0.14	12.8	13.7	0.96	691	1.07
I100819		1.49	17.9	2.84	6.05	0.06	0.04	0.02	0.025	0.09	12.2	12.3	0.90	427	1.68
I100820		1.92	35.0	3.03	5.19	0.09	0.05	0.02	0.025	0.11	20.7	11.2	0.93	745	1.34
I100821		1.40	29.3	3.06	6.23	0.09	0.08	0.02	0.025	0.11	17.0	12.1	1.11	981	1.16
I100822		2.72	36.7	3.27	6.62	0.09	0.07	0.01	0.026	0.15	16.7	13.7	1.35	645	1.22
I100823		0.95	68.1	3.77	7.71	0.10	0.05	0.02	0.055	0.18	16.8	12.6	1.01	298	2.37
I100824		0.79	26.1	2.67	6.27	0.08	0.04	0.03	0.031	0.08	11.6	9.5	0.72	603	0.72
I100825		1.27	38.8	3.37	7.76	0.08	<0.02	0.02	0.042	0.08	12.0	12.1	0.73	758	1.35
I100826		0.64	22.8	2.68	6.66	0.07	0.03	0.02	0.027	0.09	9.6	9.7	0.51	447	1.19
I100827		0.47	21.8	2.79	6.11	0.07	0.08	0.02	0.025	0.06	9.2	9.2	0.49	277	1.42
I100828		0.52	30.6	3.04	6.65	0.10	0.14	0.02	0.033	0.12	18.0	11.0	0.55	468	0.97
I100829		1.44	50.8	3.32	6.92	0.11	0.06	0.02	0.039	0.14	18.3	15.8	1.00	551	1.60
I100830		0.79	32.0	3.35	6.66	0.10	0.11	0.03	0.032	0.10	14.6	12.0	0.67	403	1.69
I100831		1.50	55.6	3.96	8.45	0.11	0.05	0.02	0.044	0.15	17.7	14.1	0.86	412	1.75
I100832		0.98	33.0	3.45	7.45	0.08	0.05	0.01	0.037	0.13	12.8	12.8	0.70	376	1.40
I100833		0.88	22.1	2.72	7.21	0.08	0.02	0.02	0.027	0.09	10.4	9.0	0.32	194	1.84
I100834		0.75	19.0	2.19	5.62	0.06	<0.02	0.01	0.019	0.07	8.1	6.8	0.25	996	1.57
I100835		1.02	60.1	3.66	6.81	0.11	0.04	0.02	0.042	0.18	20.0	11.0	0.61	247	4.71
I100836		1.20	54.0	2.99	5.89	0.10	<0.02	0.03	0.031	0.13	19.9	8.9	0.45	368	4.09
I100837		0.54	26.9	2.99	5.56	0.09	0.09	0.02	0.027	0.13	11.5	9.5	0.55	427	1.05
I100838		0.78	25.3	2.38	6.00	0.07	0.04	0.02	0.024	0.05	8.3	9.9	0.37	369	1.81
I100839		1.27	50.7	4.37	9.35	0.12	0.04	0.02	0.048	0.15	17.3	18.4	0.89	549	2.58
I100840		1.72	11.6	1.54	5.16	0.06	<0.02	0.02	0.017	0.04	16.9	4.9	0.15	106	1.16
I100841		2.99	11.5	3.12	10.40	0.06	0.02	0.03	0.025	0.04	14.7	8.4	0.23	162	1.33
I100842		10.60	22.3	3.40	9.64	0.07	<0.02	0.01	0.032	0.12	6.0	8.8	0.25	265	1.76
I100843		2.21	26.6	3.38	6.70	0.12	0.08	0.04	0.041	0.08	26.9	12.1	0.54	451	1.32
I100844		1.50	11.9	1.86	7.40	0.06	<0.02	0.02	0.018	0.08	14.0	4.0	0.21	144	1.12
I100845		1.58	25.7	3.77	8.73	0.10	0.09	0.03	0.040	0.05	17.0	12.5	0.49	270	1.54
I100846		1.55	25.2	3.55	7.93	0.09	0.22	0.03	0.045	0.07	12.4	14.3	0.50	392	1.70
I100847		1.62	16.8	4.15	10.15	0.10	0.09	0.04	0.043	0.07	15.0	14.4	0.40	290	2.24
I100848		1.16	22.8	3.18	8.61	0.10	0.07	0.03	0.031	0.06	28.1	10.8	0.44	243	1.26
I100849		0.75	8.6	1.47	6.18	<0.05	0.02	0.01	0.012	0.04	7.9	2.8	0.11	125	0.90
I100850		1.22	26.4	3.44	8.19	0.09	0.26	0.05	0.038	0.06	16.1	13.1	0.50	335	1.49
I100851		0.94	28.2	2.83	7.15	0.10	0.07	0.02	0.029	0.04	14.8	14.5	0.69	287	0.74
I100852		1.28	20.4	3.15	7.96	0.08	0.10	0.02	0.037	0.06	14.5	13.8	0.49	247	1.12
I100853		3.98	18.9	3.68	9.28	0.08	0.25	0.03	0.051	0.09	9.6	20.9	0.37	324	1.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100814		0.70	33.0	640	5.1	22.8	<0.001	0.05	0.18	3.1	0.9	0.4	58.2	<0.01	0.03
I100815		1.19	28.9	480	5.7	21.4	<0.001	0.03	0.26	3.7	0.8	0.6	50.6	<0.01	0.03
I100816		1.08	33.3	420	4.5	30.0	<0.001	0.03	0.19	3.1	0.6	0.5	47.2	<0.01	0.01
I100817		1.18	45.7	620	10.7	33.1	<0.001	0.02	0.29	5.7	0.9	0.7	36.9	<0.01	0.02
I100818		0.89	32.3	660	5.2	19.6	<0.001	0.04	0.28	3.8	0.9	0.7	46.4	<0.01	0.02
I100819		0.97	25.7	410	6.4	14.8	<0.001	0.01	0.20	3.5	0.6	0.8	20.9	<0.01	0.03
I100820		1.00	28.7	490	14.8	23.1	<0.001	0.05	0.22	3.4	1.0	0.4	46.4	<0.01	0.13
I100821		1.23	44.5	470	10.6	20.3	<0.001	0.03	0.29	4.4	0.9	0.6	40.1	<0.01	0.04
I100822		1.22	47.2	280	19.9	33.6	<0.001	0.03	0.21	4.9	0.9	0.6	42.1	<0.01	0.04
I100823		1.06	36.5	330	113.0	25.8	<0.001	0.08	0.52	4.0	1.0	0.5	32.0	<0.01	0.07
I100824		1.08	27.2	300	10.4	7.8	<0.001	0.02	0.23	4.1	0.7	0.6	37.5	<0.01	0.07
I100825		1.02	31.4	730	11.7	11.0	<0.001	0.01	0.37	4.0	0.4	1.3	31.8	<0.01	0.06
I100826		1.17	26.2	640	8.6	10.5	<0.001	0.01	0.30	4.5	0.4	0.7	29.5	<0.01	0.04
I100827		1.13	24.6	280	9.2	7.1	<0.001	0.01	0.31	3.7	0.3	0.6	24.0	<0.01	0.04
I100828		1.28	31.0	220	12.0	14.3	<0.001	0.01	0.36	6.2	0.6	0.6	35.9	<0.01	0.05
I100829		1.17	47.4	510	17.7	16.7	<0.001	0.02	0.52	6.4	1.2	0.7	43.3	<0.01	0.08
I100830		1.70	38.0	450	9.6	14.0	<0.001	0.02	0.60	6.8	0.8	0.6	34.2	<0.01	0.05
I100831		1.59	45.4	500	12.0	16.8	<0.001	0.02	0.53	7.7	0.8	0.6	31.0	<0.01	0.06
I100832		1.57	37.6	470	10.4	15.0	<0.001	0.02	0.47	5.6	0.5	0.6	34.1	<0.01	0.04
I100833		2.66	17.5	450	13.2	11.6	<0.001	0.03	0.35	2.7	0.6	0.7	19.7	<0.01	0.05
I100834		0.94	15.2	1010	8.2	9.5	<0.001	0.03	0.46	1.9	0.5	0.4	23.0	<0.01	0.05
I100835		1.02	29.5	550	28.7	18.2	<0.001	0.21	0.42	4.7	2.2	0.5	36.0	<0.01	0.09
I100836		1.07	27.1	980	22.2	13.9	0.001	0.11	0.39	3.1	1.9	0.5	42.6	<0.01	0.10
I100837		1.52	27.0	890	8.4	17.8	<0.001	0.02	0.41	6.3	0.7	0.5	45.0	<0.01	0.03
I100838		0.99	47.4	590	8.4	5.4	<0.001	0.02	0.51	3.0	0.5	0.5	23.7	<0.01	0.04
I100839		1.11	44.8	700	13.4	17.6	<0.001	0.02	0.88	7.7	0.9	0.7	34.1	<0.01	0.05
I100840		0.81	7.2	290	15.5	10.2	<0.001	0.02	0.15	1.9	0.4	0.8	18.7	<0.01	0.04
I100841		1.82	9.4	240	25.0	12.1	<0.001	0.01	0.45	2.7	0.4	2.3	11.7	<0.01	0.06
I100842		1.58	8.4	360	31.4	35.7	<0.001	0.02	0.56	4.0	0.3	2.3	9.2	<0.01	0.04
I100843		1.74	31.1	350	15.4	15.1	0.001	0.02	0.59	5.8	1.1	0.9	37.4	0.02	0.07
I100844		0.84	10.1	280	15.8	17.0	<0.001	0.01	0.21	1.9	0.3	1.1	16.6	<0.01	0.04
I100845		2.05	24.3	350	15.3	14.3	<0.001	0.02	0.54	6.0	0.5	0.9	21.5	0.02	0.07
I100846		2.13	28.0	280	23.2	18.2	<0.001	0.02	0.52	5.7	0.7	1.3	22.7	0.02	0.08
I100847		2.42	18.9	380	26.1	20.0	<0.001	0.02	0.56	4.7	0.7	1.4	14.4	0.01	0.08
I100848		1.80	22.1	260	18.3	16.2	<0.001	0.01	0.38	4.9	0.6	1.5	26.5	0.01	0.06
I100849		1.36	4.9	160	10.6	15.1	<0.001	0.01	0.24	1.7	0.2	0.8	12.4	<0.01	0.03
I100850		2.03	28.6	380	14.6	14.2	<0.001	0.02	0.52	7.0	0.7	0.9	21.0	0.02	0.06
I100851		1.42	26.1	450	8.1	7.4	<0.001	0.01	0.32	7.0	0.5	0.7	37.4	<0.01	0.03
I100852		1.70	23.5	200	23.2	18.0	<0.001	0.01	0.38	5.0	0.4	1.1	23.2	<0.01	0.05
I100853		1.75	25.3	280	53.7	29.4	<0.001	0.01	0.60	6.0	0.5	3.0	16.0	0.01	0.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137857

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100814		0.079	0.18	0.96	47	0.10	15.05	54	1.5
I100815		0.101	0.10	0.68	54	0.10	11.25	47	3.0
I100816		0.103	0.20	0.50	48	0.08	7.79	54	1.9
I100817		0.129	0.19	0.94	72	0.15	17.50	74	3.2
I100818		0.081	0.11	0.73	52	0.15	13.35	55	1.6
I100819		0.089	0.12	0.80	52	0.13	8.27	65	1.4
I100820		0.077	0.15	1.18	39	0.13	12.50	74	1.7
I100821		0.096	0.13	0.81	53	0.09	10.45	63	2.9
I100822		0.110	0.18	0.95	52	0.09	10.20	100	2.5
I100823		0.083	0.17	0.92	64	0.13	4.75	156	2.6
I100824		0.071	0.07	0.88	50	0.14	7.43	55	1.5
I100825		0.051	0.11	0.50	72	0.15	5.31	92	0.6
I100826		0.072	0.07	0.42	60	0.17	3.90	59	1.9
I100827		0.082	0.06	0.42	65	0.13	3.37	47	3.9
I100828		0.080	0.07	0.61	68	0.16	12.70	54	5.7
I100829		0.078	0.12	1.23	67	0.18	14.70	92	2.7
I100830		0.112	0.09	0.95	78	0.20	12.45	68	5.2
I100831		0.091	0.11	1.05	97	0.17	10.35	75	2.4
I100832		0.100	0.10	0.66	84	0.14	5.90	69	2.6
I100833		0.066	0.10	0.64	62	0.18	4.12	88	1.0
I100834		0.057	0.08	0.35	47	0.11	2.61	78	0.6
I100835		0.060	0.18	1.36	83	0.18	7.11	94	2.1
I100836		0.049	0.12	1.16	65	0.22	7.09	83	0.6
I100837		0.099	0.07	0.55	64	0.14	6.93	57	4.5
I100838		0.055	0.09	0.56	59	0.15	5.55	152	1.8
I100839		0.080	0.12	0.90	98	0.20	9.71	93	2.0
I100840		0.052	0.08	1.12	36	0.20	7.44	22	<0.5
I100841		0.069	0.17	1.08	71	0.33	3.66	30	1.3
I100842		0.053	0.41	6.41	74	0.83	7.09	46	1.1
I100843		0.088	0.15	1.53	65	0.27	20.8	54	3.6
I100844		0.069	0.14	0.95	45	0.13	4.49	27	<0.5
I100845		0.118	0.15	0.97	83	0.20	7.89	47	5.1
I100846		0.105	0.15	1.19	71	0.21	5.90	50	11.2
I100847		0.097	0.16	1.13	87	0.29	7.17	45	5.0
I100848		0.102	0.14	1.25	75	0.20	11.45	42	3.5
I100849		0.088	0.08	0.37	50	0.11	2.54	16	1.3
I100850		0.113	0.13	1.02	76	0.20	7.51	49	12.0
I100851		0.110	0.08	0.83	68	0.15	10.95	47	3.4
I100852		0.083	0.12	0.98	65	0.18	5.15	42	4.5
I100853		0.050	0.20	2.29	60	0.26	7.62	45	10.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137857

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 8-OCT-2010
Account: EIASQI

CERTIFICATE WH10137858

Project: SQI10-06

P.O. No.: SQI10-06_32

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100854		0.50	0.006	0.04	3.02	12.6	<0.2	<10	170	0.71	0.33	0.15	0.16	19.90	13.5	40
I100855		0.56	<0.005	0.01	0.51	2.6	<0.2	<10	30	0.65	0.21	0.05	0.02	16.35	3.3	6
I100856		0.44	0.006	0.04	2.47	9.5	<0.2	<10	150	0.66	0.17	0.18	0.09	26.8	10.1	32
I100857		0.50	0.011	0.05	2.66	10.4	<0.2	<10	150	0.77	0.17	0.18	0.09	32.2	11.2	36
I100858		0.54	0.005	0.02	1.56	38.6	<0.2	<10	90	0.47	0.28	0.06	0.07	24.5	5.7	12
I100859		0.46	0.007	0.04	2.05	9.7	<0.2	<10	180	0.89	0.30	0.25	0.07	61.8	8.7	22
I100860		0.56	<0.005	0.05	2.76	12.8	<0.2	<10	200	0.69	0.28	0.31	0.05	42.6	12.6	37
I100861		0.58	0.005	0.04	1.97	9.3	<0.2	<10	150	0.63	0.50	0.27	0.04	54.8	9.2	30
I100862		0.42	0.010	0.13	1.47	7.0	<0.2	<10	130	0.40	0.29	0.25	0.08	22.9	6.8	20
I100863		0.40	0.005	0.05	2.38	8.9	<0.2	<10	180	0.74	0.34	0.20	0.06	44.6	10.8	28
I100864		0.58	<0.005	0.03	2.01	7.3	<0.2	<10	120	0.77	0.19	0.17	0.06	33.0	10.2	27
I100865		0.54	<0.005	0.01	1.66	5.8	<0.2	<10	110	0.75	0.23	0.14	0.05	62.6	9.2	21
I100866		0.50	<0.005	0.03	2.54	10.9	<0.2	<10	170	0.69	0.29	0.16	0.12	28.2	11.7	31
I100867		0.56	<0.005	0.03	2.64	10.9	<0.2	<10	220	0.64	0.25	0.18	0.06	27.5	11.4	35
I100868		0.48	<0.005	0.06	2.61	10.2	<0.2	<10	190	0.70	0.64	0.20	0.08	36.0	11.4	33
I100869		0.56	<0.005	0.06	2.55	11.0	<0.2	<10	220	0.75	0.27	0.27	0.10	41.3	11.6	38
I100870		0.50	<0.005	0.02	1.44	9.3	<0.2	<10	130	0.57	0.40	0.12	0.04	29.2	8.3	19
I100871		0.52	<0.005	0.06	1.66	7.1	<0.2	<10	180	0.90	0.45	0.35	0.08	33.8	9.3	19
I100872		Not Recvd														
I100873		0.50	<0.005	0.01	0.67	3.3	<0.2	<10	80	0.20	0.08	0.13	0.03	4.70	4.6	8
I100874		0.48	<0.005	0.07	2.61	8.9	0.6	<10	220	0.91	0.20	0.31	0.04	91.1	11.6	40
I100875		0.68	<0.005	0.03	1.85	6.2	<0.2	<10	200	0.60	0.19	0.40	0.04	31.6	8.2	27
I100876		0.60	<0.005	0.02	1.76	7.3	<0.2	<10	170	0.79	0.58	0.42	0.04	63.9	10.1	29
I100877		0.54	0.005	0.03	1.93	7.6	<0.2	<10	180	0.75	0.45	0.39	0.05	61.9	10.4	30
I100878		0.62	<0.005	0.11	2.06	8.3	<0.2	<10	230	0.69	0.24	0.71	0.08	43.4	12.4	32
I100879		0.50	0.042	1.60	0.59	280	<0.2	<10	40	0.18	0.50	0.26	3.85	7.89	4.4	16
I100880		0.26	0.025	0.27	0.83	25.4	<0.2	<10	70	0.25	0.17	0.15	0.34	7.00	8.7	27
I100881		0.30	0.007	0.10	0.47	6.7	<0.2	<10	40	0.12	0.19	0.11	0.12	6.21	2.9	15
I100882		0.40	0.012	0.07	1.13	6.5	<0.2	<10	50	0.27	0.13	0.10	0.10	11.65	5.5	13
I100883		0.30	<0.005	0.11	0.90	8.4	<0.2	<10	60	0.22	0.20	0.11	0.21	8.67	5.6	16
I100884		0.26	0.009	0.15	0.25	2.2	<0.2	<10	20	<0.05	0.07	0.07	0.03	3.29	1.7	6
I100885		0.38	0.005	0.06	0.47	4.5	<0.2	<10	50	0.08	0.14	0.07	0.05	5.92	2.8	9
I100886		0.30	<0.005	0.10	0.79	3.8	<0.2	<10	80	0.18	0.14	0.17	0.19	7.94	9.1	12
I100887		0.44	<0.005	0.04	2.85	11.0	<0.2	<10	100	0.54	0.14	0.21	0.23	22.1	16.4	30
I100888		0.46	<0.005	0.13	2.05	11.3	<0.2	<10	120	0.46	0.20	0.24	0.35	16.35	10.2	29
I100889		0.40	<0.005	0.14	2.67	13.9	<0.2	<10	160	0.68	0.23	0.29	0.32	31.6	17.9	29
I100890		0.34	0.008	0.10	2.09	21.6	<0.2	<10	110	0.36	0.50	0.16	0.22	16.15	11.5	31
I100891		0.34	0.010	0.16	1.00	15.1	<0.2	<10	60	0.33	0.29	0.17	0.35	11.00	4.2	19
I100892		0.36	0.005	0.23	0.35	3.2	<0.2	<10	30	0.06	0.14	0.11	1.14	4.27	2.4	9
I100893		0.24	<0.005	0.06	0.34	2.3	<0.2	<10	70	0.06	0.12	0.13	0.24	4.49	2.4	9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100854		3.26	25.0	3.50	8.49	0.06	0.18	0.02	0.043	0.05	8.6	21.1	0.57	285	1.19
I100855		0.96	5.1	0.74	1.49	<0.05	0.13	<0.01	0.007	0.06	6.6	2.5	0.06	153	0.50
I100856		1.15	19.7	2.96	8.12	0.06	0.09	0.03	0.039	0.05	16.4	10.8	0.39	244	1.14
I100857		1.21	21.4	3.21	7.56	0.08	0.10	0.03	0.040	0.05	19.8	11.6	0.42	290	1.38
I100858		2.21	9.0	2.59	7.22	0.05	0.07	0.01	0.018	0.10	10.0	12.3	0.17	119	1.25
I100859		1.85	17.1	2.76	8.15	0.08	0.04	0.01	0.030	0.07	42.6	18.8	0.43	254	1.07
I100860		1.62	22.3	3.39	7.95	0.08	0.27	0.02	0.034	0.06	23.8	17.1	0.59	312	1.00
I100861		1.18	19.9	2.79	6.84	0.08	0.12	0.01	0.024	0.04	36.1	17.3	0.52	269	0.77
I100862		1.19	13.8	2.31	6.98	0.06	0.03	0.02	0.019	0.08	17.5	13.9	0.34	274	0.87
I100863		2.72	20.3	3.15	7.79	0.07	0.16	0.03	0.037	0.11	13.7	14.7	0.47	306	0.87
I100864		2.95	14.0	3.08	8.77	0.07	0.07	0.01	0.032	0.12	16.7	19.5	0.50	304	0.96
I100865		4.23	16.6	2.73	5.74	0.07	0.08	0.01	0.024	0.13	16.7	13.5	0.43	272	0.64
I100866		2.02	18.5	3.29	7.67	0.06	0.05	0.02	0.033	0.09	10.2	16.3	0.46	303	1.48
I100867		1.61	22.6	3.31	7.91	0.06	0.25	0.02	0.032	0.09	15.0	16.4	0.53	291	1.25
I100868		1.87	22.3	3.47	8.86	0.07	0.11	0.01	0.033	0.09	16.1	16.6	0.47	270	1.64
I100869		0.99	20.2	3.33	8.29	0.08	0.22	0.02	0.035	0.08	33.6	13.6	0.49	403	1.34
I100870		2.00	14.0	2.88	5.46	0.06	0.19	0.01	0.034	0.14	8.2	9.7	0.38	243	0.89
I100871		2.69	14.6	3.27	7.52	0.08	0.12	0.02	0.035	0.19	15.4	12.9	0.40	476	1.29
I100872															
I100873		0.47	8.0	0.98	1.84	<0.05	0.04	0.01	0.011	0.07	2.6	2.8	0.09	89	0.87
I100874		0.82	31.8	3.24	7.54	0.11	0.45	0.02	0.036	0.05	50.8	13.7	0.54	243	0.94
I100875		0.66	20.2	2.54	5.95	0.07	0.17	0.01	0.026	0.06	18.1	10.8	0.44	254	0.87
I100876		1.69	34.7	2.88	6.65	0.14	0.36	0.02	0.029	0.12	45.9	10.0	0.44	303	0.92
I100877		1.18	31.9	2.86	6.74	0.12	0.30	0.02	0.029	0.10	42.8	10.4	0.43	296	0.93
I100878		0.61	36.3	2.85	6.33	0.10	0.15	0.04	0.031	0.06	24.6	12.8	0.47	442	0.85
I100879		3.97	11.1	1.23	3.03	<0.05	<0.02	0.08	0.083	0.04	4.3	4.1	0.18	96	1.19
I100880		2.55	27.6	1.54	3.84	<0.05	<0.02	0.20	0.017	0.04	3.7	3.1	0.24	613	1.08
I100881		2.19	12.9	1.50	5.97	<0.05	<0.02	0.06	0.010	0.05	3.4	1.7	0.11	130	1.43
I100882		0.96	21.5	1.69	5.36	<0.05	<0.02	0.06	0.016	0.02	5.8	5.3	0.20	229	0.93
I100883		2.44	22.5	2.09	6.63	<0.05	<0.02	0.04	0.020	0.03	4.6	5.0	0.16	501	1.37
I100884		1.70	6.2	0.63	1.89	<0.05	<0.02	0.05	<0.005	0.02	1.8	0.5	0.03	34	0.99
I100885		1.65	8.8	1.29	4.76	<0.05	<0.02	0.04	0.007	0.04	3.2	1.7	0.10	89	1.36
I100886		1.57	14.8	1.34	3.68	<0.05	<0.02	0.12	0.014	0.04	4.1	3.2	0.14	1160	1.04
I100887		3.61	26.2	3.19	7.64	0.07	0.07	0.04	0.027	0.07	8.6	20.3	0.68	336	1.02
I100888		3.26	26.0	3.34	9.10	0.07	0.02	0.06	0.028	0.04	8.1	16.7	0.47	231	1.40
I100889		8.51	32.3	3.34	9.11	0.08	0.02	0.16	0.035	0.11	14.8	22.1	0.63	893	1.62
I100890		8.59	21.2	4.00	11.55	0.07	0.04	0.05	0.034	0.06	8.4	18.1	0.47	397	2.52
I100891		2.76	15.5	2.51	8.40	0.05	0.02	0.05	0.017	0.03	6.1	8.4	0.17	144	1.74
I100892		4.71	13.0	0.92	2.56	<0.05	<0.02	0.04	0.009	0.03	2.4	0.9	0.05	42	0.93
I100893		0.97	8.2	0.79	2.59	<0.05	<0.02	0.07	0.007	0.03	2.5	1.2	0.06	85	0.84



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I100854		1.81	30.5	180	26.1	20.0	<0.001	0.03	0.55	4.8	0.4	1.2	18.1	0.01	0.04	12.2
I100855		0.36	3.3	40	27.1	12.1	<0.001	0.06	0.18	0.9	0.2	0.3	10.4	<0.01	0.01	12.2
I100856		1.58	18.6	280	14.8	12.3	<0.001	0.06	0.46	5.9	0.7	0.7	21.0	0.01	0.04	6.8
I100857		1.65	20.1	350	13.6	13.2	<0.001	0.05	0.55	6.6	0.8	0.7	20.9	0.01	0.04	7.8
I100858		0.98	8.5	300	21.4	28.8	<0.001	0.06	0.48	2.5	0.4	1.4	9.3	<0.01	0.04	13.9
I100859		1.27	20.0	220	28.0	24.3	<0.001	<0.01	0.30	3.9	0.5	1.5	24.2	<0.01	0.03	14.0
I100860		0.73	23.9	130	19.5	20.6	<0.001	<0.01	0.39	6.3	0.5	1.2	35.1	<0.01	0.03	15.4
I100861		0.94	19.4	120	27.8	15.1	<0.001	<0.01	0.32	4.8	0.5	0.9	25.6	<0.01	0.02	15.2
I100862		1.48	12.6	240	19.3	29.6	<0.001	<0.01	0.20	3.1	0.4	1.0	26.1	<0.01	0.02	7.1
I100863		1.25	21.0	210	29.5	28.3	<0.001	<0.01	0.36	5.1	0.4	1.7	22.8	<0.01	0.04	17.4
I100864		1.12	16.8	320	21.8	31.7	<0.001	<0.01	0.24	4.6	0.4	1.4	19.8	<0.01	0.03	12.4
I100865		1.10	13.7	150	29.7	36.1	<0.001	<0.01	0.24	3.4	0.3	2.4	18.0	<0.01	0.02	22.0
I100866		1.75	22.2	340	26.8	27.4	<0.001	<0.01	0.44	3.7	0.4	1.4	20.3	<0.01	0.04	12.4
I100867		1.43	25.3	200	21.4	20.1	<0.001	0.07	0.42	4.9	0.4	0.9	25.4	<0.01	0.04	14.4
I100868		1.31	22.1	250	18.4	24.9	<0.001	0.04	0.41	4.4	0.4	1.3	27.3	<0.01	0.03	11.6
I100869		1.46	22.2	260	17.4	17.1	<0.001	<0.01	0.42	5.2	0.6	1.1	31.8	<0.01	0.03	21.0
I100870		0.67	13.0	100	27.7	24.9	<0.001	<0.01	0.27	3.7	0.4	2.4	19.1	<0.01	0.02	17.2
I100871		1.03	13.0	310	28.4	38.2	<0.001	<0.01	0.24	3.7	0.4	4.0	37.5	<0.01	0.02	18.2
I100872																
I100873		0.44	4.8	230	8.6	10.0	<0.001	<0.01	0.11	1.6	0.2	0.2	32.3	<0.01	0.02	1.3
I100874		0.79	25.5	180	14.4	13.0	<0.001	<0.01	0.38	8.6	0.6	1.1	34.5	<0.01	0.04	19.9
I100875		0.90	17.3	370	14.2	12.1	<0.001	<0.01	0.25	5.5	0.4	0.8	39.7	<0.01	0.03	10.1
I100876		0.36	19.2	550	27.9	22.2	<0.001	<0.01	0.32	8.3	0.8	1.1	36.1	0.01	0.03	22.1
I100877		0.54	18.8	410	23.9	17.7	<0.001	<0.01	0.35	7.8	0.7	1.0	34.9	<0.01	0.03	19.4
I100878		1.51	24.8	470	15.3	11.3	<0.001	0.07	0.43	7.3	0.9	0.7	82.0	<0.01	0.04	9.2
I100879		0.41	8.0	700	109.0	5.2	<0.001	0.12	1.59	1.4	0.6	0.3	32.1	<0.01	0.04	<0.2
I100880		0.43	19.3	1050	6.7	4.6	<0.001	0.05	0.44	0.7	0.8	0.4	20.9	<0.01	0.06	<0.2
I100881		1.05	6.3	520	7.2	6.7	<0.001	0.01	0.45	1.3	0.5	0.5	12.3	<0.01	0.04	<0.2
I100882		0.48	8.8	690	6.9	3.4	<0.001	0.01	0.36	0.8	0.7	0.3	13.3	<0.01	0.06	<0.2
I100883		0.89	10.1	480	8.9	6.4	<0.001	0.01	0.61	1.3	0.6	0.5	13.3	<0.01	0.05	<0.2
I100884		0.21	3.0	370	1.9	2.5	<0.001	<0.01	0.15	0.5	0.4	0.2	10.5	<0.01	0.02	<0.2
I100885		0.79	4.5	220	4.9	4.7	<0.001	<0.01	0.36	1.2	0.3	0.4	13.0	<0.01	0.03	0.3
I100886		0.46	7.9	740	4.7	8.3	<0.001	0.02	0.27	0.9	0.7	0.3	22.4	<0.01	0.05	<0.2
I100887		2.14	35.0	410	8.4	9.3	<0.001	<0.01	0.49	4.5	0.8	0.5	24.1	0.02	0.06	2.0
I100888		1.71	25.0	490	10.8	8.1	<0.001	0.09	0.61	2.6	0.8	0.6	25.4	<0.01	0.08	0.3
I100889		1.05	29.7	940	12.8	14.8	<0.001	0.14	0.82	2.3	1.2	0.5	28.2	0.01	0.11	<0.2
I100890		2.40	17.9	380	25.4	11.0	<0.001	<0.01	0.91	4.6	0.6	0.8	23.5	0.01	0.09	1.6
I100891		1.67	10.2	420	17.1	8.2	<0.001	0.01	0.55	1.9	0.5	0.7	16.7	<0.01	0.06	0.8
I100892		0.32	6.2	360	4.4	9.8	<0.001	0.01	0.20	0.6	0.5	0.3	14.8	<0.01	0.04	<0.2
I100893		0.34	5.6	420	3.4	4.5	<0.001	0.01	0.24	0.8	0.5	0.3	15.8	<0.01	0.03	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100854		0.108	0.15	0.98	83	0.18	4.33	56	6.5
I100855		0.012	0.07	2.54	12	0.08	4.06	11	5.5
I100856		0.088	0.13	0.92	67	0.19	5.79	34	3.6
I100857		0.093	0.12	1.10	69	0.19	6.89	38	4.6
I100858		0.031	0.18	1.93	44	0.31	5.21	27	3.0
I100859		0.043	0.17	1.58	53	0.27	9.87	47	1.8
I100860		0.090	0.18	1.26	70	0.21	8.62	52	11.7
I100861		0.080	0.13	1.15	60	0.18	9.55	44	5.4
I100862		0.072	0.13	0.95	53	0.30	5.94	36	1.1
I100863		0.082	0.21	1.52	59	0.21	6.59	52	7.3
I100864		0.049	0.18	2.46	53	0.20	7.56	44	3.4
I100865		0.052	0.33	2.78	40	0.31	5.91	45	4.0
I100866		0.076	0.13	1.26	68	0.21	4.05	57	2.2
I100867		0.103	0.14	1.35	70	0.16	4.26	54	11.0
I100868		0.098	0.17	1.22	77	0.25	5.51	57	5.8
I100869		0.109	0.11	1.56	77	0.18	11.10	57	9.8
I100870		0.053	0.15	3.69	45	0.14	6.71	43	8.4
I100871		0.046	0.25	4.09	45	0.23	9.95	60	5.8
I100872									
I100873		0.019	0.05	0.42	19	0.08	1.30	13	1.8
I100874		0.106	0.08	2.20	71	0.15	10.65	46	21.3
I100875		0.094	0.08	2.54	57	0.14	9.53	39	7.7
I100876		0.087	0.13	3.25	57	0.18	20.2	51	18.8
I100877		0.092	0.11	3.07	60	0.16	19.15	46	15.1
I100878		0.109	0.08	4.64	65	0.18	15.70	48	7.5
I100879		0.039	0.09	0.44	30	0.14	2.75	90	<0.5
I100880		0.032	0.10	0.36	38	0.08	2.04	36	<0.5
I100881		0.084	0.07	0.35	64	0.17	1.29	20	0.6
I100882		0.044	0.08	0.40	38	0.08	3.17	34	<0.5
I100883		0.071	0.10	0.39	57	0.11	1.90	43	0.6
I100884		0.031	0.05	0.18	20	0.05	0.52	9	<0.5
I100885		0.073	0.07	0.21	46	0.10	1.11	18	0.5
I100886		0.041	0.09	0.32	31	0.07	2.26	24	<0.5
I100887		0.124	0.19	0.49	75	0.19	4.91	49	3.0
I100888		0.096	0.15	0.53	87	0.18	4.23	44	1.0
I100889		0.074	0.34	0.69	81	0.14	9.18	55	0.7
I100890		0.135	0.27	0.56	111	0.20	3.41	49	1.9
I100891		0.083	0.12	0.51	76	0.18	2.01	32	0.9
I100892		0.035	0.05	0.27	25	0.07	0.98	21	<0.5
I100893		0.035	0.08	0.25	26	0.06	0.91	42	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100894		0.52	<0.005	0.25	1.65	20.8	<0.2	<10	120	0.42	0.34	0.39	0.15	17.55	7.4	31
I100895		0.28	0.007	0.23	1.30	39.0	<0.2	<10	60	0.19	0.56	0.18	0.29	10.70	7.3	23
I100896		0.46	0.026	1.41	1.95	115.0	<0.2	<10	130	0.47	0.91	0.58	0.93	21.2	18.2	29
I100897		0.42	0.014	1.32	1.99	110.5	<0.2	<10	130	0.53	0.85	0.61	0.82	20.9	18.6	28
I100898		0.24	<0.005	0.42	0.99	16.6	<0.2	<10	60	0.26	0.35	0.16	0.39	8.86	4.3	22
I100899		0.22	0.024	0.08	1.11	7.4	<0.2	<10	40	0.17	0.24	0.21	0.12	9.13	3.5	19
I100900		0.38	0.009	0.38	1.72	52.8	<0.2	<10	90	0.75	0.47	0.76	0.51	18.05	12.4	23
I100901		0.32	0.006	0.31	2.08	63.4	<0.2	<10	130	1.01	0.50	0.81	0.70	17.95	17.7	27
I100902		0.40	<0.005	0.15	1.78	22.2	<0.2	<10	140	1.44	0.32	0.53	0.22	44.2	13.2	32
I100903		0.44	<0.005	0.47	1.53	39.5	<0.2	<10	90	0.57	0.59	0.30	0.37	15.60	6.8	33
I100904		0.44	<0.005	0.09	0.26	1.4	<0.2	<10	20	0.06	0.13	0.07	0.07	3.29	1.1	7
I100905		0.24	<0.005	0.10	0.38	2.6	<0.2	<10	40	0.12	0.15	0.06	0.16	4.94	2.0	11
I100906		0.44	<0.005	0.06	0.56	25.2	<0.2	<10	40	0.12	0.42	0.09	0.10	5.76	2.4	13
I100907		0.36	<0.005	0.10	1.36	7.0	<0.2	<10	70	0.21	0.18	0.18	0.16	8.95	4.4	22
I100908		0.32	0.005	0.17	1.44	5.2	<0.2	<10	70	0.49	0.17	0.20	0.16	8.72	7.0	20
I100909		0.34	<0.005	0.06	1.40	15.6	<0.2	<10	60	0.43	0.15	0.20	0.12	6.24	8.9	16
I100910		0.56	0.006	0.39	1.95	23.0	<0.2	<10	100	1.02	0.31	0.51	0.22	19.10	13.0	30
I100911		0.28	<0.005	0.09	1.53	4.7	<0.2	<10	150	0.43	0.11	1.69	0.16	29.0	9.5	32
I100912		0.42	<0.005	0.14	1.72	4.5	<0.2	<10	140	0.53	0.27	0.51	0.13	83.3	9.3	32
I100913		0.54	<0.005	0.16	1.72	8.8	<0.2	<10	170	0.72	0.16	1.03	0.12	66.7	15.1	35
I100914		0.46	<0.005	0.07	1.61	12.7	<0.2	<10	130	0.61	0.18	0.37	0.07	60.7	12.1	29
I100915		0.34	<0.005	0.04	2.85	6.4	<0.2	<10	150	0.53	0.14	0.34	0.08	23.5	16.7	52
I100916		0.40	<0.005	0.09	2.97	9.4	<0.2	<10	170	0.57	0.17	0.22	0.10	26.7	15.4	49
I100917		0.50	<0.005	0.08	1.68	12.2	<0.2	<10	140	0.76	0.13	0.77	0.11	67.4	15.8	42
I100918		0.46	<0.005	0.11	2.38	3.1	<0.2	<10	180	0.63	0.16	1.04	0.07	54.8	14.4	36
I100919		0.38	0.010	0.13	1.87	7.5	<0.2	<10	220	0.43	0.17	0.68	0.08	32.9	11.1	34
I100920		0.62	<0.005	0.09	2.42	6.0	<0.2	<10	160	0.64	0.14	0.29	0.05	27.2	13.0	44
I100921		0.56	<0.005	0.19	2.18	3.0	<0.2	<10	180	0.39	0.13	0.32	0.07	12.65	11.9	41
I100922		0.42	<0.005	0.09	2.35	3.7	<0.2	<10	170	0.50	0.12	0.40	0.07	33.2	16.5	55
I100923		0.48	0.005	0.08	2.15	5.6	<0.2	<10	130	0.68	0.31	0.35	0.06	36.1	13.3	48
I100924		0.34	0.005	0.06	1.80	4.2	<0.2	<10	160	0.45	0.14	0.33	0.09	43.2	16.2	38
I100925		0.40	0.022	0.13	1.82	4.7	<0.2	<10	100	0.50	0.20	1.35	0.10	81.3	15.6	40
I100926		0.46	0.010	0.12	1.69	4.7	<0.2	<10	100	0.51	0.15	1.32	0.09	84.8	17.9	37
I100927		0.64	<0.005	0.06	1.60	2.4	<0.2	<10	100	0.31	0.19	0.39	0.08	20.0	6.8	27
I100928		0.38	<0.005	0.06	1.32	9.7	<0.2	<10	100	0.26	0.17	0.58	0.09	18.40	6.9	27
I100929		0.50	0.021	0.08	1.45	6.3	<0.2	<10	140	0.35	0.17	1.64	0.11	27.3	10.7	29
I100930		0.38	<0.005	0.07	1.25	7.0	<0.2	<10	100	0.36	0.09	1.54	0.13	24.5	10.5	29
I100931		0.38	0.013	0.08	1.65	4.9	<0.2	<10	90	0.40	0.10	1.45	0.10	41.4	13.8	38
I100932		0.48	0.007	0.08	1.43	11.1	<0.2	<10	100	0.40	0.13	1.06	0.10	44.0	15.4	34
I100933		0.26	<0.005	0.16	1.63	6.1	<0.2	<10	140	0.36	0.11	0.95	0.16	41.1	16.1	36



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100894		7.91	21.1	2.16	7.04	0.06	0.02	0.07	0.029	0.06	9.7	16.1	0.52	166	0.86
I100895		5.06	16.3	2.67	7.99	0.05	0.02	0.07	0.022	0.05	5.7	9.5	0.36	304	1.97
I100896		9.50	19.7	2.80	6.44	0.05	0.02	0.14	0.040	0.05	9.6	15.1	0.53	834	2.82
I100897		9.21	19.3	2.82	6.75	<0.05	0.02	0.12	0.037	0.05	9.5	15.4	0.56	780	2.70
I100898		3.95	20.5	2.08	5.67	<0.05	<0.02	0.12	0.020	0.02	4.5	4.5	0.13	211	2.08
I100899		1.79	16.9	1.49	3.60	<0.05	<0.02	0.05	0.020	0.03	4.4	4.8	0.24	138	1.10
I100900		7.72	21.7	2.53	5.22	<0.05	0.02	0.10	0.043	0.05	8.3	12.9	0.50	567	1.75
I100901		11.05	27.4	2.97	6.27	<0.05	<0.02	0.11	0.030	0.07	6.9	13.3	0.52	1250	2.27
I100902		14.80	29.0	3.40	8.48	0.07	0.03	0.07	0.026	0.23	20.4	15.9	0.67	455	1.24
I100903		3.56	23.7	2.09	4.89	<0.05	0.02	0.08	0.023	0.05	7.6	9.1	0.37	196	1.34
I100904		0.72	6.3	0.65	2.01	<0.05	<0.02	0.03	0.006	0.02	1.7	0.6	0.03	35	0.48
I100905		0.59	9.3	1.06	2.77	<0.05	<0.02	0.05	0.012	0.02	2.6	1.0	0.05	139	1.09
I100906		1.64	9.9	1.59	5.14	<0.05	<0.02	0.02	0.011	0.04	2.9	3.0	0.11	89	1.26
I100907		1.49	12.6	2.52	6.34	<0.05	<0.02	0.04	0.019	0.04	4.5	10.0	0.23	135	1.94
I100908		3.53	14.0	2.43	5.68	<0.05	0.02	0.05	0.014	0.11	4.7	12.9	0.54	254	0.93
I100909		4.32	11.5	3.25	6.19	0.05	<0.02	0.03	0.011	0.21	3.1	9.9	0.76	336	1.40
I100910		8.63	24.2	2.64	5.89	0.06	0.02	0.04	0.023	0.13	10.1	17.1	0.72	291	1.21
I100911		0.96	18.4	2.45	5.14	0.05	0.06	0.05	0.023	0.05	15.6	13.5	0.50	585	0.66
I100912		1.21	27.4	2.71	6.09	0.12	0.05	0.05	0.034	0.08	77.1	23.1	0.49	140	1.00
I100913		1.21	26.4	3.44	5.22	0.09	0.05	0.06	0.035	0.07	37.0	12.0	0.51	1120	1.02
I100914		1.52	19.0	3.94	5.35	0.09	0.02	0.03	0.029	0.07	31.1	10.0	0.36	351	0.93
I100915		2.86	29.7	4.12	7.68	0.07	0.13	0.02	0.023	0.31	10.9	18.6	1.00	477	1.22
I100916		1.73	21.5	4.22	8.88	0.06	0.11	0.01	0.034	0.10	11.7	19.9	0.73	359	1.41
I100917		2.13	33.6	4.09	4.80	0.10	0.05	0.03	0.030	0.21	32.6	11.7	0.69	632	0.89
I100918		2.63	25.5	3.97	7.80	0.11	0.05	0.03	0.030	0.39	33.2	23.2	0.96	352	0.71
I100919		0.79	23.2	3.31	5.82	0.07	0.07	0.03	0.025	0.10	18.7	11.7	0.54	332	1.03
I100920		2.03	24.3	3.63	6.27	0.06	0.11	0.01	0.027	0.27	12.6	16.7	0.80	275	1.03
I100921		0.98	15.5	3.41	6.54	0.05	0.05	0.01	0.018	0.17	5.7	16.9	0.72	262	1.12
I100922		2.85	32.1	4.02	6.49	0.09	0.08	0.01	0.026	0.47	12.6	16.8	0.98	316	1.16
I100923		2.47	28.8	3.99	5.49	0.06	0.09	0.01	0.081	0.21	14.5	11.4	0.69	315	1.45
I100924		1.31	27.4	3.76	5.46	0.07	0.06	0.01	0.027	0.17	15.8	14.4	0.70	321	1.09
I100925		1.93	44.7	3.32	5.31	0.14	0.09	0.04	0.027	0.22	55.3	19.6	0.90	201	1.00
I100926		1.79	45.5	3.22	5.06	0.14	0.08	0.04	0.024	0.20	58.9	18.1	0.78	208	0.99
I100927		1.60	10.6	2.17	5.01	0.05	0.03	0.03	0.018	0.05	10.6	14.7	0.52	142	0.45
I100928		1.66	11.3	1.89	4.22	0.05	0.03	0.02	0.015	0.07	9.7	13.0	0.53	174	0.55
I100929		1.44	16.0	2.37	4.23	0.06	0.05	0.04	0.020	0.05	13.6	13.5	0.50	441	0.60
I100930		1.85	20.6	2.34	3.49	0.06	0.05	0.03	0.016	0.09	11.7	11.9	0.53	381	0.45
I100931		2.76	23.2	3.02	4.44	0.09	0.05	0.02	0.018	0.21	19.7	15.3	0.74	427	0.72
I100932		3.60	25.5	2.91	4.62	0.09	0.06	0.03	0.023	0.15	20.6	14.3	0.59	432	0.74
I100933		2.94	27.2	2.77	4.70	0.09	0.05	0.03	0.018	0.19	21.0	18.6	0.68	616	0.66



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100894		1.11	17.4	840	24.4	16.1	<0.001	0.01	2.18	3.8	0.8	0.5	31.6	<0.01	0.05
I100895		1.30	12.0	540	35.5	7.5	<0.001	0.02	0.88	2.5	0.6	0.5	29.5	<0.01	0.14
I100896		0.79	15.8	1030	126.5	7.3	<0.001	0.11	1.53	3.8	0.7	0.5	63.2	<0.01	0.10
I100897		0.85	15.9	990	125.0	7.3	<0.001	0.09	1.47	4.0	0.6	0.5	63.2	<0.01	0.10
I100898		0.65	10.7	780	20.4	3.6	<0.001	0.09	0.56	1.1	0.6	0.5	20.5	<0.01	0.05
I100899		0.47	9.4	460	8.8	4.4	<0.001	0.05	0.35	1.4	0.6	0.4	19.3	<0.01	0.03
I100900		0.61	12.7	1080	47.1	6.3	<0.001	0.10	1.11	3.0	0.8	0.4	72.5	<0.01	0.12
I100901		0.54	18.6	1230	36.8	8.3	<0.001	0.15	1.68	1.4	0.8	0.4	87.7	<0.01	0.07
I100902		1.77	19.3	660	13.6	27.1	<0.001	0.11	2.55	4.1	0.6	0.8	35.5	<0.01	0.05
I100903		0.91	16.0	740	17.9	7.8	<0.001	0.07	0.91	1.7	0.6	0.5	25.7	<0.01	0.07
I100904		0.14	3.0	290	3.3	2.7	<0.001	0.05	0.11	0.3	0.2	0.3	7.5	<0.01	0.01
I100905		0.49	5.1	270	4.4	2.9	<0.001	0.04	0.21	1.0	0.2	0.4	8.7	<0.01	0.02
I100906		0.92	5.8	170	6.2	7.8	<0.001	0.01	0.29	1.3	0.2	0.5	8.9	<0.01	0.02
I100907		1.00	10.8	370	7.5	9.0	<0.001	0.03	0.33	1.7	0.3	0.6	16.4	<0.01	0.03
I100908		0.82	9.5	570	8.5	18.3	<0.001	0.02	0.34	1.9	0.3	0.5	17.6	<0.01	0.03
I100909		1.06	10.3	570	6.4	19.7	<0.001	0.02	0.71	1.8	0.3	0.5	12.8	<0.01	0.02
I100910		0.85	18.3	880	12.8	21.2	<0.001	0.26	0.89	3.7	0.5	0.5	37.4	<0.01	0.02
I100911		0.92	22.9	700	10.0	8.6	<0.001	0.12	0.20	4.0	0.7	0.4	92.0	<0.01	0.02
I100912		1.03	25.5	430	59.8	14.2	<0.001	0.04	0.19	5.9	0.8	0.6	32.7	<0.01	0.02
I100913		0.63	32.3	890	19.9	14.0	<0.001	0.05	0.20	5.8	0.8	0.5	54.5	0.01	0.02
I100914		0.91	31.2	480	12.3	15.9	<0.001	0.05	0.22	5.0	0.4	0.5	25.4	<0.01	0.02
I100915		1.35	39.5	230	8.2	42.0	<0.001	0.01	0.28	4.8	0.4	0.7	27.9	0.01	0.04
I100916		1.16	32.5	210	11.8	21.9	<0.001	0.01	0.38	5.4	0.3	0.7	21.3	<0.01	0.03
I100917		0.82	48.5	480	14.2	27.1	<0.001	0.02	0.23	7.2	0.7	0.4	38.9	<0.01	0.03
I100918		1.33	31.1	560	11.1	49.3	<0.001	0.02	0.17	5.7	0.7	0.4	56.0	<0.01	0.02
I100919		1.31	26.1	340	10.5	14.7	<0.001	<0.01	0.29	5.5	0.5	0.5	52.7	<0.01	0.03
I100920		0.85	34.9	300	10.1	31.0	<0.001	<0.01	0.22	5.2	0.3	0.5	24.1	<0.01	0.03
I100921		1.41	31.1	250	9.4	15.1	<0.001	0.02	0.21	3.3	0.2	0.6	23.2	<0.01	0.03
I100922		1.01	49.5	510	6.1	44.8	<0.001	0.01	0.18	5.8	0.5	0.5	26.4	<0.01	0.03
I100923		0.76	38.0	360	11.4	24.9	<0.001	0.05	0.26	8.4	0.5	0.6	22.8	<0.01	0.03
I100924		1.09	39.1	390	8.6	17.6	<0.001	0.04	0.17	5.5	0.3	0.4	22.7	<0.01	0.02
I100925		1.21	45.9	480	9.7	25.8	<0.001	0.06	0.21	5.9	1.3	0.4	67.4	<0.01	0.03
I100926		1.09	46.5	460	8.4	24.7	0.001	0.06	0.21	5.5	1.4	0.4	70.3	0.01	0.03
I100927		1.22	16.4	520	11.8	10.2	<0.001	0.01	0.12	3.5	0.3	0.5	24.6	<0.01	0.02
I100928		0.93	16.4	540	11.6	12.7	<0.001	0.04	0.18	3.2	0.4	0.4	29.5	<0.01	0.02
I100929		1.13	21.3	560	12.5	10.2	<0.001	0.05	0.15	3.6	0.7	0.4	82.7	<0.01	0.02
I100930		0.96	27.3	980	7.1	17.5	<0.001	0.06	0.15	3.3	0.7	0.3	80.9	<0.01	0.02
I100931		1.16	33.4	630	6.9	29.4	<0.001	0.07	0.13	3.6	0.7	0.3	97.4	<0.01	0.02
I100932		0.94	33.7	620	10.2	24.8	<0.001	0.04	0.20	4.4	0.8	0.3	66.2	<0.01	0.04
I100933		1.10	37.7	710	8.5	30.2	<0.001	0.04	0.20	3.9	0.8	0.3	59.3	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100894		0.079	0.30	1.15	52	0.16	5.34	53	1.1
I100895		0.088	0.14	0.40	83	0.21	2.18	54	1.0
I100896		0.064	0.26	0.95	71	0.20	7.81	114	0.8
I100897		0.063	0.25	0.97	72	0.28	7.47	114	0.9
I100898		0.051	0.13	0.49	62	0.15	2.43	36	0.5
I100899		0.053	0.11	0.35	38	0.08	3.35	30	0.6
I100900		0.041	0.22	0.67	59	0.30	7.52	57	0.6
I100901		0.046	0.21	0.68	66	0.24	5.09	64	<0.5
I100902		0.088	0.26	1.09	94	0.14	5.92	38	1.2
I100903		0.059	0.17	3.02	51	0.19	5.64	41	0.7
I100904		0.026	0.05	0.23	20	0.05	0.72	9	<0.5
I100905		0.053	0.06	0.31	33	0.10	1.22	22	<0.5
I100906		0.083	0.09	0.24	54	0.19	1.16	16	0.5
I100907		0.083	0.08	0.36	65	0.14	2.10	37	0.7
I100908		0.101	0.20	0.50	52	0.19	2.24	33	0.6
I100909		0.135	0.18	0.51	77	0.19	1.66	30	0.5
I100910		0.080	0.36	1.54	55	0.18	5.85	45	0.5
I100911		0.047	0.08	0.83	43	0.07	9.00	53	2.2
I100912		0.059	0.13	2.28	55	0.12	26.3	47	1.6
I100913		0.037	0.15	1.71	47	0.13	23.0	52	1.4
I100914		0.043	0.15	1.42	50	0.21	11.10	56	0.8
I100915		0.138	0.32	0.61	67	0.11	6.03	61	5.8
I100916		0.102	0.17	0.58	81	0.12	4.77	70	5.4
I100917		0.058	0.17	1.42	45	0.10	15.45	68	1.6
I100918		0.104	0.30	1.51	52	0.21	15.60	61	1.5
I100919		0.085	0.10	2.24	66	0.20	10.70	44	2.7
I100920		0.117	0.25	0.65	69	0.09	5.70	65	4.9
I100921		0.108	0.17	0.44	71	0.11	2.99	63	2.3
I100922		0.112	0.31	0.92	76	0.09	6.70	84	3.7
I100923		0.085	0.21	1.46	81	0.12	7.91	74	3.8
I100924		0.072	0.12	0.78	57	0.10	7.16	63	2.3
I100925		0.078	0.18	4.18	45	0.09	22.9	63	3.3
I100926		0.069	0.16	4.63	43	0.09	25.0	58	3.0
I100927		0.090	0.12	0.66	46	0.10	4.66	48	1.2
I100928		0.074	0.10	0.69	41	0.11	4.62	52	1.0
I100929		0.072	0.11	1.06	48	0.11	7.92	57	1.8
I100930		0.067	0.13	0.87	37	0.06	7.01	56	1.7
I100931		0.090	0.21	0.94	43	0.42	8.95	66	1.8
I100932		0.071	0.20	1.12	41	0.08	9.52	67	1.9
I100933		0.084	0.23	1.11	41	0.11	8.62	64	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I100934		0.30	0.005	0.05	0.95	7.1	<0.2	<10	70	0.13	0.20	0.15	0.13	12.50	4.2	18
I100935		0.36	<0.005	0.11	2.58	4.6	<0.2	<10	110	0.39	0.11	0.33	0.08	24.5	20.0	55
I100936		0.36	<0.005	0.08	1.75	3.7	<0.2	<10	110	0.31	0.10	0.51	0.07	29.0	13.8	41
I100937		0.50	0.006	0.11	1.20	3.4	<0.2	<10	90	0.22	0.10	0.54	0.09	24.6	6.1	31
I100938		0.48	<0.005	0.08	1.35	3.3	<0.2	<10	80	0.21	0.09	0.29	0.08	22.4	7.0	30
I100939		0.40	0.015	0.04	1.35	4.2	<0.2	<10	50	0.12	0.12	0.27	0.06	19.95	8.6	30
I100940		0.34	0.005	0.09	1.08	3.4	<0.2	<10	70	0.15	0.11	0.34	0.07	18.25	5.7	25
I100941		0.66	<0.005	0.05	1.46	4.6	<0.2	<10	70	0.19	0.11	0.37	0.07	19.30	10.0	31
I100942		0.36	<0.005	0.19	1.84	2.9	<0.2	<10	170	0.49	0.15	0.58	0.10	75.6	23.5	27
I100943		0.58	<0.005	0.12	1.83	9.9	<0.2	<10	70	1.00	0.27	0.27	0.06	35.9	17.3	48
I100944		0.38	<0.005	0.12	1.59	5.9	<0.2	<10	130	0.50	0.15	0.31	0.08	27.4	13.9	35
I100945		0.56	<0.005	0.12	2.26	6.8	<0.2	<10	150	0.56	0.17	0.19	0.09	33.0	13.6	39
I100946		0.54	<0.005	0.04	1.78	4.1	<0.2	<10	160	0.56	0.17	0.43	0.04	49.7	11.2	23
I100947		0.36	<0.005	0.18	1.47	19.5	<0.2	<10	140	0.32	0.18	0.22	0.21	34.1	8.7	23
I100948		0.42	0.007	0.03	2.13	17.4	<0.2	<10	90	0.57	0.14	0.26	0.05	46.4	17.0	45
I100949		0.44	<0.005	0.10	1.88	15.4	<0.2	<10	120	0.79	0.13	1.09	0.10	63.0	15.4	46
I100950		0.50	0.016	0.10	1.45	7.5	<0.2	<10	170	0.61	0.15	1.66	0.17	64.3	13.2	27
I100951		0.28	0.007	0.10	1.37	4.0	<0.2	<10	140	0.40	0.11	1.34	0.15	51.1	10.4	24
I100952		0.26	<0.005	0.10	1.34	3.7	<0.2	<10	130	0.39	0.11	1.37	0.16	49.5	10.1	23
I100953		0.42	<0.005	0.06	2.14	4.4	<0.2	<10	120	0.67	0.18	0.34	0.07	43.8	11.8	27
I100954		0.42	<0.005	0.06	2.00	4.2	<0.2	<10	110	0.61	0.16	0.32	0.08	41.1	11.4	25
I100955		0.50	<0.005	0.06	2.23	5.0	<0.2	<10	120	0.65	0.18	0.29	0.07	41.7	11.8	28
I100956		0.44	<0.005	0.06	2.10	4.5	<0.2	<10	120	0.60	0.17	0.28	0.07	38.2	11.1	26
I100957		0.38	<0.005	0.21	1.97	5.2	<0.2	<10	160	0.50	0.17	0.30	0.12	38.0	13.2	38
I100958		0.44	<0.005	0.18	1.96	5.3	<0.2	<10	150	0.55	0.18	0.29	0.11	39.8	11.4	40
I100959		0.38	<0.005	0.25	1.77	5.1	<0.2	<10	160	0.50	0.17	0.28	0.13	41.6	12.9	34
I100960		0.34	<0.005	0.11	2.11	4.6	<0.2	<10	140	0.57	0.17	0.31	0.08	43.2	12.7	54
I100961		0.42	<0.005	0.17	2.02	5.2	<0.2	<10	160	0.52	0.19	0.29	0.10	38.7	11.7	41
I100962		0.56	<0.005	0.22	2.14	6.0	<0.2	<10	170	0.60	0.19	0.28	0.11	43.4	12.4	39
I100963		0.40	<0.005	0.19	2.26	5.6	<0.2	<10	170	0.58	0.19	0.29	0.10	44.0	12.5	45
I101001		0.26	<0.005	0.14	1.68	7.6	<0.2	<10	150	0.28	0.20	0.31	0.35	11.40	10.8	19
I101002		0.28	<0.005	0.14	1.86	7.5	<0.2	<10	160	0.30	0.21	0.28	0.28	13.50	13.4	21
I101003		0.30	0.011	0.13	1.64	7.3	<0.2	<10	150	0.29	0.21	0.26	0.29	12.20	11.3	19
I101004		0.28	<0.005	0.12	1.66	7.4	<0.2	<10	170	0.26	0.20	0.31	0.36	12.00	11.3	19
I101005		0.30	<0.005	0.14	1.87	9.2	<0.2	<10	180	0.32	0.21	0.30	0.32	13.80	13.8	21
I101006		0.36	<0.005	0.16	1.84	8.8	<0.2	<10	160	0.34	0.20	0.29	0.27	13.25	13.1	20
I101007		0.34	0.006	0.15	2.02	9.8	<0.2	<10	180	0.35	0.22	0.31	0.29	14.85	15.7	22
I101008		0.30	<0.005	0.14	1.82	9.2	<0.2	<10	160	0.33	0.20	0.32	0.30	13.55	12.6	21
I101009		0.24	<0.005	0.16	1.93	8.8	<0.2	<10	170	0.34	0.22	0.28	0.26	13.25	14.5	22
I101010		0.26	<0.005	0.14	1.80	8.6	<0.2	<10	170	0.27	0.21	0.33	0.29	12.30	13.8	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I100934		0.53	11.7	2.21	8.80	<0.05	0.03	0.02	0.015	0.04	6.2	5.3	0.22	130	1.17
I100935		3.44	31.2	4.21	7.54	0.09	0.07	0.01	0.032	0.29	11.8	22.4	1.03	362	0.80
I100936		1.91	24.6	2.87	6.05	0.05	0.04	0.02	0.017	0.12	13.7	19.6	0.69	242	0.56
I100937		2.06	19.3	1.81	4.83	0.05	0.03	0.04	0.018	0.10	12.5	9.1	0.46	118	0.53
I100938		1.65	14.6	1.94	4.63	0.05	0.03	0.03	0.017	0.09	11.3	10.7	0.49	122	0.36
I100939		1.77	11.4	2.42	5.69	0.06	0.02	0.01	0.016	0.08	9.8	11.0	0.58	164	0.90
I100940		1.48	13.5	1.80	4.99	0.05	0.02	0.02	0.014	0.05	9.1	7.7	0.42	122	0.55
I100941		1.87	13.8	2.66	5.61	0.06	0.03	0.01	0.016	0.10	9.6	12.9	0.62	222	0.99
I100942		1.42	36.4	3.04	5.80	0.11	0.07	0.02	0.030	0.11	46.9	16.5	0.54	1000	0.74
I100943		1.85	55.4	4.74	5.80	0.08	0.05	0.01	0.055	0.09	16.7	9.7	0.40	238	2.71
I100944		1.91	29.6	3.74	5.06	0.07	0.04	0.01	0.034	0.22	11.5	10.0	0.51	277	1.47
I100945		0.79	21.6	3.49	6.68	0.06	0.13	0.01	0.037	0.08	13.8	12.0	0.50	372	1.32
I100946		1.16	18.9	3.57	6.74	0.07	0.07	0.01	0.036	0.12	30.0	15.5	0.49	280	0.84
I100947		0.60	26.9	3.16	5.48	0.06	0.05	0.02	0.029	0.07	16.3	12.2	0.25	237	3.18
I100948		1.53	28.0	3.95	6.25	0.08	0.06	0.01	0.038	0.12	18.1	20.4	0.78	329	0.82
I100949		1.87	32.2	3.64	6.09	0.11	0.10	0.03	0.033	0.12	32.0	19.6	0.93	432	0.46
I100950		1.28	28.6	2.82	4.74	0.08	0.09	0.07	0.030	0.08	29.6	13.3	0.52	518	0.45
I100951		2.10	19.6	2.50	5.30	0.09	0.08	0.04	0.024	0.40	29.1	15.4	0.52	461	0.95
I100952		1.97	19.3	2.43	5.18	0.09	0.08	0.04	0.021	0.41	27.9	14.6	0.51	444	0.90
I100953		3.61	20.6	3.55	8.07	0.07	0.07	0.02	0.033	0.37	25.0	20.1	0.61	300	1.78
I100954		3.37	19.8	3.35	7.60	0.07	0.07	0.01	0.030	0.35	23.0	19.6	0.57	277	1.66
I100955		2.65	19.7	3.48	8.21	0.07	0.08	0.01	0.032	0.30	20.8	20.3	0.59	280	1.83
I100956		2.91	18.7	3.40	7.62	0.06	0.07	0.01	0.030	0.30	20.0	19.3	0.57	272	1.73
I100957		1.62	24.2	3.34	7.06	0.06	0.06	0.01	0.033	0.27	17.2	15.5	0.61	563	1.44
I100958		1.67	23.0	3.38	7.01	0.06	0.07	0.01	0.032	0.27	19.2	15.5	0.64	393	1.34
I100959		1.34	23.3	3.07	6.73	0.06	0.05	0.02	0.031	0.25	20.2	13.2	0.52	875	1.51
I100960		3.34	30.5	3.46	7.04	0.06	0.07	0.01	0.035	0.41	16.4	18.9	0.86	305	1.22
I100961		1.62	22.1	3.38	7.23	0.07	0.08	0.01	0.031	0.27	17.5	16.5	0.65	392	1.34
I100962		1.27	22.5	3.38	7.70	0.06	0.08	0.02	0.037	0.23	21.7	16.5	0.59	594	1.61
I100963		1.66	23.1	3.58	7.51	0.06	0.09	0.02	0.035	0.28	20.1	17.8	0.70	442	1.46
I101001		0.91	16.4	2.59	6.78	<0.05	0.02	0.03	0.023	0.05	5.1	9.1	0.44	602	1.02
I101002		0.93	18.1	2.75	7.09	<0.05	0.03	0.03	0.021	0.04	5.7	10.6	0.48	776	1.03
I101003		0.92	17.5	2.58	6.96	<0.05	0.02	0.02	0.020	0.04	5.2	9.7	0.45	575	1.04
I101004		0.86	17.5	2.58	6.78	<0.05	0.02	0.02	0.021	0.04	5.2	9.4	0.45	656	1.01
I101005		0.91	21.5	2.87	7.04	<0.05	0.02	0.03	0.020	0.04	6.2	8.9	0.49	814	1.04
I101006		0.87	20.2	2.80	6.87	<0.05	0.02	0.03	0.021	0.04	6.0	8.9	0.49	683	1.06
I101007		0.94	23.0	3.04	7.44	<0.05	0.02	0.03	0.024	0.04	6.7	9.6	0.53	824	1.13
I101008		0.92	20.8	2.80	6.92	<0.05	0.02	0.03	0.021	0.04	6.2	9.2	0.50	580	1.02
I101009		0.88	21.1	3.01	7.26	<0.05	0.02	0.04	0.021	0.04	6.1	9.3	0.52	782	1.08
I101010		0.84	19.9	2.83	7.02	<0.05	0.02	0.04	0.020	0.04	5.7	8.9	0.52	795	1.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I100934		1.43	8.9	270	11.9	6.6	<0.001	<0.01	0.33	2.0	0.3	0.8	13.4	<0.01	0.04
I100935		1.44	44.8	740	8.2	36.7	<0.001	<0.01	0.19	7.0	0.4	0.5	23.9	<0.01	0.05
I100936		1.37	33.2	390	8.2	20.6	<0.001	<0.01	0.16	3.3	0.4	0.4	35.9	<0.01	0.03
I100937		0.84	21.3	620	7.0	20.7	<0.001	0.04	0.16	2.7	0.5	0.4	33.1	<0.01	0.03
I100938		0.93	20.5	500	6.5	17.6	<0.001	0.01	0.17	2.9	0.5	0.4	21.7	<0.01	0.03
I100939		0.94	21.1	520	6.0	14.6	<0.001	<0.01	0.12	2.8	0.3	0.4	17.1	<0.01	0.04
I100940		0.77	15.5	480	6.0	11.0	<0.001	0.01	0.13	2.2	0.5	0.4	22.0	<0.01	0.03
I100941		1.04	22.7	600	7.0	17.2	<0.001	<0.01	0.13	3.0	0.4	0.4	22.9	<0.01	0.03
I100942		1.01	39.8	320	7.7	14.7	<0.001	<0.01	0.23	5.2	0.7	0.4	54.4	<0.01	0.03
I100943		0.62	44.4	310	13.3	13.6	<0.001	<0.01	0.32	9.6	0.6	0.8	17.0	<0.01	0.06
I100944		0.78	37.6	350	8.5	25.8	<0.001	<0.01	0.28	5.7	0.5	0.5	19.4	<0.01	0.04
I100945		0.97	26.3	190	11.0	10.4	<0.001	<0.01	0.37	6.0	0.4	0.7	16.2	<0.01	0.03
I100946		0.48	20.2	640	20.3	16.0	<0.001	<0.01	0.20	4.6	0.4	0.6	25.1	<0.01	0.03
I100947		0.90	26.4	370	12.8	12.2	<0.001	<0.01	0.51	3.0	0.5	0.5	15.2	<0.01	0.06
I100948		0.80	50.9	320	11.5	19.3	<0.001	<0.01	0.32	5.9	0.3	0.5	20.2	<0.01	0.04
I100949		0.97	42.0	790	13.4	17.0	<0.001	<0.01	0.30	7.3	0.6	0.5	57.3	<0.01	0.03
I100950		0.91	27.7	650	15.0	14.0	<0.001	0.03	0.35	5.2	0.9	0.5	51.2	<0.01	0.03
I100951		1.13	18.9	930	12.6	38.5	<0.001	0.03	0.25	4.0	0.8	0.5	79.4	0.01	0.04
I100952		1.17	18.1	960	12.6	37.8	0.001	0.04	0.25	3.9	0.7	0.4	82.5	0.01	0.04
I100953		1.50	20.9	500	20.2	55.8	<0.001	<0.01	0.26	4.3	0.4	0.8	26.9	<0.01	0.04
I100954		1.39	19.6	500	19.4	53.0	<0.001	<0.01	0.26	4.0	0.4	0.7	25.1	<0.01	0.03
I100955		1.53	21.3	360	19.9	44.9	<0.001	<0.01	0.30	4.4	0.3	0.8	25.0	<0.01	0.04
I100956		1.47	19.9	410	18.9	46.1	<0.001	<0.01	0.28	4.1	0.4	0.7	23.8	<0.01	0.04
I100957		1.30	30.7	370	15.2	29.2	<0.001	<0.01	0.34	4.7	0.4	0.7	24.3	<0.01	0.04
I100958		1.23	31.9	310	15.3	30.1	<0.001	<0.01	0.33	4.7	0.4	0.7	23.1	<0.01	0.04
I100959		1.29	27.0	350	14.0	23.4	<0.001	<0.01	0.35	4.3	0.3	0.6	23.3	<0.01	0.03
I100960		1.01	45.3	420	15.4	47.3	<0.001	<0.01	0.25	5.5	0.4	0.7	21.9	<0.01	0.05
I100961		1.26	32.4	310	15.5	30.3	<0.001	<0.01	0.34	4.8	0.3	0.7	23.4	<0.01	0.04
I100962		1.29	29.1	290	16.5	23.0	<0.001	<0.01	0.37	4.9	0.4	0.8	23.7	<0.01	0.03
I100963		1.23	33.6	320	16.7	30.0	<0.001	<0.01	0.34	5.0	0.3	0.7	23.4	<0.01	0.04
I101001		1.09	11.9	350	8.7	5.7	<0.001	<0.01	0.38	3.2	0.3	0.6	23.4	<0.01	0.04
I101002		1.16	13.5	340	9.1	5.8	<0.001	<0.01	0.38	3.9	0.3	0.6	22.8	0.01	0.05
I101003		1.18	12.5	300	8.5	5.5	<0.001	<0.01	0.39	3.5	0.3	0.6	21.1	<0.01	0.05
I101004		1.11	12.4	400	8.6	5.7	<0.001	<0.01	0.41	3.5	0.3	0.6	23.8	<0.01	0.04
I101005		1.13	14.8	360	9.5	6.9	<0.001	0.02	0.39	3.9	0.5	0.6	25.6	0.01	0.05
I101006		1.12	14.1	320	9.1	6.6	<0.001	0.02	0.37	3.8	0.5	0.6	24.4	0.01	0.05
I101007		1.24	16.1	330	10.0	7.0	<0.001	0.02	0.41	4.3	0.5	0.6	26.6	0.01	0.06
I101008		1.17	15.2	310	9.3	7.0	<0.001	0.02	0.38	3.7	0.4	0.6	26.6	0.01	0.05
I101009		1.19	14.6	330	10.1	6.4	<0.001	0.06	0.40	4.0	0.4	0.6	24.5	0.01	0.05
I101010		1.07	14.2	340	9.5	6.7	<0.001	0.05	0.38	3.8	0.4	0.6	24.6	0.01	0.06



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I100934		0.129	0.08	0.29	79	0.10	1.56	28	1.2
I100935		0.126	0.28	0.50	85	0.11	5.69	77	2.5
I100936		0.107	0.21	0.73	51	0.09	4.14	58	1.4
I100937		0.074	0.14	0.84	37	0.09	4.09	44	0.9
I100938		0.087	0.14	0.63	32	0.11	3.84	48	0.8
I100939		0.093	0.13	0.44	53	0.40	3.15	54	0.5
I100940		0.070	0.10	0.51	35	0.09	3.19	42	0.6
I100941		0.092	0.14	0.51	53	0.20	3.53	59	0.8
I100942		0.057	0.09	3.01	45	0.12	15.00	41	2.0
I100943		0.026	0.13	0.98	85	0.67	8.63	90	1.6
I100944		0.054	0.23	0.80	64	0.10	6.16	70	1.8
I100945		0.082	0.11	0.72	75	0.09	6.06	52	5.5
I100946		0.024	0.12	1.05	36	0.08	14.35	56	2.4
I100947		0.021	0.11	0.46	72	0.12	3.06	77	1.7
I100948		0.058	0.17	0.78	55	0.07	6.06	63	2.4
I100949		0.070	0.15	0.80	50	0.11	16.25	63	3.3
I100950		0.057	0.13	0.84	45	0.12	15.65	48	3.2
I100951		0.079	0.23	2.37	34	0.17	15.95	49	2.3
I100952		0.077	0.23	4.68	34	0.10	15.40	49	2.3
I100953		0.105	0.42	0.97	48	0.09	9.33	62	2.5
I100954		0.096	0.40	0.92	44	0.10	9.10	60	2.4
I100955		0.104	0.35	0.86	54	0.09	7.35	61	2.9
I100956		0.099	0.36	0.81	49	0.10	7.59	59	2.7
I100957		0.093	0.21	0.64	66	0.10	6.00	63	2.5
I100958		0.099	0.21	0.61	67	0.09	5.75	66	2.9
I100959		0.085	0.18	0.61	62	0.13	5.99	56	1.9
I100960		0.107	0.37	0.74	65	0.08	6.43	77	3.0
I100961		0.098	0.21	0.61	67	0.09	5.80	72	3.2
I100962		0.090	0.18	0.68	70	0.10	6.15	63	3.5
I100963		0.101	0.22	0.66	72	0.09	6.41	70	3.5
I101001		0.070	0.08	0.33	67	0.10	2.25	39	0.9
I101002		0.073	0.08	0.34	70	0.12	2.62	39	1.1
I101003		0.071	0.08	0.30	67	0.11	2.36	37	1.1
I101004		0.074	0.08	0.30	68	0.10	2.34	40	0.9
I101005		0.078	0.08	0.39	72	0.14	2.93	41	0.8
I101006		0.076	0.08	0.39	71	0.10	2.83	40	0.9
I101007		0.078	0.09	0.43	75	0.11	3.17	42	1.0
I101008		0.074	0.08	0.42	68	0.11	2.81	40	0.9
I101009		0.079	0.09	0.40	74	0.11	2.76	41	1.0
I101010		0.072	0.08	0.36	71	0.10	2.61	40	0.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I101011		0.28	<0.005	0.12	1.14	7.9	<0.2	<10	100	0.26	0.18	0.29	0.16	12.05	6.4	17
I101012		0.28	<0.005	0.09	1.63	7.7	<0.2	<10	130	0.34	0.12	0.43	0.14	14.05	10.5	21
I101013		0.24	<0.005	0.12	1.41	4.1	<0.2	<10	130	0.27	0.12	0.30	0.12	11.55	6.4	18
I101015		0.38	<0.005	0.22	1.54	35.9	<0.2	<10	210	0.30	0.19	0.25	0.43	17.95	8.9	29
I101016		0.32	<0.005	0.28	1.52	32.8	<0.2	<10	210	0.31	0.19	0.25	0.47	17.15	8.4	28
I101017		0.30	<0.005	0.30	1.07	21.4	<0.2	<10	180	0.24	0.14	0.20	0.61	13.10	6.2	21
I101018		0.42	<0.005	0.23	1.81	39.0	<0.2	<10	230	0.34	0.20	0.28	0.42	18.00	10.4	34
I101019		0.40	<0.005	0.24	1.55	34.5	<0.2	<10	210	0.29	0.19	0.25	0.42	18.20	8.3	30
I101020		0.36	<0.005	0.26	1.77	38.8	<0.2	<10	220	0.33	0.20	0.28	0.43	18.85	9.9	33
I101021		0.38	<0.005	0.25	1.61	35.6	<0.2	<10	220	0.31	0.20	0.26	0.42	17.40	9.0	30
I101022		0.32	<0.005	0.22	1.93	41.9	<0.2	<10	240	0.39	0.21	0.29	0.39	17.20	10.5	35
I101023		0.38	<0.005	0.23	1.65	36.8	<0.2	<10	220	0.32	0.20	0.27	0.39	15.90	9.3	31
I101024		0.34	<0.005	0.24	1.16	86.1	<0.2	<10	250	0.63	0.29	0.21	0.21	56.0	5.9	15
I101025		0.52	0.007	0.29	1.45	68.6	<0.2	<10	250	0.56	0.30	0.20	0.16	57.7	5.5	16
I101026		0.32	<0.005	0.20	0.96	57.1	<0.2	<10	240	0.31	0.23	0.16	0.16	59.2	3.6	10
I101027		0.38	<0.005	0.29	0.90	65.7	<0.2	<10	220	0.36	0.23	0.17	0.18	38.8	3.6	12
I101028		0.44	<0.005	0.30	1.29	106.5	<0.2	<10	260	0.72	0.34	0.24	0.20	67.1	7.3	16
I101029		0.40	<0.005	0.30	1.20	64.5	<0.2	<10	280	0.41	0.27	0.18	0.15	49.2	4.2	13
I101030		0.22	<0.005	0.11	1.63	5.1	<0.2	<10	90	0.40	0.12	0.23	0.16	24.2	13.2	38
I101031		0.26	<0.005	0.09	2.36	4.3	<0.2	<10	90	0.54	0.11	0.29	0.12	30.4	21.6	60
I101032		0.36	<0.005	0.05	2.17	5.1	<0.2	<10	120	0.74	0.17	0.37	0.07	41.5	12.6	29
I101033		0.40	<0.005	0.09	2.18	5.7	<0.2	<10	140	0.73	0.19	0.35	0.10	37.9	12.9	28
I101034		0.40	<0.005	0.07	2.02	4.8	<0.2	<10	120	0.70	0.16	0.34	0.07	34.7	12.1	26
I101035		0.42	<0.005	0.06	2.17	5.3	<0.2	<10	130	0.77	0.17	0.35	0.08	41.0	12.5	29
I101036		0.40	<0.005	0.06	2.15	5.4	<0.2	<10	120	0.78	0.17	0.35	0.07	46.0	12.9	30
I101037		0.40	<0.005	0.10	2.09	5.2	<0.2	<10	130	0.69	0.17	0.35	0.07	36.8	12.0	28
I101038		0.44	<0.005	0.06	2.16	4.7	<0.2	<10	120	0.77	0.17	0.38	0.07	40.8	12.9	28
I101039		0.52	<0.005	0.07	2.26	5.9	<0.2	<10	130	0.75	0.17	0.38	0.07	43.0	13.6	31
I101040		0.48	<0.005	0.07	2.09	4.8	<0.2	<10	120	0.79	0.17	0.37	0.08	45.6	13.2	27
I101041		0.42	<0.005	0.22	2.09	6.2	<0.2	<10	180	0.64	0.19	0.32	0.10	34.7	13.7	43
I101042		0.38	<0.005	0.06	2.27	4.6	<0.2	<10	130	0.72	0.13	0.43	0.07	50.8	12.3	30
I101043		0.24	<0.005	0.11	1.50	4.3	<0.2	<10	160	0.42	0.09	1.56	0.19	46.3	10.5	26
I101044		0.18	<0.005	0.15	1.48	3.9	<0.2	<10	100	0.31	0.09	0.28	0.17	23.5	10.7	36
I101045		0.18	<0.005	0.12	1.56	3.8	<0.2	<10	90	0.33	0.09	0.25	0.14	23.9	10.9	36
I101046		0.14	<0.005	0.25	0.83	2.6	<0.2	<10	120	0.23	0.08	0.39	0.33	21.7	6.2	16
I101047		0.14	<0.005	0.16	0.92	2.5	<0.2	<10	100	0.21	0.09	0.29	0.21	19.90	5.2	18
I101048		0.14	<0.005	0.18	0.75	2.5	<0.2	<10	100	0.21	0.09	0.24	0.22	21.3	4.8	18
I101049		0.20	NSS	0.12	1.07	3.4	<0.2	<10	80	0.26	0.10	0.17	0.13	17.80	5.8	24
I101050		0.18	<0.005	0.15	1.16	3.4	<0.2	<10	80	0.23	0.09	0.23	0.16	21.3	7.5	26
I101051		0.34	<0.005	0.17	1.95	24.6	<0.2	<10	230	0.41	0.20	0.57	0.32	28.8	13.7	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101011		0.60	15.9	2.15	6.12	<0.05	0.02	0.02	0.015	0.06	6.1	6.5	0.26	257	0.93
I101012		0.69	22.6	2.71	5.43	<0.05	0.04	0.02	0.020	0.05	6.7	9.9	0.55	292	0.79
I101013		0.78	17.2	1.98	4.84	<0.05	<0.02	0.03	0.020	0.05	5.7	6.6	0.34	182	0.73
I101015		0.82	27.1	2.55	5.21	<0.05	0.02	0.03	0.025	0.05	9.8	10.4	0.45	258	1.43
I101016		0.78	26.4	2.43	5.03	<0.05	0.02	0.03	0.023	0.05	9.5	9.8	0.43	238	1.36
I101017		0.67	21.6	1.77	3.81	<0.05	<0.02	0.05	0.018	0.04	7.4	6.2	0.29	185	0.98
I101018		1.01	30.2	2.82	5.83	<0.05	0.02	0.03	0.026	0.05	11.1	12.4	0.51	284	1.46
I101019		0.87	26.1	2.54	5.15	<0.05	0.02	0.02	0.022	0.05	10.0	9.9	0.45	246	1.39
I101020		1.04	29.8	2.76	6.01	<0.05	0.02	0.03	0.027	0.05	11.5	12.0	0.49	265	1.58
I101021		0.91	29.4	2.57	5.65	<0.05	0.02	0.03	0.025	0.05	10.8	10.9	0.45	245	1.49
I101022		1.02	30.5	3.02	6.04	<0.05	0.02	0.03	0.026	0.06	11.2	13.5	0.55	290	1.61
I101023		0.89	28.6	2.65	5.50	<0.05	<0.02	0.03	0.024	0.05	10.4	11.3	0.47	255	1.50
I101024		1.50	16.7	2.07	3.67	<0.05	0.04	0.04	0.021	0.09	29.4	5.5	0.18	143	1.34
I101025		1.74	14.8	2.37	4.50	<0.05	0.04	0.04	0.022	0.08	30.1	8.1	0.21	96	1.32
I101026		1.30	9.8	1.70	3.84	<0.05	<0.02	0.03	0.013	0.07	30.4	3.4	0.11	83	1.61
I101027		1.34	11.4	1.55	3.34	<0.05	<0.02	0.03	0.015	0.07	19.7	3.8	0.12	86	1.27
I101028		1.74	20.5	2.37	4.04	0.05	0.04	0.03	0.025	0.10	35.1	6.7	0.20	157	1.47
I101029		1.57	12.1	1.96	4.33	<0.05	0.02	0.04	0.018	0.08	25.3	4.9	0.16	93	1.55
I101030		2.15	33.0	2.72	6.10	<0.05	0.02	0.03	0.019	0.29	9.8	15.6	0.68	338	0.95
I101031		3.55	41.9	3.75	7.24	<0.05	0.02	0.03	0.020	0.52	9.7	27.5	1.18	585	1.10
I101032		3.22	24.3	3.62	7.57	<0.05	0.07	0.01	0.031	0.35	18.3	17.6	0.64	295	1.84
I101033		2.54	23.3	3.57	8.17	<0.05	0.05	0.03	0.032	0.30	18.4	18.5	0.60	317	2.03
I101034		3.04	22.2	3.48	7.33	<0.05	0.06	0.02	0.028	0.34	17.4	16.4	0.60	282	1.69
I101035		2.76	22.6	3.69	7.48	<0.05	0.08	0.02	0.033	0.32	21.0	17.4	0.62	295	1.88
I101036		3.25	24.9	3.64	7.82	0.05	0.07	0.01	0.033	0.35	23.0	17.7	0.64	291	1.93
I101037		2.73	22.7	3.49	7.25	<0.05	0.06	0.01	0.030	0.32	18.3	16.8	0.61	286	1.78
I101038		3.43	23.6	3.65	7.59	<0.05	0.07	0.02	0.031	0.38	20.5	18.1	0.66	301	1.76
I101039		3.06	25.8	3.71	7.92	0.05	0.08	0.02	0.034	0.35	21.4	18.7	0.67	298	1.85
I101040		3.60	24.4	3.61	7.99	0.05	0.06	0.02	0.033	0.37	22.4	18.0	0.62	298	1.78
I101041		1.77	28.0	3.58	7.39	<0.05	0.06	0.01	0.033	0.29	18.0	14.6	0.69	498	1.60
I101042		3.60	23.0	3.79	8.17	0.07	0.06	0.01	0.035	0.39	23.2	19.2	0.65	319	1.73
I101043		1.97	20.1	2.66	5.46	0.09	0.07	0.05	0.020	0.44	28.5	14.3	0.56	495	1.05
I101044		1.83	26.8	2.51	5.27	<0.05	<0.02	0.05	0.018	0.25	8.3	13.8	0.55	321	1.08
I101045		2.13	25.6	2.65	5.50	<0.05	0.02	0.05	0.017	0.30	7.7	14.2	0.62	329	1.00
I101046		0.74	23.9	1.32	2.87	<0.05	<0.02	0.06	0.018	0.06	9.7	3.1	0.12	153	0.96
I101047		1.05	22.7	1.46	3.68	<0.05	<0.02	0.05	0.016	0.09	8.6	5.0	0.20	130	0.87
I101048		0.91	21.4	1.29	3.24	<0.05	<0.02	0.24	0.016	0.08	9.5	3.4	0.15	108	0.96
I101049		1.17	19.3	1.82	4.85	<0.05	<0.02	0.04	0.017	0.11	7.0	7.9	0.27	163	1.00
I101050		1.30	23.7	1.92	4.75	<0.05	<0.02	0.04	0.017	0.14	7.9	8.3	0.34	220	0.95
I101051		0.91	43.2	3.10	5.53	0.06	0.09	0.03	0.033	0.07	14.1	14.7	0.79	458	1.19



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101011		1.08	10.6	310	10.4	10.2	<0.001	0.02	0.28	2.5	0.4	0.5	21.0	<0.01	0.04
I101012		1.10	17.6	440	5.9	7.6	<0.001	<0.01	0.26	4.1	0.5	0.5	24.3	<0.01	0.03
I101013		0.63	12.5	440	4.7	8.2	<0.001	0.03	0.21	3.2	0.5	0.4	23.5	<0.01	0.03
I101015		0.89	26.8	550	38.6	10.3	<0.001	0.02	0.61	3.0	1.2	0.5	20.1	<0.01	0.04
I101016		0.81	25.6	530	35.8	9.5	<0.001	0.02	0.56	2.9	1.1	0.5	20.4	<0.01	0.04
I101017		0.50	18.6	440	27.9	7.5	<0.001	0.02	0.41	1.7	0.9	0.4	17.8	<0.01	0.04
I101018		0.99	30.9	580	43.3	11.8	<0.001	0.02	0.66	3.7	1.1	0.5	22.8	<0.01	0.05
I101019		0.86	26.0	520	36.7	10.5	<0.001	0.02	0.58	3.0	1.0	0.5	20.1	<0.01	0.04
I101020		1.03	29.8	530	40.3	12.6	<0.001	0.04	0.65	3.7	1.2	0.6	23.4	<0.01	0.05
I101021		0.92	27.5	530	37.6	11.4	<0.001	0.06	0.60	3.3	1.2	0.5	21.7	<0.01	0.05
I101022		1.05	32.0	580	43.0	12.3	<0.001	0.03	0.66	3.9	1.2	0.6	22.9	<0.01	0.05
I101023		0.95	28.4	540	37.0	11.4	<0.001	<0.01	0.60	3.4	1.1	0.5	21.5	<0.01	0.04
I101024		0.43	11.6	660	35.4	15.6	<0.001	0.03	0.71	1.9	1.3	0.5	16.9	<0.01	0.04
I101025		0.55	11.8	580	34.0	17.0	<0.001	0.03	0.67	2.2	1.1	0.6	16.1	<0.01	0.03
I101026		0.32	6.9	550	18.1	14.7	<0.001	0.03	0.54	1.2	0.7	0.5	13.4	<0.01	0.04
I101027		0.32	8.3	690	28.1	12.5	<0.001	0.03	0.54	1.2	1.0	0.4	14.2	<0.01	0.04
I101028		0.48	13.4	710	44.5	17.6	<0.001	0.02	0.79	2.4	1.3	0.5	18.1	<0.01	0.04
I101029		0.43	9.2	630	25.7	16.0	<0.001	0.04	0.55	1.6	0.9	0.6	15.7	<0.01	0.04
I101030		0.98	38.7	570	11.3	35.5	<0.001	0.06	0.19	2.3	0.7	0.5	20.2	<0.01	0.06
I101031		1.25	62.9	730	11.3	43.9	<0.001	0.07	0.18	3.1	0.6	0.4	21.0	<0.01	0.05
I101032		1.28	23.2	530	22.6	43.5	<0.001	0.04	0.24	4.6	0.6	0.7	25.2	<0.01	0.03
I101033		1.57	23.3	420	21.8	37.1	<0.001	<0.01	0.32	4.6	0.6	0.8	26.9	<0.01	0.05
I101034		1.37	21.6	510	20.9	42.7	<0.001	0.01	0.26	4.2	0.5	0.7	27.9	<0.01	0.03
I101035		1.42	22.3	430	22.2	39.5	<0.001	0.01	0.28	4.7	0.7	0.7	30.1	<0.01	0.04
I101036		1.37	24.6	530	23.2	45.1	<0.001	0.01	0.27	5.0	0.7	0.8	29.3	<0.01	0.04
I101037		1.37	22.4	500	20.5	39.8	<0.001	0.02	0.27	4.5	0.5	0.7	24.2	<0.01	0.04
I101038		1.27	23.3	580	23.2	48.1	<0.001	0.03	0.25	4.6	0.6	0.7	25.8	<0.01	0.04
I101039		1.34	25.3	490	22.4	43.7	<0.001	0.03	0.28	5.1	0.6	0.7	27.2	<0.01	0.03
I101040		1.44	23.5	600	23.0	51.7	0.001	0.05	0.25	4.7	0.7	0.8	27.9	<0.01	0.04
I101041		1.29	37.4	360	17.3	37.3	<0.001	0.05	0.36	5.2	0.5	0.7	27.3	<0.01	0.05
I101042		1.54	22.7	600	22.3	61.5	<0.001	0.01	0.24	4.7	0.4	0.7	30.8	<0.01	0.03
I101043		1.39	19.1	960	13.0	42.2	<0.001	0.06	0.21	4.0	0.9	0.5	90.1	<0.01	0.03
I101044		0.93	31.9	740	9.4	26.1	<0.001	0.04	0.35	1.9	0.4	0.4	20.8	<0.01	0.04
I101045		1.08	32.9	650	9.0	31.7	<0.001	0.03	0.17	2.1	0.4	0.4	17.9	<0.01	0.04
I101046		0.30	16.9	880	8.9	6.8	<0.001	0.06	0.18	0.6	0.5	0.3	28.8	<0.01	0.03
I101047		0.46	16.0	690	8.8	11.0	<0.001	0.04	0.16	0.8	0.4	0.3	22.2	<0.01	0.03
I101048		0.45	14.1	670	6.9	9.1	<0.001	0.05	0.17	0.9	0.5	0.3	21.1	<0.01	0.04
I101049		0.71	16.8	460	9.4	13.2	<0.001	0.02	0.19	1.3	0.3	0.4	15.3	<0.01	0.03
I101050		0.73	21.1	550	8.6	15.7	<0.001	0.04	0.16	1.4	0.4	0.4	17.7	<0.01	0.03
I101051		1.39	30.5	630	24.9	9.7	<0.001	0.02	0.62	5.8	1.2	0.5	33.8	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I101011		0.073	0.06	0.38	60	0.13	2.65	27
I101012		0.090	0.06	0.47	62	0.13	3.59	45
I101013		0.058	0.05	0.44	44	0.11	3.94	33
I101015		0.062	0.08	0.68	54	0.11	4.86	61
I101016		0.060	0.08	0.70	51	0.10	4.95	57
I101017		0.049	0.06	0.58	39	0.13	3.91	42
I101018		0.072	0.10	0.80	60	0.13	5.53	67
I101019		0.066	0.08	0.66	55	0.13	4.80	60
I101020		0.073	0.10	0.78	60	0.16	5.55	64
I101021		0.067	0.09	0.73	56	0.13	5.20	59
I101022		0.073	0.10	0.77	63	0.12	5.59	71
I101023		0.066	0.09	0.72	57	0.12	5.08	62
I101024		0.010	0.14	1.95	30	0.15	8.45	40
I101025		0.011	0.18	1.81	34	0.16	8.07	40
I101026		0.008	0.14	1.26	28	0.11	7.26	26
I101027		0.011	0.12	1.38	26	0.10	6.49	30
I101028		0.011	0.15	2.44	32	0.14	10.10	46
I101029		0.010	0.17	1.46	33	0.11	7.68	34
I101030		0.095	0.17	0.63	46	0.08	4.51	47
I101031		0.144	0.29	0.57	60	0.08	4.82	69
I101032		0.105	0.41	1.21	48	0.09	9.91	63
I101033		0.101	0.34	1.02	54	0.12	8.84	60
I101034		0.097	0.38	1.04	46	0.10	9.64	59
I101035		0.107	0.35	1.13	52	0.09	9.58	61
I101036		0.106	0.40	1.25	50	0.10	12.35	63
I101037		0.104	0.34	1.05	50	0.10	9.83	61
I101038		0.104	0.42	1.22	47	0.08	11.30	65
I101039		0.110	0.39	1.22	53	0.09	10.50	65
I101040		0.102	0.44	1.20	47	0.10	11.70	63
I101041		0.101	0.24	0.82	69	0.11	6.65	68
I101042		0.116	0.42	1.13	52	0.10	11.50	73
I101043		0.087	0.26	2.48	39	0.08	16.80	56
I101044		0.085	0.16	0.53	46	0.09	4.61	46
I101045		0.095	0.19	0.51	46	0.07	4.37	49
I101046		0.019	0.07	0.63	25	0.05	5.42	23
I101047		0.037	0.09	0.58	29	0.07	4.32	24
I101048		0.038	0.08	0.55	27	0.08	4.19	21
I101049		0.066	0.11	0.46	41	0.08	3.21	28
I101050		0.060	0.10	0.54	38	0.12	4.16	33
I101051		0.107	0.09	1.22	65	0.15	11.55	108



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I101052		0.36	<0.005	0.18	1.84	17.1	<0.2	<10	180	0.32	0.24	0.64	0.31	26.4	14.8	41
I101053		0.24	<0.005	0.21	1.69	7.0	<0.2	<10	160	0.46	0.26	1.71	0.33	23.9	10.9	26
I101054		0.36	<0.005	0.26	2.26	34.9	<0.2	<10	220	0.40	0.30	0.48	0.58	28.4	15.4	53
I101055		0.28	<0.005	0.21	1.74	37.2	<0.2	<10	180	0.20	0.24	0.32	0.95	20.3	16.1	37
I101056		0.34	<0.005	0.56	2.09	73.5	<0.2	<10	210	0.33	0.35	0.39	0.82	26.8	10.8	36
I101057		0.38	<0.005	0.19	2.98	21.2	<0.2	<10	330	0.48	0.10	0.62	0.17	12.25	12.0	62
I101058		0.30	<0.005	0.20	2.44	14.2	<0.2	<10	270	0.42	0.26	0.40	0.28	23.6	10.8	32
I101059		0.38	<0.005	0.04	2.01	25.7	<0.2	<10	200	0.29	0.25	0.46	0.22	28.0	12.2	33
I101060		0.30	<0.005	0.07	2.20	16.8	<0.2	<10	220	0.39	0.20	0.38	0.17	28.4	12.1	33
I101061		0.32	0.008	0.17	1.60	11.6	<0.2	<10	190	0.30	0.23	1.05	0.55	28.4	11.6	33
I101062		0.44	<0.005	0.13	2.05	12.0	<0.2	<10	230	0.39	0.18	0.78	0.24	26.1	12.6	39
I101063		0.28	<0.005	0.19	1.72	9.9	<0.2	<10	250	0.39	0.16	1.14	0.55	24.0	11.1	31
I101064		0.30	<0.005	0.16	1.96	14.4	<0.2	<10	250	0.45	0.28	0.98	0.23	28.8	12.5	46
I101065		0.28	<0.005	0.58	2.09	11.4	<0.2	<10	240	0.37	0.14	0.24	0.40	17.10	14.0	35
I101066		0.34	<0.005	1.02	2.33	25.0	<0.2	<10	510	0.45	0.16	0.54	0.62	21.2	14.0	40
I101067		0.38	<0.005	0.32	2.51	50.1	<0.2	<10	320	0.63	0.16	0.53	0.30	41.8	15.1	50
I101068		0.34	0.005	0.31	2.29	58.4	<0.2	<10	330	0.40	0.16	0.58	0.37	22.9	10.9	44
I101069		0.48	<0.005	0.34	2.07	45.5	<0.2	<10	330	0.49	0.21	0.72	0.35	38.0	11.7	41
I101070		0.32	0.008	0.53	2.27	70.4	<0.2	<10	250	0.54	0.19	0.33	0.34	30.5	15.0	37
I101071		0.32	<0.005	0.34	2.03	59.9	<0.2	<10	330	0.40	0.17	0.59	0.81	22.6	14.1	36
I101072		0.36	<0.005	0.32	2.39	64.4	<0.2	<10	300	0.53	0.17	0.39	0.52	29.0	14.9	45
I101073		0.34	<0.005	0.17	1.78	26.9	<0.2	<10	180	0.31	0.23	0.67	0.43	26.9	12.1	36
I101074		0.26	0.007	0.07	2.04	14.1	<0.2	<10	220	0.44	0.12	0.97	0.17	26.3	13.5	35
I101075		0.38	<0.005	0.10	1.89	15.3	<0.2	<10	240	0.42	0.13	0.88	0.15	26.6	12.5	34
I101076		0.34	<0.005	0.09	1.90	14.3	<0.2	<10	220	0.41	0.12	0.79	0.19	25.4	11.6	34
I101077		0.40	<0.005	0.12	1.98	4.8	<0.2	<10	150	0.46	0.11	1.09	0.11	55.2	15.3	45
I101078		0.38	<0.005	0.08	2.12	3.8	<0.2	<10	120	0.72	0.12	0.62	0.08	82.1	20.1	49
I101079		0.56	<0.005	0.06	2.23	8.0	<0.2	<10	140	0.41	0.13	0.27	0.04	23.1	13.6	41
I101080		0.48	<0.005	0.09	2.07	6.1	<0.2	<10	180	0.49	0.13	0.56	0.07	32.8	14.1	41
I101081		0.52	0.005	0.08	1.45	7.7	<0.2	<10	160	0.39	0.12	0.77	0.11	24.8	12.4	31
I101082		0.54	0.005	0.08	1.68	7.3	<0.2	<10	150	0.39	0.12	0.65	0.15	21.5	11.8	31
I101083		0.38	<0.005	0.24	1.26	20.3	<0.2	<10	120	0.42	0.15	1.67	0.40	37.8	9.6	26
I101084		0.36	<0.005	0.17	2.03	6.0	<0.2	<10	140	0.34	0.12	0.27	0.08	15.10	12.7	36
I101085		0.52	<0.005	0.45	2.03	5.7	<0.2	<10	250	0.44	0.16	0.45	0.22	16.60	26.9	34
I101086		0.56	<0.005	0.08	2.57	8.1	<0.2	<10	190	0.75	0.14	0.40	0.15	38.6	17.9	50
I101087		0.40	<0.005	0.08	1.86	6.5	<0.2	<10	190	0.47	0.13	0.81	0.16	26.4	12.0	37
I101088		0.50	0.008	0.09	1.63	7.3	<0.2	<10	180	0.55	0.13	1.27	0.13	29.1	12.5	31
I101089		0.52	0.005	0.08	1.53	6.5	<0.2	<10	170	0.39	0.12	0.92	0.18	24.3	12.2	30
I101090		0.48	<0.005	0.11	1.54	7.7	<0.2	<10	170	0.39	0.12	0.90	0.23	36.1	11.1	30
I101091		0.52	<0.005	0.11	1.52	4.5	<0.2	<10	130	0.61	0.14	1.30	0.13	66.8	14.7	31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101052		1.11	33.9	2.88	5.45	0.05	0.04	0.02	0.026	0.06	13.2	14.5	0.79	551	1.23
I101053		1.59	37.2	2.38	5.04	<0.05	0.05	0.03	0.025	0.15	12.6	12.4	0.76	673	1.02
I101054		1.45	56.1	3.26	6.55	0.06	0.05	0.02	0.030	0.06	14.5	16.2	0.89	545	1.79
I101055		0.74	29.3	2.94	6.06	<0.05	0.02	0.02	0.025	0.14	10.3	11.2	0.60	1820	2.11
I101056		1.34	47.1	3.17	6.77	0.06	0.03	0.05	0.034	0.07	14.0	15.4	0.62	381	2.72
I101057		8.53	53.5	3.58	6.49	0.07	0.05	0.02	0.017	0.85	6.5	22.3	2.34	621	0.76
I101058		1.83	32.2	2.90	7.68	<0.05	0.05	0.04	0.027	0.11	12.4	14.5	0.66	300	0.87
I101059		0.74	21.8	3.15	6.28	0.05	0.08	0.03	0.029	0.08	14.4	14.0	0.66	351	0.93
I101060		1.07	27.2	3.06	6.72	<0.05	0.08	0.02	0.030	0.06	14.4	15.5	0.67	336	0.95
I101061		1.27	40.3	2.47	4.91	0.05	0.04	0.03	0.025	0.10	14.9	12.3	0.73	649	1.46
I101062		0.87	34.0	3.10	6.31	<0.05	0.09	0.02	0.030	0.14	12.4	13.3	0.69	433	1.23
I101063		0.73	35.1	2.58	5.14	<0.05	0.07	0.03	0.023	0.15	12.7	11.8	0.64	547	0.77
I101064		1.56	44.4	2.93	5.74	0.06	0.08	0.01	0.026	0.16	15.1	15.6	1.00	410	1.12
I101065		1.09	15.1	2.77	6.48	<0.05	0.05	0.02	0.030	0.08	7.1	9.5	0.45	918	1.77
I101066		0.66	28.8	3.37	7.36	<0.05	0.03	0.02	0.035	0.15	9.6	12.2	0.56	1080	1.84
I101067		0.63	45.9	3.75	7.24	0.08	0.17	0.02	0.036	0.12	19.9	14.2	0.76	466	1.44
I101068		0.61	37.1	3.45	7.16	<0.05	0.07	0.01	0.031	0.14	12.4	14.3	0.73	427	1.72
I101069		0.98	57.2	3.28	6.44	0.09	0.13	0.03	0.032	0.08	19.7	14.8	0.75	479	1.58
I101070		1.33	33.6	3.78	7.94	<0.05	0.03	0.06	0.040	0.13	13.8	16.2	0.59	522	3.19
I101071		1.16	38.1	3.39	7.80	<0.05	0.02	0.02	0.031	0.21	11.3	13.5	0.60	825	2.38
I101072		0.77	38.4	3.52	7.35	0.05	0.14	0.02	0.034	0.08	13.2	14.0	0.65	415	2.10
I101073		1.18	33.5	2.54	5.45	<0.05	0.04	0.02	0.027	0.08	13.7	14.3	0.76	633	1.41
I101074		0.65	32.8	3.12	6.08	0.06	0.09	0.03	0.028	0.07	12.6	14.6	0.72	451	0.79
I101075		0.57	35.8	3.03	5.86	0.05	0.12	0.03	0.026	0.07	13.2	13.6	0.68	477	0.82
I101076		0.51	30.7	2.98	5.71	0.07	0.16	0.02	0.025	0.07	12.3	13.5	0.68	410	0.73
I101077		1.68	33.2	3.40	6.87	0.13	0.06	0.03	0.025	0.21	42.2	17.7	0.82	435	0.72
I101078		3.66	32.1	3.73	6.71	0.11	0.06	0.02	0.030	0.40	42.9	20.6	0.96	519	0.62
I101079		1.22	25.4	3.39	6.84	<0.05	0.20	0.02	0.028	0.09	15.2	15.1	0.75	309	0.93
I101080		1.59	29.1	3.16	6.77	0.05	0.04	0.03	0.023	0.10	16.0	16.6	0.82	319	0.64
I101081		0.58	31.3	2.78	4.58	<0.05	0.13	0.02	0.021	0.06	13.1	10.9	0.67	377	0.56
I101082		0.70	25.4	2.72	5.47	<0.05	0.05	0.03	0.024	0.05	11.4	11.8	0.60	320	0.66
I101083		1.45	20.9	1.97	4.23	0.05	0.07	0.03	0.025	0.12	22.4	14.6	0.60	212	0.69
I101084		0.79	19.3	3.24	6.76	<0.05	0.03	0.01	0.023	0.09	6.8	13.2	0.58	259	1.41
I101085		1.00	19.5	3.42	7.15	<0.05	0.03	0.02	0.026	0.10	6.8	11.5	0.48	1120	1.35
I101086		2.04	39.3	3.78	7.62	0.06	0.18	0.01	0.032	0.12	16.8	16.1	0.77	309	1.17
I101087		0.97	30.1	2.88	5.90	<0.05	0.10	0.03	0.026	0.10	14.1	14.5	0.67	313	0.61
I101088		0.79	39.3	2.80	5.26	<0.05	0.13	0.03	0.026	0.07	15.9	13.5	0.65	344	0.52
I101089		0.60	30.0	2.73	5.22	<0.05	0.12	0.03	0.023	0.08	12.9	13.2	0.68	457	0.58
I101090		1.38	26.8	2.91	4.82	<0.05	0.06	0.04	0.025	0.15	18.3	11.1	0.55	362	0.90
I101091		3.56	38.2	3.22	5.38	0.11	0.08	0.08	0.030	0.32	45.5	18.8	0.62	411	0.87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101052		1.04	28.8	560	33.2	11.9	<0.001	0.02	0.44	5.4	0.8	0.4	29.5	<0.01	0.04
I101053		0.97	26.6	530	19.3	21.7	<0.001	0.06	0.30	3.2	1.0	0.4	57.8	<0.01	0.08
I101054		1.19	37.3	520	37.3	14.1	<0.001	0.02	0.56	5.9	0.9	0.5	31.6	<0.01	0.06
I101055		1.15	25.9	640	29.4	16.1	<0.001	0.02	0.48	3.5	0.5	0.5	23.4	<0.01	0.06
I101056		1.35	34.9	640	21.7	11.7	<0.001	0.04	0.82	5.0	1.5	0.6	28.1	<0.01	0.07
I101057		0.80	45.2	600	10.2	102.0	<0.001	0.01	0.18	4.4	0.3	0.3	23.9	<0.01	0.02
I101058		1.35	21.6	390	12.4	19.1	<0.001	0.02	0.34	5.1	0.5	0.6	26.8	<0.01	0.04
I101059		1.22	22.6	590	10.5	9.9	<0.001	<0.01	0.41	4.7	0.4	0.5	28.1	<0.01	0.03
I101060		1.41	22.3	420	11.4	12.7	<0.001	0.01	0.38	5.0	0.3	0.6	27.8	<0.01	0.03
I101061		0.99	27.6	580	25.8	15.6	<0.001	0.06	0.31	4.0	1.1	0.5	44.9	<0.01	0.04
I101062		1.57	28.9	320	13.7	15.3	<0.001	0.01	0.44	5.3	0.5	0.5	40.2	<0.01	0.03
I101063		1.32	26.2	630	10.6	18.6	<0.001	0.02	0.46	4.5	0.6	0.4	55.0	<0.01	0.02
I101064		1.35	38.7	630	15.7	19.8	<0.001	0.03	0.38	4.9	0.9	0.5	51.2	<0.01	0.04
I101065		1.24	22.2	240	8.4	9.3	<0.001	0.01	0.38	4.2	<0.2	0.6	21.3	<0.01	0.03
I101066		1.13	33.0	690	9.7	13.6	<0.001	0.02	0.52	4.7	0.5	0.6	41.9	<0.01	0.04
I101067		1.39	38.1	400	9.5	12.4	<0.001	0.01	0.69	9.2	1.0	0.6	39.0	<0.01	0.05
I101068		1.36	31.8	440	9.4	9.1	<0.001	0.02	0.67	5.7	1.0	0.6	41.4	<0.01	0.05
I101069		1.48	37.5	630	10.5	9.0	<0.001	0.02	0.75	6.7	1.2	0.6	51.7	<0.01	0.06
I101070		1.05	31.1	530	10.3	13.8	<0.001	0.01	0.87	4.5	0.5	0.8	27.3	<0.01	0.05
I101071		1.11	32.3	850	8.4	14.8	<0.001	0.02	0.71	3.9	0.8	0.6	35.8	<0.01	0.05
I101072		1.34	33.4	330	11.9	9.4	<0.001	0.02	0.91	6.5	1.0	0.6	33.4	<0.01	0.06
I101073		1.05	25.8	600	20.8	13.2	0.001	0.04	0.46	4.5	0.7	0.5	36.1	<0.01	0.04
I101074		1.85	25.7	550	8.3	8.0	<0.001	0.03	0.55	5.7	0.7	0.5	53.0	<0.01	0.03
I101075		1.59	28.0	700	8.0	7.8	<0.001	0.01	0.51	5.9	0.7	0.5	50.8	<0.01	0.03
I101076		1.62	25.6	710	7.7	7.3	<0.001	0.01	0.48	5.7	0.5	0.5	49.3	<0.01	0.03
I101077		1.46	40.2	460	11.0	28.0	<0.001	0.03	0.20	4.8	0.9	0.4	60.4	<0.01	0.03
I101078		1.32	47.4	580	14.1	39.9	<0.001	0.02	0.16	5.8	0.9	0.5	36.0	0.01	0.04
I101079		1.27	30.9	220	8.2	17.4	<0.001	0.01	0.36	4.8	0.5	0.6	25.5	<0.01	0.03
I101080		1.33	34.8	770	8.7	20.3	<0.001	0.02	0.25	4.6	0.6	0.5	32.6	<0.01	0.03
I101081		1.31	25.7	860	6.3	6.2	<0.001	0.02	0.44	5.1	0.8	0.4	42.5	<0.01	0.03
I101082		1.31	23.4	720	6.7	8.8	<0.001	0.02	0.40	4.8	0.6	0.5	39.7	<0.01	0.03
I101083		1.10	21.9	680	19.2	19.6	0.002	0.13	0.34	3.8	1.8	0.4	112.0	<0.01	0.05
I101084		1.22	27.4	220	7.5	11.6	<0.001	0.01	0.38	3.5	0.4	0.5	22.5	<0.01	0.04
I101085		1.15	29.7	730	8.2	10.8	<0.001	0.02	0.40	3.8	0.3	0.6	26.7	<0.01	0.03
I101086		1.09	40.1	400	10.5	19.4	<0.001	0.01	0.40	7.2	0.6	0.6	28.1	<0.01	0.04
I101087		1.56	28.7	630	7.1	15.5	<0.001	0.02	0.40	5.7	0.8	0.5	46.9	<0.01	0.03
I101088		1.45	29.7	700	7.3	9.6	<0.001	0.04	0.47	5.6	1.0	0.5	61.1	<0.01	0.03
I101089		1.49	26.9	740	6.5	8.6	<0.001	0.03	0.39	5.4	0.8	0.5	55.2	<0.01	0.04
I101090		1.14	25.8	800	9.9	18.9	<0.001	0.03	0.30	4.9	0.8	0.4	46.4	<0.01	0.04
I101091		0.91	40.2	590	12.7	36.9	<0.001	0.06	0.26	6.0	1.7	0.5	64.4	0.01	0.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137858

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I101052		0.082	0.09	1.01	59	0.13	9.05	107
I101053		0.072	0.14	0.83	41	0.09	11.55	73
I101054		0.101	0.12	1.38	71	0.29	10.20	145
I101055		0.093	0.10	0.62	68	0.14	4.94	140
I101056		0.071	0.12	1.76	72	0.21	11.05	138
I101057		0.170	0.68	0.51	64	0.12	4.95	135
I101058		0.113	0.15	0.77	60	0.19	7.43	67
I101059		0.101	0.08	0.60	67	0.14	6.80	71
I101060		0.113	0.09	0.71	68	0.16	7.23	70
I101061		0.071	0.12	1.21	47	0.13	12.90	108
I101062		0.122	0.09	0.97	69	0.14	7.73	64
I101063		0.097	0.07	0.66	57	0.17	9.06	69
I101064		0.107	0.13	1.00	60	0.16	10.80	85
I101065		0.083	0.12	0.29	69	0.13	3.17	71
I101066		0.064	0.11	0.51	74	0.15	4.91	87
I101067		0.111	0.09	0.73	91	0.16	14.00	73
I101068		0.078	0.09	0.73	84	0.19	8.20	71
I101069		0.100	0.08	1.48	74	0.17	16.15	89
I101070		0.041	0.15	0.74	77	0.18	7.01	88
I101071		0.064	0.12	0.56	73	0.16	6.46	88
I101072		0.098	0.10	0.79	87	0.18	6.53	80
I101073		0.079	0.10	1.01	53	0.18	9.55	99
I101074		0.113	0.07	0.68	75	0.17	10.25	67
I101075		0.124	0.06	0.85	73	0.21	11.50	63
I101076		0.130	0.06	0.72	74	0.18	10.55	59
I101077		0.099	0.20	1.57	55	0.09	17.25	58
I101078		0.105	0.39	1.33	49	0.09	18.60	60
I101079		0.138	0.13	0.70	69	0.13	5.24	49
I101080		0.113	0.16	0.77	59	0.17	9.82	55
I101081		0.111	0.06	0.70	63	0.16	10.35	54
I101082		0.106	0.06	0.51	65	0.15	8.13	54
I101083		0.070	0.12	4.49	39	0.08	12.55	54
I101084		0.094	0.10	0.39	75	0.12	2.43	41
I101085		0.087	0.09	0.38	76	0.14	2.89	53
I101086		0.128	0.17	0.64	83	0.12	5.61	63
I101087		0.122	0.10	0.85	62	0.17	9.65	58
I101088		0.097	0.08	1.06	57	0.11	11.95	55
I101089		0.117	0.06	0.66	63	0.26	9.79	53
I101090		0.084	0.13	1.15	54	0.13	9.39	62
I101091		0.058	0.23	3.21	37	0.11	22.3	59



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137858

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 10-OCT-2010
Account: EIASQI

CERTIFICATE WH10137859

Project: SQI10-06
P.O. No.: SQI10-06_32
This report is for 176 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I101092		0.48	<0.005	0.11	1.61	3.3	<0.2	<10	110	0.60	0.10	1.22	0.07	61.0	15.4	34
I101093		0.46	0.019	0.12	1.72	3.9	<0.2	<10	120	0.66	0.11	1.22	0.16	71.7	17.2	37
I101094		0.44	<0.005	0.08	1.52	3.2	<0.2	<10	100	0.72	0.12	1.09	0.08	76.4	18.4	40
I101095		0.48	<0.005	0.13	1.80	4.3	<0.2	<10	140	0.71	0.13	0.78	0.11	68.5	13.5	34
I101096		0.46	<0.005	0.08	1.72	5.9	<0.2	<10	170	0.35	0.16	0.42	0.06	27.6	11.3	31
I101097		0.52	<0.005	0.11	1.67	8.1	<0.2	<10	180	0.41	0.17	0.39	0.05	37.4	14.6	34
I101098		0.44	0.010	0.11	1.91	5.1	<0.2	<10	140	0.34	0.15	0.37	0.06	26.2	11.0	34
I101099		0.38	<0.005	0.06	2.11	5.1	<0.2	<10	140	0.42	0.13	0.48	0.08	22.8	16.2	36
I101100		0.50	<0.005	0.11	1.82	6.6	<0.2	<10	130	0.59	0.10	0.94	0.07	55.6	17.0	36
I101101		0.50	<0.005	0.11	1.66	3.6	<0.2	<10	130	0.54	0.09	1.40	0.08	45.6	13.9	34
I101102		0.50	<0.005	0.10	1.85	4.3	<0.2	<10	130	0.59	0.12	1.06	0.07	56.6	15.2	42
I101103		0.46	<0.005	0.07	1.61	3.0	<0.2	<10	110	0.49	0.08	1.30	0.10	55.8	14.1	32
I101104		0.52	0.014	0.07	1.63	5.2	<0.2	<10	140	0.57	0.10	1.95	0.15	45.2	14.0	32
I101105		0.44	<0.005	0.06	1.54	6.1	<0.2	<10	120	0.41	0.09	1.19	0.11	37.3	12.7	30
I101106		0.40	<0.005	0.09	1.89	4.0	<0.2	<10	120	0.65	0.08	1.39	0.10	45.8	15.8	44
I101107		0.48	<0.005	0.08	1.81	3.7	<0.2	<10	120	0.61	0.07	1.25	0.10	47.5	15.6	41
I101108		0.46	<0.005	0.09	1.95	5.0	<0.2	<10	200	0.44	0.11	0.67	0.09	43.4	14.3	34
I101109		0.42	<0.005	0.06	1.69	5.4	<0.2	<10	190	0.35	0.10	0.50	0.08	35.5	10.9	31
I101110		0.46	<0.005	0.12	2.24	8.1	<0.2	<10	220	0.52	0.11	0.34	0.13	24.8	12.5	44
I101111		0.48	<0.005	0.08	1.71	10.9	<0.2	<10	200	0.56	0.12	0.46	0.08	52.4	15.2	36
I101112		0.50	<0.005	0.15	1.60	3.1	<0.2	<10	180	0.82	0.17	0.52	0.09	90.7	17.7	41
I101151		0.58	<0.005	0.22	2.13	5.5	<0.2	<10	190	0.54	0.16	0.30	0.12	41.7	14.5	45
I101152		0.46	<0.005	0.08	2.14	4.0	<0.2	<10	150	0.57	0.13	0.33	0.10	41.0	14.4	65
I101153		0.42	<0.005	0.24	2.00	5.3	<0.2	<10	190	0.53	0.16	0.32	0.16	42.8	14.3	42
I101154		0.42	<0.005	0.18	2.05	4.8	<0.2	<10	180	0.51	0.14	0.35	0.15	39.8	13.8	47
I101155		0.48	<0.005	0.20	1.97	4.9	<0.2	<10	180	0.52	0.15	0.30	0.12	44.5	13.9	46
I101156		0.42	<0.005	0.19	1.87	4.7	<0.2	<10	160	0.49	0.15	0.26	0.12	35.5	12.5	43
I101157		0.48	<0.005	0.20	1.92	4.8	<0.2	<10	180	0.50	0.15	0.32	0.15	39.1	13.4	44
I101158		0.38	<0.005	0.33	1.94	5.0	<0.2	<10	170	0.48	0.15	0.27	0.13	36.3	13.0	40
I101159		0.46	<0.005	0.24	1.98	5.2	<0.2	<10	170	0.55	0.15	0.32	0.14	41.3	14.3	48
I101160		0.46	<0.005	0.22	2.02	5.2	<0.2	<10	180	0.54	0.15	0.29	0.13	41.1	13.3	41
I101161		0.48	<0.005	0.23	2.07	5.4	<0.2	<10	180	0.53	0.16	0.30	0.13	39.4	13.7	41
I101162		0.44	<0.005	0.20	2.06	5.0	<0.2	<10	180	0.51	0.15	0.32	0.13	40.3	13.9	47
I101163		0.46	<0.005	0.19	2.08	5.2	<0.2	<10	170	0.56	0.15	0.34	0.13	42.2	14.2	51
I101164		0.44	<0.005	0.30	1.85	4.7	<0.2	<10	190	0.49	0.15	0.30	0.21	46.5	14.5	38
I101165		0.50	<0.005	0.23	1.99	5.0	<0.2	<10	180	0.48	0.16	0.28	0.12	35.2	13.4	39
I101166		0.42	<0.005	0.18	2.08	5.0	<0.2	<10	170	0.53	0.15	0.31	0.12	42.8	14.4	51
I101167		0.48	<0.005	0.19	2.04	4.9	<0.2	<10	180	0.52	0.14	0.34	0.13	43.6	14.4	47
I101168		0.46	<0.005	0.25	2.15	5.6	<0.2	<10	200	0.54	0.16	0.33	0.15	42.9	13.7	42
I101169		0.42	<0.005	0.22	1.93	5.0	<0.2	<10	180	0.52	0.15	0.33	0.15	39.4	13.7	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101092		2.83	37.7	3.18	5.58	0.12	0.07	0.05	0.029	0.23	46.2	17.6	0.64	494	0.76
I101093		3.55	38.2	3.44	5.73	0.11	0.06	0.05	0.033	0.38	50.5	16.9	0.74	571	0.74
I101094		3.68	36.1	3.69	5.26	0.13	0.07	0.03	0.035	0.28	62.7	15.5	0.64	528	0.98
I101095		1.72	33.0	3.32	6.15	0.11	0.07	0.04	0.034	0.11	59.2	14.4	0.53	335	0.77
I101096		1.18	20.4	3.25	6.92	0.05	0.05	0.01	0.031	0.09	14.7	13.6	0.48	273	1.27
I101097		1.14	27.2	3.60	6.70	0.06	0.08	0.02	0.032	0.13	18.3	13.1	0.51	436	1.44
I101098		1.38	21.9	3.23	8.33	0.05	0.05	0.01	0.026	0.08	12.5	15.0	0.60	250	1.55
I101099		1.43	27.3	3.16	7.61	0.05	0.05	0.03	0.028	0.09	14.0	24.5	0.62	497	0.95
I101100		1.95	37.8	3.29	5.97	0.09	0.06	0.05	0.027	0.16	36.0	17.8	0.72	473	0.80
I101101		2.34	37.6	2.90	5.44	0.10	0.06	0.04	0.021	0.28	33.3	18.9	0.66	302	0.57
I101102		2.34	38.9	3.40	6.33	0.12	0.06	0.04	0.028	0.28	48.7	21.0	0.73	354	0.78
I101103		2.22	33.2	3.08	5.49	0.10	0.04	0.04	0.024	0.25	40.2	20.5	0.63	288	0.63
I101104		1.06	29.1	2.88	5.38	0.07	0.06	0.04	0.027	0.07	25.9	14.5	0.55	468	0.53
I101105		0.88	22.3	2.75	5.10	0.09	0.06	0.03	0.023	0.07	20.3	13.5	0.55	417	0.66
I101106		1.97	29.7	3.25	6.55	0.14	0.06	0.04	0.024	0.21	33.0	21.4	0.84	426	0.62
I101107		1.95	28.7	3.16	6.35	0.13	0.07	0.03	0.024	0.21	32.6	20.4	0.80	455	0.65
I101108		0.99	26.0	3.03	6.85	0.11	0.09	0.03	0.027	0.08	24.4	17.7	0.61	368	0.71
I101109		1.07	20.1	2.79	6.19	0.08	0.17	0.02	0.021	0.10	18.6	15.1	0.57	280	0.81
I101110		0.88	25.8	3.41	6.82	0.08	0.21	0.02	0.027	0.06	12.3	14.6	0.67	317	0.98
I101111		0.79	26.8	3.94	5.67	0.11	0.10	0.02	0.034	0.15	25.2	10.1	0.49	403	1.08
I101112		4.57	43.6	4.18	5.62	0.17	0.09	0.03	0.046	0.42	49.1	12.2	0.65	574	1.36
I101151		1.90	25.8	3.63	8.11	0.10	0.07	0.02	0.034	0.30	20.4	14.9	0.71	656	1.59
I101152		4.46	35.6	3.63	7.54	0.10	0.06	0.01	0.033	0.52	15.4	18.2	1.06	364	1.25
I101153		1.76	25.1	3.47	8.08	0.09	0.05	0.01	0.033	0.27	20.2	13.7	0.64	1050	1.70
I101154		2.37	27.7	3.50	7.79	0.08	0.06	0.02	0.034	0.36	18.3	14.9	0.76	610	1.46
I101155		2.43	28.0	3.41	7.98	0.08	0.06	0.02	0.034	0.33	20.4	14.3	0.71	895	1.71
I101156		2.22	24.4	3.38	7.79	0.08	0.07	0.01	0.029	0.33	17.0	13.7	0.69	525	1.58
I101157		2.28	26.4	3.34	7.70	0.08	0.05	0.02	0.031	0.32	17.9	14.3	0.70	717	1.49
I101158		1.70	23.8	3.39	7.72	0.07	0.07	0.01	0.032	0.28	18.1	13.3	0.63	682	1.73
I101159		2.98	30.0	3.42	7.90	0.09	0.05	0.01	0.033	0.38	18.7	15.3	0.79	704	1.52
I101160		1.69	24.2	3.37	7.87	0.07	0.05	0.02	0.031	0.27	22.0	14.1	0.65	629	1.60
I101161		1.81	25.7	3.49	8.16	0.08	0.05	0.02	0.035	0.28	19.2	14.2	0.66	663	1.67
I101162		2.43	27.7	3.52	8.06	0.08	0.05	0.02	0.035	0.35	18.6	14.9	0.76	671	1.57
I101163		3.10	30.5	3.55	8.13	0.09	0.06	0.02	0.036	0.41	18.3	15.7	0.82	644	1.50
I101164		1.64	27.7	3.23	7.69	0.09	0.05	0.03	0.030	0.27	24.7	12.2	0.58	1200	1.56
I101165		1.63	22.5	3.39	7.58	0.07	0.06	0.02	0.032	0.27	16.9	12.9	0.62	760	1.57
I101166		2.82	29.6	3.53	7.97	0.09	0.05	0.02	0.033	0.38	18.2	15.7	0.82	636	1.39
I101167		2.68	30.0	3.46	7.82	0.09	0.05	0.01	0.032	0.36	19.5	14.8	0.77	794	1.46
I101168		1.78	24.9	3.51	8.25	0.09	0.05	0.02	0.035	0.24	22.0	14.5	0.66	785	1.67
I101169		2.23	26.4	3.37	7.73	0.09	0.04	0.02	0.029	0.31	18.1	13.8	0.68	801	1.53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101092		1.03	46.7	570	9.3	28.0	<0.001	0.04	0.20	5.8	1.0	0.5	51.9	0.01	0.03
I101093		1.03	47.6	880	14.2	44.3	<0.001	0.04	0.18	6.0	0.9	0.5	51.5	0.01	0.03
I101094		0.84	51.5	540	12.9	37.0	0.001	0.04	0.20	6.5	0.9	0.4	45.2	0.01	0.04
I101095		1.20	37.9	440	10.5	21.1	<0.001	0.03	0.24	5.8	0.8	0.6	40.4	<0.01	0.03
I101096		1.30	28.5	190	11.8	20.3	<0.001	0.01	0.29	4.1	0.2	0.6	26.0	<0.01	0.04
I101097		1.25	38.9	200	11.4	20.0	<0.001	0.02	0.33	4.9	0.4	0.6	27.2	<0.01	0.04
I101098		1.73	29.5	200	12.2	27.1	<0.001	0.01	0.34	3.9	0.3	0.6	25.6	<0.01	0.03
I101099		1.62	35.6	260	10.5	22.9	<0.001	0.02	0.29	4.0	0.3	0.5	29.9	<0.01	0.04
I101100		1.22	44.0	470	13.3	27.4	<0.001	0.04	0.22	5.2	0.8	0.4	41.3	<0.01	0.04
I101101		1.44	42.8	450	9.6	42.0	<0.001	0.05	0.22	3.9	0.8	0.4	51.7	0.01	0.04
I101102		1.18	47.5	540	10.2	36.6	<0.001	0.04	0.20	5.0	0.9	0.5	42.7	<0.01	0.04
I101103		1.16	39.9	500	9.2	37.1	0.001	0.07	0.19	3.9	0.9	0.4	51.8	<0.01	0.04
I101104		1.20	34.7	590	9.5	14.0	<0.001	0.06	0.26	4.2	0.8	0.4	76.1	<0.01	0.03
I101105		1.11	27.3	600	7.7	13.0	<0.001	0.05	0.26	3.7	0.7	0.4	54.3	<0.01	0.03
I101106		1.31	43.5	600	8.9	34.4	<0.001	0.04	0.21	4.9	0.9	0.5	57.4	<0.01	0.04
I101107		1.30	42.0	630	9.1	29.8	<0.001	0.03	0.22	4.8	0.8	0.5	52.8	<0.01	0.03
I101108		1.40	33.3	390	9.2	17.7	<0.001	0.02	0.30	5.1	0.6	0.6	40.4	<0.01	0.03
I101109		1.02	24.1	490	10.1	18.2	<0.001	0.01	0.54	4.5	0.4	0.6	31.6	<0.01	0.03
I101110		1.20	33.1	170	7.5	12.0	<0.001	0.01	0.52	5.2	0.4	0.6	27.7	<0.01	0.03
I101111		0.98	37.7	230	11.1	17.5	<0.001	0.01	0.40	4.9	0.5	0.5	29.3	<0.01	0.03
I101112		0.60	52.1	920	16.1	45.2	<0.001	0.01	0.18	9.7	1.2	0.6	25.8	<0.01	0.08
I101151		1.26	37.7	330	15.4	32.3	<0.001	0.01	0.42	4.6	0.4	0.7	24.3	<0.01	0.04
I101152		0.92	58.7	490	14.5	58.5	<0.001	0.01	0.19	5.1	0.5	0.6	22.1	<0.01	0.05
I101153		1.34	35.9	360	14.9	31.1	<0.001	0.01	0.39	4.4	0.4	0.7	26.1	<0.01	0.05
I101154		1.21	40.7	420	14.4	38.6	<0.001	0.01	0.31	4.5	0.5	0.7	26.7	<0.01	0.04
I101155		1.30	40.1	380	14.7	38.8	<0.001	0.01	0.33	4.6	0.5	0.7	25.3	<0.01	0.04
I101156		1.30	36.3	290	14.4	38.9	<0.001	0.01	0.33	4.2	0.4	0.7	22.7	<0.01	0.04
I101157		1.30	38.4	380	14.6	36.5	<0.001	0.01	0.32	4.4	0.4	0.7	26.6	<0.01	0.04
I101158		1.28	33.3	300	15.1	31.7	<0.001	0.01	0.36	4.1	0.4	0.7	22.8	<0.01	0.03
I101159		1.26	44.3	420	14.7	43.1	<0.001	0.01	0.30	4.8	0.5	0.7	25.7	<0.01	0.04
I101160		1.27	34.2	320	15.4	29.3	<0.001	0.01	0.36	4.4	0.4	0.7	24.3	<0.01	0.04
I101161		1.32	35.2	350	15.2	30.5	<0.001	0.01	0.36	4.5	0.5	0.8	25.1	<0.01	0.03
I101162		1.27	40.9	370	14.9	38.7	<0.001	0.01	0.32	4.6	0.4	0.7	25.8	<0.01	0.04
I101163		1.20	46.7	470	14.6	45.1	<0.001	0.01	0.29	4.9	0.5	0.7	25.6	<0.01	0.04
I101164		1.31	33.7	430	13.7	28.7	<0.001	0.01	0.35	4.3	0.5	0.7	25.5	<0.01	0.04
I101165		1.19	31.0	340	14.5	28.9	<0.001	0.01	0.35	4.1	0.4	0.7	22.8	<0.01	0.03
I101166		1.15	45.3	380	15.2	42.6	<0.001	0.01	0.29	4.8	0.4	0.7	24.6	<0.01	0.05
I101167		1.20	42.7	460	14.6	40.4	<0.001	0.01	0.29	4.7	0.5	0.7	26.1	<0.01	0.04
I101168		1.36	35.2	370	15.7	28.4	<0.001	0.01	0.39	4.6	0.4	0.8	27.3	<0.01	0.04
I101169		1.27	38.9	400	14.7	34.2	<0.001	0.01	0.33	4.4	0.4	0.7	26.0	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I101092		0.060	0.21	2.55	41	0.10	22.5	62
I101093		0.067	0.30	1.62	41	0.21	24.4	70
I101094		0.050	0.24	2.09	36	0.09	25.8	68
I101095		0.059	0.17	1.73	45	0.12	21.0	53
I101096		0.072	0.15	0.63	57	0.13	5.73	46
I101097		0.082	0.15	1.10	58	0.10	8.49	54
I101098		0.094	0.17	0.63	64	0.13	4.38	49
I101099		0.093	0.18	0.97	57	0.13	6.37	55
I101100		0.077	0.23	1.70	43	0.12	19.45	58
I101101		0.090	0.28	1.79	37	0.09	16.20	53
I101102		0.079	0.28	2.21	42	0.31	20.0	63
I101103		0.070	0.23	2.29	35	0.09	16.25	59
I101104		0.062	0.12	1.13	45	0.15	13.90	58
I101105		0.071	0.09	1.12	46	0.13	9.21	52
I101106		0.094	0.18	1.31	50	0.27	13.60	65
I101107		0.093	0.19	1.26	48	0.14	13.35	64
I101108		0.108	0.12	0.89	59	0.12	9.43	54
I101109		0.118	0.13	0.88	59	0.17	7.72	52
I101110		0.120	0.09	0.59	82	0.13	3.79	57
I101111		0.070	0.10	1.09	60	0.17	5.84	59
I101112		0.056	0.38	1.90	58	0.10	18.35	102
I101151		0.104	0.23	0.74	73	0.11	6.19	75
I101152		0.118	0.46	0.83	66	0.10	6.51	93
I101153		0.100	0.21	0.71	71	0.10	5.52	71
I101154		0.107	0.26	0.71	70	0.10	6.07	80
I101155		0.108	0.26	0.77	70	0.11	6.30	74
I101156		0.113	0.25	0.66	70	0.11	5.30	73
I101157		0.103	0.26	0.71	67	0.10	5.96	74
I101158		0.105	0.20	0.65	71	0.10	5.09	69
I101159		0.107	0.31	0.74	67	0.10	6.45	78
I101160		0.096	0.20	0.71	69	0.12	5.96	69
I101161		0.099	0.23	0.71	72	0.14	5.79	72
I101162		0.106	0.26	0.72	70	0.09	6.12	77
I101163		0.109	0.32	0.79	69	0.10	6.61	82
I101164		0.094	0.17	0.77	67	0.10	7.42	65
I101165		0.100	0.19	0.66	70	0.11	5.08	68
I101166		0.110	0.31	0.77	69	0.10	6.35	81
I101167		0.103	0.29	0.77	67	0.11	6.59	77
I101168		0.097	0.20	0.74	72	0.13	6.03	73
I101169		0.100	0.24	0.69	67	0.12	5.97	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I101170		0.50	<0.005	0.21	1.89	4.7	<0.2	<10	180	0.48	0.14	0.35	0.17	36.9	13.5	43
I101171		0.46	<0.005	0.24	1.97	5.1	<0.2	<10	190	0.50	0.15	0.32	0.15	40.8	14.0	42
I101172		0.48	<0.005	0.20	2.05	4.6	<0.2	<10	170	0.58	0.15	0.33	0.12	41.0	13.9	52
I101173		0.48	<0.005	0.15	1.96	4.2	<0.2	<10	160	0.56	0.13	0.35	0.13	41.2	13.7	49
I101174		0.32	<0.005	0.09	1.22	4.1	<0.2	<10	120	0.42	0.18	1.19	0.15	35.6	9.1	21
I101175		0.26	0.007	0.11	1.05	4.6	<0.2	<10	110	0.34	0.16	1.37	0.18	28.4	11.3	26
I101176		0.28	<0.005	0.12	0.84	3.9	<0.2	<10	120	0.44	0.13	1.66	0.22	43.5	9.8	15
I101201		0.40	<0.005	0.43	1.64	5.0	<0.2	<10	170	0.36	0.12	0.22	0.64	16.05	9.6	28
I101202		0.28	<0.005	0.38	1.60	4.8	<0.2	<10	220	0.42	0.11	0.40	0.54	18.90	10.5	31
I101203		0.32	<0.005	0.50	2.09	7.3	<0.2	<10	300	0.43	0.16	0.58	0.77	25.3	13.7	46
I101204		0.66	<0.005	0.36	2.29	13.3	<0.2	<10	350	0.63	0.20	0.68	0.51	37.1	12.0	44
I101205		0.60	<0.005	0.29	2.28	17.5	<0.2	<10	310	0.54	0.18	0.79	0.43	37.4	15.1	42
I101206		0.56	<0.005	0.35	2.48	14.7	<0.2	<10	330	0.60	0.19	0.71	0.53	43.6	16.9	51
I101207		0.38	0.019	0.12	1.75	14.0	<0.2	<10	170	0.30	0.16	0.55	0.26	24.7	7.6	34
I101208		0.42	<0.005	0.15	1.72	34.6	<0.2	<10	200	0.36	0.19	0.70	0.29	29.8	13.7	34
I101209		0.44	<0.005	0.09	1.57	9.9	<0.2	<10	190	0.35	0.14	0.88	0.15	21.8	9.4	28
I101210		0.44	<0.005	0.15	1.56	21.6	<0.2	<10	180	0.79	0.15	0.59	0.83	56.3	9.9	28
I101211		0.38	<0.005	0.28	1.86	90.2	<0.2	<10	130	1.55	0.25	0.27	0.75	52.2	17.0	32
I101212		0.24	<0.005	0.61	0.90	21.8	<0.2	<10	140	3.07	0.11	0.37	2.30	195.5	6.4	14
I101213		0.30	<0.005	0.28	0.51	4.5	<0.2	<10	190	0.46	0.06	0.42	0.59	20.3	1.5	12
I101214		0.26	<0.005	0.27	1.20	110.5	<0.2	<10	120	0.25	0.21	0.14	0.26	20.3	4.0	23
I101215		0.26	<0.005	0.22	0.86	30.8	<0.2	<10	80	0.17	0.13	0.13	0.22	12.05	3.0	13
I101216		0.28	<0.005	0.48	1.61	44.0	<0.2	<10	180	0.94	0.26	0.36	0.76	29.3	8.0	26
I101217		0.34	<0.005	0.57	1.71	764	<0.2	<10	230	0.69	0.32	0.15	0.34	47.9	5.9	32
I101218		0.26	<0.005	0.52	0.58	23.3	<0.2	<10	70	0.12	0.14	0.06	0.27	16.05	2.7	12
I101219		0.32	<0.005	0.70	2.18	31.6	<0.2	<10	370	0.43	0.20	0.22	0.99	23.3	10.9	38
I101220		0.28	<0.005	0.30	2.85	20.4	<0.2	<10	240	0.55	0.25	0.26	0.84	27.4	13.2	45
I101221		0.22	<0.005	0.45	0.95	10.0	<0.2	<10	180	0.74	0.11	2.03	1.65	36.8	7.1	34
I101222		0.34	<0.005	0.97	1.77	91.2	<0.2	<10	110	0.45	0.21	0.18	0.60	27.2	11.6	32
I101223		0.44	<0.005	0.48	1.12	10.0	<0.2	<10	120	0.29	0.22	0.25	0.35	27.5	4.0	30
I101224		0.36	<0.005	0.59	1.36	14.2	<0.2	<10	150	0.40	0.22	0.29	0.37	32.2	6.0	27
I101225		0.30	<0.005	0.98	1.57	6.3	<0.2	<10	180	0.54	0.18	0.38	1.13	27.1	10.3	48
I101226		0.28	<0.005	0.59	1.32	183.5	<0.2	<10	140	0.56	0.22	0.26	0.55	37.3	5.2	30
I101228		0.34	<0.005	0.46	0.88	58.1	<0.2	<10	100	0.44	0.13	0.19	0.43	27.8	3.6	22
I101229		0.28	<0.005	0.33	0.58	23.3	<0.2	<10	50	0.22	0.13	0.22	0.24	16.10	1.9	24
I101230		0.34	0.006	0.47	1.24	27.7	<0.2	<10	160	0.28	0.20	0.28	0.30	29.3	3.9	27
I101231		0.24	0.022	0.40	0.95	86.2	<0.2	<10	100	0.30	0.18	0.17	0.26	28.0	2.6	19
I101232		0.22	<0.005	0.19	1.26	13.4	<0.2	<10	140	0.48	0.18	0.18	0.34	27.9	4.5	21
I101233		0.38	0.011	0.38	1.48	54.7	<0.2	<10	190	0.31	0.24	0.13	0.22	37.4	6.7	25
I101234		0.24	<0.005	0.12	1.35	46.4	<0.2	<10	170	0.23	0.26	0.10	0.14	30.6	3.0	26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101170		2.20	26.1	3.27	7.26	0.09	0.04	0.02	0.031	0.31	17.0	13.7	0.68	724	1.44
I101171		1.84	25.0	3.38	7.89	0.09	0.05	0.02	0.032	0.28	20.2	13.3	0.64	855	1.87
I101172		2.78	30.8	3.55	7.79	0.09	0.05	0.02	0.031	0.39	18.7	15.1	0.81	649	1.63
I101173		3.36	33.2	3.41	7.26	0.09	0.04	0.02	0.031	0.42	16.8	15.3	0.82	642	1.36
I101174		1.99	18.8	1.75	4.63	0.08	0.04	0.05	0.018	0.07	16.8	13.0	0.38	517	0.93
I101175		1.75	18.8	1.78	4.06	0.07	0.04	0.07	0.014	0.07	14.1	11.2	0.35	586	1.51
I101176		1.21	22.8	1.47	3.10	0.08	0.04	0.08	0.015	0.05	20.8	6.5	0.22	727	1.38
I101201		0.51	18.3	2.41	6.47	0.06	<0.02	0.02	0.021	0.06	8.1	10.0	0.38	202	1.52
I101202		0.65	19.4	2.33	6.37	0.06	0.04	0.02	0.024	0.08	8.4	9.7	0.40	446	1.27
I101203		1.32	46.6	3.01	7.98	0.05	0.04	0.03	0.034	0.20	11.8	14.2	0.73	556	2.67
I101204		0.99	60.3	3.15	7.36	0.08	0.12	0.04	0.034	0.09	19.4	14.9	0.64	429	1.76
I101205		0.79	60.5	3.14	7.54	0.08	0.15	0.05	0.036	0.08	18.0	15.8	0.70	687	1.68
I101206		1.25	60.2	3.46	8.18	0.08	0.15	0.04	0.041	0.12	20.7	17.0	0.79	815	2.05
I101207		0.85	28.8	2.29	6.16	0.06	0.05	0.03	0.025	0.06	12.2	13.2	0.59	187	0.44
I101208		0.94	30.8	2.89	5.84	0.07	0.05	0.17	0.026	0.07	14.2	13.6	0.66	345	1.27
I101209		0.59	32.2	2.50	4.91	0.06	0.06	0.02	0.025	0.07	10.5	11.2	0.58	322	0.70
I101210		0.80	27.3	2.47	5.30	0.08	0.07	0.02	0.032	0.07	25.3	11.8	0.53	264	1.07
I101211		1.50	25.1	2.70	8.31	0.07	0.05	0.06	0.058	0.07	23.0	16.5	0.46	796	1.79
I101212		1.07	34.6	1.18	4.22	0.16	0.07	0.08	0.036	0.04	81.9	4.3	0.14	195	1.35
I101213		0.53	32.0	0.76	1.54	<0.05	0.02	0.07	0.014	0.02	8.4	0.8	0.06	46	0.67
I101214		1.35	21.6	2.98	7.95	<0.05	<0.02	0.05	0.021	0.08	11.1	7.0	0.20	237	2.01
I101215		1.30	11.7	1.53	4.50	<0.05	<0.02	0.01	0.011	0.05	5.9	5.3	0.14	86	1.35
I101216		3.89	28.6	2.25	6.70	0.05	0.03	0.03	0.039	0.08	14.8	12.8	0.35	417	2.35
I101217		3.52	45.5	3.42	7.24	0.06	<0.02	0.05	0.036	0.15	25.8	11.8	0.38	255	5.55
I101218		1.19	16.9	1.38	4.28	<0.05	<0.02	0.03	0.008	0.04	7.7	2.0	0.10	78	1.22
I101219		1.92	38.6	3.26	7.98	0.05	0.04	0.02	0.031	0.10	11.5	17.2	0.45	307	3.53
I101220		3.14	44.9	3.82	8.58	0.05	0.04	0.03	0.036	0.09	13.4	28.4	0.62	349	3.84
I101221		1.79	60.1	1.22	2.81	0.08	0.06	0.09	0.018	0.04	23.0	6.4	0.23	685	2.20
I101222		4.29	36.3	2.76	7.17	<0.05	<0.02	0.04	0.026	0.09	14.9	14.6	0.45	406	1.96
I101223		2.38	41.1	1.92	5.50	0.05	0.02	0.05	0.023	0.06	13.6	6.3	0.28	103	2.35
I101224		2.59	37.0	2.31	5.75	0.05	<0.02	0.07	0.025	0.07	16.3	10.9	0.37	164	4.34
I101225		3.30	72.6	2.61	7.13	0.06	<0.02	0.04	0.030	0.14	14.1	11.4	0.61	495	2.74
I101226		2.07	41.3	2.50	5.45	0.05	0.02	0.05	0.031	0.07	18.4	8.6	0.33	140	2.61
I101228		3.11	33.7	1.37	4.07	<0.05	<0.02	0.05	0.019	0.05	13.7	4.5	0.21	101	1.44
I101229		2.42	21.2	0.84	3.18	<0.05	<0.02	0.07	0.015	0.04	8.3	1.7	0.07	44	0.75
I101230		2.32	42.4	1.86	5.54	0.05	<0.02	0.06	0.023	0.06	14.0	7.9	0.35	142	2.05
I101231		1.52	32.0	1.68	4.25	0.05	0.02	0.07	0.022	0.04	12.2	3.8	0.16	55	1.98
I101232		0.71	22.7	2.29	6.01	<0.05	0.02	0.02	0.042	0.09	17.2	8.2	0.19	119	2.61
I101233		2.13	31.8	2.59	6.55	0.05	<0.02	0.03	0.028	0.08	20.1	12.2	0.27	254	3.27
I101234		1.69	18.7	1.95	7.72	<0.05	<0.02	0.02	0.019	0.06	16.5	7.6	0.21	103	2.90



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101170		1.25	38.3	410	13.9	34.8	<0.001	0.01	0.34	4.1	0.4	0.7	27.2	<0.01	0.04
I101171		1.29	35.7	340	14.3	31.6	<0.001	0.01	0.37	4.3	0.4	0.7	26.2	<0.01	0.04
I101172		1.21	45.5	410	14.5	42.6	<0.001	0.01	0.31	4.5	0.4	0.7	25.2	<0.01	0.05
I101173		1.12	44.9	550	14.0	46.0	<0.001	0.01	0.26	4.6	0.5	0.6	24.6	<0.01	0.04
I101174		0.91	21.7	710	13.3	13.7	<0.001	0.08	0.30	2.5	0.8	0.5	67.2	<0.01	0.03
I101175		0.85	24.8	860	11.4	13.7	<0.001	0.12	0.30	2.4	0.8	0.4	77.6	<0.01	0.03
I101176		0.59	20.4	960	10.9	9.4	<0.001	0.15	0.37	2.0	1.0	0.3	95.1	<0.01	0.03
I101201		0.80	25.1	450	7.9	6.8	<0.001	0.01	0.40	2.7	0.5	0.5	20.3	<0.01	0.03
I101202		0.95	27.3	390	7.3	11.1	<0.001	0.01	0.36	3.5	0.4	0.5	28.4	<0.01	0.03
I101203		1.02	48.4	590	9.7	20.3	<0.001	0.02	0.41	5.2	1.2	0.5	45.6	<0.01	0.06
I101204		1.40	44.7	520	10.0	12.3	0.001	0.02	0.59	7.0	1.4	0.5	55.3	<0.01	0.06
I101205		1.56	45.9	610	9.8	9.9	0.001	0.03	0.75	7.2	1.4	0.6	59.8	<0.01	0.06
I101206		1.32	51.9	630	10.3	15.3	<0.001	0.02	0.65	8.3	1.2	0.6	51.2	<0.01	0.07
I101207		1.43	25.1	570	10.5	9.1	0.001	0.03	0.42	5.4	0.7	0.5	43.5	<0.01	0.03
I101208		1.36	30.8	750	13.2	9.9	<0.001	0.03	0.48	5.1	0.8	0.5	42.1	<0.01	0.04
I101209		1.27	27.1	750	8.6	6.4	<0.001	0.02	0.47	4.6	0.5	0.4	48.6	<0.01	0.03
I101210		2.42	26.9	650	37.3	7.9	<0.001	0.05	0.68	4.5	0.9	0.6	41.6	<0.01	0.04
I101211		3.69	22.9	540	100.5	9.3	<0.001	0.04	1.26	3.8	1.0	0.8	23.9	<0.01	0.06
I101212		1.96	17.0	730	101.5	5.9	0.001	0.10	0.76	1.5	1.7	0.4	32.8	0.01	0.05
I101213		0.40	14.7	690	7.4	1.8	0.005	0.12	0.52	0.6	2.1	0.2	32.0	<0.01	0.02
I101214		1.05	12.2	1050	13.2	8.0	<0.001	0.06	1.20	1.9	0.6	0.6	19.2	<0.01	0.07
I101215		0.72	8.8	170	7.7	7.0	<0.001	0.01	0.62	1.6	0.4	0.4	14.9	<0.01	0.03
I101216		4.54	25.1	570	16.1	15.3	<0.001	0.04	0.72	2.9	1.0	0.8	33.0	0.01	0.05
I101217		2.93	24.1	780	24.3	17.3	<0.001	0.20	6.31	2.9	3.1	0.6	52.0	<0.01	0.11
I101218		0.29	10.1	320	5.7	4.0	<0.001	0.03	0.86	1.0	0.4	0.3	9.7	<0.01	0.03
I101219		1.19	39.7	510	11.3	8.5	<0.001	0.04	1.07	3.6	1.1	0.6	28.7	<0.01	0.06
I101220		1.32	43.4	410	17.1	13.8	<0.001	0.05	1.02	4.3	1.0	0.6	38.4	<0.01	0.06
I101221		0.65	53.0	930	7.5	7.1	0.004	0.20	0.60	2.4	7.4	0.2	110.5	0.01	0.03
I101222		1.01	34.0	380	16.4	14.6	<0.001	0.03	0.67	3.4	0.8	0.5	21.4	<0.01	0.05
I101223		1.12	23.7	710	19.1	12.1	0.002	0.09	0.36	1.8	2.9	0.4	25.3	<0.01	0.06
I101224		1.30	26.5	760	20.9	12.6	0.003	0.10	0.51	2.3	2.7	0.4	29.9	<0.01	0.07
I101225		0.44	43.5	700	7.7	14.5	0.001	0.06	0.59	3.7	1.6	0.5	36.8	<0.01	0.07
I101226		1.87	25.6	790	17.0	12.5	<0.001	0.08	1.73	2.4	2.8	0.4	29.0	<0.01	0.07
I101228		1.29	14.9	600	9.2	8.4	<0.001	0.07	1.77	1.0	1.6	0.3	23.3	<0.01	0.04
I101229		0.85	13.9	590	12.8	6.3	<0.001	0.08	1.05	0.7	1.4	0.3	19.3	<0.01	0.03
I101230		0.87	19.5	640	11.0	11.0	0.002	0.11	1.00	2.2	2.3	0.4	27.7	<0.01	0.07
I101231		0.96	11.6	670	8.6	8.8	<0.001	0.09	1.05	1.4	2.2	0.3	20.0	<0.01	0.11
I101232		2.83	14.3	350	16.3	7.2	<0.001	0.14	0.74	2.0	0.6	0.7	26.8	<0.01	0.06
I101233		0.47	20.1	670	11.8	13.4	<0.001	0.09	0.98	1.4	1.5	0.4	30.4	<0.01	0.11
I101234		0.57	13.8	330	12.7	11.8	<0.001	0.04	0.68	1.6	0.7	0.6	22.5	<0.01	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I101170		0.096	0.25	0.64	64	0.14	5.76	73	1.9
I101171		0.098	0.21	0.70	68	0.12	5.86	69	2.0
I101172		0.109	0.30	0.76	68	0.11	6.18	82	2.1
I101173		0.105	0.34	0.79	64	0.12	6.72	82	1.7
I101174		0.055	0.13	0.88	35	0.16	6.54	43	1.4
I101175		0.049	0.11	0.75	35	0.16	5.45	44	1.5
I101176		0.032	0.10	0.97	25	0.15	8.17	29	1.6
I101201		0.067	0.07	0.37	61	0.13	3.26	82	<0.5
I101202		0.069	0.08	0.43	57	0.14	3.75	75	1.5
I101203		0.083	0.13	1.20	82	0.18	8.53	144	1.7
I101204		0.112	0.11	2.00	73	0.22	17.50	86	6.1
I101205		0.113	0.09	1.62	77	0.20	15.95	102	7.3
I101206		0.115	0.14	1.26	89	0.19	16.15	127	7.7
I101207		0.107	0.08	0.96	57	0.17	8.61	79	2.6
I101208		0.100	0.08	0.98	66	0.46	11.40	81	2.1
I101209		0.109	0.06	0.45	58	0.18	8.47	57	2.5
I101210		0.104	0.08	1.69	58	0.17	20.8	124	2.5
I101211		0.102	0.13	3.03	64	0.29	16.90	132	1.2
I101212		0.031	0.08	4.22	18	0.33	63.7	60	0.7
I101213		0.017	0.03	2.25	8	<0.05	18.50	17	<0.5
I101214		0.077	0.10	0.47	76	0.17	2.57	54	0.5
I101215		0.059	0.07	0.40	42	0.11	2.85	33	<0.5
I101216		0.050	0.11	1.92	49	0.29	19.15	92	<0.5
I101217		0.040	0.26	1.63	67	0.48	8.97	88	<0.5
I101218		0.038	0.07	0.31	37	0.09	2.13	35	<0.5
I101219		0.077	0.13	0.59	86	0.21	3.77	103	1.9
I101220		0.076	0.15	0.89	83	0.19	4.67	113	2.3
I101221		0.024	0.09	2.59	22	0.12	32.3	52	2.0
I101222		0.068	0.15	0.88	59	0.18	5.71	88	<0.5
I101223		0.041	0.15	1.37	26	0.12	6.36	41	0.5
I101224		0.045	0.16	1.43	36	0.18	6.72	64	<0.5
I101225		0.055	0.15	1.16	71	0.12	15.60	101	<0.5
I101226		0.035	0.17	2.23	46	0.16	11.60	74	<0.5
I101228		0.023	0.12	1.99	22	0.32	10.40	44	<0.5
I101229		0.023	0.10	1.14	10	0.11	6.77	20	<0.5
I101230		0.046	0.16	1.88	31	0.13	9.84	47	<0.5
I101231		0.040	0.15	1.94	23	0.21	8.94	28	<0.5
I101232		0.064	0.10	0.60	50	0.15	4.01	39	0.9
I101233		0.036	0.20	0.90	56	0.16	7.64	53	<0.5
I101234		0.042	0.20	0.55	59	0.15	4.45	34	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I101235		0.28	0.005	0.46	1.66	48.9	<0.2	<10	90	0.43	0.32	0.13	0.21	42.4	9.4	33
I101236		0.34	<0.005	0.17	1.74	24.0	<0.2	<10	60	0.45	0.24	0.18	0.09	57.9	8.9	35
I101237		0.34	0.005	0.35	1.00	87.9	<0.2	<10	80	0.58	0.15	0.19	0.23	64.0	19.0	19
I101251		0.30	<0.005	0.05	1.00	4.8	<0.2	<10	80	0.25	0.81	0.10	0.28	15.40	4.9	22
I101252		0.34	<0.005	0.10	1.81	5.4	<0.2	<10	140	0.71	0.26	0.21	0.07	75.4	7.8	21
I101253		0.32	<0.005	0.09	1.26	6.5	<0.2	<10	150	0.25	0.19	0.23	0.21	20.1	7.4	21
I101254		0.46	<0.005	0.03	2.01	5.1	<0.2	<10	200	0.55	0.15	0.30	0.05	34.8	8.1	26
I101255		0.26	<0.005	0.07	1.55	5.3	<0.2	<10	170	0.55	0.19	0.40	0.12	39.3	6.5	23
I101256		0.38	<0.005	0.05	3.23	10.6	<0.2	<10	230	0.65	0.19	0.26	0.13	25.6	14.6	36
I101257		0.44	<0.005	0.03	2.22	7.7	<0.2	<10	150	0.39	0.24	0.27	0.15	23.7	8.3	26
I101258		0.28	<0.005	0.15	1.14	4.1	<0.2	<10	130	0.25	0.20	0.56	0.18	15.05	4.1	16
I101259		0.60	<0.005	0.04	2.30	8.1	<0.2	<10	190	0.51	0.19	0.37	0.09	41.7	10.2	33
I101260		0.36	<0.005	0.04	1.84	5.4	<0.2	<10	170	0.53	0.18	0.39	0.09	37.2	8.3	28
I101261		0.44	<0.005	0.03	2.41	6.9	<0.2	<10	200	0.69	0.20	0.40	0.07	45.5	9.6	34
I101262		0.44	<0.005	0.04	2.26	6.8	<0.2	<10	210	0.44	0.16	0.42	0.17	23.9	9.3	34
I101263		0.58	<0.005	0.05	2.30	6.8	<0.2	<10	220	0.48	0.18	0.48	0.09	29.2	8.5	33
I101264		0.44	<0.005	0.09	1.99	6.7	<0.2	<10	230	0.43	0.16	0.95	0.24	27.8	9.0	31
I101265		0.38	<0.005	0.07	1.64	6.3	<0.2	<10	200	0.36	0.14	0.80	0.15	27.0	8.6	28
I101266		0.32	<0.005	0.17	1.88	4.4	<0.2	<10	140	0.52	0.13	1.44	0.15	106.0	12.2	35
I101267		0.30	<0.005	0.10	1.21	6.1	<0.2	<10	120	0.44	0.09	3.14	0.26	26.6	9.8	27
I101268		0.50	<0.005	0.07	2.07	4.0	<0.2	<10	120	0.47	0.08	1.25	0.12	38.5	15.1	46
I101269		0.40	<0.005	0.08	2.22	5.0	<0.2	<10	170	0.53	0.12	0.96	0.08	44.4	13.6	39
I101270		0.40	<0.005	0.11	2.20	6.5	<0.2	<10	180	0.35	0.17	0.33	0.19	15.95	10.9	35
I101271		0.40	<0.005	0.07	2.33	4.6	<0.2	<10	150	0.40	0.11	0.51	0.08	24.4	13.3	46
I101272		0.36	<0.005	0.04	2.55	4.0	<0.2	<10	130	0.63	0.12	0.32	0.05	32.2	16.5	47
I101273		0.30	0.006	0.06	1.96	9.5	<0.2	<10	140	0.40	0.17	0.73	0.15	33.9	12.1	34
I101274		0.24	<0.005	0.09	1.35	5.0	<0.2	<10	270	0.51	0.19	1.87	0.28	82.7	10.3	21
I101275		0.24	0.005	0.14	0.94	3.5	<0.2	<10	180	0.33	0.09	2.99	0.25	38.9	7.2	16
I101276		0.20	0.007	0.10	0.84	3.8	<0.2	<10	160	0.38	0.08	3.18	0.21	38.7	7.1	15
I101277		0.38	<0.005	0.09	1.06	4.2	<0.2	<10	170	0.35	0.11	2.24	0.14	44.9	7.2	20
I101278		0.30	NSS	0.08	1.41	5.1	<0.2	<10	120	0.21	0.11	0.61	0.13	23.8	14.1	28
I101279		0.46	0.005	0.09	1.44	4.3	<0.2	<10	140	0.24	0.12	1.04	0.11	26.3	11.4	29
I101280		0.44	0.008	0.07	1.40	5.9	<0.2	<10	120	0.26	0.10	0.80	0.11	25.9	10.8	28
I101281		0.48	<0.005	0.11	1.96	4.7	<0.2	<10	130	0.33	0.12	0.61	0.11	26.7	13.2	40
I101282		0.28	<0.005	0.02	2.54	6.5	<0.2	<10	130	0.54	0.17	0.51	0.07	27.2	17.6	55
I101283		0.30	<0.005	0.05	1.78	4.3	<0.2	<10	110	0.34	0.15	0.46	0.08	20.3	10.3	35
I101284		0.38	0.010	0.08	1.63	4.4	<0.2	<10	140	0.33	0.11	1.00	0.14	27.3	12.0	34
I101285		0.36	<0.005	0.06	1.64	5.3	<0.2	<10	140	0.27	0.11	0.77	0.15	23.7	9.3	32
I101286		0.46	<0.005	0.08	1.68	7.5	<0.2	<10	160	0.35	0.13	1.02	0.21	24.0	11.5	32
I101287		0.48	<0.005	0.13	1.74	7.7	<0.2	<10	190	0.55	0.14	1.20	0.14	47.4	14.0	37



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101235		5.68	32.1	2.88	7.14	0.05	<0.02	0.04	0.032	0.08	23.5	28.4	0.47	348	6.58
I101236		6.88	19.1	2.80	8.01	0.06	<0.02	0.03	0.022	0.15	28.1	20.7	0.62	223	1.06
I101237		4.18	31.8	1.81	3.53	0.06	<0.02	0.04	0.017	0.06	34.0	9.4	0.26	853	1.02
I101251		1.50	13.4	1.88	6.62	<0.05	<0.02	0.02	0.015	0.09	6.8	5.6	0.21	318	2.25
I101252		2.48	17.6	2.46	7.47	0.06	0.05	0.03	0.026	0.09	66.8	13.9	0.34	386	1.13
I101253		2.11	9.9	2.83	7.60	0.06	0.02	0.01	0.015	0.19	7.6	8.1	0.38	938	1.28
I101254		2.00	14.9	2.81	6.68	0.08	0.15	0.01	0.021	0.12	27.0	12.3	0.53	297	0.85
I101255		1.13	12.9	2.41	6.03	0.08	0.03	0.01	0.021	0.12	30.3	11.5	0.37	440	1.04
I101256		1.39	20.8	3.71	7.43	0.08	0.15	0.03	0.036	0.13	13.2	15.4	0.50	322	1.52
I101257		1.10	14.1	3.00	7.43	0.07	0.09	0.01	0.028	0.07	12.6	13.0	0.35	281	1.32
I101258		0.60	10.4	1.96	5.68	0.05	0.02	0.01	0.017	0.07	8.5	7.9	0.20	627	1.15
I101259		0.77	16.7	3.07	7.81	0.08	0.14	0.02	0.029	0.09	22.3	14.5	0.49	406	1.44
I101260		0.72	16.1	2.53	6.13	0.07	0.06	0.02	0.024	0.09	21.4	12.6	0.46	255	0.83
I101261		0.85	22.1	3.03	6.61	0.07	0.23	0.02	0.030	0.09	21.2	14.4	0.52	283	0.81
I101262		0.51	16.9	2.86	6.42	0.07	0.16	0.01	0.026	0.07	12.8	13.5	0.50	366	1.09
I101263		0.56	19.4	2.87	6.39	0.07	0.18	0.02	0.028	0.08	16.0	12.7	0.51	272	0.98
I101264		0.60	27.5	2.65	5.42	0.08	0.10	0.03	0.023	0.06	14.9	12.9	0.57	374	0.69
I101265		0.55	28.3	2.50	4.94	0.09	0.10	0.02	0.022	0.07	13.7	11.1	0.54	319	0.58
I101266		1.97	33.4	3.09	5.89	0.20	0.08	0.06	0.028	0.18	87.1	17.1	0.60	469	0.90
I101267		1.04	28.1	2.15	3.88	0.08	0.06	0.06	0.020	0.06	14.7	10.0	0.49	500	0.70
I101268		3.03	31.5	3.50	6.19	0.11	0.05	0.03	0.021	0.45	20.1	20.3	1.05	496	0.57
I101269		1.36	28.9	3.24	6.58	0.11	0.06	0.03	0.027	0.11	33.4	16.3	0.68	389	0.70
I101270		0.92	15.0	3.41	7.74	0.07	0.05	0.02	0.024	0.06	8.1	12.5	0.53	903	1.24
I101271		1.74	26.0	3.59	7.18	0.09	0.07	0.01	0.023	0.16	12.5	20.0	0.89	339	0.75
I101272		3.12	35.7	4.22	8.03	0.10	0.06	0.01	0.029	0.53	13.7	26.4	1.10	341	0.78
I101273		0.91	22.3	3.25	6.43	0.09	0.09	0.01	0.030	0.09	16.4	12.5	0.49	288	0.86
I101274		0.98	25.9	2.73	4.55	0.12	0.06	0.03	0.027	0.22	43.2	10.5	0.40	481	0.67
I101275		0.81	22.8	1.68	2.71	0.07	0.06	0.05	0.017	0.16	20.6	7.1	0.39	371	0.53
I101276		0.90	24.3	1.60	2.58	0.07	0.06	0.05	0.017	0.14	21.9	6.7	0.38	351	0.73
I101277		1.10	22.1	2.13	3.26	0.08	0.05	0.03	0.020	0.14	24.2	8.5	0.41	248	0.61
I101278		1.44	15.4	2.53	4.37	0.07	0.02	0.03	0.017	0.05	11.5	10.9	0.49	986	0.87
I101279		1.30	18.7	2.53	4.62	0.08	0.04	0.03	0.020	0.10	13.2	12.1	0.53	469	0.70
I101280		1.49	18.2	2.60	4.16	0.07	0.03	0.03	0.018	0.06	12.3	9.7	0.50	430	0.66
I101281		2.55	25.2	3.21	5.72	0.08	0.03	0.02	0.024	0.17	13.9	17.1	0.72	305	0.60
I101282		4.99	30.0	3.64	6.22	0.09	0.07	0.01	0.021	0.21	16.7	20.2	1.09	359	0.72
I101283		1.72	20.2	2.88	5.05	0.08	0.05	0.02	0.021	0.15	10.5	12.5	0.62	260	0.62
I101284		1.61	25.4	2.69	4.89	0.08	0.05	0.03	0.020	0.13	13.5	14.2	0.62	326	0.56
I101285		0.63	22.6	2.55	4.83	0.08	0.08	0.02	0.021	0.06	11.7	11.6	0.64	364	0.53
I101286		0.62	29.2	2.81	5.09	0.09	0.10	0.02	0.023	0.07	11.8	11.7	0.71	426	0.61
I101287		1.93	34.2	4.04	5.14	0.12	0.08	0.04	0.031	0.21	25.9	12.6	0.62	236	0.75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101235		0.62	29.9	650	14.6	17.2	<0.001	0.06	0.63	2.1	1.2	0.5	25.6	<0.01	0.19
I101236		1.24	29.6	490	14.6	30.2	<0.001	0.03	0.68	2.8	0.6	0.5	13.4	<0.01	0.04
I101237		0.39	19.1	730	9.8	11.4	<0.001	0.06	1.54	1.2	0.7	0.2	15.4	<0.01	0.03
I101251		1.06	14.4	370	11.5	20.2	<0.001	0.01	0.20	2.1	<0.2	0.6	11.8	<0.01	0.03
I101252		1.04	15.5	260	22.0	19.2	<0.001	0.01	0.22	4.0	0.3	0.7	22.7	<0.01	0.03
I101253		1.73	12.2	500	12.1	32.9	<0.001	0.02	0.36	2.2	0.2	0.7	26.1	<0.01	0.03
I101254		1.08	17.2	210	19.0	22.3	<0.001	0.01	0.29	3.6	0.3	0.7	37.6	<0.01	0.02
I101255		1.23	16.3	290	21.1	19.2	<0.001	0.01	0.27	2.7	0.4	0.7	34.8	<0.01	0.02
I101256		1.74	29.1	340	17.2	14.7	<0.001	0.02	0.51	4.8	0.5	0.7	28.3	0.01	0.04
I101257		1.47	17.9	310	16.3	15.1	<0.001	0.01	0.36	3.3	0.3	0.7	26.7	<0.01	0.03
I101258		0.98	10.0	300	13.7	10.7	<0.001	0.01	0.26	2.0	0.2	0.7	36.2	<0.01	0.03
I101259		1.26	21.8	250	15.0	13.8	<0.001	0.01	0.34	5.4	0.5	0.8	38.6	<0.01	0.04
I101260		1.23	19.0	320	17.6	11.9	<0.001	0.01	0.30	3.8	0.3	0.6	33.7	<0.01	0.03
I101261		1.15	22.9	260	17.7	13.6	<0.001	0.04	0.35	5.4	0.4	0.7	35.4	<0.01	0.03
I101262		1.11	20.2	280	12.3	9.3	<0.001	0.03	0.33	4.7	0.4	0.6	35.7	<0.01	0.03
I101263		1.09	18.7	260	11.9	9.9	<0.001	0.03	0.37	5.3	0.4	0.6	39.7	<0.01	0.03
I101264		1.54	21.8	540	9.3	9.0	<0.001	0.04	0.47	5.2	0.8	0.5	68.4	<0.01	0.03
I101265		1.38	23.0	690	7.6	8.0	0.001	0.03	0.46	5.0	0.6	0.5	51.0	<0.01	0.03
I101266		1.07	40.0	610	10.8	26.7	0.001	0.07	0.24	5.3	1.6	0.5	63.1	0.01	0.04
I101267		0.89	28.1	680	8.8	12.7	<0.001	0.11	0.27	3.0	1.1	0.3	115.5	<0.01	0.04
I101268		1.30	44.1	770	9.0	44.8	<0.001	0.04	0.16	4.4	0.7	0.4	55.6	<0.01	0.04
I101269		1.44	38.5	510	9.0	19.2	<0.001	0.03	0.24	5.0	0.8	0.5	58.7	<0.01	0.04
I101270		1.65	22.5	310	11.7	11.2	<0.001	0.01	0.42	3.3	0.3	0.7	28.9	<0.01	0.04
I101271		1.50	40.5	420	9.6	23.3	<0.001	0.05	0.21	4.1	0.3	0.5	32.7	<0.01	0.03
I101272		1.57	51.7	340	10.6	56.8	<0.001	0.04	0.18	4.5	0.3	0.4	24.2	<0.01	0.04
I101273		1.43	32.2	240	13.2	14.4	<0.001	0.04	0.36	5.1	0.5	0.5	43.8	<0.01	0.04
I101274		0.78	24.4	840	18.0	18.8	0.001	0.08	0.29	3.8	1.0	0.4	107.5	0.01	0.04
I101275		0.61	18.2	710	8.9	14.9	0.001	0.18	0.26	2.5	1.1	0.3	167.0	<0.01	0.03
I101276		0.57	18.6	790	8.3	16.2	0.002	0.24	0.28	2.3	1.4	0.2	186.5	0.01	0.04
I101277		0.72	19.7	680	9.8	17.5	0.001	0.20	0.25	3.2	1.0	0.3	120.5	<0.01	0.04
I101278		0.96	20.4	710	5.7	12.6	<0.001	0.18	0.19	3.2	0.5	0.4	38.5	<0.01	0.03
I101279		1.03	22.1	720	7.6	15.5	<0.001	0.21	0.18	3.9	0.8	0.4	62.6	<0.01	0.04
I101280		0.88	20.9	750	6.1	12.5	<0.001	0.02	0.16	3.4	0.5	0.3	51.4	<0.01	0.03
I101281		1.22	35.4	630	9.9	23.3	<0.001	<0.01	0.18	4.7	0.5	0.4	37.8	<0.01	0.04
I101282		1.32	43.2	550	20.4	21.4	<0.001	<0.01	0.20	4.1	0.4	0.5	35.7	<0.01	0.03
I101283		1.23	25.6	640	7.7	16.5	<0.001	<0.01	0.20	4.0	0.5	0.5	29.0	<0.01	0.02
I101284		1.24	29.4	770	6.1	16.4	<0.001	0.07	0.21	4.7	0.6	0.4	58.1	<0.01	0.02
I101285		1.42	26.3	800	6.2	7.0	0.001	0.16	0.34	5.1	0.5	0.4	45.3	<0.01	0.02
I101286		1.57	27.4	810	6.1	7.1	<0.001	0.20	0.43	5.5	0.7	0.5	57.9	<0.01	0.02
I101287		1.25	38.9	540	10.3	23.6	0.001	0.22	0.29	6.9	0.9	0.5	62.2	<0.01	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I101235		0.035	0.28	1.11	55	0.14	7.31	78	<0.5
I101236		0.056	0.26	1.07	30	0.14	9.36	75	<0.5
I101237		0.027	0.11	1.57	26	0.08	12.25	45	<0.5
I101251		0.068	0.11	0.49	44	0.17	2.24	31	0.5
I101252		0.049	0.13	1.42	48	0.18	10.95	38	1.6
I101253		0.116	0.19	0.48	64	0.14	2.11	57	0.8
I101254		0.079	0.16	0.94	50	0.13	6.66	49	5.8
I101255		0.062	0.10	1.12	49	0.14	8.55	47	0.9
I101256		0.102	0.10	1.09	73	0.19	5.46	53	6.2
I101257		0.083	0.09	0.63	68	0.17	3.95	44	3.5
I101258		0.059	0.06	0.52	49	0.14	2.69	42	0.6
I101259		0.095	0.08	1.15	72	0.15	8.14	48	5.9
I101260		0.088	0.08	1.05	54	0.15	6.62	47	2.4
I101261		0.101	0.09	1.49	63	0.16	6.18	47	9.6
I101262		0.104	0.06	0.77	67	0.14	5.34	48	6.3
I101263		0.113	0.07	0.71	67	0.15	6.64	46	7.0
I101264		0.105	0.06	1.13	59	0.14	10.60	54	4.2
I101265		0.109	0.06	0.70	58	0.14	10.40	50	3.9
I101266		0.067	0.17	2.73	42	0.18	41.7	62	1.4
I101267		0.045	0.09	1.17	37	0.08	10.40	61	2.1
I101268		0.097	0.30	0.95	46	0.10	10.05	79	1.6
I101269		0.087	0.14	1.08	55	0.13	14.25	56	2.4
I101270		0.098	0.12	0.45	75	0.14	3.09	66	2.1
I101271		0.130	0.18	0.70	59	0.10	5.54	61	2.9
I101272		0.121	0.40	0.83	56	0.08	5.80	76	2.2
I101273		0.064	0.11	0.77	60	0.11	5.57	44	3.4
I101274		0.038	0.10	2.48	35	0.20	18.30	40	1.1
I101275		0.028	0.08	2.43	26	0.08	10.80	35	1.6
I101276		0.025	0.10	3.32	23	0.06	12.55	31	1.7
I101277		0.039	0.10	2.54	32	0.08	11.45	38	1.4
I101278		0.080	0.10	0.75	54	0.11	5.31	54	0.7
I101279		0.078	0.10	0.92	48	0.10	6.97	58	1.4
I101280		0.072	0.09	0.87	49	0.12	6.49	50	0.8
I101281		0.104	0.17	0.86	60	0.18	6.06	72	1.3
I101282		0.154	0.21	0.62	65	0.13	4.68	71	2.7
I101283		0.113	0.11	0.63	58	0.11	5.59	54	1.8
I101284		0.102	0.11	1.71	54	0.27	8.34	54	1.9
I101285		0.133	0.06	0.63	68	0.16	9.08	54	2.9
I101286		0.124	0.06	1.05	68	0.13	10.10	60	3.5
I101287		0.081	0.15	1.11	59	0.13	16.70	59	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I101288		0.28	<0.005	0.16	1.87	4.5	<0.2	<10	270	0.50	0.14	2.83	0.59	37.4	14.1	38
I101301		0.40	<0.005	0.03	2.06	6.3	<0.2	<10	200	0.78	0.53	0.26	0.09	24.6	15.6	32
I101302		0.52	<0.005	0.05	1.71	8.2	<0.2	<10	100	0.28	0.21	0.16	0.09	13.90	5.0	25
I101303		0.48	<0.005	0.05	2.13	7.9	<0.2	<10	140	0.43	0.13	0.42	0.05	17.90	13.4	31
I101304		0.46	<0.005	0.03	1.85	17.2	<0.2	<10	110	0.24	0.15	0.28	0.09	15.90	9.3	28
I101305		0.50	<0.005	0.02	2.98	27.4	<0.2	<10	150	0.39	0.14	0.16	0.09	11.75	12.2	19
I101306		0.48	<0.005	0.03	1.90	6.4	<0.2	<10	110	0.63	0.22	0.23	0.08	51.4	8.3	22
I101307		0.42	<0.005	0.04	2.52	9.4	<0.2	<10	190	0.63	0.21	0.33	0.11	31.6	12.5	35
I101308		0.38	<0.005	0.03	2.45	7.7	<0.2	<10	160	0.59	0.16	0.31	0.06	29.1	12.3	34
I101309		0.44	<0.005	0.03	2.77	12.5	<0.2	<10	160	0.51	0.21	0.32	0.07	22.3	12.9	34
I101310		0.54	<0.005	0.03	3.34	12.6	<0.2	<10	200	0.65	0.16	0.19	0.10	21.3	15.5	15
I101311		0.50	<0.005	0.02	3.04	18.7	<0.2	<10	120	0.42	0.44	0.21	0.09	15.25	13.6	21
I101312		0.48	<0.005	0.03	2.55	12.7	<0.2	<10	210	0.33	0.21	0.24	0.09	21.4	9.7	35
I101313		0.46	<0.005	0.02	1.90	11.3	<0.2	<10	140	0.19	0.27	0.18	0.11	21.1	6.8	30
I101314		0.44	<0.005	0.08	2.23	7.5	<0.2	<10	210	0.42	0.20	0.34	0.13	25.8	8.9	31
I101315		0.42	<0.005	0.03	2.51	10.2	<0.2	<10	130	0.35	0.20	0.20	0.09	14.50	9.4	31
I101316		0.58	<0.005	0.10	1.33	55.1	<0.2	<10	260	0.45	0.22	0.31	0.26	20.4	17.2	48
I101317		0.40	<0.005	0.04	2.10	41.9	<0.2	<10	120	0.23	0.28	0.15	0.51	23.5	9.7	40
I101318		0.50	<0.005	0.07	2.63	89.5	<0.2	<10	160	0.39	0.25	0.19	0.32	26.5	20.2	65
I101319		0.42	0.005	0.09	2.51	15.9	<0.2	<10	170	0.31	0.24	0.17	0.39	21.3	9.5	36
I101320		0.48	0.006	0.23	2.69	21.2	<0.2	<10	210	0.41	0.25	0.20	0.23	31.5	12.6	48
I101321		0.50	0.009	0.18	1.57	4.1	<0.2	<10	240	0.85	0.18	1.58	0.25	164.0	11.2	25
I101322		0.44	0.007	0.16	1.87	4.3	<0.2	<10	170	0.55	0.13	1.09	0.19	110.0	17.0	43
I101323		0.36	0.007	0.18	1.56	3.9	<0.2	<10	140	0.64	0.17	0.79	0.19	112.0	12.8	31
I101324		0.58	0.006	0.08	1.71	4.9	<0.2	<10	140	0.57	0.14	0.94	0.12	76.5	12.9	33
I101325		0.38	<0.005	0.07	1.61	5.4	<0.2	<10	130	0.47	0.17	0.86	0.11	47.2	11.5	40
I101326		0.48	<0.005	0.08	1.27	3.3	<0.2	<10	90	0.45	0.09	1.31	0.13	26.9	10.6	28
I101327		0.40	<0.005	0.11	1.98	4.9	<0.2	<10	180	0.44	0.13	0.47	0.07	26.5	10.5	37
I101328		0.48	<0.005	0.02	2.81	4.0	<0.2	<10	200	0.64	0.07	0.50	0.11	25.0	20.7	50
I101329		0.44	<0.005	0.12	2.36	9.0	<0.2	<10	150	0.39	0.21	0.22	0.06	23.0	11.8	43
I101330		0.36	0.012	0.21	1.87	4.9	<0.2	<10	140	0.37	0.17	0.34	0.03	41.7	16.7	34
I101331		0.42	<0.005	0.19	2.55	3.5	<0.2	<10	170	0.51	0.23	1.33	0.06	35.5	20.1	87
I101332		0.42	0.006	0.10	1.75	3.5	<0.2	<10	110	0.52	0.12	1.81	0.08	53.7	12.7	43
I101333		0.42	<0.005	0.10	1.80	3.8	<0.2	<10	140	0.40	0.13	1.26	0.10	50.3	13.8	41
I101334		0.56	<0.005	0.09	1.48	3.6	<0.2	<10	120	0.62	0.16	1.28	0.11	84.7	11.7	28
I101335		0.48	<0.005	0.07	1.24	2.7	<0.2	<10	130	0.75	0.16	1.76	0.13	106.0	11.5	23
I101336		0.40	<0.005	0.16	1.48	4.4	<0.2	<10	110	0.51	0.19	0.36	0.13	51.1	6.9	23
I101337		0.44	<0.005	0.16	1.88	5.8	<0.2	<10	120	0.45	0.18	0.31	0.11	49.1	7.8	28
I101338		0.46	0.018	0.23	1.60	4.3	<0.2	<10	100	0.32	0.23	0.35	0.14	35.0	11.0	29
I101339		0.38	<0.005	0.28	1.60	3.7	<0.2	<10	150	0.49	0.10	1.34	0.21	115.0	11.6	29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101288		1.85	32.3	3.23	5.40	0.10	0.07	0.03	0.029	0.33	20.0	9.7	0.63	736	0.66
I101301		4.57	13.5	3.97	6.23	0.07	0.02	0.02	0.039	0.17	11.6	8.3	0.43	373	1.63
I101302		1.03	12.2	2.62	8.17	0.05	0.02	0.03	0.018	0.05	7.1	8.8	0.35	120	1.21
I101303		1.19	29.7	3.16	6.81	0.07	0.04	0.02	0.020	0.05	9.0	13.6	0.73	274	0.94
I101304		1.07	13.7	3.69	7.68	0.08	0.04	0.02	0.021	0.08	8.2	13.2	0.61	314	1.19
I101305		3.15	12.5	5.39	11.25	0.08	0.07	0.02	0.041	0.05	5.3	20.2	0.77	348	1.25
I101306		1.82	12.5	2.87	7.19	0.08	0.03	0.02	0.061	0.15	30.2	12.6	0.50	225	0.79
I101307		1.62	23.8	3.62	7.58	0.08	0.05	0.03	0.031	0.08	16.5	16.7	0.80	372	0.75
I101308		1.45	19.2	3.56	7.43	0.07	0.04	0.03	0.028	0.08	14.7	15.5	0.79	378	0.72
I101309		1.07	34.8	3.80	8.54	0.08	0.09	0.02	0.033	0.05	10.8	15.7	0.74	384	0.84
I101310		7.14	11.3	5.39	11.05	0.08	0.07	0.02	0.064	0.09	8.5	37.6	0.71	683	0.84
I101311		5.48	9.9	6.18	13.85	0.10	0.02	0.02	0.055	0.12	6.1	17.3	1.00	516	1.60
I101312		1.60	20.1	4.16	9.86	0.07	0.06	0.02	0.034	0.05	10.6	17.8	0.60	262	1.48
I101313		0.95	14.6	3.74	11.05	0.07	0.04	0.03	0.027	0.04	10.6	12.5	0.41	227	1.30
I101314		1.04	25.0	3.03	8.10	0.07	0.03	0.02	0.030	0.05	12.8	12.1	0.50	320	0.87
I101315		1.53	14.4	4.81	9.79	0.08	0.04	0.02	0.029	0.07	7.3	18.9	0.62	282	1.03
I101316		0.97	54.0	4.68	5.09	0.09	0.03	0.03	0.052	0.04	11.4	7.6	0.35	867	1.93
I101317		1.46	31.9	4.63	10.25	0.09	0.04	0.03	0.036	0.06	10.7	17.8	0.57	347	2.18
I101318		2.64	55.7	6.03	9.67	0.11	0.02	0.04	0.055	0.06	11.7	14.1	1.01	702	4.00
I101319		1.34	23.2	4.14	10.60	0.07	0.04	0.03	0.035	0.05	10.1	15.1	0.43	340	2.13
I101320		1.50	29.8	3.94	10.00	0.08	0.04	0.05	0.039	0.05	14.5	13.8	0.62	363	2.16
I101321		2.48	26.5	3.24	7.15	0.21	0.08	0.08	0.034	0.14	125.5	15.4	0.50	503	1.02
I101322		1.63	32.3	3.21	7.11	0.16	0.05	0.06	0.032	0.11	81.6	20.6	0.62	523	0.78
I101323		1.96	26.7	2.85	6.01	0.13	0.03	0.06	0.028	0.11	57.6	14.2	0.49	512	0.97
I101324		1.86	22.1	3.24	6.98	0.11	0.04	0.04	0.032	0.11	45.4	18.8	0.62	576	0.75
I101325		1.55	16.6	2.93	6.78	0.09	0.06	0.02	0.024	0.09	24.1	17.1	0.59	458	0.85
I101326		1.28	26.9	2.16	4.24	0.09	0.05	0.03	0.014	0.08	15.1	15.2	0.48	198	0.35
I101327		1.33	24.4	2.56	6.81	0.07	0.03	0.04	0.023	0.08	14.8	21.1	0.66	206	0.58
I101328		2.97	39.4	4.36	7.22	0.12	0.05	0.01	0.021	0.61	9.9	25.6	1.30	562	0.63
I101329		1.48	22.0	4.02	10.50	0.08	0.13	0.02	0.030	0.07	11.3	17.6	0.65	280	1.92
I101330		1.51	22.9	3.55	8.68	0.10	0.05	0.04	0.022	0.11	30.0	14.7	0.56	787	2.24
I101331		2.69	39.5	4.23	9.22	0.11	0.05	0.05	0.035	0.42	19.3	23.4	1.24	677	0.80
I101332		1.80	34.5	3.02	6.12	0.15	0.08	0.06	0.027	0.25	50.3	18.4	0.77	359	0.64
I101333		1.78	27.3	3.19	6.95	0.11	0.04	0.04	0.024	0.24	30.2	18.0	0.73	446	0.74
I101334		3.82	29.9	3.30	6.44	0.17	0.05	0.04	0.036	0.34	69.0	16.6	0.56	378	1.77
I101335		3.99	20.9	3.01	4.92	0.11	0.06	0.05	0.028	0.26	60.4	10.0	0.39	559	1.12
I101336		2.38	15.2	2.51	7.20	0.07	0.02	0.03	0.025	0.15	37.0	9.2	0.37	244	0.99
I101337		2.12	14.3	2.76	7.82	0.06	0.03	0.03	0.025	0.11	36.2	15.0	0.44	208	1.19
I101338		2.56	13.7	2.87	6.48	0.05	0.05	0.02	0.024	0.15	22.5	13.8	0.48	458	1.33
I101339		2.36	30.7	2.55	5.29	0.15	0.05	0.05	0.024	0.16	92.4	14.0	0.55	310	0.72



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10-OCT-2010
Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I101288		1.17	35.6	800	9.6	28.9	<0.001	0.23	0.28	6.6	0.9	0.5	118.5	0.01	0.04
I101301		0.56	21.5	640	10.5	34.9	<0.001	<0.01	0.28	7.4	0.5	2.0	19.3	<0.01	0.03
I101302		1.08	11.2	400	8.2	9.1	<0.001	<0.01	0.31	2.7	0.4	0.8	16.0	<0.01	0.03
I101303		1.23	17.1	470	5.8	9.2	<0.001	<0.01	0.33	5.6	0.3	0.7	32.0	<0.01	0.03
I101304		1.70	14.8	470	8.6	13.8	<0.001	<0.01	0.39	3.5	0.3	0.6	21.8	<0.01	0.04
I101305		1.02	10.9	240	8.7	14.2	<0.001	<0.01	0.73	7.1	0.3	5.3	15.6	<0.01	0.03
I101306		1.49	15.4	580	10.1	32.2	<0.001	<0.01	0.51	3.9	0.5	1.4	17.7	<0.01	0.02
I101307		1.09	23.9	300	12.7	16.9	<0.001	<0.01	0.48	6.4	0.5	1.4	28.8	<0.01	0.03
I101308		1.19	19.5	330	8.8	15.6	<0.001	<0.01	0.44	5.7	0.4	1.3	26.2	<0.01	0.03
I101309		1.19	18.5	240	10.0	9.9	<0.001	<0.01	0.42	6.7	0.4	1.0	29.4	<0.01	0.02
I101310		0.48	9.6	420	15.9	29.9	<0.001	<0.01	1.00	8.6	0.3	1.2	18.7	<0.01	0.03
I101311		1.06	10.0	340	11.1	25.3	<0.001	<0.01	2.09	8.4	0.3	4.4	22.6	<0.01	0.05
I101312		1.93	20.1	250	8.9	10.7	<0.001	<0.01	0.61	5.0	0.4	0.8	22.3	<0.01	0.04
I101313		1.96	13.2	270	11.4	8.0	<0.001	<0.01	0.56	3.5	0.4	0.8	19.2	<0.01	0.05
I101314		1.24	17.9	460	9.3	10.5	<0.001	<0.01	0.39	5.0	0.5	0.7	29.9	<0.01	0.03
I101315		2.02	14.1	310	11.5	11.0	<0.001	<0.01	0.47	4.2	0.4	0.6	18.0	<0.01	0.05
I101316		0.66	41.3	960	13.9	7.7	<0.001	<0.01	0.97	10.3	0.9	0.5	19.4	<0.01	0.05
I101317		1.96	28.3	350	25.2	10.6	<0.001	<0.01	0.79	4.4	0.9	0.7	14.6	<0.01	0.07
I101318		0.77	49.0	820	20.6	14.4	<0.001	<0.01	1.79	8.6	1.8	0.6	14.5	<0.01	0.08
I101319		2.03	21.5	390	14.8	10.5	<0.001	<0.01	0.73	4.2	0.7	0.8	19.1	0.01	0.05
I101320		1.61	34.8	440	15.5	12.3	<0.001	<0.01	0.63	5.7	0.8	0.8	21.1	0.01	0.05
I101321		0.91	19.9	970	16.9	25.6	0.001	0.04	0.25	6.4	1.5	0.5	92.7	0.01	0.03
I101322		1.13	38.3	750	17.0	24.9	0.001	0.02	0.26	6.2	1.1	0.5	75.0	0.01	0.02
I101323		0.89	27.0	850	16.2	27.6	<0.001	0.04	0.21	5.2	0.9	0.5	48.5	<0.01	0.02
I101324		1.07	24.0	670	14.7	27.5	<0.001	0.02	0.19	4.7	0.8	0.6	55.5	<0.01	0.02
I101325		0.96	24.9	740	15.5	22.7	<0.001	0.02	0.17	4.4	0.6	0.5	49.0	<0.01	0.03
I101326		1.28	25.3	610	7.3	15.7	<0.001	0.05	0.19	3.5	0.7	0.3	77.6	<0.01	0.02
I101327		1.25	30.4	510	10.1	19.9	<0.001	0.01	0.23	4.0	0.5	0.5	32.7	<0.01	0.02
I101328		1.25	44.5	1030	5.8	73.1	<0.001	<0.01	0.21	3.9	0.4	0.4	31.4	<0.01	0.03
I101329		1.64	23.4	210	12.0	27.1	<0.001	<0.01	0.44	4.6	0.3	0.8	22.0	<0.01	0.04
I101330		1.90	21.8	260	10.6	28.7	<0.001	<0.01	0.32	3.6	0.5	0.5	26.4	<0.01	0.03
I101331		2.02	57.3	850	26.2	78.6	<0.001	0.01	0.19	5.0	0.8	0.7	60.0	<0.01	0.06
I101332		1.25	38.3	660	11.2	33.4	<0.001	0.05	0.20	4.9	1.2	0.4	87.7	0.01	0.03
I101333		1.38	31.7	610	13.1	33.4	<0.001	0.02	0.22	4.8	0.7	0.5	66.4	<0.01	0.03
I101334		0.95	26.4	1070	15.6	40.7	<0.001	0.02	0.18	6.3	1.1	0.5	63.1	0.01	0.02
I101335		0.69	21.1	890	26.0	30.4	0.001	0.07	0.19	3.5	0.8	0.5	85.2	0.01	0.03
I101336		0.97	14.3	600	21.7	29.3	<0.001	0.03	0.19	2.5	0.5	0.7	25.3	<0.01	0.04
I101337		1.30	17.1	580	19.5	21.6	<0.001	0.02	0.22	3.4	0.4	0.7	24.9	<0.01	0.04
I101338		1.34	16.8	670	31.8	26.6	<0.001	0.01	0.20	3.1	0.3	0.6	21.5	<0.01	0.03
I101339		1.12	34.0	810	10.0	25.2	0.001	0.06	0.23	3.3	1.1	0.4	67.6	0.01	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQ10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
I101288		0.085	0.15	0.82	55	0.12	12.50	71
I101301		0.033	0.25	1.15	82	0.16	12.50	46
I101302		0.098	0.11	0.51	73	0.16	3.07	31
I101303		0.133	0.12	0.91	75	0.15	6.26	50
I101304		0.156	0.11	0.50	83	0.22	3.73	52
I101305		0.051	0.12	0.37	101	0.16	3.92	55
I101306		0.092	0.27	1.31	49	0.25	8.42	32
I101307		0.133	0.19	0.92	74	0.19	8.68	53
I101308		0.136	0.16	0.83	75	0.16	7.20	52
I101309		0.148	0.10	0.56	83	0.14	6.01	53
I101310		0.021	0.42	0.71	89	0.25	5.27	58
I101311		0.111	0.22	0.77	124	0.38	5.28	57
I101312		0.128	0.13	0.59	93	0.21	4.62	49
I101313		0.134	0.12	0.53	100	0.20	3.43	39
I101314		0.103	0.10	0.66	71	0.16	8.40	43
I101315		0.157	0.12	0.40	95	0.18	3.30	45
I101316		0.048	0.10	0.78	91	0.15	18.25	92
I101317		0.124	0.16	0.70	97	0.20	5.79	77
I101318		0.043	0.20	0.91	125	0.16	8.29	174
I101319		0.134	0.12	0.61	100	0.27	4.48	60
I101320		0.133	0.16	1.10	98	0.18	7.29	68
I101321		0.048	0.13	2.80	38	0.16	42.5	69
I101322		0.065	0.17	2.44	50	0.14	36.4	72
I101323		0.062	0.18	1.84	43	0.09	18.00	69
I101324		0.075	0.19	1.23	47	0.13	15.35	71
I101325		0.069	0.17	1.09	46	0.09	9.27	78
I101326		0.082	0.12	0.97	39	0.09	8.89	54
I101327		0.105	0.16	0.96	49	0.12	6.67	53
I101328		0.195	0.43	0.54	70	0.14	5.04	76
I101329		0.153	0.23	0.69	95	0.12	4.40	54
I101330		0.132	0.20	0.83	73	0.12	11.40	45
I101331		0.154	0.31	1.06	79	0.12	13.55	66
I101332		0.080	0.22	3.50	43	0.17	31.3	53
I101333		0.100	0.21	1.44	50	0.08	13.95	55
I101334		0.065	0.26	2.95	37	0.08	32.0	65
I101335		0.036	0.21	3.89	27	0.11	25.5	56
I101336		0.078	0.19	1.64	45	0.25	10.90	51
I101337		0.084	0.19	1.48	53	0.15	10.25	51
I101338		0.093	0.22	0.86	50	0.14	7.20	56
I101339		0.067	0.18	2.29	41	0.10	34.8	64



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 10 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
I101340		0.48	0.008	0.09	1.46	4.1	<0.2	<10	140	0.43	0.14	1.15	0.12	44.2	9.4	27
I101341		0.46	<0.005	0.07	1.20	4.0	<0.2	<10	100	0.38	0.07	1.74	0.14	18.15	11.4	26
I101342		0.34	<0.005	0.06	1.35	3.8	<0.2	<10	140	0.36	0.06	2.02	0.16	21.8	12.5	31
I101343		0.56	<0.005	0.07	1.70	4.7	<0.2	<10	110	0.49	0.10	1.33	0.12	33.3	13.7	38
I101344		0.38	<0.005	0.07	0.75	2.9	<0.2	<10	80	0.13	0.13	0.37	0.15	15.25	3.6	17
I101345		0.44	<0.005	0.17	1.18	3.4	<0.2	<10	90	0.22	0.15	0.28	0.16	27.9	4.7	20
I101346		0.42	<0.005	0.14	1.10	2.9	<0.2	<10	80	0.19	0.15	0.27	0.10	25.1	4.4	18
I101347		0.42	<0.005	0.13	1.93	5.3	<0.2	<10	120	0.41	0.18	0.40	0.10	38.3	9.3	29
I101348		0.54	<0.005	0.08	2.08	4.0	<0.2	<10	90	0.68	0.28	0.46	0.11	62.6	14.8	30
I101349		0.46	<0.005	0.17	1.77	5.7	<0.2	<10	160	0.44	0.15	0.44	0.16	45.1	10.1	46
I101350		0.56	<0.005	0.17	2.42	3.6	<0.2	<10	180	0.58	0.11	0.72	0.10	78.9	16.8	46
I315051		0.50	<0.005	0.13	1.58	11.0	<0.2	<10	140	0.80	0.12	1.96	0.76	49.8	14.8	36
I315052		0.36	<0.005	0.10	2.03	7.0	<0.2	<10	90	0.25	0.14	0.26	0.14	21.0	13.8	37
I315053		0.62	<0.005	0.08	2.55	5.4	<0.2	<10	170	0.41	0.12	0.50	0.08	44.5	15.4	44
I315054		0.34	<0.005	0.14	2.14	3.7	<0.2	<10	140	0.90	0.07	1.34	0.20	37.0	21.9	51
I315055		0.64	<0.005	0.06	2.66	7.2	<0.2	<10	220	0.55	0.11	0.54	0.04	33.7	14.7	43



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I101340		1.22	15.5	2.17	5.53	0.06	0.08	0.04	0.025	0.06	22.6	13.4	0.46	586	0.68
I101341		1.50	23.1	2.11	3.62	0.05	0.06	0.03	0.017	0.04	9.2	12.5	0.41	381	0.33
I101342		2.47	21.3	2.49	4.05	0.07	0.05	0.03	0.016	0.16	12.2	13.9	0.69	625	0.34
I101343		3.65	27.4	3.22	5.03	0.09	0.05	0.04	0.020	0.25	18.4	17.9	0.76	285	0.44
I101344		0.93	13.9	1.58	5.02	<0.05	0.02	0.01	0.013	0.09	9.3	4.2	0.19	95	0.92
I101345		1.58	14.2	1.95	6.99	<0.05	0.03	0.02	0.020	0.12	21.5	7.3	0.32	135	1.09
I101346		1.49	11.5	1.75	6.57	<0.05	0.04	0.01	0.017	0.11	18.3	6.9	0.31	129	1.02
I101347		2.63	14.6	2.94	8.15	0.07	0.03	0.02	0.027	0.13	30.2	18.4	0.54	277	0.96
I101348		7.01	19.7	3.98	8.83	0.08	0.04	0.01	0.038	0.37	25.2	17.5	0.65	540	0.92
I101349		1.46	20.2	3.09	7.78	0.07	0.03	0.03	0.029	0.13	40.7	15.2	0.53	287	1.30
I101350		3.31	36.0	3.98	8.80	0.17	0.07	0.04	0.030	0.48	101.5	26.0	0.99	455	0.81
I315051		0.85	35.4	3.28	5.07	0.07	0.07	0.05	0.034	0.07	26.5	11.0	0.65	795	0.84
I315052		1.49	16.8	3.33	8.50	0.05	0.02	0.08	0.026	0.14	10.5	14.7	0.66	394	1.25
I315053		2.81	25.5	3.85	8.36	0.07	0.02	0.02	0.035	0.22	21.2	20.1	0.81	305	0.81
I315054		4.39	46.8	3.79	6.69	0.09	0.08	0.05	0.023	0.40	23.1	23.9	1.13	1380	0.58
I315055		1.68	32.8	3.36	7.76	0.06	0.07	0.03	0.030	0.05	18.5	18.3	0.89	329	0.55



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 10 - OCT - 2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
I101340		1.01	17.0	790	12.1	11.9	<0.001	0.09	0.25	3.4	0.5	0.5	56.4	<0.01	0.03	3.9
I101341		1.06	23.9	660	6.9	10.2	<0.001	0.10	0.25	2.6	0.6	0.3	109.5	<0.01	0.02	1.0
I101342		1.09	27.7	770	6.7	25.3	<0.001	0.09	0.18	2.4	0.6	0.3	67.7	<0.01	0.03	1.4
I101343		1.30	35.8	800	8.1	36.4	<0.001	0.05	0.23	3.3	0.5	0.4	72.4	<0.01	0.03	3.5
I101344		0.90	11.0	180	7.9	11.8	<0.001	0.01	0.20	2.0	0.2	0.5	22.3	<0.01	0.03	1.4
I101345		1.50	11.4	200	19.3	25.7	<0.001	0.01	0.22	2.4	0.3	0.7	21.5	<0.01	0.04	4.8
I101346		1.51	10.4	160	18.2	25.9	<0.001	0.01	0.19	2.3	0.2	0.7	21.6	<0.01	0.03	4.9
I101347		1.50	20.0	560	18.9	26.3	<0.001	0.02	0.25	3.2	0.4	0.7	28.0	<0.01	0.04	6.2
I101348		1.09	25.6	1300	33.3	66.7	<0.001	0.01	0.19	3.9	0.4	0.9	22.5	<0.01	0.04	14.9
I101349		1.47	23.1	360	16.1	20.2	<0.001	0.02	0.30	3.6	0.4	0.7	35.6	<0.01	0.04	6.3
I101350		1.51	39.3	780	13.3	49.6	<0.001	0.02	0.19	6.2	0.9	0.6	47.2	0.01	0.04	13.5
I315051		0.83	45.3	1100	17.4	8.9	<0.001	0.05	0.34	4.9	0.8	0.5	68.1	<0.01	0.04	3.3
I315052		1.37	29.9	350	9.7	25.4	<0.001	0.01	0.29	3.1	0.2	0.6	18.5	<0.01	0.04	3.6
I315053		1.40	41.2	510	13.0	27.8	<0.001	0.01	0.21	4.4	0.3	0.6	26.7	<0.01	0.04	6.0
I315054		1.56	54.8	730	13.3	76.2	<0.001	0.03	0.20	4.2	0.7	0.5	59.3	<0.01	0.05	7.1
I315055		1.50	38.0	500	10.0	9.5	<0.001	0.01	0.25	5.0	0.4	0.6	34.9	<0.01	0.03	5.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 10 - OCT - 2010
 Account: EIASQI

Project: SQ110-06

CERTIFICATE OF ANALYSIS WH10137859

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
I101340		0.064	0.12	1.12	38	0.09	8.78	53	2.8
I101341		0.064	0.10	0.71	38	0.07	6.08	57	2.2
I101342		0.073	0.19	0.74	37	0.07	7.01	60	1.9
I101343		0.094	0.30	0.92	45	0.11	8.76	75	1.8
I101344		0.072	0.08	0.38	47	0.11	2.44	37	0.6
I101345		0.101	0.20	0.80	45	0.11	5.24	39	1.1
I101346		0.103	0.19	0.65	42	0.10	4.57	37	1.5
I101347		0.105	0.23	1.17	58	0.24	9.60	63	1.1
I101348		0.096	0.49	1.70	49	0.11	15.60	88	1.2
I101349		0.095	0.12	1.15	62	0.13	10.05	49	1.1
I101350		0.125	0.31	2.83	58	0.13	38.6	79	1.9
I315051		0.042	0.09	1.64	64	0.13	17.80	117	2.1
I315052		0.095	0.16	0.45	69	0.15	3.58	71	1.0
I315053		0.115	0.26	0.84	61	0.09	7.62	68	0.9
I315054		0.114	0.55	1.31	46	0.24	13.20	97	2.8
I315055		0.121	0.15	0.75	69	0.19	7.81	61	2.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **EQUITY EXPLORATION CONSULTANTS LTD.**
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10 - OCT - 2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10137859

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS41	NSS is non-sufficient sample. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

Appendix D: Rock Sample Descriptions

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I031008 Flow	Grid North:		Grid East:		Type: Float	Alteration: Qz	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6992306	N	UTM 545284	E	Strike Length Exp:	Metallics: Py	<0.005	0.17	5.6	49.9
	Elevation:		Sample Width:		True Width:	Secondaries: Ja, Mn, He	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : metamorphosed granite		10.6	23	1.23	0.38
Sampled By: TB 16-Jun-10	Sample Py in metamorphic subcrop on ridge. Very little of this stuff here.									
I031009 Flow	Grid North:		Grid East:		Type: Float	Alteration: Qz	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6992170	N	UTM 545267	E	Strike Length Exp:	Metallics: Py, Cp, Gl	0.008	1.53	73.7	37.5
	Elevation:		Sample Width:		True Width:	Secondaries: Ge, Ja,	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartz		309	14	0.29	1.38
Sampled By: TB 16-Jun-10	Sample qtz talus with Traces of Gl, Cp plus some Py. Very little of this here.									

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I031055 Flow	Grid North:	Grid East:	Type: Float	Alteration: Qz, Bi,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6991647 N	UTM 542933 E	Strike Length Exp:	Metallics: Po, Cp,	0.024	8.58	16.7	1985
	Elevation:	Sample Width: 20	True Width:	Secondaries: Ge, He,	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : meta mafic		9.6	127	1.05	1.47
Sampled By: TS 14-Jun-10	Subcrop; heavily trenched area, just trying to figure out what target was. Finding small (1 cm) cross-cutting well defined qtz strgs (later							
I031056 Flow	Grid North:	Grid East:	Type: Grab	Alteration: Qz, Ms,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6991589 N	UTM 542917 E	Strike Length Exp:	Metallics: Sb, Cp,	0.006	6.39	85.5	177
	Elevation:	Sample Width: 20	True Width:	Secondaries: Ge, He,	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : intrusive/ flow porphyry contact with meta mafic		193	173	4.04	15.35
Sampled By: TS 14-Jun-10	Thin strgs (qtz) up to 0.5 cm wide with stibnite and chalcopyrite. Seem to be younger than morphed mafics and related to FL porphyry intrusive							
I031057 Flow	Grid North:	Grid East:	Type: Float	Alteration: Qz	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6991340 N	UTM 543054 E	Strike Length Exp:	Metallics: Sb	0.006	5.41	2710	277
	Elevation:	Sample Width: 10	True Width:	Secondaries: Ge, He, Ja	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : qtz vein in granodiorite		118.5	537	1.29	>10000
Sampled By: TS 14-Jun-10	Subcrop; Nice qtz vein running up to 10 cm wide; seems to be striking uphill but only found in subcrop float. Right on claim line.							
I031058 Flow	Grid North:	Grid East:	Type: Float	Alteration: Qz	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6991351 N	UTM 543056 E	Strike Length Exp:	Metallics: Sb	0.007	4.1	4120	278
	Elevation:	Sample Width: 6	True Width:	Secondaries: Ge, He, Ja	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : qtz vein in granodiorite		106	659	1.54	>10000
Sampled By: TS 14-Jun-10	Same veining as previous sample uphill (trying to show trend)							
I031059 Flow	Grid North:	Grid East:	Type: Float	Alteration: Qz	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6991346 N	UTM 543042 E	Strike Length Exp:	Metallics: Sb	<0.005	0.84	4080	129.5
	Elevation:	Sample Width: 10	True Width:	Secondaries: Ge, He, Ja	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : qtz vein in granodiorite		94.4	61	0.93	>10000
Sampled By: TS 14-Jun-10	uphill about 15 m from I031057. 8 cm wide massive stibnite in qtz vein in granodiorite host.							

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I034053 Flow	Grid North:		Grid East:		Type: Float	Alteration: Ep	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6995721	N	UTM 546335	E	Strike Length Exp:	Metallics: As	<0.005	0.74	0.6	10.7
	Elevation:		Sample Width:		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Chlorite Graphite schist		6.2	80	7.7	0.1
Sampled By: WJ 10-Aug-10	Arsenopyrite									
I034054 Flow	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6995721	N	UTM 546335	E	Strike Length Exp:	Metallics: As, Py,	<0.005	1.09	0.6	9.9
	Elevation:		Sample Width:		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Chlorite schist		3.4	11	9.4	0.06
Sampled By: WJ 10-Aug-10	Arsenopyrite									

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I034374 Flow	Grid North:		Grid East:		Type: Float	Alteration: Cl	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6996246	N	UTM 543079	E	Strike Length Exp:	Metallics: Py	0.005	0.09	8.5	24
	Elevation:		Sample Width: 20		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Chlorite gneiss with early Qtz veining		4.3	48	0.34	0.44
Sampled By: RT 28-Jul-10	Chlorite gneiss similar to those chlorite schists drilled at Boulevard. Early Qtz veins contain Py blebs									
I034375 Flow	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6996073	N	UTM 543338	E	Strike Length Exp:	Metallics: Py	<0.005	0.04	6	6.5
	Elevation:		Sample Width: 45		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Tourmaline (?) conglomerate		2.1	44	0.22	0.57
Sampled By: RT 28-Jul-10	Tourmaline matrix-supported conglomerate with clasts of mica schists and quartz. Quartz clasts contain stibnite									
I034376 Flow	Grid North:		Grid East:		Type: Float	Alteration: Si	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6995930	N	UTM 543548	E	Strike Length Exp:	Metallics: Py	<0.005	0.02	3.7	32.5
	Elevation:		Sample Width: 20		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Quartzite		2.9	5	0.11	<0.05
Sampled By: RT 28-Jul-10	Locally oxidized quartzite exposed on a stream cut bank									
I034377 Flow	Grid North:		Grid East:		Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6995746	N	UTM 543916	E	Strike Length Exp:	Metallics: Po	<0.005	0.12	5.3	96.8
	Elevation:		Sample Width: 30		True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
					Host : Dunnite?		5.6	13	1.15	0.83
Sampled By: RT 28-Jul-10	Looks to be olivine-rich with local pyrrhotite seams. Outer margin is highly oxidized									

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I034451 Flow	Grid North:	Grid East:	Type: Float	Alteration: Cl	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6990900 N	UTM 543130 E	Strike Length Exp:	Metallics: As, Po,	<0.005	0.25	43.6	91.5
	Elevation:	Sample Width: 8	True Width:	Secondaries: He	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Granodiorite		24.8	30	0.52	1.88
Sampled By: DB 14-Jun-10	within strg As in soil anomaly. Probably tr f.g. arsenopyrite. Several narrow mafic dykes cutting intrusive nearby.							
I034452 Flow	Grid North:	Grid East:	Type: Float	Alteration: Cl	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6990922 N	UTM 543116 E	Strike Length Exp:	Metallics: As, Po, Py	0.019	0.18	5820	23.6
	Elevation:	Sample Width: 15	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Granodiorite/ mafic dyke		5.7	23	0.46	6.13
Sampled By: DB 14-Jun-10	Planar chloritic, finer-grained zone in granodiorite. Lots of mafic dykes nearby - As mineralization possibly related to these?							
I034453 Flow	Grid North:	Grid East:	Type: Float	Alteration: To	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6990100 N	UTM 543230 E	Strike Length Exp:	Metallics:	<0.005	9.21	56.1	6
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : granodiorite?		71.5	8	0.86	40.6
Sampled By: DB 15-Jun-10	tourmaline-cement bx. Frags are a 50/50 mix of Qz-Ms schist and QZ (vein fragments). Likely a tourmaline breccia pipe cutting diorite. Talus is about 2% tourmaline bx here where rest is granodiorite.							
I034495 Boulevard	Grid North:	Grid East:	Type: Select	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6973393 N	UTM 566942 E	Strike Length Exp:	Metallics: Mo	<0.005	0.01	1.9	5.4
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Orthogneiss		3.2	66	36.4	0.05
Sampled By: DB 22-Sep-10	small hairline QZ veins w. trace MO2 (could possibly be stibnite as it is v.f.g). Cut foliation in gneiss. Discovered while staking GRT claims.							
I319651 Flow	Grid North:	Grid East:	Type: Float	Alteration: Cy	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 7003693 N	UTM 541083 E	Strike Length Exp:	Metallics:	<0.005	0.02	4.4	9
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Fsp porphyritic granite		6.7	39	0.2	0.05
Sampled By: RV 09-Aug-10	Clay-altered Fsp-porphyritic granite with granular Qtz grains, strong foliation and clay (?) alteration							
I319652 Flow	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 7003566 N	UTM 541074 E	Strike Length Exp:	Metallics: Mo	<0.005	0.02	0.7	1.3
	Elevation:	Sample Width:	True Width:	Secondaries: He	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Qtz		1	<2	0.11	<0.05
Sampled By: RV 09-Aug-10	Pink to white, opaque to translucent Qtz vein with molybdenite (?)							

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I319653	Grid North:	Grid East:	Type: Float	Alteration: Cl, Cy,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7003272 N	UTM 540957 E	Strike Length Exp:	Metallics: Py	<0.005	0.03	12	34.3
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host :		2	36	0.43	0.48
Sampled By: RV	~2 mm wide contact zone between Chl-altered granite and Qtz vein contains pyrite							
09-Aug-10								
I319654	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7003012 N	UTM 540915 E	Strike Length Exp:	Metallics:	<0.005	0.01	0.6	1.5
	Elevation:	Sample Width:	True Width:	Secondaries: He	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Qtz		1.2	3	0.22	0.06
Sampled By: RV	White to grey, translucent to opaque Qtz vein with strong hematite alteration along fractures							
09-Aug-10								
I319655	Grid North:	Grid East:	Type: Float	Alteration: Cl, Qz,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7002482 N	UTM 540788 E	Strike Length Exp:	Metallics:	<0.005	0.01	0.4	2.9
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Porphyritic granite		1.2	8	0.12	0.05
Sampled By: RV	Fsp porphyritic granite with Qtz vein and strong chlorite alteration							
09-Aug-10								
I319656	Grid North:	Grid East:	Type: Float	Alteration: Ca, Qz,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7002418 N	UTM 540762 E	Strike Length Exp:	Metallics:	<0.005	<0.01	4	0.7
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Schist?		10.5	7	<0.05	<0.05
Sampled By: RV	Strongly Qtz- and Carbonate-altered schist							
09-Aug-10								
I319657	Grid North:	Grid East:	Type: Float	Alteration: Cl	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7001320 N	UTM 541139 E	Strike Length Exp:	Metallics:	<0.005	0.02	1.8	22
	Elevation:	Sample Width:	True Width:	Secondaries: He	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Bt Schist		1	23	0.32	<0.05
Sampled By: RV	Bt Schist with strong chlorite and hematite alteration, the latter most evident on fracture planes							
09-Aug-10								
I319658	Grid North:	Grid East:	Type: Float	Alteration: Cy, Ms,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
Flow	UTM 7001106 N	UTM 541064 E	Strike Length Exp:	Metallics: Py	<0.005	0.02	0.7	13.1
	Elevation:	Sample Width:	True Width:	Secondaries:	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Granite		6.5	7	0.23	0.09
Sampled By: RV	Strongly altered granite with pyrite on fracture planes							
09-Aug-10								

Rock Sample Descriptions

Dawson

Operator: Silver Quest Resources Ltd.

Project: SQI11-03 2010

NTS:

I319659 Flow	Grid North:	Grid East:	Type: Float	Alteration: Cl, Qz,	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6999083 N	UTM 537724 E	Strike Length Exp:	Metallics:	<0.005	0.02	0.4	42.8
	Elevation:	Sample Width: 40	True Width:	Secondaries: Ja	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Chl Bt schist		1.2	61	0.13	0.09
Sampled By: RV 12-Aug-10	First sample found after following creek upstream for ~1 km							
I319660 Flow	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6999550 N	UTM 537859 E	Strike Length Exp:	Metallics:	<0.005	0.04	3.7	3.8
	Elevation:	Sample Width: 10	True Width:	Secondaries: He, Ja,	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Quartz Vein		10.9	11	0.55	0.06
Sampled By: RV 12-Aug-10	Vuggy Qtz vein with moderate Fe-hydroxide and/or hematite alteration							
I319661 Flow	Grid North:	Grid East:	Type: Float	Alteration:	<u>Au (ppm)</u>	<u>Ag (ppm)</u>	<u>As (ppm)</u>	<u>Cu (ppm)</u>
	UTM 6999551 N	UTM 537857 E	Strike Length Exp:	Metallics:	<0.005	0.04	2.8	19
	Elevation:	Sample Width: 10	True Width:	Secondaries: He, Ja,	<u>Pb (ppm)</u>	<u>Zn (ppm)</u>	<u>Mo (ppm)</u>	<u>Sb (ppm)</u>
			Host : Quartz Vein		37.9	32	2.31	0.08
Sampled By: RV 12-Aug-10	Quartz vein with strong Fe-hydroxide and/or hematite alteration							

Appendix E: Data Disc

Report text, geochemical databases, drafting and plot files

Appendix F: Geologist's Certificates


GEOLOGIST'S CERTIFICATE

Darcy E.L. Baker
Suite 114 – 2635 Prince Edward Street,
Vancouver, BC, Canada

I, Darcy Baker, P.Geo. do hereby certify that:

- I am a Geologist and President of Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a member in good standing (#33,448) of the Association of Professional Engineers and Geoscientists of British Columbia.
- I am a graduate of Dalhousie University (1997) with an Honours Bachelor of Science degree in Geology, and am a graduate of the University of Newcastle, Australia (2003) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1997.
- Since 1997 I have been involved in mineral exploration for gold, silver, copper, uranium, molybdenum, lead and zinc across Canada and in Alaska, Nevada and Australia.
- I am a Consulting Geologist and principal of Equity Exploration Consultants Ltd. (a geological consulting and contracting firm) and have been so since May 2003.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 24th day of April, 2011.



Darcy Baker, Ph.D., P.Geo.

GEOLOGIST'S CERTIFICATE

Ron Voordouw
Vancouver, BC, Canada

I, Ron Voordouw do hereby certify that:

- I am a Project Geologist with Equity Exploration Consultants Ltd., with offices at Suite 200–900 West Hastings Street in the City of Vancouver, B.C., in the Province of British Columbia.
- I am a graduate of the University of Calgary (1999) with an Honours Bachelor of Science degree in Geology, and am a graduate of the Memorial University (2006) with a Doctor of Philosophy degree in Geology, and I have practiced my profession continuously since 1999.
- I managed the Yukon field exploration campaigns for Silver Quest during 2010.
- I am independent of Silver Quest.

Dated at Vancouver, British Columbia, this 24th day of April, 2011.



Ron Voordouw, Ph.D.

Appendix G: ALS Minerals Memo

To address your question regarding the gold results for your samples and ALS Minerals blanks, I have provided information on the following:

- **Au-AA23 Method**
- **Method Precision Expectations**
- **ALS Minerals Blanks**


1. Au-AA23 Method

The Au-AA23 method is a Fire Assay fusion followed by AAS finish. The detection limit for this method is 5 ppb and expected method precision is 10%.

2. Method Precision Expectations

Each procedure performed by ALS Minerals has an associated precision expectation. For our Au-AA23 method this is +/-10%. Control limits for our standards are set based on this method precision and the detection limit of the method.

As illustrated in the graph below, the precision of a method decreases as the concentration approaches the detection limit of the method.



This is based on the following calculation:

$$\text{Percent Precision} = \left(\frac{\text{Detection Limit}}{\text{Concentration}} + \text{Expected precision} \right) \times 100 \quad (\text{Ref. M. Thompson})$$

For example, the percent precision for the Au-AA23 method for a result of 8ppb is:

$$\left(\frac{5}{8} + 0.1 \right) \times 100 = 72.5$$

which means the result reported is actually 8ppb $\pm$ 72.5% or 8ppb $\pm$ 5.8 ppb.


In comparison, our Au-ICP21 method, which is a Fire Assay Fusion with ICP-AES finish, has a detection limit of 1 ppb. Applying the same calculation as above, the 8ppb result has the following variance $8\text{ppm} \pm 22.5\%$ or $8\text{ppm} \pm 1.8\text{ ppb}$.

The Au-ICP21 method is typically used for soil and sediment projects due to the lower detection limit and thus better precision at lower concentrations.

4. ALS Minerals blanks

With any fusion batch processed at ALS Minerals, one blank sample is processed and analyzed. Our experienced team of approvers review the results of each batch carefully to maintain the quality of results. Based on the theory mentioned above, the maximum allowance value of the blank sample is 2 times the detection limit of the method used. If the blank sample reports beyond this limit, the whole batch will be sent for re-assay. Any especial cases would be treated cautiously by our skilled team of approvers.

The control chart below shows the blank sample results in method Au-AA23 from June 15th to August 15th 2010. As you can see, 98% of the results were within the range of 0 to 0.01 ppm.



Alerts				
σ	0.0025			
Mean	✓ 0 ± 98% ± 0.01			
LDL	UCL	Norm val	LCL	Toler
0.0050	0.0050	0.0000	0.0000	7%
STATS:		All	N/A	
Datapoints:		2980		
Min:		0.005		
Max:		0.031		
Mean:		0.006		
Median:		0.005		
SD:		0.002		
% RSD		32.8 %		