

**ALS Chemex**

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 27-JUL-2010
Account: EIASQI

CERTIFICATE WH10084658

Project: Boulevard

P.O. No.: SQI10-03

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I030550		2.39	0.007		0.23	3.61	0.5	<0.2	<10	410	0.77	0.16	1.33	0.18	25.8	13.6
I030551		4.03	0.007		0.27	4.11	0.3	<0.2	<10	430	0.57	0.43	3.37	0.16	14.50	22.3
I030552		3.81	0.008		0.36	3.84	0.7	<0.2	<10	300	0.44	0.64	3.43	0.19	12.25	28.8
I030553		2.73	0.011		0.33	2.77	5.0	<0.2	<10	330	0.72	0.29	1.82	0.64	21.7	14.0
I030554		3.50	0.049		0.88	3.26	3.4	<0.2	<10	230	0.47	0.76	3.27	0.35	18.75	18.1
I030555		3.51	0.005		0.23	1.62	0.6	<0.2	<10	490	0.47	0.10	0.96	0.13	20.9	12.1
I030556		3.29	0.006		0.26	0.62	1.3	<0.2	<10	210	0.18	0.08	0.73	0.05	12.65	6.1
I030557		3.82	0.006		0.14	2.52	0.7	<0.2	<10	640	0.67	0.10	1.23	0.07	33.1	10.2
I030558		4.81	0.005		0.24	4.74	1.4	<0.2	<10	360	0.75	0.16	3.98	0.18	18.10	25.7
I030559		4.40	0.006		0.12	4.22	2.8	<0.2	<10	760	0.32	0.11	3.86	0.12	3.92	28.3
I030560		0.09	3.96	4.01	1.46	1.68	8230	3.8	20	80	0.18	80.7	5.06	0.42	19.15	121.0
I030561		4.48	<0.005		0.13	2.45	6.1	<0.2	<10	400	0.12	0.08	2.07	0.09	5.60	25.5
I030562		2.65	<0.005		0.15	3.01	1.4	<0.2	<10	820	0.14	0.06	2.12	0.08	4.27	24.8
I030563		3.67	0.009		0.35	2.49	63.5	<0.2	<10	160	0.25	0.24	3.03	0.65	11.45	22.4
I030564		1.97	0.193		1.05	0.22	315	0.2	<10	80	0.13	0.07	4.80	0.34	5.50	7.1
I030565		2.26	0.358		2.11	0.39	822	0.4	<10	120	0.15	0.06	4.22	0.52	10.80	8.2
I030566		0.73	1.015	1.13	0.36	0.42	3610	1.1	<10	210	0.19	0.07	2.32	0.04	19.90	10.3
I030567		2.28	<0.005		0.21	1.21	36.3	<0.2	<10	400	0.41	0.21	1.16	0.02	30.6	11.4
I030568		3.95	0.019		0.27	0.95	46.6	<0.2	<10	280	0.32	0.33	1.54	0.04	16.25	10.3
I030569		5.19	0.046		0.45	0.67	86.2	<0.2	<10	240	0.22	0.13	1.33	0.24	16.85	8.8
I030570		0.77	<0.005		0.03	1.22	1.6	<0.2	<10	230	0.09	0.03	0.34	0.02	20.1	5.3
I030571		4.56	0.011		0.22	1.87	18.1	<0.2	<10	480	0.43	0.16	1.06	0.08	42.7	14.4
I030572		5.01	0.246		0.50	1.37	1140	0.3	<10	300	0.35	0.06	1.23	0.06	65.4	13.5
I030573		4.20	0.169		0.19	1.26	942	0.2	<10	260	0.38	0.16	1.41	0.02	46.3	16.2
I030574		4.32	0.287		0.24	1.44	582	0.3	<10	90	0.46	0.15	1.06	0.03	41.4	15.7
I030575		3.16	0.358		0.61	1.16	1780	0.4	<10	70	0.57	0.28	1.84	0.09	34.9	18.9
I030576		0.47	0.866		5.24	0.62	5070	1.0	<10	90	0.18	0.09	5.04	0.60	11.05	29.2
I030577		1.86	0.499		2.43	3.18	1805	0.5	<10	100	0.53	0.09	5.25	0.38	34.3	32.8
I030578		4.35	<0.005		0.43	6.19	19.6	<0.2	<10	150	0.75	0.36	4.01	0.35	12.25	25.4
I030579		2.30	<0.005		0.32	5.47	1.8	<0.2	<10	480	0.20	0.45	4.99	0.48	5.38	32.8
I030580		2.55	<0.005		0.31	4.94	0.9	<0.2	<10	410	0.14	0.41	4.93	0.58	5.67	30.5
I030581		4.55	0.008		0.71	4.11	0.6	<0.2	<10	100	<0.05	1.00	5.58	5.13	3.25	32.2
I030582		4.91	0.105		0.57	5.51	0.4	<0.2	<10	440	0.20	1.97	5.98	1.58	4.43	33.5
I030583		4.08	0.005		0.86	5.15	0.3	<0.2	<10	250	0.08	2.05	5.76	0.89	4.97	33.4
I030584		2.98	0.014		0.23	3.84	0.7	<0.2	<10	600	0.58	0.30	2.22	0.07	18.70	16.7
I030585		1.97	0.045		0.86	1.90	0.4	<0.2	<10	380	0.35	8.09	2.99	0.32	17.10	11.2
I030586		4.62	0.006		0.24	2.86	0.8	<0.2	<10	350	0.50	1.08	1.44	0.05	33.2	18.8
I030587		5.36	<0.005		0.25	3.91	0.3	<0.2	<10	270	0.78	0.26	1.63	0.04	26.0	14.2
I030588		5.01	<0.005		0.22	2.30	0.1	<0.2	<10	460	0.40	0.15	8.19	0.14	16.55	10.7
I030589		1.31	<0.005		0.13	3.52	0.1	<0.2	<10	660	0.60	0.15	9.59	0.20	24.7	7.4



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cr	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	1	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
I030550		73	1.70	79.4	3.45	11.10	0.09	0.07	<0.01	0.029	1.17	12.9	8.6	1.68	439	1.82
I030551		149	1.57	59.5	4.26	13.30	0.13	0.05	<0.01	0.048	0.96	7.2	8.9	2.60	786	1.64
I030552		143	1.92	67.4	4.41	12.75	0.15	0.05	<0.01	0.040	0.95	5.8	8.2	2.70	783	1.60
I030553		74	1.80	74.2	3.09	10.05	0.09	0.16	<0.01	0.039	0.79	11.2	9.3	1.32	758	5.77
I030554		88	2.13	61.5	3.65	10.05	0.11	0.06	0.01	0.038	0.95	9.4	9.6	1.97	900	1.62
I030555		36	1.21	55.7	2.12	6.04	0.06	0.14	0.01	0.023	0.62	9.9	7.3	0.77	803	2.13
I030556		16	0.51	50.2	1.27	2.46	<0.05	0.11	0.01	0.013	0.22	5.3	2.7	0.36	698	0.72
I030557		45	1.84	40.1	2.49	8.02	0.08	0.18	<0.01	0.025	0.79	16.6	11.2	0.96	845	2.21
I030558		125	3.17	48.3	4.80	14.20	0.16	0.05	<0.01	0.045	1.18	8.9	13.4	2.70	1100	1.77
I030559		125	2.58	28.2	4.02	9.24	0.14	0.07	<0.01	0.029	1.24	1.7	10.7	2.15	978	0.45
I030560		32	1.14	256	4.69	5.98	0.16	0.22	0.10	0.489	0.18	10.8	8.2	0.51	821	24.3
I030561		52	1.43	32.7	3.20	5.85	0.14	0.10	<0.01	0.031	0.69	2.5	10.3	1.28	702	0.20
I030562		89	2.75	28.1	3.73	8.06	0.13	0.05	<0.01	0.022	1.32	2.0	10.2	1.83	755	0.25
I030563		82	2.13	60.2	4.00	7.12	0.10	0.10	0.04	0.043	0.90	5.7	10.1	1.76	914	4.53
I030564		8	0.50	16.9	2.54	0.76	0.05	0.10	0.08	0.010	0.10	2.7	0.6	0.15	974	3.70
I030565		10	0.88	38.6	2.04	1.06	0.05	0.08	0.11	0.020	0.13	5.2	1.9	0.50	1200	2.30
I030566		14	0.46	39.3	2.41	1.50	0.06	0.06	0.06	0.023	0.17	9.8	2.7	0.89	751	0.81
I030567		27	1.50	55.2	2.74	4.40	0.08	0.16	0.04	0.021	0.46	14.8	11.0	0.75	646	1.62
I030568		19	1.40	48.8	2.59	3.41	0.07	0.13	0.06	0.056	0.26	7.5	7.4	0.83	921	0.94
I030569		17	0.55	50.0	1.93	2.22	0.06	0.09	0.05	0.019	0.22	8.1	7.1	0.62	648	2.82
I030570		9	2.02	3.2	2.04	4.37	0.11	0.17	<0.01	0.013	0.60	10.0	22.5	0.53	468	0.15
I030571		26	1.62	59.0	3.41	6.27	0.11	0.12	0.02	0.029	0.62	21.6	15.7	1.07	1280	1.81
I030572		19	1.22	33.3	3.54	4.46	0.12	0.06	0.02	0.022	0.46	32.1	9.4	1.04	916	0.61
I030573		19	1.13	50.3	3.76	4.38	0.12	0.06	0.03	0.031	0.37	23.4	10.0	0.79	942	1.55
I030574		37	1.33	75.3	3.82	5.24	0.13	0.15	0.04	0.045	0.55	20.3	9.7	0.96	900	2.97
I030575		36	1.17	52.0	4.27	4.09	0.12	0.14	0.10	0.058	0.40	16.3	6.2	1.06	1220	2.53
I030576		10	1.49	121.5	5.67	1.65	0.13	0.04	0.14	0.043	0.25	4.8	1.7	2.10	1380	1.08
I030577		35	2.16	80.0	5.99	9.89	0.14	0.03	0.08	0.065	0.59	15.6	11.4	2.50	1280	0.64
I030578		70	2.71	73.2	5.13	15.85	0.19	0.04	0.01	0.043	1.64	5.9	9.6	2.38	802	1.24
I030579		71	1.74	33.0	5.84	14.75	0.21	0.03	<0.01	0.042	1.04	2.4	11.8	3.61	1050	0.31
I030580		63	1.57	32.4	5.80	14.20	0.22	0.03	0.01	0.044	0.93	2.6	11.0	3.41	973	0.29
I030581		168	0.65	57.3	4.87	10.65	0.22	0.03	0.01	0.055	0.34	1.4	8.6	4.13	961	0.17
I030582		194	2.06	47.7	4.92	13.25	0.20	0.02	<0.01	0.046	1.05	2.0	11.0	3.92	1060	0.12
I030583		213	1.63	38.0	4.90	12.50	0.21	0.02	<0.01	0.051	0.72	2.2	13.2	4.44	978	0.26
I030584		73	1.77	44.7	3.36	10.35	0.12	0.06	<0.01	0.034	1.05	9.0	10.0	1.99	731	2.01
I030585		45	1.62	58.7	2.58	6.49	0.08	0.16	0.01	0.031	0.61	8.3	7.7	1.16	609	5.45
I030586		38	1.64	63.6	3.71	8.83	0.11	0.09	<0.01	0.029	1.01	14.5	10.8	1.74	873	4.48
I030587		47	1.67	54.1	3.52	11.50	0.12	0.03	<0.01	0.035	1.21	12.5	9.3	1.67	909	2.29
I030588		26	1.14	44.1	2.13	6.80	0.08	0.03	<0.01	0.024	0.75	7.9	4.9	1.20	886	1.70
I030589		16	1.48	10.0	1.77	9.33	0.06	0.05	<0.01	0.026	0.93	12.2	7.2	1.79	718	0.83



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - C

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
I030550		0.14	0.18	49.1	340	4.4	53.9	0.004	0.66	0.06	7.8	2.0	0.7	39.2	<0.01	0.09
I030551		0.17	0.18	59.1	490	4.9	45.0	0.003	0.72	0.06	14.2	1.5	1.1	59.4	<0.01	0.14
I030552		0.17	0.18	57.3	620	5.3	41.2	0.003	0.89	0.08	15.6	1.7	1.6	117.0	<0.01	0.08
I030553		0.11	0.26	67.6	930	3.9	35.0	0.008	0.81	0.11	7.4	2.8	0.7	62.5	<0.01	0.23
I030554		0.12	0.17	48.8	590	7.1	40.5	0.003	0.95	0.15	12.0	1.4	0.8	77.1	<0.01	1.02
I030555		0.04	0.19	34.8	280	2.6	27.7	0.002	0.46	0.17	5.0	1.0	0.6	24.2	<0.01	0.12
I030556		0.01	0.16	15.9	110	1.9	12.0	0.001	0.31	1.39	1.9	0.3	0.3	10.8	<0.01	0.05
I030557		0.09	0.27	30.3	450	3.7	34.9	0.002	0.45	0.10	6.2	0.7	0.7	40.3	<0.01	0.06
I030558		0.16	0.24	56.0	770	3.4	53.5	0.003	0.74	0.13	14.8	1.5	1.4	65.1	<0.01	0.07
I030559		0.32	0.15	41.2	430	2.5	55.5	0.001	0.41	0.10	8.7	0.6	1.1	52.8	<0.01	0.04
I030560		0.12	0.71	55.1	790	17.4	8.6	0.032	1.11	29.5	3.5	6.6	32.0	87.0	0.01	14.20
I030561		0.22	0.06	25.6	490	2.3	30.2	0.001	0.46	0.11	9.2	0.8	0.8	40.1	<0.01	0.05
I030562		0.23	0.14	28.3	480	2.3	54.6	0.001	0.36	0.19	7.2	0.5	0.7	35.5	<0.01	0.03
I030563		0.12	0.14	46.7	700	3.3	37.7	0.007	1.20	10.40	10.8	2.4	0.8	44.3	<0.01	0.07
I030564		0.01	0.13	29.5	350	7.0	5.7	0.002	2.44	17.20	1.9	1.5	<0.2	48.4	<0.01	0.18
I030565		0.01	<0.05	17.9	420	12.1	6.6	0.003	1.42	29.5	2.8	0.7	0.2	89.5	<0.01	0.32
I030566		0.02	0.05	28.3	320	2.6	8.0	0.002	0.92	44.3	2.9	0.8	0.2	59.2	<0.01	0.14
I030567		0.02	0.10	31.7	560	3.4	20.4	0.002	0.79	37.5	4.8	1.2	0.5	29.5	<0.01	0.25
I030568		0.02	0.12	22.8	600	3.1	12.0	0.002	0.86	24.0	4.3	0.9	0.8	38.5	<0.01	0.35
I030569		0.02	0.12	19.9	630	5.8	9.9	0.006	0.99	12.85	3.0	0.8	0.3	30.8	<0.01	0.12
I030570		0.14	0.37	2.1	300	7.0	42.0	<0.001	0.02	0.44	3.7	<0.2	0.9	23.0	<0.01	<0.01
I030571		0.03	0.22	31.3	1030	5.1	24.0	0.005	0.85	27.9	4.9	1.0	0.6	26.0	<0.01	0.12
I030572		0.02	0.22	24.0	610	5.9	20.2	0.001	0.96	25.9	3.7	0.7	0.4	35.3	<0.01	0.11
I030573		0.02	0.22	26.6	1380	4.8	16.3	0.002	1.06	115.0	4.6	1.2	0.5	31.4	<0.01	0.07
I030574		0.02	0.13	33.2	1000	3.5	20.6	0.004	1.40	34.4	7.6	1.8	0.7	23.0	<0.01	0.17
I030575		0.02	0.09	45.4	730	4.7	17.8	0.003	2.05	35.3	7.2	2.0	0.5	44.9	<0.01	0.36
I030576		0.02	0.07	48.1	1360	11.8	13.3	0.001	5.80	105.5	8.1	1.5	0.2	137.5	<0.01	0.55
I030577		0.07	0.12	38.1	1400	6.5	26.3	0.002	2.36	231	17.0	1.1	0.7	106.0	0.01	0.18
I030578		0.40	0.11	39.4	640	5.8	68.6	0.002	1.41	2.00	20.7	2.5	1.7	82.9	<0.01	0.16
I030579		0.29	0.11	28.2	520	12.9	41.2	<0.001	0.60	0.80	25.1	0.7	1.3	64.9	<0.01	0.06
I030580		0.23	0.11	24.8	590	13.2	36.0	0.001	0.66	0.18	23.1	0.7	1.2	58.0	<0.01	0.05
I030581		0.08	0.09	53.8	420	63.4	13.6	0.001	0.46	0.34	15.2	0.6	0.7	60.5	<0.01	0.24
I030582		0.28	0.09	57.5	520	59.9	44.2	0.001	0.83	0.17	22.6	0.7	0.9	106.5	<0.01	0.47
I030583		0.13	0.08	57.9	370	35.8	27.6	0.002	0.46	0.16	28.1	0.6	0.6	80.2	<0.01	0.19
I030584		0.18	0.12	36.8	570	6.0	40.2	0.003	0.60	0.10	11.1	1.0	0.7	71.5	<0.01	0.17
I030585		0.02	0.11	25.2	680	9.8	25.9	0.004	0.99	0.50	6.7	1.4	0.6	32.6	<0.01	7.08
I030586		0.06	0.19	44.1	490	4.5	36.2	0.004	0.92	0.24	6.2	1.2	0.7	30.2	<0.01	0.87
I030587		0.21	0.16	34.1	470	4.6	46.6	0.002	0.91	0.15	8.6	1.1	0.9	62.0	<0.01	0.27
I030588		0.14	0.11	25.0	560	5.4	29.6	0.003	0.71	0.07	5.1	0.9	0.7	128.5	<0.01	0.13
I030589		0.24	0.08	13.0	430	7.0	37.7	0.001	0.30	0.08	6.0	0.6	0.8	168.5	<0.01	0.08



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 2 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Ti	U	V	W	Y	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2
									0.5
I030550		5.8	0.108	0.28	1.50	79	0.17	7.18	90
I030551		3.4	0.152	0.21	0.96	136	0.26	8.81	79
I030552		2.5	0.167	0.20	0.90	144	0.19	10.65	86
I030553		4.0	0.114	0.19	2.80	176	0.18	11.75	102
I030554		2.8	0.095	0.23	1.13	110	0.25	11.00	76
I030555		3.3	0.064	0.16	1.01	46	0.14	6.64	50
I030556		2.0	0.014	0.08	0.32	15	0.08	3.58	17
I030557		5.9	0.098	0.19	1.68	55	0.19	11.05	50
I030558		2.8	0.179	0.27	0.88	149	0.25	10.85	92
I030559		0.5	0.270	0.30	0.16	127	0.20	7.19	81
I030560		2.6	0.109	1.30	1.74	56	24.9	7.36	62
I030561		0.6	0.269	0.16	0.18	99	0.16	9.40	63
I030562		0.6	0.268	0.28	0.26	115	0.22	6.96	80
I030563		2.1	0.134	0.23	1.54	116	0.14	10.25	119
I030564		2.0	<0.005	0.10	1.37	11	0.18	6.62	26
I030565		2.5	<0.005	0.08	1.05	18	0.21	7.03	40
I030566		3.9	<0.005	0.11	0.70	15	0.12	4.43	40
I030567		5.3	0.028	0.15	1.43	40	0.08	6.56	46
I030568		2.6	0.019	0.12	0.75	31	0.48	7.05	43
I030569		3.4	0.012	0.09	1.51	31	0.15	5.61	43
I030570		12.9	0.137	0.36	2.49	42	0.10	5.87	37
I030571		8.3	0.050	0.18	2.01	57	0.18	9.34	65
I030572		16.6	0.022	0.12	1.86	25	0.15	9.03	66
I030573		6.9	0.020	0.12	1.50	41	0.18	12.35	70
I030574		6.2	0.040	0.14	1.56	66	0.22	10.55	69
I030575		6.9	0.014	0.19	1.74	53	0.14	9.66	81
I030576		1.7	<0.005	0.15	0.89	22	0.76	17.05	65
I030577		5.1	0.040	0.17	0.93	108	0.36	18.75	90
I030578		2.9	0.186	0.37	1.05	187	0.29	9.62	94
I030579		0.8	0.216	0.19	0.16	211	0.14	8.62	83
I030580		0.8	0.203	0.18	0.15	209	0.14	8.51	81
I030581		0.4	0.180	0.06	0.11	154	0.19	6.57	198
I030582		0.7	0.162	0.24	0.30	183	0.18	7.31	129
I030583		0.6	0.111	0.14	0.21	183	0.07	9.54	97
I030584		4.3	0.103	0.22	1.23	85	0.19	7.78	80
I030585		3.3	0.049	0.17	0.81	68	0.30	8.55	57
I030586		7.5	0.102	0.21	1.75	52	0.21	9.89	77
I030587		5.8	0.125	0.26	1.38	67	0.36	8.74	83
I030588		4.2	0.062	0.15	1.70	42	0.11	7.41	56
I030589		7.4	0.065	0.18	2.22	26	0.12	12.75	74



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - A

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm
		0.02	0.005	0.05	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1
I030590		<0.02	<0.005		0.12	3.43	0.4	<0.2	<10	600	0.57	0.12	9.73	0.19	24.3	7.5
I030591		3.37	<0.005		0.03	0.84	3	<0.2	<10	180	0.08	0.04	16.85	0.30	7.80	3.5
I030592		4.96	<0.005		0.34	2.55	0.4	<0.2	<10	300	0.64	0.40	2.02	0.73	14.65	8.3
I030593		5.29	0.030		0.63	4.15	<0.1	<0.2	<10	510	0.79	0.86	3.72	0.14	16.15	14.7
I030594		5.22	0.049		1.32	6.79	<0.1	<0.2	<10	270	0.61	2.84	4.91	0.21	8.96	30.0
I030595		4.58	0.021		0.70	3.33	0.4	<0.2	<10	290	0.82	1.21	2.45	4.52	17.80	11.3
I030596		3.93	<0.005		0.34	2.41	0.3	<0.2	<10	350	0.66	0.95	1.44	0.45	12.70	8.4
I030597		1.89	0.007		0.35	2.87	1.7	<0.2	<10	200	0.73	0.83	1.66	0.39	12.20	9.5
I030598		1.90	<0.005		0.24	1.07	1.0	<0.2	<10	390	0.31	0.35	1.65	0.20	7.97	5.3
I030599		5.21	0.008		0.29	2.89	0.2	<0.2	<10	230	0.77	0.51	1.74	0.80	10.60	9.4
I030600		2.27	<0.005		0.22	2.26	0.8	<0.2	<10	360	0.60	0.26	0.93	0.35	12.60	8.6
I030601		0.07	1.220	1.17	0.46	1.64	1930	1.2	30	80	0.12	37.7	3.82	0.39	16.90	60.0
I030602		2.81	<0.005		0.24	0.96	18.9	<0.2	<10	500	0.25	0.55	1.99	0.04	7.40	7.2
I030603		3.25	0.005		0.18	2.31	1.0	<0.2	<10	430	0.71	0.15	1.07	0.07	24.7	9.9
I034451		0.93	<0.005		0.25	1.00	43.6	<0.2	<10	70	0.38	2.15	0.51	0.42	49.7	13.9
I034452		0.92	0.019		0.18	2.40	5820	0.2	<10	50	0.81	4.69	1.39	0.38	50.1	25.9
I034453		1.04	<0.005		9.21	0.18	56.1	<0.2	20	70	0.30	215	0.05	0.16	31.4	0.9
I031051		0.79	<0.005		0.06	0.53	4.4	<0.2	<10	90	0.65	0.35	0.12	0.17	87.6	0.9
I031052		1.37	<0.005		0.07	1.26	0.8	<0.2	<10	670	0.09	0.89	0.90	0.05	6.27	15.3
I031053		1.37	<0.005		0.04	0.04	1.5	<0.2	<10	10	<0.05	0.07	0.12	0.03	0.48	0.9
I031054		0.88	<0.005		0.76	0.10	0.6	<0.2	<10	20	<0.05	0.34	0.02	0.17	3.53	4.6
I031055		1.28	0.024		8.58	2.07	16.7	<0.2	<10	130	0.53	1.67	0.87	1.57	23.9	30.4
I031056		0.81	0.006		6.39	0.66	85.5	<0.2	10	50	0.61	224	1.18	4.05	63.4	3.4
I031057		1.29	0.006		5.41	0.12	2710	<0.2	<10	20	0.28	1.33	0.12	5.03	11.60	1.7
I031058		1.03	0.007		4.10	0.16	4120	<0.2	10	30	0.52	1.84	0.15	5.06	15.80	2.7
I031059		0.78	<0.005		0.84	0.15	4080	<0.2	<10	30	0.31	2.42	0.35	1.25	9.58	1.3



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.

SUITE 200, 900 WEST HASTINGS STREET

VANCOUVER BC V6C 1E5

Page: 3 - B

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 27-JUL-2010

Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
I030590		15	1.44	10.4	1.67	9.12	0.07	0.05	<0.01	0.027	0.89	12.0	6.9	1.70	682	0.79
I030591		7	0.66	2.8	1.03	2.60	0.06	0.02	<0.01	0.028	0.31	4.1	2.6	5.12	1580	0.49
I030592		44	1.16	59.6	2.45	8.51	0.08	0.08	<0.01	0.026	0.71	7.4	6.2	1.01	478	5.81
I030593		61	2.07	68.0	3.32	12.05	0.14	0.03	<0.01	0.037	1.21	8.0	8.0	1.70	1200	2.73
I030594		143	3.60	67.6	4.93	15.60	0.20	0.02	<0.01	0.047	2.06	4.2	12.6	3.18	1030	0.75
I030595		47	2.08	64.2	2.84	10.10	0.10	0.08	0.01	0.049	0.88	8.8	9.8	1.28	793	4.20
I030596		42	1.34	53.1	2.27	7.20	0.07	0.14	<0.01	0.019	0.69	6.4	8.2	0.99	425	2.17
I030597		49	1.63	56.1	2.65	8.84	0.08	0.10	<0.01	0.026	0.86	6.0	8.9	1.21	484	2.64
I030598		31	0.66	28.6	1.61	3.79	0.05	0.06	<0.01	0.012	0.36	4.0	4.0	0.65	385	1.24
I030599		54	1.35	58.9	2.57	9.05	0.07	0.09	<0.01	0.033	0.83	5.3	7.8	1.14	494	2.39
I030600		48	1.96	55.8	2.45	7.34	0.08	0.25	<0.01	0.029	0.83	6.3	8.2	1.13	432	2.33
I030601		21	0.86	117.0	3.36	5.41	0.15	0.21	0.02	0.104	0.15	11.0	9.6	0.53	858	7.95
I030602		31	0.94	39.6	1.50	3.99	0.05	0.09	<0.01	<0.005	0.35	4.1	4.4	0.68	614	0.76
I030603		40	2.57	50.3	2.85	8.35	0.09	0.32	<0.01	0.029	0.91	11.6	13.4	1.30	497	1.76
I034451		6	11.15	91.5	3.24	4.52	0.12	0.15	<0.01	0.045	0.11	25.6	35.3	0.52	178	0.52
I034452		7	8.47	23.6	3.08	5.85	0.14	0.10	<0.01	0.053	0.18	27.2	19.0	0.42	192	0.46
I034453		8	1.39	6.0	0.51	0.68	<0.05	0.05	0.01	<0.005	0.10	14.9	1.8	0.01	45	0.86
I031051		2	0.75	2.7	1.89	3.09	0.07	0.52	<0.01	0.050	0.14	24.2	3.2	0.03	303	1.78
I031052		92	0.66	76.3	2.58	4.87	0.12	0.04	<0.01	0.018	0.47	2.6	17.8	1.05	411	0.10
I031053		16	<0.05	29.8	0.37	0.18	<0.05	<0.02	0.01	<0.005	0.01	0.2	0.7	0.01	95	0.33
I031054		19	0.11	883	0.68	0.44	<0.05	<0.02	<0.01	0.038	0.01	1.5	0.4	0.03	57	0.18
I031055		22	42.9	1985	4.64	10.45	0.16	0.04	<0.01	0.234	0.86	12.1	46.8	1.20	331	1.05
I031056		4	7.27	177.0	0.90	2.44	0.07	0.10	<0.01	0.036	0.29	35.1	16.3	0.18	462	4.04
I031057		13	4.58	277	0.71	0.61	0.20	0.02	1.72	<0.005	0.08	9.2	2.9	0.02	84	1.29
I031058		10	5.95	278	0.98	0.79	0.15	0.04	0.28	0.006	0.13	10.9	3.9	0.03	183	1.54
I031059		7	4.42	129.5	1.02	0.56	0.07	0.02	77.1	<0.005	0.07	9.0	1.9	0.01	85	0.93



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method Analyte Units LOR	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm
		0.01	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01
I030590		0.24	0.08	13.3	430	7.1	36.6	0.001	0.31	0.09	6.0	0.7	0.8	172.0	<0.01	0.06
I030591		0.02	0.09	7.9	610	5.4	13.9	0.001	0.06	0.11	2.8	0.4	0.3	204	<0.01	0.02
I030592		0.14	0.07	42.7	480	3.9	28.5	0.006	0.94	0.15	5.5	2.8	0.6	63.4	<0.01	0.33
I030593		0.22	0.11	35.7	570	5.5	45.8	0.002	0.91	0.13	10.4	1.1	0.9	102.5	<0.01	0.95
I030594		0.39	0.08	53.0	590	9.0	75.0	0.001	1.06	0.11	23.8	1.0	1.1	147.5	<0.01	2.27
I030595		0.16	0.07	33.8	490	14.3	35.1	0.005	1.05	0.13	8.1	1.7	0.8	68.0	<0.01	1.15
I030596		0.10	0.07	40.3	580	3.7	27.7	0.003	0.79	0.15	4.9	1.8	0.6	43.0	<0.01	0.85
I030597		0.11	0.07	42.6	410	3.6	35.7	0.005	0.99	0.16	6.0	2.1	0.7	58.7	<0.01	0.73
I030598		0.05	0.05	27.0	310	4.8	16.7	0.002	0.77	0.17	2.9	1.2	0.3	40.8	<0.01	0.11
I030599		0.16	0.08	41.4	490	4.1	36.9	0.004	1.05	0.14	6.7	2.3	0.8	61.2	<0.01	0.12
I030600		0.07	0.09	40.8	620	2.9	35.7	0.005	0.83	0.24	5.5	1.9	0.7	36.0	<0.01	0.10
I030601		0.15	0.32	24.1	880	11.7	7.7	0.013	0.36	4.91	3.1	3.9	2.8	106.0	<0.01	3.84
I030602		0.02	0.13	27.5	290	3.9	20.7	0.002	0.47	0.34	3.2	1.0	0.3	33.8	<0.01	0.17
I030603		0.03	0.18	30.4	1420	2.8	46.3	0.005	0.49	0.72	6.2	1.1	0.8	34.0	<0.01	0.08
I034451		0.10	0.73	3.7	690	24.8	16.8	<0.001	1.18	1.88	4.6	0.8	2.0	25.2	<0.01	0.23
I034452		0.32	0.34	4.6	480	5.7	25.2	<0.001	1.41	6.13	2.0	0.9	0.8	103.5	<0.01	1.74
I034453		0.01	0.20	2.3	240	71.5	12.5	<0.001	<0.01	40.6	0.5	0.2	<0.2	6.8	<0.01	1.58
I031051		0.05	0.16	1.0	290	11.3	9.0	<0.001	<0.01	0.40	2.6	<0.2	1.0	9.6	<0.01	<0.01
I031052		0.05	0.27	39.4	520	0.6	17.5	<0.001	<0.01	0.75	4.9	0.3	0.3	15.3	<0.01	0.01
I031053		<0.01	0.08	1.7	10	0.3	0.3	<0.001	<0.01	0.83	0.3	<0.2	<0.2	1.5	<0.01	0.02
I031054		0.02	0.17	6.8	70	1.6	0.5	<0.001	0.01	0.70	1.4	0.5	<0.2	2.0	<0.01	0.02
I031055		0.11	0.54	29.0	310	9.6	194.0	0.001	1.58	1.47	13.8	4.6	3.5	28.5	<0.01	0.15
I031056		0.02	0.28	4.9	70	193.0	51.1	<0.001	0.03	15.35	2.2	1.3	0.5	30.0	<0.01	0.55
I031057		<0.01	0.13	4.6	140	118.5	15.5	<0.001	2.00	>10000	0.5	1.9	1.1	10.9	<0.01	0.01
I031058		0.01	0.17	5.7	250	106.0	23.8	<0.001	1.96	>10000	0.8	2.1	1.1	11.9	0.06	<0.01
I031059		0.01	0.07	4.6	160	94.4	10.1	<0.001	3.05	>10000	<0.1	1.9	0.9	31.3	<0.01	<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Th	Ti	Ti	U	V	W	Y	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.2	0.005	0.02	0.05	1	0.05	0.05	2
I030590		7.5	0.061	0.17	2.12	26	0.12	12.40	71
I030591		1.6	0.017	0.05	0.94	19	0.15	11.00	61
I030592		5.2	0.056	0.15	2.28	119	0.56	6.65	80
I030593		4.1	0.102	0.25	1.59	88	0.34	10.25	85
I030594		1.9	0.191	0.43	0.60	183	0.32	9.83	110
I030595		4.7	0.065	0.21	1.37	85	12.55	7.99	184
I030596		5.0	0.046	0.16	1.70	69	0.91	5.39	64
I030597		4.3	0.054	0.20	2.15	79	0.27	6.28	73
I030598		1.7	0.018	0.07	0.56	34	0.09	3.33	29
I030599		3.4	0.060	0.20	1.06	78	0.19	5.59	90
I030600		3.8	0.059	0.21	1.17	83	0.13	6.11	87
I030601		1.9	0.099	0.05	1.83	54	18.15	7.97	65
I030602		1.1	0.019	0.08	0.54	33	0.32	5.50	25
I030603		4.7	0.075	0.23	1.42	77	0.16	10.35	55
I034451		24.8	0.079	0.52	10.15	38	0.69	11.70	30
I034452		26.9	0.063	0.72	15.75	19	0.38	8.08	23
I034453		5.5	<0.005	0.31	2.17	4	0.47	2.41	8
I031051		9.6	<0.005	0.05	2.57	4	0.09	7.20	49
I031052		0.8	0.172	0.06	0.18	90	0.08	6.17	31
I031053		<0.2	<0.005	<0.02	<0.05	1	2.70	0.42	<2
I031054		0.5	<0.005	<0.02	0.45	7	<0.05	0.98	9
I031055		6.6	0.106	3.21	1.50	30	0.14	10.95	127
I031056		29.7	<0.005	0.75	2.40	4	0.17	10.00	173
I031057		1.7	<0.005	1.63	3.55	1	0.10	1.95	537
I031058		3.5	<0.005	1.00	4.35	2	0.95	2.75	659
I031059		<0.2	<0.005	17.55	2.56	1	<0.05	3.16	61



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2010
Account: EIASQI

Project: Boulevard

CERTIFICATE OF ANALYSIS WH10084658

Method	CERTIFICATE COMMENTS
ME-MS41 ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).