



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 1
Finalized Date: 13-SEP-2010
Account: EIASQI

CERTIFICATE WH10113325

Project: SQI10-06

P.O. No.: SQI10-06_20

This report is for 20 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-AUG-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL
RANDY TURNER

DARCY BAKER

K JOHNSTON

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23 | Au 30g FA-AA finish | AAS |
| ME-MS41 | 51 anal. aqua regia ICPMS | |

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: DARCY BAKER
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm |
|--------------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.005 | 0.01 | 0.01 | 0.1 | 0.2 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 |
| I034374 | | 0.44 | 0.005 | 0.09 | 1.41 | 8.5 | <0.2 | <10 | 190 | 0.59 | 0.12 | 0.39 | 0.06 | 48.6 | 7.5 | 13 |
| I034375 | | 0.91 | <0.005 | 0.04 | 2.11 | 6.0 | <0.2 | <10 | 520 | 0.54 | 0.09 | 0.40 | 0.03 | 22.5 | 12.1 | 65 |
| I034376 | | 0.54 | <0.005 | 0.02 | 0.31 | 3.7 | <0.2 | <10 | 30 | 0.10 | 0.03 | 3.06 | 0.01 | 6.57 | 9.2 | 14 |
| I034377 | | 0.51 | <0.005 | 0.12 | 0.59 | 5.3 | <0.2 | <10 | 70 | 0.28 | 0.14 | 1.09 | 0.10 | 25.8 | 24.4 | 23 |
| I034378 | | 0.86 | <0.005 | 0.02 | 1.21 | 0.4 | <0.2 | <10 | 20 | 0.07 | <0.01 | 0.77 | 0.03 | 1.00 | 10.8 | 15 |
| I034379 | | 0.75 | <0.005 | 0.04 | 1.16 | 0.3 | <0.2 | <10 | 30 | 0.09 | <0.01 | 0.93 | 0.02 | 1.21 | 12.2 | 34 |
| I034380 | | 1.36 | | | | | | | | | | | | | | |
| I034381 | | 0.67 | | | | | | | | | | | | | | |
| I034382 | | 0.50 | <0.005 | 0.05 | 1.29 | 1.0 | <0.2 | <10 | 30 | 0.06 | 0.01 | 1.00 | 0.08 | 3.71 | 10.5 | 21 |
| I034383 | | 0.75 | <0.005 | 0.04 | 3.28 | 0.2 | <0.2 | <10 | 630 | 0.12 | 0.02 | 0.79 | 0.09 | 7.99 | 22.0 | 3 |
| I034384 | | 0.69 | <0.005 | 0.02 | 0.81 | 0.6 | <0.2 | <10 | 60 | 0.05 | 0.12 | 0.38 | 0.05 | 34.3 | 6.5 | 9 |
| I319651 | | 0.33 | <0.005 | 0.02 | 1.08 | 4.4 | <0.2 | <10 | 70 | 0.38 | 0.03 | 0.46 | 0.03 | 26.1 | 4.6 | 14 |
| I319652 | | 0.26 | <0.005 | 0.02 | 0.03 | 0.7 | <0.2 | <10 | 10 | <0.05 | 0.02 | 0.01 | <0.01 | 0.82 | 0.2 | 11 |
| I319653 | | 0.58 | <0.005 | 0.03 | 1.21 | 12.0 | <0.2 | <10 | 120 | 0.30 | 0.02 | 0.92 | 0.03 | 22.0 | 16.7 | 36 |
| I319654 | | 1.00 | <0.005 | 0.01 | 0.07 | 0.6 | <0.2 | <10 | 20 | 0.07 | 0.03 | 0.02 | 0.01 | 3.27 | 0.8 | 16 |
| I319655 | | 0.72 | <0.005 | 0.01 | 0.39 | 0.4 | <0.2 | <10 | 50 | 0.17 | 0.02 | 0.39 | 0.01 | 9.10 | 2.4 | 14 |
| I319656 | | 1.52 | <0.005 | <0.01 | 0.07 | 4 | <0.2 | <10 | 10 | <0.05 | <0.01 | 20.6 | 0.04 | 2.13 | 0.9 | 2 |
| I319657 | | 0.75 | <0.005 | 0.02 | 1.57 | 1.8 | <0.2 | <10 | 90 | 0.23 | 0.02 | 0.95 | 0.02 | 8.68 | 17.0 | 52 |
| I319658 | | 0.39 | <0.005 | 0.02 | 0.94 | 0.7 | <0.2 | <10 | 40 | 0.42 | 0.02 | 1.96 | 0.04 | 35.4 | 3.4 | 11 |
| I034380/I034381composite | | | <0.005 | 0.06 | 0.99 | 0.3 | <0.2 | <10 | 280 | 0.11 | 0.01 | 0.82 | 0.02 | 1.44 | 9.8 | 21 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

| Sample Description | Method Analyte Units LOR | ME-MS41 Cs ppm 0.05 | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 |
|--------------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I034374 | | 5.11 | 24.0 | 2.07 | 7.70 | 0.08 | 0.11 | <0.01 | 0.010 | 0.40 | 23.7 | 31.1 | 0.99 | 247 | 0.34 | 0.07 |
| I034375 | | 16.10 | 6.5 | 2.93 | 7.21 | 0.07 | 0.20 | <0.01 | 0.020 | 1.07 | 12.0 | 28.0 | 0.95 | 403 | 0.22 | 0.07 |
| I034376 | | 0.14 | 32.5 | 0.45 | 1.05 | <0.05 | 0.12 | <0.01 | <0.005 | 0.07 | 3.2 | 2.6 | 0.09 | 93 | 0.11 | 0.02 |
| I034377 | | 0.85 | 96.8 | 1.84 | 2.37 | 0.06 | 0.11 | <0.01 | 0.009 | 0.14 | 11.5 | 3.4 | 0.19 | 106 | 1.15 | 0.03 |
| I034378 | | 0.14 | 53.6 | 1.61 | 3.01 | 0.05 | 0.03 | <0.01 | 0.005 | 0.04 | 0.4 | 5.8 | 0.81 | 233 | 0.11 | 0.09 |
| I034379 | | 0.14 | 111.5 | 1.73 | 3.94 | 0.06 | 0.03 | <0.01 | 0.006 | 0.06 | 0.5 | 5.4 | 0.87 | 290 | 0.07 | 0.11 |
| I034380 | | | | | | | | | | | | | | | | |
| I034381 | | | | | | | | | | | | | | | | |
| I034382 | | 0.11 | 60.5 | 2.04 | 3.99 | 0.08 | 0.06 | <0.01 | 0.014 | 0.07 | 1.8 | 5.1 | 1.09 | 520 | 0.07 | 0.16 |
| I034383 | | 1.58 | 20.4 | 5.24 | 9.85 | 0.16 | 0.05 | <0.01 | 0.025 | 1.10 | 4.6 | 18.7 | 2.26 | 513 | 0.06 | 0.15 |
| I034384 | | 0.19 | 32.9 | 1.59 | 3.42 | 0.10 | 0.04 | <0.01 | 0.016 | 0.10 | 16.3 | 2.3 | 0.37 | 296 | 0.09 | 0.07 |
| I319651 | | 0.67 | 9.0 | 1.85 | 5.33 | 0.05 | 0.07 | <0.01 | 0.011 | 0.28 | 13.2 | 17.5 | 0.41 | 241 | 0.20 | 0.03 |
| I319652 | | <0.05 | 1.3 | 0.23 | 0.14 | <0.05 | <0.02 | <0.01 | <0.005 | 0.01 | 1.4 | 0.2 | 0.01 | 23 | 0.11 | <0.01 |
| I319653 | | 0.39 | 34.3 | 2.28 | 4.19 | 0.05 | 0.05 | <0.01 | 0.009 | 0.19 | 11.7 | 10.3 | 0.63 | 426 | 0.43 | 0.03 |
| I319654 | | 0.12 | 1.5 | 0.51 | 0.28 | <0.05 | 0.02 | <0.01 | 0.005 | 0.05 | 1.7 | 1.1 | 0.01 | 83 | 0.22 | 0.01 |
| I319655 | | 0.18 | 2.9 | 0.49 | 1.49 | <0.05 | 0.05 | <0.01 | 0.006 | 0.12 | 4.6 | 2.4 | 0.12 | 98 | 0.12 | 0.04 |
| I319656 | | 0.40 | 0.7 | 0.23 | 0.17 | <0.05 | <0.02 | 0.01 | <0.005 | 0.04 | 1.0 | 1.3 | 12.30 | 145 | <0.05 | 0.02 |
| I319657 | | 0.33 | 22.0 | 2.01 | 3.04 | <0.05 | 0.07 | <0.01 | 0.010 | 0.28 | 3.4 | 14.6 | 1.29 | 378 | 0.32 | 0.06 |
| I319658 | | 0.06 | 13.1 | 0.55 | 2.72 | 0.09 | 0.39 | <0.01 | 0.009 | 0.01 | 14.1 | 1.3 | 0.27 | 146 | 0.23 | <0.01 |
| I034380/I034381composite | | 0.58 | 106.5 | 1.97 | 3.12 | 0.06 | 0.02 | <0.01 | <0.005 | 0.24 | 0.5 | 6.9 | 0.78 | 277 | 0.10 | 0.05 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 SUITE 200, 900 WEST HASTINGS STREET
 VANCOUVER BC V6C 1E5

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2010
 Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

| Sample Description | Method Analyte Units LOR | ME-MS41 Nb ppm 0.05 | ME-MS41 Ni ppm 0.2 | ME-MS41 P ppm 10 | ME-MS41 Pb ppm 0.2 | ME-MS41 Rb ppm 0.1 | ME-MS41 Re ppm 0.001 | ME-MS41 S % 0.01 | ME-MS41 Sb ppm 0.05 | ME-MS41 Sc ppm 0.1 | ME-MS41 Se ppm 0.2 | ME-MS41 Sn ppm 0.2 | ME-MS41 Sr ppm 0.2 | ME-MS41 Ta ppm 0.01 | ME-MS41 Te ppm 0.01 | ME-MS41 Th ppm 0.2 |
|--------------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I034374 | | 0.96 | 11.4 | 560 | 4.3 | 28.5 | <0.001 | 0.12 | 0.44 | 4.9 | 0.3 | 0.9 | 13.1 | 0.01 | <0.01 | 29.2 |
| I034375 | | 0.24 | 34.8 | 120 | 2.1 | 76.9 | <0.001 | 0.04 | 0.57 | 10.2 | 0.2 | 1.2 | 45.4 | <0.01 | 0.01 | 10.6 |
| I034376 | | 1.15 | 33.3 | 320 | 2.9 | 4.0 | <0.001 | 0.03 | <0.05 | 1.3 | <0.2 | 0.4 | 160.5 | <0.01 | 0.01 | 2.7 |
| I034377 | | 5.87 | 61.6 | 1560 | 5.6 | 11.1 | 0.001 | 0.95 | 0.83 | 2.5 | 0.9 | 0.3 | 66.7 | 0.02 | 0.06 | 2.6 |
| I034378 | | 0.07 | 19.4 | 460 | 0.5 | 1.9 | <0.001 | 0.01 | <0.05 | 4.5 | <0.2 | <0.2 | 17.6 | <0.01 | 0.01 | <0.2 |
| I034379 | | 0.05 | 25.1 | 500 | 0.5 | 2.7 | <0.001 | 0.01 | 0.07 | 5.5 | 0.2 | <0.2 | 35.6 | <0.01 | 0.01 | <0.2 |
| I034380 | | | | | | | | | | | | | | | | |
| I034381 | | | | | | | | | | | | | | | | |
| I034382 | | 0.06 | 9.5 | 800 | 1.6 | 2.4 | <0.001 | 0.01 | <0.05 | 9.2 | <0.2 | <0.2 | 15.5 | <0.01 | 0.01 | 0.2 |
| I034383 | | 0.09 | 3.7 | 590 | 2.7 | 33.7 | <0.001 | <0.01 | <0.05 | 16.0 | 0.2 | 0.2 | 10.2 | <0.01 | <0.01 | 0.7 |
| I034384 | | 0.54 | 6.1 | 180 | 2.1 | 2.5 | <0.001 | <0.01 | <0.05 | 4.2 | 0.4 | 0.6 | 17.1 | 0.01 | 0.01 | 10.0 |
| I319651 | | 0.77 | 9.6 | 820 | 6.7 | 18.4 | <0.001 | <0.01 | 0.05 | 1.6 | 0.2 | 0.6 | 31.5 | 0.01 | <0.01 | 9.3 |
| I319652 | | 0.06 | 0.5 | 10 | 1.0 | 0.6 | <0.001 | <0.01 | <0.05 | 0.2 | <0.2 | <0.2 | 0.9 | <0.01 | <0.01 | 0.6 |
| I319653 | | 0.76 | 26.8 | 840 | 2.0 | 8.4 | <0.001 | 0.21 | 0.48 | 3.9 | 0.3 | 0.3 | 48.6 | 0.01 | 0.01 | 7.2 |
| I319654 | | 0.06 | 1.4 | 10 | 1.2 | 2.4 | <0.001 | <0.01 | 0.06 | 1.1 | <0.2 | <0.2 | 2.6 | <0.01 | <0.01 | 1.2 |
| I319655 | | 1.87 | 5.5 | 250 | 1.2 | 5.1 | <0.001 | <0.01 | 0.05 | 1.8 | 0.2 | 0.4 | 26.8 | <0.01 | <0.01 | 4.8 |
| I319656 | | 0.11 | 2.8 | <10 | 10.5 | 2.1 | <0.001 | 0.01 | <0.05 | 0.5 | 0.2 | <0.2 | 177.0 | <0.01 | <0.01 | <0.2 |
| I319657 | | 0.11 | 70.1 | 1040 | 1.0 | 9.7 | <0.001 | 0.02 | <0.05 | 2.8 | <0.2 | 0.2 | 31.4 | <0.01 | <0.01 | 2.0 |
| I319658 | | 3.25 | 8.5 | 990 | 6.5 | 0.4 | <0.001 | 0.04 | 0.09 | 1.5 | 0.3 | 0.4 | 92.0 | 0.02 | 0.01 | 7.3 |
| I034380/I034381composite | | 0.09 | 11.4 | 1160 | 1.0 | 9.5 | <0.001 | 0.02 | 0.07 | 2.7 | 0.2 | <0.2 | 27.7 | <0.01 | 0.01 | <0.2 |
| | | | | | | | | | | | | | | | | |



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsqglobal.com

SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Total # Pages: 2 (A - D)
Plus Appendix Pages

Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQL10-06

CERTIFICATE OF ANALYSIS WH10113325

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
SUITE 200, 900 WEST HASTINGS STREET
VANCOUVER BC V6C 1E5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-SEP-2010
Account: EIASQI

Project: SQI10-06

CERTIFICATE OF ANALYSIS WH10113325

| Method | CERTIFICATE COMMENTS |
|--------------------|--|
| ME-MS41 ME-MS41 | Interference: Ca>10% on ICP-MS As,ICP-AES results shown. Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |