



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 1  
Finalized Date: 8-OCT-2010  
Account: EIASQI

**CERTIFICATE WH10137858**

Project: SQI10-06

P.O. No.: SQI10-06\_32

This report is for 200 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-SEP-2010.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

DARCY BAKER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION               | INSTRUMENT |
|----------|---------------------------|------------|
| Au-AA23  | Au 30g FA-AA finish       | AAS        |
| ME-MS41  | 51 anal. aqua regia ICPMS |            |

To: EQUITY EXPLORATION CONSULTANTS LTD.  
ATTN: DARCY BAKER  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100854            |                                   | 0.50                      | 0.006                | 0.04                 | 3.02               | 12.6                 | <0.2                 | <10                 | 170                  | 0.71                 | 0.33                 | 0.15               | 0.16                 | 19.90                | 13.5                 | 40                   |
| I100855            |                                   | 0.56                      | <0.005               | 0.01                 | 0.51               | 2.6                  | <0.2                 | <10                 | 30                   | 0.65                 | 0.21                 | 0.05               | 0.02                 | 16.35                | 3.3                  | 6                    |
| I100856            |                                   | 0.44                      | 0.006                | 0.04                 | 2.47               | 9.5                  | <0.2                 | <10                 | 150                  | 0.66                 | 0.17                 | 0.18               | 0.09                 | 26.8                 | 10.1                 | 32                   |
| I100857            |                                   | 0.50                      | 0.011                | 0.05                 | 2.66               | 10.4                 | <0.2                 | <10                 | 150                  | 0.77                 | 0.17                 | 0.18               | 0.09                 | 32.2                 | 11.2                 | 36                   |
| I100858            |                                   | 0.54                      | 0.005                | 0.02                 | 1.56               | 38.6                 | <0.2                 | <10                 | 90                   | 0.47                 | 0.28                 | 0.06               | 0.07                 | 24.5                 | 5.7                  | 12                   |
| I100859            |                                   | 0.46                      | 0.007                | 0.04                 | 2.05               | 9.7                  | <0.2                 | <10                 | 180                  | 0.89                 | 0.30                 | 0.25               | 0.07                 | 61.8                 | 8.7                  | 22                   |
| I100860            |                                   | 0.56                      | <0.005               | 0.05                 | 2.76               | 12.8                 | <0.2                 | <10                 | 200                  | 0.69                 | 0.28                 | 0.31               | 0.05                 | 42.6                 | 12.6                 | 37                   |
| I100861            |                                   | 0.58                      | 0.005                | 0.04                 | 1.97               | 9.3                  | <0.2                 | <10                 | 150                  | 0.63                 | 0.50                 | 0.27               | 0.04                 | 54.8                 | 9.2                  | 30                   |
| I100862            |                                   | 0.42                      | 0.010                | 0.13                 | 1.47               | 7.0                  | <0.2                 | <10                 | 130                  | 0.40                 | 0.29                 | 0.25               | 0.08                 | 22.9                 | 6.8                  | 20                   |
| I100863            |                                   | 0.40                      | 0.005                | 0.05                 | 2.38               | 8.9                  | <0.2                 | <10                 | 180                  | 0.74                 | 0.34                 | 0.20               | 0.06                 | 44.6                 | 10.8                 | 28                   |
| I100864            |                                   | 0.58                      | <0.005               | 0.03                 | 2.01               | 7.3                  | <0.2                 | <10                 | 120                  | 0.77                 | 0.19                 | 0.17               | 0.06                 | 33.0                 | 10.2                 | 27                   |
| I100865            |                                   | 0.54                      | <0.005               | 0.01                 | 1.66               | 5.8                  | <0.2                 | <10                 | 110                  | 0.75                 | 0.23                 | 0.14               | 0.05                 | 62.6                 | 9.2                  | 21                   |
| I100866            |                                   | 0.50                      | <0.005               | 0.03                 | 2.54               | 10.9                 | <0.2                 | <10                 | 170                  | 0.69                 | 0.29                 | 0.16               | 0.12                 | 28.2                 | 11.7                 | 31                   |
| I100867            |                                   | 0.56                      | <0.005               | 0.03                 | 2.64               | 10.9                 | <0.2                 | <10                 | 220                  | 0.64                 | 0.25                 | 0.18               | 0.06                 | 27.5                 | 11.4                 | 35                   |
| I100868            |                                   | 0.48                      | <0.005               | 0.06                 | 2.61               | 10.2                 | <0.2                 | <10                 | 190                  | 0.70                 | 0.64                 | 0.20               | 0.08                 | 36.0                 | 11.4                 | 33                   |
| I100869            |                                   | 0.56                      | <0.005               | 0.06                 | 2.55               | 11.0                 | <0.2                 | <10                 | 220                  | 0.75                 | 0.27                 | 0.27               | 0.10                 | 41.3                 | 11.6                 | 38                   |
| I100870            |                                   | 0.50                      | <0.005               | 0.02                 | 1.44               | 9.3                  | <0.2                 | <10                 | 130                  | 0.57                 | 0.40                 | 0.12               | 0.04                 | 29.2                 | 8.3                  | 19                   |
| I100871            |                                   | 0.52                      | <0.005               | 0.06                 | 1.66               | 7.1                  | <0.2                 | <10                 | 180                  | 0.90                 | 0.45                 | 0.35               | 0.08                 | 33.8                 | 9.3                  | 19                   |
| I100872            |                                   | Not Recvd                 |                      |                      |                    |                      |                      |                     |                      |                      |                      |                    |                      |                      |                      |                      |
| I100873            |                                   | 0.50                      | <0.005               | 0.01                 | 0.67               | 3.3                  | <0.2                 | <10                 | 80                   | 0.20                 | 0.08                 | 0.13               | 0.03                 | 4.70                 | 4.6                  | 8                    |
| I100874            |                                   | 0.48                      | <0.005               | 0.07                 | 2.61               | 8.9                  | 0.6                  | <10                 | 220                  | 0.91                 | 0.20                 | 0.31               | 0.04                 | 91.1                 | 11.6                 | 40                   |
| I100875            |                                   | 0.68                      | <0.005               | 0.03                 | 1.85               | 6.2                  | <0.2                 | <10                 | 200                  | 0.60                 | 0.19                 | 0.40               | 0.04                 | 31.6                 | 8.2                  | 27                   |
| I100876            |                                   | 0.60                      | <0.005               | 0.02                 | 1.76               | 7.3                  | <0.2                 | <10                 | 170                  | 0.79                 | 0.58                 | 0.42               | 0.04                 | 63.9                 | 10.1                 | 29                   |
| I100877            |                                   | 0.54                      | 0.005                | 0.03                 | 1.93               | 7.6                  | <0.2                 | <10                 | 180                  | 0.75                 | 0.45                 | 0.39               | 0.05                 | 61.9                 | 10.4                 | 30                   |
| I100878            |                                   | 0.62                      | <0.005               | 0.11                 | 2.06               | 8.3                  | <0.2                 | <10                 | 230                  | 0.69                 | 0.24                 | 0.71               | 0.08                 | 43.4                 | 12.4                 | 32                   |
| I100879            |                                   | 0.50                      | 0.042                | 1.60                 | 0.59               | 280                  | <0.2                 | <10                 | 40                   | 0.18                 | 0.50                 | 0.26               | 3.85                 | 7.89                 | 4.4                  | 16                   |
| I100880            |                                   | 0.26                      | 0.025                | 0.27                 | 0.83               | 25.4                 | <0.2                 | <10                 | 70                   | 0.25                 | 0.17                 | 0.15               | 0.34                 | 7.00                 | 8.7                  | 27                   |
| I100881            |                                   | 0.30                      | 0.007                | 0.10                 | 0.47               | 6.7                  | <0.2                 | <10                 | 40                   | 0.12                 | 0.19                 | 0.11               | 0.12                 | 6.21                 | 2.9                  | 15                   |
| I100882            |                                   | 0.40                      | 0.012                | 0.07                 | 1.13               | 6.5                  | <0.2                 | <10                 | 50                   | 0.27                 | 0.13                 | 0.10               | 0.10                 | 11.65                | 5.5                  | 13                   |
| I100883            |                                   | 0.30                      | <0.005               | 0.11                 | 0.90               | 8.4                  | <0.2                 | <10                 | 60                   | 0.22                 | 0.20                 | 0.11               | 0.21                 | 8.67                 | 5.6                  | 16                   |
| I100884            |                                   | 0.26                      | 0.009                | 0.15                 | 0.25               | 2.2                  | <0.2                 | <10                 | 20                   | <0.05                | 0.07                 | 0.07               | 0.03                 | 3.29                 | 1.7                  | 6                    |
| I100885            |                                   | 0.38                      | 0.005                | 0.06                 | 0.47               | 4.5                  | <0.2                 | <10                 | 50                   | 0.08                 | 0.14                 | 0.07               | 0.05                 | 5.92                 | 2.8                  | 9                    |
| I100886            |                                   | 0.30                      | <0.005               | 0.10                 | 0.79               | 3.8                  | <0.2                 | <10                 | 80                   | 0.18                 | 0.14                 | 0.17               | 0.19                 | 7.94                 | 9.1                  | 12                   |
| I100887            |                                   | 0.44                      | <0.005               | 0.04                 | 2.85               | 11.0                 | <0.2                 | <10                 | 100                  | 0.54                 | 0.14                 | 0.21               | 0.23                 | 22.1                 | 16.4                 | 30                   |
| I100888            |                                   | 0.46                      | <0.005               | 0.13                 | 2.05               | 11.3                 | <0.2                 | <10                 | 120                  | 0.46                 | 0.20                 | 0.24               | 0.35                 | 16.35                | 10.2                 | 29                   |
| I100889            |                                   | 0.40                      | <0.005               | 0.14                 | 2.67               | 13.9                 | <0.2                 | <10                 | 160                  | 0.68                 | 0.23                 | 0.29               | 0.32                 | 31.6                 | 17.9                 | 29                   |
| I100890            |                                   | 0.34                      | 0.008                | 0.10                 | 2.09               | 21.6                 | <0.2                 | <10                 | 110                  | 0.36                 | 0.50                 | 0.16               | 0.22                 | 16.15                | 11.5                 | 31                   |
| I100891            |                                   | 0.34                      | 0.010                | 0.16                 | 1.00               | 15.1                 | <0.2                 | <10                 | 60                   | 0.33                 | 0.29                 | 0.17               | 0.35                 | 11.00                | 4.2                  | 19                   |
| I100892            |                                   | 0.36                      | 0.005                | 0.23                 | 0.35               | 3.2                  | <0.2                 | <10                 | 30                   | 0.06                 | 0.14                 | 0.11               | 1.14                 | 4.27                 | 2.4                  | 9                    |
| I100893            |                                   | 0.24                      | <0.005               | 0.06                 | 0.34               | 2.3                  | <0.2                 | <10                 | 70                   | 0.06                 | 0.12                 | 0.13               | 0.24                 | 4.49                 | 2.4                  | 9                    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Cs<br>ppm<br>0.05 | ME-MS41<br>Cu<br>ppm<br>0.2 | ME-MS41<br>Fe<br>%<br>0.01 | ME-MS41<br>Ga<br>ppm<br>0.05 | ME-MS41<br>Ge<br>ppm<br>0.05 | ME-MS41<br>Hf<br>ppm<br>0.02 | ME-MS41<br>Hg<br>ppm<br>0.01 | ME-MS41<br>In<br>ppm<br>0.005 | ME-MS41<br>K<br>%<br>0.01 | ME-MS41<br>La<br>ppm<br>0.2 | ME-MS41<br>Li<br>ppm<br>0.1 | ME-MS41<br>Mg<br>%<br>0.01 | ME-MS41<br>Mn<br>ppm<br>5 | ME-MS41<br>Mo<br>ppm<br>0.05 | ME-MS41<br>Na<br>%<br>0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I100854            |                                   | 3.26                         | 25.0                        | 3.50                       | 8.49                         | 0.06                         | 0.18                         | 0.02                         | 0.043                         | 0.05                      | 8.6                         | 21.1                        | 0.57                       | 285                       | 1.19                         | 0.02                       |
| I100855            |                                   | 0.96                         | 5.1                         | 0.74                       | 1.49                         | <0.05                        | 0.13                         | <0.01                        | 0.007                         | 0.06                      | 6.6                         | 2.5                         | 0.06                       | 153                       | 0.50                         | 0.01                       |
| I100856            |                                   | 1.15                         | 19.7                        | 2.96                       | 8.12                         | 0.06                         | 0.09                         | 0.03                         | 0.039                         | 0.05                      | 16.4                        | 10.8                        | 0.39                       | 244                       | 1.14                         | 0.02                       |
| I100857            |                                   | 1.21                         | 21.4                        | 3.21                       | 7.56                         | 0.08                         | 0.10                         | 0.03                         | 0.040                         | 0.05                      | 19.8                        | 11.6                        | 0.42                       | 290                       | 1.38                         | 0.02                       |
| I100858            |                                   | 2.21                         | 9.0                         | 2.59                       | 7.22                         | 0.05                         | 0.07                         | 0.01                         | 0.018                         | 0.10                      | 10.0                        | 12.3                        | 0.17                       | 119                       | 1.25                         | 0.02                       |
| I100859            |                                   | 1.85                         | 17.1                        | 2.76                       | 8.15                         | 0.08                         | 0.04                         | 0.01                         | 0.030                         | 0.07                      | 42.6                        | 18.8                        | 0.43                       | 254                       | 1.07                         | <0.01                      |
| I100860            |                                   | 1.62                         | 22.3                        | 3.39                       | 7.95                         | 0.08                         | 0.27                         | 0.02                         | 0.034                         | 0.06                      | 23.8                        | 17.1                        | 0.59                       | 312                       | 1.00                         | 0.01                       |
| I100861            |                                   | 1.18                         | 19.9                        | 2.79                       | 6.84                         | 0.08                         | 0.12                         | 0.01                         | 0.024                         | 0.04                      | 36.1                        | 17.3                        | 0.52                       | 269                       | 0.77                         | 0.01                       |
| I100862            |                                   | 1.19                         | 13.8                        | 2.31                       | 6.98                         | 0.06                         | 0.03                         | 0.02                         | 0.019                         | 0.08                      | 17.5                        | 13.9                        | 0.34                       | 274                       | 0.87                         | <0.01                      |
| I100863            |                                   | 2.72                         | 20.3                        | 3.15                       | 7.79                         | 0.07                         | 0.16                         | 0.03                         | 0.037                         | 0.11                      | 13.7                        | 14.7                        | 0.47                       | 306                       | 0.87                         | <0.01                      |
| I100864            |                                   | 2.95                         | 14.0                        | 3.08                       | 8.77                         | 0.07                         | 0.07                         | 0.01                         | 0.032                         | 0.12                      | 16.7                        | 19.5                        | 0.50                       | 304                       | 0.96                         | <0.01                      |
| I100865            |                                   | 4.23                         | 16.6                        | 2.73                       | 5.74                         | 0.07                         | 0.08                         | 0.01                         | 0.024                         | 0.13                      | 16.7                        | 13.5                        | 0.43                       | 272                       | 0.64                         | <0.01                      |
| I100866            |                                   | 2.02                         | 18.5                        | 3.29                       | 7.67                         | 0.06                         | 0.05                         | 0.02                         | 0.033                         | 0.09                      | 10.2                        | 16.3                        | 0.46                       | 303                       | 1.48                         | <0.01                      |
| I100867            |                                   | 1.61                         | 22.6                        | 3.31                       | 7.91                         | 0.06                         | 0.25                         | 0.02                         | 0.032                         | 0.09                      | 15.0                        | 16.4                        | 0.53                       | 291                       | 1.25                         | 0.01                       |
| I100868            |                                   | 1.87                         | 22.3                        | 3.47                       | 8.86                         | 0.07                         | 0.11                         | 0.01                         | 0.033                         | 0.09                      | 16.1                        | 16.6                        | 0.47                       | 270                       | 1.64                         | <0.01                      |
| I100869            |                                   | 0.99                         | 20.2                        | 3.33                       | 8.29                         | 0.08                         | 0.22                         | 0.02                         | 0.035                         | 0.08                      | 33.6                        | 13.6                        | 0.49                       | 403                       | 1.34                         | 0.01                       |
| I100870            |                                   | 2.00                         | 14.0                        | 2.88                       | 5.46                         | 0.06                         | 0.19                         | 0.01                         | 0.034                         | 0.14                      | 8.2                         | 9.7                         | 0.38                       | 243                       | 0.89                         | <0.01                      |
| I100871            |                                   | 2.69                         | 14.6                        | 3.27                       | 7.52                         | 0.08                         | 0.12                         | 0.02                         | 0.035                         | 0.19                      | 15.4                        | 12.9                        | 0.40                       | 476                       | 1.29                         | <0.01                      |
| I100872            |                                   |                              |                             |                            |                              |                              |                              |                              |                               |                           |                             |                             |                            |                           |                              |                            |
| I100873            |                                   | 0.47                         | 8.0                         | 0.98                       | 1.84                         | <0.05                        | 0.04                         | 0.01                         | 0.011                         | 0.07                      | 2.6                         | 2.8                         | 0.09                       | 89                        | 0.87                         | <0.01                      |
| I100874            |                                   | 0.82                         | 31.8                        | 3.24                       | 7.54                         | 0.11                         | 0.45                         | 0.02                         | 0.036                         | 0.05                      | 50.8                        | 13.7                        | 0.54                       | 243                       | 0.94                         | 0.01                       |
| I100875            |                                   | 0.66                         | 20.2                        | 2.54                       | 5.95                         | 0.07                         | 0.17                         | 0.01                         | 0.026                         | 0.06                      | 18.1                        | 10.8                        | 0.44                       | 254                       | 0.87                         | 0.01                       |
| I100876            |                                   | 1.69                         | 34.7                        | 2.88                       | 6.65                         | 0.14                         | 0.36                         | 0.02                         | 0.029                         | 0.12                      | 45.9                        | 10.0                        | 0.44                       | 303                       | 0.92                         | 0.01                       |
| I100877            |                                   | 1.18                         | 31.9                        | 2.86                       | 6.74                         | 0.12                         | 0.30                         | 0.02                         | 0.029                         | 0.10                      | 42.8                        | 10.4                        | 0.43                       | 296                       | 0.93                         | 0.01                       |
| I100878            |                                   | 0.61                         | 36.3                        | 2.85                       | 6.33                         | 0.10                         | 0.15                         | 0.04                         | 0.031                         | 0.06                      | 24.6                        | 12.8                        | 0.47                       | 442                       | 0.85                         | 0.02                       |
| I100879            |                                   | 3.97                         | 11.1                        | 1.23                       | 3.03                         | <0.05                        | <0.02                        | 0.08                         | 0.083                         | 0.04                      | 4.3                         | 4.1                         | 0.18                       | 96                        | 1.19                         | 0.01                       |
| I100880            |                                   | 2.55                         | 27.6                        | 1.54                       | 3.84                         | <0.05                        | <0.02                        | 0.20                         | 0.017                         | 0.04                      | 3.7                         | 3.1                         | 0.24                       | 613                       | 1.08                         | 0.01                       |
| I100881            |                                   | 2.19                         | 12.9                        | 1.50                       | 5.97                         | <0.05                        | <0.02                        | 0.06                         | 0.010                         | 0.05                      | 3.4                         | 1.7                         | 0.11                       | 130                       | 1.43                         | 0.01                       |
| I100882            |                                   | 0.96                         | 21.5                        | 1.69                       | 5.36                         | <0.05                        | <0.02                        | 0.06                         | 0.016                         | 0.02                      | 5.8                         | 5.3                         | 0.20                       | 229                       | 0.93                         | 0.01                       |
| I100883            |                                   | 2.44                         | 22.5                        | 2.09                       | 6.63                         | <0.05                        | <0.02                        | 0.04                         | 0.020                         | 0.03                      | 4.6                         | 5.0                         | 0.16                       | 501                       | 1.37                         | 0.01                       |
| I100884            |                                   | 1.70                         | 6.2                         | 0.63                       | 1.89                         | <0.05                        | <0.02                        | 0.05                         | <0.005                        | 0.02                      | 1.8                         | 0.5                         | 0.03                       | 34                        | 0.99                         | 0.01                       |
| I100885            |                                   | 1.65                         | 8.8                         | 1.29                       | 4.76                         | <0.05                        | <0.02                        | 0.04                         | 0.007                         | 0.04                      | 3.2                         | 1.7                         | 0.10                       | 89                        | 1.36                         | 0.01                       |
| I100886            |                                   | 1.57                         | 14.8                        | 1.34                       | 3.68                         | <0.05                        | <0.02                        | 0.12                         | 0.014                         | 0.04                      | 4.1                         | 3.2                         | 0.14                       | 1160                      | 1.04                         | 0.01                       |
| I100887            |                                   | 3.61                         | 26.2                        | 3.19                       | 7.64                         | 0.07                         | 0.07                         | 0.04                         | 0.027                         | 0.07                      | 8.6                         | 20.3                        | 0.68                       | 336                       | 1.02                         | 0.01                       |
| I100888            |                                   | 3.26                         | 26.0                        | 3.34                       | 9.10                         | 0.07                         | 0.02                         | 0.06                         | 0.028                         | 0.04                      | 8.1                         | 16.7                        | 0.47                       | 231                       | 1.40                         | 0.01                       |
| I100889            |                                   | 8.51                         | 32.3                        | 3.34                       | 9.11                         | 0.08                         | 0.02                         | 0.16                         | 0.035                         | 0.11                      | 14.8                        | 22.1                        | 0.63                       | 893                       | 1.62                         | 0.01                       |
| I100890            |                                   | 8.59                         | 21.2                        | 4.00                       | 11.55                        | 0.07                         | 0.04                         | 0.05                         | 0.034                         | 0.06                      | 8.4                         | 18.1                        | 0.47                       | 397                       | 2.52                         | 0.01                       |
| I100891            |                                   | 2.76                         | 15.5                        | 2.51                       | 8.40                         | 0.05                         | 0.02                         | 0.05                         | 0.017                         | 0.03                      | 6.1                         | 8.4                         | 0.17                       | 144                       | 1.74                         | 0.01                       |
| I100892            |                                   | 4.71                         | 13.0                        | 0.92                       | 2.56                         | <0.05                        | <0.02                        | 0.04                         | 0.009                         | 0.03                      | 2.4                         | 0.9                         | 0.05                       | 42                        | 0.93                         | 0.01                       |
| I100893            |                                   | 0.97                         | 8.2                         | 0.79                       | 2.59                         | <0.05                        | <0.02                        | 0.07                         | 0.007                         | 0.03                      | 2.5                         | 1.2                         | 0.06                       | 85                        | 0.84                         | 0.01                       |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100854            |                                   | 1.81    | 30.5    | 180     | 26.1    | 20.0    | <0.001  | 0.03    | 0.55    | 4.8     | 0.4     | 1.2     | 18.1    | 0.01    | 0.04    |
| I100855            |                                   | 0.36    | 3.3     | 40      | 27.1    | 12.1    | <0.001  | 0.06    | 0.18    | 0.9     | 0.2     | 0.3     | 10.4    | <0.01   | 0.01    |
| I100856            |                                   | 1.58    | 18.6    | 280     | 14.8    | 12.3    | <0.001  | 0.06    | 0.46    | 5.9     | 0.7     | 0.7     | 21.0    | 0.01    | 0.04    |
| I100857            |                                   | 1.65    | 20.1    | 350     | 13.6    | 13.2    | <0.001  | 0.05    | 0.55    | 6.6     | 0.8     | 0.7     | 20.9    | 0.01    | 0.04    |
| I100858            |                                   | 0.98    | 8.5     | 300     | 21.4    | 28.8    | <0.001  | 0.06    | 0.48    | 2.5     | 0.4     | 1.4     | 9.3     | <0.01   | 0.04    |
| I100859            |                                   | 1.27    | 20.0    | 220     | 28.0    | 24.3    | <0.001  | <0.01   | 0.30    | 3.9     | 0.5     | 1.5     | 24.2    | <0.01   | 0.03    |
| I100860            |                                   | 0.73    | 23.9    | 130     | 19.5    | 20.6    | <0.001  | <0.01   | 0.39    | 6.3     | 0.5     | 1.2     | 35.1    | <0.01   | 0.03    |
| I100861            |                                   | 0.94    | 19.4    | 120     | 27.8    | 15.1    | <0.001  | <0.01   | 0.32    | 4.8     | 0.5     | 0.9     | 25.6    | <0.01   | 0.02    |
| I100862            |                                   | 1.48    | 12.6    | 240     | 19.3    | 29.6    | <0.001  | <0.01   | 0.20    | 3.1     | 0.4     | 1.0     | 26.1    | <0.01   | 0.02    |
| I100863            |                                   | 1.25    | 21.0    | 210     | 29.5    | 28.3    | <0.001  | <0.01   | 0.36    | 5.1     | 0.4     | 1.7     | 22.8    | <0.01   | 0.04    |
| I100864            |                                   | 1.12    | 16.8    | 320     | 21.8    | 31.7    | <0.001  | <0.01   | 0.24    | 4.6     | 0.4     | 1.4     | 19.8    | <0.01   | 0.03    |
| I100865            |                                   | 1.10    | 13.7    | 150     | 29.7    | 36.1    | <0.001  | <0.01   | 0.24    | 3.4     | 0.3     | 2.4     | 18.0    | <0.01   | 0.02    |
| I100866            |                                   | 1.75    | 22.2    | 340     | 26.8    | 27.4    | <0.001  | <0.01   | 0.44    | 3.7     | 0.4     | 1.4     | 20.3    | <0.01   | 0.04    |
| I100867            |                                   | 1.43    | 25.3    | 200     | 21.4    | 20.1    | <0.001  | 0.07    | 0.42    | 4.9     | 0.4     | 0.9     | 25.4    | <0.01   | 0.04    |
| I100868            |                                   | 1.31    | 22.1    | 250     | 18.4    | 24.9    | <0.001  | 0.04    | 0.41    | 4.4     | 0.4     | 1.3     | 27.3    | <0.01   | 0.03    |
| I100869            |                                   | 1.46    | 22.2    | 260     | 17.4    | 17.1    | <0.001  | <0.01   | 0.42    | 5.2     | 0.6     | 1.1     | 31.8    | <0.01   | 0.03    |
| I100870            |                                   | 0.67    | 13.0    | 100     | 27.7    | 24.9    | <0.001  | <0.01   | 0.27    | 3.7     | 0.4     | 2.4     | 19.1    | <0.01   | 0.02    |
| I100871            |                                   | 1.03    | 13.0    | 310     | 28.4    | 38.2    | <0.001  | <0.01   | 0.24    | 3.7     | 0.4     | 4.0     | 37.5    | <0.01   | 0.02    |
| I100872            |                                   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |
| I100873            |                                   | 0.44    | 4.8     | 230     | 8.6     | 10.0    | <0.001  | <0.01   | 0.11    | 1.6     | 0.2     | 0.2     | 32.3    | <0.01   | 0.02    |
| I100874            |                                   | 0.79    | 25.5    | 180     | 14.4    | 13.0    | <0.001  | <0.01   | 0.38    | 8.6     | 0.6     | 1.1     | 34.5    | <0.01   | 0.04    |
| I100875            |                                   | 0.90    | 17.3    | 370     | 14.2    | 12.1    | <0.001  | <0.01   | 0.25    | 5.5     | 0.4     | 0.8     | 39.7    | <0.01   | 0.03    |
| I100876            |                                   | 0.36    | 19.2    | 550     | 27.9    | 22.2    | <0.001  | <0.01   | 0.32    | 8.3     | 0.8     | 1.1     | 36.1    | 0.01    | 0.03    |
| I100877            |                                   | 0.54    | 18.8    | 410     | 23.9    | 17.7    | <0.001  | <0.01   | 0.35    | 7.8     | 0.7     | 1.0     | 34.9    | <0.01   | 0.03    |
| I100878            |                                   | 1.51    | 24.8    | 470     | 15.3    | 11.3    | <0.001  | 0.07    | 0.43    | 7.3     | 0.9     | 0.7     | 82.0    | <0.01   | 0.04    |
| I100879            |                                   | 0.41    | 8.0     | 700     | 109.0   | 5.2     | <0.001  | 0.12    | 1.59    | 1.4     | 0.6     | 0.3     | 32.1    | <0.01   | 0.04    |
| I100880            |                                   | 0.43    | 19.3    | 1050    | 6.7     | 4.6     | <0.001  | 0.05    | 0.44    | 0.7     | 0.8     | 0.4     | 20.9    | <0.01   | 0.06    |
| I100881            |                                   | 1.05    | 6.3     | 520     | 7.2     | 6.7     | <0.001  | 0.01    | 0.45    | 1.3     | 0.5     | 0.5     | 12.3    | <0.01   | 0.04    |
| I100882            |                                   | 0.48    | 8.8     | 690     | 6.9     | 3.4     | <0.001  | 0.01    | 0.36    | 0.8     | 0.7     | 0.3     | 13.3    | <0.01   | 0.06    |
| I100883            |                                   | 0.89    | 10.1    | 480     | 8.9     | 6.4     | <0.001  | 0.01    | 0.61    | 1.3     | 0.6     | 0.5     | 13.3    | <0.01   | 0.05    |
| I100884            |                                   | 0.21    | 3.0     | 370     | 1.9     | 2.5     | <0.001  | <0.01   | 0.15    | 0.5     | 0.4     | 0.2     | 10.5    | <0.01   | 0.02    |
| I100885            |                                   | 0.79    | 4.5     | 220     | 4.9     | 4.7     | <0.001  | <0.01   | 0.36    | 1.2     | 0.3     | 0.4     | 13.0    | <0.01   | 0.03    |
| I100886            |                                   | 0.46    | 7.9     | 740     | 4.7     | 8.3     | <0.001  | 0.02    | 0.27    | 0.9     | 0.7     | 0.3     | 22.4    | <0.01   | 0.05    |
| I100887            |                                   | 2.14    | 35.0    | 410     | 8.4     | 9.3     | <0.001  | <0.01   | 0.49    | 4.5     | 0.8     | 0.5     | 24.1    | 0.02    | 0.06    |
| I100888            |                                   | 1.71    | 25.0    | 490     | 10.8    | 8.1     | <0.001  | 0.09    | 0.61    | 2.6     | 0.8     | 0.6     | 25.4    | <0.01   | 0.08    |
| I100889            |                                   | 1.05    | 29.7    | 940     | 12.8    | 14.8    | <0.001  | 0.14    | 0.82    | 2.3     | 1.2     | 0.5     | 28.2    | 0.01    | 0.11    |
| I100890            |                                   | 2.40    | 17.9    | 380     | 25.4    | 11.0    | <0.001  | <0.01   | 0.91    | 4.6     | 0.6     | 0.8     | 23.5    | 0.01    | 0.09    |
| I100891            |                                   | 1.67    | 10.2    | 420     | 17.1    | 8.2     | <0.001  | 0.01    | 0.55    | 1.9     | 0.5     | 0.7     | 16.7    | <0.01   | 0.06    |
| I100892            |                                   | 0.32    | 6.2     | 360     | 4.4     | 9.8     | <0.001  | 0.01    | 0.20    | 0.6     | 0.5     | 0.3     | 14.8    | <0.01   | 0.04    |
| I100893            |                                   | 0.34    | 5.6     | 420     | 3.4     | 4.5     | <0.001  | 0.01    | 0.24    | 0.8     | 0.5     | 0.3     | 15.8    | <0.01   | 0.03    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 2 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-OCT-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100854            |                                   | 0.108              | 0.15                 | 0.98                | 83                  | 0.18                | 4.33                | 56                   | 6.5                  |
| I100855            |                                   | 0.012              | 0.07                 | 2.54                | 12                  | 0.08                | 4.06                | 11                   | 5.5                  |
| I100856            |                                   | 0.088              | 0.13                 | 0.92                | 67                  | 0.19                | 5.79                | 34                   | 3.6                  |
| I100857            |                                   | 0.093              | 0.12                 | 1.10                | 69                  | 0.19                | 6.89                | 38                   | 4.6                  |
| I100858            |                                   | 0.031              | 0.18                 | 1.93                | 44                  | 0.31                | 5.21                | 27                   | 3.0                  |
| I100859            |                                   | 0.043              | 0.17                 | 1.58                | 53                  | 0.27                | 9.87                | 47                   | 1.8                  |
| I100860            |                                   | 0.090              | 0.18                 | 1.26                | 70                  | 0.21                | 8.62                | 52                   | 11.7                 |
| I100861            |                                   | 0.080              | 0.13                 | 1.15                | 60                  | 0.18                | 9.55                | 44                   | 5.4                  |
| I100862            |                                   | 0.072              | 0.13                 | 0.95                | 53                  | 0.30                | 5.94                | 36                   | 1.1                  |
| I100863            |                                   | 0.082              | 0.21                 | 1.52                | 59                  | 0.21                | 6.59                | 52                   | 7.3                  |
| I100864            |                                   | 0.049              | 0.18                 | 2.46                | 53                  | 0.20                | 7.56                | 44                   | 3.4                  |
| I100865            |                                   | 0.052              | 0.33                 | 2.78                | 40                  | 0.31                | 5.91                | 45                   | 4.0                  |
| I100866            |                                   | 0.076              | 0.13                 | 1.26                | 68                  | 0.21                | 4.05                | 57                   | 2.2                  |
| I100867            |                                   | 0.103              | 0.14                 | 1.35                | 70                  | 0.16                | 4.26                | 54                   | 11.0                 |
| I100868            |                                   | 0.098              | 0.17                 | 1.22                | 77                  | 0.25                | 5.51                | 57                   | 5.8                  |
| I100869            |                                   | 0.109              | 0.11                 | 1.56                | 77                  | 0.18                | 11.10               | 57                   | 9.8                  |
| I100870            |                                   | 0.053              | 0.15                 | 3.69                | 45                  | 0.14                | 6.71                | 43                   | 8.4                  |
| I100871            |                                   | 0.046              | 0.25                 | 4.09                | 45                  | 0.23                | 9.95                | 60                   | 5.8                  |
| I100872            |                                   |                    |                      |                     |                     |                     |                     |                      |                      |
| I100873            |                                   | 0.019              | 0.05                 | 0.42                | 19                  | 0.08                | 1.30                | 13                   | 1.8                  |
| I100874            |                                   | 0.106              | 0.08                 | 2.20                | 71                  | 0.15                | 10.65               | 46                   | 21.3                 |
| I100875            |                                   | 0.094              | 0.08                 | 2.54                | 57                  | 0.14                | 9.53                | 39                   | 7.7                  |
| I100876            |                                   | 0.087              | 0.13                 | 3.25                | 57                  | 0.18                | 20.2                | 51                   | 18.8                 |
| I100877            |                                   | 0.092              | 0.11                 | 3.07                | 60                  | 0.16                | 19.15               | 46                   | 15.1                 |
| I100878            |                                   | 0.109              | 0.08                 | 4.64                | 65                  | 0.18                | 15.70               | 48                   | 7.5                  |
| I100879            |                                   | 0.039              | 0.09                 | 0.44                | 30                  | 0.14                | 2.75                | 90                   | <0.5                 |
| I100880            |                                   | 0.032              | 0.10                 | 0.36                | 38                  | 0.08                | 2.04                | 36                   | <0.5                 |
| I100881            |                                   | 0.084              | 0.07                 | 0.35                | 64                  | 0.17                | 1.29                | 20                   | 0.6                  |
| I100882            |                                   | 0.044              | 0.08                 | 0.40                | 38                  | 0.08                | 3.17                | 34                   | <0.5                 |
| I100883            |                                   | 0.071              | 0.10                 | 0.39                | 57                  | 0.11                | 1.90                | 43                   | 0.6                  |
| I100884            |                                   | 0.031              | 0.05                 | 0.18                | 20                  | 0.05                | 0.52                | 9                    | <0.5                 |
| I100885            |                                   | 0.073              | 0.07                 | 0.21                | 46                  | 0.10                | 1.11                | 18                   | 0.5                  |
| I100886            |                                   | 0.041              | 0.09                 | 0.32                | 31                  | 0.07                | 2.26                | 24                   | <0.5                 |
| I100887            |                                   | 0.124              | 0.19                 | 0.49                | 75                  | 0.19                | 4.91                | 49                   | 3.0                  |
| I100888            |                                   | 0.096              | 0.15                 | 0.53                | 87                  | 0.18                | 4.23                | 44                   | 1.0                  |
| I100889            |                                   | 0.074              | 0.34                 | 0.69                | 81                  | 0.14                | 9.18                | 55                   | 0.7                  |
| I100890            |                                   | 0.135              | 0.27                 | 0.56                | 111                 | 0.20                | 3.41                | 49                   | 1.9                  |
| I100891            |                                   | 0.083              | 0.12                 | 0.51                | 76                  | 0.18                | 2.01                | 32                   | 0.9                  |
| I100892            |                                   | 0.035              | 0.05                 | 0.27                | 25                  | 0.07                | 0.98                | 21                   | <0.5                 |
| I100893            |                                   | 0.035              | 0.08                 | 0.25                | 26                  | 0.06                | 0.91                | 42                   | <0.5                 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100894            |                                   | 0.52                      | <0.005               | 0.25                 | 1.65               | 20.8                 | <0.2                 | <10                 | 120                  | 0.42                 | 0.34                 | 0.39               | 0.15                 | 17.55                | 7.4                  | 31                   |
| I100895            |                                   | 0.28                      | 0.007                | 0.23                 | 1.30               | 39.0                 | <0.2                 | <10                 | 60                   | 0.19                 | 0.56                 | 0.18               | 0.29                 | 10.70                | 7.3                  | 23                   |
| I100896            |                                   | 0.46                      | 0.026                | 1.41                 | 1.95               | 115.0                | <0.2                 | <10                 | 130                  | 0.47                 | 0.91                 | 0.58               | 0.93                 | 21.2                 | 18.2                 | 29                   |
| I100897            |                                   | 0.42                      | 0.014                | 1.32                 | 1.99               | 110.5                | <0.2                 | <10                 | 130                  | 0.53                 | 0.85                 | 0.61               | 0.82                 | 20.9                 | 18.6                 | 28                   |
| I100898            |                                   | 0.24                      | <0.005               | 0.42                 | 0.99               | 16.6                 | <0.2                 | <10                 | 60                   | 0.26                 | 0.35                 | 0.16               | 0.39                 | 8.86                 | 4.3                  | 22                   |
| I100899            |                                   | 0.22                      | 0.024                | 0.08                 | 1.11               | 7.4                  | <0.2                 | <10                 | 40                   | 0.17                 | 0.24                 | 0.21               | 0.12                 | 9.13                 | 3.5                  | 19                   |
| I100900            |                                   | 0.38                      | 0.009                | 0.38                 | 1.72               | 52.8                 | <0.2                 | <10                 | 90                   | 0.75                 | 0.47                 | 0.76               | 0.51                 | 18.05                | 12.4                 | 23                   |
| I100901            |                                   | 0.32                      | 0.006                | 0.31                 | 2.08               | 63.4                 | <0.2                 | <10                 | 130                  | 1.01                 | 0.50                 | 0.81               | 0.70                 | 17.95                | 17.7                 | 27                   |
| I100902            |                                   | 0.40                      | <0.005               | 0.15                 | 1.78               | 22.2                 | <0.2                 | <10                 | 140                  | 1.44                 | 0.32                 | 0.53               | 0.22                 | 44.2                 | 13.2                 | 32                   |
| I100903            |                                   | 0.44                      | <0.005               | 0.47                 | 1.53               | 39.5                 | <0.2                 | <10                 | 90                   | 0.57                 | 0.59                 | 0.30               | 0.37                 | 15.60                | 6.8                  | 33                   |
| I100904            |                                   | 0.44                      | <0.005               | 0.09                 | 0.26               | 1.4                  | <0.2                 | <10                 | 20                   | 0.06                 | 0.13                 | 0.07               | 0.07                 | 3.29                 | 1.1                  | 7                    |
| I100905            |                                   | 0.24                      | <0.005               | 0.10                 | 0.38               | 2.6                  | <0.2                 | <10                 | 40                   | 0.12                 | 0.15                 | 0.06               | 0.16                 | 4.94                 | 2.0                  | 11                   |
| I100906            |                                   | 0.44                      | <0.005               | 0.06                 | 0.56               | 25.2                 | <0.2                 | <10                 | 40                   | 0.12                 | 0.42                 | 0.09               | 0.10                 | 5.76                 | 2.4                  | 13                   |
| I100907            |                                   | 0.36                      | <0.005               | 0.10                 | 1.36               | 7.0                  | <0.2                 | <10                 | 70                   | 0.21                 | 0.18                 | 0.18               | 0.16                 | 8.95                 | 4.4                  | 22                   |
| I100908            |                                   | 0.32                      | 0.005                | 0.17                 | 1.44               | 5.2                  | <0.2                 | <10                 | 70                   | 0.49                 | 0.17                 | 0.20               | 0.16                 | 8.72                 | 7.0                  | 20                   |
| I100909            |                                   | 0.34                      | <0.005               | 0.06                 | 1.40               | 15.6                 | <0.2                 | <10                 | 60                   | 0.43                 | 0.15                 | 0.20               | 0.12                 | 6.24                 | 8.9                  | 16                   |
| I100910            |                                   | 0.56                      | 0.006                | 0.39                 | 1.95               | 23.0                 | <0.2                 | <10                 | 100                  | 1.02                 | 0.31                 | 0.51               | 0.22                 | 19.10                | 13.0                 | 30                   |
| I100911            |                                   | 0.28                      | <0.005               | 0.09                 | 1.53               | 4.7                  | <0.2                 | <10                 | 150                  | 0.43                 | 0.11                 | 1.69               | 0.16                 | 29.0                 | 9.5                  | 32                   |
| I100912            |                                   | 0.42                      | <0.005               | 0.14                 | 1.72               | 4.5                  | <0.2                 | <10                 | 140                  | 0.53                 | 0.27                 | 0.51               | 0.13                 | 83.3                 | 9.3                  | 32                   |
| I100913            |                                   | 0.54                      | <0.005               | 0.16                 | 1.72               | 8.8                  | <0.2                 | <10                 | 170                  | 0.72                 | 0.16                 | 1.03               | 0.12                 | 66.7                 | 15.1                 | 35                   |
| I100914            |                                   | 0.46                      | <0.005               | 0.07                 | 1.61               | 12.7                 | <0.2                 | <10                 | 130                  | 0.61                 | 0.18                 | 0.37               | 0.07                 | 60.7                 | 12.1                 | 29                   |
| I100915            |                                   | 0.34                      | <0.005               | 0.04                 | 2.85               | 6.4                  | <0.2                 | <10                 | 150                  | 0.53                 | 0.14                 | 0.34               | 0.08                 | 23.5                 | 16.7                 | 52                   |
| I100916            |                                   | 0.40                      | <0.005               | 0.09                 | 2.97               | 9.4                  | <0.2                 | <10                 | 170                  | 0.57                 | 0.17                 | 0.22               | 0.10                 | 26.7                 | 15.4                 | 49                   |
| I100917            |                                   | 0.50                      | <0.005               | 0.08                 | 1.68               | 12.2                 | <0.2                 | <10                 | 140                  | 0.76                 | 0.13                 | 0.77               | 0.11                 | 67.4                 | 15.8                 | 42                   |
| I100918            |                                   | 0.46                      | <0.005               | 0.11                 | 2.38               | 3.1                  | <0.2                 | <10                 | 180                  | 0.63                 | 0.16                 | 1.04               | 0.07                 | 54.8                 | 14.4                 | 36                   |
| I100919            |                                   | 0.38                      | 0.010                | 0.13                 | 1.87               | 7.5                  | <0.2                 | <10                 | 220                  | 0.43                 | 0.17                 | 0.68               | 0.08                 | 32.9                 | 11.1                 | 34                   |
| I100920            |                                   | 0.62                      | <0.005               | 0.09                 | 2.42               | 6.0                  | <0.2                 | <10                 | 160                  | 0.64                 | 0.14                 | 0.29               | 0.05                 | 27.2                 | 13.0                 | 44                   |
| I100921            |                                   | 0.56                      | <0.005               | 0.19                 | 2.18               | 3.0                  | <0.2                 | <10                 | 180                  | 0.39                 | 0.13                 | 0.32               | 0.07                 | 12.65                | 11.9                 | 41                   |
| I100922            |                                   | 0.42                      | <0.005               | 0.09                 | 2.35               | 3.7                  | <0.2                 | <10                 | 170                  | 0.50                 | 0.12                 | 0.40               | 0.07                 | 33.2                 | 16.5                 | 55                   |
| I100923            |                                   | 0.48                      | 0.005                | 0.08                 | 2.15               | 5.6                  | <0.2                 | <10                 | 130                  | 0.68                 | 0.31                 | 0.35               | 0.06                 | 36.1                 | 13.3                 | 48                   |
| I100924            |                                   | 0.34                      | 0.005                | 0.06                 | 1.80               | 4.2                  | <0.2                 | <10                 | 160                  | 0.45                 | 0.14                 | 0.33               | 0.09                 | 43.2                 | 16.2                 | 38                   |
| I100925            |                                   | 0.40                      | 0.022                | 0.13                 | 1.82               | 4.7                  | <0.2                 | <10                 | 100                  | 0.50                 | 0.20                 | 1.35               | 0.10                 | 81.3                 | 15.6                 | 40                   |
| I100926            |                                   | 0.46                      | 0.010                | 0.12                 | 1.69               | 4.7                  | <0.2                 | <10                 | 100                  | 0.51                 | 0.15                 | 1.32               | 0.09                 | 84.8                 | 17.9                 | 37                   |
| I100927            |                                   | 0.64                      | <0.005               | 0.06                 | 1.60               | 2.4                  | <0.2                 | <10                 | 100                  | 0.31                 | 0.19                 | 0.39               | 0.08                 | 20.0                 | 6.8                  | 27                   |
| I100928            |                                   | 0.38                      | <0.005               | 0.06                 | 1.32               | 9.7                  | <0.2                 | <10                 | 100                  | 0.26                 | 0.17                 | 0.58               | 0.09                 | 18.40                | 6.9                  | 27                   |
| I100929            |                                   | 0.50                      | 0.021                | 0.08                 | 1.45               | 6.3                  | <0.2                 | <10                 | 140                  | 0.35                 | 0.17                 | 1.64               | 0.11                 | 27.3                 | 10.7                 | 29                   |
| I100930            |                                   | 0.38                      | <0.005               | 0.07                 | 1.25               | 7.0                  | <0.2                 | <10                 | 100                  | 0.36                 | 0.09                 | 1.54               | 0.13                 | 24.5                 | 10.5                 | 29                   |
| I100931            |                                   | 0.38                      | 0.013                | 0.08                 | 1.65               | 4.9                  | <0.2                 | <10                 | 90                   | 0.40                 | 0.10                 | 1.45               | 0.10                 | 41.4                 | 13.8                 | 38                   |
| I100932            |                                   | 0.48                      | 0.007                | 0.08                 | 1.43               | 11.1                 | <0.2                 | <10                 | 100                  | 0.40                 | 0.13                 | 1.06               | 0.10                 | 44.0                 | 15.4                 | 34                   |
| I100933            |                                   | 0.26                      | <0.005               | 0.16                 | 1.63               | 6.1                  | <0.2                 | <10                 | 140                  | 0.36                 | 0.11                 | 0.95               | 0.16                 | 41.1                 | 16.1                 | 36                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100894            |                                   | 7.91    | 21.1    | 2.16    | 7.04    | 0.06    | 0.02    | 0.07    | 0.029   | 0.06    | 9.7     | 16.1    | 0.52    | 166     | 0.86    |
| I100895            |                                   | 5.06    | 16.3    | 2.67    | 7.99    | 0.05    | 0.02    | 0.07    | 0.022   | 0.05    | 5.7     | 9.5     | 0.36    | 304     | 1.97    |
| I100896            |                                   | 9.50    | 19.7    | 2.80    | 6.44    | 0.05    | 0.02    | 0.14    | 0.040   | 0.05    | 9.6     | 15.1    | 0.53    | 834     | 2.82    |
| I100897            |                                   | 9.21    | 19.3    | 2.82    | 6.75    | <0.05   | 0.02    | 0.12    | 0.037   | 0.05    | 9.5     | 15.4    | 0.56    | 780     | 2.70    |
| I100898            |                                   | 3.95    | 20.5    | 2.08    | 5.67    | <0.05   | <0.02   | 0.12    | 0.020   | 0.02    | 4.5     | 4.5     | 0.13    | 211     | 2.08    |
| I100899            |                                   | 1.79    | 16.9    | 1.49    | 3.60    | <0.05   | <0.02   | 0.05    | 0.020   | 0.03    | 4.4     | 4.8     | 0.24    | 138     | 1.10    |
| I100900            |                                   | 7.72    | 21.7    | 2.53    | 5.22    | <0.05   | 0.02    | 0.10    | 0.043   | 0.05    | 8.3     | 12.9    | 0.50    | 567     | 1.75    |
| I100901            |                                   | 11.05   | 27.4    | 2.97    | 6.27    | <0.05   | <0.02   | 0.11    | 0.030   | 0.07    | 6.9     | 13.3    | 0.52    | 1250    | 2.27    |
| I100902            |                                   | 14.80   | 29.0    | 3.40    | 8.48    | 0.07    | 0.03    | 0.07    | 0.026   | 0.23    | 20.4    | 15.9    | 0.67    | 455     | 1.24    |
| I100903            |                                   | 3.56    | 23.7    | 2.09    | 4.89    | <0.05   | 0.02    | 0.08    | 0.023   | 0.05    | 7.6     | 9.1     | 0.37    | 196     | 1.34    |
| I100904            |                                   | 0.72    | 6.3     | 0.65    | 2.01    | <0.05   | <0.02   | 0.03    | 0.006   | 0.02    | 1.7     | 0.6     | 0.03    | 35      | 0.48    |
| I100905            |                                   | 0.59    | 9.3     | 1.06    | 2.77    | <0.05   | <0.02   | 0.05    | 0.012   | 0.02    | 2.6     | 1.0     | 0.05    | 139     | 1.09    |
| I100906            |                                   | 1.64    | 9.9     | 1.59    | 5.14    | <0.05   | <0.02   | 0.02    | 0.011   | 0.04    | 2.9     | 3.0     | 0.11    | 89      | 1.26    |
| I100907            |                                   | 1.49    | 12.6    | 2.52    | 6.34    | <0.05   | <0.02   | 0.04    | 0.019   | 0.04    | 4.5     | 10.0    | 0.23    | 135     | 1.94    |
| I100908            |                                   | 3.53    | 14.0    | 2.43    | 5.68    | <0.05   | 0.02    | 0.05    | 0.014   | 0.11    | 4.7     | 12.9    | 0.54    | 254     | 0.93    |
| I100909            |                                   | 4.32    | 11.5    | 3.25    | 6.19    | 0.05    | <0.02   | 0.03    | 0.011   | 0.21    | 3.1     | 9.9     | 0.76    | 336     | 1.40    |
| I100910            |                                   | 8.63    | 24.2    | 2.64    | 5.89    | 0.06    | 0.02    | 0.04    | 0.023   | 0.13    | 10.1    | 17.1    | 0.72    | 291     | 1.21    |
| I100911            |                                   | 0.96    | 18.4    | 2.45    | 5.14    | 0.05    | 0.06    | 0.05    | 0.023   | 0.05    | 15.6    | 13.5    | 0.50    | 585     | 0.66    |
| I100912            |                                   | 1.21    | 27.4    | 2.71    | 6.09    | 0.12    | 0.05    | 0.05    | 0.034   | 0.08    | 77.1    | 23.1    | 0.49    | 140     | 1.00    |
| I100913            |                                   | 1.21    | 26.4    | 3.44    | 5.22    | 0.09    | 0.05    | 0.06    | 0.035   | 0.07    | 37.0    | 12.0    | 0.51    | 1120    | 1.02    |
| I100914            |                                   | 1.52    | 19.0    | 3.94    | 5.35    | 0.09    | 0.02    | 0.03    | 0.029   | 0.07    | 31.1    | 10.0    | 0.36    | 351     | 0.93    |
| I100915            |                                   | 2.86    | 29.7    | 4.12    | 7.68    | 0.07    | 0.13    | 0.02    | 0.023   | 0.31    | 10.9    | 18.6    | 1.00    | 477     | 1.22    |
| I100916            |                                   | 1.73    | 21.5    | 4.22    | 8.88    | 0.06    | 0.11    | 0.01    | 0.034   | 0.10    | 11.7    | 19.9    | 0.73    | 359     | 1.41    |
| I100917            |                                   | 2.13    | 33.6    | 4.09    | 4.80    | 0.10    | 0.05    | 0.03    | 0.030   | 0.21    | 32.6    | 11.7    | 0.69    | 632     | 0.89    |
| I100918            |                                   | 2.63    | 25.5    | 3.97    | 7.80    | 0.11    | 0.05    | 0.03    | 0.030   | 0.39    | 33.2    | 23.2    | 0.96    | 352     | 0.71    |
| I100919            |                                   | 0.79    | 23.2    | 3.31    | 5.82    | 0.07    | 0.07    | 0.03    | 0.025   | 0.10    | 18.7    | 11.7    | 0.54    | 332     | 1.03    |
| I100920            |                                   | 2.03    | 24.3    | 3.63    | 6.27    | 0.06    | 0.11    | 0.01    | 0.027   | 0.27    | 12.6    | 16.7    | 0.80    | 275     | 1.03    |
| I100921            |                                   | 0.98    | 15.5    | 3.41    | 6.54    | 0.05    | 0.05    | 0.01    | 0.018   | 0.17    | 5.7     | 16.9    | 0.72    | 262     | 1.12    |
| I100922            |                                   | 2.85    | 32.1    | 4.02    | 6.49    | 0.09    | 0.08    | 0.01    | 0.026   | 0.47    | 12.6    | 16.8    | 0.98    | 316     | 1.16    |
| I100923            |                                   | 2.47    | 28.8    | 3.99    | 5.49    | 0.06    | 0.09    | 0.01    | 0.081   | 0.21    | 14.5    | 11.4    | 0.69    | 315     | 1.45    |
| I100924            |                                   | 1.31    | 27.4    | 3.76    | 5.46    | 0.07    | 0.06    | 0.01    | 0.027   | 0.17    | 15.8    | 14.4    | 0.70    | 321     | 1.09    |
| I100925            |                                   | 1.93    | 44.7    | 3.32    | 5.31    | 0.14    | 0.09    | 0.04    | 0.027   | 0.22    | 55.3    | 19.6    | 0.90    | 201     | 1.00    |
| I100926            |                                   | 1.79    | 45.5    | 3.22    | 5.06    | 0.14    | 0.08    | 0.04    | 0.024   | 0.20    | 58.9    | 18.1    | 0.78    | 208     | 0.99    |
| I100927            |                                   | 1.60    | 10.6    | 2.17    | 5.01    | 0.05    | 0.03    | 0.03    | 0.018   | 0.05    | 10.6    | 14.7    | 0.52    | 142     | 0.45    |
| I100928            |                                   | 1.66    | 11.3    | 1.89    | 4.22    | 0.05    | 0.03    | 0.02    | 0.015   | 0.07    | 9.7     | 13.0    | 0.53    | 174     | 0.55    |
| I100929            |                                   | 1.44    | 16.0    | 2.37    | 4.23    | 0.06    | 0.05    | 0.04    | 0.020   | 0.05    | 13.6    | 13.5    | 0.50    | 441     | 0.60    |
| I100930            |                                   | 1.85    | 20.6    | 2.34    | 3.49    | 0.06    | 0.05    | 0.03    | 0.016   | 0.09    | 11.7    | 11.9    | 0.53    | 381     | 0.45    |
| I100931            |                                   | 2.76    | 23.2    | 3.02    | 4.44    | 0.09    | 0.05    | 0.02    | 0.018   | 0.21    | 19.7    | 15.3    | 0.74    | 427     | 0.72    |
| I100932            |                                   | 3.60    | 25.5    | 2.91    | 4.62    | 0.09    | 0.06    | 0.03    | 0.023   | 0.15    | 20.6    | 14.3    | 0.59    | 432     | 0.74    |
| I100933            |                                   | 2.94    | 27.2    | 2.77    | 4.70    | 0.09    | 0.05    | 0.03    | 0.018   | 0.19    | 21.0    | 18.6    | 0.68    | 616     | 0.66    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Nb      | Ni      | P       | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 10      | 0.2     | 0.1     | 0.001   | 0.01    | 0.05    | 0.1     | 0.2     | 0.2     | 0.2     | 0.01    | 0.01    |
| I100894            |                                   | 1.11    | 17.4    | 840     | 24.4    | 16.1    | <0.001  | 0.01    | 2.18    | 3.8     | 0.8     | 0.5     | 31.6    | <0.01   | 0.05    |
| I100895            |                                   | 1.30    | 12.0    | 540     | 35.5    | 7.5     | <0.001  | 0.02    | 0.88    | 2.5     | 0.6     | 0.5     | 29.5    | <0.01   | 0.14    |
| I100896            |                                   | 0.79    | 15.8    | 1030    | 126.5   | 7.3     | <0.001  | 0.11    | 1.53    | 3.8     | 0.7     | 0.5     | 63.2    | <0.01   | 0.10    |
| I100897            |                                   | 0.85    | 15.9    | 990     | 125.0   | 7.3     | <0.001  | 0.09    | 1.47    | 4.0     | 0.6     | 0.5     | 63.2    | <0.01   | 0.10    |
| I100898            |                                   | 0.65    | 10.7    | 780     | 20.4    | 3.6     | <0.001  | 0.09    | 0.56    | 1.1     | 0.6     | 0.5     | 20.5    | <0.01   | 0.05    |
| I100899            |                                   | 0.47    | 9.4     | 460     | 8.8     | 4.4     | <0.001  | 0.05    | 0.35    | 1.4     | 0.6     | 0.4     | 19.3    | <0.01   | 0.03    |
| I100900            |                                   | 0.61    | 12.7    | 1080    | 47.1    | 6.3     | <0.001  | 0.10    | 1.11    | 3.0     | 0.8     | 0.4     | 72.5    | <0.01   | 0.12    |
| I100901            |                                   | 0.54    | 18.6    | 1230    | 36.8    | 8.3     | <0.001  | 0.15    | 1.68    | 1.4     | 0.8     | 0.4     | 87.7    | <0.01   | 0.07    |
| I100902            |                                   | 1.77    | 19.3    | 660     | 13.6    | 27.1    | <0.001  | 0.11    | 2.55    | 4.1     | 0.6     | 0.8     | 35.5    | <0.01   | 0.05    |
| I100903            |                                   | 0.91    | 16.0    | 740     | 17.9    | 7.8     | <0.001  | 0.07    | 0.91    | 1.7     | 0.6     | 0.5     | 25.7    | <0.01   | 0.07    |
| I100904            |                                   | 0.14    | 3.0     | 290     | 3.3     | 2.7     | <0.001  | 0.05    | 0.11    | 0.3     | 0.2     | 0.3     | 7.5     | <0.01   | 0.01    |
| I100905            |                                   | 0.49    | 5.1     | 270     | 4.4     | 2.9     | <0.001  | 0.04    | 0.21    | 1.0     | 0.2     | 0.4     | 8.7     | <0.01   | 0.02    |
| I100906            |                                   | 0.92    | 5.8     | 170     | 6.2     | 7.8     | <0.001  | 0.01    | 0.29    | 1.3     | 0.2     | 0.5     | 8.9     | <0.01   | 0.02    |
| I100907            |                                   | 1.00    | 10.8    | 370     | 7.5     | 9.0     | <0.001  | 0.03    | 0.33    | 1.7     | 0.3     | 0.6     | 16.4    | <0.01   | 0.03    |
| I100908            |                                   | 0.82    | 9.5     | 570     | 8.5     | 18.3    | <0.001  | 0.02    | 0.34    | 1.9     | 0.3     | 0.5     | 17.6    | <0.01   | 0.03    |
| I100909            |                                   | 1.06    | 10.3    | 570     | 6.4     | 19.7    | <0.001  | 0.02    | 0.71    | 1.8     | 0.3     | 0.5     | 12.8    | <0.01   | 0.02    |
| I100910            |                                   | 0.85    | 18.3    | 880     | 12.8    | 21.2    | <0.001  | 0.26    | 0.89    | 3.7     | 0.5     | 0.5     | 37.4    | <0.01   | 0.02    |
| I100911            |                                   | 0.92    | 22.9    | 700     | 10.0    | 8.6     | <0.001  | 0.12    | 0.20    | 4.0     | 0.7     | 0.4     | 92.0    | <0.01   | 0.02    |
| I100912            |                                   | 1.03    | 25.5    | 430     | 59.8    | 14.2    | <0.001  | 0.04    | 0.19    | 5.9     | 0.8     | 0.6     | 32.7    | <0.01   | 0.02    |
| I100913            |                                   | 0.63    | 32.3    | 890     | 19.9    | 14.0    | <0.001  | 0.05    | 0.20    | 5.8     | 0.8     | 0.5     | 54.5    | 0.01    | 0.02    |
| I100914            |                                   | 0.91    | 31.2    | 480     | 12.3    | 15.9    | <0.001  | 0.05    | 0.22    | 5.0     | 0.4     | 0.5     | 25.4    | <0.01   | 0.02    |
| I100915            |                                   | 1.35    | 39.5    | 230     | 8.2     | 42.0    | <0.001  | 0.01    | 0.28    | 4.8     | 0.4     | 0.7     | 27.9    | 0.01    | 0.04    |
| I100916            |                                   | 1.16    | 32.5    | 210     | 11.8    | 21.9    | <0.001  | 0.01    | 0.38    | 5.4     | 0.3     | 0.7     | 21.3    | <0.01   | 0.03    |
| I100917            |                                   | 0.82    | 48.5    | 480     | 14.2    | 27.1    | <0.001  | 0.02    | 0.23    | 7.2     | 0.7     | 0.4     | 38.9    | <0.01   | 0.03    |
| I100918            |                                   | 1.33    | 31.1    | 560     | 11.1    | 49.3    | <0.001  | 0.02    | 0.17    | 5.7     | 0.7     | 0.4     | 56.0    | <0.01   | 0.02    |
| I100919            |                                   | 1.31    | 26.1    | 340     | 10.5    | 14.7    | <0.001  | <0.01   | 0.29    | 5.5     | 0.5     | 0.5     | 52.7    | <0.01   | 0.03    |
| I100920            |                                   | 0.85    | 34.9    | 300     | 10.1    | 31.0    | <0.001  | <0.01   | 0.22    | 5.2     | 0.3     | 0.5     | 24.1    | <0.01   | 0.03    |
| I100921            |                                   | 1.41    | 31.1    | 250     | 9.4     | 15.1    | <0.001  | 0.02    | 0.21    | 3.3     | 0.2     | 0.6     | 23.2    | <0.01   | 0.03    |
| I100922            |                                   | 1.01    | 49.5    | 510     | 6.1     | 44.8    | <0.001  | 0.01    | 0.18    | 5.8     | 0.5     | 0.5     | 26.4    | <0.01   | 0.03    |
| I100923            |                                   | 0.76    | 38.0    | 360     | 11.4    | 24.9    | <0.001  | 0.05    | 0.26    | 8.4     | 0.5     | 0.6     | 22.8    | <0.01   | 0.03    |
| I100924            |                                   | 1.09    | 39.1    | 390     | 8.6     | 17.6    | <0.001  | 0.04    | 0.17    | 5.5     | 0.3     | 0.4     | 22.7    | <0.01   | 0.02    |
| I100925            |                                   | 1.21    | 45.9    | 480     | 9.7     | 25.8    | <0.001  | 0.06    | 0.21    | 5.9     | 1.3     | 0.4     | 67.4    | <0.01   | 0.03    |
| I100926            |                                   | 1.09    | 46.5    | 460     | 8.4     | 24.7    | 0.001   | 0.06    | 0.21    | 5.5     | 1.4     | 0.4     | 70.3    | 0.01    | 0.03    |
| I100927            |                                   | 1.22    | 16.4    | 520     | 11.8    | 10.2    | <0.001  | 0.01    | 0.12    | 3.5     | 0.3     | 0.5     | 24.6    | <0.01   | 0.02    |
| I100928            |                                   | 0.93    | 16.4    | 540     | 11.6    | 12.7    | <0.001  | 0.04    | 0.18    | 3.2     | 0.4     | 0.4     | 29.5    | <0.01   | 0.02    |
| I100929            |                                   | 1.13    | 21.3    | 560     | 12.5    | 10.2    | <0.001  | 0.05    | 0.15    | 3.6     | 0.7     | 0.4     | 82.7    | <0.01   | 0.02    |
| I100930            |                                   | 0.96    | 27.3    | 980     | 7.1     | 17.5    | <0.001  | 0.06    | 0.15    | 3.3     | 0.7     | 0.3     | 80.9    | <0.01   | 0.02    |
| I100931            |                                   | 1.16    | 33.4    | 630     | 6.9     | 29.4    | <0.001  | 0.07    | 0.13    | 3.6     | 0.7     | 0.3     | 97.4    | <0.01   | 0.02    |
| I100932            |                                   | 0.94    | 33.7    | 620     | 10.2    | 24.8    | <0.001  | 0.04    | 0.20    | 4.4     | 0.8     | 0.3     | 66.2    | <0.01   | 0.04    |
| I100933            |                                   | 1.10    | 37.7    | 710     | 8.5     | 30.2    | <0.001  | 0.04    | 0.20    | 3.9     | 0.8     | 0.3     | 59.3    | <0.01   | 0.04    |





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 3 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100894            |                                   | 0.079              | 0.30                 | 1.15                | 52                  | 0.16                | 5.34                | 53                   | 1.1                  |
| I100895            |                                   | 0.088              | 0.14                 | 0.40                | 83                  | 0.21                | 2.18                | 54                   | 1.0                  |
| I100896            |                                   | 0.064              | 0.26                 | 0.95                | 71                  | 0.20                | 7.81                | 114                  | 0.8                  |
| I100897            |                                   | 0.063              | 0.25                 | 0.97                | 72                  | 0.28                | 7.47                | 114                  | 0.9                  |
| I100898            |                                   | 0.051              | 0.13                 | 0.49                | 62                  | 0.15                | 2.43                | 36                   | 0.5                  |
| I100899            |                                   | 0.053              | 0.11                 | 0.35                | 38                  | 0.08                | 3.35                | 30                   | 0.6                  |
| I100900            |                                   | 0.041              | 0.22                 | 0.67                | 59                  | 0.30                | 7.52                | 57                   | 0.6                  |
| I100901            |                                   | 0.046              | 0.21                 | 0.68                | 66                  | 0.24                | 5.09                | 64                   | <0.5                 |
| I100902            |                                   | 0.088              | 0.26                 | 1.09                | 94                  | 0.14                | 5.92                | 38                   | 1.2                  |
| I100903            |                                   | 0.059              | 0.17                 | 3.02                | 51                  | 0.19                | 5.64                | 41                   | 0.7                  |
| I100904            |                                   | 0.026              | 0.05                 | 0.23                | 20                  | 0.05                | 0.72                | 9                    | <0.5                 |
| I100905            |                                   | 0.053              | 0.06                 | 0.31                | 33                  | 0.10                | 1.22                | 22                   | <0.5                 |
| I100906            |                                   | 0.083              | 0.09                 | 0.24                | 54                  | 0.19                | 1.16                | 16                   | 0.5                  |
| I100907            |                                   | 0.083              | 0.08                 | 0.36                | 65                  | 0.14                | 2.10                | 37                   | 0.7                  |
| I100908            |                                   | 0.101              | 0.20                 | 0.50                | 52                  | 0.19                | 2.24                | 33                   | 0.6                  |
| I100909            |                                   | 0.135              | 0.18                 | 0.51                | 77                  | 0.19                | 1.66                | 30                   | 0.5                  |
| I100910            |                                   | 0.080              | 0.36                 | 1.54                | 55                  | 0.18                | 5.85                | 45                   | 0.5                  |
| I100911            |                                   | 0.047              | 0.08                 | 0.83                | 43                  | 0.07                | 9.00                | 53                   | 2.2                  |
| I100912            |                                   | 0.059              | 0.13                 | 2.28                | 55                  | 0.12                | 26.3                | 47                   | 1.6                  |
| I100913            |                                   | 0.037              | 0.15                 | 1.71                | 47                  | 0.13                | 23.0                | 52                   | 1.4                  |
| I100914            |                                   | 0.043              | 0.15                 | 1.42                | 50                  | 0.21                | 11.10               | 56                   | 0.8                  |
| I100915            |                                   | 0.138              | 0.32                 | 0.61                | 67                  | 0.11                | 6.03                | 61                   | 5.8                  |
| I100916            |                                   | 0.102              | 0.17                 | 0.58                | 81                  | 0.12                | 4.77                | 70                   | 5.4                  |
| I100917            |                                   | 0.058              | 0.17                 | 1.42                | 45                  | 0.10                | 15.45               | 68                   | 1.6                  |
| I100918            |                                   | 0.104              | 0.30                 | 1.51                | 52                  | 0.21                | 15.60               | 61                   | 1.5                  |
| I100919            |                                   | 0.085              | 0.10                 | 2.24                | 66                  | 0.20                | 10.70               | 44                   | 2.7                  |
| I100920            |                                   | 0.117              | 0.25                 | 0.65                | 69                  | 0.09                | 5.70                | 65                   | 4.9                  |
| I100921            |                                   | 0.108              | 0.17                 | 0.44                | 71                  | 0.11                | 2.99                | 63                   | 2.3                  |
| I100922            |                                   | 0.112              | 0.31                 | 0.92                | 76                  | 0.09                | 6.70                | 84                   | 3.7                  |
| I100923            |                                   | 0.085              | 0.21                 | 1.46                | 81                  | 0.12                | 7.91                | 74                   | 3.8                  |
| I100924            |                                   | 0.072              | 0.12                 | 0.78                | 57                  | 0.10                | 7.16                | 63                   | 2.3                  |
| I100925            |                                   | 0.078              | 0.18                 | 4.18                | 45                  | 0.09                | 22.9                | 63                   | 3.3                  |
| I100926            |                                   | 0.069              | 0.16                 | 4.63                | 43                  | 0.09                | 25.0                | 58                   | 3.0                  |
| I100927            |                                   | 0.090              | 0.12                 | 0.66                | 46                  | 0.10                | 4.66                | 48                   | 1.2                  |
| I100928            |                                   | 0.074              | 0.10                 | 0.69                | 41                  | 0.11                | 4.62                | 52                   | 1.0                  |
| I100929            |                                   | 0.072              | 0.11                 | 1.06                | 48                  | 0.11                | 7.92                | 57                   | 1.8                  |
| I100930            |                                   | 0.067              | 0.13                 | 0.87                | 37                  | 0.06                | 7.01                | 56                   | 1.7                  |
| I100931            |                                   | 0.090              | 0.21                 | 0.94                | 43                  | 0.42                | 8.95                | 66                   | 1.8                  |
| I100932            |                                   | 0.071              | 0.20                 | 1.12                | 41                  | 0.08                | 9.52                | 67                   | 1.9                  |
| I100933            |                                   | 0.084              | 0.23                 | 1.11                | 41                  | 0.11                | 8.62                | 64                   | 1.8                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I100934            |                                   | 0.30                      | 0.005                | 0.05                 | 0.95               | 7.1                  | <0.2                 | <10                 | 70                   | 0.13                 | 0.20                 | 0.15               | 0.13                 | 12.50                | 4.2                  | 18                   |
| I100935            |                                   | 0.36                      | <0.005               | 0.11                 | 2.58               | 4.6                  | <0.2                 | <10                 | 110                  | 0.39                 | 0.11                 | 0.33               | 0.08                 | 24.5                 | 20.0                 | 55                   |
| I100936            |                                   | 0.36                      | <0.005               | 0.08                 | 1.75               | 3.7                  | <0.2                 | <10                 | 110                  | 0.31                 | 0.10                 | 0.51               | 0.07                 | 29.0                 | 13.8                 | 41                   |
| I100937            |                                   | 0.50                      | 0.006                | 0.11                 | 1.20               | 3.4                  | <0.2                 | <10                 | 90                   | 0.22                 | 0.10                 | 0.54               | 0.09                 | 24.6                 | 6.1                  | 31                   |
| I100938            |                                   | 0.48                      | <0.005               | 0.08                 | 1.35               | 3.3                  | <0.2                 | <10                 | 80                   | 0.21                 | 0.09                 | 0.29               | 0.08                 | 22.4                 | 7.0                  | 30                   |
| I100939            |                                   | 0.40                      | 0.015                | 0.04                 | 1.35               | 4.2                  | <0.2                 | <10                 | 50                   | 0.12                 | 0.12                 | 0.27               | 0.06                 | 19.95                | 8.6                  | 30                   |
| I100940            |                                   | 0.34                      | 0.005                | 0.09                 | 1.08               | 3.4                  | <0.2                 | <10                 | 70                   | 0.15                 | 0.11                 | 0.34               | 0.07                 | 18.25                | 5.7                  | 25                   |
| I100941            |                                   | 0.66                      | <0.005               | 0.05                 | 1.46               | 4.6                  | <0.2                 | <10                 | 70                   | 0.19                 | 0.11                 | 0.37               | 0.07                 | 19.30                | 10.0                 | 31                   |
| I100942            |                                   | 0.36                      | <0.005               | 0.19                 | 1.84               | 2.9                  | <0.2                 | <10                 | 170                  | 0.49                 | 0.15                 | 0.58               | 0.10                 | 75.6                 | 23.5                 | 27                   |
| I100943            |                                   | 0.58                      | <0.005               | 0.12                 | 1.83               | 9.9                  | <0.2                 | <10                 | 70                   | 1.00                 | 0.27                 | 0.27               | 0.06                 | 35.9                 | 17.3                 | 48                   |
| I100944            |                                   | 0.38                      | <0.005               | 0.12                 | 1.59               | 5.9                  | <0.2                 | <10                 | 130                  | 0.50                 | 0.15                 | 0.31               | 0.08                 | 27.4                 | 13.9                 | 35                   |
| I100945            |                                   | 0.56                      | <0.005               | 0.12                 | 2.26               | 6.8                  | <0.2                 | <10                 | 150                  | 0.56                 | 0.17                 | 0.19               | 0.09                 | 33.0                 | 13.6                 | 39                   |
| I100946            |                                   | 0.54                      | <0.005               | 0.04                 | 1.78               | 4.1                  | <0.2                 | <10                 | 160                  | 0.56                 | 0.17                 | 0.43               | 0.04                 | 49.7                 | 11.2                 | 23                   |
| I100947            |                                   | 0.36                      | <0.005               | 0.18                 | 1.47               | 19.5                 | <0.2                 | <10                 | 140                  | 0.32                 | 0.18                 | 0.22               | 0.21                 | 34.1                 | 8.7                  | 23                   |
| I100948            |                                   | 0.42                      | 0.007                | 0.03                 | 2.13               | 17.4                 | <0.2                 | <10                 | 90                   | 0.57                 | 0.14                 | 0.26               | 0.05                 | 46.4                 | 17.0                 | 45                   |
| I100949            |                                   | 0.44                      | <0.005               | 0.10                 | 1.88               | 15.4                 | <0.2                 | <10                 | 120                  | 0.79                 | 0.13                 | 1.09               | 0.10                 | 63.0                 | 15.4                 | 46                   |
| I100950            |                                   | 0.50                      | 0.016                | 0.10                 | 1.45               | 7.5                  | <0.2                 | <10                 | 170                  | 0.61                 | 0.15                 | 1.66               | 0.17                 | 64.3                 | 13.2                 | 27                   |
| I100951            |                                   | 0.28                      | 0.007                | 0.10                 | 1.37               | 4.0                  | <0.2                 | <10                 | 140                  | 0.40                 | 0.11                 | 1.34               | 0.15                 | 51.1                 | 10.4                 | 24                   |
| I100952            |                                   | 0.26                      | <0.005               | 0.10                 | 1.34               | 3.7                  | <0.2                 | <10                 | 130                  | 0.39                 | 0.11                 | 1.37               | 0.16                 | 49.5                 | 10.1                 | 23                   |
| I100953            |                                   | 0.42                      | <0.005               | 0.06                 | 2.14               | 4.4                  | <0.2                 | <10                 | 120                  | 0.67                 | 0.18                 | 0.34               | 0.07                 | 43.8                 | 11.8                 | 27                   |
| I100954            |                                   | 0.42                      | <0.005               | 0.06                 | 2.00               | 4.2                  | <0.2                 | <10                 | 110                  | 0.61                 | 0.16                 | 0.32               | 0.08                 | 41.1                 | 11.4                 | 25                   |
| I100955            |                                   | 0.50                      | <0.005               | 0.06                 | 2.23               | 5.0                  | <0.2                 | <10                 | 120                  | 0.65                 | 0.18                 | 0.29               | 0.07                 | 41.7                 | 11.8                 | 28                   |
| I100956            |                                   | 0.44                      | <0.005               | 0.06                 | 2.10               | 4.5                  | <0.2                 | <10                 | 120                  | 0.60                 | 0.17                 | 0.28               | 0.07                 | 38.2                 | 11.1                 | 26                   |
| I100957            |                                   | 0.38                      | <0.005               | 0.21                 | 1.97               | 5.2                  | <0.2                 | <10                 | 160                  | 0.50                 | 0.17                 | 0.30               | 0.12                 | 38.0                 | 13.2                 | 38                   |
| I100958            |                                   | 0.44                      | <0.005               | 0.18                 | 1.96               | 5.3                  | <0.2                 | <10                 | 150                  | 0.55                 | 0.18                 | 0.29               | 0.11                 | 39.8                 | 11.4                 | 40                   |
| I100959            |                                   | 0.38                      | <0.005               | 0.25                 | 1.77               | 5.1                  | <0.2                 | <10                 | 160                  | 0.50                 | 0.17                 | 0.28               | 0.13                 | 41.6                 | 12.9                 | 34                   |
| I100960            |                                   | 0.34                      | <0.005               | 0.11                 | 2.11               | 4.6                  | <0.2                 | <10                 | 140                  | 0.57                 | 0.17                 | 0.31               | 0.08                 | 43.2                 | 12.7                 | 54                   |
| I100961            |                                   | 0.42                      | <0.005               | 0.17                 | 2.02               | 5.2                  | <0.2                 | <10                 | 160                  | 0.52                 | 0.19                 | 0.29               | 0.10                 | 38.7                 | 11.7                 | 41                   |
| I100962            |                                   | 0.56                      | <0.005               | 0.22                 | 2.14               | 6.0                  | <0.2                 | <10                 | 170                  | 0.60                 | 0.19                 | 0.28               | 0.11                 | 43.4                 | 12.4                 | 39                   |
| I100963            |                                   | 0.40                      | <0.005               | 0.19                 | 2.26               | 5.6                  | <0.2                 | <10                 | 170                  | 0.58                 | 0.19                 | 0.29               | 0.10                 | 44.0                 | 12.5                 | 45                   |
| I101001            |                                   | 0.26                      | <0.005               | 0.14                 | 1.68               | 7.6                  | <0.2                 | <10                 | 150                  | 0.28                 | 0.20                 | 0.31               | 0.35                 | 11.40                | 10.8                 | 19                   |
| I101002            |                                   | 0.28                      | <0.005               | 0.14                 | 1.86               | 7.5                  | <0.2                 | <10                 | 160                  | 0.30                 | 0.21                 | 0.28               | 0.28                 | 13.50                | 13.4                 | 21                   |
| I101003            |                                   | 0.30                      | 0.011                | 0.13                 | 1.64               | 7.3                  | <0.2                 | <10                 | 150                  | 0.29                 | 0.21                 | 0.26               | 0.29                 | 12.20                | 11.3                 | 19                   |
| I101004            |                                   | 0.28                      | <0.005               | 0.12                 | 1.66               | 7.4                  | <0.2                 | <10                 | 170                  | 0.26                 | 0.20                 | 0.31               | 0.36                 | 12.00                | 11.3                 | 19                   |
| I101005            |                                   | 0.30                      | <0.005               | 0.14                 | 1.87               | 9.2                  | <0.2                 | <10                 | 180                  | 0.32                 | 0.21                 | 0.30               | 0.32                 | 13.80                | 13.8                 | 21                   |
| I101006            |                                   | 0.36                      | <0.005               | 0.16                 | 1.84               | 8.8                  | <0.2                 | <10                 | 160                  | 0.34                 | 0.20                 | 0.29               | 0.27                 | 13.25                | 13.1                 | 20                   |
| I101007            |                                   | 0.34                      | 0.006                | 0.15                 | 2.02               | 9.8                  | <0.2                 | <10                 | 180                  | 0.35                 | 0.22                 | 0.31               | 0.29                 | 14.85                | 15.7                 | 22                   |
| I101008            |                                   | 0.30                      | <0.005               | 0.14                 | 1.82               | 9.2                  | <0.2                 | <10                 | 160                  | 0.33                 | 0.20                 | 0.32               | 0.30                 | 13.55                | 12.6                 | 21                   |
| I101009            |                                   | 0.24                      | <0.005               | 0.16                 | 1.93               | 8.8                  | <0.2                 | <10                 | 170                  | 0.34                 | 0.22                 | 0.28               | 0.26                 | 13.25                | 14.5                 | 22                   |
| I101010            |                                   | 0.26                      | <0.005               | 0.14                 | 1.80               | 8.6                  | <0.2                 | <10                 | 170                  | 0.27                 | 0.21                 | 0.33               | 0.29                 | 12.30                | 13.8                 | 20                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I100934            |                                   | 0.53    | 11.7    | 2.21    | 8.80    | <0.05   | 0.03    | 0.02    | 0.015   | 0.04    | 6.2     | 5.3     | 0.22    | 130     | 1.17    |
| I100935            |                                   | 3.44    | 31.2    | 4.21    | 7.54    | 0.09    | 0.07    | 0.01    | 0.032   | 0.29    | 11.8    | 22.4    | 1.03    | 362     | 0.80    |
| I100936            |                                   | 1.91    | 24.6    | 2.87    | 6.05    | 0.05    | 0.04    | 0.02    | 0.017   | 0.12    | 13.7    | 19.6    | 0.69    | 242     | 0.56    |
| I100937            |                                   | 2.06    | 19.3    | 1.81    | 4.83    | 0.05    | 0.03    | 0.04    | 0.018   | 0.10    | 12.5    | 9.1     | 0.46    | 118     | 0.53    |
| I100938            |                                   | 1.65    | 14.6    | 1.94    | 4.63    | 0.05    | 0.03    | 0.03    | 0.017   | 0.09    | 11.3    | 10.7    | 0.49    | 122     | 0.36    |
| I100939            |                                   | 1.77    | 11.4    | 2.42    | 5.69    | 0.06    | 0.02    | 0.01    | 0.016   | 0.08    | 9.8     | 11.0    | 0.58    | 164     | 0.90    |
| I100940            |                                   | 1.48    | 13.5    | 1.80    | 4.99    | 0.05    | 0.02    | 0.02    | 0.014   | 0.05    | 9.1     | 7.7     | 0.42    | 122     | 0.55    |
| I100941            |                                   | 1.87    | 13.8    | 2.66    | 5.61    | 0.06    | 0.03    | 0.01    | 0.016   | 0.10    | 9.6     | 12.9    | 0.62    | 222     | 0.99    |
| I100942            |                                   | 1.42    | 36.4    | 3.04    | 5.80    | 0.11    | 0.07    | 0.02    | 0.030   | 0.11    | 46.9    | 16.5    | 0.54    | 1000    | 0.74    |
| I100943            |                                   | 1.85    | 55.4    | 4.74    | 5.80    | 0.08    | 0.05    | 0.01    | 0.055   | 0.09    | 16.7    | 9.7     | 0.40    | 238     | 2.71    |
| I100944            |                                   | 1.91    | 29.6    | 3.74    | 5.06    | 0.07    | 0.04    | 0.01    | 0.034   | 0.22    | 11.5    | 10.0    | 0.51    | 277     | 1.47    |
| I100945            |                                   | 0.79    | 21.6    | 3.49    | 6.68    | 0.06    | 0.13    | 0.01    | 0.037   | 0.08    | 13.8    | 12.0    | 0.50    | 372     | 1.32    |
| I100946            |                                   | 1.16    | 18.9    | 3.57    | 6.74    | 0.07    | 0.07    | 0.01    | 0.036   | 0.12    | 30.0    | 15.5    | 0.49    | 280     | 0.84    |
| I100947            |                                   | 0.60    | 26.9    | 3.16    | 5.48    | 0.06    | 0.05    | 0.02    | 0.029   | 0.07    | 16.3    | 12.2    | 0.25    | 237     | 3.18    |
| I100948            |                                   | 1.53    | 28.0    | 3.95    | 6.25    | 0.08    | 0.06    | 0.01    | 0.038   | 0.12    | 18.1    | 20.4    | 0.78    | 329     | 0.82    |
| I100949            |                                   | 1.87    | 32.2    | 3.64    | 6.09    | 0.11    | 0.10    | 0.03    | 0.033   | 0.12    | 32.0    | 19.6    | 0.93    | 432     | 0.46    |
| I100950            |                                   | 1.28    | 28.6    | 2.82    | 4.74    | 0.08    | 0.09    | 0.07    | 0.030   | 0.08    | 29.6    | 13.3    | 0.52    | 518     | 0.45    |
| I100951            |                                   | 2.10    | 19.6    | 2.50    | 5.30    | 0.09    | 0.08    | 0.04    | 0.024   | 0.40    | 29.1    | 15.4    | 0.52    | 461     | 0.95    |
| I100952            |                                   | 1.97    | 19.3    | 2.43    | 5.18    | 0.09    | 0.08    | 0.04    | 0.021   | 0.41    | 27.9    | 14.6    | 0.51    | 444     | 0.90    |
| I100953            |                                   | 3.61    | 20.6    | 3.55    | 8.07    | 0.07    | 0.07    | 0.02    | 0.033   | 0.37    | 25.0    | 20.1    | 0.61    | 300     | 1.78    |
| I100954            |                                   | 3.37    | 19.8    | 3.35    | 7.60    | 0.07    | 0.07    | 0.01    | 0.030   | 0.35    | 23.0    | 19.6    | 0.57    | 277     | 1.66    |
| I100955            |                                   | 2.65    | 19.7    | 3.48    | 8.21    | 0.07    | 0.08    | 0.01    | 0.032   | 0.30    | 20.8    | 20.3    | 0.59    | 280     | 1.83    |
| I100956            |                                   | 2.91    | 18.7    | 3.40    | 7.62    | 0.06    | 0.07    | 0.01    | 0.030   | 0.30    | 20.0    | 19.3    | 0.57    | 272     | 1.73    |
| I100957            |                                   | 1.62    | 24.2    | 3.34    | 7.06    | 0.06    | 0.06    | 0.01    | 0.033   | 0.27    | 17.2    | 15.5    | 0.61    | 563     | 1.44    |
| I100958            |                                   | 1.67    | 23.0    | 3.38    | 7.01    | 0.06    | 0.07    | 0.01    | 0.032   | 0.27    | 19.2    | 15.5    | 0.64    | 393     | 1.34    |
| I100959            |                                   | 1.34    | 23.3    | 3.07    | 6.73    | 0.06    | 0.05    | 0.02    | 0.031   | 0.25    | 20.2    | 13.2    | 0.52    | 875     | 1.51    |
| I100960            |                                   | 3.34    | 30.5    | 3.46    | 7.04    | 0.06    | 0.07    | 0.01    | 0.035   | 0.41    | 16.4    | 18.9    | 0.86    | 305     | 1.22    |
| I100961            |                                   | 1.62    | 22.1    | 3.38    | 7.23    | 0.07    | 0.08    | 0.01    | 0.031   | 0.27    | 17.5    | 16.5    | 0.65    | 392     | 1.34    |
| I100962            |                                   | 1.27    | 22.5    | 3.38    | 7.70    | 0.06    | 0.08    | 0.02    | 0.037   | 0.23    | 21.7    | 16.5    | 0.59    | 594     | 1.61    |
| I100963            |                                   | 1.66    | 23.1    | 3.58    | 7.51    | 0.06    | 0.09    | 0.02    | 0.035   | 0.28    | 20.1    | 17.8    | 0.70    | 442     | 1.46    |
| I101001            |                                   | 0.91    | 16.4    | 2.59    | 6.78    | <0.05   | 0.02    | 0.03    | 0.023   | 0.05    | 5.1     | 9.1     | 0.44    | 602     | 1.02    |
| I101002            |                                   | 0.93    | 18.1    | 2.75    | 7.09    | <0.05   | 0.03    | 0.03    | 0.021   | 0.04    | 5.7     | 10.6    | 0.48    | 776     | 1.03    |
| I101003            |                                   | 0.92    | 17.5    | 2.58    | 6.96    | <0.05   | 0.02    | 0.02    | 0.020   | 0.04    | 5.2     | 9.7     | 0.45    | 575     | 1.04    |
| I101004            |                                   | 0.86    | 17.5    | 2.58    | 6.78    | <0.05   | 0.02    | 0.02    | 0.021   | 0.04    | 5.2     | 9.4     | 0.45    | 656     | 1.01    |
| I101005            |                                   | 0.91    | 21.5    | 2.87    | 7.04    | <0.05   | 0.02    | 0.03    | 0.020   | 0.04    | 6.2     | 8.9     | 0.49    | 814     | 1.04    |
| I101006            |                                   | 0.87    | 20.2    | 2.80    | 6.87    | <0.05   | 0.02    | 0.03    | 0.021   | 0.04    | 6.0     | 8.9     | 0.49    | 683     | 1.06    |
| I101007            |                                   | 0.94    | 23.0    | 3.04    | 7.44    | <0.05   | 0.02    | 0.03    | 0.024   | 0.04    | 6.7     | 9.6     | 0.53    | 824     | 1.13    |
| I101008            |                                   | 0.92    | 20.8    | 2.80    | 6.92    | <0.05   | 0.02    | 0.03    | 0.021   | 0.04    | 6.2     | 9.2     | 0.50    | 580     | 1.02    |
| I101009            |                                   | 0.88    | 21.1    | 3.01    | 7.26    | <0.05   | 0.02    | 0.04    | 0.021   | 0.04    | 6.1     | 9.3     | 0.52    | 782     | 1.08    |
| I101010            |                                   | 0.84    | 19.9    | 2.83    | 7.02    | <0.05   | 0.02    | 0.04    | 0.020   | 0.04    | 5.7     | 8.9     | 0.52    | 795     | 1.04    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I100934            |                                   | 1.43                         | 8.9                         | 270                       | 11.9                        | 6.6                         | <0.001                        | <0.01                     | 0.33                         | 2.0                         | 0.3                         | 0.8                         | 13.4                        | <0.01                        | 0.04                         | 0.5                         |
| I100935            |                                   | 1.44                         | 44.8                        | 740                       | 8.2                         | 36.7                        | <0.001                        | <0.01                     | 0.19                         | 7.0                         | 0.4                         | 0.5                         | 23.9                        | <0.01                        | 0.05                         | 3.9                         |
| I100936            |                                   | 1.37                         | 33.2                        | 390                       | 8.2                         | 20.6                        | <0.001                        | <0.01                     | 0.16                         | 3.3                         | 0.4                         | 0.4                         | 35.9                        | <0.01                        | 0.03                         | 3.9                         |
| I100937            |                                   | 0.84                         | 21.3                        | 620                       | 7.0                         | 20.7                        | <0.001                        | 0.04                      | 0.16                         | 2.7                         | 0.5                         | 0.4                         | 33.1                        | <0.01                        | 0.03                         | 1.3                         |
| I100938            |                                   | 0.93                         | 20.5                        | 500                       | 6.5                         | 17.6                        | <0.001                        | 0.01                      | 0.17                         | 2.9                         | 0.5                         | 0.4                         | 21.7                        | <0.01                        | 0.03                         | 1.3                         |
| I100939            |                                   | 0.94                         | 21.1                        | 520                       | 6.0                         | 14.6                        | <0.001                        | <0.01                     | 0.12                         | 2.8                         | 0.3                         | 0.4                         | 17.1                        | <0.01                        | 0.04                         | 1.7                         |
| I100940            |                                   | 0.77                         | 15.5                        | 480                       | 6.0                         | 11.0                        | <0.001                        | 0.01                      | 0.13                         | 2.2                         | 0.5                         | 0.4                         | 22.0                        | <0.01                        | 0.03                         | 0.7                         |
| I100941            |                                   | 1.04                         | 22.7                        | 600                       | 7.0                         | 17.2                        | <0.001                        | <0.01                     | 0.13                         | 3.0                         | 0.4                         | 0.4                         | 22.9                        | <0.01                        | 0.03                         | 2.3                         |
| I100942            |                                   | 1.01                         | 39.8                        | 320                       | 7.7                         | 14.7                        | <0.001                        | <0.01                     | 0.23                         | 5.2                         | 0.7                         | 0.4                         | 54.4                        | <0.01                        | 0.03                         | 5.8                         |
| I100943            |                                   | 0.62                         | 44.4                        | 310                       | 13.3                        | 13.6                        | <0.001                        | <0.01                     | 0.32                         | 9.6                         | 0.6                         | 0.8                         | 17.0                        | <0.01                        | 0.06                         | 5.2                         |
| I100944            |                                   | 0.78                         | 37.6                        | 350                       | 8.5                         | 25.8                        | <0.001                        | <0.01                     | 0.28                         | 5.7                         | 0.5                         | 0.5                         | 19.4                        | <0.01                        | 0.04                         | 4.6                         |
| I100945            |                                   | 0.97                         | 26.3                        | 190                       | 11.0                        | 10.4                        | <0.001                        | <0.01                     | 0.37                         | 6.0                         | 0.4                         | 0.7                         | 16.2                        | <0.01                        | 0.03                         | 5.1                         |
| I100946            |                                   | 0.48                         | 20.2                        | 640                       | 20.3                        | 16.0                        | <0.001                        | <0.01                     | 0.20                         | 4.6                         | 0.4                         | 0.6                         | 25.1                        | <0.01                        | 0.03                         | 10.9                        |
| I100947            |                                   | 0.90                         | 26.4                        | 370                       | 12.8                        | 12.2                        | <0.001                        | <0.01                     | 0.51                         | 3.0                         | 0.5                         | 0.5                         | 15.2                        | <0.01                        | 0.06                         | 3.5                         |
| I100948            |                                   | 0.80                         | 50.9                        | 320                       | 11.5                        | 19.3                        | <0.001                        | <0.01                     | 0.32                         | 5.9                         | 0.3                         | 0.5                         | 20.2                        | <0.01                        | 0.04                         | 7.2                         |
| I100949            |                                   | 0.97                         | 42.0                        | 790                       | 13.4                        | 17.0                        | <0.001                        | <0.01                     | 0.30                         | 7.3                         | 0.6                         | 0.5                         | 57.3                        | <0.01                        | 0.03                         | 7.3                         |
| I100950            |                                   | 0.91                         | 27.7                        | 650                       | 15.0                        | 14.0                        | <0.001                        | 0.03                      | 0.35                         | 5.2                         | 0.9                         | 0.5                         | 51.2                        | <0.01                        | 0.03                         | 4.1                         |
| I100951            |                                   | 1.13                         | 18.9                        | 930                       | 12.6                        | 38.5                        | <0.001                        | 0.03                      | 0.25                         | 4.0                         | 0.8                         | 0.5                         | 79.4                        | 0.01                         | 0.04                         | 4.7                         |
| I100952            |                                   | 1.17                         | 18.1                        | 960                       | 12.6                        | 37.8                        | 0.001                         | 0.04                      | 0.25                         | 3.9                         | 0.7                         | 0.4                         | 82.5                        | 0.01                         | 0.04                         | 5.1                         |
| I100953            |                                   | 1.50                         | 20.9                        | 500                       | 20.2                        | 55.8                        | <0.001                        | <0.01                     | 0.26                         | 4.3                         | 0.4                         | 0.8                         | 26.9                        | <0.01                        | 0.04                         | 8.0                         |
| I100954            |                                   | 1.39                         | 19.6                        | 500                       | 19.4                        | 53.0                        | <0.001                        | <0.01                     | 0.26                         | 4.0                         | 0.4                         | 0.7                         | 25.1                        | <0.01                        | 0.03                         | 8.1                         |
| I100955            |                                   | 1.53                         | 21.3                        | 360                       | 19.9                        | 44.9                        | <0.001                        | <0.01                     | 0.30                         | 4.4                         | 0.3                         | 0.8                         | 25.0                        | <0.01                        | 0.04                         | 8.4                         |
| I100956            |                                   | 1.47                         | 19.9                        | 410                       | 18.9                        | 46.1                        | <0.001                        | <0.01                     | 0.28                         | 4.1                         | 0.4                         | 0.7                         | 23.8                        | <0.01                        | 0.04                         | 7.0                         |
| I100957            |                                   | 1.30                         | 30.7                        | 370                       | 15.2                        | 29.2                        | <0.001                        | <0.01                     | 0.34                         | 4.7                         | 0.4                         | 0.7                         | 24.3                        | <0.01                        | 0.04                         | 5.6                         |
| I100958            |                                   | 1.23                         | 31.9                        | 310                       | 15.3                        | 30.1                        | <0.001                        | <0.01                     | 0.33                         | 4.7                         | 0.4                         | 0.7                         | 23.1                        | <0.01                        | 0.04                         | 6.0                         |
| I100959            |                                   | 1.29                         | 27.0                        | 350                       | 14.0                        | 23.4                        | <0.001                        | <0.01                     | 0.35                         | 4.3                         | 0.3                         | 0.6                         | 23.3                        | <0.01                        | 0.03                         | 4.9                         |
| I100960            |                                   | 1.01                         | 45.3                        | 420                       | 15.4                        | 47.3                        | <0.001                        | <0.01                     | 0.25                         | 5.5                         | 0.4                         | 0.7                         | 21.9                        | <0.01                        | 0.05                         | 7.4                         |
| I100961            |                                   | 1.26                         | 32.4                        | 310                       | 15.5                        | 30.3                        | <0.001                        | <0.01                     | 0.34                         | 4.8                         | 0.3                         | 0.7                         | 23.4                        | <0.01                        | 0.04                         | 5.9                         |
| I100962            |                                   | 1.29                         | 29.1                        | 290                       | 16.5                        | 23.0                        | <0.001                        | <0.01                     | 0.37                         | 4.9                         | 0.4                         | 0.8                         | 23.7                        | <0.01                        | 0.03                         | 6.7                         |
| I100963            |                                   | 1.23                         | 33.6                        | 320                       | 16.7                        | 30.0                        | <0.001                        | <0.01                     | 0.34                         | 5.0                         | 0.3                         | 0.7                         | 23.4                        | <0.01                        | 0.04                         | 6.8                         |
| I101001            |                                   | 1.09                         | 11.9                        | 350                       | 8.7                         | 5.7                         | <0.001                        | <0.01                     | 0.38                         | 3.2                         | 0.3                         | 0.6                         | 23.4                        | <0.01                        | 0.04                         | 0.7                         |
| I101002            |                                   | 1.16                         | 13.5                        | 340                       | 9.1                         | 5.8                         | <0.001                        | <0.01                     | 0.38                         | 3.9                         | 0.3                         | 0.6                         | 22.8                        | 0.01                         | 0.05                         | 0.8                         |
| I101003            |                                   | 1.18                         | 12.5                        | 300                       | 8.5                         | 5.5                         | <0.001                        | <0.01                     | 0.39                         | 3.5                         | 0.3                         | 0.6                         | 21.1                        | <0.01                        | 0.05                         | 0.8                         |
| I101004            |                                   | 1.11                         | 12.4                        | 400                       | 8.6                         | 5.7                         | <0.001                        | <0.01                     | 0.41                         | 3.5                         | 0.3                         | 0.6                         | 23.8                        | <0.01                        | 0.04                         | 0.7                         |
| I101005            |                                   | 1.13                         | 14.8                        | 360                       | 9.5                         | 6.9                         | <0.001                        | 0.02                      | 0.39                         | 3.9                         | 0.5                         | 0.6                         | 25.6                        | 0.01                         | 0.05                         | 1.0                         |
| I101006            |                                   | 1.12                         | 14.1                        | 320                       | 9.1                         | 6.6                         | <0.001                        | 0.02                      | 0.37                         | 3.8                         | 0.5                         | 0.6                         | 24.4                        | 0.01                         | 0.05                         | 1.0                         |
| I101007            |                                   | 1.24                         | 16.1                        | 330                       | 10.0                        | 7.0                         | <0.001                        | 0.02                      | 0.41                         | 4.3                         | 0.5                         | 0.6                         | 26.6                        | 0.01                         | 0.06                         | 1.2                         |
| I101008            |                                   | 1.17                         | 15.2                        | 310                       | 9.3                         | 7.0                         | <0.001                        | 0.02                      | 0.38                         | 3.7                         | 0.4                         | 0.6                         | 26.6                        | 0.01                         | 0.05                         | 1.1                         |
| I101009            |                                   | 1.19                         | 14.6                        | 330                       | 10.1                        | 6.4                         | <0.001                        | 0.06                      | 0.40                         | 4.0                         | 0.4                         | 0.6                         | 24.5                        | 0.01                         | 0.05                         | 1.1                         |
| I101010            |                                   | 1.07                         | 14.2                        | 340                       | 9.5                         | 6.7                         | <0.001                        | 0.05                      | 0.38                         | 3.8                         | 0.4                         | 0.6                         | 24.6                        | 0.01                         | 0.06                         | 0.7                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 4 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-OCT-2010  
 Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I100934            |                                   | 0.129              | 0.08                 | 0.29                | 79                  | 0.10                | 1.56                | 28                   | 1.2                  |
| I100935            |                                   | 0.126              | 0.28                 | 0.50                | 85                  | 0.11                | 5.69                | 77                   | 2.5                  |
| I100936            |                                   | 0.107              | 0.21                 | 0.73                | 51                  | 0.09                | 4.14                | 58                   | 1.4                  |
| I100937            |                                   | 0.074              | 0.14                 | 0.84                | 37                  | 0.09                | 4.09                | 44                   | 0.9                  |
| I100938            |                                   | 0.087              | 0.14                 | 0.63                | 32                  | 0.11                | 3.84                | 48                   | 0.8                  |
| I100939            |                                   | 0.093              | 0.13                 | 0.44                | 53                  | 0.40                | 3.15                | 54                   | 0.5                  |
| I100940            |                                   | 0.070              | 0.10                 | 0.51                | 35                  | 0.09                | 3.19                | 42                   | 0.6                  |
| I100941            |                                   | 0.092              | 0.14                 | 0.51                | 53                  | 0.20                | 3.53                | 59                   | 0.8                  |
| I100942            |                                   | 0.057              | 0.09                 | 3.01                | 45                  | 0.12                | 15.00               | 41                   | 2.0                  |
| I100943            |                                   | 0.026              | 0.13                 | 0.98                | 85                  | 0.67                | 8.63                | 90                   | 1.6                  |
| I100944            |                                   | 0.054              | 0.23                 | 0.80                | 64                  | 0.10                | 6.16                | 70                   | 1.8                  |
| I100945            |                                   | 0.082              | 0.11                 | 0.72                | 75                  | 0.09                | 6.06                | 52                   | 5.5                  |
| I100946            |                                   | 0.024              | 0.12                 | 1.05                | 36                  | 0.08                | 14.35               | 56                   | 2.4                  |
| I100947            |                                   | 0.021              | 0.11                 | 0.46                | 72                  | 0.12                | 3.06                | 77                   | 1.7                  |
| I100948            |                                   | 0.058              | 0.17                 | 0.78                | 55                  | 0.07                | 6.06                | 63                   | 2.4                  |
| I100949            |                                   | 0.070              | 0.15                 | 0.80                | 50                  | 0.11                | 16.25               | 63                   | 3.3                  |
| I100950            |                                   | 0.057              | 0.13                 | 0.84                | 45                  | 0.12                | 15.65               | 48                   | 3.2                  |
| I100951            |                                   | 0.079              | 0.23                 | 2.37                | 34                  | 0.17                | 15.95               | 49                   | 2.3                  |
| I100952            |                                   | 0.077              | 0.23                 | 4.68                | 34                  | 0.10                | 15.40               | 49                   | 2.3                  |
| I100953            |                                   | 0.105              | 0.42                 | 0.97                | 48                  | 0.09                | 9.33                | 62                   | 2.5                  |
| I100954            |                                   | 0.096              | 0.40                 | 0.92                | 44                  | 0.10                | 9.10                | 60                   | 2.4                  |
| I100955            |                                   | 0.104              | 0.35                 | 0.86                | 54                  | 0.09                | 7.35                | 61                   | 2.9                  |
| I100956            |                                   | 0.099              | 0.36                 | 0.81                | 49                  | 0.10                | 7.59                | 59                   | 2.7                  |
| I100957            |                                   | 0.093              | 0.21                 | 0.64                | 66                  | 0.10                | 6.00                | 63                   | 2.5                  |
| I100958            |                                   | 0.099              | 0.21                 | 0.61                | 67                  | 0.09                | 5.75                | 66                   | 2.9                  |
| I100959            |                                   | 0.085              | 0.18                 | 0.61                | 62                  | 0.13                | 5.99                | 56                   | 1.9                  |
| I100960            |                                   | 0.107              | 0.37                 | 0.74                | 65                  | 0.08                | 6.43                | 77                   | 3.0                  |
| I100961            |                                   | 0.098              | 0.21                 | 0.61                | 67                  | 0.09                | 5.80                | 72                   | 3.2                  |
| I100962            |                                   | 0.090              | 0.18                 | 0.68                | 70                  | 0.10                | 6.15                | 63                   | 3.5                  |
| I100963            |                                   | 0.101              | 0.22                 | 0.66                | 72                  | 0.09                | 6.41                | 70                   | 3.5                  |
| I101001            |                                   | 0.070              | 0.08                 | 0.33                | 67                  | 0.10                | 2.25                | 39                   | 0.9                  |
| I101002            |                                   | 0.073              | 0.08                 | 0.34                | 70                  | 0.12                | 2.62                | 39                   | 1.1                  |
| I101003            |                                   | 0.071              | 0.08                 | 0.30                | 67                  | 0.11                | 2.36                | 37                   | 1.1                  |
| I101004            |                                   | 0.074              | 0.08                 | 0.30                | 68                  | 0.10                | 2.34                | 40                   | 0.9                  |
| I101005            |                                   | 0.078              | 0.08                 | 0.39                | 72                  | 0.14                | 2.93                | 41                   | 0.8                  |
| I101006            |                                   | 0.076              | 0.08                 | 0.39                | 71                  | 0.10                | 2.83                | 40                   | 0.9                  |
| I101007            |                                   | 0.078              | 0.09                 | 0.43                | 75                  | 0.11                | 3.17                | 42                   | 1.0                  |
| I101008            |                                   | 0.074              | 0.08                 | 0.42                | 68                  | 0.11                | 2.81                | 40                   | 0.9                  |
| I101009            |                                   | 0.079              | 0.09                 | 0.40                | 74                  | 0.11                | 2.76                | 41                   | 1.0                  |
| I101010            |                                   | 0.072              | 0.08                 | 0.36                | 71                  | 0.10                | 2.61                | 40                   | 0.7                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I101011            |                                   | 0.28                      | <0.005               | 0.12                 | 1.14               | 7.9                  | <0.2                 | <10                 | 100                  | 0.26                 | 0.18                 | 0.29               | 0.16                 | 12.05                | 6.4                  | 17                   |
| I101012            |                                   | 0.28                      | <0.005               | 0.09                 | 1.63               | 7.7                  | <0.2                 | <10                 | 130                  | 0.34                 | 0.12                 | 0.43               | 0.14                 | 14.05                | 10.5                 | 21                   |
| I101013            |                                   | 0.24                      | <0.005               | 0.12                 | 1.41               | 4.1                  | <0.2                 | <10                 | 130                  | 0.27                 | 0.12                 | 0.30               | 0.12                 | 11.55                | 6.4                  | 18                   |
| I101015            |                                   | 0.38                      | <0.005               | 0.22                 | 1.54               | 35.9                 | <0.2                 | <10                 | 210                  | 0.30                 | 0.19                 | 0.25               | 0.43                 | 17.95                | 8.9                  | 29                   |
| I101016            |                                   | 0.32                      | <0.005               | 0.28                 | 1.52               | 32.8                 | <0.2                 | <10                 | 210                  | 0.31                 | 0.19                 | 0.25               | 0.47                 | 17.15                | 8.4                  | 28                   |
| I101017            |                                   | 0.30                      | <0.005               | 0.30                 | 1.07               | 21.4                 | <0.2                 | <10                 | 180                  | 0.24                 | 0.14                 | 0.20               | 0.61                 | 13.10                | 6.2                  | 21                   |
| I101018            |                                   | 0.42                      | <0.005               | 0.23                 | 1.81               | 39.0                 | <0.2                 | <10                 | 230                  | 0.34                 | 0.20                 | 0.28               | 0.42                 | 18.00                | 10.4                 | 34                   |
| I101019            |                                   | 0.40                      | <0.005               | 0.24                 | 1.55               | 34.5                 | <0.2                 | <10                 | 210                  | 0.29                 | 0.19                 | 0.25               | 0.42                 | 18.20                | 8.3                  | 30                   |
| I101020            |                                   | 0.36                      | <0.005               | 0.26                 | 1.77               | 38.8                 | <0.2                 | <10                 | 220                  | 0.33                 | 0.20                 | 0.28               | 0.43                 | 18.85                | 9.9                  | 33                   |
| I101021            |                                   | 0.38                      | <0.005               | 0.25                 | 1.61               | 35.6                 | <0.2                 | <10                 | 220                  | 0.31                 | 0.20                 | 0.26               | 0.42                 | 17.40                | 9.0                  | 30                   |
| I101022            |                                   | 0.32                      | <0.005               | 0.22                 | 1.93               | 41.9                 | <0.2                 | <10                 | 240                  | 0.39                 | 0.21                 | 0.29               | 0.39                 | 17.20                | 10.5                 | 35                   |
| I101023            |                                   | 0.38                      | <0.005               | 0.23                 | 1.65               | 36.8                 | <0.2                 | <10                 | 220                  | 0.32                 | 0.20                 | 0.27               | 0.39                 | 15.90                | 9.3                  | 31                   |
| I101024            |                                   | 0.34                      | <0.005               | 0.24                 | 1.16               | 86.1                 | <0.2                 | <10                 | 250                  | 0.63                 | 0.29                 | 0.21               | 0.21                 | 56.0                 | 5.9                  | 15                   |
| I101025            |                                   | 0.52                      | 0.007                | 0.29                 | 1.45               | 68.6                 | <0.2                 | <10                 | 250                  | 0.56                 | 0.30                 | 0.20               | 0.16                 | 57.7                 | 5.5                  | 16                   |
| I101026            |                                   | 0.32                      | <0.005               | 0.20                 | 0.96               | 57.1                 | <0.2                 | <10                 | 240                  | 0.31                 | 0.23                 | 0.16               | 0.16                 | 59.2                 | 3.6                  | 10                   |
| I101027            |                                   | 0.38                      | <0.005               | 0.29                 | 0.90               | 65.7                 | <0.2                 | <10                 | 220                  | 0.36                 | 0.23                 | 0.17               | 0.18                 | 38.8                 | 3.6                  | 12                   |
| I101028            |                                   | 0.44                      | <0.005               | 0.30                 | 1.29               | 106.5                | <0.2                 | <10                 | 260                  | 0.72                 | 0.34                 | 0.24               | 0.20                 | 67.1                 | 7.3                  | 16                   |
| I101029            |                                   | 0.40                      | <0.005               | 0.30                 | 1.20               | 64.5                 | <0.2                 | <10                 | 280                  | 0.41                 | 0.27                 | 0.18               | 0.15                 | 49.2                 | 4.2                  | 13                   |
| I101030            |                                   | 0.22                      | <0.005               | 0.11                 | 1.63               | 5.1                  | <0.2                 | <10                 | 90                   | 0.40                 | 0.12                 | 0.23               | 0.16                 | 24.2                 | 13.2                 | 38                   |
| I101031            |                                   | 0.26                      | <0.005               | 0.09                 | 2.36               | 4.3                  | <0.2                 | <10                 | 90                   | 0.54                 | 0.11                 | 0.29               | 0.12                 | 30.4                 | 21.6                 | 60                   |
| I101032            |                                   | 0.36                      | <0.005               | 0.05                 | 2.17               | 5.1                  | <0.2                 | <10                 | 120                  | 0.74                 | 0.17                 | 0.37               | 0.07                 | 41.5                 | 12.6                 | 29                   |
| I101033            |                                   | 0.40                      | <0.005               | 0.09                 | 2.18               | 5.7                  | <0.2                 | <10                 | 140                  | 0.73                 | 0.19                 | 0.35               | 0.10                 | 37.9                 | 12.9                 | 28                   |
| I101034            |                                   | 0.40                      | <0.005               | 0.07                 | 2.02               | 4.8                  | <0.2                 | <10                 | 120                  | 0.70                 | 0.16                 | 0.34               | 0.07                 | 34.7                 | 12.1                 | 26                   |
| I101035            |                                   | 0.42                      | <0.005               | 0.06                 | 2.17               | 5.3                  | <0.2                 | <10                 | 130                  | 0.77                 | 0.17                 | 0.35               | 0.08                 | 41.0                 | 12.5                 | 29                   |
| I101036            |                                   | 0.40                      | <0.005               | 0.06                 | 2.15               | 5.4                  | <0.2                 | <10                 | 120                  | 0.78                 | 0.17                 | 0.35               | 0.07                 | 46.0                 | 12.9                 | 30                   |
| I101037            |                                   | 0.40                      | <0.005               | 0.10                 | 2.09               | 5.2                  | <0.2                 | <10                 | 130                  | 0.69                 | 0.17                 | 0.35               | 0.07                 | 36.8                 | 12.0                 | 28                   |
| I101038            |                                   | 0.44                      | <0.005               | 0.06                 | 2.16               | 4.7                  | <0.2                 | <10                 | 120                  | 0.77                 | 0.17                 | 0.38               | 0.07                 | 40.8                 | 12.9                 | 28                   |
| I101039            |                                   | 0.52                      | <0.005               | 0.07                 | 2.26               | 5.9                  | <0.2                 | <10                 | 130                  | 0.75                 | 0.17                 | 0.38               | 0.07                 | 43.0                 | 13.6                 | 31                   |
| I101040            |                                   | 0.48                      | <0.005               | 0.07                 | 2.09               | 4.8                  | <0.2                 | <10                 | 120                  | 0.79                 | 0.17                 | 0.37               | 0.08                 | 45.6                 | 13.2                 | 27                   |
| I101041            |                                   | 0.42                      | <0.005               | 0.22                 | 2.09               | 6.2                  | <0.2                 | <10                 | 180                  | 0.64                 | 0.19                 | 0.32               | 0.10                 | 34.7                 | 13.7                 | 43                   |
| I101042            |                                   | 0.38                      | <0.005               | 0.06                 | 2.27               | 4.6                  | <0.2                 | <10                 | 130                  | 0.72                 | 0.13                 | 0.43               | 0.07                 | 50.8                 | 12.3                 | 30                   |
| I101043            |                                   | 0.24                      | <0.005               | 0.11                 | 1.50               | 4.3                  | <0.2                 | <10                 | 160                  | 0.42                 | 0.09                 | 1.56               | 0.19                 | 46.3                 | 10.5                 | 26                   |
| I101044            |                                   | 0.18                      | <0.005               | 0.15                 | 1.48               | 3.9                  | <0.2                 | <10                 | 100                  | 0.31                 | 0.09                 | 0.28               | 0.17                 | 23.5                 | 10.7                 | 36                   |
| I101045            |                                   | 0.18                      | <0.005               | 0.12                 | 1.56               | 3.8                  | <0.2                 | <10                 | 90                   | 0.33                 | 0.09                 | 0.25               | 0.14                 | 23.9                 | 10.9                 | 36                   |
| I101046            |                                   | 0.14                      | <0.005               | 0.25                 | 0.83               | 2.6                  | <0.2                 | <10                 | 120                  | 0.23                 | 0.08                 | 0.39               | 0.33                 | 21.7                 | 6.2                  | 16                   |
| I101047            |                                   | 0.14                      | <0.005               | 0.16                 | 0.92               | 2.5                  | <0.2                 | <10                 | 100                  | 0.21                 | 0.09                 | 0.29               | 0.21                 | 19.90                | 5.2                  | 18                   |
| I101048            |                                   | 0.14                      | <0.005               | 0.18                 | 0.75               | 2.5                  | <0.2                 | <10                 | 100                  | 0.21                 | 0.09                 | 0.24               | 0.22                 | 21.3                 | 4.8                  | 18                   |
| I101049            |                                   | 0.20                      | NSS                  | 0.12                 | 1.07               | 3.4                  | <0.2                 | <10                 | 80                   | 0.26                 | 0.10                 | 0.17               | 0.13                 | 17.80                | 5.8                  | 24                   |
| I101050            |                                   | 0.18                      | <0.005               | 0.15                 | 1.16               | 3.4                  | <0.2                 | <10                 | 80                   | 0.23                 | 0.09                 | 0.23               | 0.16                 | 21.3                 | 7.5                  | 26                   |
| I101051            |                                   | 0.34                      | <0.005               | 0.17                 | 1.95               | 24.6                 | <0.2                 | <10                 | 230                  | 0.41                 | 0.20                 | 0.57               | 0.32                 | 28.8                 | 13.7                 | 43                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Cs<br>ppm<br>0.05 | ME-MS41<br>Cu<br>ppm<br>0.2 | ME-MS41<br>Fe<br>%<br>0.01 | ME-MS41<br>Ga<br>ppm<br>0.05 | ME-MS41<br>Ge<br>ppm<br>0.05 | ME-MS41<br>Hf<br>ppm<br>0.02 | ME-MS41<br>Hg<br>ppm<br>0.01 | ME-MS41<br>In<br>ppm<br>0.005 | ME-MS41<br>K<br>%<br>0.01 | ME-MS41<br>La<br>ppm<br>0.2 | ME-MS41<br>Li<br>ppm<br>0.1 | ME-MS41<br>Mg<br>%<br>0.01 | ME-MS41<br>Mn<br>ppm<br>5 | ME-MS41<br>Mo<br>ppm<br>0.05 | ME-MS41<br>Na<br>%<br>0.01 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|
| I101011            |                                   | 0.60                         | 15.9                        | 2.15                       | 6.12                         | <0.05                        | 0.02                         | 0.02                         | 0.015                         | 0.06                      | 6.1                         | 6.5                         | 0.26                       | 257                       | 0.93                         | 0.01                       |
| I101012            |                                   | 0.69                         | 22.6                        | 2.71                       | 5.43                         | <0.05                        | 0.04                         | 0.02                         | 0.020                         | 0.05                      | 6.7                         | 9.9                         | 0.55                       | 292                       | 0.79                         | 0.01                       |
| I101013            |                                   | 0.78                         | 17.2                        | 1.98                       | 4.84                         | <0.05                        | <0.02                        | 0.03                         | 0.020                         | 0.05                      | 5.7                         | 6.6                         | 0.34                       | 182                       | 0.73                         | 0.01                       |
| I101015            |                                   | 0.82                         | 27.1                        | 2.55                       | 5.21                         | <0.05                        | 0.02                         | 0.03                         | 0.025                         | 0.05                      | 9.8                         | 10.4                        | 0.45                       | 258                       | 1.43                         | <0.01                      |
| I101016            |                                   | 0.78                         | 26.4                        | 2.43                       | 5.03                         | <0.05                        | 0.02                         | 0.03                         | 0.023                         | 0.05                      | 9.5                         | 9.8                         | 0.43                       | 238                       | 1.36                         | <0.01                      |
| I101017            |                                   | 0.67                         | 21.6                        | 1.77                       | 3.81                         | <0.05                        | <0.02                        | 0.05                         | 0.018                         | 0.04                      | 7.4                         | 6.2                         | 0.29                       | 185                       | 0.98                         | 0.01                       |
| I101018            |                                   | 1.01                         | 30.2                        | 2.82                       | 5.83                         | <0.05                        | 0.02                         | 0.03                         | 0.026                         | 0.05                      | 11.1                        | 12.4                        | 0.51                       | 284                       | 1.46                         | <0.01                      |
| I101019            |                                   | 0.87                         | 26.1                        | 2.54                       | 5.15                         | <0.05                        | 0.02                         | 0.02                         | 0.022                         | 0.05                      | 10.0                        | 9.9                         | 0.45                       | 246                       | 1.39                         | <0.01                      |
| I101020            |                                   | 1.04                         | 29.8                        | 2.76                       | 6.01                         | <0.05                        | 0.02                         | 0.03                         | 0.027                         | 0.05                      | 11.5                        | 12.0                        | 0.49                       | 265                       | 1.58                         | 0.01                       |
| I101021            |                                   | 0.91                         | 29.4                        | 2.57                       | 5.65                         | <0.05                        | 0.02                         | 0.03                         | 0.025                         | 0.05                      | 10.8                        | 10.9                        | 0.45                       | 245                       | 1.49                         | <0.01                      |
| I101022            |                                   | 1.02                         | 30.5                        | 3.02                       | 6.04                         | <0.05                        | 0.02                         | 0.03                         | 0.026                         | 0.06                      | 11.2                        | 13.5                        | 0.55                       | 290                       | 1.61                         | 0.01                       |
| I101023            |                                   | 0.89                         | 28.6                        | 2.65                       | 5.50                         | <0.05                        | <0.02                        | 0.03                         | 0.024                         | 0.05                      | 10.4                        | 11.3                        | 0.47                       | 255                       | 1.50                         | <0.01                      |
| I101024            |                                   | 1.50                         | 16.7                        | 2.07                       | 3.67                         | <0.05                        | 0.04                         | 0.04                         | 0.021                         | 0.09                      | 29.4                        | 5.5                         | 0.18                       | 143                       | 1.34                         | <0.01                      |
| I101025            |                                   | 1.74                         | 14.8                        | 2.37                       | 4.50                         | <0.05                        | 0.04                         | 0.04                         | 0.022                         | 0.08                      | 30.1                        | 8.1                         | 0.21                       | 96                        | 1.32                         | <0.01                      |
| I101026            |                                   | 1.30                         | 9.8                         | 1.70                       | 3.84                         | <0.05                        | <0.02                        | 0.03                         | 0.013                         | 0.07                      | 30.4                        | 3.4                         | 0.11                       | 83                        | 1.61                         | <0.01                      |
| I101027            |                                   | 1.34                         | 11.4                        | 1.55                       | 3.34                         | <0.05                        | <0.02                        | 0.03                         | 0.015                         | 0.07                      | 19.7                        | 3.8                         | 0.12                       | 86                        | 1.27                         | <0.01                      |
| I101028            |                                   | 1.74                         | 20.5                        | 2.37                       | 4.04                         | 0.05                         | 0.04                         | 0.03                         | 0.025                         | 0.10                      | 35.1                        | 6.7                         | 0.20                       | 157                       | 1.47                         | <0.01                      |
| I101029            |                                   | 1.57                         | 12.1                        | 1.96                       | 4.33                         | <0.05                        | 0.02                         | 0.04                         | 0.018                         | 0.08                      | 25.3                        | 4.9                         | 0.16                       | 93                        | 1.55                         | <0.01                      |
| I101030            |                                   | 2.15                         | 33.0                        | 2.72                       | 6.10                         | <0.05                        | 0.02                         | 0.03                         | 0.019                         | 0.29                      | 9.8                         | 15.6                        | 0.68                       | 338                       | 0.95                         | <0.01                      |
| I101031            |                                   | 3.55                         | 41.9                        | 3.75                       | 7.24                         | <0.05                        | 0.02                         | 0.03                         | 0.020                         | 0.52                      | 9.7                         | 27.5                        | 1.18                       | 585                       | 1.10                         | <0.01                      |
| I101032            |                                   | 3.22                         | 24.3                        | 3.62                       | 7.57                         | <0.05                        | 0.07                         | 0.01                         | 0.031                         | 0.35                      | 18.3                        | 17.6                        | 0.64                       | 295                       | 1.84                         | <0.01                      |
| I101033            |                                   | 2.54                         | 23.3                        | 3.57                       | 8.17                         | <0.05                        | 0.05                         | 0.03                         | 0.032                         | 0.30                      | 18.4                        | 18.5                        | 0.60                       | 317                       | 2.03                         | <0.01                      |
| I101034            |                                   | 3.04                         | 22.2                        | 3.48                       | 7.33                         | <0.05                        | 0.06                         | 0.02                         | 0.028                         | 0.34                      | 17.4                        | 16.4                        | 0.60                       | 282                       | 1.69                         | <0.01                      |
| I101035            |                                   | 2.76                         | 22.6                        | 3.69                       | 7.48                         | <0.05                        | 0.08                         | 0.02                         | 0.033                         | 0.32                      | 21.0                        | 17.4                        | 0.62                       | 295                       | 1.88                         | <0.01                      |
| I101036            |                                   | 3.25                         | 24.9                        | 3.64                       | 7.82                         | 0.05                         | 0.07                         | 0.01                         | 0.033                         | 0.35                      | 23.0                        | 17.7                        | 0.64                       | 291                       | 1.93                         | <0.01                      |
| I101037            |                                   | 2.73                         | 22.7                        | 3.49                       | 7.25                         | <0.05                        | 0.06                         | 0.01                         | 0.030                         | 0.32                      | 18.3                        | 16.8                        | 0.61                       | 286                       | 1.78                         | <0.01                      |
| I101038            |                                   | 3.43                         | 23.6                        | 3.65                       | 7.59                         | <0.05                        | 0.07                         | 0.02                         | 0.031                         | 0.38                      | 20.5                        | 18.1                        | 0.66                       | 301                       | 1.76                         | <0.01                      |
| I101039            |                                   | 3.06                         | 25.8                        | 3.71                       | 7.92                         | 0.05                         | 0.08                         | 0.02                         | 0.034                         | 0.35                      | 21.4                        | 18.7                        | 0.67                       | 298                       | 1.85                         | <0.01                      |
| I101040            |                                   | 3.60                         | 24.4                        | 3.61                       | 7.99                         | 0.05                         | 0.06                         | 0.02                         | 0.033                         | 0.37                      | 22.4                        | 18.0                        | 0.62                       | 298                       | 1.78                         | <0.01                      |
| I101041            |                                   | 1.77                         | 28.0                        | 3.58                       | 7.39                         | <0.05                        | 0.06                         | 0.01                         | 0.033                         | 0.29                      | 18.0                        | 14.6                        | 0.69                       | 498                       | 1.60                         | <0.01                      |
| I101042            |                                   | 3.60                         | 23.0                        | 3.79                       | 8.17                         | 0.07                         | 0.06                         | 0.01                         | 0.035                         | 0.39                      | 23.2                        | 19.2                        | 0.65                       | 319                       | 1.73                         | 0.02                       |
| I101043            |                                   | 1.97                         | 20.1                        | 2.66                       | 5.46                         | 0.09                         | 0.07                         | 0.05                         | 0.020                         | 0.44                      | 28.5                        | 14.3                        | 0.56                       | 495                       | 1.05                         | 0.03                       |
| I101044            |                                   | 1.83                         | 26.8                        | 2.51                       | 5.27                         | <0.05                        | <0.02                        | 0.05                         | 0.018                         | 0.25                      | 8.3                         | 13.8                        | 0.55                       | 321                       | 1.08                         | 0.02                       |
| I101045            |                                   | 2.13                         | 25.6                        | 2.65                       | 5.50                         | <0.05                        | 0.02                         | 0.05                         | 0.017                         | 0.30                      | 7.7                         | 14.2                        | 0.62                       | 329                       | 1.00                         | 0.02                       |
| I101046            |                                   | 0.74                         | 23.9                        | 1.32                       | 2.87                         | <0.05                        | <0.02                        | 0.06                         | 0.018                         | 0.06                      | 9.7                         | 3.1                         | 0.12                       | 153                       | 0.96                         | 0.02                       |
| I101047            |                                   | 1.05                         | 22.7                        | 1.46                       | 3.68                         | <0.05                        | <0.02                        | 0.05                         | 0.016                         | 0.09                      | 8.6                         | 5.0                         | 0.20                       | 130                       | 0.87                         | 0.02                       |
| I101048            |                                   | 0.91                         | 21.4                        | 1.29                       | 3.24                         | <0.05                        | <0.02                        | 0.24                         | 0.016                         | 0.08                      | 9.5                         | 3.4                         | 0.15                       | 108                       | 0.96                         | 0.03                       |
| I101049            |                                   | 1.17                         | 19.3                        | 1.82                       | 4.85                         | <0.05                        | <0.02                        | 0.04                         | 0.017                         | 0.11                      | 7.0                         | 7.9                         | 0.27                       | 163                       | 1.00                         | 0.02                       |
| I101050            |                                   | 1.30                         | 23.7                        | 1.92                       | 4.75                         | <0.05                        | <0.02                        | 0.04                         | 0.017                         | 0.14                      | 7.9                         | 8.3                         | 0.34                       | 220                       | 0.95                         | 0.02                       |
| I101051            |                                   | 0.91                         | 43.2                        | 3.10                       | 5.53                         | 0.06                         | 0.09                         | 0.03                         | 0.033                         | 0.07                      | 14.1                        | 14.7                        | 0.79                       | 458                       | 1.19                         | 0.03                       |





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I101011            |                                   | 1.08                         | 10.6                        | 310                       | 10.4                        | 10.2                        | <0.001                        | 0.02                      | 0.28                         | 2.5                         | 0.4                         | 0.5                         | 21.0                        | <0.01                        | 0.04                         | 0.6                         |
| I101012            |                                   | 1.10                         | 17.6                        | 440                       | 5.9                         | 7.6                         | <0.001                        | <0.01                     | 0.26                         | 4.1                         | 0.5                         | 0.5                         | 24.3                        | <0.01                        | 0.03                         | 1.9                         |
| I101013            |                                   | 0.63                         | 12.5                        | 440                       | 4.7                         | 8.2                         | <0.001                        | 0.03                      | 0.21                         | 3.2                         | 0.5                         | 0.4                         | 23.5                        | <0.01                        | 0.03                         | 0.3                         |
| I101015            |                                   | 0.89                         | 26.8                        | 550                       | 38.6                        | 10.3                        | <0.001                        | 0.02                      | 0.61                         | 3.0                         | 1.2                         | 0.5                         | 20.1                        | <0.01                        | 0.04                         | 1.3                         |
| I101016            |                                   | 0.81                         | 25.6                        | 530                       | 35.8                        | 9.5                         | <0.001                        | 0.02                      | 0.56                         | 2.9                         | 1.1                         | 0.5                         | 20.4                        | <0.01                        | 0.04                         | 0.9                         |
| I101017            |                                   | 0.50                         | 18.6                        | 440                       | 27.9                        | 7.5                         | <0.001                        | 0.02                      | 0.41                         | 1.7                         | 0.9                         | 0.4                         | 17.8                        | <0.01                        | 0.04                         | 0.2                         |
| I101018            |                                   | 0.99                         | 30.9                        | 580                       | 43.3                        | 11.8                        | <0.001                        | 0.02                      | 0.66                         | 3.7                         | 1.1                         | 0.5                         | 22.8                        | <0.01                        | 0.05                         | 1.5                         |
| I101019            |                                   | 0.86                         | 26.0                        | 520                       | 36.7                        | 10.5                        | <0.001                        | 0.02                      | 0.58                         | 3.0                         | 1.0                         | 0.5                         | 20.1                        | <0.01                        | 0.04                         | 1.2                         |
| I101020            |                                   | 1.03                         | 29.8                        | 530                       | 40.3                        | 12.6                        | <0.001                        | 0.04                      | 0.65                         | 3.7                         | 1.2                         | 0.6                         | 23.4                        | <0.01                        | 0.05                         | 1.6                         |
| I101021            |                                   | 0.92                         | 27.5                        | 530                       | 37.6                        | 11.4                        | <0.001                        | 0.06                      | 0.60                         | 3.3                         | 1.2                         | 0.5                         | 21.7                        | <0.01                        | 0.05                         | 1.2                         |
| I101022            |                                   | 1.05                         | 32.0                        | 580                       | 43.0                        | 12.3                        | <0.001                        | 0.03                      | 0.66                         | 3.9                         | 1.2                         | 0.6                         | 22.9                        | <0.01                        | 0.05                         | 1.9                         |
| I101023            |                                   | 0.95                         | 28.4                        | 540                       | 37.0                        | 11.4                        | <0.001                        | <0.01                     | 0.60                         | 3.4                         | 1.1                         | 0.5                         | 21.5                        | <0.01                        | 0.04                         | 1.4                         |
| I101024            |                                   | 0.43                         | 11.6                        | 660                       | 35.4                        | 15.6                        | <0.001                        | 0.03                      | 0.71                         | 1.9                         | 1.3                         | 0.5                         | 16.9                        | <0.01                        | 0.04                         | 8.4                         |
| I101025            |                                   | 0.55                         | 11.8                        | 580                       | 34.0                        | 17.0                        | <0.001                        | 0.03                      | 0.67                         | 2.2                         | 1.1                         | 0.6                         | 16.1                        | <0.01                        | 0.03                         | 10.3                        |
| I101026            |                                   | 0.32                         | 6.9                         | 550                       | 18.1                        | 14.7                        | <0.001                        | 0.03                      | 0.54                         | 1.2                         | 0.7                         | 0.5                         | 13.4                        | <0.01                        | 0.04                         | 3.9                         |
| I101027            |                                   | 0.32                         | 8.3                         | 690                       | 28.1                        | 12.5                        | <0.001                        | 0.03                      | 0.54                         | 1.2                         | 1.0                         | 0.4                         | 14.2                        | <0.01                        | 0.04                         | 1.9                         |
| I101028            |                                   | 0.48                         | 13.4                        | 710                       | 44.5                        | 17.6                        | <0.001                        | 0.02                      | 0.79                         | 2.4                         | 1.3                         | 0.5                         | 18.1                        | <0.01                        | 0.04                         | 11.1                        |
| I101029            |                                   | 0.43                         | 9.2                         | 630                       | 25.7                        | 16.0                        | <0.001                        | 0.04                      | 0.55                         | 1.6                         | 0.9                         | 0.6                         | 15.7                        | <0.01                        | 0.04                         | 3.4                         |
| I101030            |                                   | 0.98                         | 38.7                        | 570                       | 11.3                        | 35.5                        | <0.001                        | 0.06                      | 0.19                         | 2.3                         | 0.7                         | 0.5                         | 20.2                        | <0.01                        | 0.06                         | 0.9                         |
| I101031            |                                   | 1.25                         | 62.9                        | 730                       | 11.3                        | 43.9                        | <0.001                        | 0.07                      | 0.18                         | 3.1                         | 0.6                         | 0.4                         | 21.0                        | <0.01                        | 0.05                         | 2.2                         |
| I101032            |                                   | 1.28                         | 23.2                        | 530                       | 22.6                        | 43.5                        | <0.001                        | 0.04                      | 0.24                         | 4.6                         | 0.6                         | 0.7                         | 25.2                        | <0.01                        | 0.03                         | 11.0                        |
| I101033            |                                   | 1.57                         | 23.3                        | 420                       | 21.8                        | 37.1                        | <0.001                        | <0.01                     | 0.32                         | 4.6                         | 0.6                         | 0.8                         | 26.9                        | <0.01                        | 0.05                         | 9.2                         |
| I101034            |                                   | 1.37                         | 21.6                        | 510                       | 20.9                        | 42.7                        | <0.001                        | 0.01                      | 0.26                         | 4.2                         | 0.5                         | 0.7                         | 27.9                        | <0.01                        | 0.03                         | 8.6                         |
| I101035            |                                   | 1.42                         | 22.3                        | 430                       | 22.2                        | 39.5                        | <0.001                        | 0.01                      | 0.28                         | 4.7                         | 0.7                         | 0.7                         | 30.1                        | <0.01                        | 0.04                         | 10.5                        |
| I101036            |                                   | 1.37                         | 24.6                        | 530                       | 23.2                        | 45.1                        | <0.001                        | 0.01                      | 0.27                         | 5.0                         | 0.7                         | 0.8                         | 29.3                        | <0.01                        | 0.04                         | 11.5                        |
| I101037            |                                   | 1.37                         | 22.4                        | 500                       | 20.5                        | 39.8                        | <0.001                        | 0.02                      | 0.27                         | 4.5                         | 0.5                         | 0.7                         | 24.2                        | <0.01                        | 0.04                         | 9.0                         |
| I101038            |                                   | 1.27                         | 23.3                        | 580                       | 23.2                        | 48.1                        | <0.001                        | 0.03                      | 0.25                         | 4.6                         | 0.6                         | 0.7                         | 25.8                        | <0.01                        | 0.04                         | 10.7                        |
| I101039            |                                   | 1.34                         | 25.3                        | 490                       | 22.4                        | 43.7                        | <0.001                        | 0.03                      | 0.28                         | 5.1                         | 0.6                         | 0.7                         | 27.2                        | <0.01                        | 0.03                         | 11.3                        |
| I101040            |                                   | 1.44                         | 23.5                        | 600                       | 23.0                        | 51.7                        | 0.001                         | 0.05                      | 0.25                         | 4.7                         | 0.7                         | 0.8                         | 27.9                        | <0.01                        | 0.04                         | 10.6                        |
| I101041            |                                   | 1.29                         | 37.4                        | 360                       | 17.3                        | 37.3                        | <0.001                        | 0.05                      | 0.36                         | 5.2                         | 0.5                         | 0.7                         | 27.3                        | <0.01                        | 0.05                         | 7.7                         |
| I101042            |                                   | 1.54                         | 22.7                        | 600                       | 22.3                        | 61.5                        | <0.001                        | 0.01                      | 0.24                         | 4.7                         | 0.4                         | 0.7                         | 30.8                        | <0.01                        | 0.03                         | 10.2                        |
| I101043            |                                   | 1.39                         | 19.1                        | 960                       | 13.0                        | 42.2                        | <0.001                        | 0.06                      | 0.21                         | 4.0                         | 0.9                         | 0.5                         | 90.1                        | <0.01                        | 0.03                         | 6.2                         |
| I101044            |                                   | 0.93                         | 31.9                        | 740                       | 9.4                         | 26.1                        | <0.001                        | 0.04                      | 0.35                         | 1.9                         | 0.4                         | 0.4                         | 20.8                        | <0.01                        | 0.04                         | 0.5                         |
| I101045            |                                   | 1.08                         | 32.9                        | 650                       | 9.0                         | 31.7                        | <0.001                        | 0.03                      | 0.17                         | 2.1                         | 0.4                         | 0.4                         | 17.9                        | <0.01                        | 0.04                         | 0.8                         |
| I101046            |                                   | 0.30                         | 16.9                        | 880                       | 8.9                         | 6.8                         | <0.001                        | 0.06                      | 0.18                         | 0.6                         | 0.5                         | 0.3                         | 28.8                        | <0.01                        | 0.03                         | <0.2                        |
| I101047            |                                   | 0.46                         | 16.0                        | 690                       | 8.8                         | 11.0                        | <0.001                        | 0.04                      | 0.16                         | 0.8                         | 0.4                         | 0.3                         | 22.2                        | <0.01                        | 0.03                         | <0.2                        |
| I101048            |                                   | 0.45                         | 14.1                        | 670                       | 6.9                         | 9.1                         | <0.001                        | 0.05                      | 0.17                         | 0.9                         | 0.5                         | 0.3                         | 21.1                        | <0.01                        | 0.04                         | <0.2                        |
| I101049            |                                   | 0.71                         | 16.8                        | 460                       | 9.4                         | 13.2                        | <0.001                        | 0.02                      | 0.19                         | 1.3                         | 0.3                         | 0.4                         | 15.3                        | <0.01                        | 0.03                         | 0.2                         |
| I101050            |                                   | 0.73                         | 21.1                        | 550                       | 8.6                         | 15.7                        | <0.001                        | 0.04                      | 0.16                         | 1.4                         | 0.4                         | 0.4                         | 17.7                        | <0.01                        | 0.03                         | 0.3                         |
| I101051            |                                   | 1.39                         | 30.5                        | 630                       | 24.9                        | 9.7                         | <0.001                        | 0.02                      | 0.62                         | 5.8                         | 1.2                         | 0.5                         | 33.8                        | <0.01                        | 0.04                         | 3.5                         |





ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 5 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQ110-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Ti<br>% | ME-MS41<br>Ti<br>ppm | ME-MS41<br>U<br>ppm | ME-MS41<br>V<br>ppm | ME-MS41<br>W<br>ppm | ME-MS41<br>Y<br>ppm | ME-MS41<br>Zn<br>ppm | ME-MS41<br>Zr<br>ppm |
|--------------------|-----------------------------------|--------------------|----------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|
|                    |                                   | 0.005              | 0.02                 | 0.05                | 1                   | 0.05                | 0.05                | 2                    | 0.5                  |
| I101011            |                                   | 0.073              | 0.06                 | 0.38                | 60                  | 0.13                | 2.65                | 27                   | 0.7                  |
| I101012            |                                   | 0.090              | 0.06                 | 0.47                | 62                  | 0.13                | 3.59                | 45                   | 1.5                  |
| I101013            |                                   | 0.058              | 0.05                 | 0.44                | 44                  | 0.11                | 3.94                | 33                   | <0.5                 |
| I101015            |                                   | 0.062              | 0.08                 | 0.68                | 54                  | 0.11                | 4.86                | 61                   | 0.6                  |
| I101016            |                                   | 0.060              | 0.08                 | 0.70                | 51                  | 0.10                | 4.95                | 57                   | 0.5                  |
| I101017            |                                   | 0.049              | 0.06                 | 0.58                | 39                  | 0.13                | 3.91                | 42                   | <0.5                 |
| I101018            |                                   | 0.072              | 0.10                 | 0.80                | 60                  | 0.13                | 5.53                | 67                   | 0.6                  |
| I101019            |                                   | 0.066              | 0.08                 | 0.66                | 55                  | 0.13                | 4.80                | 60                   | 0.5                  |
| I101020            |                                   | 0.073              | 0.10                 | 0.78                | 60                  | 0.16                | 5.55                | 64                   | 0.6                  |
| I101021            |                                   | 0.067              | 0.09                 | 0.73                | 56                  | 0.13                | 5.20                | 59                   | 0.5                  |
| I101022            |                                   | 0.073              | 0.10                 | 0.77                | 63                  | 0.12                | 5.59                | 71                   | 0.8                  |
| I101023            |                                   | 0.066              | 0.09                 | 0.72                | 57                  | 0.12                | 5.08                | 62                   | 0.6                  |
| I101024            |                                   | 0.010              | 0.14                 | 1.95                | 30                  | 0.15                | 8.45                | 40                   | 0.8                  |
| I101025            |                                   | 0.011              | 0.18                 | 1.81                | 34                  | 0.16                | 8.07                | 40                   | 0.9                  |
| I101026            |                                   | 0.008              | 0.14                 | 1.26                | 28                  | 0.11                | 7.26                | 26                   | <0.5                 |
| I101027            |                                   | 0.011              | 0.12                 | 1.38                | 26                  | 0.10                | 6.49                | 30                   | <0.5                 |
| I101028            |                                   | 0.011              | 0.15                 | 2.44                | 32                  | 0.14                | 10.10               | 46                   | 0.7                  |
| I101029            |                                   | 0.010              | 0.17                 | 1.46                | 33                  | 0.11                | 7.68                | 34                   | <0.5                 |
| I101030            |                                   | 0.095              | 0.17                 | 0.63                | 46                  | 0.08                | 4.51                | 47                   | 0.5                  |
| I101031            |                                   | 0.144              | 0.29                 | 0.57                | 60                  | 0.08                | 4.82                | 69                   | 0.6                  |
| I101032            |                                   | 0.105              | 0.41                 | 1.21                | 48                  | 0.09                | 9.91                | 63                   | 2.5                  |
| I101033            |                                   | 0.101              | 0.34                 | 1.02                | 54                  | 0.12                | 8.84                | 60                   | 2.0                  |
| I101034            |                                   | 0.097              | 0.38                 | 1.04                | 46                  | 0.10                | 9.64                | 59                   | 1.9                  |
| I101035            |                                   | 0.107              | 0.35                 | 1.13                | 52                  | 0.09                | 9.58                | 61                   | 3.0                  |
| I101036            |                                   | 0.106              | 0.40                 | 1.25                | 50                  | 0.10                | 12.35               | 63                   | 2.6                  |
| I101037            |                                   | 0.104              | 0.34                 | 1.05                | 50                  | 0.10                | 9.83                | 61                   | 2.2                  |
| I101038            |                                   | 0.104              | 0.42                 | 1.22                | 47                  | 0.08                | 11.30               | 65                   | 2.6                  |
| I101039            |                                   | 0.110              | 0.39                 | 1.22                | 53                  | 0.09                | 10.50               | 65                   | 3.1                  |
| I101040            |                                   | 0.102              | 0.44                 | 1.20                | 47                  | 0.10                | 11.70               | 63                   | 2.1                  |
| I101041            |                                   | 0.101              | 0.24                 | 0.82                | 69                  | 0.11                | 6.65                | 68                   | 2.7                  |
| I101042            |                                   | 0.116              | 0.42                 | 1.13                | 52                  | 0.10                | 11.50               | 73                   | 2.5                  |
| I101043            |                                   | 0.087              | 0.26                 | 2.48                | 39                  | 0.08                | 16.80               | 56                   | 2.4                  |
| I101044            |                                   | 0.085              | 0.16                 | 0.53                | 46                  | 0.09                | 4.61                | 46                   | 0.5                  |
| I101045            |                                   | 0.095              | 0.19                 | 0.51                | 46                  | 0.07                | 4.37                | 49                   | 0.6                  |
| I101046            |                                   | 0.019              | 0.07                 | 0.63                | 25                  | 0.05                | 5.42                | 23                   | <0.5                 |
| I101047            |                                   | 0.037              | 0.09                 | 0.58                | 29                  | 0.07                | 4.32                | 24                   | <0.5                 |
| I101048            |                                   | 0.038              | 0.08                 | 0.55                | 27                  | 0.08                | 4.19                | 21                   | <0.5                 |
| I101049            |                                   | 0.066              | 0.11                 | 0.46                | 41                  | 0.08                | 3.21                | 28                   | <0.5                 |
| I101050            |                                   | 0.060              | 0.10                 | 0.54                | 38                  | 0.12                | 4.16                | 33                   | 0.5                  |
| I101051            |                                   | 0.107              | 0.09                 | 1.22                | 65                  | 0.15                | 11.55               | 108                  | 4.1                  |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS41<br>Ag<br>ppm | ME-MS41<br>Al<br>% | ME-MS41<br>As<br>ppm | ME-MS41<br>Au<br>ppm | ME-MS41<br>B<br>ppm | ME-MS41<br>Ba<br>ppm | ME-MS41<br>Be<br>ppm | ME-MS41<br>Bi<br>ppm | ME-MS41<br>Ca<br>% | ME-MS41<br>Cd<br>ppm | ME-MS41<br>Ce<br>ppm | ME-MS41<br>Co<br>ppm | ME-MS41<br>Cr<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.1                  | 0.2                  | 10                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.01                 | 0.02                 | 0.1                  | 1                    |
| I101052            |                                   | 0.36                      | <0.005               | 0.18                 | 1.84               | 17.1                 | <0.2                 | <10                 | 180                  | 0.32                 | 0.24                 | 0.64               | 0.31                 | 26.4                 | 14.8                 | 41                   |
| I101053            |                                   | 0.24                      | <0.005               | 0.21                 | 1.69               | 7.0                  | <0.2                 | <10                 | 160                  | 0.46                 | 0.26                 | 1.71               | 0.33                 | 23.9                 | 10.9                 | 26                   |
| I101054            |                                   | 0.36                      | <0.005               | 0.26                 | 2.26               | 34.9                 | <0.2                 | <10                 | 220                  | 0.40                 | 0.30                 | 0.48               | 0.58                 | 28.4                 | 15.4                 | 53                   |
| I101055            |                                   | 0.28                      | <0.005               | 0.21                 | 1.74               | 37.2                 | <0.2                 | <10                 | 180                  | 0.20                 | 0.24                 | 0.32               | 0.95                 | 20.3                 | 16.1                 | 37                   |
| I101056            |                                   | 0.34                      | <0.005               | 0.56                 | 2.09               | 73.5                 | <0.2                 | <10                 | 210                  | 0.33                 | 0.35                 | 0.39               | 0.82                 | 26.8                 | 10.8                 | 36                   |
| I101057            |                                   | 0.38                      | <0.005               | 0.19                 | 2.98               | 21.2                 | <0.2                 | <10                 | 330                  | 0.48                 | 0.10                 | 0.62               | 0.17                 | 12.25                | 12.0                 | 62                   |
| I101058            |                                   | 0.30                      | <0.005               | 0.20                 | 2.44               | 14.2                 | <0.2                 | <10                 | 270                  | 0.42                 | 0.26                 | 0.40               | 0.28                 | 23.6                 | 10.8                 | 32                   |
| I101059            |                                   | 0.38                      | <0.005               | 0.04                 | 2.01               | 25.7                 | <0.2                 | <10                 | 200                  | 0.29                 | 0.25                 | 0.46               | 0.22                 | 28.0                 | 12.2                 | 33                   |
| I101060            |                                   | 0.30                      | <0.005               | 0.07                 | 2.20               | 16.8                 | <0.2                 | <10                 | 220                  | 0.39                 | 0.20                 | 0.38               | 0.17                 | 28.4                 | 12.1                 | 33                   |
| I101061            |                                   | 0.32                      | 0.008                | 0.17                 | 1.60               | 11.6                 | <0.2                 | <10                 | 190                  | 0.30                 | 0.23                 | 1.05               | 0.55                 | 28.4                 | 11.6                 | 33                   |
| I101062            |                                   | 0.44                      | <0.005               | 0.13                 | 2.05               | 12.0                 | <0.2                 | <10                 | 230                  | 0.39                 | 0.18                 | 0.78               | 0.24                 | 26.1                 | 12.6                 | 39                   |
| I101063            |                                   | 0.28                      | <0.005               | 0.19                 | 1.72               | 9.9                  | <0.2                 | <10                 | 250                  | 0.39                 | 0.16                 | 1.14               | 0.55                 | 24.0                 | 11.1                 | 31                   |
| I101064            |                                   | 0.30                      | <0.005               | 0.16                 | 1.96               | 14.4                 | <0.2                 | <10                 | 250                  | 0.45                 | 0.28                 | 0.98               | 0.23                 | 28.8                 | 12.5                 | 46                   |
| I101065            |                                   | 0.28                      | <0.005               | 0.58                 | 2.09               | 11.4                 | <0.2                 | <10                 | 240                  | 0.37                 | 0.14                 | 0.24               | 0.40                 | 17.10                | 14.0                 | 35                   |
| I101066            |                                   | 0.34                      | <0.005               | 1.02                 | 2.33               | 25.0                 | <0.2                 | <10                 | 510                  | 0.45                 | 0.16                 | 0.54               | 0.62                 | 21.2                 | 14.0                 | 40                   |
| I101067            |                                   | 0.38                      | <0.005               | 0.32                 | 2.51               | 50.1                 | <0.2                 | <10                 | 320                  | 0.63                 | 0.16                 | 0.53               | 0.30                 | 41.8                 | 15.1                 | 50                   |
| I101068            |                                   | 0.34                      | 0.005                | 0.31                 | 2.29               | 58.4                 | <0.2                 | <10                 | 330                  | 0.40                 | 0.16                 | 0.58               | 0.37                 | 22.9                 | 10.9                 | 44                   |
| I101069            |                                   | 0.48                      | <0.005               | 0.34                 | 2.07               | 45.5                 | <0.2                 | <10                 | 330                  | 0.49                 | 0.21                 | 0.72               | 0.35                 | 38.0                 | 11.7                 | 41                   |
| I101070            |                                   | 0.32                      | 0.008                | 0.53                 | 2.27               | 70.4                 | <0.2                 | <10                 | 250                  | 0.54                 | 0.19                 | 0.33               | 0.34                 | 30.5                 | 15.0                 | 37                   |
| I101071            |                                   | 0.32                      | <0.005               | 0.34                 | 2.03               | 59.9                 | <0.2                 | <10                 | 330                  | 0.40                 | 0.17                 | 0.59               | 0.81                 | 22.6                 | 14.1                 | 36                   |
| I101072            |                                   | 0.36                      | <0.005               | 0.32                 | 2.39               | 64.4                 | <0.2                 | <10                 | 300                  | 0.53                 | 0.17                 | 0.39               | 0.52                 | 29.0                 | 14.9                 | 45                   |
| I101073            |                                   | 0.34                      | <0.005               | 0.17                 | 1.78               | 26.9                 | <0.2                 | <10                 | 180                  | 0.31                 | 0.23                 | 0.67               | 0.43                 | 26.9                 | 12.1                 | 36                   |
| I101074            |                                   | 0.26                      | 0.007                | 0.07                 | 2.04               | 14.1                 | <0.2                 | <10                 | 220                  | 0.44                 | 0.12                 | 0.97               | 0.17                 | 26.3                 | 13.5                 | 35                   |
| I101075            |                                   | 0.38                      | <0.005               | 0.10                 | 1.89               | 15.3                 | <0.2                 | <10                 | 240                  | 0.42                 | 0.13                 | 0.88               | 0.15                 | 26.6                 | 12.5                 | 34                   |
| I101076            |                                   | 0.34                      | <0.005               | 0.09                 | 1.90               | 14.3                 | <0.2                 | <10                 | 220                  | 0.41                 | 0.12                 | 0.79               | 0.19                 | 25.4                 | 11.6                 | 34                   |
| I101077            |                                   | 0.40                      | <0.005               | 0.12                 | 1.98               | 4.8                  | <0.2                 | <10                 | 150                  | 0.46                 | 0.11                 | 1.09               | 0.11                 | 55.2                 | 15.3                 | 45                   |
| I101078            |                                   | 0.38                      | <0.005               | 0.08                 | 2.12               | 3.8                  | <0.2                 | <10                 | 120                  | 0.72                 | 0.12                 | 0.62               | 0.08                 | 82.1                 | 20.1                 | 49                   |
| I101079            |                                   | 0.56                      | <0.005               | 0.06                 | 2.23               | 8.0                  | <0.2                 | <10                 | 140                  | 0.41                 | 0.13                 | 0.27               | 0.04                 | 23.1                 | 13.6                 | 41                   |
| I101080            |                                   | 0.48                      | <0.005               | 0.09                 | 2.07               | 6.1                  | <0.2                 | <10                 | 180                  | 0.49                 | 0.13                 | 0.56               | 0.07                 | 32.8                 | 14.1                 | 41                   |
| I101081            |                                   | 0.52                      | 0.005                | 0.08                 | 1.45               | 7.7                  | <0.2                 | <10                 | 160                  | 0.39                 | 0.12                 | 0.77               | 0.11                 | 24.8                 | 12.4                 | 31                   |
| I101082            |                                   | 0.54                      | 0.005                | 0.08                 | 1.68               | 7.3                  | <0.2                 | <10                 | 150                  | 0.39                 | 0.12                 | 0.65               | 0.15                 | 21.5                 | 11.8                 | 31                   |
| I101083            |                                   | 0.38                      | <0.005               | 0.24                 | 1.26               | 20.3                 | <0.2                 | <10                 | 120                  | 0.42                 | 0.15                 | 1.67               | 0.40                 | 37.8                 | 9.6                  | 26                   |
| I101084            |                                   | 0.36                      | <0.005               | 0.17                 | 2.03               | 6.0                  | <0.2                 | <10                 | 140                  | 0.34                 | 0.12                 | 0.27               | 0.08                 | 15.10                | 12.7                 | 36                   |
| I101085            |                                   | 0.52                      | <0.005               | 0.45                 | 2.03               | 5.7                  | <0.2                 | <10                 | 250                  | 0.44                 | 0.16                 | 0.45               | 0.22                 | 16.60                | 26.9                 | 34                   |
| I101086            |                                   | 0.56                      | <0.005               | 0.08                 | 2.57               | 8.1                  | <0.2                 | <10                 | 190                  | 0.75                 | 0.14                 | 0.40               | 0.15                 | 38.6                 | 17.9                 | 50                   |
| I101087            |                                   | 0.40                      | <0.005               | 0.08                 | 1.86               | 6.5                  | <0.2                 | <10                 | 190                  | 0.47                 | 0.13                 | 0.81               | 0.16                 | 26.4                 | 12.0                 | 37                   |
| I101088            |                                   | 0.50                      | 0.008                | 0.09                 | 1.63               | 7.3                  | <0.2                 | <10                 | 180                  | 0.55                 | 0.13                 | 1.27               | 0.13                 | 29.1                 | 12.5                 | 31                   |
| I101089            |                                   | 0.52                      | 0.005                | 0.08                 | 1.53               | 6.5                  | <0.2                 | <10                 | 170                  | 0.39                 | 0.12                 | 0.92               | 0.18                 | 24.3                 | 12.2                 | 30                   |
| I101090            |                                   | 0.48                      | <0.005               | 0.11                 | 1.54               | 7.7                  | <0.2                 | <10                 | 170                  | 0.39                 | 0.12                 | 0.90               | 0.23                 | 36.1                 | 11.1                 | 30                   |
| I101091            |                                   | 0.52                      | <0.005               | 0.11                 | 1.52               | 4.5                  | <0.2                 | <10                 | 130                  | 0.61                 | 0.14                 | 1.30               | 0.13                 | 66.8                 | 14.7                 | 31                   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Cs      | Cu      | Fe      | Ga      | Ge      | Hf      | Hg      | In      | K       | La      | Li      | Mg      | Mn      | Mo      |
|                    |                                   | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     |
|                    |                                   | 0.05    | 0.2     | 0.01    | 0.05    | 0.05    | 0.02    | 0.01    | 0.005   | 0.01    | 0.2     | 0.1     | 0.01    | 5       | 0.05    |
| I101052            |                                   | 1.11    | 33.9    | 2.88    | 5.45    | 0.05    | 0.04    | 0.02    | 0.026   | 0.06    | 13.2    | 14.5    | 0.79    | 551     | 1.23    |
| I101053            |                                   | 1.59    | 37.2    | 2.38    | 5.04    | <0.05   | 0.05    | 0.03    | 0.025   | 0.15    | 12.6    | 12.4    | 0.76    | 673     | 1.02    |
| I101054            |                                   | 1.45    | 56.1    | 3.26    | 6.55    | 0.06    | 0.05    | 0.02    | 0.030   | 0.06    | 14.5    | 16.2    | 0.89    | 545     | 1.79    |
| I101055            |                                   | 0.74    | 29.3    | 2.94    | 6.06    | <0.05   | 0.02    | 0.02    | 0.025   | 0.14    | 10.3    | 11.2    | 0.60    | 1820    | 2.11    |
| I101056            |                                   | 1.34    | 47.1    | 3.17    | 6.77    | 0.06    | 0.03    | 0.05    | 0.034   | 0.07    | 14.0    | 15.4    | 0.62    | 381     | 2.72    |
| I101057            |                                   | 8.53    | 53.5    | 3.58    | 6.49    | 0.07    | 0.05    | 0.02    | 0.017   | 0.85    | 6.5     | 22.3    | 2.34    | 621     | 0.76    |
| I101058            |                                   | 1.83    | 32.2    | 2.90    | 7.68    | <0.05   | 0.05    | 0.04    | 0.027   | 0.11    | 12.4    | 14.5    | 0.66    | 300     | 0.87    |
| I101059            |                                   | 0.74    | 21.8    | 3.15    | 6.28    | 0.05    | 0.08    | 0.03    | 0.029   | 0.08    | 14.4    | 14.0    | 0.66    | 351     | 0.93    |
| I101060            |                                   | 1.07    | 27.2    | 3.06    | 6.72    | <0.05   | 0.08    | 0.02    | 0.030   | 0.06    | 14.4    | 15.5    | 0.67    | 336     | 0.95    |
| I101061            |                                   | 1.27    | 40.3    | 2.47    | 4.91    | 0.05    | 0.04    | 0.03    | 0.025   | 0.10    | 14.9    | 12.3    | 0.73    | 649     | 1.46    |
| I101062            |                                   | 0.87    | 34.0    | 3.10    | 6.31    | <0.05   | 0.09    | 0.02    | 0.030   | 0.14    | 12.4    | 13.3    | 0.69    | 433     | 1.23    |
| I101063            |                                   | 0.73    | 35.1    | 2.58    | 5.14    | <0.05   | 0.07    | 0.03    | 0.023   | 0.15    | 12.7    | 11.8    | 0.64    | 547     | 0.77    |
| I101064            |                                   | 1.56    | 44.4    | 2.93    | 5.74    | 0.06    | 0.08    | 0.01    | 0.026   | 0.16    | 15.1    | 15.6    | 1.00    | 410     | 1.12    |
| I101065            |                                   | 1.09    | 15.1    | 2.77    | 6.48    | <0.05   | 0.05    | 0.02    | 0.030   | 0.08    | 7.1     | 9.5     | 0.45    | 918     | 1.77    |
| I101066            |                                   | 0.66    | 28.8    | 3.37    | 7.36    | <0.05   | 0.03    | 0.02    | 0.035   | 0.15    | 9.6     | 12.2    | 0.56    | 1080    | 1.84    |
| I101067            |                                   | 0.63    | 45.9    | 3.75    | 7.24    | 0.08    | 0.17    | 0.02    | 0.036   | 0.12    | 19.9    | 14.2    | 0.76    | 466     | 1.44    |
| I101068            |                                   | 0.61    | 37.1    | 3.45    | 7.16    | <0.05   | 0.07    | 0.01    | 0.031   | 0.14    | 12.4    | 14.3    | 0.73    | 427     | 1.72    |
| I101069            |                                   | 0.98    | 57.2    | 3.28    | 6.44    | 0.09    | 0.13    | 0.03    | 0.032   | 0.08    | 19.7    | 14.8    | 0.75    | 479     | 1.58    |
| I101070            |                                   | 1.33    | 33.6    | 3.78    | 7.94    | <0.05   | 0.03    | 0.06    | 0.040   | 0.13    | 13.8    | 16.2    | 0.59    | 522     | 3.19    |
| I101071            |                                   | 1.16    | 38.1    | 3.39    | 7.80    | <0.05   | 0.02    | 0.02    | 0.031   | 0.21    | 11.3    | 13.5    | 0.60    | 825     | 2.38    |
| I101072            |                                   | 0.77    | 38.4    | 3.52    | 7.35    | 0.05    | 0.14    | 0.02    | 0.034   | 0.08    | 13.2    | 14.0    | 0.65    | 415     | 2.10    |
| I101073            |                                   | 1.18    | 33.5    | 2.54    | 5.45    | <0.05   | 0.04    | 0.02    | 0.027   | 0.08    | 13.7    | 14.3    | 0.76    | 633     | 1.41    |
| I101074            |                                   | 0.65    | 32.8    | 3.12    | 6.08    | 0.06    | 0.09    | 0.03    | 0.028   | 0.07    | 12.6    | 14.6    | 0.72    | 451     | 0.79    |
| I101075            |                                   | 0.57    | 35.8    | 3.03    | 5.86    | 0.05    | 0.12    | 0.03    | 0.026   | 0.07    | 13.2    | 13.6    | 0.68    | 477     | 0.82    |
| I101076            |                                   | 0.51    | 30.7    | 2.98    | 5.71    | 0.07    | 0.16    | 0.02    | 0.025   | 0.07    | 12.3    | 13.5    | 0.68    | 410     | 0.73    |
| I101077            |                                   | 1.68    | 33.2    | 3.40    | 6.87    | 0.13    | 0.06    | 0.03    | 0.025   | 0.21    | 42.2    | 17.7    | 0.82    | 435     | 0.72    |
| I101078            |                                   | 3.66    | 32.1    | 3.73    | 6.71    | 0.11    | 0.06    | 0.02    | 0.030   | 0.40    | 42.9    | 20.6    | 0.96    | 519     | 0.62    |
| I101079            |                                   | 1.22    | 25.4    | 3.39    | 6.84    | <0.05   | 0.20    | 0.02    | 0.028   | 0.09    | 15.2    | 15.1    | 0.75    | 309     | 0.93    |
| I101080            |                                   | 1.59    | 29.1    | 3.16    | 6.77    | 0.05    | 0.04    | 0.03    | 0.023   | 0.10    | 16.0    | 16.6    | 0.82    | 319     | 0.64    |
| I101081            |                                   | 0.58    | 31.3    | 2.78    | 4.58    | <0.05   | 0.13    | 0.02    | 0.021   | 0.06    | 13.1    | 10.9    | 0.67    | 377     | 0.56    |
| I101082            |                                   | 0.70    | 25.4    | 2.72    | 5.47    | <0.05   | 0.05    | 0.03    | 0.024   | 0.05    | 11.4    | 11.8    | 0.60    | 320     | 0.66    |
| I101083            |                                   | 1.45    | 20.9    | 1.97    | 4.23    | 0.05    | 0.07    | 0.03    | 0.025   | 0.12    | 22.4    | 14.6    | 0.60    | 212     | 0.69    |
| I101084            |                                   | 0.79    | 19.3    | 3.24    | 6.76    | <0.05   | 0.03    | 0.01    | 0.023   | 0.09    | 6.8     | 13.2    | 0.58    | 259     | 1.41    |
| I101085            |                                   | 1.00    | 19.5    | 3.42    | 7.15    | <0.05   | 0.03    | 0.02    | 0.026   | 0.10    | 6.8     | 11.5    | 0.48    | 1120    | 1.35    |
| I101086            |                                   | 2.04    | 39.3    | 3.78    | 7.62    | 0.06    | 0.18    | 0.01    | 0.032   | 0.12    | 16.8    | 16.1    | 0.77    | 309     | 1.17    |
| I101087            |                                   | 0.97    | 30.1    | 2.88    | 5.90    | <0.05   | 0.10    | 0.03    | 0.026   | 0.10    | 14.1    | 14.5    | 0.67    | 313     | 0.61    |
| I101088            |                                   | 0.79    | 39.3    | 2.80    | 5.26    | <0.05   | 0.13    | 0.03    | 0.026   | 0.07    | 15.9    | 13.5    | 0.65    | 344     | 0.52    |
| I101089            |                                   | 0.60    | 30.0    | 2.73    | 5.22    | <0.05   | 0.12    | 0.03    | 0.023   | 0.08    | 12.9    | 13.2    | 0.68    | 457     | 0.58    |
| I101090            |                                   | 1.38    | 26.8    | 2.91    | 4.82    | <0.05   | 0.06    | 0.04    | 0.025   | 0.15    | 18.3    | 11.1    | 0.55    | 362     | 0.90    |
| I101091            |                                   | 3.56    | 38.2    | 3.22    | 5.38    | 0.11    | 0.08    | 0.08    | 0.030   | 0.32    | 45.5    | 18.8    | 0.62    | 411     | 0.87    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41<br>Nb<br>ppm<br>0.05 | ME-MS41<br>Ni<br>ppm<br>0.2 | ME-MS41<br>P<br>ppm<br>10 | ME-MS41<br>Pb<br>ppm<br>0.2 | ME-MS41<br>Rb<br>ppm<br>0.1 | ME-MS41<br>Re<br>ppm<br>0.001 | ME-MS41<br>S<br>%<br>0.01 | ME-MS41<br>Sb<br>ppm<br>0.05 | ME-MS41<br>Sc<br>ppm<br>0.1 | ME-MS41<br>Se<br>ppm<br>0.2 | ME-MS41<br>Sn<br>ppm<br>0.2 | ME-MS41<br>Sr<br>ppm<br>0.2 | ME-MS41<br>Ta<br>ppm<br>0.01 | ME-MS41<br>Te<br>ppm<br>0.01 | ME-MS41<br>Th<br>ppm<br>0.2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|
| I101052            |                                   | 1.04                         | 28.8                        | 560                       | 33.2                        | 11.9                        | <0.001                        | 0.02                      | 0.44                         | 5.4                         | 0.8                         | 0.4                         | 29.5                        | <0.01                        | 0.04                         | 2.8                         |
| I101053            |                                   | 0.97                         | 26.6                        | 530                       | 19.3                        | 21.7                        | <0.001                        | 0.06                      | 0.30                         | 3.2                         | 1.0                         | 0.4                         | 57.8                        | <0.01                        | 0.08                         | 1.2                         |
| I101054            |                                   | 1.19                         | 37.3                        | 520                       | 37.3                        | 14.1                        | <0.001                        | 0.02                      | 0.56                         | 5.9                         | 0.9                         | 0.5                         | 31.6                        | <0.01                        | 0.06                         | 3.3                         |
| I101055            |                                   | 1.15                         | 25.9                        | 640                       | 29.4                        | 16.1                        | <0.001                        | 0.02                      | 0.48                         | 3.5                         | 0.5                         | 0.5                         | 23.4                        | <0.01                        | 0.06                         | 1.8                         |
| I101056            |                                   | 1.35                         | 34.9                        | 640                       | 21.7                        | 11.7                        | <0.001                        | 0.04                      | 0.82                         | 5.0                         | 1.5                         | 0.6                         | 28.1                        | <0.01                        | 0.07                         | 2.4                         |
| I101057            |                                   | 0.80                         | 45.2                        | 600                       | 10.2                        | 102.0                       | <0.001                        | 0.01                      | 0.18                         | 4.4                         | 0.3                         | 0.3                         | 23.9                        | <0.01                        | 0.02                         | 1.9                         |
| I101058            |                                   | 1.35                         | 21.6                        | 390                       | 12.4                        | 19.1                        | <0.001                        | 0.02                      | 0.34                         | 5.1                         | 0.5                         | 0.6                         | 26.8                        | <0.01                        | 0.04                         | 3.1                         |
| I101059            |                                   | 1.22                         | 22.6                        | 590                       | 10.5                        | 9.9                         | <0.001                        | <0.01                     | 0.41                         | 4.7                         | 0.4                         | 0.5                         | 28.1                        | <0.01                        | 0.03                         | 4.1                         |
| I101060            |                                   | 1.41                         | 22.3                        | 420                       | 11.4                        | 12.7                        | <0.001                        | 0.01                      | 0.38                         | 5.0                         | 0.3                         | 0.6                         | 27.8                        | <0.01                        | 0.03                         | 3.7                         |
| I101061            |                                   | 0.99                         | 27.6                        | 580                       | 25.8                        | 15.6                        | <0.001                        | 0.06                      | 0.31                         | 4.0                         | 1.1                         | 0.5                         | 44.9                        | <0.01                        | 0.04                         | 2.5                         |
| I101062            |                                   | 1.57                         | 28.9                        | 320                       | 13.7                        | 15.3                        | <0.001                        | 0.01                      | 0.44                         | 5.3                         | 0.5                         | 0.5                         | 40.2                        | <0.01                        | 0.03                         | 3.3                         |
| I101063            |                                   | 1.32                         | 26.2                        | 630                       | 10.6                        | 18.6                        | <0.001                        | 0.02                      | 0.46                         | 4.5                         | 0.6                         | 0.4                         | 55.0                        | <0.01                        | 0.02                         | 1.8                         |
| I101064            |                                   | 1.35                         | 38.7                        | 630                       | 15.7                        | 19.8                        | <0.001                        | 0.03                      | 0.38                         | 4.9                         | 0.9                         | 0.5                         | 51.2                        | <0.01                        | 0.04                         | 3.5                         |
| I101065            |                                   | 1.24                         | 22.2                        | 240                       | 8.4                         | 9.3                         | <0.001                        | 0.01                      | 0.38                         | 4.2                         | <0.2                        | 0.6                         | 21.3                        | <0.01                        | 0.03                         | 1.8                         |
| I101066            |                                   | 1.13                         | 33.0                        | 690                       | 9.7                         | 13.6                        | <0.001                        | 0.02                      | 0.52                         | 4.7                         | 0.5                         | 0.6                         | 41.9                        | <0.01                        | 0.04                         | 2.4                         |
| I101067            |                                   | 1.39                         | 38.1                        | 400                       | 9.5                         | 12.4                        | <0.001                        | 0.01                      | 0.69                         | 9.2                         | 1.0                         | 0.6                         | 39.0                        | <0.01                        | 0.05                         | 4.3                         |
| I101068            |                                   | 1.36                         | 31.8                        | 440                       | 9.4                         | 9.1                         | <0.001                        | 0.02                      | 0.67                         | 5.7                         | 1.0                         | 0.6                         | 41.4                        | <0.01                        | 0.05                         | 2.7                         |
| I101069            |                                   | 1.48                         | 37.5                        | 630                       | 10.5                        | 9.0                         | <0.001                        | 0.02                      | 0.75                         | 6.7                         | 1.2                         | 0.6                         | 51.7                        | <0.01                        | 0.06                         | 3.8                         |
| I101070            |                                   | 1.05                         | 31.1                        | 530                       | 10.3                        | 13.8                        | <0.001                        | 0.01                      | 0.87                         | 4.5                         | 0.5                         | 0.8                         | 27.3                        | <0.01                        | 0.05                         | 4.3                         |
| I101071            |                                   | 1.11                         | 32.3                        | 850                       | 8.4                         | 14.8                        | <0.001                        | 0.02                      | 0.71                         | 3.9                         | 0.8                         | 0.6                         | 35.8                        | <0.01                        | 0.05                         | 2.3                         |
| I101072            |                                   | 1.34                         | 33.4                        | 330                       | 11.9                        | 9.4                         | <0.001                        | 0.02                      | 0.91                         | 6.5                         | 1.0                         | 0.6                         | 33.4                        | <0.01                        | 0.06                         | 4.2                         |
| I101073            |                                   | 1.05                         | 25.8                        | 600                       | 20.8                        | 13.2                        | 0.001                         | 0.04                      | 0.46                         | 4.5                         | 0.7                         | 0.5                         | 36.1                        | <0.01                        | 0.04                         | 2.7                         |
| I101074            |                                   | 1.85                         | 25.7                        | 550                       | 8.3                         | 8.0                         | <0.001                        | 0.03                      | 0.55                         | 5.7                         | 0.7                         | 0.5                         | 53.0                        | <0.01                        | 0.03                         | 2.5                         |
| I101075            |                                   | 1.59                         | 28.0                        | 700                       | 8.0                         | 7.8                         | <0.001                        | 0.01                      | 0.51                         | 5.9                         | 0.7                         | 0.5                         | 50.8                        | <0.01                        | 0.03                         | 3.0                         |
| I101076            |                                   | 1.62                         | 25.6                        | 710                       | 7.7                         | 7.3                         | <0.001                        | 0.01                      | 0.48                         | 5.7                         | 0.5                         | 0.5                         | 49.3                        | <0.01                        | 0.03                         | 3.3                         |
| I101077            |                                   | 1.46                         | 40.2                        | 460                       | 11.0                        | 28.0                        | <0.001                        | 0.03                      | 0.20                         | 4.8                         | 0.9                         | 0.4                         | 60.4                        | <0.01                        | 0.03                         | 5.6                         |
| I101078            |                                   | 1.32                         | 47.4                        | 580                       | 14.1                        | 39.9                        | <0.001                        | 0.02                      | 0.16                         | 5.8                         | 0.9                         | 0.5                         | 36.0                        | 0.01                         | 0.04                         | 12.9                        |
| I101079            |                                   | 1.27                         | 30.9                        | 220                       | 8.2                         | 17.4                        | <0.001                        | 0.01                      | 0.36                         | 4.8                         | 0.5                         | 0.6                         | 25.5                        | <0.01                        | 0.03                         | 6.7                         |
| I101080            |                                   | 1.33                         | 34.8                        | 770                       | 8.7                         | 20.3                        | <0.001                        | 0.02                      | 0.25                         | 4.6                         | 0.6                         | 0.5                         | 32.6                        | <0.01                        | 0.03                         | 3.5                         |
| I101081            |                                   | 1.31                         | 25.7                        | 860                       | 6.3                         | 6.2                         | <0.001                        | 0.02                      | 0.44                         | 5.1                         | 0.8                         | 0.4                         | 42.5                        | <0.01                        | 0.03                         | 3.3                         |
| I101082            |                                   | 1.31                         | 23.4                        | 720                       | 6.7                         | 8.8                         | <0.001                        | 0.02                      | 0.40                         | 4.8                         | 0.6                         | 0.5                         | 39.7                        | <0.01                        | 0.03                         | 1.6                         |
| I101083            |                                   | 1.10                         | 21.9                        | 680                       | 19.2                        | 19.6                        | 0.002                         | 0.13                      | 0.34                         | 3.8                         | 1.8                         | 0.4                         | 112.0                       | <0.01                        | 0.05                         | 2.5                         |
| I101084            |                                   | 1.22                         | 27.4                        | 220                       | 7.5                         | 11.6                        | <0.001                        | 0.01                      | 0.38                         | 3.5                         | 0.4                         | 0.5                         | 22.5                        | <0.01                        | 0.04                         | 1.7                         |
| I101085            |                                   | 1.15                         | 29.7                        | 730                       | 8.2                         | 10.8                        | <0.001                        | 0.02                      | 0.40                         | 3.8                         | 0.3                         | 0.6                         | 26.7                        | <0.01                        | 0.03                         | 1.3                         |
| I101086            |                                   | 1.09                         | 40.1                        | 400                       | 10.5                        | 19.4                        | <0.001                        | 0.01                      | 0.40                         | 7.2                         | 0.6                         | 0.6                         | 28.1                        | <0.01                        | 0.04                         | 6.0                         |
| I101087            |                                   | 1.56                         | 28.7                        | 630                       | 7.1                         | 15.5                        | <0.001                        | 0.02                      | 0.40                         | 5.7                         | 0.8                         | 0.5                         | 46.9                        | <0.01                        | 0.03                         | 3.6                         |
| I101088            |                                   | 1.45                         | 29.7                        | 700                       | 7.3                         | 9.6                         | <0.001                        | 0.04                      | 0.47                         | 5.6                         | 1.0                         | 0.5                         | 61.1                        | <0.01                        | 0.03                         | 3.1                         |
| I101089            |                                   | 1.49                         | 26.9                        | 740                       | 6.5                         | 8.6                         | <0.001                        | 0.03                      | 0.39                         | 5.4                         | 0.8                         | 0.5                         | 55.2                        | <0.01                        | 0.04                         | 3.0                         |
| I101090            |                                   | 1.14                         | 25.8                        | 800                       | 9.9                         | 18.9                        | <0.001                        | 0.03                      | 0.30                         | 4.9                         | 0.8                         | 0.4                         | 46.4                        | <0.01                        | 0.04                         | 4.4                         |
| I101091            |                                   | 0.91                         | 40.2                        | 590                       | 12.7                        | 36.9                        | <0.001                        | 0.06                      | 0.26                         | 6.0                         | 1.7                         | 0.5                         | 64.4                        | 0.01                         | 0.09                         | 8.7                         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
 SUITE 200, 900 WEST HASTINGS STREET  
 VANCOUVER BC V6C 1E5

Page: 6 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 8-OCT-2010  
 Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ti      | Ti      | U       | V       | W       | Y       | Zn      | Zr      |
|                    |                                   | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                                   | 0.005   | 0.02    | 0.05    | 1       | 0.05    | 0.05    | 2       | 0.5     |
| I101052            |                                   | 0.082   | 0.09    | 1.01    | 59      | 0.13    | 9.05    | 107     | 1.5     |
| I101053            |                                   | 0.072   | 0.14    | 0.83    | 41      | 0.09    | 11.55   | 73      | 2.0     |
| I101054            |                                   | 0.101   | 0.12    | 1.38    | 71      | 0.29    | 10.20   | 145     | 2.0     |
| I101055            |                                   | 0.093   | 0.10    | 0.62    | 68      | 0.14    | 4.94    | 140     | 0.9     |
| I101056            |                                   | 0.071   | 0.12    | 1.76    | 72      | 0.21    | 11.05   | 138     | 1.1     |
| I101057            |                                   | 0.170   | 0.68    | 0.51    | 64      | 0.12    | 4.95    | 135     | 2.2     |
| I101058            |                                   | 0.113   | 0.15    | 0.77    | 60      | 0.19    | 7.43    | 67      | 2.0     |
| I101059            |                                   | 0.101   | 0.08    | 0.60    | 67      | 0.14    | 6.80    | 71      | 4.1     |
| I101060            |                                   | 0.113   | 0.09    | 0.71    | 68      | 0.16    | 7.23    | 70      | 3.8     |
| I101061            |                                   | 0.071   | 0.12    | 1.21    | 47      | 0.13    | 12.90   | 108     | 1.7     |
| I101062            |                                   | 0.122   | 0.09    | 0.97    | 69      | 0.14    | 7.73    | 64      | 4.3     |
| I101063            |                                   | 0.097   | 0.07    | 0.66    | 57      | 0.17    | 9.06    | 69      | 2.5     |
| I101064            |                                   | 0.107   | 0.13    | 1.00    | 60      | 0.16    | 10.80   | 85      | 3.6     |
| I101065            |                                   | 0.083   | 0.12    | 0.29    | 69      | 0.13    | 3.17    | 71      | 2.1     |
| I101066            |                                   | 0.064   | 0.11    | 0.51    | 74      | 0.15    | 4.91    | 87      | 1.3     |
| I101067            |                                   | 0.111   | 0.09    | 0.73    | 91      | 0.16    | 14.00   | 73      | 8.2     |
| I101068            |                                   | 0.078   | 0.09    | 0.73    | 84      | 0.19    | 8.20    | 71      | 2.8     |
| I101069            |                                   | 0.100   | 0.08    | 1.48    | 74      | 0.17    | 16.15   | 89      | 5.9     |
| I101070            |                                   | 0.041   | 0.15    | 0.74    | 77      | 0.18    | 7.01    | 88      | 1.1     |
| I101071            |                                   | 0.064   | 0.12    | 0.56    | 73      | 0.16    | 6.46    | 88      | 1.0     |
| I101072            |                                   | 0.098   | 0.10    | 0.79    | 87      | 0.18    | 6.53    | 80      | 6.1     |
| I101073            |                                   | 0.079   | 0.10    | 1.01    | 53      | 0.18    | 9.55    | 99      | 1.7     |
| I101074            |                                   | 0.113   | 0.07    | 0.68    | 75      | 0.17    | 10.25   | 67      | 4.0     |
| I101075            |                                   | 0.124   | 0.06    | 0.85    | 73      | 0.21    | 11.50   | 63      | 5.4     |
| I101076            |                                   | 0.130   | 0.06    | 0.72    | 74      | 0.18    | 10.55   | 59      | 7.8     |
| I101077            |                                   | 0.099   | 0.20    | 1.57    | 55      | 0.09    | 17.25   | 58      | 2.0     |
| I101078            |                                   | 0.105   | 0.39    | 1.33    | 49      | 0.09    | 18.60   | 60      | 1.8     |
| I101079            |                                   | 0.138   | 0.13    | 0.70    | 69      | 0.13    | 5.24    | 49      | 7.2     |
| I101080            |                                   | 0.113   | 0.16    | 0.77    | 59      | 0.17    | 9.82    | 55      | 1.6     |
| I101081            |                                   | 0.111   | 0.06    | 0.70    | 63      | 0.16    | 10.35   | 54      | 4.9     |
| I101082            |                                   | 0.106   | 0.06    | 0.51    | 65      | 0.15    | 8.13    | 54      | 1.6     |
| I101083            |                                   | 0.070   | 0.12    | 4.49    | 39      | 0.08    | 12.55   | 54      | 2.2     |
| I101084            |                                   | 0.094   | 0.10    | 0.39    | 75      | 0.12    | 2.43    | 41      | 1.1     |
| I101085            |                                   | 0.087   | 0.09    | 0.38    | 76      | 0.14    | 2.89    | 53      | 1.1     |
| I101086            |                                   | 0.128   | 0.17    | 0.64    | 83      | 0.12    | 5.61    | 63      | 7.9     |
| I101087            |                                   | 0.122   | 0.10    | 0.85    | 62      | 0.17    | 9.65    | 58      | 4.4     |
| I101088            |                                   | 0.097   | 0.08    | 1.06    | 57      | 0.11    | 11.95   | 55      | 4.5     |
| I101089            |                                   | 0.117   | 0.06    | 0.66    | 63      | 0.26    | 9.79    | 53      | 4.2     |
| I101090            |                                   | 0.084   | 0.13    | 1.15    | 54      | 0.13    | 9.39    | 62      | 1.9     |
| I101091            |                                   | 0.058   | 0.23    | 3.21    | 37      | 0.11    | 22.3    | 59      | 2.2     |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.  
SUITE 200, 900 WEST HASTINGS STREET  
VANCOUVER BC V6C 1E5

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 8-OCT-2010  
Account: EIASQI

Project: SQI10-06

**CERTIFICATE OF ANALYSIS WH10137858**

| Method                 | CERTIFICATE COMMENTS  |
|------------------------|---|
| ALL METHODS<br>ME-MS41 | NSS is non-sufficient sample.<br>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). |