

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

1016 – 510 West Hastings Street

Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING AND PROSPECTING

at the

SAYYEA PROPERTY

Sayyea 1-102 YD33891-YD33992

NTS 105B/09

Latitude 60°40'N; Longitude 130°32'W

in

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Eaton, B.Sc., GIT

April 2011

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	2
REGIONAL GEOLOGY	2
PROPERTY GEOLOGY	4
MINERALIZATION	5
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	7
DISCUSSION AND CONCLUSIONS	8
REFERENCES	10

APPENDICES

- I STATEMENT OF QUALIFICATIONS
- II CERTIFICATES OF ANALYSIS

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Economic Mineral Assemblages by Host Rocks	5
II	Significant Rock Geochemical Results	6
III	Geochemical Data for Soil Samples	7

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	3
4	Regional Geology	3
5	Property Geology	5
6	Sample Locations	in pocket
7	Gold Geochemistry	7
8	Tungsten Geochemistry	7
9	Bismuth Geochemistry	7
10	Zinc Geochemistry	7

INTRODUCTION

The Sayyea property covers an extensive system of gold- and tungsten-enriched skarn horizons that lies in southeast Yukon. This property was staked in part because of geological and geochemical similarities it shares with skarn showings that are developed near the Tiger carbonate replacement gold deposit, which was recently discovered by ATAC Resources Ltd. at its Rau property in east-central Yukon. The Sayyea property is owned by Strategic Metals Ltd.

This report describes a five day exploration program that was conducted by Archer, Cathro & Associates (1981) Limited in June and August 2010 on behalf of Strategic Metals. The work was performed on June 10 and 11, and August 3, 4 and 6. It comprised prospecting and soil geochemical sampling. The author participated in and directed the program, and her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Sayyea property consists of 102 contiguous quartz claims, which are located in southeastern Yukon at latitude 60°40' north and longitude 130°32' west on NTS map sheet 105B/09 (Figure 1). The property covers an area of approximately 2060 hectares (20.6 sq. km.). The claims are all registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Sayyea 1-102	YD33891-YD33992	March 26, 2015


*Expiry date includes 2010 work which has been filed for assessment credit but not yet accepted.


Access to and from the property in June was provided by a Hughes 500D helicopter operated by Kluane Airways from the Watson Lake airport, which is located 120 km to the southeast of the property. In August, transportation to and from the property was provided by the same helicopter, but from the Inconnu Fishing Lodge on McEvoy Lake, which is located 130 km to the north of the property.

The community of Watson Lake is the nearest supply centre. The closest road access is from the Alaska Highway, which at its nearest point is 57 km to the south-southeast of the property. The Alaska Highway is usable in all seasons by two wheel drive vehicles.

HISTORY AND PREVIOUS WORK

In 1979, SEREM Limited staked Cabin property (18 claims) to cover greisen-type tungsten mineralization. Stream sediment sampling, prospecting and geological mapping led to the discovery of scheelite-bearing skarn horizons and several other small showings of molybdenite, wolframite, arsenopyrite, pyrite and pyrrhotite (Stammers, 1979). The prospecting results were confirmed by strongly anomalous stream sediment values for tin, tungsten, molybdenum and uranium. Based on these encouraging results, SEREM staked another 152 claims.





In 1980, SEREM established a grid of cut, picketed and flagged lines on which geological mapping and geochemical and magnetometer surveys were conducted (Lee, 1980). This work defined several skarn horizons within metasediments near the contact of a biotite-quartz monzonite to granodiorite stock. SEREM traced the most extensive skarn horizon by geological mapping and tungsten soil geochemistry for a distance of four kilometres and established a width of 30 to 45 m. Results from grab samples collected from this skarn horizon yielded up to 0.381% WO₃ and 2.06 g/t gold. Other skarn horizons identified by SEREM have similar WO₃ values but are significantly narrower.

In 1981, SEREM carried out prospecting, night ultraviolet lamping and chip sampling to further evaluate the tungsten skarn showings (Stammers, 1982). Chip sample results mostly returned values between 0.1 and 0.5% WO₃ (as described in the Mineralization section). No further work was done, probably because of a major economic recession that started in 1981, and the claims were subsequently allowed to expire.

GEOMORPHOLOGY

The Sayyee property lies within the Cassiar Mountains and is drained by Cabin and Sayyee creeks, which ultimately connect to the Arctic Ocean via the Liard and Mackenzie rivers.

Local elevations on the property range from 975 to 1550 m above sea level (asl). Topographic relief is gentle to moderate, with most of the claims on a ridge that slopes southward down to the floor of Cabin Creek Valley. Outcrop is sparse and is generally limited to higher elevations and deeply incised creek cuts. Much of the property, particularly the valley floor, is blanketed by Pleistocene colluvium deposits and glacial till.

The property setting is characterized as alpine to subalpine. Treeline in the area is at about 1500 m asl. Slopes above that elevation are vegetated with grass and moss. Vegetation gradually increases downslope and comprises spruce, balsam, lodgepole pine, willow and poplar.

The climate in the Sayyee property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, arctic cold fronts often cover the area and snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

In 1960, the Geological Survey of Canada published a geological map of the Wolf Lake map sheet (NTS 105B) at 1:250,000 scale (Poole et al., 1960). In 1988, the Yukon Geological Survey (YGS) published a 1:50,000 scale map of the Gravel Creek (NTS 105B/10) map sheet (Murphy, 1988). In 2003, Gordey and Makepeace incorporated this data as part of a Yukon-wide geological compilation. The following geological descriptions are summarized and extracted primarily from the YGS data (Murphy, 1988).

The Sayyee property is situated in the northern Omineca Belt, in an area where Mid-Cretaceous intrusions have cut rocks of the Cassiar Terrane (Figure 3). The Cassiar Terrane comprises a belt

of Upper Proterozoic to Upper Triassic parautochthonous, miogeoclinal sediments that extends for 1500 km from northern interior B.C. into southern Yukon (Pope and Sears, 1997 and EMPR, 2009). The northeast edge of the Cassiar Terrane is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults that produced about 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit, et al., 1976). The southwest margin is bound by the Teslin Suture, an enigmatic zone composed of folds plus thrust and high angle faults.

In the vicinity of the property, the Cassiar Terrane is represented by three main, conformable sedimentary units classified by Murphy (1988) and Gordey and Makepeace (2003) as Upper Proterozoic to Lower Cambrian Ingenika Group, Lower Cambrian Boya Formation and Lower Cambrian Rosella Formation (Figure 4).

Ingenika Group (PCI) metasediments are the oldest rocks exposed in the area. They are divided into three sub-units: **Swannell/Tsaydiz (PCI1)**, **Espee (PCI2)** and **Stekluz (PCI3) formations**.



Swannell Formation (PCI1) is composed primarily of biotite-muscovite-quartz±garnet, plagioclase, andalusite, sillimanite, staurolite schist; subfeldspathic meta-sandstone; and subordinate marble, calc-silicate rocks, and quartz- and feldspar-pebble conglomerate. Schist and finer grained meta-sandstone are the predominant lithologies found within the Gravel Creek map area. The schist is generally pelitic, but includes alumina-poor (quartz-rich) and calcareous compositions. The meta-sandstone is primarily thin to medium bedded and ranges from fine to coarse grained. Sedimentary structures are typically lacking, but some finer grained and more thinly bedded meta-sandstone shows parallel lamination and graded bedding is locally apparent in coarser meta-sandstone. Marble and garnet-diopside calc-silicate horizons are generally less than five metres thick. Although thin, some marble beds are persistent – individual marble units have been traced for up to seven kilometres. The contact between Swannell Formation and overlying Tsaydiz Formation is sharp.

Tsaydiz Formation (PCI1) consists of brown to gray to black (graphitic) phyllite; gray to beige dolomitic and calcitic marble; black, white and brown quartzite; and brown micaceous meta-sandstone. The unit primarily comprises phyllite. Beds of carbonate and quartzite are up to five metres thick and constitute less than 15% of the unit. The contact with overlying Espee Formation is sharp.

Espee Formation (PCI2) consists mainly of brown to gray, massive calcitic marble (locally cut by discordant dolomite), foliated micaceous marble and rare green to gray calc-phyllite. The contact between Espee Formation and overlying Stekluz Formation is sharp.

Stekluz Formation (PCI3) consists primarily of gray to green phyllite with subordinate olive to brown micaceous meta-siltstone and meta-sandstone and white quartzite. The quartz content of meta-sandstone and/or meta-siltstone beds is high. These strata may be easily mistaken for quartzite but they break more easily. The contact between Stekluz Formation overlying Boya Formation is gradational.

Boya Formation (ICB) comprises white, gray and pink, laminated and less commonly cross-laminated quartzite and subordinate gray to green phyllite, which is similar to phyllite of the



ANCESTRAL NORTH AMERICA

MP	Mackenzie Platform
SB	Selwyn Basin
RT	Richardson Trough

TERRANES

DISPLACED CONTINENTAL MARGIN

AA	Arctic Alaska
CA	Cassiar
PC	Porcupine

PERICRATONIC TERRANES

YT	Yukon-Tanana / Slide Mountain
----	-------------------------------

ACCRETED TERRANES

ST	Stikinia / Cache Creek
AX	Alexander
WR	Wrangellia
CG	Chugach

STRATEGIC METALS LTD.

FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING SAYYEE PROPERTY




DRAWN BY: M.Kammerer

FILE:P:\2010\SAYYEE

PROJECT: SAYYEE

DATE: 2011



underlying Stelkuz Formation. The contact between Boya Formation and overlying Rosella Formation is sharp.

Rosella Formation (ICR) is primarily resistant, brown to gray, massive to intraclasts-bearing calcitic marble and fissile, brown, micaceous marble. Thin beds of silvery-gray phyllite are rarely present. Rosella Formation is distinguished from the lithologically similar Espee Formation only on the basis of its lesser thickness and the presence of the basal Boya Formation.

During the Cretaceous, voluminous granitic plutons intruded the margin of North America (Murphy, 1988). This plutonism is represented in the vicinity of the property by the Cabin Creek Stock. This stock is a zoned, northwest trending, irregularly-shaped, 17 by 20 kilometre body. Historical K/Ar determinations give the stock an age range of 98 to 128 Ma (Lowdon, 1961; Lowdon, et al., 1963; Wanless, et al., 1972, 1974) and on this basis it has been assigned to the Mid-Cretaceous Cassiar Suite (mKC). However, a recent B.Sc. thesis using U/Pb determinations tested the two main textural and compositional phases of the intrusion: porphyritic, coarse grained granite and megaporphyritic granite. These units were dated at 72.82 ± 0.13 Ma and 76.20 ± 0.15 Ma, respectively (Gregory, 2007). Previous mappers used the terms “equigranular quartz monzonite” and “coarse grained quartz monzonite” to describe these phases.

Following, or during the waning stages of plutonism, major dextral strike-slip faults with a cumulative displacement of possibly 1000 km sliced the continental margin of North America (Gabrielse, 1985). The most prominent of these faults is the Tintina Fault, which lies approximately 20 km to the northeast of the property. A smaller-scale, northeast-trending, steeply southeast-dipping fault cuts the northwest part of the Cabin Creek Batholith.

Although the region has been complexly deformed, bedding in the vicinity of the property generally trends to the northeast and dips moderately to the northwest. Variable foliation orientations are indicative of folding in the area.

Rocks in the region exhibit variations in metamorphic grade, which reflect the influences of regional dynamothermal metamorphism and localized contact metamorphism. In general, rocks of all ages in Cassiar Terrane are sub-greenschist facies.

PROPERTY GEOLOGY

Property-scale mapping was carried out by SEREM in 1979 and 1980 (Stammers, 1979 and Lee, 1980). Strategic Metals did not complete any mapping in 2010. The following geological descriptions are summarized from SEREM's reports.

The Sayyee property straddles the contact between the Cabin Creek Stock and surrounding undifferentiated metasedimentary rocks belonging to the Ingenika Group (PCI1 and PCI2?). The Cabin Creek Stock ranges in composition from biotite-quartz granodiorite to quartz-biotite monzonite. The stock is locally altered to quartz-muscovite-feldspar-fluorite greisen. These greisen zones typically occur at or near the intrusive-metasedimentary contact. Quartz-muscovite veins are closely associated with the greisens and locally contain wolframite and

scheelite. Lenses of bull quartz and coarse grained, quartz-biotite monzonite commonly radiate out from the stock.

The metasediments on the property are primarily composed of quartz-rich biotite schist. Several quartzite beds were recognized within the schist. Skarn and marble horizons were also identified within the schist, typically near the western and northern margins of the stock. Marble and skarn horizons are best developed where the limestone protolith was proximal and parallel to the intrusive contact. The most common skarn lithologies are:

- 1) Garnet-pyroxene skarn: Green, red and brown weathering surface; ring of black manganese oxide just below weathering surface; fine to coarse, mainly medium grained; composed primarily of garnet-pyroxene-quartz-calcite±tremolite±pyrrhotite±scheelite; garnets are well-formed; high specific gravity.
- 2) Pyroxene-quartz skarn: Dark green and white, locally rusty weathering; aphanitic to fine grained; consists mainly of pyroxene-quartz±calcite±pyrrhotite±scheelite.
- 3) Cherty skarn (silicified limestone): Light green to striped light green and white (green is more resistant); aphanitic; mainly quartz and pyroxene.
- 4) Garnet-rich skarn: Pink or reddish weathering surface; brown or pink on fresh surface; composed mainly of garnet±quartz±calcite±pyroxene.

Bedding orientations on the property strike to the east-northeast and dip moderately to shallowly toward the north. Although foliation orientations also generally follow this trend, they are locally variable. Strong fault linears and associated shearing, silicification and quartz veining have been identified on the property. Murphy (1988) mapped a steeply dipping, northeast trending fault that appears to have displaced the western part of the Cabin Creek Stock.


MINERALIZATION

SEREM conducted property-wide and more localized prospecting in 1979, 1980 and 1982. Strategic Metals confirmed the location and mineralogy of the most significant historical skarn mineralization, but did not collect any rock samples in 2010.

SEREM identified three rock types that host mineralization on the property – skarns, greisens and quartz veins. The economic minerals that are associated with these rock types are listed in Table I, while the locations of the main occurrences are shown on Figure 5.

Table I – Economic Mineral Assemblages by Host Rocks

Host Rock	Sulphides	Main Occurrences
Skarn	Scheelite, gold, minor sphalerite	Main Skarn Horizon and Lower Skarn Horizon
Greisen	Molybdenite, minor sulphides	
Quartz vein	Wolframite, molybdenite, minor sulphides	Main Wolframite Showing



STRATEGIC METALS LTD.
FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
SAYYEE CLAIMS

Several skarn horizons have reportedly been discovered on the property; however, the two most notable are Main Skarn Horizon and Lower Skarn Horizon. Scheelite is the primary mineral of interest in both horizons. It occurs as small, isolated crystals throughout the garnet-pyroxene and pyroxene-quartz skarns. SEREM's most significant WO_3 values are listed in Table II.



Table II – Significant Rock Geochemical Results


Horizon	Year	Type	Length (m)	WO_3 (%)
Main	1979	Grab	-	0.120
Main	1979	Grab	-	0.164
Main	1980	Grab	-	0.381
Main	1980	Grab	-	0.279
Main	1980	Grab	-	0.190
Main	1982	Grab	-	1.220
Main	1982	Chip	1.0	0.110
Main	1982	Chip	1.0	0.151
Main	1982	Chip	1.0	0.190
Main	1982	Chip	1.0	0.605
Main	1982	Chip	2.0	0.132
Main	1982	Chip	2.0	0.135
Main	1982	Chip	1.0	0.250
Main	1982	Chip	3.0	0.670
Main	1982	Chip	1.0	0.120
Lower	1980	Grab	-	0.165


Main Skarn Horizon strikes east-northeasterly and dips to the north. It is 30 to 45 m thick and is locally in direct contact with the Cabin Creek Stock. Exposure is relatively good in the central part of the horizon and several isolated grab and chip samples were collected in that area. The richest grab sample returned 1.22% WO_3 , while the best chip sample yielded 0.60% WO_3 over 1.0 m. The highest gold values from the central part of the horizon were 2.06 g/t and 1.10 g/t, but the rest were less than 0.720 g/t. The horizon diverges from the stock towards the west, after the stock contact turns southward. The western part of the horizon is poorly exposed. Samples collected from this area yielded WO_3 values that are similar to central part of the horizon. Zinc values were generally subdued in the Main Skarn Horizon.


Lower Skarn Horizon lies 1500 m south of Main Skarn Horizon. It is approximately 10 m thick and has been traced over 1700 m. Only four samples have been collected from this horizon. Three yielded background to weak values for all elements of interest, while the other returned 0.165% WO_3 . Sphalerite bearing samples collected downhill from Lower Skarn Horizon reportedly yielded up to 0.59% zinc.


Greisen zones have been found intermittently throughout the Cabin Creek Stock. They typically contain fluorite as well as minor molybdenite and other sulphides. One sample of mineralized greisen that was collected in 1979 returned 0.056% molybdenum. All other samples of this material returned lower values.











Quartz±muscovite veins are abundant in the metasedimentary and intrusive rocks around the periphery of the Cabin Creek Stock, but they are only rarely mineralized. Coarse blades of wolframite and coarse scheelite crystals were discovered at Main Wolframite Showing, which lies within the stock to the south of Main Skarn Horizon. No assay results were reported from this showing.

STREAM SEDIMENT AND SOIL GEOCHEMISTRY

SEREM collected stream sediment and grid contour samples in the area now covered by the Sayyea property in 1979 and 1980. Its samples were mostly taken within the metasedimentary rocks adjacent to the Cabin Creek Stock. Strategic Metals extended the grid sampling to the west, along the projected strike extensions of the two mineralized skarn horizons, and also collected contour samples to the north and northeast of the property. Locations for the 2010 soil samples are shown on Figure 6, while results for gold, tungsten, bismuth and zinc for all samples are illustrated thematically on Figures 7 to 10, respectively. Certificates of Analysis are provided in Appendix II.

SEREM's property-wide stream sediment samples yielded several weakly elevated gold values (between 10 and 20 ppb) and one weakly elevated tungsten value (10 ppm). The anomalous samples were mostly taken from streams draining south into Cabin Creek. The results are strongest towards the west side of the property.

The Main and Lower Skarn horizons are both delineated by a combination of gold, tungsten, bismuth and zinc results from SEREM and Strategic Metals' grid soil samples. Tungsten and gold data are available for all samples, but only the 2010 soil samples were analyzed for bismuth and zinc. Anomalous thresholds and peak values for soil samples are listed in Table IV.

Table IV - Geochemical Data for Soil Samples

Element	Anomalous Thresholds			
	Weak	Moderate	Strong	Peak
Gold (ppb)	≥ 20 < 50	≥ 50 < 100	≥ 100	1,650
Tungsten (ppm)	≥ 20 < 50	≥ 50 < 100	≥ 100	2,500
Bismuth (ppm)	≥ 5 < 10	≥ 10 < 20	≥ 20	29
Zinc (ppm)	≥ 200 < 500	≥ 500 < 1,000	≥ 1,000	7,150

Grid samples have been collected across the projected strike of the Main Skarn Horizon for a distance of about 6000 m. SEREM's sampling in the eastern part of the grid yielded several weakly to moderately elevated gold values and numerous weakly to strongly anomalous tungsten values, over a length of 4000 m. Samples collected by Strategic Metals along strike to the west returned only background gold and subdued tungsten values. However, strongly elevated bismuth and zinc values were obtained from samples taken along the favourable trend. The Lower Skarn Horizon is characterized by several strongly elevated gold values with scattered, weak tungsten support. Bismuth and tungsten values are not available for historical samples from this horizon, but Strategic Metals' sampling yielded weakly elevated values for both metals.

Numerous weakly to strongly anomalous values for all four elements, particularly tungsten, were obtained from samples collected between Main and Lower Skarn horizons. These results could be sourcing from other, narrower skarn horizons or could be due to downslope dispersion.

Contour soil samples collected to the north and northeast of the property yielded mostly background values for all elements of interest.

DISCUSSION AND CONCLUSIONS

The Main Skarn Horizon on the Sayyea property has now been traced 7500 m along strike by geological mapping and a combination of gold, tungsten, bismuth and zinc soil geochemistry. Although the gold response is subdued at the west end of the sampled area, tungsten values are somewhat elevated and bismuth and zinc are strongly anomalous. Unfortunately bismuth and zinc values are not available elsewhere along strike. Historical rock and chip sampling along the length of this horizon yielded encouraging gold and tungsten results, but the sample density and distribution are not consistent. This horizon remains open to extension along strike in both directions.

Based mainly upon soil results, the Lower Skarn Horizon appears to be gold-rich and tungsten-depleted relative to the Main Skarn horizon. Only four rock samples were collected along the 1500 m length of this horizon, and only one of them yielded an elevated tungsten response. This horizon is truncated by the Cabin Creek Stock to the east, but is open to extension to the west-southwest.

At ATAC Resources Ltd.'s Tiger deposit, located in east-central Yukon, strongly elevated gold values occur sporadically within tungsten-bearing skarn developed near the intrusive centre; however, the main carbonate replacement gold deposit is located about two kilometres away, outside the calc-silicate aureole. Gold values are sporadic in the vicinity of the skarn mineralization, but are consistently high directly over the carbonate replacement deposit. Tungsten and bismuth are enriched in both the skarn and carbonate-replacement mineralization at the Tiger deposit. Arsenic is the best pathfinder for gold at the Tiger deposit, with very strong values near the deposit contrasting with quite a subdued response closer to the intrusive centre. No arsenic anomalies have been identified to date at the Sayyea property and the edge of the calc-silicate aureole has not been defined.

Based on the encouraging historical and 2010 soil geochemical results and exceptional lateral continuity and thickness of the skarn horizons, further work is recommended for the Sayyea property. Additional claims should be staked to the northeast and west along strike from the mineralized skarn horizons and to the north to cover down-dip projections. Deep profile closely spaced grid soil sampling should be carried out to better define the trace of the horizons and to establish possible metal zonation. Additional grid soil sampling should also be done along strike from both horizons to explore for potential carbonate replacement-style mineralization. Systematic hand trenching should be done where suitable along the horizons to reliably determine average grades and widths of the mineralization.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

S. Eaton, B.Sc. Geology, GIT

REFERENCES

- EMPR (Ministry of Energy, Mines and Petroleum Resources)
 2009 Terrane Codes, Descriptions and Legend.
<http://www.empr.gov.bc.ca/Mining/Geoscience/MINFILE/ProductsDownloads/MINFILEDocumentation/CodingManual/Appendices/Pages/VL.aspx>
- Gabrielse, H.
 1985 Major dextral transcurrent displacement along the Northern Rocky Mountain Trench and related lineaments in north-central British Columbia; Geological Survey of America bulletin, 96, 1-14.
- Gregory, D.
 2007 Geology, geochemistry and geochronology of the Allen Stock at the Alle property, Yukon Territory; B.Sc. thesis completed at the University of British Columbia.
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Lee, T.
 1980 Geological, geochemical & geophysical report on the Cabin 1-170 mineral claims; report for SEREM Ltd.; assessment report #090678.
- Lowdon, J.A.
 1961 Age determinations by the Geological Survey of Canada, Report 2, Isotopic Ages; Geological Survey of Canada, Paper 61-17.
- Lowdon, J.A., Stockwell, C.H., Tipper, H.W. and Wanless, R.K.
 1963 Age determinations and geologic studies; Geological Survey of Canada, paper 62-17.
- Murphy, D.C.
 1988 Geology of Gravel Creek (105B/10) and Irvine Lake (105B/11) map-areas, southeastern Yukon; Indian and Northern Affairs Canada, Northern Affairs: Yukon Region, Open File 1988-1.
- Poole, W.H., Roddick, J.A. and Green, L.H.
 1960 Wolf Lake; Geological Survey of Canada, Map 10-1960.
- Pope, M.C. and Sears, J.W.
 1997 Cassiar platform, north-central British Columbia: A miogeoclinal fragment from Idaho; in Geology, vol. 25, no. 6, p. 515-518.

Stammers, M.A.

- 1979 Geological and geochemical report on the Cabin 1-18 mineral claims; prepared for SEREM Ltd.; assessment report #090528.
- 1982 Geological evaluation report on the Cabin 1-18 mineral claims; prepared for SEREM Ltd.; assessment report #091010.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.

Wanless, R.K., Stevens, R.D., Lachance, G.R., and Delabio, R.N.

- 1972 Age determinations and geologic studies, K-Ar isotopic ages, Report 12; Geological Survey Canada, paper 71-2.
- 1974 Age determinations and geological studies: K-Ar isotopic ages, Report 12; Geological Survey of Canada, paper 74-2.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Sarah Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.
2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).
4. I have personally participated in the field work reported herein and have interpreted all data resulting from this work.

Sarah Eaton, B.Sc. (Hon.) Geology, GIT

APPENDIX II
CERTIFICATES OF ANALYSIS



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE VA10079783

Project: SAYYEA

P.O. No.:

This report is for 135 Soil samples submitted to our lab in Vancouver, BC, Canada on 17-JUN-2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: STRATEGIC METALS LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 2 - A

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC82101		0.08	0.009	0.2	1.46	24	<10	20	<0.5	<2	1.06	<0.5	14	21	25	3.67
CC82102		0.24	0.003	<0.2	1.35	17	<10	10	<0.5	<2	0.61	<0.5	13	18	16	3.35
CC82103		0.16	0.002	0.2	1.55	18	<10	10	<0.5	<2	0.56	<0.5	16	20	21	3.83
CC82104		0.10	0.003	<0.2	1.51	23	<10	20	<0.5	<2	1.17	<0.5	17	21	26	3.57
CC82105		0.10	0.002	<0.2	1.71	16	<10	20	<0.5	<2	0.93	<0.5	14	23	25	3.88
CC82106		0.20	0.003	0.2	1.65	18	<10	<10	<0.5	<2	0.83	<0.5	18	23	32	4.13
CC82107		0.22	0.002	<0.2	1.37	17	<10	10	<0.5	<2	0.37	<0.5	15	18	24	3.65
CC82108		0.10	0.003	<0.2	1.58	15	<10	30	<0.5	<2	0.90	<0.5	13	22	29	3.55
CC82109		0.14	0.002	<0.2	1.68	15	<10	30	<0.5	<2	0.69	<0.5	13	21	21	3.64
CC82110		0.14	0.002	<0.2	1.04	22	<10	30	<0.5	<2	0.47	<0.5	9	14	18	3.28
CC82111		0.18	0.003	0.2	2.23	18	<10	60	0.5	<2	0.74	<0.5	17	28	26	4.16
CC82112		0.16	0.003	<0.2	2.34	19	<10	50	0.5	<2	0.67	<0.5	17	29	28	4.29
CC82113		0.20	0.002	0.2	1.87	9	<10	40	<0.5	<2	0.61	<0.5	12	23	17	3.28
CC82114		0.12	0.001	<0.2	2.00	13	<10	60	<0.5	<2	1.15	<0.5	12	24	21	3.37
CC82115		0.16	0.002	<0.2	1.24	21	<10	20	<0.5	2	0.03	<0.5	11	19	20	4.93
CC82116		0.16	0.002	<0.2	1.40	20	<10	10	<0.5	<2	0.05	<0.5	10	20	13	3.91
CC82117		0.16	0.007	0.2	1.88	36	<10	30	<0.5	<2	0.15	<0.5	17	20	21	4.94
CC82118		0.22	0.002	<0.2	2.02	9	<10	50	0.6	<2	0.65	<0.5	13	29	20	3.26
CC82119		0.30	0.002	<0.2	2.19	13	<10	60	0.5	<2	0.25	<0.5	15	29	22	3.91
CC82120		0.18	0.003	<0.2	2.27	10	<10	60	0.6	2	0.33	<0.5	18	33	23	4.04
CC82121		0.16	0.002	<0.2	2.55	7	<10	70	0.8	<2	0.42	<0.5	23	43	46	4.65
CC82122		0.10	0.003	<0.2	2.63	6	<10	70	0.7	<2	0.37	<0.5	13	38	24	4.24
CC82123		0.20	0.002	<0.2	2.44	5	<10	60	0.7	2	0.48	<0.5	15	36	29	4.43
CC82124		0.16	0.002	<0.2	3.00	11	<10	90	0.8	2	0.66	<0.5	16	41	32	4.49
CC82125		0.10	0.002	<0.2	2.52	9	<10	80	0.7	<2	0.65	<0.5	13	35	23	3.81
CC82126		0.24	0.002	0.3	2.39	10	<10	60	0.6	<2	0.60	<0.5	12	32	26	3.92
CC82127		0.16	0.003	<0.2	2.50	8	<10	120	0.8	2	0.92	<0.5	13	30	26	3.64
CC82128		0.24	0.002	0.3	2.33	7	<10	40	0.6	<2	0.50	<0.5	19	34	38	4.52
CC82129		0.10	0.009	0.4	2.33	6	<10	50	0.5	<2	1.24	<0.5	16	31	34	4.25
CC82130		0.12	0.002	<0.2	2.02	6	<10	30	0.5	<2	0.61	<0.5	15	27	29	4.33
CC82131		0.08	0.011	<0.2	1.84	11	<10	50	<0.5	<2	0.69	<0.5	15	24	25	3.62
CC82132		0.14	0.003	<0.2	1.66	12	<10	60	<0.5	<2	0.94	<0.5	11	20	16	3.04
CC82133		0.22	0.005	<0.2	1.41	22	<10	20	<0.5	2	0.31	<0.5	13	19	20	3.49
CC82134		0.26	0.003	<0.2	1.36	24	<10	30	<0.5	<2	0.44	<0.5	13	19	17	3.24
CC82135		0.14	<0.001	<0.2	1.24	10	<10	20	<0.5	<2	0.68	<0.5	14	16	17	3.22
CC82136		0.14	0.001	<0.2	1.74	36	<10	30	0.5	<2	0.24	<0.5	17	18	17	4.59
CC82137		0.16	<0.001	<0.2	1.70	10	<10	30	<0.5	<2	0.44	<0.5	13	23	20	3.96
CC82138		0.16	<0.001	<0.2	1.36	12	<10	30	<0.5	<2	0.65	<0.5	16	19	29	4.42
CC82139		0.20	0.001	<0.2	1.88	11	<10	40	<0.5	<2	0.30	<0.5	14	25	27	4.20
CC82140		0.22	<0.001	<0.2	1.98	13	<10	40	<0.5	<2	0.49	<0.5	16	26	24	4.11



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 2 - B

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
CC82101		<10	<1	0.03	30	0.70	665	<1	0.02	37	740	19	0.03	<2	2
CC82102		<10	<1	0.03	30	0.66	487	<1	0.02	30	710	20	0.04	<2	1
CC82103		<10	<1	0.03	30	0.74	516	<1	0.02	31	820	20	0.03	<2	2
CC82104		10	<1	0.02	30	0.69	626	<1	0.02	37	650	16	0.05	<2	1
CC82105		<10	<1	0.03	40	0.76	503	<1	0.02	35	680	17	0.07	<2	2
CC82106		<10	<1	0.03	40	0.88	687	<1	0.02	48	690	21	0.01	<2	2
CC82107		<10	<1	0.02	40	0.67	621	<1	0.02	37	770	20	0.02	<2	2
CC82108		<10	<1	0.04	40	0.72	551	<1	<0.01	37	640	17	0.06	<2	2
CC82109		<10	<1	0.03	40	0.73	547	<1	<0.01	30	560	17	0.04	<2	2
CC82110		<10	<1	0.02	20	0.39	417	<1	<0.01	23	410	16	0.01	<2	1
CC82111		10	<1	0.12	40	0.87	737	<1	0.01	38	700	22	0.03	<2	3
CC82112		10	<1	0.07	30	0.90	644	<1	0.02	38	690	22	0.02	<2	3
CC82113		10	<1	0.09	30	0.73	450	<1	<0.01	29	770	14	0.02	<2	2
CC82114		10	<1	0.05	30	0.73	582	<1	0.01	31	560	15	0.05	<2	2
CC82115		<10	<1	0.01	20	0.57	665	<1	<0.01	27	490	21	0.01	<2	1
CC82116		<10	<1	0.02	10	0.69	511	<1	<0.01	22	410	14	<0.01	<2	1
CC82117		<10	<1	0.02	30	0.40	999	<1	<0.01	32	680	69	0.02	<2	3
CC82118		10	<1	0.17	30	0.70	542	<1	0.02	31	660	14	0.02	<2	3
CC82119		10	<1	0.13	30	0.89	654	<1	<0.01	34	690	14	0.01	<2	3
CC82120		10	<1	0.19	30	0.95	767	<1	0.02	34	640	13	0.01	<2	3
CC82121		10	<1	0.25	60	1.13	996	<1	0.02	59	580	17	0.01	<2	5
CC82122		10	<1	0.13	30	1.05	506	<1	0.01	39	420	14	0.01	<2	4
CC82123		10	<1	0.18	40	1.06	502	<1	0.01	44	600	14	0.02	2	4
CC82124		10	<1	0.23	50	1.14	546	<1	0.05	42	620	15	0.01	<2	5
CC82125		<10	<1	0.20	40	0.92	473	<1	0.02	36	660	11	0.02	<2	4
CC82126		10	<1	0.16	30	0.96	412	<1	0.02	35	660	12	0.01	<2	3
CC82127		10	<1	0.07	50	0.86	859	<1	0.02	35	930	12	0.05	<2	3
CC82128		10	<1	0.07	40	1.06	674	<1	0.02	53	550	17	0.01	<2	3
CC82129		10	<1	0.07	30	0.96	493	<1	0.02	45	630	14	0.04	<2	3
CC82130		10	<1	0.04	40	0.92	537	<1	<0.01	40	720	17	0.02	<2	2
CC82131		10	<1	0.06	30	0.75	595	<1	0.01	35	670	15	0.03	<2	2
CC82132		<10	<1	0.05	20	0.65	370	<1	0.01	23	670	11	0.03	<2	2
CC82133		<10	<1	0.03	30	0.71	475	<1	<0.01	30	750	17	0.01	<2	2
CC82134		<10	<1	0.02	30	0.67	336	<1	<0.01	27	1060	13	0.01	<2	2
CC82135		<10	<1	0.04	40	0.59	437	<1	<0.01	29	720	15	0.03	<2	2
CC82136		<10	<1	0.03	30	0.44	1080	<1	<0.01	33	640	42	0.02	<2	2
CC82137		<10	<1	0.03	40	0.76	399	<1	<0.01	32	360	15	0.01	<2	2
CC82138		<10	<1	0.03	50	0.61	696	<1	<0.01	42	610	18	0.02	<2	2
CC82139		10	<1	0.03	40	0.90	622	<1	<0.01	38	550	15	0.01	<2	2
CC82140		10	<1	0.04	40	1.00	739	<1	<0.01	38	560	16	0.01	<2	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 2 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC82101		<20	0.01	<10	<10	13	<10	80
CC82102		<20	0.01	<10	<10	11	<10	102
CC82103		<20	0.01	<10	<10	12	<10	97
CC82104		<20	0.01	<10	<10	12	<10	81
CC82105		<20	0.01	<10	<10	12	<10	103
CC82106		20	0.01	<10	<10	12	<10	87
CC82107		<20	0.01	<10	<10	11	<10	86
CC82108		<20	0.01	<10	<10	11	<10	108
CC82109		<20	0.01	<10	<10	12	<10	100
CC82110		<20	0.01	<10	<10	13	<10	67
CC82111		<20	0.02	<10	<10	19	<10	138
CC82112		<20	0.02	<10	<10	22	<10	111
CC82113		<20	0.02	<10	<10	16	<10	110
CC82114		<20	0.02	<10	<10	16	<10	102
CC82115		<20	0.02	<10	<10	25	<10	65
CC82116		<20	0.01	<10	<10	15	<10	70
CC82117		<20	0.01	<10	<10	14	<10	67
CC82118		<20	0.03	<10	<10	19	<10	111
CC82119		<20	0.02	<10	<10	21	<10	93
CC82120		<20	0.04	<10	<10	23	10	105
CC82121		20	0.04	<10	<10	30	<10	102
CC82122		<20	0.03	<10	<10	25	<10	85
CC82123		20	0.03	<10	<10	23	<10	102
CC82124		20	0.05	<10	<10	28	<10	103
CC82125		<20	0.03	<10	<10	24	<10	103
CC82126		<20	0.03	<10	<10	22	<10	105
CC82127		<20	0.02	<10	<10	21	<10	113
CC82128		20	0.03	<10	<10	20	<10	94
CC82129		<20	0.02	<10	<10	18	<10	103
CC82130		<20	0.01	<10	<10	16	<10	97
CC82131		<20	0.02	<10	<10	16	<10	89
CC82132		<20	0.01	<10	<10	14	<10	75
CC82133		<20	0.01	<10	<10	13	<10	78
CC82134		<20	0.01	<10	<10	16	<10	63
CC82135		<20	0.01	<10	<10	10	<10	84
CC82136		<20	0.01	<10	<10	15	<10	84
CC82137		<20	0.01	<10	<10	12	<10	82
CC82138		<20	0.01	<10	<10	11	<10	109
CC82139		20	0.01	<10	<10	15	<10	73
CC82140		<20	0.01	<10	<10	15	<10	84



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 3 - A

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg 0.02	ppm 0.001	ppm 0.2	% 0.01	ppm 2	ppm 10	ppm 10	ppm 0.5	ppm 2	% 0.01	ppm 0.5	ppm 1	ppm 1	ppm 1	% 0.01
CC82141		0.18	<0.001	<0.2	1.58	26	<10	30	<0.5	<2	0.27	<0.5	14	21	18	3.67
CC82142		0.26	<0.001	<0.2	1.75	15	<10	40	<0.5	<2	0.29	<0.5	14	23	21	3.79
CC82143		0.12	<0.001	<0.2	1.62	9	<10	50	<0.5	<2	1.01	<0.5	9	19	13	2.98
CC82144		0.22	<0.001	<0.2	1.81	18	<10	40	0.5	<2	0.37	<0.5	17	27	217	3.87
CC82145		0.20	<0.001	<0.2	1.59	15	<10	40	1.0	2	0.20	<0.5	6	20	21	2.41
CC82146		0.16	<0.001	<0.2	0.92	10	<10	30	0.6	<2	0.13	<0.5	3	11	7	1.58
CC82147		0.18	<0.001	<0.2	1.50	13	<10	40	0.9	<2	0.19	<0.5	8	20	10	2.59
CC82148		0.12	<0.001	<0.2	1.35	14	<10	40	0.9	<2	0.68	<0.5	10	18	25	2.78
CC82149		0.16	0.005	0.4	1.75	31	<10	70	1.1	2	1.22	<0.5	11	23	49	3.60
CC82150		0.14	<0.001	<0.2	1.36	11	<10	70	0.6	<2	0.19	<0.5	7	19	6	2.62
CC81901		0.20	<0.001	<0.2	1.59	31	<10	40	0.9	<2	0.10	<0.5	7	21	16	3.05
CC81902		0.20	0.004	0.4	1.49	38	<10	50	0.9	<2	0.73	<0.5	11	19	27	3.04
CC81903		0.20	0.001	0.2	1.77	23	<10	50	0.8	<2	1.34	<0.5	12	22	28	3.30
CC81904		0.14	<0.001	0.6	1.81	44	<10	50	1.3	2	1.12	<0.5	11	25	28	3.95
CC81905		0.22	<0.001	<0.2	1.65	59	<10	20	1.2	2	0.14	<0.5	9	25	21	3.49
CC81906		0.22	0.004	0.5	1.58	29	<10	60	1.1	2	2.64	1.4	9	20	40	2.59
CC81907		0.20	0.001	0.3	1.75	99	<10	40	1.6	<2	0.42	<0.5	18	26	25	4.22
CC81908		0.18	0.002	<0.2	1.53	13	<10	60	0.7	<2	1.40	<0.5	10	18	28	2.89
CC81909		0.16	<0.001	0.2	1.35	10	<10	30	0.7	6	0.90	<0.5	14	15	23	3.10
CC81910		0.14	0.018	2.1	1.21	151	<10	40	0.6	10	0.47	2.0	12	6	27	3.33
CC81911		0.18	<0.001	<0.2	1.57	25	<10	30	0.5	<2	0.16	<0.5	11	20	15	3.21
CC81912		0.20	0.001	<0.2	1.62	14	<10	40	0.5	2	0.20	<0.5	9	20	22	3.19
CC81913		0.24	0.003	0.4	1.93	10	<10	80	0.8	2	0.62	<0.5	17	20	25	3.34
CC81914		0.18	<0.001	<0.2	1.54	8	<10	90	0.5	2	0.74	<0.5	8	18	21	2.86
CC81915		0.22	<0.001	0.2	1.58	8	<10	70	0.5	<2	1.11	<0.5	9	17	24	3.05
CC81916		0.22	<0.001	0.3	1.78	5	<10	60	0.6	2	0.83	<0.5	15	20	27	3.40
CC81917		0.16	<0.001	0.2	1.98	8	<10	90	0.6	<2	0.35	<0.5	19	19	24	3.60
CC81918		0.16	<0.001	<0.2	1.53	5	<10	40	<0.5	<2	1.11	<0.5	9	16	21	2.98
CC81919		0.14	<0.001	0.2	1.55	4	<10	50	<0.5	<2	0.71	<0.5	11	16	18	3.04
CC81920		0.20	<0.001	0.2	1.90	20	<10	30	<0.5	<2	0.46	<0.5	16	26	31	3.75
CC81921		0.22	0.008	0.2	1.24	9	<10	30	<0.5	<2	0.37	<0.5	14	19	30	4.05
CC81922		0.24	<0.001	<0.2	1.44	8	<10	50	0.5	<2	0.99	<0.5	11	17	22	3.11
CC81923		0.14	<0.001	0.2	1.67	14	<10	40	0.8	2	0.17	<0.5	10	22	12	3.03
CC81924		0.12	<0.001	<0.2	0.66	2	<10	40	<0.5	<2	0.05	<0.5	3	12	4	1.40
CC81925		0.20	<0.001	<0.2	1.33	4	<10	50	<0.5	<2	0.05	<0.5	8	21	5	2.79
CC81926		0.12	<0.001	0.2	0.40	3	<10	20	<0.5	<2	0.03	<0.5	2	8	3	0.79
CC81927		0.16	<0.001	0.2	1.20	2	<10	80	<0.5	2	0.14	<0.5	8	26	4	2.47
CC81928		0.22	<0.001	<0.2	1.01	7	<10	30	0.5	2	0.15	<0.5	6	16	7	1.99
CC81929		0.14	<0.001	<0.2	1.05	9	<10	40	0.5	2	0.10	<0.5	5	16	6	2.18
CC81930		0.20	<0.001	<0.2	1.61	12	<10	40	0.8	<2	0.14	<0.5	8	25	13	3.04



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 3 - B

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
CC82141		<10	<1	0.04	30	0.76	541	<1	<0.01	31	600	17	0.01	<2	2
CC82142		10	<1	0.04	40	0.83	732	<1	<0.01	32	640	17	0.01	<2	2
CC82143		<10	<1	0.03	20	0.72	559	<1	<0.01	20	710	12	0.05	<2	2
CC82144		<10	<1	0.06	40	0.84	599	2	<0.01	223	520	30	0.02	<2	2
CC82145		10	<1	0.28	30	0.54	316	3	<0.01	27	460	12	<0.01	<2	2
CC82146		<10	<1	0.21	30	0.29	198	1	<0.01	9	210	10	<0.01	<2	1
CC82147		<10	<1	0.26	20	0.51	358	1	<0.01	16	490	14	0.01	<2	2
CC82148		<10	<1	0.26	20	0.47	495	<1	<0.01	23	400	18	0.04	<2	2
CC82149		<10	<1	0.28	30	0.66	636	1	0.01	32	650	24	0.07	2	3
CC82150		10	<1	0.19	10	0.37	154	1	<0.01	14	180	15	<0.01	<2	2
CC81901		10	<1	0.18	20	0.52	211	1	<0.01	19	300	16	<0.01	<2	2
CC81902		10	<1	0.16	30	0.48	374	<1	0.02	26	570	30	0.03	<2	2
CC81903		10	<1	0.18	30	0.65	521	<1	0.02	31	640	18	0.07	<2	2
CC81904		10	<1	0.24	20	0.50	298	1	0.02	25	590	34	0.05	<2	3
CC81905		10	<1	0.21	20	0.60	201	1	0.02	19	200	18	<0.01	<2	2
CC81906		<10	<1	0.17	30	0.49	461	<1	0.03	37	900	19	0.16	2	2
CC81907		10	<1	0.29	30	0.72	1120	1	0.01	28	670	55	0.01	<2	3
CC81908		<10	<1	0.25	30	0.61	393	<1	0.02	26	510	12	0.09	<2	2
CC81909		<10	<1	0.28	40	0.51	645	<1	0.01	28	770	17	0.04	<2	2
CC81910		<10	<1	0.20	30	0.21	1170	1	0.02	19	770	68	0.03	9	1
CC81911		10	<1	0.21	20	0.64	513	<1	0.01	21	380	20	<0.01	<2	2
CC81912		10	<1	0.17	40	0.62	259	<1	0.01	25	670	13	<0.01	<2	2
CC81913		10	<1	0.23	50	0.64	927	1	0.02	35	660	20	0.05	<2	2
CC81914		10	<1	0.25	40	0.52	299	<1	0.02	28	470	14	0.04	<2	1
CC81915		<10	<1	0.20	50	0.57	410	<1	0.02	27	730	15	0.06	<2	1
CC81916		10	<1	0.21	60	0.75	1210	<1	0.02	38	850	16	0.06	<2	2
CC81917		10	<1	0.13	50	0.61	1140	1	0.02	29	780	19	0.03	<2	1
CC81918		<10	<1	0.11	50	0.60	282	<1	0.02	24	760	11	0.07	<2	1
CC81919		<10	<1	0.12	40	0.60	682	<1	0.02	26	770	11	0.04	<2	1
CC81920		10	<1	0.02	70	0.76	1180	<1	0.01	45	490	18	0.01	<2	2
CC81921		<10	<1	0.03	50	0.43	994	<1	0.01	39	340	19	<0.01	<2	3
CC81922		<10	<1	0.04	40	0.56	465	<1	0.02	29	680	15	0.04	<2	1
CC81923		10	<1	0.27	20	0.46	205	1	0.02	30	550	18	<0.01	<2	2
CC81924		10	<1	0.11	10	0.18	101	<1	0.02	7	210	6	<0.01	<2	1
CC81925		10	<1	0.15	20	0.38	310	1	0.02	12	370	13	<0.01	<2	2
CC81926		10	<1	0.06	10	0.09	105	<1	0.02	4	180	7	<0.01	<2	1
CC81927		10	<1	0.18	10	0.33	298	1	0.02	16	370	12	<0.01	<2	2
CC81928		<10	<1	0.20	20	0.37	304	1	0.01	12	280	7	<0.01	<2	2
CC81929		<10	<1	0.21	20	0.34	162	1	0.01	10	240	11	<0.01	<2	1
CC81930		10	<1	0.17	10	0.50	187	1	0.01	24	250	15	<0.01	<2	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 3 - C

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC82141		<20	0.02	<10	<10	16	<10	77
CC82142		<20	0.02	<10	<10	15	<10	76
CC82143		<20	0.01	<10	<10	13	<10	71
CC82144		<20	0.02	<10	<10	17	<10	255
CC82145		<20	0.05	<10	<10	20	<10	108
CC82146		<20	0.04	<10	<10	12	<10	92
CC82147		<20	0.06	<10	<10	21	<10	111
CC82148		<20	0.05	<10	<10	17	<10	100
CC82149		<20	0.06	<10	<10	21	<10	125
CC82150		<20	0.08	<10	<10	34	<10	143
CC81901		<20	0.04	<10	<10	20	10	175
CC81902		<20	0.02	<10	<10	17	<10	169
CC81903		<20	0.02	<10	<10	18	<10	155
CC81904		<20	0.02	<10	<10	24	10	245
CC81905		<20	0.03	<10	<10	26	10	250
CC81906		<20	0.02	<10	10	16	10	174
CC81907		<20	0.04	<10	<10	22	10	354
CC81908		<20	0.04	<10	<10	15	<10	108
CC81909		<20	0.02	<10	<10	12	<10	101
CC81910		<20	<0.01	<10	<10	7	<10	453
CC81911		<20	0.02	<10	<10	17	10	140
CC81912		<20	0.03	<10	<10	16	<10	105
CC81913		<20	0.04	<10	<10	15	<10	126
CC81914		<20	0.03	<10	<10	14	<10	73
CC81915		<20	0.03	<10	<10	13	<10	85
CC81916		<20	0.03	<10	<10	13	<10	108
CC81917		<20	0.02	<10	<10	16	<10	101
CC81918		<20	0.02	<10	<10	11	<10	87
CC81919		<20	0.02	<10	<10	11	<10	81
CC81920		20	<0.01	<10	<10	11	<10	70
CC81921		20	<0.01	<10	<10	12	<10	75
CC81922		<20	<0.01	<10	<10	10	<10	77
CC81923		<20	0.07	<10	<10	32	<10	143
CC81924		<20	0.05	<10	<10	25	<10	74
CC81925		<20	0.09	<10	<10	43	<10	166
CC81926		<20	0.04	<10	<10	21	<10	33
CC81927		<20	0.08	<10	<10	38	<10	230
CC81928		<20	0.06	<10	<10	22	<10	99
CC81929		<20	0.05	<10	<10	23	<10	139
CC81930		<20	0.07	<10	<10	33	<10	82



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 4 - A

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC81931		0.14	<0.001	0.3	1.78	16	<10	140	1.1	<2	0.24	<0.5	9	33	16	2.56
CC81932		0.20	<0.001	0.2	2.03	20	<10	150	1.2	2	0.25	<0.5	10	27	19	2.86
CC81933		0.20	<0.001	<0.2	1.81	15	<10	90	0.7	2	0.10	<0.5	11	28	8	3.45
CC81934		0.12	<0.001	<0.2	1.14	8	<10	90	<0.5	<2	0.11	<0.5	7	17	5	2.00
CC81935		0.14	<0.001	<0.2	1.48	8	<10	70	<0.5	<2	0.06	<0.5	14	23	6	3.18
CC81936		0.14	<0.001	<0.2	1.07	3	<10	40	<0.5	<2	0.06	<0.5	5	19	4	2.04
CC81937		0.24	<0.001	<0.2	1.14	7	<10	30	<0.5	<2	0.03	<0.5	6	19	6	2.55
CC81945		0.24	<0.001	0.2	1.08	4	<10	60	<0.5	<2	0.82	<0.5	8	12	27	2.27
CC81946		0.20	<0.001	<0.2	1.70	5	<10	50	<0.5	<2	0.15	<0.5	12	18	25	3.51
CC81947		0.22	<0.001	<0.2	1.25	8	<10	50	<0.5	<2	0.06	<0.5	5	15	6	2.26
CC81948		0.22	<0.001	<0.2	1.11	3	<10	40	<0.5	<2	0.08	<0.5	5	14	11	2.00
CC81949		0.22	<0.001	<0.2	1.97	10	<10	40	<0.5	<2	0.01	<0.5	10	24	25	3.69
CC81950		0.18	<0.001	<0.2	1.81	11	<10	20	<0.5	<2	0.02	<0.5	10	24	31	3.97
CC82071		0.12	<0.001	<0.2	1.74	13	<10	70	<0.5	<2	0.91	<0.5	12	22	20	3.49
CC82072		0.26	0.001	0.2	1.77	17	<10	20	<0.5	<2	0.50	<0.5	25	24	48	4.59
CC82073		0.08	<0.001	0.2	1.69	29	<10	40	<0.5	<2	1.46	<0.5	10	27	22	3.37
CC82074		0.20	<0.001	0.2	1.62	16	<10	40	<0.5	<2	1.27	<0.5	13	21	24	3.48
CC82075		0.14	<0.001	<0.2	1.68	16	<10	50	<0.5	<2	0.77	<0.5	12	22	24	3.42
CC82076		0.12	<0.001	0.2	1.60	14	<10	50	<0.5	<2	1.24	<0.5	13	20	24	3.23
CC82077		0.22	<0.001	0.2	1.59	21	<10	50	<0.5	<2	0.85	<0.5	13	21	24	3.59
CC82078		0.06	0.012	0.2	1.55	17	<10	60	<0.5	<2	1.49	<0.5	12	23	25	3.06
CC82079		0.16	0.001	<0.2	1.72	32	<10	30	<0.5	<2	0.44	<0.5	16	22	27	4.16
CC82080		0.10	<0.001	0.2	1.14	17	<10	50	<0.5	<2	2.22	<0.5	9	13	24	2.20
CC82081		0.08	<0.001	0.3	1.08	18	<10	50	0.5	<2	1.90	<0.5	10	14	29	2.24
CC82082		0.14	0.001	0.2	1.26	46	<10	20	<0.5	<2	1.00	<0.5	19	18	28	3.85
CC82083		0.30	0.010	0.2	1.97	8	<10	30	<0.5	<2	0.23	<0.5	15	27	35	4.25
CC82084		0.30	<0.001	<0.2	1.98	8	<10	20	<0.5	<2	0.26	<0.5	14	28	37	4.13
CC82085		0.30	<0.001	0.3	1.97	9	<10	20	<0.5	<2	0.24	<0.5	15	26	34	4.25
CC82086		0.38	<0.001	0.3	1.93	9	<10	20	<0.5	<2	0.33	<0.5	16	27	36	4.32
CC82087		0.06	<0.001	<0.2	1.29	8	<10	30	<0.5	<2	1.86	<0.5	11	16	27	2.52
CC82088		0.10	0.001	<0.2	1.78	11	<10	20	<0.5	<2	0.67	<0.5	15	24	29	3.93
CC82089		0.12	0.001	<0.2	1.77	8	<10	20	<0.5	<2	0.65	<0.5	13	21	29	3.65
CC82090		0.12	<0.001	<0.2	1.37	12	<10	30	<0.5	<2	0.95	<0.5	12	17	22	3.19
CC82091		0.16	0.001	<0.2	0.59	2	<10	20	<0.5	<2	0.03	<0.5	2	9	3	1.00
CC82092		0.12	<0.001	<0.2	0.99	5	<10	60	1.2	<2	0.35	<0.5	4	11	5	1.27
CC82093		0.20	<0.001	<0.2	1.38	<2	<10	60	0.8	<2	0.08	<0.5	4	12	6	1.78
CC82094		0.20	<0.001	<0.2	1.14	5	<10	30	<0.5	<2	0.05	<0.5	3	16	6	1.96
CC82095		0.20	<0.001	<0.2	1.03	4	<10	50	0.8	<2	0.19	<0.5	7	13	6	1.43
CC82096		0.08	<0.001	0.3	1.37	<2	<10	50	2.9	<2	0.65	<0.5	4	10	26	1.18
CC82097		0.16	<0.001	<0.2	1.38	<2	<10	70	0.9	<2	0.39	<0.5	5	18	9	1.78



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 4 - B

Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
		10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
CC81931		10	<1	0.30	10	0.48	719	1	0.03	27	490	25	<0.01	<2	2
CC81932		10	<1	0.27	20	0.55	753	1	0.02	26	380	22	<0.01	<2	3
CC81933		10	<1	0.20	10	0.53	224	1	0.02	19	240	16	<0.01	<2	3
CC81934		10	<1	0.13	10	0.29	155	1	0.02	12	160	10	0.01	<2	1
CC81935		10	<1	0.11	10	0.39	726	1	0.01	13	360	14	0.01	<2	2
CC81936		10	<1	0.10	10	0.29	193	1	0.01	10	260	10	<0.01	<2	2
CC81937		10	<1	0.13	10	0.36	222	1	0.01	12	250	9	0.01	<2	2
CC81945		<10	<1	0.08	30	0.37	368	<1	0.02	25	740	11	0.04	<2	1
CC81946		<10	<1	0.07	40	0.65	277	<1	0.01	27	570	13	<0.01	<2	1
CC81947		10	<1	0.04	20	0.40	171	<1	0.01	13	220	12	<0.01	<2	1
CC81948		<10	<1	0.05	20	0.40	177	<1	0.02	13	430	6	0.01	<2	1
CC81949		10	<1	0.05	40	0.79	256	<1	0.01	30	220	16	<0.01	<2	2
CC81950		<10	<1	0.03	40	0.81	276	<1	0.01	29	380	10	<0.01	<2	1
CC82071		10	<1	0.03	20	0.66	768	1	0.01	20	600	16	0.04	<2	2
CC82072		10	<1	0.02	70	0.90	850	1	0.01	68	630	26	0.01	<2	2
CC82073		<10	<1	0.03	20	0.73	339	<1	0.03	33	710	26	0.07	<2	1
CC82074		<10	<1	0.03	30	0.68	580	<1	0.02	29	680	20	0.07	<2	1
CC82075		<10	<1	0.03	30	0.70	640	<1	0.03	30	640	20	0.04	<2	2
CC82076		<10	<1	0.03	30	0.65	592	<1	0.03	30	800	18	0.08	<2	1
CC82077		<10	<1	0.03	30	0.68	808	<1	0.02	33	610	24	0.03	<2	2
CC82078		<10	<1	0.03	30	0.61	627	<1	0.02	29	770	15	0.07	<2	1
CC82079		<10	<1	0.02	40	0.77	585	<1	0.01	39	530	23	<0.01	<2	3
CC82080		<10	<1	0.03	20	0.38	562	<1	0.02	23	930	14	0.10	<2	1
CC82081		<10	<1	0.03	40	0.36	964	<1	0.02	25	1050	16	0.09	<2	1
CC82082		<10	<1	0.05	30	0.64	415	<1	0.01	39	960	26	0.01	<2	2
CC82083		10	<1	0.03	40	0.97	629	<1	0.01	44	560	14	<0.01	<2	2
CC82084		10	<1	0.02	50	0.97	410	<1	0.01	41	540	13	<0.01	<2	2
CC82085		10	<1	0.02	50	0.95	437	1	0.01	43	470	14	<0.01	<2	2
CC82086		10	<1	0.02	50	0.97	463	<1	0.01	44	580	17	<0.01	<2	2
CC82087		<10	<1	0.02	30	0.54	472	<1	0.02	29	690	12	0.07	<2	1
CC82088		<10	<1	0.02	40	0.84	609	<1	0.01	38	670	21	0.01	<2	2
CC82089		<10	<1	0.02	50	0.82	528	<1	0.01	35	710	17	0.01	<2	1
CC82090		<10	<1	0.03	30	0.59	652	<1	0.01	30	660	19	0.03	<2	2
CC82091		<10	<1	0.09	10	0.17	81	<1	0.01	5	160	8	<0.01	<2	1
CC82092		<10	<1	0.15	20	0.23	272	1	0.02	6	1080	9	<0.01	<2	1
CC82093		<10	<1	0.12	20	0.22	138	<1	0.01	8	530	9	0.01	<2	2
CC82094		10	<1	0.07	10	0.20	93	<1	0.02	8	640	8	0.02	<2	1
CC82095		<10	<1	0.15	10	0.28	313	<1	0.02	7	610	11	0.02	<2	1
CC82096		<10	<1	0.10	90	0.19	162	<1	0.03	7	620	10	0.08	<2	2
CC82097		<10	<1	0.20	20	0.40	264	<1	0.03	12	540	10	0.03	<2	2



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016-510 W HASTINGS ST

VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 4 - C


Total # Pages: 5 (A - C)

Finalized Date: 1-JUL-2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10079783


Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC81931		<20	0.08	<10	<10	29	<10	201
CC81932		<20	0.07	<10	<10	32	<10	158
CC81933		<20	0.08	<10	<10	43	<10	251
CC81934		<20	0.07	<10	<10	28	<10	78
CC81935		<20	0.08	<10	<10	45	<10	157
CC81936		<20	0.08	<10	<10	39	<10	84
CC81937		<20	0.09	<10	<10	45	<10	80
CC81945		<20	0.01	<10	<10	9	<10	62
CC81946		<20	0.01	<10	<10	10	<10	74
CC81947		<20	0.01	<10	<10	20	<10	44
CC81948		<20	<0.01	<10	<10	9	<10	49
CC81949		20	<0.01	<10	<10	14	<10	81
CC81950		20	<0.01	<10	<10	11	<10	80
CC82071		<20	<0.01	<10	<10	15	<10	86
CC82072		20	<0.01	<10	<10	12	<10	117
CC82073		<20	<0.01	<10	<10	11	<10	146
CC82074		<20	<0.01	<10	<10	12	<10	92
CC82075		<20	<0.01	<10	<10	13	<10	86
CC82076		<20	<0.01	<10	<10	12	<10	117
CC82077		<20	<0.01	<10	<10	12	<10	105
CC82078		<20	<0.01	<10	<10	12	<10	95
CC82079		<20	<0.01	<10	<10	18	<10	75
CC82080		<20	<0.01	<10	<10	9	<10	64
CC82081		<20	0.01	<10	<10	11	<10	51
CC82082		<20	0.01	<10	<10	14	<10	82
CC82083		20	<0.01	<10	<10	11	<10	92
CC82084		20	<0.01	<10	<10	11	<10	82
CC82085		20	<0.01	<10	<10	11	<10	84
CC82086		20	<0.01	<10	<10	11	<10	89
CC82087		<20	<0.01	<10	<10	8	<10	56
CC82088		<20	<0.01	<10	<10	11	<10	84
CC82089		<20	<0.01	<10	<10	10	<10	85
CC82090		<20	<0.01	<10	<10	10	<10	73
CC82091		<20	0.04	<10	<10	15	<10	32
CC82092		<20	0.05	<10	<10	16	10	70
CC82093		<20	0.05	<10	<10	24	<10	47
CC82094		<20	0.05	<10	<10	32	<10	38
CC82095		<20	0.05	<10	<10	15	<10	44
CC82096		<20	0.04	<10	90	13	<10	30
CC82097		<20	0.07	<10	10	20	<10	61



Project: SAYYEA


Page: 5 - A
Total # Pages: 5 (A - C)
Finalized Date: 1-JUL-2010
Account: MTT

[illegible]



Project: SAYYEA

[illegible]



Project: SAYYEA

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC82098		<20	0.04	<10	<10	13	<10	36
CC82099		<20	0.06	<10	<10	19	<10	66
CC82100		<20	0.03	<10	20	18	<10	211
CC81676		<20	0.01	<10	<10	10	<10	75
CC81677		<20	0.01	<10	<10	12	<10	75
CC81678		<20	0.02	<10	<10	22	<10	66
CC81679		<20	0.01	<10	<10	10	<10	77
CC81680		<20	0.01	<10	<10	10	<10	65
CC81681		<20	0.01	<10	<10	13	<10	73
CC81682		<20	<0.01	<10	<10	12	<10	65
CC82191		<20	0.01	<10	10	6	<10	16
CC82192		<20	0.02	<10	<10	10	<10	9
CC82193		<20	0.02	<10	<10	8	<10	24
CC82194		<20	0.04	<10	<10	17	<10	74
CC82195		<20	0.04	<10	<10	16	<10	87



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21- AUG- 2010
Account: MTT

CERTIFICATE VA10109961

Project: SAYYEA

P.O. No.:

This report is for 209 Soil samples submitted to our lab in Vancouver, BC, Canada on 9- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99815		0.14	<0.001	0.3	4.21	5	<10	170	0.9	<2	0.45	0.6	22	53	34	4.85
CC99816		0.18	<0.001	0.3	4.14	8	<10	130	1.0	<2	0.65	<0.5	20	58	35	4.75
CC99817		0.18	0.006	0.3	2.91	15	<10	100	0.7	<2	0.24	0.7	13	45	22	4.08
CC99818		0.18	<0.001	0.3	5.00	5	<10	130	1.2	<2	0.87	0.9	22	57	46	4.80
CC99819		0.22	<0.001	0.2	4.00	3	<10	100	1.2	<2	1.05	0.5	15	53	37	4.02
CC99820		0.20	<0.001	0.3	2.78	10	<10	70	0.7	<2	0.90	0.5	12	37	24	4.01
CC99821		0.16	0.001	0.4	2.56	8	<10	80	0.7	<2	0.96	<0.5	15	47	44	3.83
CC99822		0.24	<0.001	0.5	2.51	8	<10	100	0.8	<2	0.81	<0.5	15	38	42	4.03
CC99823		0.26	<0.001	0.2	2.72	5	<10	70	0.8	2	1.76	1.6	16	34	101	4.85
CC99824		0.22	<0.001	0.4	1.92	7	<10	80	0.6	<2	0.57	<0.5	12	29	40	3.11
CC99825		0.20	<0.001	0.7	2.78	3	<10	80	0.8	5	1.55	2.0	17	37	95	4.51
CC99826		0.22	<0.001	0.9	2.98	5	<10	90	0.9	4	2.75	1.8	16	42	163	4.70
CC99827		0.16	0.001	0.6	3.39	6	<10	90	0.9	14	1.21	2.8	25	44	100	4.57
CC99828		0.22	0.001	0.5	3.17	4	<10	110	0.8	13	0.67	2.6	21	43	91	4.39
CC99829		0.18	<0.001	0.5	3.34	6	<10	110	0.8	3	0.65	1.1	20	43	67	4.12
CC99830		0.14	<0.001	0.5	4.15	5	<10	120	1.0	5	0.71	0.8	18	53	74	4.26
CC99831		0.16	<0.001	0.2	2.04	3	<10	60	0.5	<2	0.26	<0.5	8	30	25	2.67
CC99832		0.14	<0.001	0.2	2.96	2	<10	110	0.7	<2	0.28	1.2	14	38	37	3.30
CC99833		0.22	0.002	0.2	2.05	8	<10	60	0.5	<2	0.20	0.7	10	27	20	2.97
CC99834		0.18	<0.001	0.3	3.22	5	<10	100	0.9	<2	0.35	0.6	12	37	43	3.49
CC99835		0.20	<0.001	0.3	2.60	6	<10	90	0.7	<2	0.32	1.4	12	30	34	3.05
CC99836		0.16	<0.001	0.6	2.96	5	<10	100	1.2	<2	0.40	0.9	12	31	54	3.01
CC99837		0.16	<0.001	0.3	2.92	4	<10	90	1.0	<2	0.31	0.5	10	31	42	3.14
CC99838		0.16	<0.001	0.5	2.32	4	<10	100	1.3	<2	0.32	2.0	17	25	42	2.84
CC99839		0.18	<0.001	0.4	2.58	5	<10	80	0.9	<2	0.29	0.7	17	30	29	3.26
CC99840		0.14	<0.001	0.2	2.37	6	<10	80	0.8	<2	0.25	0.7	11	28	30	3.06
CC99841		0.16	<0.001	0.3	1.99	7	<10	60	0.6	<2	0.19	<0.5	8	25	21	2.73
CC99842		0.18	<0.001	0.3	2.31	6	<10	120	0.9	<2	0.26	0.5	16	28	17	3.39
CC99843		0.20	<0.001	0.3	2.23	5	<10	70	0.6	<2	0.27	<0.5	9	28	20	3.05
CC99844		0.22	<0.001	<0.2	1.69	7	<10	50	<0.5	<2	0.23	<0.5	9	23	12	2.91
CC99845		0.20	<0.001	0.2	1.17	3	<10	40	<0.5	<2	0.13	<0.5	6	16	8	2.08
CC99846		0.14	<0.001	0.4	1.62	9	<10	60	0.6	<2	0.14	<0.5	15	21	15	2.97
CC99847		0.16	<0.001	0.3	1.25	6	<10	50	0.5	<2	0.19	<0.5	12	18	14	2.33
CC99848		0.20	<0.001	0.3	1.48	7	<10	40	0.5	<2	0.25	<0.5	13	23	12	3.11
CC99849		0.20	<0.001	<0.2	2.27	6	<10	70	0.6	<2	0.51	<0.5	12	32	24	3.50
CC99850		0.18	<0.001	<0.2	1.86	10	<10	70	0.6	3	0.72	<0.5	14	31	28	3.45
CC99901		0.22	0.012	<0.2	2.03	4	<10	80	0.7	<2	1.10	<0.5	15	37	31	3.74
CC99902		0.16	<0.001	<0.2	1.89	4	<10	70	0.6	<2	1.20	<0.5	13	31	27	3.31
CC99903		0.14	<0.001	<0.2	1.81	4	<10	80	0.6	<2	1.69	<0.5	11	27	30	2.88
CC99904		0.16	0.001	<0.2	2.00	3	<10	70	0.9	3	1.88	0.5	14	30	45	3.22



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99815		10	<1	0.71	30	1.20	478	<1	0.05	53	470	13	0.02	<2	7	115
CC99816		10	<1	0.72	30	1.19	422	<1	0.05	52	700	15	0.02	<2	6	118
CC99817		10	<1	0.40	20	0.89	270	<1	0.02	36	330	21	0.02	<2	5	58
CC99818		10	<1	0.95	30	1.31	778	<1	0.13	49	630	10	0.03	<2	8	220
CC99819		10	<1	0.74	30	1.16	338	<1	0.11	41	350	11	0.02	<2	7	180
CC99820		10	<1	0.41	30	0.87	258	<1	0.06	30	700	16	0.13	<2	4	107
CC99821		10	<1	0.26	30	0.82	354	<1	0.05	38	800	30	0.19	<2	4	105
CC99822		10	<1	0.23	30	0.77	328	<1	0.06	37	840	29	0.08	<2	4	95
CC99823		10	<1	0.25	30	0.77	960	<1	0.10	39	1130	26	0.06	3	4	203
CC99824		10	<1	0.34	30	0.66	517	<1	0.04	28	750	20	0.01	<2	4	65
CC99825		10	<1	0.35	30	0.86	563	<1	0.10	41	990	31	0.04	<2	5	197
CC99826		10	<1	0.38	30	0.93	630	<1	0.10	46	860	43	0.04	<2	5	235
CC99827		10	<1	0.23	20	0.83	1195	<1	0.10	43	820	19	0.05	<2	3	142
CC99828		10	<1	0.23	20	0.89	678	<1	0.07	44	720	24	0.04	<2	4	146
CC99829		10	<1	0.27	20	0.85	593	<1	0.07	48	580	21	0.03	<2	4	132
CC99830		10	<1	0.37	20	1.05	577	<1	0.05	49	590	19	0.03	<2	5	145
CC99831		10	<1	0.15	20	0.64	235	<1	0.02	25	290	11	0.01	<2	3	55
CC99832		10	<1	0.32	20	0.80	490	<1	0.02	32	450	14	0.02	<2	3	70
CC99833		10	<1	0.19	20	0.63	336	<1	0.01	25	370	15	0.01	2	2	41
CC99834		10	<1	0.37	20	0.80	387	<1	0.02	36	530	14	0.02	<2	4	84
CC99835		10	<1	0.34	20	0.70	629	<1	0.02	29	510	12	0.02	<2	3	60
CC99836		10	<1	0.28	20	0.61	473	<1	0.02	28	830	18	0.04	<2	2	70
CC99837		10	<1	0.31	20	0.72	271	<1	0.02	29	410	11	0.02	<2	3	61
CC99838		<10	<1	0.25	20	0.47	1180	<1	0.02	23	700	17	0.03	<2	2	54
CC99839		10	<1	0.26	20	0.67	838	<1	0.02	29	670	15	0.02	<2	3	52
CC99840		10	<1	0.24	20	0.63	414	<1	0.01	23	520	15	0.02	<2	2	46
CC99841		10	<1	0.20	20	0.62	275	<1	0.01	22	360	12	0.01	<2	2	37
CC99842		<10	<1	0.20	20	0.67	1450	<1	0.01	26	470	19	0.01	<2	2	32
CC99843		10	<1	0.23	20	0.69	274	<1	0.01	25	490	13	0.01	<2	3	50
CC99844		<10	<1	0.16	20	0.67	206	<1	0.01	22	480	10	<0.01	<2	2	22
CC99845		<10	<1	0.15	20	0.40	163	<1	0.01	14	320	10	0.01	<2	2	21
CC99846		<10	<1	0.13	20	0.48	564	<1	0.01	21	310	21	0.01	<2	2	20
CC99847		10	<1	0.13	20	0.39	765	<1	0.01	18	360	15	0.01	<2	2	21
CC99848		10	<1	0.12	20	0.49	477	<1	0.01	24	460	22	0.01	<2	2	24
CC99849		10	<1	0.30	30	0.79	380	<1	0.04	31	480	14	0.01	<2	4	70
CC99850		10	<1	0.20	30	0.70	725	1	0.01	36	550	22	0.01	<2	3	68
CC99901		<10	<1	0.25	20	0.75	488	<1	0.03	34	710	13	0.01	<2	4	95
CC99902		<10	<1	0.33	20	0.69	467	<1	0.03	28	560	11	0.02	<2	3	100
CC99903		<10	<1	0.19	20	0.62	472	<1	0.03	30	770	8	0.05	<2	2	112
CC99904		10	<1	0.27	30	0.68	758	<1	0.03	32	750	12	0.07	<2	3	126



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99815		<20	0.07	<10	<10	43	<10	182
CC99816		<20	0.08	<10	<10	46	<10	220
CC99817		<20	0.08	<10	<10	42	<10	310
CC99818		<20	0.11	<10	<10	45	<10	359
CC99819		<20	0.10	<10	<10	41	<10	244
CC99820		<20	0.06	<10	<10	30	<10	210
CC99821		<20	0.05	<10	<10	33	<10	207
CC99822		<20	0.05	<10	<10	34	<10	209
CC99823		<20	0.04	<10	<10	36	<10	1015
CC99824		<20	0.08	<10	<10	31	<10	199
CC99825		<20	0.05	<10	<10	38	<10	908
CC99826		20	0.06	<10	<10	42	<10	1020
CC99827		<20	0.07	<10	<10	43	<10	1835
CC99828		<20	0.06	<10	<10	42	<10	2270
CC99829		<20	0.07	<10	<10	40	<10	1460
CC99830		<20	0.08	<10	<10	47	<10	1315
CC99831		<20	0.06	<10	<10	29	<10	398
CC99832		<20	0.06	<10	<10	35	<10	500
CC99833		<20	0.04	<10	<10	25	<10	239
CC99834		<20	0.07	<10	<10	35	<10	448
CC99835		<20	0.06	<10	<10	28	<10	304
CC99836		<20	0.05	<10	<10	29	<10	322
CC99837		<20	0.05	<10	<10	29	<10	229
CC99838		<20	0.04	<10	<10	25	<10	248
CC99839		<20	0.05	<10	<10	29	<10	266
CC99840		<20	0.05	<10	<10	30	<10	239
CC99841		<20	0.05	<10	<10	25	<10	185
CC99842		<20	0.06	<10	<10	30	<10	204
CC99843		<20	0.05	<10	<10	27	<10	123
CC99844		<20	0.06	<10	<10	23	<10	71
CC99845		<20	0.05	<10	<10	19	<10	64
CC99846		<20	0.06	<10	<10	27	<10	116
CC99847		<20	0.06	<10	<10	22	<10	106
CC99848		<20	0.06	<10	<10	27	<10	168
CC99849		<20	0.08	<10	<10	31	<10	88
CC99850		<20	0.05	<10	<10	27	<10	94
CC99901		<20	0.08	<10	<10	32	<10	101
CC99902		<20	0.07	<10	<10	29	<10	110
CC99903		<20	0.06	<10	<10	25	<10	78
CC99904		<20	0.06	<10	<10	27	<10	164



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99905		0.18	<0.001	<0.2	1.30	9	<10	50	0.5	<2	1.73	0.5	15	22	58	3.74
CC99906		0.20	<0.001	<0.2	1.25	2	<10	70	<0.5	<2	0.21	<0.5	9	18	7	2.48
CC99907		0.12	<0.001	<0.2	0.92	<2	<10	80	<0.5	<2	0.18	<0.5	7	14	8	2.17
CC99908		0.24	<0.001	<0.2	1.13	2	<10	50	<0.5	<2	0.22	<0.5	7	20	5	2.47
CC99909		0.18	<0.001	<0.2	1.68	6	<10	50	0.7	2	0.16	<0.5	12	22	11	2.89
CC99910		0.22	<0.001	<0.2	1.26	<2	<10	90	<0.5	2	0.10	<0.5	11	21	5	2.74
CC99911		0.34	0.001	<0.2	1.23	<2	<10	50	<0.5	<2	0.08	<0.5	8	20	5	2.91
CC99912		0.26	<0.001	<0.2	1.48	2	<10	50	0.5	4	0.46	<0.5	10	25	17	3.09
CC99913		0.18	<0.001	<0.2	0.84	<2	<10	70	<0.5	<2	0.07	0.5	10	12	7	1.86
CC99914		0.24	0.005	<0.2	0.92	2	<10	50	<0.5	<2	0.09	<0.5	7	16	5	2.20
CC99915		0.20	0.003	<0.2	1.38	9	<10	50	<0.5	<2	0.87	<0.5	12	21	20	2.95
CC99916		0.22	0.011	<0.2	1.09	7	<10	40	<0.5	<2	0.67	0.7	10	19	13	2.31
CC99917		0.22	<0.001	<0.2	1.09	6	<10	30	<0.5	<2	0.40	<0.5	10	18	16	2.38
CC99918		0.24	<0.001	<0.2	1.67	10	<10	60	<0.5	<2	0.73	0.5	16	26	33	3.36
CC99919		0.16	<0.001	<0.2	2.32	4	<10	80	0.5	<2	0.55	<0.5	12	31	25	3.93
CC99920		0.22	0.001	<0.2	2.14	5	<10	60	<0.5	<2	0.35	<0.5	20	29	34	4.45
CC99921		0.26	0.001	<0.2	2.16	9	<10	60	0.5	<2	0.37	<0.5	18	28	35	4.35
CC99922		0.16	<0.001	0.2	2.37	4	<10	70	0.6	2	0.45	<0.5	16	38	38	4.14
CC99923		0.14	<0.001	0.2	2.76	8	<10	70	0.8	3	1.19	<0.5	17	41	60	4.30
CC99924		0.16	<0.001	0.5	3.05	2	<10	80	0.9	5	1.30	0.6	19	42	88	5.03
CC99925		0.18	<0.001	0.2	2.83	2	<10	90	0.8	4	1.48	1.7	16	36	77	4.21
CC99926		0.16	<0.001	0.4	2.88	2	<10	60	0.8	5	1.49	1.7	15	40	117	4.29
CC99927		0.14	0.007	0.2	3.21	7	<10	70	1.0	4	0.90	3.5	23	36	86	3.90
CC99928		0.16	0.001	<0.2	3.71	5	<10	100	0.9	12	0.64	1.7	23	49	61	4.74
CC99929		0.18	<0.001	<0.2	2.47	5	<10	90	0.7	5	0.74	4.2	15	35	46	3.15
CC99930		0.16	0.001	<0.2	4.27	3	<10	100	1.1	14	0.71	2.5	27	56	73	4.92
CC99931		0.14	<0.001	<0.2	4.19	2	<10	120	1.0	10	0.92	2.4	22	61	54	4.45
CC99932		0.14	0.001	0.3	3.76	4	<10	130	0.9	3	0.80	3.2	16	57	58	4.05
CC99933		0.16	<0.001	0.3	4.53	2	<10	120	1.0	2	0.67	1.0	18	61	88	4.33
CC99934		0.16	<0.001	<0.2	1.10	<2	<10	50	<0.5	<2	0.37	1.5	4	20	25	1.42
CC99935		0.16	<0.001	<0.2	3.41	<2	<10	130	0.8	3	0.58	0.5	13	47	38	3.63
CC99936		0.16	<0.001	<0.2	3.62	4	<10	90	0.8	5	0.46	<0.5	16	46	63	3.94
CC99937		0.18	<0.001	0.3	3.01	2	<10	80	0.7	5	0.46	<0.5	17	38	48	3.43
CC99938		0.18	<0.001	<0.2	3.36	5	<10	70	0.9	3	0.54	0.5	15	40	52	3.78
CC99939		0.16	0.001	0.2	3.08	3	<10	90	0.8	3	0.43	<0.5	14	37	45	3.49
CC99940		0.16	0.001	0.2	1.25	8	<10	50	<0.5	<2	0.06	<0.5	7	18	7	2.28
CC99941		0.20	<0.001	0.3	1.36	10	<10	50	<0.5	2	0.06	<0.5	8	20	7	2.59
CC99942		0.16	<0.001	<0.2	2.15	6	<10	50	0.5	2	0.21	<0.5	10	26	24	3.08
CC99943		0.20	<0.001	0.2	1.76	10	<10	60	0.5	<2	0.08	<0.5	10	24	15	3.19
CC99944		0.18	<0.001	<0.2	1.70	12	<10	60	0.5	<2	0.11	<0.5	10	23	14	3.02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99905		<10	1	0.16	30	0.48	996	<1	<0.01	47	640	25	0.04	<2	2	95
CC99906		10	<1	0.12	10	0.36	690	<1	<0.01	13	210	10	<0.01	<2	2	29
CC99907		10	<1	0.09	10	0.26	178	<1	<0.01	9	240	11	<0.01	<2	1	22
CC99908		10	<1	0.14	10	0.39	140	<1	<0.01	12	150	5	<0.01	<2	2	21
CC99909		10	<1	0.15	20	0.49	226	<1	<0.01	21	230	11	<0.01	<2	2	23
CC99910		<10	<1	0.16	10	0.43	1260	<1	<0.01	12	210	9	<0.01	<2	2	16
CC99911		10	<1	0.12	10	0.37	196	<1	<0.01	9	220	8	<0.01	<2	2	12
CC99912		10	<1	0.24	20	0.60	267	<1	<0.01	18	620	8	<0.01	<2	2	38
CC99913		<10	<1	0.10	10	0.25	1400	<1	<0.01	6	360	8	<0.01	<2	1	10
CC99914		<10	<1	0.09	10	0.28	306	<1	<0.01	9	310	7	<0.01	<2	1	12
CC99915		<10	<1	0.18	30	0.57	548	<1	<0.01	24	840	15	0.03	<2	2	50
CC99916		<10	<1	0.14	20	0.46	539	<1	<0.01	18	740	8	0.02	<2	2	47
CC99917		<10	<1	0.13	20	0.44	404	<1	<0.01	19	1020	9	<0.01	<2	2	37
CC99918		10	<1	0.05	50	0.66	439	<1	<0.01	35	800	25	0.02	<2	2	53
CC99919		10	<1	0.08	40	0.90	412	<1	<0.01	34	800	18	0.02	<2	3	55
CC99920		10	<1	0.08	50	0.95	733	<1	<0.01	44	680	16	<0.01	<2	3	37
CC99921		<10	1	0.10	50	0.91	804	<1	<0.01	41	770	28	<0.01	<2	3	44
CC99922		10	<1	0.21	30	0.81	611	<1	<0.01	40	900	42	0.02	<2	3	63
CC99923		10	1	0.29	40	0.89	599	<1	0.05	38	920	31	0.03	<2	4	126
CC99924		10	<1	0.35	30	0.97	629	<1	0.09	39	670	27	0.02	<2	5	163
CC99925		10	1	0.14	20	0.80	1040	<1	0.05	29	880	22	0.05	<2	3	160
CC99926		10	1	0.28	30	0.87	631	<1	0.12	32	1000	22	0.04	<2	4	223
CC99927		10	<1	0.12	30	0.66	1130	<1	0.05	33	970	10	0.05	<2	3	140
CC99928		10	1	0.38	20	1.06	658	<1	0.03	55	720	16	<0.01	<2	4	165
CC99929		10	<1	0.21	20	0.66	619	<1	0.02	32	760	12	0.03	<2	2	103
CC99930		10	1	0.38	20	1.05	884	<1	0.04	56	710	23	0.01	<2	4	142
CC99931		10	<1	0.47	20	1.16	765	<1	0.06	52	710	8	0.01	<2	5	183
CC99932		10	<1	0.43	20	1.06	817	<1	0.05	49	900	8	0.05	<2	4	147
CC99933		10	1	0.52	20	1.24	580	<1	0.05	47	540	10	0.03	<2	5	175
CC99934		<10	<1	0.13	10	0.32	125	<1	<0.01	9	320	6	0.01	<2	1	45
CC99935		10	<1	0.39	20	1.03	444	<1	0.02	33	480	9	0.01	<2	4	129
CC99936		10	<1	0.37	20	1.04	415	<1	0.03	44	470	12	<0.01	<2	4	135
CC99937		10	<1	0.35	20	0.84	461	<1	0.03	31	650	13	0.01	<2	3	119
CC99938		10	<1	0.43	20	1.00	381	<1	0.02	34	510	8	<0.01	<2	4	130
CC99939		10	<1	0.35	20	0.90	359	<1	0.02	31	500	9	0.01	<2	3	106
CC99940		10	<1	0.11	20	0.41	199	<1	<0.01	13	320	12	<0.01	<2	1	13
CC99941		<10	<1	0.11	20	0.44	180	<1	<0.01	16	290	11	<0.01	<2	2	12
CC99942		10	<1	0.23	20	0.76	244	<1	<0.01	23	500	6	<0.01	<2	3	38
CC99943		10	<1	0.17	20	0.62	277	<1	<0.01	21	440	11	<0.01	<2	2	21
CC99944		10	<1	0.17	20	0.56	376	<1	<0.01	21	420	14	<0.01	<2	2	21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99905		<20	0.04	<10	<10	20	<10	114
CC99906		<20	0.05	<10	<10	28	<10	83
CC99907		<20	0.04	<10	<10	23	<10	49
CC99908		<20	0.07	<10	<10	30	<10	70
CC99909		<20	0.06	<10	<10	28	<10	73
CC99910		<20	0.06	<10	<10	28	<10	86
CC99911		<20	0.07	<10	<10	37	<10	163
CC99912		<20	0.08	<10	<10	24	<10	290
CC99913		<20	0.05	<10	<10	21	<10	56
CC99914		<20	0.08	<10	<10	29	<10	81
CC99915		<20	0.04	<10	<10	18	<10	124
CC99916		<20	0.04	<10	<10	16	<10	139
CC99917		<20	0.04	<10	<10	16	<10	121
CC99918		<20	0.02	<10	<10	15	<10	157
CC99919		<20	0.02	<10	<10	17	<10	201
CC99920		20	0.01	<10	<10	18	<10	158
CC99921		20	0.02	<10	<10	18	<10	208
CC99922		<20	0.03	<10	<10	28	<10	194
CC99923		<20	0.05	<10	<10	37	<10	225
CC99924		<20	0.05	<10	<10	47	<10	448
CC99925		<20	0.04	<10	<10	38	<10	1045
CC99926		<20	0.05	<10	<10	42	<10	1050
CC99927		<20	0.06	<10	<10	38	<10	1955
CC99928		<20	0.07	<10	<10	45	<10	3650
CC99929		<20	0.06	<10	<10	36	<10	1630
CC99930		<20	0.09	<10	<10	54	<10	3140
CC99931		<20	0.09	<10	<10	53	10	2380
CC99932		<20	0.08	<10	<10	51	<10	1495
CC99933		<20	0.08	<10	<10	49	<10	560
CC99934		<20	0.05	<10	<10	19	<10	145
CC99935		<20	0.06	<10	<10	37	<10	658
CC99936		<20	0.07	<10	<10	36	<10	471
CC99937		<20	0.05	<10	<10	30	<10	468
CC99938		<20	0.06	<10	<10	31	<10	357
CC99939		<20	0.05	<10	<10	29	<10	306
CC99940		<20	0.05	<10	<10	23	<10	86
CC99941		<20	0.04	<10	<10	23	<10	82
CC99942		<20	0.05	<10	<10	21	<10	132
CC99943		<20	0.05	<10	<10	24	<10	134
CC99944		<20	0.05	<10	<10	25	<10	124



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99945		0.20	<0.001	0.3	1.63	11	<10	50	0.7	<2	0.22	<0.5	9	21	12	2.79
CC99946		0.16	<0.001	0.4	2.01	7	<10	100	1.2	2	0.20	0.5	14	18	31	2.70
CC99947		0.18	<0.001	<0.2	1.27	8	<10	40	0.5	<2	0.23	<0.5	12	37	22	2.46
CC99948		0.16	<0.001	<0.2	2.31	7	<10	90	0.7	<2	0.26	<0.5	12	34	14	3.49
CC99949		0.18	<0.001	0.2	2.00	6	<10	80	0.7	<2	0.85	<0.5	12	25	21	3.00
CC99950		0.20	<0.001	<0.2	1.99	6	<10	70	0.6	<2	0.52	<0.5	11	25	15	3.10
CC99859		0.18	<0.001	<0.2	5.13	6	<10	140	1.3	<2	0.25	<0.5	19	61	23	5.13
CC99860		0.18	<0.001	0.2	3.82	3	<10	90	1.1	3	0.15	0.7	14	52	23	4.64
CC99861		0.22	<0.001	<0.2	2.89	12	<10	140	0.8	<2	0.53	<0.5	15	46	25	3.89
CC99862		0.20	<0.001	0.2	1.84	5	<10	60	0.5	4	0.13	0.6	9	27	9	3.27
CC99863		0.30	<0.001	<0.2	3.36	8	<10	140	1.2	2	0.28	<0.5	14	45	25	3.91
CC99864		0.30	<0.001	<0.2	2.01	5	<10	60	0.8	2	0.14	<0.5	8	32	27	3.06
CC99865		0.24	<0.001	<0.2	2.66	6	<10	80	0.8	<2	0.19	<0.5	13	40	22	4.19
CC99866		0.28	0.001	0.2	2.72	4	<10	80	1.3	4	0.38	<0.5	13	37	43	4.08
CC99867		0.24	<0.001	<0.2	1.39	7	<10	40	0.6	<2	0.16	<0.5	7	19	8	2.31
CC99868		0.26	<0.001	<0.2	2.29	6	<10	80	1.2	2	1.37	<0.5	12	31	39	3.72
CC99869		0.26	<0.001	0.4	2.39	8	<10	90	0.8	4	1.26	0.8	13	34	43	3.71
CC99870		0.42	<0.001	0.3	2.07	6	<10	70	0.6	2	1.27	0.9	11	30	52	3.01
CC99871		0.30	<0.001	<0.2	1.73	4	<10	70	0.5	<2	0.55	1.2	10	26	28	2.65
CC99872		0.24	0.001	<0.2	1.95	5	<10	90	0.7	3	0.47	<0.5	11	27	26	2.84
CC99873		0.22	<0.001	0.2	3.07	7	<10	100	0.8	6	0.48	0.7	17	45	40	4.03
CC99874		0.26	0.006	<0.2	1.90	6	<10	70	0.5	3	0.40	<0.5	12	29	34	3.08
CC99875		0.30	<0.001	0.4	2.70	5	<10	70	0.9	3	0.56	1.0	14	31	59	3.33
CC99876		0.26	<0.001	0.2	3.39	4	<10	120	0.9	4	0.68	1.8	16	41	59	3.78
CC99877		0.22	<0.001	0.5	2.78	7	<10	100	0.9	3	1.05	1.7	13	32	57	3.19
CC99878		0.18	0.001	0.2	2.28	4	<10	70	0.7	2	0.94	0.6	11	29	31	2.97
CC99879		0.30	<0.001	0.2	3.07	9	<10	90	1.0	3	0.53	<0.5	14	35	44	3.55
CC99880		0.22	<0.001	0.2	2.17	3	<10	80	0.7	<2	0.38	0.7	11	26	26	2.74
CC99881		0.22	<0.001	<0.2	2.38	7	<10	80	1.2	<2	0.21	<0.5	10	30	45	3.34
CC99882		0.22	<0.001	<0.2	2.61	4	<10	90	0.9	<2	0.36	1.0	11	31	26	3.11
CC99883		0.20	0.001	<0.2	3.01	4	<10	120	1.5	<2	0.46	0.8	13	33	59	3.55
CC99884		0.26	<0.001	<0.2	1.69	10	<10	40	0.5	<2	0.12	<0.5	11	23	18	3.27
CC99885		0.24	<0.001	<0.2	2.44	13	<10	60	0.8	2	0.24	<0.5	18	42	19	4.07
CC99886		0.26	<0.001	<0.2	1.71	4	<10	60	0.5	2	0.19	<0.5	8	25	19	2.56
CC99887		0.20	<0.001	<0.2	1.70	7	<10	60	0.5	2	0.16	<0.5	8	23	20	2.58
CC99888		0.22	0.001	<0.2	1.91	5	<10	100	0.6	2	0.44	<0.5	11	25	20	2.86
CC99889		0.22	<0.001	<0.2	1.65	6	<10	70	0.7	<2	0.35	<0.5	10	22	17	2.71
CC99890		0.20	<0.001	<0.2	1.69	7	<10	60	0.6	<2	0.35	<0.5	10	25	13	2.80
CC99891		0.22	0.001	<0.2	1.49	6	<10	50	0.5	2	0.30	<0.5	12	20	15	2.49
CC99892		0.26	<0.001	<0.2	2.24	5	<10	70	0.9	4	1.19	<0.5	12	32	38	3.61



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99945		10	<1	0.18	20	0.58	253	<1	<0.01	22	510	10	<0.01	<2	1	48
CC99946		10	<1	0.19	20	0.39	1100	<1	0.02	24	750	12	0.01	<2	1	36
CC99947		<10	<1	0.14	20	0.43	442	<1	<0.01	22	310	11	<0.01	<2	1	23
CC99948		10	<1	0.16	20	0.74	265	<1	0.01	26	350	8	<0.01	2	3	63
CC99949		10	<1	0.19	20	0.60	523	<1	0.02	26	630	10	0.02	2	2	90
CC99950		10	<1	0.24	20	0.63	352	<1	0.01	24	500	9	0.01	<2	2	49
CC99859		10	<1	0.39	20	1.10	330	<1	0.04	42	390	10	0.01	<2	7	109
CC99860		20	<1	0.25	20	0.97	304	<1	0.02	34	230	10	<0.01	<2	5	45
CC99861		10	<1	0.31	30	0.96	393	<1	0.05	36	580	13	<0.01	<2	5	94
CC99862		10	<1	0.12	10	0.44	190	<1	<0.01	18	200	11	<0.01	<2	2	35
CC99863		10	<1	0.37	20	0.93	346	<1	0.01	36	420	9	<0.01	<2	5	62
CC99864		10	<1	0.18	30	0.58	185	<1	0.01	23	410	8	0.05	<2	3	61
CC99865		10	<1	0.29	20	0.89	258	<1	0.01	37	530	8	0.03	<2	4	60
CC99866		10	<1	0.22	30	0.82	410	<1	0.02	45	660	8	0.02	<2	4	103
CC99867		<10	<1	0.28	10	0.46	226	<1	<0.01	16	230	6	<0.01	<2	2	20
CC99868		10	<1	0.22	30	0.62	408	<1	0.04	30	550	10	0.08	<2	4	150
CC99869		10	<1	0.22	20	0.73	1085	<1	0.05	29	690	16	0.05	<2	3	125
CC99870		10	<1	0.28	20	0.64	489	<1	0.06	27	770	11	0.01	<2	3	129
CC99871		10	<1	0.20	20	0.58	363	<1	0.03	22	560	9	0.01	<2	2	65
CC99872		10	<1	0.21	20	0.63	330	<1	0.01	26	580	9	<0.01	<2	3	57
CC99873		10	<1	0.22	20	0.89	592	<1	0.03	42	620	12	0.01	<2	3	99
CC99874		10	<1	0.17	20	0.61	298	<1	0.01	25	590	13	0.01	<2	2	79
CC99875		10	<1	0.23	20	0.69	447	<1	0.03	31	570	12	0.02	<2	3	87
CC99876		10	<1	0.33	20	0.87	493	<1	0.04	39	570	13	0.01	<2	4	113
CC99877		10	<1	0.33	30	0.71	435	<1	0.04	32	510	10	0.02	<2	3	116
CC99878		10	<1	0.29	20	0.65	395	<1	0.03	25	690	7	0.02	<2	3	113
CC99879		10	<1	0.40	30	0.81	470	<1	0.02	32	470	10	<0.01	<2	3	87
CC99880		10	<1	0.33	20	0.63	670	<1	0.01	21	490	9	0.01	<2	3	59
CC99881		10	<1	0.28	30	0.72	240	<1	0.02	26	370	9	0.02	<2	3	49
CC99882		10	<1	0.28	20	0.74	381	<1	0.02	26	450	8	0.02	<2	3	65
CC99883		10	<1	0.35	30	0.73	545	<1	0.02	29	630	15	0.03	<2	3	68
CC99884		10	<1	0.14	20	0.66	383	1	0.01	20	400	16	0.01	<2	2	16
CC99885		10	<1	0.20	20	0.98	636	<1	0.01	29	730	20	0.01	<2	3	29
CC99886		10	<1	0.17	20	0.66	225	<1	0.01	18	280	10	0.01	<2	2	26
CC99887		10	1	0.21	20	0.59	229	<1	0.01	19	330	10	0.01	<2	2	29
CC99888		10	<1	0.21	30	0.63	681	<1	0.02	22	600	11	0.01	<2	2	52
CC99889		10	<1	0.15	30	0.53	410	<1	0.01	20	460	13	0.02	<2	2	34
CC99890		<10	<1	0.18	20	0.65	378	<1	0.02	20	410	9	0.01	<2	2	34
CC99891		<10	<1	0.17	30	0.56	753	<1	0.01	21	560	10	0.02	<2	1	25
CC99892		10	1	0.35	30	0.80	313	<1	0.07	32	670	11	0.03	<2	4	119



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99945		<20	0.05	<10	<10	21	<10	99
CC99946		<20	0.04	<10	<10	22	<10	153
CC99947		<20	0.05	<10	<10	25	<10	82
CC99948		<20	0.06	<10	<10	31	<10	92
CC99949		<20	0.04	<10	<10	24	<10	112
CC99950		<20	0.05	<10	<10	24	<10	95
CC99859		<20	0.12	<10	<10	56	<10	124
CC99860		<20	0.10	<10	<10	52	<10	258
CC99861		<20	0.07	<10	<10	39	<10	214
CC99862		<20	0.08	<10	<10	40	<10	284
CC99863		<20	0.08	<10	<10	40	<10	197
CC99864		<20	0.07	<10	<10	36	<10	147
CC99865		<20	0.09	<10	<10	41	<10	208
CC99866		<20	0.07	<10	<10	37	<10	354
CC99867		<20	0.06	<10	<10	21	<10	102
CC99868		<20	0.05	<10	<10	31	<10	306
CC99869		<20	0.06	<10	<10	32	10	445
CC99870		<20	0.06	<10	<10	29	<10	499
CC99871		<20	0.06	<10	<10	26	<10	278
CC99872		<20	0.06	<10	<10	28	<10	244
CC99873		<20	0.07	<10	<10	40	<10	1165
CC99874		<20	0.05	<10	<10	30	<10	601
CC99875		<20	0.05	<10	<10	30	<10	783
CC99876		<20	0.06	<10	<10	37	<10	842
CC99877		<20	0.06	<10	<10	29	10	414
CC99878		<20	0.06	<10	<10	27	<10	282
CC99879		<20	0.06	<10	<10	32	<10	296
CC99880		<20	0.06	<10	<10	26	<10	178
CC99881		<20	0.06	<10	<10	29	<10	180
CC99882		<20	0.06	<10	<10	29	<10	293
CC99883		<20	0.06	<10	<10	33	<10	246
CC99884		<20	0.05	<10	<10	28	<10	119
CC99885		<20	0.06	<10	<10	41	<10	179
CC99886		<20	0.07	<10	<10	26	<10	127
CC99887		<20	0.05	<10	<10	25	<10	133
CC99888		<20	0.05	<10	<10	25	<10	123
CC99889		<20	0.06	<10	<10	29	<10	178
CC99890		<20	0.06	<10	<10	25	<10	102
CC99891		<20	0.04	<10	<10	19	<10	100
CC99892		<20	0.09	<10	<10	32	<10	297



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99893		0.18	0.003	0.2	2.02	6	<10	90	0.6	<2	1.39	<0.5	13	30	24	3.28
CC99894		0.22	0.002	<0.2	2.02	13	<10	70	0.9	2	0.57	0.5	18	27	28	4.34
CC99895		0.14	<0.001	<0.2	2.00	6	<10	70	1.1	2	1.66	0.5	18	30	67	3.32
CC99896		0.20	<0.001	<0.2	2.43	7	<10	60	0.5	<2	0.72	<0.5	16	44	14	3.67
CC99897		0.22	<0.001	<0.2	1.75	3	<10	60	<0.5	2	0.21	<0.5	9	37	7	3.48
CC99898		0.28	<0.001	<0.2	2.24	7	<10	50	0.9	2	0.49	<0.5	18	36	46	4.52
CC99899		0.26	<0.001	<0.2	1.70	6	<10	40	0.5	<2	0.15	<0.5	9	26	15	2.86
CC99900		0.26	<0.001	<0.2	1.89	6	<10	50	0.6	<2	0.68	<0.5	12	31	21	3.26
CC100551		0.16	<0.001	<0.2	1.92	8	<10	80	0.6	<2	1.02	<0.5	11	26	23	3.02
CC100552		0.18	0.001	0.2	1.92	5	<10	80	0.7	<2	0.83	<0.5	11	24	25	2.85
CC100553		0.16	0.001	0.2	1.65	10	<10	70	0.6	<2	0.56	<0.5	13	24	20	2.91
CC100554		0.18	<0.001	<0.2	2.03	11	<10	70	0.5	<2	0.46	<0.5	13	31	15	3.47
CC100555		0.16	<0.001	<0.2	2.08	13	<10	80	0.6	<2	0.57	<0.5	11	28	22	3.30
CC100556		0.18	<0.001	<0.2	1.82	6	<10	60	0.6	<2	0.79	<0.5	12	24	27	2.78
CC100557		0.16	<0.001	<0.2	5.02	4	<10	100	1.4	<2	3.35	<0.5	17	60	25	5.82
CC100558		0.18	<0.001	<0.2	3.14	9	<10	20	1.0	<2	0.56	<0.5	22	34	28	6.21
CC100559		0.18	<0.001	<0.2	1.89	8	<10	70	0.6	<2	0.30	<0.5	13	25	20	3.62
CC100560		0.22	<0.001	<0.2	1.24	5	<10	30	<0.5	<2	0.18	<0.5	7	18	13	3.24
CC100561		0.16	<0.001	<0.2	4.13	2	<10	100	0.9	<2	0.84	<0.5	19	61	33	5.49
CC100562		0.16	0.004	<0.2	1.27	14	<10	40	<0.5	<2	0.31	<0.5	12	20	13	2.84
CC100563		0.20	<0.001	0.2	1.20	13	<10	70	<0.5	<2	0.19	<0.5	9	16	11	2.78
CC100564		0.22	<0.001	<0.2	1.82	6	<10	40	0.8	5	0.28	<0.5	14	26	66	3.86
CC100565		0.18	<0.001	<0.2	1.62	6	<10	50	0.5	2	0.13	<0.5	10	21	18	3.10
CC100566		0.16	<0.001	0.2	1.13	3	<10	40	9.0	<2	1.89	0.7	7	7	153	0.75
CC100567		0.18	<0.001	<0.2	1.77	10	<10	60	1.7	<2	0.45	0.5	14	32	22	3.68
CC100568		0.16	<0.001	<0.2	2.08	4	<10	30	0.8	<2	0.45	<0.5	12	32	19	3.35
CC100569		0.18	0.001	0.2	1.74	5	<10	50	1.1	<2	1.26	<0.5	12	27	53	2.96
CC100570		0.14	<0.001	0.3	1.80	5	<10	70	0.6	<2	0.93	<0.5	10	26	26	3.04
CC100571		0.18	<0.001	<0.2	1.73	9	<10	60	0.7	<2	0.21	<0.5	11	32	11	3.76
CC100572		0.18	<0.001	0.2	1.78	7	<10	50	0.5	<2	0.06	<0.5	7	25	9	3.11
CC100573		0.20	<0.001	0.5	2.20	7	<10	90	0.8	<2	0.47	<0.5	12	33	20	3.01
CC100574		0.24	<0.001	0.2	1.53	7	<10	70	<0.5	<2	0.11	<0.5	9	24	6	2.72
CC100575		0.20	<0.001	0.3	0.83	5	<10	70	<0.5	<2	0.94	0.6	6	13	26	1.59
CC100576		0.24	0.002	<0.2	1.34	11	<10	60	0.5	<2	0.18	<0.5	8	20	10	3.10
CC100577		0.22	<0.001	<0.2	1.66	4	<10	60	0.5	<2	0.32	<0.5	11	25	17	2.85
CC100578		0.26	<0.001	0.2	1.25	9	<10	30	<0.5	<2	0.15	<0.5	7	18	3	2.50
CC99637		0.32	<0.001	0.2	4.56	10	<10	120	1.0	<2	1.63	<0.5	18	54	41	4.20
CC99638		0.28	<0.001	<0.2	3.44	11	<10	100	0.9	<2	1.45	0.6	16	48	62	3.89
CC99639		0.18	<0.001	<0.2	3.10	13	<10	110	1.4	<2	1.23	0.7	14	41	42	3.38
CC99640		0.22	0.003	0.4	3.85	4	<10	80	2.4	<2	0.23	1.3	16	50	25	4.17



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99893		10	1	0.26	20	0.73	545	<1	0.05	27	530	12	0.05	<2	3	97
CC99894		10	1	0.18	30	0.54	1145	<1	0.02	32	410	28	0.03	<2	3	43
CC99895		10	<1	0.20	40	0.70	418	<1	0.06	80	740	12	0.07	<2	3	123
CC99896		10	<1	0.24	20	0.90	402	<1	0.08	29	250	13	0.02	<2	5	83
CC99897		10	<1	0.13	10	0.65	188	<1	0.02	17	170	15	0.01	<2	3	20
CC99898		10	<1	0.31	30	0.89	366	<1	0.02	39	200	12	0.01	<2	4	42
CC99899		10	<1	0.18	10	0.58	160	<1	0.03	23	140	10	0.01	<2	3	25
CC99900		<10	<1	0.25	20	0.73	274	<1	0.04	32	190	13	0.02	<2	3	55
CC100551		10	<1	0.25	30	0.66	444	<1	0.03	25	680	12	0.03	<2	2	95
CC100552		<10	1	0.18	30	0.58	421	<1	0.03	25	500	10	0.04	<2	3	79
CC100553		<10	1	0.19	30	0.64	560	<1	0.02	24	530	12	0.02	<2	3	41
CC100554		10	<1	0.19	30	0.82	331	<1	0.03	27	430	11	0.01	<2	3	58
CC100555		10	<1	0.23	30	0.73	408	<1	0.02	27	610	12	0.02	2	3	61
CC100556		<10	1	0.19	30	0.62	554	<1	0.03	27	470	12	0.03	<2	3	77
CC100557		10	1	0.41	40	1.65	885	<1	0.29	46	640	35	0.04	<2	9	610
CC100558		10	<1	0.06	30	0.84	209	<1	0.08	54	360	30	0.03	<2	4	95
CC100559		10	1	0.11	20	0.53	441	<1	0.02	43	170	16	0.01	<2	3	34
CC100560		10	1	0.08	10	0.39	235	<1	0.02	18	280	15	0.02	<2	1	18
CC100561		10	<1	0.58	10	1.26	424	<1	0.13	57	220	14	0.03	<2	7	89
CC100562		<10	1	0.09	20	0.44	360	<1	0.01	23	220	16	0.01	<2	2	25
CC100563		<10	<1	0.10	20	0.43	300	<1	0.01	18	480	12	0.01	<2	1	19
CC100564		<10	<1	0.15	30	0.70	234	<1	0.02	33	220	11	0.01	<2	3	34
CC100565		<10	<1	0.15	20	0.62	230	<1	0.01	24	330	12	0.01	<2	2	20
CC100566		<10	<1	0.05	30	0.05	370	1	0.03	39	610	5	0.05	<2	1	90
CC100567		10	<1	0.15	20	0.68	991	<1	0.02	23	400	21	<0.01	<2	3	55
CC100568		<10	<1	0.31	20	0.67	286	<1	0.04	31	170	15	<0.01	<2	4	43
CC100569		<10	<1	0.31	30	0.64	353	<1	0.04	34	890	12	0.04	<2	3	93
CC100570		<10	<1	0.24	20	0.66	327	<1	0.03	28	460	12	0.02	<2	3	77
CC100571		10	<1	0.11	10	0.52	223	<1	0.02	20	310	27	<0.01	<2	2	23
CC100572		<10	<1	0.13	10	0.55	188	<1	0.01	16	300	10	<0.01	<2	2	12
CC100573		10	<1	0.16	20	0.63	926	<1	0.02	26	430	15	<0.01	<2	3	47
CC100574		10	<1	0.19	10	0.51	198	<1	0.01	15	170	11	<0.01	<2	2	18
CC100575		<10	<1	0.07	10	0.17	553	<1	0.02	11	360	12	0.01	<2	1	53
CC100576		10	<1	0.16	20	0.46	405	<1	0.01	17	330	11	<0.01	<2	2	21
CC100577		<10	<1	0.19	20	0.63	213	<1	0.02	23	250	13	<0.01	<2	3	32
CC100578		<10	<1	0.08	20	0.37	123	<1	0.01	11	190	16	<0.01	<2	1	11
CC99637		10	<1	0.62	50	1.13	422	<1	0.16	41	480	15	<0.01	2	6	255
CC99638		10	1	0.51	40	0.98	618	<1	0.08	45	990	12	0.05	<2	4	164
CC99639		10	<1	0.28	50	0.79	497	<1	0.06	35	840	14	0.05	<2	3	120
CC99640		10	<1	0.37	20	0.89	272	<1	0.02	36	300	17	<0.01	<2	5	81



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm	%	ppm	ppm	ppm	ppm	ppm
		20	0.01	10	10	1	10	2
CC99893		<20	0.07	<10	<10	31	<10	90
CC99894		<20	0.06	<10	<10	32	<10	131
CC99895		<20	0.07	<10	<10	28	<10	223
CC99896		<20	0.12	<10	<10	42	<10	265
CC99897		<20	0.10	<10	<10	53	<10	79
CC99898		20	0.10	<10	<10	33	<10	93
CC99899		<20	0.08	<10	<10	29	<10	59
CC99900		<20	0.09	<10	<10	29	<10	96
CC100551		<20	0.06	<10	<10	28	<10	99
CC100552		<20	0.04	<10	<10	24	<10	93
CC100553		<20	0.07	<10	<10	26	<10	83
CC100554		<20	0.07	<10	<10	27	<10	83
CC100555		<20	0.06	<10	<10	27	<10	106
CC100556		<20	0.05	<10	<10	24	<10	83
CC100557		20	0.17	<10	<10	58	<10	112
CC100558		20	0.07	<10	<10	33	<10	83
CC100559		<20	0.09	<10	<10	36	<10	93
CC100560		<20	0.05	<10	<10	26	<10	49
CC100561		<20	0.19	<10	<10	62	<10	128
CC100562		<20	0.05	<10	<10	24	<10	91
CC100563		<20	0.04	<10	<10	20	<10	87
CC100564		<20	0.05	<10	<10	23	<10	103
CC100565		<20	0.06	<10	<10	24	<10	72
CC100566		<20	0.02	<10	<10	9	<10	93
CC100567		<20	0.06	<10	<10	32	<10	535
CC100568		<20	0.08	<10	<10	29	<10	77
CC100569		<20	0.06	<10	<10	24	<10	263
CC100570		<20	0.05	<10	<10	23	<10	109
CC100571		<20	0.07	<10	<10	36	<10	72
CC100572		<20	0.07	<10	<10	28	<10	77
CC100573		<20	0.07	<10	<10	31	<10	187
CC100574		<20	0.09	<10	<10	30	<10	60
CC100575		<20	0.05	<10	<10	19	<10	80
CC100576		<20	0.06	<10	<10	25	<10	53
CC100577		<20	0.08	<10	<10	24	<10	76
CC100578		<20	0.03	<10	<10	23	<10	88
CC99637		<20	0.08	<10	<10	44	<10	120
CC99638		<20	0.06	<10	<10	39	<10	240
CC99639		<20	0.05	<10	<10	34	<10	242
CC99640		<20	0.11	<10	<10	43	<10	416



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99641		0.20	<0.001	<0.2	2.22	4	<10	60	1.1	<2	0.07	<0.5	11	35	21	3.88
CC99642		0.22	<0.001	0.3	1.43	3	<10	60	1.0	<2	0.09	0.6	6	24	15	2.53
CC99643		0.20	<0.001	0.4	2.87	3	<10	80	1.7	<2	0.12	<0.5	14	40	39	4.43
CC99644		0.24	<0.001	0.2	2.71	3	<10	70	1.8	<2	0.38	0.8	13	45	29	3.66
CC99645		0.30	<0.001	<0.2	3.75	4	<10	60	3.7	<2	0.42	0.6	17	43	40	4.37
CC99646		0.32	<0.001	<0.2	2.73	4	<10	70	8.4	2	0.27	1.1	13	35	28	4.02
CC99647		0.22	<0.001	<0.2	2.95	3	<10	70	3.5	7	1.20	1.7	21	30	52	4.29
CC99648		0.24	<0.001	<0.2	2.56	2	<10	60	4.2	<2	0.46	0.7	13	30	35	3.56
CC99649		0.38	<0.001	<0.2	2.26	5	<10	60	3.7	2	2.69	1.6	13	30	56	3.42
CC99650		0.44	<0.001	0.2	1.98	7	<10	50	2.0	3	1.63	1.7	11	30	30	3.12
CC99951		0.22	<0.001	0.2	2.12	10	<10	70	0.6	2	1.03	0.8	14	31	35	3.50
CC99952		0.14	<0.001	0.2	2.05	7	<10	90	0.7	<2	2.19	1.0	11	30	40	3.08
CC99953		0.26	<0.001	<0.2	1.93	9	<10	80	0.6	<2	0.99	0.6	11	29	30	2.89
CC99954		0.34	0.002	0.3	2.04	10	<10	90	0.7	<2	1.28	0.9	11	36	38	3.24
CC99955		0.32	<0.001	0.3	1.79	7	<10	80	0.7	<2	1.16	0.6	10	28	29	2.77
CC99956		0.30	<0.001	0.2	2.47	5	<10	120	0.8	3	2.34	1.3	14	36	59	3.17
CC99957		0.24	<0.001	0.3	2.36	4	<10	90	0.8	<2	1.89	0.6	10	32	41	2.93
CC99958		0.12	<0.001	0.2	1.96	5	<10	80	0.7	<2	2.55	1.9	8	23	39	2.09
CC99959		0.24	<0.001	0.3	2.27	6	<10	100	0.9	<2	1.30	<0.5	11	33	29	3.14
CC99960		0.28	<0.001	0.2	1.96	5	<10	80	0.9	<2	1.86	<0.5	9	26	35	2.60
CC99961		0.28	<0.001	0.2	2.42	5	<10	80	1.3	<2	1.27	1.5	9	26	37	2.64
CC99962		0.28	0.001	0.5	2.18	7	<10	100	1.5	2	1.17	0.6	10	29	36	2.93
CC99963		0.32	<0.001	<0.2	1.89	7	<10	80	1.1	3	0.40	0.6	10	26	25	3.00
CC99965		0.16	<0.001	0.2	1.68	6	<10	80	1.4	<2	0.37	2.6	17	21	76	2.58
CC99966		0.18	<0.001	0.3	1.21	<2	<10	50	0.7	2	0.20	1.4	9	16	42	2.03
CC99967		0.24	<0.001	<0.2	1.21	6	<10	40	<0.5	<2	0.17	<0.5	5	18	13	2.13
CC99968		0.24	<0.001	<0.2	1.30	4	<10	80	<0.5	<2	0.32	<0.5	9	19	15	2.45
CC99969		0.14	<0.001	0.7	1.88	3	<10	70	1.0	<2	0.30	0.7	14	19	29	2.44
CC99970		0.32	<0.001	0.3	1.86	4	<10	70	0.9	<2	0.73	1.2	11	24	32	2.75
CC99971		0.22	<0.001	<0.2	1.80	7	<10	60	0.8	<2	0.61	<0.5	11	28	20	3.02
CC99972		0.16	0.002	<0.2	1.71	3	<10	60	0.9	2	0.64	0.5	12	25	17	2.97
CC99973		0.22	0.002	<0.2	1.96	8	<10	60	1.3	3	1.56	0.6	20	32	74	3.84
CC99974		0.30	<0.001	<0.2	2.35	6	<10	50	0.7	<2	0.50	<0.5	18	38	29	4.55
CC99975		0.18	<0.001	0.2	1.73	6	<10	80	0.6	<2	1.42	<0.5	15	30	59	3.49
CC99976		0.22	0.001	0.2	1.41	85	<10	50	0.5	<2	2.24	<0.5	9	23	38	2.69
CC99977		0.32	<0.001	<0.2	1.71	113	<10	50	0.5	<2	1.09	<0.5	12	29	36	3.64
CC99978		0.38	0.003	<0.2	2.55	6	<10	90	0.6	2	0.57	<0.5	14	35	29	3.98
CC99979		0.32	0.005	<0.2	2.56	5	<10	70	0.7	2	0.49	<0.5	16	36	35	4.08
CC99980		0.24	<0.001	0.2	2.30	8	<10	60	0.6	2	0.95	<0.5	13	34	37	3.54
CC99981		0.20	<0.001	0.3	2.01	5	<10	80	0.6	4	1.88	0.7	11	30	46	2.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99641		10	<1	0.22	20	0.68	259	<1	0.01	26	430	11	<0.01	<2	3	26
CC99642		10	<1	0.14	20	0.39	169	<1	0.01	17	430	10	<0.01	<2	2	32
CC99643		10	<1	0.21	20	0.65	334	<1	0.02	33	460	12	0.03	<2	4	57
CC99644		10	<1	0.26	20	0.83	361	<1	0.02	33	300	9	0.03	<2	4	68
CC99645		10	<1	0.26	20	0.81	348	<1	0.03	44	320	10	<0.01	<2	5	116
CC99646		10	<1	0.23	20	0.64	611	<1	0.02	28	260	12	<0.01	<2	4	55
CC99647		10	<1	0.17	20	0.45	1050	<1	0.12	44	710	8	0.02	2	4	207
CC99648		10	<1	0.19	20	0.60	441	<1	0.04	26	300	10	<0.01	<2	3	65
CC99649		<10	<1	0.29	20	0.62	591	<1	0.09	29	750	9	0.01	<2	4	179
CC99650		10	<1	0.20	20	0.62	508	<1	0.05	24	740	11	0.06	<2	3	119
CC99951		10	<1	0.17	30	0.71	635	<1	0.05	29	780	19	0.03	<2	3	109
CC99952		10	<1	0.16	30	0.63	500	<1	0.04	26	800	15	0.11	<2	2	152
CC99953		10	<1	0.19	20	0.62	492	<1	0.04	23	610	14	0.04	<2	3	95
CC99954		<10	<1	0.27	20	0.61	248	<1	0.03	24	740	13	0.06	<2	3	101
CC99955		10	<1	0.27	20	0.58	561	<1	0.04	20	760	13	0.03	2	3	103
CC99956		<10	1	0.32	20	0.70	844	<1	0.06	30	730	13	0.09	<2	3	166
CC99957		10	<1	0.27	20	0.67	418	<1	0.05	27	590	9	0.07	<2	3	143
CC99958		<10	<1	0.20	20	0.46	353	<1	0.04	19	740	8	0.09	<2	2	184
CC99959		10	<1	0.34	20	0.70	355	<1	0.04	24	490	11	0.02	3	4	111
CC99960		10	<1	0.23	20	0.55	447	1	0.02	25	570	12	0.11	<2	2	131
CC99961		<10	1	0.27	50	0.58	335	<1	0.02	24	660	9	0.07	<2	2	112
CC99962		10	1	0.35	40	0.63	340	<1	0.01	27	700	8	0.06	<2	3	84
CC99963		10	<1	0.29	30	0.59	457	<1	0.01	23	660	13	0.02	<2	3	49
CC99965		<10	<1	0.11	40	0.41	899	<1	0.01	22	810	19	0.04	<2	1	50
CC99966		<10	<1	0.11	20	0.34	291	<1	0.01	15	480	12	0.02	<2	1	26
CC99967		<10	1	0.15	10	0.56	133	<1	<0.01	18	220	11	0.01	<2	1	17
CC99968		10	<1	0.19	20	0.48	577	<1	<0.01	18	430	11	0.02	<2	2	37
CC99969		<10	<1	0.13	30	0.43	1070	<1	0.01	20	1020	15	0.06	<2	1	42
CC99970		<10	1	0.16	30	0.54	550	<1	0.01	30	890	13	0.04	<2	2	62
CC99971		10	<1	0.34	20	0.72	326	<1	0.03	24	540	9	0.02	<2	3	56
CC99972		10	<1	0.13	20	0.52	373	<1	0.03	26	220	13	0.03	<2	3	55
CC99973		10	<1	0.22	20	0.63	264	<1	0.01	55	290	10	0.04	<2	3	71
CC99974		10	1	0.20	30	0.87	285	<1	0.05	43	170	24	0.02	<2	4	73
CC99975		10	<1	0.24	20	0.72	727	1	0.01	42	860	11	0.06	<2	3	71
CC99976		<10	1	0.11	30	0.47	264	1	0.02	27	750	13	0.13	<2	2	148
CC99977		<10	1	0.20	40	0.66	348	<1	0.01	34	930	17	0.07	<2	3	90
CC99978		10	1	0.24	40	0.87	389	<1	0.03	34	720	24	0.04	<2	3	75
CC99979		10	1	0.15	40	0.88	457	<1	0.02	35	620	31	0.03	<2	3	62
CC99980		10	<1	0.18	30	0.76	398	<1	0.06	31	740	28	0.04	<2	3	106
CC99981		10	<1	0.14	20	0.56	822	<1	0.07	24	730	20	0.07	<2	3	146



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99641		<20	0.08	<10	<10	38	<10	212
CC99642		<20	0.06	<10	<10	35	<10	150
CC99643		<20	0.09	<10	<10	50	<10	250
CC99644		<20	0.08	<10	<10	41	<10	447
CC99645		<20	0.08	<10	<10	46	10	414
CC99646		<20	0.08	<10	<10	40	30	964
CC99647		<20	0.06	<10	<10	31	20	599
CC99648		<20	0.08	<10	<10	34	30	518
CC99649		<20	0.08	<10	<10	30	10	837
CC99650		<20	0.06	<10	<10	25	20	778
CC99951		<20	0.04	<10	<10	26	<10	343
CC99952		<20	0.04	<10	<10	24	<10	358
CC99953		<20	0.05	<10	<10	26	<10	346
CC99954		<20	0.06	<10	<10	30	<10	352
CC99955		<20	0.06	<10	<10	26	<10	308
CC99956		<20	0.05	<10	<10	30	<10	578
CC99957		<20	0.05	<10	<10	27	<10	354
CC99958		<20	0.03	<10	<10	19	<10	245
CC99959		<20	0.07	<10	<10	29	<10	157
CC99960		<20	0.05	<10	<10	22	<10	176
CC99961		<20	0.05	<10	<10	23	<10	224
CC99962		<20	0.06	<10	<10	24	<10	179
CC99963		<20	0.06	<10	<10	25	<10	404
CC99965		<20	0.04	<10	<10	23	<10	317
CC99966		<20	0.04	<10	<10	21	<10	171
CC99967		<20	0.08	<10	<10	23	<10	59
CC99968		<20	0.05	<10	<10	23	<10	88
CC99969		<20	0.03	<10	<10	20	<10	123
CC99970		<20	0.04	<10	<10	22	<10	162
CC99971		<20	0.08	<10	<10	27	<10	135
CC99972		<20	0.06	<10	<10	27	<10	592
CC99973		<20	0.05	<10	<10	31	<10	165
CC99974		20	0.11	<10	<10	34	<10	83
CC99975		<20	0.08	<10	10	30	<10	74
CC99976		<20	0.02	<10	<10	20	<10	238
CC99977		<20	0.03	<10	<10	27	<10	299
CC99978		<20	0.04	<10	<10	27	<10	197
CC99979		<20	0.03	<10	<10	29	<10	196
CC99980		<20	0.04	<10	<10	31	<10	171
CC99981		<20	0.04	<10	<10	28	<10	191



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 7 - A
 Total # Pages: 7 (A - C)
 Finalized Date: 21- AUG- 2010
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99982		0.20	<0.001	0.2	2.45	10	<10	70	0.7	3	1.26	0.9	14	34	71	3.76
CC99983		0.24	<0.001	0.3	2.73	9	<10	70	0.8	6	1.62	3.7	17	32	109	4.11
CC99984		0.24	<0.001	0.3	2.26	7	<10	70	0.7	4	1.20	2.8	14	30	74	3.36
CC99985		0.34	<0.001	0.4	3.14	9	<10	80	0.8	7	1.01	2.7	20	39	89	4.33
CC99986		0.34	<0.001	0.2	2.74	16	<10	70	0.7	8	0.73	2.5	25	35	59	4.06
CC99987		0.34	0.001	0.2	3.08	6	<10	100	0.7	12	1.10	2.8	19	43	52	3.75
CC99988		0.30	<0.001	<0.2	2.15	5	<10	50	0.6	2	0.32	1.1	9	32	24	2.90
CC99989		0.26	<0.001	<0.2	3.28	10	<10	110	0.8	6	0.43	1.3	16	47	44	4.14
CC99990		0.22	0.003	0.2	2.86	<2	<10	70	1.0	11	0.47	2.2	23	40	80	3.57



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - C)
Finalized Date: 21- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99982		10	<1	0.18	30	0.73	614	<1	0.07	29	720	25	0.07	<2	3	130
CC99983		10	1	0.15	30	0.69	1010	<1	0.09	34	1010	21	0.07	<2	4	200
CC99984		10	1	0.16	30	0.63	703	<1	0.07	28	860	17	0.05	<2	3	139
CC99985		10	<1	0.18	20	0.73	844	<1	0.10	39	680	20	0.04	<2	3	175
CC99986		<10	1	0.22	20	0.75	759	<1	0.05	44	590	22	0.03	<2	3	98
CC99987		10	1	0.28	20	0.83	827	<1	0.08	47	580	13	0.03	<2	4	154
CC99988		10	<1	0.09	20	0.68	274	<1	0.02	26	310	10	0.02	<2	3	54
CC99989		10	<1	0.25	20	0.91	596	<1	0.03	42	470	11	0.03	<2	4	86
CC99990		10	1	0.19	20	0.76	649	1	0.02	29	650	16	0.04	<2	3	75



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
 Total # Pages: 7 (A - C)
 Finalized Date: 21- AUG- 2010
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109961

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Tl	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99982		<20	0.04	<10	<10	35	<10	473
CC99983		<20	0.04	<10	<10	36	<10	1320
CC99984		<20	0.04	<10	<10	32	10	985
CC99985		<20	0.05	<10	<10	39	<10	1795
CC99986		<20	0.06	<10	<10	35	10	2280
CC99987		<20	0.08	<10	<10	42	10	2120
CC99988		<20	0.06	<10	<10	34	<10	596
CC99989		<20	0.09	<10	<10	49	<10	1080
CC99990		<20	0.06	<10	<10	39	<10	936



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22- AUG- 2010
Account: MTT

CERTIFICATE VA10109962

Project: SAYYEA

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Vancouver, BC, Canada on 9- AUG- 2010.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC99991		0.26	<0.001	<0.2	3.95	2	<10	150	0.9	4	0.45	0.7	14	51	48	3.86
CC99992		0.26	<0.001	<0.2	3.06	<2	<10	110	0.7	3	0.38	1.0	12	44	40	3.38
CC99993		0.30	0.001	0.5	3.40	<2	<10	100	0.9	5	0.64	1.3	14	39	61	3.29
CC99994		0.22	0.001	0.8	2.95	7	<10	70	1.4	3	0.55	2.0	19	27	84	3.28
CC99995		0.38	<0.001	<0.2	2.31	5	<10	60	0.6	2	0.30	<0.5	10	28	30	2.87
CC99996		0.32	<0.001	<0.2	2.72	3	<10	80	0.7	4	0.35	0.9	19	37	37	3.30
CC99997		0.20	<0.001	0.5	1.81	4	<10	50	0.6	<2	0.20	<0.5	10	21	30	2.22
CC99998		0.30	<0.001	0.5	2.18	5	<10	70	0.6	<2	0.29	0.5	11	25	28	2.81
CC99999		0.26	<0.001	0.4	2.28	5	<10	80	0.9	<2	0.25	0.8	12	27	35	3.00
CC100000		0.32	<0.001	0.2	3.07	4	<10	120	1.1	<2	0.34	<0.5	12	34	42	3.52
CC100501		0.26	<0.001	<0.2	1.52	3	<10	60	0.5	<2	0.42	<0.5	13	21	13	2.89
CC100502		0.18	<0.001	<0.2	1.51	3	<10	60	<0.5	5	0.09	<0.5	13	25	8	2.85
CC100503		0.16	0.002	0.3	1.35	<2	<10	90	0.7	<2	1.54	1.0	17	18	142	2.12
CC100504		0.20	<0.001	0.2	1.58	2	<10	70	<0.5	<2	0.08	<0.5	13	21	7	3.20
CC100505		0.20	<0.001	<0.2	1.67	2	<10	60	0.8	2	0.21	<0.5	15	33	27	3.00
CC100506		0.30	<0.001	<0.2	1.70	6	<10	80	0.5	<2	0.99	<0.5	13	27	26	2.94
CC100507		0.36	<0.001	0.2	1.78	8	<10	60	<0.5	<2	0.57	<0.5	13	24	19	3.27
CC100508		0.32	0.001	0.3	2.04	8	<10	90	0.5	<2	0.65	<0.5	13	30	29	3.55
CC100509		0.24	<0.001	0.3	2.39	6	<10	80	0.5	<2	0.74	<0.5	14	29	32	3.92
CC100510		0.24	<0.001	0.4	2.31	5	<10	70	0.6	2	0.67	<0.5	14	31	29	3.61
CC100511		0.26	<0.001	0.4	2.19	6	<10	60	0.6	3	0.87	<0.5	13	31	40	3.45
CC100512		0.16	<0.001	0.4	2.53	8	<10	70	0.7	3	1.33	<0.5	14	37	53	3.75
CC100513		0.24	0.001	0.3	2.65	6	<10	60	0.7	5	1.40	1.3	15	36	80	3.85
CC100514		0.20	<0.001	0.4	3.01	5	<10	60	0.8	8	1.49	2.4	18	35	90	3.87
CC100515		0.26	<0.001	0.5	2.89	4	<10	70	0.7	6	0.71	1.5	20	35	80	3.88
CC100516		0.28	0.001	0.5	3.89	7	<10	110	0.9	12	1.26	3.2	26	45	98	4.64
CC100517		0.22	0.001	0.4	3.42	6	<10	110	0.8	12	1.06	5.8	23	48	84	4.20
CC100518		0.20	0.001	0.5	3.03	4	<10	80	0.8	20	0.67	6.8	30	42	79	3.99
CC100519		0.24	<0.001	0.2	3.76	4	<10	130	0.9	7	0.69	2.6	18	55	51	4.10
CC100520		0.34	<0.001	0.2	4.09	4	<10	120	0.9	2	0.78	1.3	20	54	51	4.27
CC100651		0.26	<0.001	<0.2	1.60	4	<10	70	0.5	2	0.15	<0.5	14	21	18	2.68
CC100652		0.26	<0.001	0.2	1.73	8	<10	60	0.5	<2	0.18	<0.5	10	24	12	3.14
CC100653		0.32	<0.001	<0.2	1.54	5	<10	40	<0.5	<2	0.15	<0.5	11	21	18	2.95
CC100654		0.22	<0.001	0.2	1.88	7	<10	30	0.8	<2	0.13	<0.5	11	21	9	3.72
CC100655		0.26	<0.001	<0.2	1.57	4	<10	70	0.5	<2	0.07	<0.5	13	21	8	2.92
CC100601		0.40	<0.001	0.2	1.50	7	<10	70	<0.5	<2	0.11	<0.5	9	22	7	3.10
CC100602		0.32	<0.001	<0.2	1.05	5	<10	50	<0.5	<2	0.07	<0.5	6	16	6	2.18
CC100603		0.34	<0.001	<0.2	0.91	5	<10	40	<0.5	<2	0.08	<0.5	6	13	5	1.79
CC100604		0.14	<0.001	0.3	1.53	3	<10	80	0.9	<2	0.38	0.9	21	13	31	1.99
CC100605		0.22	<0.001	<0.2	2.34	5	<10	80	0.8	<2	0.32	<0.5	13	28	30	3.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC99991		10	<1	0.42	20	1.10	418	<1	0.03	40	380	10	0.02	<2	5	126
CC99992		10	<1	0.32	20	0.95	367	<1	0.02	30	390	11	0.02	<2	4	81
CC99993		10	1	0.29	20	0.82	500	<1	0.02	30	700	11	0.04	<2	3	104
CC99994		10	<1	0.16	20	0.51	1600	1	0.01	22	1090	23	0.06	<2	1	66
CC99995		10	<1	0.28	20	0.76	291	<1	0.01	25	480	8	0.01	<2	3	59
CC99996		10	<1	0.33	20	0.82	669	<1	0.02	28	510	11	0.03	<2	3	69
CC99997		10	<1	0.22	10	0.47	278	<1	0.02	22	450	8	0.02	<2	1	40
CC99998		10	<1	0.30	20	0.65	309	1	0.01	24	650	8	0.02	<2	2	54
CC99999		10	<1	0.19	20	0.61	490	<1	0.01	22	550	19	0.01	<2	2	48
CC100000		10	<1	0.28	30	0.81	365	<1	0.02	28	420	16	0.02	<2	3	80
CC100501		10	<1	0.10	20	0.42	608	1	0.01	18	220	14	0.02	<2	2	28
CC100502		10	<1	0.13	10	0.46	540	<1	0.01	11	160	11	0.01	<2	2	13
CC100503		10	<1	0.14	30	0.29	1155	1	0.02	63	660	10	0.07	<2	2	76
CC100504		10	<1	0.09	10	0.39	421	1	<0.01	12	280	11	<0.01	<2	2	43
CC100505		10	1	0.18	10	0.53	385	1	0.01	24	310	15	0.01	<2	2	23
CC100506		<10	<1	0.16	20	0.56	423	1	0.03	25	610	14	0.22	<2	3	95
CC100507		<10	<1	0.07	40	0.67	319	<1	0.01	27	800	18	0.03	<2	2	52
CC100508		10	<1	0.10	30	0.74	488	1	0.01	34	600	17	0.02	<2	3	56
CC100509		10	<1	0.11	50	0.84	517	<1	0.01	37	690	25	0.04	<2	3	71
CC100510		10	<1	0.14	40	0.79	517	<1	0.02	35	690	28	0.04	<2	3	65
CC100511		10	<1	0.23	30	0.70	412	<1	0.06	29	750	24	0.03	<2	3	92
CC100512		10	1	0.21	30	0.75	498	<1	0.08	29	670	27	0.05	<2	3	140
CC100513		10	<1	0.25	20	0.78	756	<1	0.10	30	880	24	0.05	<2	4	169
CC100514		10	1	0.16	20	0.74	825	<1	0.10	27	890	19	0.06	<2	3	196
CC100515		10	1	0.18	20	0.74	613	<1	0.06	37	580	22	0.03	<2	3	122
CC100516		10	<1	0.38	20	0.94	1100	1	0.11	53	1110	18	0.04	<2	4	232
CC100517		10	<1	0.31	20	0.83	1365	1	0.07	38	1040	16	0.05	<2	3	145
CC100518		10	<1	0.19	20	0.74	1230	1	0.04	34	850	13	0.05	<2	3	93
CC100519		10	1	0.29	20	1.01	699	<1	0.05	42	610	9	0.03	<2	4	117
CC100520		10	1	0.46	20	1.11	593	<1	0.06	47	650	11	0.03	<2	5	140
CC100651		<10	<1	0.10	20	0.48	386	1	0.01	14	170	11	0.01	<2	2	23
CC100652		10	<1	0.20	10	0.60	201	<1	0.01	21	270	10	0.01	<2	2	24
CC100653		<10	<1	0.19	20	0.53	231	<1	0.01	22	180	9	<0.01	<2	2	19
CC100654		10	<1	0.09	10	0.33	155	1	0.01	18	530	33	0.01	<2	2	13
CC100655		10	<1	0.16	10	0.45	207	<1	<0.01	20	140	14	<0.01	<2	2	16
CC100601		10	<1	0.13	20	0.48	478	1	<0.01	14	560	18	0.01	<2	2	15
CC100602		10	<1	0.11	20	0.35	250	1	<0.01	9	330	15	0.01	<2	1	13
CC100603		10	<1	0.11	20	0.31	135	1	<0.01	10	240	10	0.01	<2	1	16
CC100604		<10	<1	0.10	50	0.26	2790	1	0.02	16	920	14	0.03	<2	1	48
CC100605		10	<1	0.26	40	0.68	532	<1	0.01	25	740	11	0.01	<2	3	53



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 6 (A - C)
 Finalized Date: 22- AUG- 2010
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC99991		<20	0.07	<10	<10	42	<10	686
CC99992		<20	0.06	<10	<10	37	<10	480
CC99993		<20	0.05	<10	<10	34	10	583
CC99994		<20	0.04	<10	<10	34	<10	404
CC99995		<20	0.06	<10	<10	25	<10	224
CC99996		<20	0.06	<10	<10	34	<10	417
CC99997		<20	0.04	<10	<10	22	<10	166
CC99998		<20	0.05	<10	<10	23	<10	183
CC99999		<20	0.05	<10	<10	28	<10	261
CC100000		<20	0.06	<10	<10	33	<10	254
CC100501		<20	0.07	<10	<10	30	<10	113
CC100502		<20	0.09	<10	<10	37	<10	182
CC100503		<20	0.05	<10	<10	18	<10	163
CC100504		<20	0.07	<10	<10	40	<10	449
CC100505		<20	0.08	<10	<10	28	<10	307
CC100506		<20	0.05	<10	<10	23	<10	142
CC100507		<20	0.02	<10	<10	16	<10	187
CC100508		<20	0.03	<10	<10	25	<10	142
CC100509		<20	0.02	<10	<10	19	<10	179
CC100510		<20	0.03	<10	<10	22	<10	193
CC100511		<20	0.04	<10	<10	28	<10	166
CC100512		<20	0.05	<10	<10	33	<10	301
CC100513		<20	0.04	<10	<10	37	<10	610
CC100514		<20	0.04	<10	<10	37	<10	1555
CC100515		<20	0.05	<10	<10	35	<10	1710
CC100516		<20	0.07	<10	<10	42	<10	3750
CC100517		<20	0.07	<10	<10	43	10	2060
CC100518		<20	0.07	<10	<10	44	<10	2730
CC100519		<20	0.09	<10	<10	51	10	1770
CC100520		<20	0.08	<10	<10	49	<10	912
CC100651		<20	0.06	<10	<10	32	<10	103
CC100652		<20	0.07	<10	<10	26	<10	77
CC100653		<20	0.06	<10	<10	21	<10	61
CC100654		<20	0.05	<10	<10	24	<10	53
CC100655		<20	0.05	<10	<10	25	<10	74
CC100601		<20	0.07	<10	<10	32	<10	95
CC100602		<20	0.07	<10	<10	27	<10	78
CC100603		<20	0.05	<10	<10	19	<10	54
CC100604		<20	0.03	<10	<10	17	<10	207
CC100605		<20	0.06	<10	<10	27	<10	160



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC100606		0.28	<0.001	0.2	1.85	9	<10	60	0.7	<2	0.20	<0.5	13	22	18	3.22
CC100607		0.28	<0.001	0.2	2.31	4	<10	70	0.6	<2	0.29	<0.5	12	34	16	3.55
CC100608		0.26	0.010	<0.2	2.24	4	<10	80	0.6	2	0.45	<0.5	17	31	31	3.85
CC100609		0.22	<0.001	0.2	1.99	5	<10	80	0.7	<2	0.89	<0.5	12	22	23	2.92
CC100610		0.28	<0.001	0.2	2.50	5	<10	80	0.6	<2	1.14	<0.5	14	35	23	3.63
CC100611		0.22	<0.001	<0.2	2.13	7	<10	70	0.6	<2	0.97	<0.5	14	31	21	3.54
CC100612		0.20	0.003	<0.2	1.75	3	<10	30	1.3	2	0.42	<0.5	10	29	10	3.24
CC100521		0.26	<0.001	0.5	3.66	2	<10	110	0.9	3	0.82	2.1	19	48	62	3.60
CC100522		0.16	<0.001	0.7	3.51	<2	<10	120	0.9	4	0.74	1.2	15	40	63	3.42
CC100523		0.20	<0.001	0.5	3.53	5	<10	120	0.8	2	0.54	<0.5	17	45	55	3.69
CC100524		0.22	<0.001	0.2	3.31	2	<10	80	0.6	3	0.32	0.5	12	42	36	3.37
CC100525		0.20	<0.001	0.3	3.56	<2	<10	90	0.8	<2	0.54	<0.5	15	39	52	3.47
CC100526		0.26	<0.001	0.4	2.81	4	<10	70	0.7	2	0.31	0.8	11	34	34	2.99
CC100527		0.34	<0.001	0.4	1.58	8	<10	40	0.6	<2	0.23	1.0	8	19	24	2.25
CC100528		0.18	0.002	0.4	3.28	8	<10	100	1.1	2	0.32	1.1	14	36	62	3.80
CC100529		0.22	<0.001	0.4	1.60	3	<10	60	0.5	<2	0.14	0.5	10	18	14	2.29
CC100530		0.20	<0.001	<0.2	1.85	4	<10	80	0.7	<2	0.16	<0.5	12	20	20	2.52
CC100531		0.24	<0.001	<0.2	2.32	5	<10	70	0.6	<2	0.21	<0.5	11	27	16	3.19
CC100532		0.20	<0.001	<0.2	2.08	4	<10	50	0.5	2	0.16	<0.5	12	27	24	2.92
CC100533		0.26	0.001	0.2	1.81	8	<10	60	0.5	<2	0.16	<0.5	11	22	18	2.77
CC100534		0.26	<0.001	<0.2	2.21	5	<10	50	0.6	<2	0.33	<0.5	12	25	27	2.85
CC100535		0.28	<0.001	<0.2	1.32	10	<10	40	<0.5	2	0.09	<0.5	8	18	8	2.65
CC100536		0.22	0.001	<0.2	1.49	10	<10	40	<0.5	<2	0.13	<0.5	9	20	11	2.73
CC100537		0.18	<0.001	0.3	2.33	8	<10	100	1.0	<2	0.49	<0.5	18	25	36	3.30
CC100538		0.20	<0.001	0.3	1.93	9	<10	70	0.7	<2	0.56	<0.5	12	22	20	2.94
CC100539		0.22	<0.001	0.3	2.38	9	<10	100	0.8	<2	0.70	<0.5	14	28	27	3.59
CC100540		0.22	<0.001	0.2	2.24	9	<10	90	0.6	<2	0.65	<0.5	12	29	23	3.56
CC100541		0.26	0.003	0.2	1.64	8	<10	70	0.7	<2	0.51	0.5	15	21	20	2.77
CC100542		0.18	<0.001	0.4	1.84	7	<10	80	0.5	<2	1.19	<0.5	10	25	28	2.87
CC100543		0.24	0.001	0.2	1.58	13	<10	40	<0.5	<2	0.36	<0.5	13	21	15	3.42
CC100544		0.28	0.003	<0.2	4.76	5	<10	60	1.5	<2	6.46	<0.5	16	57	71	4.75
CC100545		0.24	<0.001	<0.2	3.39	<2	<10	50	0.8	<2	0.89	<0.5	18	67	23	5.09
CC100546		0.28	0.001	<0.2	1.22	10	<10	30	<0.5	2	0.16	<0.5	10	16	13	3.50
CC100547		0.20	<0.001	<0.2	1.80	8	<10	40	1.1	4	0.52	<0.5	8	33	44	3.95
CC100548		0.30	0.001	<0.2	1.46	8	<10	60	<0.5	<2	0.09	<0.5	9	24	9	3.26
CC100549		0.22	<0.001	<0.2	1.25	10	<10	40	<0.5	<2	0.25	<0.5	9	17	12	2.46
CC100550		0.24	<0.001	0.2	1.77	9	<10	70	0.5	<2	0.13	<0.5	12	23	14	3.13
CC100579		0.22	<0.001	<0.2	3.94	8	<10	80	2.5	<2	0.15	<0.5	18	53	26	4.85
CC100580		0.16	<0.001	0.4	3.88	8	<10	60	3.0	<2	0.22	<0.5	20	43	27	3.39
CC100581		0.20	<0.001	0.2	2.95	2	<10	70	1.5	<2	0.13	<0.5	18	41	27	4.33



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC100606		10	<1	0.14	30	0.49	581	1	<0.01	20	390	14	0.01	<2	2	23
CC100607		10	<1	0.18	20	0.75	277	<1	0.03	25	260	11	0.01	<2	4	70
CC100608		10	<1	0.30	30	0.74	639	2	0.02	37	410	26	0.01	<2	4	66
CC100609		10	<1	0.22	30	0.58	407	1	0.01	27	680	15	0.04	<2	2	72
CC100610		10	<1	0.31	20	0.81	446	<1	0.08	31	520	11	0.03	<2	4	115
CC100611		10	<1	0.23	20	0.72	386	1	0.04	28	580	13	0.02	<2	4	88
CC100612		10	<1	0.11	10	0.46	177	1	0.02	14	200	11	0.02	<2	3	38
CC100521		10	<1	0.35	20	0.97	687	<1	0.04	32	720	13	0.04	<2	4	138
CC100522		10	<1	0.28	20	0.83	482	1	0.02	31	900	12	0.06	<2	3	121
CC100523		10	<1	0.33	20	0.94	544	<1	0.02	35	630	12	0.03	<2	4	133
CC100524		10	<1	0.34	20	0.94	315	<1	0.01	30	200	9	0.01	<2	4	88
CC100525		10	<1	0.38	20	0.92	458	<1	0.02	31	610	10	0.03	<2	4	123
CC100526		10	<1	0.26	20	0.77	331	1	0.02	25	390	8	0.02	<2	3	69
CC100527		10	<1	0.16	20	0.42	243	1	0.01	16	470	11	0.02	<2	1	38
CC100528		10	1	0.40	20	0.80	401	1	0.01	33	700	12	0.03	<2	3	66
CC100529		10	<1	0.13	20	0.35	638	1	0.01	12	310	23	0.01	<2	1	32
CC100530		<10	<1	0.15	20	0.44	574	1	0.01	14	640	18	0.01	<2	2	35
CC100531		10	<1	0.21	20	0.77	240	<1	0.01	27	400	9	0.01	<2	3	36
CC100532		10	<1	0.24	20	0.73	276	<1	0.01	22	390	8	0.01	<2	2	39
CC100533		10	<1	0.22	20	0.60	297	<1	0.01	24	480	12	0.01	<2	2	30
CC100534		10	1	0.30	30	0.70	232	1	0.01	23	710	5	0.01	<2	3	63
CC100535		<10	<1	0.13	20	0.49	184	1	0.01	15	370	12	0.01	<2	1	17
CC100536		10	<1	0.12	20	0.52	202	<1	<0.01	19	380	12	0.01	<2	2	21
CC100537		<10	<1	0.16	40	0.53	1015	1	0.01	29	650	14	0.03	<2	2	37
CC100538		10	<1	0.20	30	0.58	611	<1	0.01	25	710	11	0.02	<2	2	50
CC100539		10	<1	0.22	30	0.70	533	<1	0.03	32	510	14	0.02	<2	3	88
CC100540		10	<1	0.24	20	0.75	417	<1	0.02	29	560	13	0.02	<2	3	61
CC100541		<10	<1	0.16	20	0.47	1075	1	0.01	21	470	15	0.02	<2	2	47
CC100542		10	<1	0.21	30	0.63	343	<1	0.03	26	690	9	0.05	<2	2	90
CC100543		10	<1	0.17	20	0.50	260	1	0.01	24	260	20	0.02	<2	2	24
CC100544		20	<1	0.50	30	0.97	528	<1	0.32	59	760	11	0.05	<2	8	660
CC100545		10	<1	0.18	20	1.19	773	<1	0.20	38	180	10	0.02	<2	9	144
CC100546		10	<1	0.10	10	0.39	161	1	0.01	22	270	10	0.01	<2	1	17
CC100547		10	<1	0.22	10	0.39	183	<1	0.01	20	340	7	0.03	<2	2	107
CC100548		10	<1	0.10	20	0.48	265	1	<0.01	15	240	14	0.01	<2	2	23
CC100549		<10	<1	0.09	20	0.44	294	1	<0.01	22	380	13	0.01	<2	2	21
CC100550		10	<1	0.18	20	0.56	354	1	<0.01	25	260	14	0.01	<2	2	22
CC100579		20	<1	0.39	20	1.02	294	1	0.01	39	340	10	0.03	<2	6	62
CC100580		10	<1	0.36	20	0.79	425	1	0.02	42	500	11	0.05	<2	4	66
CC100581		10	<1	0.29	20	0.87	225	1	0.02	33	260	10	0.07	<2	4	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC100606		<20	0.05	<10	<10	29	<10	170
CC100607		<20	0.08	<10	<10	35	<10	92
CC100608		<20	0.07	<10	<10	30	<10	105
CC100609		<20	0.05	<10	<10	22	<10	91
CC100610		<20	0.09	<10	<10	33	<10	82
CC100611		<20	0.08	<10	<10	29	<10	84
CC100612		<20	0.09	<10	<10	43	<10	175
CC100521		<20	0.07	<10	<10	42	<10	657
CC100522		<20	0.05	<10	<10	35	<10	725
CC100523		<20	0.06	<10	<10	38	<10	635
CC100524		<20	0.07	<10	<10	34	<10	405
CC100525		<20	0.06	<10	<10	32	10	491
CC100526		<20	0.05	<10	<10	29	<10	368
CC100527		<20	0.03	<10	<10	19	<10	177
CC100528		<20	0.06	<10	<10	33	<10	437
CC100529		<20	0.05	<10	<10	29	<10	154
CC100530		<20	0.06	<10	<10	27	<10	140
CC100531		<20	0.06	<10	<10	25	<10	103
CC100532		<20	0.05	<10	<10	23	<10	128
CC100533		<20	0.05	<10	<10	22	<10	97
CC100534		<20	0.05	<10	<10	21	<10	136
CC100535		<20	0.05	<10	<10	22	<10	85
CC100536		<20	0.04	<10	<10	22	<10	80
CC100537		<20	0.04	<10	<10	26	<10	96
CC100538		<20	0.04	<10	<10	22	<10	83
CC100539		<20	0.06	<10	<10	28	<10	109
CC100540		<20	0.06	<10	<10	28	<10	99
CC100541		<20	0.06	<10	<10	26	<10	198
CC100542		<20	0.06	<10	<10	24	<10	64
CC100543		<20	0.05	<10	<10	24	<10	60
CC100544		<20	0.13	<10	<10	57	<10	75
CC100545		<20	0.17	<10	<10	61	<10	86
CC100546		<20	0.05	<10	<10	26	<10	50
CC100547		<20	0.02	<10	<10	35	<10	193
CC100548		<20	0.09	<10	<10	40	<10	88
CC100549		<20	0.03	<10	<10	15	<10	59
CC100550		<20	0.05	<10	<10	24	<10	87
CC100579		<20	0.09	<10	<10	46	<10	250
CC100580		<20	0.07	<10	<10	33	<10	195
CC100581		<20	0.09	<10	<10	37	<10	196



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC100582		0.20	<0.001	0.3	2.72	6	<10	80	1.8	<2	0.25	0.6	14	36	20	3.84
CC100583		0.18	0.001	0.2	2.07	4	<10	50	4.6	<2	0.48	1.1	18	32	94	4.47
CC100584		0.22	<0.001	<0.2	1.70	2	<10	90	0.8	<2	0.09	<0.5	6	31	25	3.46
CC100585		0.20	<0.001	<0.2	2.37	4	<10	70	6.4	2	0.97	1.6	12	38	51	3.80
CC100586		0.20	<0.001	<0.2	2.61	3	<10	70	4.9	2	0.88	1.1	14	32	55	3.65
CC100587		0.18	<0.001	<0.2	3.38	4	<10	30	2.2	5	0.58	1.2	15	24	24	4.36
CC100588		0.14	<0.001	<0.2	1.99	<2	<10	100	3.5	4	0.44	2.3	10	24	18	3.47
CC100589		0.24	<0.001	0.2	3.70	6	<10	60	4.5	16	0.84	1.2	11	43	146	6.21
CC100590		0.16	<0.001	<0.2	2.91	17	<10	40	3.4	8	0.29	0.5	11	44	46	4.26
CC100591		0.16	<0.001	0.2	2.32	4	<10	70	2.8	5	0.22	4.0	20	40	26	4.42
CC100592		0.18	<0.001	0.3	1.09	2	<10	90	1.0	23	0.17	<0.5	6	21	90	5.15
CC100593		0.20	<0.001	<0.2	2.17	3	<10	70	2.1	6	0.15	<0.5	16	31	24	3.70
CC100594		0.18	<0.001	0.2	2.00	7	<10	70	2.2	4	0.19	<0.5	9	29	33	3.37
CC100595		0.18	<0.001	0.4	1.44	152	<10	40	1.3	3	0.08	<0.5	16	21	20	2.94
CC100596		0.22	<0.001	0.6	0.83	8	<10	50	<0.5	3	0.11	<0.5	4	13	8	1.62
CC100597		0.20	<0.001	0.3	1.28	4	<10	50	0.6	<2	0.11	<0.5	6	19	9	2.13
CC100598		0.28	<0.001	<0.2	1.46	7	<10	50	0.5	<2	0.06	<0.5	6	24	8	2.87
CC100599		0.20	<0.001	<0.2	1.87	17	<10	60	0.9	2	0.15	<0.5	10	32	28	3.31
CC100600		0.28	<0.001	<0.2	1.84	9	<10	50	1.2	2	0.13	<0.5	19	29	22	3.67
CC100701		0.18	0.001	<0.2	2.28	7	<10	60	1.8	4	0.19	<0.5	18	34	49	3.56
CC100702		0.18	<0.001	<0.2	1.58	6	<10	50	0.8	2	0.13	<0.5	17	25	14	3.00
CC100703		0.12	<0.001	0.4	1.45	4	<10	80	1.0	<2	0.16	<0.5	24	22	55	2.86
CC100704		0.16	<0.001	0.3	1.60	<2	<10	60	1.1	<2	0.20	<0.5	8	23	42	2.35
CC100705		0.18	<0.001	<0.2	1.16	4	<10	40	0.6	<2	0.13	<0.5	8	16	23	1.90
CC100706		0.20	<0.001	<0.2	0.81	2	<10	30	<0.5	<2	0.15	<0.5	5	12	6	1.47
CC100707		0.20	<0.001	<0.2	0.97	7	<10	50	<0.5	<2	0.19	<0.5	4	12	5	1.75
CC100708		0.24	<0.001	<0.2	1.93	14	<10	80	1.0	<2	0.18	<0.5	13	25	10	3.61
CC100709		0.16	<0.001	0.7	1.62	6	<10	110	1.3	<2	0.40	1.2	40	16	15	3.08
CC100710		0.22	<0.001	<0.2	1.37	<2	<10	50	<0.5	<2	0.19	<0.5	12	21	7	2.70
CC100711		0.18	<0.001	<0.2	1.64	5	<10	120	0.5	<2	0.33	<0.5	11	22	11	3.32
CC100712		0.18	<0.001	0.2	1.68	5	<10	90	0.6	<2	0.16	<0.5	13	27	9	3.74
CC100713		0.20	<0.001	0.2	1.79	7	<10	110	0.6	<2	0.27	<0.5	23	25	8	3.78
CC100714		0.16	<0.001	<0.2	2.40	2	<10	130	0.7	2	2.28	<0.5	11	32	19	3.02
CC100715		0.16	<0.001	<0.2	1.58	5	<10	60	<0.5	<2	0.68	<0.5	12	22	15	3.78
CC100716		0.18	<0.001	0.2	1.07	<2	<10	60	<0.5	<2	0.19	<0.5	8	21	12	3.07
CC100717		0.16	<0.001	0.2	1.29	3	<10	40	<0.5	<2	0.16	<0.5	7	21	9	2.68
CC100718		0.20	0.002	0.3	1.56	6	<10	50	0.7	<2	1.09	<0.5	10	22	53	3.12
CC100719		0.20	<0.001	0.3	1.52	3	<10	60	0.8	<2	1.88	<0.5	9	23	69	2.48
CC100720		0.18	<0.001	<0.2	1.34	6	<10	60	0.7	<2	1.63	<0.5	7	17	32	2.01
CC100721		0.22	0.001	0.5	2.48	8	<10	100	1.0	<2	0.69	<0.5	15	35	47	4.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC100582		10	<1	0.25	20	0.67	628	1	0.02	29	460	10	0.05	<2	3	59
CC100583		10	<1	0.20	40	0.67	442	2	0.02	31	630	16	0.10	<2	3	61
CC100584		10	<1	0.41	30	0.64	165	1	0.03	12	440	10	0.12	<2	3	69
CC100585		10	<1	0.08	30	0.67	1230	1	0.04	29	570	9	0.04	<2	4	114
CC100586		10	<1	0.10	30	0.59	1140	1	0.07	35	460	11	0.03	<2	4	135
CC100587		10	<1	0.03	20	0.34	757	1	0.08	31	590	12	0.05	<2	3	109
CC100588		10	<1	0.09	10	0.41	940	1	0.04	19	410	12	0.02	<2	2	78
CC100589		10	<1	0.23	10	0.70	536	3	0.02	34	520	5	0.05	<2	4	73
CC100590		10	<1	0.42	20	0.92	262	1	0.02	30	210	7	0.02	<2	5	65
CC100591		10	<1	0.21	10	0.67	615	1	0.02	22	240	9	0.03	<2	4	32
CC100592		10	<1	0.25	10	0.29	303	1	0.02	12	620	6	0.06	<2	2	24
CC100593		10	<1	0.29	10	0.68	521	1	0.02	23	260	10	0.03	<2	3	33
CC100594		10	<1	0.31	20	0.62	325	1	0.02	29	190	11	0.02	<2	3	78
CC100595		<10	<1	0.18	20	0.48	421	1	0.01	19	210	45	0.02	<2	2	27
CC100596		<10	<1	0.14	10	0.24	169	1	0.02	8	260	9	0.02	<2	1	37
CC100597		10	<1	0.16	10	0.39	179	1	0.02	14	280	10	0.01	2	1	19
CC100598		10	<1	0.30	20	0.57	189	1	0.01	13	170	7	0.01	<2	2	15
CC100599		10	<1	0.31	30	0.80	248	1	0.02	24	370	19	0.01	<2	3	23
CC100600		<10	<1	0.31	10	0.62	241	2	0.02	29	250	14	0.01	<2	2	32
CC100701		10	<1	0.30	20	0.74	229	2	0.02	42	290	11	0.02	<2	3	37
CC100702		10	<1	0.26	10	0.61	327	1	0.01	20	240	8	0.01	<2	2	22
CC100703		10	<1	0.28	10	0.41	333	2	0.02	28	400	21	0.02	<2	2	30
CC100704		10	<1	0.23	20	0.49	148	1	0.02	23	320	12	0.02	<2	2	26
CC100705		<10	<1	0.17	20	0.45	152	1	0.02	14	240	14	0.01	<2	1	21
CC100706		<10	<1	0.13	10	0.34	130	1	0.01	8	160	11	0.01	<2	1	20
CC100707		<10	<1	0.11	10	0.40	113	1	0.01	8	180	10	0.01	<2	1	22
CC100708		10	<1	0.20	10	0.54	393	2	0.02	20	390	26	0.01	<2	2	19
CC100709		10	<1	0.17	20	0.36	2160	2	0.02	18	340	42	0.02	<2	2	37
CC100710		10	<1	0.15	10	0.46	579	1	0.02	12	150	10	0.01	<2	2	22
CC100711		10	<1	0.14	10	0.48	889	1	0.02	14	340	14	0.05	<2	2	38
CC100712		10	<1	0.06	10	0.53	672	1	0.02	22	390	23	0.01	<2	3	19
CC100713		10	<1	0.11	10	0.49	898	2	0.02	19	190	17	0.01	<2	2	24
CC100714		<10	<1	0.23	10	0.92	747	1	0.04	23	190	10	0.02	<2	2	147
CC100715		10	<1	0.09	10	0.49	429	1	0.02	21	320	21	0.04	<2	2	47
CC100716		<10	<1	0.11	10	0.34	202	1	0.01	19	200	21	0.02	<2	1	19
CC100717		10	<1	0.10	10	0.38	141	<1	0.02	16	210	13	0.02	<2	2	21
CC100718		10	<1	0.20	30	0.52	328	<1	0.02	42	500	17	0.05	<2	3	64
CC100719		10	<1	0.22	20	0.46	274	<1	0.03	38	610	17	0.12	<2	2	93
CC100720		<10	<1	0.18	20	0.40	261	<1	0.04	23	470	10	0.10	<2	2	90
CC100721		10	<1	0.37	30	0.95	435	<1	0.04	44	580	21	0.04	3	4	71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41 Th ppm 20	ME- ICP41 Ti % 0.01	ME- ICP41 Tl ppm 10	ME- ICP41 U ppm 10	ME- ICP41 V ppm 1	ME- ICP41 W ppm 10	ME- ICP41 Zn ppm 2
CC100582		<20	0.07	<10	<10	36	<10	166
CC100583		<20	0.07	<10	<10	34	<10	595
CC100584		<20	0.11	<10	<10	40	<10	151
CC100585		<20	0.05	<10	<10	38	20	813
CC100586		<20	0.07	<10	<10	37	20	591
CC100587		<20	0.06	<10	<10	29	10	354
CC100588		<20	0.07	<10	<10	34	30	654
CC100589		<20	0.03	<10	<10	49	10	564
CC100590		<20	0.12	<10	<10	44	10	590
CC100591		<20	0.15	<10	<10	57	10	925
CC100592		<20	0.09	<10	<10	34	50	167
CC100593		<20	0.10	<10	<10	33	20	290
CC100594		<20	0.08	<10	<10	28	10	136
CC100595		<20	0.06	<10	<10	25	10	115
CC100596		<20	0.06	<10	<10	22	<10	73
CC100597		<20	0.05	<10	<10	22	<10	72
CC100598		<20	0.11	<10	<10	30	10	59
CC100599		<20	0.12	<10	<10	26	10	81
CC100600		<20	0.09	<10	<10	34	10	133
CC100701		<20	0.10	<10	<10	34	10	112
CC100702		<20	0.08	<10	<10	27	20	108
CC100703		<20	0.10	<10	<10	32	10	116
CC100704		<20	0.08	<10	<10	24	10	70
CC100705		<20	0.08	<10	<10	21	<10	66
CC100706		<20	0.07	<10	<10	17	<10	45
CC100707		<20	0.08	<10	<10	21	<10	45
CC100708		<20	0.08	<10	<10	40	<10	131
CC100709		<20	0.06	<10	<10	26	<10	283
CC100710		<20	0.08	<10	<10	33	<10	139
CC100711		<20	0.07	<10	<10	31	<10	128
CC100712		<20	0.06	<10	<10	33	<10	108
CC100713		<20	0.06	<10	<10	33	<10	175
CC100714		<20	0.11	<10	<10	28	<10	268
CC100715		<20	0.07	<10	<10	31	<10	102
CC100716		<20	0.07	<10	<10	31	<10	57
CC100717		<20	0.07	<10	<10	29	<10	60
CC100718		<20	0.06	<10	<10	23	<10	83
CC100719		<20	0.06	<10	<10	20	<10	159
CC100720		<20	0.04	<10	<10	17	<10	96
CC100721		<20	0.09	<10	<10	33	<10	200



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- ICP41 Ag ppm	ME- ICP41 Al %	ME- ICP41 As ppm	ME- ICP41 B ppm	ME- ICP41 Ba ppm	ME- ICP41 Be ppm	ME- ICP41 Bi ppm	ME- ICP41 Ca %	ME- ICP41 Cd ppm	ME- ICP41 Co ppm	ME- ICP41 Cr ppm	ME- ICP41 Cu ppm	ME- ICP41 Fe %
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC100722		0.24	<0.001	<0.2	0.76	2	<10	30	<0.5	<2	0.08	<0.5	3	14	5	2.15
CC100723		0.22	<0.001	0.2	2.12	5	<10	70	0.6	<2	0.09	<0.5	4	21	7	3.53
CC100724		0.24	<0.001	<0.2	1.66	3	<10	80	0.5	<2	0.14	<0.5	4	18	6	2.35
CC100725		0.22	<0.001	0.3	1.49	4	<10	70	0.5	<2	0.11	<0.5	4	17	9	2.41
CC100726		0.22	<0.001	0.4	1.45	5	<10	80	0.6	<2	1.00	<0.5	9	19	38	2.34
CC100727		0.18	<0.001	<0.2	0.83	2	<10	30	<0.5	<2	0.06	<0.5	6	13	7	2.15
CC100728		0.24	<0.001	0.3	1.95	10	<10	70	0.7	<2	0.21	<0.5	14	31	18	4.18
CC100729		0.20	<0.001	<0.2	2.39	8	<10	80	0.6	2	0.66	<0.5	21	43	19	4.21
CC100730		0.18	<0.001	0.2	1.54	<2	<10	60	<0.5	<2	0.33	<0.5	10	25	13	2.89
CC100731		0.18	<0.001	0.3	2.46	7	<10	50	1.9	<2	0.19	<0.5	22	26	46	3.22
CC100732		0.20	<0.001	<0.2	1.81	5	<10	40	0.6	<2	0.13	<0.5	12	30	16	3.69
CC100733		0.12	0.001	0.3	2.28	6	<10	70	1.2	<2	1.06	0.7	12	25	47	2.95
CC100734		0.20	0.002	0.5	1.63	4	<10	70	0.8	<2	1.50	<0.5	13	27	54	2.82
CC100735		0.20	<0.001	0.2	1.87	6	<10	50	0.8	<2	0.76	0.6	13	29	30	3.43
CC100736		0.20	<0.001	<0.2	1.88	6	<10	60	0.8	<2	0.40	<0.5	13	28	23	3.26
CC100737		0.20	<0.001	0.7	1.57	15	<10	60	0.7	<2	0.10	0.5	13	24	19	3.75
CC100738		0.22	<0.001	0.5	1.29	10	<10	60	0.8	<2	0.32	1.2	21	19	30	2.98
CC100739		0.14	<0.001	2.4	2.57	12	<10	130	2.0	<2	0.31	3.5	41	23	74	3.96
CC100740		0.16	<0.001	0.4	2.27	10	<10	90	1.4	<2	1.19	1.2	12	30	30	3.15
CC100741		0.20	<0.001	0.4	2.41	11	<10	90	2.0	<2	0.99	<0.5	15	34	44	3.43
CC100613		0.24	0.001	0.3	3.36	4	<10	80	0.9	<2	0.84	0.8	17	44	30	3.77
CC100614		0.28	<0.001	0.2	2.99	4	<10	80	2.3	<2	0.28	<0.5	13	47	21	4.22
CC100615		0.20	<0.001	<0.2	4.09	2	<10	100	2.0	<2	0.73	1.8	19	50	27	4.16
CC100616		0.16	0.001	0.3	2.72	<2	<10	60	3.1	<2	0.71	1.0	11	41	17	3.47
CC100617		0.22	<0.001	0.2	1.58	4	<10	80	1.0	<2	0.18	0.7	12	23	14	2.73
CC100618		0.28	<0.001	0.5	1.90	3	<10	70	1.8	<2	0.14	1.0	7	34	39	4.07
CC100619		0.22	<0.001	0.3	1.79	5	<10	60	1.4	<2	0.06	<0.5	6	27	32	3.91
CC100620		0.18	<0.001	0.4	2.65	2	<10	50	10.0	2	0.67	1.9	16	28	119	3.66
CC100621		0.26	<0.001	0.2	2.62	3	<10	80	5.1	<2	0.47	1.8	16	32	24	3.68
CC100622		0.26	<0.001	<0.2	2.51	<2	<10	40	1.8	<2	0.79	0.5	15	25	22	4.51
CC100623		0.18	<0.001	0.2	2.49	3	<10	50	1.6	3	0.39	1.6	16	33	18	3.86
CC100624		0.24	<0.001	<0.2	1.32	3	<10	70	<0.5	<2	0.17	0.5	7	19	7	2.33
CC100625		0.24	<0.001	0.3	3.59	5	<10	90	9.0	18	0.80	4.0	21	41	109	5.88
CC100626		0.22	0.001	0.2	2.42	5	<10	80	3.8	29	0.27	1.3	22	31	91	4.06
CC100656		0.18	<0.001	0.7	3.20	5	<10	90	4.2	<2	0.38	3.2	14	41	49	3.69
CC100657		0.22	<0.001	1.7	2.75	9	<10	60	1.6	<2	0.18	0.7	11	38	20	3.75
CC100658		0.22	<0.001	0.2	1.98	3	<10	100	0.9	<2	0.07	<0.5	8	30	24	3.87
CC100659		0.18	<0.001	0.2	2.86	5	<10	70	1.6	<2	0.67	0.5	13	32	43	4.31
CC100660		0.16	<0.001	<0.2	2.99	3	<10	80	3.1	<2	0.54	1.0	20	41	18	4.60
CC100661		0.20	<0.001	0.3	2.70	5	<10	70	7.2	6	0.42	2.4	13	30	35	3.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41 Ga ppm 10	ME- ICP41 Hg ppm 1	ME- ICP41 K % 0.01	ME- ICP41 La ppm 10	ME- ICP41 Mg % 0.01	ME- ICP41 Mn ppm 5	ME- ICP41 Mo ppm 1	ME- ICP41 Na % 0.01	ME- ICP41 Ni ppm 1	ME- ICP41 P ppm 10	ME- ICP41 Pb ppm 2	ME- ICP41 S % 0.01	ME- ICP41 Sb ppm 2	ME- ICP41 Sc ppm 1	ME- ICP41 Sr ppm 1
CC100722		10	<1	0.04	10	0.14	122	<1	0.01	8	430	13	0.01	<2	1	9
CC100723		10	<1	0.06	10	0.26	334	<1	0.01	10	1050	16	0.02	<2	2	10
CC100724		<10	<1	0.06	10	0.30	224	<1	0.02	12	880	11	0.02	<2	2	12
CC100725		10	<1	0.08	10	0.29	243	<1	0.02	15	530	10	0.02	<2	2	14
CC100726		10	<1	0.13	30	0.45	629	<1	0.02	23	590	12	0.07	<2	2	62
CC100727		<10	<1	0.08	10	0.23	162	<1	0.01	12	260	10	0.01	<2	1	11
CC100728		10	<1	0.25	20	0.69	285	<1	0.02	35	480	20	0.02	<2	3	25
CC100729		10	<1	0.34	20	0.94	465	<1	0.06	30	490	18	0.03	<2	5	63
CC100730		10	<1	0.16	10	0.46	317	<1	0.02	18	210	16	0.02	<2	2	28
CC100731		<10	<1	0.10	30	0.50	379	<1	0.01	96	510	16	0.02	<2	3	23
CC100732		10	<1	0.17	10	0.59	173	<1	0.01	28	220	12	0.02	<2	3	21
CC100733		<10	<1	0.18	40	0.55	556	<1	0.03	38	720	16	0.06	<2	3	86
CC100734		10	<1	0.20	30	0.55	487	<1	0.03	36	540	16	0.09	<2	2	84
CC100735		10	<1	0.21	20	0.61	372	<1	0.04	28	350	17	0.03	<2	3	55
CC100736		10	<1	0.27	20	0.69	409	<1	0.03	30	560	13	0.02	<2	3	44
CC100737		<10	<1	0.17	20	0.42	608	<1	0.01	26	610	28	0.02	<2	2	15
CC100738		<10	<1	0.10	20	0.34	1090	<1	0.02	20	630	32	0.03	<2	1	31
CC100739		10	<1	0.21	30	0.40	3960	<1	0.03	35	2680	47	0.04	<2	3	44
CC100740		10	<1	0.20	30	0.66	568	<1	0.04	30	720	17	0.10	<2	3	107
CC100741		10	<1	0.18	40	0.71	494	<1	0.05	40	640	20	0.14	3	3	98
CC100613		10	<1	0.33	20	0.94	609	<1	0.04	42	470	20	0.06	<2	4	87
CC100614		10	<1	0.37	20	0.97	280	<1	0.02	34	180	13	0.04	<2	5	47
CC100615		10	<1	0.38	20	1.00	467	<1	0.04	39	220	13	0.03	<2	5	112
CC100616		10	<1	0.22	20	0.69	327	<1	0.02	26	400	8	0.06	<2	3	109
CC100617		10	<1	0.16	20	0.42	434	<1	0.02	19	210	11	0.04	<2	2	30
CC100618		10	<1	0.23	30	0.54	254	<1	0.03	26	660	16	0.17	<2	2	93
CC100619		10	<1	0.17	30	0.49	161	<1	0.02	20	570	12	0.11	<2	2	41
CC100620		10	<1	0.14	160	0.49	1145	<1	0.02	41	570	15	0.04	<2	4	62
CC100621		10	<1	0.18	20	0.48	1515	<1	0.05	33	380	11	0.06	<2	3	77
CC100622		10	<1	0.07	30	0.33	599	<1	0.07	30	570	12	0.11	<2	3	165
CC100623		10	<1	0.13	20	0.44	532	<1	0.04	34	440	10	0.03	<2	3	67
CC100624		10	<1	0.30	10	0.47	194	<1	0.01	13	170	9	0.01	<2	2	21
CC100625		10	<1	0.47	20	0.81	695	<1	0.05	43	520	9	0.10	<2	5	131
CC100626		10	<1	0.49	20	0.70	434	<1	0.02	40	480	7	0.05	<2	3	37
CC100656		10	1	0.17	40	0.71	811	<1	0.02	38	750	12	0.07	<2	2	39
CC100657		10	<1	0.20	20	0.76	307	<1	0.01	29	490	14	0.03	<2	3	74
CC100658		10	1	0.25	30	0.49	427	<1	0.01	18	970	15	0.10	<2	1	43
CC100659		10	<1	0.26	20	0.72	387	<1	0.03	37	730	9	0.18	<2	3	157
CC100660		10	<1	0.10	20	0.61	1175	<1	0.07	29	760	11	0.05	<2	3	116
CC100661		10	<1	0.09	30	0.48	1185	<1	0.04	26	360	10	0.03	<2	4	97



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC100722		<20	0.08	<10	<10	52	<10	48
CC100723		<20	0.10	<10	<10	66	<10	126
CC100724		<20	0.07	<10	<10	43	<10	70
CC100725		<20	0.06	<10	<10	38	<10	82
CC100726		<20	0.05	<10	10	22	<10	66
CC100727		<20	0.05	<10	<10	24	<10	55
CC100728		<20	0.08	<10	<10	32	<10	117
CC100729		<20	0.12	<10	<10	41	<10	102
CC100730		<20	0.07	<10	<10	37	<10	78
CC100731		20	0.07	<10	<10	31	<10	135
CC100732		<20	0.09	<10	<10	34	<10	80
CC100733		<20	0.05	<10	<10	23	<10	250
CC100734		<20	0.06	<10	<10	25	<10	90
CC100735		<20	0.07	<10	<10	26	<10	243
CC100736		<20	0.08	<10	<10	27	<10	154
CC100737		<20	0.08	<10	<10	47	<10	160
CC100738		<20	0.06	<10	<10	33	<10	192
CC100739		<20	0.06	<10	<10	29	<10	235
CC100740		<20	0.05	<10	<10	25	<10	351
CC100741		<20	0.05	<10	<10	28	<10	241
CC100613		<20	0.07	<10	<10	39	<10	382
CC100614		<20	0.10	<10	<10	45	<10	334
CC100615		<20	0.11	<10	<10	42	<10	656
CC100616		<20	0.09	<10	<10	40	<10	296
CC100617		<20	0.07	<10	<10	32	<10	207
CC100618		<20	0.06	<10	<10	43	<10	384
CC100619		<20	0.06	<10	<10	37	<10	179
CC100620		<20	0.04	<10	<10	33	20	898
CC100621		<20	0.09	<10	<10	39	20	661
CC100622		<20	0.05	<10	<10	27	10	179
CC100623		<20	0.09	<10	<10	40	<10	698
CC100624		<20	0.07	<10	<10	22	<10	106
CC100625		<20	0.12	<10	<10	44	40	3630
CC100626		<20	0.10	<10	<10	30	40	2320
CC100656		<20	0.05	<10	<10	38	<10	808
CC100657		<20	0.06	<10	<10	40	<10	320
CC100658		<20	0.04	<10	<10	40	<10	130
CC100659		<20	0.03	<10	<10	39	<10	241
CC100660		<20	0.07	<10	<10	50	10	442
CC100661		<20	0.05	<10	<10	35	30	1440



2103 Dollarton Hwy
North Vancouver BC V7H 0A7

www.alsglobal.com

**C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED**

VANCOUVER BC V6B 1L8

Project: SAYYEA

Total # Pages: 6 (A - C)

Finalized Date: 22- AUG- 2010

Account: MTT

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP21	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
CC100662		0.20	<0.001	0.2	3.70	5	<10	120	5.1	5	0.39	0.6	13	41	34	4.30
CC100663		0.18	<0.001	<0.2	2.82	10	<10	60	3.8	3	0.32	0.7	10	38	17	3.91
CC100664		0.22	<0.001	<0.2	3.90	4	<10	90	8.0	6	0.31	<0.5	12	50	34	4.67
CC100665		0.20	0.007	0.6	3.41	8	<10	80	3.5	3	0.22	0.9	12	52	25	4.77
CC100666		0.24	<0.001	0.5	2.22	4	<10	70	3.4	5	0.22	1.1	14	36	29	4.13
CC100667		0.22	<0.001	0.4	1.98	7	<10	110	3.5	7	0.38	2.1	46	30	33	3.32
CC100668		0.26	<0.001	0.3	1.91	7	<10	60	1.6	4	0.13	<0.5	11	35	31	3.60
CC100669		0.22	<0.001	<0.2	1.70	2	<10	60	1.5	<2	0.11	<0.5	13	43	18	3.25
CC100670		0.16	<0.001	<0.2	1.13	4	<10	80	0.8	5	0.15	<0.5	10	20	13	2.67
CC100671		0.22	<0.001	0.3	2.21	10	<10	70	1.6	<2	0.25	<0.5	12	34	32	3.55
CC100672		0.26	<0.001	0.2	1.83	13	<10	40	1.2	<2	0.06	<0.5	9	29	17	3.46
CC100673		0.28	<0.001	0.4	2.17	8	<10	100	2.0	2	0.23	<0.5	16	30	43	3.47
CC100674		0.24	<0.001	0.2	2.26	10	<10	90	1.5	<2	0.21	<0.5	16	33	38	3.76
CC100675		0.20	<0.001	0.2	2.07	9	<10	80	1.6	<2	0.24	<0.5	18	32	36	3.37
CC100676		0.22	<0.001	0.3	3.08	8	<10	110	3.7	<2	0.48	<0.5	22	38	82	4.25
CC100677		0.18	<0.001	0.2	1.61	3	<10	70	0.9	<2	0.06	<0.5	16	28	14	3.23
CC100678		0.28	<0.001	<0.2	2.24	5	<10	80	1.4	<2	0.19	<0.5	8	34	17	3.51
CC100679		0.22	<0.001	0.3	1.01	3	<10	60	1.0	<2	0.26	<0.5	3	9	27	1.82
CC100680		0.20	<0.001	0.3	1.28	<2	<10	60	0.8	<2	0.18	<0.5	16	23	21	2.69
CC100681		0.16	<0.001	0.6	2.12	5	<10	100	1.6	<2	0.37	<0.5	22	30	48	3.74
CC100682		0.16	<0.001	0.4	1.25	3	<10	60	1.1	<2	0.25	<0.5	15	16	15	2.10
CC100683		0.20	<0.001	0.2	1.84	4	<10	70	1.2	<2	0.19	<0.5	17	25	15	2.98
CC100684		0.26	<0.001	0.2	1.36	2	<10	50	0.9	<2	0.17	<0.5	8	21	11	2.93
CC100685		0.24	<0.001	<0.2	1.78	6	<10	60	0.9	<2	0.16	<0.5	10	24	8	3.42
CC100686		0.26	<0.001	0.2	1.65	6	<10	40	0.9	<2	0.16	<0.5	10	22	16	3.33
CC100687		0.26	<0.001	0.2	2.18	3	<10	50	1.1	<2	0.09	<0.5	11	32	25	3.59
CC100688		0.28	<0.001	<0.2	1.61	4	<10	70	1.4	<2	0.39	<0.5	13	24	27	3.17
CC100689		0.22	<0.001	0.7	1.54	3	<10	80	1.5	<2	0.47	0.6	25	20	32	3.22
CC100690		0.20	<0.001	0.5	2.92	21	<10	120	3.8	<2	0.91	<0.5	21	29	84	3.90
CC100691		0.22	<0.001	0.2	1.34	2	<10	60	0.6	<2	0.09	<0.5	7	23	5	2.86
CC100692		0.18	0.003	0.6	4.65	10	<10	60	7.3	<2	1.55	0.6	13	23	221	2.68
CC100693		0.18	0.002	0.4	1.56	9	<10	60	17.2	<2	2.55	14.7	9	23	268	2.76
CC100694		0.30	<0.001	0.2	1.80	6	<10	60	0.9	<2	0.97	0.5	10	28	20	2.98
CC100695		0.20	<0.001	0.3	1.97	10	<10	70	0.9	<2	1.09	<0.5	12	28	27	3.27
CC100696		0.30	<0.001	0.3	1.92	12	<10	70	0.8	<2	1.04	<0.5	11	29	25	3.20

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - C)
Finalized Date: 22- AUG- 2010
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA10109962

Sample Description	Method Analyte Units LOR	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41	ME- ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
CC100662		<20	0.05	<10	<10	41	20	1260
CC100663		<20	0.07	<10	<10	46	10	656
CC100664		<20	0.10	<10	<10	52	30	809
CC100665		<20	0.10	<10	<10	62	10	774
CC100666		<20	0.10	<10	<10	46	30	672
CC100667		<20	0.07	<10	<10	34	10	668
CC100668		<20	0.08	<10	<10	41	20	190
CC100669		<20	0.08	<10	<10	41	<10	138
CC100670		<20	0.07	<10	<10	34	20	121
CC100671		<20	0.10	<10	<10	31	10	123
CC100672		<20	0.08	<10	<10	30	<10	103
CC100673		<20	0.07	<10	<10	29	<10	106
CC100674		<20	0.08	<10	<10	35	<10	125
CC100675		<20	0.09	<10	<10	31	10	99
CC100676		<20	0.08	<10	<10	35	10	121
CC100677		<20	0.10	<10	<10	38	10	110
CC100678		<20	0.10	<10	<10	37	20	81
CC100679		<20	0.01	<10	<10	17	10	66
CC100680		<20	0.09	<10	<10	34	10	143
CC100681		<20	0.08	<10	<10	40	<10	110
CC100682		<20	0.05	<10	<10	20	<10	69
CC100683		<20	0.09	<10	<10	30	<10	159
CC100684		<20	0.06	<10	<10	26	<10	89
CC100685		<20	0.06	<10	<10	33	<10	182
CC100686		<20	0.05	<10	<10	23	<10	174
CC100687		<20	0.08	<10	<10	31	<10	70
CC100688		<20	0.07	<10	<10	23	<10	89
CC100689		<20	0.05	<10	<10	28	<10	183
CC100690		<20	0.06	<10	<10	27	<10	134
CC100691		<20	0.08	<10	<10	36	<10	88
CC100692		40	0.04	<10	<10	20	<10	73
CC100693		<20	0.03	<10	<10	20	<10	7150
CC100694		<20	0.06	<10	<10	26	<10	215
CC100695		<20	0.05	<10	<10	24	<10	238
CC100696		<20	0.05	<10	<10	23	<10	238



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7- FEB- 2011
Account: MTT

CERTIFICATE VA11011163

Project: SAYYEA

P.O. No.:

This report is for 135 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- JAN- 2011.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC82101		0.11	1.38	20.2	<0.2	<10	30	0.13	0.34	0.94	0.13	54.2	14.2	19	0.39	20.8
CC82102		0.10	1.24	14.3	<0.2	<10	20	0.14	0.35	0.53	0.12	46.3	12.8	16	0.35	14.1
CC82103		0.12	1.47	17.5	<0.2	<10	20	0.15	0.48	0.53	0.07	56.1	15.9	19	0.56	18.0
CC82104		0.08	1.39	19.7	<0.2	<10	30	0.16	0.35	1.00	0.06	45.5	15.9	18	0.32	22.2
CC82105		0.09	1.58	14.0	<0.2	<10	30	0.19	0.43	0.77	0.11	64.4	13.5	20	0.50	20.1
CC82106		0.09	1.75	15.5	<0.2	<10	20	0.19	0.41	0.87	0.10	83.6	20.0	23	0.43	32.8
CC82107		0.09	1.38	15.7	<0.2	<10	20	0.19	0.41	0.38	0.11	70.7	17.1	18	0.37	24.5
CC82108		0.12	1.76	16.5	<0.2	<10	30	0.24	0.44	1.03	0.16	80.6	16.3	24	0.58	28.5
CC82109		0.12	1.71	12.6	<0.2	<10	30	0.21	0.42	0.70	0.07	71.0	15.0	23	0.61	21.5
CC82110		0.05	1.04	20.3	<0.2	<10	30	0.14	0.35	0.45	0.11	35.8	10.6	15	0.49	18.7
CC82111		0.15	2.19	14.0	<0.2	<10	60	0.39	0.46	0.72	0.20	73.6	17.4	43	1.86	23.8
CC82112		0.14	2.27	16.8	<0.2	<10	50	0.38	0.47	0.65	0.20	68.6	18.5	29	1.89	27.3
CC82113		0.10	1.83	8.5	<0.2	<10	40	0.32	0.37	0.62	0.22	63.4	13.0	24	1.73	16.7
CC82114		0.16	1.97	11.7	<0.2	<10	60	0.28	0.36	1.17	0.17	56.3	13.5	24	1.45	20.5
CC82115		0.02	1.31	18.6	<0.2	<10	20	0.11	0.47	0.03	0.05	42.2	13.1	20	0.61	21.2
CC82116		0.06	1.35	25.9	<0.2	<10	20	0.12	0.50	0.04	0.05	36.8	11.7	19	0.84	16.8
CC82117		0.16	1.93	32.6	<0.2	<10	30	0.38	0.61	0.15	0.22	89.4	19.3	21	0.67	22.2
CC82118		0.09	2.11	8.8	<0.2	<10	60	0.51	0.47	0.69	0.18	73.0	15.1	28	3.12	19.1
CC82119		0.05	2.18	12.5	<0.2	<10	60	0.50	0.54	0.26	0.15	72.9	16.0	30	2.16	22.1
CC82120		0.07	2.18	9.1	<0.2	<10	70	0.51	0.60	0.34	0.08	61.2	19.3	33	2.87	23.0
CC82121		0.10	2.52	6.0	<0.2	<10	70	0.68	0.71	0.43	0.07	108.0	24.9	44	4.69	45.1
CC82122		0.05	2.61	5.1	<0.2	<10	70	0.62	0.54	0.37	0.05	68.1	14.6	38	2.62	23.4
CC82123		0.07	2.38	4.7	<0.2	<10	60	0.61	0.54	0.49	0.07	81.5	16.1	37	3.03	27.9
CC82124		0.14	2.86	7.1	<0.2	<10	80	0.64	0.51	0.63	0.07	77.4	16.4	40	3.51	30.3
CC82125		0.14	2.69	7.9	<0.2	<10	90	0.65	0.50	0.71	0.10	79.1	15.2	38	3.28	25.0
CC82126		0.11	2.35	8.1	<0.2	<10	60	0.50	0.46	0.61	0.09	63.1	13.7	32	2.48	25.6
CC82127		0.18	2.52	7.0	<0.2	<10	120	0.76	0.45	0.96	0.18	79.7	15.4	32	2.62	25.8
CC82128		0.10	2.35	4.2	<0.2	<10	40	0.54	0.58	0.51	0.07	62.9	19.9	34	2.24	36.2
CC82129		0.14	2.30	5.7	<0.2	<10	50	0.44	0.48	1.28	0.08	54.9	17.1	31	1.60	32.3
CC82130		0.19	1.92	5.4	<0.2	<10	30	0.37	0.53	0.61	0.10	64.8	15.2	27	1.23	26.4
CC82131		0.15	1.91	9.7	<0.2	<10	50	0.44	0.45	0.75	0.16	66.7	17.0	25	1.28	25.3
CC82132		0.11	1.57	9.7	<0.2	<10	60	0.32	0.32	0.90	0.09	40.3	11.4	20	0.89	15.9
CC82133		0.10	1.36	17.4	<0.2	<10	20	0.25	0.38	0.31	0.09	60.4	13.8	19	0.70	19.9
CC82134		0.07	1.38	21.1	<0.2	<10	30	0.23	0.33	0.45	0.06	67.7	15.3	20	0.55	18.0
CC82135		0.10	1.26	7.6	<0.2	<10	20	0.32	0.49	0.71	0.14	78.6	14.9	17	0.89	17.9
CC82136		0.04	1.62	32.1	<0.2	<10	30	0.41	0.59	0.24	0.31	101.5	18.0	17	0.90	17.9
CC82137		0.06	1.69	7.0	<0.2	<10	30	0.26	0.44	0.45	0.06	77.3	14.0	23	1.22	20.6
CC82138		0.12	1.37	9.3	<0.2	<10	30	0.30	0.47	0.69	0.12	93.1	17.5	20	1.31	28.1
CC82139		0.11	1.81	9.0	<0.2	<10	40	0.28	0.45	0.30	0.07	75.9	15.0	25	0.62	26.5
CC82140		0.11	1.79	10.4	<0.2	<10	30	0.32	0.37	0.55	0.09	68.6	14.9	24	0.72	22.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC82101		3.37	3.98	0.14	0.06	0.02	0.019	0.03	30.4	28.9	0.65	635	0.43	0.03	0.34	33.9
CC82102		2.99	3.53	0.12	0.06	0.02	0.017	0.02	25.2	29.4	0.59	444	0.27	0.02	0.26	25.7
CC82103		3.59	4.18	0.15	0.07	0.02	0.021	0.02	31.0	33.7	0.68	486	0.33	0.02	0.28	28.7
CC82104		3.20	4.08	0.14	0.05	0.03	0.017	0.02	23.7	30.4	0.61	570	0.45	0.03	0.30	33.5
CC82105		3.51	4.36	0.15	0.08	0.03	0.023	0.03	35.1	33.7	0.69	439	0.54	0.03	0.30	30.9
CC82106		4.30	5.07	0.13	0.07	0.01	0.022	0.03	45.6	47.1	0.95	716	0.51	0.01	0.27	50.9
CC82107		3.70	4.18	0.11	0.06	0.02	0.021	0.02	37.6	33.6	0.70	643	0.45	<0.01	0.30	38.2
CC82108		4.07	5.16	0.13	0.09	0.03	0.026	0.04	45.4	41.7	0.84	622	0.76	0.01	0.32	41.9
CC82109		3.78	4.91	0.11	0.08	0.03	0.025	0.03	42.2	38.3	0.78	581	0.49	0.01	0.36	34.0
CC82110		3.45	3.83	<0.05	0.03	0.02	0.015	0.02	18.8	23.8	0.41	420	0.43	<0.01	0.76	26.9
CC82111		4.17	6.13	0.11	0.06	0.02	0.027	0.12	39.7	44.4	0.87	734	0.55	0.01	1.59	48.3
CC82112		4.26	6.88	0.11	0.06	0.02	0.029	0.07	36.8	44.9	0.89	649	0.40	0.02	1.68	40.8
CC82113		3.32	5.45	0.10	0.06	0.02	0.023	0.10	37.5	42.2	0.75	460	0.26	0.01	1.57	32.2
CC82114		3.42	5.59	0.10	0.07	0.03	0.022	0.05	34.3	36.9	0.75	595	0.33	0.01	1.43	33.3
CC82115		5.18	6.76	0.08	0.02	0.02	0.024	0.02	19.7	25.0	0.63	695	0.80	<0.01	1.33	31.5
CC82116		4.83	5.24	0.06	0.02	0.01	0.023	0.02	18.5	26.7	0.56	545	0.63	<0.01	0.82	27.6
CC82117		5.15	3.93	0.12	0.09	0.03	0.049	0.02	35.4	20.0	0.43	1000	0.78	0.01	0.90	37.2
CC82118		3.45	6.46	0.12	0.05	0.02	0.024	0.18	39.6	45.9	0.76	568	0.26	0.03	2.32	34.9
CC82119		4.01	6.58	0.10	0.06	0.02	0.026	0.14	35.3	41.7	0.92	677	0.32	0.01	1.73	37.5
CC82120		4.09	7.05	0.11	0.05	0.02	0.032	0.20	30.6	44.0	0.96	791	0.40	0.02	1.91	37.9
CC82121		4.77	8.46	0.20	0.10	0.01	0.035	0.26	63.3	48.6	1.15	989	0.36	0.03	1.85	63.4
CC82122		4.30	7.82	0.11	0.05	0.01	0.029	0.13	33.8	46.0	1.06	515	0.34	0.02	2.74	43.0
CC82123		4.51	7.41	0.16	0.06	0.02	0.031	0.18	46.5	45.6	1.07	520	0.31	0.02	2.44	47.8
CC82124		4.42	8.87	0.15	0.07	0.01	0.038	0.23	49.3	50.8	1.11	543	0.38	0.06	2.36	45.1
CC82125		4.24	8.26	0.13	0.07	0.02	0.038	0.22	46.0	50.4	1.04	529	0.37	0.03	3.15	41.7
CC82126		4.01	7.07	0.11	0.06	0.02	0.036	0.16	38.0	44.9	0.97	430	0.28	0.02	2.53	39.0
CC82127		3.82	7.21	0.13	0.07	0.05	0.039	0.07	53.3	44.9	0.90	899	0.35	0.02	2.61	39.8
CC82128		4.61	6.81	0.13	0.07	0.02	0.041	0.07	38.4	49.4	1.09	703	0.30	0.03	2.03	56.4
CC82129		4.37	6.30	0.11	0.06	0.03	0.035	0.07	35.2	42.9	0.99	504	0.38	0.03	1.95	48.1
CC82130		4.30	5.44	0.11	0.06	0.03	0.038	0.04	37.6	39.2	0.90	525	0.33	0.01	1.16	40.5
CC82131		3.85	5.56	0.09	0.06	0.03	0.034	0.07	33.8	39.5	0.82	640	0.45	0.02	1.63	40.8
CC82132		2.96	4.72	0.05	0.05	0.03	0.022	0.04	21.6	32.5	0.65	373	0.32	0.01	1.13	25.2
CC82133		3.43	4.15	0.10	0.06	0.02	0.021	0.03	33.3	33.9	0.70	472	0.32	0.01	0.66	32.8
CC82134		3.35	4.27	0.09	0.06	0.02	0.017	0.03	34.1	28.9	0.69	342	0.42	0.01	0.74	29.7
CC82135		3.34	4.02	0.11	0.05	0.04	0.026	0.04	41.5	32.9	0.62	462	0.27	<0.01	0.76	32.4
CC82136		4.52	3.97	0.09	0.06	0.02	0.048	0.03	28.4	24.2	0.44	994	0.62	<0.01	1.04	36.1
CC82137		4.06	4.99	0.11	0.04	0.02	0.031	0.03	40.8	40.6	0.79	412	0.42	0.01	0.43	35.4
CC82138		4.55	4.07	0.13	0.06	0.02	0.028	0.03	49.6	30.5	0.65	725	0.47	0.01	0.39	44.9
CC82139		4.19	5.28	0.12	0.07	0.02	0.026	0.03	44.7	45.3	0.89	630	0.37	<0.01	0.54	40.2
CC82140		3.76	5.26	0.10	0.07	0.01	0.025	0.04	36.3	43.0	0.93	596	0.32	0.01	0.73	36.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC82101		720	19.0	2.5	<0.001	0.04	0.23	2.3	0.7	<0.2	86.9	0.01	0.02	9.1	0.008	0.02
CC82102		610	19.5	2.6	<0.001	0.04	0.16	1.7	0.7	<0.2	43.4	0.01	0.01	8.0	0.006	0.02
CC82103		750	20.0	2.8	<0.001	0.05	0.14	2.1	0.8	<0.2	46.2	0.01	0.02	9.3	0.006	0.02
CC82104		570	15.7	2.0	<0.001	0.06	0.17	1.9	0.7	<0.2	84.2	0.01	0.02	5.8	0.007	0.02
CC82105		620	17.4	3.5	<0.001	0.08	0.15	2.0	1.1	<0.2	68.8	0.01	0.02	7.2	0.006	0.02
CC82106		690	19.1	2.3	<0.001	0.03	0.25	2.6	0.7	<0.2	64.3	0.01	0.02	15.3	0.008	0.02
CC82107		730	19.3	2.3	<0.001	0.02	0.21	2.1	0.7	<0.2	29.8	0.01	0.02	9.7	0.006	0.02
CC82108		690	19.2	4.0	<0.001	0.07	0.21	2.3	1.3	0.2	75.5	0.01	0.02	7.7	0.006	0.03
CC82109		550	18.0	4.2	<0.001	0.05	0.22	2.2	1.0	0.2	48.1	0.01	0.02	8.3	0.007	0.03
CC82110		400	15.5	3.9	<0.001	0.02	0.35	1.5	0.5	0.3	21.2	0.01	0.02	6.0	0.013	0.03
CC82111		670	20.5	17.2	<0.001	0.03	0.15	2.9	0.9	0.5	82.2	0.01	0.03	9.0	0.021	0.09
CC82112		640	21.9	11.6	<0.001	0.02	0.18	3.4	0.8	0.7	94.3	0.01	0.02	10.4	0.024	0.08
CC82113		740	14.3	12.0	<0.001	0.03	0.12	2.7	0.8	0.5	60.3	0.01	0.02	8.8	0.020	0.07
CC82114		540	15.4	8.3	<0.001	0.05	0.18	2.5	0.9	0.4	87.1	0.01	0.02	6.5	0.016	0.06
CC82115		480	22.4	3.3	<0.001	0.05	0.45	1.8	0.4	0.3	4.1	0.01	0.03	6.9	0.025	0.04
CC82116		530	19.2	5.4	<0.001	0.02	0.39	1.7	0.3	0.3	4.3	0.01	0.03	7.2	0.013	0.04
CC82117		680	68.5	4.7	<0.001	0.02	0.58	3.5	0.9	0.2	9.4	0.02	0.04	14.9	0.011	0.04
CC82118		720	15.9	25.4	<0.001	0.03	0.17	3.3	0.8	0.8	89.5	0.01	0.02	12.1	0.030	0.14
CC82119		680	14.6	18.0	<0.001	0.01	0.27	3.4	0.6	0.6	31.3	0.01	0.02	13.3	0.026	0.11
CC82120		650	14.1	23.2	<0.001	0.01	0.44	3.5	0.6	0.9	43.0	0.01	0.02	13.4	0.037	0.14
CC82121		580	18.3	29.3	0.001	0.01	0.14	5.5	1.5	1.1	49.0	0.02	0.02	21.8	0.045	0.20
CC82122		380	14.7	20.2	<0.001	0.01	0.12	4.0	0.7	0.7	42.7	0.01	0.02	13.3	0.035	0.12
CC82123		580	15.5	25.5	0.001	0.02	0.13	4.3	0.8	0.7	49.1	0.01	0.02	16.9	0.030	0.14
CC82124		600	15.5	27.9	<0.001	0.03	0.17	4.7	0.8	0.9	84.8	0.01	0.02	15.6	0.046	0.18
CC82125		680	14.3	27.8	<0.001	0.04	0.15	4.2	0.9	0.8	66.8	0.01	0.02	12.5	0.038	0.15
CC82126		650	13.0	22.9	<0.001	0.02	0.17	3.7	0.8	0.6	51.9	0.01	0.02	12.9	0.029	0.12
CC82127		910	13.5	16.7	<0.001	0.05	0.20	3.5	1.3	0.7	77.4	0.02	0.02	8.1	0.026	0.12
CC82128		530	18.0	11.8	<0.001	0.01	0.14	3.6	1.0	0.5	56.3	0.02	0.02	16.4	0.031	0.08
CC82129		610	14.9	10.2	<0.001	0.04	0.15	2.9	1.1	0.4	75.6	0.01	0.02	8.6	0.019	0.07
CC82130		660	17.0	6.8	0.001	0.02	0.17	2.7	1.0	0.3	40.9	0.02	0.02	9.2	0.015	0.05
CC82131		690	16.2	10.4	<0.001	0.03	0.53	2.6	0.8	0.4	49.3	0.01	0.02	9.5	0.018	0.06
CC82132		650	11.7	7.6	<0.001	0.04	0.21	2.0	0.6	0.3	49.6	0.01	0.02	5.4	0.015	0.05
CC82133		710	16.4	4.4	<0.001	0.01	0.30	2.5	0.6	0.2	18.7	0.01	0.02	11.3	0.012	0.04
CC82134		1020	13.6	3.2	<0.001	0.02	0.40	2.3	0.5	0.2	22.7	0.01	0.02	11.9	0.016	0.03
CC82135		710	16.0	7.6	<0.001	0.04	0.27	2.0	0.7	0.3	48.8	0.01	0.02	12.1	0.011	0.04
CC82136		600	40.4	6.2	<0.001	0.02	0.47	2.7	0.7	0.3	15.6	0.02	0.03	13.1	0.015	0.05
CC82137		350	15.4	4.7	<0.001	0.02	0.15	2.5	0.6	0.2	27.6	0.01	0.02	12.7	0.007	0.03
CC82138		580	17.8	4.2	<0.001	0.02	0.32	2.8	0.8	0.2	42.7	0.01	0.02	14.1	0.006	0.05
CC82139		510	15.7	4.7	<0.001	0.01	0.22	3.0	0.8	0.2	20.2	0.01	0.02	15.6	0.009	0.03
CC82140		560	14.9	5.5	<0.001	0.02	0.27	2.6	0.6	0.3	46.5	0.01	0.02	10.8	0.012	0.04



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC82101		1.13	12	0.06	14.70	77	1.5
CC82102		0.63	11	<0.05	12.00	94	1.5
CC82103		1.02	12	0.06	13.45	91	1.6
CC82104		1.39	12	<0.05	10.20	73	1.4
CC82105		2.64	12	0.06	16.95	93	1.7
CC82106		0.70	13	0.10	16.20	92	2.1
CC82107		1.53	11	0.06	15.00	86	1.4
CC82108		2.29	12	0.07	20.3	120	1.8
CC82109		2.18	13	0.06	16.65	104	1.7
CC82110		0.98	14	0.08	7.44	71	0.8
CC82111		1.75	19	0.14	18.85	141	1.1
CC82112		1.28	22	0.14	16.70	111	1.3
CC82113		1.00	17	0.13	17.20	112	1.0
CC82114		1.39	16	0.13	17.95	104	1.6
CC82115		0.77	26	0.16	3.67	71	0.7
CC82116		0.63	19	0.16	3.99	79	0.6
CC82117		1.14	15	0.21	14.75	74	2.4
CC82118		1.51	20	0.37	16.00	121	0.8
CC82119		1.09	22	2.03	13.10	97	1.4
CC82120		1.11	24	5.49	11.90	106	1.3
CC82121		1.88	31	0.96	42.2	104	1.3
CC82122		1.24	26	0.48	15.20	86	1.0
CC82123		1.32	24	0.56	20.4	104	0.8
CC82124		1.37	28	0.75	21.9	101	1.2
CC82125		1.51	26	1.12	20.8	115	1.0
CC82126		1.08	22	0.82	17.85	107	1.1
CC82127		1.44	23	1.03	27.1	120	1.1
CC82128		1.53	21	0.37	28.7	98	0.6
CC82129		2.10	18	0.37	24.4	106	0.7
CC82130		1.79	16	0.36	26.4	97	0.5
CC82131		2.22	17	0.62	19.00	96	0.8
CC82132		1.75	14	0.51	10.85	74	1.4
CC82133		0.83	13	0.50	13.65	78	1.6
CC82134		0.80	17	0.76	9.42	66	2.1
CC82135		1.09	11	9.64	12.45	88	1.2
CC82136		1.57	15	0.46	11.70	85	1.8
CC82137		1.53	13	0.31	10.45	85	0.8
CC82138		3.31	11	0.21	16.90	112	0.9
CC82139		1.20	15	0.39	19.70	74	1.4
CC82140		1.85	14	1.16	13.95	78	1.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC82141		0.09	1.46	22.8	<0.2	<10	30	0.33	0.40	0.29	0.09	60.3	13.1	21	0.93	17.8
CC82142		0.11	1.56	15.0	<0.2	<10	30	0.37	0.46	0.27	0.08	61.3	14.9	21	0.90	21.2
CC82143		0.08	1.51	9.7	<0.2	<10	50	0.28	0.37	0.96	0.12	37.4	11.6	19	0.94	14.8
CC82144		0.11	1.61	13.5	<0.2	<10	40	0.40	0.68	0.38	0.14	76.7	16.8	23	1.20	27.3
CC82145		0.14	1.38	15.4	<0.2	<10	40	0.87	2.18	0.19	0.04	44.0	6.8	18	7.21	11.3
CC82146		0.05	0.82	10.0	<0.2	<10	30	0.55	1.65	0.12	0.02	42.0	4.1	10	4.69	7.2
CC82147		0.05	1.38	13.8	<0.2	<10	30	0.82	1.39	0.18	0.06	36.7	10.1	19	4.76	11.0
CC82148		0.14	1.22	16.5	<0.2	<10	40	0.90	1.76	0.64	0.17	34.6	13.6	17	6.94	29.8
CC82149		0.48	1.55	34.3	<0.2	<10	60	0.95	2.72	1.12	0.20	47.4	13.8	22	9.30	48.5
CC82150		0.07	1.22	10.8	<0.2	<10	60	0.54	1.61	0.18	0.19	23.5	9.0	18	6.70	6.0
CC81901		0.08	1.63	33.5	<0.2	<10	40	0.98	1.55	0.12	0.11	53.0	8.5	22	5.91	18.3
CC81902		0.33	1.49	40.2	<0.2	<10	50	0.97	1.09	0.78	0.38	71.3	12.5	18	4.06	27.0
CC81903		0.21	1.72	25.3	<0.2	<10	50	0.89	1.02	1.38	0.23	72.4	14.8	21	4.30	27.6
CC81904		0.44	1.73	44.8	<0.2	<10	50	1.41	1.93	1.18	0.50	40.6	13.2	23	5.14	27.1
CC81905		0.12	1.55	56.3	<0.2	<10	20	1.16	1.34	0.16	0.27	36.2	9.8	23	5.92	20.6
CC81906		0.48	1.51	29.2	<0.2	<10	60	1.04	1.08	2.65	1.49	51.1	10.4	19	6.23	35.6
CC81907		0.10	1.57	86.8	<0.2	<10	40	1.49	1.84	0.43	0.30	60.9	18.3	23	8.07	21.9
CC81908		0.12	1.40	10.7	<0.2	<10	50	0.60	0.68	1.40	0.10	59.5	9.9	16	4.70	22.1
CC81909		0.10	1.31	10.9	<0.2	<10	30	0.67	4.96	0.94	0.20	88.3	14.1	13	2.52	21.6
CC81910		1.92	1.18	137.5	<0.2	<10	40	0.53	9.14	0.48	1.89	70.4	12.7	6	1.63	23.7
CC81911		0.09	1.64	21.7	<0.2	<10	30	0.44	1.49	0.19	0.27	51.2	12.1	21	3.50	14.6
CC81912		0.06	1.65	12.3	<0.2	<10	40	0.52	0.85	0.23	0.09	67.9	10.2	20	3.84	20.4
CC81913		0.20	1.84	9.2	<0.2	<10	80	0.61	0.67	0.63	0.07	100.0	17.5	18	4.81	17.7
CC81914		0.12	1.42	7.4	<0.2	<10	80	0.39	0.53	0.75	0.07	66.4	8.3	16	4.20	18.3
CC81915		0.17	1.51	6.9	<0.2	<10	70	0.45	0.55	1.12	0.15	76.3	9.8	17	3.41	20.1
CC81916		0.20	1.60	5.8	<0.2	<10	50	0.47	0.60	0.82	0.14	81.9	15.6	17	3.30	21.8
CC81917		0.13	1.86	7.5	<0.2	<10	90	0.51	0.62	0.36	0.15	85.0	19.4	18	3.05	20.1
CC81918		0.11	1.44	3.7	<0.2	<10	40	0.32	0.36	1.12	0.12	70.7	9.3	15	2.08	18.2
CC81919		0.09	1.50	4.1	<0.2	<10	50	0.33	0.33	0.74	0.10	79.6	11.9	16	1.96	15.2
CC81920		0.05	1.94	18.3	<0.2	<10	30	0.30	0.41	0.48	0.05	128.5	17.0	26	0.77	27.7
CC81921		0.06	1.30	7.4	<0.2	<10	30	0.29	0.50	0.41	0.05	115.0	15.7	20	0.86	27.3
CC81922		0.10	1.45	7.7	<0.2	<10	50	0.41	0.49	1.07	0.12	76.0	12.4	17	0.74	19.6
CC81923		0.19	1.64	10.3	<0.2	<10	40	0.69	1.18	0.19	0.16	36.1	10.0	21	4.83	10.6
CC81924		0.10	0.68	2.4	<0.2	<10	40	0.18	0.68	0.07	0.39	22.0	3.3	12	4.26	4.7
CC81925		0.07	1.36	4.5	<0.2	<10	50	0.30	0.80	0.08	0.23	34.2	8.6	22	5.35	5.3
CC81926		0.11	0.39	2.3	<0.2	<10	20	0.09	0.60	0.05	0.11	23.0	1.9	7	1.99	3.9
CC81927		0.12	1.09	2.2	<0.2	<10	70	0.32	0.93	0.15	0.36	27.2	7.7	20	5.09	4.1
CC81928		0.06	0.97	6.4	<0.2	<10	30	0.46	0.76	0.17	0.11	31.6	6.7	15	3.73	6.7
CC81929		0.06	1.08	9.1	<0.2	<10	40	0.42	1.44	0.12	0.24	45.4	5.2	16	4.40	5.9
CC81930		0.06	1.73	11.1	<0.2	<10	50	0.81	0.80	0.18	0.09	30.7	10.2	26	5.50	9.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
CC82141		3.40	4.45	0.08	0.06	0.02	0.026	0.03	33.3	34.2	0.73	350	0.48	<0.01	0.96	31.3
CC82142		3.51	5.17	0.06	0.05	0.02	0.027	0.03	36.6	42.9	0.77	615	0.31	0.01	0.86	32.9
CC82143		2.90	5.11	0.06	0.04	0.05	0.021	0.03	20.4	39.0	0.71	533	0.37	0.01	0.87	23.5
CC82144		3.54	5.61	0.07	0.05	0.03	0.034	0.05	41.2	49.9	0.78	454	0.58	0.01	1.06	35.3
CC82145		2.29	6.81	0.05	0.02	0.03	0.026	0.26	23.1	52.0	0.51	292	2.75	0.01	3.64	16.9
CC82146		1.51	4.58	<0.05	0.02	0.02	0.019	0.20	22.2	55.1	0.28	178	1.06	0.01	4.34	8.3
CC82147		2.53	5.88	0.05	0.02	0.02	0.026	0.25	19.5	65.8	0.50	340	0.98	0.01	3.22	18.3
CC82148		2.67	4.98	0.06	0.02	0.04	0.021	0.24	18.1	49.8	0.46	462	0.62	0.01	2.63	26.3
CC82149		3.45	5.62	0.06	0.02	0.06	0.031	0.27	26.9	45.5	0.64	582	0.87	0.02	2.97	34.1
CC82150		2.54	7.21	<0.05	<0.02	0.04	0.022	0.17	12.2	43.9	0.35	140	1.13	0.01	3.24	14.6
CC81901		3.35	6.38	0.10	0.02	0.02	0.063	0.19	27.1	48.6	0.55	218	0.66	0.02	2.90	22.2
CC81902		3.12	5.20	0.14	0.04	0.02	0.041	0.15	39.4	34.3	0.48	376	0.47	0.03	2.19	27.3
CC81903		3.33	5.95	0.14	0.05	0.02	0.039	0.17	38.0	41.1	0.66	516	0.32	0.03	2.52	31.8
CC81904		4.12	6.31	0.11	0.03	0.05	0.051	0.21	22.5	59.6	0.51	298	0.56	0.02	2.56	26.6
CC81905		3.60	6.81	0.08	0.02	0.02	0.038	0.18	17.7	39.0	0.59	197	0.59	0.02	2.27	20.8
CC81906		2.57	4.59	0.11	0.04	0.05	0.039	0.15	27.9	29.0	0.48	450	0.27	0.03	2.12	35.9
CC81907		4.32	5.89	0.13	0.02	0.03	0.064	0.27	25.0	37.9	0.67	1020	0.54	0.01	2.13	24.8
CC81908		2.76	4.52	0.11	0.04	0.02	0.029	0.22	32.1	31.5	0.57	366	0.33	0.02	2.93	24.6
CC81909		3.18	4.15	0.11	0.05	0.02	0.028	0.27	44.7	25.0	0.53	629	0.44	0.01	1.72	27.2
CC81910		3.45	3.12	0.10	0.05	0.03	0.367	0.18	32.4	44.0	0.21	1100	0.53	0.01	0.79	17.2
CC81911		3.53	5.84	0.09	0.02	0.01	0.031	0.21	25.9	35.1	0.69	517	0.44	0.01	2.17	19.6
CC81912		3.49	5.55	0.11	0.02	0.01	0.029	0.18	36.0	34.4	0.65	265	0.35	0.01	2.22	24.2
CC81913		3.45	5.40	0.14	0.03	0.02	0.031	0.20	51.7	44.6	0.61	906	0.34	0.02	2.42	26.9
CC81914		2.87	5.24	0.10	0.02	0.02	0.020	0.22	37.0	34.8	0.50	283	0.30	0.01	1.56	24.2
CC81915		3.10	4.73	0.13	0.03	0.02	0.022	0.18	49.3	37.2	0.56	384	0.29	0.01	1.98	23.6
CC81916		3.36	5.10	0.14	0.04	0.02	0.025	0.18	50.1	37.7	0.70	1070	0.25	0.01	1.85	31.0
CC81917		3.63	5.85	0.12	0.02	0.03	0.026	0.12	46.3	34.2	0.58	1040	0.55	0.01	1.36	24.8
CC81918		3.01	4.43	0.12	0.04	0.02	0.017	0.10	44.9	28.6	0.58	272	0.27	0.01	1.51	21.2
CC81919		3.16	4.63	0.11	0.03	0.02	0.017	0.11	43.3	35.2	0.60	636	0.20	0.01	1.42	22.7
CC81920		4.08	6.15	0.18	0.05	0.01	0.023	0.02	71.2	47.8	0.78	1130	0.23	0.01	0.35	40.6
CC81921		4.63	4.74	0.16	0.05	0.02	0.026	0.03	56.9	23.9	0.48	1020	0.35	0.01	0.50	36.5
CC81922		3.32	4.33	0.12	0.04	0.03	0.026	0.04	40.7	31.1	0.58	462	0.36	0.01	0.81	26.2
CC81923		3.12	6.88	0.07	<0.02	0.01	0.024	0.24	18.5	51.3	0.46	204	0.82	0.01	3.22	25.0
CC81924		1.49	5.75	<0.05	<0.02	0.01	0.008	0.11	11.2	14.8	0.19	107	0.55	0.02	1.75	6.0
CC81925		3.03	8.75	0.07	<0.02	0.01	0.017	0.14	17.5	33.7	0.41	321	0.97	0.01	3.73	11.3
CC81926		0.81	4.97	<0.05	<0.02	0.02	0.008	0.05	11.9	4.9	0.09	100	0.37	0.02	1.34	4.1
CC81927		2.41	8.47	0.05	<0.02	0.02	0.012	0.15	13.9	29.6	0.31	239	0.60	0.01	3.72	10.6
CC81928		2.04	4.45	0.06	0.02	0.01	0.020	0.18	16.6	42.8	0.37	295	0.59	0.01	2.41	10.9
CC81929		2.34	5.64	0.07	<0.02	0.01	0.026	0.20	23.4	34.9	0.35	166	0.79	0.01	2.81	9.7
CC81930		3.41	6.78	0.08	0.03	0.01	0.024	0.17	16.0	50.2	0.54	203	0.80	0.01	2.93	20.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC82141		650	15.3	6.8	<0.001	0.01	0.40	2.5	0.5	0.3	17.5	0.01	0.02	11.5	0.017	0.05
CC82142		610	16.2	7.7	<0.001	0.01	0.27	3.3	0.2	0.3	21.9	0.01	0.01	11.6	0.016	0.05
CC82143		660	12.3	7.9	<0.001	0.05	0.21	2.5	0.3	0.3	61.3	0.01	0.01	4.6	0.014	0.05
CC82144		570	18.7	10.7	<0.001	0.02	0.35	3.1	0.3	0.5	31.7	0.01	0.01	14.1	0.016	0.07
CC82145		430	10.1	73.7	<0.001	0.01	0.29	2.9	<0.2	1.4	15.2	<0.01	0.02	9.6	0.052	0.35
CC82146		210	8.8	59.4	<0.001	0.01	0.13	1.6	<0.2	1.1	10.1	<0.01	0.01	9.3	0.038	0.25
CC82147		480	12.0	54.1	<0.001	0.01	0.36	2.7	<0.2	1.2	18.9	<0.01	0.02	7.9	0.057	0.25
CC82148		400	16.2	57.9	<0.001	0.04	0.63	2.9	0.3	1.0	45.9	0.01	0.02	5.7	0.052	0.32
CC82149		620	22.1	57.8	<0.001	0.07	1.63	3.7	0.7	1.4	77.9	0.01	0.04	6.1	0.061	0.41
CC82150		190	13.9	85.6	<0.001	0.01	0.41	2.4	<0.2	1.3	20.4	<0.01	0.02	4.5	0.076	0.24
CC81901		300	18.6	56.4	<0.001	0.02	1.00	2.8	0.4	2.7	9.9	<0.01	0.03	11.8	0.038	0.34
CC81902		580	30.7	31.3	<0.001	0.05	1.91	2.9	0.9	1.5	48.3	0.01	0.03	8.2	0.026	0.24
CC81903		620	18.4	37.2	<0.001	0.09	1.13	3.2	0.8	1.3	68.7	0.01	0.02	10.1	0.027	0.21
CC81904		580	32.0	63.2	<0.001	0.07	2.16	3.5	0.7	3.1	68.2	0.01	0.04	6.4	0.026	0.36
CC81905		210	16.8	82.4	<0.001	0.02	0.94	2.5	0.3	2.1	15.6	0.01	0.03	8.3	0.038	0.22
CC81906		890	18.1	37.3	<0.001	0.17	4.14	2.3	2.2	1.3	163.5	0.01	0.02	3.3	0.025	0.27
CC81907		650	46.6	59.9	<0.001	0.02	2.70	3.1	0.4	2.1	31.9	<0.01	0.04	12.2	0.044	0.43
CC81908		470	11.6	32.0	<0.001	0.10	0.59	2.1	0.6	0.8	103.0	0.01	0.02	7.1	0.043	0.28
CC81909		730	17.5	30.6	<0.001	0.05	1.43	2.3	0.6	0.7	45.1	0.01	0.03	10.5	0.022	0.22
CC81910		740	59.0	22.0	<0.001	0.03	10.00	1.4	0.5	3.8	29.4	0.01	0.03	11.9	0.007	0.22
CC81911		410	16.2	56.4	<0.001	<0.01	1.08	2.1	0.2	1.1	18.4	<0.01	0.02	9.7	0.030	0.23
CC81912		670	11.6	32.9	<0.001	0.01	0.67	2.0	0.3	0.8	20.6	<0.01	0.02	9.8	0.035	0.25
CC81913		610	15.5	34.0	<0.001	0.05	0.33	1.9	0.6	0.7	53.9	0.01	0.02	7.6	0.044	0.27
CC81914		450	11.1	40.9	<0.001	0.04	0.40	1.2	0.4	0.6	66.2	0.01	0.01	1.5	0.035	0.22
CC81915		700	12.7	27.3	<0.001	0.06	0.28	1.5	0.6	0.5	81.8	0.01	0.01	4.9	0.037	0.18
CC81916		770	12.5	25.7	<0.001	0.06	0.31	2.0	0.6	0.5	54.1	0.01	0.01	11.8	0.032	0.22
CC81917		720	15.0	19.7	<0.001	0.03	0.25	1.4	0.5	0.6	30.7	0.01	0.02	3.3	0.022	0.19
CC81918		710	9.4	16.8	<0.001	0.07	0.19	1.4	0.6	0.3	63.8	0.01	0.01	5.9	0.026	0.11
CC81919		770	9.3	17.0	<0.001	0.04	0.13	1.5	0.5	0.2	43.2	0.01	0.01	8.6	0.028	0.13
CC81920		490	16.2	3.9	<0.001	0.02	0.11	2.6	0.7	<0.2	25.4	0.01	0.01	18.6	<0.005	0.03
CC81921		360	16.7	5.0	<0.001	0.01	0.21	3.0	0.6	0.3	24.2	0.01	0.01	17.1	0.005	0.06
CC81922		650	12.8	6.7	<0.001	0.05	0.28	1.8	0.6	0.3	55.9	0.01	0.01	7.9	0.010	0.04
CC81923		540	14.7	40.8	<0.001	0.01	0.45	2.1	0.2	1.0	20.2	0.01	0.02	7.4	0.067	0.22
CC81924		220	5.4	34.2	<0.001	0.01	0.27	1.0	<0.2	0.9	11.7	<0.01	0.01	1.4	0.055	0.15
CC81925		380	11.4	56.8	<0.001	0.01	0.32	2.1	0.2	1.3	12.9	<0.01	0.02	5.5	0.092	0.25
CC81926		170	6.1	17.0	<0.001	0.01	0.18	0.7	<0.2	0.8	8.3	<0.01	0.01	1.1	0.048	0.10
CC81927		350	9.9	46.8	<0.001	0.01	0.29	1.8	<0.2	1.3	16.6	<0.01	0.02	3.7	0.084	0.21
CC81928		280	6.2	49.1	<0.001	<0.01	0.36	1.8	0.2	0.9	16.1	<0.01	0.01	6.1	0.059	0.18
CC81929		240	9.5	46.0	<0.001	<0.01	0.38	1.6	<0.2	1.7	13.1	<0.01	0.02	7.3	0.060	0.28
CC81930		270	12.0	44.8	<0.001	0.01	0.47	2.5	0.2	0.9	27.4	<0.01	0.02	6.4	0.076	0.24



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC82141		0.86	16	1.89	11.45	74	1.9
CC82142		0.87	14	1.71	18.80	71	1.4
CC82143		1.14	12	0.77	10.40	67	1.5
CC82144		2.62	14	2.81	17.95	95	1.4
CC82145		1.53	18	2.80	5.50	90	0.6
CC82146		1.72	11	3.07	4.59	82	0.6
CC82147		1.31	20	3.93	4.88	103	0.9
CC82148		3.79	16	1.64	6.80	91	<0.5
CC82149		6.00	20	1.42	11.35	116	<0.5
CC82150		0.58	33	2.67	2.22	130	0.5
CC81901		1.28	21	8.47	4.92	181	0.5
CC81902		3.92	17	6.33	12.45	158	0.5
CC81903		2.57	17	5.23	11.35	143	0.6
CC81904		3.79	23	9.24	8.58	226	<0.5
CC81905		0.81	25	9.00	3.51	226	<0.5
CC81906		8.25	15	9.67	13.45	157	0.7
CC81907		2.36	21	15.95	7.30	313	<0.5
CC81908		5.25	14	1.66	10.85	93	0.7
CC81909		1.77	12	2.41	13.45	98	0.6
CC81910		3.06	8	1.04	13.00	433	1.1
CC81911		0.86	18	4.43	5.45	141	0.5
CC81912		1.36	16	2.56	9.12	105	<0.5
CC81913		4.35	15	1.24	14.20	113	<0.5
CC81914		2.77	14	1.08	11.00	67	<0.5
CC81915		3.03	13	1.08	17.85	80	<0.5
CC81916		2.27	12	1.06	16.70	91	0.6
CC81917		1.88	16	0.84	13.15	91	<0.5
CC81918		2.85	11	0.19	15.10	81	0.7
CC81919		2.24	11	0.22	13.00	76	<0.5
CC81920		1.30	12	0.10	27.4	68	0.9
CC81921		2.03	13	0.23	20.9	78	0.6
CC81922		3.57	11	1.10	13.80	77	0.8
CC81923		1.03	31	1.99	3.89	136	<0.5
CC81924		0.40	26	2.26	1.58	74	<0.5
CC81925		0.61	44	0.84	2.41	166	0.6
CC81926		0.43	22	0.47	1.44	32	<0.5
CC81927		0.47	38	3.09	1.98	215	<0.5
CC81928		1.04	22	2.11	3.43	95	0.7
CC81929		0.94	24	5.06	2.96	138	<0.5
CC81930		0.73	36	1.61	3.71	82	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
CC81931		0.11	1.88	14.8	<0.2	<10	140	1.11	1.24	0.28	0.31	26.7	10.7	25	7.60	15.4
CC81932		0.14	2.23	18.4	<0.2	<10	160	1.14	1.26	0.29	0.13	39.3	11.6	28	7.32	19.1
CC81933		0.09	1.99	14.4	<0.2	<10	100	0.71	1.41	0.15	0.18	27.6	12.7	30	6.67	8.3
CC81934		0.09	1.21	6.9	<0.2	<10	90	0.43	0.76	0.15	0.17	23.4	8.0	18	6.00	6.0
CC81935		0.06	1.60	7.9	<0.2	<10	80	0.43	0.74	0.09	0.16	31.0	16.3	24	5.22	6.4
CC81936		0.04	1.16	3.3	<0.2	<10	40	0.22	0.85	0.08	0.12	32.9	5.7	20	3.26	4.7
CC81937		0.02	1.11	5.3	<0.2	<10	30	0.24	0.51	0.05	0.04	29.8	6.2	19	3.64	5.6
CC81945		0.13	1.10	3.9	<0.2	<10	60	0.32	0.29	0.87	0.24	61.0	8.8	12	1.59	25.3
CC81946		0.04	1.75	5.2	<0.2	<10	50	0.32	0.35	0.17	0.03	91.3	13.0	18	1.75	23.0
CC81947		0.05	1.37	7.4	<0.2	<10	50	0.16	0.46	0.09	0.02	50.3	5.5	17	1.12	6.2
CC81948		0.09	1.15	3.0	<0.2	<10	40	0.18	0.27	0.09	0.07	46.1	5.9	14	0.98	10.7
CC81949		0.05	2.12	8.4	<0.2	<10	40	0.39	0.46	0.02	0.03	82.7	11.1	24	1.27	22.4
CC81950		0.04	1.81	8.9	<0.2	<10	20	0.20	0.45	0.03	0.02	92.6	11.0	24	0.78	26.5
CC82071		0.09	1.87	11.7	<0.2	<10	70	0.26	0.40	1.00	0.21	51.5	14.0	24	0.72	18.4
CC82072		0.13	1.86	15.1	<0.2	<10	20	0.30	0.63	0.54	0.16	131.5	28.5	26	0.37	43.8
CC82073		0.17	1.49	25.2	<0.2	<10	30	0.24	0.36	1.37	0.16	41.1	11.0	25	0.37	19.8
CC82074		0.11	1.54	15.8	<0.2	<10	40	0.30	0.37	1.30	0.22	56.1	14.7	20	0.44	22.4
CC82075		0.14	1.58	16.0	<0.2	<10	50	0.28	0.41	0.81	0.17	54.8	13.4	20	0.52	22.5
CC82076		0.13	1.49	13.7	<0.2	<10	50	0.27	0.39	1.22	0.31	48.8	13.4	19	0.49	21.7
CC82077		0.10	1.38	18.0	<0.2	<10	40	0.27	0.41	0.83	0.22	59.6	14.1	18	0.38	20.5
CC82078		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC82079		0.08	1.65	36.4	<0.2	<10	30	0.30	0.44	0.46	0.16	68.0	19.4	21	0.63	29.6
CC82080		0.13	1.10	18.3	<0.2	<10	50	0.24	0.25	2.10	0.31	33.0	9.7	16	0.38	22.3
CC82081		0.25	1.04	20.6	<0.2	<10	50	0.46	0.43	1.75	0.32	44.6	12.8	14	1.00	28.0
CC82082		0.17	1.16	49.5	<0.2	<10	20	0.22	0.52	0.96	0.12	54.1	22.0	18	0.93	25.9
CC82083		0.09	1.88	9.5	<0.2	<10	20	0.24	0.45	0.24	0.05	74.4	16.8	25	0.33	33.2
CC82084		0.06	1.91	7.7	<0.2	<10	20	0.26	0.47	0.27	0.05	94.7	17.4	26	0.36	36.6
CC82085		0.08	1.84	8.8	<0.2	<10	20	0.29	0.44	0.25	0.05	75.6	17.6	24	0.31	32.4
CC82086		0.08	1.88	9.9	<0.2	<10	20	0.24	0.46	0.33	0.04	83.9	18.4	25	0.36	33.0
CC82087		0.07	1.24	6.5	<0.2	<10	30	0.20	0.27	1.83	0.14	50.3	12.8	16	0.30	25.8
CC82088		0.10	1.71	11.3	<0.2	<10	20	0.24	0.44	0.64	0.08	74.1	16.8	23	0.34	26.7
CC82089		0.10	1.73	8.4	<0.2	<10	20	0.21	0.43	0.61	0.09	75.4	14.9	20	0.29	27.6
CC82090		0.11	1.33	14.9	<0.2	<10	30	0.20	0.37	0.83	0.19	54.5	14.5	17	0.34	20.5
CC82091		0.11	0.58	2.5	<0.2	<10	20	0.21	0.56	0.04	0.07	20.7	3.0	10	3.38	3.7
CC82092		0.08	0.87	4.9	<0.2	<10	50	1.23	0.66	0.34	0.07	37.1	4.1	10	4.75	5.1
CC82093		0.02	1.44	5.4	<0.2	<10	60	0.87	0.92	0.08	0.05	40.0	4.9	13	4.16	5.5
CC82094		0.11	1.14	9.1	<0.2	<10	30	0.34	0.87	0.05	0.03	20.0	3.6	15	2.37	7.0
CC82095		0.09	1.03	7.7	<0.2	<10	50	0.96	0.43	0.21	0.05	21.7	9.1	13	5.86	7.5
CC82096		0.38	1.45	5.6	<0.2	<10	50	3.92	0.53	0.70	0.25	61.7	5.4	13	2.62	33.2
CC82097		0.07	1.43	4.7	<0.2	<10	70	1.01	0.55	0.41	0.08	32.5	7.3	19	5.21	11.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC81931		2.82	7.48	0.06	0.02	0.03	0.033	0.28	12.6	53.4	0.52	714	0.68	0.03	3.84	20.5
CC81932		3.17	8.11	0.07	0.02	0.03	0.036	0.27	20.4	64.9	0.60	775	0.95	0.02	4.08	24.7
CC81933		3.95	8.90	0.07	0.03	0.01	0.020	0.20	14.0	64.8	0.59	248	0.99	0.02	3.45	20.1
CC81934		2.25	6.05	<0.05	0.02	0.02	0.012	0.13	12.2	39.3	0.32	165	0.71	0.02	3.07	11.5
CC81935		3.55	8.68	0.07	0.03	0.01	0.019	0.12	15.7	45.4	0.44	763	1.22	0.02	3.56	13.5
CC81936		2.25	9.05	0.05	<0.02	0.01	0.012	0.09	16.8	25.1	0.32	207	0.94	0.01	3.18	10.1
CC81937		2.57	7.95	0.06	0.03	<0.01	0.014	0.12	15.3	29.2	0.36	215	0.85	0.01	3.12	10.3
CC81945		2.44	3.89	0.09	0.02	0.02	0.014	0.07	32.8	20.1	0.39	365	0.35	0.01	1.02	23.1
CC81946		3.87	5.23	0.12	0.03	0.01	0.017	0.07	46.3	37.2	0.70	286	0.22	0.01	1.04	25.6
CC81947		2.55	5.65	0.07	<0.02	0.01	0.015	0.04	24.8	22.5	0.46	186	0.49	0.01	1.68	11.7
CC81948		2.15	4.34	0.07	<0.02	0.02	0.014	0.05	22.9	23.8	0.43	178	0.25	0.02	0.72	12.3
CC81949		4.20	6.28	0.13	0.05	0.01	0.028	0.06	42.7	49.4	0.88	272	0.26	0.01	0.66	27.6
CC81950		4.27	5.79	0.13	0.02	0.01	0.021	0.03	45.9	50.0	0.85	277	0.25	<0.01	0.42	25.2
CC82071		4.00	6.06	0.09	0.04	0.02	0.022	0.03	25.4	43.5	0.74	778	0.69	0.02	0.63	19.5
CC82072		5.22	6.04	0.19	0.06	0.01	0.030	0.02	74.2	56.2	0.99	851	0.54	0.01	0.31	64.1
CC82073		3.30	4.38	0.09	0.06	0.02	0.026	0.03	23.0	37.4	0.67	304	0.43	0.02	0.29	30.2
CC82074		3.64	4.65	0.11	0.06	0.03	0.021	0.03	35.2	33.7	0.65	558	0.45	0.02	0.35	28.3
CC82075		3.60	4.92	0.11	0.06	0.02	0.022	0.03	31.7	36.9	0.68	612	0.36	0.03	0.42	27.9
CC82076		3.35	4.43	0.11	0.07	0.03	0.020	0.03	28.7	34.3	0.61	549	0.43	0.02	0.42	28.2
CC82077		3.50	4.18	0.11	0.06	0.02	0.021	0.02	31.4	32.4	0.61	720	0.41	0.01	0.33	29.0
CC82078		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC82079		4.17	5.46	0.07	0.04	0.05	0.026	0.02	37.4	38.3	0.78	570	0.41	0.01	0.66	42.8
CC82080		2.16	3.59	0.05	0.05	0.09	0.014	0.02	22.7	20.4	0.39	536	0.51	0.02	0.47	27.6
CC82081		2.22	3.65	0.06	0.04	0.09	0.024	0.03	37.1	23.4	0.37	870	0.47	0.01	0.98	27.1
CC82082		3.80	4.05	0.08	0.05	0.04	0.019	0.04	31.8	26.7	0.61	385	0.55	0.01	0.86	40.4
CC82083		4.18	6.01	0.08	0.05	0.03	0.021	0.03	42.8	56.6	0.96	593	0.37	0.01	0.19	45.0
CC82084		4.13	6.39	0.09	0.05	0.05	0.021	0.02	55.0	58.0	0.97	404	0.34	0.01	0.22	44.8
CC82085		4.15	5.85	0.08	0.05	0.04	0.020	0.02	43.8	53.6	0.93	416	0.27	0.01	0.18	42.1
CC82086		4.26	5.85	0.08	0.05	0.03	0.020	0.02	48.7	57.0	0.96	448	0.26	0.01	0.19	43.1
CC82087		2.50	3.93	0.06	0.04	0.04	0.013	0.02	29.9	35.6	0.54	455	0.33	0.02	0.26	31.6
CC82088		3.97	5.42	0.07	0.05	0.05	0.022	0.02	41.4	53.3	0.85	592	0.30	0.01	0.20	39.0
CC82089		3.69	5.60	0.09	0.04	0.05	0.016	0.01	45.6	55.4	0.83	508	0.25	0.01	0.22	35.0
CC82090		3.30	4.21	0.06	0.05	0.05	0.023	0.02	26.4	36.3	0.61	615	0.35	0.01	0.28	32.1
CC82091		1.05	5.04	<0.05	<0.02	0.03	0.005	0.08	10.8	20.4	0.17	82	0.51	0.01	2.02	6.6
CC82092		1.16	4.14	<0.05	<0.02	0.03	0.009	0.12	20.3	61.6	0.21	240	1.07	0.01	2.08	7.1
CC82093		1.79	6.15	<0.05	0.05	0.03	0.014	0.13	21.7	55.2	0.23	145	0.83	0.01	3.06	8.0
CC82094		1.90	8.89	<0.05	<0.02	0.04	0.010	0.08	10.6	24.8	0.20	100	0.63	0.01	2.42	8.7
CC82095		1.45	4.70	<0.05	<0.02	0.03	0.009	0.16	11.2	45.1	0.29	324	0.97	0.02	2.23	9.4
CC82096		1.25	5.01	0.11	0.06	0.09	0.010	0.11	101.5	38.6	0.20	174	0.71	0.03	2.29	12.1
CC82097		1.76	6.12	0.05	<0.02	0.03	0.013	0.22	17.5	59.0	0.41	273	0.57	0.02	2.87	14.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC81931		530	22.4	78.1	<0.001	0.01	0.39	2.8	0.2	1.2	29.7	<0.01	0.02	5.3	0.086	0.36
CC81932		370	19.0	72.8	<0.001	0.01	0.44	3.3	0.3	1.5	29.8	<0.01	0.02	7.5	0.076	0.37
CC81933		260	14.6	58.3	<0.001	0.01	0.50	2.9	0.2	1.2	24.5	<0.01	0.03	6.3	0.091	0.32
CC81934		170	8.5	59.4	<0.001	0.01	0.36	1.7	0.2	0.8	20.7	<0.01	0.02	3.9	0.074	0.21
CC81935		380	13.1	47.3	<0.001	0.01	0.43	2.1	0.2	1.2	26.6	<0.01	0.03	5.5	0.094	0.22
CC81936		280	8.1	29.1	<0.001	<0.01	0.30	1.9	<0.2	1.5	19.0	<0.01	0.02	5.6	0.085	0.20
CC81937		240	7.7	35.4	<0.001	0.01	0.38	1.8	0.2	1.1	13.2	<0.01	0.02	5.7	0.087	0.18
CC81945		720	8.4	12.4	<0.001	0.04	0.32	0.9	0.4	0.2	42.1	<0.01	0.01	2.3	0.015	0.07
CC81946		560	11.1	13.4	<0.001	<0.01	0.20	1.7	0.3	0.2	14.8	<0.01	0.01	14.4	0.019	0.11
CC81947		230	10.1	9.8	<0.001	0.01	0.23	1.5	0.2	0.7	9.4	<0.01	0.01	6.5	0.021	0.07
CC81948		420	4.6	9.1	<0.001	0.01	0.10	1.3	0.2	0.3	10.1	<0.01	0.01	6.3	0.008	0.04
CC81949		220	13.6	10.5	<0.001	<0.01	0.26	2.2	0.3	0.5	6.6	<0.01	0.01	15.9	0.009	0.08
CC81950		350	8.6	5.2	<0.001	<0.01	0.16	1.9	0.3	0.2	7.0	<0.01	0.02	18.4	0.005	0.03
CC82071		610	13.4	4.5	<0.001	0.04	0.14	2.3	0.5	0.2	69.4	0.01	0.02	5.2	0.008	0.04
CC82072		640	22.6	2.1	<0.001	0.01	0.21	2.9	0.6	<0.2	40.9	0.01	0.02	18.1	0.007	0.02
CC82073		650	22.8	3.2	<0.001	0.06	0.19	1.9	0.5	0.3	88.1	0.01	0.02	4.8	0.006	0.02
CC82074		650	17.4	3.3	<0.001	0.07	0.20	1.9	0.8	<0.2	89.5	0.01	0.03	4.3	0.006	0.02
CC82075		620	17.6	3.9	<0.001	0.05	0.18	2.2	0.5	0.2	51.4	0.01	0.02	6.6	0.007	0.02
CC82076		750	16.3	4.7	<0.001	0.08	0.17	1.8	0.6	0.2	81.1	0.01	0.02	4.1	0.007	0.02
CC82077		560	20.5	3.2	<0.001	0.04	0.19	2.0	0.6	<0.2	53.9	0.01	0.02	5.7	0.006	0.02
CC82078		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
CC82079		500	23.8	3.7	<0.001	0.02	0.34	4.6	0.3	0.2	27.6	0.01	0.02	11.4	0.010	0.04
CC82080		880	12.5	3.8	<0.001	0.11	0.20	1.4	0.5	<0.2	118.5	0.01	0.02	1.7	0.009	0.03
CC82081		980	14.8	6.5	<0.001	0.10	0.28	1.5	0.8	0.4	104.5	0.01	0.02	1.6	0.012	0.06
CC82082		950	23.1	6.7	<0.001	0.02	0.48	3.2	0.3	0.2	37.2	0.01	0.03	11.2	0.013	0.04
CC82083		540	12.9	2.5	<0.001	0.02	0.16	2.9	0.2	<0.2	19.1	<0.01	0.02	14.8	<0.005	<0.02
CC82084		540	12.6	2.4	<0.001	0.01	0.14	3.2	0.2	<0.2	21.8	0.01	0.02	17.7	<0.005	<0.02
CC82085		430	13.1	2.1	<0.001	0.01	0.14	3.1	0.2	<0.2	19.8	<0.01	0.02	15.2	<0.005	<0.02
CC82086		540	14.6	2.0	<0.001	0.02	0.14	3.0	0.3	<0.2	27.4	0.01	0.01	17.0	<0.005	<0.02
CC82087		680	9.4	3.5	<0.001	0.08	0.11	1.7	0.4	<0.2	109.0	0.01	0.02	3.3	0.005	<0.02
CC82088		640	18.6	2.8	<0.001	0.03	0.14	3.1	0.3	<0.2	39.0	0.01	0.02	12.1	<0.005	<0.02
CC82089		720	14.9	2.0	<0.001	0.03	0.12	2.7	0.3	<0.2	34.1	0.01	0.02	11.0	0.005	<0.02
CC82090		630	16.8	3.6	<0.001	0.04	0.22	2.7	0.3	<0.2	35.2	0.01	0.02	5.3	0.006	0.02
CC82091		160	6.5	53.0	<0.001	0.01	0.11	1.5	<0.2	0.7	9.8	<0.01	<0.01	2.6	0.046	0.15
CC82092		1010	7.7	31.1	<0.001	0.01	0.08	1.9	0.2	0.9	22.3	<0.01	0.01	5.2	0.046	0.17
CC82093		530	8.2	35.3	<0.001	0.01	0.19	2.6	<0.2	1.2	15.6	0.01	0.01	12.7	0.053	0.19
CC82094		640	7.2	18.9	<0.001	0.02	0.25	1.8	0.2	1.1	7.9	0.01	0.01	2.1	0.054	0.14
CC82095		650	11.0	34.9	<0.001	0.01	0.15	2.4	<0.2	0.7	21.7	<0.01	0.01	3.7	0.051	0.20
CC82096		640	7.8	24.9	<0.001	0.08	0.23	3.6	1.3	0.6	57.8	0.02	0.02	2.9	0.039	0.21
CC82097		560	9.6	51.2	<0.001	0.03	0.13	3.2	0.2	0.9	41.6	<0.01	0.01	4.5	0.071	0.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC81931		0.84	32	2.09	4.06	206	1.0
CC81932		1.60	34	3.17	6.69	165	0.9
CC81933		0.62	45	3.18	2.99	262	1.2
CC81934		0.52	32	0.66	2.25	85	0.8
CC81935		0.61	48	0.94	2.36	166	1.9
CC81936		0.60	42	0.67	2.32	92	0.5
CC81937		0.61	43	1.28	2.40	76	1.1
CC81945		2.00	11	0.27	9.19	61	<0.5
CC81946		0.98	11	0.13	8.51	74	0.8
CC81947		0.49	21	1.16	3.42	47	<0.5
CC81948		0.79	10	0.56	4.84	48	<0.5
CC81949		0.80	15	0.64	9.98	81	2.0
CC81950		1.31	11	0.21	9.71	79	<0.5
CC82071		4.15	17	0.15	8.31	93	1.2
CC82072		1.13	13	0.24	24.1	121	1.5
CC82073		1.65	11	0.10	10.95	128	1.8
CC82074		5.05	11	0.12	17.85	87	1.7
CC82075		1.38	13	0.11	12.95	81	1.7
CC82076		2.65	11	0.12	13.60	108	1.9
CC82077		1.70	11	0.10	14.90	92	1.6
CC82078		NSS	NSS	NSS	NSS	NSS	NSS
CC82079		0.76	18	0.26	19.55	71	1.3
CC82080		2.68	9	0.09	13.60	59	1.5
CC82081		4.83	11	1.35	28.6	49	0.8
CC82082		0.73	14	0.78	16.50	73	1.7
CC82083		0.69	11	0.08	16.95	82	1.2
CC82084		0.80	11	0.09	20.6	74	1.3
CC82085		0.72	11	0.10	17.45	74	1.2
CC82086		0.90	11	0.07	18.60	80	1.2
CC82087		2.03	8	0.06	13.25	51	1.1
CC82088		1.03	11	0.11	16.20	77	1.1
CC82089		1.27	10	0.07	15.65	78	1.1
CC82090		0.89	10	0.15	13.40	67	1.1
CC82091		0.88	16	1.26	1.98	30	<0.5
CC82092		5.60	14	2.87	11.00	57	<0.5
CC82093		1.71	25	1.82	5.31	48	1.9
CC82094		0.64	32	0.55	2.23	38	<0.5
CC82095		5.20	16	0.34	6.70	46	<0.5
CC82096		118.0	14	0.50	64.1	28	1.0
CC82097		8.35	21	0.37	7.12	62	<0.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
CC82098		0.25	0.92	4.2	<0.2	<10	50	0.97	0.45	0.35	0.15	21.3	5.5	12	3.26	12.8
CC82099		0.09	1.55	5.0	<0.2	<10	90	1.16	0.74	0.26	0.19	36.9	7.8	18	5.95	18.0
CC82100		0.74	2.36	33.7	<0.2	<10	90	6.75	3.49	0.74	1.07	54.3	21.5	17	25.3	56.1
CC81676		0.11	1.29	16.6	<0.2	<10	30	0.25	0.40	0.84	0.08	45.1	15.7	16	0.31	27.7
CC81677		0.13	1.50	23.8	<0.2	<10	20	0.23	0.38	0.51	0.10	62.4	18.5	21	0.32	28.0
CC81678		0.17	1.18	32.0	<0.2	<10	70	0.29	0.50	1.69	0.81	31.4	18.8	17	0.58	18.5
CC81679		0.12	1.33	23.5	<0.2	<10	30	0.21	0.46	1.56	0.19	60.7	21.6	18	0.29	28.0
CC81680		0.12	1.43	14.5	<0.2	<10	30	0.24	0.35	1.36	0.10	46.2	12.4	16	0.38	19.5
CC81681		0.12	1.55	15.8	<0.2	<10	40	0.22	0.36	1.05	0.11	46.1	13.8	18	0.46	16.6
CC81682		0.12	1.62	19.1	<0.2	<10	30	0.24	0.35	0.37	0.08	65.5	16.5	21	0.32	24.8
CC82191		0.31	0.44	1.1	<0.2	<10	20	2.37	0.21	0.34	0.33	29.1	1.0	4	2.08	13.2
CC82192		0.03	0.30	0.2	<0.2	<10	10	0.08	0.11	0.03	0.02	15.75	0.5	3	0.66	1.1
CC82193		0.53	0.45	1.5	<0.2	<10	20	0.98	0.73	0.08	0.06	7.92	4.7	4	3.61	12.2
CC82194		0.39	1.61	4.1	<0.2	<10	40	2.35	0.73	0.18	0.17	20.8	34.0	11	8.39	16.7
CC82195		0.33	2.70	2.6	<0.2	<10	40	8.10	0.40	0.15	0.49	72.1	33.4	12	13.55	84.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC82098		1.23	4.44	<0.05	<0.02	0.04	0.010	0.12	11.5	36.4	0.23	163	1.11	0.03	1.63	9.9
CC82099		1.83	6.84	<0.05	<0.02	0.03	0.017	0.22	19.6	53.7	0.36	223	0.95	0.02	3.38	16.6
CC82100		2.37	8.73	0.06	0.03	0.06	0.026	0.16	23.2	95.6	0.37	1350	9.60	0.02	4.39	61.8
CC81676		3.46	4.09	0.06	0.05	0.05	0.019	0.02	25.4	33.7	0.60	405	0.37	0.02	0.31	34.5
CC81677		3.91	4.91	0.07	0.06	0.04	0.019	0.03	33.2	38.8	0.76	468	0.35	0.01	0.34	38.5
CC81678		3.33	5.61	<0.05	0.02	0.06	0.023	0.03	16.4	22.6	0.35	1170	0.53	0.01	1.75	21.9
CC81679		3.92	4.11	0.08	0.05	0.04	0.024	0.02	32.6	37.1	0.67	931	0.42	0.01	0.24	42.9
CC81680		3.16	4.24	0.09	0.05	0.02	0.018	0.02	25.8	29.3	0.61	391	0.31	0.01	0.42	26.0
CC81681		3.48	4.37	0.09	0.05	0.02	0.018	0.02	25.4	32.3	0.69	491	0.30	<0.01	0.35	24.5
CC81682		3.82	4.76	0.11	0.05	0.02	0.020	0.02	36.2	36.1	0.78	568	0.27	<0.01	0.35	38.0
CC82191		0.34	1.27	<0.05	<0.02	0.02	<0.005	0.03	14.0	5.5	0.04	32	0.65	0.02	0.44	8.4
CC82192		0.32	2.69	<0.05	<0.02	0.01	<0.005	0.02	8.3	2.0	0.02	20	0.21	0.01	0.76	1.2
CC82193		0.58	2.70	<0.05	<0.02	0.02	0.005	0.03	4.2	7.3	0.06	64	0.96	0.03	0.68	6.0
CC82194		2.27	7.10	0.05	0.02	0.03	0.017	0.05	11.0	14.8	0.10	686	0.82	0.02	1.89	17.8
CC82195		1.53	4.59	0.08	0.02	0.04	0.018	0.06	39.8	21.5	0.14	610	0.89	0.01	1.81	19.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 7- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011163

Sample Description	Method Analyte Units LOR	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02
CC82098		420	12.7	29.9	<0.001	0.03	0.08	1.5	0.2	0.6	33.5	<0.01	0.01	1.1	0.042	0.12
CC82099		320	10.2	57.9	<0.001	0.03	0.17	3.6	0.3	1.0	41.2	<0.01	0.01	5.7	0.064	0.25
CC82100		600	32.7	55.4	0.001	0.05	0.28	4.0	0.8	1.4	57.7	0.01	0.03	4.1	0.033	0.65
CC81676		690	15.9	2.7	<0.001	0.04	0.22	2.7	0.4	<0.2	56.0	0.01	0.02	6.5	0.007	0.02
CC81677		750	17.3	2.6	<0.001	0.02	0.31	3.2	0.3	<0.2	34.7	0.01	0.02	10.0	0.006	0.02
CC81678		420	30.3	5.6	<0.001	0.05	0.34	2.3	0.4	0.5	65.8	0.01	0.03	3.2	0.025	0.04
CC81679		630	26.4	2.2	<0.001	0.04	0.28	3.5	0.4	<0.2	77.2	0.01	0.02	6.9	0.006	0.02
CC81680		670	16.4	3.1	<0.001	0.03	0.25	1.7	0.6	<0.2	69.9	0.01	0.01	3.5	0.007	0.02
CC81681		600	17.3	3.1	<0.001	0.02	0.20	1.7	0.5	<0.2	56.2	0.01	0.01	4.0	0.006	0.02
CC81682		690	18.2	2.2	<0.001	<0.01	0.27	2.4	0.5	<0.2	20.6	<0.01	0.02	10.2	0.005	0.02
CC82191		350	6.4	6.9	<0.001	0.01	0.06	0.3	0.4	0.2	27.2	<0.01	0.01	0.2	0.012	0.04
CC82192		50	1.4	7.6	<0.001	<0.01	0.05	0.3	<0.2	0.6	4.9	<0.01	<0.01	3.0	0.021	0.05
CC82193		340	9.1	5.0	<0.001	<0.01	<0.05	0.3	0.2	0.2	8.8	<0.01	0.01	0.2	0.020	0.04
CC82194		530	26.2	20.5	<0.001	<0.01	0.13	0.9	0.3	0.4	17.5	0.01	0.02	1.8	0.044	0.08
CC82195		990	26.6	22.8	<0.001	0.01	0.16	1.1	0.8	0.5	14.3	0.03	0.02	0.6	0.036	0.12



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

Project: SAYYEA

Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 7- FEB- 2011
Account: MTT

CERTIFICATE OF ANALYSIS	VA11011163
--------------------------------	-------------------

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm
		0.05	1	0.05	0.05	2	0.5
CC82098		7.17	14	0.33	4.66	38	<0.5
CC82099		8.66	19	0.66	8.04	67	<0.5
CC82100		27.4	19	0.90	22.9	224	0.5
CC81676		1.26	11	0.08	14.35	80	1.5
CC81677		0.92	13	0.10	16.80	80	1.8
CC81678		1.69	24	0.18	7.19	69	0.7
CC81679		1.38	10	0.12	20.1	78	1.2
CC81680		1.39	11	0.11	12.45	70	1.6
CC81681		1.42	14	0.08	11.00	79	1.5
CC81682		0.37	13	0.10	16.20	72	1.6
CC82191		13.60	6	0.09	10.70	18	<0.5
CC82192		0.40	10	0.07	0.98	6	<0.5
CC82193		3.49	8	0.15	1.94	26	<0.5
CC82194		3.95	18	0.24	4.78	78	0.8
CC82195		11.60	17	0.59	15.50	91	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7- FEB- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11011163

Method	CERTIFICATE COMMENTS
ALL METHODS ME- MS41	NSS is non- sufficient sample. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1- FEB- 2011
Account: MTT

CERTIFICATE VA11011164

Project: SAYYEA

P.O. No.:

This report is for 209 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- JAN- 2011.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99815		0.22	4.17	5.4	<0.2	<10	160	0.91	0.90	0.43	0.45	84.7	23.6	51	20.1	29.0
CC99816		0.21	4.16	5.6	<0.2	<10	130	1.00	1.75	0.64	0.29	73.7	23.0	57	21.0	31.5
CC99817		0.16	2.91	17.5	<0.2	<10	100	0.70	1.62	0.24	0.70	47.8	15.2	45	12.35	19.8
CC99818		0.21	4.96	4.0	<0.2	<10	130	1.28	2.24	0.84	1.10	74.1	25.0	56	24.9	41.4
CC99819		0.14	3.96	3.2	<0.2	<10	110	1.29	0.95	1.09	0.48	50.2	16.7	53	21.7	32.3
CC99820		0.15	2.71	8.0	<0.2	<10	70	0.68	0.82	0.88	0.43	49.7	13.0	37	11.50	20.3
CC99821		0.36	2.61	5.9	<0.2	<10	80	0.74	1.41	1.00	0.44	65.5	16.9	39	11.85	35.7
CC99822		0.35	2.52	6.4	<0.2	<10	100	0.80	1.63	0.81	0.39	64.4	17.4	37	10.95	36.8
CC99823		0.51	2.72	4.5	<0.2	<10	70	0.77	4.05	1.76	1.63	60.1	18.8	34	15.50	90.3
CC99824		0.29	1.87	6.2	<0.2	<10	80	0.61	3.24	0.55	0.43	49.6	12.4	28	6.70	35.3
CC99825		0.64	2.71	4.0	<0.2	<10	70	0.80	4.36	1.52	1.99	66.3	18.6	35	16.25	83.1
CC99826		0.82	2.84	4.2	<0.2	<10	90	0.85	5.41	2.67	1.94	73.0	20.2	39	18.85	143.0
CC99827		0.50	3.33	5.5	<0.2	<10	90	0.88	13.05	1.25	3.04	44.1	27.7	44	18.20	92.8
CC99828		0.36	3.08	4.3	<0.2	<10	110	0.83	12.10	0.65	2.63	54.7	22.1	41	17.35	79.6
CC99829		0.34	3.25	4.8	<0.2	<10	110	0.81	6.42	0.63	1.19	47.4	21.1	42	19.85	58.5
CC99830		0.45	4.09	3.6	<0.2	<10	120	1.07	5.73	0.70	0.81	48.2	19.5	51	24.9	64.9
CC99831		0.17	2.07	4.4	<0.2	<10	60	0.50	1.34	0.27	0.38	32.9	8.9	31	9.43	22.3
CC99832		0.18	2.96	4.2	<0.2	<10	110	0.73	2.24	0.29	1.28	40.6	15.7	39	18.00	34.3
CC99833		0.14	2.04	9.8	<0.2	<10	60	0.46	0.94	0.20	0.69	35.2	10.6	26	9.43	17.6
CC99834		0.15	3.14	4.0	<0.2	<10	100	0.83	1.74	0.32	0.54	38.1	13.1	35	15.60	37.2
CC99835		0.10	2.42	3.6	<0.2	<10	90	0.66	0.99	0.31	1.24	39.7	11.4	29	16.00	26.2
CC99836		0.52	2.82	3.8	<0.2	<10	100	1.16	1.40	0.39	1.05	40.1	12.8	29	13.55	47.5
CC99837		0.32	2.83	3.1	<0.2	<10	90	0.97	1.00	0.31	0.47	39.5	9.9	30	15.05	34.8
CC99838		0.38	2.29	2.7	<0.2	<10	100	1.25	1.13	0.32	2.09	47.0	17.1	24	10.60	36.3
CC99839		0.16	2.58	3.7	<0.2	<10	90	0.88	1.16	0.29	0.77	44.0	17.4	30	11.95	25.3
CC99840		0.14	2.28	4.1	<0.2	<10	80	0.74	0.95	0.25	0.67	32.9	11.5	28	10.45	25.9
CC99841		0.10	2.14	3.8	<0.2	<10	70	0.55	0.77	0.21	0.45	31.8	9.1	28	9.43	17.7
CC99842		0.31	2.26	5.6	<0.2	<10	130	0.85	0.42	0.27	0.59	50.7	17.6	28	5.68	15.3
CC99843		0.18	2.29	5.5	<0.2	<10	80	0.69	0.67	0.29	0.12	47.0	10.1	29	9.82	20.0
CC99844		0.08	1.78	7.6	<0.2	<10	50	0.46	0.25	0.26	0.11	47.7	10.0	24	3.25	11.9
CC99845		0.11	1.19	4.8	<0.2	<10	40	0.37	0.24	0.14	0.11	44.3	6.3	16	3.70	7.7
CC99846		0.27	1.65	9.3	<0.2	<10	60	0.66	0.40	0.16	0.29	55.0	16.0	21	3.28	14.3
CC99847		0.29	1.25	6.4	<0.2	<10	50	0.60	0.29	0.20	0.29	47.2	12.3	18	2.62	13.3
CC99848		0.26	1.53	10.2	<0.2	<10	40	0.52	0.57	0.27	0.25	49.6	13.1	23	3.32	11.7
CC99849		0.11	2.28	7.3	<0.2	<10	80	0.66	0.50	0.52	0.16	57.3	13.2	33	7.27	23.3
CC99850		0.14	1.88	10.9	<0.2	<10	70	0.63	0.69	0.74	0.16	63.8	14.0	29	5.35	20.8
CC99901		0.13	1.94	5.4	<0.2	<10	70	0.71	0.69	1.10	0.17	53.7	14.8	35	6.08	29.0
CC99902		0.12	1.79	6.8	<0.2	<10	70	0.77	0.47	1.12	0.18	43.8	14.9	28	5.43	25.0
CC99903		0.26	1.83	4.8	<0.2	<10	80	0.59	0.36	1.65	0.19	43.2	11.5	26	5.03	26.8
CC99904		0.20	2.04	5.3	<0.2	<10	70	0.86	0.72	1.85	0.48	50.6	13.0	29	7.76	38.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC99815		4.67	13.05	0.14	0.04	0.01	0.061	0.69	33.7	80.5	1.21	488	0.44	0.03	5.27	49.7
CC99816		4.59	13.20	0.14	0.03	0.01	0.085	0.69	34.6	74.0	1.23	430	0.44	0.04	6.29	51.2
CC99817		4.02	11.70	0.09	0.04	0.02	0.938	0.37	24.4	57.9	0.92	282	0.60	0.01	5.18	35.5
CC99818		4.64	15.00	0.19	0.05	0.03	0.201	0.92	32.8	77.7	1.34	781	0.34	0.12	5.68	48.7
CC99819		3.98	12.65	0.14	0.04	0.02	0.076	0.75	29.4	87.7	1.20	354	0.31	0.11	4.62	39.3
CC99820		3.84	8.50	0.12	0.04	0.02	0.069	0.39	27.1	58.8	0.88	263	0.43	0.05	3.38	28.7
CC99821		3.80	8.24	0.11	0.05	0.02	0.068	0.26	34.9	67.5	0.87	375	0.36	0.05	2.89	37.0
CC99822		3.92	8.15	0.11	0.05	0.02	0.058	0.23	33.1	64.9	0.80	334	0.37	0.06	2.73	34.1
CC99823		4.73	8.62	0.13	0.03	0.03	0.278	0.25	30.8	65.4	0.80	953	0.46	0.10	1.79	39.1
CC99824		2.91	6.35	0.09	0.05	0.02	0.061	0.31	24.8	45.0	0.67	522	0.42	0.03	2.14	26.9
CC99825		4.34	8.86	0.12	0.04	0.02	0.147	0.32	35.7	66.9	0.87	561	0.39	0.09	1.89	40.6
CC99826		4.43	9.47	0.13	0.05	0.02	0.226	0.36	38.5	72.7	0.93	621	0.43	0.08	2.11	44.9
CC99827		4.52	10.30	0.12	0.02	0.04	0.633	0.21	21.3	76.3	0.86	1220	0.64	0.08	3.18	42.5
CC99828		4.24	9.93	0.11	0.03	0.03	0.730	0.22	25.1	72.5	0.91	679	0.51	0.06	3.10	42.2
CC99829		3.99	9.72	0.11	0.03	0.02	0.529	0.25	22.2	77.2	0.88	600	0.42	0.05	3.26	45.7
CC99830		4.15	12.95	0.11	0.02	0.03	0.585	0.34	24.3	103.0	1.07	588	0.42	0.05	4.49	46.1
CC99831		2.61	7.24	0.07	0.02	0.02	0.111	0.15	17.2	52.4	0.68	250	0.41	0.01	2.92	22.5
CC99832		3.31	10.95	0.08	0.02	0.02	0.157	0.30	19.9	77.7	0.84	522	0.46	0.02	3.82	32.8
CC99833		2.82	7.04	0.07	<0.02	0.02	0.062	0.18	17.7	47.1	0.66	340	0.45	<0.01	2.16	22.1
CC99834		3.20	9.17	0.09	0.02	0.03	0.142	0.34	19.2	71.9	0.80	375	0.36	0.01	3.45	32.7
CC99835		2.79	7.83	0.08	<0.02	0.02	0.072	0.30	20.0	63.6	0.69	546	0.32	0.01	2.79	23.4
CC99836		2.79	9.20	0.07	<0.02	0.05	0.117	0.27	21.0	57.3	0.61	476	0.47	0.01	2.65	24.8
CC99837		2.97	9.18	0.07	<0.02	0.03	0.066	0.29	21.4	54.8	0.74	276	0.35	0.01	2.93	24.3
CC99838		2.72	7.74	0.06	<0.02	0.04	0.082	0.24	22.7	45.0	0.49	1180	0.51	0.01	1.87	21.0
CC99839		3.24	8.36	0.08	<0.02	0.03	0.074	0.25	22.0	64.0	0.70	891	0.47	0.01	2.70	25.1
CC99840		2.90	8.34	0.06	<0.02	0.02	0.058	0.22	16.8	50.8	0.64	416	0.52	0.01	2.47	22.1
CC99841		2.83	7.48	0.06	<0.02	0.02	0.042	0.20	16.7	44.2	0.70	308	0.44	0.01	2.19	19.9
CC99842		3.37	7.48	0.08	0.02	0.03	0.027	0.18	24.2	44.1	0.70	1480	0.64	0.01	2.55	24.9
CC99843		3.00	7.62	0.12	<0.02	0.02	0.045	0.22	24.1	47.5	0.74	293	0.27	0.01	2.81	24.9
CC99844		2.90	5.26	0.11	<0.02	0.03	0.016	0.15	24.5	30.1	0.74	219	0.40	<0.01	2.04	22.2
CC99845		2.01	4.98	0.11	<0.02	0.02	0.015	0.13	23.2	25.7	0.43	166	0.39	<0.01	2.50	13.4
CC99846		2.85	5.77	0.11	<0.02	0.03	0.027	0.12	26.8	33.3	0.52	554	0.66	<0.01	2.61	20.3
CC99847		2.23	4.90	0.11	0.02	0.02	0.018	0.12	22.7	21.3	0.41	741	0.47	0.01	2.40	16.4
CC99848		3.05	5.54	0.12	0.02	0.03	0.094	0.10	26.0	40.9	0.53	501	0.59	<0.01	2.59	21.5
CC99849		3.44	7.42	0.13	0.02	0.03	0.026	0.27	29.8	43.4	0.81	392	0.36	0.04	3.39	30.4
CC99850		3.26	6.20	0.15	0.02	0.02	0.042	0.18	31.6	44.8	0.71	701	0.60	0.02	2.40	29.9
CC99901		3.44	6.68	0.14	<0.02	0.03	0.034	0.22	26.2	49.2	0.72	463	0.62	0.04	3.04	32.3
CC99902		3.07	7.22	0.10	0.03	0.04	0.033	0.30	22.4	61.2	0.66	418	0.39	0.05	2.48	29.9
CC99903		2.72	5.28	0.13	0.02	0.04	0.022	0.17	24.6	33.6	0.61	457	0.41	0.04	2.47	27.2
CC99904		3.10	5.94	0.14	0.02	0.05	0.032	0.25	26.6	44.3	0.69	728	0.51	0.05	2.72	30.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC99815		440	10.9	76.4	<0.001	<0.01	0.13	6.4	0.6	2.2	109.0	0.01	0.03	11.8	0.072	0.45
CC99816		690	9.4	75.3	<0.001	<0.01	0.15	6.4	0.6	3.1	113.0	0.01	0.03	10.9	0.077	0.51
CC99817		320	17.3	52.9	<0.001	<0.01	0.33	4.6	0.4	4.4	53.7	0.01	0.03	9.4	0.077	0.32
CC99818		610	9.9	112.5	<0.001	<0.01	0.15	8.1	0.6	4.4	207	0.01	0.02	12.2	0.100	0.75
CC99819		350	7.4	92.1	<0.001	<0.01	0.14	6.7	0.6	4.1	170.0	0.01	0.02	10.6	0.098	0.58
CC99820		700	13.1	48.0	<0.001	0.10	0.13	4.0	0.7	2.1	99.5	0.01	0.02	8.6	0.054	0.32
CC99821		820	26.6	53.1	<0.001	0.16	0.21	3.9	0.8	4.4	103.0	<0.01	0.03	10.6	0.047	0.50
CC99822		860	25.2	53.7	<0.001	0.05	0.30	4.0	0.7	4.5	92.3	<0.01	0.02	9.9	0.051	0.47
CC99823		1150	23.6	53.7	<0.001	0.03	0.24	4.2	0.8	6.8	195.5	0.01	0.03	7.7	0.045	0.45
CC99824		730	16.8	48.6	<0.001	<0.01	0.32	3.3	0.4	2.4	56.3	<0.01	0.03	10.1	0.073	0.38
CC99825		960	26.2	71.9	<0.001	0.01	0.21	4.5	0.6	7.2	184.0	<0.01	0.03	10.7	0.047	0.58
CC99826		820	36.8	78.3	<0.001	0.01	0.28	5.2	0.7	9.5	219	<0.01	0.03	14.1	0.051	0.82
CC99827		830	16.8	52.7	<0.001	0.02	0.22	3.3	0.6	9.6	131.5	0.01	0.08	4.1	0.070	0.57
CC99828		700	20.9	53.0	<0.001	0.01	0.23	3.9	0.6	9.3	136.0	<0.01	0.06	9.5	0.061	0.56
CC99829		560	17.1	67.9	<0.001	<0.01	0.21	3.6	0.5	9.3	119.5	<0.01	0.05	8.4	0.061	0.67
CC99830		570	15.9	89.6	<0.001	<0.01	0.19	4.8	0.5	12.6	140.0	<0.01	0.04	8.0	0.070	0.92
CC99831		290	9.1	36.6	<0.001	<0.01	0.20	2.6	0.2	4.3	49.1	<0.01	0.02	5.8	0.059	0.33
CC99832		470	11.9	82.0	<0.001	<0.01	0.17	3.3	0.3	7.1	67.4	<0.01	0.02	4.9	0.062	0.52
CC99833		360	11.9	60.1	<0.001	<0.01	0.20	2.1	0.2	3.0	38.2	<0.01	0.01	5.0	0.041	0.29
CC99834		510	10.7	88.9	<0.001	<0.01	0.23	3.5	0.3	5.7	76.9	<0.01	0.02	7.6	0.064	0.58
CC99835		510	9.8	96.9	<0.001	<0.01	0.18	2.7	0.3	4.2	49.3	<0.01	0.01	5.3	0.054	0.48
CC99836		820	14.5	79.1	<0.001	0.01	0.14	2.0	0.4	4.3	61.1	<0.01	0.02	2.0	0.043	0.37
CC99837		400	8.8	109.0	<0.001	<0.01	0.12	2.4	0.3	5.0	53.9	<0.01	0.02	2.6	0.047	0.39
CC99838		700	13.6	76.3	<0.001	0.01	0.12	1.6	0.4	3.2	47.8	<0.01	0.02	1.3	0.039	0.31
CC99839		650	12.9	76.6	<0.001	<0.01	0.13	2.5	0.3	4.3	47.1	<0.01	0.02	3.7	0.054	0.42
CC99840		490	12.2	73.5	<0.001	<0.01	0.16	2.0	0.3	3.5	40.0	<0.01	0.01	2.1	0.049	0.34
CC99841		380	9.7	68.1	<0.001	<0.01	0.17	2.0	0.2	3.5	34.1	<0.01	0.01	2.3	0.053	0.31
CC99842		460	15.7	63.2	<0.001	<0.01	0.30	2.4	0.3	1.3	29.7	<0.01	0.01	5.0	0.055	0.26
CC99843		500	9.5	59.9	<0.001	<0.01	0.17	3.2	<0.2	3.4	49.7	<0.01	0.02	7.9	0.058	0.40
CC99844		490	7.6	49.9	<0.001	<0.01	0.29	1.9	<0.2	0.6	22.2	<0.01	0.01	5.3	0.066	0.18
CC99845		320	8.1	71.8	<0.001	<0.01	0.23	1.8	<0.2	0.9	19.7	<0.01	0.01	8.2	0.050	0.18
CC99846		310	18.2	46.5	<0.001	<0.01	0.33	2.0	<0.2	0.9	19.1	<0.01	0.01	6.5	0.058	0.16
CC99847		350	12.2	43.4	<0.001	<0.01	0.24	1.9	<0.2	0.7	21.0	<0.01	0.01	6.5	0.063	0.15
CC99848		470	20.5	39.7	<0.001	<0.01	0.32	2.5	<0.2	1.4	23.9	<0.01	0.01	9.5	0.058	0.16
CC99849		450	12.4	64.1	<0.001	<0.01	0.26	4.0	0.3	1.4	66.0	<0.01	0.02	13.7	0.082	0.38
CC99850		550	15.6	52.2	<0.001	<0.01	0.32	3.3	0.5	1.7	69.5	<0.01	0.02	6.8	0.057	0.26
CC99901		680	14.4	54.0	<0.001	0.01	0.21	3.8	0.4	1.4	89.8	<0.01	0.01	7.6	0.079	0.30
CC99902		500	11.3	61.4	<0.001	0.01	0.17	4.0	0.7	1.4	96.0	0.01	0.03	6.8	0.067	0.31
CC99903		770	9.4	38.3	<0.001	0.04	0.21	2.5	0.5	1.0	104.5	<0.01	0.01	4.3	0.058	0.25
CC99904		750	11.7	54.2	<0.001	0.07	0.19	2.9	0.7	1.4	119.0	<0.01	0.02	5.7	0.062	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS	VA11011164
--------------------------------	-------------------

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC99815		1.95	42	0.22	17.35	179	1.0
CC99816		1.79	46	0.34	17.75	214	0.8
CC99817		1.01	41	0.82	8.95	304	1.8
CC99818		1.51	45	0.44	18.25	345	1.5
CC99819		1.73	41	0.52	18.05	242	1.1
CC99820		1.81	30	0.36	14.10	204	1.1
CC99821		1.88	31	0.45	16.95	205	1.4
CC99822		1.44	34	0.71	16.25	203	1.7
CC99823		1.52	37	0.87	15.15	995	0.8
CC99824		1.02	30	0.90	11.10	205	2.0
CC99825		1.49	36	5.32	16.85	857	1.0
CC99826		1.47	41	1.63	17.35	972	1.8
CC99827		1.31	43	9.12	9.53	1790	0.7
CC99828		1.32	40	7.40	9.75	2140	0.8
CC99829		1.17	39	3.14	8.97	1420	0.9
CC99830		1.33	46	3.56	10.45	1270	0.7
CC99831		0.87	30	1.05	5.81	407	0.5
CC99832		1.11	35	2.16	8.36	500	<0.5
CC99833		0.79	24	0.60	5.06	232	<0.5
CC99834		1.02	33	4.32	7.68	415	0.7
CC99835		1.14	26	0.79	7.80	279	<0.5
CC99836		2.02	27	1.94	9.04	308	<0.5
CC99837		1.51	27	1.04	7.53	222	<0.5
CC99838		1.90	25	1.26	8.71	241	<0.5
CC99839		1.35	30	1.54	7.75	268	<0.5
CC99840		1.08	29	0.90	5.76	235	<0.5
CC99841		0.81	27	0.56	4.93	196	<0.5
CC99842		1.56	30	0.53	7.36	201	<0.5
CC99843		1.05	29	0.65	7.52	127	<0.5
CC99844		0.70	24	0.24	4.88	73	<0.5
CC99845		0.92	19	1.61	3.77	64	0.6
CC99846		1.21	28	0.29	6.08	118	<0.5
CC99847		1.51	22	0.21	5.98	105	<0.5
CC99848		1.55	28	0.26	8.36	171	0.7
CC99849		1.65	32	0.25	13.30	89	0.8
CC99850		2.71	27	0.28	16.25	87	0.5
CC99901		1.98	31	0.19	12.75	96	0.5
CC99902		2.63	27	0.35	12.90	101	0.5
CC99903		2.90	25	0.21	14.15	77	0.6
CC99904		3.82	27	0.32	16.00	159	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99905		0.08	1.31	10.1	<0.2	<10	50	0.49	0.52	1.64	0.46	56.0	14.5	21	12.35	50.1
CC99906		0.07	1.37	4.0	<0.2	<10	80	0.39	0.37	0.23	0.15	37.7	10.1	20	3.10	8.0
CC99907		0.14	1.03	2.6	<0.2	<10	90	0.32	0.37	0.21	0.41	24.0	8.1	16	2.25	10.1
CC99908		0.09	1.27	4.8	<0.2	<10	60	0.30	0.42	0.25	0.06	34.2	7.2	23	4.17	6.0
CC99909		0.12	1.78	6.5	<0.2	<10	60	0.71	0.56	0.18	0.09	52.4	11.6	23	4.58	11.6
CC99910		0.13	1.18	2.9	<0.2	<10	80	0.25	0.37	0.10	0.23	28.0	10.6	19	3.16	6.0
CC99911		0.11	1.28	4.0	<0.2	<10	50	0.31	0.43	0.08	0.24	33.3	9.5	19	2.98	6.5
CC99912		0.06	1.41	5.1	<0.2	<10	40	0.51	1.98	0.45	0.36	48.8	11.2	23	5.72	16.8
CC99913		0.12	0.87	2.5	<0.2	<10	70	0.21	0.32	0.08	0.50	25.8	10.4	12	2.66	7.9
CC99914		0.05	0.97	3.7	<0.2	<10	50	0.26	0.49	0.10	0.25	38.1	7.3	16	3.23	6.8
CC99915		0.21	1.45	10.9	<0.2	<10	50	0.41	0.52	0.95	0.38	60.5	12.6	21	4.25	21.2
CC99916		0.08	1.19	8.4	<0.2	<10	40	0.37	0.83	0.70	0.59	52.6	11.3	19	4.39	15.0
CC99917		0.07	1.19	9.4	<0.2	<10	30	0.38	0.55	0.46	0.31	59.1	10.5	20	4.25	14.3
CC99918		0.50	1.80	12.1	<0.2	<10	60	0.43	0.54	0.77	0.57	88.4	17.2	26	1.20	34.7
CC99919		0.29	2.45	6.5	<0.2	<10	90	0.56	0.66	0.57	0.30	78.8	13.9	32	3.93	25.4
CC99920		0.12	2.21	7.7	<0.2	<10	60	0.50	0.62	0.36	0.23	104.5	19.8	29	1.73	34.2
CC99921		0.20	2.19	9.4	<0.2	<10	60	0.53	0.92	0.39	0.34	107.5	20.9	28	4.49	36.8
CC99922		0.45	2.41	7.0	<0.2	<10	80	0.64	1.64	0.46	0.23	69.0	15.4	36	12.05	36.2
CC99923		0.52	2.75	8.6	<0.2	<10	70	0.81	2.29	1.19	0.32	73.3	16.8	39	14.85	54.7
CC99924		0.73	3.18	5.6	<0.2	<10	80	0.94	4.25	1.33	0.67	68.8	19.4	43	17.05	91.3
CC99925		0.56	2.86	3.9	<0.2	<10	90	0.84	3.89	1.48	1.59	50.2	16.1	36	12.60	71.6
CC99926		0.64	2.89	2.5	<0.2	<10	60	0.85	5.22	1.52	1.57	61.1	14.3	39	14.60	108.5
CC99927		0.39	3.30	5.7	<0.2	<10	70	1.09	5.08	0.94	3.47	48.6	23.0	35	11.15	80.0
CC99928		0.34	4.07	5.4	<0.2	<10	110	1.09	14.25	0.69	1.77	60.6	24.6	50	26.1	61.0
CC99929		0.45	2.41	6.0	<0.2	<10	90	0.64	5.22	0.76	4.51	39.1	15.3	34	14.25	45.1
CC99930		0.41	4.05	5.6	<0.2	<10	100	1.05	11.70	0.67	2.59	52.0	24.8	51	24.5	65.0
CC99931		0.34	4.21	4.3	<0.2	<10	130	0.94	9.80	0.95	2.53	50.9	22.1	60	28.1	51.1
CC99932		0.26	3.69	3.8	<0.2	<10	130	0.90	4.37	0.82	3.58	50.0	19.0	57	25.2	55.3
CC99933		0.25	4.53	2.3	<0.2	<10	120	0.99	3.15	0.68	0.98	55.7	19.7	61	26.4	81.9
CC99934		0.34	1.04	2.0	<0.2	<10	50	0.36	1.02	0.35	1.49	27.0	4.1	19	11.85	23.6
CC99935		0.30	3.34	2.9	<0.2	<10	130	0.72	2.28	0.58	0.60	44.4	13.0	45	21.2	36.6
CC99936		0.17	3.51	2.3	<0.2	<10	90	0.82	3.42	0.48	0.66	50.4	16.1	43	21.3	53.1
CC99937		0.25	2.94	2.6	<0.2	<10	80	0.65	6.72	0.45	0.64	52.1	16.9	36	17.95	48.8
CC99938		0.07	3.28	3.0	<0.2	<10	70	0.90	1.88	0.55	0.66	55.7	15.8	39	22.9	51.6
CC99939		0.23	3.15	3.3	<0.2	<10	90	0.79	1.64	0.45	0.31	53.8	14.8	35	20.7	44.4
CC99940		0.16	1.27	9.0	<0.2	<10	50	0.41	0.41	0.07	0.25	40.4	6.9	18	3.63	8.1
CC99941		0.31	1.42	10.2	<0.2	<10	50	0.37	0.57	0.07	0.21	43.2	8.1	20	4.84	9.2
CC99942		0.06	2.14	5.2	<0.2	<10	60	0.48	0.91	0.23	0.20	50.2	10.7	26	12.05	25.2
CC99943		0.19	1.84	10.2	<0.2	<10	60	0.52	0.69	0.10	0.26	44.4	10.6	25	7.95	16.7
CC99944		0.14	1.72	12.4	<0.2	<10	70	0.49	0.69	0.12	0.23	47.5	10.4	23	7.99	16.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC99905		3.64	3.90	0.13	<0.02	0.05	0.022	0.15	29.2	37.1	0.50	953	0.69	0.02	1.30	43.2
CC99906		2.44	6.44	0.10	0.02	0.01	0.019	0.12	19.0	30.4	0.39	688	0.67	0.01	2.78	15.4
CC99907		2.17	5.01	0.09	<0.02	0.03	0.014	0.08	12.4	20.3	0.29	192	0.74	0.01	2.37	11.8
CC99908		2.50	6.46	0.10	0.03	0.02	0.015	0.14	18.1	34.2	0.45	155	0.76	<0.01	3.20	14.9
CC99909		2.88	5.68	0.11	0.03	0.02	0.026	0.14	23.5	37.8	0.52	235	0.54	0.01	2.76	22.4
CC99910		2.50	5.54	0.09	<0.02	0.02	0.011	0.13	13.7	20.5	0.40	1200	0.58	<0.01	2.40	11.9
CC99911		2.85	7.21	0.10	0.02	0.02	0.015	0.10	17.0	32.1	0.39	201	0.59	<0.01	3.10	12.8
CC99912		2.81	5.16	0.14	<0.02	0.02	0.060	0.21	24.2	34.5	0.58	251	0.47	0.01	2.97	19.7
CC99913		1.75	4.50	0.09	<0.02	0.02	0.011	0.09	13.4	12.0	0.26	1400	0.43	0.01	2.21	7.7
CC99914		2.07	6.29	0.11	0.02	0.03	0.016	0.07	19.3	18.8	0.30	310	0.51	<0.01	3.19	11.8
CC99915		2.95	4.24	0.14	0.02	0.03	0.026	0.17	31.2	27.8	0.60	555	0.33	0.01	1.90	26.4
CC99916		2.27	3.86	0.13	<0.02	0.04	0.026	0.14	25.9	24.5	0.49	525	0.38	0.02	1.99	20.7
CC99917		2.43	3.77	0.14	0.02	0.02	0.029	0.12	27.9	24.1	0.50	435	0.37	0.02	1.97	20.4
CC99918		3.45	5.21	0.17	0.04	0.07	0.072	0.05	52.4	38.8	0.73	446	0.40	0.01	0.83	38.4
CC99919		3.95	6.60	0.16	0.04	0.06	0.132	0.08	50.8	55.4	0.96	424	0.27	0.01	0.99	38.2
CC99920		4.42	6.35	0.18	0.05	0.03	0.102	0.07	56.0	52.7	0.98	728	0.39	<0.01	0.40	44.9
CC99921		4.30	6.65	0.18	0.02	0.03	0.182	0.09	51.1	58.5	0.93	810	0.44	<0.01	0.79	45.0
CC99922		4.07	7.07	0.14	<0.02	0.04	0.075	0.20	36.3	52.1	0.83	592	0.49	0.01	1.76	39.0
CC99923		4.04	8.33	0.16	0.02	0.04	0.050	0.28	42.4	56.2	0.87	574	0.35	0.07	2.41	38.3
CC99924		5.04	10.40	0.15	0.02	0.04	0.074	0.34	31.8	74.4	1.00	637	0.46	0.11	2.34	42.5
CC99925		4.09	8.79	0.13	0.02	0.04	0.225	0.13	23.7	58.7	0.82	1010	0.47	0.06	1.67	30.1
CC99926		4.20	8.43	0.15	0.02	0.02	0.227	0.26	30.6	60.9	0.87	621	0.43	0.13	1.69	30.2
CC99927		3.79	8.99	0.15	0.03	0.05	0.461	0.11	30.7	46.6	0.67	1120	0.62	0.07	2.22	32.7
CC99928		4.75	11.75	0.14	0.02	0.03	1.065	0.38	28.4	86.7	1.12	672	0.62	0.05	5.34	60.4
CC99929		3.07	7.49	0.06	0.02	0.03	0.565	0.21	18.9	57.8	0.65	592	0.58	0.04	2.69	35.2
CC99930		4.52	11.20	0.10	0.03	0.02	1.035	0.36	24.0	90.8	1.00	811	0.73	0.06	5.29	57.0
CC99931		4.32	11.50	0.12	0.04	0.03	0.903	0.47	24.7	108.0	1.15	738	0.53	0.09	4.82	57.0
CC99932		4.14	11.55	0.11	0.04	0.03	0.348	0.43	24.3	102.5	1.06	825	0.56	0.05	4.09	52.2
CC99933		4.35	12.40	0.13	0.04	0.02	0.227	0.53	26.0	109.0	1.26	586	0.42	0.05	4.99	49.7
CC99934		1.33	4.90	<0.05	<0.02	0.03	0.052	0.13	13.9	21.3	0.32	116	0.40	0.02	1.65	10.9
CC99935		3.50	11.45	0.09	0.03	0.03	0.181	0.38	22.5	91.0	1.01	429	0.44	0.04	3.84	36.5
CC99936		3.71	10.65	0.09	0.03	0.01	0.185	0.35	25.2	88.9	1.04	411	0.42	0.03	3.65	36.7
CC99937		3.21	9.30	0.09	0.03	0.02	0.198	0.33	25.1	73.6	0.84	449	0.43	0.04	3.18	31.3
CC99938		3.62	9.66	0.10	0.03	0.01	0.120	0.41	27.8	82.8	1.01	381	0.39	0.03	3.37	36.2
CC99939		3.35	9.39	0.09	0.03	0.02	0.110	0.33	26.7	77.1	0.92	359	0.38	0.03	3.27	33.8
CC99940		2.29	5.49	<0.05	<0.02	0.01	0.019	0.11	19.9	24.0	0.43	199	0.54	0.01	1.95	14.9
CC99941		2.65	5.65	0.05	<0.02	0.02	0.018	0.11	21.8	26.3	0.47	188	0.62	0.01	2.06	19.3
CC99942		3.06	6.57	0.06	0.02	0.01	0.044	0.22	25.4	57.3	0.77	245	0.34	0.01	2.57	26.1
CC99943		3.21	6.58	0.06	0.02	0.01	0.032	0.17	22.7	40.4	0.67	286	0.52	0.01	2.00	24.3
CC99944		3.05	6.43	0.06	0.02	0.01	0.029	0.17	24.3	36.1	0.59	394	0.60	0.01	2.20	22.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC99905		610	23.9	33.3	0.001	0.04	0.34	2.4	1.2	0.5	82.3	<0.01	0.02	4.8	0.040	0.27
CC99906		220	12.8	33.3	<0.001	<0.01	0.24	1.9	<0.2	1.1	29.6	<0.01	0.02	7.0	0.057	0.17
CC99907		260	12.6	29.5	<0.001	<0.01	0.15	1.4	<0.2	0.9	22.6	<0.01	0.01	3.5	0.045	0.09
CC99908		160	6.9	63.1	<0.001	<0.01	0.28	1.9	<0.2	2.1	23.0	<0.01	0.01	6.0	0.073	0.18
CC99909		240	12.2	36.2	<0.001	<0.01	0.27	2.1	<0.2	1.3	21.7	<0.01	0.02	8.6	0.062	0.21
CC99910		190	7.6	42.3	<0.001	<0.01	0.21	1.5	<0.2	1.1	12.9	<0.01	0.01	5.1	0.057	0.17
CC99911		230	10.3	32.3	<0.001	<0.01	0.31	1.8	<0.2	1.2	11.2	<0.01	0.02	6.2	0.074	0.15
CC99912		670	9.6	45.2	<0.001	<0.01	0.22	2.6	<0.2	1.3	34.9	<0.01	0.02	11.5	0.074	0.35
CC99913		370	9.5	34.7	<0.001	<0.01	0.15	1.2	<0.2	0.7	10.0	<0.01	0.01	3.6	0.050	0.12
CC99914		340	7.4	28.2	<0.001	<0.01	0.21	1.4	<0.2	1.8	12.9	<0.01	<0.01	7.3	0.082	0.14
CC99915		910	17.5	28.7	<0.001	0.03	0.44	2.5	0.5	1.0	46.7	<0.01	0.02	9.4	0.047	0.23
CC99916		930	11.4	27.9	<0.001	0.02	0.29	2.1	0.2	1.3	48.5	<0.01	0.01	9.8	0.043	0.22
CC99917		1130	10.9	25.8	<0.001	<0.01	0.35	2.0	<0.2	1.4	37.6	<0.01	0.01	12.1	0.046	0.21
CC99918		840	28.4	8.1	<0.001	0.02	0.62	2.8	1.0	0.5	49.7	<0.01	0.02	10.8	0.017	0.06
CC99919		800	20.5	16.3	<0.001	0.02	0.17	2.9	0.6	1.5	53.0	<0.01	0.01	14.6	0.017	0.16
CC99920		700	19.3	9.7	<0.001	<0.01	0.26	2.9	0.5	0.8	33.2	<0.01	0.02	22.0	0.015	0.08
CC99921		790	31.0	17.5	<0.001	<0.01	0.23	2.9	0.7	2.0	42.4	<0.01	0.02	20.7	0.019	0.18
CC99922		920	39.7	45.8	<0.001	0.01	0.24	2.9	0.4	5.3	57.3	<0.01	0.03	10.6	0.036	0.47
CC99923		920	30.5	64.0	<0.001	0.03	0.24	3.9	0.7	6.4	121.0	<0.01	0.02	10.1	0.049	0.67
CC99924		680	30.0	74.7	<0.001	0.02	0.12	5.1	0.5	10.9	166.5	<0.01	0.03	13.2	0.057	0.76
CC99925		870	22.4	34.3	<0.001	0.05	0.19	3.2	0.4	6.8	154.0	<0.01	0.02	4.9	0.040	0.37
CC99926		1030	24.5	54.4	<0.001	0.04	0.17	4.3	0.5	8.8	226	<0.01	0.03	11.8	0.051	0.61
CC99927		950	12.7	31.3	<0.001	0.04	0.29	3.0	0.6	5.9	132.5	0.01	0.02	4.3	0.058	0.41
CC99928		760	19.2	85.6	<0.001	<0.01	0.21	4.8	0.4	12.9	174.0	<0.01	0.06	13.6	0.081	1.01
CC99929		750	13.6	49.0	<0.001	0.04	0.21	2.6	0.8	6.4	93.7	0.01	0.04	2.8	0.058	0.43
CC99930		630	21.9	83.2	<0.001	0.03	0.28	4.6	1.0	13.0	122.5	0.01	0.06	7.9	0.090	1.02
CC99931		710	12.4	110.0	<0.001	0.03	0.19	5.1	0.9	13.8	172.5	0.01	0.05	8.4	0.090	1.16
CC99932		890	9.5	103.5	<0.001	0.04	0.18	4.3	0.9	14.5	143.0	0.01	0.04	5.0	0.076	0.91
CC99933		520	10.6	124.0	<0.001	0.02	0.10	5.8	0.8	15.0	175.5	0.01	0.03	10.8	0.079	1.34
CC99934		290	7.5	76.7	<0.001	0.03	0.14	1.5	0.4	2.2	39.3	<0.01	0.01	1.2	0.043	0.19
CC99935		490	11.3	100.5	<0.001	0.02	0.12	4.3	0.7	9.6	118.5	0.01	0.03	7.1	0.062	0.79
CC99936		460	12.3	83.3	<0.001	0.02	0.11	4.7	0.7	9.3	123.5	0.01	0.03	9.4	0.062	0.93
CC99937		610	12.8	84.6	<0.001	0.02	0.11	3.7	0.7	7.2	110.5	0.01	0.03	8.3	0.051	0.76
CC99938		530	10.8	108.5	<0.001	0.02	0.08	4.4	0.7	7.2	122.0	0.01	0.02	11.4	0.063	1.01
CC99939		520	11.5	87.0	<0.001	0.02	0.11	3.9	0.6	6.5	101.5	0.01	0.02	8.0	0.055	0.84
CC99940		330	13.6	45.3	<0.001	<0.01	0.49	1.9	0.3	1.3	12.7	<0.01	0.02	3.8	0.047	0.15
CC99941		310	12.9	48.4	<0.001	0.01	0.50	1.9	0.3	1.3	12.2	<0.01	0.02	5.2	0.044	0.16
CC99942		530	7.7	61.3	<0.001	0.01	0.15	3.0	0.4	3.7	36.8	0.01	0.02	8.1	0.051	0.50
CC99943		460	13.0	64.9	<0.001	0.01	0.47	2.1	0.3	2.2	20.3	<0.01	0.02	4.4	0.050	0.28
CC99944		440	15.7	68.7	<0.001	0.01	0.48	2.2	0.3	2.4	18.8	<0.01	0.02	5.3	0.053	0.28



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS	VA11011164
--------------------------------	-------------------

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC99905		2.74	21	0.16	19.60	112	<0.5
CC99906		0.73	30	0.60	3.76	89	1.0
CC99907		0.50	25	0.17	2.88	54	<0.5
CC99908		0.54	32	0.24	3.57	77	1.2
CC99909		1.12	30	0.40	5.14	78	1.0
CC99910		0.50	26	0.23	2.16	81	<0.5
CC99911		0.57	37	0.29	2.38	166	0.8
CC99912		1.77	22	2.81	7.53	271	<0.5
CC99913		0.52	21	0.22	2.34	57	<0.5
CC99914		0.71	29	1.36	3.34	83	0.9
CC99915		1.08	19	0.26	13.40	130	0.8
CC99916		1.17	17	3.09	10.75	136	0.5
CC99917		1.11	18	0.96	12.10	130	0.6
CC99918		2.25	16	0.13	24.9	165	1.1
CC99919		1.65	18	0.14	19.55	210	1.1
CC99920		0.99	19	0.17	18.50	160	1.9
CC99921		1.13	18	0.19	18.25	205	1.1
CC99922		1.43	27	0.29	13.90	188	<0.5
CC99923		1.70	36	0.57	19.60	217	0.5
CC99924		1.62	49	1.10	14.00	463	0.7
CC99925		2.40	39	1.89	10.05	1050	0.7
CC99926		2.16	42	1.20	13.90	1040	0.5
CC99927		1.69	37	1.30	16.00	1900	1.0
CC99928		1.53	47	4.62	11.25	3780	0.7
CC99929		1.37	35	3.22	7.85	1530	0.5
CC99930		1.27	50	4.98	9.01	3040	0.8
CC99931		1.36	52	4.79	10.20	2320	0.8
CC99932		1.57	51	3.00	10.20	1470	0.7
CC99933		1.49	49	2.15	11.70	570	0.8
CC99934		0.94	18	0.45	3.84	147	<0.5
CC99935		1.55	36	0.87	9.90	621	<0.5
CC99936		1.51	34	1.34	11.50	451	<0.5
CC99937		1.51	29	3.76	11.15	437	<0.5
CC99938		1.60	31	1.02	11.75	346	<0.5
CC99939		1.50	29	2.43	11.50	295	<0.5
CC99940		0.68	24	0.53	3.13	90	<0.5
CC99941		0.73	24	0.44	3.66	82	<0.5
CC99942		1.01	22	0.41	8.66	128	<0.5
CC99943		0.72	25	0.38	4.46	139	<0.5
CC99944		0.77	25	1.20	5.01	124	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99945		0.26	1.57	10.8	<0.2	<10	50	0.63	0.55	0.24	0.33	41.5	9.7	21	6.03	13.5
CC99946		0.47	2.00	6.6	<0.2	<10	110	1.13	0.62	0.22	0.63	59.5	13.9	18	8.63	32.1
CC99947		0.17	1.25	8.4	<0.2	<10	40	0.43	0.31	0.24	0.32	46.8	10.1	18	3.94	9.7
CC99948		0.04	2.27	5.2	<0.2	<10	90	0.67	0.46	0.28	0.07	54.6	12.2	31	5.33	13.7
CC99949		0.17	1.99	5.8	<0.2	<10	80	0.69	0.50	0.88	0.28	52.7	12.2	26	6.44	21.1
CC99950		0.08	1.93	7.6	<0.2	<10	70	0.58	0.43	0.52	0.11	51.3	11.1	24	6.68	15.8
CC99859		0.14	4.71	3.8	<0.2	<10	130	1.05	0.78	0.26	0.32	55.4	18.8	56	11.35	22.9
CC99860		0.16	3.62	4.2	<0.2	<10	90	1.03	1.31	0.16	0.85	42.5	14.3	50	11.05	22.5
CC99861		0.06	2.95	14.9	<0.2	<10	140	0.70	1.44	0.55	0.26	59.0	14.8	45	8.91	25.8
CC99862		0.18	1.83	3.8	<0.2	<10	60	0.54	4.68	0.14	0.85	30.1	9.3	26	10.40	11.6
CC99863		0.11	3.29	6.6	<0.2	<10	140	1.20	0.98	0.29	0.39	52.2	14.9	44	12.75	26.0
CC99864		0.16	1.94	3.1	<0.2	<10	60	0.77	1.15	0.14	0.26	49.5	7.3	30	8.07	27.0
CC99865		0.06	2.64	3.9	<0.2	<10	80	0.74	1.24	0.20	0.26	46.0	13.5	39	13.45	22.0
CC99866		0.14	2.65	3.5	<0.2	<10	80	1.24	2.54	0.40	0.16	64.3	13.9	35	12.85	42.8
CC99867		0.07	1.36	3.7	<0.2	<10	50	0.54	0.50	0.17	0.19	34.1	7.2	18	4.48	8.3
CC99868		0.21	2.18	5.4	<0.2	<10	80	1.18	1.69	1.39	0.59	54.1	11.9	29	6.91	38.9
CC99869		0.34	2.30	7.2	<0.2	<10	90	0.71	2.30	1.28	1.07	51.8	13.1	32	9.27	40.6
CC99870		0.27	1.98	5.2	<0.2	<10	70	0.66	2.29	1.29	1.28	52.7	11.6	29	8.82	50.7
CC99871		0.20	1.73	4.6	<0.2	<10	80	0.49	1.36	0.58	1.58	40.3	10.3	26	9.24	28.8
CC99872		0.10	1.92	5.8	<0.2	<10	90	0.66	1.20	0.49	0.35	45.4	11.0	26	8.52	27.8
CC99873		0.21	2.98	6.7	<0.2	<10	100	0.77	4.92	0.49	0.82	51.8	20.9	47	14.25	46.5
CC99874		0.08	1.82	6.5	<0.2	<10	60	0.54	3.17	0.41	0.48	41.6	13.6	30	8.39	39.6
CC99875		0.41	2.58	6.7	<0.2	<10	70	0.89	2.90	0.56	1.05	44.2	16.5	31	10.10	62.7
CC99876		0.24	3.34	5.4	<0.2	<10	120	0.97	3.59	0.68	1.79	47.1	19.3	42	15.70	63.5
CC99877		0.49	2.71	5.4	<0.2	<10	100	0.94	1.96	1.07	1.75	49.6	15.6	33	12.05	62.2
CC99878		0.18	2.22	4.5	<0.2	<10	70	0.81	1.37	0.95	0.67	47.8	13.9	29	9.62	34.2
CC99879		0.15	2.94	6.0	<0.2	<10	90	1.05	1.51	0.54	0.42	47.2	16.5	34	15.35	47.5
CC99880		0.10	2.01	5.3	<0.2	<10	80	0.75	1.01	0.36	0.57	41.6	13.6	25	9.99	29.9
CC99881		0.06	2.25	5.0	<0.2	<10	70	1.22	1.04	0.21	0.22	48.9	11.8	29	10.60	47.0
CC99882		0.12	2.47	4.1	<0.2	<10	90	1.00	1.01	0.35	0.83	45.1	13.2	30	10.25	26.7
CC99883		0.25	2.89	7.0	<0.2	<10	120	1.50	1.26	0.46	0.73	62.3	15.2	32	12.20	57.7
CC99884		0.10	1.65	11.9	<0.2	<10	40	0.48	0.88	0.12	0.25	38.4	13.6	23	4.52	19.6
CC99885		0.10	2.38	13.9	<0.2	<10	60	0.75	1.07	0.25	0.34	43.2	20.9	41	6.32	22.3
CC99886		0.22	1.65	6.8	<0.2	<10	60	0.53	0.47	0.18	0.38	40.5	9.3	24	5.01	22.0
CC99887		0.21	1.72	7.4	<0.2	<10	60	0.57	0.49	0.17	0.30	33.3	10.8	23	6.06	23.7
CC99888		0.15	1.93	6.7	<0.2	<10	100	0.74	0.48	0.45	0.45	50.7	13.8	25	6.42	23.7
CC99889		0.16	1.55	8.9	<0.2	<10	70	0.76	0.37	0.33	0.31	48.4	12.3	21	3.64	19.6
CC99890		0.18	1.62	7.2	<0.2	<10	60	0.66	0.39	0.34	0.35	38.3	13.5	24	4.60	15.2
CC99891		0.22	1.46	8.6	<0.2	<10	50	0.56	0.27	0.30	0.36	49.2	13.8	18	3.36	16.0
CC99892		0.20	2.14	3.7	<0.2	<10	60	0.90	1.50	1.16	0.35	46.7	15.0	32	10.85	39.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC99945		2.73	5.33	0.05	0.02	0.02	0.034	0.17	20.3	38.0	0.59	243	0.47	0.01	1.68
CC99946		2.68	6.45	0.05	0.03	0.03	0.044	0.18	26.4	28.7	0.41	1120	0.53	0.03	1.59
CC99947		2.40	4.80	0.05	0.02	0.01	0.019	0.13	24.0	22.2	0.44	423	0.48	0.01	1.54
CC99948		3.32	7.46	0.07	0.03	0.01	0.036	0.15	24.8	55.9	0.76	257	0.44	0.02	2.66
CC99949		2.97	6.01	0.07	0.03	0.01	0.038	0.18	26.2	46.4	0.63	517	0.42	0.03	2.02
CC99950		3.01	5.86	0.06	0.03	0.01	0.032	0.23	25.5	48.2	0.64	350	0.44	0.02	2.17
CC99859		4.82	15.05	0.12	0.07	0.03	0.050	0.34	25.8	69.3	1.05	316	0.56	0.04	8.71
CC99860		4.51	13.50	0.08	0.05	0.03	0.071	0.23	20.3	72.8	0.97	302	0.60	0.02	6.31
CC99861		3.76	8.75	0.11	0.08	0.02	0.243	0.29	31.1	49.4	0.98	391	0.40	0.05	2.73
CC99862		3.23	10.50	<0.05	0.02	0.02	0.198	0.12	15.1	35.2	0.45	194	0.56	0.01	4.99
CC99863		3.75	9.69	0.08	0.04	0.02	0.082	0.35	25.6	57.7	0.95	350	0.46	0.02	3.64
CC99864		2.97	7.66	0.07	0.02	0.02	0.061	0.18	27.6	39.5	0.58	182	0.54	0.02	2.59
CC99865		4.04	9.83	0.09	0.04	0.02	0.070	0.27	24.5	72.4	0.89	256	0.46	0.02	3.50
CC99866		3.87	9.06	0.11	0.04	0.02	0.140	0.19	34.2	70.1	0.82	404	0.50	0.02	2.76
CC99867		2.28	5.11	<0.05	<0.02	0.01	0.034	0.26	17.1	38.8	0.48	223	0.25	0.01	2.54
CC99868		3.53	7.07	0.08	0.05	0.03	0.251	0.20	29.5	65.0	0.62	389	0.58	0.04	2.05
CC99869		3.48	7.06	0.08	0.05	0.03	0.115	0.21	27.1	56.4	0.73	1070	0.44	0.05	2.34
CC99870		2.92	6.40	0.08	0.05	0.02	0.161	0.26	26.4	46.3	0.64	489	0.43	0.06	2.37
CC99871		2.68	6.08	0.05	0.03	0.02	0.088	0.20	19.9	40.0	0.61	378	0.46	0.03	2.31
CC99872		2.82	6.29	0.06	0.03	0.01	0.087	0.19	24.0	44.7	0.64	332	0.40	0.02	2.66
CC99873		3.85	11.90	0.08	0.03	0.02	0.478	0.21	22.8	82.5	0.89	592	0.52	0.04	3.81
CC99874		2.93	8.08	0.06	0.02	0.02	0.228	0.16	20.9	58.0	0.62	290	0.51	0.02	2.29
CC99875		3.14	8.72	0.06	0.02	0.02	0.249	0.22	21.2	60.1	0.69	446	0.43	0.04	2.47
CC99876		3.60	11.45	0.07	0.03	0.04	0.316	0.31	23.4	86.6	0.88	494	0.51	0.05	3.55
CC99877		3.11	9.01	0.06	0.03	0.03	0.160	0.30	25.6	70.1	0.73	452	0.28	0.05	3.24
CC99878		2.84	7.79	0.07	0.03	0.03	0.105	0.28	24.4	66.5	0.66	395	0.31	0.04	2.93
CC99879		3.34	10.05	0.07	0.02	0.02	0.111	0.37	24.3	82.4	0.80	473	0.34	0.03	3.39
CC99880		2.63	7.87	0.06	0.02	0.02	0.055	0.29	20.4	63.4	0.64	658	0.34	0.02	2.82
CC99881		3.20	8.89	0.06	0.02	0.02	0.064	0.28	24.7	63.1	0.70	235	0.41	0.01	3.28
CC99882		2.98	8.70	0.06	0.02	0.03	0.061	0.27	22.3	81.0	0.72	366	0.41	0.02	3.05
CC99883		3.44	9.56	0.06	0.02	0.04	0.091	0.34	32.5	61.3	0.71	541	0.48	0.02	3.14
CC99884		3.16	8.21	0.05	<0.02	0.02	0.036	0.13	18.6	48.3	0.64	375	0.81	0.01	2.08
CC99885		4.00	10.95	0.05	<0.02	0.02	0.042	0.19	20.3	83.9	0.97	652	0.71	0.02	2.49
CC99886		2.41	7.03	0.05	<0.02	0.02	0.026	0.17	20.3	36.9	0.63	217	0.42	0.01	2.27
CC99887		2.58	7.64	0.05	<0.02	0.02	0.029	0.21	16.6	41.9	0.59	234	0.48	0.02	2.25
CC99888		2.84	7.87	0.06	0.02	0.03	0.031	0.22	25.2	55.7	0.64	689	0.38	0.02	2.06
CC99889		2.53	6.74	0.05	0.02	0.02	0.022	0.15	24.4	55.3	0.50	390	0.57	0.01	2.00
CC99890		2.66	6.34	0.05	0.02	0.02	0.020	0.18	18.3	49.4	0.62	367	0.39	0.02	2.46
CC99891		2.40	4.89	0.06	0.02	0.02	0.020	0.17	23.3	39.8	0.55	732	0.43	0.02	1.20
CC99892		3.42	8.40	0.07	0.02	0.02	0.069	0.35	24.7	63.7	0.77	306	0.27	0.07	3.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC99945		530	11.0	38.2	<0.001	0.01	0.45	1.8	0.4	1.5	42.8	<0.01	0.02	2.9	0.048	0.20
CC99946		770	13.5	48.8	<0.001	0.02	0.25	1.5	0.7	1.8	31.4	0.01	0.03	1.4	0.036	0.26
CC99947		320	12.6	63.1	<0.001	0.01	0.38	1.7	0.4	0.9	21.0	<0.01	0.02	3.0	0.043	0.14
CC99948		380	10.9	27.7	<0.001	0.01	0.22	3.4	0.4	1.9	53.5	<0.01	0.02	9.3	0.063	0.26
CC99949		650	11.2	41.0	<0.001	0.03	0.24	2.6	0.7	1.6	82.6	0.01	0.03	4.4	0.046	0.23
CC99950		490	9.9	58.0	<0.001	0.02	0.29	2.5	0.6	1.4	44.3	0.01	0.02	5.4	0.048	0.27
CC99859		380	11.3	46.3	<0.001	0.02	0.20	7.2	0.7	2.7	94.1	0.03	0.04	10.4	0.109	0.25
CC99860		230	12.0	43.2	<0.001	0.01	0.25	5.5	0.5	5.6	37.5	0.01	0.04	7.4	0.097	0.26
CC99861		620	14.5	42.7	<0.001	0.01	0.27	4.9	0.7	3.5	85.4	0.01	0.03	12.1	0.071	0.38
CC99862		210	14.4	28.9	<0.001	0.01	0.28	2.8	0.4	4.7	31.0	0.01	0.03	5.3	0.082	0.17
CC99863		430	11.1	56.3	<0.001	0.01	0.24	5.3	0.6	3.1	56.1	0.01	0.03	10.3	0.082	0.42
CC99864		390	8.9	33.7	<0.001	0.06	0.14	3.1	0.5	4.2	52.7	0.01	0.03	5.8	0.065	0.29
CC99865		540	10.0	54.0	<0.001	0.04	0.17	4.4	0.5	3.3	52.7	0.01	0.04	9.7	0.085	0.34
CC99866		690	10.2	40.1	<0.001	0.03	0.20	4.6	0.8	3.7	93.5	0.01	0.03	11.0	0.067	0.37
CC99867		260	7.6	56.2	<0.001	0.01	0.17	2.2	0.3	1.1	17.8	<0.01	0.02	6.0	0.062	0.24
CC99868		540	12.7	43.7	<0.001	0.08	0.23	3.8	1.4	2.3	140.0	0.01	0.04	6.3	0.046	0.30
CC99869		700	17.9	47.9	<0.001	0.06	0.30	3.6	1.0	4.0	110.0	0.01	0.04	6.9	0.057	0.43
CC99870		790	13.8	53.4	<0.001	0.02	0.29	3.6	0.8	4.4	110.0	0.01	0.03	9.5	0.059	0.46
CC99871		580	11.4	45.4	<0.001	0.02	0.23	2.7	0.5	2.7	58.3	<0.01	0.02	6.0	0.059	0.33
CC99872		600	11.6	39.5	<0.001	0.01	0.26	3.2	0.6	2.5	52.2	0.01	0.03	7.9	0.063	0.39
CC99873		620	16.4	52.4	<0.001	0.02	0.22	5.0	0.3	9.6	101.0	0.01	0.03	10.4	0.074	0.56
CC99874		610	14.3	44.0	<0.001	0.02	0.23	3.4	0.3	4.9	72.2	<0.01	0.02	5.8	0.057	0.32
CC99875		580	12.8	61.3	<0.001	0.03	0.29	4.0	0.4	4.4	82.2	0.01	0.02	5.5	0.054	0.38
CC99876		590	14.3	98.7	<0.001	0.02	0.21	5.4	0.4	7.5	112.0	<0.01	0.02	8.7	0.066	0.58
CC99877		530	11.6	83.3	<0.001	0.03	0.19	4.8	0.4	4.7	112.0	0.01	0.01	7.3	0.060	0.47
CC99878		690	9.7	86.0	<0.001	0.03	0.19	4.5	0.5	3.4	111.0	<0.01	0.01	7.5	0.059	0.43
CC99879		490	11.2	116.0	<0.001	0.01	0.18	4.7	0.2	5.2	81.4	<0.01	0.02	8.0	0.061	0.56
CC99880		450	8.2	94.5	<0.001	0.01	0.11	3.8	0.2	3.7	57.7	<0.01	0.02	7.1	0.052	0.36
CC99881		380	8.6	71.9	<0.001	0.01	0.16	4.3	0.2	4.4	48.7	<0.01	0.01	10.2	0.057	0.41
CC99882		460	7.2	91.9	<0.001	0.01	0.11	4.3	0.2	4.5	62.3	<0.01	0.01	6.7	0.054	0.39
CC99883		640	14.7	108.0	<0.001	0.03	0.13	4.1	0.4	4.1	65.7	<0.01	0.02	6.0	0.054	0.32
CC99884		430	15.2	45.2	<0.001	0.01	0.29	2.7	0.2	2.1	17.5	<0.01	0.02	4.3	0.045	0.16
CC99885		780	21.4	50.9	<0.001	0.01	0.31	4.2	0.2	4.8	31.7	<0.01	0.02	5.5	0.061	0.26
CC99886		250	10.0	81.0	<0.001	0.01	0.24	2.8	<0.2	1.6	25.2	<0.01	0.01	4.8	0.064	0.22
CC99887		360	9.8	79.2	<0.001	0.01	0.22	2.9	<0.2	1.8	29.9	<0.01	0.01	3.7	0.055	0.25
CC99888		630	11.1	58.1	<0.001	0.01	0.24	3.6	0.3	1.7	55.2	<0.01	0.01	3.8	0.052	0.26
CC99889		460	12.7	62.0	<0.001	0.01	0.25	2.8	0.3	0.9	32.6	<0.01	0.01	2.3	0.057	0.16
CC99890		410	9.5	57.5	<0.001	0.01	0.21	3.4	0.2	1.1	35.0	<0.01	0.01	6.9	0.059	0.22
CC99891		550	9.3	53.7	<0.001	0.02	0.29	2.0	0.2	0.6	25.1	<0.01	0.01	1.9	0.044	0.16
CC99892		670	10.9	69.8	<0.001	0.03	0.13	5.6	0.4	2.8	109.0	0.01	0.02	9.1	0.085	0.48



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC99945		0.85	21	0.38	5.72	98	<0.5
CC99946		2.03	22	0.78	9.77	150	<0.5
CC99947		0.89	21	0.31	5.72	83	<0.5
CC99948		1.27	30	0.40	6.84	94	0.6
CC99949		2.54	25	0.40	10.15	119	0.5
CC99950		2.09	24	0.56	8.89	94	<0.5
CC99859		1.38	53	0.28	11.30	115	2.5
CC99860		0.99	51	1.11	7.68	246	1.9
CC99861		1.21	39	0.46	13.00	204	2.6
CC99862		0.62	39	0.54	4.43	283	0.8
CC99863		1.21	41	0.62	10.30	192	1.2
CC99864		1.38	34	2.54	7.12	140	<0.5
CC99865		1.14	40	2.00	7.15	199	1.2
CC99866		2.19	35	0.82	14.00	330	0.5
CC99867		0.85	21	0.57	4.18	101	<0.5
CC99868		1.97	30	0.47	15.20	284	1.1
CC99869		2.37	31	0.67	12.20	423	1.0
CC99870		1.25	29	1.44	12.05	479	1.2
CC99871		1.01	26	1.59	7.38	287	0.6
CC99872		1.13	28	0.82	8.73	240	0.9
CC99873		1.33	41	4.89	8.87	1180	1.3
CC99874		1.36	31	3.15	7.41	580	0.5
CC99875		1.47	30	3.69	9.40	756	0.5
CC99876		1.38	39	4.51	10.65	826	0.8
CC99877		1.49	30	5.44	13.55	416	0.8
CC99878		1.76	28	2.55	12.35	273	0.8
CC99879		1.32	32	2.00	10.95	286	0.5
CC99880		1.26	25	0.83	9.08	172	0.5
CC99881		1.81	28	1.83	8.79	168	0.7
CC99882		1.31	28	2.07	8.13	276	<0.5
CC99883		3.56	32	1.52	12.20	235	<0.5
CC99884		0.93	27	1.01	5.18	115	<0.5
CC99885		1.06	40	0.60	6.75	174	<0.5
CC99886		1.17	25	0.50	4.65	120	<0.5
CC99887		0.97	24	0.52	4.72	128	<0.5
CC99888		1.68	26	0.56	11.10	121	<0.5
CC99889		2.23	27	0.36	9.45	165	<0.5
CC99890		1.27	23	0.25	6.68	95	0.5
CC99891		1.82	19	0.31	9.46	96	<0.5
CC99892		1.98	31	0.51	15.95	285	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99893		0.24	1.92	8.4	<0.2	<10	80	0.63	0.39	1.33	0.20	41.3	15.8	29	4.75	25.0
CC99894		0.15	1.96	12.4	<0.2	<10	60	0.93	0.58	0.55	0.45	48.4	20.8	27	3.86	28.7
CC99895		0.25	1.91	3.5	<0.2	<10	70	1.05	0.70	1.60	0.42	57.4	21.0	29	7.89	66.9
CC99896		0.05	2.24	3.9	<0.2	<10	60	0.53	0.72	0.69	0.30	34.8	18.5	43	10.50	14.1
CC99897		0.03	1.67	4.1	<0.2	<10	60	0.41	0.51	0.20	0.10	24.2	10.3	35	3.78	7.1
CC99898		0.08	2.11	5.2	<0.2	<10	50	0.95	1.34	0.47	0.09	68.3	21.4	35	12.70	46.3
CC99899		0.03	1.67	3.6	<0.2	<10	40	0.54	0.40	0.16	0.05	26.6	12.0	25	5.72	15.6
CC99900		0.05	1.84	6.6	<0.2	<10	50	0.60	0.39	0.66	0.16	41.4	13.7	30	5.66	22.2
CC100551		0.17	1.82	6.7	<0.2	<10	80	0.70	0.45	0.98	0.19	48.0	13.8	25	7.30	24.4
CC100552		0.25	1.88	8.8	<0.2	<10	80	0.75	0.54	0.83	0.15	47.3	14.1	24	6.89	27.4
CC100553		0.18	1.56	11.3	<0.2	<10	60	0.63	0.29	0.54	0.09	46.6	15.3	23	3.50	20.8
CC100554		0.05	1.88	9.3	<0.2	<10	60	0.51	0.33	0.43	0.06	42.1	14.6	29	4.42	15.8
CC100555		0.10	1.88	9.9	<0.2	<10	70	0.66	0.45	0.53	0.08	47.6	13.3	25	6.04	22.7
CC100556		0.07	1.83	7.6	<0.2	<10	60	0.64	0.41	0.80	0.07	50.4	14.5	25	5.94	25.3
CC100557		0.11	5.19	3.3	<0.2	<10	100	1.26	0.50	3.47	0.15	72.3	21.3	61	6.59	24.0
CC100558		0.06	2.99	4.0	<0.2	<10	20	0.98	0.53	0.56	0.13	63.1	25.8	33	3.23	27.1
CC100559		0.09	1.86	4.9	<0.2	<10	70	0.60	0.37	0.30	0.18	40.2	14.0	26	4.02	20.1
CC100560		0.06	1.21	5.3	<0.2	<10	30	0.25	0.38	0.18	0.11	23.0	8.3	18	2.44	13.4
CC100561		0.08	4.03	0.9	<0.2	<10	100	0.79	0.38	0.85	0.11	33.0	19.3	62	11.05	29.0
CC100562		0.06	1.29	10.6	<0.2	<10	40	0.36	0.42	0.33	0.17	44.4	12.6	20	2.77	13.0
CC100563		0.22	1.10	9.5	<0.2	<10	70	0.34	0.31	0.18	0.11	33.8	9.6	15	2.45	11.6
CC100564		0.07	1.79	5.5	<0.2	<10	40	0.77	4.17	0.28	0.05	65.6	14.5	26	7.60	66.8
CC100565		0.07	1.52	5.3	<0.2	<10	50	0.49	0.31	0.13	0.05	35.8	9.8	20	3.86	17.4
CC100566		0.21	1.16	0.3	<0.2	<10	40	9.65	1.39	1.96	0.61	36.0	7.8	7	2.48	159.0
CC100567		0.09	1.87	7.1	<0.2	<10	70	1.65	0.90	0.47	0.49	43.9	15.9	33	7.90	22.7
CC100568		0.06	2.18	3.9	<0.2	<10	30	0.77	0.46	0.48	0.08	58.2	14.3	34	8.09	23.3
CC100569		0.22	1.82	5.0	<0.2	<10	50	1.00	0.60	1.26	0.31	46.9	12.2	27	13.50	51.2
CC100570		0.21	1.93	6.1	<0.2	<10	70	0.64	0.42	0.99	0.15	46.6	12.1	27	8.10	29.4
CC100571		0.10	1.92	5.5	<0.2	<10	60	0.65	0.43	0.24	0.10	33.1	12.8	35	4.85	12.2
CC100572		0.22	1.99	5.3	<0.2	<10	60	0.59	0.43	0.07	0.07	29.4	9.1	28	4.80	11.5
CC100573		0.49	2.31	5.5	<0.2	<10	90	0.79	0.82	0.51	0.15	65.7	14.2	35	7.82	22.5
CC100574		0.11	1.59	4.8	<0.2	<10	70	0.48	0.42	0.11	0.04	27.7	10.2	24	4.87	8.5
CC100575		0.28	0.89	1.7	<0.2	<10	70	0.37	0.35	1.00	0.54	28.5	7.2	14	5.74	30.6
CC100576		0.09	1.38	7.0	<0.2	<10	60	0.48	0.39	0.19	0.05	32.3	8.6	21	3.50	12.1
CC100577		0.07	1.68	4.3	<0.2	<10	60	0.51	0.37	0.33	0.05	47.0	11.3	25	4.90	19.5
CC100578		0.07	1.38	7.4	<0.2	<10	30	0.28	0.36	0.16	0.16	39.4	8.1	20	3.43	5.6
CC99637		0.17	4.70	5.7	<0.2	<10	130	0.91	0.87	1.70	0.15	65.3	18.0	56	10.10	41.7
CC99638		0.19	3.42	7.5	<0.2	<10	100	0.90	0.72	1.49	0.58	51.3	16.5	49	14.00	60.4
CC99639		0.20	3.06	10.8	<0.2	<10	110	1.35	0.76	1.23	0.62	61.6	15.1	41	11.70	42.7
CC99640		0.30	3.88	3.3	<0.2	<10	80	2.24	1.71	0.25	1.17	39.7	15.4	50	15.90	25.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
CC99893		3.06	7.40	0.06	0.02	0.03	0.026	0.25	20.0	60.3	0.69	520	0.38	0.05	2.61	32.6
CC99894		4.13	7.38	0.06	0.02	0.03	0.040	0.18	30.0	52.4	0.52	1090	0.66	0.02	2.58	36.4
CC99895		3.11	6.94	0.07	0.03	0.02	0.063	0.19	37.9	53.0	0.67	404	0.27	0.06	2.48	88.2
CC99896		3.44	11.05	0.06	0.02	0.02	0.031	0.23	17.0	117.5	0.84	389	0.45	0.07	3.61	33.3
CC99897		3.25	10.30	<0.05	0.02	0.02	0.019	0.13	11.9	74.3	0.62	181	0.87	0.02	3.14	19.8
CC99898		4.22	8.03	0.08	0.03	0.02	0.028	0.31	29.9	70.9	0.84	356	0.35	0.03	2.95	46.3
CC99899		2.78	8.04	0.05	0.03	0.02	0.018	0.18	13.1	63.9	0.56	157	0.45	0.03	2.84	27.8
CC99900		3.12	6.85	0.07	0.02	0.02	0.024	0.25	17.8	96.8	0.71	267	0.30	0.04	3.01	36.9
CC100551		2.87	6.77	0.06	0.02	0.02	0.031	0.24	23.0	57.2	0.63	430	0.38	0.03	2.30	30.1
CC100552		2.72	7.15	0.06	0.03	0.04	0.035	0.17	25.0	59.1	0.56	416	0.42	0.03	2.59	31.0
CC100553		2.71	5.73	0.06	0.02	0.03	0.027	0.18	23.2	45.9	0.60	536	0.44	0.02	2.42	27.6
CC100554		3.22	6.68	0.06	0.02	0.02	0.026	0.18	20.3	51.9	0.78	314	0.35	0.03	2.27	30.3
CC100555		2.97	6.79	0.06	0.02	0.02	0.028	0.21	23.4	51.0	0.66	372	0.46	0.02	2.32	30.3
CC100556		2.76	6.40	0.06	0.03	0.03	0.030	0.19	24.9	51.5	0.62	569	0.35	0.03	2.39	29.5
CC100557		6.01	17.05	0.12	0.04	0.02	0.048	0.42	40.4	107.5	1.72	902	0.31	0.29	2.75	53.8
CC100558		5.98	9.18	0.09	0.04	0.02	0.043	0.06	24.2	49.7	0.82	205	0.52	0.07	1.63	60.4
CC100559		3.47	6.45	0.06	0.08	0.01	0.032	0.11	19.7	43.3	0.51	448	0.58	0.02	3.57	48.4
CC100560		3.13	5.39	<0.05	0.02	0.02	0.018	0.08	11.9	22.4	0.38	241	0.81	0.01	2.33	21.0
CC100561		5.21	11.95	0.10	0.05	0.02	0.036	0.58	15.0	90.9	1.23	426	0.38	0.12	6.88	60.7
CC100562		2.76	4.60	0.05	0.04	0.01	0.026	0.09	21.2	27.0	0.44	377	0.47	0.01	2.30	25.0
CC100563		2.56	4.12	<0.05	0.02	0.02	0.018	0.09	17.2	23.8	0.39	285	0.50	<0.01	1.67	19.8
CC100564		3.66	5.63	0.08	0.04	0.02	0.036	0.15	30.1	39.5	0.67	235	0.40	0.01	2.20	37.4
CC100565		2.86	5.50	<0.05	0.04	0.01	0.019	0.14	18.5	33.9	0.57	226	0.28	0.01	2.33	25.1
CC100566		0.79	2.59	0.06	0.06	0.06	0.079	0.05	37.8	7.7	0.05	388	0.23	0.02	0.84	43.8
CC100567		3.86	7.24	0.06	0.02	0.02	0.102	0.14	22.2	46.5	0.72	1020	0.47	0.01	2.51	29.1
CC100568		3.53	7.04	0.09	0.05	0.02	0.034	0.31	24.6	40.5	0.73	308	0.26	0.04	3.23	37.8
CC100569		3.02	6.02	0.10	0.05	0.04	0.034	0.30	29.3	41.7	0.67	371	0.41	0.04	2.34	38.3
CC100570		3.10	6.18	0.07	0.05	0.03	0.034	0.25	25.7	44.9	0.71	347	0.33	0.02	2.69	32.8
CC100571		4.06	7.81	0.05	0.04	0.02	0.040	0.12	17.0	41.7	0.58	248	0.69	0.01	2.89	26.6
CC100572		3.39	7.74	<0.05	0.03	0.03	0.023	0.15	15.1	53.3	0.61	213	0.47	0.01	3.33	22.0
CC100573		3.12	7.88	0.08	0.04	0.03	0.087	0.17	29.4	48.8	0.68	951	0.52	0.02	3.23	31.1
CC100574		2.75	7.21	<0.05	0.03	0.02	0.017	0.18	14.3	49.8	0.53	204	0.61	0.01	3.32	19.3
CC100575		1.70	4.29	<0.05	0.02	0.03	0.014	0.07	15.9	19.3	0.19	589	0.62	0.01	1.98	15.2
CC100576		3.14	5.68	<0.05	0.02	0.02	0.014	0.16	16.9	36.1	0.48	418	0.53	0.01	2.34	20.9
CC100577		2.79	5.56	0.07	0.04	0.02	0.019	0.18	24.1	42.1	0.64	217	0.29	0.02	2.81	28.1
CC100578		2.63	5.26	<0.05	0.04	0.02	0.025	0.08	20.1	36.6	0.41	134	0.80	0.01	1.85	14.9
CC99637		4.37	12.05	0.15	0.07	0.03	0.065	0.61	52.9	74.8	1.16	454	0.38	0.16	5.18	44.9
CC99638		3.97	9.83	0.10	0.06	0.03	0.051	0.51	41.1	72.8	0.99	646	0.38	0.08	5.00	47.5
CC99639		3.46	8.60	0.13	0.08	0.04	0.075	0.29	49.7	56.8	0.81	504	0.60	0.05	3.75	40.9
CC99640		4.30	12.15	0.07	0.05	0.05	0.100	0.37	19.7	66.8	0.92	286	0.43	0.02	6.43	37.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC99893		530	10.6	55.5	<0.001	0.04	0.24	4.1	0.4	1.1	90.5	<0.01	0.02	4.4	0.066	0.19
CC99894		400	24.9	40.1	<0.001	0.03	0.24	3.8	0.3	1.8	40.8	0.01	0.03	5.3	0.060	0.19
CC99895		740	11.4	39.9	<0.001	0.06	0.13	4.2	0.8	2.4	114.5	0.01	0.02	6.8	0.069	0.28
CC99896		250	11.2	87.0	<0.001	0.01	0.12	5.6	0.2	2.0	75.6	<0.01	0.02	7.5	0.119	0.24
CC99897		160	13.6	32.7	<0.001	0.01	0.17	4.0	<0.2	3.1	20.2	<0.01	0.02	4.6	0.100	0.13
CC99898		200	10.7	60.3	<0.001	0.01	0.16	5.2	0.2	2.2	42.1	<0.01	0.03	14.7	0.100	0.50
CC99899		150	9.9	51.6	<0.001	0.01	0.37	3.8	0.2	1.2	26.2	<0.01	0.01	6.1	0.083	0.28
CC99900		190	11.4	51.0	<0.001	0.02	0.16	4.4	0.3	1.3	50.5	<0.01	0.02	10.0	0.082	0.31
CC100551		690	10.1	60.6	<0.001	0.03	0.22	3.4	0.3	1.5	88.4	<0.01	0.02	4.7	0.056	0.26
CC100552		500	8.5	40.1	<0.001	0.03	0.28	3.6	0.4	1.9	76.7	0.01	0.02	5.0	0.042	0.25
CC100553		530	10.5	42.1	<0.001	0.01	0.26	3.4	0.3	0.8	38.0	<0.01	0.01	5.5	0.064	0.17
CC100554		420	10.0	42.0	<0.001	0.01	0.23	3.7	0.2	1.0	49.9	<0.01	0.01	8.8	0.066	0.26
CC100555		580	10.9	47.3	<0.001	0.01	0.34	3.8	0.2	1.4	56.1	<0.01	0.01	8.5	0.052	0.26
CC100556		460	10.7	39.4	<0.001	0.03	0.29	3.8	0.4	1.4	70.7	<0.01	0.01	9.3	0.054	0.30
CC100557		740	35.3	56.9	<0.001	0.04	0.05	11.3	0.5	1.5	623	0.01	0.04	14.0	0.167	0.46
CC100558		370	29.2	16.8	<0.001	0.02	0.10	6.2	0.4	1.0	88.8	0.02	0.04	15.1	0.069	0.14
CC100559		170	15.3	38.4	<0.001	<0.01	0.26	2.7	0.4	1.0	31.4	0.01	0.02	8.7	0.091	0.27
CC100560		280	14.2	26.2	<0.001	<0.01	0.18	1.7	0.3	0.8	17.5	<0.01	0.03	4.6	0.051	0.12
CC100561		220	14.1	130.5	<0.001	0.01	0.06	6.1	0.6	1.7	79.7	0.01	0.03	13.4	0.196	0.74
CC100562		240	15.1	25.4	<0.001	<0.01	0.69	2.0	0.4	1.0	23.2	<0.01	0.02	8.3	0.049	0.13
CC100563		470	10.7	29.9	<0.001	<0.01	0.50	1.6	0.3	0.8	18.0	<0.01	0.01	6.0	0.037	0.11
CC100564		230	10.8	24.9	<0.001	<0.01	0.18	2.7	0.6	2.3	29.6	0.01	0.03	13.9	0.051	0.37
CC100565		340	11.1	30.5	<0.001	<0.01	0.18	2.2	0.3	0.9	18.4	<0.01	0.02	8.9	0.058	0.28
CC100566		620	1.9	16.4	<0.001	0.07	0.14	1.3	1.8	6.8	89.8	0.02	0.04	1.1	0.023	0.12
CC100567		410	21.4	49.7	<0.001	0.01	0.15	3.1	0.6	2.3	54.0	0.01	0.03	6.5	0.067	0.29
CC100568		180	14.5	60.0	<0.001	<0.01	0.13	4.2	0.5	2.6	44.4	0.01	0.02	16.0	0.087	0.51
CC100569		920	11.0	47.4	0.001	0.05	0.18	2.9	1.4	1.4	92.8	0.01	0.03	5.8	0.060	0.40
CC100570		460	11.9	55.6	<0.001	0.04	0.29	3.0	0.9	1.4	77.9	0.01	0.02	8.1	0.059	0.37
CC100571		310	22.0	46.1	<0.001	<0.01	0.28	2.7	0.4	1.2	22.3	<0.01	0.03	7.6	0.075	0.16
CC100572		300	10.3	34.5	<0.001	<0.01	0.24	2.6	0.3	1.3	12.0	0.01	0.02	6.7	0.077	0.24
CC100573		430	14.0	43.8	<0.001	0.01	0.22	3.6	0.7	3.8	47.2	0.01	0.02	8.5	0.081	0.31
CC100574		160	10.0	61.7	<0.001	<0.01	0.22	2.4	0.2	1.2	17.4	<0.01	0.02	5.3	0.091	0.25
CC100575		360	11.8	23.1	<0.001	0.04	0.18	1.3	0.6	0.9	51.2	0.01	0.02	1.6	0.048	0.14
CC100576		330	10.0	36.3	<0.001	<0.01	0.31	1.9	0.3	0.7	18.8	<0.01	0.02	7.1	0.063	0.21
CC100577		250	11.7	34.2	<0.001	<0.01	0.19	2.8	0.5	0.8	30.9	<0.01	0.02	10.6	0.076	0.38
CC100578		180	14.5	27.3	<0.001	<0.01	0.26	1.7	0.2	1.0	10.1	<0.01	0.01	5.5	0.027	0.14
CC99637		480	13.1	58.8	<0.001	0.02	0.16	5.9	1.0	2.0	265	0.02	0.03	9.3	0.087	0.47
CC99638		940	11.0	69.0	<0.001	0.06	0.12	4.0	1.3	2.4	163.0	0.02	0.03	3.9	0.061	0.43
CC99639		820	12.0	41.7	<0.001	0.06	0.19	3.5	1.4	2.3	117.0	0.02	0.03	4.2	0.054	0.33
CC99640		290	14.8	46.6	<0.001	0.01	0.18	4.9	0.6	6.1	75.6	0.02	0.03	8.4	0.112	0.42



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC99893		2.89	28	0.23	12.30	83	0.5
CC99894		1.46	31	0.25	17.90	126	0.5
CC99895		4.41	26	0.91	23.2	212	0.5
CC99896		1.18	41	0.28	6.52	248	0.7
CC99897		0.57	51	0.24	3.47	72	0.9
CC99898		1.34	32	0.58	13.60	88	1.0
CC99899		0.69	28	1.47	4.64	55	0.9
CC99900		1.22	28	0.24	8.45	92	0.9
CC100551		1.95	26	1.38	10.50	93	<0.5
CC100552		2.83	23	3.32	13.75	89	0.6
CC100553		2.46	25	0.22	10.20	77	0.5
CC100554		1.29	25	0.43	8.49	76	0.7
CC100555		1.42	25	0.44	10.00	94	0.6
CC100556		2.85	24	0.33	11.35	82	0.9
CC100557		3.05	59	0.22	35.3	114	0.5
CC100558		2.40	32	0.27	11.45	79	1.7
CC100559		1.48	36	0.23	6.29	92	2.8
CC100560		0.61	25	0.21	3.41	48	0.6
CC100561		1.69	62	0.25	10.65	127	1.0
CC100562		1.44	24	0.31	5.69	90	1.3
CC100563		0.61	19	0.23	3.95	82	0.5
CC100564		1.93	22	0.50	12.70	103	0.8
CC100565		0.95	23	0.22	5.29	68	1.0
CC100566		4.11	9	0.35	27.0	94	0.8
CC100567		1.78	34	0.34	9.07	571	<0.5
CC100568		1.28	31	0.46	10.80	86	1.1
CC100569		2.20	25	0.21	17.20	263	<0.5
CC100570		1.77	26	0.34	11.05	117	0.9
CC100571		0.80	40	0.93	4.29	77	1.5
CC100572		0.75	32	0.36	3.21	85	1.0
CC100573		2.56	34	0.60	12.10	199	0.5
CC100574		0.63	32	0.33	2.75	63	1.0
CC100575		3.21	20	0.22	5.54	86	<0.5
CC100576		0.82	27	0.43	3.61	56	0.5
CC100577		1.43	24	0.27	7.32	76	0.8
CC100578		0.59	25	0.30	2.72	97	1.3
CC99637		2.16	46	0.28	26.6	126	0.8
CC99638		4.40	40	0.35	27.8	245	0.5
CC99639		5.09	35	0.35	29.4	247	0.9
CC99640		1.23	45	2.88	8.31	422	1.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99641		0.07	2.41	3.0	<0.2	<10	70	1.16	1.77	0.07	0.36	46.2	13.2	38	14.55	24.7
CC99642		0.31	1.54	2.3	<0.2	<10	60	1.12	1.25	0.10	0.59	47.9	7.3	26	9.42	19.4
CC99643		0.37	2.96	1.8	<0.2	<10	80	1.58	1.60	0.13	0.34	45.3	15.2	41	13.95	41.7
CC99644		0.11	2.71	2.3	<0.2	<10	70	1.63	1.28	0.39	0.67	46.1	13.1	45	18.20	30.7
CC99645		0.08	3.68	1.9	<0.2	<10	60	3.29	2.22	0.44	0.53	53.7	16.3	43	17.00	39.0
CC99646		0.07	2.74	3.3	<0.2	<10	70	7.92	3.58	0.28	0.95	38.7	14.0	36	16.55	29.5
CC99647		0.11	2.92	1.0	<0.2	<10	70	3.22	9.64	1.21	1.48	61.2	21.3	30	12.25	50.5
CC99648		0.05	2.55	2.2	<0.2	<10	60	4.20	2.96	0.49	0.76	42.0	13.5	30	12.15	36.5
CC99649		0.16	2.31	2.5	<0.2	<10	60	3.44	2.67	2.79	1.54	52.1	12.1	29	12.15	53.0
CC99650		0.17	2.11	4.8	<0.2	<10	50	2.03	2.20	1.72	1.59	48.9	11.9	31	12.65	32.5
CC99951		0.26	2.19	7.5	<0.2	<10	70	0.60	1.40	1.05	0.66	60.0	14.0	32	7.75	36.3
CC99952		0.32	2.16	6.8	<0.2	<10	90	0.75	1.35	2.21	0.94	48.0	12.1	30	7.54	42.3
CC99953		0.23	1.99	6.5	<0.2	<10	80	0.66	1.52	1.03	0.58	53.9	11.4	30	7.49	30.0
CC99954		0.26	2.20	6.2	<0.2	<10	100	0.76	1.78	1.36	0.90	47.8	11.3	32	8.55	33.8
CC99955		0.20	1.85	5.4	<0.2	<10	80	0.72	1.64	1.19	0.59	52.9	10.8	28	8.07	28.7
CC99956		0.29	2.52	4.3	<0.2	<10	120	0.79	2.82	2.09	1.26	45.7	13.7	35	11.40	50.6
CC99957		0.24	2.41	3.6	<0.2	<10	90	0.81	1.76	1.89	0.64	46.1	10.4	32	10.15	39.0
CC99958		0.28	1.85	2.3	<0.2	<10	80	0.70	1.04	2.34	1.74	35.8	7.6	22	8.25	34.6
CC99959		0.17	2.31	3.7	<0.2	<10	100	0.93	1.13	1.32	0.24	50.6	10.6	33	9.84	28.1
CC99960		0.27	2.12	3.7	<0.2	<10	90	0.98	1.15	2.07	0.50	43.9	10.1	29	10.00	29.8
CC99961		0.41	2.39	4.0	<0.2	<10	80	1.27	0.93	1.21	1.37	83.8	9.4	27	10.25	30.9
CC99962		0.54	2.29	4.4	<0.2	<10	110	1.49	0.97	1.15	0.59	72.5	9.8	30	10.95	31.1
CC99963		0.25	2.02	6.4	<0.2	<10	90	1.15	1.56	0.42	0.63	63.3	11.3	28	8.25	23.9
CC99965		0.38	1.78	6.4	<0.2	<10	90	1.46	0.59	0.40	2.67	90.1	16.6	22	5.23	71.5
CC99966		0.52	1.33	4.2	<0.2	<10	60	0.74	0.44	0.24	1.61	57.3	9.9	19	5.36	43.8
CC99967		0.13	1.34	6.3	<0.2	<10	40	0.29	0.23	0.21	0.19	36.4	6.3	20	2.85	9.8
CC99968		0.18	1.54	7.0	<0.2	<10	90	0.51	0.49	0.40	0.27	45.4	10.6	23	3.41	17.1
CC99969		0.96	2.08	6.5	<0.2	<10	90	1.19	0.50	0.35	0.71	81.5	15.4	21	5.58	29.3
CC99970		0.47	1.98	5.7	<0.2	<10	80	1.00	0.57	0.80	1.27	78.0	11.7	26	5.31	30.2
CC99971		0.11	1.84	4.2	<0.2	<10	70	0.85	1.27	0.63	0.17	49.2	11.0	29	9.08	19.1
CC99972		0.07	1.82	5.2	<0.2	<10	60	0.96	1.52	0.68	0.55	38.7	13.0	27	6.43	16.6
CC99973		0.15	2.16	8.3	<0.2	<10	60	1.43	0.74	1.62	0.64	46.9	20.6	37	11.20	68.3
CC99974		0.03	2.44	4.6	<0.2	<10	60	0.75	0.85	0.52	0.06	70.3	17.9	40	9.54	25.0
CC99975		0.30	1.83	4.0	<0.2	<10	80	0.65	0.40	1.54	0.12	44.5	15.5	32	8.51	53.8
CC99976		0.29	1.54	90.5	<0.2	<10	60	0.52	0.78	2.45	0.46	55.3	9.2	26	2.94	35.9
CC99977		0.25	1.82	109.0	<0.2	<10	60	0.58	0.92	1.18	0.46	77.2	12.6	31	4.36	32.4
CC99978		0.31	2.77	7.8	<0.2	<10	100	0.74	1.20	0.62	0.31	81.7	15.6	39	11.00	28.0
CC99979		0.37	2.92	8.1	<0.2	<10	90	0.78	1.63	0.55	0.14	85.5	17.0	42	11.95	34.0
CC99980		0.33	2.44	7.4	<0.2	<10	70	0.73	1.64	1.02	0.24	70.4	13.9	37	11.10	34.2
CC99981		0.35	2.04	5.1	<0.2	<10	90	0.63	1.58	2.01	0.63	46.6	10.5	31	9.08	41.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC99641		4.18	11.00	0.07	0.03	0.03	0.055	0.23	22.8	57.8	0.75	287	0.51	0.01	5.35	32.4
CC99642		2.57	8.77	<0.05	0.02	0.02	0.046	0.15	26.4	29.7	0.42	179	0.66	0.01	3.19	22.6
CC99643		4.56	10.70	0.07	0.05	0.03	0.086	0.23	25.3	49.8	0.69	354	0.71	0.01	4.14	37.3
CC99644		3.72	9.80	0.06	0.04	0.02	0.067	0.26	22.8	76.4	0.84	372	0.42	0.02	4.38	35.8
CC99645		4.43	10.90	0.08	0.07	0.03	0.136	0.25	24.2	57.7	0.83	361	0.47	0.02	3.46	44.7
CC99646		4.16	9.78	0.06	0.04	0.07	0.198	0.23	18.8	56.6	0.67	641	0.53	0.01	3.23	33.0
CC99647		4.43	8.93	0.11	0.07	0.07	0.140	0.17	28.2	40.1	0.47	995	0.42	0.13	2.33	49.6
CC99648		3.68	9.00	0.07	0.05	0.06	0.212	0.19	18.8	59.1	0.62	461	0.52	0.04	3.00	31.3
CC99649		3.42	7.02	0.09	0.04	0.06	0.143	0.29	27.6	51.4	0.63	620	0.58	0.09	2.97	31.2
CC99650		3.19	6.83	0.08	0.04	0.06	0.134	0.21	25.8	53.4	0.66	545	0.79	0.05	2.88	29.2
CC99951		3.56	6.44	0.08	0.05	0.02	0.093	0.17	32.7	47.0	0.73	659	0.32	0.05	1.90	31.8
CC99952		3.12	6.28	0.07	0.06	0.05	0.113	0.16	29.3	47.0	0.66	520	0.46	0.03	2.50	31.8
CC99953		3.12	6.62	0.10	0.03	0.06	0.142	0.19	27.2	51.4	0.64	515	0.48	0.04	2.42	26.1
CC99954		3.54	6.93	0.10	0.05	0.05	0.156	0.29	23.6	58.7	0.64	273	0.61	0.03	3.13	24.7
CC99955		2.94	6.39	0.09	0.04	0.05	0.146	0.27	25.5	51.3	0.59	589	0.51	0.04	2.92	22.4
CC99956		3.29	7.73	0.11	0.04	0.06	0.280	0.31	23.1	61.3	0.72	844	0.64	0.06	3.35	30.9
CC99957		3.08	7.63	0.10	0.03	0.06	0.172	0.26	24.0	58.7	0.67	441	0.38	0.05	3.23	27.4
CC99958		2.06	5.18	0.08	0.04	0.06	0.100	0.19	20.4	38.7	0.43	334	0.43	0.03	2.29	19.9
CC99959		3.19	7.61	0.11	0.04	0.04	0.085	0.34	26.2	61.5	0.70	379	0.31	0.04	3.52	25.6
CC99960		2.95	6.58	0.09	0.04	0.06	0.082	0.25	23.6	74.3	0.58	507	0.47	0.03	2.99	24.0
CC99961		2.80	6.55	0.13	0.04	0.05	0.073	0.28	46.7	71.5	0.58	346	0.34	0.02	2.49	25.2
CC99962		3.12	6.67	0.12	0.04	0.06	0.086	0.37	43.3	62.2	0.65	355	0.49	0.02	2.67	27.6
CC99963		3.23	6.81	0.10	0.02	0.03	0.255	0.31	30.0	50.8	0.61	506	0.53	0.02	2.49	24.9
CC99965		2.86	5.64	0.09	0.02	0.05	0.061	0.11	43.5	42.4	0.42	969	0.78	0.02	1.48	22.6
CC99966		2.30	5.77	0.07	<0.02	0.02	0.035	0.11	28.5	23.3	0.36	343	0.67	0.02	1.28	17.5
CC99967		2.42	5.73	0.06	<0.02	0.03	0.014	0.16	17.4	23.6	0.60	155	0.62	0.01	3.19	15.4
CC99968		2.96	6.14	0.07	<0.02	0.05	0.027	0.21	21.0	31.6	0.55	709	0.61	0.01	2.52	21.0
CC99969		2.83	5.88	0.09	0.03	0.07	0.051	0.14	36.0	34.4	0.47	1280	0.63	0.02	1.47	22.2
CC99970		3.01	5.92	0.10	0.03	0.05	0.043	0.17	36.6	44.5	0.57	618	0.51	0.02	2.12	30.7
CC99971		3.26	6.48	0.11	0.02	0.02	0.074	0.36	20.9	51.6	0.72	358	0.30	0.04	2.78	24.8
CC99972		3.26	6.74	0.08	0.03	0.02	0.092	0.13	17.8	78.8	0.55	421	0.53	0.04	2.97	28.5
CC99973		4.31	7.45	0.10	0.03	0.04	0.029	0.24	23.6	114.0	0.69	300	0.75	0.02	3.22	60.5
CC99974		4.80	7.89	0.12	0.04	0.02	0.037	0.21	32.3	54.4	0.88	313	0.42	0.05	3.18	43.9
CC99975		3.77	6.06	0.10	0.03	0.04	0.030	0.26	24.2	60.4	0.75	805	0.67	0.02	2.93	43.8
CC99976		3.06	4.96	0.10	0.05	0.06	0.179	0.12	37.3	29.6	0.50	307	0.81	0.02	1.52	29.6
CC99977		3.97	5.97	0.13	0.05	0.04	0.193	0.21	42.5	36.7	0.69	391	0.60	0.02	1.64	35.1
CC99978		4.39	8.40	0.13	0.05	0.04	0.113	0.26	41.3	62.7	0.93	453	0.46	0.03	2.42	37.3
CC99979		4.70	8.87	0.13	0.04	0.02	0.124	0.17	43.6	70.0	0.98	547	0.48	0.03	1.90	39.9
CC99980		3.81	7.95	0.12	0.03	0.03	0.072	0.18	34.8	59.2	0.79	447	0.37	0.07	2.09	32.1
CC99981		2.97	6.64	0.09	0.03	0.04	0.046	0.14	23.2	45.1	0.56	885	0.45	0.08	1.67	23.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 1- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
CC99641		430	11.1	39.6	<0.001	<0.01	0.18	3.6	0.4	5.6	26.6	0.01	0.04	9.4	0.091	0.34
CC99642		420	9.4	53.8	<0.001	0.02	0.21	2.6	0.4	4.9	31.7	<0.01	0.03	4.6	0.070	0.24
CC99643		450	11.4	57.1	<0.001	0.05	0.18	4.0	0.5	4.7	53.0	0.01	0.04	11.5	0.093	0.43
CC99644		280	8.4	85.2	<0.001	0.04	0.16	4.4	0.5	4.5	62.9	0.01	0.03	8.7	0.082	0.32
CC99645		300	9.0	70.2	<0.001	0.01	0.14	4.7	0.5	7.1	108.5	0.01	0.03	12.5	0.079	0.38
CC99646		260	10.8	84.4	<0.001	<0.01	0.21	3.7	0.5	16.2	51.9	<0.01	0.03	8.1	0.091	0.38
CC99647		690	7.6	58.9	<0.001	0.03	0.11	3.8	0.8	5.2	218	0.02	0.04	12.5	0.064	0.27
CC99648		290	8.9	60.8	<0.001	<0.01	0.13	3.6	0.5	7.3	61.0	0.01	0.03	10.7	0.083	0.35
CC99649		710	8.5	54.7	<0.001	0.02	0.18	3.4	0.9	5.4	183.5	0.01	0.03	9.5	0.084	0.42
CC99650		730	11.6	39.6	0.001	0.09	0.16	3.3	1.4	4.2	123.5	0.01	0.04	8.2	0.066	0.37
CC99951		750	19.1	30.3	<0.001	0.05	0.19	3.1	1.0	3.3	105.5	0.01	0.03	8.4	0.041	0.34
CC99952		780	14.9	32.0	<0.001	0.13	0.25	2.7	1.3	2.7	152.0	0.01	0.03	4.4	0.040	0.37
CC99953		660	14.5	44.6	<0.001	0.07	0.25	3.2	0.7	3.1	102.5	0.01	0.02	6.6	0.057	0.37
CC99954		770	12.6	69.6	<0.001	0.11	0.27	3.5	0.9	3.0	109.5	0.01	0.03	6.6	0.066	0.47
CC99955		760	12.5	61.9	<0.001	0.07	0.33	3.4	0.8	3.1	112.0	0.01	0.03	7.9	0.065	0.46
CC99956		750	12.3	80.8	<0.001	0.11	0.29	3.7	0.9	5.2	166.0	0.01	0.03	6.3	0.059	0.67
CC99957		610	10.4	68.2	<0.001	0.11	0.28	3.4	0.7	4.4	150.0	0.01	0.03	5.0	0.056	0.50
CC99958		710	6.7	65.5	<0.001	0.11	0.20	2.2	0.8	2.9	174.0	0.01	0.02	2.8	0.036	0.40
CC99959		480	10.2	66.6	<0.001	0.06	0.25	4.0	0.8	3.6	115.0	0.01	0.02	8.9	0.069	0.55
CC99960		670	9.1	69.3	<0.001	0.12	0.20	3.0	0.8	3.3	144.0	0.01	0.03	4.6	0.052	0.49
CC99961		700	7.8	77.5	<0.001	0.06	0.22	2.8	0.7	3.5	108.5	0.01	0.02	4.6	0.050	0.46
CC99962		790	8.1	68.8	<0.001	0.06	0.22	3.3	0.8	2.8	83.0	0.01	0.03	6.0	0.062	0.51
CC99963		750	12.6	60.6	<0.001	0.03	0.28	3.0	0.4	2.3	52.1	<0.01	0.03	7.4	0.062	0.37
CC99965		900	19.1	52.3	<0.001	0.05	0.26	1.6	0.5	1.1	52.6	0.01	0.02	1.5	0.039	0.16
CC99966		550	13.5	65.5	<0.001	0.02	0.25	1.2	0.3	1.2	31.7	<0.01	0.02	0.7	0.040	0.17
CC99967		260	8.2	46.5	<0.001	0.02	0.40	1.6	0.2	0.9	21.8	<0.01	0.02	4.9	0.092	0.14
CC99968		520	13.3	55.2	<0.001	0.02	0.35	2.3	0.2	1.4	44.6	<0.01	0.02	5.7	0.058	0.21
CC99969		1200	17.1	49.1	<0.001	0.07	0.34	1.5	0.6	1.5	46.9	0.01	0.03	1.2	0.033	0.28
CC99970		1020	12.8	48.4	<0.001	0.05	0.34	2.3	0.6	1.5	66.2	0.01	0.02	2.5	0.044	0.21
CC99971		600	9.1	68.6	<0.001	0.02	0.19	3.3	0.3	2.8	59.7	<0.01	0.02	8.1	0.082	0.47
CC99972		250	13.7	45.9	<0.001	0.03	0.21	3.1	0.4	2.2	58.8	0.01	0.02	6.7	0.070	0.25
CC99973		340	10.2	49.9	<0.001	0.05	0.25	4.0	0.7	1.0	70.1	0.01	0.04	10.7	0.052	0.40
CC99974		180	23.0	48.2	<0.001	0.03	0.13	4.5	0.4	1.8	71.9	0.01	0.03	15.5	0.116	0.53
CC99975		1030	9.8	45.0	<0.001	0.07	0.23	3.1	1.0	1.3	72.7	0.01	0.03	4.6	0.088	0.28
CC99976		880	14.5	20.5	<0.001	0.14	0.42	2.1	1.7	1.9	155.0	0.01	0.03	3.0	0.025	0.12
CC99977		1090	18.2	32.5	<0.001	0.08	0.40	3.3	1.0	2.2	93.4	0.01	0.03	8.2	0.032	0.19
CC99978		820	25.6	47.6	<0.001	0.05	0.23	4.1	0.5	4.2	82.4	0.01	0.03	10.7	0.043	0.47
CC99979		740	33.2	43.7	<0.001	0.04	0.24	3.8	0.5	5.5	71.3	0.01	0.03	10.1	0.040	0.54
CC99980		850	26.8	49.8	<0.001	0.04	0.29	3.6	0.4	5.5	110.0	0.01	0.03	8.9	0.047	0.50
CC99981		800	19.3	38.1	<0.001	0.08	0.37	2.7	0.7	4.2	147.0	0.01	0.03	3.6	0.039	0.47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164
--

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC99641		0.94	42	2.26	6.21	230	1.0
CC99642		1.15	39	1.14	5.80	163	<0.5
CC99643		1.72	53	1.17	7.52	261	1.3
CC99644		1.23	43	1.13	7.44	460	0.9
CC99645		1.49	47	5.76	9.46	419	1.9
CC99646		0.98	43	36.0	5.88	983	1.5
CC99647		1.53	33	29.0	14.45	613	1.8
CC99648		1.20	36	28.7	6.98	533	1.5
CC99649		2.23	31	22.7	12.45	817	0.8
CC99650		3.33	26	12.70	11.55	787	0.7
CC99951		1.56	28	0.87	14.95	349	0.8
CC99952		3.92	26	0.44	15.80	369	1.2
CC99953		2.32	28	0.69	13.40	357	0.8
CC99954		2.94	31	2.97	12.30	377	1.4
CC99955		1.95	27	1.72	12.65	318	1.1
CC99956		2.32	32	1.51	13.20	583	1.2
CC99957		2.66	28	1.26	13.35	361	0.9
CC99958		1.98	19	1.02	13.00	234	1.1
CC99959		1.47	29	1.34	13.55	158	1.1
CC99960		1.79	24	1.24	13.25	188	1.0
CC99961		2.83	24	2.00	22.1	232	<0.5
CC99962		4.67	26	1.47	20.7	188	<0.5
CC99963		2.08	27	2.53	11.55	441	<0.5
CC99965		5.76	26	0.47	13.30	347	<0.5
CC99966		2.83	24	0.45	7.47	192	<0.5
CC99967		0.58	26	0.29	3.32	62	<0.5
CC99968		1.01	27	0.51	5.54	109	<0.5
CC99969		4.38	23	0.47	15.75	141	<0.5
CC99970		4.90	24	0.42	17.95	176	<0.5
CC99971		1.48	28	0.88	8.87	140	<0.5
CC99972		1.89	30	0.65	8.43	648	1.0
CC99973		3.31	34	0.67	11.90	181	1.0
CC99974		1.79	36	1.41	14.25	88	1.1
CC99975		15.85	32	0.29	14.80	80	0.6
CC99976		6.50	23	0.23	23.8	263	1.1
CC99977		3.46	29	0.31	24.0	319	1.0
CC99978		1.86	30	0.39	18.35	216	0.9
CC99979		1.94	34	0.37	18.40	226	0.8
CC99980		1.50	33	0.62	15.30	183	0.7
CC99981		4.32	29	0.43	12.35	199	0.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
CC99982		0.34	2.60	5.9	<0.2	<10	80	0.79	3.24	1.35	0.96	59.4	14.5	37	13.10	66.3
CC99983		0.40	2.82	4.0	<0.2	<10	70	0.86	4.91	1.67	3.94	60.0	17.4	33	13.90	97.3
CC99984		0.44	2.44	7.2	<0.2	<10	70	0.73	3.53	1.35	3.12	61.1	14.6	33	11.35	70.1
CC99985		0.59	3.34	7.7	<0.2	<10	90	0.88	6.26	1.13	2.88	63.5	19.8	43	14.45	82.3
CC99986		0.35	2.96	13.1	<0.2	<10	80	0.78	8.24	0.82	2.86	57.0	25.9	39	17.35	56.0
CC99987		0.37	3.36	4.2	<0.2	<10	110	0.86	9.55	1.25	3.18	58.4	19.5	48	21.8	48.6
CC99988		0.23	2.18	5.9	<0.2	<10	60	0.64	1.35	0.34	1.05	51.8	9.4	33	10.95	22.0
CC99989		0.12	3.53	4.1	<0.2	<10	130	0.89	4.83	0.48	1.48	48.1	17.1	52	20.6	41.0
CC99990		0.42	3.08	4.1	<0.2	<10	80	0.92	9.68	0.51	2.40	46.8	26.3	43	14.85	79.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 7 - B
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC99982		4.10	8.92	0.11	0.04	0.03	0.120	0.19	27.9	61.9	0.77	683	0.51	0.08	2.00	31.4
CC99983		4.36	9.10	0.11	0.04	0.03	0.346	0.15	28.0	61.3	0.71	1080	0.48	0.10	1.58	34.9
CC99984		3.70	7.90	0.11	0.04	0.04	0.655	0.17	28.8	52.4	0.67	807	0.55	0.08	1.84	30.4
CC99985		4.72	10.80	0.11	0.04	0.03	1.975	0.20	26.9	58.8	0.79	963	0.80	0.11	2.46	40.2
CC99986		4.46	9.30	0.11	0.03	0.02	0.805	0.24	25.8	65.5	0.80	877	0.59	0.05	2.87	46.6
CC99987		4.20	10.05	0.11	0.03	0.02	0.788	0.30	25.0	81.7	0.90	956	0.51	0.10	3.82	50.8
CC99988		3.09	7.63	0.08	0.02	0.02	0.138	0.08	25.0	59.3	0.67	295	0.49	0.02	2.65	27.5
CC99989		4.49	13.05	0.10	0.04	0.03	0.331	0.28	22.5	85.6	0.96	678	0.68	0.04	5.19	45.5
CC99990		3.72	11.70	0.10	0.02	0.05	0.307	0.19	24.2	57.6	0.78	695	1.12	0.03	2.74	30.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 7 - C
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02
CC99982		820	26.0	51.2	<0.001	0.07	0.37	3.8	0.6	6.5	138.0	0.01	0.03	5.6	0.047	0.53
CC99983		1160	21.1	40.0	<0.001	0.07	0.28	3.8	0.7	7.0	209	0.01	0.03	5.3	0.043	0.44
CC99984		980	18.0	41.2	<0.001	0.06	0.30	3.3	0.5	6.5	148.0	0.01	0.03	5.7	0.046	0.40
CC99985		750	20.4	45.2	<0.001	0.04	0.21	3.9	0.6	9.9	192.5	0.01	0.04	8.9	0.053	0.58
CC99986		680	21.4	57.8	<0.001	0.04	0.31	3.6	0.6	8.7	107.0	0.01	0.05	7.0	0.063	0.59
CC99987		690	14.8	78.8	<0.001	0.03	0.24	4.1	0.5	12.1	169.5	0.01	0.05	7.5	0.087	0.83
CC99988		340	10.1	30.7	<0.001	0.02	0.27	3.1	0.3	5.7	55.8	0.01	0.02	6.0	0.061	0.31
CC99989		560	11.4	82.1	<0.001	0.04	0.20	4.7	0.5	14.5	93.7	0.01	0.04	8.6	0.099	0.77
CC99990		680	16.6	62.3	<0.001	0.03	0.24	2.8	0.5	7.7	76.6	0.01	0.06	2.7	0.063	0.45



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 1- FEB- 2011
 Account: MTT

CERTIFICATE OF ANALYSIS VA11011164

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC99982		2.13	39	0.79	14.40	518	0.7
CC99983		2.08	37	1.16	14.90	1390	0.8
CC99984		1.73	35	2.95	13.50	1080	0.8
CC99985		1.48	43	5.42	10.60	1970	1.0
CC99986		1.44	39	4.26	11.80	2500	0.7
CC99987		1.35	46	4.83	9.60	2350	0.6
CC99988		1.13	35	1.00	8.46	634	0.5
CC99989		1.31	53	2.62	9.66	1180	1.4
CC99990		1.68	40	1.66	8.82	945	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1- FEB- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11011164

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 2- FEB- 2011
Account: MTT

CERTIFICATE VA11011165

Project: SAYYEA

P.O. No.:

This report is for 195 Soil samples submitted to our lab in Vancouver, BC, Canada on 24- JAN- 2011.

The following have access to data associated with this certificate:

JOAN MARIACHER

BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME- MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC99991		0.31	4.00	2.5	<0.2	<10	150	0.83	3.13	0.48	0.67	48.2	16.0	50	22.1	47.2
CC99992		0.21	3.38	2.4	<0.2	<10	120	0.66	2.81	0.44	1.00	49.4	13.3	46	19.35	41.5
CC99993		0.49	3.53	2.4	<0.2	<10	110	0.87	2.53	0.67	1.20	39.9	15.1	39	22.3	58.7
CC99994		0.84	2.98	6.3	<0.2	<10	70	1.29	2.14	0.56	1.82	47.3	19.6	27	12.75	80.6
CC99995		0.14	2.44	4.5	<0.2	<10	70	0.64	1.21	0.33	0.27	51.1	11.4	29	12.85	31.0
CC99996		0.18	2.79	3.8	<0.2	<10	80	0.65	2.31	0.37	0.75	40.5	19.5	36	16.40	36.1
CC99997		0.47	1.99	3.1	<0.2	<10	60	0.57	0.82	0.24	0.40	24.9	10.0	22	10.50	28.2
CC99998		0.62	2.43	4.2	<0.2	<10	80	0.64	1.04	0.35	0.48	43.2	11.5	28	13.45	31.0
CC99999		0.33	2.45	4.1	<0.2	<10	90	1.45	1.14	0.28	0.97	53.2	11.6	29	9.89	32.6
CC100000		0.23	3.25	6.0	<0.2	<10	130	1.12	1.18	0.39	0.46	66.9	14.5	36	16.55	46.7
CC100501		0.08	1.62	4.2	<0.2	<10	60	0.56	0.40	0.47	0.35	48.1	14.4	23	3.90	15.1
CC100502		0.05	1.67	2.8	<0.2	<10	60	0.46	5.65	0.11	0.18	30.2	15.0	28	4.54	10.8
CC100503		0.35	1.45	1.9	<0.2	<10	100	0.78	0.53	1.74	1.08	29.7	19.5	20	4.24	151.5
CC100504		0.10	1.79	5.4	<0.2	<10	80	0.45	0.70	0.10	0.52	36.1	13.9	24	3.94	8.2
CC100505		0.05	1.76	3.9	<0.2	<10	70	0.76	2.53	0.24	0.38	37.4	13.9	26	6.94	22.9
CC100506		0.18	1.82	7.2	<0.2	<10	90	0.57	0.79	1.13	0.30	54.6	13.1	28	4.81	26.6
CC100507		0.28	1.92	7.7	<0.2	<10	60	0.45	0.55	0.64	0.46	74.1	13.6	26	2.09	20.4
CC100508		0.20	2.16	8.9	<0.2	<10	100	0.60	0.68	0.71	0.15	68.3	14.3	31	3.29	30.8
CC100509		0.27	2.56	7.8	<0.2	<10	90	0.65	0.98	0.84	0.23	96.7	16.5	31	5.98	34.9
CC100510		0.34	2.41	6.3	<0.2	<10	80	0.65	1.11	0.71	0.29	77.5	14.1	32	7.56	29.5
CC100511		0.37	2.35	9.3	<0.2	<10	70	0.72	1.63	0.99	0.23	73.1	15.6	33	10.75	44.9
CC100512		0.48	2.68	6.8	<0.2	<10	80	0.75	2.42	1.53	0.46	63.0	15.2	38	12.05	54.9
CC100513		0.41	2.80	5.0	<0.2	<10	70	0.83	2.97	1.55	1.29	62.4	16.9	38	13.15	80.3
CC100514		0.37	3.18	2.9	<0.2	<10	70	0.88	6.52	1.63	2.49	52.5	18.7	38	13.85	90.8
CC100515		0.54	3.02	6.3	<0.2	<10	70	0.79	5.52	0.77	1.59	58.2	20.1	36	11.35	79.3
CC100516		0.54	4.11	5.3	<0.2	<10	120	0.99	13.15	1.42	2.99	55.2	25.4	48	21.2	90.9
CC100517		0.36	3.57	3.7	<0.2	<10	120	0.91	12.20	1.16	5.38	43.2	23.8	51	20.6	78.6
CC100518		0.49	2.97	5.3	<0.2	<10	90	0.95	17.60	0.68	6.67	47.8	29.7	41	14.00	75.0
CC100519		0.26	3.88	3.5	<0.2	<10	140	1.08	5.90	0.76	2.61	48.9	19.2	57	20.1	51.6
CC100520		0.26	4.54	3.8	<0.2	<10	140	1.19	4.09	0.92	1.24	56.3	21.7	61	23.2	49.9
CC100651		0.09	1.69	5.3	<0.2	<10	70	0.61	1.12	0.18	0.08	45.6	14.3	24	4.68	20.0
CC100652		0.13	1.85	8.9	<0.2	<10	70	0.67	0.39	0.21	0.06	35.8	10.3	25	4.46	13.9
CC100653		0.07	1.69	6.1	<0.2	<10	50	0.54	0.41	0.18	0.05	33.8	10.8	22	3.68	19.0
CC100654		0.15	2.07	8.0	<0.2	<10	40	0.97	0.59	0.16	0.12	39.1	11.4	23	2.86	10.3
CC100655		0.16	1.70	3.6	<0.2	<10	70	0.60	0.41	0.09	0.08	32.3	13.9	22	3.76	9.9
CC100601		0.26	1.54	9.6	<0.2	<10	80	0.45	0.37	0.12	0.22	39.4	10.7	24	2.80	8.6
CC100602		0.14	1.09	6.3	<0.2	<10	60	0.29	0.35	0.07	0.15	34.3	6.7	17	2.89	6.4
CC100603		0.14	0.94	4.5	<0.2	<10	50	0.24	0.26	0.08	0.10	37.8	5.8	14	2.47	6.5
CC100604		0.33	1.55	2.7	<0.2	<10	90	0.95	0.33	0.41	0.90	113.0	24.0	13	4.68	31.3
CC100605		0.23	2.49	5.5	<0.2	<10	90	0.98	0.70	0.37	0.41	72.4	14.4	30	12.20	33.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
CC99991		3.81	12.90	0.13	0.03	0.04	0.207	0.41	24.2	88.4	1.07	422	0.39	0.03	4.33
CC99992		3.62	11.40	0.10	0.02	0.04	0.166	0.34	25.2	72.9	1.00	402	0.43	0.03	3.28
CC99993		3.32	10.30	0.08	<0.02	0.06	0.201	0.29	21.2	62.1	0.83	509	0.45	0.02	2.65
CC99994		3.34	9.13	0.08	0.02	0.08	0.165	0.16	23.4	38.2	0.50	1570	0.80	0.01	1.83
CC99995		3.00	7.29	0.09	0.02	0.04	0.078	0.28	26.4	51.6	0.76	304	0.27	0.01	2.30
CC99996		3.34	9.31	0.08	<0.02	0.05	0.129	0.32	21.0	56.7	0.80	677	0.45	0.01	2.67
CC99997		2.41	6.17	0.05	<0.02	0.04	0.049	0.22	13.0	34.8	0.52	307	0.34	0.02	1.44
CC99998		3.06	7.59	0.08	<0.02	0.05	0.062	0.31	21.9	49.5	0.73	345	0.34	0.01	2.10
CC99999		3.24	8.26	<0.05	0.02	0.01	0.070	0.19	26.5	55.8	0.65	522	0.40	0.01	2.34
CC100000		3.78	10.25	0.09	0.02	0.04	0.088	0.28	38.0	61.8	0.88	400	0.53	0.02	2.60
CC100501		3.08	6.19	0.07	0.02	0.04	0.021	0.10	20.8	46.8	0.45	636	0.61	0.01	2.34
CC100502		3.20	8.81	0.06	0.02	0.04	0.626	0.13	15.1	42.4	0.51	587	0.64	0.01	3.19
CC100503		2.26	5.60	0.08	0.04	0.10	0.024	0.14	35.7	18.0	0.31	1230	0.38	0.02	1.85
CC100504		3.54	9.34	0.06	<0.02	0.04	0.043	0.10	18.4	38.3	0.44	466	0.56	0.01	2.82
CC100505		3.21	6.37	0.06	<0.02	0.04	0.191	0.17	17.7	40.2	0.56	410	0.44	0.01	2.37
CC100506		3.20	5.50	0.08	0.05	0.05	0.056	0.16	28.3	40.4	0.61	453	0.78	0.03	1.94
CC100507		3.52	5.24	0.09	0.04	0.06	0.085	0.07	44.6	43.5	0.73	350	0.24	0.01	0.76
CC100508		3.72	6.08	0.09	0.06	0.05	0.098	0.10	38.1	45.7	0.78	516	0.50	0.01	1.27
CC100509		4.19	7.02	0.11	0.06	0.06	0.153	0.12	59.4	62.9	0.90	559	0.41	0.02	1.11
CC100510		3.74	6.61	0.10	0.05	0.07	0.107	0.14	43.9	58.4	0.83	513	0.32	0.02	1.20
CC100511		3.65	7.86	0.11	0.04	0.05	0.052	0.23	39.3	60.0	0.75	431	0.41	0.06	1.87
CC100512		3.89	8.52	0.09	0.03	0.06	0.064	0.22	32.0	70.7	0.78	529	0.43	0.09	1.77
CC100513		4.06	9.08	0.10	0.03	0.06	0.148	0.25	30.8	72.0	0.82	796	0.46	0.12	1.60
CC100514		4.08	9.67	0.10	0.03	0.07	0.511	0.17	26.3	73.0	0.77	866	0.51	0.12	1.32
CC100515		4.06	8.93	0.09	0.03	0.04	0.527	0.18	25.8	68.4	0.78	646	0.48	0.06	1.89
CC100516		4.79	10.40	0.11	0.03	0.05	1.730	0.38	24.8	89.4	0.99	1160	0.58	0.13	2.99
CC100517		4.34	10.15	0.09	0.02	0.06	0.786	0.31	21.3	82.9	0.86	1440	0.68	0.08	2.55
CC100518		3.85	10.60	0.09	0.02	0.06	1.330	0.19	24.8	73.5	0.73	1200	1.07	0.04	2.60
CC100519		4.24	13.45	0.09	0.02	0.05	0.498	0.28	23.7	107.0	1.04	726	0.63	0.05	3.98
CC100520		4.64	13.30	0.12	0.03	0.04	0.287	0.48	25.3	129.5	1.18	657	0.42	0.07	4.40
CC100651		2.87	6.72	0.05	0.03	0.02	0.025	0.10	21.4	42.9	0.50	410	0.55	0.01	2.23
CC100652		3.42	6.24	0.06	0.03	0.03	0.023	0.20	18.3	52.5	0.63	217	0.41	0.01	1.98
CC100653		3.13	5.87	0.06	0.02	0.02	0.025	0.18	17.9	47.0	0.57	254	0.42	0.01	1.74
CC100654		3.99	5.59	0.06	0.06	0.03	0.040	0.09	19.6	42.1	0.38	175	0.68	0.01	2.30
CC100655		3.17	6.62	0.05	0.03	0.03	0.019	0.16	16.7	46.4	0.48	225	0.35	<0.01	1.57
CC100601		3.15	7.16	0.10	<0.02	0.02	0.017	0.11	22.4	20.7	0.52	512	0.86	0.01	2.82
CC100602		2.19	6.13	0.09	<0.02	0.01	0.013	0.09	19.8	14.8	0.38	273	0.55	0.01	2.36
CC100603		1.78	5.38	0.10	<0.02	0.02	0.012	0.09	21.2	12.5	0.34	145	0.42	0.01	2.07
CC100604		1.96	5.73	0.15	<0.02	0.03	0.030	0.09	55.7	18.7	0.27	3050	0.48	0.03	0.82
CC100605		3.44	8.87	0.14	<0.02	<0.01	0.045	0.24	48.3	49.9	0.76	584	0.34	0.02	2.92



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC99991		400	11.9	109.5	<0.001	0.01	0.14	5.0	0.4	11.8	121.5	0.01	0.03	10.7	0.074	0.96
CC99992		430	11.1	90.0	<0.001	0.02	0.13	3.9	0.3	9.5	79.7	<0.01	0.02	6.7	0.069	0.65
CC99993		730	11.4	102.0	<0.001	0.03	0.15	2.8	0.4	7.0	96.9	<0.01	0.02	3.0	0.045	0.60
CC99994		1140	23.4	62.7	<0.001	0.05	0.22	1.6	0.5	3.0	61.1	0.01	0.02	1.7	0.041	0.42
CC99995		530	9.2	73.7	<0.001	<0.01	0.20	3.2	0.3	4.6	55.5	<0.01	0.02	10.4	0.057	0.59
CC99996		520	11.4	106.0	<0.001	0.01	0.19	3.1	0.3	6.6	62.8	<0.01	0.02	5.9	0.056	0.62
CC99997		490	8.3	77.4	<0.001	0.02	0.12	1.5	0.2	3.0	36.1	<0.01	0.02	1.4	0.039	0.38
CC99998		700	9.7	94.0	<0.001	0.01	0.13	2.6	0.2	4.2	52.2	<0.01	0.02	4.7	0.049	0.54
CC99999		590	20.8	69.2	<0.001	0.01	0.24	3.2	0.2	4.2	45.5	0.01	0.01	5.4	0.056	0.41
CC100000		440	18.2	95.0	<0.001	0.01	0.24	3.2	0.3	5.1	76.2	0.01	0.02	5.2	0.057	0.54
CC100501		230	15.5	32.0	<0.001	0.01	0.28	2.3	0.3	1.0	25.5	<0.01	0.02	6.2	0.068	0.18
CC100502		180	11.6	46.3	<0.001	<0.01	0.21	2.4	0.2	1.8	13.4	<0.01	0.03	5.4	0.094	0.20
CC100503		720	11.3	26.6	<0.001	0.06	0.32	2.1	1.3	0.7	74.2	0.01	0.03	2.4	0.051	0.23
CC100504		310	13.3	29.7	<0.001	<0.01	0.27	1.8	0.2	3.5	45.1	<0.01	0.02	6.3	0.076	0.19
CC100505		300	17.2	44.2	<0.001	0.01	0.22	2.4	0.2	2.9	20.2	<0.01	0.02	8.1	0.080	0.29
CC100506		690	15.4	30.4	<0.001	0.22	0.35	2.9	0.6	2.0	90.2	0.01	0.02	8.9	0.051	0.28
CC100507		880	19.9	13.4	<0.001	0.03	0.20	2.3	0.6	1.1	46.8	0.01	0.02	7.4	0.022	0.11
CC100508		640	19.7	17.1	<0.001	0.01	0.36	3.3	0.4	1.7	51.7	<0.01	0.02	11.6	0.033	0.17
CC100509		740	28.2	25.7	<0.001	0.03	0.23	3.0	0.5	2.6	67.8	0.01	0.03	14.4	0.020	0.26
CC100510		730	30.2	34.2	<0.001	0.03	0.23	3.0	0.5	3.3	60.0	<0.01	0.03	12.2	0.028	0.35
CC100511		810	28.4	64.1	<0.001	0.03	0.37	3.6	0.4	5.1	93.9	<0.01	0.03	10.9	0.045	0.51
CC100512		700	28.2	51.1	<0.001	0.05	0.29	3.6	0.6	6.4	140.5	<0.01	0.03	7.1	0.045	0.50
CC100513		930	25.6	54.9	<0.001	0.04	0.24	3.9	0.5	7.4	170.5	0.01	0.03	7.9	0.047	0.56
CC100514		990	20.9	40.4	<0.001	0.05	0.21	3.6	0.7	8.5	199.5	0.01	0.03	6.2	0.042	0.42
CC100515		630	21.4	39.3	<0.001	0.03	0.25	3.3	0.5	7.0	118.0	0.01	0.04	7.5	0.052	0.41
CC100516		1150	18.6	85.6	<0.001	0.03	0.17	4.0	0.6	11.1	244	0.01	0.06	9.7	0.072	0.83
CC100517		1090	15.0	81.3	<0.001	0.04	0.20	3.1	0.5	10.8	139.5	0.01	0.05	4.0	0.078	0.73
CC100518		840	12.4	51.4	<0.001	0.03	0.24	3.3	0.6	8.8	86.2	0.01	0.08	4.0	0.078	0.48
CC100519		640	10.9	73.6	<0.001	0.02	0.20	4.6	0.4	14.8	116.5	0.01	0.04	6.6	0.089	0.81
CC100520		720	11.3	130.5	<0.001	0.03	0.16	5.7	0.4	15.8	148.0	0.01	0.03	10.5	0.096	1.05
CC100651		190	11.8	49.1	<0.001	<0.01	0.22	2.3	0.2	1.4	20.8	<0.01	0.01	8.2	0.067	0.22
CC100652		290	10.6	41.4	<0.001	<0.01	0.32	2.4	0.2	1.0	23.0	<0.01	0.02	7.9	0.066	0.22
CC100653		210	10.5	37.7	<0.001	<0.01	0.24	2.1	<0.2	1.1	18.9	<0.01	0.02	8.2	0.059	0.23
CC100654		570	37.7	23.6	<0.001	<0.01	0.31	2.1	0.2	0.8	13.5	0.02	0.03	10.6	0.051	0.13
CC100655		160	14.8	45.8	<0.001	<0.01	0.23	1.9	<0.2	0.9	14.0	<0.01	0.02	6.7	0.054	0.18
CC100601		610	19.8	59.2	<0.001	0.01	0.47	1.9	<0.2	0.9	15.1	<0.01	0.02	5.5	0.063	0.18
CC100602		370	15.2	72.3	<0.001	0.01	0.34	1.4	<0.2	1.1	10.8	<0.01	0.01	2.8	0.067	0.13
CC100603		260	10.4	49.6	<0.001	0.01	0.37	1.3	<0.2	1.0	13.8	<0.01	0.01	3.7	0.053	0.11
CC100604		1000	12.3	37.6	<0.001	0.03	0.19	0.7	0.5	1.0	42.9	<0.01	0.01	0.6	0.025	0.18
CC100605		850	12.2	74.1	<0.001	0.02	0.18	3.6	0.8	2.7	54.2	<0.01	0.02	6.6	0.055	0.39



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC99991		1.32	40	2.26	10.50	656	0.7
CC99992		1.36	38	1.56	8.91	485	<0.5
CC99993		1.38	33	2.54	8.27	560	<0.5
CC99994		2.27	33	1.04	7.86	385	<0.5
CC99995		1.26	25	1.07	8.61	220	0.6
CC99996		1.07	33	3.06	7.31	386	<0.5
CC99997		0.95	23	0.56	4.52	174	<0.5
CC99998		1.23	25	0.69	7.10	196	<0.5
CC99999		1.44	30	2.23	8.18	272	<0.5
CC100000		2.28	36	1.28	11.10	263	<0.5
CC100501		3.23	32	1.11	5.32	121	0.7
CC100502		0.64	40	0.49	3.11	195	0.9
CC100503		8.98	21	2.60	21.9	169	0.9
CC100504		0.81	44	0.53	2.56	495	0.5
CC100505		1.56	28	1.37	4.17	324	<0.5
CC100506		1.75	24	0.95	13.50	148	1.5
CC100507		1.70	17	0.17	18.25	192	0.9
CC100508		1.38	27	0.36	14.65	146	1.5
CC100509		1.89	21	0.23	21.2	186	1.3
CC100510		1.86	23	0.22	16.85	191	0.9
CC100511		1.73	30	0.52	16.25	172	0.8
CC100512		1.64	35	0.40	13.20	310	0.7
CC100513		2.10	39	1.06	12.90	629	0.7
CC100514		2.40	40	3.88	11.15	1630	0.6
CC100515		1.57	37	1.64	9.57	1760	0.7
CC100516		1.39	45	5.90	10.00	3620	0.7
CC100517		1.54	46	2.84	8.53	2150	<0.5
CC100518		1.66	44	4.96	8.93	2660	0.5
CC100519		1.39	54	14.25	9.01	1850	0.5
CC100520		1.47	54	2.41	10.10	1010	0.8
CC100651		1.00	34	0.32	4.25	126	1.2
CC100652		0.76	28	0.29	3.98	74	1.1
CC100653		0.78	23	0.25	4.51	64	0.8
CC100654		1.84	26	0.24	4.08	56	2.5
CC100655		0.73	27	0.39	3.32	77	1.2
CC100601		0.59	34	1.20	3.27	103	<0.5
CC100602		0.55	28	0.42	2.59	84	<0.5
CC100603		0.57	20	0.42	2.84	58	<0.5
CC100604		2.17	18	0.38	19.75	218	<0.5
CC100605		2.64	29	0.46	17.80	176	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
CC100606		0.17	1.92	8.2	<0.2	<10	70	0.75	0.46	0.23	0.40	52.7	15.1	23	4.35	17.7
CC100607		0.10	2.42	3.2	<0.2	<10	70	0.70	0.52	0.32	0.10	50.6	13.2	36	9.05	16.9
CC100608		0.11	2.27	6.4	<0.2	<10	80	0.66	0.61	0.47	0.15	60.4	20.3	32	10.30	27.6
CC100609		0.25	1.95	6.5	<0.2	<10	80	0.84	0.56	0.92	0.18	53.9	13.4	23	8.52	21.8
CC100610		0.17	2.46	4.8	<0.2	<10	80	0.71	0.45	1.23	0.11	48.4	15.5	36	7.99	22.1
CC100611		0.10	2.08	7.1	<0.2	<10	80	0.64	0.42	1.05	0.12	51.8	15.4	31	5.58	20.5
CC100612		0.05	1.77	3.3	<0.2	<10	30	1.36	2.39	0.43	0.32	28.2	11.1	30	5.62	10.2
CC100521		0.55	3.70	2.4	<0.2	<10	120	1.01	2.95	0.87	2.00	41.0	19.9	48	21.6	58.1
CC100522		0.65	3.61	2.3	<0.2	<10	130	0.93	4.52	0.79	1.18	37.1	17.2	42	21.9	62.8
CC100523		0.45	3.62	2.6	<0.2	<10	120	0.90	3.57	0.59	0.40	45.2	21.0	47	23.3	56.7
CC100524		0.22	3.29	1.9	<0.2	<10	80	0.71	1.74	0.34	0.51	35.2	13.4	43	22.4	35.6
CC100525		0.41	3.69	2.3	<0.2	<10	100	0.96	2.79	0.58	0.47	50.5	16.2	42	22.4	50.5
CC100526		0.35	2.64	2.4	<0.2	<10	70	0.77	1.61	0.31	0.76	37.3	12.8	33	17.40	34.4
CC100527		0.38	1.51	6.7	<0.2	<10	40	0.59	0.67	0.23	0.89	35.5	8.0	19	6.04	22.7
CC100528		0.40	3.19	7.5	<0.2	<10	110	1.31	1.96	0.33	1.10	47.7	17.2	37	22.7	65.3
CC100529		0.35	1.52	4.1	<0.2	<10	60	0.55	0.74	0.15	0.43	35.1	10.8	17	7.54	14.2
CC100530		0.19	1.79	3.4	<0.2	<10	80	0.85	0.65	0.16	0.36	42.0	13.2	20	6.28	20.5
CC100531		0.10	2.22	6.1	<0.2	<10	70	0.70	0.63	0.22	0.13	46.9	12.8	26	10.90	16.7
CC100532		0.12	2.04	3.8	<0.2	<10	60	0.51	0.75	0.18	0.21	40.5	13.1	27	13.00	23.6
CC100533		0.09	1.80	6.5	<0.2	<10	60	0.65	0.53	0.18	0.12	45.1	13.7	23	9.35	17.6
CC100534		0.12	2.16	4.2	<0.2	<10	50	0.73	1.45	0.35	0.10	58.8	13.3	26	15.75	26.7
CC100535		0.14	1.22	9.3	<0.2	<10	40	0.37	0.35	0.09	0.22	38.2	8.7	18	3.03	8.5
CC100536		0.06	1.43	10.1	<0.2	<10	50	0.42	0.43	0.14	0.16	40.5	10.5	20	3.27	12.7
CC100537		0.41	2.16	6.5	<0.2	<10	100	1.06	0.39	0.49	0.21	76.0	17.9	24	4.72	35.2
CC100538		0.22	1.79	8.3	<0.2	<10	70	0.75	0.40	0.55	0.18	71.9	14.3	22	5.22	20.7
CC100539		0.21	2.24	6.8	<0.2	<10	100	0.81	0.49	0.73	0.20	61.6	14.2	28	6.31	24.0
CC100540		0.25	2.14	9.3	<0.2	<10	90	0.64	0.45	0.66	0.22	50.0	14.5	28	6.85	23.2
CC100541		0.23	1.55	6.8	<0.2	<10	70	0.73	0.46	0.52	0.42	54.4	15.8	21	4.16	20.3
CC100542		0.24	1.80	4.6	<0.2	<10	90	0.54	0.36	1.25	0.13	39.3	11.4	26	5.83	25.6
CC100543		0.12	1.57	12.7	<0.2	<10	40	0.43	0.50	0.38	0.13	34.9	13.3	22	2.80	14.1
CC100544		0.16	4.41	1.7	<0.2	<10	60	1.49	0.58	6.36	0.19	58.6	18.1	56	10.50	62.3
CC100545		0.04	3.64	1.7	<0.2	<10	60	0.90	0.54	1.01	0.15	55.4	20.6	75	9.39	22.6
CC100546		0.04	1.26	12.7	<0.2	<10	40	0.31	0.49	0.17	0.16	32.2	10.5	18	3.85	14.9
CC100547		0.08	1.83	9.4	<0.2	<10	40	1.16	5.57	0.56	0.27	15.45	9.2	34	8.92	45.2
CC100548		0.04	1.44	7.3	<0.2	<10	60	0.34	0.41	0.09	0.11	32.9	9.4	24	2.83	8.9
CC100549		0.10	1.24	9.0	<0.2	<10	40	0.38	0.27	0.26	0.06	45.4	9.4	17	2.23	12.2
CC100550		0.12	1.76	11.0	<0.2	<10	80	0.60	0.45	0.14	0.10	37.8	12.8	23	5.10	15.6
CC100579		0.34	4.08	7.1	<0.2	<10	80	2.88	1.40	0.17	0.26	49.6	18.4	54	19.75	26.3
CC100580		0.40	4.98	5.9	<0.2	<10	70	3.25	1.32	0.25	0.23	51.2	21.2	47	15.05	25.7
CC100581		0.14	3.02	2.1	<0.2	<10	80	1.66	0.64	0.14	0.31	36.1	19.6	44	17.45	28.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
CC100606		3.34	6.85	0.11	<0.02	0.01	0.028	0.13	31.0	34.4	0.54	624	0.57	0.01	2.47	21.9
CC100607		3.66	10.10	0.11	0.02	0.01	0.031	0.17	26.9	50.4	0.81	302	0.40	0.04	3.81	26.4
CC100608		3.83	8.63	0.13	0.02	0.02	0.036	0.28	35.9	46.5	0.78	664	0.39	0.03	3.31	33.7
CC100609		2.81	6.67	0.13	0.02	0.02	0.035	0.19	34.7	40.7	0.60	416	0.36	0.02	2.84	26.4
CC100610		3.61	8.46	0.13	0.02	0.02	0.026	0.28	28.8	52.8	0.83	464	0.34	0.08	3.59	30.2
CC100611		3.48	7.39	0.13	0.03	0.03	0.026	0.22	30.5	43.0	0.74	405	0.36	0.04	3.32	27.4
CC100612		3.23	9.97	0.10	<0.02	0.01	0.132	0.09	16.0	50.4	0.48	188	0.74	0.03	3.48	14.8
CC100521		3.53	12.40	0.12	<0.02	0.03	0.184	0.32	22.6	72.7	0.98	702	0.46	0.05	3.74	31.4
CC100522		3.39	11.65	0.12	0.02	0.05	0.270	0.25	22.1	61.5	0.84	501	0.58	0.03	3.53	31.4
CC100523		3.74	12.20	0.13	<0.02	0.04	0.283	0.31	26.3	73.1	0.99	581	0.55	0.04	4.03	37.3
CC100524		3.29	12.50	0.11	0.02	0.03	0.126	0.31	20.7	68.7	0.97	326	0.43	0.02	4.26	30.3
CC100525		3.51	11.40	0.14	<0.02	0.03	0.170	0.36	30.2	73.7	0.97	487	0.44	0.03	3.80	33.3
CC100526		2.79	10.15	0.10	<0.02	0.03	0.095	0.23	20.9	60.9	0.75	326	0.42	0.02	3.08	25.3
CC100527		2.07	5.20	0.09	<0.02	0.02	0.053	0.13	19.2	26.2	0.42	244	0.41	0.02	1.32	15.4
CC100528		3.73	12.90	0.12	<0.02	0.03	0.130	0.36	29.9	62.9	0.81	415	0.67	0.02	3.39	37.0
CC100529		2.12	7.26	0.09	<0.02	0.01	0.033	0.10	22.0	24.8	0.35	622	0.56	0.02	2.09	11.8
CC100530		2.34	7.87	0.10	<0.02	0.02	0.040	0.13	25.5	31.5	0.44	587	0.74	0.01	3.34	15.9
CC100531		3.03	7.72	0.11	0.02	0.02	0.034	0.18	28.1	51.1	0.76	240	0.31	0.01	3.31	27.9
CC100532		2.84	8.00	0.10	<0.02	<0.01	0.035	0.20	24.2	44.1	0.74	283	0.38	0.02	2.32	22.5
CC100533		2.68	6.94	0.11	<0.02	0.01	0.029	0.19	26.0	43.6	0.63	309	0.38	0.01	2.28	23.4
CC100534		2.80	7.36	0.14	<0.02	0.01	0.047	0.27	33.3	55.3	0.71	243	0.31	0.02	2.51	23.9
CC100535		2.42	5.08	0.10	<0.02	0.01	0.016	0.10	22.5	22.0	0.48	180	0.45	0.01	2.13	16.0
CC100536		2.56	5.66	0.10	<0.02	0.02	0.020	0.09	22.4	25.1	0.52	206	0.45	0.01	2.10	20.5
CC100537		3.10	6.23	0.14	0.02	0.02	0.029	0.13	48.5	24.6	0.51	1010	0.55	0.01	2.07	27.6
CC100538		2.72	6.28	0.14	0.02	0.03	0.030	0.17	42.3	33.8	0.56	595	0.46	0.02	2.11	25.6
CC100539		3.40	7.00	0.11	0.02	0.02	0.032	0.19	33.0	42.2	0.68	517	0.33	0.03	2.33	27.8
CC100540		3.41	7.69	0.12	0.02	0.02	0.027	0.21	31.4	41.1	0.74	421	0.52	0.03	2.64	29.3
CC100541		2.60	5.80	0.12	<0.02	0.03	0.041	0.13	30.9	30.9	0.46	1060	0.63	0.02	2.21	21.2
CC100542		2.72	5.80	0.13	0.02	0.03	0.027	0.19	33.0	37.5	0.64	357	0.33	0.03	2.49	25.0
CC100543		3.42	5.62	0.09	0.02	0.02	0.023	0.15	18.5	55.2	0.52	273	0.91	0.02	2.73	24.2
CC100544		4.51	14.70	0.19	0.02	0.03	0.040	0.43	36.4	69.6	0.94	520	0.39	0.30	2.25	57.6
CC100545		5.32	13.80	0.16	0.04	0.03	0.042	0.17	22.8	71.6	1.28	846	0.34	0.22	2.28	42.5
CC100546		3.59	6.72	0.10	<0.02	0.03	0.019	0.08	16.0	24.0	0.42	176	0.70	0.01	2.52	24.6
CC100547		4.04	9.48	0.07	<0.02	0.03	0.084	0.20	6.9	52.2	0.42	199	0.63	0.02	2.06	21.5
CC100548		3.20	7.54	0.09	0.04	0.02	0.022	0.08	15.9	29.4	0.49	277	0.73	0.02	3.59	15.6
CC100549		2.37	3.66	0.11	0.02	0.02	0.018	0.07	26.4	27.0	0.44	307	0.30	0.01	1.47	21.7
CC100550		3.08	6.36	0.10	0.04	0.02	0.026	0.16	18.2	36.8	0.58	363	0.50	0.01	2.35	27.3
CC100579		4.78	14.50	0.13	0.02	0.07	0.091	0.36	23.5	73.6	1.05	309	0.44	0.02	7.34	39.8
CC100580		3.96	10.35	0.15	0.03	0.09	0.096	0.37	19.2	57.1	0.91	550	0.50	0.03	6.11	41.3
CC100581		4.32	13.05	0.12	<0.02	0.06	0.032	0.30	19.0	90.9	0.87	242	0.48	0.02	7.04	34.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC100606		410	14.4	55.4	<0.001	0.01	0.35	2.2	<0.2	1.0	19.7	<0.01	0.01	6.5	0.047	0.19
CC100607		290	11.4	45.6	<0.001	0.01	0.20	4.4	<0.2	2.3	67.8	<0.01	0.02	11.6	0.079	0.29
CC100608		430	15.2	99.0	<0.001	0.02	0.26	4.4	0.5	1.8	66.9	<0.01	0.02	11.4	0.070	0.45
CC100609		670	11.6	52.0	<0.001	0.04	0.36	2.6	0.4	1.8	68.5	<0.01	0.02	5.3	0.044	0.31
CC100610		520	10.6	56.6	<0.001	0.03	0.19	4.4	0.4	1.5	109.0	<0.01	0.02	9.0	0.084	0.38
CC100611		600	11.9	47.1	<0.001	0.02	0.26	4.0	0.3	1.2	82.9	<0.01	0.02	12.0	0.073	0.28
CC100612		200	8.3	37.4	<0.001	0.02	0.22	3.0	<0.2	10.3	37.3	0.01	0.02	4.7	0.088	0.16
CC100521		740	11.8	86.7	<0.001	0.04	0.15	4.0	<0.2	8.9	132.5	0.01	0.02	4.2	0.062	0.75
CC100522		920	9.7	73.3	<0.001	0.06	0.16	3.3	0.3	8.5	120.5	<0.01	0.04	3.5	0.047	0.63
CC100523		670	10.8	86.1	<0.001	0.03	0.18	4.5	0.2	10.0	134.5	<0.01	0.03	7.6	0.057	0.90
CC100524		210	8.3	101.5	<0.001	0.01	0.12	4.4	<0.2	9.3	86.3	<0.01	0.02	8.4	0.065	0.71
CC100525		630	10.6	102.5	<0.001	0.03	0.12	4.2	0.2	7.6	120.0	<0.01	0.02	8.4	0.054	0.88
CC100526		370	8.7	115.0	<0.001	0.02	0.13	2.6	<0.2	6.5	64.3	<0.01	0.02	2.0	0.044	0.48
CC100527		470	10.8	54.0	<0.001	0.02	0.42	1.0	<0.2	1.7	33.5	<0.01	0.01	1.1	0.030	0.23
CC100528		720	13.1	140.0	<0.001	0.04	0.37	3.0	<0.2	5.4	64.7	<0.01	0.03	4.1	0.049	0.61
CC100529		310	21.4	95.4	<0.001	0.01	0.23	1.5	<0.2	2.4	28.1	0.01	0.01	1.9	0.042	0.25
CC100530		640	17.2	56.8	<0.001	0.01	0.31	2.2	<0.2	2.9	32.7	0.01	0.02	5.6	0.054	0.26
CC100531		420	8.5	42.9	<0.001	0.01	0.23	2.9	<0.2	3.0	31.7	<0.01	0.02	9.1	0.052	0.35
CC100532		420	7.1	70.8	<0.001	0.01	0.20	2.3	<0.2	3.7	36.3	<0.01	0.02	3.0	0.048	0.45
CC100533		530	10.8	48.5	<0.001	0.01	0.36	2.3	<0.2	2.0	29.6	<0.01	0.02	4.6	0.048	0.36
CC100534		740	7.0	66.7	<0.001	0.01	0.14	3.1	0.2	4.1	58.3	<0.01	0.02	12.0	0.048	0.61
CC100535		380	11.8	47.7	<0.001	0.01	0.52	1.6	<0.2	0.9	15.5	<0.01	0.02	5.0	0.044	0.12
CC100536		380	11.0	24.5	<0.001	0.01	0.56	1.9	<0.2	1.2	20.4	<0.01	0.02	5.9	0.039	0.16
CC100537		640	11.9	50.6	<0.001	0.03	0.24	2.5	0.7	0.9	31.3	<0.01	0.02	3.5	0.033	0.24
CC100538		700	10.5	44.4	<0.001	0.03	0.33	2.4	0.6	1.2	50.9	<0.01	0.02	4.4	0.040	0.25
CC100539		520	12.8	40.1	<0.001	0.02	0.29	3.3	<0.2	1.5	78.1	<0.01	0.01	7.5	0.052	0.28
CC100540		580	12.7	68.7	<0.001	0.02	0.36	3.1	0.3	1.3	57.9	<0.01	0.02	6.0	0.053	0.27
CC100541		480	14.3	41.7	<0.001	0.02	0.31	2.0	<0.2	1.2	43.1	<0.01	0.02	3.3	0.051	0.15
CC100542		690	8.5	43.5	<0.001	0.05	0.23	2.6	0.7	1.1	82.1	<0.01	0.01	3.7	0.055	0.27
CC100543		290	19.4	47.2	<0.001	0.02	0.28	2.2	<0.2	0.7	20.8	<0.01	0.03	8.8	0.046	0.16
CC100544		720	12.4	80.2	<0.001	0.05	0.12	9.0	1.1	1.3	611	0.01	0.04	9.1	0.117	0.43
CC100545		200	12.9	29.5	<0.001	0.03	0.09	10.4	0.6	6.3	147.0	0.01	0.02	12.6	0.173	0.38
CC100546		290	12.7	27.8	<0.001	0.02	0.41	1.5	<0.2	1.0	15.9	<0.01	0.04	5.7	0.054	0.13
CC100547		360	7.6	55.7	<0.001	0.04	0.26	2.0	<0.2	7.2	100.5	<0.01	0.04	6.9	0.015	0.36
CC100548		250	14.6	31.7	<0.001	0.02	0.40	2.1	<0.2	1.3	19.7	<0.01	0.02	6.5	0.085	0.13
CC100549		400	13.7	16.2	<0.001	0.02	0.52	2.1	0.4	0.6	18.9	<0.01	0.01	9.6	0.031	0.14
CC100550		270	13.8	42.1	<0.001	0.01	0.63	2.2	<0.2	1.4	21.0	<0.01	0.01	8.2	0.050	0.23
CC100579		360	11.6	72.4	<0.001	0.04	0.20	6.0	0.4	6.0	59.7	0.02	0.03	11.3	0.083	0.38
CC100580		590	12.5	52.4	<0.001	0.06	0.22	5.0	0.6	3.8	69.9	0.01	0.04	10.8	0.066	0.37
CC100581		280	9.1	53.0	<0.001	0.08	0.21	4.3	<0.2	3.3	64.8	<0.01	0.03	7.6	0.098	0.31



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC100606		1.27	31	0.51	7.99	183	<0.5
CC100607		1.34	37	0.39	9.07	99	0.8
CC100608		1.64	31	0.38	18.00	107	0.6
CC100609		2.05	23	0.65	14.15	91	0.5
CC100610		1.61	35	0.23	15.30	83	0.5
CC100611		1.92	30	0.25	14.30	85	1.1
CC100612		0.67	44	0.52	3.19	176	0.5
CC100521		1.46	42	1.50	9.46	656	<0.5
CC100522		1.36	36	1.84	9.64	738	0.6
CC100523		1.35	40	5.65	10.20	666	<0.5
CC100524		0.98	35	1.34	8.50	413	0.6
CC100525		1.50	34	1.67	11.80	519	<0.5
CC100526		0.97	28	0.84	7.89	355	<0.5
CC100527		0.94	19	0.41	4.59	175	<0.5
CC100528		1.81	33	0.89	10.90	439	<0.5
CC100529		0.83	28	0.94	4.71	151	<0.5
CC100530		1.03	27	1.20	5.74	140	<0.5
CC100531		0.85	25	1.70	7.58	102	0.7
CC100532		0.86	23	0.71	6.55	131	<0.5
CC100533		0.92	23	0.44	7.16	100	<0.5
CC100534		1.34	21	0.87	12.20	138	<0.5
CC100535		0.56	22	0.33	3.75	82	<0.5
CC100536		0.65	22	0.43	4.50	82	<0.5
CC100537		3.69	25	0.36	21.3	93	0.5
CC100538		2.10	22	0.38	20.2	81	0.5
CC100539		1.52	28	0.37	14.25	106	<0.5
CC100540		2.22	28	0.30	11.65	98	0.5
CC100541		3.12	25	0.29	10.75	193	<0.5
CC100542		2.43	25	0.21	18.65	66	0.6
CC100543		1.88	24	0.20	6.27	61	1.0
CC100544		3.64	57	0.23	21.8	73	0.5
CC100545		2.22	68	0.17	19.05	92	1.7
CC100546		0.83	28	0.24	3.67	54	<0.5
CC100547		1.12	36	0.94	3.31	199	<0.5
CC100548		0.64	41	0.30	2.90	91	1.9
CC100549		1.59	16	0.15	13.10	60	0.8
CC100550		0.77	24	0.26	4.47	88	2.1
CC100579		1.40	47	0.62	11.00	254	1.0
CC100580		1.69	36	0.73	10.95	205	1.2
CC100581		0.96	40	0.65	6.08	207	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
CC100582		0.40	2.88	2.8	<0.2	<10	90	2.12	1.15	0.26	0.65	46.2	15.8	40	18.30
CC100583		0.32	2.19	3.7	<0.2	<10	60	5.32	2.11	0.49	1.22	58.2	19.7	39	20.3
CC100584		0.12	1.83	1.1	<0.2	<10	100	0.86	0.71	0.09	0.30	50.3	6.3	35	20.2
CC100585		0.13	2.67	1.9	<0.2	<10	90	8.35	2.17	1.06	1.77	78.3	14.7	39	10.70
CC100586		0.20	2.85	2.6	<0.2	<10	80	5.97	1.78	0.96	1.13	61.8	16.8	38	16.50
CC100587		0.08	3.69	1.5	<0.2	<10	40	2.48	5.53	0.62	1.24	64.8	18.0	26	9.27
CC100588		0.07	2.11	1.8	<0.2	<10	110	4.00	3.40	0.45	2.29	33.5	12.5	29	22.5
CC100589		0.24	3.93	1.5	<0.2	<10	60	5.50	19.60	0.86	1.21	36.6	12.3	48	28.3
CC100590		0.10	2.93	14.4	<0.2	<10	40	3.64	7.42	0.29	0.58	43.4	12.2	48	17.00
CC100591		0.18	2.50	1.9	<0.2	<10	80	3.33	6.50	0.23	4.25	28.6	23.7	46	31.3
CC100592		0.21	1.17	0.6	<0.2	<10	100	1.19	24.0	0.19	0.46	30.8	7.3	23	25.3
CC100593		0.16	2.38	2.9	<0.2	<10	80	2.55	5.69	0.16	0.36	39.8	19.7	36	16.30
CC100594		0.09	2.17	5.4	<0.2	<10	80	2.66	4.31	0.21	0.19	45.3	11.2	32	14.45
CC100595		0.70	1.50	167.0	<0.2	<10	40	1.45	4.15	0.08	0.17	38.2	17.7	23	13.60
CC100596		0.67	0.85	3.5	<0.2	<10	50	0.44	1.45	0.11	0.30	25.9	4.9	15	8.70
CC100597		0.20	1.35	4.8	<0.2	<10	60	0.68	1.27	0.11	0.05	28.6	7.3	21	8.15
CC100598		0.08	1.50	5.6	<0.2	<10	60	0.60	1.38	0.06	0.03	38.4	6.8	26	12.75
CC100599		0.02	1.92	19.7	<0.2	<10	70	1.04	2.44	0.16	0.01	61.5	11.6	35	14.05
CC100600		0.15	1.83	9.1	<0.2	<10	50	1.29	1.88	0.13	0.13	36.0	18.9	31	17.75
CC100701		0.11	2.33	5.7	<0.2	<10	70	2.07	3.17	0.19	0.06	53.7	20.6	37	22.9
CC100702		0.10	1.64	2.9	<0.2	<10	50	0.98	1.45	0.13	0.13	33.7	19.2	28	10.65
CC100703		0.24	1.53	3.5	<0.2	<10	90	1.12	2.08	0.17	0.25	33.3	26.2	24	12.95
CC100704		0.33	1.63	2.4	<0.2	<10	60	1.20	7.23	0.20	0.18	44.1	8.8	25	9.88
CC100705		0.20	1.19	3.0	<0.2	<10	50	0.69	0.66	0.14	0.14	33.0	8.0	17	5.17
CC100706		0.11	0.85	2.5	<0.2	<10	40	0.31	0.31	0.16	0.10	29.8	6.0	14	3.70
CC100707		0.11	0.96	2.7	<0.2	<10	50	0.22	0.21	0.19	0.10	28.1	4.5	14	2.04
CC100708		0.25	1.98	11.7	<0.2	<10	80	1.11	0.54	0.18	0.14	29.4	13.7	27	4.26
CC100709		0.89	1.58	4.5	<0.2	<10	110	1.25	0.62	0.37	1.27	61.5	36.2	17	3.67
CC100710		0.04	1.38	2.4	<0.2	<10	50	0.41	0.98	0.18	0.24	26.6	12.7	24	4.03
CC100711		0.18	1.67	3.9	<0.2	<10	130	0.55	0.49	0.31	0.33	28.8	11.2	25	4.16
CC100712		0.13	1.75	6.9	<0.2	<10	100	0.67	0.52	0.16	0.28	26.1	13.9	31	3.61
CC100713		0.02	1.81	5.5	<0.2	<10	120	0.66	0.59	0.26	0.24	29.2	23.9	28	5.78
CC100714		0.08	2.47	3.2	<0.2	<10	150	0.79	0.52	2.26	0.47	24.6	12.8	35	6.78
CC100715		0.03	1.59	4.6	<0.2	<10	60	0.34	0.70	0.61	0.31	33.7	11.5	24	3.98
CC100716		0.07	1.19	3.2	<0.2	<10	70	0.25	0.61	0.20	0.19	19.80	9.4	24	3.40
CC100717		0.06	1.38	3.9	<0.2	<10	50	0.41	0.46	0.18	0.17	22.4	9.1	24	3.30
CC100718		0.28	1.49	7.3	<0.2	<10	50	0.60	0.57	1.06	0.32	44.6	10.8	22	5.25
CC100719		0.19	1.58	4.5	<0.2	<10	70	0.76	1.01	1.86	0.38	29.6	9.6	23	6.21
CC100720		0.15	1.40	5.4	<0.2	<10	60	0.73	0.50	1.64	0.28	35.9	8.0	18	4.51
CC100721		0.16	2.60	10.0	<0.2	<10	110	1.04	1.12	0.71	0.20	66.5	16.5	38	10.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
CC100582		3.92	12.70	0.10	<0.02	0.08	0.041	0.26	21.2	54.5	0.70	682	0.49	0.02	5.21	31.5
CC100583		4.68	7.34	0.14	<0.02	0.04	0.050	0.22	39.1	61.0	0.71	511	1.33	0.02	2.80	34.0
CC100584		3.58	8.97	0.11	<0.02	0.03	0.019	0.43	28.9	40.8	0.68	182	0.47	0.03	4.67	12.7
CC100585		4.03	10.50	0.13	0.02	0.04	0.113	0.10	31.2	71.4	0.75	1440	0.57	0.05	2.32	32.2
CC100586		3.80	10.10	0.14	0.02	0.04	0.097	0.11	31.5	56.1	0.64	1280	0.46	0.07	2.90	39.6
CC100587		4.48	13.10	0.13	0.04	0.04	0.076	0.04	26.4	33.8	0.37	851	0.51	0.09	3.17	33.7
CC100588		3.60	10.10	0.11	0.03	0.03	0.098	0.09	15.0	40.9	0.44	1010	0.61	0.04	3.01	20.5
CC100589		6.17	13.95	0.10	0.02	0.04	0.467	0.24	13.7	89.9	0.74	584	2.17	0.02	3.34	37.8
CC100590		4.17	11.40	0.13	<0.02	0.02	0.692	0.42	18.1	73.8	0.94	281	0.57	0.02	4.13	30.3
CC100591		4.58	14.70	0.09	0.02	0.03	0.190	0.23	14.1	68.8	0.70	696	0.87	0.02	5.82	23.5
CC100592		5.25	9.47	0.11	<0.02	0.05	0.079	0.26	15.8	17.3	0.30	364	0.64	0.02	2.54	12.9
CC100593		3.84	9.23	0.10	<0.02	0.03	0.097	0.31	19.6	54.8	0.73	596	0.71	0.02	3.59	25.7
CC100594		3.38	7.97	0.12	<0.02	0.02	0.061	0.32	24.4	55.6	0.66	359	0.58	0.02	2.94	31.8
CC100595		2.95	7.13	0.10	<0.02	0.03	0.031	0.18	18.8	37.4	0.49	454	0.60	0.02	2.78	20.9
CC100596		1.57	5.98	0.09	<0.02	0.04	0.011	0.15	13.4	14.1	0.24	180	0.49	0.02	1.72	10.1
CC100597		2.16	6.40	0.09	<0.02	0.02	0.020	0.17	14.5	29.6	0.40	192	0.59	0.02	2.42	14.4
CC100598		2.81	7.32	0.11	0.02	0.02	0.020	0.31	18.7	33.6	0.57	197	0.64	0.01	3.37	14.0
CC100599		3.25	7.02	0.15	<0.02	0.03	0.027	0.32	30.3	56.2	0.81	268	0.46	0.01	2.89	26.0
CC100600		3.52	7.78	0.10	0.02	0.02	0.036	0.30	17.2	51.7	0.62	252	1.46	0.02	3.86	28.1
CC100701		3.52	8.91	0.13	<0.02	0.03	0.038	0.31	27.6	64.8	0.74	245	1.27	0.02	4.45	45.4
CC100702		2.98	7.02	0.11	<0.02	0.03	0.027	0.26	16.8	49.9	0.62	348	0.65	0.02	3.42	21.3
CC100703		2.86	8.34	0.11	<0.02	0.04	0.032	0.29	16.9	23.5	0.43	362	2.00	0.02	4.45	29.2
CC100704		2.30	6.66	0.10	<0.02	0.02	0.030	0.23	21.9	37.2	0.50	153	0.73	0.02	3.09	23.9
CC100705		1.86	5.27	0.09	<0.02	0.02	0.018	0.17	17.2	20.0	0.46	155	0.56	0.02	2.80	13.8
CC100706		1.42	5.01	0.10	<0.02	0.01	0.009	0.13	15.0	13.0	0.35	137	0.55	0.01	2.64	10.1
CC100707		1.63	5.44	0.08	<0.02	0.01	0.008	0.11	14.3	14.2	0.39	112	0.40	0.01	2.69	9.5
CC100708		3.52	7.71	0.09	<0.02	0.01	0.025	0.21	14.5	37.1	0.55	420	0.99	0.02	3.95	21.3
CC100709		2.93	5.99	0.09	0.03	0.02	0.044	0.17	21.6	27.3	0.32	2240	0.78	0.01	2.83	16.9
CC100710		2.66	8.57	0.07	0.02	<0.01	0.033	0.15	13.8	59.3	0.43	618	0.74	0.01	3.88	11.9
CC100711		3.21	8.14	0.08	0.02	0.01	0.027	0.14	13.7	51.3	0.45	958	0.79	0.01	2.89	13.8
CC100712		3.74	8.03	0.08	0.02	0.01	0.043	0.08	12.8	66.3	0.52	762	0.68	0.01	3.11	21.4
CC100713		3.66	9.67	0.08	0.03	0.01	0.026	0.12	14.2	83.0	0.47	978	0.96	0.01	3.65	17.9
CC100714		2.97	7.93	0.08	0.05	0.01	0.034	0.23	12.0	96.0	0.92	832	0.57	0.03	4.16	22.4
CC100715		3.58	8.41	0.09	0.02	0.01	0.028	0.10	16.5	67.3	0.46	442	0.78	0.02	3.19	19.4
CC100716		3.24	7.74	0.07	0.02	0.01	0.020	0.11	10.1	40.9	0.37	219	1.02	0.01	3.15	12.8
CC100717		2.81	7.44	0.07	0.02	0.01	0.020	0.10	11.4	62.2	0.39	155	0.81	0.01	3.05	15.2
CC100718		3.04	5.63	0.11	0.04	0.05	0.027	0.21	32.3	54.4	0.54	322	0.40	0.02	2.13	38.8
CC100719		2.49	5.82	0.10	0.04	0.03	0.041	0.21	19.8	75.7	0.47	279	0.47	0.02	2.71	31.1
CC100720		2.03	4.93	0.10	0.04	0.02	0.025	0.17	25.5	58.5	0.40	268	0.50	0.03	1.95	20.4
CC100721		4.34	9.95	0.16	0.05	0.01	0.059	0.37	35.8	95.8	0.99	479	0.53	0.03	3.40	39.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC100582		510	8.9	79.2	<0.001	0.05	0.20	3.3	0.2	5.5	57.2	0.02	0.02	3.8	0.074	0.26
CC100583		690	15.8	36.4	<0.001	0.12	0.15	3.0	0.6	3.8	57.7	<0.01	0.06	7.6	0.069	0.31
CC100584		500	8.2	68.1	<0.001	0.14	0.12	2.9	<0.2	4.1	61.1	<0.01	0.04	6.5	0.121	0.36
CC100585		670	9.0	26.8	<0.001	0.05	0.19	4.6	0.5	19.9	115.0	0.01	0.02	7.4	0.054	0.30
CC100586		520	9.5	39.3	<0.001	0.04	0.28	4.4	0.4	8.2	141.0	0.01	0.02	7.6	0.076	0.31
CC100587		680	11.8	23.6	<0.001	0.06	0.18	3.1	0.3	3.0	118.5	0.02	0.05	11.4	0.065	0.09
CC100588		460	10.7	64.3	<0.001	0.03	0.22	2.5	<0.2	8.5	76.0	0.02	0.04	5.9	0.076	0.16
CC100589		590	5.9	116.5	<0.001	0.05	0.28	4.9	0.4	35.6	70.3	<0.01	0.06	12.4	0.031	0.41
CC100590		230	6.5	81.4	<0.001	0.03	0.16	4.9	<0.2	7.4	58.2	0.01	0.02	8.2	0.120	0.52
CC100591		270	8.8	117.5	<0.001	0.03	0.23	4.1	<0.2	12.7	31.4	0.01	0.03	6.5	0.163	0.33
CC100592		700	4.9	116.0	<0.001	0.07	0.16	1.8	<0.2	8.2	23.2	0.01	0.15	3.6	0.087	0.28
CC100593		290	9.1	116.5	<0.001	0.03	0.16	3.6	<0.2	4.5	34.0	0.01	0.04	8.3	0.108	0.42
CC100594		230	9.7	68.5	<0.001	0.03	0.18	3.1	<0.2	3.8	79.9	<0.01	0.03	6.8	0.081	0.41
CC100595		230	47.9	76.8	<0.001	0.03	0.34	2.0	<0.2	3.1	25.4	<0.01	0.02	6.4	0.061	0.36
CC100596		290	8.1	78.1	<0.001	0.02	0.17	0.9	<0.2	2.5	32.7	<0.01	0.01	1.0	0.058	0.22
CC100597		300	9.4	86.0	<0.001	0.02	0.11	1.6	<0.2	2.4	17.8	<0.01	0.01	4.7	0.053	0.32
CC100598		180	5.7	99.4	<0.001	0.01	0.14	2.2	<0.2	2.8	12.9	<0.01	0.02	8.2	0.108	0.48
CC100599		400	18.9	65.1	<0.001	0.02	0.14	3.1	0.2	3.4	21.8	0.01	0.03	12.2	0.123	0.67
CC100600		280	12.2	142.0	<0.001	0.02	0.23	2.6	<0.2	3.2	26.1	<0.01	0.02	7.1	0.094	0.42
CC100701		330	12.5	145.0	<0.001	0.02	0.19	3.4	<0.2	3.0	34.7	<0.01	0.03	10.0	0.101	0.65
CC100702		270	6.1	138.0	<0.001	0.02	0.17	2.4	<0.2	2.4	19.3	<0.01	0.02	6.6	0.084	0.35
CC100703		440	19.4	130.5	<0.001	0.02	0.26	2.2	<0.2	2.3	27.5	<0.01	0.03	5.1	0.105	0.30
CC100704		350	11.0	55.1	<0.001	0.02	0.15	2.1	<0.2	2.0	24.0	<0.01	0.03	3.2	0.078	0.26
CC100705		260	12.5	64.9	<0.001	0.02	0.22	1.5	<0.2	1.1	19.3	<0.01	0.01	3.9	0.077	0.17
CC100706		170	9.7	87.2	<0.001	0.01	0.27	1.2	<0.2	1.0	20.1	<0.01	0.01	2.4	0.071	0.15
CC100707		180	7.7	40.2	<0.001	0.01	0.31	1.2	<0.2	0.9	20.7	<0.01	0.01	4.1	0.077	0.11
CC100708		390	25.9	55.5	<0.001	0.02	0.42	2.0	<0.2	1.2	18.0	<0.01	0.02	3.7	0.084	0.20
CC100709		350	40.2	64.8	<0.001	0.03	0.32	2.0	0.4	1.3	32.4	0.01	0.02	4.2	0.063	0.19
CC100710		150	9.2	55.3	<0.001	0.02	0.19	2.7	0.2	2.6	21.8	<0.01	0.02	4.6	0.093	0.19
CC100711		370	13.5	37.2	<0.001	0.06	0.27	2.8	0.3	1.3	41.2	0.01	0.03	5.2	0.076	0.18
CC100712		420	20.7	26.9	<0.001	0.03	0.25	3.6	0.3	2.0	20.9	<0.01	0.03	5.8	0.064	0.15
CC100713		200	14.5	43.1	<0.001	0.02	0.17	3.0	0.2	1.7	25.5	0.01	0.02	5.9	0.064	0.28
CC100714		210	9.0	43.8	<0.001	0.03	0.12	3.6	0.4	1.7	156.5	<0.01	0.02	6.3	0.121	0.26
CC100715		320	17.8	29.1	<0.001	0.05	0.16	2.7	0.4	1.5	47.9	0.01	0.03	4.9	0.072	0.19
CC100716		200	14.0	43.4	<0.001	0.02	0.14	2.1	0.2	1.1	21.3	0.01	0.02	4.5	0.079	0.16
CC100717		210	11.1	24.1	<0.001	0.02	0.21	2.6	0.2	1.2	21.5	<0.01	0.02	4.8	0.078	0.14
CC100718		460	15.3	38.9	<0.001	0.04	0.32	2.9	1.0	0.9	57.3	0.01	0.03	4.3	0.055	0.27
CC100719		620	8.8	39.2	0.001	0.13	0.29	2.6	1.6	1.3	96.6	0.01	0.02	2.6	0.057	0.32
CC100720		460	7.8	30.0	0.001	0.10	0.26	2.2	1.3	1.0	92.6	0.01	0.02	2.8	0.045	0.24
CC100721		600	14.1	63.4	<0.001	0.03	0.33	5.6	0.7	2.5	79.6	0.01	0.02	12.6	0.092	0.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC100582		1.19	40	0.63	7.61	182	<0.5
CC100583		4.38	38	1.14	14.70	658	<0.5
CC100584		1.25	45	0.43	3.96	172	<0.5
CC100585		2.68	43	21.5	14.65	923	<0.5
CC100586		2.48	43	18.65	16.50	686	0.5
CC100587		1.63	32	8.32	11.80	379	1.7
CC100588		1.02	40	27.7	3.92	741	0.9
CC100589		1.82	54	8.73	8.47	615	0.9
CC100590		1.23	47	10.85	5.73	618	<0.5
CC100591		0.77	64	15.45	3.10	1060	1.4
CC100592		0.80	38	47.7	2.50	181	<0.5
CC100593		1.00	37	23.0	4.26	329	0.6
CC100594		1.25	31	10.75	9.11	153	<0.5
CC100595		0.92	27	8.33	3.26	125	<0.5
CC100596		0.59	24	6.57	1.86	79	<0.5
CC100597		0.72	25	2.66	2.32	80	<0.5
CC100598		0.90	33	8.98	2.77	64	0.8
CC100599		1.26	28	18.90	8.62	87	0.6
CC100600		0.94	36	7.48	3.35	139	0.8
CC100701		2.42	37	12.60	7.62	122	<0.5
CC100702		0.86	30	12.45	3.29	119	<0.5
CC100703		2.11	37	4.39	3.97	129	<0.5
CC100704		2.34	26	3.90	6.17	77	<0.5
CC100705		1.65	23	1.01	3.66	70	<0.5
CC100706		0.67	19	0.42	2.59	50	<0.5
CC100707		0.48	23	0.22	2.20	49	<0.5
CC100708		0.80	42	0.38	2.95	139	0.5
CC100709		1.32	29	0.52	6.46	301	0.6
CC100710		0.57	37	0.87	3.68	155	0.9
CC100711		0.84	35	0.70	5.37	140	0.7
CC100712		0.71	37	0.47	6.31	120	0.6
CC100713		0.59	37	0.39	3.89	195	1.2
CC100714		1.72	31	0.38	6.54	301	2.0
CC100715		1.23	34	0.91	6.54	112	0.6
CC100716		0.54	35	4.11	3.69	60	0.9
CC100717		1.54	32	0.29	4.18	66	0.8
CC100718		3.51	22	0.39	21.5	82	0.6
CC100719		4.34	22	0.41	15.05	171	0.8
CC100720		3.44	19	0.38	13.40	101	1.0
CC100721		2.12	37	0.52	21.2	220	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
CC100722		0.03	0.84	2.6	<0.2	<10	40	0.19	0.47	0.09	0.15	28.8	3.4	16	1.67	4.9
CC100723		0.10	2.18	4.8	<0.2	<10	80	0.60	0.61	0.10	0.21	30.5	5.4	24	4.33	6.0
CC100724		0.08	1.80	3.6	<0.2	<10	90	0.61	0.40	0.13	0.12	31.8	5.5	22	3.48	5.6
CC100725		0.05	1.54	5.3	<0.2	<10	70	0.53	0.42	0.12	0.12	23.7	4.8	19	3.47	6.3
CC100726		0.34	1.42	5.2	<0.2	<10	70	0.58	0.38	0.93	0.20	41.6	10.1	18	3.32	38.2
CC100727		0.05	0.92	2.4	<0.2	<10	40	0.26	0.41	0.05	0.10	22.6	7.6	13	3.34	8.6
CC100728		0.11	2.00	9.5	<0.2	<10	70	0.68	0.70	0.20	0.13	41.9	16.8	32	6.65	20.4
CC100729		0.08	2.29	7.2	<0.2	<10	70	0.58	2.37	0.61	0.08	52.5	22.7	39	11.00	18.7
CC100730		0.08	1.65	2.6	<0.2	<10	70	0.38	0.63	0.32	0.12	31.4	12.3	27	4.90	9.0
CC100731		0.17	2.59	7.4	<0.2	<10	50	2.02	0.69	0.19	0.16	84.2	28.5	27	7.78	50.8
CC100732		0.05	1.84	3.9	<0.2	<10	40	0.62	1.16	0.12	0.07	26.2	14.8	28	8.55	16.7
CC100733		0.31	2.31	5.4	<0.2	<10	70	1.22	0.94	1.04	0.77	69.6	14.9	25	7.18	48.7
CC100734		0.38	1.64	4.6	<0.2	<10	70	0.72	0.76	1.43	0.39	52.5	15.4	25	4.94	54.8
CC100735		0.12	1.88	5.4	<0.2	<10	50	0.84	0.82	0.71	0.56	39.2	15.2	27	7.29	29.5
CC100736		0.13	1.87	7.7	<0.2	<10	60	0.76	0.50	0.40	0.39	52.5	12.9	29	5.25	21.3
CC100737		0.48	1.67	15.8	<0.2	<10	60	0.76	0.58	0.11	0.62	39.9	14.4	26	3.20	18.1
CC100738		0.41	1.36	9.4	<0.2	<10	60	0.84	0.55	0.33	1.44	47.5	22.1	20	3.60	30.7
CC100739		2.47	2.67	14.1	<0.2	<10	140	2.09	0.59	0.33	3.90	129.0	43.7	26	4.88	71.9
CC100740		0.27	2.34	12.1	<0.2	<10	100	1.29	1.22	1.22	1.25	58.5	12.5	33	9.07	27.4
CC100741		0.28	2.54	13.4	<0.2	<10	100	2.19	1.50	1.04	0.35	72.4	15.8	38	10.90	42.1
CC100613		0.20	3.54	4.4	<0.2	<10	90	0.98	0.72	0.84	0.82	53.2	17.3	49	12.05	27.4
CC100614		0.12	3.12	4.7	<0.2	<10	80	2.39	1.19	0.29	0.52	40.4	16.0	52	18.95	20.1
CC100615		0.09	4.48	2.8	<0.2	<10	100	2.16	1.10	0.75	1.97	42.1	19.3	56	24.8	23.8
CC100616		0.16	2.69	1.5	<0.2	<10	60	3.06	0.86	0.69	1.01	31.8	11.1	42	21.1	15.5
CC100617		0.10	1.61	1.8	<0.2	<10	80	1.07	1.21	0.19	0.72	42.1	13.3	23	14.70	13.2
CC100618		0.50	1.97	2.3	<0.2	<10	70	1.99	1.62	0.15	1.08	75.7	8.6	36	17.75	40.3
CC100619		0.23	1.98	2.5	<0.2	<10	70	1.47	1.22	0.07	0.21	52.7	6.9	29	13.35	32.9
CC100620		0.62	2.73	2.7	<0.2	<10	60	10.50	2.72	0.70	2.06	237	17.6	30	15.60	115.5
CC100621		0.14	2.70	2.0	<0.2	<10	80	5.33	3.35	0.50	2.01	52.6	17.6	34	16.65	22.4
CC100622		0.11	2.45	1.2	<0.2	<10	40	1.81	1.02	0.78	0.48	78.6	17.0	25	8.93	20.5
CC100623		0.07	2.42	2.0	<0.2	<10	50	1.73	4.07	0.40	1.80	45.8	18.2	34	21.8	16.3
CC100624		0.05	1.31	2.7	<0.2	<10	70	0.34	0.35	0.17	0.41	28.4	6.6	19	4.51	8.4
CC100625		0.32	3.67	5.9	<0.2	<10	90	9.01	19.05	0.80	4.19	51.2	24.0	42	23.3	103.0
CC100626		0.15	2.31	4.1	<0.2	<10	70	3.42	26.9	0.26	1.36	37.5	22.4	30	14.80	85.9
CC100656		0.72	3.32	4.3	<0.2	<10	90	4.25	1.29	0.41	3.37	62.7	15.1	43	21.5	46.4
CC100657		1.48	2.80	10.4	<0.2	<10	60	1.62	1.29	0.19	0.77	52.9	12.5	39	11.00	19.5
CC100658		0.09	2.01	4.3	<0.2	<10	100	0.90	0.76	0.08	0.28	59.3	10.6	31	10.15	25.1
CC100659		0.11	2.84	2.2	<0.2	<10	80	1.72	0.81	0.67	0.56	57.2	16.1	34	13.70	44.2
CC100660		0.09	3.02	3.3	<0.2	<10	80	3.21	1.58	0.55	1.09	61.1	22.5	42	13.70	17.5
CC100661		0.22	2.69	5.7	<0.2	<10	70	7.86	6.74	0.44	2.63	76.0	14.7	31	14.60	36.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
CC100722		2.30	9.07	0.07	<0.02	0.02	0.010	0.04	15.1	17.3	0.15	134	0.59	0.01	2.73	6.3
CC100723		3.71	13.55	0.09	0.08	0.03	0.028	0.06	16.2	52.1	0.27	357	0.77	0.01	5.58	9.2
CC100724		2.64	9.93	0.07	0.03	0.04	0.018	0.06	16.6	53.3	0.30	238	0.60	0.01	3.88	10.1
CC100725		2.52	9.24	0.06	<0.02	0.03	0.019	0.07	12.1	47.1	0.30	261	0.61	0.01	3.42	9.8
CC100726		2.17	5.37	0.10	0.02	0.07	0.019	0.10	29.7	36.1	0.47	568	0.46	0.02	1.62	23.7
CC100727		2.19	6.27	0.05	<0.02	0.04	0.011	0.06	11.6	28.7	0.27	176	0.65	0.01	1.73	13.2
CC100728		4.21	8.11	0.11	0.02	0.03	0.031	0.24	21.1	64.8	0.75	296	0.63	0.02	2.45	36.4
CC100729		3.96	9.63	0.13	0.04	0.04	0.031	0.29	25.1	73.4	0.94	436	0.47	0.06	3.00	30.5
CC100730		2.87	9.38	0.07	0.02	0.03	0.019	0.14	15.9	48.7	0.51	334	0.56	0.02	2.87	16.8
CC100731		3.33	7.26	0.14	0.06	0.05	0.036	0.09	38.4	60.9	0.55	411	0.92	0.02	3.01	102.0
CC100732		3.62	8.97	0.08	0.02	0.04	0.026	0.14	13.3	63.4	0.62	177	0.62	0.01	3.11	28.5
CC100733		2.93	6.64	0.15	0.05	0.08	0.065	0.16	40.1	69.5	0.59	560	0.40	0.03	2.25	38.5
CC100734		2.68	6.22	0.14	0.04	0.10	0.025	0.17	37.4	76.6	0.57	475	0.53	0.02	2.28	37.1
CC100735		3.37	7.10	0.09	0.02	0.05	0.033	0.18	17.7	132.5	0.64	370	0.59	0.04	2.41	28.0
CC100736		3.02	7.15	0.12	0.03	0.01	0.033	0.25	23.0	63.3	0.67	415	0.50	0.02	2.75	24.6
CC100737		3.75	9.72	0.10	0.02	0.01	0.028	0.16	20.3	39.5	0.43	630	1.22	0.01	3.23	22.1
CC100738		2.94	8.66	0.10	0.02	0.02	0.029	0.10	23.3	35.4	0.35	1160	1.05	0.01	2.34	17.5
CC100739		4.10	9.82	0.15	0.05	0.06	0.079	0.21	37.8	37.0	0.42	4230	1.25	0.03	2.54	31.0
CC100740		3.20	8.09	0.15	0.05	0.03	0.114	0.20	34.1	91.4	0.68	598	0.48	0.04	2.63	24.9
CC100741		3.58	9.36	0.19	0.07	0.03	0.103	0.18	48.7	87.5	0.76	524	0.59	0.03	2.96	35.5
CC100613		3.94	14.25	0.14	0.04	0.02	0.076	0.32	27.9	112.5	0.98	662	0.57	0.04	5.18	35.6
CC100614		4.39	15.70	0.12	0.03	0.02	0.087	0.38	18.8	112.0	1.01	303	0.54	0.01	6.73	30.8
CC100615		4.35	16.90	0.12	0.05	0.02	0.103	0.38	19.1	138.5	1.05	512	0.44	0.03	6.41	34.8
CC100616		3.42	13.65	0.06	<0.02	0.03	0.038	0.20	17.3	57.4	0.71	338	0.38	0.01	4.56	26.8
CC100617		2.69	8.26	0.05	<0.02	0.01	0.024	0.14	20.1	40.9	0.43	455	0.56	0.01	3.52	20.1
CC100618		4.27	8.72	0.07	<0.02	0.01	0.125	0.22	35.6	49.3	0.56	271	0.70	0.02	1.62	27.0
CC100619		4.19	9.37	0.06	<0.02	0.02	0.054	0.18	29.6	48.9	0.54	177	0.63	0.01	2.59	22.7
CC100620		3.86	9.98	0.37	0.04	0.04	0.168	0.13	175.0	52.6	0.52	1220	0.40	0.01	1.94	46.1
CC100621		3.88	10.70	0.07	0.02	0.03	0.125	0.17	22.2	52.7	0.51	1620	0.50	0.03	3.25	35.3
CC100622		4.59	9.05	0.10	0.03	0.01	0.052	0.07	32.9	38.2	0.33	626	0.42	0.06	1.61	32.0
CC100623		3.95	12.00	0.07	0.03	0.02	0.111	0.11	20.2	46.7	0.45	553	0.50	0.03	3.50	35.7
CC100624		2.28	5.46	<0.05	<0.02	<0.01	0.015	0.26	14.5	27.0	0.48	196	0.34	<0.01	2.50	15.5
CC100625		5.91	11.60	0.10	0.04	0.03	2.52	0.44	23.4	91.0	0.83	714	1.00	0.04	3.66	46.2
CC100626		3.95	7.41	0.08	0.02	0.05	2.00	0.42	17.6	52.7	0.68	424	0.91	0.01	3.47	41.0
CC100656		3.71	10.95	0.10	<0.02	0.02	0.079	0.16	50.3	109.5	0.74	852	0.73	0.01	3.02	40.9
CC100657		3.87	8.88	0.06	<0.02	0.03	0.123	0.19	24.8	50.2	0.79	327	0.67	0.01	3.36	32.0
CC100658		3.82	8.80	0.07	<0.02	0.01	0.049	0.23	31.4	39.7	0.50	440	0.65	0.01	1.75	21.1
CC100659		4.38	8.74	0.06	<0.02	0.02	0.079	0.24	27.4	53.8	0.75	407	0.73	0.02	2.10	43.5
CC100660		4.76	12.75	0.08	<0.02	0.02	0.066	0.09	24.7	51.3	0.64	1180	0.61	0.06	2.41	33.2
CC100661		4.04	9.17	0.08	0.03	0.04	0.557	0.08	33.3	42.2	0.50	1160	0.53	0.03	2.31	30.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	
		ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01	ppm 0.2	% 0.005	ppm 0.02
CC100722		460	7.5	12.5	<0.001	0.02	0.27	1.4	0.2	1.6	9.4	<0.01	0.01	2.4	0.085	0.09
CC100723		1080	14.1	30.2	<0.001	0.02	0.37	2.8	0.3	2.0	11.0	0.04	0.03	6.8	0.111	0.18
CC100724		890	9.2	20.4	<0.001	0.02	0.26	2.7	0.3	1.4	13.2	0.02	0.02	6.4	0.080	0.13
CC100725		550	8.7	26.1	<0.001	0.03	0.28	2.2	0.3	1.7	15.0	0.01	0.02	6.8	0.067	0.15
CC100726		540	9.0	27.8	<0.001	0.06	0.29	2.3	0.9	0.7	52.7	0.01	0.02	2.4	0.042	0.21
CC100727		270	8.1	23.7	<0.001	0.01	0.23	1.4	0.2	0.9	10.3	<0.01	0.02	3.8	0.045	0.12
CC100728		480	17.2	56.7	<0.001	0.01	0.39	3.5	0.3	1.3	21.5	<0.01	0.03	10.7	0.077	0.32
CC100729		460	14.8	117.5	<0.001	0.02	0.27	5.3	0.5	2.5	59.0	<0.01	0.03	12.3	0.105	0.44
CC100730		210	12.4	86.3	<0.001	0.01	0.18	3.1	0.2	1.8	27.0	<0.01	0.01	6.6	0.071	0.23
CC100731		520	11.9	53.3	<0.001	0.02	0.27	4.2	0.8	1.1	21.5	0.02	0.02	17.9	0.074	0.48
CC100732		210	9.6	75.9	<0.001	0.01	0.17	3.2	0.3	2.1	18.0	<0.01	0.02	6.5	0.083	0.28
CC100733		720	11.3	56.3	<0.001	0.05	0.25	3.8	1.1	1.5	79.1	0.01	0.02	4.9	0.050	0.32
CC100734		520	12.0	44.9	<0.001	0.08	0.27	3.3	1.5	0.9	74.7	0.01	0.02	4.2	0.057	0.24
CC100735		320	13.0	52.7	<0.001	0.02	0.18	3.6	0.5	2.3	48.4	0.01	0.02	7.3	0.061	0.29
CC100736		530	10.0	45.9	<0.001	0.02	0.26	3.5	0.4	1.5	42.8	0.01	0.02	9.1	0.078	0.30
CC100737		600	22.5	53.2	<0.001	0.02	0.48	2.3	0.3	1.4	16.6	<0.01	0.02	3.2	0.084	0.19
CC100738		630	28.1	52.0	<0.001	0.03	0.30	1.9	0.4	1.0	34.0	0.01	0.02	2.2	0.069	0.17
CC100739		2770	40.6	66.4	<0.001	0.05	0.50	3.9	0.9	1.2	49.7	0.01	0.04	8.5	0.062	0.47
CC100740		730	13.7	44.8	<0.001	0.11	0.20	3.9	1.0	3.0	118.5	0.01	0.02	5.9	0.053	0.40
CC100741		680	16.5	37.8	0.001	0.11	0.20	4.8	1.3	3.2	109.0	0.01	0.02	7.3	0.058	0.46
CC100613		490	17.3	49.5	<0.001	0.06	0.20	5.3	0.7	2.4	91.9	0.02	0.02	4.3	0.080	0.29
CC100614		180	10.1	69.8	<0.001	0.03	0.26	6.6	0.4	7.1	50.2	0.01	0.02	6.8	0.114	0.43
CC100615		230	8.6	66.6	<0.001	0.03	0.22	7.4	0.4	5.9	128.0	0.01	0.02	8.0	0.125	0.43
CC100616		390	7.7	62.4	<0.001	0.03	0.14	3.5	<0.2	9.6	104.0	0.03	0.02	2.0	0.093	0.15
CC100617		210	8.5	62.7	<0.001	<0.01	0.19	2.2	0.2	4.6	29.1	0.01	0.03	4.1	0.070	0.22
CC100618		680	13.9	56.0	<0.001	0.14	0.40	2.4	0.6	7.1	96.9	<0.01	0.05	3.7	0.059	0.31
CC100619		610	11.7	38.8	<0.001	0.09	0.15	2.7	0.3	6.1	39.6	<0.01	0.04	9.0	0.064	0.29
CC100620		600	11.5	49.4	<0.001	0.02	0.25	4.3	4.3	11.1	60.7	0.01	0.02	6.5	0.046	0.27
CC100621		400	9.7	91.9	<0.001	0.02	0.18	3.7	0.4	9.7	75.1	0.01	0.03	6.6	0.089	0.30
CC100622		580	9.2	36.8	<0.001	0.08	0.10	3.1	0.5	2.4	164.0	0.02	0.04	12.6	0.050	0.10
CC100623		450	9.1	61.1	<0.001	0.01	0.20	3.3	0.2	4.2	64.8	0.02	0.03	7.2	0.086	0.13
CC100624		180	8.3	73.7	<0.001	<0.01	0.14	1.9	<0.2	1.1	20.4	<0.01	0.02	5.5	0.068	0.29
CC100625		520	10.0	129.5	<0.001	0.08	0.23	5.2	0.4	15.7	125.5	0.01	0.04	11.1	0.128	0.62
CC100626		450	7.0	72.6	<0.001	0.03	0.14	3.4	0.4	3.5	32.9	0.01	0.18	10.7	0.104	0.55
CC100656		790	12.4	64.2	<0.001	0.05	0.24	2.1	0.9	4.6	37.7	0.01	0.02	0.9	0.054	0.23
CC100657		500	15.6	43.0	<0.001	0.02	0.35	3.5	0.4	3.1	74.6	0.02	0.04	5.6	0.065	0.26
CC100658		1000	14.9	49.4	<0.001	0.08	0.21	1.6	<0.2	4.5	44.4	<0.01	0.04	1.5	0.047	0.28
CC100659		770	8.9	50.7	<0.001	0.16	0.20	3.6	0.6	5.3	145.5	0.01	0.05	7.0	0.041	0.26
CC100660		800	11.1	34.8	<0.001	0.04	0.22	3.9	0.3	4.0	106.5	0.02	0.04	6.2	0.073	0.17
CC100661		390	10.8	24.8	<0.001	0.02	0.62	4.5	0.7	11.9	90.4	0.01	0.05	12.7	0.056	0.29



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		U	V	W	Y	Zn	Zr
		ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
CC100722		0.83	60	0.36	2.97	54	<0.5
CC100723		0.91	75	0.99	3.75	142	4.7
CC100724		1.00	53	0.43	4.67	83	1.5
CC100725		0.91	44	0.39	3.46	86	0.6
CC100726		8.12	22	0.50	13.60	63	<0.5
CC100727		0.72	26	0.19	2.36	59	<0.5
CC100728		1.20	32	0.33	5.90	123	0.6
CC100729		2.75	37	0.28	9.97	94	1.0
CC100730		0.95	38	0.27	3.64	81	1.0
CC100731		3.79	33	0.41	12.15	141	1.7
CC100732		0.64	33	1.06	4.00	78	0.8
CC100733		5.50	23	0.32	23.0	243	0.7
CC100734		4.36	24	2.31	24.1	91	0.6
CC100735		3.00	26	0.26	8.21	229	<0.5
CC100736		1.42	28	0.72	9.69	160	0.8
CC100737		1.09	51	0.44	4.81	173	0.5
CC100738		2.73	36	0.43	7.77	207	<0.5
CC100739		7.55	32	0.53	17.50	259	0.7
CC100740		3.87	28	1.15	20.6	388	0.8
CC100741		5.31	31	1.64	35.1	273	1.1
CC100613		3.79	44	0.35	21.1	431	0.6
CC100614		0.92	51	2.43	9.09	373	1.2
CC100615		1.48	47	1.05	11.90	736	1.7
CC100616		1.12	42	1.11	5.83	304	<0.5
CC100617		0.85	33	0.80	3.96	220	<0.5
CC100618		1.44	46	1.56	6.72	407	<0.5
CC100619		1.28	41	1.48	6.10	199	<0.5
CC100620		5.70	36	13.80	85.5	969	0.5
CC100621		1.12	43	18.40	7.92	717	0.8
CC100622		1.43	28	9.58	9.42	185	0.9
CC100623		1.01	41	5.55	6.69	727	0.9
CC100624		0.61	22	0.71	2.51	107	<0.5
CC100625		1.92	46	51.3	9.07	3540	1.8
CC100626		1.40	29	57.1	5.05	2330	0.8
CC100656		5.16	40	1.67	17.80	839	<0.5
CC100657		1.31	41	1.12	7.58	341	<0.5
CC100658		1.24	41	0.61	6.08	138	<0.5
CC100659		1.36	42	1.29	7.13	260	<0.5
CC100660		1.27	52	8.35	5.89	464	0.5
CC100661		1.40	37	32.5	10.75	1520	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.2	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2
CC100662		0.11	3.79	4.0	<0.2	<10	130	4.92	5.70	0.42	0.65	45.1	14.7	43	17.60	33.2
CC100663		0.13	3.01	8.0	<0.2	<10	60	4.16	3.43	0.35	0.91	41.3	13.0	43	17.35	18.8
CC100664		0.03	3.84	3.8	<0.2	<10	90	8.55	7.20	0.31	0.48	48.6	15.6	51	19.25	33.5
CC100665		0.55	3.39	7.4	<0.2	<10	80	3.47	3.79	0.22	1.06	49.7	14.0	53	16.90	26.0
CC100666		0.46	2.21	3.3	<0.2	<10	80	3.66	7.25	0.23	1.18	35.7	16.3	37	24.3	29.4
CC100667		0.28	1.99	6.1	<0.2	<10	110	3.42	6.21	0.38	2.14	44.4	46.8	31	27.0	31.6
CC100668		0.23	2.04	4.0	<0.2	<10	60	1.63	5.38	0.15	0.33	33.3	13.8	39	24.7	32.0
CC100669		0.09	1.84	3.9	<0.2	<10	60	1.62	1.65	0.12	0.22	37.8	14.4	38	24.4	13.8
CC100670		0.11	1.19	4.8	<0.2	<10	80	0.77	6.45	0.16	0.34	34.3	11.5	21	11.05	14.5
CC100671		0.22	2.09	8.8	<0.2	<10	70	1.57	2.19	0.24	0.09	47.3	13.0	33	12.30	30.7
CC100672		0.10	1.70	11.6	<0.2	<10	40	1.15	1.35	0.06	0.06	40.3	9.9	27	9.04	15.3
CC100673		0.23	2.11	8.3	<0.2	<10	100	1.95	1.70	0.24	0.09	65.5	17.4	31	12.60	39.2
CC100674		0.09	2.25	11.2	<0.2	<10	100	1.48	2.38	0.22	0.15	50.3	17.8	35	14.70	37.6
CC100675		0.09	2.05	6.6	<0.2	<10	80	1.56	1.76	0.24	0.07	57.5	19.3	32	16.20	35.7
CC100676		0.23	2.97	8.6	<0.2	<10	110	3.51	2.31	0.48	0.06	98.5	24.0	39	22.5	73.9
CC100677		0.13	1.61	3.4	<0.2	<10	70	0.91	1.58	0.06	0.11	35.9	18.2	29	10.65	14.5
CC100678		0.02	2.25	3.8	<0.2	<10	80	1.44	1.65	0.20	0.02	56.9	9.4	36	8.20	18.8
CC100679		0.33	1.11	3.5	<0.2	<10	70	1.05	1.62	0.29	0.22	37.3	4.4	9	9.69	29.0
CC100680		0.19	1.38	3.4	<0.2	<10	60	0.78	1.52	0.20	0.24	33.8	18.4	25	10.00	22.0
CC100681		0.45	2.08	5.0	<0.2	<10	90	1.65	2.18	0.38	0.19	45.4	24.4	29	12.40	50.4
CC100682		0.31	1.28	1.8	<0.2	<10	60	1.15	0.84	0.26	0.15	25.8	14.4	15	5.96	16.8
CC100683		0.13	1.82	2.6	<0.2	<10	70	1.25	1.01	0.19	0.26	36.1	17.3	25	8.40	16.8
CC100684		0.14	1.39	3.2	<0.2	<10	50	0.95	0.27	0.18	0.09	28.2	9.3	20	7.30	14.0
CC100685		0.08	1.80	4.2	<0.2	<10	60	1.01	1.19	0.17	0.11	29.9	11.3	24	5.70	10.1
CC100686		0.07	1.71	9.5	<0.2	<10	50	0.91	0.66	0.18	0.05	35.4	11.3	23	3.44	18.6
CC100687		0.09	2.10	2.0	<0.2	<10	50	1.05	0.89	0.09	0.03	35.1	11.8	30	10.15	27.1
CC100688		0.04	1.53	4.1	<0.2	<10	60	1.36	1.04	0.35	0.05	32.3	12.7	21	5.73	20.5
CC100689		0.61	1.46	3.2	<0.2	<10	70	1.70	1.02	0.44	0.57	43.6	23.0	19	4.35	27.3
CC100690		0.49	2.78	18.0	<0.2	<10	110	4.61	1.55	0.86	0.18	110.0	19.2	28	16.50	74.7
CC100691		0.16	1.30	2.0	<0.2	<10	50	0.65	0.52	0.08	0.09	24.6	6.6	22	5.70	5.0
CC100692		0.67	4.39	12.2	<0.2	<10	50	10.15	0.53	1.51	0.84	344	13.3	22	6.95	213
CC100693		0.31	1.45	9.1	<0.2	<10	50	19.70	1.99	2.48	16.10	38.1	9.3	21	10.75	256
CC100694		0.10	1.76	5.4	<0.2	<10	60	0.76	0.74	0.96	0.47	31.8	9.3	28	5.99	15.0
CC100695		0.19	1.90	9.4	<0.2	<10	70	1.11	1.20	1.08	0.48	49.9	11.9	28	9.39	24.6
CC100696		0.20	2.09	10.5	<0.2	<10	60	0.61	1.11	1.14	0.38	46.3	12.6	30	8.71	26.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 Fe %	ME- MS41 Ga ppm	ME- MS41 Ge ppm	ME- MS41 Hf ppm	ME- MS41 Hg ppm	ME- MS41 In ppm	ME- MS41 K %	ME- MS41 La ppm	ME- MS41 Li ppm	ME- MS41 Mg %	ME- MS41 Mn ppm	ME- MS41 Mo ppm	ME- MS41 Na %	ME- MS41 Nb ppm	ME- MS41 Ni ppm
CC100662		4.44	11.50	0.07	0.03	0.03	0.590	0.16	21.7	63.0	0.77	971	0.68	0.03	2.43	39.8
CC100663		4.28	12.15	0.05	0.04	0.02	0.263	0.16	19.6	65.3	0.65	463	1.08	0.01	3.84	31.3
CC100664		4.63	14.15	0.06	0.04	0.03	0.445	0.20	24.1	94.5	0.86	437	0.81	0.01	3.91	37.6
CC100665		4.81	15.05	0.07	0.07	0.02	0.229	0.14	24.7	80.0	0.84	346	1.87	0.01	4.69	32.5
CC100666		4.20	10.70	0.06	<0.02	0.03	0.275	0.25	17.6	65.8	0.63	609	0.88	0.01	3.38	23.3
CC100667		3.28	7.94	0.05	<0.02	0.03	0.108	0.22	19.1	56.7	0.50	2260	1.05	0.01	1.85	48.5
CC100668		3.77	9.19	0.05	<0.02	0.01	0.066	0.35	17.1	52.7	0.60	290	1.14	0.01	2.92	27.3
CC100669		3.35	8.98	0.05	<0.02	0.02	0.035	0.30	17.5	43.7	0.54	354	1.67	<0.01	2.93	25.0
CC100670		2.73	7.66	0.05	<0.02	0.02	0.033	0.22	16.6	21.9	0.31	282	1.85	0.01	3.22	19.1
CC100671		3.32	6.82	0.07	<0.02	<0.01	0.046	0.28	24.3	49.0	0.70	366	0.79	<0.01	2.64	29.0
CC100672		3.13	6.23	0.06	<0.02	<0.01	0.031	0.27	21.0	44.5	0.61	261	0.64	<0.01	2.41	22.8
CC100673		3.37	6.41	0.08	<0.02	0.01	0.039	0.41	32.2	51.8	0.64	417	0.75	0.01	2.52	34.4
CC100674		3.93	7.78	0.06	<0.02	0.01	0.047	0.42	25.4	52.8	0.70	562	1.29	0.01	2.84	34.0
CC100675		3.31	7.23	0.08	<0.02	0.01	0.037	0.35	31.7	62.5	0.64	333	4.07	0.01	3.70	33.7
CC100676		4.21	8.28	0.12	<0.02	0.02	0.053	0.36	48.9	85.6	0.75	485	14.05	0.01	3.58	60.1
CC100677		3.21	8.37	0.05	<0.02	0.01	0.028	0.26	17.9	41.9	0.49	383	2.78	0.01	3.68	21.7
CC100678		3.55	8.74	0.07	0.02	0.01	0.033	0.19	30.3	77.6	0.73	231	32.4	0.01	3.79	27.9
CC100679		2.11	6.09	<0.05	<0.02	0.03	0.022	0.14	20.5	21.8	0.11	136	6.79	0.01	1.73	13.5
CC100680		2.87	7.40	<0.05	<0.02	0.01	0.024	0.26	17.4	32.7	0.43	329	1.90	0.01	3.43	29.3
CC100681		3.70	9.27	0.12	0.02	0.05	0.038	0.38	24.8	49.1	0.57	445	2.42	0.02	3.36	43.6
CC100682		2.05	4.86	0.07	<0.02	0.04	0.021	0.16	14.3	26.0	0.31	300	0.53	0.02	1.71	15.0
CC100683		2.91	6.74	0.09	0.02	0.04	0.024	0.23	18.9	67.7	0.54	421	0.66	0.01	3.25	26.1
CC100684		2.92	6.03	0.08	<0.02	0.02	0.014	0.23	15.5	59.9	0.42	305	0.45	0.01	2.92	16.6
CC100685		3.41	7.92	0.08	0.03	0.03	0.081	0.14	15.7	52.0	0.52	354	0.55	0.01	2.85	21.1
CC100686		3.40	5.84	0.09	0.04	0.04	0.047	0.12	19.6	46.5	0.62	254	0.52	0.01	2.12	27.0
CC100687		3.49	7.10	0.10	0.02	0.03	0.023	0.25	19.7	71.1	0.69	253	0.57	0.01	2.79	30.8
CC100688		2.86	5.14	0.10	0.03	0.04	0.034	0.26	16.0	44.3	0.53	281	0.49	0.02	2.27	28.7
CC100689		2.97	6.32	<0.05	<0.02	0.08	0.037	0.16	17.9	56.2	0.35	1270	0.92	0.03	2.02	28.2
CC100690		3.59	6.92	0.08	0.04	0.13	0.061	0.31	53.2	135.0	0.56	478	1.23	0.04	2.51	79.6
CC100691		2.69	7.27	<0.05	<0.02	0.08	0.014	0.18	12.0	48.1	0.36	159	0.38	0.02	2.60	12.3
CC100692		2.43	6.53	0.28	0.22	0.34	0.052	0.07	320	61.3	0.20	329	0.68	0.05	1.85	34.5
CC100693		2.53	4.82	0.07	0.04	0.14	0.101	0.11	30.6	36.0	0.47	526	0.28	0.04	1.50	31.4
CC100694		2.86	5.99	<0.05	<0.02	0.05	0.046	0.15	15.1	52.9	0.62	371	0.70	0.04	2.03	20.1
CC100695		3.09	6.22	0.06	0.03	0.05	0.076	0.19	25.7	79.4	0.61	546	0.40	0.05	1.99	28.2
CC100696		3.12	6.59	<0.05	0.04	0.04	0.067	0.21	23.3	50.5	0.66	373	0.54	0.04	2.21	29.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 2- FEB- 2011
Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02
CC100662		290	8.3	36.2	<0.001	0.01	0.47	5.2	<0.2	16.7	117.0	<0.01	0.04	14.9	0.054	0.39
CC100663		270	9.5	62.7	<0.001	0.01	0.65	4.8	<0.2	10.0	89.0	0.01	0.04	9.4	0.084	0.27
CC100664		190	6.7	41.7	<0.001	0.01	0.30	6.6	0.3	14.8	83.6	0.01	0.04	13.7	0.099	0.44
CC100665		340	14.3	52.6	<0.001	0.01	0.46	6.2	0.4	10.3	54.6	0.03	0.04	13.2	0.102	0.30
CC100666		260	7.5	122.0	<0.001	0.02	0.29	3.7	<0.2	12.3	39.8	0.01	0.06	7.2	0.108	0.42
CC100667		560	8.5	137.5	<0.001	0.03	0.45	2.0	<0.2	5.1	47.5	<0.01	0.04	1.5	0.071	0.34
CC100668		330	7.5	202	<0.001	0.02	0.49	3.3	<0.2	5.6	53.0	<0.01	0.06	5.4	0.089	0.41
CC100669		280	9.6	141.5	<0.001	0.01	0.25	3.2	<0.2	3.8	28.7	<0.01	0.03	5.0	0.083	0.40
CC100670		370	9.8	105.0	<0.001	0.01	0.24	1.9	<0.2	4.1	53.7	0.01	0.04	5.2	0.078	0.34
CC100671		440	9.4	70.9	<0.001	0.01	0.17	3.4	0.2	3.0	38.7	<0.01	0.03	10.1	0.093	0.55
CC100672		220	8.5	67.0	<0.001	<0.01	0.17	2.3	0.2	2.2	18.2	<0.01	0.03	8.1	0.073	0.44
CC100673		590	13.7	68.6	<0.001	0.01	0.16	3.0	0.4	2.3	32.9	<0.01	0.03	8.6	0.074	0.57
CC100674		510	15.9	124.5	<0.001	0.01	0.16	2.9	0.4	3.1	32.0	<0.01	0.03	5.0	0.082	0.68
CC100675		350	14.4	108.5	<0.001	0.01	0.14	3.0	0.3	2.8	33.7	<0.01	0.02	6.9	0.090	0.61
CC100676		630	18.7	75.2	<0.001	0.02	0.27	4.1	1.2	3.1	55.0	<0.01	0.04	11.5	0.085	0.75
CC100677		300	13.5	145.0	<0.001	0.01	0.21	2.7	<0.2	2.7	15.4	<0.01	0.03	5.0	0.103	0.35
CC100678		220	8.0	28.3	<0.001	<0.01	0.13	3.8	0.3	3.1	24.6	<0.01	0.02	11.4	0.102	0.43
CC100679		700	13.0	61.5	<0.001	0.04	0.21	0.4	<0.2	2.1	37.2	<0.01	0.03	0.6	0.015	0.28
CC100680		340	12.5	115.0	<0.001	0.01	0.21	2.3	<0.2	2.1	26.0	<0.01	0.03	4.9	0.096	0.35
CC100681		440	22.2	110.5	<0.001	0.02	0.19	2.6	0.4	2.5	45.1	<0.01	0.04	2.9	0.080	0.50
CC100682		490	9.4	57.6	<0.001	0.12	0.13	1.4	0.3	1.2	25.7	<0.01	0.02	1.7	0.049	0.20
CC100683		280	11.3	82.5	<0.001	0.08	0.20	2.6	0.3	1.8	22.8	<0.01	0.02	4.8	0.083	0.25
CC100684		300	6.9	70.7	<0.001	0.11	0.22	2.3	0.2	1.1	21.9	<0.01	0.02	5.9	0.062	0.25
CC100685		200	10.7	51.9	<0.001	0.11	0.20	2.4	0.3	3.9	17.0	0.01	0.02	5.7	0.062	0.21
CC100686		350	10.5	28.1	<0.001	0.08	0.23	2.3	0.3	1.6	18.3	<0.01	0.03	7.7	0.046	0.17
CC100687		290	8.6	59.0	<0.001	0.02	0.15	3.0	0.2	1.3	16.4	<0.01	0.02	7.7	0.078	0.46
CC100688		300	11.1	50.7	<0.001	0.02	0.15	2.4	0.3	1.4	31.1	<0.01	0.02	7.8	0.060	0.28
CC100689		430	23.7	63.3	<0.001	0.03	0.21	1.9	0.2	1.2	41.8	<0.01	0.02	3.1	0.050	0.13
CC100690		600	14.6	55.4	0.001	0.05	0.30	4.3	0.7	1.5	85.6	0.01	0.02	11.9	0.058	0.33
CC100691		210	6.7	54.7	<0.001	0.01	0.13	2.4	0.2	1.1	12.5	<0.01	0.01	5.2	0.075	0.20
CC100692		1020	49.1	18.0	0.001	0.07	0.38	11.2	3.7	0.6	124.5	0.06	0.05	23.7	0.040	0.16
CC100693		980	10.3	22.4	<0.001	0.08	0.41	2.6	2.5	2.5	106.0	0.01	0.02	2.2	0.031	0.14
CC100694		680	10.1	30.4	<0.001	0.05	0.08	2.7	0.4	1.5	64.2	<0.01	0.01	4.1	0.062	0.20
CC100695		610	14.7	48.6	<0.001	0.06	0.15	3.2	0.8	2.2	97.1	0.01	0.02	7.0	0.050	0.31
CC100696		770	13.9	49.5	0.001	0.07	0.17	3.2	1.0	2.4	107.0	0.01	0.02	7.4	0.052	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 2- FEB- 2011
 Account: MTT

Project: SAYYEA

CERTIFICATE OF ANALYSIS VA11011165

Sample Description	Method Analyte Units LOR	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
CC100662		1.21	43	18.10	5.94	1320	1.2
CC100663		0.91	53	18.25	4.32	731	1.8
CC100664		0.99	53	34.7	5.67	844	1.6
CC100665		1.36	64	11.40	6.26	806	2.8
CC100666		0.80	48	30.0	3.56	711	0.7
CC100667		0.93	36	15.65	4.26	697	<0.5
CC100668		0.83	45	15.40	3.19	209	<0.5
CC100669		0.76	43	4.34	3.42	157	<0.5
CC100670		0.73	36	30.4	2.51	135	<0.5
CC100671		1.27	30	11.45	6.27	123	<0.5
CC100672		0.97	29	4.37	3.54	100	<0.5
CC100673		2.01	30	3.36	10.05	111	<0.5
CC100674		1.55	37	6.30	6.90	138	<0.5
CC100675		1.96	31	7.67	9.08	104	<0.5
CC100676		5.61	35	7.23	18.90	125	<0.5
CC100677		0.96	39	14.75	3.38	116	<0.5
CC100678		1.82	39	15.05	7.45	87	0.9
CC100679		4.01	19	5.85	3.77	80	<0.5
CC100680		1.18	38	4.70	3.38	163	<0.5
CC100681		2.25	40	2.63	7.72	108	<0.5
CC100682		1.02	20	3.10	3.41	69	<0.5
CC100683		0.93	30	2.57	4.34	158	<0.5
CC100684		0.77	26	0.50	2.11	88	<0.5
CC100685		0.56	33	0.83	3.32	180	1.2
CC100686		0.65	23	0.57	4.72	178	1.1
CC100687		0.88	30	1.00	3.99	69	<0.5
CC100688		0.80	21	0.86	4.85	74	0.8
CC100689		2.03	26	1.21	6.79	182	<0.5
CC100690		7.12	26	2.14	32.9	134	0.5
CC100691		0.58	35	0.49	2.27	90	<0.5
CC100692		79.8	19	1.90	196.5	72	2.9
CC100693		9.69	19	0.91	39.6	6800	0.9
CC100694		2.81	26	1.08	7.33	146	<0.5
CC100695		2.01	23	2.75	14.25	243	0.7
CC100696		2.43	25	1.08	16.45	261	0.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: SAYYEA

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 2- FEB- 2011
Account: MTT

CERTIFICATE OF ANALYSIS VA11011165


Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

I, M.J. MARIACHER

of 1016-510 WEST HASTINGS ST.

Phone VANCOUVER, B.C. V6B 1L8

make oath and say that:



1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.
2. I have done, or caused to be done, work, on the following mineral claim(s): (Here list claims on which work was actually done by number and name)

YD33896-YD33902 SAYYEA 6-12 SOIL SAMPLING

YD33904 14

YD33906 16

YD33908 18

YD33919-YD33930 29-40

situated at SOUTH OF SAYYEA CREEK Claim sheet No. 105B/110

in the WATSON LAKE Mining District, to the value of at least 40800 dollars,

since the 27TH day of MARCH 20 10,

to represent the following mineral claims under the authority of Grouping Certificate No. HL12309.
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

YD33891-YD33992 SAYYEA 1-102 x 4 yrs = 408 CLAIM YEARS
TO MARCH 26, 2015

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 56).

GEOCHEMICAL SAMPLING, REPORT TO FOLLOW

Sworn before me at VANCOUVER, B.C. this 22ND day of MARCH 20 11.

ARCHER, CATHRO ASSOCIATES (P81) LIMITED

[Signature]
Owner or Authorized Agent

[Signature]
Notary Public

Work ID	Work Description	Grant	Claim Name #	Claim
WL00746	Geochemical Sampling, report to follow.	YD33896	SAYYEA 6	\$1,907.26
		YD33897	SAYYEA 7	\$1,907.26
		YD33898	SAYYEA 8	\$1,907.26
		YD33899	SAYYEA 9	\$1,907.26
		YD33900	SAYYEA 10	\$1,907.26
		YD33901	SAYYEA 11	\$1,907.26
		YD33902	SAYYEA 12	\$1,907.26
		YD33904	SAYYEA 14	\$1,907.26
		YD33906	SAYYEA 16	\$1,907.26
		YD33908	SAYYEA 18	\$1,907.26
		YD33919	SAYYEA 29	\$1,907.26
		YD33920	SAYYEA 30	\$1,907.26
		YD33921	SAYYEA 31	\$1,907.26
		YD33922	SAYYEA 32	\$1,907.26
		YD33923	SAYYEA 33	\$1,907.26
		YD33924	SAYYEA 34	\$1,907.26
		YD33925	SAYYEA 35	\$1,907.26
		YD33926	SAYYEA 36	\$1,907.26
		YD33927	SAYYEA 37	\$1,907.26
		YD33928	SAYYEA 38	\$1,907.26
		YD33929	SAYYEA 39	\$1,907.26
		YD33930	SAYYEA 40	\$1,907.46
				\$41,959.92

3. Work has been done on the said claims under the following grouping number(s):
HL12309

Sworn before me at Watson Lake, in the Yukon Territory,
This 23 day of March, 2011.

Notary Public

Applicant